DEPARTMENT OF COMMERCE
HERBERT HOOVER, SECRETARY
BUREAU OF THE CENSUS
W. M. STEUART, *Director*

MORTALITY STATISTICS

1924

TWENTY-FIFTH ANNUAL REPORT

PRICE, $2.25
Sold only by the Superintendent of Documents, Government Printing Office, Washington, D. C.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON
1927

LETTER OF TRANSMITTAL

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 23, 1926.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1924, which is the twenty-fifth compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which, in 1924, included the Territory of Hawaii, and, in continental United States, 39 States, the District of Columbia, and 18 cities in nonregistration States.

The total number of deaths returned from this part of continental United States, which contained an estimated population of 99,200,298, or 88.5 per cent of the total, was 1,173,990, corresponding to a death rate of 11.8 per 1,000 population. The State of North Dakota was added to the registration area in 1924.

Populations were estimated and diagrams prepared by the geographer's division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. HERBERT HOOVER,
Secretary of Commerce.

CONTENTS

TEXT

	Page
INTRODUCTION	7
Extent of the registration area in 1924	7
Growth of the registration area: 1880 to 1924	7
Deaths and crude death rates	8
Deaths by color, nativity, parent nativity, age, and sex	8
Death rates by months	10
Adjusted rates	10
Death rates of the registration area	12
Death rates of registration States	13
Death rates of large cities	13
Deaths and death rates of Negroes	16
Deaths of colored populations other than Negro	16
Deaths and death rates of Indians	17
Deaths and death rates of Japanese	17
Deaths of residents	17
Death rates of foreign countries	18
CAUSES OF DEATH	20
Detailed and abridged International Lists	20
Changes in the detailed International List	20
Death rates from certain important causes of death in the registration area and in the registration States of 1900 and of 1910	20
Typhoid and paratyphoid fever	24
Malaria	25
Smallpox	26
Measles	27
Scarlet fever	29
Whooping cough	30
Diphtheria	31
Influenza and pneumonia (all forms)	33
Acute anterior poliomyelitis	34
Lethargic encephalitis	35
CAUSES OF DEATH—Continued.	
Other epidemic and endemic diseases	36
Glanders	36
Anthrax	37
Rabies	37
Mycoses	37
Tuberculosis (all forms)	38
Tuberculosis of the respiratory system and acute disseminated tuberculosis	39
Syphilis	41
Cancer	41
Pellagra	52
Diabetes mellitus	53
Alcoholism and cirrhosis of the liver	54
Diseases of the heart	56
Pneumonia (all forms)	57
Diarrhea and enteritis (under 2 years)	59
Acute and chronic nephritis	60
Puerperal causes	62
Old age	68
Suicide	69
Homicide	70
Accidental or undefined external causes	72
Automobile accidents	72
Unknown or ill-defined diseases	75
Anesthetics	77
Adjusted and specific rates for white and colored	79
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE	82
ACCURACY OF STATISTICS OF CAUSES OF DEATH	83
CONTRIBUTORY CAUSES IN RELATION TO PRIMARY CAUSES OF DEATH: 1924	85

SUMMARY AND RATE TABLES

	Page
TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1924. Estimated population and death rates by color for registration area and its main subdivisions, and for urban and rural districts of each registration State.	88
TABLE IB.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and each county: 1924	90
TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in the registration area (exclusive of Hawaii): 1923 and 1924	114

NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and for each cause, for urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census.

GENERAL TABLES

	Page
TABLE 1.—Deaths (exclusive of stillbirths), by months: 1924. Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	118
TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1924. Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	120
TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1924. Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	122

Page

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1924 128
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1924 144
Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1924 174

TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1924 196
Causes of death by single years under 5 and by 5-year age periods.

TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1924 220

TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1924 223
Causes of death by single years under 5, and by 5 and 10 year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1924 358
Deaths by single years under 5 and by 5 and 10 year age periods in cities of 100,000 population or more on January 1, 1920.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1924 391

TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1924 .....
Deaths in cities of 100,000 population or more on January 1, 1920.

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1924 ..... 404 429
Deaths in cities of 100,000 population or more on January 1, 1920.

MAP

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1924 6

DIAGRAMS

DIAGRAM 1.—Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1924, inclusive 8

DIAGRAM 2.—Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1924 9

DIAGRAM 3.—Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1924 9

DIAGRAM 4.—Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1924 10

DIAGRAM 5.—General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1924 19

DIAGRAM 6.—Death rates from certain important causes of death in the registration area of the United States for the years 1900 and 1910 to 1924 23

DIAGRAM 7.—Refined death rates from cancer per 100,000 estimated population: 1924 47

DIAGRAM 8.—Death rates from cancer, by sex, color, and age, per 100,000 estimated population, in the registration States of 1920 (including District of Columbia); (A) on an arithmetic scale and (B) on a semilogarithmic scale: 1924 49

DIAGRAM 9.—Adjusted and crude death rates from cancer per 100,000 estimated population, in the registration States of 1900, 1900 to 1924, and in certain States, 1910 to 1924 50

SUPPLEMENT

HAWAII 440

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1924 452

TABLE 2.—Deaths (exclusive of stillbirths) and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1924 476

MORTALITY STATISTICS

1924

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1924

NOTE.—In addition to the registration States, the registration area in each year included certain cities in nonregistration States



ORIGINAL REGISTRATION STATES, 1900

STATES ADDED SINCE 1900

STATES NOT IN REGISTRATION AREA

MORTALITY STATISTICS: 1924

INTRODUCTION

The present report contains mortality statistics for the death registration area of the United States. For 1924 North Dakota was added to the area.

Data presented in both the text and the general tables are based on all deaths in the registration area, exclusive of Hawaii. Because of the distant location of this Territory and the peculiar constitution of its population deaths from this part of the registration area are not included in the general tables but are shown in special tables.

All death rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, and for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors.

To refine all death rates so that they would be strictly comparable and would truly represent the relative healthfulness of different localities is impossible from the data at hand. Certain partial refinements, however, are attempted. These partial refinements will be found as adjusted rates, based on the standard million population of England and Wales, 1901, and as refined rates which are obtained by additional corrections for deaths of nonresidents.

EXTENT OF THE REGISTRATION AREA IN 1924

The registration area in 1924 included 39 States, the District of Columbia, 18 cities in nonregistration States, and the Territory of Hawaii. These States and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under State law, or, for cities, under municipal ordinances. The States are:

California	Kansas	Montana	Rhode Island
Colorado	Kentucky	Nebraska	South Carolina
Connecticut	Louisiana	New Hampshire	Tennessee
Delaware	Maine	New Jersey	Utah
Florida	Maryland	New York	Vermont
Georgia	Massachusetts	North Carolina	Virginia
Idaho	Michigan	North Dakota	Washington
Illinois	Minnesota	Ohio	Wisconsin
Indiana	Mississippi	Oregon	Wyoming
Iowa	Missouri	Pennsylvania	

The registration cities in nonregistration States are:

Birmingham, Ala.	Albuquerque, N. Mex.	El Paso, Tex.
Mobile, Ala.	Oklahoma City, Okla.	Fort Worth, Tex.
Montgomery, Ala.	Sioux Falls, S. Dak.	Galveston, Tex.
Fort Smith, Ark.	Beaumont, Tex.	Houston, Tex.
Hot Springs, Ark.	Dallas, Tex.	San Antonio, Tex.
Little Rock, Ark.		Wheeling, W. Va.
N. Little Rock, Ark.		

GROWTH OF THE REGISTRATION AREA: 1880 TO 1924

The first mortality statistics published by the Federal Government related to 1850, and were based on data collected at the decennial census of that year for the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of death certificates were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the States and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

Table A shows the States which were included in the registration area of the United States from 1880 to 1924, with the year when each was added. The Territory of Hawaii was added in 1917, and in each year the registration area also included qualified cities in nonregistration States.

Table A

STATE	Year	STATE	Year	STATE	Year
Massachusetts	1880[1]	Pennsylvania	1906	Tennessee	1917
New Jersey	1880[1]	South Dakota[4]	1906	Illinois	1918
Dist. of Columbia[2]	1880[1]	Washington	1908	Louisiana	1918
Connecticut	1880[1]	Wisconsin	1908	Oregon	1918
Delaware[3]	1880[1]	Ohio	1909	Delaware	1919
New Hampshire	1890[1]	Minnesota	1910	Florida	1919
New York	1890[1]	Montana	1910	Mississippi	1920
Rhode Island	1890[1]	North Carolina[5]	1910	Nebraska	1922
Vermont	1890[1]	Utah	1910	Georgia	1923
Maine	1900[1]	Kentucky	1911	Idaho	1924
Michigan	1900[1]	Missouri	1911	Wyoming	
Indiana	1900	Virginia	1913	Iowa	
California	1906	Kansas	1914	North Dakota	
Colorado	1906	North Carolina[6]	1916		
Maryland	1906	South Carolina	1916		

[1] Census year ending May 31.
[2] Included in registration States.
[3] Dropped from the registration area in the census year 1900.
[4] Dropped from the registration area in 1910.
[5] Included only municipalities having a population of 1,000 or more in 1900.
[6] The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)

Table B shows the growth of the registration area in both population and land area from 1880 to 1924.

The percentages which the population and land area of the registration area, exclusive of Hawaii, formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1924, are presented in Diagram 1.

Table B

CALENDAR YEAR	CONTINENTAL UNITED STATES: Estimated population, July 1	CONTINENTAL UNITED STATES: Land area (square miles)	REGISTRATION AREA (EXCLUSIVE OF HAWAII): Estimated population, July 1: Number	Estimated population, July 1: Per cent of total	Land area: Square miles	Land area: Per cent of total
1924	112,078,611	2,973,776	99,200,298	88.5	2,091,456	70.3
1923	110,663,502	2,973,776	96,986,371	87.6	2,021,237	68.0
1922	109,248,393	2,973,776	93,241,643	85.3	1,965,589	66.1
1921	107,833,284	2,973,776	88,667,602	82.2	1,726,012	58.0
1920	106,418,175	[1] 2,973,776	87,486,713	82.2	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63.2	1,106,734	37.2
1910	92,267,080	[2] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[4] 2,974,159	{30,765,618	40.5	212,621	7.1
1900 [3]			{28,807,269	37.9	176,878	5.9
1890 [3]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [3]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] The net reduction of 114 square miles as compared with area stated by census of 1910 was due to irrigation projects.
[2] The net reduction of 269 square miles as compared with area stated by census of 1900 was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[3] Census year ending May 31; enumerated population.
[4] The increase of 194 square miles as compared with area stated by census of 1890 was due to the reclamation of part of Potomac River Flats in the District of Columbia and of part of Lake Tulare in California.

DIAGRAM 1.—PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1924, INCLUSIVE



DEATHS AND CRUDE DEATH RATES

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, for the calendar year 1924, was 1,173,990. The death rate was 11.8 per 1,000 of the estimated midyear population of 99,200,298, which was 88.5 per cent of the total estimated population of the United States. The rate for 1924 was lower than that for 1923 (12.3).

Table C shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1924..

Table C

CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2]: Number	Rate per 1,000 population [3]	CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2]: Number	Rate per 1,000 population [3]
1924	1,173,990	11.8	1910	805,412	15.0
1923	1,193,017	12.3	1909	732,538	14.4
1922	1,101,863	11.8	1908	691,574	14.8
1921	1,032,009	11.6	1907	687,034	16.0
1920	1,142,558	13.1	1906	658,105	15.7
1919	1,096,436	12.9	1905	545,533	16.0
1918	1,471,367	18.1	1904	551,354	16.5
1917	1,068,932	14.3	1903	524,415	16.0
1916	1,001,921	14.0	1902	508,640	15.9
1915	909,155	13.6	1901	518,207	16.5
1914	898,059	13.6	1900	539,939	17.6
1913	890,848	14.1	1900 [4]	512,669	17.8
1912	838,251	13.9	1890 [4]	386,212	19.6
1911	839,284	14.2	1880 [4]	169,453	19.8

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Estimated as of July 1.
[4] Census year ending May 31.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX

Table D shows, for the registration area, exclusive of Hawaii, the deaths in 1924, classified according to sex, color, nativity, and parent nativity.

Table D

COLOR, NATIVITY, AND PARENT NATIVITY	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA: [1] 1924: Number: Total	Number: Male	Number: Female	Distribution per 1,000: Total	Distribution per 1,000: Male	Distribution per 1,000: Female
Aggregate	1,173,990	632,202	541,788	1,000.0	1,000.0	1,000.0
White	1,014,085	548,293	465,792	863.8	867.3	859.7
Native	766,355	407,116	359,239	652.8	644.0	663.1
Both parents native	451,525	236,968	214,557	384.6	374.8	396.0
One or both parents foreign born	210,541	111,672	98,869	179.3	176.6	182.5
Parentage unknown	104,289	58,476	45,813	88.8	92.5	84.6
Foreign born	232,601	129,834	102,767	198.1	205.4	189.7
Unknown	15,129	11,343	3,786	12.9	17.9	7.0
Colored	159,905	83,909	75,996	136.2	132.7	140.3
Negro	154,269	80,304	73,965	131.4	127.0	136.5
Indian	2,834	1,435	1,399	2.4	2.3	2.6
Chinese	1,341	1,197	144	1.1	1.9	0.3
Japanese	1,360	888	472	1.2	1.4	0.9
Other colored	101	85	16	0.1	0.1	(2)

[1] Exclusive of Hawaii.
[2] Less than one-tenth of 1 per 1,000.

The 1,173,990 deaths in 1924 in the registration area, exclusive of Hawaii, were distributed between the sexes and between white and colored as follows: Males, 53.9 per cent; females, 46.1 per cent; white, 86.4 per cent; colored, 13.6 per cent. Of the colored, the great majority, 96.5 per cent (equivalent to 13.1 per cent of the total for all races), were Negroes.

DIAGRAM 2.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1924



The age distribution of decedents is shown in Table E.

Table E DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA: [1] 1924

AGE	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
All ages	1,173,990	632,202	541,788	1,000.0	1,000.0	1,000.0
Under 1 year	161,404	91,951	69,453	137.5	145.4	128.2
1 year	29,039	15,557	13,482	24.7	24.6	24.9
2 years	13,651	7,462	6,189	11.6	11.8	11.4
3 years	9,179	4,893	4,286	7.8	7.7	7.9
4 years	6,849	3,671	3,178	5.8	5.8	5.9
Under 5 years	220,122	123,534	96,588	187.5	195.4	178.3
5 to 9 years	22,887	12,453	10,434	19.5	19.7	19.3
10 to 14 years	17,834	9,843	7,991	15.2	15.6	14.7
15 to 19 years	29,048	14,690	14,358	24.7	23.2	26.5
20 to 24 years	38,519	18,780	19,739	32.8	29.7	36.4
25 to 29 years	39,215	19,375	19,840	33.4	30.6	36.6
30 to 34 years	40,854	21,178	19,676	34.8	33.5	36.3
35 to 39 years	47,980	26,258	21,722	40.9	41.5	40.1
40 to 44 years	51,380	28,690	22,690	43.8	45.4	41.9
45 to 49 years	57,331	32,258	25,073	48.8	51.0	46.3
50 to 54 years	67,273	38,095	29,178	57.3	60.3	53.9
55 to 59 years	70,786	40,428	30,358	60.3	63.9	56.0
60 to 64 years	84,974	47,511	37,463	72.4	75.2	69.1
65 to 69 years	93,031	51,904	41,127	79.2	82.1	75.9
70 to 74 years	93,954	50,382	43,572	80.0	79.7	80.4
75 to 79 years	83,830	43,468	40,362	71.4	68.8	74.5
80 to 84 years	63,923	30,770	33,153	54.4	48.7	61.2
85 to 89 years	33,087	14,876	18,211	28.2	23.5	33.6
90 to 94 years	12,357	5,186	7,171	10.5	8.2	13.2
95 to 99 years	2,829	1,102	1,727	2.4	1.7	3.2
100 years and over	1,231	445	786	1.0	0.7	1.5
Unknown	1,545	976	569	1.3	1.5	1.1

[1] Exclusive of Hawaii.

Table F and Diagrams 3 and 4 show, for each of the years 1900 to 1924, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

Table F DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)

CALENDAR YEAR	All ages	Under 1 year		Under 5 years	
		Number	Per cent of total	Number	Per cent of total
1924	1,173,990	161,404	13.7	220,122	18.7
1923	1,193,017	166,274	13.9	233,918	19.6
1922	1,101,863	158,560	14.4	218,201	19.8
1921	1,032,009	160,011	15.5	220,688	21.4
1920	1,142,558	174,710	15.3	248,432	21.7
1919	1,096,436	161,621	14.7	229,813	21.0
1918	1,471,367	193,855	13.2	306,143	20.8
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

In 1900 the deaths under 1 year of age formed 20.7 per cent, and those under 5 years 30.4 per cent, of the total deaths at all ages, but in 1924 the corresponding percentages were 13.7 and 18.7.

DIAGRAM 3.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1924



DIAGRAM 4.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1924



DEATH RATES BY MONTHS

Table G shows for the registration area and the registration States of 1900, for 1900, 1910, 1920, and 1924, the annual death rate from all causes per 1,000 estimated midyear population, by months.

Table G ANNUAL DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED MIDYEAR POPULATION

MONTH	Registration area (exclusive of Hawaii)				Registration States of 1900 [1]			
	1924	1920	1910	1900	1924	1920	1910	1900
Total	11.8	13.1	15.0	17.6	12.3	13.8	15.6	17.2
January	13.0	15.1	15.5	17.9	13.3	16.6	16.2	17.0
February	13.3	24.8	15.9	19.1	13.9	26.6	16.6	18.4
March	13.6	15.7	16.7	21.3	14.1	16.0	17.7	21.0
April	13.1	13.0	15.4	21.2	13.9	14.2	16.5	20.8
May	12.1	12.3	14.1	17.6	12.8	13.4	14.7	17.0
June	11.4	11.1	13.8	15.0	11.8	11.5	14.2	14.4
July	10.5	10.4	15.3	18.2	10.5	10.6	16.3	18.0
August	10.3	10.5	15.3	17.8	10.6	11.0	15.9	18.1
September	10.3	10.7	14.5	16.7	10.9	11.3	15.1	17.2
October	10.7	10.9	13.7	15.4	11.3	11.3	14.2	15.3
November	11.3	11.5	14.3	15.0	12.0	11.8	14.5	14.4
December	12.3	11.8	15.4	15.8	12.9	12.5	16.0	15.2

[1] For States included, see Table A.

In the registration area the highest annual rate from all causes in 1924, by month of death, was for March (13.6), and the lowest (10.3) for both August and September. Comparing the monthly rates of 1924 with those of 1920, every month but April, June, July, and December had a lower rate in 1924; the greatest decrease was for February (from 24.8 to 13.3), the decrease being due largely to the reduction in deaths from influenza, pneumonia, and tuberculosis.

ADJUSTED RATES

For comparison of mortality rates of different areas or divisions of the population adjusted rates are much better than crude rates. Adjusted rates, sometimes called standardized rates, were based on the standard million population of England and Wales, 1901.

Table H and Table AQ show adjusted and crude rates for the registration States of 1920 and of 1900, respectively. These rates were computed by using estimated populations, and they will serve as a ready check against unwarranted conclusions which might be drawn from crude rates alone. For these adjusted rates full corrections were made for the deaths and populations at unknown age—the sum of the deaths in the standard million population, based on the specific rates, having been multiplied by the corrective factor R_d/R_p, where R_d is the ratio of total deaths to deaths at known age and R_p, the ratio of total population to population at known age.

Tables AW and AX give adjusted rates for the States of 1900 for 1900 to 1924 and for each State of 1910 for 1910 to 1924; these rates were obtained by first determining the ratio of adjusted to crude rates in 1900, 1910, and 1920, and, assuming that these ratios were in arithmetic progression for the intervening and following years, by applying the ratio thus obtained for each year to the crude rate for the corresponding year.

For 1924, adjusted rates are not shown in certain tables [1] presenting such rates in the mortality reports for 1920 to 1923, but, instead, the "Ratio of adjusted to crude rate, 1920" is shown, from which adjusted rates can be readily computed, assuming that the ratio of the adjusted to the crude rate in 1920 remained unchanged in the succeeding years. In fact, in the reports for 1920 to 1923 (except where otherwise indicated) adjusted rates for years after 1920 were based on such 1920 ratios. In other words, the adjusted rates for these years were obtained by applying to the crude rates, based on estimated populations, the ratio of the adjusted rate to the crude rate in 1920, based on enumerated populations. It should be noted, however, that as we get farther and farther away from the census of 1920, this method of computing an adjusted rate may become less and less reliable, owing to changes which may have taken place in the age and sex distribution of the population.

[1] Tables L, M, Y, AL, AP, BG, and BM.

Table H

DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920[1] (INCLUDING DISTRICT OF COLUMBIA)

CAUSE OF DEATH AND YEAR	Both sexes		Male		Female	
	Adjusted rate	Crude rate	Adjusted rate	Crude rate	Adjusted rate	Crude rate
TOTAL						
All causes (exclusive of stillbirths) 1924	1,134.8	1,190.4	1,217.5	1,265.3	1,060.1	1,113.3
1923	1,188.4	1,240.0	1,258.8	1,302.0	1,124.0	1,176.3
1922	1,140.5	1,185.9	1,204.7	1,241.5	1,081.5	1,128.5
1921	1,122.0	1,158.1	1,176.5	1,203.7	1,071.3	1,111.0
1920	1,265.8	1,299.4	1,315.6	1,339.5	1,219.0	1,257.9
Typhoid and paratyphoid fever 1924	6.4	6.3	7.2	7.0	5.7	5.6
1923	6.6	6.4	7.5	7.3	5.7	5.6
1922	7.0	6.9	8.0	7.8	6.2	6.0
1921	9.0	8.9	9.9	9.7	8.2	8.0
1920	7.7	7.6	8.5	8.4	7.0	6.9
Measles 1924	8.4	7.9	8.6	8.0	8.2	7.7
1923	11.7	10.9	12.1	11.2	11.3	10.6
1922	4.9	4.5	5.2	4.8	4.6	4.3
1921	4.5	4.2	4.8	4.4	4.3	4.0
1920	9.4	8.8	9.6	8.9	9.2	8.7
Scarlet fever 1924	3.4	3.2	3.2	3.0	3.6	3.4
1923	3.8	3.6	3.7	3.5	3.9	3.7
1922	3.8	3.6	3.6	3.3	4.1	3.9
1921	5.7	5.4	5.5	5.2	5.8	5.6
1920	4.9	4.6	4.8	4.5	5.0	4.7
Whooping cough 1924	8.8	8.1	8.1	7.5	9.4	8.7
1923	10.6	9.8	9.7	9.0	11.5	10.7
1922	6.1	5.6	5.5	5.1	6.6	6.1
1921	9.8	9.1	8.9	8.2	10.8	10.1
1920	13.4	12.5	12.2	11.3	14.6	13.7
Diphtheria 1924	10.2	9.6	10.4	9.8	9.9	9.4
1923	13.1	12.3	13.1	12.3	13.1	12.4
1922	15.7	14.8	15.9	14.9	15.5	14.8
1921	18.8	17.8	19.1	18.0	18.4	17.6
1920	16.2	15.4	16.8	15.8	15.6	14.9
Tuberculosis (all forms) 1924	89.2	91.4	92.1	95.6	86.9	87.1
1923	92.2	94.7	95.2	99.1	89.8	90.1
1922	94.3	96.8	97.7	101.4	91.4	92.1
1921	95.9	98.3	98.2	101.8	94.1	94.8
1920	110.4	113.2	112.7	116.7	108.6	109.5
Cancer and other malignant tumors 1924	85.7	93.8	73.0	81.0	97.2	106.9
1923	83.7	91.1	71.3	78.6	95.0	103.9
1922	82.1	88.7	69.4	76.1	93.5	101.8
1921	80.4	86.2	66.4	72.3	92.9	100.5
1920	78.3	83.4	64.4	69.6	90.8	97.6
Diabetes mellitus 1924	15.8	16.9	12.7	13.9	18.5	20.1
1923	17.2	18.3	14.5	15.7	19.4	20.9
1922	17.9	18.8	15.2	16.3	20.1	21.5
1921	16.1	16.8	13.7	14.6	18.0	19.1
1920	15.5	16.2	13.6	14.4	17.0	18.0
Diarrhea and enteritis 1924	36.8	34.5	40.1	37.4	33.4	31.6
1923	42.7	40.0	46.2	43.0	39.2	37.0
1922	41.6	39.2	45.2	42.3	38.0	36.0
1921	53.9	50.8	57.8	54.1	49.9	47.5
1920	56.5	53.6	61.5	57.8	51.5	49.2
Acute and chronic nephritis 1924	81.8	90.4	86.9	94.5	78.1	86.1
1923	82.9	91.0	87.4	94.4	79.7	87.5
1922	81.4	88.8	86.1	92.5	78.0	85.0
1921	78.5	84.9	81.9	87.3	76.2	82.5
1920	82.4	88.8	87.8	93.1	78.4	84.4
Puerperal septicemia 1924	6.0	5.6	-------	-------	11.6	11.5
1923	6.1	5.8	-------	-------	11.8	11.7
1922	5.9	5.6	-------	-------	11.3	11.3
1921	7.2	6.7	-------	-------	13.7	13.7
1920	6.9	6.5	-------	-------	13.2	13.3
Other puerperal causes 1924	10.0	9.5	-------	-------	19.1	19.2
1923	10.0	9.6	-------	-------	19.2	19.4
1922	10.3	9.8	-------	-------	19.7	19.8
1921	10.5	10.0	-------	-------	20.1	20.2
1920	13.1	12.4	-------	-------	25.1	25.3
Violent deaths (suicide excepted) 1924	81.2	85.1	120.1	122.3	45.2	46.8
1923	80.7	84.7	120.1	122.5	44.2	45.7
1922	74.3	77.8	109.9	111.9	41.2	42.5
1921	73.3	76.4	108.4	110.0	40.5	41.7
1920	74.8	77.8	110.2	111.4	42.0	43.0
WHITE						
All causes (exclusive of stillbirths) 1924	1,062.7	1,134.0	1,146.9	1,208.5	986.6	1,057.3
1923	1,125.4	1,193.5	1,199.2	1,256.5	1,057.7	1,128.5
1922	1,086.5	1,147.3	1,154.3	1,204.3	1,024.1	1,088.5
1921	1,069.4	1,120.0	1,129.3	1,168.7	1,013.8	1,069.7
1920	1,207.5	1,256.2	1,262.3	1,299.0	1,156.1	1,211.9
Typhoid and paratyphoid fever 1924	5.0	4.9	5.8	5.6	4.3	4.1
1923	5.5	5.4	6.5	6.3	4.6	4.5
1922	5.8	5.7	6.7	6.6	4.9	4.8
1921	7.7	7.7	8.7	8.5	6.9	6.8
1920	6.6	6.6	7.4	7.3	5.9	5.8

[1] For States included, see Table A.

Table H—Con.

DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920[1] (INCLUDING DISTRICT OF COLUMBIA)

CAUSE OF DEATH AND YEAR	Both sexes		Male		Female	
	Adjusted rate	Crude rate	Adjusted rate	Crude rate	Adjusted rate	Crude rate
WHITE—continued						
Measles 1924	7.7	7.2	7.9	7.3	7.5	7.1
1923	11.2	10.5	11.6	10.8	10.8	10.2
1922	5.0	4.7	5.3	4.9	4.8	4.5
1921	4.6	4.3	4.8	4.5	4.4	4.1
1920	9.9	9.3	10.0	9.3	9.8	9.2
Scarlet fever 1924	3.7	3.4	3.4	3.2	3.9	3.6
1923	4.1	3.8	4.0	3.7	4.2	4.0
1922	4.1	3.9	3.8	3.6	4.4	4.2
1921	6.1	5.8	5.9	5.5	6.3	6.0
1920	5.3	5.0	5.2	4.8	5.4	5.1
Whooping cough 1924	7.3	6.8	6.7	6.2	7.9	7.3
1923	9.1	8.5	8.4	7.8	9.9	9.2
1922	5.4	5.0	4.9	4.5	5.9	5.5
1921	8.7	8.1	7.8	7.2	9.6	9.0
1920	12.6	11.7	11.5	10.7	13.7	12.8
Diphtheria 1924	10.5	9.8	10.8	10.1	10.2	9.6
1923	13.5	12.7	13.6	12.7	13.5	12.7
1922	16.2	15.2	16.3	15.3	16.1	15.2
1921	19.6	18.5	19.9	18.7	19.3	18.3
1920	16.9	16.0	17.6	16.5	16.3	15.5
Tuberculosis (all forms) 1924	75.6	78.3	79.0	83.2	72.7	73.2
1923	79.4	82.4	83.3	87.8	76.1	76.9
1922	81.1	84.1	84.8	89.2	77.9	78.8
1921	82.3	85.3	85.5	89.7	79.7	80.7
1920	96.2	99.5	99.4	104.1	93.5	94.7
Cancer and other malignant tumors 1924	86.5	96.9	75.1	84.8	96.9	109.4
1923	84.6	94.2	73.3	82.3	94.8	106.4
1922	83.0	91.9	71.4	79.7	93.6	104.4
1921	81.4	89.4	68.5	75.9	93.1	103.3
1920	79.4	86.5	66.5	73.3	90.9	100.3
Diabetes mellitus 1924	16.0	17.4	12.9	14.3	18.6	20.7
1923	17.5	19.0	14.9	16.4	19.7	21.7
1922	18.3	19.7	15.7	17.0	20.5	22.5
1921	16.5	17.6	14.2	15.3	18.4	20.0
1920	15.9	16.9	14.0	15.0	17.4	18.8
Diarrhea and enteritis 1924	33.6	31.6	36.7	34.4	30.4	28.8
1923	40.3	37.9	43.8	41.0	36.8	34.8
1922	39.8	37.5	43.4	40.6	36.1	34.3
1921	52.1	49.2	56.2	52.7	47.8	45.6
1920	54.8	52.0	59.9	56.4	49.6	47.4
Acute and chronic nephritis 1924	76.4	86.2	81.3	89.8	72.8	82.5
1923	78.8	88.3	83.2	91.4	75.5	85.1
1922	77.4	86.3	82.0	89.6	74.0	82.8
1921	74.6	82.5	78.1	84.6	72.3	80.3
1920	78.8	86.7	84.0	90.6	74.9	82.7
Puerperal septicemia 1924	5.5	5.2	-------	-------	10.6	10.5
1923	5.7	5.4	-------	-------	11.0	10.9
1922	5.5	5.2	-------	-------	10.5	10.5
1921	6.7	6.3	-------	-------	12.9	12.8
1920	6.5	6.1	-------	-------	12.4	12.4
Other puerperal causes 1924	8.9	8.4	-------	-------	17.0	17.1
1923	9.2	8.7	-------	-------	17.6	17.7
1922	9.5	9.0	-------	-------	18.3	18.4
1921	9.7	9.2	-------	-------	18.6	18.7
1920	12.3	11.6	-------	-------	23.4	23.6
Violent deaths (suicide excepted) 1924	76.5	80.8	113.0	115.8	42.6	44.8
1923	76.7	81.1	113.8	116.8	42.2	44.4
1922	71.2	75.1	105.4	107.9	39.4	41.3
1921	70.4	73.9	104.1	106.1	39.0	40.7
1920	71.8	75.1	105.7	107.4	40.1	41.7
COLORED						
All causes (exclusive of stillbirths) 1924	1,996.4	1,822.5	2,049.5	1,906.0	1,947.9	1,737.6
1923	1,933.9	1,761.7	1,951.7	1,814.7	1,916.9	1,707.8
1922	1,771.7	1,615.2	1,782.1	1,659.1	1,761.0	1,570.5
1921	1,727.9	1,579.8	1,712.8	1,594.9	1,739.7	1,564.4
1920	1,931.4	1,774.8	1,918.5	1,789.3	1,941.5	1,760.0
Typhoid and paratyphoid fever 1924	21.6	21.8	22.6	22.2	20.8	21.5
1923	17.8	17.9	18.3	18.0	17.3	17.8
1922	20.0	20.2	21.4	21.1	18.7	19.2
1921	22.4	22.6	23.4	23.1	21.5	22.0
1920	19.5	19.7	20.9	20.9	18.2	18.4
Measles 1924	16.2	15.1	17.0	15.4	15.4	14.7
1923	16.8	15.7	17.5	16.0	16.2	15.5
1922	3.2	3.0	3.6	3.3	2.8	2.6
1921	3.6	3.4	4.0	3.7	3.3	3.2
1920	4.3	4.1	5.1	4.8	3.5	3.4
Scarlet fever 1924	0.7	0.7	0.5	0.5	0.9	0.9
1923	1.0	1.0	0.9	0.9	1.1	1.1
1922	0.8	0.8	0.8	0.8	0.7	0.7
1921	1.1	1.1	1.1	1.1	1.2	1.2
1920	0.8	0.8	0.7	0.7	1.0	1.0
Whooping cough 1924	25.5	22.9	24.5	21.7	26.5	24.2
1923	27.3	24.9	25.1	22.6	29.5	27.3
1922	13.8	12.8	13.0	11.9	14.6	13.6
1921	22.1	20.7	21.3	19.7	22.9	21.7
1920	21.8	20.6	19.5	18.3	24.0	23.1

Table H—Con. DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920 [1] (INCLUDING DISTRICT OF COLUMBIA)

CAUSE OF DEATH AND YEAR	Both sexes		Male		Female	
	Adjusted rate	Crude rate	Adjusted rate	Crude rate	Adjusted rate	Crude rate
COLORED—continued						
Diphtheria: 1924	7.3	6.9	7.0	6.5	7.5	7.3
1923	8.4	8.0	8.0	7.4	8.8	8.5
1922	10.5	10.2	11.2	10.7	9.9	9.8
1921	10.4	10.2	10.6	10.2	10.1	10.2
1920	8.7	8.6	8.6	8.3	8.9	8.9
Tuberculosis (all forms): 1924	237.8	238.2	238.4	235.0	238.1	241.4
1923	231.5	232.2	228.7	226.4	234.9	238.1
1922	237.4	238.2	241.4	238.0	234.7	238.3
1921	242.5	243.2	240.3	237.5	245.4	249.0
1920	263.0	263.5	259.7	256.6	266.9	270.5
Cancer and other malignant tumors: 1924	69.8	58.8	40.7	37.9	95.7	79.9
1923	68.0	56.8	40.0	36.9	92.9	77.0
1922	65.0	53.6	38.7	35.3	88.5	72.3
1921	61.3	50.2	34.8	31.5	84.7	69.2
1920	59.7	48.7	32.2	29.1	84.1	68.6
Diabetes mellitus: 1924	13.2	11.2	9.8	9.1	16.2	13.2
1923	12.1	10.2	8.7	8.1	15.1	12.3
1922	11.3	9.5	9.0	8.4	13.4	10.7
1921	9.8	8.3	8.0	7.2	11.4	9.4
1920	9.6	8.0	7.8	7.2	11.1	8.8
Diarrhea and enteritis: 1924	75.0	66.8	80.9	71.6	68.8	61.9
1923	70.3	63.4	73.7	66.0	66.6	60.7
1922	63.5	57.8	66.6	60.5	60.1	55.1
1921	75.0	69.1	76.3	70.0	73.4	68.2
1920	76.3	71.2	79.5	73.9	72.8	68.6
Acute and chronic nephritis: 1924	158.0	137.1	164.7	147.4	154.6	126.6
1923	140.9	120.6	144.7	127.4	139.7	113.8
1922	137.3	116.7	141.4	124.6	135.3	108.7
1921	130.9	111.7	132.7	116.5	130.7	106.9
1920	131.1	111.5	138.1	120.0	126.7	103.0
Puerperal septicemia: 1924	10.9	11.1	----	----	21.0	22.5
1923	10.2	10.4	----	----	19.6	20.9
1922	10.1	10.3	----	----	19.5	20.7
1921	11.4	11.5	----	----	21.8	23.3
1920	11.2	11.4	----	----	21.6	23.0
Other puerperal causes: 1924	20.6	21.1	----	----	39.7	42.5
1923	18.5	18.8	----	----	35.5	38.0
1922	17.5	17.8	----	----	33.7	35.9
1921	18.1	18.3	----	----	34.7	37.0
1920	21.3	21.6	----	----	41.0	43.6
Violent deaths (suicide excepted): 1924	133.1	132.6	199.4	195.7	72.3	68.4
1923	124.5	124.6	189.6	187.0	64.7	61.1
1922	107.5	107.4	160.3	157.9	59.0	56.0
1921	103.6	103.6	155.9	153.7	55.5	52.6
1920	107.5	107.1	158.9	155.8	60.3	57.6

[1] For States included, see Table A.

NOTE.—For explanation of adjusted rates, see p. 10.

Table I gives for 1922, 1923, and 1924 the estimated population, by age, sex, and color, in the registration States of 1920 (including the District of Columbia).

Table I ESTIMATED POPULATION, JULY 1, IN THE REGISTRATION STATES OF 1920 [1] (INCLUDING DISTRICT OF COLUMBIA)

AGE AND COLOR	1924		1923		1922	
	Male	Female	Male	Female	Male	Female
All ages: White	42,324,898	41,116,533	41,695,839	40,440,490	41,177,508	39,872,010
Colored	3,751,970	3,687,469	3,695,718	3,631,916	3,669,075	3,605,255
Under 1 year: White	831,924	810,956	826,889	805,883	824,030	802,933
Colored	74,894	76,432	74,868	76,332	75,428	76,812
1 year: White	918,674	890,925	901,513	874,391	886,755	860,189
Colored	72,715	73,465	71,995	72,744	71,891	72,630
2 years: White	899,040	875,602	887,657	864,325	878,626	855,340
Colored	73,090	74,321	73,249	74,423	74,017	75,127
3 years: White	913,943	893,179	900,540	880,356	889,528	869,871
Colored	78,206	80,396	77,998	80,210	78,422	80,652
4 years: White	891,710	865,717	879,037	853,344	868,697	843,237
Colored	78,402	76,399	78,359	76,508	78,938	77,221

[1] For States included, see Table A.

Table I—Con. ESTIMATED POPULATION, JULY 1, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA)

AGE AND COLOR	1924		1923		1922	
	Male	Female	Male	Female	Male	Female
Under 5 years: White	4,455,291	4,336,379	4,395,636	4,278,299	4,347,636	4,231,570
Colored	377,307	381,013	376,469	380,217	378,696	382,442
5 to 9 years: White	4,389,270	4,299,634	4,310,087	4,222,111	4,242,387	4,155,835
Colored	420,241	421,024	415,452	416,751	414,227	415,609
10 to 14 years: White	4,045,493	3,969,822	3,978,299	3,903,777	3,921,689	3,848,116
Colored	411,128	416,131	405,590	410,239	403,040	407,322
15 to 19 years: White	3,367,042	3,418,996	3,351,752	3,399,202	3,345,270	3,388,351
Colored	341,813	376,428	339,193	371,935	339,060	371,055
20 to 24 years: White	3,251,099	3,518,684	3,251,208	3,491,851	3,259,821	3,474,223
Colored	339,107	392,506	336,210	387,837	335,743	385,874
25 to 29 years: White	3,521,528	3,609,450	3,487,798	3,551,079	3,463,280	3,502,150
Colored	301,684	347,569	299,301	342,382	299,349	339,804
30 to 34 years: White	3,366,750	3,231,754	3,316,117	3,173,069	3,274,291	3,122,839
Colored	251,974	270,794	249,363	265,852	248,969	263,120
35 to 39 years: White	3,325,874	3,010,962	3,262,934	2,954,258	3,208,694	2,905,432
Colored	314,000	297,971	306,146	290,017	300,679	284,262
40 to 44 years: White	2,691,155	2,551,389	2,647,689	2,501,922	2,611,264	2,459,128
Colored	234,079	219,840	228,170	213,694	224,129	209,315
45 to 49 years: White	2,578,986	2,262,148	2,520,740	2,213,344	2,469,243	2,170,455
Colored	263,944	176,022	253,471	171,217	244,908	167,922
50 to 54 years: White	2,113,828	1,920,756	2,073,603	1,880,317	2,038,908	1,844,902
Colored	173,947	127,291	169,406	124,401	166,303	122,723
55 to 59 years: White	1,646,772	1,515,828	1,607,756	1,478,333	1,573,050	1,444,803
Colored	99,775	74,046	97,805	72,744	96,845	72,319
60 to 64 years: White	1,390,081	1,262,359	1,352,915	1,230,969	1,319,387	1,202,880
Colored	84,077	63,257	82,458	62,313	81,692	62,103
65 to 69 years: White	918,784	866,597	899,775	850,007	883,170	835,685
Colored	56,862	45,004	55,747	44,144	55,200	43,793
70 to 74 years: White	605,883	609,671	593,411	596,972	582,524	585,869
Colored	36,298	33,254	35,457	32,499	34,987	32,107
75 to 79 years: White	368,354	396,352	360,264	386,923	353,138	378,531
Colored	21,083	19,547	20,517	19,029	20,173	18,743
80 to 84 years: White	159,847	195,543	156,861	190,836	154,293	186,642
Colored	9,619	10,918	9,416	10,725	9,311	10,648
85 to 89 years: White	58,975	78,378	57,804	76,413	56,787	74,654
Colored	4,066	4,918	3,999	4,821	3,970	4,773
90 to 94 years: White	12,534	19,288	12,352	18,833	12,203	18,428
Colored	1,542	2,426	1,535	2,412	1,538	2,414
95 to 99 years: White	2,568	3,962	2,496	3,849	2,432	3,745
Colored	725	1,057	719	1,046	715	1,041
100 years and over: White	387	639	376	617	366	597
Colored	587	1,228	585	1,213	586	1,201
Unknown: White	54,397	37,942	55,966	37,509	57,675	37,175
Colored	8,112	6,225	8,509	6,428	8,955	6,665

DEATH RATES OF THE REGISTRATION AREA

The death rates from all causes in the registration area and its main subdivisions, for 1919 to 1924, are shown in Table J.

Table J DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION

AREA	1924	1923	1922	1921	1920	1919
The registration area (exclusive of Hawaii)	11.8	12.3	11.8	11.6	13.1	12.9
Registration States [1]	11.8	12.3	11.8	11.6	13.0	12.8
Cities in registration States [1]	12.8	13.2	12.7	12.3	14.1	13.9
Rural part of registration States	10.9	11.5	11.0	10.9	11.9	11.9
Registration cities in nonregistration States	15.0	13.8	14.0	15.1	17.0	15.6
All registration cities [1]	12.8	13.2	12.7	12.4	14.2	13.9

[1] Including District of Columbia.

The rates were lower in 1924 than in 1923 for all the subdivisions of the registration area, except registration cities in nonregistration States. In every year the rate for the rural part of the States was much lower than that for cities.

In view of the many changes which have taken place in the extent of the registration area since 1900, rates for the area usually are not strictly comparable year after year; therefore, in Table K rates are presented for 1919 to 1924 for the registration States of 1900—the "original registration States:" Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia.

Table K

AREA	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1900 [2]					
	1924	1923	1922	1921	1920	1919
Total	12.3	12.9	12.6	12.2	13.8	13.5
Cities [2]	12.2	12.5	12.3	11.8	13.7	13.5
Rural districts	12.6	13.8	13.3	12.9	14.0	13.4

[1] Exclusive of stillbirths. [2] Including District of Columbia.

For the registration States of 1900 the rates for rural districts were higher than those for cities for 1920 to 1924.

For the series of years, the city rates for the States of 1900 were slightly lower than the city rates for the States of each year, but the rural rates were very much lower for the States of each year than for the States of 1900.

DEATH RATES OF REGISTRATION STATES

Table L shows crude death rates from all causes for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920, for the registration States.

Table L

STATE	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION								
	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
Registration States [2]	11.8	12.3	11.8	11.6	13.0	12.8	18.0		
California	14.5	14.3	14.1	13.2	13.6	13.7	17.7	12.4	0.91170491
Colorado	12.5	12.4	13.5	12.4	14.5	12.9	19.3	14.4	.99712289
Connecticut	11.3	12.0	12.0	11.4	13.6	13.3	20.4	12.9	.95073352
Delaware	13.0	14.0	13.2	13.1	14.6	15.5	(3)	13.7	.94201216
Florida *	12.9	13.5	12.2	11.8	13.0	12.4	(3)	13.4	1.03083600
White	11.2	11.8	10.9	10.5	11.7	11.3	(3)	11.4	.97154882
Colored	16.4	17.0	15.0	14.2	15.5	14.3	(3)	17.6	1.13369328
Georgia	11.5	11.3	10.4	(3)	(3)	(3)	(3)	(3)	(3)
White	9.8	9.9	9.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	13.9	13.3	12.2	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	7.9	7.1	8.1	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	11.2	12.0	11.3	11.1	12.6	12.0	16.2	12.5	.98920410
Indiana	12.2	12.9	11.9	11.9	13.4	12.7	16.0	12.1	.90242271
Iowa *	9.8	10.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas *	9.9	11.0	10.6	10.2	11.4	10.8	15.1	10.4	.91418595
Kentucky	10.8	11.9	10.8	10.5	11.8	12.8	17.0	11.7	.99475465
White	9.9	11.1	10.0	9.8	11.0	11.8	15.8	10.9	.99300509
Colored	20.1	19.5	18.4	17.9	19.4	21.2	27.7	19.5	1.00367571
Louisiana	13.1	12.1	11.3	11.0	11.9	12.9	18.2	13.3	1.11523699
White	10.5	10.0	9.4	9.2	9.8	10.6	14.9	10.9	1.11671572
Colored	17.6	15.5	14.4	13.9	15.3	16.4	23.3	17.1	1.11571867
Maine	13.8	15.0	14.7	14.0	15.4	14.6	19.1	12.4	.80482598
Maryland	13.8	14.7	13.6	13.6	14.7	15.3	23.6	14.4	.98113464
White	12.5	13.3	12.4	12.3	13.3	13.8	21.7	12.8	.95748490
Colored	20.2	21.4	19.4	19.6	21.2	22.3	33.0	22.7	1.06933998
Massachusetts *	12.0	13.0	12.8	12.2	13.8	13.6	20.9	12.9	.93605530
Michigan	11.6	12.4	11.3	11.6	13.9	12.6	15.4	13.2	.95246228
Minnesota	9.7	10.1	9.5	9.4	10.7	10.5	13.4	10.5	.97958237
Mississippi	11.8	11.4	10.8	11.1	12.3	12.7	(3)	13.4	1.08676578
White	9.2	9.1	8.7	8.6	9.2	9.6	(3)	9.7	1.05356758
Colored	14.2	13.5	12.8	13.5	15.1	15.4	(3)	16.8	1.11332272
Missouri	11.7	12.2	11.2	10.8	12.5	11.8	15.9	11.9	.95385598
Montana	7.9	8.0	8.6	8.2	9.5	10.7	17.3	10.2	1.07056870
Nebraska	9.2	9.5	9.4	9.2	10.0	(3)	(3)	9.7	.97262737
New Hampshire	14.2	15.1	14.6	13.7	15.2	14.7	21.8	12.2	.79817896
New Jersey	11.9	12.3	12.2	11.7	13.0	13.1	20.6	13.1	1.01023291
New York *	12.7	13.0	13.0	12.3	13.8	13.9	19.0	13.6	.98031609
North Carolina	12.2	12.0	11.6	11.3	12.7	12.2	17.1	13.4	1.05791536
White	10.4	10.5	10.3	9.9	11.2	10.6	14.6	11.6	1.03702068
Colored	16.4	15.5	14.8	14.4	16.0	15.9	23.0	17.7	1.10387510
North Dakota *	7.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	11.2	12.3	11.3	11.3	12.8	12.7	16.8	11.9	.93035327
Oregon	11.4	10.9	11.5	10.4	11.7	11.4	12.8	10.9	.92773024
Pennsylvania	12.3	13.3	12.3	12.4	13.8	13.4	22.1	13.6	.98672917
Rhode Island *	12.5	13.8	13.1	12.6	14.3	14.2	20.9	13.8	.96260773
South Carolina	13.0	11.8	12.0	11.9	14.0	13.8	19.5	15.6	1.11065458
White	10.4	9.5	9.7	9.8	11.4	10.6	15.6	12.3	1.07920792
Colored	15.6	14.1	14.2	14.0	16.5	16.7	23.2	18.9	1.14176268
Tennessee	11.6	11.9	10.8	10.7	12.1	12.2	16.1	12.5	1.03079203
White	9.9	10.4	9.5	9.4	10.7	10.8	14.0	10.9	1.01874300
Colored	19.4	18.7	16.4	16.0	18.1	18.4	24.6	19.2	1.05962389
Utah	10.4	9.5	10.4	10.4	11.5	11.0	14.2	12.0	1.04703034
Vermont	13.8	15.2	14.7	14.2	15.7	14.4	19.4	12.3	.78335880
Virginia	12.0	12.8	12.1	12.2	13.1	13.7	19.3	13.6	1.03322234
White	10.3	11.0	10.3	10.4	11.3	11.5	16.9	11.4	1.00916784
Colored	16.4	17.2	16.4	16.3	17.6	18.8	24.9	18.9	1.07850159
Washington	10.0	9.7	10.1	9.5	11.1	10.7	13.3	11.0	.99248524
Wisconsin	10.2	10.7	10.1	10.3	11.2	10.7	13.6	10.5	.93932943
Wyoming	9.5	10.3	9.3	(3)	(3)	(3)	(3)	(3)	(3)

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
† See "Adjusted rates," p. 10.

Crude death rates by no means tell the whole story regarding the healthfulness of different localities. Race stock, occupations of the inhabitants, the sex and age distribution of the population, and the relative number of deaths of nonresidents are factors which must be considered before it can be determined that one city or State is more healthful than another.

Of the 38 States with rates in 1923 and 1924, 27 had lower rates in 1924. The highest rate (14.5) in 1924 was for California and the lowest (7.6), for North Dakota; other States with low rates were Idaho and Montana (7.9 each) and Nebraska (9.2).

In the 10 States shown by color, the rates for colored were much higher than for white; Kentucky had a rate of 20.1 for colored against 9.9 for white.

DEATH RATES OF LARGE CITIES

Table M shows crude death rates from all causes for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920, for cities of 100,000 population or more in 1920.

Table M — DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION

CITY	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(2)	(2)	7.5	7.5	11.3	10.9	12.9	13.8	1.21687569
Albany*	15.6	16.2	15.7	15.1	15.7	16.4	23.0	14.3	.91180392
Atlanta	(2)	18.1	15.7	14.8	17.2	15.8	19.1	19.3	1.12653273
White	(2)	13.4	12.0	12.3	14.5	13.3	15.6	16.4	1.13153067
Colored	(2)	28.7	24.2	20.6	23.0	21.2	26.8	25.7	1.11962568
Baltimore	14.4	15.0	14.2	13.8	15.4	15.7	25.7	15.6	1.01563813
White	13.0	13.5	13.0	12.7	13.9	14.3	23.6	13.9	.99466116
Colored	22.8	23.5	21.3	20.5	23.5	23.5	36.5	26.6	1.13035767
Birmingham	17.0	15.6	13.7	14.6	16.5	16.6	25.2	19.2	1.16633687
White	12.6	12.0	10.4	11.4	12.4	12.7	19.7	14.7	1.18671239
Colored	23.7	21.1	18.8	19.7	22.8	22.7	33.8	26.4	1.16014389
Boston*	14.1	14.9	14.9	13.5	15.4	15.7	23.6	15.5	1.00515730
Bridgeport	(2)	(2)	11.1	10.5	12.8	14.0	21.8	13.9	1.07845092
Buffalo*	13.1	13.5	13.4	12.6	14.6	14.9	20.5	15.3	1.04400000
Cambridge*	12.1	13.7	13.2	12.6	14.9	13.4	20.9	14.5	.97364892
Camden	13.8	14.5	13.7	12.8	14.7	14.8	27.2	15.4	1.04434590
Chicago	11.2	11.7	11.2	11.1	12.8	12.5	16.9	13.9	1.08969688
Cincinnati	15.2	16.1	14.9	14.1	15.1	15.9	21.6	14.4	.95302279
Cleveland	10.2	10.8	10.3	10.5	12.4	12.6	17.2	13.8	1.11675046
Columbus	13.2	15.3	13.2	12.8	14.8	14.1	18.6	14.6	.98977273
Dallas	13.1	11.9	12.6	11.9	13.4	11.5	18.1	15.4	1.14664220
White	11.7	10.6	11.0	11.0	12.1	10.4	16.6	14.0	1.15272934
Colored	21.8	20.0	22.2	17.3	20.8	17.1	25.7	23.7	1.14146155
Dayton	10.9	11.8	11.0	11.0	12.2	11.7	17.4	12.2	1.00356477
Denver	14.9	14.7	16.0	14.1	17.3	14.7	20.9	17.0	.98003661
Des Moines*	10.8	11.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	10.8	(1)	11.1	10.5	13.4	11.7	14.1	15.2	1.13353159
Fall River*	12.5	13.7	16.0	14.2	14.7	14.4	23.8	15.1	1.03025770
Fort Worth	8.8	8.3	9.9	(3)	(3)	(3)	(3)	(3)	(3)
White	8.3	7.9	9.3	(3)	(3)	(3)	(3)	(3)	(3)
Colored	11.8	11.0	13.6	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	10.3	11.7	11.0	10.9	13.2	11.5	14.1	12.6	.95462426
Hartford	11.6	13.1	14.0	13.2	16.4	15.7	23.6	16.9	1.03246558
Houston	14.5	13.3	13.6	12.7	13.9	13.5	19.4	15.7	1.13372217
White	12.1	11.4	11.7	11.3	12.3	12.3	17.7	13.9	1.12745882
Colored	22.8	19.4	19.7	17.2	18.6	17.1	24.6	21.6	1.15728785
Indianapolis	13.1	14.4	13.2	12.6	14.6	13.4	17.5	14.8	1.01538462
White	12.3	13.7	12.5	12.2	13.8	12.8	16.6	13.7	.99712974
Colored	19.0	19.7	18.1	16.5	20.9	18.5	24.5	23.9	1.14166510
Jersey City	12.2	12.0	11.9	11.9	14.1	14.7	20.8	15.4	1.09117232
Kansas City,* Kans	13.2	14.9	13.1	12.1	14.5	14.0	21.2	15.1	1.04586528
White	11.8	13.6	11.9	11.1	13.5	12.8	20.7	(4)	(4)
Colored	21.6	22.6	20.5	17.9	20.6	21.1	24.4	(4)	(4)
Kansas City, Mo	13.4	14.4	14.6	13.8	16.1	15.3	21.3	16.8	1.04762490
Los Angeles	(2)	(2)	15.2	14.0	14.1	13.6	17.4	13.1	.93357959
Louisville	13.5	16.2	14.1	14.0	15.2	17.3	26.8	15.2	.99606557
White	12.0	14.9	12.3	12.8	13.8	15.6	25.4	13.5	.97982209
Colored	21.6	23.7	23.5	20.0	22.2	25.9	33.5	23.6	1.06363677
Lowell*	14.0	14.6	13.4	12.9	15.7	15.2	22.1	15.8	1.00840443
Memphis	20.4	19.9	17.8	17.4	19.9	21.4	24.6	21.6	1.08494189
White	14.1	15.6	14.1	13.7	15.6	16.2	20.2	16.7	1.06764296
Colored	31.3	27.5	24.0	23.5	27.0	30.6	32.1	30.6	1.13022467
Milwaukee	9.8	10.8	9.9	9.8	11.7	11.0	14.7	12.4	1.05825243
Minneapolis	11.2	11.1	10.8	10.9	12.3	11.7	14.7	12.4	1.01114341
Nashville	19.2	18.6	16.6	16.2	18.1	18.5	27.0	18.8	1.03731672
White	16.3	15.5	14.7	13.6	15.5	16.0	23.9	16.2	1.04135194
Colored	26.4	26.0	21.2	22.4	24.0	24.3	34.1	24.8	1.03038639
New Bedford*	11.3	12.2	12.3	11.1	14.2	13.5	24.7	14.9	1.04494304
New Haven	12.2	12.6	13.3	11.6	14.5	13.0	21.2	14.5	1.00184780
New Orleans	18.6	17.7	16.7	16.4	17.6	18.9	26.1	18.7	1.06217938
White	15.0	14.5	14.0	13.7	14.5	16.2	22.0	15.2	1.04307103
Colored	28.8	26.7	24.5	23.9	26.4	26.7	37.5	29.4	1.11668677
New York*	12.2	11.7	12.0	11.2	13.0	13.3	17.9	14.4	1.10820124
Bronx Borough	9.3	9.0	9.2	9.0	10.6	11.5	15.9	12.4	1.17497221
Brooklyn Borough	11.3	11.1	11.6	10.7	12.6	12.9	17.6	13.8	1.09661151
Manhattan Borough	15.3	13.4	13.5	12.7	14.3	14.4	18.8	15.9	1.11373511
Queens Borough	9.7	11.1	10.7	10.1	11.5	11.6	16.0	12.7	1.10189291
Richmond Borough	12.8	13.2	13.6	12.6	15.1	15.9	22.8	15.2	1.00569260
Newark, N. J	11.2	11.6	11.7	10.9	12.9	12.9	20.2	14.0	1.09121074
Norfolk	(2)	11.5	12.1	12.9	15.2	16.6	24.7	17.3	1.13916320
White	(2)	8.3	9.0	10.0	11.8	12.6	21.1	13.4	1.13216005
Colored	(2)	17.1	17.3	17.7	20.7	23.3	30.8	23.6	1.14087197
Oakland	11.2	10.8	11.3	10.4	11.8	12.5	15.6	11.5	.98000502
Omaha	12.7	13.2	13.1	13.2	14.3	12.8	17.5	15.2	1.06216291
Paterson	12.1	13.1	12.7	12.7	12.8	13.3	20.1	13.5	1.05175097
Philadelphia	12.9	13.8	13.2	12.7	14.4	14.3	24.1	14.6	1.01534122
Pittsburgh	15.5	15.8	14.3	14.1	16.4	16.1	26.8	17.5	1.06577508
Portland, Oreg	11.7	11.2	11.8	10.9	12.1	13.1	15.0	11.8	.97371429

Table M—Con. — DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION

CITY	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Providence*	13.3	14.8	13.8	13.3	15.5	14.9	22.2	15.2	.98365403
Reading	13.5	13.6	13.5	13.2	14.5	13.2	20.9	14.0	.96643925
Richmond	15.3	15.6	14.8	14.6	16.5	15.7	22.8	17.7	1.07308249
White	12.4	12.6	12.2	12.3	13.3	13.4	19.6	13.8	1.03721551
Colored	22.2	22.8	20.6	19.8	23.3	20.6	29.6	26.2	1.12705903
Rochester*	11.6	11.6	11.8	12.0	12.6	12.5	17.5	12.4	.98617439
St. Louis	13.5	13.6	12.5	12.2	14.1	13.3	18.1	14.6	1.03980768
St. Paul	12.0	12.9	11.7	10.7	12.5	11.9	15.9	12.8	1.01928112
Salt Lake City	13.0	12.4	12.4	12.4	14.3	13.6	16.0	14.6	1.02363624
San Antonio	15.6	14.8	15.4	15.6	16.2	14.8	27.3	17.8	1.10150285
San Francisco	13.6	13.6	14.1	13.5	14.2	16.0	20.4	14.1	.99197320
Scranton	14.0	13.6	13.6	14.0	14.9	13.8	22.7	16.2	1.08748074
Seattle	(2)	(2)	9.6	9.0	10.7	11.0	13.7	11.1	1.04190617
Spokane	12.5	11.7	13.5	12.6	14.2	11.4	14.6	14.1	.99647416
Springfield,* Mass	12.1	11.9	11.4	11.3	13.0	13.7	20.7	13.1	1.00644672
Syracuse*	12.5	13.0	12.7	12.1	15.2	12.9	20.8	14.9	.97834005
Toledo	11.7	12.6	11.7	12.0	13.8	13.4	17.4	14.1	1.02101738
Trenton	14.4	14.0	15.6	13.1	15.7	15.6	25.3	16.4	1.04503479
Washington, D. C	13.5	14.9	14.4	13.8	14.6	14.7	22.7	15.0	1.03012864
White	11.2	12.3	12.4	12.1	12.6	12.7	19.9	12.4	.98398241
Colored	20.4	22.9	20.5	18.9	20.6	20.6	30.7	23.1	1.12129964
Wilmington, Del	11.7	13.2	12.1	12.0	14.1	14.4	24.9	14.3	1.01811518
Worcester*	13.0	13.1	13.0	12.9	14.7	14.8	21.6	14.4	.97891262
Yonkers*	9.8	10.1	10.7	9.3	11.4	10.7	16.3	12.5	1.10000000
Youngstown	10.7	11.3	11.3	11.7	12.9	14.5	22.5	14.4	1.11682279

[1] Exclusive of stillbirths.
[2] Rates are omitted pending the establishment of more satisfactory estimates of population.
[3] Not added to registration area until a later date.
[4] Not computed.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
†See "Adjusted rates," p. 10.

Because of certain conditions which do not permit satisfactory estimates of population, rates for 1924 were not computed for Akron, Atlanta, Bridgeport, Los Angeles, Norfolk, and Seattle.

Of the 61 cities with rates for 1923 and 1924, 40 had lower rates in 1924. The highest rates in 1924 were for Memphis (20.4), Nashville (19.2), New Orleans (18.6), and Birmingham (17); the rates for the colored in these cities ranged from 31.3 for Memphis to 23.7 for Birmingham. The lowest rates were for Fort Worth (8.8) and Milwaukee and Yonkers (9.8 each).

In Table N are shown for registration States and for cities of 100,000 population or more in 1920 refined and crude rates. A refined rate is a rate based on deaths of residents only and corrected for age and sex distribution of the population by applying as a corrective factor the ratio of the adjusted to the crude rate in 1920; that is, the ratio of the adjusted rate to the crude rate in 1920 is assumed to hold for the succeeding years.

Refinement of the crude rates for 1924 produced the greatest increases in Louisiana and Mississippi and the greatest decreases in New Hampshire, Maine, and Vermont. For the cities, Milwaukee and Houston showed the greatest increase in refinement and Albany and Salt Lake City the greatest decreases.

Table N — DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION

AREA	Refined rate [1]			Crude rate			Difference between refined and crude rates		
	1924	1923	1922	1924	1923	1922	1924	1923	1922
California	13.0	(2)	(2)	14.5	14.3	14.1	−1.5	(2)	(2)
Colorado	12.3	12.3	13.3	12.5	12.4	13.5	−0.2	−0.1	−0.2
Connecticut	10.7	11.4	11.4	11.3	12.0	12.0	−0.6	−0.6	−0.6
Delaware	12.2	13.3	12.6	13.0	14.0	13.2	−0.8	−0.7	−0.6
Florida*	12.6	13.3	12.4	12.9	13.5	12.2	−0.3	−0.2	+0.2
White	10.1	10.7	10.3	11.2	11.8	10.9	−1.1	−1.1	−0.6
Colored	18.2	19.0	16.8	16.4	17.0	15.0	+1.8	+2.0	+1.8
Georgia	(3)	(3)	(3)	11.5	11.3	10.4	(3)	(3)	(3)
White	(3)	(3)	(3)	9.8	9.9	9.2	(3)	(3)	(3)
Colored	(3)	(3)	(3)	13.9	13.3	12.2	(3)	(3)	(3)
Idaho	(3)	(3)	(3)	7.9	7.1	8.1	(3)	(3)	(3)
Illinois	11.1	11.9	11.1	11.2	12.0	11.3	−0.1	−0.1	−0.2
Indiana	11.1	11.7	10.8	12.2	12.9	11.9	−1.1	−1.2	−1.1
Iowa*	(3)	(3)	(4)	9.8	10.3	(4)	(3)	(3)	(4)
Kansas*	9.0	10.0	9.6	9.9	11.0	10.6	−0.9	−1.0	−1.0
Kentucky	(2)	(2)	(2)	10.8	11.9	10.8	(2)	(2)	(2)
White	(2)	(2)	(2)	9.9	11.1	10.0	(2)	(2)	(2)
Colored	(2)	(2)	(2)	20.1	19.5	18.4	(2)	(2)	(2)
Louisiana	14.6	13.5	12.6	13.1	12.1	11.3	+1.5	+1.4	+1.3
White	11.6	11.1	10.5	10.5	10.0	9.4	+1.1	+1.1	+1.1
Colored	19.5	17.3	16.0	17.6	15.5	14.4	+1.9	+1.8	+1.6
Maine	11.0	12.1	11.9	13.8	15.0	14.7	−2.8	−2.9	−2.8
Maryland	13.4	14.2	13.1	13.8	14.7	13.6	−0.4	−0.5	−0.5
White	11.8	12.6	11.7	12.5	13.3	12.4	−0.7	−0.7	−0.7
Colored	21.4	22.8	20.8	20.2	21.4	19.4	+1.2	+1.4	+1.4
Massachusetts*	11.2	12.1	11.9	12.0	13.0	12.8	−0.8	−0.9	−0.9
Michigan	11.1	11.8	10.8	11.6	12.4	11.3	−0.5	−0.6	−0.5
Minnesota	9.2	9.6	9.0	9.7	10.1	9.5	−0.5	−0.5	−0.5
Mississippi	12.9	12.5	11.8	11.8	11.4	10.8	+1.1	+1.1	+1.0
White	9.9	9.7	9.2	9.2	9.1	8.7	+0.7	+0.6	+0.5
Colored	15.8	15.0	14.2	14.2	13.5	12.8	+1.6	+1.5	+1.4
Missouri	11.1	11.6	10.7	11.7	12.2	11.2	−0.6	−0.6	−0.5
Montana	8.6	8.7	9.3	7.9	8.0	8.6	+0.7	+0.7	+0.7
Nebraska	9.0	9.3	9.1	9.2	9.5	9.4	−0.2	−0.2	−0.3
New Hampshire	11.2	11.9	11.6	14.2	15.1	14.6	−3.0	−3.2	−3.0
New Jersey	11.9	12.3	12.2	11.9	12.3	12.2	------	------	------
New York*	12.4	12.7	12.7	12.7	13.0	13.0	−0.3	−0.3	−0.3
North Carolina	12.9	12.7	12.3	12.2	12.0	11.6	+0.7	+0.7	+0.7
White	10.8	10.9	10.7	10.4	10.5	10.3	+0.4	+0.4	+0.4
Colored	18.1	17.2	16.4	16.4	15.5	14.8	+1.7	+1.7	+1.6
North Dakota*	(3)	(4)	(4)	7.6	(4)	(4)	(3)	(4)	(4)
Ohio	10.5	11.4	10.5	11.2	12.3	11.3	−0.7	−0.9	−0.8
Oregon	10.4	9.8	10.4	11.4	10.9	11.5	−1.0	−1.1	−1.1
Pennsylvania	12.2	13.1	12.2	12.3	13.3	12.3	−0.1	−0.2	−0.1
Rhode Island*	12.0	13.2	12.6	12.5	13.8	13.1	−0.5	−0.6	−0.5
South Carolina	(2)	(2)	(2)	13.0	11.8	12.0	(2)	(2)	(2)
White	(2)	(2)	(2)	10.4	9.5	9.7	(2)	(2)	(2)
Colored	(2)	(2)	(2)	15.6	14.1	14.2	(2)	(2)	(2)
Tennessee	11.8	(2)	(2)	11.6	11.9	10.8	+0.2	(2)	(2)
White	9.9	(2)	(2)	9.9	10.4	9.5	------	(2)	(2)
Colored	20.3	(2)	(2)	19.4	18.7	16.4	+0.9	(2)	(2)
Utah	10.6	9.6	10.6	10.4	9.5	10.4	+0.2	+0.1	+0.2
Vermont	11.0	12.1	11.7	13.8	15.2	14.7	−2.8	−3.1	−3.0
Virginia	12.5	13.3	12.5	12.0	12.8	12.1	+0.5	+0.5	+0.4
White	10.4	11.2	10.4	10.3	11.0	10.3	+0.1	+0.2	+0.1
Colored	17.7	18.6	17.7	16.4	17.2	16.4	+1.3	+1.4	+1.3
Washington	9.9	9.5	9.9	10.0	9.7	10.1	−0.1	−0.2	−0.2
Wisconsin	9.7	10.1	9.5	10.2	10.7	10.1	−0.5	−0.6	−0.6
Wyoming	(3)	(3)	(3)	9.5	10.3	9.3	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(5)	(5)	9.0	(5)	(5)	7.5	(5)	(5)	+1.5
Albany*	13.2	13.4	13.2	15.6	16.2	15.7	−2.4	−2.8	−2.5
Atlanta	(5)	19.2	16.3	(5)	18.1	15.7	(5)	+1.1	+0.6
White	(5)	13.8	11.8	(5)	13.4	12.0	(5)	+0.4	−0.2
Colored	(5)	31.6	26.5	(5)	28.7	24.2	(5)	+2.9	+2.3
Baltimore	13.6	14.2	13.5	14.4	15.0	14.2	−0.8	−0.8	−0.7
White	11.9	12.5	11.9	13.0	13.5	13.0	−1.1	−1.0	−1.1
Colored	24.3	25.0	23.1	22.8	23.5	21.3	+1.5	+1.5	+1.8
Birmingham	16.8	15.6	13.4	17.0	15.6	13.7	−0.2	------	−0.3
White	11.7	11.6	9.5	12.6	12.0	10.4	−0.9	−0.4	−0.9
Colored	24.8	22.1	19.5	23.7	21.1	18.8	+1.1	+1.0	+0.7
Boston*	12.9	13.5	13.3	14.1	14.9	14.9	−1.2	−1.4	−1.6
Bridgeport	(5)	(5)	11.4	(5)	(5)	11.1	(5)	(5)	+0.3
Buffalo*	13.1	13.5	13.5	13.1	13.5	13.4	------	------	+0.1
Cambridge*	12.1	13.8	13.6	12.1	13.7	13.2	------	+0.1	+0.4
Camden	12.6	13.9	12.9	13.8	14.5	13.7	−1.2	−0.6	−0.8
Chicago	12.2	12.6	12.0	11.2	11.7	11.2	+1.0	+0.9	+0.8
Cincinnati	13.9	14.7	13.7	15.2	16.1	14.9	−1.3	−1.4	−1.2
Cleveland	11.2	12.0	11.3	10.2	10.8	10.3	+1.0	+1.2	+1.0
Columbus	11.8	13.8	11.7	13.2	15.3	13.2	−1.4	−1.5	−1.5
Dallas	12.8	11.8	12.6	13.1	11.9	12.6	−0.3	−0.1	------
White	11.4	10.4	10.9	11.7	10.6	11.0	−0.3	−0.2	−0.1
Colored	22.5	20.4	23.2	21.8	20.0	22.2	+0.7	+0.4	+1.0
Dayton	10.3	11.3	10.9	10.9	11.8	11.0	−0.6	−0.5	−0.1
Denver	13.6	13.5	14.9	14.9	14.7	16.0	−1.3	−1.2	−1.1
Des Moines*	(3)	(3)	(4)	10.8	11.4	(4)	(3)	(3)	(4)

Table N—Con. — DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION

AREA	Refined rate [1]			Crude rate			Difference between refined and crude rates		
	1924	1923	1922	1924	1923	1922	1924	1923	1922
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.									
Detroit	12.2	(5)	12.4	10.8	(5)	11.1	+1.4	(5)	+1.3
Fall River*	12.7	13.9	16.2	12.5	13.7	16.0	+0.2	+0.2	+0.2
Fort Worth	(3)	(3)	(3)	8.8	8.3	9.9	(3)	(3)	(3)
White	(3)	(3)	(3)	8.3	7.9	9.3	(3)	(3)	(3)
Colored	(3)	(3)	(3)	11.8	11.0	13.6	(3)	(3)	(3)
Grand Rapids	10.0	11.0	10.5	10.3	11.7	11.0	−0.3	−0.7	−0.5
Hartford	10.2	11.0	11.7	11.6	13.1	14.0	−1.4	−2.1	−2.3
Houston	16.4	14.7	14.9	14.5	13.3	13.6	+1.9	+1.4	+1.3
White	13.5	12.5	12.6	12.1	11.4	11.7	+1.4	+1.1	+0.9
Colored	26.5	22.2	22.3	22.8	19.4	19.7	+3.7	+2.8	+2.6
Indianapolis	13.0	14.1	12.8	13.1	14.4	13.2	−0.1	−0.3	−0.4
White	11.9	13.1	11.8	12.3	13.7	12.5	−0.4	−0.6	−0.7
Colored	22.3	22.7	20.5	19.0	19.7	18.1	+3.3	+3.0	+2.4
Jersey City	13.6	13.3	13.4	12.2	12.0	11.9	+1.4	+1.3	+1.5
Kansas City,* Kans	12.9	14.3	12.7	13.2	14.9	13.1	−0.3	−0.6	−0.4
White	(3)	(3)	(3)	11.8	13.6	11.9	(3)	(3)	(3)
Colored	(3)	(3)	(3)	21.6	22.6	20.5	(3)	(3)	(3)
Kansas City, Mo	13.4	14.2	14.6	13.4	14.4	14.6	------	−0.2	------
Los Angeles	(5)	(2)	(2)	(5)	(5)	15.2	(5)	(2)	(2)
Louisville	(2)	(2)	(2)	13.5	16.2	14.1	(2)	(2)	(2)
White	(2)	(2)	(2)	12.0	14.9	12.3	(2)	(2)	(2)
Colored	(2)	(2)	(2)	21.6	23.7	23.5	(2)	(2)	(2)
Lowell*	14.4	14.8	13.6	14.0	14.6	13.4	+0.4	+0.2	+0.2
Memphis	19.1	18.3	16.4	20.4	19.9	17.8	−1.3	−1.6	−1.4
White	11.9	12.9	11.8	14.1	15.6	14.1	−2.2	−2.7	−2.3
Colored	32.9	28.5	24.9	31.3	27.5	24.0	+1.6	+1.0	+0.9
Milwaukee	11.7	11.2	10.1	9.8	10.8	9.9	+1.9	+0.4	+0.2
Minneapolis	10.2	10.0	9.8	11.2	11.1	10.8	−1.0	−1.1	−1.0
Nashville	17.6	17.7	16.1	19.2	18.6	16.6	−1.6	−0.9	−0.5
White	14.4	14.4	14.1	16.3	15.5	14.7	−1.9	−1.1	−0.6
Colored	25.6	25.7	20.8	26.4	26.0	21.2	−0.8	−0.3	−0.4
New Bedford*	11.7	12.9	12.8	11.3	12.2	12.3	+0.4	+0.7	+0.5
New Haven	11.3	11.3	12.3	12.2	12.6	13.3	−0.9	−1.3	−1.0
New Orleans	17.3	18.2	17.2	18.6	17.7	16.7	−1.3	+0.5	+0.5
White	13.9	14.5	14.0	15.0	14.5	14.0	−1.1	------	------
Colored	27.8	29.4	26.8	28.8	26.7	24.5	−1.0	+2.7	+2.3
New York*	13.5	12.9	13.2	12.2	11.7	12.0	+1.3	+1.2	+1.2
Bronx Borough	10.8	10.6	10.7	9.3	9.0	9.2	+1.5	+1.6	+1.5
Brooklyn Borough	12.5	12.3	12.8	11.3	11.1	11.6	+1.2	+1.2	+1.2
Manhattan Borough	16.8	14.7	14.8	15.3	13.4	13.5	+1.5	+1.3	+1.3
Queens Borough	10.7	11.9	11.7	9.7	11.1	10.7	+1.0	+0.8	+1.0
Richmond Borough	12.8	13.0	13.4	12.8	13.2	13.6	------	−0.2	−0.2
Newark, N. J	11.9	12.3	12.8	11.2	11.6	11.7	+0.7	+0.7	+1.1
Norfolk	(5)	12.1	12.9	(5)	11.5	12.1	(5)	+0.6	+0.8
White	(5)	8.3	9.2	(5)	8.3	9.0	(5)	------	+0.2
Colored	(5)	18.7	18.9	(5)	17.1	17.3	(5)	+1.6	+1.6
Oakland	10.9	(2)	(2)	11.2	10.8	11.3	−0.3	(2)	(2)
Omaha	12.1	13.9	12.9	12.7	13.2	13.1	−0.6	+0.7	−0.2
Paterson	11.7	12.5	12.5	12.1	13.1	12.7	−0.4	−0.6	−0.2
Philadelphia	13.4	14.1	13.3	12.9	13.8	13.2	+0.5	+0.3	+0.1
Pittsburgh	15.8	15.4	14.2	15.5	15.8	14.3	+0.3	−0.4	−0.1
Portland, Oreg	10.1	9.5	10.3	11.7	11.2	11.8	−1.6	−1.7	−1.5
Providence*	11.2	13.1	12.5	13.3	14.8	13.8	−2.1	−1.7	−1.3
Reading	12.9	12.5	12.4	13.5	13.6	13.5	−0.6	−1.1	−1.1
Richmond	15.3	15.6	14.1	15.3	15.6	14.8	------	------	−0.7
White	11.6	11.7	10.8	12.4	12.6	12.2	−0.8	−0.9	−1.4
Colored	24.2	24.7	22.0	22.2	22.8	20.6	+2.0	+1.9	+1.4
Rochester*	11.1	10.9	11.2	11.6	11.6	11.8	−0.5	−0.7	−0.6
St. Louis	13.5	13.6	12.5	13.5	13.6	12.5	------	------	------
St. Paul	10.9	11.5	10.5	12.0	12.9	11.7	−1.1	−1.4	−1.2
Salt Lake City	10.7	10.2	10.2	13.0	12.4	12.4	−2.3	−2.2	−2.2
San Antonio	16.7	15.7	16.1	15.6	14.8	15.4	+1.1	+0.9	+0.7
San Francisco	13.0	(2)	(2)	13.6	13.6	14.1	−0.6	(2)	(2)
Scranton	14.8	14.1	14.0	14.0	13.6	13.6	+0.8	+0.5	+0.4
Seattle	(5)	(5)	9.4	(5)	(5)	9.6	(5)	(5)	−0.2
Spokane	10.4	9.6	11.1	12.5	11.7	13.5	−2.1	−2.1	−2.4
Springfield,* Mass	11.2	10.8	10.4	12.1	11.9	11.4	−0.9	−1.1	−1.0
Syracuse*	11.9	11.9	11.9	12.5	13.0	12.7	−0.6	−1.1	−0.8
Toledo	11.5	12.3	11.5	11.7	12.6	11.7	−0.2	−0.3	−0.2
Trenton	14.0	13.5	15.4	14.4	14.0	15.6	−0.4	−0.5	−0.2
Washington, D. C	13.1	14.6	14.4	13.5	14.9	14.4	−0.4	−0.3	------
White	10.3	11.5	11.8	11.2	12.3	12.4	−0.9	−0.8	−0.6
Colored	21.9	24.7	22.0	20.4	22.9	20.5	+1.5	+1.8	+1.5
Wilmington, Del	11.7	13.4	12.5	11.7	13.2	12.1	------	−0.2	+0.4
Worcester*	11.9	11.9	11.5	13.0	13.1	13.0	−1.1	−1.2	−1.5
Yonkers*	11.2	11.7	12.6	9.8	10.1	10.7	+1.4	+1.6	+1.9
Youngstown	11.7	12.1	12.0	10.7	11.3	11.3	+1.0	+0.8	+0.7

[1] Refined rates have been found by first allocating deaths to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates to adjusted rates, based on the standard million population of England and Wales, 1901. (See p. 10.)

[2] Reliable data for nonresidents not available.

[3] Not computed.

[4] Not added to registration area until a later date.

[5] Rates are omitted pending the establishment of more satisfactory estimates of population.

*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

DEATHS AND DEATH RATES OF NEGROES

The deaths of Negroes in the registration States in 1924 numbered 147,852, with a rate of 17.6 per 1,000 estimated population against 17 in 1923. The rates were higher in 1924 than in 1923 for 21 of the 38 States which showed rates for the two years. Vermont had no deaths of Negroes in 1924. The distribution of deaths of Negroes is shown in Table O.

Table O

STATE	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES					
	Number			Rate per 1,000 estimated population		
	1924	1923	1922	1924	1923	1922
Registration States [1]	147,852	140,894	127,733	17.6	17.0	15.6
California	1,040	889	881	22.3	19.8	20.4
Colorado	311	274	337	27.6	24.3	29.9
Connecticut	434	437	417	18.3	18.9	18.5
Delaware	662	649	605	22.1	21.6	20.1
Florida*	6,560	5,741	5,019	16.5	17.0	15.0
Georgia	17,019	16,226	14,787	14.0	13.3	12.2
Idaho	30	14	15	28.8	13.8	15.2
Illinois	5,413	5,010	3,786	25.0	24.0	18.8
Indiana	1,999	1,917	1,579	22.1	21.7	18.3
Iowa*	307	330	[2]	16.1	16.1	[2]
Kansas*	1,174	1,266	1,170	19.8	21.3	19.9
Kentucky	4,499	4,414	4,216	20.1	19.5	18.4
Louisiana	12,178	10,784	9,998	17.5	15.5	14.3
Maine	27	22	23	21.0	17.0	17.7
Maryland	5,052	5,338	4,804	20.2	21.4	19.4
Massachusetts*	903	1,004	909	18.6	20.9	19.2
Michigan	2,056	1,917	1,317	[3] 21.2	25.4	18.5
Minnesota	197	197	190	20.5	20.9	20.5
Mississippi	13,253	12,618	11,966	14.2	13.5	12.8
Missouri	4,395	4,046	3,561	23.4	21.8	19.4
Montana	40	41	40	25.4	25.7	24.8
Nebraska	272	267	246	17.2	17.5	16.8
New Hampshire	9	9	7	13.9	14.0	11.0
New Jersey	2,908	2,699	2,449	22.4	21.3	19.7
New York*	4,858	4,512	4,112	23.0	20.4	19.1
North Carolina	13,087	12,258	11,611	16.5	15.6	14.9
North Dakota*	8	[2]	[2]	[2]	[2]	[2]
Ohio	4,863	4,820	3,898	22.0	22.6	19.0
Oregon	40	43	43	16.4	18.1	18.6
Pennsylvania	7,516	7,252	5,831	23.0	22.9	18.9
Rhode Island*	239	247	259	22.0	24.2	25.5
South Carolina	13,742	12,384	12,427	15.6	14.2	14.2
Tennessee	8,561	8,316	7,318	19.4	18.7	16.4
Utah	37	25	26	23.3	16.1	17.1
Vermont		4	1		7.0	1.7
Virginia	11,440	11,970	11,392	16.4	17.2	16.4
Washington	124	137	121	17.1	19.1	17.1
Wisconsin	155	122	76	24.7	20.2	13.1
Wyoming	41	37	39	41.9	34.7	33.8
District of Columbia	2,403	2,658	2,257	20.5	23.0	19.8

[1] Including the District of Columbia.
[2] Not added to registration area until a later date.
[3] Rate based on estimated population, including special census for Detroit.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO

Deaths of colored, other than Negro, in the registration States, numbered 5,607 in 1924, and constituted 3.7 per cent of the deaths of the total colored in the same area. The distribution is shown in Table P.

Table P

AREA	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS): 1924			
	Indian	Chinese	Japanese	Other colored
Registration States [1]	2,825	1,328	1,353	101
Cities in registration States [1]	173	1,012	745	56
Rural part of registration States	2,652	316	608	45
California—Urban	31	472	509	26
California—Rural	323	233	420	26
Colorado—Urban	5	7	15	2
Colorado—Rural	24		27	
Connecticut—Urban		9	2	
Connecticut—Rural	2			
Delaware—Rural				1
Florida—Urban	1	2		
Florida—Rural		1		
Georgia—Urban		1		
Georgia—Rural				1
Idaho—Urban	6	5	3	
Idaho—Rural	144	2	14	
Illinois—Urban	3	51	2	1
Illinois—Rural	1	2	1	
Indiana—Urban	2	2	2	
Indiana—Rural		1		
Iowa—Urban	6	3		
Iowa—Rural	12	2		
Kansas—Urban	7			
Kansas—Rural	24	2		
Kentucky—Rural	1	1		
Louisiana—Urban		9	4	3
Louisiana—Rural	21	4	1	
Maine—Urban	1			
Maine—Rural	9	1		
Maryland—Urban		4	2	1
Massachusetts—Urban	1	46	3	
Massachusetts—Rural	5	1		2
Michigan—Urban	5	8	3	1
Michigan—Rural	126	2	1	
Minnesota—Urban	9	3		
Minnesota—Rural	223	1		
Mississippi—Urban		1		
Mississippi—Rural	26	3		
Missouri—Urban	1	9		1
Missouri—Rural	2			
Montana—Urban	9	10		
Montana—Rural	372	10	9	
Nebraska—Urban	1	3		
Nebraska—Rural	106		2	
New Hampshire—Rural		1		
New Jersey—Urban	1	23		
New Jersey—Rural	2	2		
New York—Urban	28	154	33	6
New York—Rural	81	3	2	
North Carolina—Urban		1		
North Carolina—Rural	180			1
North Dakota—Urban		1	2	
North Dakota—Rural	132	1		
Ohio—Urban	1	11		
Ohio—Rural		1	1	
Oregon—Urban	2	70	33	
Oregon—Rural	142	19	18	2
Pennsylvania—Urban	4	44	4	2
Pennsylvania—Rural	1	3		
Rhode Island—Urban		1		
South Carolina—Urban			1	
South Carolina—Rural	6			
Tennessee—Urban		1		
Utah—Urban	2	6	25	1
Utah—Rural	59	2	32	
Vermont—Urban				1
Virginia—Urban		5	3	1
Virginia—Rural	15			1
Washington—Urban	23	44	92	9
Washington—Rural	259	13	66	9
Wisconsin—Urban	22	3	1	
Wisconsin—Rural	244	1		1
Wyoming—Urban			4	
Wyoming—Rural	110	4	14	1
District of Columbia	2	3	2	1
CITIES, IN REGISTRATION STATES [2]				
Alameda, Calif.		1	11	
Fresno, Calif.	1	16	48	1
Long Beach, Calif.			14	1
Los Angeles, Calif.	5	55	185	8
Oakland, Calif.		34	16	1
Sacramento, Calif.		20	84	1
San Diego, Calif.	8	11	17	3
San Francisco, Calif.	1	267	77	
Stockton, Calif.		33	23	7
Denver, Colo.	3	6	13	2
Chicago, Ill.	2	48	2	1
Boston, Mass.	1	32	3	
Newark, N. J.	1	14		
New York, N. Y.	3	146	32	5
Syracuse, N. Y.	10			
Portland, Oreg.	1	63	28	
Philadelphia, Pa.	2	23	4	1
Pittsburgh, Pa.	1	18		1
Salt Lake City, Utah	1	4	15	1
Seattle, Wash.	6	34	69	6

[1] Including District of Columbia.
[2] The only cities shown are those which reported 10 or more deaths of either Indians, Chinese, Japanese, or other colored.

DEATHS AND DEATH RATES OF INDIANS

The number of deaths of Indians in the registration States in 1924 was 2,825, with a rate of 25.9 per 1,000 estimated population, against a rate of 22.5 in 1923.

Table Q shows the States in which most of the deaths of Indians occurred.

Table Q — DEATHS (EXCLUSIVE OF STILLBIRTHS) OF INDIANS

STATE	Number			Rate per 1,000 estimated population		
	1924	1923	1922	1924	1923	1922
Registration States [1]	2,825	2,323	1,978	25.9	22.5	19.2
California	354	343	243	19.9	19.4	13.8
Idaho	150	117	58	51.4	39.6	19.3
Michigan	131	170	126	27.7	34.5	24.6
Minnesota	232	223	116	26.9	25.8	13.4
Montana	381	270	293	34.5	24.5	26.6
Nebraska	107	128	158	41.1	48.0	57.9
New York*	109	84	62	18.7	15.8	11.6
North Carolina	180	168	144	13.2	12.7	11.2
North Dakota*	132	[2]	[2]	24.9	[2]	[2]
Oregon	144	117	107	33.0	26.5	24.0
Utah	61	48	56	24.2	18.7	21.5
Washington	282	260	275	34.5	31.1	32.1
Wisconsin	266	183	137	28.4	19.4	14.5
Wyoming	110	72	55	86.1	55.7	42.0
All other States	186	140	148	17.2	13.2	14.6

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

For the total registration States, the rate in 1924 (25.9) was much higher than the 1923 rate (22.5). The 1924 increase was, for the most part, due to the increase in deaths from tuberculosis and diseases of the respiratory system.

The highest rate (86.1) in 1924 was for Wyoming, and the lowest (13.2) for North Carolina.

DEATHS AND DEATH RATES OF JAPANESE

In the registration States in 1924 the deaths of Japanese numbered 1,353, with a rate of 10.7 per 1,000 estimated population against a rate of 11.5 in 1923. The rates are crude and therefore of limited value. Table R shows the distribution of most of these deaths by States.

Table R — DEATHS (EXCLUSIVE OF STILLBIRTHS) OF JAPANESE

STATE	Number			Rate per 1,000 estimated population		
	1924	1923	1922	1924	1923	1922
Registration States [1]	1,353	1,415	1,434	10.7	11.5	12.1
California	929	979	991	10.8	11.8	12.4
Colorado	42	30	37	16.5	11.9	14.8
Oregon	51	38	58	11.4	8.6	13.4
Utah	57	33	39	17.2	10.2	12.4
Washington	158	210	201	8.1	11.1	10.8
All other States	116	125	108	11.2	11.8	10.4

[1] Including District of Columbia.

DEATHS OF RESIDENTS

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire State or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1924 may be obtained from Tables N, AT, AU, AV, and IB.

To distinguish between "residents" and "nonresidents" the same rules used by the census enumerators in 1920 have been followed.

The principal rules may be briefly stated as follows:

"Residents" indicates decedents whose "usual place of abode" was in the specified area, whether death occurred there or elsewhere in the registration area. As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents, therefore, include—

Persons visiting a town.

Transient boarders or lodgers who have some other usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not sleeping there.

Decisions for special cases—

(*a*) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(*b*) Any person who was formerly a resident of the town, but has since become an inmate of an *out of town* asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the asylum or prison is located.

(*c*) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(*d*) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

It is very evident, however, that corrections for residence can be only partial, as it is impossible to allocate to a place the deaths of residents which occur outside of the registration area.

In Table I B, cities which showed marked decreases in rates, when based on the exclusion of all nonresidents and the inclusion of residents who died elsewhere in the registration area, are Rochester, Minn., with a notable decrease of 35 (from 50.7 to 15.7); Ann Arbor, Mich., with a decrease of 14 (from 29.7 to 15.7); Long Branch, N. J., with a decrease of 13.8 (from 29 to 15.2); and Iowa City, Iowa, and Hot Springs, Ark., each with a decrease of 10.5 (from 25.1 to 14.6, and from 36.7 to 26.2, respectively); increases in such rates are shown for Revere, Mass. (from 5.9 to 9.4); Watervliet, N. Y. (from 10.4 to 13.6); Wallingford town, Conn. (from 8.4 to 11.5); and Maywood, Ill. (from 7.4 to 10.5).

To correct partially the original rate of Jefferson Parish, La., an addition of 4.9 is needed; an addition of 4.8 is needed for Ramsey County, Minn.; an addition of 3.7 each for New Haven, Conn. and Lake County, Ind., and of 3.4 for St. Bernard Parish, La. On the other hand, a decrease of 9.3 is needed to correct partially the original rate of Dinwiddie County, Va., and a decrease of 7.8 in the rate for Shreveport, La.

Corrections for deaths of nonresidents are needed also for the colored population. For example, for Jefferson Parish, La., an increase of 7.9 is needed, and for Dinwiddie County, Va., a decrease of 15.9.

DEATH RATES OF FOREIGN COUNTRIES

Table S presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for the specified five-year periods from 1881 to 1920, and the calendar years 1922, 1923, and 1924.

Table T presents for 1900 and each year from 1906 to 1924 crude death rates per 1,000 population for the registration area of the United States and for certain countries. These rates are shown in Diagram 5.

Table S

COUNTRY	ANNUAL CRUDE DEATH RATE PER 1,000 POPULATION								Decrease between 1881 to 1885 and 1916 to 1920
	1924	1923	1922	1916 to 1920	1911 to 1915	1906 to 1910	1901 to 1905	1881 to 1885	
									Per cent
United States (registration area, exclusive of Hawaii)	11.8	12.3	11.8	14.5	13.9	15.1	16.2	(1)	(1)
Australia	9.5	9.9	9.2	10.8	10.7	10.7	11.7	15.7	31.2
Austria	(1)	15.3	17.3	21.9	20.0	22.3	24.2	30.1	27.2
Belgium	(1)	13.4	14.1	15.8	14.6	15.9	17.0	20.6	23.3
Ceylon	25.7	30.6	27.8	30.1	30.6	30.8	26.7	(1)	(1)
Chile	(1)	32.8	28.4	30.6	28.9	31.3	30.2	26.9	[2] 13.8
Denmark	11.4	11.3	11.9	13.1	12.8	13.7	14.8	18.4	28.8
England and Wales	12.2	11.6	12.8	14.5	14.3	14.7	16.0	19.4	25.3
Finland	14.7	13.8	14.4	19.5	16.1	17.4	18.6	22.2	12.2
France	[3] 17.1	[3] 16.8	17.5	20.2	19.3	19.2	19.6	22.2	9.0
Germany	12.2	13.9	14.3	19.0	17.7	17.5	19.9	25.3	24.9
Ireland	[4] 14.3	[4] 13.3	[4] 14.1	16.6	16.8	17.3	17.6	18.0	7.8
Italy	(1)	16.6	17.7	21.8	19.3	21.0	21.9	27.3	20.1
Jamaica	21.7	22.7	22.9	26.0	22.4	24.4	22.6	(1)	(1)
Japan	(1)	22.8	22.3	23.6	20.0	20.9	20.5	(1)	(1)
Netherlands	9.6	9.9	11.4	13.7	12.8	14.3	16.0	21.4	36.0
New Zealand	8.3	9.0	8.8	10.7	9.2	9.8	9.9	10.9	1.8
Norway	[3] 11.1	[3] 11.5	12.0	14.1	13.2	13.8	14.5	17.2	18.0
Ontario, Province of	(1)	11.8	11.4	13.2	12.3	14.0	13.0	11.4	[2] 15.8
Scotland	14.4	12.9	14.9	15.0	15.7	16.1	17.0	19.6	23.5
Spain	19.7	21.2	20.5	24.6	22.1	24.0	25.9	32.6	24.5
Sweden	[3] 12.0	[3] 11.4	12.8	14.6	14.0	14.3	15.5	17.5	16.6
Switzerland	(1)	11.8	12.9	14.9	14.3	16.0	17.5	21.3	30.0

[1] Figures not available.
[2] Increase.
[3] The figures are provisional.
[4] Irish Free State.

Table T

COUNTRY	DEATH RATE PER 1,000 POPULATION																			
	1900	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
United States (registration area, exclusive of Hawaii)	17.6	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.6	14.0	14.3	18.1	12.9	13.1	11.6	11.8	12.3	11.8
Australia	11.8	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.7	10.5	10.6	11.0	9.7	10.0	12.7	10.5	9.9	9.2	9.9	9.5
Austria	25.4	22.6	22.7	22.5	22.9	21.2	21.9	20.5	18.2	18.1	21.3	20.9	22.9	26.4	20.3	19.0	16.9	17.3	15.3	(1)
Chile	35.6	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	26.0	26.3	29.5	29.5	37.0	30.7	32.7	28.4	32.8	(1)
England and Wales	18.2	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[2] 15.7	[2] 14.4	[2] 14.4	[2] 17.6	[3] 13.7	12.4	12.1	12.8	11.6	12.2
France	21.9	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[3] 20.7	[3] 21.0	[3] 19.8	[3] 20.2	[3] 24.6	[3] 19.3	17.2	17.7	17.5	[4] 16.8	[4] 17.1
Germany	22.1	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	19.0	21.4	19.2	20.5	24.7	15.6	15.1	13.9	14.3	13.9	12.2
Ireland	19.6	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6	16.3	16.6	17.9	17.6	14.8	14.2	[5] 14.1	[5] 13.3	[5] 14.3
Italy	23.8	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	20.4	19.7	19.2	32.3	19.0	18.8	17.3	17.7	16.6	(1)
Japan	20.3	19.8	20.9	20.9	21.9	21.1	20.3	19.9	19.4	20.5	20.1	21.5	21.4	26.8	22.8	25.4	22.7	22.3	22.8	(1)
New Zealand	9.4	9.3	11.0	9.6	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6	9.6	14.8	9.5	10.2	8.7	8.8	9.0	8.3
Scotland	18.5	16.4	16.6	16.6	15.8	15.3	15.1	15.3	15.5	15.5	17.1	14.7	14.4	16.3	15.6	14.0	13.6	14.9	12.9	14.2
Spain	28.9	25.8	24.2	23.5	23.6	22.9	23.3	21.1	22.1	22.0	22.0	21.3	22.3	33.1	23.1	23.8	21.5	20.5	21.2	19.7
Sweden	16.8	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.7	13.8	14.7	13.6	13.4	18.0	14.5	13.3	12.4	12.8	[4] 11.4	[4] 12.0

[1] Figures not available.
[2] Based upon civilian deaths and estimated civilian population.
[3] Based upon the civil population of 77 "departements" not invaded.
[4] The figures are provisional.
[5] Irish Free State.

DIAGRAM 5.—GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1924



CAUSES OF DEATH

Rate Table II, General Tables 5 to 11, and tables in the Supplement and the Appendix, present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month, for the current year. In many of the text tables these related data are shown for a series of years, and in some tables for the more important causes, additional data are given.

DETAILED AND ABRIDGED INTERNATIONAL LISTS

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths from disease and violence, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 25 of the detailed list, "Other epidemic and endemic diseases." Used in this sense, this title includes only those epidemic and endemic maladies which are not shown separately in titles 1 to 24 of this detailed classification; but when the same expression, "Other epidemic and endemic diseases," is used in reference to the abridged list it includes titles 3, 4, 12, 13, and 16 to 25 of the detailed list.

Table U shows the distribution of the 1924 deaths by the causes of the abridged list, together with corresponding rates and percentages. In parentheses after each title of the abridged list appears the number, or numbers, corresponding to the included title or titles of the detailed International List.

CHANGES IN THE DETAILED INTERNATIONAL LIST

The changes made at the last revision of the detailed International List of Causes of Death are shown on pages 24 to 31, Mortality Statistics, 1921.

Table U

Abridged Int. List No.	CAUSE OF DEATH [1]	DEATHS IN REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924		
		Number	Rate per 100,000 estimated population	Per cent
	All causes (exclusive of stillbirths)	1,173,990	1,183.5	100.0
1	Typhoid and paratyphoid fever (1)	6,677	6.7	0.6
2	Typhus fever (2)	9	(2)	(3)
3	Malaria (5)	2,441	2.5	0.2
4	Smallpox (6)	874	0.9	0.1
5	Measles (7)	8,517	8.6	0.7
6	Scarlet fever (8)	3,122	3.1	0.3
7	Whooping cough (9)	8,188	8.3	0.7
8	Diphtheria (10)	9,316	9.4	0.8
9	Influenza (11)	19,374	19.5	1.7
10	Asiatic cholera (14)			
11	Cholera nostras (15)	130	0.1	(3)
12	Other epidemic and endemic diseases (3, 4, 12, 13, 16 to 25)	9,405	9.5	0.8
13	Tuberculosis of the respiratory system (31)	78,096	78.7	6.7
14	Tuberculosis of the meninges and central nervous system (32)	4,014	4.0	0.3
15	Other forms of tuberculosis (33 to 37)	7,614	7.7	0.6
16	Cancer and other malignant tumors (43 to 49)	91,138	91.9	7.8
17	Meningitis (71)	3,366	3.4	0.3
18	Cerebral hemorrhage and softening (74, 83)	91,941	92.7	7.8
19	Diseases of the heart (87 to 90)	176,671	178.1	15.0
20	Acute bronchitis (including unspecified under 5 years of age) (99a, 99c)	3,665	3.7	0.3
21	Chronic bronchitis (including unspecified 5 years and over) (99b, 99d)	3,542	3.6	0.3
22	Pneumonia (101)	56,772	57.2	4.8
23	Other diseases of the respiratory system (tuberculosis excepted) (97, 98, 100, 102 to 107)	49,629	50.0	4.2
24	Diseases of the stomach (cancer excepted) (111, 112)	11,793	11.9	1.0
25a	Diarrhea and enteritis (under 2 years of age) (113)	27,566	27.8	2.3
25b	Diarrhea and enteritis (2 years and over) (114)	6,916	7.0	0.6
26	Appendicitis and typhlitis (117)	14,788	14.9	1.3
27	Hernia, intestinal obstruction (118)	10,480	10.6	0.9
28	Cirrhosis of the liver (122)	7,344	7.4	0.6
29	Acute and chronic nephritis (128, 129)	88,863	89.6	7.6
30	Noncancerous tumors and other diseases of the female genital organs (137 to 141)	5,315	5.4	0.5
31	Puerperal septicemia (146)	5,745	5.8	0.5
32	Other puerperal accidents of pregnancy and labor (143 to 145, 147 to 150)	9,630	9.7	0.8
33	Congenital debility and malformations (159, 160, 161)	72,257	72.8	6.2
34	Senility (164)	12,598	12.7	1.1
35	Violent deaths (suicide excepted) (175 to 203)	84,165	84.8	7.2
36	Suicide (165 to 174)	12,061	12.2	1.0
37	Other diseases (26 to 30, 38 to 42, 50 to 70, 72, 73, 75, to 82, 84 to 86, 91 to 96, 108 to 110, 115, 116, 119 to 121, 123 to 127, 130 to 136, 142, 151 to 158, 162, 163)	152,432	153.7	13.0
38	Unknown or ill-defined diseases (204, 205)	17,536	17.7	1.5

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers in parentheses.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Less than one-tenth of 1 per cent.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900 AND OF 1910

Rates from ~~29~~ 30 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the years 1900, 1910, and 1913 to 1924 are shown in Table V and for 14 of the most important of these causes in Diagram 6.

In Table W data corresponding to those shown for the registration area are presented for the registration States of 1900 and in Table X, for the registration States of 1910, for 1910 and 1912 to 1924.

The States of 1900 represent about one-third, and the States of 1910 more than one-half of the entire population of the registration area, exclusive of Hawaii. These groups of States can be determined from Table A on page 7.

Table V

Detailed Int. List No.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)													
		1900	1910	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
	All causes (exclusive of stillbirths)	1,755.0	1,496.2	1,409.6	1,364.6	1,355.0	1,404.3	1,425.5	1,809.1	1,287.4	1,306.0	1,163.9	1,181.7	1,230.1	1,183.5
1	Typhoid and paratyphoid fever	35.9	23.5	17.9	15.5	12.4	13.3	13.5	12.6	9.2	7.8	9.0	7.5	6.8	6.7
5	Malaria	7.9	2.2	2.5	2.2	2.3	3.0	3.2	3.1	3.8	3.6	3.6	3.6	2.8	2.5
6	Smallpox	1.9	0.4	0.2	0.3	0.3	0.2	0.3	0.4	0.4	0.6	0.7	0.7	0.1	0.9
7	Measles	12.5	12.3	12.8	6.8	5.4	11.1	14.3	10.8	3.9	8.8	4.3	4.3	10.8	8.6
8	Scarlet fever	10.2	11.6	8.7	6.6	3.6	3.3	4.2	3.0	2.8	4.6	5.3	3.5	3.5	3.1
9	Whooping cough	12.1	11.4	10.0	10.4	8.1	10.2	10.5	16.9	5.5	12.5	9.1	5.6	9.7	8.3
10	Diphtheria	43.3	21.4	18.9	17.9	15.7	14.5	16.6	13.9	14.7	15.3	17.7	14.6	12.1	9.4
11, 101	Influenza and pneumonia	181.5	115.1	95.6	87.6	99.2	115.1	117.2	517.0	174.5	153.7	60.4	88.3	106.0	76.8
21	Erysipelas	5.1	4.5	4.0	3.8	3.5	3.8	3.8	3.2	2.6	3.1	2.8	2.5	2.7	2.5
24	Meningococcus meningitis	(1)	0.4	1.9	1.7	1.4	2.2	3.9	3.4	1.8	1.6	1.5	1.0	1.1	1.0
31, 37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	181.8	139.7	127.9	128.2	128.2	124.3	129.5	133.2	111.3	100.8	87.6	86.3	83.5	80.2
32–36, 37b	Other forms of tuberculosis	20.1	20.6	19.9	19.0	18.1	17.8	17.6	16.8	14.3	13.4	11.8	10.7	10.0	10.2
43–49	Cancer and other malignant tumors	63.0	76.2	79.0	79.6	81.4	82.1	82.0	80.3	80.5	83.4	86.0	86.8	89.4	91.9
57	Diabetes mellitus	9.7	14.9	15.3	16.2	17.5	17.1	17.0	15.9	14.9	16.1	16.8	18.4	17.9	16.6
74,83,92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	75.5	79.4	80.0	83.7	85.2	86.9	88.1	84.6	82.2	86.4	85.1	87.7	92.2	94.4
87–90	Diseases of the heart	132.1	158.8	155.8	159.7	165.7	168.7	171.7	170.1	146.7	159.3	157.1	165.7	175.3	178.1
99, 100	Bronchitis and broncho-pneumonia	67.6	70.5	67.2	66.3	67.3	65.4	67.0	85.7	60.6	67.9	48.3	54.6	56.7	48.2
113, 114	Diarrhea and enteritis [2]	133.2	117.4	90.3	79.6	72.1	79.5	79.3	72.7	55.2	54.4	51.6	39.5	39.9	34.8
117	Appendicitis and typhlitis	9.7	11.4	12.1	12.3	12.5	12.8	12.6	12.2	11.8	13.4	14.4	14.2	14.8	14.9
118	Hernia, intestinal obstruction [3]	12.2	12.4	11.6	11.7	11.3	11.3	11.6	11.5	10.4	10.6	10.7	10.6	10.5	10.6
122	Cirrhosis of the liver	12.9	13.9	13.4	13.0	12.6	12.3	11.4	9.6	7.9	7.1	7.4	7.5	7.2	7.4
128, 129	Acute and chronic nephritis	89.0	99.1	103.0	102.6	105.1	105.6	107.9	97.6	88.1	89.4	85.4	88.5	90.1	89.6
146	Puerperal septicemia	5.7	7.2	7.2	7.1	6.3	6.7	6.9	6.5	5.8	6.6	6.8	5.7	5.8	5.8
143–145, 147–150	Other puerperal causes	7.6	8.5	8.6	8.9	9.0	9.6	9.8	15.8	11.2	12.6	10.1	10.0	9.7	9.7
159–163	Congenital malformations and diseases of early infancy	91.8	88.1	98.5	95.5	92.1	94.0	91.9	92.3	79.9	84.9	84.4	78.2	78.0	78.3
165–174	Suicide	11.5	16.0	15.8	16.6	16.7	14.2	13.4	12.2	11.4	10.2	12.6	11.9	11.6	12.2
197–200	Homicide	2.1	5.9	7.2	7.4	7.0	7.1	7.7	6.8	7.5	7.1	8.5	8.4	8.1	8.5
188c	Automobile accidents [4]	(5)	1.8	3.9	4.3	5.9	7.3	9.0	9.3	9.4	10.4	11.5	12.5	14.9	15.7
175–188b, 188d–196, 201–203	Other external causes	79.0	82.6	81.6	74.4	70.7	76.9	79.2	73.0	62.5	61.0	57.2	57.5	61.5	60.7
204, 205	Unknown or ill-defined diseases	73.8	23.1	14.1	12.1	11.4	15.2	18.2	19.2	18.3	17.7	16.0	17.7	17.2	17.7

[1] Not tabulated separately.
[2] From 1900 to 1920 includes ulcer of the duodenum.
[3] From 1900 to 1920 includes adhesions of intestines.
[4] Excluding deaths from collision with railroad trains and street cars.
[5] Not separately tabulated; included in "Other external causes."

Table W

Detailed Int. List No.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1900 [1] (INCLUDING DISTRICT OF COLUMBIA)													
		1900	1910	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
	All causes (exclusive of stillbirths)	1,719.5	1,562.4	1,471.3	1,442.5	1,428.8	1,497.3	1,496.4	1,887.3	1,348.7	1,379.0	1,215.1	1,258.8	1,293.3	1,232.5
1	Typhoid and paratyphoid fever	31.3	18.0	12.6	10.8	9.2	8.8	8.1	7.0	4.8	5.0	5.3	3.9	3.6	3.5
5	Malaria	6.2	1.3	0.8	0.7	0.6	0.4	0.4	0.4	0.2	0.2	0.3	0.2	0.1	0.1
6	Smallpox	0.3	0.5	0.1	0.1	0.1	(2)	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.9
7	Measles	13.4	12.6	11.5	7.4	6.6	10.6	10.4	12.1	3.7	10.4	4.3	8.0	8.8	5.9
8	Scarlet fever	9.6	12.2	8.3	6.6	4.0	2.9	3.8	3.2	3.0	5.2	6.4	4.1	3.6	3.3
9	Whooping cough	12.2	10.7	9.0	8.8	8.9	9.1	8.8	15.3	4.9	11.9	8.3	5.8	8.3	6.6
10	Diphtheria	40.4	22.5	19.2	18.4	15.8	15.1	18.2	16.4	17.7	17.4	17.9	14.8	12.4	10.3
11, 101	Influenza and pneumonia	179.4	121.8	103.3	95.1	107.2	124.3	126.4	517.2	165.0	144.6	59.6	85.9	98.2	71.5
21	Erysipelas	5.4	4.9	4.3	4.6	4.3	4.4	4.5	3.5	3.0	3.6	3.2	2.9	3.1	3.0
24	Meningococcus meningitis	(3)	0.3	0.8	1.3	1.4	2.4	3.2	3.0	2.1	1.8	1.7	1.2	1.2	1.2
31, 37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	174.5	142.0	127.4	128.4	127.3	124.7	128.5	132.2	109.1	97.2	82.2	81.1	80.1	75.8
32–36, 37b	Other forms of tuberculosis	20.7	22.7	21.4	20.2	19.4	19.1	18.6	18.8	15.8	14.7	12.5	11.2	10.7	10.9
43–49	Cancer and other malignant tumors	64.0	83.0	88.8	89.2	92.0	93.9	95.0	94.7	95.8	98.9	102.6	105.0	106.6	109.8
57	Diabetes mellitus	11.0	17.6	18.6	19.4	21.5	20.7	21.7	20.2	19.2	20.4	20.8	23.5	22.5	20.6
74,83,92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	80.7	92.3	93.0	99.4	98.3	101.9	105.6	102.7	99.4	102.2	99.4	103.7	106.5	107.8
87–90	Diseases of the heart	137.4	180.9	181.4	189.4	193.8	205.4	209.7	210.3	183.6	198.0	193.9	210.7	223.5	221.4
99, 100	Bronchitis and broncho pneumonia	68.1	79.2	75.9	74.6	75.5	76.1	75.3	104.8	71.6	82.1	54.5	65.9	65.6	53.6
113, 114	Diarrhea and enteritis [4]	139.9	119.4	89.9	80.9	76.2	76.6	74.3	70.6	53.3	55.7	48.0	36.6	34.2	28.0
117	Appendicitis and typhlitis	8.8	11.1	11.6	12.2	12.3	12.4	12.3	11.9	11.7	13.2	14.3	13.9	14.6	15.1
118	Hernia, intestinal obstruction [5]	11.9	12.6	12.2	12.0	11.1	11.8	11.6	12.0	10.9	11.1	11.2	10.8	10.9	11.0
122	Cirrhosis of the liver	12.5	14.4	13.7	13.8	13.5	13.8	12.4	10.2	8.3	7.7	8.1	8.2	7.7	8.1
128, 129	Acute and chronic nephritis	88.7	107.3	113.1	114.5	113.1	117.7	118.8	107.1	96.3	97.6	90.0	95.3	96.3	93.1
146	Puerperal septicemia	5.8	6.7	6.6	6.5	5.9	6.1	6.4	5.6	5.2	6.1	6.1	5.2	5.1	5.3
143–145, 147–150	Other puerperal causes	7.7	8.4	8.4	8.8	8.8	8.7	9.1	14.9	10.1	11.5	9.0	8.9	8.5	8.5
159–163	Congenital malformations and diseases of early infancy	88.2	94.6	105.5	101.3	99.3	98.6	97.3	98.7	86.5	91.0	89.0	82.3	82.2	81.3
165–174	Suicide	10.2	15.4	15.4	16.2	16.5	14.8	14.6	12.8	12.2	10.9	13.3	12.9	12.9	13.0
197–200	Homicide	1.2	3.9	4.5	4.3	4.1	4.0	4.6	3.7	4.3	4.2	4.6	4.3	4.6	5.1
188c	Automobile accidents [6]	(7)	2.0	4.8	4.9	6.5	8.1	10.1	10.8	11.7	12.1	13.4	14.7	17.0	18.2
175–188b, 188d–196, 201–203	Other external causes	72.3	75.8	77.3	71.3	67.5	75.7	80.6	72.3	61.0	58.6	55.2	56.4	61.6	59.0
204, 205	Unknown or ill-defined diseases	67.4	19.0	5.0	4.9	4.2	4.6	4.5	5.0	3.8	3.4	3.3	3.3	3.2	3.5

[1] For States included, see Table A.
[2] Less than one-tenth of 1 per 100,000 estimated population.
[3] Not tabulated separately.
[4] From 1900 to 1920, includes ulcer of the duodenum.
[5] From 1900 to 1920, includes adhesions of intestines.
[6] Excluding deaths from collision with railroad trains and street cars.
[7] Not separately tabulated; included in "Other external causes."

Table X

Detailed Int. List No.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1910[1] (INCLUDING DISTRICT OF COLUMBIA)													
		1910	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
	All causes (exclusive of stillbirths)	1,469.2	1,370.5	1,401.4	1,359.0	1,346.4	1,415.4	1,423.9	1,853.9	1,306.2	1,332.3	1,188.3	1,218.4	1,265.8	1,206.5
1	Typhoid and paratyphoid fever	22.5	14.8	15.3	12.3	10.4	10.2	9.1	8.4	5.7	5.3	6.0	4.4	4.2	3.7
5	Malaria	1.1	0.8	0.7	0.6	0.6	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.1	0.1
6	Smallpox	0.4	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.6	0.1	1.2
7	Measles	12.4	7.9	12.5	6.4	5.6	11.7	9.3	9.6	3.6	10.2	4.1	6.1	10.1	5.7
8	Scarlet fever	11.4	6.3	8.4	7.2	3.9	3.2	3.8	3.5	3.1	5.3	6.4	4.1	4.3	3.8
9	Whooping cough	11.6	8.7	9.5	9.1	7.9	9.8	8.8	14.7	4.7	12.6	8.5	5.7	8.7	6.5
10	Diphtheria	21.1	16.9	18.2	17.2	14.5	13.9	16.5	14.7	15.9	15.9	17.7	14.4	12.9	10.4
11, 101	Influenza and pneumonia	109.9	92.4	94.0	86.7	97.8	115.6	117.6	537.7	165.7	147.4	62.3	86.6	100.4	74.7
21	Erysipelas	4.6	3.9	4.1	4.0	3.6	3.9	4.0	3.2	2.7	3.3	3.0	2.6	3.0	2.9
24	Meningococcus meningitis	0.3	1.0	1.3	1.5	1.4	2.0	4.0	3.0	1.8	1.6	1.5	1.0	1.1	1.0
31, 37a	Tuberculosis of the respiratory system and acute disseminated tuberculosis	133.4	122.9	120.8	121.5	121.2	119.5	123.8	129.6	108.4	97.8	84.5	83.4	81.8	78.5
32–36, 37b	Other forms of tuberculosis	20.6	19.3	19.8	19.0	18.0	18.1	17.9	18.0	15.5	14.4	12.6	11.5	11.0	10.9
43–49	Cancer and other malignant tumors	76.3	79.5	82.4	83.4	85.3	88.1	89.3	88.6	90.5	93.6	96.4	99.0	101.5	104.3
57	Diabetes mellitus	15.3	15.6	16.3	17.4	18.8	18.7	19.1	18.0	17.1	18.6	19.2	21.3	20.6	18.9
74,83,92	Cerebral hemorrhage and softening, embolism and thrombosis (not cerebral)	81.7	85.5	85.2	89.1	90.3	93.8	96.6	94.8	92.4	95.9	94.3	98.0	102.1	103.2
87–90	Diseases of the heart	159.0	164.2	162.7	168.4	173.4	182.3	186.6	188.4	164.8	177.3	175.0	189.1	200.8	201.0
99, 100	Bronchitis and broncho-pneumonia	70.0	67.5	69.9	68.7	70.6	70.9	71.5	97.0	68.1	75.8	53.9	61.8	64.0	53.0
113, 114	Diarrhea and enteritis [2]	114.4	81.2	87.9	77.1	70.5	75.8	73.5	71.2	53.4	53.8	48.9	37.9	37.2	30.1
117	Appendicitis and typhlitis	10.8	11.0	11.8	12.0	12.1	12.7	12.5	12.1	11.8	13.4	14.5	14.4	14.7	15.0
118	Hernia, intestinal obstruction [3]	12.1	11.8	11.8	11.6	11.1	11.5	11.6	11.8	10.8	11.1	11.1	11.0	11.0	11.0
122	Cirrhosis of the liver	13.3	13.1	13.4	13.2	12.8	13.0	12.2	10.3	8.4	7.6	7.9	8.0	7.9	8.1
128, 129	Acute and chronic nephritis	94.9	100.9	101.8	102.1	103.4	106.8	108.8	98.9	90.5	91.5	86.0	90.1	91.4	89.1
146	Puerperal septicemia	7.0	6.0	6.8	6.7	5.9	6.4	6.6	6.1	5.3	6.2	6.5	5.2	5.6	5.4
143–145, 147–150	Other puerperal causes	8.4	8.2	8.4	8.5	8.7	8.7	8.9	15.3	10.0	11.5	9.0	8.8	8.5	8.5
159–163	Congenital malformations and diseases of early infancy	88.5	97.0	100.8	98.4	95.1	95.2	93.6	95.9	83.9	88.3	87.5	81.5	81.2	80.2
165–174	Suicide	15.4	15.6	16.0	16.7	16.8	15.1	14.7	13.4	12.7	11.3	13.9	13.5	13.3	13.6
197–200	Homicide	4.6	4.9	5.3	5.5	5.1	5.4	6.0	5.1	5.2	4.9	5.8	5.4	5.5	5.7
188c	Automobile accidents [4]	1.8	3.0	4.2	4.7	6.4	8.1	10.2	10.9	11.2	12.1	13.2	14.7	17.5	18.1
175-188b, 188d-196, 201–203	Other external causes	82.8	80.2	83.7	75.9	71.0	79.8	84.0	77.9	65.2	62.9	58.6	59.2	64.5	62.8
204, 205	Unknown or ill-defined diseases	22.0	8.3	7.7	7.0	6.2	6.5	6.6	7.0	5.6	5.2	4.4	4.5	4.2	4.2

[1] Exclusive of North Carolina. For States included, see Table A.
[2] From 1910 to 1920 includes ulcer of the duodenum.
[3] From 1910 to 1920 includes adhesions of intestines.
[4] Excluding deaths from collision with railroad trains and street cars.

For the registration area (exclusive of Hawaii) and also for the registration States of 1900, typhoid and paratyphoid fever, tuberculosis (all forms), diphtheria, and diarrhea and enteritis had record low rates in 1924; that is, lower for 1924 than for any year since the publication, in 1900, of the first annual report. Record low rates also appeared for influenza and pneumonia in the registration area and for congenital malformations and diseases of early infancy in the registration States of 1900.

On the other hand, the trend of mortality from cancer was decidedly upward, and showed a remarkable increase since 1900. For the registration area the rate was 91.9 per 100,000 estimated population in 1924, against 63 in 1900, and the increase was continuous from 1918; for the States of 1900 the rate was 109.8 in 1924, against 64 in 1900, and since then continuously increased in every year of the series except 1918. That this increase can not be explained by differences in the age and sex distribution of the population is clearly shown by the adjusted rates given in Mortality Rates, 1910–1920, page 81. For both of these areas an upward trend was also shown in the rates from cerebral hemorrhage and softening, embolism and thrombosis (not cerebral), and diseases of the heart. For these causes the rates for the States of 1900 were higher in every year than those for the registration area.

For the registration area the rates from typhoid and paratyphoid fever were higher for the series of years than the corresponding rates for the States of 1900.

For the registration States of 1900, the rates from smallpox and homicide in 1924 were the highest shown.

For the registration area and for the registration States of 1900, the death rates from automobile accidents increased continuously from year to year.

DIAGRAM 6.—DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR THE YEARS 1900 AND 1910 TO 1924



TYPHOID AND PARATYPHOID FEVER

The number of deaths from typhoid and paratyphoid fever in 1924 was 6,677, corresponding to a crude death rate of 6.7 per 100,000 estimated population; this is the lowest rate shown in the annual reports, beginning in 1900.

Table Y shows crude rates per 100,000 estimated population for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920, with rates of 40 and higher in bold-faced type.

Table Y — DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
The registration area (excl. of Hawaii)	6.7	6.8	7.5	9.0	7.8	9.2	12.6		
Registration States [1]	6.7	6.8	7.5	8.9	7.6	9.1	12.2		
Cities in registration States [1]	4.5	4.6	4.8	5.8	5.5	6.1	8.7		
Rural part of registration States	8.6	8.7	10.0	11.9	9.6	11.8	15.4		
Registration cities in non-registration States	10.2	10.6	9.4	16.4	15.5	13.6	26.9		
All registration cities [1]	4.7	4.8	4.9	6.1	5.9	6.4	9.6		
California	5.9	4.0	4.7	4.3	4.8	5.4	6.0	4.8	1.00000000
Colorado	6.7	10.5	11.4	10.1	9.2	8.5	15.4	9.4	1.02150538
Connecticut	2.5	2.6	3.1	3.6	4.1	4.0	5.4	4.0	.97560976
Delaware	6.9	8.2	10.9	11.5	11.2	17.6	(2)	11.6	1.03571429
Florida*	12.6	16.7	15.9	17.9	14.6	18.3	(2)	14.7	1.00675676
White	10.3	13.3	12.1	16.8	13.3	17.7	(2)	13.6	1.02222222
Colored	17.5	24.0	23.8	20.1	17.2	19.4	(2)	17.3	1.00578035
Georgia	22.1	20.5	23.5	(2)	(2)	(2)	(2)	(2)	(2)
White	15.8	14.0	18.0	(2)	(2)	(2)	(2)	(2)	(2)
Colored	31.5	30.1	31.4	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	7.1	6.0	8.9	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	3.5	4.7	4.2	6.0	5.8	5.9	8.2	5.8	1.00000000
Indiana	7.1	7.1	7.9	12.3	9.7	11.4	13.8	10.0	1.03092784
Iowa*	2.7	3.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas*	4.4	6.2	6.1	8.6	8.0	7.3	16.6	8.1	1.01250000
Kentucky	16.9	19.3	19.0	25.9	20.2	26.9	27.2	20.5	1.01477833
White	15.1	18.6	18.1	24.4	19.1	24.7	25.0	19.4	1.01562500
Colored	35.3	26.0	28.3	40.5	30.2	47.2	46.2	30.3	1.00332226
Louisiana	21.5	14.5	17.9	17.9	15.5	22.8	39.9	15.6	1.00641026
White	16.0	12.8	14.1	14.1	11.7	20.3	35.4	12.0	1.02542373
Colored	30.6	17.4	24.2	24.0	21.5	26.6	46.7	21.3	.99069767
Maine	6.5	6.7	6.3	7.6	9.0	5.7	7.7	8.9	.98888889
Maryland	6.4	6.6	7.1	10.3	6.9	11.8	17.0	6.9	1.00000000
White	4.0	5.2	5.9	7.4	5.6	9.4	13.3	5.6	1.00000000
Colored	18.4	14.0	13.3	24.7	13.0	23.7	35.0	12.7	.97709924
Massachusetts*	1.7	1.7	2.2	3.1	2.5	2.7	4.1	2.4	.96000000
Michigan	3.7	5.1	4.9	7.7	7.9	7.6	9.4	8.0	1.01250000
Minnesota	1.5	2.4	2.2	3.6	3.0	3.3	3.7	2.9	.96666667
Mississippi	18.0	13.8	19.0	18.6	18.6	20.3	(2)	18.6	1.00000000
White	11.4	9.1	13.5	12.6	11.5	15.3	(2)	12.1	1.05172414
Colored	24.0	18.0	24.0	24.0	25.1	24.9	(2)	24.5	.97600000
Missouri	8.5	8.7	9.8	12.9	10.0	12.5	19.6	10.2	1.02000000
Montana	2.5	2.6	3.5	3.5	4.8	7.2	10.1	4.7	.97959184
Nebraska	2.1	3.1	3.8	5.0	4.5	(2)	(2)	4.5	1.00000000
New Hampshire	4.2	3.4	5.2	3.6	6.8	3.4	4.5	7.0	1.02941176
New Jersey	2.8	3.3	3.9	4.5	3.3	3.2	5.5	3.3	1.00000000
New York*	3.4	2.9	3.0	3.6	3.6	3.6	5.7	3.6	1.00000000
North Carolina	9.9	9.7	11.2	12.0	12.5	17.5	22.8	12.5	1.00000000
White	6.2	6.9	8.3	8.6	9.3	14.4	17.6	9.5	1.02127660
Colored	18.7	16.1	18.2	19.8	19.9	24.5	34.4	19.4	.97500000
North Dakota*	3.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	3.6	5.1	5.5	9.2	7.5	8.0	13.6	7.4	.98684211
Oregon	5.8	4.7	4.2	5.9	4.9	4.9	9.5	4.6	.94000000
Pennsylvania	3.9	4.9	4.7	7.4	5.7	7.1	10.9	5.7	1.00000000
Rhode Island*	2.2	1.1	1.3	2.8	2.8	3.3	5.7	2.6	.92857143
South Carolina	26.5	17.9	22.6	26.0	22.4	26.3	35.5	22.8	1.01777778
White	13.4	12.2	14.5	16.8	15.9	16.0	26.0	16.4	1.03125000
Colored	39.6	23.6	30.6	35.0	28.6	35.9	44.3	28.8	1.00696864
Tennessee	23.8	21.0	20.3	26.1	18.5	28.0	30.2	18.4	.99462366
White	18.2	16.8	17.9	22.5	16.4	24.6	26.8	16.5	1.00606061
Colored	48.9	39.4	30.9	41.5	27.3	42.2	43.9	26.8	.98161765
Utah	7.8	8.6	4.7	9.1	6.8	9.4	8.4	6.7	.98550725
Vermont	3.4	3.1	4.5	5.4	10.5	3.1	9.5	11.0	1.04761905
Virginia	8.5	10.5	11.4	16.1	11.2	15.5	17.9	11.3	1.00884956
White	7.1	7.4	8.3	13.9	9.6	13.1	15.7	9.8	1.02061856
Colored	11.7	18.3	18.7	21.6	14.9	21.3	23.0	14.7	.98657718
Washington	3.3	5.2	4.8	5.4	5.6	4.2	7.4	5.5	.98214286
Wisconsin	1.0	2.2	3.0	3.0	2.5	3.1	3.8	2.4	.96000000
Wyoming	4.6	7.1	13.1	(2)	(2)	(2)	(2)	(2)	(2)

Table Y—Con. — DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(2)	(2)	1.9	6.2	3.7	8.4	17.6	3.5	0.94736842
Albany*	13.7	2.6	0.9	3.5	4.4	8.0	10.8	4.3	.97727273
Atlanta	(2)	20.6	12.8	14.0	13.8	10.6	15.0	14.0	1.01428571
White	(2)	9.0	7.9	8.4	16.5	6.6	14.3	17.0	1.02994012
Colored	(2)	47.4	24.1	26.4	7.9	19.3	16.3	6.5	.82500000
Baltimore	2.7	4.5	4.1	5.3	4.7	8.2	12.0	4.5	.95833333
White	1.8	3.6	4.2	4.5	3.7	8.1	9.8	3.6	.97297297
Colored	7.8	9.6	3.6	9.9	11.0	9.3	23.6	9.9	.90000000
Birmingham	7.5	7.7	12.6	18.3	14.9	18.6	35.9	14.5	.97350993
White	6.6	5.9	6.9	13.3	4.5	12.1	22.0	4.1	.91304348
Colored	8.9	10.4	21.3	26.0	30.9	28.7	57.5	30.1	.97444089
Boston*	1.9	1.4	1.4	3.2	1.5	2.4	2.6	1.3	.86666667
Bridgeport	(2)	(2)	0.7	2.8	2.1	3.5	4.4	1.8	.85714286
Buffalo*	2.8	4.3	3.8	4.2	4.9	6.6	7.7	4.9	1.00204082
Cambridge*	4.2	3.6	0.9	----	2.7	1.8	3.7	2.7	1.00000000
Camden	6.3	4.0	7.4	7.5	7.7	9.5	9.7	7.7	1.00000000
Chicago	1.5	2.0	1.1	1.2	1.1	1.3	1.5	1.1	1.00000000
Cincinnati	2.2	3.2	3.2	3.7	3.2	3.0	4.8	2.9	.90625000
Cleveland	1.2	2.3	2.2	3.4	3.0	2.7	5.4	2.7	.90000000
Columbus	3.7	4.2	1.2	4.4	2.9	3.0	8.7	2.9	1.00000000
Dallas	7.5	11.5	5.8	12.6	14.3	10.8	13.0	14.9	1.04137931
White	8.0	11.5	6.8	11.3	11.0	9.0	13.6	11.0	1.00000000
Colored	3.9	11.7	----	20.5	33.1	20.9	9.7	39.2	1.18373494
Dayton	2.4	3.6	3.7	5.1	7.1	6.0	8.2	8.2	1.15277778
Denver	5.1	5.5	6.0	4.6	5.4	3.5	9.2	5.2	.96363636
Des Moines*	2.9	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	2.5	(2)	5.1	5.7	5.4	5.2	7.9	5.4	1.00000000
Fall River*	0.8	3.3	3.3	2.5	5.0	3.3	15.0	4.8	.96000000
Fort Worth	2.0	7.6	8.2	(2)	(2)	(2)	(2)	(2)	(2)
White	1.5	7.2	5.7	(2)	(2)	(2)	(2)	(2)	(2)
Colored	5.4	10.9	23.7	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	3.4	1.4	2.1	4.2	2.2	5.1	7.5	2.3	1.04545455
Hartford	0.6	3.3	5.1	8.0	7.1	4.4	10.6	6.0	.84722222
Houston	8.7	7.7	9.3	11.7	13.5	17.6	9.8	12.2	.90510949
White	8.9	5.9	8.7	10.0	10.4	16.6	8.8	9.2	.88571429
Colored	8.2	13.8	11.3	17.2	23.3	20.8	12.8	21.3	.91489362
Indianapolis	4.8	3.5	5.4	7.1	5.7	4.5	6.6	5.3	.92982456
White	4.5	3.0	4.4	6.2	4.2	4.0	7.4	3.8	.90697674
Colored	7.4	7.6	13.1	13.6	16.9	8.8	----	17.3	1.02325581
Jersey City	2.9	1.3	2.0	4.0	4.0	2.4	5.5	3.9	.97500000
Kansas City,* Kans	6.1	1.7	7.9	5.8	6.9	9.0	22.4	7.1	1.02898551
White	5.0	2.0	7.2	4.5	5.7	5.8	20.1	(4)	(4)
Colored	12.1	----	12.1	13.1	13.6	28.2	36.5	(4)	(4)
Kansas City, Mo	3.6	5.4	5.2	11.6	7.9	10.9	15.0	8.4	1.06250000
Los Angeles	(2)	(2)	4.4	2.6	2.5	4.8	3.9	2.4	.96153846
Louisville	3.1	5.0	8.2	7.6	5.5	10.7	16.3	5.6	1.01818182
White	2.8	4.1	7.9	4.1	5.1	9.8	13.4	5.5	1.07843137
Colored	4.4	9.8	9.8	25.0	7.5	14.9	29.8	5.4	.72000000
Lowell*	1.8	3.5	2.6	5.3	2.7	4.4	1.8	2.6	.96296296
Memphis	36.0	15.9	8.9	12.1	8.6	62.8	16.2	9.5	1.10465116
White	9.1	7.4	9.4	7.7	3.9	48.3	16.1	4.1	1.05000000
Colored	83.2	30.5	8.1	19.5	16.3	88.0	16.6	19.0	1.16564417
Milwaukee	1.0	1.2	3.1	1.9	2.2	3.7	6.3	2.3	1.04545455
Minneapolis	2.2	1.5	2.0	1.3	2.6	3.2	8.4	2.3	.88461538
Nashville	21.1	12.2	17.5	21.3	10.1	16.1	38.5	10.2	1.00990099
White	17.1	9.2	11.8	19.8	7.2	14.6	41.9	6.8	.94520548
Colored	30.9	19.6	31.1	24.8	16.9	19.6	30.8	18.7	1.10714286
New Bedford*	4.2	0.8	----	4.0	6.5	2.5	9.4	6.1	.93939394
New Haven	6.8	5.8	7.1	4.8	6.7	5.6	4.4	6.0	.89705882
New Orleans	10.7	9.1	10.3	9.1	6.9	13.3	20.0	7.1	1.02857143
White	8.9	9.0	9.5	7.9	6.6	12.3	17.8	6.9	1.04545455
Colored	15.9	9.5	12.5	12.6	7.9	15.9	26.1	8.5	1.07594937
New York*	3.3	2.4	2.3	2.2	2.5	2.2	3.6	2.3	.92307692
Bronx Borough	1.9	2.1	1.5	1.8	1.5	1.7	2.5	1.3	.86666667
Brooklyn Borough	2.8	2.0	2.2	2.2	2.6	2.2	4.0	2.6	1.00000000
Manhattan Borough	4.5	2.7	2.2	2.3	2.5	2.3	3.8	2.3	.92000000
Queens Borough	2.7	2.6	3.5	2.2	3.1	2.2	2.0	2.8	.90625000
Richmond Borough	3.0	3.9	5.6	4.1	6.8	5.2	4.5	6.1	.89855072
Newark, N. J	2.9	2.5	3.0	2.8	1.9	2.2	4.5	1.9	1.00000000
Norfolk	(2)	3.8	8.0	9.9	14.5	13.2	11.8	13.4	.92517007
White	(2)	3.0	7.7	7.9	12.2	16.9	10.2	11.0	.90400000
Colored	(2)	5.2	8.5	13.1	18.1	7.0	14.3	17.5	.96739130
Oakland	1.6	3.3	3.0	0.9	5.9	3.3	5.3	5.3	.90000000
Omaha	1.4	2.9	6.0	5.1	7.8	5.3	5.9	7.1	.91025641
Paterson	2.8	2.9	2.2	5.8	0.7	3.7	4.5	0.8	1.14285714
Philadelphia	2.1	1.5	2.8	2.4	3.4	4.3	4.9	3.3	.97058824
Pittsburgh	4.0	4.2	5.4	4.5	5.6	6.5	10.7	5.5	.98214286
Portland, Oreg	5.8	2.6	3.0	2.6	3.5	5.1	6.0	3.0	.85714286
Providence*	2.3	0.8	----	3.3	3.8	3.8	5.1	3.4	.89473684
Reading	5.4	4.5	10.0	12.8	6.5	7.5	11.3	6.6	1.01538462
Richmond	7.6	6.1	5.0	5.7	6.4	3.5	7.2	6.0	.93750000
White	7.8	2.4	3.2	7.4	5.9	4.3	6.1	5.4	.91666667
Colored	7.3	14.6	9.2	1.8	7.4	1.9	9.3	7.2	.97297297

(See footnotes at end of table)

Table Y—Con. DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Rochester*	1.3	2.2	2.6	3.3	1.0	3.4	1.5	0.9	0.90000000
St. Louis	3.7	4.5	4.4	4.3	2.6	6.6	7.9	2.7	1.03846154
St. Paul	2.0	4.5	3.3	7.6	2.1	3.4	3.5	2.2	1.04761905
Salt Lake City	10.9	3.2	3.2	5.8	7.5	6.0	7.9	7.6	1.01315789
San Antonio	5.2	9.7	6.2	17.5	9.7	11.4	46.9	9.5	.97979798
San Francisco	2.6	3.2	2.3	4.0	2.9	3.0	4.3	2.6	.90000000
Scranton	2.1	5.0	1.4	6.5	1.4	1.5	6.6	1.3	.93333333
Seattle	(3)	(3)	3.2	2.2	2.2	3.2	4.0	1.6	.72727273
Spokane	2.9	7.7	4.8	4.8	6.7	-----	13.4	7.1	1.05970149
Springfield,* Mass.	1.4	1.4	2.1	4.4	4.6	4.7	3.2	4.7	1.02173913
Syracuse*	1.7	2.2	1.7	3.9	4.0	7.1	9.0	3.9	.97560976
Toledo	4.3	5.6	4.2	8.7	7.7	4.2	11.2	7.7	1.00000000
Trenton	3.1	11.8	11.2	9.0	8.3	7.6	10.4	7.8	.94047619
Washington, D. C.	3.9	5.9	5.0	6.6	6.5	3.7	11.6	6.2	.95454545
White	4.9	5.6	4.6	5.2	5.4	3.4	7.7	4.9	.90909091
Colored	0.8	6.9	6.3	10.8	9.9	4.5	23.1	9.8	.98989899
Wilmington, Del.	5.8	3.4	8.7	6.2	14.4	14.9	35.2	14.1	.97931034
Worcester*	0.5	2.6	3.2	3.8	1.7	2.8	3.4	1.6	.94117647
Yonkers*	2.7	0.9	-----	3.9	-----	1.0	2.1	-----	(5)
Youngstown	10.3	8.0	8.3	18.9	11.1	17.7	39.1	9.3	.84070796

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Rates are omitted pending the establishment of more satisfactory estimates of population.
[4] Not computed.
[5] No deaths in 1920, therefore there is no factor to apply.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
†See "Adjusted rates," p. 10.

In 1924 no State had a rate even approaching 40; South Carolina had the highest rate (26.5), followed by Tennessee (23.8), Georgia (22.1), and Louisiana (21.5). The lowest State rates were 1 for Wisconsin, 1.5 for Minnesota, and 1.7 for Massachusetts. Of the 38 States with rates for both 1923 and 1924, 13 had higher rates in 1924.

Of the 61 cities of 100,000 population in 1920 which had rates for both 1923 and 1924, 33 had lower rates in 1924. The highest city rates in 1924 were 36 for Memphis, 21.1 for Nashville, and 13.7 for Albany.

For cities shown by color, Memphis had for colored the very high rate of 83.2 and Washington, D. C., the very low rate of 0.8, which, with the exception of the rate for Worcester (0.5), was the lowest one from this cause in 1924.

MALARIA

The fact that the term "malaria" is used somewhat loosely in some sections of the country, undoubtedly has much to do with some of the higher rates recorded, especially in those sections where certification is not always made by physicians. But accepting the certification as reported, the number of deaths from malaria in 1924 was 2,441, corresponding to a rate of 2.5 per 100,000 estimated population; this was the lowest rate since 1915. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, when the rate was 2.2; from 1910 to 1919 the rate ranged between 2.2 and 3.8. In 1924 the following States had rates above 10 per 100,000 estimated population: Florida 24.5, Mississippi 21.2, South Carolina 15.4, Louisiana 14.7, and Georgia 13.1. The rates for the colored in these States ranged from 34.6 for Florida to 19.3 for Georgia. Other State rates well above the rate for the registration area as a whole (2.5 per 100,000) were 7.3 for Tennessee, 5 for North Carolina, and 4.9 for Missouri. Eight States (Colorado, Idaho, Maine, Minnesota, Montana, North Dakota, Vermont, and Wisconsin) and 39 cities had no deaths. For cities the highest rates were for Memphis (16.3) and Houston (7.5). Although Memphis had the highest rate shown, special attention is called to the remarkable decline in its rate in late years; in 1904 its rate was 149.8, but in 1924 its rate (16.3) was the lowest for the series of years shown. The rates for the colored in Memphis and Houston were 27.2 and 13.6, respectively.

Table Z shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 10 or more in bold-faced type.

Table Z DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION

[Rates of 10 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	2.5	2.8	3.6	3.6	3.6	3.8	3.1	3.2	3.0	2.3
Registration States [1]	2.4	2.8	3.5	3.6	3.4	3.7	2.9	3.0	2.9	1.7
Cities in registration States [1]	0.6	0.6	0.9	0.9	0.9	0.9	0.9	1.0	0.7	0.7
Rural part of registration States	4.0	4.8	6.0	6.1	5.9	6.2	4.8	4.9	4.8	2.8
Registration cities in non-registration States	5.1	4.7	5.8	8.4	12.2	9.7	11.2	5.0	5.6	8.9
All registration cities [1]	0.8	0.8	1.0	1.2	1.2	1.3	1.3	1.5	1.4	1.9
California	0.5	0.6	0.8	0.8	0.7	0.7	1.3	1.3	1.3	1.8
Colorado	-----	-----	0.2	-----	0.2	0.5	-----	0.2	0.6	0.2
Connecticut	0.3	0.1	0.3	0.2	0.4	0.2	0.2	0.7	0.6	1.4
Delaware	0.4	-----	0.9	0.4	0.4	1.4	(2)	(2)	(2)	(2)
Florida *	24.5	30.0	23.6	23.7	35.1	43.6	(2)	(2)	(2)	(2)
White	19.7	25.7	18.0	18.6	30.1	38.4	(2)	(2)	(2)	(2)
Colored	34.6	39.1	35.1	33.9	45.0	53.5	(2)	(2)	(2)	(2)
Georgia	13.1	15.7	16.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.0	11.5	12.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	19.3	21.8	23.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	-----	0.2	0.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	1.0	0.9	0.9	1.2	1.2	1.4	1.3	(2)	(2)	(2)
Indiana	0.5	0.5	0.8	1.0	0.7	0.8	1.2	1.2	1.4	2.1
Iowa *	0.1	0.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas *	0.3	0.6	0.6	0.7	0.7	1.1	1.2	2.3	2.1	1.6
Kentucky	2.0	2.2	2.5	3.6	2.5	3.0	4.7	5.7	6.5	6.4
White	1.6	1.8	2.3	3.3	2.2	2.6	3.9	4.5	5.5	5.5
Colored	6.7	5.3	3.9	6.5	5.1	7.2	11.7	16.5	15.1	13.7
Louisiana	14.7	16.1	20.7	23.4	32.5	26.6	29.6	(2)	(2)	(2)
White	11.3	12.4	17.3	20.5	28.4	21.0	22.4	(2)	(2)	(2)
Colored	20.4	22.2	26.1	28.0	38.8	35.2	40.6	(2)	(2)	(2)
Maine	-----	0.1	0.3	0.1	0.3	0.1	0.3	-----	0.1	0.1
Maryland	0.2	0.3	0.3	0.3	0.3	0.7	0.4	0.9	1.2	1.1
White	0.2	0.3	0.2	0.2	0.1	0.7	0.4	0.3	0.7	0.6
Colored	-----	-----	1.2	0.4	1.2	0.8	0.4	3.3	3.7	3.3
Massachusetts *	(3)	(3)	0.1	-----	0.1	0.1	0.1	0.1	0.2	0.2
Michigan	(3)	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.4
Minnesota	-----	(3)	(3)	-----	-----	0.1	(3)	0.1	(3)	-----
Mississippi	21.2	30.6	38.2	49.9	38.2	36.5	(2)	(2)	(2)	(2)
White	12.9	20.7	28.7	35.4	22.2	24.3	(2)	(2)	(2)	(2)
Colored	28.7	39.6	46.9	63.2	52.9	47.4	(2)	(2)	(2)	(2)
Missouri	4.9	3.8	5.4	5.6	4.0	6.4	8.2	10.5	11.1	11.6
Montana	-----	-----	-----	-----	-----	-----	0.4	-----	0.2	-----
Nebraska	0.1	0.1	0.2	0.2	0.1	(3)	(2)	(2)	(2)	(2)
New Hampshire	0.2	0.2	-----	0.2	-----	-----	0.5	-----	0.2	0.5
New Jersey	0.2	(3)	0.1	0.3	0.2	0.1	0.4	0.2	0.3	0.5
New York *	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4
North Carolina	5.3	6.3	6.9	6.9	8.1	7.9	7.6	10.9	13.9	13.9
White	3.3	4.1	4.6	4.4	4.7	4.6	4.4	6.8	9.0	7.5
Colored	10.0	11.5	12.4	12.7	16.2	15.5	14.9	19.9	24.7	26.1
North Dakota *	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.5
Oregon	0.5	-----	0.1	0.4	0.1	0.5	0.1	(2)	(2)	(2)

See footnotes at end of table.

Table Z—Con.

DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION

[Rates of 10 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
Pennsylvania	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.4
Rhode Island*	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.5	0.7	0.2
South Carolina	15.4	15.4	29.1	27.9	28.8	31.7	31.9	34.3	39.1	(2)
White	5.2	4.6	12.8	9.6	11.7	13.3	12.2	12.4	16.0	(2)
Colored	25.7	26.2	45.2	45.5	45.0	49.0	50.1	54.3	59.8	(2)
Tennessee	7.3	8.9	11.9	14.4	7.8	10.3	14.0	19.2	(2)	(2)
White	5.2	6.7	9.0	10.7	5.5	7.2	9.1	14.7	(2)	(2)
Colored	16.5	18.5	24.2	30.3	17.5	23.2	34.1	37.4	(2)	(2)
Utah	0.2								0.2	
Vermont		0.6		0.3		0.3	0.3			0.8
Virginia	1.4	1.9	1.7	1.8	2.2	3.0	3.7	5.5	6.5	7.0
White	0.5	0.5	0.5	1.1	1.0	1.3	2.0	2.7	3.6	2.8
Colored	3.7	5.2	4.7	3.6	5.1	7.0	7.6	11.8	13.0	16.3
Washington	0.1	0.1		0.3	0.1	0.2	0.2	0.3	0.1	0.3
Wisconsin		(3)	(3)	(3)		(3)		(3)	(3)	(3)
Wyoming	0.5	0.9	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920 †										
Akron			0.5			0.5	0.5	0.6		0.7
Albany*			0.9					1.8		0.9
Atlanta	(5)	0.9	2.3	1.4	3.0	2.0	2.6	1.6	2.2	3.3
White	(5)	0.6	1.3	1.4	3.6	1.5	1.5	1.5	1.6	2.5
Colored	(5)	1.5	4.5	1.6	1.6	3.2	4.9	1.7	3.4	5.2
Baltimore	0.1	0.1	0.1	0.1	0.1	0.7	0.2	0.6	0.3	0.2
White	0.1	0.2		0.2	0.2	0.6	0.2		0.2	0.2
Colored			0.9			0.9		4.0	1.0	
Birmingham	1.5	3.6	1.6	3.8	2.8	6.2	12.2	13.1	11.1	17.1
White	1.6	1.7	2.6	2.7		3.7	3.8	5.9	5.1	3.1
Colored	1.3	6.5		5.5	7.0	10.0	25.1	24.3	20.3	38.6
Boston*									0.1	
Bridgeport							0.7			1.6
Buffalo*			0.2							0.2
Chicago	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.4
Cincinnati	0.5	0.2		0.2	0.2	0.5	1.5	0.5	0.5	0.3
Cleveland			0.2	0.2		0.1	0.3			
Columbus			0.4		0.4	0.4			0.5	
Dallas	3.7	6.6	4.7	6.6	13.7	5.7	6.9	6.3	12.3	(2)
White	1.9	5.1	3.4	6.3	13.9	3.0	4.5	4.7	9.8	(2)
Colored	15.5	15.7	12.2	8.2	12.4	20.9	19.4	14.8	25.0	(2)
Dayton	0.6						0.7		0.7	
Denver			0.4		0.4	0.8			0.4	
Des Moines*			(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	0.2				0.2	0.1	0.1	0.1	0.1	0.3
Fall River*									1.7	0.8
Fort Worth			4.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White			4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored			5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids						0.7				0.8
Hartford										0.8
Houston	7.5	12.9	9.3	16.5	22.8	18.3	15.5	13.5	(2)	(2)
White	5.7	5.0	3.5	9.1	15.1	10.7	6.6	4.6	(2)	(2)
Colored	13.6	38.7	28.2	40.1	48.6	41.6	41.7	39.3	(2)	(2)
Indianapolis	0.3	0.9	0.3	0.9	0.3	1.0	1.0	0.7	1.1	
White		0.3		0.7		1.1	0.7	0.8	1.2	
Colored	2.5	5.1	2.6	2.7	2.8		3.0			
Jersey City			0.3		0.7			0.3	0.7	0.4
Kansas City,* Kans		1.7	1.8			1.0		3.1		2.2
White								2.4		2.5
Colored		11.7	12.1			7.0		7.6		
Kansas City, Mo	0.3	0.6	1.2	0.9	0.3	1.6	2.2	2.3	1.7	2.1
Los Angeles	(5)	(5)	0.3	0.5			0.6	0.8	0.2	0.2
Louisville	1.0	1.6	0.4	2.1	1.3	2.1	2.1	2.6	1.3	3.0
White	0.4	0.9	0.5	1.5	0.5	1.5	1.6	1.6		1.0
Colored	4.4	4.9		5.0	5.0	5.0	5.0	7.4	7.4	12.3
Lowell*			0.9		0.9	0.9				
Memphis	16.3	20.0	25.0	47.1	22.0	31.4	37.2	38.4	(6)	76.2
White	10.0	12.1	20.8	26.0	6.9	12.6	11.8	21.8	(6)	38.6
Colored	27.2	33.7	32.3	32.7	47.2	64.2	81.0	66.5	(6)	137.9
Milwaukee			0.2							
Nashville	2.4	0.8	2.5	3.3	0.8	2.5	6.0	6.0	(6)	6.1
White	2.3		1.2	1.2		1.2	4.9	6.2	(6)	2.5
Colored	2.8	2.8	5.7	8.3	2.8	5.6	8.4	5.6	(6)	13.9
New Haven	0.6		0.6					1.3	1.3	3.4
New Orleans	1.7	1.2	4.0	3.0	1.0	4.4	4.5	3.5	7.0	9.9
White	1.3	0.7	2.0	1.0	1.4	2.8	3.2	1.8	4.0	5.9
Colored	2.8	2.8	9.6	8.7		8.9	8.0	8.1	15.4	20.9
New York*	(3)	0.1	0.1	0.1	0.2	0.2	0.3	2.0	0.3	0.3
Bronx Borough			0.1			0.1	0.1	0.3	0.2	0.3
Brooklyn Borough	(3)			(3)	0.2	0.2	0.5	0.1	0.4	0.4
Manhattan Borough	(3)	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1
Queens Borough			0.4	0.2		0.2	0.5	0.7	0.7	0.8
Richmond Borough				0.8	0.8		0.9		0.9	

See footnotes at end of table.

Table Z—Con.

DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION

[Rates of 10 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Newark, N. J	0.2									0.3
Norfolk	(5)		3.2	1.6	3.4	3.5	3.6	11.3	11.7	10.1
White	(5)			1.3	4.1			7.6	6.3	4.9
Colored	(5)		8.5	2.2	2.3	9.3	9.5	17.2	20.2	18.1
Oakland					0.9		0.5	0.5		0.5
Omaha				0.5						1.8
Paterson	0.7			0.7					0.8	0.8
Philadelphia		0.2	0.2	0.1	0.1	0.1	0.3	0.3	0.2	0.2
Pittsburgh				0.2	0.2	0.2	0.2		0.4	0.5
Portland, Oreg	0.4		0.4	1.1	0.4	0.4			0.4	2.2
Providence*	0.4	0.4			0.4				0.4	
Reading								0.9		1.0
Richmond			1.1	0.6	1.7	0.6	1.2	2.4	0.6	
White			1.6	0.8	1.7	0.9	1.8	2.7	0.9	
Colored					1.8			1.9		
Rochester*	0.3				0.3	0.3		0.4		
St. Louis	1.1	1.4	1.4	1.0	1.7	2.3	2.0	1.6	1.6	2.6
St. Paul								0.4		
San Antonio	3.7	3.8	10.1	9.9	12.1	10.1	10.6	14.5	19.6	14.5
San Francisco		0.2		0.4	0.8	0.6	0.6	0.4	0.8	0.4
Scranton								0.7		
Seattle	(5)			0.3				0.3		
Spokane							1.0			
Springfield,* Mass							0.8			
Syracuse*		0.5			0.6		0.6			
Toledo	0.4									1.0
Trenton				0.8		0.8	0.9			
Washington, D. C	0.2	0.4	0.7	0.9	0.2	1.4		1.2	1.3	0.5
White			0.6	0.6		1.6		0.3	1.4	
Colored	0.8	1.7	0.9	1.8	0.9	0.9		3.8	1.0	1.9
Wilmington, Del						0.9		1.0		2.0
Yonkers*			0.9		1.0		1.0		1.1	1.1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
†Seven cities (Cambridge, Camden, Minneapolis, New Bedford, Youngstown, Salt Lake City, and Worcester) had no deaths from this cause for the series of years.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

SMALLPOX

Not for many years has smallpox been an important cause of death in this country.

In no year since the publication of the annual reports beginning in 1900 has smallpox reached a rate as high as 7 per 100,000 estimated population for the registration area. The highest rate from this cause was 6.6 in 1902; in 1903 it was 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these 5 years the rate for the registration area has never reached 1 per 100,000 estimated population.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the strikingly high rate (52.5) in 1924 for Minneapolis should serve as a warning. There were 17 other cities among those of 100,000 population or more in 1920 which reported deaths from this cause in 1924, and 3 of these also showed unusually high rates—Detroit (13.7), Toledo (10.7), and Camden (10.3).

Table AA shows the rates per 100,000 estimated population for 1915 to 1924.

Table AA — DEATH RATE FROM SMALLPOX PER 100,000 ESTIMATED POPULATION

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	0.9	0.1	0.7	0.7	0.6	0.4	0.4	0.3	0.2	0.3
Registration States [1]	0.9	0.1	0.7	0.7	0.6	0.4	0.4	0.2	0.1	0.1
Cities in registration States [1]	1.3	0.1	1.0	0.6	0.6	0.2	0.2	0.2	(2)	0.1
Rural part of registration States	0.5	0.1	0.4	0.6	0.6	0.6	0.5	0.3	0.2	0.2
Registration cities in non-registration States	0.2	0.4	1.6	1.4	0.7	0.6	1.9	0.8	0.9	1.6
All registration cities [1]	1.3	0.1	1.0	0.8	0.6	0.2	0.3	0.3	0.1	0.3
California	1.5	(2)	0.6	0.6	0.3	0.2	0.1	0.5	0.4	0.1
Colorado		1.6	27.8	4.7	1.1	0.5	1.4	0.1	0.2	
Connecticut	0.3		0.4					0.2		
Delaware		0.4			0.9		(3)	(3)	(3)	(3)
Florida*			0.5	1.5	0.2		(3)	(3)	(3)	(3)
White			0.4	0.9			(3)	(3)	(3)	(3)
Colored			0.6	2.7	0.6		(3)	(3)	(3)	(3)
Georgia	0.8	0.1	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	0.6		0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.1	0.2	0.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	0.2	0.4	0.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	0.2	(2)	0.4	0.4	0.2	0.1	0.2	(3)	(3)	(3)
Indiana	0.3	0.1	0.2	0.7	0.6	0.5	0.8	0.5	(2)	0.4
Iowa*	0.5	0.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	0.1		3.9	2.8	0.2	0.1	1.5	0.4	0.2	0.6
Kentucky	0.2	(2)	(2)	0.7	0.9	0.7	0.5	0.1	0.2	(2)
White	0.2	(2)	(2)	0.8	1.0	0.7	0.5	0.1	0.2	(2)
Colored	0.4					0.4	0.4	0.4		
Louisiana	0.1	0.2	0.2	3.2	9.2	9.8	1.0	(3)	(3)	(3)
White	0.1	0.1	0.1	2.2	5.3	2.4	0.7	(3)	(3)	(3)
Colored	0.1	0.4	0.3	4.7	15.4	21.2	1.6	(3)	(3)	(3)
Maine		0.4				0.3				
Maryland			0.2					0.1		
White			0.2					0.1		
Colored										
Massachusetts*	(2)				0.1	0.1	(2)	0.3		0.3
Michigan	5.6	0.4	0.5	0.3	0.3	0.3	0.5	0.3	0.1	0.2
Minnesota	12.0	0.1	0.4	1.1	0.7	0.4	0.4	0.9	(2)	0.3
Mississippi	0.3	0.1	0.3	0.5	2.5	0.4	(3)	(3)	(3)	(3)
White	0.1	0.1	0.4	0.4	2.8		(3)	(3)	(3)	(3)
Colored	0.5	0.1	0.2	0.6	2.3	0.9	(3)	(3)	(3)	(3)
Missouri	0.1	0.1	2.4	5.6	0.8	0.5	2.5	0.9	0.3	0.4
Montana	0.5	0.5	0.3	0.5	0.4	1.7	1.1	1.2	0.4	0.2
Nebraska	0.1	0.1	0.5	0.7	1.7	(3)	(3)	(3)	(3)	(3)
New Hampshire	0.2								0.2	
New Jersey	0.4						(2)			(2)
New York*	(2)	(2)	(2)	(2)	(2)		(2)	(2)	(2)	
North Carolina	1.1	0.5	0.3	0.8	1.1	0.4	0.1	0.5	0.5	[4] 1.2
White	0.6	0.4	0.2	0.6	1.2	0.3	0.1	0.4	0.3	1.3
Colored	2.1	0.6	0.6	1.1	0.9	0.4	0.1	0.9	1.1	1.2
North Dakota*	0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	1.0	0.1	0.1	0.3	0.3	0.2	0.4	0.2	0.1	0.1
Oregon	0.4		0.6	0.7	1.3	0.3		(3)	(3)	(3)
Pennsylvania	0.4		0.1	(2)	(2)	(2)	(2)			
Rhode Island*							0.2		0.2	
South Carolina	0.7	0.1	0.4	0.6	0.1	0.2	0.1		0.2	(3)
White	0.1	0.1	0.2	0.1	0.1	0.2				(3)
Colored	1.3	0.1	0.6	1.1	0.1	0.2	0.2		0.5	(3)
Tennessee	0.3	0.2	(2)	0.5	0.5	0.6	0.7	0.2	(2)	(2)
White	0.4	0.2		0.3	0.5	0.6	0.6	0.2	(3)	(3)
Colored		0.2	0.2	1.1	0.7	0.9	1.1	0.2	(3)	(3)
Utah		2.9	1.3	2.2	2.9	0.9	2.3	0.9		
Vermont		0.6		0.3					0.3	0.3
Virginia	0.1	(2)		0.4	0.5	0.4	0.2	0.1	(2)	0.2
White		0.1		0.5	0.6	0.3	0.1	0.1	0.1	0.1
Colored	0.3			0.1	0.4	0.6	0.6			0.4
Washington	0.1	0.6	0.1	0.6	1.3	0.6	0.3	0.1	0.1	0.1
Wisconsin	0.4	0.1	0.1	0.8	0.4	0.2	0.5	0.1	0.1	0.2
Wyoming		0.9	1.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920 †										
Akron					0.5		0.5	0.6		
Albany*								0.9		
Atlanta	(5)		0.5	1.4	0.5	1.5	0.5			
White	(5)				0.7	0.7				
Colored	(5)		1.5	4.7		3.2	1.6			
Baltimore			0.1							
White			0.2							
Birmingham	0.5			0.5	1.7		1.2			0.6
White	0.8			0.9	2.7		1.0			1.0
Colored							1.5			

Table AA—Con. — DEATH RATE FROM SMALLPOX PER 100,000 ESTIMATED POPULATION

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Boston*					0.1					
Bridgeport			2.8							
Buffalo*				0.2						
Camden	10.3									
Chicago	(2)	(2)	0.5	0.1	(2)		0.2	0.1		
Cincinnati				0.2			0.3			
Cleveland	0.7					0.1		0.3		
Columbus						0.4	0.4			
Dallas								0.8		(3)
White										(3)
Colored								4.9		(3)
Dayton				0.6						
Denver		4.8	92.3	14.1	0.4					
Des Moines*			(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	13.7			0.2	0.4	0.2	0.7	0.1	0.1	0.1
Fall River*						1.7				
Fort Worth			0.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored			5.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Houston			0.7	0.7	0.7	0.7	1.6	5.9	(3)	(3)
White							2.2	3.4	(3)	(3)
Colored			2.8	2.9	2.9	3.0		13.1	(3)	(3)
Indianapolis			0.3	0.6			1.3	0.7		
White			0.3	0.3			1.1	0.4		
Colored				2.7			3.0	3.2		
Kansas City,* Kans			29.0	17.3			4.1	1.0		
White			11.3	6.8			4.7	1.2		
Colored			132.7	78.7						
Kansas City, Mo			17.7	47.3	0.9	0.9	5.4	0.7		0.3
Los Angeles	(5)		0.8						0.4	
Louisville	0.3				0.4					
White	0.4				0.5					
Milwaukee			0.2				0.4			
Minneapolis	52.5		0.2	1.0	0.3	0.8	1.1	0.3		0.3
Nashville			0.8						(6)	
Colored			2.8						(6)	
New Bedford*										9.1
New Orleans				9.9	34.4	1.6			1.1	1.4
White				5.5	15.6	1.1			0.4	0.7
Colored				22.3	87.3	3.0			3.1	3.1
New York*	(2)		(2)	(2)			(2)			
Bronx Borough				0.1						
Manhattan Borough			0.1				(2)			
Richmond Borough	0.7									
Omaha			1.0	1.5	2.1	0.5				
Pittsburgh	3.8									
Portland, Oreg			0.7	0.4	0.8					0.4
Providence*							0.4			
Richmond	0.5									
Colored	1.8									
Rochester*	0.3									
St. Paul	4.5			1.3		0.4				0.4
Salt Lake City		10.3	2.4	0.8	4.2	0.9	1.8			
San Antonio	0.5	2.7		1.2				15.9	12.3	9.1
San Francisco	0.2			0.2		0.2		1.7		
Seattle		(5)		0.3	0.6	0.3				
Spokane		1.0	1.0	1.0	3.8					
Toledo	10.7				0.4		0.4	0.4		
Washington, D. C	*	0.2		0.2		0.2				
White				0.3		0.3				
Colored		0.9								
Worcester*								5.3		
Youngstown					0.7	1.5				1.8

[1] Including District of Columbia.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
† Twenty cities had no deaths from this cause for the series of years.

MEASLES

The number of deaths from measles in 1924 was 8,517, or 8.6 per 100,000 estimated population, against a rate of 10.8 in 1923.

Table AB shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 20 and higher in bold-faced type.

Table AB — DEATH RATE FROM MEASLES PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	8.6	10.8	4.3	4.3	8.8	3.9	10.8	14.3	11.1	5.4
Registration States [1]	8.4	10.8	4.4	4.2	8.8	3.9	10.7	14.2	11.5	5.3
Cities in registration States [1]	6.1	10.8	7.2	4.1	10.3	4.3	10.7	10.4	12.9	7.1
Rural part of registration States	10.4	10.8	1.8	4.4	7.4	3.6	10.8	17.6	10.3	3.4
Registration cities in non-registration States	22.0	9.9	1.2	6.5	7.8	2.9	14.5	15.7	5.7	7.7
All registration cities [1]	6.6	10.8	7.0	4.2	10.2	4.2	10.9	11.1	11.9	7.2
California	8.4	8.5	0.5	4.0	6.3	0.7	6.0	7.2	2.2	5.3
Colorado	21.5	9.8	0.7	8.4	10.3	0.6	5.8	15.9	4.2	2.4
Connecticut	0.3	10.8	7.5	3.0	9.7	7.6	6.6	9.8	11.7	4.9
Delaware	0.4	25.2	1.8	0.9	16.1	0.9	(2)	(2)	(2)	(2)
Florida *	20.5	9.7	0.2	0.8	1.3	5.4	(2)	(2)	(2)	(2)
White	20.8	9.2	----	0.9	1.7	6.5	(2)	(2)	(2)	(2)
Colored	20.0	10.7	0.6	0.6	0.6	3.3	(2)	(2)	(2)	(2)
Georgia	18.6	12.7	0.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	20.3	15.4	0.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	16.1	8.7	0.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	21.6	1.7	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	3.3	8.5	3.1	4.7	7.6	4.8	5.6	(2)	(2)	(2)
Indiana	6.9	10.1	2.1	2.8	11.8	2.7	10.5	9.9	7.2	2.4
Iowa *	10.8	5.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas *	8.4	4.6	0.5	4.3	4.5	0.8	18.3	16.8	9.0	4.2
Kentucky	11.7	16.9	4.5	7.3	11.1	9.8	17.2	40.3	8.0	3.6
White	12.5	17.2	4.3	7.9	11.8	10.2	18.5	41.5	8.4	3.8
Colored	4.0	13.7	6.5	1.7	5.1	6.3	6.2	29.7	4.1	1.6
Louisiana	25.2	7.0	0.8	6.1	2.4	2.2	19.7	(2)	(2)	(2)
White	22.2	8.2	1.0	7.3	3.1	2.5	21.5	(2)	(2)	(2)
Colored	30.2	5.0	0.6	4.1	1.3	1.7	16.9	(2)	(2)	(2)
Maine	5.8	7.5	2.6	10.6	3.9	0.5	13.2	20.0	2.0	2.4
Maryland	3.5	10.3	5.2	3.2	6.4	3.3	11.1	8.5	7.7	2.5
White	3.3	10.1	4.8	3.3	6.8	3.5	10.6	8.0	7.9	2.2
Colored	4.8	11.2	7.3	2.4	4.9	2.0	13.6	10.8	7.1	3.8
Massachusetts *	4.2	8.5	5.6	4.7	9.2	4.9	13.8	10.1	12.9	7.5
Michigan	5.3	7.1	6.1	1.8	11.8	5.2	7.6	8.0	10.4	3.2
Minnesota	5.4	11.0	1.5	1.3	6.6	4.0	4.3	5.6	12.7	3.9
Mississippi	11.3	12.8	0.6	1.6	1.0	2.3	(2)	(2)	(2)	(2)
White	15.5	9.8	0.4	2.0	0.6	3.1	(2)	(2)	(2)	(2)
Colored	7.5	15.5	0.7	1.2	1.4	1.7	(2)	(2)	(2)	(2)
Missouri	9.6	9.6	0.5	2.1	8.4	3.6	11.2	25.4	15.8	4.6
Montana	11.6	3.1	----	6.1	4.8	3.0	3.4	9.1	7.4	1.5
Nebraska	15.5	3.0	2.5	2.1	9.3	(2)	(2)	(2)	(2)	(2)
New Hampshire	5.8	6.5	6.7	2.7	9.0	0.7	10.4	11.6	10.7	2.1
New Jersey	5.7	11.5	10.0	3.5	9.6	2.1	19.0	4.8	13.2	7.8
New York *	7.5	6.8	11.6	4.9	11.3	3.6	13.4	9.3	10.3	9.1
North Carolina	16.7	21.9	0.9	5.6	2.4	4.9	14.4	42.3	7.0	[3] 0.6
White	17.1	20.8	0.6	6.3	2.8	6.6	17.6	45.9	6.8	0.9
Colored	16.0	24.5	1.6	4.1	1.4	1.2	6.9	33.9	7.6	----
North Dakota *	10.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	2.7	9.8	4.1	2.5	12.9	3.5	4.8	10.4	15.1	4.1
Oregon	10.7	3.4	----	5.2	3.8	0.4	7.6	(2)	(2)	(2)
Pennsylvania	3.2	17.9	8.5	5.4	13.1	5.8	9.8	6.2	18.5	6.9
Rhode Island *	2.1	31.6	8.4	13.4	11.4	2.7	21.0	12.6	24.7	10.4
South Carolina	31.0	12.0	0.5	5.1	3.3	3.2	21.3	40.3	4.6	(2)
White	32.2	12.8	0.2	6.9	4.2	3.2	22.1	53.2	4.8	(2)
Colored	29.8	11.3	0.7	3.4	2.4	3.2	20.6	28.6	4.4	(2)
Tennessee	12.6	21.8	0.8	3.4	10.7	7.1	17.6	34.0	(2)	(2)
White	13.1	21.7	0.6	3.7	12.3	8.0	19.8	35.2	(2)	(2)
Colored	10.4	22.3	2.0	2.2	3.5	3.3	8.3	29.3	(2)	(2)
Utah	19.8	1.0	0.6	20.0	3.5	0.4	7.8	24.4	8.8	1.0
Vermont	4.0	10.5	1.1	4.0	5.1	4.5	4.5	22.1	6.8	0.8
Virginia	8.9	22.3	1.5	7.5	4.0	3.2	13.9	15.9	18.3	2.6
White	8.1	23.5	1.9	7.9	4.2	3.8	15.8	17.3	16.2	2.5
Colored	10.9	19.5	0.4	6.5	3.6	1.9	9.6	12.8	23.1	2.9
Washington	12.6	1.7	0.2	1.8	5.5	1.4	6.8	15.4	6.6	1.4
Wisconsin	3.1	8.0	2.1	1.9	8.8	2.7	6.5	2.9	11.6	2.1
Wyoming	19.4	14.2	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	----	(4)	11.5	1.0	16.7	4.5	2.7	28.8	26.9	1.4
Albany *	1.7	5.1	0.9	1.7	1.8	5.3	2.7	29.0	23.8	1.9
Atlanta	(4)	32.3	0.9	13.0	9.4	2.0	8.8	23.8	1.6	1.1
White	(4)	29.6	----	13.3	8.6	2.9	9.8	20.9	0.8	1.6
Colored	(4)	38.5	3.0	12.4	11.0	----	6.5	29.9	3.4	----
Baltimore	3.3	7.4	5.6	3.6	6.5	1.0	12.3	8.8	5.3	3.3
White	3.3	7.3	5.4	3.9	6.7	1.1	11.9	8.1	5.3	3.2
Colored	3.5	7.9	7.1	1.8	5.5	----	14.8	12.1	5.1	4.2
Birmingham	12.5	15.8	0.5	5.4	0.6	3.9	16.2	52.5	----	7.0
White	12.3	13.4	0.9	0.9	0.9	4.6	19.1	31.5	----	6.3
Colored	12.7	19.5	----	12.3	----	2.9	11.8	85.0	----	8.0
Boston *	5.8	7.8	6.3	5.0	9.5	3.9	15.7	14.8	15.2	5.7
Bridgeport	----	(4)	7.0	0.7	7.6	9.9	11.7	12.0	14.8	6.4
Buffalo *	0.9	13.6	1.9	5.6	8.4	7.0	8.5	2.1	15.5	10.7
Cambridge *	1.7	7.2	8.1	3.6	12.7	1.8	26.6	13.8	7.4	5.6
Camden	2.4	40.3	6.6	5.0	15.3	3.5	18.6	10.8	----	19.8
Chicago	2.4	7.6	5.9	5.0	3.5	7.7	2.3	9.7	5.4	10.7

Table AB—Con. — DEATH RATE FROM MEASLES PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Cincinnati	6.6	4.9	7.7	3.5	18.9	2.5	4.5	6.0	15.9	3.8
Cleveland	2.3	3.6	8.0	2.9	9.9	6.0	2.2	7.1	8.4	10.4
Columbus	1.1	11.1	1.6	----	12.1	----	4.4	30.0	15.6	6.6
Dallas	18.6	2.2	2.3	3.6	2.5	0.6	9.2	10.3	0.8	(2)
White	18.5	1.9	2.7	4.2	2.9	----	10.0	9.4	1.0	(2)
Colored	19.4	3.9	----	----	----	4.2	4.9	14.8	----	(2)
Dayton	0.6	9.1	----	0.6	12.3	4.0	1.4	11.2	1.4	2.2
Denver	10.1	15.4	0.4	6.5	9.7	0.4	0.8	9.8	2.1	1.3
Des Moines*	12.9	4.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	4.8	(4)	17.6	4.0	8.6	8.4	14.1	6.9	13.2	6.8
Fall River*	0.8	24.8	47.2	23.2	14.9	47.3	5.8	59.1	32.5	15.0
Fort Worth	18.9	0.7	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	19.3	0.8	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	16.1	----	----	----	----	----	----	----	----	----
Grand Rapids	----	4.1	0.7	0.7	17.3	2.2	0.7	26.6	2.4	----
Hartford	7.0	2.0	8.7	3.6	4.3	12.5	7.6	6.3	33.1	1.7
Houston	23.1	0.6	----	----	5.0	2.2	12.3	5.9	(2)	(2)
White	24.3	----	----	----	6.6	2.9	13.2	8.0	(2)	(2)
Colored	19.0	2.8	----	----	----	----	9.6	----	(2)	(2)
Indianapolis	0.9	8.8	1.8	0.9	8.8	1.9	3.3	19.0	9.5	----
White	0.6	8.6	1.3	1.0	8.8	2.2	2.6	19.4	9.0	----
Colored	2.5	10.1	5.2	----	8.5	----	9.1	15.9	13.3	----
Jersey City	9.0	6.1	16.3	9.6	16.0	3.0	13.6	9.3	6.3	18.7
Kansas City,* Kans	14.7	16.4	0.9	----	15.7	----	33.6	29.0	5.3	3.2
White	14.1	15.2	1.0	----	14.9	----	33.0	20.4	4.9	3.7
Colored	18.1	23.4	----	----	20.4	----	----	83.5	7.9	----
Kansas City, Mo	7.5	15.9	0.9	5.1	9.1	9.7	18.2	18.7	14.1	2.1
Los Angeles	(4)	(4)	0.8	4.4	6.1	0.4	2.8	6.4	2.0	4.1
Louisville	1.7	5.0	9.3	3.8	3.0	6.0	34.7	42.9	2.2	----
White	2.0	5.5	10.2	4.1	3.1	6.2	41.4	39.0	2.6	----
Colored	----	2.5	4.9	2.5	2.5	5.0	2.5	61.9	----	----
Lowell*	1.8	24.3	1.7	9.7	38.9	6.2	14.3	8.1	26.3	0.9
Memphis	10.4	27.6	1.2	7.8	0.6	7.3	12.9	32.9	(5)	2.8
White	11.8	34.3	----	8.7	1.0	8.4	18.2	40.4	(5)	3.4
Colored	8.0	16.1	3.2	6.5	----	5.5	3.7	20.3	(5)	1.9
Milwaukee	1.2	6.8	4.0	1.3	11.9	0.2	12.8	3.2	28.1	4.3
Minneapolis	1.7	12.2	3.7	0.8	5.7	2.1	7.1	3.1	21.0	3.8
Nashville	9.7	52.2	----	1.6	4.2	11.9	18.0	21.5	(5)	0.9
White	8.0	61.0	----	1.2	6.0	14.6	20.9	26.2	(5)	1.3
Colored	14.0	30.8	----	2.8	----	5.6	11.2	11.2	(5)	----
New Bedford*	1.7	46.1	5.5	----	18.8	12.5	21.3	23.5	15.1	37.3
New Haven	1.1	5.8	21.8	0.6	20.7	7.5	5.7	21.9	5.3	12.1
New Orleans	22.5	8.4	0.5	8.6	3.6	1.0	5.8	16.5	3.5	0.8
White	17.2	11.0	0.3	11.0	4.9	0.7	5.7	16.6	3.3	1.1
Colored	37.5	0.9	1.0	1.9	----	2.0	6.0	16.3	4.1	----
New York*	9.6	5.1	18.3	4.6	14.2	4.1	15.5	10.8	10.5	12.7
Bronx Borough	4.4	2.6	9.1	1.7	8.8	1.1	9.0	5.7	5.8	7.1
Brooklyn Borough	9.1	2.6	14.7	1.7	12.5	2.9	17.7	5.4	5.2	7.1
Manhattan Borough	13.3	9.5	26.6	9.2	19.4	6.3	16.5	17.5	17.6	19.4
Queens Borough	6.4	2.1	11.2	1.4	6.1	2.0	11.1	7.4	3.7	5.7
Richmond Borough	9.7	1.6	14.5	1.6	11.9	6.1	13.4	7.4	1.9	20.5
Newark, N. J	4.0	10.3	10.2	3.1	13.4	1.9	29.2	1.8	26.9	5.2
Norfolk	(4)	6.9	----	4.9	4.3	0.9	10.9	5.6	10.7	12.1
White	(4)	6.9	----	6.6	2.7	1.4	13.2	3.0	14.2	13.2
Colored	(4)	7.0	----	2.2	6.8	----	7.2	9.8	5.0	10.4
Oakland	0.8	9.6	----	1.3	10.0	0.9	1.5	8.5	----	2.7
Omaha	18.7	1.0	4.5	2.5	7.8	5.3	5.9	14.2	1.7	7.6
Paterson	5.7	7.9	10.1	1.5	11.7	0.7	15.6	5.3	18.9	0.8
Philadelphia	1.8	12.6	16.5	1.3	9.6	2.3	7.7	4.7	6.5	11.2
Pittsburgh	2.6	19.8	10.0	4.6	17.8	2.1	17.6	11.5	24.1	13.1
Portland, Oreg	5.4	4.8	----	2.3	5.0	----	9.9	7.3	3.3	1.7
Providence*	1.1	50.3	2.5	19.2	10.9	1.7	23.4	14.9	27.5	9.9
Reading	0.9	21.6	11.8	5.5	0.9	14.9	4.7	----	23.9	6.8
Richmond	7.6	18.2	1.1	2.3	5.8	2.3	4.8	3.6	25.3	----
White	6.2	12.7	1.6	2.5	5.9	2.6	4.4	0.9	14.7	----
Colored	10.9	31.0	----	1.8	5.5	1.9	5.6	9.3	46.9	----
Rochester*	2.9	11.9	12.2	0.7	10.1	3.1	10.0	14.8	8.0	3.1
St. Louis	2.6	8.3	0.4	0.8	11.8	4.9	3.3	18.6	9.0	7.5
St. Paul	2.9	17.4	2.5	0.4	7.2	7.7	1.7	5.7	7.9	5.3
Salt Lake City	19.4	2.4	1.6	19.7	5.0	----	6.2	11.7	12.0	----
San Antonio	54.3	8.1	0.6	18.7	1.2	1.9	45.6	42.8	2.9	6.9
San Francisco	2.7	4.8	0.4	1.7	5.9	2.0	3.2	7.4	1.3	4.7
Scranton	1.4	19.2	6.4	1.4	15.9	1.5	1.5	8.8	3.7	6.0
Seattle	(4)	(4)	----	----	5.3	2.2	4.9	5.8	4.2	----
Spokane	1.0	3.8	----	1.0	12.4	1.0	1.9	10.5	15.3	----
Springfield,* Mass	7.8	----	6.4	2.2	8.4	1.6	10.5	4.2	13.9	3.6
Syracuse*	6.7	24.4	----	3.9	13.2	1.2	32.4	9.2	----	6.4
Toledo	1.1	9.3	14.6	----	14.6	5.0	2.1	3.5	30.7	4.4
Trenton	11.6	3.9	24.0	3.3	1.7	8.5	5.2	4.4	17.1	18.4
Washington, D. C	0.4	8.8	----	3.4	0.7	0.5	11.9	4.4	2.0	1.8
White	0.5	8.6	----	3.7	0.9	0.6	14.4	5.3	1.7	2.1
Colored	----	9.5	----	2.7	----	----	4.6	1.9	2.9	1.0
Wilmington, Del	----	34.0	2.6	0.9	12.6	1.9	15.2	4.9	25.8	3.0
Worcester*	1.1	7.8	3.7	10.3	1.7	13.5	4.0	7.6	33.4	1.2
Yonkers*	----	4.7	7.6	1.0	8.9	----	13.3	1.1	8.6	----
Youngstown	1.9	18.6	10.6	8.3	3.7	12.3	6.4	5.8	38.1	1.8

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

Comparing the rates in 1923 and 1924 for the 38 registration States shown for both years, decreases in 1924 were shown for 22 States, the largest decreases appearing for Rhode Island (from 31.6 to 2.1), Delaware (from 25.2 to 0.4), Pennsylvania (from 17.9 to 3.2), Virginia (from 22.3 to 8.9), and Connecticut (from 10.8 to 0.3).

Among the 62 cities of 100,000 population or more in 1920, with rates in 1924, 3 had rates in excess of 20—San Antonio (54.3), Houston (23.1), and New Orleans (22.5), and 5—Akron, Bridgeport, Grand Rapids, Wilmington, and Yonkers—had no deaths from measles.

SCARLET FEVER

The number of deaths from scarlet fever in 1924 was 3,122, corresponding to a rate of 3.1 per 100,000 estimated population, against 3.5 in 1923.

Of the 38 States in the registration area for both 1923 and 1924, 12 had higher rates in 1924. The following States had the highest rates: North Dakota (8.3), Minnesota (8.1), Wisconsin (7.8), and Wyoming (7.4). The lowest rates were for Florida and South Carolina (0.2 each), Louisiana (0.4), Mississippi (0.6), and Georgia (0.7).

Among the 62 cities of 100,000 population or more in 1920, with rates in 1924, the following had the highest rates: St. Louis (9.5), Syracuse (9.4), and Youngstown and Worcester (9 each). On the other hand, no deaths from scarlet fever were charged against Houston, Norfolk, Oakland, and Paterson. Of the 15 cities showing deaths by color, only 4—Atlanta, Baltimore, Louisville, and Washington, D. C.—had any deaths from this cause among the colored.

Table AC shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 20 and higher in bold-faced type.

Table AC — DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	3.1	3.5	3.5	5.3	4.6	2.8	3.0	4.2	3.3	3.6
Registration States[1]	3.2	3.6	3.5	5.4	4.6	2.8	3.1	3.5	3.2	3.6
Cities in registration States[1]	3.2	3.9	3.6	6.4	5.4	3.2	3.2	4.1	3.5	4.1
Rural part of registration States	3.2	3.3	3.4	4.4	3.9	2.4	2.9	3.0	2.8	3.1
Registration cities in nonregistration States	1.0	1.9	1.6	2.5	1.9	2.8	1.8	12.9	5.2	3.7
All registration cities[1]	3.1	3.8	3.6	6.2	5.2	3.2	3.2	5.4	3.8	4.0
California	2.7	3.2	2.5	3.3	2.6	1.7	1.8	1.9	1.4	2.2
Colorado	4.4	4.2	5.4	5.9	4.4	4.2	5.0	2.0	4.2	6.6
Connecticut	4.3	3.7	4.3	7.1	5.4	3.5	2.8	1.7	2.6	3.0
Delaware	2.6	8.7	9.2	4.0	14.7	1.8	(2)	(2)	(2)	(2)
Florida*	0.2	0.7	0.6	1.1	0.9	0.4	(2)	(2)	(2)	(2)
White	0.4	0.6	0.7	1.5	1.4	0.6	(2)	(2)	(2)	(2)
Colored		0.9	0.3	0.3			(2)	(2)	(2)	(2)
Georgia	0.7	0.8	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.0	1.0	1.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	0.2	0.4	0.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	3.5	2.3	2.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	3.0	3.4	4.5	6.2	5.7	3.5	2.6	(2)	(2)	(2)
Indiana	2.5	3.0	2.9	5.5	7.2	3.0	4.5	4.9	3.6	3.6
Iowa*	3.5	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas*	2.4	4.0	4.8	7.0	6.3	3.1	4.6	3.3	3.6	1.9
Kentucky	1.4	2.1	1.8	2.6	2.6	2.2	2.0	2.1	2.4	2.3
White	1.4	2.2	1.9	2.8	2.7	2.3	2.2	2.3	2.5	2.5
Colored	1.3	0.4	0.9	1.3	0.9	0.8	0.4	0.4	0.8	1.2
Louisiana	0.4	0.4	0.3	0.6	0.8	0.3	0.3	(2)	(2)	(2)
White	0.5	0.5	0.5	0.9	1.3	0.4	0.5	(2)	(2)	(2)
Colored	0.1	0.1		0.1	0.1	0.1		(2)	(2)	(2)
Maine	2.9	2.1	3.5	2.8	3.0	1.4	1.7	0.8	0.5	1.7
Maryland	3.0	3.3	2.3	2.1	2.5	4.0	1.7	1.7	3.7	5.2
White	3.2	3.7	2.5	2.2	3.0	4.6	1.9	1.9	4.2	5.7
Colored	1.6	1.2	1.2	1.6		0.8	0.8	0.8	1.7	2.5
Massachusetts*	3.9	4.0	3.8	4.8	5.6	3.2	2.0	3.1	3.5	5.5
Michigan	6.6	7.8	5.7	9.1	8.2	5.0	5.1	10.0	5.2	3.4
Minnesota	8.1	9.3	7.1	7.8	4.8	3.9	6.8	4.0	5.3	6.5
Mississippi	0.6	0.7	0.3	0.9	1.3	0.7	(2)	(2)	(2)	(2)
White	1.2	1.2	0.7	0.9	1.9	0.7	(2)	(2)	(2)	(2)
Colored	0.1	0.3		0.9	0.9	0.7	(2)	(2)	(2)	(2)
Missouri	4.9	3.5	2.6	4.3	4.6	3.4	3.2	4.9	5.4	2.2
Montana	5.1	2.8	3.2	1.7	3.9	10.6	13.8	17.1	3.9	3.4
Nebraska	3.1	4.4	4.2	7.2	4.6	(2)	(2)	(2)	(2)	(2)
New Hampshire	2.9	0.7	1.6	4.9	2.0	2.5	1.8	1.8	1.4	1.6
New Jersey	2.0	2.8	3.7	7.3	3.5	2.5	2.2	1.9	2.5	3.5
New York*	2.4	2.6	4.4	6.7	4.5	2.7	3.2	2.8	2.1	4.4
North Carolina	1.3	1.1	2.9	1.7	1.5	0.9	1.0	1.7	2.5	[3] 1.6
White	1.8	1.4	3.7	2.2	2.1	1.2	1.3	2.2	3.4	2.5
Colored	0.2	0.5	1.1	0.6	0.3	0.4	0.4	0.5	0.5	
North Dakota*	8.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	3.9	5.3	4.3	7.4	6.6	2.4	3.1	3.6	3.9	4.2
Oregon	2.2	1.3	2.8	1.7	1.8	2.3	2.0	(2)	(2)	(2)
Pennsylvania	3.7	4.4	4.0	7.3	5.7	2.8	2.0	2.7	2.8	3.7
Rhode Island*	4.8	1.6	1.6	2.3	4.4	2.5	4.2	4.9	5.3	4.7
South Carolina	0.2	0.4	1.0	0.8	0.6	0.6	0.5	1.3	2.4	(2)
White	0.3	0.7	1.5	1.5	0.8	0.7	1.0	1.7	3.9	(2)
Colored	0.1	0.1	0.6		0.5	0.5		0.9	1.1	(2)
Tennessee	1.4	1.5	1.8	1.7	2.3	2.4	1.9	2.1	(2)	(2)
White	1.5	1.5	2.2	2.0	2.5	2.8	2.4	2.5	(2)	(2)
Colored	0.7	1.6		0.7	1.3	0.7		0.7	(2)	(2)
Utah	1.2	1.7	1.9	4.3	1.5	2.5	11.4	8.8	5.9	2.9
Vermont	3.4	5.4	5.4	6.5	4.3	2.3	3.1	5.4	3.7	1.1
Virginia	1.4	1.9	1.6	2.5	1.4	1.5	1.1	0.8	1.3	1.1
White	1.7	2.5	2.0	3.3	1.7	1.9	1.4	1.0	1.8	1.4
Colored	0.4	0.3	0.4	0.7	0.7	0.4	0.3	0.3	0.3	0.4
Washington	2.3	2.0	1.4	2.2	4.3	2.9	5.7	1.6	1.0	0.6
Wisconsin	7.8	8.6	6.2	9.0	9.7	5.8	7.8	9.8	5.0	3.6
Wyoming	7.4	2.4	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	(4)	7.2	6.7	26.9	3.5	2.7	2.9	2.5	5.7
Albany*	6.8	4.3	1.7	2.6	1.8		0.9			2.8
Atlanta	(4)	0.9	1.4	4.3	3.0	4.5	4.1	1.1	1.6	0.6
White	(4)	0.6	2.0	4.9	4.3	5.9	6.0	1.5	1.6	0.8
Colored	(4)	1.5		3.1		1.6			1.7	
Baltimore	2.8	2.8	1.2	1.5	1.9	4.8	1.4	1.8	5.1	5.5
White	3.0	3.3	1.4	1.6	2.2	5.3	1.3	2.1	6.1	5.9
Colored	1.7			0.9		1.9	2.0			3.1
Birmingham	1.0	1.0	2.1	1.6	3.3	2.3	1.7	1.2	1.2	13.9
White	1.6	1.7	3.4	2.7	5.5	3.7	2.9	2.0	2.0	22.9
Boston*	6.8	7.8	6.2	6.7	9.5	4.0	3.2	6.1	5.4	11.5
Bridgeport	(4)	(4)	9.1	16.0	4.8	2.8	2.2	3.8	3.1	7.2
Buffalo*	2.8	5.6	6.4	11.7	4.3	5.2	3.4	6.2	6.1	5.3
Cambridge*	0.8	2.7		1.8	3.6			2.8	1.9	3.7
Camden	0.8		1.6	5.8	1.7	1.7	0.9	1.8	0.9	1.9
Chicago	2.5	3.0	4.1	7.1	7.0	4.6	2.2	24.6	6.4	3.4
Cincinnati	5.1	4.9	1.0	3.5	7.7	3.5	0.8	3.8	0.5	1.0
Cleveland	1.4	6.8	5.0	14.4	8.5	0.9	1.4	2.0	5.8	10.6
Columbus	1.5	1.9	0.8	6.1	5.8	2.1	1.7	3.6	2.3	1.4
Dallas	0.5	1.1	2.9		1.2	2.5	0.8		0.8	(2)
White	0.6	1.3	3.4		1.5	3.0	0.9			(2)
Colored									5.0	(2)
Dayton	1.8	4.8	0.6	11.4	6.5	0.7	2.7	4.2	10.0	6.6
Denver	1.8	1.1	3.4	3.8	2.7	1.6	2.8	1.6	1.2	3.8
Des Moines*	1.4	12.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	4.4	(4)	4.5	12.0	10.1	7.4	5.0	17.1	6.7	3.5
Fall River*	1.6	4.1	5.0	1.7	3.3	2.5		2.5	1.7	5.0
Fort Worth	0.7	0.7	0.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	0.8	0.8	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	2.7	2.7	2.8	1.4	2.9	0.7	1.5	1.5	1.6	0.8
Hartford	5.8	3.9	0.7	8.7	2.9	11.0	1.5	3.1	1.6	0.8
Houston		0.6	0.7			0.7		0.8	(2)	(2)
White		0.8	0.9			1.0		1.1	(2)	(2)
Colored									(2)	(2)
Indianapolis	1.4	0.6	2.4	6.4	4.1	1.0	7.3	3.7	4.6	2.9
White	1.6	0.7	2.7	6.6	4.6	1.1	7.8	3.8	3.9	3.3
Colored				5.4			3.0	3.2	9.9	
Jersey City	2.2	3.2	3.6	3.0	2.7	3.7	3.4	3.1	4.2	5.3
Kansas City,* Kans	2.6	1.7	2.6		3.9	4.0	10.2	9.3	14.8	5.4
White	3.0	2.0	3.1		4.6	4.7	11.8	10.8	14.6	5.0
Colored									15.8	8.2
Kansas City, Mo	1.7	2.6	2.6	3.3	5.2	4.7	4.2	11.2	27.6	1.4

(See footnotes at end of table)

Table AC—Con.

DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Los Angeles	(4)	(4)	2.4	5.9	0.8	1.4	0.9	1.9	1.4	2.1
Louisville	1.0	0.4	0.4	4.2	2.1	2.6	1.7	1.3	0.4	0.9
White	0.8	0.5	----	5.1	2.6	2.6	2.1	1.6	0.5	0.5
Colored	2.2	----	2.5	----	----	2.5	----	----	----	2.5
Lowell *	0.9	5.2	1.7	----	1.8	6.2	3.6	2.7	5.4	----
Memphis	5.2	2.4	6.0	1.8	1.8	2.0	2.0	4.1	(5)	4.9
White	8.2	3.7	9.4	2.9	2.0	3.2	3.2	6.5	(5)	6.8
Colored	----	----	----	----	1.6	----	----	----	(5)	1.9
Milwaukee	1.6	17.3	5.0	12.4	6.3	5.1	11.2	17.6	11.1	7.1
Minneapolis	5.0	8.3	8.2	14.0	6.8	6.6	9.0	3.1	4.5	3.2
Nashville	0.8	1.6	----	2.5	0.8	2.5	2.6	0.9	(5)	1.7
White	1.1	2.3	----	3.5	1.2	3.6	3.7	1.2	(5)	2.5
New Bedford *	----	2.3	3.9	0.8	2.4	3.3	2.6	----	1.8	8.2
New Haven	2.8	4.6	1.8	7.8	4.3	3.1	1.9	0.6	6.6	3.4
New Orleans	1.0	1.0	0.5	0.8	2.1	0.8	----	0.5	0.3	0.5
White	1.3	1.3	0.7	1.0	2.4	1.1	----	0.7	0.4	0.7
Colored	----	----	----	----	1.0	----	----	----	----	----
New York *	1.4	1.9	4.0	7.4	4.3	2.6	3.6	2.6	2.3	5.9
Bronx Borough	2.0	1.2	3.3	7.8	2.1	3.1	1.9	2.6	1.3	4.2
Brooklyn Borough	1.0	1.5	2.1	5.6	3.5	2.2	3.2	1.7	1.6	6.1
Manhattan Borough	1.5	2.8	6.0	9.3	5.8	2.8	4.4	2.8	3.0	6.2
Queens Borough	1.8	1.3	4.8	7.2	3.3	2.6	4.1	6.2	3.2	7.0
Richmond Borough	0.7	1.6	2.4	----	4.2	0.9	1.8	----	1.9	2.9
Newark, N. J.	0.9	0.9	1.4	4.2	2.6	2.9	1.7	0.5	1.3	0.5
Norfolk	----	0.6	----	4.1	----	0.9	1.8	----	----	1.0
White	----	1.0	----	6.6	----	1.4	2.9	----	----	1.6
Oakland	----	1.7	1.3	1.3	2.7	1.9	1.0	0.5	----	0.5
Omaha	0.5	1.5	0.5	4.6	6.2	3.7	4.3	5.5	32.2	13.5
Paterson	----	2.9	0.7	5.1	2.2	----	0.7	0.8	2.3	----
Philadelphia	2.4	2.0	4.8	5.7	6.6	3.4	2.7	2.0	2.5	1.6
Pittsburgh	5.8	18.7	5.1	8.3	3.6	1.5	1.9	2.3	3.7	9.8
Portland, Oreg	1.4	0.4	1.9	1.1	1.2	1.6	1.6	2.0	0.8	0.4
Providence *	6.5	2.1	0.8	2.9	5.9	5.5	7.2	6.8	6.9	8.2
Reading	2.7	0.9	----	0.9	----	2.8	0.9	1.9	9.6	5.8
Richmond	0.5	0.6	1.7	0.6	----	1.8	----	0.6	1.8	0.6
White	0.8	0.8	2.4	0.8	----	1.7	----	0.9	2.8	0.9
Colored	----	----	----	----	----	1.9	----	----	----	----
Rochester *	4.1	1.9	3.2	7.9	9.4	3.4	3.3	13.7	0.8	2.7
St. Louis	9.5	3.7	1.3	5.6	3.2	2.6	2.8	7.5	6.5	3.0
St. Paul	8.2	13.6	15.8	8.4	6.4	6.4	18.6	3.5	3.5	13.3
Salt Lake City	1.6	1.6	0.8	3.3	1.7	1.7	15.9	9.0	6.5	1.9
San Antonio	0.5	1.1	----	1.2	0.6	----	0.7	----	----	----
San Francisco	2.7	2.6	0.8	1.2	1.8	2.4	2.2	3.3	1.7	1.9
Scranton	1.4	1.4	----	2.9	9.4	2.2	5.1	6.6	2.2	3.0
Seattle	(4)	(4)	1.3	1.0	4.1	1.9	5.3	0.3	----	0.4
Spokane	3.8	2.9	3.8	3.8	2.9	8.6	2.9	1.9	1.0	2.9
Springfield,* Mass.	2.9	2.8	2.9	2.2	16.7	2.4	2.4	5.9	3.5	0.9
Syracuse *	9.4	4.3	8.8	6.8	9.2	4.7	3.0	7.4	0.6	----
Toledo	6.4	5.9	1.2	2.8	9.7	7.5	6.9	12.4	3.7	3.9
Trenton	0.8	3.1	0.8	7.3	2.5	0.8	0.9	----	2.7	3.7
Washington, D. C.	2.1	3.2	1.1	2.1	2.0	0.9	4.3	2.4	1.5	2.3
White	2.2	3.3	1.5	2.4	2.4	1.2	5.8	3.3	1.7	2.8
Colored	1.7	2.6	----	0.9	0.9	----	----	----	1.0	1.0
Wilmington, Del.	3.3	0.3	11.2	5.3	24.3	1.9	1.9	3.9	1.0	2.0
Worcester *	9.0	3.1	6.9	6.5	12.1	2.2	1.1	4.1	1.8	1.8
Yonkers *	3.6	5.6	5.7	10.6	3.0	2.0	8.2	6.3	6.5	2.2
Youngstown	9.0	15.3	6.0	21.9	16.3	0.8	----	1.7	6.1	4.5

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

WHOOPING COUGH

The number of deaths from whooping cough in 1924 was 8,188, with a death rate of 8.3 per 100,000 estimated population, against a rate of 9.7 in 1923.

Of the 38 States in the registration area for both 1923 and 1924, 27 had lower rates in 1924 and only 2 States had rates above 20 per 100,000 population—South Carolina (26.7) and Virginia (21.2). The lowest rates were for Washington (1.6), Oregon (1.9), Utah (3.7), and Massachusetts (3.8). Of the 61 cities with rates for both 1923 and 1924, 42 had lower rates in 1924; the highest were for Nashville (22.7), San Antonio (19.9), and Fall River (19.6), and the lowest, for San Francisco (0.5), Cambridge (0.8), and Spokane (1).

The rates for the colored were, for the most part, higher than for the white populations. Among the rates for colored, the highest in 1924 were for Kansas City, Kans. (48.4), Richmond (38.2), Virginia (34.7), and South Carolina (34.5). On the other hand, Dallas had no deaths from whooping cough among the colored.

Table AD shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 20 or more in bold-faced type.

Table AD

DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	8.3	9.7	5.6	9.1	12.5	5.5	16.9	10.5	10.2	8.1
Registration States [1]	8.2	9.7	5.6	9.1	12.5	5.5	16.9	10.6	10.6	8.3
Cities in registration States [1]	6.5	8.7	5.5	7.7	11.7	4.8	15.1	9.4	9.8	8.0
Rural part of registration States	9.8	10.6	5.6	10.5	13.2	6.2	18.5	11.5	11.4	8.6
Registration cities in non-registration States	10.1	12.5	7.6	6.9	15.7	6.2	14.7	9.1	4.4	5.7
All registration cities [1]	6.6	8.8	5.6	7.7	11.8	4.8	15.1	9.4	9.1	7.7
California	4.4	8.8	7.8	5.6	11.8	2.4	9.4	6.4	6.9	4.5
Colorado	6.5	10.5	6.0	10.2	26.4	5.0	15.9	6.4	5.1	10.1
Connecticut	4.9	8.7	5.6	9.4	15.6	4.3	20.1	7.9	12.1	11.4
Delaware	9.9	13.5	0.9	15.5	13.4	6.3	(2)	(2)	(2)	(2)
Florida *	8.8	7.6	3.6	7.3	7.0	5.0	(2)	(2)	(2)	(2)
White	8.6	6.4	3.3	5.5	6.8	4.3	(2)	(2)	(2)	(2)
Colored	9.3	10.4	4.2	10.8	7.5	6.4	(2)	(2)	(2)	(2)
Georgia	15.0	9.2	4.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.6	7.1	3.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	19.9	12.3	7.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	5.8	3.8	0.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	5.1	7.7	3.6	7.5	8.5	4.2	11.0	(2)	(2)	(2)
Indiana	10.1	9.5	2.9	12.6	10.6	2.6	17.4	9.5	9.2	5.8
Iowa *	5.7	6.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas *	7.1	8.2	2.6	6.0	12.0	2.9	12.5	7.3	5.3	10.4
Kentucky	13.4	16.8	6.4	11.7	15.9	9.0	37.2	20.8	13.4	8.4
White	13.1	14.8	6.4	10.9	14.8	8.3	34.8	19.6	12.1	7.6
Colored	16.1	36.6	6.1	18.5	26.8	16.0	58.3	30.9	24.4	15.7
Louisiana	7.5	15.7	7.5	8.6	10.2	6.5	20.0	(2)	(2)	(2)
White	4.4	12.8	6.2	7.5	8.4	4.9	14.8	(2)	(2)	(2)
Colored	12.6	20.4	9.6	10.4	13.0	9.1	28.0	(2)	(2)	(2)
Maine	10.8	16.9	7.2	8.8	16.4	13.6	7.7	5.9	16.5	10.6
Maryland	9.7	17.5	5.2	16.9	9.9	5.2	32.5	9.6	12.4	6.7
White	7.2	10.1	3.2	11.9	6.9	4.0	22.2	6.9	7.5	4.7
Colored	22.3	54.9	14.9	41.7	24.8	11.1	82.7	22.7	35.8	16.3
Massachusetts *	3.8	12.4	7.8	5.2	13.8	8.5	18.3	6.3	10.9	12.9
Michigan	4.4	8.6	6.2	8.5	13.8	5.2	13.9	10.6	6.8	7.2
Minnesota	5.2	6.1	3.2	6.4	12.4	4.1	13.3	4.1	9.7	7.4
Mississippi	12.2	14.6	10.8	13.1	8.8	8.7	(2)	(2)	(2)	(2)
White	6.8	9.3	6.9	7.8	5.8	6.9	(2)	(2)	(2)	(2)
Colored	17.1	19.4	14.3	17.8	11.5	10.3	(2)	(2)	(2)	(2)
Missouri	9.7	10.6	3.1	7.7	9.0	5.8	15.4	9.7	11.2	8.2
Montana	4.1	3.8	1.3	12.0	9.1	2.4	12.3	8.5	16.2	7.7
Nebraska	5.7	7.5	1.7	5.0	18.9	(2)	(2)	(2)	(2)	(2)
New Hampshire	10.2	15.2	4.5	8.1	8.1	14.7	22.7	12.5	12.1	11.6
New Jersey	8.0	6.9	7.5	10.2	13.0	3.0	18.5	9.8	9.3	8.7
New York *	7.0	5.2	5.0	7.6	10.2	3.0	12.3	9.0	8.0	7.9
North Carolina	18.3	18.3	7.7	14.7	13.9	8.6	28.1	22.8	16.5	[3] 14.3
White	14.5	14.6	4.1	12.4	11.4	7.6	20.4	17.6	10.5	10.0
Colored	27.2	27.0	15.9	20.1	19.5	10.9	45.8	34.5	30.0	22.5
North Dakota *	7.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	7.6	8.5	4.9	8.7	14.5	4.4	12.0	10.8	12.6	6.7
Oregon	1.9	5.0	2.8	4.5	6.0	0.8	6.3	(2)	(2)	(2)
Pennsylvania	7.4	10.9	6.8	8.8	13.6	5.8	17.8	10.5	12.4	7.0
Rhode Island *	7.6	17.9	13.2	9.3	15.1	15.6	28.4	8.3	8.1	19.6
South Carolina	26.7	14.5	7.6	16.3	22.0	13.3	45.5	12.4	17.2	(2)
White	18.9	10.4	4.1	10.8	18.0	9.1	25.6	3.7	9.8	(2)
Colored	34.5	18.6	11.1	21.6	25.8	17.1	63.9	20.3	23.9	(2)
Tennessee	12.2	12.0	7.9	12.1	12.6	8.4	24.1	17.8	(2)	(2)
White	11.2	9.8	6.4	10.7	11.5	8.0	21.7	15.9	(2)	(2)
Colored	16.7	21.6	14.3	18.1	17.3	9.9	33.6	25.6	(2)	(2)
Utah	3.7	5.9	4.5	31.7	24.7	2.5	13.5	3.7	7.6	20.8
Vermont	7.9	9.1	5.4	7.7	7.7	8.5	13.3	8.8	12.7	6.5
Virginia	21.2	16.7	8.0	19.3	19.9	12.7	31.7	22.0	19.8	14.5
White	15.7	10.7	4.7	14.0	16.3	8.0	21.4	13.7	13.5	9.3
Colored	34.7	31.4	16.2	31.8	28.6	23.5	55.4	41.1	34.1	26.1
Washington	1.6	5.3	4.6	3.7	7.5	3.7	5.4	8.7	5.9	3.4
Wisconsin	4.8	6.1	4.2	6.1	11.3	4.8	7.6	8.2	7.0	7.7
Wyoming	4.6	10.9	5.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)

See footnotes at end of table.

Table AD—Con. DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	(4)	11.0	5.8	9.3	9.4	13.9	10.9	27.5	1.4
Albany*	4.3	6.0	9.5	7.0	7.0	4.4	14.3	1.8	11.9	14.1
Atlanta	(4)	27.4	6.0	6.7	28.6	3.0	16.0	11.1	2.7	17.8
White	(4)	12.9	4.6	4.9	32.3	2.2	12.8	7.0	2.4	9.0
Colored	(4)	60.8	9.0	10.9	20.5	4.8	22.9	20.0	3.4	36.3
Baltimore	6.0	13.1	5.2	14.0	7.6	2.9	38.0	5.8	9.9	3.5
White	4.3	9.4	3.1	12.8	5.2	2.3	28.2	5.2	7.3	2.6
Colored	15.5	34.1	17.8	20.7	21.0	6.5	88.6	9.0	23.6	8.4
Birmingham	16.4	20.9	9.9	8.1	16.0	10.7	30.1	33.4	4.3	8.2
White	11.5	8.4	6.0	5.3	10.9	4.6	29.6	9.8	2.0	1.0
Colored	24.1	40.3	16.0	12.3	23.9	20.1	31.0	69.8	7.8	19.3
Boston	2.8	14.9	11.0	4.2	20.1	8.3	24.4	5.2	10.1	15.4
Bridgeport*	(4)	(4)	3.5	10.4	16.5	-----	29.2	3.0	11.7	18.5
Buffalo*	8.4	8.2	2.1	15.4	8.8	2.6	11.5	10.7	8.6	4.5
Cambridge*	0.8	14.4	6.3	10.0	21.8	11.0	29.4	3.7	10.2	12.1
Camden	4.0	17.7	1.6	15.9	11.9	4.3	32.8	9.0	16.6	6.6
Chicago	3.8	5.1	3.5	5.5	5.8	5.4	6.9	7.8	4.0	2.7
Cincinnati	7.4	4.7	2.5	10.2	6.0	3.7	15.8	9.1	10.9	3.8
Cleveland	4.2	3.9	6.7	5.8	9.7	3.9	7.1	16.7	6.0	10.9
Columbus	3.0	14.6	4.7	5.6	11.3	0.9	17.1	2.2	13.3	4.7
Dallas	2.7	9.3	7.0	3.0	5.0	5.7	12.3	-----	8.2	(2)
White	3.1	8.3	6.1	1.4	5.8	6.8	12.7	-----	8.9	(2)
Colored	-----	15.7	12.2	12.3	-----	-----	9.7	-----	5.0	(2)
Dayton	8.3	16.3	3.7	8.2	16.2	8.6	6.1	10.5	5.0	6.6
Denver	7.2	12.1	3.7	6.5	19.7	4.3	11.6	0.8	1.2	6.8
Des Moines*	2.1	14.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	4.9	(4)	9.2	11.2	13.2	5.1	16.9	17.7	8.1	10.1
Fall River*	19.6	11.6	12.4	25.7	11.6	9.1	24.1	18.3	14.2	22.5
Fort Worth	4.1	4.2	4.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	3.9	4.8	3.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	5.4	-----	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	1.3	8.9	4.2	2.8	17.3	4.4	6.7	9.1	4.7	1.6
Hartford	1.9	7.2	6.5	10.9	8.6	8.1	18.2	10.2	17.8	9.2
Houston	1.9	7.1	5.3	5.5	4.3	7.3	4.1	7.6	(2)	(2)
White	0.8	7.6	4.4	6.3	4.7	5.8	5.5	4.6	(2)	(2)
Colored	5.4	5.5	8.5	2.9	2.9	11.9	-----	16.4	(2)	(2)
Indianapolis	5.4	12.3	3.9	9.5	8.8	1.0	15.2	7.1	8.8	6.2
White	5.2	11.2	2.0	6.9	7.8	1.1	14.4	4.6	5.9	5.7
Colored	7.4	20.3	18.4	29.9	16.9	-----	21.3	28.6	33.2	10.4
Jersey City	10.3	9.1	11.4	10.9	19.0	4.0	19.8	10.0	5.6	13.7
Kansas City,* Kans.	12.1	14.7	5.3	14.4	23.5	6.0	9.2	20.7	5.3	14.0
White	6.1	10.1	6.2	12.4	21.8	2.3	10.6	14.4	4.9	12.4
Colored	48.4	40.9	-----	26.2	33.9	28.2	-----	60.7	7.9	24.7
Kansas City, Mo.	11.4	8.0	2.3	1.2	11.6	2.2	12.8	16.1	2.7	3.8
Los Angeles	(4)	(4)	10.9	1.3	9.0	2.5	5.5	3.7	10.0	2.6
Louisville	3.4	26.0	2.3	9.7	10.2	6.4	17.1	12.0	11.2	4.8
White	3.6	24.9	2.3	9.2	7.2	3.6	12.9	9.3	8.9	4.2
Colored	2.2	32.0	2.5	12.5	25.0	19.9	37.2	24.8	22.2	7.4
Lowell*	4.5	15.6	-----	5.3	18.6	3.6	17.9	6.3	10.0	17.3
Memphis	5.2	6.5	11.9	3.6	6.7	7.3	14.2	24.0	(5)	0.7
White	2.7	4.6	10.4	3.8	5.9	5.3	18.2	19.6	(5)	-----
Colored	9.6	9.6	14.5	3.2	8.1	11.0	7.4	31.4	(5)	1.9
Milwaukee	4.7	5.4	8.6	3.8	13.2	5.1	11.2	12.5	8.8	12.5
Minneapolis	3.1	5.9	6.0	4.6	12.5	2.9	21.4	5.0	7.7	4.9
Nashville	22.7	11.4	0.8	21.3	26.1	5.9	9.4	6.9	(5)	2.6
White	25.1	15.0	1.2	18.6	22.9	7.3	9.9	3.7	(5)	3.8
Colored	16.8	2.8	-----	27.6	33.7	2.8	8.4	14.0	(5)	-----
New Bedford*	5.8	14.6	3.1	6.4	10.6	15.8	25.5	11.3	15.1	18.2
New Haven	4.5	5.2	10.0	12.0	18.3	1.2	25.9	9.7	12.5	6.7
New Orleans	4.4	15.1	3.3	6.3	5.4	3.1	18.4	5.9	3.8	4.9
White	1.3	12.4	4.1	5.5	4.9	2.1	18.6	4.3	3.3	3.3
Colored	13.1	22.7	1.0	8.7	6.9	6.0	18.1	10.2	5.1	9.4
New York*	7.6	3.8	5.2	6.6	11.4	3.0	12.1	9.3	7.3	7.6
Bronx Borough	4.0	2.3	2.3	3.9	9.2	2.5	10.2	9.0	6.3	6.8
Brooklyn Borough	7.3	2.8	5.9	5.1	9.8	3.3	8.8	8.8	4.9	4.6
Manhattan Borough	10.4	5.2	5.8	9.1	13.5	3.0	13.7	10.2	9.5	10.1
Queens Borough	5.1	5.2	5.0	4.2	10.9	2.8	20.7	7.8	6.5	8.4
Richmond Borough	8.2	2.4	2.4	11.5	14.4	3.5	15.2	4.6	8.5	5.9
Newark, N. J.	7.9	4.1	7.4	6.1	14.1	1.5	12.9	14.3	6.7	9.1
Norfolk	(5)	15.1	5.6	18.1	6.0	7.0	53.5	8.4	16.5	8.1
White	(5)	8.9	1.3	14.6	4.1	4.2	17.5	4.6	11.1	6.6
Colored	(5)	26.1	12.7	24.1	9.1	11.6	112.2	14.7	25.2	10.4
Oakland	2.4	6.7	8.6	5.7	5.0	3.3	13.1	3.5	2.6	10.2
Omaha	1.4	10.1	0.5	1.0	22.7	1.1	7.5	12.1	1.7	10.0
Paterson	5.7	5.7	7.2	4.4	3.7	0.7	14.1	7.5	2.3	6.9
Philadelphia	6.6	5.9	2.3	8.3	5.4	1.6	19.7	9.3	7.4	2.5
Pittsburgh	9.7	7.4	16.3	7.1	14.2	8.7	24.5	10.5	19.2	8.0
Portland, Oreg.	1.4	4.8	3.7	3.0	8.1	0.4	6.8	1.2	3.3	1.3
Providence*	5.3	15.3	11.2	3.3	14.3	12.7	28.9	2.1	5.2	17.3
Reading	3.6	6.3	1.8	12.8	10.2	-----	16.9	9.5	7.7	5.8
Richmond	18.5	36.5	6.2	21.1	23.1	11.2	13.1	26.7	29.0	6.3
White	10.1	12.7	4.8	18.1	6.7	9.5	7.0	12.6	12.9	-----
Colored	38.2	91.3	9.2	27.6	59.0	14.8	26.0	56.0	61.9	18.8
Rochester*	3.8	6.6	4.2	13.8	7.4	1.7	20.3	7.0	9.1	9.4
St. Louis	4.3	13.2	0.4	8.3	4.4	-----	22.4	4.3	10.0	3.4
St. Paul	2.0	7.0	5.0	0.8	11.0	0.9	16.0	2.2	7.5	5.8
Salt Lake City	2.3	4.8	2.4	14.0	13.4	0.9	14.1	2.7	1.8	-----
San Antonio	19.9	4.9	3.9	6.4	11.5	5.1	5.3	13.1	5.8	19.0

Table AD—Con. DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
San Francisco	0.5	5.4	4.2	5.0	5.9	2.2	7.1	5.8	3.8	4.5
Scranton	11.3	4.3	2.9	6.5	12.3	1.5	19.0	5.9	3.7	3.7
Seattle	(4)	(4)	2.2	1.9	6.3	3.9	2.6	4.1	6.3	1.8
Spokane	1.0	3.8	1.9	7.7	9.6	-----	3.8	2.9	4.8	14.4
Springfield,* Mass.	2.1	4.9	2.9	2.2	13.7	2.4	25.9	5.9	2.6	18.0
Syracuse*	1.1	7.0	6.1	12.4	5.8	2.9	16.2	5.5	14.4	5.8
Toledo	6.8	3.3	3.1	5.1	10.5	8.8	6.4	10.2	5.5	11.7
Trenton	15.4	3.1	14.4	11.4	7.5	8.5	14.7	10.6	11.7	2.8
Washington, D. C.	3.1	8.4	1.6	4.1	4.1	4.6	10.2	4.1	9.3	4.9
White	1.4	5.6	1.2	2.4	3.6	0.9	4.8	2.6	4.4	2.8
Colored	8.5	17.2	2.7	9.0	5.4	15.5	25.9	8.4	22.9	10.6
Wilmington, Del.	8.3	7.6	0.9	7.9	5.4	6.5	7.6	15.5	8.9	7.1
Worcester*	2.6	6.8	7.4	5.4	6.1	17.4	3.4	18.1	5.4	12.8
Yonkers*	8.1	2.8	9.5	4.8	13.9	2.0	15.5	7.4	10.8	13.2
Youngstown	11.0	6.6	5.3	12.8	11.9	6.2	12.8	10.8	29.5	2.7

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

DIPHTHERIA

As diphtheria is primarily a disease of childhood, the age constitution of populations must be considered in the study of the crude rates. Of the deaths from this cause in 1924, those of children under 5 years of age represented 57.7 per cent of the total.

The total number of deaths from diphtheria in 1924 was 9,316, corresponding to a rate of 9.4 per 100,000 estimated population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measured the reduction in the death rate from this cause in the United States since 1900, then in round numbers there was a saving of about 38,000 lives in 1924 to be credited to the advancement made in the treatment and prevention of this disease.

The rates in 1924 were lower than those in 1923 in 28 of the 38 States shown for these two years. The highest rates in 1924 were for California (17.9), Colorado (15.6), North Dakota (13.2), and Massachusetts (12.9). Low rates were shown for Kansas (5), Mississippi (5.4), Wyoming (5.5), and Louisiana (5.9).

Of the 62 cities of 100,000 population or more in 1920 for which rates were shown in 1924, the following had the highest rates: Oakland (23.9), Worcester (22.7), Boston (21.8), San Francisco (21.2), and Denver (20.6). The lowest rates were for Nashville (1.6), which reported no deaths among the white, Fort Worth (3.4), Birmingham (3.5), and New Haven (4).

Each of the 10 States and 5 of the 13 cities showing rates by color in 1924 had lower rates for the colored than for the white, and 3 cities (Fort Worth, Indianapolis, and Norfolk) had no deaths from diphtheria among the colored.

Table AE shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 40 or more in bold-faced type.

Table AE — DEATH RATE FROM DIPHTHERIA PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	9.4	12.1	14.6	17.7	15.3	14.7	13.9	16.6	14.5	15.7
Registration States [1]	9.5	12.2	14.8	17.8	15.4	14.8	13.9	15.7	14.0	15.3
Cities in registration States [1]	10.9	13.3	15.6	19.3	18.9	19.0	17.7	19.6	16.6	17.6
Rural part of registration States	8.1	11.1	14.0	16.4	12.1	11.2	10.5	12.3	11.7	12.9
Registration cities in non-registration States	5.5	7.6	7.2	11.0	12.8	10.5	10.9	28.1	21.0	21.2
All registration cities [1]	10.8	13.1	15.3	19.0	18.7	18.7	17.4	20.8	17.2	18.2
California	17.9	17.1	16.2	17.8	13.2	7.9	7.1	6.6	9.5	10.7
Colorado	15.6	23.9	27.4	24.8	14.6	6.8	8.8	5.9	4.6	5.9
Connecticut	11.1	12.9	13.1	12.4	17.0	18.9	15.2	18.0	14.9	15.6
Delaware	9.5	12.1	8.3	6.2	12.0	17.6	(2)	(2)	(2)	(2)
Florida*	8.1	8.1	9.2	6.9	7.1	5.7	(2)	(2)	(2)	(2)
White	8.7	10.2	12.5	9.0	8.3	7.6	(2)	(2)	(2)	(2)
Colored	6.8	3.8	2.4	2.7	4.8	2.1	(2)	(2)	(2)	(2)
Georgia	7.3	9.7	13.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.1	11.7	14.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	4.7	6.9	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	7.7	9.1	10.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	7.0	11.9	17.6	22.3	17.3	16.2	18.1	(2)	(2)	(2)
Indiana	8.1	14.2	18.3	23.8	12.3	11.3	14.9	15.6	13.7	10.8
Iowa*	6.2	9.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas*	5.0	8.7	16.6	20.9	13.9	10.7	6.8	8.6	11.1	13.7
Kentucky	9.6	14.0	21.2	25.9	17.5	13.9	13.6	15.2	17.2	24.4
White	9.9	14.8	22.1	26.8	18.4	14.9	14.4	16.2	17.7	25.8
Colored	6.2	6.2	12.6	17.7	9.8	5.5	5.8	6.6	12.6	12.9
Louisiana	5.9	8.5	8.6	6.0	6.1	6.4	5.5	(2)	(2)	(2)
White	6.9	10.2	10.3	6.7	6.7	6.9	6.0	(2)	(2)	(2)
Colored	4.2	5.6	5.9	4.9	5.3	5.7	4.8	(2)	(2)	(2)
Maine	7.7	7.5	8.3	14.2	8.3	6.5	8.0	9.6	7.6	11.2
Maryland	7.8	10.4	10.9	12.4	13.2	15.6	9.6	9.7	12.2	13.3
White	8.6	11.1	11.4	12.2	14.9	17.3	10.6	10.7	13.5	14.6
Colored	3.6	6.8	8.9	13.0	4.5	7.4	4.9	5.0	5.8	7.1
Massachusetts*	12.9	14.5	15.0	15.7	15.1	15.4	15.9	22.4	16.9	20.2
Michigan	11.7	16.9	16.2	25.0	23.8	20.8	19.4	24.9	14.9	11.0
Minnesota	8.3	8.3	7.8	9.0	10.3	12.9	12.3	10.9	7.5	8.6
Mississippi	5.4	9.8	16.0	19.2	15.9	7.3	(2)	(2)	(2)	(2)
White	6.9	12.1	20.0	22.7	19.7	10.5	(2)	(2)	(2)	(2)
Colored	4.1	7.7	12.3	16.0	12.3	4.5	(2)	(2)	(2)	(2)
Missouri	8.0	11.9	15.6	23.0	18.9	17.8	13.7	17.6	16.0	20.4
Montana	8.9	8.3	10.3	8.2	5.7	7.6	8.6	7.9	7.8	4.5
Nebraska	8.0	10.2	8.7	11.1	8.6	(2)	(2)	(2)	(2)	(2)
New Hampshire	7.6	9.2	11.0	16.9	11.7	9.0	8.4	10.9	10.9	7.3
New Jersey	9.9	14.2	18.2	18.5	17.8	18.5	16.9	14.9	15.8	17.6
New York*	10.0	9.5	13.7	16.2	18.5	20.0	17.5	17.4	15.4	17.9
North Carolina	12.1	13.0	19.4	14.2	11.6	10.7	10.1	12.8	16.9	[3]11.7
White	12.6	14.6	20.8	16.3	13.6	12.2	11.7	14.6	19.6	15.4
Colored	10.9	9.2	16.0	9.5	6.9	7.1	6.5	8.7	10.7	4.7
North Dakota*	13.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	6.8	11.4	14.0	18.4	11.2	11.4	9.2	13.6	11.6	12.7
Oregon	12.7	9.5	7.8	14.0	5.7	6.6	4.2	(2)	(2)	(2)
Pennsylvania	11.5	15.6	16.7	22.3	19.8	21.4	20.9	23.9	19.8	19.8
Rhode Island*	9.1	12.6	10.8	13.0	21.2	20.0	17.1	26.2	24.4	17.2
South Carolina	7.3	8.9	10.9	12.3	11.9	9.7	8.4	9.6	8.5	(2)
White	9.4	11.3	14.0	15.2	15.6	13.4	11.4	12.0	11.6	(2)
Colored	5.1	6.6	7.9	9.4	8.3	6.1	5.6	7.5	5.7	(2)
Tennessee	8.7	10.6	13.4	16.4	16.6	13.8	12.0	14.7	(2)	(2)
White	9.6	10.8	14.5	18.2	18.2	14.7	13.3	16.2	(2)	(2)
Colored	4.5	9.7	8.7	8.7	9.8	9.9	6.6	8.5	(2)	(2)
Utah	11.1	10.5	13.9	13.4	7.3	9.0	16.5	10.0	14.9	11.8
Vermont	7.1	11.1	10.5	7.9	6.8	4.0	7.4	8.2	6.8	11.3
Virginia	8.9	14.1	19.5	17.0	14.4	12.1	9.6	9.8	14.2	17.0
White	9.9	16.0	22.4	19.8	17.2	13.6	10.7	11.4	16.7	18.9
Colored	6.6	9.3	12.5	10.4	7.7	8.5	7.0	6.3	8.8	12.9
Washington	10.9	6.9	7.2	8.9	9.2	9.7	6.5	3.8	2.9	3.2
Wisconsin	7.7	13.1	9.5	14.9	14.5	11.2	10.6	13.7	9.1	8.5
Wyoming	5.5	5.2	10.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	(4)	11.5	15.8	17.2	12.4	16.0	40.8	17.5	9.2
Albany*	12.8	12.8	10.3	19.1	10.5	8.0	7.2	9.1	11.0	16.9
Atlanta	(4)	12.6	24.3	12.0	11.3	8.1	6.2	8.5	15.7	8.3
White	(4)	12.2	15.8	14.7	12.9	8.8	6.8	11.6	19.9	10.7
Colored	(4)	13.3	43.7	6.2	7.9	6.4	4.9	1.7	6.8	3.5
Baltimore	7.6	11.8	12.1	11.7	13.7	19.9	10.6	9.4	10.0	12.8
White	8.2	12.4	12.8	11.9	15.4	22.4	12.5	11.0	10.8	14.9
Colored	4.3	7.9	8.0	10.8	3.7	5.6	1.0	1.0	6.2	2.1
Birmingham	3.5	6.1	6.3	5.4	6.6	9.6	5.2	7.8	5.5	11.4
White	4.1	9.2	7.8	6.2	10.0	11.1	6.7	9.8	4.1	10.4
Colored	2.5	1.3	4.0	4.1	1.4	7.2	2.9	4.6	7.8	12.9
Boston*	21.8	23.2	19.0	19.8	19.7	20.4	29.7	37.8	25.6	30.3
Bridgeport	(4)	(4)	16.7	20.9	30.2	29.7	25.5	18.8	17.9	24.9
Buffalo*	9.2	10.2	13.4	28.7	60.1	59.1	23.1	22.7	14.5	16.4
Cambridge*	7.6	9.9	9.0	10.9	6.4	4.6	11.0	14.8	14.8	26.1
Camden	18.2	35.4	31.2	20.9	15.3	20.0	17.7	28.0	26.7	28.2
Chicago	7.5	12.9	20.1	24.5	23.1	22.9	26.9	47.8	31.3	27.3
Cincinnati	4.9	6.4	13.3	17.6	13.2	13.7	11.0	12.8	15.9	12.2
Cleveland	8.7	12.8	15.7	22.9	16.2	24.1	14.0	20.9	17.8	23.6
Columbus	4.1	6.5	9.0	16.5	7.1	3.0	3.1	10.8	8.7	10.9

Table AE—Con. — DEATH RATE FROM DIPHTHERIA PER 100,000 ESTIMATED POPULATION

[Rates of 40 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Dallas	6.9	8.8	7.6	8.4	14.9	15.3	6.1	7.9	4.1	(2)
White	7.4	8.9	7.5	8.4	16.1	15.8	7.3	9.4	3.9	(2)
Colored	3.9	7.8	8.1	8.2	8.3	12.5	-----	-----	5.0	(2)
Dayton	10.0	7.2	8.7	12.0	10.4	5.3	8.2	9.8	15.0	14.0
Denver	20.6	29.4	29.1	14.8	23.2	10.6	11.2	8.6	1.7	3.4
Des Moines*	15.0	12.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	13.6	(4)	21.2	33.8	37.0	32.0	29.8	47.8	32.5	15.6
Fall River*	14.1	17.4	43.0	18.2	32.4	20.8	22.4	30.8	16.7	27.5
Fort Worth	3.4	6.3	8.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	3.9	6.4	9.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	-----	5.5	-----	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	6.1	12.3	13.2	31.2	28.1	8.1	23.9	26.6	7.1	12.0
Hartford	9.0	19.1	21.0	18.1	20.0	17.6	12.9	29.7	18.6	16.7
Houston	7.5	6.4	6.0	9.6	10.0	8.1	7.4	8.4	(2)	(2)
White	4.9	5.0	5.2	10.0	12.3	10.7	9.9	8.0	(2)	(2)
Colored	16.3	11.1	8.5	8.6	2.9	-----	-----	9.8	(2)	(2)
Indianapolis	4.3	13.1	20.6	25.8	8.5	17.1	29.7	38.0	19.3	7.7
White	4.8	14.2	21.9	26.7	9.6	17.0	32.2	37.2	20.0	8.2
Colored	-----	5.1	10.5	19.0	-----	17.6	9.1	44.4	13.3	3.5
Jersey City	12.2	11.3	21.2	26.1	23.7	33.7	20.8	21.0	15.0	20.8
Kansas City,* Kans	6.9	8.6	10.5	15.4	16.7	24.0	17.3	12.4	28.5	33.4
White	6.1	9.1	11.3	18.1	17.2	27.9	16.5	13.2	30.5	37.2
Colored	12.1	5.8	6.0	-----	13.6	-----	21.9	7.6	15.8	8.2
Kansas City, Mo	4.4	11.1	17.4	24.4	14.0	12.2	19.5	28.9	28.6	24.6
Los Angeles	(4)	(4)	16.2	15.6	12.2	5.1	10.2	7.6	3.9	8.4
Louisville	4.4	5.4	13.6	16.1	13.6	21.7	12.4	11.6	6.9	6.1
White	4.4	6.5	13.0	16.3	12.8	23.7	14.0	12.5	7.8	6.8
Colored	4.4	-----	17.2	15.0	17.5	12.4	5.0	5.0	2.5	2.5
Lowell*	9.0	13.9	14.0	32.5	18.6	22.2	16.1	24.3	39.8	23.7
Memphis	9.9	10.0	12.5	13.9	12.2	15.4	8.8	17.2	(5)	13.4
White	9.1	7.4	10.4	15.4	11.8	12.6	10.7	21.8	(5)	17.0
Colored	11.2	14.5	16.1	11.4	13.0	20.2	5.5	9.2	(5)	7.5
Milwaukee	8.9	21.9	11.3	19.6	26.9	22.5	11.4	23.3	18.1	23.4
Minneapolis	16.5	12.2	12.7	13.2	11.4	18.1	23.9	18.9	19.6	18.3
Nashville	1.6	4.1	10.0	11.5	10.1	11.0	6.8	2.6	(5)	8.7
White	-----	5.8	11.8	16.3	13.2	15.8	7.4	3.7	(5)	8.9
Colored	5.6	-----	5.7	-----	2.8	-----	5.6	-----	(5)	8.3
New Bedford*	11.7	6.9	18.0	21.6	26.1	18.3	17.0	14.8	9.8	23.7
New Haven	4.0	11.0	8.8	14.4	11.6	9.9	17.1	16.8	15.8	22.8
New Orleans	5.9	8.2	9.3	3.5	5.4	4.4	5.0	8.3	10.0	31.0
White	5.9	9.4	11.2	3.4	6.3	4.9	5.7	7.6	10.3	29.7
Colored	5.6	4.7	3.8	3.9	2.9	3.0	3.0	9.2	9.3	34.4
New York*	12.4	9.5	15.1	15.3	18.8	22.2	22.6	21.5	19.6	24.3
Bronx Borough	11.0	3.8	9.1	13.7	13.1	24.1	19.4	17.0	16.8	24.0
Brooklyn Borough	12.9	11.5	16.2	16.8	18.7	21.1	20.5	19.0	19.6	23.3
Manhattan Borough	12.5	8.8	16.7	14.0	19.4	22.9	25.8	25.4	21.0	26.2
Queens Borough	10.5	10.6	13.0	16.5	23.2	21.3	21.3	18.8	16.7	20.1
Richmond Borough	20.1	22.0	16.1	20.6	26.2	20.9	17.0	19.3	15.2	18.6
Newark, N. J.	4.3	4.8	10.2	7.5	11.2	9.7	11.6	6.5	9.7	5.7
Norfolk	(4)	5.0	4.8	3.3	7.7	7.9	3.6	3.8	1.0	3.0
White	(4)	5.9	6.4	5.3	10.9	11.3	5.8	3.0	1.6	3.3
Colored	-----	3.5	2.1	-----	2.3	2.3	-----	4.9	-----	2.6
Oakland	23.9	25.8	26.6	19.9	11.8	9.4	5.3	2.5	13.0	9.7
Omaha	17.3	21.0	19.9	44.6	25.3	10.5	27.4	9.9	20.1	21.7
Paterson	7.8	14.3	13.7	24.7	21.3	16.3	16.4	12.8	14.4	14.5
Philadelphia	13.9	14.1	15.0	17.4	22.6	24.3	21.6	25.4	22.6	18.9
Pittsburgh	15.5	26.1	17.9	21.4	20.1	17.6	21.8	24.4	22.2	27.4
Portland, Oreg	11.5	11.3	7.8	20.0	5.8	7.8	9.1	4.0	2.9	7.3
Providence*	13.3	16.5	12.9	7.5	29.0	32.5	24.6	34.2	32.6	23.8
Reading	14.3	18.9	21.8	35.7	16.6	27.0	22.5	17.1	10.5	9.7
Richmond	12.0	6.6	9.0	9.7	11.6	8.8	7.8	5.5	3.1	3.8
White	10.1	7.9	8.9	10.7	13.5	11.2	7.9	7.2	4.6	4.7
Colored	16.4	3.7	9.2	7.4	7.4	3.7	7.4	1.9	-----	1.9
Rochester*	5.4	11.0	16.0	27.5	27.8	16.1	14.1	19.3	9.1	7.1
St. Louis	9.7	8.6	8.4	21.1	31.0	33.4	16.9	29.7	21.3	26.7
St. Paul	13.5	21.1	14.2	15.6	24.6	33.4	25.0	17.8	9.7	13.3
Salt Lake City	12.4	10.3	14.5	18.1	9.2	9.4	23.0	7.2	14.8	29.3
San Antonio	4.7	9.7	7.9	12.3	14.6	10.8	6.6	10.4	11.6	11.4
San Francisco	21.2	28.2	23.2	27.1	17.8	10.4	8.3	14.9	27.6	24.7
Scranton	7.1	7.8	15.7	28.1	16.6	16.0	21.2	29.5	18.5	29.8
Seattle	(4)	(4)	3.8	7.0	10.6	13.8	7.9	2.4	2.4	0.7
Spokane	12.4	6.7	9.6	14.4	12.4	1.9	4.8	5.7	1.0	7.7
Springfield,* Mass	17.8	13.9	17.1	16.9	12.1	19.6	25.1	52.9	16.5	9.9
Syracuse*	9.4	16.3	28.7	45.6	17.3	14.7	14.4	20.9	13.2	10.3
Toledo	10.0	24.1	20.7	36.3	20.7	11.3	12.0	16.4	15.6	15.1
Trenton	4.6	14.9	20.8	13.0	6.6	11.9	15.5	11.5	17.1	24.8
Washington, D. C	6.0	9.0	10.3	13.0	14.2	27.8	9.7	8.5	8.8	7.0
White	7.0	10.3	12.2	15.6	14.8	28.2	11.8	8.9	9.2	7.0
Colored	2.5	5.2	4.5	5.4	12.6	26.4	3.7	7.5	7.6	6.8
Wilmington, Del	11.7	16.1	8.7	6.2	14.4	24.2	18.1	12.6	9.9	11.1
Worcester*	22.7	19.8	15.4	15.7	7.7	11.2	12.0	24.0	14.3	13.4
Yonkers*	11.7	17.7	21.8	12.6	22.7	12.1	16.5	25.3	16.2	9.9
Youngstown	11.0	47.9	41.6	9.8	8.2	16.9	12.0	17.5	5.2	7.2

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

INFLUENZA AND PNEUMONIA (ALL FORMS)

The mortality rate from influenza and pneumonia (all forms) for the registration area in 1924 was 117.7 per 100,000 estimated population against 153.7 in 1923. With the exception of the rate for 1921 (99.8) the rate for 1924 was the lowest one recorded since 1900.

For States the highest rates in 1924 were for Pennsylvania (162.9), Colorado (156.7), and Maryland (151.5), and the lowest were for Montana (68.1), Washington (71.9), and Idaho (74.8).

For cities the highest rates in 1924 were for Pittsburgh (337.4), Birmingham (255.5), Memphis (255.4), Nashville (209.1), and Scranton (207.2), and the lowest were for Grand Rapids (62), Rochester (76), Dayton (85.1), St. Paul (88.2), and Portland, Oreg. (88.5).

For the areas shown by color, the rates for the colored were far in excess of those for the white.

Table AF shows the rates per 100,000 estimated population for 1915 to 1924.

Table AF — DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	117.7	153.7	133.5	99.8	208.3	222.3	587.0	167.8	164.3	149.1
Registration States [2]	117.1	153.6	133.4	99.5	207.3	221.8	584.6	165.8	164.7	147.2
Cities in registration States [2]	130.7	160.3	143.9	110.7	229.7	234.7	667.6	192.1	185.6	168.7
Rural part of registration States	104.9	147.5	123.6	88.6	186.3	210.5	509.8	142.7	145.7	125.8
Registration cities in nonregistration States	151.5	159.0	141.9	120.5	261.0	250.1	696.0	192.4	158.4	173.4
All registration cities [2]	131.4	160.2	143.9	111.1	230.7	235.2	668.9	192.1	181.9	169.4
California	111.1	122.1	138.2	96.5	164.5	214.7	537.8	115.7	112.7	102.4
Colorado	156.7	166.2	191.0	130.4	287.1	253.5	766.5	142.8	122.2	170.5
Connecticut	110.2	146.7	144.8	103.1	221.5	224.5	767.7	226.4	229.1	169.2
Delaware	125.6	187.1	140.1	124.7	207.1	289.7	(3)	(3)	(3)	(3)
Florida *	90.1	99.6	83.3	61.5	164.4	164.7	(3)	(3)	(3)	(3)
White	75.2	81.7	73.4	50.6	153.5	146 1	(3)	(3)	(3)	(3)
Colored	121.0	136.9	103.6	83.3	185.9	200.2	(3)	(3)	(3)	(3)
Georgia	129.8	150.4	120.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	108.6	131.8	111.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	161.2	177.7	132.4	(3)	(3)	(3)	(3)	(3)	(3)	(4)
Idaho	74.8	80.4	107.8	(4)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	97.9	140.4	114.9	87.6	213.2	187.9	498.8	(3)	(3)	(3)
Indiana	115.0	164.0	138.9	88.2	211.7	213.7	408.1	146.2	147.1	126.1
Iowa *	87.3	126.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas *	82.2	152.7	115.8	68.8	180.5	188.1	474.4	144.7	128.2	116.7
Kentucky	109.4	181.6	138.0	87.1	197.6	284.6	537.3	144.7	152.7	118.0
White	97.2	168.9	127.5	80.0	185.1	267.1	514.2	131.4	142.4	103.8
Colored	231.7	306.1	239.3	155.5	313.6	445.3	744.4	262.1	242.5	239.5
Louisiana	139.7	140.0	111.9	83.2	158.8	229.7	537.2	(3)	(3)	(3)
White	108.5	115.8	94.3	68.8	137.8	210.4	444.7	(3)	(3)	(3)
Colored	192.2	179.9	140.4	106.2	192.1	259.6	678.0	(3)	(3)	(3)
Maine	126.5	193.3	175.3	130.5	228.6	229.2	589.4	190.6	189.8	166.0
Maryland	151.5	196.0	129.2	116.4	200.7	238.4	803.6	205.6	202.1	171.0
White	125.8	164.9	111.7	100.1	175.6	204.4	758.5	162.2	167.5	140.3
Colored	281.3	352.5	216.5	197.3	324.6	404.9	1023.3	415.3	367.5	316.8
Massachusetts *	107.1	151.4	147.0	107.5	197.0	207.8	726.7	184.4	193.4	170.7
Michigan	100.5	146.5	108.9	79.5	233.6	192.2	389.3	139.5	133.6	111.9
Minnesota	81.7	102.0	83.9	71.7	148.8	166.9	390.5	105.6	104.2	100.3
Mississippi	119.9	148.3	108.3	78.8	161.3	261.8	(3)	(2)	(3)	(3)
White	107.3	125.7	96.3	69.5	130.8	189.7	(3)	(3)	(3)	(3)
Colored	131.3	168.9	119.3	87.3	189.3	327.1	(3)	(3)	(3)	(3)
Missouri	131.0	188.1	146.4	94.6	261.2	206.1	476.6	181.4	167.9	144.2
Montana	68.1	91.2	121.5	80.1	157.8	225.4	762.7	145.9	122.1	117.7
Nebraska	81.5	122.5	109.2	72.6	143.1	(3)	(3)	(3)	(3)	(3)
New Hampshire	122.1	189.0	155.7	111.0	199.0	231.6	751.6	193.7	177.1	153.2
New Jersey	117.3	144.6	139.0	108.0	191.9	226.5	769.4	189.7	203.5	163.4
New York *	125.7	146.1	144.0	109.0	205.4	233.7	598.2	195.2	187.4	185.2
North Carolina	130.5	152.3	139.4	89.4	218.1	234.4	503.1	122.1	129.6	148.4
White	110.0	129.9	127.0	79.7	195.2	190.0	423.9	102.2	105.9	102.2
Colored	178.8	205.2	168.3	111.7	271.0	336.4	683.1	167.2	182.6	235.7
North Dakota *	82.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	103.4	158.4	122.0	94.7	201.4	222.0	494.3	160.3	161.9	135.2
Oregon	90.6	106.2	142.0	79.2	168.8	189.1	334.5	(3)	(3)	(3)
Pennsylvania	162.9	201.5	167.5	146.9	251.4	236.5	883.1	211.1	202.2	168.9
Rhode Island *	121.5	159.6	155.4	109.2	223.0	239.2	681.2	211.9	195.8	185.8
South Carolina	130.2	152.8	143.1	94.7	247.3	291.5	632.6	137.4	131.9	(3)
White	96.0	121.1	131.3	82.8	197.4	215.8	528.0	106.4	104.5	(3)
Colored	164.5	184.4	154.7	106.2	294.8	362.6	729.5	165.8	156.5	(3)
Tennessee	145.7	195.0	146.0	94.9	220.0	234.8	476.0	135.3	(3)	(3)
White	118.5	166.2	130.3	83.1	194.3	207.1	423.4	114.9	(3)	(3)
Colored	267.0	321.5	213.7	145.1	328.1	349.8	691.1	217.5	(3)	(3)
Utah	129.2	110.7	162.7	116.0	252.4	270.8	508.8	123.6	128.6	119.5
Vermont	126.9	189.5	161.8	117.8	236.8	228.9	597.2	205.2	205.0	150.0
Virginia	125.0	174.8	125.0	92.5	202.9	267.2	621.1	145.4	157.5	131.1
White	99.5	149.2	106.4	72.1	169.6	210.8	581.2	110.6	117.6	102.0
Colored	187.8	237.0	169.5	141.1	281.7	398.4	712.8	224.4	246.7	195.7
Washington	71.9	84.6	103.1	70.7	175.7	187.9	411.5	76.5	81.2	78.4
Wisconsin	96.3	132.1	107.2	82.1	178.1	178.5	405.6	134.8	137.9	119.6
Wyoming	104.7	118.0	114.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	(5)	93.6	81.0	318.1	274.9	560.9	156.5	135.6	103.5
Albany *	116.2	167.0	151.5	93.0	181.6	244.8	679.1	187.4	191.2	187.1
Atlanta	(5)	256.0	192.9	134.0	311.5	291.4	478.4	171.2	161.1	165.7
White	(5)	146.0	119.9	90.9	222.9	208.8	362.2	85.2	76.6	99.3
Colored	(5)	509.7	359.8	229.7	506.5	471.9	730.3	355.8	340.7	305.5
Baltimore	186.4	215.3	147.8	137.4	228.7	230.6	836.5	251.9	249.6	207.1
White	146.1	174.1	124.3	119.2	197.5	202.5	787.8	188.5	203.3	169.3
Colored	419.7	452.7	284.1	242.2	408.3	392.0	1086.9	580.5	492.1	406.0
Birmingham	255.5	223.0	166.5	155.9	304.6	319.1	843.6	334.7	168.4	158.1
White	149.2	143.7	105.1	100.9	200.0	218.3	676.3	140.6	98.3	114.7
Colored	420.0	345.9	261.3	240.8	466.2	494.9	1101.8	634.3	276.6	225.0
Boston *	138.5	183.8	183.7	127.3	247.1	256.3	844.7	228.0	231.5	214.6
Bridgeport	(5)	(5)	142.8	104.5	240.9	272.3	825.4	304.0	357.7	206.0
Buffalo *	105.1	139.0	111.0	77.2	183.9	206.2	637.5	184.0	173.5	168.7
Cambridge *	88.8	157.9	173.9	96.9	201.0	180.0	676.5	164.2	177.0	157.3
Camden	173.2	220.7	189.5	175.4	251.2	290.8	1259.0	288.2	261.8	245.7
Chicago	102.3	134.7	112.1	91.2	223.9	191.5	516.6	201.7	168.4	172.7
Cincinnati	130.0	188.7	160.3	111.3	189.1	253.2	605.4	171.3	178.5	163.4
Cleveland	120.0	141.2	115.6	94.3	203.1	260.5	590.9	198.5	187.8	155.1
Columbus	102.1	193.4	111.2	98.9	243.1	213.5	451.9	168.1	187.2	136.5
Dallas	126.7	146.0	133.2	85.9	199.3	170.8	615.8	119.6	81.4	(3)
White	103.6	120.0	98.4	73.8	172.4	145.9	572.8	97.3	67.9	(3)
Colored	271.8	305.2	340.5	155.7	351.1	308.7	845.8	236.3	149.8	(3)
Dayton	85.1	145.6	92.7	60.7	176.2	154.6	525.2	157.8	150.5	142.7
Denver	199.3	193.4	205.2	179.7	348.3	228.5	727.7	134.4	143.6	184.8
Des Moines *	103.6	127.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	132.8	(3)	151.2	94.7	316.7	242.4	413.4	194.7	179.6	148.1
Fall River *	126.0	139.8	203.7	151.6	186.7	216.8	799.7	229.7	286.5	213.5
Fort Worth	92.5	102.9	107.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	76.4	93.2	85.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	204.5	169.7	249.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	62.0	129.5	89.1	60.2	147.0	93.8	282.7	89.6	80.1	100.0
Hartford	122.3	145.2	149.2	126.0	272.0	319.8	876.5	337.6	289.7	211.9
Houston	131.2	121.8	101.3	75.1	194.6	204.0	519.7	109.9	(3)	(3)
White	98.9	100.9	80.3	65.3	143.5	185.2	485.8	98.0	(3)	(3)
Colored	239.3	190.8	169.0	106.0	352.5	261.2	618.5	143.9	(3)	(3)
Indianapolis	136.5	173.9	159.7	100.1	240.9	240.6	459.4	156.6	153.7	146.7
White	117.6	151.4	146.9	86.6	218.0	218.5	440.6	136.3	140.9	132.9
Colored	279.5	347.3	259.7	206.7	423.2	419.0	615.2	326.8	261.9	264.5
Jersey City	153.1	155.0	150.4	133.1	233.9	317.0	756.6	221.8	211.3	211.2
Kansas City,* Kans	114.1	210.8	167.0	104.0	289.0	246.7	750.6	205.1	163.8	246.6
White	105.9	187.4	148.2	97.0	277.0	242.0	758.5	180.0	142.7	216.9
Colored	163.2	344.9	277.5	144.3	359.8	274.7	701.6	364.4	300.5	445.2
Kansas City, Mo.	129.8	195.3	191.0	113.4	353.6	301.1	718.1	205.0	138.7	176.1
Los Angeles	(5)	(5)	127.6	76.7	118.8	186.8	484.5	93.3	90.0	87.4
Louisville	129.5	207.2	154.5	105.4	197.2	357.8	1012.9	209.5	186.2	156.5
White	95.5	175.1	118.4	82.1	161.3	310.9	1012.3	162.1	147.2	111.2
Colored	316.2	378.5	345.7	220.2	371.8	585.0	1015.5	435.9	365.7	369.6
Lowell *	110.2	212.0	132.8	123.1	224.6	198.4	696.1	183.6	197.4	191.3
Memphis	255.4	315.2	204.3	137.6	311.4	340.6	666.1	219.0	(5)	179.3
White	142.1	212.3	135.0	92.3	216.6	261.5	608.0	124.5	(5)	111.4
Colored	454.3	493.3	322.8	214.1	469.2	478.6	766.0	379.0	(5)	290.7
Milwaukee	103.2	137.8	102.1	83.8	216.1	187.7	474.1	186.3	172.2	158.9
Minneapolis	90.4	99.2	99.5	97.0	191.4	169.4	387.7	126.3	124.1	121.6
Nashville	209.1	270.7	191.2	154.9	304.9	301.0	910.2	188.6	(5)	179.9
White	167.4	210.7	168.4	117.7	238.1	223.7	844.0	147.0	(5)	130.0
Colored	311.4	416.9	245.8	242.8	460.8	479.1	1060.4	281.8	(5)	288.7
New Bedford *	128.6	166.8	163.8	108.0	244.1	222.6	895.1	228.0	211.8	195.7
New Haven	133.5	177.0	193.5	102.4	270.6	212.3	768.0	236.0	258.4	207.9
New Orleans	171.7	177.5	155.4	130.0	221.9	333.7	768.6	178.5	144.9	245.8
White	102.3	129.4	111.7	93.6	159.2	296.8	679.7	116.8	88.8	165.1
Colored	368.4	313.7	279.0	232.8	399.4	437.9	1019.0	352.0	302.8	472.3

(See footnotes at end of table)

Table AF—Con.

DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
New York *	146.9	145.8	155.8	122.1	224.9	265.8	582.5	204.5	200.0	212.1
Bronx Borough	106.7	122.9	124.8	101.4	177.5	241.4	540.7	166.1	147.9	181.5
Brooklyn Borough	141.9	135.1	160.4	117.0	217.0	268.6	600.2	211.5	215.9	209.8
Manhattan Borough	186.5	168.5	169.9	140.0	257.4	278.3	580.1	214.4	205.9	231.6
Queens Borough	98.5	129.2	126.6	97.4	183.7	222.0	537.0	181.1	174.8	162.6
Richmond Borough	132.2	144.3	145.5	105.6	198.1	294.8	760.3	193.3	194.3	183.7
Newark, N. J.	114.3	133.6	135.5	88.0	214.4	213.3	680.4	184.0	187.0	146.6
Norfolk	(5)	135.1	121.7	99.0	249.9	344.9	795.1	180.1	220.4	179.2
White	(5)	61.0	69.4	53.0	161.9	257.9	739.8	83.5	94.8	98.8
Colored	(5)	266.1	208.2	175.2	396.8	488.4	885.6	335.9	420.8	305.8
Oakland	98.4	86.6	99.8	76.8	182.1	238.2	496.9	96.3	86.7	98.6
Omaha	114.9	160.0	165.4	118.2	225.9	191.8	660.8	207.1	182.7	150.9
Paterson	120.2	151.1	159.5	122.9	188.5	235.7	683.6	192.2	226.3	159.4
Philadelphia	154.1	179.1	159.9	135.8	239.2	222.9	932.5	228.0	194.4	189.2
Pittsburgh	337.4	377.7	290.9	274.4	437.1	431.8	1243.6	380.4	364.3	260.1
Portland, Oreg.	88.5	110.0	139.0	77.0	162.8	246.4	448.2	72.4	77.4	69.6
Providence *	131.0	159.3	165.1	120.6	252.2	253.3	737.4	221.7	219.0	191.4
Reading	150.3	174.0	153.6	116.4	211.6	162.1	762.8	195.3	199.9	99.8
Richmond	155.1	161.3	156.5	137.7	238.8	269.5	661.0	199.5	207.0	209.9
White	78.4	94.2	90.5	72.5	143.1	175.3	555.8	107.7	112.0	131.5
Colored	334.8	315.9	306.0	283.2	448.4	472.4	883.4	390.2	401.2	367.0
Rochester *	76.0	103.8	108.1	69.7	126.1	152.8	522.7	151.7	128.3	121.8
St. Louis	166.6	187.7	165.2	129.8	262.9	202.3	536.5	227.0	200.4	156.7
St. Paul	88.2	126.5	101.3	74.4	176.9	145.9	480.6	112.0	97.6	127.8
Salt Lake City	136.1	109.3	169.4	89.7	270.8	256.6	522.9	119.0	146.1	109.6
San Antonio	146.8	133.8	124.7	92.2	194.3	168.3	735.9	216.2	112.3	127.1
San Francisco	114.5	122.7	139.9	98.0	195.6	283.3	647.7	126.4	130.1	130.6
Scranton	207.2	169.9	219.6	180.6	311.9	247.5	985.7	240.9	226.1	223.7
Seattle	(5)	(5)	88.4	62.5	157.6	189.8	425.5	58.9	61.2	74.7
Spokane	103.3	101.4	151.1	138.8	251.8	210.7	487.4	102.5	89.0	91.9
Springfield,* Mass.	102.7	143.5	117.1	100.9	172.4	235.3	751.5	185.5	195.7	163.3
Syracuse *	121.4	136.6	106.1	83.9	246.3	155.9	704.6	155.2	141.8	120.5
Toledo	97.4	125.1	113.1	75.3	166.6	181.9	401.0	152.4	159.6	126.8
Trenton	143.4	168.0	211.1	120.6	230.8	224.3	1071.6	209.7	321.1	218.6
Washington, D.C.	131.2	214.3	135.7	122.7	234.0	225.9	758.0	166.8	171.8	189.8
White	83.0	137.2	89.3	78.0	176.2	172.6	694.3	114.0	118.6	129.9
Colored	282.1	452.7	272.8	254.7	406.2	382.1	942.0	316.9	320.9	354.9
Wilmington, Del.	130.1	190.2	132.4	134.0	235.5	282.3	1058.5	304.9	258.8	219.0
Worcester *	108.9	158.9	148.6	132.5	241.8	248.9	727.1	192.3	239.3	188.9
Yonkers *	101.5	116.2	138.5	81.3	163.0	191.7	542.1	172.7	187.4	159.8
Youngstown	168.9	182.8	193.4	164.0	329.6	410.8	977.8	356.5	293.8	221.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—Capillary bronchitis was excluded from 1915 to 1920, inclusive.

ACUTE ANTERIOR POLIOMYELITIS

The number of deaths from acute anterior poliomyelitis in 1924 was 1,079, corresponding to a rate of 1.1 per 100,000 estimated population against a rate of 0.9 in 1923. In striking contrast to these stands out the high rate (10) for 1916.

Of the 38 States in the registration area for both 1923 and 1924, 15 had lower rates in 1924.

Of the 63 cities showing rates in 1924, 7 had rates of 2 or more—Spokane (8.6), Syracuse (6.7), Detroit (5), Grand Rapids (2.7), Hartford (2.6), Dayton (2.4), and St. Paul (2). Sixteen cities reported no deaths from this cause in 1924.

Table AG shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 2 or more in bold-faced type.

Table AG

DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION

[Rates of 2 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	1.1	0.9	0.8	1.8	0.9	0.9	1.2	1.6	10.0	1.0
Registration States [1]	1.1	0.9	0.8	1.8	0.9	0.9	1.2	1.4	10.6	1.1
Cities in registration States [1]	1.1	0.7	0.8	1.8	0.9	0.6	1.0	1.1	15.0	0.9
Rural part of registration States	1.1	1.0	0.9	1.9	0.9	1.1	1.4	1.7	6.5	1.2
Registration cities in non-registration States	0.9	0.4	1.3	0.5	0.5	1.2	0.8	4.1	2.2	0.7
All registration cities [1]	1.1	0.7	0.8	1.7	0.9	0.7	1.0	6.6	13.3	0.9
California	0.9	1.1	0.7	1.5	0.8	0.3	0.6	0.7	0.9	0.8
Colorado	0.7	0.3	0.5	0.8	0.6	0.9	1.0	0.3	0.4	0.7
Connecticut	1.5	0.6	1.1	1.8	1.2	0.6	0.7	1.3	18.6	1.0
Delaware	1.3	1.3	----	----	----	1.4	(2)	(2)	(2)	(2)
Florida*	0.3	0.7	0.8	0.3	0.6	0.6	(2)	(2)	(2)	(2)
White	0.2	0.8	0.9	0.3	0.5	0.8	(2)	(2)	(2)	(2)
Colored	0.5	0.3	0.6	0.3	0.9	0.3	(2)	(2)	(2)	(2)
Georgia	0.8	1.4	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.0	1.5	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	0.6	1.2	0.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	1.0	0.9	1.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	0.4	0.7	0.8	2.3	0.9	1.2	1.8	(2)	(2)	(2)
Indiana	0.7	0.8	0.7	1.3	0.5	1.0	0.8	1.1	1.9	0.7
Iowa*	0.7	0.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas*	0.5	1.6	0.7	2.0	0.6	1.1	0.6	1.0	1.4	1.2
Kentucky	1.3	0.9	1.2	0.9	0.8	1.0	2.2	1.7	2.1	1.0
White	1.2	0.9	1.1	1.0	0.7	0.9	2.1	1.7	2.1	1.0
Colored	2.7	0.4	1.7	0.4	1.7	1.7	2.9	1.6	2.0	0.4
Louisiana	0.6	0.9	0.7	0.3	0.8	0.6	0.7	(2)	(2)	(2)
White	0.4	0.9	0.7	0.4	0.7	0.7	1.1	(2)	(2)	(2)
Colored	0.9	1.0	0.6	0.1	0.9	0.4	0.1	(2)	(2)	(2)
Maine	1.7	0.9	0.8	2.2	1.2	0.3	0.9	0.7	3.7	0.8
Maryland	1.4	0.5	0.9	2.5	0.9	2.6	1.3	1.2	8.0	1.5
White	1.4	0.3	0.7	2.7	0.6	2.8	1.3	1.1	7.5	1.1
Colored	1.2	1.2	2.0	1.6	2.4	1.6	1.2	1.7	10.4	3.8
Massachusetts*	0.6	0.9	0.9	1.2	3.9	0.4	1.0	1.3	12.6	1.1
Michigan	2.9	0.8	0.6	3.0	0.9	2.2	1.5	1.2	4.5	1.1
Minnesota	1.0	0.6	0.8	3.9	0.7	0.8	1.4	0.8	4.7	1.3
Mississippi	0.9	0.8	0.9	0.9	0.9	1.1	(2)	(2)	(2)	(2)
White	1.4	0.7	0.7	1.3	1.4	1.1	(2)	(2)	(2)	(2)
Colored	0.5	0.9	1.1	0.6	0.5	1.1	(2)	(2)	(2)	(2)
Missouri	0.6	0.9	0.6	1.7	0.9	1.1	0.9	1.5	1.4	1.2
Montana	3.7	1.0	1.2	0.3	0.9	0.6	1.3	1.6	4.9	0.2
Nebraska	0.6	1.9	0.4	2.2	0.8	(2)	(2)	(2)	(2)	(2)
New Hampshire	2.7	0.2	1.3	0.4	2.5	0.7	1.8	2.0	5.7	2.1
New Jersey	0.7	1.2	0.9	1.5	0.6	0.5	0.5	1.4	41.2	0.8
New York*	1.7	1.2	1.5	2.6	0.6	0.6	0.8	1.2	33.9	0.7
North Carolina	1.0	0.9	0.8	1.0	0.9	0.7	0.8	1.4	2.0	[3] 1.2
White	0.9	0.8	0.7	1.0	1.1	0.9	0.6	1.5	2.1	0.3
Colored	1.1	1.2	0.9	0.9	0.4	0.3	1.3	1.2	1.7	3.0
North Dakota*	2.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	0.7	0.4	0.5	1.4	0.8	0.7	1.2	2.3	2.4	1.8
Oregon	1.2	0.5	0.2	2.5	0.6	0.3	0.3	(2)	(2)	(2)
Pennsylvania	0.5	0.7	0.4	0.9	0.6	0.6	1.2	1.7	8.0	1.0
Rhode Island*	0.9	0.5	2.4	0.5	----	0.2	0.8	1.2	7.4	1.2
South Carolina	0.5	0.9	0.9	1.0	0.7	1.1	1.1	1.0	1.8	(2)
White	0.2	0.9	0.8	1.1	0.7	1.2	1.3	1.3	2.0	(2)
Colored	0.8	0.8	1.0	0.9	0.7	0.9	1.0	0.8	1.8	(2)
Tennessee	1.0	1.1	0.9	1.3	0.8	0.9	1.4	1.2	(2)	(2)
White	1.1	1.0	1.0	1.2	0.7	0.7	1.3	1.2	(2)	(2)
Colored	0.2	1.6	0.7	1.8	1.1	1.3	1.8	1.1	(2)	(2)
Utah	0.2	0.2	0.9	1.1	0.2	0.7	0.5	0.2	0.7	0.7
Vermont	1.4	0.6	1.4	2.8	0.9	----	0.3	4.2	3.4	5.1
Virginia	1.1	1.1	1.1	1.2	1.1	1.7	1.4	3.0	3.1	1.7
White	0.8	1.0	1.2	1.2	1.2	1.9	1.4	3.5	3.7	1.4
Colored	2.0	1.4	0.7	1.2	0.9	1.3	1.3	2.0	1.6	2.3
Washington	7.1	0.8	0.6	3.8	0.3	0.7	0.5	0.5	0.9	0.6
Wisconsin	1.0	0.7	0.9	2.6	0.7	1.9	3.8	1.0	2.7	0.5
Wyoming	0.5	0.5	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	----	----	0.5	3.4	----	1.0	0.5	10.9	4.4	11.3
Albany*	0.9	1.7	----	----	----	0.9	----	0.9	3.7	0.9
Atlanta	(4)	1.3	0.9	----	----	2.0	0.5	0.5	0.5	1.1
White	(4)	----	1.3	----	----	1.5	0.8	0.8	----	----
Colored	----	4.4	----	----	----	3.2	----	----	1.7	3.5
Baltimore	1.8	0.1	0.4	3.1	0.7	3.8	0.8	0.2	11.5	1.0
White	1.8	0.2	0.5	3.0	0.3	4.0	1.0	0.2	9.4	0.8
Colored	1.7	----	----	3.6	2.7	2.8	----	----	22.6	2.1
Birmingham	----	1.0	2.1	----	0.6	2.8	0.6	0.6	1.2	1.3
White	----	1.7	0.9	----	----	2.8	----	----	1.0	----
Colored	----	----	4.0	----	1.4	2.9	1.5	1.5	1.6	3.2
Boston*	0.8	1.3	1.6	1.7	6.5	0.5	1.4	0.5	23.3	0.7
Bridgeport	(4)	----	1.4	2.8	0.7	0.7	----	0.8	17.9	1.6
Buffalo*	0.8	0.7	0.8	1.0	----	0.2	1.0	0.2	1.0	1.1
Cambridge*	0.8	----	----	----	6.4	----	1.8	0.9	3.7	----
Camden	0.8	----	0.8	----	----	----	----	1.8	22.1	0.9

See footnotes at end of table.

Table AG—Con. DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION

[Rates of 2 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Chicago	0.1	0.2	0.6	1.1	0.7	0.8	1.1	7.5	2.0	0.6
Cincinnati	0.2	----	0.2	0.7	0.5	0.2	1.0	1.5	1.3	0.5
Cleveland	0.4	0.2	0.2	0.7	0.4	0.3	0.7	0.7	1.5	2.0
Columbus	0.7	0.8	0.4	1.6	----	0.4	2.6	0.9	1.8	0.5
Dallas	0.5	----	1.7	----	----	0.6	1.5	0.8	2.5	(2)
White	0.6	----	2.0	----	----	----	1.8	----	2.0	(2)
Colored	----	----	----	----	----	4.2	----	4.9	5.0	(2)
Dayton	2.4	----	1.2	2.5	0.6	1.3	----	2.1	2.9	0.7
Denver	0.7	----	0.4	1.1	0.8	0.4	0.8	----	0.4	0.4
Des Moines*	----	0.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	5.0	(4)	0.1	2.3	0.6	0.4	0.7	0.6	2.0	0.1
Fall River*	0.8	1.7	0.8	----	----	----	0.8	0.8	1.7	----
Fort Worth	----	0.7	1.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	----	0.8	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	----	----	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	2.7	2.1	2.1	0.7	0.7	----	2.2	0.8	5.5	----
Hartford	2.8	0.7	1.4	2.9	2.1	1.5	0.8	1.6	12.9	----
Houston	----	----	----	1.4	0.7	1.5	0.8	----	----	(2)
White	----	----	----	1.8	----	1.9	----	----	----	(2)
Colored	----	----	----	----	2.9	----	3.2	----	----	(2)
Indianapolis	----	0.6	----	0.3	0.3	0.6	----	0.3	2.1	0.4
White	----	0.7	----	0.3	0.4	0.7	----	0.4	2.3	0.4
Jersey City	1.3	0.6	0.3	1.3	0.7	0.3	0.7	0.7	12.2	0.4
Kansas City,* Kans	0.9	0.9	0.9	1.0	----	1.0	2.0	2.1	1.1	2.2
White	----	1.0	----	1.1	----	1.2	1.2	2.4	1.2	2.5
Colored	6.0	----	6.0	----	----	----	7.3	----	----	----
Kansas City, Mo	0.8	1.1	----	3.0	0.9	0.9	0.6	2.6	----	1.0
Los Angeles	(4)	(4)	1.3	1.1	0.8	0.5	0.2	1.4	1.0	1.3
Louisville	0.7	0.8	0.4	0.4	1.3	0.4	0.4	1.3	0.4	----
White	0.8	0.5	----	0.5	1.0	0.5	----	1.6	0.5	----
Colored	----	2.5	2.5	----	2.5	----	2.5	----	----	----
Lowell*	0.9	4.3	0.9	----	5.3	2.7	3.6	1.8	3.6	1.8
Memphis	----	----	----	----	0.6	----	0.7	0.7	(5)	2.1
White	----	----	----	----	----	----	----	1.1	(5)	----
Colored	----	----	----	----	1.6	----	1.8	----	(5)	5.6
Milwaukee	0.4	1.0	0.8	1.5	0.2	3.3	6.7	0.7	0.7	0.7
Minneapolis	----	0.5	0.2	2.5	0.8	0.5	0.5	0.6	3.1	0.6
Nashville	0.8	1.6	----	0.8	----	----	1.7	----	(5)	1.7
White	1.1	1.2	----	----	----	----	2.5	----	(5)	1.3
Colored	----	2.8	----	2.8	----	----	----	----	(5)	2.8
New Bedford*	----	0.8	3.9	----	----	0.8	----	----	0.9	0.9
New Haven	1.1	0.6	3.5	1.8	0.6	0.6	1.3	0.6	27.0	1.3
New Orleans	0.2	0.5	0.8	0.3	0.5	0.3	0.5	0.5	0.5	----
White	----	0.7	0.7	0.3	0.7	----	0.7	0.7	0.4	----
Colored	0.9	----	1.0	----	----	1.0	----	----	1.0	----
New York*	1.6	1.2	1.0	2.5	0.7	0.4	0.7	1.3	46.3	0.5
Bronx Borough	0.6	0.5	1.0	3.3	0.8	0.3	0.6	2.4	28.4	0.8
Brooklyn Borough	2.1	1.1	0.9	2.3	0.8	0.5	0.8	1.1	61.3	0.5
Manhattan Borough	1.3	1.2	1.2	2.2	0.4	0.4	0.6	1.0	31.8	0.5
Queens Borough	2.5	1.5	0.6	3.2	1.3	0.2	1.1	1.7	84.5	0.5
Richmond Borough	----	4.7	0.8	0.8	0.8	----	----	----	55.9	----
Newark, N. J	0.7	1.4	0.7	1.4	1.4	0.7	1.0	2.5	87.4	0.3
Norfolk	(4)	----	----	----	----	1.8	----	----	----	1.0
White	(4)	----	----	----	----	1.4	----	----	----	----
Colored	----	----	----	----	----	2.3	----	----	----	2.6
Oakland	----	----	0.4	1.8	----	----	0.5	0.5	----	----
Omaha	0.5	3.4	----	2.0	0.5	----	1.6	2.2	----	----
Paterson	----	0.7	2.9	3.6	----	----	----	0.8	17.4	0.8
Philadelphia	0.2	0.3	0.3	0.4	0.3	0.2	0.8	1.0	18.1	0.5
Pittsburgh	0.6	0.5	0.2	1.7	0.2	0.3	1.2	1.0	2.5	0.7
Portland, Oreg	0.4	0.4	----	1.1	0.4	0.4	0.4	----	1.2	----
Providence*	1.1	----	5.0	----	----	----	0.4	0.9	8.6	0.4
Reading	----	----	----	0.9	1.8	----	----	----	----	1.9
Richmond	1.1	----	1.7	0.6	----	0.6	1.8	0.6	1.8	0.6
White	----	----	1.6	----	----	0.9	0.9	0.9	2.8	----
Colored	3.6	----	1.8	1.8	----	----	3.7	----	----	1.9
Rochester*	----	0.9	1.3	0.3	0.3	----	1.1	----	1.1	1.2
St. Louis	0.6	0.4	0.6	2.9	1.0	1.0	1.1	0.3	0.5	1.2
St. Paul	2.0	0.8	1.3	1.7	----	0.4	0.9	0.4	3.5	0.4
Salt Lake City	----	----	1.6	3.3	0.8	----	----	0.9	----	----
San Antonio	1.6	----	0.6	----	----	1.3	1.3	----	2.9	2.3
San Francisco	0.5	0.4	0.4	2.1	0.2	----	0.6	0.2	0.8	0.2
Scranton	0.7	0.7	1.4	----	1.4	0.7	0.7	2.2	3.0	0.7
Seattle	(4)	(4)	1.0	4.1	----	----	----	1.0	1.0	----
Spokane	8.6	1.0	1.0	17.2	1.0	1.0	1.0	----	----	----
Springfield,* Mass	----	----	----	0.7	0.8	----	0.8	6.7	20.0	2.7
Syracuse*	6.7	0.5	6.1	1.1	0.6	0.6	----	0.6	40.8	----
Toledo	----	----	0.8	0.8	1.2	1.3	1.3	1.3	11.4	2.0

See footnotes at end of table.

Table AG—Con. DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS PER 100,000 ESTIMATED POPULATION

[Rates of 2 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Trenton	1.5	0.8	1.6	0.8	----	0.8	----	0.9	34.2	0.9
Washington, D. C	0.4	0.6	----	1.8	0.2	----	2.4	0.7	1.5	1.0
White	0.5	0.8	----	2.1	0.3	----	2.6	0.7	1.7	----
Colored	----	----	----	0.9	----	----	0.9	0.9	1.0	3.9
Wilmington, Del	1.7	----	----	----	----	----	----	2.9	20.8	3.0
Worcester*	0.5	0.5	----	----	----	----	0.6	1.2	2.4	0.6
Yonkers*	1.8	0.9	----	1.9	1.0	2.0	2.1	----	46.3	----
Youngstown	1.9	0.7	----	2.3	----	0.8	----	0.8	3.5	2.7

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

LETHARGIC ENCEPHALITIS

The number of deaths in 1924 from lethargic encephalitis as a primary cause was 1,441 against 1,966 in 1923.

Table AH gives for the registration area and its subdivisions all deaths when lethargic encephalitis was given either as a primary or a contributory cause.

Table AH DEATHS FROM LETHARGIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE: 1923 AND 1924

AREA	Total		Primary cause		Contributory cause	
	1924	1923	1924	1923	1924	1923
The registration area (exclusive of Hawaii)	1,472	1,988	1,441	1,966	31	22
Registration States [1]	1,441	1,961	1,410	1,939	31	22
Cities in registration States [1]	1,012	1,409	992	1,394	20	15
Rural part of registration States	429	552	418	545	11	7
Registration cities in nonregistration States	31	27	31	27	----	----
All registration cities [1]	1,043	1,436	1,023	1,421	20	15
California—Urban	58	46	56	45	2	1
California—Rural	22	25	20	25	2	----
Colorado—Urban	7	5	6	5	1	----
Colorado—Rural	4	11	4	10	----	1
Connecticut—Urban	39	52	39	52	----	----
Connecticut—Rural	3	4	3	4	----	----
Delaware—Urban	----	3	----	3	----	----
Delaware—Rural	----	2	----	2	----	----
Florida—Urban	1	2	1	2	----	----
Florida—Rural	9	4	9	4	----	----
Georgia—Urban	8	9	8	9	----	----
Georgia—Rural	7	7	6	6	1	1
Idaho—Urban	----	2	----	2	----	----
Idaho—Rural	10	10	10	9	----	1
Illinois—Urban	32	49	31	48	1	1
Illinois—Rural	20	33	19	33	1	----
Indiana—Urban	25	26	23	26	2	----
Indiana—Rural	10	14	10	14	----	----
Iowa—Urban	9	8	7	8	2	----
Iowa—Rural	12	20	11	20	1	----
Kansas—Urban	4	10	4	10	----	----
Kansas—Rural	9	20	9	20	----	----
Kentucky—Urban	5	6	5	6	----	----
Kentucky—Rural	9	6	9	6	----	----
Louisiana—Urban	6	6	6	6	----	----
Louisiana—Rural	2	2	2	2	----	----
Maine—Urban	1	3	1	3	----	----
Maine—Rural	4	2	4	2	----	----
Maryland—Urban	32	38	32	37	----	1
Maryland—Rural	8	9	8	9	----	----

[1] Including District of Columbia.

Table AH—Con. DEATHS FROM LETHARGIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE: 1923 AND 1924

AREA		Total		Primary cause		Contributory cause	
		1924	1923	1924	1923	1924	1923
Massachusetts	Urban	49	69	48	68	1	1
	Rural	10	18	10	18	------	------
Michigan	Urban	27	50	27	48	------	2
	Rural	22	23	22	23	------	------
Minnesota	Urban	40	86	40	83	------	3
	Rural	23	36	22	36	1	------
Mississippi	Urban	2	4	2	4	------	------
	Rural	5	4	5	4	------	------
Missouri	Urban	24	29	22	28	2	1
	Rural	29	20	29	19	------	1
Montana	Urban	5	8	5	8	------	------
	Rural	8	5	8	5	------	------
Nebraska	Urban	5	8	5	8	------	------
	Rural	4	13	4	13	------	------
New Hampshire	Urban	4	3	3	3	1	------
	Rural	2	------	2	------	------	------
New Jersey	Urban	75	92	74	92	1	------
	Rural	24	23	24	22	------	1
New York	Urban	277	400	275	398	2	2
	Rural	39	39	39	38	------	1
North Carolina	Urban	9	4	9	4	------	------
	Rural	13	12	11	12	2	------
North Dakota	Urban	2	(2)	2	(2)	------	(2)
	Rural	6	(2)	6	(2)	------	(2)
Ohio	Urban	81	100	80	99	1	1
	Rural	31	48	31	48	------	------
Oregon	Urban	11	22	11	21	------	1
	Rural	6	10	6	9	------	1
Pennsylvania	Urban	82	112	80	112	2	------
	Rural	31	53	30	53	1	------
Rhode Island	Urban	6	10	6	10	------	------
	Rural	------	1	------	1	------	------
South Carolina	Urban	4	7	4	7	------	------
	Rural	8	12	8	12	------	------
Tennessee	Urban	10	12	10	12	------	------
	Rural	3	11	3	11	------	------
Utah	Urban	4	4	4	4	------	------
	Rural	3	5	2	5	1	------
Vermont	Urban	3	------	3	------	------	------
	Rural	4	------	3	------	1	------
Virginia	Urban	7	11	7	11	------	------
	Rural	6	10	6	10	------	------
Washington	Urban	26	72	26	71	------	1
	Rural	11	23	11	23	------	------
Wisconsin	Urban	23	28	21	28	2	------
	Rural	12	15	12	15	------	------
Wyoming	Rural	------	2	------	2	------	------
Washington, D. C.		9	13	9	13	------	------

[2] Not added to registration area until a later date.

The deaths and death rates from encephalitis and lethargic encephalitis in the registration area are shown in Table AI.

Table AI DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)

CAUSE OF DEATH	1924	1923	1922	1921	1920	1919
	NUMBER					
Total	2,603	3,233	2,295	2,828	2,602	1,492
Encephalitis	1,131	1,245	1,011	1,119	1,097	903
Lethargic encephalitis [1]	1,472	1,988	1,284	1,709	1,505	[2] 589
Primary cause	1,441	1,966	1,268	1,355	1,070	375
Contributory cause	31	22	16	354	435	214
	RATE PER 100,000 ESTIMATED POPULATION					
Total	2.6	3.3	2.5	3.2	3.0	1.8
Encephalitis	1.1	1.3	1.1	1.3	1.3	1.1
Lethargic encephalitis [1]	1.5	2.0	1.4	1.9	1.7	[2] 0.7
Primary cause	1.5	2.0	1.4	1.5	1.2	0.4
Contributory cause	(3)	(3)	(3)	0.4	0.5	0.3

[1] Includes all deaths when lethargic encephalitis was given as cause of death.
[2] The first year in which this cause was separately tabulated.
[3] Less than one-tenth of 1 per 100,000 population.

The much lower rate for this cause in 1924 raises the hope that this new disease will henceforth continue to decrease.

OTHER EPIDEMIC AND ENDEMIC DISEASES

In the detailed International List of Causes of Death, titles 1 to 25 are assigned to the epidemic and endemic diseases, of which 10 have been discussed. Of the others, no deaths were reported in 1924 for malta fever, miliary fever, and Asiatic cholera. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported. In 1924 typhus fever was the cause of 9 deaths: 1 each in Atlanta, Savannah, and Murray County, Ga., Mobile, Ala., Houston, Tex., and Brooklyn and Manhattan Boroughs, New York City, and 2 in Little Rock, Ark.; relapsing fever (spirillum obermeieri) caused 1 death in Atlanta, Ga.; and leprosy, 15 deaths: 8 in Iberville Parish, La., and 1 each in Plaquemines Parish, La., Marin County, Calif., Chicago, Ill., Mason City, Iowa, Itasca and Rock Counties, Minn., and Galveston, Tex. Plague caused 30 deaths in Los Angeles, Calif.: 3 from bubonic plague and 27 from pneumonic plague; yellow fever caused 1 death in Houston, Tex. Mumps caused 144 deaths; cholera nostras, 130; dysentery, 2,946; spirochetal hemorrhagic jaundice, 45; erysipelas, 2,458; and meningococcus meningitis, 964.

Under the title "Other epidemic and endemic diseases" is included a miscellaneous collection of diseases, and in 1924 the number of deaths charged to these was 281, distributed as follows: Chicken pox, 174; German measles, 23; acrodynia, 9 deaths—1 each in San Francisco, Calif., Chicago, Ill., Baltimore, Md., Boston, Mass., Seattle, Wash., St. Joseph County, Mich., Montgomery County, Mo., De Kalb County, Tenn., and Weber County, Utah; dengue fever, 14 deaths, 10 in Florida—2 in Jacksonville, and 1 each in Broward, Lake, Leon, Pasco, and Putnam Counties, and 3 in Volusia County; 2 in Georgia—1 each in Taliaferro and Twiggs Counties; 1 in Manhattan Borough, New York City; and 1 in Houston, Tex.; Rocky Mountain spotted fever, 41 deaths; glandular fever, 8 deaths; devil's grip, 3; milk-sickness, 8; and kala-azar, 1 death in Manhattan Borough, New York City.

GLANDERS

In 1924, 3 deaths were reported as due to glanders: One each in Chicago and Baltimore, and one in the rural part of Kansas. No deaths were reported in 1923. The distribution of deaths from this cause for 1913 to 1922, inclusive, is shown in Table AL, Mortality Statistics, 1922.

ANTHRAX

The distribution of deaths from anthrax for 1915 to 1924, inclusive, is shown in Table AJ.

Table AJ

AREA	NUMBER OF DEATHS FROM ANTHRAX									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	28	24	40	32	39	45	43	62	28	35
Registration States [1]	25	22	37	31	37	45	41	60	25	34
Cities in registration States [1]	10	12	13	17	21	28	19	41	15	19
Rural part of registration States	15	10	24	14	16	17	22	19	10	15
Registration cities in non-registration States	3	2	3	1	2	----	2	2	3	1
All registration cities [1]	13	14	16	18	23	28	21	43	18	20
California — Urban	1	1	1	----	----	1	2	3	----	1
California — Rural	----	3	1	1	----	1	2	3	----	1
Colorado — Urban	----	----	----	----	----	2	----	----	----	----
Colorado — Rural	----	----	1	----	----	1	1	2	----	1
Connecticut — Urban	----	----	----	----	1	1	----	1	1	2
Connecticut — Rural	----	----	----	----	----	----	1	----	----	1
Delaware — Urban	----	----	----	2	----	----	(2)	(2)	(2)	(2)
Delaware — Rural	----	----	1	----	----	----	(3)	(3)	(3)	(3)
Florida — Rural	----	1	1	----	----	----	(3)	(3)	(3)	(3)
Georgia — Rural	----	2	----	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois — Urban	----	1	1	1	4	2	----	(2)	(2)	(2)
Illinois — Rural	----	----	3	----	----	1	----	(3)	(3)	(3)
Indiana — Urban	1	----	----	----	----	----	1	1	----	----
Indiana — Rural	----	----	1	1	----	----	2	----	----	1
Iowa — Urban	----	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas — Urban	----	----	----	1	----	1	----	1	----	----
Kansas — Rural	1	----	2	----	----	1	1	1	----	----
Kentucky — Urban	----	----	----	----	----	----	1	----	----	----
Kentucky — Rural	1	----	1	----	----	----	----	----	2	----
Louisiana — Urban	2	----	----	1	----	----	2	(2)	(2)	(2)
Louisiana — Rural	3	----	1	1	5	3	4	(3)	(3)	(3)
Maine — Rural	----	----	----	----	----	1	1	----	----	----
Maryland — Rural	----	1	----	----	----	----	----	1	----	----
Massachusetts — Urban	2	2	1	----	3	2	5	11	5	4
Michigan — Urban	----	----	----	----	1	1	----	----	1	----
Michigan — Rural	----	----	1	1	4	1	----	1	1	----
Minnesota — Urban	----	----	----	1	1	----	----	----	----	1
Minnesota — Rural	----	----	----	----	2	1	----	----	----	1
Mississippi — Urban	1	----	----	----	----	----	(2)	(2)	(2)	(2)
Mississippi — Rural	5	----	----	1	----	----	(3)	(3)	(3)	(3)
Missouri — Urban	----	----	----	----	----	----	1	----	----	----
Missouri — Rural	1	----	1	----	----	----	----	1	1	----
Montana — Urban	----	----	----	----	1	----	----	----	----	----
Montana — Rural	----	----	----	----	----	----	----	----	----	1
Nebraska — Urban	----	----	----	----	1	(2)	(2)	(2)	(2)	(2)
Nebraska — Rural	----	----	1	----	----	(3)	(3)	(3)	(3)	(3)
New Hampshire — Urban	1	----	----	----	----	1	----	1	----	----
New Jersey — Urban	----	1	1	----	----	1	----	5	----	1
New Jersey — Rural	----	----	----	----	1	----	2	1	----	1
New York — Urban	----	2	5	5	3	10	5	10	3	8
New York — Rural	----	----	----	1	2	1	3	2	1	5
North Carolina — Urban	----	----	----	----	1	----	----	----	----	----
North Carolina — Rural	1	----	----	----	----	----	----	1	2	----
Ohio — Urban	1	----	----	1	1	----	1	----	----	----
Ohio — Rural	----	----	2	3	----	2	1	----	----	----
Oregon — Urban	----	----	----	----	----	1	----	(2)	(2)	(2)
Oregon — Rural	----	----	1	----	----	----	----	(3)	(3)	(3)
Pennsylvania — Urban	1	2	4	4	4	4	1	5	5	2
Pennsylvania — Rural	2	3	----	1	----	1	2	5	2	2
South Carolina — Rural	----	----	----	1	----	----	2	----	----	(3)
Tennessee — Urban	----	----	----	1	----	----	----	----	(2)	(2)
Tennessee — Rural	----	----	2	----	1	1	----	----	(3)	(3)
Utah — Rural	----	----	----	----	----	----	----	----	----	1
Vermont — Rural	----	----	----	1	1	1	----	1	----	----
Virginia — Urban	----	----	----	----	----	----	----	1	----	----
Virginia — Rural	----	----	2	1	----	----	----	----	----	----
Washington — Rural	----	----	----	1	----	----	----	----	1	----
Wisconsin — Urban	----	1	----	----	----	1	----	2	----	----
Wisconsin — Rural	1	----	1	----	----	1	----	----	----	----
Wyoming — Rural	----	----	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)

[1] Including District of Columbia.
[2] Included with cities in nonregistration States.
[3] Not added to registration area until a later date.

RABIES

In 1924 there were 59 deaths from rabies. The distribution of deaths from this cause is shown for 1915 to 1924, inclusive, in Table AK.

Table AK

AREA	NUMBER OF DEATHS FROM RABIES									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	59	55	46	54	41	58	63	66	36	52
Registration States [1]	58	54	44	51	39	55	59	61	33	47
Cities in registration States [1]	28	23	25	26	18	30	35	36	16	32
Rural part of registration States	30	31	19	25	21	25	24	25	17	15
Registration cities in non-registration States	1	1	2	3	2	3	4	5	3	5
All registration cities [1]	29	24	27	29	20	33	39	41	19	37
California — Urban	3	10	4	4	2	----	----	----	----	6
California — Rural	2	2	----	2	2	----	----	----	1	----
Colorado — Urban	----	----	----	----	----	1	1	1	1	----
Colorado — Rural	2	1	----	----	----	1	----	1	----	----
Connecticut — Urban	----	----	----	----	----	----	----	3	----	----
Delaware — Rural	----	----	----	----	----	1	(2)	(2)	(2)	(2)
Florida — Urban	----	----	----	----	1	----	(3)	(3)	(3)	(3)
Florida — Rural	----	1	----	1	1	2	(2)	(2)	(2)	(2)
Georgia — Urban	2	----	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Georgia — Rural	3	----	6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho — Urban	----	----	1	(3)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho — Rural	----	1	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois — Urban	----	----	----	1	1	1	1	(3)	(3)	(3)
Illinois — Rural	3	----	----	----	----	3	1	(2)	(2)	(2)
Indiana — Urban	----	1	----	1	----	1	----	----	----	----
Indiana — Rural	----	----	----	----	1	----	----	2	----	1
Iowa — Urban	1	1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Iowa — Rural	1	----	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas — Urban	----	1	----	----	----	----	----	----	1	----
Kansas — Rural	----	2	----	2	----	1	----	----	----	3
Kentucky — Urban	----	----	----	1	----	----	2	1	1	2
Kentucky — Rural	2	----	----	1	1	1	1	----	1	2
Louisiana — Urban	2	----	----	----	----	2	3	(3)	(3)	(3)
Louisiana — Rural	3	2	1	----	2	----	2	(2)	(2)	(2)
Maryland — Urban	----	----	----	----	----	1	----	----	----	----
Maryland — Rural	----	----	----	----	----	----	----	----	2	----
Massachusetts — Urban	1	1	4	3	----	1	----	----	----	5
Massachusetts — Rural	----	----	1	----	----	----	----	----	----	1
Michigan — Urban	5	----	----	----	----	----	1	1	2	----
Michigan — Rural	----	----	----	----	----	1	1	1	----	----
Minnesota — Urban	----	----	----	----	----	----	----	1	----	1
Minnesota — Rural	----	----	----	----	1	----	----	1	1	----
Mississippi — Urban	----	----	1	----	----	----	(3)	(3)	(3)	(3)
Mississippi — Rural	2	4	1	1	----	1	(2)	(2)	(2)	(2)
Missouri — Urban	4	1	1	1	2	4	4	11	2	1
Missouri — Rural	1	1	2	2	4	1	1	1	1	1
Montana — Urban	----	1	----	----	----	----	----	----	----	----
Nebraska — Urban	----	----	----	----	1	(3)	(3)	(3)	(3)	(3)
New Hampshire — Urban	1	----	----	----	----	----	----	----	----	----
New Hampshire — Rural	----	----	----	1	----	----	----	----	----	----
New Jersey — Urban	2	1	----	----	1	----	3	3	----	1
New Jersey — Rural	2	2	1	1	----	1	----	----	1	2
New York — Urban	----	4	1	4	3	6	----	4	1	2
New York — Rural	----	----	----	----	----	1	----	1	1	1
North Carolina — Urban	----	1	----	1	1	----	----	----	----	1
North Carolina — Rural	3	4	2	1	2	1	4	4	1	----
Ohio — Urban	3	----	2	1	1	7	7	2	1	6
Ohio — Rural	1	3	----	2	1	2	1	3	3	1
Oregon — Rural	----	1	1	----	----	----	----	(2)	(2)	(2)
Pennsylvania — Urban	----	----	5	3	2	4	4	3	4	5
Pennsylvania — Rural	----	3	1	4	3	3	4	3	----	1
Rhode Island — Urban	----	----	1	3	1	----	----	----	----	----
Rhode Island — Rural	----	----	----	1	----	----	----	----	----	----
South Carolina — Urban	1	----	2	2	----	----	1	1	1	(3)
South Carolina — Rural	2	1	3	1	2	1	2	4	3	(2)
Tennessee — Urban	1	----	----	----	2	----	2	2	(3)	(3)
Tennessee — Rural	2	1	----	2	2	2	5	2	(2)	(2)
Utah — Urban	----	----	----	----	----	1	1	----	----	----
Utah — Rural	----	----	----	1	----	----	----	----	----	----
Virginia — Urban	1	1	1	1	----	----	2	1	----	1
Virginia — Rural	1	2	----	1	----	2	2	----	2	1
Washington — Urban	1	----	----	----	----	1	1	----	2	----
Washington — Rural	----	----	----	----	----	----	----	1	----	1
Wisconsin — Urban	----	----	----	----	----	----	2	2	----	----
Wisconsin — Rural	----	----	----	----	----	----	----	1	----	----
Washington, D. C.	----	----	----	----	----	----	----	----	----	1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Included with cities in nonregistration States.

MYCOSES

The total number of deaths from mycoses in 1924 was 231; of this number, 140, or 60.6 per cent, were due to thrush. Of these 140 deaths from thrush, 113 were in rural districts and 69 were deaths of colored children under 1 year of age.

TUBERCULOSIS (ALL FORMS)

Tuberculosis (all forms) includes seven titles of the detailed International List of Causes of Death. The number of deaths from this cause in 1924 was 89,724, corresponding to a crude rate of 90.4 per 100,000 estimated population, and constituting 7.6 per cent of deaths from all causes. The crude death rate for 1924 was the lowest rate recorded in the annual mortality reports, the first of which was published in 1900.

In former discussions of tuberculosis attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but, in many instances, are health resorts.

Table AL shows crude mortality rates for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920. Rates of 175 or more are in bold-faced type.

Table AL — DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 175 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
The registration area[1]	90.4	93.6	97.0	99.4	114.2	125.6	150.0		
Registration States[2]	89.4	92.9	96.1	98.3	113.2	125.0	148.8		
Cities in registration States[2]	91.2	93.9	97.7	100.9	118.5	133.8	164.2		
Rural part of registration States	87.8	91.9	94.6	95.9	108.1	117.3	134.9		
Registration cities in non-registration States	155.2	141.6	161.2	161.5	**176.7**	160.9	206.2		
All registration cities[2]	93.2	95.3	99.5	103.0	120.4	134.8	166.1		
California	155.1	152.5	159.1	151.1	159.6	**175.3**	**186.7**	144.9	0.90808143
Colorado	163.1	168.5	183.3	184.6	225.4	215.1	242.9	212.2	.94143549
Connecticut	81.8	90.0	93.7	95.9	119.4	126.5	153.9	115.4	.96685998
Delaware	114.4	114.1	119.6	140.6	146.0	163.6	(3)	141.5	.96930423
Florida*	86.1	103.4	100.8	95.7	104.1	104.8	(3)	104.7	1.00569260
White	55.8	69.7	64.8	62.4	67.1	74.9	(3)	66.6	.99265786
Colored	149.0	174.0	174.5	162.5	176.8	161.6	(3)	173.7	.98252537
Georgia	88.4	91.3	88.0	(3)	(3)	(3)	(3)	(3)	(3)
White	52.0	56.9	54.9	(3)	(3)	(3)	(3)	(3)	(3)
Colored	142.2	141.6	135.9	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	45.5	36.6	44.0	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	82.0	82.1	83.8	84.9	100.6	114.9	135.7	96.1	.95557749
Indiana	84.8	93.8	87.6	92.8	108.8	114.1	140.2	105.1	.96614822
Iowa*	41.6	44.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	43.5	43.6	43.9	43.3	48.2	50.6	59.8	47.1	.97727273
Kentucky	119.6	113.5	132.8	131.2	152.9	165.3	**199.0**	159.2	1.04109589
White	105.2	118.8	115.6	109.9	130.3	143.1	169.3	137.1	1.05198777
Colored	264.2	277.9	299.0	333.1	363.8	367.8	466.0	356.2	.97898811
Louisiana	112.7	114.1	119.8	122.4	141.2	143.9	186.8	148.2	1.04936530
White	66.4	66.7	69.4	69.4	80.9	80.8	109.0	86.0	1.06250000
Colored	190.6	192.5	201.7	207.2	236.2	241.7	302.9	243.6	1.03136922
Maine	68.3	80.7	84.4	82.1	103.8	103.4	121.4	99.9	.96250000
Maryland	121.4	125.0	130.2	135.5	146.7	165.8	207.6	143.3	.97696477
White	91.0	91.7	101.1	102.1	110.4	129.4	163.1	105.8	.95855856
Colored	275.8	292.8	275.7	301.8	326.6	344.2	423.4	324.2	.99266951
Massachusetts*	85.6	88.5	93.8	98.5	113.8	128.0	159.0	109.2	.95982532
Michigan	72.9	71.6	68.0	72.5	83.6	85.7	101.5	81.7	.97751479
Minnesota	67.5	73.6	69.5	77.0	89.5	94.7	104.6	87.5	.97780244
Mississippi	106.4	100.2	107.4	111.1	127.8	136.0	(3)	138.5	1.08379013
White	49.4	45.3	48.4	49.5	47.8	57.3	(3)	53.8	1.12500000
Colored	158.4	150.2	161.3	167.2	201.2	207.1	(3)	214.0	1.06337325
Missouri	89.9	92.5	94.9	93.0	106.9	117.2	144.4	102.2	.95611578
Montana	69.0	64.6	64.5	61.8	75.1	88.9	96.8	68.7	0.91492147
Nebraska	35.5	34.6	36.5	37.1	43.0	(3)	(3)	42.5	.98845266
New Hampshire	74.2	81.1	89.2	78.9	97.0	102.5	126.1	94.4	.97322348
New Jersey	86.0	89.7	95.0	93.6	114.0	127.4	157.4	109.4	.96006944
New York*	94.3	97.9	99.8	102.4	120.9	140.9	167.9	113.6	.94001643
North Carolina	101.8	99.3	102.5	104.8	116.5	122.4	138.7	130.8	1.12265758
White	69.2	72.0	71.0	69.3	82.8	86.0	94.7	92.9	1.12200957
Colored	179.2	163.7	176.2	187.4	194.2	205.9	238.8	218.8	1.12660174
North Dakota*	44.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	81.9	85.8	85.8	89.1	102.8	114.6	136.2	98.0	.95375723
Oregon	71.0	78.5	71.6	76.0	89.1	90.6	88.1	85.4	.95879733
Pennsylvania	81.8	85.9	89.2	92.3	105.0	119.1	151.6	103.2	.98297067
Rhode Island*	84.9	100.2	94.8	103.0	131.3	148.8	181.5	126.7	.96515152
South Carolina	101.1	105.1	109.5	111.2	120.0	135.6	144.5	134.8	1.12354892
White	48.5	52.7	49.7	52.4	65.5	68.0	67.9	72.6	1.10909091
Colored	154.0	157.1	168.0	168.0	172.0	199.0	215.0	196.7	1.14335461
Tennessee	147.2	151.4	148.1	139.9	164.6	169.0	206.8	174.6	1.06056935
White	111.2	120.7	113.7	106.6	129.3	126.6	151.5	138.5	1.07153846
Colored	307.5	286.4	296.8	282.0	312.6	344.9	432.5	315.7	1.00994227
Utah	37.8	37.3	41.4	39.9	39.1	44.8	47.8	40.5	1.03553299
Vermont	81.4	82.6	92.5	69.5	81.8	91.0	104.5	77.6	.94865526
Virginia	112.2	121.0	130.3	133.4	142.9	150.1	183.6	150.8	1.05493741
White	75.9	81.2	86.9	86.1	94.8	97.5	126.1	99.8	1.05235602
Colored	201.5	217.7	234.8	246.0	256.2	272.0	315.9	269.1	1.05027280
Washington	74.7	77.6	78.2	82.9	98.4	103.0	103.6	94.4	.95967742
Wisconsin	64.7	67.0	71.2	75.2	85.6	84.1	94.4	84.2	.98373984
Wyoming	48.0	36.3	41.6	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(4)	(4)	53.7	46.9	57.6	60.1	68.8	57.7	1.00168067
Albany*	111.0	116.0	114.4	117.4	142.2	169.4	207.9	132.3	.93072078
Atlanta	(4)	115.7	111.4	119.0	108.4	118.0	132.7	101.1	.93254330
White	(4)	69.5	65.9	65.0	84.6	77.9	98.9	80.9	.95677570
Colored	(4)	222.3	215.3	239.0	161.0	205.5	205.8	140.5	.87245841
Baltimore	119.6	127.3	131.2	139.5	149.5	170.0	238.2	140.1	.93691899
White	89.8	87.8	96.4	96.3	113.3	128.7	180.3	105.4	.92994746
Colored	291.9	355.5	332.0	388.1	367.1	407.8	536.6	335.5	.93939394
Birmingham	128.0	133.2	139.3	145.1	161.0	170.3	210.4	155.3	.96448255
White	59.0	47.1	51.7	52.2	66.3	65.0	87.0	70.9	1.06983655
Colored	234.7	266.5	274.6	288.6	307.6	332.8	401.2	280.0	.91017004
Boston*	101.1	102.3	110.2	116.4	129.1	156.9	191.5	121.7	.94294526
Bridgeport	(4)	(4)	85.7	99.0	105.0	113.1	166.3	101.1	.96247655
Buffalo*	102.3	103.4	103.0	110.7	111.7	126.9	171.0	104.1	.93167702
Cambridge*	120.1	111.3	127.1	125.0	132.9	174.5	227.6	124.4	.93613824
Camden	73.6	74.9	94.3	81.1	81.0	99.0	150.5	77.1	.95226438
Chicago	82.8	81.0	79.0	85.0	97.4	121.3	146.2	90.5	.92886179
Cincinnati	128.9	133.1	148.7	152.7	162.0	198.2	241.3	147.7	.91183724
Cleveland	93.6	91.0	95.9	97.9	109.2	127.0	157.7	101.9	.93321300
Columbus	83.1	106.1	98.6	93.2	116.3	128.5	176.8	109.2	.93882753
Dallas	97.4	65.3	90.7	86.5	111.7	95.6	150.2	102.2	.91519435
White	75.9	49.8	63.1	54.8	70.8	76.8	115.5	68.6	.96940195
Colored	233.0	160.4	255.3	270.4	342.9	200.2	335.4	289.4	.84387696
Dayton	72.8	94.8	82.8	89.8	93.3	108.8	151.7	88.3	.94597458
Denver	206.5	209.5	219.0	219.2	318.1	280.8	331.8	274.1	.86163914
Des Moines*	56.5	56.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	95.7	(4)	94.8	89.9	99.7	96.2	121.5	94.4	.94716243
Fall River*	87.7	116.6	113.4	96.9	104.5	137.9	209.5	102.6	.98183556
Fort Worth	59.5	57.7	62.5	(3)	(3)	(3)	(3)	(3)	(3)
White	52.5	44.6	47.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	107.6	147.7	154.1	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	49.2	58.9	55.8	63.7	72.0	74.0	104.5	69.0	.95873453
Hartford	61.5	77.6	63.7	73.9	100.6	99.2	147.8	96.5	.95886386
Houston	111.8	118.6	111.9	114.4	110.5	117.4	181.4	100.0	.90454951
White	77.1	88.2	69.8	93.3	81.1	78.0	144.8	76.0	.93696970
Colored	225.8	218.5	247.9	180.5	201.0	237.5	288.4	160.7	.79940858
Indianapolis	96.1	109.1	113.4	124.7	130.4	141.7	174.4	124.2	.95230886
White	75.1	84.4	89.9	101.1	101.9	120.1	141.3	96.0	.94180407
Colored	255.0	299.1	298.4	310.0	358.3	316.4	447.7	345.3	.96384552
Jersey City	88.8	85.7	84.3	86.9	114.8	122.7	154.4	112.2	.97746967
Kansas City,* Kans.	123.7	120.9	112.5	119.4	108.7	129.8	137.4	101.3	.93163172
White	85.7	84.2	94.7	76.7	88.1	87.3	113.5	(5)	(5)
Colored	350.6	333.2	217.2	367.3	230.8	337.4	285.0	(5)	(5)
Kansas City, Mo.	95.7	103.7	96.9	99.7	112.4	126.9	161.5	99.3	.88302551
Los Angeles	(4)	(4)	189.0	173.4	184.5	200.6	219.1	165.6	.89739500
Louisville	101.2	119.9	127.6	131.7	141.6	179.0	224.6	132.6	.93653032
White	84.5	105.5	103.2	98.9	115.8	141.0	177.9	109.1	.94224138
Colored	192.4	196.6	257.4	292.7	267.0	363.4	449.4	242.0	.90626172
Lowell*	105.7	92.1	93.5	82.7	106.2	137.0	179.8	103.0	.96992481
Memphis	185.8	178.2	168.0	168.9	206.8	235.6	304.6	194.8	.94188280
White	75.5	92.7	77.4	80.8	108.8	110.3	152.0	103.4	.95081967
Colored	379.1	326.2	322.8	317.8	369.8	454.8	567.1	342.4	.92581602
Milwaukee	60.6	67.5	66.0	70.0	87.0	83.4	106.0	83.7	.96237172
Minneapolis	70.1	82.9	77.5	84.7	107.9	122.1	129.8	95.7	.88715596

(See footnotes at end of table).

Table AL—Con. DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 175 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Nashville	172.6	154.1	165.4	159.0	208.8	198.4	250.7	196.5	0.94131679
White	102.6	99.0	98.9	95.6	131.0	131.3	146.6	124.5	.95068285
Colored	345.1	288.2	325.0	309.0	390.5	353.0	486.8	360.4	.92282051
New Bedford*	97.6	95.3	108.9	124.0	134.7	148.4	224.9	132.7	.98530492
New Haven	62.0	62.4	75.9	80.9	88.5	91.2	151.9	85.2	.96300448
New Orleans	168.7	174.0	183.5	189.8	208.7	229.6	315.5	191.2	.91619048
White	120.9	124.0	131.1	136.2	157.1	166.2	227.3	144.7	.92093612
Colored	304.7	315.6	331.8	341.4	354.3	408.2	563.8	316.4	.89309764
New York*	97.2	96.9	101.7	104.3	127.8	153.1	185.8	120.7	.94409938
Bronx Borough	70.3	77.1	84.3	86.6	108.4	144.1	170.6	104.7	.96567299
Brooklyn Borough	77.9	81.0	83.6	88.3	110.7	128.7	158.0	106.3	.96067918
Manhattan Borough	138.5	122.8	127.2	128.0	150.4	181.3	215.3	139.7	.92890365
Queens Borough	68.6	80.1	80.1	77.5	113.3	119.7	149.8	108.5	.95761246
Richmond Borough	106.3	107.4	144.7	154.2	160.9	207.0	297.8	151.5	.94171779
Newark, N. J.	68.5	75.4	78.5	81.1	96.4	118.8	159.8	92.5	.95987654
Norfolk	(4)	120.0	125.7	105.6	171.8	144.8	196.8	162.3	.94498567
White	(4)	52.2	62.9	51.5	93.9	64.8	116.9	90.5	.96335079
Colored	(4)	239.9	229.4	194.8	301.5	276.8	327.0	270.2	.89620170
Oakland	58.4	60.4	75.4	73.3	99.8	105.3	114.1	96.2	.96347483
Omaha	70.2	69.5	76.3	77.1	85.3	88.1	118.9	79.5	.93147503
Paterson	88.9	87.4	109.8	101.9	118.7	106.4	154.2	108.9	.91778523
Philadelphia	105.4	110.9	114.7	115.7	137.3	161.8	211.9	127.8	.93063584
Pittsburgh	93.6	94.0	94.2	102.5	120.0	132.7	163.4	116.2	.96846473
Portland, Oreg.	58.0	74.9	62.4	64.2	82.2	91.8	102.0	76.8	.93486128
Providence*	77.1	94.5	81.4	98.0	113.8	140.2	183.0	110.4	.97020158
Reading	70.7	71.2	80.8	72.4	83.1	89.4	135.3	83.3	1.00239521
Richmond	112.7	133.1	134.5	145.2	156.6	170.9	201.0	146.5	.93540215
White	72.2	78.4	76.0	91.5	114.5	121.3	145.8	107.0	.93431288
Colored	207.4	259.3	287.5	264.9	249.1	277.9	318.1	224.1	.89943910
Rochester*	61.9	64.3	53.3	67.8	80.0	94.4	115.9	75.2	.94059406
St. Louis	83.2	82.5	88.2	87.4	98.7	112.6	144.0	89.1	.90322581
St. Paul	82.5	100.4	90.9	98.8	113.2	121.5	138.1	104.9	.92706503
Salt Lake City	89.5	66.5	65.3	61.7	73.7	73.5	57.4	69.1	.93825503
San Antonio	235.1	259.3	265.7	251.5	275.0	269.5	378.5	259.4	.94335590
San Francisco	120.2	126.1	122.3	124.5	133.4	183.6	194.7	116.8	.87592868
Scranton	73.5	73.2	76.6	77.0	74.5	98.9	106.9	72.5	.97326203
Seattle	(4)	(4)	72.8	70.7	90.2	95.3	90.3	87.6	.97152245
Spokane	51.7	53.6	52.5	64.2	70.8	67.0	75.7	68.1	.96191819
Springfield,* Mass.	59.9	52.7	60.0	76.5	79.8	91.0	126.5	76.4	.95679012
Syracuse*	46.6	55.8	48.7	69.1	71.9	74.8	111.1	69.2	.96291209
Toledo	106.6	113.6	104.8	125.3	135.8	148.1	175.4	124.2	.91436865
Trenton	93.3	87.1	99.1	90.5	127.0	134.5	169.2	121.4	.95557288
Washington, D. C.	119.5	123.5	133.9	126.6	133.4	151.6	181.7	120.6	.90377498
White	65.9	79.3	79.6	75.2	85.0	105.3	116.7	74.8	.87949015
Colored	287.2	260.3	294.4	278.2	277.1	287.5	369.5	257.8	.93049086
Wilmington, Del.	69.2	73.9	69.2	106.7	110.0	110.0	151.2	106.4	.96236559
Worcester*	85.6	79.2	83.3	102.7	114.1	126.3	145.5	108.4	.94965278
Yonkers*	68.3	80.9	75.0	102.6	141.3	124.1	145.3	134.8	.95374912
Youngstown	65.1	79.8	87.6	80.1	83.9	102.2	119.8	77.5	.92388759

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Not computed.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
†See "Adjusted rates," p. 10.

The following States had the highest rates in 1924 from tuberculosis (all forms): Colorado (163.1), California (155.1), Tennessee (147.2), Maryland (121.4), and Kentucky (119.6); the lowest rates were for Nebraska (35.5), Utah (37.8), Iowa (41.6), Kansas (43.5), and North Dakota (44.5).

Of the 62 cities with rates in 1924, only 3 had rates higher than 175: San Antonio (235.1), Denver (206.5), and Memphis (185.8); the lowest rates were for Syracuse (46.6), Grand Rapids (49.2), Spokane (51.7), Des Moines (56.5), and Portland, Oreg. (58).

For the 10 States and 13 cities which showed rates by color in 1924, the rate for the colored was higher than 175 for all but Mississippi (158.4), South Carolina (154), Florida (149), Georgia (142.2), and Fort Worth (107.6).

TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS

The number of deaths in 1924 from tuberculosis of the respiratory system and acute disseminated tuberculosis was 79,594, and the crude death rate (80.2 per 100,000 estimated population) was the lowest recorded in the annual mortality reports. The deaths from these forms of tuberculosis represented 88.7 per cent of the deaths from all forms of tuberculosis in 1924; in 1923 the corresponding per cent was 89.3.

Table AM shows the rates per 100,000 estimated population for 1915 to 1924, rates of 150 and higher being in bold-faced type.

Table AM DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	80.2	83.5	86.3	87.6	100.8	111.3	133.2	129.4	124.3	128.2
Registration States [2]	79.3	82.8	85.5	86.7	99.8	110.6	132.0	127.3	122.1	124.2
Cities in registration States [2]	78.7	81.7	85.0	86.6	102.0	115.8	143.2	139.5	134.1	136.8
Rural part of registration States	79.9	83.9	85.9	86.6	97.7	106.1	122.0	116.5	111.1	111.8
Registration cities in nonregistration States	140.6	129.3	147.4	146.7	161.4	145.3	186.5	157.6	153.6	174.8
All registration cities [2]	80.6	83.1	86.8	88.6	104.0	117.0	145.2	142.0	136.8	142.3
California	140.0	136.4	143.6	135.1	141.8	156.3	167.6	157.1	154.4	166.8
Colorado	152.9	159.8	172.3	172.8	212.5	200.5	229.9	179.5	164.4	169.2
Connecticut	70.5	79.3	82.9	83.6	103.8	109.8	131.8	134.3	121.3	119.5
Delaware	103.2	102.4	110.0	122.0	131.7	153.2	(3)	(3)	(3)	(3)
Florida*	80.0	95.8	93.5	87.8	95.1	98.8	(3)	(3)	(3)	(3)
White	50.8	64.3	58.7	56.1	59.7	69.7	(3)	(3)	(3)	(3)
Colored	140.2	162.2	164.7	151.4	164.4	154.3	(3)	(3)	(3)	(3)
Georgia	81.6	85.7	81.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	47.8	52.5	50.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	131.8	134.3	127.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	39.5	31.3	38.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	73.1	73.6	74.5	74.4	89.1	102.2	121.6	(3)	(3)	(3)
Indiana	73.4	80.8	75.8	78.2	92.9	97.7	120.5	119.9	114.3	121.8
Iowa*	35.7	38.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	37.7	39.1	37.8	37.0	41.2	44.8	52.8	50.7	49.9	49.9
Kentucky	106.9	119.7	118.2	115.6	133.9	146.0	177.8	174.7	171.2	179.2
White	93.7	106.4	102.2	96.1	113.4	125.5	149.9	144.8	141.9	147.9
Colored	239.2	250.9	274.2	299.9	325.5	333.6	426.5	438.7	424.6	445.4
Louisiana	103.9	107.6	113.2	115.2	132.7	135.3	173.6	(3)	(3)	(3)
White	61.1	61.3	64.4	63.5	74.4	74.7	100.2	(3)	(3)	(3)
Colored	175.6	184.1	192.7	197.9	224.5	229.2	285.4	(3)	(3)	(3)
Maine	57.2	65.7	70.5	66.1	85.1	84.9	98.2	95.3	97.7	102.0
Maryland	110.1	113.9	117.2	122.2	132.1	148.8	188.5	177.7	177.0	168.1
White	81.7	83.5	91.4	92.7	99.7	116.3	148.7	135.3	135.5	126.7
Colored	254.2	266.7	246.7	268.6	292.0	308.2	381.8	382.6	375.9	384.9
Massachusetts*	74.1	77.4	81.7	84.3	96.9	109.8	138.1	125.3	125.0	119.3
Michigan	62.8	62.4	58.4	62.2	72.0	73.5	88.0	83.5	78.7	78.2
Minnesota	57.4	63.2	60.1	66.1	77.1	81.9	89.6	87.8	87.9	84.5
Mississippi	98.5	93.6	101.5	103.7	121.2	130.2	(3)	(3)	(3)	(3)
White	46.2	42.1	44.4	45.4	44.7	54.4	(3)	(3)	(3)	(3)
Colored	146.2	140.6	153.7	156.8	191.5	198.8	(3)	(3)	(3)	(3)
Missouri	81.4	83.5	84.9	84.0	97.9	104.6	131.6	135.2	128.6	132.5
Montana	62.1	57.0	57.3	55.7	65.6	80.0	85.0	96.4	93.5	99.8
Nebraska	29.9	29.1	30.6	32.1	35.4	(3)	(3)	(3)	(3)	(3)
New Hampshire	57.5	67.0	71.9	65.6	81.4	86.6	107.7	95.0	97.8	102.0
New Jersey	76.1	81.2	85.4	83.1	102.0	114.2	141.2	137.8	133.6	136.8
New York*	83.7	87.7	88.8	90.4	106.1	124.6	148.6	147.3	142.0	148.6

See footnotes at end of table.

Table AM—Con. DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
North Carolina	92.7	91.4	93.5	96.5	106.4	111.5	127.6	124.5	133.3	[4]207.6
White	63.4	66.2	64.0	63.4	75.3	78.1	86.4	84.1	90.2	134.7
Colored	162.1	150.6	162.4	173.6	178.2	188.3	221.3	215.7	229.8	345.3
North Dakota*	37.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	70.8	74.7	74.9	76.7	88.3	100.2	117.6	117.6	109.2	109.0
Oregon	57.5	65.7	59.3	63.2	73.2	74.1	73.3	(3)	(3)	(3)
Pennsylvania	71.2	75.1	76.7	79.2	91.5	103.5	133.5	119.9	114.8	112.6
Rhode Island*	72.0	82.7	82.0	88.9	110.6	124.9	153.3	150.4	150.8	138.9
South Carolina	94.3	100.1	102.4	104.8	111.9	126.7	136.3	136.2	136.7	(3)
White	43.0	49.7	44.6	47.5	58.9	61.7	63.1	63.0	61.0	(3)
Colored	145.8	149.9	159.2	160.2	162.5	187.8	204.1	203.0	204.7	(3)
Tennessee	130.5	137.4	133.6	124.7	145.2	150.8	186.3	177.5	(3)	(3)
White	97.6	108.5	101.0	93.8	112.8	111.7	135.9	136.4	(3)	(3)
Colored	276.8	264.1	274.9	256.2	281.1	312.6	392.1	343.0	(3)	(3)
Utah	33.6	30.0	34.6	32.7	32.0	37.7	40.7	36.5	41.2	36.9
Vermont	69.2	67.0	79.5	57.9	67.0	75.4	88.7	76.7	93.0	76.5
Virginia	101.1	110.1	117.2	120.8	128.9	136.4	167.4	151.5	154.8	164.4
White	67.5	72.3	76.3	76.7	84.1	87.8	113.8	94.5	102.7	102.2
Colored	183.9	202.1	215.5	225.5	234.6	249.3	290.6	281.1	271.7	302.4
Washington	63.8	65.5	65.6	67.6	81.5	83.8	86.8	82.8	79.8	87.3
Wisconsin	56.1	57.1	61.4	64.5	74.0	72.8	81.1	83.6	78.9	82.4
Wyoming	40.2	29.8	34.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	(5)	43.7	39.8	48.3	51.1	60.2	63.3	48.1	55.3
Albany*	99.9	99.7	94.6	99.9	115.9	149.0	186.4	196.4	202.2	254.8
Atlanta	(5)	104.1	99.9	105.0	95.6	104.9	111.0	117.3	120.9	114.5
White	(5)	63.0	58.6	53.1	72.4	68.4	81.5	75.9	76.5	75.5
Colored	(5)	198.6	194.2	220.4	146.8	184.6	174.8	206.2	215.2	196.8
Baltimore	105.9	115.4	116.2	122.1	133.5	150.2	214.7	204.3	194.5	190.9
White	79.1	79.0	85.4	84.4	101.9	112.7	162.1	145.9	143.9	139.4
Colored	260.8	325.7	293.9	339.5	315.1	366.1	485.4	507.2	459.2	462.6
Birmingham	108.1	114.3	123.0	123.6	140.1	144.9	180.3	196.3	194.2	196.0
White	47.5	37.8	42.2	39.8	49.1	55.7	75.5	60.0	77.0	85.5
Colored	201.8	232.7	248.0	253.0	280.9	282.6	342.2	406.7	375.0	366.5
Boston*	86.6	88.0	95.8	100.9	110.1	132.2	165.9	156.4	151.2	142.8
Bridgeport	(5)	(5)	78.0	88.5	85.1	93.3	137.8	144.5	112.0	115.0
Buffalo*	91.6	92.8	89.2	93.1	98.8	110.4	152.2	148.7	140.3	136.0
Cambridge*	105.7	101.4	118.1	113.2	121.0	159.9	205.6	190.9	180.6	189.9
Camden	66.5	68.5	80.4	74.4	74.1	91.2	133.7	122.0	118.9	103.6
Chicago	72.6	71.7	69.2	73.9	85.5	107.0	128.1	132.0	131.7	151.6
Cincinnati	106.9	112.9	130.2	133.6	139.8	175.5	216.5	220.6	215.8	206.5
Cleveland	81.4	80.2	85.9	82.7	95.1	111.8	138.1	142.4	125.1	109.4
Columbus	66.0	84.3	79.9	78.7	94.2	106.3	140.0	136.3	123.7	130.7
Dallas	80.9	56.5	82.0	79.3	96.8	87.3	131.0	118.9	117.6	(3)
White	61.7	42.8	56.3	47.1	58.4	69.2	99.1	80.3	70.9	(3)
Colored	201.9	140.9	235.1	266.3	314.0	187.7	301.4	320.1	354.5	(3)
Dayton	62.6	79.1	72.3	79.1	75.1	92.9	127.9	129.1	111.0	140.6
Denver	191.3	196.3	201.1	201.8	296.1	256.4	311.0	243.7	215.4	252.0
Des Moines*	46.4	50.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	81.6	(5)	80.9	77.0	85.0	80.8	106.3	98.6	103.4	89.8
Fall River*	75.1	102.6	95.2	78.7	89.6	117.1	189.5	155.6	172.4	120.1
Fort Worth	52.7	52.1	55.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	44.8	39.8	42.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	107.6	136.8	136.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	36.4	46.6	49.5	47.4	63.4	56.4	86.5	79.7	65.2	85.6
Hartford	44.2	60.5	49.3	51.4	77.1	70.6	111.4	118.8	92.8	65.1
Houston	103.1	106.3	107.9	106.8	98.4	106.4	171.6	136.0	(3)	(3)
White	73.0	78.1	65.5	89.7	67.9	67.3	137.1	82.0	(3)	(3)
Colored	204.0	199.1	245.1	160.4	192.3	225.6	272.4	291.2	(3)	(3)
Indianapolis	79.2	92.2	98.2	100.5	109.7	119.2	148.4	152.9	154.0	166.6
White	61.9	70.9	76.5	77.2	83.9	101.3	119.5	129.8	128.4	137.4
Colored	210.9	256.0	267.6	282.8	315.9	263.7	386.8	345.9	371.4	435.0
Jersey City	80.7	79.3	75.8	75.7	101.8	107.9	136.3	145.4	153.2	152.8
Kansas City,* Kans.	104.6	107.1	96.7	103.9	95.0	120.8	123.1	116.0	114.1	137.9
White	71.6	74.0	83.3	66.6	79.0	80.3	98.1	97.2	87.8	106.6
Colored	302.2	298.1	174.9	321.4	190.1	366.3	277.7	235.4	284.7	346.2
Kansas City, Mo.	88.4	92.7	84.9	87.5	100.5	109.8	147.1	150.9	141.1	157.3
Los Angeles	(5)	(5)	172.3	153.4	165.6	181.0	200.4	186.7	182.1	193.9
Louisville	89.3	105.9	114.5	109.2	118.2	153.9	196.4	159.7	164.6	169.9
White	74.1	91.3	90.7	79.5	95.3	116.3	152.0	111.2	116.9	125.3
Colored	172.5	184.3	240.3	255.2	229.6	336.0	409.7	391.3	390.4	379.5
Lowell*	86.8	71.2	77.8	58.9	75.2	97.0	143.2	135.9	106.0	103.9
Memphis	156.7	161.7	153.7	146.0	178.6	200.3	275.5	253.9	(6)	270.4
White	62.9	80.7	67.0	62.5	91.1	86.1	132.7	123.3	(6)	119.3
Colored	321.5	302.1	301.9	287.1	324.2	399.8	521.0	475.1	(6)	518.1
Milwaukee	49.4	54.7	54.9	56.9	71.6	69.5	87.0	86.2	79.8	84.5
Minneapolis	60.9	70.6	67.6	75.3	94.6	106.2	115.7	123.5	121.6	127.7
Nashville	153.1	131.3	140.4	132.0	174.3	159.4	204.5	180.0	(6)	204.3
White	92.3	81.7	78.9	78.1	108.2	102.1	119.5	122.1	(6)	113.4
Colored	303.0	251.8	288.2	259.4	328.7	291.4	397.3	309.7	(6)	402.4
New Bedford*	81.0	74.6	90.2	102.4	109.4	115.9	189.1	128.8	153.1	133.8

See footnotes at end of table.

Table AM—Con. DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND ACUTE DISSEMINATED TUBERCULOSIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
New Haven	46.0	45.7	58.2	60.5	67.1	68.3	121.5	123.8	94.0	87.8
New Orleans	157.0	160.9	171.7	175.8	195.3	214.7	287.3	290.5	260.4	266.1
White	114.3	114.4	120.9	126.2	147.0	153.9	208.7	194.9	161.7	160.6
Colored	278.4	292.9	315.4	316.2	331.7	386.3	508.5	559.5	537.5	562.0
New York*	86.0	87.1	90.4	92.1	112.0	135.9	164.4	169.6	163.4	175.0
Bronx Borough	64.0	70.8	74.5	78.3	95.4	130.9	150.4	184.1	148.7	163.2
Brooklyn Borough	67.1	72.4	73.8	77.0	97.3	114.0	140.0	149.4	138.8	153.0
Manhattan Borough	123.8	110.0	112.9	112.8	130.5	159.8	189.8	188.0	189.6	203.0
Queens Borough	60.3	71.7	73.0	68.1	101.8	106.4	133.7	138.8	146.7	138.3
Richmond Borough	97.3	102.7	137.5	146.8	150.7	189.6	277.3	169.3	181.0	144.6
Newark, N. J.	59.0	65.9	67.4	66.8	80.6	101.7	135.1	154.3	152.4	167.7
Norfolk	(5)	108.1	110.5	90.7	147.1	126.4	170.5	146.3	159.3	172.2
White	(5)	43.3	47.5	43.6	80.3	53.6	99.4	59.2	77.4	70.8
Colored	(5)	222.6	214.6	168.6	258.5	246.5	286.4	286.8	289.8	331.7
Oakland	49.8	50.8	62.2	59.6	82.9	89.3	97.1	92.4	97.2	115.8
Omaha	60.1	59.7	65.3	66.5	67.2	71.7	94.0	87.7	96.6	89.2
Paterson	73.2	75.9	98.2	85.2	107.0	98.3	145.2	131.4	137.7	126.6
Philadelphia	92.3	97.4	100.2	101.5	121.2	142.1	190.9	173.3	169.1	163.1
Pittsburgh	79.2	79.3	77.3	85.2	98.0	110.3	138.0	131.2	112.8	110.1
Portland, Oreg.	42.1	58.8	47.5	47.9	61.4	71.1	81.0	62.3	70.8	78.7
Providence*	59.2	73.0	67.2	75.9	89.8	111.9	143.9	155.4	146.9	135.7
Reading	59.9	49.6	63.6	60.5	71.1	73.6	114.6	96.7	84.2	94.9
Richmond	95.3	114.3	113.8	123.5	136.4	153.2	177.8	156.4	180.5	169.8
White	57.5	66.5	61.4	77.4	97.6	106.6	122.1	97.8	107.4	102.4
Colored	183.8	224.6	232.7	226.2	221.4	253.8	295.7	278.2	329.9	304.9
Rochester*	49.8	49.9	44.6	53.7	67.6	74.2	98.5	93.1	90.4	99.0
St. Louis	71.0	72.9	76.1	77.7	87.5	97.2	128.5	142.3	131.7	131.1
St. Paul	67.6	87.2	77.6	84.1	95.0	105.7	116.1	125.9	107.7	114.0
Salt Lake City	77.8	55.4	51.6	49.3	63.7	62.4	47.7	44.2	40.7	42.5
San Antonio	221.0	241.4	248.2	235.7	264.1	255.6	358.7	320.0	276.8	334.2
San Francisco	107.2	109.5	105.5	105.9	113.2	156.4	171.7	158.2	165.5	176.3
Scranton	61.5	64.0	65.1	61.1	62.2	78.6	89.3	76.6	80.8	77.5
Seattle	(5)	(5)	52.3	49.5	65.1	65.8	65.9	70.7	66.8	57.9
Spokane	40.2	39.2	44.9	46.9	56.5	46.9	61.3	72.8	58.4	69.9
Springfield,* Mass	44.9	45.8	52.1	58.2	61.5	75.3	103.8	86.4	62.6	73.1
Syracuse*	34.4	40.6	39.2	52.9	51.2	53.0	91.9	87.1	85.9	84.0
Toledo	95.6	100.2	92.8	112.0	124.0	132.7	159.1	162.7	152.3	157.0
Trenton	73.2	77.7	87.9	82.3	114.6	122.7	152.8	127.8	132.2	157.1
Washington, D. C.	106.8	110.3	117.7	113.1	118.3	139.3	164.6	153.1	170.9	184.4
White	58.8	69.0	67.6	66.0	75.4	95.3	102.6	92.3	96.9	104.6
Colored	256.7	238.0	265.6	252.0	245.7	268.4	243.6	326.3	378.0	404.3
Wilmington, Del.	55.9	63.7	62.3	84.6	92.6	96.0	129.3	160.2	129.9	140.9
Worcester*	72.4	71.4	71.6	79.4	93.1	105.0	118.0	125.7	130.1	112.1
Yonkers*	64.7	74.4	61.7	91.9	121.5	105.9	125.7	126.4	115.3	97.0
Youngstown	56.7	66.5	65.7	59.7	63.1	73.8	87.8	110.8	87.6	77.7

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

The highest State rates in 1924 were for Colorado (152.9), California (140), Tennessee (130.5), and Maryland (110.1); and the lowest rates were for Nebraska (29.9), Utah (33.6), Iowa (35.7), and Kansas and North Dakota (37.7 each).

Only one State—Colorado—had a rate of 150 or higher for every year shown.

Of the 62 cities of 100,000 population or more in 1920, for which rates were shown in 1924, 3 had rates higher than 150 for the series of years. Very low rates in 1924 were for Syracuse (34.4), Grand Rapids (36.4), Spokane (40.2), Portland, Oreg. (42.1), and Hartford (44.2).

The 10 States shown by color had rates in 1924 nearly three times as high for the colored as for the white, and every city shown by color, except Fort Worth, had a rate of 150 or more for colored.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for tuberculosis of the respiratory system and acute disseminated tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

SYPHILIS

The number of deaths credited to syphilis in 1924 was 8,195, corresponding to a rate of 8.3 per 100,000 estimated population, against 7,695 deaths in 1923 and a rate of 7.9. Death rates from syphilis, tabes dorsalis, and general paralysis of the insane are given in Table AN.

Table AN

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)							
1924	16,248	8,195	1,674	6,379	16.4	8.3	1.7 [4]	6.4
1923	15,811	7,695	1,695	6,421	16.3	7.9	1.7	6.6
1922	15,360	7,462	1,708	6,190	16.5	8.0	1.8	6.6
1921	14,252	6,962	1,694	5,596	16.1	7.9	1.9	6.3
1920	14,610	7,969	1,611	5,030	16.7	9.1	1.8	5.7
1919	13,861	7,347	1,691	4,823	16.3	8.6	2.0	5.7
1918	15,351	7,604	1,857	5,890	18.9	9.3	2.3	7.2
1917	14,834	7,811	1,772	5,251	19.8	10.4	2.4	7.0
1916	13,769	6,902	1,717	5,150	19.3	9.7	2.4	7.2
1915	12,590	5,819	1,757	5,014	18.8	8.7	2.6	7.5
1914	11,584	5,195	1,699	4,690	17.6	7.9	2.6	7.1
1913	10,634	4,589	1,674	4,371	16.8	7.3	2.6	6.9
1912	9,582	3,941	1,588	4,053	15.9	6.5	2.6	6.7
1911	9,433	3,821	1,624	3,988	15.9	6.5	2.7	6.7
1910	7,600	3,221	1,435	2,944	14.1	6.0	2.7	5.5
1909	6,828	2,858	1,386	2,584	13.4	5.6	2.7	5.1
1908	6,017	2,432	1,198	2,387	12.9	5.2	2.6	5.1
1907	5,478	2,235	1,127	2,116	12.7	5.2	2.6	4.9
1906	6,012	2,006	1,097	2,909	14.3	4.8	2.6	6.9
1905	4,867	1,534	883	2,450	14.3	4.5	2.6	7.2
1904	4,590	1,507	820	2,263	13.8	4.5	2.5	6.8
1903	4,333	1,368	813	2,152	13.3	4.2	2.5	6.6
1902	4,060	1,131	691	2,238	12.7	3.5	2.2	7.0
1901	3,928	1,137	722	2,069	12.5	3.6	2.3	6.6
1900	3,577	1,029	593	1,955	11.6	3.3	1.9	6.3
	REGISTRATION STATES OF 1900 [1]							
1924	4,618	1,848	633	2,137	15.4	6.2	2.1	7.1
1923	4,595	1,846	565	2,184	15.6	6.3	1.9	7.4
1922	4,627	1,824	620	2,183	16.0	6.3	2.1	7.5
1921	4,434	1,845	580	2,009	15.5	6.5	2.0	7.0
1920	4,788	2,345	623	1,820	17.0	8.3	2.2	6.5
1919	4,705	2,165	664	1,876	16.9	7.8	2.4	6.8
1918	5,406	2,500	691	2,215	19.8	9.1	2.5	8.1
1917	5,592	2,596	699	2,297	20.7	9.6	2.6	8.5
1916	5,580	2,479	728	2,373	21.0	9.3	2.7	8.9
1915	5,125	2,130	741	2,254	19.6	8.1	2.8	8.6
1914	4,756	1,905	716	2,135	18.5	7.4	2.8	8.3
1913	4,508	1,665	766	2,077	17.8	6.6	3.0	8.2
1912	4,064	1,410	707	1,947	16.3	5.7	2.8	7.8
1911	4,068	1,394	734	1,940	16.6	5.7	3.0	7.9
1910	3,618	1,307	686	1,625	15.0	5.4	2.8	6.7
1909	3,241	1,232	612	1,397	13.7	5.2	2.6	5.9
1908	3,150	1,121	594	1,435	13.6	4.8	2.6	6.2
1907	2,976	1,069	612	1,295	13.1	4.7	2.7	5.7
1906	3,282	873	619	1,790	14.8	3.9	2.8	8.1
1905	3,012	711	550	1,751	13.9	3.3	2.5	8.1
1904	2,962	747	545	1,670	13.9	3.5	2.6	7.8
1903	2,768	715	511	1,542	13.2	3.4	2.4	7.3
1902	2,652	611	432	1,600	12.8	3.0	2.1	7.8
1901	2,532	599	456	1,477	12.5	2.9	2.2	7.3
1900	2,403	534	393	1,476	12.0	2.7	2.0	7.4

TableAN—Con.

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	REGISTRATION STATES OF 1910 [2]							
1924	9,779	4,258	1,176	4,345	16.4	7.1	2.0	7.3
1923	9,787	4,148	1,156	4,483	16.7	7.1	2.0	7.6
1922	9,554	3,993	1,224	4,337	16.5	6.9	2.1	7.5
1921	9,124	3,914	1,198	4,012	16.0	6.9	2.1	7.0
1920	9,551	4,855	1,156	3,540	17.0	8.7	2.1	6.3
1919	9,195	4,473	1,218	3,504	16.7	8.1	2.2	6.3
1918	10,366	4,736	1,373	4,257	19.1	8.7	2.5	7.8
1917	10,726	4,994	1,386	4,346	20.1	9.3	2.6	8.1
1916	10,250	4,645	1,369	4,236	19.5	8.8	2.6	8.1
1915	9,455	3,976	1,415	4,064	18.3	7.7	2.7	7.9
1914	8,783	3,584	1,348	3,851	17.3	7.0	2.6	7.6
1913	8,217	3,190	1,347	3,680	16.4	6.4	2.7	7.4
1912	7,504	2,787	1,278	3,439	15.3	5.7	2.6	7.0
1911	7,426	2,719	1,322	3,385	15.4	5.6	2.7	7.0
1910	6,407	2,498	1,263	2,646	13.5	5.3	2.7	5.6

[1] Including District of Columbia. For States included, see Table A.
[2] Including District of Columbia and excluding North Carolina. For States included, see Table A.

NOTE.—Prior to 1921, when syphilis was returned jointly with tabes dorsalis or with general paralysis of the insane, the assignment was to syphilis; in subsequent years the assignment is either to tabes dorsalis or to general paralysis of the insane.

For comparison, a few rates for England and Wales are given in Table AO.

Table AO

ENGLAND AND WALES	DEATH RATE PER 100,000 ESTIMATED POPULATION		
	Syphilis	Tabes dorsalis	General paralysis of the insane
1924	3.3	1.9	4.0
1923	3.6	1.9	4.4
1922	3.9	2.1	4.4
1921	4.7	1.8	4.1
1920	5.4	1.6	3.8
1919	5.2	1.9	4.1
1918	5.7	2.0	5.5
1917	6.0	2.2	6.4
1916	5.5	2.3	5.8
1915	5.3	2.1	6.3
1914	5.8	1.9	6.1
1913	5.7	2.0	5.8
1912	5.1	1.8	6.2
1911	5.1	1.8	6.1
1910	4.6	1.6	6.2

From the Registrar-General's Statistical Review of England and Wales, 1924.

CANCER

The number of deaths in 1924 from cancer and other malignant tumors was 91,138, corresponding to a crude rate of 91.9 per 100,000 estimated population, against 89.4 in 1923, and 86.8 in 1922. The rate for 1924 showed an increase of 45.9 per cent over the rate (63) for 1900.

Comparisons of crude mortality rates from this cause, however, magnify somewhat the actual increase in mortality which has occurred, for crude rates do not take into account the fact that the percentage of our population at older ages is annually increasing. For example, in Table AW the crude rates from cancer for the registration States of 1900 showed a rate of 64 in 1900 and a rate of 98.9 in 1920, suggesting an increase of 55 per cent, whereas the adjusted rates were, respectively, 60.7 and 87.2, or an increase of 44 per cent.

In 1924 the following States had the highest rates: New Hampshire (135.7), California (130.8), Massachusetts (123.1), Maine (122.1), and Vermont (119.7). The lowest rates were for South Carolina (41.7), Wyoming (44.3), Georgia (46), Mississippi (46.2), and North Carolina (47.9). Seven of the 10 States shown by color for 1923 and 1924 had higher rates in 1924, Maryland having the highest rate from cancer for both the white and the colored populations (108.8 and 80.6, respectively). The lowest rate for the white population was 50.7 for Mississippi, and the lowest for the colored was 31.6 for South Carolina.

Of the 62 cities with rates for 1924, only 5 had rates less than 80—Youngstown (79.3), Birmingham (78.2), Detroit (74.8), San Antonio (68.4), and Fort Worth (55.4); the highest rates were for San Francisco (167.4), Spokane (160.6), Boston (153.4), Portland, Oreg. (152.5), and St. Paul (148.4). There was an increase in the rates for 1924 over those for 1923 in 39 of the 61 cities with rates for both years.

For cities especially, crude rates do not serve as accurate measures of relative mortality from this disease, for allowance must be made not only for the age and sex constitution of the population, but also for deaths of nonresidents who go to the city for hospital treatment.

Table AP shows crude mortality rates from cancer per 100,000 estimated population for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920, with rates of 80 or more in bold-faced type.

Table AP — DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
The registration area [1]	**91.9**	**89.4**	**86.8**	**86.0**	**83.4**	**80.5**	**80.3**		
Registration States [2]	**91.9**	**89.5**	**86.9**	**86.2**	**83.4**	**80.5**	**80.3**		
Cities in registration States [2]	**111.7**	**108.9**	**104.0**	**102.1**	**99.8**	**96.8**	**94.9**		
Rural part of registration States	**74.0**	**73.5**	**71.0**	**70.9**	**68.0**	**66.4**	**67.1**		
Registration cities in nonregistration States	**87.6**	**85.9**	**82.8**	**78.2**	**81.4**	**78.7**	**83.0**		
All registration cities [2]	**111.0**	**106.3**	**103.4**	**101.3**	**99.2**	**96.1**	**94.3**		
California	**130.8**	**123.3**	**121.1**	**111.7**	**109.2**	**105.3**	**101.3**	**85.8**	0.78539225
Colorado	**83.3**	**85.9**	**73.8**	**74.7**	**73.0**	**69.2**	**76.7**	**70.6**	.96734694
Connecticut	**105.0**	**99.3**	**105.0**	**96.9**	**100.6**	**94.4**	**94.0**	**91.9**	.91338583
Delaware	**93.7**	**80.3**	**92.4**	**79.1**	**88.4**	**88.1**	(3)	**74.8**	.84572072
Florida *	**58.7**	**62.1**	**54.3**	**51.3**	**52.1**	**48.5**	(3)	**56.3**	1.07969639
White	**69.5**	**72.6**	**65.7**	**63.2**	**59.2**	**59.1**	(3)	**57.2**	.96677741
Colored	**36.1**	**40.2**	**31.0**	**27.6**	**38.0**	**28.2**	(3)	**50.0**	1.31758530
Georgia	**46.0**	**44.6**	**39.8**	(3)	(3)	(3)	(3)	(3)	(3)
White	**51.2**	**51.8**	**45.1**	(3)	(3)	(3)	(3)	(3)	(3)
Colored	**38.4**	**34.0**	**32.2**	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	**55.7**	**48.1**	**52.9**	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	**101.4**	**97.7**	**96.1**	**93.0**	**91.8**	**87.6**	**82.2**	**86.8**	.94588745
Indiana	**96.2**	**99.2**	**95.5**	**92.2**	**89.9**	**87.4**	**88.7**	**72.4**	.80509413
Iowa *	**99.3**	**96.9**	(3)	(4)	(3)	(3)	(3)	(3)	(3)
Kansas *	**81.7**	**82.4**	**79.6**	**79.3**	**72.4**	**69.2**	**72.8**	**63.3**	.87448276
Kentucky	**61.3**	**59.2**	**54.6**	**54.4**	**56.3**	**52.6**	**53.1**	**57.6**	1.02304965
White	**60.0**	**58.3**	**54.0**	**53.7**	**55.8**	**51.6**	**53.0**	**57.5**	1.03035714
Colored	**74.1**	**67.5**	**60.6**	**61.2**	**60.5**	**61.5**	**54.2**	**57.2**	.94518272
Louisiana	**62.0**	**60.9**	**60.4**	**53.6**	**49.2**	**49.6**	**49.2**	**62.0**	1.26113360
White	**64.1**	**64.7**	**65.3**	**59.3**	**52.3**	**54.7**	**52.9**	**64.6**	1.23529412
Colored	**58.5**	**54.5**	**52.5**	**44.3**	**44.2**	**41.7**	**43.6**	**57.8**	1.30769231
Maine	**122.1**	**128.0**	**124.4**	**116.5**	**122.4**	**116.2**	**110.1**	**84.9**	.69356153
Maryland	**104.2**	**108.3**	**99.5**	**93.1**	**94.1**	**87.6**	**84.1**	**86.2**	.91649049
White	**108.8**	**113.1**	**104.4**	**98.1**	**99.0**	**92.4**	**89.9**	**87.7**	.88554217
Colored	**80.6**	**84.2**	**75.0**	**68.5**	**70.0**	**63.9**	**56.0**	**76.3**	1.08974359
Massachusetts*	**123.1**	**118.2**	**116.6**	**118.0**	**115.3**	**107.0**	**108.7**	**97.3**	.84396552
Michigan	**92.5**	**88.4**	**87.7**	**87.8**	**83.5**	**81.9**	**81.9**	**77.2**	.92426036
Minnesota	**101.7**	**100.3**	**93.9**	**89.4**	**95.4**	**89.1**	**88.2**	**91.4**	.95837669
Mississippi	**46.2**	**46.7**	**44.7**	**41.8**	**38.3**	**37.6**	(3)	**48.0**	1.25326371
White	**50.7**	**52.2**	**50.2**	**45.1**	**40.6**	**42.9**	(3)	**47.4**	1.16666667
Colored	**42.1**	**41.6**	**39.6**	**38.9**	**36.2**	**32.7**	(3)	**48.4**	1.33795014
Missouri	**95.5**	**92.2**	**85.9**	**84.8**	**77.1**	**74.9**	**73.5**	**67.3**	.87322122
Montana	**57.7**	**54.5**	**57.8**	**54.7**	**50.6**	**55.9**	**53.4**	**60.9**	1.20428016
Nebraska	**84.2**	**80.4**	**82.5**	**82.4**	**76.7**	(3)	(3)	**73.9**	.96368358
New Hampshire	**135.7**	**122.7**	**136.9**	**119.8**	**117.4**	**108.5**	**108.6**	**78.8**	.67091837
New Jersey	**99.7**	**93.6**	**91.1**	**93.3**	**86.6**	**87.2**	**81.2**	**86.0**	.99314286
New York *	**115.9**	**112.9**	**109.2**	**105.7**	**101.0**	**98.7**	**97.3**	**91.8**	.90846457
North Carolina	**47.9**	**45.4**	**46.3**	**42.9**	**39.5**	**39.5**	**42.8**	**49.4**	1.25188917
White	**51.7**	**47.8**	**48.4**	**44.6**	**42.6**	**42.1**	**45.1**	**50.5**	1.18604651
Colored	**38.9**	**39.7**	**41.5**	**38.8**	**32.1**	**33.4**	**37.8**	**44.5**	1.38509317
North Dakota *	**61.5**	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	**95.4**	**94.6**	**92.3**	**89.8**	**89.0**	**85.7**	**85.6**	**77.0**	.86525612
Oregon	**111.3**	**102.0**	**101.0**	**94.8**	**93.0**	**88.1**	**84.3**	**78.7**	.84631804
Pennsylvania	**91.5**	**90.7**	**86.5**	**85.4**	**83.4**	**80.9**	**78.3**	**82.1**	.98450536
Rhode Island *	**115.1**	**114.4**	**121.1**	**110.4**	**99.7**	**96.5**	**95.8**	**88.0**	.88235294
South Carolina	**41.7**	**37.7**	**38.8**	**34.4**	**32.9**	**33.6**	**34.4**	**45.5**	1.38368580
White	**51.7**	**47.0**	**47.4**	**43.6**	**40.9**	**39.9**	**41.4**	**51.4**	1.25665860
Colored	**31.6**	**28.4**	**30.4**	**25.5**	**25.3**	**27.7**	**28.0**	**38.4**	1.51778656
Tennessee	**52.8**	**49.8**	**48.2**	**47.1**	**46.6**	**43.2**	**44.1**	**51.4**	1.10256410
White	**52.3**	**49.3**	**48.5**	**47.3**	**47.8**	**43.3**	**44.2**	**52.1**	1.08953333
Colored	**55.2**	**52.2**	**47.0**	**46.4**	**41.9**	**42.6**	**43.7**	**47.2**	1.12679426
Utah	**67.9**	**66.3**	**67.4**	**63.3**	**55.1**	**59.5**	**52.3**	**67.1**	1.21762590
Vermont	**119.7**	**124.6**	**129.4**	**113.5**	**126.0**	**113.2**	**103.4**	**85.7**	.68015873
Virginia	**61.1**	**60.1**	**57.6**	**56.6**	**55.9**	**52.3**	**53.9**	**61.5**	1.09946714
White	**64.2**	**63.5**	**63.3**	**60.9**	**58.2**	**56.0**	**57.1**	**61.2**	1.05119454
Colored	**53.4**	**52.0**	**43.8**	**46.4**	**50.7**	**43.9**	**46.5**	**60.9**	1.20078740
Washington	**95.7**	**90.9**	**90.7**	**85.8**	**82.1**	**77.7**	**75.3**	**76.2**	.92753623
Wisconsin	**101.0**	**92.5**	**92.8**	**97.6**	**88.2**	**87.3**	**81.4**	**77.7**	.88049605
Wyoming	**44.3**	**54.8**	**46.9**	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(4)	(4)	**62.8**	**48.0**	**40.9**	**52.6**	**31.4**	**62.9**	1.53791469
Albany *	**146.9**	**145.7**	**163.5**	**149.5**	**144.0**	**133.0**	**137.1**	**118.0**	.78438148
Atlanta	(4)	**71.3**	**87.5**	**81.9**	**85.8**	**82.2**	**70.7**	**97.4**	1.13494810
White	(4)	**77.2**	**92.9**	**93.7**	**96.0**	**97.8**	**80.7**	**107.2**	1.11716341
Colored	(4)	**57.8**	**75.3**	**55.9**	**63.1**	**48.2**	**49.0**	**66.2**	1.04866562
Baltimore	**129.2**	**126.9**	**119.4**	**105.1**	**111.4**	**103.0**	**102.5**	**104.5**	.93766696
White	**132.4**	**131.6**	**122.8**	**111.9**	**114.6**	**106.6**	**108.6**	**104.7**	.91341991
Colored	**110.5**	**99.8**	**99.4**	**65.7**	**93.2**	**82.5**	**70.9**	**97.3**	1.04371002
Birmingham	**78.2**	**73.5**	**67.5**	**66.6**	**59.0**	**53.0**	**58.0**	**81.5**	1.38127090
White	**84.4**	**83.2**	**75.0**	**76.1**	**64.5**	**63.2**	**75.5**	**84.6**	1.31192661
Colored	**68.5**	**58.5**	**56.0**	**52.0**	**50.6**	**37.3**	**31.0**	**71.9**	1.42187500
Boston *	**153.4**	**148.0**	**147.0**	**139.6**	**129.8**	**121.1**	**129.7**	**116.9**	.90099770
Bridgeport	(4)	(4)	**102.4**	**91.3**	**92.7**	**95.5**	**89.0**	**110.7**	1.19468085
Buffalo *	**118.3**	**109.2**	**107.5**	**102.6**	**97.3**	**103.7**	**99.6**	**96.5**	.99184506
Cambridge *	**136.2**	**145.4**	**148.7**	**146.7**	**164.6**	**131.6**	**128.5**	**144.1**	.87575758
Camden	**92.6**	**84.6**	**91.0**	**87.7**	**88.6**	**83.3**	**77.0**	**94.9**	1.07158837
Chicago	**108.2**	**102.0**	**99.2**	**96.5**	**95.3**	**95.3**	**92.4**	**103.6**	1.08731809
Cincinnati	**128.2**	**136.1**	**126.5**	**126.9**	**132.6**	**118.1**	**133.6**	**105.6**	.79668675
Cleveland	**82.4**	**89.1**	**83.9**	**77.1**	**82.6**	**78.3**	**78.9**	**100.4**	1.21599045
Columbus	**123.4**	**111.5**	**112.7**	**100.9**	**102.6**	**113.2**	**101.0**	**90.0**	.87764933
Dallas	**86.2**	**75.2**	**81.4**	**72.7**	**78.8**	**81.0**	**81.9**	**95.8**	1.21526909
White	**86.4**	**77.8**	**84.2**	**77.4**	**84.8**	**90.3**	**84.5**	**100.0**	1.17906977
Colored	**85.4**	**58.7**	**64.9**	**45.1**	**45.4**	**29.2**	**68.1**	**66.8**	1.47045952
Dayton	**112.3**	**94.8**	**100.1**	**110.7**	**106.9**	**90.9**	**103.4**	**98.0**	.91682070
Denver	**123.0**	**125.4**	**99.0**	**104.9**	**109.4**	**103.8**	**117.3**	**91.6**	.83771532
Des Moines*	**87.9**	**106.4**	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	**74.8**	(4)	**68.5**	**69.9**	**62.8**	**59.6**	**60.4**	**86.9**	1.38354037
Fall River*	**111.9**	**105.9**	**105.1**	**99.4**	**102.9**	**80.5**	**87.3**	**102.4**	.99514091
Fort Worth	**55.4**	**55.6**	**71.6**	(3)	(3)	(3)	(3)	(3)	(3)
White	**59.4**	**58.9**	**77.4**	(3)	(3)	(3)	(3)	(3)	(3)
Colored	**26.9**	**32.8**	**35.6**	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	**103.8**	**95.9**	**118.4**	**100.6**	**100.1**	**101.9**	**84.3**	**87.4**	.87326733
Hartford	**124.2**	**119.0**	**141.3**	**126.8**	**141.4**	**125.0**	**115.9**	**140.7**	.99511855
Houston	**80.6**	**83.8**	**74.6**	**82.7**	**65.6**	**66.8**	**74.3**	**76.8**	1.17142857
White	**87.6**	**89.1**	**87.3**	**86.1**	**72.7**	**77.0**	**86.6**	**82.4**	1.13279133
Colored	**57.1**	**66.4**	**33.8**	**71.6**	**43.7**	**35.6**	**38.5**	**52.8**	1.20861678
Indianapolis	**102.5**	**110.3**	**100.9**	**102.6**	**98.1**	**86.3**	**91.7**	**87.8**	.89526687
White	**103.1**	**115.7**	**105.4**	**105.6**	**101.2**	**88.3**	**91.7**	**88.5**	.87402344
Colored	**98.1**	**68.4**	**65.6**	**78.8**	**73.3**	**70.3**	**91.4**	**88.9**	1.21285141

(See footnotes at end of table)

Table AP—Con. DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Jersey City	106.7	93.8	81.4	88.2	91.8	87.0	82.1	106.2	1.15726681
Kansas City,*									
Kans.	100.3	113.1	109.0	84.7	79.3	66.9	88.5	83.0	1.04619226
White	104.9	112.5	112.1	89.1	80.1	74.5	92.2	(5)	(5)
Colored	72.5	116.9	90.5	59.0	74.7	21.1	65.8	(5)	(5)
Kansas City, Mo.	109.0	118.0	114.0	113.0	102.3	101.1	96.9	93.7	.91602317
Los Angeles	(4)	(4)	143.8	131.0	135.3	128.0	125.1	100.0	.73913043
Louisville	104.6	108.3	102.4	102.5	108.0	109.6	93.3	91.9	.85106383
White	105.1	111.5	104.1	108.6	111.2	117.3	100.3	93.3	.83931777
Colored	101.7	90.9	93.2	72.6	92.3	72.2	59.6	72.7	.78741866
Lowell*	103.0	116.4	91.8	102.9	88.4	93.4	98.4	82.8	.93686584
Memphis	108.5	90.0	94.7	85.7	80.8	87.5	92.1	85.9	1.06273063
White	121.2	97.4	106.7	100.0	92.1	93.5	98.5	95.4	1.03548387
Colored	86.4	77.1	74.3	61.6	61.9	77.0	81.0	60.8	.98228663
Milwaukee	107.6	90.4	91.6	94.2	93.9	87.3	83.2	97.8	1.04118268
Minneapolis	130.8	126.4	109.5	106.9	115.2	105.7	96.1	110.6	.96048110
Nashville	108.6	106.0	94.7	96.7	100.2	94.1	76.1	95.4	.95228628
White	116.2	97.8	103.6	94.4	109.4	102.1	76.4	105.3	.96272727
Colored	89.3	125.9	73.5	102.1	78.7	75.7	75.5	71.0	.90203562
New Bedford*	81.3	99.2	91.0	70.4	77.6	89.2	82.6	78.2	1.00765306
New Haven	134.7	107.0	132.4	116.8	121.9	103.7	104.4	119.3	.97886179
New Orleans	122.6	121.1	124.4	106.9	106.0	109.7	102.4	110.7	1.04404873
White	118.5	119.4	125.3	111.1	109.5	115.5	105.3	109.9	1.00362976
Colored	134.0	126.1	121.8	95.1	96.2	93.3	94.5	107.1	1.11375388
New York*	113.2	107.1	102.1	97.7	94.3	92.6	90.9	104.1	1.10421053
Bronx Borough	103.8	95.4	93.8	87.3	91.5	93.0	88.7	112.3	1.22698073
Brooklyn Borough	94.4	96.8	94.1	86.5	85.2	86.1	86.2	94.1	1.10452962
Manhattan Borough	143.9	121.7	114.6	112.9	104.4	101.0	97.8	112.1	1.07375479
Queens Borough	95.7	107.7	91.7	90.8	87.3	79.4	77.4	97.0	1.11111111
Richmond Borough	107.0	94.1	109.3	98.1	98.2	90.5	100.2	98.4	1.00201005
Newark, N. J.	93.4	97.6	90.3	99.1	90.2	92.2	85.6	102.1	1.13201320
Norfolk	(4)	58.5	60.8	70.1	71.4	72.8	74.3	88.9	1.24517906
White	(4)	69.9	71.9	80.7	85.7	74.7	90.6	99.9	1.16513761
Colored	(4)	38.3	42.5	52.6	47.6	69.8	47.7	58.8	1.23443983
Oakland	115.8	104.5	103.3	103.3	99.7	99.6	94.2	83.9	.84106614
Omaha	130.8	116.9	119.1	120.2	125.6	93.8	102.6	127.4	1.01419558
Paterson	124.4	111.0	107.6	105.5	103.4	102.7	100.5	102.1	.98747592
Philadelphia	114.7	117.0	105.8	109.4	98.5	98.1	100.7	93.5	.94964753
Pittsburgh	102.9	95.7	107.4	94.8	88.5	90.7	85.3	97.0	1.09561305
Portland, Oreg.	152.5	127.2	124.1	126.9	122.9	113.6	118.4	105.0	.85472155
Providence*	120.7	134.9	136.5	133.1	117.5	109.3	104.9	103.7	.88285229
Reading	103.7	107.3	99.1	89.8	100.7	79.2	78.9	86.8	.86152324
Richmond	92.0	87.3	87.5	86.5	82.7	77.5	78.1	84.1	1.01680672
White	96.3	96.6	101.8	101.4	80.0	90.3	87.8	78.4	.98019802
Colored	81.9	65.7	55.0	53.3	88.6	50.0	57.7	90.7	1.02367531
Rochester*	121.9	110.7	93.4	114.7	114.4	110.7	111.6	102.8	.89878893
St. Louis	133.3	118.6	116.4	115.9	109.6	104.5	100.6	99.7	.90925590
St. Paul	148.4	126.5	125.1	114.8	121.8	118.1	102.8	118.9	.97628782
Salt Lake City	99.6	110.9	100.1	99.5	85.5	100.9	78.6	88.3	1.03240741
San Antonio	68.4	84.4	78.1	75.3	98.4	69.6	81.9	110.1	1.11852590
San Francisco	167.4	158.6	164.0	152.7	151.2	151.4	143.1	130.9	.86566186
Scranton	96.1	101.0	83.7	87.0	94.1	97.5	81.3	106.5	1.13135593
Seattle	(4)	(4)	110.2	106.2	106.8	94.8	94.9	102.0	.95467160
Spokane	160.6	136.7	130.1	118.7	120.6	111.1	112.0	101.9	.84494196
Springfield,* Mass.	109.1	104.7	113.5	104.5	99.5	105.9	102.1	95.5	.95944609
Syracuse*	117.0	107.9	109.9	107.6	94.4	105.9	100.3	82.3	.87225131
Toledo	92.4	98.8	96.7	90.3	90.8	85.1	85.5	86.9	.95656895

See footnotes at end of table.

Table AP—Con. DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION

[Rates of 80 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Trenton	97.9	79.3	94.3	98.1	76.3	99.9	87.2	81.1	1.06355383
Washington, D. C.	115.2	103.2	115.2	117.9	97.3	100.4	99.5	87.0	.89441624
White	116.6	107.6	121.2	123.0	105.9	104.9	100.1	89.6	.84636872
Colored	111.0	89.3	97.6	103.0	71.7	87.4	97.9	73.0	1.01798064
Wilmington, Del.	101.3	82.4	83.1	76.7	91.7	89.5	79.9	91.2	.99460043
Worcester*	136.9	112.0	97.1	114.6	121.2	112.4	116.9	114.7	.94607843
Yonkers*	85.3	94.9	74.9	76.5	86.9	79.7	77.3	98.1	1.12870159
Youngstown	79.3	63.1	75.6	76.3	60.9	55.4	69.4	88.9	1.45967742

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Not computed.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
† See "Adjusted rates," p. 10.

Whether cancer is really increasing year after year or only apparently increasing has been a subject of controversy for years. Those who hold that the increase is only apparent maintain that improvement in diagnoses accounts for the increase in the recorded cancer rates, while the other side, admitting that improvement in diagnoses accounts for some of the recorded increase, still holds that there is an actual increase.

In the 1917 report of the Registrar-General of England and Wales, Dr. T. H. C. Stevenson presents some very convincing figures showing a recorded increase in the mortality from cancer of accessible sites, the argument being that here an actual increase can hardly be questioned, as we have no reason to think the diagnoses of cancer of accessible sites, such as the skin, mouth, and breast, are any better to-day than they were 20 years or more ago.

Table AQ substantiates these findings and shows conclusively that cancer of these sites increased very rapidly in this country between 1900 and 1920.

The 1924 adjusted rate (14.9) for these three accessible sites was slightly higher than the 1920 rate (14.5).

Table AQ DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION STATES OF 1900 (INCLUDING DISTRICT OF COLUMBIA)

SEX AND AGE	1924				1920				1910				1900			
	Total	Cancer			Total	Cancer			Total	Cancer			Total	Cancer		
		Of the buccal cavity	Of the breast	Of the skin		Of the buccal cavity	Of the breast	Of the skin		Of the buccal cavity	Of the breast[1]	Of the skin		Of the buccal cavity	Of the breast	Of the skin
BOTH SEXES																
All ages—Adjusted rate	14.9	3.1	9.7	2.2	14.5	2.9	9.2	2.5	13.1	2.7	7.9	2.5	8.4	1.4	5.0	1.9
Crude rate	17.0	3.8	10.7	2.6	16.3	3.5	9.9	2.9	14.0	3.1	8.2	2.8	8.8	1.6	5.1	2.1
Under 5 years	0.3	0.1	--------	0.2	0.3	0.1	--------	0.2	0.3	--------	0.1	0.2	0.2	0.1	--------	0.1
5 to 9 years	0.1	0.1	--------	0.1	0.2	(2)	(2)	0.1	0.2	0.2	--------	--------	0.2	0.1	0.1	0.1
10 to 14 years	0.2	0.2	--------	--------	0.2	0.1	(2)	(2)	(2)	(2)	--------	--------	--------	--------	--------	--------
15 to 19 years	0.2	(2)	(2)	0.1	0.1	(2)	--------	(2)	0.5	0.2	0.1	0.2	0.1	0.1	0.1	--------
20 to 24 years	0.4	0.1	0.2	0.2	0.5	0.1	0.2	0.2	0.4	--------	0.3	0.2	0.3	0.1	0.2	0.1
25 to 34 years	2.3	0.3	1.9	0.2	2.1	0.3	1.6	0.2	2.0	0.3	1.4	0.2	1.4	0.1	1.0	0.2
35 to 44 years	12.0	1.4	9.8	0.7	11.6	1.7	9.2	0.7	9.2	1.1	7.3	0.8	6.1	0.6	4.6	0.8
45 to 54 years	31.3	6.2	22.7	2.4	28.9	5.6	21.3	2.0	27.1	4.3	20.1	2.7	17.0	3.0	11.6	2.4
55 to 64 years	61.7	15.3	40.3	6.2	59.1	13.2	38.7	7.1	51.0	13.3	30.7	7.0	35.0	7.5	22.0	5.4
65 to 74 years	103.8	28.5	56.7	18.7	94.1	23.7	49.4	21.0	92.9	25.9	44.4	22.6	56.4	11.7	26.6	18.1
75 years and over	193.9	42.7	88.0	63.2	222.7	48.9	96.5	77.2	195.0	40.8	84.1	70.2	121.1	18.7	54.5	47.9
MALES																
All ages—Adjusted rate	8.6	5.6	0.2	2.8	8.9	5.3	0.2	3.3	8.0	4.7	--------	3.3	5.1	2.2	0.2	2.7
Crude rate	9.7	6.4	0.3	3.1	9.8	5.9	0.2	3.6	8.5	5.0	--------	3.5	5.4	2.3	0.2	2.9
Under 5 years	0.3	0.1	--------	0.1	0.5	0.3	--------	0.2	0.1	--------	--------	0.1	0.3	0.1	--------	0.2
5 to 9 years	0.1	0.1	--------	0.1	0.2	--------	--------	0.2	0.1	0.1	--------	--------	0.3	0.1	0.1	0.1
10 to 14 years	0.3	0.3	--------	--------	0.2	0.1	0.1	0.1	0.1	0.1	--------	--------	--------	--------	--------	--------
15 to 19 years	0.2	--------	0.1	0.1	0.2	0.1	--------	0.1	0.4	0.1	--------	0.3	0.1	0.1	--------	--------
20 to 24 years	0.3	0.1	--------	0.2	0.3	0.2	--------	0.1	0.3	--------	--------	0.3	0.2	0.1	0.1	--------
25 to 34 years	0.5	0.3	--------	0.2	0.7	0.4	--------	0.2	0.8	0.4	--------	0.3	0.6	0.2	0.1	0.3
35 to 44 years	3.2	2.1	0.1	1.0	3.9	2.8	(2)	1.0	2.9	1.8	--------	1.0	2.1	0.9	--------	1.1
45 to 54 years	14.2	10.6	0.5	3.1	12.8	9.4	0.3	3.1	11.0	7.7	--------	3.3	7.9	4.3	0.2	3.4
55 to 64 years	34.6	26.2	0.9	7.5	34.2	23.2	0.9	10.0	33.2	22.8	--------	10.4	19.9	11.5	0.8	7.6
65 to 74 years	76.1	49.6	2.3	24.2	71.7	43.3	1.6	26.7	74.4	44.2	--------	30.2	42.1	16.7	1.2	24.3
75 years and over	160.8	76.6	1.9	82.3	190.4	86.0	4.6	99.8	152.1	66.5	--------	85.6	101.6	29.4	4.2	67.9
FEMALES																
All ages—Adjusted rate	20.5	1.0	17.8	1.7	19.2	0.8	16.9	1.8	17.5	1.0	14.7	1.8	11.2	0.8	9.2	1.2
Crude rate	24.4	1.2	21.2	2.0	22.9	1.0	19.8	2.1	19.6	1.1	16.5	2.1	12.2	0.9	10.0	1.4
Under 5 years	0.3	--------	--------	0.3	0.1	--------	--------	0.1	0.6	--------	0.3	0.3	0.2	0.2	--------	--------
5 to 9 years	0.1	0.1	--------	0.1	0.2	0.1	0.1	--------	0.3	0.3	--------	--------	--------	--------	--------	--------
10 to 14 years	--------	--------	--------	--------	0.1	0.1	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------
15 to 19 years	0.2	0.1	--------	0.1	--------	--------	--------	--------	0.5	0.3	0.2	0.1	0.1	--------	0.1	--------
20 to 24 years	0.6	0.1	0.4	0.2	0.7	--------	0.5	0.2	0.6	--------	0.5	0.1	0.3	--------	0.2	0.1
25 to 34 years	4.1	0.2	3.7	0.2	3.5	0.2	3.2	0.2	3.2	0.2	3.0	--------	2.2	0.1	2.0	0.2
35 to 44 years	21.4	0.8	20.2	0.5	19.8	0.5	18.9	0.5	15.9	0.3	15.0	0.6	10.4	0.3	9.5	0.5
45 to 54 years	49.8	1.5	46.7	1.6	46.2	1.5	44.0	0.7	44.1	0.8	41.3	2.0	26.4	1.7	23.4	1.3
55 to 64 years	89.4	4.0	80.6	4.8	84.6	3.0	77.3	4.2	69.0	3.6	61.7	3.6	49.8	3.6	42.8	3.3
65 to 74 years	130.3	8.3	108.6	13.5	115.5	5.0	94.9	15.6	110.4	8.6	86.5	15.3	69.8	6.9	50.7	12.2
75 years and over	220.0	16.1	155.7	48.3	248.6	19.2	170.2	59.2	231.3	19.1	155.0	57.2	138.4	9.3	98.9	30.3

[1] Not tabulated separately for males, but included in cancer of other organs.
[2] Less than one-tenth of 1 per 100,000 population.

NOTE.—Populations and deaths at unknown age are distributed in computing the adjusted rates, but not the specific rates. Enumerated populations are used for 1900, 1910, and 1920, and estimated populations for 1924. For States included, see Table A.

Particular attention is called to the rates adjusted to the standard million population of England and Wales, 1901. In the registration States of 1900, the death rate from cancer of the buccal cavity was 1.4 per 100,000 population in 1900, 2.7 in 1910, 2.9 in 1920, and 3.1 in 1924; the death rate from cancer of the breast was 5 in 1900, 7.9 in 1910, 9.2 in 1920, and 9.7 in 1924; and the death rate from cancer of the skin was 1.9 in 1900, 2.5 each in 1910 and 1920, and 2.2 in 1924. Considering these three accessible sites together the adjusted rate of 8.4 in 1900 had increased to 14.9 in 1924, or 77.4 per cent in 24 years.

From the specific rates it appears that the increase between 1900 and 1924 was almost entirely due to increased rates at age periods above 35. The greatest increase from cancer of the buccal cavity was for males aged 75 years and over, the 1900 rate being 29.4 per 100,000 population and the 1924 rate, 76.6, an increase of 160.5 per cent in 24 years, while for males between 65 and 74 the rate was 16.7 in 1900 and 49.6 in 1924, or an increase of 197 per cent. The greatest increase from cancer of the breast was for females aged 65 to 74 years, the 1900 rate being 50.7 and the 1924 rate 108.6, an increase of 114.2 per cent in 24 years, whereas for females 75 years and over the rate was 98.9 in 1900 and 155.7 in 1924, or an increase of 57.4 per cent, and for those between 55 and 64 the rate was 42.8 in 1900 and 80.6 in 1924, or an increase of 88.3 per cent. The greatest increase from cancer of the skin was for females aged 75 years and over, the 1900 rate being 30.3 per 100,000 population and the 1924 rate 48.3, an increase of 59.4 per cent, while males 75 years of age and over had a rate of 67.9 in 1900 and a rate of 82.3 in 1924, or an increase of only 21.2 per cent.

The death rates from cancer of these three sites in each registration State of 1900 are shown in Table AR.

Table AR DEATH RATE PER 100,000 POPULATION IN EACH REGISTRATION STATE OF 1900

AREA AND CAUSE OF DEATH	Adjusted rate			Crude rate				
	1924	1923	1920	1924	1923	1920	1910	1900
Cancer of the buccal cavity, breast, and skin:								
Connecticut	16.5	16.2	15.7	17.6	17.3	16.9	15.0	12.2
Indiana	12.1	13.3	12.6	15.1	16.7	15.9	12.8	5.0
Maine	12.2	13.7	13.4	17.7	19.9	19.4	18.6	10.5
Massachusetts*	17.2	15.5	16.7	20.2	18.2	19.9	15.6	8.7
Michigan	12.2	12.4	11.1	12.9	13.1	12.9	12.4	10.2
New Hampshire	13.4	13.2	16.7	19.8	19.4	21.4	20.4	7.0
New Jersey	15.9	14.6	14.2	15.6	14.3	14.0	11.3	7.2
New York*	16.4	15.6	14.6	17.8	16.9	15.9	13.6	9.1
Rhode Island*	17.3	17.3	15.4	19.5	19.5	17.4	17.2	14.7
Vermont	15.6	14.2	14.4	23.7	21.6	21.8	20.8	9.6
District of Columbia	15.4	17.7	16.5	17.0	19.5	16.5	16.6	12.6
Cancer of the buccal cavity:								
Connecticut	3.5	3.3	2.7	4.0	3.7	3.1	3.3	1.9
Indiana	2.3	2.5	2.1	3.1	3.5	3.0	2.7	0.9
Maine	2.3	2.4	2.0	4.0	4.2	3.5	3.8	2.2
Massachusetts*	4.0	3.2	3.5	4.8	3.8	4.3	3.5	1.5
Michigan	2.4	2.4	2.4	2.9	2.9	3.1	3.0	2.0
New Hampshire	3.4	1.4	3.1	5.3	2.2	3.8	3.9	1.7
New Jersey	3.0	3.2	2.5	3.1	3.3	2.7	2.2	1.5
New York*	3.4	3.2	3.1	4.0	3.7	3.6	3.0	1.6
Rhode Island*	3.8	4.4	3.9	4.5	5.1	4.6	5.0	2.6
Vermont	2.9	2.4	3.0	4.8	4.0	5.1	3.7	1.5
District of Columbia	3.4	5.4	4.2	3.7	5.9	3.4	3.9	1.8
Cancer of the breast:								
Connecticut	10.3	10.6	10.0	10.7	11.0	10.5	9.3	7.0
Indiana	7.0	7.2	6.6	7.9	8.1	7.4	6.5	2.4
Maine	7.9	8.5	8.6	10.4	11.2	11.2	10.5	5.5
Massachusetts*	11.3	10.5	11.1	13.2	12.3	13.1	9.3	5.4
Michigan	8.0	8.3	6.7	7.7	8.0	7.3	6.5	5.5
New Hampshire	8.0	9.1	9.7	10.9	12.5	13.1	9.7	4.1
New Jersey	10.7	9.4	9.3	10.3	9.1	9.0	7.6	3.9
New York*	10.8	10.2	9.5	11.4	10.8	10.1	8.2	5.4
Rhode Island*	11.1	10.8	9.4	12.4	12.0	10.5	8.6	8.9
Vermont	10.4	7.9	8.9	14.5	11.1	12.5	12.1	5.2
District of Columbia	9.8	9.5	9.1	11.3	10.9	10.5	8.7	8.6
Cancer of the skin:								
Connecticut	2.7	2.4	3.0	2.9	2.6	3.3	2.4	3.3
Indiana	3.0	3.7	4.0	4.1	5.1	5.6	3.5	1.7
Maine	2.0	2.7	2.8	3.3	4.5	4.7	4.3	2.9
Massachusetts*	1.9	1.8	2.2	2.2	2.1	2.6	2.9	1.7
Michigan	2.0	1.9	2.0	2.4	2.2	2.5	2.8	2.6
New Hampshire	2.0	2.6	3.9	3.6	4.7	4.5	6.7	1.2
New Jersey	2.3	1.9	2.3	2.2	1.9	2.2	1.5	1.8
New York*	2.2	2.2	2.0	2.3	2.4	2.2	2.4	2.1
Rhode Island*	2.3	2.2	2.1	2.5	2.4	2.3	3.7	3.3
Vermont	2.4	3.7	2.4	4.3	6.5	4.3	5.1	2.9
District of Columbia	2.2	2.9	3.1	2.1	2.7	2.5	3.9	2.2

* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—Enumerated populations are used for 1900, and estimated populations for the other years.

Comparing the adjusted rates in 1924 from cancer of these three accessible sites, for each registration State of 1900, the highest rate (17.3 per 100,000 estimated population) was for Rhode Island and the lowest (12.1) for Indiana. The increase in the rate for Rhode Island for 1924 as compared with the rate for 1920 was due almost entirely to the increase in the rate from cancer of the breast, and the decrease in the Indiana rate for 1924 as compared with the rate for 1920 was due to the decrease in the rate from cancer of the skin.

Cancer and other malignant tumors include seven titles of the detailed International List of Causes of Death, to three of which were charged nearly two-thirds of all deaths from this cause in 1924. The total number of deaths was 91,138, and 34,250 of these, or 37.6 per cent, were due to cancer of the stomach and liver; 12,603, or 13.8 per cent, to cancer of the peritoneum, intestines, and rectum; and 12,836, or 14.1 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1923 and 1924, with the rates per 100,000 estimated population, is shown in Table AS.

Table AS DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)

SEAT OF DISEASE	Number		Rate per 100,000 estimated population		Per cent	
	1924	1923	1924	1923	1924	1923
Cancer and other malignant tumors	91,138	86,754	91.9	89.4	100.0	100.0
Cancer of the buccal cavity	3,130	2,992	3.2	3.1	3.4	3.4
Lip	540	462	0.5	0.5	0.6	0.5
Tongue	817	760	0.8	0.8	0.9	0.9
Mouth	300	335	0.3	0.3	0.3	0.4
Jaw	1,099	1,061	1.1	1.1	1.2	1.2
Others of this class	374	374	0.4	0.4	0.4	0.4
Cancer of the stomach and liver	34,250	33,080	34.5	34.1	37.6	38.1
Pharynx	1,007	957	1.0	1.0	1.1	1.1
Esophagus	1,527	1,445	1.5	1.5	1.7	1.7
Stomach	21,425	20,728	21.6	21.4	23.5	23.9
Liver and gall bladder	10,291	9,950	10.4	10.3	11.3	11.5
Cancer of the peritoneum, intestines, and rectum	12,603	11,951	12.7	12.3	13.8	13.8
Mesentery and peritoneum	770	775	0.8	0.8	0.8	0.9
Intestines (except rectum)	8,099	7,616	8.1	7.9	8.8	8.8
Rectum and anus	3,757	3,501	3.8	3.6	4.1	4.0
Others of this class	67	59	0.1	0.1	0.1	0.1
Cancer of the female genital organs	12,836	12,264	12.9	12.6	14.1	14.1
Ovary and Fallopian tube	1,050	976	1.1	1.0	1.2	1.1
Uterus	11,403	10,925	11.5	11.3	12.5	12.6
Vagina and vulva	320	315	0.3	0.3	0.4	0.4
Others of this class	63	48	0.1	(1)	0.1	0.1
Cancer of the breast	8,281	7,704	8.3	7.9	9.1	8.9
Cancer of the skin	2,630	2,618	2.7	2.7	2.9	3.0
Cancer of other or unspecified organs	17,408	16,145	17.5	16.6	19.1	18.6
Larynx	756	695	0.8	0.7	0.8	0.8
Lung and pleura	1,586	1,387	1.6	1.4	1.7	1.6
Pancreas	1,805	1,685	1.8	1.7	2.0	1.9
Kidneys and suprarenals	1,099	1,035	1.1	1.1	1.2	1.2
Prostate	2,558	2,282	2.6	2.4	2.8	2.6
Bladder	3,089	2,837	3.1	2.9	3.4	3.3
Brain	399	301	0.4	0.3	0.4	0.3
Bones (except jaw)	1,065	952	1.1	1.0	1.2	1.1
Testes	210	166	0.2	0.2	0.2	0.2
Others of this class	4,841	4,805	4.9	5.0	5.3	5.5

[1] Less than one-tenth of 1 per 100,000 population.

Of the total deaths from cancer, 51,273, or 56.3 per cent, were of females and 39,865, or 43.7 per cent, were of males. Year after year statistics show that more than half of those who die of cancer are females, although the male population of the area invariably exceeds the female. In 1924 cancers of the following sites showed a great excess of male deaths: Cancer of the buccal cavity (2,606 males and 524 females), cancer of the skin (1,638 males and 992 females), and cancer of other organs or of organs not specified (11,432 males and 5,976 females). Cancer of the stomach and liver (18,475 males and 15,775 females) caused nearly half of all cancer deaths of males, but only about one-third of the deaths of females. Cancer of the breast and cancer of the female genital organs caused 41 per cent of all cancer deaths among females in 1924.

In Table AT are shown for 1924, refined, adjusted, and crude rates from cancer for registration States and cities of 100,000 population or more in 1920. The refined rates were found by first allocating deaths

from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901 (see "Adjusted rates," p. 10). The following States had the greatest decreases of refined from crude rates: New Hampshire (41.8), Maine (36.7), Vermont (35.6), and California (30.4); the greatest increases were for Montana (15.8), Louisiana (14.8), and Mississippi (13.8).

Among the cities, Portland's (Oreg.) refined rate (102.1) was 50.4 below the crude rate (152.5); Spokane had a corresponding decrease of 49.9; Albany, 39.7; Boston, 37.6; San Francisco, 34.3; and Providence, 34.2; on the other hand, Youngstown's refined rate (110.1) was 30.8 above the crude rate (79.3). Detroit had a corresponding increase of 27.3; Jersey City, 23; Yonkers, 17.1; and Birmingham, 14.6.

Attention is called to the fact that while the range between the high and low refined rates was slightly more than between the high and low adjusted rates for States, it was much less than the range between the high and low adjusted rates for cities, and again much less than the range between the high and low crude rates for both States and cities (see Table AU).

Table AT

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1924			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
California	100.4	102.7	130.8	−30.4
Colorado	80.4	80.6	83.3	−2.9
Connecticut	97.5	95.9	105.0	−7.5
Delaware	80.4	79.2	93.7	−13.3
Florida*	59.9	63.4	58.7	+1.2
White	63.1	67.2	69.5	−6.4
Colored	46.2	47.6	36.1	+10.1
Georgia	(2)	(2)	46.0	(2)
White	(2)	(2)	51.2	(2)
Colored	(2)	(2)	38.4	(2)
Idaho	(2)	(2)	55.7	(2)
Illinois	95.6	95.9	101.4	−5.8
Indiana	78.2	77.5	96.2	−18.0
Iowa*	(2)	(2)	99.3	(2)
Kansas*	72.2	71.4	81.7	−9.5
Kentucky	(3)	62.7	61.3	(3)
White	(3)	61.8	60.0	(3)
Colored	(3)	70.0	74.1	(3)
Louisiana	76.8	78.2	62.0	+14.8
White	77.0	79.2	64.1	+12.9
Colored	76.6	76.5	58.5	+18.1
Maine	85.4	84.7	122.1	−36.7
Maryland	90.7	95.5	104.2	−13.5
White	91.4	96.3	108.8	−17.4
Colored	84.8	87.8	80.6	+4.2
Massachusetts*	102.6	103.9	123.1	−20.5
Michigan	85.8	85.5	92.5	−6.7
Minnesota	90.3	97.5	101.7	−11.4
Mississippi	60.0	57.9	46.2	+13.8
White	63.1	59.1	50.7	+12.4
Colored	56.5	56.3	42.1	+14.4
Missouri	82.0	83.4	95.5	−13.5
Montana	73.5	69.5	57.7	+15.8
Nebraska	81.7	81.1	84.2	−2.5
New Hampshire	93.9	91.0	135.7	−41.8
New Jersey	101.2	99.0	99.7	+1.5
New York*	104.3	105.3	115.9	−11.6
North Carolina	60.7	60.0	47.9	+12.8
White	62.1	61.3	51.7	+10.4
Colored	54.4	53.9	38.9	+15.5
North Dakota*	(2)	(2)	61.5	(2)
Ohio	82.6	82.5	95.4	−12.8
Oregon	90.3	94.2	111.3	−21.0
Pennsylvania	90.8	90.1	91.5	−0.7
Rhode Island*	109.1	101.6	115.1	−6.0
South Carolina	(3)	57.7	41.7	(3)
White	(3)	65.0	51.7	(3)
Colored	(3)	48.0	31.6	(3)

Table AT—Con.

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1924			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
Tennessee	57.4	58.2	52.8	+4.6
White	55.9	57.0	52.3	+3.6
Colored	62.2	62.2	55.2	+7.0
Utah	79.4	82.7	67.9	+11.5
Vermont	84.1	81.4	119.7	−35.6
Virginia	68.1	67.2	61.1	+7.0
White	68.5	67.5	64.2	+4.3
Colored	64.8	64.1	53.4	+11.4
Washington	89.7	88.8	95.7	−6.0
Wisconsin	90.7	88.9	101.0	−10.3
Wyoming	(2)	(2)	44.3	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920				
Akron	(4)	(4)	(4)	(4)
Albany*	107.2	115.2	146.9	−39.7
Atlanta	(4)	(4)	(4)	(4)
White	(4)	(4)	(4)	(4)
Colored	(4)	(4)	(4)	(4)
Baltimore	103.7	121.1	129.2	−25.5
White	103.5	120.9	132.4	−28.9
Colored	99.2	115.3	110.5	−11.3
Birmingham	92.8	108.0	78.2	+14.6
White	92.5	110.7	84.4	+8.1
Colored	88.4	97.4	68.5	+19.9
Boston*	115.8	138.2	153.4	−37.6
Bridgeport	(4)	(4)	(4)	(4)
Buffalo*	107.8	117.3	118.3	−10.5
Cambridge*	122.2	119.3	136.2	−14.0
Camden	86.5	99.2	92.6	−6.1
Chicago	112.8	117.6	108.2	+4.6
Cincinnati	96.1	102.1	128.2	−32.1
Cleveland	95.9	100.2	82.4	+13.5
Columbus	89.3	108.3	123.4	−34.1
Dallas	84.7	104.8	86.2	−1.5
White	80.8	101.9	86.4	−5.6
Colored	114.3	125.6	85.4	+28.9
Dayton	95.9	103.0	112.3	−16.4
Denver	92.7	103.0	123.0	−30.3
Des Moines*	(2)	(2)	87.9	(2)
Detroit	102.1	103.5	74.8	+27.3
Fall River*	106.7	111.4	111.9	−5.2
Fort Worth	(2)	(2)	55.4	(2)
White	(2)	(2)	59.4	(2)
Colored	(2)	(2)	26.9	(2)
Grand Rapids	94.1	90.6	103.8	−9.7
Hartford	96.2	123.6	124.2	−28.0
Houston	92.9	94.4	80.6	+12.3
White	97.4	99.2	87.6	+9.8
Colored	69.0	69.0	57.1	+11.9
Indianapolis	85.7	91.8	102.5	−16.8
White	83.4	90.1	103.1	−19.7
Colored	119.0	119.0	98.1	+20.9
Jersey City	129.7	123.5	106.7	+23.0
Kansas City,* Kans.	93.2	104.9	100.3	−7.1
White	(2)	(2)	104.9	(2)
Colored	(2)	(2)	72.5	(2)
Kansas City, Mo.	91.1	99.8	109.0	−17.9
Los Angeles	(4)	(4)	(4)	(4)
Louisville	89.6	89.0	104.6	−15.0
White	89.0	88.2	105.1	−16.1
Colored	80.1	80.1	101.7	−21.6
Lowell*	101.6	96.5	103.0	−1.4
Memphis	91.9	115.3	108.5	−16.6
White	91.5	125.5	121.2	−29.7
Colored	81.7	84.9	86.4	−4.7
Milwaukee	108.1	112.0	107.6	+0.5
Minneapolis	98.1	125.6	130.8	−32.7
Nashville	81.8	103.4	108.6	−26.8
White	88.9	111.9	116.2	−27.3
Colored	63.2	81.0	89.8	−26.6
New Bedford*	85.9	82.4	81.8	+4.1
New Haven	115.1	131.9	134.7	−19.6
New Orleans	108.4	128.0	122.6	−14.2
White	102.1	118.9	118.5	−16.4
Colored	122.2	149.2	134.0	−11.8
New York*	121.4	125.0	113.2	+8.2
Bronx Borough	124.2	127.4	103.8	+20.4
Brooklyn Borough	104.3	104.3	94.4	+9.9
Manhattan Borough	145.7	154.5	143.9	+1.8
Queens Borough	105.7	106.3	95.9	+10.0
Richmond Borough	106.4	107.2	107.0	−0.6
Newark, N. J.	97.8	105.7	93.4	+4.4
Norfolk	(4)	(4)	(4)	(4)
White	(4)	(4)	(4)	(4)
Colored	(4)	(4)	(4)	(4)
Oakland	92.7	97.4	115.8	−23.1
Omaha	106.8	132.7	130.8	−24.0
Paterson	110.9	122.8	124.4	−13.5
Philadelphia	108.6	108.9	114.7	−6.1
Pittsburgh	106.1	112.7	102.9	+3.2
Portland, Oreg.	102.1	130.3	152.5	−50.4

(See footnotes at end of table)

Table AT—Con.

AREA	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION: 1924			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued				
Providence*	86.5	106.6	120.7	−34.7
Reading	90.1	89.3	103.7	−13.6
Richmond	80.8	93.5	92.0	−11.2
White	81.5	94.4	96.3	−14.8
Colored	72.7	83.8	81.9	−9.2
Rochester*	106.4	109.6	121.9	−15.5
St. Louis	107.4	121.2	133.3	−25.9
St. Paul	120.9	144.9	148.4	−27.5
Salt Lake City	78.7	102.8	99.6	−20.9
San Antonio	73.0	76.5	68.4	+4.6
San Francisco	133.1	144.9	167.4	−34.3
Scranton	105.6	108.7	96.1	+9.5
Seattle	[4]	[4]	[4]	[4]
Spokane	110.7	135.7	160.6	−49.9
Springfield,* Mass	89.6	104.7	109.1	−19.5
Syracuse*	98.2	102.1	117.0	−18.8
Toledo	84.9	88.4	92.4	−7.5
Trenton	100.1	104.1	97.9	+2.2
Washington, D. C	99.9	103.0	115.2	−15.3
White	95.9	98.7	116.6	−20.7
Colored	108.7	113.0	111.0	−2.3
Wilmington, Del	101.3	101.3	101.8	−0.5
Worcester*	117.0	129.5	136.9	−19.9
Yonkers*	102.4	96.3	85.3	+17.1
Youngstown	110.1	115.8	79.3	+30.8

[1] Refined rates have been found by first allocating deaths from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901 (see p. 10).
[2] Not computed.
[3] Reliable data for nonresidents not available.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

Table AU

AREAS HAVING HIGHEST AND LOWEST RATES	Death rate from cancer in 1924 per 100,000 estimated population	Difference between high and low rate
STATES		
Highest refined rate—Rhode Island	109.1	51.7
Lowest refined rate—Tennessee	57.4	
Highest adjusted rate—New York	105.3	47.6
Lowest adjusted rate—South Carolina	57.7	
Highest crude rate—New Hampshire	135.7	94.0
Lowest crude rate—South Carolina	41.7	
CITIES		
Highest refined rate—San Francisco	133.1	60.1
Lowest refined rate—San Antonio	73.0	
Highest adjusted rate—San Francisco and St. Paul (each)	144.9	68.4
Lowest adjusted rate—San Antonio	76.5	
Highest crude rate—San Francisco	167.4	112.0
Lowest crude rate—Fort Worth	55.4	

Table AV shows for each registration State of 1900 refined and crude rates from cancer of the buccal cavity, breast, and skin, for 1924. For every State but New Jersey, the refined rate from these three sites was lower than the crude rate; for Vermont, New Hampshire, and Maine the decreases were 8.1, 5.8, and 5.2, respectively.

DIAGRAM 7.—REFINED DEATH RATES FROM CANCER PER 100,000 ESTIMATED POPULATION: 1924

[Rates are shown in Table AT]



Table AV

DEATH RATE PER 100,000 ESTIMATED POPULATION IN 1924 FROM CANCER OF THE—

AREA	Buccal cavity, breast, and skin				Buccal cavity				Breast				Skin			
	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate	Refined rate [1]	Adjusted rate	Crude rate	Difference between refined and crude rate
Connecticut	16.9	16.5	17.6	−0.7	3.7	3.5	4.0	−0.3	10.4	10.3	10.7	−0.3	2.7	2.7	2.9	−0.2
Indiana	12.1	12.1	15.1	−3.0	2.3	2.3	3.1	−0.8	7.0	7.0	7.9	−0.9	3.0	3.0	4.1	−1.1
Maine	12.5	12.2	17.7	−5.2	2.4	2.3	4.0	−1.6	8.0	7.9	10.4	−2.4	2.1	2.0	3.3	−1.2
Massachusetts *	16.9	17.2	20.2	−3.3	3.9	4.0	4.8	−0.9	11.1	11.3	13.2	−2.1	1.9	1.9	2.2	−0.3
Michigan	12.2	12.2	12.9	−0.7	2.4	2.4	2.9	−0.5	7.9	8.0	7.7	+0.2	2.0	2.0	2.4	−0.4
New Hampshire	14.0	13.4	19.8	−5.8	3.7	3.4	5.3	−1.6	8.3	8.0	10.9	−2.6	2.0	2.0	3.6	−1.6
New Jersey	16.2	15.9	15.6	+0.6	3.1	3.0	3.1	----------	10.8	10.7	10.3	+0.5	2.3	2.3	2.2	+0.1
New York *	16.2	16.4	17.8	−1.6	3.4	3.4	4.0	−0.6	10.7	10.8	11.4	−0.7	2.2	2.2	2.3	−0.1
Rhode Island *	17.1	17.3	19.5	−2.4	3.7	3.8	4.5	−0.8	11.1	11.1	12.4	−1.3	2.3	2.3	2.5	−0.2
Vermont	15.6	15.6	23.7	−8.1	2.9	2.9	4.8	−1.9	10.4	10.4	14.5	−4.1	2.4	2.4	4.3	−1.9
District of Columbia	15.9	15.4	17.0	−1.1	3.4	3.4	3.7	−0.3	10.2	9.8	11.3	−1.1	2.2	2.2	2.1	+0.1

[1] Refined rates have been found by first allocating deaths from cancer to areas of residence and computing rates, and then by applying to these rates the corrective factors necessary to change the crude rates from cancer to adjusted rates, based on the standard million population of England and Wales, 1901 (for explanation of adjusted rates, see p. 10).

*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

Diagram 8 shows for 1924 cancer mortality rates by sex, color, and age; (A) on an arithmetic scale and (B) on a semilogarithmic scale.

Diagram 9 clearly pictures the course of cancer rates in various States in recent years. Note that the crude rates were much higher than the adjusted rates in States where the proportion of old persons was high, as in Maine, New Hampshire, and Vermont, whereas, in younger States, such as Montana and Utah, the adjusted rates were much higher than the crude. So also for the Maryland colored the younger population resulted in an adjusted rate higher than the crude. According to the Federal census of 1920, the percentages of persons 45 years of age and over in Maine, New Hampshire, and Vermont were, respectively, 28.1, 28.6, and 28.5, whereas, in Montana and Utah, the corresponding percentages were 18.4 and 16.7, and for the colored in Maryland the percentage was 19.1.

DEATH RATE FROM CANCER IN THE REGISTRATION STATES [1] OF 1900 PER 100,000 ESTIMATED POPULATION

Table AW

YEAR	Adjusted rate	Crude rate	YEAR	Adjusted rate	Crude rate
1900	60.7	64.0	1913	81.2	88.8
1901	62.7	66.2	1914	81.1	89.2
1902	62.4	66.1	1915	83.2	92.0
1903	65.8	69.8	1916	84.5	93.9
1904	67.2	71.5	1917	85.1	95.0
1905	69.1	73.7	1918	84.4	94.7
1906	69.2	73.9	1919	84.9	95.8
1907	71.3	76.3	1920	87.2	98.9
1908	72.0	77.2	1921	90.0	102.6
1909	74.0	79.6	1922	91.6	105.0
1910	77.0	83.0	1923	92.5	106.6
1911	77.5	83.9	1924	94.7	109.8
1912	79.0	86.0			

[1] For States included, see Table A.

NOTE.—The ratios of adjusted to crude rates in 1900, 1910, and 1920 were determined, and the ratios of adjusted to crude rates for the intervening and following years were estimated by assuming that they were in arithmetic progression. The adjusted rates shown in this table were obtained by applying the estimated ratio for each year to the crude rate for that year. For explanation of adjusted rates, see p. 10.

DIAGRAM 8.—DEATH RATES FROM CANCER, BY SEX, COLOR, AND AGE, PER 100,000 ESTIMATED POPULATION, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA); (A) ON AN ARITHMETIC SCALE AND (B) ON A SEMILOGARITHMIC SCALE: 1924

[Rates are shown in Appendix Table 2]



DIAGRAM 9.—ADJUSTED AND CRUDE DEATH RATES FROM CANCER PER 100,000 ESTIMATED POPULA

[Rates are shown in Tables AW and AX]



TION, IN THE REGISTRATION STATES OF 1900, 1900 TO 1924, AND IN CERTAIN STATES, 1910 TO 1924

[Rates are shown in Table AX]



Table AX

STATE		DEATH RATE FROM CANCER PER 100,000 ESTIMATED POPULATION													
		1910	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
California	Adjusted rate	74.9	77.9	82.2	81.1	79.8	79.4	82.4	81.8	83.8	85.8	87.7	95.1	96.8	102.7
	Crude rate	83.9	89.4	95.5	95.4	95.1	95.9	100.8	101.3	105.3	109.2	111.7	121.1	123.3	130.8
Colorado	Adjusted rate	67.3	66.8	58.1	66.5	60.7	67.4	70.7	77.1	68.2	70.6	72.3	71.4	83.1	80.6
	Crude rate	58.4	59.8	53.0	61.6	57.2	64.7	69.1	76.7	69.2	73.0	74.7	73.8	85.9	83.3
Connecticut	Adjusted rate	72.6	73.3	76.3	77.2	82.2	82.7	84.2	85.8	86.2	91.9	88.5	95.9	90.7	95.9
	Crude rate	79.7	80.4	83.7	84.6	90.1	90.6	92.3	94.0	94.4	100.6	96.9	105.0	99.3	105.0
Indiana	Adjusted rate	63.3	65.1	70.4	67.8	70.1	71.2	74.0	73.2	71.2	72.4	74.2	76.9	79.9	77.5
	Crude rate	70.1	73.7	80.6	78.5	82.1	84.3	88.7	88.7	87.4	89.9	92.2	95.5	99.2	96.2
Maine	Adjusted rate	72.8	79.0	77.1	77.2	76.3	81.0	75.8	76.9	80.9	84.9	80.8	86.3	88.8	84.7
	Crude rate	101.5	110.8	108.5	109.0	108.2	115.2	108.1	110.1	116.2	122.4	116.5	124.4	128.0	122.1
Maryland	Adjusted rate	71.5	76.1	79.1	76.9	83.7	81.0	82.2	78.3	80.9	86.2	85.3	91.2	99.3	95.5
	Crude rate	72.5	78.3	81.9	80.2	88.0	85.7	87.7	84.1	87.6	94.1	93.1	99.5	108.3	104.2
White	Adjusted rate	74.1	77.7	79.8	78.1	87.3	83.8	84.1	80.8	82.5	87.7	86.9	92.5	100.2	96.3
	Crude rate	77.6	82.6	85.4	84.2	94.9	91.8	92.8	89.9	92.4	99.0	98.1	104.4	113.1	108.8
Colored	Adjusted rate	55.2	65.2	72.1	67.4	60.9	62.2	69.1	61.3	69.8	76.3	74.6	81.7	91.8	87.8
	Crude rate	49.4	58.6	65.0	60.9	55.2	56.5	62.9	56.0	63.9	70.0	68.5	75.0	84.2	80.6
Massachusetts*	Adjusted rate	84.2	87.2	90.1	89.6	91.6	95.7	94.5	93.0	90.9	97.3	99.6	98.4	99.8	103.9
	Crude rate	93.5	98.0	102.0	102.0	105.0	110.4	109.7	108.7	107.0	115.3	118.0	116.6	118.2	123.1
Michigan	Adjusted rate	66.9	68.2	69.9	68.3	71.0	73.4	73.1	75.2	75.5	77.2	81.2	81.1	81.7	85.5
	Crude rate	74.7	75.7	77.3	75.3	78.1	80.4	79.9	81.9	81.9	83.5	87.8	87.7	88.4	92.5
Minnesota	Adjusted rate	73.9	74.8	79.5	80.2	81.7	87.6	83.9	82.1	86.6	91.4	85.7	90.0	96.1	97.5
	Crude rate	67.2	69.8	75.2	76.9	79.4	86.3	83.9	83.2	89.1	95.4	89.4	93.9	100.3	101.7
Montana	Adjusted rate	61.5	56.6	67.1	67.9	64.1	67.0	71.1	67.4	68.9	60.9	65.9	69.6	65.6	69.5
	Crude rate	41.3	39.5	47.8	49.4	47.6	50.8	55.1	53.4	55.9	50.6	54.7	57.8	54.5	57.7
New Hampshire	Adjusted rate	69.5	75.3	73.0	70.2	75.9	77.0	72.5	73.6	73.2	78.8	80.4	91.8	82.3	91.0
	Crude rate	98.4	107.7	104.9	101.4	110.2	112.4	106.4	108.6	108.5	117.4	119.8	136.9	122.7	135.7
New Jersey	Adjusted rate	77.6	79.5	81.0	81.2	83.0	83.9	85.2	81.5	87.1	86.0	92.7	90.5	93.0	99.0
	Crude rate	74.1	76.7	78.6	79.2	81.4	82.7	84.4	81.2	87.2	86.6	93.3	91.1	93.6	99.7
New York*	Adjusted rate	82.5	84.1	85.6	87.5	89.2	89.1	90.4	89.8	90.3	91.8	96.0	99.2	102.6	105.3
	Crude rate	84.5	87.3	89.5	92.2	94.7	95.2	97.3	97.3	98.7	101.0	105.7	109.2	112.9	115.9
Ohio	Adjusted rate	67.5	70.2	70.8	71.1	71.9	76.3	76.1	74.6	74.4	77.0	77.7	79.9	81.9	82.5
	Crude rate	75.2	78.8	79.7	80.4	81.6	86.9	87.0	85.6	85.7	89.0	89.8	92.3	94.6	95.4
Pennsylvania	Adjusted rate	70.2	71.6	75.7	75.9	76.9	79.4	81.4	78.2	80.2	82.1	84.1	85.2	89.3	90.1
	Crude rate	66.3	68.6	73.0	73.8	75.3	78.3	80.9	78.3	80.9	83.4	85.4	86.5	90.7	91.5
Rhode Island*	Adjusted rate	83.9	86.8	90.2	88.2	89.0	89.4	91.9	86.1	85.9	88.0	97.4	106.9	100.9	101.6
	Crude rate	87.1	91.6	96.1	94.7	96.4	97.7	101.4	95.8	96.5	99.7	110.4	121.1	114.4	115.1
Utah	Adjusted rate	47.0	62.4	68.2	59.8	62.7	73.3	68.7	64.7	73.0	67.1	77.1	82.1	80.7	82.7
	Crude rate	35.7	48.1	53.0	46.8	49.5	58.3	55.1	52.3	59.5	55.1	63.3	67.4	66.3	67.9
Vermont	Adjusted rate	78.0	78.2	79.2	77.9	73.8	81.6	76.5	70.9	77.3	85.7	77.2	88.0	84.7	81.4
	Crude rate	110.4	111.5	113.3	112.0	106.5	118.2	111.2	103.4	113.2	126.0	113.5	129.4	124.6	119.7
Washington	Adjusted rate	62.5	65.7	66.8	77.3	71.4	77.4	72.8	74.0	74.2	76.2	79.6	84.1	84.3	88.8
	Crude rate	51.7	57.0	59.4	70.5	66.9	74.4	71.0	75.3	77.7	82.1	85.8	90.7	90.9	95.7
Wisconsin	Adjusted rate	72.6	72.7	73.3	75.0	74.3	76.3	74.8	73.0	77.6	77.7	85.9	81.7	81.4	88.9
	Crude rate	75.3	76.7	78.1	80.6	80.5	83.5	82.6	81.4	87.3	88.2	97.6	92.8	92.5	101.0

*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—The ratios of adjusted to crude rates in 1910 and 1920 were determined, and the ratios of adjusted to crude rates for the intervening years were estimated by assuming that they were in arithmetic progression. The adjusted rates shown in this table were obtained by applying the estimated ratio for each year to the crude rate for that year. For explanation of adjusted rates, see p. 10.

PELLAGRA

The number of deaths caused by pellagra in 1924 was 2,347, corresponding to a death rate of 2.4 per 100,000 estimated population, the same rate as in 1923. There was a considerable decrease in the number of deaths in 1924, as compared with 1923, for both the urban and the rural part of Georgia (respectively, 76 against 123, and 258 against 314).

Table AY

AREA		NUMBER OF DEATHS FROM PELLAGRA									
		1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]		2,347	2,352	2,640	2,541	2,322	2,806	3,741	3,666	2,390	2,843
Registration States [2]		2,206	2,245	2,514	2,348	2,122	2,568	3,126	2,843	1,807	1,058
Cities in registration States [2]		558	597	688	610	594	693	930	801	558	437
Rural part of registration States		1,648	1,648	1,826	1,738	1,528	1,875	2,196	2,042	1,249	621
Registration cities in non-registration States		141	107	126	193	200	238	615	823	583	1,785
All registration cities [2]		699	704	814	803	794	931	1,545	1,624	1,141	2,222
California	Urban	13	14	6	9	5	11	16	8	14	11
	Rural	15	19	7	6	7	12	6	16	11	17
Colorado	Urban			2	1		2	2	2	2	
	Rural		4	2	4	1	1		2	1	2
Connecticut	Urban	2	2		1	1	4	4	4	1	1
	Rural						1		1		

Table AY—Con.

AREA		NUMBER OF DEATHS FROM PELLAGRA									
		1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
Florida	Urban	22	27	17	31	30	30	(3)	(3)	(3)	(3)
	Rural	80	74	93	100	84	95	(4)	(4)	(4)	(4)
Georgia	Urban	76	123	149	(3)	(3)	(3)	(3)	(3)	(3)	(3)
	Rural	258	314	349	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois	Urban	5	2	4	3	3	7	8	(3)	(3)	(3)
	Rural	2	3	4	6	8	10	18	(4)	(4)	(4)
Indiana	Urban		1	1	2	1	1	3	4	1	3
	Rural	1			4	2	4	9	2	3	6
Iowa	Urban	1		(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
	Rural		3	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Kansas	Urban	5	3	3	2	2	3	8	12	3	6
	Rural	5	1	6	4	6	16	14	16	7	22
Kentucky	Urban	4	4	7	15	10	17	27	37	8	14
	Rural	54	64	66	50	55	94	120	160	116	135
Louisiana	Urban	51	44	52	60	61	73	100	(3)	(3)	(3)
	Rural	135	108	82	121	142	154	163	(4)	(4)	(4)
Maine	Urban		2	1	1		2	10	10	5	4
	Rural	2	3	6	7	4	3	6	9	10	6
Maryland	Urban	2	5	1	4	4	4	5	5	2	9
	Rural	1	1	3	2	4	5	13	11	1	7
Massachusetts	Urban	11	9	6	13	9	7	15	10	23	16
	Rural	1	2	3		2	7	6	9	17	9
Michigan	Urban	5	5	1	2	4	2	7	5	3	8
	Rural		1	1		1	2	2	1	2	4
Minnesota	Urban	1	3	1	1		1	2			
	Rural			1	1	1	1	2		2	1
Mississippi	Urban	56	50	90	115	153	126	(3)	(3)	(3)	(3)
	Rural	378	359	360	568	405	369	(4)	(4)	(4)	(4)
Missouri	Urban	6	4	5	8	11	9	11	19	11	12
	Rural	10	8	9	12	14	16	45	40	30	22

(See footnotes at end of table)

Table AY—Con.

AREA		NUMBER OF DEATHS FROM PELLAGRA									
		1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
Montana	Rural	1									
Nebraska	Urban		1				(3)	(3)	(3)	(3)	(3)
	Rural		1	1	1	1	(4)	(4)	(4)	(4)	(4)
New Hampshire	Urban	2	1	2			1	2	3	8	2
	Rural	2	1	1		1	1		2	3	3
New Jersey	Urban	3	2	4	2	1	3	2	1	3	3
	Rural						1		1	1	2
New York	Urban	13	13	4	12	8	13	18	28	22	8
	Rural	4	1	4	7	4	8	3	1	6	4
North Carolina	Urban	65	46	74	84	76	77	143	128	97	195
	Rural	216	193	256	254	242	323	553	492	388	[5] 152
Ohio	Urban	5		3	2	2	2	3	2	4	2
	Rural	2	1	2	1	1	6	4	1	1	3
Oregon	Urban	1		1				1	(3)	(3)	(3)
	Rural	1	1	1				1	(4)	(4)	(4)
Pennsylvania	Urban	6	6	5	4	2	3	4	5	2	5
	Rural	3	2		2	2	3	3		2	1
Rhode Island	Urban	1	1	2	4	3	4	7	6	8	9
	Rural										
South Carolina	Urban	121	138	157	129	102	126	273	241	257	(3)
	Rural	215	194	270	238	204	275	468	473	472	(4)
Tennessee	Urban	56	64	57	70	62	95	144	153	(3)	(3)
	Rural	207	234	216	259	240	340	532	597	(4)	(4)
Utah	Urban			1			1				
Vermont	Urban						1	1	2		1
	Rural	1	1		2	1	6	4	3	2	2
Virginia	Urban	23	25	28	32	39	57	104	101	74	110
	Rural	52	53	80	87	95	120	223	201	174	222
Washington	Urban			1			1				2
	Rural	1		1	1				2		
Wisconsin	Urban	1	2	1				1	1	1	
	Rural		2	2	1	1	2	1	2		1
Wyoming	Rural	1			(4)	(4)	(4)	(4)	(4)	(4)	(4)
Washington, D. C		1		2	3	5	10	9	14	9	16

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration States.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.

DIABETES MELLITUS

The number of deaths from diabetes mellitus in 1924 was 16,453, corresponding to a crude death rate of 16.6 per 100,000 estimated population, against a rate of 17.9 for 1923. This lower rate and the great discovery of the remedy "insulin" strengthen the hope that the peak of mortality from diabetes mellitus has been passed.

Table AZ shows the death rates per 100,000 estimated population for 1915 to 1924, with rates of 20 or more in bold-faced type.

Table AZ

AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	16.6	17.9	18.4	16.8	16.1	14.9	15.9	17.0	17.1	17.5
Registration States [1]	16.7	17.9	18.5	16.8	16.2	14.9	16.0	17.0	17.1	17.7
Cities in registration States [1]	20.2	21.9	22.4	20.2	19.4	18.0	18.8	20.3	20.0	20.1
Rural part of registration States	13.4	14.3	14.9	13.6	13.1	12.2	13.4	14.1	14.4	15.4
Registration cities in nonregistration States	12.3	14.9	15.1	17.0	11.4	12.6	13.2	16.7	17.7	15.7
All registration cities [1]	20.0	21.7	22.2	20.1	19.1	17.8	18.6	19.8	19.7	19.4
California	19.9	20.9	22.3	20.3	17.1	17.3	16.4	18.9	18.1	17.6
Colorado	9.9	13.1	14.6	14.3	14.5	10.8	13.1	14.2	11.2	12.4
Connecticut	19.3	22.8	22.6	22.2	21.1	19.5	19.8	21.7	22.0	22.3
Delaware	15.5	13.5	16.2	14.6	10.7	11.3	(2)	(2)	(2)	(2)
Florida*	10.3	10.6	10.3	10.4	8.8	7.2	(2)	(2)	(2)	(2)
White	12.9	12.0	12.9	13.3	11.4	9.9	(2)	(2)	(2)	(2)
Colored	4.8	7.7	4.8	4.5	3.6	2.1	(2)	(2)	(2)	(2)
Georgia	8.8	9.0	9.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.7	11.0	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	7.5	6.1	5.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	11.2	10.6	14.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	18.0	20.3	20.9	18.0	17.9	15.9	16.8	(2)	(2)	(2)
Indiana	18.1	20.1	19.4	16.3	16.5	16.5	17.1	18.0	17.0	17.9
Iowa*	18.8	18.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)

Table AZ—Con.

AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
Kansas*	15.0	17.7	19.9	15.6	16.6	15.2	15.3	18.1	17.7	17.2
Kentucky	9.5	10.8	8.1	8.7	7.5	7.8	7.5	9.7	9.7	8.5
White	9.1	11.2	7.7	8.5	7.2	7.8	7.0	9.7	9.5	8.4
Colored	12.9	7.5	11.3	11.2	10.2	7.6	12.1	10.3	11.4	9.7
Louisiana	8.8	9.6	9.2	9.4	7.8	6.6	6.3	(2)	(2)	(2)
White	9.7	11.0	11.6	11.9	9.5	7.9	8.5	(2)	(2)	(2)
Colored	7.3	7.3	5.2	5.6	5.1	4.7	2.8	(2)	(2)	(2)
Maine	20.1	22.5	25.3	26.0	21.8	20.9	21.9	27.8	20.0	23.1
Maryland	19.8	19.7	20.3	17.1	17.0	16.2	16.8	14.6	15.8	13.8
White	21.0	21.6	21.3	18.5	18.2	17.1	17.6	16.2	17.1	15.7
Colored	13.6	10.0	14.9	10.1	11.4	11.9	12.8	7.0	9.6	4.6
Massachusetts*	18.6	21.4	24.0	20.2	20.9	19.5	20.9	21.3	23.3	21.6
Michigan	16.4	17.9	17.9	16.5	16.3	15.7	16.8	17.3	15.9	16.7
Minnesota	16.7	17.6	21.4	18.2	17.3	13.6	16.8	15.6	16.4	16.3
Mississippi	7.6	6.1	7.3	5.8	5.8	5.0	(2)	(2)	(2)	(2)
White	7.1	8.5	10.0	8.5	7.6	6.0	(2)	(2)	(2)	(2)
Colored	8.0	3.8	4.8	3.3	4.1	4.0	(2)	(2)	(2)	(2)
Missouri	16.7	17.2	18.2	15.9	12.1	13.9	14.6	14.4	15.4	14.3
Montana	8.3	9.5	12.0	9.9	10.8	10.0	14.9	12.9	15.2	13.9
Nebraska	19.5	22.0	22.9	19.5	20.7	(2)	(2)	(2)	(2)	(2)
New Hampshire	23.2	27.7	31.1	29.0	23.4	16.0	22.0	25.7	23.7	22.9
New Jersey	20.9	20.0	21.4	19.7	18.6	17.4	18.5	21.3	18.8	19.0
New York*	23.6	25.7	26.9	23.4	23.3	21.2	22.4	24.2	22.5	24.5
North Carolina	9.0	8.6	8.7	7.5	7.7	6.2	7.2	6.5	6.6	[3] 9.0
White	8.9	9.2	9.9	8.3	8.6	7.2	7.9	7.7	7.6	11.3
Colored	9.2	7.4	5.9	5.6	5.6	3.9	5.4	3.7	4.4	4.7
North Dakota*	13.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	16.7	19.5	18.2	18.0	17.6	16.3	15.9	16.6	18.7	16.0
Oregon	20.7	17.4	23.5	21.2	17.5	21.1	17.1	(2)	(2)	(2)
Pennsylvania	18.6	18.8	17.9	17.3	16.3	14.5	15.5	16.9	15.8	15.8
Rhode Island*	22.9	23.8	23.2	19.7	20.2	24.5	18.3	20.2	20.4	24.0
South Carolina	9.3	8.6	7.6	7.3	6.2	6.0	7.1	5.4	4.6	(2)
White	12.9	10.8	10.4	10.2	9.0	9.0	10.2	7.0	7.0	(2)
Colored	5.7	6.4	4.8	4.4	3.6	3.1	4.2	3.8	2.3	(2)
Tennessee	8.3	7.0	7.7	6.1	6.2	6.6	6.8	7.0	(2)	(2)
White	8.0	7.1	7.9	6.3	6.1	6.8	7.2	7.5	(2)	(2)
Colored	9.5	6.5	6.9	5.4	6.4	5.7	5.3	4.8	(2)	(2)
Utah	12.6	16.1	16.0	14.3	13.2	11.2	14.6	10.7	16.1	13.3
Vermont	22.1	22.1	27.0	24.7	19.6	24.7	22.1	23.2	27.7	21.2
Virginia	10.3	11.8	11.9	10.1	9.3	8.4	8.5	8.7	9.0	9.6
White	11.0	12.1	12.9	10.8	10.4	9.3	9.8	10.2	9.8	10.3
Colored	8.6	11.2	9.5	8.2	6.8	6.1	5.7	5.2	7.3	8.2
Washington	16.0	17.4	20.5	15.1	13.9	15.4	16.9	15.4	14.6	15.3
Wisconsin	15.8	19.9	20.0	17.5	18.7	15.1	15.5	16.3	17.3	18.2
Wyoming	9.2	9.9	11.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	(4)	10.6	7.7	10.7	10.4	8.0	9.2	7.5	12.0
Albany*	30.8	33.2	31.8	31.3	29.0	16.8	32.3	28.1	28.4	28.2
Atlanta	(4)	13.5	18.8	16.4	12.8	12.6	14.5	12.7	17.9	13.3
White	(4)	14.2	17.8	14.7	15.1	17.6	18.1	13.2	20.7	14.8
Colored	(4)	11.9	21.1	20.2	7.9	1.6	6.5	11.6	11.9	10.4
Baltimore	23.1	24.2	26.0	22.1	20.6	19.9	19.2	19.7	19.7	17.8
White	24.2	26.4	27.2	23.9	21.4	20.2	20.7	21.9	21.6	20.6
Colored	16.4	11.4	18.6	11.7	15.5	18.5	11.8	8.0	10.3	3.1
Birmingham	8.5	13.3	9.4	14.0	6.6	8.5	12.2	13.1	8.0	16.4
White	6.6	16.0	10.3	15.0	10.0	10.2	13.4	13.8	10.1	19.8
Colored	11.4	9.1	8.0	12.3	1.4	5.7	10.3	12.1	4.7	11.3
Boston*	23.7	24.8	29.3	19.8	24.2	23.5	19.6	21.3	26.6	27.1
Bridgeport	(4)	(4)	26.5	14.6	19.9	17.7	17.5	15.1	21.8	20.1
Buffalo*	24.2	22.7	23.5	22.3	23.5	23.5	22.7	26.4	23.7	23.7
Cambridge*	16.9	18.8	15.3	14.5	25.5	22.8	23.9	31.4	17.6	21.4
Camden	24.5	15.3	21.3	20.1	14.5	11.3	9.7	20.8	16.6	9.4
Chicago	18.8	21.8	23.2	20.3	20.4	18.7	18.9	19.1	20.3	17.6
Cincinnati	22.3	28.5	26.7	25.0	22.9	18.2	23.3	22.1	29.3	17.7
Cleveland	17.1	18.1	17.0	17.1	17.2	15.2	12.6	16.8	19.1	16.5
Columbus	22.0	26.8	16.8	20.2	22.1	19.6	17.9	13.0	21.6	20.8
Dallas	10.6	15.9	13.4	23.4	9.9	13.4	9.2	10.3	9.9	(2)
White	8.6	17.2	14.3	25.3	11.0	15.8	8.2	11.3	9.8	(2)
Colored	23.3	7.8	8.1	12.3	4.1		14.6	4.9	10.0	(2)
Dayton	21.9	18.1	19.8	13.3	16.8	13.9	21.1	15.4	11.5	19.9
Denver	7.2	19.5	17.2	15.6	19.7	11.8	17.2	22.0	15.8	18.2
Des Moines*	13.6	20.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	11.6	(4)	17.0	11.3	13.4	11.6	11.8	13.2	12.7	14.2
Fall River*	26.6	22.3	26.5	27.3	14.9	18.3	15.8	23.3	25.8	20.8
Forth Worth	10.8	8.3	8.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	12.4	9.6	9.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored				(2)	(2)	(2)	(2)	(2)	(2)	(2)
Grand Rapids	21.6	18.5	22.3	18.4	18.7	17.6	14.2	15.2	18.1	17.6
Hartford	27.5	34.2	31.2	30.4	23.6	16.2	22.7	26.6	23.4	33.4
Houston	17.5	10.3	12.7	15.2	10.0	11.0	13.1	12.7	(2)	(2)
White	18.7	9.2	11.3	17.2	12.3	12.7	14.3	15.9	(2)	(2)
Colored	13.6	13.8	16.9	8.6	2.9	5.9	9.6	3.3	(2)	(2)
Indianapolis	16.8	25.4	25.1	19.0	19.5	20.0	21.4	20.7	16.8	20.4
White	17.1	25.1	27.3	18.7	20.2	20.6	20.7	20.9	16.8	20.4
Colored	14.7	27.9	7.9	21.8	14.1	14.6	27.4	19.0	16.6	20.9
Jersey City	21.8	23.3	18.6	17.2	16.4	18.2	24.9	21.4	19.5	21.1
Kansas City,* Kans	11.2	19.0	14.1	18.3	17.6	16.0	11.2	19.7	11.6	20.5
White	12.1	21.3	15.4	19.2	16.0	17.5	11.8	19.2	13.4	19.8
Colored	6.0	5.8	6.0	13.1	27.2	7.0	7.3	22.8		24.7
Kansas City, Mo	17.2	18.8	18.3	18.7	13.4	13.4	18.9	16.1	16.2	15.6

(See footnotes at end of table)

Table AZ—Con. DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Los Angeles	(4)	(4)	25.2	23.4	16.8	16.3	17.2	19.6	22.7	19.3
Louisville	16.7	31.4	12.8	18.6	21.7	14.5	13.3	20.2	17.7	16.4
White	17.3	33.6	13.4	18.9	21.5	15.4	12.9	23.4	18.9	19.4
Colored	13.3	19.7	9.8	17.5	22.5	10.0	14.9	5.0	12.4	2.5
Lowell*	15.4	20.9	25.3	19.3	11.5	13.3	16.1	19.8	20.8	7.3
Memphis	18.6	13.5	10.7	10.9	12.8	12.7	5.4	11.0	(5)	11.3
White	19.1	17.6	12.3	15.4	17.6	13.7	8.6	13.1	(5)	11.4
Colored	17.6	6.4	8.1	3.2	4.9	11.0	.....	7.4	(5)	11.2
Milwaukee	16.6	20.8	19.5	16.2	19.7	17.6	16.6	16.7	16.7	19.4
Minneapolis	20.8	20.8	23.9	20.9	23.1	16.5	16.3	16.7	19.0	17.4
Nashville	18.6	18.8	20.8	14.7	15.2	15.3	12.8	15.5	(5)	14.0
White	17.1	23.0	22.4	17.5	13.2	15.8	14.8	18.7	(5)	16.6
Colored	22.4	8.4	17.0	8.3	19.7	14.0	8.4	8.4	(5)	8.3
New Bedford*	18.4	18.5	18.0	20.0	14.7	19.2	20.4	18.3	17.8	17.3
New Haven	20.5	26.6	28.2	28.1	27.4	19.2	22.8	31.0	23.7	20.8
New Orleans	18.6	21.0	20.0	19.8	15.7	15.1	16.1	14.9	15.7	15.6
White	19.8	21.7	21.3	23.3	17.0	17.3	19.6	15.2	19.1	16.7
Colored	15.0	19.0	16.3	9.7	11.8	8.9	6.0	14.2	6.2	12.5
New York*	25.7	27.4	27.9	24.1	23.4	21.2	22.3	24.3	22.8	24.1
Bronx Borough	20.9	23.1	26.7	24.9	24.6	24.4	23.5	22.6	24.5	31.7
Brooklyn Borough	24.1	26.2	28.0	22.0	20.5	20.2	21.0	22.1	21.0	22.5
Manhattan Borough	31.1	30.7	30.9	26.0	26.8	22.1	23.7	26.8	24.9	23.7
Queens Borough	22.0	24.8	23.6	23.1	19.6	18.1	19.3	25.9	18.1	24.5
Richmond Borough	23.0	26.7	29.7	22.3	17.8	13.9	20.6	18.4	17.1	16.6
Newark, N. J.	24.9	21.9	23.9	18.4	22.7	19.5	22.5	24.7	25.1	20.3
Norfolk	(4)	16.3	14.4	15.7	11.9	14.0	11.8	11.3	13.6	15.1
White	(4)	18.7	19.3	21.2	16.3	11.3	17.5	12.1	19.0	23.0
Colored	(4)	12.2	6.4	6.6	4.5	18.6	2.4	9.8	5.0	2.6
Oakland	19.8	17.9	24.0	20.3	18.2	17.9	17.0	18.1	17.1	20.5
Omaha	20.2	24.5	20.9	22.8	19.6	24.8	14.5	18.6	17.2	19.4
Paterson	37.0	24.4	23.8	24.0	20.5	19.9	18.6	17.3	18.9	23.6
Philadelphia	21.3	20.9	20.5	19.1	18.1	14.6	18.4	19.1	18.0	18.7
Pittsburgh	20.8	14.8	18.4	15.4	18.8	13.2	11.9	17.6	14.6	12.1
Portland, Oreg.	26.3	15.0	25.6	26.1	19.6	27.3	26.2	19.4	16.9	24.1
Providence*	18.6	29.7	25.3	16.7	24.8	25.3	19.1	20.1	20.6	24.6
Reading	27.7	26.1	26.4	38.5	25.9	20.5	31.0	19.9	28.7	17.4
Richmond	11.4	19.3	17.9	15.9	16.2	11.7	14.9	17.0	11.7	13.2
White	10.9	18.2	17.0	17.3	17.7	13.8	19.3	24.2	11.9	14.1
Colored	12.7	21.9	20.2	12.9	12.9	7.4	5.6	1.9	11.2	11.3
Rochester*	17.5	28.2	27.9	27.8	23.4	23.2	22.5	28.2	28.9	27.1
St. Louis	23.0	22.0	23.4	21.1	16.1	19.3	17.4	18.8	20.1	18.7
St. Paul	22.5	21.9	30.0	22.3	20.4	17.1	21.2	17.0	20.2	19.1
Salt Lake City	18.7	25.3	25.0	24.7	21.0	14.5	21.2	9.0	20.3	19.8
San Antonio	12.5	15.7	19.1	12.8	10.9	8.9	11.2	18.0	11.6	9.9
San Francisco	21.0	25.0	29.6	25.0	21.9	23.1	22.5	26.7	24.2	25.2
Scranton	30.4	26.3	22.2	29.5	21.0	17.5	16.1	18.4	20.0	8.9
Seattle	(4)	(4)	20.3	18.4	15.0	14.5	17.1	15.6	17.0	17.2
Spokane	13.4	29.6	27.7	21.1	22.0	18.2	26.8	15.3	12.4	27.8
Springfield,* Mass.	22.8	17.3	20.7	16.9	24.3	17.3	15.4	22.7	24.3	24.4
Syracuse*	21.6	22.8	29.8	27.6	24.7	21.8	33.6	24.5	13.2	24.4
Toledo	19.3	17.1	18.4	17.3	17.8	17.1	13.3	16.8	18.8	14.1
Trenton	17.0	13.3	19.2	13.0	18.3	18.6	12.1	18.5	20.7	22.0
Washington, D. C.	18.7	20.2	19.7	17.4	15.1	17.8	16.9	17.8	18.0	18.5
White	16.0	20.0	19.0	17.4	14.8	17.7	18.5	18.8	20.4	21.4
Colored	27.1	20.6	21.7	17.2	16.1	18.2	12.0	15.0	11.4	10.6
Wilmington, Del.	15.8	16.1	23.4	17.6	12.6	8.4	9.5	18.4	17.9	8.1
Worcester*	19.6	22.9	35.6	28.1	20.9	18.5	24.1	23.4	25.7	31.1
Yonkers*	19.8	15.8	16.1	15.5	22.7	20.2	14.4	15.8	16.2	14.3
Youngstown	11.0	12.6	12.8	13.6	12.6	10.0	18.4	12.5	12.1	8.1

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

Among the 39 registration States in 1924, 7 had rates of 20 or more, and of the 38 which were in the area for 1923 and 1924, 10 showed increases over 1923. The highest State rates in 1924 were 23.6 for New York, 23.2 for New Hampshire, and 22.9 for Rhode Island; the lowest rates were 7.6 for Mississippi, 8.3 each for Tennessee and Montana, and 8.8 each for Louisiana and Georgia. Of the 62 cities with rates in 1924, 28 had rates above 20, and of the 61 which showed rates for 1923 and 1924, 22 had higher rates in 1924. The greatest increases were for Paterson (from 24.4 to 37), Portland, Oreg. (from 15 to 26.3), and Camden (from 15.3 to 24.5). The highest rates in 1924 were for Paterson (37), Albany (30.8), and Scranton (30.4); the lowest were for Denver (7.2), Birmingham (8.5), and Dallas (10.6).

In the 10 States and 13 cities with rates by color in 1924, the rates for the colored were lower than those for the white in all but 4 States (Kentucky, Mississippi, North Carolina, and Tennessee), and 5 cities (Birmingham, Dallas, Nashville, Richmond, and Washington, D. C.). Fort Worth had no deaths among the colored.

ALCOHOLISM AND CIRRHOSIS OF THE LIVER

Death rates from alcoholism and cirrhosis of the liver in recent years are of particular interest in view of war-time prohibition measures and later national prohibition.

In the registration States of 1910 there was a declining rate from alcoholism from 6.3 per 100,000 estimated population in 1917 to 1.2 in 1920, with an increase to 3.9 in 1924 and a declining rate from cirrhosis of the liver from 12.2 in 1917 to 7.6 in 1920, with an increase to 8.1 in 1924. Kansas, Maine, Tennessee, and North Carolina, which had prohibition laws long before the war and which already in 1917 had comparatively low mortality rates from alcoholism and cirrhosis of the liver, show for recent years either slight decreases or slight increases in death rates from these causes.

Table BB gives death rates from alcoholism and cirrhosis of the liver per 100,000 estimated population for 1910 and 1914 to 1924, and Table BC shows the deaths and death rates from wood or denatured alcohol poisoning in the United States death registration area from 1920 to 1924.

[Rates in *italics* are based on less than 5 deaths]

Table BB

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM— Alcoholism												Cirrhosis of the liver											
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1910	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1910
The registration area (exclusive of Hawaii)	3.2	3.2	2.6	1.8	1.0	1.6	2.7	5.2	5.8	4.4	4.9	5.4	7.4	7.2	7.5	7.4	7.1	7.9	9.6	11.4	12.3	12.6	13.0	13.9
Registration States of 1910*	3.9	3.9	3.0	2.0	1.2	1.9	3.4	6.3	6.6	4.7	5.3	5.5	8.1	7.9	8.0	7.9	7.6	8.4	10.3	12.2	13.0	12.8	13.2	13.3
Registration States of 1900	4.5	4.4	3.3	1.9	1.2	1.8	3.0	6.4	7.4	4.8	5.4	5.6	8.1	7.7	8.2	8.1	7.7	8.3	10.2	12.4	13.8	13.5	13.8	14.4
Registration States [1]	3.2	3.3	2.6	1.8	1.0	1.6	2.7	5.2	5.7	4.4	5.0	5.5	7.4	7.2	7.5	7.4	7.1	7.9	9.5	11.0	11.9	12.2	12.5	13.3
Cities in registration States [1]	4.6	4.6	3.5	2.2	1.3	2.2	3.5	7.1	7.9	5.4	6.2	6.7	9.1	8.7	8.8	8.6	8.1	9.4	11.8	14.0	15.1	14.5	15.4	16.1
Rural part of registration States	1.9	2.0	1.8	1.4	0.7	1.1	2.0	3.5	3.8	3.4	3.7	4.1	5.9	5.9	6.2	6.2	6.1	6.5	7.5	8.3	8.9	9.8	9.7	10.2
Registration cities in nonregistration States	3.6	2.6	3.4	2.6	1.9	1.9	2.7	5.7	7.0	4.4	4.8	4.7	8.1	8.1	9.6	9.8	9.6	9.0	13.7	17.4	18.3	17.6	18.1	18.8
All registration cities [1]	4.5	4.5	3.5	2.3	1.4	2.1	3.4	6.9	7.8	5.2	6.0	6.3	9.0	8.7	8.8	8.7	8.2	9.4	11.9	14.4	15.6	15.0	15.8	16.6
California	3.4	2.9	2.9	2.0	1.0	2.6	4.3	6.5	6.6	6.2	6.9	8.7	11.1	10.0	10.5	9.8	9.5	12.5	14.2	15.1	15.4	14.6	15.4	18.4
Colorado	2.9	3.7	4.2	3.2	0.7	0.8	1.4	2.3	3.0	7.2	8.3	7.4	6.2	5.4	6.4	5.6	4.1	4.2	6.2	7.0	7.1	7.3	7.2	9.5
Connecticut	4.2	3.9	1.9	1.6	1.0	1.8	5.2	9.6	8.2	5.7	4.9	7.7	5.9	7.5	7.6	7.0	6.7	9.3	10.7	11.0	11.7	11.5	13.7	14.4
Delaware	5.6	5.2	6.1	*1.8*	*0.9*	2.3	(2)	(2)	(2)	(2)	(2)	(2)	11.2	5.2	7.9	8.0	5.4	5.9	(2)	(2)	(2)	(2)	(2)	(2)
Florida†	3.8	3.6	4.2	2.9	1.9	1.4	(2)	(2)	(2)	(2)	(2)	(2)	7.9	10.3	10.4	8.7	7.1	6.6	(2)	(2)	(2)	(2)	(2)	(2)
White	3.4	3.4	3.6	2.7	2.3	1.4	(2)	(2)	(2)	(2)	(2)	(2)	6.6	8.9	8.3	6.1	6.5	5.1	(2)	(2)	(2)	(2)	(2)	(2)
Colored	4.8	4.1	5.4	3.3	*1.2*	*1.2*	(2)	(2)	(2)	(2)	(2)	(2)	10.5	13.3	14.9	13.8	8.4	9.4	(2)	(2)	(2)	(2)	(2)	(2)
Georgia	1.7	1.8	2.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.0	3.5	3.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	1.8	1.7	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	4.6	3.4	3.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.6	1.9	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	2.9	3.6	4.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	1.7	2.8	2.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	2.9	3.6	2.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	3.5	4.2	3.1	1.9	0.7	1.5	1.8	(2)	(2)	(2)	(2)	(2)	9.1	10.1	9.8	8.3	8.7	9.9	10.9	(2)	(2)	(2)	(2)	(2)
Indiana	1.5	1.6	1.7	1.1	0.5	0.8	1.2	3.9	5.1	3.2	3.5	3.3	9.5	8.3	9.4	9.6	9.8	8.9	11.3	12.8	13.6	13.8	12.9	11.3
Iowa†	1.2	1.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.1	4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas†	0.9	0.9	1.3	0.8	0.7	*0.2*	0.8	1.0	2.2	1.2	1.3	(2)	6.8	6.0	5.4	7.0	6.3	7.1	7.4	7.6	8.8	8.0	7.7	(2)
Kentucky	1.6	1.6	1.0	1.3	0.4	1.4	1.6	2.3	3.0	2.5	3.2	(2)	5.4	4.2	5.7	5.3	4.1	4.5	5.8	7.2	7.6	6.7	8.3	(2)
White	1.5	1.5	0.9	1.4	0.3	1.3	1.5	1.9	2.5	2.3	2.8	(2)	4.9	3.8	5.5	4.8	3.7	3.9	5.5	6.3	6.9	6.3	7.8	(2)
Colored	2.7	3.1	2.2	*0.9*	*1.3*	2.5	2.5	5.8	6.5	3.6	7.2	(2)	10.3	7.9	7.4	10.8	8.1	10.5	8.7	15.2	13.9	10.5	12.4	(2)
Louisiana	1.3	1.2	1.2	1.0	0.5	0.7	1.7	(2)	(2)	(2)	(2)	(2)	8.9	8.8	9.9	9.6	8.9	8.2	10.2	(2)	(2)	(2)	(2)	(2)
White	1.2	1.5	1.2	1.4	0.6	0.9	1.9	(2)	(2)	(2)	(2)	(2)	7.7	8.1	9.3	8.4	9.1	8.1	10.0	(2)	(2)	(2)	(2)	(2)
Colored	1.4	0.9	1.1	*0.4*	*0.3*	*0.3*	1.4	(2)	(2)	(2)	(2)	(2)	10.9	10.0	10.7	11.4	8.4	8.3	10.5	(2)	(2)	(2)	(2)	(2)
Maine	2.3	1.7	2.2	2.1	1.3	1.7	2.2	3.0	5.1	3.8	3.5	2.8	4.1	6.0	6.5	4.4	4.4	6.1	4.3	6.7	8.4	8.5	6.9	8.3
Maryland	5.3	5.7	3.0	2.0	0.7	1.7	3.7	5.0	5.5	4.3	5.1	4.5	6.8	6.8	7.0	6.2	6.2	8.2	9.5	11.4	10.9	9.1	9.8	9.6
White	4.5	5.3	2.7	2.0	0.7	1.8	4.1	4.7	5.5	3.6	4.7	4.7	7.5	7.1	7.6	6.4	6.3	8.8	9.6	11.9	11.2	9.3	9.9	10.0
Colored	8.8	8.0	4.8	2.0	*0.8*	*1.2*	2.1	6.2	5.0	7.5	7.1	3.4	3.6	5.2	4.4	5.3	6.1	5.3	9.1	8.7	9.6	8.4	9.7	7.7
Massachusetts†	6.6	6.6	5.9	3.2	1.8	2.5	5.0	8.1	8.2	6.4	7.8	6.4	5.4	5.2	5.8	5.3	5.4	5.7	7.5	8.3	9.7	9.3	9.3	10.1
Michigan	3.8	5.3	3.7	2.2	1.5	1.1	2.5	7.5	7.1	3.1	3.6	3.6	7.0	7.8	7.1	7.6	8.3	8.0	9.5	10.9	13.2	11.8	12.2	12.2
Minnesota	2.4	3.2	2.6	1.8	0.8	1.4	2.4	4.3	4.3	4.9	6.2	5.1	5.5	5.6	4.9	6.0	4.8	6.0	7.0	6.9	6.6	7.6	9.2	6.6
Mississippi	0.4	1.0	0.6	0.6	0.3	0.6	(2)	(2)	(2)	(2)	(2)	(2)	5.8	4.9	4.0	4.2	5.0	3.7	(2)	(2)	(2)	(2)	(2)	(2)
White	*0.5*	1.3	0.7	1.3	*0.3*	0.9	(2)	(2)	(2)	(2)	(2)	(2)	6.2	4.4	4.2	2.9	4.1	2.9	(2)	(2)	(2)	(2)	(2)	(2)
Colored	*0.4*	0.7	0.5	-----	*0.3*	*0.3*	(2)	(2)	(2)	(2)	(2)	(2)	5.4	5.3	3.7	5.3	5.8	4.5	(2)	(2)	(2)	(2)	(2)	(2)
Missouri	2.9	2.9	2.3	1.0	0.4	1.1	2.1	2.8	3.2	3.2	3.7	(2)	9.4	9.1	10.3	9.3	8.0	9.5	10.9	13.1	12.2	12.9	13.1	(2)
Montana	2.4	4.1	3.7	3.3	1.8	1.9	11.5	24.6	17.7	14.1	14.6	14.7	6.7	4.7	6.2	6.1	6.6	5.7	8.0	13.1	10.9	9.8	12.0	9.7
Nebraska	1.5	1.8	0.9	1.1	0.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	6.5	6.4	5.4	5.1	4.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	3.8	5.6	5.2	2.7	1.8	1.6	3.2	5.5	7.8	4.3	6.2	5.8	6.9	5.4	9.4	9.2	7.4	9.0	11.1	13.2	14.6	12.1	13.1	6.7
New Jersey	4.0	4.0	3.3	1.5	0.9	1.5	2.5	5.2	6.6	4.5	5.3	6.0	10.3	9.0	9.0	8.5	7.8	8.8	11.0	14.9	15.4	15.8	15.4	17.2
New York†	5.2	4.3	2.9	1.5	1.2	2.0	3.0	6.4	8.2	5.2	5.9	6.6	9.3	8.4	9.3	9.0	8.3	9.1	11.6	14.4	16.2	15.7	16.8	18.2
North Carolina	1.5	0.9	1.0	1.3	1.0	0.8	0.5	0.9	1.3	[3]2.3	[3]3.8	[4]2.8	3.4	3.7	4.1	3.9	3.7	3.3	4.4	4.1	4.8	[3]8.2	[3]5.7	[4]9.9
White	1.6	0.8	0.8	1.3	1.1	1.0	0.5	1.0	1.4	3.1	4.5	3.8	3.3	3.8	4.2	3.9	3.3	3.0	4.4	3.6	5.1	7.5	6.8	11.5
Colored	1.4	1.0	1.4	1.5	1.0	*0.5*	0.7	*0.5*	1.2	*0.6*	*2.4*	*0.8*	3.7	3.6	3.8	3.8	4.8	4.1	4.4	5.3	4.1	9.5	3.7	7.0
North Dakota†	1.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	3.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	2.1	2.3	2.7	2.1	1.2	2.6	4.0	7.4	6.3	4.2	4.3	4.0	8.1	8.0	8.2	8.2	9.1	9.7	12.0	14.2	14.0	13.7	14.9	13.9
Oregon	2.5	1.8	3.1	2.6	1.6	0.8	0.9	(2)	(2)	(2)	(2)	(2)	6.7	6.2	5.8	6.6	6.3	7.6	4.7	(2)	(2)	(2)	(2)	(2)
Pennsylvania	4.2	4.3	2.8	2.2	1.2	2.1	3.7	6.8	6.0	3.7	3.8	4.1	9.0	9.4	8.4	8.3	8.0	8.9	11.6	12.8	13.5	13.0	12.9	12.9
Rhode Island†	7.8	6.7	4.8	3.3	1.3	2.7	4.2	9.2	8.9	5.2	6.7	5.9	7.0	8.1	5.0	9.4	6.3	9.1	9.1	11.4	12.7	13.4	10.7	14.0
South Carolina	1.2	0.9	0.9	0.8	0.5	0.5	0.5	0.8	1.2	(2)	(2)	(2)	3.5	2.2	3.4	2.7	2.7	2.4	2.7	2.6	3.1	(2)	(2)	(2)
White	1.4	0.9	1.3	1.2	0.8	0.7	0.8	1.1	1.0	(2)	(2)	(2)	3.5	2.1	3.0	2.4	1.9	2.1	2.9	3.2	2.7	(2)	(2)	(2)
Colored	1.1	0.9	0.6	*0.3*	*0.1*	*0.2*	*0.2*	*0.5*	1.4	(2)	(2)	(2)	3.4	2.4	3.7	3.1	3.3	2.8	2.4	2.1	3.4	(2)	(2)	(2)
Tennessee	1.0	1.3	1.1	1.4	0.9	0.9	0.9	1.0	(2)	(2)	(2)	(2)	2.7	2.9	3.5	4.2	4.0	5.2	4.8	5.5	(2)	(2)	(2)	(2)
White	1.0	1.1	1.2	1.0	0.8	0.8	0.9	0.9	(2)	(2)	(2)	(2)	2.3	2.8	2.7	3.7	3.5	4.6	4.1	4.9	(2)	(2)	(2)	(2)
Colored	1.1	2.3	*0.7*	2.9	1.3	1.1	*0.9*	1.3	(2)	(2)	(2)	(2)	4.8	3.4	6.7	6.2	6.0	7.9	7.7	7.7	(2)	(2)	(2)	(2)
Utah	2.3	2.1	1.7	1.7	1.1	*0.7*	*0.7*	4.9	5.2	3.6	7.4	4.8	3.7	5.9	4.5	5.4	3.5	4.9	3.4	5.1	7.1	7.5	7.4	4.8
Vermont	2.8	3.7	3.7	1.7	1.4	2.3	3.1	3.4	2.8	4.5	4.8	3.9	3.1	5.1	5.7	9.1	6.2	4.3	4.5	10.2	5.7	13.3	11.9	9.0
Virginia	1.5	2.1	2.1	1.8	0.8	0.7	1.0	1.0	2.7	3.0	3.3	(2)	5.4	5.2	5.2	4.8	4.4	4.8	5.6	5.5	6.1	6.9	7.2	(2)
White	1.1	2.2	2.3	2.2	1.0	0.7	1.3	1.1	2.7	3.3	3.2	(2)	4.7	4.0	4.5	4.1	3.6	3.5	4.9	5.4	6.1	6.3	6.9	(2)
Colored	2.6	2.0	1.7	1.0	*0.1*	*0.8*	*0.5*	0.7	2.6	2.2	3.7	(2)	7.0	8.2	6.8	6.5	6.4	7.8	7.1	5.8	6.3	8.4	7.8	(2)
Washington	2.9	3.1	2.6	2.7	2.6	2.3	2.4	1.8	2.8	5.9	8.4	12.8	5.8	4.4	4.3	5.4	4.2	4.2	6.0	5.4	6.9	9.3	7.8	6.5
Wisconsin	2.9	2.8	1.8	1.6	0.8	1.5	3.8	4.2	5.6	4.2	4.1	4.4	7.7	7.4	7.4	6.9	7.1	8.0	8.2	11.2	11.4	11.3	12.1	11.0
Wyoming	9.2	8.0	3.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	5.5	4.2	4.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Includes only municipalities having a population of 1,000 or more in 1900.
* Excluding North Carolina.
† Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—For States included in 1900 and 1910, see Table A.

Table BC DEATHS FROM WOOD OR DENATURED ALCOHOL POISONING IN THE REGISTRATION AREA	Number	Rate per 100,000 estimated population
1924	180	0.2
1923	143	0.1
1922	201	0.2
1921	194	0.2
1920	359	0.4

DISEASES OF THE HEART

The number of deaths in 1924 from diseases of the heart, which includes titles 87 to 90, was 176,671, corresponding to a rate of 178.1 per 100,000 estimated population, and constituting 15 per cent of the deaths from all causes.

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the States in the 10-year period 1915 to 1924 were for California (from 195.1 to 245.7), Washington (from 111.6 to 153.6), New Jersey (from 168.6 to 207.7), and New York (from 211.8 to 249). Table BD shows the rates per 100,000 estimated population for 1915 to 1924, with rates of 200 or more in bold-faced type.

Table BD — DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	178.1	175.3	165.7	157.1	159.3	146.7	170.1	171.7	168.7	165.7
Registration States [2]	178.6	176.1	166.3	157.3	159.7	147.1	170.5	171.3	168.7	165.0
Cities in registration States [2]	203.6	201.0	189.2	174.3	177.9	168.4	195.6	191.3	187.4	176.6
Rural part of registration States	156.0	153.3	145.3	141.1	142.5	128.5	147.8	153.6	151.6	153.5
Registration cities in nonregistration States	144.4	118.9	119.1	142.0	141.1	121.9	152.5	177.2	168.9	173.4
All registration cities [2]	201.7	198.6	187.2	173.2	176.6	166.7	193.7	189.3	184.9	176.1
California	245.7	234.2	231.4	213.1	202.7	195.6	207.3	197.9	201.6	195.1
Colorado	126.5	126.0	133.5	122.6	122.0	105.1	122.8	107.9	101.8	118.4
Connecticut	193.8	189.7	191.8	169.4	171.2	156.6	184.9	194.6	197.2	172.4
Delaware	203.4	195.3	180.9	172.4	174.5	158.6	(3)	(3)	(3)	(3)
Florida*	149.5	150.1	126.2	119.1	114.8	98.0	(3)	(3)	(3)	(3)
White	145.9	153.0	125.2	119.1	119.6	95.5	(3)	(3)	(3)	(3)
Colored	157.0	143.8	128.0	119.0	105.6	102.7	(3)	(3)	(3)	(3)
Georgia	103.5	100.8	91.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	91.2	86.8	81.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	134.1	121.2	105.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	93.7	86.1	93.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	187.8	188.7	173.7	158.7	162.2	146.5	163.8	(3)	(3)	(3)
Indiana	192.7	188.2	172.4	164.2	166.8	155.1	181.4	177.2	168.0	162.9
Iowa*	139.1	137.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	137.9	137.4	134.2	119.9	128.8	107.3	126.6	132.5	130.6	122.0
Kentucky	125.1	119.7	105.0	97.4	99.7	95.3	110.4	121.6	106.3	107.9
White	108.9	106.6	93.2	87.9	87.9	82.7	93.2	104.4	94.1	93.9
Colored	287.9	248.7	219.7	187.9	210.0	210.6	264.9	273.1	211.9	226.5
Louisiana	169.2	149.6	131.1	122.1	120.1	117.5	132.6	(3)	(3)	(3)
White	137.7	123.9	116.4	105.7	103.4	96.5	106.1	(3)	(3)	(3)
Colored	222.2	192.2	155.1	148.5	146.3	150.0	172.9	(3)	(3)	(3)
Maine	225.4	227.5	222.4	222.3	213.4	196.0	212.4	218.5	218.2	211.9
Maryland	201.8	210.8	191.8	184.7	181.8	171.0	216.2	199.9	176.6	169.6
White	193.5	202.3	179.2	172.1	171.5	156.9	197.2	183.4	163.1	158.6
Colored	244.2	253.5	254.4	247.2	232.5	239.9	309.0	280.0	242.4	222.4
Massachusetts*	223.7	240.9	223.0	206.7	215.6	198.5	237.1	226.7	222.2	205.0
Michigan	185.7	184.8	172.9	164.7	176.7	154.3	172.7	179.1	172.7	164.2
Minnesota	146.3	137.2	133.5	118.5	124.2	114.4	124.4	116.6	118.3	112.2
Mississippi	115.0	103.4	92.0	97.0	93.7	75.7	(3)	(3)	(3)	(3)
White	96.6	89.3	82.8	80.0	75.9	63.3	(3)	(3)	(3)	(3)
Colored	131.7	116.3	100.4	112.5	110.1	86.9	(3)	(3)	(3)	(3)
Missouri	149.7	139.3	129.3	121.7	136.2	112.5	130.1	125.0	121.8	116.9
Montana	102.5	94.1	100.3	90.9	93.0	93.5	104.6	111.6	111.6	101.5
Nebraska	126.9	113.4	122.7	113.6	107.5	(3)	(3)	(3)	(3)	(3)
New Hampshire	233.2	255.1	225.0	211.9	240.5	196.0	233.5	247.4	233.5	243.1
New Jersey	207.7	209.1	191.1	179.0	179.1	169.6	198.4	192.8	190.9	168.6
New York*	249.0	247.4	235.8	211.3	212.7	200.9	224.3	224.8	220.7	211.8
North Carolina	127.3	112.2	110.1	109.2	102.2	87.6	104.7	104.3	97.5	139.3
White	114.5	104.1	102.2	99.7	94.1	78.5	95.1	95.5	89.9	110.3
Colored	157.5	131.3	128.6	131.2	120.8	108.7	126.7	124.2	114.6	194.3
North Dakota*	82.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	175.4	177.6	164.6	154.2	160.4	151.0	169.8	178.1	172.2	161.1
Oregon	174.3	161.2	162.8	150.8	168.7	146.5	145.2	(3)	(3)	(3)
Pennsylvania	186.1	188.0	169.8	158.2	160.6	150.7	181.0	175.7	167.8	162.5
Rhode Island*	193.1	203.9	197.5	179.5	182.4	170.2	197.2	196.1	202.2	190.4
South Carolina	131.7	115.7	112.4	105.0	108.6	88.2	105.0	105.6	93.4	(3)
White	115.7	103.9	110.8	100.1	104.0	78.8	96.7	98.9	84.7	(3)
Colored	147.7	127.5	113.9	109.8	113.0	97.0	112.7	111.7	101.2	(3)
Tennessee	113.5	100.7	91.7	94.6	96.3	92.8	101.2	106.6	(3)	(3)
White	95.1	84.9	79.2	81.2	82.5	79.5	85.0	89.7	(3)	(3)
Colored	195.5	170.0	145.6	151.6	154.4	148.1	167.6	174.9	(3)	(3)
Utah	118.0	119.5	130.1	123.0	118.0	98.8	120.6	116.6	114.9	112.0
Vermont	246.9	269.8	261.9	255.9	259.5	229.7	248.5	250.5	258.4	233.9
Virginia	159.5	150.6	148.9	137.3	137.6	123.0	145.9	146.4	146.9	141.2
White	142.0	134.2	129.8	122.5	121.1	108.1	125.0	122.1	123.3	117.9
Colored	202.3	190.6	194.9	172.6	176.7	157.6	193.8	201.5	199.9	192.7
Washington	153.6	136.1	138.0	131.7	132.7	117.6	125.5	110.7	110.3	111.6
Wisconsin	162.1	156.6	144.7	137.0	131.6	115.8	124.4	132.9	134.7	127.1
Wyoming	92.7	83.5	85.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(3)	(3)	93.1	93.6	106.3	91.3	108.7	97.8	94.4	81.5
Albany*	282.8	322.0	313.2	262.4	257.2	254.5	272.4	264.3	273.5	284.2
Atlanta	(3)	179.0	172.8	142.2	147.9	126.1	163.1	145.4	138.3	153.5
White	(3)	125.4	127.8	121.6	125.4	98.5	113.9	103.8	96.5	105.8
Colored	(3)	302.3	275.5	187.8	197.2	186.2	269.6	234.5	227.1	253.8
Baltimore	212.6	219.8	212.0	189.6	193.4	180.5	254.5	231.1	208.0	188.4
White	200.4	209.4	194.6	173.6	176.7	162.0	224.9	206.7	185.8	169.4
Colored	283.3	279.3	312.5	281.8	289.5	286.4	406.6	357.6	323.9	288.9
Birmingham	148.9	123.0	114.6	157.4	155.0	135.9	172.8	179.6	105.1	125.9
White	124.6	105.0	97.4	110.6	119.0	101.2	118.5	119.0	87.1	80.3
Colored	186.5	150.8	141.3	229.8	210.7	189.4	256.6	273.2	132.8	196.1
Boston*	252.2	280.2	273.0	234.5	248.9	241.8	280.7	248.5	249.1	224.5
Bridgeport	(3)	(3)	158.1	151.2	138.0	159.8	167.7	175.4	166.4	140.0
Buffalo*	205.4	216.1	213.6	179.8	194.9	167.8	187.9	199.4	195.2	180.7
Cambridge*	246.1	280.2	204.6	220.0	222.8	207.4	235.0	244.4	239.0	187.1
Camden	195.4	203.0	198.5	170.5	185.6	164.1	209.8	214.1	171.5	176.1
Chicago	203.8	201.9	190.2	171.8	176.8	158.6	288.2	181.1	176.7	172.2
Cincinnati	257.5	252.2	235.9	212.9	211.2	233.2	225.0	244.2	233.5	228.0
Cleveland	135.0	136.2	114.4	116.2	119.8	122.1	136.3	140.8	138.7	127.5
Columbus	203.2	222.5	198.5	167.1	160.5	147.8	171.9	180.7	169.7	153.9
Dallas	128.3	88.3	94.2	89.5	111.7	85.4	88.8	120.5	103.6	(3)
White	114.7	81.0	86.2	80.2	103.0	65.5	80.9	89.7	89.6	(3)
Colored	213.5	133.0	141.9	143.4	161.1	196.1	131.2	280.7	174.8	(3)
Dayton	202.7	194.5	174.3	148.0	149.6	141.3	200.7	211.5	181.3	164.9
Denver	168.9	168.4	181.2	172.5	161.2	141.6	169.7	130.4	131.1	151.4
Des Moines*	146.5	139.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	136.3	(3)	141.8	125.0	126.4	112.0	118.4	132.8	136.2	111.8
Fall River*	175.3	197.7	217.7	167.4	145.2	149.5	227.8	212.2	192.4	175.9
Fort Worth	74.3	74.4	78.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	70.3	73.3	77.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	102.3	82.1	83.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	217.1	209.0	205.5	179.2	175.0	178.1	217.8	188.3	160.2	161.7
Hartford	189.5	209.7	222.4	187.6	198.5	139.7	202.3	217.8	124.3	186.8
Houston	129.3	129.5	112.6	105.4	113.3	90.3	113.6	117.4	(3)	(3)
White	109.5	108.4	101.2	87.0	107.6	78.0	93.2	102.5	(3)	(3)
Colored	195.9	199.1	149.3	163.3	131.1	127.6	173.0	160.3	(3)	(3)
Indianapolis	227.3	226.7	181.8	176.3	189.6	157.8	198.2	206.8	190.4	198.5
White	218.8	221.3	174.1	168.9	180.1	145.1	177.2	186.0	173.0	185.9
Colored	291.8	268.7	241.4	233.8	265.2	260.7	371.5	380.8	338.2	306.3
Jersey City	209.8	191.6	174.2	165.8	184.5	171.6	206.9	200.5	203.3	152.1
Kansas City,* Kans	166.9	139.9	130.1	132.8	134.2	125.8	144.4	121.2	179.6	143.3
White	150.4	111.5	114.2	125.2	120.2	(3)	127.6	103.2	161.0	135.1
Colored	266.0	304.0	223.2	177.1	217.2	(3)	248.5	235.4	300.5	197.8
Kansas City, Mo	170.2	169.7	163.1	143.7	199.2	159.1	183.9	172.6	164.0	167.0
Los Angeles	(3)	(3)	236.3	208.9	206.3	178.0	189.1	175.6	187.2	176.8
Louisville	229.0	219.3	189.6	189.8	186.2	194.5	231.1	228.0	182.2	197.1
White	201.8	191.3	163.8	174.9	160.8	162.6	191.8	190.6	143.0	161.0
Colored	378.2	368.7	326.1	262.7	309.4	343.5	419.6	406.2	368.1	367.2
Lowell*	221.4	194.6	181.8	160.9	171.5	162.8	177.2	208.4	201.9	174.0

(See footnotes at end of table)

Table BD—Con. AREA	DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Memphis	207.2	184.0	162.0	156.3	138.9	148.9	166.5	172.3	(7)	175.8
White	168.6	163.2	131.2	109.6	131.3	115.5	127.4	125.5	(7)	133.0
Colored	275.1	220.1	214.7	235.1	151.5	207.2	233.8	251.4	(7)	246.0
Milwaukee	143.7	148.0	139.6	119.8	133.2	107.6	113.3	126.8	129.5	116.7
Minneapolis	159.4	165.7	163.4	144.3	142.7	130.1	139.8	123.3	135.8	129.7
Nashville	266.6	234.0	195.3	125.3	201.3	204.3	282.3	208.4	(7)	233.2
White	195.9	168.0	150.7	156.2	152.7	147.1	225.5	144.5	(7)	160.6
Colored	440.5	394.5	302.3	389.1	314.7	336.2	411.3	351.6	(7)	391.3
New Bedford*	188.7	176.1	162.3	147.2	160.0	125.9	143.9	160.2	162.0	149.3
New Haven	185.3	199.5	180.0	168.9	184.7	178.2	218.9	224.4	201.2	203.9
New Orleans	321.1	310.4	270.0	240.0	227.4	236.5	277.3	258.3	231.7	252.1
White	264.2	247.1	224.2	206.1	200.1	206.0	219.4	209.4	187.0	200.4
Colored	482.7	490.1	399.8	335.6	304.2	322.7	440.2	395.7	357.3	397.2
New York*	239.4	222.9	210.8	187.5	187.1	183.5	202.8	196.2	195.7	186.9
Bronx Borough	197.5	180.0	173.8	140.7	151.7	144.6	167.2	161.3	157.3	144.8
Brooklyn Borough	240.1	228.3	214.7	196.8	199.8	201.6	225.9	213.6	222.0	225.0
Manhattan Borough	274.4	236.3	223.4	196.3	189.9	184.3	200.3	195.1	187.0	169.6
Queens Borough	185.7	204.4	185.6	172.0	161.5	162.1	164.6	170.2	178.8	172.3
Richmond Borough	241.5	252.5	258.8	227.6	242.2	180.9	216.4	226.4	212.3	190.5
Newark, N. J.	180.9	183.3	174.9	173.2	182.1	166.6	205.4	186.3	187.5	160.6
Norfolk	(5)	174.1	196.1	159.2	159.9	186.0	244.8	208.2	192.3	179.2
White	(5)	125.0	150.3	124.3	132.0	121.2	195.9	144.3	132.7	131.7
Colored	(5)	260.8	271.9	216.8	206.3	293.0	324.6	311.3	287.2	254.0
Oakland	230.5	212.4	218.2	218.1	213.5	209.1	239.7	211.3	217.7	201.5
Omaha	184.6	167.3	177.3	153.7	152.0	119.6	126.3	128.8	111.5	99.2
Paterson	177.8	206.3	198.5	184.8	175.9	173.6	184.7	229.7	219.4	189.2
Philadelphia	229.7	245.8	226.2	202.2	205.1	203.5	249.8	236.7	223.2	228.7
Pittsburgh	199.7	171.0	164.5	136.9	146.5	145.6	167.1	159.8	166.3	136.4
Portland, Oreg.	177.0	174.0	170.5	171.0	177.4	171.4	165.7	127.8	141.6	121.7
Providence*	197.4	206.3	207.0	189.4	203.1	187.0	214.0	190.9	211.8	178.0
Reading	179.8	199.2	160.9	181.4	172.8	167.7	193.5	171.7	201.8	193.7
Richmond	214.5	182.3	194.5	171.9	176.9	159.1	192.1	218.2	205.8	206.8
White	186.4	160.0	173.7	164.9	173.4	149.6	173.9	192.1	175.3	174.7
Colored	280.2	233.7	241.9	187.6	184.5	179.7	230.6	272.6	268.1	271.0
Rochester*	238.4	238.3	231.1	213.3	194.0	192.1	211.9	250.3	225.1	218.4
St. Louis	207.7	186.6	168.6	156.2	177.0	152.4	175.6	163.7	157.6	152.4
St. Paul	209.9	163.7	160.9	137.5	122.2	131.0	171.4	156.0	152.1	128.6
Salt Lake City	160.2	158.4	179.2	166.1	140.0	125.7	134.2	133.5	128.5	127.5
San Antonio	133.2	115.8	119.1	109.1	107.5	100.6	119.6	136.8	106.5	103.5
San Francisco	255.2	250.6	274.4	244.6	232.2	250.8	262.2	241.1	269.9	257.6
Scranton	214.2	204.8	170.2	161.9	138.2	176.9	177.2	184.9	156.4	156.6
Seattle	(5)	(5)	149.5	140.5	140.6	137.8	156.6	119.1	119.3	122.0
Spokane	151.1	154.9	158.7	142.7	159.9	96.7	122.6	109.2	123.5	139.8
Springfield,*Mass	208.0	215.8	160.7	180.3	176.9	125.5	195.4	193.0	184.4	171.4
Syracuse*	237.3	221.7	239.8	216.9	248.0	189.4	253.5	233.2	225.7	194.3
Toledo	170.1	171.9	152.7	151.0	158.9	144.0	193.0	196.8	189.9	160.9
Trenton	279.1	251.2	251.0	192.2	210.1	171.8	215.9	217.6	181.7	168.1
Washington,D.C.	238.0	242.0	246.6	217.1	208.6	207.8	270.2	270.6	249.3	248.5
White	201.7	204.4	226.1	201.9	200.3	192.7	238.5	231.6	226.8	222.6
Colored	351.6	358.3	307.1	261.9	233.1	252.0	362.0	381.6	312.3	312.4
Wilmington, Del.	160.1	175.8	151.4	130.5	139.3	138.9	193.1	199.1	191.4	179.4
Worcester*	225.7	177.7	199.5	229.8	247.4	234.8	313.4	263.7	269.1	243.8
Yonkers*	182.3	171.1	159.4	124.8	140.3	126.1	148.4	146.4	158.4	131.2
Youngstown	134.1	119.7	126.2	114.8	91.3	108.5	120.5	134.9	231.0	122.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Not tabulated separately.
[7] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

In 1924, nine States had rates above 200 per 100,000 estimated population: California, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, and Vermont. New York and Vermont maintained such high rates for the series of years 1915 to 1924. The lowest rates in 1924 were for North Dakota (82.2), Wyoming (92.7), and Idaho (93.7).

Of the cities of 100,000 population or more in 1920, the following showed the greatest increases in the 10-year period, 1915 to 1924: Trenton (from 168.1 to 279.1), Omaha (from 99.2 to 184.6), St. Paul (from 128.6 to 209.9), New Orleans (from 252.1 to 321.1), and Pittsburgh (from 136.4 to 199.7). Eight cities had rates of 200 or more for the series of years; of these, New Orleans had the highest rate (321.1) in 1924.

In 1924 the highest rate (287.9) shown for the colored in any State was for Kentucky, and the lowest (131.7) was for Mississippi. Of the cities shown by color, New Orleans had the highest rate (482.7) and Fort Worth the lowest (102.3).

PNEUMONIA (ALL FORMS)

In 1924 the number of deaths due to pneumonia (all forms) was 97,403. Of these, 50,676 were due to lobar pneumonia, 40,631 to broncho-pneumonia, and 6,096 to pneumonia (unspecified). The death rate from pneumonia (all forms) in 1924 was 98.2 per 100,000 estimated population—much lower than the rate (109) in 1923.

For the 38 States and 61 cities with rates for 1923 and 1924, the rates were lower in 1924 for 25 States and for 43 cities. The only rates over 200 in 1924 were for Birmingham and Pittsburgh.

Among the States the highest death rates in 1924 from pneumonia (all forms) were for the following: Pennsylvania (137.1), Maryland (134.3), Colorado (122.5), New York (114.9), and Rhode Island (111.2); the lowest rates were for Idaho (55.3), Washington and Montana (57.9 each), and Kansas (60.8).

Table BE shows the death rates per 100,000 estimated population for 1915 to 1924, rates of 200 and higher being printed in bold-faced type.

Table BE AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]									
	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	98.2	109.0	102.1	88.3	137.3	123.5	286.2	150.5	137.8	133.1
Registration States [2]	97.8	109.0	102.1	88.1	136.8	123.3	284.8	148.3	137.5	131.3
Cities in registration States [2]	115.3	128.9	120.3	101.4	168.5	153.1	389.3	179.4	166.4	156.9
Rural part of registration States	82.0	90.7	85.3	75.3	107.0	97.3	208.7	120.8	111.2	105.9
Registration cities in nonregistration States	120.0	108.2	100.6	100.6	163.7	136.1	348.6	178.2	142.2	155.0
All registration cities [2]	115.5	128.3	119.8	101.4	168.3	152.4	368.4	179.2	163.1	156.7
California	95.7	95.0	98.0	85.1	101.7	97.9	227.9	106.7	99.3	94.3
Colorado	122.5	112.2	131.7	110.5	176.3	124.3	310.9	127.0	108.0	155.6
Connecticut	94.8	115.7	115.0	91.5	155.7	134.2	344.2	202.0	191.6	151.2
Delaware	105.8	148.0	120.0	103.9	178.5	185.2	(3)	(3)	(3)	(3)
Florida*	66.6	66.6	57.1	50.0	80.0	72.8	(3)	(3)	(3)	(3)
White	57.6	55.2	47.5	40.4	71.6	64.6	(3)	(3)	(3)	(3)
Colored	85.4	0.5	76.8	69.2	96.6	88.4	(3)	(3)	(3)	(3)
Georgia	99.1	92.0	79.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	80.3	75.1	71.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	126.9	116.7	92.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)

See footnotes at end of table.

Table BE—Con. DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
Idaho	55.3	58.1	64.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	83.3	104.1	91.6	78.8	133.7	107.3	247.0	(3)	(3)	(3)
Indiana	91.1	104.2	95.5	75.2	133.7	110.1	210.0	125.1	113.1	109.2
Iowa*	70.3	81.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	60.8	87.1	80.9	60.0	97.4	87.0	223.1	113.7	86.9	90.0
Kentucky	87.4	105.3	94.4	75.7	121.7	124.4	214.6	120.2	111.1	98.3
White	77.7	95.1	86.0	69.9	110.3	111.6	192.2	108.3	102.3	85.6
Colored	184.8	205.1	175.7	131.4	227.5	241.8	415.7	225.8	188.7	206.4
Louisiana	107.4	91.3	82.3	71.0	108.1	110.2	232.7	(3)	(3)	(3)
White	82.1	71.1	65.5	59.4	92.8	94.7	202.0	(3)	(3)	(3)
Colored	149.9	124.5	109.5	89.5	132.3	134.1	279.4	(3)	(3)	(3)
Maine	101.6	131.0	129.7	112.6	151.8	123.9	255.0	159.7	140.0	140.3
Maryland	134.3	153.5	113.2	106.8	153.3	152.9	441.1	188.9	176.9	156.2
White	111.6	129.5	97.3	92.0	133.2	131.5	403.4	147.6	144.9	126.8
Colored	249.4	274.3	192.7	179.9	252.5	257.9	624.6	388.4	330.1	295.9
Massachusetts*	99.3	130.9	129.9	102.6	156.1	133.9	384.8	171.8	174.9	162.1
Michigan	88.9	112.3	91.5	73.0	152.3	108.8	199.1	124.0	105.7	95.8
Minnesota	71.7	73.8	64.2	64.6	79.0	78.1	140.6	96.1	86.0	89.7
Mississippi	88.3	77.9	77.6	66.0	102.8	93.5	(3)	(3)	(3)	(3)
White	77.6	64.5	66.9	58.8	81.5	71.4	(3)	(3)	(3)	(3)
Colored	98.1	90.1	87.4	72.5	122.4	113.5	(3)	(3)	(3)	(3)
Missouri	105.2	120.0	107.4	83.6	164.1	128.6	285.3	157.3	132.4	122.7
Montana	57.9	65.3	81.2	71.6	103.3	98.2	249.1	137.4	110.2	109.0
Nebraska	61.9	73.8	81.9	62.6	85.7	(3)	(3)	(3)	(3)	(3)
New Hampshire	99.8	121.5	116.3	97.1	130.7	120.2	294.2	160.7	141.8	124.2
New Jersey	104.4	117.6	117.8	97.8	154.2	158.7	466.4	175.8	180.1	152.4
New York*	114.9	120.8	125.0	101.2	160.2	166.4	374.2	180.3	167.5	171.9
North Carolina	103.0	90.8	88.0	74.9	101.9	84.8	182.7	105.8	103.5	129.3
White	86.6	76.2	76.2	66.5	87.4	70.8	145.0	85.9	82.5	84.3
Colored	141.8	125.2	115.5	94.4	135.4	116.9	268.4	150.8	150.5	214.4
North Dakota*	74.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	86.9	108.2	93.3	83.0	135.9	122.7	235.5	142.8	131.7	116.7
Oregon	74.4	72.6	90.8	66.5	107.8	79.9	125.7	(3)	(3)	(3)
Pennsylvania	137.1	156.8	134.6	129.7	181.7	157.1	418.4	193.3	171.4	151.1
Rhode Island*	111.2	135.8	126.9	102.8	163.1	144.7	312.7	190.5	167.8	172.6
South Carolina	101.5	90.6	88.3	77.7	110.1	102.2	252.3	118.9	105.2	(3)
White	72.1	65.5	76.3	65.1	87.6	81.1	233.1	93.5	81.5	(3)
Colored	131.0	115.6	100.0	89.9	131.5	122.0	270.0	142.1	126.5	(3)
Tennessee	103.3	98.2	87.6	74.5	117.2	102.1	203.5	110.7	(3)	(3)
White	84.2	81.2	75.9	66.0	100.5	87.9	169.1	91.5	(3)	(3)
Colored	188.3	172.9	138.0	110.8	187.5	161.1	344.2	188.0	(3)	(3)
Utah	105.9	82.8	114.1	107.8	126.0	90.5	183.9	113.1	113.0	106.5
Vermont	101.9	99.6	120.9	98.2	152.5	125.1	201.7	162.2	126.1	117.5
Virginia	91.7	91.5	83.4	75.9	103.4	99.2	204.0	124.7	124.6	112.4
White	72.0	74.3	67.8	69.3	81.7	75.8	158.5	91.7	88.0	84.9
Colored	140.2	133.3	120.8	115.5	154.7	153.7	308.6	199.6	206.5	173.3
Washington	57.9	59.8	64.2	57.1	93.7	86.5	170.8	67.4	64.1	66.8
Wisconsin	81.9	96.9	85.4	74.3	112.9	94.2	163.1	119.5	108.3	104.0
Wyoming	80.7	85.9	85.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	(5)	75.8	74.8	233.1	181.1	239.2	139.8	125.0	97.8
Albany*	105.1	136.3	133.4	80.8	143.9	163.2	336.9	170.2	156.4	163.6
Atlanta	(5)	180.7	137.0	112.8	191.7	148.2	304.0	159.6	145.9	145.7
White	(5)	99.7	77.1	76.2	114.0	88.2	200.7	79.8	71.8	83.7
Colored	(5)	367.5	274.0	194.0	362.9	279.3	527.7	330.9	303.4	276.2
Baltimore	169.2	181.9	136.0	126.5	184.9	174.3	554.8	234.5	228.7	195.1
White	133.5	148.0	113.5	110.0	160.0	149.9	507.8	173.2	183.5	158.2
Colored	375.7	377.4	266.3	221.5	327.9	314.2	796.5	552.4	465.4	389.3
Birmingham	215.7	167.4	123.0	130.6	187.6	193.9	485.3	304.9	153.6	136.0
White	127.9	94.1	76.7	82.3	120.9	126.3	321.9	125.9	84.1	95.9
Colored	351.5	280.9	194.6	205.2	290.7	298.4	737.5	581.2	261.0	197.7
Boston*	135.3	173.9	175.7	124.5	197.8	161.5	494.3	223.1	219.8	210.2
Bridgeport	(5)	(5)	118.4	98.2	159.9	157.0	478.3	292.0	338.3	194.7
Buffalo*	99.3	127.8	103.2	75.1	147.5	144.5	378.0	176.4	163.4	162.3
Cambridge*	86.3	153.4	163.1	94.2	169.2	130.7	395.6	156.8	166.8	151.7
Camden	159.8	201.4	172.3	169.6	216.3	212.7	750.8	273.7	230.5	227.8
Chicago	95.6	118.2	100.9	86.7	160.7	134.9	304.9	195.7	156.8	163.4
Cincinnati	115.0	139.0	121.8	101.6	131.1	122.1	293.7	153.2	150.7	144.4
Cleveland	111.2	123.5	106.0	90.0	153.4	173.2	336.5	187.1	172.4	144.5
Columbus	87.6	125.2	88.9	89.2	146.4	119.1	256.8	156.9	154.1	125.6
Dallas	98.5	92.2	97.7	73.3	119.2	84.1	316.3	103.0	62.5	(3)
White	81.4	72.1	72.6	64.7	102.3	70.7	277.3	82.2	56.1	(3)
Colored	205.8	215.2	247.3	122.9	214.8	158.5	525.0	211.7	94.9	(3)
Dayton	72.7	98.5	82.2	50.6	122.4	100.2	286.4	146.6	133.3	129.5
Denver	162.8	140.8	163.7	157.3	264.0	150.6	412.3	121.0	132.4	173.4
Des Moines*	90.0	87.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	124.3	(5)	136.8	90.7	232.4	156.7	260.1	190.4	172.0	141.5
Fall River*	115.8	118.3	165.6	145.0	159.3	135.4	330.0	220.5	280.7	211.8
Fort Worth	74.9	66.7	94.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	59.4	55.0	72.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	183.0	147.8	231.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	53.9	96.6	75.2	57.4	119.6	71.8	153.7	88.1	70.7	96.0
Hartford	115.3	132.1	140.5	119.5	219.2	189.7	390.9	317.3	268.7	197.7

See footnotes at end of table.

Table BE—Con. DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION

[Rates of 200 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Houston	90.0	78.6	63.3	60.6	117.6	82.9	210.0	87.9	(3)	(3)
White	75.4	68.1	48.0	54.4	92.5	66.3	185.3	78.6	(3)	(3)
Colored	138.7	113.4	112.7	80.2	195.2	133.6	282.0	114.5	(3)	(3)
Indianapolis	116.8	125.8	118.5	87.8	178.6	151.4	324.2	144.1	136.9	137.9
White	98.6	105.2	106.8	74.1	157.8	132.4	300.4	123.0	123.3	124.3
Colored	255.0	283.9	209.9	195.8	344.2	304.7	520.8	320.5	252.0	251.1
Jersey City	140.6	133.6	137.3	124.2	192.5	222.2	537.5	210.1	196.7	204.5
Kansas City,* Kans	97.7	158.1	133.6	96.3	184.2	143.8	362.1	189.6	119.4	211.1
White	93.8	138.8	124.5	91.4	174.0	133.8	350.9	171.6	104.9	194.6
Colored	120.9	268.9	187.0	124.6	244.4	204.3	431.2	303.7	213.5	321.5
Kansas City, Mo.	108.4	142.4	150.0	98.8	247.3	207.2	434.7	192.9	122.9	156.7
Los Angeles	(5)	(5)	96.1	71.3	84.1	74.0	194.1	87.5	80.4	82.9
Louisville	111.4	168.8	129.6	95.7	154.3	252.0	550.3	194.5	151.2	140.5
White	82.6	142.4	97.6	77.0	122.4	206.9	507.7	152.2	116.9	97.0
Colored	269.8	309.7	299.1	187.7	309.4	470.5	754.3	396.3	313.8	345.0
Lowell*	103.9	203.3	130.2	121.3	192.8	136.1	437.5	180.9	182.9	187.7
Memphis	192.7	192.3	138.2	104.4	222.1	220.4	373.0	197.7	(3)	141.2
White	110.2	140.0	91.6	79.8	147.0	165.9	299.7	120.1	(3)	90.9
Colored	337.5	282.8	217.9	146.0	347.0	315.4	499.0	329.1	(3)	223.6
Milwaukee	94.7	117.6	92.9	78.9	171.0	142.5	262.6	176.5	156.2	142.4
Minneapolis	82.7	79.2	82.5	88.3	106.1	91.6	174.6	120.5	115.0	114.9
Nashville	148.3	173.7	124.7	120.5	181.9	172.1	491.9	164.5	(6)	154.6
White	119.6	130.1	103.6	87.4	138.3	113.1	406.6	124.6	(6)	110.9
Colored	218.8	279.8	175.2	198.7	283.8	308.2	685.5	253.9	(6)	249.8
New Bedford*	111.9	145.3	146.6	105.6	188.6	143.4	396.9	219.3	201.1	192.1
New Haven	123.3	149.2	160.0	98.8	179.8	125.4	325.8	225.0	221.6	195.8
New Orleans	146.3	143.1	126.1	115.8	185.5	184.5	439.7	148.6	117.9	194.0
White	85.5	100.0	87.0	82.3	127.2	146.5	362.9	96.9	67.5	118.6
Colored	318.7	265.4	236.8	210.5	350.3	291.9	656.2	294.0	259.5	405.6
New York*	138.0	128.1	141.2	115.7	184.4	199.8	425.3	196.1	189.7	204.6
Bronx Borough	98.4	105.2	108.7	93.6	138.6	179.2	384.0	159.4	138.6	175.4
Brooklyn Borough	132.0	117.0	143.7	110.2	181.0	200.7	443.7	202.0	203.2	200.8
Manhattan Borough	179.1	150.5	156.7	134.6	210.5	210.2	425.2	205.6	197.3	225.1
Queens Borough	89.6	114.8	114.8	90.0	151.7	170.2	373.3	175.6	164.1	153.7
Richmond Borough	115.9	123.1	136.7	102.3	158.3	220.9	563.5	190.5	183.9	177.8
Newark, N. J.	105.5	113.5	120.7	82.8	176.8	167.8	494.6	173.2	168.8	140.3
Norfolk	(5)	94.9	84.9	93.2	137.7	160.6	396.2	167.9	190.3	166.1
White	(5)	35.4	43.7	43.7	84.4	87.4	269.0	71.4	69.5	88.9
Colored	(5)	200.0	153.0	175.2	226.7	281.4	603.9	323.6	383.0	287.7
Oakland	88.7	66.6	78.4	65.8	109.3	128.3	322.7	89.8	77.9	95.9
Omaha	104.3	128.2	146.5	109.1	167.0	142.3	312.1	197.8	164.9	137.4
Paterson	101.7	123.9	135.0	119.3	154.0	140.4	326.9	188.4	206.6	153.3
Philadelphia	140.0	157.5	141.4	124.7	191.7	176.3	525.8	213.8	170.6	168.8
Pittsburgh	302.1	328.2	255.5	254.3	341.3	330.9	898.5	364.2	337.2	249.4
Portland, Oreg.	82.4	87.0	100.7	70.2	125.2	103.1	181.6	65.5	63.8	63.6
Providence*	123.4	149.4	142.3	117.7	196.4	140.6	347.7	205.0	190.7	180.2
Reading	113.6	132.5	109.1	96.2	149.7	113.7	373.9	181.1	168.3	87.2
Richmond	131.7	122.6	131.8	121.2	182.7	153.8	297.1	181.9	187.3	193.6
White	65.2	66.5	71.1	61.8	100.2	82.5	155.4	95.1	101.9	117.4
Colored	287.5	252.0	269.4	253.8	363.5	307.5	597.0	362.2	361.8	346.3
Rochester*	71.2	90.6	100.1	68.1	104.0	115.9	294.5	146.5	119.6	115.9
St. Louis	153.8	168.7	148.8	124.5	212.0	162.7	358.7	204.9	177.1	144.6
St. Paul	80.8	104.2	83.4	66.4	106.1	86.0	183.1	103.7	87.5	118.9
Salt Lake City	112.0	87.1	142.3	83.1	153.4	101.8	197.0	118.1	128.5	103.9
San Antonio	128.0	102.9	92.7	77.0	119.0	94.9	358.7	181.7	81.1	100.5
San Francisco	108.3	105.4	107.8	91.1	119.9	131.3	274.3	123.7	126.1	128.4
Scranton	181.0	137.2	182.4	161.9	206.2	174.7	466.5	232.8	206.8	214.0
Seattle	(5)	(5)	58.0	50.4	96.8	91.5	173.4	54.2	48.7	67.2
Spokane	89.9	79.4	114.8	118.7	148.4	117.8	217.4	89.1	71.8	74.7
Springfield,* Mass.	92.7	119.9	101.4	93.5	129.1	160.0	441.8	164.5	177.4	151.6
Syracuse*	119.2	124.7	101.1	82.8	216.4	133.0	436.7	150.3	131.1	116.7
Toledo	86.0	101.0	86.3	65.8	125.3	102.6	194.7	141.8	141.8	111.2
Trenton	126.4	138.2	173.5	109.2	189.3	165.9	685.6	201.8	303.1	211.3
Washington, D.C	118.7	179.0	123.6	112.9	184.6	149.3	386.8	145.8	149.8	163.3
White	75.1	109.9	79.5	69.1	128.2	96.2	297.9	96.9	98.9	106.7
Colored	255.0	392.6	253.8	242.1	352.4	304.8	643.7	285.0	292.3	319.1
Wilmington, Del.	110.1	160.5	122.0	116.4	213.0	205.0	687.6	288.4	226.1	198.7
Worcester*	105.7	146.4	136.4	128.7	195.0	173.6	464.1	185.3	224.4	182.2
Yonkers*	82.6	100.4	122.4	77.4	135.3	146.3	317.4	168.5	174.5	148.8
Youngstown	147.0	151.6	170.0	160.2	265.0	224.6	447.8	349.8	285.1	214.2

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—Capillary bronchitis is excluded from 1915 to 1920, inclusive.

Among the cities of 100,000 population or more in 1920, the following had the highest rates in 1924: Pittsburgh (302.1), Birmingham (215.7), Memphis (192.7), Scranton (181), and Baltimore (169.2); the lowest were for Grand Rapids (53.9), Rochester (71.2), Dayton (72.7), and Fort Worth (74.9).

The highest rate shown for the colored in any State was 249.4 for Maryland, and the lowest was 85.4 for Florida; for the cities, Baltimore had the highest rate (375.7), and Kansas City, Kans., the lowest (120.9).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS)

Diarrhea and enteritis in 1924 was the cause of death of 27,566 children under 2 years of age, corresponding to a rate of 27.8 per 100,000 estimated population at all ages. This was the lowest rate for any year since 1900, when the rate was 108.8, and this marked reduction was doubtless due, in large part, to measures employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various States and cities certainly suggests that at least some of these rates are still too high; for example, among the States the rates ranged from 55.3 for South Carolina to 7.5 for Oregon, and among the cities of 100,000 population or more in 1920, from 128.5 for San Antonio to 3.2 for Portland, Oreg.

Table BF shows the death rates per 100,000 population at all ages for 1915 to 1924, with rates of 100 or more in bold-faced type.

Table BF

DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES

[Rates of 100 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	27.8	32.4	32.5	41.9	44.0	44.2	58.7	64.3	65.8	59.8
Registration States [2]	27.3	32.0	32.1	41.3	43.4	43.8	57.9	61.0	62.4	56.7
Cities in registration States [2]	28.3	33.3	35.1	43.3	52.2	52.0	68.6	70.2	72.1	68.8
Rural part of registration States	26.4	30.8	29.4	39.3	35.1	36.7	48.2	52.8	53.7	44.7
Registration cities in non-registration States	59.8	62.4	61.1	81.7	81.1	63.7	95.6	107.9	110.8	96.3
All registration cities [2]	29.3	34.2	35.8	44.6	53.2	52.5	69.8	75.5	77.4	72.8
California	34.7	38.7	30.3	30.2	34.4	26.2	32.6	32.9	27.7	27.0
Colorado	38.4	41.1	43.6	41.5	44.6	33.0	46.7	36.0	42.7	27.9
Connecticut	21.5	22.8	30.4	35.5	52.4	48.7	66.7	76.3	83.0	92.0
Delaware	40.0	44.3	63.1	61.0	69.6	60.4	(3)	(3)	(3)	(3)
Florida*	37.4	41.9	35.8	43.1	41.3	41.6	(3)	(3)	(3)	(3)
White	33.2	42.1	32.7	39.7	39.2	39.5	(3)	(3)	(3)	(3)
Colored	46.1	41.4	42.3	50.1	45.6	45.6	(3)	(3)	(3)	(3)
Georgia	33.4	33.3	28.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	32.2	33.7	30.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	35.2	32.7	26.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	10.8	7.4	19.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	28.2	36.6	35.1	49.1	54.1	58.9	67.4	(3)	(3)	(3)
Indiana	28.8	31.9	27.2	40.7	39.6	38.3	46.4	53.3	61.9	41.1
Iowa*	10.0	11.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	18.1	22.8	20.3	25.3	30.6	26.8	30.4	38.7	38.8	24.3
Kentucky	32.8	41.5	33.0	44.2	36.0	39.3	43.4	55.2	50.1	37.4
White	32.5	41.1	33.0	43.4	35.7	39.0	41.7	53.9	49.7	36.7
Colored	35.3	46.3	33.1	51.3	38.8	42.1	59.1	66.7	53.4	43.9
Louisiana	52.3	35.7	39.3	51.0	38.3	42.2	71.1	(3)	(3)	(3)
White	45.1	31.4	37.0	44.4	35.0	37.9	67.9	(3)	(3)	(3)
Colored	64.4	42.8	43.0	61.6	43.5	48.8	76.1	(3)	(3)	(3)
Maine	20.9	24.3	35.0	43.7	52.6	32.1	40.0	34.5	61.4	51.4
Maryland	41.2	49.2	60.4	63.9	81.2	78.8	112.4	94.5	93.0	83.2
White	35.3	39.3	51.0	55.4	73.3	71.4	99.2	81.3	80.2	75.9
Colored	71.0	99.1	107.6	108.2	120.5	115.0	176.9	158.0	154.2	117.9
Massachusetts*	20.7	24.0	30.0	37.4	47.5	43.5	76.8	71.2	68.1	74.5
Michigan	23.5	33.9	26.8	41.9	47.4	46.6	48.7	50.3	62.3	38.1
Minnesota	10.9	14.5	13.5	15.9	21.0	19.5	22.3	24.6	28.0	26.4
Mississippi	32.3	28.1	24.5	30.7	32.3	28.9	(3)	(3)	(3)	(3)
White	28.2	28.2	26.9	32.9	31.8	29.6	(3)	(3)	(3)	(3)
Colored	36.1	28.0	22.3	28.6	32.7	28.4	(3)	(3)	(3)	(3)
Missouri	27.1	25.5	21.7	30.1	31.4	30.3	36.3	48.7	49.0	36.9
Montana	11.3	16.2	16.2	16.0	22.1	29.6	29.9	42.8	37.4	22.2
Nebraska	13.8	16.0	14.9	20.0	20.7	(3)	(3)	(3)	(3)	(3)
New Hampshire	23.2	28.2	22.6	35.7	43.9	35.5	49.2	58.4	61.1	67.0
New Jersey	28.2	32.4	38.0	46.2	53.0	58.2	77.5	83.7	73.9	83.6
New York*	21.2	27.9	32.4	38.7	45.8	42.0	53.7	60.1	59.3	69.3
North Carolina	54.4	54.2	54.2	65.3	54.2	55.5	79.7	95.8	76.9	[4]118.0
White	44.2	47.7	50.8	63.1	51.0	54.7	71.6	88.4	73.1	89.9
Colored	78.5	69.6	62.3	70.6	61.8	57.3	98.2	112.4	85.6	171.2
North Dakota*	17.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	17.6	27.0	21.7	36.9	31.8	38.7	48.6	55.4	59.5	44.1
Oregon	7.5	10.2	8.0	9.9	10.6	14.0	16.6	(3)	(3)	(3)
Pennsylvania	36.2	47.6	49.2	61.9	63.0	66.6	98.4	97.2	103.9	92.4
Rhode Island*	23.5	34.8	29.5	49.4	44.8	38.6	74.0	59.1	73.5	79.9
South Carolina	55.3	47.1	43.7	59.3	66.8	56.2	75.3	79.6	72.0	(3)
White	51.1	47.8	43.8	57.5	59.2	43.8	61.1	74.4	69.4	(3)
Colored	59.6	46.5	43.7	61.1	74.0	68.0	88.4	84.3	74.3	(3)
Tennessee	35.0	36.4	31.0	34.0	30.7	35.9	41.1	48.6	(3)	(3)
White	33.1	35.8	32.3	35.7	29.9	36.9	39.8	46.7	(3)	(3)
Colored	43.2	39.2	25.5	27.2	33.9	31.6	46.1	56.2	(3)	(3)
Utah	19.8	22.9	26.2	27.1	26.0	22.0	24.0	40.5	26.8	22.9
Vermont	17.0	13.9	17.0	27.0	35.5	25.5	43.1	28.0	42.1	45.2
Virginia	30.8	39.7	40.2	50.8	40.8	53.0	59.5	65.1	65.3	54.8
White	24.9	32.6	32.0	44.2	32.3	46.2	48.6	54.8	55.0	43.3
Colored	45.1	56.7	60.0	66.7	60.7	68.7	84.6	88.5	88.6	80.3
Washington	10.0	8.5	13.5	11.0	12.1	13.7	17.4	18.7	13.4	14.6
Wisconsin	17.0	21.0	21.3	30.5	28.2	26.8	28.0	29.9	38.4	29.6
Wyoming	16.1	22.2	23.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	(5)	14.9	27.8	21.4	41.7	59.1	79.4	84.4	43.9
Albany*	23.9	17.0	25.8	28.7	18.4	17.7	30.5	43.5	59.5	67.7
Atlanta	(5)	60.5	42.2	47.7	44.4	30.3	44.9	99.4	55.9	48.4
White	(5)	47.0	32.9	44.0	40.1	25.0	37.7	90.7	56.6	42.7
Colored	(5)	91.9	63.2	55.9	53.7	41.7	60.4	118.1	54.2	60.4
Baltimore	39.7	38.4	62.8	54.7	89.4	84.3	127.5	103.3	96.4	80.9
White	35.9	32.6	56.5	51.9	84.0	80.3	117.6	93.8	85.5	80.5
Colored	62.2	71.8	99.4	71.1	120.6	107.5	178.2	152.7	153.8	82.7
Birmingham	41.8	50.5	28.8	45.7	47.4	55.3	80.0	195.1	79.3	72.1
White	32.8	51.3	31.9	45.1	43.6	52.0	74.5	137.7	84.1	70.9
Colored	55.8	49.4	24.0	46.5	53.4	60.3	88.5	283.8	71.9	73.9
Boston*	22.3	21.8	30.5	29.2	51.4	47.3	64.3	59.8	51.6	65.2
Bridgeport	(5)	(5)	17.4	39.0	59.7	71.4	85.3	95.6	122.9	104.6
Buffalo*	43.5	49.2	74.0	75.1	91.6	94.3	130.6	99.3	111.2	102.9
Cambridge*	10.1	23.3	22.5	26.3	60.0	29.2	55.1	55.3	59.3	52.1
Camden	63.3	57.2	64.0	83.6	71.5	92.9	138.1	122.0	111.6	100.7
Chicago	30.8	40.6	47.4	68.7	84.9	97.7	114.2	114.5	140.3	112.0
Cincinnati	25.5	34.0	21.5	31.7	31.6	37.7	43.4	41.0	51.0	44.3
Cleveland	20.7	29.1	38.0	43.0	52.8	64.7	78.3	109.0	104.0	98.6
Columbus	16.0	30.3	20.7	26.6	25.0	28.2	29.3	34.5	26.2	22.2
Dallas	41.0	33.5	27.3	23.4	39.1	37.6	34.5	29.3	40.3	(3)
White	34.5	36.4	27.2	22.5	35.8	33.9	38.2	31.2	39.4	(3)
Colored	81.5	15.7	28.4	29.6	57.8	58.4	14.6	19.7	44.9	(3)
Dayton	19.5	29.0	17.3	31.0	25.3	34.5	34.0	50.2	61.6	22.8
Denver	28.2	27.9	32.5	20.5	22.0	26.0	22.4	19.2	14.1	15.6
Des Moines*	12.9	14.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	31.6	(5)	41.8	53.2	65.3	63.8	71.9	83.9	94.6	73.5
Fall River*	71.2	72.0	124.2	125.1	152.6	125.4	256.0	227.2	228.2	239.3
Fort Worth	18.2	16.0	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	17.8	15.9	20.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	21.5	16.4	11.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	13.5	17.8	24.4	29.7	64.1	41.8	49.2	42.5	55.0	26.4
Hartford	28.8	33.5	44.9	48.5	64.3	53.7	87.9	108.6	96.0	111.8
Houston	34.4	36.1	38.0	35.8	34.2	28.6	65.4	44.8	(3)	(3)
White	30.8	30.2	30.5	30.8	34.9	29.2	55.9	39.9	(3)	(3)
Colored	46.2	55.3	62.0	51.6	32.0	26.7	92.9	58.9	(3)	(3)
Indianapolis	44.2	46.1	31.9	37.5	52.8	38.6	49.1	48.8	54.6	29.9
White	39.3	42.2	28.3	35.3	51.3	38.0	45.5	48.2	52.1	28.5
Colored	80.9	76.0	60.3	54.4	64.9	43.9	79.2	53.9	76.3	41.8
Jersey City	42.3	45.3	57.9	76.3	87.8	77.2	90.0	101.6	85.3	115.1
Kansas City,* Kans	50.2	49.2	36.9	29.8	62.7	57.9	57.0	64.2	57.1	48.5
White	46.4	48.6	31.9	33.8	57.2	59.4	55.5	66.0	54.9	45.8
Colored	72.5	52.6	66.3	6.6	95.0	49.3	65.8	53.2	71.2	65.9
Kansas City, Mo.	41.4	37.2	34.9	49.1	68.5	47.1	39.7	42.6	47.1	42.9

(See footnotes at end of table)

Table BF—Con. DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES

[Rates of 100 or more in bold-faced type]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued										
Los Angeles	(5)	(5)	33.4	32.8	44.4	24.8	32.5	28.7	30.0	27.7
Louisville	30.3	39.6	28.4	36.4	39.5	33.3	39.4	49.4	46.1	32.4
White	30.2	38.3	29.6	36.2	35.9	29.8	34.6	44.7	41.7	28.8
Colored	31.0	46.7	22.1	37.5	57.4	49.8	62.1	71.8	66.7	49.3
Lowell*	66.9	79.9	67.3	71.2	123.8	115.6	162.8	171.0	177.5	158.5
Memphis	49.9	39.4	29.2	33.8	42.2	40.1	55.5	53.5	(5)	37.4
White	30.1	27.8	32.1	36.5	45.1	44.1	56.7	51.3	(5)	34.1
Colored	84.8	59.5	24.2	29.2	37.5	33.0	53.4	57.3	(5)	42.9
Milwaukee	25.1	31.0	35.2	40.3	50.6	50.9	53.8	57.3	73.8	58.1
Minneapolis	7.2	7.1	8.2	10.7	13.8	13.3	17.4	22.5	31.0	27.3
Nashville	47.0	36.7	34.9	45.9	48.0	56.8	66.7	60.3	(5)	61.1
White	49.0	27.6	42.4	39.6	44.5	55.9	61.6	59.8	(5)	57.3
Colored	42.1	58.8	17.0	60.7	56.2	58.8	78.3	61.4	(5)	69.4
New Bedford*	30.1	53.0	71.3	101.6	124.9	110.0	346.6	143.6	178.0	185.7
New Haven	31.3	22.5	32.4	22.8	50.0	48.4	51.2	58.7	67.7	65.0
New Orleans	57.9	37.3	47.5	52.2	44.1	44.7	76.1	90.2	71.1	104.7
White	45.6	29.8	41.0	40.5	39.6	35.9	64.6	71.2	61.6	86.2
Colored	92.8	58.8	66.2	85.4	56.9	69.5	108.5	143.4	97.8	156.4
New York*	21.7	27.7	31.0	37.4	47.6	44.8	50.1	65.1	61.3	75.6
Bronx Borough	11.1	13.0	15.2	16.4	25.7	23.0	27.0	41.4	35.6	48.3
Brooklyn Borough	22.1	25.4	31.7	37.2	49.8	45.6	52.6	66.1	56.9	77.0
Manhattan Borough	28.5	36.5	37.1	47.6	56.8	51.2	56.5	71.8	74.6	82.2
Queens Borough	14.4	20.5	24.0	24.9	28.2	35.5	40.0	60.8	47.7	71.8
Richmond Borough	20.8	38.4	38.6	36.3	45.7	75.7	55.5	65.3	55.9	75.2
Newark, N. J.	32.1	32.1	44.0	50.8	58.1	71.8	84.4	87.6	75.3	79.5
Norfolk	(5)	32.7	38.4	37.9	36.6	56.2	83.4	66.6	78.7	74.5
White	(5)	15.8	20.6	22.5	16.3	26.8	52.6	28.9	39.5	32.9
Colored	(5)	62.6	68.0	63.5	70.3	104.7	133.7	127.5	141.1	140.0
Oakland	17.4	16.7	18.9	15.9	19.6	14.1	22.3	19.6	11.4	22.1
Omaha	21.2	18.6	18.4	21.8	32.6	25.3	37.1	22.5	39.7	21.1
Paterson	19.9	17.2	18.8	26.9	38.9	39.2	66.3	61.5	44.6	44.2
Philadelphia	31.1	33.0	43.1	44.2	61.1	62.6	88.4	93.2	87.6	89.3
Pittsburgh	47.8	59.8	49.4	70.9	76.8	86.6	119.3	131.2	120.0	99.1
Portland, Oreg.	3.2	6.9	7.4	8.3	9.2	15.6	19.5	17.0	9.1	6.9
Providence*	21.6	37.5	24.5	50.1	42.4	27.4	62.8	58.5	63.6	63.9
Reading	38.5	30.7	70.0	55.0	74.8	71.7	112.9	79.7	85.1	74.6
Richmond	24.5	40.9	30.8	38.1	39.3	35.8	51.3	69.1	70.2	65.2
White	28.7	24.5	30.7	32.2	28.6	31.8	36.9	41.3	49.6	50.7
Colored	14.6	78.5	31.2	51.5	62.7	44.5	81.8	127.0	112.5	94.1
Rochester*	20.7	27.0	37.6	53.1	48.5	37.9	55.8	70.1	75.6	64.0
St. Louis	23.5	18.9	14.3	18.6	27.5	26.0	42.0	45.8	50.9	45.8
St. Paul	16.8	19.4	15.8	12.6	17.4	16.7	33.2	28.3	28.6	26.6
Salt Lake City	15.6	20.6	25.0	40.3	35.2	21.4	19.4	37.0	25.0	14.2
San Antonio	128.5	129.4	163.4	186.1	160.3	136.0	263.6	333.1	241.3	255.0
San Francisco	8.4	9.1	9.1	10.6	14.9	16.5	14.4	17.0	17.7	19.6
Scranton	41.7	55.5	51.5	77.0	70.2	70.6	114.2	142.9	154.2	146.9
Seattle	(5)	(5)	6.0	7.3	8.8	10.3	13.5	7.8	6.3	8.9
Spokane	12.4	8.6	18.2	13.4	16.3	12.4	23.0	19.2	14.4	18.2
Springfield,* Mass.	22.8	23.6	25.0	30.9	41.0	43.9	70.5	73.8	78.3	69.5
Syracuse*	16.1	39.6	39.2	53.0	77.1	57.7	94.3	80.4	74.6	60.3
Toledo	23.5	34.2	23.4	43.0	46.2	40.9	50.3	60.7	95.6	52.2
Trenton	40.1	36.9	55.2	57.8	70.6	83.0	82.0	89.9	105.2	118.5
Washington, D.C.	25.5	29.4	27.2	27.7	32.5	35.9	52.0	56.3	45.6	43.5
White	20.9	25.9	17.4	21.1	22.6	28.6	35.5	35.3	27.5	26.3
Colored	39.8	40.4	56.0	47.0	61.9	57.3	99.7	116.3	96.2	90.9
Wilmington, Del.	35.0	48.4	62.3	60.0	78.2	64.3	117.0	130.1	116.0	87.2
Worcester*	20.1	26.6	32.9	50.8	47.9	50.6	75.6	83.0	75.8	70.1
Yonkers*	17.1	30.7	31.3	30.0	52.4	55.5	57.7	85.3	84.0	120.1
Youngstown	21.9	37.9	39.3	75.6	66.8	80.8	134.1	190.7	135.2	107.6

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—Includes ulcer of the duodenum from 1915 to 1920.

ACUTE AND CHRONIC NEPHRITIS

In 1924 the number of deaths from acute and chronic nephritis was 88,863, corresponding to a crude rate of 89.6 per 100,000 estimated population. Of these deaths, 6,038 were due to acute nephritis and 82,825 to chronic nephritis.

Of the 38 States which showed rates for 1923 and 1924, 22 had higher rates in 1924. The States with the highest rates in 1924 were the following: Maryland (139.8), Delaware (136.7), Vermont (112.6), and Missouri (112.1); the lowest rates were for North Dakota (35), Idaho (40.5), Wyoming (40.6), and Montana (46.9).

Of the 61 cities with rates for both 1923 and 1924, 26 showed increases for 1924; the greatest increase (24.9) was for Spokane (from 91.8 to 116.7). Of the 35 cities with decreases for 1924, Louisville had the greatest (from 153.7 to 120.3). The following cities had the highest rates in 1924: New Orleans (183.1), Reading (157.4), St. Louis (154.2), and Albany (152.1); the following had the lowest rates: Detroit (44.3), Youngstown (47.1), Des Moines (50), and Minneapolis (50.3). Of the areas shown by color, 2 States—Kentucky and Maryland—and 11 cities showed for the colored a rate of 150 or more.

Table BG shows crude mortality rates from acute and chronic nephritis for 1918 to 1924, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920. Rates of 150 or more are in bold-faced type.

Table BG DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
The registration area [1]	89.6	90.1	88.5	85.4	89.4	88.1	97.6	------	------
Registration States [2]	89.3	90.1	88.5	84.9	88.8	87.7	96.8	------	------
Cities in registration States [2]	98.9	101.6	99.9	93.9	100.2	102.6	114.6	------	------
Rural part of registration States	80.6	79.4	77.9	76.3	78.1	74.7	80.8	------	------
Registration cities in nonregistration States	106.3	91.3	92.0	111.6	123.5	107.5	131.7	------	------
All registration cities [2]	99.1	101.4	99.6	94.5	101.0	102.8	115.3	------	------
California	96.0	95.8	98.0	94.5	94.3	93.0	95.3	73.3	0.77742947
Colorado	76.3	70.7	78.4	68.8	76.6	69.2	76.2	75.4	.98445596
Connecticut	82.1	87.1	86.3	76.8	88.1	93.2	99.4	80.5	.91348315
Delaware	136.7	148.0	127.9	139.3	125.9	137.0	(3)	105.9	.84110672
Florida *	97.4	108.9	96.7	91.2	96.2	82.5	(3)	98.5	1.02363823
White	90.7	98.7	90.2	85.2	95.2	80.4	(3)	88.4	.92864529
Colored	111.4	130.2	109.9	103.4	98.1	86.6	(3)	118.0	1.20325203
Georgia	102.8	98.6	89.4	(3)	(3)	(3)	(3)	(3)	(3)
White	89.3	88.1	84.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	122.8	114.0	97.1	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	40.5	38.1	41.8	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	96.1	100.0	92.2	85.2	90.8	85.0	94.9	86.2	.94967177
Indiana	107.5	105.1	99.5	95.9	105.6	98.0	102.1	81.6	.77264151
Iowa *	61.5	61.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas *	72.7	78.1	78.7	78.4	82.2	75.1	81.0	65.8	.80097087
Kentucky	80.4	77.1	77.2	76.5	78.9	78.7	87.7	77.2	.97853535
White	69.0	69.8	68.0	69.9	71.3	69.5	77.9	70.4	.98741259
Colored	195.5	149.1	166.1	139.2	150.4	163.0	175.8	136.1	.90501672
Louisiana	104.4	94.9	86.2	89.6	86.9	88.9	99.0	106.0	1.21993127
White	86.2	81.6	73.1	78.3	75.4	78.0	86.1	92.0	1.21973684
Colored	134.8	116.9	107.5	107.7	105.1	105.8	118.8	128.5	1.22285714
Maine	95.0	104.1	102.9	96.9	111.7	104.3	108.6	72.8	.65205725
Maryland	139.8	138.2	142.3	134.1	139.8	142.0	158.7	128.0	.91536273
White	128.4	130.9	133.1	124.8	129.7	130.4	144.1	114.8	.88505747
Colored	197.5	175.3	188.7	180.3	189.8	198.5	230.0	202.0	1.06673673
Massachusetts *	73.7	75.1	78.8	71.5	75.5	79.9	89.0	64.9	.85921053
Michigan	61.9	67.8	62.9	64.0	69.5	63.5	71.0	62.6	.90042674

See footnotes at end of table.

Table BG—Con. DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
Minnesota	57.8	60.8	63.5	58.3	66.0	67.8	70.3	63.0	0.95481928
Mississippi	98.8	85.4	82.9	78.9	83.3	70.5	(3)	97.0	1.16446579
White	78.2	76.1	71.3	67.6	69.6	65.0	(3)	77.6	1.11444921
Colored	117.7	93.8	93.4	89.1	95.8	75.5	(3)	115.7	1.20754717
Missouri	112.1	113.5	108.4	101.5	98.4	105.9	112.8	83.3	.84685598
Montana	46.9	43.7	50.2	48.5	48.9	49.1	61.7	61.7	1.26156942
Nebraska	62.1	61.4	56.3	56.8	52.1	(3)	(3)	48.4	.92925430
New Hampshire	108.3	97.9	103.1	100.4	100.7	94.0	118.3	67.7	.67195243
New Jersey	105.2	105.0	104.2	98.2	105.4	106.0	124.8	106.3	1.00845865
New York *	102.8	108.2	108.0	100.9	110.4	108.3	120.3	102.4	.92709271
North Carolina	91.0	83.0	83.6	77.8	74.7	68.7	81.8	87.9	1.17662683
White	77.5	74.7	76.5	70.3	69.0	63.6	72.6	78.1	1.13237410
Colored	123.1	102.7	100.3	95.3	88.1	80.2	102.7	114.2	1.29604520
North Dakota *	35.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	77.4	79.4	74.1	72.7	76.2	77.4	83.9	64.5	.84655397
Oregon	73.1	63.2	63.3	59.0	65.4	62.2	61.1	54.4	.83156297
Pennsylvania	99.0	103.5	97.2	95.9	98.8	97.7	106.3	97.3	.98490946
Rhode Island *	97.1	97.0	101.6	97.2	96.8	107.1	110.3	87.3	.90236382
South Carolina	108.1	86.9	81.9	85.9	83.8	78.1	91.0	112.3	1.33966745
White	95.2	80.5	76.4	81.2	78.6	73.1	86.8	98.1	1.24842371
Colored	121.0	93.3	87.3	90.5	88.7	82.9	94.9	125.6	1.41619798
Tennessee	69.0	68.0	64.1	67.9	65.6	62.6	71.4	68.4	1.04255319
White	56.8	57.6	53.8	57.4	54.6	54.2	58.9	56.3	1.03102190
Colored	123.1	113.7	108.9	112.6	112.0	97.6	122.6	120.1	1.07245081
Utah	64.4	61.2	68.7	59.0	66.8	54.8	58.3	79.0	1.18249258
Vermont	112.6	109.8	116.3	105.6	111.0	111.5	113.9	71.0	.63931470
Virginia	100.9	94.1	100.5	89.1	90.5	91.3	106.9	96.0	1.06043956
White	87.0	82.1	86.3	77.1	82.6	77.5	90.8	84.2	1.01923077
Colored	135.1	123.3	134.6	117.7	109.1	123.4	143.8	126.1	1.15567766
Washington	62.2	56.1	58.9	59.6	61.7	61.2	60.4	58.6	.95016077
Wisconsin	64.0	64.2	62.9	59.5	61.8	61.0	58.8	54.1	.87459807
Wyoming	40.6	42.0	39.2	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920									
Akron	(4)	(4)	37.9	37.4	34.4	41.2	36.8	55.6	1.61690141
Albany *	152.1	151.7	134.2	133.0	163.3	162.3	180.1	129.9	.79524680
Atlanta	(4)	208.3	154.4	147.5	159.2	139.7	161.5	191.9	1.20559006
White	(4)	166.6	121.9	126.5	147.6	134.5	144.9	181.0	1.22608696
Colored	(4)	297.8	228.8	194.0	184.6	150.9	197.7	202.6	1.09774436
Baltimore	138.5	139.4	144.3	144.2	144.3	154.1	183.9	139.2	.96492435
White	124.2	132.1	135.5	136.1	133.5	143.7	169.9	125.9	.94275093
Colored	221.1	181.2	195.3	190.9	206.4	214.1	256.0	229.4	1.11159211
Birmingham	97.1	91.9	74.9	75.8	97.1	104.9	109.6	126.7	1.30487805
White	89.4	86.6	67.2	70.8	77.2	92.9	89.8	102.1	1.32311622
Colored	109.1	100.1	86.7	83.4	127.8	123.4	140.1	164.9	1.29034749
Boston *	69.8	69.6	70.2	62.8	61.0	73.6	87.3	57.9	.94934641
Bridgeport	(4)	(4)	75.2	55.7	77.6	99.7	103.5	88.5	1.14104193
Buffalo *	107.6	112.3	109.6	87.8	113.7	103.7	136.3	120.5	1.06020942
Cambridge *	72.7	62.8	75.7	54.3	80.0	55.7	85.4	71.2	.89027431
Camden	122.6	131.3	142.7	124.5	135.4	118.9	160.3	151.3	1.11777615
Chicago	106.4	105.9	97.4	88.4	96.9	92.3	108.2	114.1	1.17791411
Cincinnati	135.8	145.2	131.9	125.7	122.1	135.1	168.6	102.1	.83660131
Cleveland	70.9	69.3	68.6	71.0	73.0	72.6	83.8	94.8	1.29864865
Columbus	75.7	92.3	71.6	61.7	78.8	74.3	66.1	71.2	.90338770
Dallas	88.4	77.9	80.2	86.5	97.5	68.8	79.7	115.4	1.18319838
White	72.8	67.6	74.7	74.6	78.2	66.2	66.4	95.5	1.22068096
Colored	186.4	140.9	113.5	156.7	206.6	83.4	150.7	231.6	1.12090559
Dayton	77.4	64.6	77.2	74.6	73.8	92.2	107.5	69.6	.94243641
Denver	106.7	84.5	97.2	87.0	95.5	99.5	102.1	83.6	.87538941
Des Moines*	50.0	59.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	44.3	(4)	52.9	49.1	50.6	46.3	49.7	68.9	1.36223507
Fall River*	90.0	93.5	91.9	111.9	99.5	104.6	123.9	103.3	1.03815261
Fort Worth	64.1	54.9	60.1	(3)	(3)	(3)	(3)	(3)	(3)
White	50.2	50.2	47.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	161.5	87.6	136.3	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	85.0	91.8	78.0	77.9	99.4	98.2	96.2	86.0	.86540379
Hartford	77.5	90.7	100.7	92.7	135.0	131.6	116.7	141.0	1.04455807
Houston	105.6	91.5	87.3	95.7	106.2	95.4	123.4	120.2	1.13172542
White	79.5	86.5	84.7	90.7	101.0	90.7	117.3	112.6	1.11500975
Colored	193.1	107.9	95.8	111.8	122.3	109.8	141.0	139.2	1.13846154
Indianapolis	106.0	114.7	103.0	99.5	112.3	101.8	100.6	103.0	.91725352
White	100.2	111.5	103.4	98.7	109.4	98.4	93.2	97.9	.89511754
Colored	149.6	139.4	99.7	106.0	135.4	128.9	161.4	147.3	1.08768116
Jersey City	97.7	105.5	103.3	92.1	101.4	105.9	136.7	122.1	1.20392157
Kansas City,* Kans.	102.9	122.6	93.1	110.7	124.4	109.9	131.2	133.8	1.07569721
White	72.7	110.5	81.3	88.0	95.0	90.8	119.3	(5)	(5)
Colored	284.1	192.9	162.9	242.7	298.7	225.4	204.6	(5)	(5)
Kansas City, Mo.	120.4	127.9	129.4	121.4	110.3	117.9	145.2	104.8	.94982079

Table BG—Con. DEATH RATE FROM ACUTE AND CHRONIC NEPHRITIS PER 100,000 ESTIMATED POPULATION

[Rates of 150 or more in bold-faced type]

AREA	Crude rate							Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920 †
	1924	1923	1922	1921	1920	1919	1918		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued									
Los Angeles	(4)	(4)	120.7	115.6	103.7	102.2	114.6	78.2	0.75425331
Louisville	120.3	153.7	129.6	127.9	129.2	148.4	190.4	117.1	.90649150
White	100.7	134.1	107.4	116.8	121.4	123.5	174.7	107.8	.88824979
Colored	227.8	258.1	247.6	182.6	167.2	288.8	265.7	161.9	.96826347
Lowell*	61.5	66.9	60.3	51.0	73.4	73.8	84.1	69.0	.94021739
Memphis	133.5	137.6	149.5	164.8	165.8	176.3	184.1	176.6	1.06530857
White	95.7	113.1	133.1	147.1	135.2	148.1	157.4	141.1	1.04395604
Colored	199.9	180.0	177.6	194.6	216.7	225.6	230.1	248.4	1.12338858
Milwaukee	66.0	66.4	65.6	60.8	68.8	71.2	65.9	71.5	1.03896104
Minneapolis	50.3	55.7	65.6	72.6	68.1	86.1	92.0	68.3	1.00290698
Nashville	139.4	128.0	114.7	121.3	131.4	102.6	142.0	128.2	.97572079
White	107.1	95.5	85.9	94.4	96.2	82.7	113.4	95.2	.98965874
Colored	218.8	207.0	183.7	184.9	213.5	148.5	207.1	202.6	.94887430
New Bedford*	76.8	69.2	61.9	50.4	67.8	52.5	56.2	69.9	1.03065693
New Haven	76.7	80.4	95.3	78.4	89.6	88.8	112.6	89.8	1.00221239
New Orleans	183.1	165.9	150.6	165.2	172.4	191.8	225.7	180.2	1.04553314
White	154.9	142.8	129.0	143.7	146.6	165.5	180.2	149.4	1.01897019
Colored	263.4	231.3	211.9	226.0	245.3	266.1	358.8	280.7	1.14424635
New York*	99.0	103.9	105.2	96.9	106.8	104.3	115.6	128.7	1.20539033
Bronx Borough	70.7	63.3	67.3	75.3	87.3	88.9	107.8	120.9	1.37723214
Brooklyn Borough	102.8	119.8	119.0	103.2	120.2	104.9	106.4	142.0	1.18136851
Manhattan Borough	107.2	98.1	102.5	93.8	98.7	106.6	122.0	119.0	1.20567376
Queens Borough	91.5	116.1	113.6	108.7	106.6	106.6	116.9	124.0	1.16283349
Richmond Borough	133.7	155.2	131.0	137.7	151.6	136.6	187.8	158.3	1.04427083
Newark, N. J.	89.1	98.0	102.6	83.3	102.2	107.3	127.7	119.0	1.16407767
Norfolk	(4)	86.7	92.1	81.6	96.9	110.6	129.7	115.8	1.19492386
White	(4)	88.6	70.7	72.8	100.7	98.7	128.7	119.4	1.18536585
Colored	(4)	83.5	127.5	96.4	90.7	130.2	131.3	95.1	1.04901961
Oakland	72.5	77.5	97.7	68.4	89.2	97.7	90.8	74.4	.83443709
Omaha	68.7	67.0	58.8	73.6	61.0	73.2	70.4	61.9	1.01461039
Paterson	97.4	104.6	91.7	91.7	92.4	133.0	153.4	98.3	1.06364617
Philadelphia	136.5	148.4	138.1	131.2	141.4	140.3	163.8	141.6	1.00140351
Pittsburgh	93.9	91.9	89.7	76.7	80.4	93.2	103.4	90.1	1.12019827
Portland, Oreg.	72.7	64.0	69.8	63.4	72.6	72.6	69.5	63.3	.87158470
Providence*	111.2	103.1	111.6	96.0	104.1	120.3	115.1	97.3	.93486591
Reading	157.4	160.5	147.2	120.0	141.4	134.2	104.3	123.5	.87323944
Richmond	147.0	134.8	146.9	121.8	138.7	138.6	176.6	152.1	1.09656652
White	132.0	141.0	146.2	127.8	143.9	133.2	174.8	147.1	1.02200825
Colored	182.0	120.5	148.4	108.5	127.3	150.0	180.4	159.1	1.25000000
Rochester*	99.9	92.5	99.5	104.5	121.4	108.7	111.6	114.6	.94376528
St. Louis	154.2	163.3	161.6	137.1	135.7	168.8	174.3	130.9	.96483516
St. Paul	66.0	81.4	87.6	80.3	106.5	103.1	87.2	106.8	1.00280636
Salt Lake City	86.3	87.9	82.3	74.8	92.2	88.1	90.1	98.3	1.06659506
San Antonio	79.4	68.2	75.8	72.4	81.4	63.3	100.4	90.9	1.11686747
San Francisco	110.2	104.8	107.0	111.4	107.0	119.5	116.9	94.4	.88240741
Scranton	94.7	101.0	110.9	115.8	76.0	83.7	100.3	88.6	1.16535433
Seattle	(4)	(4)	67.2	75.5	66.7	72.9	76.5	65.8	.98668639
Spokane	116.7	91.8	88.9	93.8	85.2	91.9	83.3	78.9	.92605634
Springfield,* Mass.	114.8	137.3	112.8	108.9	131.4	137.2	158.1	125.2	.95280899
Syracuse *	90.4	101.3	94.5	69.9	97.3	91.8	102.7	85.5	.87906504
Toledo	61.7	55.7	57.2	56.4	78.2	71.8	79.1	78.8	1.00755668
Trenton	107.9	107.5	103.1	119.7	137.0	160.0	148.5	149.4	1.09038322
Washington, D. C.	117.9	125.6	115.9	121.1	109.7	116.4	160.1	99.3	.90549055
White	104.1	108.7	104.0	102.5	91.4	95.0	128.5	79.1	.86515642
Colored	161.0	177.8	150.8	176.1	164.1	179.3	251.2	173.3	1.05626134
Wilmington, Del.	117.6	132.5	127.2	125.2	107.9	128.6	112.2	106.6	.98806244
Worcester*	107.8	113.6	119.9	44.9	61.2	63.5	63.0	58.6	.95792880
Yonkers*	70.9	73.5	101.5	75.5	83.0	84.7	105.1	96.7	1.16448153
Youngstown	47.1	39.2	61.2	47.6	38.6	47.7	52.7	51.8	1.34096692

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Not computed.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
† See "Adjusted rates," p. 10.

PUERPERAL CAUSES

Are puerperal causes of death an increasing or a decreasing danger to the women of the United States?

If every State had had good birth and death registration since 1900 a satisfactory answer to this question would be possible, based on death rates from puerperal causes per 1,000 births, but as the birth registration area was not established until 1915, and then included but 10 States and the District of Columbia, it is possible to show only a few such rates for a few years, and it must be borne in mind that even then rates were too high whenever birth registration was incomplete.

How do the death rates from puerperal causes per 1,000 live births in the birth registration area of the United States compare with the rates in foreign countries? Here again is a question of the greatest interest and importance which can not be answered satisfactorily both because of lack of data in this country and because there is no certainty that all deaths from these causes are classified in the same way in the various countries.

Special attention is called to the fact that for both white and colored for each of the six years 1919 to 1924, rates from all puerperal causes and puerperal septicemia were, without exception, lower for the rural part of the birth registration area than for the urban.

For 1924, among the States in the birth registration area, the highest rates from all puerperal causes per 1,000 live births were for the following: Florida (12.1), South Carolina (10.8), Wyoming (9.8), and Mississippi (9.5). The lowest rates appeared for Utah (4.5), Minnesota (5), and North Dakota (5.7).

Among the cities of 100,000 population or more in 1920 in the birth registration area, the following had the highest rates in 1924 from all puerperal causes per 1,000 live births: Camden (13.4), Scranton (13.1), Washington, D. C. (12.2), and Spokane (11.2), and the lowest rates were for St. Paul (4.2), Lowell (4.3), and Cambridge (4.5).

Table BH gives for 1919 to 1924 the death rates from puerperal causes per 1,000 live births, for the States and cities of 100,000 population or more in 1920, in the birth registration area.

Table BH

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes						Puerperal septicemia						Other puerperal causes					
	1924	1923	1922	1921	1920	1919	1924	1923	1922	1921	1920	1919	1924	1923	1922	1921	1920	1919
The birth registration area	6.6	6.7	6.6	6.8	8.0	7.4	2.4	2.5	2.4	2.7	2.7	2.5	4.1	4.1	4.2	4.1	5.3	4.9
White	6.1	6.3	6.3	6.4	7.6	7.0	2.3	2.4	2.3	2.6	2.6	2.3	3.8	3.9	4.0	3.8	5.0	4.6
Colored	11.8	10.9	10.7	10.8	12.8	12.4	4.0	3.8	3.9	3.9	4.0	4.1	7.8	7.1	6.8	6.9	8.8	8.4
Cities in the registration area [1]	7.3	7.4	7.3	7.7	8.6	7.9	2.9	3.1	2.8	3.3	3.2	2.9	4.4	4.3	4.5	4.4	5.4	4.9
White	7.0	7.1	7.0	7.4	8.2	7.6	2.8	2.9	2.7	3.2	3.0	2.8	4.2	4.2	4.3	4.2	5.2	4.8
Colored	12.9	12.3	12.4	13.1	15.1	13.9	5.2	5.6	5.3	5.7	6.2	5.8	7.7	6.7	7.1	7.4	8.9	8.1
Rural part of the registration area	5.8	5.9	5.9	5.9	7.4	6.9	1.9	1.9	1.9	2.1	2.2	2.0	3.8	4.0	4.0	3.8	5.2	4.9
White	5.1	5.3	5.5	5.4	6.9	6.3	1.7	1.8	1.8	2.0	2.1	1.8	3.4	3.5	3.7	3.4	4.8	4.5
Colored	11.1	10.2	9.8	9.7	11.7	11.8	3.3	2.9	3.2	3.1	2.9	3.3	7.8	7.3	6.6	6.6	8.8	8.5
California	5.9	6.7	7.2	6.8	7.7	8.0	2.0	2.6	2.6	3.0	2.6	2.5	3.9	4.1	4.6	3.9	5.1	5.5
Connecticut	5.7	5.7	5.7	5.3	6.8	6.2	2.1	2.1	2.0	2.2	2.2	2.0	3.6	3.6	3.7	3.1	4.6	4.2
Delaware	7.7	8.4	6.6	6.3	(2)	(2)	3.2	4.4	3.0	3.0	(2)	(2)	4.5	4.0	3.6	3.4	(2)	(2)
Florida	12.1	(2)	(2)	(2)	(2)	(2)	3.7	(2)	(2)	(2)	(2)	(2)	8.5	(2)	(2)	(2)	(2)	(2)
White	9.0	(2)	(2)	(2)	(2)	(2)	2.6	(2)	(2)	(2)	(2)	(2)	6.4	(2)	(2)	(2)	(2)	(2)
Colored	18.7	(2)	(2)	(2)	(2)	(2)	5.9	(2)	(2)	(2)	(2)	(2)	12.8	(2)	(2)	(2)	(2)	(2)
Illinois	6.2	6.4	6.3	(2)	(2)	(2)	2.7	2.7	2.4	(2)	(2)	(2)	3.5	3.8	3.9	(2)	(2)	(2)
Indiana	5.8	6.5	6.6	6.9	8.7	8.4	2.7	3.1	3.1	3.4	4.0	3.6	3.1	3.3	3.5	3.5	4.7	4.8
Iowa	6.0	(2)	(2)	(2)	(2)	(2)	2.3	(2)	(2)	(2)	(2)	(2)	3.7	(2)	(2)	(2)	(2)	(2)
Kansas	6.3	6.8	7.6	6.4	8.4	8.2	2.1	3.2	3.3	2.9	3.5	3.1	4.2	3.7	4.3	3.6	5.0	5.1
Kentucky	6.2	6.0	6.1	6.3	6.4	6.3	2.8	2.5	2.8	2.9	2.8	2.3	3.4	3.5	3.3	3.3	3.7	4.0
White	5.7	5.4	5.4	5.7	6.0	5.9	2.5	2.2	2.4	2.6	2.5	2.0	3.2	3.3	3.0	3.0	3.5	3.8
Colored	13.1	15.4	18.5	14.8	13.0	12.5	7.1	7.7	9.4	7.0	7.0	6.1	6.0	7.7	9.1	7.7	6.0	6.4
Maine	8.2	8.7	7.6	7.4	8.5	8.6	2.0	1.8	2.1	1.9	1.6	1.9	6.2	6.9	5.5	5.5	6.9	6.6
Maryland	6.6	6.0	5.9	6.7	7.6	8.4	3.1	2.2	2.0	2.4	2.4	2.7	3.4	3.8	3.9	4.3	5.2	5.7
White	5.7	5.4	5.3	6.0	6.6	7.6	2.5	2.0	1.6	2.0	1.8	2.4	3.1	3.4	3.7	3.9	4.8	5.2
Colored	10.2	8.3	8.4	9.6	11.8	11.5	5.5	2.9	3.6	3.7	5.0	4.0	4.6	5.4	4.8	5.9	6.8	7.5
Massachusetts	6.5	6.3	6.8	6.5	7.5	7.1	2.2	2.0	2.1	2.2	2.4	2.1	4.3	4.3	4.6	4.3	5.1	5.0
Michigan	6.5	7.0	6.9	6.9	9.3	7.7	2.8	3.0	2.5	3.1	3.4	3.0	3.7	4.1	4.3	3.8	5.9	4.8
Minnesota	5.0	6.0	4.9	5.7	7.9	6.7	2.1	2.8	1.8	2.6	2.9	2.0	2.9	3.3	3.1	3.1	5.0	4.8
Mississippi	9.5	8.8	8.3	9.5	(2)	(2)	2.9	3.0	2.7	3.1	(2)	(2)	6.6	5.8	5.6	6.4	(2)	(2)
White	6.5	6.6	6.5	7.1	(2)	(2)	1.8	2.1	1.8	2.2	(2)	(2)	4.7	4.4	4.6	4.9	(2)	(2)
Colored	12.6	10.9	10.0	12.0	(2)	(2)	4.0	3.8	3.6	4.0	(2)	(2)	8.5	7.1	6.5	8.0	(2)	(2)
Montana	6.6	7.5	7.9	(2)	(2)	(2)	2.9	3.8	3.8	(2)	(2)	(2)	3.6	3.7	4.1	(2)	(2)	(2)
Nebraska	6.3	5.8	5.8	6.6	7.1	(2)	2.5	2.3	2.3	2.7	2.5	(2)	3.8	3.5	3.5	3.9	4.7	(2)
New Hampshire	6.1	7.4	6.5	6.2	7.1	8.0	1.3	1.6	0.9	1.7	1.3	1.9	4.8	5.8	5.5	4.5	5.8	6.0
New Jersey	6.2	5.7	6.4	5.9	(2)	(2)	2.6	2.3	2.6	2.4	(2)	(2)	3.6	3.4	3.8	3.4	(2)	(2)
New York	5.9	5.7	6.0	6.3	6.9	6.2	2.2	2.1	2.2	2.5	2.3	2.1	3.7	3.6	3.8	3.8	4.6	4.1
North Carolina	7.7	8.0	8.0	7.3	10.0	9.3	2.0	1.8	2.0	1.9	2.1	1.9	5.8	6.2	6.0	5.5	7.9	7.3
White	6.6	6.7	7.0	6.1	8.6	8.2	1.6	1.4	1.6	1.4	1.7	1.5	5.0	5.3	5.5	4.7	6.9	6.7
Colored	10.4	10.7	9.9	10.2	13.2	11.8	2.8	2.6	2.8	3.0	3.1	2.9	7.6	8.1	7.2	7.2	10.1	8.9
North Dakota	5.7	(2)	(2)	(2)	(2)	(2)	1.6	(2)	(2)	(2)	(2)	(2)	4.1	(2)	(2)	(2)	(2)	(2)
Ohio	6.4	7.2	6.6	7.2	8.0	7.4	2.6	2.9	2.5	3.4	3.4	2.9	3.8	4.3	4.2	3.8	4.5	4.5
Oregon	6.5	6.9	8.3	7.4	9.4	10.1	2.4	2.5	2.7	3.0	3.3	4.1	4.1	4.4	5.5	4.5	6.1	6.0
Pennsylvania	6.3	6.6	6.2	6.8	7.8	6.8	2.5	2.8	2.4	2.9	2.7	2.6	3.8	3.8	3.8	3.9	5.0	4.2
Rhode Island	6.3	6.3	5.5	7.1	(2)	(2)	2.2	2.4	1.5	3.2	(2)	(2)	4.1	3.9	4.0	3.9	(2)	(2)

(See footnotes at end of table)

Table BH—Con.

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes						Puerperal septicemia						Other puerperal causes					
	1924	1923	1922	1921	1920	1919	1924	1923	1922	1921	1920	1919	1924	1923	1922	1921	1920	1919
South Carolina	10.8	9.7	10.7	9.8	12.2	11.2	2.6	2.1	3.1	2.6	2.8	3.2	8.2	7.6	7.6	7.2	9.4	8.0
White	7.6	7.4	8.5	7.8	9.0	7.8	2.0	1.4	1.8	1.7	1.8	1.8	5.6	6.0	6.8	6.0	7.1	6.0
Colored	14.1	12.2	12.8	11.8	15.4	14.4	3.2	2.9	4.5	3.4	3.7	4.5	10.9	9.3	8.3	8.4	11.7	9.9
Utah	4.5	5.0	5.5	7.3	7.9	8.4	1.6	1.7	1.5	2.9	2.0	2.1	2.9	3.3	4.0	4.3	5.9	6.2
Vermont	8.1	7.0	7.4	7.3	7.0	8.0	2.0	1.5	1.5	2.5	1.9	1.7	6.1	5.5	6.0	4.8	5.1	6.3
Virginia	6.5	7.4	7.2	7.0	8.6	8.2	2.3	2.3	2.2	2.3	2.3	2.1	4.2	5.1	5.0	4.7	6.4	6.2
White	5.0	6.0	5.8	5.7	7.5	6.6	1.9	2.0	1.6	1.8	1.9	1.5	3.1	4.0	4.3	3.9	5.6	5.1
Colored	10.0	10.8	10.2	9.9	11.1	11.9	3.1	3.1	3.6	3.5	3.1	3.3	6.9	7.7	6.5	6.4	8.0	8.6
Washington	7.1	6.7	7.9	7.8	9.2	8.6	2.4	3.1	3.0	3.6	2.3	2.8	4.7	3.5	4.9	4.2	6.9	5.8
Wisconsin	6.0	5.8	5.6	5.8	6.7	4.8	2.1	2.3	1.9	2.2	2.1	1.6	4.0	3.5	3.7	3.6	4.6	3.2
Wyoming	9.8	7.3	7.1	[2]	[2]	[2]	3.4	1.2	2.1	[2]	[2]	[2]	6.3	6.1	5.0	[2]	[2]	[2]
CITIES OF 100,000 POPULATION OR MORE IN 1920																		
Akron	6.2	7.5	8.6	8.0	12.6	9.9	3.4	3.7	1.8	3.8	7.0	4.6	2.8	3.9	6.8	4.2	5.6	5.3
Albany	8.4	9.2	5.9	10.1	3.1	6.6	2.5	2.6	*1.7*	3.1	*0.4*	2.4	5.8	6.6	4.2	7.0	2.6	4.3
Baltimore	6.9	5.5	5.7	6.6	7.6	8.9	3.4	2.6	2.0	2.7	2.8	2.9	3.4	3.0	3.7	4.0	4.8	6.0
White	6.5	5.2	5.1	6.1	6.8	8.2	3.0	2.2	1.5	2.2	2.1	2.5	3.5	3.0	3.6	3.9	4.7	5.7
Colored	8.6	7.1	8.5	9.6	11.5	12.8	5.2	4.2	4.6	5.1	6.3	5.1	3.4	2.9	3.9	4.4	5.2	7.7
Boston	8.1	7.9	9.1	8.1	9.5	9.1	2.9	2.6	3.5	3.3	3.6	3.0	5.2	5.4	5.6	4.8	5.8	6.1
Bridgeport	6.7	6.1	5.6	5.1	7.2	5.5	3.1	2.4	2.0	2.4	2.4	1.8	3.7	3.7	3.5	2.7	4.8	3.8
Buffalo	6.7	6.9	9.1	5.8	7.1	7.8	2.9	2.3	3.4	2.5	2.3	3.3	3.8	4.5	5.7	3.3	4.8	4.5
Cambridge	4.5	6.3	9.0	7.5	7.4	6.5	1.6	*1.3*	3.0	2.6	2.1	2.2	2.9	4.9	6.0	4.9	5.3	4.4
Camden	13.4	7.9	11.7	9.9	[2]	[2]	7.9	4.1	5.4	3.9	[2]	[2]	5.5	3.8	6.3	6.0	[2]	[2]
Chicago	6.5	5.8	6.0	[2]	[2]	[2]	2.7	2.7	2.5	[2]	[2]	[2]	3.8	3.1	3.4	[2]	[2]	[2]
Cincinnati	7.0	10.9	8.1	8.5	9.6	9.5	3.2	4.3	3.3	4.1	4.4	4.8	3.9	6.6	4.8	4.4	5.2	4.8
Cleveland	6.5	6.7	5.9	7.6	6.8	5.6	2.8	3.0	2.2	4.1	3.4	2.3	3.7	3.6	3.7	3.5	3.5	3.3
Columbus	10.9	10.2	8.9	8.7	10.0	10.8	4.9	4.4	4.5	4.2	3.6	5.2	6.0	5.8	4.3	4.4	6.4	5.6
Dayton	7.5	6.4	11.1	8.1	8.9	6.7	4.2	1.6	3.3	3.4	3.7	2.9	3.3	4.8	7.9	4.7	5.2	3.8
Des Moines	7.4	[2]	[2]	[2]	[2]	[2]	3.2	[2]	[2]	[2]	[2]	[2]	4.2	[2]	[2]	[2]	[2]	[2]
Detroit	7.3	7.6	7.0	7.3	9.4	7.6	3.5	4.0	3.0	3.8	3.6	3.6	3.8	3.5	4.0	3.5	5.9	4.0
Fall River	5.0	3.0	5.7	5.4	7.4	4.1	*0.8*	*1.1*	2.5	1.9	1.7	1.5	4.2	1.9	3.1	3.5	5.7	2.6
Grand Rapids	4.8	6.0	7.6	6.5	8.0	8.5	2.4	3.0	2.5	3.2	2.2	4.3	2.4	3.0	5.1	3.2	5.8	4.3
Hartford	4.9	5.9	6.6	6.8	10.4	10.1	2.2	2.1	3.7	3.5	3.8	4.0	2.7	3.9	2.9	3.3	6.6	6.1
Indianapolis	6.5	7.2	9.3	8.2	9.6	9.1	2.6	4.0	5.4	3.3	5.3	5.1	4.0	3.2	3.9	5.0	4.4	3.9
White	6.3	6.8	9.0	7.9	8.7	8.7	2.8	3.6	5.1	3.1	4.6	5.0	3.4	3.2	3.9	4.8	4.1	3.7
Colored	8.4	9.7	11.8	10.9	17.2	12.1	*1.1*	6.5	7.9	4.8	10.6	*6.0*	7.4	*3.2*	*3.9*	6.0	6.6	*6.0*
Jersey City	7.2	6.6	8.0	8.1	[2]	[2]	3.7	3.1	4.5	3.7	[2]	[2]	3.5	3.4	3.4	4.4	[2]	[2]
Kansas City, Kans	9.9	11.4	11.1	9.2	8.9	11.1	3.8	5.9	6.2	6.7	4.0	6.3	6.1	5.5	4.9	2.5	4.9	4.8
White	8.1	10.0	8.8	9.4	7.4	10.1	3.0	4.2	5.1	6.6	3.4	5.3	5.1	5.8	3.7	2.8	3.9	4.8
Colored	24.7	23.3	30.0	7.5	23.1	*21.1*	*10.6*	19.9	*15.0*	7.5	*9.3*	*15.8*	*14.1*	*8.3*	*15.0*	-------	*13.9*	*5.3*
Los Angeles	6.6	7.3	8.0	8.6	8.1	8.9	2.2	3.3	3.0	3.8	3.3	3.3	4.4	4.1	4.9	4.8	4.8	5.6
Louisville	7.1	8.2	7.2	8.6	9.3	9.7	3.2	3.4	2.8	4.5	4.4	5.2	3.9	4.8	4.4	4.1	4.9	4.5
White	6.4	6.6	5.9	7.5	7.9	8.1	2.4	2.2	2.2	3.7	3.1	4.2	4.0	4.4	3.7	3.7	4.8	3.9
Colored	11.8	21.0	20.8	17.0	20.1	22.4	9.2	12.9	*9.2*	10.2	14.6	13.4	*2.6*	8.1	11.5	*6.8*	*5.5*	*8.9*
Lowell	4.3	8.6	7.2	4.8	8.2	7.2	*0.7*	2.8	*1.0*	1.6	1.6	2.0	3.7	5.9	6.2	3.2	6.7	5.2
Milwaukee	5.3	5.6	5.4	7.5	8.1	6.0	1.9	3.1	2.1	2.3	3.4	2.4	3.5	2.5	3.3	5.2	4.7	3.6
Minneapolis	6.5	6.6	4.9	7.7	8.1	7.3	3.7	4.4	1.9	2.7	3.7	2.8	2.8	2.2	3.0	5.1	4.4	4.4
New Bedford	6.0	4.9	3.3	5.5	5.1	4.7	2.2	1.5	*0.9*	1.4	2.9	2.1	3.8	3.3	2.4	4.1	2.3	2.7
New Haven	6.0	7.1	7.1	7.5	5.2	4.1	2.2	4.0	2.0	3.7	2.6	1.8	3.7	3.0	5.1	3.7	2.6	2.3
New York	5.8	5.3	5.6	6.2	6.5	5.7	2.1	2.1	2.2	2.5	2.3	2.2	3.7	3.2	3.4	3.7	4.2	3.6
Newark, N. J	7.5	5.8	6.4	6.6	[2]	[2]	2.8	2.2	2.5	2.7	[2]	[2]	4.7	3.7	3.8	3.8	[2]	[2]
Norfolk	9.9	13.0	9.8	11.4	10.8	10.4	5.3	4.8	4.9	5.0	3.1	2.9	4.6	8.2	4.9	6.4	7.7	7.6
White	6.2	5.5	7.1	6.1	7.6	9.1	5.1	*0.5*	*2.4*	*2.2*	*1.6*	*2.3*	*1.1*	4.9	4.7	3.9	6.0	6.8
Colored	16.0	25.5	14.7	21.0	16.6	12.7	5.7	11.8	9.5	10.0	5.8	*3.9*	10.4	13.7	5.3	11.0	10.7	8.8
Oakland	5.5	3.6	6.2	4.3	6.8	9.1	*0.9*	1.7	1.7	2.2	1.4	4.4	4.6	1.9	4.5	2.2	5.3	4.7
Omaha	5.7	10.8	8.2	8.5	9.3	[2]	2.4	6.7	3.2	4.2	2.9	[2]	3.3	4.1	5.0	4.4	6.4	[2]
Paterson	6.5	10.4	8.7	8.9	[2]	[2]	2.9	4.2	4.4	2.7	[2]	[2]	3.5	6.2	4.4	6.3	[2]	[2]
Philadelphia	7.2	7.5	7.4	8.0	7.6	7.3	3.0	2.8	2.8	3.4	2.7	2.7	4.2	4.6	4.5	4.6	4.9	4.5
Pittsburgh	8.5	8.7	7.3	8.5	12.0	8.4	4.0	3.9	2.9	4.1	5.9	3.7	4.5	4.8	4.3	4.4	6.1	4.8
Portland, Oreg	6.9	7.9	8.1	6.6	7.1	11.6	2.5	3.2	3.3	2.8	2.5	5.1	4.4	4.8	4.8	3.8	4.6	6.5
Providence	8.7	8.6	6.9	8.7	[3]	[3]	3.2	3.6	1.9	3.8	[3]	[3]	5.5	5.0	5.0	4.9	[3]	[3]
Reading	7.6	5.1	12.0	14.0	9.3	10.1	3.4	2.1	4.3	8.6	3.5	4.6	4.2	3.0	7.7	5.5	5.8	5.4
Richmond	10.1	9.5	9.0	12.2	13.3	8.7	3.2	2.6	3.4	3.5	4.8	1.3	6.9	7.0	5.6	8.8	8.6	7.4
White	7.6	6.4	5.5	6.2	10.0	6.0	3.1	*2.5*	1.8	1.7	3.6	*0.4*	4.5	3.9	3.7	4.5	6.4	5.6
Colored	15.1	15.6	15.5	24.3	20.0	14.4	3.4	*2.7*	6.3	6.9	7.2	*3.2*	11.7	12.9	9.1	17.4	12.9	11.2
Rochester	5.0	5.1	5.4	7.0	6.4	9.3	2.3	1.5	1.1	3.5	1.9	3.0	2.7	3.6	4.3	3.5	4.5	6.4
St. Paul	4.2	7.7	5.4	7.3	8.7	4.7	1.6	3.8	2.3	3.6	2.7	2.3	2.6	3.9	3.2	3.7	6.0	2.5
Salt Lake City	7.2	6.6	7.5	9.1	11.4	11.1	2.9	2.4	2.5	5.0	2.4	2.9	4.3	4.2	5.0	4.1	9.0	8.1
San Francisco	4.6	6.0	7.5	8.5	9.3	7.4	1.4	2.1	2.0	3.4	3.0	1.4	3.2	3.9	5.5	5.1	6.3	6.0
Scranton	13.1	9.1	12.5	11.6	12.5	11.8	5.8	4.0	5.0	7.0	3.0	2.4	7.3	5.0	7.5	4.6	9.5	9.4
Seattle	8.5	5.8	8.0	6.5	9.2	9.1	3.3	2.6	3.6	3.2	3.6	3.0	5.2	3.2	4.4	3.3	5.7	6.1
Spokane	11.2	8.9	10.1	10.4	11.9	10.7	4.7	7.6	6.1	5.4	3.3	5.1	6.5	*1.3*	4.1	5.0	8.6	5.6
Springfield, Mass	8.8	5.1	8.7	7.4	4.4	10.4	4.3	*1.2*	3.6	1.8	1.8	3.4	4.5	3.9	5.2	5.6	2.6	7.0
Syracuse	5.3	5.5	6.7	4.8	9.3	8.5	*1.0*	1.2	2.5	1.8	1.7	3.8	4.3	4.3	4.2	3.0	7.6	4.8
Toledo	8.4	8.1	9.5	10.7	10.5	9.8	3.1	3.4	3.4	6.6	4.9	2.9	5.3	4.7	6.1	4.1	5.6	6.9
Trenton	6.9	5.7	7.5	9.4	[2]	[2]	3.8	2.2	2.6	1.8	[2]	[2]	3.1	3.5	4.9	7.7	[2]	[2]
Washington, D. C	12.2	10.1	7.1	10.1	8.8	8.5	5.7	4.2	3.3	3.3	2.8	2.7	6.5	5.9	3.7	6.8	6.0	5.9
White	9.2	8.9	5.6	9.9	6.6	6.8	4.2	3.8	2.0	3.1	1.9	1.7	5.0	5.2	3.6	6.7	4.7	5.1
Colored	19.0	13.0	10.6	10.8	14.4	13.2	9.1	5.3	6.4	3.8	5.2	5.3	9.8	7.6	4.2	6.9	9.2	7.9
Wilmington, Del	8.3	9.0	6.1	10.2	[2]	[2]	3.0	6.4	2.4	5.3	[2]	[2]	5.2	2.6	3.6	4.9	[2]	[2]
Worcester	9.4	7.3	7.1	10.1	10.6	8.0	3.1	2.4	3.0	3.9	2.7	1.5	6.4	4.9	4.1	6.2	7.9	6.5
Yonkers	4.6	5.4	5.0	7.9	6.3	7.2	2.1	2.9	2.5	3.2	*0.8*	2.2	2.5	2.5	2.5	4.7	5.4	4.9
Youngstown	8.0	8.9	10.3	10.0	9.4	9.3	4.0	3.7	4.7	5.5	5.6	2.3	4.0	5.2	5.5	4.5	3.8	6.9

[1] Including District of Columbia.

[2] Not added to registration area until a later date.

[3] All transcripts of birth certificates not received.

The rates for mothers under 20 years of age were considerably higher than the rates for mothers 20 to 29, and a partial explanation, at least, is the comparatively large number of illegitimate children involved and the lack of care so common in such cases.

For each year from 1917 to 1924, the rates from puerperal causes were higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for mothers aged 40 years and over than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older.

The figures by color and by birthplace of mother are most interesting, but they must be used with caution. For example, rates for colored mothers were nearly double those for white mothers. Probably so great a difference in the rates did not actually exist, for it is extremely likely that births of colored children were not as completely reported as were births of white children, and that therefore the rates for colored mothers were exaggerated.

Tables BI and BJ throw considerable light on these questions and are well worth careful study.

Table BI — DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS

CAUSE OF DEATH AND YEAR	All ages: Adjusted rate [1]	All ages: Crude rate	10 to 19 years	20 to 29 years	30 to 39 years	40 years and over
The birth registration area, all puerperal causes:						
1924	6.5	6.6	6.9	5.0	8.3	13.5
1923	6.6	6.7	6.6	5.2	8.2	13.9
1922	6.6	6.6	6.8	5.2	8.3	13.3
1921	6.8	6.8	6.9	5.3	8.5	13.7
1920	8.0	8.0	7.7	6.4	9.9	14.8
1919	7.3	7.4	8.0	5.9	8.9	13.7
1918	9.1	9.2	9.4	7.9	10.7	14.1
1917	6.6	6.6	6.9	5.2	8.3	12.3
Puerperal septicemia:						
1924	2.4	2.4	2.7	2.0	2.9	3.9
1923	2.5	2.5	2.7	2.2	2.8	3.9
1922	2.4	2.4	2.4	2.1	2.7	3.8
1921	2.7	2.7	2.8	2.3	3.2	4.5
1920	2.7	2.7	2.8	2.3	3.1	4.2
1919	2.4	2.5	2.9	2.1	2.7	4.0
1918	2.6	2.5	2.8	2.2	3.0	3.7
1917	2.7	2.7	3.0	2.4	3.2	4.0
Other puerperal causes:						
1924	4.1	4.1	4.1	3.0	5.4	9.6
1923	4.1	4.1	3.9	3.0	5.4	9.9
1922	4.2	4.2	4.4	3.1	5.6	9.5
1921	4.1	4.1	4.1	3.0	5.4	9.2
1920	5.3	5.3	5.0	4.1	6.9	10.6
1919	4.9	4.9	5.1	3.8	6.2	9.7
1918	6.6	6.6	6.7	5.7	7.7	10.3
1917	3.9	3.9	4.0	2.8	5.1	8.3

[1] The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917 (see Table BK). The "specific" death rate is based on specified age groups.

[Unknown age is distributed in each nationality; for numbers distributed, see Table 4, Birth Report, 1924. Rates in *italics* are based on less than 5 deaths]

Table BJ — DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS

CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH	All ages: Adjusted rate [1]		All ages: Crude rate		Under 15 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923
The birth registration area:																				
All puerperal causes	6.5	6.6	6.6	6.7	23.0	21.0	6.7	6.4	4.6	4.8	5.3	5.6	7.2	7.2	10.1	9.9	13.0	13.2	18.8	20.5
Puerperal septicemia	2.4	2.5	2.4	2.5	7.7	6.3	2.7	2.6	1.9	2.1	2.1	2.3	2.7	2.6	3.3	3.1	3.8	3.7	4.4	6.0
Other puerperal causes	4.1	4.1	4.1	4.1	15.3	14.7	4.0	3.8	2.7	2.7	3.3	3.3	4.5	4.6	6.8	6.8	9.2	9.5	14.4	14.6
Total white:																				
All puerperal causes	6.0	6.2	6.1	6.3	17.3	10.9	5.6	5.5	4.2	4.5	5.0	5.4	6.8	6.9	9.4	9.4	12.5	12.6	17.1	19.9
Puerperal septicemia	2.3	2.4	2.3	2.4	6.9	*5.5*	2.5	2.3	1.8	2.0	1.9	2.2	2.5	2.6	3.1	3.0	3.5	3.6	4.0	5.6
Other puerperal causes	3.7	3.8	3.8	3.9	10.4	*5.5*	3.1	3.2	2.4	2.5	3.0	3.2	4.3	4.3	6.3	6.4	9.0	9.0	13.1	14.4
United States:																				
All puerperal causes	6.2	6.5	6.1	6.4	18.6	12.0	5.8	5.6	4.3	4.7	5.2	5.6	7.0	7.2	9.5	9.8	12.9	13.5	16.3	21.6
Puerperal septicemia	2.3	2.4	2.3	2.4	7.5	*6.0*	2.5	2.3	1.9	2.1	2.0	2.2	2.5	2.6	3.1	3.0	3.7	3.8	3.6	5.4
Other puerperal causes	3.9	4.1	3.8	4.0	11.2	*6.0*	3.3	3.3	2.5	2.6	3.2	3.4	4.5	4.6	6.4	6.8	9.2	9.7	12.7	16.2
Total foreign:[2]																				
All puerperal causes	5.1	5.3	5.8	5.9	------	------	3.1	4.6	3.2	3.5	4.2	4.6	6.1	6.0	9.2	8.6	11.7	11.0	18.5	17.0
Puerperal septicemia	2.0	2.2	2.2	2.3	------	------	1.8	2.2	1.4	1.7	1.8	2.0	2.5	2.4	3.1	2.9	3.2	3.1	4.6	5.8
Other puerperal causes	3.1	3.1	3.6	3.6	------	------	1.3	2.4	1.8	1.8	2.4	2.6	3.6	3.6	6.1	5.7	8.5	7.8	13.9	11.2
Austria, Hungary—																				
All puerperal causes	5.0	5.3	6.1	6.0	------	------	*1.3*	5.3	3.0	3.3	3.7	4.0	6.5	5.9	9.3	9.3	16.9	12.9	*12.4*	*19.8*
Puerperal septicemia	2.3	2.5	2.7	2.6	------	------	*1.3*	3.5	1.6	1.8	1.6	2.0	3.1	2.4	3.6	3.7	6.5	3.6	*4.1*	*11.9*
Other puerperal causes	2.7	2.8	3.4	3.4	------	------	------	*1.8*	1.4	1.5	2.0	2.0	3.4	3.5	5.7	5.6	10.4	9.3	*8.3*	*7.9*
Canada—																				
All puerperal causes	6.1	7.3	6.6	8.0	------	------	3.2	7.6	4.0	4.9	6.3	5.3	6.8	8.2	9.4	13.0	11.1	16.2	36.3	*19.7*
Puerperal septicemia	2.3	2.6	2.3	2.7	------	------	*2.2*	*2.8*	1.7	2.1	2.5	2.0	2.6	3.2	2.1	3.1	2.9	5.0	*10.4*	*6.6*
Other puerperal causes	3.9	4.7	4.3	5.2	------	------	*1.1*	4.9	2.4	2.8	3.8	3.3	4.1	5.0	7.3	9.8	8.2	11.2	25.9	*18.2*
Denmark, Norway, and Sweden—																				
All puerperal causes	4.7	7.0	6.4	7.4	------	------	------	*18.2*	*1.3*	4.6	6.0	7.6	6.2	4.9	8.7	9.9	11.2	8.6	*5.0*	*17.9*
Puerperal septicemia	1.8	2.9	2.3	2.6	------	------	------	*8.8*	*0.4*	*1.5*	2.8	3.1	1.9	2.3	2.9	1.9	4.1	3.3	------	*11.9*
Other puerperal causes	2.9	4.2	4.1	4.8	------	------	------	*4.4*	*0.9*	3.1	3.1	4.5	4.3	2.6	5.8	8.1	7.1	5.3	*5.0*	*6.0*
England, Scotland, and Wales—																				
All puerperal causes	5.7	6.2	6.6	6.9	------	------	*1.3*	*3.0*	3.5	4.5	5.4	4.4	4.1	9.3	14.2	8.9	14.0	11.9	*23.8*	*30.3*
Puerperal septicemia	1.8	2.6	2.2	2.7	------	------	------	*1.5*	*0.6*	2.5	2.0	2.5	1.6	3.8	4.7	2.5	6.2	*1.6*	*7.9*	*10.1*
Other puerperal causes	3.8	3.5	4.3	4.2	------	------	*1.3*	*1.5*	2.9	2.0	3.4	1.9	2.5	5.5	9.5	6.5	7.8	10.3	*15.9*	*20.2*
Ireland—																				
All puerperal causes	8.3	6.0	7.9	7.2	------	------	*20.7*	------	6.6	4.4	5.5	6.9	7.3	7.4	8.7	6.3	15.2	12.4	*27.8*	*37.4*
Puerperal septicemia	3.1	2.1	2.5	1.8	------	------	*6.9*	------	3.9	3.8	2.0	1.3	1.8	2.2	2.5	1.1	4.6	*0.7*	*9.3*	*23.0*
Other puerperal causes	5.2	3.8	5.4	5.4	------	------	*13.8*	------	2.8	0.6	3.5	5.6	5.5	5.2	6.3	5.2	10.6	11.7	*18.5*	*9.3*
Germany—																				
All puerperal causes	5.4	6.2	6.3	7.6	------	------	*2.2*	*5.7*	3.8	4.2	4.1	4.1	8.9	8.9	8.7	10.6	7.2	9.8	*9.0*	*15.9*
Puerperal septicemia	2.3	2.7	2.2	3.3	------	------	*2.2*	*2.9*	2.7	2.3	1.9	*0.7*	2.2	4.3	2.8	5.0	*0.7*	4.3	*4.5*	*5.3*
Other puerperal causes	3.1	3.5	4.1	4.3	------	------	------	*2.9*	*1.0*	*1.9*	2.2	3.3	6.6	4.6	5.9	5.7	6.5	5.5	*4.5*	*10.6*
Italy—																				
All puerperal causes	4.4	4.0	4.9	4.4	------	------	3.9	3.8	2.9	2.6	3.7	3.6	4.8	4.1	7.9	6.5	9.5	10.0	16.9	9.0
Puerperal septicemia	1.9	1.6	1.9	1.6	------	------	2.7	2.2	1.5	1.2	1.7	1.5	2.4	1.6	2.2	2.1	1.3	1.7	*1.7*	------
Other puerperal causes	2.5	2.5	3.0	2.8	------	------	1.1	1.6	1.4	1.4	2.0	2.0	2.3	2.5	5.7	4.5	8.1	8.3	15.3	9.0

[1] The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917. (See Table BK). The "specific" death rate is based on specified age groups.

[2] Includes data for country not stated, for which rates have not been computed: see Table 4, Birth Report, 1924.

[Unknown age is distributed in each nationality; for numbers distributed, see Table 4, Birth Report, 1924. Rates in *italics* are based on less than 5 deaths]

Table BJ—Con. DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS

CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH	All ages				Under 14 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	Adjusted rate		Crude rate																	
	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923	1924	1923
Total white—Continued.																				
Total foreign—Continued.																				
Poland—																				
All puerperal causes	5.0	5.0	6.1	5.9	------	------	*2.7*	*2.7*	3.4	2.7	3.6	5.1	6.6	5.6	8.9	8.0	11.3	14.8	25.0	*7.0*
Puerperal septicemia	2.2	2.2	2.6	2.6	------	------	*0.9*	------	1.8	1.6	1.5	2.5	3.0	2.3	3.7	3.0	3.9	5.8	*12.5*	*3.5*
Other puerperal causes	2.8	2.8	3.5	3.3	------	------	*1.8*	*2.7*	1.5	1.1	2.1	2.5	3.6	3.2	5.3	5.0	7.4	9.0	*12.5*	*3.5*
Russia—																				
All puerperal causes	5.1	3.9	5.6	4.2	------	------	*2.2*	*1.0*	3.4	2.9	3.6	3.1	5.7	4.3	10.7	7.4	12.5	6.0	*23.6*	38.2
Puerperal septicemia	1.6	1.5	1.8	1.5	------	------	*2.2*	*1.0*	0.6	1.2	1.3	0.9	1.7	1.4	4.4	3.2	*1.9*	*2.6*	------	*7.6*
Other puerperal causes	3.5	2.4	3.8	2.7	------	------	------	------	2.8	1.7	2.3	2.2	4.0	2.9	6.3	4.2	10.6	3.3	*23.6*	*30.5*
Other foreign countries—																				
All puerperal causes	5.3	5.7	5.6	6.0	------	------	3.3	4.4	3.0	3.7	4.2	5.0	7.0	7.3	9.3	9.4	11.4	7.8	18.2	17.3
Puerperal septicemia	2.1	2.6	2.2	2.7	------	------	1.3	1.7	1.4	2.0	1.9	2.8	3.1	3.3	3.1	3.2	2.9	3.6	*3.0*	------
Other puerperal causes	3.2	3.1	3.4	3.2	------	------	2.0	2.8	1.6	1.7	2.4	2.3	3.9	4.0	6.2	6.1	8.6	4.3	15.2	17.3
Total colored:																				
All puerperal causes	11.9	11.0	11.8	10.9	28.9	31.5	12.4	11.5	8.5	7.7	9.8	9.1	13.1	12.9	19.8	16.6	20.1	21.9	34.6	25.5
Puerperal septicemia	4.1	3.8	4.0	3.8	8.4	7.2	3.8	4.4	3.2	2.9	3.4	3.6	4.6	4.0	6.2	4.7	7.8	6.0	8.3	9.4
Other puerperal causes	7.8	7.3	7.8	7.1	20.5	24.3	8.6	7.2	5.3	4.7	6.4	5.5	8.5	8.9	13.6	11.8	12.3	16.0	26.3	16.1

Table BK shows the distribution, by age of mother, of the standard million live births in the birth registration area of 1917, on which the adjusted rates are based.

Table BK

AGE OF MOTHER	Distribution per 1,000,000 live births in the birth registration area of 1917	AGE OF MOTHER	Distribution per 1,000,000 live births in the birth registration area of 1917
All ages	1,000,000	25 to 29 years	276,767
		30 to 34 years	186,666
10 to 14 years	542	35 to 39 years	116,152
15 to 19 years	83,085	40 to 44 years	39,684
20 to 24 years	293,050	45 years and over	4,054

NOTE.—For States included in birth registration area of 1917, see Birth Report, 1924.

Table BL shows the death rates from puerperal causes per 1,000 live births for several foreign countries and for the United States (the birth registration area of 1915).

As already pointed out, the classification of deaths from puerperal causes differs greatly in different countries. Higher rates in one country than in another, therefore, do not necessarily mean higher mortality from these causes. However, as classification in a given country presumably differs but little from year to year, the rates do presumably serve as useful measures of mortality from these causes within the country itself.

Comparing the rates of 1924 with those of 1915, for puerperal septicemia, the United States (birth registration area of 1915) had the same rate for both years, England and Wales a reduction of 6.7 per cent in its rate, Australia an increase of 46.2 per cent, New Zealand an increase of 137.5 per cent, and Scotland a decrease of 10.5 per cent. For other puerperal causes, the United States showed an increase of 5.4 per cent; England and Wales a decrease of 7.4 per cent; Australia an increase of 24.1 per cent; New Zealand a decrease of 20.5 per cent; and Scotland a decrease of 23.8 per cent.

Table BL

COUNTRY AND YEAR	DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS: All puerperal causes	Puerperal septicemia	Other puerperal causes
United States (birth registration area of 1915):[1]			
1924	6.2	2.4	3.9
1923	6.4	2.4	3.9
1922	6.2	2.2	4.0
1921	6.5	2.6	3.9
1920	7.6	2.6	5.1
1919	6.8	2.3	4.5
1918	8.9	2.3	6.6
1917	6.3	2.6	3.7
1916	6.2	2.5	3.7
1915	6.1	2.4	3.7
England and Wales:			
1924	3.9	1.4	2.5
1923	3.8	1.3	2.5
1922	3.8	1.4	2.4
1921	3.9	1.4	2.5
1920	4.3	1.8	2.5
1919	4.4	1.7	2.7
1918	3.8	1.3	2.5
1917	3.9	1.3	2.6
1916	4.1	1.4	2.7
1915	4.2	1.5	2.7
Australia:			
1924	5.5	1.9	3.6
1923	5.1	1.7	3.4
1922	4.5	1.4	3.1
1921	4.7	1.5	3.2
1920	5.0	1.8	3.2
1919	4.7	1.4	3.3
1918	4.7	1.5	3.3
1917	5.6	1.9	3.7
1916	5.3	2.1	3.1
1915	4.3	1.3	2.9
Ireland:			
1922[2]	5.7	2.0	3.7
1921	5.0	1.7	3.3
1920	5.5	2.3	3.3
1919	4.7	1.5	3.2
1918	4.8	1.6	3.2
1917	4.9	1.5	3.4
1916	5.5	1.9	3.7
1915	5.4	1.8	3.6
Japan:			
1922	3.3	1.2	2.2
1921	3.6	1.3	2.3
1920	3.5	1.3	2.2
1919	3.3	1.2	2.1
1918	3.8	1.4	2.4
1917	3.5	1.4	2.1
1916	3.5	1.4	2.1
1915	3.6	1.5	2.1
Netherlands:[3]			
1922	2.5	0.7	1.8
1921	2.3	0.7	1.6
1920	2.4	0.8	1.6
1919	3.4	1.2	2.1
1916	2.6	1.0	1.6
1915	2.5	0.8	1.7
New Zealand:			
1924	5.0	1.9	3.1
1923	5.1	1.9	3.3
1922	5.1	1.8	3.3
1921	5.1	1.7	3.4
1920	6.5	2.2	4.2
1919	5.1	2.1	2.9
1918	5.2	1.9	3.3
1917	6.0	2.1	3.9
1916	5.9	2.1	3.8
1915	4.7	0.8	3.9
Scotland:			
1924	5.8	1.7	4.1
1923	6.4	1.9	4.5
1922	6.6	2.0	4.6
1921	6.4	2.0	4.4
1920	6.2	1.8	4.4
1919	6.2	1.4	4.8
1918	7.0	1.2	5.8
1917	5.9	1.7	4.2
1916	5.7	1.7	4.0
1915	6.1	1.9	4.2
Sweden:			
1920	2.7	1.3	1.4
1919	3.2	1.6	1.6
1918	2.6	1.3	1.3
1917	2.5	1.1	1.3
1916	2.7	1.2	1.4
1915	2.9	1.2	1.7

[1] Exclusive of Rhode Island; for States included, see Birth Statistics, 1924, Table A.
[2] Rates are for the Irish Free State.
[3] Reports for 1917 and 1918 not available.

NOTE.—The data are taken from the annual reports on vital statistics of the various countries.

Table BM shows for 1920 to 1924, crude death rates per 100,000 population from puerperal causes, adjusted rates for 1920, and the ratios of adjusted to crude rates, 1920, for the States and cities of 100,000 population or more in 1920.

Table BM

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—

AREA	Puerperal septicemia							Other puerperal causes						
	Crude rate					Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†	Crude rate					Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920			1924	1923	1922	1921	1920		
California	4.4	5.6	5.2	6.0	5.1	5.3	1.03846154	8.7	8.6	9.0	7.8	9.8	10.4	1.06060606
Colorado	7.9	5.4	7.8	8.0	8.3	9.0	1.08333333	9.4	8.5	10.2	10.0	14.0	15.3	1.09154930
Connecticut	4.5	4.4	4.2	5.3	5.5	5.6	1.01818182	7.5	7.5	8.1	7.4	11.2	11.4	1.01769912
Delaware	6.0	8.7	6.1	6.6	8.0	8.6	1.07407407	8.6	7.8	7.4	7.5	12.5	13.7	1.09523810
Florida*	8.0	9.6	9.4	8.6	6.9	7.3	1.05714286	18.5	20.5	19.3	18.8	18.4	19.4	1.05376344
White	5.7	7.8	7.1	5.2	4.6	5.2	1.12765957	14.0	17.4	17.7	17.1	16.7	18.7	1.11834320
Colored	12.8	13.3	14.0	15.3	11.5	10.8	.93913043	27.8	26.9	22.6	22.2	21.7	20.6	.94954128
Georgia	7.4	8.2	8.0	(1)	(1)	(1)	(1)	16.9	15.8	15.1	(1)	(1)	(1)	(1)
White	5.9	5.6	5.6	(1)	(1)	(1)	(1)	14.7	14.8	13.8	(1)	(1)	(1)	(1)
Colored	9.6	12.1	11.5	(1)	(1)	(1)	(1)	20.2	17.4	16.9	(1)	(1)	(1)	(1)
Idaho	5.0	3.4	7.0	(1)	(1)	(1)	(1)	8.3	7.9	9.6	(1)	(1)	(1)	(1)
Illinois	5.3	5.2	4.9	6.5	6.5	6.5	1.00000000	7.0	7.3	7.8	7.7	11.0	11.1	1.00909091
Indiana	6.0	6.8	6.7	7.8	8.8	9.7	1.10112360	7.0	7.3	7.4	8.0	10.4	11.3	1.08571429
Iowa*	4.7	4.7	(1)	(1)	(1)	(1)	(1)	7.5	6.9	(1)	(1)	(1)	(1)	(1)
Kansas*	4.4	6.9	7.2	6.7	7.7	8.5	1.10389610	8.7	8.0	9.2	8.3	11.1	12.2	1.09909910
Kentucky	7.6	6.5	7.0	8.1	7.2	8.2	1.13888889	9.0	9.2	8.4	9.2	9.5	10.7	1.12631579
White	7.0	5.9	6.4	7.5	6.7	7.7	1.14925373	8.8	8.9	8.0	8.7	9.4	10.8	1.14893617
Colored	13.8	11.9	13.1	13.4	12.4	12.6	1.01626016	11.6	11.9	12.6	14.7	10.7	10.7	1.00000000
Louisiana	8.0	7.3	6.9	8.2	7.5	7.8	1.04000000	15.8	17.1	16.7	15.2	17.1	17.8	1.04093567
White	5.7	5.1	5.6	6.2	5.5	5.9	1.07142857	11.5	14.4	13.6	13.2	14.4	15.6	1.08275862
Colored	11.9	10.9	9.0	11.3	10.6	10.5	.99047619	23.0	21.7	21.8	18.3	21.2	20.8	.98113208
Maine	4.7	4.0	4.6	4.4	3.5	4.1	1.17142857	14.7	15.7	12.5	12.6	15.6	18.1	1.16025641
Maryland	7.1	5.1	4.6	5.9	6.0	6.4	1.06666667	7.8	8.7	9.1	10.8	12.8	13.4	1.04651163
White	5.5	4.5	3.6	5.0	4.4	4.7	1.06818182	6.8	7.5	8.4	9.5	11.6	12.3	1.05982906
Colored	15.2	8.0	9.7	10.5	13.8	13.9	1.00719424	12.8	14.8	12.9	17.0	18.7	18.6	.99468085
Massachusetts*	4.8	4.3	4.7	5.1	5.6	5.6	1.00000000	9.6	9.6	10.2	10.2	12.0	11.8	.98347107
Michigan	6.8	6.9	5.9	7.8	8.5	9.2	1.08139535	8.9	9.5	10.0	9.6	14.8	16.1	1.08666667
Minnesota	4.6	6.2	4.2	6.1	6.7	7.2	1.07462687	6.4	7.4	7.3	7.4	11.6	12.5	1.07758621
Mississippi	7.1	7.1	6.6	8.0	9.2	9.7	1.05434783	16.1	14.0	13.6	16.6	17.5	18.7	1.06857143
White	4.7	5.2	4.6	6.1	4.7	5.4	1.14893617	12.1	10.9	11.5	13.6	15.5	17.4	1.12179487
Colored	9.3	9.0	8.5	9.7	13.4	13.4	1.00000000	19.8	16.8	15.5	19.3	19.4	19.8	1.02072539
Missouri	5.6	6.6	6.5	7.6	7.1	7.5	1.05633803	7.1	7.7	7.3	7.0	6.9	7.3	1.05797101
Montana	4.8	6.5	6.9	7.3	7.5	8.4	1.11688312	5.9	6.4	7.6	8.2	11.1	12.3	1.10619469
Nebraska	5.7	5.2	5.3	6.6	5.8	6.3	1.08474576	8.5	7.9	8.3	9.6	11.1	12.0	1.08035714
New Hampshire	2.9	3.4	2.0	3.8	2.9	3.3	1.13793103	10.9	12.1	12.1	10.3	13.1	14.5	1.10687023
New Jersey	5.8	5.0	5.9	5.8	6.1	6.2	1.01639344	8.0	7.6	8.5	8.2	10.0	10.0	1.00000000
New York*	4.6	4.5	4.8	5.6	5.1	5.0	.98039216	7.8	7.7	8.2	8.6	10.4	10.0	.96190476
North Carolina	6.3	5.7	6.1	6.4	6.7	7.5	1.11940298	18.6	19.3	18.5	18.5	24.9	28.4	1.13944223
White	4.9	4.4	4.8	4.7	5.4	6.3	1.16666667	15.7	16.3	16.5	15.8	22.0	25.5	1.15837104
Colored	9.5	8.6	9.0	10.4	9.6	10.0	1.04123711	25.5	26.4	23.1	24.7	31.7	34.9	1.10031348
North Dakota*	3.6	(1)	(1)	(1)	(1)	(1)	(1)	9.0	(1)	(1)	(1)	(1)	(1)	(1)
Ohio	5.5	6.1	5.0	7.4	7.3	7.7	1.05405405	8.1	9.0	8.5	8.4	9.6	10.1	1.05154639
Oregon	4.4	4.5	5.1	5.7	6.3	7.0	1.10937500	7.8	8.0	10.2	8.6	11.5	12.5	1.08620690
Pennsylvania	6.1	6.7	5.7	7.5	6.9	7.4	1.07246377	9.2	9.0	9.2	10.1	12.6	13.5	1.07086614
Rhode Island*	4.9	5.4	3.5	7.5	5.6	5.8	1.03571429	9.3	9.1	9.2	9.3	14.2	14.2	1.00000000
South Carolina	7.0	5.4	8.4	7.7	7.9	8.6	1.08860758	22.0	19.3	20.3	21.3	26.6	28.9	1.08614232
White	5.5	3.7	4.8	5.2	5.3	6.0	1.12962963	15.2	15.9	18.4	18.1	20.6	23.3	1.12980769
Colored	8.5	7.1	11.9	10.0	10.3	10.7	1.03883495	28.8	22.6	22.2	24.4	32.3	33.6	1.04012346
Tennessee	6.6	6.4	7.0	8.3	7.6	8.2	1.07894737	10.8	11.4	10.7	11.6	12.8	13.8	1.07812500
White	5.2	5.2	6.1	6.7	5.9	6.6	1.11864407	8.9	10.7	10.0	11.5	11.4	12.7	1.11304348
Colored	13.1	11.3	11.2	15.4	14.6	14.2	.97260274	18.8	14.2	13.7	11.8	18.6	17.9	.96236559
Utah	4.5	4.8	4.5	9.3	6.2	7.1	1.14516129	8.5	9.4	11.9	13.7	18.5	21.5	1.16042781
Vermont	4.3	3.1	3.1	5.7	4.0	4.5	1.12500000	12.8	11.3	12.8	10.8	10.8	12.8	1.18518519
Virginia	6.0	6.2	6.0	6.9	6.4	7.0	1.09230769	11.3	13.8	13.6	14.0	18.1	19.9	1.09890110
White	5.0	5.1	4.2	5.3	5.3	6.0	1.13207547	8.0	10.5	11.3	11.4	15.6	17.5	1.12025316
Colored	8.6	8.7	10.5	10.9	9.1	9.7	1.06593407	19.3	21.6	19.0	20.0	23.8	24.9	1.04602510
Washington	4.1	5.5	5.4	7.0	4.5	5.0	1.10869565	8.2	6.2	8.8	8.3	13.7	14.7	1.07246377
Wisconsin	4.5	4.9	4.0	5.2	4.6	5.1	1.10638298	8.5	7.6	8.0	8.2	10.3	11.3	1.09708738
Wyoming	8.3	2.8	5.3	(1)	(1)	(1)	(1)	15.2	14.2	12.6	(1)	(1)	(1)	(1)
CITIES OF 100,000 POPULATION OR MORE IN 1920														
Akron	(3)	(3)	3.8	8.6	17.6	17.6	1.00000000	(3)	(3)	14.4	9.6	13.9	14.4	1.03472222
Albany*	5.1	5.1	3.4	6.1	0.9	0.8	.88888889	12.0	12.8	8.6	13.9	5.3	4.3	.81132075
Atlanta	(3)	17.0	14.7	13.0	15.8	13.1	.83125000	(3)	22.4	21.5	19.3	22.2	17.9	.80803571
White	(3)	12.9	9.2	9.8	14.3	12.5	.87586207	(3)	19.9	22.4	18.2	21.5	18.1	.84403670
Colored	(3)	26.7	27.1	20.2	18.9	14.4	.76439791	(3)	28.2	19.6	21.7	23.7	17.2	.72384937
Baltimore	7.6	5.8	4.6	6.5	6.9	6.8	.98550725	7.6	6.7	8.3	9.7	12.0	11.5	.95867769
White	6.4	4.9	3.4	5.3	5.2	5.1	.98113208	7.3	6.5	8.0	9.4	11.7	11.5	.98305085
Colored	14.7	11.4	11.5	13.5	16.4	14.8	.90361446	9.5	7.9	9.8	11.7	13.7	12.2	.89130435
Birmingham	16.9	9.7	7.9	11.8	9.9	8.5	.86138614	19.9	21.4	15.2	22.6	26.5	22.8	.86194030
White	14.8	8.4	7.8	12.4	10.0	8.9	.89108912	18.0	23.5	15.5	15.9	26.4	23.7	.89887640
Colored	20.3	11.7	8.0	10.9	9.8	8.6	.88000000	22.8	18.2	14.7	32.8	26.7	22.2	.83333333
Boston *	7.4	6.4	8.5	8.4	9.5	9.1	.95789474	13.3	13.2	13.7	12.4	15.2	14.3	.94078947
Bridgeport	(3)	(3)	4.9	7.0	6.9	6.6	.95714286	(3)	(3)	8.4	7.7	13.7	13.1	.95683453
Buffalo*	6.9	5.4	7.8	6.4	5.9	5.7	.96610169	9.2	10.4	13.1	8.5	12.5	11.7	.93650794
Cambridge*	4.2	3.6	8.1	7.2	5.5	5.0	.90909091	7.6	13.5	16.2	13.6	13.6	13.0	.95620438
Camden	20.6	10.5	13.9	10.9	9.4	9.7	1.03157895	14.2	9.7	16.4	16.7	18.7	18.9	1.01058201
Chicago	5.3	5.3	5.2	5.9	6.5	6.0	.92424242	7.7	6.0	7.1	7.2	9.4	8.6	.91578947
Cincinnati	6.9	8.9	6.4	8.2	8.5	7.7	.90588235	8.3	13.5	9.4	8.9	10.2	9.7	.95098039
Cleveland	6.5	7.0	4.8	9.7	8.0	7.5	.93902439	8.4	8.4	8.2	8.4	8.3	7.8	.94047619
Columbus	10.4	9.2	9.0	8.5	7.1	6.4	.90277778	12.7	12.3	8.6	8.9	12.5	11.2	.89763780
Dallas	16.5	7.7	13.4	16.8	6.2	4.9	.79365079	9.6	15.4	15.7	15.6	14.9	12.5	.84105960
White	13.6	8.3	10.2	14.1	5.8	4.1	.81355932	9.3	16.0	14.3	16.2	12.4	10.6	.85714286
Colored	34.9	3.9	32.4	32.8	8.3	6.1	.73493976	11.6	11.7	24.3	12.3	28.9	22.8	.79037801

(See footnotes at end of table)

Table BM—Con.

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—

AREA	Puerperal septicemia							Other puerperal causes						
	Crude rate					Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†	Crude rate					Adjusted rate, 1920	Ratio of adjusted to crude rate, 1920†
	1924	1923	1922	1921	1920			1924	1923	1922	1921	1920		
CITIES OF 100,000 POPULATION OR MORE IN 1920—continued														
Dayton	8.3	3.0	6.2	7.0	7.8	7.9	1.01265823	6.5	9.1	14.8	9.5	11.0	10.8	0.98198198
Denver	11.2	7.4	12.0	8.4	9.7	9.4	.96907216	9.0	12.9	12.0	12.5	12.4	12.2	.98400000
Des Moines*	7.1	7.8	(1)	(1)	(1)	(1)	(1)	9.3	8.5	(1)	(1)	(1)	(1)	(1)
Detroit	8.9	(3)	7.7	10.7	9.7	9.0	.93000000	9.7	(3)	10.4	9.7	15.9	14.8	.93251534
Fall River*	2.3	3.3	7.5	5.8	5.0	5.0	1.00000000	11.7	5.8	9.1	10.8	16.6	16.6	1.00000000
Fort Worth	4.1	7.6	4.1	(1)	(1)	(1)	(1)	7.4	4.2	8.2	(1)	(1)	(1)	(1)
White	3.9	6.4	3.8	(1)	(1)	(1)	(1)	8.5	4.0	5.7	(1)	(1)	(1)	(1)
Colored	5.4	16.4	5.9	(1)	(1)	(1)	(1)	-------	5.5	23.7	(1)	(1)	(1)	(1)
Grand Rapids	5.4	6.9	5.6	7.8	5.0	4.7	.94117647	5.4	6.9	11.1	7.8	13.0	12.7	.97709924
Hartford	5.8	5.3	10.1	10.1	11.4	10.5	.92241379	7.0	9.9	8.0	9.4	20.0	18.2	.91133005
Houston	10.0	8.4	11.3	8.3	7.8	6.6	.85000000	18.7	12.2	20.7	11.7	17.1	14.2	.83333333
White	10.5	6.7	5.2	4.5	8.5	7.7	.90697674	17.0	12.6	21.8	10.9	17.0	15.0	.88439306
Colored	8.2	13.8	31.0	20.1	5.8	4.0	.69491525	24.5	11.1	16.9	14.3	17.5	12.3	.70454545
Indianapolis	5.4	8.2	10.7	7.1	11.3	10.9	.96521739	8.3	6.7	7.8	10.7	9.4	8.7	.92631579
White	5.8	7.3	10.1	6.6	9.9	9.6	.97000000	7.1	6.6	7.7	10.4	8.8	8.3	.94382022
Colored	2.5	15.2	15.7	10.9	22.6	21.8	.96521739	17.2	7.6	7.9	13.6	14.1	11.0	.77777778
Jersey City	8.6	7.4	10.8	9.9	8.0	7.6	.95061728	8.3	8.1	8.2	11.9	14.0	13.6	.97163121
Kansas City,* Kans.	8.6	13.8	13.2	15.4	8.8	8.7	.98876404	13.8	13.0	10.5	5.8	10.8	10.6	.98165138
White	7.1	10.1	11.3	15.8	8.0	(2)	(2)	12.1	14.2	8.2	6.8	9.2	(2)	(2)
Colored	18.1	35.1	24.1	13.1	13.6	(2)	(2)	24.2	5.8	24.1	-------	20.4	(2)	(2)
Kansas City, Mo.	9.2	6.8	8.1	7.7	10.4	9.3	.89523810	8.1	9.9	8.1	7.7	6.7	6.1	.91176471
Los Angeles	(3)	(3)	6.6	7.9	6.5	6.0	.92424242	(3)	(3)	10.9	10.0	9.5	8.5	.89690722
Louisville	6.8	7.4	5.5	9.3	8.9	7.8	.87640449	8.2	10.5	8.6	8.5	9.8	8.9	.90816327
White	5.2	5.1	4.6	8.2	6.7	6.0	.89552239	8.9	10.1	7.9	8.2	10.2	9.6	.94174757
Colored	15.5	19.7	9.8	15.0	20.0	15.1	.75376884	4.4	12.3	12.3	10.0	7.5	5.5	.73333333
Lowell*	1.8	7.0	2.6	4.4	4.4	4.2	.95454545	9.9	14.8	15.7	8.8	18.6	17.4	.93548387
Memphis	13.9	9.4	14.3	12.1	12.8	10.6	.82945736	21.5	18.8	16.7	16.9	25.1	22.1	.88142292
White	10.9	9.3	15.1	7.7	4.9	4.3	.87755102	15.5	18.5	17.0	17.3	21.6	19.0	.88073394
Colored	19.2	9.6	12.9	19.5	26.1	19.5	.74712644	32.0	19.3	16.1	16.2	31.0	27.8	.89677419
Milwaukee	4.2	7.0	4.4	5.3	7.8	7.2	.92405063	7.9	5.8	6.9	11.9	10.6	10.0	.94392523
Minneapolis	8.6	10.5	4.5	6.4	8.8	7.4	.84269663	6.5	5.1	7.2	12.2	16.4	8.9	.85714286
Nashville	14.6	14.7	18.3	14.7	12.6	10.9	.86614173	17.0	15.5	10.0	22.1	16.0	13.8	.86335404
White	12.5	12.7	17.7	12.8	10.8	9.6	.88990826	14.8	12.7	9.4	21.0	16.8	15.2	.90532544
Colored	19.6	19.6	19.8	19.3	16.9	13.9	.82142857	22.4	22.4	11.3	24.8	14.0	10.9	.77857143
New Bedford*	5.8	3.8	2.4	4.0	8.2	7.7	.93902439	10.0	8.5	6.3	12.0	6.5	6.0	.92424242
New Haven	5.1	9.3	4.7	9.6	6.7	6.6	.98529412	8.5	6.9	11.8	9.6	6.7	6.7	1.00000000
New Orleans	9.0	8.7	10.0	12.9	12.3	11.0	.89516129	14.7	19.3	17.8	17.2	16.2	14.8	.91411043
White	5.9	5.0	7.8	9.9	6.6	6.2	.93939394	11.6	15.7	17.6	13.4	14.2	13.7	.96503497
Colored	17.8	19.0	16.3	21.3	28.5	20.5	.79020979	23.4	29.4	18.2	28.1	21.6	17.8	.82488479
New York*	4.8	4.6	4.9	5.8	5.4	4.9	.90740741	8.1	6.8	7.6	8.7	9.9	8.9	.89898990
Bronx Borough	3.8	4.0	3.2	4.0	4.0	3.4	.85365854	5.7	5.4	6.3	8.9	9.1	7.9	.87096774
Brooklyn Borough	5.4	5.1	5.3	5.8	5.2	4.9	.94339623	9.5	7.8	8.7	9.2	10.7	10.1	.94495413
Manhattan Borough	4.9	4.6	5.4	6.5	6.3	5.4	.85714286	7.8	6.3	7.0	8.5	9.0	7.8	.86666667
Queens Borough	3.4	3.9	3.5	5.6	4.4	4.1	.93333333	6.7	8.6	8.9	8.2	11.3	10.3	.91304348
Richmond Borough	5.2	3.9	6.4	3.3	5.1	5.8	1.13725490	13.4	3.9	4.0	4.1	10.2	11.3	1.10679612
Newark, N. J.	7.2	5.5	6.5	7.5	8.9	8.6	.96629213	12.1	9.3	9.7	10.6	10.5	10.0	.95283019
Norfolk	(3)	8.8	10.4	11.5	7.7	7.2	.93589744	(3)	15.1	10.4	14.8	18.7	16.7	.89473684
White	(3)	1.0	5.1	5.3	4.1	4.1	1.00000000	(3)	8.9	10.3	9.3	15.0	14.1	.94078947
Colored	(3)	22.6	19.1	21.9	13.6	11.5	.84782609	(3)	26.1	10.6	24.1	24.9	20.6	.82608696
Oakland	1.6	2.9	3.0	4.0	2.7	2.3	.85714286	8.5	3.3	7.7	4.0	10.0	10.8	1.07843137
Omaha	5.8	16.1	7.5	10.1	6.7	6.4	.95588235	8.2	9.8	11.5	10.7	15.0	13.8	.92052980
Paterson	6.4	9.3	10.1	6.5	8.1	7.6	.93827160	7.8	13.6	10.1	15.3	5.9	5.6	.94915254
Philadelphia	6.4	6.0	6.0	7.9	6.4	6.1	.95384615	9.0	9.8	9.7	10.6	11.6	11.1	.95726496
Pittsburgh	10.1	9.7	7.1	10.6	14.7	14.1	.95945946	11.2	11.9	10.5	11.6	15.2	14.6	.96078431
Portland, Oreg.	4.7	5.8	6.3	5.7	5.0	5.0	1.00000000	8.3	8.8	9.3	7.6	9.2	8.5	.92473118
Providence*	8.0	9.5	5.0	10.4	9.2	9.5	1.03225806	13.7	13.2	13.3	13.4	22.7	21.9	.96475771
Reading	7.2	4.5	9.1	20.2	8.3	8.3	1.00000000	8.9	6.3	16.4	12.8	13.9	14.2	1.02158273
Richmond	7.6	6.1	7.8	8.5	11.6	9.8	.84615385	16.3	16.6	12.9	21.6	20.8	17.8	.85714286
White	7.0	5.5	4.0	4.1	8.4	7.4	.88235294	10.1	8.7	8.1	10.7	15.2	13.5	.88888889
Colored	9.1	7.3	16.5	18.4	18.5	14.5	.78378378	30.9	34.7	23.8	46.0	33.2	26.1	.78678679
Rochester*	4.8	3.1	2.2	7.9	4.3	4.2	.97727273	5.7	7.5	9.0	7.9	10.0	9.5	.95049505
St. Louis	4.3	7.1	6.9	6.9	7.2	6.7	.93055556	8.1	7.6	6.8	7.3	7.5	6.7	.89333333
St. Paul	4.1	9.5	5.4	8.4	5.9	5.0	.85000000	6.6	9.9	7.5	8.8	13.2	11.7	.88970588
Salt Lake City	7.8	6.3	6.5	14.0	6.7	6.4	.95588235	11.7	11.1	12.9	11.5	25.2	24.6	.97637795
San Antonio	13.1	7.0	10.1	8.2	14.0	12.7	.90909091	10.4	13.0	12.9	14.0	14.0	13.0	.93006993
San Francisco	2.4	3.3	3.2	6.0	5.3	5.3	1.00000000	5.3	6.3	9.1	9.0	11.1	10.9	.98214286
Scranton	13.4	8.5	11.4	15.1	6.5	6.4	.98461538	17.0	10.7	17.2	10.1	20.3	20.2	.99507389
Seattle	(3)	(3)	6.0	5.7	6.9	6.4	.92857143	(3)	(3)	7.3	6.0	11.0	10.1	.91891892
Spokane	10.5	17.2	14.3	13.4	7.7	7.5	.97402597	14.3	2.9	9.6	12.4	20.1	19.2	.95522388
Springfield,* Mass.	10.7	2.8	7.9	4.4	4.6	4.2	.91304348	11.4	9.0	11.4	14.0	6.8	6.7	.98550725
Syracuse*	2.2	2.7	5.5	4.5	4.0	3.9	.97560976	10.0	9.8	9.4	7.3	18.4	17.8	.96774194
Toledo	6.4	7.1	6.5	14.2	10.5	10.2	.97196262	11.1	9.7	11.9	8.7	12.2	11.9	.97560976
Trenton	9.3	5.5	6.4	4.9	7.5	7.5	1.00000000	7.7	8.6	12.0	21.2	23.2	23.0	.99148936
Washington, D. C.	10.9	8.0	6.9	6.9	5.6	4.6	.82456140	12.3	11.1	7.8	13.9	12.0	9.7	.80991736
White	7.3	6.7	4.0	6.1	3.6	2.8	.78378378	8.7	9.2	7.0	13.2	9.0	7.2	.80434783
Colored	22.0	12.0	15.4	9.0	11.7	9.9	.84615385	23.7	17.2	9.9	16.3	20.6	16.3	.79326923
Wilmington, Del.	5.8	12.7	5.2	12.3	11.7	11.6	.99152542	10.0	5.1	7.8	11.5	10.8	11.1	1.02752294
Worcester*	7.4	5.7	6.9	10.3	7.2	7.2	1.00000000	15.3	11.5	9.6	16.2	20.9	19.9	.95260664
Yonkers*	4.5	6.5	5.7	7.7	2.0	1.8	.90000000	5.4	5.6	5.7	11.6	12.8	11.6	.90769231
Youngstown	11.0	9.3	12.8	16.6	16.3	16.0	.98192771	11.0	13.3	15.1	13.6	11.1	10.6	.95575221

[1] Not added to registration area until a later date.
[2] Not computed.
[3] Rates are omitted pending the establishment of more satisfactory estimates of population.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.
†See "Adjusted rates," p. 10.

The highest State death rate in 1924 from puerperal septicemia (8.3 per 100,000 estimated population) was for Wyoming, and the lowest (2.9) was for New Hampshire; the highest rate from other puerperal causes (22) was for South Carolina, and the lowest (5.9) was for Montana.

Among the cities, Camden had the highest rate (20.6) in 1924 from puerperal septicemia, and Oakland the lowest (1.6); Memphis had the highest rate (21.5) from other puerperal causes, and San Francisco the lowest (5.3).

Of the 10 States and 13 cities with death rates by color in 1924, all but 2 (Houston and Indianapolis) had higher rates from puerperal septicemia for the colored than for the white, and all but Louisville had higher rates from other puerperal causes; on the other hand, Fort Worth had no deaths from other puerperal causes among the colored.

It must be remembered that crude rates may be misleading, owing to the many nonresident women confined at some hospitals and to higher birth rates in some places than in others. The rates per 1,000 live births shown on preceding pages are, therefore, much better for comparison.

OLD AGE

In Table BN death rates from old age are given to enable one to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also on p. 76 death rates from unknown or ill-defined diseases.)

Table BN

DEATH RATE FROM OLD AGE PER 100,000 ESTIMATED POPULATION

AREA	Year admitted	1900	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Registration area [1]	------	50.4	38.8	36.1	33.5	31.8	29.5	26.5	25.3	23.6	23.8	22.0	19.8	18.5	17.0	15.5	15.1	14.3	14.2	12.3	13.2	13.8	12.7
California	1906	------	------	------	29.1	27.4	30.0	28.2	23.0	23.0	21.7	21.1	18.0	14.8	11.8	10.7	10.7	11.3	8.5	9.6	9.1	11.9	9.4
Colorado	1906	------	------	------	24.9	29.8	25.7	27.6	26.9	27.7	36.0	35.1	32.8	30.0	21.5	17.2	13.8	14.8	13.9	14.4	14.1	10.6	10.6
Connecticut	1890	41.4	25.6	25.1	28.6	28.5	24.5	23.8	22.5	25.7	21.0	18.1	16.6	13.6	11.0	10.4	8.5	8.7	7.5	7.5	7.5	7.5	6.1
Delaware	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	17.6	8.0	12.8	14.0	15.6	14.6
Florida*	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	31.1	28.1	21.3	26.0	31.1	27.5
Georgia	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	23.9	28.9	26.5
Idaho	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	18.3	17.4	17.9
Illinois	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	12.2	9.4	8.8	8.0	7.8	7.1	6.6
Indiana	1900	45.8	41.7	38.6	38.9	31.9	21.8	17.1	15.8	12.9	13.5	12.5	9.9	9.3	8.0	7.0	7.3	7.3	8.1	6.2	6.4	6.7	6.1
Iowa*	1923	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	30.2	27.7
Kansas*	1914	------	------	------	------	------	------	------	------	------	------	------	37.1	36.3	32.3	29.2	28.7	27.7	27.8	23.1	25.0	25.9	24.0
Kentucky	1911	------	------	------	------	------	------	------	------	22.8	26.1	24.8	27.4	23.7	19.5	23.5	22.9	20.7	23.5	22.2	18.2	19.6	16.9
Louisiana	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	34.9	30.3	27.8	20.4	23.1	25.7	25.9
Maine	1900	88.6	95.8	91.4	87.4	72.7	63.4	61.5	77.3	71.5	68.3	67.0	67.8	51.0	43.5	38.6	38.6	36.9	32.9	29.7	30.7	37.1	24.1
Maryland	1906	------	------	------	35.2	41.0	36.9	37.2	35.0	32.5	33.2	27.3	26.1	19.2	17.2	15.6	17.0	11.0	9.8	9.5	10.9	9.2	8.0
Massachusetts*	1880	56.0	39.8	37.1	33.9	36.2	29.0	25.8	23.1	18.5	16.4	14.5	12.1	9.2	7.0	6.5	5.9	5.0	4.9	3.8	4.4	3.9	3.0
Michigan	1900	48.8	48.4	48.0	46.9	48.4	48.5	49.5	51.4	48.6	50.6	44.1	44.3	40.6	40.9	30.0	18.6	19.5	18.5	14.3	16.4	16.4	15.3
Minnesota	1910	------	------	------	------	------	------	------	41.7	33.7	24.6	21.9	19.0	15.2	15.1	14.0	13.6	12.4	12.2	12.8	11.5	10.0	9.6
Mississippi	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	27.7	30.1	26.5	25.0	25.8	25.3
Missouri	1911	------	------	------	------	------	------	------	------	17.6	14.3	12.9	11.7	12.2	11.4	9.3	7.9	7.4	7.3	7.7	8.0	8.9	8.1
Montana	1910	------	------	------	------	------	------	------	11.8	15.1	14.7	15.7	16.4	20.5	17.7	22.2	14.2	15.0	12.0	9.9	11.8	10.5	8.6
Nebraska	1920	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	29.0	18.1	23.1	20.6	19.7
New Hampshire	1890	90.6	84.2	73.6	78.7	71.3	71.6	69.9	69.9	77.1	67.8	65.3	48.2	46.4	39.9	31.8	33.3	28.3	29.5	28.3	26.7	25.2	23.8
New Jersey	1880	27.1	24.7	21.7	21.7	22.1	20.7	22.3	16.5	15.9	14.2	11.8	11.3	12.0	7.9	8.1	8.2	6.8	6.6	6.2	6.0	6.1	5.0
New York*	1890	48.3	35.2	32.5	34.1	25.4	23.7	20.0	17.5	17.5	22.3	19.1	12.2	10.2	9.0	7.7	7.4	7.2	7.1	6.0	6.4	6.0	5.2
North Dakota*	1924	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	22.3
North Carolina [2]	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	26.0	30.4	24.6	21.1	23.2	20.7	22.5	21.8	19.3
Ohio	1909	------	------	------	------	------	------	19.0	17.4	15.6	18.1	16.5	14.0	14.8	14.9	12.7	14.1	14.1	13.4	11.1	12.5	11.8	10.9
Oregon	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	28.7	23.0	24.3	17.9	20.8	16.9	16.1
Pennsylvania	1906	------	------	------	20.3	22.3	20.1	18.1	18.1	18.0	17.3	16.9	14.2	14.9	11.5	9.4	10.3	8.2	8.9	7.1	6.8	6.8	6.0
Rhode Island*	1890	55.1	38.3	32.2	32.0	32.0	25.6	25.5	27.9	24.2	25.0	24.7	21.8	19.5	19.8	20.1	20.8	21.0	22.4	16.8	18.2	19.3	15.7
South Carolina	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	29.5	29.1	29.9	26.6	32.1	26.7	27.4	25.4	24.7
South Dakota [3]	1906	------	------	------	40.9	39.2	45.0	34.1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Tennessee	1917	------	------	------	------	------	------	------	------	------	------	------	------	------	------	24.9	19.4	18.4	17.9	15.6	15.4	18.2	17.1
Utah	1910	------	------	------	------	------	------	------	38.1	47.8	36.1	29.9	27.7	29.2	20.6	20.2	22.8	18.9	20.3	17.8	14.9	17.0	13.4
Vermont	1890	95.4	73.7	75.1	75.2	60.4	57.4	41.4	51.7	46.1	39.4	43.1	38.4	37.8	35.9	32.0	30.9	25.0	25.0	23.3	27.5	30.4	33.5
Virginia	1913	------	------	------	------	------	------	------	------	------	------	32.4	36.9	34.7	34.6	29.9	26.7	27.0	22.8	21.3	26.2	25.2	24.0
Washington	1908	------	------	------	------	------	20.7	24.0	20.0	21.1	19.2	23.1	21.3	18.9	20.9	17.2	16.4	14.7	13.2	11.6	10.3	9.9	11.2
Wisconsin	1908	------	------	------	------	------	47.0	47.1	45.5	46.4	46.8	44.4	39.1	42.0	41.7	36.5	29.0	30.2	28.6	26.8	25.0	23.6	24.7
Wyoming	1922	------	------	------	------	------	------	------	------	------	--	------	------	------	------	------	------	------	------	------	17.4	22.2	19.8
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York*	1880	28.7	14.7	11.6	13.7	12.4	11.2	10.2	11.4	9.1	7.8	6.5	6.3	5.5	4.6	3.9	3.8	3.6	4.0	2.9	3.8	2.7	1.8
Philadelphia	1880	61.9	24.4	24.4	17.9	21.0	17.4	16.5	14.9	13.7	13.4	12.7	11.7	10.7	8.5	6.6	6.4	5.4	5.5	4.8	4.4	4.6	4.0
Chicago	1880	26.3	11.0	8.1	8.1	8.4	5.2	1.8	1.3	1.7	2.0	1.7	1.8	1.4	1.5	1.2	1.8	1.5	1.3	0.6	0.4	0.7	0.2
Boston*	1880	36.4	30.1	24.3	18.8	22.9	15.9	5.9	6.8	4.3	4.7	2.8	3.4	3.6	2.3	3.6	1.6	0.9	1.5	2.0	0.8	0.5	0.4
Cleveland	1880	54.0	28.5	27.7	27.1	32.6	24.8	4.1	4.4	5.8	4.1	6.8	4.2	3.9	5.5	3.7	5.1	4.1	4.5	2.6	2.7	3.6	2.3
Washington, D. C.	1880	55.9	61.6	48.7	42.1	47.7	51.9	45.3	52.8	47.6	43.1	36.3	25.4	26.5	24.0	25.1	19.9	12.5	12.2	7.8	14.2	12.2	10.9
Baltimore	1880	93.6	24.9	32.7	31.1	40.0	39.3	35.7	31.1	27.1	31.8	22.4	24.3	15.3	12.2	13.6	15.6	8.1	7.2	6.9	7.9	7.2	5.0
St. Louis	1880	82.4	54.2	43.3	33.2	38.4	44.2	28.9	8.3	2.3	2.8	2.8	2.1	1.5	1.9	0.9	1.3	1.7	2.2	2.0	2.0	1.4	0.6
Cincinnati	1880	61.3	46.8	45.0	53.5	55.0	39.7	13.9	4.7	3.7	0.8	1.0	0.3	0.3	0.5	2.3	3.5	2.2	4.7	3.2	5.9	4.9	2.2
New Orleans	1880	81.4	68.4	88.6	75.8	82.0	71.6	65.7	34.7	29.8	31.1	24.2	18.3	11.5	7.6	8.0	8.2	16.4	9.0	3.5	6.5	9.9	8.5

[1] Exclusive of Hawaii.
[2] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[3] Dropped from registration area in 1910.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

SUICIDE

The number of deaths from suicide in 1924 was 12,061, corresponding to a rate of 12.2 per 100,000 estimated population, a higher rate than for 1923 (11.6). Of the 38 States shown for both years, 28 had higher rates in 1924 than in 1923; the highest rates in 1924 were for California (28), Washington (19.6), Oregon (18.8), and Colorado (16.3). Each year since its admission to the registration area (1906) California has had the highest death rate from suicide. The following States had the lowest rates in 1924: Mississippi (2.7), South Carolina (3.3), North Carolina (4.1), and Louisiana (6.7).

Among the 61 cities of 100,000 population or more in 1920, which showed rates for both 1923 and 1924, 32 had higher rates in 1924. The 5 cities which showed the highest rates in 1924 were San Francisco (38.8), Oakland (29.6), Omaha (26.9), Reading (26.8), and Portland, Oreg. (25.9). The cities which had the lowest rates were Cambridge (6.8), Lowell (7.2), Fall River (7.8), and Hartford and Wilmington (8.3 each).

Under the title "Suicide" are included 9 headings, to 4 of which 69.4 per cent of all deaths from this cause were charged in 1924. Of these 4, the greatest number of deaths from suicide was due to firearms (4,280, with a rate of 4.3 per 100,000 estimated population), followed by hanging or strangulation (2,117, with a rate of 2.1), by poisonous gas (1,641, with a rate of 1.7), and by corrosive substances (1,232, with a rate of 1.2).

Table BO shows the rates from suicide per 100,000 estimated population for 1915 to 1924.

Table BO

DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area (exclusive of Hawaii)	12.2	11.6	11.9	12.6	10.2	11.4	12.2	13.4	14.2	16.7
Registration States [1]	12.1	11.6	11.8	12.5	10.2	11.4	12.2	13.1	13.8	16.2
Cities in registration States [1]	14.7	14.2	14.3	15.0	12.0	13.6	14.2	16.2	17.0	19.2
Rural part of registration States	9.8	9.3	9.5	10.1	8.5	9.5	10.3	10.4	10.9	13.3
Registration cities in non-registration States	14.0	13.9	13.8	15.5	11.7	12.2	14.0	16.8	19.7	22.5
All registration cities [1]	14.7	14.1	14.3	15.0	12.0	13.6	14.2	16.3	17.4	19.7
California	28.0	26.6	25.3	27.0	20.1	24.8	24.9	28.7	30.6	34.3
Colorado	16.3	14.2	18.0	14.8	15.7	14.2	14.6	13.7	13.3	18.8
Connecticut	10.4	13.2	11.8	14.3	11.1	14.5	14.5	16.7	15.0	17.7
Delaware	9.5	8.7	7.9	11.1	7.6	8.6	(2)	(2)	(2)	(2)
Florida*	9.0	8.0	9.2	9.8	5.4	6.7	(2)	(2)	(2)	(2)
White	12.1	11.3	12.6	13.9	6.9	9.1	(2)	(2)	(2)	(2)
Colored	2.5	*1.2*	2.1	1.5	2.4	2.1	(2)	(2)	(2)	(2)
Georgia	6.4	5.7	5.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.6	8.6	8.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.6	1.4	2.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Idaho	10.4	9.6	8.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	14.8	13.1	13.5	14.7	11.6	14.2	13.3	(2)	(2)	(2)
Indiana	13.4	14.3	15.4	14.7	11.3	12.3	12.0	14.8	17.0	15.1
Iowa*	14.3	12.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Kansas*	11.1	10.5	10.7	11.7	10.7	12.0	12.1	9.4	10.1	11.3
Kentucky	7.1	7.5	8.7	7.2	7.4	7.2	8.2	8.4	7.6	10.9
White	7.4	7.8	9.0	7.5	8.0	7.8	8.5	9.0	8.3	11.3
Colored	4.5	4.4	5.7	4.3	2.6	*1.8*	5.8	2.5	*1.6*	7.3
Louisiana	6.7	5.8	5.4	7.3	4.7	4.9	6.5	(2)	(2)	(2)
White	9.0	7.7	7.6	10.4	7.2	6.5	9.3	(2)	(2)	(2)
Colored	2.7	2.7	1.9	2.1	0.9	2.3	2.1	(2)	(2)	(2)
Maine	14.1	12.4	12.3	12.8	10.4	14.5	14.0	13.8	14.6	15.6
Maryland	10.3	11.6	12.4	11.6	9.5	11.4	12.5	12.4	13.3	13.4
White	11.6	13.3	13.9	13.2	11.1	12.8	14.0	14.4	15.4	15.0
Colored	3.2	3.2	4.8	3.6	*1.6*	4.5	4.9	2.9	3.3	5.4
Massachusetts*	11.9	11.2	11.4	12.0	10.1	11.6	13.0	13.3	12.3	14.0
Michigan	12.3	10.9	11.4	12.1	9.6	10.1	11.5	13.7	13.5	14.2
Minnesota	11.6	10.6	13.0	12.9	11.2	13.3	12.5	12.6	12.4	16.1
Mississippi	2.7	2.3	2.7	3.8	3.2	2.7	(2)	(2)	(2)	(2)
White	4.8	3.6	4.6	6.4	5.2	4.5	(2)	(2)	(2)	(2)
Colored	0.9	1.2	1.0	1.4	1.3	1.1	(2)	(2)	(2)	(2)
Missouri	14.4	14.5	12.7	13.3	11.9	13.0	13.4	16.8	16.9	20.1
Montana	12.6	12.6	14.8	16.3	15.4	15.9	18.6	22.4	23.2	22.0
Nebraska	12.6	12.3	11.3	12.6	12.0	(2)	(2)	(2)	(2)	(2)
New Hampshire	14.5	9.8	12.1	13.5	11.3	11.1	15.4	18.0	13.5	16.5
New Jersey	12.5	14.0	13.3	13.7	11.6	12.7	12.1	14.5	14.2	17.7
New York*	13.8	13.6	13.5	13.6	11.5	12.7	13.0	14.8	15.5	18.1
North Carolina	4.1	3.8	4.2	4.3	3.9	3.3	4.3	3.2	3.4	[3]7.0
White	5.1	4.6	5.0	5.1	4.8	4.0	5.4	4.0	4.1	9.1
Colored	1.7	1.7	2.1	2.5	1.7	1.6	1.7	1.3	1.7	3.0
North Dakota*	7.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Ohio	11.7	12.1	11.9	12.7	10.4	12.6	12.8	13.8	14.1	14.7
Oregon	18.8	16.0	21.8	16.1	13.8	12.5	13.3	(2)	(2)	(2)
Pennsylvania	11.2	11.0	11.6	11.2	9.0	9.8	11.4	11.2	12.1	13.1
Rhode Island*	10.9	10.7	9.2	10.4	9.7	9.0	13.6	11.7	14.4	15.1
South Carolina	3.3	2.8	3.4	4.7	3.5	3.4	4.3	2.6	3.9	(2)
White	6.2	4.7	5.9	8.2	5.9	6.2	7.0	4.6	6.1	(2)
Colored	*0.3*	0.9	0.9	1.4	1.2	0.8	1.7	0.8	1.9	(2)
Tennessee	7.6	5.9	6.9	7.3	5.4	6.1	5.2	5.4	(2)	(2)
White	8.7	6.6	8.0	8.1	6.1	7.1	6.2	6.1	(2)	(2)
Colored	2.5	2.9	2.0	4.0	2.4	1.8	1.3	2.2	(2)	(2)
Utah	7.2	6.7	9.8	9.8	7.7	9.0	6.9	10.9	13.3	13.0
Vermont	13.9	15.0	12.2	13.6	12.5	13.0	13.6	17.8	17.2	16.9
Virginia	7.4	5.7	5.9	7.8	5.5	7.6	8.3	6.1	8.1	8.3
White	9.4	7.6	7.8	10.0	6.9	10.0	10.9	7.8	10.7	10.5
Colored	2.4	1.1	1.4	2.7	2.3	2.0	2.5	2.2	2.2	3.5
Washington	19.6	16.5	19.3	20.7	18.0	14.1	14.6	15.0	14.4	24.2
Wisconsin	13.1	11.4	11.6	13.1	10.0	11.9	12.6	13.8	13.9	13.6
Wyoming	14.8	17.9	16.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(4)	(4)	9.6	13.4	9.3	12.9	9.1	9.8	7.5	13.5
Albany*	10.3	14.5	18.9	20.9	11.4	11.5	17.0	13.6	11.9	16.9
Atlanta	(4)	12.1	11.0	14.9	10.3	13.6	7.2	10.0	10.8	18.9
White	(4)	16.7	14.5	19.6	14.3	17.6	9.8	14.7	14.4	24.6
Colored	(4)	*1.5*	*3.0*	*4.7*	*1.6*	*4.8*	*1.6*	-----	*3.4*	*6.9*
Baltimore	12.2	12.0	15.9	14.1	12.0	13.7	16.5	16.6	15.3	17.0
White	13.7	13.5	17.2	15.6	13.8	14.7	18.6	19.0	17.4	19.2
Colored	*3.5*	*3.5*	8.0	5.4	*1.8*	8.3	5.9	*4.0*	*4.1*	5.2
Birmingham	13.4	7.7	8.9	11.3	7.2	7.3	9.3	14.3	9.2	11.4
White	19.7	11.8	14.7	17.7	10.0	10.2	11.5	22.6	13.2	18.8
Colored	*3.8*	*1.3*	-----	*1.4*	*2.8*	*2.9*	*5.9*	*1.5*	*3.1*	-----
Boston*	14.6	15.3	15.4	13.3	13.3	14.1	16.5	18.2	16.9	19.5
Bridgeport	(4)	(4)	16.0	11.1	13.7	18.4	19.0	12.8	32.7	26.5
Buffalo*	12.4	11.2	14.8	10.2	9.6	11.1	9.5	10.3	8.8	10.0
Cambridge*	6.8	8.1	6.3	10.0	8.2	7.3	9.2	4.6	9.3	9.3
Camden	15.0	17.7	9.0	6.7	11.9	15.6	8.0	13.6	9.2	15.1
Chicago	15.3	13.6	14.4	16.6	13.4	15.4	17.1	18.6	22.0	24.8
Cincinnati	15.2	18.7	14.6	14.4	11.7	21.7	18.0	17.4	17.2	19.3
Cleveland	12.6	11.5	12.1	14.1	12.7	13.8	10.8	17.7	19.4	19.0
Columbus	12.3	15.3	8.6	12.5	5.4	11.5	13.6	12.1	16.6	19.8
Dallas	11.7	14.3	14.5	21.6	12.4	15.3	23.0	19.0	28.0	(2)
White	11.7	16.0	10.6	23.9	11.0	18.1	26.4	19.8	31.5	(2)
Colored	*11.6*	*3.9*	*8.1*	*8.2*	20.7	-----	*4.9*	*14.8*	*10.0*	(2)
Dayton	8.9	9.7	15.4	8.9	13.0	14.6	16.3	14.7	25.1	22.8
Denver	22.4	21.3	23.5	20.1	20.9	19.7	21.2	22.8	15.8	28.3
Des Moines*	12.9	17.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Detroit	12.8	(4)	13.5	12.7	8.7	10.1	8.8	16.7	14.1	15.8
Fall River*	7.8	5.8	9.9	5.8	8.3	8.3	5.0	6.7	11.7	14.2
Fort Worth	11.5	11.8	14.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.6	13.5	17.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	*10.8*	-----	-----	-----	-----	-----	-----	-----	-----	-----
Grand Rapids	11.5	15.1	7.0	13.5	14.4	11.0	12.7	9.9	14.1	16.0
Hartford	8.3	15.1	13.0	21.7	11.4	19.1	22.0	18.0	16.9	18.3
Houston	15.0	16.8	18.0	17.2	10.0	16.1	18.8	23.7	(2)	(2)
White	17.8	18.5	20.9	21.8	12.3	20.5	24.1	27.3	(2)	(2)
Colored	*5.4*	*11.1*	*8.5*	*2.9*	*2.9*	*3.0*	*3.2*	*13.1*	(2)	(2)
Indianapolis	16.8	19.5	18.5	13.8	15.7	16.4	13.9	18.6	27.0	16.4
White	18.7	20.8	19.2	15.2	17.3	17.0	15.5	19.7	28.6	17.1
Colored	*2.5*	*10.1*	13.1	*2.7*	*2.8*	*11.7*	-----	*9.5*	*13.3*	*10.4*

(See footnotes at end of table)

Table BO—Con. DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—CON.										
Jersey City	9.9	9.7	10.5	12.2	7.7	9.4	8.5	13.4	12.2	19.7
Kansas City,* Kans.	15.6	16.4	8.8	11.6	14.7	16.0	18.3	13.5	11.6	14.0
White	16.1	19.3	10.3	12.4	13.7	17.5	21.3	14.4	13.4	16.1
Colored	*12.1*			*6.6*	*20.4*	*7.0*		*7.6*		
Kansas City, Mo.	19.2	19.6	19.2	22.9	18.0	19.7	21.4	31.8	25.9	30.8
Los Angeles	(4)	(4)	30.7	28.2	19.7	23.6	22.9	31.8	29.2	34.4
Louisville	14.7	16.3	14.8	18.2	19.6	9.8	24.8	16.3	15.1	24.6
White	16.5	18.0	16.7	19.9	22.5	11.8	28.4	19.7	17.7	29.4
Colored	*4.4*	*7.4*	*4.9*	*10.0*	*5.0*		*7.4*		*2.5*	*2.5*
Lowell *	7.2	7.0	10.5	8.8	8.8	7.1	6.3	9.9	8.2	13.7
Memphis	18.6	14.7	13.7	16.3	9.2	11.4	14.2	15.1	(5)	25.4
White	27.3	21.3	21.7	24.0	11.8	16.8	18.2	21.8	(5)	36.4
Colored	*3.2*	*3.2*		*3.2*	*4.9*	*1.8*	*7.4*	*5.7*	(5)	*7.5*
Milwaukee	14.6	14.4	13.0	18.3	11.9	14.3	15.5	18.9	16.0	16.8
Minneapolis	17.7	15.2	15.7	17.6	18.5	15.1	16.3	17.5	19.9	23.8
Nashville	17.8	17.1	15.0	13.1	8.4	8.5	14.5	*3.4*	(5)	14.0
White	20.5	19.6	21.2	16.3	10.8	12.2	20.9	*5.0*	(5)	16.6
Colored	*11.2*	*11.2*		*5.5*	*2.8*				(5)	*8.3*
New Bedford *	10.0	10.0	7.1	10.4	10.6	10.8	11.9	20.9	19.6	14.6
New Haven	12.5	16.8	12.4	18.6	11.0	13.0	15.8	21.9	14.5	18.8
New Orleans	13.2	11.9	11.5	16.2	10.5	10.4	13.7	13.6	14.6	18.9
White	14.9	13.4	13.9	19.6	13.6	10.9	16.8	16.3	18.3	22.7
Colored	8.4	7.6	4.8	6.8	*2.0*	8.9	5.0	6.1	*4.1*	8.3
New York *	14.3	14.2	13.8	14.4	11.9	12.9	13.4	15.3	16.0	19.0
Bronx Borough	10.7	10.8	9.1	11.0	10.4	10.7	10.4	14.8	17.5	16.4
Brooklyn Borough	11.1	9.9	10.9	10.2	9.7	10.4	11.1	13.7	10.6	16.2
Manhattan Borough	19.8	19.0	18.7	20.3	14.6	15.7	16.6	16.3	19.7	21.6
Queens Borough	13.1	18.1	12.6	12.9	11.3	13.9	11.1	16.4	18.1	20.9
Richmond Borough	12.6	8.6	10.5	4.9	11.9	10.4	14.3	20.2	16.1	18.6
Newark, N. J.	11.9	14.4	12.5	16.5	11.7	13.9	12.6	16.4	14.6	17.2
Norfolk	(4)	*3.8*	7.2	18.1	5.1	10.5	12.7	5.6	12.6	22.1
White	(4)	*3.0*	10.3	27.8	*5.4*	15.5	17.5	7.6	20.5	31.3
Colored	(4)	*5.2*	*2.1*	*2.2*	*4.5*	*2.3*	*4.8*	*2.5*		*7.8*
Oakland	29.6	24.6	16.3	25.6	19.1	25.4	22.8	28.1	24.4	27.5
Omaha	26.9	25.9	26.4	22.8	21.7	15.8	14.0	15.9	28.2	39.9
Paterson	14.9	12.9	17.3	14.5	10.3	14.8	18.6	18.0	18.2	23.6
Philadelphia	15.3	14.8	15.4	14.2	10.9	12.1	13.1	15.2	15.4	16.5
Pittsburgh	11.0	12.9	14.1	13.4	8.8	10.9	12.6	14.5	13.0	15.6
Portland, Oreg.	25.9	18.3	29.0	20.4	17.3	16.4	13.9	13.7	20.6	24.1
Providence *	11.8	10.7	10.8	10.8	12.6	10.1	14.9	15.8	12.9	16.9
Reading	26.8	16.2	10.0	21.1	23.1	16.8	15.0	16.1	12.4	29.1
Richmond	17.4	13.3	7.3	10.8	7.5	7.6	13.7	9.7	8.0	11.3
White	21.7	19.0	8.9	14.0	10.9	10.3	18.4	12.6	11.9	14.1
Colored	*7.3*		*3.7*	*3.7*		*1.9*	*3.7*	*3.7*		*5.6*
Rochester *	12.4	10.0	10.9	11.8	10.7	13.3	9.8	12.6	20.9	21.6
St. Louis	19.9	21.4	20.4	21.0	16.2	18.5	18.3	24.6	27.9	37.1
St. Paul	14.3	15.3	15.0	13.5	9.3	16.3	13.8	17.0	19.8	25.7
Salt Lake City	9.3	15.8	21.0	15.6	10.9	12.0	7.1	22.5	19.4	18.9
San Antonio	11.0	14.6	15.7	18.1	7.9	13.3	18.5	15.9	17.4	28.9
San Francisco	38.8	33.4	30.6	37.7	25.6	34.9	41.8	40.9	50.4	55.5
Scranton	20.5	6.4	10.0	10.8	8.7	5.8	10.3	4.4	8.2	17.9
Seattle	(4)	(4)	28.8	24.4	22.9	18.6	16.8	21.3	18.4	35.4
Spokane	22.9	20.1	22.0	33.5	22.0	18.2	11.5	16.3	16.3	28.7
Springfield,* Mass.	10.0	8.3	11.4	14.0	8.4	14.1	7.3	10.9	13.0	14.4
Syracuse *	16.6	11.4	16.0	11.8	13.2	10.6	12.0	14.7	21.3	23.1
Toledo	13.2	13.7	14.2	19.3	13.4	20.0	19.8	24.4	19.2	19.0
Trenton	19.3	22.8	20.8	15.5	14.1	18.6	13.8	13.2	17.1	12.9
Washington, D. C.	16.8	15.1	15.3	19.9	9.7	13.2	18.5	19.3	22.0	22.2
White	20.6	18.6	18.7	26.0	11.2	15.8	21.7	23.1	25.8	26.3
Colored	5.1	4.3	5.4	*1.8*	5.4	5.5	9.2	8.4	11.4	10.6
Wilmington, Del.	8.3	9.3	7.8	12.3	9.9	13.0	11.4	16.5	15.9	12.2
Worcester *	10.6	13.5	9.0	15.1	6.6	11.2	12.6	13.4	12.5	12.2
Yonkers *	13.5	6.5	13.3	12.6	*2.0*	*4.0*	7.2	13.7	7.5	9.9
Youngstown	14.2	8.0	9.8	13.6	9.6	7.7	11.2	18.3	15.6	9.0

[1] Including District of Columbia.
[2] Not added to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
[5] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

HOMICIDE

The term "homicide," as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

Table BP shows the rates from homicide per 100,000 estimated population for 1915 to 1924.

Table BP DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
The registration area [1]	8.5	8.1	8.4	8.5	7.1	7.5	6.8	7.7	7.1	7.0
White	5.3	5.1	5.6	6.2	5.0	5.3	4.8	5.7	5.3	5.3
Colored	40.1	38.5	34.7	33.7	29.6	30.5	30.5	32.8	31.3	37.5
Registration States [2]	8.2	7.9	8.0	8.1	6.8	7.1	6.4	7.0	6.4	6.0
Cities in registration States [2]	10.1	9.6	9.1	9.1	8.2	8.8	8.2	8.8	7.7	7.0
Rural part of registration States	6.5	6.4	7.0	7.2	5.4	5.7	4.8	5.4	5.2	5.0
Registration cities in non-registration States	26.5	23.4	31.7	30.7	27.0	26.6	22.0	17.2	16.3	18.6
All registration cities [2]	10.7	10.0	9.8	9.9	8.8	9.5	8.8	10.0	8.9	8.7
California	9.6	9.1	10.3	11.6	8.2	9.4	9.4	12.2	11.6	12.2
Colorado	10.0	9.2	11.7	11.8	9.2	10.6	7.5	8.9	8.2	10.6
Connecticut	3.5	3.0	2.9	2.9	3.9	5.0	3.8	4.3	2.9	3.5
Delaware	7.3	3.9	9.2	7.1	4.0	7.7	(3)	(3)	(3)	(3)
Florida*	28.9	30.0	22.7	24.9	20.2	17.8	(3)	(3)	(3)	(3)
White	12.6	11.3	9.3	14.1	8.8	8.6	(3)	(3)	(3)	(3)
Colored	62.8	69.2	50.0	46.5	42.5	35.2	(3)	(3)	(3)	(3)
Georgia	18.3	17.2	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	8.3	7.2	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	32.9	31.9	33.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Idaho	5.0	3.4	3.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	10.5	9.3	9.8	8.8	7.4	8.5	6.6	(3)	(3)	(3)
Indiana	7.3	6.1	5.7	6.4	4.7	4.7	4.1	6.6	5.0	5.2
Iowa*	2.7	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Kansas*	5.5	6.8	7.2	7.5	4.7	6.7	5.9	6.9	7.8	6.7
Kentucky	14.3	14.2	11.6	16.2	9.0	7.8	10.1	12.8	10.0	11.9
White	9.3	9.8	8.4	12.2	6.6	5.1	6.6	8.1	6.6	6.8
Colored	64.7	57.8	42.3	53.4	31.5	32.4	41.7	54.4	39.5	54.8
Louisiana	19.2	18.2	17.7	18.8	14.1	17.0	19.1	(3)	(3)	(3)
White	8.6	8.2	9.2	11.4	6.9	7.2	10.7	(3)	(3)	(3)
Colored	36.9	34.7	31.5	30.6	25.4	32.2	32.0	(3)	(3)	(3)
Maine	1.5	1.7	1.7	2.2	1.4	1.6	1.3	0.9	1.2	2.4
Maryland	7.8	6.3	7.5	7.8	4.8	5.4	6.6	6.0	6.9	5.9
White	4.5	3.3	4.8	5.1	2.4	2.8	3.6	4.2	3.7	4.4
Colored	24.7	21.7	20.6	21.1	16.7	18.0	21.4	14.5	22.0	13.0
Massachusetts*	2.7	2.7	2.6	2.8	2.1	2.8	2.3	2.9	3.2	3.3
Michigan	7.3	6.3	4.4	4.8	5.5	4.3	3.0	5.7	3.8	3.0
Minnesota	3.1	2.8	3.6	4.4	3.1	3.2	2.9	3.3	3.3	3.4
Mississippi	16.8	17.4	19.6	21.1	19.8	19.0	(3)	(3)	(3)	(3)
White	8.0	8.8	7.6	11.1	6.8	6.7	(3)	(3)	(3)	(3)
Colored	24.9	25.2	30.5	30.1	31.7	30.2	(3)	(3)	(3)	(3)
Missouri	13.2	12.3	11.4	10.1	7.9	9.7	10.1	12.3	10.0	9.3
Montana	5.9	4.3	7.1	7.1	8.2	8.0	11.1	18.2	17.7	11.3
Nebraska	4.3	4.0	4.5	4.9	4.1	(3)	(3)	(3)	(3)	(3)
New Hampshire	1.6	2.7	1.6	2.2	1.8	1.1	*0.9*	2.3	1.4	2.3
New Jersey	5.0	5.3	4.7	5.2	4.2	4.6	4.8	6.1	3.9	4.3
New York*	5.4	4.3	4.9	4.9	4.6	4.6	4.0	4.3	4.5	4.6
North Carolina	10.4	9.9	9.2	8.6	9.8	8.5	7.6	7.3	8.3	13.7
White	4.8	4.5	5.1	5.5	4.8	3.8	4.5	3.6	4.6	6.9
Colored	23.9	22.9	18.9	15.8	21.2	19.3	14.6	15.7	16.8	26.7
North Dakota*	2.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	6.8	7.7	7.2	7.8	6.9	7.3	8.5	9.3	7.9	5.9
Oregon	3.5	3.9	5.9	7.7	4.1	4.9	4.0	(3)	(3)	(3)
Pennsylvania	6.2	7.0	6.0	6.3	5.6	6.0	6.5	6.7	6.4	4.9
Rhode Island*	1.9	3.5	2.3	3.1	1.8	3.3	2.4	3.7	3.8	3.1
South Carolina	12.2	11.1	14.1	17.1	15.2	13.7	10.4	11.3	13.3	(3)
White	6.0	5.6	8.4	11.3	9.4	8.3	5.5	4.2	5.9	(3)
Colored	18.4	16.4	19.7	22.7	20.8	18.9	14.9	17.7	20.0	(3)
Tennessee	18.5	17.8	17.3	16.7	13.8	15.1	11.3	11.4	(3)	(3)
White	10.8	10.5	10.7	11.4	7.0	8.8	6.9	5.5	(3)	(3)
Colored	52.5	49.8	45.9	39.5	42.4	41.3	29.2	35.2	(3)	(3)
Utah	5.8	5.5	6.0	5.2	5.1	4.5	1.8	6.3	7.1	8.7
Vermont	*0.6*	1.4	*1.1*	1.7	2.3	2.0	2.0	1.7	2.5	2.0
Virginia	9.8	10.3	11.1	13.3	11.2	9.8	11.4	8.3	11.8	12.8
White	5.6	5.6	6.9	9.0	7.5	5.7	6.3	5.1	6.3	6.3
Colored	20.0	21.8	21.3	23.8	19.9	19.4	23.0	15.4	24.1	27.1
Washington	6.2	4.7	5.2	5.9	5.1	7.5	4.2	5.5	5.5	8.9
Wisconsin	1.8	2.2	1.8	2.2	1.7	1.9	1.9	3.2	1.6	2.2
Wyoming	12.9	13.7	16.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1920										
Akron	(5)	(5)	5.3	13.9	19.5	14.9	13.9	15.0	13.8	7.1
Albany*	5.1	*2.6*	6.0	7.0	*0.9*	*2.7*	*2.7*	4.5	11.9	*5.8*
Atlanta	(5)	37.2	43.5	41.5	39.9	40.3	23.7	25.4	31.5	36.7
White	(5)	7.7	16.5	14.7	9.3	14.7	6.0	13.2	11.2	10.7
Colored	(5)	105.2	105.4	100.9	107.3	96.3	62.1	51.6	74.6	91.5
Baltimore	8.5	6.3	8.7	9.3	6.4	6.5	10.1	8.4	8.1	6.7
White	4.5	2.3	5.4	6.4	3.3	2.9	4.6	6.0	3.5	4.4
Colored	32.0	29.8	27.5	26.1	23.7	26.9	38.4	21.1	31.8	18.8
Birmingham	68.2	53.1	58.6	52.7	46.9	47.9	51.6	43.0	39.3	43.0
White	24.6	20.2	26.7	29.2	17.3	16.7	16.2	16.7	11.1	14.6
Colored	135.8	104.0	108.0	88.9	92.7	96.1	106.2	83.5	82.8	86.8

See footnotes at end of table.

Table BP—Con.

DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915
CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
Boston*	4.8	4.8	4.2	4.6	4.5	5.6	3.7	3.7	4.1	5.3
Bridgeport	(5)	(5)	4.9	4.2	6.9	7.1	6.6	9.0	7.0	6.4
Buffalo*	6.6	5.0	7.0	6.5	4.9	4.8	5.3	6.8	5.7	5.1
Cambridge*	*2.5*	*1.8*	6.3	*4.5*	*2.7*	*1.8*	----	*1.8*	*1.9*	*1.9*
Camden	7.9	8.1	5.7	7.5	6.0	11.3	5.3	7.2	3.7	7.5
Chicago	14.1	11.1	11.8	11.2	9.7	11.3	8.2	10.8	11.2	9.0
Cincinnati	17.9	19.7	16.5	15.4	6.0	7.2	11.8	17.4	14.6	13.7
Cleveland	11.0	9.9	11.1	11.1	13.0	10.9	12.6	15.8	11.9	8.8
Columbus	6.3	8.0	8.6	10.1	6.7	12.0	17.5	13.9	9.7	5.2
Dallas	24.5	25.2	26.7	23.4	21.1	17.8	17.6	28.5	34.5	(3)
White	14.2	10.8	11.5	12.7	11.0	10.5	9.1	14.2	14.8	(3)
Colored	89.3	113.5	117.6	86.0	78.5	58.4	63.2	103.4	134.8	(3)
Dayton	4.1	6.6	12.4	10.1	5.2	3.3	6.8	11.9	17.9	*2.2*
Denver	10.9	10.7	*9.0*	*9.9*	12.0	*5.5*	10.0	*7.7*	*4.6*	*8.0*
Des Moines*	9.3	4.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Detroit	17.4	(5)	8.7	10.7	13.7	8.6	6.2	14.1	9.0	5.1
Fall River*	*0.8*	*2.5*	*3.3*	*2.5*	----	----	*0.8*	*0.8*	*1.7*	*3.3*
Fort Worth	9.5	14.6	26.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.9	13.5	21.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	26.9	*21.9*	59.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Grand Rapids	*1.3*	*0.7*	*1.4*	*2.8*	*2.2*	*1.5*	3.7	----	*2.4*	*2.4*
Hartford	4.5	5.3	*2.9*	3.6	5.0	14.7	*2.3*	*2.3*	4.0	*2.5*
Houston	24.4	20.6	35.3	20.0	15.0	21.3	18.0	41.4	(3)	(3)
White	12.2	9.2	20.9	14.5	4.7	15.6	9.9	34.2	(3)	(3)
Colored	65.3	58.1	81.7	37.3	46.6	38.6	41.7	62.2	(3)	(3)
Indianapolis	14.0	7.9	8.7	7.7	5.7	7.4	6.3	15.6	8.4	8.4
White	7.7	3.3	3.4	4.2	2.8	4.7	4.8	10.2	4.7	5.3
Colored	61.3	43.1	49.8	35.3	28.2	29.3	18.3	60.3	39.8	34.8
Jersey City	2.2	3.2	*0.7*	5.6	3.3	5.7	7.8	4.8	3.5	*5.3*
Kansas City,* Kans	20.8	21.6	21.1	21.2	10.8	28.0	22.4	26.9	12.7	20.5
White	13.1	14.2	14.4	11.3	*3.4*	18.6	17.7	18.0	*4.9*	16.1
Colored	66.5	64.3	60.3	78.7	54.3	84.5	51.2	83.5	63.3	49.5
Kansas City, Mo	38.6	31.8	32.0	28.6	27.1	35.6	37.1	36.1	22.6	23.2
Los Angeles	(5)	(5)	13.2	14.4	10.4	7.1	9.8	12.6	9.2	10.1
Louisville	21.1	22.9	18.3	16.1	12.3	16.2	20.1	18.9	15.9	15.6
White	7.3	7.8	8.3	8.2	8.2	7.2	12.9	9.9	10.4	7.3
Colored	97.3	103.2	71.1	55.0	32.4	59.7	54.6	61.9	42.0	54.2
Lowell*	*2.7*	*2.6*	*0.9*	*2.6*	*1.8*	*1.8*	*2.7*	*2.7*	*0.9*	*1.8*
Memphis	69.7	69.4	69.1	59.2	63.0	62.1	47.4	50.8	(6)	68.2
White	20.0	29.7	24.5	36.5	20.6	24.2	22.5	12.0	(6)	38.6
Colored	156.7	138.2	145.3	97.3	133.6	128.4	90.2	116.5	(6)	169.6
Milwaukee	2.2	4.3	3.1	3.8	3.0	2.2	4.3	6.6	2.6	3.3
Minneapolis	6.5	5.6	6.5	7.1	6.5	5.3	4.9	2.2	8.2	6.7
Nashville	38.9	36.7	31.6	32.8	13.5	24.6	24.8	18.1	(6)	29.7
White	21.6	20.7	17.7	19.8	*4.8*	17.0	14.8	12.5	(6)	19.1
Colored	81.4	75.5	65.0	63.5	33.7	42.0	47.6	30.7	(6)	52.7
New Bedford*	*1.7*	*0.8*	*2.4*	*1.6*	*0.8*	*2.5*	*2.6*	*1.7*	*2.7*	----
New Haven	4.0	2.9	*1.2*	3.0	*2.4*	*1.2*	3.8	5.2	*2.6*	3.4
New Orleans	32.5	29.9	22.3	20.3	16.2	23.4	18.4	21.9	25.7	23.3
White	12.5	11.0	9.8	9.3	12.9	9.5	12.1	9.4	15.4	10.0
Colored	89.0	83.4	57.5	51.4	25.5	62.6	36.2	57.0	54.6	60.5
New York*	7.4	5.6	6.1	5.9	6.2	5.7	4.8	4.7	5.2	5.3
Bronx Borough	4.6	3.7	1.9	3.5	1.9	3.5	2.2	3.7	3.4	3.4
Brooklyn Borough	5.1	3.6	5.1	4.6	5.2	4.0	4.7	3.9	4.1	3.7
Manhattan Borough	12.7	8.4	9.4	8.7	8.8	8.0	6.4	6.1	7.0	7.4
Queens Borough	3.0	4.5	3.3	3.4	5.9	5.0	1.8	2.6	3.7	3.7
Richmond Borough	5.2	4.7	*3.2*	*2.5*	*3.4*	4.3	*2.7*	*2.3*	*1.9*	*2.0*
Newark, N. J	7.6	8.4	7.9	5.6	4.1	7.1	4.9	6.5	5.4	5.7
Norfolk	(6)	15.7	14.4	28.0	37.4	50.9	41.7	19.7	25.2	35.2
White	(6)	6.9	*1.3*	10.6	24.5	18.3	16.1	7.6	17.4	13.2
Colored	(6)	31.3	36.1	56.9	59.0	104.7	83.5	39.2	37.8	70.0
Oakland	3.2	5.8	7.3	3.5	2.7	7.0	7.3	7.0	4.2	7.5
Omaha	14.4	17.1	20.9	18.3	11.4	12.6	5.9	7.7	10.9	12.9
Paterson	5.0	9.3	5.1	4.4	*2.9*	7.4	4.5	9.0	*3.0*	3.8
Philadelphia	7.0	9.3	7.3	6.0	6.4	6.6	7.4	6.7	6.4	4.8
Pittsburgh	12.1	13.5	9.2	9.5	10.3	10.4	10.4	10.1	13.2	7.8
Portland, Oreg	4.3	3.7	5.9	7.9	4.2	8.2	4.8	7.3	2.5	4.7
Providence*	3.4	4.5	2.9	5.0	2.9	6.3	3.4	6.0	3.9	3.0
Reading	6.3	*3.6*	*2.7*	4.6	*2.8*	5.6	*1.9*	*0.9*	*1.9*	*2.9*
Richmond	10.3	8.3	13.5	8.5	7.5	8.8	10.7	10.9	16.6	17.5
White	3.9	4.0	4.0	*3.3*	*2.5*	5.2	8.8	*3.6*	4.6	7.5
Colored	25.5	18.3	34.8	20.2	18.5	16.7	14.9	26.1	41.2	37.6
Rochester*	3.5	2.2	3.2	4.9	1.7	4.4	2.5	3.3	2.3	4.3
St. Louis	19.3	22.1	16.4	16.3	12.6	16.3	17.0	21.0	16.3	15.4
St. Paul	6.1	3.7	7.5	7.1	5.5	5.1	5.2	7.4	7.0	8.4
Salt Lake City	8.6	10.3	9.7	5.8	4.2	7.7	4.4	11.7	8.3	10.4
San Antonio	14.6	11.4	19.7	10.5	9.7	10.1	12.6	27.0	20.3	21.3
San Francisco	8.4	6.3	7.7	9.6	7.6	12.1	12.6	11.4	15.4	16.1
Scranton	6.4	*2.8*	3.6	*2.9*	5.1	3.6	*2.2*	7.4	5.9	4.5
Seattle	(5)	(5)	5.7	7.3	5.0	10.6	5.6	8.5	8.3	11.1
Spokane	6.7	7.7	*1.0*	8.6	*2.9*	6.7	*3.8*	6.7	7.7	13.4
Springfield,* Mass	*2.9*	4.9	5.0	6.6	6.8	3.9	*3.2*	5.0	6.1	*2.7*
Syracuse*	5.5	3.3	3.9	4.5	4.0	2.9	4.2	*2.5*	7.5	*0.6*
Toledo	8.2	11.9	8.4	16.6	11.8	20.0	18.1	21.3	16.0	12.2
Trenton	8.5	5.5	4.0	4.1	*2.5*	*0.8*	*3.5*	5.3	*3.6*	*2.8*
Washington, D. C	9.2	10.1	9.8	13.0	10.4	13.2	13.5	7.1	9.0	9.0
White	3.0	4.2	4.0	7.3	5.7	7.4	6.4	3.3	4.1	3.9
Colored	28.8	28.4	27.1	29.8	24.2	30.0	34.2	17.8	22.9	23.2
Wilmington, Del	9.2	5.1	13.8	9.7	4.5	13.0	*2.9*	8.7	5.0	9.1
Worcester*	2.6	5.2	*2.1*	*1.1*	*2.2*	*1.1*	3.4	7.6	3.0	3.7
Yonkers*	*2.7*	*0.9*	*1.9*	*3.9*	*3.0*	5.0	*2.1*	*4.2*	*1.1*	*2.2*
Youngstown	17.4	17.3	8.3	17.4	18.6	19.2	29.5	20.0	18.2	9.9

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Including only municipalities having a population of 1,000 or more in 1910.
[5] Rates are omitted pending the establishment of more satisfactory estimates of population.
[6] Transcripts of death certificates not received.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

For 1924 the number of deaths from homicide in the registration area was 8,420, corresponding to a rate of 8.5 per 100,000 estimated population against 8.1 in 1923. The higher rates in recent years were due to the addition of States with large colored populations.

The rate in the registration area for the white population was 5.3 in both 1924 and 1915, but the rate for the colored was 40.1 against 37.5. Of the 38 States shown for 1923 and 1924, 23 had higher rates in 1924. The highest rates were for Florida (28.9), Louisiana (19.2), Tennessee (18.5), Georgia (18.3), and Mississippi (16.8); the lowest were for Vermont (*0.6*), Maine (1.5), New Hampshire (1.6), Wisconsin (1.8), and Rhode Island (1.9).

For the cities of 100,000 population or more in 1920, the highest rates in 1924 were for Memphis (69.7), Birmingham (68.2), Nashville (38.9), and New Orleans (32.5). The extremely high rates for these cities were due to the high rates for the colored population; these ranged from 81.4 for Nashville to 156.7 for Memphis. Very low rates were shown for Fall River (*0.8*), Grand Rapids (*1.3*), and New Bedford (*1.7*).

Among the 61 cities with rates for both 1923 and 1924, 34 had higher rates from homicide in 1924; notable increases were for Birmingham, with a rate of 68.2 against 53.1 in 1923; Kansas City, Mo., with a rate of 38.6 against 31.8; and Indianapolis, with a rate of 14 against 7.9.

From the standpoint of prevention, it is interesting to note that 71.6 per cent of all homicides in the registration area in 1924 were caused by firearms against 61.8 per cent in 1915.

Table BQ shows for the registration cities of 100,000 population or more in 1900, populations, and deaths and rates from suicide and homicide, for 1900 to 1924. The rate for suicide (22.6) in 1908 was the highest for

the series of years and practically represented a steady increase up to that year; from then on, with a few exceptions, the rate decreased, 1924 showing a rate of 15.7. Homicide rates showed a decidedly upward trend, from 3.4 in 1900 to 10.9 in 1924.

Table BQ

CALENDAR YEAR	Estimated population July 1	DEATHS IN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900 FROM—			
		Suicide		Homicide	
		Number	Rate per 100,000 population	Number	Rate per 100,000 population
1924	24,570,289	3,855	15.7	2,682	10.9
1923	24,151,350	3,692	15.3	2,435	10.1
1922	23,716,781	3,626	15.3	2,211	9.3
1921	23,330,469	3,731	16.0	2,168	9.3
1920	22,996,227	2,910	12.7	1,930	8.4
1919	22,563,206	3,229	14.3	2,006	8.9
1918	22,038,899	3,351	15.2	1,865	8.5
1917	21,616,460	3,816	17.7	2,061	9.5
1916 [1]	21,021,720	3,892	18.5	1,786	8.5
1915	20,729,640	4,455	21.5	1,698	8.2
1914	20,273,425	4,351	21.5	1,715	8.5
1913	19,847,428	3,957	19.9	1,702	8.6
1912	19,413,308	3,868	19.9	1,504	7.7
1911	18,958,147	3,880	20.5	1,505	7.9
1910	18,522,956	3,743	20.2	1,479	8.0
1909	18,018,210	3,772	20.9	1,252	6.9
1908	17,541,214	3,957	22.6	1,401	8.0
1907	17,072,832	3,319	19.4	1,455	8.5
1906	16,594,107	2,984	18.0	1,189	7.2
1905	16,104,214	3,126	19.4	983	6.1
1904	15,670,701	2,998	19.1	723	4.6
1903	15,286,581	2,758	18.0	636	4.2
1902	14,899,699	2,487	16.7	567	3.8
1901	14,513,283	2,247	15.5	520	3.6
1900	14,133,877	2,099	14.9	481	3.4

[1] Excludes Memphis, Tenn.; transcripts of death certificates not received.

ACCIDENTAL OR UNDEFINED EXTERNAL CAUSES

In 1924 the number of deaths due to accidental or undefined external causes was 75,745, which corresponds to a rate of 76.4 per 100,000 estimated population.

The greatest number of deaths under this title were due to automobile accidents (15,528, with a rate of 15.7); next in order were deaths due to traumatism by fall (12,955, with a rate of 13.1); burns (conflagration excepted) (6,895, with a rate of 7); accidental drowning (6,490, with a rate of 6.5); railroad accidents (6,430, with a rate of 6.5); traumatism by firearms (2,571, with a rate of 2.6); absorption of irrespirable, irritating, or poisonous gas (2,525, with a rate of 2.5); traumatism in mines and quarries (2,338, with a rate of 2.4); and traumatism by machines (2,052, with a rate of 2.1).

Deaths from conflagration numbered 1,628, with a rate of 1.6; from street-car accidents, 1,623, with a rate of 1.6; from motorcycle accidents, 242, with a rate of 0.2, and deaths from airplane and balloon accidents numbered 142, with a rate of 0.1 per 100,000 estimated population. The rate from injuries by other vehicles was 1.3, the lowest recorded since 1910.

Among the States, notably high death rates in 1924 from accidental or undefined external causes were for Wyoming (149.9) and Utah (120.9); in both of these States mine accidents caused the greatest number of deaths from these causes—in Wyoming, 76 of the 325, and in Utah, 235 of the 586. Next in order of high rates were those for California (105.7) Oregon (96.9), Delaware (95), Washington (93.5), and Florida (92.1). The lowest rates were for North Dakota (45.3), Nebraska (54.3), and Iowa (57.8).

AUTOMOBILE ACCIDENTS

The death rate from automobile accidents in the registration area again showed an increase over the rate for the preceding year (15.7 per 100,000 estimated population in 1924 against 14.9 in 1923). The same relation of rates for the series of years 1918 to 1924, held for the registration States of 1900 and of 1910, but in every year the rate was much higher for these areas than for the registration area. In 1924 the rates for the States of 1900 and of 1910 were, respectively, 18.2 and 18.1.

Among the States the highest rates in 1924 were for California (32), Wyoming (27.2), New Jersey (21.7), Michigan (21.2), Delaware (19.8), and Florida (19.7); the lowest rates were for Mississippi and North Dakota (7 each), Kentucky (8), Nebraska (8.4), and Iowa (8.7).

Of the 61 cities with rates for 1923 and 1924, 32 had higher rates for 1924. The greatest increases were for Fort Worth (from 6.3 to 18.2), New Haven (from 16.2 to 27.3), Salt Lake City (from 15.8 to 26.4), and Paterson (from 27.9 to 34.8); the greatest decreases were for Scranton (from 29.2 to 17), Toledo (from 23.4 to 16.4), and Camden (from 35.4 to 28.5). The highest death rates from automobile accidents in 1924 were for Paterson (34.8), Pittsburgh (29.7), Camden (28.5), Nashville (27.5), Birmingham (27.4), and New Haven (27.3). Of course these rates, like all crude death rates, are simply rough indexes—not exact measures—of local conditions. Many deaths from automobile accidents charged against a city resulted from accidents outside city limits. On the other hand, some deaths from automobile accidents, charged to rural districts, resulted from accidents within city limits. The nonresident factor is also of importance, and more fatalities are to be expected in those cities through which the greatest number of tourists pass.

In 1906 when deaths from automobile accidents were first separately tabulated, the mortality rate per 100,000 estimated population in the registration area was 0.4—a rate which stands in striking contrast with the rate 15.7 in 1924.

A death rate from this cause in England and Wales for 1924 has been calculated by the Bureau of the Census as 6.1 per 100,000 estimated population, a marked contrast to the rate of 15.7 in the United States registration area.

One phase, which is particularly distressing, is the large number of deaths from this cause among children.

In 1924, 26.1 per cent of the total number of deaths from automobile accidents were of children under 15 years of age, as contrasted with 7.3 per cent below that age from railroad accidents, and 12 per cent from street-car accidents.

The number of deaths charged by the Bureau of the Census to automobile accidents in any State or city may vary considerably from the number so charged by local officials. The rules of assignment in the Bureau of the Census are:

1. In collisions between automobiles and street cars assign the death to the heavier vehicle, i. e., the street car.

2. In collisions between automobiles and railroad trains assign the death to the heavier vehicle, i. e., the railroad train.

3. In collisions between automobiles and motor cycles assign the death to the heavier vehicle, i. e., the automobile.

If local officials charge all of these deaths against the automobile, their totals will, of course, be greater than those of the Bureau of the Census. The contributory cause table on page 91 of the report on Mortality Statistics, 1918, and Table CG in this report, clearly show how greatly totals would be changed if other rules of assignment were followed. For example, in 1917 the deaths in the registration area from automobile accidents would have numbered 7,023 if collisions with railroad trains (346) had been included, and 7,224 if collisions with street cars (201) had also been included; in 1924 the corresponding numbers would have been 16,524 and 16,889.

Deaths from motor cycles are not included in deaths from automobiles, but if included they would raise the grand total for the registration area in 1924 from 15,528 to 15,770 and would raise the rate per 100,000 estimated population from 15.7 to 15.9.

In Table BR are given for 1918 to 1924 deaths and death rates from automobile accidents in the registration States and cities of 100,000 population or more in 1920.

Table BS gives the deaths from automobile accidents in collision with railroad trains and street cars in urban and rural districts of each State and in cities of 100,000 population or more in 1920.

Table BR

DEATHS FROM AUTOMOBILE ACCIDENTS

AREA	Number							Rate per 100,000 estimated population						
	1924	1923	1922	1921	1920	1919	1918	1924	1923	1922	1921	1920	1919	1918
The registration area (exclusive of Hawaii)	15,528	14,411	11,666	10,168	9,103	7,968	7,525	15.7	14.9	12.5	11.5	10.4	9.4	9.3
Registration States of 1910 [1]	10,818	10,290	8,479	7,511	6,782	6,194	5,907	18.1	17.5	14.7	13.2	12.1	11.2	10.9
Registration States of 1900 [1]	5,457	5,012	4,247	3,819	3,405	3,263	2,951	18.2	17.0	14.7	13.4	12.1	11.7	10.8
Registration States [2]	15,221	14,157	11,466	9,903	8,878	7,771	7,310	15.6	14.8	12.5	11.4	10.3	9.3	9.2
Cities in registration States [2]	9,553	8,948	7,446	6,535	6,121	5,263	4,942	20.6	19.6	16.9	15.3	14.7	13.5	13.1
Rural part of registration States	5,668	5,209	4,020	3,368	2,757	2,508	2,368	11.1	10.4	8.4	7.6	6.2	5.6	5.7
Registration cities in nonregistration States	307	254	200	265	225	197	215	20.0	18.5	15.6	17.9	15.6	12.7	12.0
All registration cities [2]	9,860	9,202	7,646	6,800	6,346	5,460	5,157	20.5	19.5	16.8	15.4	14.7	13.5	13.1
California	1,254	1,239	960	876	734	647	545	32.0	32.6	26.0	24.4	21.1	19.2	16.7
Colorado	158	157	159	121	117	118	120	15.7	15.9	16.3	12.6	12.4	12.7	13.1
Connecticut	277	249	216	220	218	207	184	18.4	16.9	14.9	15.5	15.6	15.1	13.7
Delaware	46	55	24	17	22	23	(3)	19.8	23.9	10.5	7.5	9.8	10.4	(3)
Florida*	242	170	122	104	104	58	(3)	19.7	16.2	11.9	10.4	10.6	6.1	(3)
Georgia	307	259	215	(3)	(3)	(3)	(3)	10.1	8.6	7.2	(3)	(3)	(3)	(3)
Idaho	54	51	21	(3)	(3)	(3)	(3)	11.2	10.8	4.6	(3)	(3)	(3)	(3)
Illinois	1,065	1,031	1,003	887	728	522	466	15.5	15.2	15.0	13.4	11.2	8.1	7.3
Indiana	480	433	306	266	248	187	177	15.8	14.4	10.2	9.0	8.4	6.4	6.1
Iowa*	211	242	(3)	(3)	(3)	(3)	(3)	8.7	9.8	(3)	(3)	(3)	(3)	(3)
Kansas*	169	217	175	166	155	98	132	9.4	12.1	9.8	9.3	8.7	5.6	7.5
Kentucky	197	166	128	105	85	71	92	8.0	6.7	5.2	4.3	3.5	2.9	3.8
Louisiana	210	158	104	97	90	57	78	11.3	8.5	5.7	5.3	5.0	3.2	4.4
Maine	91	91	79	56	43	45	41	11.7	11.7	10.2	7.3	5.6	5.9	5.4
Maryland	246	243	224	177	142	153	167	16.2	16.1	15.0	12.0	9.7	10.6	11.7
Massachusetts*	685	611	496	523	454	524	488	16.7	15.2	12.5	13.3	11.7	13.7	12.9
Michigan	863	738	574	441	419	318	257	21.2	18.6	14.8	11.6	11.3	8.8	7.3
Minnesota	366	328	260	216	178	171	185	14.5	13.1	10.5	8.9	7.4	7.2	7.9
Mississippi	125	78	60	46	39	41	(3)	7.0	4.4	3.4	2.6	2.2	2.3	(4)
Missouri	449	398	321	276	231	244	241	13.0	11.6	9.4	8.1	6.8	7.2	7.1
Montana	69	49	48	48	45	44	64	11.0	8.0	8.1	8.3	8.1	8.1	12.3
Nebraska	113	123	131	104	104	(3)	(3)	8.4	9.2	9.9	7.9	8.0	(3)	(3)
New Hampshire	61	59	49	38	50	38	22	13.6	13.2	11.0	8.5	11.3	8.6	5.0
New Jersey	746	672	543	484	405	424	393	21.7	19.9	16.4	14.9	12.7	13.6	12.8
New York*	1,985	1,930	1,788	1,632	1,410	1,354	1,251	18.0	17.8	16.7	15.4	13.5	13.1	12.3
North Carolina	328	258	169	139	133	104	79	12.0	9.6	6.4	5.3	5.2	4.1	3.2
North Dakota*	45	(3)	(3)	(3)	(3)	(3)	(3)	7.0	(3)	(3)	(3)	(3)	(3)	(3)
Ohio	1,024	1,078	818	734	717	631	661	16.5	17.6	13.6	12.4	12.3	11.1	11.8
Oregon	144	120	113	103	87	70	68	17.3	14.6	13.9	12.9	11.0	9.0	8.9
Pennsylvania	1,535	1,592	1,260	1,060	1,042	818	855	16.7	17.5	14.0	11.9	11.9	9.4	10.0
Rhode Island*	113	97	93	83	78	87	70	16.9	15.5	15.0	13.5	12.8	14.5	11.8
South Carolina	167	119	76	74	91	73	62	9.5	6.8	4.4	4.3	5.4	4.4	3.7
Tennessee	232	171	160	134	130	100	82	9.6	7.1	6.7	5.7	5.5	4.3	3.5
Utah	81	60	59	53	51	37	46	16.7	12.6	12.6	11.5	11.3	8.3	10.5
Vermont	48	46	39	23	30	21	13	13.6	13.1	11.1	6.5	8.5	6.0	3.7
Virginia	240	200	137	140	97	116	103	9.9	8.3	5.8	6.0	4.2	5.1	4.5
Washington	265	240	173	202	184	148	158	18.2	16.7	12.3	14.5	13.5	11.0	11.9
Wisconsin	363	292	271	205	167	164	155	13.1	10.7	10.0	7.7	6.3	6.3	6.0
Wyoming	59	51	28	(3)	(3)	(3)	(3)	27.2	24.1	13.5	(3)	(3)	(3)	(3)

(See footnotes at end of table)

Table BR—Con.

DEATHS FROM AUTOMOBILE ACCIDENTS

AREA	Number							Rate per 100,000 estimated population						
	1924	1923	1922	1921	1920	1919	1918	1924	1923	1922	1921	1920	1919	1918
CITIES OF 100,000 POPULATION OR MORE IN 1920														
Akron	39	40	25	31	39	32	32	(4)	(4)	12.0	14.9	18.1	15.9	17.1
Albany*	28	27	21	31	13	23	11	23.9	23.0	18.1	26.9	11.4	20.4	9.9
Atlanta	53	55	54	38	44	43	20	(4)	24.7	24.7	18.3	21.7	21.7	10.3
Baltimore	129	131	130	100	97	106	104	16.4	16.9	17.1	13.3	13.1	14.6	16.7
Birmingham	55	49	31	42	23	21	23	27.4	25.0	16.2	22.6	12.7	11.8	13.3
Boston*	143	133	129	103	89	125	109	18.4	17.3	16.9	13.6	11.8	16.8	14.8
Bridgeport	21	23	28	28	30	33	22	(4)	(4)	19.5	19.5	20.6	23.3	16.0
Buffalo*	112	137	106	81	104	68	90	21.0	25.5	20.1	15.6	20.4	13.5	18.2
Cambridge*	27	28	16	19	22	21	14	22.8	25.1	14.4	17.2	20.0	19.2	12.9
Camden	36	44	34	27	21	26	24	28.5	35.4	27.9	22.6	17.9	22.6	21.2
Chicago	560	589	623	569	472	328	308	19.0	20.4	22.0	20.5	17.3	12.3	11.7
Cincinnati	85	102	76	79	57	67	59	20.8	25.1	18.8	19.6	14.2	16.7	14.8
Cleveland	220	203	142	148	155	126	168	24.1	22.8	16.6	17.8	19.2	16.0	22.0
Columbus	59	58	37	43	31	40	40	22.0	22.2	14.5	17.4	12.9	17.1	17.5
Dallas	36	34	27	27	29	19	13	19.2	18.7	15.7	16.3	18.0	12.1	10.0
Dayton	26	27	27	15	25	16	23	15.4	16.3	16.7	9.5	16.2	10.6	15.6
Denver	40	45	56	43	37	41	43	14.5	16.5	20.9	16.3	14.3	16.1	17.2
Des Moines*	17	18	(3)	(3)	(3)	(3)	(3)	12.1	12.8	(3)	(3)	(3)	(3)	(3)
Detroit	305	252	176	133	175	139	125	25.5	(4)	17.7	13.4	17.2	14.4	13.7
Fall River*	16	22	13	13	12	9	14	12.5	18.2	10.8	10.8	10.0	7.5	11.6
Fort Worth	27	9	16	(3)	(3)	(3)	(3)	18.2	6.3	13.2	(3)	(3)	(3)	(3)
Grand Rapids	31	27	23	15	16	16	9	20.9	18.5	16.0	10.6	11.5	11.7	6.7
Hartford	33	40	31	31	36	38	28	21.1	26.3	22.5	22.5	25.7	27.9	21.2
Houston	31	25	27	25	8	14	13	19.4	16.1	18.0	17.3	5.7	10.3	10.6
Indianapolis	71	53	47	40	36	26	27	20.2	15.5	14.0	12.3	11.3	8.4	8.9
Jersey City	56	37	36	36	43	40	30	17.9	12.0	11.8	11.9	14.3	13.5	10.2
Kansas City,* Kans	18	12	18	12	11	11	9	15.6	10.4	15.8	11.6	10.8	11.0	9.2
Kansas City, Mo	87	86	63	67	56	42	64	24.2	24.4	18.3	19.9	17.1	13.1	20.5
Los Angeles	267	224	187	165	142	119	91	(4)	(4)	29.5	27.1	24.1	21.1	16.8
Louisville	58	66	42	35	28	19	28	19.8	25.6	16.4	14.8	11.9	8.1	12.0
Lowell*	23	18	6	21	8	21	22	20.8	15.6	5.2	18.5	7.1	18.7	19.7
Memphis	40	46	42	25	43	26	19	23.2	27.0	25.0	15.1	26.3	17.4	12.9
Milwaukee	83	62	65	52	59	60	48	16.8	12.8	13.6	11.1	12.8	13.2	10.8
Minneapolis	86	60	71	49	41	38	44	20.6	14.7	17.7	12.5	10.7	10.1	11.9
Nashville	34	28	20	24	19	18	14	27.5	22.8	16.6	19.7	16.0	15.3	12.0
New Bedford*	13	8	21	9	11	15	16	10.9	6.2	16.5	7.2	9.0	12.5	13.6
New Haven	48	28	33	21	29	24	28	27.3	16.2	19.4	12.6	17.7	14.9	17.7
New Orleans	84	68	46	43	50	36	29	20.5	16.8	11.5	10.9	12.8	9.4	7.6
New York*	1,000	964	896	885	773	780	699	17.2	16.3	15.3	15.4	13.6	14.0	12.7
Bronx Borough	122	129	81	106	73	78	78	14.4	15.3	10.0	13.6	9.8	10.9	11.4
Brooklyn Borough	327	279	266	279	251	266	198	15.1	12.9	12.6	13.4	12.3	13.3	10.1
Manhattan Borough	439	474	463	420	385	368	367	21.9	20.9	20.4	18.4	16.9	16.1	16.0
Queens Borough	90	66	68	65	47	44	47	13.4	12.3	13.2	13.1	9.8	9.6	10.7
Richmond Borough	22	16	18	15	17	24	9	16.3	12.5	14.5	12.4	14.4	20.9	8.0
Newark, N. J.	104	107	81	68	77	82	62	23.3	24.4	18.8	16.0	18.4	19.9	15.3
Norfolk	16	13	11	22	20	24	14	(4)	8.2	8.8	18.1	17.0	21.1	12.7
Oakland	49	50	41	35	28	35	24	19.8	20.8	17.6	15.5	12.7	16.4	11.6
Omaha	29	40	24	23	41	28	26	13.9	19.6	12.0	11.7	21.2	14.8	12.0
Paterson	49	39	34	32	18	27	20	34.8	27.9	24.5	23.3	13.2	19.9	14.9
Philadelphia	263	294	267	190	226	191	228	13.5	15.3	14.1	10.2	12.3	10.6	12.8
Pittsburgh	186	146	123	107	98	94	105	29.7	23.5	20.2	17.8	16.6	16.1	18.1
Portland, Oreg	41	39	40	38	34	31	33	14.7	14.3	14.9	14.3	13.1	12.1	13.1
Providence*	58	52	51	39	35	46	40	22.0	21.5	21.2	16.3	14.7	19.4	17.0
Reading	24	27	13	16	25	10	8	21.5	24.3	11.8	14.7	23.1	9.3	7.5
Richmond	33	26	20	19	12	10	9	18.0	14.4	11.2	10.8	6.9	5.9	5.4
Rochester*	48	44	52	42	34	32	25	15.3	13.8	16.7	13.8	11.4	10.9	9.1
St. Louis	197	168	134	119	104	105	95	24.2	20.9	16.9	15.1	13.4	13.7	12.5
St. Paul	55	59	36	34	30	23	27	22.5	24.4	15.0	14.3	12.7	9.8	11.7
Salt Lake City	34	20	24	18	23	13	19	26.4	15.8	19.4	14.8	19.3	11.1	16.8
San Antonio	22	30	28	33	24	14	23	11.5	16.2	15.7	19.3	12.7	8.9	15.2
San Francisco	113	107	118	94	88	85	74	20.6	19.9	22.3	18.1	17.2	16.9	15.0
Scranton	24	41	29	25	21	20	16	17.0	29.2	20.7	18.0	15.2	14.6	11.7
Seattle	53	55	44	44	41	50	40	(4)	(4)	13.9	14.0	12.8	16.1	13.2
Spokane	22	15	10	19	18	12	10	21.0	14.3	9.6	18.2	17.2	11.6	9.6
Springfield,* Mass	27	23	17	23	17	22	23	19.2	15.9	12.1	16.9	12.9	17.3	18.6
Syracuse*	41	43	36	34	25	23	22	22.7	23.3	19.9	19.2	14.4	13.5	13.2
Toledo	46	63	45	37	44	34	32	16.4	23.4	17.3	14.6	17.8	14.2	13.8
Trenton	34	36	27	26	17	15	16	26.2	28.3	21.6	21.2	14.1	12.7	13.8
Washington, D. C	108	86	64	53	50	58	55	22.2	18.1	14.6	12.1	11.3	13.4	13.1
Wilmington, Del	29	29	15	10	14	18	18	24.2	24.6	13.0	8.8	12.6	16.8	17.1
Worcester*	29	33	26	37	24	25	30	15.3	17.2	13.8	20.0	13.2	14.0	17.2
Yonkers*	16	17	13	17	11	18	15	14.4	15.8	12.3	16.5	10.9	18.2	15.5
Youngstown	39	37	27	36	36	36	40	25.1	24.6	20.4	25.7	26.7	27.7	31.9

[1] For States included, see Table A.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Rates are omitted pending the establishment of more satisfactory estimates of population.
*Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

NOTE.—The deaths from automobile accidents exclude deaths in collision with railroad trains and street cars

Table BS

AREA	DEATHS FROM AUTOMOBILE ACCIDENTS: 1924		
	Primary [1]	In collision with—	
		Railroad trains	Street cars
The registration area (exclusive of Hawaii)	15,528	996	365
Registration States [2]	15,221	981	357
Cities in registration States [2]	9,553	330	258
Rural part of registration States	5,668	651	99
Registration cities in non-registration States	307	15	8
All registration cities [2]	9,860	345	266
California—Urban	689	34	33
California—Rural	565	56	7
Colorado—Urban	62	3	1
Colorado—Rural	96	10	
Connecticut—Urban	231	5	10
Connecticut—Rural	46		
Delaware—Urban	29		
Delaware—Rural	17	6	
Florida—Urban	94		2
Florida—Rural	148	12	
Georgia—Urban	134	4	4
Georgia—Rural	173	3	
Idaho—Urban	11		
Idaho—Rural	43	5	
Illinois—Urban	790	50	33
Illinois—Rural	275	74	11
Indiana—Urban	274	32	14
Indiana—Rural	206	47	20
Iowa—Urban	86	5	3
Iowa—Rural	125	15	1
Kansas—Urban	76	6	1
Kansas—Rural	93	25	1
Kentucky—Urban	105		1
Kentucky—Rural	92	11	
Louisiana—Urban	123	2	1
Louisiana—Rural	87	2	
Maine—Urban	46	5	
Maine—Rural	45	4	
Maryland—Urban	153	3	3
Maryland—Rural	93	9	
Massachusetts—Urban	587	10	5
Massachusetts—Rural	98	10	
Michigan—Urban	559	24	35
Michigan—Rural	304	41	23
Minnesota—Urban	185	6	4
Minnesota—Rural	181	24	
Mississippi—Urban	30	2	
Mississippi—Rural	95	6	
Missouri—Urban	332	8	9
Missouri—Rural	117	13	1
Montana—Urban	33	5	
Montana—Rural	36		
Nebraska—Urban	45	3	
Nebraska—Rural	68	11	
New Hampshire—Urban	34		
New Hampshire—Rural	27		
New Jersey—Urban	529	22	3
New Jersey—Rural	217	38	2
New York—Urban	1,575	35	43
New York—Rural	410	38	13
North Carolina—Urban	98	2	
North Carolina—Rural	230	14	
North Dakota—Urban	3		
North Dakota—Rural	42	3	
Ohio—Urban	734	31	27
Ohio—Rural	290	72	15
Oregon—Urban	54		1
Oregon—Rural	90	11	
Pennsylvania—Urban	946	4	1
Pennsylvania—Rural	589	13	3
Rhode Island—Urban	97		6
Rhode Island—Rural	16		
South Carolina—Urban	65	3	
South Carolina—Rural	102	2	
Tennessee—Urban	134	2	4
Tennessee—Rural	98	10	1
Utah—Urban	40	3	1
Utah—Rural	41		
Vermont—Urban	11		
Vermont—Rural	37	4	
Virginia—Urban	101	4	2
Virginia—Rural	139	21	
Washington—Urban	136	2	4
Washington—Rural	129	11	1
Wisconsin—Urban	194	14	5
Wisconsin—Rural	169	30	
Wyoming—Urban	20		
Wyoming—Rural	39		
CITIES OF 100,000 POPULATION OR MORE IN 1920			
Akron	39	4	2
Albany	28	1	
Atlanta	53	1	4
Baltimore	129	2	3
Birmingham	55	2	
Boston	143		
Bridgeport	21		
Buffalo	112	2	17
Cambridge	27		
Camden	36	8	
Chicago	560	16	15
Cincinnati	85	5	1
Cleveland	220	2	2
Columbus	59	2	1
Dallas	36	2	
Dayton	26		1
Denver	40	2	1
Des Moines	17	1	1
Detroit	305	4	22
Fall River	16	4	
Fort Worth	27		
Grand Rapids	31	5	
Hartford	33	1	6
Houston	31	1	
Indianapolis	71	3	6
Jersey City	56	1	
Kansas City, Kans	18	2	1
Kansas City, Mo	87	2	2
Los Angeles	267	13	21
Louisville	58		
Lowell	23		
Memphis	40	1	2
Milwaukee	83	4	5
Minneapolis	86		3
Nashville	34		2
New Bedford	13		1
New Haven	48		1
New Orleans	84		1
New York	1,000	6	10
Bronx Borough	122		
Brooklyn Borough	327		7
Manhattan Borough	439		2
Queens Borough	90	6	
Richmond Borough	22		1
Newark, N. J	104		1
Norfolk	16		2
Oakland	49	3	2
Omaha	29	2	
Paterson	49	5	
Philadelphia	263		
Pittsburgh	186		
Portland, Oreg	41		1
Providence	58		4
Reading	24		
Richmond	33	1	
Rochester	48	4	3
St. Louis	197	3	6
St. Paul	55	4	
Salt Lake City	34	2	1
San Antonio	22	1	
San Francisco	113	1	2
Scranton	24		
Seattle	53		2
Spokane	22	1	
Springfield, Mass	27		1
Syracuse	41	2	2
Toledo	46	1	5
Trenton	34		
Washington, D. C	108	1	2
Wilmington, Del	29		
Worcester	29	1	1
Yonkers	16		
Youngstown	39		4

[1] Excluding collision with railroad trains and street cars.

[2] Including District of Columbia.

UNKNOWN OR ILL-DEFINED DISEASES

The marked improvement since 1900 in the certification of causes of death is shown in Table BT.

Although the per cent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The per cent of certificates showing unknown or ill-defined diseases in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents in later years (reaching 1.5 in 1924) are largely accounted for by the addition of new territory to the registration area.

Corresponding death rates from these causes are also given to enable one to estimate more easily the probable effects of these declining rates on rates from other causes of death. (See also on p. 68 death rates from old age.)

Table BT

PER CENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES

AREA	Year admitted	1900	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
Registration area [1]	------	4.2	2.5	2.5	2.4	2.1	2.0	1.7	1.5	0.9	0.8	1.0	0.9	0.8	1.1	1.3	1.1	1.4	1.4	1.4	1.5	1.4	1.5
California	1906	------	------	------	2.1	1.7	1.3	0.9	0.6	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
Colorado	1906	------	------	------	1.3	1.2	0.6	0.5	0.6	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.4
Connecticut	1890	1.5	1.5	1.5	1.3	1.5	1.5	1.5	1.5	0.6	0.5	0.6	0.5	0.5	0.4	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.3
Delaware	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	0.3	0.3	0.4	0.2	0.2	0.1
Florida	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	5.5	5.1	5.3	5.2	5.3	5.3
Georgia	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	5.1	4.1	4.5
Idaho	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2.2	1.9	1.8
Illinois	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	0.5	0.4	0.3	0.2	0.3	0.2	0.2
Indiana	1900	6.1	2.8	2.7	2.1	1.6	0.8	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2
Iowa	1923	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	0.6	0.6
Kansas	1914	------	------	------	------	------	------	------	------	------	------	------	1.8	1.7	1.5	1.3	1.1	1.1	0.9	1.2	1.1	1.0	0.9
Kentucky	1911	------	------	------	------	------	------	------	------	3.8	4.0	2.7	3.9	3.6	3.5	3.2	2.6	3.1	2.4	1.9	2.4	2.3	2.7
Louisiana	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	3.4	3.0	2.9	3.0	3.8	3.3	3.6
Maine	1900	5.5	4.6	3.6	4.4	3.6	2.7	2.8	3.0	1.6	1.8	1.5	1.6	1.3	1.7	1.6	1.2	1.3	1.1	1.2	1.3	1.0	1.1
Maryland	1906	------	------	------	4.2	4.1	4.0	3.9	4.0	1.8	1.5	1.2	1.3	1.5	1.3	1.1	0.7	1.0	0.8	0.9	0.9	0.6	0.6
Massachusetts	1880	3.6	2.1	2.2	2.2	2.2	2.4	1.7	1.2	0.5	0.5	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.3	0.2
Michigan	1900	4.7	3.3	3.8	3.3	3.1	2.7	2.3	2.3	1.0	1.2	0.9	0.8	0.6	0.7	0.6	0.6	0.6	0.5	0.6	0.7	0.6	0.6
Minnesota	1910	------	------	------	------	------	------	------	2.1	1.4	1.2	1.0	1.0	0.7	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.5
Mississippi	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	11.1	10.3	10.5	10.8	10.8	11.5
Missouri	1911	------	------	------	------	------	------	------	------	1.7	1.6	1.5	1.4	1.6	1.5	1.3	1.1	1.4	1.4	1.2	1.2	1.1	1.2
Montana	1910	------	------	------	------	------	------	------	1.9	1.8	1.9	2.5	2.3	2.0	2.1	2.0	0.7	1.2	1.7	1.7	1.4	1.5	1.5
Nebraska	1920	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1.3	1.2	1.4	1.2	1.0
New Hampshire	1890	6.0	3.1	3.2	2.6	2.7	2.4	2.0	1.8	0.7	0.5	0.7	0.5	0.4	0.5	0.4	0.2	0.5	0.3	0.3	0.3	0.3	0.6
New Jersey	1880	4.2	2.9	2.9	2.6	2.4	2.3	2.2	1.5	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.3	0.1	0.2	0.2	0.2	0.2	0.3
New York	1890	3.1	1.9	1.8	1.7	1.0	1.1	0.9	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
North Carolina [2]	1916	------	------	------	------	------	------	------	5.8	3.6	2.9	4.0	5.3	5.1	8.5	8.6	7.8	8.4	9.4	9.8	9.2	8.1	8.3
North Dakota	1924	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	3.1
Ohio	1909	------	------	------	------	------	------	1.1	0.9	0.5	0.5	0.5	0.6	0.6	0.7	0.7	0.6	0.7	0.7	0.5	0.4	0.4	0.4
Oregon	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	0.5	0.7	0.5	0.7	0.5	0.5	0.5
Pennsylvania	1906	------	------	------	2.8	2.6	2.4	2.3	2.3	1.0	1.0	0.9	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Rhode Island	1890	2.0	1.3	1.4	1.3	1.3	1.3	1.8	1.3	0.7	0.5	0.5	0.5	0.5	0.4	0.6	0.5	0.5	0.5	0.6	0.5	0.4	0.6
South Carolina	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	4.8	4.7	3.2	3.8	3.7	4.5	5.3	4.8	4.0
South Dakota [3]	1908	------	------	------	10.1	6.8	5.9	8.4	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Tennessee	1917	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.6	4.7	5.5	5.8	6.5	6.3	6.6	7.1
Utah	1910	------	------	------	------	------	------	------	3.4	1.7	2.1	2.0	2.4	2.6	3.4	3.5	2.4	3.5	2.5	2.3	2.5	2.1	2.1
Vermont	1890	5.4	3.2	2.9	2.5	1.8	0.8	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.1	------	0.2	0.2	0.3	0.5	0.4
Virginia	1913	------	------	------	------	------	------	------	------	------	------	8.8	4.1	3.8	3.8	4.2	3.2	3.8	3.8	3.6	2.8	3.1	2.8
Washington	1908	------	------	------	------	------	2.2	2.2	1.8	1.5	1.6	1.4	1.3	1.5	1.2	1.0	0.9	0.8	0.9	0.9	0.9	0.7	0.7
Wisconsin	1908	------	------	------	------	------	2.9	2.7	2.2	0.9	0.7	0.9	0.5	0.3	0.3	0.8	0.6	0.7	0.4	0.4	0.5	0.3	0.3
Wyoming	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2.1	1.8	1.8
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York	1880	2.2	1.5	1.6	1.4	0.9	1.0	0.8	0.9	0.1	0.1	0.1	0.1	0.1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	0.1
Philadelphia	1880	4.6	2.0	2.4	1.8	1.7	1.8	1.6	1.0	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	(4)	(4)	(4)	(4)	(4)
Chicago	1880	1.2	0.7	0.7	0.6	0.7	0.4	0.1	0.1	(4)	(4)	(4)	0.1	0.1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Boston	1880	2.5	2.0	2.2	2.2	2.4	2.5	1.1	1.0	0.3	0.2	0.2	0.3	0.3	0.4	0.2	0.3	0.3	0.1	0.2	0.2	0.2	0.1
Cleveland	1880	10.0	2.7	2.4	2.3	2.2	2.5	0.3	0.3	0.1	(4)	0.2	0.6	0.8	1.4	1.5	1.5	1.5	1.8	0.4	0.1	0.1	0.2
Washington, D. C.	1880	2.0	1.8	1.5	1.3	1.7	1.5	1.6	1.5	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	(4)	0.1	0.1	(4)	(4)	(4)
Baltimore	1880	4.1	2.6	3.1	3.1	2.7	3.1	3.0	2.7	1.1	0.8	0.3	0.2	0.3	0.1	0.1	0.1	(4)	0.1	0.1	(4)	(4)	(4)
St. Louis	1880	4.2	2.1	1.9	1.8	1.6	1.6	1.2	0.4	0.1	(4)	0.1	0.1	(4)	(4)	(4)	(4)	0.1	0.1	(4)	0.1	(4)	0.1
Cincinnati	1880	5.1	1.9	2.0	2.2	1.8	0.9	0.9	0.4	0.2	(4)	(4)	0.1	(4)	0.6	------	0.1	0.1	0.2	0.2	(4)	0.1	(4)
New Orleans	1880	4.7	2.4	1.9	1.9	2.1	1.9	2.2	0.5	(4)	(4)	(4)	------	(4)	------	(4)	(4)	0.1	(4)	(4)	------	(4)	0.1

DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 ESTIMATED POPULATION

Registration area [1]	------	73.8	42.0	40.1	38.2	33.6	28.9	24.5	23.1	12.2	11.5	14.1	12.1	11.4	15.2	18.2	19.2	18.3	17.7	16.0	17.7	17.2	17.7
California	1906	------	------	------	29.3	25.1	19.0	12.0	8.5	2.3	2.4	1.8	2.0	2.5	1.6	1.7	2.5	1.7	1.4	1.8	2.1	3.0	2.6
Colorado	1906	------	------	------	17.6	17.6	8.5	7.0	8.0	3.7	2.3	2.1	0.8	2.6	2.7	2.4	3.6	4.1	3.8	2.6	4.5	2.9	4.6
Connecticut	1890	27.6	23.4	24.8	21.2	24.3	21.6	22.4	23.5	9.2	7.4	9.3	8.0	7.0	6.6	5.8	6.6	5.1	4.0	3.2	3.1	3.3	3.9
Delaware	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	5.0	4.0	5.7	3.1	2.2	1.3
Florida*	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	68.3	66.3	62.7	63.5	71.7	68.1
Georgia	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	53.2	46.7	51.3
Idaho	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	17.6	13.2	13.9
Illinois	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	8.0	4.4	3.5	2.2	3.1	3.0	2.8
Indiana	1900	86.5	39.1	35.9	27.4	20.2	9.9	5.3	3.7	1.7	1.1	1.4	1.1	1.0	0.7	1.1	2.3	2.3	1.7	1.9	2.0	1.2	2.2
Iowa*	1923	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.2	5.5
Kansas*	1914	------	------	------	------	------	------	------	------	------	------	------	18.7	17.8	17.1	14.8	17.2	11.7	10.5	12.1	11.7	10.8	9.0
Kentucky	1911	------	------	------	------	------	------	------	------	49.7	51.1	35.0	50.9	44.6	44.7	44.4	43.6	39.2	28.6	19.5	26.1	27.5	29.2
Louisiana	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	62.4	38.2	34.8	33.6	42.5	40.1	47.0
Maine	1900	93.4	76.0	58.0	69.7	58.8	41.8	42.9	50.6	25.2	27.8	23.7	25.3	21.0	27.3	25.3	22.1	19.3	16.2	17.1	19.4	14.7	15.6
Maryland	1906	------	------	------	68.0	67.3	63.9	59.7	63.3	28.3	23.8	19.9	20.8	23.4	21.4	18.8	15.9	14.8	11.0	11.6	11.7	8.7	8.8
Massachusetts*	1880	65.6	33.5	36.7	36.3	37.9	37.5	25.7	19.7	7.5	6.8	5.8	6.9	6.0	7.0	7.9	8.8	5.1	4.6	4.2	3.1	3.4	2.6
Michigan	1900	66.6	45.3	51.0	45.8	42.0	36.6	30.7	32.6	13.6	14.8	12.0	10.1	8.0	9.3	8.7	8.5	8.1	6.6	7.1	7.9	7.5	7.0
Minnesota	1910	------	------	------	------	------	------	------	22.7	14.8	11.8	10.9	10.2	7.6	10.9	6.9	8.9	6.8	7.2	6.3	6.4	6.7	4.5
Mississippi	1919	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	140.1	126.7	117.3	117.2	123.3	136.0
Missouri	1911	------	------	------	------	------	------	------	------	23.0	20.7	19.2	17.1	19.6	20.2	18.0	18.1	16.5	17.0	12.6	13.2	13.6	14.3
Montana	1910	------	------	------	------	------	------	------	20.3	17.9	19.0	28.9	24.6	21.8	25.3	26.6	11.5	13.3	15.8	13.7	12.1	11.6	12.2
Nebraska	1920	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	13.3	11.3	12.7	11.6	9.4
New Hampshire	1890	111.1	51.0	54.8	46.8	46.6	40.8	34.5	30.9	11.8	8.5	12.2	7.6	6.2	7.5	7.3	5.2	7.5	5.2	4.7	3.8	5.1	8.0
New Jersey	1880	75.1	48.3	45.4	41.9	38.1	34.6	32.1	28.4	5.6	4.6	3.8	3.5	2.3	2.8	2.1	3.4	1.9	2.1	2.0	2.5	2.4	3.3
New York*	1890	56.5	34.1	30.9	28.0	17.2	17.2	13.7	14.0	1.9	2.1	1.5	1.9	1.9	1.8	1.6	2.2	1.4	1.3	1.2	1.0	1.4	1.6

(See footnotes at end of table)

Table BT—Con. DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 ESTIMATED POPULATION

AREA	Year admitted	1900	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924
North Carolina [2]	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	110.0	118.8	133.0	102.0	118.8	110.2	107.0	97.0	101.8
North Dakota*	1924	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	23.7
Ohio	1909	------	------	------	------	------	------	14.4	11.7	6.1	7.1	7.3	7.1	7.3	9.1	10.1	10.9	8.3	8.9	5.3	4.9	4.7	4.5
Oregon	1918	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6.0	8.1	6.0	6.9	6.0	5.1	5.8
Pennsylvania	1906	------	------	------	44.1	41.2	36.3	33.9	35.1	13.9	13.8	12.6	10.5	8.6	6.8	7.1	8.5	6.0	6.1	4.8	5.1	4.9	4.5
Rhode Island*	1890	40.3	22.6	23.1	22.1	22.3	20.2	27.6	22.2	10.7	8.4	8.2	7.0	7.8	6.7	9.0	9.9	7.3	7.1	7.2	6.9	6.1	7.8
South Carolina	1916	------	------	------	------	------	------	------	------	------	------	------	------	------	66.2	68.8	62.7	51.8	52.1	54.0	64.2	56.5	51.6
South Dakota [3]	1906	------	------	------	85.2	61.5	54.7	71.3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Tennessee	1917	------	------	------	------	------	------	------	------	------	------	------	------	------	------	88.4	75.1	67.5	69.7	69.0	68.1	78.9	82.1
Utah	1910	------	------	------	------	------	------	------	36.8	17.8	21.2	22.1	24.4	26.8	36.0	38.2	34.3	38.2	28.2	24.3	25.8	20.1	21.5
Vermont	1890	89.6	51.0	50.0	41.2	29.5	13.3	9.0	7.9	6.2	4.5	3.1	3.7	2.5	1.4	3.1	1.7	------	3.4	2.8	5.1	7.4	5.4
Virginia	1913	------	------	------	------	------	------	------	------	------	------	121.2	56.8	52.5	55.1	59.9	61.9	52.1	49.8	43.7	33.4	40.0	33.3
Washington	1908	------	------	------	------	------	20.4	21.3	17.9	14.0	13.4	13.1	12.0	14.0	11.1	9.4	12.1	8.2	10.0	8.5	8.7	6.8	6.7
Wisconsin	1908	------	------	------	------	------	34.0	32.3	26.6	10.2	8.4	10.8	5.1	2.7	3.1	8.3	7.5	7.4	4.9	4.3	4.6	3.0	2.9
Wyoming	1922	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	19.3	18.4	17.1
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900																							
New York*	1880	44.8	31.1	28.6	24.9	17.0	16.2	12.4	15.2	1.5	1.3	1.0	0.8	0.8	0.7	0.4	0.8	0.4	0.4	0.5	0.4	0.4	0.7
Philadelphia	1880	96.2	37.5	42.3	33.7	32.3	31.1	25.8	17.5	3.0	2.1	2.9	2.4	1.5	0.9	1.4	1.7	1.0	1.1	0.5	0.4	0.5	0.5
Chicago	1880	18.2	10.2	10.2	8.5	11.2	5.2	1.1	1.6	0.4	0.4	0.6	1.0	0.8	0.4	0.2	0.7	0.5	0.1	0.2	0.2	0.1	0.1
Boston*	1880	50.5	36.2	41.3	40.3	44.9	45.0	18.7	17.3	5.9	4.0	3.0	4.9	5.0	7.3	4.2	6.4	4.8	2.3	2.8	2.9	2.7	0.9
Cleveland	1880	176.3	40.2	33.0	34.4	33.8	33.4	4.0	4.1	1.9	0.3	2.2	7.4	10.0	19.1	22.5	26.0	19.2	21.8	4.2	1.1	1.2	2.0
Washington, D. C.	1880	44.9	38.0	31.4	25.7	35.1	28.3	30.0	29.4	5.5	5.1	3.5	1.9	2.1	1.8	1.2	1.4	0.5	1.6	1.4	0.7	0.6	0.2
Baltimore	1880	87.1	53.3	61.6	61.2	55.7	59.5	55.7	52.1	20.6	14.2	6.3	3.5	5.0	2.5	1.9	3.2	0.7	0.8	0.8	0.4	0.5	0.1
St. Louis	1880	75.1	39.4	31.6	29.1	24.9	23.5	19.0	6.8	1.1	0.3	1.0	1.4	0.4	0.7	0.1	0.4	1.2	1.3	0.4	0.8	0.5	0.9
Cincinnati	1880	92.1	38.8	37.3	44.7	32.7	17.0	15.0	6.9	2.7	0.3	0.8	2.3	0.8	10.9	------	1.3	1.0	3.7	2.2	0.7	1.0	0.7
New Orleans	1880	124.4	52.2	44.9	41.4	49.9	42.2	44.8	10.0	0.3	0.6	0.3	------	0.3	------	0.5	0.8	1.6	0.3	0.3	------	0.2	1.0

[1] Exclusive of Hawaii.
[2] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[3] Dropped from the registration area in 1910.
[4] Less than one-tenth of 1 per cent.
* Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

ANESTHETICS

A death connected with surgical anesthesia is usually charged to the condition (when known) for which the operation was performed. Tables BU and BV, however, include every case where any anesthetic was stated on the death certificate as a cause or as a contributory cause of death. The total number of such cases in 1924 was 598 with a rate of 0.6 per 100,000 population. The corresponding 1923 rate in England and Wales, where chloroform is used much more than in this country, was 1.2.

Table BU DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

AGE AND SEX	Total	Chloroform	Ether	Ether and gas	Ether and nitrous oxid	Ether and oxygen gas	Gas, not specified	Nitrous oxid	Nitrous oxid. and oxygen	Oxygen gas	Cocain	Novocain	Others specified [1]	Anesthesia, not specified
All ages—Males	323	13	196	1	3	2	2	3	1	4	3	5	9	81
All ages—Females	275	8	159	3	----	1	7	2	5	1	3	3	2	81
Under 1 year—M	12	2	6	---	---	---	---	---	---	---	---	---	---	4
Under 1 year—F	1	----	1	---	---	---	---	---	---	---	---	---	---	----
1 year—M	7	1	2	---	---	---	---	---	---	---	---	---	---	4
1 year—F	3	----	1	---	---	---	---	---	---	---	---	---	---	2
2 years—M	15	----	10	---	---	---	---	---	---	---	---	---	---	5
2 years—F	5	2	2	---	---	---	---	---	---	---	---	---	---	1
3 years—M	6	----	3	---	---	---	---	---	---	---	---	1	---	2
3 years—F	7	----	4	---	---	---	---	---	---	---	---	---	---	3
4 years—M	10	----	3	---	---	---	---	---	---	---	---	---	---	7
4 years—F	4	----	4	---	---	---	---	---	---	---	---	---	---	----

[1] Includes: Ether and chloroform, 1 male age 32; ether and ethylene, 1 male 37; ether and ethyl chlorid, 1 male 3 and 1 male 27; monoxid gas, 1 male 54; oxygen gas, morphin and scopolamin, 1 male 70 and 1 male 75; somnoform, 1 female 27; cocain and adrenalin, 1 male 80; cocain, hydrochlorid and adrenalin, 1 female 17; cocain and novocain, 1 male 51.

Table BU—Con. DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

AGE AND SEX	Total	Chloroform	Ether	Ether and gas	Ether and nitrous oxid	Ether and oxygen gas	Gas, not specified	Nitrous oxid	Nitrous oxid and oxygen	Oxygen gas	Cocain	Novocain	Others specified	Anesthesia, not specified
Under 5 years—M	50	3	24	---	---	---	---	---	---	---	---	---	1	22
Under 5 years—F	20	2	12	---	---	---	---	---	---	---	---	---	---	6
5 to 9 years—M	18	1	16	---	---	---	---	---	---	---	---	---	---	1
5 to 9 years—F	9	----	7	---	---	---	---	---	---	---	---	---	---	2
10 to 14 years—M	8	3	4	---	---	---	---	---	---	---	---	---	---	1
10 to 14 years—F	9	----	5	---	---	---	---	---	---	---	---	---	---	4
15 to 19 years—M	11	----	7	---	---	---	---	1	---	---	---	---	---	3
15 to 19 years—F	8	1	2	---	---	---	1	---	---	---	---	---	1	3
20 to 24 years—M	21	2	11	---	---	1	---	---	---	---	2	---	---	5
20 to 24 years—F	24	2	13	---	---	---	1	---	---	---	---	---	---	8
25 to 29 years—M	23	----	14	---	1	1	---	---	1	---	---	2	1	3
25 to 29 years—F	31	1	21	---	---	---	1	---	1	---	---	---	1	6
30 to 34 years—M	17	----	10	---	---	---	---	1	---	---	---	---	1	5
30 to 34 years—F	32	----	17	2	---	---	2	---	---	---	1	---	---	10
35 to 39 years—M	30	1	23	1	1	---	---	---	---	1	---	1	1	1
35 to 39 years—F	34	1	22	---	---	---	1	1	---	---	---	2	---	7
40 to 44 years—M	18	1	11	---	1	---	---	---	---	---	---	1	---	4
40 to 44 years—F	28	1	17	---	---	---	---	---	---	1	---	---	---	9
45 to 49 years—M	23	----	18	---	---	---	---	---	---	---	---	1	---	4
45 to 49 years—F	23	----	13	---	---	1	1	1	1	---	1	---	---	5
50 to 54 years—M	28	----	13	---	---	---	1	---	---	1	1	---	2	10
50 to 54 years—F	15	----	8	1	---	---	---	---	2	---	---	---	---	4
55 to 59 years—M	22	1	14	---	---	---	---	1	---	---	---	---	---	6
55 to 59 years—F	13	----	8	---	---	---	---	---	---	---	---	---	---	5
60 to 64 years—M	20	1	13	---	---	---	1	---	---	1	---	---	---	4
60 to 64 years—F	14	----	9	---	---	---	---	---	---	---	---	---	---	5
65 to 69 years—M	13	----	8	---	---	---	---	---	---	1	---	---	---	4
65 to 69 years—F	8	----	3	---	---	---	---	---	---	---	---	---	---	5
70 to 74 years—M	9	----	6	---	---	---	---	---	---	---	---	---	1	2
70 to 74 years—F	5	----	1	---	---	---	---	---	---	---	1	1	---	2
75 to 79 years—M	6	----	2	---	---	---	---	---	---	---	---	---	1	3
75 to 79 years—F	1	----	----	---	---	---	---	1	---	---	---	---	---	----
80 to 84 years—M	5	----	2	---	---	---	---	---	---	---	---	---	1	2
80 to 84 years—F	1	----	1	---	---	---	---	---	---	---	---	---	---	----
85 to 89 years—M	1	----	----	---	---	---	---	---	---	---	---	---	---	1

Table BV

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	DETAILED INT. LIST NO. OF— Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
10	------	Diphtheria	M	6.
22	------	Anterior poliomyelitis	F	14.
33	------	Abscess ischiorectal (tubercular)	M	9.
35	------	Tuberculosis of the hip	M	39.
36c	------	Tuberculosis of glands of neck	F	20.
36d	------	Tubercular kidney	M	23, 58.
38	------	Hereditary syphilis of bones	M	14.
40	------	Gonorrheal salpingitis	F	21, 28, 39.
41	181	Infected hand (septicemia)	M	42.
43b	------	Cancer of tongue	M	54.
43d	------	Cancer of jaw	F	38.
43x	------	Cancer of palate	M	53.
43x	------	Cancer of tonsil	M	42.
44c	------	Cancer of stomach	M	64, 69, 74.
45a	------	Sarcoma of omentum	F	30.
45b	------	Carcinoma, splenic flexure of colon	M	49.
45b	------	Malignant tumor of colon	F	44.
45c	------	Carcinoma of rectum	M	36, 50.
46b	------	Cancer of uterus	F	30, 39, 41, 52, 52, 57.
47	------	Cancer of breast	F	39, 41, 41, 47, 64.
47	------	Paget's disease of nipple	F	42.
49a	------	Cancer of larynx	M	61, 62.
49d	------	Hypernephroma of kidney	M	60.
49d	------	Sarcoma of kidney	F	3.
49e	------	Cancer of prostate	M	31, 72.
49f	------	Cancer of bladder	M	51, 59.
49h	------	Cancer of spine	M	64.
49x	------	Cancer of neck	M	53. 74.
49x	------	Carcinoma of hip	F	38.
49x	------	Carcinoma of parotid gland	F	62.
49x	------	Cancer of spleen	F	62.
49x	------	Carcinoma of thyroid gland	M	61.
			F	59.
49x	------	Sarcoma of axilla	F	2.
50	------	Cyst of mouth	F	33.
50	------	Neoplasm of retroperitoneal area of the intestines.	M	46.
50	------	Rectal polypus	F	72.
50	------	Tumor of nose	M	41.
50	------	Tumor of spinal cord	F	65.
50	177e	Tumor on back	F	31.
52	------	Arthritis deformans	F	36.
56	------	Rickets	M	4.
57	------	Diabetic gangrene	F	55, 58.
60a	------	Exophthalmic goiter	M	15.
			F	22, 25. 36, 40.
60b	------	Goiter	F	36, 45, 48, 51.
70	11a	Subdural abscess	M	16.
71a	------	Meningitis.	M	37.
84	------	Neoplasm of brain (nonmalignant)	M	1.
85	177e	Cataract	F	74.
85	------	Cataract (iridectomy)	F	11.
86b	------	Mastoiditis	M	4, 31.
93	------	Hemorrhoids	M	25, 30, 39, 57, 85.
			F	33.
93	90	Hemorrhoids	M	56.
93	177e	Hemorrhoids	F	37.
93	------	Varicose veins	M	36.
94	08	Cervical abscess	F	3.
94	------	Inflammation, cervical glands	F	1.
94	------	Lymphangitis of neck	M	43.
97a	177e	Nasal operation	F	48.
97a	------	Plastic operation on nose	M	27.
97a	------	Removal of spur on septum	F	39.
97b	------	Maxillary sinus infection	M	80.
97b	------	Sinus operation	F	8.
99b	------	Chronic bronchitis	M	53.
102	------	Empyema	M	13, 35.
102	------	Empyema	F	2, 2.
102	101a	Empyema	M	4.
107c	------	Abscess of lung	M	64.
107c	101b	Abscess of lung	M	64.
108	177e	Extraction of teeth	M	53.
108	181	Extraction of teeth	M	19, 30, 43, 46, 55, 55.
			F	21, 27, 52.
108	60a	Extraction of teeth	F	25.
108	89	Extraction of teeth	M	60.
108	90	Extraction of teeth	M	44, 54.
			F	33, 79.
108	100a	Extraction of teeth	F	32.
108	101a	Extraction of teeth	F	35, 43.
108	104	Extraction of teeth	M	59.
108	109b	Extraction of teeth	M	31.
108	128	Extraction of teeth	F	52.
108	202a	Extraction of teeth	F	17.
108	------	Ludwig's angina	M	32, 48.
109a	------	Adenoids	M	2.
109b	------	Abscess peritonsillar	M	2 mo.
109b	------	Abscess, pharynx	M	37.
109b	------	Adenoids and tonsils	M	1, 2, 29.
			F	2, 3, 8.
109b	------	Infected tonsils	M	8.
109b	------	Phlegmonous pharyngitis	F	21.

Table BV—Con.

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	DETAILED INT. LIST NO. OF— Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
109b	------	Tonsillectomy	M	2, 2, 2, 2, 3, 3, 3, 4, 4, 5, 6, 6, 8, 11, 12, 15, 16, 22, 22, 23, 24, 24, 24, 25, 27, 28, 29, 31, 37, 43, 45, 46, 51, 52, 63.
109b	------		F	3, 4, 4, 5, 6, 6, 7, 9, 9, 10, 11, 17, 22, 23, 25, 26, 29, 30, 31, 32, 48, 68.
109b	10	Tonsillectomy	M	9.
109b	90	Tonsillectomy	M	16.
109b	90	Tonsillectomy	F	46.
109b	104	Tonsillectomy	M	24.
109b	202a	Tonsillectomy	F	10.
109b	------	Tonsillitis	M	29.
			F	3, 37.
111a	------	Ulcer of stomach	M	25, 36, 45, 56, 63, 67, 69, 70.
111b	------	Ulcer of duodenum	M	38, 47, 54, 58, 63.
112	------	Gastroptosis	F	31.
112	------	Stenosis of pylorus	M	44, 51.
117	------	Abscess of appendix	M	23.
			F	14, 43, 50.
117	------	Acute appendicitis	M	6, 6, 20, 27, 27.
			F	56, 64.
117	------	Appendectomy	M	7, 9, 37, 50.
			F	17, 20, 27, 39.
117	31	Appendectomy	M	42.
117	------	Appendicitis	M	1, 4, 15, 18, 20, 36, 38, 41, 46, 51, 56, 59.
			F	13, 26, 28, 29, 41, 42, 46.
117	------	Chronic appendicitis	M	30, 32, 53, 62.
			F	32, 36.
117	------	Chronic appendicitis and ulcer of duodenum.	M	35.
117	------	Chronic appendicitis and gallstones	F	32, 50.
117	33	Chronic appendicitis	F	41.
117	------	Diseased appendix and ovaries	F	32.
117	------	Gangrenous appendicitis	M	21, 27, 29, 41, 51, 55, 60.
			F	3, 63.
117	------	Ruptured appendix	M	20, 23, 66.
			F	25, 70.
117	------	Subacute appendicitis	F	20.
117	------	Subacute appendicitis and ovarian cyst	F	50.
117	------	Suppurative appendicitis	M	65, 75.
118a	------	Hernia	M	15, 20, 27, 31, 32, 35, 38, 39, 41, 51, 58, 62, 72.
			F	43.
118a	------	Hernia and diverticulitis	M	59.
118a	------	Hernia and goiter	M	64.
118a	------	Hernia and undescended testicle	M	6.
118a	------	Herniotomy	M	1, 4, 26, 40, 40, 79.
			F	52.
118a	------	Epigastric hernia	M	46.
118a	------	Incarcerated umbilical hernia	F	69.
118a	------	Inguinal hernia	M	18, 34, 56, 60, 61.
118a	------	Strangulated hernia	M	35.
			F	47, 83.
118a	------	Strangulated inguinal hernia	M	43, 49, 68.
118a	------	Strangulated umbilical hernia	F	52.
118a	------	Umbilical hernia	F	64.
118a	------	Umbilical herniotomy	M	8 mo.
118b	------	Intestinal obstruction	M	9 mo., 3, 26, 49, 55, 69.
			F	24, 25, 49, 70.
118b	------	Volvulus	M	30, 42.
			F	34.
119	------	Abscess ischiorectal	M	54.
119	------	Gangrene of intestine	M	50.
119	------	Intestinal diverticulitis	F	57.
119	------	Prolapse of rectum	M	28.
119	------	Rectal fistula	M	37, 48.
122b	------	Cirrhosis of liver	F	46.
122b	------	Fatty infiltration of liver	M	33.
123	------	Gallstones	M	33, 38, 45, 47, 50, 55, 56, 57, 67, 70, 71.
			F	24, 26, 33, 39, 40, 41, 42, 43, 48, 59, 60, 62, 63, 66, 69.
124	------	Cholecystitis	M	38, 45.
			F	25, 42, 42, 51.
124	------	Congestion of gall bladder	M	23.
124	------	Disease of gall bladder	F	64.
124	------	Removal of pus from gall bladder	F	32.
124	------	Suppurative cholecystitis	F	45.
126	------	Septic peritonitis	M	3.
132	------	Nephrolithiasis	M	32, 38.
			F	22, 41.
132	------	Stone in urinary bladder	M	51, 53.

Table BV—Con.

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	DETAILED INT. LIST NO. OF— Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
134a	------	Stricture of urethra	M	35, 36.
134a	129	Stricture of urethra	M	36.
134b	------	Urinary fistula	M	24.
135	------	Hypertrophy of prostate	M	40, 69, 69, 78, 81.
135	------	Operation on prostate gland	M	80.
135	------	Prostatectomy	M	52, 55, 66, 67, 70, 75.
136	78	Circumcision	M	2.
136	118b	Circumcision	M	21 days.
136	181	Circumcision	M	1, 2, 8.
136	202a	Circumcision	M	2.
136	------	Contracted prepuce	M	11 mo.
136	------	Phimosis	M	1.
136	------	Seminal vesicle, abscess	M	52.
137	------	Ovarian cyst	F	25, 32, 34, 57, 68.
138	------	Pelvic abscess	F	21, 25, 33.
138	------	Pyosalpinx	F	33.
138	------	Salpingectomy	F	35.
138	------	Salpingitis	F	26.
138	------	Salpingitis, ovarian cyst, and appendicitis	F	57.
139	------	Tumor of uterus	F	30, 32, 35, 37, 38, 40, 40, 41, 41, 42, 42, 43, 45, 46, 47, 48, 48, 48, 48, 51, 58, 60, 62.
139	------	Tumor of uterus, abdominal hernia	F	55.
140	------	Uterine hemorrhage	F	37, 49.
141	------	Cervical repair	F	28.
141	------	Complete procidentia	F	72.
141	181	Curettement for sterility	F	20.
141	------	Endometritis	F	35.
141	------	Intraligamentous cyst	F	37.
141	------	Posterior displacement of uterus	F	22.
141	------	Prolapse of uterus	F	52.
141	------	Removal of fallen womb	F	67.
141	------	Repair of perineum	F	61.
141	------	Stenosis of uterus	F	25.
141	------	Suspension of uterus	F	19, 61.
141	------	Uterine trouble	F	26.
143a	------	Curettement (4 mos. pregnant)	F	26.
143a	------	Incomplete abortion	F	32.
143a	------	Pernicious vomiting of pregnancy (op.)	F	19.
143a	------	Spontaneous abortion	F	23.
143c	129	Pregnancy, deformed pelvis	F	21.
144	------	Placenta previa	F	46.
144	------	Postpartum hemorrhage	F	24, 35.
145a	------	Cesarean operation	F	27, 29, 33, 34, 38.
145b	------	Instrumental delivery	F	26, 35.
145b	------	Operative delivery	F	34.
145c	------	Childbirth	F	21, 22, 35.
145c	------	Contracted pelvis	F	39.
145c	------	Delivery of placenta	F	34.
145c	------	Dystocia	F	34.
145c	------	Podalic version	F	38.
145c	------	Prolonged labor	F	35.
145c	------	Repair of perineum (childbirth)	F	21, 39.
145c	------	Version	F	42.
146	------	Abortion and appendicitis	F	38.
146	------	Puerperal septicemia	F	20.
146	------	Ruptured pregnancy and appendicitis	F	32.
146	------	Septic abortion	F	24.
148	------	Childbirth and acute nephritis	F	25.
148	------	Puerperal convulsions	F	30, 38.
148	------	Toxemia of pregnancy	F	17, 40.
151	38	Gangrene of foot	M	73.
152	90	Carbuncle	M	75.
153	181	Abscess of axilla	F	54.
153	181	Abscess of back	M	11 mo.
153	181	Abscess of finger	M	82.
153	181	Abscess of neck	M	26, 30.
154	181	Chronic ulcer on leg	M	48.
155	------	Abscess of jaw	M	4.
155	------	Osteomyelitis	M	2, 12.
155	------	Osteomyelitis of jaw	F	38.
155	------	Periosteitis	M	55.
156	54	Ankylosed knees	F	28.
156	------	Ankylosis of hip	M	29.
156	------	Bowlegs	M	2.
156	------	Fibrous adhesive bands about knee joint	M	23.
156	------	Infection of shoulder joint	M	40.
156	------	Sacroiliac disease	F	66.
156	76	Spontaneous dislocation	M	51.
158	------	Contracted muscles of legs	F	33.
159c	------	Cleft palate	M	8 mo., 8 mo., 10 mo., 2, 3.
			F	1, 1, 4.
159c	------	Cleft palate and harelip	M	3 days.
159c	------	Clubfeet	F	4 mo.
159c	------	Congenital atresia of vagina	F	27.
159c	------	Deformity from birth	F	10.
159c	------	Harelip	M	3 mo.
159c	------	Pyloric stenosis	M	1 mo.
159c	------	Undescended testicle	M	8.
179e 1	------	Stricture of the esophagus from swallowing lye some time ago.	M	2.
83	------	Gunshot wound of abdomen	M	26.
184	------	Extraction of needle from back	F	2.
184 1	------	Punctured wound (accidental)	M	13.

Table BV—Con.

DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF ANESTHETICS, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1924

DETAILED INT. LIST NO. OF— Cause for which anesthetic was given	DETAILED INT. LIST NO. OF— Assignment when different from col. 1	CONDITION FOR WHICH ANESTHETIC WAS GIVEN	Sex	Age in years
185a	------	Fall down stairs	M	60.
185d	------	Accidental fall	M	10, 29, 45, 50, 60, 68, 78.
			F	3, 6, 51, 56.
185d	------	Diving accident	M	20.
185d	------	Fall and epilepsy	M	38.
186b	------	Quarry accident	M	18.
187d	------	Machinery accident	M	37, 46, 53.
187d	------	Roller coaster accident	M	23.
188b	------	Electric car accident	M	6.
188c	------	Automobile accident	M	1, 2, 4, 11, 20, 46, 50.
			F	35, 57.
188f	------	Horse and wagon accident	F	4, 20.
189	------	Dog bite	F	12.
193	------	Freezing	M	48.
201	------	Fracture of finger	M	5.
202a	------	Foreign body at base of tongue	F	29.
202b	------	Other external violence	M	2, 26, 37, 39, 83.
205	90	Unspecified	M	57.
			F	47.
205	101a	Unspecified	F	15.
205	101b	Unspecified	M	47.
205	128	Unspecified	F	26.
205	181	Unspecified	M	4, 7, 26, 37, 47.
			F	18, 45.
205	202a	Unspecified	F	27.

ADJUSTED AND SPECIFIC RATES FOR WHITE AND COLORED

Tables BW and BX contrast adjusted and crude mortality rates of the white, colored, Negro, Indian, Chinese, and Japanese in the registration States of 1920.

The lowest adjusted rate for both sexes, 1,062.7 per 100,000 estimated population was for the white; that for the Japanese was 1,254; for the Negro, 2,007.4; for the Chinese, 2,102.2; and for the Indian 2,245.1.

The rates were higher for the Negro and the Chinese than for the white for every age period; higher for the Japanese than for the white for every age period except under 1 year and 75 years and over; and the rates were higher for the Indian than for the white for every age period up to 65.

Tuberculosis was one of the principal causes of the comparatively high rates of each of the colored races, though many other causes were also responsible, but, among the Chinese, deaths from cancer, suicide, homicide, and diseases of the circulatory system were particularly noteworthy.

As most of the rates in Table BW are crude rates based on the entire population, interpretation of the figures should be made only after careful consideration of the populations and the number of deaths involved. For example, the very low Chinese rate (5.7) from the puerperal state was due entirely to the fact that females aged 15 to 44 years formed such a small part of the total Chinese population.

Similarly, the low rates from early infancy and old age among the Chinese were due to the small proportions of infants and old persons in the Chinese population. (See Table BY.)

Table BW — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES OF 1920: [1] 1924

SEX AND AGE	Number							Rate per 100,000 estimated population						
	Total	White	Colored	Negro	Indian	Chinese	Japanese	Total	White	Colored	Negro	Indian	Chinese	Japanese
BOTH SEXES														
All ages	1,081,805	946,219	135,586	130,447	2,415	1,309	1,316							
Adjusted rate								1,134.8	1,062.7	1,996.4	2,007.4	2,245.1	2,102.2	1,254.0
Crude rate								1,190.4	1,134.0	1,822.5	1,823.7	2,441.4	2,487.1	1,065.8
Under 1 year	147,677	125,246	22,431	21,447	512	118	344	8,230.8	7,623.6	14,823.0	15,021.4	19,350.0	21,973.9	6,535.0
1 to 4 years	53,032	44,027	9,005	8,470	305	32	197	683.8	615.9	1,483.5	1,464.8	2,918.1	1,627.7	1,227.0
Under 5 years	200,709	169,273	31,436	29,917	817	150	541	2,101.7	1,925.4	4,145.5	4,149.4	6,237.6	5,992.8	2,537.5
5 to 9 years	21,014	18,494	2,520	2,337	109	7	67	220.5	212.8	299.5	286.0	846.5	317.9	766.7
10 to 14 years	16,197	13,608	2,589	2,465	100	11	12	183.2	169.8	313.0	303.9	879.6	625.7	410.3
15 to 19 years	26,141	20,169	5,972	5,793	122	26	29	348.4	297.2	832.6	828.8	1,195.3	1,093.8	594.1
20 to 24 years	34,619	25,993	8,626	8,391	121	44	56	461.5	384.0	1,179.0	1,189.0	1,503.7	1,049.1	520.2
25 to 34 years	72,782	57,736	15,046	14,600	146	121	144	488.4	420.5	1,283.8	1,305.6	1,213.8	1,422.4	490.0
35 to 44 years	91,012	74,562	16,450	15,935	164	116	218	719.7	643.9	1,543.3	1,572.9	1,560.7	1,269.1	702.1
45 to 54 years	115,074	97,920	17,154	16,644	168	181	165	1,196.6	1,103.2	2,314.3	2,343.4	1,870.3	1,839.4	1,394.3
55 to 64 years	145,343	132,292	13,051	12,516	171	294	64	2,368.6	2,275.0	4,063.8	4,106.4	2,927.1	3,473.9	3,395.2
65 to 74 years	174,333	163,288	11,045	10,592	194	239	16	5,495.4	5,441.2	6,443.3	6,439.5	5,254.6	8,041.7	7,729.5
75 years and over	183,196	172,090	11,106	10,703	281	118	2	13,327.8	13,270.1	14,290.5	14,314.0	11,483.4	26,164.1	9,523.8
Unknown age	1,385	794	591	554	32	2	2							
MALES														
All ages	582,993	511,480	71,513	68,168	1,246	1,165	851							
Adjusted rate								1,217.5	1,146.9	2,049.5	2,061.7	2,274.3	2,564.0	1,515.0
Crude rate								1,265.3	1,208.5	1,906.0	1,907.9	2,452.7	2,647.5	1,155.4
Under 1 year	84,294	71,736	12,558	11,981	298	71	202	9,295.6	8,622.9	16,767.7	16,935.5	22,123.2	28,063.2	8,096.2
1 to 4 years	28,608	23,844	4,764	4,475	165	19	105	728.7	658.1	1,575.3	1,551.4	3,182.9	1,932.9	1,376.5
Under 5 years	112,902	95,580	17,322	16,456	463	90	307	2,336.3	2,145.3	4,591.0	4,581.4	7,089.3	7,281.6	3,032.7
5 to 9 years	11,479	10,231	1,248	1,156	57	3	32	238.7	233.1	297.0	283.1	897.5	257.7	764.3
10 to 14 years	8,969	7,698	1,271	1,203	55	7	6	201.3	190.3	309.1	298.6	968.0	684.3	416.1
15 to 19 years	13,310	10,639	2,671	2,580	58	20	12	358.9	316.0	781.4	779.4	1,136.4	1,126.8	379.9
20 to 24 years	16,979	12,854	4,125	3,973	67	40	32	472.9	395.4	1,216.4	1,225.7	1,602.5	1,168.6	693.1
25 to 34 years	37,038	29,517	7,521	7,262	59	102	67	497.7	428.5	1,358.4	1,393.4	929.0	1,447.8	432.6
35 to 44 years	50,657	42,047	8,610	8,238	86	102	167	771.6	698.8	1,570.9	1,617.1	1,538.2	1,283.2	721.1
45 to 54 years	65,073	55,719	9,354	8,942	87	169	150	1,268.3	1,187.3	2,136.1	2,160.0	1,864.2	1,870.5	1,594.7
55 to 64 years	81,831	74,641	7,190	6,752	86	286	60	2,540.8	2,457.8	3,910.8	3,947.3	2,741.5	3,600.2	3,851.1
65 to 74 years	95,018	88,968	6,050	5,693	111	231	15	5,873.2	5,835.2	6,494.2	6,452.1	5,802.4	8,264.8	9,036.1
75 years and over	88,864	83,057	5,807	5,584	107	113	1	13,878.8	13,781.6	15,435.1	15,487.0	9,562.1	27,228.9	8,333.3
Unknown age	873	529	344	329	10	2	2							
FEMALES														
All ages	498,812	434,739	64,073	62,279	1,169	144	465							
Adjusted rate								1,060.1	986.6	1,947.9	1,957.8	2,205.2	1,700.2	1,024.9
Crude rate								1,113.3	1,057.3	1,737.6	1,739.7	2,429.4	1,669.0	933.3
Under 1 year	63,383	53,510	9,873	9,466	214	47	142	7,142.6	6,598.4	12,917.4	13,141.6	16,474.2	16,549.3	5,128.2
1 to 4 years	24,424	20,183	4,241	3,995	140	13	92	637.7	572.5	1,392.4	1,378.7	2,657.6	1,322.5	1,091.6
Under 5 years	87,807	73,693	14,114	13,461	354	60	234	1,861.3	1,699.4	3,704.3	3,720.5	5,390.6	4,735.6	2,082.8
5 to 9 years	9,535	8,263	1,272	1,181	52	4	35	202.0	192.2	302.1	288.9	796.8	385.4	768.9
10 to 14 years	7,228	5,910	1,318	1,262	45	4	6	164.8	148.9	316.7	309.2	791.3	544.2	404.6
15 to 19 years	12,831	9,530	3,301	3,213	64	6	17	338.2	278.7	879.3	873.3	1,254.2	996.7	987.2
20 to 24 years	17,640	13,139	4,501	4,418	54	4	24	451.0	373.4	1,146.7	1,157.8	1,396.8	518.8	390.4
25 to 34 years	35,744	28,219	7,525	7,338	87	19	77	479.2	412.5	1,216.9	1,228.9	1,532.5	1,299.6	553.8
35 to 44 years	40,355	32,515	7,840	7,697	78	14	51	663.7	584.6	1,514.1	1,528.1	1,586.3	1,175.5	646.4
45 to 54 years	50,001	42,201	7,800	7,702	71	12	15	1,114.5	1,008.9	2,571.6	2,599.7	1,877.8	1,490.7	617.8
55 to 64 years	63,512	57,651	5,861	5,764	85	8	4	2,178.4	2,075.1	4,268.7	4,309.8	3,142.3	1,541.4	1,223.2
65 to 74 years	79,315	74,320	4,995	4,899	83	8	1	5,102.2	5,034.3	6,382.7	6,424.8	4,665.5	4,519.8	2,439.0
75 years and over	94,332	89,033	5,299	5,119	174	5	1	12,847.3	12,826.0	13,216.4	13,221.6	13,102.4	13,888.9	11,111.1
Unknown age	512	265	247	225	22									

[1] Including District of Columbia; for States included, see Table A.

NOTE.—Unknown ages are not distributed, except for adjusted rates; for explanation of these rates, see p. 10.

Table BX — DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920: [1] 1924

CAUSE OF DEATH	Total	White	Colored	Negro	Indian	Chinese	Japanese
All causes (exclusive of stillbirths):							
Adjusted rate	1,134.8	1,062.7	1,996.4	2,007.4	2,245.1	2,102.2	1,254.0
Crude rate	1,190.4	1,134.0	1,822.5	1,823.7	2,441.4	2,487.1	1,065.8
I.—Epidemic, endemic, and infectious diseases	169.8	147.3	422.3	418.2	789.5	625.1	286.7
Tuberculosis	91.4	78.3	238.2	232.5	546.9	518.7	197.6
II.—General diseases not included in Class I	138.4	141.3	105.5	105.7	85.9	212.8	67.2
Cancer and other malignant tumors	93.8	96.9	58.8	58.7	48.5	131.1	40.5
III.—Diseases of the nervous system and of the organs of special sense	130.9	129.3	149.7	152.0	121.3	161.5	45.4
IV.—Diseases of the circulatory system	210.6	208.7	231.5	235.0	141.5	416.1	35.6
V.—Diseases of the respiratory system	115.4	106.7	213.3	213.4	329.6	252.7	110.9
VI.—Diseases of the digestive system	96.0	91.9	142.0	141.1	192.1	180.5	145.8
VII.—Nonvenereal diseases of the genito-urinary system and annexa	105.4	100.2	162.8	165.6	102.1	220.4	34.0
VIII.—The puerperal state	15.1	13.6	32.2	32.4	42.5	5.7	30.0
IX.—Diseases of the skin and of the cellular tissue	3.4	3.3	4.6	4.4	15.2	7.6	4.0
X.—Diseases of the bones and of the organs of locomotion	1.4	1.4	1.6	1.6			0.8
XI.—Malformations	14.6	15.1	9.4	9.1	18.2	17.1	19.4
XII.—Early infancy	64.0	61.7	90.2	90.1	109.2	57.0	98.0
XIII.—Old age	11.7	10.4	26.4	26.1	92.0	19.0	
XIV.—External causes	97.4	93.8	137.4	135.0	162.8	307.8	183.8
Suicide	12.3	13.0	4.8	3.6	14.2	85.5	29.2
Homicide	8.1	5.3	39.6	39.8	22.2	87.4	22.7
Accidental or undefined	77.0	75.6	93.0	91.6	126.4	134.9	132.0
XV.—Ill-defined diseases	16.3	9.4	93.7	94.0	239.6	3.8	4.0

[1] Including District of Columbia; for States included, see Table A.

NOTE.—For explanation of adjusted rates, see p. 10.

Table BY

POPULATION ESTIMATED JULY 1, 1924, FOR THE REGISTRATION STATES OF 1920 [1]

AGE	Total		White		Colored		Negro		Indian		Chinese		Japanese		Other colored	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
All ages	46,076,868	44,804,002	42,324,898	41,116,533	3,751,970	3,687,469	3,572,857	3,579,872	50,802	48,118	44,004	8,628	73,657	49,824	10,650	1,027
Under 1 year	906,818	887,388	831,924	810,956	74,894	76,432	70,745	72,031	1,347	1,299	253	284	2,495	2,769	54	49
1 year	991,389	964,390	918,674	890,925	72,715	73,465	68,851	69,465	1,342	1,308	218	257	2,245	2,409	59	26
2 years	972,130	949,923	899,040	875,602	73,090	74,321	69,468	70,505	1,262	1,275	264	239	2,058	2,266	38	36
3 years	992,149	973,575	913,943	893,179	78,206	80,396	74,699	76,689	1,323	1,298	260	257	1,885	2,116	39	36
4 years	970,112	942,116	891,710	865,717	78,402	76,399	75,427	73,113	1,257	1,387	241	230	1,440	1,637	37	32
Under 5 years	4,832,598	4,717,392	4,455,291	4,336,379	377,307	381,013	359,190	361,803	6,531	6,567	1,236	1,267	10,123	11,197	227	179
5 to 9 years	4,809,511	4,720,658	4,389,270	4,299,634	420,241	421,024	408,406	408,797	6,351	6,526	1,164	1,038	4,187	4,552	133	111
10 to 14 years	4,456,621	4,385,953	4,045,493	3,969,822	411,128	416,131	402,885	408,134	5,682	5,687	1,023	735	1,442	1,483	96	92
15 to 19 years	3,708,855	3,794,424	3,367,042	3,418,996	341,813	375,428	331,037	367,906	5,104	5,103	1,775	602	3,159	1,722	738	95
20 to 24 years	3,590,206	3,911,190	3,251,099	3,518,684	339,107	392,506	324,132	381,573	4,181	3,866	3,423	771	4,617	6,148	2,754	148
25 to 29 years	3,823,212	3,957,019	3,521,528	3,609,450	301,684	347,569	287,555	335,643	3,464	3,085	3,708	800	4,637	7,918	2,320	123
30 to 34 years	3,618,724	3,502,648	3,366,750	3,231,754	251,974	270,794	233,601	261,468	2,887	2,592	3,337	662	10,849	5,985	1,300	87
35 to 39 years	3,639,874	3,308,933	3,325,874	3,010,962	314,000	297,971	293,342	290,051	3,052	2,669	3,915	637	12,399	4,531	1,292	83
40 to 44 years	2,925,234	2,771,229	2,691,155	2,551,389	234,079	219,840	216,082	213,633	2,539	2,248	4,034	554	10,759	3,359	665	46
45 to 49 years	2,842,930	2,438,170	2,578,986	2,262,148	263,944	176,022	250,266	171,819	2,575	2,042	4,298	432	6,246	1,701	559	28
50 to 54 years	2,287,775	2,048,047	2,113,828	1,920,756	173,947	127,291	163,707	124,444	2,092	1,739	4,737	373	3,160	727	251	8
55 to 59 years	1,746,547	1,589,874	1,646,772	1,515,828	99,775	74,046	92,496	72,106	1,674	1,405	4,394	292	1,111	236	100	7
60 to 64 years	1,474,158	1,325,616	1,390,081	1,262,359	84,077	63,257	78,557	61,636	1,463	1,300	3,550	227	447	91	60	3
65 to 69 years	975,646	911,601	918,784	866,597	56,862	45,004	53,757	43,825	1,106	1,028	1,825	112	139	33	35	6
70 to 74 years	642,181	642,925	605,883	609,671	36,298	33,254	34,478	32,426	807	751	970	65	27	8	16	4
75 to 79 years	389,437	415,899	368,354	396,352	21,083	19,547	20,297	18,986	492	529	275	21	6	8	13	3
80 to 84 years	169,466	206,461	159,847	195,543	9,619	10,918	9,201	10,523	319	383	94	11	2	-------	3	1
85 to 89 years	63,041	83,296	58,975	78,378	4,066	4,918	3,883	4,725	144	189	34	3	4	1	1	-----
90 to 94 years	14,076	21,714	12,534	19,288	1,542	2,426	1,449	2,306	83	120	7	-------	-------	-------	3	-----
95 to 99 years	3,293	5,019	2,568	3,962	725	1,057	679	992	43	65	3	-------	-------	-------	-------	-----
100 years and over	974	1,867	387	639	587	1,228	547	1,185	38	42	2	1	-------	-------	-------	-----
Unknown	62,509	44,167	54,397	37,942	8,112	6,225	7,310	5,891	175	182	200	25	343	124	84	3

[1] Including District of Columbia; for States included, see Table A.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is returned only for the District of Columbia and 33 States which constituted the birth registration area in 1924, no consideration of infant mortality for the entire death registration area is possible. Therefore, it has been thought best to show in the annual report on Birth Statistics those infant mortality tables which relate exclusively to the birth registration area.

Table BZ gives mortality rates per 1,000 estimated population under 1 year of age, for the registration States of 1900, for 1900, 1910, and 1920, and shows the improvement which has taken place in the rates for the first year of life in the various States.

Table BZ

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS), FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE		
	1920	1910	1900
Registration States of 1900 [1]	105.7	141.5	162.2
Registration States of 1910 [1] (exclusive of North Carolina)	100.8	132.0	
REGISTRATION STATES			
California	91.5	91.6	(2)
Colorado	101.9	104.2	(2)
Connecticut	103.1	142.9	177.7
Indiana	95.8	106.9	114.1
Maine	119.9	140.5	154.4
Maryland	125.6	151.9	(2)
Massachusetts	111.0	160.6	189.6
Michigan	108.9	126.8	133.1
Minnesota	75.4	92.3	(2)
Montana	66.3	89.2	(2)
New Hampshire	110.8	165.1	176.0
New Jersey	102.4	148.3	180.5
New York	104.7	143.5	167.4
Ohio	91.0	115.5	(2)
Pennsylvania	109.2	149.6	(2)
Rhode Island	108.3	181.2	215.7
Utah	83.4	82.1	(2)
Vermont	109.0	109.6	126.5
Washington	72.5	84.1	(2)
Wisconsin	84.5	108.0	(2)
District of Columbia	120.9	193.7	284.6

[1] Including District of Columbia. For States included, see Table A.
[2] Not added to registration area until a later date.

In Table CC for the birth registration States of 1915 and of 1920, specific rates and infant mortality rates (deaths of infants under 1 year of age per 1,000 live births) for 1921 to 1924 are presented for comparison. Specific rates should never be used as infant mortality rates; for example, for the State of California the 1924 infant mortality rate was 67.1 and the specific rate was 96.8, a figure more than 44 per cent greater than the infant mortality rate.

Table CC

AREA	DEATHS [1] OF INFANTS UNDER 1 YEAR OF AGE PER—							
	1,000 estimated population under 1 year of age				1,000 live births			
	1924	1923	1922	1921	1924	1923	1922	1921
Birth registration States of 1920*	82.2	87.5	85.9	90.5	71.1	77.0	76.2	75.6
Birth registration States of 1915* (exclusive of Rhode Island)	82.5	90.0	90.0	94.5	71.6	79.3	79.2	78.7
California	96.8	99.6	90.8	85.8	67.1	73.0	71.1	66.5
Colorado	96.2	90.0	92.5	87.1	(2)	(2)	(2)	(2)
Connecticut	66.1	73.0	76.3	80.4	68.7	76.5	77.3	73.1
Delaware	85.5	97.3	98.3	104.0	95.0	104.0	100.2	97.6
Florida†	105.1	88.1	81.1	84.1	81.8	(3)	(3)	(3)
Georgia	82.7	76.5	68.6	(4)	(2)	(2)	(2)	(2)
Idaho	45.5	44.6	54.9	(4)	(2)	(2)	(2)	(2)
Illinois	79.6	88.4	83.2	87.0	71.0	81.9	76.1	(3)
Indiana	80.1	84.4	78.3	88.0	65.2	71.0	67.4	71.2
Iowa†	56.9	63.3	(4)	(4)	54.9	(3)	(3)	(3)
Kansas†	63.7	69.7	70.5	72.4	59.0	62.9	64.8	62.5
Kentucky	75.6	81.1	74.9	72.2	64.6	71.6	69.2	61.9
Louisiana	103.2	89.2	82.9	83.4	(2)	(2)	(2)	(2)
Maine	102.2	106.7	103.8	106.4	80.8	88.5	86.5	88.0
Maryland	96.6	107.1	106.8	114.6	86.2	94.6	94.1	93.6
Massachusetts†	80.2	90.9	93.8	92.8	67.6	77.8	81.2	76.0
Michigan	83.6	90.3	82.8	95.1	72.3	80.3	74.5	78.6
Minnesota	62.5	69.2	66.2	68.2	56.7	61.7	57.9	58.8
Mississippi	76.8	70.8	70.3	73.6	71.3	68.1	68.0	68.4
Missouri	82.5	83.6	72.7	75.4	(2)	(2)	(2)	(2)
Montana	45.5	51.6	54.5	59.7	66.9	71.5	70.2	(3)
Nebraska	64.1	66.4	67.0	71.2	55.3	57.3	56.7	58.6
New Hampshire	103.6	111.6	99.7	111.7	79.5	93.2	79.8	86.7
New Jersey	78.0	79.0	87.7	87.9	70.0	71.6	78.6	74.1
New York†	82.4	85.3	91.7	93.2	69.2	72.1	77.0	75.4
North Carolina	100.2	94.8	90.5	92.2	82.3	81.0	79.5	75.0
North Dakota†	57.6	(4)	(4)	(4)	66.7	(3)	(3)	(3)
Ohio	73.5	82.3	76.3	85.2	66.6	74.7	71.7	75.1
Oregon	59.4	61.2	62.9	57.2	53.6	57.3	58.5	50.9
Pennsylvania	88.0	99.1	95.7	102.3	78.5	90.4	88.2	87.7
Rhode Island†	90.3	103.9	93.7	104.2	79.9	94.3	85.2	92.7
South Carolina	108.2	95.5	96.3	107.7	101.6	96.3	92.9	96.1
Tennessee	78.9	76.7	70.5	70.3	(2)	(2)	(2)	(2)
Utah	71.2	64.6	77.4	86.7	64.4	59.1	69.0	72.8
Vermont	82.6	87.9	85.9	95.3	70.2	76.0	73.1	77.8
Virginia	89.9	97.3	89.6	99.4	77.6	84.0	76.8	78.7
Washington	55.0	55.8	61.8	60.3	56.2	56.5	61.7	55.5
Wisconsin	71.5	76.9	76.9	83.4	64.7	69.9	70.8	72.1
Wyoming	71.4	85.7	90.9	(4)	64.3	79.6	78.6	(3)
District of Columbia	99.0	118.4	112.1	111.0	76.0	91.8	84.9	83.5

[1] Exclusive of stillbirths.
[2] Not in birth registration area.
[3] Not added to birth registration area until a later date.
[4] Not added to death registration area until a later date.
*For States included, see Table A, Birth Statistics, 1924.
† Estimated population, 1924, based on Federal census, 1920, and State census, 1925.

ACCURACY OF STATISTICS OF CAUSES OF DEATH

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the cause of death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would result in an incorrect classification of the cause of death, not only with reference to the title of the International List of Causes of Death, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying causes of death according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. Practically all systems of classification in present use are based on the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written, nor can the compiler rely on the statements "cause of death" or "contributory cause," since these terms are sometimes used with diametrically opposed meanings by physicians.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet "Relation of Physicians to Mortality Statistics," which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

Tables CD, CE, and CF show the results obtained in 1924 by sending queries to physicians.

Table CD

AREA	DEATHS IN 1924		
	All causes	Causes queried	
		Number	Per cent
The registration area (exclusive of Hawaii)	1,173,990	37,945	3.2
Alabama [1]	5,278	295	5.6
Arkansas [1]	2,559	217	8.5
California	56,832	1,430	2.5
Colorado	12,528	672	5.4
Connecticut	16,989	235	1.4
Delaware	3,015	225	7.5
District of Columbia	6,553	183	2.8
Florida	15,861	976	6.2
Georgia	34,795	2,210	6.4
Idaho	3,787	220	5.8
Illinois	77,133	345	0.4
Indiana	37,162	1,573	4.2
Iowa	23,774	1,219	5.1
Kansas	17,898	891	5.0
Kentucky	26,806	1,884	7.0
Louisiana	24,480	797	3.3
Maine	10,754	216	2.0
Maryland	20,974	653	3.1
Massachusetts	49,358	697	1.4
Michigan	47,324	2,315	4.9
Minnesota	24,579	262	1.1
Mississippi	21,148	756	3.6
Missouri	40,474	939	2.3
Montana	4,970	153	3.1
Nebraska	12,388	625	5.0
New Hampshire	6,357	285	4.5
New Jersey	40,840	1,298	3.2
New Mexico [1]	485	15	3.1
New York	140,205	3,345	2.4
North Carolina	33,238	1,770	5.3
North Dakota	4,852	298	6.1
Ohio	69,950	508	0.7
Oklahoma [1]	1,167	59	5.1
Oregon	9,505	258	2.7
Pennsylvania	113,321	4,341	3.8
Rhode Island	8,337	308	3.7
South Carolina	22,895	1,090	4.8
South Dakota [1]	316	29	9.2
Tennessee	28,018	1,264	4.5
Texas [1]	12,139	727	6.0
Utah	5,048	(2)	(2)
Vermont	4,860	238	4.9
Virginia	29,175	389	1.3
Washington	14,580	245	1.7
West Virginia [1]	970	37	3.8
Wisconsin	28,250	1,332	4.7
Wyoming	2,063	121	5.9

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths (see p. 7).

[2] Transcripts of death certificates received too late to be queried for additional information.

Table CE

Detailed Int. List No.	UNSATISFACTORY TERM	REPLIES RECEIVED FROM PHYSICIANS, 1924: Total number	Number of changes in classification	Per cent changed	International titles and subtitles (detailed list)[1] under which the number of deaths increased most as a result of queries
	Total	24,795	10,571	42.6	7, 9, 11a, 11b, 24, 31, 38, 40, 73, 74a, 91b, 101a, 109b, 113,146, 148, 161a, 161b.
10	Croup, membranous laryngitis.	66	36	54.5	98, 100a, 101a.
33	Tabes mesenterica	14			
41	Septicemia, sepsis, blood poisoning.	367	233	63.5	38, 108, 109b, 146, 152, 184, 202b.
69	Autointoxication, toxemia	235	90	38.3	112, 113, 114, 119, 175b.
70	Cerebral abscess	137	62	45.3	11b, 32, 86a, 86b, 97b, 202b.
71a	Meningitis, cerebral meningitis (undefined).	561	289	51.5	11b, 24, 32, 71b, 86a, 113, 161b.
71b	Cerebrospinal meningitis (undefined).	322	202	62.7	24, 32, 71a.
73	Sclerosis	34	23	67.6	74a, 90, 91b.
74a	Cerebral congestion	36	11	30.6	24, 71a.
75a	Hemiplegia	924	625	67.6	38, 74a, 74b, 90, 129.
75b	Paralysis, general paralysis	1,323	803	60.7	73, 74a, 75a, 76, 84, 90, 129.
76	Paresis	717	275	38.4	74a, 75b, 90, 91b, 129, 164.
79	Convulsions (5 years and over).	51	37	72.5	128, 148.
80	Convulsions (under 5 years).	418	134	32.1	78, 112, 113, 161a, 161b.
83	Cerebral softening	134	64	47.8	74a. 74b, 91b.
84	Acute hydrocephalus, general, sclerosis.	24	12	50.0	91b. 129.
90	Acute cardiac dilatation, cardiac insufficiency.	1,268	267	21.1	38, 66, 88, 91b, 112, 129.
95	Hemorrhage	27	20	74.1	74a, 107c, 144.
98	Edema of glottis	18	11	61.1	90, 202a.
100a	Broncho-pneumonia	6,686	1,500	22.4	7, 9, 11a, 31, 38, 101a, 102, 113. 161b.
101b	Pneumonia (undefined), typhoid pneumonia.	3,324	2,778	83.6	7, 9, 11a, 31, 90, 100a. 101a.
102	Pleurisy	205	81	39.5	11a, 31. 101a.
103	Pulmonary congestion, edema of lungs.	290	186	64.1	11a, 90, 100a, 101a, 129.
107	Pulmonary abscess and hemorrhage.	344	178	51.7	11a, 31, 101b, 109b.
110	Stricture of esophagus	32	16	50.0	44b, 179e.
112	Gastritis, indigestion, acute indigestion.	1,407	450	32.0	44c, 66, 90, 91b, 111a, 113, 114, 175b.
113	Intestinal congestion (−2 years).	1			
114	Intestinal congestion (2 years+).	3			
119	Hemorrhage of intestine, gangrene of intestine.	7	5	71.4	118b.
124	Liver trouble, disease of liver.	36	16	44.4	44a, 123, 143a.
126	Peritonitis, general and septic peritonitis.	339	217	64.0	33, 111a, 117, 118b, 138, 146.
128	Acute Bright's disease, acute nephritis.	2,121	576	27.2	7, 8, 11b, 38, 90, 109b, 129, 135, 148.
129	Bright's disease, nephritis, uremia.	702	206	29.3	90, 128, 135, 148.
131	Renal congestion, disease of kidney.	27	16	59.3	128, 129.
133	Disease of bladder	1	1	100.0	129.
134b	Extravasation of urine	5	3	60.0	134a, 135, 145b.
138	Salpingitis, pyosalpinx. pus tubes.	583	402	69.0	38, 40, 146.
140	Uterine hemorrhage	13	6	46.2	46b, 143a, 144, 145c.
141	Disease of pelvic organs (female).	2	1	50.0	146.
153	Abscess, cellulitis	17	9	52.9	31, 38, 131, 138.
159a	Hydrocephalus	113	21	18.6	32, 38, 84.
160	Inanition, debility, etc. (under 1 year).	1,313	428	32.6	31, 38, 113, 159b, 159c, 161a, 161b, 162.
164	Senility, old age	43	18	41.9	91b, 129.
205a	Dropsy, heart failure, fever, natural causes, etc.	505	263	52.1	31, 74a, 89, 90, 113, 129, 164.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classifications in 57 per cent of the cases covered by replies.

In 1924, besides approximately 38 thousand queries sent out from the Bureau of the Census directly to physicians, there were some 18 thousand queries sent to State registrars for additional information regarding causes of death, and thousands of other queries regarding causes of death were sent to physicians by 38 State special agents.

Table CF

Detailed Int. List No.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	1924: Total deaths (including net changes by queries)	Net change by queries	Per cent change by queries
7	Measles	8,517	+332	+4.1
8	Scarlet fever	3,122	+50	+1.6
9	Whooping cough	8,188	+370	+4.7
11a	Influenza (with pulmonary complications specified)	11,889	+728	+6.5
11b	Influenza (without pulmonary complications specified)	7,485	+112	+1.5
24	Meningococcus meningitis	964	+260	+36.9
32	Tuberculosis of the meninges and central nervous system	4,014	+77	+2.0
38	Syphilis	8,195	+177	+2.2
40	Gonococcus infection	813	+299	+58.2
41	Purulent infection, septicemia[1]	1,290	−226	−14.9
66	Alcoholism (acute or chronic)	3,153	+51	+1.6
69	Other general diseases[1]	2,151	−78	−3.5
70	Encephalitis[1]	1,131	−58	−4.9
71	Meningitis[1]	3,366	−430	−11.3
73	Other diseases of the spinal cord[1]	3,085	+106	+3.6
74a	Cerebral hemorrhage[1]	88,165	+1,048	+1.2
75	Paralysis without specified cause[1]	5,957	−1,328	−18.2
76	General paralysis of the insane[1]	6,379	−204	−3.1
80	Infantile convulsions (under 5 years of age)[1]	1,911	−131	−6.4
83	Softening of the brain[1]	796	−49	−5.8
100a	Broncho-pneumonia[1]	39,479	−423	−1.1
101a	Lobar pneumonia	50,676	+1,475	+3.0
101b	Pneumonia (unspecified)[1]	6,096	−2,750	−31.1
103	Congestion and hemorrhagic infarct of the lung[1]	1,353	−175	−11.5
107c	Other diseases of the respiratory system (tuberculosis excepted)[1]	867	−172	−16.6
109b	Diseases of the pharynx and tonsils	3,369	+118	+3.6
111a	Ulcer of the stomach	4,084	+51	+1.3
112	Other diseases of the stomach (cancer excepted)[1]	6,254	−405	−6.1
113, 114	Diarrhea and enteritis[1]	34,482	+569	+1.7
126	Peritonitis without specified cause[1]	1,657	−211	−11.3
128	Acute nephritis (including unspecified under 10 years of age)[1]	6,038	−497	−7.6
138	Salpingitis and pelvic abscess (female)[1]	1,767	−377	−17.6
146	Puerperal septicemia	5,745	+185	+3.3
148	Puerperal albuminuria and convulsions	4,287	+189	+4.6
160	Congenital debility, icterus, and sclerema[1]	8,069	−421	−5.0
161b	Injury at birth	10,297	+116	+1.1
205a	Cause of death ill-defined[1]	5,408	−262	−4.6

[1] Title under which one or more unsatisfactory terms were queried.

CONTRIBUTORY CAUSES IN RELATION TO PRIMARY CAUSES OF DEATH: 1924

For 1917 a special and complete tabulation was made of contributory causes of death in relation to primary causes, but for 1924 only a few contributory causes were tabulated, covering some of the epidemic, endemic, and infectious diseases, pellagra, and automobile accidents.

Measles, as a primary cause, was credited with 8,517 deaths, but 428 other certificates of death showed measles as a contributory cause. Whooping cough was credited with 8,188 deaths, but the contributory cause table (CG) shows 477 other deaths where this disease was a contributory cause; besides 2,458 deaths from erysipelas as a primary cause, 646 deaths were reported with erysipelas as a contributory cause, and deaths from automobile accidents numbered 15,528, but 1,383 other death certificates had automobile accident given as a contributory cause; of this number, 996 were contributory to railroad accidents and 365 to street-car accidents.

Table CG

Detailed Int. List No.	CAUSE OF DEATH	Primary cause, 1924	CONTRIBUTORY CAUSE: 1924														
			Typhoid and paratyphoid fever	Malta fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Mumps	Erysipelas	Acute poliomyelitis	Lethargic encephalitis	Meningococcus meningitis	Tetanus	Other infectious diseases	Pellagra	Automobile accidents
			1	4	6	7	8	9	10	13	21	22	23	24	29	42	54	188c
	Total		57	1	2	428	5	477	178	53	646	2	31	1	7	3	71	1,383
1	Typhoid and paratyphoid fever	6,677				5		5	3	3	3		1				3	
4	Malta fever																	
6	Smallpox	874	1			3	2	2										
7	Measles	8,517						293		7	5		8					
8	Scarlet fever	3,122	2			42		7	168	1	4		1	1				
9	Whooping cough	8,188								2	1		1					
10	Diphtheria	9,316				138		24		8	6	2				1		
11a	Influenza (with pulmonary complications)	11,889								2	2							
11b	Influenza (other and unspecified)	7,485								1								
13	Mumps	144																
16	Dysentery	2,946						39										
21	Erysipelas	2,458								2						1		
22	Acute anterior poliomyelitis	1,079				5		3		1								
23	Lethargic encephalitis	1,441																
24	Meningococcus meningitis	964				2		2			1		1					
25	Other epidemic and endemic diseases	281								1								
29	Tetanus	1,565	1			1				1								21
	Tuberculosis:																	
31	Of the respiratory system	78,096	41			103		48			17					1	29	
32	Of the meninges, central nervous system	4,014				20		11										
33	Of the intestines, peritoneum	3,090				1		2			2							
34	Of the vertebral column	990	1					1			1							
36	Of other organs	1,275				3		1			1							
37a	Disseminated (acute)	1,498	1			14		8			1							
37b	Disseminated (chronic or unspecified)	329				1		1			1							
38	Syphilis	8,195				6		3			11		3				8	
42	Other infectious diseases	9																
	Cancer and other malignant tumors:																	
43	Of the buccal cavity	3,130									4							
44	Of the stomach, liver	34,250									11						9	
45	Of the peritoneum, intestines, rectum	12,603	2								2							
46	Of the female genital organs	12,836	2							3	1						5	
47	Of the breast	8,281			1	1			2		6		1					
48	Of the skin	2,630									8							
49	Of other or unspecified organs	17,408	3		1	1		2	1		11		1				1	
54	Pellagra	2,347				2					2							
57	Diabetes mellitus	16,453				17		2		2	41							
60a	Exophthalmic goiter	2,755									3							
65a	Leukemia	1,589									3							
70	Encephalitis	1,131									1							
71b	Nonepidemic cerebrospinal meningitis	776				23		10		1	1							
72	Tabes dorsalis (locomotor ataxia)	1,674									1		1					
73	Other diseases of the spinal cord	3,085									5							
74a	Cerebral hemorrhage	88,165								1	21							
75	Paralysis without specified cause	5,957									2							
76	General paralysis of the insane	6,379									12							
84	Other diseases of the nervous system	4,643									2							
86a	Diseases of the ear	1,960									1							
86b	Diseases of the mastoid process	1,223									11		2					
89	Angina pectoris	11,171								1	3							
90	Other diseases of the heart	157,848								3	181							
91a	Aneurysm	1,921									1							
97b	Diseases of the nasal fossae annexa	475									1							
101a	Lobar pneumonia	50,676		1							51							
102	Pleurisy	2,728									4							

Table CG—Con.

Detailed Int. List No.	CAUSE OF DEATH	Primary cause, 1924	CONTRIBUTORY CAUSE: 1924															
			Typhoid and paratyphoid fever	Malta fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Mumps	Erysipelas	Acute poliomyelitis	Lethargic encephalitis	Meningococcus meningitis	Tetanus	Other infectious diseases	Pellagra	Automobile accidents
			1	4	6	7	8	9	10	13	21	22	23	24	29	42	54	188c
109b	Other diseases of the pharynx, tonsils	3,369								2								
111a	Ulcer of the stomach	4,084									1							
111b	Ulcer of the duodenum	1,455								1								
113	Diarrhea and enteritis (under 2 years)	27,566								1	34							
117	Appendicitis and typhlitis	14,788				9		4		1	7		1					
118a	Hernia	3,673						1			2						1	
118b	Intestinal obstruction	6,807						3			4						2	
119	Other diseases of the intestines	1,420									1							
122	Cirrhosis of the liver	7,344									6							
123	Biliary calculi	3,923									2						4	
124	Other diseases of the liver	4,550									1		3					
126	Peritonitis without specified cause	1,657									17		1					
129	Chronic nephritis (including unspecified, 10 years and over)	82,825								2	61							
131	Other diseases of the kidneys and annexa	2,727									1							
132	Calculi of the urinary passages	728									1							
135	Diseases of the prostate	4,842									1							
138	Salpingitis and pelvic abscess (female)	1,767											1				1	
139	Benign tumors of the uterus	1,971									1							
141	Other diseases of the female genital organs	774				1				1			1					
143	Accidents of pregnancy	1,393				11												
145	Other accidents of labor	1,646								1								
146	Puerperal septicemia	5,745				3				1	4		1				2	
148	Puerperal albuminuria and convulsions	4,287				4		1										
155	Diseases of the bones (tuberculosis excepted)	1,130									1							
159c	Other congenital malformations	4,583									1							
161a	Premature birth	39,764				8												
161b	Injury at birth	10,297									1							
	Suicide:																	
168	By hanging or strangulation	2,117															1	
169	By drowning	668								1							1	
170	By firearms	4,280															1	
	Homicide:																	
197	By firearms	6,028													3			
198	By cutting or piercing instruments	992													1			
199	By other means	1,400									1				3			
	Accidental or undefined external causes:																	
175	Poisoning by food	917							1									
176	Poisoning by venomous animals	66									3							
177	Other acute poisonings (gas excepted)	1,577						1		1								
179	Burns (conflagration excepted)	6,895				2	1	1	1		7							
181	Absorption of irrespirable, irritating, or poisonous gas	2,525							1									
183	Traumatism by firearms (except in war)	2,571					1											
184	Traumatism by cutting or piercing instruments	621									3							
185	Traumatism by fall	12,955	1			2		2	1		22		2				3	
187	Traumatism by machines	2,052									1							
188a	Railroad accidents	6,430																996
188b	Street-car accidents	1,623																365
188c	Automobile accidents	15,528	1								4							
188e,f	Injuries by other vehicles	1,538					1				3							
193	Excessive cold	335									1							
194	Excessive heat	409									1							
195	Lightning	334																1
202	Other external violence	4,502	1							1	7		1					

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1924

[Populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS: 1924	
		Number	Rate per 1,000 population
The registration area (exclusive of Hawaii)	99,200,298	1,173,990	11.8
White	90,215,698	1,014,085	11.2
Colored	8,984,600	159,905	17.8
Registration States [1]	97,667,916	1,151,076	11.8
White	88,972,771	997,617	11.2
Colored	8,695,145	153,459	17.6
Cities in registration States [1]	46,459,734	593,170	12.8
White	43,560,756	525,412	12.1
Colored	2,898,978	67,758	23.4
Rural part of registration States	51,208,182	557,906	10.9
White	45,412,015	472,205	10.4
Colored	5,796,167	85,701	14.8
Registration cities in nonregistration States [2]	1,532,382	22,914	15.0
White	1,242,927	16,468	13.2
Colored	289,455	6,446	22.3
All registration cities [1]	47,992,116	616,084	12.8
White	44,803,683	541,880	12.1
Colored	3,188,433	74,204	23.3
CALIFORNIA			
Total	3,913,236	56,832	14.5
White	3,730,567	53,752	14.4
Colored	182,669	3,080	16.9
Urban	2,290,104	33,065	14.4
White	2,196,623	31,293	14.2
Colored	93,481	1,772	19.0
Rural	1,623,132	23,767	14.6
White	1,533,944	22,459	14.6
Colored	89,188	1,308	14.7
COLORADO			
Total	1,004,803	12,528	12.5
White	989,315	12,137	12.3
Colored	15,488	391	25.2
Urban	383,627	5,829	15.2
White	373,843	5,569	14.9
Colored	9,784	260	26.6
Rural	621,176	6,699	10.8
White	615,472	6,568	10.7
Colored	5,704	131	23.0
CONNECTICUT			
Total	1,503,869	16,989	11.3
White	1,479,172	16,542	11.2
Colored	24,697	447	18.1
Urban	1,142,413	12,867	11.3
White	1,121,391	12,491	11.1
Colored	21,022	376	17.9
Rural	361,456	4,122	11.4
White	357,781	4,051	11.3
Colored	3,675	71	19.3
DELAWARE			
Total	232,590	3,015	13.0
White	202,587	2,352	11.6
Colored	30,003	663	22.1
Urban	119,888	1,407	11.7
White	108,324	1,143	10.6
Colored	11,564	264	22.8
Rural	112,702	1,608	14.3
White	94,263	1,209	12.8
Colored	18,439	399	21.6
FLORIDA			
Total	[3] 1,227,562	15,861	12.9
White	828,190	9,297	11.2
Colored	399,372	6,564	16.4
Urban	309,214	4,862	15.7
White	208,689	2,764	13.2
Colored	100,525	2,098	20.9
Rural	916,790	10,999	12.0
White	619,493	6,533	10.5
Colored	297,297	4,466	15.0
GEORGIA			
Total	3,028,728	34,795	11.5
White	1,808,384	17,774	9.8
Colored	1,220,344	17,021	13.9
Urban	580,750	10,327	17.8
White	365,367	4,779	13.1
Colored	215,383	5,548	25.8
Rural	2,447,978	24,468	10.0
White	1,443,017	12,995	9.0
Colored	1,004,961	11,473	11.4
IDAHO			
Total	481,125	3,787	7.9
White	475,007	3,583	7.5
Colored	6,118	204	33.3
Urban	40,654	586	14.4
White	39,747	555	14.0
Colored	907	31	34.2
Rural	440,471	3,201	7.3
White	435,260	3,028	7.0
Colored	5,211	173	33.2
ILLINOIS			
Total	6,877,737	77,133	11.2
White	6,657,341	71,659	10.8
Colored	220,396	5,474	24.8
Urban	4,161,810	48,137	11.6
White	3,975,079	43,706	11.0
Colored	186,731	4,431	23.7
Rural	2,715,927	28,996	10.7
White	2,682,262	27,953	10.4
Colored	33,665	1,043	31.0
INDIANA			
Total	3,036,775	37,162	12.2
White	2,945,998	35,156	11.9
Colored	90,777	2,006	22.1
Urban	1,310,937	16,206	12.4
White	1,232,151	14,519	11.8
Colored	78,786	1,687	21.4
Rural	1,725,838	20,956	12.1
White	1,713,847	20,637	12.0
Colored	11,991	319	26.6
IOWA			
Total	[4] 2,418,336	23,774	9.8
White	2,398,377	23,444	9.8
Colored	19,959	330	16.5
Urban	644,991	8,016	12.4
White	630,473	7,780	12.3
Colored	14,518	236	16.3
Rural	1,773,345	15,758	8.9
White	1,767,904	15,664	8.9
Colored	5,441	94	17.3
KANSAS			
Total	[4] 1,807,343	17,898	9.9
White	1,745,693	16,691	9.6
Colored	61,650	1,207	19.6
Urban	462,382	6,028	13.0
White	421,885	5,211	12.4
Colored	40,497	817	20.2
Rural	1,344,961	11,870	8.8
White	1,323,808	11,480	8.7
Colored	21,153	390	18.4
KENTUCKY			
Total	2,475,370	26,806	10.8
White	2,251,297	22,305	9.9
Colored	224,073	4,501	20.1
Urban	508,182	7,386	14.5
White	434,120	5,638	13.0
Colored	74,062	1,748	23.6
Rural	1,967,188	19,420	9.9
White	1,817,177	16,667	9.2
Colored	150,011	2,753	18.4
LOUISIANA			
Total	1,864,385	24,480	13.1
White	1,168,700	12,260	10.5
Colored	695,685	12,220	17.6
Urban	540,749	10,205	18.9
White	384,353	5,676	14.8
Colored	156,396	4,529	29.0
Rural	1,323,636	14,275	10.8
White	784,347	6,584	8.4
Colored	539,289	7,691	14.3
MAINE			
Total	779,900	10,754	13.8
White	777,608	10,716	13.8
Colored	2,292	38	16.6
Urban	228,841	3,403	14.9
White	227,957	3,385	14.8
Colored	884	18	20.4
Rural	551,059	7,351	13.3
White	549,651	7,331	13.3
Colored	1,408	20	14.2
MARYLAND			
Total	1,521,190	20,974	13.8
White	1,270,603	15,915	12.5
Colored	250,587	5,059	20.2
Urban	873,077	12,563	14.4
White	750,200	9,780	13.0
Colored	122,877	2,783	22.6
Rural	648,113	8,411	13.0
White	520,403	6,135	11.8
Colored	127,710	2,276	17.8
MASSACHUSETTS			
Total	[4] 4,102,512	49,358	12.0
White	4,050,509	48,397	11.9
Colored	52,003	961	18.5
Urban	3,318,217	40,113	12.1
White	3,273,084	39,281	12.0
Colored	45,133	832	18.4
Rural	784,295	9,245	11.8
White	777,425	9,116	11.7
Colored	6,870	129	18.8
MICHIGAN			
Total	4,066,223	47,324	11.6
White	3,963,256	45,122	11.4
Colored	102,967	2,202	21.4
Urban	2,259,388	25,211	11.2
White	2,168,602	23,456	10.8
Colored	90,786	1,755	19.3
Rural	1,806,835	22,113	12.2
White	1,794,654	21,666	12.1
Colored	12,181	447	36.7
MINNESOTA			
Total	2,531,473	24,579	9.7
White	2,512,492	24,146	9.6
Colored	18,981	433	22.8
Urban	894,072	10,745	12.0
White	884,573	10,560	11.9
Colored	9,499	185	19.5
Rural	1,637,401	13,834	8.4
White	1,627,919	13,586	8.3
Colored	9,482	248	26.2
MISSISSIPPI			
Total	[5] 1,790,618	21,148	11.8
White	853,962	7,865	9.2
Colored	936,656	13,283	14.2
Urban	145,027	3,203	22.1
White	84,674	1,309	15.5
Colored	60,353	1,894	31.4
Rural	1,645,591	17,945	10.9
White	769,288	6,556	8.5
Colored	876,303	11,389	13.0

(See footnotes at end of table)

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1924—Continued

[See note at head of this table, p. 88]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS: 1924	
		Number	Rate per 1,000 population
MISSOURI			
Total	3,455,376	40,474	11.7
White	3,266,813	36,066	11.0
Colored	188,563	4,408	23.4
Urban	1,437,275	20,042	13.9
White	1,304,005	16,898	13.0
Colored	133,270	3,144	23.6
Rural	2,018,101	20,432	10.1
White	1,962,808	19,168	9.8
Colored	55,293	1,264	22.9
MONTANA			
Total	629,003	4,970	7.9
White	614,764	4,520	7.4
Colored	14,239	450	31.6
Urban	125,692	1,626	12.9
White	124,389	1,580	12.7
Colored	1,303	46	35.3
Rural	503,311	3,344	6.6
White	490,375	2,940	6.0
Colored	12,936	404	31.2
NEBRASKA			
Total	1,344,652	12,388	9.2
White	1,325,073	12,004	9.1
Colored	19,579	384	19.6
Urban	308,988	3,968	12.8
White	294,495	3,724	12.6
Colored	14,493	244	16.8
Rural	1,035,664	8,420	8.1
White	1,030,578	8,280	8.0
Colored	5,086	140	27.5
NEW HAMPSHIRE			
Total	448,882	6,357	14.2
White	448,090	6,347	14.2
Colored	792	10	12.6
Urban	202,829	2,706	13.3
White	202,346	2,702	13.4
Colored	483	4	8.3
Rural	246,053	3,651	14.8
White	245,744	3,645	14.8
Colored	309	6	19.4
NEW JERSEY			
Total	3,442,695	40,840	11.9
White	3,311,116	37,904	11.4
Colored	131,579	2,936	22.3
Urban	2,241,850	26,031	11.6
White	2,152,084	24,004	11.2
Colored	89,766	2,027	22.6
Rural	1,200,845	14,809	12.3
White	1,159,032	13,900	12.0
Colored	41,813	909	21.7
NEW YORK			
Total	[4] 11,030,671	140,205	12.7
White	10,804,211	135,040	12.5
Colored	226,460	5,165	22.8
Urban	8,455,924	106,417	12.6
White	8,273,979	101,873	12.3
Colored	181,945	4,544	25.0
Rural	2,574,747	33,788	13.1
White	2,530,232	33,167	13.1
Colored	44,515	621	14.0
NORTH CAROLINA			
Total	2,722,669	33,238	12.2
White	1,915,079	19,969	10.4
Colored	807,590	13,269	16.4
Urban	393,030	6,390	16.3
White	262,005	3,288	12.5
Colored	131,025	3,102	23.7
Rural	2,329,639	26,848	11.5
White	1,653,074	16,681	10.1
Colored	676,565	10,167	15.0
NORTH DAKOTA			
Total	[4] 642,004	4,852	7.6
White	636,314	4,708	7.4
Colored	5,690	144	25.3
Urban	51,524	658	12.8
White	51,372	654	12.7
Colored	152	4	26.3
Rural	590,480	4,194	7.1
White	584,942	4,054	6.9
Colored	5,538	140	25.3
OHIO			
Total	6,219,330	69,950	11.2
White	5,996,938	65,073	10.9
Colored	222,392	4,877	21.9
Urban	3,597,180	40,083	11.1
White	3,420,442	36,180	10.6
Colored	176,738	3,903	22.1
Rural	2,622,150	29,867	11.4
White	2,576,496	28,893	11.2
Colored	45,654	974	21.3
OREGON			
Total	834,665	9,505	11.4
White	822,013	9,179	11.2
Colored	12,652	326	25.8
Urban	324,528	4,262	13.1
White	319,947	4,129	12.9
Colored	4,581	133	29.0
Rural	510,137	5,243	10.3
White	502,066	5,050	10.1
Colored	8,071	193	23.9
PENNSYLVANIA			
Total	9,208,986	113,321	12.3
White	8,880,027	105,747	11.9
Colored	328,959	7,574	23.0
Urban	4,761,966	63,199	13.3
White	4,499,586	57,127	12.7
Colored	262,380	6,072	23.1
Rural	4,447,020	50,122	11.3
White	4,380,441	48,620	11.1
Colored	66,579	1,502	22.6
RHODE ISLAND			
Total	[4] 668,059	8,337	12.5
White	656,762	8,097	12.3
Colored	11,297	240	21.2
Urban	551,648	7,005	12.7
White	541,756	6,787	12.5
Colored	9,892	218	22.0
Rural	116,411	1,332	11.4
White	115,006	1,310	11.4
Colored	1,405	22	15.7
SOUTH CAROLINA			
Total	1,761,746	22,895	13.0
White	883,141	9,146	10.4
Colored	878,605	13,749	15.6
Urban	187,823	4,034	21.5
White	114,383	1,865	16.3
Colored	73,440	2,169	29.5
Rural	1,573,923	18,861	12.0
White	768,758	7,281	9.5
Colored	805,165	11,580	14.4
TENNESSEE			
Total	2,408,846	28,018	11.6
White	1,966,905	19,456	9.9
Colored	441,941	8,562	19.4
Urban	487,537	9,182	18.8
White	351,629	5,026	14.3
Colored	135,908	4,156	30.6
Rural	1,921,309	18,836	9.8
White	1,615,276	14,430	8.9
Colored	306,033	4,406	14.4
UTAH			
Total	484,645	5,048	10.4
White	476,813	4,884	10.2
Colored	7,832	164	20.9
Urban	175,736	2,275	12.9
White	173,709	2,216	12.8
Colored	2,027	59	29.1
Rural	308,909	2,773	9.0
White	303,104	2,668	8.8
Colored	5,805	105	18.1
VERMONT			
Total	[5] 352,428	4,860	13.8
White	351,817	4,859	13.8
Colored	611	1	1.6
Urban	49,130	787	16.0
White	49,025	786	16.0
Colored	105	1	9.5
Rural	303,298	4,073	13.4
White	302,792	4,073	13.5
Colored	506		
VIRGINIA			
Total	2,423,942	29,175	12.0
White	1,723,638	17,710	10.3
Colored	700,304	11,465	16.4
Urban	636,453	8,466	13.3
White	431,549	4,619	10.7
Colored	204,904	3,847	18.8
Rural	1,787,489	20,709	11.6
White	1,292,089	13,091	10.1
Colored	495,400	7,618	15.4
WASHINGTON			
Total	1,456,106	14,580	10.0
White	1,417,424	13,941	9.8
Colored	38,682	639	16.5
Urban	691,267	7,396	10.7
White	672,176	7,140	10.6
Colored	19,091	256	13.4
Rural	764,839	7,184	9.4
White	745,248	6,801	9.1
Colored	19,591	383	19.5
WISCONSIN			
Total	2,770,291	28,250	10.2
White	2,754,316	27,823	10.1
Colored	15,975	427	26.7
Urban	1,045,056	11,499	11.0
White	1,039,421	11,367	10.9
Colored	5,635	132	23.4
Rural	1,725,235	16,751	9.7
White	1,714,895	16,456	9.6
Colored	10,340	295	28.5
WYOMING			
Total	216,853	2,063	9.5
White	213,241	1,889	8.9
Colored	3,612	174	48.2
Urban	33,039	432	13.1
White	32,408	410	12.7
Colored	631	22	34.9
Rural	183,814	1,631	8.9
White	180,833	1,479	8.2
Colored	2,981	152	51.0

[1] Including District of Columbia.
[2] A list of these cities can be found on p. 7.
[3] Estimates of population based on Federal census, 1920, and State census, 1925. Urban and rural do not add to total, as 1,558 (estimated) Indians and prisoners returned in State total are not distributed by counties.
[4] Estimates of population based on Federal census, 1920, and State census, 1925.
[5] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924

[Populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Minor areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. A detailed explanation of this table is given on p. 17]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA CITIES [1]					
Birmingham	200,785	3,411	17.0	2,897	14.4
White	121,978	1,541	12.6	1,212	9.9
Colored	78,807	1,870	23.7	1,685	21.4
Mobile	65,075	1,043	16.0	729	11.2
White	40,741	550	13.5	335	8.2
Colored	24,334	493	20.3	394	16.2
Montgomery	45,932	824	17.9	747	16.3
White	25,868	331	12.8	269	10.4
Colored	20,064	493	24.6	478	23.8
ARKANSAS CITIES [1]					
Fort Smith	31,139	451	14.5	359	11.5
White	27,949	374	13.4	285	10.2
Colored	3,190	77	24.1	74	23.2
Hot Springs*	[2] 11,695	429	36.7	306	26.2
White	8,883	315	35.5	223	25.1
Colored	2,812	114	40.5	83	29.5
Little Rock*	72,566	1,464	20.2	1,174	16.2
White	54,173	898	16.6	705	13.0
Colored	18,393	566	30.8	469	25.5
North Little Rock	15,396	215	14.0	258	16.8
White	10,249	104	10.1	133	13.0
Colored	5,147	111	21.6	125	24.3
CALIFORNIA CITIES					
Alameda	31,317	317	10.1	311	9.9
Bakersfield	22,878	440	19.2	454	19.8
Berkeley	64,602	632	9.8	563	8.7
Eureka	13,422	257	19.1	261	19.4
Fresno	56,725	562	9.9	591	10.4
Glendale*	19,960	495	24.8	484	24.2
Long Beach	83,106	1,195	14.4	1,084	13.0
Los Angeles	[3]	11,309	[3]	10,700	[3]
White	[3]	10,634	[3]	10,063	[3]
Colored	[3]	675	[3]	637	[3]
Oakland	246,893	2,767	11.2	2,744	11.1
White	232,764	2,630	11.3	2,603	11.2
Colored	14,129	137	9.7	141	10.0
Pasadena	55,110	841	15.3	828	15.0
Pomona	15,032	207	13.8	213	14.2
Richmond	21,496	130	6.0	139	6.5
Riverside	21,254	379	17.8	379	17.8
Sacramento	71,105	1,252	17.6	1,127	15.8
San Bernardino*	22,055	513	23.3	505	22.9
San Diego	96,445	1,664	17.3	1,413	14.7
San Francisco	548,284	7,484	13.6	7,186	13.1
White	531,742	7,075	13.3	6,835	12.9
Colored	16,542	409	24.7	351	21.2
San Jose	42,854	475	11.1	455	10.6
Santa Ana	18,754	322	17.2	327	17.4
Santa Barbara	23,236	282	12.1	283	12.2
Santa Cruz	[2] 10,917	211	19.3	214	19.6
Santa Monica	18,682	396	21.2	396	21.2
Stockton*	46,092	617	13.4	613	13.3
Vallejo	25,635	193	7.5	198	7.7
Venice	13,751	125	9.1	126	9.2
COLORADO CITIES					
Boulder	11,686	167	14.3	144	12.3
Colorado Springs*	[2] 30,105	578	19.2	476	15.8
Denver	276,471	4,122	14.9	3,844	13.9
Greeley	12,245	200	16.3	162	13.2
Pueblo	43,653	555	12.7	510	11.7
Trinidad	10,998	207	18.8	197	17.9
CONNECTICUT CITIES					
Ansonia	18,795	154	8.2	205	10.9
Bridgeport	[3]	1,537	[3]	1,496	[3]
Bristol	23,919	214	8.9	230	9.6
Danbury town	[2] 22,325	319	14.3	268	12.0
Derby	12,278	179	14.6	127	10.3
East Hartford town	13,273	100	7.5	126	9.5

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CONNECTICUT CITIES—con.					
Enfield town	12,646	135	10.7	128	10.1
Fairfield town	13,951	109	7.8	128	9.2
Greenwich town	24,746	262	10.6	236	9.5
Hartford	156,167	1,818	11.6	1,543	9.9
Manchester town	20,562	179	8.7	162	7.9
Meriden	36,014	448	12.4	425	11.8
Middletown town *	22,769	506	22.2	355	15.6
Milford town	12,893	120	9.3	113	8.8
Naugatuck	16,130	89	5.5	128	7.9
New Britain	66,453	638	9.6	660	9.9
New Haven	175,947	2,153	12.2	1,996	11.3
New London	28,482	412	14.5	324	11.4
Norwalk	29,379	367	12.5	348	11.8
Norwich town *	30,364	525	17.3	447	14.7
Orange town	19,089	267	14.0	260	13.6
Stamford town	45,271	535	11.8	531	11.7
Stonington town	10,736	98	9.1	104	9.7
Stratford town	15,421	135	8.8	179	11.6
Torrington town	25,472	241	9.5	249	9.8
Wallingford town	12,406	104	8.4	143	11.5
Waterbury	[3]	1,045	[3]	1,010	[3]
Windham town	14,355	178	12.4	156	10.9
DELAWARE CITIES					
Wilmington	119,888	1,407	11.7	1,384	11.5
White	108,324	1,143	10.6	1,128	10.4
Colored	11,564	264	22.8	256	22.1
DISTRICT OF COLUMBIA					
Washington	486,936	6,553	13.5	6,187	12.7
White	368,915	4,142	11.2	3,881	10.5
Colored	118,021	2,411	20.4	2,306	19.5
FLORIDA CITIES [4]					
Jacksonville	94,974	1,816	19.1	1,515	16.0
White	51,086	772	15.1	572	11.2
Colored	43,888	1,044	23.8	943	21.5
Key West	14,317	229	16.0	225	15.7
White	11,687	155	13.3	152	13.0
Colored	2,630	74	28.1	73	27.8
Miami	64,851	913	14.1	805	12.4
White	44,332	562	12.7	459	10.4
Colored	20,519	351	17.1	346	16.9
Pensacola	26,004	495	19.0	470	18.1
White	17,426	288	16.5	270	15.5
Colored	8,578	207	24.1	200	23.3
St. Petersburg	25,797	499	19.3	277	10.7
White	18,192	380	20.9	167	9.2
Colored	7,605	119	15.6	110	14.5
Tampa	83,271	910	10.9	752	9.0
White	65,966	607	9.2	502	7.6
Colored	17,305	303	17.5	250	14.4
GEORGIA CITIES					
Albany	13,045	166	12.7	160	12.3
White	6,319	67	10.6	56	8.9
Colored	6,726	99	14.7	104	15.5
Athens	18,598	282	15.2	259	13.9
White	11,473	146	12.7	124	10.8
Colored	7,125	136	19.1	135	18.9
Atlanta	[3]	4,215	[3]	4,115	[3]
White	[3]	2,094	[3]	1,952	[3]
Colored	[3]	2,121	[3]	2,163	[3]
Augusta *	54,754	1,062	19.4	948	17.3
White	31,751	467	14.7	392	12.3
Colored	23,003	595	25.9	556	24.2

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA CITIES—con.					
Brunswick	16,373	196	12.0	200	12.2
White	8,522	64	7.5	66	7.7
Colored	7,851	132	16.8	134	17.1
Columbus	33,677	633	18.8	591	17.5
White	24,598	352	14.3	321	13.0
Colored	9,079	281	31.0	270	29.7
La Grange	22,344	279	12.5	255	11.4
White	16,606	154	9.3	145	8.7
Colored	5,738	125	21.8	110	19.2
Macon	57,284	1,089	19.0	1,018	17.8
White	32,531	436	13.4	383	11.8
Colored	24,753	653	26.4	635	25.7
Rome	13,786	279	20.2	258	18.7
White	10,656	185	17.4	165	15.5
Colored	3,130	94	30.0	93	29.7
Savannah *	91,218	1,622	17.8	1,494	16.4
White	49,480	594	12.0	507	10.2
Colored	41,738	1,028	24.6	987	23.6
Valdosta	12,232	181	14.8	166	13.6
White	5,951	60	10.1	51	8.6
Colored	6,281	121	19.3	115	18.3
Waycross	19,729	323	16.4	268	13.6
White	8,325	160	19.2	115	13.8
Colored	11,404	163	14.3	153	13.4
IDAHO CITIES					
Boise	22,924	326	14.2	334	14.6
Pocatello	17,730	260	14.7	262	14.8
ILLINOIS CITIES					
Alton	26,412	385	14.6	375	14.2
Aurora	39,652	499	12.6	460	11.6
Belleville	26,588	332	12.5	291	10.9
Berwyn	18,000	128	7.1	174	9.7
Bloomington	30,140	406	13.5	371	12.3
Blue Island	12,882	182	14.1	172	13.4
Cairo	15,505	275	17.7	231	14.9
White	10,690	157	14.7	122	11.4
Colored	4,815	118	24.5	109	22.6
Canton	11,009	161	14.6	140	12.7
Centralia	13,792	165	12.0	134	9.7
Champaign	17,856	216	12.1	210	11.8
Chicago	2,942,605	32,915	11.2	32,968 [5]	11.2
White	2,799,340	29,449	10.5	29,423 [5]	10.5
Colored	143,265	3,466	24.2	3,545	24.7
Chicago Heights	21,669	199	9.2	221	10.2
Cicero	59,103	282	4.8	338	5.7
Danville	36,413	519	14.3	428	11.8
Decatur	52,899	609	11.5	563	10.6
East St. Louis	70,576	840	11.9	835	11.8
White	62,389	611	9.8	604	9.7
Colored	8,187	229	28.0	231	28.2
Elgin *	28,139	605	21.5	546	19.4
Evanston	42,674	476	11.2	441	10.3
Forest Park	12,703	114	9.0	136	10.7
Freeport	20,502	311	15.2	249	12.1
Galesburg	24,642	344	14.0	307	12.5
Granite City	16,728	204	12.2	180	10.8
Herrin	12,898	143	11.1	134	10.4
Jacksonville *	15,891	518	32.6	434	27.3
Joliet	40,189	477	11.9	452	11.2
Kankakee	18,185	255	14.0	239	13.1
Kewanee	19,415	195	10.0	189	9.7
La Salle	13,751	161	11.7	153	11.1
Lincoln *	12,341	198	16.0	182	14.7
Mattoon	14,523	228	15.7	225	15.5
Maywood	13,850	103	7.4	145	10.5
Moline	33,332	311	9.3	290	8.7

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS CITIES—con.					
Murphysboro	12,193	146	12.0	130	10.7
White	10,893	128	11.8	113	10.4
Colored	1,300	18	13.8	17	13.1
Oak Park	49,320	708	14.4	555	11.3
Ottawa	11,410	155	13.6	142	12.4
Pekin	13,099	164	12.5	169	12.9
Peoria	80,619	1,102	13.7	963	11.9
Quincy	[6] 37,478	536	14.3	475	12.7
Rock Island	39,183	343	8.8	338	8.6
Rockford	74,353	678	9.1	652	8.8
Springfield	62,715	969	15.5	772	12.3
Streator	15,022	222	14.8	182	12.1
Urbana	11,147	147	13.2	134	12.0
Waukegan	20,689	211	10.2	195	9.4
INDIANA CITIES					
Anderson	33,111	400	12.1	392	11.8
Bloomington	12,408	170	13.7	171	13.8
Clinton	13,154	110	8.4	124	9.4
Crawfordsville	10,459	172	16.4	178	17.0
East Chicago	43,832	450	10.3	466	10.6
Elkhart	26,590	296	11.1	286	10.8
Elwood	[6] 10,890	127	11.7	129	11.8
Evansville	92,085	1,098	11.9	1,069	11.6
Fort Wayne	95,697	1,061	11.1	940	9.8
Frankfort	12,784	156	12.2	155	12.1
Gary	72,962	945	13.0	887	12.2
Hammond	48,497	439	9.1	440	[5] 9.1
Huntington	15,566	176	11.3	183	11.8
Indianapolis	351,073	4,597	13.1	4,492	12.8
White	310,290	3,821	12.3	3,698	11.9
Colored	40,783	776	19.0	794	19.5
Jeffersonville	[2] 10,098	154	15.3	154	15.3
White	8,683	127	14.6	127	14.6
Colored	1,415	27	19.1	27	19.1
Kokomo	35,710	378	10.6	368	10.3
Lafayette	23,553	448	19.0	341	14.5
La Porte	17,107	204	11.9	202	11.8
Logansport	22,875	251	11.0	245	10.7
Marion	25,814	308	11.9	304	11.8
Michigan City	19,655	287	14.6	290	14.8
Mishawaka	16,402	254	15.5	243	14.8
Muncie	41,406	500	12.1	490	11.8
New Albany	[2] 22,992	314	13.7	295	12.8
New Castle	16,501	153	9.3	154	[5] 9.3
Peru	12,633	161	12.7	162	12.8
Richmond	29,038	297	10.2	311	10.7
South Bend	78,475	939	12.0	953	12.1
Terre Haute	70,255	978	13.9	895	12.7
Vincennes	18,069	301	16.7	287	15.9
Whiting	11,792	82	7.0	108	9.2
IOWA CITIES [4]					
Boone	12,775	136	10.6	140	11.0
Burlington	26,143	337	12.9	296	11.3
Cedar Rapids	50,062	520	10.4	478	9.5
Clinton	26,208	349	13.3	340	13.0
Council Bluffs	39,431	528	13.4	484	12.3
Davenport	52,895	660	12.5	616	11.6
Des Moines	139,943	1,505	10.8	1,372	9.8
Dubuque	40,811	601	14.7	543	13.3
Fort Dodge	21,467	218	10.2	202	9.4
Fort Madison	11,313	162	14.3	154	13.6
Iowa City *	14,886	374	25.1	218	14.6
Keokuk	14,493	251	17.3	215	14.8
Marshalltown	16,754	288	17.2	276	16.5
Mason City	22,420	255	11.4	240	10.7
Muscatine	16,745	250	14.9	225	13.4
Ottumwa	26,037	349	13.4	315	12.1
Sioux City	75,892	843	11.1	685	9.0
Waterloo	36,716	390	10.6	385	10.5
KANSAS CITIES [4]					
Arkansas City	13,654	195	14.3	176	12.9
Atchison	14,718	192	13.0	189	12.8
White	12,971	158	12.2	156	12.0
Colored	1,747	34	19.5	33	18.9
Chanute	9,889	143	14.5	136	13.8
Coffeyville	15,870	173	10.9	176	11.1
White	14,079	142	10.1	142	10.1
Colored	1,791	31	17.3	34	19.0
El Dorado	9,693	102	10.5	113	11.7
Emporia	12,124	209	17.2	191	15.8
Fort Scott	11,625	206	17.7	183	15.7
Hutchinson	25,625	258	10.1	231	9.0
Independence	11,045	139	12.6	134	12.1
Kansas City	115,639	1,530	13.2	1,418	12.3
White	99,096	1,173	11.8	1,069	10.8
Colored	16,543	357	21.6	349	21.1
Lawrence	12,357	190	15.4	192	15.5
White	10,172	165	16.2	168	16.5
Colored	2,185	25	11.4	24	11.0
Leavenworth	20,376	295	14.5	289	14.2
White	17,977	242	13.5	236	13.1
Colored	2,399	53	22.1	53	22.1
Parsons	14,993	176	11.7	168	11.2
Pittsburg	19,036	215	11.3	211	11.1
Salina	15,567	218	14.0	174	11.2
Topeka	53,877	775	14.4	691	12.8
Wichita	86,294	1,012	11.7	856	9.9
KENTUCKY CITIES [7]					
Ashland	23,512	280	11.9	------	------
Covington	58,093	819	14.1	------	------
Henderson	12,500	226	18.1	------	------
White	9,554	145	15.2	------	------
Colored	2,946	81	27.5	------	------
Lexington *	44,284	1,014	22.9	------	------
White	31,232	657	21.0	------	------
Colored	13,052	357	27.4	------	------
Louisville	293,440	3,947	13.5	------	------
White	248,229	2,970	12.0	------	------
Colored	45,211	977	21.6	------	------
Newport	[2] 29,317	308	10.5	------	------
Owensboro	21,846	374	17.1	------	------
White	18,987	312	16.4	------	------
Colored	2,859	62	21.7	------	------
Paducah	25,649	418	16.3	------	------
White	20,278	274	13.5	------	------
Colored	5,371	144	26.8	------	------
LOUISIANA CITIES					
Alexandria	20,080	364	18.1	316	15.7
White	11,454	163	14.2	121	10.6
Colored	8,626	201	23.3	195	22.6
Baton Rouge	26,973	304	11.3	325	12.0
White	17,318	149	8.6	147	8.5
Colored	9,655	155	16.1	178	18.4
Lake Charles	13,846	215	15.5	189	13.7
White	9,358	117	12.5	89	9.5
Colored	4,488	98	21.8	100	22.3
Monroe	14,093	377	26.8	363	25.8
White	8,325	157	18.9	153	18.4
Colored	5,768	220	38.1	210	36.4
New Orleans	409,534	7,600	18.6	6,681	16.3
White	302,841	4,528	15.0	4,020	13.3
Colored	106,693	3,072	28.8	2,661	24.9
Shreveport*	56,223	1,345	23.9	905	16.1
White	35,057	562	16.0	394	11.2
Colored	21,166	783	37.0	511	24.1
MAINE CITIES					
Auburn	17,875	188	10.5	217	12.1
Augusta *	14,532	332	22.8	321	22.1
Bangor *	26,523	514	19.4	433	16.3
Bath	17,202	151	8.8	156	9.1
Biddeford	18,436	271	14.7	242	13.1
MAINE CITIES—con.					
Lewiston	34,361	569	16.6	476	13.9
Portland	74,231	1,062	14.3	908	12.2
Sanford town	11,452	111	9.7	112	9.8
Waterville	14,229	205	14.4	194	13.6
MARYLAND CITIES					
Annapolis	12,375	147	11.9	159	12.8
White	9,539	81	8.5	90	9.4
Colored	2,836	66	23.3	69	24.3
Baltimore	784,938	11,310	14.4	10,490	13.4
White	669,153	8,672	13.0	8,001	12.0
Colored	115,785	2,638	22.8	2,489	21.5
Cumberland	33,051	460	13.9	422	12.8
Frederick	11,968	245	20.5	247	20.6
White	10,773	222	20.6	220	20.4
Colored	1,195	23	19.2	27	22.6
Hagerstown	30,745	401	13.0	409	13.3
MASSACHUSETTS CITIES [4]					
Adams town	13,444	123	9.1	121	9.0
Amesbury town	11,058	116	10.5	141	12.8
Arlington town	24,046	253	10.5	253	10.5
Attleboro	20,495	254	12.4	225	11.0
Belmont town	14,610	115	7.9	134	9.2
Beverly	22,667	267	11.8	261	11.5
Boston	775,110	10,940	14.1	9,899	12.8
White	756,899	10,551	13.9	9,488	12.5
Colored	18,211	389	21.4	411	22.6
Braintree town	12,820	159	12.4	127	9.9
Brockton	65,475	721	11.0	695	10.6
Brookline town	41,974	447	10.6	452	10.8
Cambridge	118,244	1,435	12.1	1,465	12.4
Chelsea	46,666	569	12.2	585	12.5
Chicopee	41,070	351	8.5	416	10.1
Clinton town	14,006	158	11.3	160	11.4
Danvers town*	11,698	294	25.1	313	26.8
Dedham town	13,470	108	8.0	138	10.2
Easthampton town	11,540	101	8.8	123	10.7
Everett	41,792	325	7.8	443	10.6
Fall River	127,775	1,600	12.5	1,571	12.3
Fitchburg	43,239	503	11.6	499	11.5
Framingham town	20,495	269	13.1	224	10.9
Gardner town	18,479	241	13.0	222	12.0
Gloucester	23,313	299	12.8	303	13.0
Greenfield town	15,277	162	10.6	144	9.4
Haverhill	49,897	643	12.9	632	12.7
Holyoke	60,316	804	13.3	737	12.2
Lawrence	93,635	1,054	11.3	1,089	11.6
Leominster	21,779	256	11.8	265	12.2
Lowell	110,648	1,548	14.0	1,581	14.3
Lynn	102,519	1,159	11.3	1,189	11.6
Malden	51,403	513	10.0	555	10.8
Marlborough	16,063	168	10.5	168	10.5
Medford	46,400	438	9.4	518	11.2
Melrose	19,884	231	11.6	222	11.2
Methuen	20,047	210	10.5	219	10.9
Milford town	14,592	191	13.1	160	11.0
Natick town	12,590	161	12.8	164	13.0
New Bedford	119,781	1,350	11.3	1,345	11.2
Newburyport	15,650	247	15.8	222	14.2
Newton	52,008	508	9.8	505	9.7
North Adams	22,653	285	12.6	275	12.1
Northampton*	23,832	400	16.8	348	14.6
Northbridge town	10,045	90	9.0	89	8.9
Norwood town	13,932	134	9.6	134	9.6
Peabody	19,824	240	12.1	248	12.5
Pittsfield	46,146	573	12.4	477	10.3
Plymouth town	13,182	161	12.2	93	7.1
Quincy	58,314	484	8.3	543	9.3
Revere	32,627	191	5.9	306	9.4
Salem	42,777	517	12.1	486	11.4
Saugus town	12,476	97	7.8	118	9.5
Somerville	98,181	981	10.0	1,148	11.7

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MASSACHUSETTS CITIES—continued					
Southbridge town	15,312	135	8.8	149	9.7
Springfield	140,284	1,691	12.1	1,553	11.1
Taunton*	38,951	580	14.9	596	15.3
Wakefield town	15,239	139	9.1	176	11.5
Waltham	34,197	388	11.3	385	[5]11.3
Watertown town	24,904	143	5.7	215	8.6
Webster town	13,370	93	7.0	98	7.3
Westfield	19,516	255	13.1	218	11.2
West Springfield town	15,055	126	8.4	149	9.9
Weymouth town	16,938	167	9.9	159	9.4
Winchester town	11,409	121	10.6	112	9.8
Winthrop town	16,059	166	10.3	188	11.7
Woburn	18,113	200	11.0	211	11.6
Worcester	189,184	2,465	13.0	2,308	12.2
MICHIGAN CITIES					
Adrian	12,393	193	15.6	196	15.8
Alpena	[2]11,101	165	14.9	167	15.0
Ann Arbor*	21,694	645	29.7	340	15.7
Battle Creek	41,214	542	13.2	472	11.5
Bay City	48,661	615	12.6	588	12.1
Benton Harbor	13,645	222	16.3	212	15.5
Detroit	1,194,114	12,841	10.8	12,878	[6]10.8
White	1,119,090	11,400	10.2	11,421	[6]10.2
Colored	75,024	1,441	19.2	1,457	19.4
Escanaba	[2]13,103	194	14.8	177	13.5
Flint	124,142	951	7.7	974	7.8
Grand Rapids	148,322	1,530	10.3	1,554	10.5
Hamtramck	75,710	410	5.4	452	6.0
Highland Park	67,600	553	8.2	541	8.0
Holland	12,966	130	10.0	131	10.1
Ironwood	17,090	195	11.4	184	10.8
Ishpeming	[2]10,500	121	11.5	119	11.3
Jackson	56,227	653	11.6	621	11.0
Kalamazoo*	52,681	873	16.6	777	14.7
Lansing	68,312	732	10.7	711	10.4
Marquette	13,281	186	14.0	177	13.3
Monroe	13,742	156	11.4	177	12.9
Muskegon	41,903	512	12.2	491	11.7
Owosso	13,934	189	13.6	184	13.2
Pontiac*	43,422	622	14.3	577	13.3
Port Huron	29,225	418	14.3	418	14.3
Saginaw	70,927	886	12.5	879	12.4
Sault Ste. Marie	[2]12,096	141	11.7	141	11.7
Traverse City*	[2]10,925	330	30.2	324	29.7
Wyandotte	22,930	206	9.0	208	9.1
MINNESOTA CITIES					
Austin	11,581	113	9.8	102	8.8
Duluth	108,395	1,045	9.6	964	8.9
Faribault*	12,057	200	16.6	182	15.1
Hibbing	17,543	140	8.0	135	7.7
Mankato	13,442	199	14.8	156	11.6
Minneapolis	417,280	4,689	11.2	4,235	10.1
Rochester*	16,445	834	50.7	259	15.7
St. Cloud	18,317	212	11.6	183	10.0
St. Paul	243,946	2,928	12.0	2,619	10.7
Virginia	15,665	121	7.7	115	7.3
Winona	19,401	264	13.6	260	13.4
MISSISSIPPI CITIES					
Biloxi	12,274	204	16.6	197	16.1
White	10,575	162	15.3	156	14.8
Colored	1,699	42	24.7	41	24.1
Columbus	11,202	172	15.4	171	15.3
White	5,080	50	9.8	51	10.0
Colored	6,122	122	19.9	120	19.6
Greenville	14,964	357	23.9	320	21.4
White	6,067	119	19.6	100	16.5
Colored	8,897	238	26.8	220	24.7
Hattiesburg	13,936	230	16.5	210	15.1
White	8,746	114	13.0	101	11.5
Colored	5,190	116	22.4	109	21.0
MISSISSIPPI CITIES—continued					
Jackson*	23,538	573	24.3	459	19.5
White	13,888	237	17.1	193	13.9
Colored	9,650	336	34.8	266	27.6
Laurel	15,063	253	16.8	205	13.6
White	9,163	146	15.9	116	12.7
Colored	5,900	107	18.1	89	15.1
Meridian*	24,146	435	18.0	406	16.8
White	15,975	189	11.8	163	10.2
Colored	8,171	246	30.1	243	29.7
Natchez	12,986	280	21.6	273	21.0
White	6,134	91	14.8	83	13.5
Colored	6,852	189	27.6	190	27.7
Vicksburg*	[2]18,072	699	38.7	590	32.6
White	8,920	201	22.5	178	20.0
Colored	9,152	498	54.4	412	45.0
MISSOURI CITIES					
Cape Girardeau	11,075	220	19.9	204	18.4
Carthage	10,378	154	14.8	155	14.9
Columbia	10,590	194	18.3	196	18.5
White	8,835	136	15.4	138	15.6
Colored	1,755	58	33.0	58	33.0
Hannibal	19,752	329	16.7	315	15.9
Independence	12,532	215	17.2	213	17.0
Jefferson City	15,597	213	13.7	219	14.0
White	13,594	187	13.8	192	14.1
Colored	2,003	26	13.0	27	13.5
Joplin	[2]29,902	484	16.2	475	15.9
Kansas City	359,650	4,825	13.4	4,593	12.8
White	325,424	3,989	12.3	3,744	11.5
Colored	34,226	836	24.4	849	24.8
Moberly	13,681	193	14.1	181	13.2
St. Joseph	78,287	1,259	16.1	1,104	14.1
St. Louis	812,698	10,993	13.5	10,566	13.0
White	730,484	9,074	12.4	8,671	11.9
Colored	82,214	1,919	23.3	1,895	23.0
Sedalia	22,454	260	11.6	266	11.8
Springfield	41,684	703	16.9	643	15.4
MONTANA CITIES					
Anaconda	12,379	122	9.9	132	10.7
Billings	17,449	214	12.3	215	[6]12.3
Butte	42,638	585	13.7	604	14.2
Great Falls	28,835	309	10.7	297	10.3
Helena	[2]12,037	182	15.1	180	15.0
Missoula	[2]12,668	214	16.9	203	16.0
NEBRASKA CITIES					
Grand Island	15,301	269	17.6	245	16.0
Hastings	12,716	188	14.8	184	14.5
Lincoln	59,851	725	12.1	610	10.2
North Platte	13,095	136	10.4	133	10.2
Omaha	208,025	2,650	12.7	2,363	11.4
White	195,095	2,421	12.4	2,132	10.9
Colored	12,930	229	17.7	231	17.9
NEW HAMPSHIRE CITIES					
Berlin	18,107	186	10.3	175	9.7
Concord*	22,477	428	19.0	420	18.7
Dover	[2]13,029	187	14.4	186	14.3
Keene	11,737	191	16.3	169	14.4
Laconia	11,226	185	16.5	170	15.1
Manchester	82,240	979	11.9	1,014	12.3
Nashua	29,478	367	12.4	353	12.0
Portsmouth	14,634	183	12.5	190	13.0
NEW JERSEY CITIES					
Asbury Park	13,442	145	10.8	181	13.5
White	10,184	107	10.5	134	13.2
Colored	3,258	38	11.7	47	14.4
Atlantic City	52,818	984	18.6	772	14.6
White	41,287	744	18.0	533	12.9
Colored	11,531	240	20.8	239	20.7
NEW JERSEY CITIES—continued					
Bayonne	86,582	729	8.4	786	9.1
Belleville*	18,333	240	13.1	210	11.5
Bloomfield	25,239	180	7.1	254	10.1
Bridgeton	14,375	220	15.3	193	13.4
Camden	126,399	1,744	13.8	1,524	12.1
Carteret	13,485	88	6.5	119	8.8
Clifton	33,238	230	6.9	289	8.7
East Orange	58,284	365	6.3	542	9.3
Elizabeth	[3]	1,160	[3]	1,058	[3]
Englewood	12,415	247	19.9	149	12.0
Garfield	23,630	161	6.8	200	8.5
Gloucester	13,414	135	10.1	124	9.2
Hackensack	19,342	382	19.7	246	12.7
Harrison	16,288	143	8.8	197	12.1
Hoboken	[2]68,166	952	14.0	851	12.5
Irvington	31,785	282	8.9	308	9.7
Jersey City	312,157	3,821	12.2	3,915	12.5
Kearny	30,460	305	10.0	314	10.3
Long Branch	13,623	395	29.0	207	15.2
Millville	15,729	171	10.9	172	[6]10.9
Montclair	32,174	230	7.1	293	9.1
White	28,213	204	7.2	238	8.4
Colored	3,961	26	6.6	55	13.9
Morristown*	12,566	286	22.8	169	13.4
Newark	445,606	4,982	11.2	4,873	10.9
White	424,792	4,428	10.4	4,315	10.2
Colored	20,814	554	26.6	558	26.8
New Brunswick	37,037	527	14.2	423	11.4
Orange	35,004	525	15.0	374	10.7
White	30,833	438	14.2	288	9.3
Colored	4,171	87	20.9	86	20.6
Passaic	68,045	624	9.2	534	7.8
Paterson	140,637	1,706	12.1	1,562	11.1
Perth Amboy	46,149	485	10.5	471	10.2
Phillipsburg	18,322	211	11.5	208	11.4
Plainfield	31,012	426	13.7	341	11.0
Rahway	11,831	129	10.9	124	10.5
Summit	11,412	170	14.9	132	11.6
Trenton	129,705	1,872	14.4	1,738	13.4
Union City [5]	62,682	445	7.1	602	9.6
West New York	37,511	201	5.4	327	8.7
West Orange	17,701	133	7.5	164	9.3
NEW MEXICO CITIES [1]					
Albuquerque*	17,074	485	28.4	331	19.4
NEW YORK CITIES [4]					
Albany	117,061	1,827	15.6	1,696	14.5
Amsterdam	34,964	402	11.5	378	10.8
Auburn	35,764	467	13.1	457	12.8
Batavia	15,274	232	15.2	205	13.4
Beacon*	11,515	188	16.3	177	15.4
Binghamton*	71,048	1,072	15.1	1,041	14.7
Buffalo	532,727	6,955	13.1	6,666	12.5
Cohoes	23,284	291	12.5	305	13.1
Corning	15,739	221	14.0	200	12.7
Cortland	13,780	263	19.1	230	16.7
Dunkirk	19,813	271	13.7	252	12.7
Elmira	47,855	657	13.7	613	12.8
Fulton	12,651	160	12.6	157	12.4
Geneva	15,694	216	13.8	220	14.0
Glens Falls	17,645	316	17.9	281	15.9
Gloversville	22,103	366	16.6	344	15.6
Herkimer	10,832	133	12.3	146	13.5
Hornell	15,655	195	12.5	184	11.8
Hudson	11,753	227	19.3	195	16.6
Ilion	10,382	164	15.8	162	15.6
Ithaca	18,618	307	16.5	274	14.7
Jamestown	42,652	538	12.6	486	11.4
Johnstown	10,746	131	12.2	146	13.6
Kingston	27,859	512	18.4	453	16.3

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK CITIES—continued					
Lackawanna *	19,810	283	14.3	257	13.0
Little Falls	12,529	175	14.0	176	[5]14.0
Lockport	21,613	301	13.9	308	14.3
Middletown *	20,075	440	21.9	405	20.2
Mount Vernon	49,085	444	9.0	487	9.9
New Rochelle	42,864	387	9.0	404	9.4
New York	5,830,486	71,306	12.2	71,021	[5]12.2
Bronx Borough	848,449	7,894	9.3	7,808	9.2
Brooklyn Borough	2,171,947	24,577	11.3	24,742	11.4
White	2,136,001	23,768	11.1	23,939	11.2
Colored	35,946	809	22.5	803	22.3
Manhattan Borough	2,002,412	30,594	15.3	30,261	15.1
White	1,901,420	27,933	14.7	27,586	14.5
Colored	100,992	2,661	26.3	2,675	26.5
Queens Borough	673,082	6,513	9.7	6,500	[5]9.7
Richmond Borough	134,596	1,728	12.8	1,710	12.7
Newburgh	30,409	477	15.7	431	14.2
Niagara Falls	55,971	564	10.1	584	10.4
North Tonawanda	17,039	201	11.8	208	12.2
Ogdensburg *	16,634	455	27.4	388	23.3
Olean	21,191	284	13.4	244	11.5
Oneida	10,636	162	15.2	142	13.4
Oneonta	11,976	193	16.1	161	13.4
Ossining	12,424	175	14.1	172	13.8
Oswego	22,582	298	13.2	301	13.3
Peekskill	17,632	191	10.8	195	11.1
Plattsburg	11,442	239	20.9	176	15.4
Port Chester	18,823	205	10.9	210	11.2
Port Jervis	10,450	190	18.2	168	16.1
Poughkeepsie	35,555	507	14.3	474	13.3
Rensselaer	11,297	106	9.4	129	11.4
Rochester	313,398	3,623	11.6	3,539	11.3
Rome *	29,653	499	16.8	442	14.9
Saratoga Springs	13,765	280	20.3	251	18.2
Schenectady	92,623	1,005	10.9	942	10.2
Syracuse	180,363	2,259	12.5	2,196	12.2
Tonawanda	11,085	104	9.4	123	11.1
Troy	72,186	1,321	18.3	1,169	16.2
Utica *	100,817	1,572	15.6	1,520	15.1
Watertown	32,572	535	16.4	474	14.6
Watervliet	16,143	168	10.4	220	13.6
White Plains	26,346	269	10.2	261	9.9
Yonkers	111,368	1,088	9.8	1,131	10.2
NORTH CAROLINA CITIES					
Asheville*	30,934	742	24.0	660	21.3
White	23,468	525	22.4	453	19.3
Colored	7,466	217	29.1	207	27.7
Charlotte	52,049	816	15.7	770	14.8
White	36,065	420	11.6	380	10.5
Colored	15,984	396	24.8	390	24.4
Durham	23,330	414	17.7	403	17.3
White	15,308	135	8.8	137	8.9
Colored	8,022	279	34.8	266	33.2
Gastonia	16,166	175	10.8	173	10.7
White	13,366	122	9.1	120	9.0
Colored	2,800	53	18.9	53	18.9
Goldsboro*	13,700	241	17.6	241	17.6
White	7,721	88	11.4	87	11.3
Colored	5,979	153	25.6	154	25.8
Greensboro	45,529	537	11.8	518	11.4
White	33,691	323	9.6	303	9.0
Colored	11,838	214	18.1	215	18.2
High Point	23,038	328	14.2	327	[5]14.2
White	18,987	253	13.3	253	13.3
Colored	4,051	75	18.5	74	18.3
New Bern	12,214	224	18.3	218	17.8
White	5,537	66	11.9	62	11.2
Colored	6,677	158	23.7	156	23.4
NORTH CAROLINA CITIES—continued					
Raleigh*	29,771	616	20.7	592	19.9
White	19,738	353	17.9	344	17.4
Colored	10,033	263	26.2	248	24.7
Rocky Mount	14,683	278	18.9	252	17.2
White	9,428	133	14.1	115	12.2
Colored	5,255	145	27.6	137	26.1
Salisbury	17,003	182	10.7	178	10.5
White	12,901	112	8.7	110	8.5
Colored	4,102	70	17.1	68	16.6
Wilmington	36,390	571	15.7	532	14.6
White	22,529	250	11.1	221	9.8
Colored	13,861	321	23.2	311	22.4
Wilson	12,417	218	17.6	218	17.6
White	6,176	74	12.0	78	12.6
Colored	6,241	144	23.1	140	22.4
Winston-Salem	65,806	1,048	15.9	1,033	15.7
White	37,090	434	11.7	422	11.4
Colored	28,716	614	21.4	611	21.3
NORTH DAKOTA CITIES [4]					
Fargo	24,519	337	13.7	192	7.8
Grand Forks	15,013	164	10.9	126	8.4
Minot	11,992	157	13.1	115	9.6
OHIO CITIES					
Akron	(3)	1,537	(3)	1,520	(3)
Alliance	24,365	258	10.6	246	10.1
Ashtabula	24,681	282	11.4	278	11.3
Barberton	22,472	223	9.9	224	10.0
Bellaire	16,040	192	12.0	194	12.1
Bucyrus	11,492	126	11.0	130	11.3
Cambridge	13,860	182	13.1	183	13.2
Canton	102,754	1,040	10.1	1,030	10.0
Chillicothe	16,443	233	14.2	236	14.4
Cincinnati	407,835	6,218	15.2	5,937	14.6
White	373,593	5,305	14.2	5,030	13.5
Colored	34,242	913	26.7	907	26.5
Cleveland	912,502	9,295	10.2	9,112	10.0
White	865,380	8,148	9.4	7,972	9.2
Colored	47,122	1,147	24.3	1,140	24.2
Cleveland Heights	20,929	179	8.6	184	8.8
Columbus	268,209	3,532	13.2	3,200	11.9
White	241,364	3,055	12.7	2,727	11.3
Colored	26,845	477	17.8	473	17.6
Coshocton	11,424	137	12.0	142	12.4
Cuyahoga Falls	13,063	97	7.4	112	8.6
Dayton	169,236	1,837	10.9	1,740	10.3
East Cleveland	35,686	227	6.4	226	6.3
East Liverpool	21,884	309	14.1	294	13.4
East Youngstown	15,340	120	7.8	131	8.5
Elyria	23,276	260	11.2	249	10.7
Findlay	18,023	245	13.6	235	13.0
Fremont	13,638	120	8.8	122	8.9
Hamilton	41,911	531	12.7	511	12.2
Ironton	14,403	228	15.8	216	15.0
Kenmore	18,236	80	4.4	95	5.2
Lakewood	54,039	398	7.4	396	7.3
Lancaster	15,854	228	14.4	225	14.2
Lima	45,737	569	12.4	555	12.1
Lorain	41,393	422	10.2	418	10.1
Mansfield	31,093	332	10.7	325	10.5
Marietta	15,239	222	14.6	219	14.4
Marion	31,671	322	10.2	315	9.9
Martins Ferry	15,291	207	13.5	204	13.3
Massillon	18,981	247	13.0	217	11.4
Middletown	29,701	290	9.8	288	9.7
New Philadelphia	11,777	111	9.4	113	9.6
Newark	30,326	379	12.5	366	12.1
Niles	16,114	93	5.8	106	6.6
Norwood	29,034	187	6.4	211	7.3
Piqua	15,809	238	15.1	228	14.4
Portsmouth	38,367	522	13.6	504	13.1
OHIO CITIES—continued					
Salem	10,935	170	15.5	131	12.0
Sandusky	24,243	315	13.0	306	12.6
Springfield	67,291	813	12.1	795	11.8
White	59,278	693	11.7	677	11.4
Colored	8,013	120	15.0	118	14.7
Steubenville	31,343	475	15.2	422	13.5
Tiffin	15,338	210	13.7	202	13.2
Toledo	280,359	3,293	11.7	3,174	11.3
Warren	33,292	399	12.0	394	11.8
Youngstown	155,153	1,667	10.7	1,623	10.5
Zanesville	30,283	486	16.0	458	15.1
OKLAHOMA CITIES [1]					
Oklahoma City	(3)	1,167	(3)	1,041	(3)
OREGON CITIES					
Astoria	16,079	157	9.8	144	9.0
Eugene	11,107	231	20.8	171	15.4
Portland	278,002	3,240	11.7	2,883	10.4
Salem (exclusive of State institutions)	19,340	283	32.8	250	31.1
		351		351	
PENNSYLVANIA CITIES					
Allentown	89,740	1,178	13.1	1,159	12.9
Altoona	65,303	720	11.0	698	10.7
Ambridge	16,218	90	5.5	99	6.1
Beaver Falls	13,084	217	16.6	220	16.8
Berwick	14,025	144	10.3	148	10.6
Bethlehem	61,228	466	7.6	471	7.7
Braddock	21,582	391	18.1	364	16.9
Bradford	15,746	251	15.9	259	16.4
Bristol	12,744	133	10.4	138	10.8
Butler	24,966	269	10.8	265	10.6
Canonsburg	12,968	126	9.7	130	10.0
Carbondale	19,380	292	15.1	282	14.6
Carlisle	11,275	204	18.1	207	18.4
Carnegie	12,214	102	8.4	126	10.3
Carrick	12,537	98	7.8	107	8.5
Chambersburg	13,806	191	13.8	192	13.9
Charleroi	12,396	103	8.3	107	8.6
Chester	66,602	684	10.3	682	10.2
White	58,324	535	9.2	535	9.2
Colored	8,278	149	18.0	147	17.8
Coatesville	16,104	115	7.1	121	7.5
White	14,055	106	7.5	109	7.8
Colored	2,049	9	4.4	12	5.9
Columbia	[2]10,836	157	14.5	159	14.7
Connellsville	14,248	174	12.2	170	11.9
Dickson City	11,846	92	7.8	98	8.3
Donora	16,503	120	7.3	130	7.9
Du Bois	14,170	172	12.1	157	11.1
Dunmore	21,470	255	11.9	264	12.3
Duquesne	20,532	185	9.0	193	9.4
Easton	36,265	618	17.0	588	16.2
Erie	(3)	1,271	(3)	1,285	(3)
Farrell	18,119	166	9.2	172	9.5
Greensburg	15,870	272	17.1	264	16.6
Harrisburg	82,275	1,177	14.3	1,164	14.1
Hazleton	35,440	441	12.4	415	11.7
Homestead	21,258	311	14.6	324	15.2
Jeannette	11,539	86	7.5	90	7.8
Johnstown	70,720	933	13.2	894	12.6
Lancaster	55,895	959	17.2	965	17.3
Lebanon	25,104	411	16.4	411	16.4
McKeesport	48,676	798	16.4	794	16.3
McKees Rocks	17,870	144	8.1	167	9.3
Mahanoy City	[2]15,599	172	11.0	186	11.9
Meadville	15,396	217	14.1	219	14.2
Monessen	20,655	176	8.5	188	9.1
Mount Carmel	[2]17,469	206	11.8	220	12.6

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
PENNSYLVANIA CITIES—continued					
Nanticoke	24,347	345	14.2	342	14.0
New Castle	48,950	600	12.3	603	[5] 12.3
New Kensington	13,971	203	14.5	202	[5] 14.5
Norristown*	34,378	694	20.2	666	19.4
North Braddock	16,365	131	8.0	146	8.9
Oil City	22,899	265	11.6	265	11.6
Old Forge	12,661	156	12.3	157	12.4
Olyphant	11,037	84	7.6	89	8.1
Philadelphia	1,951,076	25,263	12.9	25,683	13.2
White	1,792,318	21,776	12.1	22,153	12.4
Colored	158,758	3,487	22.0	3,530	22.2
Phoenixville	[2] 10,484	190	18.1	193	18.4
Pittsburgh	626,015	9,720	15.5	9,255	14.8
White	582,107	8,461	14.5	8,026	13.8
Colored	43,908	1,259	28.7	1,229	28.0
Pittston	19,529	231	11.8	241	12.3
Plymouth	[2] 16,500	165	10.0	187	11.3
Pottstown	18,278	266	14.6	268	14.7
Pottsville	22,635	464	20.5	432	19.1
Punxsutawney	10,892	165	15.1	158	14.5
Reading	111,812	1,508	13.5	1,492	13.3
Scranton	141,451	1,974	14.0	1,921	13.6
Shamokin	21,650	196	9.1	205	9.5
Sharon	24,378	303	12.4	294	12.1
Shenandoah	[2] 24,726	290	11.7	305	12.3
Steelton	[2] 13,428	128	9.5	139	10.4
White	11,447	102	8.9	111	9.7
Colored	1,981	26	13.1	28	14.1
Sunbury	16,626	183	11.0	185	11.1
Swissvale	12,542	100	8.0	114	9.1
Tamaqua	13,706	96	7.0	99	7.2
Uniontown	[2] 15,692	342	21.8	350	22.3
Warren	14,962	218	14.6	195	13.0
Washington	22,731	320	14.1	324	14.3
West Chester*	[2] 11,717	302	25.8	271	23.1
White	9,879	245	24.8	216	21.9
Colored	1,838	57	31.0	55	29.9
Wilkes-Barre	76,951	1,224	15.9	1,120	14.6
Wilkinsburg	26,848	392	14.6	362	13.5
Williamsport	42,209	590	14.0	593	[5] 14.0
Woodlawn	17,739	135	7.6	159	9.0
York	48,790	669	13.7	661	13.5
RHODE ISLAND CITIES [4]					
Bristol, town	12,507	131	10.5	169	13.5
Central Falls	25,218	233	9.2	295	11.7
Cranston (exclusive of) State institutions	33,714	281 / 339	18.4	324 / 339	19.7
Cumberland town	10,212	116	11.4	123	12.0
East Providence town	25,444	278	10.9	351	13.8
Newport	28,131	333	11.8	324	11.5
Pawtucket	68,933	886	12.9	901	13.1
Providence	263,380	3,492	13.3	2,990	11.4
Warwick town	17,554	228	13.0	263	15.0
West Warwick town	17,801	181	10.2	225	12.6
Woonsocket	48,754	507	10.4	528	10.8
SOUTH CAROLINA CITIES [7]					
Anderson	10,993	293	26.7		
White	8,120	212	26.1		
Colored	2,873	81	28.2		
Charleston	72,185	1,465	20.3		
White	39,208	475	12.1		
Colored	32,977	990	30.0		
SOUTH CAROLINA CITIES—continued					
Columbia*	40,306	1,104	27.4		
White	25,559	558	21.8		
Colored	14,747	546	37.0		
Florence	12,779	351	27.5		
White	7,517	182	24.2		
Colored	5,262	169	32.1		
Greenville	26,550	405	15.3		
White	17,496	213	12.2		
Colored	9,054	192	21.2		
Spartanburg	25,010	416	16.6		
White	16,483	225	13.7		
Colored	8,527	191	22.4		
SOUTH DAKOTA CITIES [1]					
Sioux Falls [4]	30,350	316	10.4	321	10.6
TENNESSEE CITIES					
Chattanooga	65,927	1,326	20.1	1,341	20.3
White	48,012	596	12.4	608	12.7
Colored	17,915	730	40.7	733	40.9
Jackson	19,731	294	14.9	286	14.5
White	13,364	162	12.1	154	11.5
Colored	6,367	132	20.7	132	20.7
Johnson City*	14,013	349	24.9	288	20.6
White	12,380	291	23.5	246	19.9
Colored	1,633	58	35.5	42	25.7
Knoxville	92,166	1,336	14.5	1,256	13.6
White	80,340	997	12.4	921	11.5
Colored	11,826	339	28.7	335	28.3
Memphis	172,276	3,506	20.4	3,040	17.6
White	109,751	1,551	14.1	1,220	11.1
Colored	62,525	1,955	31.3	1,820	29.1
Nashville	123,424	2,371	19.2	2,100	17.0
White	87,782	1,429	16.3	1,215	13.8
Colored	35,642	942	26.4	885	24.8
TEXAS CITIES [1]					
Beaumont	48,728	578	11.9	512	10.5
White	32,871	308	9.4	253	7.7
Colored	15,857	270	17.0	259	16.3
Dallas	187,882	2,462	13.1	2,111	11.2
White	162,106	1,901	11.7	1,604	9.9
Colored	25,756	561	21.8	507	19.7
El Paso	100,624	1,782	17.7	1,569	15.6
Fort Worth	148,107	1,296	8.8	1,203	8.1
White	129,527	1,076	8.3	981	7.6
Colored	18,580	220	11.8	222	11.9
Galveston	47,626	698	14.7	623	13.1
White	36,829	437	11.9	379	10.3
Colored	10,797	261	24.2	244	22.6
Houston	160,062	2,328	14.5	2,324	[5] 14.5
White	123,300	1,490	12.1	1,482	12.0
Colored	36,762	838	22.8	842	22.9
San Antonio	191,398	2,995	15.6	2,902	15.2
White	175,073	2,728	15.6	2,634	15.0
Colored	16,325	267	16.4	268	[5] 16.4
UTAH CITIES					
Ogden	36,130	406	11.2	357	9.9
Provo	11,042	192	17.4	116	10.5
Salt Lake City	128,564	1,677	13.0	1,350	10.5
VERMONT CITIES					
Barre	[2] 10,008	139	13.9	144	14.4
Burlington	23,851	393	16.5	388	16.3
Rutland	15,607	255	16.3	221	14.2
VIRGINIA CITIES					
Alexandria	18,398	302	16.4	322	17.5
White	14,539	193	13.3	207	14.2
Colored	3,859	109	28.2	115	29.8
Charlottesville	11,116	143	12.9	145	13.0
White	8,358	91	10.9	93	11.1
Colored	2,758	52	18.9	52	18.9
Danville	22,705	353	15.5	353	15.5
White	17,271	219	12.7	215	12.4
Colored	5,434	134	24.7	138	25.4
Lynchburg	30,336	463	15.3	452	14.9
White	22,536	275	12.2	268	11.9
Colored	7,800	188	24.1	184	23.6
Newport News	[9] 35,596	341	9.6	358	10.1
White	21,466	117	5.5	128	6.0
Colored	14,130	224	15.9	230	16.3
Norfolk	(3)	1,741	(3)	1,671	(3)
White	(3)	806	(3)	737	(3)
Colored	(3)	935	(3)	934	(3)
Petersburg	35,003	532	15.2	512	14.6
White	20,182	239	11.8	220	10.9
Colored	14,821	293	19.8	292	19.7
Portsmouth	58,185	701	12.0	707	12.2
White	32,079	266	8.3	269	8.4
Colored	26,106	435	16.7	438	16.8
Richmond	183,723	2,818	15.3	2,619	14.3
White	128,766	1,598	12.4	1,438	11.2
Colored	54,957	1,220	22.2	1,181	21.5
Roanoke	58,855	773	13.6	740	13.0
White	46,950	553	11.8	518	11.0
Colored	9,905	220	22.2	222	22.4
Staunton*	10,631	299	28.1	276	26.0
White	9,176	262	28.6	234	25.5
Colored	1,455	37	25.4	42	28.9
WASHINGTON CITIES					
Aberdeen	16,022	174	10.9	154	9.6
Bellingham	26,112	320	12.3	263	10.1
Everett	29,001	333	11.5	290	10.0
Hoquiam	10,932	98	9.0	98	9.0
Seattle	(3)	3,312	(3)	3,049	(3)
White	(3)	3,149	(3)	2,901	(3)
Colored	(3)	163	(3)	148	(3)
Spokane	104,576	1,302	12.5	1,091	10.4
Tacoma	103,093	1,145	11.1	1,020	9.9
Vancouver	14,182	156	11.0	139	9.8
Walla Walla	[2] 15,503	210	13.5	189	12.2
Yakima	22,205	346	15.6	277	12.5
WEST VIRGINIA CITIES [1]					
Wheeling	[2] 56,208	970	17.3	718	12.8
WISCONSIN CITIES					
Appleton	20,853	326	15.6	277	13.3
Ashland	[2] 11,334	262	23.1	164	14.5
Beloit	24,137	238	9.9	231	9.6
Eau Claire*	22,108	340	15.4	237	10.7
Fond du Lac	25,572	361	14.1	304	11.9
Green Bay	33,695	530	15.7	379	11.2
Janesville	20,332	228	11.2	203	10.0
Kenosha	48,886	359	7.3	361	7.4
La Crosse	30,421	526	17.3	346	11.4
Madison	45,202	540	11.9	451	10.0
Manitowoc	19,665	222	11.3	208	10.6
Marinette	[2] 13,610	200	14.7	179	13.2
Milwaukee	494,199	4,842	9.8	4,713	11.1
Oshkosh	33,207	453	13.6	413	12.4
Racine	66,050	534	8.1	527	8.0
Sheboygan	33,066	382	11.6	357	10.8

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WISCONSIN CITIES—continued					
Stevens Point	12,613	164	13.0	163	12.9
Superior	[2] 39,671	438	11.0	412	10.4
Waukesha	14,327	129	9.0	126	8.8
Wausau	19,885	293	14.7	245	12.3
West Allis	17,135	132	7.7	154	9.0
WYOMING CITIES					
Casper	[3]	258	[3]	244	[3]
Cheyenne	15,223	174	11.4	166	10.9
CALIFORNIA COUNTIES [10]					
Alameda*	46,812	1,087	23.2	1,103	23.6
Alpine	[2] 243	2	8.2	2	8.2
White	141	2	14.2	2	14.2
Colored	102				
Amador	[2] 7,793	94	12.1	103	13.2
Butte	31,296	412	13.2	406	13.0
Calaveras	[2] 6,183	75	12.1	85	13.7
Colusa	10,011	105	10.5	115	11.5
Contra Costa	42,691	347	8.1	365	8.5
Del Norte	2,918	55	18.8	55	18.8
White	2,303	48	20.8	48	20.8
Colored	615	7	11.4	7	11.4
Eldorado	[2] 6,426	106	16.5	117	18.2
Fresno	96,677	1,024	10.6	1,031	10.7
Glenn	14,024	76	5.4	83	5.9
Humboldt	25,639	255	9.9	260	10.1
Imperial	57,297	720	12.6	734	12.8
White	50,024	624	12.5	638	12.8
Colored	7,273	96	13.2	96	13.2
Inyo	7,058	75	10.6	75	10.6
White	6,379	51	8.0	51	8.0
Colored	679	24	35.3	24	35.3
Kern	39,904	293	7.3	298	7.5
Kings	24,718	231	9.3	238	9.6
Lake	[2] 5,402	73	13.5	74	13.7
Lassen	10,222	114	11.2	114	11.2
Los Angeles	[3]	5,343	[3]	5,420	[3]
Madera	13,981	178	12.7	166	11.9
Marin	28,373	341	12.0	352	12.4
Mariposa	[2] 2,775	42	15.1	46	16.6
Mendocino	24,202	321	13.3	332	13.7
Merced	28,949	284	9.8	294	10.2
Modoc	[2] 5,425	61	11.2	64	11.8
Mono	[2] 960	5	5.2	5	5.2
White	694				
Colored	266	5	18.8	5	18.8
Monterey	29,756	344	11.6	340	11.4
Napa*	21,084	550	26.1	553	26.2
Nevada	[2] 10,850	162	14.9	171	15.8
Orange	55,108	865	15.7	875	15.9
Placer	18,744	376	20.1	383	20.4
White	16,355	344	21.0	349	21.3
Colored	2,389	32	13.4	34	14.2
Plumas	5,875	74	12.6	75	12.8
Riverside	36,273	451	12.4	458	12.6
Sacramento	30,689	265	8.6	335	10.9
White	23,908	199	8.3	246	10.3
Colored	6,781	66	9.7	89	13.1
San Benito	9,437	111	11.8	120	12.7
San Bernardino*	59,082	968	16.4	956	16.2
San Diego	39,249	585	14.9	540	13.8
San Joaquin	47,336	901	19.0	913	19.3
White	41,680	824	19.8	833	20.0
Colored	5,656	77	13.6	80	14.1
San Luis Obispo	23,055	300	13.0	304	13.2
San Mateo	41,507	617	14.9	625	15.1
Santa Barbara	24,054	228	9.5	227	9.4
Santa Clara*	65,765	1,275	19.4	1,257	19.1
Santa Cruz	15,411	225	14.6	238	15.4
Shasta	[2] 13,361	199	14.9	206	15.4
Sierra	[2] 1,783	11	6.2	10	5.6
CALIFORNIA COUNTIES—con.					
Siskiyou	[2] 18,545	240	12.9	242	13.0
Solano	21,011	164	7.8	183	8.7
Sonoma	53,803	784	14.6	782	14.5
Stanislaus	53,306	494	9.3	482	9.0
Sutter	11,871	82	6.9	90	7.6
Tehama	13,567	143	10.5	144	10.6
Trinity	[2] 2,551	22	8.6	22	8.6
Tulare	69,966	629	9.0	627	[5] 9.0
Tuolumne	[2] 7,768	132	17.0	130	16.7
Ventura	33,533	489	14.6	484	14.4
Yolo	18,577	237	12.8	227	12.2
Yuba	10,528	125	11.9	131	12.4
COLORADO COUNTIES [10]					
Adams*	16,996	355	20.9	376	22.1
Alamosa	(11)	103	(11)	102	(11)
Arapahoe	15,389	184	12.0	205	13.3
Archuleta	3,722	29	7.8	29	7.8
Baca	11,598	16	1.4	20	1.7
Bent*	11,866	126	10.6	128	10.8
Boulder	20,884	270	12.9	297	14.2
Chaffee*	7,813	172	22.0	172	22.0
Cheyenne	3,774	25	6.6	28	7.4
Clear Creek	[2] 2,891	28	9.7	34	11.8
Conejos	(12)	39	(12)	41	(12)
Costilla	(12)	6	(12)	7	(12)
Crowley	(11)	78	(11)	79	(11)
Custer	2,277	19	8.3	21	9.2
Delta	[2] 13,668	159	11.6	159	11.6
Dolores	1,522	8	5.3	8	5.3
Douglas	3,667	31	8.5	35	9.5
Eagle	3,571	25	7.0	27	7.6
Elbert	7,745	39	5.0	45	5.8
El Paso*	14,248	236	16.6	250	17.5
Fremont	[2] 17,883	263	14.7	271	15.2
Garfield	[2] 9,304	92	9.9	93	10.0
Gilpin	[2] 1,364	24	17.6	27	19.8
Grand	3,029	30	9.9	35	11.6
Gunnison	[2] 5,590	60	10.7	60	10.7
Hinsdale	[2] 538	4	7.4	4	7.4
Huerfano	18,527	229	12.4	235	12.7
Jackson	1,491	1	0.7	3	2.0
Jefferson*	14,478	283	19.5	311	21.5
Kiowa	4,152	17	4.1	21	5.1
Kit Carson	9,578	47	4.9	51	5.3
Lake	[2] 6,630	108	16.3	116	17.5
La Plata	11,406	159	13.9	163	14.3
Larimer	29,079	328	11.3	339	11.7
Las Animas	30,449	309	10.1	327	10.7
Lincoln	9,362	43	4.6	55	5.9
Logan	22,541	143	6.3	151	6.7
Mesa	22,318	267	12.0	273	12.2
Mineral	[2] 779	5	6.4	5	6.4
Moffat	(11)	45	(11)	46	(11)
Montezuma	6,829	95	13.9	95	13.9
Montrose	12,574	90	7.2	91	[5] 7.2
Morgan	19,157	153	8.0	162	8.5
Otero	(12)	344	(12)	350	(12)
Ouray	[2] 2,620	20	7.6	21	8.0
Park	[2] 1,977	4	2.0	6	3.0
Phillips	6,573	50	7.6	50	7.6
Pitkin	[2] 2,707	25	9.2	26	9.6
Prowers	15,848	140	8.8	141	8.9
Pueblo*	16,494	463	28.1	476	28.9
Rio Blanco	3,505	28	8.0	28	8.0
Rio Grande	8,454	75	8.9	76	9.0
Routt	(12)	83	(12)	86	(12)
Saguache	4,859	28	5.8	31	6.4
San Juan	[2] 1,700	25	14.7	27	15.9
San Miguel	5,550	50	9.0	52	9.4
Sedgwick	4,739	18	3.8	23	4.9
COLORADO COUNTIES—con.					
Summit	[2] 1,724	27	15.7	30	17.4
Teller	[2] 6,696	58	8.7	67	10.0
Washington	13,620	77	5.7	82	6.0
Weld	48,711	349	7.2	401	8.2
Yuma	16,399	92	5.6	97	5.9
CONNECTICUT COUNTIES [10]					
Fairfield	[3]	582	[3]	628	[3]
Hartford	82,797	843	10.2	1,066	12.9
Litchfield	53,573	626	11.7	685	12.8
Middlesex	25,668	270	10.5	351	13.7
New Haven	47,461	441	9.3	618	13.0
New London	41,221	581	14.1	683	16.6
Tolland	27,567	310	11.2	347	12.6
Windham	40,524	469	11.6	510	12.6
DELAWARE COUNTIES [10]					
Kent	[2] 31,023	496	16.0	504	16.2
White	24,269	351	14.5	357	14.7
Colored	6,754	145	21.5	147	21.8
New Castle*	39,963	596	14.9	605	15.1
White	34,847	462	13.3	472	13.5
Colored	5,116	134	26.2	133	26.0
Sussex	[2] 43,741	516	11.8	524	12.0
White	36,479	396	10.9	400	11.0
Colored	7,262	120	16.5	124	17.1
FLORIDA COUNTIES [4,10]					
Alachua	32,474	424	13.1	445	13.7
White	17,866	187	10.5	203	11.4
Colored	14,608	237	16.2	242	16.6
Baker	5,569	59	10.6	61	11.0
White	4,119	38	9.2	42	10.2
Colored	1,450	21	14.5	19	13.1
Bay	11,816	174	14.7	175	14.8
White	8,743	128	14.6	130	14.9
Colored	3,073	46	15.0	45	14.6
Bradford	(13)	83	(13)	89	(13)
White	(13)	54	(13)	57	(13)
Colored	(13)	29	(13)	32	(13)
Brevard	12,312	150	12.2	152	12.3
White	8,214	103	12.5	103	12.5
Colored	4,098	47	11.5	49	12.0
Broward	13,131	124	9.4	130	9.9
White	8,730	68	7.8	71	8.1
Colored	4,401	56	12.7	59	13.4
Calhoun	11,048	80	7.2	89	8.1
White	7,779	45	5.8	51	6.6
Colored	3,269	35	10.7	38	11.6
Charlotte	(14)	28	(14)	28	(14)
White	(14)	24	(14)	23	(14)
Colored	(14)	4	(14)	5	(14)
Citrus	5,355	69	12.9	73	13.6
White	3,235	33	10.2	38	11.7
Colored	2,120	36	17.0	35	16.5
Clay	4,950	83	16.8	79	16.0
White	3,445	56	16.3	49	14.2
Colored	1,505	27	17.9	30	19.9
Collier	(14)	9	(14)	10	(14)
White	(14)	9	(14)	10	(14)
Colored	(14)				
Columbia	15,397	200	13.0	198	12.9
White	8,101	97	12.0	87	10.7
Colored	7,296	103	14.1	111	15.2
Dade	38,117	214	5.6	231	6.1
White	31,696	147	4.6	159	5.0
Colored	6,421	67	10.4	72	11.2
De Soto	(13)	110	(13)	101	(13)
White	(13)	85	(13)	76	(13)
Colored	(13)	25	(13)	25	(13)

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
FLORIDA COUNTIES—continued					
Dixie	(14)	42	(14)	41	(14)
White	(14)	20	(14)	20	(14)
Colored	(14)	22	(14)	21	(14)
Duval	27,220	309	11.4	352	12.9
White	20,888	193	9.2	222	10.6
Colored	6,332	116	18.3	130	20.5
Escambia	18,177	206	11.3	219	12.0
White	13,048	138	10.6	146	11.2
Colored	5,129	68	13.3	73	14.2
Flagler	2,234	22	9.8	27	12.1
White	1,418	12	8.5	16	11.3
Colored	816	10	12.3	11	13.5
Franklin	5,250	59	11.2	63	12.0
White	3,023	27	8.9	29	9.6
Colored	2,227	32	14.4	34	15.3
Gadsden *	24,764	725	29.3	716	28.9
White	8,925	309	34.6	305	34.2
Colored	15,839	416	26.3	411	25.9
Glades	(14)	10	(14)	17	(14)
White	(14)	8	(14)	15	(14)
Colored	(14)	2	(14)	2	(14)
Hamilton	9,900	130	13.1	128	12.9
White	5,643	50	8.9	53	9.4
Colored	4,257	80	18.8	76	17.6
Hardee	(14)	101	(14)	110	(14)
White	(14)	86	(14)	94	(14)
Colored	(14)	15	(14)	16	(14)
Hendry	(14)	6	(14)	6	(14)
White	(14)	5	(14)	5	(14)
Colored	(14)	1	(14)	1	(14)
Hernando	4,701	54	11.5	61	13.0
White	3,259	42	12.9	46	14.1
Colored	1,442	12	8.3	15	10.4
Highlands	(14)	32	(14)	34	(14)
White	(14)	23	(14)	23	(14)
Colored	(14)	9	(14)	11	(14)
Hillsborough	44,609	392	8.8	359	8.0
White	38,171	308	8.1	281	7.4
Colored	6,438	84	13.0	78	12.1
Holmes	12,476	79	6.3	85	6.8
Jackson	32,889	336	10.2	340	10.3
White	18,577	174	9.4	174	9.4
Colored	14,312	162	11.3	166	11.6
Jefferson	13,910	232	16.7	238	17.1
White	4,063	45	11.1	49	12.1
Colored	9,847	187	19.0	189	19.2
Lafayette	(13)	55	(13)	56	(13)
White	(13)	46	(13)	47	(13)
Colored	(13)	9	(13)	9	(13)
Lake	18,122	245	13.5	256	14.1
White	13,415	171	12.7	176	13.1
Colored	4,707	74	15.7	80	17.0
Lee	(13)	155	(13)	159	(13)
White	(13)	112	(13)	115	(13)
Colored	(13)	43	(13)	44	(13)
Leon	19,805	270	13.6	276	13.9
White	7,076	78	11.0	81	11.4
Colored	12,729	192	15.1	195	15.3
Levy	10,549	155	14.7	165	15.6
White	6,507	86	13.2	94	14.4
Colored	4,042	69	17.1	71	17.6
Liberty	4,871	59	12.1	62	12.7
White	2,905	34	11.7	36	12.4
Colored	1,966	25	12.7	26	13.2
Madison	15,670	183	11.7	191	12.2
White	7,365	76	10.3	77	10.5
Colored	8,305	107	12.9	114	13.7
Manatee	(13)	202	(13)	211	(13)
White	(13)	120	(13)	131	(13)
Colored	(13)	82	(13)	80	(13)
Marion	26,763	380	14.2	401	15.0
White	13,465	159	11.8	167	12.4
Colored	13,298	221	16.6	234	17.6
Monroe	589	------	------	1	1.7
White	177	------	------	1	5.6
Colored	412	------	------	------	------
Nassau	9,850	128	13.0	150	15.2
White	5,491	53	9.7	67	12.2
Colored	4,359	75	17.2	83	19.0
Okaloosa	9,741	95	9.8	104	10.7
White	8,521	83	9.7	90	10.6
Colored	1,220	12	9.8	14	11.5
Okeechobee	3,914	21	5.4	26	6.6
White	2,821	16	5.7	19	6.7
Colored	1,093	5	4.6	7	6.4
Orange	36,077	563	15.6	449	12.4
White	27,085	403	14.9	293	10.8
Colored	8,992	160	17.8	156	17.3
Osceola	10,320	149	14.4	143	13.9
White	7,704	119	15.4	113	14.7
Colored	2,616	30	11.5	30	11.5
Palm Beach	34,883	446	12.8	361	10.3
White	22,684	262	11.5	196	8.6
Colored	12,199	184	15.1	165	13.5
Pasco	11,258	158	14.0	167	14.8
White	8,779	115	13.1	118	13.4
Colored	2,479	43	17.3	49	19.8
Pinellas	23,057	210	9.1	205	8.9
White	17,761	159	9.0	154	8.7
Colored	5,296	51	9.6	51	9.6
Polk	60,844	660	10.8	668	11.0
White	46,879	485	10.3	492	10.5
Colored	13,965	175	12.5	176	12.6
Putnam	16,727	258	15.4	219	13.1
White	9,144	107	11.7	108	11.8
Colored	7,583	151	19.9	111	14.6
St. Johns	16,015	249	15.5	215	13.4
White	9,408	140	14.9	116	12.3
Colored	6,607	109	16.5	99	15.0
St. Lucie	11,303	130	11.5	123	10.9
White	8,091	93	11.5	87	10.8
Colored	3,212	37	11.5	36	11.2
Santa Rosa	14,485	146	10.1	151	10.4
White	11,735	97	8.3	102	8.7
Colored	2,750	49	17.8	49	17.8
Sarasota	(14)	65	(14)	53	(14)
White	(14)	51	(14)	40	(14)
Colored	(14)	14	(14)	13	(14)
Seminole	14,280	220	15.4	210	14.7
White	8,120	101	12.4	96	11.8
Colored	6,160	119	19.3	114	18.5
Sumter	7,907	97	12.3	100	12.6
White	5,666	63	11.1	66	11.6
Colored	2,241	34	15.2	34	15.2
Suwannee	16,643	216	13.0	221	13.3
White	10,285	110	10.7	114	11.1
Colored	6,358	106	16.7	107	16.8
Taylor	12,882	125	9.7	129	10.0
White	7,549	81	10.7	84	11.1
Colored	5,333	44	8.3	45	8.4
Union	(14)	52	(14)	56	(14)
White	(14)	32	(14)	35	(14)
Colored	(14)	20	(14)	21	(14)
Volusia	38,116	490	12.9	492	12.9
White	25,100	328	13.1	316	12.6
Colored	13,016	162	12.4	176	13.5
Wakulla	5,728	51	8.9	54	9.4
White	3,104	22	7.1	25	8.1
Colored	2,624	29	11.1	29	11.1
Walton	13,475	119	8.8	120	8.9
White	10,845	77	7.1	78	7.2
Colored	2,630	42	16.0	42	16.0
Washington	10,594	105	9.9	104	9.8
White	8,187	75	9.2	72	8.8
Colored	2,407	30	12.5	32	13.3
GEORGIA COUNTIES [10]					
Appling	(12)	109	(12)	117	(12)
White	(12)	76	(12)	81	(12)
Colored	(12)	33	(12)	36	(12)
Atkinson	(11)	18	(11)	22	(11)
White	(11)	15	(11)	18	(11)
Colored	(11)	3	(11)	4	(11)
Bacon	(11)	57	(11)	59	(11)
White	(11)	45	(11)	47	(11)
Colored	(11)	12	(11)	12	(11)
Baker	8,448	47	5.6	46	5.4
White	2,883	15	5.2	14	4.9
Colored	5,565	32	5.8	32	5.8
Baldwin *	20,458	580	28.4	572	28.0
White	9,429	291	30.9	283	30.0
Colored	11,029	289	26.2	289	26.2
Banks	12,077	110	9.1	92	7.6
White	9,425	99	10.5	82	8.7
Colored	2,652	11	4.1	10	3.8
Barrow	(11)	120	(11)	123	(11)
White	(11)	94	(11)	96	(11)
Colored	(11)	26	(11)	27	(11)
Bartow	[2] 24,527	316	12.9	321	13.1
White	18,861	218	11.6	224	11.9
Colored	5,666	98	17.3	97	17.1
Ben Hill	15,867	140	8.8	142	8.9
White	10,003	87	8.7	89	8.9
Colored	5,864	53	9.0	53	9.0
Berrien	(13)	125	(13)	124	(13)
White	(13)	88	(13)	89	(13)
Colored	(13)	37	(13)	35	(13)
Bibb	20,814	134	6.4	142	6.8
White	9,969	45	4.5	53	5.3
Colored	10,845	89	8.2	89	8.2
Bleckley	[2] 10,532	123	11.7	132	12.5
White	5,917	58	9.8	65	11.0
Colored	4,615	65	14.1	67	14.5
Brantley	(14)	72	(14)	72	(14)
White	(14)	56	(14)	56	(14)
Colored	(14)	16	(14)	16	(14)
Brooks	24,864	265	10.7	274	11.0
White	10,544	107	10.1	111	10.5
Colored	14,320	158	11.0	163	11.4
Bryan	[2] 6,343	71	11.2	86	13.6
White	3,423	36	10.5	45	13.1
Colored	2,920	35	12.0	41	14.0
Bulloch	(12)	255	(12)	248	(12)
White	(12)	153	(12)	147	(12)
Colored	(12)	102	(12)	101	(12)
Burke	32,489	336	10.3	349	10.7
White	6,642	54	8.1	61	9.2
Colored	25,847	282	10.9	288	15.0
Butts	[2] 12,327	129	10.5	135	11.0
White	5,739	52	9.1	56	9.8
Colored	6,588	77	11.7	79	12.0
Calhoun	[2] 10,225	123	12.0	126	12.3
White	3,205	34	10.6	40	12.5
Colored	7,020	89	12.7	86	12.3
Camden	[2] 6,969	91	13.1	96	13.8
White	2,696	25	9.3	28	10.4
Colored	4,273	66	15.4	68	15.9
Campbell	12,097	103	8.5	108	8.9
White	7,693	57	7.4	65	8.4
Colored	4,404	46	10.4	43	9.8
Candler	(11)	92	(11)	91	(11)
White	(11)	47	(11)	47	(11)
Colored	(11)	45	(11)	44	(11)

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Carroll	36,558	327	8.9	338	9.2
White	28,882	221	7.7	230	8.0
Colored	7,676	106	13.8	108	14.1
Catoosa	[2] 6,677	73	10.9	64	9.6
Charlton	(13)	72	(13)	77	(13)
White	(13)	43	(13)	48	(13)
Colored	(13)	29	(13)	29	(13)
Chatham	18,243	195	10.7	212	11.6
White	8,261	45	5.4	56	6.8
Colored	9,982	150	15.0	156	15.6
Chattahoochee	[2] 5,266	38	7.2	41	7.8
White	3,296	20	6.1	21	6.4
Colored	1,970	18	9.1	20	10.2
Chattooga	14,637	158	10.8	168	11.5
White	12,410	130	10.5	139	11.2
Colored	2,227	28	12.6	29	13.0
Cherokee	19,453	195	10.0	199	10.2
Clarke	8,828	82	9.3	83	9.4
White	3,558	34	9.6	39	11.0
Colored	5,270	48	9.1	44	8.3
Clay	[2] 7,557	86	11.4	87	11.5
White	2,483	25	10.1	26	10.5
Colored	5,074	61	12.0	61	12.0
Clayton	11,435	100	8.7	104	9.1
White	6,307	49	7.8	49	7.8
Colored	5,178	51	9.8	55	10.6
Clinch	(13)	38	(13)	46	(13)
White	(13)	27	(13)	32	(13)
Colored	(13)	11	(13)	14	(13)
Cobb	31,383	507	16.2	531	16.9
White	25,095	373	14.9	395	15.7
Colored	6,288	134	21.3	136	21.6
Coffee	(12)	106	(12)	111	(12)
White	(12)	68	(12)	72	(12)
Colored	(12)	38	(12)	39	(12)
Colquitt	33,755	231	6.8	230	[5] 6.8
White	23,517	144	6.1	141	6.0
Colored	10,238	87	8.5	89	8.7
Columbia	[2] 11,718	97	8.3	106	9.0
White	3,467	29	8.4	33	9.5
Colored	8,251	68	8.2	73	8.8
Cook	(11)	93	(11)	95	(11)
White	(11)	53	(11)	55	(11)
Colored	(11)	40	(11)	40	(11)
Coweta	29,161	237	8.1	241	8.3
White	13,871	64	4.6	65	4.7
Colored	15,290	173	11.3	176	11.5
Crawford	9,164	105	11.5	100	10.9
White	3,837	41	10.7	40	10.4
Colored	5,327	64	12.0	60	11.3
Crisp	20,067	214	10.7	215	[5] 10.7
White	9,648	87	9.0	86	8.9
Colored	10,419	127	12.2	129	12.4
Dade	[2] 3,918	37	9.4	36	9.2
Dawson	[2] 4,204	30	7.1	32	7.6
Decatur	(13)	285	(13)	271	(13)
White	(13)	105	(13)	97	(13)
Colored	(13)	180	(13)	174	(13)
De Kalb	(3)	523	(3)	488	(3)
White	(3)	349	(3)	314	(3)
Colored	(3)	174	(3)	174	(3)
Dodge	23,657	187	7.9	197	8.3
White	14,384	106	7.4	112	7.8
Colored	9,273	81	8.7	85	9.2
Dooly	[2] 20,522	198	9.6	202	9.8
White	8,241	75	9.1	77	9.3
Colored	12,281	123	10.0	125	10.2
Dougherty	8,887	82	9.2	83	9.3
White	1,630	20	12.3	20	12.3
Colored	7,257	62	8.5	63	8.7
Douglas	11,185	100	8.9	101	9.0
White	7,870	76	9.7	79	10.0
Colored	3,315	24	7.2	22	6.6
Early	19,381	238	12.3	243	12.5
White	8,372	98	11.7	100	11.9
Colored	11,009	140	12.7	143	13.0
Echols	3,314	8	2.4	9	2.7
White	2,245	5	2.2	6	2.7
Colored	1,069	3	2.8	3	2.8
Effingham	9,991	115	11.5	124	12.4
White	6,107	54	8.8	62	10.2
Colored	3,884	61	15.7	62	16.0
Elbert	[2] 23,905	226	9.5	229	9.6
White	13,178	89	6.8	94	7.1
Colored	10,727	137	12.8	135	12.6
Emanuel	(12)	164	(12)	174	(12)
White	(12)	95	(12)	104	(12)
Colored	(12)	69	(12)	70	(12)
Evans	(11)	44	(11)	45	(11)
White	(11)	15	(11)	15	(11)
Colored	(11)	29	(11)	30	(11)
Fannin	[2] 12,103	99	8.2	101	8.3
Fayette	11,595	74	6.4	77	6.6
White	7,285	52	7.1	52	7.1
Colored	4,310	22	5.1	25	5.8
Floyd	27,494	254	9.2	248	9.0
White	21,960	181	8.2	177	8.1
Colored	5,534	73	13.2	71	12.8
Forsyth	[2] 11,755	91	7.7	90	[5] 7.7
Franklin	20,912	183	8.8	188	9.0
White	16,226	146	9.0	148	9.1
Colored	4,686	37	7.9	40	8.5
Fulton	(3)	638	(3)	595	(3)
White	(3)	406	(3)	400	(3)
Colored	(3)	232	(3)	195	(3)
Gilmer	[2] 8,406	96	11.4	98	11.7
Glascock	[2] 4,192	40	9.5	43	10.3
White	2,991	27	9.0	29	9.7
Colored	1,201	13	10.8	14	11.7
Glynn	4,690	40	8.5	41	8.7
White	2,645	15	5.7	16	6.0
Colored	2,045	25	12.2	25	12.2
Gordon	18,606	186	10.0	195	10.5
Grady	21,161	218	10.3	218	10.3
White	13,831	136	9.8	137	9.9
Colored	7,330	82	11.2	81	11.1
Greene	19,184	186	9.7	194	10.1
White	8,186	68	8.3	74	9.0
Colored	10,998	118	10.7	120	10.9
Gwinnett	(12)	274	(12)	295	(12)
White	(12)	223	(12)	242	(12)
Colored	(12)	51	(12)	53	(12)
Habersham	11,005	118	10.7	121	11.0
Hall	27,326	346	12.7	346	12.7
White	24,084	265	11.0	267	11.1
Colored	3,242	81	25.0	79	24.4
Hancock	[2] 18,357	155	8.4	159	8.7
White	5,136	45	8.8	48	9.3
Colored	13,221	110	8.3	111	8.4
Haralson	14,868	139	9.3	143	9.6
White	12,350	112	8.7	116	9.0
Colored	2,018	27	13.4	27	13.4
Harris	[2] 15,775	98	6.2	108	6.8
White	4,564	38	8.3	39	8.5
Colored	11,211	60	5.4	69	6.2
Hart	18,745	177	9.4	172	9.2
White	12,869	111	8.6	108	8.4
Colored	5,876	66	11.2	64	10.9
Heard	[2] 11,126	90	8.1	90	8.1
White	7,756	62	8.0	63	8.1
Colored	3,370	28	8.3	27	8.0
Henry	20,648	190	9.2	201	9.7
White	10,090	66	6.5	75	7.4
Colored	10,558	124	11.7	126	11.9
Houston	[2] 21,964	204	9.3	219	10.0
White	7,455	49	6.6	56	7.5
Colored	14,509	155	10.7	163	11.2
Irwin	13,692	101	7.4	107	7.8
White	7,600	56	7.4	58	7.6
Colored	6,092	45	7.4	49	8.0
Jackson	(12)	223	(12)	229	(12)
White	(12)	184	(12)	189	(12)
Colored	(12)	39	(12)	40	(12)
Jasper	[2] 16,362	112	6.8	115	7.0
White	4,744	42	8.9	46	9.7
Colored	11,618	70	6.0	69	5.9
Jeff Davis	7,911	72	9.1	75	9.5
White	6,286	56	8.9	58	9.2
Colored	1,625	16	9.8	17	10.5
Jefferson	23,169	267	11.5	275	11.9
White	9,940	106	10.7	112	11.3
Colored	13,229	161	12.2	163	12.3
Jenkins	15,629	151	9.7	152	[5] 9.7
White	6,248	57	9.1	57	9.1
Colored	9,381	94	10.0	95	10.1
Johnson	13,845	165	11.9	175	12.6
White	8,131	98	12.1	103	12.7
Colored	5,714	67	11.7	72	12.6
Jones	13,345	156	11.7	161	12.1
White	3,890	44	11.3	46	11.8
Cllored	9,455	112	11.8	115	12.2
Lamar	(14)	144	(14)	148	(14)
White	(14)	73	(14)	76	(14)
Colored	(14)	71	(14)	72	(14)
Lanier	(14)	36	(14)	36	(14)
White	(14)	23	(14)	23	(14)
Colored	(14)	13	(14)	13	(14)
Laurens	41,507	402	9.7	390	9.4
White	22,417	201	9.0	191	8.5
Colored	19,090	201	10.5	199	10.4
Lee	[2] 10,904	126	11.6	133	12.2
White	1,927	24	12.5	27	14.0
Colored	8,977	102	11.4	106	11.8
Liberty	(13)	74	(13)	84	(13)
White	(13)	22	(13)	28	(13)
Colored	(13)	52	(13)	56	(13)
Lincoln	10,212	51	5.0	53	5.2
White	5,074	23	4.5	24	4.7
Colored	5,138	28	5.4	29	5.6
Long	(14)	38	(14)	39	(14)
White	(14)	17	(14)	18	(14)
Colored	(14)	21	(14)	21	(14)
Lowndes	(13)	79	(13)	93	(13)
White	(13)	39	(13)	42	(13)
Colored	(13)	40	(13)	51	(13)
Lumpkin	[2] 5,240	44	8.4	48	9.2
McDuffie	12,057	146	12.1	153	12.7
White	5,847	76	13.0	82	14.0
Colored	6,210	70	11.3	71	11.4
McIntosh	[2] 5,119	100	19.5	105	20.5
White	1,316	12	9.1	14	10.6
Colored	3,803	88	23.1	91	23.9
Macon	18,896	220	11.6	225	11.9
White	6,198	50	8.1	54	8.7
Colored	12,698	170	13.4	171	13.5

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued					
Madison	19,708	171	8.7	178	9.0
White	14,383	110	7.6	117	8.1
Colored	5,325	61	11.5	61	11.5
Marion	[2] 7,604	81	10.7	83	10.9
White	3,507	31	8.8	30	8.6
Colored	4,097	50	12.2	53	12.9
Meriwether	26,625	254	9.5	251	9.4
White	12,093	89	7.4	92	7.6
Colored	14,532	165	11.4	159	10.9
Miller	10,294	89	8.6	93	9.0
White	6,395	58	9.1	60	9.4
Colored	3,899	31	8.0	33	8.5
Milton	[2] 6,835	67	9.7	61	8.9
Mitchell	27,197	261	9.6	268	9.9
White	12,006	109	9.1	114	9.5
Colored	15,191	152	10.0	154	10.1
Monroe	(13)	180	(13)	188	(13)
White	(13)	65	(13)	71	(13)
Colored	(13)	115	(13)	117	(13)
Montgomery	(12)	90	(12)	89	(12)
White	(12)	44	(12)	42	(12)
Colored	(12)	46	(12)	47	(12)
Morgan	20,340	193	9.5	194	[5] 9.5
White	7,698	61	7.9	61	7.9
Colored	12,642	132	10.4	133	10.5
Murray	[2] 9,490	87	9.2	86	9.1
Muscogee	14,209	109	7.7	113	8.0
White	7,267	55	7.6	61	8.4
Colored	6,942	54	7.8	52	7.5
Newton	23,176	209	9.0	206	8.9
White	12,661	113	8.9	112	8.8
Colored	10,515	96	9.1	94	8.9
Oconee	[2] 11,067	64	5.8	65	5.9
White	6,348	27	4.3	28	4.4
Colored	4,719	37	7.8	37	7.8
Oglethorpe	21,030	151	7.2	150	7.1
White	9,462	58	6.1	58	6.1
Colored	11,568	93	8.0	92	[5] 8.0
Paulding	[2] 14,025	113	8.1	110	7.8
White	12,418	100	8.1	98	7.9
Colored	1,607	13	8.1	12	7.5
Pickens	[2] 8,222	87	10.6	92	11.2
Pierce	(13)	128	(13)	132	(13)
White	(13)	84	(13)	86	(13)
Colored	(13)	44	(13)	46	(13)
Pike	(13)	143	(13)	144	(13)
White	(13)	72	(13)	73	(13)
Colored	(13)	71	(13)	71	(13)
Polk	20,427	263	12.9	266	13.0
White	15,890	188	11.8	191	12.0
Colored	4,537	75	16.5	75	16.5
Pulaski	[2] 11,587	52	4.5	56	4.8
White	4,422	22	5.0	24	5.4
Colored	7,165	30	4.2	32	4.5
Putnam	15,741	172	10.9	177	11.2
White	5,206	50	9.6	55	10.6
Colored	10,535	122	11.6	122	11.6
Quitman	[2] 3,417	40	11.7	43	12.6
White	987	13	13.2	14	14.2
Colored	2,430	27	11.1	29	11.9
Rabun	5,832	50	8.6	45	7.7
Randolph	[2] 16,721	137	8.2	134	8.0
White	5,711	41	7.2	37	6.5
Colored	11,010	96	8.7	97	8.8
Richmond	11,165	108	9.7	121	10.8
White	5,321	42	7.9	48	9.0
Colored	5,844	66	11.3	73	12.5
Rockdale	9,800	87	8.9	96	9.8
White	6,292	47	7.5	56	8.9
Colored	3,508	40	11.4	40	11.4
Schley	5,257	69	13.1	70	13.3
White	2,246	24	10.7	24	10.7
Colored	3,011	45	14.9	46	15.3
Screven	25,105	244	9.7	261	10.4
White	10,467	106	10.1	118	11.3
Colored	14,638	138	9.4	143	9.8
Seminole	(14)	58	(14)	57	(14)
White	(14)	31	(14)	31	(14)
Colored	(14)	27	(14)	26	(14)
Spalding	22,912	322	14.1	319	13.9
White	12,636	143	11.3	141	11.2
Colored	10,276	179	17.4	178	17.3
Stephens	11,904	113	9.5	117	9.8
White	9,543	75	7.9	76	8.0
Colored	2,361	38	16.1	41	17.4
Stewart	[2] 12,089	136	11.2	140	11.6
White	3,445	44	12.8	47	13.6
Colored	8,644	92	10.6	93	10.8
Sumter	29,892	409	13.7	386	12.9
White	10,673	111	10.4	100	9.4
Colored	19,219	298	15.5	286	14.9
Talbot	[2] 11,158	112	10.0	117	10.5
White	3,163	24	7.6	34	10.7
Colored	7,995	88	11.0	83	10.4
Taliaferro	8,874	87	9.8	88	9.9
White	2,746	19	6.9	21	7.6
Colored	6,128	68	11.1	67	10.9
Tattnall	(12)	226	(12)	234	(12)
White	(12)	187	(12)	193	(12)
Colored	(12)	39	(12)	41	(12)
Taylor	11,766	98	8.3	110	9.3
White	6,177	50	8.1	57	9.2
Colored	5,589	48	8.6	53	9.5
Telfair	16,218	151	9.3	160	9.9
White	11,098	94	8.5	102	9.2
Colored	5,120	57	11.1	58	11.3
Terrell	[2] 19,601	189	9.6	197	10.1
White	5,545	44	7.9	50	9.0
Colored	14,056	145	10.3	147	10.5
Thomas	34,885	436	12.5	441	12.6
White	17,539	172	9.8	174	9.9
Colored	17,346	264	15.2	267	15.4
Tift	15,884	117	7.4	124	7.8
White	11,356	61	5.4	68	6.0
Colored	4,528	56	12.4	56	12.4
Toombs	15,144	143	9.4	139	9.2
White	11,121	91	8.2	88	7.9
Colored	4,023	52	12.9	51	12.7
Towns	3,937	34	8.6	36	9.1
Treutlen	(11)	67	(11)	70	(11)
White	(11)	37	(11)	39	(11)
Colored	(11)	30	(11)	31	(11)
Troup	18,325	204	11.1	233	12.7
White	6,373	61	9.6	72	11.3
Colored	11,952	143	12.0	161	13.5
Turner	13,573	97	7.1	101	7.4
White	8,231	51	6.2	52	6.3
Colored	5,342	46	8.6	49	9.2
Twiggs	[2] 10,407	134	12.9	139	13.4
White	3,754	32	8.5	35	9.3
Colored	6,653	102	15.3	104	15.6
Union	[2] 6,455	65	10.1	63	9.8
Upson	15,727	203	12.9	206	13.1
White	8,345	104	12.5	108	12.9
Colored	7,382	99	13.4	98	13.3
Walker	25,537	170	6.7	175	6.9
White	23,036	113	4.9	117	5.1
Colored	2,501	57	22.8	58	23.2
Walton	(12)	255	(12)	261	(12)
White	(12)	146	(12)	149	(12)
Colored	(12)	109	(12)	112	(12)
Ware	(12)	82	(12)	101	(12)
White	(12)	49	(12)	65	(12)
Colored	(12)	33	(12)	36	(12)
Warren	[2] 11,828	115	9.7	118	10.0
White	4,007	29	7.2	32	8.0
Colored	7,821	86	11.0	86	11.0
Washington	[2] 28,147	323	11.5	307	10.9
White	11,742	132	11.2	120	10.2
Colored	16,405	191	11.6	187	11.4
Wayne	(13)	138	(13)	143	(13)
White	(13)	96	(13)	100	(13)
Colored	(13)	42	(13)	43	(13)
Webster	[2] 5,342	43	8.0	44	8.2
White	2,262	20	8.8	19	8.4
Colored	3,080	23	7.5	25	8.1
Wheeler	(11)	79	(11)	82	(11)
White	(11)	51	(11)	54	(11)
Colored	(11)	28	(11)	28	(11)
White	6,564	68	10.4	70	10.7
Whitfield	17,343	246	14.2	253	14.6
Wilcox	16,447	134	8.1	140	8.5
White	8,311	66	7.9	71	8.5
Colored	8,136	68	8.4	69	8.5
Wilkes	24,566	189	7.7	194	7.9
White	8,706	61	7.0	66	7.6
Colored	15,860	128	8.1	128	8.1
Wilkinson	11,976	104	8.7	111	9.3
White	6,135	43	7.0	49	8.0
Colored	5,841	61	10.4	62	10.6
Worth	26,048	212	8.1	213	8.2
White	12,093	83	6.9	87	7.2
Colored	13,955	129	9.2	126	9.0
IDAHO COUNTIES [7,10]					
Ada	15,130	80	5.3		
Adams	(11)	10	(11)		
Bannock	(12)	49	(12)		
Bear Lake	9,271	51	5.5		
Benewah	(11)	90	(11)		
Bingham	(12)	227	(12)		
Blaine	(12)	43	(12)		
Boise	(12)	33	(12)		
Bonner	(12)	123	(12)		
Bonneville	(11)	195	(11)		
Boundary	(11)	53	(11)		
Butte	(11)	8	(11)		
Camas	(11)	1	(11)		
Canyon	(12)	226	(12)		
Caribou	(11)	21	(11)		
Cassia	(12)	77	(12)		
Clark	(11)	7	(11)		
Clearwater	(11)	80	(11)		
Custer	3,803	41	10.8		
Elmore	5,228	46	8.8		
Franklin	(11)	55	(11)		
Fremont	(12)	56	(12)		
Gem	(11)	48	(11)		
Gooding	(12)	42	(12)		
Idaho	(12)	85	(12)		
Jefferson	(12)	28	(12)		
Jerome	(11)	26	(11)		
Kootenai	(12)	178	(12)		
Latah	[2] 18,092	125	6.9		
Lemhi	5,339	59	11.1		
Lewis	(11)	49	(11)		
Lincoln	(12)	22	(12)		
Madison	(12)	54	(12)		
Minidoka	(12)	32	(12)		

AREA AND COLOR	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
	Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued				
Schley	69	13.1	70	13.3
White	24	10.7	24	10.7
Colored	45	14.9	46	15.3
Screven	244	9.7	261	10.4
White	106	10.1	118	11.3
Colored	138	9.4	143	9.8
Seminole	58	(14)	57	(14)
White	31	(14)	31	(14)
Colored	27	(14)	26	(14)
Spalding	322	14.1	319	13.9
White	143	11.3	141	11.2
Colored	179	17.4	178	17.3
Stephens	113	9.5	117	9.8
White	75	7.9	76	8.0
Colored	38	16.1	41	17.4
Stewart	136	11.2	140	11.6
White	44	12.8	47	13.6
Colored	92	10.6	93	10.8
Sumter	409	13.7	386	12.9
White	111	10.4	100	9.4
Colored	298	15.5	286	14.9
Talbot	112	10.0	117	10.5
White	24	7.6	34	10.7
Colored	88	11.0	83	10.4
Taliaferro	87	9.8	88	9.9
White	19	6.9	21	7.6
Colored	68	11.1	67	10.9
Tattnall	226	(12)	234	(12)
White	187	(12)	193	(12)
Colored	39	(12)	41	(12)
Taylor	98	8.3	110	9.3
White	50	8.1	57	9.2
Colored	48	8.6	53	9.5
Telfair	151	9.3	160	9.9
White	94	8.5	102	9.2
Colored	57	11.1	58	11.3
Terrell	189	9.6	197	10.1
White	44	7.9	50	9.0
Colored	145	10.3	147	10.5
Thomas	436	12.5	441	12.6
White	172	9.8	174	9.9
Colored	264	15.2	267	15.4
Tift	117	7.4	124	7.8
White	61	5.4	68	6.0
Colored	56	12.4	56	12.4
Toombs	143	9.4	139	9.2
White	91	8.2	88	7.9
Colored	52	12.9	51	12.7
Towns	34	8.6	36	9.1
Treutlen	67	(11)	70	(11)
White	37	(11)	39	(11)
Colored	30	(11)	31	(11)
Troup	204	11.1	233	12.7
White	61	9.6	72	11.3
Colored	143	12.0	161	13.5
Turner	97	7.1	101	7.4
White	51	6.2	52	6.3
Colored	46	8.6	49	9.2
Twiggs	134	12.9	139	13.4
White	32	8.5	35	9.3
Colored	102	15.3	104	15.6
Union	65	10.1	63	9.8
Upson	203	12.9	206	13.1
White	104	12.5	108	12.9
Colored	99	13.4	98	13.3
Walker	170	6.7	175	6.9
White	113	4.9	117	5.1
Colored	57	22.8	58	23.2

AREA AND COLOR	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
	Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
GEORGIA COUNTIES—continued				
Walton	255	(12)	261	(12)
White	146	(12)	149	(12)
Colored	109	(12)	112	(12)
Ware	82	(12)	101	(12)
White	49	(12)	65	(12)
Colored	33	(12)	36	(12)
Warren	115	9.7	118	10.0
White	29	7.2	32	8.0
Colored	86	11.0	86	11.0
Washington	323	11.5	307	10.9
White	132	11.2	120	10.2
Colored	191	11.6	187	11.4
Wayne	138	(13)	143	(13)
White	96	(13)	100	(13)
Colored	42	(13)	43	(13)
Webster	43	8.0	44	8.2
White	20	8.8	19	8.4
Colored	23	7.5	25	8.1
Wheeler	79	(11)	82	(11)
White	51	(11)	54	(11)
Colored	28	(11)	28	(11)
White	68	10.4	70	10.7
Whitfield	246	14.2	253	14.6
Wilcox	134	8.1	140	8.5
White	66	7.9	71	8.5
Colored	68	8.4	69	8.5
Wilkes	189	7.7	194	7.9
White	61	7.0	66	7.6
Colored	128	8.1	128	8.1
Wilkinson	104	8.7	111	9.3
White	43	7.0	49	8.0
Colored	61	10.4	62	10.6
Worth	212	8.1	213	8.2
White	83	6.9	87	7.2
Colored	129	9.2	126	9.0

(See footnotes at end of table)

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
IDAHO COUNTIES—continued					
Nez Perce	(12)	201	(12)	------	------
Oneida	(12)	47	(12)	------	------
Owyhee	4,997	28	5.6	------	------
Payette	(11)	42	(11)	------	------
Power	(11)	26	(11)	------	------
Shoshone	14,382	192	13.4	------	------
Teton	(11)	29	(11)	------	------
Twin Falls	35,284	235	6.7	------	------
Valley	(11)	19	(11)	------	------
Washington	(12)	62	(12)	------	------
ILLINOIS COUNTIES [10]					
Adams	[2] 24,710	333	13.5	355	14.4
Alexander	9,047	156	17.2	163	18.0
White	8,030	84	10.5	92	11.5
Colored	1,017	72	70.8	71	69.8
Bond	[2] 16,045	147	9.2	155	9.7
Boone	[2] 15,322	153	10.0	157	10.2
Brown	[2] 9,336	94	10.1	105	11.2
Bureau	[2] 42,648	401	9.4	409	9.6
Calhoun	[2] 8,245	67	8.1	74	9.0
Carroll	19,951	194	9.7	192	9.6
Cass	18,138	170	9.4	191	10.5
Champaign	30,332	283	9.3	306	10.1
Christian	40,249	415	10.3	409	10.2
Clark	[2] 21,165	225	10.6	244	11.5
Clay	[2] 17,684	150	8.5	163	9.2
Clinton	23,000	214	9.3	223	9.7
Coles	20,858	275	13.2	274	13.1
Cook*	180,204	3,010	16.7	2,746	15.2
Crawford	[2] 22,771	207	9.1	206	9.0
Cumberland	[2] 12,858	132	10.3	141	11.0
De Kalb	[2] 31,339	328	10.5	324	10.3
De Witt	19,410	194	10.0	200	10.3
Douglas	19,609	196	10.0	205	10.5
Du Page	46,148	510	11.1	515	11.2
Edgar	[2] 25,769	300	11.6	305	11.8
Edwards	[2] 9,431	99	10.5	104	11.0
Effingham	[2] 19,556	222	11.4	209	10.7
Fayette	[2] 26,187	299	11.4	311	11.9
Ford	[2] 16,466	137	8.3	152	9.2
Franklin	71,824	583	8.1	605	8.4
Fulton	[2] 37,154	327	8.8	376	10.1
Gallatin	[2] 12,856	108	8.4	109	8.5
Greene	23,122	196	8.5	209	9.0
Grundy	[2] 18,580	175	9.4	178	9.6
Hamilton	[2] 15,920	134	8.4	139	8.7
Hancock	[2] 28,523	270	9.5	303	10.6
Hardin	7,772	73	9.4	72	9.3
Henderson	9,790	77	7.9	92	9.4
Henry	27,335	267	9.8	288	10.5
Iroquois	[2] 34,841	298	8.6	313	9.0
Jackson	25,799	277	10.7	271	10.5
Jasper	[2] 16,064	134	8.3	140	8.7
Jefferson	[2] 28,480	365	12.8	363	12.7
Jersey	[2] 12,682	136	10.7	146	11.5
Jo Daviess	[2] 21,917	224	10.2	253	11.5
Johnson	[2] 12,022	123	10.2	130	10.8
Kane	35,512	391	11.0	403	11.3
Kankakee*	28,695	532	18.5	557	19.4
Kendall	[2] 10,074	84	8.3	101	10.0
Knox	22,347	197	8.8	238	10.7
Lake	62,507	571	9.1	577	9.2
La Salle	54,034	459	8.5	498	9.2
Lawrence	[2] 21,380	226	10.6	242	11.3
Lee	28,122	340	12.1	341	[5] 12.1
Livingston	[2] 39,070	352	9.0	372	9.5
Logan	[2] 17,221	124	7.2	154	8.9
McDonough	27,160	318	11.7	303	11.2
McHenry	33,466	322	9.6	347	10.4
McLean	40,940	412	10.1	430	10.5
Macon	17,370	140	8.1	167	9.6
Macoupin	60,327	421	7.0	529	8.8
Madison*	71,657	804	11.2	808	11.3
Marion	24,817	224	9.0	244	9.8
Marshall	[2] 14,760	133	9.0	154	10.4
Mason	[2] 16,634	150	9.0	177	10.6
Massac	[2] 13,559	178	13.1	176	13.0
White	11,502	137	11.9	136	11.8
Colored	2,057	41	19.9	40	19.4
Menard	[2] 11,694	91	7.8	121	10.3
Mercer	[2] 18,800	152	8.1	178	9.5
Monroe	[2] 12,839	121	9.4	131	10.2
Montgomery	44,225	471	10.7	435	9.8
Morgan	[2] 17,676	155	8.8	181	10.2
Moultrie	14,934	149	10.0	170	11.4
Ogle	[2] 26,830	284	10.6	289	10.8
Peoria*	36,401	513	14.1	545	15.0
Perry	23,277	248	10.7	236	10.1
Piatt	[2] 15,714	132	8.4	145	9.2
Pike	[2] 26,866	279	10.4	302	11.2
Pope	[2] 9,625	76	7.9	77	8.0
Pulaski	[2] 14,629	248	17.0	250	17.1
White	9,659	143	14.8	147	15.2
Colored	4,970	105	21.1	103	20.7
Putnam	7,586	34	4.5	41	5.4
Randolph	[2] 29,109	308	10.6	335	11.5
Richland	[2] 14,044	192	13.7	161	11.5
Rock Island*	29,930	338	11.3	369	12.3
St. Clair	47,074	475	10.1	519	11.0
Saline	42,129	437	10.4	430	10.2
Sangamon	41,827	349	8.3	393	9.4
Schuyler	[2] 13,285	140	10.5	145	10.9
Scott	[2] 9,489	84	8.9	99	10.4
Shelby	[2] 29,601	279	9.4	289	9.8
Stark	[2] 9,693	87	9.0	99	10.2
Stephenson	17,668	164	9.3	197	11.2
Tazewell	27,533	253	9.2	289	10.5
Union*	[2] 20,249	373	18.4	372	[5] 18.4
Vermilion (exclusive of) National Military Home	53,534	433	11.4	474	12.2
		178		178	
Wabash	[2] 14,034	149	10.6	151	10.8
Warren	[2] 21,488	229	10.7	220	10.2
Washington	[2] 18,035	173	9.6	188	10.4
Wayne	[2] 22,772	193	8.5	202	8.9
White	[2] 20,081	220	11.0	222	11.1
Whiteside	36,945	381	10.3	406	11.0
Will	56,678	624	11.0	643	11.3
Williamson	55,606	542	9.7	556	10.0
Winnebago	29,451	226	7.7	251	8.5
Woodford	[2] 19,340	160	8.3	183	9.5
INDIANA COUNTIES [10]					
Adams	[2] 20,503	213	10.4	217	10.6
Allen	28,299	331	11.7	344	12.2
Bartholomew	[2] 23,887	299	12.5	302	12.6
Benton	[2] 12,206	100	8.2	125	10.2
Blackford	[2] 14,084	171	12.1	174	12.4
Boone	[2] 23,575	297	12.6	296	[5] 12.6
Brown	[2] 7,019	73	10.4	73	10.4
Carroll	[2] 16,315	190	11.6	201	12.3
Cass*	16,367	263	16.1	268	16.4
Clark	[2] 19,283	187	9.7	191	9.9
Clay	[2] 29,447	342	11.6	347	11.8
Clinton	15,443	153	9.9	164	10.6
Crawford	[2] 11,201	126	11.2	128	11.4
Daviess	[2] 26,856	338	12.6	346	12.9
Dearborn	[2] 20,033	268	13.4	281	14.0
Decatur	[2] 17,813	261	14.7	270	15.2
De Kalb	25,852	308	11.9	315	12.2
Delaware	17,270	236	13.7	251	14.5
Dubois	19,946	176	8.8	179	9.0
Elkhart	33,211	363	10.9	373	11.2
Fayette	18,405	200	10.9	203	11.0
Floyd	7,838	89	11.4	95	12.1
Fountain	[2] 18,823	207	11.0	225	12.0
Franklin	[2] 14,806	181	12.2	182	12.3
Fulton	[2] 16,478	179	10.9	184	11.2
Gibson	[2] 29,201	342	11.7	348	11.9
Grant	[2] 25,539	382	15.0	392	15.3
Greene	[2] 36,770	387	10.5	407	11.1
Hamilton	[2] 24,222	284	11.7	301	12.4
Hancock	[2] 17,210	219	12.7	233	13.5
Harrison	[2] 18,656	170	9.1	177	9.5
Hendricks	[2] 20,291	217	10.7	236	11.6
Henry	20,463	239	11.7	243	11.9
Howard	13,255	164	12.4	175	13.2
Huntington	17,352	212	12.2	214	12.3
Jackson	[2] 24,228	282	11.6	286	11.8
Jasper	14,385	130	9.0	135	9.4
Jay	[2] 23,318	271	11.6	280	12.0
Jefferson*	20,813	381	18.3	376	18.1
Jennings	[2] 13,280	157	11.8	160	12.0
Johnson	20,897	281	13.4	300	14.4
Knox	31,376	284	9.1	294	9.4
Kosciusko	[2] 27,120	328	12.1	341	12.6
Lagrange	[2] 14,009	115	8.2	116	8.3
Lake	18,608	236	12.7	306	16.4
La Porte	15,833	142	9.0	153	9.7
Lawrence	[2] 28,228	395	14.0	404	14.3
Madison	26,969	302	11.2	311	11.5
Marion	36,107	540	15.0	481	13.3
Marshall	[2] 23,744	254	10.7	257	10.8
Martin	[2] 11,865	126	10.6	129	10.9
Miami	[2] 16,035	195	12.2	198	12.3
Monroe	12,616	145	11.5	149	11.8
Montgomery	[2] 18,031	208	11.5	218	12.1
Morgan	[2] 20,010	259	12.9	273	13.6
Newton	[2] 10,144	89	8.8	93	9.2
Noble	[2] 22,470	275	12.2	282	12.6
Ohio	[2] 4,024	59	14.7	60	14.9
Orange	[2] 16,974	203	12.0	209	12.3
Owen	[2] 12,760	155	12.1	159	12.5
Parke	[2] 18,875	216	11.4	232	12.3
Perry	[2] 16,692	169	10.1	174	10.4
Pike	[2] 18,684	213	11.4	219	11.7
Porter	[2] 20,256	235	11.6	246	12.1
Posey	[2] 19,334	203	10.5	212	11.0
Pulaski	[2] 12,385	92	7.4	103	8.3
Putnam	[2] 19,880	277	13.9	277	13.9
Randolph	[2] 26,484	310	11.7	319	12.0
Ripley	[2] 18,694	194	10.4	198	10.6
Rush	[2] 19,241	263	13.7	268	13.9
St. Joseph	17,230	285	16.5	254	14.7
Scott	[2] 7,424	91	12.3	91	12.3
Shelby	[2] 25,982	334	12.9	340	13.1
Spencer	[2] 18,400	183	9.9	187	10.2
Starke	[2] 10,278	112	10.9	123	12.0
Steuben	[2] 13,360	165	12.4	178	13.3
Sullivan	[2] 31,630	385	12.2	388	12.3
Switzerland	[2] 9,311	90	9.7	93	10.0
Tippecanoe*	20,534	267	13.0	293	14.3
Tipton	[2] 16,152	192	11.9	196	12.1
Union	[2] 6,021	51	8.5	55	9.1
Vanderburg*	7,094	270	38.1	271	38.2
Vermilion	18,531	176	9.5	190	10.3
Vigo	35,649	392	11.0	423	11.9
Wabash	27,371	306	11.2	311	11.4
Warren	[2] 9,699	125	12.9	129	13.3
Warrick	[2] 19,862	214	10.8	219	11.0

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
INDIANA COUNTIES—continued					
Washington	[3] 16,645	174	10.5	177	10.6
Wayne*	21,128	398	18.8	388	18.4
Wells	[3] 20,509	251	12.2	263	12.8
White	[3] 17,351	167	9.6	194	11.2
Whitley*	[3] 15,660	177	11.3	198	12.6
IOWA COUNTIES [4,10]					
Adair	13,772	116	8.4	117	8.5
Adams	10,301	76	7.4	85	8.3
Allamakee	16,697	164	9.8	175	10.5
Appanoose	28,833	322	11.2	312	10.8
Audubon	12,109	102	8.4	114	9.4
Benton	23,278	239	10.3	249	10.7
Black Hawk	20,446	174	8.5	177	8.7
Boone	16,723	160	9.6	166	9.9
Bremer	16,798	165	9.8	162	9.6
Buchanan*	18,396	291	15.8	286	15.5
Buena Vista	18,544	141	7.6	145	7.8
Butler	17,975	154	8.6	167	9.3
Calhoun	17,772	144	8.1	156	8.8
Carroll	21,764	219	10.1	216	9.9
Cass	19,141	168	8.8	172	9.0
Cedar	16,938	136	8.0	149	8.8
Cerro Gordo	14,668	118	8.0	133	9.1
Cherokee*	16,730	251	15.0	251	15.0
Chickasaw	15,141	141	9.3	141	9.3
Clarke	10,092	111	11.0	112	11.1
Clay	15,501	124	8.0	126	8.1
Clayton	24,469	213	8.7	233	9.5
Clinton	18,914	135	7.1	145	7.7
Crawford	20,378	143	7.0	155	7.6
Dallas	25,318	194	7.7	219	8.6
Davis	12,124	116	9.6	122	10.1
Decatur	15,495	169	10.9	179	11.6
Delaware	17,953	152	8.5	159	8.9
Des Moines	11,509	102	8.9	121	10.5
Dickinson	10,687	81	7.6	86	8.0
Dubuque	18,771	144	7.7	170	9.1
Emmet	12,912	108	8.4	107	8.3
Fayette	29,413	226	7.7	235	8.0
Floyd	17,960	159	8.9	157	8.7
Franklin	15,969	145	9.1	152	9.5
Fremont	15,046	139	9.2	153	10.2
Greene	16,132	113	7.0	122	7.6
Grundy	14,064	91	6.5	102	7.3
Guthrie	17,066	136	8.0	145	8.5
Hamilton	20,527	163	7.9	164	8.0
Hancock	14,547	95	6.5	107	7.4
Hardin	22,422	238	10.6	245	10.9
Harrison	23,775	204	8.6	239	10.1
Henry*	17,287	285	16.5	283	16.4
Howard	13,351	116	8.7	124	9.3
Humboldt	12,726	107	8.4	117	9.2
Ida	11,626	99	8.5	98	8.4
Iowa	18,069	152	8.4	162	9.0
Jackson	19,411	173	8.9	181	9.3
Jasper	28,563	242	8.5	254	8.9
Jefferson	16,390	169	10.3	174	10.6
Johnson	14,636	191	13.1	133	9.1
Jones	17,897	186	10.4	187	[5] 10.4
Keokuk	20,121	184	9.1	189	9.4
Kossuth	25,105	170	6.8	177	7.1
Lee	12,891	99	7.7	123	9.5
Linn	29,464	310	10.5	352	11.9
Louisa	11,777	95	8.1	116	9.8
Lucas	15,582	154	9.9	165	10.6
Lyon	15,478	91	5.9	92	[5] 5.9
Madison	14,704	136	9.2	143	9.7
Mahaska	26,606	243	9.1	242	[5] 9.1
Marion	24,721	252	10.2	265	10.7
Marshall	16,260	109	6.7	120	7.4
Mills	13,840	127	9.2	141	10.2
Mitchell	14,340	131	9.1	139	9.7
Monona	16,787	139	8.3	156	9.3
Monroe	20,735	186	9.0	185	8.9
Montgomery	16,620	158	9.5	170	10.2
Muscatine	12,353	141	11.4	149	12.1
O'Brien	18,353	104	5.7	113	6.2
Osceola	10,051	69	6.9	68	6.8
Page*	23,448	345	14.7	332	14.2
Palo Alto	15,171	89	5.9	94	6.2
Plymouth	23,715	184	7.8	196	8.3
Pocahontas	15,304	101	6.6	109	7.1
Polk	27,691	233	8.4	272	9.8
Pottawattamie	25,557	166	6.5	190	7.4
Poweshiek	18,361	188	10.2	189	10.3
Ringgold	12,124	98	8.1	109	9.0
Sac	17,286	127	7.3	137	7.9
Scott	17,389	126	7.2	150	8.6
Shelby	16,176	109	6.7	115	7.1
Sioux	26,671	192	7.2	196	7.3
Story	29,326	252	8.6	269	9.2
Tama	22,044	208	9.4	213	9.7
Taylor	15,253	142	9.3	156	10.2
Union	17,077	188	11.0	182	10.7
Van Buren	13,688	148	10.8	165	12.1
Wapello	16,264	115	7.1	122	7.5
Warren	17,563	165	9.4	182	10.4
Washington	19,476	180	9.2	189	9.7
Wayne	14,732	151	10.2	158	10.7
Webster	18,412	146	7.9	165	9.0
Winnebago	13,348	75	5.6	85	6.4
Winneshiek	21,562	193	9.0	202	9.4
Woodbury	21,178	173	6.2	210	9.9
Worth	11,362	104	9.2	109	9.6
Wright	20,353	160	7.9	160	7.9
KANSAS COUNTIES [4,10]					
Allen	23,535	264	11.2	271	11.5
Anderson	13,192	95	7.2	99	7.5
Atchison	10,472	86	8.2	89	8.5
Barber	9,503	77	8.1	80	8.4
Barton	19,927	179	9.0	174	8.7
Bourbon	12,280	82	6.7	96	7.8
Brown	21,179	190	9.0	203	9.6
Butler	26,724	163	6.1	189	7.1
Chase	6,924	55	7.9	57	8.2
Chautauqua	10,570	94	8.9	105	9.9
Cherokee	33,948	362	10.7	366	10.8
Cheyenne	6,125	24	3.9	26	4.2
Clark	4,753	24	5.0	25	5.3
Clay	15,011	143	9.5	143	9.5
Cloud	17,980	191	10.6	192	10.7
Coffey	14,916	135	9.1	144	9.7
Comanche	4,984	40	8.0	45	9.0
Cowley	27,335	237	8.7	235	8.6
Crawford	41,242	373	9.0	378	9.2
Decatur	8,436	53	6.3	62	7.3
Dickinson	25,159	236	9.4	250	9.9
Doniphan	13,424	122	9.1	135	10.1
Douglas	11,474	86	7.5	93	8.1
Edwards	7,029	39	5.5	41	5.8
Elk	9,092	64	7.0	69	7.6
Ellis	15,265	146	9.6	119	7.8
Ellsworth	10,100	93	9.2	97	9.6
Finney	8,214	82	10.0	77	9.4
Ford	15,134	178	11.8	158	10.4
Franklin	20,758	204	9.8	204	9.8
Geary	13,272	128	9.6	124	9.3
Gove	5,377	32	6.0	34	6.3
Graham	7,944	63	7.9	70	8.8
Grant	1,779	5	2.8	5	2.8
Gray	5,071	35	6.9	43	8.5
Greeley	1,387	7	5.0	7	5.0
Greenwood	18,057	150	8.3	166	9.2
Hamilton	2,523	23	9.1	24	9.5
Harper	12,985	118	9.1	124	9.5
Harvey	20,537	268	13.0	224	10.9
Haskell	1,951	8	4.1	10	5.1
Hodgeman	3,627	19	5.2	19	5.2
Jackson	15,079	129	8.6	143	9.5
Jefferson	14,456	132	9.1	148	10.2
Jewell	15,767	152	9.6	156	9.9
Johnson	21,363	203	9.5	216	10.1
Kearny	2,789	19	6.8	22	7.9
Kingman	11,644	78	6.7	86	7.4
Kiowa	6,027	34	5.6	35	5.8
Labette*	17,254	246	14.3	249	14.4
Lane	3,042	21	6.9	21	6.9
Leavenworth (exclusive of) National Military Home	20,603	172 194	17.8	163 194	17.3
Lincoln	10,016	60	6.0	65	6.5
Linn	13,908	144	10.4	151	10.9
Logan	3,798	22	5.8	25	6.6
Lyon	14,488	87	6.0	97	6.7
McPherson	21,158	171	8.1	175	8.3
Marion	22,285	174	7.8	188	8.4
Marshall	23,062	152	6.6	164	7.1
Meade	5,586	30	5.4	37	6.6
Miami*	18,484	306	16.6	300	16.2
Mitchell	12,855	118	9.2	117	9.1
Montgomery	23,167	210	9.1	220	9.5
Morris	11,258	94	8.3	100	8.9
Morton	3,405	16	4.7	17	5.0
Nemaha	18,320	169	9.2	177	9.7
Neosho	12,950	100	7.7	107	8.3
Ness	7,616	34	4.5	36	4.7
Norton	11,422	129	11.3	113	9.9
Osage	20,469	194	9.5	213	10.4
Osborne	12,333	99	8.0	101	8.2
Ottawa	10,513	80	7.6	96	9.1
Pawnee	9,233	108	11.7	111	12.0
Phillips	12,555	94	7.5	104	8.3
Pottawatomie	15,438	119	7.7	127	8.2
Pratt	12,789	94	7.4	94	7.4
Rawlins	7,287	59	8.1	64	8.8
Reno	20,676	149	7.2	164	7.9
Republic	15,463	162	10.5	166	10.7
Rice	14,271	129	9.0	120	8.4
Riley	19,840	147	7.4	153	7.7
Rooks	10,085	65	6.4	72	7.1
Rush	8,726	32	3.7	36	4.1
Russell	11,249	80	7.1	91	8.1
Saline	9,951	70	7.0	76	7.6
Scott	3,461	20	5.8	20	5.8
Sedgwick	21,332	135	6.3	171	8.0
Seward	6,021	94	15.6	72	12.0
Shawnee	21,410	306	14.3	299	14.0
Sheridan	5,997	34	5.7	38	6.3
Sherman	6,124	49	8.0	51	8.3
Smith	14,241	112	7.9	118	8.3
Stafford	11,063	92	8.3	95	8.6
Stanton	1,366	6	4.4	6	4.4
Stevens	4,160	18	4.3	21	5.0
Sumner	28,493	290	10.2	296	10.4
Thomas	6,686	53	7.9	57	8.5
Trego	6,278	49	7.8	54	8.6
Wabaunsee	10,803	84	7.8	93	8.6
Wallace	2,523	9	3.6	13	5.2
Washington	17,532	126	7.2	133	7.6
Wichita	2,163	9	4.2	11	5.1

(See footnotes at end of table)

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KANSAS COUNTIES—continued					
Wilson	19,784	143	7.2	150	7.6
Woodson	8,823	80	9.1	91	10.3
Wyandotte	14,826	111	7.5	139	9.4
White	13,406	82	6.1	108	8.1
Colored	1,420	29	20.4	31	21.8
KENTUCKY COUNTIES[7, 10]					
Adair	17,653	169	9.6	------	------
Allen	17,630	161	9.1	------	------
Anderson	[2] 9,982	102	10.2	------	------
Ballard	[2] 12,045	128	10.6	------	------
White	10,659	111	10.4	------	------
Colored	1,386	17	12.3	------	------
Barren	25,383	306	12.1	------	------
White	22,217	259	11.7	------	------
Colored	3,166	47	14.8	------	------
Bath	[2] 11,996	137	11.4	------	------
Bell	36,554	280	7.7	------	------
Boone	9,640	106	11.0	------	------
Bourbon	18,360	256	13.6	------	------
White	14,308	148	10.3	------	------
Colored	4,552	108	23.7	------	------
Boyd	8,474	125	14.8	------	------
Boyle	15,151	223	14.7	------	------
White	12,408	155	12.5	------	------
Colored	2,743	68	24.8	------	------
Bracken	[2] 10,210	82	8.0	------	------
Breathitt	22,038	104	4.7	------	------
Breckinridge	[2] 19,652	203	10.3	------	------
Bullitt	[2] 9,328	105	11.3	------	------
Butler	[2] 15,197	75	4.9	------	------
Caldwell	[2] 13,975	142	10.2	------	------
White	12,067	115	9.5	------	------
Colored	1,908	27	14.2	------	------
Calloway	21,235	167	7.9	------	------
Campbell	33,708	364	10.8	------	------
Carlisle	[2] 8,231	81	9.8	------	------
Carroll	8,455	119	14.1	------	------
Carter	22,708	194	8.5	------	------
Casey	18,014	130	7.2	------	------
Christian*	[2] 35,883	578	16.1	------	------
White	22,971	351	15.3	------	------
Colored	12,912	227	17.6	------	------
Clark	[2] 17,901	263	14.7	------	------
White	14,209	193	13.6	------	------
Colored	3,692	70	19.0	------	------
Clay	20,722	87	4.2	------	------
Clinton	8,790	60	6.8	------	------
Crittenden	[2] 13,125	122	9.3	------	------
Cumberland	11,017	83	7.5	------	------
Daviess	[2] 18,887	173	9.2	------	------
Edmonson	11,090	79	7.1	------	------
Elliott	[2] 8,887	39	4.4	------	------
Estill	17,095	100	5.8	------	------
Fayette	13,600	73	5.4	------	------
White	10,693	58	5.4	------	------
Colored	2,907	15	5.2	------	------
Fleming	[2] 15,614	180	11.5	------	------
Floyd	31,506	192	6.1	------	------
Franklin	[2] 19,357	236	12.2	------	------
White	16,495	194	11.8	------	------
Colored	2,862	42	14.7	------	------
Fulton	15,697	224	14.3	------	------
White	12,540	163	13.0	------	------
Colored	3,157	61	19.3	------	------
Gallatin	[2] 4,664	70	15.0	------	------
KENTUCKY COUNTIES—continued					
Garrard	12,785	100	7.8	------	------
White	11,041	75	6.8	------	------
Colored	1,744	25	14.3	------	------
Grant	[2] 10,435	112	10.7	------	------
Graves	[2] 32,483	349	10.7	------	------
Grayson	[2] 19,927	112	5.6	------	------
Green	[2] 11,391	75	6.6	------	------
Greenup	20,796	207	10.0	------	------
Hancock	[2] 6,945	75	10.8	------	------
Hardin	25,024	200	8.0	------	------
Harlan	41,271	476	11.5	------	------
Harrison	[2] 15,798	217	13.7	------	------
Hart	18,715	138	7.4	------	------
Henderson	[2] 15,109	150	9.9	------	------
White	12,362	117	9.5	------	------
Colored	2,747	33	12.0	------	------
Henry	[2] 13,411	130	9.7	------	------
White	11,923	112	9.4	------	------
Colored	1,488	18	12.1	------	------
Hickman	[2] 10,244	125	12.2	------	------
White	8,996	94	10.4	------	------
Colored	1,248	31	24.8	------	------
Hopkins	[2] 34,133	432	12.7	------	------
White	28,096	343	12.2	------	------
Colored	6,037	89	14.7	------	------
Jackson	12,128	45	3.7	------	------
Jefferson*	(3)	546	(3)	------	------
Jessamine	[2] 12,205	121	9.9	------	------
White	9,928	100	10.1	------	------
Colored	2,277	21	9.2	------	------
Johnson	20,612	186	9.0	------	------
Kenton	16,796	180	10.7	------	------
Knott	12,056	94	7.8	------	------
Knox	25,124	273	10.9	------	------
Larue	[2] 10,004	97	9.7	------	------
Laurel	[2] 19,814	152	7.7	------	------
Lawrence	[2] 17,643	167	9.5	------	------
Lee	13,024	35	2.7	------	------
Leslie	10,615	60	5.7	------	------
Letcher	30,884	166	5.4	------	------
Lewis	[2] 15,829	135	8.5	------	------
Lincoln	[2] 16,481	205	12.4	------	------
White	14,290	165	11.5	------	------
Colored	2,191	40	18.3	------	------
Livingston	[2] 9,732	77	7.9	------	------
Logan	[2] 23,633	274	11.6	------	------
White	19,329	201	10.4	------	------
Colored	4,304	73	17.0	------	------
Lyon	[2] 8,795	64	7.3	------	------
White	7,611	44	5.8	------	------
Colored	1,184	20	16.9	------	------
McCracken	12,608	101	8.0	------	------
White	11,401	94	8.2	------	------
Colored	1,207	7	5.8	------	------
McCreary	(11)	32	(11)	------	------
McLean	[2] 12,502	147	11.8	------	------
Madison	[2] 26,284	265	10.1	------	------
White	21,373	197	9.2	------	------
Colored	4,911	68	13.8	------	------
Magoffin	13,954	84	6.0	------	------
Marion	[2] 15,527	169	10.9	------	------
White	13,826	135	9.8	------	------
Colored	1,701	34	20.0	------	------
Marshall	[2] 15,215	112	7.4	------	------
Martin	7,821	32	4.1	------	------
Mason	[2] 17,760	232	13.1	------	------
White	15,207	183	12.0	------	------
Colored	2,553	49	19.2	------	------
Meade	[2] 9,442	91	9.6	------	------
Menifee	[2] 5,779	38	6.6	------	------
KENTUCKY COUNTIES—continued					
Mercer	15,133	156	10.3	------	------
White	13,460	114	8.5	------	------
Colored	1,673	42	25.1	------	------
Metcalfe	[2] 10,075	70	6.9	------	------
Monroe	14,467	160	11.1	------	------
Montgomery	[2] 12,245	151	12.3	------	------
White	9,728	101	10.4	------	------
Colored	2,517	50	19.9	------	------
Morgan	16,635	106	6.4	------	------
Muhlenberg	35,556	434	12.2	------	------
Nelson	[2] 16,137	195	12.1	------	------
White	14,068	158	11.2	------	------
Colored	2,069	37	17.9	------	------
Nicholas	[2] 9,894	107	10.8	------	------
Ohio	[2] 26,473	242	9.1	------	------
Oldham	7,892	88	11.2	------	------
White	6,895	78	11.3	------	------
Colored	997	10	10.0	------	------
Owen	[2] 12,554	124	9.9	------	------
Owsley	[2] 7,820	35	4.5	------	------
Pendleton	[2] 11,719	137	11.7	------	------
Perry	32,896	296	9.0	------	------
Pike	57,726	444	7.7	------	------
Powell	6,966	30	4.3	------	------
Pulaski	(12)	378	(12)	------	------
Robertson	[2] 3,871	44	11.4	------	------
Rockcastle	15,838	89	5.6	------	------
Rowan	9,481	73	7.7	------	------
Russell	12,313	84	6.8	------	------
Scott	[2] 15,318	174	11.4	------	------
White	12,259	115	9.4	------	------
Colored	3,059	59	19.3	------	------
Shelby	18,757	220	11.7	------	------
White	15,329	166	10.5	------	------
Colored	2,928	54	18.4	------	------
Simpson	[2] 11,150	146	13.1	------	------
White	9,241	103	11.1	------	------
Colored	1,909	43	22.5	------	------
Spencer	7,884	65	8.2	------	------
Taylor	12,362	132	10.7	------	------
White	11,134	105	9.4	------	------
Colored	1,228	27	22.0	------	------
Todd	[2] 15,694	163	10.4	------	------
White	11,214	106	9.5	------	------
Colored	4,480	57	12.7	------	------
Trigg	[2] 14,208	134	9.4	------	------
White	11,261	95	8.4	------	------
Colored	2,947	39	13.2	------	------
Trimble	[2] 6,011	50	8.3	------	------
Union	[2] 18,040	202	11.2	------	------
White	15,847	157	9.9	------	------
Colored	2,193	45	20.5	------	------
Warren	30,985	390	12.6	------	------
White	26,563	287	10.8	------	------
Colored	4,422	103	23.3	------	------
Washington	15,158	87	5.7	------	------
White	13,470	78	5.8	------	------
Colored	1,688	9	5.3	------	------
Wayne	(12)	128	(12)	------	------
Webster	[2] 20,762	277	13.3	------	------
White	17,839	195	10.9	------	------
Colored	2,923	82	28.1	------	------
Whitley	(12)	251	(12)	------	------
Wolfe	[2] 8,783	35	4.0	------	------
Woodford	[2] 11,784	127	10.8	------	------
White	8,751	92	10.5	------	------
Colored	3,033	35	11.5	------	------

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
LOUISIANA PARISHES [10]					
Acadia	36,199	396	10.9	404	11.2
White	28,207	269	9.5	275	9.7
Colored	7,992	127	15.9	129	16.1
Allen	(11)	196	(11)	220	(11)
White	(11)	104	(11)	117	(11)
Colored	(11)	92	(11)	103	(11)
Ascension	[2] 22,155	219	9.9	244	11.0
White	12,664	69	5.4	87	6.9
Colored	9,491	150	15.8	157	16.5
Assumption	[2] 17,912	252	14.1	263	14.7
White	10,424	108	10.4	116	11.1
Colored	7,488	144	19.2	147	19.6
Avoyelles	35,855	231	6.4	256	7.1
White	26,247	131	5.0	145	5.5
Colored	9,608	100	10.4	111	11.6
Beauregard	(11)	192	(11)	214	(11)
White	(11)	113	(11)	125	(11)
Colored	(11)	79	(11)	89	(11)
Bienville	[2] 20,977	162	7.7	190	9.1
White	12,358	85	6.9	98	7.9
Colored	8,619	77	8.9	92	10.7
Bossier	22,510	121	5.4	170	7.6
White	7,243	41	5.7	51	7.0
Colored	15,267	80	5.2	119	7.8
Caddo	38,660	510	13.2	588	15.2
White	21,230	142	6.7	163	7.7
Colored	17,430	368	21.1	425	24.4
Calcasieu	(12)	216	(12)	228	(12)
White	(12)	151	(12)	157	(12)
Colored	(12)	65	(12)	71	(12)
Caldwell	9,941	95	9.6	104	10.5
White	7,180	61	8.5	66	9.2
Colored	2,761	34	12.3	38	13.8
Cameron	[2] 3,952	36	9.1	36	9.1
White	3,366	31	9.2	31	9.2
Colored	586	5	8.5	5	8.5
Catahoula	11,379	77	6.8	81	7.1
White	6,297	36	5.7	40	6.4
Colored	5,082	41	8.1	41	8.1
Claiborne	29,199	305	10.4	319	10.9
White	14,466	137	9.5	143	9.9
Colored	14,733	168	11.4	176	11.9
Concordia	[2] 12,466	129	10.3	138	11.1
White	2,643	13	4.9	18	6.8
Colored	9,823	116	11.8	120	12.2
De Soto	30,157	306	10.1	334	11.1
White	12,252	98	8.0	108	8.8
Colored	17,905	208	11.6	226	12.6
East Baton Rouge	22,144	467	21.1	455	20.5
White	7,891	147	18.6	138	17.5
Colored	14,253	320	22.5	317	22.2
East Carroll	[2] 11,231	165	14.7	176	15.7
White	1,527	17	11.1	18	11.8
Colored	9,704	148	15.3	158	16.3
East Feliciana*	[2] 17,487	280	16.0	299	17.1
White	5,481	100	18.2	110	20.1
Colored	12,006	180	15.0	189	15.7
Evangeline	(11)	95	(11)	100	(11)
White	(11)	69	(11)	74	(11)
Colored	(11)	26	(11)	26	(11)
Franklin	29,712	292	9.8	308	10.4
White	16,464	139	8.4	148	9.0
Colored	13,248	153	11.5	160	12.1
Grant	[2] 14,403	112	7.8	128	8.9
White	10,356	94	9.1	105	10.1
Colored	4,047	18	4.4	23	5.7
Iberia	[2] 26,855	384	14.3	399	14.9
White	15,943	170	10.7	174	10.9
Colored	10,912	214	19.6	225	20.6
Iberville	[2] 26,806	407	15.2	433	16.2
White	11,425	133	11.6	142	12.4
Colored	15,381	[2] 7	17.8	291	18.9
LOUISIANA PARISHES—CON.					
Jackson	14,794	89	6.0	98	6.6
White	10,785	63	5.8	69	6.4
Colored	4,009	26	6.5	29	7.2
Jefferson	23,098	282	12.2	395	17.1
White	17,528	178	10.2	247	14.1
Colored	5,570	104	18.7	148	26.6
Jefferson Davis	(11)	183	(11)	194	(11)
White	(11)	118	(11)	127	(11)
Colored	(11)	65	(11)	67	(11)
Lafayette	31,818	453	14.2	467	14.7
White	20,964	227	10.8	234	11.2
Colored	10,854	226	20.8	233	21.5
Lafourche	[2] 30,344	334	11.0	374	12.3
White	24,450	230	9.4	257	10.5
Colored	5,894	104	17.6	117	19.9
La Salle	10,066	100	9.9	113	11.2
White	8,719	75	8.6	84	9.6
Colored	1,347	25	18.6	29	21.5
Lincoln	[2] 16,962	111	6.5	120	7.1
White	10,651	68	6.4	70	6.6
Colored	6,311	43	6.8	50	7.9
Livingston	12,111	107	8.8	130	10.7
White	10,313	82	8.0	99	9.6
Colored	1,798	25	13.9	31	17.2
Madison	10,898	92	8.4	110	10.1
White	2,021	8	4.0	14	6.9
Colored	8,877	84	9.5	96	10.8
Morehouse	19,554	240	12.3	250	12.8
White	6,798	61	9.0	66	9.7
Colored	12,756	179	14.0	184	14.4
Natchitoches	39,597	445	11.2	469	11.8
White	18,729	157	8.4	168	9.0
Colored	20,868	288	13.8	301	14.4
Ouachita	18,306	222	12.1	241	13.2
White	10,291	116	11.3	126	12.2
Colored	8,015	106	13.2	115	14.3
Plaquemines	[2] 10,194	127	12.5	142	13.9
White	4,789	38	7.9	47	9.8
Colored	5,405	89	16.5	95	17.6
Pointe Coupee	[2] 24,697	267	10.8	284	11.5
White	9,715	87	9.0	90	9.3
Colored	14,982	180	12.0	194	12.9
Rapides*	46,269	504	10.9	547	11.8
White	28,277	263	9.3	294	10.4
Colored	17,992	241	13.4	253	14.1
Red River	17,106	101	5.9	118	6.9
White	8,880	37	4.2	44	5.0
Colored	8,226	64	7.8	74	9.0
Richland	23,218	270	11.6	291	12.5
White	10,513	92	8.8	102	9.7
Colored	12,705	178	14.0	189	14.9
Sabine	21,100	154	7.3	161	7.6
White	16,647	106	6.4	109	6.5
Colored	4,453	48	10.8	52	11.7
St. Bernard	[2] 4,968	57	11.5	74	14.9
White	3,370	37	11.0	47	13.9
Colored	1,598	20	12.5	27	16.9
St. Charles	[2] 8,586	99	11.5	120	14.0
White	4,239	36	8.5	41	9.7
Colored	4,347	63	14.5	79	18.2
St. Helena	[2] 8,427	43	5.1	50	5.9
White	4,198	17	4.0	19	4.5
Colored	4,229	26	6.1	31	7.3
St. James	[2] 21,228	259	12.2	285	13.4
White	9,624	80	8.3	91	9.5
Colored	11,604	179	15.4	194	16.7
St. John the Baptist	[2] 11,896	203	17.1	219	18.4
White	5,478	79	14.4	85	15.5
Colored	6,418	124	19.3	134	20.9
St. Landry	(12)	686	(12)	721	(12)
White	(12)	244	(12)	268	(12)
Colored	(12)	442	(12)	453	(12)
LOUISIANA PARISHES—CON.					
St. Martin	[2] 21,990	171	7.8	180	8.2
White	14,038	62	4.4	70	5.0
Colored	7,902	109	13.8	110	13.9
St. Mary	[2] 30,754	440	14.3	469	15.3
White	15,493	150	9.7	157	10.1
Colored	15,261	290	19.0	312	20.4
St. Tammany	21,446	218	10.2	233	10.9
White	13,353	130	9.7	134	10.0
Colored	8,093	88	10.9	99	12.2
Tangipahoa	32,495	297	9.1	373	11.5
White	23,715	183	7.7	232	9.8
Colored	8,780	114	13.0	141	16.1
Tensas	[2] 12,085	178	14.7	185	15.3
White	1,769	23	13.0	28	15.8
Colored	10,316	155	15.0	157	15.2
Terrebonne	[2] 26,974	317	11.8	346	12.8
White	17,586	163	9.3	185	10.5
Colored	9,388	154	16.4	161	17.1
Union	[2] 19,621	156	8.0	167	8.5
White	13,507	99	7.3	103	7.6
Colored	6,114	57	9.3	64	10.5
Vermillion	26,523	342	12.9	348	13.1
White	21,922	263	12.0	268	12.2
Colored	4,601	79	17.2	80	17.4
Vernon	21,934	188	8.6	208	9.5
White	16,187	132	8.2	142	8.8
Colored	5,747	56	9.7	66	11.5
Washington	26,608	301	11.3	305	11.5
White	18,324	197	10.8	196	10.7
Colored	8,284	104	12.6	109	13.2
Webster	27,264	227	8.3	256	9.4
White	15,188	98	6.5	112	7.4
Colored	12,076	129	10.7	144	11.9
West Baton Rouge	[2] 11,092	133	12.0	146	13.2
White	3,607	37	10.3	42	11.6
Colored	7,485	96	12.8	104	13.9
West Carroll	10,065	50	5.0	54	5.4
White	7,856	30	3.8	33	4.2
Colored	2,209	20	9.1	21	9.5
West Feliciana	[2] 12,303	117	9.5	131	10.6
White	2,116	19	9.0	23	10.9
Colored	10,187	98	9.6	108	10.6
Winn	[2] 16,119	67	4.2	88	5.5
White	12,732	41	3.2	51	4.0
Colored	3,387	26	7.7	37	10.9
MAINE COUNTIES [10]					
Androscoggin	16,329	215	13.2	242	14.8
Aroostook	85,002	980	11.5	984	11.6
Cumberland	55,875	712	12.7	773	13.8
Franklin	20,152	204	10.1	221	11.0
Hancock	[2] 30,361	397	13.1	410	13.5
Kennebec (exclusive of) National Military Home	35,538	510 6[6]	16.3	514 69	16.4
Knox	[2] 26,245	434	16.5	418	15.9
Lincoln	[2] 15,976	221	13.8	239	15.0
Oxford	38,367	488	12.7	493	12.8
Penobscot	62,273	786	12.6	841	13.5
Piscataquis	20,863	266	12.7	274	13.1
Sagadahoc	7,880	103	13.1	113	14.3
Somerset	37,572	518	13.8	517	[5] 13.8
Waldo	[2] 21,328	326	15.3	334	15.7
Washington	[2] 41,709	532	12.8	548	13.1
York	41,812	590	14.1	629	15.0

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MARYLAND COUNTIES [10]					
Allegany	40,376	418	10.4	429	10.6
Anne Arundel*	35,596	508	14.3	544	15.3
White	24,419	240	9.8	263	10.8
Colored	11,177	268	24.0	281	25.1
Baltimore	80,171	1,019	12.7	1,231	15.4
White	69,773	916	13.1	1,077	15.4
Colored	10,398	103	9.9	154	14.8
Calvert	[2] 9,744	151	15.5	156	16.0
White	4,955	65	13.1	68	13.7
Colored	4,789	86	18.0	88	18.4
Caroline	[2] 18,652	198	10.6	211	11.3
White	14,207	132	9.3	141	9.9
Colored	4,445	66	14.8	70	15.7
Carroll	34,389	638	18.6	605	17.6
Cecil	[2] 23,612	341	14.4	350	14.8
White	20,703	292	14.1	302	14.6
Colored	2,909	49	16.8	48	16.5
Charles	18,315	164	9.0	192	10.5
White	10,274	71	6.9	87	8.5
Colored	8,041	93	11.6	105	13.1
Dorchester*	[2] 27,895	382	13.7	388	13.9
White	19,175	231	12.0	234	12.2
Colored	8,720	151	17.3	154	17.7
Frederick	[2] 40,573	503	12.4	484	11.9
Garrett	[2] 19,678	196	10.0	200	10.2
Harford	29,904	376	12.6	415	13.9
White	25,538	280	11.0	308	12.1
Colored	4,366	96	22.0	107	24.5
Howard	[2] 15,826	160	10.1	194	12.3
White	12,316	120	9.7	147	11.9
Colored	3,510	40	11.4	47	13.4
Kent	[2] 15,026	236	15.7	249	16.6
White	9,780	117	12.0	127	13.0
Colored	5,246	119	22.7	122	23.3
Montgomery	36,232	477	13.2	513	14.2
White	28,388	356	12.5	381	13.4
Colored	7,844	121	15.4	132	16.8
Prince Georges	46,682	445	9.5	568	12.2
White	34,351	282	8.2	372	10.8
Colored	12,331	163	13.2	196	15.9
Queen Annes	[2] 16,001	194	12.1	209	13.1
White	10,846	127	11.7	136	12.5
Colored	5,155	67	13.0	73	14.2
St. Marys	[2] 16,112	215	13.3	225	14.0
White	9,674	104	10.8	110	11.4
Colored	6,438	111	17.2	115	17.9
Somerset	[2] 24,602	341	13.9	361	14.7
White	15,713	178	11.3	186	11.8
Colored	8,889	163	18.3	175	19.7
Talbot	[2] 18,306	326	17.8	337	18.4
White	12,138	195	16.1	204	16.8
Colored	6,168	131	21.2	133	21.6
Washington	33,620	332	9.9	339	10.1
Wicomico	28,791	484	16.8	476	16.5
White	22,333	331	14.8	325	14.6
Colored	6,458	153	23.7	151	23.4
Worcester	22,525	307	13.6	321	14.3
White	15,211	191	12.6	204	13.4
Colored	7,314	116	15.9	117	16.0
MASSACHUSETTS COUNTIES [4,10]					
Barnstable	29,337	460	15.7	469	16.0
Berkshire	37,838	410	10.8	497	13.1
Bristol	73,252	765	10.4	876	12.0
Dukes	4,792	93	19.4	88	18.4
Essex	69,175	811	11.7	909	13.1
Franklin	34,288	385	11.2	423	12.3
Hampden	47,021	486	10.3	556	11.8
Hampshire	38,961	374	9.6	443	11.4
Middlesex*	118,464	1,620	13.7	1,514	12.8
Nantucket	3,101	50	16.1	49	15.8
Norfolk	98,477	1,054	10.7	1,177	12.0
Plymouth	84,558	1,081	12.8	1,158	13.7
Worcester	144,753	1,656	11.4	1,743	12.0
MICHIGAN COUNTIES [10]					
Alcona	6,006	49	8.2	54	9.0
Alger	11,050	98	8.9	103	9.3
Allegan	[2] 37,540	500	13.3	514	13.7
Alpena	[2] 6,768	73	10.8	75	11.1
Antrim	[2] 11,543	128	11.1	137	11.9
Arenac	[2] 9,460	94	9.9	97	10.3
Baraga	8,373	84	10.0	91	10.9
Barry	[2] 21,383	244	11.4	256	12.0
Bay	21,492	163	7.6	173	8.0
Benzie	[2] 6,947	69	9.9	71	10.2
Berrien	53,193	623	11.7	657	12.4
Branch	[2] 23,997	396	16.5	403	16.8
Calhoun	39,249	550	14.0	530	13.5
Cass	[2] 20,395	270	13.2	278	13.6
Charlevoix	[2] 15,788	145	9.2	155	9.8
Cheboygan	[2] 13,991	137	9.8	144	10.3
Chippewa	12,879	102	7.9	118	9.2
Clare	[2] 8,250	85	10.3	92	11.2
Clinton	[2] 23,110	281	12.2	299	12.9
Crawford	4,102	47	11.5	48	11.7
Delta	18,176	132	7.3	150	8.3
Dickinson	[2] 19,456	333	17.1	351	18.0
Eaton	[2] 29,377	430	14.6	449	15.3
Emmet	[2] 15,639	239	15.3	224	14.3
Genesee	29,854	416	13.9	435	14.6
Gladwin	9,016	59	6.5	68	7.5
Gogebic	20,720	185	8.9	196	9.5
Grand Traverse	[2] 8,593	68	7.9	72	8.4
Gratiot	36,275	394	10.9	401	11.1
Hillsdale	[2] 28,161	333	11.8	350	12.4
Houghton	[2] 71,930	626	8.7	628	[5] 8.7
Huron	[2] 32,786	312	9.5	319	9.7
Ingham	26,333	342	13.0	372	14.1
Ionia	[2] 33,087	459	13.9	482	14.6
Iosco	[2] 8,199	86	10.5	94	11.5
Iron	25,325	155	6.1	161	6.4
Isabella	[2] 22,610	253	11.2	257	11.4
Jackson	25,170	318	12.6	330	13.1
Kalamazoo	23,549	272	11.6	299	12.7
Kalkaska	[2] 5,577	72	12.9	72	12.9
Kent*	45,794	878	19.2	818	17.9
Keweenaw	[2] 6,322	50	7.9	51	8.1
Lake	[2] 4,437	43	9.7	43	9.7
Lapeer*	[2] 25,782	362	14.0	374	14.5
Leelanau	[2] 9,061	82	9.0	85	9.4
Lenawee	[2] 35,489	484	13.6	504	14.2
Livingston*	[2] 17,522	266	15.2	264	15.1
Luce*	7,144	126	17.6	124	17.4
Mackinac	[2] 8,026	103	12.8	110	13.7
Macomb	40,651	647	15.9	669	16.5
Manistee	[2] 20,399	245	11.7	250	12.0
Marquette	[2] 22,130	223	10.1	233	10.5
Mason	[2] 19,831	244	12.3	251	12.7
Mecosta	[2] 17,765	203	11.4	209	11.8
Menominee	[2] 23,778	278	11.7	288	12.1
Midland	18,735	175	9.3	186	9.9
Missaukee	[2] 9,004	82	9.1	89	9.9
Monroe	25,318	311	12.3	332	13.1
Montcalm	[2] 30,441	358	11.8	366	12.0
Montmorency	4,243	35	8.2	35	8.2
Muskegon	30,557	293	9.6	308	10.1
Newaygo	[2] 17,378	208	12.0	212	12.2
Oakland	65,389	826	12.6	908	13.9
Oceana	[2] 15,601	193	12.4	202	12.9
Ogemaw	[2] 7,786	88	11.3	96	12.3
Ontonagon	14,179	118	8.3	129	9.1
Osceola	[2] 15,221	178	11.7	185	12.2
Oscoda	[2] 1,783	15	8.4	15	8.4
Otsego	[2] 6,043	62	10.3	65	10.8
Ottawa	35,788	358	10.0	379	10.6
Presque Isle	12,539	99	7.9	104	8.3
Roscommon	[2] 2,032	26	12.8	27	13.3
Saginaw	34,455	366	10.6	387	11.2
St. Clair	31,410	422	13.4	426	13.6
St. Joseph	27,428	330	12.0	350	12.8
Sanilac	[2] 31,237	325	10.4	337	10.8
Schoolcraft	10,576	105	9.9	111	10.5
Shiawassee	23,231	264	11.4	278	12.0
Tuscola	[2] 33,320	435	13.1	443	13.3
Van Buren	[2] 30,715	420	13.7	446	14.5
Washtenaw	30,053	439	14.6	450	15.0
Wayne*	116,749	1,487	12.7	1,357	11.6
Wexford	[2] 18,207	239	13.1	243	13.3
MINNESOTA COUNTIES [10]					
Aitkin	17,209	117	6.8	146	8.5
Anoka*	17,078	193	11.3	209	12.2
Becker	24,711	263	10.6	267	10.8
Beltrami	[13]	228	[13]	216	[13]
Benton	13,223	84	6.4	88	6.7
Big Stone	9,951	98	9.8	83	8.3
Blue Earth	19,027	146	7.7	164	8.6
Brown	23,480	259	11.0	241	10.3
Carlton	20,241	215	10.6	224	11.1
Carver	[2] 16,946	135	8.0	145	8.6
Cass	17,879	209	11.7	216	12.1
Chippewa	16,770	147	8.8	142	8.5
Chisago	14,865	140	9.4	167	11.2
Clay	22,772	170	7.5	208	9.1
Clearwater	9,358	63	6.7	70	7.5
Cook	2,076	15	7.2	19	9.2
White	1,884	7	3.7	11	5.8
Colored	192	8	41.7	8	41.7
Cottonwood	15,458	98	6.3	103	6.7
Crow Wing	28,137	311	11.1	301	10.7
Dakota	30,727	272	8.9	310	10.1
Dodge	12,765	108	8.5	125	9.8
Douglas	19,675	174	8.8	177	9.0
Faribault	21,485	157	7.3	172	8.0
Fillmore	[2] 25,330	218	8.6	259	10.2
Freeborn	25,810	202	7.8	207	8.0
Goodhue	[2] 30,799	322	10.5	324	[5] 10.5
Grant	10,100	73	7.2	75	7.4
Hennepin	36,120	420	11.6	415	11.5
Houston	[2] 14,013	127	9.1	142	10.1
Hubbard	10,277	82	8.0	84	8.2
Isanti	13,586	108	7.9	112	8.2
Itasca	26,968	194	7.2	204	7.6
Jackson	16,634	93	5.6	98	5.9
Kanabec	10,303	61	5.9	66	6.4
Kandiyohi	23,493	224	9.5	225	9.6
Kittson	11,087	94	8.5	95	8.6
Koochiching	16,807	125	7.4	115	6.8
Lac qui Parle	15,610	102	6.5	110	7.0
Lake	8,362	71	8.5	67	8.0
Lake of the Woods	[14]	35	[14]	33	[14]
Le Sueur	[2] 17,870	170	9.5	191	10.7
Lincoln	11,913	72	6.0	77	6.5
Lyon	20,282	147	7.2	152	7.5
McLeod	21,256	179	8.4	178	[5] 8.4
Mahnomen	7,562	48	6.3	50	6.6
White	6,264	25	4.0	28	4.5
Colored	1,298	23	17.7	22	16.9

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MINNESOTA COUNTIES—continued					
Marshall	20,882	167	8.0	173	8.3
Martin	22,738	146	6.4	155	6.8
Meeker	18,604	153	8.2	164	8.8
Mille Lacs	15,791	129	8.2	131	8.3
Morrison	26,671	235	8.8	237	8.9
Mower	15,966	127	8.0	137	8.6
Murray	14,501	112	7.7	120	8.3
Nicollet*	15,458	272	17.6	294	19.0
Nobles	19,173	157	8.2	148	7.7
Norman	15,544	96	6.2	118	7.6
Olmsted	14,127	115	8.1	134	9.5
Otter Tail*	53,034	587	11.1	583	11.0
Pennington	13,348	109	8.2	100	7.5
Pine	23,544	155	6.6	169	7.2
Pipestone	13,207	84	6.4	86	6.5
Polk	37,595	356	9.5	342	9.1
Pope	14,041	128	9.1	132	9.4
Ramsey	10,284	104	10.1	153	14.9
Red Lake	7,587	50	6.6	60	7.9
Redwood	22,057	123	5.6	135	6.1
Renville	23,870	196	8.2	223	9.3
Rice	17,360	153	8.8	169	9.7
Rock	11,308	71	6.3	76	6.7
Roseau	14,215	90	6.3	101	7.1
St. Louis	84,773	607	7.2	647	7.6
Scott	[2] 14,245	117	8.2	135	9.5
Sherburne	9,416	73	7.8	70	7.4
Sibley	15,678	116	7.4	127	8.1
Stearns	44,063	336	7.6	375	8.5
Steele	18,948	151	8.0	164	8.7
Stevens	10,467	62	5.9	67	6.4
Swift	16,085	131	8.1	140	8.7
Todd	27,288	192	7.0	218	8.0
Traverse	[2] 7,943	51	6.4	49	6.2
Wabasha	[2] 17,919	172	9.6	176	9.8
Wadena	11,647	107	9.2	105	9.0
Waseca	14,442	125	8.7	134	9.3
Washington	[2] 23,761	258	10.9	271	11.4
Watonwan	12,955	122	9.4	126	9.7
Wilkin	10,707	87	8.1	80	7.5
Winona	14,370	102	7.1	115	8.0
Wright	28,965	239	8.3	259	8.9
Yellow Medicine	17,079	102	6.0	110	6.4
MISSISSIPPI COUNTIES [10]					
Adams	[2] 9,197	294	32.0	283	30.8
White	797	73	91.6	66	82.8
Colored	8,400	221	26.3	217	25.8
Alcorn	22,853	200	8.8	205	9.0
White	18,830	153	8.1	158	8.4
Colored	4,023	47	11.7	47	11.7
Amite	[2] 18,960	140	7.4	144	7.6
White	9,617	61	6.3	64	6.7
Colored	9,343	79	8.5	80	8.6
Attala	[2] 24,831	203	8.2	213	8.6
White	14,663	103	7.0	109	7.4
Colored	10,168	100	9.8	104	10.2
Benton	[2] 9,851	92	9.3	93	9.4
White	5,231	44	8.4	45	8.6
Colored	4,620	48	10.4	48	10.4
Bolivar	61,730	816	13.2	847	13.7
White	11,880	110	9.3	126	10.6
Colored	49,850	706	14.2	721	14.5
Calhoun	[2] 16,823	123	7.3	125	7.4
White	13,936	94	6.7	96	6.9
Colored	2,887	29	10.0	29	10.0
Carroll	[2] 20,324	133	6.5	137	6.7
White	8,970	52	5.8	55	6.1
Colored	11,354	81	7.1	82	7.2
MISSISSIPPI COUNTIES—continued					
Chickasaw	[2] 22,212	294	13.2	295	13.3
White	11,155	115	10.3	115	10.3
Colored	11,057	179	16.2	180	16.3
Choctaw	[2] 12,491	94	7.5	95	7.6
White	8,940	64	7.2	65	7.3
Colored	3,551	30	8.4	30	8.4
Claiborne	[2] 13,019	148	11.4	155	11.9
White	3,426	23	6.7	27	7.9
Colored	9,594	125	13.0	128	13.3
Clarke	[2] 17,927	205	11.4	219	12.2
White	10,700	100	9.3	108	10.1
Colored	7,227	105	14.5	111	15.4
Clay	[2] 17,490	213	12.2	215	12.3
White	7,003	64	9.1	65	9.3
Colored	10,487	149	14.2	150	14.3
Coahoma	44,891	650	14.5	670	14.9
White	7,371	70	9.5	80	10.9
Colored	37,520	580	15.5	590	15.7
Copiah	[2] 28,672	283	9.9	299	10.4
White	13,567	127	9.4	136	10.0
Colored	15,105	156	10.3	163	10.8
Covington	[2] 14,869	110	7.4	116	7.8
White	10,593	67	6.3	71	6.7
Colored	4,276	43	10.1	45	10.5
De Soto	24,927	308	12.4	323	13.0
White	6,083	60	9.9	68	11.2
Colored	18,844	248	13.2	255	13.5
Forrest	7,541	65	8.6	74	9.8
White	5,683	48	8.4	53	9.3
Colored	1,858	17	9.1	21	11.3
Franklin	[2] 14,156	94	6.6	95	6.7
White	8,539	49	5.7	50	5.9
Colored	5,617	45	8.0	45	8.0
George	[2] 5,564	67	12.0	72	12.9
White	4,645	49	10.5	54	11.6
Colored	919	18	19.6	18	19.6
Greene	12,460	84	6.7	91	7.3
White	9,199	64	7.0	70	7.6
Colored	3,261	20	6.1	21	6.4
Grenada	[2] 13,607	183	13.4	190	14.0
White	5,160	60	11.6	63	12.2
Colored	8,447	123	14.6	127	15.0
Hancock	[2] 10,380	143	13.8	155	14.9
White	7,679	81	10.5	93	12.1
Colored	2,701	62	23.0	62	23.0
Harrison	(12)	352	(12)	348	(12)
White	(12)	262	(12)	258	(12)
Colored	(12)	90	(12)	90	(12)
Hinds	[2] 33,572	771	23.0	779	23.2
White	7,491	185	24.7	191	25.5
Colored	26,081	586	22.5	588 [5]	22.5
Holmes	(12)	441	(12)	457	(12)
White	(12)	69	(12)	74	(12)
Colored	(12)	372	(12)	383	(12)
Humphreys	(11)	307	(11)	318	(11)
White	(11)	50	(11)	54	(11)
Colored	(11)	257	(11)	264	(11)
Issaquena	[2] 7,618	97	12.7	104	13.7
White	702	8	11.4	10	14.2
Colored	6,916	89	12.9	94	13.6
Itawamba	16,165	122	7.5	122	7.5
Jackson	20,950	171	8.2	186	8.9
White	16,375	106	6.5	116	7.1
Colored	4,575	65	14.2	70	15.3
Jasper	18,513	130	7.0	134	7.2
White	9,720	50	5.1	52	5.3
Colored	8,793	80	9.1	82	9.3
Jefferson	[2] 15,946	196	12.3	206	12.9
White	3,987	34	8.5	38	9.5
Colored	11,959	162	13.5	168	14.0
MISSISSIPPI COUNTIES—continued					
Jefferson Davis	[2] 12,755	117	9.2	119	9.3
White	6,004	35	5.8	37	6.2
Colored	6,751	82	12.1	82	12.1
Jones	19,260	124	6.4	137	7.1
White	15,696	91	5.8	102	6.5
Colored	3,564	33	9.3	35	9.8
Kemper	[2] 19,619	201	10.2	201	10.2
White	8,417	66	7.8	67	8.0
Colored	11,202	135	12.1	134	12.0
Lafayette	[2] 19,243	211	11.0	215	11.2
White	11,279	105	9.3	108	9.6
Colored	7,964	106	13.3	107	13.4
Lamar	13,391	140	10.5	147	11.0
White	10,256	78	7.6	82	8.0
Colored	3,135	62	19.8	65	20.7
Lauderdale	[2] 21,751	343	15.8	321	14.8
White	11,169	141	12.6	122	10.9
Colored	10,582	202	19.1	199	18.8
Lawrence	[2] 12,663	89	7.0	93	7.3
White	7,678	51	6.6	53	6.9
Colored	4,985	38	7.6	40	8.0
Leake	[2] 16,973	121	7.1	122	7.2
White	11,021	79	7.2	80	7.3
Colored	5,952	42	7.1	42	7.1
Lee	29,951	258	8.6	260	8.7
White	20,623	148	7.2	150	7.3
Colored	9,328	110	11.8	110	11.8
Leflore	37,702	436	11.6	447	11.9
White	9,334	96	10.3	101	10.8
Colored	28,368	340	12.0	346	12.2
Lincoln	[2] 24,652	265	10.7	273	11.1
White	15,677	137	8.7	144	9.2
Colored	8,975	128	14.3	129	14.4
Lowndes	[2] 16,430	148	9.0	151	9.2
White	4,604	24	5.2	25	5.4
Colored	11,826	124	10.5	126	10.7
Madison	[2] 29,292	379	12.9	389	13.3
White	6,446	61	9.5	64	9.9
Colored	22,846	318	13.9	325	14.2
Marion	(12)	167	(12)	170	(12)
White	(12)	83	(12)	85	(12)
Colored	(12)	84	(12)	85	(12)
Marshall	[2] 26,105	335	12.8	340	13.0
White	7,264	63	8.7	66	9.1
Colored	18,841	272	14.4	274	14.5
Monroe	[2] 32,613	366	11.2	369	11.3
White	17,260	166	9.6	169	9.8
Colored	15,353	200	13.0	200	13.0
Montgomery	[2] 13,805	176	12.7	174	12.6
White	8,072	90	11.1	88	10.9
Colored	5,733	86	15.0	86	15.0
Neshoba	19,916	122	6.1	126	6.3
White	16,494	88	5.3	92	5.6
Colored	3,422	34	9.9	34	9.9
Newton	[2] 20,727	177	8.5	187	9.0
White	13,663	107	7.8	115	8.4
Colored	7,064	70	9.9	72	10.2
Noxubee	[2] 23,710	243	10.2	247	10.4
White	4,906	44	9.0	46	9.4
Colored	18,804	199	10.6	201	10.7
Oktibbeha	[2] 16,872	190	11.3	193	11.4
White	6,820	46	6.7	48	7.0
Colored	10,052	144	14.3	145	14.4
Panola	[2] 27,845	368	13.2	374	13.4
White	10,093	79	7.8	84	8.3
Colored	17,752	289	16.3	290 [5]	16.3
Pearl River	17,728	161	9.1	168	9.5
White	12,633	103	8.2	109	8.6
Colored	5,095	58	11.4	59	11.6
Perry	9,591	54	5.6	61	6.4
White	6,441	31	4.8	35	5.4
Colored	3,150	23	7.3	26	8.3

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—continued					
Pike	(12)	242	(12)	258	(12)
White	(12)	117	(12)	127	(12)
Colored	(12)	125	(12)	131	(12)
Pontotoc	20,088	145	7.2	146	7.3
White	15,985	106	6.6	107	6.7
Colored	4,103	39	9.5	39	9.5
Prentiss	17,917	148	8.3	149	[5] 8.3
White	15,684	126	8.0	127	8.1
Colored	2,233	22	9.9	22	9.9
Quitman	23,691	164	6.9	173	7.3
White	5,760	34	5.9	40	6.9
Colored	17,931	130	7.3	133	7.4
Rankin	[2] 20,272	222	11.0	234	11.5
White	8,969	62	6.9	66	7.4
Colored	11,303	160	14.2	168	14.9
Scott	[2] 16,420	152	9.3	158	9.6
White	10,230	70	6.8	74	7.2
Colored	6,190	82	13.2	84	13.6
Sharkey	(12)	158	(12)	169	(12)
White	(12)	23	(12)	23	(12)
Colored	(12)	135	(12)	146	(12)
Simpson	18,528	210	11.3	202	10.9
White	12,509	128	10.2	119	9.5
Colored	6,019	82	13.6	83	13.8
Smith	[2] 16,178	99	6.1	110	6.8
White	13,584	80	5.9	90	6.6
Colored	2,594	19	7.3	20	7.7
Stone	(11)	63	(11)	66	(11)
White	(11)	35	(11)	37	(11)
Colored	(11)	28	(11)	29	(11)
Sunflower	(12)	559	(12)	582	(12)
White	(12)	105	(12)	115	(12)
Colored	(12)	454	(12)	467	(12)
Tallahatchie	39,139	422	10.8	429	11.0
White	11,389	97	8.5	100	8.8
Colored	27,750	325	11.7	329	11.9
Tate	[2] 19,636	196	10.0	208	10.6
White	8,066	56	6.9	65	8.1
Colored	11,570	140	12.1	143	12.4
Tippah	15,784	147	9.3	150	9.5
White	13,569	117	8.6	120	8.8
Colored	2,215	30	13.5	30	13.5
Tishomingo	16,027	105	6.6	106	[5] 6.6
Tunica	21,192	217	10.2	232	10.9
White	2,345	17	7.2	22	9.4
Colored	18,847	200	10.6	210	11.1
Union	20,529	214	10.4	217	10.6
White	16,245	172	10.6	174	10.7
Colored	4,284	42	9.8	43	10.0
Walthall	(11)	66	(11)	67	(11)
White	(11)	34	(11)	35	(11)
Colored	(11)	32	(11)	32	(11)
Warren	[2] 15,290	138	9.0	146	9.5
White	3,125	3	1.0	5	1.6
Colored	12,165	135	11.1	141	11.6
Washington	(12)	326	(12)	358	(12)
White	(12)	23	(12)	30	(12)
Colored	(12)	303	(12)	328	(12)
Wayne	15,818	166	10.5	171	10.8
White	10,547	88	8.3	92	8.7
Colored	5,271	78	14.8	79	15.0
Webster	[2] 12,644	73	5.8	79	6.2
White	10,285	59	5.7	64	6.2
Colored	2,359	14	5.9	15	6.4
Wilkinson	[2] 15,319	123	8.0	131	8.6
White	4,005	23	5.7	28	7.0
Colored	11,314	100	8.8	103	9.1
Winston	18,602	144	7.7	152	8.2
White	12,316	73	5.9	78	6.3
Colored	6,286	71	11.3	74	11.8
MISSISSIPPI COUNTIES—continued					
Yalobusha	[2] 18,738	198	10.6	200	10.7
White	10,271	95	9.2	97	9.4
Colored	8,467	103	12.2	103	12.2
Yazoo	(12)	528	(12)	538	(12)
White	(12)	100	(12)	104	(12)
Colored	(12)	428	(12)	434	(12)
MISSOURI COUNTIES [10]					
Adair	[2] 21,404	241	11.3	226	10.6
Andrew	[2] 14,075	138	9.8	133	9.4
Atchison	[2] 13,008	101	7.8	112	8.6
Audrain	[2] 20,589	259	12.6	256	12.4
Barry	[2] 23,473	155	6.6	163	6.9
Barton	16,937	141	8.3	145	8.6
Bates	[2] 23,933	265	11.1	270	11.3
Benton	[2] 12,989	104	8.0	111	8.5
Bollinger	[2] 13,909	62	4.5	64	4.6
Boone	[2] 19,082	153	8.0	166	8.7
Buchanan	15,703	123	7.8	137	8.7
Butler	25,718	293	11.4	303	11.8
Caldwell	[2] 13,849	145	10.5	148	10.7
Callaway*	[2] 23,007	385	16.7	348	15.1
White	19,776	311	15.7	282	14.3
Colored	3,231	74	22.9	66	20.4
Camden	[2] 10,474	58	5.5	57	5.4
Cape Girardeau	19,790	149	7.5	161	8.1
Carroll	[2] 20,480	238	11.6	240	11.7
Carter	8,397	30	3.6	35	4.2
Cass	[2] 21,536	199	9.2	213	9.9
Cedar	[2] 13,933	125	9.0	128	9.2
Chariton	[2] 21,769	206	9.5	215	9.9
Christian	[2] 15,252	120	7.9	119	7.8
Clark	[2] 11,874	113	9.5	127	10.7
Clay	20,523	276	13.4	294	14.3
Clinton	[2] 14,461	156	10.8	165	11.4
Cole	10,342	78	7.5	82	7.9
Cooper	[2] 19,308	200	10.4	205	10.6
White	16,904	164	9.7	169	10.0
Colored	2,404	36	15.0	36	15.0
Crawford	[2] 12,355	104	8.4	110	8.9
Dade	[2] 14,173	136	9.6	137	9.7
Dallas	[2] 12,033	65	5.4	68	5.7
Daviess	[2] 16,641	167	10.0	173	10.4
De Kalb	[2] 11,694	108	9.2	116	9.9
Dent	[2] 12,318	102	8.3	103	8.4
Douglas	[2] 15,436	48	3.1	49	3.2
Dunklin	33,905	455	13.4	461	13.6
Franklin	[2] 28,427	292	10.3	327	11.5
Gasconade	[2] 12,381	110	8.9	119	9.6
Gentry	[2] 15,634	158	10.1	181	11.6
Greene	29,268	199	6.8	213	7.3
Grundy	17,927	197	11.0	204	11.4
Harrison	[2] 19,719	192	9.7	201	10.2
Henry	[2] 25,116	254	10.1	261	10.4
Hickory	[2] 7,033	67	9.5	68	9.7
Holt	[2] 14,084	157	11.1	170	12.1
Howard	[2] 13,997	145	10.4	161	11.5
White	11,831	117	9.9	131	11.1
Colored	2,166	28	12.9	30	13.9
Howell	21,117	149	7.1	154	7.3
Iron	9,871	115	11.7	119	12.1
Jackson	34,747	394	11.3	435	12.5
Jasper	[2] 35,661	371	10.4	384	10.8
Jefferson	[2] 26,555	282	10.6	313	11.8
Johnson	[2] 24,899	225	9.0	240	9.6
Knox	[2] 10,783	96	8.9	101	9.4
Laclede	[2] 16,857	131	7.8	135	8.0
Lafayette	[2] 30,006	306	10.2	325	10.8
Lawrence	[2] 24,211	317	13.1	324	13.4
Lewis	[2] 13,465	167	12.4	186	13.8
Lincoln	[2] 15,956	138	8.6	154	9.7
MISSOURI COUNTIES—continued					
Linn	[2] 24,778	269	10.9	273	11.0
Livingston	[2] 18,857	215	11.4	217	11.5
McDonald	15,222	45	3.0	47	3.1
Macon	[2] 27,518	247	9.0	258	9.4
Madison	[2] 10,721	76	7.1	81	7.6
Maries	[2] 9,500	56	5.9	56	5.9
Marion	[2] 10,474	104	9.9	117	11.2
Mercer	[2] 11,281	88	7.8	90	8.0
Miller	[2] 15,567	98	6.3	100	6.4
Mississippi	[2] 12,860	271	21.1	282	21.9
White	11,549	181	15.7	191	16.5
Colored	1,311	90	68.6	91	69.4
Moniteau	[2] 13,532	117	8.6	119	8.8
Monroe	[2] 16,414	153	9.3	164	10.0
Montgomery	[2] 15,233	151	9.9	158	10.4
Morgan	[2] 12,015	99	8.2	99	8.2
New Madrid	27,818	304	10.9	330	11.9
Newton	[2] 24,886	219	8.8	224	9.0
Nodaway	[2] 27,744	277	10.0	295	10.6
Oregon	[2] 12,889	83	6.4	83	6.4
Osage	[2] 13,559	117	8.6	119	8.8
Ozark	[2] 11,125	65	5.8	66	5.9
Pemiscot	29,913	286	9.6	298	10.0
White	24,965	200	8.0	207	8.3
Colored	4,948	86	17.4	91	18.4
Perry	[2] 14,434	136	9.4	145	10.0
Pettis	14,238	120	8.4	121	8.5
Phelps	[2] 14,941	195	13.1	202	13.5
Pike	[2] 20,345	217	10.7	230	11.3
White	17,739	159	9.0	171	9.6
Colored	2,606	58	22.3	59	22.6
Platte	[2] 13,996	118	8.4	134	9.6
Polk	[2] 20,351	163	8.0	178	8.7
Pulaski	[2] 10,490	94	9.0	100	9.5
Putnam	[2] 13,115	109	8.3	116	8.8
Ralls	[2] 10,412	101	9.7	109	10.5
Randolph	14,623	145	9.9	149	10.2
Ray	[2] 20,508	215	10.5	222	10.8
Reynolds	10,343	57	5.5	61	5.9
Ripley	[2] 12,061	79	6.6	82	6.8
St. Charles	[2] 22,828	292	12.8	295	12.9
St. Clair	[2] 15,341	110	7.2	114	7.4
St. Francois	[2] 31,403	446	14.2	440	14.0
St. Louis*	109,228	1,410	12.9	1,480	13.5
Ste. Genevieve	[2] 9,809	87	8.9	90	9.2
Saline	[2] 28,826	310	10.8	314	10.9
White	25,699	268	10.4	272	10.6
Colored	3,127	42	13.4	42	13.4
Schuyler	[2] 8,383	76	9.1	85	10.1
Scotland	[2] 10,700	80	7.5	84	7.9
Scott	23,888	334	14.0	341	14.3
Shannon	12,059	96	8.0	96	8.0
Shelby	[2] 13,617	126	9.3	136	10.0
Stoddard	30,655	340	11.1	346	11.3
Stone	12,117	94	7.8	97	8.0
Sullivan	[2] 17,781	145	8.2	149	8.4
Taney	[2] 8,178	65	7.9	65	7.9
Texas	[2] 20,548	179	8.7	191	9.3
Vernon	[2] 26,069	407	15.6	375	14.4
Warren	[2] 8,490	67	7.9	71	8.4
Washington	13,999	119	8.5	122	8.7
Wayne	[2] 13,012	103	7.9	112	8.6
Webster	[2] 16,609	154	9.3	163	9.8
Worth	[2] 7,642	50	6.5	57	7.5
Wright	[2] 17,733	93	5.2	96	5.4
MONTANA COUNTIES [10]					
Beaverhead	7,798	64	8.2	66	8.5
Big Horn	(11)	130	(11)	131	(11)
White	(11)	16	(11)	17	(11)
Colored	(11)	114	(11)	114	(11)

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MONTANA COUNTIES—con.					
Blaine	(12)	67	(12)	68	(12)
White	(12)	31	(12)	32	(12)
Colored	(12)	36	(12)	36	(12)
Broadwater	[2] 3,239	26	8.0	28	8.6
Carbon	(12)	78	(12)	79	(12)
Carter	(11)	24	(11)	26	(11)
Cascade	(13)	53	(13)	61	(13)
Chouteau	(13)	37	(13)	42	(13)
Custer	(12)	110	(12)	110	(12)
Daniels	(14)	25	(14)	27	(14)
Dawson	(12)	85	(12)	87	(12)
Deer Lodge*	4,025	192	47.7	162	40.2
Fallon	(12)	22	(12)	23	(12)
Fergus	(13)	128	(13)	135	(13)
Flathead	(13)	189	(13)	194	(13)
Gallatin	16,691	135	8.1	142	8.5
Garfield	(11)	17	(11)	17	(11)
Glacier	(11)	80	(11)	81	(11)
White	(11)	22	(11)	22	(11)
Colored	(11)	58	(11)	59	(11)
Golden Valley	(14)	15	(14)	15	(14)
Granite	4,735	31	6.5	33	7.0
Hill	(13)	103	(13)	103	(13)
Jefferson	[2] 5,203	33	6.3	34	6.5
Judith Basin	(14)	13	(14)	14	(14)
Lake	(14)	80	(14)	80	(14)
Lewis and Clark	[2] 6,623	88	13.3	88	13.3
Liberty	(14)	8	(14)	10	(14)
Lincoln	9,724	46	4.7	53	5.5
McCone	(11)	14	(11)	14	(11)
Madison	7,618	46	6.0	51	6.7
Meagher	(12)	17	(12)	18	(12)
Mineral	(11)	18	(11)	20	(11)
Missoula	(13)	38	(13)	46	(13)
White	(13)	28	(13)	33	(13)
Colored	(13)	10	(13)	13	(13)
Musselshell	(13)	69	(13)	69	(13)
Park	11,607	112	9.6	116	10.0
Phillips	(11)	34	(11)	35	(11)
Pondera	(11)	29	(11)	29	(11)
Powder River	(11)	16	(11)	16	(11)
Powell	7,374	48	6.5	49	6.6
Prairie	(11)	19	(11)	19	(11)
Ravalli	[2] 10,098	87	8.6	88	8.7
Richland	(12)	45	(12)	47	(12)
Roosevelt	(11)	104	(11)	110	(11)
White	(11)	51	(11)	56	(11)
Colored	(11)	53	(11)	54	(11)
Rosebud	(12)	69	(12)	71	(12)
Sanders	5,453	51	9.4	59	10.8
Sheridan	(13)	44	(13)	46	(13)
Silver Bow	19,281	256	13.3	258	13.4
Stillwater	(11)	49	(11)	52	(11)
Sweet Grass	(13)	29	(13)	29	(13)
Teton	(12)	24	(12)	25	(12)
Toole	(11)	27	(11)	26	(11)
Treasure	(11)	16	(11)	15	(11)
Valley	(13)	83	(13)	86	(13)
Wheatland	(11)	22	(11)	21	(11)
Wibaux	(11)	15	(11)	19	(11)
Yellowstone	(12)	84	(12)	85	(12)
NEBRASKA COUNTIES [10]					
Adams*	10,703	167	15.6	173	16.2
Antelope	15,817	121	7.6	127	8.0
Arthur	(11)	8	(11)	8	(11)
Banner	[2] 1,435	2	1.4	3	2.1
Blaine	1,827	5	2.7	5	2.7
Boone	14,611	104	7.1	116	7.9
NEBRASKA COUNTIES—con.					
Box Butte	9,462	112	11.8	107	11.3
Boyd	[2] 8,243	62	7.5	66	8.0
Brown	7,057	56	7.9	60	8.5
Buffalo*	24,658	277	11.2	250	10.1
Burt	[2] 12,559	102	8.1	112	8.9
Butler	[2] 14,606	122	8.4	130	8.9
Cass	[2] 18,029	163	9.0	184	10.2
Cedar	16,704	98	5.9	114	6.8
Chase	5,553	32	5.8	34	6.1
Cherry	12,374	69	5.6	78	6.3
Cheyenne	10,193	61	6.0	65	6.4
Clay	[2] 14,486	102	7.0	108	7.5
Colfax	11,630	80	6.9	87	7.5
Cuming	[2] 13,769	124	9.0	131	9.5
Custer	26,750	182	6.8	190	7.1
Dakota	3,218	63	19.6	71	22.1
Dawes	11,043	78	7.1	82	7.4
Dawson	16,024	118	7.4	129	8.1
Deuel	3,976	11	2.8	13	3.3
Dixon	11,971	83	6.9	104	8.7
Dodge	23,685	215	9.1	236	10.0
Douglas	13,175	64	4.9	79	6.0
Dundy	5,226	24	4.6	24	4.6
Fillmore	[2] 13,671	113	8.3	117	8.6
Franklin	[2] 10,067	72	7.2	74	7.4
Frontier	[2] 8,540	40	4.7	44	5.2
Furnas	[2] 11,657	128	11.0	126	10.8
Gage	[2] 29,721	350	11.8	352	[6] 11.8
Garden	(12)	24	(12)	29	(12)
Garfield	3,534	25	7.1	25	7.1
Gosper	[2] 4,669	23	4.9	24	5.1
Grant	1,668	8	4.8	11	6.6
Greeley	8,981	44	4.9	54	6.0
Hall	9,977	74	7.4	84	8.4
Hamilton	[2] 13,237	109	8.2	112	8.5
Harlan	[2] 9,220	71	7.7	73	7.9
Hayes	3,471	16	4.6	16	4.6
Hitchcock	6,337	54	8.5	55	8.7
Holt	17,894	115	6.4	126	7.0
Hooker	1,562	10	6.4	10	6.4
Howard	[2] 10,739	84	7.8	85	7.9
Jefferson	[2] 16,140	132	8.2	133	[5] 8.2
Johnson	[2] 8,940	86	9.6	93	10.4
Kearney	[2] 8,583	70	8.2	72	8.4
Keith	6,036	42	7.0	45	7.5
Keyapaha	3,658	13	3.6	13	3.6
Kimball	5,682	31	5.5	34	6.0
Knox	19,142	150	7.8	161	8.4
Lancaster*	31,663	290	9.2	305	9.6
Lincoln	13,909	69	5.0	76	5.5
Logan	1,629	17	10.4	18	11.0
Loup	[2] 1,946	4	2.1	5	2.6
Mc Pherson	(12)	14	(12)	14	(12)
Madison*	24,091	302	12.5	287	11.9
Merrick	10,939	83	7.6	85	7.8
Morrill	11,266	54	4.8	55	4.9
Nance	[2] 8,712	73	8.4	82	9.4
Nemaha	[2] 12,547	107	8.5	115	9.2
Nuckolls	13,335	98	7.3	101	7.6
Otoe	19,571	160	8.2	178	9.1
Pawnee	[2] 9,578	104	10.9	108	11.3
Perkins	4,614	17	3.7	17	3.7
Phelps	[2] 9,900	105	10.6	107	10.8
Pierce	10,938	68	6.2	71	6.5
Platte	19,676	176	8.9	159	8.1
Polk	10,803	86	8.0	92	8.5
Redwillow	11,608	99	8.5	103	8.9
Richardson	19,671	173	8.8	183	9.3
Rock	3,737	29	7.8	30	8.0
Saline	[2] 16,514	133	8.1	151	9.1
Sarpy	9,413	61	6.5	77	8.2
NEBRASKA COUNTIES—con.					
Saunders	[2] 20,589	163	7.9	185	9.0
Scotts Bluff	26,434	194	7.3	197	7.5
Seward	[2] 15,867	136	8.6	140	8.8
Sheridan	10,688	70	6.5	74	6.9
Sherman	9,153	75	8.2	78	8.5
Sioux	[2] 4,528	20	4.4	20	4.4
Stanton	7,855	37	4.7	38	4.8
Thayer	[2] 13,976	128	9.2	131	9.4
Thomas	2,043	16	7.8	16	7.8
Thurston	9,999	129	12.9	136	13.6
White	8,580	57	6.6	65	7.6
Colored	1,419	72	50.7	71	50.0
Valley	9,981	72	7.2	76	7.6
Washington	[2] 12,180	111	9.1	124	10.2
Wayne	[2] 9,725	75	7.7	86	8.8
Webster	[2] 10,922	105	9.6	110	10.1
Wheeler	2,639	17	6.4	17	6.4
York	[2] 17,146	161	9.4	167	9.7
NEW HAMPSHIRE COUNTIES [10]					
Belknap	[2] 9,952	144	14.5	162	16.3
Carroll	[2] 15,017	247	16.4	253	16.8
Cheshire	19,382	237	12.2	258	13.3
Coos	20,462	242	11.8	239	11.7
Grafton	[2] 40,572	620	15.3	572	14.1
Hillsborough	28,169	514	18.2	444	15.8
Merrimack	[2] 29,293	448	15.3	444	15.2
Rockingham	38,007	559	14.7	602	15.8
Strafford	[2] 25,517	334	13.1	343	13.4
Sullivan	21,656	306	14.1	291	13.4
NEW JERSEY COUNTIES [10]					
Atlantic	36,669	547	14.9	550	15.0
Bergen	189,013	1,666	8.8	2,052	10.9
Burlington	88,819	1,046	11.8	1,091	12.3
Camden	73,165	938	12.8	1,000	13.7
Cape May	[2] 19,460	410	21.1	330	17.0
Cumberland	34,117	497	14.6	468	13.7
Essex*	52,486	993	18.9	854	16.3
Gloucester	53,256	668	12.5	729	13.7
Hudson*	57,916	1,000	17.3	907	15.7
Hunterdon	[2] 32,885	431	13.1	477	14.5
Mercer	46,040	606	13.2	596	12.9
Middlesex	87,869	741	8.4	918	10.4
Monmouth	82,582	1,167	14.1	1,233	14.9
Morris*	73,832	1,025	13.9	1,117	15.1
Ocean	22,542	364	16.1	331	14.7
Passaic	37,311	316	8.5	386	10.3
Salem	41,009	438	10.7	458	11.2
White	36,738	358	9.7	375	10.2
Colored	4,271	80	18.7	83	19.4
Somerset	52,241	622	11.9	694	13.3
Sussex	[2] 24,905	334	13.4	339	13.6
Union	(3)	649	(3)	729	(3)
Warren	27,599	351	12.7	372	13.5
NEW YORK COUNTIES [4, 10]					
Albany	38,780	423	10.9	477	12.3
Allegany	36,820	485	13.2	518	14.1
Broome	60,383	763	12.6	745	12.3
Cattaraugus	52,172	671	12.9	696	13.3
Cayuga	29,559	431	14.6	461	15.6
Chautauqua	63,477	810	12.8	883	13.9
Chemung	23,351	285	12.2	314	13.4
Chenango	35,501	551	15.5	568	16.0
Clinton	34,323	400	11.7	441	12.8
Columbia	30,331	417	13.7	429	14.1
Cortland	17,030	239	14.0	260	15.3
Delaware	43,338	573	13.2	596	13.8

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK COUNTIES—con.					
Dutchess*	50,726	1,002	19.8	1,014	20.0
Erie	120,021	1,227	10.2	1,382	11.5
Essex	32,014	519	16.2	494	15.4
Franklin*	45,513	726	16.0	625	13.7
Fulton	12,993	161	12.4	170	13.1
Genesee	27,226	313	11.5	356	13.1
Greene	27,800	432	15.5	465	16.7
Hamilton	4,196	45	10.7	51	12.2
Herkimer	32,669	437	13.4	459	14.1
Jefferson	52,609	658	12.5	706	13.4
Lewis	24,542	323	13.2	344	14.0
Livingston	38,853	620	16.0	642	16.5
Madison	29,956	442	14.8	457	15.3
Monroe	71,981	798	11.1	831	11.5
Montgomery	25,836	347	13.4	376	14.6
Nassau	193,845	1,785	9.2	1,892	9.8
Niagara	36,322	412	11.3	380	10.5
Oneida	63,706	678	10.6	756	11.9
Onondaga	82,322	963	11.7	1,027	12.5
Ontario	39,109	672	17.2	628	16.1
Orange	63,717	855	13.4	884	13.9
Orleans	30,341	369	12.2	393	13.0
Oswego	36,110	533	14.8	554	15.3
Otsego	35,224	613	17.4	643	18.3
Putnam	12,213	151	12.4	163	13.3
Rensselaer	34,049	501	14.7	521	15.3
Rockland	54,630	711	13.0	712	13.0
St. Lawrence	74,548	913	12.2	981	13.2
Saratoga	50,898	630	12.4	719	14.1
Schenectady	22,843	214	9.4	235	10.3
Schoharie	21,521	326	15.1	354	16.4
Schuyler	13,396	219	16.3	232	17.3
Seneca*	25,257	520	20.6	523	20.7
Steuben	50,520	842	16.7	849	16.8
Suffolk*	137,629	2,294	16.7	2,306	16.8
Sullivan*	39,002	609	15.6	543	13.9
Tioga	25,789	343	13.3	356	13.8
Tompkins	20,218	265	13.1	292	14.4
Ulster	53,825	690	12.8	755	14.0
Warren	16,019	236	14.7	247	15.4
Washington	46,361	624	13.5	661	14.3
Wayne	51,284	630	12.3	655	12.8
Westchester	133,484	1,433	10.7	1,458	10.9
Wyoming	30,739	385	12.5	405	13.2
Yates	17,494	274	15.7	288	16.5
NORTH CAROLINA COUNTIES [10]					
Alamance	34,575	400	11.6	407	11.8
White	26,916	286	10.6	290	10.8
Colored	7,659	114	14.9	117	15.3
Alexander	12,500	100	8.0	100	8.0
Alleghany	[2] 7,403	59	8.0	61	8.2
Anson	29,663	328	11.1	322	10.9
White	14,092	142	10.1	140	9.9
Colored	15,571	186	11.9	182	11.7
Ashe	21,894	140	6.4	143	6.5
Avery	[11]	64	[11]	65	[11]
Beaufort	31,093	522	16.8	520	16.7
White	19,389	250	12.9	246	12.7
Colored	11,704	272	23.2	274	23.4
Bertie	24,436	338	13.8	343	14.0
White	10,726	131	12.2	133	12.4
Colored	13,710	207	15.1	210	15.3
Bladen	20,574	248	12.1	252	12.2
White	12,580	122	9.7	125	9.9
Colored	7,994	126	15.8	127	15.9
Brunswick	15,081	196	13.0	201	13.3
White	9,725	93	9.6	95	9.8
Colored	5,356	103	19.2	106	19.8
Buncombe	39,867	566	14.2	540	13.5
Burke*	24,172	375	15.5	369	15.3
White	21,471	321	15.0	316	14.7
Colored	2,701	54	20.0	53	19.6
Cabarrus	37,201	390	10.5	397	10.7
White	30,736	277	9.0	283	9.2
Colored	6,465	113	17.5	114	17.6
Caldwell	[12]	213	[12]	213	[12]
Camden	[2] 5,382	58	10.8	59	11.0
White	3,257	26	8.0	26	8.0
Colored	2,125	32	15.1	33	15.5
Carteret	16,128	165	10.2	171	10.6
White	13,701	133	9.7	139	10.1
Colored	2,427	32	13.2	32	13.2
Caswell	16,177	164	10.1	164	10.1
White	8,235	69	8.4	70	8.5
Colored	7,942	95	12.0	94	11.8
Catawba	36,583	358	9.8	364	9.9
White	32,962	295	8.9	300	9.1
Colored	3,621	63	17.4	64	17.7
Chatham	24,360	268	11.0	272	11.2
White	16,477	179	10.9	182	11.0
Colored	7,883	89	11.3	90	11.4
Cherokee	15,755	132	8.4	139	8.8
Chowan	[2] 10,649	130	12.2	137	12.9
White	5,350	57	10.7	61	11.4
Colored	5,299	73	13.8	76	14.3
Clay	4,989	48	9.6	49	9.8
Cleveland	36,488	392	10.7	402	11.0
White	30,349	296	9.8	305	10.0
Colored	6,139	96	15.6	97	15.8
Columbus	31,099	386	12.4	397	12.8
White	21,120	205	9.7	215	10.2
Colored	9,979	181	18.1	182	18.2
Craven	18,435	215	11.7	218	11.8
White	9,499	91	9.6	94	9.9
Colored	8,936	124	13.9	124	13.9
Cumberland	[12]	509	[12]	506	[12]
White	[12]	279	[12]	274	[12]
Colored	[12]	230	[12]	232	[12]
Currituck	[2] 7,268	86	11.8	89	12.2
White	4,630	44	9.5	47	10.2
Colored	2,638	42	15.9	42	15.9
Dare	5,243	43	8.2	43	8.2
Davidson	37,889	436	11.5	441	11.6
White	34,364	362	10.5	366	10.7
Colored	3,525	74	21.0	75	21.3
Davie	13,665	149	10.9	150	11.0
White	11,770	111	9.4	112	9.5
Colored	1,895	38	20.1	38	20.1
Duplin	32,439	373	11.5	386	11.9
White	20,472	203	9.9	213	10.4
Colored	11,967	170	14.2	173	14.5
Durham	22,108	374	16.9	361	16.3
White	16,591	291	17.5	278	16.8
Colored	5,517	83	15.0	83	15.0
Edgecombe	33,412	457	13.7	461	13.8
White	12,910	154	11.9	159	12.3
Colored	20,502	303	14.8	302	14.7
Forsyth	25,349	340	13.4	346	13.6
White	22,319	262	11.7	268	12.0
Colored	3,030	78	25.7	78	25.7
Franklin	27,582	338	12.3	345	12.5
White	15,591	131	8.4	137	8.8
Colored	11,991	207	17.3	208	[5] 17.3
Gaston	41,648	512	12.3	527	12.7
White	34,884	387	11.1	399	11.4
Colored	6,764	125	18.5	128	18.9
Gates	10,575	97	9.2	101	9.6
White	5,315	48	9.0	50	9.4
Colored	5,260	49	9.3	51	9.7
Graham	4,929	29	5.9	29	5.9
Granville	27,653	304	11.0	306	11.1
White	14,709	148	10.1	150	10.2
Colored	12,944	156	12.1	156	12.1
Greene	17,663	176	10.0	176	10.0
White	8,508	77	9.1	77	9.1
Colored	9,155	99	10.8	99	10.8
Guilford	19,408	310	16.0	318	16.4
White	17,012	224	13.2	231	13.6
Colored	2,396	86	35.9	87	36.3
Halifax	46,603	582	12.5	590	12.7
White	19,968	185	9.3	192	9.6
Colored	26,635	397	14.9	398	[5] 14.9
Harnett	31,159	329	10.6	333	10.7
White	22,633	215	9.5	218	9.6
Colored	8,526	114	13.4	115	13.5
Haywood	24,644	222	9.0	225	9.1
Henderson	19,168	216	11.3	219	11.4
Hertford	16,691	242	14.5	253	15.2
White	6,341	66	10.4	72	11.4
Colored	10,350	176	17.0	181	17.5
Hoke	[11]	185	[11]	183	[11]
White	[11]	53	[11]	53	[11]
Colored	[11]	132	[11]	130	[11]
Hyde	[2] 8,386	98	11.7	98	11.7
White	5,120	42	8.2	43	8.4
Colored	3,266	56	17.1	55	16.8
Iredell	39,644	454	11.5	456	[5] 11.5
White	32,316	317	9.8	318	[5] 9.8
Colored	7,328	137	18.7	138	18.8
Jackson	13,582	133	9.8	135	9.9
Johnston	52,619	582	11.1	592	11.3
White	40,399	404	10.0	409	10.1
Colored	12,120	178	14.7	183	15.1
Jones	10,463	96	9.2	98	9.4
White	5,840	40	6.8	41	7.0
Colored	4,623	56	12.1	57	12.3
Lee	14,338	202	14.1	201	14.0
White	10,284	125	12.2	123	12.0
Colored	4,054	77	19.0	78	19.2
Lenoir	32,702	422	12.9	422	12.9
White	18,321	215	11.7	215	11.7
Colored	14,381	207	14.4	207	14.4
Lincoln	18,201	183	10.1	184	[5] 10.1
White	16,230	142	8.7	144	8.9
Colored	1,971	41	20.8	40	20.3
McDowell	18,259	176	9.6	178	9.7
White	16,334	145	8.9	147	9.0
Colored	1,925	31	16.1	31	16.1
Macon	13,208	161	12.2	163	12.3
Madison	[2] 20,083	212	10.6	218	10.9
Martin	22,234	278	12.5	281	12.6
White	12,035	133	11.1	135	11.2
Colored	10,199	145	14.2	146	14.3
Mecklenburg	34,979	378	10.8	388	11.1
White	23,757	225	9.5	235	9.9
Colored	11,222	153	13.6	153	13.6
Mitchell	[12]	99	[12]	103	[12]
Montgomery	[2] 14,607	131	9.0	136	9.3
White	11,322	77	6.8	82	7.2
Colored	3,285	54	16.4	54	16.4
Moore	23,419	219	9.4	216	9.2
White	16,684	154	9.2	151	9.1
Colored	6,735	65	9.7	65	9.7
Nash	37,134	431	11.6	444	12.0
White	20,266	216	10.7	222	11.0
Colored	16,868	215	12.7	222	13.2

(See footnotes at end of table)

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—con.					
New Hanover	8,209	127	15.5	115	14.0
White	5,018	65	13.0	53	10.6
Colored	3,191	62	19.4	62	19.4
Northampton	23,583	247	10.5	254	10.8
White	9,405	85	9.0	87	9.3
Colored	14,178	162	11.4	167	11.8
Onslow	14,970	190	12.7	189	12.6
White	10,438	130	12.5	128	12.3
Colored	4,532	60	13.2	61	13.5
Orange	19,206	216	11.2	228	11.9
White	13,241	126	9.5	130	9.8
Colored	5,965	90	15.1	98	16.4
Pamlico	[2] 9,060	96	10.6	96	10.6
White	5,846	58	9.9	58	9.9
Colored	3,214	38	11.8	38	11.8
Pasquotank	18,123	285	15.7	284[5]	15.7
White	10,525	132	12.5	133	12.6
Colored	7,598	153	20.1	151	19.9
Pender	[2] 14,788	209	14.1	213	14.4
White	7,470	78	10.4	81	10.8
Colored	7,318	131	17.9	132	18.0
Perquimans	11,175	140	12.5	144	12.9
White	5,768	58	10.1	61	10.6
Colored	5,407	82	15.2	83	15.4
Person	19,722	236	12.0	238	12.1
White	11,223	123	11.0	125	11.1
Colored	8,499	113	13.3	113	13.3
Pitt	49,846	615	12.3	622	12.5
White	24,533	272	11.1	277	11.3
Colored	25,313	343	13.6	345[5]	13.6
Polk	9,385	93	9.9	81	8.6
White	7,700	87	11.3	75	9.7
Colored	1,685	6	3.6	6	3.6
Randolph	31,488	367	11.7	365	11.6
White	27,874	316	11.3	315[5]	11.3
Colored	3,614	51	14.1	50	13.8
Richmond	28,299	343	12.1	346	12.2
White	17,141	168	9.8	171	10.0
Colored	11,158	175	15.7	175	15.7
Robeson	(12)	620	(12)	627	(12)
White	(12)	274	(12)	281	(12)
Colored	(12)	346	(12)	346	(12)
Rockingham	47,720	478	10.0	480	10.1
White	36,979	352	9.5	353[5]	9.5
Colored	10,741	126	11.7	127	11.8
Rowan	30,090	300	10.0	306	10.2
White	24,883	200	8.0	205	8.2
Colored	5,207	100	19.2	101	19.4
Rutherford	32,835	407	12.4	396	12.1
White	28,307	348	12.3	336	11.9
Colored	4,528	59	13.0	60	13.3
Sampson	38,792	431	11.1	439	11.3
White	25,429	247	9.7	254	10.0
Colored	13,363	184	13.8	185[5]	13.8
Scotland	15,708	215	13.7	216	13.8
White	5,711	90	15.8	91	15.9
Colored	9,997	125	12.5	125	12.5
Stanly	30,913	282	9.1	283	9.2
White	26,689	209	7.8	209	7.8
Colored	4,224	73	17.3	74	17.5
Stokes	20,770	214	10.3	216	10.4
White	18,627	179	9.6	181	9.7
Colored	2,143	35	16.3	35	16.3
Surry	33,743	322	9.5	324	9.6
Swain	14,530	136	9.4	136	9.4
Transylvania	10,280	72	7.0	73	7.1
Tyrrell	[2] 4,849	67	13.8	68	14.0
White	3,373	45	13.3	46	13.6
Colored	1,476	22	14.9	22	14.9
Union	37,303	372	10.0	373[5]	10.0
White	28,943	238	8.2	240	8.3
Colored	8,360	134	16.0	133	15.9
NORTH CAROLINA COUNTIES—con.					
Vance	24,361	333	13.7	336	13.8
White	14,110	155	11.0	158	11.2
Colored	10,251	178	17.4	178	17.4
Wake	50,911	627	12.3	647	12.7
White	30,183	290	9.6	303	10.0
Colored	20,728	337	16.3	344	16.6
Warren	22,207	291	13.1	294	13.2
White	8,114	92	11.3	95	11.7
Colored	14,093	199	14.1	199	14.1
Washington	11,598	150	12.9	154	13.3
White	5,999	71	11.8	74	12.3
Colored	5,599	79	14.1	80	14.3
Watauga	(12)	132	(12)	132	(12)
Wayne*	33,621	432	12.8	434	12.9
White	19,018	173	9.1	178	9.4
Colored	14,603	259	17.7	256	17.5
Wilkes	33,738	359	10.6	358[5]	10.6
Wilson	28,357	365	12.9	363	12.8
White	16,515	203	12.3	202	12.2
Colored	11,842	162	13.7	161	13.6
Yadkin	16,837	155	9.2	158	9.4
Yancey	16,493	105	6.4	108	6.5
NORTH DAKOTA COUNTIES [4,10]					
Adams	5,508	31	5.6	30	5.4
Barnes	18,508	138	7.5	153	8.3
Benson	13,223	93	7.0	101	7.6
Billings	2,949	13	4.4	14	4.7
Bottineau	14,121	83	5.9	83	5.9
Bowman	4,561	18	3.9	19	4.2
Burke	9,338	58	6.2	62	6.6
Burleigh*	16,847	242	14.4	142	8.4
Cass	19,163	90	4.7	136	7.1
Cavalier	14,385	90	6.3	94	6.5
Dickey	10,254	58	5.7	64	6.2
Divide	9,488	54	5.7	60	6.3
Dunn	9,333	48	5.1	58	6.2
Eddy	6,171	47	7.6	45	7.3
Emmons	11,534	60	5.2	71	6.2
Foster	5,878	56	9.5	55	9.4
Golden Valley	4,404	46	10.4	50	11.4
Grand Forks	14,446	100	6.9	126	8.7
Grant	9,485	76	8.0	81	8.5
Griggs	6,989	49	7.0	51	7.3
Hettinger	7,674	44	5.7	48	6.3
Kidder	7,618	39	5.1	48	6.3
La Moure	11,469	73	6.4	83	7.2
Logan	7,858	51	6.5	57	7.3
McHenry	15,120	86	5.7	108	7.1
McIntosh	9,199	75	8.2	79	8.6
McKenzie	8,842	47	5.3	52	5.9
McLean	16,328	86	5.3	104	6.4
Mercer	9,107	42	4.6	57	6.3
Morton	18,871	141	7.5	156	8.3
Mountrail	12,654	68	5.4	80	6.3
Nelson	10,166	87	8.6	96	9.4
Oliver	4,234	26	6.1	29	6.8
Pembina	14,439	128	8.9	131	9.1
Pierce	8,734	63	7.2	49	5.6
Ramsey	15,720	107	6.8	108	6.9
Ransom	10,982	66	6.0	79	7.2
Renville	7,394	35	4.7	40	5.4
Richland	20,832	133	6.4	139	6.7
Rolette	9,179	107	11.7	86	9.4
White	7,886	77	9.8	56	7.1
Colored	1,293	30	23.2	30	23.2
Sargent	9,308	51	5.5	65	7.0
Sheridan	7,250	42	5.8	47	6.5
NORTH DAKOTA COUNTIES—con.					
Sioux	3,355	40	11.9	39	11.6
White	2,274	10	4.4	11	4.8
Colored	1,081	30	27.8	28	25.9
Slope	4,136	18	4.4	19	4.6
Stark	14,087	139	9.9	126	8.9
Steele	7,182	42	5.8	47	6.5
Stutsman	24,583	262	10.7	263[5]	10.7
Towner	8,093	39	4.8	48	5.9
Traill	12,282	85	6.9	99	8.1
Walsh	19,261	183	9.5	186	9.7
Ward	17,255	118	6.8	128	7.4
Wells	12,939	70	5.4	78	6.0
Williams	17,744	151	8.5	159	9.0
OHIO COUNTIES [10]					
Adams	[2] 22,403	219	9.8	231	10.3
Allen	27,883	339	12.2	344	12.3
Ashland	25,394	322	12.7	327	12.9
Ashtabula	43,644	581	13.3	590	13.5
Athens	51,651	635	12.3	664	12.9
Auglaize	[2] 29,527	306	10.4	316	10.7
Belmont	69,435	677	9.8	754	10.9
Brown	[2] 22,621	238	10.5	250	11.1
Butler	23,178	285	12.3	309	13.3
Carroll	16,025	140	8.7	146	9.1
Champaign	[2] 25,071	334	13.3	348	13.9
Clark	20,063	265	13.2	272	13.6
Clermont	[2] 28,291	339	12.0	365	12.9
Clinton	[2] 23,036	261	11.3	275	11.9
Columbiana	53,331	512	9.6	548	10.3
Coshocton	[2] 18,171	192	10.6	195	10.7
Crawford	25,496	317	12.4	326	12.8
Cuyahoga	62,207	857	13.8	931	15.0
Darke	[2] 42,911	436	10.2	441	10.3
Defiance	24,572	295	12.0	301	12.2
Delaware	[2] 26,013	328	12.6	333	12.8
Erie*	16,222	295	18.2	308	19.0
Fairfield	25,225	247	9.8	256	10.1
Fayette	[2] 21,518	253	11.8	261	12.1
Franklin	44,657	605	13.5	635	14.2
Fulton	[2] 23,445	253	10.8	267	11.4
Gallia*	[2] 23,311	422	18.1	414	17.8
Geauga	15,204	173	11.4	181	11.9
Greene	31,910	400	12.5	413	12.9
White	28,254	334	11.8	342	12.1
Colored	3,656	66	18.1	71	19.4
Guernsey	32,712	292	8.9	311	9.5
Hamilton	72,078	688	9.5	762	10.6
Hancock	20,619	184	8.9	189	9.2
Hardin	[2] 29,167	355	12.2	356[5]	12.2
Harrison	19,878	247	12.4	264	13.3
Henry	[2] 23,362	252	10.8	255	10.9
Highland	[2] 27,610	315	11.4	321	11.6
Hocking	[2] 23,291	221	9.5	235	10.1
Holmes	[2] 16,965	174	10.3	181	10.7
Huron	[2] 32,424	460	14.2	464	14.3
Jackson	[2] 27,342	284	10.4	303	11.1
Jefferson	51,872	499	9.6	565	10.9
Knox	[2] 29,580	328	11.1	338	11.4
Lake	31,327	380	12.1	397	12.7
Lawrence	25,160	292	11.6	294	11.7
Licking	26,488	349	13.2	369	13.9
Logan	30,113	373	12.4	388	12.9
Lorain	32,698	370	11.3	400	12.2
Lucas	33,830	337	10.0	367	10.8
Madison	[2] 19,662	188	9.6	210	10.7
Mahoning	48,335	447	9.2	490	10.1
Marion	14,055	133	9.5	135	9.6
Medina	27,210	342	12.6	358	13.2
Meigs	26,464	256	9.7	273	10.3
Mercer	[2] 26,872	265	9.9	277	10.3
Miami	34,186	413	12.1	444	13.0
Monroe	[2] 20,660	203	9.8	208	10.1

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO COUNTIES—continued					
Montgomery* (exclusive of) National Military Home	61,510	816 / 298	18.1	866 / 298	18.9
Morgan	[2] 14,555	171	11.7	161	11.1
Morrow	[2] 15,570	180	11.6	191	12.3
Muskingum	27,923	319	11.4	340	12.2
Noble	[2] 17,849	171	9.6	173	9.7
Ottawa	[2] 22,193	253	11.4	258	11.6
Paulding	[2] 18,736	155	8.3	171	9.1
Perry	36,423	314	8.6	336	9.2
Pickaway	[2] 25,788	316	12.3	338	13.1
Pike	[2] 14,151	153	10.8	166	11.7
Portage	39,033	439	11.2	457	11.7
Preble	[2] 23,238	257	11.1	278	12.0
Putnam	[2] 27,751	270	9.7	279	10.1
Richland	27,564	270	9.8	279	10.1
Ross	25,802	276	10.7	278	10.8
Sandusky	24,368	256	10.5	262	10.8
Scioto	31,151	295	9.5	307	9.9
Seneca	28,187	318	11.3	325	11.5
Shelby	26,506	267	10.1	278	10.5
Stark*	56,255	730	13.0	752	13.4
Summit	[3]	373	[3]	381	[3]
Trumbull	48,955	508	10.4	528	10.8
Tuscarawas	54,834	610	11.1	621	11.3
Union	[2] 20,918	216	10.3	230	11.0
Van Wert	[2] 28,210	242	8.6	247	8.8
Vinton	[2] 12,075	115	9.5	119	9.9
Warren	26,279	307	11.7	336	12.8
Washington	[2] 27,810	309	11.1	320	11.5
Wayne	42,868	500	11.7	507	11.8
Williams	[2] 24,627	263	10.7	272	11.0
Wood	[2] 44,892	510	11.4	532	11.9
Wyandot	[2] 19,481	217	11.1	228	11.7
OREGON COUNTIES [10]					
Baker	[2] 17,929	176	9.8	181	10.1
Benton	15,172	145	9.6	141	9.3
Clackamas	41,299	434	10.5	452	10.9
Clatsop	10,161	89	8.8	90	8.9
Columbia	15,527	142	9.1	181	11.7
Coos	24,248	283	11.7	288	11.9
Crook	[12]	16	[12]	18	[12]
Curry	3,480	35	10.1	40	11.5
Deschutes	[11]	136	[11]	135	[11]
Douglas	22,101	222	10.0	234	10.6
Gilliam	4,079	21	5.1	21	5.1
Grant	[2] 5,496	35	6.4	38	6.9
Harney	[2] 3,992	44	11.0	48	12.0
Hood River	8,453	81	9.6	82	9.7
Jackson	[2] 20,405	281	13.8	272	13.3
Jefferson	[11]	18	[11]	24	[11]
White	[11]	11	[11]	16	[11]
Colored	[11]	7	[11]	8	[11]
Josephine	[2] 7,655	108	14.1	116	15.2
Klamath	12,737	192	15.1	187	14.7
Lake	[2] 3,991	37	9.3	39	9.8
Lane	26,163	210	8.0	271	10.4
Lincoln	6,314	67	10.6	75	11.9
Linn	25,424	239	9.4	259	10.2
Malheur	11,974	87	7.3	74	6.2
Marion	31,281	275	8.8	313	10.0
Morrow	6,200	37	6.0	40	6.5
Multnomah	20,902	290	13.9	316	15.1
Polk	14,510	156	10.8	163	11.2
Sherman	[2] 3,826	25	6.5	33	8.6
Tillamook	9,989	124	12.4	116	11.6
Umatilla*	28,558	308	10.8	329	11.5
Union	16,841	184	10.9	169	10.0
OREGON COUNTIES—continued					
Wallowa	10,432	82	7.9	86	8.2
Wasco	[2] 13,648	160	11.7	141	10.3
Washington	28,626	285	10.0	324	11.3
Wheeler	2,932	9	3.1	13	4.4
Yamhill	21,569	210	9.7	232	10.8
PENNSYLVANIA COUNTIES [10]					
Adams	34,706	378	10.9	388	11.2
Allegheny	426,937	4,908	11.5	5,107	12.0
Armstrong	79,132	769	9.7	786	9.9
Beaver	79,999	906	11.3	908	11.4
Bedford	[2] 38,277	398	10.4	415	10.8
Berks*	97,215	1,389	14.3	1,320	13.6
Blair	72,059	735	10.2	754	10.5
Bradford	[2] 53,166	838	15.8	847	15.9
Bucks	72,487	874	12.1	919	12.6
Butler	54,427	542	10.0	567	10.4
Cambria	141,817	1,375	9.7	1,401	9.9
Cameron	[2] 6,297	61	9.7	66	10.5
Carbon	67,070	674	10.0	691	10.3
Centre	44,710	575	12.9	579	13.0
Chester	79,552	1,015	12.8	1,044	13.1
Clarion	[2] 36,170	339	9.4	346	9.6
Clearfield	93,455	832	8.9	852	9.1
Clinton	34,487	390	11.3	398	11.5
Columbia	[2] 34,324	424	12.4	426	[5] 12.4
Crawford	[2] 45,271	638	14.1	646	14.3
Cumberland	49,203	523	10.6	533	10.8
Dauphin	65,276	855	13.1	865	13.3
Delaware	132,057	1,278	9.7	1,323	10.0
Elk	[2] 34,981	318	9.1	321	9.2
Erie	[3]	613	[3]	626	[3]
Fayette	167,736	1,588	9.5	1,623	9.7
Forest	[2] 7,477	53	7.1	55	7.4
Franklin	49,626	559	11.3	547	11.0
Fulton	[2] 9,617	79	8.2	79	8.2
Greene	31,695	400	12.6	408	12.9
Huntingdon	40,563	462	11.4	467	11.5
Indiana	87,723	876	10.0	894	10.2
Jefferson	[2] 51,212	499	9.7	506	9.9
Juniata	[2] 14,464	166	11.5	167	[5] 11.5
Lackawanna	80,860	1,071	13.2	1,110	13.7
Lancaster	110,203	1,322	12.0	1,335	12.1
Lawrence	43,785	392	9.0	402	9.2
Lebanon	39,709	497	12.5	501	12.6
Lehigh*	61,066	876	14.3	890	14.6
Luzerne	240,383	2,656	11.0	2,758	11.5
Lycoming	41,949	449	10.7	454	10.8
McKean	33,681	316	9.4	327	9.7
Mercer	58,748	662	11.3	679	11.6
Mifflin	33,131	353	10.7	352	10.6
Monroe	24,921	331	13.3	337	13.5
Montgomery	160,494	1,973	12.3	2,005	12.5
Montour*	[2] 14,080	421	29.9	418	29.7
Northampton	78,850	880	11.2	898	11.4
Northumberland	71,274	802	11.3	800	11.2
Perry	[2] 22,875	270	11.8	277	12.1
Pike	[2] 6,818	109	16.0	123	18.0
Potter	[2] 21,089	267	12.7	279	13.2
Schuylkill	146,657	2,047	14.0	2,060	[5] 14.0
Snyder	17,280	215	12.4	220	12.7
Somerset	88,782	855	9.6	870	9.8
Sullivan	[2] 9,520	88	9.2	89	9.3
Susquehanna	[2] 34,763	436	12.5	456	13.1
Tioga	[2] 37,118	509	13.7	517	13.9
Union	[2] 15,850	183	11.5	186	11.7
Venango	37,595	513	13.6	523	13.9
PENNSYLVANIA COUNTIES—con.					
Warren*	25,269	434	17.2	448	17.7
Washington	145,396	1,335	9.2	1,403	9.6
Wayne	[2] 27,435	374	13.6	381	13.9
Westmoreland	231,122	1,938	8.4	2,002	8.7
Wyoming	[2] 14,101	204	14.5	213	15.1
York	99,493	1,015	10.2	1,037	10.4
RHODE ISLAND COUNTIES [4,10]					
Bristol	12,758	111	8.7	140	11.0
Kent	10,704	104	9.7	139	13.0
Newport	13,634	169	12.4	179	13.1
Providence	50,261	621	12.4	636	12.7
Washington	29,054	327	11.3	375	12.9
SOUTH CAROLINA COUNTIES [7,10]					
Abbeville	[12]	321	[12]	----	----
White	[12]	126	[12]	----	----
Colored	[12]	195	[12]	----	----
Aiken	47,299	611	12.9	----	----
White	22,781	262	11.5	----	----
Colored	24,518	349	14.2	----	----
Allendale	[11]	221	[11]	----	----
White	[11]	31	[11]	----	----
Colored	[11]	190	[11]	----	----
Anderson	68,499	589	8.6	----	----
White	45,059	327	7.3	----	----
Colored	23,440	262	11.2	----	----
Bamberg	22,084	259	11.7	----	----
White	7,039	75	10.7	----	----
Colored	15,045	184	12.2	----	----
Barnwell	[12]	228	[12]	----	----
White	[12]	51	[12]	----	----
Colored	[12]	177	[12]	----	----
Beaufort	[12]	437	[12]	----	----
White	[12]	45	[12]	----	----
Colored	[12]	392	[12]	----	----
Berkeley	[2] 22,558	393	17.4	----	----
White	6,199	74	11.9	----	----
Colored	16,359	319	19.5	----	----
Calhoun	19,195	294	15.3	----	----
White	6,654	48	7.2	----	----
Colored	12,541	246	19.6	----	----
Charleston	42,480	569	13.4	----	----
White	9,748	60	6.2	----	----
Colored	32,732	509	15.6	----	----
Cherokee	28,215	349	12.4	----	----
White	19,579	226	11.5	----	----
Colored	8,636	123	14.2	----	----
Chester	35,227	356	10.1	----	----
White	15,797	160	10.1	----	----
Colored	19,430	196	10.1	----	----
Chesterfield	34,596	356	10.3	----	----
White	21,092	193	9.2	----	----
Colored	13,594	163	12.0	----	----
Clarendon	36,126	401	11.1	----	----
White	10,224	81	7.9	----	----
Colored	25,902	320	12.4	----	----
Colleton	30,337	295	9.7	----	----
White	12,804	85	6.6	----	----
Colored	17,533	210	12.0	----	----
Darlington	40,563	564	13.9	----	----
White	17,930	208	11.6	----	----
Colored	22,633	356	15.7	----	----
Dillon	26,512	296	11.2	----	----
White	12,791	135	10.6	----	----
Colored	13,721	161	11.7	----	----
Dorchester	20,165	271	13.4	----	----
White	8,533	84	9.8	----	----
Colored	11,652	187	16.0	----	----

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
SOUTH CAROLINA COUNTIES—con.					
Edgefield	(12)	250	(12)	.....	.....
White	(12)	84	(12)	.....	.....
Colored	(12)	166	(12)	.....	.....
Fairfield	[2] 27,159	306	11.3	.....	.....
White	6,487	68	10.5	.....	.....
Colored	20,672	238	11.5	.....	.....
Florence	44,457	569	12.8	.....	.....
White	22,667	217	9.6	.....	.....
Colored	21,790	352	16.2	.....	.....
Georgetown	[2] 21,716	397	18.3	.....	.....
White	7,254	63	8.7	.....	.....
Colored	14,462	334	23.1	.....	.....
Greenville	71,273	773	10.8	.....	.....
White	55,658	597	10.7	.....	.....
Colored	15,615	176	11.3	.....	.....
Greenwood	(12)	451	(12)	.....	.....
White	(12)	204	(12)	.....	.....
Colored	(12)	247	(12)	.....	.....
Hampton	(12)	255	(12)	.....	.....
White	(12)	55	(12)	.....	.....
Colored	(12)	200	(12)	.....	.....
Horry	34,432	450	13.1	.....	.....
White	26,251	277	10.6	.....	.....
Colored	8,181	173	21.1	.....	.....
Jasper	(11)	172	(11)	.....	.....
White	(11)	29	(11)	.....	.....
Colored	(11)	143	(11)	.....	.....
Kershaw	30,466	330	10.8	.....	.....
White	13,113	124	9.5	.....	.....
Colored	17,353	206	11.9	.....	.....
Lancaster	29,545	281	9.5	.....	.....
White	16,466	146	8.9	.....	.....
Colored	13,079	135	10.3	.....	.....
Laurens	43,029	480	11.2	.....	.....
White	21,223	207	9.8	.....	.....
Colored	21,806	273	12.5	.....	.....
Lee	27,526	385	14.0	.....	.....
White	9,107	94	10.3	.....	.....
Colored	18,419	291	15.8	.....	.....
Lexington	37,360	373	10.0	.....	.....
White	25,591	208	8.1	.....	.....
Colored	11,769	165	14.0	.....	.....
McCormick	(11)	116	(11)	.....	.....
White	(11)	30	(11)	.....	.....
Colored	(11)	86	(11)	.....	.....
Marion	25,169	328	13.0	.....	.....
White	11,109	134	12.1	.....	.....
Colored	14,060	194	13.8	.....	.....
Marlboro	34,104	456	13.4	.....	.....
White	14,099	163	11.6	.....	.....
Colored	20,005	293	14.6	.....	.....
Newberry	35,999	390	10.8	.....	.....
White	16,005	139	8.7	.....	.....
Colored	19,994	251	12.6	.....	.....
Oconee	31,405	348	11.1	.....	.....
White	25,216	254	10.1	.....	.....
Colored	6,189	94	15.2	.....	.....
Orangeburg	69,084	891	12.9	.....	.....
White	23,582	209	8.9	.....	.....
Colored	45,502	682	15.0	.....	.....
Pickens	29,676	278	9.4	.....	.....
White	24,977	201	8.0	.....	.....
Colored	4,699	77	16.4	.....	.....
Richland	48,467	538	11.1	.....	.....
White	23,480	184	7.8	.....	.....
Colored	24,987	354	14.2	.....	.....
Saluda	22,620	189	8.4	.....	.....
White	10,777	79	7.3	.....	.....
Colored	11,843	110	9.3	.....	.....
Spartanburg	74,260	775	10.4	.....	.....
White	54,940	510	9.3	.....	.....
Colored	19,320	265	13.7	.....	.....
SOUTH CAROLINA COUNTIES—con.					
Sumter	45,155	807	17.9	.....	.....
White	13,575	162	11.9	.....	.....
Colored	31,580	645	20.4	.....	.....
Union	30,584	336	11.0	.....	.....
White	17,142	176	10.3	.....	.....
Colored	13,442	160	11.9	.....	.....
Williamsburg	38,963	509	13.1	.....	.....
White	12,470	124	9.9	.....	.....
Colored	26,493	385	14.5	.....	.....
York	51,842	618	11.9	.....	.....
White	28,018	272	9.7	.....	.....
Colored	23,824	346	14.5	.....	.....
TENNESSEE COUNTIES [10]					
Anderson	18,568	171	9.2	178	9.6
Bedford	[2] 21,737	245	11.3	256	11.8
White	17,378	179	10.3	188	10.8
Colored	4,359	66	15.1	68	15.6
Benton	[2] 12,046	74	6.1	75	6.2
Bledsoe	7,629	54	7.1	54	7.1
Blount	32,505	315	9.7	327	10.1
Bradley	19,725	316	16.0	317	16.1
Campbell	28,671	84	2.9	96	3.3
Cannon	[2] 10,241	83	8.1	87	8.5
Carroll	24,541	255	10.4	266	10.8
White	20,184	191	9.5	199	9.9
Colored	4,357	64	14.7	67	15.4
Carter	22,252	267	12.0	268	[5] 12.0
Cheatham	[2] 10,039	71	7.1	76	7.6
White	8,912	55	6.2	60	6.7
Colored	1,127	16	14.2	16	14.2
Chester	9,935	91	9.2	93	9.4
White	8,344	62	7.4	63	7.6
Colored	1,591	29	18.2	30	18.9
Claiborne	[2] 23,286	142	6.1	152	6.5
Clay	9,279	63	6.8	64	6.9
Cocke	21,421	286	13.4	292	13.6
Coffee	18,141	144	7.9	150	8.3
Crockett	18,068	140	7.7	143	7.9
White	14,428	100	6.9	102	7.1
Colored	3,640	40	11.0	41	11.3
Cumberland	10,450	30	2.9	33	3.2
Davidson *	52,890	755	14.3	752	14.2
White	45,009	577	12.8	573	12.7
Colored	7,881	178	22.6	179	22.7
Decatur	10,245	76	7.4	80	7.8
De Kalb	[2] 15,370	138	9.0	142	9.2
Dickson	[2] 19,342	160	8.3	171	8.8
White	16,995	136	8.0	147	8.6
Colored	2,347	24	10.2	24	10.2
Dyer	31,032	342	11.0	345	11.1
White	25,717	260	10.1	263	10.2
Colored	5,315	82	15.4	82	15.4
Fayette	32,074	286	8.9	299	9.3
White	8,171	49	6.0	54	6.6
Colored	23,903	237	9.9	245	10.2
Fentress	11,820	54	4.6	56	4.7
Franklin	20,709	175	8.5	177	[5] 8.5
White	18,219	151	8.3	151	8.3
Colored	2,490	24	9.6	26	10.4
Gibson	44,203	415	9.4	427	9.7
White	34,462	278	8.1	288	8.4
Colored	9,741	137	14.1	139	14.3
Giles	[2] 30,948	305	9.9	320	10.3
White	21,516	185	8.6	198	9.2
Colored	9,432	120	12.7	122	12.9
Grainger	[2] 13,369	135	10.1	138	10.3
Greene	33,630	340	10.1	347	10.3
TENNESSEE COUNTIES—continued					
Grundy	10,415	29	2.8	30	2.9
Hamblen	15,706	217	13.8	219	13.9
White	14,080	192	13.6	194	13.8
Colored	1,626	25	15.4	25	15.4
Hamilton	59,982	753	12.6	751	12.5
White	50,492	618	12.2	616	[5] 12.2
Colored	9,490	135	14.2	135	14.2
Hancock	[2] 10,454	69	6.6	69	6.6
Hardeman	[2] 22,278	271	12.2	263	11.8
White	13,028	148	11.4	146	11.2
Colored	9,250	123	13.3	117	12.6
Hardin	[2] 17,291	91	5.3	93	5.4
White	15,359	82	5.3	84	5.5
Colored	1,932	9	4.7	9	4.7
Hawkins	[2] 22,918	137	6.0	141	6.2
Haywood	[2] 25,386	335	13.2	347	13.7
White	8,427	81	9.6	86	10.2
Colored	16,959	254	15.0	261	15.4
Henderson	19,086	174	9.1	179	9.4
Henry	27,947	196	7.0	200	7.2
White	22,557	158	7.0	162	7.2
Colored	5,390	38	7.1	38	7.1
Hickman	[2] 16,216	141	8.7	143	8.8
White	14,288	126	8.8	127	8.9
Colored	1,928	15	7.8	16	8.3
Houston	[2] 6,212	41	6.6	42	6.8
White	5,525	39	7.1	40	7.2
Colored	687	2	2.9	2	2.9
Humphreys	[2] 13,482	139	10.3	146	10.8
Jackson	[2] 14,955	125	8.4	127	8.5
Jefferson	[2] 17,677	164	9.3	171	9.7
Johnson	[2] 12,230	132	10.8	133	10.9
Knox	29,445	377	12.8	331	11.2
Lake	9,246	95	10.3	96	10.4
White	6,296	60	9.5	60	9.5
Colored	2,950	35	11.9	36	12.2
Lauderdale	21,674	262	12.1	268	12.4
White	13,034	129	9.9	132	10.1
Colored	8,640	133	15.4	136	15.7
Lawrence	26,383	148	5.6	156	5.9
Lewis	[2] 5,707	59	10.3	60	10.5
White	5,021	52	10.4	53	10.6
Colored	686	7	10.2	7	10.2
Lincoln	[2] 25,786	252	9.8	254	9.9
White	20,928	197	9.4	199	9.5
Colored	4,858	55	11.3	55	11.3
Loudon	17,508	194	11.1	202	11.5
McMinn	27,028	248	9.2	255	9.4
McNairy	19,273	134	7.0	138	7.2
Macon	15,089	160	10.6	161	10.7
Madison	26,163	254	9.7	267	10.2
White	14,798	144	9.7	154	10.4
Colored	11,365	110	9.7	113	9.9
Marion	[2] 17,402	172	9.9	174	10.0
Marshall	17,607	177	10.1	185	10.5
White	14,667	141	9.6	147	10.0
Colored	2,940	36	12.2	38	12.9
Maury	[2] 35,403	404	11.4	421	11.9
White	23,453	254	10.8	263	11.2
Colored	11,950	150	12.6	158	13.2
Meigs	[2] 6,077	35	5.8	36	5.9
Monroe	22,682	176	7.8	185	8.2
Montgomery	[2] 32,265	406	12.6	418	13.0
White	20,333	232	11.4	242	11.9
Colored	11,932	174	14.6	176	14.8
Moore	[2] 4,491	50	11.1	50	11.1
Morgan	14,131	99	7.0	100	7.1

(See footnotes at end of table)

TABLE IB.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TENNESSEE COUNTIES—con.					
Obion	[2] 28,393	342	12.0	352	12.4
White	24,289	272	11.2	282	11.6
Colored	4,104	70	17.1	70	17.1
Overton	18,432	91	4.9	93	5.0
Perry	[2] 7,765	61	7.9	64	8.2
Pickett	5,259	25	4.8	27	5.1
Polk	14,302	146	10.2	149	10.4
Putnam	23,253	155	6.7	165	7.1
Rhea	[2] 13,812	115	8.3	118	8.5
Roane	25,440	271	10.7	275	10.8
Robertson	25,693	297	11.6	310	12.1
White	20,517	226	11.0	236	11.5
Colored	5,176	71	13.7	74	14.3
Rutherford	[2] 33,059	387	11.7	411	12.4
White	23,273	252	10.8	272	11.7
Colored	9,786	135	13.8	139	14.2
Scott	13,625	64	4.7	67	4.9
Sequatchie	[2] 3,632	50	13.8	51	14.0
Sevier	22,425	151	6.7	154	6.9
Shelby	65,669	1,032	15.7	1,086	16.5
White	25,830	268	10.4	303	11.7
Colored	39,839	764	19.2	783	19.7
Smith	[2] 17,134	163	9.5	172	10.0
Stewart	[2] 14,664	141	9.6	142	9.7
Sullivan	40,030	397	9.9	406	10.1
Sumner	28,674	325	11.3	335	11.7
White	24,243	245	10.1	254	10.5
Colored	4,431	80	18.1	81	18.3
Tipton	30,627	190	6.2	208	6.8
White	17,591	104	5.9	119	6.8
Colored	13,036	86	6.6	89	6.8
Trousdale	6,051	53	8.8	56	9.3
White	4,365	24	5.5	27	6.2
Colored	1,686	29	17.2	29	17.2
Unicoi	11,472	109	9.5	111	9.7
Union	11,708	90	7.7	93	7.9
Van Buren	[2] 2,624	31	11.8	31	11.8
Warren	17,662	183	10.4	187	10.6
Washington	22,394	191	8.5	185	8.3
Wayne	13,255	79	6.0	86	6.5
Weakley	[2] 31,053	303	9.8	307	9.9
White	15,830	179	11.3	185	11.7
Williamson	[2] 23,409	217	9.3	242	10.3
White	16,363	147	8.7	167	9.9
Colored	6,546	70	10.7	75	11.5
Wilson	26,633	270	10.1	284	10.7
White	21,170	200	9.4	208	9.8
Colored	5,463	70	12.8	76	13.9
UTAH COUNTIES [10]					
Beaver	5,334	44	8.2	45	8.4
Box Elder	21,057	149	7.1	160	7.6
Cache	28,813	244	8.5	233	8.1
Carbon	18,672	357	19.1	370	19.8
Daggett	[11]	2	[11]	2	[11]
Davis	12,033	83	6.9	104	8.6
Duchesne	[11]	53	[11]	60	[11]
Emery	7,718	53	6.9	59	7.6
Garfield	5,282	39	7.4	47	8.9
Grand	1,907	18	9.4	23	12.1
Iron	6,648	49	7.4	48	7.2
Juab	[2] 9,871	87	8.8	112	11.3
Kane	2,240	24	10.7	26	11.6
Millard	11,299	84	7.4	91	8.1
Morgan	2,576	23	8.9	23	8.9
Piute	3,249	16	4.9	18	5.5
Rich	1,892	9	4.8	11	5.8
Salt Lake	43,630	375	8.6	490	11.2
San Juan	3,844	18	4.7	20	5.2
White	3,135	17	5.4	19	6.1
Colored	709	1	1.4	1	1.4
Sanpete	17,876	184	10.3	205	11.5
Sevier	11,980	108	9.0	103	8.6
Summit	[2] 7,862	106	13.5	120	15.3
Tooele	7,984	58	7.3	76	9.5
Uintah	[12]	76	[12]	82	[12]
White	[12]	51	[12]	56	[12]
Colored	[12]	25	[12]	26	[12]
Utah	31,069	314	10.1	328	10.6
Wasatch	[12]	41	[12]	53	[12]
Washington	7,525	41	5.4	43	5.7
Wayne	2,258	13	5.8	16	7.1
Weber	11,172	105	9.4	109	9.8
VERMONT COUNTIES [10]					
Addison	[2] 18,666	226	12.1	244	13.1
Bennington	21,667	287	13.2	306	14.1
Caledonia	[2] 25,762	383	14.9	384	[5]14.9
Chittenden	20,439	281	13.7	270	13.2
Essex	[2] 7,364	90	12.2	104	14.1
Franklin	30,098	389	12.9	404	13.4
Grand Isle	3,794	51	13.4	52	13.7
Lamoille	[2] 11,858	122	10.3	135	11.4
Orange	[2] 17,279	267	15.5	287	16.6
Orleans	24,179	278	11.5	292	12.1
Rutland	[2] 30,606	383	12.5	420	13.7
Washington*	[2] 28,913	473	16.4	428	14.8
Windham*	[2] 26,373	394	14.9	378	14.3
Windsor	38,514	449	11.7	498	12.9
VIRGINIA COUNTIES [10]					
Accomac	[2] 34,795	424	12.2	437	12.6
White	21,581	228	10.6	238	11.0
Colored	13,214	196	14.8	199	15.1
Albemarle	[2] 26,005	414	15.9	327	12.6
White	18,436	274	14.9	204	11.1
Colored	7,569	140	18.5	123	16.3
Alleghany	15,869	173	10.9	197	12.4
White	13,535	135	10.0	151	11.2
Colored	2,334	38	16.3	46	19.7
Amelia	10,301	114	11.1	131	12.7
White	4,840	39	8.1	49	10.1
Colored	5,461	75	13.7	82	15.0
Amherst	20,159	244	12.1	261	12.9
White	13,168	168	12.8	176	13.4
Colored	6,991	76	10.9	85	12.2
Appomattox	9,419	98	10.4	106	11.3
White	6,697	65	9.7	69	10.3
Colored	2,722	33	12.1	37	13.6
Arlington	19,289	182	9.4	228	11.8
White	16,699	140	8.4	177	10.6
Colored	2,590	42	16.2	51	19.7
Augusta	35,703	381	10.7	391	11.0
White	31,673	309	9.8	317	10.0
Colored	4,030	72	17.9	74	18.4
Bath	[2] 6,389	66	10.3	74	11.6
White	5,458	58	10.6	62	11.4
Colored	931	8	8.6	12	12.9
Bedford	31,188	281	9.0	275	8.8
White	23,413	190	8.1	182	7.8
Colored	7,775	91	11.7	93	12.0
Bland	5,797	52	9.0	52	9.0
Botetourt	[2] 16,557	171	10.3	185	11.2
White	13,586	130	9.6	139	10.2
Colored	2,971	41	13.8	46	15.5
VIRGINIA COUNTIES—continued					
Bristol (city)	6,951	107	15.4	105	15.1
White	5,924	91	15.4	88	14.9
Colored	1,027	16	15.6	17	16.6
Brunswick	21,850	237	10.8	246	11.3
White	9,531	74	7.8	77	8.1
Colored	12,319	163	13.2	169	13.7
Buchanan	16,882	156	9.2	156	9.2
Buckingham	[2] 14,885	166	11.2	172	11.6
White	8,038	88	10.9	95	11.8
Colored	6,847	78	11.4	77	11.2
Buena Vista (city)	4,217	43	10.2	44	10.4
Campbell	28,419	306	10.8	313	11.0
White	20,010	178	8.9	184	9.2
Colored	8,409	128	15.2	129	15.3
Caroline	[2] 15,954	173	10.8	184	11.5
White	7,877	76	9.6	80	10.2
Colored	8,077	97	12.0	104	12.9
Carroll	21,361	198	9.3	207	9.7
Charles City	[2] 4,793	64	13.4	71	14.8
White	1,086	9	8.3	11	10.1
Colored	3,707	55	14.8	60	16.2
Charlotte	18,352	162	8.8	169	9.2
White	11,186	73	6.5	75	6.7
Colored	7,166	89	12.4	94	13.1
Chesterfield	21,746	252	11.6	281	12.9
White	14,283	151	10.6	173	12.1
Colored	7,463	101	13.5	108	14.5
Clarke	[2] 7,165	72	10.0	75	10.5
White	5,422	58	10.7	60	11.1
Colored	1,743	14	8.0	15	8.6
Clifton Forge* (city)	6,355	107	16.8	71	11.2
White	5,396	79	14.6	52	9.6
Colored	959	28	29.2	19	19.8
Craig	[2] 4,100	39	9.5	44	10.7
Culpeper	[2] 13,292	130	9.8	151	11.4
White	8,598	78	9.1	91	10.6
Colored	4,694	52	11.1	60	12.8
Cumberland	[2] 9,111	94	10.3	96	10.5
White	3,357	24	7.1	25	7.4
Colored	5,754	70	12.2	71	12.3
Dickinson	15,555	83	5.3	84	5.4
Dinwiddie*	18,311	443	24.2	272	14.9
White	6,823	77	11.3	88	12.9
Colored	11,488	366	31.9	184	16.0
Elizabeth City*	25,910	337	22.5	326	22.1
White		165		149	
Colored		172		177	
National Military Home	17,630	22	22.2	22	21.3
White	8,280	246	23.2	246	23.8
Colored		226		226	
		20		20	
Essex	[2] 8,542	95	11.1	101	11.8
White	3,644	41	11.3	43	11.8
Colored	4,898	54	11.0	58	11.8
Fairfax	22,966	261	11.4	296	12.9
White	18,473	206	11.2	230	12.5
Colored	4,493	55	12.2	66	14.7
Fauquier	[2] 21,869	238	10.9	258	11.8
White	14,934	145	9.7	160	10.7
Colored	6,935	93	13.4	98	14.1
Floyd	[2] 13,115	130	9.9	130	9.9
Fluvanna	8,651	94	10.9	102	11.8
White	5,198	51	9.8	56	10.8
Colored	3,453	43	12.5	46	13.3
Franklin	[2] 26,283	252	9.6	263	10.0
White	21,671	210	9.7	219	10.1
Colored	4,612	42	9.1	44	9.5

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—continued					
Frederick	[2] 12,461	138	11.1	145	11.6
Fredericksburg (city)	5,884	124	21.1	120	20.4
White	4,823	87	18.0	82	17.0
Colored	1,061	37	34.9	38	35.8
Giles	12,029	117	9.7	118	9.8
Gloucester	[2] 11,894	82	6.9	94	7.9
White	6,313	42	6.7	49	7.8
Colored	5,581	40	7.2	45	8.1
Goochland	[2] 8,863	118	13.3	127	14.3
White	4,080	52	12.7	56	13.7
Colored	4,783	66	13.8	71	14.8
Grayson	[2] 19,816	192	9.7	195	9.8
Greene	[2] 6,369	45	7.1	48	7.5
White	5,270	35	6.6	37	7.0
Colored	1,099	10	9.1	11	10.0
Greensville	[2] 11,606	148	12.8	154	13.3
White	4,779	46	9.6	47	9.8
Colored	6,827	102	14.9	107	15.7
Halifax	41,991	572	13.6	587	14.0
White	21,910	252	11.5	261	11.9
Colored	20,081	320	15.9	326	16.2
Hanover	18,498	169	9.1	184	9.9
White	11,249	91	8.1	100	8.9
Colored	7,249	78	10.8	84	11.6
Harrisonburg (city)	6,334	107	16.9	101	15.9
White	5,622	95	16.9	89	15.8
Colored	712	12	16.9	12	16.9
Henrico	23,634	253	10.7	291	12.3
White	16,166	170	10.5	198	12.2
Colored	7,468	83	11.1	93	12.5
Henry	21,062	249	11.8	253	12.0
White	13,667	147	10.8	148	[5] 10.8
Colored	7,395	102	13.8	105	14.2
Highland	[2] 4,931	53	10.7	58	11.8
Hopewell (city)	[11]	77	[11]	78	[11]
White	[11]	52	[11]	53	[11]
Colored	[11]	25	[11]	25	[11]
Isle of Wight	[2] 14,433	165	11.4	169	11.7
White	7,283	70	9.6	70	9.6
Colored	7,150	95	13.3	99	13.8
James City*	[2] 6,138	149	24.3	107	17.4
White	3,417	114	33.4	71	20.8
Colored	2,721	35	12.9	36	13.2
King and Queen	[2] 9,161	120	13.1	132	14.4
White	4,105	45	11.0	[5] 52	12.7
Colored	5,056	75	14.8	80	15.8
King George	[2] 5,762	61	10.6	61	10.6
White	3,470	31	8.9	32	9.2
Colored	2,292	30	13.1	29	12.7
King William	8,827	123	13.9	135	15.3
White	4,084	39	9.5	43	10.5
Colored	4,743	84	17.7	92	19.4
Lancaster	9,757	96	9.8	106	10.9
White	4,818	40	8.3	48	10.0
Colored	4,939	56	11.3	58	11.7
Lee	25,964	269	10.4	275	10.6
Loudoun	[2] 20,577	219	10.6	233	11.3
White	15,765	146	9.3	158	10.0
Colored	4,812	73	15.2	75	15.6
Louisa	17,325	191	11.0	210	12.1
White	9,559	100	10.5	113	11.8
Colored	7,766	91	11.7	97	12.5
Lunenburg	16,408	179	10.9	182	11.1
White	9,115	81	8.9	81	8.9
Colored	7,293	98	13.4	101	13.8
Madison	[2] 9,595	99	10.3	107	11.2
White	6,727	58	8.6	64	9.5
Colored	2,868	41	14.3	43	15.0
VIRGINIA COUNTIES—continued					
Mathews	[2] 8,447	99	11.7	105	12.4
White	6,084	66	10.8	72	11.8
Colored	2,363	33	14.0	33	14.0
Mecklenburg	32,252	410	12.7	432	13.4
White	15,577	157	10.1	169	10.8
Colored	16,675	253	15.2	263	15.8
Middlesex	[2] 8,157	95	11.6	97	11.9
White	4,040	37	9.2	39	9.7
Colored	4,117	58	14.1	58	14.1
Montgomery	19,209	186	9.7	193	10.0
White	17,245	154	8.9	160	9.3
Colored	1,964	32	16.3	33	16.8
Nansemond	20,580	360	17.5	366	17.8
White	7,544	74	9.8	79	10.5
Colored	13,036	286	21.9	287	22.0
Nelson	17,487	167	9.5	182	10.4
White	12,571	98	7.8	111	8.8
Colored	4,916	69	14.0	71	14.4
New Kent	[2] 4,541	64	14.1	68	15.0
White	1,879	18	9.6	21	11.2
Colored	2,662	46	17.3	47	17.7
Norfolk	39,592	482	12.2	496	12.5
White	25,574	208	8.1	219	8.6
Colored	14,018	274	19.5	277	19.8
Northampton	18,397	174	9.5	184	10.0
White	8,681	47	5.4	53	6.1
Colored	9,716	127	13.1	131	13.5
Northumberland	11,860	117	9.9	126	10.6
White	6,705	71	10.6	79	11.8
Colored	5,155	46	8.9	47	9.1
Nottoway	14,485	226	15.6	193	13.3
White	8,262	69	8.4	72	8.7
Colored	6,223	157	25.2	121	19.4
Orange	[2] 13,320	145	10.9	167	12.5
White	8,455	72	8.5	87	10.3
Colored	4,865	73	15.0	80	16.4
Page	15,058	156	10.4	157	[5] 10.4
Patrick	[2] 16,850	121	7.2	123	7.3
Pittsylvania	59,173	642	10.8	640	[5] 10.8
White	39,242	356	9.1	362	9.2
Colored	19,931	286	14.3	278	13.9
Powhatan	6,761	86	12.7	98	14.5
White	2,677	35	13.1	40	14.9
Colored	4,084	51	12.5	58	14.2
Prince Edward	14,997	173	11.5	179	11.9
White	6,943	55	7.9	56	8.1
Colored	8,054	118	14.7	123	15.3
Prince George	[12]	138	[12]	142	[12]
White	[12]	39	[12]	40	[12]
Colored	[12]	99	[12]	102	[12]
Prince William	14,417	132	9.2	145	10.1
White	11,643	108	9.3	118	10.1
Colored	2,774	24	8.7	27	9.7
Princess Anne*	14,599	255	17.5	265	18.2
White	7,890	92	11.7	98	12.4
Colored	6,709	163	24.3	167	24.9
Pulaski	[2] 17,111	183	10.7	181	10.6
White	14,686	146	9.9	144	9.8
Colored	2,425	37	15.3	37	15.3
Radford (city)	4,823	41	8.5	41	8.5
White	4,362	36	8.3	36	8.3
Colored	461	5	10.8	5	10.8
Rappahannock	8,079	95	11.8	99	12.3
White	5,925	71	12.0	73	12.3
Colored	2,154	24	11.1	26	12.1
Richmond	7,442	101	13.6	100	13.4
White	4,537	50	11.0	50	11.0
Colored	2,905	51	17.6	50	17.2
Roanoke	25,067	312	12.4	302	12.0
White	22,396	250	11.2	235	10.5
Colored	2,671	62	23.2	67	25.1
VIRGINIA COUNTIES—continued					
Rockbridge	[2] 20,626	250	12.1	252	12.2
White	17,954	206	11.5	207	[5] 11.5
Colored	2,672	44	16.5	45	16.8
Rockingham	30,061	305	10.1	315	10.5
Russell	28,321	226	8.0	227	[5] 8.0
Scott	25,222	222	8.8	235	9.3
Shenandoah	[2] 20,808	255	12.3	263	12.6
Smyth	22,958	325	14.2	307	13.4
Southampton	28,136	297	10.6	319	11.3
White	10,831	86	7.9	99	9.1
Colored	17,305	211	12.2	220	12.7
Spotsylvania	10,864	102	9.4	106	9.8
White	7,485	63	8.4	64	8.6
Colored	3,379	39	11.5	42	12.4
Stafford	8,118	73	9.0	76	9.4
White	6,677	54	8.1	56	8.4
Colored	1,441	19	13.2	20	13.9
Suffolk (city)	9,370	204	20.7	178	18.0
White	5,970	93	15.6	81	13.6
Colored	3,900	111	28.5	97	24.9
Surry	[2] 9,305	136	14.6	139	14.9
White	3,612	44	12.2	46	12.7
Colored	5,693	92	16.2	93	16.3
Sussex	[2] 12,834	193	15.0	204	15.9
White	4,405	47	10.7	55	12.5
Colored	8,429	146	17.3	149	17.7
Tazewell	29,181	284	9.7	272	9.3
White	26,252	250	9.5	239	9.1
Colored	2,929	34	11.6	33	11.3
Warren	8,974	98	10.9	103	11.5
White	7,844	82	10.5	83	10.6
Colored	1,130	16	14.2	20	17.7
Warwick	12,446	72	5.8	80	6.4
White	9,010	35	3.9	41	4.6
Colored	3,436	37	10.8	39	11.4
Washington	[2] 32,376	375	11.6	372	11.5
Westmoreland	10,668	99	9.3	109	10.2
White	5,455	48	8.8	53	9.7
Colored	5,213	51	9.8	56	10.7
Winchester (city)	7,656	163	21.3	157	20.5
White	6,756	141	20.9	135	20.0
Colored	900	22	24.4	22	24.4
Wise	52,219	567	10.9	564	10.8
Wythe	[2] 20,217	219	10.8	226	11.2
York	8,179	84	10.3	99	12.1
White	4,880	36	7.4	48	9.8
Colored	3,299	48	14.5	51	15.5
WASHINGTON COUNTIES [10]					
Adams	[2] 9,623	44	4.6	54	5.6
Asotin	6,869	63	9.2	63	9.2
Benton	12,277	63	5.1	83	6.8
Chelan	23,594	222	9.4	205	8.7
Clallam	13,506	151	11.2	165	12.2
Clarke	21,723	162	7.5	185	8.5
Columbia	[2] 6,093	53	8.7	59	9.7
Cowlitz	[2] 11,791	192	16.3	220	18.7
Douglas	9,469	41	4.3	49	5.2
Ferry	5,301	36	6.8	46	8.7
White	4,499	36	8.0	43	9.6
Colored	802			3	3.7
Franklin	6,210	61	9.8	59	9.5
Garfield	[2] 3,875	23	5.9	23	5.9
Grant	[2] 7,771	53	6.8	56	7.2
Grays Harbor	22,034	192	8.7	209	9.5
Island	5,853	52	8.9	63	10.8
Jefferson	[2] 6,557	100	15.3	99	15.1

(See footnotes at end of table)

TABLE 1B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1924—Continued

[See note at head of this table, p. 90]

AREA AND COLOR	Estimated population, July 1, 1924	DEATHS (EXCLUSIVE OF STILLBIRTHS): 1924			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WASHINGTON COUNTIES—con.					
King	(3)	785	(3)	869	(3)
Kitsap	40,354	297	7.4	339	8.4
Kittitas	[2] 17,737	154	8.7	166	9.4
Klickitat	[2] 9,268	69	7.4	93	10.0
Lewis	39,023	416	10.7	406	10.4
Lincoln	[2] 15,141	86	5.7	123	8.1
Mason	[2] 4,919	64	13.0	73	14.8
Okanogan	19,043	156	8.2	172	9.0
Pacific	15,985	126	7.9	136	8.5
Pend Oreille	(11)	64	(11)	70	(11)
Pierce*	51,839	641	12.4	697	13.4
San Juan	3,605	34	9.4	39	10.8
Skagit*	35,286	446	12.6	465	13.2
Skamania	[2] 2,357	28	11.9	27	11.5
Snohomish	42,618	413	9.7	457	10.7
Spokane*	37,586	486	12.9	504	13.4
Stevens	(12)	194	(12)	214	(12)
Thurston	24,582	277	11.3	288	11.7
Wahkiakum	3,558	26	7.3	39	11.0
Walla Walla	[2] 12,036	120	10.0	129	10.7
Whatcom	24,992	207	8.3	259	10.4
Whitman	[2] 31,323	190	6.1	218	7.0
Yakima	51,702	397	7.7	474	9.2
WISCONSIN COUNTIES [10]					
Adams	9,604	75	7.8	83	8.6
Ashland	14,398	123	8.5	158	11.0
Barron	36,677	293	8.0	313	8.5
Bayfield	17,765	146	8.2	175	9.9
Brown	31,805	240	7.5	285	9.0
Buffalo	[2] 15,615	126	8.1	137	8.8
Burnett	11,528	78	6.8	92	8.0
Calumet	17,473	140	8.0	156	8.9
Chippewa	38,513	421	10.9	427	11.1
Clark	37,458	259	6.9	278	7.4
Columbia	[2] 30,468	321	10.5	330	10.8
Crawford	16,996	170	10.0	189	11.1
Dane	49,791	503	10.1	511	10.3
Dodge	50,810	438	8.6	461	9.1
Door	19,241	207	10.8	221	11.5
Douglas	11,189	77	6.9	100	8.9
Dun	27,764	262	9.4	280	10.1
Eau Claire	15,078	96	6.4	126	8.4
Florence	3,705	22	5.9	26	7.0
Fond du Lac	32,637	283	8.7	323	9.9
Forest	11,273	103	9.1	106	9.4
Grant	39,061	378	9.7	396	10.1
Green	[2] 21,568	196	9.1	215	10.0
Green Lake	[2] 14,875	143	9.6	158	10.6
Iowa	[2] 21,504	237	11.0	250	11.6
Iron	11,166	99	8.9	133	11.9
Jackson	18,057	164	9.1	178	9.9
Jefferson	35,353	437	12.4	448	12.7
Juneau	[2] 19,209	201	10.5	217	11.3
Kenosha	10,904	80	7.3	95	8.7
Kewaunee	[2] 16,091	165	10.3	181	11.2
La Crosse	14,101	123	8.7	156	11.1
Lafayette	[2] 20,002	175	8.7	189	9.4
Langlade	23,515	217	9.2	228	9.7
Lincoln	22,021	252	11.4	263	11.9
Manitowoc	35,067	291	8.3	319	9.1
Marathon	50,104	343	6.8	377	7.5
Marinette	21,004	138	6.6	173	8.2
Marquette	[2] 10,443	93	8.9	99	9.5
Milwaukee* (exclusive of) National Military Home	77,368	1,258 / 192	18.7	1,287 / 192	19.1
Monroe	[2] 28,666	322	11.2	332	11.6
Oconto	27,775	215	7.7	231	8.3
Oneida	15,184	159	10.5	166	10.9
Outagamie	37,046	331	8.9	374	10.1
Ozaukee	[2] 16,335	146	8.9	155	9.5
Pepin	[2] 7,481	65	8.7	67	9.0
Pierce	[2] 21,663	214	9.9	244	11.3
Polk	29,421	249	8.5	274	9.3
Portage	22,288	181	8.1	192	8.6
Price	20,705	147	7.1	164	7.9
Racine	22,893	222	9.7	257	11.2
Richland	20,292	166	8.2	180	8.9
Rock	26,600	242	9.1	279	10.5
Rusk	18,833	126	6.7	132	7.0
St. Croix	26,197	259	9.9	300	11.5
Sauk	[2] 32,548	375	11.5	385	11.8
Sawyer	9,175	68	7.4	78	8.5
White	8,445	63	7.5	72	8.5
Colored	730	5	6.8	6	8.2
Shawano	34,943	312	8.9	337	9.6
Sheboygan	29,174	300	10.3	330	11.3
Taylor	20,084	151	7.5	157	7.8
Trempealeau	25,236	246	9.7	275	10.9
Vernon	29,779	253	8.5	294	9.9
Vilas	[2] 5,649	90	15.9	94	16.6
Walworth	[2] 29,327	354	12.1	383	13.1
Washburn	12,849	79	6.1	87	6.8
Washington	26,606	267	10.0	279	10.5
Waukesha*	30,838	348	11.3	350	[5] 11.3
Waupaca	34,857	412	11.8	438	12.6
Waushara	[2] 16,712	119	7.1	128	7.7
Winnebago*	31,514	429	13.6	399	12.7
Wood	36,525	339	9.3	325	8.9
WYOMING COUNTIES [10]					
Albany	[2] 9,283	123	13.3	116	12.5
Big Horn	(12)	73	(12)	77	(12)
Campbell	(11)	21	(11)	23	(11)
Carbon	[2] 9,525	96	10.1	103	10.8
Converse	(12)	61	(12)	66	(12)
Crook	(12)	44	(12)	48	(12)
Fremont	(13)	184	(13)	187	(13)
White	(13)	74	(13)	77	(13)
Colored	(13)	110	(13)	110	(13)
Goshen	(11)	35	(11)	34	(11)
Hot Springs	(11)	80	(11)	82	(11)
Johnson	5,157	31	6.0	34	6.6
Laramie	(12)	43	(12)	50	(12)
Lincoln	(13)	138	(13)	147	(13)
Natrona	(3)	84	(3)	92	(3)
Niobrara	(11)	17	(11)	18	(11)
Park	(12)	45	(12)	43	(12)
Platte	(11)	75	(11)	79	(11)
Sheridan	19,042	172	9.0	168	8.8
Sublette	(11)	3	(11)	5	(11)
Sweetwater	14,597	156	10.7	159	10.9
Uinta	(12)	81	(12)	78	(12)
Washakie	(11)	27	(11)	29	(11)
Weston	(12)	36	(12)	39	(12)
Yellowstone National Park [15] (part of)	[2] 165	6	36.4	2	12.1

[1] Nonregistration State; the cities shown are those with satisfactory registration of deaths.
[2] Population Jan. 1, 1920. Decrease between 1910 and 1920; no estimate made.
[3] Population not shown, pending the establishment of more satisfactory estimates.
[4] Estimates of population based on Federal census, 1920, and State census, 1925.
[5] The rate is not affected by the difference between the total deaths and deaths of residents.
[6] Population Jan. 1, 1920 including annexation since 1920. Decrease between 1910 and 1920; no estimate made.
[7] Reliable data for nonresidents not available.
[8] West Hoboken and Union consolidated as Union City.
[9] Population Jan. 1, 1920 including annexations between 1910 and 1920; no estimate made.
[10] Exclusive of municipalities of 10,000 inhabitants or more in 1920.
[11] Population not estimated; county organized between 1910 and 1920. See Vol. I, Population, 1920.
[12] Population not estimated; part taken between 1910 and 1920 to form new county. See Vol. I, Population, 1920.
[13] Population not estimated; part taken since Jan. 1, 1920, to form new county.
[14] Population not estimated; county organized since Jan. 1, 1920.
[15] Population and deaths returned for entire area.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1923 AND 1924

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA (exclusive of Hawaii)			
		Number		Rate per 100,000 estimated population	
		1924	1923	1924	1923
	All causes (exclusive of stillbirths)	1,173,990	1,193,017	1,183.5	1230.1
	I.—Epidemic, endemic, and infectious diseases	169,978	200,619	171.3	206.9
1	Typhoid and paratyphoid fever	6,677	6,635	6.7	6.8
	Typhoid fever	6,601	6,548	6.7	6.8
	Paratyphoid fever	76	87	0.1	0.1
2	Typhus fever	9	2	(1)	(1)
3	Relapsing fever (spirillum obermeieri)	1		(1)	
4	Malta fever		1		(1)
5	Malaria	2,441	2,736	2.5	2.8
6	Smallpox	874	131	0.9	0.1
7	Measles	8,517	10,450	8.6	10.8
8	Scarlet fever	3,122	3,440	3.1	3.5
9	Whooping cough	8,188	9,440	8.3	9.7
10	Diphtheria	9,316	11,733	9.4	12.1
11	Influenza	19,374	43,370	19.5	44.7
	With pulmonary complications specified	11,889	27,847	12.0	28.7
	Without pulmonary complications specified	7,485	15,523	7.5	16.0
12	Miliary fever				
13	Mumps	144	83	0.1	0.1
14	Asiatic cholera				
15	Cholera nostras	130	153	0.1	0.2
16	Dysentery	2,946	3,118	3.0	3.2
	Amebic	218	194	0.2	0.2
	Bacillary	300	289	0.3	0.3
	Unspecified or due to other causes	2,428	2,635	2.4	2.7
17	Plague	30		(1)	
	Bubonic	3		(1)	
	Pneumonic	27		(1)	
	Septicemic				
	Unspecified				
18	Yellow fever	1		(1)	
19	Spirochetal hemorrhagic jaundice	45	29	(1)	(1)
20	Leprosy	15	29	(1)	(1)
21	Erysipelas	2,458	2,593	2.5	2.7
22	Acute anterior poliomyelitis	1,079	850	1.1	0.9
23	Lethargic encephalitis	1,441	1,966	1.5	2.0
24	Meningococcus meningitis	964	1,026	1.0	1.1
25	Other epidemic and endemic diseases	281	361	0.3	0.4
	Chicken pox	174	165	0.2	0.2
	German measles	23	14	(1)	(1)
	Others under this title	84	182	0.1	0.2
26	Glanders	3		(1)	
27	Anthrax	28	24	(1)	(1)
28	Rabies	59	55	0.1	0.1
29	Tetanus	1,565	1,644	1.6	1.7
30	Mycoses	231	185	0.2	0.2
	Tuberculosis (all forms)	89,724	90,732	90.4	93.6
31	Of the respiratory system	78,096	79,534	78.7	82.0
32	Of the meninges and central nervous system	4,014	4,010	4.0	4.1
33	Of the intestines and peritoneum	3,090	2,926	3.1	3.0
34	Of the vertebral column	990	907	1.0	0.9
35	Of the joints	432	359	0.4	0.4
36	Of other organs	1,275	1,180	1.3	1.2
	Of the skin and subcutaneous cellular tissue	47	40	(1)	(1)
	Of the bones (vertebral column excepted)	208	204	0.2	0.2
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	253	217	0.3	0.2
	Of the genito-urinary system	647	643	0.7	0.7
	Of other organs other than the above	120	76	0.1	0.1
37	Disseminated tuberculosis	1,827	1,816	1.8	1.9
	Acute	1,498	1,459	1.5	1.5
	Chronic or unspecified	329	357	0.3	0.4
38	Syphilis	8,195	7,695	8.3	7.9
39	Soft chancre	8	5	(1)	(1)
40	Gonococcus infection	813	791	0.8	0.8
41	Purulent infection, septicemia	1,290	1,340	1.3	1.4
42	Other infectious diseases	9	2	(1)	(1)
	II.—General diseases not included in Class I	135,014	129,791	136.1	133.8
	Cancer and other malignant tumors	91,138	86,754	91.9	89.4
43	Cancer of the buccal cavity	3,130	2,992	3.2	3.1
	Lip	540	462	0.5	0.5
	Tongue	817	760	0.8	0.8
	Mouth	300	335	0.3	0.3
	Jaw	1,099	1,061	1.1	1.1
	Others of this class	374	374	0.4	0.4
44	Cancer of the stomach, liver	34,250	33,080	34.5	34.1
	Pharynx	1,007	957	1.0	1.0
	Esophagus	1,527	1,445	1.5	1.5
	II.—General diseases—Continued				
	Cancer and other malignant tumors—Con.				
	Cancer of the stomach, liver—Con.				
	Stomach	21,425	20,728	21.6	21.4
	Liver and gall bladder	10,291	9,950	10.4	10.3
45	Cancer of the peritoneum, intestines, rectum	12,603	11,951	12.7	12.3
	Mesentery and peritoneum	770	775	0.8	0.8
	Intestines (except rectum)	8,009	7,616	8.1	7.9
	Rectum and anus	3,757	3,501	3.8	3.6
	Others of this class	67	59	0.1	0.1
46	Cancer of the female genital organs	12,836	12,264	12.9	12.6
	Ovary and Fallopian tube	1,050	976	1.1	1.0
	Uterus	11,403	10,925	11.5	11.3
	Vagina and vulva	320	315	0.3	0.3
	Others of this class	63	48	0.1	(1)
47	Cancer of the breast	8,281	7,704	8.3	7.9
48	Cancer of the skin	2,630	2,618	2.7	2.7
49	Cancer of other or unspecified organs	17,408	16,145	17.5	16.6
	Larynx	756	695	0.8	0.7
	Lung and pleura	1,586	1,387	1.6	1.4
	Pancreas	1,805	1,685	1.8	1.7
	Kidneys and suprarenals	1,099	1,035	1.1	1.1
	Prostate	2,558	2,282	2.6	2.4
	Bladder	3,089	2,837	3.1	2.9
	Brain	399	301	0.4	0.3
	Bones (except jaw)	1,065	952	1.1	1.0
	Testes	210	166	0.2	0.2
	Others of this class	4,841	4,805	4.9	5.0
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	757	831	0.8	0.9
51	Acute rheumatic fever	3,270	2,931	3.3	3.0
52	Chronic rheumatism, osteoarthritis, gout	1,278	1,133	1.3	1.2
53	Scurvy	45	64	(1)	0.1
54	Pellagra	2,347	2,352	2.4	2.4
55	Beriberi	13	6	(1)	(1)
56	Rickets	529	484	0.5	0.5
57	Diabetes mellitus	16,453	17,357	16.6	17.9
58	Anemia, chlorosis	6,167	5,867	6.2	6.0
	Pernicious anemia	5,478	5,159	5.5	5.3
	Other anemias and chlorosis	689	708	0.7	0.7
59	Diseases of the pituitary gland	56	54	0.1	0.1
60	Diseases of the thyroid gland	3,229	2,753	3.3	2.8
	Exophthalmic goiter	2,755	2,077	2.8	2.1
	Other diseases of the thyroid gland	474	676	0.5	0.7
61	Diseases of the parathyroid glands	99	81	0.1	0.1
62	Diseases of the thymus gland	1,054	808	1.1	0.8
63	Diseases of the adrenals (Addison's disease)	373	346	0.4	0.4
64	Diseases of the spleen	140	110	0.1	0.1
65	Leukemia and Hodgkin's disease	2,391	2,239	2.4	2.3
	Leukemia	1,589	1,459	1.6	1.5
	Hodgkin's disease	802	780	0.8	0.8
66	Alcoholism (acute or chronic)	3,153	3,148	3.2	3.2
67	Chronic poisoning by mineral substances	163	172	0.2	0.2
	Chronic lead poisoning	142	141	0.1	0.1
	Others under this title	21	31	(1)	(1)
68	Chronic poisoning by organic substances	208	232	0.2	0.2
69	Other general diseases	2,151	2,069	2.2	2.1
	III.—Diseases of the nervous system and of the organs of special sense	128,656	125,007	129.7	128.9
70	Encephalitis	1,131	1,245	1.1	1.3
71	Meningitis	3,366	3,652	3.4	3.8
	Simple meningitis	2,590	2,661	2.6	2.7
	Nonepidemic cerebrospinal meningitis	776	991	0.8	1.0
72	Tabes dorsalis (locomotor ataxia)	1,674	1,695	1.7	1.7
73	Other diseases of the spinal cord	3,085	3,106	3.1	3.2
74	Cerebral hemorrhage, apoplexy	91,145	86,854	91.9	89.6
	Cerebral hemorrhage	88,165	84,177	88.9	86.8
	Cerebral embolism and thrombosis	2,980	2,677	3.0	2.8
75	Paralysis without specified cause	5,957	6,056	6.0	6.2
	Hemiplegia	2,089	2,034	2.1	2.1
	Others under this title	3,868	4,022	3.9	4.1
76	General paralysis of the insane	6,379	6,421	6.4	6.6
77	Other forms of mental alienation	1,565	1,614	1.6	1.7
78	Epilepsy	3,141	3,088	3.2	3.2
79	Convulsions (nonpuerperal; 5 years and over)	148	159	0.1	0.2
80	Infantile convulsions (under 5 years of age)	1,911	1,882	1.9	1.9
81	Chorea	81	102	0.1	0.1
82	Neuralgia and neuritis	366	354	0.4	0.4
83	Softening of the brain	796	853	0.8	0.9
84	Other diseases of the nervous system	4,643	4,575	4.7	4.7
85	Diseases of the eye and annexa	85	89	0.1	0.1
86	Diseases of the ear and of the mastoid process	3,183	3,262	3.2	3.4
	Diseases of the ear	1,960	1,967	2.0	2.0
	Diseases of the mastoid process	1,223	1,295	1.2	1.3

[1] Less than one-tenth of 1 per 100,000 population.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1923 AND 1924—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA (exclusive of Hawaii)			
		Number		Rate per 100,000 estimated population	
		1924	1923	1924	1923
	IV.—Diseases of the circulatory system	202,777	194,857	204.4	200.9
87	Pericarditis	908	903	0.9	0.9
88	Endocarditis and myocarditis (acute)	6,744	6,431	6.8	6.6
89	Angina pectoris	11,171	10,103	11.3	10.4
90	Other diseases of the heart	157,848	152,596	159.1	157.3
91	Diseases of the arteries	23,278	22,085	23.5	22.8
	Aneurysm	1,921	1,831	1.9	1.9
	Arteriosclerosis	20,972	19,933	21.1	20.6
	Other diseases of the arteries	385	321	0.4	0.3
92	Embolism and thrombosis (not cerebral)	1,692	1,668	1.7	1.7
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	608	597	0.6	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	214	185	0.2	0.2
95	Hemorrhage without specified cause	165	170	0.2	0.2
96	Other diseases of the circulatory system	149	119	0.2	0.1
	V.—Diseases of the respiratory system	113,608	124,045	114.5	127.9
97	Diseases of the nasal fossae and their annexa	877	860	0.9	0.9
	Diseases of the nasal fossae	402	394	0.4	0.4
	Others under this title	475	466	0.5	0.5
98	Diseases of the larynx	551	695	0.6	0.7
99	Bronchitis	7,207	8,815	7.3	9.1
	Acute	2,916	3,512	2.9	3.6
	Chronic	2,476	2,909	2.5	3.0
	Unspecified (under 5 years of age)	749	937	0.8	1.0
	Unspecified (5 years and over)	1,066	1,457	1.1	1.5
100	Broncho-pneumonia	40,631	46,221	41.0	47.7
	Broncho-pneumonia	39,479	44,942	39.8	46.3
	Capillary bronchitis	1,152	1,279	1.2	1.3
101	Pneumonia	56,772	59,459	57.2	61.3
	Lobar	50,676	52,480	51.1	54.1
	Unspecified	6,096	6,979	6.1	7.2
102	Pleurisy	2,728	2,758	2.7	2.8
103	Congestion and hemorrhagic infarct of the lung	1,353	1,617	1.4	1.7
104	Gangrene of the lung	195	157	0.2	0.2
105	Asthma	2,022	2,179	2.0	2.2
106	Pulmonary emphysema	146	183	0.1	0.2
107	Other diseases of the respiratory system (tuberculosis excepted)	1,126	1,101	1.1	1.1
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system	233	250	0.2	0.3
	Diseases of the mediastinum	26	23	(1)	(1)
	Others under this title	867	828	0.9	0.9
	VI.—Diseases of the digestive system	95,846	98,050	96.6	101.1
108	Diseases of the mouth and annexa	702	686	0.7	0.7
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	3,380	3,215	3.4	3.3
	Adenoid vegetations	11	17	(1)	(1)
	Others under this title	3,369	3,198	3.4	3.3
110	Diseases of the esophagus	118	120	0.1	0.1
111	Ulcer of the stomach and duodenum	5,539	5,107	5.6	5.3
	Ulcer of the stomach	4,084	3,774	4.1	3.9
	Ulcer of the duodenum	1,455	1,333	1.5	1.4
112	Other diseases of the stomach (cancer excepted)	6,254	6,291	6.3	6.5
113	Diarrhea and enteritis (under 2 years of age)	27,566	31,444	27.8	32.4
114	Diarrhea and enteritis (2 years and over)	6,916	7,259	7.0	7.5
115	Ancylostomiasis	40	29	(1)	(1)
116	Diseases due to other intestinal parasites	138	122	0.1	0.1
	Cestodes (hydatids of the liver excepted)	9	3	(1)	(1)
	Trematodes	1		(1)	
	Nematodes (other than ancylostoma)	48	26	(1)	(1)
	Coccidia	2	4	(1)	(1)
	Other parasites specified	1	8	(1)	(1)
	Parasites not specified	77	81	0.1	0.1
117	Appendicitis and typhlitis	14,788	14,345	14.9	14.8
118	Hernia, intestinal obstruction	10,480	10,211	10.6	10.5
	Hernia	3,673	3,543	3.7	3.7
	Intestinal obstruction	6,807	6,668	6.9	6.9
119	Other diseases of the intestines	1,420	1,372	1.4	1.4
120	Acute yellow atrophy of the liver	421	368	0.4	0.4
121	Hydatid tumor of the liver	26	23	(1)	(1)
122	Cirrhosis of the liver	7,344	7,027	7.4	7.2
	Specified as alcoholic	419	339	0.4	0.3
	Not specified as alcoholic	6,925	6,688	7.0	6.9
123	Biliary calculi	3,923	3,602	4.0	3.7
124	Other diseases of the liver	4,550	4,429	4.6	4.6
125	Diseases of the pancreas	582	537	0.6	0.6
126	Peritonitis without specified cause	1,657	1,854	1.7	1.9
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	9	(1)	(1)
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	103,964	101,759	104.8	104.9
128	Acute nephritis (including unspecified under 10 years of age)	6,038	5,976	6.1	6.2
129	Chronic nephritis (including unspecified 10 years and over)	82,825	81,402	83.5	83.9
130	Chyluria	1	1	(1)	(1)
131	Other diseases of the kidneys and annexa	2,727	2,531	2.7	2.6
132	Calculi of the urinary passages	728	679	0.7	0.7
133	Diseases of the bladder	1,033	1,081	1.0	1.1
134	Diseases of the urethra, urinary abscess, etc.	338	322	0.3	0.3
	Stricture of the urethra	212	209	0.2	0.2
	Others under this title	126	113	0.1	0.1
135	Diseases of the prostate	4,842	4,540	4.9	4.7
136	Nonvenereal diseases of the male genital organs	87	88	0.1	0.1
137	Cysts and other benign tumors of the ovary	755	784	0.8	0.8
138	Salpingitis and pelvic abscess (female)	1,767	1,690	1.8	1.7
139	Benign tumors of the uterus	1,971	1,783	2.0	1.8
140	Nonpuerperal uterine hemorrhage	48	67	(1)	0.1
141	Other diseases of the female genital organs	774	783	0.8	0.8
142	Nonpuerperal diseases of the breast (cancer excepted)	30	32	(1)	(1)
	VIII.—The puerperal state	15,375	15,105	15.5	15.6
143	Accidents of pregnancy	1,393	1,544	1.4	1.6
	Abortion	629	728	0.6	0.8
	Ectopic gestation	453	492	0.5	0.5
	Others under this title	311	324	0.3	0.3
144	Puerperal hemorrhage	1,517	1,444	1.5	1.5
145	Other accidents of labor	1,646	1,790	1.7	1.8
	Cesarean section	304	265	0.3	0.3
	Other surgical operations and instrumental delivery	145	144	0.1	0.1
	Others under this title	1,197	1,381	1.2	1.4
146	Puerperal septicemia	5,745	5,657	5.8	5.8
147	Puerperal phlegmasia alba dolens, embolus, sudden death	708	661	0.7	0.7
148	Puerperal albuminuria and convulsions	4,287	3,929	4.3	4.1
149	Following childbirth (not otherwise defined)	69	66	0.1	0.1
150	Puerperal diseases of the breast	10	14	(1)	(1)
	IX.—Diseases of the skin and of the cellular tissue	3,335	3,599	3.4	3.7
151	Gangrene	1,343	1,564	1.4	1.6
152	Furuncle	581	592	0.6	0.6
153	Acute abscess	658	693	0.7	0.7
154	Other diseases of the skin and annexa	753	750	0.8	0.8
	X.—Diseases of the bones and of the organs of locomotion	1,424	1,279	1.4	1.3
155	Diseases of the bones (tuberculosis excepted)	1,130	1,008	1.1	1.0
156	Diseases of the joints (tuberculosis and rheumatism excepted)	214	198	0.2	0.2
157	Amputations	4	6	(1)	(1)
158	Other diseases of the organs of locomotion	76	67	0.1	0.1
	XI.—Malformations	14,127	14,053	14.2	14.5
159	Congenital malformations (stillbirths not included)	14,127	14,053	14.2	14.5
	Congenital hydrocephalus	1,366	1,362	1.4	1.4
	Congenital malformations of the heart	8,178	8,261	8.2	8.5
	Others under this title	4,583	4,430	4.6	4.6
	XII.—Early infancy	63,526	61,573	64.0	63.5
160	Congenital debility, icterus, sclerema	8,069	8,621	8.1	8.9
161	Premature birth, injury at birth	50,061	47,553	50.5	49.0
	Premature birth	39,764	38,277	40.1	39.5
	Injury at birth	10,297	9,276	10.4	9.6
162	Other diseases peculiar to early infancy	5,230	5,238	5.3	5.4
163	Lack of care	166	161	0.2	0.2
	XIII.—Old age	12,598	13,346	12.7	13.8
164	Senility	12,598	13,346	12.7	13.8

[1] Less than one-tenth of 1 per 100,000 population.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1923 AND 1924—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA (exclusive of Hawaii)			
		Number		Rate per 100,000 estimated population	
		1924	1923	1924	1923
	XIV.—External causes	96,226	93,296	97.0	96.2
	Suicide	12,061	11,287	12.2	11.6
165	By solid or liquid poisons (corrosive substances excepted)	768	663	0.8	0.7
166	By corrosive substances	1,232	1,116	1.2	1.2
167	By poisonous gas	1,641	1,535	1.7	1.6
168	By hanging or strangulation	2,117	2,058	2.1	2.1
169	By drowning	668	701	0.7	0.7
170	By firearms	4,280	3,900	4.3	4.0
171	By cutting or piercing instruments	797	754	0.8	0.8
172	By jumping from high places	304	346	0.3	0.4
173	By crushing	125	115	0.1	0.1
174	Other suicides	129	99	0.1	0.1
	Homicide	8,420	7,878	8.5	8.1
197	By firearms	6,028	5,648	6.1	5.8
198	By cutting or piercing instruments	992	945	1.0	1.0
199	By other means	1,400	1,285	1.4	1.3
200	(Infanticide—murder of infants less than 1 year of age)[1]	(158)	(143)	(0.2)	(0.1)
	Accidental or undefined	75,745	74,131	76.4	76.4
175	Poisoning by food	917	928	0.9	1.0
	Botulism	78	51	0.1	0.1
	Other food poisoning	839	877	0.8	0.9
176	Poisoning by venomous animals	66	89	0.1	0.1
177	Other acute accidental poisonings (gas excepted)	1,577	1,567	1.6	1.6
	Wood or denatured alcohol	180	143	0.2	0.1
	Carbolic acid	57	72	0.1	0.1
	Opium, morphin, laudanum	64	65	0.1	0.1
	Strychnin	169	219	0.2	0.2
	Other poisons (or kind not stated)	1,107	1,068	1.1	1.1
178	Conflagration	1,628	1,445	1.6	1.5
179	Burns (conflagration excepted)	6,895	6,503	7.0	6.7
	Molten metal	24	22	(2)	(2)
	Playing with fire, matches, etc	418	432	0.4	0.4
	Fall into fire	211	164	0.2	0.2
	Scalds	1,365	1,394	1.4	1.4
	Others under this title	4,877	4,491	4.9	4.6
180	Mechanical suffocation	1,176	1,059	1.2	1.1
181	Absorption of irrespirable, irritating, or poisonous gas	2,525	2,378	2.5	2.5
182	Drowning	6,490	5,976	6.5	6.2
	Traumatism—				
183	By firearms (wounds of war excepted)	2,571	2,578	2.6	2.7
184	By cutting or piercing instruments	621	543	0.6	0.6
	XIV.—External causes—Continued				
	Accidental or undefined—Continued.				
	Traumatism—Continued.				
185	By fall	12,955	12,378	13.1	12.8
	Fall down stairs	1,506	1,428	1.5	1.5
	Fall in ships, docks, etc	107	75	0.1	0.1
	Fall in building operations	709	618	0.7	0.6
	Others under this title	10,633	10,257	10.7	10.6
186	In mines and quarries	2,338	2,308	2.4	2.4
	Mines	2,234	2,207	2.3	2.3
	Quarries	104	101	0.1	0.1
187	By machines	2,052	2,224	2.1	2.3
	Agricultural machinery	278	224	0.3	0.2
	Elevator	401	483	0.4	0.5
	Crane	253	195	0.3	0.2
	Others under this title	1,120	1,322	1.1	1.4
188	By other crushing (vehicles, railways, landslides, etc.)	26,001	25,750	26.2	26.6
	Railroad accidents	6,430	7,100	6.5	7.3
	Street-car accidents	1,623	1,757	1.6	1.8
	Automobile accidents	15,528	14,411	15.7	14.9
	Airplane and balloon accidents	142	145	0.1	0.1
	Motorcycle accidents	242	294	0.2	0.3
	Injuries by other vehicles	1,296	1,367	1.3	1.4
	Landslide, other crushing	740	676	0.7	0.7
189	Injuries by animals (not poisoning)	605	649	0.6	0.7
190	Wounds of war	6	4	(2)	(2)
192	Starvation (deprivation of food or water)	15	16	(2)	(2)
193	Excessive cold	335	202	0.3	0.2
194	Excessive heat	409	529	0.4	0.5
195	Lightning	334	451	0.3	0.5
196	Other accidental electric shocks	977	945	1.0	1.0
201	Fracture (cause not specified)	734	1,104	0.7	1.1
202	Other external violence	4,502	4,492	4.6	4.6
	Foreign body in digestive or respiratory tract	589	604	0.6	0.6
	Others under this title	3,913	3,888	3.9	4.0
203	Violent deaths of unknown causation	16	13	(2)	(2)
	XV.—Ill-defined diseases	17,536	16,638	17.7	17.2
204	Sudden death	1,446	1,309	1.5	1.3
205	Not specified or ill-defined	16,090	15,329	16.2	15.8
	Ill-defined	5,408	5,151	5.5	5.3
	Not specified or unknown	10,682	10,178	10.8	10.5

[1] The figures for infanticide are included in those for homicide.

[2] Less than one-tenth of 1 per 100,000 population.

NOTE.—The population for 1924 is shown in Table I A.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1924

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The registration area (exclusive of Hawaii)	1,173,990	109,220	105,092	114,574	106,539	101,325	92,496	88,345	86,785	83,793	90,139	92,201	103,481
Registration States [1]	1,151,076	107,141	103,006	112,434	104,560	99,369	90,535	86,487	85,042	82,257	88,472	90,396	101,377
Cities in registration States [1]	593,170	55,267	52,826	58,306	54,591	51,179	45,872	43,241	43,042	42,229	45,888	47,230	53,499
Rural part of registration States	557,906	51,874	50,180	54,128	49,969	48,190	44,663	43,246	42,000	40,028	42,584	43,166	47,878
Registration cities in nonregistration States [2]	22,914	2,079	2,086	2,140	1,979	1,956	1,961	1,858	1,743	1,536	1,667	1,805	2,104
All registration cities [1]	616,084	57,346	54,912	60,446	56,570	53,135	47,833	45,099	44,785	43,765	47,555	49,035	55,603
California	56,832	5,508	4,928	5,284	4,978	4,910	4,501	4,337	4,136	4,142	4,329	4,495	5,284
Urban	33,065	3,265	2,888	3,066	2,921	2,895	2,607	2,488	2,400	2,363	2,494	2,590	3,088
Rural	23,767	2,243	2,040	2,218	2,057	2,015	1,894	1,849	1,736	1,779	1,835	1,905	2,196
Colorado	12,528	1,172	1,079	1,123	1,103	1,053	965	897	1,014	1,002	1,009	963	1,143
Urban	5,829	577	458	554	545	457	422	392	493	448	482	459	542
Rural	6,699	595	621	574	558	596	543	505	521	554	527	504	601
Connecticut	16,989	1,557	1,604	1,760	1,517	1,342	1,298	1,198	1,241	1,224	1,419	1,367	1,462
Urban	12,867	1,179	1,228	1,333	1,172	1,005	996	894	904	923	1,076	1,058	1,099
Rural	4,122	378	376	427	345	337	302	304	337	301	343	309	363
Delaware	3,015	292	279	299	262	258	210	215	246	231	237	213	273
Urban	1,407	136	121	134	123	115	98	98	104	118	124	95	141
Rural	1,608	156	158	165	139	143	112	117	142	113	113	118	132
Florida	15,861	1,482	1,513	1,627	1,281	1,268	1,211	1,205	1,179	1,135	1,251	1,247	1,462
Urban	4,862	465	437	488	430	372	372	374	379	347	357	366	475
Rural	10,999	1,017	1,076	1,139	851	896	839	831	800	788	894	881	987
Georgia	34,795	3,019	3,220	3,475	2,955	2,947	3,032	2,903	2,658	2,421	2,695	2,600	2,870
Urban	10,327	932	976	1,050	881	853	880	859	777	690	799	769	861
Rural	24,468	2,087	2,244	2,425	2,074	2,094	2,152	2,044	1,881	1,731	1,896	1,831	2,009
Idaho	3,787	309	318	319	414	344	309	298	264	282	336	278	316
Urban	586	57	47	59	67	56	47	29	40	39	47	36	62
Rural	3,201	252	271	260	347	288	262	269	224	243	289	242	254
Illinois	77,133	7,557	6,711	7,471	7,088	6,630	5,838	5,657	5,657	5,658	5,909	6,083	6,874
Urban	48,137	4,655	4,175	4,682	4,436	4,233	3,701	3,475	3,437	3,465	3,677	3,775	4,426
Rural	28,996	2,902	2,536	2,789	2,652	2,397	2,137	2,182	2,220	2,193	2,232	2,308	2,448
Indiana	37,162	3,459	3,199	3,653	3,408	3,246	2,848	2,736	2,861	2,799	2,880	2,919	3,154
Urban	16,206	1,457	1,372	1,629	1,422	1,417	1,236	1,172	1,267	1,257	1,289	1,305	1,383
Rural	20,956	2,002	1,827	2,024	1,986	1,829	1,612	1,564	1,594	1,542	1,591	1,614	1,771
Iowa	23,774	2,297	2,091	2,370	2,137	2,108	1,836	1,775	1,724	1,674	1,791	1,811	2,160
Urban	8,016	739	673	807	765	683	627	584	636	587	557	641	717
Rural	15,758	1,558	1,418	1,563	1,372	1,425	1,209	1,191	1,088	1,087	1,234	1,170	1,443
Kansas	17,898	1,787	1,603	1,772	1,588	1,444	1,373	1,322	1,431	1,214	1,340	1,365	1,659
Urban	6,028	576	505	589	517	497	474	445	482	426	461	487	569
Rural	11,870	1,211	1,098	1,183	1,071	947	899	877	949	788	879	878	1,090
Kentucky	26,806	2,532	2,514	2,643	2,444	2,184	1,867	2,099	2,165	1,980	2,013	2,058	2,307
Urban	7,386	694	689	718	633	636	525	610	577	551	564	566	623
Rural	19,420	1,838	1,825	1,925	1,811	1,548	1,342	1,489	1,588	1,429	1,449	1,492	1,684
Louisiana	24,480	2,151	2,307	2,388	2,049	2,002	2,027	2,046	1,756	1,629	1,862	2,022	2,241
Urban	10,205	944	981	960	830	797	811	882	767	711	759	803	960
Rural	14,275	1,207	1,326	1,428	1,219	1,205	1,216	1,164	989	918	1,103	1,219	1,281
Maine	10,754	981	953	1,022	961	999	840	798	759	739	876	882	944
Urban	3,403	354	297	340	322	332	246	227	209	208	269	290	309
Rural	7,351	627	656	682	639	667	594	571	550	531	607	592	635
Maryland	20,974	1,984	1,939	2,092	1,851	1,752	1,511	1,543	1,564	1,528	1,668	1,670	1,872
Urban	12,563	1,202	1,187	1,214	1,149	1,065	877	916	888	895	992	1,020	1,158
Rural	8,411	782	752	878	702	687	634	627	676	633	676	650	714
Massachusetts	49,358	4,636	4,424	4,675	4,539	4,332	3,954	3,558	3,516	3,508	3,880	3,938	4,398
Urban	40,113	3,783	3,549	3,773	3,713	3,539	3,181	2,871	2,828	2,816	3,176	3,250	3,634
Rural	9,245	853	875	902	826	793	773	687	688	692	704	688	764
Michigan	47,324	4,446	4,108	4,377	4,502	4,350	3,754	3,540	3,523	3,444	3,577	3,672	4,031
Urban	25,211	2,325	2,220	2,438	2,434	2,363	1,932	1,801	1,859	1,848	1,893	1,961	2,137
Rural	22,113	2,121	1,888	1,939	2,068	1,987	1,822	1,739	1,664	1,596	1,684	1,711	1,894
Minnesota	24,579	2,327	2,059	2,318	2,250	2,236	2,014	1,869	1,758	1,768	1,773	2,054	2,153
Urban	10,745	999	896	1,023	1,006	977	812	806	761	791	778	928	968
Rural	13,834	1,328	1,163	1,295	1,244	1,259	1,202	1,063	997	977	995	1,126	1,185
Mississippi	21,148	1,831	1,882	1,989	1,790	1,788	1,863	1,892	1,618	1,364	1,619	1,685	1,827
Urban	3,203	247	294	278	269	271	305	257	271	212	250	276	273
Rural	17,945	1,584	1,588	1,711	1,521	1,517	1,558	1,635	1,347	1,152	1,369	1,409	1,554
Missouri	40,474	3,857	3,625	4,113	3,828	3,227	2,907	3,035	3,123	2,921	3,126	3,123	3,589
Urban	20,042	1,880	1,748	2,016	1,945	1,562	1,485	1,518	1,533	1,394	1,604	1,581	1,776
Rural	20,432	1,977	1,877	2,097	1,883	1,665	1,422	1,517	1,590	1,527	1,522	1,542	1,813
Montana	4,970	419	464	445	450	433	407	383	359	389	393	370	458
Urban	1,626	139	160	157	136	153	131	104	113	126	135	120	152
Rural	3,344	280	304	288	314	280	276	279	246	263	258	250	306
Nebraska	12,388	1,158	1,094	1,158	1,136	1,089	944	875	948	919	916	1,053	1,098
Urban	3,968	376	338	376	363	344	293	273	287	329	311	356	322
Rural	8,420	782	756	782	773	745	651	602	661	590	605	697	776

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Hampshire	6,357	556	543	542	589	556	502	511	471	470	508	528	581
Urban	2,706	249	243	228	245	232	198	204	198	186	216	228	279
Rural	3,651	307	300	314	344	324	304	307	273	284	292	300	302
New Jersey	40,840	3,712	3,708	3,864	3,722	3,535	3,095	3,029	3,066	2,981	3,150	3,242	3,736
Urban	26,031	2,363	2,357	2,513	2,441	2,298	1,942	1,900	1,868	1,864	1,983	2,116	2,386
Rural	14,809	1,349	1,351	1,351	1,281	1,237	1,153	1,129	1,198	1,117	1,167	1,126	1,350
New York	140,205	12,682	12,525	13,855	13,036	12,499	10,998	9,795	10,033	10,023	10,807	11,310	12,642
Urban	106,417	9,712	9,531	10,677	9,974	9,518	8,225	7,248	7,458	7,569	8,163	8,631	9,711
Rural	33,788	2,970	2,994	3,178	3,062	2,981	2,773	2,547	2,575	2,454	2,644	2,679	2,931
North Carolina	33,238	3,031	3,101	3,345	2,932	2,880	3,139	2,798	2,489	2,292	2,415	2,308	2,508
Urban	6,390	563	583	578	594	550	563	525	508	464	494	470	498
Rural	26,848	2,468	2,518	2,767	2,338	2,330	2,576	2,273	1,981	1,828	1,921	1,838	2,010
North Dakota	4,852	492	455	465	464	414	392	383	335	310	403	344	395
Urban	658	60	58	56	69	65	54	52	45	36	56	46	61
Rural	4,194	432	397	409	395	349	338	331	290	274	347	298	334
Ohio	69,950	6,509	6,310	6,617	6,456	6,177	5,613	5,096	5,062	4,925	5,412	5,508	6,265
Urban	40,083	3,675	3,637	3,878	3,712	3,440	3,227	2,919	2,906	2,739	3,102	3,164	3,684
Rural	29,867	2,834	2,673	2,739	2,744	2,737	2,386	2,177	2,156	2,186	2,310	2,344	2,581
Oregon	9,505	938	755	870	870	833	712	732	724	712	774	744	841
Urban	4,262	428	329	401	380	385	314	298	301	337	324	350	415
Rural	5,243	510	426	469	490	448	398	434	423	375	450	394	426
Pennsylvania	113,321	10,765	10,218	11,789	10,827	9,505	8,381	7,781	8,057	7,915	8,821	9,129	10,133
Urban	63,199	5,976	5,729	6,673	6,112	5,224	4,662	4,301	4,442	4,369	4,930	5,102	5,679
Rural	50,122	4,789	4,489	5,116	4,715	4,281	3,719	3,480	3,615	3,546	3,891	4,027	4,454
Rhode Island	8,337	757	821	875	753	683	649	632	557	614	615	624	757
Urban	7,005	628	701	754	620	577	534	529	464	502	514	525	657
Rural	1,332	129	120	121	133	106	115	103	93	112	101	99	100
South Carolina	22,895	1,997	2,065	2,141	1,890	2,164	2,243	1,940	1,772	1,618	1,671	1,638	1,756
Urban	4,034	392	365	376	309	346	362	319	301	280	328	288	368
Rural	18,861	1,605	1,700	1,765	1,581	1,818	1,881	1,621	1,471	1,338	1,343	1,350	1,388
Tennessee	28,018	2,473	2,589	2,870	2,384	2,118	2,102	2,495	2,365	1,959	2,152	2,152	2,359
Urban	9,182	777	846	871	749	687	728	870	853	618	729	674	780
Rural	18,836	1,696	1,743	1,999	1,635	1,431	1,374	1,625	1,512	1,341	1,423	1,478	1,579
Utah	5,048	446	442	643	426	435	375	347	371	337	391	392	443
Urban	2,275	212	210	227	190	211	175	181	173	156	178	181	181
Rural	2,773	234	232	416	236	224	200	166	198	181	213	211	262
Vermont	4,860	429	416	459	432	456	398	389	336	350	377	393	425
Urban	787	66	60	79	72	59	75	65	53	50	61	66	81
Rural	4,073	363	356	380	360	397	323	324	283	300	316	327	344
Virginia	29,175	2,690	2,762	2,932	2,611	2,442	2,340	2,406	2,220	1,960	2,159	2,215	2,438
Urban	8,466	732	772	829	723	706	711	747	635	582	690	637	702
Rural	20,709	1,958	1,990	2,103	1,888	1,736	1,629	1,659	1,585	1,378	1,469	1,578	1,736
Washington	14,580	1,394	1,159	1,330	1,298	1,292	1,144	1,151	1,074	1,109	1,178	1,147	1,304
Urban	7,396	727	545	716	661	602	597	591	528	571	611	570	677
Rural	7,184	667	614	614	637	690	547	560	546	538	567	577	627
Wisconsin	28,250	2,699	2,444	2,609	2,603	2,699	2,304	2,158	1,992	2,049	2,061	2,184	2,448
Urban	11,499	1,081	991	1,063	1,054	1,054	922	880	809	855	869	905	1,016
Rural	16,751	1,618	1,453	1,546	1,549	1,645	1,382	1,278	1,183	1,194	1,192	1,279	1,432
Wyoming	2,063	213	181	175	159	180	158	159	161	192	175	160	150
Urban	432	48	32	28	30	44	44	33	31	37	42	35	28
Rural	1,631	165	149	147	129	136	114	126	130	155	133	125	122

NOTE.—Populations are shown in Table I A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1924

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							Negro	Japanese	Other colored
		Total	Native				Foreign born	Nativity unknown			
			Total	Both parents native	One or both parents foreign born	Parentage unknown					
The registration area (exclusive of Hawaii)	1,173,990	1,014,085	766,355	451,525	210,541	104,289	232,601	15,129	154,269	1,360	4,276
Registration States [1]	1,151,076	997,617	753,054	444,053	207,700	101,301	229,969	14,594	147,852	1,353	4,254
Cities in registration States [1]	593,170	525,412	363,185	183,210	138,173	41,802	155,183	7,044	65,772	745	1,241
Rural part of registration States	557,906	472,205	389,869	260,843	69,527	59,499	74,786	7,550	82,080	608	3,013
Registration cities in nonregistration States [2]	22,914	16,468	13,301	7,472	2,841	2,988	2,632	535	6,417	7	22
All registration cities [1]	616,084	541,880	376,486	190,682	141,014	44,790	157,815	7,579	72,189	752	1,263
California	56,832	53,752	37,167	16,364	12,068	8,735	15,449	1,136	1,040	929	1,111
Urban	33,065	31,293	21,326	9,469	7,180	4,677	9,311	656	734	509	529
Rural	23,767	22,459	15,841	6,895	4,888	4,058	6,138	480	306	420	582
Colorado	12,528	12,137	9,531	5,129	2,211	2,191	2,203	403	311	42	38
Urban	5,829	5,569	4,290	2,177	1,052	1,061	1,054	225	231	15	14
Rural	6,699	6,568	5,241	2,952	1,159	1,130	1,149	178	80	27	24
Connecticut	16,989	16,542	10,994	5,039	4,754	1,201	5,381	167	434	2	11
Urban	12,867	12,491	8,086	3,480	3,856	750	4,292	113	365	2	9
Rural	4,122	4,051	2,908	1,559	898	451	1,089	54	69		2
Delaware	3,015	2,352	2,020	1,484	350	186	302	30	662		1
Urban	1,407	1,143	915	585	253	77	220	8	264		
Rural	1,608	1,209	1,105	899	97	109	82	22	398		1
Florida	15,861	9,297	7,996	5,257	724	2,015	898	403	6,560		4
Urban	4,862	2,764	2,189	1,387	374	428	491	84	2,095		3
Rural	10,999	6,533	5,807	3,870	350	1,587	407	319	4,465		1
Georgia	34,795	17,774	17,123	13,505	387	3,231	309	342	17,019		2
Urban	10,327	4,779	4,463	3,427	255	781	232	84	5,547		1
Rural	24,468	12,995	12,660	10,078	132	2,450	77	258	11,472		1
Idaho	3,787	3,583	2,836	1,671	561	604	635	112	30	17	157
Urban	586	555	444	259	94	91	91	20	17	3	11
Rural	3,201	3,028	2,392	1,412	467	513	544	92	13	14	146
Illinois	77,133	71,659	48,931	24,660	17,376	6,895	21,696	1,032	5,413	3	58
Urban	48,137	43,706	26,837	11,137	12,563	3,137	16,240	629	4,374	2	55
Rural	28,996	27,953	22,094	13,523	4,813	3,758	5,456	403	1,039	1	3
Indiana	37,162	35,156	31,616	21,858	4,640	5,118	3,176	364	1,999	2	5
Urban	16,206	14,519	12,361	7,875	2,570	1,916	1,982	176	1,681	2	4
Rural	20,956	20,637	19,255	13,983	2,070	3,202	1,194	188	318		1
Iowa	23,774	23,444	18,168	10,137	4,532	3,499	4,882	394	307		23
Urban	8,016	7,780	6,122	3,192	1,679	1,251	1,514	144	227		9
Rural	15,758	15,664	12,046	6,945	2,853	2,248	3,368	250	80		14
Kansas	17,898	16,691	14,074	8,135	2,119	3,820	2,266	351	1,174		33
Urban	6,028	5,211	4,413	2,489	758	1,166	680	118	810		7
Rural	11,870	11,480	9,661	5,646	1,361	2,654	1,586	233	364		26
Kentucky	26,806	22,305	21,230	17,310	1,301	2,619	858	217	4,499		2
Urban	7,386	5,638	4,984	3,332	875	777	599	55	1,748		
Rural	19,420	16,667	16,246	13,978	426	1,842	259	162	2,751		2
Louisiana	24,480	12,260	10,898	7,471	1,627	1,800	1,086	276	12,178	5	37
Urban	10,205	5,676	4,759	2,891	1,297	571	853	64	4,513	4	12
Rural	14,275	6,584	6,139	4,580	330	1,229	233	212	7,665	1	25
Maine	10,754	10,716	8,932	6,500	1,816	616	1,709	75	27		11
Urban	3,403	3,385	2,585	1,644	784	157	769	31	17		1
Rural	7,351	7,331	6,347	4,856	1,032	459	940	44	10		10
Maryland	20,974	15,915	13,555	9,269	2,778	1,508	2,175	185	5,052	2	5
Urban	12,563	9,780	7,919	4,847	2,193	879	1,769	92	2,776	2	5
Rural	8,411	6,135	5,636	4,422	585	629	406	93	2,276		
Massachusetts	49,358	48,397	31,245	14,719	13,887	2,639	16,861	291	903	3	55
Urban	40,113	39,281	24,671	10,904	11,836	1,931	14,367	243	782	3	47
Rural	9,245	9,116	6,574	3,815	2,051	708	2,494	48	121		8
Michigan	47,324	45,122	31,271	15,422	11,217	4,632	12,912	939	2,056	4	142
Urban	25,211	23,456	15,567	6,880	6,661	2,026	7,376	513	1,738	3	14
Rural	22,113	21,666	15,704	8,542	4,556	2,606	5,536	426	318	1	128
Minnesota	24,579	24,146	14,364	6,523	6,682	1,159	9,577	205	197		236
Urban	10,745	10,560	6,646	2,968	3,134	544	3,816	98	173		12
Rural	13,834	13,586	7,718	3,555	3,548	615	5,761	107	24		224
Mississippi	21,148	7,865	7,489	5,681	241	1,567	174	202	13,253		30
Urban	3,203	1,309	1,214	904	99	211	76	19	1,893		1
Rural	17,945	6,556	6,275	4,777	142	1,356	98	183	11,360		29
Missouri	40,474	36,066	30,754	19,446	5,127	6,181	4,367	945	4,395		13
Urban	20,042	16,898	13,341	7,333	3,478	2,530	3,126	431	3,133		11
Rural	20,432	19,168	17,413	12,113	1,649	3,651	1,241	514	1,262		2

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							Negro	Japanese	Other colored
		Total	Native				Foreign born	Nativity unknown			
			Total	Both parents native	One or both parents foreign born	Parentage unknown					
Montana	4,970	4,520	3,079	1,447	1,038	594	1,287	154	40	9	401
Urban	1,626	1,580	1,012	415	409	188	524	44	27	----	19
Rural	3,344	2,940	2,067	1,032	629	406	763	110	13	9	382
Nebraska	12,388	12,004	8,774	4,963	2,174	1,637	3,033	197	272	2	110
Urban	3,968	3,724	2,749	1,403	812	534	893	82	240	----	4
Rural	8,420	8,280	6,025	3,560	1,362	1,103	2,140	115	32	2	106
New Hampshire	6,357	6,347	4,824	2,628	1,145	1,051	1,311	212	9	----	1
Urban	2,706	2,702	1,878	880	660	338	757	67	4	----	----
Rural	3,651	3,645	2,946	1,748	485	713	554	145	5	----	1
New Jersey	40,840	37,904	25,637	13,878	10,466	1,293	11,975	292	2,908	----	28
Urban	26,031	24,004	15,354	7,215	7,422	717	8,451	199	2,003	----	24
Rural	14,809	13,900	10,283	6,663	3,044	576	3,524	93	905	----	4
New York	140,205	135,040	87,928	41,648	40,282	5,998	45,987	1,125	4,858	35	272
Urban	106,417	101,873	61,291	25,333	33,113	2,845	39,763	819	4,323	33	188
Rural	33,788	33,167	26,637	16,315	7,169	3,153	6,224	306	535	2	84
North Carolina	33,238	19,969	19,567	16,886	206	2,475	157	245	13,087	----	182
Urban	6,390	3,288	3,175	2,646	90	439	70	43	3,101	----	1
Rural	26,848	16,681	16,392	14,240	116	2,036	87	202	9,986	----	181
North Dakota	4,852	4,708	2,910	1,280	1,427	203	1,696	102	8	2	134
Urban	658	654	427	180	193	54	202	25	1	2	1
Rural	4,194	4,054	2,483	1,100	1,234	149	1,494	77	7	----	133
Ohio	69,950	65,073	52,585	32,380	13,243	6,962	11,433	1,055	4,863	1	13
Urban	40,083	36,180	27,224	14,978	9,083	3,163	8,492	464	3,891	----	12
Rural	29,867	28,893	25,361	17,402	4,160	3,799	2,941	591	972	1	1
Oregon	9,505	9,179	6,971	3,782	1,399	1,790	1,944	264	40	51	235
Urban	4,262	4,129	2,972	1,516	758	698	1,058	99	28	33	72
Rural	5,243	5,050	3,999	2,266	641	1,092	886	165	12	18	163
Pennsylvania	113,321	105,747	81,466	50,457	24,711	6,298	23,232	1,049	7,516	4	54
Urban	63,199	57,127	41,366	22,756	15,371	3,239	15,176	585	6,018	4	50
Rural	50,122	48,620	40,100	27,701	9,340	3,059	8,056	464	1,498	----	4
Rhode Island	8,337	8,097	5,190	2,514	2,463	213	2,858	49	239	----	1
Urban	7,005	6,787	4,244	1,934	2,142	168	2,502	41	217	----	1
Rural	1,332	1,310	946	580	321	45	356	8	22	----	----
South Carolina	22,895	9,146	8,984	7,517	203	1,264	98	64	13,742	1	6
Urban	4,034	1,865	1,796	1,286	114	396	59	10	2,168	1	----
Rural	18,861	7,281	7,188	6,231	89	868	39	54	11,574	----	6
Tennessee	28,018	19,456	18,779	14,730	453	3,596	348	329	8,561	----	1
Urban	9,182	5,026	4,638	3,336	308	994	255	133	4,155	----	1
Rural	18,836	14,430	14,141	11,394	145	2,602	93	196	4,406	----	----
Utah	5,048	4,884	3,372	1,980	1,129	263	1,429	83	37	57	70
Urban	2,275	2,216	1,492	798	541	153	680	44	25	25	9
Rural	2,773	2,668	1,880	1,182	588	110	749	39	12	32	61
Vermont	4,860	4,859	3,967	2,502	905	560	813	79	----	----	1
Urban	787	786	610	332	188	90	163	13	----	----	1
Rural	4,073	4,073	3,357	2,170	717	470	650	66	----	----	----
Virginia	29,175	17,710	16,993	14,115	605	2,273	513	204	11,440	3	22
Urban	8,466	4,619	4,297	3,423	310	564	265	57	3,838	3	6
Rural	20,709	13,091	12,696	10,692	295	1,709	248	147	7,602	----	16
Washington	14,580	13,941	9,600	5,317	2,610	1,673	3,957	384	124	158	357
Urban	7,396	7,140	4,780	2,576	1,482	722	2,205	155	88	92	76
Rural	7,184	6,801	4,820	2,741	1,128	951	1,752	229	36	66	281
Wisconsin	28,250	27,823	17,387	7,705	7,966	1,716	10,124	312	155	1	271
Urban	11,499	11,367	6,997	2,883	3,559	555	4,243	127	106	1	25
Rural	16,751	16,456	10,390	4,822	4,407	1,161	5,881	185	49	----	246
Wyoming	2,063	1,889	1,421	790	313	318	339	129	41	18	115
Urban	432	410	325	186	63	76	48	37	18	4	----
Rural	1,631	1,479	1,096	604	250	242	291	92	23	14	115

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

	AREA AND COLOR	All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	The registration area (exclusive of Hawaii) White	1,014,085	135,293	48,144	19,944	14,745	21,864	28,202	29,787	32,428
	The registration area (exclusive of Hawaii) Colored	159,905	26,111	10,574	2,943	3,089	7,184	10,317	9,428	8,426
2	Registration States [1] White	997,617	132,738	47,003	19,623	14,459	21,332	27,468	28,985	31,717
	Registration States [1] Colored	153,459	25,300	10,280	2,863	2,992	6,912	9,832	8,910	8,011
3	Cities in registration States [1] White	525,412	67,688	24,170	10,875	7,488	10,740	14,818	16,619	18,764
	Cities in registration States [1] Colored	67,758	10,098	4,018	1,032	1,024	2,694	4,534	4,766	4,406
4	Rural part of registration States White	472,205	65,050	22,833	8,748	6,971	10,592	12,650	12,366	12,953
	Rural part of registration States Colored	85,701	15,202	6,262	1,831	1,968	4,218	5,298	4,144	3,605
5	Registration cities in nonregistration States [2] White	16,468	2,555	1,141	321	286	532	734	802	711
	Registration cities in nonregistration States [2] Colored	6,446	811	294	80	97	272	485	518	415
6	All registration cities [1] White	541,880	70,243	25,311	11,196	7,774	11,272	15,552	17,421	19,475
	All registration cities [1] Colored	74,204	10,909	4,312	1,112	1,121	2,966	5,019	5,284	4,821
7	California White	53,752	5,364	2,118	1,018	753	1,116	1,776	1,854	1,944
	California Colored	3,080	472	221	80	59	95	147	184	145
8	Urban White	31,293	2,944	1,050	586	418	605	1,014	1,014	1,116
	Urban Colored	1,772	255	115	46	24	43	93	116	87
9	Rural White	22,459	2,420	1,068	432	335	511	762	840	828
	Rural Colored	1,308	217	106	34	35	52	54	68	58
10	Colorado White	12,137	1,914	733	294	204	314	452	511	536
	Colorado Colored	391	35	24	10	6	15	23	32	38
11	Urban White	5,569	774	280	94	87	131	193	238	242
	Urban Colored	260	19	15	5		10	19	19	29
12	Rural White	6,568	1,140	453	200	117	183	259	273	294
	Rural Colored	131	16	9	5	6	5	4	13	9
13	Connecticut White	16,542	2,113	754	364	235	313	337	447	527
	Connecticut Colored	447	67	29	7	7	13	20	31	39
14	Urban White	12,491	1,679	643	298	189	247	250	357	419
	Urban Colored	376	54	27	7	7	10	15	23	35
15	Rural White	4,051	434	111	66	46	66	87	90	108
	Rural Colored	71	13	2			3	5	8	4
16	Delaware White	2,352	287	106	49	24	38	59	56	74
	Delaware Colored	663	133	40	9	13	30	32	31	28
17	Urban White	1,143	155	60	27	14	23	29	29	39
	Urban Colored	264	54	21	5	3	13	8	11	11
18	Rural White	1,209	132	46	22	10	15	30	27	35
	Rural Colored	399	79	19	4	10	17	24	20	17
19	Florida White	9,297	1,264	639	182	130	232	306	286	302
	Florida Colored	6,564	926	446	107	120	281	470	415	384
20	Urban White	2,764	324	119	37	38	70	93	92	104
	Urban Colored	2,098	322	157	24	31	79	176	158	143
21	Rural White	6,533	940	520	145	92	162	213	194	198
	Rural Colored	4,466	604	289	83	89	202	294	257	241
22	Georgia White	17,774	3,101	1,388	362	265	435	605	555	551
	Georgia Colored	17,021	2,748	1,157	306	378	904	1,161	971	842
23	Urban White	4,779	707	328	102	59	114	176	182	184
	Urban Colored	5,548	751	350	89	91	292	444	411	375
24	Rural White	12,995	2,394	1,060	260	206	321	429	373	367
	Rural Colored	11,473	1,997	807	217	287	612	717	560	467
25	Idaho White	3,583	503	223	118	96	97	96	113	115
	Idaho Colored	204	26	30	13	10	15	14	8	3
26	Urban White	555	71	32	10	14	9	22	18	17
	Urban Colored	31	2	1	2	1		2	2	2
27	Rural White	3,028	432	191	108	82	88	74	95	98
	Rural Colored	173	24	29	11	9	15	12	6	1
28	Illinois White	71,659	8,931	2,750	1,308	972	1,433	2,044	2,228	2,552
	Illinois Colored	5,474	803	330	84	79	232	414	416	341
29	Urban White	43,706	5,670	1,708	877	608	876	1,335	1,507	1,760
	Urban Colored	4,431	691	289	64	60	189	345	353	281
30	Rural White	27,953	3,261	1,042	431	364	557	709	721	792
	Rural Colored	1,043	112	41	20	19	43	69	63	60
31	Indiana White	35,156	4,119	1,430	560	459	785	914	900	995
	Indiana Colored	2,006	306	89	31	31	74	114	112	136
32	Urban White	14,519	1,936	605	263	201	336	421	461	533
	Urban Colored	1,687	283	83	27	23	56	101	97	123
33	Rural White	20,637	2,183	825	297	258	449	493	439	462
	Rural Colored	319	23	6	4	8	18	13	15	13
34	Iowa White	23,444	2,667	916	445	321	402	532	544	604
	Iowa Colored	330	31	19	9	3	14	16	17	14
35	Urban White	7,780	887	343	162	110	120	197	222	255
	Urban Colored	236	27	16	6		8	8	13	11
36	Rural White	15,664	1,780	573	283	211	282	335	322	349
	Rural Colored	94	4	3	3	3	6	8	4	3
37	Kansas White	16,691	2,091	717	284	256	368	399	388	433
	Kansas Colored	1,207	147	63	17	23	49	56	57	63
38	Urban White	5,211	657	229	91	81	147	172	130	161
	Urban Colored	817	102	48	13	15	42	38	41	40
39	Rural White	11,480	1,434	488	193	175	221	227	258	272
	Rural Colored	390	45	15	4	8	7	18	16	23

[1] Including District of Columbia.

BIRTHS), BY AGE AND COLOR: 1924

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
38,224	41,657	47,368	56,779	62,983	77,423	86,545	87,587	79,292	60,165	30,987	11,069	2,283	447	869	1
9,756	9,723	9,963	10,494	7,803	7,551	6,486	6,367	4,538	3,758	2,100	1,288	546	784	676	
37,417	40,867	46,467	55,829	62,069	76,366	85,433	86,566	78,449	59,576	30,747	10,969	2,249	441	847	2
9,218	9,220	9,434	9,922	7,454	7,269	6,285	6,195	4,433	3,673	2,057	1,252	537	760	650	
22,556	25,173	28,798	34,475	37,548	43,769	44,476	41,322	34,235	24,509	12,132	4,152	809	143	153	3
5,028	5,278	5,290	5,145	3,754	3,257	2,428	1,927	1,255	839	435	212	117	123	98	
14,861	15,694	17,669	21,354	24,521	32,597	40,957	45,244	44,214	35,067	18,615	6,817	1,440	298	694	4
4,190	3,942	4,144	4,777	3,700	4,012	3,857	4,268	3,178	2,834	1,622	1,040	420	637	552	
807	790	901	950	914	1,057	1,112	1,021	843	589	240	100	34	6	22	5
538	503	529	572	349	282	201	172	105	85	43	36	9	24	26	
23,363	25,963	29,699	35,425	38,462	44,826	45,588	42,343	35,078	25,098	12,372	4,252	843	149	175	6
5,566	5,781	5,819	5,717	4,103	3,539	2,629	2,099	1,360	924	478	248	126	147	124	
2,351	2,736	2,952	3,348	3,627	4,268	4,595	4,470	4,119	2,975	1,611	580	135	33	9	7
197	201	219	175	169	198	155	152	88	40	35	22	6	8	12	
1,323	1,675	1,846	2,105	2,241	2,664	2,765	2,661	2,368	1,646	883	288	61	17	3	8
128	138	139	110	104	125	98	78	37	16	12	5		1	2	
1,028	1,061	1,106	1,243	1,386	1,604	1,830	1,809	1,751	1,329	728	292	74	16	6	9
69	63	80	65	65	73	57	74	51	24	23	17	6	7	10	
591	531	582	584	714	790	937	867	669	540	247	87	16	7	17	10
27	36	23	19	29	17	15	14	10	12	4		1		1	
285	246	293	282	354	401	468	421	338	264	125	41	6	3	3	11
17	27	16	16	21	11	12	9	3	8	3		1			
306	285	289	302	360	389	469	446	331	276	122	46	10	4	14	12
10	9	7	3	8	6	3	5	7	4	1				1	
616	653	789	1,012	1,103	1,343	1,378	1,413	1,323	1,018	531	211	48	11	3	13
35	26	27	28	24	27	17	20	11	10	5	2		2		
490	520	604	821	856	1,049	1,022	1,015	888	652	320	138	26	6	2	14
32	21	23	25	22	26	15	15	9	5	2	1		2		
126	133	185	191	247	294	356	398	435	366	211	73	22	5	1	15
3	5	4	3	2	1	2	5	2	5	3	1				
82	76	81	130	130	190	233	249	197	159	98	28	2	1	3	16
35	34	40	39	47	38	25	28	18	27	11		3	1	1	
39	44	43	80	74	85	100	104	85	69	34	8			2	17
15	15	20	20	19	17	8	10	3	6	2		2	1		
43	32	38	50	56	105	133	145	112	90	64	20	2	1	1	18
20	19	20	19	28	21	17	18	15	21	9		1		1	
365	360	410	496	534	667	781	772	722	499	222	76	16	4	32	19
476	439	485	450	313	318	237	210	147	120	60	38	20	34	68	
117	130	136	194	187	226	257	204	207	139	65	16	5	1	3	20
179	172	164	143	116	94	48	27	20	20	6	4	6	5	4	
248	230	274	302	347	441	524	568	515	360	157	60	11	3	29	21
297	267	321	307	197	224	189	183	127	100	54	34	14	29	64	
672	702	684	751	805	1,059	1,385	1,440	1,351	921	451	164	40	15	22	22
996	911	972	1,143	790	794	667	696	477	442	238	169	76	128	55	
226	223	241	273	283	341	353	334	312	208	88	32	9	3	1	23
434	412	438	444	313	243	156	98	69	61	31	21	2	13	10	
446	479	443	478	522	718	1,032	1,106	1,039	713	363	132	31	12	21	24
562	499	534	699	477	551	511	598	408	381	207	148	74	115	45	
159	148	168	170	221	243	334	261	210	183	85	32	4		4	25
8	8	12	6	6	6	5	10	11	6	4	2	1			
33	32	20	37	34	38	37	37	34	36	12	1	2			26
	4	3	1	2	1	1	1	2	2	1	1				
126	116	139	133	187	205	297	224	176	147	73	31	2		4	27
8	4	9	5	4	5	4	9	9	4	3	1	1			
3,128	3,291	3,601	4,307	4,772	5,804	6,135	5,899	5,258	4,124	2,107	807	158	20	30	28
425	415	436	382	263	249	200	151	106	70	28	22	12	15	1	
2,181	2,320	2,577	2,939	3,244	3,706	3,577	3,132	2,555	1,854	832	364	57	9	18	29
357	341	373	319	210	187	140	85	61	39	18	10	9	10		
947	971	1,024	1,368	1,528	2,098	2,558	2,767	2,703	2,270	1,275	443	101	11	12	30
68	74	63	63	53	62	60	66	45	31	10	12	3	5	1	
1,104	1,174	1,381	1,731	2,033	2,651	3,330	3,674	3,437	2,556	1,360	442	80	14	27	31
153	128	150	151	114	112	91	69	51	43	23	12	4	5	7	
598	654	717	828	972	1,070	1,257	1,318	1,039	762	380	135	20	5	8	32
130	109	129	129	92	92	71	52	32	29	14	5	4	3	3	
506	520	664	903	1,061	1,581	2,073	2,356	2,398	1,794	980	307	60	9	19	33
23	19	21	22	22	20	20	17	19	14	9	7		2	4	
740	742	894	1,085	1,335	1,772	2,100	2,309	2,396	1,923	1,162	447	93	12	3	34
18	16	26	24	30	23	17	22	9	12	4	2	2	1	1	
307	291	399	443	523	610	676	672	665	470	278	123	23	2	2	35
15	13	18	16	25	16	13	14	4	7	2	1	1	1	1	
433	451	495	642	812	1,162	1,424	1,637	1,731	1,453	884	324	70	10	1	36
3	3	8	8	5	7	4	8	5	5	2	1	1			
520	574	610	715	852	1,145	1,460	1,650	1,677	1,464	743	259	61	9	16	37
42	75	87	83	72	66	63	61	58	45	36	20	10	11	3	
175	208	224	261	306	396	462	492	412	362	170	58	12	3	2	38
31	47	61	62	47	48	40	36	35	26	18	9	7	9	2	
345	366	386	454	546	749	998	1,158	1,265	1,102	573	201	49	6	14	39
11	28	26	21	25	18	23	25	23	19	18	11	3	2	1	

[1] A list of these cities can be found on p. 7.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Kentucky	White	22,305	3,783	1,440	447	372	636	886	726	718
		Colored	4,501	521	196	71	75	182	253	206	241
2	Urban	White	5,638	717	211	115	81	138	214	180	179
		Colored	1,748	163	60	21	29	65	82	93	108
3	Rural	White	16,667	3,066	1,229	332	291	498	672	546	539
		Colored	2,753	358	136	50	46	117	171	113	133
4	Louisiana	White	12,260	2,002	857	234	203	378	414	437	446
		Colored	12,220	1,954	783	246	262	568	810	700	588
5	Urban	White	5,676	596	289	90	94	148	178	222	231
		Colored	4,529	577	244	60	78	182	320	333	258
6	Rural	White	6,584	1,406	568	144	109	230	236	215	215
		Colored	7,691	1,377	539	186	184	386	490	367	330
7	Maine	White	10,716	1,492	365	142	125	163	231	243	236
		Colored	38	1	2	1			3	5	
8	Urban	White	3,385	496	133	58	40	45	89	100	107
		Colored	18	1	1	1				3	
9	Rural	White	7,331	996	232	84	85	118	142	143	129
		Colored	20		1				3	2	
10	Maryland	White	15,915	2,098	669	262	201	304	386	416	468
		Colored	5,059	886	284	75	88	197	248	210	251
11	Urban	White	9,780	1,232	419	172	124	193	229	285	301
		Colored	2,783	422	138	30	36	79	119	128	165
12	Rural	White	6,135	866	250	90	77	111	157	131	167
		Colored	2,276	464	146	45	52	118	129	82	86
13	Massachusetts	White	48,397	6,047	2,101	941	575	812	1,094	1,263	1,411
		Colored	961	141	43	18	17	29	41	45	46
14	Urban	White	39,281	5,210	1,854	804	488	683	890	1,024	1,183
		Colored	832	128	37	15	16	25	27	35	36
15	Rural	White	9,116	837	247	137	87	129	204	239	228
		Colored	129	13	6	3	1	4	14	10	10
16	Michigan	White	45,122	6,724	2,002	1,050	696	978	1,287	1,385	1,506
		Colored	2,202	359	153	41	31	80	199	198	172
17	Urban	White	23,456	3,937	1,213	624	374	499	782	900	1,005
		Colored	1,755	293	129	33	20	59	165	161	156
18	Rural	White	21,666	2,787	789	426	322	479	505	485	501
		Colored	447	66	24	8	11	21	34	37	16
19	Minnesota	White	24,146	3,081	960	512	447	573	744	784	812
		Colored	433	80	38	12	10	12	17	12	25
20	Urban	White	10,580	1,195	370	222	189	249	319	379	409
		Colored	185	12	5		1	4	5	8	13
21	Rural	White	13,586	1,886	590	290	258	324	425	405	403
		Colored	248	68	33	12	9	8	12	4	12
22	Mississippi	White	7,865	1,205	602	153	144	224	242	214	254
		Colored	13,283	1,907	869	270	310	720	951	709	559
23	Urban	White	1,309	164	92	30	28	41	58	40	58
		Colored	1,894	213	86	25	30	103	126	136	94
24	Rural	White	6,556	1,041	510	123	116	183	184	174	196
		Colored	11,389	1,694	783	245	280	617	825	573	465
25	Missouri	White	36,066	4,267	1,723	630	522	813	994	979	1,094
		Colored	4,408	483	240	68	75	186	286	258	246
26	Urban	White	16,898	1,780	714	305	220	359	488	511	638
		Colored	3,144	337	154	44	40	109	202	206	208
27	Rural	White	19,168	2,487	1,009	325	302	454	506	468	456
		Colored	1,264	146	86	24	35	77	84	52	38
28	Montana	White	4,520	604	239	128	117	137	133	148	157
		Colored	450	79	75	17	13	15	27	13	11
29	Urban	White	1,580	187	81	47	42	51	57	54	62
		Colored	46	4	1				1	2	2
30	Rural	White	2,940	417	158	81	75	86	76	94	95
		Colored	404	75	74	17	13	15	26	11	9
31	Nebraska	White	12,004	1,609	568	275	212	257	272	288	332
		Colored	384	54	29	5	8	11	24	31	18
32	Urban	White	3,724	481	160	85	55	81	86	131	133
		Colored	244	24	4	1	6	11	17	26	15
33	Rural	White	8,280	1,128	408	190	157	176	186	157	199
		Colored	140	30	25	4	2		7	5	3
34	New Hampshire	White	6,347	803	232	94	58	91	123	139	130
		Colored	10	1				1	1		
35	Urban	White	2,702	422	128	60	33	45	53	61	64
		Colored	4					1			
36	Rural	White	3,645	381	104	34	25	46	70	78	66
		Colored	6	1					1		
37	New Jersey	White	37,904	4,844	1,778	795	513	740	945	1,112	1,180
		Colored	2,936	525	189	56	54	101	161	169	143
38	Urban	White	24,004	3,396	1,283	569	359	461	614	760	777
		Colored	2,027	371	132	41	35	67	126	124	105
39	Rural	White	13,900	1,448	495	226	154	279	331	352	403
		Colored	909	154	57	15	19	34	35	45	38
40	New York	White	135,040	15,306	5,997	2,514	1,766	2,536	3,543	3,935	4,431
		Colored	5,165	822	320	69	65	183	356	385	390
41	Urban	White	101,873	12,453	5,177	2,106	1,437	1,920	2,746	3,131	3,566
		Colored	4,544	738	282	61	54	163	316	344	358
42	Rural	White	33,167	2,853	820	408	329	616	797	804	865
		Colored	621	84	38	8	11	20	40	41	32

BIRTHS), BY AGE AND COLOR: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
708	710	758	991	1,085	1,365	1,716	1,843	1,795	1,348	643	214	54	10	57	1
248	288	301	372	284	274	237	222	183	115	82	53	20	27	50	
192	232	240	364	378	460	501	480	444	298	166	34	12	2		2
122	148	151	167	128	127	92	85	48	24	11	10	4	2	8	
516	478	518	627	707	905	1,215	1,363	1,351	1,050	477	180	42	8	57	3
126	140	150	205	156	147	145	137	135	91	71	43	16	25	42	
498	521	616	668	678	816	918	867	735	538	282	99	22	8	23	4
700	672	751	794	569	521	507	497	401	360	201	129	58	103	46	
263	305	387	385	410	453	463	426	314	248	123	40	6	1	4	5
323	339	373	396	252	205	180	151	97	67	34	19	15	15	11	
235	216	229	283	268	363	455	441	421	290	159	59	16	7	19	6
377	333	378	398	317	316	327	346	304	293	167	110	43	88	35	
290	290	380	499	591	766	941	1,150	1,143	895	530	201	39	4		7
2	1	2	3	4	2	5	2	3	2						
119	121	175	191	201	270	299	292	268	213	111	47	10			8
2	1		1	1	2	3		1	1						
171	169	205	308	390	496	642	858	875	682	419	154	29	4		9
		2	2	3		2	2	2	1						
576	624	708	988	1,044	1,307	1,472	1,535	1,256	977	455	126	22	5	16	10
273	361	358	419	299	286	234	206	143	102	68	30	9	11	21	
395	436	499	695	721	839	895	875	674	501	227	58	8	1	1	11
189	259	256	284	190	163	124	94	58	27	14	5	5	3		
181	188	209	293	323	468	577	660	582	476	228	68	14	4	15	12
84	102	102	135	109	123	110	112	90	75	54	25	4	8	21	
1,688	1,947	2,339	2,990	3,413	4,008	4,400	4,310	3,821	2,857	1,599	625	125	19	12	13
51	77	65	84	58	68	51	56	30	25	11	3	2			
1,424	1,661	1,932	2,526	2,906	3,283	3,492	3,325	2,879	2,099	1,123	406	75	8	6	14
41	69	59	75	55	60	45	49	23	23	10	3	1			
264	286	407	464	507	725	908	985	942	758	476	219	50	11	6	15
10	8	6	9	3	8	6	7	7	2	1		1			
1,785	1,793	1,969	2,186	2,416	3,269	3,666	3,852	3,564	2,869	1,437	486	107	24	71	16
200	157	139	120	81	76	51	47	33	25	9	12	4	5	10	
1,180	1,150	1,199	1,250	1,363	1,683	1,668	1,553	1,354	1,001	485	164	36	13	23	17
176	127	115	94	55	54	30	29	19	15	5	7		5	8	
605	643	770	936	1,053	1,586	1,998	2,299	2,210	1,868	952	322	71	11	48	18
24	30	24	26	26	22	21	18	14	10	4	5	4		2	
926	987	1,060	1,258	1,466	1,930	2,047	1,993	1,783	1,476	903	313	69	14	8	19
26	31	17	28	22	18	14	22	18	8	10	9	2	1	1	
497	558	581	648	771	960	911	778	628	483	290	100	17	4	2	20
20	22	9	22	16	11	10	10	7	2	4	2	2			
429	429	479	610	695	970	1,136	1,215	1,155	993	613	213	52	10	6	21
6	9	8	6	6	7	4	12	11	6	6	7		1	1	
276	274	310	329	343	448	625	724	676	436	230	76	16	6	58	22
671	666	677	719	522	592	584	675	504	537	285	197	79	133	147	
59	47	71	69	84	78	113	100	80	60	21	10	6			23
126	122	157	143	96	96	69	86	61	51	24	15	7	10	18	
217	227	239	260	259	370	512	624	596	376	209	66	10	6	58	24
545	544	520	576	426	496	515	589	443	486	261	182	72	123	129	
1,181	1,411	1,664	1,954	2,227	2,702	3,207	3,247	3,157	2,467	1,201	445	86	19	76	25
281	350	338	335	267	236	213	172	128	102	55	27	14	15	33	
682	829	991	1,203	1,293	1,429	1,513	1,369	1,175	817	405	132	26	6	13	26
232	290	281	263	204	164	127	110	73	45	29	9	5	3	9	
499	582	673	751	934	1,273	1,694	1,878	1,982	1,650	796	313	60	13	63	27
49	60	57	72	63	72	86	62	55	57	26	18	9	12	24	
221	266	235	257	316	369	348	321	214	177	93	28	5		7	28
15	19	26	13	15	24	16	23	12	10	7	4	1	2	13	
80	100	86	107	130	122	127	94	76	48	24	5				29
1	1	10	4	3	5	6	3	3							
141	166	149	150	186	247	221	227	138	129	69	23	5		7	30
14	18	16	9	12	19	10	20	9	10	7	4	1	2	13	
377	413	456	526	656	883	1,041	1,085	1,172	874	495	169	29	4	11	31
27	25	24	26	18	13	24	17	16	6	4	1	2		1	
158	189	193	224	239	289	335	284	284	191	80	38	7	1		32
21	21	17	19	11	9	15	12	10	2	2		1			
219	224	263	302	417	594	706	801	888	683	415	131	22	3	11	33
6	4	7	7	7	4	9	5	6	4	2	1	1		1	
168	184	245	311	418	467	598	654	666	496	302	106	21	9	32	34
1			1	1					2	2					
75	85	117	137	185	219	248	239	219	173	91	30	7	1	10	35
			1						1	1					
93	99	128	174	233	248	350	415	447	323	211	76	14	8	22	36
1				1					1	1					
1,540	1,752	2,053	2,551	2,728	3,094	3,262	3,069	2,642	1,925	948	356	67	9	1	37
221	206	211	197	168	145	120	110	70	41	28	13	4	3	1	
1,056	1,185	1,383	1,734	1,833	1,972	1,951	1,744	1,371	929	433	157	29	7	1	38
161	153	150	135	111	92	77	69	30	23	14	8	2	1		
484	567	670	817	895	1,122	1,311	1,325	1,271	996	515	199	38	2		39
60	53	61	62	57	53	43	41	40	18	14	5	2	2	1	
5,352	6,260	7,391	9,162	9,998	11,893	12,033	11,335	9,364	7,068	3,521	1,284	256	37	58	40
420	408	370	325	253	243	189	146	107	61	27	16	5	1	4	
4,392	5,159	6,109	7,483	7,995	9,285	8,724	7,657	5,798	4,016	1,916	632	133	18	20	41
385	371	338	281	225	202	163	112	75	43	19	8	5		1	
960	1,101	1,282	1,679	2,003	2,608	3,309	3,678	3,566	3,052	1,605	652	123	19	38	42
35	37	32	44	28	41	26	34	32	18	8	8		1	3	

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	North Carolina	White	19,969	4,211	1,689	468	299	480	649	600	655
		Colored	13,269	2,997	1,069	267	264	629	785	704	562
2	Urban	White	3,288	556	266	88	50	95	132	125	163
		Colored	3,102	648	207	45	57	151	225	238	183
3	Rural	White	16,681	3,655	1,423	380	249	385	517	475	492
		Colored	10,167	2,349	862	222	207	478	560	466	379
4	North Dakota	White	4,708	906	323	158	123	130	158	140	143
		Colored	144	43	25	3	3	3	12	3	1
5	Urban	White	654	107	38	14	16	13	22	33	31
		Colored	4	2							
6	Rural	White	4,054	799	285	144	107	117	136	107	112
		Colored	140	41	25	3	3	3	12	3	1
7	Ohio	White	65,073	8,088	2,298	1,174	873	1,294	1,657	1,820	1,930
		Colored	4,877	699	289	62	82	165	352	375	380
8	Urban	White	36,180	4,881	1,369	706	494	742	1,022	1,188	1,309
		Colored	3,903	586	255	47	66	120	298	310	329
9	Rural	White	28,893	3,207	929	468	379	552	635	632	621
		Colored	974	113	34	15	16	45	54	65	51
10	Oregon	White	9,179	795	294	183	170	233	272	243	299
		Colored	326	47	27	12	12	17	9	13	12
11	Urban	White	4,129	311	100	72	57	92	126	118	148
		Colored	133	14	8	1	2	3	3	5	6
12	Rural	White	5,050	484	194	111	113	141	146	125	151
		Colored	193	33	19	11	10	14	6	8	6
13	Pennsylvania	White	105,747	16,207	5,228	2,228	1,568	2,289	2,576	2,976	3,361
		Colored	7,574	1,312	501	115	99	259	512	571	522
14	Urban	White	57,127	7,942	2,958	1,267	845	1,167	1,475	1,763	2,030
		Colored	6,072	1,063	413	94	77	204	408	481	416
15	Rural	White	48,620	8,265	2,270	961	723	1,122	1,101	1,213	1,331
		Colored	1,502	249	88	21	22	55	104	90	106
16	Rhode Island	White	8,097	1,163	362	170	113	161	200	221	223
		Colored	240	35	13	5	2	3	8	10	9
17	Urban	White	6,787	1,009	313	148	86	136	169	180	182
		Colored	218	34	13	5	1	3	8	7	7
18	Rural	White	1,310	154	49	22	27	25	31	41	41
		Colored	22	1			1			3	2
19	South Carolina	White	9,146	1,858	876	221	137	225	268	241	268
		Colored	13,749	2,958	1,300	329	305	647	871	708	633
20	Urban	White	1,865	280	145	50	28	54	78	63	64
		Colored	2,169	326	173	37	34	107	148	165	162
21	Rural	White	7,281	1,578	731	171	109	171	190	178	204
		Colored	11,580	2,632	1,127	292	271	540	723	543	471
22	Tennessee	White	19,456	3,160	1,482	377	348	631	734	690	698
		Colored	8,562	1,115	432	164	188	513	618	578	514
23	Urban	White	5,026	717	294	100	74	158	224	214	228
		Colored	4,156	558	197	74	80	232	319	332	281
24	Rural	White	14,430	2,443	1,188	277	274	473	510	476	470
		Colored	4,406	557	235	90	108	281	299	246	233
25	Utah	White	4,884	874	345	139	124	154	159	154	178
		Colored	164	26	3	5	3	2	11	8	11
26	Urban	White	2,216	295	133	60	45	70	62	70	89
		Colored	59	5	1	1			2	6	7
27	Rural	White	2,668	579	212	79	79	84	97	84	89
		Colored	105	21	2	4	3	2	9	2	4
28	Vermont	White	4,859	519	142	63	45	83	81	89	116
		Colored	1	1							
29	Urban	White	786	103	22	13	8	13	17	16	25
		Colored	1	1							
30	Rural	White	4,073	416	120	50	37	70	64	73	91
		Colored									
31	Virginia	White	17,710	2,947	952	327	240	386	543	473	464
		Colored	11,465	2,043	710	184	226	522	622	518	455
32	Urban	White	4,619	629	204	89	58	103	140	135	133
		Colored	3,847	660	235	63	72	156	212	213	202
33	Rural	White	13,091	2,318	748	238	182	283	403	338	331
		Colored	7,618	1,383	475	121	154	366	410	305	253
34	Washington	White	13,941	1,313	483	343	282	355	455	440	498
		Colored	639	113	63	37	21	30	39	29	22
35	Urban	White	7,140	647	226	158	139	160	186	208	263
		Colored	256	29	17	10	2	11	17	12	11
36	Rural	White	6,801	666	257	185	143	195	269	232	235
		Colored	383	84	46	27	19	19	22	17	11
37	Wisconsin	White	27,823	3,767	981	502	390	587	696	729	816
		Colored	427	74	39	14	11	22	12	26	27
38	Urban	White	11,367	1,664	439	205	161	283	320	328	386
		Colored	132	20	8	3	3	8	4	10	12
39	Rural	White	16,456	2,103	542	297	229	304	376	401	430
		Colored	295	54	31	11	8	14	8	16	15
40	Wyoming	White	1,889	315	126	46	46	49	84	87	114
		Colored	174	21	44	12	9	4	3	10	6
41	Urban	White	410	81	27	8	9	13	18	19	24
		Colored	22						1	2	1
42	Rural	White	1,479	234	99	38	37	36	66	68	90
		Colored	152	21	44	12	9	4	2	8	5

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, 50, 53, and 54. Similar data for cities, which have not been shown since 1922, are held in manuscript.

BIRTHS), BY AGE AND COLOR: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
608	687	683	798	795	1,133	1,465	1,595	1,369	1,015	436	187	54	25	68	1
671	569	610	675	516	511	537	642	387	346	194	116	54	73	91	
126	163	181	194	165	189	216	200	164	127	59	18	4	1	6	2
206	183	203	173	148	98	95	83	56	44	28	6	3	8	14	
482	524	502	604	630	944	1,249	1,395	1,205	888	377	169	50	24	62	3
465	386	407	502	368	413	442	559	331	302	166	110	51	65	77	
186	159	191	214	209	318	361	293	291	224	106	50	6	3	16	4
3	2	6	3	5	8	4	3	8	4	2	1			2	
34	28	38	38	26	51	66	37	34	16	10	1	1			5
		1			1										
152	131	153	176	183	267	295	256	257	208	96	49	5	3	16	6
3	2	5	3	5	7	4	3	8	4	2	1			2	
2,310	2,555	2,890	3,494	3,923	4,988	5,743	6,182	5,882	4,608	2,405	762	156	19	22	7
388	367	348	285	262	196	154	156	133	89	40	18	13	18	6	
1,575	1,736	1,881	2,206	2,414	2,894	3,010	3,012	2,500	1,899	988	286	59	3	6	8
327	323	290	234	205	141	107	93	82	49	16	9	7	9		
735	819	1,009	1,288	1,509	2,094	2,733	3,170	3,382	2,709	1,417	476	97	16	16	9
61	44	58	51	57	55	47	63	51	40	24	9	6	9	6	
360	354	456	522	592	727	934	889	806	607	318	92	21	4	8	10
7	20	21	18	10	27	20	17	18	10	3	1	1	3	1	
180	184	234	270	293	387	407	398	318	253	136	32	9	1	3	11
1	12	14	10	6	16	13	7	9	3						
180	170	222	252	299	340	527	491	488	354	182	60	12	3	5	12
6	8	7	8	4	11	7	10	9	7	3	1	1	3	1	
4,097	4,520	5,130	6,180	6,721	7,981	8,642	8,789	7,784	5,618	2,719	918	174	30	11	13
548	605	555	530	386	304	244	188	144	98	47	24	5	5		
2,473	2,732	3,118	3,788	4,034	4,659	4,679	4,376	3,693	2,504	1,170	372	70	11	1	14
449	515	439	434	305	247	184	126	98	65	30	16	4	4		
1,624	1,788	2,012	2,392	2,687	3,322	3,963	4,413	4,091	3,114	1,549	546	104	19	10	15
99	90	116	96	81	57	60	62	46	33	17	8	1	1		
275	292	421	478	606	679	748	692	573	411	204	80	14	7	4	16
13	11	14	24	16	15	18	14	13	6	8	2	1			
230	231	368	410	523	587	630	560	469	327	154	60	10	3	2	17
8	10	14	23	14	14	18	13	11	4	8	2	1			
45	61	53	68	83	92	118	132	104	84	50	20	4	4	2	18
5	1		1	2	1		1	2	2						
288	310	333	386	420	560	693	765	616	425	169	46	13	7	21	19
725	657	635	686	522	552	493	575	386	336	171	120	48	68	24	
88	89	86	107	116	145	129	144	90	78	19	6	2	2	2	20
154	165	182	148	88	96	51	68	31	20	6	4	1	2	1	
200	221	247	279	304	415	564	621	526	347	150	40	11	5	19	21
571	492	453	538	434	456	442	507	355	316	165	116	47	66	23	
707	742	774	938	907	1,100	1,413	1,523	1,506	1,004	500	158	25	13	26	22
514	496	537	595	430	420	374	309	233	221	146	83	28	32	22	
246	242	256	322	291	327	371	323	316	194	94	27	4	1	3	23
325	291	292	321	228	199	146	92	77	41	28	20	9	10	4	
461	500	518	616	616	773	1,042	1,200	1,190	810	406	131	21	12	23	24
189	205	245	274	202	221	228	217	156	180	118	63	19	22	18	
231	230	231	221	245	280	327	315	260	216	110	63	9	1	18	25
15	14	10	11	9	13	3	6		3	3	3	2	1	2	
105	132	134	120	139	158	165	161	129	86	40	21	2			26
9	8	6	4	5	2	1	1			1					
126	98	97	101	106	122	162	154	131	130	70	42	7	1	18	27
6	6	4	7	4	11	2	5		3	2	3	2	1	2	
117	103	202	214	306	360	445	556	574	449	267	104	23	1		28
20	25	43	39	60	63	67	81	65	52	35	13	5	1		29
97	78	159	175	246	297	378	475	509	397	232	91	18			30
493	593	690	850	897	1,139	1,458	1,581	1,605	1,212	595	193	40	15	17	31
573	686	680	876	664	673	518	509	372	269	168	89	38	48	22	
151	202	234	300	298	369	399	392	364	269	121	25	3	1		32
235	333	320	374	246	218	117	90	40	24	20	6	6	4	1	
342	391	456	550	599	770	1,059	1,189	1,241	943	474	168	37	14	17	33
338	353	360	502	418	455	401	419	332	245	148	83	32	44	21	
568	658	705	838	957	1,226	1,274	1,217	1,003	745	384	147	27	3	20	34
25	40	34	32	22	30	30	20	16	14	11	3	2	3	3	
302	363	400	490	542	680	689	632	475	330	163	68	12	3	4	35
16	27	19	17	13	17	16	10	6	4	1				1	
266	295	305	348	415	546	585	585	528	415	221	79	15		16	36
9	13	15	15	9	13	14	10	10	10	10	3	2	3	2	
984	967	1,118	1,301	1,596	2,139	2,490	2,684	2,401	1,961	1,121	461	104	16	12	37
24	19	22	21	18	16	18	20	17	12	7	3	4	1		
486	444	532	597	725	937	1,017	1,003	794	565	325	127	25	3	1	38
8	11	9	10	4	7	6	4	1	2	1		1			
498	523	586	704	871	1,202	1,473	1,681	1,607	1,396	796	334	79	13	11	39
16	8	13	11	14	9	12	16	16	10	6	3	3	1		
115	99	113	106	69	112	110	118	84	52	24	9	2	1	8	40
15	11	7	3	3	7	7	4	5	2					1	
30	23	27	25	18	20	29	19	9	6	3	1			1	41
4	5	2		1		3	1	2							
85	76	86	81	51	92	81	99	75	46	21	8	2	1	7	42
11	6	5	3	2	7	4	3	3	2					1	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)																		
All ages	632,202	541,788	407,116	359,239	129,834	102,767	11,343	3,786	80,304	73,965	1,435	1,399	1,197	144	888	472	85	16
Under 1 year	91,951	69,453	77,066	57,579	152	106	211	179	13,896	11,137	336	256	73	47	211	145	6	4
1 to 4 years	31,583	27,135	25,545	21,683	391	352	98	75	5,216	4,722	205	196	19	13	109	93	-----	1
5 to 9 years	12,453	10,434	10,734	8,723	220	179	44	44	1,353	1,378	65	71	3	4	34	35	-----	----
10 to 14 years	9,843	7,991	7,948	6,123	332	282	38	22	1,445	1,498	67	55	7	4	6	6	-----	1
15 to 19 years	14,690	14,358	10,519	9,500	864	801	121	59	3,082	3,898	71	76	20	6	12	17	1	1
20 to 24 years	18,780	19,739	11,538	12,463	2,093	1,740	269	99	4,716	5,338	78	69	40	4	33	25	13	1
25 to 29 years	19,375	19,840	11,250	12,480	3,113	2,418	409	117	4,450	4,726	39	53	51	8	41	35	22	3
30 to 34 years	21,178	19,676	11,901	12,263	4,581	3,095	475	113	4,102	4,108	25	42	55	11	29	43	10	1
35 to 39 years	26,258	21,722	13,498	12,638	7,019	4,202	728	139	4,827	4,650	42	57	42	6	92	30	10	----
40 to 44 years	28,690	22,690	14,801	13,295	7,973	4,611	818	159	4,885	4,559	51	37	64	8	91	21	7	----
45 to 49 years	32,258	25,073	17,097	14,747	8,921	5,484	961	158	5,059	4,622	46	44	82	5	87	13	5	----
50 to 54 years	38,095	29,178	20,873	17,338	10,343	6,946	1,073	206	5,595	4,641	52	37	93	7	65	3	1	----
55 to 59 years	40,428	30,358	23,068	18,222	12,072	8,434	980	207	4,112	3,445	45	42	115	6	32	2	4	----
60 to 64 years	47,511	37,463	28,161	23,184	14,018	10,611	1,130	319	3,935	3,291	57	54	179	2	28	2	3	----
65 to 69 years	51,904	41,127	33,204	26,916	14,086	10,930	1,025	384	3,405	2,847	62	39	111	6	11	1	-----	4
70 to 74 years	50,382	43,572	31,796	28,018	14,095	12,291	972	415	3,332	2,789	61	57	122	2	4	-----	-----	----
75 to 79 years	43,468	40,362	27,193	25,958	12,859	12,078	847	357	2,448	1,922	49	44	70	2	1	1	1	----
80 to 84 years	30,770	33,153	18,636	21,204	9,610	9,849	524	342	1,946	1,700	25	55	29	3	-----	-----	-----	----
85 to 89 years	14,876	18,211	8,721	11,464	4,844	5,532	224	202	1,050	972	20	41	16	-----	-----	-----	1	----
90 to 94 years	5,186	7,171	2,769	4,207	1,743	2,175	86	89	570	674	15	26	3	-----	-----	-----	-----	----
95 to 99 years	1,102	1,727	492	882	364	506	15	24	223	305	7	10	1	-----	-----	-----	-----	----
100 years and over	445	786	84	168	71	109	4	11	280	483	6	15	-----	-----	-----	-----	-----	----
Unknown	976	569	222	184	70	36	291	66	377	260	11	23	2	-----	2	-----	1	----
REGISTRATION STATES OF 1920																		
All ages	582,993	498,812	377,315	333,281	123,952	98,156	10,213	3,302	68,168	62,279	1,246	1,169	1,165	144	851	465	83	16
Under 1 year	84,294	63,383	71,420	53,262	127	89	189	159	11,981	9,466	298	214	71	47	202	142	6	4
1 to 4 years	28,608	24,424	23,399	19,796	355	320	90	67	4,475	3,995	165	140	19	13	105	92	-----	1
5 to 9 years	11,479	9,535	9,985	8,059	205	166	41	38	1,156	1,181	57	52	3	4	32	35	-----	----
10 to 14 years	8,969	7,228	7,353	5,627	311	265	34	18	1,203	1,262	55	45	7	4	6	6	-----	1
15 to 19 years	13,310	12,831	9,718	8,735	817	742	104	53	2,580	3,213	58	64	20	6	12	17	1	1
20 to 24 years	16,979	17,640	10,613	11,410	2,000	1,648	241	81	3,973	4,418	67	54	40	4	32	24	13	1
25 to 29 years	17,568	17,879	10,315	11,463	2,975	2,321	378	94	3,755	3,909	34	46	49	8	41	35	21	3
30 to 34 years	19,470	17,865	10,976	11,284	4,436	2,968	437	89	3,507	3,429	25	41	53	11	26	42	10	1
35 to 39 years	24,092	19,631	12,421	11,517	6,812	4,029	645	121	4,040	3,882	39	46	41	6	84	30	10	----
40 to 44 years	26,565	20,724	13,674	12,257	7,743	4,457	752	134	4,198	3,815	47	32	61	8	83	21	7	----
45 to 49 years	29,795	23,033	15,806	13,671	8,641	5,302	865	132	4,272	3,872	41	39	80	5	85	12	5	----
50 to 54 years	35,278	26,968	19,415	16,185	10,019	6,726	973	185	4,670	3,830	46	32	89	7	65	3	1	----
55 to 59 years	37,632	28,418	21,481	17,097	11,645	8,148	879	180	3,441	2,945	37	40	113	6	32	2	4	----
60 to 64 years	44,199	35,094	26,184	21,697	13,436	10,238	1,016	291	3,311	2,819	49	45	173	2	28	2	2	----
65 to 69 years	48,223	38,505	30,804	25,163	13,439	10,484	911	342	2,889	2,474	58	31	111	6	11	1	-----	4
70 to 74 years	46,795	40,810	29,599	26,208	13,354	11,760	861	363	2,804	2,425	53	52	120	2	4	-----	-----	----
75 to 79 years	40,395	37,645	25,290	24,221	12,124	11,416	750	316	2,121	1,653	39	36	69	2	1	1	1	----
80 to 84 years	28,550	30,930	17,426	19,841	8,935	9,295	479	297	1,660	1,442	23	52	27	3	-----	-----	-----	----
85 to 89 years	13,793	16,935	8,138	10,733	4,500	5,168	206	174	917	822	18	38	13	-----	-----	-----	1	----
90 to 94 years	4,748	6,597	2,571	3,913	1,617	2,012	73	81	470	567	14	24	3	-----	-----	-----	-----	----
95 to 99 years	999	1,563	456	815	333	468	14	18	188	253	7	9	1	-----	-----	-----	-----	----
100 years and over	379	662	77	153	65	101	3	11	228	382	6	15	-----	-----	-----	-----	-----	----
Unknown	873	512	194	174	63	33	272	58	329	225	10	22	2	-----	2	-----	1	----
REGISTRATION STATES [1]																		
All ages	619,874	531,202	399,968	353,086	128,405	101,564	10,930	3,664	76,991	70,861	1,429	1,396	1,184	144	882	471	85	16
Under 1 year	90,096	67,942	75,675	56,462	129	92	208	172	13,460	10,765	335	255	72	47	211	145	6	4
1 to 4 years	30,855	26,428	24,990	21,160	360	327	95	71	5,077	4,568	205	196	19	13	109	92	-----	1
5 to 9 years	12,252	10,234	10,581	8,576	213	167	43	43	1,314	1,338	65	71	3	4	33	35	-----	----
10 to 14 years	9,640	7,811	7,802	6,007	321	272	36	21	1,401	1,445	67	55	7	4	6	6	-----	1
15 to 19 years	14,335	13,909	10,324	9,256	831	752	115	54	2,962	3,747	70	76	20	6	12	17	1	1
20 to 24 years	18,228	19,072	11,262	12,138	2,045	1,669	261	93	4,497	5,073	77	69	40	4	33	25	13	1
25 to 29 years	18,722	19,173	10,938	12,158	3,032	2,356	393	108	4,207	4,452	39	53	50	8	41	35	22	3
30 to 34 years	20,617	19,111	11,621	11,987	4,526	3,024	460	99	3,893	3,904	25	42	54	11	28	43	10	1
35 to 39 years	25,530	21,105	13,182	12,357	6,933	4,124	693	128	4,539	4,403	41	57	42	6	90	30	10	----
40 to 44 years	27,978	22,109	14,467	13,016	7,889	4,551	791	153	4,621	4,324	51	36	63	8	89	21	7	----
45 to 49 years	31,434	24,467	16,709	14,455	8,821	5,407	922	153	4,763	4,390	46	44	81	5	87	13	5	----
50 to 54 years	37,200	28,551	20,448	17,046	10,237	6,874	1,022	202	5,286	4,382	51	37	90	7	65	3	1	----
55 to 59 years	39,654	29,869	22,661	17,966	11,946	8,359	932	205	3,920	3,289	45	42	114	6	32	2	4	----
60 to 64 years	46,716	36,919	27,703	22,860	13,876	10,531	1,084	312	3,789	3,158	57	54	176	2	28	2	3	----
65 to 69 years	51,120	40,598	32,703	26,579	13,957	10,885	984	375	3,293	2,759	61	39	111	6	11	1	-----	4
70 to 74 years	49,707	43,054	31,372	27,675	13,977	12,197	938	407	3,233	2,716	61	57	122	2	4	-----	-----	----
75 to 79 years	42,983	39,899	26,886	25,653	12,753	11,979	828	350	2,395	1,871	49	43	70	2	1	1	1	----
80 to 84 years	30,452	32,797	18,448	20,973	9,529	9,775	515	336	1,906	1,655	25	55	29	3	-----	-----	-----	----
85 to 89 years	14,761	18,043	8,662	11,377	4,809	5,479	223	197	1,031	949	20	41	15	-----	-----	-----	1	----
90 to 94 years	5,131	7,090	2,749	4,169	1,726	2,152	85	88	553	655	15	26	3	-----	-----	-----	-----	----
95 to 99 years	1,087	1,699	488	868	357	498	15	23	219	300	7	10	1	-----	-----	-----	-----	----
100 years and over	433	768	83	167	68	108	4	11	272	467	6	15	-----	-----	-----	-----	-----	----
Unknown	943	554	214	181	70	36	283	63	360	251	11	23	2	-----	2	-----	1	----

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	317,286	275,884	191,078	172,107	84,358	70,825	5,483	1,561	34,845	30,927	92	81	893	119	491	254	46	10
Under 1 year	44,354	33,432	38,505	28,807	84	61	121	110	5,476	4,326	12	9	62	37	92	79	2	3
1 to 4 years	15,275	12,913	12,875	10,762	250	233	29	21	2,042	1,835	8	3	16	11	55	48	----	----
5 to 9 years	6,553	5,354	5,871	4,717	150	111	12	14	494	486	3	3	2	3	21	20	----	----
10 to 14 years	4,677	3,835	3,934	3,117	213	200	18	6	499	504	6	3	5	4	2	1	----	----
15 to 19 years	6,790	6,644	4,958	4,593	571	549	44	25	1,191	1,456	2	7	17	6	7	8	----	----
20 to 24 years	9,394	9,958	5,689	6,325	1,383	1,253	126	42	2,129	2,308	7	7	30	4	20	18	10	1
25 to 29 years	10,610	10,775	5,813	6,656	2,110	1,796	190	54	2,412	2,234	6	3	41	6	25	23	13	3
30 to 34 years	12,180	10,990	6,377	6,567	3,201	2,314	257	48	2,268	2,016	6	10	49	10	18	24	4	1
35 to 39 years	15,531	12,053	7,346	6,691	4,919	3,127	403	70	2,762	2,141	2	4	36	5	60	15	3	----
40 to 44 years	17,427	13,024	8,297	7,138	5,663	3,512	493	70	2,854	2,288	6	2	55	6	55	8	4	----
45 to 49 years	19,386	14,702	9,388	8,045	6,487	4,223	572	83	2,800	2,336	8	5	74	5	54	5	3	----
50 to 54 years	22,616	17,004	11,496	9,386	7,545	5,324	622	102	2,827	2,181	4	4	80	6	42	1	----	----
55 to 59 years	23,492	17,810	12,093	9,665	8,730	6,380	563	117	1,994	1,635	3	5	92	6	14	2	3	----
60 to 64 years	25,800	21,226	13,599	11,711	9,820	7,878	608	153	1,617	1,481	5	2	135	----	15	1	1	----
65 to 69 years	25,385	21,519	14,315	12,425	9,319	7,772	479	166	1,179	1,143	6	4	78	6	9	1	----	2
70 to 74 years	22,022	21,227	12,107	11,809	8,574	8,300	394	138	877	976	6	3	63	1	1	----	----	----
75 to 79 years	17,222	18,268	9,097	10,015	7,182	7,527	293	121	612	604	----	----	36	1	1	----	1	----
80 to 84 years	11,236	14,112	5,858	7,866	4,856	5,694	125	110	381	439	1	1	15	2	----	----	----	----
85 to 89 years	5,089	7,478	2,539	4,092	2,294	3,089	49	69	200	226	----	2	6	----	----	----	1	----
90 to 94 years	1,649	2,715	748	1,402	791	1,166	20	25	89	121	----	1	1	----	----	----	----	----
95 to 99 years	323	603	124	264	161	254	2	4	36	80	----	1	----	----	----	----	----	----
100 years and over	98	168	18	35	34	53	1	2	45	77	----	1	----	----	----	----	----	----
Unknown	177	74	31	19	21	9	62	11	61	34	1	1	----	----	----	----	1	----
RURAL PART OF REGISTRATION STATES [2]																		
All ages	302,588	255,318	208,890	180,979	44,047	30,739	5,447	2,103	42,146	39,934	1,337	1,315	291	25	391	217	39	6
Under 1 year	45,742	34,510	37,170	27,655	45	31	87	62	7,984	6,439	323	246	10	10	119	66	4	1
1 to 4 years	15,580	13,515	12,115	10,398	110	94	66	50	3,035	2,733	197	193	3	2	54	44	----	1
5 to 9 years	5,699	4,880	4,710	3,859	63	56	31	29	820	852	62	68	1	1	12	15	----	----
10 to 14 years	4,963	3,976	3,868	2,890	108	72	18	15	902	941	61	52	2	----	4	5	----	1
15 to 19 years	7,545	7,265	5,366	4,663	260	203	71	29	1,771	2,291	68	69	3	----	5	9	1	1
20 to 24 years	8,834	9,114	5,573	5,813	662	416	135	51	2,368	2,765	70	62	10	----	13	7	3	----
25 to 29 years	8,112	8,398	5,125	5,502	922	560	203	54	1,795	2,218	33	50	9	2	16	12	9	----
30 to 34 years	8,437	8,121	5,244	5,420	1,325	710	203	51	1,625	1,888	19	32	5	1	10	19	6	----
35 to 39 years	9,999	9,052	5,836	5,666	2,014	997	290	58	1,777	2,262	39	53	6	1	30	15	7	----
40 to 44 years	10,551	9,085	6,170	5,878	2,226	1,039	298	83	1,767	2,036	45	34	8	2	34	13	3	----
45 to 49 years	12,048	9,765	7,321	6,410	2,334	1,184	350	70	1,963	2,054	38	39	7	----	33	8	2	----
50 to 54 years	14,584	11,547	8,952	7,660	2,692	1,550	400	100	2,459	2,201	47	33	10	1	23	2	1	----
55 to 59 years	16,162	12,059	10,568	8,301	3,216	1,979	369	88	1,926	1,654	42	37	22	----	18	----	1	----
60 to 64 years	20,916	15,693	14,104	11,149	4,056	2,653	476	159	2,172	1,677	52	52	41	2	13	1	2	----
65 to 69 years	25,735	19,079	18,388	14,154	4,638	3,063	505	209	2,114	1,616	55	35	33	----	2	----	----	2
70 to 74 years	27,685	21,827	19,265	15,866	5,403	3,897	544	269	2,356	1,740	55	54	59	1	3	----	----	----
75 to 79 years	25,761	21,631	17,789	15,638	5,571	4,452	535	229	1,783	1,267	49	43	34	1	----	1	----	----
80 to 84 years	19,216	18,685	12,590	13,107	4,673	4,081	390	226	1,525	1,216	24	54	14	1	----	----	----	----
85 to 89 years	9,672	10,565	6,123	7,285	2,515	2,390	174	128	831	723	20	39	9	----	----	----	----	----
90 to 94 years	3,482	4,375	2,001	2,767	935	986	65	63	464	534	15	25	2	----	----	----	----	----
95 to 99 years	764	1,096	364	604	196	244	13	19	183	220	7	9	1	----	----	----	----	----
100 years and over	335	600	65	132	34	55	3	9	227	390	6	14	----	----	----	----	----	----
Unknown	766	480	183	162	49	27	221	52	299	217	10	22	2	----	2	----	----	----
REGISTRATION CITIES IN NONREGISTRATION STATES [3]																		
All ages	12,328	10,586	7,148	6,153	1,429	1,203	413	122	3,313	3,104	6	3	13	----	6	1	----	----
Under 1 year	1,855	1,511	1,391	1,117	23	14	3	7	436	372	1	1	1	----	----	----	----	----
1 to 4 years	728	707	555	523	31	25	3	4	139	154	----	----	----	----	----	1	----	----
5 to 9 years	201	200	153	147	7	12	1	1	39	40	----	----	----	----	1	----	----	----
10 to 14 years	203	180	146	116	11	10	2	1	44	53	----	----	----	----	----	----	----	----
15 to 19 years	355	449	195	244	33	49	6	5	120	151	1	----	----	----	----	----	----	----
20 to 24 years	552	667	276	325	48	71	8	6	219	265	1	----	----	----	----	----	----	----
25 to 29 years	653	667	312	322	81	62	16	9	243	274	----	----	1	----	----	----	----	----
30 to 34 years	561	565	280	276	55	71	15	14	209	204	----	----	1	----	1	----	----	----
35 to 39 years	728	617	316	281	86	78	35	11	288	247	1	----	----	----	2	----	----	----
40 to 44 years	712	581	334	279	84	60	27	6	264	235	----	1	1	----	2	----	----	----
45 to 49 years	824	606	388	292	100	77	39	5	296	232	----	----	1	----	----	----	----	----
50 to 54 years	895	627	425	292	106	72	51	4	309	259	1	----	3	----	----	----	----	----
55 to 59 years	774	489	407	256	126	75	48	2	192	156	----	----	1	----	----	----	----	----
60 to 64 years	795	544	458	324	142	80	46	7	146	133	----	----	3	----	----	----	----	----
65 to 69 years	784	529	501	337	129	95	41	9	112	88	1	----	----	----	----	----	----	----
70 to 74 years	675	518	424	343	118	94	34	8	99	73	----	----	----	----	----	----	----	----
75 to 79 years	485	463	307	305	106	99	19	7	53	51	----	1	----	----	----	----	----	----
80 to 84 years	318	356	188	231	81	74	9	6	40	45	----	----	----	----	----	----	----	----
85 to 89 years	115	168	59	87	35	53	1	5	19	23	----	----	1	----	----	----	----	----
90 to 94 years	55	81	20	38	17	23	1	1	17	19	----	----	----	----	----	----	----	----
95 to 99 years	15	28	4	14	7	8	----	1	4	5	----	----	----	----	----	----	----	----
100 years and over	12	18	1	1	3	1	----	----	8	16	----	----	----	----	----	----	----	----
Unknown	33	15	8	3	----	----	8	3	17	9	----	----	----	----	----	----	----	----

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920
[2] "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1920.
[3] A list of these cities can be found on p. 7.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES[1]																		
All ages	329,614	286,470	198,226	178,260	85,787	72,028	5,896	1,683	38,158	34,031	98	84	906	119	497	255	46	10
Under 1 year	46,209	34,943	39,896	29,924	107	75	124	117	5,912	4,698	13	10	63	37	92	79	2	3
1 to 4 years	16,003	13,620	13,430	11,285	281	258	32	25	2,181	1,989	8	3	16	11	55	49	----	----
5 to 9 years	6,754	5,554	6,024	4,864	157	123	13	15	533	526	3	3	2	3	22	20	----	----
10 to 14 years	4,880	4,015	4,080	3,233	224	210	20	7	543	557	6	3	5	4	2	1	----	----
15 to 19 years	7,145	7,093	5,153	4,837	604	598	50	30	1,311	1,607	3	7	17	6	7	8	----	----
20 to 24 years	9,946	10,625	5,965	6,650	1,431	1,324	134	48	2,348	2,573	8	7	30	4	20	18	10	1
25 to 29 years	11,263	11,442	6,125	6,978	2,191	1,858	206	63	2,655	2,508	6	3	42	6	25	23	13	3
30 to 34 years	12,741	11,555	6,657	6,843	3,256	2,385	272	62	2,477	2,220	6	10	50	10	19	24	4	1
35 to 39 years	16,259	12,670	7,662	6,972	5,005	3,205	438	81	3,050	2,388	3	4	36	5	62	15	3	----
40 to 44 years	18,139	13,605	8,631	7,417	5,747	3,572	520	76	3,118	2,523	6	3	56	6	57	8	4	----
45 to 49 years	20,210	15,308	9,776	8,337	6,587	4,300	611	88	3,096	2,568	8	5	75	5	54	5	3	----
50 to 54 years	23,511	17,631	11,921	9,678	7,651	5,396	673	106	3,136	2,440	5	4	83	6	42	1	----	----
55 to 59 years	24,266	18,299	12,500	9,921	8,856	6,455	611	119	2,186	1,791	3	5	93	6	14	2	3	----
60 to 64 years	26,595	21,770	14,057	12,035	9,962	7,958	654	160	1,763	1,614	5	2	138	----	15	1	1	----
65 to 69 years	26,169	22,048	14,816	12,762	9,448	7,867	520	175	1,291	1,231	7	4	78	6	9	1	----	2
70 to 74 years	22,697	21,745	12,531	12,152	8,692	8,394	428	146	976	1,049	6	3	63	1	1	----	----	----
75 to 79 years	17,707	18,731	9,404	10,320	7,288	7,626	312	128	665	655	----	1	36	1	1	----	1	----
80 to 84 years	11,554	14,468	6,046	8,097	4,937	5,768	134	116	421	484	1	1	15	2	----	----	----	----
85 to 89 years	5,204	7,646	2,598	4,179	2,329	3,142	50	74	219	249	----	2	7	----	----	----	1	----
90 to 94 years	1,704	2,796	768	1,440	808	1,189	21	26	106	140	----	1	1	----	----	----	----	----
95 to 99 years	338	631	128	278	168	262	2	5	40	85	----	1	----	----	----	----	----	----
100 years and over	110	186	19	36	37	54	1	2	53	93	----	1	----	----	----	----	----	----
Unknown	210	89	39	22	21	9	70	14	78	43	1	1	----	----	----	----	1	----
CALIFORNIA																		
All ages	33,005	23,827	20,756	16,411	9,274	6,175	982	154	573	467	189	165	606	99	581	348	44	8
Under 1 year	3,402	2,434	3,096	2,218	20	18	6	6	44	46	33	19	42	24	158	101	3	2
1 to 4 years	1,209	1,130	1,025	959	66	63	3	2	12	13	19	9	13	8	71	76	----	----
5 to 9 years	585	513	508	424	35	46	2	3	9	4	6	7	3	4	22	25	----	----
10 to 14 years	456	356	377	282	44	45	2	3	7	10	15	8	6	4	5	4	----	----
15 to 19 years	645	566	470	409	118	106	10	3	18	15	12	15	10	4	6	14	1	----
20 to 24 years	1,076	847	676	576	283	207	27	7	37	32	10	6	18	2	19	17	6	----
25 to 29 years	1,139	899	682	607	312	209	38	6	47	37	5	6	16	5	31	26	8	3
30 to 34 years	1,202	887	740	603	340	206	50	5	37	28	4	6	18	10	7	28	6	1
35 to 39 years	1,547	1,001	801	629	553	287	70	11	41	35	6	9	14	5	54	25	8	----
40 to 44 years	1,812	1,125	980	751	629	291	77	8	51	48	6	5	16	7	49	15	4	----
45 to 49 years	1,938	1,233	1,077	842	606	318	103	6	55	47	5	5	28	3	61	12	3	----
50 to 54 years	2,177	1,346	1,265	907	642	386	135	13	52	29	6	4	34	6	43	1	----	----
55 to 59 years	2,364	1,432	1,368	947	790	425	86	11	35	37	6	6	49	4	27	2	3	----
60 to 64 years	2,732	1,734	1,558	1,158	893	532	115	12	38	23	9	5	100	2	18	2	1	----
65 to 69 years	2,922	1,828	1,759	1,175	946	605	98	12	31	25	12	4	69	5	7	--	----	2
70 to 74 years	2,678	1,944	1,513	1,245	967	666	68	11	20	15	9	5	99	2	2	----	----	----
75 to 79 years	2,363	1,844	1,338	1,120	909	687	49	16	20	10	4	9	42	2	1	----	----	----
80 to 84 years	1,538	1,477	893	882	598	578	22	2	8	2	4	11	13	2	----	----	----	----
85 to 89 years	823	823	445	476	345	325	11	9	4	7	4	6	13	----	----	----	1	----
90 to 94 years	296	306	150	164	132	124	5	5	4	2	3	11	2	----	----	----	----	----
95 to 99 years	66	75	29	34	33	37	----	2	2	1	1	1	1	----	----	----	----	----
100 years and over	22	19	5	2	13	13	----	----	----	1	4	3	----	----	----	----	----	----
Unknown	13	8	1	1	----	1	5	1	1	----	6	5	----	----	----	----	----	----
COLORADO																		
All ages	7,138	5,390	5,202	4,329	1,385	818	319	84	180	131	16	13	6	1	28	14	2	----
Under 1 year	1,097	852	1,072	839	3	----	----	----	15	7	2	2	----	----	5	4	----	----
1 to 4 years	396	361	376	343	4	6	1	3	6	7	----	1	----	----	9	1	----	----
5 to 9 years	165	139	157	129	4	2	1	1	1	4	1	----	----	----	1	3	----	----
10 to 14 years	115	95	107	90	5	1	1	----	1	2	1	2	----	----	----	----	----	----
15 to 19 years	164	165	141	140	12	13	5	3	4	8	2	1	----	----	----	----	----	----
20 to 24 years	256	219	189	181	41	21	15	5	10	12	1	----	----	----	----	----	----	----
25 to 29 years	306	237	225	197	45	23	13	8	22	8	1	----	----	----	----	1	----	----
30 to 34 years	345	229	223	191	87	21	10	4	20	10	1	----	----	----	3	3	1	----
35 to 39 years	354	264	229	211	89	40	19	3	14	8	2	1	----	----	1	1	----	----
40 to 44 years	319	248	197	188	84	38	18	6	15	15	1	----	----	----	4	1	----	----
45 to 49 years	381	224	255	174	86	38	25	4	10	5	----	2	1	1	3	----	1	----
50 to 54 years	351	252	221	179	88	62	30	4	11	6	1	1	----	----	----	----	----	----
55 to 59 years	462	281	298	199	121	66	24	6	15	10	1	----	2	----	1	----	----	----
60 to 64 years	493	314	304	218	155	83	23	7	9	6	----	----	1	----	1	----	----	----
65 to 69 years	573	379	356	258	165	106	44	8	8	7	----	----	----	----	----	----	----	----
70 to 74 years	524	357	333	251	144	90	40	9	6	6	----	1	1	----	----	----	----	----
75 to 79 years	382	297	240	211	110	76	26	6	4	3	1	1	1	----	----	----	----	----
80 to 84 years	284	268	172	188	94	73	11	2	6	5	1	----	----	----	----	----	----	----
85 to 89 years	115	136	75	95	30	38	7	2	3	1	----	----	----	----	----	----	----	----
90 to 94 years	34	53	22	40	12	13	----	----	----	----	----	----	----	----	----	----	----	----
95 to 99 years	5	12	2	5	3	5	----	1	----	1	----	----	----	----	----	----	----	----
100 years and over	3	4	2	2	1	2	----	----	----	----	----	----	----	----	----	----	----	----
Unknown	14	4	6	----	2	1	6	2	----	----	----	1	----	----	----	----	----	----

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CONNECTICUT																		
All ages	8,929	8,060	5,743	5,251	2,832	2,549	121	46	223	211	----	2	8	1	2	----	----	----
Under 1 year	1,271	909	1,226	877	4	1	3	2	38	28	----	----	----	1	----	----	----	----
1 to 4 years	415	368	393	340	10	11	----	----	12	17	----	----	----	----	----	----	----	----
5 to 9 years	208	163	203	156	2	3	----	----	3	4	----	----	----	----	----	----	----	----
10 to 14 years	133	109	126	98	5	5	----	1	2	5	----	----	----	----	----	----	----	----
15 to 19 years	175	151	147	127	21	17	1	----	6	7	----	----	----	----	----	----	----	----
20 to 24 years	179	178	134	135	36	31	1	----	8	12	----	----	----	----	----	----	----	----
25 to 29 years	239	239	146	148	73	77	3	----	17	14	----	----	----	----	----	----	----	----
30 to 34 years	296	270	150	150	122	102	3	----	19	18	----	----	1	----	1	----	----	----
35 to 39 years	357	294	174	158	159	121	4	----	18	15	----	----	1	----	1	----	----	----
40 to 44 years	396	283	190	151	178	122	10	2	17	8	----	----	1	----	----	----	----	----
45 to 49 years	485	331	222	163	237	159	8	----	17	9	----	----	1	----	----	----	----	----
50 to 54 years	592	448	286	229	279	205	12	1	15	13	----	----	----	----	----	----	----	----
55 to 59 years	604	523	299	267	276	240	16	5	11	11	----	----	2	----	----	----	----	----
60 to 64 years	701	669	350	344	324	309	12	4	13	12	----	----	2	----	----	----	----	----
65 to 69 years	722	673	393	401	308	258	12	6	9	8	----	----	----	----	----	----	----	----
70 to 74 years	723	710	430	406	272	283	13	9	8	11	----	1	----	----	----	----	----	----
75 to 79 years	658	676	381	391	265	272	9	5	3	8	----	----	----	----	----	----	----	----
80 to 84 years	454	574	265	376	176	188	8	5	5	5	----	----	----	----	----	----	----	----
85 to 89 years	224	312	162	211	58	93	3	4	1	3	----	1	----	----	----	----	----	----
90 to 94 years	73	140	52	100	18	37	2	2	1	1	----	----	----	----	----	----	----	----
95 to 99 years	20	28	14	17	6	11	----	----	----	----	----	----	----	----	----	----	----	----
100 years and over	2	11	----	6	2	3	----	----	----	2	----	----	----	----	----	----	----	----
Unknown	2	1	----	----	1	1	1	----	----	----	----	----	----	----	----	----	----	----
DELAWARE																		
All ages	1,552	1,463	1,027	993	158	144	23	7	343	319	----	----	----	----	----	----	1	----
Under 1 year	227	193	156	131	----	----	----	----	71	62	----	----	----	----	----	----	----	----
1 to 4 years	84	62	58	45	----	----	1	2	25	15	----	----	----	----	----	----	----	----
5 to 9 years	36	22	32	16	----	1	----	----	4	5	----	----	----	----	----	----	----	----
10 to 14 years	22	15	16	5	1	----	2	----	3	10	----	----	----	----	----	----	----	----
15 to 19 years	31	37	18	20	----	----	----	----	13	17	----	----	----	----	----	----	----	----
20 to 24 years	30	61	21	34	1	3	----	----	8	24	----	----	----	----	----	----	----	----
25 to 29 years	50	37	25	25	3	3	----	----	22	9	----	----	----	----	----	----	----	----
30 to 34 years	50	52	27	35	9	3	----	----	14	14	----	----	----	----	----	----	----	----
35 to 39 years	68	49	39	28	11	4	----	----	18	17	----	----	----	----	----	----	----	----
40 to 44 years	52	58	27	33	8	5	2	1	15	19	----	----	----	----	----	----	----	----
45 to 49 years	63	58	38	34	6	2	1	----	18	22	----	----	----	----	----	----	----	----
50 to 54 years	90	79	52	52	12	11	3	----	23	16	----	----	----	----	----	----	----	----
55 to 59 years	93	84	55	46	16	12	1	----	21	26	----	----	----	----	----	----	----	----
60 to 64 years	121	107	86	71	13	18	2	----	19	18	----	----	----	----	----	----	1	----
65 to 69 years	140	118	102	95	20	14	1	1	17	8	----	----	----	----	----	----	----	----
70 to 74 years	135	142	97	102	21	24	4	1	13	15	----	----	----	----	----	----	----	----
75 to 79 years	112	103	82	84	16	13	2	----	12	6	----	----	----	----	----	----	----	----
80 to 84 years	85	101	47	76	16	15	4	1	18	9	----	----	----	----	----	----	----	----
85 to 89 years	51	58	41	42	4	10	----	1	6	5	----	----	----	----	----	----	----	----
90 to 94 years	7	21	6	15	1	6	----	----	----	----	----	----	----	----	----	----	----	----
95 to 99 years	2	3	1	1	----	----	----	----	1	2	----	----	----	----	----	----	----	----
100 years and over	1	1	----	1	----	----	----	----	1	----	----	----	----	----	----	----	----	----
Unknown	2	2	1	2	----	----	----	----	1	----	----	----	----	----	----	----	----	----
DISTRICT OF COLUMBIA																		
All ages	3,402	3,151	1,780	1,646	297	222	119	78	1,199	1,204	2	----	3	----	2	----	----	1
Under 1 year	388	317	199	168	----	----	16	13	172	136	----	----	1	----	----	----	----	----
1 to 4 years	128	83	66	44	1	----	4	----	57	39	----	----	----	----	----	----	----	----
5 to 9 years	50	45	33	26	1	----	----	3	16	16	----	----	----	----	----	----	----	----
10 to 14 years	38	27	18	11	----	----	6	----	14	16	----	----	----	----	----	----	----	----
15 to 19 years	63	76	20	23	1	1	1	4	41	48	----	----	----	----	----	----	----	----
20 to 24 years	120	136	55	48	9	3	7	----	48	85	1	----	----	----	----	----	----	----
25 to 29 years	134	139	48	60	8	7	5	3	73	69	----	----	----	----	----	----	----	----
30 to 34 years	159	121	84	46	4	2	7	3	62	70	1	----	1	----	----	----	----	----
35 to 39 years	170	143	74	65	14	8	1	2	80	68	----	----	----	----	1	----	----	----
40 to 44 years	183	169	76	68	15	7	10	3	82	91	----	----	----	----	----	----	----	----
45 to 49 years	206	187	94	72	14	6	4	4	94	105	----	----	----	----	----	----	----	----
50 to 54 years	293	224	145	89	23	18	11	4	114	113	----	----	----	----	----	----	----	----
55 to 59 years	291	203	151	108	30	14	12	6	97	75	----	----	1	----	----	----	----	----
60 to 64 years	268	258	145	133	44	33	7	13	72	79	----	----	----	----	----	----	----	----
65 to 69 years	273	243	168	149	28	28	12	3	64	62	----	----	----	----	1	----	----	1
70 to 74 years	228	254	141	161	33	33	7	3	47	57	----	----	----	----	----	----	----	----
75 to 79 years	189	226	120	159	31	24	6	3	32	35	----	----	----	----	----	----	----	----
80 to 84 years	139	165	98	120	18	23	2	3	21	19	----	----	----	----	----	----	----	----
85 to 89 years	62	91	34	70	15	10	1	3	12	8	----	----	----	----	----	----	----	----
90 to 94 years	14	30	8	22	5	3	----	----	1	5	----	----	----	----	----	----	----	----
95 to 99 years	5	11	2	4	3	1	----	----	----	6	----	----	----	----	----	----	----	----
100 years and over	1	3	1	----	----	1	----	----	----	2	----	----	----	----	----	----	----	----
Unknown	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
FLORIDA																		
All ages	8,947	6,914	4,493	3,503	580	318	284	119	3,587	2,973		1	3					
Under 1 year	1,216	974	710	534			13	7	493	433								
1 to 4 years	603	482	366	258	3		7	5	227	218		1						
5 to 9 years	154	135	93	83			3	3	58	49								
10 to 14 years	133	117	64	60	3	1	1	1	65	55								
15 to 19 years	266	247	132	88	5	2	5		124	157								
20 to 24 years	363	413	130	157	11	4	3	1	219	251								
25 to 29 years	340	361	125	131	8	6	11	5	196	219								
30 to 34 years	361	325	135	128	13	11	12	3	201	183								
35 to 39 years	450	391	170	140	20	13	15	7	245	231								
40 to 44 years	463	336	162	130	33	15	14	6	254	185								
45 to 49 years	550	345	198	143	32	17	14	6	306	179								
50 to 54 years	572	374	223	155	46	37	26	9	276	173			1					
55 to 59 years	512	335	258	172	61	26	13	4	180	133								
60 to 64 years	625	360	320	208	72	24	35	8	198	120								
65 to 69 years	616	402	388	260	68	36	19	10	140	96			1					
70 to 74 years	596	386	371	262	62	32	31	14	132	78								
75 to 79 years	511	358	328	252	65	30	33	14	85	62								
80 to 84 years	339	280	201	197	50	33	12	6	75	44			1					
85 to 89 years	144	138	84	91	19	19	6	3	35	25								
90 to 94 years	37	77	20	39	4	10	1	2	12	26								
95 to 99 years	13	23	5	7	1	1		2	7	13								
100 years and over	14	24		2	1		1		12	22								
Unknown	69	31	10	6	3	1	9	3	47	21								
GEORGIA																		
All ages	17,977	16,818	8,992	8,131	196	113	177	165	8,610	8,409			1				1	
Under 1 year	3,226	2,623	1,752	1,332			12	5	1,462	1,286								
1 to 4 years	1,324	1,221	727	653		1	4	3	593	564								
5 to 9 years	356	312	199	161			1	1	156	150								
10 to 14 years	338	305	140	122			1	2	197	181								
15 to 19 years	611	778	229	252			4		378	526								
20 to 24 years	793	973	273	319	3		4	6	513	648								
25 to 29 years	721	805	276	268	4	1	2	4	439	532								
30 to 34 years	633	760	243	289	6	2	9	2	375	467								
35 to 39 years	800	868	296	350	8	2	11	5	485	511								
40 to 44 years	755	858	331	340	10	5	3	13	411	500								
45 to 49 years	861	795	376	278	7	7	6	10	472	500								
50 to 54 years	1,029	865	401	311	19	6	9	5	600	543								
55 to 59 years	939	656	444	303	24	11	14	9	457	333								
60 to 64 years	1,075	778	578	428	15	13	16	9	465	328							1	
65 to 69 years	1,163	889	733	591	17	9	21	14	392	275								
70 to 74 years	1,195	941	735	625	26	15	20	19	414	282								
75 to 79 years	957	871	653	628	16	13	23	18	265	212								
80 to 84 years	633	730	356	495	28	15	9	18	240	202								
85 to 89 years	289	400	166	256	7	10	3	9	112	125			1					
90 to 94 years	146	187	57	92	4	3	3	5	82	87								
95 to 99 years	41	75	9	25	2		1	3	29	47								
100 years and over	50	93	6	9					44	84								
Unknown	42	35	12	4			1	5	29	26								
IDAHO																		
All ages	2,240	1,547	1,618	1,218	412	223	97	15	20	10	72	78	7		14	3		
Under 1 year	304	225	290	213							7	12			7			
1 to 4 years	148	105	129	92	1	1			2	1	13	11			3			
5 to 9 years	71	60	62	53	3						5	7			1			
10 to 14 years	53	53	42	48	5	1					6	4						
15 to 19 years	63	19	52	40	2	2	1				8	7						
20 to 24 years	67	43	51	33	8	3	1		2	2	5	4				1		
25 to 29 years	62	59	44	49	11	7	1	1	2		4	2						
30 to 34 years	56	62	39	50	12	10	3	1	2							1		
35 to 39 years	90	77	56	62	27	9	5		2			6						
40 to 44 years	100	56	62	46	27	7	5	1	2	1	2	1			2			
45 to 49 years	100	80	69	63	18	9	8	1	4	4		2			1	1		
50 to 54 years	107	69	79	54	20	9	7	1	1			5						
55 to 59 years	156	71	101	45	39	21	12	3	1		3	2						
60 to 64 years	171	78	109	56	42	19	15	2			3	1	2					
65 to 69 years	212	127	142	91	58	32	10	1		1	2	2						
70 to 74 years	177	94	112	69	50	19	9	2			5	4	1					
75 to 79 years	132	89	84	61	28	25	12		1	1	6	2	1					
80 to 84 years	112	77	66	58	37	17	5		1		1	2	2					
85 to 89 years	42	47	23	24	16	20	1	1			1	2	1					
90 to 94 years	13	21	4	9	7	11	1				1	1						
95 to 99 years	2	3	1		1	1		1				1						
100 years and over																		
Unknown	2	2	1	2			1											

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ILLINOIS																		
All ages	42,203	34,930	26,174	22,757	12,120	9,576	809	223	3,046	2,367	1	3	49	4	3		1	
Under 1 year	5,606	4,128	5,124	3,773	4	7	12	11	463	336			3	1				
1 to 4 years	1,676	1,404	1,471	1,242	22	12	2	1	180	148		1	1					
5 to 9 years	766	626	705	584	9	6	3	1	49	35								
10 to 14 years	589	462	521	414	23	14			45	34								
15 to 19 years	845	820	655	641	65	64	7	1	117	114			1					
20 to 24 years	1,199	1,259	793	917	168	148	12	6	222	187	1	1	3					
25 to 29 years	1,310	1,334	796	907	257	229	33	6	218	191		1	5		1			
30 to 34 years	1,544	1,349	890	902	419	299	32	10	202	138							1	
35 to 39 years	2,082	1,471	1,022	897	731	397	73	18	253	168			2	1	1			
40 to 44 years	2,139	1,567	1,043	933	786	440	79	10	230	183			1	1				
45 to 49 years	2,386	1,651	1,141	949	893	532	79	7	266	162			7	1				
50 to 54 years	2,739	1,950	1,405	1,133	1,006	654	96	13	223	150			8		1			
55 to 59 years	2,955	2,080	1,563	1,140	1,170	807	77	15	139	118			6					
60 to 64 years	3,392	2,661	1,895	1,521	1,285	1,009	71	23	136	108			5					
65 to 69 years	3,523	2,812	2,015	1,647	1,338	1,043	61	31	105	91			4					
70 to 74 years	3,228	2,822	1,833	1,575	1,278	1,142	53	18	63	87			1					
75 to 79 years	2,784	2,580	1,529	1,418	1,135	1,084	61	31	57	47			2					
80 to 84 years	2,016	2,178	1,060	1,231	897	898	20	18	39	31								
85 to 89 years	976	1,159	521	633	421	505	18	9	16	12								
90 to 94 years	338	491	153	252	172	225	3	2	10	12								
95 to 99 years	68	102	27	45	36	49		1	5	7								
100 years and over	17	18	6	2	4	8			7	8								
Unknown	25	6	6	1	1	4	17	1	1									
INDIANA																		
All ages	19,768	17,394	16,536	15,080	1,855	1,321	254	110	1,120	879		2	2	1	1	1		
Under 1 year	2,556	1,869	2,378	1,734			5	2	173	132						1		
1 to 4 years	820	699	764	656	5	3	1	1	49	39					1			
5 to 9 years	332	259	310	244	2	1	2	1	18	13								
10 to 14 years	277	213	260	192	3	4			14	17								
15 to 19 years	417	442	370	399	7	3	2	4	38	36								
20 to 24 years	481	547	395	475	21	13	6	4	59	55								
25 to 29 years	473	539	344	467	54	22	10	3	65	47								
30 to 34 years	592	539	440	464	64	17	6	4	82	54								
35 to 39 years	637	620	445	504	98	40	14	3	79	73			1					
40 to 44 years	718	584	523	498	98	35	18	2	79	49								
45 to 49 years	833	698	621	587	107	46	17	3	88	62								
50 to 54 years	1,039	843	827	724	108	48	19	5	85	66								
55 to 59 years	1,175	972	970	842	117	77	22	5	65	48			1					
60 to 64 years	1,494	1,269	1,266	1,116	143	93	24	9	61	50		1						
65 to 69 years	1,872	1,549	1,636	1,366	162	131	24	11	50	41								
70 to 74 years	2,008	1,735	1,723	1,516	228	169	20	18	37	31		1						
75 to 79 years	1,824	1,664	1,531	1,385	244	238	25	14	24	27								
80 to 84 years	1,291	1,308	1,037	1,073	213	207	16	10	25	17				1				
85 to 89 years	652	731	510	598	123	118	5	6	14	9								
90 to 94 years	209	245	152	191	50	47	1	1	6	6								
95 to 99 years	39	45	29	36	6	8	1		3	1								
100 years and over	6	13	3	8	2	1			1	4								
Unknown	23	11	2	5			16	4	5	2								
IOWA																		
All ages	12,664	11,110	9,590	8,578	2,628	2,254	262	132	168	139	11	7	5					
Under 1 year	1,542	1,156	1,520	1,137	1	2	3	4	16	12	1	1	1					
1 to 4 years	514	421	499	410	4	2		1	6	8	5							
5 to 9 years	236	218	230	207	3	1	1	3	2	7								
10 to 14 years	180	144	175	139	2	3	1	1	1	1	1							
15 to 19 years	242	174	231	161	4	3	3		3	8	1	2						
20 to 24 years	251	297	218	279	15	8	9	3	8	5	1	2						
25 to 29 years	255	306	216	280	23	14	6	5	9	7			1					
30 to 34 years	314	304	268	276	34	19	5	2	6	7			1					
35 to 39 years	375	383	318	335	37	37	11	2	9	8		1						
40 to 44 years	388	370	314	319	50	42	15	2	8	7	1							
45 to 49 years	467	453	363	378	73	56	17	7	13	11		1	1					
50 to 54 years	572	537	451	434	82	87	22	9	15	7	1		1					
55 to 59 years	741	624	557	480	146	124	18	10	20	10								
60 to 64 years	995	800	721	608	241	175	21	6	12	11								
65 to 69 years	1,215	902	902	657	280	224	23	14	10	7								
70 to 74 years	1,287	1,044	815	718	420	301	38	17	14	8								
75 to 79 years	1,271	1,134	784	691	446	426	35	14	6	3								
80 to 84 years	1,008	927	561	545	427	356	16	18	4	8								
85 to 89 years	569	597	316	346	242	238	9	11	2	2								
90 to 94 years	195	254	109	146	78	105	7	2	1	1								
95 to 99 years	40	55	20	28	18	26		1	2									
100 years and over	3	10		4	2	5	1			1								
Unknown	4		2				1		1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KANSAS																		
All ages	9,945	7,953	7,786	6,288	1,268	998	247	104	625	549	18	13	1	1	----	----	----	----
Under 1 year	1,281	957	1,205	876	----	2	2	6	72	70	2	3	----	----	----	----	----	----
1 to 4 years	432	348	398	303	4	4	4	4	25	36	1	1	----	----	----	----	----	----
5 to 9 years	169	132	157	122	3	1	----	1	9	7	----	1	----	----	----	----	----	----
10 to 14 years	179	100	158	88	7	2	1	----	13	10	----	----	----	----	----	----	----	----
15 to 19 years	237	180	199	142	10	7	7	3	19	28	2	----	----	----	----	----	----	----
20 to 24 years	237	218	186	180	7	10	13	3	30	25	1	----	----	----	----	----	----	----
25 to 29 years	220	225	167	182	18	7	8	6	27	29	----	1	----	----	----	----	----	----
30 to 34 years	237	259	183	204	17	19	8	2	29	33	----	----	----	1	----	----	----	----
35 to 39 years	271	291	223	238	22	26	6	5	20	21	----	1	----	----	----	----	----	----
40 to 44 years	325	324	254	260	23	26	9	2	38	36	1	----	----	----	----	----	----	----
45 to 49 years	381	316	278	242	39	31	15	5	49	38	----	----	----	----	----	----	----	----
50 to 54 years	454	344	341	278	49	31	12	4	52	30	----	1	----	----	----	----	----	----
55 to 59 years	536	388	415	290	62	59	19	7	39	32	1	----	----	----	----	----	----	----
60 to 64 years	710	501	543	366	107	98	27	4	31	33	2	----	----	----	----	----	----	----
65 to 69 years	868	655	669	527	138	93	25	8	31	26	4	1	1	----	----	----	----	----
70 to 74 years	991	720	720	559	204	127	31	9	35	23	1	2	----	----	----	----	----	----
75 to 79 years	976	759	713	571	202	152	24	15	36	21	1	----	----	----	----	----	----	----
80 to 84 years	850	659	613	469	198	162	12	10	27	17	----	1	----	----	----	----	----	----
85 to 89 years	388	391	248	274	106	95	13	7	20	14	1	1	----	----	----	----	----	----
90 to 94 years	148	131	94	94	39	28	2	2	12	7	1	----	----	----	----	----	----	----
95 to 99 years	30	41	15	20	9	15	2	----	4	6	----	----	----	----	----	----	----	----
100 years and over	8	12	3	2	1	3	----	----	4	7	----	----	----	----	----	----	----	----
Unknown	17	2	4	1	3	----	7	1	3	----	----	----	----	----	----	----	----	----
KENTUCKY																		
All ages	14,270	12,536	11,292	9,938	429	429	155	62	2,392	2,107	1	----	1	----	----	----	----	----
Under 1 year	2,492	1,812	2,199	1,582	----	----	2	----	291	230	----	----	----	----	----	----	----	----
1 to 4 years	866	770	765	671	1	----	1	2	99	97	----	----	----	----	----	----	----	----
5 to 9 years	280	238	244	199	2	----	2	----	32	39	----	----	----	----	----	----	----	----
10 to 14 years	242	205	205	166	1	----	----	----	36	39	----	----	----	----	----	----	----	----
15 to 19 years	413	405	337	295	----	1	1	2	75	107	----	----	----	----	----	----	----	----
20 to 24 years	525	614	390	484	1	5	3	3	130	122	----	----	1	----	----	----	----	----
25 to 29 years	455	477	329	381	7	1	8	----	111	95	----	----	----	----	----	----	----	----
30 to 34 years	476	483	321	376	10	3	6	2	139	102	----	----	----	----	----	----	----	----
35 to 39 years	463	493	311	372	15	4	5	1	132	116	----	----	----	----	----	----	----	----
40 to 44 years	524	474	357	320	17	10	5	1	145	143	----	----	----	----	----	----	----	----
45 to 49 years	551	508	363	367	12	5	9	2	166	134	1	----	----	----	----	----	----	----
50 to 54 years	725	638	479	450	19	23	15	5	212	160	----	----	----	----	----	----	----	----
55 to 59 years	751	618	563	481	23	10	8	----	157	127	----	----	----	----	----	----	----	----
60 to 64 years	882	757	692	596	29	29	15	4	146	128	----	----	----	----	----	----	----	----
65 to 69 years	1,076	877	878	721	49	47	16	5	133	104	----	----	----	----	----	----	----	----
70 to 74 years	1,135	930	952	752	49	60	16	14	118	104	----	----	----	----	----	----	----	----
75 to 79 years	1,101	877	900	702	84	86	18	5	99	84	----	----	----	----	----	----	----	----
80 to 84 years	734	729	607	585	63	74	9	10	55	60	----	----	----	----	----	----	----	----
85 to 89 years	333	392	251	294	34	56	5	3	43	39	----	----	----	----	----	----	----	----
90 to 94 years	130	137	96	97	9	11	----	1	25	28	----	----	----	----	----	----	----	----
95 to 99 years	34	40	22	27	2	3	----	----	10	10	----	----	----	----	----	----	----	----
100 years and over	12	25	4	4	1	1	----	----	7	20	----	----	----	----	----	----	----	----
Unknown	70	37	27	16	1	----	11	2	31	19	----	----	----	----	----	----	----	----
LOUISIANA																		
All ages	12,993	11,487	5,980	4,918	624	462	169	107	6,181	5,997	18	3	13	----	5	----	3	----
Under 1 year	2,210	1,746	1,115	866	2	----	9	10	1,076	869	7	1	----	----	----	----	1	----
1 to 4 years	866	774	437	397	2	----	10	11	413	366	4	----	----	----	----	----	----	----
5 to 9 years	235	245	115	113	1	----	3	2	115	130	1	----	----	----	----	----	----	----
10 to 14 years	271	194	131	69	3	----	----	----	136	125	1	----	----	----	----	----	----	----
15 to 19 years	480	466	215	155	3	1	2	2	260	308	----	----	----	----	----	----	----	----
20 to 24 years	563	661	193	194	10	6	5	6	354	454	----	1	----	----	1	----	----	----
25 to 29 years	519	618	192	212	11	12	5	5	309	389	----	----	2	----	----	----	----	----
30 to 34 years	526	508	220	186	17	9	7	7	281	306	----	----	----	----	1	----	----	----
35 to 39 years	612	586	240	203	27	14	10	4	333	365	----	----	1	----	1	----	----	----
40 to 44 years	650	543	276	195	26	14	8	2	338	332	2	----	----	----	----	----	----	----
45 to 49 years	767	600	345	195	38	21	15	2	366	382	1	----	1	----	----	----	1	----
50 to 54 years	843	619	354	231	38	20	20	5	428	363	----	----	2	----	1	----	----	----
55 to 59 years	716	531	329	246	62	33	7	1	314	251	----	----	4	----	----	----	----	----
60 to 64 years	770	587	409	282	61	44	16	4	282	237	----	----	2	----	----	----	----	----
65 to 69 years	826	599	461	321	76	39	15	6	273	233	1	----	----	----	----	----	----	----
70 to 74 years	711	653	358	336	78	65	16	14	259	238	----	----	----	----	----	----	----	----
75 to 79 years	587	549	292	297	63	68	8	7	223	177	----	----	----	----	----	----	1	----
80 to 84 years	424	474	180	223	62	60	5	8	177	183	----	----	----	----	----	----	----	----
85 to 89 years	227	256	79	125	30	40	4	4	114	87	----	----	----	----	----	----	----	----
90 to 94 years	83	145	24	46	10	14	----	5	49	80	----	----	----	----	----	----	----	----
95 to 99 years	32	48	7	11	3	1	----	----	22	35	----	1	----	----	----	----	----	----
100 years and over	41	70	2	4	1	1	----	----	38	65	----	----	----	----	----	----	----	----
Unknown	34	35	6	11	----	----	4	2	21	22	1	----	1	----	1	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MAINE																		
All ages	5,579	5,175	4,626	4,306	871	838	58	17	15	12	8	2	1					
Under 1 year	855	638	849	634	4	3	1	1	1									
1 to 4 years	187	180	175	162	10	18			1		1							
5 to 9 years	83	60	76	58	6	1		1	1									
10 to 14 years	77	48	71	43	6	5												
15 to 19 years	81	82	74	76	7	6												
20 to 24 years	116	118	91	102	22	15	1		1	1			1					
25 to 29 years	105	143	76	111	19	31	6		2	1	2							
30 to 34 years	111	125	82	98	29	27												
35 to 39 years	133	159	91	127	36	32	4		2									
40 to 44 years	146	145	117	114	27	31	1		1									
45 to 49 years	206	176	147	135	55	41	2		1		1							
50 to 54 years	264	238	188	179	72	56	3	1	1	2								
55 to 59 years	338	257	263	179	68	74	6	1		2	1	1						
60 to 64 years	424	344	330	250	83	91	9	3	2									
65 to 69 years	522	424	430	352	87	67	3	2	1	2	1	1						
70 to 74 years	627	525	504	420	112	103	10	1		1	1							
75 to 79 years	568	578	477	469	84	105	6	2		2	1							
80 to 84 years	415	482	331	410	78	66	5	5	1	1								
85 to 89 years	233	297	183	254	49	43	1											
90 to 94 years	73	128	59	110	14	18												
95 to 99 years	14	25	12	20	2	5												
100 years and over	1	3		3	1													
Unknown																		
MARYLAND																		
All ages	11,062	9,912	7,111	6,444	1,174	1,001	134	51	2,637	2,415			4		1	1	1	
Under 1 year	1,716	1,268	1,207	879		2	4	6	505	380						1		
1 to 4 years	542	411	380	282	1	2	1	3	160	124								
5 to 9 years	191	146	154	107				1	37	38								
10 to 14 years	145	144	105	91	1	2	2		37	51								
15 to 19 years	243	258	160	132	6	5		1	77	120								
20 to 24 years	306	328	176	186	13	6	3	2	114	134								
25 to 29 years	309	317	179	193	20	19	5		105	105								
30 to 34 years	378	341	213	195	38	18	3	1	124	127								
35 to 39 years	454	395	256	223	59	32	6		133	140								
40 to 44 years	559	426	293	227	64	28	10	2	191	169							1	
45 to 49 years	603	463	327	239	80	54	7	1	188	169			1					
50 to 54 years	769	638	405	376	120	71	15	1	228	190			1					
55 to 59 years	732	611	459	384	97	78	22	4	152	145			2					
60 to 64 years	866	727	580	483	131	100	10	3	145	141								
65 to 69 years	893	813	636	573	129	119	11	4	116	117					1			
70 to 74 years	881	860	618	625	145	127	10	10	108	98								
75 to 79 years	664	735	459	532	112	139	6	8	87	56								
80 to 84 years	499	580	333	427	96	109	9	3	61	41								
85 to 89 years	210	313	127	214	45	66	2	1	36	32								
90 to 94 years	65	91	35	57	13	19	2		15	15								
95 to 99 years	8	23	4	11	3	4			1	8								
100 years and over	5	11		3	1	1			4	7								
Unknown	24	13	5	5			6		13	8								
MASSACHUSETTS																		
All ages	25,327	24,031	16,003	15,242	8,594	8,267	212	79	466	437	4	2	45	2	2	1	1	1
Under 1 year	3,515	2,673	3,422	2,600	15	5	2	3	72	63			3	2	1			
1 to 4 years	1,166	978	1,112	928	30	30	1		22	19			1					1
5 to 9 years	558	401	528	368	25	18	2		3	15								
10 to 14 years	310	282	277	254	25	19			8	9								
15 to 19 years	447	394	377	309	55	69	2		13	15						1		
20 to 24 years	568	567	404	423	137	124	6		20	20			1					
25 to 29 years	618	690	404	482	182	186	6	3	21	19			5					
30 to 34 years	735	722	412	414	295	282	7	1	19	25			2					
35 to 39 years	944	795	472	424	432	343	13	4	27	24								
40 to 44 years	1,117	907	482	469	565	411	18	2	48	25			4					
45 to 49 years	1,309	1,095	610	581	642	486	16	4	34	24			7					
50 to 54 years	1,651	1,423	788	709	801	674	17	1	33	39	1		10		1			
55 to 59 years	1,884	1,587	865	759	958	798	25	8	29	22			6				1	
60 to 64 years	2,217	1,859	1,120	922	1,034	896	26	10	34	31			3					
65 to 69 years	2,275	2,176	1,301	1,197	930	950	15	7	26	22			3					
70 to 74 years	2,144	2,222	1,203	1,265	895	918	18	11	28	28								
75 to 79 years	1,802	2,049	992	1,152	778	875	16	8	13	13	3	1						
80 to 84 years	1,194	1,688	711	1,007	466	661	6	6	11	14								
85 to 89 years	605	1,005	374	648	223	345	4	5	4	6		1						
90 to 94 years	217	411	128	253	86	152	2	4	1	2								
95 to 99 years	37	90	19	67	17	20	1	1		2								
100 years and over	3	16	2	11	1	4		1										
Unknown	11	1			2	1	9											

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MICHIGAN																		
All ages	26,164	21,160	16,842	14,429	7,308	5,604	736	203	1,199	857	69	62	6	4	4			1
Under 1 year	4,094	2,989	3,874	2,803	18	15	8	6	178	145	16	16		4				
1 to 4 years	1,196	959	1,076	846	37	35	5	3	68	72	9	3			1			
5 to 9 years	597	494	551	448	23	18	2	8	19	18	2	2						
10 to 14 years	412	315	377	278	18	21	1	1	13	15	3							
15 to 19 years	577	481	467	398	57	40	13	3	38	36	2	4						
20 to 24 years	785	701	510	503	138	110	19	7	113	74	4	6	1					1
25 to 29 years	836	747	503	507	176	162	27	10	128	66	1	2			1			
30 to 34 years	922	756	509	511	277	171	36	2	99	69		3			1			
35 to 39 years	1,146	839	559	517	398	244	61	6	125	70	3	2						
40 to 44 years	1,151	799	540	504	450	231	57	11	100	52	4	1						
45 to 49 years	1,198	910	611	587	454	253	58	6	72	62	3	2						
50 to 54 years	1,324	982	718	639	473	290	59	7	65	43	5	3	4					
55 to 59 years	1,444	1,053	806	653	522	364	61	10	54	24	1	2						
60 to 64 years	1,841	1,504	1,001	882	731	575	64	16	43	29	2	2						
65 to 69 years	2,093	1,624	1,208	964	792	613	64	25	25	20	3	2	1					
70 to 74 years	2,141	1,758	1,210	1,018	841	696	65	22	20	20	5	2						
75 to 79 years	1,896	1,701	1,040	977	786	693	54	14	15	14	1	3						
80 to 84 years	1,451	1,443	767	817	640	589	35	21	8	14	1	2						
85 to 89 years	701	745	356	404	329	325	13	10	1	5	2	1						
90 to 94 years	236	262	123	131	100	119	8	5	4	5	1	2						
95 to 99 years	55	56	22	26	29	26	1	3	2		1	1						
100 years and over	14	15	4	5	8	7			2	2		1						
Unknown	54	27	10	11	11	7	25	7	7	2					1			
MINNESOTA																		
All ages	13,683	10,896	7,788	6,576	5,480	4,097	175	30	116	81	120	112	4					
Under 1 year	1,787	1,374	1,733	1,342	1	2	2	1	10	5	41	24						
1 to 4 years	574	424	549	395	8	6		2	1	4	16	17						
5 to 9 years	290	234	276	226	6	3	1				7	5						
10 to 14 years	268	189	256	178	6	4	2	1	1		3	6						
15 to 19 years	305	280	281	268	13	8	3		3		5	4						
20 to 24 years	387	374	339	341	36	26	1	1	5	3	6	3						
25 to 29 years	395	401	324	349	61	47	3		5	3	2	2						
30 to 34 years	418	419	291	352	113	53	3		7	4	3	10	1					
35 to 39 years	555	397	344	290	181	96	15		11	10	4	1						
40 to 44 years	558	460	315	314	209	131	16	2	12	11	6	2						
45 to 49 years	572	505	308	318	236	176	20	2	8	4		5						
50 to 54 years	707	579	355	335	317	232	15	4	15	7	5	1						
55 to 59 years	892	596	417	298	437	290	21	3	11	2	3	3	3					
60 to 64 years	1,165	783	493	367	648	402	15	5	6	7	3	2						
65 to 69 years	1,292	769	539	334	725	428	20	1	5	5	3	1						
70 to 74 years	1,134	881	391	293	724	572	12	1	3	9	4	6						
75 to 79 years	1,001	800	239	210	739	580	15		6	2	2	8						
80 to 84 years	764	720	198	181	556	532	6	3	1	1	3	3						
85 to 89 years	413	500	95	124	312	367	2	3	3	2	1	4						
90 to 94 years	168	154	37	47	125	103	1		3	1	2	3						
95 to 99 years	29	42	7	10	22	30				1		1						
100 years and over	4	11		3	3	7		1			1							
Unknown	5	4	1	1	2	2	2					1						
MISSISSIPPI																		
All ages	10,994	10,154	3,981	3,508	125	49	132	70	6,741	6,512	12	14	3	1				
Under 1 year	1,775	1,337	680	522			3		1,087	812	4	3	1					
1 to 4 years	798	673	336	256			7	3	452	411	3	2		1				
5 to 9 years	214	209	75	75			3		136	132		2						
10 to 14 years	233	221	70	71	1			2	162	147		1						
15 to 19 years	429	515	115	107		1	1		312	406	1	1						
20 to 24 years	527	666	116	119	1	1	4	1	405	544	1	1						
25 to 29 years	413	510	106	100			7	1	300	408		1						
30 to 34 years	360	453	104	139	4	1	5	1	247	312								
35 to 39 years	409	538	127	140	3	1	5		273	396	1	1						
40 to 44 years	425	515	132	134	4		3	1	286	380								
45 to 49 years	479	508	150	146	7	2	3	2	319	358								
50 to 54 years	570	478	179	129	9	3	5	4	377	342								
55 to 59 years	493	372	185	139	7	1	9	2	292	230								
60 to 64 years	607	433	242	183	9		12	2	344	247		1						
65 to 69 years	699	510	345	237	17	7	11	8	326	258								
70 to 74 years	794	605	374	311	11	6	12	10	397	278								
75 to 79 years	654	526	323	309	23	6	10	5	296	206			2					
80 to 84 years	515	458	182	214	14	7	12	7	307	230								
85 to 89 years	264	251	96	108	12	4	2	8	153	130	1	1						
90 to 94 years	123	150	26	41	1	3	2	3	94	103								
95 to 99 years	45	50	3	8		5			42	37								
100 years and over	55	84	1	2		1		2	53	79	1							
Unknown	113	92	14	18	2		16	8	81	66								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MISSOURI																		
All ages	22,208	18,266	16,676	14,078	2,527	1,840	649	296	2,346	2,049	----	3	9	----	----	----	1	----
Under 1 year	2,717	2,033	2,441	1,815	----	2	6	3	268	213	----	----	2	----	----	----	----	----
1 to 4 years	1,059	904	916	787	7	5	7	1	129	111	----	----	----	----	----	----	----	----
5 to 9 years	368	330	332	290	3	3	----	2	33	35	----	----	----	----	----	----	----	----
10 to 14 years	328	269	291	225	2	1	2	1	33	42	----	----	----	----	----	----	----	----
15 to 19 years	476	523	388	409	4	7	4	1	79	106	----	----	1	----	----	----	----	----
20 to 24 years	623	657	447	487	28	19	9	4	139	146	----	1	----	----	----	----	----	----
25 to 29 years	615	622	423	484	37	12	16	7	139	119	----	----	----	----	----	----	----	----
30 to 34 years	660	680	476	527	42	23	20	6	122	124	----	----	----	----	----	----	----	----
35 to 39 years	820	642	563	466	69	37	36	10	152	129	----	----	----	----	----	----	----	----
40 to 44 years	971	790	659	559	86	49	38	20	185	162	----	----	2	----	----	----	1	----
45 to 49 years	1,121	881	767	649	116	63	52	17	186	152	----	----	----	----	----	----	----	----
50 to 54 years	1,330	959	936	704	150	95	48	21	196	139	----	----	----	----	----	----	----	----
55 to 59 years	1,445	1,049	1,005	808	210	116	65	23	165	102	----	----	----	----	----	----	----	----
60 to 64 years	1,678	1,260	1,240	955	248	169	61	29	126	107	----	----	3	----	----	----	----	----
65 to 69 years	2,016	1,404	1,499	1,089	320	180	76	43	121	92	----	----	----	----	----	----	----	----
70 to 74 years	1,926	1,493	1,429	1,145	324	241	87	21	86	85	----	1	----	----	----	----	----	----
75 to 79 years	1,787	1,498	1,307	1,112	360	315	46	17	73	54	----	----	1	----	----	----	----	----
80 to 84 years	1,284	1,285	912	905	292	294	29	35	51	51	----	----	----	----	----	----	----	----
85 to 89 years	635	621	442	436	154	137	14	18	25	30	----	----	----	----	----	----	----	----
90 to 94 years	218	254	142	173	59	54	6	11	11	16	----	----	----	----	----	----	----	----
95 to 99 years	47	53	30	30	10	14	2	----	5	9	----	----	----	----	----	----	----	----
100 years and over	11	23	4	9	2	4	----	----	5	10	----	----	----	----	----	----	----	----
Unknown	73	36	27	14	4	----	25	6	17	15	----	1	----	----	----	----	----	----
MONTANA																		
All ages	3,021	1,949	1,783	1,296	865	422	139	15	23	17	185	196	20	----	6	3	----	----
Under 1 year	383	300	334	270	----	----	----	----	----	----	47	28	----	----	2	2	----	----
1 to 4 years	161	153	122	112	2	3	----	----	----	----	36	38	----	----	1	----	----	----
5 to 9 years	80	65	72	54	1	1	----	----	----	----	7	10	----	----	----	----	----	----
10 to 14 years	75	55	68	46	2	----	1	----	----	----	4	9	----	----	----	----	----	----
15 to 19 years	84	68	75	54	3	3	1	1	----	1	5	9	----	----	----	----	----	----
20 to 24 years	93	67	58	50	16	5	4	----	----	----	15	12	----	----	----	----	----	----
25 to 29 years	90	71	61	50	18	12	5	2	----	1	6	6	----	----	----	----	----	----
30 to 34 years	103	65	62	53	30	6	5	1	2	1	4	4	----	----	----	----	----	----
35 to 39 years	144	92	71	60	56	24	10	----	1	1	6	6	----	----	----	1	----	----
40 to 44 years	193	92	92	61	77	24	12	----	2	1	8	6	1	----	1	----	----	----
45 to 49 years	164	97	76	58	62	26	11	2	6	4	9	7	----	----	----	----	----	----
50 to 54 years	178	92	85	53	71	35	11	2	3	----	5	2	2	----	1	----	----	----
55 to 59 years	218	113	93	61	105	43	13	1	1	2	2	6	4	----	----	----	----	----
60 to 64 years	270	123	139	71	97	44	18	----	3	1	9	7	3	----	1	----	----	----
65 to 69 years	235	129	105	69	103	54	15	2	3	----	5	4	4	----	----	----	----	----
70 to 74 years	220	124	124	66	71	47	12	1	1	2	8	8	4	----	----	----	----	----
75 to 79 years	136	90	57	42	69	39	6	1	----	3	3	5	1	----	----	----	----	----
80 to 84 years	112	75	57	42	47	24	6	1	----	----	1	8	1	----	----	----	----	----
85 to 89 years	55	45	24	16	24	25	4	----	----	----	3	4	----	----	----	----	----	----
90 to 94 years	17	15	6	6	9	6	1	----	1	----	----	3	----	----	----	----	----	----
95 to 99 years	4	2	1	1	2	1	----	----	----	----	1	----	----	----	----	----	----	----
100 years and over	----	2	----	----	----	----	----	----	----	----	----	2	----	----	----	----	----	----
Unknown	6	14	1	1	----	----	4	1	----	----	1	12	----	----	----	----	----	----
NEBRASKA																		
All ages	6,850	5,538	4,722	4,052	1,759	1,274	145	52	170	102	50	57	3	----	1	1	----	----
Under 1 year	971	692	942	666	1	----	----	----	15	11	13	15	----	----	----	----	----	----
1 to 4 years	332	265	315	248	3	2	----	----	4	1	10	14	----	----	----	----	----	----
5 to 9 years	148	132	141	128	4	1	----	1	1	----	2	2	----	----	----	----	----	----
10 to 14 years	114	106	105	97	5	3	2	----	2	3	----	3	----	----	----	----	----	----
15 to 19 years	141	127	124	120	8	1	4	----	4	6	----	----	1	----	----	----	----	----
20 to 24 years	143	153	112	139	11	7	3	----	14	5	3	2	----	----	----	----	----	----
25 to 29 years	145	174	112	146	14	11	5	----	13	15	1	2	----	----	----	----	----	----
30 to 34 years	162	188	126	166	20	15	5	----	11	6	----	1	----	----	----	----	----	----
35 to 39 years	211	193	152	163	36	20	4	2	16	7	3	1	----	----	----	----	----	----
40 to 44 years	225	213	163	154	41	45	8	2	11	9	----	2	2	----	----	1	----	----
45 to 49 years	248	232	165	180	54	45	12	----	15	5	2	2	----	----	----	----	----	----
50 to 54 years	315	237	212	180	73	48	11	2	16	5	3	2	----	----	----	----	----	----
55 to 59 years	383	291	252	189	106	91	15	3	7	6	3	2	----	----	----	----	----	----
60 to 64 years	538	358	341	228	173	115	17	9	5	4	2	2	----	----	----	----	----	----
65 to 69 years	629	436	381	280	215	142	18	5	11	7	4	2	----	----	----	----	----	----
70 to 74 years	624	478	335	304	262	163	14	7	11	3	1	1	----	----	1	----	----	----
75 to 79 years	656	532	338	292	304	221	10	12	8	7	1	----	----	----	----	----	----	----
80 to 84 years	501	379	252	212	240	163	5	2	2	----	2	2	----	----	----	----	----	----
85 to 89 years	262	237	116	111	141	122	3	2	2	1	----	1	----	----	----	----	----	----
90 to 94 years	76	94	35	43	40	45	1	5	----	1	----	----	----	----	----	----	----	----
95 to 99 years	14	17	6	5	7	11	----	----	1	----	----	1	----	----	----	----	----	----
100 years and over	2	2	1	1	1	1	----	----	----	----	----	----	----	----	----	----	----	----
Unknown	10	2	1	----	----	2	8	----	1	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEW HAMPSHIRE																		
All ages	3,293	3,064	2,486	2,338	668	643	132	80	6	3			1					
Under 1 year	457	347	453	342	1	2	2	3	1									
1 to 4 years	122	110	113	106	6	2	3	2										
5 to 9 years	49	45	47	43		2	2											
10 to 14 years	38	20	36	17	1	3	1											
15 to 19 years	57	35	50	28	5	5	2	1		1								
20 to 24 years	57	67	45	52	9	13	2	2					1					
25 to 29 years	50	89	39	73	9	15	2	1										
30 to 34 years	62	68	46	52	14	14	2	2										
35 to 39 years	76	93	40	52	32	38	4	2		1								
40 to 44 years	94	90	52	65	40	24	2	1										
45 to 49 years	124	121	83	75	37	44	4	2										
50 to 54 years	168	144	102	93	53	45	12	6	1									
55 to 59 years	218	201	139	133	68	61	10	7	1									
60 to 64 years	260	207	177	127	75	75	8	5										
65 to 69 years	338	260	241	178	84	70	13	12										
70 to 74 years	356	298	267	222	70	67	19	9										
75 to 79 years	357	309	253	233	86	68	18	8										
80 to 84 years	225	273	169	218	48	48	7	6	1	1								
85 to 89 years	106	198	82	166	19	27	3	5	2									
90 to 94 years	44	62	39	48	4	12	1	2										
95 to 99 years	8	13	6	9	2	2		2										
100 years and over	4	5	3	4	1	1												
Unknown	23	9	4	2	4	5	15	2										
NEW JERSEY																		
All ages	21,622	19,218	13,411	12,226	6,401	5,574	241	51	1,542	1,366	2	1	25					
Under 1 year	3,057	2,312	2,749	2,069	3	5	10	8	293	230	1		1					
1 to 4 years	1,063	904	943	810	8	17			112	77								
5 to 9 years	477	374	445	342	5	3			27	29								
10 to 14 years	316	251	270	211	16	15	1		29	25								
15 to 19 years	419	422	335	312	42	50	1		40	60			1					
20 to 24 years	545	561	364	384	95	94	5	3	80	80			1					
25 to 29 years	622	659	369	414	158	167	4		90	78			1					
30 to 34 years	686	637	339	352	258	214	15	2	72	69			2					
35 to 39 years	988	773	462	389	390	277	22		114	107								
40 to 44 years	1,169	789	525	435	494	267	31		117	87			2					
45 to 49 years	1,341	923	635	509	563	319	25	2	114	93			4					
50 to 54 years	1,565	1,183	806	644	611	454	33	3	111	82			4					
55 to 59 years	1,668	1,228	795	637	764	508	19	5	86	78	1		3					
60 to 64 years	1,696	1,543	882	797	704	671	33	7	72	67		1	5					
65 to 69 years	1,764	1,618	1,021	953	668	604	12	4	62	57			1					
70 to 74 years	1,555	1,624	891	904	612	648	12	2	40	70								
75 to 79 years	1,298	1,414	750	817	500	562	10	3	38	32								
80 to 84 years	840	1,126	501	705	313	396	5	5	21	20								
85 to 89 years	398	578	247	373	135	188	1	4	15	13								
90 to 94 years	131	238	75	140	49	90	1	1	6	7								
95 to 99 years	21	50	6	26	12	21		2	3	1								
100 years and over	2	10	1	3	1	4				3								
Unknown	1	1					1			1								
NEW YORK																		
All ages	74,569	65,636	46,190	41,738	24,696	21,291	875	250	2,564	2,294	63	46	149	8	26	9	6	
Under 1 year	9,149	6,979	8,615	6,617	26	11	21	16	459	322	18	6	8	4	2	3		
1 to 4 years	3,433	2,884	3,191	2,687	63	51	4	1	168	141	6	2		1	1	1		
5 to 9 years	1,433	1,150	1,364	1,098	32	19	1		33	33	2				1			
10 to 14 years	975	856	884	767	66	48		1	25	38		1				1		
15 to 19 years	1,423	1,296	1,169	1,008	174	184		1	74	101	2	2	4					
20 to 24 years	1,952	1,947	1,258	1,367	477	417	19	5	179	151	3	6	10		4	1	2	
25 to 29 years	2,228	2,092	1,297	1,362	692	551	32	1	193	170	1	5	10	1		2	3	
30 to 34 years	2,641	2,180	1,366	1,311	995	711	46	2	205	151	2	4	23		4	1		
35 to 39 years	3,353	2,419	1,613	1,311	1,430	927	59	12	227	167	1	2	15		7		1	
40 to 44 years	3,880	2,788	1,849	1,491	1,684	1,120	103	13	222	163	1	1	18		3			
45 to 49 years	4,435	3,326	2,181	1,811	1,938	1,340	106	15	187	158	5	2	15		3			
50 to 54 years	5,373	4,114	2,738	2,236	2,351	1,716	104	17	162	141	7	3	10	1	1			
55 to 59 years	5,745	4,506	2,900	2,344	2,623	2,023	93	15	110	122	1	2	18					
60 to 64 years	6,554	5,582	3,382	2,960	2,968	2,471	85	27	102	121	6	3	11					
65 to 69 years	6,466	5,756	3,600	3,263	2,715	2,364	69	22	77	103	3	3	2	1				
70 to 74 years	5,725	5,756	3,218	3,187	2,409	2,448	38	35	58	83	1	3	1					
75 to 79 years	4,551	4,920	2,571	2,726	1,894	2,113	40	20	42	61	1		3					
80 to 84 years	3,196	3,933	1,843	2,316	1,315	1,554	16	24	18	38	3	1	1					
85 to 89 years	1,433	2,115	829	1,259	590	825	4	14	10	17								
90 to 94 years	471	829	261	500	196	315	7	5	7	9								
95 to 99 years	94	167	49	102	42	61	2		1	4								
100 years and over	13	25	6	8	6	17			1									
Unknown	46	16	6	7	10	5	26	4	4									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH CAROLINA																		
All ages	17,184	16,054	10,265	9,302	95	62	148	97	6,577	6,510	98	82	1					1
Under 1 year	4,101	3,107	2,385	1,816		1	8	1	1,676	1,271	32	18						
1 to 4 years	1,500	1,258	934	749			5	1	543	496	18	12						
5 to 9 years	367	368	239	226				3	127	138	1	1						
10 to 14 years	300	263	175	120		2		2	124	138	1	1						
15 to 19 years	528	581	245	229			5	1	274	345	4	5						1
20 to 24 years	667	767	295	345	1		7	1	363	417	1	4						
25 to 29 years	583	721	266	307	12	1	12	2	289	409	4	2						
30 to 34 years	522	695	260	372	8	5	6	4	247	312	1	2						
35 to 39 years	578	701	268	322	9	1	6	2	291	369	4	7						
40 to 44 years	560	696	308	367	5	3	1	3	242	315	4	8						
45 to 49 years	605	688	322	349	4		7	1	272	337		1						
50 to 54 years	793	680	426	343	4	11	8	6	355	317		3						
55 to 59 years	698	613	448	328	9	3	3	4	237	275		3	1					
60 to 64 years	915	729	630	468	10	9	7	9	266	237	2	6						
65 to 69 years	1,103	899	821	623	4	2	6	9	264	264	8	1						
70 to 74 years	1,255	982	865	693	7	7	13	10	363	270	7	2						
75 to 79 years	935	821	689	636	11	2	19	12	214	171	2							
80 to 84 years	612	749	414	565	7	5	12	12	178	162	1	5						
85 to 89 years	262	368	155	261	3	7	7	3	94	97	3							
90 to 94 years	135	168	73	105		2	4	3	55	58	3							
95 to 99 years	34	74	14	37	1	1	1		17	36	1							
100 years and over	42	56	8	13			1	3	33	39		1						
Unknown	89	70	25	28			10	5	53	37	1							
NORTH DAKOTA																		
All ages	2,736	2,116	1,605	1,305	989	707	74	28	2	6	63	69	2		1	1		
Under 1 year	528	421	501	397		1	4	3			22	19			1	1		
1 to 4 years	190	158	176	144		3					14	11						
5 to 9 years	82	79	79	76	2			1			1	2						
10 to 14 years	70	56	67	51	3	2						3						
15 to 19 years	76	57	68	51	5	3	2	1			1	2						
20 to 24 years	82	88	68	67	9	9	2	3			3	9						
25 to 29 years	68	75	56	61	9	10	2	2			1	2						
30 to 34 years	66	78	48	58	14	19	4					1						
35 to 39 years	86	103	49	66	30	34	7					3						
40 to 44 years	90	71	47	37	35	31	7	2				1	1					
45 to 49 years	122	75	55	42	59	29	5	1	1	1	2	2						
50 to 54 years	137	80	54	41	77	37	3	2			3							
55 to 59 years	139	75	52	20	79	54	4			1	4							
60 to 64 years	200	126	67	44	120	76	9	2	1		2	4	1					
65 to 69 years	233	132	74	50	150	77	8	2			1	3						
70 to 74 years	176	120	57	27	112	88	4	5			3							
75 to 79 years	172	127	38	34	127	87	4	1		2	3	3						
80 to 84 years	122	106	25	19	91	83	5	1		2	1	1						
85 to 89 years	55	53	12	14	41	36	1	2			1	1						
90 to 94 years	24	27	6	5	18	21						1						
95 to 99 years	4	2	1		3	2												
100 years and over	1	2			1	2												
Unknown	13	5	5	1	4	3	3				1	1						
OHIO																		
All ages	37,230	32,720	27,170	25,415	6,375	5,058	856	199	2,818	2,045	1		10	2		1		
Under 1 year	5,038	3,749	4,635	3,437	4	2	3	7	396	303								
1 to 4 years	1,394	1,193	1,224	1,045	18	9	1	1	151	138								
5 to 9 years	687	549	643	518	6	6		1	38	24								
10 to 14 years	531	424	476	364	13	20			42	40								
15 to 19 years	753	706	616	590	46	36	6		85	80								
20 to 24 years	987	1,022	673	762	100	96	21	5	193	158				1				
25 to 29 years	1,091	1,104	650	837	157	113	56	7	228	146				1				
30 to 34 years	1,212	1,098	702	785	222	156	58	7	227	149	1		2			1		
35 to 39 years	1,557	1,141	849	806	401	186	56	12	249	137			2					
40 to 44 years	1,689	1,233	940	894	448	209	57	7	243	123			1					
45 to 49 years	1,795	1,443	1,062	1,051	460	243	66	8	207	141								
50 to 54 years	2,069	1,710	1,381	1,319	447	273	66	8	175	110								
55 to 59 years	2,297	1,888	1,580	1,411	501	361	64	6	152	110								
60 to 64 years	2,813	2,371	2,073	1,829	566	428	70	22	100	92			4					
65 to 69 years	3,201	2,696	2,447	2,095	619	508	52	22	83	71								
70 to 74 years	3,290	3,048	2,456	2,298	707	644	53	24	74	82								
75 to 79 years	3,085	2,930	2,222	2,192	711	654	32	21	70	68								
80 to 84 years	2,262	2,435	1,565	1,792	540	587	101	23	55	33			1					
85 to 89 years	1,065	1,380	716	998	295	353	34	9	20	20								
90 to 94 years	324	456	217	310	93	133	5	4	9	9								
95 to 99 years	59	110	30	67	19	36	2	2	8	5								
100 years and over	14	23	7	7		4		1	7	11								
Unknown	17	11	6	8	2	1	3	2	6									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
OREGON																		
All ages	5,694	3,811	3,998	2,973	1,246	698	226	38	29	11	74	70	84	5	35	16	2	
Under 1 year	502	340	471	317	1		6		1		13	13	3	3	6	7	1	
1 to 4 years	176	145	155	128	5	4	2		1		5	10	2		6	3		
5 to 9 years	95	100	88	89	4	2					2	7			1	2		
10 to 14 years	108	74	96	68	3	3					8	3	1					
15 to 19 years	142	108	123	94	10	4	1	1	1	1	5	7	1		1	1		
20 to 24 years	160	121	139	111	14	5	2	1	1		2	2		1	2	1		
25 to 29 years	138	118	99	103	28	6	5	2	1	3	2	3	3			1		
30 to 34 years	165	146	113	123	28	18	15	2	4	1	3	1	1		1	1		
35 to 39 years	233	134	158	108	58	24	11	1			3	1			3			
40 to 44 years	246	128	155	106	59	17	14	3	4	1	4	1	6		4			
45 to 49 years	292	185	201	139	62	38	13	3	7	1	1	4	4		4			
50 to 54 years	329	211	210	162	82	46	21	1	3		3	2	4		5		1	
55 to 59 years	365	237	247	182	95	53	14	1	3		4			1	2			
60 to 64 years	483	271	299	194	131	68	33	2	1	1	2	6	17					
65 to 69 years	595	359	399	277	152	75	27	4		1	2	2	15					
70 to 74 years	570	336	359	227	175	104	22	2	1	1	5	2	8					
75 to 79 years	479	345	314	242	135	95	13	7		1	6		11					
80 to 84 years	354	263	207	186	123	73	15	3	1		1	1	7					
85 to 89 years	188	133	125	88	57	40	4	4			2	1						
90 to 94 years	51	42	31	24	16	18	3						1					
95 to 99 years	13	9	9	3	3	4	1	1				1						
100 years and over	2	5		1	2	1						3						
Unknown	8	1		1	3		4				1							
PENNSYLVANIA																		
All ages	60,980	52,341	42,497	38,969	13,470	9,762	761	288	4,202	3,314	4	1	40	7	4		2	
Under 1 year	10,102	7,417	9,325	6,831	15	7	17	12	742	562	1		2	5				
1 to 4 years	3,106	2,623	2,819	2,362	21	18	3	5	262	236			1	2				
5 to 9 years	1,323	1,020	1,251	949	12	10	3	3	57	58								
10 to 14 years	947	720	875	638	28	23	3	1	41	58								
15 to 19 years	1,311	1,237	1,096	1,027	88	65	6	7	121	138								
20 to 24 years	1,528	1,560	1,047	1,147	193	167	16	6	272	240								
25 to 29 years	1,836	1,711	1,065	1,211	414	263	19	4	332	233	1		4				1	
30 to 34 years	2,101	1,782	1,099	1,142	674	405	34	7	292	227		1	1		1			
35 to 39 years	2,673	1,972	1,256	1,192	1,015	563	59	12	338	205			4		1			
40 to 44 years	2,965	2,160	1,425	1,330	1,092	589	71	13	374	228			2				1	
45 to 49 years	3,325	2,360	1,720	1,471	1,206	634	85	14	305	241	1		6		2			
50 to 54 years	3,860	2,850	2,080	1,859	1,403	753	67	18	305	220			5					
55 to 59 years	4,052	3,055	2,341	1,984	1,417	894	73	12	217	165			4					
60 to 64 years	4,500	3,785	2,812	2,582	1,462	1,028	70	27	151	148			5					
65 to 69 years	4,806	4,080	3,344	2,985	1,256	946	72	39	131	110			3					
70 to 74 years	4,658	4,319	3,375	3,112	1,132	1,083	59	28	90	96			2					
75 to 79 years	3,903	4,025	2,769	2,942	992	1,005	53	23	87	55	1		1					
80 to 84 years	2,495	3,221	1,792	2,392	629	749	28	28	46	52								
85 to 89 years	1,104	1,662	774	1,246	294	374	11	20	25	22								
90 to 94 years	318	624	198	455	107	148	3	7	10	14								
95 to 99 years	50	129	29	98	18	29			3	2								
100 years and over	8	27	4	12	2	9	1	2	1	4								
Unknown	9	2	1	2			8											
RHODE ISLAND																		
All ages	4,309	4,028	2,678	2,512	1,485	1,373	29	20	116	123			1					
Under 1 year	666	532	644	510	1	1	3	4	18	17								
1 to 4 years	200	175	190	163	5	4			5	8								
5 to 9 years	105	70	96	66	5	3			4	1								
10 to 14 years	65	50	58	40	4	9	2		1	1								
15 to 19 years	89	75	79	63	10	8		1		3								
20 to 24 years	91	117	63	83	23	31			5	3								
25 to 29 years	114	117	70	82	38	31			5	4			1					
30 to 34 years	121	111	66	66	50	40	1		4	5								
35 to 39 years	152	136	71	75	73	53	2	1	6	7								
40 to 44 years	171	132	91	77	73	50	1		6	5								
45 to 49 years	238	197	108	105	120	85	3		7	7								
50 to 54 years	268	234	117	107	134	115	5		12	12								
55 to 59 years	336	286	146	133	180	145	2		8	8								
60 to 64 years	379	315	180	160	189	147	1	2	9	6								
65 to 69 years	391	375	205	183	179	177	1	3	6	12								
70 to 74 years	351	355	181	168	162	177	1	3	7	7								
75 to 79 years	267	319	152	178	105	130	4	4	6	7								
80 to 84 years	186	231	101	129	81	99	1		3	3								
85 to 89 years	81	131	43	79	35	46		1	3	5								
90 to 94 years	27	55	14	37	12	16		1	1	1								
95 to 99 years	7	8	3	3	4	4				1								
100 years and over	1	6		4	1	2												
Unknown	3	1		1	1		2											

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
SOUTH CAROLINA																		
All ages	11,654	11,241	4,734	4,250	59	39	34	30	6,823	6,919	3	3			1			
Under 1 year	2,619	2,197	1,019	835			1	3	1,596	1,358	3	1						
1 to 4 years	1,161	1,015	453	420		1	2		706	594								
5 to 9 years	283	267	135	86					148	181								
10 to 14 years	242	200	78	58			1		163	141		1						
15 to 19 years	398	474	119	106					279	368								
20 to 24 years	505	634	119	147	2				384	487								
25 to 29 years	396	553	100	135	2		1	3	292	415					1			
30 to 34 years	375	526	110	153	2		1	2	262	371								
35 to 39 years	422	591	126	155		2	4	1	292	433								
40 to 44 years	449	518	158	148	3	1			288	369								
45 to 49 years	481	487	179	147	5		2		295	340								
50 to 54 years	582	490	217	165			2	2	363	323								
55 to 59 years	536	406	252	149	7	5	4	3	273	249								
60 to 64 years	624	488	312	231	5	5	4	3	303	248		1						
65 to 69 years	669	517	401	270	10	6	2	4	256	237								
70 to 74 years	744	596	403	339	9	5	5	4	327	248								
75 to 79 years	512	490	287	315	6	5	2	1	217	169								
80 to 84 years	356	405	177	234	6	6		2	173	163								
85 to 89 years	166	174	71	93	2	3			93	78								
90 to 94 years	64	102	10	35				1	54	66								
95 to 99 years	23	38	2	11					21	27								
100 years and over	25	50	1	6					24	44								
Unknown	22	23	5	12			3	1	14	10								
TENNESSEE																		
All ages	14,681	13,337	9,879	8,900	195	153	213	116	4,393	4,168			1					
Under 1 year	2,457	1,818	1,822	1,321			8	9	627	488								
1 to 4 years	983	931	766	704			5	7	212	220								
5 to 9 years	297	244	204	171			2		91	73								
10 to 14 years	275	261	194	152		1	1		80	108								
15 to 19 years	538	606	306	316		3	2	4	230	283								
20 to 24 years	605	747	318	406	2		5	3	280	338								
25 to 29 years	586	682	299	363	7	4	14	3	266	312								
30 to 34 years	632	580	364	317	2	3	10	2	255	258			1					
35 to 39 years	600	621	325	357	9	4	7	5	259	255								
40 to 44 years	614	624	347	373	7	4	9	2	251	245								
45 to 49 years	659	652	364	379	9	5	16	1	270	267								
50 to 54 years	830	703	507	397	9	7	14	4	300	295								
55 to 59 years	748	589	484	384	12	10	15	2	237	193								
60 to 64 years	801	719	530	499	27	17	18	9	226	194								
65 to 69 years	1,012	775	767	584	26	8	18	10	201	173								
70 to 74 years	971	861	753	695	23	18	18	16	177	132								
75 to 79 years	953	786	751	670	30	23	23	9	149	84								
80 to 84 years	616	609	464	468	12	29	15	16	125	96								
85 to 89 years	322	324	217	245	18	10	4	6	83	63								
90 to 94 years	120	121	75	65	2	6	4	6	39	44								
95 to 99 years	25	28	11	13		1			14	14								
100 years and over	12	33	3	10					9	23								
Unknown	25	23	8	11			5	2	12	10								
UTAH																		
All ages	2,898	2,150	1,875	1,497	846	583	70	13	22	15	36	25	6	2	42	15	1	
Under 1 year	521	379	502	367		1	1	3	1		11	3			6	5		
1 to 4 years	188	160	187	158							1					2		
5 to 9 years	75	69	73	66							2	1				2		
10 to 14 years	74	53	70	52	2						2	1						
15 to 19 years	86	70	79	65	6	2	1	1				2						
20 to 24 years	105	65	81	52	15	8	3		1	3	2	2	1		2			
25 to 29 years	99	63	64	51	29	8	2					2		1	3	1	1	
30 to 34 years	122	67	66	55	47	6	4		1	2		1			4	3		
35 to 39 years	165	81	82	67	64	11	6	1	5	1	1	1			7			
40 to 44 years	154	90	86	61	53	24	6			4	1				8	1		
45 to 49 years	155	86	85	60	57	24	4	1	4	1	1				4			
50 to 54 years	143	89	84	70	43	18	6		2	1	3		1		4	1		
55 to 59 years	151	103	90	64	50	36	5		1	1	3	1	2	1				
60 to 64 years	156	137	67	82	74	49	6	2	2	2	2	2	1		4			
65 to 69 years	186	144	93	80	86	61	6	1		1	1	1						
70 to 74 years	190	131	72	42	111	87	2	1	2		3	1						
75 to 79 years	137	123	53	41	78	80	6	2										
80 to 84 years	96	123	21	35	71	87	2				1	1	1					
85 to 89 years	52	61	12	13	38	45	1	1	1			2						
90 to 94 years	19	47	6	14	12	31					1	2						
95 to 99 years	5	6		2	3	4			1		1							
100 years and over	1	1			1							1						
Unknown	18	2	2		6	1	9		1			1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VERMONT																		
All ages	2,546	2,314	2,048	1,919	444	369	54	25										1
Under 1 year	300	220	299	219			1											1
1 to 4 years	71	71	69	67	1	4	1											
5 to 9 years	31	32	31	30		2												
10 to 14 years	34	11	34	11														
15 to 19 years	50	33	44	32	6			1										
20 to 24 years	38	43	37	35	1	8												
25 to 29 years	45	44	34	35	8	9	3											
30 to 34 years	52	64	46	53	5	10	1	1										
35 to 39 years	67	60	42	53	15	7												
40 to 44 years	51	52	41	45	8	7	2											
45 to 49 years	115	87	84	73	27	14	4											
50 to 54 years	115	99	76	83	33	15	6	1										
55 to 59 years	180	126	131	103	47	22	2	1										
60 to 64 years	196	164	152	134	39	28	5	2										
65 to 69 years	239	206	189	163	46	41	4	2										
70 to 74 years	306	250	242	190	56	56	8	4										
75 to 79 years	303	271	232	205	63	61	8	5										
80 to 84 years	209	240	155	197	49	39	5	4										
85 to 89 years	111	156	83	121	24	32	4	3										
90 to 94 years	36	68	23	58	13	9		1										
95 to 99 years	6	17	4	12	2	5												
100 years and over	1				1													
Unknown																		
VIRGINIA																		
All ages	15,286	13,889	9,077	7,916	335	178	136	68	5,721	5,719	8	7	5		2	1	2	
Under 1 year	2,804	2,186	1,680	1,246			9	12	1,110	928	3		1				1	
1 to 4 years	866	796	495	451	1		4	1	366	344								
5 to 9 years	253	258	166	160			1		85	98	1							
10 to 14 years	237	229	132	105	2	1			103	123								
15 to 19 years	459	449	226	153	2	1	3	1	228	294								
20 to 24 years	566	599	277	245	10	1	8	2	271	351								
25 to 29 years	463	528	224	233	10	3	1	2	226	290	1						1	
30 to 34 years	404	515	198	255	3	5	2	1	200	253					1	1		
35 to 39 years	517	549	229	241	11	5	4	3	273	299		1						
40 to 44 years	633	646	273	292	16	6	3	3	339	343		2	2					
45 to 49 years	690	680	344	317	9	10	8	2	328	351	1							
50 to 54 years	930	796	457	356	20	5	10	2	441	433			1		1			
55 to 59 years	838	723	482	371	23	10	6	5	326	337			1					
60 to 64 years	989	823	579	482	51	18	6	3	353	320								
65 to 69 years	1,109	867	756	627	39	19	11	6	303	213		2						
70 to 74 years	1,132	958	818	687	38	20	10	8	265	243	1							
75 to 79 years	1,051	926	797	725	38	30	13	2	202	169	1							
80 to 84 years	785	696	585	528	37	30	23	9	140	127		2						
85 to 89 years	359	404	255	303	18	10	7	2	79	89								
90 to 94 years	131	151	79	99	7	2	5	1	40	49								
95 to 99 years	29	49	15	23		2			14	24								
100 years and over	22	41	3	11				1	19	29								
Unknown	19	20	7	6			2	2	10	12								
WASHINGTON																		
All ages	8,598	5,982	5,408	4,192	2,487	1,470	324	60	76	48	132	150	52	5	104	54	15	3
Under 1 year	814	612	753	552	4	1	2	1	3	3	26	33	4	3	22	18		1
1 to 4 years	290	256	238	218	9	8	4	6	2	1	21	13	1	1	15	9		
5 to 9 years	209	171	171	140	11	11	7	3	1	2	12	12			7	3		
10 to 14 years	177	126	153	105	11	8	1	4	2		9	7			1	1		1
15 to 19 years	207	178	164	146	19	14	7	5	2	2	9	9	1	1	5	1		
20 to 24 years	262	232	183	203	40	19	8	2	6	2	14	1	2		4	5	5	
25 to 29 years	253	216	177	169	49	33	10	2	4		1	8	2		4	4	6	
30 to 34 years	279	241	172	179	86	48	9	4	6	2	2	4			2	4	2	
35 to 39 years	361	232	198	166	129	55	18	2	7	3	1	3	1		6	3	1	
40 to 44 years	399	299	206	199	143	84	23	3	6	6	4	4	3		14	3		
45 to 49 years	439	300	247	204	144	82	24	4	6	6	5	4	5		8			
50 to 54 years	542	328	314	219	180	88	32	5	4	8	4	7	1		7	1		
55 to 59 years	589	390	335	255	212	124	29	2	4	3	4	6	3		2			
60 to 64 years	803	453	418	282	306	163	53	4	8	1	3	3	11		4			
65 to 69 years	836	468	487	279	297	179	31	1	7	5	5	2	7		2	1		1
70 to 74 years	761	476	423	286	296	176	32	4	4	1	1	9	4		1			
75 to 79 years	621	398	351	248	244	140	15	5	3	1	4	3	4			1		
80 to 84 years	431	328	238	187	181	132	6	1	1	2	3	6	2					
85 to 89 years	202	193	119	113	81	69	1	1			1	10						
90 to 94 years	90	60	50	33	37	25	2				1	2						
95 to 99 years	12	17	7	8	3	9					2							
100 years and over	2	4			2	1						3						
Unknown	19	4	4	1	3	1	10	1				1	1				1	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1924—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WISCONSIN																		
All ages	15,409	12,841	9,298	8,089	5,625	4,499	252	60	97	58	132	134	3	1	1	------	1	----
Under 1 year	2,148	1,693	2,106	1,654	--------	1	3	3	14	6	25	29	------	------	------	------	------	----
1 to 4 years	545	475	522	454	2	2	1	------	5	3	15	16	------	------	------	------	------	----
5 to 9 years	286	230	270	225	3	3	1	------	1	--------	11	2	------	------	------	------	------	----
10 to 14 years	233	168	219	161	4	5	1	------	1	--------	8	2	------	------	------	------	------	----
15 to 19 years	331	278	302	254	14	15	1	1	5	2	9	5	------	1	------	------	------	----
20 to 24 years	334	374	299	340	28	25	3	1	2	2	2	6	------	------	------	------	------	----
25 to 29 years	353	402	295	349	39	41	3	2	9	5	6	5	------	------	------	------	1	----
30 to 34 years	459	384	341	329	92	45	8	1	15	5	3	4	------	------	------	------	------	----
35 to 39 years	533	475	339	368	167	93	16	1	6	4	4	9	------	------	1	------	------	----
40 to 44 years	565	421	340	311	198	99	16	3	6	8	5	------	------	------	------	------	------	----
45 to 49 years	660	480	398	320	224	143	27	6	6	6	5	5	------	------	------	------	------	----
50 to 54 years	728	594	436	401	253	181	24	6	11	3	3	3	1	------	------	------	------	----
55 to 59 years	923	691	497	411	399	269	18	2	2	1	6	8	1	------	------	------	------	----
60 to 64 years	1,236	919	637	516	549	397	38	2	5	1	7	3	------	------	------	------	------	----
65 to 69 years	1,443	1,065	764	588	642	464	27	5	4	3	6	5	------	------	------	------	------	----
70 to 74 years	1,483	1,221	617	546	826	656	30	9	4	3	6	7	------	------	------	------	------	----
75 to 79 years	1,292	1,126	418	366	852	745	14	6	--------	3	7	6	1	------	------	------	------	----
80 to 84 years	998	975	278	254	709	705	9	6	--------	1	2	9	------	------	------	------	------	----
85 to 89 years	571	557	147	151	417	396	7	3	--------	2	------	5	------	------	------	------	------	----
90 to 94 years	225	239	52	69	170	168	1	1	--------	--------	2	1	------	------	------	------	------	----
95 to 99 years	46	62	14	16	30	42	1	1	1	--------	------	3	------	------	------	------	------	----
100 years and over	8	9	3	4	5	4	------	------	--------	--------	------	1	------	------	------	------	------	----
Unknown	9	3	4	2	2	--------	3	1	--------	--------	------	------	------	------	------	------	------	----
WYOMING																		
All ages	1,264	799	848	573	228	111	107	22	23	18	37	73	4	------	16	2	1	----
Under 1 year	202	134	192	121	1	--------	--------	1	1	1	7	9	------	------	1	2	------	----
1 to 4 years	71	99	60	65	--------	--------	1	------	1	--------	8	34	------	------	1	------	------	----
5 to 9 years	28	30	26	20	--------	--------	------	------	--------	--------	2	10	------	------	------	------	------	----
10 to 14 years	30	25	25	20	--------	1	------	------	--------	1	5	3	------	------	------	------	------	----
15 to 19 years	33	20	26	17	3	2	1	------	1	--------	2	1	------	------	------	------	------	----
20 to 24 years	56	31	39	30	10	1	4	------	1	--------	1	------	------	------	1	------	------	----
25 to 29 years	48	49	31	37	10	3	4	2	2	4	------	3	------	------	------	------	1	----
30 to 34 years	78	42	47	30	24	6	2	5	3	1	------	------	------	------	2	------	------	----
35 to 39 years	87	43	42	27	19	13	14	------	3	2	2	1	1	------	6	------	------	----
40 to 44 years	80	30	39	17	24	9	9	1	2	1	1	2	1	------	4	------	------	----
45 to 49 years	89	31	40	23	23	4	21	2	1	2	3	------	------	------	1	------	------	----
50 to 54 years	77	32	48	21	20	9	8	------	--------	2	1	------	------	------	------	------	------	----
55 to 59 years	47	25	26	21	13	1	5	3	1	--------	1	------	1	------	------	------	------	----
60 to 64 years	76	43	44	27	22	10	7	2	--------	--------	3	4	------	------	------	------	------	----
65 to 69 years	74	43	48	27	13	9	11	2	2	2	------	3	------	------	------	------	------	----
70 to 74 years	77	45	54	28	15	14	6	1	1	1	------	1	1	------	------	------	------	----
75 to 79 years	56	33	37	18	12	12	4	1	2	--------	1	2	------	------	------	------	------	----
80 to 84 years	27	27	14	15	11	9	1	2	1	1	------	------	------	------	------	------	------	----
85 to 89 years	13	11	7	4	3	7	3	------	--------	--------	------	------	------	------	------	------	------	----
90 to 94 years	5	4	2	4	2	--------	1	------	--------	--------	------	------	------	------	------	------	------	----
95 to 99 years	1	1	1	--------	--------	1	------	------	--------	--------	------	------	------	------	------	------	------	----
100 years and over	--------	1	--------	1	--------	--------	------	------	--------	--------	------	------	------	------	------	------	------	----
Unknown	9	--------	--------	--------	3	--------	5	------	1	--------	------	------	------	------	------	------	------	----

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43 and 44.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
1	The registration area (exclusive of Hawaii)	White	1,014,085	4,616	1,146	768	7,129	3,067	6,192	8,732	15,794	2,344	871	60,135	3,478	5,766	86,050
		Colored	159,905	2,061	1,295	106	1,388	55	1,996	584	3,580	114	93	17,961	536	1,848	5,088
2	Registration States [1]	White	997,617	4,506	1,109	766	6,833	3,051	6,071	8,659	15,498	2,320	856	58,634	3,412	5,659	84,928
		Colored	153,459	2,014	1,254	105	1,347	55	1,962	573	3,394	110	85	17,342	518	1,781	4,868
3	Cities in registration States [1]	White	525,412	1,630	125	549	2,535	1,436	2,380	4,843	5,812	1,255	508	28,123	2,325	3,092	49,371
		Colored	67,758	467	168	66	314	32	628	238	1,334	63	49	7,452	364	1,013	2,543
4	Rural part of registration States	White	472,205	2,876	984	217	4,298	1,615	3,691	3,816	9,686	1,065	348	30,511	1,087	2,567	35,557
		Colored	85,701	1,547	1,086	39	1,033	23	1,334	335	2,060	47	36	9,890	154	768	2,325
5	Registration cities in nonregistration States	White	16,468	110	37	2	296	16	121	73	296	24	15	1,501	66	107	1,122
		Colored	6,446	47	41	1	41		34	11	186	4	8	619	18	67	220
6	All registration cities [1]	White	541,880	1,740	162	551	2,831	1,452	2,501	4,916	6,108	1,279	523	29,624	2,391	3,199	50,493
		Colored	74,204	514	209	67	355	32	662	249	1,520	67	57	8,071	382	1,080	2,763
7	California	White	53,752	211	17	55	314	103	162	683	568	77	42	4,864	226	378	4,976
		Colored	3,080	18	2	2	15	3	12	16	36	5	8	517	39	44	144
8	Urban	White	31,293	103	5	35	99	43	76	426	244	46	25	2,388	145	233	3,360
		Colored	1,772	7	1	1	5	2	3	13	17	2	6	291	32	30	102
9	Rural	White	22,459	108	12	20	215	60	86	257	324	31	17	2,476	81	145	1,616
		Colored	1,308	11	1	1	10	1	9	3	19	3	2	226	7	14	42
10	Colorado	White	12,137	66			211	42	62	154	336	40	14	1,418	49	60	816
		Colored	391	1			5	2	3	3	8	2	1	95	4	13	21
11	Urban	White	5,569	24			56	12	25	66	129	15	5	688	31	29	452
		Colored	260				3	1	2	1	4	1	1	67	4	11	15
12	Rural	White	6,568	42			155	30	37	88	207	25	9	730	18	31	364
		Colored	131	1			2	1	1	2	4	1		28		2	6
13	Connecticut	White	16,542	37	4	5	45	63	71	165	225	40	16	969	84	90	1,555
		Colored	447	1				1	3	2	7			75	2	10	24
14	Urban	White	12,491	31	2	5	38	52	57	142	178	29	15	629	68	71	1,208
		Colored	376	1				1	2	2	7			54	2	7	22
15	Rural	White	4,051	6	2		7	11	14	23	47	11	1	340	16	19	347
		Colored	71						1					21		3	2
16	Delaware	White	2,352	13	1		1	6	13	21	33	6	2	159	4	15	201
		Colored	663	3					10	1	13	1	1	78	1	9	17
17	Urban	White	1,143	7				4	9	14	19	4	2	50	3	8	116
		Colored	264						1		5		1	16	1	5	6
18	Rural	White	1,209	6	1		1	2	4	7	14	2		109	1	7	85
		Colored	399	3					9	1	8	1		62		4	11
19	Florida	White	9,297	85	163		172	3	71	72	146	10	15	416	12	34	576
		Colored	6,564	70	138		80		37	27	142	1	2	552	4	39	144
20	Urban	White	2,764	27	11		29	2	15	22	25	3	7	158	6	16	230
		Colored	2,098	22	7		17		9	15	46	1	1	223	3	15	45
21	Rural	White	6,533	58	152		143	1	56	50	121	7	8	258	6	18	346
		Colored	4,466	48	131		63		28	12	96		1	329	1	24	99
22	Georgia	White	17,774	285	163	11	368	18	210	164	511	31	11	353	12	76	925
		Colored	17,021	385	235	13	196	2	243	57	418	9	7	1,567	15	153	469
23	Urban	White	4,779	42	9	5	68	5	45	34	91	12	4	210	6	22	297
		Colored	5,548	59	33	5	35	1	69	6	154	4	5	531	6	84	158
24	Rural	White	12,995	243	154	6	300	13	165	130	420	19	7	643	6	54	628
		Colored	11,473	326	202	8	161	1	174	51	264	5	2	1,036	9	69	311
25	Idaho	White	3,583	31		1	96	17	19	37	84	12	5	126	7	15	266
		Colored	204	3			8		9		10			62	5	4	2
26	Urban	White	555	3			9	1	2	7	19	3	1	22	2	5	45
		Colored	31	2										5	1		
27	Rural	White	3,028	28		1	87	16	17	30	65	9	4	104	5	10	221
		Colored	173	1			8		9		10			57	4	4	2
28	Illinois	White	71,659	222	58	15	203	205	304	461	919	109	37	4,183	192	386	6,750
		Colored	5,474	19	9	1	25	1	49	19	84	5	6	763	36	82	224
29	Urban	White	43,706	88	14	5	105	110	121	289	395	54	26	2,266	141	237	4,390
		Colored	4,431	10	3	1	19	1	44	17	63	5	5	561	33	67	172
30	Rural	White	27,953	134	44	10	98	95	183	172	524	55	11	1,917	51	149	2,360
		Colored	1,043	9	6		6		5	2	21		1	202	3	15	52
31	Indiana	White	35,156	206	12	9	201	73	292	244	702	82	22	1,982	99	248	2,837
		Colored	2,006	10	4		10	2	14	3	25		1	207	9	30	84
32	Urban	White	14,519	73	2	2	50	35	103	93	244	26	10	721	52	91	1,222
		Colored	1,687	9	3		9	1	14	3	22			157	9	28	67
33	Rural	White	20,637	133	10	7	151	38	189	151	458	56	12	1,261	47	157	1,615
		Colored	319	1	1		1	1			3		1	50		2	17
34	Iowa	White	23,444	64	1	12	258	84	138	150	406	68	11	797	44	115	2,382
		Colored	330	1	1		4	1	1	1	6			43	1	6	20
35	Urban	White	7,780	32		8	84	13	24	66	110	24	5	261	19	49	817
		Colored	236	1	1		3	1	1	1	4			24	1	5	17
36	Rural	White	15,664	32	1	4	174	71	114	84	296	44	6	536	25	66	1,565
		Colored	94				1				2			19		1	3
37	Kansas	White	16,691	74	6	2	140	43	115	86	350	29	9	543	28	64	1,426
		Colored	1,207	5			11	1	13	5	36	1	1	129	4	19	51
38	Urban	White	5,211	22			61	8	31	16	83	12	4	187	12	32	510
		Colored	517	4			10	1	9	3	29	1		95	3	15	38
39	Rural	White	11,480	52	6	2	79	35	84	70	267	17	5	356	16	32	916
		Colored	390	1			1		4	2	7		1	34	1	4	13

[1] Including District of Columbia.

FROM IMPORTANT CAUSES, BY COLOR: 1924

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (* death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
3,965	15,479	83,578	158,743	6,411	81,038	22,945	13,493	9,303	6,694	76,602	4,745	7,756	69,029	11,660	4,820	14,370	53,206	9,047	155,113	1
583	974	8,363	17,928	796	16,365	4,621	1,295	1,177	650	12,261	1,000	1,874	8,624	401	3,600	1,158	7,011	8,489	26,030	
3,935	15,333	82,676	157,164	6,324	79,862	22,198	13,076	9,097	6,613	75,504	4,586	7,592	67,890	11,461	4,642	14,112	52,347	8,741	152,162	2
566	931	8,000	17,295	773	15,702	4,451	1,211	1,101	607	11,730	949	1,821	8,324	385	3,372	1,109	6,758	8,055	24,911	
1,993	8,904	39,146	85,955	3,128	44,698	11,275	9,169	5,755	3,883	40,548	2,814	4,135	35,829	6,581	2,726	8,882	26,183	1,206	78,618	3
264	503	3,717	8,633	398	8,893	1,869	807	642	329	5,404	446	637	3,835	248	1,983	671	2,670	901	10,177	
1,942	6,429	43,530	71,209	3,196	35,164	10,923	3,907	3,342	2,730	34,956	1,772	3,457	32,061	4,880	1,916	5,230	26,164	7,535	73,544	4
302	428	4,283	8,662	375	6,809	2,582	404	459	278	6,326	503	1,184	4,489	137	1,389	438	4,088	7,154	14,734	
30	146	902	1,579	87	1,176	747	417	206	81	1,098	159	164	1,139	199	178	258	859	306	2,951	5
17	43	363	633	23	663	170	84	76	43	531	51	53	300	16	228	49	253	434	1,119	
2,023	9,050	40,048	87,534	3,215	45,874	12,022	9,586	5,961	3,964	41,646	2,973	4,299	36,968	6,780	2,904	9,140	27,042	1,512	81,569	6
281	546	4,080	9,266	421	9,556	2,039	891	718	372	5,935	497	690	4,135	264	2,211	720	2,923	1,335	11,296	
131	750	4,294	9,294	294	3,476	1,267	721	503	405	3,566	148	307	2,549	1,024	308	1,184	2,715	60	8,080	7
7	27	118	322	18	268	92	33	37	28	190	26	34	179	71	66	70	169	42	422	
70	506	2,486	5,493	166	1,996	508	479	344	246	2,238	93	187	1,543	681	159	652	1,428	24	4,766	8
4	22	79	196	10	167	39	22	27	18	126	17	26	92	39	40	37	74	2	223	
61	244	1,808	3,801	128	1,480	759	242	159	159	1,328	55	120	1,006	343	149	532	1,287	36	3,314	9
3	5	39	126	8	101	53	11	10	10	64	9	8	87	32	26	33	95	40	199	
42	96	825	1,237	48	1,199	375	241	97	61	742	77	93	891	158	88	155	656	41	1,747	10
-------	3	13	34	-------	32	11	7	6	1	25	2	1	10	6	12	3	15	5	47	
14	28	391	620	15	557	147	121	60	26	378	41	39	376	76	31	61	223	7	826	11
-------	2	9	28	-------	21	5	5	6	1	19	1	-------	4	4	8	1	4	1	31	
28	68	434	617	33	642	228	120	37	35	364	36	54	515	82	57	94	433	34	921	12
-------	1	4	6	-------	11	6	2	-------	-------	6	1	1	6	2	4	2	11	4	16	
83	283	1,566	2,859	103	1,376	310	182	151	86	1,203	64	109	1,214	154	44	272	840	58	2,216	13
2	7	17	55	6	50	13	4	2	2	31	4	4	24	3	8	5	21	1	63	
60	233	1,116	2,062	69	1,048	251	168	133	73	876	57	91	969	106	40	227	669	39	1,679	14
2	7	13	50	5	41	12	4	1	2	26	4	4	21	3	8	4	17	1	53	
23	50	450	797	34	328	59	14	18	13	327	7	18	245	48	4	45	171	19	537	15
-------	-------	4	5	1	9	1	-------	1	-------	5	-------	-------	3	-------	-------	1	4	-------	10	
8	31	241	393	11	174	64	13	11	22	252	8	14	126	21	7	38	130	2	311	16
1	5	46	80	10	72	29	5	1	4	66	6	6	46	1	10	8	45	1	87	
2	17	96	161	6	94	29	10	7	14	123	3	9	67	10	3	25	67	1	163	17
-------	2	22	31	3	38	13	4	1	1	18	4	3	17	-------	8	4	21	-------	39	
6	14	145	232	5	80	35	3	4	8	129	5	5	59	11	4	13	63	1	148	18
1	3	24	49	7	34	16	1	-------	3	48	2	3	29	1	2	4	24	1	48	
18	107	700	1,208	46	477	275	99	87	55	751	47	116	627	100	104	166	479	295	1,765	19
14	19	361	627	36	341	184	47	56	42	445	51	111	309	10	251	76	409	541	1,398	
3	36	212	420	12	131	68	48	37	19	253	16	20	166	52	29	69	136	30	456	20
3	6	124	206	18	138	89	22	25	18	149	15	29	108	5	103	25	107	52	452	
15	71	488	788	34	346	207	51	50	36	498	31	96	461	48	75	97	343	265	1,309	21
11	13	237	421	18	203	95	25	31	24	296	36	82	201	5	148	51	302	489	946	
60	175	1,249	1,649	69	1,452	583	213	150	84	1,615	106	266	1,418	174	151	230	815	540	3,137	22
63	92	972	1,637	95	1,549	430	106	114	36	1,498	117	246	879	19	402	77	826	1,013	3,081	
10	55	371	503	17	377	160	105	63	30	501	41	62	379	83	52	99	250	29	742	23
22	43	402	631	53	596	158	54	55	8	582	45	53	260	11	172	35	213	114	891	
50	120	878	1,146	52	1,075	423	108	87	54	1,114	65	204	1,039	91	99	131	565	511	2,395	24
41	49	570	1,006	42	953	272	52	59	28	916	72	193	619	8	230	42	613	899	2,190	
16	50	246	440	8	246	48	38	53	14	192	23	37	251	49	22	53	333	60	638	25
-------	4	3	11	-------	20	4	1	2	-------	3	1	3	6	1	2	1	6	7	26	
3	9	39	57	1	33	6	12	14	2	32	8	6	34	5	8	11	35	3	118	26
-------	-------	1	4	-------	1	-------	-------	1	-------	-------	1	-------	1	-------	1	-------	2	-------	11	
13	41	207	383	7	213	42	76	39	12	160	15	31	217	44	14	42	298	57	520	27
-------	4	2	7	-------	19	4	1	1	-------	3	-------	3	5	1	1	1	4	7	15	
319	1,190	5,561	12,146	570	4,979	1,780	1,061	628	598	6,199	331	451	4,907	1,003	487	1,012	3,935	182	10,276	28
32	51	232	773	37	751	158	61	33	25	409	33	29	307	17	234	53	218	10	688	
211	747	2,993	7,500	346	3,161	1,126	835	436	402	3,956	230	312	3,153	649	355	740	2,398	23	5,892	29
29	47	189	620	29	659	131	57	30	19	333	26	27	274	13	213	50	156	1	527	
108	443	2,568	4,646	224	1,818	654	226	192	196	2,243	101	139	1,754	354	132	272	1,537	159	4,384	30
3	4	43	153	8	92	27	4	3	6	76	7	2	33	4	21	3	62	9	161	
110	537	3,413	5,576	186	2,477	808	397	368	271	3,096	176	197	2,081	401	147	465	1,945	65	5,431	31
10	14	109	277	14	291	67	29	13	16	168	6	15	104	6	76	15	88	3	286	
51	223	1,127	2,159	59	1,158	394	263	207	142	1,154	91	94	956	192	100	261	794	20	2,350	32
6	10	87	229	13	275	63	28	11	14	134	6	11	91	6	68	13	66	3	231	
59	314	2,286	3,417	127	1,319	414	134	161	129	1,942	85	103	1,125	209	47	204	1,151	45	3,081	33
4	4	22	48	1	16	4	1	2	2	34	-------	4	13	-------	8	2	22	-------	55	
90	451	2,350	3,329	168	1,670	239	397	263	123	1,464	111	179	1,560	343	50	210	1,171	129	4,617	34
-------	3	28	36	-------	29	4	3	3	-------	23	2	2	15	2	16	1	17	4	57	
27	133	641	1,043	55	559	88	203	125	35	461	49	57	509	102	28	86	427	17	1,623	35
-------	1	20	22	-------	26	3	1	1	-------	17	1	2	14	1	13	-------	11	4	40	
63	318	1,709	2,286	113	1,111	151	194	138	88	1,003	62	122	1,051	241	22	124	744	112	2,994	36
-------	2	8	14	-------	3	1	2	2	-------	6	1	-------	1	1	3	1	6	-------	17	
73	265	1,677	2,309	107	1,023	305	303	179	118	1,191	73	149	1,203	193	71	159	945	150	3,283	37
2	7	75	184	5	76	23	7	13	4	123	7	9	58	8	28	10	50	13	229	
28	55	483	653	28	311	134	145	68	40	351	30	46	358	64	30	70	283	18	1,038	38
2	5	45	120	2	50	19	6	12	4	84	6	7	36	6	17	6	31	4	147	
45	210	1,194	1,656	79	712	171	158	111	78	840	43	103	845	129	41	89	662	132	2,245	39
-------	2	30	64	3	26	4	1	1	-------	39	1	2	22	2	11	4	19	9	82	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
1	Kentucky—White	22,305	340	35	5	281	31	296	223	439	59	42	2,092	106	171	1,351
	Kentucky—Colored	4,501	79	15	1	9	3	36	14	105	7	1	523	10	59	166
2	Urban—White	5,638	28	3	1	24	7	28	22	77	21	2	380	28	32	462
	Urban—Colored	1,748	9	6		2	2	6	5	34	3		154	3	23	74
3	Rural—White	16,667	312	32	4	257	24	268	201	362	38	40	1,712	78	139	889
	Rural—Colored	2,753	70	9	1	7	1	30	9	71	4	1	369	7	36	92
4	Louisiana—White	12,260	187	132	1	260	6	51	81	308	20	8	711	15	50	749
	Louisiana—Colored	12,220	213	142	1	210	1	88	29	294	3	3	1,192	23	111	407
5	Urban—White	5,676	42	11		67	4	6	27	81	10	5	375	8	27	440
	Urban—Colored	4,529	48	20		50		17	8	80	3	3	417	17	49	197
6	Rural—White	6,584	145	121	1	193	2	45	54	227	10	3	336	7	23	309
	Rural—Colored	7,691	165	122	1	160	1	71	21	214			775	6	62	210
7	Maine—White	10,716	49			45	23	82	60	194	24	4	439	30	59	949
	Maine—Colored	38	2					2					4		1	3
8	Urban—White	3,385	18			24	3	22	23	48	9	1	129	12	16	291
	Urban—Colored	18	2					1							1	2
9	Rural—White	7,331	31			21	20	60	37	146	15	3	310	18	43	658
	Rural—Colored	20						1					4			1
10	Maryland—White	15,915	51	3		42	41	92	109	181	31	14	1,021	52	83	1,383
	Maryland—Colored	5,059	46			12	4	56	9	80	3	1	620	17	54	202
11	Urban—White	9,780	21	1		30	22	38	61	97	23	10	552	40	57	953
	Urban—Colored	2,783	10			4	2	19	5	55	3	1	296	15	35	140
12	Rural—White	6,135	30	2		12	19	54	48	84	8	4	469	12	26	430
	Rural—Colored	2,276	36			8	2	37	4	25			324	2	19	62
13	Massachusetts—White	48,397	67	1	2	170	161	148	526	315	109	58	2,834	231	278	4,992
	Massachusetts—Colored	961	3			1		7	3	4		4	147	11	12	60
14	Urban—White	39,281	58	1	2	138	141	126	492	233	91	51	2,076	211	235	4,105
	Urban—Colored	832	3			1		6	3	3		4	109	11	7	56
15	Rural—White	9,116	9			32	20	22	34	82	18	7	758	20	43	887
	Rural—Colored	129						1		1			38		5	4
16	Michigan—White	45,122	143	1	194	211	264	148	462	438	132	46	2,189	188	282	3,702
	Michigan—Colored	2,202	7	1	32	4	3	29	14	33	1	6	304	16	37	60
17	Urban—White	23,456	81	1	160	116	119	69	278	186	74	21	1,217	142	141	1,903
	Urban—Colored	1,755	7	1	31	4	3	25	13	29	1	6	227	13	28	41
18	Rural—White	21,666	62		34	95	145	79	184	252	58	25	972	46	91	1,799
	Rural—Colored	447			1			4	1	4			77	3	9	19
19	Minnesota—White	24,146	37		301	118	206	131	211	250	74	14	1,355	91	179	2,553
	Minnesota—Colored	433			4	18				4	3		69	6	9	22
20	Urban—White	10,560	19		246	21	57	33	116	72	42	9	508	49	82	1,312
	Urban—Colored	185			4	1					2		17	2	4	17
21	Rural—White	13,586	18		55	97	149	98	95	178	32	5	847	42	97	1,241
	Rural—Colored	248				17				4	1		52	4	5	5
22	Mississippi—White	7,865	97	110	1	132	10	58	59	254	19	10	394	12	16	433
	Mississippi—Colored	13,283	225	269	5	70	1	160	38	311	8	3	1,357	14	113	394
23	Urban—White	1,309	15	5		17	1	6	9	40	4	1	29	5	3	84
	Urban—Colored	1,894	34	23	2	4		10	1	43		1	129		21	76
24	Rural—White	6,556	82	105	1	115	9	52	50	214	15	9	365	7	13	349
	Rural—Colored	11,389	191	246	3	66	1	150	37	268	8	2	1,228	14	92	318
25	Missouri—White	36,066	246	144	2	314	171	292	269	808	64	34	2,247	76	185	3,137
	Missouri—Colored	4,408	48	25		19		43	7	84	1	3	524	17	56	163
26	Urban—White	16,898	58	13		94	96	90	117	239	33	18	783	44	79	1,684
	Urban—Colored	3,144	11	4		12		22	4	43	1	3	353	16	39	121
27	Rural—White	19,168	188	131	2	220	75	202	152	569	31	16	1,464	32	106	1,453
	Rural—Colored	1,264	37	21		7		21	3	41			171	1	17	42
28	Montana—White	4,520	16		3	54	30	21	52	60	7	5	270	14	19	354
	Montana—Colored	450				19	2	5	4	4			117	9	5	9
29	Urban—White	1,580	4		1	17	13	6	22	19	2	2	74	10	9	153
	Urban—Colored	46						1					5	2		2
30	Rural—White	2,940	12		2	37	17	15	30	41	5	3	196	4	10	201
	Rural—Colored	404				19	2	4	4	4			112	7	5	7
31	Nebraska—White	12,004	28	1	1	203	42	74	107	258	21	7	322	21	61	1,107
	Nebraska—Colored	384				6		3		5			61	2	10	25
32	Urban—White	3,724	6		1	56	5	16	55	37	8	2	117	10	22	378
	Urban—Colored	244						1		3			38	1	4	19
33	Rural—White	8,280	22	1		147	37	58	52	221	13	5	205	11	39	729
	Rural—Colored	140				6		2		2			23	1	6	6
34	New Hampshire—White	6,347	19	1	1	26	13	46	34	100	20	8	249	33	49	609
	New Hampshire—Colored	10											2			
35	Urban—White	2,702	7	1		16	10	15	20	35	8	7	93	19	25	258
	Urban—Colored	4											1			
36	Rural—White	3,645	12		1	10	3	31	14	65	12	1	156	14	24	351
	Rural—Colored	6											1			
37	New Jersey—White	37,904	89	6	13	189	69	221	325	401	94	38	2,267	149	175	3,318
	New Jersey—Colored	2,936	8		1	7	1	54	17	44	5	1	309	20	41	113
38	Urban—White	24,004	62	3	12	133	49	122	225	245	60	31	1,162	112	120	2,119
	Urban—Colored	2,027	5		1	5	1	32	14	27	4	1	169	14	32	77
39	Rural—White	13,900	27	3	1	56	20	99	100	156	34	7	1,105	37	55	1,199
	Rural—Colored	909	3			2		22	3	17	1		140	6	9	36

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents	Other external causes	Unknown or ill-defined diseases	All other causes	
51, 52	57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	175–188b, 188d–196, 201–203	204, 205		
84	205	1,404	2,452	154	1,749	732	241	152	111	1,553	157	198	1,589	166	210	173	1,248	637	3,619	1
22	29	297	645	49	414	79	37	44	23	438	31	26	166	10	145	24	208	86	700	
14	76	451	859	34	404	142	105	61	50	434	30	52	355	58	39	88	281	22	968	2
9	10	143	281	29	205	24	20	27	12	174	11	6	50	4	64	17	68	11	262	
70	129	953	1,593	120	1,345	590	136	91	61	1,119	127	146	1,234	108	171	85	967	615	2,651	3
13	19	154	364	20	209	55	17	17	11	264	20	20	116	6	81	7	140	75	438	
28	113	674	1,609	67	960	527	214	123	90	1,008	67	134	796	105	101	141	648	273	2,003	4
38	51	573	1,546	62	1,043	448	88	89	76	938	83	160	524	19	257	69	512	604	2,323	
12	71	375	916	18	334	161	164	88	48	560	33	55	276	60	49	87	301	14	951	5
14	20	239	675	14	456	148	54	47	36	416	31	48	225	11	133	36	199	25	793	
16	42	299	693	49	626	366	50	35	42	448	34	79	520	45	52	54	347	259	1,052	6
24	31	334	871	48	587	300	34	42	40	522	52	112	299	8	124	33	313	579	1,530	
54	157	1,215	1,749	86	789	163	124	110	32	738	37	114	837	110	12	90	469	122	1,750	7
		4	9		3					3		1	1			1	3		1	
11	47	313	497	21	277	48	66	46	11	250	20	50	283	30	6	45	153	26	589	8
		1	5		1					1		1	1			1	1			
43	110	902	1,252	65	512	115	58	64	21	488	17	64	554	80	6	45	316	96	1,161	9
		3	4		2					2							2		1	
80	267	1,462	2,458	104	1,418	448	147	138	95	1,632	70	87	1,025	148	57	202	758	71	2,145	10
32	34	369	612	38	625	178	29	42	9	495	38	32	334	8	62	44	197	63	714	
62	191	847	1,535	58	969	258	130	108	65	944	53	58	595	102	35	130	450	7	1,278	11
22	21	203	346	9	445	77	21	19	4	270	18	11	164	4	39	23	105	2	395	
18	76	615	923	46	449	190	17	30	30	688	17	29	430	46	22	72	308	64	867	12
10	13	166	266	29	180	101	8	23	5	225	20	21	170	4	23	21	92	61	319	
157	750	4,553	9,030	353	3,972	835	565	407	215	2,960	195	385	3,305	481	103	681	2,135	106	7,317	13
3	13	65	148	4	103	15	8	11	6	62	3	9	67	7	6	4	29	2	144	
131	613	3,506	7,156	273	3,308	719	515	370	165	2,377	180	352	2,882	377	86	583	1,783	72	5,873	14
3	13	54	131	3	95	12	7	11	6	56	3	8	58	6	6	4	27	1	125	
26	137	1,047	1,874	80	664	116	50	37	50	583	15	33	423	104	17	98	352	34	1,444	15
		11	17	1	8	3	1			6		1	9	1			2	1	19	
186	655	4,011	7,300	419	3,248	907	615	458	282	2,442	265	342	3,657	490	200	839	2,341	268	7,847	16
13	12	77	253	20	367	50	26	17	2	77	12	21	132	11	97	24	83	16	345	
91	317	1,608	3,351	191	1,992	573	413	275	159	1,158	177	204	2,122	260	154	538	1,104	76	4,185	17
10	8	61	184	14	332	37	24	16	1	46	11	16	111	9	94	21	61	5	265	
95	338	2,403	3,949	228	1,256	334	202	183	123	1,284	88	138	1,535	230	46	301	1,237	192	3,662	18
3	4	16	69	6	35	13	2	1	1	31	1	5	21	2	3	3	22	11	80	
119	419	1,783	3,659	151	1,760	270	426	249	138	1,446	115	158	1,795	289	68	363	1,286	107	4,025	19
2	4	13	45	4	55	6	8	2		16	1	3	33	5	11	3	15	7	65	
39	176	662	1,581	50	707	89	239	118	68	501	62	63	721	132	41	184	488	20	2,053	20
2	4	8	33		16	1	5	2		10			6	4	10	1	6		30	
80	243	1,121	2,078	101	1,053	181	187	131	70	945	53	95	1,074	157	27	179	798	87	1,972	21
		5	12	4	39	5	3			6	1	3	27	1	1	2	9	7	35	
27	61	490	825	36	663	241	126	81	53	668	40	103	542	41	68	69	388	409	1,329	22
39	75	516	1,234	24	919	338	103	114	51	1,102	87	185	366	8	233	56	627	2,027	2,211	
4	16	101	133	6	99	50	48	23	17	121	8	21	80	5	16	13	78	37	214	23
4	9	91	237	8	131	57	40	28	10	199	9	22	58		38	17	92	178	322	
23	45	389	692	30	564	191	78	58	36	547	32	82	462	36	52	56	310	372	1,115	24
35	66	425	997	16	788	281	63	86	41	903	78	163	308	8	195	39	535	1,849	1,889	
122	549	2,828	4,553	233	3,037	832	485	360	296	3,427	179	223	2,111	482	291	407	1,672	432	5,557	25
13	27	190	618	31	598	103	45	31	29	446	16	23	155	15	166	42	160	61	649	
37	291	1,093	2,336	93	1,506	352	356	226	170	1,669	91	101	906	281	204	294	766	65	2,713	26
10	18	116	467	23	484	60	36	28	23	341	12	17	112	14	143	38	112	8	453	
85	258	1,735	2,217	140	1,531	481	129	134	126	1,758	88	122	1,205	201	87	113	906	367	2,844	27
3	9	74	151	8	114	43	9	3	6	105	4	6	43	1	23	4	48	53	196	
20	52	281	619	12	302	65	92	47	38	281	29	35	362	75	32	68	432	43	730	28
2		7	26	3	62	6	2	3	4	14	1	2	18	4	5	1	18	34	64	
6	24	92	213	4	109	21	44	17	15	110	10	15	114	25	14	33	116	6	260	29
			7		8			1	3	4				1	2		1		9	
14	28	189	406	8	193	44	48	30	23	171	19	20	248	50	18	35	316	37	470	30
2		7	19	3	54	6	2	2	1	10	1	2	18	3	3	1	17	34	55	
49	255	1,064	1,668	65	783	178	240	166	84	819	76	112	951	167	43	111	599	120	2,201	31
1	7	14	38	3	49	7	5	1	3	16		2	15	3	15	2	18	6	67	
17	73	272	500	8	263	53	113	63	20	264	29	36	280	65	25	43	194	6	687	32
1	4	11	33	1	26	2	5	1	2	11		1	10	1	13	2	12		42	
32	182	792	1,168	57	529	125	127	103	64	555	47	76	671	102	18	68	405	114	1,514	33
	3	3	5	2	23	5			1	5		1	5	2	2		6	6	25	
26	104	705	1,046	65	448	104	68	58	31	486	13	48	435	65	7	61	247	36	1,086	34
		3	1									1							3	
12	49	241	428	23	199	66	35	32	12	225	7	20	223	27	3	34	96	28	428	35
		1	1																1	
14	55	464	618	42	249	38	33	26	19	261	6	28	212	38	4	27	151	8	658	36
		2										1							2	
160	693	3,307	6,748	273	3,199	873	476	306	339	3,388	181	248	2,400	421	133	706	1,853	103	4,743	37
10	27	175	401	20	395	99	35	27	15	235	20	29	212	11	39	40	124	12	389	
111	477	1,822	4,073	175	2,180	636	420	239	219	2,008	154	198	1,690	261	92	497	1,181	70	3,046	38
6	20	100	265	17	299	78	34	19	11	161	15	25	157	9	31	32	82	7	277	
49	216	1,485	2,675	98	1,019	237	56	67	120	1,330	27	50	710	160	41	209	672	33	1,697	39
4	7	75	136	3	96	21	1	8	4	74	5	4	55	2	8	8	42	5	112	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
1	New York	White	135,040	360	7	5	800	261	706	1,064	1,155	335	132	8,273	569	703	12,558
		Colored	5,165	13			22	3	61	40	38	8	7	744	35	83	227
2	Urban	White	101,873	283	6	2	682	188	558	937	746	278	117	5,857	498	542	9,646
		Colored	4,544	11			17	3	59	38	31	8	6	657	35	68	198
3	Rural	White	33,167	77	1	3	118	73	148	127	409	57	15	2,416	71	161	2,912
		Colored	621	2			5		2	2	7		1	87		15	29
4	North Carolina	White	19,969	119	64	12	327	34	277	242	449	39	14	1,205	34	87	990
		Colored	13,269	151	81	17	129	2	220	88	299	8	7	1,292	24	131	314
5	Urban	White	3,288	15	3	4	28	12	28	33	60	5	4	248	8	13	186
		Colored	3,102	29	22	5	19		22	15	90	2		298	9	47	80
6	Rural	White	16,681	104	61	8	299	22	249	209	389	34	10	957	26	74	804
		Colored	10,167	122	59	12	110	2	198	73	209	6	7	994	15	84	234
7	North Dakota	White	4,708	24		3	64	53	43	84	52	11	8	211	13	33	393
		Colored	144				2		2	1	3	1		25	3	1	2
8	Urban	White	654	1			4	4	3	6	6	2		29	1	5	67
		Colored	4														
9	Rural	White	4,054	23		3	60	49	40	78	46	9	8	182	12	28	326
		Colored	140				2		2	1	3	1		25	3	1	2
10	Ohio	White	65,073	204	6	60	149	238	413	403	951	138	32	3,574	228	428	5,784
		Colored	4,877	20	3	3	16	4	61	17	75	4	1	726	30	107	147
11	Urban	White	36,180	91	3	37	83	131	211	242	462	85	22	1,938	167	244	3,306
		Colored	3,903	16	1	3	13	3	55	14	51	4		543	29	94	117
12	Rural	White	28,893	113	3	23	66	107	202	161	489	53	10	1,636	61	184	2,478
		Colored	974	4	2		3	1	6	3	24		1	183	1	13	30
13	Oregon	White	9,179	46	4	3	83	18	13	104	130	20	15	428	27	75	916
		Colored	326	2			6		3	2	5			45	5	13	13
14	Urban	White	4,129	21	1		25	6	4	46	32	10	3	196	17	37	493
		Colored	133	1						1	1			15	2		8
15	Rural	White	5,050	25	3	3	58	12	9	58	98	10	12	232	10	38	423
		Colored	193	1			6		3	1	4			30	3	13	5
16	Pennsylvania	White	105,747	330	7	27	282	337	585	1,029	2,202	308	68	5,499	363	598	8,175
		Colored	7,574	26	3	12	13	8	99	30	175	10	1	907	42	124	250
17	Urban	White	57,127	161	3	16	117	135	286	616	997	137	49	2,774	253	308	4,709
		Colored	6,072	18	1	12	7	6	75	25	123	8	1	667	37	84	202
18	Rural	White	48,620	169	4	11	165	202	299	413	1,205	171	19	2,725	110	290	3,466
		Colored	1,502	8	2		6	2	24	5	52	2		240	5	40	48
19	Rhode Island	White	8,097	15	2		14	32	49	59	68	21	11	441	46	50	758
		Colored	240						2	2	1	2		27	1	2	11
20	Urban	White	6,787	14	2		13	26	44	51	50	18	10	285	40	42	632
		Colored	218						2	2	1	2		15	1	2	11
21	Rural	White	1,310	1			1	6	5	8	18	3	1	156	6	8	126
		Colored	22											12			
22	South Carolina	White	9,146	118	46	1	284	3	167	83	211	21	8	372	17	39	457
		Colored	13,749	348	226	11	262	1	303	45	294	1	7	1,261	12	80	278
23	Urban	White	1,865	14	6		29	1	17	14	27	5	3	56	7	9	115
		Colored	2,169	30	6		29		24		44		2	187	6	19	46
24	Rural	White	7,281	104	40	1	255	2	150	69	184	16	5	316	10	30	342
		Colored	11,580	318	220	11	233	1	279	45	250	1	5	1,074	6	61	232
25	Tennessee	White	19,456	358	102	8	257	30	221	189	674	49	22	1,904	99	185	1,028
		Colored	8,562	216	73		46	3	74	20	348	5	6	1,183	32	144	244
26	Urban	White	5,026	56	16	1	52	14	40	17	118	8	7	335	20	39	351
		Colored	4,156	91	25		21		21	12	164	2		427	18	91	118
27	Rural	White	14,430	302	86	7	205	16	181	172	556	41	15	1,569	79	146	677
		Colored	4,406	125	48		25	3	53	8	184	3	6	756	14	53	126
28	Utah	White	4,884	38	1		95	6	18	53	110	38	7	138	6	18	320
		Colored	164				1			1	3			20		1	9
29	Urban	White	2,216	19			35	2	6	23	36	23	4	94	5	13	165
		Colored	59				1				1			10		1	8
30	Rural	White	2,668	19	1		60	4	12	30	74	15	3	44	1	5	155
		Colored	105							1	2			10			1
31	Vermont	White	4,859	12			14	12	28	25	88	13	1	240	21	26	422
		Colored	1														
32	Urban	White	786	1			1	2	3	1	13	1		42	8	4	70
		Colored	1														
33	Rural	White	4,073	11			13	10	25	24	75	12	1	198	13	22	352
		Colored															
34	Virginia	White	17,710	123	9		140	30	271	170	474	52	27	1,155	59	94	1,107
		Colored	11,465	82	26	2	76	3	243	46	333	11	5	1,262	40	109	374
35	Urban	White	4,619	28	1		18	3	38	27	78	20	2	220	24	29	355
		Colored	3,847	19	10	1	19		64	13	120	2	1	355	20	44	129
36	Rural	White	13,091	95	8		122	27	233	143	396	32	25	935	35	65	752
		Colored	7,618	63	16	1	57	3	179	33	213	9	4	907	20	65	245
37	Washington	White	13,941	40	1	2	154	32	23	153	185	20	16	782	52	95	1,371
		Colored	639	8			30	1		5	19	2		130	14	14	23
38	Urban	White	7,140	19	1		63	16	5	61	92	16	9	268	34	61	881
		Colored	256	7			4	1		1	3	1		31	5	10	15
39	Rural	White	6,801	21		2	91	16	18	92	93	4	7	514	18	34	540
		Colored	383	1			26			4	16	1		99	9	4	8

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
571	2,549	10,368	26,745	740	11,908	2,259	1,673	1,144	1,003	11,028	476	823	8,111	1,490	508	1,938	6,395	132	18,251	1
18	50	196	716	31	763	82	45	37	25	315	31	36	373	33	88	47	206	46	746	
438	2,076	6,538	19,865	532	9,835	1,881	1,529	936	803	8,298	407	706	6,507	1,140	458	1,533	4,688	67	13,296	2
16	44	157	628	22	721	71	42	34	24	281	31	32	333	31	85	42	169	7	643	
133	473	3,830	6,880	208	2,073	378	144	208	200	2,730	69	117	1,604	350	50	405	1,707	65	4,955	3
2	6	39	88	9	42	11	3	3	1	34		4	40	2	3	5	37	39	103	
84	171	1,374	2,193	79	1,659	847	242	148	63	1,484	94	301	1,832	97	91	227	800	1,322	2,968	4
50	74	797	1,272	48	1,145	634	93	75	30	994	77	206	754	14	193	101	561	1,451	1,937	
5	31	221	318	6	248	134	101	45	18	268	19	61	309	23	21	65	156	47	545	5
13	17	201	333	10	335	174	50	30	9	235	24	45	189	2	62	33	117	144	441	
79	140	1,153	1,875	73	1,411	713	141	103	45	1,216	75	240	1,523	74	70	162	644	1,275	2,423	6
37	57	596	939	38	810	460	43	45	21	759	53	161	565	12	131	68	444	1,307	1,496	
26	87	305	520	25	461	110	113	55	19	224	23	56	441	49	13	44	242	109	794	7
		4	8	2	14	2			1	1		2	10	2	1	1	4	43	9	
2	11	36	67	7	50	13	33	13	4	31	4	12	56	5	1	3	26	4	148	8
						1				1			1						1	
24	76	269	453	18	411	97	80	42	15	193	19	44	385	44	12	41	216	105	646	9
		4	8	2	14	1			1			2	9	2	1	1	4	43	8	
238	1,001	6,671	10,304	385	4,677	1,021	849	643	480	4,517	319	463	4,509	713	247	971	3,895	265	10,297	10
11	36	271	603	22	726	73	43	30	23	295	24	39	304	17	175	53	238	17	663	
130	580	3,172	5,406	189	2,759	648	673	447	278	2,463	230	307	2,746	419	185	687	2,141	62	5,636	11
11	25	182	451	18	643	63	40	25	19	234	22	34	258	16	157	47	188	9	518	
108	421	3,499	4,898	196	1,918	373	176	196	202	2,054	89	156	1,763	294	62	284	1,754	203	4,661	12
	11	89	152	4	83	10	3	5	4	61	2	5	46	1	18	6	50	8	145	
23	169	919	1,428	56	588	57	125	84	55	587	34	61	492	152	27	143	645	35	1,617	13
1	4	10	27	1	33	6	4	1	1	23	3	4	18	5	2	1	20	13	55	
11	77	419	589	26	273	12	68	53	21	246	16	29	205	82	13	53	175	7	863	14
	4	5	15		11	2	3	1	1	11		1	8	3	1	1	9		29	
12	92	500	839	30	315	45	57	31	34	341	18	32	287	70	14	90	470	28	754	15
1		5	12	1	22	4	1			12	3	3	10	2	1		11	13	26	
477	1,650	8,484	16,196	774	11,194	3,127	1,006	947	799	8,639	524	779	7,598	1,011	396	1,488	6,157	386	14,325	16
23	60	315	942	48	1,428	206	74	66	33	475	40	69	500	20	175	47	310	26	1,017	
223	978	3,928	8,988	387	6,455	1,613	743	615	451	4,979	347	482	3,690	587	241	909	3,135	87	7,728	17
21	48	240	764	40	1,227	166	68	60	22	387	34	59	410	16	136	37	230	16	825	
254	672	4,536	7,208	387	4,739	1,514	263	332	348	3,660	177	297	3,908	424	155	579	3,022	299	6,597	18
2	12	75	178	8	201	40	6	6	11	88	6	10	90	4	39	10	80	10	192	
34	149	798	1,253	58	709	153	122	60	46	635	32	61	643	72	13	110	386	49	1,148	19
1	4	24	37		34	4	1		1	14	1	1	16	1		3	9	3	38	
27	125	673	1,043	49	600	133	119	54	35	534	29	55	558	63	13	94	332	44	980	20
1	4	21	37		32	4	1		1	12	1	1	16	1		3	7	3	37	
7	24	125	210	9	109	20	3	6	11	101	3	6	85	9		16	54	5	168	21
		3			2					2							2		1	
28	114	705	1,022	34	637	451	76	53	31	841	49	134	860	55	53	105	388	191	1,492	22
52	50	612	1,208	37	1,151	524	65	59	30	1,063	75	253	1,118	3	162	62	538	718	2,750	
	31	138	220	7	121	68	41	18	10	193	14	30	154	13	17	43	97	6	341	23
4	6	157	237	6	212	81	15	19	5	232	18	27	136	2	44	22	62	22	469	
28	83	567	802	27	516	383	35	35	21	648	35	104	706	42	36	62	291	185	1,151	24
48	44	455	1,061	31	939	443	50	40	25	831	57	226	982	1	118	40	476	696	2,281	
67	158	947	1,870	76	1,657	651	270	117	45	1,117	102	176	1,168	171	213	172	910	1,268	3,175	25
31	42	394	864	28	832	191	88	51	21	544	58	83	280	11	232	60	336	709	1,313	
10	51	243	534	12	380	182	158	55	15	322	39	43	344	74	71	88	268	147	916	26
19	25	191	428	14	449	103	68	31	11	296	32	40	176	7	157	46	183	223	667	
57	107	704	1,336	64	1,277	469	112	62	30	795	63	133	824	97	142	84	642	1,121	2,259	27
12	17	203	436	14	383	88	20	20	10	248	26	43	104	4	75	14	153	486	646	
22	61	282	564	28	504	94	119	53	18	306	19	41	486	33	22	80	478	81	745	28
		3	8		9	2	2			6	3		11	2	6	1	27	23	26	
12	27	169	260	8	200	27	77	28	6	141	12	18	177	20	11	39	116	19	424	29
		2	5		1	2	2			1			3	1	4	1	6		10	
10	34	113	304	20	304	67	42	25	12	165	7	23	309	13	11	41	362	62	321	30
		1	3		8					5	3		8	1	2		21	23	16	
21	78	484	870	48	359	60	61	57	11	397	15	45	309	49	2	48	246	19	778	31
													1							
5	18	63	114	6	69	10	21	13	3	72	5	7	66	11	2	11	29	3	112	32
													1							
16	60	421	756	42	290	50	40	44	8	325	10	38	243	38		37	217	16	666	33
71	189	1,414	2,448	85	1,241	430	166	118	81	1,499	86	138	1,527	162	97	184	931	405	2,727	34
63	60	900	1,417	63	982	316	73	81	49	946	60	135	765	17	140	56	517	403	1,810	
8	57	388	712	26	261	109	92	48	33	456	38	32	379	51	20	71	203	26	766	35
23	21	369	485	23	406	121	40	35	32	323	20	49	262	6	60	30	141	57	547	
63	132	1,026	1,736	59	980	321	74	70	48	1,043	48	106	1,148	111	77	113	728	379	1,961	36
40	39	531	932	40	576	195	33	46	17	623	40	86	503	11	80	26	376	346	1,263	
38	230	1,096	2,192	53	779	132	206	149	82	881	59	119	785	279	76	255	1,065	76	2,463	37
2	3	21	44	2	64	14	5	2	2	25	1	1	33	6	14	10	31	21	92	
17	116	559	1,125	26	398	65	137	94	41	498	45	65	377	155	31	131	411	11	1,362	38
1	2	8	25	2	28	4	2	2	1	19	1	1	11	4	13	5	6		43	
21	114	537	1,067	27	381	67	69	55	41	383	14	54	408	124	45	124	654	65	1,101	39
1	1	13	19		36	10	3		1	6			22	2	1	5	25	21	49	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
1	Wisconsin—White	27,823	28		11	87	217	125	209	384	70	19	1,444	83	167	2,780
	Wisconsin—Colored	427						7	3	14		2	85	3	10	17
2	Urban—White	11,367	15		6	25	71	47	98	113	28	12	480	49	88	1,209
	Urban—Colored	132						2		5		1	19	2	2	13
3	Rural—White	16,456	13		5	62	146	78	111	271	42	7	964	34	79	1,571
	Rural—Colored	295						5	3	9		1	66	1	8	4
4	Wyoming—White	1,889	10	1		27	16	10	11	50	2	2	55	5	8	92
	Wyoming—Colored	174				15			1	2			31	1	4	4
5	Urban—White	410	3	1		6	5		3	7	1		13	4	2	17
	Urban—Colored	22											2			3
6	Rural—White	1,479	7			21	11	10	8	43	1	2	42	1	6	75
	Rural—Colored	152				15			1	2			29	1	4	1
	ALABAMA[1]															
7	Birmingham—White	1,541	8	2	1	15	2	14	5	26	3	2	55	5	12	103
	Birmingham—Colored	1,870	7	1		10		19	2	54	2	2	153	11	21	54
8	Mobile—White	550	7	1		4		3	1	13			18		1	40
	Mobile—Colored	493	7	1		1				18			40		6	20
9	Montgomery—White	331	4	1				3	1	10	1		11	1	1	35
	Montgomery—Colored	493	6	3				5		18			25	1	6	17
	ARKANSAS[1]															
10	Fort Smith—White	374	6	2		2	1	1	3	2	1		28	4	3	36
	Fort Smith—Colored	77		1		2						1	8			6
11	Hot Springs*—White	315	3	4		4		1	2	7	1		18		2	26
	Hot Springs*—Colored	114	1	1						2	2		16		1	10
12	Little Rock*—White	898	8	9		5		3	3	6			85	1	9	71
	Little Rock*—Colored	566	11	16	1	3		2		8			82		8	17
13	North Little Rock—White	104		1		7		8		4			7		2	2
	North Little Rock—Colored	111	1	3		1		3		3			17	1		3
	CALIFORNIA															
14	Alameda	317					1	1	14	3			10		2	39
15	Bakersfield	440	2	1	1	9			7	8	1		48	1	6	31
16	Berkeley	632				5	1	1	11	4	2		27	2	2	64
17	Eureka	257	1		1					5			23	2	5	26
18	Fresno	562	4		12	8		3	4	10	1	3	29	9	11	59
19	Glendale*	495				3	1		3	3			34	2	2	49
20	Long Beach	1,195	3		1	2	2	6	11	11	3		51	4	5	125
21	Los Angeles—White	10,634	27	1	14	39	13	35	157	69	17	9	1,037	63	104	1,132
	Los Angeles—Colored	675	3	1				1	6	7		3	122	14	7	35
22	Oakland—White	2,630	4			2		6	58	23	5	1	108	10	10	282
	Oakland—Colored	137							1	1			14	1	1	4
23	Pasadena	841	2			1		1	2	8	1		70	3	6	82
24	Pomona	207	2				1			3	1		9	1		22
25	Richmond	130		1				5	3				1	1		9
26	Riverside	379	2			3	1		2	3			58	4	3	33
27	Sacramento	1,252	4		1	1	4	2	8	15	1		82	9	12	109
28	San Bernardino*	513	1	1	4	3		4	5	1	2	1	87	1	4	27
29	San Diego	1,664	2		1	7	3	2	15	13	4		148	3	14	194
30	San Francisco—White	7,075	13		1	13	14	3	113	32	8	11	488	28	44	880
	San Francisco—Colored	409	1			2	1		3	2		1	86	7	6	38
31	San Jose	475							7	4			24	1	4	54
32	Santa Ana	322	31			1		5	2	5			19	1	3	17
33	Santa Barbara	282	1						1	4		1	17	2	4	32
34	Santa Cruz	211	1					1	1	4			6	2		20
35	Santa Monica	396				1		2	1	7			24	1	3	35
36	Stockton*	617	6	1		1	1		2	16	2	1	43	4	4	42
37	Vallejo	193				1	2		2				7			12
38	Venice	125				2		1					7	1	1	10
	COLORADO															
39	Boulder	167	1			1		1		4			23	2	1	12
40	Colorado Springs*	578	3			8	2	3	2	3	2		150	3	4	43
41	Denver	4,122	14			28	5	20	57	101	10	5	515	25	31	340
42	Greeley	200	1			1	2	1		5		1	13		2	24
43	Pueblo	555	3			12	1	2	7	14	3		37	4	2	35
44	Trinidad	207	2			9	3		1	6	1		17	1		13
	CONNECTICUT															
45	Ansonia	154					1	1	3	3			4	1	1	12
46	Bridgeport	1,537	5				6	10	24	29	6	2	80	9	6	167
47	Bristol	214					2	2	2	2	2	1	7		3	15
48	Danbury town	319	2			1	2		1	2	3	1	15		1	31
49	Derby	179	1				1		3	3	1	1	5		3	12
50	East Hartford town	100				1	2			2			5	1		8
51	Enfield town	135				1	2	4	4	2			9		1	8
52	Fairfield town	109						2	2	2			6			8
53	Greenwich town	262	1			11	1	3	2	6			12	2	4	19
54	Hartford	1,818	1			11	9	3	14	11	1	2	68	14	14	194

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (* death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
152	*435	2,475	4,463	222	2,190	464	402	274	212	1,761	121	226	2,085	361	44	359	1,359	76	4,518	1
-------	3	15	27	2	78	6	2	3	1	13	3	9	20	2	6	4	16	4	72	
64	201	880	1,681	91	963	218	262	135	96	702	64	99	939	146	25	191	516	16	1,837	2
-------	3	8	5	2	16	2	1	2	-------	4	1	3	6	1	5	3	10	-------	16	
88	234	1,595	2,782	131	1,227	246	140	139	116	1,059	57	127	1,146	215	19	168	843	60	2,681	3
-------	-------	7	22	------	62	4	1	1	1	9	2	6	14	1	1	1	6	4	56	
8	18	109	196	7	145	35	49	14	9	85	18	32	171	31	25	55	253	18	322	4
2	2	6	5	---- --	30	-------	1	1	3	3	-------	1	6	1	3	4	13	19	16	
2	3	15	40	2	37	6	15	5	3	17	5	9	44	13	7	16	32	-------	77	5
-- ----	-------	2	3	---- --	1	-------	-------	-------	-------	1	-------	-------	-------	1	1	4	-------	-------	4	
6	15	94	156	5	108	29	34	9	6	68	13	23	127	18	18	39	221	18	245	6
2	2	4	2	-------	29	-------	1	1	3	2	-------	1	6	-------	2	-------	13	19	12	
2	8	109	152	4	156	40	36	21	7	109	18	22	144	24	30	32	99	49	226	7
8	9	97	147	6	277	44	16	13	8	86	16	18	105	3	107	23	70	249	232	
-------	6	37	78	1	21	13	14	6	5	70	3	18	27	8	6	9	30	1	109	8
2	4	38	79	2	34	13	7	7	4	68	3	2	24	-------	8	3	21	8	73	
1	6	26	41	3	16	5	14	4	4	27	3	6	13	3	8	5	18	-------	60	9
-------	2	42	63	1	45	14	10	9	2	54	3	2	14	1	16	5	16	12	101	
-------	4	20	44	-------	25	7	17	4	-------	24	4	5	24	5	3	5	28	-------	66	10
-------	-------	4	11	1	5	3	4	-------	-------	8	-------	-------	6	-------	2	1	2	-------	12	
3	6	16	39	1	14	5	3	4	4	38	5	1	17	4	4	5	11	3	64	11
-------	2	1	12	-------	9	2	2	2	1	9	2	2	7	1	3	1	2	1	22	
1	8	54	106	3	47	23	32	12	7	88	8	6	41	4	5	13	46	3	191	12
2	-------	21	57	1	42	21	7	3	3	57	6	5	13	1	11	1	21	2	144	
-------	1	3	9	-------	8	4	1	-------	-------	9	1	-------	14	1	-------	-------	6	1	15	13
-------	1	7	5	1	13	6	-------	1	3	10	2	3	5	-------	1	-------	6	2	13	
1	7	46	71	1	16	2	5	2	3	20	-------	-------	16	1	1	3	14	1	37	14
1	6	25	51	1	31	25	8	2	-------	18	3	5	25	8	1	18	19	2	76	15
3	11	74	118	5	34	2	10	3	3	65	-------	2	32	13	1	16	24	-------	97	16
-------	2	19	44	2	12	5	3	7	1	13	-------	-------	12	6	1	3	14	-------	50	17
2	5	22	76	2	42	15	18	7	1	31	7	8	42	10	3	12	20	-------	86	18
1	11	48	96	2	18	5	6	8	2	43	-------	5	26	6	1	9	20	-------	91	19
-------	24	98	237	10	68	9	18	16	7	99	8	7	60	19	5	30	61	1	194	20
18	164	738	1,669	51	622	215	165	117	64	673	32	77	564	214	74	247	519	13	1,681	21
1	9	30	66	4	44	16	6	11	7	50	10	7	34	16	25	20	30	-------	90	
8	46	255	547	16	197	42	29	21	25	169	3	17	146	70	6	49	99	-------	376	22
1	3	3	22	2	22	1	2	-------	2	10	1	4	9	3	2	-------	7	-------	21	
3	16	80	175	7	36	13	12	10	10	74	-------	7	36	11	4	14	22	-------	135	23
2	4	20	39	1	11	9	-------	2	1	10	-------	2	16	3	-------	5	9	-------	34	24
1	4	11	17	-------	10	3	2	-------	1	11	1	-------	11	3	------	4	10	-------	21	25
-------	7	31	71	4	25	14	8	-------	2	19	1	-------	15	-------	2	3	16	2	50	26
8	22	97	171	3	85	28	19	18	10	130	8	10	67	30	5	25	61	1	206	27
1	5	19	46	-------	44	30	15	4	3	47	2	5	34	6	2	9	27	-------	73	28
3	29	153	282	8	81	23	19	28	9	99	5	13	76	42	4	26	80	-------	278	29
17	109	544	1,355	37	555	40	110	78	88	567	12	26	265	203	44	112	294	4	967	30
-------	6	24	44	3	39	6	1	5	5	37	1	3	19	10	2	1	12	-------	44	
1	3	36	88	7	24	8	8	5	5	43	2	1	22	12	4	27	17	-------	68	31
-------	5	29	42	5	18	12	3	7	1	17	1	3	23	2	1	11	7	-------	51	32
------	7	20	51	2	11	9	7	3	3	15	1	1	12	5	2	7	13	-------	51	33
-------	6	36	53	-------	8	2	1	5	3	7	1	2	4	3	-------	2	11	1	31	34
2	5	32	78	1	27	5	10	7	3	37	2	2	17	7	1	11	20	-------	55	35
-------	10	41	119	2	64	6	9	4	3	36	8	6	37	9	3	18	30	-------	89	36
-------	1	24	33	-------	12	2	5	1	2	15	1	-------	9	5	4	7	18	1	29	37
-------	1	10	28	-------	7	-------	2	-------	-------	9	-------	-------	6	3	1	-------	28	-------	8	38
-------	2	13	21	-------	6	3	7	3	1	9	-------	4	9	3	-------	3	7	-------	31	39
-------	6	28	58	1	35	5	11	6	1	30	3	3	33	5	-------	11	27	-------	92	40
10	20	282	467	6	450	78	89	47	21	295	31	25	258	62	30	40	148	5	607	41
2	2	22	22	-------	8	9	7	3	-------	9	4	2	12	1	-------	4	5	-------	38	42
1	-------	38	67	4	51	42	10	6	4	33	3	2	50	6	9	3	36	1	69	43
1	-------	17	13	4	28	15	2	1	-------	21	1	3	18	3	-------	1	4	2	20	44
2	-------	14	25	1	15	6	-------	-------	1	8	-------	1	22	2	-------	-------	7	5	19	45
6	33	129	263	5	127	15	14	19	9	125	10	12	105	15	5	21	97	6	177	46
2	1	13	27	1	24	6	4	3	2	13	1	2	32	1	-------	2	11	6	27	47
2	5	26	50	-------	19	7	1	5	3	24	3	2	20	1	2	2	26	-------	62	48
2	2	11	27	1	16	7	4	1	-------	9	-------	2	19	1	1	11	16	3	16	49
1	3	12	32	-------	7	2	-------	-------	-------	9	-------	-------	3	-------	-------	2	3	-------	7	50
-------	-------	17	23	1	11	4	-------	1	-------	6	-------	-------	8	2	-------	-------	14	-------	17	51
-------	-------	7	23	2	8	2	1	1	-------	10	-------	-------	9	7	2	2	6	1	8	52
1	3	22	46	1	17	6	5	-------	-------	20	-------	1	15	3	-------	6	11	1	43	53
6	43	124	296	14	180	45	49	19	13	121	9	11	142	13	7	33	106	1	244	54

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	CONNECTICUT—continued															
1	Manchester town	179				1	1	1		6			12	1		30
2	Meriden	448	1					3	2	7	1	2	25	1	6	47
3	Middletown town*	506	1					1	1				40	3	2	30
4	Milford town	120					3			1			2		1	10
5	Naugatuck	89					1		2		2		6	1	1	10
6	New Britain	638	1		5	2	5	6	15	10	1		29		3	44
7	New Haven	2,153	12	1		2	5	8	7	18	5	3	80	17	12	237
8	New London	412				1			3	4	1	1	5	1	2	35
9	Norwalk	367	1				1	1	7	3	1		15	2	1	48
10	Norwich town*	525	1	1			1		7	14	2		87	1	3	36
11	Orange town	267	1				1	1	1	4	1		87	1	4	19
12	Stamford town	535	3			7	2	2	7	9		1	12	8	4	42
13	Stonington town	98	1						2	1			1			3
14	Stratford town	135							6				7	1		18
15	Torrington town	241						1		16			7		1	24
16	Wallingford town	104						1	2	1			9			8
17	Waterbury	1,045					7	9	26	23	2	1	46	6	5	97
18	Windham town	178							1	6			2			18
	DELAWARE															
19	Wilmington—White	1,143	7				4	9	14	19	4	2	50	3	8	116
	Wilmington—Colored	264						1		5		1	16	1	5	6
	DISTRICT OF COLUMBIA															
20	Washington—White	4,142	18			2	8	5	26	29	5	2	213	15	15	430
	Washington—Colored	2,411	1	1			2	10	3	32	3		287	11	41	131
	FLORIDA															
21	Jacksonville—White	772	3	2		7		11	10	7			42	2	1	72
	Jacksonville—Colored	1,044	8			11		6	10	14			120	3	9	22
22	Key West—White	155				1			1	5			15			24
	Key West—Colored	74									1		11			3
23	Miami—White	562	5	1		3			6	7		1	19	3	8	50
	Miami—Colored	351	6	1					4	14			28		3	6
24	Pensacola—White	288	3			11		2	1	3		2	12		2	20
	Pensacola—Colored	207	1	1		4		1		12		1	16		1	6
25	St. Petersburg—White	380	2	5		1	1	1	3	1			16		2	27
	St. Petersburg—Colored	119		1				1	1	3			14			2
26	Tampa—White	607	14	3		6	1	1	1	2	3	4	54	1	3	37
	Tampa—Colored	303	7	4		2		1		3			34		2	6
	GEORGIA															
27	Albany—White	67		1		1		1		2	1		1		1	4
	Albany—Colored	99	1	2						3			13		4	2
28	Athens—White	146		1		3		1	1				6		1	13
	Athens—Colored	136	2			2		2	1	6			12	1	1	5
29	Atlanta—White	2,094	13	3	5	27	5	14	17	51	7	3	84	4	9	126
	Atlanta—Colored	2,121	26	2	5	16	1	37	2	79	3	3	175	5	35	63
30	Augusta*—White	467	4	2		3		4	3	3			30		2	36
	Augusta*—Colored	595	8	7		4		14		9			60		12	21
31	Brunswick—White	64	2			3		1					3			7
	Brunswick—Colored	132	2	2		1		1		3			14		3	5
32	Columbus—White	352		1		11			3	3			16		1	16
	Columbus—Colored	281	3	1		1			1	5			25		5	4
33	La Grange—White	154	4					2	3	6	1	1	9		3	5
	La Grange—Colored	125	4	1		3		3	1	4		1	19		2	3
34	Macon—White	436	4			6		12	2	12	3		22			24
	Macon—Colored	653	8	1				8		12			56		11	21
35	Rome—White	185	3	1		3		5	1	3			7		2	6
	Rome—Colored	94		3		2				7			5		1	4
36	Savannah*—White	594	4			4		2	3	2			23	2	2	50
	Savannah*—Colored	1,028	1	5		3		1		28		1	113		8	26
37	Valdosta—White	60	2			3			1	3			1			4
	Valdosta—Colored	121	2	8		3		1		2	1		18		1	
38	Waycross—White	160	6			4		3		6			8		1	6
	Waycross—Colored	163	2	1				2	1	1			21		1	4
	IDAHO															
39	Boise	326	2			2			3	9	3	1	20	1	2	30
40	Pocatello	260	3			7	1	2	4	10			7	2	3	15
	ILLINOIS															
41	Alton	385	1	3				1	4	24	2		12		1	30
42	Aurora	499	1			1	2		5	5		1	19	2	1	62
43	Belleville	332	1				1	2	2	2			20	1	1	23
44	Berwyn	128				1	1		2				8			13
45	Bloomington	406	1						1	4	2		14		1	40

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

ubdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
1	12	17	27	-------	7	6	5	-------	1	5	-------	3	13	1	-------	4	8	1	16	1
2	6	43	74	6	34	6	6	2	3	26	-------	3	28	2	1	10	22	1	78	2
-------	3	46	92	3	61	8	5	5	1	44	-------	4	24	7	1	10	22	1	91	3
1	3	9	30	-------	9	-------	-------	-------	2	12	-------	1	9	-------	-------	1	8	-------	18	4
-------	1	5	19	1	6	1	-------	-------	1	11	-------	-------	7	-------	-------	1	2	-------	11	5
2	11	49	84	4	53	27	7	10	7	43	6	7	64	5	5	10	39	1	83	6
12	36	196	326	11	217	55	26	35	12	135	9	15	160	22	7	48	98	1	325	7
-------	7	31	84	2	31	3	12	6	2	31	1	2	35	2	1	8	28	1	72	8
3	9	53	55	3	29	2	1	4	2	25	-------	4	26	4	3	6	18	-------	40	9
2	6	49	88	2	25	5	9	5	2	41	3	-------	37	3	1	12	25	-------	57	10
1	-------	25	41	-------	17	8	1	1	-------	11	1	2	10	2	-------	-------	6	2	19	11
2	11	70	104	1	30	12	5	1	5	37	4	6	45	4	1	7	32	-------	61	12
1	4	14	26	2	9	1	-------	-------	-------	7	-------	-------	6	2	1	1	5	-------	11	13
-------	3	15	27	1	18	1	-------	-------	1	8	-------	1	12	1	-------	1	6	2	6	14
3	9	20	46	-------	22	2	4	1	-------	18	1	-------	20	2	2	9	7	-------	26	15
-------	4	17	21	-------	5	1	-------	1	2	9	-------	-------	1	1	-------	3	4	-------	14	16
9	18	79	131	10	80	24	9	11	6	83	13	14	105	6	7	19	53	5	141	17
1	7	16	25	2	12	1	4	3	-------	11	-------	2	13	-------	1	2	6	2	43	18
2	17	96	161	6	94	29	10	7	14	123	3	9	67	10	3	25	67	1	163	19
-------	2	22	31	3	38	13	4	1	1	18	4	3	17	-------	8	4	21	-------	39	
13	59	366	744	26	277	77	63	36	18	384	27	32	241	76	11	78	157	-------	689	20
6	32	155	415	10	301	47	26	34	11	190	26	28	155	6	34	30	74	1	308	
-------	8	43	113	4	35	20	16	11	5	61	8	5	50	14	8	14	41	3	156	21
-------	4	72	117	8	73	38	9	10	14	91	8	13	45	-------	56	7	57	10	209	
1	1	7	22	1	2	5	1	2	-------	26	-------	3	8	2	-------	1	5	3	19	22
2	2	8	8	-------	5	3	1	1	-------	3	-------	-------	5	-------	-------	-------	3	3	15	
2	10	41	81	-------	11	10	10	8	6	53	3	6	39	11	5	25	30	6	102	23
-------	-------	9	19	8	22	36	3	4	1	9	4	7	35	1	19	9	18	8	77	
-------	1	23	46	1	28	12	4	3	1	21	1	-------	19	2	3	2	17	4	44	24
-------	-------	15	21	2	20	5	-------	3	1	15	-------	3	9	-------	1	1	10	3	55	
-------	7	46	86	4	19	3	11	4	1	26	-------	1	15	8	3	9	18	2	58	25
-------	-------	4	9	-------	7	4	3	2	-------	5	-------	2	7	2	11	2	9	6	24	
-------	9	52	72	2	36	18	6	9	6	66	4	5	35	15	10	18	25	12	77	26
1	-------	16	32	-------	11	3	6	5	2	26	3	4	7	2	16	6	10	22	72	
-------	2	6	6	-------	6	-------	2	3	1	4	-------	1	8	-------	1	1	3	1	10	27
1	-------	7	11	-------	8	2	2	-------	-------	10	2	2	1	-------	1	-------	3	2	22	
-------	3	10	12	1	8	3	4	4	-------	19	1	3	10	3	2	3	11	3	20	28
-------	1	9	18	3	11	2	-------	2	-------	9	-------	2	6	-------	1	1	11	2	26	
2	26	166	216	9	188	62	54	33	9	218	26	39	154	45	24	41	100	7	307	29
9	20	147	227	19	303	52	21	24	1	198	22	13	90	6	96	12	67	40	302	
4	4	50	48	-------	35	12	4	2	3	50	3	3	33	6	6	10	24	3	80	30
2	3.	47	85	5	44	16	5	3	1	73	5	5	34	-------	18	2	24	4	84	
-------	1	3	6	-------	3	1	-------	1	1	7	-------	2	7	1	1	1	6	-------	7	31
-------	1	21	11	1	8	3	1	1	2	12	1	2	9	-------	2	-------	3	1	22	
1	5	26	40	-------	25	12	5	3	-------	45	1	3	27	3	2	8	23	7	65	32
-------	2	13	23	3	36	3	2	4	1	40	4	6	11	3	9	3	9	14	50	
1	1	12	11	2	17	9	-------	2	1	24	-------	1	16	1	2	1	4	1	14	33
-------	-------	9	10	-------	14	3	1	1	-------	11	1	1	3	-------	3	-------	10	4	13	
2	4	28	47	2	28	26	10	4	4	50	2	3	33	10	4	13	16	1	64	34
4	6	56	65	4	65	18	5	8	-------	72	3	7	32	1	8	9	37	28	108	
-------	1	10	15	1	19	9	6	3	-------	11	2	3	19	4	2	2	13	5	29	35
-------	1	4	9	1	6	1	4	-------	-------	6	-------	1	5	-------	2	1	7	1	23	
-------	7	51	85	2	36	15	14	5	8	54	5	4	53	8	3	13	36	1	102	36
4	9	72	147	14	78	43	13	10	2	122	6	9	60	1	20	6	27	3	201	
-------	1	2	6	-------	2	1	3	1	-------	4	-------	-------	2	-------	2	3	5	-------	14	37
-------	-------	8	12	1	13	2	-------	-------	-------	6	-------	2	1	-------	4	1	4	11	20	
-------	-------	7	11	-------	10	10	3	2	3	15	1	-------	17	2	3	3	9	-------	30	38
2	-------	9	13	2	10	13	-------	2	1	23	1	3	8	-------	8	-------	11	4	20	
1	7	32	38	1	11	1	6	7	2	23	4	2	11	1	3	7	17	1	78	39
2	2	8	23	-------	23	5	6	8	-------	9	5	4	24	4	6	4	20	2	51	40
-------	6	45	42	5	26	19	8	4	4	27	2	2	27	1	5	5	24	-------	55	41
2	7	42	74	5	43	10	12	3	6	41	2	6	27	7	1	4	43	-------	65	42
1	6	38	31	7	15	10	8	8	2	43	7	2	20	4	1	9	19	-------	48	43
1	4	8	28	1	9	4	1	1	-------	11	-------	-------	9	4	1	2	10	-------	9	44
3	8	40	71	2	26	2	7	4	3	39	-------	2	32	7	2	8	9	-------	78	45

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	ILLINOIS—continued															
1	Blue Island	182	1						1	3			3	1		14
2	Cairo—White	157	4	1			1	1	1	6			11		1	15
	Cairo—Colored	118				1		2		5			12		5	5
3	Canton	161							1	6			5			21
4	Centralia	165							1	10			12	1	3	12
5	Champaign	216						3		3			10		2	21
6	Chicago—White	29,449	39	6		55	74	79	208	168	29	16	1,658	97	163	3,039
	Chicago—Colored	3,466	6	1	1	16	1	32	14	28	3	3	436	32	48	145
7	Chicago Heights	199	1				1	2		6			8	2	1	19
8	Cicero	282				1	1	2	6	3	1		17	3		24
9	Danville	519	9			1	2	5		10	2		22		4	37
10	Decatur	609	2			2	2	2	3	5	1		32	3	3	65
11	East St. Louis—White	611	1			5	4	5	7	9		1	29	1	1	43
	East St. Louis—Colored	229	1	1		2		2	1	9		1	30		3	2
12	Elgin *	605		1		1	2	2		4	2		26	2	3	44
13	Evanston	476	3				4	2	3	3			7		1	48
14	Forest Park	114								1			9		1	10
15	Freeport	311	1						1	1			9		3	34
16	Galesburg	344	1			6	1		1	2			26		1	29
17	Granite City	204		2		1		3		9	1		10		2	16
18	Herrin	143						1	5			1	12		3	4
19	Jacksonville *	518	2			2			1	2	4		42		4	38
20	Joliet	477	6			6	1		3	14	1	1	23	3	6	53
21	Kankakee	255					1		4	7			11		1	21
22	Kewanee	195				6		1		7			10			17
23	La Salle	161	2						2	4		1	2	1	3	10
24	Lincoln *	198								7		1	18	1	1	13
25	Mattoon	228				1		2	1	4			13		2	20
26	Maywood	103							1	1			4			11
27	Moline	311	1		3	2			3	6	1	1	17	2	3	26
28	Murphysboro—White	128	1					4	1	2	1		13			13
	Murphysboro—Colored	18						1					7			
29	Oak Park	708	3			1	3	1	1	4	1		22	5	6	77
30	Ottawa	155											11			17
31	Pekin	164					1	1		4	1		3	1		17
32	Peoria	1,102		2			1			12	2	1	48	6	9	117
33	Quincy	536				6	1	2	2	3			15		4	56
34	Rock Island	343	2		2	2	1		4	1			26		4	45
35	Rockford	678	2			4	2	2	1	10		2	30	2	2	61
36	Springfield	969	4				1	3	9	31	3		29	3	3	76
37	Streator	222				1	2	1	3	1			10	2	2	22
38	Urbana	147							1	10	1	1	7	1	2	17
39	Waukegan	211	2					1	2	2	1		9	2		20
	INDIANA															
40	Anderson	400				8	2	3		12			16	2	1	32
41	Bloomington	170	1					7		6			7	1	1	7
42	Clinton	110						6		2		1	6		1	8
43	Crawfordsville	172				2	1	1		5			10		1	21
44	East Chicago	450	2			2	3	8	4	19	1		24	5	2	8
45	Elkhart	296	2					2	5	6			10	1	3	27
46	Elwood	127				1			1		1	1	8		2	9
47	Evansville	1,098	4			1		5	6	12	2	1	63		6	85
48	Fort Wayne	1,061	7			2	5	6	7	8	3	1	44	3	5	134
49	Frankfort	156	2			3		1		6			9		1	8
50	Gary	945	2			5	5	8	14	15		1	36	2	10	35
51	Hammond	439	11			9	2	1	8	11	1	1	21	3	1	30
52	Huntington	176				3	2		1	3		1	10			17
53	Indianapolis—White	3,821	14			2	5	16	15	59	15	2	188	17	28	320
	Indianapolis—Colored	776	3	1		1		3		10			84	6	14	40
54	Jeffersonville—White	127						1		3			2			10
	Jeffersonville—Colored	27														
55	Kokomo	378	1			5	1	5	5	6			25	2	6	26
56	Lafayette	448	2			1		2	1	5			28	1	4	49
57	La Porte	204	1						2	3			8		2	21
58	Logansport	251	2			1		1	1	4			8		1	21
59	Marion	308	2			1	1	1		6			9	3	2	23
60	Michigan City	287	1				1			3			28	1	1	27
61	Mishawaka	264	1				1	1		4	1		12		2	20
62	Muncie	500	1		1	5		6	5	6	1		33	1	7	46
63	New Albany	314	1					1	1	10			21	3	1	39
64	New Castle	153					1	5	2				12			7
65	Peru	161	4			1		1	1		1		5	2	1	11
66	Richmond	297	1			1		5					14	3	1	32
67	South Bend	939	7	2	1	4	6	2	10	14			53	4	8	86
68	Terre Haute	978	8	1				17	1	23			50	1	5	67
69	Vincennes	301	2	1				1	2	5		1	24		1	18
70	Whiting	82				1		1	4				10		1	5

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
2	2	15	19	5	11	4	3	3	-------	7	3	3	20	-------	1	2	29	-------	30	1
1	2	17	6	-------	16	3	5	4	1	10	2	1	2	2	3	3	13	-------	25	2
-------	2	9	10	1	13	4	2	2	-------	6	1	-------	8	-------	7	-------	9	-------	14	
1	1	11	33	2	10	1	1	2	1	14	-------	2	9	1	2	1	10	-------	26	3
-------	3	8	14	1	11	4	14	1	1	13	2	-------	19	2	2	6	11	-------	14	4
-------	3	17	20	-------	9	6	7	4	-------	17	2	1	21	1	6	9	9	1	44	5
161	513	1,779	5,477	240	2,261	808	495	259	287	2,854	135	204	2,151	438	257	514	1,554	2	3,429	6
21	40	121	519	24	551	98	43	22	16	277	22	22	210	12	158	46	100	-------	398	
1	6	7	24	1	44	5	1	4	1	10	-------	2	10	4	3	6	11	-------	19	7
2	2	15	52	2	35	17	-------	1	4	37	1	-------	22	2	2	2	10	-------	18	8
-------	13	39	70	4	20	15	21	6	4	48	6	5	34	12	5	7	38	1	79	9
3	6	50	71	4	40	14	10	5	5	63	-------	3	50	4	4	10	29	3	115	10
3	9	48	78	3	45	32	10	4	9	28	5	5	43	13	13	15	62	3	77	11
4	1	13	18	1	29	17	5	1	1	10	-------	1	21	-------	19	-------	15	-------	21	
-------	8	49	91	2	34	3	8	8	3	31	4	2	27	6	1	5	17	-------	219	12
1	11	47	79	1	24	7	11	4	5	51	3	5	46	4	1	9	18	-------	78	13
1	3	13	27	4	7	1	-------	1	1	12	-------	1	5	2	-------	-------	3	-------	12	14
2	9	22	32	3	13	3	13	6	1	31	4	3	20	6	4	4	13	-------	73	15
1	4	27	43	-------	16	5	9	4	3	37	3	4	24	6	-------	2	14	-------	75	16
-------	1	11	7	-------	18	11	6	4	1	18	2	1	21	2	11	1	24	3	18	17
-------	-------	2	8	2	17	8	4	1	2	3	2	1	15	4	14	3	11	3	17	18
-------	5	46	101	1	32	3	10	5	1	21	3	3	16	8	1	3	20	-------	144	19
1	5	31	45	8	37	14	10	3	9	27	5	3	39	6	5	8	24	-------	80	20
-------	3	21	35	6	12	6	4	-------	3	22	2	3	23	4	1	11	14	1	39	21
-------	3	19	18	3	10	2	8	4	1	8	-------	2	24	1	-------	2	15	-------	34	22
3	3	9	15	1	9	5	7	1	1	9	-------	3	20	2	-------	2	13	-------	33	23
-------	6	10	26	-------	13	9	7	2	6	6	1	1	10	3	1	3	11	-------	42	24
1	5	23	29	3	11	7	4	5	1	22	-------	1	21	4	-------	3	6	2	37	25
-------	1	12	25	-------	11	3	-------	-------	-------	10	-------	-------	9	2	-------	-------	4	-------	9	26
-------	1	33	43	2	13	6	4	7	2	21	3	-------	22	10	-------	4	19	-------	56	27
1	2	10	12	-------	12	2	1	2	1	2	1	-------	5	1	3	2	15	-------	21	28
-------	1	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	2	-------	1	-------	4	
2	23	68	124	1	29	7	28	12	5	67	5	11	51	2	5	15	35	-------	94	29
2	2	8	25	-------	4	9	6	-------	-------	20	1	1	14	2	2	-------	14	1	16	30
-------	2	14	13	-------	11	-------	-------	-------	-------	3	-------	1	16	2	1	4	44	2	23	31
6	21	69	183	4	88	12	23	12	11	72	6	8	70	20	8	15	54	-------	222	32
2	5	74	102	9	29	9	14	5	3	31	3	3	31	8	2	8	26	-------	83	33
2	5	37	56	1	10	5	5	5	1	19	2	1	19	7	2	4	17	-------	58	34
-------	8	60	99	5	50	7	19	13	6	69	5	7	60	12	1	10	34	-------	95	35
3	15	103	133	7	57	23	31	14	6	84	4	9	53	15	8	11	56	2	173	36
3	2	17	31	3	16	8	4	4	3	22	2	1	11	6	-------	1	4	-------	40	37
1	4	7	21	1	11	1	-------	2	-------	9	3	2	5	-------	1	2	5	-------	32	38
2	2	18	39	-------	12	8	3	4	-------	7	2	1	14	3	2	9	18	-------	28	39
3	6	38	48	-------	27	11	12	7	6	35	-------	1	24	3	-------	5	27	1	70	40
-------	1	10	24	3	15	3	4	-------	-------	29	3	1	15	-------	1	2	8	-------	21	41
-------	-------	8	10	1	13	7	1	-------	4	5	-------	1	7	1	1	1	10	3	13	42
-------	1	20	38	1	7	2	2	3	1	16	1	1	2	-------	-------	1	8	-------	27	43
3	1	12	31	2	99	41	6	2	4	16	2	4	40	9	11	9	43	-------	37	44
-------	8	27	46	-------	22	2	10	6	2	23	4	2	26	3	2	5	13	-------	39	45
1	1	17	14	-------	6	3	1	2	2	17	-------	-------	14	1	-------	2	8	-------	15	46
5	18	88	175	6	98	36	27	11	12	121	6	3	50	14	14	12	49	-------	168	47
3	23	77	145	5	64	19	22	16	5	75	6	9	73	17	-------	21	54	4	198	48
1	1	17	23	-------	10	1	1	2	1	13	1	1	8	3	-------	1	17	1	24	49
6	7	30	89	7	188	26	22	20	4	37	7	6	72	13	36	27	91	3	121	50
2	3	18	36	2	50	22	6	5	7	29	1	1	40	4	7	13	43	-------	51	51
-------	2	18	38	1	11	3	1	5	1	11	1	1	13	3	-------	3	8	-------	19	52
10	53	292	679	9	306	122	67	40	30	311	18	22	219	58	24	66	123	1	690	53
1	6	41	119	5	104	33	9	3	8	61	1	7	47	1	25	5	24	1	113	
-------	-------	10	25	1	11	4	1	1	3	15	3	1	5	1	-------	1	1	-------	28	54
-------	-------	3	6	-------	1	5	-------	-------	-------	4	-------	1	1	1	-------	2	-------	-------	3	
-------	4	33	60	-------	26	20	6	4	3	22	-------	4	26	3	1	1	25	-------	58	55
1	4	44	71	4	22	2	16	3	2	31	6	3	18	4	3	7	31	1	82	56
2	5	22	21	-------	9	4	5	5	3	25	1	-------	10	5	-------	3	7	-------	40	57
2	3	29	27	-------	15	2	4	2	3	45	2	4	13	5	2	6	18	-------	30	58
1	3	29	64	2	13	1	9	9	11	19	2	1	21	3	3	3	16	2	48	59
1	4	19	42	3	22	4	4	6	2	20	-------	3	18	4	3	6	17	-------	47	60
-------	9	24	28	-------	24	8	5	5	-------	11	-------	2	22	4	1	6	14	-------	49	61
2	7	46	59	1	33	13	1	8	4	42	4	4	38	3	5	9	24	3	82	62
1	6	25	51	4	13	2	7	2	7	25	2	2	12	2	2	4	19	1	50	63
1	4	19	15	2	12	7	2	1	-------	10	2	1	7	1	-------	5	10	-------	27	64
1	6	10	18	-------	11	4	3	3	4	14	-------	2	10	3	2	3	10	-------	30	65
1	10	28	55	2	11	6	2	2	5	32	2	-------	12	7	-------	5	14	-------	46	66
3	15	79	136	8	90	19	13	15	6	61	9	4	80	12	7	14	46	1	124	67
5	16	65	140	2	64	12	10	24	12	93	11	9	74	7	16	21	60	1	163	68
1	6	13	48	-------	23	6	12	3	2	19	2	4	23	2	1	5	17	-------	59	69
-------	-------	3	7	1	13	7	-------	3	2	1	-------	-------	7	1	1	-------	5	-------	9	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	IOWA															
1	Boone	136	1						1	1			3		2	15
2	Burlington	337	2				1	1	3	3			8	1	2	36
3	Cedar Rapids	520				5	2	1	1	12	1	1	15		1	67
4	Clinton	349				5			3	2		1	12		4	42
5	Council Bluffs	528	1		1	16		3	3	8			17	2	2	50
6	Davenport	660	2			2			4	4	1	1	37	2	5	75
7	Des Moines	1,505	4			18	2	3	21	19	4	1	61	6	12	123
8	Dubuque	601	3					2	12	4	4		28			64
9	Fort Dodge	218	3			2	1				2	1	12		1	16
10	Fort Madison	162	2			6		5	1	1			9	1		15
11	Iowa City*	374				1	1		3	2			8	2	6	53
12	Keokuk	251	4			7			2	1			6		2	29
13	Marshalltown	288	2	1				1	1	6	2		7	1	3	26
14	Mason City	255			6	14	5	1	2	6	1		6		3	22
15	Muscatine	250				2		1	1	6			7	1	1	37
16	Ottumwa	349				1		1	3	15	4		17	1	3	39
17	Sioux City	843	6			6	1	6	6	19	2		20	1	4	84
18	Waterloo	390	3		1	2	1			5	3		12	2	3	41
	KANSAS															
19	Arkansas City	195				7	1						7	2		18
20	Atchison—White	158	1							8		1	4		1	14
	Atchison—Colored	34	1							3			4			2
21	Chanute	143				1	1	1		3			7			7
22	Coffeyville—White	142	3					4		4			3		1	16
	Coffeyville—Colored	31								3			3		1	
23	El Dorado	102							2				3		1	9
24	Emporia	209	1				1		3	2	1		3	1	1	23
25	Fort Scott	206	1				1			7			9	1		23
26	Hutchinson	258	2			2		1		4	2		13	1	4	31
27	Independence	139	1							5			10		3	12
28	Kansas City—White	1,173	5			14	3	6	6	12	4	1	71	2	12	104
	Kansas City—Colored	357	2			3		8	2	7	1		49	2	7	12
29	Lawrence—White	165					1			3	1		5		1	16
	Lawrence—Colored	25											2		2	1
30	Leavenworth—White	242						2	1	7	1		8			20
	Leavenworth—Colored	53								7			4		1	2
31	Parsons	176	1					1					9			22
32	Pittsburg	215	2			1	1	9		8	1		4			18
33	Salina	218				1		3		4			5		2	24
34	Topeka	775	3			25			1	14	2	1	34	1	5	66
35	Wichita	1,012	3			17		5	4	11		1	25	5	5	108
	KENTUCKY															
36	Ashland	280	2			1		9		5	2		14	2	1	13
37	Covington	819	4			5	1	2	5	9	1		75	6	4	71
38	Henderson—White	145	2					1		2			6			7
	Henderson—Colored	81						2	1	1			10			1
39	Lexington*—White	657	3	1		7	1	3	5	3	6		43	4	5	39
	Lexington*—Colored	357	3			2	1	1	1	2	1		29		6	12
40	Louisville—White	2,970	7	1	1	5	2	9	11	32	8	1	181	12	17	261
	Louisville—Colored	977	2	2			1	1	2	21	2		72	3	12	46
41	Newport	308	1			6	2	1		12	1		25		1	34
42	Owensboro—White	312	6				1	3	1	12	1	1	25	1	4	23
	Owensboro—Colored	62	2	1				2		6			6		2	3
43	Paducah—White	274	4	1					1	4	2		24	3	1	20
	Paducah—Colored	144	1	3						2			24		2	6
	LOUISIANA															
44	Alexandria—White	163	2	2		2		1	1	5		1	4		1	10
	Alexandria—Colored	201	8	3		2				3			20		1	6
45	Baton Rouge—White	149	1			9			1	6		2	7			6
	Baton Rouge—Colored	155	5	2		2		2		10			16		2	11
46	Lake Charles—White	117				1				4			5			9
	Lake Charles—Colored	98	1							4			11	1		5
47	Monroe—White	157	6	1		1		1	3	6	1			1	1	8
	Monroe—Colored	220	6	3		3		1		4	1		24		1	4
48	New Orleans—White	4,528	27	4		52	4	4	18	51	7	2	345	6	15	359
	New Orleans—Colored	3,072	17	3		40		14	6	53	1	2	289	10	26	143
49	Shreveport*—White	562	6	4		2			4	9	2		14	1	10	48
	Shreveport*—Colored	783	11	9		3			2	6	1	1	57	6	19	28
	MAINE															
50	Auburn	188							2	1	1		7	1		20
51	Augusta*	332	2			2		5		3			14		1	18
52	Bangor*	514	3			1				7	5		38	1	3	29
53	Bath	151	6			3			1	1		1	2	1		18
54	Biddeford	271	1			1	1	5	2	18	1		10	2	1	17

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents	Other external causes	Unknown or ill-defined diseases	All other causes	
51, 52	57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	175–183b, 188d–196, 201–203	204, 205		
-------	3	14	24	-------	10	1	6	1	-------	15	-------	2	7	-------	-------	-------	5	-------	25	1
1	7	30	55	4	13	2	12	9	4	17	3	2	10	4	-------	5	19	-------	83	2
-------	6	50	83	5	25	10	9	14	2	24	1	4	32	7	-------	4	29	2	107	3
-------	5	31	59	1	27	3	10	7	1	26	2	3	17	3	-------	1	19	-------	65	4
1	8	37	65	1	52	17	15	5	1	27	8	2	42	5	5	5	31	2	96	5
5	12	48	115	7	64	5	10	8	6	46	4	5	40	14	2	9	25	-------	102	6
2	19	117	205	6	126	18	35	18	6	70	10	13	101	18	13	17	93	6	338	7
4	18	62	74	6	43	3	11	4	4	56	3	4	43	7	2	5	31	4	100	8
2	3	18	17	1	19	3	13	5	-------	10	-------	3	21	2	-------	2	17	-------	44	9
2	2	17	27	2	13	1	1	2	-------	14	-------	-------	8	-------	-------	-------	6	-------	27	10
2	10	18	39	2	26	-------	10	6	2	25	1	5	21	2	-------	1	10	1	117	11
-------	3	19	41	4	11	1	3	10	-------	18	2	2	19	2	-------	3	14	2	46	12
-------	4	28	47	6	13	2	5	2	1	21	1	-------	9	4	3	3	18	-------	71	13
-------	8	17	19	-------	19	6	6	5	1	11	-------	3	17	4	2	6	16	1	48	14
3	3	29	26	-------	14	3	5	5	-------	10	7	1	14	2	-------	4	11	-------	57	15
-------	3	25	44	-------	22	5	12	6	1	22	1	2	21	3	2	1	24	-------	71	16
4	14	58	87	4	55	9	34	15	3	36	4	8	68	22	10	15	46	3	193	17
1	6	43	38	6	33	2	7	4	3	30	3	-------	33	4	2	5	24	-------	73	18
-------	2	16	28	1	8	-------	9	1	1	14	-------	2	17	-------	-------	2	16	1	42	19
-------	2	15	21	2	8	2	3	1	-------	16	1	1	10	-------	1	1	12	2	31	20
-------	-------	2	7	-------	1	-------	-------	-------	-------	5	-------	-------	2	1	-------	-------	1	-------	5	
1	-------	17	19	-------	4	5	7	5	1	3	1	3	11	-------	-------	1	4	2	39	21
5	-------	11	7	-------	10	10	6	1	1	6	-------	1	4	1	1	2	10	1	34	22
-------	1	-------	2	-------	4	4	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	-------	-------	11	
1	1	12	10	-------	2	3	5	1	-------	12	-------	1	6	3	1	1	6	-------	22	23
-------	2	11	31	-------	8	6	8	2	-------	19	1	3	21	3	-------	3	15	1	39	24
-------	2	17	25	1	18	2	13	1	1	13	-------	1	8	2	-------	2	8	1	49	25
-------	3	25	26	-------	9	2	8	2	1	27	-------	2	22	5	1	5	9	-------	51	26
2	1	12	13	-------	5	1	6	4	-------	3	1	3	16	2	1	4	3	1	30	27
9	12	71	149	6	93	46	15	22	10	72	7	12	96	16	13	15	68	-------	201	28
-------	1	13	44	1	20	12	4	6	1	47	3	4	15	2	11	3	17	1	59	
-------	3	31	21	5	6	3	3	2	1	10	-------	1	12	1	-------	1	7	3	28	29
-------	-------	2	6	-------	-------	-------	-------	1	1	1	-------	-------	1	-------	-------	-------	2	-------	6	
-------	1	32	49	5	15	4	1	-------	1	15	2	-------	9	7	3	3	11	-------	45	30
1	-------	7	13	-------	1	-------	-------	-------	-------	5	1	-------	2	1	-------	-------	3	-------	5	
-------	2	13	27	-------	7	4	1	-------	3	14	2	4	7	3	2	1	16	-------	37	31
2	-------	25	26	3	13	7	9	2	2	20	-------	1	7	3	-------	4	8	2	37	32
-------	4	19	19	1	12	1	8	5	2	17	1	3	20	-------	3	2	17	1	44	33
4	9	71	115	3	50	12	20	6	8	47	10	4	50	6	5	16	34	3	150	34
5	14	106	115	2	67	29	25	18	10	69	6	7	56	14	5	10	47	3	220	35
1	1	18	20	1	23	12	6	4	2	13	4	5	25	1	11	8	25	2	49	36
5	11	72	127	3	56	3	15	11	10	55	4	7	52	3	8	12	51	3	128	37
-------	2	9	30	2	14	4	6	1	2	15	2	-------	9	-------	-------	2	5	2	22	38
-------	-------	8	13	1	8	1	-------	3	-------	3	-------	-------	1	-------	2	1	3	-------	22	
-------	10	62	101	3	54	13	10	5	4	33	4	11	34	5	5	10	29	7	137	39
2	2	42	52	3	46	5	6	3	1	44	2	2	13	-------	7	2	8	7	52	
5	43	240	501	22	205	75	47	33	28	250	13	22	182	41	18	46	137	1	513	40
5	6	67	171	23	122	14	9	14	8	103	7	2	23	2	44	12	36	2	143	
2	2	38	39	1	29	7	1	3	4	24	1	1	16	3	2	3	10	1	38	41
2	5	14	32	1	23	24	7	5	1	22	1	2	16	3	1	6	16	2	51	42
1	-------	4	12	-------	3	2	-------	-------	1	5	-------	-------	2	1	1	1	2	-------	5	
-------	2	9	27	2	16	4	15	3	1	27	1	4	23	3	-------	2	19	4	52	43
-------	2	11	15	1	10	2	3	3	-------	14	2	2	9	-------	4	-------	8	2	18	
1	-------	6	22	-------	12	5	16	2	-------	8	3	2	5	1	2	5	8	-------	36	44
-------	1	10	21	1	16	13	6	1	1	19	1	3	10	-------	5	1	7	5	37	
-------	1	9	29	-------	13	6	1	-------	-------	14	1	2	5	5	1	2	12	-------	16	45
-------	-------	11	19	-------	5	11	-------	1	-------	10	-------	1	8	1	1	2	7	1	27	
-------	1	7	11	-------	7	2	6	3	1	6	1	3	13	-------	1	3	2	6	25	46
1	-------	2	10	-------	8	3	-------	-------	-------	8	-------	2	9	-------	2	-------	6	10	15	
-------	-------	8	11	-------	5	-------	8	4	2	15	4	3	11	-------	3	7	11	4	32	47
-------	1	9	15	1	20	14	3	3	3	16	4	3	8	-------	7	1	12	4	49	
8	60	314	800	16	259	138	107	72	41	469	18	35	215	45	38	61	222	2	714	48
8	16	179	515	9	340	99	23	29	31	281	19	25	151	9	95	23	135	2	479	
3	9	31	43	2	38	10	26	7	4	43	6	10	27	9	4	9	46	2	128	49
5	2	28	95	3	67	8	22	13	1	82	7	14	39	1	23	9	32	3	186	
-------	1	24	46	1	11	3	-------	-------	-------	16	-------	-------	14	2	-------	1	10	1	26	50
-------	3	29	56	2	40	1	3	2	3	31	2	3	26	2	-------	6	9	1	68	51
1	9	38	78	4	47	-------	11	9	1	30	3	6	20	8	2	3	24	7	126	52
-------	4	22	24	1	11	-------	2	2	-------	10	1	5	14	4	-------	-------	2	1	15	53
3	4	25	24	-------	27	8	5	3	-------	18	2	3	30	1	-------	-------	9	2	45	54

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	MAINE—continued															
1	Lewiston	569				3		2	1	6	2		15	1	4	66
2	Portland	1,062	5			1		3	16	4			34	3	6	105
3	Sanford town	111	2				2	1	1	3			3	2	1	9
4	Waterville	205	1			13		7		5			6	1	1	11
	MARYLAND															
5	Annapolis—White	81	3							1			2	2		5
	Annapolis—Colored	66	1							3			4	1		4
6	Baltimore—White	8,672	12	1		22	20	29	55	84	18	10	518	33	50	886
	Baltimore—Colored	2,638	9			4	2	18	5	51	3	1	289	14	35	128
7	Cumberland	460	1			1		7	2	4	4		8		4	36
8	Frederick—White	222	2			6	1	1	2	4			7	3		11
	Frederick—Colored	23														3
9	Hagerstown	401	3			1	1	2	2	5	1		20	2	3	20
	MASSACHUSETTS															
10	Adams town	123	1							6	1		4			10
11	Amesbury town	116							5	1			5	1	1	6
12	Arlington town	253							1	3			9		2	35
13	Attleboro	254						3	1	4	1		34	2	3	24
14	Belmont town	115											5		1	8
15	Beverly	267	1							1	2	1	13			32
16	Boston—White	10,551	14			45	53	20	168	24	31	16	620	64	42	1,162
	Boston—Colored	389	1					2	1	1		3	50	4	4	27
17	Braintree town	159				1			1	2			49		3	13
18	Brockton	721				1		1	9	7	5	1	22		5	93
19	Brookline town	447	1				3			2	1		13	1	6	92
20	Cambridge	1,435	5			2	1	1	9	3	4	3	121	4	17	161
21	Chelsea	569				5	1	1	3				39	1	2	64
22	Chicopee	351				11	1	6	10	3	1		34	6	5	34
23	Clinton town	158					1		3	1	1		1	1	3	20
24	Danvers town *	294				1		2		1	2		25	1	1	18
25	Dedham town	108											4	2		27
26	Easthampton town	101					1		1	1			4	1	2	11
27	Everett	325	1			4	1		1	1	3	1	14	1	3	28
28	Fall River	1,600	1			1	2	25	18	13	1	4	94	10	8	143
29	Fitchburg	503	3			3	4	1	7	2			32	2	2	51
30	Framingham town	269				2			1	2			11	3	1	18
31	Gardner town	241				1			2			1	16	1	4	38
32	Gloucester	299				2	1		8	4	1	1	3	1	1	39
33	Greenfield town	162				4	1		1	1			6			16
34	Haverhill	643	2				1	3	10	4	1		22	1	5	87
35	Holyoke	804				6	1	7	9	10	1		44	3	10	76
36	Lawrence	1,054	3			6	1	7	32	12	2	3	55	9	7	101
37	Leominster	256					3	3	2		1	1	9	1	1	17
38	Lowell	1,548	2			2	1	5	10	7	2	3	92	11	14	114
39	Lynn	1,159	3				3	5	9	13		1	57	4	8	103
40	Malden	513				2	9	2	12	2	1	2	24	4	1	57
41	Marlborough	168	1			1			1	2	1	1	7	2		9
42	Medford	438				1	1		4	6			13		1	57
43	Melrose	231					2			2			4	2	1	24
44	Methuen	210						3	3				11	1	1	29
45	Milford town	191		1		2				1			8	2	2	14
46	Natick town	161				1			1	3			5	1		24
47	New Bedford	1,350	5			2		7	14	20	3	2	93	14	10	98
48	Newburyport	247							5				6		1	30
49	Newton	508	3			1		2	2	1	1	1	15	1	2	67
50	North Adams	285	2			1		1	2				6	1	2	38
51	Northampton *	400				1			1	8	1		41		2	31
52	Northbridge town	90							1	2			4			11
53	Norwood town	134						1		1			3	1		8
54	Peabody	240	1			1	1		6	2			5	1	2	16
55	Pittsfield	573	1			2	10	4	3	3	2		24	2	3	55
56	Plymouth town	161	2			2			1	3		1	4			16
57	Quincy	484				1		2	6	8		1	19	4	4	53
58	Revere	191				1			2		2	1	9	1		22
59	Salem	517				2	1	1	8	2			27	6	2	47
60	Saugus town	97							2	1			4		1	10
61	Somerville	981	1				2	3	16	5	3		36	2	9	114
62	Southbridge town	135						1	1				4	1	1	22
63	Springfield	1,691	2			11	4	3	25	14	5	2	62	15	7	153
64	Taunton *	580			2	2		3		5	1		28	3	5	42
65	Wakefield town	139					1		1	2			6	1		15
66	Waltham	388	1			4	3		9		1	1	17	2	6	37
67	Watertown town	143	1			1	5		1			1	8	1	1	16
68	Webster town	93	1				1			2			8	2		9
69	West Springfield town	126					1		1	2		1	3	1		16
70	Westfield	255	1				3						16	1	3	11
71	Weymouth town	167								2			5			23

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
2	6	41	70	5	37	17	18	7	3	54	5	6	74	2	------	14	26	5	77	1
3	14	102	166	5	79	13	18	18	3	80	4	23	77	9	4	16	55	9	187	2
------	4	15	13	------	12	3	2	------	1	3	1	2	11	------	------	------	5	------	15	3
2	2	18	25	3	14	3	7	5	------	9	2	3	18	2	------	3	14	------	30	4
1	3	9	9	1	5	2	2	3	3	9	1	2	4	------	------	------	5	------	9	5
------	1	5	7	------	6	4	------	1	------	5	------	------	4	------	------	1	4	1	14	
56	162	776	1,341	51	893	240	98	92	59	831	43	49	508	92	30	107	383	1	1,122	6
17	19	191	328	8	435	72	18	17	4	256	17	11	155	4	37	22	100	------	368	
1	16	20	79	3	41	7	15	8	1	39	5	1	38	3	2	8	31	------	75	7
1	4	17	48	2	2	3	8	4	1	15	2	2	17	2	1	4	9	2	41	8
2	------	2	4	1	------	------	------	------	------	4	------	------	3	------	1	------	------	------	3	
6	7	30	65	1	32	7	10	2	1	55	3	4	30	5	3	11	23	5	41	9
------	4	9	18	4	6	2	3	2	1	6	1	------	10	3	------	------	10	------	22	10
------	3	20	21	------	9	------	------	------	------	12	------	------	9	1	------	------	6	------	16	11
1	3	31	47	------	22	1	3	5	------	13	------	4	14	2	------	4	10	------	43	12
1	1	14	43	2	13	3	5	2	4	19	1	3	17	4	------	3	15	1	31	13
------	------	18	34	1	7	------	1	2	1	8	------	------	6	2	------	------	2	3	16	14
------	5	35	70	1	19	2	2	1	1	16	3	1	13	3	1	3	5	------	36	15
33	177	782	1,893	41	1,012	168	154	119	56	511	55	96	785	110	33	140	528	6	1,593	16
1	7	23	62	2	37	5	5	8	4	30	2	7	25	3	4	3	9	1	58	
------	------	20	21	------	12	2	------	------	1	6	------	1	5	2	------	1	6	------	13	17
6	21	72	124	8	38	7	13	6	3	50	8	6	66	5	1	16	31	2	94	18
2	12	40	104	1	20	1	6	6	3	30	------	4	9	3	------	1	13	------	73	19
7	20	134	291	9	102	12	17	15	6	86	5	9	99	8	3	27	59	1	194	20
1	5	36	127	4	63	2	4	2	3	28	5	6	35	5	------	15	23	1	88	21
1	3	17	60	5	28	21	------	1	2	24	3	1	31	2	1	1	14	------	25	22
------	1	12	28	4	17	4	2	1	------	3	------	2	13	------	------	1	10	------	29	23
------	4	24	40	3	29	------	------	2	------	18	------	------	4	5	------	1	11	------	102	24
------	2	7	28	1	5	1	------	------	------	5	------	------	6	1	------	4	5	------	10	25
------	------	7	23	3	9	6	------	------	1	8	------	------	10	------	------	1	4	------	8	26
------	6	30	66	1	35	3	2	2	1	16	------	2	21	5	------	4	12	------	61	27
5	34	137	224	37	148	91	19	10	8	115	3	15	137	10	1	16	57	4	209	28
4	5	25	91	3	39	19	13	4	1	34	3	7	41	7	2	4	23	1	70	29
------	6	19	60	1	25	1	3	6	1	12	2	1	25	5	------	13	16	3	32	30
1	2	22	44	------	10	7	9	------	------	15	------	1	20	3	1	3	4	------	36	31
1	3	32	78	1	21	4	2	2	------	13	1	2	17	2	------	4	13	------	42	32
------	------	20	27	3	8	------	3	2	1	14	------	1	17	1	------	3	13	1	19	33
3	12	64	129	2	47	1	8	7	------	37	2	8	36	15	1	13	29	2	91	34
3	20	61	131	5	72	28	16	9	5	53	6	7	66	4	2	10	28	1	110	35
2	12	121	162	7	89	35	13	5	5	56	7	13	89	10	4	21	45	10	110	36
1	5	33	40	2	25	7	5	1	1	20	2	2	20	2	------	2	17	------	33	37
4	17	128	245	21	115	74	23	11	8	68	2	11	138	8	3	23	69	7	310	38
3	20	114	224	6	86	7	12	4	4	82	4	12	92	13	2	21	64	------	183	39
2	3	40	85	1	48	------	7	5	2	26	3	5	33	4	1	7	16	------	109	40
1	4	13	29	1	15	2	3	2	------	7	1	4	18	------	------	6	6	------	31	41
3	3	59	69	3	45	11	3	1	4	26	2	3	28	5	1	2	19	------	68	42
2	3	26	59	------	19	1	8	5	------	3	2	3	11	4	------	5	6	1	38	43
1	1	17	47	3	11	4	3	4	1	17	------	2	11	3	------	2	5	3	27	44
------	5	18	34	2	20	3	3	3	------	20	------	2	13	2	1	10	8	------	17	45
------	4	15	30	2	12	1	------	------	------	5	1	------	14	1	------	4	5	2	30	46
2	22	119	226	4	134	36	19	7	5	92	7	12	126	12	2	13	43	7	194	47
------	4	26	50	2	9	2	1	2	------	20	1	1	14	2	------	5	14	1	51	48
------	7	66	120	2	34	8	3	5	3	27	4	3	26	6	------	5	28	1	64	49
2	8	22	43	3	24	4	6	6	------	23	------	------	26	3	2	2	15	------	43	50
2	6	47	76	5	15	2	3	5	1	35	1	4	23	1	------	7	12	1	69	51
3	2	10	8	2	9	3	1	------	------	5	------	1	13	1	------	3	3	------	8	52
------	------	19	20	1	15	2	2	3	------	6	------	2	15	2	1	5	8	------	19	53
------	1	28	44	2	15	5	3	3	1	13	------	1	17	6	1	8	17	------	40	54
3	13	46	101	1	36	7	15	9	3	44	2	6	44	8	------	7	37	3	79	55
3	------	18	28	1	12	1	1	3	------	12	------	1	7	4	1	6	5	1	28	56
1	6	46	102	2	38	3	4	5	2	34	1	3	25	4	3	8	33	3	63	57
2	2	25	40	------	25	2	------	2	1	10	------	1	9	1	2	5	8	------	18	58
------	8	39	129	2	37	6	4	6	2	27	5	5	42	3	------	8	23	------	75	59
------	4	10	23	2	6	1	------	1	------	4	------	------	1	2	------	1	8	------	16	60
3	9	111	192	8	89	6	7	4	2	53	3	10	66	8	5	10	30	1	173	61
4	3	15	25	2	11	3	------	------	1	5	------	1	14	2	------	1	2	------	16	62
6	32	164	289	6	130	32	28	17	9	161	15	16	146	14	4	27	78	2	212	63
2	5	49	94	7	71	9	1	2	2	25	1	5	35	4	2	7	28	------	140	64
------	2	17	25	4	13	2	------	------	------	10	------	1	10	------	1	1	8	------	19	65
2	9	45	64	4	26	4	5	1	------	12	3	2	27	3	------	11	13	------	76	66
------	------	16	29	2	15	1	------	1	------	7	------	------	6	2	------	------	6	------	26	67
------	------	8	22	1	2	1	------	1	------	5	------	1	11	------	1	2	7	------	8	68
------	------	15	18	1	18	4	------	------	------	13	------	1	6	4	------	1	7	------	13	69
1	4	32	44	3	26	6	5	4	------	25	------	4	19	2	------	3	15	------	27	70
------	2	13	40	------	15	3	------	3	1	12	1	1	9	1	------	9	9	------	18	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	MASSACHUSETTS—continued															
1	Winchester town	121								1			2		1	25
2	Winthrop town	166									1		4		1	22
3	Woburn	200				1		2	2	1	1		10		2	13
4	Worcester	2,465	1			2	17	5	43	6	7	2	137	15	10	259
	MICHIGAN															
5	Adrian	193	3					1	1				5			14
6	Alpena	165	1			4	2		2				5	1		13
7	Ann Arbor*	645	2			2	5	2	4	1	3		22	5	9	109
8	Battle Creek	542				1	1	1	4	4			11		1	57
9	Bay City	615	13			3	2	1	4	6			21	3	5	63
10	Benton Harbor	222	1					3		2			11	2		18
11	Detroit (White)	11,400	27	1	139	55	50	37	149	80	39	17	742	88	74	865
	Detroit (Colored)	1,441	3	1	25	2	3	22	13	21	1	5	204	13	22	28
12	Escanaba	194	1				1		3	3	1		8	2	1	11
13	Flint	951	2		7	13	9	5	22	17	3		40	5	7	59
14	Grand Rapids	1,530	5				4	2	9	12	3		52	10	11	154
15	Hamtramck	410	1		3	2	1	3	10	2			34	1	2	9
16	Highland Park	553			11	6	5		8	7		1	16	9	5	32
17	Holland	130					3	1		3			4			11
18	Ironwood	195	2			2	1	2	2	1			11			13
19	Ishpeming	121								1			7			10
20	Jackson	653	3		1	2	1	1	6	11	1	1	26	1	3	71
21	Kalamazoo*	873	3		1	1	3	2	7	9	3		32	3	4	83
22	Lansing	732	1			5	2		12	11	6		14	1	4	63
23	Marquette	186	1				2		1	2			5	1	2	17
24	Monroe	156	1			1	1			1		1	3			13
25	Muskegon	512				1	10	1	7	3	1		21	2	4	40
26	Owosso	189	1						1	1		1	6	1	1	23
27	Pontiac*	622	1		1	2	3	3	5	5	5		43	4	4	29
28	Port Huron	418	1		2	13	2	1	2	4	5		11	1	2	28
29	Saginaw	886	15			2	9	5	12	1	3		46	1	4	71
30	Sault Ste. Marie	141			1	1	1		3				3		1	12
31	Traverse City*	330				1	1	1	1		1		28		3	21
32	Wyandotte	206				1			3	7		1	13	1		7
	MINNESOTA															
33	Austin	113	1			1		1		2			3		1	9
34	Duluth	1,045	1		15	2	7	6	1	4	5	2	51	13	10	120
35	Faribault*	200	1				1	1	3	2			19		1	14
36	Hibbing	140					2			2			3		2	10
37	Mankato	199				1	1		1	2			5	1	1	27
38	Minneapolis	4,689	9		219	7	21	13	69	32	22	4	248	16	29	546
39	Rochester*	834	1			1	1	1	3	4	5		18	2	14	175
40	St. Cloud	212	1				2		4	2			9			27
41	St. Paul	2,928	5		11	7	20	5	33	18	11	2	157	16	28	362
42	Virginia	121			4	1	2	1	2	1	1	1	6			7
43	Winona	264			1	2		5		3			6	3		32
	MISSISSIPPI															
44	Biloxi (White)	162	3			4		1	1	5		1	5			8
	Biloxi (Colored)	42	1										2			4
45	Columbus (White)	50		1		1				4						3
	Columbus (Colored)	122	1	1		1				5			10		2	4
46	Greenville (White)	119	1	2		1			2	5					1	9
	Greenville (Colored)	238	2	1						1			13		3	12
47	Hattiesburg (White)	114				1				2	2		3			7
	Hattiesburg (Colored)	116						2		1			16		1	3
48	Jackson* (White)	237	4	2		1	1		1	7	2		6	1	1	19
	Jackson* (Colored)	336	9	3	1	1		1		6			22		3	15
49	Laurel (White)	146	5			6		2	1	2			2		1	11
	Laurel (Colored)	107	7			1		1		5			10			2
50	Meridian* (White)	189	1			1		2	3	10			6	2		12
	Meridian* (Colored)	246	7	5	1	1		3		17		1	28		2	6
51	Natchez (White)	91				1				2			2	2		3
	Natchez (Colored)	189		2				2	1	4			11		3	8
52	Vicksburg* (White)	201	1			1		1		3			5			12
	Vicksburg* (Colored)	498	7	11				1		4			17		7	22
	MISSOURI															
53	Cape Girardeau	220		1				1	1	4		1	18		1	16
54	Carthage	154		1		5		3	1	4			14		2	12
55	Columbia (White)	136	5			2		3		7			7	2		9
	Columbia (Colored)	58	2							2			9			4
56	Hannibal	329	5			1	4	3	4	8	1		23		2	24
57	Independence	215	1				2	1		12	3		10		2	18
58	Jefferson City (White)	187	2			2	1		2	6	2		8		1	18
	Jefferson City (Colored)	26								1			6		1	
59	Joplin	484	2			6	2	5	4	9			60	1	2	31

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
------	3	13	22	------	11	1	1	1	------	4	------	1	8	1	------	2	4	------	20	1
2	3	24	34	1	13	1	3	------	------	20	------	3	9	2	------	1	4	2	16	2
1	1	15	44	------	16	2	4	3	1	13	1	4	19	2	------	6	11	------	25	3
6	37	207	427	18	200	38	36	32	9	204	14	29	163	20	5	29	118	1	368	4
------	8	22	42	2	7	2	2	------	2	15	1	------	11	------	------	2	15	1	37	5
------	1	15	30	4	12	2	2	4	------	9	1	1	14	------	2	1	10	2	27	6
3	18	43	67	2	31	1	10	8	3	49	6	2	26	7	1	13	32	------	159	7
2	7	75	83	8	25	5	8	9	4	31	3	2	48	7	2	8	26	1	108	8
3	4	67	107	5	28	4	15	11	5	25	6	4	32	6	------	10	30	3	129	9
------	6	18	40	------	17	4	5	2	2	16	2	1	23	4	1	6	10	------	28	10
54	133	627	1,485	101	1,197	345	204	121	82	501	97	104	1,102	147	123	289	473	35	1,817	11
10	5	45	143	9	287	32	21	12	1	28	9	12	91	6	85	16	50	3	213	
------	4	16	26	2	8	6	4	5	4	14	2	2	17	3	1	3	18	------	28	12
2	16	57	138	2	101	19	19	12	5	33	8	10	126	6	6	19	41	------	142	13
5	32	129	322	7	80	20	21	18	7	126	8	8	99	17	2	31	73	3	260	14
------	1	9	45	8	62	54	4	2	1	20	2	3	65	4	------	7	18	2	35	15
1	5	36	53	3	65	16	15	7	1	25	7	8	61	7	4	23	32	3	81	16
2	4	12	21	2	5	2	3	------	1	6	2	1	15	1	------	4	4	1	22	17
1	2	9	19	4	14	9	3	------	2	10	4	------	18	1	------	5	16	2	42	18
------	3	15	23	2	16	------	4	2	------	9	------	2	7	1	------	1	5	1	12	19
1	11	67	110	5	28	13	12	8	4	51	2	4	46	5	1	13	30	1	113	20
6	8	57	148	6	40	9	11	9	4	47	------	8	43	14	1	12	38	5	256	21
4	8	62	93	1	40	13	16	7	6	43	10	9	78	6	2	15	38	3	159	22
------	3	9	34	3	8	2	------	4	------	10	1	4	25	3	4	1	14	1	29	23
------	2	10	23	------	15	5	------	3	1	7	------	------	22	3	2	5	13	3	21	24
1	6	37	87	7	52	7	11	6	6	20	3	4	57	1	1	10	20	------	86	25
------	3	23	38	1	5	1	3	3	3	4	2	3	19	2	1	3	8	------	32	26
2	8	51	61	5	48	10	9	6	3	20	2	7	49	5	2	18	18	4	189	27
------	4	32	75	4	20	5	7	5	3	21	2	6	28	------	------	13	26	1	94	28
2	17	73	138	8	61	12	18	19	6	35	5	8	68	9	4	22	61	2	149	29
------	1	12	19	2	14	4	2	2	2	8	1	3	11	------	------	4	8	------	26	30
1	4	29	50	2	17	1	6	3	1	12	------	1	9	3	------	------	15	------	119	31
1	1	12	15	------	21	7	2	3	1	9	2	3	23	1	3	5	23	4	37	32
------	2	6	24	------	5	------	2	2	1	4	2	4	14	1	------	1	12	------	15	33
6	10	74	153	5	68	9	23	12	4	67	7	6	96	11	3	19	49	1	185	34
------	2	10	30	1	14	1	6	5	3	13	------	------	12	2	1	3	5	------	50	35
1	2	2	21	4	4	3	4	1	1	4	2	2	18	4	2	3	22	------	21	36
2	4	16	17	------	13	------	9	5	------	19	1	------	8	1	------	5	14	------	46	37
19	87	289	665	17	345	30	103	50	34	210	36	27	311	74	27	86	199	9	836	38
1	9	23	84	3	36	3	22	12	6	16	1	4	11	2	------	4	18	3	351	39
------	3	12	37	------	15	1	6	2	1	7	1	2	19	2	1	1	14	4	39	40
11	55	206	512	10	197	41	61	24	16	161	10	16	210	35	15	55	139	2	477	41
------	2	5	18	2	15	------	3	3	1	7	1	1	12	------	2	2	3	------	18	42
1	4	27	53	8	11	2	5	4	1	3	1	1	16	4	------	6	19	1	45	43
------	2	6	22	1	17	14	3	------	2	18	2	5	11	------	1	1	9	4	16	44
------	1	2	8	------	2	2	------	------	------	8	------	------	1	------	2	------	2	------	7	
------	2	12	5	------	2	1	------	1	1	5	------	------	2	------	1	------	2	2	5	
2	------	11	26	------	9	2	------	1	2	7	------	1	7	------	1	1	6	6	16	45
------	------	6	12	------	13	2	6	3	2	11	------	------	6	------	5	2	10	3	17	46
------	1	9	26	------	10	1	9	3	------	30	1	6	4	------	3	2	17	41	43	
1	1	11	11	------	11	11	8	2	1	6	------	3	6	------	------	------	7	2	18	
------	------	7	12	------	13	5	------	2	2	9	1	1	2	------	3	3	6	9	18	47
------	4	12	15	------	9	3	12	6	3	21	1	4	22	1	3	2	12	7	55	48
1	3	11	25	2	8	20	12	5	2	31	1	2	22	------	12	4	15	39	60	
3	2	5	12	1	7	10	4	2	1	11	2	4	9	1	------	1	10	3	28	
------	------	3	4	2	6	2	7	2	2	8	1	1	6	------	3	2	8	2	22	49
------	3	24	26	------	11	8	9	2	4	14	2	1	10	1	------	3	9	3	22	50
1	3	14	29	1	18	18	2	------	1	24	3	4	6	------	1	------	11	10	29	
------	------	11	17	1	5	------	2	2	2	10	1	------	7	------	1	2	3	1	15	
------	------	13	36	------	14	6	1	1	1	24	------	1	3	------	------	------	4	24	30	51
------	2	14	13	3	24	1	4	5	1	25	------	4	7	2	5	2	16	12	38	
------	1	21	71	3	51	1	9	14	------	58	2	6	7	------	13	5	23	47	97	52
------	------	9	19	1	20	11	13	11	1	14	4	3	14	3	5	2	6	2	39	53
1	------	9	13	3	11	------	6	------	3	19	------	1	6	------	1	2	4	6	27	54
1	3	13	13	------	8	4	4	1	------	9	------	2	4	2	------	1	6	------	30	55
------	1	4	11	------	6	4	------	------	------	2	2	------	1	------	2	1	4	------	3	
2	5	10	50	1	16	10	8	6	2	27	3	3	17	6	2	3	18	4	61	56
------	3	23	37	------	15	2	3	2	2	10	1	1	19	4	2	3	9	1	29	57
1	2	8	16	------	27	2	1	------	1	16	1	1	16	3	7	2	17	1	23	58
------	------	1	------	------	4	------	------	------	------	1	------	------	------	------	------	------	3	1	8	
------	4	32	53	1	42	12	13	5	------	35	1	1	21	3	3	6	22	44	64	59

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	MISSOURI—continued															
1	Kansas City {White	3,989	9			20	6	27	15	62	9	3	210	6	15	363
	Kansas City {Colored	836	4	1		7		14	1	15			100	4	9	29
2	Moberly	193				2	1	4	2	2			9			19
3	St. Joseph	1,259	1			19	2	7	2	17	4		51	2	6	96
4	St. Louis {White	9,074	26	6		18	77	30	76	86	12	14	362	29	43	1,007
	St. Louis {Colored	1,919	4	3		3		5	3	18		3	203	12	28	76
5	Sedalia	260	3	1		7		1	1	5	2		18	1	4	19
6	Springfield	703	5	4		14	1	8	9	24	1		28	3	2	64
	MONTANA															
7	Anaconda	122								1			5		1	10
8	Billings	214	1			3			1	6		1	6	2	1	18
9	Butte	585				1	2	1	5	6	1	1	51	3	5	58
10	Great Falls	309	1			10	11	2	13		1		7	4		34
11	Helena	182	1			1				5			3		1	12
12	Missoula	214	1		1	2		4	3	1			7	3	1	23
	NEBRASKA															
13	Grand Island	269	2			1	1	4	2	4			3		2	24
14	Hastings	188				2		2	1	2			4		2	16
15	Lincoln	725	1		1	10	3	3	12	8	4		21		7	77
16	North Platte	136				4		5	4	4	1	1	7			8
17	Omaha {White	2,421	3			39	1	2	36	19	3	1	83	10	11	255
	Omaha {Colored	229						1		3			37	1	4	17
	NEW HAMPSHIRE															
18	Berlin	186	1					6	3	1	2	2	7		2	15
19	Concord*	428		1		2	1		1	3	1	1	19		6	42
20	Dover	187				1					1		5	1	2	23
21	Keene	191					3	1	1		1		8		1	18
22	Laconia	185	3					1		3	1		5		1	19
23	Manchester	979	2			9	5	3	9	21	1	2	35	14	8	88
24	Nashua	367	1			3		4	4	5	1	2	12	3	4	36
25	Portsmouth	183				1	1		2	2			3	1	1	17
	NEW JERSEY															
26	Asbury Park {White	107					1		1	1	1		5			6
	Asbury Park {Colored	38						1					7			1
27	Atlantic City {White	744						2	5	6	1	1	15	3	6	47
	Atlantic City {Colored	240						2	3	2	1		11	1	4	11
28	Bayonne	729	3			19	1	9	8	9	1	1	32	3	4	48
29	Belleville*	240	1			4	7	1	34		1	1	48	3	1	12
30	Bloomfield	180						2		2			8		2	17
31	Bridgeton	220		1					1	5			16		2	28
32	Camden	1,744	8		13	3	1	5	23	17	3	1	81	5	7	117
33	Carteret	88				4		2	3	1			6			8
34	Clifton	230					1	3	6	1		1	10	3	3	25
35	East Orange	365								9	1		22		2	41
36	Elizabeth	1,160	4			9	3	9	23	8	1	6	42	11	9	103
37	Englewood	247	1					2	1	1			5	3	1	25
38	Garfield	161					1		2	4			13	3	5	13
39	Gloucester	135							1	3	1		8		1	14
40	Hackensack	382	1			1		1		5	2		5		4	39
41	Harrison	143				3	1			2	1		8	2	1	8
42	Hoboken	952	2			5	5	1	12	9	2	1	51	2	5	74
43	Irvington	282				1				1			16	2	1	32
44	Jersey City	3,821	9			28	7	32	38	39	10	2	246	13	18	333
45	Kearny	305					1		2	6			11		3	30
46	Long Branch	395					1		3	3	1	3	9	4	3	42
47	Millville	171				1				5			7			13
48	Montclair {White	204	1			1				1			8	1		20
	Montclair {Colored	26							1						2	1
49	Morristown*	286	2			1	1		4		2		11	3	1	23
50	New Brunswick	527	2					3		6	1		24	4	3	47
51	Newark {White	4,428	13	1		14	4	21	19	35	12	9	201	15	22	397
	Newark {Colored	554				4		14		4	2		57	5	5	19
52	Orange {White	438	2					3		1	1		12	4	1	44
	Orange {Colored	87						1		1			8		2	1
53	Passaic	624	4			1	9	1	8	9	1	1	33	2	1	50
54	Paterson	1,706	4	1		8		8	11	26	10	1	102	17	6	175
55	Perth Amboy	485	1			8	1	1	10	6	1	1	22	2	2	32
56	Phillipsburg	211				4			2	3			9		2	21
57	Plainfield	426	2			3	1	3	4	4			14		4	33
58	Rahway	129	2			1			1	4			4	1	1	11
59	Summit	170							1	2		1	6	1	1	18
60	Trenton	1,872	4			15	1	20	6	22	5	1	95	12	14	127
61	Union City	445					1	5	2	7	1	1	23		3	49
62	West New York	201					1	1	3	1			13	1		24
63	West Orange	133	1				1	1	1	1	1		7			17

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents	Other external causes	Unknown or ill-defined diseases	All other causes	
51, 52	57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	175–188b, 188d–196, 201–203	204, 205		
8	57	278	501	21	289	134	99	64	35	341	31	21	251	67	78	78	187	4	700	1
1	5	27	111	3	101	15	13	10	2	92	2	8	34	2	61	9	40	-------	116	
1	6	20	27	-------	11	3	2	2	-------	17	1	1	4	5	3	3	12	-------	36	2
-------	21	98	153	6	105	11	47	22	7	93	17	5	55	26	14	17	55	-------	300	3
22	177	538	1,395	58	913	153	144	107	118	1,037	29	57	434	152	94	171	390	6	1,293	4
7	10	72	293	18	337	38	20	1½	19	216	6	9	73	10	63	26	55	1	276	
2	5	19	28	3	23	6	3	3	2	36	1	-------	11	2	2	1	14	-------	37	5
1	10	48	83	1	62	7	16	9	1	45	4	5	58	10	10	7	36	3	124	6
-------	-------	8	15	-------	12	2	2	1	-------	10	2	-------	10	2	1	3	13	1	23	7
1	4	13	21	1	17	4	4	1	1	14	2	2	19	6	6	6	14	1	38	8
1	5	34	74	1	41	4	15	8	8	54	-------	4	34	13	6	10	52	2	85	9
4	6	17	33	2	19	7	12	1	5	11	4	3	31	2	2	8	14	-------	45	10
-------	2	12	47	-------	16	2	3	4	2	14	1	4	9	1	-------	4	12	-------	26	11
-------	7	8	30	-------	12	2	8	3	2	11	1	2	11	2	1	2	12	2	52	12
1	3	20	36	-------	21	1	6	5	-------	25	3	8	25	3	1	2	15	1	50	13
2	5	19	26	1	12	1	6	5	-------	17	1	2	21	1	2	-------	8	3	27	14
3	23	68	77	2	37	5	25	15	5	78	9	10	42	5	2	12	29	2	129	15
1	4	7	10	-------	2	4	8	5	-------	12	4	-------	13	1	3	2	10	-------	16	16
11	38	158	352	5	191	42	68	33	15	137	12	17	180	55	17	27	132	-------	468	
-------	4	11	32	1	26	2	5	1	2	6	-------	-------	9	1	13	2	12	-------	39	17
-------	2	13	32	2	11	6	4	3	-------	7	1	2	20	1	-------	1	6	2	34	18
1	12	37	86	2	36	-------	2	7	3	34	-------	7	15	6	2	6	8	1	86	19
1	2	19	33	1	9	9	3	3	-------	22	1	-------	14	1	-------	3	6	2	25	20
1	3	21	32	7	8	3	3	-------	-------	23	-------	2	13	4	-------	2	5	-------	31	21
-------	4	23	24	1	12	1	5	1	-------	18	-------	-------	14	-------	-------	1	8	-------	40	22
3	13	89	127	7	86	34	7	8	8	58	5	3	104	12	1	10	44	22	141	23
4	8	24	56	3	24	9	9	6	1	41	-------	4	32	1	-------	5	12	1	52	24
2	5	16	39	-------	13	4	2	4	-------	22	-------	2	11	2	-------	6	7	-------	20	25
-------	2	23	26	1	4	-------	-------	-------	1	9	-------	-------	3	2	-------	-------	7	-------	14	
1	1	1	7	-------	5	-------	-------	-------	-------	4	-------	-------	4	-------	-------	-------	2	-------	3	26
3	18	45	168	4	52	8	11	7	9	110	1	11	37	12	2	21	40	2	97	
1	2	12	37	5	33	5	5	5	2	23	2	4	8	1	2	5	12	1	40	27
4	6	59	112	10	90	38	10	7	5	32	3	8	74	5	5	15	41	1	66	28
1	4	17	26	2	18	7	-------	-------	3	19	-------	2	9	-------	1	1	2	1	14	29
1	2	26	47	-------	11	6	-------	1	-------	19	-------	-------	11	1	-------	3	2	-------	19	30
2	6	12	45	1	10	5	4	2	1	20	-------	3	17	-------	1	3	9	1	25	31
4	31	128	247	11	202	80	24	16	13	155	26	18	127	19	10	36	107	8	198	32
-------	-------	6	7	-------	11	2	-------	-------	1	3	1	-------	14	1	-------	-------	10	-------	8	33
1	6	15	30	2	17	4	-------	1	1	15	1	1	20	6	1	4	11	-------	41	34
1	10	40	95	2	21	2	-------	-------	4	49	1	-------	9	4	2	2	5	-------	43	35
5	17	97	198	4	125	15	18	11	14	80	12	17	84	7	8	24	65	-------	131	36
1	3	20	37	1	20	2	7	2	7	18	-------	4	31	5	-------	5	16	-------	29	37
-------	1	10	18	3	27	10	-------	2	2	11	-------	-------	9	2	-------	-------	7	-------	18	38
1	3	12	25	2	8	5	-------	-------	-------	26	-------	1	6	2	1	2	2	-------	11	39
2	8	17	50	1	33	6	10	9	4	34	3	7	31	1	2	21	20	2	63	40
1	-------	9	29	1	16	9	1	-------	1	13	2	2	14	1	-------	-------	5	1	12	41
3	21	77	188	6	121	23	20	5	7	76	2	5	37	6	-------	9	54	2	121	42
1	11	34	46	2	15	3	8	2	3	32	2	3	16	5	2	4	11	2	27	43
22	68	240	655	36	439	132	83	42	25	305	27	26	257	31	7	56	186	4	405	44
2	3	31	51	3	32	7	1	-------	4	26	2	2	18	4	1	11	15	4	35	45
2	6	31	71	2	17	14	16	8	1	46	2	3	24	1	4	9	16	1	52	46
-------	5	19	27	1	4	3	1	3	3	19	-------	2	22	2	-------	1	12	-------	21	47
-------	-------	30	42	-------	21	10	1	2	1	21	-------	1	7	1	1	1	5	-------	28	
-------	-------	1	7	-------	2	-------	-------	-------	-------	4	-------	-------	5	-------	-------	-------	-------	-------	3	48
1	7	19	39	1	31	1	7	5	3	23	-------	2	20	2	-------	11	9	2	55	49
1	12	28	81	2	45	9	10	7	1	32	3	3	37	10	5	20	44	12	75	50
31	106	345	735	45	382	124	81	40	49	366	26	45	321	51	21	100	187	11	599	
2	5	29	71	4	88	19	14	3	2	31	6	9	45	2	13	4	16	-------	81	51
2	8	30	65	2	16	8	14	3	4	48	5	5	44	4	5	14	22	1	70	
-------	1	4	9	-------	14	3	2	3	2	10	1	-------	8	1	1	3	1	1	10	52
1	8	30	91	6	50	25	19	11	5	30	5	4	67	10	6	17	30	2	87	53
7	52	120	250	8	143	28	32	20	22	137	9	11	95	21	7	49	75	2	249	54
-------	10	33	50	3	33	22	8	2	4	29	2	4	51	8	1	17	40	6	75	55
3	2	15	37	4	25	5	2	-------	1	15	-------	3	18	1	-------	4	12	1	22	56
1	9	39	54	3	37	9	9	5	4	33	8	2	35	3	2	12	29	2	62	57
-------	2	10	17	2	8	2	2	-------	1	9	1	1	6	2	-------	4	13	-------	24	58
1	5	15	26	-------	20	-------	2	3	2	9	2	2	14	3	-------	6	10	-------	20	59
4	22	126	362	8	164	52	24	25	6	140	12	10	133	25	11	34	95	6	291	60
2	8	39	81	2	36	9	6	4	5	59	2	2	41	4	1	-------	9	1	42	61
2	5	15	44	2	24	1	-------	1	4	19	-------	-------	10	2	-------	-------	3	-------	25	62
-------	1	13	35	-------	9	1	2	-------	3	10	-------	-------	8	2	-------	1	6	-------	12	63

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	NEW MEXICO [1]															
1	Albuquerque	485	3	1		13			5	7	2		174	6	5	19
	NEW YORK															
2	Albany	1,827	16			2	8	5	15	13	5	2	115	9	6	172
3	Amsterdam	402	1			3	1	6	3	9			16	2	4	36
4	Auburn	467	1			1	1	2	1	6	1		22	2	5	44
5	Batavia	232					1	2	3	4	1		8			25
6	Beacon*	188								2			16			13
7	Binghamton*	1,072	5			4	1	3	10	5	4		36	2	3	87
8	Buffalo	6,955	15			5	15	45	49	31	13	2	478	31	36	630
9	Cohoes	291					2		1				17		2	21
10	Corning	221				1		2	1	4	1		8		1	18
11	Cortland	263				2			1		2		2	3	1	23
12	Dunkirk	271	1				3	2	4	8			10	1	3	23
13	Elmira	657				1		2	2	5	1	1	27	7	3	66
14	Fulton	160				1					1		2		1	12
15	Geneva	216	1					3		5			6			27
16	Glens Falls	316	1			1		1		6			9	1	2	31
17	Gloversville	366	2					2	3		1		9	1	1	41
18	Herkimer	133				3	1	3	1				3		1	11
19	Hornell	195	1				1		2	1	1		5		1	21
20	Hudson	227	5					4		5	1		13		3	15
21	Ilion	164					1			3	3		2		3	13
22	Ithaca	307	2					1			1		6	1	4	28
23	Jamestown	538				1	3	2	3	2	1		13	1	3	57
24	Johnstown	131				1				2			5	1		17
25	Kingston	512	1	1			1	3	3	4	2		34	3	6	54
26	Lackawanna*	283					1	2	2	1	1	1	8	3		12
27	Little Falls	175	1			9	1		4				5		2	12
28	Lockport	301	2			1	8	1		3	1		10	1	1	34
29	Middletown*	440							1	7			44	3	1	39
30	Mount Vernon	444	1					8	2	6	3		20	3	1	50
31	New Rochelle	387	2			5		4	1	2	2		14	4	1	34
32	New York—White	67,558	184	2	1	542	80	401	688	491	192	104	4,302	341	373	6,439
	New York—Colored	3,748	6			15	2	45	34	25	7	6	559	32	60	163
33	Bronx Borough	7,894	16			37	17	34	93	70	23	14	527	34	36	881
34	Brooklyn Borough—White	23,768	61	1		192	21	149	275	204	56	39	1,312	122	144	2,022
	Brooklyn Borough—Colored	809				6	1	10	5	11	1	3	93	8	13	29
35	Manhattan Borough—White	27,933	85	1		259	30	176	224	139	95	47	1,973	142	158	2,767
	Manhattan Borough—Colored	2,661	6			7		32	27	10	6	3	435	22	43	115
36	Queens Borough	6,513	18			43	12	34	71	60	15	3	394	36	32	644
37	Richmond Borough	1,728	4		1	13	1	11	27	22	3	1	127	9	7	144
38	Newburgh	477		1		2	2		6	2	2		33	4	2	32
39	Niagara Falls	564	3			5	1	7	6	11	1		15	4	3	47
40	North Tonawanda	201	1				3	1	2	2			9		1	22
41	Ogdensburg*	455	2			1		2	4	3	3		25		2	29
42	Olean	284	1			3	1	3		5			7	2	1	21
43	Oneida	162	1				1			1					1	16
44	Oneonta	193	2			1		1		1			3		1	16
45	Ossining	175	1	1									8		1	21
46	Oswego	298				1				2			12	1		21
47	Peekskill	191				1	1	1	2	2	2	1	12			16
48	Plattsburg	239	1				2	2		2			3	1	1	25
49	Port Chester	205	1			2			2	2		1	4	1	1	18
50	Port Jervis	190				1		4	2	13	1		3		1	14
51	Poughkeepsie	507	4					2	4	3	1		15	1	2	62
52	Rensselaer	106						1	1							12
53	Rochester	3,623	4	1	1	9	13	12	17	15	9	2	151	18	25	382
54	Rome*	499				8	3	1	6	9	3		49	4	4	52
55	Saratoga Springs	280	1					1	2				11		1	21
56	Schenectady	1,005	2			11	4	4	10	7	5	1	30	4	4	87
57	Syracuse	2,259	3			12	17	2	17	4	3	2	59	13	12	211
58	Tonawanda	104					2	1		1			7	1		11
59	Troy	1,321	3			31		1	24	6	3		40	7	4	140
60	Utica*	1,572	6			7	5	5	12	5	5		71	12	8	126
61	Watertown	535	1			4	1	1	4	7			34	3	5	42
62	Watervliet	168				1		6	3	1			9		1	12
63	White Plains	269	6			1		1	4	2	1		8	1	1	25
64	Yonkers	1,088	3				4	9	13	21	2		72	4		95
	NORTH CAROLINA															
65	Asheville*—White	525	5			5		2	2	11	2		117	2	3	26
	Asheville*—Colored	217	4					2	2	16			25	1	3	3
66	Charlotte—White	420				7	1	3	2	5		1	14	1	1	25
	Charlotte—Colored	396	9		2	4		3	3	10			36	1	3	12
67	Durham—White	135		2	1			1	4	3			8			9
	Durham—Colored	279	1	1				1		10			22	3	5	9
68	Gastonia—White	122				2			1	2			3			7
	Gastonia—Colored	53	1		1	1				2			5		1	2

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
2	4	13	26	-------	24	24	10	4	2	25	4	1	26	5	3	4	12	16	45	1
7	36	135	331	10	123	28	26	29	18	178	6	14	110	12	6	28	57	-------	305	2
1	8	29	66	4	20	8	4	7	2	46	1	4	21	2	1	4	32	1	60	3
3	7	49	88	3	31	11	4	11	-------	20	1	6	34	2	2	7	23	-------	79	4
-------	4	17	32	2	5	5	10	2	5	19	-------	2	13	2	-------	5	20	1	44	5
-------	1	22	30	-------	16	-------	3	2	1	18	1	3	16	-------	2	5	6	-------	31	6
1	16	96	217	5	78	18	8	14	8	74	3	9	63	6	1	16	58	2	219	7
22	129	484	1,094	80	529	232	124	62	61	573	37	49	597	66	35	112	312	2	1,005	8
1	4	19	75	3	30	10	2	6	-------	21	1	1	22	2	1	8	11	-------	31	9
-------	5	22	37	-------	13	12	2	6	1	23	1	1	15	1	-------	4	9	-------	33	10
-------	3	25	36	-------	25	-------	8	5	1	21	2	2	29	5	-------	3	17	-------	47	11
2	-------	15	36	2	20	4	6	3	-------	21	4	6	19	3	-------	4	28	1	42	12
1	11	61	109	5	45	5	14	7	9	64	6	5	65	2	3	13	31	-------	86	13
-------	4	8	40	1	6	4	6	1	1	17	1	2	17	1	-------	2	9	-------	23	14
1	4	25	41	2	17	1	2	-------	1	9	1	-------	14	4	2	4	9	-------	37	15
2	8	35	56	2	18	1	5	5	-------	20	3	4	36	1	1	9	16	1	41	16
4	9	42	104	3	14	2	5	4	1	31	1	1	15	3	1	2	17	-------	47	17
1	-------	14	36	2	11	3	-------	-------	1	12	1	-------	9	4	-------	2	6	-------	8	18
2	1	12	46	1	12	1	7	1	1	22	1	-------	10	-------	-------	-------	11	-------	34	19
2	4	13	31	6	11	3	4	6	1	25	1	-------	16	3	-------	7	20	-------	28	20
3	4	18	25	-------	10	1	5	5	4	7	-------	3	15	2	1	4	9	-------	23	21
2	5	33	60	4	25	-------	8	3	-------	19	-------	2	14	8	-------	2	23	1	55	22
3	7	51	109	10	28	7	16	8	3	43	-------	2	43	2	1	7	37	-------	75	23
2	3	12	37	-------	7	-------	-------	2	-------	16	-------	-------	4	4	1	1	2	-------	14	24
-------	14	50	99	4	12	4	10	9	2	37	2	4	23	2	3	12	30	-------	83	25
-------	1	9	26	4	44	20	3	10	2	10	1	4	41	-------	-------	12	39	1	25	26
1	5	18	28	2	10	-------	4	2	1	7	1	2	17	-------	1	3	12	-------	27	27
4	6	26	70	1	14	3	4	4	2	23	1	1	13	1	-------	1	20	-------	45	28
1	5	40	83	2	33	3	3	7	5	45	1	2	16	5	-------	5	16	1	72	29
2	6	41	83	4	34	6	10	1	1	32	2	2	38	9	-------	5	20	1	53	30
2	6	30	85	2	34	9	3	5	5	26	2	2	19	4	1	7	23	-------	53	31
309	1,464	3,564	13,452	261	7,421	1,214	967	540	533	5,553	249	447	4,037	808	363	967	2,973	31	8,265	32
14	37	125	509	17	627	55	28	29	21	221	28	28	269	26	68	33	134	7	518	
43	177	318	1,676	24	835	94	144	74	54	600	32	48	491	91	39	122	234	4	1,012	33
140	514	1,231	5,086	96	2,716	468	346	183	179	2,170	114	202	1,449	236	100	325	976	11	2,628	
-------	9	27	129	6	152	11	5	7	9	62	3	5	53	5	11	2	32	2	99	34
98	597	1,400	5,148	101	3,151	530	365	219	231	2,003	75	136	1,570	378	204	414	1,405	13	3,799	
12	25	89	347	9	435	41	17	20	10	143	23	21	190	19	50	25	88	3	388	35
23	148	496	1,250	33	603	97	98	50	62	616	23	45	461	88	20	90	275	4	669	36
7	31	128	325	9	156	28	20	16	9	180	7	18	92	17	7	22	97	1	188	37
1	13	54	90	-------	27	8	12	2	4	44	2	3	24	3	2	15	24	-------	63	38
2	6	27	88	4	53	21	8	9	4	39	4	9	52	11	2	8	32	1	81	39
-------	2	11	26	3	2	8	1	1	1	9	-------	-------	19	3	-------	3	21	-------	50	40
-------	1	37	80	1	36	7	8	7	3	36	4	1	29	4	-------	5	15	2	108	41
3	6	24	42	1	12	5	10	5	1	25	1	2	24	5	1	5	29	-------	39	42
-------	2	24	32	3	5	3	2	2	1	7	-------	-------	9	1	1	4	7	-------	39	43
1	4	17	43	-------	11	3	8	3	2	14	2	1	11	1	-------	2	14	-------	31	44
1	1	21	46	1	19	1	3	1	-------	8	2	1	5	1	-------	3	11	-------	18	45
1	10	40	76	2	9	4	3	6	2	19	2	6	27	1	1	1	11	-------	40	46
2	3	19	31	1	14	2	3	1	1	9	-------	-------	19	-------	-------	3	15	1	29	47
-------	6	24	47	2	8	4	10	1	-------	12	3	8	19	2	-------	7	19	-------	30	48
2	3	16	36	3	19	4	7	4	2	10	1	-------	14	2	-------	7	11	2	30	49
2	7	19	39	3	9	3	5	1	5	12	2	-------	6	3	-------	1	11	-------	23	50
-------	11	69	88	7	37	4	7	4	4	23	2	3	32	7	1	13	24	-------	77	51
1	-------	10	18	1	12	2	-------	-------	-------	17	-------	-------	4	-------	-------	-------	12	-------	15	52
10	55	367	747	27	223	65	60	34	38	313	15	18	225	39	11	48	159	7	503	53
3	9	42	73	2	32	5	6	6	7	43	3	4	22	5	-------	8	29	-------	61	54
1	6	26	81	-------	14	3	3	2	3	35	1	3	7	4	1	3	15	-------	35	55
3	24	96	205	4	79	16	21	9	6	61	14	9	79	5	5	21	42	2	135	56
11	39	201	428	16	215	29	39	20	16	163	4	18	172	30	10	41	102	5	345	57
1	4	6	26	-------	2	2	-------	-------	1	4	-------	1	9	3	-------	-------	7	-------	15	58
1	26	96	289	11	81	26	10	14	14	151	4	10	78	9	2	16	62	2	160	59
6	23	114	318	5	139	29	18	19	10	149	4	17	104	14	8	25	58	-------	250	60
3	11	47	96	2	30	6	11	9	-------	20	4	8	58	6	-------	13	25	-------	84	61
1	1	23	30	-------	25	3	-------	1	2	9	-------	-------	6	1	-------	1	12	-------	20	62
-------	8	27	44	-------	28	-------	4	4	1	15	-------	2	15	6	1	12	11	-------	41	63
5	22	98	203	13	92	19	11	9	8	79	5	6	101	15	3	16	49	2	109	64
1	6	29	50	-------	33	9	15	5	3	31	5	10	38	7	9	11	15	5	68	65
2	1	10	24	1	21	8	9	3	-------	9	3	3	4	-------	7	1	8	4	43	
1	7	34	42	1	31	14	12	4	2	44	1	6	38	4	2	12	25	5	75	
-----	2	39	54	4	41	25	-------	2	2	19	2	8	21	-------	9	4	19	9	53	66
1	1	12	24	2	6	5	-------	-------	-------	13	1	2	5	-------	-------	1	7	9	18	67
2	4	10	29	-------	28	13	5	2	1	32	1	5	19	-------	6	4	9	18	39	
-----	-------	10	10	-------	15	8	1	-------	1	3	-------	4	14	-------	1	4	14	5	17	68
-----	1	10	3	-------	2	2	-------	1	-------	2	-------	1	5	-------	2	1	3	4	3	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

[" Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49
	NORTH CAROLINA—continued															
1	Goldsboro* White	88	1					1	1	1			3			8
	Goldsboro* Colored	153		3		1		1		8			16			6
2	Greensboro White	323	1		1		3	4	3	6	2		18	2	2	19
	Greensboro Colored	214	1	1	1	2		4	1	6			24	1	5	10
3	High Point White	253	2			2	2	7		6			10			19
	High Point Colored	75	2					1		2			2		1	1
4	New Bern White	66	1	1		1		1	1	1			1		1	1
	New Bern Colored	158		12		1				8			11		1	3
5	Raleigh* White	353			1			1	1	8		2	30			18
	Raleigh* Colored	263	5	2				1	2	8			20	2	6	9
6	Rocky Mount White	133	1			2	2	4	2	2			6	1		5
	Rocky Mount Colored	145	6	1				4	1				15		4	3
7	Salisbury White	112						2		4	1		4			9
	Salisbury Colored	70	2					1		2			9		1	2
8	Wilmington White	250				2	2			2			6		3	19
	Wilmington Colored	321	2			2			2	2	1		21		4	10
9	Wilson White	74	1							4			4			4
	Wilson Colored	144	1	1				1		7			17		1	3
10	Winston-Salem White	434	3		1	7	2	2	16	5		1	24	2	3	17
	Winston-Salem Colored	614	1	1	1	8		3	4	9	1		75	1	12	7
	NORTH DAKOTA															
11	Fargo	337	1			2	2		3	5	1		16		4	34
12	Grand Forks	164				1	1			1			9		1	22
13	Minot	157				1	1	3	3		1		4	1		11
	OHIO															
14	Akron	1,537	2				12	13	9	23	3	2	69	9	12	116
15	Alliance	258	1				1	6	1	8			17	1		19
16	Ashtabula	282				1	3			3	1		14	1		31
17	Barberton	223	1				1	11		2	1		17	1	1	16
18	Bellaire	192	1			4		2	2	2	1		7	1	1	12
19	Bucyrus	126			3				2				6	1	2	9
20	Cambridge	182	2				1	6		1			7		5	15
21	Canton	1,040				10	3	9	17	18	4		48	1	7	94
22	Chillicothe	233	3				1	3		4			7	1	1	32
23	Cincinnati White	5,305	7	2		20	19	19	16	50	11	2	284	37	41	496
	Cincinnati Colored	913	2			7	2	11	4	11	2		133	5	26	27
24	Cleveland White	8,148	9		6	17	13	23	77	71	17	8	522	40	50	719
	Cleveland Colored	1,147	2			4		15	2	9	1		195	16	31	33
25	Cleveland Heights	179	2					1		2			7		1	23
26	Columbus White	3,055	10			2	4	5	11	28	7	1	120	13	22	313
	Columbus Colored	477				1		3		11			53	4	11	18
27	Coshocton	137						3		1			5	1	1	11
28	Cuyahoga Falls	97	1								1		8		2	12
29	Dayton	1,837	4	1		1	3	14	17	21	2	2	104	5	14	190
30	East Cleveland	227	1					1	2	6	2		10		1	34
31	East Liverpool	309	1			1	2	1	4	5	2		30	2	3	22
32	East Youngstown	120					2	8		5			9	3	1	4
33	Elyria	260	1							2			16	2	2	21
34	Findlay	245						1	1	1		1	14		3	26
35	Fremont	120	1							2			9	1	1	8
36	Hamilton	531	2			2	1	3		15			32	6	3	55
37	Ironton	228	1				1	1		2	1		18	1		13
38	Kenmore	80	1					1		2		1	4		1	4
39	Lakewood	398					2		2	10			15	2	3	40
40	Lancaster	228						6		2			17	2	1	20
41	Lima	569	2			2		2	2	8	4		18	4	8	60
42	Lorain	422				3	3		1	10	2		16	1		25
43	Mansfield	332	1					1	2	2	2		16		2	31
44	Marietta	222				1		5	1	5			8	1	1	21
45	Marion	322					1	2	1	11			19			28
46	Martins Ferry	207	1					4	2	5	2		14		1	16
47	Massillon	247	1					1	1	11		2	12		1	21
48	Middletown	290	3			3	2	8		7			12	1	4	21
49	New Philadelphia	111				1		1		2	1		5		1	14
50	Newark	379	2					2	1	16	1		23		2	28
51	Niles	93					3	1	3	1	1		2		1	4
52	Norwood	187					1	1	1	3			17		3	29
53	Piqua	238					1		3	4			9	1		27
54	Portsmouth	522	2				1	10	2	10	3		34	2	8	38
55	Salem	170						1	1	2	2		4			13
56	Sandusky	315	4				4	1	1	2			20		2	32
57	Springfield White	693	1			1	9		11	7	1		37	2	7	71
	Springfield Colored	120	3						3	2			11	1	4	3
58	Steubenville	475	2			8	2	8	6	7	3		20	2	3	28
59	Tiffin	210					1			2			11	3	1	16

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
2	------	6	12	------	6	4	3	1	2	6	------	------	9	------	------	1	7	------	14	1
------	1	10	4	1	15	4	7	2	1	22	2	1	11	------	3	------	4	6	24	
------	2	18	32	1	24	12	13	8	1	23	1	4	33	2	5	6	15	3	59	2
1	2	12	26	------	17	6	8	1	1	17	2	2	15	------	3	4	11	1	29	
------	4	15	16	------	19	8	9	6	1	14	3	3	24	2	2	5	16	6	52	3
1	------	4	5	------	6	4	2	------	------	2	------	1	6	1	3	2	3	9	17	
------	1	3	6	------	7	3	4	1	------	9	------	3	4	------	------	------	2	------	14	4
1	1	10	32	1	10	6	1	3	------	13	1	------	10	------	3	------	7	3	20	
------	1	27	39	------	28	13	12	6	3	27	1	4	28	2	------	5	17	------	79	5
------	------	10	29	------	20	13	8	4	------	17	1	5	25	------	5	4	14	5	48	
------	------	4	9	------	5	9	6	4	------	17	1	4	13	1	1	5	8	------	21	6
------	2	8	15	------	13	9	4	1	------	11	2	5	5	1	6	5	7	------	23	
------	1	10	12	1	3	3	8	1	------	10	2	2	8	2	------	3	5	1	20	7
1	------	5	2	1	4	------	1	4	1	6	------	1	2	------	1	1	1	7	15	
------	4	20	22	------	21	15	6	5	3	19	------	9	30	1	------	4	16	------	41	8
1	------	31	35	------	29	31	1	3	3	35	3	6	28	------	4	------	15	6	46	
------	------	2	8	------	3	5	2	------	------	13	------	3	7	------	------	1	4	4	9	9
1	1	11	9	1	20	6	------	------	------	13	1	3	1	------	4	2	4	13	23	
------	4	31	36	1	47	26	10	4	2	39	4	7	58	2	1	7	5	9	58	10
3	2	31	66	1	109	47	4	4	------	37	6	4	37	------	6	5	12	59	58	
1	6	16	37	1	27	6	10	5	4	16	1	6	34	2	------	1	13	2	81	11
1	2	13	19	4	13	5	8	4	------	10	2	4	8	1	1	1	4	------	29	12
------	3	7	11	2	10	3	15	4	------	6	1	2	15	2	------	1	9	2	39	13
5	21	130	209	5	134	28	26	24	6	84	16	13	161	19	16	39	97	1	233	14
1	4	25	33	------	23	3	4	2	4	14	3	4	26	4	3	5	22	------	24	15
1	5	22	27	------	30	5	5	5	2	10	3	3	29	3	1	4	24	5	44	16
------	2	24	34	------	35	4	5	1	1	6	1	3	11	------	1	------	17	------	27	17
------	3	21	16	------	24	12	4	1	4	9	2	1	20	2	6	3	13	------	18	18
3	4	17	14	------	8	2	2	1	------	3	1	3	7	2	1	2	10	1	22	19
------	2	29	17	------	10	1	13	4	1	14	1	2	6	1	------	5	15	1	23	20
3	9	103	135	2	114	26	14	8	6	53	6	12	107	10	10	20	58	4	129	21
2	2	23	46	------	12	3	8	2	------	15	1	1	19	1	2	3	9	------	32	22
17	85	484	939	33	349	91	115	65	61	477	25	29	304	62	21	77	254	3	810	23
2	6	35	111	4	120	13	7	5	7	77	3	5	63	------	52	8	44	------	121	
28	150	604	1,136	58	795	174	146	91	67	582	51	64	674	109	63	208	378	14	1,184	24
3	6	43	98	7	220	15	14	7	3	65	8	13	76	6	37	12	43	4	161	
2	3	28	41	4	12	------	------	------	------	19	------	------	2	1	------	1	3	------	27	25
5	55	232	471	10	178	32	65	48	16	182	26	30	201	31	7	50	181	3	696	26
1	4	33	74	1	57	11	6	4	------	21	2	4	23	2	10	9	31	1	82	
------	5	7	27	------	6	------	4	1	2	6	------	1	12	3	1	2	14	------	24	27
------	4	12	15	------	6	------	------	------	1	6	------	------	3	1	------	1	7	------	17	28
3	37	159	343	9	123	33	40	30	11	131	14	11	139	15	7	26	86	2	240	29
1	3	34	51	1	13	1	1	1	2	15	------	------	5	1	------	1	4	1	35	30
------	3	24	37	3	33	6	6	3	5	17	2	------	23	4	1	2	22	2	43	31
------	------	1	9	1	25	4	------	------	1	2	2	2	19	------	1	1	8	------	12	32
1	5	29	34	------	14	5	6	3	1	21	2	3	22	2	------	7	17	1	43	33
2	3	32	43	------	10	2	4	4	2	13	------	------	19	3	------	9	6	------	46	34
2	3	17	15	2	8	1	------	1	------	12	------	1	7	1	------	2	3	2	21	35
5	7	49	78	------	27	16	12	8	6	31	1	6	47	10	4	11	32	2	60	36
1	2	23	16	3	10	5	5	3	1	24	2	3	18	2	4	3	20	1	44	37
------	------	7	12	------	5	4	------	1	2	10	------	------	12	1	------	------	3	------	9	38
2	11	60	74	1	30	3	1	6	2	19	------	1	20	7	1	7	19	------	60	39
------	4	34	33	------	16	4	3	1	2	20	1	------	9	2	------	2	15	------	34	40
1	9	45	78	------	35	5	15	13	4	40	6	13	46	5	------	7	41	2	94	41
4	3	19	48	------	27	12	5	3	3	23	4	3	27	7	7	14	105	3	44	42
2	4	41	58	1	16	3	6	------	2	30	------	3	29	2	------	7	26	1	44	43
------	2	33	33	1	14	2	4	2	1	14	1	2	23	4	------	3	9	------	31	44
------	3	27	53	------	8	2	6	6	2	27	1	6	25	6	------	3	28	------	57	45
1	1	15	30	1	14	5	3	3	3	18	------	4	17	3	3	2	22	------	17	46
3	3	19	35	1	15	1	5	4	1	13	5	3	18	6	3	7	18	1	36	47
1	4	26	26	1	22	13	1	------	------	23	1	2	33	3	3	8	20	3	39	48
------	2	21	14	------	2	------	------	1	------	13	------	1	4	1	1	2	3	------	21	49
2	5	35	58	2	17	4	6	7	2	26	4	2	27	6	3	7	27	3	61	50
1	------	13	13	1	11	3	------	1	------	4	1	------	10	1	------	2	4	------	12	51
------	------	16	37	3	5	3	------	------	------	26	------	1	11	1	2	------	8	------	19	52
------	3	25	36	2	7	4	3	2	1	19	------	3	19	1	------	------	15	------	53	53
1	8	25	45	4	49	16	13	4	7	39	7	5	50	2	5	21	36	2	73	54
1	1	10	30	1	13	1	5	4	------	9	1	4	12	------	1	4	12	2	36	55
------	5	43	58	8	10	2	4	4	4	20	1	2	19	4	1	5	21	1	37	56
1	13	92	102	7	47	6	14	14	2	61	1	6	27	5	1	5	42	1	99	57
------	------	12	20	------	20	3	------	1	------	6	1	1	6	1	------	1	4	1	16	
3	5	30	49	1	69	10	11	2	3	18	1	6	44	2	11	8	47	1	65	58
------	1	33	46	3	9	2	7	4	2	13	1	------	15	1	------	1	15	------	23	59

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	OHIO—continued															
1	Toledo	3,293	12	1	30	3	18	19	28	32	7	2	260	12	27	259
2	Warren	399	1		1		2	8		6	1	1	7	4	4	40
3	Youngstown	1,667	16			3	14	17	17	34	2		88	6	7	123
4	Zanesville	486	1			1	1	8	2	7	1		21		4	42
	OKLAHOMA [1]															
5	Oklahoma City	1,167	9	1		15	2	10	7	17	1	1	49	7	7	95
	OREGON															
6	Astoria	157				4			2	2		1	8	3	1	15
7	Eugene	231	4			2	1		2	5	1		8		1	23
8	Portland	3,240	16	1		15	4	4	32	17	9	2	115	16	30	424
9	Salem (exclusive of)	283	2			2	1		10	7			5		1	31
10	State institutions	351				2			1	2			75		4	8
	PENNSYLVANIA															
11	Allentown	1,178	12			3		6	3	4	1	1	74	5	7	83
12	Altoona	720	5			1	3	3	6	9		1	27	1	6	57
13	Ambridge	90					1	1	1	3		1	2			6
14	Beaver Falls	217	5				4		3	6	1		14		1	10
15	Berwick	144					1		2	4	1		5	3		11
16	Bethlehem	466	3			1	2	9	11	8	1		32	1	3	31
17	Braddock	391	1		1	2		12	4	7	4		10	2	1	20
18	Bradford	251	2			1		1	1		1		7	1	1	26
19	Bristol	133	1					2	1	1			11			13
20	Butler	269				1		1	4	3	1		9		6	23
21	Canonsburg	126	1				1	1	4				7	2	1	10
22	Carbondale	292	1			3				3			4	1	4	14
23	Carlisle	204								9			3		1	19
24	Carnegie	102					1		2	5			3			6
25	Carrick	98							1	9			7	1		11
26	Chambersburg	191	2			1				12	1		12	1	1	11
27	Charleroi	103				1			4	6			2	2		13
28	Chester { White	535	2				3	1	11	5	1		28	5	3	51
	{ Colored	149	1					1		5			10	1	2	3
29	Coatesville { White	106						1		3	1		8			13
	{ Colored	9														1
30	Columbia	157						3		5			8		1	8
31	Connellsville	174	3					2	2	8	1		8			15
32	Dickson City	92				1	1		4	9	1		2			4
33	Donora	120				1		5	2	16			5		1	3
34	Du Bois	172	1			1	2			4			3		2	15
35	Dunmore	255						5	4	4			14		3	16
36	Duquesne	185		1			2	7	3	9			10		3	7
37	Easton	618	2	1		2	2		9	4	1		27	6	4	51
38	Erie	1,271	3			3	3	5	3	20	1		82	7	10	115
39	Farrell	166				1	6	16	12	8			15			4
40	Greensburg	272	3							2		1	9	1	2	20
41	Harrisburg	1,177	3	1		2	3	6	18	17	4		32	1	5	105
42	Hazleton	441	1			3	1	2		3	1		20	4	3	26
43	Homestead	311	1			1		12		6	2		22	1	1	15
44	Jeannette	86				4		2	3	2			5			4
45	Johnstown	933	1			1		1	11	23	5	1	36	6	8	59
46	Lancaster	959	5				3	5	4	17	2	1	27	5	4	104
47	Lebanon	411	1				5		16	6	1		12		1	25
48	McKeesport	798	4			2		2	9	16		1	28	1	8	50
49	McKees Rocks	144				1			2	6			9	1		13
50	Mahanoy City	172				1			1	4		1	6			8
51	Meadville	217								1		1	7	1	4	22
52	Monessen	176				4		5	4	5			8	1		8
53	Mount Carmel	206						1	1	1			9	2	3	15
54	Nanticoke	345	1					2		7	2		13		1	15
55	New Castle	600	6			10		1	7	13	2	2	25	1	6	32
56	New Kensington	203	4					1	1	9			5		3	13
57	Norristown*	694	4	1		1			3	11	2		37		1	39
58	North Braddock	131				1	2	4	2	9	1		9		1	2
59	Oil City	265					2	3	4	9	1		13		1	27
60	Old Forge	156				1			1		1		6	1		4
61	Olyphant	84				1			2				6		1	2
62	Philadelphia { White	21,776	37			31	42	95	258	227	62	24	1,297	104	106	2,105
	{ Colored	3,487	4			5	4	34	14	48	6	1	464	22	61	133
63	Phoenixville	190	1						5	11	1		11	2	2	15
64	Pittsburgh { White	8,461	22		12	16	34	40	92	193	16	8	382	49	38	613
	{ Colored	1,259	3		12		2	21	5	28	2		97	9	11	31
65	Pittston	231	1						1	11	1		1		2	6
66	Plymouth	165	1			1			4	8	2		7	1		10
67	Pottstown	266						1		14			10	1	1	24
68	Pottsville	464	2		1			1	4	9			12	4	2	29
69	Punxsutawney	165						1	2	8			4	1	3	13

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
17	54	260	477	15	241	66	42	32	29	173	18	31	234	37	23	46	181	1	606	1
3	3	41	46	1	36	6	6	4	1	23	3	5	32	3	1	15	30	———	65	2
5	17	84	208	8	228	34	27	26	11	73	17	17	152	22	27	39	125	1	219	3
5	11	48	71	2	40	4	14	5	3	28	5	6	40	7	1	7	35	———	66	4
1	14	77	116	1	84	36	40	15	9	68	16	9	88	11	11	18	75	15	242	5
———	2	17	17	———	7	3	7	1	———	13	———	1	6	4	———	5	11	———	27	6
1	1	19	30	———	16	1	8	3	1	14	3	2	6	5	2	2	17	2	51	7
9	73	323	492	23	229	9	50	44	18	202	13	23	186	72	12	41	133	4	599	8
1	5	35	43	1	14	1	5	6	1	26	———	4	15	2	———	6	16	1	42	9
———	———	30	22	2	18	———	1	———	2	2	———	———	———	2	———	———	7	———	173	10
5	24	117	166	9	92	27	20	9	6	91	10	9	94	5	1	20	44	2	228	11
2	15	52	109	1	57	7	9	3	5	78	4	3	65	4	4	13	42	6	122	12
1	———	6	8	———	17	10	———	———	1	1	———	1	11	3	1	2	4	———	9	13
1	3	9	26	4	15	6	4	4	3	13	4	2	17	3	1	3	19	———	36	14
———	4	19	17	———	12	5	———	———	2	14	1	1	14	———	———	———	4	1	23	15
2	10	59	56	3	56	19	———	1	4	42	———	———	26	6	3	1	25	———	51	16
1	4	19	32	4	83	27	5	8	3	11	5	4	27	1	10	6	28	———	49	17
1	5	27	40	———	17	1	6	1	3	20	———	———	13	2	1	5	22	1	45	18
———	1	7	22	1	12	7	1	———	3	6	1	3	15	———	———	2	7	———	16	19
———	4	27	29	2	23	7	5	3	4	11	1	2	13	2	1	13	20	1	53	20
———	2	6	6	2	12	8	———	1	———	13	1	2	12	———	3	4	11	1	15	21
———	7	18	26	1	62	14	4	6	1	15	———	6	26	———	2	6	29	———	39	22
2	2	25	36	2	13	3	———	———	———	22	1	2	14	4	3	2	8	———	33	23
———	1	4	16	1	18	10	———	———	———	10	———	———	9	1	2	1	5	———	7	24
———	———	13	13	———	10	2	———	1	1	8	———	———	9	2	———	———	———	———	10	25
1	5	21	32	4	6	1	3	1	———	29	1	3	12	3	———	5	7	———	16	26
1	1	5	16	———	15	4	1	1	2	3	———	———	13	2	———	———	3	———	8	27
1	4	28	93	5	49	29	5	9	2	55	3	3	41	2	4	6	34	———	52	28
———	———	4	25	3	17	10	2	———	———	7	2	3	12	———	7	1	12	———	21	
———	1	2	20	———	7	9	1	1	2	12	———	———	8	2	———	3	3	1	8	29
———	———	1	3	———	1	———	———	———	———	1	———	———	———	———	———	———	———	———	2	
1	3	17	30	———	17	2	2	1	1	10	1	2	17	———	———	4	7	———	17	30
———	1	12	30	1	20	1	3	2	1	5	———	———	11	1	———	5	14	2	26	31
———	———	2	14	———	12	11	———	———	2	4	———	———	8	———	1	1	8	———	7	32
———	———	6	14	2	12	8	———	———	———	1	———	1	20	2	1	———	5	———	15	33
4	1	8	24	1	10	3	3	3	1	9	2	7	19	———	———	5	15	———	29	34
2	2	22	42	1	30	20	———	———	1	10	———	———	19	1	1	———	13	———	45	35
4	———	7	13	———	43	9	1	1	4	6	———	———	25	3	5	———	5	1	16	36
1	8	54	82	2	66	7	17	10	2	64	10	4	39	2	2	17	49	———	73	37
7	20	111	230	9	116	25	22	14	9	77	5	10	100	12	8	22	62	3	157	38
———	3	3	16	———	25	7	1	———	1	6	———	———	18	———	3	———	9	3	9	39
2	8	14	29	2	19	1	8	8	5	10	2	9	19	7	1	13	28	12	37	40
3	33	90	208	4	86	12	24	13	12	123	9	14	68	6	5	21	83	1	165	41
2	5	25	57	11	29	8	18	15	5	35	6	8	42	2	1	12	35	———	61	42
———	2	23	21	3	67	15	———	4	4	18	1	4	19	7	1	7	21	———	33	43
———	1	5	7	———	11	———	———	1	———	6	———	———	6	———	———	———	3	9	17	44
3	10	52	118	2	96	43	16	14	5	58	12	16	97	1	2	21	90	1	124	45
2	24	109	156	2	67	35	15	7	5	80	6	6	52	5	4	11	55	———	141	46
1	10	42	53	2	58	13	6	5	5	36	3	7	15	1	2	1	28	1	55	47
2	14	38	79	13	131	21	20	11	7	37	10	23	57	7	6	19	70	1	111	48
———	1	10	19	———	23	9	1	1	2	1	———	———	14	2	———	2	9	———	18	49
———	2	13	20	2	24	11	———	2	6	15	———	1	12	1	———	1	15	1	25	50
2	4	24	37	———	13	2	3	5	1	13	———	3	15	4	2	5	11	1	36	51
———	2	3	20	6	27	5	1	———	1	9	———	4	28	2	2	3	8	2	18	52
1	4	7	31	3	47	14	———	1	1	21	———	1	18	———	———	1	9	———	15	53
5	5	17	44	———	45	10	7	3	3	18	1	8	34	———	1	4	49	———	50	54
4	8	32	75	3	90	10	8	7	4	29	8	6	48	4	4	10	44	7	94	55
———	———	6	19	———	21	4	2	3	1	10	4	6	18	5	5	19	11	———	33	56
3	5	62	134	2	46	15	4	6	1	36	4	2	41	4	2	10	28	———	190	57
———	———	9	5	———	27	14	———	———	———	7	———	———	18	1	———	3	8	———	8	58
1	3	24	47	1	17	3	5	2	2	12	3	4	23	5	———	2	16	———	35	59
1	1	9	17	1	30	29	———	1	2	6	1	1	13	———	———	———	5	———	25	60
2	3	———	14	———	7	16	———	2	———	4	———	———	9	1	1	———	4	———	9	61
84	384	1,410	4,026	165	2,136	510	233	200	173	2,401	107	144	1,135	286	76	249	896	6	2,767	62
10	31	127	455	16	595	97	40	36	14	263	18	32	233	12	61	14	110	3	524	
2	2	10	23	1	16	4	———	3	2	10	———	1	10	4	———	3	16	———	35	63
25	119	488	1,099	74	1,509	267	115	88	69	538	56	58	548	68	48	178	465	16	1,118	64
6	11	36	151	5	382	32	13	11	6	50	7	12	78	1	28	8	52	2	147	
3	1	14	30	1	44	8	1	5	1	9	2	1	22	———	2	1	21	1	41	65
2	2	9	16	———	9	10	1	2	———	16	1	1	17	1	———	———	19	———	25	66
2	7	32	40	1	28	7	3	3	2	10	1	1	11	2	2	6	16	1	40	67
1	11	31	73	———	44	4	11	7	4	51	4	4	40	6	5	15	36	———	53	68
———	2	9	15	———	8	6	4	8	1	13	2	4	16	———	———	1	17	1	26	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49
	PENNSYLVANIA—continued															
1	Reading	1,508	6			1	3	4	16	41	3		66	8	5	116
2	Scranton	1,974	3			2	2	16	10	37	2	1	86	6	12	136
3	Shamokin	196						1	2	1	1		13		1	8
4	Sharon	303	1			1	1	1	12	8			13	1	2	21
5	Shenandoah	290	1					1	2	6			12		1	10
6	Steelton { White	102						1		1			4		1	10
	Steelton { Colored	26								1			2		1	2
7	Sunbury	183	1			2			5	1			7		2	15
8	Swissvale	100							3	6	1	1	3			12
9	Tamaqua	96						2		2			5			2
10	Uniontown	342	3							3			19	3	5	26
11	Warren	218	1				1		1	1	1		5	1	2	16
12	Washington	320	2			3	3	1	2	7			19	2		20
13	West Chester* { White	245	1								2		4	3		28
	West Chester* { Colored	57	1							2			2		2	3
14	Wilkes-Barre	1,224	3		2	4	1	2	10	38	1	2	43	2	6	79
15	Wilkinsburg	392	1					4	3	10	1		15	2	3	29
16	Williamsport	590							1	12	2	2	12	1	4	56
17	Woodlawn	135				2		2	1	15			7	3		7
18	York	669	5					4	2	15			26		5	58
	RHODE ISLAND															
19	Bristol town	131				1		4	1	2			6	1		3
20	Central Falls	233				3	2	8	1	1			11			20
21	Cranston (exclusive of)	281	1					2		3	3	1	9	3		25
22	State institutions	339	2	1						1	3		17		1	23
23	Cumberland town	116					1	2					3		1	13
24	East Providence town	278					3			5			10	3	2	35
25	Newport	333	1					5		1	1	2	23	1	1	41
26	Pawtucket	886	2			5	2	5	9	6		4	26	2	8	92
27	Providence	3,492	6	1		3	17	14	35	20	11	3	150	28	25	318
28	Warwick town	228						2	2	3			15	1	1	22
29	West Warwick town	181				1		4	5		1		7		1	13
30	Woonsocket	507	2				1			9	1		23	2	4	38
	SOUTH CAROLINA															
31	Anderson { White	212	1			3			4	4	1		6			10
	Anderson { Colored	81	3							5			7		2	3
32	Charleston { White	475	3	3		6	1	9	3	2	2		13	2	4	39
	Charleston { Colored	990	11	5		8		5		11		1	78	3	6	17
33	Columbia* { White	558	6	3		9		1	3	6		1	17	3	2	25
	Columbia* { Colored	546	6	1		11		1		12		1	45	1	5	10
34	Florence { White	182	2					5	2	6	1	1	4	1	1	13
	Florence { Colored	169	6			1		2		3			20		2	4
35	Greenville { White	213				7		2	2	4			11		1	14
	Greenville { Colored	192	3			3		8		6			16	1	1	5
36	Spartanburg { White	225	2			4				5	1	1	5	1	1	14
	Spartanburg { Colored	191	1			6		8		7			21	1	3	7
	SOUTH DAKOTA [1]															
37	Sioux Falls	316	3			7	1	1	2	4			12		1	38
	TENNESSEE															
38	Chattanooga { White	596	8	1		1	1	3	3	17	1	1	28	2	8	35
	Chattanooga { Colored	730	8	4		2		2	2	25			75	3	20	16
39	Jackson { White	162	4	1		4				4			15			14
	Jackson { Colored	132	4	3		2		1	1	7			16		2	4
40	Johnson City* { White	291	3			7		4	1	2	1	2	74	1	5	17
	Johnson City* { Colored	58	1			1				1			24			2
41	Knoxville { White	997	16	1	1	20	3	8	3	18		1	70	9	9	50
	Knoxville { Colored	339	15			6		6		25			28	2	6	10
42	Memphis { White	1,551	10	11		13	9	3	10	35	3	3	67	4	12	133
	Memphis { Colored	1,955	52	17		5		6	7	73	2		181	8	48	54
43	Nashville { White	1,429	15	2		7	1	22		42	3		81	4	5	102
	Nashville { Colored	942	11	1		5		6	2	33			103	5	15	32
	TEXAS [1]															
44	Beaumont { White	308	2			3				12			7	1	1	24
	Beaumont { Colored	270	2	3		2		2		7			22	1	2	10
45	Dallas { White	1,901	13	3		30	1	5	12	36	2	1	98	12	13	140
	Dallas { Colored	561	1	4		5			1	17			48		12	22
46	El Paso	1,782	11			27	4	27	9	65	4	2	418	11	9	88
47	Fort Worth { White	1,076	2			25	1	5	5	22	2	1	54	5	9	77
	Fort Worth { Colored	220	1			3		1		4		1	20			5
48	Galveston { White	437	1			8			4	3			20	1	2	35
	Galveston { Colored	261	1	1		4				1		1	20	2	2	10

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
10	31	135	201	6	127	43	21	27	6	176	8	10	92	30	7	24	72	-------	213	1
13	43	125	303	10	256	59	33	27	13	134	19	24	128	29	9	24	138	2	272	2
-------	5	12	46	-------	43	5	-------	-------	2	17	-------	-------	14	1	-------	2	4	-------	18	3
2	5	15	40	-------	25	4	4	3	3	25	2	2	24	1	2	7	22	3	53	4
1	7	12	37	6	51	25	-------	1	5	23	2	3	28	2	1	1	16	4	32	5
1	1	6	18	1	14	7	-------	1	-------	11	1	-------	7	-------	1	-------	3	1	12	6
1	-------	3	6	-------	2	-------	-------	-------	-------	1	-------	-------	3	-------	-------	-------	2	-------	2	
2	6	7	40	5	6	6	4	4	2	25	-------	1	8	-------	1	4	10	-------	19	7
-------	1	6	12	-------	24	1	-------	1	-------	7	-------	1	7	-------	1	1	3	-------	9	8
-------	5	3	19	1	15	4	-------	1	-------	12	-------	-------	8	2	-------	1	-------	-------	14	9
-------	8	22	25	1	29	5	6	4	3	25	6	7	21	1	10	21	42	-------	47	10
-------	5	13	38	3	9	4	4	8	2	10	-------	3	19	3	1	4	22	-------	41	11
1	3	28	34	2	32	12	4	2	1	17	2	5	38	2	4	8	21	2	43	12
1	2	21	39	-------	19	9	7	2	1	27	1	2	17	1	1	5	11	1	40	13
-------	-------	2	6	3	9	1	-------	-------	-------	5	-------	1	5	-------	2	2	1	-------	10	
4	26	71	210	3	141	20	25	17	12	103	13	22	66	8	5	23	104	1	157	14
-------	4	39	41	-------	59	1	8	6	6	33	2	8	18	-------	2	12	26	-------	59	15
-------	19	81	85	5	48	14	10	7	4	49	2	3	29	4	1	7	29	-------	103	16
-------	-------	5	2	2	21	6	-------	2	1	4	1	-------	21	3	4	3	14	-------	9	17
2	9	71	126	1	55	19	11	8	4	63	2	-------	44	8	-------	10	33	1	87	18
1	2	17	12	-------	24	5	-------	-------	2	5	1	-------	9	2	1	-------	3	2	27	19
1	8	23	40	4	20	10	-------	1	3	15	-------	2	28	1	-------	1	5	1	24	20
2	7	37	42	3	31	4	-------	1	-------	30	-------	3	31	2	-------	-------	12	1	28	21
1	6	39	65	-------	24	1	2	3	3	16	-------	1	-------	-------	-------	-------	8	-------	122	22
1	2	10	14	2	9	4	2	-------	-------	6	-------	-------	7	1	-------	1	16	3	18	23
4	3	36	46	2	23	9	-------	-------	2	23	-------	-------	16	3	1	6	10	1	35	24
1	10	39	65	1	26	3	3	-------	2	17	1	-------	21	1	1	3	17	-------	46	25
4	23	78	155	2	63	22	21	9	5	81	6	4	72	9	-------	14	55	1	101	26
7	49	326	520	21	325	57	86	35	15	293	21	36	296	31	9	58	160	36	480	27
-------	6	28	24	2	19	1	-------	1	1	15	-------	-------	11	8	1	4	21	1	39	28
3	3	19	30	3	15	8	-------	2	1	8	-------	2	20	1	-------	-------	4	-------	30	29
3	10	42	67	9	53	13	6	2	2	37	1	8	63	5	-------	10	28	1	67	30
-------	6	11	23	1	16	10	5	3	-------	20	1	3	17	2	3	6	18	2	36	31
-------	-------	2	11	-------	10	-------	2	-------	-------	10	-------	1	3	-------	4	-------	1	1	16	
-------	7	43	77	1	27	20	3	5	2	68	3	7	44	2	-------	4	10	-------	65	32
2	1	88	121	3	113	47	4	7	4	132	6	7	88	-------	14	7	22	13	166	
-------	8	54	62	2	39	19	11	6	7	55	4	6	38	4	4	12	25	2	124	33
1	2	39	57	3	39	13	2	1	1	42	4	8	21	2	10	6	16	1	185	
-------	3	10	10	-------	7	13	7	2	-------	9	3	7	11	-------	5	3	12	2	42	34
1	3	9	11	-------	14	6	3	4	-------	16	3	4	1	-------	4	3	13	5	31	
-------	5	10	24	2	16	4	8	1	1	19	2	4	13	3	-------	12	15	-------	33	35
-------	-------	12	18	-------	17	12	2	4	-------	15	2	3	14	-------	6	4	6	-------	34	
-------	2	10	24	1	16	2	7	1	-------	22	1	3	31	2	5	6	17	-------	41	36
-------	-------	7	19	-------	19	3	2	3	-------	17	3	4	9	-------	6	2	4	2	37	
-------	4	25	23	1	23	3	7	3	-------	23	1	1	26	6	-------	5	20	2	74	37
1	7	38	51	1	54	17	16	11	-------	46	3	5	35	10	13	18	34	23	104	38
1	3	28	52	4	106	18	6	5	-------	52	5	8	17	-------	26	13	32	85	112	
1	-------	10	8	-------	12	3	10	1	-------	16	1	-------	2	6	-------	3	11	15	21	39
-------	-------	3	2	-------	16	7	1	-------	-------	17	2	2	2	-------	-------	1	3	21	15	
-------	1	9	18	-------	6	27	2	1	-------	9	4	3	21	-------	2	1	16	9	45	40
-------	1	3	8	-------	1	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	3	4	7	
2	7	47	100	1	82	59	27	8	1	52	8	5	68	10	15	19	57	33	187	41
3	2	16	37	2	37	9	5	1	-------	24	6	2	9	1	4	5	18	3	57	
1	21	55	185	2	121	33	59	19	11	105	12	17	108	30	22	24	75	39	299	42
12	11	72	172	6	211	53	41	18	5	125	12	20	107	2	98	16	89	84	348	
5	15	84	172	8	105	43	44	15	3	94	11	13	110	18	19	23	75	28	260	43
3	8	69	157	2	78	15	14	7	6	78	7	8	41	4	29	11	38	26	128	
-------	1	11	31	2	18	3	18	6	4	25	4	4	18	8	5	7	28	8	57	44
2	4	11	19	1	33	9	2	6	1	18	1	5	19	1	8	1	9	15	54	
3	14	140	186	11	132	56	66	28	9	118	22	15	193	19	23	32	98	4	366	45
-------	6	45	55	-------	53	21	7	4	5	48	9	3	32	3	23	4	25	-------	108	
5	1	58	111	20	113	197	17	14	7	71	13	16	89	24	26	21	68	16	220	46
2	16	67	91	6	77	23	26	16	3	65	5	11	71	15	9	26	62	22	255	47
-------	-------	10	19	2	34	4	2	3	1	30	1	-------	8	2	5	1	13	11	39	
1	4	27	64	4	27	7	13	5	3	54	2	2	23	11	5	11	22	-------	78	48
-------	4	18	27	1	19	7	5	2	2	32	1	-------	15	-------	6	4	11	-------	65	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49
	TEXAS—continued															
1	Houston White	1,490	11	7	-------	30	-------	1	6	29	4	1	89	-------	6	108
	Houston Colored	838	3	5	-------	7	-------	2	6	37	-------	-------	74	1	8	21
2	San Antonio White	2,728	9	5	1	103	1	38	9	27	2	8	367	9	22	119
	San Antonio Colored	267	1	2	-------	1	-------	-------	-------	9	-------	1	51	-------	1	12
	UTAH															
3	Ogden	406	4	-------	-------	8	-------	2	6	3	4	-------	6	-------	-------	31
4	Provo	192	1	-------	-------	3	-------	1	1	3	3	-------	2	-------	-------	14
5	Salt Lake City	1,677	14	-------	-------	25	2	3	16	31	16	4	96	5	14	128
	VERMONT															
6	Barre	139	-------	-------	-------	1	-------	1	1	4	1	-------	25	2	-------	12
7	Burlington	393	-------	-------	-------	-------	2	2	-------	7	-------	-------	10	3	2	28
8	Rutland	255	1	-------	-------	-------	-------	-------	-------	2	-------	-------	7	3	2	30
	VIRGINIA															
9	Alexandria White	193	1	-------	-------	-------	-------	-------	-------	1	-------	-------	11	-------	1	15
	Alexandria Colored	109	1	1	-------	-------	-------	1	-------	5	-------	-------	7	-------	-------	3
10	Charlottesville White	91	-------	-------	-------	-------	-------	2	-------	4	-------	-------	4	-------	-------	7
	Charlottesville Colored	52	-------	-------	-------	1	-------	3	-------	2	-------	-------	4	-------	1	2
11	Danville White	219	-------	-------	-------	4	-------	1	2	6	1	-------	13	-------	1	26
	Danville Colored	134	1	1	-------	1	-------	4	1	2	-------	-------	9	-------	1	8
12	Lynchburg White	275	2	-------	-------	-------	-------	1	3	6	1	-------	8	3	1	15
	Lynchburg Colored	188	1	-------	-------	-------	-------	1	-------	3	-------	-------	12	2	3	5
13	Newport News White	117	1	-------	-------	1	-------	2	-------	1	1	-------	5	1	1	11
	Newport News Colored	224	1	-------	-------	2	-------	3	1	9	-------	-------	32	-------	1	6
14	Norfolk White	806	4	1	-------	3	-------	6	4	8	-------	-------	42	7	2	62
	Norfolk Colored	935	2	1	-------	7	-------	10	-------	21	-------	1	112	7	13	32
15	Petersburg White	239	2	-------	-------	1	-------	-------	-------	10	1	-------	13	-------	-------	13
	Petersburg Colored	293	1	2	-------	1	-------	3	-------	12	-------	-------	17	-------	11	8
16	Portsmouth White	266	3	-------	-------	1	-------	1	-------	7	-------	-------	12	-------	4	21
	Portsmouth Colored	435	3	5	-------	1	-------	9	1	29	1	-------	40	1	3	10
17	Richmond White	1,598	10	-------	-------	8	1	13	13	17	2	2	73	9	11	124
	Richmond Colored	1,220	4	-------	1	6	-------	21	9	26	1	-------	98	9	7	45
18	Roanoke White	553	4	-------	-------	-------	2	10	5	15	1	-------	15	4	4	45
	Roanoke Colored	220	5	-------	-------	-------	-------	9	1	9	-------	-------	21	1	4	7
19	Staunton * White	262	1	-------	-------	-------	-------	2	-------	3	13	-------	24	-------	4	16
	Staunton * Colored	37	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	3	-------	-------	3
	WASHINGTON															
20	Aberdeen	174	1	-------	-------	1	-------	-------	1	-------	-------	-------	10	1	-------	23
21	Bellingham	320	-------	-------	-------	5	2	-------	2	9	-------	-------	16	2	4	42
22	Everett	333	1	-------	-------	2	-------	-------	-------	1	2	2	16	-------	3	34
23	Hoquiam	98	-------	-------	-------	3	-------	-------	1	2	-------	-------	3	-------	-------	4
24	Seattle White	3,149	9	1	-------	30	3	2	22	35	2	4	124	20	34	359
	Seattle Colored	163	1	-------	-------	3	-------	-------	1	2	1	-------	18	3	9	8
25	Spokane	1,302	3	-------	-------	1	4	1	13	14	4	-------	42	5	7	168
26	Tacoma	1,145	5	-------	-------	17	4	1	17	14	5	2	34	6	7	132
27	Vancouver	156	1	-------	-------	2	2	-------	1	1	1	-------	8	1	1	19
28	Walla Walla	210	-------	-------	-------	1	-------	-------	2	6	2	-------	13	-------	2	25
29	Yakima	346	5	-------	-------	2	2	1	2	11	-------	1	15	1	4	32
	WEST VIRGINIA [1]															
30	Wheeling	970	15	-------	-------	-------	3	1	1	14	1	1	34	4	2	79
	WISCONSIN															
31	Appleton	326	1	-------	-------	3	2	1	3	3	-------	1	10	-------	3	32
32	Ashland	262	-------	-------	-------	3	6	2	7	3	1	1	13	-------	-------	29
33	Beloit	238	-------	-------	-------	-------	2	1	-------	4	1	-------	10	1	3	18
34	Eau Claire *	340	1	-------	-------	1	3	5	-------	-------	-------	1	22	-------	2	34
35	Fond du Lac	361	-------	-------	-------	3	7	-------	4	3	1	-------	9	1	5	41
36	Green Bay	530	1	-------	-------	1	6	1	5	8	-------	1	15	3	4	55
37	Janesville	228	1	-------	-------	1	-------	2	1	7	1	-------	11	-------	4	28
38	Kenosha	359	-------	-------	3	-------	1	1	6	1	2	1	20	2	1	24
39	La Crosse	526	-------	-------	-------	-------	-------	2	-------	1	-------	-------	14	2	6	80
40	Madison	540	2	-------	1	-------	2	1	2	1	1	-------	15	5	8	64
41	Manitowoc	222	-------	-------	-------	-------	-------	-------	4	2	2	-------	17	-------	-------	19
42	Marinette	200	-------	-------	-------	2	-------	-------	-------	10	1	-------	7	2	2	23
43	Milwaukee	4,842	5	-------	-------	6	8	23	44	42	10	7	240	23	36	532
44	Oshkosh	453	1	-------	-------	4	1	1	-------	4	1	-------	17	1	-------	59
45	Racine	534	1	-------	-------	-------	6	1	8	11	2	1	21	4	3	48
46	Sheboygan	382	-------	-------	-------	-------	8	-------	5	4	1	-------	10	5	6	37
47	Stevens Point	164	-------	-------	-------	-------	3	2	1	1	2	-------	5	-------	1	7
48	Superior	438	2	-------	2	1	6	4	4	3	1	-------	21	1	3	38
49	Waukesha	129	-------	-------	-------	-------	2	-------	-------	3	1	-------	6	-------	1	13
50	Wausau	293	-------	-------	-------	-------	7	-------	1	5	-------	-------	6	1	2	29
51	West Allis	132	-------	-------	-------	-------	1	2	3	2	-------	-------	10	-------	-------	12
	WYOMING															
52	Casper	258	2	-------	-------	2	3	-------	-------	3	1	-------	8	1	1	10
53	Cheyenne	174	1	1	-------	4	2	-------	3	4	-------	-------	7	3	1	10

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

NOTE.—Populations are shown in Tables IA and IB.

FROM IMPORTANT CAUSES, BY COLOR: 1924—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
3	23	68	135	4	93	38	40	27	7	98	13	21	78	22	15	27	87	117	282	} 1
2	5	48	72	4	51	17	8	18	7	71	3	9	23	2	24	4	29	130	147	
3	22	107	224	22	231	244	42	33	6	131	24	19	193	20	23	22	83	50	509	} 2
-------	2	9	31	3	14	2	7	1	3	21	1	1	19	1	5	-------	9	3	57	
3	3	31	51	1	42	7	18	5	4	21	2	2	35	7	4	6	30	2	68	3
1	-------	13	8	2	15	2	1	3	-------	10	-------	1	13	2	-------	-------	12	1	80	4
8	24	127	206	5	144	20	60	20	2	111	10	15	132	12	11	34	80	16	286	5
2	1	13	10	1	9	2	4	1	2	8	1	1	12	1	-------	2	4	1	17	6
1	10	27	68	5	48	5	8	5	1	37	3	4	38	4	-------	1	18	2	54	7
2	7	23	36	-------	12	3	9	7	-------	27	1	2	17	6	2	8	7	-------	41	8
-------	1	18	33	3	8	4	9	1	2	24	1	2	18	2	1	6	6	1	24	} 9
4	3	13	15	2	10	7	1	2	1	9	1	-------	7	-------	1	2	4	2	7	
-------	1	7	13	1	3	3	1	-------	-------	11	1	-------	9	1	-------	2	6	1	14	} 10
-------	-------	3	19	-------	4	1	-------	-------	-------	4	-------	-------	1	-------	1	-------	1	3	2	
-------	4	13	15	1	11	7	8	5	-------	22	2	3	24	1	-------	2	13	2	32	} 11
1	1	7	17	1	15	7	5	1	-------	13	2	3	6	-------	1	1	4	4	17	
1	3	19	43	-------	20	9	5	1	1	24	6	2	19	2	-------	5	21	1	53	} 12
-------	-------	14	46	1	13	6	3	-------	1	15	-------	3	8	1	7	2	5	8	28	
-------	2	10	18	2	5	3	1	1	3	19	1	-------	5	1	-------	2	4	-------	16	} 13
-------	2	20	31	-------	25	7	1	3	3	16	-------	3	9	-------	4	1	9	3	32	
3	11	75	175	5	34	7	14	6	9	56	9	2	51	11	6	12	45	1	135	} 14
7	4	83	132	10	92	26	8	12	7	84	6	11	58	1	18	4	27	1	138	
-------	6	16	32	-------	7	9	8	1	2	46	1	2	18	-------	1	4	12	1	33	} 15
1	1	30	26	-------	30	21	3	1	6	24	2	5	41	-------	3	1	13	-------	30	
2	7	28	39	1	17	8	-------	-------	2	38	-------	4	22	1	-------	2	8	1	37	} 16
6	-------	48	22	2	37	31	1	2	5	25	2	2	36	-------	2	5	17	10	79	
1	14	147	240	9	84	37	30	15	13	170	9	13	125	28	5	20	63	14	2 78	} 17
4	7	129	154	6	158	8	17	12	9	100	5	17	78	4	14	13	51	23	184	
1	4	33	59	3	37	22	16	13	1	23	8	4	79	4	7	16	19	3	96	} 18
-------	2	17	14	1	19	7	1	2	-------	29	2	5	18	-------	9	1	9	3	24	
-------	4	22	45	1	35	-------	-------	5	-------	23	-------	-------	9	-------	-------	-------	6	1	48	} 19
-------	1	5	9	-------	3	-------	-------	-------	-------	4	-------	-------	-------	-------	-------	-------	1	-------	6	
-------	3	15	23	2	8	-------	4	4	-------	15	1	3	8	2	4	3	24	-------	18	20
1	6	30	48	3	13	6	7	5	2	16	2	5	16	2	-------	8	17	-------	51	21
1	4	33	48	1	14	3	4	3	3	23	2	2	20	4	1	14	27	3	62	22
-------	1	12	17	-------	10	2	3	-------	1	1	-------	-------	10	3	-------	3	9	1	12	23
6	50	251	551	9	163	14	49	24	18	211	18	28	151	96	18	50	179	1	617	} 24
1	1	6	18	2	20	4	1	-------	1	9	-------	-------	10	2	8	3	2	-------	29	
4	14	72	158	5	94	13	32	31	9	122	11	15	54	24	7	22	61	3	289	25
1	24	91	195	3	71	7	18	15	2	76	5	7	72	18	5	21	60	-------	210	26
1	4	14	15	1	16	-------	3	3	-------	11	-------	1	10	2	1	3	10	-------	24	27
2	3	19	34	2	7	2	13	3	1	14	2	1	9	-------	-------	2	12	1	32	28
1	8	24	43	-------	10	18	5	8	5	19	5	4	28	6	-------	7	16	2	61	29
4	8	56	139	4	101	26	28	11	7	74	16	10	64	10	11	17	85	-------	144	30
3	2	22	35	1	21	7	18	6	5	23	1	5	31	1	2	9	20	1	54	31
2	4	13	37	2	18	4	3	6	3	13	2	5	11	5	-------	6	19	-------	44	32
-------	4	34	39	5	17	3	4	5	1	12	-------	1	18	3	1	8	7	-------	36	33
2	8	23	61	5	41	3	10	3	1	12	2	2	28	2	-------	2	12	1	53	34
1	4	23	65	3	23	6	9	2	-------	27	7	2	25	4	-------	7	18	3	58	35
2	11	48	73	1	37	8	23	5	1	33	8	3	39	4	1	6	24	2	101	36
2	3	18	25	-------	14	4	7	4	1	15	2	2	19	3	-------	2	9	-------	42	37
-------	10	21	52	4	31	6	4	5	-------	24	2	6	39	2	3	11	24	1	52	38
-------	12	34	82	1	40	4	22	15	4	33	3	5	36	8	2	4	21	1	94	39
1	11	40	62	5	47	5	23	10	3	27	2	5	38	6	7	12	33	1	100	40
3	5	20	26	3	13	3	6	3	2	13	-------	1	23	1	-------	2	10	-------	44	41
1	4	19	32	1	11	8	5	2	2	9	-------	2	27	3	1	-------	4	-------	22	42
22	82	366	710	44	468	124	83	46	46	326	21	39	400	72	11	83	190	4	729	43
3	7	44	88	3	19	6	10	3	7	16	1	3	37	5	1	3	22	-------	86	44
1	5	40	73	5	53	13	4	6	9	40	4	5	42	4	-------	12	27	1	84	45
8	12	28	73	3	17	1	8	4	3	22	2	7	27	6	-------	9	26	-------	50	46
2	2	11	23	1	13	4	4	3	-------	11	2	-------	14	5	-------	5	10	-------	32	47
2	8	30	55	2	38	2	13	7	5	27	4	4	33	8	1	9	31	-------	73	48
-------	1	18	18	-------	8	1	-------	-------	-------	3	1	1	20	2	-------	1	7	-------	22	49
6	7	29	34	2	38	2	7	2	3	14	1	4	26	3	-------	2	9	1	52	50
3	2	7	23	2	12	6	-------	-------	-------	6	-------	-------	12	-------	-------	1	3	-------	25	51
-------	2	8	22	1	21	3	7	4	1	13	5	7	30	11	6	16	23	-------	47	52
2	1	9	21	1	17	3	8	1	2	5	-------	2	14	3	2	4	9	-------	34	53

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	All causes	1,173,990	1,151,076	593,170	557,906	22,914	616,084	33,065	23,767	5,829	6,699	12,867	4,122
	I.—Epidemic, endemic, and infectious diseases	169,978	165,540	76,241	89,299	4,438	80,679	4,876	4,504	1,265	1,497	1,553	545
1	Typhoid and paratyphoid fever	6,677	6,520	2,097	4,423	157	2,254	110	119	24	43	32	6
2	Typhus fever	9	5	4	1	4	8						
3	Relapsing fever (spirillum obermeieri)	1	1	1			1						
4	Malta fever												
5	Malaria	2,441	2,363	293	2,070	78	371	6	13			2	2
6	Smallpox	874	871	615	256	3	618	36	21			5	
7	Measles	8,517	8,180	2,849	5,331	337	3,186	104	225	59	157	38	7
8	Scarlet fever	3,122	3,106	1,468	1,638	16	1,484	45	61	13	31	53	11
9	Whooping cough	8,188	8,033	3,008	5,025	155	3,163	79	95	27	38	59	15
10	Diphtheria	9,316	9,232	5,081	4,151	84	5,165	439	260	67	90	144	23
11a	Influenza (with pulmonary complications)	11,889	11,548	4,766	6,782	341	5,107	154	221	97	133	129	36
11b	Influenza (other and unspecified)	7,485	7,344	2,380	4,964	141	2,521	107	122	36	78	56	11
12	Miliary fever												
13	Mumps	144	142	66	76	2	68	1	1		2	2	
14	Asiatic cholera												
15	Cholera nostras	130	128	21	107	2	23		2	1	1	1	
16	Dysentery	2,946	2,843	607	2,236	103	710	33	74	6	16	6	2
17	Plague	30	30	30			30	30					
18	Yellow fever	1				1	1						
19	Spirochetal hemorrhagic jaundice	45	44	25	19	1	26	2					
20	Leprosy	15	14	2	12	1	3		1				
21	Erysipelas	2,458	2,430	1,318	1,112	28	1,346	48	34	16	26	29	11
22	Acute anterior poliomyelitis	1,079	1,065	517	548	14	531	19	18	4	3	18	4
23	Lethargic encephalitis	1,441	1,410	992	418	31	1,023	56	20	6	4	39	3
24	Meningococcus meningitis	964	941	557	384	23	580	31	19	6	9	15	1
25	Other epidemic and endemic diseases	281	280	137	143	1	138	8	4		2	4	
26	Glanders	3	3	2	1		2						
27	Anthrax	28	25	10	15	3	13	1					
28	Rabies	59	58	28	30	1	29	3	2		2		
29	Tetanus	1,565	1,479	768	711	86	854	24	24	2	1	17	1
30	Mycoses	231	229	88	141	2	90	9	4	1		2	
	Tuberculosis (all forms)	89,724	87,346	42,369	44,977	2,378	44,747	3,119	2,949	830	809	831	399
31	Of the respiratory system	78,096	75,976	35,575	40,401	2,120	37,695	2,679	2,702	755	758	683	361
32	Of the meninges, central nervous system	4,014	3,930	2,689	1,241	84	2,773	177	88	35	18	70	16
33	Of the intestines, peritoneum	3,090	3,017	1,576	1,441	73	1,649	98	72	10	10	41	7
34	Of the vertebral column	990	968	543	425	22	565	30	16	4	7	7	4
35	Of the joints	432	424	225	199	8	233	9	12	2	1	4	
36	Of other organs	1,275	1,251	635	616	24	659	48	24	6	7	15	2
37a	Disseminated (acute)	1,498	1,462	970	492	36	1,006	72	26	17	6	9	8
37b	Disseminated (chronic or unspecified)	329	318	156	162	11	167	6	9	1	2	2	1
38	Syphilis	8,195	7,843	4,970	2,873	352	5,322	343	171	54	41	49	10
39	Soft chancre	8	8	6	2		6						
40	Gonococcus infection	813	769	590	179	44	634	32	4	8	4	6	1
41	Purulent infection, septicemia	1,290	1,241	572	669	49	621	37	40	8	7	16	2
42	Other infectious diseases	9	9	4	5		4						
	II.—General diseases not included in Class I	135,014	132,938	76,220	56,718	2,076	78,296	4,758	2,284	608	558	1,755	484
	Cancer and other malignant tumors	91,138	89,796	51,914	37,882	1,342	53,256	3,462	1,658	467	370	1,230	349
43	Of the buccal cavity	3,130	3,089	1,758	1,331	41	1,799	109	53	13	7	50	10
44	Of the stomach, liver	34,250	33,825	18,484	15,341	425	18,909	1,238	672	164	175	424	126
45	Of the peritoneum, intestines, rectum	12,603	12,435	7,666	4,769	168	7,834	470	201	60	38	196	52
46	Of the female genital organs	12,836	12,574	7,523	5,051	262	7,785	529	243	62	46	181	38
47	Of the breast	8,281	8,163	4,867	3,296	118	4,985	365	135	52	26	116	45
48	Of the skin	2,630	2,584	979	1,605	46	1,025	62	55	13	12	28	15
49	Of other or unspecified organs	17,408	17,126	10,637	6,489	282	10,919	689	299	103	66	235	63
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	757	745	456	289	12	468	27	12	4	2	7	2
51	Acute rheumatic fever	3,270	3,237	1,779	1,458	33	1,812	47	31	10	17	49	18
52	Chronic rheumatism, osteoarthritis, gout	1,278	1,264	478	786	14	492	27	33	4	11	13	5
53	Scurvy	45	43	28	15	2	30	3	3		1		
54	Pellagra	2,347	2,206	558	1,648	141	699	13	15			2	
55	Beriberi	13	13	10	3		10	2	1				
56	Rickets	529	523	320	203	6	326	9	6	1	2	5	1
57	Diabetes mellitus	16,453	16,264	9,407	6,857	189	9,596	528	249	30	69	240	50
58	Anemia, chlorosis	6,167	6,088	3,160	2,928	79	3,239	233	106	33	29	63	21
59	Diseases of the pituitary gland	56	55	42	13	1	43	2				2	
60a	Exophthalmic goiter	2,755	2,714	1,731	983	41	1,772	85	30	13	10	13	4
60b	Other diseases of the thyroid gland	474	468	248	220	6	254	17	7	2	3	4	
61	Diseases of the parathyroid glands	99	97	53	44	2	55	1	2			4	
62	Diseases of the thymus gland	1,054	1,039	733	306	15	748	46	9	5	4	6	2
63	Diseases of the adrenals (Addison's disease)	373	368	218	150	5	223	12	6	5	1	5	2
64	Diseases of the spleen	140	132	78	54	8	86	7	3			2	
65a	Leukemia	1,589	1,543	1,009	534	46	1,055	68	21	9	8	24	10
65b	Hodgkin's disease	802	787	474	313	15	489	28	6	1	5	12	1
66	Alcoholism (acute or chronic)	3,153	3,098	2,119	979	55	2,174	76	57	16	13	48	15
67a	Chronic lead poisoning	142	140	82	58	2	84	3	3		3	2	1
67b	Other chronic mineral poisoning	21	21	12	9		12	1				1	
68	Chronic poisoning by organic substances	208	203	132	71	5	137	10	6	2		2	
69	Other general diseases	2,151	2,094	1,179	915	57	1,236	51	20	6	10	21	3
	III.—Diseases of the nervous system and of the organs of special sense	128,656	126,719	59,013	67,706	1,937	60,950	3,368	2,777	531	633	1,457	565
70	Encephalitis	1,131	1,100	595	505	31	626	50	28	9	5	13	1
71a	Simple meningitis	2,590	2,510	1,439	1,071	80	1,519	78	52	8	7	45	7
71b	Nonepidemic cerebrospinal meningitis	776	757	338	419	19	357	14	16	7	4	10	3
72	Tabes dorsalis (locomotor ataxia)	1,674	1,646	900	746	28	928	64	60	13	2	21	8
73	Other diseases of the spinal cord	3,085	3,044	1,403	1,641	41	1,444	77	67	20	16	34	9
74a	Cerebral hemorrhage	88,165	86,948	40,882	46,066	1,217	42,099	2,403	1,754	368	424	1,078	433
74b	Cerebral embolism and thrombosis	2,980	2,942	1,694	1,248	38	1,732	131	66	32	12	46	16
75	Paralysis without specified cause	5,957	5,824	1,539	4,285	133	1,672	66	87	11	25	17	11
76	General paralysis of the insane	6,379	6,286	2,788	3,498	93	2,881	53	318	8	60	42	25
77	Other forms of mental alienation	1,565	1,536	585	951	29	614	20	68	5	6	10	5

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1924

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
1,407	1,608	4,142	2,411	2,764	2,098	6,533	4,466	4,779	5,548	12,995	11,473	586	3,201	48,137	28,996	16,206	20,956	
168	256	383	425	370	478	1,021	943	662	1,221	2,506	2,742	97	522	5,317	3,994	2,013	2,959	
7	9	18	1	27	22	58	48	42	59	243	326	5	29	98	143	82	134	1
								2		1								2
									1									3
																		4
	1		1	11	7	152	131	9	33	154	202			17	50	5	11	5
								5	5	6	8		1	6	10	2	7	6
	1	2		29	17	143	63	68	35	300	161	9	95	124	104	59	152	7
4	2	8	2	2		1		5	1	13	1	1	16	111	95	36	39	8
10	13	5	10	15	9	56	28	45	69	165	174	2	26	165	188	117	189	9
14	8	26	3	22	15	50	12	34	6	130	51	7	30	306	174	96	151	10
14	8	20	25	18	18	74	43	56	113	258	138	15	49	292	300	158	238	11a
10	14	9	7	7	28	47	53	35	41	162	126	4	26	166	245	108	223	11b
																		12
	1		1				1			3			1	5	2	4	2	13
																		14
		1		1		1				6	2			3	5	2	2	15
1	3		3	7	13	48	33	24	25	228	166	1	6	19	34	30	66	16
																		17
																		18
									1		1			1		2	1	19
														1				20
4	3	5	3	3	1	7		12	4	19	5	3	9	59	55	26	56	21
2	1	2				2	2	5	4	13	3	1	4	7	19	7	14	22
		9		1		9		6	2	4	2		10	31	19	23	10	23
3		2		7	1	8	1	4	5	7	2	1	4	31	12	10	13	24
		1			2	5	3	1		4	2	3	8	7	3	3	1	25
														1				26
																1		27
								1	1	3					3			28
	3	6	3	8	29	16	21	6	31	23	18		2	52	40	36	26	29
1	1	2				2	2		2	1	11			4	4	3	1	30
83	183	243	339	180	241	282	354	238	621	703	1,114	35	184	3,305	2,337	1,058	1,517	
66	171	213	287	158	223	258	329	210	531	643	1,036	27	161	2,827	2,119	878	1,311	31
4	1	15	11	6	3	6	1	6	6	6	9	3	9	174	54	61	47	32
5	5	5	15	9	7	8	14	11	39	28	30		7	116	70	50	79	33
2	1	3	3	2	2	1	2	4	7	6	5	3	5	52	28	10	11	34
1		2		1	2	1	1	1	3	4	3			18	21	7	6	35
3	1	1	7	1		5	3	3	7	6	12	1		45	28	19	35	36
1	2	4	16	3	4	2	4	2	22	9	19		2	66	15	21	19	37a
1	2					1		1	6	1		1		7	2	12	9	37b
9	4	18	22	21	66	31	127	50	146	32	201	9	13	360	105	110	88	38
														2				39
2		1	5	4	7	5	8	4	11	4	11	1	2	113	10	14	3	40
4	1	5		7	2	24	13	10	5	24	16		7	31	36	21	15	41
											1				1			42
167	142	582	196	325	99	582	201	466	314	1,109	565	69	332	6,670	3,462	1,917	2,306	
122	96	430	131	230	45	346	99	297	158	628	311	45	223	4,562	2,412	1,289	1,632	
5	5	11	7	7	1	11	3	8	4	23	8	1	10	156	118	35	59	43
52	40	124	45	36	14	120	28	101	38	197	88	19	108	1,694	1,000	468	726	44
15	18	61	17	26	2	31	7	30	14	44	16	5	27	651	306	171	221	45
16	7	57	29	30	15	62	33	55	47	122	122	4	28	592	273	220	182	46
11	9	40	15	17	3	25	10	29	19	53	27	2	14	406	186	115	124	47
6	5	10		5	1	32		10		67	11	4	6	64	107	44	81	48
17	12	127	18	59	9	65	18	64	36	122	39	10	30	999	422	236	239	49
1		5	1	4		8	5	4		6	4			23	18	15	8	50
2	4	5	5	1	3	10	11	6	20	26	32	3	12	211	77	48	44	51
	3	8	1	2		5		4	2	24	9		1	29	34	9	19	52
			1		1				2	1	2			4		1		53
			1	8	14	40	40	26	50	156	102			5	2		1	54
																		55
	1		4	2	3		3	1	10	9	3			59	6	7	4	56
19	17	59	32	36	6	71	13	55	43	120	49	9	45	794	447	233	318	57
2	10	26	2	8	9	33	3	11	6	28	8	3	19	276	214	95	132	58
														1		1	1	59
3	2	9	1	4	1	7		7	2	13	6	5	10	221	67	85	59	60a
1			1	2	3	1	2	1		4	4			12	19	6	10	60b
						1	1	1	2	2	1			2	1	3		61
		4	1	2		2		3	1	2			3	58	13	13	6	62
1		1		2				1		1	1		1	20	7	7	8	63
					1			2		2	1			2	5	2	1	64
	2	9		2	1	5		6	2	14	1	1	3	73	31	26	16	65a
	1	2	1	1		2	1	7		5	2	1	1	45	22	16	7	65b
10	3	12	11	12	7	16	12	11	7	22	13	2	6	187	52	34	13	66
					1	3					2		1	3	3	1		67a
							1		1					1	1	1		67b
1	1		1	2		1	1	2		3	1			11	2		6	68
5	2	12	2	7	4	31	9	21	8	43	13		7	71	29	25	21	69
151	225	512	229	272	180	742	408	502	544	1,434	1,002	54	322	4,222	3,741	1,657	3,111	
3	3	2	3	4	1	4	1	6	6	22	9	1	5	20	13	17	21	70
5	1	12	3	7	5	15	4	16	19	29	10	2	7	58	42	47	45	71a
	2		1	5	3	8	3	4	3	17	4		5	13	15	17	14	71b
2	1	3	2	5	2	3	1	6	1	8	4	1	2	73	67	25	37	72
8	9	15	2	6	7	17	7	8	19	28	13	3	12	125	144	37	92	73
117	162	350	152	201	115	477	234	363	397	852	559	40	202	2,996	2,465	1,185	2,212	74a
	4	13	2	10	8	7	3	5	4	15	7		3	172	115	24	62	74b
3	11	11	6	10	26	105	82	29	36	244	182		18	38	74	61	151	75
2	17	47	32	1	2	22	13	13	7	22	52		23	195	340	75	177	76
	1	3	8			15	16	4	3	18	16		4	45	79	17	42	77

[2] A list of these cities can be found on p. 7.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Continued												
78	Epilepsy	3,141	3,102	959	2,143	39	998	46	83	2	26	18	15
79	Convulsions (nonpuerperal; 5 years and over)	148	148	43	105		43	1			1		1
80	Infantile convulsions (under 5 years)	1,911	1,895	698	1,197	16	714	18	16	1	5	14	10
81	Chorea	81	81	31	50		31	1		1	4		
82	Neuralgia and neuritis	366	358	134	224	8	142	4	7			1	
83	Softening of the brain	796	786	287	499	10	297	31	27		2	5	5
84	Other diseases of the nervous system	4,643	4,561	2,446	2,115	82	2,528	165	99	22	19	65	12
85	Diseases of the eye and annexa	85	82	46	36	3	49	3	2			1	
86a	Diseases of the ear	1,960	1,917	1,304	613	43	1,347	86	19	15	13	31	3
86b	Diseases of the mastoid process	1,223	1,196	902	294	27	929	57	8	9	2	6	1
	IV.—Diseases of the circulatory system	202,777	200,221	107,840	92,381	2,556	110,396	6,410	4,503	777	756	2,389	941
87	Pericarditis	908	895	425	470	13	438	33	18	2	5	5	2
88	Endocarditis and myocarditis (acute)	6,744	6,616	4,265	2,351	128	4,393	198	138	42	34	99	20
89	Angina pectoris	11,171	10,969	5,373	5,596	202	5,575	455	258	68	50	151	57
90	Other diseases of the heart	157,848	155,979	84,525	71,454	1,869	86,394	5,003	3,513	536	534	1,857	723
91a	Aneurysm	1,921	1,860	1,233	627	61	1,294	125	73	9	7	17	6
91b,c	Other diseases of the arteries	21,357	21,131	10,458	10,673	226	10,684	497	460	108	112	220	122
92	Embolism and thrombosis (not cerebral)	1,692	1,654	993	661	38	1,031	74	34	9	9	24	9
93	Diseases of the veins	608	602	376	226	6	382	18	5	3	4	6	1
94	Diseases of the lymphatic system	214	205	116	89	9	125	3	2		1	7	
95	Hemorrhage without specified cause	165	162	58	104	3	61	3				1	
96	Other diseases of the circulatory system	149	148	18	130	1	19	1	2			2	1
	V.—Diseases of the respiratory system	113,608	111,482	61,602	49,880	2,126	63,728	2,582	1,884	643	754	1,252	394
97a	Diseases of the nasal fossae	402	399	73	326	3	76	1	2	2	2	3	
97b	Diseases of the nasal fossae annexa	475	460	327	133	15	342	18	2	5	4	3	
98	Diseases of the larynx	551	545	232	313	6	238	6	14	3	3	7	1
99a	Acute bronchitis	2,916	2,874	1,572	1,302	42	1,614	75	47	6	14	24	16
99b	Chronic bronchitis	2,476	2,440	1,151	1,289	36	1,187	65	70	8	15	34	5
99c	Bronchitis (unspecified, under 5 years)	749	739	358	381	10	368	11	10		2	6	2
99d	Bronchitis (unspecified, 5 years and over)	1,066	1,044	445	599	22	467	25	9	1	2	10	12
100a	Broncho-pneumonia	39,479	38,853	22,322	16,531	626	22,948	929	710	239	262	500	166
100b	Capillary bronchitis	1,152	1,141	645	496	11	656	24	17	1	4	8	3
101a	Lobar pneumonia	50,676	49,649	29,123	20,526	1,027	30,150	1,159	769	321	334	560	157
101b	Pneumonia (unspecified)	6,096	5,921	1,501	4,420	175	1,676	51	85	17	53	21	11
102	Pleurisy	2,728	2,676	1,707	969	52	1,759	94	47	10	11	39	8
103	Congestion and hemorrhagic infarct of the lung	1,353	1,319	620	699	34	654	43	37	8	2	16	7
104	Gangrene of the lung	195	191	113	78	4	117	6	2				
105	Asthma	2,022	1,976	877	1,099	46	923	52	40	15	17	15	4
106	Pulmonary emphysema	146	144	70	74	2	72	1	4	1	2		1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,126	1,111	466	645	15	481	22	19	6	27	6	1
	VI.—Diseases of the digestive system	95,846	93,133	51,877	41,256	2,713	54,590	2,740	2,077	560	637	994	222
108	Diseases of the mouth and annexa	702	687	361	326	15	376	20	9	2		9	1
109a	Adenoid vegetations	11	10	5	5	1	6						
109b	Other diseases of the pharynx, tonsils	3,369	3,312	1,914	1,398	57	1,971	111	57	19	20	41	4
110	Diseases of the esophagus	118	111	64	47	7	71	2	2	2			
111a	Ulcer of the stomach	4,084	4,003	2,532	1,471	81	2,613	206	90	31	40	51	10
111b	Ulcer of the duodenum	1,455	1,419	1,087	332	36	1,123	76	33	12	5	23	
112	Other diseases of the stomach (cancer excepted)	6,254	6,090	2,002	4,088	164	2,166	104	119	21	32	34	21
113	Diarrhea and enteritis (under 2 years)	27,566	26,649	13,144	13,505	917	14,061	547	812	152	234	263	60
114	Diarrhea and enteritis (2 years and over)	6,916	6,711	2,681	4,030	205	2,886	148	179	19	45	52	44
115	Ancylostomiasis	40	39	3	36	1	4		1				
116	Diseases due to other intestinal parasites	138	137	34	103	1	35	3	5	1	1	1	
117	Appendicitis and typhlitis	14,788	14,287	9,976	4,311	501	10,477	501	253	126	122	172	14
118a	Hernia	3,673	3,594	2,467	1,127	79	2,546	129	47	24	9	57	7
118b	Intestinal obstruction	6,807	6,604	3,930	2,674	203	4,133	242	122	42	28	77	12
119	Other diseases of the intestines	1,420	1,383	707	676	37	744	49	21	5	6	16	4
120	Acute yellow atrophy of the liver	421	409	243	166	12	255	17	6	3	1	5	5
121	Hydatid tumor of the liver	26	26	17	9		17	2	2				
122	Cirrhosis of the liver	7,344	7,220	4,212	3,008	124	4,336	264	169	27	35	75	13
123	Biliary calculi	3,923	3,844	2,595	1,249	79	2,674	133	61	31	23	65	13
124	Other diseases of the liver	4,550	4,418	2,618	1,800	132	2,750	145	54	33	29	36	5
125	Diseases of the pancreas	582	568	415	153	14	429	18	6	1	2	5	1
126	Peritonitis without specified cause	1,657	1,610	869	741	47	916	23	29	9	5	12	8
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	2	1	1		1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	103,964	101,873	55,166	46,707	2,091	57,257	2,928	1,621	504	440	1,077	360
128	Acute nephritis (including unspecified under 10 years)	6,038	5,873	2,789	3,084	165	2,954	116	85	31	33	36	16
129	Chronic nephritis (including unspecified 10 years and over)	82,825	81,361	43,163	38,198	1,464	44,627	2,248	1,307	366	337	866	316
130	Chyluria	1	1	1			1						
131	Other diseases of the kidneys and annexa	2,727	2,626	1,487	1,139	101	1,588	116	46	13	9	45	6
132	Calculi of the urinary passages	728	710	502	208	18	520	26	4	2	4	9	1
133	Diseases of the bladder	1,033	1,013	356	657	20	376	26	18	8	5	8	3
134	Diseases of the urethra, etc	338	319	243	76	19	262	8	1	3		5	
135	Diseases of the prostate	4,842	4,733	2,740	1,993	109	2,849	170	84	39	33	45	12
136	Nonvenereal diseases of the male genital organs	87	87	56	31		56	3	1	1		1	
137	Cysts, other benign tumors of the ovary	755	737	529	208	18	547	42	14	8	5	7	
138	Salpingitis and pelvic abscess (female)	1,767	1,687	1,324	363	80	1,404	61	20	12	5	19	2
139	Benign tumors of the uterus	1,971	1,900	1,411	489	71	1,482	87	25	17	5	25	4
140	Nonpuerperal uterine hemorrhage	48	45	18	27	3	21				1	1	
141	Other diseases of the female genital organs	774	752	527	225	22	549	25	15	4	3	10	
142	Nonpuerperal diseases of the breast (cancer excepted)	30	29	20	9	1	21		1				

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
2	2	7	7	1	-------	26	25	5	8	41	47	-------	19	82	112	17	64	78
-------	-------	-------	-------	2	-------	3	2	-------	-------	3	5	-------	1	-------	-------	2	-------	79
3	4	3	1	1	7	7	8	4	12	32	54	-------	5	24	24	6	14	80
-------	1	-------	1	-------	-------	1	-------	1	-------	2	-------	-------	-------	-------	4	-------	6	81
1	-------	2	-------	1	-------	2	1	-------	1	5	2	-------	-------	11	10	2	16	82
1	3	3	1	1	1	4	-------	3	1	11	4	-------	4	14	31	5	34	83
3	3	21	5	12	2	19	5	20	15	70	26	3	10	176	155	66	76	84
-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	2	2	-------	2	85
1	1	9	1	1	1	5	2	8	4	4	6	2	1	119	42	26	22	86a
-------	-------	11	1	4	-------	2	1	7	8	11	-------	2	1	59	7	28	24	86b
225	310	875	459	467	227	886	456	555	687	1,266	1,081	65	454	8,916	5,581	2,794	4,089	
-------	-------	1	1	3	3	8	6	2	2	23	16	-------	2	29	26	17	16	87
8	4	35	52	27	12	14	19	20	52	31	39	3	25	294	156	154	88	88
7	28	40	3	46	10	77	12	58	25	89	31	5	32	287	323	165	313	89
177	249	668	359	344	181	689	384	423	552	1,003	920	53	331	7,510	4,294	2,052	3,048	90
2	1	8	2	2	8	6	9	5	26	11	8	-------	3	116	32	39	19	91a
22	23	107	41	42	10	70	21	39	24	87	46	3	52	574	708	337	576	91b,c
7	2	11	1	2	-------	8	-------	7	1	8	1	1	6	59	24	21	16	92
2	1	3	-------	1	1	5	2	-------	-------	2	3	-------	2	38	10	5	10	93
-------	1	2	-------	-------	1	2	-------	1	3	2	1	-------	1	5	2	4	3	94
-------	1	-------	-------	-------	1	1	3	-------	1	3	6	-------	-------	3	4	-------	-------	95
-------	-------	-------	-------	-------	-------	6	-------	-------	1	7	10	-------	-------	1	2	-------	-------	96
153	137	337	326	178	176	446	261	428	675	1,233	1,083	49	275	4,539	2,379	1,638	1,563	
-------	-------	-------	-------	-------	1	3	9	1	-------	6	26	-------	2	4	2	2	2	97a
-------	-------	7	1	2	-------	4	-------	2	-------	4	2	-------	1	31	13	5	5	97b
1	1	2	2	1	2	1	3	-------	-------	12	4	-------	3	12	10	9	6	98
2	4	7	4	2	11	8	11	3	20	16	6	-------	1	213	79	18	31	99a
2	3	11	1	6	2	16	1	8	8	11	10	-------	3	84	87	29	75	99b
4	2	1	1	2	5	2	3	3	12	11	10	-------	2	48	19	17	5	99c
1	3	7	4	2	-------	8	3	3	13	14	16	1	1	30	47	8	17	99d
72	50	112	133	60	46	106	54	144	187	356	197	13	110	1,434	802	630	512	100a
1	1	2	11	2	14	5	-------	1	3	7	1	-------	-------	38	25	12	20	100b
56	60	155	151	60	71	109	60	181	300	411	390	20	99	2,326	1,044	732	722	101a
3	3	8	6	9	7	126	89	51	106	301	365	1	23	22	39	59	81	101b
2	1	9	5	8	5	16	2	9	12	28	16	5	7	180	55	37	24	102
3	2	7	2	7	-------	12	-------	6	2	15	6	3	13	38	56	33	21	103
-------	2	1	2	2	-------	1	-------	1	-------	-------	1	-------	-------	3	3	2	2	104
3	4	4	2	5	7	15	18	12	10	27	20	3	7	59	63	28	23	105
-------	1	1	-------	1	1	1	2	-------	-------	-------	1	2	-------	-------	4	1	2	106
3	-------	3	1	9	4	13	6	3	2	14	12	1	3	17	31	16	15	107
121	100	332	167	268	279	676	355	526	475	1,155	814	69	285	4,538	2,187	1,727	1,533	
1	1	1	1	2	2	5	2	6	4	16	7	1	3	47	28	8	11	108
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	109a
3	3	16	1	2	3	20	10	15	12	28	26	7	7	190	81	48	59	109b
1	1	-------	-------	-------	1	1	1	-------	-------	-------	-------	-------	-------	5	1	1	2	110
8	1	15	4	14	9	23	6	16	13	29	18	5	16	262	80	66	76	111a
2	-------	7	-------	1	-------	3	2	14	3	2	2	2	3	95	19	21	21	111b
6	2	17	10	17	51	36	72	23	57	118	178	3	12	64	164	87	139	112
42	51	77	47	68	89	207	95	160	158	423	272	6	46	1,257	681	457	418	113
8	18	25	15	16	26	117	45	33	54	169	92	5	27	185	214	108	131	114
-------	-------	-------	-------	1	-------	6	3	-------	-------	7	2	-------	-------	-------	-------	-------	-------	115
-------	-------	-------	1	-------	1	2	5	1	1	3	10	-------	-------	3	2	1	3	116
14	4	63	26	48	22	51	25	105	54	108	52	12	77	892	230	291	135	117
1	1	11	11	8	4	10	10	20	12	13	26	-------	15	210	64	70	45	118a
7	3	25	23	29	21	40	21	43	43	74	33	15	25	256	131	148	118	118b
3	2	3	6	7	6	10	8	6	15	25	19	1	11	60	40	22	30	119
-------	-------	1	1	1	3	2	1	3	1	2	1	1	1	18	12	12	6	120
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	121
15	11	18	11	19	18	36	24	30	8	54	28	2	12	421	202	156	131	122
1	1	18	2	7	1	9	1	18	3	15	3	4	9	273	98	80	60	123
6	1	22	2	21	7	34	12	27	18	40	21	2	14	215	98	108	100	124
1	-------	7	2	-------	-------	1	1	3	2	8	1	1	2	39	13	11	9	125
2	-------	6	4	7	15	13	11	3	17	21	23	2	5	44	28	32	39	126
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	127
159	184	441	227	321	189	577	371	598	679	1,224	1,063	47	193	5,055	2,611	1,575	2,182	
10	14	14	28	14	30	52	56	31	107	101	136	1	9	150	123	128	105	128
131	163	370	162	239	119	446	240	470	475	1,013	780	31	154	4,139	2,196	1,160	1,871	129
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	130
2	1	12	1	8	2	19	14	23	9	32	39	4	2	107	51	41	32	131
-------	-------	3	2	10	-------	8	2	7	1	9	5	1	1	54	10	9	10	132
2	1	1	1	3	6	10	14	5	11	14	20	-------	4	13	39	11	29	133
1	1	1	2	3	10	2	2	1	9	3	5	1	-------	10	3	3	3	134
5	2	21	11	23	6	25	7	29	9	35	26	3	12	229	106	70	87	135
-------	-------	-------	-------	1	-------	1	-------	-------	2	-------	1	-------	-------	4	1	3	-------	136
2	1	5	1	6	1	1	1	5	5	2	3	2	1	37	14	22	8	137
1	-------	5	8	9	7	5	9	12	17	2	10	3	4	123	21	65	13	138
5	1	4	9	3	7	3	17	11	27	6	19	1	4	138	35	44	15	139
-------	-------	-------	-------	-------	-------	1	-------	-------	1	-------	5	-------	-------	2	-------	1	2	140
-------	-------	5	2	2	1	4	9	4	6	7	11	-------	2	45	12	18	7	141
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	4	-------	-------	-------	142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area (exclusive of Hawaii)	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	CALIFORNIA		COLORADO		CONNECTICUT	
			Total [1]	Urban [1]	Rural			Urban	Rural	Urban	Rural	Urban	Rural
	VIII.—The puerperal state	15,375	14,948	8,032	6,916	427	8,459	323	192	81	92	156	25
143	Accidents of pregnancy	1,393	1,359	783	576	34	817	46	22	10	11	11	4
144	Puerperal hemorrhage	1,517	1,485	791	694	32	823	31	16	1	9	20	3
145	Other accidents of labor	1,646	1,610	790	820	36	826	28	24	7	6	17	3
146	Puerperal septicemia	5,745	5,535	3,260	2,275	210	3,470	110	64	42	37	61	7
147	Puerperal phlegmasia alba dolens, embolus, etc.	708	701	373	328	7	380	15	11	3	7	4	1
148	Puerperal albuminuria and convulsions	4,287	4,180	1,994	2,186	107	2,101	92	55	18	22	41	7
149	Following childbirth (undefined)	69	69	33	36		33	1				1	
150	Puerperal diseases of the breast	10	9	8	1	1	9					1	
	IX.—Diseases of the skin and of the cellular tissue	3,335	3,262	1,680	1,582	73	1,753	94	47	15	19	39	9
151	Gangrene	1,343	1,325	563	762	18	581	30	23	7	11	10	4
152	Furuncle	581	562	331	231	19	350	22	7	3	2	8	1
153	Acute abscess	658	640	410	230	18	428	23	10	1	3	12	
154	Other diseases of the skin and annexa	753	735	376	359	18	394	19	7	4	3	9	4
	X.—Diseases of the bones and of the organs of locomotion	1,424	1,395	950	445	29	979	44	14	6	5	33	4
155	Diseases of the bones (tuberculosis excepted)	1,130	1,106	771	335	24	795	36	12	5	5	27	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	214	210	147	63	4	151	6	2	1		6	1
157	Amputations	4	4	2	2		2						
158	Other diseases of the organs of locomotion	76	75	30	45	1	31	2					
	XI.—Malformations	14,127	13,910	7,493	6,417	217	7,710	345	196	73	75	146	56
159a	Congenital hydrocephalus	1,366	1,343	750	593	23	773	35	15	3	3	20	5
159b	Congenital malformations of the heart	8,178	8,068	4,211	3,857	110	4,321	174	122	42	56	67	31
159c	Other congenital malformations	4,583	4,499	2,532	1,967	84	2,616	136	59	28	16	59	20
	XII.—Early infancy	63,526	62,304	32,171	30,133	1,222	33,393	1,290	897	307	446	844	192
160	Congenital debility, icterus, sclerema	8,069	7,908	3,214	4,694	161	3,375	134	161	32	61	96	30
161a	Premature birth	39,764	38,944	19,726	19,218	820	20,546	827	563	210	293	448	117
161b	Injury at birth	10,297	10,133	6,329	3,804	164	6,493	212	109	40	46	230	34
162	Other diseases peculiar to early infancy	5,230	5,165	2,842	2,323	65	2,907	112	63	23	44	66	11
163	Lack of care	166	154	60	94	12	72	5	1	2	2	4	
164	XIII.—Old age (senility)	12,598	12,369	2,834	9,535	229	3,063	171	198	43	64	58	33
	XIV.—External causes	96,226	94,186	49,944	44,242	2,040	51,984	3,110	2,497	408	685	1,074	273
	Suicide	12,061	11,846	6,829	5,017	215	7,044	720	375	80	84	109	48
165	By poisons (gas or corrosives excepted)	768	747	423	324	21	444	96	34	7	11	8	7
166	By corrosive substances	1,232	1,169	824	345	63	887	62	22	8	9	10	3
167	By poisonous gas	1,641	1,628	1,509	119	13	1,522	183	17	12		27	2
168	By hanging or strangulation	2,117	2,102	927	1,175	15	942	61	59	4	10	24	17
169	By drowning	668	661	362	299	7	369	25	13	5	1	3	3
170	By firearms	4,280	4,197	1,978	2,219	83	2,061	208	183	33	46	24	12
171	By cutting or piercing instruments	797	790	447	343	7	454	47	32	7	3	9	2
172	By jumping from high places	304	300	253	47	4	257	29	2	3		1	1
173	By crushing	125	124	65	59	1	66	4	8		2	2	1
174	By other means	129	128	41	87	1	42	5	5	1	2	1	
	Homicide	8,420	8,014	4,709	3,305	406	5,115	199	175	39	61	48	4
197	By firearms	6,028	5,736	3,272	2,464	292	3,564	140	121	23	47	19	2
198	By cutting or piercing instruments	992	920	599	321	72	671	20	17	6	2	8	
199	By other means	1,400	1,358	838	520	42	880	39	37	10	12	21	2
	Accidental or undefined	75,745	74,326	38,406	35,920	1,419	39,825	2,191	1,947	289	540	917	221
175	Poisoning by food	917	870	350	520	47	397	28	24	4	10	9	3
176	Poisoning by venomous animals	66	62	17	45	4	21		3		1		
177	Other acute poisonings (gas excepted)	1,577	1,533	826	707	44	870	69	36	11	10	17	4
178	Conflagration	1,628	1,597	683	914	31	714	41	45	3	16	17	5
179	Burns (conflagration excepted)	6,895	6,715	3,583	3,132	180	3,763	124	97	17	21	87	7
180	Mechanical suffocation	1,176	1,160	433	727	16	449	24	24	9	15	7	3
181	Absorption of irrespirable, irritating, or poisonous gas	2,525	2,491	2,156	335	34	2,190	73	22	8	4	50	5
182	Drowning	6,490	6,430	2,412	4,018	60	2,472	118	218	11	66	81	58
183	Traumatism by firearms (except in war)	2,571	2,497	833	1,664	74	907	87	71	9	26	12	2
184	Traumatism by cutting or piercing instruments	621	605	334	271	16	350	22	12	3	6	9	2
185	Traumatism by fall	12,955	12,779	7,520	5,259	176	7,696	387	231	75	56	185	33
186a	Traumatism in mines	2,234	2,203	425	1,778	31	456	3	28	4	51		
186b	Traumatism in quarries	104	104	32	72		32	1	5		1		2
187	Traumatism by machines	2,052	2,004	1,086	918	48	1,134	88	56	7	8	22	3
188a	Railroad accidents	6,430	6,296	2,598	3,698	134	2,732	131	189	19	57	47	22
188b	Street-car accidents	1,623	1,590	1,265	325	33	1,298	104	15	11	2	36	2
188c	Automobile accidents	15,528	15,221	9,553	5,668	307	9,860	689	565	62	96	231	46
188d	Airplane and balloon accidents	142	134	31	103	8	39	9	21			1	
188e,f	Injuries by other vehicles	1,538	1,514	668	846	24	692	39	38	6	31	25	8
188g	Landslide, other crushing	740	728	310	418	12	322	29	35	2	2	6	2
189	Injuries by animals (not poisoning)	605	597	167	430	8	175	4	14	3	3	3	2
190	Wounds of war	6	6	3	3		3						
192	Starvation (deprivation of food or water)	15	15	6	9		6		2				
193	Excessive cold	335	335	116	219		116	1	4	3	6	5	1
194	Excessive heat	409	394	181	213	15	196	3	32			5	2
195	Lightning	334	333	32	301	1	33				9	2	2
196	Other accidental electric shocks	977	958	464	494	19	483	32	30	3	10	7	2
201	Fracture (cause not specified)	734	723	335	388	11	346	7	7		1	10	1
202	Other external violence	4,502	4,416	1,972	2,444	86	2,058	78	122	19	32	43	4
203	Violent deaths of unknown causation	16	16	15	1		15		1				
	XV.—Ill-defined diseases	17,536	16,796	2,107	14,689	740	2,847	26	76	8	38	40	19
204	Sudden death	1,446	1,438	196	1,242	8	204	1			1	4	3
205a	Ill-defined	5,408	4,734	759	3,975	674	1,433	7	25	1	23	19	9
205b	Not specified or unknown	10,682	10,624	1,152	9,472	58	1,210	18	51	7	14	17	7

[1] Including District of Columbia.

[2] A list of these cities can be found on p. 7.

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				GEORGIA				IDAHO		ILLINOIS		INDIANA		List No.
				Urban		Rural		Urban		Rural								
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
19	15	59	54	36	44	127	118	103	98	269	265	15	49	595	249	202	192	
1	1	4	4	2	3	3	6	5	5	19	18	2	6	65	20	24	14	143
1	1	6	2	4	3	11	6	9	3	35	13	----	10	67	27	15	13	144
3	2	7	1	5	4	19	20	3	7	33	58	2	4	50	20	13	13	145
7	7	27	26	16	15	31	36	41	45	65	72	9	15	256	108	97	85	146
----	----	----	2	2	----	5	1	4	2	6	2	----	3	26	7	11	12	147
7	4	15	19	7	18	57	49	41	35	109	101	1	11	130	66	41	55	148
----	----	----	----	----	1	1	----	----	----	2	1	1	----	----	1	1	----	149
----	----	----	----	----	----	----	----	----	1	----	----	----	----	1	----	----	----	150
7	3	9	10	16	10	22	13	10	13	33	25	1	10	97	77	40	48	
3	2	2	4	2	3	6	8	1	4	6	7	1	3	23	37	16	20	151
1	----	2	2	4	1	6	3	4	----	6	7	----	----	29	13	14	13	152
1	1	3	3	6	3	5	1	4	6	12	4	----	2	23	6	6	3	153
2	----	2	1	4	3	5	1	1	3	9	7	----	5	22	21	4	12	154
3	1	7	7	6	----	5	5	5	2	13	4	----	2	57	26	26	10	
2	1	6	5	5	----	3	2	4	1	9	4	----	2	46	20	20	7	155
1	----	1	1	1	----	----	2	----	----	----	----	----	----	10	2	4	2	156
----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	157
----	----	----	1	----	----	2	----	1	1	3	----	----	----	1	4	2	1	158
13	15	40	15	27	5	62	16	44	15	110	32	7	21	810	376	225	279	
----	1	----	1	3	1	4	3	10	4	13	11	1	----	79	46	21	26	159a
8	11	25	12	18	2	29	2	20	6	46	6	5	16	506	235	145	176	159b
5	3	15	2	6	2	29	11	14	5	51	15	1	5	225	95	59	77	159c
71	73	201	140	139	103	399	185	335	245	929	587	28	201	2,617	1,411	822	859	
11	16	14	16	12	33	59	50	39	51	179	167	2	26	125	94	56	111	160
46	45	123	94	93	57	272	111	219	152	613	341	16	120	1,486	882	558	547	161a
9	4	49	14	22	4	37	10	56	20	79	23	6	39	762	369	121	117	161b
5	8	15	16	12	9	29	11	21	21	52	49	4	16	235	62	87	83	162
----	----	----	----	----	----	2	3	----	1	6	7	----	----	9	4	----	1	163
11	23	42	11	23	16	160	139	32	35	317	418	20	66	106	349	47	137	164
138	122	322	144	286	240	563	506	484	431	886	893	62	405	4,574	2,385	1,500	1,643	
10	12	76	6	52	5	48	5	83	11	91	8	5	45	662	358	198	209	
----	----	3	----	1	----	6	----	5	----	3	1	1	6	36	12	10	19	165
1	----	8	----	7	1	7	----	19	5	5	----	----	2	79	31	57	32	166
5	----	25	1	5	----	----	----	1	----	----	----	----	----	175	11	15	3	167
1	4	2	----	1	1	2	----	1	2	5	1	----	8	75	79	25	49	168
----	1	4	2	6	----	1	----	3	----	----	----	----	3	41	29	10	11	169
3	6	28	2	28	2	27	2	47	4	69	4	3	22	187	154	63	79	170
----	1	4	----	2	----	4	1	4	----	5	2	1	3	36	29	13	10	171
----	----	1	1	----	----	1	----	2	----	1	----	----	----	21	4	3	1	172
----	----	----	----	1	----	----	----	1	----	----	----	----	----	9	7	1	4	173
----	----	1	----	1	1	----	2	----	----	3	----	----	1	3	2	1	1	174
11	6	11	34	29	103	75	148	52	172	99	230	9	15	568	153	168	55	
5	5	6	24	25	77	67	100	41	123	79	173	8	11	411	106	124	39	197
4	1	1	3	3	17	----	26	3	35	8	36	----	----	63	10	21	2	198
2	----	4	7	1	9	8	22	8	14	12	21	1	4	94	37	23	14	199
117	104	235	104	205	132	440	353	349	248	696	655	48	345	3,344	1,874	1,134	1,379	
----	----	----	2	9	7	21	4	6	7	18	20	1	7	17	20	22	23	175
----	----	----	----	----	----	2	2	----	----	2	3	1	1	1	4	----	1	176
----	----	2	2	6	6	11	9	6	5	11	15	----	14	82	30	24	32	177
1	1	----	3	1	3	3	6	3	4	6	33	----	19	85	40	18	19	178
26	7	17	15	11	18	35	51	46	62	88	159	1	22	243	113	84	110	179
----	3	----	2	1	1	3	2	7	14	16	31	2	5	20	29	14	20	180
5	----	29	4	6	1	4	3	1	2	4	1	1	----	300	17	29	7	181
9	17	9	6	13	18	61	51	9	16	44	46	4	54	148	191	42	116	182
2	1	3	1	7	7	26	47	12	18	37	71	2	25	82	64	17	53	183
1	1	----	2	1	4	1	1	7	2	6	7	1	2	28	11	10	8	184
20	20	53	12	37	12	48	16	61	16	126	33	7	35	601	312	207	276	185
----	----	----	----	----	----	----	2	----	----	4	2	----	19	30	161	19	39	186a
1	----	----	----	----	----	1	1	----	2	----	----	----	----	3	3	1	6	186b
3	2	6	2	7	3	16	13	17	9	26	18	----	9	97	41	32	26	187
2	17	5	1	2	5	43	27	26	21	52	36	5	17	329	321	135	216	188a
1	----	8	7	3	2	1	----	13	3	3	3	1	----	154	25	55	45	188b
29	17	78	30	69	25	97	51	99	35	131	42	11	43	790	275	274	206	188c
----	----	2	----	2	----	5	----	----	----	----	----	----	1	----	11	----	3	188d
2	4	4	3	1	----	2	2	2	2	15	15	3	15	74	38	20	27	188e,f
----	----	----	----	1	----	4	5	----	2	3	4	2	5	17	16	15	10	188g
----	4	4	1	2	----	4	2	1	2	7	7	1	8	10	17	6	12	189
----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----	190
----	----	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	192
----	2	----	----	----	----	2	2	----	3	6	6	----	1	11	11	3	5	193
3	----	2	1	----	----	----	2	1	4	3	8	----	1	10	11	7	10	194
----	----	----	----	----	2	5	8	----	2	7	18	----	1	3	16	6	10	195
4	1	1	----	7	4	11	3	8	3	8	2	1	3	33	27	29	23	196
1	----	1	2	5	----	15	4	9	2	5	3	----	----	12	3	13	11	201
7	7	11	8	14	14	19	39	15	12	68	71	4	38	147	66	52	65	202
----	----	----	----	----	----	----	----	----	----	----	----	----	----	15	----	----	----	203
1	2	----	1	30	52	265	489	29	114	511	899	3	64	24	168	23	45	
----	----	----	----	4	5	15	25	1	2	72	84	----	3	2	27	----	----	204
1	2	----	1	13	29	99	190	9	33	177	342	----	22	10	82	11	37	205a
----	----	----	----	13	18	151	274	19	79	262	473	3	39	12	59	12	8	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	All causes	8,016	15,758	6,028	11,870	5,638	1,748	16,667	2,753	5,676	4,529	6,584	7,691
	I.—Epidemic, endemic, and infectious diseases	894	1,628	752	1,215	727	288	3,716	681	794	918	1,337	1,985
1	Typhoid and paratyphoid fever	33	32	26	53	28	9	312	70	42	48	145	165
2	Typhus fever												
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever												
5	Malaria	1	1		6	3	6	32	9	11	20	121	122
6	Smallpox	8	4		2	1		4	1			1	1
7	Measles	87	175	71	80	24	2	257	7	67	50	193	160
8	Scarlet fever	14	71	9	35	7	2	24	1	4		2	1
9	Whooping cough	25	114	40	88	28	6	268	30	6	17	45	71
10	Diphtheria	67	84	19	72	22	5	201	9	27	8	54	21
11a	Influenza (with pulmonary complications)	51	144	57	121	44	26	196	46	50	56	150	126
11b	Influenza (other and unspecified)	63	154	55	153	33	8	166	25	31	24	77	88
12	Miliary fever												
13	Mumps	1	4	3	4	1		2			1		2
14	Asiatic cholera												
15	Cholera nostras		2		1			11			1	2	6
16	Dysentery	11	22	16	31	12	7	119	11	17	18	66	77
17	Plague												
18	Yellow fever												
19	Spirochetal hemorrhagic jaundice	2	2									1	
20	Leprosy	1										7	2
21	Erysipelas	24	44	13	17	21	3	38	4	10	3	10	
22	Acute anterior poliomyelitis	5	11	4	5	5	1	22	5	1	1	4	5
23	Lethargic encephalitis	7	11	4	9	4	1	9		5	1	2	
24	Meningococcus meningitis	5	6	4	6	2		40	1	5	3	3	
25	Other epidemic and endemic diseases	4	1	2	1			3		1			1
26	Glanders				1								
27	Anthrax				1			1		2		3	
28	Rabies	1	1					2		1	1	2	1
29	Tetanus	18	22	12	21	16	8	26	8	20	34	30	55
30	Mycoses	2	1	2				2		2		1	3
	Tuberculosis (all forms)	359	647	344	443	440	180	1,929	412	410	483	366	843
31	Of the respiratory system	285	555	282	390	380	154	1,712	369	375	417	336	775
32	Of the meninges, central nervous system	20	25	15	17	28	3	78	7	8	17	7	6
33	Of the intestines, peritoneum	16	25	18	17	11	8	74	20	16	17	13	27
34	Of the vertebral column	11	12	10	5	3	2	18	4	4	7	4	3
35	Of the joints	2	3	5	5	4		6		1	2	1	4
36	Of other organs	6	16	3	4	7	5	21	4	4	7	4	13
37a	Disseminated (acute)	16	9	5	4	6	8	12	5	2	15	1	15
37b	Disseminated (chronic or unspecified)	3	2	6	1	1		8	3		1		
38	Syphilis	73	47	53	46	18	18	28	36	73	131	44	215
39	Soft chancre										1		
40	Gonococcus infection	12	6	7	3	5	6	4	2	4	13	1	6
41	Purulent infection, septicemia	20	22	11	16	13		20	4	5	2	7	14
42	Other infectious diseases										2		
	II.—General diseases not included in Class I	1,234	2,294	750	1,407	652	117	1,322	143	634	295	465	400
	Cancer and other malignant tumors	834	1,568	548	929	462	74	889	92	440	197	309	210
43	Of the buccal cavity	24	58	12	33	11	10	32	3	22	11	9	9
44	Of the stomach, liver	306	674	204	394	174	12	338	42	141	69	128	62
45	Of the peritoneum, intestines, rectum	145	222	86	126	69	7	90	8	55	16	22	17
46	Of the female genital organs	112	128	82	99	68	22	136	18	69	47	55	76
47	Of the breast	73	124	37	78	39	7	80	12	31	16	27	12
48	Of the skin	15	52	21	49	16	1	79	2	17	3	19	1
49	Of other or unspecified organs	159	310	106	150	85	15	134	7	105	35	49	33
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8	16	1	7	5	1	14	1	7		4	1
51	Acute rheumatic fever	16	36	23	20	10	8	44	10	6	11	9	18
52	Chronic rheumatism, osteoarthritis, gout	11	27	7	25	4	1	26	3	6	3	7	6
53	Scurvy									1			
54	Pellagra	1		5	5	4		53	1	16	35	33	102
55	Beriberi												1
56	Rickets		1	5	5		4	3	1	2	3	4	4
57	Diabetes mellitus	134	320	60	212	76	10	129	19	71	20	42	31
58	Anemia, chlorosis	94	176	46	98	27	3	49	4	27	3	15	4
59	Diseases of the pituitary gland			1	1					1			
60a	Exophthalmic goiter	32	35	21	28	12	2	15	3	11	4	3	1
60b	Other diseases of the thyroid gland	9	7	1	6	3	1	6	1	4	2		2
61	Diseases of the parathyroid glands		1		2			3					1
62	Diseases of the thymus gland	8	7	4	5	7	2	4	1	9		7	4
63	Diseases of the adrenals (Addison's disease)	9	6	2	2	2		5		1			
64	Diseases of the spleen	2	2	1	2			5	1				
65a	Leukemia	27	31	5	18	6	1	14	1	6	2	4	1
65b	Hodgkin's disease	8	12	6	13	2	1	8	1	2	2	3	3
66	Alcoholism (acute or chronic)	16	13	7	9	16	4	18	2	8	6	6	4
67a	Chronic lead poisoning		3	1	2		1	3			1	1	
67b	Other chronic mineral poisoning												
68	Chronic poisoning by organic substances		2	1	1	4	1	2			1	2	
69	Other general diseases	25	31	5	17	12	3	32	2	16	5	16	7
	III.—Diseases of the nervous system and of the organs of special sense	902	2,343	743	1,741	623	210	1,643	272	534	333	477	562
70	Encephalitis	19	25	14	11	5	3	32	3	5	4	12	7
71a	Simple meningitis	19	29	17	17	16	4	74	4	12	7	16	9
71b	Nonepidemic cerebrospinal meningitis		7	1	9	3		30	3	4	1	8	5
72	Tabes dorsalis (locomotor ataxia)	12	19	18	15	7		21	3	12	3	6	6
73	Other diseases of the spinal cord	23	62	19	56	13	6	62	4	8	5	9	10
74a	Cerebral hemorrhage	638	1,655	507	1,175	433	139	920	153	359	229	294	328
74b	Cerebral embolism and thrombosis	21	48	17	36	11	3	13	1	7	8	2	4
75	Paralysis without specified cause	26	113	35	92	24	19	208	28	18	22	34	56
76	General paralysis of the insane	20	117	22	87	22	12	63	37	17	20	28	40
77	Other forms of mental alienation	3	49	9	54	15	5	21	1	14	2	6	16

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
3,403	7,351	9,780	2,783	6,135	2,276	40,113	9,245	25,211	22,113	10,745	13,834	1,309	1,894	6,556	11,389	20,042	20,432	
344	786	1,117	606	819	493	4,307	1,140	3,414	2,344	1,462	1,923	161	345	1,165	2,652	2,539	3,813	
20	31	21	10	30	36	61	9	88	62	19	18	15	34	82	191	69	225	1
																		2
																		3
																		4
		1		2		1		2				5	23	105	246	17	152	5
						2		191	35	250	55		2	1	3		2	6
24	21	30	4	12	8	139	32	120	95	22	114	17	4	115	66	106	227	7
3	20	22	2	19	2	141	20	122	145	57	149	1		9	1	96	75	8
23	61	38	19	54	37	132	23	94	83	33	98	6	10	52	150	112	223	9
23	37	61	5	48	4	495	34	291	185	116	95	9	1	50	37	121	155	10
36	61	69	29	54	14	162	57	141	119	48	122	26	25	119	129	189	364	11a
12	85	28	26	30	11	74	26	74	137	24	60	14	18	95	139	93	246	11b
																		12
	3	1				5	4	7	3	4	4			2	3	2	2	13
																		14
1	4	1		3	1	1	1	5	3		1			3	2	1		15
1	7	23	5	10	2	12	4	10	14	3	10	4	8	71	87	24	120	16
																		17
																		18
1						3			1		1				1	2	2	19
											2							20
9	15	23	3	8		91	18	75	58	44	33	4		15	8	34	31	21
3	10	13	2	5	1	17	7	81	37	7	19	2		10	5	9	11	22
1	4	27	5	6	2	48	10	27	22	40	22	1	1	5		22	29	23
1	3	10	1	4		55	7	27	25	9	5	1	1	9	2	21	16	24
	6	2	1	2		13		8	8	2	3					3	3	25
		1																26
						2							1	1	4		1	27
						1		5						1	1	4	1	28
4	9	7	3	8	4	28		24	12	7	17	6	5	10	16	30	37	29
	1	1			1	6	1	4	3	3	3			2	4	2	2	30
158	375	649	346	507	345	2,649	864	1,768	1,198	662	1,047	37	150	385	1,334	1,314	1,791	
129	314	552	296	469	324	2,185	796	1,444	1,049	525	899	29	129	365	1,228	1,136	1,635	31
12	18	40	15	12	2	222	20	155	49	51	46	5		7	14	60	33	32
4	15	16	12	14	7	99	11	49	40	26	36	1	14	5	47	49	47	33
5	8	12	5	3	3	41	6	23	17	12	31		3	1	2	18	14	34
3	2	2		1		14	5	9	5	8	3			1	10	8	7	35
1	14	12	3	3	2	35	10	37	18	18	19	2	3	4	19	17	32	36
2	1	12	13	4	4	45	14	44	16	19	9		1	1	11	24	17	37a
2	3	3	2	1	3	8	2	7	4	3	4			1	3	2	6	37b
19	22	67	130	7	18	133	19	179	65	93	25	7	47	13	195	216	73	38
																	1	39
2	5	12	14	1	2	14	2	28	6	6	4	4	15		17	29	1	40
3	6	10	1	8	5	22	2	43	28	12	16	2		10	11	23	23	41
				1						1								42
421	915	1,378	225	601	108	5,907	1,229	3,088	2,733	1,901	1,862	141	142	561	762	2,551	2,128	
293	659	953	140	430	62	4,161	891	1,944	1,818	1,329	1,246	84	76	349	318	1,805	1,495	
10	21	35	4	10	2	152	46	60	56	36	50	3		21	7	72	55	43
111	261	337	44	156	23	1,369	311	705	786	477	597	31	19	109	87	627	634	44
43	101	107	13	55	13	756	139	269	246	194	153	8	7	32	21	242	182	45
49	104	123	44	56	13	585	96	311	199	161	86	16	36	47	124	275	161	46
27	54	106	16	48	2	441	101	174	138	104	93	5	4	20	31	161	129	47
4	22	17		20	1	70	20	29	69	22	26		1	40	6	41	82	48
49	96	228	19	85	8	788	178	396	324	335	241	21	9	80	42	387	252	49
4	3	7		3		35	5	23	19	13	9	4	1	2	4	14	10	50
9	26	45	22	11	8	89	17	73	60	30	50	2	3	13	33	42	52	51
2	17	17		7	2	45	9	28	38	11	30	2	1	10	2	5	36	52
						1		4			1							53
	2	1	1	1		11	1	5		1		13	43	72	306	6	10	54
											1							55
2	2	4	5	4	2	16	2	14	7	1	6			2	2	6	6	56
47	110	191	21	76	13	626	137	325	342	180	243	16	9	45	66	309	267	57
24	47	36	4	27	5	266	69	191	239	121	138	3	1	15	4	90	94	58
						3		1	1	4						1		59
2	3	34	3	7	5	37	10	110	69	61	30	2	2	4	3	60	34	60a
2		2		1		10	3	17	13	8	2	1	2	1	3	8	6	60b
				1		2		2	1	3	1					2	2	61
1	1	3	1	1	1	94	19	62	24	17	18	2		1		22	9	62
	4	2		1		16	2	14	5	5	4			1		3	5	63
			1			7	1	5	1	4	3					6	3	64
5	4	29	5	4	1	64	7	40	16	29	20	2		10	1	39	24	65a
4	4	12	2	1	2	42	6	17	10	11	13	1	1	2	1	16	12	65b
8	10	35	18	23	4	238	31	121	35	36	26	2	2	2	2	74	27	66
3	6	1				11	1	2								5	2	67a
1							1								1		2	67b
	2	1		1	1	5	1	7	4		1			1		3	5	68
14	15	5	2	2	2	128	16	83	31	37	20	7	1	31	16	35	27	69
440	1,078	1,086	258	894	243	4,599	1,388	2,606	3,260	1,060	1,528	123	121	617	737	1,883	2,507	
	5	13		4	1	33	5	41	17	10	10	1	1	7	5	18	10	70
10	12	19	8	10	2	84	8	70	43	19	22	2	2	17	11	51	43	71a
2	8	3	2	1		15	5	23	20	5	8		1	2	8	16	14	71b
11	18	9	1	7		59	24	38	49	19	13	1		6	6	41	36	72
13	22	20	3	21	5	95	22	47	74	32	44	2	6	14	5	57	82	73
296	861	813	200	596	164	3,439	1,008	1,612	2,331	633	1,084	98	91	375	414	1,163	1,742	74a
14	35	27	3	13	2	110	40	48	64	31	36	2		12	8	40	37	74b
9	22	31	11	80	25	86	28	122	145	22	45	3	6	76	121	62	161	75
35	10	25	19	62	10	199	60	192	123	72	67		2	21	44	199	90	76
6	3	4		2	2	19	5	33	21	17	7			9	10	13	39	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
78	Epilepsy	10	61	21	49	7	7	49	11	7	5	19	31
79	Convulsions (nonpuerperal; 5 years and over)	2			3	2	2	5		1	1	2	3
80	Infantile convulsions (under 5 years)	8	17	7	20	9	5	23	7	2	6	6	26
81	Chorea	1	1		1	1		1				1	
82	Neuralgia and neuritis	6	11	2	7	1		10	4	1	1	4	2
83	Softening of the brain	2	14	4	13	7	1	20		9	2	3	2
84	Other diseases of the nervous system	48	94	30	65	27	3	45	11	26	11	18	10
85	Diseases of the eye and annexa			2	2			2		1			
86a	Diseases of the ear	20	15	11	21	7	1	32	1	17	6	7	2
86b	Diseases of the mastoid process	24	6	7	8	13		12	1	14		2	5
	IV.—Diseases of the circulatory system	1,245	2,708	913	2,034	1,012	306	1,850	406	1,069	785	768	945
87	Pericarditis	4	14	3	11	3	3	20	4	2	2	3	10
88	Endocarditis and myocarditis (acute)	42	69	32	45	50	19	30	11	45	62	19	24
89	Angina pectoris	95	219	54	124	74	10	107	11	51	6	46	25
90	Other diseases of the heart	924	1,998	684	1,540	732	249	1,436	338	818	605	625	812
91a	Aneurysm	15	19	19	30	10	11	16	2	32	25	10	15
91b,c	Other diseases of the arteries	133	342	102	245	124	8	217	39	108	77	54	49
92	Embolism and thrombosis (not cerebral)	19	23	10	32	16	2	8		8	3	2	2
93	Diseases of the veins	9	15	4	3	2	2	5		2	4	5	4
94	Diseases of the lymphatic system	1	4	2		1	2	3		2	1		
95	Hemorrhage without specified cause	1	2	2	1			5	1	1		1	3
96	Other diseases of the circulatory system	2	3	1	3			3				3	1
	V.—Diseases of the respiratory system	735	1,375	452	918	504	242	1,589	251	393	504	728	700
97a	Diseases of the nasal fossae	8	5		2	2		6	1		1		10
97b	Diseases of the nasal fossae annexa	11	3	4	10	3		4		3	1		1
98	Diseases of the larynx	7	12	4	7	6		5	3	2		6	3
99a	Acute bronchitis	19	23	4	19	6	10	24	2	2	8	14	20
99b	Chronic bronchitis	20	48	12	43	14	7	57	9	13		22	8
99c	Bronchitis (unspecified, under 5 years)	4	10	5	5	4	1	16	3	1	2	5	15
99d	Bronchitis (unspecified, 5 years and over)	12	32	9	15	10	11	23	6	2	4	8	5
100a	Broncho-pneumonia	242	403	170	341	189	73	530	62	168	187	252	213
100b	Capillary bronchitis	5	13	2	6	5	5	16	3	2	6	11	16
101a	Lobar pneumonia	262	491	173	365	189	115	610	115	144	249	299	269
101b	Pneumonia (unspecified)	76	207	16	26	21	12	189	29	20	14	64	89
102	Pleurisy	18	31	10	14	9	4	30	6	18	17	15	11
103	Congestion and hemorrhagic infarct of the lung	19	39	14	21	14	1	17	3	7	3	8	8
104	Gangrene of the lung	5	3	2	1			3		3	3	1	1
105	Asthma	20	39	19	25	24	2	37	6	4	5	15	22
106	Pulmonary emphysema	1	1	2	7			2			1		
107	Other diseases of the respiratory system (tuberculosis excepted)	6	15	6	11	8	1	20	3	4	3	8	9
	VI.—Diseases of the digestive system	812	1,077	687	975	579	135	1,447	185	641	419	741	705
108	Diseases of the mouth and annexa	7	11	1	13	5	1	9	2	4		5	5
109a	Adenoid vegetations												
109b	Other diseases of the pharynx, tonsils	39	52	13	28	23	3	40	3	11	5	10	13
110	Diseases of the esophagus				4			1		2	1	1	1
111a	Ulcer of the stomach	43	58	33	47	28	11	34	9	16	15	11	8
111b	Ulcer of the duodenum	22	12	17	11	11		5	2	8	3	4	2
112	Other diseases of the stomach (cancer excepted)	32	90	29	87	20	14	150	25	26	35	78	116
113	Diarrhea and enteritis (under 2 years)	91	152	153	175	142	24	590	55	161	148	366	300
114	Diarrhea and enteritis (2 years and over)	46	76	49	99	44	9	168	19	43	33	84	89
115	Ancylostomiasis											4	
116	Diseases due to other intestinal parasites							5	2			5	6
117	Appendicitis and typhlitis	204	196	151	159	105	20	136	17	164	54	50	34
118a	Hernia	43	46	23	30	22	11	11	6	35	11	9	12
118b	Intestinal obstruction	83	94	57	82	39	16	80	11	53	36	26	30
119	Other diseases of the intestines	12	27	14	34	11	4	19	5	11	8	5	10
120	Acute yellow atrophy of the liver	4	3	2	6			2		1	2	1	2
121	Hydatid tumor of the liver											1	
122	Cirrhosis of the liver	35	88	44	78	50	12	61	11	48	36	42	40
123	Biliary calculi	64	49	42	36	26	1	41	5	12	2	6	3
124	Other diseases of the liver	59	89	42	72	35	5	61	6	39	25	25	20
125	Diseases of the pancreas	10	10	2	1	6		2		2		1	1
126	Peritonitis without specified cause	18	24	15	13	12	4	32	7	5	5	7	13
127	Other diseases of the digestive system (cancer and tuberculosis excepted)												
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	667	1,240	582	1,077	523	211	1,278	294	651	518	492	595
128	Acute nephritis (including unspecified under 10 years)	25	64	28	45	37	18	91	27	43	60	69	76
129	Chronic nephritis (including unspecified 10 years and over)	453	945	407	834	397	156	1,028	237	517	356	379	446
130	Chyluria												
131	Other diseases of the kidneys and annexa	24	37	14	28	19	3	38	5	34	11	18	18
132	Calculi of the urinary passages	11	9	7	11	4		4		3		1	
133	Diseases of the bladder	8	27	8	16	10	4	25	6	1	4	6	16
134	Diseases of the urethra, etc	1	1	2	1		2	2		1	6		3
135	Diseases of the prostate	85	105	53	91	23	6	56	8	19	22	11	15
136	Nonvenereal diseases of the male genital organs		2		1	1							
137	Cysts, other benign tumors of the ovary	8	8	13	10	7	1	9	2	3	5		1
138	Salpingitis and pelvic abscess (female)	17	12	18	16	15	8	10	5	17	23	2	6
139	Benign tumors of the uterus	21	16	24	20	6	13	10	4	8	29	2	6
140	Nonpuerperal uterine hemorrhage	1	1		1								
141	Other diseases of the female genital organs	13	13	8	3	4		4		5	2	4	7
142	Nonpuerperal diseases of the breast (cancer excepted)							1					1

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
9	11	17	2	30	7	51	93	40	109	46	43	-------	3	26	31	53	77	78
-------	1	-------	-------	1	-------	-------	-------	8	5	-------	-------	-------	2	1	7	-------	3	79
9	16	13	3	27	17	65	15	72	66	11	50	2	4	8	36	9	18	80
-------	-------	1	-------	-------	-------	2	-------	1	2	-------	1	1	-------	1	-------	2	-------	81
-------	3	4	-------	2	-------	5	1	4	15	4	4	-------	-------	4	1	3	6	82
4	9	7	-------	6	-------	11	10	9	24	6	6	1	-------	2	3	6	30	83
10	33	49	3	17	6	203	45	111	106	63	66	3	3	25	19	66	81	84
-------	-------	2	-------	-------	-------	-------	2	2	2	3	1	1	-------	-------	1	-------	1	85
9	9	19	2	12	2	87	11	81	29	45	13	3	-------	6	4	55	25	86a
3	-------	10	1	3	-------	36	6	52	15	22	8	3	-------	5	3	29	12	86b
637	1,543	1,701	361	1,089	330	8,871	2,444	4,178	4,683	1,908	2,369	155	252	813	1,090	3,330	2,824	
2	5	2	2	4	2	24	3	19	27	5	4	-------	2	2	10	31	24	87
18	18	36	7	29	12	265	56	226	121	43	55	4	10	19	26	112	60	88
53	197	106	17	72	14	494	163	191	291	82	106	28	10	73	23	126	174	89
429	1,036	1,391	320	818	238	6,504	1,669	3,099	3,579	1,484	1,925	101	215	598	938	2,534	2,110	90
3	6	7	-------	9	4	46	13	28	25	26	18	2	-------	9	10	99	39	91a
118	258	130	15	142	57	1,434	512	536	572	230	233	19	12	96	74	388	390	91b,c
9	15	16	-------	10	1	65	19	45	47	29	17	1	1	6	2	19	20	92
5	3	10	-------	1	-------	27	6	21	12	8	8	-------	1	2	1	18	1	93
-------	2	1	-------	2	-------	9	2	5	4	1	1	-------	-------	1	-------	3	4	94
-------	2	2	-------	2	2	3	1	5	5	-------	2	-------	1	3	1	-------	2	95
-------	1	-------	-------	-------	-------	-------	-------	3	-------	-------	-------	-------	-------	4	5	-------	-------	96
316	624	1,081	460	542	232	3,902	800	2,740	1,713	864	1,317	115	149	640	862	2,228	1,922	
-------	1	-------	-------	1	5	6	2	2	11	2	5	-------	-------	2	8	-------	3	97a
2	1	2	1	-------	-------	15	1	13	8	9	2	-------	2	3	2	10	6	97b
1	2	5	-------	4	-------	15	4	12	9	6	11	-------	-------	3	2	10	9	98
8	36	19	6	19	16	127	37	108	105	17	38	1	3	7	5	59	53	99a
6	13	32	2	15	5	88	24	52	62	23	44	4	5	13	5	53	66	99b
3	2	2	1	4	6	28	6	24	38	2	9	-------	-------	4	2	1	7	99c
4	14	5	-------	8	2	33	14	21	29	8	14	1	-------	6	4	3	22	99d
135	218	537	209	207	77	1,824	317	966	531	327	437	28	40	173	177	853	663	100a
1	7	10	5	9	7	19	13	17	28	-------	7	-------	-------	4	7	8	25	100b
130	246	420	229	215	81	1,534	326	1,264	618	376	573	69	74	330	442	1,121	929	101a
12	43	2	2	18	15	26	16	77	114	20	75	2	17	57	162	8	28	101b
5	10	21	1	14	5	99	16	71	48	41	37	-------	5	14	6	48	31	102
4	11	10	1	10	2	24	9	23	36	5	18	6	1	8	8	5	10	103
-------	2	2	-------	-------	-------	8	3	5	3	2	1	1	-------	1	2	4	2	104
4	13	10	2	8	6	26	6	49	47	15	32	2	1	6	16	28	40	105
-------	-------	-------	-------	-------	-------	3	2	4	3	1	4	-------	-------	1	-------	3	6	106
1	5	4	1	10	5	27	4	32	23	10	10	1	1	8	14	14	22	107
276	447	818	191	406	196	2,879	434	2,321	1,511	948	946	188	175	614	737	1,850	1,582	
2	2	4	1	3	2	21	5	21	8	3	7	-------	-------	10	5	11	9	108
1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	109a
5	17	29	6	9	5	133	23	120	83	59	52	3	-------	11	16	62	45	109b
-------	1	-------	-------	-------	-------	5	-------	3	4	1	1	-------	-------	-------	-------	2	-------	110
12	29	35	8	8	4	139	23	100	74	64	48	8	3	14	9	87	51	111a
4	1	18	2	2	-------	75	7	46	10	60	9	2	2	6	3	40	9	111b
13	51	32	18	43	18	60	36	136	145	16	54	3	8	51	99	49	163	112
48	115	258	77	190	101	731	119	610	347	90	186	50	57	191	281	412	524	113
13	19	31	20	46	11	130	31	105	91	29	58	13	11	87	77	87	189	114
-------	1	-------	-------	-------	2	1	-------	-------	-------	-------	-------	-------	-------	6	1	-------	-------	115
66	58	130	21	17	8	522	51	437	204	244	190	48	40	1	5	-------	1	116
14	17	41	6	13	5	189	14	84	52	54	40	6	7	78	63	392	138	117
32	47	67	13	17	18	192	23	207	132	66	91	17	21	11	17	102	39	118a
5	13	7	1	1	5	45	6	33	31	16	19	-------	2	47	69	152	98	118b
1	1	5	-------	2	-------	23	2	7	12	5	5	-------	-------	9	10	25	31	119
-------	-------	-------	-------	-------	-------	3	-------	1	1	1	-------	-------	-------	2	1	8	3	120
11	21	65	4	30	5	171	50	160	124	68	70	17	10	36	41	193	132	121
20	30	39	3	3	1	208	16	74	53	95	52	6	2	12	5	89	43	122
19	14	39	6	14	4	144	21	114	97	52	47	14	4	32	25	97	71	123
1	2	11	1	-------	-------	38	2	21	5	7	1	-------	-------	1	-------	16	5	124
9	8	7	4	8	7	49	5	42	38	18	16	1	8	9	10	26	31	125
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	126
313	568	1,079	299	720	235	2,999	643	1,566	1,528	762	1,102	142	264	615	1,031	2,385	2,063	127
11	23	43	24	51	24	123	25	91	92	16	57	18	30	48	102	94	127	128
240	467	901	246	637	201	2,310	564	1,113	1,223	495	894	103	169	499	801	1,916	1,736	129
-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	130
8	20	25	5	10	1	97	11	68	40	39	28	6	6	20	27	59	32	131
6	3	13	1	1	1	34	2	21	6	23	4	-------	-------	2	2	18	7	132
3	11	3	1	3	-------	17	8	17	35	5	9	-------	4	10	17	10	27	133
1	-------	5	1	-------	-------	16	1	11	1	3	2	-------	5	-------	11	15	1	134
19	29	44	9	14	2	202	18	90	87	101	85	11	15	19	40	99	98	135
-------	-------	1	1	-------	-------	5	-------	4	-------	-------	1	-------	-------	-------	1	1	1	136
2	2	8	2	1	-------	39	4	21	7	11	5	1	1	3	4	18	6	137
5	2	8	3	-------	2	52	1	58	11	21	5	2	18	5	9	79	7	138
15	10	20	5	2	4	66	8	47	17	27	7	1	9	3	13	59	12	139
-------	-------	-------	-------	1	-------	-------	-------	-------	1	-------	-------	-------	1	-------	1	-------	1	140
3	1	8	1	-------	-------	36	1	24	6	19	4	-------	6	6	3	17	8	141
-------	-------	-------	-------	-------	-------	2	-------	-------	2	2	1	-------	-------	-------	-------	-------	-------	142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	VIII.—The puerperal state	109	185	89	149	82	17	273	40	88	79	113	164
143	Accidents of pregnancy	16	12	11	11	8	2	22	5	11	5	12	7
144	Puerperal hemorrhage	9	22	5	20	4		18	2	10	7	13	8
145	Other accidents of labor	7	17	12	12	6	2	28	1	7	4	11	28
146	Puerperal septicemia	50	63	36	44	30	11	127	20	33	31	34	52
147	Puerperal phlegmasia alba dolens, embolus, etc.	5	13	3	18	4	1	7		1	1	2	4
148	Puerperal albuminuria and convulsions	22	57	22	43	29	1	71	12	25	31	41	64
149	Following childbirth (undefined)		1		1	1				1			1
150	Puerperal diseases of the breast												
	IX.—Diseases of the skin and of the cellular tissue	34	57	23	44	18	1	60	8	33	21	16	17
151	Gangrene	21	30	15	21	9	1	22	6	10	10	3	6
152	Furuncle	5	5		9	4		15		13	4	7	3
153	Acute abscess	2	7	6	4	3		12	2	7	5	6	4
154	Other diseases of the skin and annexa	6	15	2	10	2		11		3	2		4
	X.—Diseases of the bones and of the organs of locomotion	16	32	13	12	9	1	9	2	14	6	6	3
155	Diseases of the bones (tuberculosis excepted)	14	24	11	9	9	1	8	2	12	6	4	2
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2	6	2	3					1		2	
157	Amputations												
158	Other diseases of the organs of locomotion		2					1		1			1
	XI.—Malformations	92	236	76	184	52	1	166	11	66	53	100	33
159a	Congenital hydrocephalus	7	22	8	8	4		14		3	4	13	2
159b	Congenital malformations of the heart	48	136	45	124	32	1	85	3	40	42	59	20
159c	Other congenital malformations	37	78	23	52	16		67	8	23	7	28	11
	XII.—Early infancy	431	816	318	683	303	49	1,068	105	210	172	420	266
160	Congenital debility, icterus, sclerema	48	143	34	100	38	6	192	19	14	26	78	83
161a	Premature birth	257	483	199	449	179	34	674	70	131	107	276	133
161b	Injury at birth	87	129	60	93	54	4	129	10	50	17	39	25
162	Other diseases peculiar to early infancy	38	60	24	41	31	4	70	6	15	20	26	22
163	Lack of care	1	1	1		1	1	3			2	1	3
164	XIII.—Old age (senility)	156	513	101	333	66	6	300	46	38	22	164	259
	XIV.—External causes	668	1,142	507	957	466	153	1,331	234	497	379	498	478
	Suicide	103	242	70	131	58	4	108	6	60	11	45	8
165	By poisons (gas or corrosives excepted)	8	34	8	12	5		10		3		3	1
166	By corrosive substances	14	17	20	11	5		14		8	5	2	
167	By poisonous gas	19	4	2	1	3				4	1		
168	By hanging or strangulation	14	75	8	35	7	2	15		4		2	2
169	By drowning	8	6	3	5	4	1	7	1	3		2	2
170	By firearms	33	92	23	58	29	1	45	3	34	4	30	3
171	By cutting or piercing instruments	5	5	4	8	3		13		4	1	3	
172	By jumping from high places	1	1			2			1			1	
173	By crushing		4	2	1			1	1				
174	By other means	1	4					3				2	
	Homicide	41	25	47	52	39	64	171	81	49	133	52	124
197	By firearms	28	12	36	34	31	51	149	72	40	100	37	92
198	By cutting or piercing instruments	6	2	4	7	2	8	11	8	4	22	8	22
199	By other means	7	11	7	11	6	5	11	1	5	11	7	10
	Accidental or undefined	524	875	390	774	369	85	1,052	147	388	235	401	346
175	Poisoning by food	5	9	6	11	4		19	3	6	5	14	9
176	Poisoning by venomous animals	1	1	1	1			4	1			3	
177	Other acute poisonings (gas excepted)	19	16	9	20	9	2	27	4	11	9	10	14
178	Conflagration	6	12	4	16	3	2	20	8	8	8	5	12
179	Burns (conflagration excepted)	38	64	29	62	37	9	154	31	42	54	42	54
180	Mechanical suffocation	8	29	6	18	5	3	20	1	3		14	6
181	Absorption of irrespirable, irritating, or poisonous gas	32	14	9	8	5	1	1		19	3		3
182	Drowning	29	67	19	47	20	9	72	12	35	16	74	70
183	Traumatism by firearms (except in war)	12	37	15	35	14	6	54	11	14	17	20	35
184	Traumatism by cutting or piercing instruments	3	8	4	6	6		10	1	2	2	5	1
185	Traumatism by fall	133	221	79	146	86	12	151	6	66	24	35	16
186a	Traumatism in mines	4	17	2	13	9		128	23				
186b	Traumatism in quarries			1									
187	Traumatism by machines	16	30	3	31	7	1	20	3	9	7	8	3
188a	Railroad accidents	58	86	57	100	20	6	129	16	24	10	27	26
188b	Street-car accidents	6	2	5	8	8	1	2		9	7	2	1
188c	Automobile accidents	86	125	76	93	88	17	85	7	87	36	54	33
188d	Airplane and balloon accidents	1		1	3	1		1					
188e,f	Injuries by other vehicles	9	22	10	15	5	2	21	1	5	5	7	5
188g	Landslide, other crushing	4	8	5	6	4	3	6		3	3	10	4
189	Injuries by animals (not poisoning)	5	15	4	26	2		16			2	5	4
190	Wounds of war							1					
192	Starvation (deprivation of food or water)												
193	Excessive cold	3	6	5	7	1	1	4	5			3	3
194	Excessive heat	1		4	10	1		5		5		3	6
195	Lightning	2	12	1	25			13				3	
196	Other accidental electric shocks	9	17	9	19	5		7	1	13	2	4	
201	Fracture (cause not specified)	2	3		6	4		8	1	7	5	7	5
202	Other external violence	32	54	26	42	25	10	74	12	20	20	46	36
203	Violent deaths of unknown causation												
	XV.—Ill-defined diseases	21	112	22	141	22	11	615	75	14	25	259	579
204	Sudden death		4		3	1		39	2	3	8	32	36
205a	Ill-defined	15	62	7	68	13	7	201	19	4	4	70	104
205b	Not specified or unknown	6	46	15	70	8	4	375	54	7	13	157	439

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
71	81	111	29	46	41	543	49	408	232	125	152	29	31	114	241	221	220	
11	6	10	4	3	4	44	5	40	33	4	12	5	1	9	12	27	20	143
7	11	12	2	8	6	52	2	39	24	9	13	5	4	16	14	23	23	144
12	17	10	---	5	3	82	2	34	15	14	23	2	6	7	32	18	18	145
20	17	53	18	17	20	183	15	188	89	62	54	8	9	32	78	103	92	146
4	4	2	1	2	1	51	9	17	15	9	9	1	---	1	5	4	10	147
17	25	23	4	11	7	129	16	89	52	27	41	8	11	48	100	46	55	148
---	1	1	---	---	---	---	---	1	4	---	---	---	---	1	---	---	2	149
---	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---	---	---	150
15	36	24	9	15	6	90	23	89	66	42	52	8	5	18	22	49	63	
8	21	3	5	8	4	19	11	31	35	8	21	1	3	8	13	13	30	151
1	2	1	1	1	---	22	4	16	5	11	7	1	---	1	3	16	9	152
4	6	17	1	1	---	27	3	18	12	8	2	3	---	3	3	10	6	153
2	7	3	2	5	2	22	5	24	14	15	22	3	2	6	3	10	18	154
4	6	23	5	5	1	54	8	42	20	18	12	6	2	8	8	27	14	
3	6	22	4	5	1	47	6	29	18	16	10	5	1	8	6	25	11	155
1	---	1	1	---	---	6	2	11	1	1	1	1	---	---	1	1	2	156
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	157
---	---	---	---	---	---	1	---	2	1	1	1	---	1	---	1	1	1	158
46	66	117	22	80	20	632	103	420	322	123	204	12	4	59	22	195	247	
8	4	12	3	3	6	63	8	49	27	18	17	---	---	8	11	18	19	159a
25	40	70	12	62	12	367	72	215	164	53	103	9	1	30	4	115	154	159b
13	22	35	7	15	2	202	23	156	131	52	84	3	3	21	7	62	74	159c
238	488	478	142	350	150	2,308	329	1,813	1,234	604	897	68	54	403	286	823	1,001	
38	98	44	13	39	37	188	44	210	189	29	121	6	16	46	48	53	136	160
138	290	312	94	232	87	1,344	181	1,144	756	404	546	51	28	299	177	584	657	161a
40	63	68	17	38	9	531	55	315	151	119	138	9	4	38	25	134	103	161b
22	36	54	18	39	15	241	46	144	132	52	89	2	5	20	36	50	103	162
---	1	---	---	2	2	4	3	---	6	---	3	---	1	---	---	2	2	163
20	168	43	3	56	20	77	46	204	420	42	202	12	25	103	313	36	245	164
236	449	717	171	448	140	2,872	574	2,241	1,844	866	1,174	112	147	454	777	1,852	1,383	
30	80	102	4	46	4	383	105	269	232	136	158	5	---	36	8	295	202	
3	---	7	1	2	---	19	3	23	17	4	10	---	---	3	---	21	5	165
2	2	9	---	---	---	22	3	54	18	9	4	1	---	1	---	80	27	166
1	2	23	2	2	---	133	6	36	5	23	1	---	---	---	---	33	3	167
4	26	10	---	11	---	64	20	56	61	29	48	1	---	2	---	28	35	168
2	9	2	---	3	1	29	20	11	16	12	6	---	---	1	2	6	15	169
16	37	36	1	23	2	78	39	56	86	45	68	3	---	24	4	100	101	170
---	4	6	---	1	1	20	9	27	22	7	13	---	---	3	1	18	12	171
2	---	6	---	2	---	11	3	2	1	5	2	---	---	---	---	6	1	172
---	---	1	---	1	---	4	1	3	3	2	2	---	---	---	---	1	1	173
---	---	2	---	1	---	3	1	1	3	---	4	---	---	2	1	2	2	174
6	6	35	39	22	23	92	17	248	49	51	28	16	38	52	195	347	110	
3	3	23	21	11	16	40	11	180	30	37	14	14	31	39	145	267	83	197
---	---	2	12	1	1	10	2	32	5	5	2	2	4	3	25	36	9	198
3	3	10	6	10	6	42	4	36	14	9	12	---	3	10	25	44	18	199
200	363	580	128	380	113	2,397	452	1,724	1,563	679	988	91	109	366	574	1,210	1,071	
1	5	6	4	6	5	11	5	10	18	5	9	4	3	3	6	14	22	175
---	---	1	---	---	---	2	---	---	1	---	---	---	---	3	3	1	---	176
9	10	13	2	7	7	36	8	28	26	21	21	1	5	12	14	44	20	177
6	28	10	4	8	5	33	13	26	48	5	38	2	1	5	22	29	26	178
10	21	57	28	23	12	234	22	137	61	39	45	12	22	47	132	103	76	179
4	7	5	1	7	6	42	6	30	32	5	18	2	1	5	21	5	18	180
8	1	57	2	3	1	128	8	58	12	48	11	1	---	1	1	39	14	181
17	59	33	10	74	18	247	108	82	217	30	124	6	6	15	45	49	110	182
4	20	8	3	12	7	21	8	34	65	13	36	6	12	23	83	27	53	183
3	2	4	---	1	---	18	2	7	15	7	5	---	2	2	4	8	15	184
42	74	133	19	45	7	621	82	283	253	163	121	10	4	39	31	272	232	185
---	---	1	---	9	---	---	---	4	32	5	59	---	---	---	---	7	20	186a
---	2	---	---	3	2	---	2	---	1	1	---	---	---	---	---	2	2	186b
12	15	14	3	13	2	53	10	33	40	20	40	2	4	19	11	28	26	187
12	13	31	4	37	4	80	30	118	155	43	82	8	10	24	45	78	114	188a
3	---	23	2	1	---	57	4	98	41	14	1	---	1	---	2	30	3	188b
46	45	130	23	72	21	587	98	559	304	185	181	13	17	56	39	332	117	188c
---	---	---	---	1	---	---	---	2	5	---	---	---	---	---	---	1	1	188d
6	12	12	3	8	1	42	10	33	35	10	40	1	1	7	8	28	34	188e,f
2	5	6	3	4	---	16	1	23	10	6	18	1	3	4	6	6	8	188g
---	3	1	---	2	1	10	2	6	20	3	25	2	2	4	9	3	16	189
---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	190
---	---	---	---	---	---	1	---	---	---	---	2	---	---	---	1	1	1	192
1	4	1	3	2	---	5	3	10	13	1	5	---	---	2	4	6	4	193
---	1	4	4	4	---	10	3	5	3	1	3	1	---	1	6	4	7	194
---	1	---	---	3	2	---	2	1	4	---	13	1	1	8	8	1	24	195
2	7	7	2	5	---	19	5	15	21	8	18	3	1	---	2	14	18	196
2	3	4	---	9	2	15	3	23	30	2	2	3	4	28	10	10	4	201
10	25	19	8	21	10	109	17	98	101	44	71	12	9	58	61	68	86	202
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	203
26	96	7	2	64	61	73	35	81	203	20	94	37	178	372	1,849	73	420	
5	15	---	---	7	6	17	7	5	19	2	6	4	4	40	127	---	24	204
17	28	2	1	22	22	48	21	44	69	3	27	9	22	48	157	60	140	205a
4	53	5	1	35	33	8	7	32	115	15	61	24	152	284	1,565	13	256	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	All causes	1,626	3,344	3,968	8,420	2,706	3,651	26,031	14,809	106,417	33,788	3,288	3,102	16,681	10,167
	I.—Epidemic, endemic, and infectious diseases	216	590	443	931	286	369	2,970	2,022	13,093	4,077	506	645	2,673	2,132
1	Typhoid and paratyphoid fever	4	12	6	22	7	12	67	30	294	79	15	29	104	122
2	Typhus fever									2					
3	Relapsing fever (spirillum obermeieri)														
4	Malta fever														
5	Malaria				1	1		3	3	6	1	3	22	61	59
6	Smallpox	1	2	1			1	13	1	2	3	4	5	8	12
7	Measles	17	56	56	153	16	10	138	58	699	123	28	19	299	110
8	Scarlet fever	13	19	5	37	10	3	50	20	191	73	12		22	2
9	Whooping cough	7	19	17	60	15	31	154	121	617	150	28	22	249	198
10	Diphtheria	22	34	55	52	20	14	239	103	975	129	33	15	209	73
11a	Influenza (with pulmonary complications)	13	29	20	95	22	33	190	111	517	236	45	63	250	123
11b	Influenza (other and unspecified)	6	16	20	128	13	32	82	62	260	180	15	27	139	86
12	Miliary fever														
13	Mumps					1		7	1	5	5			3	4
14	Asiatic cholera														
15	Cholera nostras		1		1		1		1	1				9	1
16	Dysentery	1	2	1	14	1	2	7	7	34	8	9	2	112	61
17	Plague														
18	Yellow fever														
19	Spirochetal hemorrhagic jaundice				1			1		8	3				
20	Leprosy														
21	Erysipelas	2	5	8	13	8	12	64	35	286	57	5	2	34	6
22	Acute anterior poliomyelitis	8	15	2	6	3	9	17	8	135	58	1	2	17	7
23	Lethargic encephalitis	5	8	5	4	3	2	74	24	275	39	7	2	8	3
24	Meningococcus meningitis	2	3	2	5	7	1	32	7	123	16	4		10	7
25	Other epidemic and endemic diseases	2	9		2			6	3	31	6			7	1
26	Glanders														
27	Anthrax					1								1	
28	Rabies					1		2	2					3	
29	Tetanus			8	8	3	4	32	9	74	15	6	15	11	26
30	Mycoses				1					14	1	1	4	7	8
	Tuberculosis (all forms)	100	334	192	285	138	195	1,609	1,352	7,657	2,750	269	354	1,057	1,093
31	Of the respiratory system	79	308	155	228	94	157	1,331	1,245	6,514	2,503	248	298	957	994
32	Of the meninges, central nervous system	12	11	11	12	19	14	126	43	533	71	8	9	26	15
33	Of the intestines, peritoneum	1	9	10	17	13	6	53	29	206	72	7	26	37	44
34	Of the vertebral column	2	2	1	3	3	4	24	6	82	27		3	8	7
35	Of the joints	1		2		1	1	13	1	38	11		2	5	8
36	Of other organs	2	2	4	12	2	7	23	9	82	30	3	8	15	13
37a	Disseminated (acute)	3	1	8	11	3	4	34	12	189	32	3	7	6	10
37b	Disseminated (chronic or unspecified)		1	1	2	3	2	5	7	13	4		1	3	2
38	Syphilis	11	20	40	20	10	4	142	58	754	102	19	53	27	114
39	Soft chancre									2					
40	Gonococcus infection	1			1			19	1	50	6		7	3	4
41	Purulent infection, septicemia	1	6	5	22	6	3	22	5	80	37	2	2	23	12
42	Other infectious diseases									1					
	II.—General diseases not included in Class I	233	314	589	1,113	371	501	3,270	1,724	14,546	4,175	292	163	1,363	462
	Cancer and other malignant tumors	155	208	397	735	258	351	2,196	1,235	9,844	2,941	186	80	804	234
43	Of the buccal cavity	5	10	9	18	12	12	72	35	338	103	7	4	30	5
44	Of the stomach, liver	58	91	123	346	95	139	815	463	3,468	1,039	44	19	292	80
45	Of the peritoneum, intestines, rectum	21	25	73	105	45	63	345	197	1,597	463	29	7	71	17
46	Of the female genital organs	14	28	54	64	37	37	283	167	1,232	355	34	29	133	72
47	Of the breast	17	16	38	47	16	33	220	135	933	327	22	7	68	27
48	Of the skin	6	10	7	21	4	12	38	37	170	89	6	1	57	7
49	Of other or unspecified organs	34	28	93	134	49	55	423	201	2,106	565	44	13	153	26
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1		3	3	3	2	14	5	107	28	2		8	9
51	Acute rheumatic fever	5	13	10	23	9	7	103	39	396	76	3	10	48	35
52	Chronic rheumatism, osteoarthritis, gout	1	3	8	9	3	7	14	14	58	59	2	3	31	2
53	Scurvy			1		2		1		2	1				1
54	Pellagra		1			2	2	3		13	4	29	36	151	65
55	Beriberi									4					
56	Rickets		3	1	2	2	1	16	7	54	12		7	8	5
57	Diabetes mellitus	24	28	77	185	49	55	497	223	2,120	479	31	17	140	57
58	Anemia, chlorosis	15	14	31	72	17	37	142	59	433	236	3	2	42	4
59	Diseases of the pituitary gland	1	1					1	1	10	1	1		1	
60a	Exophthalmic goiter	10	12	14	11	1	2	43	19	212	57	5	1	17	5
60b	Other diseases of the thyroid gland	2	4	3	4	2		6	3	37	10	3		9	1
61	Diseases of the parathyroid glands			1				1	1	11	1			1	1
62	Diseases of the thymus gland	5	2	8	8	2	2	18	14	106	24	2		8	4
63	Diseases of the adrenals (Addison's disease)	3	3	4	5	2	2	9	3	39	25			1	
64	Diseases of the spleen		1	1	3			4		11	1	1		1	1
65a	Leukemia	1	5	7	11	3	5	44	17	234	47	4	2	16	3
65b	Hodgkin's disease	1		4	10	2	3	10	12	107	29	2		5	2
66	Alcoholism (acute or chronic)	8	7	9	11	7	10	92	44	480	89	9	2	21	9
67a	Chronic lead poisoning					1	3	5	4	13	2	1		1	
67b	Other chronic mineral poisoning						1	2		2					
68	Chronic poisoning by organic substances			1				3	1	50	5	1		3	
69	Other general diseases	1	9	9	21	6	11	46	23	203	48	7	3	47	24
	III.—Diseases of the nervous system and of the organs of special sense	128	313	399	1,104	330	561	2,554	2,049	9,487	4,951	333	271	1,764	964
70	Encephalitis	3	3	6	9	5	8	41	10	69	15	8	2	20	7
71a	Simple meningitis	4	8	10	8	8	6	75	20	235	57	17	6	52	20
71b	Nonepidemic cerebrospinal meningitis	1	1	1	4	1	1	28	9	57	16	2	3	19	8
72	Tabes dorsalis (locomotor ataxia)	1	5	9	5	6	8	34	33	182	53	1	3	7	3
73	Other diseases of the spinal cord	3	8	16	37	8	8	68	38	197	126	2	3	35	12
74a	Cerebral hemorrhage	85	187	259	761	228	448	1,837	1,507	6,365	3,696	210	194	1,129	589
74b	Cerebral embolism and thrombosis	5	9	20	27	19	14	74	40	306	134	5	7	16	6
75	Paralysis without specified cause	1	17	14	55	8	10	56	51	199	104	21	21	268	165
76	General paralysis of the insane	2	28	7	52	17	10	70	144	532	296	5	4	20	17
77	Other forms of mental alienation	1	6	2	19	12	9	24	13	117	32	13	1	22	19

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
658	4,194	40,083	29,867	4,262	5,243	63,199	50,122	7,005	1,332	1,865	2,169	7,281	11,580	5,026	4,156	14,430	4,406	
77	618	5,185	3,643	490	684	7,720	6,603	685	230	219	435	1,346	2,934	827	1,028	3,637	1,371	
1	23	107	117	22	26	179	177	14	1	14	30	104	318	56	91	302	125	1
																		2
																		3
		4	5	1	3	4	6	2										4
	3	40	23		3	28	11			6	6	40	220	16	25	86	48	5
4	62	96	69	25	64	124	171	13	1	29	29	1	11	1		7		6
4	49	134	108	6	12	141	204	26	6	1		255	233	52	21	205	25	7
3	42	266	208	4	12	361	323	46	5	17	24	2	1	14		16	3	8
6	79	256	164	47	59	641	418	53	8	14		150	279	40	21	181	53	9
5	27	347	283	17	44	824	799	33	13	22	39	69	45	17	12	172	8	10
1	22	166	230	16	58	296	458	18	5	5	5	125	136	76	118	351	118	11a
												59	114	42	46	205	66	11b
		3	3			6	8											12
												1	1	2	1			13
																		14
		1			1	1	7					7	3			5	1	15
	4	33	32	3	5	43	52	1	1	6	8	108	182	30	37	145	21	16
																		17
																		18
			2			2	2											19
																		20
2	10	89	53	10	10	145	173	20	3	5		16	1	8	2	41	3	21
6	12	21	20	1	9	21	23	6				2	7	1		21	1	22
2	6	80	31	11	6	80	30	6		3	1	5	3	8	2	3		23
	8	22	11	3	12	50	19	10	1	3	2	5	5	7		15	6	24
	3	6	7		3	15	8	3	1			1		1		7		25
																		26
		1				1	2											27
		3	1								1	1	1	1		2		28
	3	53	28	1	3	59	61	7		7	17	11	15	7	18	27	5	29
	1		5			9	6			1		2	42	3	4		1	30
35	251	3,015	2,078	267	326	4,123	3,410	385	182	72	212	356	1,141	394	536	1,794	823	
29	207	2,481	1,819	211	262	3,441	2,965	300	168	56	187	316	1,074	335	427	1,569	756	31
1	15	196	62	19	13	290	115	41	6	7	6	10	6	20	18	79	14	32
2	11	131	83	17	19	136	137	17	4	1	10	14	20	23	47	84	20	33
	7	41	34	9	8	45	44	4		2		1	3	3	5	12	4	34
		15	11	1	6	23	24	5		2	1	2	1		4	3	6	35
2	5	48	30	6	10	75	47	6			2	6	20	8	5	27	6	36
1	5	86	22	2	5	94	56	10	3	3	6	5	14	3	28	13	12	37a
	1	17	17	2	3	19	22	2	1	1		2	3	2	2	7	5	37b
5	7	376	132	47	19	471	175	36	1	8	61	11	147	38	83	35	61	38
						1												39
2		38	3	2	4	43	9	2		1		2	14	7	8	3	2	40
1	6	29	29	7	4	52	51	4	2	5		13	15	6	3	13	1	41
					1											1		42
106	496	5,018	3,565	704	618	7,272	5,249	961	174	202	158	629	501	538	208	1,150	218	
67	328	3,423	2,508	501	428	4,911	3,514	643	126	115	46	342	232	351	118	677	126	
	13	112	93	16	13	188	116	23	7	6	1	9	5	10	8	21	2	43
38	170	1,273	1,010	197	178	1,772	1,483	229	46	35	11	124	82	100	34	242	27	44
8	39	482	325	78	51	684	451	120	22	14	4	29	22	53	11	59	7	45
4	28	551	328	51	51	733	467	101	17	24	15	55	70	73	32	118	56	46
2	24	298	212	44	27	484	334	70	13	10	4	34	23	26	13	68	16	47
4	3	58	120	8	19	89	141	12	5	2	1	23	5	14	3	51	2	48
11	51	649	420	107	89	961	522	88	16	24	10	68	25	75	17	118	16	49
1	1	25	16	6	1	43	15	4	1		1	2	5	4	2	3	3	50
2	16	103	57	8	8	193	181	13	3		4	24	41	7	18	34	9	51
	8	38	51	3	5	51	75	15	4			4	7	3	1	23	3	52
		1			1	1	2				1		1			1		53
		5	2	1	1	6	3	1		27	94	91	124	36	20	163	44	54
																		55
	3	19	8		1	37	24	2			2	3	7	2	3	5	1	56
11	76	605	432	81	92	1,026	684	129	24	31	6	83	44	51	25	107	17	57
9	31	215	194	34	24	257	240	49	4	5	2	13	5	31	7	53	2	58
	1	2	2			8							1					59
3	5	208	110	27	17	158	98	10	1	1	1	6	4	15	6	15	4	60a
1	2	28	16	5	5	21	18			1		4		2		5	1	60a
1	1	3	1		2	8	5	1	1	1			3					61
1	6	78	15	3	1	66	27	9	2	3		10	4	3	2	2		62
1	1	14	11	1	2	16	18	2	1							3		63
		7	4		1	9	4			1			1			2		64
1	6	48	28	7	8	85	45	12		4		4		8	2	7		65a
1		28	23	4	2	35	30	3	2	1		4		3		9		65b
4	3	91	37	10	11	218	171	48	4	4	1	8	9	6	1	13	4	66
1		8	4			12	7	1										67a
						1	1							1			1	67b
	1	3	6	2	2	10	4							5		2		68
2	7	66	40	11	6	100	83	19	1	8		31	13	10	3	26	3	69
54	394	4,500	4,697	609	656	5,853	6,252	896	162	206	237	826	902	366	295	1,269	354	
3	6	32	26	8	3	60	44	10	1	2	2	3	6	10		12	9	70
7	12	101	58	7	8	179	104	32	2	10	3	22	15	12	10	45	2	71a
	8	26	25		4	21	13	5	1	2	3	10	5	2	1	25	2	71b
1	4	70	60	1	6	93	78	6	6		1	5	3	4	2	6	2	72
	7	97	110	20	17	153	140	19	1	5	2	10	8	12	10	35	10	73
36	271	3,231	3,448	383	494	3,925	4,473	668	123	135	147	556	450	229	190	680	200	74a
	1	95	87	33	9	214	105	23	5	1	8	4	2	7		13	1	74b
	7	50	116	13	31	159	195	12	7	12	13	128	254	33	33	196	54	75
	4	325	257	61	22	294	383	39	2	10	20	8	7	5	5	55	23	76
	14	39	43	17	7	35	58	11	1	4	10	2	5	1	2	27	5	77

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
78	Epilepsy	1	9	6	53	3	10	35	64	155	128	14	4	41	33
79	Convulsions (nonpuerperal; 5 years and over)		2	2	1			1	1	7	1		1	5	5
80	Infantile convulsions (under 5 years)	1	8	3	11	4	2	27	27	58	37	2	10	25	38
81	Chorea	1				1		2	1	5	5			1	1
82	Neuralgia and neuritis			2	5		2	4	7	31	15	2	2	5	4
83	Softening of the brain	2		4	7		4	11	13	24	39	6		8	1
84	Other diseases of the nervous system	4	11	22	43	6	14	78	48	483	148	10	3	54	17
85	Diseases of the eye and annexa			1				1	1	9				1	1
86a	Diseases of the ear	9	10	6	7	4	5	47	14	249	31	9	4	22	13
86b	Diseases of the mastoid process	4	1	9		5	2	41	8	207	18	6	3	14	5
	IV.—Diseases of the circulatory system	246	476	627	1,399	527	840	4,734	3,174	22,876	8,266	362	355	2,012	1,022
87	Pericarditis	3	1	3	4	2	2	11	9	55	25	2	1	7	6
88	Endocarditis and myocarditis (acute)	18	20	41	49	18	16	248	101	697	176	7	20	38	22
89	Angina pectoris	8	25	35	112	50	79	184	143	1,031	461	40	12	127	28
90	Other diseases of the heart	191	379	454	1,008	359	521	3,895	2,558	18,710	6,306	269	300	1,703	883
91a	Aneurysm	5	7	15	7	5	4	40	17	166	36	5	5	5	12
91b,c	Other diseases of the arteries	15	36	62	191	76	201	288	317	1,946	1,167	29	11	96	39
92	Embolism and thrombosis (not cerebral)	3	7	15	21	13	11	44	22	176	61	6	3	23	9
93	Diseases of the veins	1		2	3	2	6	18	2	69	22	2	1		2
94	Diseases of the lymphatic system	2			1			5	3	18	5			2	3
95	Hemorrhage without specified cause		1		3	2		1	1	7	5	1	2		6
96	Other diseases of the circulatory system								1	1	2	1		11	12
	V.—Diseases of the respiratory system	142	295	328	685	243	313	2,877	1,311	11,810	2,553	286	366	1,598	944
97a	Diseases of the nasal fossae		2	1		1		2	2	6	3		1	9	25
97b	Diseases of the nasal fossae annexa		4	2	2		1	14	1	55	6	5	1	6	3
98	Diseases of the larynx	3	2	1	7	3	2	15	8	32	16	2	2	11	7
99a	Acute bronchitis		3	2	19	12	25	117	40	277	101	2	3	26	17
99b	Chronic bronchitis	1	4	5	26	5	10	47	44	156	63	3	2	19	3
99c	Bronchitis (unspecified, under 5 years)	2	2	1	4	3	1	13	8	56	17		3	15	13
99d	Bronchitis (unspecified, 5 years and over)	1	2	1	10	3	6	15	9	65	36	1	2	13	5
100a	Broncho-pneumonia	35	91	114	220	82	96	893	434	4,252	867	89	119	565	293
100b	Capillary bronchitis	2	3	1	6	1	9	30	22	267	34	1	1	7	7
101a	Lobar pneumonia	72	115	155	252	88	118	1,489	612	5,774	1,119	134	188	635	360
101b	Pneumonia (unspecified)	8	38	19	65	28	26	67	47	263	95	24	27	204	150
102	Pleurisy	4	4	8	16	6	6	75	24	371	80	8	3	27	10
103	Congestion and hemorrhagic infarct of the lung	2	4	9	20	4	5	24	20	56	39	8		18	6
104	Gangrene of the lung	1		1	5			7	1	18	7	1		1	
105	Asthma	4	7	7	25	5	7	51	25	98	38	8	6	30	27
106	Pulmonary emphysema				1			2	4	20	3				1
107	Other diseases of the respiratory system (tuberculosis excepted)	7	14	1	7	2	1	16	10	44	29		8	12	17
	VI.—Diseases of the digestive system	160	260	434	719	229	207	2,400	830	7,832	1,707	434	372	1,527	789
108	Diseases of the mouth and annexa	1	4	3	4		1	12	2	52	18	4	1	12	4
109a	Adenoid vegetations			1						3					1
109b	Other diseases of the pharynx, tonsils	9	8	20	31	9	10	68	27	319	76	14	10	36	23
110	Diseases of the esophagus				1		2	1	3	12	6			1	1
111a	Ulcer of the stomach	11	6	18	29	12	12	104	37	398	93	15	4	22	8
111b	Ulcer of the duodenum	5	5	12	3	2	3	33	10	183	27	5	2	6	1
112	Other diseases of the stomach (cancer excepted)	2	17	16	54	13	18	91	79	129	160	12	39	128	61
113	Diarrhea and enteritis (under 2 years)	21	50	55	130	66	38	714	258	1,952	389	134	174	713	460
114	Diarrhea and enteritis (2 years and over)	8	24	19	62	17	11	121	56	294	137	24	30	206	71
115	Ancylostomiasis							1						4	
116	Diseases due to other intestinal parasites				1				1	11			1	5	5
117	Appendicitis and typhlitis	44	50	118	127	35	33	454	57	1,571	147	101	50	141	43
118a	Hernia	6	8	17	33	9	10	111	27	472	81	15	7	20	13
118b	Intestinal obstruction	12	24	47	70	23	16	147	48	498	130	30	23	83	32
119	Other diseases of the intestines	1	3	5	21	4	5	27	10	111	25	8	3	11	8
120	Acute yellow atrophy of the liver	3	1	3	3	1	3	7	4	40	14			4	2
121	Hydatid tumor of the liver		1						1	4					
122	Cirrhosis of the liver	18	24	22	65	12	19	230	124	827	201	18	9	45	21
123	Biliary calculi	12	12	34	32	6	13	143	39	365	55	11	3	22	5
124	Other diseases of the liver	5	13	34	43	13	11	84	33	381	99	29	10	42	12
125	Diseases of the pancreas		3	3	4			16	4	76	9	3		4	2
126	Peritonitis without specified cause	2	7	7	6	7	2	36	10	134	40	11	6	22	15
127	Other diseases of the digestive system (cancer and tuberculosis excepted)														1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	141	223	373	680	251	289	2,481	1,537	9,884	3,079	325	288	1,354	856
128	Acute nephritis (including unspecified under 10 years)	9	14	19	38	21	14	123	81	302	171	16	35	104	98
129	Chronic nephritis (including unspecified 10 years and over)	105	167	256	522	204	247	2,046	1,373	8,277	2,593	252	200	1,112	661
130	Chyluria														
131	Other diseases of the kidneys and annexa	5	8	11	18	3	1	50	27	209	51	14	7	51	17
132	Calculi of the urinary passages	2		2	5	1	1	21	3	98	6	6	1	11	5
133	Diseases of the bladder	1	2	5	14	3	3	12	4	42	48		1	11	7
134	Diseases of the urethra, etc	1		2	1	1		4	2	45	4		6	2	4
135	Diseases of the prostate	8	16	32	50	6	9	89	27	363	117	19	8	38	26
136	Nonvenereal diseases of the male genital organs		1	2				2	2	6		1		1	3
137	Cysts, other benign tumors of the ovary	2	2	4	2	1	4	17	1	69	10	2	2	6	2
138	Salpingitis and pelvic abscess (female)	4	4	13	13	2	2	48	7	179	28	8	15	3	13
139	Benign tumors of the uterus	2	9	23	6	4	6	40	8	223	35	7	8	12	7
140	Nonpuerperal uterine hemorrhage				4			1		4	2		2		2
141	Other diseases of the female genital organs	2		4	7	5	2	26	2	62	14		3	3	11
142	Nonpuerperal diseases of the breast (cancer excepted)							2		5					

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
1	17	40	141	21	15	98	181	10	2	11	15	14	31	2	8	49	16	78
			5		2	5	6					3	7			6		79
1	27	78	55	2	6	111	132	20	6		2	13	75	2	8	21	12	80
		2	2			7	8									2		81
		11	16	2	4	13	18	2	1			2	5		2	1	1	82
	1	28	53	8	2	29	33	3		2	2	7	3	7	1	11	2	83
	10	146	130	20	14	243	181	19	4	3	8	23	20	16	7	59	12	84
		1	1	2		8	4					3	2	1	1		1	85
3	5	72	46	9	6	112	57	11		4	1	8	3	15	10	15		86a
2		56	18	2	6	94	39	6		5		5	1	8	5	11	2	86b
76	507	6,834	5,955	799	951	10,953	8,565	1,260	245	280	309	876	1,157	598	464	1,464	464	
	3	31	34	4	5	77	40	8	2			4	7	1	1	14	3	87
6	25	316	99	33	16	557	309	44	12	16	14	21	24	23	20	35	10	88
5	22	341	380	54	69	418	476	74	24	33	6	70	32	49	11	92	14	89
56	411	5,169	4,537	513	761	8,700	6,561	954	172	171	217	707	998	461	396	1,195	409	90
1	4	80	29	17	5	119	49	7	2	2	12	4	5	7	17	9	3	91a
3	39	798	814	146	80	951	1,033	150	32	53	54	48	53	39	12	104	16	91b,c
2	1	58	33	28	10	85	53	15	1	4	3	4	4	13	2	5	4	92
1	1	27	17	4	2	28	25	3			1	2	1	3	3	3		93
	1	8	3		1	13	13	4		1	1	1	4		1	3	1	94
2		5	7		2	5	5				1	1	10	2	1	3	4	95
		1	2				1	1				14	19			1		96
63	484	3,875	2,401	362	412	8,737	5,801	721	123	136	235	579	1,159	429	500	1,436	417	
	2	6		1	4	8	9	1	1		3	7	105		2	6	1	97a
2	2	22	4	7	3	40	10						1	3		4		97b
1		13	24	2	3	27	36	3	1				4	1		9	1	98
2	8	91	63	7	10	182	171	16	5	2	5	9	12	4	3	16	4	99a
2	8	75	95	13	13	145	130	18	2	3		5	3	2	4	25	5	99b
	2	17	12	1	1	47	42	8	2			8	10	2	2	5	2	99c
3	2	24	30	5	7	53	52	7		2	1	5	6	4	5	18	3	99d
25	200	1,519	991	127	146	2,909	2,022	235	34	43	90	149	188	165	175	540	116	100a
	1	33	34	2	3	72	56	2	1			2	2	3	4	7	2	100b
17	168	1,832	938	150	171	4,511	2,617	371	73	71	111	219	336	200	250	626	233	101a
8	56	18	38	5	17	190	245	24	3	7	11	146	413	12	20	104	32	101b
1	8	88	45	13	11	204	104	15		4	7	7	11	18	19	16	2	102
1	7	32	30	6	8	121	84	4		1	3	6	8	6	2	10		103
		6	4	2	1	18	12	1							1	5		104
1	17	161	57	15	10	113	110	7		2	2	11	34	4	10	25	10	105
		11	3	1	1	9	11	1								1		106
	3	27	33	5	3	88	90	8	1	1	2	5	26	5	3	19	6	107
109	375	3,443	1,862	304	343	5,619	3,835	535	70	204	182	734	1,005	637	362	1,170	293	
	2	23	13	3	3	41	24	1	1		1	1	10	5	3	11	5	108
												1						109a
3	18	142	69	9	18	168	138	15	1	4	4	10	22	12	7	35	6	109b
		6	1	1		6	7	2		2	1				1	2		110
7	14	182	89	22	24	217	99	32	3	6	4	11	12	12	14	23	5	111a
2	4	64	21	10	3	88	29	12	1	5	1	3	3	16	2	4	2	111b
3	22	131	191	14	33	304	316	31	10	9	17	87	278	26	47	101	55	112
14	98	711	383	14	49	1,779	1,554	137	20	68	81	383	443	182	103	469	88	113
4	20	160	193	19	32	325	279	22	7	19	26	101	80	54	42	211	46	114
										1		2						115
		3	2		2	4	4					1	10		1	3	1	116
33	80	713	179	71	58	811	269	120	3	41	15	35	50	158	68	112	20	117
7	12	171	54	16	9	269	121	22	2	6	5	4	10	15	5	19	5	118a
6	30	301	147	38	22	406	217	32	4	12	14	31	30	40	26	43	15	118b
1	5	49	55	6	6	42	40	6	2	2	3	2	5	5	8	10	9	119
1	2	17	14	1	4	26	16	3		1	1	3	1	2		1		120
					1	2	2											121
4	16	297	206	22	34	473	359	36	11	10	5	21	25	15	11	30	10	122
12	29	190	84	40	29	244	111	25	1	5		8	4	29	1	37	5	123
6	13	185	106	9	10	261	158	27	2	9	2	23	16	47	12	47	13	124
1	2	19	6	2	1	50	20	4		2				5		3	1	125
5	8	78	49	7	5	103	72	8	2	2	2	7	6	14	11	9	7	126
		1																127
55	231	3,335	2,426	335	416	6,147	4,152	628	112	226	266	695	980	467	399	908	283	
4	20	213	138	12	17	384	274	24	3	16	16	35	78	26	53	65	27	128
28	173	2,484	1,977	245	336	4,982	3,474	522	100	177	216	613	753	296	243	730	221	129
																		130
7	7	97	52	5	7	129	72	11		9	4	25	84	33	6	38	4	131
1		30	16	2	4	29	18	2	2	3		2	1	8		6	1	132
2	5	18	42	5	6	47	54	1	2	1		4	9	5	7	12	4	133
		18	2	1	1	17	3	1			1	2	2	8	5	1	2	134
9	21	190	127	36	28	215	145	25	2	12	8	10	19	34	22	38	8	135
	1	5	2			5	3		1		1	1	1			1	1	136
2	1	38	16	4		44	27	7					2	10	5	4	2	137
2	1	111	18	10	9	117	26	11	1	4	12		8	19	21	6	2	138
	1	90	29	8	6	125	39	18	1	3	7	1	11	18	27	2	8	139
		2		1			1						2				1	140
	1	38	6	5	2	52	14	5		1	1	2	10	10	10	5	2	141
		1	1	1		1	2	1										142

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	VIII.—The puerperal state	25	42	66	124	27	35	392	86	1,176	190	80	69	315	214
143	Accidents of pregnancy	2		7	11	4	1	39	8	113	26	4	3	27	16
144	Puerperal hemorrhage	1	5	5	12	3	8	38	12	152	18	8	2	30	28
145	Other accidents of labor	1	7	7	15	2	4	42	7	147	20	9	9	30	34
146	Puerperal septicemia	10	20	29	47	7	6	169	32	438	69	19	24	75	53
147	Puerperal phlegmasia alba dolens, embolus, etc.		2	1	11	3	5	14	5	67	13	4	4	19	6
148	Puerperal albuminuria and convulsions	11	8	17	27	8	11	88	22	245	44	36	27	133	77
149	Following childbirth (undefined)				1			2		12				1	
150	Puerperal diseases of the breast									2					
	IX.—Diseases of the skin and of the cellular tissue	6	11	9	32	10	9	88	41	263	101	10	12	43	25
151	Gangrene	3	4	3	18	6	8	25	24	60	53	4	4	18	12
152	Furuncle		3	1	6			16	4	51	12	1		10	3
153	Acute abscess	1	1	2	5	4		28	5	78	17	3	2	7	3
154	Other diseases of the skin and annexa	2	3	3	3		1	19	8	74	19	2	6	8	7
	X.—Diseases of the bones and of the organs of locomotion	3		11	7		1	63	10	170	28	17	3	13	11
155	Diseases of the bones (tuberculosis excepted)	1		11	4			49	9	129	17	14	2	10	8
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2			2		1	10	1	35	7	3	1		2
157	Amputations							2							
158	Other diseases of the organs of locomotion				1			2		6	4			3	1
	XI.—Malformations	16	47	57	137	41	39	388	187	1,222	357	42	6	191	38
159a	Congenital hydrocephalus	2	5	4	8	3	7	30	13	141	23	5	2	20	9
159b	Congenital malformations of the heart	11	30	38	86	22	20	211	132	623	234	25	2	106	6
159c	Other congenital malformations	3	12	15	43	16	12	147	42	458	100	12	2	65	23
	XII.—Early infancy	98	219	233	539	182	173	1,459	578	5,618	1,287	267	183	1,332	527
160	Congenital debility, icterus, sclerema	10	31	29	88	26	31	168	96	593	171	21	30	195	115
161a	Premature birth	61	140	154	335	100	103	866	345	3,140	777	203	124	939	332
161b	Injury at birth	20	30	31	73	31	20	290	80	1,313	253	32	13	118	30
162	Other diseases peculiar to early infancy	7	18	19	42	24	18	130	57	566	83	10	15	77	42
163	Lack of care				1	1	1	5		6	3	1	1	3	8
164	XIII.—Old age (senility)	14	40	38	227	21	86	93	80	220	354	22	11	271	221
	XIV.—External causes	192	443	355	603	160	220	2,185	1,142	8,146	2,559	265	214	950	655
	Suicide	26	53	66	104	27	38	270	162	1,171	352	23	2	74	12
165	By poisons (gas or corrosives excepted)	3	5	5	10	1	1	9	3	55	21	2		2	
166	By corrosive substances	4	3	5	10			19	9	93	15	3	1	3	
167	By poisonous gas	1		17	1	4		95	28	400	9	2		1	
168	By hanging or strangulation	2	3	10	26	5	12	50	43	159	120	2		4	1
169	By drowning		3	2	5	4	2	11	11	67	24			7	1
170	By firearms	14	34	21	48	11	21	56	50	195	114	10	1	45	10
171	By cutting or piercing instruments	1	3	3	4	2	2	16	7	72	31	4		6	
172	By jumping from high places	1	1	2				10	5	103	4			1	
173	By crushing		1					3	4	20	3			2	
174	By other means			1				1	2	7	11			3	
	Homicide	16	21	38	20	3	4	123	49	543	53	21	62	70	131
197	By firearms	10	19	28	13		3	64	31	319	28	17	46	49	106
198	By cutting or piercing instruments	2	1	4	1			17	5	70	10	3	11	7	12
199	By other means	4	1	6	6	3	1	42	13	154	15	1	5	14	13
	Accidental or undefined	150	369	251	479	130	178	1,792	931	6,432	2,154	221	150	806	512
175	Poisoning by food	3	4	4	7		2	11	9	17	12	9	2	22	12
176	Poisoning by venomous animals									2				1	1
177	Other acute poisonings (gas excepted)	11	8	2	13	5	4	31	15	121	33	5	4	16	19
178	Conflagration	8	14	6	6	5	9	24	19	158	52	3	6	18	12
179	Burns (conflagration excepted)	9	18	17	30	12	10	193	66	507	97	37	22	127	119
180	Mechanical suffocation	2	5	6	15	5	4	13	23	49	45	3	10	25	28
181	Absorption of irrespirable, irritating, or poisonous gas	2	6	14	7	2	2	107	22	688	28	2	3	1	1
182	Drowning	2	32	4	48	14	30	126	184	588	372	2	6	60	49
183	Traumatism by firearms (except in war)	7	17	8	24	2	7	19	12	55	63	4	17	39	48
184	Traumatism by cutting or piercing instruments	2	3	4	5		3	17	5	55	12	1		7	3
185	Traumatism by fall	16	34	67	111	26	35	326	120	1,342	381	40	5	133	18
186a	Traumatism in mines	22	46					1	4	1	9			4	1
186b	Traumatism in quarries			1		1	1			4	8				
187	Traumatism by machines		9	7	13	3	5	46	17	159	32	2	7	21	18
188a	Railroad accidents	14	44	23	47	3	14	150	117	255	217	18	8	39	42
188b	Street-car accidents			6		1	1	43	7	248	27	2			
188c	Automobile accidents	33	36	45	68	34	27	529	217	1,575	410	65	33	162	68
188d	Airplane and balloon accidents			1					1		5			1	
188e,f	Injuries by other vehicles	1	18	4	25	4	5	18	13	99	59	2	3	19	9
188g	Landslide, other crushing	1	14	3	3		3	12	3	31	10	1	1	8	2
189	Injuries by animals (not poisoning)	3	7	4	16	2	1	4	7	17	25	1	1	8	4
190	Wounds of war												1		
192	Starvation (deprivation of food or water)							1		1					
193	Excessive cold	3	10	1	1	1	2	3	4	7	8			1	3
194	Excessive heat			2	2		1	11	6	24	4		5	6	6
195	Lightning	1	1		5				1	5	10	1		6	8
196	Other accidental electric shocks	3	2	6	4	3	1	16	12	57	25	6		16	1
201	Fracture (cause not specified)	2	1	2	3	1	1	16	4	103	98	2	4	4	2
202	Other external violence	5	40	14	26	6	10	75	43	264	112	15	12	62	38
203	Violent deaths of unknown causation														
	XV.—Ill-defined diseases	6	71	6	120	28	8	77	38	74	104	47	144	1,275	1,307
204	Sudden death		2		9	14	1	6	1	5	6	9	5	178	110
205a	Ill-defined	2	8	3	49	9	2	52	32	31	36	8	25	264	168
205b	Not specified or unknown	4	61	3	62	5	5	19	5	38	62	30	114	833	1,029

CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
16	65	593	252	46	56	922	490	86	9	44	45	139	283	82	72	196	69	
------	7	63	27	4	7	97	24	8	1	2	6	16	23	5	6	18	7	143
5	9	57	26	3	7	93	70	11	1	2	4	15	21	4	4	18	2	144
------	6	59	27	4	2	85	48	7	------	3	4	19	70	3	4	20	11	145
4	19	252	91	16	21	381	183	30	3	14	18	35	57	39	32	63	26	146
1	6	30	23	4	4	40	21	9	2	------	1	1	4	5	1	7	3	147
6	17	129	58	15	15	222	139	20	2	23	12	53	104	26	25	69	19	148
------	1	3	------	------	------	4	5	1	------	------	------	------	4	------	------	1	1	149
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	150
2	17	96	101	11	12	197	151	20	1	9	9	20	25	19	13	30	10	
------	10	41	61	5	5	81	88	8	------	3	5	5	8	8	7	8	7	151
------	1	21	16	2	4	31	14	4	1	2	------	4	2	3	------	3	------	152
------	1	13	9	3	1	46	21	3	------	2	1	6	10	------	4	7	2	153
2	5	21	15	1	2	39	28	5	------	2	3	5	5	8	2	12	1	154
1	4	61	24	6	4	91	47	8	1	2	1	10	2	13	7	13	1	
1	3	52	17	5	3	74	35	7	1	2	1	5	2	13	2	10	------	155
------	1	7	3	1	1	14	9	1	------	------	------	3	------	------	5	1	------	156
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	157
------	------	2	4	------	------	3	3	------	------	------	------	2	------	------	------	2	1	158
9	55	566	415	32	65	887	937	108	16	25	5	72	45	44	5	104	14	
2	8	45	22	4	7	72	72	13	2	5	3	9	18	7	2	9	3	159a
5	34	315	271	16	38	560	656	54	10	14	1	42	11	18	------	54	7	159b
2	13	206	122	12	20	255	209	41	4	6	1	21	16	19	3	41	4	159c
48	339	2,438	1,394	181	232	3,213	3,061	466	69	129	131	634	937	300	171	720	90	
2	68	206	205	12	27	327	385	83	24	9	47	66	111	39	33	121	20	160
33	209	1,620	852	114	142	2,060	1,985	226	32	93	66	476	745	198	117	497	53	161a
9	35	444	218	39	35	538	442	124	10	16	10	45	32	42	8	55	7	161b
4	26	166	116	16	25	286	246	32	3	11	7	45	47	20	13	46	9	162
------	1	2	3	------	3	2	3	1	------	------	1	2	2	1	------	1	1	163
3	140	228	452	39	95	194	357	71	34	7	4	105	319	58	16	247	90	164
35	321	3,840	2,469	337	658	5,291	4,313	513	81	170	130	431	635	501	393	965	246	
5	46	435	295	85	72	603	428	64	9	13	2	42	1	74	7	97	4	
------	7	27	16	6	6	16	15	7	1	------	------	1	------	6	------	7	1	165
------	3	69	27	12	4	56	20	4	------	------	------	3	1	22	2	8	------	166
------	------	19	3	6	2	134	11	17	------	------	------	------	------	5	------	------	------	167
1	16	91	80	16	11	97	117	8	1	------	------	2	------	3	1	24	------	168
1	2	29	18	4	7	18	20	7	1	2	------	3	------	------	------	4	------	169
2	15	150	121	20	27	219	204	12	6	10	2	32	------	31	3	43	2	170
1	3	29	19	13	12	46	21	7	------	1	------	------	------	5	1	11	1	171
------	------	16	2	6	------	11	7	1	------	------	------	------	------	------	------	------	------	172
------	------	3	4	2	2	4	4	------	------	------	------	------	------	------	------	------	------	173
------	------	2	5	------	1	2	9	1	------	------	------	1	------	2	------	------	------	174
1	13	342	80	14	15	377	194	13	------	17	44	36	118	71	157	142	75	
------	10	223	46	9	13	264	151	7	------	12	37	31	98	62	113	117	56	197
------	1	55	12	4	------	35	8	4	------	1	5	1	16	4	33	10	11	198
1	2	64	22	1	2	78	35	2	------	4	2	4	4	5	11	15	8	199
29	262	3,063	2,094	238	571	4,311	3,691	436	72	140	84	353	516	356	229	726	167	
1	2	31	18	1	20	26	27	5	1	------	1	12	8	11	10	20	3	175
------	------	3	------	------	------	1	1	1	------	------	------	------	3	------	------	------	------	176
2	5	83	30	5	7	63	57	5	1	1	3	9	12	4	------	14	1	177
2	17	41	40	2	16	60	75	18	------	1	------	4	17	3	8	9	12	178
2	21	310	129	11	30	552	303	45	5	15	22	54	137	31	44	109	30	179
------	4	40	28	2	6	41	56	3	1	4	1	16	14	5	1	18	9	180
------	7	90	26	7	4	211	47	29	------	2	1	2	1	6	1	1	------	181
1	24	141	190	22	86	200	300	41	22	2	5	25	34	5	8	56	7	182
2	12	50	70	3	26	73	96	5	2	8	2	20	43	25	21	50	15	183
------	1	27	15	1	6	33	19	7	------	1	1	1	11	6	3	9	5	184
3	24	619	424	47	52	857	560	86	10	20	3	35	26	33	18	132	20	185
------	5	24	78	------	------	265	631	------	------	------	------	------	------	6	2	11	4	186a
------	------	1	1	------	5	8	11	1	------	------	------	------	------	------	2	------	------	186b
3	12	124	39	12	26	128	73	13	1	2	1	12	23	2	6	8	1	187
2	11	257	356	14	51	350	421	13	5	8	9	21	23	32	19	62	15	188a
1	------	98	58	5	2	114	47	18	------	------	------	1	------	7	4	4	------	188b
3	42	734	290	54	90	946	589	97	16	43	22	62	40	88	46	84	14	188c
------	------	3	16	2	3	2	6	1	------	------	------	------	------	------	------	2	------	188d
1	26	41	38	7	15	74	66	7	2	2	------	7	10	6	2	20	4	188e,f
1	5	22	15	5	40	18	13	7	------	3	1	17	15	1	3	7	2	188g
1	9	15	20	2	10	12	23	4	------	3	------	4	8	6	------	10	------	189
------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	190
------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	192
------	5	5	4	1	2	21	18	3	------	------	------	1	6	------	2	1	3	193
------	------	22	20	------	1	27	15	3	------	------	------	5	4	------	2	7	3	194
------	7	1	10	------	1	1	7	------	1	------	------	2	11	------	------	11	------	195
------	2	46	32	1	9	35	64	4	------	2	------	5	3	6	3	10	------	196
2	2	18	42	1	2	9	2	1	------	2	2	4	3	3	6	7	2	201
2	19	217	104	33	61	184	164	19	5	21	10	34	63	20	18	64	17	202
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	203
4	148	71	211	7	41	103	309	47	5	6	22	185	696	147	223	1,121	486	
------	3	2	16	------	3	14	41	14	2	1	------	11	14	22	22	115	29	204
3	24	21	52	4	20	39	121	10	2	1	21	89	432	37	32	193	65	205a
1	121	48	143	3	18	50	147	23	1	4	1	85	250	88	169	813	392	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
						Urban		Rural							
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural
	All causes	2,275	2,773	787	4,073	4,619	3,847	13,091	7,618	7,396	7,184	11,499	16,751	432	1,631
	I.—Epidemic, endemic, and infectious diseases	306	301	87	425	577	783	2,307	1,773	927	1,192	1,184	2,029	56	226
1	Typhoid and paratyphoid fever	19	19	1	11	28	19	95	63	26	22	15	13	3	7
2	Typhus fever														
3	Relapsing fever (spirillum obermeieri)														
4	Malta fever														
5	Malaria		1			1	10	8	16	1				1	
6	Smallpox						1		1		2	6	5		
7	Measles	36	60	1	13	18	19	122	57	67	117	25	62	6	36
8	Scarlet fever	2	4	2	10	3		27	3	17	16	71	146	5	11
9	Whooping cough	6	12	3	25	38	64	233	179	5	18	49	83		10
10	Diphtheria	23	31	1	24	27	13	143	33	62	98	98	114	3	9
11a	Influenza (with pulmonary complications)	23	51	7	30	55	83	260	130	50	47	75	149	4	22
11b	Influenza (other and unspecified)	14	25	6	45	23	37	136	83	45	62	43	131	3	23
12	Miliary fever														
13	Mumps							2	1	2	1	1			
14	Asiatic cholera														
15	Cholera nostras							6	3						
16	Dysentery	1	1			30	13	89	43	3	5	4	12	1	3
17	Plague														
18	Yellow fever														
19	Spirochetal hemorrhagic jaundice										1				
20	Leprosy														
21	Erysipelas	23	15	1	12	20	2	32	9	17	5	28	42	1	1
22	Acute anterior poliomyelitis		1	2	3	2	2	11	12	57	47	10	18		1
23	Lethargic encephalitis	4	2	3	3	6	1	4	2	26	11	21	12		
24	Meningococcus meningitis	4	3		1	2	1	25	4	9	7	13	8		2
25	Other epidemic and endemic diseases		5			1		3	2	3	4	1	3	3	8
26	Glanders														
27	Anthrax												1		
28	Rabies					1		1		1					
29	Tetanus				2	8	9	13	8		3	8	9		
30	Mycoses	1						2	10	2	1	3	4		
	Tuberculosis (all forms)	123	60	54	233	273	419	1,035	992	409	678	640	1,152	21	83
31	Of the respiratory system	104	54	42	198	220	355	935	907	299	613	499	1,030	15	71
32	Of the meninges, central nervous system	5	1	8	13	24	20	35	20	39	27	51	35	4	2
33	Of the intestines, peritoneum	4	2	3	6	16	22	29	29	27	14	41	25	1	2
34	Of the vertebral column	5			6	3	1	6	5	11	2	13	19	1	
35	Of the joints		1			1	2	2	4	3	2	3	6		3
36	Of other organs		1	1	5	3	4	20	14	21	10	14	18		3
37a	Disseminated (acute)	4	1		4	5	13	4	13	8	10	11	13		1
37b	Disseminated (chronic or unspecified)	1			1	1	2	4		1		8	6		1
38	Syphilis	23	6	1	6	35	81	49	108	107	39	52	49	3	7
39	Soft chancre								1						
40	Gonococcus infection	1		2		5	9	3	3	8	4	4	3	2	2
41	Purulent infection, septicemia	3	5	3	7	1		8	10	10	6	17	13		1
42	Other infectious diseases														
	II.—General diseases not included in Class I	271	251	106	504	522	219	1,121	402	1,240	819	1,833	2,283	36	131
	Cancer and other malignant tumors	173	156	70	352	355	129	752	245	846	548	1,222	1,575	20	76
43	Of the buccal cavity	6	6		17	13	1	27	4	27	18	31	46		2
44	Of the stomach, liver	54	76	19	126	102	40	306	82	300	251	557	772	8	34
45	Of the pertioneum, intestines, rectum	21	22	12	51	37	10	61	20	126	63	152	206	2	12
46	Of the female genital organs	24	12	14	56	79	43	120	68	118	65	135	121	6	9
47	Of the breast	19	10	9	42	42	13	58	21	64	47	85	107		4
48	Of the skin	3	2	1	14	9	3	38	4	19	18	17	45		3
49	Of other or unspecified organs	46	28	15	46	73	19	142	46	192	86	245	278	4	12
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	2	1	3	5	1	7	4	8	3	7	5		
51	Acute rheumatic fever	9	7	4	7	4	21	34	26	10	13	47	60	1	8
52	Chronic rheumatism, osteoarthritis, gout	3	3	1	9	4	2	29	14	8	9	17	28	1	
53	Scurvy						1								
54	Pellagra				1	11	12	34	18		1	1			1
55	Beriberi									4					
56	Rickets		1				8	3	8	2	4	1	11	1	
57	Diabetes mellitus	27	34	18	60	57	21	132	39	118	115	204	234	3	17
58	Anemia, chlorosis	12	13	4	34	22	6	44	9	74	42	86	163	1	6
59	Diseases of the pituitary gland					2		2							
60a	Exophthalmic goiter	20	10	2	6	15	1	23	9	61	23	75	68		3
60b	Other diseases of the thyroid gland	2	1		2	1		9	4	9	6	6	14		1
61	Diseases of the parathyroid glands					2		1	4	1	1		1	1	
62	Diseases of the thymus gland	4	1	1	4	4	3	4	1	25	9	19	15		
63	Diseases of the adrenals (Addison's disease)	1	2	1	3	3		2		2	3	12	3		
64	Diseases of the spleen		1		1						1	2	2		
65a	Leukemia	4	1		4	16	1	10	4	12	14	32	32	1	
65b	Hodgkin's disease	2	3	1	4	4	3	8	2	6	6	16	15		
66	Alcoholism (acute or chronic)	6	5	2	8	7	8	12	10	29	13	47	32	6	14
67a	Chronic lead poisoning	2	1			1				1	1	1	1		
67b	Other chronic mineral poisoning														
68	Chronic poisoning by organic substances									3			2		1
69	Other general diseases	2	10	1	6	9	2	15	5	21	7	38	22	1	4
	III.—Diseases of the nervous system and of the organs of special sense	297	169	73	535	529	444	1,518	846	750	846	1,169	2,174	33	150
70	Encephalitis	4	1		5	10	2	19	8	4	6	11	18	1	
71a	Simple meningitis	5	6	1	8	13	8	31	16	18	7	32	26	1	2
71b	Nonepidemic cerebrospinal meningitis	8	3		1	5	2	24	2	4	1	11	16	2	2
72	Tabes dorsalis (locomotor ataxia)		1	1	9	5	2	5	5	15	8	13	11	1	1
73	Other diseases of the spinal cord	12	4	1	18	16	9	29	12	21	18	19	48		4
74a	Cerebral hemorrhage	165	108	57	392	369	357	995	521	542	531	844	1,538	16	95
74b	Cerebral embolism and thrombosis	5	6	5	22	11	12	18	6	21	10	33	49	1	3
75	Paralysis without specified cause	4	6	1	4	19	16	175	106	18	37	24	63	2	12
76	General paralysis of the insane	24	1		10	9	4	26	14	11	82	10	97	1	12
77	Other forms of mental alienation	25	1		5	4	1	22	27	5	60	6	38		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
						Urban		Rural							
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
78	Epilepsy	16	7	1	17	5	5	52	43	17	29	16	77	2	7
79	Convulsions (nonpuerperal; 5 years and over)		1		2	1	1	2	5			2	3		1
80	Infantile convulsions (under 5 years)		7	1	11	9	7	28	42	6	5	27	72		6
81	Chorea							2	1		1				
82	Neuralgia and neuritis	1			1	2	2	5	2	2	4	2	9		
83	Softening of the brain	1		1	7	8		13	4	4	9	11	15		
84	Other diseases of the nervous system	12	6	3	18	29	10	48	17	37	27	55	73	1	3
85	Diseases of the eye and annexa					1		1	2	1		2			
86a	Diseases of the ear	11	10	1	2	7	4	17	8	15	8	31	18	3	1
86b	Diseases of the mastoid process	4	1		3	6	2	6	5	9	3	20	3	2	
	IV.—Diseases of the circulatory system	291	332	130	934	787	521	1,920	1,020	1,300	1,247	1,893	3,162	49	174
87	Pericarditis	2	1	2	7	2	1	6	8	9	3	7	14	1	
88	Endocarditis and myocarditis (acute)	21	14		16	18	31	20	26	47	21	100	107	3	12
89	Angina pectoris	22	22	15	80	66	26	124	30	92	107	82	151	2	13
90	Other diseases of the heart	220	270	97	653	626	427	1,586	868	1,002	955	1,497	2,532	37	133
91a	Aneurysm	3	2	1	1	4	12	3	8	10	8	16	3	2	4
91b,c	Other diseases of the arteries	15	14	14	166	58	17	152	64	108	134	152	310	3	10
92	Embolism and thrombosis (not cerebral)	5	7	1	9	11	2	14	3	19	8	24	29	1	1
93	Diseases of the veins	2	1		2		2	2	2	6	9	11	13		
94	Diseases of the lymphatic system		1					3	2	5		4	3		1
95	Hemorrhage without specified cause	1				2	2	1	2		2				
96	Other diseases of the circulatory system						1	9	7	2					
	V.—Diseases of the respiratory system	233	354	82	353	321	483	1,160	694	502	486	1,162	1,541	48	159
97a	Diseases of the nasal fossae						3	8	21	2	2		1	1	2
97b	Diseases of the nasal fossae annexa	6	1			4	1	5	1	8	1	5	1	2	1
98	Diseases of the larynx	1	3		2	2	1	18	3	2	3	8	11		4
99a	Acute bronchitis	2	8	1	15	9	10	17	11	5	10	38	59		2
99b	Chronic bronchitis	5	2	2	17	14	8	21	11	16	13	36	39		1
99c	Bronchitis (unspecified, under 5 years)	1	5	1	3	1	3	9	11	1		7	9	1	
99d	Bronchitis (unspecified, 5 years and over)		5	2	7	2	2	12	7	6	4	12	24	1	2
100a	Broncho-pneumonia	86	155	28	108	111	176	424	208	181	185	405	513	16	60
100b	Capillary bronchitis			1	4		6	15	12	2	2	11	12	4	
101a	Lobar pneumonia	103	128	36	155	138	215	440	258	238	200	523	641	16	48
101b	Pneumonia (unspecified)	12	29	4	23	12	9	101	98	5	30	40	123	2	29
102	Pleurisy	4	5	2	6	9	14	24	10	21	11	30	38	1	1
103	Congestion and hemorrhagic infarct of the lung	6	3	2	2	7	9	17	4	3	5	9	22		2
104	Gangrene of the lung							1			1	4	5	1	1
105	Asthma	3	4	1	8	8	13	31	20	8	11	23	33	1	3
106	Pulmonary emphysema		1				2	1			2	1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	4	5	2	3	4	11	16	19	4	6	10	9	2	3
	VI.—Diseases of the digestive system	241	227	66	245	449	353	860	480	646	442	1,107	1,096	44	136
108	Diseases of the mouth and annexa	1	1		3	6	2	5	8	9	3	8	12		
109a	Adenoid vegetations								1				1		
109b	Other diseases of the pharynx, tonsils	17	18	1	7	17	13	33	14	29	29	45	43		4
110	Diseases of the esophagus	2								3		1	1		1
111a	Ulcer of the stomach	20	7	4	15	18	21	31	13	52	27	54	71	3	4
111b	Ulcer of the duodenum	9	1		3	14	2	8	3	28	7	26	10		2
112	Other diseases of the stomach (cancer excepted)	6	15	4	28	10	36	76	76	25	37	49	85	3	12
113	Diarrhea and enteritis (under 2 years)	29	67	10	50	109	121	321	195	69	77	220	250	6	29
114	Diarrhea and enteritis (2 years and over)	14	17	4	15	39	27	92	40	20	31	34	63	2	11
115	Ancylostomiasis														
116	Diseases due to other intestinal parasites		1					3	4				1		
117	Appendicitis and typhlitis	79	42	21	40	92	40	74	33	139	72	263	141	15	35
118a	Hernia	8	9	5	14	15	10	22	15	19	22	51	48	1	
118b	Intestinal obstruction	20	16	8	30	33	25	48	31	77	33	86	92	4	10
119	Other diseases of the intestines	2	2	1	2	3	5	13	4	8	16	14	17		4
120	Acute yellow atrophy of the liver	3	3		1			2	2	5	2	5	5		
121	Hydatid tumor of the liver									1				1	
122	Cirrhosis of the liver	6	12	3	8	33	32	48	17	42	42	96	117	3	9
123	Biliary calculi	8	4	1	10	14	4	25	6	49	16	79	51	1	3
124	Other diseases of the liver	13	8	3	13	35	8	37	11	56	18	50	59	3	7
125	Diseases of the pancreas	2		1		3		9		8	2	15	7		1
126	Peritonitis without specified cause	2	4		6	8	7	13	7	7	8	11	22	2	4
127	Other diseases of the digestive system (cancer and tuberculosis excepted)														
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	186	195	87	363	539	381	1,164	699	686	452	896	1,212	29	94
128	Acute nephritis (including unspecified under 10 years)	14	15	1	13	18	55	66	70	27	31	42	49	2	12
129	Chronic nephritis (including unspecified 10 years and over)	128	155	71	312	438	268	977	553	490	358	664	1,019	16	58
130	Chyluria														
131	Other diseases of the kidneys and annexa	7	5	3	2	18	10	35	13	23	11	24	24	1	3
132	Calculi of the urinary passages	6	1			5	1	10	2	12	2	6	5	1	
133	Diseases of the bladder		3		5	2	3	13	5	4	7	7	22		2
134	Diseases of the urethra, etc	1		1			2		3	1	1	2	3		
135	Diseases of the prostate	14	11	7	18	33	14	47	28	66	26	71	66	1	9
136	Nonvenereal diseases of the male genital organs					2			1	2		1	2	1	
137	Cysts, other benign tumors of the ovary	2		2	2	3		5	2	11	2	20	3	1	
138	Salpingitis and pelvic abscess (female)	8	1	1	2	7	9	5	13	10	8	23	6	4	3
139	Benign tumors of the uterus	5	3		8	7	14	2	7	32	5	21	8	1	7
140	Nonpuerperal uterine hemorrhage						1								
141	Other diseases of the female genital organs	1	1	1	1	6	4	4	2	8	1	14	5	1	
142	Nonpuerperal diseases of the breast (cancer excepted)											1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1924—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WISCONSIN		WYOMING	
						Urban		Rural							
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural
	VIII.—The puerperal state	30	33	12	48	70	69	154	126	112	68	167	192	14	37
143	Accidents of pregnancy	5	1	1	5	5	4	10	10	10	12	13	18	1	4
144	Puerperal hemorrhage	4	5	3	4	4	7	14	13	9	6	20	23	2	3
145	Other accidents of labor	2	2		7	4	7	18	18	10	6	17	22	1	6
146	Puerperal septicemia	12	10	5	10	38	20	48	40	46	14	65	59	5	13
147	Puerperal phlegmasia alba dolens, embolus, etc		2		3			10	2	6	4	9	19	1	1
148	Puerperal albuminuria and convulsions	7	13	3	19	18	31	53	42	30	23	42	49	4	10
149	Following childbirth (undefined)					1		1	1		3	1	1		
150	Puerperal diseases of the breast									1			1		
	IX.—Diseases of the skin and of the cellular tissue	3	3	4	11	9	11	24	23	16	18	41	60		5
151	Gangrene	2	2	3	5	2	6	10	13	11	7	13	28		2
152	Furuncle	1			1	2	1	3	1	3	3	7	9		2
153	Acute abscess					4	3	1	2		2	11	11		1
154	Other diseases of the skin and annexa		1	1	5	1	1	10	7	2	6	10	12		
	X.—Diseases of the bones and of the organs of locomotion	7	3	2	1	10	6	11	5	15	2	17	12		
155	Diseases of the bones (tuberculosis excepted)	6	2	1	1	9	3	8	3	12	1	15	8		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1			1	2	2		3		2	2		
157	Amputations														
158	Other diseases of the organs of locomotion			1			1	1	2		1		2		
	XI.—Malformations	29	46	17	48	62	23	179	41	91	80	137	197	5	16
159a	Congenital hydrocephalus	4	3	5	3	4	1	23	8	10	9	10	23	1	
159b	Congenital malformations of the heart	20	23	5	27	36	19	91	12	40	53	68	105	3	11
159c	Other congenital malformations	5	20	7	18	22	3	65	21	41	18	59	69	1	5
	XII.—Early infancy	151	271	50	195	317	239	969	462	297	350	808	963	39	117
160	Congenital debility, icterus, sclerema	6	28	6	36	40	42	188	151	24	48	75	151	2	11
161a	Premature birth	106	193	35	110	197	146	616	246	197	221	509	569	26	87
161b	Injury at birth	31	34	6	23	60	19	111	35	49	49	145	149	5	8
162	Other diseases peculiar to early infancy	8	14	2	25	19	32	52	27	27	32	77	94	5	10
163	Lack of care		2	1	1	1		2	3			2		1	1
164	XIII.—Old age (senility)	13	52	15	103	56	21	296	208	47	116	172	512	5	38
	XIV.—External causes	198	451	53	292	345	237	1,029	493	756	980	897	1,254	74	311
	Suicide	21	14	11	38	51	6	111	11	159	126	147	216	14	18
165	By poisons (gas or corrosives excepted)	2	1		2	1		4		9	14	4	7	1	1
166	By corrosive substances	3	1	1		9	3	4		8	8	22	14	2	2
167	By poisonous gas	1		2	2	10		2		43	1	24	2		
168	By hanging or strangulation	3	2	1	8	1	1	15	2	13	24	38	97	1	1
169	By drowning	1		1	2	2		5	2	16	11	17	13		
170	By firearms	8	8	5	20	26	1	68	4	50	53	32	62	8	13
171	By cutting or piercing instruments	2	1	1	3	2		10		15	7	8	15		
172	By jumping from high places		1							4	2	1	1	2	1
173	By crushing				1			1		1		1			
174	By other means	1					1	2	3		6		5		
	Homicide	15	13	2		20	60	77	80	44	46	30	20	8	20
197	By firearms	10	10	1		14	48	59	61	32	37	21	12	7	16
198	By cutting or piercing instruments		1				9	3	10	5	1	4	1		2
199	By other means	5	2	1		6	3	15	9	7	8	5	7	1	2
	Accidental or undefined	162	424	40	254	274	171	841	402	553	808	720	1,018	52	273
175	Poisoning by food	3	1		1	6	3	11	9	6	10	3	9	1	6
176	Poisoning by venomous animals		2	1						1	1				
177	Other acute poisonings (gas excepted)	7	6	1	9	3	5	29	6	7	10	10	11		4
178	Conflagration		3		19	2	3	25	40	4	30	1	12	2	6
179	Burns (conflagration excepted)	6	16	1	7	28	33	96	71	29	29	48	59	7	13
180	Mechanical suffocation	3	3	1	7	3	3	18	20	6	10	9	10	2	3
181	Absorption of irrespirable, irritating, or poisonous gas	5	1		1	7	4	2	3	19	14	35	14	2	
182	Drowning	7	23	1	32	24	11	95	43	51	120	57	131	2	21
183	Traumatism by firearms (except in war)	3	10		11	13	14	46	42	18	25	16	50	3	14
184	Traumatism by cutting or piercing instruments		2		3	3	2	6	6	6	5	8	10	1	
185	Traumatism by fall	23	17	15	61	54	10	121	22	99	88	137	173	4	17
186a	Traumatism in mines	12	223					45	10	4	22		2		76
186b	Traumatism in quarries			2	6			5	2				1		1
187	Traumatism by machines	4	4	1	12	7	2	15	8	30	38	21	34	1	8
188a	Railroad accidents	17	18	1	23	16	12	72	31	24	72	63	92	3	20
188b	Street-car accidents	2	1		1	11	5	1	1	18	3	20	8		
188c	Automobile accidents	40	41	11	37	71	30	113	26	136	129	194	169	20	39
188d	Airplane and balloon accidents					1		15		1	2				
188e,f	Injuries by other vehicles	7	8		3	4	5	10	10	9	16	18	32	1	10
188g	Landslide, other crushing	2	2		1	1	1	1	4	24	53	9	23	1	1
189	Injuries by animals (not poisoning)	2	5		3	1	1	6	4	2	10	9	20		2
190	Wounds of war														
192	Starvation (deprivation of food or water)	1									1				
193	Excessive cold	1	1		1			6	6		2	5	18		5
194	Excessive heat			1			8	5	4		1		2		
195	Lightning		1					7	1	1	1		11		5
196	Other accidental electric shocks	3	6	1	4	4	2	20	1	11	11	13	19	1	3
201	Fracture (cause not specified)	5	15			5		15	2	2	2	6	6		
202	Other external violence	9	15	3	12	10	17	56	30	45	103	38	102	1	19
203	Violent deaths of unknown causation														
	XV.—Ill-defined diseases	19	85	3	16	26	57	379	346	11	86	16	64		37
204	Sudden death		10		1	3	6	47	29	3	9	2	7		1
205a	Ill-defined	18	35		8	13	31	144	110	3	32	6	16		7
205b	Not specified or unknown	1	40	3	7	10	20	188	207	5	45	8	41		29

NOTE.—Populations are shown in Table 1 A.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,151,076	158,038	28,278	13,329	8,970	6,706	215,321	22,486	17,451	28,244	37,300
	Both sexes—White	997,617	132,738	22,535	11,162	7,561	5,745	179,741	19,623	14,459	21,332	27,468
	Both sexes—Colored	153,459	25,300	5,743	2,167	1,409	961	35,580	2,863	2,992	6,912	9,832
	Males—White	539,303	76,012	12,098	6,156	4,100	3,091	101,457	10,837	8,159	11,270	13,568
	Males—Colored	80,571	14,084	3,059	1,146	705	500	19,494	1,415	1,481	3,065	4,660
	Females—White	458,314	56,726	10,437	5,006	3,461	2,654	78,284	8,786	6,300	10,062	13,900
	Females—Colored	72,888	11,216	2,684	1,021	704	461	16,086	1,448	1,511	3,847	5,172
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES											
	Males—White	69,482	6,831	3,824	2,110	1,583	1,160	15,508	3,301	1,788	2,776	4,275
	Males—Colored	18,093	2,002	946	382	256	186	3,772	585	586	1,362	2,043
	Females—White	60,400	5,804	3,539	1,914	1,396	1,125	13,778	3,278	1,856	4,146	6,031
	Females—Colored	17,565	1,841	872	366	262	175	3,516	643	819	1,974	2,589
1	Typhoid and paratyphoid fever:											
	Males—White	2,618	19	18	14	23	21	95	139	206	384	416
	Males—Colored	1,023	10	16	11	11	9	57	90	124	202	161
	Females—White	1,888	9	19	27	23	24	102	120	211	332	251
	Females—Colored	991	10	9	13	10	20	62	108	158	213	167
2	Typhus fever:											
	Males—White	2										
	Females—White	3										
3	Relapsing fever (spirillum obermeieri):											
	Males—Colored	1								1		
5	Malaria:											
	Males—White	589	60	27	27	19	11	144	32	28	35	26
	Males—Colored	591	60	45	24	28	22	179	42	36	34	36
	Females—White	520	55	30	19	13	15	132	36	24	19	27
	Females—Colored	663	58	45	25	20	11	159	42	41	53	57
6	Smallpox:											
	Males—White	460	32	8	3	3	9	55	16	5	25	48
	Males—Colored	65	7	1	1			9		1	3	6
	Females—White	306	21	5	3	3	3	35	9	2	19	32
	Females—Colored	40	3				1	4	1			6
7	Measles:											
	Males—White	3,481	899	1,010	394	223	124	2,650	361	101	107	59
	Males—Colored	683	202	178	63	36	29	508	58	36	53	10
	Females—White	3,352	698	891	321	192	125	2,227	377	144	114	57
	Females—Colored	664	169	152	58	24	26	429	65	53	57	23
8	Scarlet fever:											
	Males—White	1,461	73	164	183	165	140	725	391	126	63	36
	Males—Colored	19	3	1	4	1	2	11	3	3	1	1
	Females—White	1,590	53	133	154	159	140	639	393	139	102	111
	Females—Colored	36	2	2	3	7		14	8	7	1	3
9	Whooping cough:											
	Males—White	2,814	1,783	596	176	87	58	2,700	83	19	2	1
	Males—Colored	931	517	257	69	29	15	887	34	4	1	1
	Females—White	3,257	1,906	753	278	130	56	3,123	99	12	6	3
	Females—Colored	1,031	561	271	82	37	28	979	35	7	7	
10	Diphtheria:											
	Males—White	4,476	350	647	635	606	476	2,714	1,165	335	86	38
	Males—Colored	278	65	28	38	31	27	189	57	10	3	4
	Females—White	4,183	247	510	528	507	454	2,246	1,217	303	97	57
	Females—Colored	295	49	32	27	43	21	172	73	15	10	6
11a	Influenza (with pulmonary complications):											
	Males—White	5,029	809	316	99	69	41	1,334	117	77	106	121
	Males—Colored	1,101	191	63	25	14	10	303	21	22	58	79
	Females—White	4,429	607	249	111	49	35	1,051	111	74	94	117
	Females—Colored	989	171	57	23	13	1	265	28	36	56	69
11b	Influenza (other and unspecified):											
	Males—White	2,947	456	102	53	45	30	686	91	71	80	53
	Males—Colored	643	100	33	14	6	3	156	18	21	33	26
	Females—White	3,093	329	93	52	32	34	540	106	65	79	100
	Females—Colored	661	94	21	10	14	2	141	12	17	15	34
13	Mumps:											
	Males—White	67	9	7	4	6	4	30	12	3	5	1
	Males—Colored	7	1			1		2	3		1	
	Females—White	54	8	6	1	6		21	5	3	2	4
	Females—Colored	14		2	1	1		4	3	4		
15	Cholera nostras:											
	Males—White	51	12	5		2	1	20	3	2		
	Males—Colored	16	4	3				7	2	1		
	Females—White	53	9	4	1		2	16	3	1	1	1
	Females—Colored	8	3	2			1	6			1	
16	Dysentery:											
	Males—White	1,012	285	167	68	33	8	561	19	5	13	9
	Males—Colored	457	157	108	23	12	4	304	5	6	4	5
	Females—White	957	193	162	51	28	11	445	19	4	4	12
	Females—Colored	417	124	85	20	5	4	238	8	4	5	12
17	Plague:											
	Males—White	20							2	2	2	2
	Females—White	10		2				2			1	2
19	Spirochetal hemorrhagic jaundice:											
	Males—White	25	6	1				7	1		1	2
	Females—White	15	2		2			4	1		1	2
	Females—Colored	4										
20	Leprosy:											
	Males—White	8										
	Males—Colored	4										
	Females—White	2										
21	Erysipelas:											
	Males—White	1,238	370	12	11	6	1	400	6	9	17	22
	Males—Colored	65	18	1	2			21	2		2	3
	Females—White	1,082	359	33	12	9	1	414	8	12	11	18
	Females—Colored	45	16	2				18			1	1
22	Acute anterior poliomyelitis:											
	Males—White	559	45	59	43	40	36	223	103	83	54	29
	Males—Colored	32	4	8		4	3	19	6	3	2	
	Females—White	434	47	53	31	21	36	188	95	61	24	18
	Females—Colored	40	12	12	6	1	1	32	2	4	1	

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
37,895	39,728	46,635	50,087	55,901	65,751	69,523	83,635	91,718	92,761	82,882	63,249	32,804	12,221	2,786	1,201	1,497	
28,985	31,717	37,417	40,867	46,467	55,829	62,069	76,366	85,433	86,566	78,449	59,576	30,747	10,969	2,249	441	847	
8,910	8,011	9,218	9,220	9,434	9,922	7,454	7,269	6,285	6,195	4,433	3,673	2,057	1,252	537	760	650	
14,363	16,607	20,808	23,147	26,452	31,707	35,539	42,663	47,644	46,287	40,467	28,492	13,694	4,560	860	155	567	
4,359	4,010	4,722	4,831	4,982	5,493	4,115	4,053	3,476	3,420	2,516	1,960	1,067	571	227	278	376	
14,622	15,110	16,609	17,720	20,015	24,122	26,530	33,703	37,789	40,279	37,982	31,084	17,053	6,409	1,389	286	280	
4,551	4,001	4,496	4,389	4,452	4,429	3,339	3,216	2,809	2,775	1,917	1,713	990	681	310	482	274	
4,672	4,833	5,054	4,908	4,429	4,071	3,381	3,127	2,726	1,941	1,344	786	373	110	14	5	60	
1,775	1,390	1,371	1,191	1,029	908	588	473	322	269	177	102	54	27	4	5	60	
5,382	4,317	3,634	2,977	2,468	2,199	1,824	1,911	1,821	1,610	1,426	966	496	179	47	9	45	
1,955	1,331	1,183	862	705	551	348	289	220	181	119	101	58	24	17	20	60	
210	214	212	177	154	129	90	69	66	39	10	4	2				2	
95	59	56	44	43	28	27	12	8	7	4	1		1			4	
206	139	112	99	89	76	46	37	32	14	11	5	3				3	1
76	41	45	35	36	20	10	9	2	2	3	1		1			2	
					1		1										2
		1		1		1											
																	3
17	22	24	28	31	32	22	27	28	30	30	18	8	2		1	4	
26	19	25	31	26	34	23	15	17	16	16	8	5	2			1	
34	26	27	13	17	21	20	19	18	26	25	20	10	4	1		1	5
46	30	37	25	30	32	24	19	15	16	10	10	2	4	2	3	6	
46	27	37	48	33	30	23	30	20	8	5	2	2					
4	8	4	9	4	5	1	4		2	2	1		1	1			
47	22	31	28	19	13	15	7	10	5	6	4	2					6
7	6	8		2	3			1	1		1						
20	25	17	26	17	18	17	21	12	13	9	2	1				5	
5		1	4		1	1	1				1		1			3	
50	60	66	50	41	32	19	28	29	24	21	7	2	2			2	7
14	5	7	4	2	1		1	1	1							1	
30	33	15	16	9	6	2	4	3	1		1						
75	61	33	10	9	10	2	1	2			1					2	8
3																	
2			1					1		1		2				2	
1		1					1									1	
1		1	3	1		1	1	1	1	2						2	9
1		1														1	
35	20	16	18	11	9	15	4	2	3	2	1	1				1	
4	3	1	3	1	1	1	1										
48	51	45	32	20	25	18	11	4	1	4		1				3	10
6	4	1	2	1	1	1				1				1		1	
111	163	239	263	297	295	265	318	367	340	297	192	93	25	7		2	
58	63	70	70	56	64	62	55	31	37	21	13	8	2			8	
134	170	167	164	175	197	211	291	337	332	332	275	137	50	6	1	3	11a
54	55	58	40	46	56	39	40	35	35	23	21	20	1	4	2	6	
52	73	89	116	114	142	124	158	215	240	235	211	133	56	4	1	3	
18	20	36	34	35	43	25	29	41	27	28	26	14	6	1	4	2	11b
78	97	103	109	93	119	101	160	207	255	299	275	192	78	31	4	2	
28	29	33	35	35	42	39	41	39	32	21	29	13	8	6	10	2	
2	3		1				2	1	3	2		1	1				
					1												
2	2	2	1			1	1	2	2	5		1					13
		2			1												
	1		1	1	3	2	1	4	3	6	2		2				
		1			1	2	1			1							
		4	1	1		2	2	3	3	5	5	2	2	1			15
1																	
12	11	18	17	15	15	25	28	35	67	69	42	38	9		1	3	
6	3	5	9	12	9	6	8	5	19	18	15	5	8	1	1	3	
5	14	15	14	11	13	22	36	55	66	76	78	46	14	3	2	3	16
9	9	10	11	9	9	9	13	14	12	11	10	8	7	3	3	3	
4	3	1	1	2	1												
1					1	1	1				1						17
2	2		3	2	2	1	1				1						
1	2				1	1	1	1									19
	1		1	2													
2	2	1				1	1	1									
3		1															20
1						1											
28	27	41	55	63	66	57	95	104	88	72	53	28	6	1			
2	3	3	5	5	7	3	4	2	1		1	1					
22	22	47	33	47	55	56	69	50	67	62	47	26	12	3	1		21
2		2	5	2	3	3	3		2	1	1					1	
21	16	14	5	2	1	4	1	1	2								
1	1																
15	8	8	5	3	2		3	3			1						22
				1													

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—Continued												
23	Lethargic encephalitis:												
	Males	White	671	23	26	21	11	15	96	47	27	38	36
		Colored	40	1	2	2	1		6		1	7	3
	Females	White	667	15	30	11	19	21	96	50	35	45	49
		Colored	32	1	2		4		7		3	3	2
24	Meningococcus meningitis:												
	Males	White	482	133	50	28	21	12	244	58	36	38	19
		Colored	46	12	1	6	1	2	22	6	2	2	5
	Females	White	374	96	52	21	20	23	212	44	32	11	20
		Colored	39	7	4	2	1	3	17	6	1	5	2
25	Other epidemic and endemic diseases:												
	Males	White	146	38	25	11	5	4	83	14	2	2	1
		Colored	13	3	1	2	1		7	1		1	
	Females	White	110	38	17	10	5	3	73	11	6	2	
		Colored	11	2	4		1		7	1		1	
26	Glanders:												
	Males	White	2										
	Females	Colored	1										1
27	Anthrax:												
	Males	White	16										
		Colored	3			1			1				
	Females	White	4		1	1			2			1	
		Colored	2								1		
28	Rabies:												
	Males	White	39		1	1	2	2	6	5	7	3	1
		Colored	6							1	1	1	
	Females	White	11		1			1	2	4	1		
		Colored	2							1	1		
29	Tetanus:												
	Males	White	762	76	4	14	8	18	120	122	166	75	33
		Colored	279	89	4	4	2	4	103	31	40	22	8
	Females	White	318	53	8	11	6	8	86	61	25	17	17
		Colored	120	71	1		1	2	75	10	2	5	5
30	Mycoses:												
	Males	White	84	27	2	1			30	2		1	8
		Colored	53	34	7	1			42	2	2		1
	Females	White	42	10	1				11	1		3	4
		Colored	50	44	4	1			49			1	
	Tuberculosis (all forms):												
	Males	White	36,394	681	536	303	200	137	1,857	451	428	1,563	3,228
		Colored	9,681	140	138	78	66	50	472	189	262	894	1,570
	Females	White	31,311	541	446	249	167	123	1,526	467	654	3,056	4,941
		Colored	9,960	143	120	81	71	48	463	228	445	1,468	2,037
31	Of the respiratory system—												
	Males	White	31,573	197	138	61	38	31	465	111	194	1,302	2,927
		Colored	8,478	77	67	43	33	23	243	121	202	776	1,420
	Females	White	27,061	141	107	55	28	25	356	157	438	2,752	4,568
		Colored	8,864	72	62	43	39	22	238	158	382	1,335	1,874
32	Of the meninges, central nervous system—												
	Males	White	1,840	339	323	176	113	77	1,028	221	112	73	81
		Colored	276	37	40	16	16	15	124	28	17	23	21
	Females	White	1,572	296	274	152	111	76	909	197	87	90	71
		Colored	242	43	25	28	21	14	131	33	15	22	9
33	Of the intestines, peritoneum—												
	Males	White	1,020	54	29	23	16	7	129	32	46	74	60
		Colored	361	6	6	3	5	3	23	15	19	41	59
	Females	White	1,207	24	23	11	15	8	81	36	48	99	150
		Colored	429	4	6	2	3	5	20	15	22	49	85
34	Of the vertebral column—												
	Males	White	482	7	6	11	13	10	47	26	21	33	38
		Colored	92		3	2	2	2	9	2	5	10	8
	Females	White	333	10	6	4	4	5	29	23	22	24	17
		Colored	61	1	4	2	1		8	6	5	10	6
35	Of the joints—												
	Males	White	226	8	4	2	1	4	19	19	23	16	22
		Colored	54	2		1			3	4	1	6	9
	Females	White	118	6	3	2	3	2	16	12	9	8	7
		Colored	26	2	1			2	5		3	4	5
36	Of other organs—												
	Males	White	598	17	6	7	6		36	19	17	33	33
		Colored	144	2	5	5	3		15	11	8	14	14
	Females	White	416	11	10	7	1		29	11	22	15	37
		Colored	93	5	6	2	3	2	18	4	5	12	9
37a	Disseminated (acute)—												
	Males	White	532	53	28	22	11	8	122	22	11	21	54
		Colored	240	14	16	8	6	6	50	6	7	21	33
	Females	White	488	45	22	16	4	7	94	30	26	60	79
		Colored	202	10	13	4	2	3	32	11	11	32	43
37b	Disseminated (chronic or unspecified)—												
	Males	White	123	6	2	1	2		11	1	4	11	13
		Colored	36	2	1		1	1	5	2	3	3	6
	Females	White	116	8	1	2	1		12	1	2	8	12
		Colored	43	6	3		2		11	1	2	4	6
38	Syphilis:												
	Males	White	3,298	559	27	13	5	7	611	19	16	26	58
		Colored	1,916	369	46	14	12	5	446	11	8	37	113
	Females	White	1,482	442	24	8	4	6	484	16	20	41	63
		Colored	1,147	291	43	13	8	5	360	9	16	46	106
39	Soft chancre:												
	Males	White	3	1					1				
		Colored	2										
	Females	White	2										
		Colored	1										1
40	Gonococcus infection:												
	Males	White	92	11				1	12			1	5
		Colored	56	9					9				6
	Females	White	397	14					14	1	2	35	92
		Colored	224	5					5	1	2	23	51
41	Purulent infection, septicemia:												
	Males	White	635	74	14	8	3	4	103	42	34	49	23
		Colored	80	6	5			1	12	3	2	1	5
	Females	White	449	52	16	12	3	4	87	24	25	29	33
		Colored	77	5	2		1	1	9	2	2	2	9

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
32	49	61	49	60	53	51	26	27	11	3	3	1				1	
5	6	3	7		1	1											
35	33	48	46	62	54	30	44	17	14	6	2	1					23
4	3	4	2	1	1	1	1										
13	12	14	12	12	9	1	8	1	1	3	1						
2		1	2	4													
11	16	10	3	6	4	1		1		2	1						24
2	2	3				1											
1	4	5	4	5	2	3	8	7	4	1							
			1				1			1		1					
3	4		3	1	1		1	3	1			1					25
					1				1								
			1	1													26
	3	2	2	2		1	2	4									
					1				1								
					1												27
						1											
	2	2	1	4	4		1	1	1	1							
	1		1		1												
			1	2		1											28
26	38	28	29	25	27	12	19	24	13	4	1						
10	9	13	8	15	7	3	4	2	3	1							
10	19	20	15	16	10	6	6	6	2	2							29
3	5	2	5	3	2		1	2									
3	5	4	6	3	3	4	5	2	2	4	1	1					
	2			1		3											
3	2	4	3	1	2	3	2	1	1	1							30
3,881	3,869	3,865	3,622	3,167	2,813	2,297	1,992	1,579	950	507	225	57	8	1	2	32	
1,406	1,041	936	781	626	530	318	252	149	119	64	26	17	2	1		26	
4,431	3,371	2,695	2,168	1,680	1,447	1,156	1,101	979	762	546	227	67	14	1	1	21	
1,539	1,019	816	578	459	315	184	143	94	65	40	22	14	3			28	
3,576	3,555	3,581	3,359	2,953	2,592	2,122	1,821	1,446	837	441	204	48	8	1		30	
1,272	957	845	717	568	476	286	232	130	109	59	24	16	2	1		22	
4,103	3,136	2,469	1,968	1,486	1,296	1,017	977	864	690	492	208	53	13	1	1	16	31
1,434	930	735	531	424	288	166	134	84	59	33	17	14	3			25	
68	61	57	45	25	24	19	10	7	7	1	1						
12	12	15	10	7	3		2			1	1						
67	34	24	27	21	14	10	5	10	2	2	1	1					32
8	8	10	1	2	1		1									1	
63	82	71	72	58	71	54	61	54	46	32	8	4			1	2	
43	30	27	19	23	21	14	9	9	6	2						1	
133	89	95	86	77	62	62	56	50	36	27	8	8	1			3	33
55	49	38	29	19	16	8	7	6	3	5	1					2	
48	41	37	34	32	22	30	31	16	17	5	2	2					
17	9	10	6	5	3	5	1	1	1								
22	21	26	23	24	27	20	18	13	9	6	4	5					34
5	2	5	3	3	3	2			1	1	1						
20	14	8	14	11	20	11	7	10	7	4		1					
10		5	4	2	3	2	1	1	1							2	
5	8	6	3	5	6	11	7	3	5	6	1						35
	2	3	1	1		1					1						
51	55	49	45	57	49	39	27	32	24	20	9	2			1		
12	12	12	13	4	10	5	4	6	2	1		1					
37	34	29	26	44	31	23	24	26	15	9	3					1	36
8	9	4	6	4	4	5	1		2		2						
42	53	51	42	24	27	19	25	8	6	4	1						
34	20	21	11	14	12	5	2	2		1						1	
50	40	39	23	18	8	5	5	7	3	1							37a
23	15	19	6	3	1	2		3		1							
13	8	11	11	7	8	3	10	6	6								
6	1	1	1	3	2	1	1				1						
14	9	7	12	5	3	8	9	6	2	3	2					1	37b
6	4	2	1	3	2			1									
92	173	311	359	341	356	317	268	185	95	59	10					2	
118	140	206	169	189	161	104	78	58	34	20	7	2	4			11	
79	98	112	121	129	90	84	68	37	15	14	7	2				2	38
107	91	109	89	62	56	33	16	16	11	9	2				1	8	
	1			1													
1					1												
						1	1										39
4	9	10	6	10	8	12	6	4	1	2	2						
6	6	3	6	6	6	5		2	1								
64	70	55	39	17	3	2	1	2									40
41	29	38	21	11	2												
26	26	28	41	47	46	35	31	32	26	22	14	5	1	1		3	
4	5	5	7	6	5	3	7	7	2	1	3	1				1	
26	29	28	14	26	22	22	19	21	19	7	10	3	3	1		1	41
12	2	7	9	3	6	3	2	1	3		4	1		1	1	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—Continued											
42	Other infectious diseases:											
	Males—White	1				1		1				
	Colored	2										
	Females—White	5								1		
	Colored	1			1			1				
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I											
	Males—White	56,156	1,443	263	181	145	151	2,183	594	549	599	620
	Colored	3,223	200	62	22	13	12	309	40	40	81	99
	Females—White	68,015	1,060	226	137	126	98	1,647	485	545	555	682
	Colored	5,544	104	37	9	12	13	175	35	54	108	193
	Cancer and other malignant tumors:											
	Males—White	37,766	30	33	48	41	35	187	134	96	140	198
	Colored	1,545		2	3	2		7	9	4	15	22
	Females—White	47,162	26	44	41	33	20	164	82	90	116	164
	Colored	3,323	1	7	2	4	1	15	6	8	19	41
43	Of the buccal cavity—											
	Males—White	2,472		2	3	2	2	9	4	8	1	7
	Colored	101		1				1			2	3
	Females—White	478			2	1		3	3		2	3
	Colored	38								2		1
44	Of the stomach, liver—											
	Males—White	17,461	3	2	2	6	2	15	9	10	11	31
	Colored	778								1	2	6
	Females—White	14,861	5	3	3	2	2	15	12	7	12	24
	Colored	725	1	1	1	1	1	5	2	1	4	6
45	Of the peritoneum, intestines, rectum—											
	Males—White	5,383	2	2	8	5	6	23	17	9	19	41
	Colored	166			1			1	1		1	4
	Females—White	6,610	1	4	1	4	3	13	7	8	12	22
	Colored	276				1		1		2	6	3
46	Of the female genital organs—											
	Females—White	11,091		4		1	1	6	5	9	16	37
	Colored	1,483							1	2	2	19
47	Of the breast—											
	Males—White	85									2	
	Colored	11										
	Females—White	7,593									2	9
	Colored	474									1	1
48	Of the skin—											
	Males—White	1,574			3	1	1	5	4	2	3	6
	Colored	33										
	Females—White	939	3	2	3		2	10	2	2	3	4
	Colored	38		1				1				
49	Of other or unspecified organs—											
	Males—White	10,791	25	27	32	27	24	135	100	67	104	113
	Colored	456		1	2	2		5	8	3	10	9
	Females—White	5,590	17	31	32	25	12	117	53	64	69	65
	Colored	289		5	1	2		8	3	1	6	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males—White	306	8	7	3	1	5	24	2	3	5	5
	Colored	21			1	1		2	1			
	Females—White	372	18	6	5	2	1	32	2	1	4	11
	Colored	46							1			2
51	Acute rheumatic fever:											
	Males—White	1,340	8	2	14	17	21	62	218	186	131	84
	Colored	226	5	2	2	1	1	11	9	14	24	9
	Females—White	1,413	6	5	6	22	25	64	188	186	120	99
	Colored	258	1			2	3	6	6	21	17	18
52	Chronic rheumatism, osteoarthritis, gout:											
	Males—White	456		1				1	6	2	8	8
	Colored	37								1	1	
	Females—White	726	1					1		2	5	3
	Colored	45										3
53	Scurvy:											
	Males—White	19	14	3				17		1		
	Colored	11	5	2	1	1		9	1		1	
	Females—White	11	4	3	2		1	10				
	Colored	2		1			1	2				
54	Pellagra:											
	Males—White	394	4		2		1	7	2	4	7	2
	Colored	274	2	1	2	1	1	7	7	7	9	16
	Females—White	692		1	1		1	3	2	4	10	31
	Colored	846	1	2		1	1	5	9	9	43	90
55	Beriberi:											
	Males—Colored	11									2	3
	Females—White	1										
	Colored	1	1					1				
56	Rickets:											
	Males—White	226	160	37	12	6	1	216	4	2	3	
	Colored	98	55	34	3	2	1	95	2		1	
	Females—White	141	91	33	7	5		136	4	1		
	Colored	58	37	14	2	1	1	55	2	1		
57	Diabetes mellitus:											
	Males—White	6,404	9	20	18	13	24	84	75	118	124	119
	Colored	389			1		3	4	5	6	16	17
	Females—White	8,929	3	13	16	11	9	52	93	145	123	112
	Colored	542		3	1			4	3	10	8	8
58	Anemia, chlorosis:											
	Males—White	2,718	61	24	12	10	10	117	21	29	25	32
	Colored	72	9	5		1	1	16		2	1	
	Females—White	3,215	46	29	8	14	6	103	23	31	28	53
	Colored	83	6		1		2	9	1	1	9	9
59	Diseases of the pituitary gland:											
	Males—White	31	1	1				2	1	1	4	
	Colored	1					1	1				
	Females—White	23					1	1	1	2	2	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
	1				1												
	1		2	1													42
790	1,126	1,689	2,506	3,497	4,953	6,150	7,728	8,095	6,812	4,663	2,458	871	204	29	5	35	
126	107	175	275	292	349	298	321	242	187	128	68	40	11	8	12	15	
1,047	1,641	2,642	4,058	5,597	6,990	7,852	8,933	8,553	7,291	4,973	2,957	1,140	330	50	11	36	
255	362	521	655	639	675	470	434	324	271	160	103	47	18	15	10	20	
303	469	811	1,429	2,225	3,418	4,446	5,784	6,165	5,334	3,736	1,978	693	168	24	5	23	
29	43	62	142	165	219	200	195	159	112	75	41	29	5	5	2	5	
441	951	1,803	3,011	4,220	5,222	5,677	6,288	6,113	5,426	3,791	2,350	915	265	42	9	22	
85	174	314	423	452	490	324	304	238	196	100	62	30	14	9	5	14	
16	9	37	98	158	241	306	385	377	324	235	158	72	19	5	1	2	
	1	2	11	13	16	13	12	9	6	7	2	1	1			1	
3	8	12	19	22	35	36	55	59	69	61	47	29	12				43
2	1	4	1	7	5	3	3	4	4							1	
66	128	277	617	1,031	1,678	2,184	2,898	3,088	2,579	1,700	807	259	51	7	2	13	
8	20	27	76	97	117	99	109	83	61	28	18	19	1	2		4	
58	164	313	570	930	1,288	1,689	2,172	2,384	2,255	1,635	931	313	67	10	3	9	44
13	22	45	76	84	94	82	88	64	72	33	17	8	4	2		3	
70	115	155	255	331	483	690	837	859	694	478	221	73	12		1		
8	11	10	16	15	10	31	21	16	4	12	4		1				
74	124	197	348	486	638	786	843	933	883	628	415	156	31	5		1	45
9	20	20	34	34	46	25	27	15	15	7	8	3				1	
160	346	694	1,116	1,402	1,592	1,431	1,398	1,172	845	480	262	84	24	5	1	6	
45	97	182	209	223	227	126	107	104	64	31	22	7	7	2	1	5	46
1	1	3	3	8	7	8	12	22	8		6	4					
			1	1	2	1	2	1	1	2							
52	172	373	653	928	1,037	1,006	965	800	616	458	314	141	54	9	1	3	47
5	20	39	63	68	71	53	55	31	26	19	9	7	1	3	1	1	
7	13	22	40	67	89	107	143	215	264	229	204	101	43	7		3	
3	1	1	2	2	4	6	2	4	4	1	2		1				
5	10	11	17	33	38	41	73	95	133	144	158	103	48	6	2	1	48
2		2	3	4	7	7	1	2	4	1		1	1	1		1	
143	203	317	416	630	920	1,151	1,509	1,604	1,465	1,094	582	184	43	5	1	5	
10	10	22	36	37	70	50	49	46	36	25	15	9	2	2	2		
89	127	203	288	419	594	688	782	670	625	385	223	89	29	7	2	2	49
9	14	22	37	32	40	28	23	18	11	9	6	4	1	1	3	2	
6	10	16	20	37	33	26	29	30	20	19	17	4					
2		2	1	2	1	3	3	2	1		1						
13	15	19	16	32	24	29	36	37	29	26	22	19	5				50
2	4	5	6	2	8	4	4	2	1	2	1					2	
52	42	54	62	51	68	56	70	65	61	41	24	10	3				
10	8	15	15	15	14	14	8	16	13	11	8	4	2	1	4	1	
67	73	55	65	57	69	50	63	71	69	44	45	19	6	1		2	51
18	20	25	19	17	17	15	12	12	6	11	8	5	2	1	2		
16	10	12	23	20	26	28	48	59	68	56	36	19	6	2		2	
1	1	4	2	2	6	1	3	2	2	4	3	1	1		2		
11	9	15	18	32	40	54	89	118	98	112	75	30	13			1	52
4	1	2	4	2	6	4	3	4	4	1	4	1		1	1		
	1																
								1									53
14	14	11	31	31	41	37	55	54	43	26	12	2				1	
23	10	17	24	17	29	18	31	11	22	13	3	2	1	1	3	3	
47	62	73	91	66	50	48	55	50	46	30	16	3	1	1		3	54
107	88	105	103	72	59	44	33	28	19	15	8	4	1	1		3	
1		3	1	1													
							1										55
1																	
																	56
124	122	161	195	313	514	725	956	991	844	530	281	108	16	1		3	
15	10	23	27	40	36	36	51	34	30	20	9	2	2	1	1	4	
118	137	181	252	433	780	1,185	1,516	1,488	1,136	710	323	107	27	3	1	7	57
14	27	36	59	66	71	57	59	34	34	25	17	5		3	1	1	
39	60	79	134	178	279	340	416	431	291	166	59	13	9				
3	1	9	9	4	6	6	4	7		3	1						
71	87	128	192	290	344	411	478	400	303	171	66	31	4	1			58
7	8	7	5	5	4	6	4	1	3	3	1						
3	3	1	2	6	2	3	1	1		1							
																	59
2	3	2	2	1	1	1	1			1							

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I—Continued												
60a	Exophthalmic goiter:												
	Males	White	353					1	1	1	5	16	9
		Colored	10								1	1	
	Females	White	2,244	1					1	2	19	74	112
		Colored	107								1	2	7
60b	Other diseases of the thyroid gland:												
	Males	White	92	10	6	2	3	1	22		2	8	1
		Colored	8	1	1				2				1
	Females	White	335	13	5	3	2	1	24	3	3	11	13
		Colored	33	1					1			1	3
61	Diseases of the parathyroid glands:												
	Males	White	46	32	3	4	2		41	1	1		
		Colored	9	6	2				8				
	Females	White	34	26	1			2	29	1		1	
		Colored	8	4	2		1		7				
62	Diseases of the thymus gland:												
	Males	White	568	458	37	12	12	11	530	9	3	11	3
		Colored	45	38	1	1	1	2	43				
	Females	White	402	342	17	10	5	2	376	8	7	3	4
		Colored	24	18	1				19	1		1	1
63	Diseases of the adrenals (Addison's disease):												
	Males	White	175	1					1		2	8	5
		Colored	4										
	Females	White	188	2					2		3	2	5
		Colored	1										
64	Diseases of the spleen:												
	Males	White	66	4				1	5	2	2	3	2
		Colored	7				1	1	2			1	
	Females	White	57	5			1		6	3	1		4
		Colored	2									1	
65a	Leukemia:												
	Males	White	869	17	18	25	18	17	95	62	48	52	45
		Colored	40	1		2		1	4	3	2	2	5
	Females	White	612	13	16	14	16	10	69	32	23	25	25
		Colored	22	1	1	1	2	1	6	1	1	1	2
65b	Hodgkin's disease:												
	Males	White	469	12	6	3	5	3	29	28	25	19	36
		Colored	31			1	1		2	2			3
	Females	White	282	7	1	1	2	1	12	8	8	15	16
		Colored	5								1		
66	Alcoholism (acute or chronic):												
	Males	White	2,584								1	13	40
		Colored	229								2	5	17
	Females	White	237									2	6
		Colored	48									3	7
67a	Chronic lead poisoning:												
	Males	White	123									1	4
		Colored	10										2
	Females	White	7	1			1		2				
67b	Other chronic mineral poisoning:												
	Males	White	12										
		Colored	3										
	Females	White	4		1				1				
		Colored	2										
68	Chronic poisoning by organic substances:												
	Males	White	105								1	1	5
		Colored	20									1	2
	Females	White	67									1	5
		Colored	11										1
69	Other general diseases:												
	Males	White	1,034	614	65	26	17	20	742	28	17	20	22
		Colored	122	78	12	5	1		96	1	1	1	2
	Females	White	861	455	51	23	12	18	559	33	19	13	16
		Colored	77	33	6	2	1	3	45	5	1	3	1
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE												
	Males	White	60,010	1,784	432	255	165	142	2,778	628	491	558	548
		Colored	6,467	381	73	39	30	24	547	57	61	110	111
	Females	White	53,967	1,219	399	218	134	102	2,072	476	405	366	439
		Colored	6,275	242	59	24	27	16	368	38	53	80	108
70	Encephalitis:												
	Males	White	529	54	35	12	12	12	125	39	22	23	30
		Colored	74	13	7	1			21	4	2	5	4
	Females	White	446	40	34	17	9	5	105	27	25	20	36
		Colored	51	5	7	3	3	1	19	3	5	4	1
71a	Simple meningitis:												
	Males	White	1,258	356	109	75	44	32	616	125	66	65	38
		Colored	177	48	14	15	6	1	84	16	6	14	6
	Females	White	972	272	109	65	37	27	510	86	57	30	42
		Colored	103	22	8	9	8	1	48	8	4	5	6
71b	Nonepidemic cerebrospinal meningitis:												
	Males	White	394	97	46	26	15	7	191	52	33	19	17
		Colored	47	13	6	4	1	3	27	2	2	4	1
	Females	White	275	63	34	20	19	6	142	42	30	12	6
		Colored	41	9	7	3	2	1	22	7	5	2	2
72	Tabes dorsalis (locomotor ataxia):												
	Males	White	1,196									2	1
		Colored	73										4
	Females	White	351	1					1		2	1	2
		Colored	26										1
73	Other diseases of the spinal cord:												
	Males	White	1,531	24	11	4	4	5	48	19	26	36	31
		Colored	120	2				2	4	1	1	2	6
	Females	White	1,291	8	3	4	6	4	25	22	12	18	25
		Colored	102	2	1		1		4	2	2	4	1
74a	Cerebral hemorrhage:												
	Males	White	39,727	75	17	15	6	9	122	19	23	36	69
		Colored	3,636	12	3	2	1	2	20	5	7	13	28
	Females	White	39,429	59	15	5	3	8	90	20	23	28	61
		Colored	4,156	9	5			2	16	2	8	11	26

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
19	26	41	45	40	41	34	28	29	8	7	2					1	
1		1			2	1	1	2									
144	145	196	233	304	267	239	212	141	93	38	18	4	2				60a
6	19	14	18	13	7	9	9	1	1								
2	6	1	9	4	5	3	7	8	8	1	3	1	1				
			2	1		2											
18	18	24	21	31	44	24	47	23	12	6	6	3	2		1	1	60b
	1	3	4	4	4	1	4	2	2		1	1	1				
1		1				1											
					1												61
1		1	1														
		1															
5	1	3		2		1											
1	1																62
2	1	1															
2																	
8	11	21	18	20	13	19	13	17	9	7		2				1	
						2	1		1								
10	19	26	18	16	21	23	18	11	5	3	4	2					63
				1													
4	7	1	4	5	5	9	3	3	4	4	1	2					
2	1		1														
2	3	5	3	2	3	5	7	6	3	2	2						64
		1															
32	44	46	47	61	62	74	74	62	29	20	12	4					
7		4	2	2	3		5	1									
39	31	42	52	37	52	46	64	33	21	9	10	1	1				65a
1	2	1	2	1	2	1			1								
32	37	32	30	40	33	39	28	34	9	11	4	3					
2	4	2	2	2	2	2	3	2	2							1	
22	31	18	21	16	19	18	21	26	16	9	4	1		1			65b
	1	2							1								
90	222	352	418	418	375	279	175	120	54	14	6	3				4	
16	24	30	39	35	25	12	15	5	2		1	1					
23	35	34	35	34	30	17	9	8	3	1							66
4	12	3	8	4	3	2	2										
5	4	11	18	17	15	13	16	8	5	5	1						
4		1	1	1	1												
	1	1	1				1		1								67a
2		3	1	1	1	1				2	1						
	2		1														
2				1													67b
			1		1												
18	21	14	10	6	7	4	9	5	2	1	1						
7	1	2	2	1	1	1			1	1							
6	7	6	6	8	3	5	5	3	6	4	2						68
3	2		2		1	1				1							
14	16	18	10	22	15	12	16	13	23	16	20	7	1	2			
2	1		4	4	3		1	1	1	1	1	1				1	
8	13	12	20	17	21	20	22	24	24	16	14	5	3	2			69
2	3	2	1		2	2		2	3	2	1	1			1		
656	976	1,630	2,135	2,768	3,838	5,004	6,488	8,043	8,303	7,403	4,953	2,068	586	95	11	50	
172	188	310	476	558	739	621	579	565	501	349	261	125	62	23	15	37	
556	720	1,015	1,481	2,189	3,322	3,802	5,423	6,697	7,647	7,428	5,932	2,827	936	175	26	33	
118	176	293	464	608	696	598	565	550	529	386	302	162	77	40	33	31	
34	26	34	40	30	35	26	17	19	12	10	6					1	
5	3	5	7	6	4	2	1	1	2		1	1					
25	20	26	28	27	20	18	26	15	14	8		2	2	1		1	70
	2	2		3	3	1	1	2	2		2					1	
32	36	36	46	34	44	43	23	18	14	7	12	2	1				
15	6	8	4	5	4	5	1	1	1							1	
27	33	25	26	25	26	21	25	14	10	8	4	1		1	1		71a
1	5	2	8	6	2	3	3		1	1							
8	17	10	11	10	8	9	6	2	1								
1	1	2	4				1	1		1							
6	8	6	3	5	1	9		2		3							71b
2				1													
8	15	34	72	109	178	183	194	174	124	72	21	8	1				
4	1	5	8	10	5	9	10	8	4	2	1	1			1		
2	6	11	16	33	64	47	55	53	28	18	9	3					72
	1		5	4	1	5	6	1	1		1						
36	35	41	56	97	119	155	203	208	173	126	78	39	2	1		2	
5	5	10	13	8	15	13	10	8	8	4	2	2	1			2	
22	31	44	66	71	104	117	174	164	161	124	74	20	16	1			73
	3	5	9	13	15	6	10	8	9	3	4	2		1		1	
106	176	408	742	1,353	2,308	3,489	4,938	6,395	6,846	6,131	4,202	1,743	500	81	8	32	
54	64	134	261	322	507	425	412	407	378	241	184	91	38	14	9	22	
107	175	371	761	1,432	2,422	2,942	4,331	5,558	6,427	6,282	5,022	2,407	775	154	17	24	74a
56	87	190	324	438	545	465	425	422	392	295	215	122	51	24	22	20	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—Continued											
74b	Cerebral embolism and thrombosis:											
	Males—White	1,367	15	1		3	1	20	4	10	15	6
	Colored	73		1				1	1	1	2	
	Females—White	1,404	7		3			10	7	1	9	15
	Colored	98	1					1		1	2	2
75	Paralysis without specified cause:											
	Males—White	2,146	15	3	4	6		28	4	7	3	10
	Colored	665	8	2	3	1	3	17	2		5	5
	Females—White	2,278	21	2	2	3	1	29	5	4	6	8
	Colored	735	2	3	1	3	2	11	1	1	5	5
76	General paralysis of the insane:											
	Males—White	4,240								5	6	16
	Colored	612									6	6
	Females—White	1,220								1	4	9
	Colored	214									2	8
77	Other forms of mental alienation:											
	Males—White	588							1	1	17	42
	Colored	94									7	10
	Females—White	741									13	25
	Colored	113								1	7	14
78	Epilepsy:											
	Males—White	1,557	37	14	12	9	7	79	57	84	158	154
	Colored	291	19	7	1	4	4	35	8	24	38	25
	Females—White	1,110	25	15	11	4	10	65	34	61	92	103
	Colored	144	3	1	1		2	7	2	13	22	22
79	Convulsions (nonpuerperal; 5 years and over):											
	Males—White	42							13	6	1	3
	Colored	19							5	2	1	2
	Females—White	62							10	9	9	8
	Colored	25							2	2	1	6
80	Infantile convulsions (under 5 years):											
	Males—White	856	741	70	31	5	9	856				
	Colored	274	239	18	8	6	3	274				
	Females—White	584	467	75	27	11	4	584				
	Colored	181	156	16	4	3	2	181				
81	Chorea:											
	Males—White	19	1				1	2	2	2	4	
	Colored											
	Females—White	59	1		1		1	3	3	13	12	5
	Colored	3							1			
82	Neuralgia and neuritis:											
	Males—White	125	1					1	1	1	2	1
	Colored	12		1				1				
	Females—White	197								1	3	2
	Colored	24										2
83	Softening of the brain:											
	Males—White	381										
	Colored	15										
	Females—White	368										
	Colored	22										
84	Other diseases of the nervous system:											
	Males—White	2,330	72	24	23	23	26	168	73	57	47	47
	Colored	158	11	3	1	1	1	17	3	9	7	7
	Females—White	1,939	57	26	18	15	13	129	51	32	51	49
	Colored	134	13	4		1	1	19	2	6	7	7
85	Diseases of the eye and annexa:											
	Males—White	27	5	2	1	1	1	10	1		1	2
	Colored	5				2		2		1		
	Females—White	41	5	2	4		1	12	2	4	2	2
	Colored	9			1			1	1		1	1
86a	Diseases of the ear:											
	Males—White	1,037	234	64	31	22	19	370	131	93	73	41
	Colored	79	15	9	2	7	1	34	5	4	3	5
	Females—White	743	151	55	28	17	14	265	88	81	26	20
	Colored	58	18	5	1	3	4	31	4	2	3	1
86b	Diseases of the mastoid process:											
	Males—White	660	57	36	21	15	13	142	87	55	50	40
	Colored	43	1	2	2	1	4	10	5	2	3	2
	Females—White	457	42	29	13	10	8	102	79	49	30	21
	Colored	36	2	2	1	3		8	3	3	4	3
	IV.—DISEASES OF THE CIRCULATORY SYSTEM											
	Males—White	98,101	518	116	99	79	86	898	634	836	986	826
	Colored	10,013	41	16	10	8	8	83	52	96	104	186
	Females—White	83,061	420	92	66	82	100	760	687	942	952	930
	Colored	9,046	45	8	8	5	6	72	70	97	162	256
87	Pericarditis:											
	Males—White	425	10	6	1	1	1	19	20	27	14	8
	Colored	91	1				1	2	2	2	5	4
	Females—White	318	10	2	1	1	4	18	13	18	15	11
	Colored	61					2	2	1	3	2	6
88	Endocarditis and myocarditis (acute):											
	Males—White	3,034	204	32	40	29	23	328	156	169	157	143
	Colored	403	11	6	2		3	22	11	15	22	23
	Females—White	2,720	166	23	23	28	29	269	174	203	196	189
	Colored	459	12	3	3	1	2	21	13	18	35	33
89	Angina pectoris:											
	Males—White	7,116		1			1	2		5	6	10
	Colored	260							1		2	2
	Females—White	3,367			1			1	4	3	9	13
	Colored	226			1			1			4	7
90	Other diseases of the heart:											
	Males—White	73,827	234	65	52	42	59	452	434	622	779	641
	Colored	8,241	18	7	6	6	4	41	36	77	75	147
	Females—White	66,357	196	60	37	47	64	404	486	702	722	688
	Colored	7,554	26	5	4	3	2	40	55	73	118	201
91a	Aneurysm:											
	Males—White	1,102								3	7	8
	Colored	268							1	1		6
	Females—White	375	1					1		2	1	8
	Colored	115									1	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
14	12	22	32	49	94	131	158	219	209	194	119	44	13	1		1	
1	3	3	4	6	10	7	13	9	3	5	3	1					
25	19	39	34	37	84	94	144	177	202	207	179	83	34	4			74b
7	4	4	7	9	10	7	8	7	12	6	3	1	4	3			
11	8	17	26	51	77	131	221	347	378	394	272	117	33	6	2	3	
7	7	18	22	38	73	67	66	80	73	74	48	28	19	7	4	5	75
8	9	14	37	56	103	103	192	270	397	409	351	189	64	12	7	5	
7	18	24	48	47	62	70	78	79	86	62	58	30	17	11	10	5	
79	308	649	740	683	567	428	271	184	134	103	38	21	6			2	
25	56	81	108	104	73	60	39	28	13	6	3	1		2		1	76
30	92	143	182	145	128	104	98	79	67	63	56	16	3				
8	18	23	28	36	27	21	13	15	7	1	1	1	1		1	3	
31	53	64	47	38	48	46	50	48	41	33	15	7	1	1		4	
5	6	10	11	18	7	4	4	3	2	2	3		1			1	77
48	65	73	87	92	69	67	56	51	29	29	28	4	3	1		1	
16	12	16	7	11	8	1	1	3	5	5	5	1					
136	132	114	104	88	93	80	72	69	62	35	26	9	3	1		1	
27	23	19	14	22	15	7	8	7	9	3	4					3	
103	110	105	75	68	75	51	42	36	34	31	12	6	5		1	1	78
7	12	12	9	14	11	3	4	1	2	1	2						
5	2	1	1	2	2	2	2	2									
2		2	1	1		1		1							1		
11	3	4	1	1		1		4		1							79
2	4	3	1		1		1	1				1					
																	80
	1	2	1	1	2			1	1								
2	2	1		3	1	2	1	5		4	1		1				81
1			1														
4	3	6	5	7	10	15	12	13	14	12	6	9	2			1	
	1	1	1	2	1	2	1				1		1				
4	5	10	12	12	12	13	20	18	27	19	23	13	2				82
1	1	3	1	4	2	3	2		1	1	1	1	1				
			1	5	8	28	32	51	64	74	67	34	15	1	1		
					3		2		2	3	5						
		1	1	5	11	18	22	48	60	68	76	41	16	1			83
			1	3	1	3	2	2	3	3	3			1			
76	81	121	137	155	179	180	232	242	216	194	82	32	8	2		1	
11	7	8	14	14	15	10	7	9	4	7	5	1	1			2	
78	82	93	115	134	149	157	197	181	170	140	82	35	13			1	84
6	7	6	8	13	6	10	8	6	6	4	7	3	3				
			2	2	1	2	2	1	1	1	1						
						1		1									
2			1			3		1	3	2	4	2	1				85
		1	1	1				1		1							
38	38	36	41	24	34	36	28	34	6	6	3	2	1	1		1	
6	3	3			4	6	1	1	2	1	1						
30	34	29	24	25	31	18	21	14	14	11	8	3	1				86a
3	1		4	3	2			1	2	1							
38	33	35	31	30	31	20	27	16	7	11	5	1				1	
4	2	1	4	2	3	2	3										
26	26	20	12	18	22	17	19	7	4	1	3	1					86b
1	1	2	2	2			3	1		2						1	
940	1,327	2,091	2,965	4,301	6,301	8,003	10,866	13,382	14,128	13,187	9,814	4,694	1,532	287	44	59	
267	389	647	786	965	1,185	965	989	816	858	649	463	247	119	50	45	52	
1,083	1,299	1,724	2,345	3,056	4,260	5,365	7,797	9,878	11,684	11,945	10,112	5,659	2,041	421	82	39	
326	408	588	734	938	996	805	790	695	717	468	398	210	138	71	68	39	
14	13	17	19	27	24	35	40	36	40	32	25	12		2		1	
5	4	2	7	8	18	8	5	6	4	2	6	1					
9	12	5	11	18	17	18	10	32	33	31	26	18	3				87
8	3	6	3	8	4		2		8	1	1		1	1		1	
174	203	302	323	137	148	141	141	145	145	103	80	27	8	2		2	
38	40	70	66	25	23	14	9	6	4	7	4		1	1		2	
199	215	230	271	81	94	97	105	89	106	89	63	30	13	7			88
42	51	68	73	28	29	10	11	6	6	6	4	1	2			2	
25	55	160	298	452	746	848	1,040	1,178	1,001	727	391	133	36	1		2	
6	9	19	29	32	38	28	27	16	27	14	6	2	1			1	
18	32	44	70	116	186	285	450	559	611	501	300	127	29	6		3	89
10	10	20	24	33	22	30	20	16	12	5	4	4	1	1		2	
687	997	1,486	2,088	3,337	4,830	6,296	8,492	10,351	10,793	9,998	7,100	3,216	971	178	34	45	
195	307	488	612	819	1,022	829	859	713	712	542	365	195	92	39	30	46	
810	972	1,347	1,852	2,682	3,677	4,599	6,553	8,220	9,575	9,532	7,712	4,117	1,358	266	50	33	90
250	325	469	586	826	872	712	705	611	607	388	325	159	98	52	51	31	
14	20	45	92	120	162	134	162	138	107	52	25	9	3			1	
12	14	58	44	48	33	22	13	7	5	3						1	
3	12	18	19	26	44	38	45	52	42	39	13	9	1	1		1	91a
4	10	17	19	16	17	10	1	4	6	2	4				1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—DISEASES OF THE CIRCULATORY SYSTEM—Con.											
91b,c	Other diseases of the arteries:											
	Males—White	11,254								1	1	
	Colored	620										
	Females—White	8,756									1	1
	Colored	501								1		
92	Embolism and thrombosis (not cerebral):											
	Males—White	897	25	2		4	1	32	8	3	13	11
	Colored	35	2					2		1		2
	Females—White	682	19	2	1	2	2	26	2	8	6	13
	Colored	40	1					1	1			4
93	Diseases of the veins:											
	Males—White	232	5		1			6	2	1	4	
	Colored	20	1					1				
	Females—White	323	2					2	1	1	1	4
	Colored	27									1	1
94	Diseases of the lymphatic system:											
	Males—White	102	29	10	5	3	1	48	10	2	3	1
	Colored	22	3	3	2	2		10	1			1
	Females—White	74	21	5	2	4	1	33	4	3		
	Colored	7	1					1		1		
95	Hemorrhage without specified cause:											
	Males—White	58	11					11	4	3	2	4
	Colored	23	5					5				
	Females—White	51	5		1			6	3	2	1	3
	Colored	30	5			1		6			1	1
96	Other diseases of the circulatory system:											
	Males—White	54										
	Colored	30										1
	Females—White	38										
	Colored	26								1		
	V.—DISEASES OF THE RESPIRATORY SYSTEM											
	Males—White	52,358	11,216	3,112	1,317	628	371	16,644	1,029	520	947	1,039
	Colored	10,246	2,577	805	278	129	79	3,868	186	132	397	634
	Females—White	41,394	8,459	2,640	978	502	304	12,883	849	495	640	710
	Colored	7,484	2,025	718	238	126	53	3,160	181	135	312	415
97a	Diseases of the nasal fossae:											
	Males—White	90	26	6	1		2	35	2	3	4	5
	Colored	120	84	12	5	1	1	103	1	2	2	2
	Females—White	77	35	1				36	1			
	Colored	112	65	8	2	4		79	2	2	3	3
97b	Diseases of the nasal fossae annexa:											
	Males—White	257	12	5	1	1	2	21	10	10	34	34
	Colored	20	1				1	2			4	1
	Females—White	169	5	2	5		2	14	11	10	15	19
	Colored	14				1		1	2	1		
98	Diseases of the larynx:											
	Males—White	278	61	42	36	17	15	171	29	7	1	2
	Colored	34	12	3	5	2	1	23		1	1	1
	Females—White	215	53	37	22	14	7	133	16	4	3	3
	Colored	18	3	4				7	1			1
99a	Acute bronchitis:											
	Males—White	1,260	579	98	37	8	4	726	16	5	4	7
	Colored	172	94	15	6	4		119	2	2	2	3
	Females—White	1,286	450	68	20	5	6	549	16	7	3	6
	Colored	156	74	18	7	1		100	3	1	4	9
99b	Chronic bronchitis:											
	Males—White	1,133	22	8	4	1	1	36	4	3	5	2
	Colored	75	5	1	2			8	1		4	2
	Females—White	1,155	19	8	2	1	1	31	2	2	3	11
	Colored	77	2	4	1			7	1		7	3
99c,d	Bronchitis (unspecified):											
	Males—White	740	252	38	14	10	1	315	8	2	2	3
	Colored	141	61	24	6	1		92	2	1	3	2
	Females—White	750	197	35	13	9	2	256	3	1	3	4
	Colored	152	58	14	3		1	76	7	1	3	1
100a	Broncho-pneumonia:											
	Males—White	17,661	6,840	1,742	620	291	159	9,652	347	133	137	155
	Colored	2,929	1,359	444	131	59	33	2,026	53	31	45	54
	Females—White	15,790	5,257	1,547	500	237	131	7,672	309	142	146	116
	Colored	2,473	1,103	405	117	57	18	1,700	64	26	43	55
100b	Capillary bronchitis:											
	Males—White	498	318	58	21	7	4	408	7	2		3
	Colored	101	51	21	7	2	3	84	3	1	2	1
	Females—White	462	235	52	14	7	3	311	5	2	2	
	Colored	80	43	11	1	1		56	1	1	2	5
101a	Lobar pneumonia:											
	Males—White	24,484	2,294	873	439	221	138	3,965	480	277	643	699
	Colored	5,123	487	182	78	36	31	814	82	73	268	504
	Females—White	16,931	1,663	679	309	180	123	2,954	393	268	354	435
	Colored	3,111	342	176	66	36	20	640	61	79	188	255
101b	Pneumonia (unspecified):											
	Males—White	2,189	559	123	64	38	26	810	48	37	52	53
	Colored	1,031	389	85	28	22	7	531	32	17	52	38
	Females—White	1,847	396	111	44	21	17	589	38	23	40	48
	Colored	854	301	67	36	19	9	432	32	17	40	51
102	Pleurisy:											
	Males—White	1,439	100	95	64	27	15	301	54	29	45	49
	Colored	157	13	8	3		1	25	5	2	7	18
	Females—White	940	61	81	42	17	10	211	31	25	41	36
	Colored	140	5	5	2	2	5	19	7	3	13	14
103	Congestion and hemorrhagic infarct of the lung:											
	Males—White	575	106	6	4	1	1	118	9	1	1	5
	Colored	52	10	1				11	2		2	1
	Females—White	642	53	8	2	1		64	8	4	7	2
	Colored	50	16	2	1	1		20		1	1	
104	Gangrene of the lung:											
	Males—White	120	2			1		3		2	4	3
	Colored	10										2
	Females—White	55	1	1				2	2		5	3
	Colored	6										2

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
4	11	38	75	138	264	432	827	1,370	1,904	2,168	2,127	1,268	506	102	10	8	
2	4	5	17	21	37	55	63	62	94	80	81	48	24	10	15	2	
2	3	14	43	59	160	229	526	807	1,211	1,651	1,931	1,322	625	138	31	2	91b,c
	7		9	14	40	34	42	50	75	61	57	43	32	17	16	3	
12	20	23	48	59	98	82	121	120	97	75	46	22	6	1			
3	3	1	4	2	6	4	2	2	1	1	1						
26	31	40	35	40	47	47	69	66	73	68	45	28	9	2	1		92
5	2	4	5	6	2	2	2	1	2	1		1	1				
6	6	13	14	20	21	27	25	31	25	13	13	4		1			
3	1	2	1	2	2	1	2	1	3				1				
11	19	19	37	25	30	41	33	39	23	21	10	5	1				93
1		4	5	4	5	1	2	1		1		1					
	1	4	5	4		3	6		5	6	3		1				
3				2	2		2		1								
2	1	3	2	3	2	6	1	4	2	3	3	1	1				94
1			1	1	1						1						
3	1	2	2	3	5	3	3	4	2	3	1	1	1				
	4	1	2	3			1	2	4			1					
3	2	1	2	3	2	3	1	4	4	4	5	2					95
4			6		3	2	2	1		2		1	1				
1		1	1	4	3	2	9	9	9	10	3	2					
	3	1	4	3	4	4	6	1	3								
		3	3	3	1	2	4	6	4	6	4		1	1			96
1			3	2	1	4	3	5	1	1	2		2				
1,084	1,458	2,114	2,394	2,563	2,769	2,871	3,080	3,228	3,254	3,054	2,381	1,272	492	108	16	41	
590	511	639	611	591	523	318	321	281	239	165	112	50	31	14	12	21	
818	998	1,153	1,083	1,221	1,490	1,663	2,280	2,761	3,177	3,336	3,022	1,838	735	193	29	20	
366	322	314	333	344	306	221	223	215	212	121	127	62	52	18	22	23	
7	7	7	1	5				1	3	4	2	3		1			
1		1	1	2			1	1	1		1					1	
1	3	1			2	1	3	2	4	6	6	3	7	1			97a
6			2	2		2	1	3	2		1	1	1	1	1		
21	17	28	23	18	9	13	7	7	1	2	2						
3	2	3	2	1	1		1										
15	9	19	10	10	10	5	6	5	7	2	1	1					97b
1	2	3	2			1				1							
2	2	7	7	8	12	5	2	10	5	5	1		2				
		1	1	2	2				2								
2	7	6	3	4	9	2	3	8	2	6	2	2					98
2	1			1	1	1	1		1					1			
8	7	11	18	13	15	26	34	41	56	75	86	67	36	8	1		
1	2	8	4	3	7	2	2	4	1	2	3	2	2	1			
4	4	10	10	12	14	18	25	50	92	122	141	125	52	21	4	1	99a
6	3	3	2	5	4	4	3	1	2	2	1		1	2			
6	9	21	35	25	44	73	76	109	162	196	186	90	38	9	3	1	
1	4	1	7	7	8	4	2	6	4	4	5	1	2	1	3		
8	8	10	15	15	22	35	73	107	174	216	215	131	58	15	3	1	99b
3	4	2	2	4	7	7	6	7	7	4	2	1	1		2		
5	4	4	10	12	13	19	23	23	43	71	98	54	24	7			
3	4	6	3	3	4	4	4	1	3	1	3			2			
7	2	4	5	8	13	5	21	24	56	75	115	83	53	9	3		99c,d
6	5	3	7	2	7	8	3	2	3	2	7	4	3		1	1	
168	214	302	356	407	482	487	662	740	912	965	838	460	189	40	7	8	
68	27	69	65	87	68	46	63	57	59	51	24	18	9	5	2	2	
162	175	203	201	229	334	397	586	773	934	1,164	1,175	696	290	71	7	8	100a
37	42	37	53	52	52	35	44	48	62	40	39	20	11		8	5	
	2	2	3	6	2	6	3	6	8	13	12	8	6	1			
1	2		2	1	1	1	1		1								
1			1	3	3	8	12	16	15	20	36	17	9		1		100b
1		2	1			2	1	1	1	2	2	1				1	
757	1,054	1,487	1,644	1,720	1,859	1,852	1,848	1,867	1,643	1,307	838	390	102	25	3	24	
457	417	477	440	393	360	214	183	153	113	77	46	22	11	4	2	13	
505	661	745	703	805	904	1,000	1,278	1,480	1,491	1,340	912	501	141	48	8	5	101a
250	212	213	212	224	185	121	114	119	94	40	43	21	18	10	2	10	
34	30	76	79	79	70	87	96	120	136	138	114	79	40	5	1	5	
34	29	31	41	46	29	22	26	29	30	12	18	3	5	2		4	
35	40	54	49	34	53	55	100	97	143	134	152	97	49	11	1	5	101b
30	27	25	19	18	29	16	23	13	19	11	21	6	13	1	7	4	
47	64	85	99	98	101	91	108	89	78	54	27	14	5			1	
8	9	17	9	9	11	9	10	8	5	1	1	2			1		
38	52	46	39	31	57	51	57	58	50	44	44	25	4				102
7	8	10	12	13	6	6	7	3	4	5	2	1					
2	6	11	12	10	16	12	20	35	47	70	88	64	39	8	1		
1	3	3	5	3	1	1	6	2	1	5	1	1			3		
6	4	3	13	9	4	13	22	32	58	84	123	113	60	12	1		103
			2	3	2	3	4		3	1	4	3	2	1			
3	5	8	15	9	17	13	16	12	6	2	1	1					
	2	1		1	1	1	2										
7	5	7	3	2	3	3	2	4	4	1	1	1					104
1			1	1					1								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	V.—DISEASES OF THE RESPIRATORY SYSTEM—Continued											
105	Asthma:											
	Males—White	914	16	9	7	5	1	38	10	2	4	2
	Colored	167	4	6	3	2		15	2	1	3	1
	Females—White	751	12	4	2	5	1	24	7	1	4	12
	Colored	144	1	3	2	3		9		2	2	1
106	Pulmonary emphysema:											
	Males—White	79	4	2				6	1			1
	Colored	7										
	Females—White	53		2				2			1	
	Colored	5	2					2				
107	Other diseases of the respiratory system (tuberculosis excepted):											
	Males—White	641	25	7	5		2	39	4	7	11	16
	Colored	107	7	3	4		1	15	1	1	2	4
	Females—White	271	22	4	3	5	1	35	7	6	13	15
	Colored	92	10	1		1		12		1	6	15
	VI.—DISEASES OF THE DIGESTIVE SYSTEM											
	Males—White	44,948	11,920	2,917	1,101	584	382	16,904	1,236	1,059	1,156	1,120
	Colored	6,329	2,088	773	198	96	67	3,222	128	98	154	200
	Females—White	36,280	8,520	2,484	837	510	311	12,662	1,138	827	750	891
	Colored	5,576	1,679	623	168	66	41	2,577	130	104	169	257
108	Diseases of the mouth and annexa:											
	Males—White	342	38	9	4	3	1	55	20	11	12	13
	Colored	50	12	3	1			16	4	1	1	1
	Females—White	254	31	10	2	5	5	53	12	9	5	11
	Colored	41	3			1		4	1		3	4
109a	Adenoid vegetations:											
	Males—White	5	3					3	1			
	Colored	1	1					1				
	Females—White	3	1				1	2	1			
	Colored	1	1					1				
109b	Other diseases of the pharynx, tonsils:											
	Males—White	1,598	127	89	89	77	61	443	217	118	107	107
	Colored	155	19	9	8	6	11	53	17	4	11	13
	Females—White	1,404	65	50	58	64	52	289	245	112	101	101
	Colored	155	12	6	6	6	4	34	17	15	12	11
110	Diseases of the esophagus:											
	Males—White	71	3	4		1	1	9		1		1
	Colored	8		1			1	2				1
	Females—White	29	2		2			4			1	1
	Colored	3				1		1	1			
111a	Ulcer of the stomach:											
	Males—White	2,588	13				1	14	2	4	21	61
	Colored	189		2				2			2	8
	Females—White	1,077	4	1	1			6	4	9	19	29
	Colored	149	2	1				3		1	9	10
111b	Ulcer of the duodenum:											
	Males—White	1,088	8					8			10	27
	Colored	44									1	5
	Females—White	267	3					3	1		4	10
	Colored	20								1	1	1
112	Other diseases of the stomach (cancer excepted):											
	Males—White	2,539	693	101	39	19	12	864	35	16	20	16
	Colored	730	167	53	14	17	8	259	16	7	8	17
	Females—White	1,979	455	99	39	21	15	629	34	18	10	19
	Colored	842	160	34	13	8	6	221	7	10	17	27
113	Diarrhea and enteritis (under 2 years):											
	Males—White	12,565	10,078	2,487				12,565				
	Colored	2,467	1,785	682				2,467				
	Females—White	9,633	7,466	2,167				9,633				
	Colored	1,984	1,428	556				1,984				
114	Diarrhea and enteritis (2 years and over):											
	Males—White	2,746			760	280	113	1,153	177	44	30	32
	Colored	514			147	63	20	230	29	11	14	10
	Females—White	2,857			603	270	105	978	175	43	29	50
	Colored	594			127	37	20	184	38	12	14	31
115	Ancylostomiasis:											
	Males—White	17				1	1	2	4	4	3	1
	Colored	3			1			1		1	1	
	Females—White	16			1	2	1	4	2	7	1	
	Colored	3							2			
116	Diseases due to other intestinal parasites:											
	Males—White	44	2	2	4	5	5	18	8	3		1
	Colored	28	5	3	8	3	4	23	4			
	Females—White	36	4	9	4	3	1	21	4	1	2	2
	Colored	29	1	6	7	3		17	7		1	
117	Appendicitis and typhlitis:											
	Males—White	7,875	27	49	101	117	117	411	600	714	762	670
	Colored	693	6		3	4	9	22	31	55	72	83
	Females—White	5,201	14	45	55	108	85	307	517	530	445	384
	Colored	518	4	1	2	3	3	13	32	43	62	76
118a	Hernia:											
	Males—White	1,813	72	15	10		3	100	6	6	12	20
	Colored	233	18	5	2		2	27	2		8	6
	Females—White	1,476	12	2				14	1	1	2	8
	Colored	72	5			2	1	8			1	
118b	Intestinal obstruction:											
	Males—White	2,966	637	117	51	52	34	891	86	66	83	73
	Colored	390	46	9	6	3	6	70	13	10	20	21
	Females—White	2,842	333	68	34	14	17	466	66	36	33	93
	Colored	406	51	10	6		2	69	12	5	15	32
119	Other diseases of the intestines:											
	Males—White	671	69	16	14	13	5	117	13	11	17	11
	Colored	89	14	2			2	18	1	2	4	9
	Females—White	523	36	8	4	3	1	52	11	11	7	16
	Colored	100	7	2	2	1	1	13	2	1	7	9

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
8	18	24	34	63	59	96	109	111	103	113	68	37	8	4			105
6	4	9	14	21	16	8	17	15	12	12	7	1	2			1	
9	16	29	26	40	49	50	69	84	115	96	73	33	8	5	1		
9	11	9	11	13	12	14	12	13	6	9	2	3	2	2	1	1	
		4	5	4	4	6	9	5	13	11	7	2	1				106
2			2	1				1	1								
2	2			3		4	7	2	13	6	6	4	1				
	1		1					1									
16	19	37	53	86	66	85	67	52	35	28	13	3	2			2	107
4	6	12	15	11	14	6	3	4	6		3						
16	10	16	5	16	13	16	16	19	19	20	20	6	3				
7	6	7	6	6	1	1	4	4	7	4	3	1				1	
1,178	1,386	1,816	1,980	2,139	2,443	2,473	2,498	2,489	1,953	1,469	1,006	458	132	17	10	26	
207	227	264	294	287	323	228	188	141	132	80	67	33	14	14	11	17	
1,038	1,187	1,363	1,520	1,710	1,936	1,875	2,006	1,996	1,727	1,606	1,198	605	180	36	10	19	
259	244	269	258	281	245	170	155	119	110	81	68	29	17	6	19	9	
13	16	20	27	18	31	24	23	25	14	5	10	2	1	1		1	108
2	2	2	2	4	2	4	1	1	4	1			1			1	
15	12	9	25	24	15	18	10	7	6	7	11	4	1				
3	4	3	3	2	4	3	1	3	1	1			1				
																1	109a
110	87	76	61	56	43	39	35	28	26	26	15	3	1				109b
6	10	10	6	8	6	1	1	2	1	4				1		1	
62	80	65	59	54	48	41	36	35	21	29	12	8	4			2	
14	11	5	10	6	10	2	2	5			1						
	2	1	4	5	7	7	5	6	4	8	7	4					110
2		1					1				1						
2	1	1	2	2	3	2	3	1	1	2	1	2					
1																	
104	168	236	280	276	270	269	271	240	164	117	69	15	4			3	111a
9	6	27	22	30	28	18	14	8	6	4	3		1		1		
37	48	72	69	99	105	114	112	111	83	79	48	27	4	1		1	
8	5	22	24	15	13	8	7	6	5	5	5		3				
61	77	125	140	121	119	131	98	90	35	27	15	4					111b
8	3	3	6	5	4	5	1		1	1	1						
12	25	20	24	24	33	27	22	16	21	11	10	2	1			1	
3	1	2	3	2	2	1		1	1	1							
26	50	70	91	100	140	160	173	196	172	160	139	80	26	3		2	112
22	26	44	57	52	53	43	35	22	24	11	14	8	3	5	2	2	
27	31	42	39	47	72	82	115	119	149	199	177	113	40	13	4		
28	38	65	65	69	63	46	52	32	33	24	19	7	6	2	6	5	
																	113
34	43	74	54	63	80	95	107	131	167	156	167	92	35	4	2	6	114
13	17	14	12	17	24	12	17	20	20	16	12	8	4	2	5	7	
46	49	44	65	50	73	91	116	163	222	238	241	121	49	7	4	3	
26	24	20	23	25	31	26	32	22	27	16	20	11	3	2	6	1	
1					1	1											115
			2														
					1												
	1	6	1	1	1	2		1		1							116
1																	
2		2	1			1											
			2	2													
582	590	622	615	536	501	469	297	258	131	73	32	9			1	2	117
59	79	76	68	44	40	27	20	8	4	2	1					2	
389	374	380	352	306	346	266	229	152	91	81	28	16	3			5	
68	52	58	35	35	11	11	9	2	3	3	2	1			2		
32	39	78	72	109	140	153	196	241	211	176	128	67	22	2	1	2	118a
13	11	10	18	13	26	21	15	11	19	12	10	6	3	1	1		
12	21	46	82	120	189	191	186	188	150	116	93	43	12			1	
1	3	6	4	12	9	6	4	6	4	4	2	2					
71	78	126	111	134	151	169	192	200	191	168	109	40	17	4	3	3	118b
26	17	26	37	39	24	21	21	16	11	7	5	5				1	
131	164	175	178	183	157	140	184	229	168	201	152	63	17	4		2	
36	31	28	32	45	26	11	12	17	13	8	7	1	2	1	3		
16	19	27	46	36	39	39	45	55	52	52	46	20	7	1	1	1	119
3	7	3	5	2	11	6	4	3	2	3	4	1				1	
20	18	17	23	41	21	27	34	40	37	49	48	31	15	4	1		
8	8	9	8	3	12	5	2	2	1	2	3	3			2		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—DISEASES OF THE DIGESTIVE SYSTEM—Con.											
120	Acute yellow atrophy of the liver:											
	Males—White	122	5				2	7	3	1	2	6
	Colored	19	1					1				2
	Females—White	249	5				2	7	1	1	8	28
	Colored	19									2	3
121	Hydatid tumor of the liver:											
	Males—White	16									1	
	Females—White	9									1	
	Colored	1										
122	Cirrhosis of the liver:											
	Males—White	4,379	8	2	2		2	14	11	16	12	11
	Colored	395	1	2	2		1	6	3	1	4	3
	Females—White	2,234	7	1	4	1	3	16	5	7	12	8
	Colored	212		1				1	2	5	6	12
123	Biliary calculi:											
	Males—White	1,012								1	3	11
	Colored	35										
	Females—White	2,727									8	26
	Colored	70									2	1
124	Other diseases of the liver:											
	Males—White	1,617	59	7	10	2	7	85	21	11	27	32
	Colored	173	7	1	2		2	12	3	1	5	16
	Females—White	2,454	39	8	7	4	3	61	12	12	19	48
	Colored	174	4	3			3	10	2	2	4	16
125	Diseases of the pancreas:											
	Males—White	277	2	1		2	1	6	1	5	4	4
	Colored	22										
	Females—White	261				1	2	3	1		4	6
	Colored	8										
126	Peritonitis without specified cause:											
	Males—White	597	76	18	17	12	16	139	31	27	30	23
	Colored	91	6	1	4		1	12	5	5	3	5
	Females—White	749	43	16	23	14	18	114	46	30	39	51
	Colored	173	1	3	5	4	1	14	7	9	13	24
127	Other diseases of the digestive system (cancer and tuberculosis excepted):											
	Females—Colored	2										
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA											
	Males—White	46,812	362	108	77	72	68	687	235	225	351	366
	Colored	7,324	69	30	25	15	17	156	43	32	57	112
	Females—White	41,173	256	86	79	55	38	514	220	315	400	682
	Colored	6,564	39	19	23	12	4	97	25	44	157	249
128	Acute nephritis (including unspecified under 10 years):											
	Males—White	2,430	214	61	50	48	38	411	119	69	79	70
	Colored	747	49	21	18	10	11	109	32	14	29	32
	Females—White	2,013	134	53	45	34	26	292	127	95	86	88
	Colored	683	26	13	18	9	2	68	13	21	37	39
129	Chronic nephritis (including unspecified 10 years and over):											
	Males—White	37,532	9	19	20	18	26	92	99	136	235	248
	Colored	5,655	1	2	4	2	5	14	8	15	21	64
	Females—White	33,529	14	12	16	8	6	56	73	197	216	308
	Colored	4,645	1	1			1	3	12	16	62	104
130	Chyluria:											
	Males—White	1										
131	Other diseases of the kidneys and annexa:											
	Males—White	1,174	103	25	7	6	4	145	15	17	29	24
	Colored	213	14	4	3	3	1	25	3	2	4	8
	Females—White	1,095	97	21	18	13	6	155	20	12	18	45
	Colored	144	11	5	5	3	1	25		3	5	8
132	Calculi of the urinary passages:											
	Males—White	431	3					3	1	3	6	14
	Colored	32								1	1	1
	Females—White	239									2	9
	Colored	8										1
133	Diseases of the bladder:											
	Males—White	658	10					10				2
	Colored	147	3	1				4			1	1
	Females—White	186	2					2				1
	Colored	22	1					1				1
134	Diseases of the urethra, etc.:											
	Males—White	193									2	4
	Colored	100									1	6
	Females—White	17										
	Colored	9									1	1
135	Diseases of the prostate:											
	Males—White	4,321										3
	Colored	412										
136	Nonvenereal diseases of the male genital organs:											
	Males—White	69	20	3				23	1			1
	Colored	18	2	2				4				
137	Cysts, other benign tumors of the ovary:											
	Females—White	671								3	8	25
	Colored	66									2	6
138	Salpingitis and pelvic abscess (female):											
	Females—White	1,293								4	53	154
	Colored	394								1	32	65
139	Benign tumors of the uterus:											
	Females—White	1,447									1	12
	Colored	453									1	9
140	Nonpuerperal uterine hemorrhage:											
	Females—White	28								2	2	1
	Colored	17									4	3
141	Other diseases of the female genital organs:											
	Females—White	631								2	13	37
	Colored	121								2	13	12
142	Nonpuerperal diseases of the breast (cancer excepted):											
	Males—White	3	3					3				
	Females—White	24	9					9			1	2
	Colored	2										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	5 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
8	3	4	11	4	8	9	12	15	10	12	4	3					
3	3	3	2	1	3				1								120
26	24	28	21	20	9	18	16	11	11	13	4	3					
2	4	1	2	1		1	1	1			1						
1	3	2	1	2	1		1	2	1	1							
	1		2				1	2	2								121
	1																
32	79	164	252	380	559	552	653	620	520	283	145	64	8	2		2	
14	21	27	31	44	76	48	36	27	25	12	11	2		2	2		122
23	54	81	119	181	237	210	264	298	296	219	131	65	5	3			
9	13	10	18	29	26	21	17	16	14	2	5	4	1	1			
8	27	41	62	99	120	138	155	136	97	62	34	14	3		1		
3	1	3	3	4	3	4	3	3	4	3		1					123
79	109	172	196	286	321	334	352	331	221	151	93	37	9	1		1	
7	7	4	6	8	15	4	4	3	1	6	2						
50	58	100	104	137	159	147	166	183	122	106	69	30	7		1	2	
9	14	10	16	16	16	13	9	14	8	3	4	2		2			124
79	92	121	186	205	241	241	277	239	212	188	133	67	16	3		2	
13	23	14	18	15	15	18	9	1	6	6						2	
10	20	18	20	40	38	26	35	23	15	8	3	1					
4	5		6	2	3	1	1										125
13	25	19	32	22	29	31	27	28	13	6	1		1				
	2	2			1	2	1										
19	26	26	28	22	35	43	34	39	21	28	14	10	1			1	
10	5	5	3	6	4	4	9	6	2	1	1		2	1		2	126
63	59	69	43	46	37	41	22	26	23	17	15	3	3		1	1	
32	16	20	5	12	5	5	2	2	1	3	1		1			1	
	1				1												127
515	738	1,039	1,435	2,089	2,869	3,729	5,179	6,327	6,904	6,574	4,544	2,214	631	98	22	41	
138	171	323	444	622	840	687	754	747	769	577	414	215	107	36	35	45	
958	1,253	1,661	2,177	2,606	2,830	3,023	4,073	4,560	5,051	4,685	3,578	1,862	577	113	15	20	
356	422	587	678	651	697	541	501	426	406	257	207	103	64	32	34	30	
96	113	145	136	154	162	138	155	158	139	142	72	51	15	1	2	3	
37	31	48	51	67	81	44	50	33	24	23	16	13	5	1	4	3	128
75	100	127	124	101	103	122	123	114	98	103	79	41	12		1	2	
49	54	69	60	70	65	52	28	17	14	9	6	3	2	1	4	2	
360	546	796	1,186	1,774	2,452	3,217	4,345	5,240	5,631	5,286	3,569	1,711	475	83	19	32	
87	113	239	356	487	683	565	615	606	638	469	338	165	84	29	24	35	129
440	628	892	1,310	1,773	2,239	2,568	3,664	4,219	4,758	4,407	3,351	1,747	543	111	12	17	
136	207	308	419	460	580	447	453	391	378	237	195	96	61	30	29	21	
									1								130
31	43	49	51	60	96	90	104	107	99	93	69	37	14	1			
5	9	8	16	14	13	18	14	20	22	10	11	6	3	1	1		131
57	49	61	88	70	79	74	85	71	65	61	52	24	6	1	1	1	
15	10	9	8	11	7	12	4	9	7	5	4	2					
15	18	23	22	33	33	44	69	45	45	28	19	8		1		1	
	2	4	1	2	3	2	5	2	4	1	1		1		1		132
6	13	22	25	28	16	31	28	26	13	9	6	3	2				
		1			1	1	2		1			1					
3	4	9	9	18	13	21	31	46	86	156	135	78	32	5			
2	2	7	4	13	11	16	15	9	19	11	14	9	4	1	1	3	133
1	1	3	5	6	6	9	14	10	22	32	36	28	8	1	1		
	1		2	1		3	3	2	2	3				1	1		
5	7	7	15	23	23	17	28	18	21	12	7	3				1	
5	12	11	8	17	8	10	8	5	3	3				1	1	1	134
1		3	2	3	1	1			1	1	2	1	1				
	1	1	2	1	1								1				
4	6	8	16	24	84	198	440	706	880	853	668	325	94	7	1	4	
1	2	5	8	19	37	32	46	70	59	60	32	22	10	3	3	3	135
1	1	2		3	6	4	7	7	2	4	5	1	1				
1		1		3	4		1	2			2						136
53	53	63	68	73	76	59	46	49	35	28	22	10					
8	9	11	12	7	4	3	1	1	1	1							137
219	236	208	176	134	56	28	7	9	4	2	3						
92	56	76	43	17	5	3	1	3									138
36	100	198	307	323	192	84	59	36	36	28	22	8	5				
37	64	101	106	72	31	16	7	1	2	1	1					4	139
	3	9	4	5	1						1						
3		1		3	1					1						1	140
68	67	75	66	89	60	47	47	24	19	13	4						
16	20	9	25	9	2	4	2	2	1		1	1				2	141
2	3		2	1	1			2		1							
		1	1														142

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—THE PUERPERAL STATE												
	Females	White	12,178								20	1,130	2,343
		Colored	2,770								38	569	639
143	Accidents of pregnancy:												
	Females	White	1,139								3	54	183
		Colored	220								1	22	50
144	Puerperal hemorrhage:												
	Females	White	1,277								2	43	155
		Colored	208									15	36
145	Other accidents of labor:												
	Females	White	1,230									80	180
		Colored	380								2	80	64
146	Puerperal septicemia:												
	Females	White	4,586								8	488	1,016
		Colored	949								11	177	246
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females	White	634									21	110
		Colored	67									13	9
148	Puerperal albuminuria and convulsions:												
	Females	White	3,248								7	438	687
		Colored	932								24	262	232
149	Following childbirth (undefined):												
	Females	White	56									5	10
		Colored	13										2
150	Puerperal diseases of the breast:												
	Females	White	8									1	2
		Colored	1										
	IX.—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE												
	Males	White	1,660	282	19	11	8	3	323	8	36	54	48
		Colored	190	18	3	1	1	2	25	4	3	1	8
	Females	White	1,220	195	24	8	5	3	235	18	16	42	48
		Colored	192	17	2	2	2	1	24	3	1	2	6
151	Gangrene:												
	Males	White	653	18	2	4	2	1	27	3	4	2	5
		Colored	93	2		1	1		4				
	Females	White	488	6	5	3	1	1	16	8	3	2	5
		Colored	91	1			2		3	2	1	1	2
152	Furuncle:												
	Males	White	348	31	1		1		33	3	14	28	20
		Colored	23	2	1				3	1			1
	Females	White	173	17	2		1	2	22	2	5	17	21
		Colored	18		1				1	1			
153	Acute abscess:												
	Males	White	340	78	6	4	3	2	93	2	15	20	19
		Colored	46	6	1			2	9	2	3	1	4
	Females	White	220	46	12	3	3		64	5	3	13	8
		Colored	34	9	1	1			11			1	2
154	Other diseases of the skin and annexa:												
	Males	White	319	155	10	3	2		170		3	4	4
		Colored	28	8	1				9	1			3
	Females	White	339	126	5	2			133	3	5	10	14
		Colored	49	7		1		1	9				2
	X.—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION												
	Males	White	797	38	17	21	17	17	110	115	108	64	38
		Colored	76	5	5	1	1	1	13	5	3	4	9
	Females	White	473	28	15	10	9	13	75	62	60	18	15
		Colored	49	3	1	3		1	8	4	7	2	1
155	Diseases of the bones (tuberculosis excepted):												
	Males	White	658	28	15	19	16	16	94	106	94	58	35
		Colored	53	4	5	1	1	1	12	4	3	3	7
	Females	White	357	18	15	10	9	12	64	55	54	10	8
		Colored	38	3		3		1	7	4	6	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males	White	105	9	2	2	1	1	15	7	13	4	3
		Colored	17	1					1	1		1	1
	Females	White	33	7					7	7	5	8	5
		Colored	5		1				1				1
157	Amputations:												
	Males	White	2										
		Colored	1										
	Females	White	1										
158	Other diseases of the organs of locomotion:												
	Males	White	32	1					1	2	1	2	
		Colored	5										1
	Females	White	32	3				1	4		1		2
		Colored	6								1	1	
	XI.—MALFORMATIONS												
	Males	White	7,496	6,950	191	66	47	22	7,276	88	46	38	18
		Colored	452	400	15	12	3	3	433	11	3	2	
	Females	White	5,662	5,226	169	58	33	12	5,498	63	43	24	11
		Colored	300	252	21	7	1	6	287	4	7	1	
159a	Congenital hydrocephalus:												
	Males	White	676	508	57	21	21	11	618	28	8	10	4
		Colored	81	54	9	4	2		69	7	3		
	Females	White	537	436	42	16	9	4	507	14	8	3	1
		Colored	49	31	7	3		4	45	1	2	1	
159b	Congenital malformations of the heart:												
	Males	White	4,519	4,267	71	35	18	9	4,400	42	31	22	10
		Colored	222	208	5	5		2	220	1		1	
	Females	White	3,167	2,936	87	28	15	4	3,070	35	24	17	9
		Colored	160	143	9	4		2	158	2			

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
2,653	2,627	2,364	1,999	125	3											14	
523	411	401	132	34	1											12	
271	298	223	91	14	1											1	143
48	47	40	9	2												1	
278	298	309	166	25												1	144
44	44	46	17	5	1												
265	292	270	118	24												1	145
63	56	77	31	4												3	
1,026	971	750	294	25	2											6	146
186	141	127	47	11												3	
145	143	139	67	9													147
18	12	8	6	1													
649	615	563	257	27												5	148
159	109	101	30	10												5	
17	9	9	5	1													149
4	2	2	2	1													
2	1	1	1														150
1																	
42	47	48	64	66	68	69	86	105	130	164	154	95	41	11		1	
3	8	6	9	11	16	17	15	14	22	10	12	3	2			1	
24	33	48	27	42	36	46	57	75	92	110	133	90	49	7	2		
5	8	7	8	12	11	10	17	9	13	15	14	9	6	2	8	2	
3	7	8	9	12	16	21	34	56	90	111	121	79	37	8			151
1	4		5	4	12	8	9	7	13	9	11	3	2			1	
5	2	2	3	11	9	16	23	36	56	77	104	70	31	7	2		
1	3	3	3	3	4	2	11	7	8	11	8	7	4	2	5		
21	13	12	25	22	28	27	31	24	18	13	13	1	2				152
	2	2	3			2	3	4	2								
7	14	15	9	12	9	6	6	10	8	1	5	4					
	2		2		2	3	3			1		1				2	
10	20	18	24	21	17	15	13	12	12	14	9	3	1	1		1	153
2	2	4	1	3	4	5	2	1	2	1							
6	11	18	10	7	8	13	13	6	11	11	5	6	2				
3	1	1	1	3	4	3	1	1	1			1					
8	7	10	6	11	7	6	8	13	10	26	11	12	1	2			154
				4		2	1	2	5		1						
6	6	13	5	12	10	11	15	23	17	21	19	10	6				
1	2	3	2	6	1	2	2	1	4	3	6		2		3		
29	36	27	40	24	27	42	33	43	20	25	9	6	1				
8	5	7	5	3	3		3	1	4	2						1	
17	19	15	19	17	19	23	29	21	18	15	19	7	3	1		1	
2	2	3	6	1	2	3	3	3			1	1					
23	27	22	34	20	21	33	22	31	12	15	8	2	1				155
5	3	4	2	3	2		1	1	2	1							
10	16	10	15	10	14	12	23	15	11	8	11	6	3	1		1	
2	1	2	4	1	2	1	3	2			1	1					
6	8	4	5	4	3	6	6	8	5	5		3					156
3	2	3	1				2			1						1	
6	2	3	2	5	4	7	4	6	3	5	4						
		1	1			1											
						1				1							157
			1														
							1										
	1	1	1		3	2	5	4	3	4	1	1					158
			1		1				2								
1	1	2	2	2	1	4	1		4	2	4	1					
	1		1			1		1									
11	7	4	5		2	1											
2	1																
3	4	6	3	3	2	1	1										
			1														
3	1	1	2		1												159a
2																	
1	1	1	1														
6	4	1	3														159b
1	2	3	1	2	2	1											

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—MALFORMATIONS—Continued												
159c	Other congenital malformations:												
	Males	White	2,301	2,175	63	10	8	2	2,258	18	7	6	4
		Colored	149	138	1	3	1	1	144	3		1	
	Females	White	1,958	1,854	40	14	9	4	1,921	14	11	4	1
		Colored	91	78	5		1		84	1	5		
	XII.—EARLY INFANCY												
	Males	White	31,574	31,574					31,574				
		Colored	4,257	4,257					4,257				
	Females	White	23,158	23,158					23,158				
		Colored	3,315	3,315					3,315				
160	Congenital debility, icterus, sclerema:												
	Males	White	3,828	3,828					3,828				
		Colored	790	790					790				
	Females	White	2,681	2,681					2,681				
		Colored	609	609					609				
161a	Premature birth:												
	Males	White	19,214	19,214					19,214				
		Colored	2,651	2,651					2,651				
	Females	White	14,876	14,876					14,876				
		Colored	2,203	2,203					2,203				
161b	Injury at birth:												
	Males	White	5,916	5,916					5,916				
		Colored	365	365					365				
	Female	White	3,614	3,614					3,614				
		Colored	238	238					238				
162	Other diseases peculiar to early infancy:												
	Males	White	2,555	2,555					2,555				
		Colored	420	420					420				
	Females	White	1,944	1,944					1,944				
		Colored	246	246					246				
163	Lack of care:												
	Males	White	61	61					61				
		Colored	31	31					31				
	Females	White	43	43					43				
		Colored	19	19					19				
164	XIII.—OLD AGE (SENILITY)												
	Males	White	4,269										
		Colored	1,109										
	Females	White	5,670										
		Colored	1,321										
	XIV.—EXTERNAL CAUSES												
	Males	White	60,451	1,014	931	857	739	667	4,208	2,922	2,467	3,686	4,625
		Colored	8,588	265	131	131	115	82	724	242	381	737	1,164
	Females	White	22,111	835	618	644	596	536	3,229	1,468	745	1,012	1,072
		Colored	3,036	218	118	113	144	118	711	259	105	209	319
	Suicide:												
	Males	White	8,818								19	155	446
		Colored	282								2	10	26
	Females	White	2,643								16	164	258
		Colored	103								1	12	18
165	By poisons (gas or corrosives excepted)—												
	Males	White	469									10	36
		Colored	9										2
	Females	White	262								3	25	31
		Colored	7										
166	By corrosive substances—												
	Males	White	588								2	10	41
		Colored	11									2	1
	Males	White	531								2	60	91
		Colored	39								1	3	11
167	By poisonous gas—												
	Males	White	1,049									13	36
		Colored	22									1	2
	Females	White	551									18	41
		Colored	6									1	1
168	By hanging or strangulation—												
	Males	White	1,677								8	28	41
		Colored	46									1	2
	Females	White	371									3	9
		Colored	8										1
169	By drowning—												
	Males	White	419									11	20
		Colored	21									2	3
	Females	White	213									10	13
		Colored	8									2	
170	By firearms—												
	Males	White	3,623								9	79	238
		Colored	124								2	3	12
	Females	White	431								10	44	56
		Colored	19									5	1
171	By cutting or piercing instruments—												
	Males	White	647										12
		Colored	29										2
	Females	White	109									2	2
		Colored	5									1	1
172	By jumping from high places—												
	Males	White	179									2	12
		Colored	8										
	Females	White	107								1	1	12
		Colored	6										1
173	By crushing—												
	Males	White	91									1	10
		Colored	6									1	
	Females	White	26									1	3
		Colored	1										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
2	2	2			1	1											159c
	1																
1	1	2	1	1			1										
			1														
																	160
																	161a
																	161b
																	162
																	163
					2	9	36	82	375	791	1,178	1,023	577	153	36	7	164
				1	4	4	23	31	124	139	262	188	161	54	111	7	
				1	3	14	39	127	444	850	1,530	1,401	921	252	80	8	
			1		3	8	35	34	131	132	254	207	210	90	209	7	
4,396	4,598	5,194	4,589	4,420	4,186	3,571	3,226	2,722	2,082	1,514	1,048	530	219	39	4	205	
1,006	933	881	640	472	426	259	214	141	108	71	54	33	10	4	6	82	
1,005	949	1,021	941	902	926	938	1,005	1,117	1,325	1,381	1,476	1,042	431	85	16	25	
247	227	180	118	116	100	57	75	74	56	61	37	34	25	6	12	8	
573	695	951	911	959	989	886	805	624	398	227	104	37	11	2		26	
34	36	42	38	19	25	15	18	6	7	3	1						
276	284	274	290	256	237	211	147	112	59	31	18	6	1			3	
18	21	7	10	7	3	3	1		1				1				
29	39	62	44	48	48	43	35	35	20	14	3	2				1	165
3	1		1	1				1									
38	27	29	31	24	15	15	10	4	5	3	1	1					
1	2		2	2													
54	64	66	57	68	65	46	36	37	21	13	6	2					166
	1	3	2	2													
77	63	62	49	33	36	22	14	13	4	3	2						
9	9	3	2	1													
67	71	108	117	110	127	128	106	74	49	21	18	1	2			1	167
2	3	1	4	2	2	2	2		1								
47	51	58	69	52	52	64	40	26	17	8	7	1					
	2		1				1										
60	108	169	164	166	190	188	188	158	97	58	27	13	4	1		9	168
3	4	7	4	1	7	4	6	3	3	1							
20	28	39	36	48	55	43	30	32	15	9	2	2					
1	1	1	2			1							1				
27	22	41	40	53	53	39	35	30	23	13	8	1				3	169
7	2	3	1	1	1	1											
14	26	11	20	25	23	21	21	14	9	3	1	1				1	
	3			1	1	1											
278	306	384	367	412	393	341	320	227	141	78	31	10	1			8	170
18	21	15	18	10	10	3	7	1	2	1	1						
58	54	48	49	43	27	19	12	5	3		1					2	
4	2	2	2	1	2												
26	45	78	79	76	77	68	65	49	36	20	8	3	3	1		1	171
	3	5	4	1	4	4	3	1	1	1							
7	11	10	23	12	9	13	9	4	4	1	2						
1		1		1													
20	17	22	27	9	15	17	13	6	7	4	3	4	1				172
1		4	2	1													
7	19	10	8	11	14	10	4	4	1	2	1	1	1				
1	1		1			1			1								
3	11	14	11	9	12	8	2	6	2	1						1	173
	1	2	1		1												
4	3	3	3	1	2	1	2	2	1								
	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—EXTERNAL CAUSES—Continued												
	Suicide—Continued.												
174	By other means—												
	Males	White	76									1	
		Colored	6										2
	Females	White	42										
		Colored	4										2
	Homicide:												
	Males	White	3,644	65	8	5	5	6	89	24	30	184	426
		Colored	2,764	12	3	1	1	1	18	5	35	178	533
	Females	White	998	66	9	5	7	7	94	15	13	93	152
		Colored	608	10		1	3		14	4	5	77	152
197	By firearms—												
	Males	White	2,723	1	2	2	2	1	8	13	18	144	365
		Colored	2,127	1	1	1	1		4	4	24	124	410
	Females	White	492	2	2	2	3	2	11	5	7	49	77
		Colored	394				1		1	1	5	50	100
198	By cutting or piercing instruments—												
	Males	White	312	1		1		1	3	1	4	26	34
		Colored	407		1				1		6	37	97
	Females	White	76	4		1	1	1	7		1	5	12
		Colored	125	1			1		2			19	36
199	By other means—												
	Males	White	609	63	6	2	3	4	78	10	8	14	27
		Colored	230	11	1			1	13	1	5	17	26
	Females	White	430	60	7	2	3	4	76	10	5	39	63
		Colored	89	9		1	1		11	3		8	16
	Accidental or undefined:												
	Males	White	47,989	949	923	852	734	661	4,119	2,898	2,418	3,347	3,753
		Colored	5,542	253	128	130	114	81	706	237	344	549	605
	Females	White	18,470	769	609	639	589	529	3,135	1,453	716	755	662
		Colored	2,325	208	118	112	141	118	697	255	99	120	149
175	Poisoning by food—												
	Males	White	388	34	29	25	22	12	122	25	12	19	9
		Colored	79	10	4	2	1		17	1	5	3	6
	Females	White	332	49	35	15	14	13	126	13	10	15	15
		Colored	71	6	5	5	2		18	5	1	3	5
176	Poisoning by venomous animals—												
	Males	White	35	8	2		1	3	14	1		3	1
		Colored	7	1		1			2				
	Females	White	14	1	2	1			4	2	1	1	2
		Colored	6	1					1	2		1	
177	Other acute poisonings (gas excepted)—												
	Males	White	822	40	124	64	28	20	276	12	11	13	29
		Colored	127	7	22	18	4	6	57	6	4	6	8
	Females	White	511	26	88	54	15	10	193	12	2	23	47
		Colored	73		19	11	3	2	35	1	1	2	8
178	Conflagration—												
	Males	White	809	33	29	35	35	35	167	57	41	22	36
		Colored	157	15	8	9	13	4	49	10	8	13	7
	Females	White	485	24	28	24	31	18	125	55	45	19	19
		Colored	146	11	6	9	7	11	44	15	12	3	10
179	Burns (conflagration excepted)—												
	Males	White	2,271	84	299	334	217	118	1,052	152	58	82	86
		Colored	508	38	59	63	52	33	245	37	17	18	26
	Females	White	3,047	96	184	293	315	239	1,127	409	104	110	94
		Colored	889	30	43	61	102	88	324	146	35	40	39
180	Mechanical suffocation—												
	Males	White	603	372	6	2	4	3	387	18	20	14	15
		Colored	140	106	2			1	109	1	1	4	4
	Females	White	329	296	10			1	307	1	2	1	1
		Colored	88	87					87				
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males	White	1,722	8	9	9	5	7	38	18	23	44	106
		Colored	93	2		1	1		4	1		4	7
	Females	White	646	15	10	5	4	5	39	16	10	21	45
		Colored	30	2					2	2	1	2	2
182	Drowning—												
	Males	White	4,981	17	134	89	68	58	366	527	567	716	578
		Colored	682	5	7	4	3	3	22	24	94	150	120
	Females	White	686	15	67	48	16	18	164	76	106	96	48
		Colored	81	1	13	5	5	1	25	7	4	17	8
183	Traumatism by firearms (except in war)—												
	Males	White	1,688	2	5	6	23	18	54	94	249	396	232
		Colored	497	1	2	3	7	6	19	37	58	111	88
	Females	White	207	2	4	13	12	9	40	39	30	24	17
		Colored	105		1	2	3	2	8	15	9	18	23
184	Traumatism by cutting or piercing instruments—												
	Males	White	389	15	9	9	4	4	41	26	24	20	12
		Colored	69	3		1		2	6	2	2	3	9
	Females	White	130	3	6	6	2	2	19	12	5	1	6
		Colored	17				1		1	1			1
185	Traumatism by fall—												
	Males	White	6,461	69	81	69	40	32	291	168	172	167	218
		Colored	362	20	13	7	3	2	45	8	24	15	18
	Females	White	5,756	43	53	43	29	25	193	99	43	38	31
		Colored	200	17	10	4	5	3	39	6	7	4	5
186a	Traumatism in mines—												
	Males	White	2,093							1	5	117	234
		Colored	106									2	16
	Females	White	4			1	1		2		2		
186b	Traumatism in quarries—												
	Males	White	90								1	13	11
		Colored	14									1	1
187	Traumatism by machines—												
	Males	White	1,720	1	7	7	10	3	28	17	48	149	188
		Colored	219							4	5	34	26
	Females	White	54	1	1		4	1	7	3	6	2	4
		Colored	11							2	2		2
188a	Railroad accidents—												
	Males	White	4,906	14	15	12	6	14	61	109	128	323	493
		Colored	571			2	1	3	6	4	16	48	84
	Females	White	771	9	10	13	9	8	49	35	48	77	59
		Colored	48		1			1	2	1	2	1	5

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
9	12	7	5	8	9	8	5	2	2	5		1				2	
		2	1			1											
4	2	4	2	7	4	3	5	8		2	1						174
1				1													
531	539	480	404	285	229	162	106	72	41	14	8		1	1		18	
497	483	400	234	137	103	48	31	22	14	1	1	1				23	
144	133	121	80	56	28	20	15	15	4	6	5					4	
110	109	71	29	16	7	1	5	3	2	1						2	
440	430	371	302	209	164	112	66	37	24	7	2					11	
414	378	319	177	103	71	38	19	17	8	1						16	197
69	69	70	47	37	20	13	7	3	2	3	2					1	
75	78	39	22	12	4		3	2								2	
45	52	43	31	21	17	14	3	6	4	2	3			1		2	
64	63	52	37	22	14	5	4		3							2	198
7	5	8	8	10	4	3	2	4									
25	19	16	3	2	1	1	1										
46	57	66	71	55	48	36	37	29	13	5	3		1			5	
19	42	29	20	12	18	5	8	5	3		1	1				5	199
68	59	43	25	9	4	4	6	8	2	3	3					3	
10	12	16	4	2	2		1	1	2	1							
3,292	3,364	3,763	3,274	3,176	2,968	2,523	2,315	2,026	1,643	1,273	936	493	207	36	4	161	
475	414	439	368	316	298	196	165	113	87	67	52	32	10	4	6	59	
585	532	626	571	590	661	707	843	990	1,262	1,344	1,453	1,036	430	85	16	18	
119	97	102	79	93	90	52	69	71	54	60	37	34	24	6	12	6	
13	10	15	19	10	26	16	21	17	24	12	12	5	1				
5	3	6	6	12	2	4	3	4		1	1						175
14	14	17	14	8	11	13	13	13	12	13	3	3	3	1		1	
6	5	8	2	6	5	1	3	1	1	1							
3	1	2	2	1	2	1	1	1		1		1					
			3						1	1							176
		1					2	1									
1															1		
37	40	78	72	66	56	39	31	27	14	7	6	3	3			2	
5	5	4	8	3	7	8	2		3			1					177
46	47	33	21	25	17	10	10	9	8	3	2	2				1	
3	6	5	3	2	2	2	2			1							
45	45	63	57	46	55	37	33	27	30	16	12	5	2			13	
7	7	7	8	6	7	4	3	1	2	5	3	8	1		1		178
27	14	20	17	18	16	9	13	13	22	20	19	8	5		1		
5	8	4	4	1	3	4	7	6	6	4	4	3	1		2		
108	99	108	85	62	73	69	46	59	48	35	22	16	5	4		2	
19	19	19	13	13	14	11	12	7	14	10	2	4	1		4	3	179
93	98	90	79	94	94	68	99	114	110	98	84	60	16	3		3	
29	23	25	15	25	23	18	17	29	21	26	18	12	12	3	7	2	
25	24	18	24	18	18	7	5	6	1	3							
4	2	4	3	3	2	1		1		1							180
2		2	2	3	1	1	2	1	1	1	1						
1																	
92	112	144	167	180	175	160	166	121	72	51	35	14	3			1	
12	6	13	13	10	12	4	2	1	2	2							181
26	21	43	44	42	41	42	53	49	48	45	42	13	6				
3	1	1	4	3	1			2	1	1	2	2					
321	326	356	277	260	216	151	117	78	40	23	16	4	2			40	
53	50	37	33	30	17	13	5	3	5	5	3	1	3			14	182
22	28	26	23	20	18	18	11	12	8	1	2	4				3	
7	4	2	3	1	1				1	1							
122	122	90	82	68	71	35	26	25	11	4	2	1				4	
47	34	34	24	13	10	5	9	3	2	1		1				1	183
11	10	5	13	5	1	8	1	2		1							
8	6	7	4	2	3											2	
13	19	24	32	26	36	24	34	18	18	14	3	2				3	
8	4	6	8	5	4	5	3		2		1		1				184
4	7	7	7	7	7	17	9	3	5	8	4	1	1				
	1	2	2		2	1	3	2								1	
225	299	378	405	423	407	396	440	428	467	525	512	340	163	28	4	5	
27	32	23	25	31	27	16	20	21	8	4	6	6	3	2		1	185
35	26	46	57	76	129	179	257	428	724	941	1,134	872	359	78	9	2	
8	12	6	6	11	11	8	15	6	16	16	6	9	6	2	1		
259	298	374	225	222	150	90	54	34	11	2						17	
12	21	14	12	10	7	4	4	1	1							2	186a
7	6	8	12	13	6	6	1	1	4	1							
1	5	3		2												1	186b
165	176	170	161	144	128	138	91	61	33	14	6	1				2	
20	22	27	27	14	21	8	2	4	1		1					3	187
4	1	7	3	3	2	5	2	2	1	1	1						
		2	3														
459	473	523	438	423	357	312	283	209	132	77	40	15	8	1		42	
72	63	70	51	36	31	21	21	9	13	7	5	2		1		11	
66	52	61	44	50	48	45	36	35	38	13	10	3	1		1		188a
2	3	4	6	7	5		3	3	1	1		2					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—EXTERNAL CAUSES—Continued											
	Accidental or undefined—Continued.											
188b	Street-car accidents—											
	Males—White	1,143	4	2	9	16	14	45	32	22	46	69
	Colored	69			3	1		4	4	7	4	4
	Females—White	350	1	4	6	14	9	34	22	9	13	21
	Colored	28	1		1	2	1	5	4		2	2
188c	Automobile accidents—											
	Males—White	10,366	49	55	103	177	253	637	1,329	670	695	806
	Colored	857	2	2	6	19	14	43	70	53	67	90
	Females—White	3,746	26	40	69	89	137	361	553	212	278	210
	Colored	252	3		5	7	4	19	33	6	15	22
188d	Airplane and balloon accidents—											
	Males—White	126							3		8	34
	Females—White	8									1	4
188e,f	Injuries by other vehicles—											
	Males—White	1,246	4	9	9	19	24	65	81	108	103	80
	Colored	116	1			1	2	4	2	7	5	8
	Females—White	129	3	5	5	6	7	26	20	10	6	4
	Colored	23	2	2	1	1	1	7	2	1		
188g	Landslide, other crushing—											
	Males—White	613	1	2	1	3	4	11	26	8	37	68
	Colored	73	2					2	2	2	6	6
	Females—White	31		2	1	3	2	8	6	3		2
	Colored	11		2	1		1	4		2	1	
189	Injuries by animals (not poisoning)—											
	Males—White	493	3	2	8	13	8	34	41	25	33	19
	Colored	52	1		1	2	3	7	6	5	3	3
	Females—White	47		2	1	4	3	10	3	6		2
	Colored	5								1	2	
190	Wounds of war—											
	Males—White	5										
	Colored	1										
192	Starvation (deprivation of food or water)—											
	Males—White	9										
	Colored	3										
	Females—White	2										
	Colored	1										
193	Excessive cold—											
	Males—White	222	7		1			8			3	7
	Colored	48	3					3		1	2	1
	Females—White	42	2		1			3				
	Colored	23	4					4		1	1	1
194	Excessive heat—											
	Males—White	231	20	1	5	2		28			5	8
	Colored	60	1					1		2	2	6
	Females—White	78	16				1	17	4		1	3
	Colored	25	3	3	1			7		2	1	
195	Lightning—											
	Males—White	225		1			1	2	14	23	32	21
	Colored	45							4	4	5	7
	Females—White	42	1			1		2	2	6	4	3
	Colored	21							2	6	1	4
196	Other accidental electric shocks—											
	Males—White	893		3		1	4	8	18	42	77	156
	Colored	37								4	5	7
	Females—White	27					2	2	4	3	3	
	Colored	1			1			1				
201	Fracture (cause not specified)—											
	Males—White	380	1		1		3	5	4	10	17	27
	Colored	53				1		1	1		2	7
	Females—White	271	3		1	1		5	4	2	2	3
	Colored	19	1					1	1		2	
202	Other external violence—											
	Males—White	3,043	163	98	54	40	23	378	124	151	193	208
	Colored	497	35	9	9	5	2	60	17	25	36	46
	Females—White	725	137	58	39	19	19	272	63	51	19	22
	Colored	151	39	13	5	3	3	63	10	6	4	12
203	Violent deaths of unknown causation—											
	Males—White	16		1				1	1			2
	XV.—ILL-DEFINED DISEASES											
	Males—White	5,189	2,080	168	61	33	22	2,364	47	34	55	45
	Colored	4,204	1,781	200	47	38	19	2,085	62	46	56	94
	Females—White	3,552	1,546	145	57	13	12	1,773	42	31	27	46
	Colored	3,851	1,436	206	60	47	27	1,776	56	47	102	140
204	Sudden death:											
	Males—White	577	107	7	1	1		116	1	3	6	3
	Colored	266	43	3	3	1		50	3	1	2	7
	Females—White	335	90	2	3	1	2	98	1	1	1	7
	Colored	260	47	6	3		3	59	4	3	2	7
205a	Ill-defined:											
	Males—White	1,712	316	91	28	15	9	459	21	15	19	18
	Colored	1,001	209	94	15	9	3	330	14	21	10	15
	Females—White	1,121	251	99	22	4	7	383	16	13	9	16
	Colored	900	155	83	18	13	8	277	15	12	26	34
205b	Not specified or unknown:											
	Males—White	2,900	1,657	70	32	17	13	1,789	25	16	30	24
	Colored	2,937	1,529	103	29	28	16	1,705	45	24	44	72
	Females—White	2,096	1,205	44	32	8	3	1,292	25	17	17	23
	Colored	2,691	1,234	117	39	34	16	1,440	37	32	74	99

NOTE.—For populations, see reference on Table 4.

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
89	104	89	93	80	102	87	86	63	55	42	26	10	2			1	
8	4	8	4	3	5	3	2	5	2	1	1						
10	13	18	21	12	20	23	37	33	30	11	16	5				2	188b
1	2	2		2	2	3	2	1									
701	647	683	613	602	625	530	490	495	385	266	135	38	9	1		9	
77	63	75	61	65	59	29	30	25	14	9	14	3				10	
191	151	196	173	171	206	220	246	210	182	115	51	14	4			2	188c
29	18	20	17	12	18	10	10	11	2	4	1	2	1	1	1		
39	19	17	2	2	1		1										188d
2	1																
72	48	84	61	71	74	79	97	89	83	33	13	3		1		1	
8	4	6	8	6	14	12	15	5	3	6	1	1				1	
5	5	3	7	4	4	9	3	7	7	4	2	3					188e,f
2		1		2	2	1	3		1		1						
55	69	71	59	56	53	37	30	20	6	4	2					1	
7	2	12	8	6	8	3	5		1	1						2	188g
1	1	1	2	1	1	1	1	2		1							
1		2			1												
20	14	24	27	33	43	29	35	41	35	26	8	6					
4	2	2	4	1	2	3	3	2			1	1	1			2	189
1			2	6	1	4	5	2		4			1				
								1			1						
1	1	2	1														190
1																	
	1		1	1	1	1	1		2		1						
								1		2							192
								2									
		1															
5	4	15	24	24	19	20	22	23	16	13	15	2	1			1	
6	2	1	2	5	5	5	1	2		3	6			1		2	
1		3	1	5		3	2		7	7	3	3	1	1		2	193
1			2	3	1	1		2	1	1	1	1	1			1	
14	9	17	12	25	17	19	15	17	16	17	7	3	1	1			
4	2	10	7	4	6	7	2	5	1			1					
2		4	2	2	9	4	2	3	9	7	4	4			1		194
3		1	2	6	3												
16	20	23	14	20	7	16	9	3	3	1		1					
7	7	3	3	2	4	1	1				1						
1	6	7	3	4	1	1	1		1								195
1	1	3		1	1			1									
159	118	112	77	51	35	15	12	6	2	2						3	
2	4	5	4	2	2		1	1									
	1	1	4		3	3	2			1							196
22	16	26	24	32	25	27	23	20	26	17	33	17	6			3	
6	4	10	6	3	2	2		2		2	2	1			1	1	
	4	2	3	4	8	9	16	18	29	36	56	34	29	2	3	2	201
2	2			1	1	1		1	1	2	2	1	1				
204	244	248	208	214	187	181	145	135	108	67	30	6	1			11	
53	47	40	27	31	30	27	19	10	12	6	4	2				5	
21	32	33	29	30	23	15	20	31	20	13	19	7	4		1		202
6	5	6	6	8	5	2	4	5	2	2	1	2	2				
1		1		3	3	1		2	1								203
50	75	102	126	156	178	236	316	402	385	279	161	90	35	9	2	42	
65	80	99	100	151	177	130	173	175	207	169	145	79	27	20	26	38	
38	63	63	90	78	106	104	149	183	213	227	161	86	37	9	6	20	
139	88	150	129	123	146	109	129	140	148	117	101	68	50	13	47	33	
4	12	17	14	26	25	45	61	65	83	50	26	10	6			4	
4	6	14	9	22	25	14	24	19	21	13	10	8	3	2	3	6	
6	7	10	11	11	10	14	23	34	27	32	26	12	2	1		1	204
14	8	15	14	11	27	13	13	19	16	15	8	6	2		2	2	
16	28	38	43	72	83	113	160	221	160	121	64	37	12	4		8	
14	27	33	36	62	65	52	75	56	74	48	32	17	5	5	3	7	
13	24	31	44	28	55	60	70	71	88	106	55	19	13	2	1	4	205a
33	33	47	54	37	51	37	46	43	51	41	20	19	10	3	8	3	
30	35	47	69	58	70	78	95	116	142	108	71	43	17	5	2	30	
47	47	52	55	67	87	64	74	100	112	108	103	54	19	13	20	25	
19	32	22	35	39	41	30	56	78	98	89	80	55	22	6	5	15	205b
92	47	88	61	75	68	59	70	78	81	61	73	43	38	10	37	28	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	All causes	147,852	2,825	1,328	1,353	101
	Males	76,991	1,429	1,184	882	85
	Females	70,861	1,396	144	471	16
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES					
	Males	17,053	473	289	244	34
	Females	16,906	488	43	123	5
1	Typhoid and paratyphoid fever M	1,005	4	2	11	1
	Typhoid and paratyphoid fever F	981	6	1	3	
3	Relapsing fever (spirillum obermeieri) M	1				
5	Malaria M	590				1
	Malaria F	663				
6	Smallpox M	65				
	Smallpox F	40				
7	Measles M	623	47	1	12	
	Measles F	598	58	2	6	
8	Scarlet fever M	16		1	2	
	Scarlet fever F	31	1		4	
9	Whooping cough M	901	21	1	7	1
	Whooping cough F	1,012	16		3	
10	Diphtheria M	262	8	1	7	
	Diphtheria F	275	13	2	5	
11a	Influenza (with pulmonary complications) M	1,067	20	3	11	
	Influenza (with pulmonary complications) F	962	17	1	9	
11b	Influenza (other and unspecified) M	624	14	2	3	
	Influenza (other and unspecified) F	642	16		3	
13	Mumps M	6	1			
	Mumps F	14				
15	Cholera nostras M	15	1			
	Cholera nostras F	8				
16	Dysentery M	449	4		4	
	Dysentery F	409	6		2	
19	Spirochetal hemorrhagic jaundice F	4				
20	Leprosy M	1		3		
21	Erysipelas M	60	2	2	1	
	Erysipelas F	39	3	1	2	
22	Acute anterior poliomyelitis M	30	1		1	
	Acute anterior poliomyelitis F	39	1			
23	Lethargic encephalitis M	39		1		
	Lethargic encephalitis F	31			1	
24	Meningococcus meningitis M	38	2	1	4	1
	Meningococcus meningitis F	39				
25	Other epidemic and endemic diseases M	13				
	Other epidemic and endemic diseases F	10			1	
26	Glanders F	1				
27	Anthrax M	3				
	Anthrax F	2				
28	Rabies M	6				
	Rabies F	2				
29	Tetanus M	278	1			
	Tetanus F	119			1	
30	Mycoses M	49	3	1		
	Mycoses F	50				
	Tuberculosis (all forms) M	8,907	332	244	168	30
	Tuberculosis (all forms) F	9,505	341	31	79	4
31	Of the respiratory system M	7,811	281	228	132	26
	Of the respiratory system F	8,476	299	27	58	4
32	Of the meninges, central nervous system M	225	24	8	19	
	Of the meninges, central nervous system F	216	14	2	10	
33	Of the intestines, peritoneum M	341	11	3	5	1
	Of the intestines, peritoneum F	413	8	2	6	
34	Of the vertebral column M	85	1	2	2	2
	Of the vertebral column F	59	2			
35	Of the joints M	53			1	
	Of the joints F	23	2		1	
36	Of other organs M	129	9	1	5	
	Of other organs F	83	7		3	
37a	Disseminated (acute) M	232	3	1	3	1
	Disseminated (acute) F	196	5		1	
37b	Disseminated (chronic or unspecified) M	31	3	1	1	
	Disseminated (chronic or unspecified) F	39	4			
38	Syphilis M	1,868	10	25	13	
	Syphilis F	1,133	5	5	3	1
39	Soft chancre M	2				
	Soft chancre F	1				
40	Gonococcus infection M	56				
	Gonococcus infection F	224				
41	Purulent infection, septicemia M	77	2	1		
	Purulent infection, septicemia F	71	5		1	
42	Other infectious diseases M	2				
	Other infectious diseases F	1				

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I					
	Males	3,016	39	103	62	3
	Females	5,455	58	9	21	1
	Cancer and other malignant tumors M	1,424	14	64	41	2
	Cancer and other malignant tumors F	3,271	37	5	9	1
43	Of the buccal cavity M	98		3		
	Of the buccal cavity F	38				
44	Of the stomach, liver M	698	5	42	32	1
	Of the stomach, liver F	705	17	1	2	
45	Of the peritoneum, intestines, rectum M	152	1	8	4	1
	Of the peritoneum, intestines, rectum F	274	2			
46	Of the female genital organs F	1,462	12	2	6	1
47	Of the breast M	11				
	Of the breast F	469	3	2		
48	Of the skin M	31		2		
	Of the skin F	37	1			
49	Of other or unspecified organs M	434	8	9	5	
	Of other or unspecified organs F	286	2		1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) M	16	1	2	2	
	Tumors, benign and unqualified (tumors of the female genital organs excepted) F	46				
51	Acute rheumatic fever M	217	6	2	1	
	Acute rheumatic fever F	257			1	
52	Chronic rheumatism, osteoarthritis, gout M	36	1			
	Chronic rheumatism, osteoarthritis, gout F	42	3			
53	Scurvy M	11				
	Scurvy F	1			1	
54	Pellagra M	274				
	Pellagra F	844	2			
55	Beriberi M	1		1	8	1
	Beriberi F				1	
56	Rickets M	97	1			
	Rickets F	56	2			
57	Diabetes mellitus M	364	5	19	1	
	Diabetes mellitus F	533	7		2	
58	Anemia, chlorosis M	67	2	2	1	
	Anemia, chlorosis F	81		1	1	
59	Diseases of the pituitary gland M	1				
60a	Exophthalmic goiter M	10				
	Exophthalmic goiter F	105	1		1	
60b	Other diseases of the thyroid gland M	7	1			
	Other diseases of the thyroid gland F	32	1			
61	Diseases of the parathyroid glands M	9				
	Diseases of the parathyroid glands F	7			1	
62	Diseases of the thymus gland M	41	1	3		
	Diseases of the thymus gland F	22		1	1	
63	Diseases of the adrenals (Addison's disease) M	2	1	1		
	Diseases of the adrenals (Addison's disease) F	1				
64	Diseases of the spleen M	7				
	Diseases of the spleen F	2				
65a	Leukemia M	38			2	
	Leukemia F	21			1	
65b	Hodgkin's disease M	30		1		
	Hodgkin's disease F	5				
66	Alcoholism (acute or chronic) M	219	2	5	3	
	Alcoholism (acute or chronic) F	47	1			
67a	Chronic lead poisoning M	10				
67b	Other chronic mineral poisoning M	3				
	Other chronic mineral poisoning F	2				
68	Chronic poisoning by organic substances M	17		3		
	Chronic poisoning by organic substances F	11				
69	Other general diseases M	115	4		3	
	Other general diseases F	69	4	2	2	
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE					
	Males	6,274	72	76	40	5
	Females	6,186	59	12	17	1
70	Encephalitis M	70		1	3	
	Encephalitis F	46	2	1	2	
71a	Simple meningitis M	164	7	2	3	1
	Simple meningitis F	94	5		4	
71b	Nonepidemic cerebrospinal meningitis M	44	3			
	Nonepidemic cerebrospinal meningitis F	40	1			
72	Tabes dorsalis (locomotor ataxia) M	70		2	1	
	Tabes dorsalis (locomotor ataxia) F	25	1			
73	Other diseases of the spinal cord M	116	2	1	1	
	Other diseases of the spinal cord F	101	1			
74a	Cerebral hemorrhage M	3,538	26	54	17	1
	Cerebral hemorrhage F	4,120	21	9	5	1

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—Continued					
74b	Cerebral embolism and thrombosis M	69		4		
	F	97			1	
75	Paralysis without specified cause M	656	7	2		
	F	724	11			
76	General paralysis of the insane M	600	1	7	3	1
	F	213			1	
77	Other forms of mental alienation M	90			3	1
	F	113				
78	Epilepsy M	284	6			1
	F	142	2			
79	Convulsions (nonpuerperal; 5 years and over) M	18	1			
	F	25				
80	Infantile convulsions (under 5 years) M	261	12		1	
	F	174	6	1		
81	Chorea F	3				
82	Neuralgia and neuritis M	12				
	F	24				
83	Softening of the brain M	15				
	F	22				
84	Other diseases of the nervous system M	152	2	1	3	
	F	133			1	
85	Diseases of the eye and annexa M	5				
	F	7	1		1	
86a	Diseases of the ear M	71	4	1	3	
	F	54	1	1	2	
86b	Diseases of the mastoid process M	39	1	1	2	
	F	29	7			
	IV.—DISEASES OF THE CIRCULATORY SYSTEM					
	Males	9,695	73	205	32	8
	Females	8,937	79	14	15	1
87	Pericarditis M	88	1	1	1	
	F	59	1		1	
88	Endocarditis and myocarditis (acute) M	390	6	3	3	1
	F	451	1		7	
89	Angina pectoris M	244	6	6	4	
	F	224			1	1
90	Other diseases of the heart M	7,990	51	175	19	6
	F	7,463	73	13	5	
91a	Aneurysm M	262	1	4		1
	F	115				
91b,c	Other diseases of the arteries M	597	7	13	3	
	F	498	2	1		
92	Embolism and thrombosis (not cerebral) M	33		2		
	F	39	1			
93	Diseases of the veins M	19		1		
	F	26			1	
94	Diseases of the lymphatic system M	20			2	
	F	6	1			
95	Hemorrhage without specified cause M	22	1			
	F	30				
96	Other diseases of the circulatory system M	30				
	F	26				
	V.—DISEASES OF THE RESPIRATORY SYSTEM					
	Males	9,850	189	117	81	9
	Females	7,211	197	17	58	1
97a	Diseases of the nasal fossae M	115	5			
	F	108	4			
97b	Diseases of the nasal fossae annexa M	19			1	
	F	13		1		
98	Diseases of the larynx M	34				
	F	18				
99a	Acute bronchitis M	163	5		4	
	F	150	4	1	1	
99b	Chronic bronchitis M	71	2	1	1	
	F	75	2			
99c,d	Bronchitis (unspecified) M	136	3	1	1	
	F	149	2	1		
100a	Broncho-pneumonia M	2,795	61	42	29	2
	F	2,366	67	7	33	
100b	Capillary bronchitis M	99	1		1	
	F	78	2			
101a	Lobar pneumonia M	4,959	56	65	37	6
	F	3,023	58	7	22	1
101b	Pneumonia (unspecified) M	977	51		2	1
	F	797	56		1	
102	Pleurisy M	148	2	3	4	
	F	139			1	
103	Congestion and hemorrhagic infarct of the lung M	49		3		
	F	49	1			

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	V.—DISEASES OF THE RESPIRATORY SYSTEM—Con.					
104	Gangrene of the lung M	10				
	F	6				
105	Asthma M	163	1	2	1	
	F	143	1			
106	Pulmonary emphysema M	7				
	F	5				
107	Other diseases of the respiratory system (tuberculosis excepted) M	105	2			
	F	92				
	VI.—DISEASES OF THE DIGESTIVE SYSTEM					
	Males	6,014	108	85	116	6
	Females	5,395	100	13	66	2
108	Diseases of the mouth and annexa M	49	1			
	F	39		1	1	
109a	Adenoid vegetations M	1				
	F	1				
109b	Other diseases of the pharynx, tonsils M	150	1	1	3	
	F	148	2		5	
110	Diseases of the esophagus M	7		1		
	F	3				
111a	Ulcer of the stomach M	171	3	7	7	1
	F	145	2		2	
111b	Ulcer of the duodenum M	41		1	2	
	F	19			1	
112	Other diseases of the stomach (cancer excepted) M	714	9	2	4	1
	F	828	10	1	3	
113	Diarrhea and enteritis (under 2 years) M	2,366	48	13	39	1
	F	1,911	39	10	24	
114	Diarrhea and enteritis (2 years and over) M	479	15	4	15	1
	F	569	9		15	1
115	Ancylostomiasis M	2	1			
	F	3				
116	Diseases due to other intestinal parasites M	28				
	F	29				
117	Appendicitis and typhlitis M	657	10	7	19	
	F	501	11		6	
118a	Hernia M	226	1	4	2	
	F	70	1			1
118b	Intestinal obstruction M	366	7	6	10	1
	F	394	5	1	6	
119	Other diseases of the intestines M	85	2	1	1	
	F	97	3			
120	Acute yellow atrophy of the liver M	19				
	F	19				
121	Hydatid tumor of the liver F	1				
122	Cirrhosis of the liver M	361	2	25	6	1
	F	208	4			
123	Biliary calculi M	28	4	2	1	
	F	63	7			
124	Other diseases of the liver M	157	3	10	3	
	F	166	7		1	
125	Diseases of the pancreas M	18		1	3	
	F	7			1	
126	Peritonitis without specified cause M	89	1		1	
	F	172			1	
127	Other diseases of the digestive system (cancer and tuberculosis excepted) F	2				
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA					
	Males	7,121	60	114	27	2
	Females	6,497	48	4	15	
128	Acute nephritis (including unspecified under 10 years) M	725	9	5	8	
	F	676	3		4	
129	Chronic nephritis (including unspecified 10 years and over) M	5,497	38	103	15	2
	F	4,602	32	4	7	
131	Other diseases of the kidneys and annexa M	203	4	3	3	
	F	139	3		2	
132	Calculi of the urinary passages M	29		2	1	
	F	8				
133	Diseases of the bladder M	145	1	1		
	F	22				
134	Diseases of the urethra, etc M	100				
	F	9				
135	Diseases of the prostate M	404	8			
136	Nonvenereal diseases of the male genital organs M	18				
137	Cysts, other benign tumors of the ovary F	66				
138	Salpingitis and pelvic abscess (female) F	391	2		1	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA—Continued					
139	Benign tumors of the uterus F	448	4		1	
140	Nonpuerperal uterine hemorrhage F	16	1			
141	Other diseases of the female genital organs F	118	3			
142	Nonpuerperal diseases of the breast (cancer excepted) F	2				
	VIII.—THE PUERPERAL STATE	2,683	46	3	38	
143	Accidents of pregnancy F	208	5		7	
144	Puerperal hemorrhage F	195	6	1	6	
145	Other accidents of labor F	366	11		3	
146	Puerperal septicemia F	913	16	1	19	
147	Puerperal phlegmasia alba dolens, embolus, etc F	64	3			
148	Puerperal albuminuria and convulsions F	923	5	1	3	
149	Following childbirth (undefined) F	13				
150	Puerperal diseases of the breast F	1				
	IX.—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE					
	Males	178	5	4	3	
	Females	178	11		2	1
151	Gangrene M	88	3	1	1	
	F	85	5		1	
152	Furuncle M	22		1		
	F	15	3			
153	Acute abscess M	43	1	2		
	F	32	1		1	
154	Other diseases of the skin and annexa M	25	1		2	
	F	46	2			1
	X.—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION					
	Males	76				
	Females	48			1	
155	Diseases of the bones (tuberculosis excepted) M	53				
	F	37			1	
156	Diseases of the joints (tuberculosis and rheumatism excepted) M	17				
	F	5				
157	Amputations M	1				
158	Other diseases of the organs of locomotion M	5				
	F	6				
	XI.—MALFORMATIONS					
	Males	420	14	4	14	
	Females	275	8	5	11	1
159a	Congenital hydrocephalus M	81				
	F	44	2	1	1	1
159b	Congenital malformations of the heart M	205	8	2	7	
	F	147	3	4	6	
159c	Other congenital malformations M	134	6	2	7	
	F	84	3		4	
	XII.—EARLY INFANCY					
	Males	4,085	81	17	71	3
	Females	3,204	41	14	54	2
160	Congenital debility, icterus, sclerema M	766	17		7	
	F	591	12		6	
161a	Premature birth M	2,560	35	11	43	2
	F	2,141	18	12	30	2
161b	Injury at birth M	341	15	1	8	
	F	224	3	1	10	
162	Other diseases peculiar to early infancy M	392	9	5	13	1
	F	229	8	1	8	
163	Lack of care M	26	5			
	F	19				
164	XIII.—OLD AGE (SENILITY)					
	Males	1,063	33	13		
	Females	1,258	62	1		
	XIV.—EXTERNAL CAUSES					
	Males	8,097	133	155	188	15
	Females	2,936	41	9	49	1
	Suicide M	193	13	42	31	3
	F	89	3	4	6	1
165	By poisons (gas or corrosives excepted) M	5		2	1	1
	F	4			3	
166	By corrosive substances M	11				
	F	37		1		1
167	By poisonous gas M	16		3	3	
	F	6				
168	By hanging or strangulation M	14	2	19	10	1
	F	6		1	1	
169	By drowning M	20		1		
	F	8				
170	By firearms M	92	8	11	13	
	F	14	3	1	1	
171	By cutting or piercing instruments M	20	2	5	2	
	F	3		1	1	
172	By jumping from high places M	6			2	
	F	6				
173	By crushing M	4		1		1
	F	1				
174	By other means M	5	1			
	F	4				
	Homicide M	2,678	20	46	17	3
	F	592	4	1	11	
197	By firearms M	2,065	14	35	13	
	F	385	2	1	6	
198	By cutting or piercing instruments M	393	2	8	3	1
	F	121	1		3	
199	By other means M	220	4	3	1	2
	F	86	1		2	
	Accidental or undefined M	5,226	100	67	140	9
	F	2,255	34	4	32	
175	Poisoning by food M	76	2		1	
	F	68	2		1	
176	Poisoning by venomous animals M	7				
	F	6				
177	Other acute poisonings (gas excepted) M	120	2	2	3	
	F	68	3		2	
178	Conflagration M	143	5	2	7	
	F	145	1			
179	Burns (conflagration excepted) M	492	3	7	6	
	F	879	3	2	5	
180	Mechanical suffocation M	135	2		3	
	F	87			1	
181	Absorption of irrespirable, irritating, or poisonous gas M	78	3	8	3	1
	F	29		1		
182	Drowning M	645	10	7	20	
	F	72		1	8	
183	Traumatism by firearms (except in war) M	492	4		1	
	F	105				
184	Traumatism by cutting or piercing instruments M	66	3			
	F	15	2			
185	Traumatism by fall M	332	11	8	11	
	F	194	5		1	
186a	Traumatism in mines M	85		1	20	
186b	Traumatism in quarries M	12	2			
187	Traumatism by machines M	213		2	3	1
	F	11				
188a	Railroad accidents M	535	14	7	14	1
	F	43	4		1	
188b	Street-car accidents M	66		1	2	
	F	27			1	
188c	Automobile accidents M	794	11	17	31	4
	F	237	5		10	
188e,f	Injuries by other vehicles M	106	5	1	3	1
	F	20	3			
188g	Landslide, other crushing M	69	1	1	2	
	F	11				
189	Injuries by animals (not poisoning) M	52				
	F	4	1			
190	Wounds of war M	1				
192	Starvation (deprivation of food or water) M	2	1			
	F	1				
193	Excessive cold M	47		1		
	F	23				
194	Excessive heat M	59			1	
	F	24			1	
195	Lightning M	44	1			
	F	20	1			
196	Other accidental electric shocks M	34	2		1	
	F	1				
201	Fracture (cause not specified) M	51	2			
	F	17	2			
202	Other external violence M	470	16	2	8	1
	F	148	2		1	
	XV.—ILL-DEFINED DISEASES					
	Males	4,049	149	2	4	
	Females	3,692	158		1	
204	Sudden death M	264	2			
	F	259	1			
205a	Ill-defined M	988	8	1	4	
	F	887	12		1	
205b	Not specified or unknown M	2,797	139	1		
	F	2,546	145			

NOTE.—For populations, see reference in Table 4.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924

REGISTRATION AREA (EXCLUSIVE OF HAWAII)

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes	1,173,990	161,404	29,039	13,651	9,179	6,849	22,887	17,834	29,048	38,519	39,215	40,854	99,360	124,604	155,760	186,985	197,257	1,545
	I.—Epidemic, endemic, and infectious diseases	169,978	16,904	9,449	4,897	3,586	2,689	7,950	5,158	10,548	15,377	14,281	12,246	21,812	16,828	12,229	9,238	6,552	234
1	Typhoid and paratyphoid fever	6,677	48	62	66	70	75	470	717	1,155	1,020	615	460	797	587	308	170	46	11
2	Typhus fever	9												3	2	4			
3	Relapsing fever (spirillum obermeieri)	1							1										
5	Malaria	2,441	236	153	97	82	59	157	135	149	150	125	100	219	234	178	172	183	12
6	Smallpox	874	63	15	7	6	13	26	8	47	92	105	63	165	109	81	47	27	
7	Measles	8,517	2,024	2,343	883	506	319	900	345	336	154	95	90	180	116	88	80	47	11
8	Scarlet fever	3,122	131	301	346	334	282	803	278	167	151	108	94	74	34	9	6	2	2
9	Whooping cough	8,188	4,844	1,922	623	290	158	258	42	16	5	5		7	1	3	3	5	6
10	Diphtheria	9,316	721	1,228	1,243	1,199	983	2,534	665	199	106	95	79	118	69	51	10	11	5
11a	Influenza (with pulmonary complications)	11,889	1,824	705	263	148	90	284	213	327	407	375	467	1,117	1,226	1,321	1,544	1,557	21
11b	Influenza (other and unspecified)	7,485	997	251	130	100	69	231	178	214	218	186	224	572	639	692	1,071	1,704	9
13	Mumps	144	18	15	6	14	4	23	10	8	6	4	5	7	2	4	8	10	
15	Cholera nostras	130	28	16	1	2	4	8	4	2	1	1	1	7	6	10	13	26	
16	Dysentery	2,946	797	541	163	79	27	51	19	27	40	38	40	107	101	153	278	473	12
17	Plague	30		2				2	2	3	4	5	3	2	4	2		1	
18	Yellow fever	1										1							
19	Spirochetal hemorrhagic jaundice	45	8	1	2			2		3	4	3	5	4	7	4	1	1	
20	Leprosy	15										6	2	3		3	1		
21	Erysipelas	2,458	772	48	27	15	2	17	21	31	45	55	52	193	253	293	314	319	1
22	Acute anterior poliomyelitis	1,079	110	134	81	68	77	208	152	82	48	37	25	33	9	8	6	1	
23	Lethargic encephalitis	1,441	40	64	35	35	37	97	68	94	91	79	95	227	234	158	70	16	1
24	Meningococcus meningitis	964	251	109	58	46	41	114	74	57	47	31	33	46	36	11	3	7	
25	Other epidemic and endemic diseases	281	81	47	23	12	7	27	8	6	1	4	8	14	10	13	16	4	
26	Glanders	3									1			1	1				
27	Anthrax	28		1	2				2	1			3	5	5	4	5		
28	Rabies	59		2	1	2	4	11	10	4	1		3	5	11	2	2	1	
29	Tetanus	1,565	319	18	30	19	36	234	247	120	65	51	74	126	109	54	54	9	
30	Mycoses	231	116	14	3			5	2	5	13	6	10	17	10	17	6	7	
	Tuberculosis (all forms)	89,724	1,539	1,275	735	520	368	1,356	1,824	7,192	12,107	11,631	9,602	15,884	11,335	7,602	4,769	1,872	113
31	Of the respiratory system	78,096	496	383	213	143	106	557	1,242	6,352	11,098	10,738	8,861	14,596	10,363	6,900	4,285	1,665	98
32	Of the meninges, central nervous system	4,014	732	684	380	268	185	486	236	210	184	157	117	192	100	48	26	8	1
33	Of the intestines, peritoneum	3,090	90	66	42	40	24	100	138	275	361	302	261	445	351	279	211	97	8
34	Of the vertebral column	990	18	19	19	22	17	58	53	81	71	92	76	147	121	109	60	27	
35	Of the joints	432	19	8	5	4	9	35	36	34	44	37	24	45	50	40	27	13	2
36	Of other organs	1,275	35	28	22	13	2	45	53	77	95	111	111	190	206	130	108	48	1
37a	Disseminated (acute)	1,498	127	80	51	24	24	70	55	137	214	154	128	221	109	64	30	8	2
37b	Disseminated (chronic or unspecified)	329	22	7	3	6	1	5	11	26	40	40	24	48	35	32	22	6	1
38	Syphilis	8,195	1,757	143	50	30	23	56	61	155	365	422	522	1,543	1,442	998	465	139	24
39	Soft chancre	8	1								1	1	1		2	2			
40	Gonococcus infection	813	39	1			1	2	4	62	166	124	120	185	67	28	10	4	
41	Purulent infection, septicemia	1,290	140	38	21	8	10	74	67	86	68	73	63	149	165	128	114	80	6
42	Other infectious diseases	9			1	1			1				2	2	2				
	II.—General diseases not included in Class I	135,014	2,856	598	354	307	279	1,166	1,202	1,365	1,636	2,276	3,311	12,835	23,441	32,636	32,135	18,508	109
	Cancer and other malignant tumors	91,138	57	86	95	83	58	234	201	298	436	887	1,681	8,190	16,721	23,541	24,012	14,492	66
43	Of the buccal cavity	3,130		3	5	3	2	7	11	5	14	22	20	185	505	823	862	658	5
44	Of the stomach, liver	34,250	9	6	6	10	5	23	19	29	68	148	342	2,034	5,413	9,435	10,698	5,976	29
45	Of the peritoneum, intestines, rectum	12,603	3	6	10	11	9	25	19	40	72	166	274	1,070	2,072	3,307	3,448	2,069	2
46	Of the female genital organs	12,836		4		1	1	6	11	20	57	216	457	2,273	3,526	3,109	2,210	933	12
47	Of the breast	8,281						1		5	10	59	198	1,160	2,159	2,130	1,518	1,037	4
48	Of the skin	2,630	3	3	6	1	3	6	4	7	11	18	26	101	252	387	729	1,068	5
49	Of other or unspecified organs	17,408	42	64	68	57	38	166	137	192	204	258	364	1,367	2,794	4,350	4,547	2,751	9
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	757	26	13	9	4	6	6	4	10	18	23	29	87	142	136	126	116	2
51	Acute rheumatic fever	3,270	20	9	22	43	51	422	409	293	213	147	144	317	314	292	315	256	3
52	Chronic rheumatism, osteoarthritis, gout	1,278	1	1				6	5	14	14	33	22	80	137	232	359	371	3
53	Scurvy	45	24	10	3	1	2	1	1	1			1				1		
54	Pellagra	2,347	7	4	5	3	4	21	25	70	145	205	182	480	404	343	285	153	11
55	Beriberi	13	1							2	3	1		4	1	1			
56	Rickets	529	346	120	25	14	3	12	4	4		1							
57	Diabetes mellitus	16,453	12	36	36	24	36	178	281	273	259	273	299	952	2,289	4,639	4,631	2,220	15
58	Anemia, chlorosis	6,167	124	58	21	25	19	45	65	64	97	120	158	573	1,126	1,685	1,452	535	
59	Diseases of the pituitary gland	56	1	1			2	2	3	6	3	5	6	7	10	7	1	2	
60a	Exophthalmic goiter	2,755	1				1	3	26	94	132	173	195	563	681	534	280	71	1
60b	Other diseases of the thyroid gland	474	26	12	5	5	2	3	5	20	19	20	25	64	93	90	56	28	1
61	Diseases of the parathyroid glands	99	69	8	4	3	2	2	1	1	1	2		4	1	1			
62	Diseases of the thymus gland	1,054	868	58	23	19	15	18	10	15	8	10	3	4	2	1			
63	Diseases of the adrenals (Addison's disease)	373	3						5	10	10	18	30	84	73	76	44	19	1
64	Diseases of the spleen	140	9		2	2	5	3	5	6	8	11	19	18	25	16	11		
65a	Leukemia	1,589	32	36	42	37	31	100	78	84	81	80	80	206	227	267	149	59	
65b	Hodgkin's disease	802	20	7	5	8	4	38	34	36	57	56	76	111	113	113	90	33	1
66	Alcoholism (acute or chronic)	3,153							3	24	72	139	296	937	937	521	194	26	4
67a	Chronic lead poisoning	142	1			1				1	6	10	5	33	35	30	14	6	
67b	Other chronic mineral poisoning	21		1								4	2	6	4	1		3	
68	Chronic poisoning by organic substances	208							1	3	14	34	32	43	27	27	17	10	
69	Other general diseases	2,151	1,208	138	59	35	41	70	38	37	42	27	34	71	86	74	93	97	1
	III.—Diseases of the nervous system and of the organs of special sense	128,656	3,681	983	557	368	291	1,223	1,044	1,135	1,245	1,554	2,112	7,999	15,045	23,443	33,229	34,592	155
70	Encephalitis	1,131	114	84	33	25	19	74	58	52	72	66	54	146	130	94	70	36	4
71a	Simple meningitis	2,590	711	248	175	98	63	240	140	118	95	80	86	159	149	127	60	40	1
71b	Nonepidemic cerebrospinal meningitis	776	185	96	54	39	18	104	70	37	28	18	26	37	28	26	6	4	
72	Tabes dorsalis (locomotor ataxia)	1,674	1						2	3	8	15	23	154	413	515	401	139	
73	Other diseases of the spinal cord	3,085	36	15	8	11	11	44	42	61	64	66	76	247	449	698	748	504	5
74a	Cerebral hemorrhage	88,165	161	41	24	10	21	48	63	90	193	337	525	3,306	9,558	17,697	27,113	28,877	101
74b	Cerebral embolism and thrombosis	2,980	23	2	3	4	1	13	15	28	28	47	38	149	303	568	848	909	1
75	Paralysis without specified cause	5,957	46	10	10	13	7	12	14	20	29	36	46	215	527	955	1,744	2,255	18
76	General paralysis of the insane	6,379							6	19	41	144	478	1,973	1,788	1,046	548	330	6
77	Other forms of mental alienation	1,56						1	2	44	93	105	138	322	294	233	187	140	6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
78	Epilepsy	3,141	86	37	25	18	23	102	185	315	309	279	280	457	388	269	223	140	5
79	Convulsions (nonpuerperal; 5 years and over)	148						30	19	12	19	20	9	14	7	7	8	3	
80	Infantile convulsions (under 5 years)	1,911	1,616	180	72	25	18												
81	Chorea	81	2		1		2	6	15	16	5	3	3	5	7	3	7	6	
82	Neuralgia and neuritis	366	1	1				1	2	6	5	10	10	39	52	69	74	95	1
83	Softening of the brain	796												5	38	109	231	413	
84	Other diseases of the nervous system	4,643	155	58	43	41	43	130	110	116	113	177	178	515	673	818	843	626	4
85	Diseases of the eye and annexa	85	10	4	7	3	2	4	5	4	6	2		6	4	8	8	12	
86a	Diseases of the ear	1,960	429	137	65	52	38	232	185	106	69	78	78	139	127	110	75	39	1
86b	Diseases of the mastoid process	1,223	105	70	37	29	25	182	111	88	68	71	64	111	110	91	35	24	2
	IV.—Diseases of the circulatory system	202,777	1,038	239	185	175	203	1,452	2,009	2,228	2,255	2,678	3,489	12,138	22,464	36,081	52,723	63,222	198
87	Pericarditis	908	22	8	2	2	8	36	52	37	29	37	34	70	126	119	161	163	2
88	Endocarditis and myocarditis (acute)	6,744	398	65	68	58	58	358	418	418	406	461	518	1,441	571	537	512	451	6
89	Angina pectoris	11,171		1	2		1	5	9	21	32	62	109	684	1,659	2,787	3,475	2,316	8
90	Other diseases of the heart	157,848	478	141	101	99	131	1,015	1,494	1,708	1,712	1,990	2,645	9,100	18,450	29,418	42,009	47,193	164
91a	Aneurysm	1,921	2					2	6	9	25	34	59	329	481	437	370	164	3
91b,c	Other diseases of the arteries	21,357							2	2	1	8	25	204	742	2,245	5,632	12,481	15
92	Embolism and thrombosis (not cerebral)	1,692	48	4	1	6	3	11	14	19	33	46	60	166	267	335	369	310	
93	Diseases of the veins	608	8		1			3	2	6	5	21	26	95	111	136	123	71	
94	Diseases of the lymphatic system	214	56	19	9	9	2	15	6	4	3	7	3	16	16	18	12	19	
95	Hemorrhage without specified cause	165	26	1	1	1		7	5	4	8	10	7	16	20	15	22	22	
96	Other diseases of the circulatory system	149							1		1	2	3	17	21	34	38	32	
	V.—Diseases of the respiratory system	113,608	24,674	7,419	2,868	1,418	825	2,287	1,315	2,378	2,911	2,980	3,388	8,834	10,025	11,157	13,558	17,463	108
97a	Diseases of the nasal fossae	402	211	27	8	5	3	6	7	9	10	16	10	13	11	8	17	40	1
97b	Diseases of the nasal fossae annexa	475	18	7	6	2	5	23	22	56	55	43	30	91	53	35	20	9	
98	Diseases of the larynx	551	130	87	63	33	24	46	12	5	7	6	11	25	41	14	28	19	
99a	Acute bronchitis	2,916	1,209	204	72	18	10	38	16	13	26	21	17	68	73	115	252	763	1
99b	Chronic bronchitis	2,476	49	21	9	2	2	9	5	21	19	19	26	96	135	282	582	1,197	2
99c,d	Bronchitis (unspecified)	1,815	575	114	36	20	4	21	5	12	10	22	15	43	63	91	160	623	1
100a	Broncho-pneumonia	39,479	14,796	4,205	1,390	654	348	791	334	387	394	455	464	1,315	1,745	2,353	3,637	6,187	24
100b	Capillary bronchitis	1,152	652	146	45	17	10	16	6	6	9	3	4	11	16	34	48	128	1
101a	Lobar pneumonia	50,676	4,885	1,959	914	489	319	1,031	720	1,505	1,975	2,051	2,414	6,044	6,591	6,709	7,048	5,968	54
101b	Pneumonia (unspecified)	6,096	1,671	398	178	104	62	154	95	189	199	141	137	388	368	444	604	946	18
102	Pleurisy	2,728	182	191	114	48	31	97	64	107	120	101	136	325	334	344	300	233	1
103	Congestion and hemorrhagic infarct of the lung	1,353	188	17	7	3	1	20	6	11	8	9	13	51	49	83	182	705	
104	Gangrene of the lung	195	3	1		1		3	2	9	11	11	13	36	34	37	27	7	
105	Asthma	2,022	34	22	14	15	2	19	6	14	17	34	53	163	285	380	468	494	2
106	Pulmonary emphysema	146	6	4				1		1	1	4	3	12	12	27	37	38	
107	Other diseases of the respiratory system (tuberculosis excepted)	1,126	65	16	12	7	4	12	15	33	50	44	42	153	215	201	148	106	3
	VI.—Diseases of the digestive system	95,846	24,950	7,043	2,367	1,278	825	2,692	2,154	2,320	2,561	2,784	3,158	8,063	9,658	9,811	8,827	7,281	74
108	Diseases of the mouth and annexa	702	87	22	7	9	7	38	21	22	30	35	35	94	101	85	61	46	2
109a	Adenoid vegetations	11	6		1		1	2											1
109b	Other diseases of the pharynx, tonsils	3,369	226	159	166	154	131	498	254	235	238	194	193	298	235	160	120	105	3
110	Diseases of the esophagus	118	5	5	2	2	2	2	1	1	3	6	3	9	18	18	15	26	
111a	Ulcer of the stomach	4,084	19	4	1		2	6	14	52	114	164	233	772	855	823	632	389	4
111b	Ulcer of the duodenum	1,455	11					1	1	17	44	87	110	335	318	291	166	73	1
112	Other diseases of the stomach (cancer excepted)	6,254	1,492	288	106	66	43	93	52	57	84	114	151	491	630	728	767	1,083	9
113	Diarrhea and enteritis (under 2 years)	27,566	21,444	6,122															
114	Diarrhea and enteritis (2 years and over)	6,916			1,686	662	265	433	111	90	126	122	140	319	384	515	794	1,251	18
115	Ancylostomiasis	40			2	3	2	9	12	5	1	1		2	2	1			
116	Diseases due to other intestinal parasites	138	12	20	23	14	10	23	4	4	3	3	1	12	4	3	1	1	
117	Appendicitis and typhlitis	14,788	53	95	163	237	224	1,212	1,392	1,404	1,250	1,138	1,137	2,295	1,890	1,366	663	260	9
118a	Hernia	3,673	108	23	13	2	6	9	7	23	36	63	76	329	632	793	840	710	3
118b	Intestinal obstruction	6,807	1,087	211	100	71	59	181	120	157	236	277	308	758	783	764	859	829	7
119	Other diseases of the intestines	1,420	127	29	20	17	9	28	26	37	45	48	54	146	172	170	196	264	2
120	Acute yellow atrophy of the liver	421	11	1			4	4	2	13	42	39	37	72	47	58	50	41	
121	Hydatid tumor of the liver	26								2		1	5	5	3	2	7	1	
122	Cirrhosis of the liver	7,344	17	6	8	2	6	21	29	35	36	80	170	725	1,563	1,831	1,537	976	2
123	Biliary calculi	3,923							1	14	39	100	150	502	872	1,012	810	422	1
124	Other diseases of the liver	4,550	111	19	20	6	15	38	29	56	119	156	190	591	835	901	807	651	6
125	Diseases of the pancreas	582	3	1		3	3	2	5	8	10	27	53	103	138	125	80	21	
126	Peritonitis without specified cause	1,657	131	38	49	30	36	92	73	88	105	129	111	205	175	165	122	102	6
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	2											1		1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	103,964	745	247	213	159	129	532	628	1,000	1,453	2,053	2,670	8,601	13,590	18,823	25,630	27,352	139
128	Acute nephritis (including unspecified under 10 years)	6,038	432	151	135	104	77	294	202	243	236	267	308	784	836	732	609	618	10
129	Chronic nephritis (including unspecified 10 years and over)	82,825	25	34	40	29	39	198	370	546	740	1,063	1,536	5,646	10,734	16,134	22,223	23,361	107
130	Chyluria	1															1		
131	Other diseases of the kidneys and annexa	2,727	233	56	38	26	13	38	37	59	88	116	116	308	364	412	412	410	1
132	Calculi of the urinary passages	728	3					1	4	9	26	21	33	102	121	187	139	81	1
133	Diseases of the bladder	1,033	17	1					1	1	5	6	9	40	70	114	203	563	3
134	Diseases of the urethra, etc	338								4	12	12	21	51	82	69	48	36	3
135	Diseases of the prostate	4,842									3	5	8	41	169	738	1,756	2,115	7
136	Nonvenereal diseases of the male genital organs	87	22	5				1			1	2	1	3	16	12	11	13	
137	Cysts, other benign tumors of the ovary	755							3	11	31	62	62	161	162	114	88	61	
138	Salpingitis and pelvic abscess (female)	1,767							5	91	231	331	310	521	216	41	16	5	
139	Benign tumors of the uterus	1,971								2	23	77	172	744	638	168	76	67	4
140	Nonpuerperal uterine hemorrhage	48							2	6	4	3	3	17	10			2	1
141	Other diseases of the female genital organs	774							4	27	51	86	88	179	170	102	46	19	2
142	Nonpuerperal diseases of the breast (cancer excepted)	30	13							1	2	2	3	4	2		2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued																		
	VIII.—The puerperal state	15,375							60	1,769	3,093	3,260	3,114	3,883	169				27
143	Accidents of pregnancy	1,393							4	78	243	330	351	368	17				2
144	Puerperal hemorrhage	1,517							2	60	196	328	350	548	32				1
145	Other accidents of labor	1,646							2	164	253	334	356	504	29				4
146	Puerperal septicemia	5,745							20	707	1,318	1,252	1,145	1,252	41				10
147	Puerperal phlegmasia alba dolens, embolus, etc	708								35	121	164	156	222	10				
148	Puerperal albuminuria and convulsions	4,287							32	719	948	827	744	969	38				10
149	Following childbirth (undefined)	69								5	12	21	11	18	2				
150	Puerperal diseases of the breast	10								1	2	4	1	2					
	IX.—Diseases of the skin and of the cellular tissue	3,335	522	49	22	17	9	33	57	102	111	76	98	230	273	321	468	942	5
151	Gangrene	1,343	27	8	8	7	2	13	8	5	12	10	16	35	72	126	276	717	1
152	Furuncle	581	52	5		2	2	7	19	47	42	28	31	72	80	82	67	42	3
153	Acute abscess	658	142	20	8	6	4	9	22	36	34	23	36	80	68	66	48	55	1
154	Other diseases of the skin and annexa	753	301	16	6	2	1	4	8	14	23	15	15	43	53	47	77	128	
	X.—Diseases of the bones and of the organs of locomotion	1,424	74	38	35	28	33	194	178	91	64	57	63	126	98	141	111	91	2
155	Diseases of the bones (tuberculosis excepted)	1,130	53	35	33	27	31	177	157	75	51	40	48	95	75	99	74	59	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	214	17	3	2	1	1	15	18	13	10	16	12	21	16	27	23	18	1
157	Amputations	4												1		2		1	
158	Other diseases of the organs of locomotion	76	4				1	2	3	3	3	1	3	9	7	13	14	13	
	XI.—Malformations	14,127	13,023	403	146	85	46	169	100	65	31	16	14	19	7	3			
159a	Congenital hydrocephalus	1,366	1,046	118	45	33	20	50	21	14	5	6	2	5	1				
159b	Congenital malformations of the heart	8,178	7,656	175	72	33	17	82	56	40	19	7	8	8	4	1			
159c	Other congenital malformations	4,583	4,321	110	29	19	9	37	23	11	7	3	4	6	2	2			
	XII.—Early infancy	63,526	63,526																
160	Congenital debility, icterus, sclerema	8,069	8,069																
161a	Premature birth	39,764	39,764																
161b	Injury at birth	10,297	10,297																
162	Other diseases peculiar to early infancy	5,230	5,230																
163	Lack of care	166	166																
164	XIII.—Old age (senility)	12,598												1	14	175	1,378	11,000	30
	XIV.—External causes	96,226	2,386	1,831	1,773	1,625	1,435	4,979	3,762	5,791	7,426	6,880	6,860	13,877	11,783	9,490	7,752	8,247	329
	Suicide	12,061							39	357	774	922	1,057	2,572	2,534	2,107	1,223	446	30
165	By poisons (gas or corrosives excepted)	768							3	37	73	72	71	177	142	103	65	24	1
166	By corrosive substances	1,232							5	83	157	148	143	254	214	120	80	27	1
167	By poisonous gas	1,641								36	80	119	128	360	347	344	168	58	1
168	By hanging or strangulation	2,117							9	32	56	85	141	426	469	461	310	119	9
169	By drowning	668								26	36	48	53	117	158	120	78	28	4
170	By firearms	4,280							21	133	313	364	394	906	914	716	385	124	10
171	By cutting or piercing instruments	797								3	17	35	59	201	184	163	95	39	1
172	By jumping from high places	304							1	3	25	29	37	76	52	45	19	17	
173	By crushing	125								3	13	7	17	34	25	13	11	1	1
174	By other means	129								1	4	15	14	21	29	22	12	9	2
	Homicide	8,420	158	20	12	16	14	50	87	563	1,347	1,359	1,317	1,899	899	407	183	40	49
197	By firearms	6,028	4	5	5	7	3	24	56	385	1,016	1,050	998	1,411	648	272	96	16	32
198	By cutting or piercing instruments	992	7	1	2	2	2	1	12	97	195	159	146	209	96	35	18	6	4
199	By other means	1,400	147	14	5	7	9	25	19	81	136	150	173	279	155	100	69	18	13
	Accidental or undefined	75,745	2,228	1,811	1,761	1,609	1,421	4,929	3,636	4,871	5,305	4,599	4,486	9,406	8,350	6,976	6,346	7,761	250
175	Poisoning by food	917	104	81	47	40	25	48	28	42	36	39	35	93	88	78	75	57	1
176	Poisoning by venomous animals	66	11	4	2	1	5	6	1	5	3	4	1	8	3	4	4	4	
177	Other acute poisonings (gas excepted)	1,577	78	259	148	53	39	31	18	46	98	96	100	231	179	104	64	28	5
178	Conflagration	1,628	85	72	78	87	71	138	106	57	78	87	76	180	159	113	108	120	13
179	Burns (conflagration excepted)	6,895	254	594	762	701	489	766	218	257	258	262	250	450	406	350	410	457	11
180	Mechanical suffocation	1,176	874	18	2	4	5	20	23	19	20	32	26	54	46	17	10	6	
181	Absorption of irrespirable, irritating, or poisonous gas	2,525	30	19	15	10	12	37	38	72	162	134	140	435	471	430	299	219	2
182	Drowning	6,490	38	223	147	93	80	641	783	988	760	409	410	764	564	318	148	66	58
183	Traumatism by firearms (except in war)	2,571	5	12	25	45	35	191	353	560	371	195	183	272	175	88	44	10	7
184	Traumatism by cutting or piercing instruments	621	22	15	16	7	8	42	31	26	30	28	33	91	88	97	48	35	4
185	Traumatism by fall	12,955	150	157	123	79	63	287	250	238	277	303	376	965	1,130	1,353	2,119	5,077	8
186a	Traumatism in mines	2,234			1	1		1	7	122	259	275	322	627	398	153	47	2	19
186b	Traumatism in quarries	104							1	14	12	8	11	23	21	7	5	1	1
187	Traumatism by machines	2,052	2	8	7	14	4	26	65	188	223	199	206	415	317	247	102	24	5
188a	Railroad accidents	6,430	23	26	28	18	26	152	197	462	657	614	602	1,217	981	731	452	191	53
188b	Street-car accidents	1,623	6	6	21	34	24	65	38	65	99	112	124	239	230	247	194	116	3
188c	Automobile accidents	15,528	81	99	186	294	422	2,014	951	1,076	1,163	1,029	888	1,876	1,794	1,593	1,354	687	21
188d	Airplane and balloon accidents	142						3		9	43	44	20	19	3	1			
188e,f	Injuries by other vehicles	1,538	10	16	15	28	34	106	128	117	92	87	58	172	183	224	198	68	2
188g	Landslide, other crushing	740	3	6	3	6	7	35	15	44	78	65	73	158	127	77	31	8	4
189	Injuries by animals (not poisoning)	605	4	4	12	19	14	50	37	39	25	26	16	61	86	79	82	49	2
190	Wounds of war	6										2	1	3					
192	Starvation (deprivation of food or water)	15											1	2	2	2	5	3	
193	Excessive cold	335	16		2				2	6	9	13	6	48	62	54	51	60	6
194	Excessive heat	409	41	5	6	2	1	4	4	9	17	23	11	58	79	50	52	47	
195	Lightning	334	1	1		1	1	18	39	42	35	25	34	57	40	29	8	3	
196	Other accidental electric shocks	977	3	1	1	6	22	49	86	165	163	126	208	98	34	9	3	3	
201	Fracture (cause not specified)	734	5	2	3	3	10	12	23	38	30	26	72	78	79	98	249	6	
202	Other external violence	4,502	385	182	112	68	47	215	242	259	295	294	331	607	536	416	326	171	16
203	Violent deaths of unknown causation	16		1				1			2	1		1	6	1	3		
	XV.—Ill-defined diseases	17,536	7,025	740	234	133	85	210	167	256	356	320	331	942	1,209	1,450	1,936	2,007	135
204	Sudden death	1,446	288	18	10	3	5	9	8	11	25	28	33	104	159	208	286	238	13
205a	Ill-defined	5,408	1,068	388	90	43	32	69	69	80	112	104	136	405	545	713	844	686	24
205b	Not specified or unknown	10,682	5,669	334	134	87	48	132	90	165	219	188	162	433	505	529	806	1,083	98

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA																		
	All causes	56,832	5,836	1,034	564	429	312	1,098	812	1,211	1,923	2,038	2,089	5,485	6,694	8,262	9,372	9,652	21
	I.—Epidemic, endemic, and infectious diseases	9,380	598	334	241	190	151	521	309	538	827	860	777	1,452	1,093	753	490	243	3
1	Typhoid and paratyphoid fever	229	1	6	5	2	3	13	20	28	35	15	15	33	32	10	10	1	
5	Malaria	19	1			2		4			1	1		2	4	1	1	2	
6	Smallpox	57	4	3		1	4	5	1	5	2	7	4	3	11	3	3	1	
7	Measles	329	78	103	45	25	13	33	12	8	4	1	1	1	2	1	1	1	
8	Scarlet fever	106	4	5	12	13	7	25	14	6	4	5	5	2	2	1		1	
9	Whooping cough	174	110	32	14	3	3	11											1
10	Diphtheria	699	26	49	82	74	72	257	86	8	9	6	4	14	7	3	1	1	
11a	Influenza (with pulmonary complications)	375	53	17	9	7	2	15	8	7	13	10	14	36	44	34	47	59	
11b	Influenza (other and unspecified)	229	27	7	6	5	2	11	5	7	5	7	8	14	27	31	25	42	
13	Mumps	2	1														1		
15	Cholera nostras	2	1															1	
16	Dysentery	107	34	8	4	4	2	3		3	2	3	3	5	7	9	9	11	
17	Plague	30		2				2	2	3	4	5	3	2	4	2		1	
19	Spirochetal hemorrhagic jaundice	2	1								1								
20	Leprosy	1										1							
21	Erysipelas	82	26	2	1		1	1		1	2		2	12	7	19	5	3	
22	Acute anterior poliomyelitis	37	3	4	3	2	4	5	7	4	4			1					
23	Lethargic encephalitis	76	5	2		4	2	4	2	5	1	5	5	10	15	10	5	1	
24	Meningococcus meningitis	50	10	3	2	2		5	6	6	6	3	2	3	2				
25	Other epidemic and endemic diseases	12	2	5				5											
27	Anthrax	1															1		
28	Rabies	5			1			1						2		1			
29	Tetanus	48	6		1		1	8	6	2	3	4	4	6	4	1	1	1	
30	Mycoses	13	3	1						1	2		1	2		2		1	
	Tuberculosis (all forms)	6,068	95	72	54	42	34	107	137	432	707	765	660	1,190	817	527	331	97	1
31	Of the respiratory system	5,381	32	28	16	15	11	43	106	389	647	708	619	1,115	763	494	305	89	1
32	Of the meninges, central nervous system	265	38	34	31	16	18	40	15	14	11	9	12	16	5	2	4		
33	Of the intestines, peritoneum	170	9	1	3	4	3	5	10	11	21	19	10	31	20	12	8	3	
34	Of the vertebral column	46	1		1	3	1	5	1	5	3	2	3	5	6	6	3	1	
35	Of the joints	21	1					2		2	1	2	2	2	2	3	3	1	
36	Of other organs	72	4	1	2			3	1	5	4	10	6	10	15	3	6	2	
37a	Disseminated (acute)	98	10	8	1	4	1	9	4	5	19	13	6	8	2	5	2	1	
37b	Disseminated (chronic or unspecified)	15								1	1	2	2	3	4	2			
38	Syphilis	514	97	9	2	3		1	2	8	12	14	32	93	93	89	43	16	
40	Gonococcus infection	36	2							1	6	6	6	11	4				
41	Purulent infection, septicemia	77	8	4		1	1	5	1	3	4	2	6	12	10	9	7	3	1
	II.—General diseases not included in Class I	7,042	110	21	11	12	10	39	44	38	56	89	143	689	1,292	1,853	1,663	971	1
	Cancer and other malignant tumors	5,120	3	8	4	2	4	7	7	12	17	37	85	491	980	1,401	1,286	775	1
43	Of the buccal cavity	162			1						1	2		7	34	47	42	28	
44	Of the stomach, liver	1,910	1	1		1		1	3	2	5	8	18	117	295	582	535	340	1
45	Of the peritoneum, intestines, rectum	671					2		1		4	3	14	68	115	182	183	99	
46	Of the female genital organs	772								1		11	28	136	210	193	146	47	
47	Of the breast	500										1	9	71	153	120	91	55	
48	Of the skin	117	1						1				2	5	10	19	29	50	
49	Of other or unspecified organs	988	1	7	3	1	2	6	2	9	7	12	14	87	163	258	260	156	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	39				1		1			1		3	5	8	13	4	3	
51	Acute rheumatic fever	78						11	10	6	8	2	1	10	4	10	10	6	
52	Chronic rheumatism, osteoarthritis, gout	60								1		1		6	7	15	15	15	
53	Scurvy	6	3	2			1												
54	Pellagra	28										2		4	11	5	6		
55	Beriberi	3	1							1				1					
56	Rickets	15	13	1					1										
57	Diabetes mellitus	777		1	2	2	2	7	14	7	9	8	15	46	103	215	221	125	
58	Anemia, chlorosis	339	10	2	1			1	5		4	8	7	31	66	116	66	22	
59	Diseases of the pituitary gland	2									1					1			
60a	Exophthalmic goiter	115								2	3	6	8	21	32	24	11	8	
60b	Other diseases of the thyroid gland	24	1	1						1	1	3	1	3	6		7		
61	Diseases of the parathyroid glands	3	1			2													
62	Diseases of the thymus gland	55	39	2	1	2	1	2	2	2	3			1					
63	Diseases of the adrenals (Addison's disease)	18								1		2	2	4	3	3	3		
64	Diseases of the spleen	10	1								1	1		4	1		2		
65a	Leukemia	89	1	3	1	3	2	6	3	3		7	3	12	13	16	10	6	
65b	Hodgkin's disease	34	1					2	1		4		3	5	5	6	5	2	
66	Alcoholism (acute or chronic)	133									2	5	11	37	43	18	15	2	
67a	Chronic lead poisoning	6										1			1	3	1		
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	16									1	5	2	3	3	1		1	
69	Other general diseases	71	36	1	2			2	1	2	1	1	2	4	6	6	1	6	
	III.—Diseases of the nervous system and of the organs of special sense	6,145	127	45	28	16	14	52	42	34	50	70	104	418	684	1,151	1,637	1,673	
70	Encephalitis	78	11	6	2	5	1	1	2	1	4	4	3	20	5	7	5	1	
71a	Simple meningitis	130	27	16	10	5	4	10	9	1	4	5	8	13	6	11	1		
71b	Nonepidemic cerebrospinal meningitis	30	8	5	2	1	1	3	2	1	1		1	3		2			
72	Tabes dorsalis (locomotor ataxia)	124												9	29	41	33	12	
73	Other diseases of the spinal cord	144	1			1		3	1	1	2	2	2	15	24	37	39	16	
74a	Cerebral hemorrhage	4,157	6	2	1		2	2	2	3	8	9	19	136	399	816	1,329	1,423	
74b	Cerebral embolism and thrombosis	197	1		1					1	1	4	3	7	20	39	58	62	
75	Paralysis without specified cause	153	3			1					2	1		5	6	23	48	64	
76	General paralysis of the insane	371										10	30	119	99	62	36	15	
77	Other forms of mental alienation	88									5	8	10	23	22	15	4	1	
78	Epilepsy	129	3	3	1	1	1	7	3	11	8	11	5	16	13	20	10	16	
79	Convulsions (nonpuerperal; 5 years and over)	1															1		
80	Infantile convulsions (under 5 years)	34	29	3	2														
81	Chorea	1								1									
82	Neuralgia and neuritis	11												2	2	2	2	3	
83	Softening of the brain	58													5	12	13	28	
84	Other diseases of the nervous system	264	8	4	4		2	7	4	7	6	6	12	38	44	43	49	30	
85	Diseases of the eye and annexa	5	1		1									2		1			
86a	Diseases of the ear	105	26	2	4	1	1	11	10	4	4	6	4	6	6	9	9	2	
86b	Diseases of the mastoid process	65	3	4		1	2	8	9	3	5	4	7	4	4	11			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	IV.—Diseases of the circulatory system	10,913	28	7	6	3	4	49	86	75	97	124	145	612	1,222	1,960	2,928	3,565	2
87	Pericarditis	51	2					1	2		2	1	2	6	11	7	10	7	
88	Endocarditis and myocarditis (acute)	336	11	2	2	1	1	19	22	20	23	24	34	85	22	27	24	19	
89	Angina pectoris	713									2	4	6	51	130	170	222	128	
90	Other diseases of the heart	8,516	12	5	4	1	3	29	62	52	68	83	94	411	933	1,551	2,352	2,855	1
91a	Aneurysm	198								2	1	6	3	26	55	49	35	21	
91b,c	Other diseases of the arteries	957									1		2	15	48	123	252	515	1
92	Embolism and thrombosis (not cerebral)	108								1		5	3	12	18	26	27	16	
93	Diseases of the veins	23										1	1	4	4	5	6	2	
94	Diseases of the lymphatic system	5	2			1										1		1	
95	Hemorrhage without specified cause	3	1											1	1	1			
96	Other diseases of the circulatory system	3												1	1			1	
	V.—Diseases of the respiratory system	4,466	872	239	91	49	37	97	52	64	88	101	100	350	427	497	563	839	
97a	Diseases of the nasal fossae	3	1															2	
97b	Diseases of the nasal fossae annexa	20						1	2	2		4		4	5	1		1	
98	Diseases of the larynx	20	1	2	2	2	3	3	1	1				1	2			2	
99a	Acute bronchitis	122	49	4		1		2	1					2	5	2	10	46	
99b	Chronic bronchitis	135	3	1						1			1	7	12	16	21	73	
99c,d	Bronchitis (unspecified)	55	19	1		1		1			2			2	3	2	4	20	
100a	Broncho-pneumonia	1,639	552	149	51	29	10	46	17	15	19	15	23	54	85	121	169	284	
100b	Capillary bronchitis	41	20	4					1		1			1		1	2	11	
101a	Lobar pneumonia	1,928	176	56	30	14	18	34	24	39	52	63	58	244	264	295	289	272	
101b	Pneumonia (unspecified)	136	33	10	3		4	2	2	2	2	3	3	6	7	16	19	24	
102	Pleurisy	141	10	10	5	2	1	5	3	2	8	7	6	14	23	16	15	14	
103	Congestion and hemorrhagic infarct of the lung	80	6					2				2		1	2	3	6	58	
104	Gangrene of the lung	8								1		1		2	2	1	1		
105	Asthma	92	1	1				1	1		1	3	3	5	10	15	22	29	
106	Pulmonary emphysema	5	1														3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	41		1			1			1	3	3	6	7	7	8	2	2	
	VI.—Diseases of the digestive system	4,817	1,254	273	101	68	34	105	72	82	138	136	171	447	521	550	498	367	
108	Diseases of the mouth and annexa	29	2	1				1			4	3	2	4	3	6		3	
109b	Other diseases of the pharynx, tonsils	168	12	4	9	6	5	28	10	5	16	14	14	17	15	6	3	4	
110	Diseases of the esophagus	4			2											1	1		
111a	Ulcer of the stomach	296	3	1						1	6	9	16	63	65	54	51	27	
111b	Ulcer of the duodenum	109									4	1	9	24	27	20	16	8	
112	Other diseases of the stomach (cancer excepted)	223	40	11	5	5	2	6	1		2	6	1	15	17	32	32	48	
113	Diarrhea and enteritis (under 2 years)	1,359	1,121	238															
114	Diarrhea and enteritis (2 years and over)	327			75	46	13	18	4	6	8	6	11	19	14	29	28	50	
115	Ancylostomiasis	1												1					
116	Diseases due to other intestinal parasites	8		1						1	1			1		2	1	1	
117	Appendicitis and typhlitis	754	2	4	5	9	6	40	46	60	68	55	61	124	120	86	51	17	
118a	Hernia	176	7	1							1	3	2	13	32	38	47	32	
118b	Intestinal obstruction	364	58	12	3	1	5	7	3	5	14	14	19	46	50	38	39	50	
119	Other diseases of the intestines	70	1			1					4	3	4	8	12	13	13	11	
120	Acute yellow atrophy of the liver	23	1				1				2	3	2	2	6	4	2		
121	Hydatid tumor of the liver	4												2			1	1	
122	Cirrhosis of the liver	433							4			4	11	51	90	110	110	53	
123	Biliary calculi	194								1	5	2	6	20	28	46	57	29	
124	Other diseases of the liver	199	2				2	2	1	1		9	7	24	33	51	37	30	
125	Diseases of the pancreas	24	1										3	4	5	9	2		
126	Peritonitis without specified cause	52	4		2			3	3	2	3	4	3	9	4	5	7	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,549	45	2	2	5	6	27	33	35	58	89	115	397	624	847	1,065	1,198	1
128	Acute nephritis (including unspecified under 10 years)	201	24		1	3	5	17	7	5	9	6	8	29	31	23	16	17	
129	Chronic nephritis (including unspecified 10 years and over)	3,555	1	1		1		8	25	20	25	49	60	258	469	705	913	1,019	1
131	Other diseases of the kidneys and annexa	162	17	1	1	1	1	2	1	6	5	8	12	18	22	29	21	17	
132	Calculi of the urinary passages	30									1	1	1	4	6	9	7	1	
133	Diseases of the bladder	44	2											1	3	7	11	20	
134	Diseases of the urethra, etc	9									1				1	2	3	2	
135	Diseases of the prostate	254											1	1	12	46	83	111	
136	Nonvenereal diseases of the male genital organs	4													2		1	1	
137	Cysts, other benign tumors of the ovary	56									1	5	5	15	15	9	4	2	
138	Salpingitis and pelvic abscess (female)	81								4	11	13	11	34	6	2			
139	Benign tumors of the uterus	112									1	2	10	35	43	13	1	7	
141	Other diseases of the female genital organs	40									4	5	7	2	14	2	5	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	515							2	46	104	121	109	121	12				
143	Accidents of pregnancy	68								1	13	15	15	22	2				
144	Puerperal hemorrhage	47							1	2	3	15	10	14	2				
145	Other accidents of labor	52								1	11	8	12	16	4				
146	Puerperal septicemia	174							1	20	41	41	34	35	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	26								2	4	5	9	6					
148	Puerperal albuminuria and convulsions	147								20	32	36	29	28	2				
149	Following childbirth (undefined)	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	141	18	1	1			1	2	2	6	7	7	14	8	13	24	37	
151	Gangrene	53	1					1				2	1	2	2	3	13	28	
152	Furuncle	29	2						1	2	2	1	1	4	3	6	7		
153	Acute abscess	33	4	1	1						2	3	4	6	3	3	2	4	
154	Other diseases of the skin and annexa	26	11						1		2	1	1	2		1	2	5	
	X.—Diseases of the bones and of the organs of locomotion	58	2		3			10	3	2	4	3	4	9	4	7	2	5	
155	Diseases of the bones (tuberculosis excepted)	48	2		2			10	1	1	3	2	4	7	4	6	2	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8			1				2	1		1		1		1		1	
158	Other diseases of the organs of locomotion	2									1			1					
	XI.—Malformations	541	487	27	7	3	2	2	1	3	3	2		1	2	1			
159a	Congenital hydrocephalus	50	42	6		2													
159b	Congenital malformations of the heart	296	272	9	4		1	1	1	2	3	1			1	1			
159c	Other congenital malformations	195	173	12	3	1	1	1		1	1	1		1	1				
	XII.—Early infancy	2,187	2,187																
160	Congenital debility, icterus, sclerema	295	295																
161a	Premature birth	1,390	1,390																
161b	Injury at birth	321	321																
162	Other diseases peculiar to early infancy	175	175																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	369														7	49	312	1
	XIV.—External causes	5,607	91	79	70	78	52	188	164	289	489	434	411	968	796	617	446	431	4
	Suicide	1,095							4	24	80	79	91	258	241	185	93	39	1
165	By poisons (gas or corrosives excepted)	130								5	10	12	18	23	27	22	10	3	
166	By corrosive substances	84								6	15	7	16	20	12	7		1	
167	By poisonous gas	200								1	12	13	7	53	50	37	20	7	
168	By hanging or strangulation	120							1	1	2	8	15	21	32	22	9	9	
169	By drowning	38									2	3		8	10	9	4	1	1
170	By firearms	391							3	11	32	31	27	97	77	65	36	12	
171	By cutting or piercing instruments	79									3	3	4	20	18	18	9	4	
172	By jumping from high places	31									3	2	1	8	10	2	3	2	
173	By crushing	12									1			6	3	1	1		
174	By other means	10											3	2	2	2	1		
	Homicide	374	2	1		1	2	5	4	21	39	58	47	97	53	26	16	1	1
197	By firearms	261					1	3		15	26	46	35	68	35	22	8	1	1
198	By cutting or piercing instruments	37		1		1	1			2	6	5	2	9	7		3		
199	By other means	76	2					2	4	4	7	7	10	20	11	4	5		
	Accidental or undefined	4,138	89	78	70	77	50	183	156	244	370	297	273	613	502	406	337	391	2
175	Poisoning by food	52	5	7	3		1	2		3	1		6	3	6	7	5	3	
176	Poisoning by venomous animals	3	1				1										1		
177	Other acute poisonings (gas excepted)	105	5	12	5	3	3	4	1	4	11	10	6	15	17	2	7		
178	Conflagration	86	1	4	3	3	1	8	11	10	6	4	2	10	4	8	6	5	
179	Burns (conflagration excepted)	221	8	10	17	28	11	16	6	5	12	14	14	26	15	11	16	12	
180	Mechanical suffocation	48	29	1					3	1		2	2	5	3	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	95						3		1	8	7	3	17	19	15	13	9	
182	Drowning	336	1	21	12	10	6	17	20	34	52	35	21	43	26	24	10	3	1
183	Traumatism by firearms (except in war)	158	1		1	2	1	7	15	21	49	15	8	20	10	5	3		
184	Traumatism by cutting or piercing instruments	34	2					1	2	1	1	3	3	4	5	8	3	1	
185	Traumatism by fall	618	4	9	2	5		12	20	14	17	12	25	60	39	69	85	245	
186a	Traumatism in mines	31								1	6	3	1	9	8	2	1	1	
186b	Traumatism in quarries	6									2		1		2	1			
187	Traumatism by machines	144			1	2		1	2	8	15	16	20	36	24	13	6		
188a	Railroad accidents	320	2	1	1		1	9	7	14	33	34	26	60	51	44	26	11	
188b	Street-car accidents	119	1	1	2	2	2		1	4	8	7	3	16	22	22	15	13	
188c	Automobile accidents	1,254	6	8	14	20	17	89	55	86	93	82	83	199	184	134	110	74	
188d	Airplane and balloon accidents	30						1		1	10	9	4	5					
188e,f	Injuries by other vehicles	77		1	1		1	3	5	17	9	10	2	8	8	5	4	3	
188g	Landslide, other crushing	64			1			3		3	9	5	8	16	8	8	2	1	
189	Injuries by animals (not poisoning)	18		1				1		1		2	1	2	4		4	2	
192	Starvation (deprivation of food or water)	2												1				1	
193	Excessive cold	5											1		1	2	1		
194	Excessive heat	35	9		1					3	4	2	1	5	4	5	1		
196	Other accidental electric shocks	62					1	1	2	2	5	10	9	19	9	2	2		
201	Fracture (cause not specified)	14	1							1	1			2	6	2			1
202	Other external violence	200	13	2	6	2	4	5	6	10	18	15	23	32	27	16	14	7	
203	Violent deaths of unknown causation	1															1		
	XV.—Ill-defined diseases	102	17	6	3	5	2	7	2	3	3	2	3	7	9	6	7	11	9
204	Sudden death	1														1			
205a	Ill-defined	32	4	5	3	1	1	3			1	1	1		5	1	4	2	
205b	Not specified or unknown	69	13	1		4	1	4	2	3	2	1	2	7	4	4	3	9	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO																		
	All causes	12,528	1,949	389	158	111	99	304	210	329	475	543	574	1,185	1,208	1,550	1,833	1,593	18
	I.—Epidemic, endemic, and infectious diseases	2,762	258	163	67	47	44	147	51	110	240	315	282	442	239	181	108	64	4
1	Typhoid and paratyphoid fever	67		1	2	1	1	4	8	12	8	4	5	8	7	3	2		1
7	Measles	216	50	81	17	11	13	28	6	1	3	1	2	1		2			
8	Scarlet fever	44	2	1	10	3	4	16	3			2	2	1					
9	Whooping cough	65	39	15	3	2	3	2						1					
10	Diphtheria	157	10	10	13	18	13	61	14	5	3	2	2	1	2	2			1
11a	Influenza (with pulmonary complications)	230	57	25	7	3	4	11	2	5	8	5	6	13	14	18	31	21	
11b	Influenza (other and unspecified)	114	17	7	1	1	2	4	3	3	4	2	2	10	11	13	17	17	
13	Mumps	2				1										1			
15	Cholera nostras	2	1	1															
16	Dysentery	22	10	1	1								1	2		2		4	1
21	Erysipelas	42	15	3	1								1	2	5	6	3	6	
22	Acute anterior poliomyelitis	7	1	2		1	1		1					1					
23	Lethargic encephalitis	10	1				1			2				2	2	1	1		
24	Meningococcus meningitis	15	2	1		1	2	1	2	1				4		1			
25	Other epidemic and endemic diseases	2	1													1			
28	Rabies	2				1										1			
29	Tetanus	3	1					1	1										
30	Mycoses	1								1									
	Tuberculosis (all forms)	1,639	17	15	12	6	1	14	11	77	207	290	252	375	184	117	47	13	1
31	Of the respiratory system	1,513	1	3	3	3		7	9	65	200	275	243	357	181	105	47	13	1
32	Of the meninges, central nervous system	53	15	8	9	2		4	2	2	2	3	2	3		1			
33	Of the intestines, peritoneum	20		1				2		4	3	3	1	1	1	4			
34	Of the vertebral column	11	1			1				2		2	1	2	1	1			
35	Of the joints	3										1		1		1			
36	Of other organs	13						1		1		1	3	3		4			
37a	Disseminated (acute)	23		2			1			3	1	5	2	7	1	1			
37b	Disseminated (chronic or unspecified)	3		1							1			1					
38	Syphilis	95	34				1	1	1		2	5	5	20	10	10	4	2	
40	Gonococcus infection	12								1	1	4	3	1	1	1			
41	Purulent infection, septicemia	15						1	1	2	1		1		3	2	3	1	
	II.—General diseases not included in Class I	1,166	17	4	6	3	5	11	10	10	10	16	32	113	199	283	306	139	2
	Cancer and other malignant tumors	837			2	1		1	2	3	3	7	24	68	146	214	252	113	1
43	Of the buccal cavity	20												1	3	8	2	6	
44	Of the stomach, liver	339									1	1	7	18	50	96	111	54	1
45	Of the peritoneum, intestines, rectum	98				1						1	6	8	13	20	37	12	
46	Of the female genital organs	108										1	4	20	30	24	23	6	
47	Of the breast	78											3	7	16	27	20	5	
48	Of the skin	25										1		1	1	4	10	8	
49	Of other or unspecified organs	169			2			1	2	3	2	3	4	13	33	35	49	22	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6											1	1	1		1	2	
51	Acute rheumatic fever	27					2	7	4	2		1		6	2	2		1	
52	Chronic rheumatism, osteoarthritis, gout	15							1			1		1	3	3	4	1	1
53	Scurvy	1	1																
56	Rickets	3	2		1														
57	Diabetes mellitus	99	1		1		2	2		3	2	1	1	8	18	29	21	10	
58	Anemia, chlorosis	62	2			1					1	2		4	12	15	17	8	
60a	Exophthalmic goiter	23								1	1	1	2	8	4	4	1	1	
60b	Other diseases of the thyroid gland	5		1											1	2	1		
62	Diseases of the thymus gland	9	4	2					1			1		1					
63	Diseases of the adrenals (Addison's disease)	6											1	1	1	2		1	
65a	Leukemia	17				1			1	1	1	1	1	5		4	1	1	
65b	Hodgkin's disease	6						1			1	1		3					
66	Alcoholism (acute or chronic)	29									1		1	6	8	7	6		
67a	Chronic lead poisoning	3												1	1		1		
68	Chronic poisoning by organic substances	2											1		1				
69	Other general diseases	16	7	1	2		1		1						1	1	1	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,164	24	3	4	3	1	12	11	13	6	13	21	70	147	237	330	268	1
70	Encephalitis	14	1							1	1	1		5	1	3		1	
71a	Simple meningitis	15	2		1	2		2		3				2		2	1		
71b	Nonepidemic cerebrospinal meningitis	11	4	1	1			2	2					1					
72	Tabes dorsalis (locomotor ataxia)	15											2	1	6	3	3		
73	Other diseases of the spinal cord	36	2	1					1	1			1	4	4	7	11	4	
74a	Cerebral hemorrhage	792	1									2	7	15	91	171	269	236	
74b	Cerebral embolism and thrombosis	44												3	7	7	16	11	
75	Paralysis without specified cause	36							1						3	8	15	8	1
76	General paralysis of the insane	68										2	4	26	18	15	3		
77	Other forms of mental alienation	11											2	1	2	3	2	1	
78	Epilepsy	28			1			1	2	4	4	2	1	2	4	5	2		
79	Convulsions (nonpuerperal; 5 years and over)	1										1							
80	Infantile convulsions (under 5 years)	6	6																
81	Chorea	5						1	1						2	1			
83	Softening of the brain	2															1	1	
84	Other diseases of the nervous system	41	2			1	1			2		2		6	6	8	7	6	
86a	Diseases of the ear	28	6					4	2	1	1	2	3	3	3	3			
86b	Diseases of the mastoid process	11		1	1			2	2	1		1	1	1		1			
	IV.—Diseases of the circulatory system	1,533	10	1	1	3	4	17	26	33	21	16	31	96	165	281	427	400	1
87	Pericarditis	7							2	1			1	1				2	
88	Endocarditis and myocarditis (acute)	76	3	1	1	1	2	5	6	3	3	3	2	17	12	8	7	2	
89	Angina pectoris	118								1		1	1	6	17	33	40	19	
90	Other diseases of the heart	1,070	6			2	2	12	18	28	17	12	25	65	116	201	298	267	1
91a	Aneurysm	16									1		1	2	4	2	4	2	
91b,c	Other diseases of the arteries	220											1	2	14	29	68	106	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	IV.—Diseases of the circulatory system—Continued																		
92	Embolism and thrombosis (not cerebral)	18												1	2	6	7	2	
93	Diseases of the veins	7												2		2	3		
94	Diseases of the lymphatic system	1	1																
	V.—Diseases of the respiratory system	1,397	346	86	40	18	15	25	17	22	27	19	32	96	109	147	190	208	
97a	Diseases of the nasal fossae	4												2			1	1	
97b	Diseases of the nasal fossae annexa	9								1	1	1		3	1		2		
98	Diseases of the larynx	6		1	2	1		1						1					
99a	Acute bronchitis	20	8	3				1								1	1	6	
99b	Chronic bronchitis	23									1			3	1	5	4	9	
99c,d	Bronchitis (unspecified)	5	2															3	
100a	Broncho-pneumonia	501	212	49	22	8	3	8	8	3	1	2	6	9	21	29	45	75	
100b	Capillary bronchitis	5	5																
101a	Lobar pneumonia	655	90	29	14	9	10	14	4	17	22	12	24	61	69	88	113	79	
101b	Pneumonia (unspecified)	70	28	4					1			1		3	4	6	4	19	
102	Pleurisy	21			1		2	1	4	1	1	1			2		5	3	
103	Congestion and hemorrhagic infarct of the lung	10												1			4	5	
105	Asthma	32										2	2	4	5	9	7	3	
106	Pulmonary emphysema	3															1	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	33	1		1						1			9	6	9	3	3	
	VI.—Diseases of the digestive system	1,197	348	78	22	17	7	34	30	33	24	44	45	92	115	133	93	80	2
108	Diseases of the mouth and annexa	2	1												1				
109b	Other diseases of the pharynx, tonsils	39	4	3	2	1	1	6	4	6	2	1		3	3			3	
110	Diseases of the esophagus	2													1	1			
111a	Ulcer of the stomach	71										2	3	13	13	22	10	8	
111b	Ulcer of the duodenum	17								1		1	2	3	2	7	1		
112	Other diseases of the stomach (cancer excepted)	53	13	2	2			1				1	1	4	5	6	4	14	
113	Diarrhea and enteritis (under 2 years)	386	315	71															
114	Diarrhea and enteritis (2 years and over)	64			16	11	2	6		1	2	2	2	3	3	3	4	9	
116	Diseases due to other intestinal parasites	2						1								1			
117	Appendicitis and typhlitis	248			2	5	4	18	26	21	18	26	22	34	31	27	11	3	
118a	Hernia	33										2	2	1	3	6	10	9	
118b	Intestinal obstruction	70	7	1				1		1		3	9	4	9	14	12	8	1
119	Other diseases of the intestines	11	1									1		4	1		3	1	
120	Acute yellow atrophy of the liver	4										1		1			2		
122	Cirrhosis of the liver	62								1		2	2	5	16	15	12	9	
123	Biliary calculi	54											2	4	13	18	12	5	
124	Other diseases of the liver	62	5	1						1		1		8	13	11	11	10	1
125	Diseases of the pancreas	3												1		2			
126	Peritonitis without specified cause	14	2					1		1	2	1		4	1		1	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	944	9	2	3	3	2	6	7	17	9	17	19	72	118	165	270	223	2
128	Acute nephritis (including unspecified under 10 years)	64	7	2	2	3		4	4	2	1	2	2	8	7	5	10	5	
129	Chronic nephritis (including unspecified 10 years and over)	703	1		1		2	1	3	11	3	11	9	43	85	147	213	172	1
131	Other diseases of the kidneys and annexa	22	1					1		1		1		2	7	3	3	3	
132	Calculi of the urinary passages	6										1	1	1			3		
133	Diseases of the bladder	13														1	2	9	
134	Diseases of the urethra, etc	3														1	2		
135	Diseases of the prostate	72														5	34	33	
136	Nonvenereal diseases of the male genital organs	1													1				
137	Cysts, other benign tumors of the ovary	13								1	2	1		3	3		2	1	
138	Salpingitis and pelvic abscess (female)	17								2	2	1	2	6	3	1			
139	Benign tumors of the uterus	22											3	7	8	3	1		
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	7									1		2	2	1				1
	VIII.—The puerperal state	173								21	39	37	29	46	1				
143	Accidents of pregnancy	21								1	3	8	4	4	1				
144	Puerperal hemorrhage	10									3		4	3					
145	Other accidents of labor	13									4	1	1	7					
146	Puerperal septicemia	79								10	23	17	12	17					
147	Puerperal phlegmasia alba dolens, embolus, etc	10								1	1	2	3	3					
148	Puerperal albuminuria and convulsions	40								9	5	9	5	12					
	IX.—Diseases of the skin and of the cellular tissue	34	5							1	1			1	1	5	6	13	1
151	Gangrene	18	1											1		1	4	11	
152	Furuncle	5	1							1						2		1	
153	Acute abscess	4	1								1							1	1
154	Other diseases of the skin and annexa	7	2												1	2	2		
	X.—Diseases of the bones and of the organs of locomotion	11						1	1	3			1	1	1	2	1		
155	Diseases of the bones (tuberculosis excepted)	10						1	1	3			1	1	1	1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	XI.—Malformations	148	137	2	2	3			2	1			1						
159a	Congenital hydrocephalus	6	2	1		3													
159b	Congenital malformations of the heart	98	93	1	1				1	1			1						
159c	Other congenital malformations	44	42		1				1										
	XII.—Early infancy	753	753																
160	Congenital debility, icterus, sclerema	93	93																
161a	Premature birth	503	503																
161b	Injury at birth	86	86																
162	Other diseases peculiar to early infancy	67	67																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	107															12	94	1
	XIV.—External causes	1,093	34	45	13	13	21	50	54	63	97	66	80	151	112	110	83	98	3
	Suicide	164							1	6	16	17	15	32	26	28	17	6	
165	By poisons (gas or corrosives excepted)	18								2	2	4	3	2	1	2	1	1	
166	By corrosive substances	17							1	1	5	2	1	2	1		2	2	
167	By poisonous gas	12								1	1	2	1	4		1	2		
168	By hanging or strangulation	14												4	2	5	2	1	
169	By drowning	6								1		1		1	1	2			
170	By firearms	79								1	6	8	9	18	16	11	10		
171	By cutting or piercing instruments	10											1	1	4	3		1	
172	By jumping from high places	3														3			
173	By crushing	2									1							1	
174	By other means	3									1				1	1			
	Homicide	100	1	1		1	1		1	4	16	13	14	18	14	9	5		2
197	By firearms	70								2	14	8	12	11	11	6	5		1
198	By cutting or piercing instruments	8									2	3		2		1			
199	By other means	22	1	1		1	1		1	2		2	2	5	3	2			1
	Accidental or undefined	829	33	44	13	12	20	50	52	53	65	36	51	101	72	73	61	92	1
175	Poisoning by food	14	3	1		1	1	1	1	1		1	2			1		1	
176	Poisoning by venomous animals	1						1											
177	Other acute poisonings (gas excepted)	21		7			1		1	1	2	3	1	1	1	3			
178	Conflagration	19	2	1	1	3	1	3	1	1	1		1	1	2			1	
179	Burns (conflagration excepted)	38	3	6	3	2	3	2	2	1	1	2	2	7	2	1		1	
180	Mechanical suffocation	24	14	1				1		2	1	2				1	2		
181	Absorption of irrespirable, irritating, or poisonous gas	12	1						1	1	1		1	2	1	2	1	1	
182	Drowning	77	1	11	6	2	3	8	10	6	8		5	6	6	4	1		
183	Traumatism by firearms (except in war)	35				2	1	3	9	6	4	2	2	3	2		1		
184	Traumatism by cutting or piercing instruments	9	1	1					1					2		2	1	1	
185	Traumatism by fall	131	3					2	4	4	3	1	4	6	3	15	17	69	
186a	Traumatism in mines	55								3	10	4	7	18	10	3			
186b	Traumatism in quarries	1													1				
187	Traumatism by machines	15								1		1	6	1	3	2	1		
188a	Railroad accidents	76		1	1			1	1	3	10	5	8	11	12	6	12	5	
188b	Street-car accidents	13	1						1			1	2	1		2	3	2	
188c	Automobile accidents	158	1	3	1	1	7	20	7	15	14	7	7	24	15	15	15	6	
188e,f	Injuries by other vehicles	37		3	1	1	2		4	2	2	4		4	2	5	4	3	
188g	Landslide, other crushing	4		1							2					1			
189	Injuries by animals (not poisoning)	6							1						2	1	2		
193	Excessive cold	9							1		2			1	1	2	1	1	
195	Lightning	9							1	3	1			1	1	2			
196	Other accidental electric shocks	13							1	2	3	2	1	2	1				1
201	Fracture (cause not specified)	1												1					
202	Other external violence	51	3	8			1	8	5	1		1	2	9	7	5		1	
	XV.—Ill-defined diseases	46	8	5		1		1	1	2	1		1	5	1	6	7	6	1
204	Sudden death	1																1	
205a	Ill-defined	24	1	4		1				1	1			4	1	4	3	3	1
205b	Not specified or unknown	21	7	1				1	1	1			1	1		2	4	2	
	CONNECTICUT																		
	All causes	16,989	2,180	362	194	137	90	371	242	326	357	478	566	1,330	1,856	2,497	2,828	3,172	3
	I.—Epidemic, endemic, and infectious diseases	2,098	171	133	67	61	27	102	59	119	149	198	183	323	208	155	87	56	
1	Typhoid and paratyphoid fever	38			1			1	1	5	4	2	5	10	6	3			
5	Malaria	4													2			2	
6	Smallpox	5								1		2		1			1		
7	Measles	45	16	16	2	3	1	2	1	1			1	2					
8	Scarlet fever	64	4	8	9	11	2	15	4	5	3	1		1	1				
9	Whooping cough	74	40	23	9	1		1											
10	Diphtheria	167	14	15	18	32	14	48	14	1	1	4	2	1	1	1	1		
11a	Influenza (with pulmonary complications)	165	20	25	3	3	1	2	3	2	2	5	8	19	14	21	18	19	
11b	Influenza (other and unspecified)	67	13	4	1			1	4		2	1	5	10	2	3	8	13	
13	Mumps	2	1															1	
15	Cholera nostras	1					1												
16	Dysentery	8		1				1				1		2			2	1	
21	Erysipelas	40	18								1	1	1	4	3	7	1	4	
22	Acute anterior poliomyelitis	22	1	3	4		1	5	5	1		2							
23	Lethargic encephalitis	42		5	2	2	2	2	7	2	2		3	4	6	2	2	1	
24	Meningococcus meningitis	16	5	1	2	1	1		2	2					2				
25	Other epidemic and endemic diseases	4	3				1												
29	Tetanus	18	2					1	1	3		2	1	3	3		1	1	
30	Mycoses	2			1							1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
	Tuberculosis (all forms)	1,230	20	31	15	8	3	23	17	92	127	170	151	250	153	109	49	12	
31	Of the respiratory system	1,044	3	9	2	2		7	10	79	120	153	138	225	141	100	43	12	
32	Of the meninges, central nervous system	86	16	19	8	5	2	10	1	6	2	5	1	7	2		2		
33	Of the intestines, peritoneum	48		1	3	1	1	3	3	4	3	6	7	9	1	3	3		
34	Of the vertebral column	11			1			1	1	1		1	1	4		1			
35	Of the joints	4		1				1							1	1			
36	Of other organs	17	1						1	1		1	2	3	5	2	1		
37a	Disseminated (acute)	17		1	1				1	1	1	4	2	2	3	1			
37b	Disseminated (chronic or unspecified)	3						1			1					1			
38	Syphilis	59	10						2	4	2	5	12	12	8	3	1		
40	Gonococcus infection	7	1						1	1	3						1		
41	Purulent infection, septicemia	18	3	1					1	2	1	1	4	3	1	1			
	II.—General diseases not included in Class I	2,239	36	6	11	1	6	29	19	25	15	29	57	183	404	568	518	332	
	Cancer and other malignant tumors	1,579	1	4	4	1	1	9	2	5	8	15	31	128	306	417	387	260	
43	Of the buccal cavity	60											1	6	10	12	16	15	
44	Of the stomach, liver	550								1	1	2	4	30	109	158	153	92	
45	Of the peritoneum, intestines, rectum	248	1			1		3			2	4	6	15	32	71	69	44	
46	Of the female genital organs	219						1			1	5	10	30	57	62	38	15	
47	Of the breast	161									2		6	22	36	40	35	20	
48	Of the skin	43			1		1							4	10	8	5	14	
49	Of other or unspecified organs	298		4	3			5	2	4	2	4	4	21	52	66	71	60	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	9						1			1				1	2	1	3	
51	Acute rheumatic fever	67					4	14	11	8	4		1	1	7	7	4	6	
52	Chronic rheumatism, osteoarthritis, gout	18										1			2	2	5	8	
54	Pellagra	2								1				1					
56	Rickets	6	3		1			2											
57	Diabetes mellitus	290					1	3	2	3		3	3	11	40	90	89	45	
58	Anemia, chlorosis	84	1						1	2	1	4	3	8	16	23	18	7	
59	Diseases of the pituitary gland	2												1		1			
60a	Exophthalmic goiter	17								1		1	1	5	5	1	3		
60b	Other diseases of the thyroid gland	4													2	2			
61	Diseases of the parathyroid glands	4	4																
62	Diseases of the thymus gland	8	6	1	1														
63	Diseases of the adrenals (Addison's disease)	7										2	2			1	1	1	
64	Diseases of the spleen	2													1		1		
65a	Leukemia	34			4			1	3				4	11	2	7	2		
65b	Hodgkin's disease	13	2					1	2	1	1	1	1	2	2	1			
66	Alcoholism (acute or chronic)	63										1	11	14	18	12	7		
67a	Chronic lead poisoning	3	1												2				
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	2										1				1			
69	Other general diseases	24	18	1	1				1							1		2	
	III.—Diseases of the nervous system and of the organs of special sense	2,022	45	18	8	3	2	23	17	13	6	21	23	95	223	410	528	587	
70	Encephalitis	14		3	2			2		2	1	1		1	1	1			
71a	Simple meningitis	52	11	5	4	2		8	5	1		3	3	1	1		4	4	
71b	Nonepidemic cerebrospinal meningitis	13	2	2	1		1	2			1		1	1	2				
72	Tabes dorsalis (locomotor ataxia)	29											1	1	5	13	8	1	
73	Other diseases of the spinal cord	43		1					1	2			1	6	7	13	7	5	
74a	Cerebral hemorrhage	1,511							1	1		4	2	41	154	333	453	522	
74b	Cerebral embolism and thrombosis	62						1	1			2		2	5	11	20	20	
75	Paralysis without specified cause	28						1						2	4	6	4	11	
76	General paralysis of the insane	67										2	5	17	21	11	4	7	
77	Other forms of mental alienation	15											1	4	4	2	3	1	
78	Epilepsy	33		1	1			2	1	4	3	4	3	7	1	5	1		
79	Convulsions (nonpuerperal; 5 years and over)	1							1										
80	Infantile convulsions (under 5 years)	24	24																
82	Neuralgia and neuritis	1																1	
83	Softening of the brain	10													1		3	6	
84	Other diseases of the nervous system	77	1	2		1		2	2	1	1	3	4	7	16	13	18	6	
85	Diseases of the eye and annexa	1														1			
86a	Diseases of the ear	34	6	3			1	5	4	2		2		4	1	1	3	2	
86b	Diseases of the mastoid process	7	1	1					1					2	1			1	
	IV.—Diseases of the circulatory system	3,330	14	4	4	4	5	20	29	37	33	35	51	142	355	613	896	1,087	1
87	Pericarditis	7							1				1		1		4		
88	Endocarditis and myocarditis (acute)	119	7	1	3	1	2	6	6	6	9	10	9	22	8	12	5	12	
89	Angina pectoris	208									1		2	11	37	49	73	35	
90	Other diseases of the heart	2,580	3	2	1	2	3	13	22	31	22	23	36	105	282	507	702	825	1
91a	Aneurysm	23											1	1	6	6	7	2	
91b,c	Other diseases of the arteries	342											1	1	9	32	92	207	
92	Embolism and thrombosis (not cerebral)	33									1	2		1	10	5	10	4	
93	Diseases of the veins	7											1		1	2	2	1	
94	Diseases of the lymphatic system	7	3	1		1		1						1					
95	Hemorrhage without specified cause	1	1																
96	Other diseases of the circulatory system	3													1		1	1	
	V.—Diseases of the respiratory system	1,646	321	107	43	24	7	33	12	21	20	24	38	115	149	182	236	314	
97a	Diseases of the nasal fossae	3		1											1		1		
97b	Diseases of the nasal fossae annexa	3									1				2				
98	Diseases of the larynx	8	2	1	1	1		1					1	1					
99a	Acute bronchitis	40	24	2	1			1						1			3	8	
99b	Chronic bronchitis	39		1						1				2	6	7	9	13	
99c,d	Bronchitis (unspecified)	30	8												2	1	3	16	
100a	Broncho-pneumonia	666	196	60	21	11	2	10	6		5	3	7	22	39	55	82	147	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	V.—Diseases of the respiratory system—Continued																		
100b	Capillary bronchitis	11	4	1				1							1		2	2	
101a	Lobar pneumonia	717	75	29	17	10	5	18	4	17	12	20	27	85	89	102	114	93	
101b	Pneumonia (unspecified)	32	5	2					1		1		1	1	1	4	5	11	
102	Pleurisy	47	5	10	3	2		1		3		1	1		6	4	7	4	
103	Congestion and hemorrhagic infarct of the lung	23	1						1							2	5	14	
105	Asthma	19						1			1			1	1	6	3	6	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	7	1										1	2	1		2		
	VI.—Diseases of the digestive system	1,216	318	61	18	18	13	38	23	27	26	38	45	103	148	118	104	118	
108	Diseases of the mouth and annexa	10	2	1			1		1					3	1		1		
109b	Other diseases of the pharynx, tonsils	45	5	2	4	2	3	10		3	2	3	4	4	1	2			
111a	Ulcer of the stomach	61							1		3	2	3	9	11	9	10	13	
111b	Ulcer of the duodenum	23									1	1	5	6	6	1	3		
112	Other diseases of the stomach (cancer excepted)	55	9	4		1						2	3	6	7	2	4	17	
113	Diarrhea and enteritis (under 2 years)	323	278	45															
114	Diarrhea and enteritis (2 years and over)	96			7	13	4	8	1	1	1		4	8	8	4	17	20	
116	Diseases due to other intestinal parasites	1					1												
117	Appendicitis and typhlitis	186		1	3	1	4	16	16	19	13	16	11	22	29	23	7	5	
118a	Hernia	64	1	3							1		1	6	11	15	15	11	
118b	Intestinal obstruction	89	20	3	3	1		2	2	2	1	5	1	6	9	12	7	15	
119	Other diseases of the intestines	20		1				1	1					4	4	2	3	4	
120	Acute yellow atrophy of the liver	10									2	2	1	1	2			2	
122	Cirrhosis of the liver	88											2	9	26	20	17	14	
123	Biliary calculi	78										3	6	9	23	17	11	9	
124	Other diseases of the liver	41	1							2	1	2	1	8	5	8	6	7	
125	Diseases of the pancreas	6									1		1	1	2		1		
126	Peritonitis without specified cause	20	2	1	1			1	1			2	2	1	3	3	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,437	12	3	3			8	4	7	11	18	28	128	194	267	329	425	
128	Acute nephritis (including unspecified under 10 years)	52	3	1	2			4		2	2	2	2	7	6	9	7	5	
129	Chronic nephritis (including unspecified 10 years and over)	1,182						1	3	3	4	11	18	87	157	229	292	377	
131	Other diseases of the kidneys and annexa	51	9	2	1			3	1	1		3	1	4	9	11	5	1	
132	Calculi of the urinary passages	10												3	2	3	2		
133	Diseases of the bladder	11												1		2		8	
134	Diseases of the urethra, etc	5												1	2			2	
135	Diseases of the prostate	57												1	2	5	20	29	
136	Nonvenereal diseases of the male genital organs	1															1		
137	Cysts, other benign tumors of the ovary	7									1			2	2	1		1	
138	Salpingitis and pelvic abscess (female)	21								1	2	2	4	6	5	1			
139	Benign tumors of the uterus	29									1		1	12	7	4	2	2	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	10									1		2	3	2	2			
	VIII.—The puerperal state	181								10	21	45	48	55	2				
143	Accidents of pregnancy	15								2	1	3	5	4					
144	Puerperal hemorrhage	23								1	1	5	6	9	1				
145	Other accidents of labor	20								2	2	4	3	8	1				
146	Puerperal septicemia	68								4	8	23	20	13					
147	Puerperal phlegmasia alba dolens, embolus, etc	5										2	1	2					
148	Puerperal albuminuria and convulsions	48								1	9	8	11	19					
149	Following childbirth (undefined)	1											1						
150	Puerperal diseases of the breast	1											1						
	IX.—Diseases of the skin and of the cellular tissue	48	5	1	1	1		1	1	3	1		3	2	3	8	8	10	
151	Gangrene	14						1							1	2	5	5	
152	Furuncle	9	1							2			1			3	1	1	
153	Acute abscess	12	2		1	1			1	1	1		1	2		2			
154	Other diseases of the skin and annexa	13	2	1									1		2	1	2	4	
	X.—Diseases of the bones and of the organs of locomotion	37				1	1	5	5	3		3	1	2	3	4	4	5	
155	Diseases of the bones (tuberculosis excepted)	30				1	1	5	5	2		2	1	2	2	3	2	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	7								1		1			1	1	2	1	
	XI.—Malformations	202	183	7	4	2	1	4		1									
159a	Congenital hydrocephalus	25	20	3			1	1											
159b	Congenital malformations of the heart	98	87	3	3	1		3		1									
159c	Other congenital malformations	79	76	1	1	1													
	XII.—Early infancy	1,036	1,036																
160	Congenital debility, icterus, sclerema	126	126																
161a	Premature birth	565	565																
161b	Injury at birth	264	264																
162	Other diseases peculiar to early infancy	77	77																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	91															9	82	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	XIV.—External causes	1,347	24	20	32	22	28	108	73	60	74	64	86	174	158	167	103	152	2
	Suicide	157								1	9	2	14	31	30	43	16	10	1
165	By poisons (gas or corrosives excepted)	15									1		1	5	2	4	1	1	
166	By corrosive substances	13											2	5	3	3			
167	By poisonous gas	29								1	2	1	2	2	4	11	4	2	
168	By hanging or strangulation	41									1		3	3	10	14	7	3	
169	By drowning	6											1	2	2	1			
170	By firearms	36									5	1	3	8	7	6	4	2	
171	By cutting or piercing instruments	11												4	2	4		1	
172	By jumping from high places	2											2						
173	By crushing	3												2					1
174	By other means	1																1	
	Homicide	52	1		1					4	4	2	11	15	4	7	2	1	
197	By firearms	21								1	1	1	6	5	1	4	1	1	
198	By cutting or piercing instruments	8								2	1		2	2	1				
199	By other means	23	1		1					1	2	1	3	8	2	3	1		
	Accidental or undefined	1,138	23	20	31	22	28	108	73	55	61	60	61	128	124	117	85	141	1
175	Poisoning by food	12	1		3		1	1		2				1	1	1		1	
177	Other acute poisonings (gas excepted)	21		2	1		2			1	1	2	1	4	4	2		1	
178	Conflagration	22			2	1	1	3	3	1	2	2	1	1	1	3	1		
179	Burns (conflagration excepted)	94	4	11	14	10	11	9	2	1	3	4	4	6	3	1	5	6	
180	Mechanical suffocation	10	8					1							1				
181	Absorption of irrespirable, irritating, or poisonous gas	55	1								2	3	2	12	8	10	10	7	
182	Drowning	139		2			1	28	38	15	8	6	5	15	10	8	2		1
183	Traumatism by firearms (except in war)	14					1	3	2	1	4	1				1	1		
184	Traumatism by cutting or piercing instruments	11	1		1							1	1	3	1	1		2	
185	Traumatism by fall	218	1	3	3		3	8	1	2	3	3	10	18	15	31	28	89	
186b	Traumatism in quarries	2								1				1					
187	Traumatism by machines	25							4	2	1	3	3	4	6	1	1		
188a	Railroad accidents	69			1			2	2		3	6	9	11	22	5	4	4	
188b	Street-car accidents	38			1	2	1	2		4	1	3	4	1	4	4	5	6	
188c	Automobile accidents	277	1		2	7	7	40	19	19	27	19	14	31	29	34	17	11	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	33	1			1		5	2	3	3		2	4	3	4	2	3	
188g	Landslide, other crushing	8												2	4	1	1		
189	Injuries by animals (not poisoning)	5						1							1		1	2	
193	Excessive cold	6												1	1	2		2	
194	Excessive heat	7	2		1										1		3		
195	Lightning	4						1					1			1			
196	Other accidental electric shocks	9						1		2			2	1	3				
201	Fracture (cause not specified)	11						1			1			1	3	1	1	3	
202	Other external violence	47	3	2	2	1		2		1	1	4	3	6	8	6	4	4	
	XV.—Ill-defined diseases	59	15	2	3						1	3	3	8	9	5	6	4	
04	Sudden death	7	1		1						1	1		2				1	
205a	Ill-defined	28	5	2	1							1	1	3	6	4	3	2	
205b	Not specified or unknown	24	9		1							1	2	3	3	1	3	1	
	DELAWARE																		
	All causes	3,015	420	79	37	17	13	58	37	68	91	87	102	227	290	405	535	545	4
	I.—Epidemic, endemic, and infectious diseases	424	48	18	11	9	3	22	13	27	43	31	41	56	34	25	21	22	
1	Typhoid and paratyphoid fever	16						3		5	1	1	2	3	1				
5	Malaria	1						1											
7	Measles	1		1															
8	Scarlet fever	6				1	2	2			1								
9	Whooping cough	23	15	5		1		1	1										
10	Diphtheria	22		5	2	5	1	6	2	1									
11a	Influenza (with pulmonary complications)	22	8	1	2					1	1		1	3	1	1		3	
11b	Influenza (other and unspecified)	24	4	1	3			2	1				2	3				8	
13	Mumps	1						1											
16	Dysentery	4	1			1												2	
21	Erysipelas	7	3					1				1					1	1	
22	Acute anterior poliomyelitis	3		1	1			1											
24	Meningococcus meningitis	3	1		1			1											
29	Tetanus	3	1					1					1						
30	Mycoses	2	2																
	Tuberculosis (all forms)	266	8	3	2			2	9	19	40	28	31	46	29	22	19	8	
31	Of the respiratory system	237	6	1	1			1	6	16	38	26	30	45	26	21	13	7	
32	Of the meninges, central nervous system	5	2	1	1											1			
33	Of the intestines, peritoneum	10		1				1	2	2			1		1		2		
34	Of the vertebral column	3								1		1						1	
35	Of the joints	1													1				
36	Of other organs	4							1					1	1		1		
37a	Disseminated (acute)	3									2						1		
37b	Disseminated (chronic or unspecified)	3										1					2		
38	Syphilis	13	5	1								1	3		2	1			
40	Gonococcus infection	2								1				1					
41	Purulent infection, septicemia	5				1							1		1	1	1		
	II.—General diseases not included in Class I	309	4	2	1				2		6	7	7	28	55	85	68	43	1
	Cancer and other malignant tumors	218										1	2	19	42	60	54	39	1
43	Of the buccal cavity	10												2	2	1	3	2	
44	Of the stomach, liver	92												5	19	26	25	16	1
45	Of the peritoneum, intestines, rectum	33										1		1	5	10	9	7	
46	Of the female genital organs	23												7	3	7	4	2	
47	Of the breast	20												2	6	6	2	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Con.																		
48	Of the skin	11												1	1	4	3	2	
49	Of other or unspecified organs	29											2	1	6	6	8	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1															1		
51	Acute rheumatic fever	6							1		2	1	1				1		
52	Chronic rheumatism, osteoarthritis, gout	3												1	1			1	
56	Rickets	1			1														
57	Diabetes mellitus	36									1	1	1	2	5	15	9	2	
58	Anemia, chlorosis	12	1	1					1					2	1	4	1	1	
60a	Exophthalmic goiter	5										1			2	1	1		
60b	Other diseases of the thyroid gland	1											1						
63	Diseases of the adrenals (Addison's disease)	1														1			
65a	Leukemia	2												1	1				
65b	Hodgkin's disease	1									1								
66	Alcoholism (acute or chronic)	13									1	1	2	2	3	3	1		
68	Chronic poisoning by organic substances	2										2							
69	Other general diseases	7	3	1							1			1		1			
	III.—Diseases of the nervous system and of the organs of special sense	376	7	5	2			5	2	1	1		2	19	38	73	120	100	1
70	Encephalitis	6		1					1					1	1	2			
71a	Simple meningitis	6	1		1			2	1					1					
71b	Nonepidemic cerebrospinal meningitis	2	1	1															
72	Tabes dorsalis (locomotor ataxia)	3											1			1		1	
73	Other diseases of the spinal cord	17												3	2	4	5	3	
74a	Cerebral hemorrhage	279												9	24	57	103	86	
74b	Cerebral embolism and thrombosis	4													2	1		1	
75	Paralysis without specified cause	14													1	4	5	3	1
76	General paralysis of the insane	19												2	8	3	4	2	
77	Other forms of mental alienation	1																1	
78	Epilepsy	4	1					2									1		
80	Infantile convulsions (under 5 years)	7	4	3															
81	Chorea	1																1	
82	Neuralgia and neuritis	1												1					
83	Softening of the brain	4															2	2	
84	Other diseases of the nervous system	6			1			1		1				2		1			
86a	Diseases of the ear	2									1		1						
	IV.—Diseases of the circulatory system	535	7		1		2	5	4	6	3	6	8	22	60	92	141	176	2
88	Endocarditis and myocarditis (acute)	12	2					1		1	1	1	2	1	2	1			
89	Angina pectoris	35											1	3	4	7	12	8	
90	Other diseases of the heart	426	3		1		2	4	4	5	2	5	4	17	50	78	113	136	2
91a	Aneurysm	3													1	1	1		
91b,c	Other diseases of the arteries	45													1	2	11	31	
92	Embolism and thrombosis (not cerebral)	9	1										1		2	2	2	1	
93	Diseases of the veins	3												1		1	1		
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	1															1		
	V.—Diseases of the respiratory system	290	85	29	6	1	5	10	1		6	4	9	19	25	23	36	31	
98	Diseases of the larynx	2					1	1											
99a	Acute bronchitis	6	4		1									1					
99b	Chronic bronchitis	5		2													1	2	
99c,d	Bronchitis (unspecified)	10	5		1											1	2	1	
100a	Broncho-pneumonia	122	61	23	4	1	2	4			1		2	2	5	3	6	8	
100b	Capillary bronchitis	2	2																
101a	Lobar pneumonia	116	9	3			2	3	1		4	2	7	14	19	15	21	16	
101b	Pneumonia (unspecified)	6	1	1				1						1			2		
102	Pleurisy	3						1				1				1			
103	Congestion and hemorrhagic infarct of the lung	5	3															2	
104	Gangrene of the lung	2										1					1		
105	Asthma	7														2	3	2	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	3									1			1	1				
	VI.—Diseases of the digestive system	221	84	14	7	2		1	5	7	3	6	7	13	19	15	19	19	
108	Diseases of the mouth and annexa	2													1	1			
109b	Other diseases of the pharynx, tonsils	6			1						1	2	2						
110	Diseases of the esophagus	2										1		1					
111a	Ulcer of the stomach	9										1		1	2	3		2	
111b	Ulcer of the duodenum	2												1	1				
112	Other diseases of the stomach (cancer excepted)	8	1											2	2		1	2	
113	Diarrhea and enteritis (under 2 years)	93	80	13															
114	Diarrhea and enteritis (2 years and over)	26			4	2				1			2	2	3	5	1	6	
117	Appendicitis and typhlitis	18							2	4	1	1	1	1	2	1	3	2	
118a	Hernia	2													1			1	
118b	Intestinal obstruction	10	3	1	1				1	1				2			1		
119	Other diseases of the intestines	5							1		1						1	2	
122	Cirrhosis of the liver	26							1	1		1		1	4	5	9	4	
123	Biliary calculi	2												1			1		
124	Other diseases of the liver	7			1								2	1	1		2		
125	Diseases of the pancreas	1													1				
126	Peritonitis without specified cause	2						1							1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	343	4		2				1	3	2	5	8	34	30	65	88	101	
128	Acute nephritis (including unspecified under 10 years)	24	4		2					1		2		6	3	1	2	3	
129	Chronic nephritis (including unspecified 10 years and over)	294							1	1	2	2	7	22	26	61	81	91	
131	Other diseases of the kidneys and annexa	3										1				1	1		
133	Diseases of the bladder	3															1	2	
134	Diseases of the urethra, etc	2								1								1	
135	Diseases of the prostate	7														1	3	3	
137	Cysts, other benign tumors of the ovary	3												2		1			
138	Salpingitis and pelvic abscess (female)	1												1					
139	Benign tumors of the uterus	6											1	3	1			1	
	VIII.—The puerperal state	34								8	7	6	7	5	1				
143	Accidents of pregnancy	2									1	1							
144	Puerperal hemorrhage	2									2								
145	Other accidents of labor	5									3		1	1					
146	Puerperal septicemia	14								2		4	4	3	1				
148	Puerperal albuminuria and convulsions	11								6	1	1	2	1					
	IX.—Diseases of the skin and of the cellular tissue	10	3	1		1			1							1	1	2	
151	Gangrene	5	1													1	1	2	
152	Furuncle	1		1															
153	Acute abscess	2				1			1										
154	Other diseases of the skin and annexa	2	2																
	X.—Diseases of the bones and of the organs of locomotion	4						1	2				1						
155	Diseases of the bones (tuberculosis excepted)	3						1	1				1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1							1										
	XI.—Malformations	28	28																
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	19	19																
159c	Other congenital malformations	8	8																
	XII.—Early infancy	144	144																
160	Congenital debility, icterus, sclerema	27	27																
161a	Premature birth	91	91																
161b	Injury at birth	13	13																
162	Other diseases peculiar to early infancy	13	13																
164	XIII.—Old age (senility)	34															3	31	
	XIV.—External causes	260	6	8	7	4	3	14	6	16	20	22	12	30	28	26	38	20	
	Suicide	22								1	1	2		2	6	5	5		
166	By corrosive substances	1													1				
167	By poisonous gas	5									1					3	1		
168	By hanging or strangulation	5												1		2	2		
169	By drowning	1								1									
170	By firearms	9										2		1	5		1		
171	By cutting or piercing instruments	1															1		
	Homicide	17								1	1	3	2	5	3	1	1		
197	By firearms	10									1	2	1	4	1	1			
198	By cutting or piercing instruments	5								1			1	1	2				
199	By other means	2										1					1		
	Accidental or undefined	221	6	8	7	4	3	14	6	14	18	17	10	23	19	20	32	20	
178	Conflagration	2									1			1					
179	Burns (conflagration excepted)	33	2	4	6	3	1	5	1			2	1	3	1	1	3		
180	Mechanical suffocation	3	3																
181	Absorption of irrespirable, irritating, or poisonous gas	5													1		1	3	
182	Drowning	26		1	1			4	1	2	5	2	2	5	1	2			
183	Traumatism by firearms (except in war)	3		1								1			1				
184	Traumatism by cutting or piercing instruments	2								1		1							
185	Traumatism by fall	40	1						1	2		1	1	1	2	9	10	12	
186b	Traumatism in quarries	1								1									
187	Traumatism by machines	5								2	2	1							
188a	Railroad accidents	19						1			2	1	2	4	3	3	3		
188b	Street-car accidents	1											1						
188c	Automobile accidents	46		1		1		4	3	3	3	4	2	6	6	2	8	3	
188e,f	Injuries by other vehicles	6								1		1			1	1	2		
189	Injuries by animals (not poisoning)	4				1				1	1						1		
193	Excessive cold	2											1					1	
194	Excessive heat	3		1										1	1				
196	Other accidental electric shocks	5				1					2			1	1				
201	Fracture (cause not specified)	1									1								
202	Other external violence	14								1	1	3		1	1	2	4	1	
	XV.—Ill-defined diseases	3		2										1					
205a	Ill-defined	3		2										1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

DISTRICT OF COLUMBIA

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes	White	4,142	396	44	32	22	17	63	35	50	122	131	146	343	484	696	766	795	
		Colored	2,411	309	55	14	18	9	32	30	89	134	142	134	322	426	324	232	141	
	I.—Epidemic, endemic, and infectious diseases	White	383	14	8	11	7	9	21	7	11	42	44	33	46	55	39	24	12	
		Colored	425	23	15	1	8	5	8	10	36	50	64	48	71	54	21	9	2	
1	Typhoid and paratyphoid fever	W	18						2	2	1	3	1	2	3	4				
		C	1												1					
5	Malaria	C	1																	
7	Measles	W	2		2												1			
8	Scarlet fever	W	8	1			2		2	2		1								
		C	2				1					1								
9	Whooping cough	W	5	1	3			1												
		C	10	6	4															
10	Diphtheria	W	26		1	6	2	6	9					1	1					
		C	3				1	2												
11a	Influenza (with pulmonary complications)	W	20	2				1		1			1	1	2	3	5	1	3	
		C	25	2	1				1	1	1	2	5		2	4	2	3	1	
11b	Influenza (other and unspecified)	W	9				1			1			1				1	4	1	
		C	7		1				1		1			1	1	2				
13	Mumps	C	1							1										
15	Cholera nostras	W	1	1																
16	Dysentery	C	3	1												2				
21	Erysipelas	W	5	2						1					1				1	
		C	3	2												1				
22	Acute anterior poliomyelitis	W	2	1				1												
23	Lethargic encephalitis	W	9						2			2			1	2	1	1		
24	Meningococcus meningitis	W	2						1							1				
25	Other epidemic and endemic diseases	W	1			1														
29	Tetanus	W	6						1		1			2	2					
		C	3						3											
30	Mycoses	W	2													1	1			
	Tuberculosis (all forms)	W	243	1	2	4	2		4		9	35	39	26	33	40	26	15	7	
		C	339	3	8	1	6	3	3	8	34	46	57	44	64	42	15	4	1	
31	Of the respiratory system	W	213	1	1	1					6	30	35	23	33	39	23	14	7	
		C	287		2		2	1	1	6	31	41	53	40	56	35	15	3	1	
32	Of the meninges, central nervous system	W	15			3	2		3		3	2	1	1						
		C	11		1	1	2	1	1	1	2				1	1				
33	Of the intestines, peritoneum	W	5									2	1			1	1			
		C	15						1	1		3	1	1	4	3		1		
34	Of the vertebral column	W	3									1	1				1			
		C	3										1	1		1				
35	Of the joints	W	2						1									1		
36	Of other organs	W	1														1			
		C	7									2		1	2	2				
37a	Disseminated (acute)	W	4		1								1	2						
		C	16	3	5		2	1			1		2	1	1					
38	Syphilis	W	18	4								1	1		2	4	4	2		
		C	22	9	1							1	1	1	2	2	3	2		
40	Gonococcus infection	W	1										1							
		C	5										1	2	1	1				
41	Purulent infection, septicemia	W	5	1										1	1		1	1		
	II.—General diseases not included in Class I.	White	582	13	3	1			4	2	1	6	9	20	69	93	144	137	80	
		Colored	196	6	2	2	1				2	7	2	9	36	54	38	29	8	
	Cancer and other malignant tumors	W	430	2					1	1		3	3	16	48	70	113	105	68	
		C	131			2					1	2	1	3	24	39	30	22	7	
43	Of the buccal cavity	W	11												2	2	3	3	1	
		C	7													2	3	2		
44	Of the stomach, liver	W	124						1				1	4	12	21	35	31	19	
		C	45			1									8	7	12	13	3	
45	Of the peritoneum, intestines, rectum	W	61									1		2	6	10	16	17	8	
		C	17								1	2			4	6	4	1		
46	Of the female genital organs	W	57										1	1	4	6	4	1		
		C	29											3	14	13	12	8	6	
47	Of the breast	W	40												3	17	5	2	2	
		C	15											2	5	6	14	6	7	
48	Of the skin	W	10											2	5	5	1	2		
49	Of other or unspecified organs	W	127	2						1		1	1	1				3	6	
		C	18			1						1	1	4	9	18	33	37	21	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	5			1							1		4	2	5	2	2	
		C	1												2			1		
51	Acute rheumatic fever	W	5						1	1			1		1		1			
		C	5									1			1	1	1	1		
52	Chronic rheumatism, osteoarthritis, gout	W	8														2	3	3	
		C	1													1				
53	Scurvy	C	1	1																
54	Pellagra	C	1												1					
56	Rickets	C	4	2	2															
57	Diabetes mellitus	W	59		1								2	1	3	9	14	22	7	
		C	32									1	1	3	5	12	4	5	1	
58	Anemia, chlorosis	W	26						1		1	2			3	6	6	5	2	
		C	2												1			1		
60a	Exophthalmic goiter	W	9									1	1		3	2	2			
		C	1														1			
60b	Other diseases of the thyroid gland	C	1												1					
62	Diseases of the thymus gland	W	4	3	1															
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	1												1					
65a	Leukemia	W	9											2	4		3			
65b	Hodgkin's disease	W	2										1				1			
		C	1				1													
66	Alcoholism (acute or chronic)	W	12											1	5	3	3			
		C	11							1	2			3	2	1	2			
68	Chronic poisoning by organic substances	C	1									1								
69	Other general diseases	W	12	8	1				1							2				
		C	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

DISTRICT OF COLUMBIA—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	III.—Diseases of the nervous system and of the organs of special sense	White	512	14	2	2	1	1	4	4	4	4	9	13	41	62	103	111	137	
		Colored	229	6	2		1		1	3	3	5	4	3	27	48	64	47	15	
70	Encephalitis	W	2	1							1									
		C	3		2													1		
71a	Simple meningitis	W	12	4	1	1	1	1	1	1			1			1				
		C	3	1			1										1			
71b	Nonepidemic cerebrospinal meningitis	C	1	1																
72	Tabes dorsalis (locomotor ataxia)	W	3														2	1		
		C	2													1	1			
73	Other diseases of the spinal cord	W	15									1		1		2	5	5	1	
		C	2												1	1				
74a	Cerebral hemorrhage	W	350									1	1	1	10	45	78	91	123	
		C	152	1								2		2	13	32	49	40	13	
74b	Cerebral embolism and thrombosis	W	13												2	1	5	2	3	
		C	2												1			1		
75	Paralysis without specified cause	W	11														2	4	5	
		C	6												1		3	1	1	
76	General paralysis of the insane	W	47									1	2	5	23	8	5	1	2	
		C	32									1	3	1	10	6	7	4		
77	Other forms of mental alienation	W	3											2	1					
		C	8								1	1			1	4	1			
78	Epilepsy	W	7								1		3	2		1				
		C	7							1	2	1				2	1			
80	Infantile convulsions (under 5 years)	W	3	2	1															
		C	1	1																
81	Chorea	C	1						1											
82	Neuralgia and neuritis	W	2												1		1			
83	Softening of the brain	W	3														1		2	
		C	1																1	
84	Other diseases of the nervous system	W	21						1		1	1	1	1	3	3	3	6	1	
		C	5	2									1			1	1			
85	Diseases of the eye and annexa	C	1							1										
86a	Diseases of the ear	W	9	6		1				1			1							
		C	1													1				
86b	Diseases of the mastoid process	W	11	1					2	2	1			1	1	1	1	1		
		C	1							1										
	IV.—Diseases of the circulatory system	White	875	2	1				2	6	4	7	10	11	42	86	176	245	283	
		Colored	459	2	1				3	2	4	10	14	12	59	125	101	62	64	
87	Pericarditis	W	1												1					
		C	1													1				
88	Endocarditis and myocarditis (acute)	W	35							1	2	1	5	8	11		2	3	2	
		C	52						1	1	1	2	6	4	29	1	4	2	1	
89	Angina pectoris	W	40												4	4	11	8	13	
		C	3								1				1	1				
90	Other diseases of the heart	W	668	2					2	5	2	5	3	2	21	76	151	200	199	
		C	359	2	1				2	1	2	7	8	8	29	114	88	48	49	
91a	Aneurysm	W	8												1	3	2		2	
		C	2													2				
91b,c	Other diseases of the arteries	W	107											1	1	1	9	31	64	
		C	41													6	9	12	14	
92	Embolism and thrombosis (not cerebral)	W	11									1	1		2	2	1	2	2	
		C	1									1								
93	Diseases of the veins	W	3										1					1	1	
94	Diseases of the lymphatic system	W	2		1										1					
	V.—Diseases of the respiratory system	White	337	38	11	8	2	1	4	1	4	8	6	10	26	37	58	55	68	
		Colored	326	70	23	6	2		6	4	14	11	18	22	42	46	24	18	20	
97b	Diseases of the nasal fossae annexa	W	7									2	2			1		2		
		C	1											1						
98	Diseases of the larynx	W	2	2									1					1		
		C	2																	
99a	Acute bronchitis	W	7	2															5	
		C	4	1								2							1	
99b	Chronic bronchitis	W	11														1	4	6	
		C	1												1					
99c,d	Bronchitis (unspecified)	W	8	1														2	5	
		C	5	1													1	2	1	
100a	Broncho-pneumonia	W	112	28	5	6			3		1	1		1	3	6	19	17	22	
		C	133	53	17	4	2			2	4	4	2	5	5	11	10	6	8	
100b	Capillary bronchitis	W	2			1													1	
		C	11	7	2				1		1									
101a	Lobar pneumonia	W	155	1	6	1	2		1	1	2	5	4	6	21	23	32	25	25	
		C	151	8	4	2			5	2	7	5	14	15	32	32	10	8	7	
101b	Pneumonia (unspecified)	W	8	1										1			3	3		
		C	6								1		1	1	1		1	1		
102	Pleurisy	W	9	1				1			1			1	2	2		1		
		C	5								1					3			1	
103	Congestion and hemorrhagic infarct of the lung	W	7	1												2		1	3	
		C	2																2	
104	Gangrene of the lung	W	1												1					
		C	2													1	1			
105	Asthma	W	4	1												2			1	
		C	2												1		1			
106	Pulmonary emphysema	W	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	W	3													1	2			
		C	1												1					
	VI.—Diseases of the digestive system	White	332	69	15	6	8	2	6	2	5	12	8	17	41	45	42	31	23	
		Colored	167	41	8	2	3	1	5	2	7	12	11	9	23	22	10	9	2	
108	Diseases of the mouth and annexa	W	1														1			
		C	1													1				
109b	Other diseases of the pharynx, tonsils	W	16		2			1	3			1		2	1	3	2	1		
		C	1	1																
111a	Ulcer of the stomach	W	15								1				4	3	6	1		
		C	4												2	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	VI.—Diseases of the digestive system—Continued																			
111b	Ulcer of the duodenum	W	7												4	2	1			
112	Other diseases of the stomach (cancer excepted)	W	17	1	1		1	1							1	3	2	4	3	
		C	10						1	1				2	2	1	1	2		
113	Diarrhea and enteritis (under 2 years)	W	77	66	11															
		C	47	40	7															
114	Diarrhea and enteritis (2 years and over)	W	25			5	5		1			2	1	1		2		3	5	
		C	15			1	2		2				2	1	1	1	1	3	1	
116	Diseases due to other intestinal parasites	C	1												1					
117	Appendicitis and typhlitis	W	63				2		2	1	3	4	3	8	14	14	6	3	3	
		C	26						2	1	6	7	3	2	4	1				
118a	Hernia	W	11												2		6		3	
		C	11		1							1	1			3	3	2		
118b	Intestinal obstruction	W	25	1						1	1	4	2	4	4	1	1	3	3	
		C	23			1	1				1	3	2	3	5	4	1	1	1	
119	Other diseases of the intestines	W	3		1													1	1	
		C	6					1							2	2		1		
120	Acute yellow atrophy of the liver	W	1															1		
		C	1												1					
122	Cirrhosis of the liver	W	18												2	4	5	5	2	
		C	11									1	2		3	3	2			
123	Biliary calculi	W	18											1	3	5	4	3	2	
		C	2													2				
124	Other diseases of the liver	W	22										1	1	2	7	5	5	1	
		C	2													2				
125	Diseases of the pancreas	W	7										1		2	1	2	1		
		C	2											1	1					
126	Peritonitis without specified cause	W	6	1		1						1			2		1			
		C	4										1		1	1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	441	1		1			3	1		1	8	9	26	60	91	119	121	
		Colored	227		1		1			2	2	2	6	10	34	55	51	43	20	
128	Acute nephritis (including unspecified under 10 years)	W	14						2				2	2	3	1	1	1	2	
		C	28		1		1			1	1	1	1		5	11	4		2	
129	Chronic nephritis (including unspecified 10 years and over)	W	370							1			3	4	20	46	82	106	108	
		C	162								1		4	5	16	41	43	38	14	
131	Other diseases of the kidneys and annexa	W	12	1		1			1				1			2	2	2	2	
		C	1												1					
132	Calculi of the urinary passages	W	3												1		2			
		C	2							1							1			
133	Diseases of the bladder	W	1																1	
		C	1																1	
134	Diseases of the urethra, etc	W	1													1				
		C	2												1	1				
135	Diseases of the prostate	W	21												1	1	2	9	8	
		C	11													1	2	5	3	
137	Cysts, other benign tumors of the ovary	W	5										1			3	1			
		C	1											1						
38	Salpingitis and pelvic abscess (female)	W	5									1	1	1		2				
		C	8									1	1	1	5					
139	Benign tumors of the uterus	W	4												1	2	1			
		C	9											2	5	1	1			
141	Other diseases of the female genital organs	W	5											2		2		1		
		C	2											1	1					
	VIII.—The puerperal state	White	59								5	13	13	12	15	1				
		Colored	54								11	17	10	8	7	1				
143	Accidents of pregnancy	W	4								1	1		2						
		C	4									3	1							
144	Puerperal hemorrhage	W	6								1	1		2	2					
		C	2									1			1					
145	Other accidents of labor	W	7									2	1	3	1					
		C	1												1					
146	Puerperal septicemia	W	27								3	3	8	5	8					
		C	26								4	8	6	4	3	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	C	2								1		1							
148	Puerperal albuminuria and convulsions	W	15									6	4		4	1				
		C	19								6	5	2	4	2					
	IX.—Diseases of the skin and of the cellular tissue	White	9	1						1		1		1		1	1	2	1	
		Colored	10					1				1				1	3	3	1	
151	Gangrene	W	2													1			1	
		C	4													1	2	1		
152	Furuncle	W	2											1			1			
		C	2															2		
153	Acute abscess	W	3							1		1						1		
		C	3					1				1					1			
154	Other diseases of the skin and annexa	W	2	1														1		
		C	1																1	
	X.—Diseases of the bones and of the organs of locomotion	White	7				2		2				1		1			1		
		Colored	7									3	2	1				1		
155	Diseases of the bones (tuberculosis excepted)	W	6				1		2				1		1			1		
		C	5									3	1					1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1				1													
		C	1										1							
158	Other diseases of the organs of locomotion	C	1											1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																				
	XI.—Malformations	White	40	39	1															
		Colored	15	15																
159a	Congenital hydrocephalus	C	1	1																
159b	Congenital malformations of the heart	W	25	25																
		C	12	12																
159c	Other congenital malformations	W	15	14	1															
		C	2	2																
	XII.—Early infancy	White	201	201																
		Colored	140	140																
160	Congenital debility, icterus, sclerema	W	14	14																
		C	16	16																
161a	Premature birth	W	123	123																
		C	94	94																
161b	Injury at birth	W	49	49																
		C	14	14																
162	Other diseases peculiar to early infancy	W	15	15																
		C	16	16																
164	XIII.—Old age (senility)	White	42															8	34	
		Colored	11														1	3	7	
	XIV.—External causes	White	322	4	3	3	2	4	17	11	16	28	23	20	36	44	42	33	36	
		Colored	144	6	3	3	2	2	9	7	10	16	11	12	23	20	10	8	2	
	Suicide	W	76								3	7	4	6	14	22	15	2	3	
		C	6											1	3	1	1			
165	By poisons (gas or corrosives excepted)	W	3												2	1				
166	By corrosive substances	W	8								1	1		1	2	3				
167	By poisonous gas	W	25								1	5			3	6	7	1	2	
		C	1													1				
168	By hanging or strangulation	W	2									1				1				
169	By drowning	W	4								1				1	1	1			
		C	2											1	1					
170	By firearms	W	28										4	4	5	9	4	1	1	
		C	2												1		1			
171	By cutting or piercing instruments	W	4											1	1		2			
172	By jumping from high places	W	1													1				
		C	1												1					
174	By other means	W	1														1			
	Homicide	W	11	1								2	4	1	1	2				
		C	34							1	4	7	5	7	5	4		1		
197	By firearms	W	6									1	2	1		2				
		C	24							1	3	7	3	4	4	2				
198	By cutting or piercing instruments	W	1	1																
		C	3								1		1	1						
199	By other means	W	4									1	2		1					
		C	7										1	2	1	2		1		
	Accidental or undefined	W	235	3	3	3	2	4	17	11	13	19	15	13	21	20	27	31	33	
		C	104	6	3	3	2	2	9	6	6	9	6	4	15	15	9	7	2	
175	Poisoning by food	C	2												1	1				
177	Other acute poisonings (gas excepted)	W	2										1		1					
		C	2		1							1								
178	Conflagration	C	3									1					1	1		
179	Burns (conflagration excepted)	W	17		2	2		1				2	1	2			2	4	1	
		C	15	1	1	2	1	2	1	1	1			1	3			1		
180	Mechanical suffocation	C	2	2																
181	Absorption of irrespirable, irritating, or poisonous gas	W	29	1								2	1	2	3	7	6	7		
		C	4										1		1	2				
182	Drowning	W	9						1	2		1	3	2						
		C	6							1	1	1		1	2					
183	Traumatism by firearms (except in war)	W	3						1		1			1						
		C	1								1									
184	Traumatism by cutting or piercing instruments	C	2													1	1			
185	Traumatism by fall	W	53	1			1	1	1	2	1	2	1	2	3	2	2	10	24	
		C	12	1	1	1			2			2			2	1	1		1	
187	Traumatism by machines	W	6							1		2			2			1		
		C	2												1		1			
188a	Railroad accidents	W	5										1	1	1		1		1	
		C	1												1					
188b	Street-car accidents	W	8									1					3	3	1	
		C	7						1	2	1	1						1		
188c	Automobile accidents	W	78			2			12	5	8	8	7	2	9	8	10	3	4	
		C	30				1		3	1	2	2	4	2	3	7	1	3	1	
188d	Airplane and balloon accidents	W	2											1	1					
188e,f	Injuries by other vehicles	W	4						1		2								1	
		C	3												1		2			
189	Injuries by animals (not poisoning)	W	4													1	2	1		
		C	1						1											
194	Excessive heat	W	2													1		1		
		C	1													1				
196	Other accidental electric shocks	W	1									1								
201	Fracture (cause not specified)	W	1																1	
		C	2						1									1		
202	Other external violence	W	11	1	1	1	1		1	1	1				1	1	1	1		
		C	8	2						1		1	1			2	1			
	XV.—Ill-defined diseases	Colored	1														1			
205a	Ill-defined	C	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA																			
	All causes	White	9,297	1,264	321	159	107	52	182	130	232	306	286	302	725	906	1,201	1,553	1,539	32
		Colored	6,564	926	233	93	73	47	107	120	281	470	415	384	915	935	631	447	419	68
	I.—Epidemic, endemic, and infectious diseases	White	1,391	157	103	57	51	16	60	42	60	83	84	70	171	134	117	90	93	3
		Colored	1,421	151	78	23	32	20	39	54	97	171	144	106	194	157	74	38	27	16
1	Typhoid and paratyphoid fever	W	85		2	2	3		3	4	15	13	13	5	11	5	4	4	1	
		C	70		1	2	2	1	6	8	13	8	11	3	7	3	2	1	2	
5	Malaria	W	163	15	10	4	3	7	16	12	10	9	6	6	13	11	12	14	14	1
		C	138	9	13	3	7	6	9	9	8	14	6	3	14	15	5	5	9	3
7	Measles	W	172	32	29	16	15	6	20	9	8	2	3	2	8	5	5	5	6	1
		C	80	24	17	5	7	2	7	9	5	1	1			1				1
8	Scarlet fever	W	3	1	1											1				
9	Whooping cough	W	71	45	17	3	3		3											
		C	37	17	14		2	1	1		1				1					
10	Diphtheria	W	72	2	16	17	20	2	12			1			1			1		
		C	27	5	2	3	5	5	2	2	1		1		1					
11a	Influenza (with pulmonary complications)	W	92	13	4	4			1	4	3	1	1	2	13	14	7	9	16	
		C	61	6	4	2	2		1	2	6	2	3	2	9	8	4	7	2	1
11b	Influenza (other and unspecified)	W	54	7	2		1			1	2		1	1	1	5	7	9	17	
		C	81	15	5		1		1	1	3	6	1	3	7	9	13	8	7	1
13	Mumps	C	1						1											
15	Cholera nostras	W	2	1													1			
16	Dysentery	W	55	16	9	4	2					1	1			1	5	6	9	1
		C	46	13	8	4			1				1	3	2	2	4	2	4	
21	Erysipelas	W	10	3									2			2	1	1	1	
		C	1														1			
22	Acute anterior poliomyelitis	W	2	1	1															
		C	2		2															
23	Lethargic encephalitis	W	10						1	1		1	1		1	3	1		1	
24	Meningococcus meningitis	W	15	1	6	2	3	1		1					1					
		C	2	1								1								
25	Other epidemic and endemic diseases	W	5										1	1		1	1	1		
		C	5				1				1				1	1		1		
29	Tetanus	W	24	8		1			3	4			2	3	2	1				
		C	50	29	1	1		1		4	3		3	3	3	2				
30	Mycoses	W	2	1										1						
		C	2	1					1											
	Tuberculosis (all forms)	W	462	4	5	4	1		1	3	16	39	48	43	104	75	60	35	24	
		C	595	5	7	1	3	3	5	16	51	119	96	65	100	76	34	6	2	6
31	Of the respiratory system	W	416	2	3					2	14	34	46	40	97	72	54	33	19	
		C	552	3	6	1	2	1	4	13	50	113	91	59	93	72	30	6	2	6
32	Of the meninges, central nervous system	W	12		2	4	1		1		1	1	1	1						
		C	4							1		2		1						
33	Of the intestines, peritoneum	W	17	1						1	1	1	1	2	1	1	3	2	3	
		C	21	1			1	1		1		4	2	4	3	2	2			
34	Of the vertebral column	W	3												2	1				
		C	4		1			1		1						1				
35	Of the joints	W	2													1	1			
		C	3										1		1		1			
36	Of other organs	W	6												2		2		2	
		C	3	1											1		1			
37a	Disseminated (acute)	W	5	1								3			1					
		C	8						1		1		2	1	2	1				
37b	Disseminated (chronic or unspecified)	W	1												1					
38	Syphilis	W	52	6	1						2	5	5	3	9	8	10	3		
		C	193	24	4	2	2	1	2	2	5	14	14	22	45	35	11	5	1	4
40	Gonococcus infection	W	9									4	1	1	2		1			
		C	15	2					1			3	3	1	2	3				
41	Purulent infection, septicemia	W	31	1						3	3	5	2	2	3	4	2	2	4	
		C	15						1	1		2	2	2	2	3				
	II.—General diseases not included in Class I.	White	907	23	9	6	3	2	10	7	7	14	13	22	79	136	200	214	160	2
		Colored	300	13	3	2	2		3	2	10	12	9	33	67	70	39	23	11	1
	Cancer and other malignant tumors	W	576			1	1		1		3	4	5	11	51	84	142	155	116	2
		C	144			1			1		2	2	1	13	34	49	23	12	6	
43	Of the buccal cavity	W	18												1		3	7	7	
		C	4								1				1	1	1			
44	Of the stomach, liver	W	206									1	1		12	19	54	71	48	
		C	42								1			6	9	15	7	3	1	
45	Of the peritoneum, intestines, rectum	W	57				1				1	1	1	1	5	5	16	18	8	
		C	9										1		2	2	3	1		
46	Of the female genital organs	W	92						1				3	6	16	23	20	17	6	
		C	48									1		4	13	18	5	5	2	
47	Of the breast	W	42												8	13	12	3	5	1
		C	13												2	5	4	2		
48	Of the skin	W	37												1	6	9	8	13	
		C	1														1			
49	Of other or unspecified organs	W	124			1					2	2		4	8	18	28	31	29	1
		C	27			1			1			1		3	7	8	2	1	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	12											1	2	1	1	2	5	
		C	5						1					2	1				1	
51	Acute rheumatic fever	W	11	1					1	1	2	1	2			2			1	
		C	14								3			2	2	3		3	1	
52	Chronic rheumatism, osteoarthritis, gout	W	7													2	1	3	1	
		C	1																	
53	Scurvy	C	1	1																
54	Pellagra	W	48	1		1		1	1	1			2	2	7	10	9	7	6	
		C	54	1			1		1	2	1	5	4	8	13	9	5	2	2	
56	Rickets	W	2	2																
		C	6	4	2															
57	Diabetes mellitus	W	107		1	1			1	4	2	5	3	4	3	14	22	27	20	
		C	19										1		5	1	6	5		1
58	Anemia, chlorosis	W	41	3	2	1	1					1			3	6	9	11	4	
		C	12								2	1	3	1	3	1	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FLORIDA—Continued																				
	II.—General diseases not included in Class I—Continued																			
60a	Exophthalmic goiter	W	11												2		3	4	1	1	
		C	1													1					
60b	Other diseases of the thyroid gland	W	3													2			1		
		C	5								1	1					1	1		1	
61	Diseases of the parathyroid glands	W	1	1																	
		C	1	1																	
62	Diseases of the thymus gland	W	4	3								1									
63	Diseases of the adrenals (Addison's disease)	W	2													2					
64	Diseases of the spleen	C	1											1							
65a	Leukemia	W	7	1	1					1			1		1		1	1			
		C	1			1															
65b	Hodgkin's disease	W	3									1			1		1				
		C	1												1						
66	Alcoholism (acute or chronic)	W	28									1		1	5	10	9	1	1		
		C	19								1	2		4	5	5	1	1			
67a	Chronic lead poisoning	W	3												1			1	1		
		C	1										1								
67b	Other chronic mineral poisoning	C	1											1							
68	Chronic poisoning by organic substances	W	3											1	1		1				
		C	1														1				
69	Other general diseases	W	38	11	5	2	1	1	6						2	2		4	4		
		C	13	6	1		1					1		1	2	1					
	III.—Diseases of the nervous system and of the organs of special sense	White	1,014	28	10	3	1	1	15	11	12	10	12	22	57	110	199	281	239	3	
		Colored	588	18	5	3	3	1	3	3	6	6	18	18	90	131	128	97	53	5	
70	Encephalitis	W	8		2				1					1	2			1	1		
		C	2			1							1								
71a	Simple meningitis	W	22	10	2	1			5	1	2								1		
		C	9	1	1	1			2				1	1	2						
71b	Nonepidemic cerebrospinal meningitis	W	13	3	2	1			3		1	1		1	1						
		C	6	1	1	1				1					2						
72	Tabes dorsalis (locomotor ataxia)	W	8													2	3	2	1		
		C	3									1					1	1			
73	Other diseases of the spinal cord	W	23	1					1				1		1	2	4	7	6		
		C	14								1				4	1	2	4	2		
74a	Cerebral hemorrhage	W	678	5		1		1	1	1	2	1	4	6	40	81	146	205	183	1	
		C	349	1							1	3	7	9	58	89	89	59	29	4	
74b	Cerebral embolism and thrombosis	W	17										1				6	6	4		
		C	11		1								1		1	3		1	4		
75	Paralysis without specified cause	W	115				1								2	1	7	20	46	37	1
		C	108		1		1								1	4	15	17	31	22	16	
76	General paralysis of the insane	W	23												2	5	5	5	3	3	
		C	15										1			1	6	2	4		1
77	Other forms of mental alienation	W	15										1		4	1	3	5	1		
		C	16								1			2	1	3	4	1	3	1	
78	Epilepsy	W	27	1					1	3	2	3	2	2	2	4	2	5			
		C	25					1		1	2	1	3	3	3	9	1	1			
79	Convulsions (nonpuerperal; 5 years and over)	W	5							1	1	1	1	1							
		C	2						1						1						
80	Infantile convulsions (under 5 years)	W	8	7	1																
		C	15	13	1	1															
81	Chorea	W	1							1											
82	Neuralgia and neuritis	W	3												1		1				
		C	1														1				1
83	Softening of the brain	W	5													1		2	2		
		C	1																1		
84	Other diseases of the nervous system	W	31	1	2					1	3	2	3	3	2	4	6	3	1		
		C	7	1							1		1			2		2			
86a	Diseases of the ear	W	6		1				2	1	1						1				
		C	3	1						1			1								
86b	Diseases of the mastoid process	W	6						1	2		1			1	1					
		C	1				1														
	IV.—Diseases of the circulatory system	White	1,353	8	1	3	1	1	4	3	12	14	17	23	70	158	277	377	379	5	
		Colored	683	1	2				4	7	13	25	18	34	136	175	114	75	70	9	
87	Pericarditis	W	11								1			1	2		1	2	4		
		C	9							1		2		1	3	1			1		
88	Endocarditis and myocarditis (acute)	W	41	4		2					4	2	4	2	11		7	2	3		
		C	31							1	3	5	3	3	14	1			1		
89	Angina pectoris	W	123						2				1	2	8	19	35	32	24		
		C	22								1	1	1	1	3	8	4	3			
90	Other diseases of the heart	W	1,033	4	1	1	1		2	3	7	11	9	18	45	127	215	304	280	5	
		C	565		1				4	5	9	15	14	23	106	159	103	63	55	8	
91a	Aneurysm	W	8												2	1	1	4			
		C	17									1		2	8	3	2			1	
91b,c	Other diseases of the arteries	W	112												1	5	13	29	64		
		C	31											2	2	3	5	6	13		
92	Embolism and thrombosis (not cerebral)	W	10					1					2		1	3	1	1	1		
93	Diseases of the veins	W	6									1				2	1	2			
		C	3									1						2			
94	Diseases of the lymphatic system	W	2														1		1		
		C	1		1																
95	Hemorrhage without specified cause	W	1										1								
		C	4	1											2			1			
96	Other diseases of the circulatory system	W	6													1	2	1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	V.—Diseases of the respiratory system	White	624	126	46	24	9	9	12	9	17	23	15	15	43	43	53	75	104	1
		Colored	437	104	41	17	12	8	10	4	17	26	26	8	47	63	25	13	14	2
97a	Diseases of the nasal fossae	W	3	3																
		C	10	8			1										1			
97b	Diseases of the nasal fossae annexa	W	6								1	1	2			1		1		
98	Diseases of the larynx	W	2	1															1	
		C	5	1												4				
99a	Acute bronchitis	W	10	2		2			1								1		4	
		C	22	6	2	2	1						1	1		4	1	1	3	
99b	Chronic bronchitis	W	22												1		4	5	12	
		C	3		1										1		1			
99c,d	Bronchitis (unspecified)	W	14	3		1						1					3	2	4	
		C	11	5	3								1				1	1		
100a	Broncho-pneumonia	W	166	50	17	7	1		4		4	2	3		9	11	9	22	27	
		C	100	36	16	7	5	3	3			3	5	1	9	7	1	1	2	1
100b	Capillary bronchitis	W	7	3			1	1								1			1	
		C	14	10	2			1				1								
101a	Lobar pneumonia	W	169	24	9	6	2	4	4	5	9	10	7	9	12	15	13	18	22	
		C	131	14	6	5	2	2	2	2	8	14	10	4	22	23	8	5	4	
101b	Pneumonia (unspecified)	W	135	38	20	4	5	4	2	1	3	6	1	3	12	6	7	9	13	1
		C	96	23	9	3	2	2	5	2	8	6	4	1	8	11	7	1	3	1
102	Pleurisy	W	24			4				2		1		3	4	2	1	6	1	
		C	7		1								2		1	1	2			
103	Congestion and hemorrhagic infarct of the lung	W	19	1											1		3	3	11	
104	Gangrene of the lung	W	3														3			
105	Asthma	W	20	1					1	1		1	1		2	2	3	4	4	
		C	25		1		1				1	1	1	1	2	9	3	3	2	
106	Pulmonary emphysema	W	2															2		
		C	3	1									1		1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	22									1	1		2	5	6	3	4	
		C	10									1	1		3	4		1		
	VI.—Diseases of the digestive system	White	944	193	117	41	23	10	31	16	18	18	28	31	60	88	91	97	82	
		Colored	634	152	60	26	6	8	11	8	12	26	38	39	79	64	51	27	25	2
108	Diseases of the mouth and annexa	W	7	1						1			1		1	2	1			
		C	4		2										1			1		
109b	Other diseases of the pharynx, tonsils	W	22	1	2	2	1	2	3	1	2	1	1	2		1	1		2	
		C	13	1		3			1	1	2	1	1	1	1	1				
110	Diseases of the esophagus	W	1																1	
		C	2				1								1					
111a	Ulcer of the stomach	W	37											2	8	9	9	4	5	
		C	15								2		1		6	1	2	1	2	
111b	Ulcer of the duodenum	W	4											1	2	1				
		C	2													1		1		
112	Other diseases of the stomach (cancer excepted)	W	103	8	5	1			3	1		1	2	6	10	15	15	23	13	
		C	123	12	2	3	1	1	1	2	1	6	8	9	24	25	15	6	7	
113	Diarrhea and enteritis (under 2 years)	W	275	170	105															
		C	184	131	53															
114	Diarrhea and enteritis (2 years and over)	W	133			37	15	5	12		1	1	4	1	2	13	8	12	22	
		C	71			15	2	3	1	1	2	2	3	7	6	9	12	4	3	1
115	Ancylostomiasis	W	7				1	1	1	2	2									
		C	3			1			1	1										
116	Diseases due to other intestinal parasites	W	2						1						1					
		C	6	1	1	2	1		1											
117	Appendicitis and typhlitis	W	99		1	1	2	1	7	9	11	8	10	8	12	12	11	5	1	
		C	47					1	1		1	8	10	9	7	4	3	2		1
118a	Hernia	W	18											2	2		5	5	4	
		C	14											3	3	2		3	3	
118b	Intestinal obstruction	W	69	9	2		2		3	1	1	1	5	4	4	5	11	12	9	
		C	42	5	1	1			3	1	2	3	3	2	7	6	4	1	3	
119	Other diseases of the intestines	W	17				2				1		1	1		2	2	4	4	
		C	14	1					1		1		2	2	1	2	2		2	
120	Acute yellow atrophy of the liver	W	3									1	1		1					
		C	4									1	1		1	1				
122	Cirrhosis of the liver	W	55												10	10	14	15	6	
		C	42							1		1	2	3	12	8	7	4	4	
123	Biliary calculi	W	16												1	7	4	2	2	
		C	2										1					1		
124	Other diseases of the liver	W	55	2	1			1				1	2	2	4	6	8	15	13	
		C	19					3	1			1	1		5	2	3	2	1	
125	Diseases of the pancreas	W	1													1				
		C	1											1						
126	Peritonitis without specified cause	W	20	2	1				1	1		4	1	2	2	4	2			
		C	26	1	1	1	1			1	1	3	5	2	4	2	3	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	898	8	3	4	3	2	8	5	6	13	17	20	66	108	143	259	232	1
		Colored	560	5	1	3	1		2	4	10	14	22	28	101	124	103	85	54	3
128	Acute nephritis (including unspecified under 10 years)	W	66	3	2	3	2	1	2	2	1	1	4	3	6	7	8	15	6	
		C	36	2	1	2	1		2	2	3	6	3	6	13	17	14	9	4	1
129	Chronic nephritis (including unspecified 10 years and over)	W	685			1	1	1	4	2	3	5	7	10	51	86	110	216	187	1
		C	359							2	3	2	12	13	54	93	75	62	41	2
131	Other diseases of the kidneys and annexa	W	27	3	1				2	1	1	1	2		1	5	4	5	1	
		C	16	2		1					1				1	2	2	4	3	
132	Calculi of the urinary passages	W	18									2	1			2	4	5	4	
		C	2												1			1		
133	Diseases of the bladder	W	13													2	1	3	7	
		C	20	1											4	3	4	6	2	
134	Diseases of the urethra, etc	W	5											1	1		1		2	
		C	12										1	2	3	2	3	1		
135	Diseases of the prostate	W	48												1		10	13	24	
		C	13												2	3	4		4	
136	Nonvenereal diseases of the male genital organs	W	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
137	Cysts, other benign tumors of the ovary	W 7 C 2									1		2		2	1	1		
138	Salpingitis and pelvic abscess (female)	W 14 C 16								2	2 3	2 2	3 3	4 5	1	1	1	1	
139	Benign tumors of the uterus	W 6 C 24										2	1 2	1 15	1 4	2	1 1		
140	Nonpuerperal uterine hemorrhage	W 1													1				
141	Other diseases of the female genital organs	W 6 C 10								1 1	1 3	1 1	1	1 3	1	1 1			
	VIII.—The puerperal state	White 163 Colored 162								25 36	46 43	24 29	34 22	32 30	1 1				1 1
143	Accidents of pregnancy	W 5 C 9									2 4	2 1	3	1 1					
144	Puerperal hemorrhage	W 15 C 9								2 1	2 2	3 5	2	5 1	1				
145	Other accidents of labor	W 24 C 24								5 7	5 4	4 3	5 2	5 7					1
146	Puerperal septicemia	W 47 C 51								6 10	16 11	3 10	14 9	8 11					
147	Puerperal phlegmasia alba dolens, embolus, etc	W 7 C 1									2	1 1	2	2					
148	Puerperal albuminuria and convulsions	W 64 C 67								12 18	19 21	10 9	11 8	11 10	1				1
149	Following childbirth (undefinied)	W 1 C 1									1	1							
	IX.—Diseases of the skin and of the cellular tissue	White 38 Colored 23	7						1	1	2 1	2	2 1	4 6	3 5	9 5	2 2	5 2	1
151	Gangrene	W 8 C 11												1 1	4	4 3	1 1	2 1	1
152	Furuncle	W 10 C 4								1	1	1	1	1 3	2	1 1	1	1	
153	Acute abscess	W 11 C 4	2						1		1	1	1 1	2 1	1	3 1			
154	Other diseases of the skin and annexa	W 9 C 4	5								1			1	1	1	1	2 1	
	X.—Diseases of the bones and of the organs of locomotion	White 11 Colored 5			1			1 1	4	1			1	2 2		1		1	1
155	Diseases of the bones (tuberculosis excepted)	W 8 C 2			1			1 1	3	1			1	1 1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 1 C 2							1							1			1
157	Amputations	C 1												1					
158	Other diseases of the organs of locomotion	W 2												1				1	
	XI.—Malformations	White 89 Colored 21	75 15	5 3	2	1 1	1	2	1 1	1			1	1					
159a	Congenital hydrocephalus	W 7 C 4	5 2	1	1	1				1									
159b	Congenital malformations of the heart	W 47 C 4	40 2	1 2	1	1	1	1	1					1					
159c	Other congenital malformations	W 35 C 13	30 11	3 1				1	1				1						
	XII.—Early infancy	White 538 Colored 288	538 288																
160	Congenital debility, icterus, sclerema	W 71 C 83	71 83																
161a	Premature birth	W 365 C 168	365 168																
161b	Injury at birth	W 59 C 14	59 14																
162	Other diseases peculiar to early infancy	W 41 C 20	41 20																
163	Lack of care	W 2 C 3	2 3																
164	XIII.—Old age (senility)	White 183 Colored 155														8 16	31 30	142 105	2 3
	XIV.—External causes	White 849 Colored 746	24 17	17 16	13 12	12 12	9 8	33 24	26 28	67 68	75 129	71 90	55 79	125 117	100 77	70 31	77 14	68 10	7 14
	Suicide	W 100 C 10							1	8	8 3	12	5 1	25 5	16 1	13	8	3	1
165	By poisons (gas or corrosives excepted)	W 7								1	1		1	3	1				
166	By corrosive substances	W 14 C 1							1	2	1		1	6	2		1		
167	By poisonous gas	W 5								1	1	1				2			
168	By hanging or strangulation	W 3 C 1													1	1	1		
169	By drowning	W 7										1		3		1	1		1
170	By firearms	W 55 C 4								4	5 1	8	3 1	11 2	10	6	5	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	XIV.—External causes—Continued																			
	Suicide—Continued.																			
171	By cutting or piercing instruments	W	6										1		2	2	1			
		C	1												1					
172	By jumping from high places	W	1														1			
173	By crushing	W	1														1			
174	By other means	W	1										1							
		C	3								1				1	1				
	Homicide	W	104	1			1		1		10	9	15	11	28	17	6	5		
		C	251						2	3	17	63	41	45	45	23	6	3		3
197	By firearms	W	92				1		1		9	9	14	9	26	14	5	4		
		C	177							1	9	47	34	33	29	16	3	3		2
198	By cutting or piercing instruments	W	3								1		1		1					
		C	43							1	7	12	5	7	7	3	1			
199	By other means	W	9	1										2	1	3	1	1		
		C	31						2	1	1	4	2	5	9	4	2			1
	Accidental or undefined	W	645	23	17	13	11	9	32	25	49	58	44	39	72	67	51	64	65	6
		C	485	17	16	12	12	8	22	25	51	63	49	33	67	53	25	11	10	11
175	Poisoning by food	W	30	6	2		2		2				1		2	2	2	6	4	1
		C	11		2	1					1	2			2	2		1		
176	Poisoning by venomous animals	W	2										1			1				
		C	2																	
177	Other acute poisonings (gas excepted)	W	17	2	2		2						1		1	5	3	1		
		C	15		2	3	1		2			1	1	1	3		1			
178	Conflagration	W	4	1				1		1					1					
		C	9	1		1	2				1	1				2		1		
179	Burns (conflagration excepted)	W	46	2	3	8	2	7	5	1	1	2	1	1	2	3	1	5	2	
		C	69	2	9	5	4	5	4	2	5	2	7	4	1	6	4	2	3	4
180	Mechanical suffocation	W	4	4																
		C	3	3																
181	Absorption of irrespirable, irritating, or poisonous gas	W	10	1	1				2			1	2			1		1		1
		C	4	1					1			1					1			
182	Drowning	W	74	1	3	1	2		4	6	9	9	8	4	11	7	5	3		1
		C	69		1				5	5	16	15	3	6	8	4	2	1	2	1
183	Traumatism by firearms (except in war)	W	33		1				4	3	6	1	2	2	4	6		3		1
		C	54			1	1		4	5	10	14	7	3	4	1	4			
184	Traumatism by cutting or piercing instruments	W	2										1	1						
		C	5					1				1			2	1				
185	Traumatism by fall	W	85	1	2		1	1	1	3	4	3		3	4	8	5	12	37	
		C	28	2	1	1				2		1	2	1	4	4	4	4	2	
186a	Traumatism in mines	C	2											1		1				
186b	Traumatism in quarries	W	1												1					
		C	1													1				
187	Traumatism by machines	W	23						1	1	2	2	5	3	4	2	1	1	1	
		C	16								4		3	3	1	4				1
188a	Railroad accidents	W	45			1				1	5	6	2	3	8	6	4	8	1	
		C	32						1	1	1	3	5	1	9	8	2			1
188b	Street-car accidents	W	4									1		1	1			1		
		C	2										1		1					
188c	Automobile accidents	W	166	2	2	3			8	5	17	16	12	15	20	19	22	16	8	1
		C	76	1			3	1	4	3	7	14	12	2	14	11	1		1	2
188d	Airplane and balloon accidents	W	7									4	3							
188e,f	Injuries by other vehicles	W	3								1				1	1				
		C	2											1		1				
188g	Landslide, other crushing	W	5						1	1			1		1	1				
		C	5								1	1			2					1
189	Injuries by animals (not poisoning)	W	6	1						1				1			1	2		
		C	2							1	1									
193	Excessive cold	W	2	1														1		
		C	2													1			1	
194	Excessive heat	C	2									1					1			
195	Lightning	W	5						1			1	1			1		1		
		C	10							1		2	1		2	4				
196	Other accidental electric shocks	W	18				1		1		2	5	1	1	3		3		1	
		C	7							3	1	1	1		1					
201	Fracture (cause not specified)	W	20							1	1	2	1	2			1	2	10	
		C	4									1		1	2					
202	Other external violence	W	33	1	1		1		2	1	1	4	2	1	4	6	5	2	1	1
		C	53	7	1		1	1	1	2	3	2	5	7	11	4	4	2	1	1
	XV.—Ill-defined diseases	White	295	77	10	5	3	1	6	5	6	8	3	6	15	25	34	50	34	7
		Colored	541	162	24	7	4	2	10	9	11	17	21	16	46	67	44	43	48	10
204	Sudden death	W	19	2										1	1	1	3	6	5	
		C	30	2					1		1	1	2	2	3	6	5	1	4	2
205a	Ill-defined	W	112	9	6	2	2		2	2	2	5		3	3	15	21	25	12	3
		C	219	31	10	2	2		3	3	2	9	10	8	19	40	28	24	25	3
205b	Not specified or unknown	W	164	66	4	3	1	1	4	3	4	3	3	2	11	9	10	19	17	4
		C	292	129	14	5	2	2	6	6	8	7	9	6	24	21	11	18	19	5
	GEORGIA																			
	All causes	White	17,774	3,101	713	355	209	111	362	265	485	605	555	551	1,374	1,435	1,864	2,825	2,942	22
		Colored	17,021	2,748	627	275	148	107	306	378	904	1,161	971	842	1,907	2,115	1,584	1,363	1,530	55
	I.—Epidemic, endemic, and infectious diseases	White	3,168	418	277	139	89	54	138	73	148	234	177	164	329	247	192	253	233	3
		Colored	3,963	465	218	102	53	31	124	176	381	524	406	284	466	311	202	125	86	9
1	Typhoid and paratyphoid fever	W	285	2	5	3	4	3	15	21	54	50	25	19	34	22	14	9	5	
		C	385	6	8	5	1	3	35	54	82	71	31	21	26	22	18	2		
2	Typhus fever	W	3												1	1	1			
3	Relapsing fever (spirillum obermeieri)	C	1							1										
5	Malaria	W	163	16	9	2	3	7	10	4	9	7	11	4	19	16	14	18	14	
		C	235	24	10	9	9	4	13	15	18	16	12	3	26	25	21	16	13	1
6	Smallpox	W	11									1			1	2	3	2	2	
		C	13	1						1	1	2		1	3	1	1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
7	Measles	W	368	83	64	34	28	12	39	12	14	14	2	7	21	12	8	9	8	1
		C	196	47	47	19	8	11	13	14	21	3	3	2	3	1	1	1	1	1
8	Scarlet fever	W	18	2	5	1	2	2	3	1		1								1
		C	2	1	1															
9	Whooping cough	W	210	113	56	16	9	3	10	2					1					
		C	243	146	49	25	9	2	7	3	1		1							
10	Diphtheria	W	164	28	27	40	24	14	20	4	1	2	1	2	1					
		C	57	24	11	7	2		6	2	3						1		1	
11a	Influenza (with pulmonary complications)	W	314	36	14	7	2	6	4	5	12	10	8	19	26	34	31	52	48	
		C	251	27	7	5	4	1	4	11	16	25	26	15	25	28	23	20	14	
11b	Influenza (other and unspecified)	W	197	23	3	6	6	2	7	6	3	7	1	3	8	5	11	46	60	
		C	167	17	8	2	2	1	3	6	7	9	8	8	21	17	24	16	17	1
13	Mumps	W	3	1		1						1								
15	Cholera nostras	W	6						1							1	1	1	2	
		C	2		1				1											
16	Dysentery	W	252	59	76	17	5		3	1		3	1	4	3	1	7	19	53	
		C	191	57	48	12	4	1	5	2		2	1	4	10	5	4	16	19	1
19	Spirochetal hemorrhagic jaundice	C	2										1			1				
21	Erysipelas	W	31	5	1				1	1		2	2		4	2	2	3	8	
		C	9			1			1				2	2	1		1	1		
22	Acute anterior poliomyelitis	W	18	3	2	2	3	2	4				1		1					
		C	7	2	2		1		1							1				
23	Lethargic encephalitis	W	10						1		1	1	1	1	1	3		1		
		C	4							1		1			1		1			
24	Meningococcus meningitis	W	11	5		1			1		1	1		1	1					
		C	7	1					2		1	2				1				
25	Other epidemic and endemic diseases	W	5	2	1										1			1		
		C	2														1		1	
28	Rabies	W	4					1				1			1				1	
		C	1						1											
29	Tetanus	W	29	5	5	1			6	6	4				1	1				
		C	49	20			1	1	5	3	3	1	4	2	4	4	1			
30	Mycoses	W	1	1																
		C	13	9	3	1														
	Tuberculosis (all forms)	W	941	14	7	7	3	1	8	8	42	124	116	95	183	130	90	83	29	1
		C	1,735	17	10	10	9	6	26	55	208	343	291	207	275	162	67	38	8	3
31	Of the respiratory system	W	853	8	5	3	2		5	6	37	114	113	90	167	116	83	77	26	1
		C	1,567	12	6	7	7	3	21	49	184	316	261	194	253	147	60	36	8	3
32	Of the meninges, central nervous system	W	12	2	2	2	1		1		1	1			1		1			
		C	15	1	1	1	1		2	2	3	1		1	2					
33	Of the intestines, peritoneum	W	39	2					1	1	1	4	1	1	11	5	5	5	2	
		C	69			1		2		2	10	11	10	9	15	6	3			
34	Of the vertebral column	W	10					1			1	1			1	4	1	1		
		C	12		2				1		4		2		1	1	1			
35	Of the joints	W	5						1	1	1			1	1					
		C	6	1								1	2			2				
36	Of other organs	W	9									2	1	2	2			1		
		C	19	1		1	1		1		4	2	2	2	1	2	1	1		
37a	Disseminated (acute)	W	11	2		2					1	2		2		2				
		C	41	2	1			1	1	2	3	11	11	1	2	4	1	1		
37b	Disseminated (chronic or unspecified)	W	2										1		1					
		C	6									1	3		1		1			
38	Syphilis	W	82	16	2						3	3	6	7	15	15	9	6		
		C	347	64	11	6	2	1	1	7	17	43	21	18	61	38	36	12	7	2
40	Gonococcus infection	W	8								1	2	2	1	1	1				
		C	22	1						1	3	6	3		5	2	1			
41	Purulent infection, septicemia	W	34	4		1		1	5	2	3	4		1	5	1	1	3	3	
		C	21	1	2		1						2	1	5	2	1	2	4	
42	Other infectious diseases	C	1													1				
	II.—General diseases not included in Class I.	White	1,575	55	16	9	4	3	23	17	18	29	42	44	188	250	302	350	223	2
		Colored	879	21	10	6	1	1	8	9	22	32	41	51	181	197	139	106	52	2
	Cancer and other malignant tumors	W	925	1	1	3		2	5	3	6	11	16	22	114	156	205	232	148	
		C	469			1	1		3	2	3	6	15	24	96	133	80	74	29	2
43	Of the buccal cavity	W	31												2	3	9	10	7	
		C	12												4	3	3	1	1	
44	Of the stomach, liver	W	298						1	1		1	5	3	31	51	77	85	43	
		C	126				1						5	3	16	35	28	28	9	1
45	Of the peritoneum, intestines, rectum	W	74			1				1	1	1	3	4	9	13	11	16	14	
		C	30						1	1	1	1		2	7	7	6	3	1	
46	Of the female genital organs	W	177		1							2	2	8	34	40	43	35	12	
		C	169									3	7	10	50	51	17	22	9	
47	Of the breast	W	82										1	3	13	20	18	18	9	
		C	46								1		1	5	7	15	9	5	2	1
48	Of the skin	W	77									2		1	3	7	11	24	29	
		C	11												1	2	3	4	1	
49	Of other or unspecified organs	W	186	1		2		2	4	1	5	5	5	3	22	22	36	44	34	
		C	75			1			2	1	1	2	2	4	11	20	14	11	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10	1	1						1		1	1	2	2			1	
		C	4						1							2	1			
51	Acute rheumatic fever	W	32	1			1		3	4	2	1	1		1	2	2	13	1	
		C	52						1	5	5	3	7		6	8	8	3	6	
52	Chronic rheumatism, osteoarthritis, gout	W	28												2	1	3	13	9	
		C	11							1		1			2	1		2	4	
53	Scurvy	W	1	1																
		C	4	2	1						1									
54	Pellagra	W	182	1						2	3	4	6	12	32	35	31	32	23	1
		C	152		1				1		5	12	10	16	41	26	23	11	6	
56	Rickets	W	10	9	1															
		C	13	9	3	1														
57	Diabetes mellitus	W	175	1			1		6	7	2	4	7	1	9	25	32	46	33	1
		C	92		1			1		1	3	5	2	4	21	18	20	10	6	
58	Anemia, chlorosis	W	39	3	1				1		1	1	1	2	7	8	7	5	2	
		C	14	1					1		1	1	2	2	2	2		2		
60a	Exophthalmic goiter	W	20									2			8	2	5	1	2	
		C	8										1	2	2	1	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																		
	II.—General diseases not included in Class I—Continued																		
60b	Other diseases of the thyroid gland	W 5	1		2									1	1				
		C 4												2	1		1		
61	Diseases of the parathyroid glands	W 3	2		1														
		C 3	3																
62	Diseases of the thymus gland	W 5	5																
		C 1								1									
63	Diseases of the adrenals (Addison's disease)	W 2											2						
		C 1															1		
64	Diseases of the spleen	W 4						1						1		1		1	
		G 1								1									
65a	Leukemia	W 20	1	1	1	1	1	1		1	2	1		2	3	3	2		
		C 3			1						1			1					
65b	Hodgkin's disease	W 12						2			3	2		1	1	1	2		
		C 2												1		1			
66	Alcoholism (acute or chronic)	W 33								1		5	4	4	9	8	2		
		C 20								1	2	3	2	6	2	4			
67a	Chronic lead poisoning	C 2									1	1							
67b	Other chronic mineral poisoning	C 1												1					
68	Chronic poisoning by organic substances	W 5												3	1	1			
		C 1													1				
69	Other general diseases	W 64	28	11	2	1		4	1	1	1	2		1	4	3	2	3	
		C 21	6	4	3			1		1			1		2	1	1	1	
	III.—Diseases of the nervous system and of the organs of special sense	White 1,936	77	11	13	5	4	16	21	27	17	13	23	120	201	371	543	470	4
		Colored 1,546	80	15	9	3	3	9	20	22	28	37	55	186	336	280	244	214	5
70	Encephalitis	W 28	3	2				2	1		1	2	2	6	4	2	2	1	
		C 15	3		1				1	2		1		3	3	1			
71a	Simple meningitis	W 45	12	3	3	4	2	4	1	7	1	1		2	3	2			
		C 29	10	3	3	1		3	1	3		1		2	1	1			
71b	Nonepidemic cerebrospinal meningitis	W 21	8	1	4	1		2	2			1			2				
		C 7	1	2	2						1						1		
72	Tabes dorsalis (locomotor ataxia)	W 14												2	3	8	1		
		C 5											1			2	2		
73	Other diseases of the spinal cord	W 36										1	1	3	4	10	10	7	
		C 32	1				1	1			1	1		4	7	9	5	2	
74a	Cerebral hemorrhage	W 1,215	9		1		1	1	3	2	1	1	11	63	131	267	409	313	2
		C 956	1	1				1	4	3	9	17	27	126	254	205	168	136	4
74b	Cerebral embolism and thrombosis	W 20												2	2	4	6	6	
		C 11							1	1		1	1	1	1	3	1	1	
75	Paralysis without specified cause	W 273	3		1				1	2			1	9	21	47	72	114	2
		C 218	1							1	2	3	6	20	34	39	54	57	1
76	General paralysis of the insane	W 35											2	9	9	5	8	2	
		C 59									1		7	16	16	11	4	4	
77	Other forms of mental alienation	W 22								1	2		1	6	2	5	3	2	
		C 19									1	3	3	2	2	1	3	4	
78	Epilepsy	W 46	1	1					6	7	7	6	1	7	3	3	3	1	
		C 55	2	1	1		1	1	6	7	8	4	7	4	8	3	2		
79	Convulsions (nonpuerperal; 5 years and over)	W 3						1	1							1			
		C 5						1	2						1			1	
80	Infantile convulsions (under 5 years)	W 36	33	2	1														
		C 66	57	7	2														
81	Chorea	W 3						1						2					
82	Neuralgia and neuritis	W 5												1			1	3	
		C 3										1		1				1	
83	Softening of the brain	W 14													1	2	5	6	
		C 5													2		3		
84	Other diseases of the nervous system	W 90	1		3			2	1	6	3	1	2	5	15	14	22	15	
		C 41	4					1	2	2	1	3	2	6	7	5	1	7	
85	Diseases of the eye and annexa	C 2				1				1									
86a	Diseases of the ear	W 12	2	2				2	1	2				1	1		1		
		C 10				1	1	1	2		2	1						1	
86b	Diseases of the mastoid process	W 18	5				1	1	4		2		1	2	1	1			
		C 8		1					1	1	2	1	1	1					
	IV.—Diseases of the circulatory system	White 1,821	13	3	5	2	1	14	11	10	20	25	25	85	161	324	566	552	4
		Colored 1,768	2	4	2	1		11	17	30	52	69	73	246	413	337	260	245	6
87	Pericarditis	W 25						1					1	2		2	11	7	1
		C 18								1	1	3		1	7	1	4		
88	Endocarditis and myocarditis (acute)	W 51	3	1	2	1		2	4	2	2	11	4	7	3	1	4	4	
		C 91	1					2	2	8	9	9	12	27	9	5	3	3	1
89	Angina pectoris	W 147									1	1	3	11	23	43	37	28	
		C 56						1		1		1	4	14	14	10	9	1	1
90	Other diseases of the heart	W 1,426	8	2	2	1	1	9	6	7	17	10	16	52	121	261	457	453	3
		C 1,472	1	4	2	1		7	13	19	36	50	54	188	360	287	227	219	4
91a	Aneurysm	W 16	1									1	1	1	1	3	5	3	
		C 34									3	2	3	13	5	6	2		
91b,c	Other diseases of the arteries	W 126												7	11	10	44	54	
		C 70										1		1	13	22	13	20	
92	Embolism and thrombosis (not cerebral)	W 15	1		1							2		2		3	5	1	
		C 2									1				1				
93	Diseases of the veins	W 2												1				1	
		C 3												1	1	1			
94	Diseases of the lymphatic system	W 3						2	1										
		C 4						1	1			1			1				
95	Hemorrhage without specified cause	W 3								1					2				
		C 7								1	1	1		1		1		2	
96	Other diseases of the circulatory system	W 7												2		1	3	1	
		C 11							1		1	1			2	4	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	V.—Diseases of the respiratory system	White	1,661	381	100	57	31	11	45	26	46	43	42	54	119	103	138	208	256	1
		Colored	1,758	400	130	49	33	14	51	27	125	133	90	83	180	167	105	94	74	3
97a	Diseases of the nasal fossae	W	7	3													1	1	2	
		C	26	19	3	2										2				
97b	Diseases of the nasal fossae annexa	W	6	1							2						2	1		
		C	2								1				1					
98	Diseases of the larynx	W	12	3	2	1	1	1	2				1				1			
		C	4	1	1												1	1		
99a	Acute bronchitis	W	19	7		2				1	1						1	2	5	
		C	26	5	2	1	1				1	2	2	1	4	3	2	1	1	
99b	Chronic bronchitis	W	19												2	1	4	4	8	
		C	18		1						2	2	1	1	1	4	2	1	3	
99c,d	Bronchitis (unspecified)	W	31	10	1	1	1	1									1	2	14	
		C	51	13	6	3			1	1	1	1	2	3	5	7	3	1	4	
100a	Broncho-pneumonia	W	500	175	46	26	12	5	14	8	10	7	6	9	12	16	30	57	67	
		C	384	139	44	18	9	4	15	3	17	17	9	11	26	19	18	20	15	
100b	Capillary bronchitis	W	8	1	4														3	
		C	4	1							1	1			1					
101a	Lobar pneumonia	W	592	74	20	16	7	2	16	10	20	27	25	33	64	59	57	85	76	1
		C	690	69	30	12	5	8	15	13	71	84	51	48	105	81	45	36	15	2
101b	Pneumonia (unspecified)	W	352	99	22	10	9	1	10	7	10	8	8	8	29	17	27	34	53	
		C	471	148	42	12	14	2	18	10	26	22	21	14	27	35	28	24	27	1
102	Pleurisy	W	37	1	5			1	2		2				6	3	4	9	4	
		C	28				1		2		1	4	2	2	5	6	2	1	2	
103	Congestion and hemorrhagic infarct of the lung	W	21	6		1								1			3	2	8	
		C	8	2							1				2	1	1		1	
104	Gangrene of the lung	W	1														1			
		C	1											1						
105	Asthma	W	39						1				1	3	5	4	4	10	11	
		C	30		1	1	3						1	2	2	7	1	7	5	
106	Pulmonary emphysema	C	1										1							
107	Other diseases of the respiratory system (tuberculosis excepted)	W	17	1			1				1	1	1		1	3	2	1	5	
		C	14	3							3				1	2	2	2	1	
	VI.—Diseases of the digestive system	White	1,681	408	260	84	32	13	54	37	51	34	33	47	122	131	113	132	128	2
		Colored	1,289	343	171	46	14	20	30	27	42	60	46	38	115	126	78	57	73	3
108	Diseases of the mouth and annexa	W	22	2	1				2		1	1	1	1	3	3	2	1	3	1
		C	11	2								1	2	1		4			1	
109b	Other diseases of the pharynx, tonsils	W	43	2	2	5		3	5	2	2	2	3	4	4	3	3		3	
		C	38	4	1	2		1	1	2	4	5	3	3	2	5	1	2	1	1
111a	Ulcer of the stomach	W	45	2							1	2	2	3	9	9	7	4	6	
		C	31								2	1	1	2	10	9	3		3	
111b	Ulcer of the duodenum	W	16								2		1	2	4	3	3		1	
		C	5									1	1		1	2				
112	Other diseases of the stomach (cancer excepted)	W	141	28	6	1		1	2	1	1	1	4	1	10	13	20	24	28	
		C	235	37	12	3		5	7	3	6	12	8	4	44	30	24	18	21	1
113	Diarrhea and enteritis (under 2 years)	W	583	347	236															
		C	430	278	152															
114	Diarrhea and enteritis (2 years and over)	W	202			70	20	5	12	3	4	2	3		9	7	10	23	34	
		C	146			39	10	9	9	2	6	6	2	2	8	6	16	9	21	1
115	Ancylostomiasis	W	7				1		1	4		1								
		C	2						1							1				
116	Diseases due to other intestinal parasites	W	4	1			1	1	1											
		C	11	2	2	2			3				1			1				
117	Appendicitis and typhlitis	W	213			4	3		13	23	32	17	12	20	35	26	15	9	4	
		C	106	2				2	3	9	14	15	8	9	19	13	8	3	1	
118a	Hernia	W	33	1							1			1	1	7	3	11	8	
		C	38	4			1		1				1	1	4	7	5	8	6	
118b	Intestinal obstruction	W	117	18	7	2	6	2	13	4	2	2	2	5	19	9	14	6	6	
		C	76	10	2		1		4	3	3	4	4	8	8	13	8	4	4	
119	Other diseases of the intestines	W	31	1	4	1			2		3	1	2		2	4		3	7	1
		C	34	4			1	1		1	4	2	2		4	7	3	1	4	
120	Acute yellow atrophy of the liver	W	5												1		1	1	2	
		C	2										1	1						
122	Cirrhosis of the liver	W	84				1					1		2	9	22	12	21	16	
		C	36		1			1				2	3	2	4	9	5	6	3	
123	Biliary calculi	W	33											1	3	6	10	9	4	
		C	6											1	1	2			2	
124	Other diseases of the liver	W	67	5	1	1			1			1	1	5	9	16	10	12	5	
		C	39		1			1				5	3	2	6	12	3	4	2	
125	Diseases of the pancreas	W	11											2	1	1	2	4	1	
		C	3													1	1			
126	Peritonitis without specified cause	W	24	1	3			1	2		2	3	2		3	2	1	4		
		C	40				1		1	7	3	5	5	3	4	4	1	2	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,822	10	5	5	6	3	8	7	11	34	24	40	112	162	273	564	558	
		Colored	1,742	13	6	9	4	2	5	8	34	56	54	80	255	351	294	284	280	7
128	Acute nephritis (including unspecified under 10 years)	W	132	4	3	4	3	2	6	1	1	3	3	9	14	16	18	20	25	
		C	243	9	4	7	3	2	5	3	9	15	9	12	38	45	39	19	24	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,483				2		2	4	5	17	15	25	72	126	229	504	482	
		C	1,255		1	1				2	11	26	36	42	174	274	229	231	222	6
131	Other diseases of the kidneys and annexa	W	55	6	2	1	1	1		2	2	6	3	1	6	7	3	9	5	
		C	48	2	1	1	1			2	2	5		2	3	5	3	11	10	
132	Calculi of the urinary passages	W	16										1		1	2	4	4	4	
		C	6								1	1			1		2	1		
133	Diseases of the bladder	W	19											2	2			4	11	
		C	31	1											2	3	6	5	14	
134	Diseases of the urethra, etc	W	4												2			1	1	
		C	14								1		2	3	1	3	1	2	1	
135	Diseases of the prostate	W	64									1			1	2	15	18	27	
		C	35												1	4	8	13	9	
136	Nonvenereal diseases of the male genital organs	C	3	1												2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
137	Cysts, other benign tumors of the ovary	W 7									2						3	2	
		C 11								1	3		3	2	1		1		
138	Salpingitis and pelvic abscess (female)	W 14								2	4		1	6	1				
		C 27								2	4	4	5	10	2				
139	Benign tumors of the uterus	W 17										1		6	6	2	1	1	
		C 46								1		2	8	19	8	6	1		1
140	Nonpuerperal uterine hemorrhage	C 6								3					3				
141	Other diseases of the female genital organs	W 11								1	1	1	2	2	2	2			
		C 17							1	3	2	1	5	4	1				
	VIII.—The puerperal state	White 372							3	56	77	63	66	104	3				
		Colored 363							7	82	76	80	48	65	4				1
143	Accidents of pregnancy	W 24							1	1	3	6	5	8					
		C 23								4	4	5	3	7					
144	Puerperal hemorrhage	W 44								2	6	7	7	21	1				
		C 16								1	3	4	2	6					
145	Other accidents of labor	W 36								4	4	6	11	11					
		C 65								17	11	14	6	16					1
146	Puerperal septicemia	W 106							1	15	26	15	18	31					
		C 117							1	25	29	29	16	16	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 10								1	2	1	2	4					
		C 4								1	1	1	1						
148	Puerperal albuminuria and convulsions	W 150							1	33	35	28	23	28	2				
		C 136							6	34	28	26	20	19	3				
149	Following childbirth (undefined)	W 2									1			1					
		C 1												1					
150	Puerperal diseases of the breast	C 1										1							
	IX.—Diseases of the skin and of the cellular tissue	White 43	9			1	1		1	7	3	1	2	2	2	4	2	8	
		Colored 38	4		1	1		1	1		2	1		4	6	5	4	6	2
151	Gangrene	W 7														1	1	5	
		C 11				1		1						1		2	2	4	
152	Furuncle	W 10					1				1	1			2	3	1	1	
		C 7	1													2	1		2
153	Acute abscess	W 16	4			1			1	6			2	1				1	
		C 10	1		1				1		1	1		1	4				
154	Other diseases of the skin and annexa	W 10	5							1	2			1				1	
		C 10	2								1			1	2	1	1	2	
	X.—Diseases of the bones and of the organs of locomotion	White 18	1		1			4	3	1			2	2		1	1	2	
		Colored 6			1				1				1		1	2			
155	Diseases of the bones (tuberculosis excepted)	W 13	1		1			4	2	1			2	1		1			
		C 5			1				1				1		1	1			
157	Amputations	W 1																	
158	Other diseases of the organs of locomotion	W 4							1					1			1		
		C 1														1		1	
	XI.—Malformations	White 154	142	2	3	1		2	1	3									
		Colored 47	34	3	1	1	1	3	3	1									
159a	Congenital hydrocephalus	W 23	19	2		1		1											
		C 15	7	2	1	1	1	2	1										
159b	Congenital malformations of the heart	W 66	60		3				1	2									
		C 12	9	1				1		1									
159c	Other congenital malformations	W 65	63					1		1									
		C 20	18						2										
	XII.—Early infancy	White 1,264	1,264																
		Colored 832	832																
160	Congenital debility, icterus, sclerema	W 218	218																
		C 218	218																
161a	Premature birth	W 832	832																
		C 493	493																
161b	Injury at birth	W 135	135																
		C 43	43																
162	Other diseases peculiar to early infancy	W 73	73																
		C 70	70																
163	Lack of care	W 6	6																
		C 8	8																
164	XIII.—Old age (senility)	White 349													1	1	38	309	
		Colored 453													1	9	53	387	3
	XIV.—External causes	White 1,370	53	26	30	33	18	57	64	104	109	134	78	169	150	104	85	155	1
		Colored 1,324	92	26	32	34	32	55	71	138	179	129	106	148	122	59	48	46	7
	Suicide	W 174								4	15	23	18	39	29	26	17	3	
		C 19							1	3	3	2	4	3	1	2			
165	By poisons (gas or corrosives excepted)	W 8									2		2	1	1	1	1		
		C 1									1								
166	By corrosive substances	W 24									5	10	4	4	1				
		C 5								2			2	1					
167	By poisonous gas	W 1														1			
168	By hanging or strangulation	W 6												2	1	1	2		
		C 3									1			1		1			
169	By drowning	W 3											1	2					
170	By firearms	W 116								4	8	11	10	27	21	21	12	2	
		C 8							1		1	2	2	1	1				
171	By cutting or piercing instruments	W 9										1	1	1	3	1	2		
		C 2								1						1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	GEORGIA—Continued																			
	XIV.—External causes—Continued																			
	Suicide—Continued.																			
172	By jumping from high places	W	3										1		1	1				
173	By crushing	W	1												1					
174	By other means	W	3													1	1		1	
	Homicide	W	151	4					2	14	16	27	18	33	23	11	3	1		
		C	402	1		1			2	6	44	97	72	53	74	31	11	8		2
197	By firearms	W	120							2	14	13	23	15	27	17	7	2		
		C	296						1	6	28	70	52	42	54	27	10	5		1
198	By cutting or piercing instruments	W	11									1	1	1	3	4		1		
		C	71								9	19	15	10	13	2	1	1		1
199	By other means	W	20	4								1	3	2	3	2	4		1	
		C	35	1		1			1		7	8	5	1	7	2		2		
	Accidental or undefined	W	1,045	49	26	30	33	18	57	62	86	79	84	42	97	98	67	65	151	1
		C	903	91	26	31	34	32	53	64	91	79	55	49	71	90	46	40	46	5
175	Poisoning by food	W	24	5	2	2	3		1	1	1	1	1		3	1	2		1	
		C	27	1		1			1	2	2	2	3	2	5	6	2			
176	Poisoning by venomous animals	W	2		1				1											
		C	3	1					1										1	
177	Other acute poisonings (gas excepted)	W	17	1	3	1			2		2	2			3	1			2	
		C	20	1	1	2	1	1		2		1		1	2	7		1		
178	Conflagration	W	9									1			2	1	1	1	3	
		C	37	5	4	2	2	2	2	2	2	1	1	1	5	1	1		6	
179	Burns (conflagration excepted)	W	134	5	9	16	15	9	15	5	5	11	4		5	8	6	4	16	1
		C	221	14	14	19	26	24	24	8	6	8	7	5	4	13	11	14	23	1
180	Mechanical suffocation	W	23	23																
		C	45	43							1	1								
181	Absorption of irrespirable, irritating, or poisonous gas	W	5									2	2			1				
		C	3										1		1	1				
182	Drowning	W	53		1	3	1	2	2	12	4	3	7	4	5	5	2		2	
		C	62	1	1	3		1	1	7	15	11	3	6	4	5	2	1		1
183	Traumatism by firearms (except in war)	W	49				1	1	2	8	14	5	7	4	4	1	2			
		C	89	1				1	11	19	17	15	7	4	5	4	2	2		1
184	Traumatism by cutting or piercing instruments	W	13						1	3		1	1	2	1	3			1	
		C	9			1						2	1	1		2	1		1	
185	Traumatism by fall	W	187	2	2	4	2		2	2	4	4	3	1	6	11	12	30	102	
		C	49	7	4	1			1	4	1	2	3	4	1	9	4	4	4	
186a	Traumatism in mines	W	4								1	2			1					
		C	2								1					1				
186b	Traumatism in quarries	C	2											1	1					
187	Traumatism by machines	W	43				1			4	3	6	7	3	6	9	2	2		
		C	27						2		6	2	3	2	6	2	2	1		1
188a	Railroad accidents	W	78	1		2		1	2	4	5	8	13	6	14	14	3	1	4	
		C	57			1	1		1	3	8	3	5	7	14	9	1	3	1	
188b	Street-car accidents	W	16				1	1	1		1	1	1	2	1	1	4		2	
		C	6						1	1					2	1		1		
188c	Automobile accidents	W	230	2	1	1	5	1	19	13	32	25	23	8	30	30	19	17	4	
		C	77				2	1		5	11	18	8	2	6	9	8	4	3	
188e,f	Injuries by other vehicles	W	17	1	1		4		1		1		1	1	1	2	3	1		
		C	17	1	1				2	2	2	1	1		1	3	2		1	
188g	Landslide, other crushing	W	3								1		2							
		C	6							1	1		1		2	1				
189	Injuries by animals (not poisoning)	W	8					1	4	1	2									
		C	9					1	1		1		1	1		1	1	1		1
192	Starvation (deprivation of food or water)	C	1												1					
193	Excessive cold	W	6	1												1	1	2	1	
		C	9	1							1				1	3			3	
194	Excessive heat	W	4														2	2		
		C	12							1		2	1		1	2	2	3		
195	Lightning	W	7							2	2			1		1	1			
		C	20							3	4	1	2	5	1	2	2			
196	Other accidental electric shocks	W	16						1			1	4	4	4	1		1		
		C	5											1	3	1				
201	Fracture (cause not specified)	W	14							1	1	1				1	1	1	3	
		C	5								1		1	2		1				
202	Other external violence	W	83	8	6	1		2	3	6	7	5	8	6	11	6	6	3	5	
		C	83	15	1	1	2	1	5	4	11	9	6	4	5	6	5	5	3	
	XV.—Ill-defined diseases	White	540	270	13	9	5	3	1	1	3	5	1	6	22	24	41	83	48	5
		Colored	1,013	462	44	17	3	3	9	11	27	19	18	23	61	80	74	88	67	7
204	Sudden death	W	73	21										1	6	4	8	22	11	
		C	86	15	2	1				2	2	4	3	1	9	14	12	11	9	1
205a	Ill-defined	W	186	47	9	6	1	1		1	2	3		2	13	10	25	44	21	1
		C	375	95	25	8	2	1	5	5	14	5	7	15	29	35	44	49	34	2
205b	Not specified or unknown	W	281	202	4	3	4	2	1		1	2	1	3	3	10	8	17	16	4
		C	552	352	17	8	1	2	4	4	11	10	8	7	23	31	18	28	24	4
	IDAHO																			
	All causes		3,787	529	104	66	50	33	131	106	112	110	121	118	323	356	476	610	538	4
	I.—Epidemic, endemic, and infectious diseases		619	84	54	25	20	11	52	33	33	34	22	28	64	56	37	41	25	
1	Typhoid and paratyphoid fever		34						2	5	4	6	4	3	5	4			1	
6	Smallpox		1							1										
7	Measles		104	26	31	14	8	4	13	3	2			1	1	1				
8	Scarlet fever		17		1	1	1	1	10	1	2									
9	Whooping cough		28	21	6			1												
10	Diphtheria		37	3	5	2	6	2	8	7		1		1	2					
11a	Influenza (with pulmonary complications)		64	14	7	2			3	1		1	2	5	8	4	7	10		
11b	Influenza (other and unspecified)		30	5	1				1	2		2	1	1	5	2	3	2	5	
13	Mumps		1				1													
16	Dysentery		7	3			1												3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
21	Erysipelas	12	4	1									1	1	1	1	2	1	
22	Acute anterior poliomyelitis	5			2			1	2										
23	Lethargic encephalitis	10	1					1	1				3	3		1			
24	Meningococcus meningitis	5	1					2	1									1	
25	Other epidemic and endemic diseases	11											1	2		2	6		
29	Tetanus	2									1		1						
	Tuberculosis (all forms)	219	2	2	4	3	2	11	9	22	20	16	11	32	37	22	23	3	
31	Of the respiratory system	188			4	3	1	5	8	21	18	13	10	28	31	21	22	3	
32	Of the meninges, central nervous system	12	1				1	6	1		1	1		1					
33	Of the intestines, peritoneum	7	1	1										1	4				
34	Of the vertebral column	8		1							1		1	2	1	1	1		
36	Of other organs	1										1							
37a	Disseminated (acute)	2								1					1				
37b	Disseminated (chronic or unspecified)	1										1							
38	Syphilis	22	3				1			1	2		2	6	2	3	1	1	
40	Gonococcus infection	3									1	1	1						
41	Purulent infection, septicemia	7	1							2				2	1	1			
	II.—General diseases not included in Class I	401	8	1		2	3	9	5	10	6	7	7	36	60	101	98	48	
	Cancer and other malignant tumors	268	1				1	1	2	1	3	4	3	21	42	73	78	38	
43	Of the buccal cavity	11														1	6	4	
44	Of the stomach, liver	127					1		1		1	1		5	18	41	44	15	
45	Of the peritoneum, intestines, rectum	32								1			1	2	9	7	9	3	
46	Of the female genital organs	32							1					9	9	4	6	3	
47	Of the breast	16												1	1	7	4	3	
48	Of the skin	10											1		2	2	2	3	
49	Of other or unspecified organs	40	1					1			2	3	1	4	3	11	7	7	
51	Acute rheumatic fever	15					1	4	1	1	1		2	1	1	2		1	
52	Chronic rheumatism, osteoarthritis, gout	1															1		
57	Diabetes mellitus	54					1	2	2	3	1			4	6	16	12	7	
58	Anemia, chlorosis	22			1			1		1		1	1		6	4	5	2	
60a	Exophthalmic goiter	15								2	1	2	1	1	3	4	1		
62	Diseases of the thymus gland	3	2	1															
63	Diseases of the adrenals (Addison's disease)	1												1					
65a	Leukemia	4			1			1		1					1				
65b	Hodgkin's disease	2												1	1				
66	Alcoholism (acute or chronic)	8								1				5		2			
67a	Chronic lead poisoning	1												1					
69	Other general diseases	7	5											1			1		
	III.—Diseases of the nervous system and of the organs of special sense	376	7		3	2	2	7	4	2	7	4	8	25	47	68	106	84	
70	Encephalitis	6				1					1				1	1	1	1	
71a	Simple meningitis	9	1		1			3			2		1			1			
71b	Nonepidemic cerebrospinal meningitis	5			1		1	2						1					
72	Tabes dorsalis (locomotor ataxia)	3													1	1		1	
73	Other diseases of the spinal cord	15							1			1	1	1	1	3	3	4	
74a	Cerebral hemorrhage	242	1			1							3	8	30	47	87	65	
74b	Cerebral embolism and thrombosis	3													1	1		1	
75	Paralysis without specified cause	18													2	3	6	7	
76	General paralysis of the insane	23									1		2	9	3	3	3	2	
77	Other forms of mental alienation	4												3	1				
78	Epilepsy	19						2		1	1	1	1	3	3	5	2		
79	Convulsions (nonpuerperal; 5 years and over)	1										1							
80	Infantile convulsions (under 5 years)	5	4		1														
83	Softening of the brain	4															2	2	
84	Other diseases of the nervous system	13							1	1	1				4	3	2	1	
86a	Diseases of the ear	3	1						2										
86b	Diseases of the mastoid process	3					1				1	1							
	IV.—Diseases of the circulatory system	519	8		3	1		8	8	5	6	12	5	33	52	100	140	137	1
87	Pericarditis	2															2		
88	Endocarditis and myocarditis (acute)	28	2		3	1			2	3	2	2		7		1	2	3	
89	Angina pectoris	37												2	3	14	12	6	
90	Other diseases of the heart	384	5					8	6	2	3	9	5	22	44	78	107	94	1
91a	Aneurysm	3														1	1	1	
91b,c	Other diseases of the arteries	55												1	5	4	16	29	
92	Embolism and thrombosis (not cerebral)	7									1			1		1		4	
93	Diseases of the veins	2	1													1			
94	Diseases of the lymphatic system	1										1							
	V.—Diseases of the respiratory system	324	78	16	8	7	3	10	7	2	4	11	4	27	16	24	53	53	1
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	1														1			
98	Diseases of the larynx	3						1	1								1		
99a	Acute bronchitis	1															1		
99b	Chronic bronchitis	3															1	2	
99c,d	Bronchitis (unspecified)	4	2															2	
100a	Broncho-pneumonia	123	55	11	6		1	5	1		1	2		2	8	5	13	13	
101a	Lobar pneumonia	119	13	4	1	4	1	3	4	2	2	8	3	18	4	11	25	15	1
101b	Pneumonia (unspecified)	24	4	1	1	2	1						1	2	2	2	3	5	
102	Pleurisy	12						1	1		1	1		4	2		1	1	
103	Congestion and hemorrhagic infarct of the lung	16	2													1	4	9	
105	Asthma	10			1									1		2	3	3	
106	Pulmonary emphysema	2																2	
107	Other diseases of the respiratory system (tuberculosis excepted)	4														2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	VI.—Diseases of the digestive system	354	60	17	12	4	5	24	16	14	11	13	19	28	30	42	34	25	
108	Diseases of the mouth and annexa	4						1					1	1	1				
109b	Other diseases of the pharynx, tonsils	14						5		4	2				1		1	1	
111a	Ulcer of the stomach	21	1						1				4	3	2	4	4	2	
111b	Ulcer of the duodenum	5	1										1		1	2			
112	Other diseases of the stomach (cancer excepted)	15	4		1									1	2	1	2	4	
113	Diarrhea and enteritis (under 2 years)	52	39	13															
114	Diarrhea and enteritis (2 years and over)	32			10	4	2	2				1	1			4	2	6	
117	Appendicitis and typhlitis	89			1		3	12	12	10	6	6	8	8	8	9	4	2	
118a	Hernia	15	1	1							1	1		2		2	3	4	
118b	Intestinal obstruction	40	11	2				1	1			3	2	4	4	8	3	1	
119	Other diseases of the intestines	12		1				1	1					1	1	2	3	2	
120	Acute yellow atrophy of the liver	2												1	1				
122	Cirrhosis of the liver	14						1							3	4	4	2	
123	Biliary calculi	13									1	1		2	4	2	2	1	
124	Other diseases of the liver	16	2						1		1			4	1	4	3		
125	Diseases of the pancreas	3													1		2		
126	Peritonitis without specified cause	7	1					1				1	2	1			1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	240			1			1	3	4	3	5	6	22	33	35	69	58	
128	Acute nephritis (including unspecified under 10 years)	10						1		1			1	1	3		2	1	
129	Chronic nephritis (including unspecified 10 years and over)	185							2	3	2	2	2	16	22	34	54	48	
131	Other diseases of the kidneys and annexa	6			1				1					1	1		2		
132	Calculi of the urinary passages	2												1	1				
133	Diseases of the bladder	4															1	3	
134	Diseases of the urethra, etc	1													1				
135	Diseases of the prostate	15														1	10	4	
137	Cysts, other benign tumors of the ovary	3												1	1			1	
138	Salpingitis and pelvic abscess (female)	7									1	2	2	2					
139	Benign tumors of the uterus	5													4			1	
141	Other diseases of the female genital organs	2										1	1						
	VIII.—The puerperal state	64								6	9	11	18	18	1				1
143	Accidents of pregnancy	8										1	6	1					
144	Puerperal hemorrhage	10									1	1	5	3					
145	Other accidents of labor	6								1	1			4					
146	Puerperal septicemia	24								3	4	6	3	6	1				1
147	Puerperal phlegmasia alba dolens, embolus, etc	3										1	1	1					
148	Puerperal albuminuria and convulsions	12								2	2	2	3	3					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	11	2	1				1		1		1		1	1	1	1	1	
151	Gangrene	4						1						1	1		1		
153	Acute abscess	2								1		1							
154	Other diseases of the skin and annexa	5	2	1												1		1	
	X.—Diseases of the bones and of the organs of locomotion	2							1								1		
155	Diseases of the bones (tuberculosis excepted)	2							1								1		
	XI.—Malformations	28	26	1					1										
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	21	19	1					1										
159c	Other congenital malformations	6	6																
	XII.—Early infancy	229	229																
160	Congenital debility, icterus, sclerema	28	28																
161a	Premature birth	136	136																
161b	Injury at birth	45	45																
162	Other diseases peculiar to early infancy	20	20																
164	XIII.—Old age (senility)	86													1	1	13	71	
	XIV.—External causes	467	10	12	13	11	9	19	27	34	29	34	23	68	54	57	42	24	1
	Suicide	50							1	2	1	4	4	6	9	10	9	4	
165	By poisons (gas or corrosives excepted)	7							1	1					2	1	2		
166	By corrosive substances	2									1					1			
168	By hanging or strangulation	8								1			1	2	1		2	1	
169	By drowning	3												1	1		1		
170	By firearms	25										4	2	1	4	7	4	3	
171	By cutting or piercing instruments	4											1	2		1			
174	By other means	1													1				
	Homicide	24		1							2	3	1	7	5	4	1		
197	By firearms	19		1							2	1	1	6	4	3	1		
199	By other means	5										2		1	1	1			
	Accidental or undefined	393	10	11	13	11	9	19	26	32	26	27	18	55	40	43	32	20	1
175	Poisoning by food	8			1	2	1							1	1	2			
176	Poisoning by venomous animals	2	1													1			
177	Other acute poisonings (gas excepted)	14		1	4	1	1					1			3	1	2		
178	Conflagration	19				2	3	4	3	1		1			2	1	2		
179	Burns (conflagration excepted)	23	1	1	3	2		3	1			2	1	2		3	4		
180	Mechanical suffocation	7	5											1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	1													1				
182	Drowning	58		8	2	3	2	5	9	9	2	4	3	4	1	4	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued																		
183	Traumatism by firearms (except in war)	27						1	4	5	2	2	1	6	3		1	1	1
184	Traumatism by cutting or piercing instruments	3												1	1		1		
185	Traumatism by fall	42		1				1	3	3	2	1	3	3	2	5	6	12	
186a	Traumatism in mines	19									2	2	2	4	3	6			
187	Traumatism by machines	9			1			1		1	1	1		1	1	1	1		
188a	Railroad accidents	22							1	4	2	3	2	5		2	3		
188b	Street-car accidents	1																1	
188c	Automobile accidents	54				1	1		1	5	6	4	2	10	10	6	6	2	
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	18							2		1			2	3	5	1	4	
188g	Landslide, other crushing	7									2	1		2		2			
189	Injuries by animals (not poisoning)	9			1		1	1	1		1		1		1	1	1		
193	Excessive cold	1														1			
194	Excessive heat	1	1																
195	Lightning	1						1											
196	Other accidental electric shocks	4									1			1	2				
202	Other external violence	42	2		1			2	1	4	4	4	3	12	5	2	2		
	XV.—Ill-defined diseases	67	17	2	1	3			1	1	1	1		1	5	10	12	12	
204	Sudden death	3														2	1		
205a	Ill-defined	22	1		1					1					1	4	8	6	
205b	Not specified or unknown	42	16	2		3			1		1	1		1	4	4	3	6	
	ILLINOIS																		
	All causes	77,133	9,734	1,503	726	497	354	1,392	1,051	1,665	2,458	2,644	2,893	7,259	8,726	11,088	12,385	12,727	31
	I.—Epidemic, endemic, and infectious diseases	9,311	705	364	224	168	116	383	263	589	956	888	778	1,405	985	686	475	326	
1	Typhoid and paratyphoid fever	241	1	2	6	1		14	23	32	44	27	14	31	22	15	9		
5	Malaria	67	1	3	5	1		5	4	3	1	4	5	9	3	9	9	5	
6	Smallpox	16	4			1				1	1	1	2	3	2	1			
7	Measles	228	55	62	24	14	5	23	16	14	1	4	2	5	1	2			
8	Scarlet fever	206	9	11	19	28	21	51	20	9	17	10	4	5	2				
9	Whooping cough	353	217	79	25	15	7	9		1									
10	Diphtheria	480	26	69	57	69	51	123	37	9	5	5	9	9	5	5	1		
11a	Influenza (with pulmonary complications)	592	84	25	18	6	1	12	12	13	23	16	21	77	52	66	88	78	
11b	Influenza (other and unspecified)	411	53	15	7	7	1	13	12	13	9	14	14	34	37	36	54	92	
13	Mumps	7					1	2		1			1					2	
15	Cholera nostras	8				1		1								1	1	4	
16	Dysentery	53	13	4	4	2	2	1		1		1	4	2	2		3	14	
19	Spirochetal hemorrhagic jaundice	1											1						
20	Leprosy	1												1					
21	Erysipelas	114	29	2	1		1		1	2	4	4	2	10	15	8	17	18	
22	Acute anterior poliomyelitis	26	2	5	2	1	1	3	1	4	2	2		1	1		1		
23	Lethargic encephalitis	50		3	3	1		2	4	3	3	2	1	5	9	9	5		
24	Meningococcus meningitis	43	6	6	2	2	2	5	4	3	1	3	2	3	2	1		1	
25	Other epidemic and endemic diseases	10	2	2	1		1			2			1	1					
26	Glanders	1									1								
28	Rabies	3												1	2				
29	Tetanus	92	8	2	1	3	2	15	16	5	3	5	4	7	10	8	3		
30	Mycoses	8	2								1	2				1	1	1	
	Tuberculosis (all forms)	5,642	76	66	47	15	19	93	101	452	800	740	628	1,082	716	464	246	97	
31	Of the respiratory system	4,946	28	17	18		7	32	66	409	729	679	584	1,006	655	415	216	85	
32	Of the meninges, central nervous system	228	32	39	15	10	9	31	17	12	19	12	6	14	5	5	2		
33	Of the intestines, peritoneum	186	2	4	1	3	1	9	6	12	23	22	15	27	25	18	11	7	
34	Of the vertebral column	80	2		1	1	1	6	4	7	8	9	10	8	7	10	5	1	
35	Of the joints	39	1	1	1			8	2	2	3	2	1	7	4	5	1	1	
36	Of other organs	73	1	1	2		1	2	1	4	7	6	6	12	11	8	8	3	
37a	Disseminated (acute)	81	10	3	8	1		5	2	6	9	9	6	8	8	3	3		
37b	Disseminated (chronic or unspecified)	9		1	1				3		2	1			1				
38	Syphilis	465	109	7	1		1	5	5	7	14	27	32	92	83	48	27	7	
39	Soft chancre	2											1		1				
40	Gonococcus infection	123	3							8	25	18	28	22	12	4	3		
41	Purulent infection, septicemia	67	5	1	1	1		6	7	6	1	3	2	4	8	8	7	7	
42	Other infectious diseases	1												1					
	II.—General diseases not included in Class I	10,132	174	39	23	21	24	105	71	77	110	188	232	1,015	1,773	2,537	2,421	1,320	2
	Cancer and other malignant tumors	6,974	2	6	8	2	4	20	19	14	29	69	111	658	1,319	1,840	1,839	1,034	
43	Of the buccal cavity	274		1				2	2		2	1	1	25	47	72	69	52	
44	Of the stomach, liver	2,694		1		1		3	2	1	1	14	19	163	451	780	834	424	
45	Of the peritoneum, intestines, rectum	957		1	1			2	2	2	4	18	24	88	156	251	253	155	
46	Of the female genital organs	865									1	12	29	158	249	215	129	72	
47	Of the breast	592										9	11	100	159	143	103	67	
48	Of the skin	171			1					1		1	2	3	9	20	62	72	
49	Of other or unspecified organs	1,421	2	4	5	1	4	13	13	10	21	14	25	121	248	359	389	192	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	41		1							1	1	1	5	8	7	8	9	
51	Acute rheumatic fever	288	2		2	4	9	45	22	19	20	18	18	31	31	22	27	18	
52	Chronic rheumatism, osteoarthritis, gout	63						1				5		4	7	9	15	21	1
53	Scurvy	4	3	1															
54	Pellagra	7								1		1		1	2		1	1	
56	Rickets	65	42	18	1	2		2											
57	Diabetes mellitus	1,241	1	1	2	2	4	17	15	14	25	27	29	82	161	356	335	169	1
58	Anemia, chlorosis	490	6	3	2	3		3	4	3	3	6	8	48	74	149	131	47	
59	Diseases of the pituitary gland	1								1									
60a	Exophthalmic goiter	288							2	10	18	21	23	60	66	60	22	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	II.—General diseases not included in Class I—Continued																		
60b	Other diseases of the thyroid gland	31	1	2		1						1	1	4	8	7	4	2	
61	Diseases of the parathyroid glands	3	2					1											
62	Diseases of the thymus gland	71	56	4	4	1	2		1	2			1						
63	Diseases of the adrenals (Addison's disease)	27							1	1	1	1	2	11	2	4	3	1	
64	Diseases of the spleen	7	1									1			2	2	1		
65a	Leukemia	104	2	2	1	2	3	10	7	3	3	9	3	16	11	21	9	2	
65b	Hodgkin's disease	67	1	1	1	1		5		5	2	6	8	8	11	5	10	3	
66	Alcoholism (acute or chronic)	239								2	4	15	23	76	65	42	10	2	
67a	Chronic lead poisoning	6												2	1	2		1	
67b	Other chronic mineral poisoning	2													1			1	
68	Chronic poisoning by organic substances	13									1	6		2	1	2	1		
69	Other general diseases	100	55		2	3	2	1		2	3	1	4	7	3	9	5	3	
	III.—Diseases of the nervous system and of the organs of special sense	7,963	138	44	29	23	23	73	62	67	71	102	154	561	962	1,508	2,025	2,119	2
70	Encephalitis	33	3	2			1	2	3	1	2	4	2	4	2	3	2	2	
71a	Simple meningitis	100	30	9	7	6	6	5	3	3	5	5	3	6	8	2	2		
71b	Nonepidemic cerebrospinal meningitis	28	6	4	2	3	1	5	1	2				1	2			1	
72	Tabes dorsalis (locomotor ataxia)	140										1	2	13	33	54	26	11	
73	Other diseases of the spinal cord	269	3	1	2			3	3	3	2	7	5	24	34	58	71	52	1
74a	Cerebral hemorrhage	5,461	11	1	2		1	1	4	5	11	9	32	193	589	1,139	1,657	1,805	1
74b	Cerebral embolism and thrombosis	287						2		6	1	5	3	9	29	54	86	92	
75	Paralysis without specified cause	112	3	1		1			1	1	1			1	9	11	33	50	
76	General paralysis of the insane	535								1	3	17	46	176	151	81	40	20	
77	Other forms of mental alienation	124								7	6	12	14	34	18	16	14	3	
78	Epilepsy	194	2	5	3	1	2	7	8	17	18	19	22	37	21	14	15	3	
80	Infantile convulsions (under 5 years)	48	43	3	1		1												
81	Chorea	4							1			1				1	1		
82	Neuralgia and neuritis	21									1	1		1	3	6	3	6	
83	Softening of the brain	45													2	4	14	25	
84	Other diseases of the nervous system	331	10	3	4	3	4	9	8	8	6	12	16	42	51	55	54	46	
85	Diseases of the eye and annexa	4						1								1	1	1	
86a	Diseases of the ear	161	25	14	6	9	3	25	21	6	9	7	2	13	8	5	6	2	
86b	Diseases of the mastoid process	66	2	1	2		4	13	9	7	5	3	7	7	2	4			
	IV.—Diseases of the circulatory system	14,497	60	19	22	16	17	129	138	163	192	210	301	956	1,635	2,672	3,567	4,394	6
87	Pericarditis	55		1				1	3	4	1	1	3	5	6	8	7	15	
88	Endocarditis and myocarditis (acute)	450	35	7	10	4	3	27	22	28	31	25	40	72	38	31	46	31	
89	Angina pectoris	610							1	3	2	5	4	36	79	153	191	136	
90	Other diseases of the heart	11,804	21	10	11	12	13	99	110	127	153	173	246	791	1,399	2,272	2,942	3,420	5
91a	Aneurysm	148							2		2	1	3	25	48	38	20	9	
91b,c	Other diseases of the arteries	1,282										2		8	32	145	340	754	1
92	Embolism and thrombosis (not cerebral)	83	1	1						1	2	1	5	9	18	14	12	19	
93	Diseases of the veins	48						1				1		9	13	8	9	7	
94	Diseases of the lymphatic system	7	1		1		1							1	1	1		1	
95	Hemorrhage without specified cause	7	2					1			1	1			1	1			
96	Other diseases of the circulatory system	3														1		2	
	V.—Diseases of the respiratory system	6,918	1,505	466	185	72	44	120	58	117	172	174	233	653	661	665	788	1,005	
97a	Diseases of the nasal fossae	6										1	1	1			1	2	
97b	Diseases of the nasal fossae annexa	44	3					3	3	4	5	4	5	7	4	2	3	1	
98	Diseases of the larynx	22	3	7	3	1		1	1		1			2	2			1	
99a	Acute bronchitis	292	142	31	13	1		1	2	2	4		2	6	4	10	15	59	
99b	Chronic bronchitis	171	5	2					1			1		6	5	21	48	82	
99c,d	Bronchitis (unspecified)	144	47	15	4		1	3		1	1	2		4	3	5	10	48	
100a	Broncho-pneumonia	2,236	947	275	99	42	19	41	14	12	16	21	21	82	77	96	163	311	
100b	Capillary bronchitis	63	37	6	2		1	1						1	2	5	4	4	
101a	Lobar pneumonia	3,370	267	109	52	23	17	51	32	91	126	133	182	491	498	464	476	358	
101b	Pneumonia (unspecified)	61	15		3	1		1		1	4	1	1	6	6	9	5	8	
102	Pleurisy	235	25	20	9	2	4	14	3	6	13	8	12	33	29	26	13	18	
103	Congestion and hemorrhagic infarct of the lung	94	7					1			1		1	1		5	12	66	
104	Gangrene of the lung	6											1	1		2	1	1	
105	Asthma	122	3	1		2		1			1	3	2	6	16	16	30	41	
106	Pulmonary emphysema	4														1		3	
107	Other diseases of the respiratory system (tuberculosis excepted)	48	4				2	2	2				5	6	15	3	7	2	
	VI.—Diseases of the digestive system	6,725	1,778	399	132	97	40	182	148	156	170	213	227	593	720	745	636	487	2
108	Diseases of the mouth and annexa	75	4	1			1	4	1	1	1	8	2	11	9	14	8	10	
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	271	18	11	12	14	14	43	22	17	21	13	13	34	14	7	8	10	
110	Diseases of the esophagus	6				1						1		1		1		2	
111a	Ulcer of the stomach	342	1								7	7	17	21	60	79	72	27	1
111b	Ulcer of the duodenum	114	1								1	7	9	8	22	24	28	9	5
112	Other diseases of the stomach (cancer excepted)	228	51	6	1	2		6	2	1	2	1	3	11	19	32	35	56	
113	Diarrhea and enteritis (under 2 years)	1,938	1,589	349															
114	Diarrhea and enteritis (2 years and over)	399			100	45	9	25	7	5	4	11	7	17	11	37	47	74	
116	Diseases due to other intestinal parasites	5		1		1			2					1					
117	Appendicitis and typhlitis	1,122	8	9	11	22	13	88	105	99	93	91	89	163	154	107	54	15	1
118a	Hernia	274	10						1	2	1	8	25	52	66	62	47		
118b	Intestinal obstruction	387	80	20	6	5	1	9	1	8	10	16	14	32	50	47	53	35	
119	Other diseases of the intestines	100	12		1	4			2	1	2	3	4	9	9	12	13	28	
120	Acute yellow atrophy of the liver	30										4	6	7		5	7	1	
121	Hydatid tumor of the liver	2												1			1		
122	Cirrhosis of the liver	623						1	2	5	1	8	15	73	141	140	151	86	
123	Biliary calculi	371							1	2	4	11	15	59	76	102	70	31	
124	Other diseases of the liver	313	2	1					1	4	10	13	11	42	62	61	55	51	
125	Diseases of the pancreas	52						1		1	3	2	6	11	10	7	7	4	
126	Peritonitis without specified cause	72	2	1	1	3	2	4	2	3	3	4	5	14	10	7		5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	7,666	68	15	15	11	7	45	63	83	105	159	202	655	941	1,430	1,805	2,061	1
128	Acute nephritis (including unspecified under 10 years)	273	39	7	10	2	2	22	17	16	11	16	10	31	14	30	19	27	
129	Chronic nephritis (including unspecified 10 years and over)	6,335	5	4	4	5	3	20	42	55	62	90	130	438	781	1,258	1,605	1,833	
131	Other diseases of the kidneys and annexa	158	17	4	1	4	2	2	1	4	6	6	3	26	18	18	19	27	
132	Calculi of the urinary passages	64							2		1	1	4	12	11	17	11	5	
133	Diseases of the bladder	52	3											1		10	10	28	
134	Diseases of the urethra, etc	13									1		1	1	3	1	5	1	
135	Diseases of the prostate	335											1	1	19	62	119	132	1
136	Nonvenereal diseases of the male genital organs	5	1					1									1	2	
137	Cysts, other benign tumors of the ovary	51								1	1	2	7	18	10	8	3	1	
138	Salpingitis and pelvic abscess (female)	144								6	15	29	25	44	21	2	2		
139	Benign tumors of the uterus	173									4	10	14	68	55	13	6	3	
140	Nonpuerperal uterine hemorrhage	2							1		1								
141	Other diseases of the female genital organs	57								1	3	5	6	15	9	11	5	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	4	3										1						
	VIII.—The puerperal state	844							1	73	176	186	200	203	5				
143	Accidents of pregnancy	85								3	9	20	28	25					
144	Puerperal hemorrhage	94								3	14	25	22	28	2				
145	Other accidents of labor	70								5	8	16	16	24	1				
146	Puerperal septicemia	364							1	39	81	77	86	79	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	33								1	9	7	6	10					
148	Puerperal albuminuria and convulsions	196								21	54	41	42	37	1				
149	Following childbirth (undefined)	1								1									
150	Puerperal diseases of the breast	1									1								
	IX.—Diseases of the skin and of the cellular tissue	174	34	6	2	1			1	2	4	6	5	21	24	12	15	41	
151	Gangrene	60	1	1							1	1	2	3	5	7	5	34	
152	Furuncle	42	4	1		1				2	2	4	2	6	10	2	6	2	
153	Acute abscess	29	11	1	1				1		1			7	4	1		2	
154	Other diseases of the skin and annexa	43	18	3	1							1	1	5	5	2	4	3	
	X.—Diseases of the bones and of the organs of locomotion	83	5	3	5	1	3	8	10	4	5	3	4	9	7	7	6	3	
155	Diseases of the bones (tuberculosis excepted)	66	4	3	5	1	3	8	10	3	4	1	1	9	4	4	4	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	1							1	1	2	2		3	1	1		
158	Other diseases of the organs of locomotion	5											1			2	1	1	
	XI.—Malformations	1,186	1,083	44	12	9	2	16	3	5	2	1	2	5	1	1			
159a	Congenital hydrocephalus	125	88	15	4	3	1	6	2	3	1			2					
159b	Congenital malformations of the heart	741	691	20	8	5	1	9	1	1		1	2	2					
159c	Other congenital malformations	320	304	9		1		1		1	1			1	1	1			
	XII.—Early infancy	4,028	4,028																
160	Congenital debility, icterus, sclerema	219	219																
161a	Premature birth	2,368	2,368																
161b	Injury at birth	1,131	1,131																
162	Other diseases peculiar to early infancy	297	297																
163	Lack of care	13	13																
164	XIII.—Old age (senility)	455														7	41	407	
	XIV.—External causes	6,959	103	101	76	78	77	328	233	329	492	509	553	1,171	994	792	576	532	15
	Suicide	1,020								28	53	90	102	221	215	169	110	32	
165	By poisons (gas or corrosives excepted)	48								2	1	6	4	5	14	10	5	1	
166	By corrosive substances	110								5	16	11	17	20	18	11	9	3	
167	By poisonous gas	186								3	5	16	18	57	35	29	19	4	
168	By hanging or strangulation	154								1	4	4	15	28	34	39	22	7	
169	By drowning	70								1	4	3	10	6	16	16	11	3	
170	By firearms	341								16	16	38	31	83	72	47	27	11	
171	By cutting or piercing instruments	65									3	5		12	17	15	11	2	
172	By jumping from high places	25									3	4	5	4	4	2	2	1	
173	By crushing	16									1	1	2	6	5		1		
174	By other means	5										2					3		
	Homicide	721	17	3		1	2	3	10	36	100	127	103	201	73	32	11	2	
197	By firearms	517		1				1	6	28	75	108	76	150	48	20	3	1	
198	By cutting or piercing instruments	73	1				1		1	3	15	7	12	19	12	2			
199	By other means	131	16	2		1	1	2	3	5	10	12	15	32	13	10	8	1	
	Accidental or undefined	5,218	86	98	76	77	75	325	223	265	339	292	348	749	706	591	455	498	15
175	Poisoning by food	37	1	3	1	1	2	3	1	3	1		1	5	5	8	1	1	
176	Poisoning by venomous animals	5								3				1				1	
177	Other acute poisonings (gas excepted)	112	6	19	3	1	1	3		3	7	9	11	14	21	10	3		1
178	Conflagration	125	4	1	3	3	1	6	2	4	9	13	13	19	18	11	5	3	10
179	Burns (conflagration excepted)	356	13	32	36	34	23	30	13	11	13	15	12	25	27	25	23	24	
180	Mechanical suffocation	49	28	4			2	1	3		2	3	1	3	2				
181	Absorption of irrespirable, irritating, or poisonous gas	317	2	3	2	1	2	4	5	4	14	10	17	67	65	60	34	27	
182	Drowning	339	3	6	5	3	1	25	41	38	31	19	20	63	47	17	14	4	2
183	Traumatism by firearms (except in war)	146		2	1	2	3	9	15	34	19	14	11	13	11	10	1	1	
184	Traumatism by cutting or piercing instruments	39			1	1		3	2			2	5	11	6	8			
185	Traumatism by fall	913	8	8	9	6	3	18	17	12	18	20	34	88	106	101	142	323	
186a	Traumatism in mines	191								11	27	17	18	41	44	24	9		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
186b	Traumatism in quarries	6						1		1				2	2		1		
187	Traumatism by machines	138		1		1		1	1	11	20	8	13	34	20	18	8	2	
188a	Railroad accidents	650		1	1		1	17	31	47	53	47	66	138	100	80	43	24	1
188b	Street-car accidents	179			2	1	1	4	4	15	14	15	22	16	18	27	24	16	
188c	Automobile accidents	1,065	4	2	8	16	30	169	64	48	66	63	61	119	139	130	97	49	
188d	Airplane and balloon accidents	11									4	3	2	2					
188e,f	Injuries by other vehicles	112	2	1	1	3	2	11	4	2	5	5	6	24	11	14	17	4	
188g	Landslide, other crushing	33						3		1	6	2	3	4	9	5			
189	Injuries by animals (not poisoning)	27			1	1		2		3	1	1		4	6	5	2	1	
190	Wounds of war	2											1	1					
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	22									1			3	6	5	2	5	
194	Excessive heat	21									1		1	3	6	2	5	3	
195	Lightning	19		1		1		1	1	3	1	3	5	3					
196	Other accidental electric shocks	60		1				3	4	1	11	11	9	14	3	2	1		
201	Fracture (cause not specified)	15							1		1	1		3	1	6		1	1
202	Other external violence	213	15	12	2	2	3	11	14	10	12	10	16	28	27	22	20	9	
203	Violent deaths of unknown causation	15		1				1			2	1		1	6	1	2		
	XV.—Ill-defined diseases	192	53	3	1		1	3			3	5	2	12	18	26	30	32	3
204	Sudden death	29	5	1							1			2	3	2	9	6	
205a	Ill-defined	92	22	2			1	2				3	2	6	10	12	15	16	1
205b	Not specified or unknown	71	26		1			1			2	2		4	5	12	6	10	2
	INDIANA																		
	All causes	37,162	4,425	743	374	248	154	591	490	859	1,028	1,012	1,131	2,559	3,413	4,910	7,164	8,027	34
	I.—Epidemic, endemic, and infectious diseases	4,972	467	248	143	79	62	213	157	322	398	366	295	548	462	430	442	338	2
1	Typhoid and paratyphoid fever	216	2	2	3	5	1	17	21	39	25	25	10	29	15	8	9	5	
5	Malaria	16	1		1			1			1	2		1	3	2	1	3	
6	Smallpox	9		1					1		1		1	2	2		1		
7	Measles	211	52	68	22	6	11	20	4	7	4	4	1	5	3	4			
8	Scarlet fever	75	2	4	12	5	8	21	9	3	3	5		2	1				
9	Whooping cough	306	181	64	31	8	9	7	3		1	1					1		
10	Diphtheria	247	11	30	44	30	15	60	25	9	4	5	5	8	1				
11a	Influenza (with pulmonary complications)	396	69	20	5	5	3	11	3	4	7	10	13	32	36	48	54	75	1
11b	Influenza (other and unspecified)	331	26	12		3	2	10	7	12	11	10	6	20	27	37	68	79	1
13	Mumps	6		2		1		1				1					1		
15	Cholera nostras	4	2														1	1	
16	Dysentery	96	21	9	9	3		3			2			2	3	8	10	26	
19	Spirochetal hemorrhagic jaundice	3											1	1		1			
21	Erysipelas	82	17	1						1	1	1		6	11	9	13	22	
22	Acute anterior poliomyelitis	21	2	2	1	1	1	6	3	1				1		2	1		
23	Lethargic encephalitis	33	2	2	2			1	2	2	1	2	1	7	5	5	4		
24	Meningococcus meningitis	23	3	1	2	1	2	4	1	1	1	1	1	2	2	1			
25	Other epidemic and endemic diseases	4	1	2				1											
27	Anthrax	1												1					
29	Tetanus	62	4	1		2	2	12	12	1	2		1	6	10	4	4	1	
30	Mycoses	4	1										1		1	1			
	Tuberculosis (all forms)	2,575	38	24	11	9	7	35	65	240	323	288	235	367	310	261	244	118	
31	Of the respiratory system	2,189	10	11	4	3	1	13	35	212	284	268	209	325	270	223	217	104	
32	Of the meninges, central nervous system	108	16	10	5	4	5	15	15	6	4	4	5	9	5	3	2		
33	Of the intestines, peritoneum	129	3	2	1			2	5	8	20	5	9	17	19	18	16	4	
34	Of the vertebral column	21	2			1	1	1	2	1		1	1	2	3	3	1	2	
35	Of the joints	13	1		1				3	1	2	1	1	1	1	1			
36	Of other organs	54	1			1		1	2	6	5	3	3	5	7	7	7	6	
37a	Disseminated (acute)	40	4	1				3	2	4	5	3	5	7	2	4			
37b	Disseminated (chronic or unspecified)	21	1						1	2	3	3	2	1	3	2	1	2	
38	Syphilis	198	32	2			1	2	1	3	5	7	15	47	28	29	21	5	
40	Gonococcus infection	17									5	2	3	5		2			
41	Purulent infection, septicemia	36		1				2	2			2	1	4	4	8	9	3	
	II.—General diseases not included in Class I	4,223	65	14	6	7	6	30	39	31	41	38	87	341	638	943	1,158	776	3
	Cancer and other malignant tumors	2,921	3	2	4	1	2	4	7	5	12	15	46	232	450	666	854	616	2
43	Of the buccal cavity	94							2		1			9	10	14	30	28	
44	Of the stomach, liver	1,194								1	1	2	15	57	145	260	430	282	1
45	Of the peritoneum, intestines, rectum	392	1	1							3	4	7	36	59	94	113	74	
46	Of the female genital organs	402									1	6	11	64	99	114	73	34	
47	Of the breast	239											5	27	52	64	50	40	1
48	Of the skin	125				1					1			2	8	19	39	55	
49	Of other or unspecified organs	475	2	1	4		2	4	5	4	5	3	8	37	77	101	119	103	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	23	1								2	2	2	2	3	4	3	4	
51	Acute rheumatic fever	92	2	1		2	1	11	16	5	7	2	1	5	15	11	4	9	
52	Chronic rheumatism, osteoarthritis, gout	28								1		2		1	4	4	5	11	
53	Scurvy	1	1																
54	Pellagra	1											1						
56	Rickets	11	7	2				1		1									
57	Diabetes mellitus	551	1	1	2	2	1	8	9	8	3	4	9	35	57	123	193	94	1
58	Anemia, chlorosis	227	4	3		1	1	2	1	1	5	1	4	17	37	72	53	25	
59	Diseases of the pituitary gland	2							1	1									
60a	Exophthalmic goiter	144						1	2	4	5	6	9	27	35	37	18		
60b	Other diseases of the thyroid gland	16	3							1	2		2		3	3		2	
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	19	15	3			1												
63	Diseases of the adrenals (Addison's disease)	15							1		1	1	1	3	1	3	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	II.—General diseases not included in Class I—Continued																		
64	Diseases of the spleen	3											1		1			1	
65a	Leukemia	42						1	1	2	2	2	3	4	5	9	9	4	
65b	Hodgkin's disease	23				1		1		1	1	1	2	3	7		5	1	
66	Alcoholism (acute or chronic)	47									1		5	10	17	7	6	1	
67a	Chronic lead poisoning	1										1							
67b	Other chronic mineral poisoning	1											1						
68	Chronic poisoning by organic substances	6												2		2	1	1	
69	Other general diseases	46	25	2				1	1	1			1		3	2	4	6	
	III.—Diseases of the nervous system and of the organs of special sense	4,768	74	30	17	7	9	39	20	28	34	43	76	230	476	834	1,375	1,476	
70	Encephalitis	38	2	4	1			1		1		1	2	8	4	4	9	1	
71a	Simple meningitis	92	25	11	9	1	2	8	4	2	3	2	3	6	7	6	2	1	
71b	Nonepidemic cerebrospinal meningitis	31	8	3	1	1	1	4	4	3		1	2		1	2			
72	Tabes dorsalis (locomotor ataxia)	62												8	15	14	18	7	
73	Other diseases of the spinal cord	129	1		1			3	1		5	1	3	7	17	28	36	26	
74a	Cerebral hemorrhage	3,397	2	1				1	2	1	3	11	17	83	287	643	1,121	1,225	
74b	Cerebral embolism and thrombosis	86		1						2	2		1	6	12	14	25	23	
75	Paralysis without specified cause	212	1					1		1			1	5	10	25	66	102	
76	General paralysis of the insane	252								1		5	25	70	66	38	26	21	
77	Other forms of mental alienation	59								2	2	6	3	10	11	9	10	6	
78	Epilepsy	81	4			2		3	1	2	8	2	7	11	18	5	14	4	
79	Convulsions (nonpuerperal; 5 years and over)	2											1	1					
80	Infantile convulsions (under 5 years)	20	15	4			1												
81	Chorea	6			1				1	1	1			1				1	
82	Neuralgia and neuritis	18										1		1	3	5	5	3	
83	Softening of the brain	39													1	3	13	22	
84	Other diseases of the nervous system	142	5		2	1	1	7		1	3	4	7	6	15	34	27	29	
85	Diseases of the eye and annexa	2									1							1	
86a	Diseases of the ear	48	3	2	1		4	6	2	8	3	3	1	5	5	2		3	
86b	Diseases of the mastoid process	52	8	4	1	2		5	5	3	3	6	3	2	4	2	3	1	
	IV.—Diseases of the circulatory system	6,883	40	10	7	10	6	40	47	52	57	64	97	282	565	1,103	1,913	2,582	8
87	Pericarditis	33								3	2	1	1		2	6	8	10	
88	Endocarditis and myocarditis (acute)	242	7	3	6	5	3	8	13	12	9	16	17	42	20	29	28	24	
89	Angina pectoris	478									1	1	12	29	60	108	146	121	
90	Other diseases of the heart	5,100	31	6	1	5	3	32	33	36	45	46	63	190	436	876	1,480	1,810	7
91a	Aneurysm	58											1	7	12	13	18	6	1
91b,c	Other diseases of the arteries	913												7	23	59	223	601	
92	Embolism and thrombosis (not cerebral)	37	1	1					1	1			2	4	8	7	6	6	
93	Diseases of the veins	15											1	3	1	4	4	2	
94	Diseases of the lymphatic system	7	1												3	1		2	
	V.—Diseases of the respiratory system	3,201	689	135	69	33	17	67	27	61	59	72	76	189	226	296	479	705	1
97a	Diseases of the nasal fossae	4	1											1		1		1	
97b	Diseases of the nasal fossae annexa	10		2						1			1	3	2	1			
98	Diseases of the larynx	15	4		2	1	1	1			1			2			2	1	
99a	Acute bronchitis	49	12	1									1	2	2	3	8	20	
99b	Chronic bronchitis	104	1		1					1	1			3	5	11	21	60	
99c,d	Bronchitis (unspecified)	47	15	3	1	3		1							1	2	3	18	
100a	Broncho-pneumonia	1,142	447	77	41	16	8	24	13	14	9	12	8	31	38	52	110	242	
100b	Capillary bronchitis	32	20	3	1	1		1					1	1			2	2	
101a	Lobar pneumonia	1,454	149	39	20	8	7	34	14	34	42	54	55	122	148	183	289	256	
101b	Pneumonia (unspecified)	140	19	7	1	3	1	4		6	1		3	6	10	13	17	48	1
102	Pleurisy	61	5	2	2	1		1		4	2	4	5	6	5	12	7	5	
103	Congestion and hemorrhagic infarct of the lung	54	9					1			1					3	7	33	
104	Gangrene of the lung	4								1					1	1	1		
105	Asthma	51	2	1									1	8	7	10	9	13	
106	Pulmonary emphysema	3											1				1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	31	5								2	2		4	7	4	2	5	
	VI.—Diseases of the digestive system	3,260	797	223	71	42	19	73	71	88	76	95	82	246	217	362	392	325	1
108	Diseases of the mouth and annexa	19	5		1	1		1		1			1	2	3		4		
109b	Other diseases of the pharynx, tonsils	107	4	4	2	7	4	15	20	13	2	6	5	9	5	5	4	2	
110	Diseases of the esophagus	3									1							2	
111a	Ulcer of the stomach	142	2						1	4	3	7	6	19	17	33	29	21	
111b	Ulcer of the duodenum	42									1	2	2	9	10	10	4	4	
112	Other diseases of the stomach (cancer excepted)	226	54	7	6		1	2	1	2	2	1	7	15	19	21	39	49	
113	Diarrhea and enteritis (under 2 years)	875	678	197															
114	Diarrhea and enteritis (2 years and over)	239			46	21	5	10	3	2	2	4	2	10	21	17	33	63	
116	Diseases due to other intestinal parasites	4			1		1		1					1					
117	Appendicitis and typhlitis	426		3	3	8	4	33	38	49	48	37	26	64	46	35	22	10	
118a	Hernia	115	6									1	2	8	18	21	29	30	
118b	Intestinal obstruction	266	39	11	5	1	1	10	4	4	8	10	10	25	29	35	36	38	
119	Other diseases of the intestines	52	6		3	1	1		1	1		1	3	3	4	7	8	13	
120	Acute yellow atrophy of the liver	18					1		1	1		3	3	2	2	1		4	
122	Cirrhosis of the liver	287								1	3	2	2	17	57	71	97	36	1
123	Biliary calculi	140									1	7	2	19	28	37	32	14	
124	Other diseases of the liver	208	3		2			1		3	3	6	5	34	26	52	41	32	
125	Diseases of the pancreas	20								1				4	4	6	5		
126	Peritonitis without specified cause	71		1	2	3	1	1	1	6	2	8	6	5	8	11	9	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,757	19	8	4	3	1	10	11	34	41	69	79	221	379	614	1,016	1,245	3
128	Acute nephritis (including unspecified under 10 years)	233	15	4	2	3	1	4	3	12	6	9	7	31	35	26	38	37	
129	Chronic nephritis (including unspecified 10 years and over)	3,031	1	2	2			6	7	18	19	33	45	110	292	532	882	1,079	3
131	Other diseases of the kidneys and annexa	73	2	2							3	6	3	6	4	18	12	17	
132	Calculi of the urinary passages	19								1				4	4	4	2	4	
133	Diseases of the bladder	40													3	7	5	25	
134	Diseases of the urethra, etc	6														2	1	3	
135	Diseases of the prostate	157												1	2	15	68	71	
136	Nonvenereal diseases of the male genital organs	3	1													1		1	
137	Cysts, other benign tumors of the ovary	30									1	4	3	2	9	4	3	4	
138	Salpingitis and pelvic abscess (female)	78								3	9	12	13	32	7		2		
139	Benign tumors of the uterus	59										3	8	22	18	3	2	3	
140	Nonpuerperal uterine hemorrhage	3												3					
141	Other diseases of the female genital organs	25							1		3	2		10	5	2	1	1	
	VIII.—The puerperal state	394							1	46	86	70	91	95	5				
143	Accidents of pregnancy	38									6	11	9	12					
144	Puerperal hemorrhage	28								1	5	5	4	12	1				
145	Other accidents of labor	26								3	6	6	4	5	2				
146	Puerperal septicemia	182								22	47	28	43	42					
147	Puerperal phlegmasia alba dolens, embolus, etc	23								1	5	3	5	7	2				
148	Puerperal albuminuria and convulsions	96							1	19	17	16	26	17					
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	88	12						1	2	4	1	3	4	9	4	13	35	
151	Gangrene	36	1						1								9	25	
152	Furuncle	27	2							1	4	1	1	3	6	4	3	2	
153	Acute abscess	9	1							1			2		1		1	3	
154	Other diseases of the skin and annexa	16	8											1	2			5	
	X.—Diseases of the bones and of the organs of locomotion	36	2		1	2		6	5	2	2	2	2	2	3	3		4	
155	Diseases of the bones (tuberculosis excepted)	27	2		1	2		6	5	1	2	1		1	2	3		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6								1			2	1				2	
158	Other diseases of the organs of locomotion	3										1			1			1	
	XI.—Malformations	504	476	8	3	2	1	4	7	3									
159a	Congenital hydrocephalus	47	37	4	1	1		2	1	1									
159b	Congenital malformations of the heart	321	310	2	1		1		5	2									
159c	Other congenital malformations	136	129	2	1	1		2	1										
	XII.—Early infancy	1,681	1,681																
160	Congenital debility, icterus, sclerema	167	167																
161a	Premature birth	1,105	1,105																
161b	Injury at birth	238	238																
162	Other diseases peculiar to early infancy	170	170																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	184															16	168	
	XIV.—External causes	3,143	79	62	53	61	32	109	104	190	230	192	242	395	347	316	348	367	16
	Suicide	407							2	17	23	21	40	79	86	73	51	15	
165	By poisons (gas or corrosives excepted)	29							1		4	2	4	5	6	2	2	3	
166	By corrosive substances	89								10	8	8	10	17	12	16	5	3	
167	By poisonous gas	18								1			2	7	3	1	4		
168	By hanging or strangulation	74									1	4	3	14	21	10	17	4	
169	By drowning	21								1	1	1	1	5	5	4	2	1	
170	By firearms	142							1	5	8	4	17	22	34	34	14	3	
171	By cutting or piercing instruments	23									1	1	2	4	5	3	6	1	
172	By jumping from high places	4												2		2			
173	By crushing	5											1	3			1		
174	By other means	2												1		1			
	Homicide	223	2			1	1	1	3	10	33	36	36	47	20	18	10	5	
197	By firearms	163				1			1	8	24	31	28	33	18	12	6	1	
198	By cutting or piercing instruments	23							1		4	4	2	8	1	1	1	1	
199	By other means	37	2				1	1	1	2	5	1	6	6	1	5	3	3	
	Accidental or undefined	2,513	77	62	53	60	31	108	99	163	174	135	166	269	241	225	287	347	16
175	Poisoning by food	45	6	3	1	2	1	3		3		2	3	6	3	2	6	4	
176	Poisoning by venomous animals	1															1		
177	Other acute poisonings (gas excepted)	56	3	12	6	1	1	1		2	1	3	3	13	4	2	3	1	
178	Conflagration	37	6	2	3	2	1	3	3		1	1	1	6	1	3	1	3	
179	Burns (conflagration excepted)	194	5	16	23	25	3	10	9	7	6	5	11	15	12	13	17	17	
180	Mechanical suffocation	34	28					1			3			1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	36	1		1					1	3	2	2	7	3	4	7	5	
182	Drowning	158	1	8	2	3	2	13	20	31	22	11	6	10	10	10	6	1	2
183	Traumatism by firearms (except in war)	70			1	4	2	3	9	14	10	4	5	7	5	4	2		
184	Traumatism by cutting or piercing instruments	18	1	1		2	1	1	1					2	2	3	1	3	
185	Traumatism by fall	483		2	3	2	1	5	10	5	7	11	10	16	22	43	94	251	1
186a	Traumatism in mines	58								1	8	6	12	13	10	6	2		
186b	Traumatism in quarries	7								1	1			2	1			1	1
187	Traumatism by machines	58							1	5	10	1	8	13	6	11	2	1	
188a	Railroad accidents	351	5	3		1	3	6	7	25	44	35	39	53	41	35	27	16	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
188b	Street-car accidents	100	1	1	1		1		2	6	8	10	7	14	18	13	14	4	
188c	Automobile accidents	480	3	6	6	11	12	53	20	38	23	24	31	52	58	53	68	22	
188d	Airplane and balloon accidents	3									2	1							
188e,f	Injuries by other vehicles	47	2		1	2	1	1	8	4	1	1		2	7	6	10	1	
188g	Landslide, other crushing	25				1		1	1	3	3	1	1	7	5	1	1		
189	Injuries by animals (not poisoning)	18			1	2	1	1				2	1	1	2	3	2	2	
193	Excessive cold	8	1										1	1	2		1	2	
194	Excessive heat	17	2		1			1				1		3	2	2	2	3	
195	Lightning	16						1	3	2	1	1	2	1	4		1		
196	Other accidental electric shocks	52							3	5	14	8	8	8	4	1	1		
201	Fracture (cause not specified)	24						1		4	1		2	3	4	2	1	6	
202	Other external violence	117	12	8	3	2	1	3	2	6	5	5	11	13	13	10	15	7	1
	XV.—Ill-defined diseases	68	24	5		2	1						1	6	6	5	12	6	
205a	Ill-defined	48	7	5		2	1						1	5	4	5	12	6	
205b	Not specified or unknown	20	17											1	2				
	IOWA																		
	All causes	23,774	2,698	431	202	180	122	454	324	416	548	561	618	1,516	2,029	3,160	4,448	6,063	4
	I.—Epidemic, endemic, and infectious diseases	2,522	280	172	70	76	47	161	83	110	164	162	150	290	212	206	156	183	
1	Typhoid and paratyphoid fever	65		2	1			4	4	9	6	6	8	10	7	5	1	2	
5	Malaria	2								1							1		
6	Smallpox	12	2					1			1			2	3	1	2		
7	Measles	262	52	73	22	18	11	39	17	4	4	4	8	5	1	3		1	
8	Scarlet fever	85	1	8	5	11	8	26	5	6	2	5	2	4	2				
9	Whooping cough	139	91	27	4	9	2	5						1					
10	Diphtheria	151	9	17	11	18	10	45	21	5	4	3		6	1	1			
11a	Influenza (with pulmonary complications)	195	25	13	3	3		7	4	5	4	2	7	13	20	24	21	44	
11b	Influenza (other and unspecified)	217	30	8	4	1	3	8	5	6	11	5	5	11	9	17	24	70	
13	Mumps	5	1			2					1						1		
15	Cholera nostras	2								1								1	
16	Dysentery	33	6	5	1	5								3		1	2	10	
19	Spirochetal hemorrhagic jaundice	4	2									1			1				
20	Leprosy	1												1					
21	Erysipelas	68	17	1	1			1	1	1	3	1		7	8	8	10	9	
22	Acute anterior poliomyelitis	16		4	1	1	1	1	2	3	1	2							
23	Lethargic encephalitis	18			1			3	3		1	1	3	1	2	2	1		
24	Meningococcus meningitis	11	3	1	1			1	3	2									
25	Other epidemic and endemic diseases	5		1	2	1			1										
28	Rabies	2							1						1				
29	Tetanus	40	3		3	1	3	9	4	2	3	1	1	2	5	1	2		
30	Mycoses	3												1		1		1	
	Tuberculosis (all forms)	1,006	12	12	6	5	7	8	11	62	118	122	104	189	121	116	74	39	
31	Of the respiratory system	840	4	2			2	6	8	48	104	109	91	155	109	99	67	36	
32	Of the meninges, central nervous system	45	7	10	5	4	2	2		3	2	2	2	3	2	1			
33	Of the intestines, peritoneum	41	1					2	2	5	2	1	4	12	3	5	5	1	
34	Of the vertebral column	23					2			4		2	2	5	2	4	1	1	
35	Of the joints	5							1		1		1	1	1				
36	Of other organs	22			1					1	1	3	4	5	3	3		1	
37a	Disseminated (acute)	25				1	1				7	4		8	1	3			
37b	Disseminated (chronic or unspecified)	5								1	1	1				1	1		
38	Syphilis	120	21				1	2		1		4	10	24	23	22	10	2	
40	Gonococcus infection	18	1								3	3	1	7		1	1	1	
41	Purulent infection, septicemia	42	4		4	1	1	1	1	2	2	2	1	3	8	3	6	3	
	II.—General diseases not included in Class I	3,528	53	10	8	13	5	31	34	35	29	34	51	243	477	802	1,009	694	
	Cancer and other malignant tumors	2,402	2	2	4	4	2	10	5	9	10	15	22	152	313	577	727	548	
43	Of the buccal cavity	82				1						1	2	4	6	19	28	21	
44	Of the stomach, liver	980						1	1		1		3	37	98	232	351	256	
45	Of the peritoneum, intestines, rectum	367						3		1	2	4	8	23	52	79	107	88	
46	Of the female genital organs	240		1						1	3	2	2	39	52	78	43	19	
47	Of the breast	197								1		2	2	23	48	51	34	36	
48	Of the skin	67			1									3	4	12	21	26	
49	Of other or unspecified organs	469	2	1	3	3	2	6	4	6	4	6	5	23	53	106	143	102	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	24		1							1		1	1	3	4	7	6	
51	Acute rheumatic fever	52					2	6	5	8	3		2	5	3	4	9	5	
52	Chronic rheumatism, osteoarthritis, gout	38						1		1			1	3	2	3	13	14	
54	Pellagra	1													1				
56	Rickets	1	1																
57	Diabetes mellitus	454	1			2		7	12	7	4	4	9	22	53	102	150	81	
58	Anemia, chlorosis	270		2	2	2		2	2	4	3	3	2	14	52	77	77	28	
60a	Exophthalmic goiter	67							1	2	2	6	3	17	14	11	8	3	
60b	Other diseases of the thyroid gland	16	1			1				1		1		1	5	3	2	1	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	15	15																
63	Diseases of the adrenals (Addison's disease)	15								1			4	3	4	2		1	
64	Diseases of the spleen	4											1				1	2	
65a	Leukemia	58		2	1	2	1	3	5		5	4	1	11	10	5	6	2	
65b	Hodgkin's disease	20	1			1			2	1	1	1	3	4	3	2	1		
66	Alcoholism (acute or chronic)	29											1	7	9	8	3	1	
67a	Chronic lead poisoning	3													2			1	
68	Chronic poisoning by organic substances	2												2					
69	Other general diseases	56	31	3	1	1		2	2	1			1	1	5	2	5	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	3,245	51	15	7	6	4	35	16	21	26	28	38	148	298	541	858	1,152	1
70	Encephalitis	44	2	3	2		1	4	1	3	5	2	2	5	6	5	2	1	
71a	Simple meningitis	48	11	3	2	1		4	2	5	1	1		5	4	6	1	2	
71b	Nonepidemic cerebrospinal meningitis	7				1	1	3			1	1							
72	Tabes dorsalis (locomotor ataxia)	31											1	2	3	6	14	5	
73	Other diseases of the spinal cord	85		2		1	1		3			1	1	8	6	12	22	28	
74a	Cerebral hemorrhage	2,293	5					3	2	2	2	4	6	49	173	411	696	940	
74b	Cerebral embolism and thrombosis	69	1					1			1	1	1	4	4	4	23	29	
75	Paralysis without specified cause	139	1								3				3	20	38	74	
76	General paralysis of the insane	137										3	7	31	46	26	9	15	
77	Other forms of mental alienation	52								1	2		6	8	10	7	12	5	1
78	Epilepsy	71	1						3	1	8	9	7	13	11	6	4	8	
79	Convulsions (nonpuerperal; 5 years and over)	2						2											
80	Infantile convulsions (under 5 years)	25	19	3	2		1												
81	Chorea	2							1								1		
82	Neuralgia and neuritis	17								1				1	2	3	4	6	
83	Softening of the brain	16													2	5	4	5	
84	Other diseases of the nervous system	142	4			1		6		3	1	3	4	19	20	25	25	31	
86a	Diseases of the ear	35	5		1	1		6	3	3	1	1	3	1	4	3	2	1	
86b	Diseases of the mastoid process	30	2	4		1		6	1	2	1	2		2	4	2	1	2	
	IV.—Diseases of the circulatory system	3,953	25	5	4	2	4	16	27	34	31	38	52	156	307	621	1,056	1,574	1
87	Pericarditis	18	1					2	1		1	1	1	2		3	4	2	
88	Endocarditis and myocarditis (acute)	111	5			1		6	9	8	2	7	11	28	7	8	9	10	
89	Angina pectoris	314										1	5	9	35	69	115	80	
90	Other diseases of the heart	2,922	13	5	4		4	8	15	25	26	24	33	102	236	476	793	1,157	1
91a	Aneurysm	34									1		1	2	7	8	8	7	
91b,c	Other diseases of the arteries	475								1		1		3	11	45	114	300	
92	Embolism and thrombosis (not cerebral)	42	4									2	1	6	5	7	7	10	
93	Diseases of the veins	24	1								1	2		3	5	3	5	4	
94	Diseases of the lymphatic system	5				1			2					1				1	
95	Hemorrhage without specified cause	3	1													1		1	
96	Other diseases of the circulatory system	5													1	1	1	2	
	V.—Diseases of the respiratory system	2,110	357	96	34	17	10	37	19	35	30	41	47	105	114	209	340	619	
97a	Diseases of the nasal fossae	13							1			2		2	1		1	6	
97b	Diseases of the nasal fossae annexa	14					1		1	3		2	2	2	1	2			
98	Diseases of the larynx	19	5	3	2			1	1				1	1	1	1	2	1	
99a	Acute bronchitis	42	8	3				1					1	2	1	1	5	20	
99b	Chronic bronchitis	68										1	1	2	1	9	20	34	
99c,d	Bronchitis (unspecified)	58	10	3	1			1						1	2	1	6	33	
100a	Broncho-pneumonia	645	216	51	17	7	4	9	5	3	1	10	7	19	15	36	76	169	
100b	Capillary bronchitis	18	4	2						1				1			4	6	
101a	Lobar pneumonia	753	62	21	9	4	4	14	5	19	25	16	31	61	70	112	137	163	
101b	Pneumonia (unspecified)	283	40	8	2	4	1	6	4	5	1	5	1	9	7	23	51	116	
102	Pleurisy	49	2	2		2		3	2	1	2	2	3	2	6	6	7	9	
103	Congestion and hemorrhagic infarct of the lung	58	7	2	1			1						1	3	2	6	35	
104	Gangrene of the lung	8								2				1		1	3	1	
105	Asthma	59	2					1			1			1	4	11	19	20	
106	Pulmonary emphysema	2															1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	21	1	1	2					1		3			2	4	2	5	
	VI.—Diseases of the digestive system	1,889	269	76	37	30	21	77	56	48	57	53	65	163	204	233	262	238	
108	Diseases of the mouth and annexa	18	5					3	1					2	1	5		1	
109b	Other diseases of the pharynx, tonsils	91	4	5	3	2	2	13	3	6	3	4	6	14	6	5	6	9	
111a	Ulcer of the stomach	101	1					1	1	1	2	3	3	14	14	19	27	15	
111b	Ulcer of the duodenum	34									2	1	4	7	6	10	4		
112	Other diseases of the stomach (cancer excepted)	122	36	2	1		1	1	1		1	1	3	3	8	12	23	29	
113	Diarrhea and enteritis (under 2 years)	243	184	59															
114	Diarrhea and enteritis (2 years and over)	122			22	15	4	8	2		2	2	1	8	7	9	16	26	
117	Appendicitis and typhlitis	400	1	3	6	10	12	45	40	36	32	25	23	61	49	36	15	6	
118a	Hernia	89	1					1					1	3	12	15	26	30	
118b	Intestinal obstruction	177	29	5	2	3	2	1	4		5	4	10	22	20	14	26	30	
119	Other diseases of the intestines	39	1					1	1	1		3		1	3	6	5	17	
120	Acute yellow atrophy of the liver	7								1	2	1			1		2		
122	Cirrhosis of the liver	123			1			1	1	1	1	1	1	3	24	29	41	19	
123	Biliary calculi	113									2	3	4	10	20	28	29	17	
124	Other diseases of the liver	148	3								1	4	4	5	24	33	38	36	
125	Diseases of the pancreas	20										1	2	1	6	7	3		
126	Peritonitis without specified cause	42	4	2	2			2	2	2	4		3	9	3	5	1	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,907	11	2	4	4	4	11	13	9	22	22	36	115	193	304	463	694	
128	Acute nephritis (including unspecified under 10 years)	89	7	1	2	2	3	8	2	2	3	2	2	12	8	9	7	19	
129	Chronic nephritis (including unspecified 10 years and over)	1,398		1	2		1	2	10	5	7	13	23	62	137	241	361	533	
131	Other diseases of the kidneys and annexa	61	3			2		1		1	1		2	9	11	10	8	13	
132	Calculi of the urinary passages	20									2		1		3	4	5	5	
133	Diseases of the bladder	35													2	2	1	3	27
134	Diseases of the urethra, etc	2												1			1		
135	Diseases of the prostate	190													1	26	71	92	
136	Nonvenereal diseases of the male genital organs	2	1													1			
137	Cysts, other benign tumors of the ovary	16										1	1	5	4	1	3	1	
138	Salpingitis and pelvic abscess (female)	29							1	1	6	4	4	10	2	1			
139	Benign tumors of the uterus	37									1		2	9	16	3	3	3	
140	Nonpuerperal uterine hemorrhage	2													2				
141	Other diseases of the female genital organs	26									2	2	1	5	7	7	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	VIII.—The puerperal state	294							1	23	68	67	61	74					
143	Accidents of pregnancy	28								1	6	6	9	6					
144	Puerperal hemorrhage	31								1	5	7	5	13					
145	Other accidents of labor	24								2	3	4	7	8					
146	Puerperal septicemia	113							1	9	35	25	18	25					
147	Puerperal phlegmasia alba dolens, embolus, etc	18								2	1	4	7	4					
148	Puerperal albuminuria and convulsions	79								8	17	21	15	18					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	91	8			1		1	3	1		2	1	2	6	6	19	41	
151	Gangrene	51						1				1			2	2	11	34	
152	Furuncle	10	1						3	1		1				2	2		
153	Acute abscess	9	1			1							1	1	1	1	1	2	
154	Other diseases of the skin and annexa	21	6											1	3	1	5	5	
	X.—Diseases of the bones and of the organs of locomotion	48	2		3	1	2	7	6	3	1	1	2		4	6	6	4	
155	Diseases of the bones (tuberculosis excepted)	38	2		3	1	2	7	6	3	1	1	1		3	3	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8											1		1	1	2	3	
158	Other diseases of the organs of locomotion	2														2			
	XI.—Malformations	328	300	11	5	1		5	1		2	1		2					
159a	Congenital hydrocephalus	29	22	2	3			2											
159b	Congenital malformations of the heart	184	166	8	2	1		3	1		2			1					
159c	Other congenital malformations	115	112	1								1		1					
	XII.—Early infancy	1,247	1,247																
160	Congenital debility, icterus, sclerema	191	191																
161a	Premature birth	740	740																
161b	Injury at birth	216	216																
162	Other diseases peculiar to early infancy	98	98																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	669													1	7	71	590	
	XIV.—External causes	1,810	62	41	28	27	25	73	63	97	113	109	113	209	198	207	187	257	1
	Suicide	345							2	7	22	26	22	60	85	65	40	16	
165	By poisons (gas or corrosives excepted)	42							1	1	6	5	3	10	6	3	4	3	
166	By corrosive substances	31								1	2	5	4	1	5	8	3	2	
167	By poisonous gas	23									2		2	3	1	8	7		
168	By hanging or strangulation	89								3	1	2	3	19	30	15	11	5	
169	By drowning	14											1		8	3	1	1	
170	By firearms	125							1	2	8	13	7	21	32	26	13	2	
171	By cutting or piercing instruments	10										1	1	3	1	1	1	2	
172	By jumping from high places	2									1							1	
173	By crushing	4									2		1	1					
174	By other means	5												2	2	1			
	Homicide	66	3	2			1	2		3	2	11	13	8	11	4	3	3	
197	By firearms	40		1						2	1	7	11	5	8	2	2	1	
198	By cutting or piercing instruments	8								1	1	2		2	1	1			
199	By other means	18	3	1			1	2				2	2	1	2	1	1	2	
	Accidental or undefined	1,399	59	39	28	27	24	71	61	87	89	72	78	141	102	138	144	238	1
175	Poisoning by food	14			1	2	1		1					1	1	2	2	3	
176	Poisoning by venomous animals	2													1	1			
177	Other acute poisonings (gas excepted)	35	3	8	4	3	1					3	2	2	5	3	1		
178	Conflagration	18	3	2	2	1	1	1		1				1		1	4	1	
179	Burns (conflagration excepted)	102	1	6	12	8	7	10	2	4	6	5	5	10	5	5	8	8	
180	Mechanical suffocation	37	27					3	2	1		2	1	1					
181	Absorption of irrespirable, irritating, or poisonous gas	46					1	4	3	2	4	4		6	5	6	5	6	
182	Drowning	96		9	3	1	2	14	9	16	16	7	8	4	3	1	2	1	
183	Traumatism by firearms (except in war)	49				1		2	8	11	7	5	5	3	6	1			
184	Traumatism by cutting or piercing instruments	11		1			1	1						1	1	1	3	1	1
185	Traumatism by fall	354	4	2	1	3	1	5	5	9	5	3	1	16	10	33	69	187	
186a	Traumatism in mines	21									4	1	4	5	3	1	3		
187	Traumatism by machines	46		1		1		2	2	5	4	4	4	6	4	10	3		
188a	Railroad accidents	144						4	2	8	16	12	14	25	20	21	17	5	
188b	Street-car accidents	8						1						3		2	1	1	
188c	Automobile accidents	211	4	4	2	3	5	18	18	16	15	14	13	22	25	29	10	13	
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	31						2	1	3	2	2	2	6	2	3	6	2	
188g	Landslide, other crushing	12								3		3	3	2	1				
189	Injuries by animals (not poisoning)	20					1						1	4	2	4	5	3	
193	Excessive cold	9												2		1	3	3	
194	Excessive heat	1					1												
195	Lightning	14						1	1	3	1		2	4	1	1			
196	Other accidental electric shocks	26							1	2	5	2	6	9		1			
201	Fracture (cause not specified)	5														3		2	
202	Other external violence	86	17	6	3	4	2	3	6	3	4	4	7	8	7	8	2	2	
	XV.—Ill-defined diseases	133	33	3	2	2			2		5	3	2	9	15	18	21	17	1
204	Sudden death	4														1	2	1	
205a	Ill-defined	77	3	3	2	1			2		4	1	2	9	13	13	14	10	
205b	Not specified or unknown	52	30			1					1	2			2	4	5	6	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS																		
	All causes	17,898	2,238	387	180	128	85	301	279	417	455	445	496	1,211	1,495	2,135	3,234	4,393	19
	I.—Epidemic, endemic, and infectious diseases	1,967	219	135	59	50	25	111	69	95	157	113	107	229	173	129	125	167	4
1	Typhoid and paratyphoid fever	79		1		1	2	6	10	9	6	7	8	15	6	5	3		
5	Malaria	6				1					1			1			3		
6	Smallpox	2												1				1	
7	Measles	151	19	47	10	12	5	28	9	4	6	1	2	1	1	2	3	1	
8	Scarlet fever	44	2	7	2	1	1	11	7	5	4		3	1					
9	Whooping cough	128	70	33	7	7	2	6	1		1								1
10	Diphtheria	91	6	11	17	10	7	26	9	1			1		2	1			
11a	Influenza (with pulmonary complications)	178	31	6	4	3	2	3	1	4	8	4	1	18	13	16	24	40	
11b	Influenza (other and unspecified)	208	23	4	5	5	1	7	6	5	5	2	5	9	21	14	28	68	
13	Mumps	7		1			1	1		2		1		1					
15	Cholera nostras	1																1	
16	Dysentery	47	10	6	6	3		1				1	1			1	4	14	
21	Erysipelas	30	7	1	1	1				1					2	6	3	8	
22	Acute anterior poliomyelitis	9		3	1			1	2	1				1					
23	Lethargic encephalitis	13		2						1	2	2	1	2	2			1	
24	Meningococcus meningitis	10	3	1		2		2				1			1				
25	Other epidemic and endemic diseases	3	2					1											
26	Glanders	1												1					
27	Anthrax	1			1														
29	Tetanus	33	7				2	4	5	3	4	1		3	1		3		
30	Mycoses	2												2					
	Tuberculosis (all forms)	787	13	11	5	4	2	13	15	51	109	86	75	155	100	70	51	26	1
31	Of the respiratory system	672	5	6	1		1	8	12	45	99	77	67	137	85	61	43	24	1
32	Of the meninges, central nervous system	32	6	5	2	3	1	5	3	2	2		1	2					
33	Of the intestines, peritoneum	35								1	5	3	5	5	7	3	6		
34	Of the vertebral column	15	1							1	1	3	1	2	2	2		2	
35	Of the joints	10			1						1	2		1	2	1	2		
36	Of other organs	7				1						1		1	2	2			
37a	Disseminated (acute)	9	1		1					1			1	2	2	1			
37b	Disseminated (chronic or unspecified)	7								1	1			5					
38	Syphilis	99	23						1	3	6	5	7	18	19	10	2	4	1
40	Gonococcus infection	10								1	4		1	1	2			1	
41	Purulent infection, septicemia	27	3	1				1	3	4	1	2		1	3	4	1	2	1
	II.—General diseases not included in Class I	2,157	30	9	7	3	7	20	18	32	18	27	41	156	295	493	614	387	
	Cancer and other malignant tumors	1,477	1	3	1		1	4	6	7	6	11	23	104	217	364	434	295	
43	Of the buccal cavity	45									1			1	5	9	15	14	
44	Of the stomach, liver	598		1						2	1	1	3	25	81	155	197	132	
45	Of the peritoneum, intestines, rectum	212						1	1			3	6	17	26	46	62	50	
46	Of the female genital organs	181										1	6	34	46	44	41	9	
47	Of the breast	115								1		2	1	16	23	39	24	9	
48	Of the skin	70											1		6	9	22	32	
49	Of other or unspecified organs	256	1	2	1		1	3	5	4	4	4	6	11	30	62	73	49	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8													1	2	2	3	
51	Acute rheumatic fever	43					2	7	3	3	1	2	4	4	2	2	7	6	
52	Chronic rheumatism, osteoarthritis, gout	32						1			1	1		1	2	4	10	12	
54	Pellagra	10											1	4	1	4			
56	Rickets	10	8	2															
57	Diabetes mellitus	272		3	2	1	3	4	8	10	2	2	2	9	27	60	94	45	
58	Anemia, chlorosis	144	4							6	1	3	3	10	22	36	44	15	
59	Diseases of the pituitary gland	2									1						1		
60a	Exophthalmic goiter	49								1	4	2	3	7	11	8	13		
60b	Other diseases of the thyroid gland	7								1		1		2		1	1	1	
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	9	8			1													
63	Diseases of the adrenals (Addison's disease)	4													4				
64	Diseases of the spleen	3												1		1		1	
65a	Leukemia	23			2	1		3				1	1	4	1	5	1	4	
65b	Hodgkin's disease	19							1	2		4	2	5	2	1	2		
66	Alcoholism (acute or chronic)	16								1			2	5	2	3	3		
67a	Chronic lead poisoning	3									1						1	1	
68	Chronic poisoning by organic substances	2														1		1	
69	Other general diseases	22	8		2		1	1		1	1				3	1	1	3	
	III.—Diseases of the nervous system and of the organs of special sense	2,484	58	10	7	2	2	12	24	25	18	16	32	126	228	416	660	847	1
70	Encephalitis	25	5	1	1				2	3	1	1	2	2	4	1	2		
71a	Simple meningitis	34	11	5	1	1		2	1	1	1	2		2	4	2	1		
71b	Nonepidemic cerebrospinal meningitis	10	4			1	1	1	1				2						
72	Tabes dorsalis (locomotor ataxia)	33											1	2	10	10	10		
73	Other diseases of the spinal cord	75	1					2	1	1	1		2	5	13	16	16	17	
74a	Cerebral hemorrhage	1,682			1				1		1	3	8	45	127	288	522	686	
74b	Cerebral embolism and thrombosis	53	1							3	1			1	2	15	14	16	
75	Paralysis without specified cause	127	1						1					2	5	15	35	68	
76	General paralysis of the insane	109											3	31	27	28	14	6	
77	Other forms of mental alienation	63								1	2	3	1	19	12	6	8	10	1
78	Epilepsy	70		1					5	7	6	5	11	6	7	8	5	9	
79	Convulsions (nonpuerperal; 5 years and over)	3							1	1							1		
80	Infantile convulsions (under 5 years)	27	25	1	1														
81	Chorea	1																1	
82	Neuralgia and neuritis	9											1	1	1	1	2	3	
83	Softening of the brain	17													1	3	2	11	
84	Other diseases of the nervous system	95	3					4	2	3	2	1	1	6	11	17	26	19	
85	Diseases of the eye and annexa	4			1						1				1			1	
86a	Diseases of the ear	32	6	2			1	3	5	3	1			2	3	4	2		
86b	Diseases of the mastoid process	15	1		2				4	2	1	1		2		2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	IV.—Diseases of the circulatory system	2,947	18	3		3	2	19	17	28	27	26	43	111	237	418	807	1,185	3
87	Pericarditis	14								2		1		1	3	1		6	
88	Endocarditis and myocarditis (acute)	77	8	1		1		7	4	4	3	7	6	12	5	6	4	9	
89	Angina pectoris	178								1		1	2		24	37	64	48	1
90	Other diseases of the heart	2,224	9	2		1	2	11	13	19	23	14	32	84	181	318	608	906	1
91a	Aneurysm	49								2	1	1	2	9	12	10	8	4	
91b,c	Other diseases of the arteries	347												1	5	33	107	200	1
92	Embolism and thrombosis (not cerebral)	42										1		3	5	12	14	7	
93	Diseases of the veins	7										1	1	1	1	1	1	1	
94	Diseases of the lymphatic system	2						1										1	
95	Hemorrhage without specified cause	3	1			1												1	
96	Other diseases of the circulatory system	4													1		1	2	
	V.—Diseases of the respiratory system	1,370	268	68	21	13	7	20	19	33	16	26	37	70	82	105	200	385	
97a	Diseases of the nasal fossae	2									1							1	
97b	Diseases of the nasal fossae annexa	14					1		1	4	1	3	1	3					
98	Diseases of the larynx	11	3	1	1			1		1					1	1		2	
99a	Acute bronchitis	23	6					1							1		1	14	
99b	Chronic bronchitis	55	1								1	1	1	1	3	3	16	28	
99c,d	Bronchitis (unspecified)	34	9	1										2	2		3	17	
100a	Broncho-pneumonia	511	188	32	13	6	5	9	6	3	3	4	7	11	14	22	62	126	
100b	Capillary bronchitis	8		4													1	3	
101a	Lobar pneumonia	538	46	22	6	6	1	6	11	22	8	16	24	43	47	61	88	131	
101b	Pneumonia (unspecified)	42	8	4						1		1	2	3	3	1	6	13	
102	Pleurisy	24		3	1			1	1			1		3	2	4	6	2	
103	Congestion and hemorrhagic infarct of the lung	35	5	1				1								1	3	24	
104	Gangrene of the lung	3									1				2				
105	Asthma	44	1										1	3	3	8	9	19	
106	Pulmonary emphysema	9	1					1						1	1	1	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	17				1				2	1		1		3	3	4	2	
	VI.—Diseases of the digestive system	1,662	283	115	49	28	17	51	53	49	48	52	45	150	159	170	190	201	2
108	Diseases of the mouth and annexa	14	1			1					1			3		5		3	
109b	Other diseases of the pharynx, tonsils	41	1	5	2	3	1	4	4	3	2	3	1	3	3	1	2	3	
110	Diseases of the esophagus	4												1		1		2	
111a	Ulcer of the stomach	80									1	3	3	10	19	19	14	11	
111b	Ulcer of the duodenum	28								1		3	1	5	6	7	4	1	
112	Other diseases of the stomach (cancer excepted)	116	26	4	1	1		1		1	2	2		5	10	9	20	33	1
113	Diarrhea and enteritis (under 2 years)	328	223	105															
114	Diarrhea and enteritis (2 years and over)	148			40	16	7	7	4	3	1	1	3	5	3	9	22	27	
117	Appendicitis and typhlitis	310			2	7	4	32	37	32	30	17	19	53	34	25	11	7	
118a	Hernia	53	3									1	2	4	8	13	15	7	
118b	Intestinal obstruction	139	22	1	3		5	4	6	3	5	11	3	14	11	13	21	17	
119	Other diseases of the intestines	48	3					1	1	2	1	2	2	6	3	3	6	13	
120	Acute yellow atrophy of the liver	8												1	2	2	1	2	
122	Cirrhosis of the liver	122						1	1	1			2	8	12	25	39	33	
123	Biliary calculi	78								2		1	4	11	22	17	13	8	
124	Other diseases of the liver	114	4								3	5	3	15	20	17	20	26	1
125	Diseases of the pancreas	3													2			1	
126	Peritonitis without specified cause	28			1			1		1	2	3	2	6	4	4	2	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,659	9	3	1	1	3	4	8	13	19	27	35	104	163	257	423	587	2
128	Acute nephritis (including unspecified under 10 years)	73	6	3	1	1	1	3	2	3	3	5	3	5	5	9	9	14	
129	Chronic nephritis (including unspecified 10 years and over)	1,241					2	1	5	6	8	9	15	56	125	223	340	449	2
131	Other diseases of the kidneys and annexa	42	3						1		1	1	1	5	4	6	8	12	
132	Calculi of the urinary passages	18								2	1			3	1	4	4	3	
133	Diseases of the bladder	24														2	6	16	
134	Diseases of the urethra, etc.	3											1				1	1	
135	Diseases of the prostate	144													2	9	47	86	
136	Nonvenereal diseases of the male genital organs	1																1	
137	Cysts, other benign tumors of the ovary	23										2	6	5	3		5	2	
138	Salpingitis and pelvic abscess (female)	34								2	4	6	7	11	4				
139	Benign tumors of the uterus	44									2	3	2	14	15	2	3	3	
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	11										1		5	3	2			
	VIII.—The puerperal state	238								28	49	45	50	64	2				
143	Accidents of pregnancy	22									4	6	8	4					
144	Puerperal hemorrhage	25								2	3	2	6	11	1				
145	Other accidents of labor	24								3	3	2	6	10					
146	Puerperal septicemia	80								12	20	16	14	17	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	21								2	2	4	6	7					
148	Puerperal albuminuria and convulsions	65								9	17	14	10	15					
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	67	7					1	1	1	1		1	4	4	4	5	38	
151	Gangrene	36	1											1	2		1	31	
152	Furuncle	9							1					2	1	2	1	2	
153	Acute abscess	10	2							1	1		1	1	1	1	2		
154	Other diseases of the skin and annexa	12	4					1								1	1	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	25		2			1	6	3	3		1	2		1	2	2	2	
155	Diseases of the bones (tuberculosis excepted)	20		2			1	5	3	2		1	1		1	2	1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5						1		1			1				1	1	
	XI.—Malformations	260	246	1	2	5	1	2	1			1		1					
159a	Congenital hydrocephalus	16	12		1	1	1	1											
159b	Congenital malformations of the heart	169	165		1	2						1							
159c	Other congenital malformations	75	69	1		2		1	1					1					
	XII.—Early infancy	1,001	1,001																
160	Congenital debility, icterus, sclerema	134	134																
161a	Premature birth	648	648																
161b	Injury at birth	153	153																
162	Other diseases peculiar to early infancy	65	65																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	434														5	40	388	1
	XIV.—External causes	1,464	51	33	33	23	17	55	65	109	102	109	102	189	141	121	134	174	6
	Suicide	201							1	10	8	24	22	46	32	30	18	10	
165	By poisons (gas or corrosives excepted)	20								2	1	1	4	4	1	3	4		
166	By corrosive substances	31								3	1	3	3	10	5	3	1	2	
167	By poisonous gas	3											1	1		1			
168	By hanging or strangulation	43								1		3	3	9	7	12	7	1	
169	By drowning	8										2	1	2			1		
170	By firearms	81							1	4	4	12	10	17	14	8	5	6	
171	By cutting or piercing instruments	12									1	2		2	3	3		1	
173	By crushing	3									1	1		1					
	Homicide	99	1	2	1			1		8	12	12	18	20	11	5	5	1	2
197	By firearms	70			1					6	9	9	12	15	11	4	2		1
198	By cutting or piercing instruments	11						1		1	1	2	2	2		1		1	
199	By other means	18	1	2						1	2	1	4	3			3		1
	Accidental or undefined	1,164	50	31	32	23	17	54	64	91	82	73	62	123	98	86	111	163	4
175	Poisoning by food	17	2	1		1	1	1		1				3		2	2	3	
176	Poisoning by venomous animals	2	1		1														
177	Other acute poisonings (gas excepted)	29	1	8	2			1		2	1	2	2	5	4			1	
178	Conflagration	20	2	1	1	2	1	3	2			3		1	1		1	2	
179	Burns (conflagration excepted)	91	2	5	13	9	4	8	3	4	4	6	5	7	4	5	4	8	
180	Mechanical suffocation	24	21					1	1				1						
181	Absorption of irrespirable, irritating, or poisonous gas	17					1				5	3	2	1	2	1	1	1	
182	Drowning	66	2	6	1	2	1	6	12	10	11	4	3	4	2	1		1	
183	Traumatism by firearms (except in war)	50			1	1		1	8	13	7	1	2	3	3	5	5		
184	Traumatism by cutting or piercing instruments	10			1			2		1	1	1		3			1		
185	Traumatism by fall	225	5	5	1	2		3	4	4	4	4	4	8	9	10	45	117	
186a	Traumatism in mines	15									2	1	2	5	4	1			
186b	Traumatism in quarries	1														1			
187	Traumatism by machines	34			1			1	1	4	4	3	5	8	3	3	1		
188a	Railroad accidents	157					1	3	6	19	18	13	13	27	22	13	15	4	3
188b	Street-car accidents	13										1	1	2	1	3	2	2	1
188c	Automobile accidents	169	3	4	6	4	4	14	12	16	12	13	4	21	19	18	11	8	
188d	Airplane and balloon accidents	4										1	2		1				
188e,f	Injuries by other vehicles	25			1		1	1	3	3		1	2	1	3	5	4		
188g	Landslide, other crushing	11				2		1	1		1			2	1	2	1		
189	Injuries by animals (not poisoning)	30			1		2	4	1	3	4	1		5	2	2	3	2	
193	Excessive cold	12										1			2		5	4	
194	Excessive heat	14	2								1	1		2	2	3	1	2	
195	Lightning	26						1	2	4	1	1	5	6	2	3		1	
196	Other accidental electric shocks	28					1		1	4	4	7	3	4	2	2			
201	Fracture (cause not specified)	6										1					2	3	
202	Other external violence	68	9	1	2			3	7	3	2	4	6	5	9	6	7	4	
	XV.—Ill-defined diseases	163	48	8	1		3		1	1		2	1	7	10	15	34	32	
204	Sudden death	3	1											1			1		
205a	Ill-defined	75	5	6			2			1		2		2	4	11	24	18	
205b	Not specified or unknown	85	42	2	1		1		1				1	4	6	4	10	13	
	KENTUCKY																		
	All causes—White	22,305	3,783	783	329	186	142	447	372	636	886	726	718	1,418	1,749	2,450	3,559	4,064	57
	All causes—Colored	4,501	521	101	40	34	21	71	75	182	253	206	241	536	673	558	459	480	50
	I.—Epidemic, endemic, and infectious diseases—White	4,443	514	281	140	71	64	174	134	260	404	307	270	442	357	355	355	302	13
	I.—Epidemic, endemic, and infectious diseases—Colored	969	82	26	11	13	8	31	40	104	118	74	82	121	106	68	43	34	8
1	Typhoid and paratyphoid fever—W	340	4		2	1	6	31	40	55	54	33	22	34	24	19	13	2	
	Typhoid and paratyphoid fever—C	79	1	1		3	3	7	8	14	11	6	3	8	6	6	1	1	
5	Malaria—W	35	3	2	1	1	2	1	3	1	1	2	4	2	1	2		9	
	Malaria—C	15			1		1		3			1		2	5	1	1		
6	Smallpox—W	5	1									1		1		2			
	Smallpox—C	1												1					
7	Measles—W	281	73	62	26	11	8	26	8	9	8	8	9	10	5	10	5	2	1
	Measles—C	9	3	1			1	3			1								
8	Scarlet fever—W	31	5	4	4	1	2	6	4	1	2		1		1				
	Scarlet fever—C	3						2	1										
9	Whooping cough—W	296	178	57	22	17	4	13	2		1	1						1	
	Whooping cough—C	36	22	9	2	1		2											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
10	Diphtheria	W	223	44	48	46	23	19	35	4	2					1				1
		C	14	3	2		2	2	3	1						1				
11a	Influenza (with pulmonary complications)	W	240	40	15	6	1	3	2	4	5	5	3	7	23	17	24	36	49	
		C	72	7	3	1	1			2	1	3	2	6	11	9	11	4	9	2
11b	Influenza (other and unspecified)	W	199	18	6	1		4	5	3	7	2	2	3	11	23	19	37	56	2
		C	33	5	1					1	2	1	2	2	2	1	4	4	8	
13	Mumps	W	3		2				1											
15	Cholera nostras	W	11	1	1	1				1		1				1		3	2	
16	Dysentery	W	131	26	30	7	6	1	1	1	3	1	1			4	9	19	21	1
		C	18	7	2	1			1				1			2	2	1	1	
21	Erysipelas	W	59	15						1	2		3		3	4	10	9	12	
		C	7	1												4		1	1	
22	Acute anterior poliomyelitis	W	27	9	7	3	3		2	2	1									
		C	6	2	2				1	1										
23	Lethargic encephalitis	W	13	1				1		1		1			4	3	1	1		
		C	1												1					
24	Meningococcus meningitis	W	42	14	6	3	2	2	4	5	2	2				1	1			
		C	1						1											
25	Other epidemic and endemic diseases	W	3	2					1											
27	Anthrax	W	1													1				
28	Rabies	W	2						1	1										
29	Tetanus	W	42	4	1	1			7	8	7	3		3	3		2	1	2	
		C	16	4					2	2				1	1	3	2	1		
30	Mycoses	W	2	2																
	Tuberculosis (all forms)	W	2,369	59	38	17	5	12	32	42	164	314	251	216	337	255	252	225	142	8
		C	592	8	5	6	6	1	9	21	84	102	55	65	82	66	37	27	14	4
31	Of the respiratory system	W	2,092	17	12	3	3	4	15	26	149	295	249	201	313	233	232	207	125	8
		C	523	7	4	3	5		6	18	72	96	50	56	74	61	32	23	13	3
32	Of the meninges, central nervous system	W	106	30	23	11	2	8	12	3	4	3		2	5	1	1	1		
		C	10	1	1	1	1	1	1	1	2				1					
33	Of the intestines, peritoneum	W	85	3	1	1			1	1	5	5		5	12	14	12	12	13	
		C	28						1	2	3	3	2	1	4	5	3	3		1
34	Of the vertebral column	W	21	1		1			1	4	2	2	2	1		2	3	1	1	
		C	6			1					2		1	1	1					
35	Of the joints	W	10	1	2				2	1					2			1	1	
36	Of other organs	W	28	3					1	6	2	4		3	2	3	2	1	1	
		C	9			1			1			1	1	3			1	1		
37a	Disseminated (acute)	W	18	3		1				1	1	5		2	1	2	1	1		
		C	13								3	2	1	3	2		1		1	
37b	Disseminated (chronic or unspecified)	W	9	1							1			2	2		1	1	1	
		C	3								2			1						
38	Syphilis	W	46	12	1				1	2		2	1	3	9	10	2	2	1	
		C	54	18							2		5	3	9	9	5	1		2
40	Gonococcus infection	W	9	1								3	1	1	2	1				
		C	8								1		2	2	3					
41	Purulent infection, septicemia	W	33	2	1				5	2	1	4		1	3	5	2	4	3	
		C	4	1											1			2		
	II.—General diseases not included in Class I.	White	1,974	37	12	8	4	2	17	21	15	23	37	49	168	315	434	471	357	4
		Colored	260	10	1	1		1	2	1	3	11	6	4	38	58	58	32	30	4
	Cancer and other malignant tumors	W	1,351		3	2	1	1	5	2	4	6	18	30	99	228	313	356	281	2
		C	166						1			3	1	3	24	47	42	25	17	3
43	Of the buccal cavity	W	43			1							1		2	6	11	11	11	
		C	13												2	3	3	3	1	1
44	Of the stomach, liver	W	512						2					7	18	79	129	170	106	1
		C	54												6	12	22	7	6	
45	Of the peritoneum, intestines, rectum	W	159				1		1				4	7	14	22	40	44	26	
		C	15											1	1	6	3	3		1
46	Of the female genital organs	W	204								1	2	7	10	34	64	41	29	16	
		C	40									2		1	10	8	9	6	4	
47	Of the breast	W	119										2	1	17	29	31	20	19	
		C	19												3	7	3	2	4	
48	Of the skin	W	95		2			1					1	1	2	3	8	22	54	1
		C	3															1	1	1
49	Of other or unspecified organs	W	219		1	1			2	2	3	4	3	4	12	25	53	60	49	
		C	22						1			1		1	2	11	2	3	1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	19	1	2		1	1	1			1			2	4	1	3	2	
		C	2									1		1						
51	Acute rheumatic fever	W	54						4	6	6		4		8	6	6	7	7	
		C	18							1	1	1			7		6		2	
52	Chronic rheumatism, osteoarthritis, gout	W	30									1	1		1	4	6	4	12	1
		C	4													1		1	2	
54	Pellagra	W	57						1	1		3	1	3	13	8	7	14	6	
		C	1													1				
56	Rickets	W	3	2	1															
		C	5	5																
57	Diabetes mellitus	W	205		1	2	1		1	7	3	3	4	3	13	25	58	56	27	1
		C	29								1	2	1		2	6	6	4	6	1
58	Anemia, chlorosis	W	76	4	2	2				3			1	5	5	11	20	16	7	
		C	7	1									1		1		1	1	2	
60a	Exophthalmic goiter	W	27										3		4	8	5	4	3	
		C	5								1	1			1	1	1			
60b	Other diseases of the thyroid gland	W	9		1										1	2	2	2	1	
		C	2												1		1			
61	Diseases of the parathyroid glands	W	3	3																
62	Diseases of the thymus gland	W	11	10		1														
		C	3	3																
63	Diseases of the adrenals (Addison's disease)	W	7									1		2	1	3				
64	Diseases of the spleen	W	5											1			2	1	1	
		C	1					1												
65a	Leukemia	W	20						1		1	4		1	1	2	5	4	1	
		C	2						1				1							
65b	Hodgkin's disease	W	10	1					2				1		1	2	1	1	1	
		C	2									1			1					
66	Alcoholism (acute or chronic)	W	34									2	1	3	15	7	3	1	2	
		C	6									1	2		1	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	II.—General diseases not included in Class I—Continued																			
67a	Chronic lead poisoning	W	3										1		1	1	1			
		C	1									1								
68	Chronic poisoning by organic substances	W	6											1	2	1	2			
		C	1																1	
69	Other general diseases	W	44	16	2	1	1		2	2	1	2	3		1	3	2	2	6	
		C	5	1	1	1											1	1		
	III.—Diseases of the nervous system and of the organs of special sense	White	2,266	97	31	11	12	7	39	23	21	20	27	38	102	208	362	634	627	7
		Colored	482	21	6	1	3	1	2	2	6	2	10	23	57	96	87	80	79	6
70	Encephalitis	W	37	10	5	1			4	1		2	2	1	2	2	3	2	2	
		C	6	2		1					1							1		1
71a	Simple meningitis	W	90	34	10	5	4	4	8	2		4	2	2		7	3	3	2	
		C	8	2	1		1				1				2	1				
71b	Nonepidemic cerebrospinal meningitis	W	33	12	4		3		4	3	1	1		2	1	1	1			
		C	3	3																
72	Tabes dorsalis (locomotor ataxia)	W	28											1	3	2	6	10	6	
		C	3													1	1	1		
73	Other diseases of the spinal cord	W	75	2					1		1	2			1	6	25	21	16	
		C	10											3		3		2	1	1
74a	Cerebral hemorrhage	W	1,353	3	1		1	1	3	1	5	1	7	9	36	134	247	458	442	4
		C	292		1				1	2	1		5	13	29	63	70	46	59	2
74b	Cerebral embolism and thrombosis	W	24						1				1		3	4	2	7	6	
		C	4								1		1		1	1				
75	Paralysis without specified cause	W	232			1			2		2		1	1	6	9	21	80	108	1
		C	47	1	1			1							4	5	8	17	10	
76	General paralysis of the insane	W	85									1	1	4	22	16	15	15	10	1
		C	49										2	5	12	14	5	7	2	2
77	Other forms of mental alienation	W	36									2	3	2	10	4	8	4	2	1
		C	6												1	3		2		
78	Epilepsy	W	56	2	1			1	1	4	6	3	3	8	8	5	6	5	3	
		C	18	1	1		1				1	1	1	1	4	1	3	2	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	7						1	1	1	1	1	1		1				
		C	2										1					1		
80	Infantile convulsions (under 5 years)	W	32	24	6	2														
		C	12	10	2															
81	Chorea	W	2								1			1						
82	Neuralgia and neuritis	W	11											1		3	5	2		
		C	4												1	1			2	
83	Softening of the brain	W	27													1	2	9	15	
		C	1												1					
84	Other diseases of the nervous system	W	72	2					3	2	1	1	5		7	9	15	16	11	
		C	14	2								1		1	2	3		1	4	
85	Diseases of the eye and annexa	W	2	1													1			
86a	Diseases of the ear	W	39	6	2	1	2		5	7	3			4	1	2	1	2	3	
		C	2				1				1									
86b	Diseases of the mastoid process	W	25	1	2	1	2	1	6	2		2	1	1	2	2	1		1	
		C	1						1											
	IV.—Diseases of the circulatory system	White	2,862	27	4	4	4	2	16	33	27	38	28	39	131	227	474	837	962	9
		Colored	712	3		3	1			4	2	8	15	18	103	151	156	125	115	8
87	Pericarditis	W	23		1										1	3	5	7	6	
		C	7							1			1	1		2		1	1	
88	Endocarditis and myocarditis (acute)	W	80	6		1	1		2	8	6	6	4	5	17	3	7	8	6	
		C	30	1								2	1	2	11	8	3	1	1	
89	Angina pectoris	W	181									1	3	1	12	14	55	58	37	
		C	21												5	8	3	5		
90	Other diseases of the heart	W	2,168	18	2	3	2	2	13	22	21	29	20	28	95	191	368	665	682	7
		C	587	1		3	1			3	2	6	11	15	83	119	138	110	89	6
91a	Aneurysm	W	26										1	1	2	4	2	10	6	
		C	13												3	8	2			
91b, c	Other diseases of the arteries	W	341												1	7	30	79	222	2
		C	47												1	3	9	8	24	2
92	Embolism and thrombosis (not cerebral)	W	24	1			1					2		4		3	5	7	1	
		C	2										1			1				
93	Diseases of the veins	W	7							1					1	1	1	1	2	
		C	2										1			1				
94	Diseases of the lymphatic system	W	4		1				1	1					1					
		C	2																	
95	Hemorrhage without specified cause	W	5	2						1						1		1		
		C	1	1																
96	Other diseases of the circulatory system	W	3												1		1	1		
	V.—Diseases of the respiratory system	White	2,093	493	131	47	27	19	38	19	39	54	39	38	91	114	177	300	461	6
		Colored	493	122	24	10	4	4	10	5	15	25	18	22	41	52	44	50	43	4
97a	Diseases of the nasal fossae	W	8	5								1						1	1	
		C	1		1															
97b	Diseases of the nasal fossae annexa	W	7		1					1	1	3			1					
98	Diseases of the larynx	W	11	5	2				1							1	2			
		C	3	2											1					
99a	Acute bronchitis	W	30	12	2	1	1										1	2	11	
		C	12	3	2	2						2			1		2			
99b	Chronic bronchitis	W	71									1		3	2	3	5	24	33	
		C	16	1					1		1			1	1	1	2	2	6	
99c, d	Bronchitis (unspecified)	W	53	17	1		2				1	1				2	1	6	22	
		C	21	2	2				1		1		1		3	3	5	1	1	1
100a	Broncho-pneumonia	W	719	269	73	25	13	7	7	5	10	11	6	10	14	19	30	75	143	2
		C	135	57	8	5	3	4	1	2	3	5	2	2	7	6	7	8	14	1
100b	Capillary bronchitis	W	21	11	3											1	1	1	4	
		C	8	3	2					1		1						1		
101a	Lobar pneumonia	W	799	114	26	14	7	7	17	10	18	25	25	20	48	65	101	143	158	1
		C	230	35	8	3			4	2	9	16	14	13	23	35	21	32	13	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	V.—Diseases of the respiratory system—Continued																			
101b	Pneumonia (unspecified)	W	210	48	15	4	4	4	8	2	5	8	4	2	12	10	13	27	42	2
		C	41	18	1		1		1				1	3	3	3	2	2	6	
102	Pleurisy	W	39	2	3	1		1	2		2	1		2	5	5	7	2	5	1
		C	10						2			1		2	2	1	2			
103	Congestion and hemorrhagic infarct of the lung	W	31	5		1						1	1		1	1	3	1	17	
		C	4	1							1								2	
104	Gangrene of the lung	W	3								1				1			1		
105	Asthma	W	61	2	3	1			1		1		2		3	5	8	14	21	
		C	8													2	2	3	1	
106	Pulmonary emphysema	W	2		1													1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	28	3	1				2	1		2	1	1	4	2	5	2	4	
		C	4											1		1	1	1		
	VI.—Diseases of the digestive system	White	2,026	604	232	72	25	18	55	39	55	58	44	45	88	141	182	192	175	1
		Colored	320	67	30	3	2	3	8	6	10	16	10	15	30	50	23	25	20	2
108	Diseases of the mouth and annexa	W	14			1			3			2		1	2	2	1		2	
		C	3												2	1				
109b	Other diseases of the pharynx, tonsils	W	63	6	4	2	2		7		7	9	2	4	6	5	3	1	5	
		C	6		1	1			1				1		1			1		
110	Diseases of the esophagus	W	1														1			
111a	Ulcer of the stomach	W	62								2		2	3	11	8	14	15	7	
		C	20								1	1	1	1	2	1	4	4	5	
111b	Ulcer of the duodenum	W	16										1		5	3	5	2		
		C	2									1						1		
112	Other diseases of the stomach (cancer excepted)	W	170	53	8	7	5		3	3	2		1	1	5	12	21	20	29	
		C	39	9	2							2		1	5	9	6	1	4	
113	Diarrhea and enteritis (under 2 years)	W	732	517	215															
		C	79	52	27															
114	Diarrhea and enteritis (2 years and over)	W	212			57	14	10	10	2		4	3			11	14	33	53	1
		C	28			2	2	2	2						2	3	3	6	5	1
116	Diseases due to other intestinal parasites	W	5	1		2	1		1											
		C	2						2											
117	Appendicitis and typhlitis	W	241	1		1	2	6	25	28	31	31	16	16	22	25	19	12	6	
		C	37						1	5	5	2	4	2	6	10	1	1		
118a	Hernia	W	33									1	1		1	5	9	8	8	
		C	17	1							2		1	1	2	3	3	1	3	
118b	Intestinal obstruction	W	119	16	3	1	1		2	1	6	6	7	4	9	10	11	19	23	
		C	27	4				1			1	3	1	2	3	8		3	1	
119	Other diseases of the intestines	W	30	2				1	1		2		2	1		3	3	9	6	
		C	9							1		2		2	2		1	1		
120	Acute yellow atrophy of the liver	W	2																2	
122	Cirrhosis of the liver	W	111					1		1	1				3	8	23	28	32	14
		C	23									1			3	4	7	4	4	
123	Biliary calculi	W	67									1	1	3	8	11	25	14	4	
		C	6								1				1	4				
124	Other diseases of the liver	W	96	5	1	1			1	1	3		3	5	7	14	21	23	11	
		C	11	1								4	1	1		2		1	1	
125	Diseases of the pancreas	W	8													2	3	2	1	
126	Peritonitis without specified cause	W	44	3	1				2	3	1	4	5	4	4	7	4	2	4	
		C	11						2				1	2		2	1	1	1	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,801	18	12	2	4	2	12	11	17	20	35	34	92	179	276	490	594	3
		Colored	505	1	1	1	1	1	1	3	4	5	16	15	64	113	92	88	93	6
128	Acute nephritis (including unspecified under 10 years)	W	128	10	11	1	3	1	8	2	9	3	4	7	12	8	16	18	15	
		C	45	1	1	1	1	1		1		1	4	2	3	12	9	6	2	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,425	2		1	1	1	4	8	8	14	17	17	54	141	231	408	515	3
		C	393						1	1	2	2	8	7	47	94	73	75	78	5
131	Other diseases of the kidneys and annexa	W	57	6	1					1			3	2	3	7	7	17	10	
		C	8											1		1	2	1	3	
132	Calculi of the urinary passages	W	8												1	2	2	2	1	
133	Diseases of the bladder	W	35										1		4	3	4	8	15	
		C	10							1						2	1	1	5	
134	Diseases of the urethra, etc	W	2													1			1	
		C	2												1				1	
135	Diseases of the prostate	W	79												2	2	13	29	33	
		C	14												1		4	5	4	
136	Nonvenereal diseases of the male genital organs	W	1															1		
137	Cysts, other benign tumors of the ovary	W	16										4	1	2		2	3	4	
		C	3										1			1	1			
138	Salpingitis and pelvic abscess (female)	W	25									3	4	5	7	5		1		
		C	13								2	2	1	1	5	2				
139	Benign tumors of the uterus	W	16										1		5	7	1	2		
		C	17										2	4	7	1	2			1
141	Other diseases of the female genital organs	W	8											2	2	3		1		
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1										1							
	VIII.—The puerperal state	White	355								51	92	65	66	79	1				1
		Colored	57							1	11	14	13	3	14					1
143	Accidents of pregnancy	W	30								4	5	8	4	9					
		C	7								1	1	2		3					
144	Puerperal hemorrhage	W	22								1	2	5	6	8					
		C	2								1		1							
145	Other accidents of labor	W	34								3	4	12	8	7					
		C	3								1	1	1							
146	Puerperal septicemia	W	157								20	47	27	31	32					
		C	31								4	9	7	3	8					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	11									2	4	3	2					
		C	1										1							
148	Puerperal albuminuria and convulsions	W	100								23	32	9	13	21	1				1
		C	13							1	4	3	1		3					1
149	Following childbirth (undefined)	W	1											1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	IX.—Diseases of the skin and of the cellular tissue	White	78	7	1	2	1		1	1		5	1	4	4	8	5	12	26	
		Colored	9												1	2	2	1	3	
151	Gangrene	W	31			2			1							2	2	6	18	
		C	7													1	2	1	3	
152	Furuncle	W	19	1			1			1		3		2	2	3	2	3	1	
153	Acute abscess	W	15	2	1							2	1	2	1	3	1		2	
		C	2												1	1				
154	Other diseases of the skin and annexa	W	13	4											1			3	5	
	X.—Diseases of the bones and of the organs of locomotion	White	18						2	6		1	1		1		4	1	2	
		Colored	3							1					1				1	
155	Diseases of the bones (tuberculosis excepted)	W	17						2	6		1	1		1		4	1	1	
		C	3							1					1				1	
158	Other diseases of the organs of locomotion	W	1																1	
	XI.—Malformations	White	218	208	3	1	2	1	2		1									
		Colored	12	11	1															
159a	Congenital hydrocephalus	W	18	17			1													
159b	Congenital malformations of the heart	W	117	111	1		1	1	2		1									
		C	4	4																
159c	Other congenital malformations	W	83	80	2	1														
		C	8	7	1															
	XII.—Early infancy	White	1,371	1,371																
		Colored	154	154																
160	Congenital debility, icterus, sclerema	W	230	230																
		C	25	25																
161a	Premature birth	W	853	853																
		C	104	104																
161b	Injury at birth	W	183	183																
		C	14	14																
162	Other diseases peculiar to early infancy	W	101	101																
		C	10	10																
163	Lack of care	W	4	4																
		C	1	1																
164	XIII.—Old age (senility)	White	366														2	39	322	3
		Colored	52													1	1	6	43	1
	XIV.—External causes	White	1,797	66	54	37	30	25	86	82	139	167	134	126	203	179	134	151	176	8
		Colored	387	11	8	8	9	1	17	12	25	53	43	58	61	33	20	4	14	10
	Suicide	W	166							2	7	8	11	12	34	45	22	18	7	
		C	10								1		2	3	4					
165	By poisons (gas or corrosives excepted)	W	15								1	2			4	6	1	1		
166	By corrosive substances	W	19									2	2	3	4	4		2	2	
167	By poisonous gas	W	3											1		1	1			
168	By hanging or strangulation	W	22							2		1			8	4	5	2		
		C	2												2					
169	By drowning	W	11												3	4	1	3		
		C	2										1	1						
170	By firearms	W	74								6	2	8	7	12	19	10	7	3	
		C	4								1		1	1	1					
171	By cutting or piercing instruments	W	16										1	1	3	6	2	3		
172	By jumping from high places	W	2																2	
		C	1												1					
173	By crushing	W	1									1								
		C	1											1						
174	By other means	W	3													1	2			
	Homicide	W	210	3						1	12	33	35	34	35	27	18	9	2	1
		C	145								12	27	28	34	29	7	5			3
197	By firearms	W	180							1	12	30	31	29	30	25	15	6		1
		C	123								11	24	22	27	28	4	4			3
198	By cutting or piercing instruments	W	13									1	3	3	3			2	1	
		C	16								1	3	4	6	1		1			
199	By other means	W	17	3								2	1	2	2	2	3	1	1	
		C	6										2	1		3				
	Accidental or undefined	W	1,421	63	54	37	30	25	86	79	120	126	88	80	134	107	94	124	167	7
		C	232	11	8	8	9	1	17	12	12	26	13	21	28	26	15	4	14	7
175	Poisoning by food	W	23	6	4			1	1		1		1		1	2	2	4		
		C	3	1	1		1													
176	Poisoning by venomous animals	W	4	1	1			1											1	
		C	1	1																
177	Other acute poisonings (gas excepted)	W	36	3	9	5	1		1	1	2	1	2	3	3	1	1	2		1
		C	6	1	2										1	1			1	
178	Conflagration	W	23	1	3		3	2	2		1	2	2			4		1	2	
		C	10	2			2		1					1		2	1		1	
179	Burns (conflagration excepted)	W	191	3	20	24	15	12	22	13	6	10	5	5	11	8	2	15	19	1
		C	40	1	4	7	6		6	1	3	2	1		2	1	1	1	4	
180	Mechanical suffocation	W	25	25																
		C	4	2						1			1							
181	Absorption of irrespirable, irritating, or poisonous gas	W	6									1	1		1			2	1	
		C	1														1			
182	Drowning	W	92	1	2	1	3		6	11	22	14	6	6	7	5	2	2	3	1
		C	21						2	5	4	3		1	2	1		1	1	1
183	Traumatism by firearms (except in war)	W	68			1	1		6	13	15	11	6	3	7	2	2	1		
		C	17					1		1	3	3	4	3	1	1				
184	Traumatism by cutting or piercing instruments	W	16		2			1	2		1	1	1	1	2	1	2		2	
		C	1																	1
185	Traumatism by fall	W	237	6	2	2	2	2	6	6	2	2	4	4	7	10	18	47	117	
		C	18	1					1					1	6	4	3		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
186a	Traumatism in mines W	137							1	16	28	20	20	26	14	7	3		2
	C	23								1	9	2	5		4	1			1
187	Traumatism by machines W	27		1				1	2	5	3	3	5	3	3	1			
	C	4							1				2						1
188a	Railroad accidents W	149	1	2			1		6	18	19	15	15	20	17	12	13	8	2
	C	22								1	3	1	3	5	2	3	1	1	2
188b	Street-car accidents W	10										1			3	4	2		
	C	1												1					
188c	Automobile accidents W	173	3	3	2	1	3	23	13	16	20	7	6	20	18	19	10	9	
	C	24			1			5	1		1	2	3	5	4			2	
188d	Airplane and balloon accidents W	2										2							
188e,f	Injuries by other vehicles W	26					1	3	2	2		1	2	4	2	5	4		
	C	3									1					1	1		
188g	Landslide, other crushing W	10							1	1	2		1	3	1	1			
	C	3									1	1		1					
189	Injuries by animals (not poisoning) W	18	1			2		1	1	3	2			2	2	2	2		
190	Wounds of war W	1												1					
193	Excessive cold W	5	1							1				1	2				
	C	6												1	1	1		2	1
194	Excessive heat W	6											1		1	1	2	1	
195	Lightning W	13						1	1	2		2		4	1	1	1		
196	Other accidental electric shocks W	12							1	1	1	4	2	2	1				
	C	1													1				
201	Fracture (cause not specified) W	12										1		2	3	1	3	2	
	C	1											1						
202	Other external violence W	99	11	5	2	2	1	11	7	5	9	4	6	7	6	11	10	2	
	C	22	2	1				2	2		3	1	1	3	4	3			
	XV.—Ill-defined diseases White	637	341	22	5	6	2	5	3	11	4	8	9	17	20	45	77	60	2
	Colored	86	39	4	2	1	2			2	1	1	1	5	11	7	5	5	
204	Sudden death W	40	16			1							1	1	1	3	11	5	1
	C	2												1		1			
205a	Ill-defined W	214	69	13	1	1	2	3	2	5	1	2	3	5	10	31	41	25	
	C	26	6	3	1	1	1					1		2	4	3	2	2	
205b	Not specified or unknown W	383	256	9	4	4		2	1	6	3	6	5	11	9	11	25	30	1
	C	58	33	1	1		1			2	1		1	2	7	3	3	3	
	LOUISIANA																		
	All causes White	12,260	2,002	457	197	126	77	234	203	378	414	437	446	1,019	1,284	1,494	1,785	1,684	23
	Colored	12,220	1,954	425	180	105	73	246	262	568	810	700	588	1,372	1,545	1,090	1,004	1,252	46
	I.—Epidemic, endemic, and infectious diseases White	2,131	246	155	79	39	35	89	44	121	152	148	128	226	224	152	161	128	4
	Colored	2,903	378	140	55	37	27	117	119	260	354	292	203	366	244	135	88	80	8
1	Typhoid and paratyphoid fever W	187	2	1	1	3	3	12	17	44	35	19	14	14	11	6	5		
	C	213	3	2	3	1	1	21	31	44	36	14	14	25	12	4			2
5	Malaria W	132	32	9	6	6	3	6	5	6	4	5	5	7	8	8	9	13	
	C	142	19	16	8	4	3	12	5	12	5	7	6	11	13	7	5	8	1
6	Smallpox W	1	1																
	C	1															1		
7	Measles W	260	51	67	29	12	12	32	8	9	7	2	5	9	3	4	6	4	
	C	210	44	45	22	9	10	22	16	24	10	4		3		1			
8	Scarlet fever W	6		1	1	2		2											
	C	1							1										
9	Whooping cough W	51	30	15	3	1		2											
	C	88	46	21	7	4	4	3	3										
10	Diphtheria W	81	7	23	19	8	11	7	2		1	1			1			1	
	C	29	8	4	3	7	1	1	2	1	1			1					
11a	Influenza (with pulmonary complications) W	200	36	14	3	3	1	2	3	8	4	1	7	15	22	20	28	32	1
	C	182	39	15	1	1	1	9	8	12	10	3	7	19	16	20	11	9	1
11b	Influenza (other and unspecified) W	108	4	3	1	1	2	1		5	5	3	2	3	10	8	20	40	
	C	112	21	7	1	3		1	2	4	5	1	3	10	12	6	13	23	
13	Mumps C	3		1					1	1									
15	Cholera nostras W	2						1										1	
	C	7		2								1		1	1	1		1	
16	Dysentery W	83	12	12	6	1	2	1		1	2	2		4	5	7	14	12	2
	C	95	36	9			1	2		2	6	3	1	8	6	6	6	9	
19	Spirochetal hemorrhagic jaundice W	1			1														
20	Leprosy W	7										3	2			2			
	C	2										2							
21	Erysipelas W	20	7							1	1	2	1	1	2	1	1	3	
	C	3	2								1								
22	Acute anterior poliomyelitis W	5	2	1					1							1			
	C	6	1	1	2			1				1							
23	Lethargic encephalitis W	7			1					1				1	4				
	C	1								1									
24	Meningococcus meningitis W	8	2	2				3				1							
	C	3	2					1											
25	Other epidemic and endemic diseases W	1	1																
	C	1		1															
27	Anthrax W	5		1						1				1		1	1		
28	Rabies W	3		1				2											
	C	2						1		1									
29	Tetanus W	50	19		2			10	7	4		1	1	3		1	2		
	C	89	49	1			1	7	12	5	1	2	2	4		2	2	1	
30	Mycoses W	3	2													1			
	C	3	3																
	Tuberculosis (all forms) W	776	11	4	3	1	1	5		34	86	102	83	147	138	73	67	21	
	C	1,326	14	7	5	3	3	29	32	134	253	227	145	231	128	65	29	19	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
	Tuberculosis (all forms)—Contd.																			
31	Of the respiratory system	W	711	5	2	2		1	1		30	83	98	76	132	132	68	64	17	
		C	1,192	6	5	4	2	1	22	22	120	233	204	137	215	115	59	29	16	2
32	Of the meninges, central nervous system	W	15	4	2		1		3		1			1	2	1				
		C	23	4	2		1	1	3	2	2	1	4	1	1	1				
33	Of the intestines, peritoneum	W	29	1							1	2	3	3	6	5	2	3	3	
		C	44	4		1		1	1	2	5	7	7	3	4	5	1		3	
34	Of the vertebral column	W	8	1		1					1			2	2		1			
		C	10							1	2	2	4			1				
35	Of the joints	W	2										1							
		C	6						1		1	2			2				1	
36	Of other organs	W	8								2			1	3		2			
		C	20						1	3	1	2	2		4	3	4			
37a	Disseminated (acute)	W	3						1						2					
		C	30						1	2	3	6	6	4	5	2	1			1
37b	Disseminated (chronic or unspecified)	C	1													1				
38	Syphilis	W	117	25	1	3	1		2	1	5	3	5	6	18	19	18	8	1	1
		C	346	88	8	2	5	1	6	6	17	22	19	21	48	50	21	21	9	2
39	Soft chancre	C	1													1				
40	Gonococcus infection	W	5									3			2					
		C	19	1							1	2	4	3	5	2	1			
41	Purulent infection, septicemia	W	12	2					1		2	1	1	2	1	1	1			
		C	16	2				1	1		1	2	4			3	1		1	
42	Other infectious diseases	C	2			1								1						
	II.—General diseases not included in Class I.	White	1,099	40	6	1	6	3	5	11	14	12	31	35	123	216	257	219	117	3
		Colored	695	13	6	1	1	3	12	5	13	35	33	42	112	172	109	72	63	3
	Cancer and other malignant tumors	W	749	2			1		2	3	2	5	18	22	84	162	192	163	90	3
		C	407		1				2	1	3	10	9	20	69	117	85	55	33	2
43	Of the buccal cavity	W	31							1			1	2	4	3	7	6	7	
		C	20									1			2	7	4	3	3	
44	Of the stomach, liver	W	269							1			3	2	16	63	70	77	34	3
		C	131						1			3	3	3	15	41	33	23	8	1
45	Of the peritoneum, intestines, rectum	W	77						1				3	2	11	10	18	21	11	
		C	33								1			5	6	6	9	4	2	
46	Of the female genital organs	W	124							1		2	4	7	25	39	26	14	6	
		C	123									2	3	11	26	39	18	14	9	1
47	Of the breast	W	58										1	3	10	14	17	6	7	
		C	28									1			8	7	7	4	1	
48	Of the skin	W	36									1	1		1	5	5	12	11	
		C	4												1	1	1		1	
49	Of other or unspecified organs	W	154	2			1		1		2	2	5	6	17	28	49	27	14	
		C	68		1				1	1	2	3	3	1	11	16	13	7	9	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	11	1								1	1			1	3	2	2	
		C	1														1			
51	Acute rheumatic fever	W	15							3		1	2		1	2	2	1	3	
		C	29	1					1	2	2		2		4	6	3	1	7	
52	Chronic rheumatism, osteoarthritis, gout	W	13											1		2	4	4	2	
		C	9								1	1	1		1	1	1		3	
53	Scurvy	W	1	1																
54	Pellagra	W	49	1								2	2	5	13	10	5	9	2	
		C	137					2	5	2	6	20	16	17	27	21	8	6	7	
55	Beriberi	C	1													1				
56	Rickets	W	6	4	2															
		C	7	3	3			1												
57	Diabetes mellitus	W	113							1	5	1	3		8	16	33	33	13	
		C	51								1	3	3	1	4	16	5	8	9	1
58	Anemia, chlorosis	W	42	2	1		1	1	1	1	1	1	1	2	6	9	9	4	2	
		C	7												1	4			2	
59	Diseases of the pituitary gland	W	1													1				
60a	Exophthalmic goiter	W	14										3	1	2	3	4		1	
		C	5											1	1	1	2			
60b	Other diseases of the thyroid gland	W	4							1	1				1	1				
		C	4											1	1		1	1		
61	Diseases of the parathyroid glands	C	1		1															
62	Diseases of the thymus gland	W	16	14	1		1													
		C	4	2		1	1													
63	Diseases of the adrenals (Addison's disease)	W	1												1					
65a	Leukemia	W	10						1	2	1				1	1	4			
		C	3						2								1			
65b	Hodgkin's disease	W	5						1		2		1	1						
		C	5						2					1	1		1			
66	Alcoholism (acute or chronic)	W	14											3	4	6		1		
		C	10									1	1	1	1	4	1		1	
67a	Chronic lead poisoning	W	1												1					
		C	1																	
68	Chronic poisoning by organic substances	W	2													1				
		C	1														1	1		
69	Other general diseases	W	32	15	2	1	3	2			2	1			1	2		1	2	
		C	12	7	1								1		1			1	1	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,011	34	11	4	5	5	11	13	18	18	19	16	77	138	219	223	198	2
		Colored	895	41	9	5	7	3	6	7	18	26	28	20	101	176	143	140	159	6
70	Encephalitis	W	17	1	2			1	1		1	1	2	2	4	1		1		
		C	11	3	1		1		1	1					2	1			1	
71a	Simple meningitis	W	28	7	3	1	2	1	2	1	3	3			3		2			
		C	16	4	1	1	1	1			2	2	1	1		1	1			
71b	Nonepidemic cerebrospinal meningitis	W	12	3	1	2		1	1	1					1	1	1			
		C	6	2		1			1			1			1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
72	Tabes dorsalis (locomotor ataxia)	W	18										2		2	5	4	4	1	
		C	9												2	2	3	2		
73	Other diseases of the spinal cord	W	17							1	2				1	3	3	3	4	
		C	15	2					1	1	1		1		1	3	1	2	2	
74a	Cerebral hemorrhage	W	653	3							1	3	3	4	36	97	170	178	156	2
		C	557	2				1		2	3	3	12	6	54	129	112	106	123	4
74b	Cerebral embolism and thrombosis	W	9							1							3	2	3	
		C	12											1	3	3	2	3		
75	Paralysis without specified cause	W	52	3									1		1	4	8	17	18	
		C	78	1		1			1		3	2		2	3	11	13	19	22	
76	General paralysis of the insane	W	45									1	1	2	12	16	10	2	1	
		C	60								1	2	4	5	21	14	6	6	1	
77	Other forms of mental alienation	W	20								2	1	1		4	2	6	3	1	
		C	18									6	2	1	3	4			2	
78	Epilepsy	W	26	1						1	4	4	2	1	5	2	1	3	2	
		C	36		1		1	1	1	1	6	6	4	3	5	2	2		2	1
79	Convulsions (nonpuerperal; 5 years and over)	W	3								1		2							
		C	4							1	1		1		1					
80	Infantile convulsions (under 5 years)	W	8	5	3															
		C	32	24	4	2	2													
81	Chorea	W	1					1												
82	Neuralgia and neuritis	W	5											2	1	1		1		
		C	3													2			1	
83	Softening of the brain	W	12														3	3	6	
		C	4															1	3	
84	Other diseases of the nervous system	W	44	2			1	1		2	2	1	3	2	5	6	7	6	6	
		C	21		1		1			1	1	2	3	1	4	3	1	1	2	
85	Diseases of the eye and annexa	W	1						1											
86a	Diseases of the ear	W	24	6	2	1			4	4	1	2		3	1					
		C	8	3	1		1					1			1		1			
86b	Diseases of the mastoid process	W	16	3			2		2	2	1	2	2		1		1			
		C	5						1			1				1	1			1
	IV.—Diseases of the circulatory system	White	1,837	14	4	1	4		5	7	17	14	20	37	97	224	347	523	522	1
		Colored	1,730	8	1	2		4	8	11	20	41	44	60	244	352	302	302	323	8
87	Pericarditis	W	5												1	1	1	1	1	
		C	12					1			1	1				3	2	3	1	
88	Endocarditis and myocarditis (acute)	W	64	7	3	1	1		3	3	5	5	4	5	11	4	3	5	4	
		C	86	3		1		2	2	5	7	3	6	10	29	9	4		4	1
89	Angina pectoris	W	97											2	6	12	23	32	22	
		C	31										1	2	9	3	8	4	4	
90	Other diseases of the heart	W	1,443	7	1		2		2	4	11	7	12	29	68	186	282	431	400	1
		C	1,417	4	1	1		1	6	6	11	36	36	45	183	318	270	258	235	6
91a	Aneurysm	W	42									1	1	1	7	12	11	6	3	
		C	40								1	1	1	1	20	5	6	4	1	
91b,c	Other diseases of the arteries	W	162										1		1	5	23	44	88	
		C	126											1	1	5	10	31	77	1
92	Embolism and thrombosis (not cerebral)	W	10				1				1		1		1	1	2	1	2	
		C	5											1		3		1		
93	Diseases of the veins	W	7												1	2		2	2	
		C	8												2	4	1	1		
94	Diseases of the lymphatic system	W	2												1			1		
		C	1													1				
95	Hemorrhage without specified cause	W	2									1				1				
		C	3	1												1	1			
96	Other diseases of the circulatory system	W	3										1				2			
		C	1																1	
	V.—Diseases of the respiratory system	W	1,121	283	90	39	25	5	32	23	43	23	30	29	87	89	82	127	113	1
		C	1,204	330	87	37	16	9	29	23	62	87	70	43	105	120	65	53	63	5
97a	Diseases of the nasal fossae	C	11	9														1	1	
97b	Diseases of the nasal fossae annexa	W	3			1					1				1					
		C	2						1						1					
98	Diseases of the larynx	W	8	2	2	1	1									1		1		
		C	3	1		1		1												
99a	Acute bronchitis	W	16	10		1	1		1								1	2		
		C	28	15		1			1			1	1	2		1	1	1	4	
99b	Chronic bronchitis	W	35	3							1				2	1	4	11	13	
		C	8	1										1		1	1	3	1	
99c,d	Bronchitis (unspecified)	W	16	5	1				1	1			1			1		3	3	
		C	26	15	2				1				2	1	1		1	1	2	
100a	Broncho-pneumonia	W	420	177	58	19	16	3	10	5	9	7	5	6	10	16	13	35	31	
		C	400	183	54	21	6	2	12	7	8	14	13	4	13	16	17	14	15	1
100b	Capillary bronchitis	W	13	6	3		1							1					2	
		C	22	9	3	1	3			1	1			1					3	
101a	Lobar pneumonia	W	443	57	21	8	3	1	13	14	23	14	19	17	55	55	51	48	43	1
		C	518	65	20	9	4	4	6	13	45	57	46	27	68	81	31	18	22	2
101b	Pneumonia (unspecified)	W	84	18	2	4	2		1	1	6	2	2	3	8	6	8	13	8	
		C	103	27	7	3	2	2	4	1	7	9	4	2	6	10	3	7	7	2
102	Pleurisy	W	33	2	2		1	1	3	1	2		2	1	7	5		5	1	
		C	28	2	1				1	1		2	2	1	7	4	5	2		
103	Congestion and hemorrhagic infarct of the lung	W	15	1					1		1		1			2		3	6	
		C	11	2		1			2				1	1		1		1	2	
104	Gangrene of the lung	W	4	1										1	2					
		C	4									1	1	1		1				
105	Asthma	W	19			4									2	1	3	3	6	
		C	27	1		1			1					2	3	5	6	3	5	
106	Pulmonary emphysema	C	1												1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	12	1	1	1			2	1						1	2	3		
		C	12								1	3			5			2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																		
	VI.—Diseases of the digestive system	White	1,382	448	141	45	22	10	41	30	34	28	41	44	113	113	109	97	64	2
		Colored	1,124	365	136	46	15	2	21	19	26	28	50	33	84	105	71	55	66	2
108	Diseases of the mouth and annexa	W	9	3				1				1		1		2		1		
		C	5	2					1									1	1	
109b	Other diseases of the pharynx, tonsils	W	21	2	2	1	2	1	5	2	1			2				2	1	
		C	18	1			2		1	1	1		3	2	2	3		1	1	
110	Diseases of the esophagus	W	3		2													1		
		C	2					1												
111a	Ulcer of the stomach	W	27								1	1			8	8	6	1	2	
		C	23	1								2	3		7	4		4	2	
111b	Ulcer of the duodenum	W	12									1	2		3	5	1			
		C	5										1		1	2			1	
112	Other diseases of the stomach (cancer excepted)	W	104	22	2	2	1	1	3	2			3	3	14	11	15	14	11	
		C	151	18	10	4	4		2	1	3	2	8	2	22	27	22	10	15	1
113	Diarrhea and enteritis (under 2 years)	W	527	397	130															
		C	448	327	121															
114	Diarrhea and enteritis (2 years and over)	W	127			38	15	3	7	2	2	6		3	3	3	10	14	19	2
		C	122			34	9	1	7	2	3	5	4	5	5	10	5	14	18	
115	Ancylostomiasis	W	4			1	1				1		1							
116	Diseases due to other intestinal parasites	W	5	1	2	1			1											
		C	6		3	2										1				
117	Appendicitis and typhlitis	W	214					3	18	21	22	16	26	20	38	23	15	6	6	
		C	88			1			5	9	13	8	6	9	16	7	8	2	3	1
118a	Hernia	W	44												9	8	11	11	5	
		C	23								2		3	1	3	3	4	1	6	
118b	Intestinal obstruction	W	79	16	2		2		5	2	2		1	4	11	11	12	6	5	
		C	66	13	1	1			3	2	3	3	10	2	8	11	4	3	2	
119	Other diseases of the intestines	W	16	1		2	1		2			1	1		2	2	3		1	
		C	18	1								1	2	2	1	3	2	1	5	
120	Acute yellow atrophy of the liver	W	2									1					1			
		C	4									1		1	1	1				
121	Hydatid tumor of the liver	W	1								1									
122	Cirrhosis of the liver	W	90	2	1								2	3	10	18	22	26	6	
		C	76						1	1	1	1	3	2	10	24	11	13	9	
123	Biliary calculi	W	18											3	2	6	2	3	2	
		C	5										1		1		3			
124	Other diseases of the liver	W	64	2				1			4		4	4	9	13	11	12	4	
		C	45	2	1	2				1		4	1	6	5	8	9	3	3	
125	Diseases of the pancreas	W	3	1											1	1				
		C	1														1			
126	Peritonitis without specified cause	W	12	1						1		1	1	1	3	2			2	
		C	18			2			1	2		1	5	1	2	1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,143	13	7	3	6	5	6	8	15	21	21	34	90	142	221	299	249	3
		Colored	1,113	13	3	3	3	3	7	4	24	34	41	59	163	237	175	173	166	5
128	Acute nephritis (including unspecified under 10 years)	W	112	6	2	2	1	4	4	2	3	9	5	10	12	15	10	16	10	1
		C	136	11	2	3	3	1	3	1	9	6	10	15	19	26	12	5	10	
129	Chronic nephritis (including unspecified 10 years and over)	W	896	1	2		1	1	2	6	5	6	7	15	64	110	198	262	214	2
		C	802					2	3	3	11	17	17	29	103	184	141	154	134	4
131	Other diseases of the kidneys and annexa	W	52	6	3	1	4				3	3	1	1	6	5	7	5	7	
		C	29	2	1				1			2	2	2	2	5	5	1	6	
132	Calculi of the urinary passages	W	4												1	2		1		
133	Diseases of the bladder	W	7															2	5	
		C	20									1			2	5	5	4	3	
134	Diseases of the urethra, etc	W	1								1									
		C	9									1			2	2	3		1	
135	Diseases of the prostate	W	30											1	1	2	3	10	13	
		C	37												2	6	8	8	12	1
137	Cysts, other benign tumors of the ovary	W	3										1		1		1			
		C	6								1	1			4					
138	Salpingitis and pelvic abscess (female)	W	19								2	2	5	4	3	2	1			
		C	29								2	4	7	8	8					
139	Benign tumors of the uterus	W	10											1	1	4	1	3		
		C	35									2	2	4	18	8		1		
141	Other diseases of the female genital organs	W	9								1	1	2	2	1	2				
		C	9								1	1	2	1	2	1	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1												1					
	VIII.—The puerperal state	White	201								28	46	44	31	45	5				2
		Colored	243							4	53	69	41	31	41	4				
143	Accidents of pregnancy	W	23								1	5	6	5	6					
		C	12								1	6		1	4					
144	Puerperal hemorrhage	W	23								1	2	3	5	10	2				
		C	15								1	3	4	5	1	1				
145	Other accidents of labor	W	18								2	5	6	2	3					
		C	32								5	4	4	7	11	1				
146	Puerperal septicemia	W	67								6	19	16	11	13	1				1
		C	83							1	17	29	17	7	10	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	3										2		1					
		C	5									1	1	2	1					
148	Puerperal albuminuria and convulsions	W	66								18	15	11	7	12	2				1
		C	95							3	29	26	15	9	13					
149	Following childbirth (undefined)	W	1											1						
		C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	49	8	1	1				3	4	3	2	1	4	4	4	7	7	
		Colored	38	6	1		1						1		1	6	6	9	7	
151	Gangrene	W	13								1						2	5	5	
		C	16				1									4	1	5	5	
152	Furuncle	W	20	4	1					2	3	1	1	1	1	2	1	2	1	
		C	7	1											1	1	2	2		
153	Acute abscess	W	13	4						1		2	1		2	2	1			
		C	9	4	1								1				1	1	1	
154	Other diseases of the skin and annexa	W	3			1									1				1	
		C	6	1												1	2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion	White	20	1		1			2	2	3	1			3	3	3	1		
		Colored	9			1			1	1	1	1	1		1	2				
155	Diseases of the bones (tuberculosis excepted)	W	16	1		1			1	1	3				3	3	3			
		C	8			1			1	1	1	1	1		1	1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3						1	1								1		
158	Other diseases of the organs of locomotion	W	1									1								
		C	1													1				
	XI.—Malformations	White	166	152	3	2		2	3	3	1									
		Colored	86	77	2	2		2	2	1										
159a	Congenital hydrocephalus	W	16	11		1		2		2										
		C	6	3	1			1		1										
159b	Congenital malformations of the heart	W	99	91	2	1			3	1	1									
		C	62	58	1	2			1											
159c	Other congenital malformations	W	51	50	1															
		C	18	16				1	1											
	XII.—Early infancy	White	630	630																
		Colored	438	438																
160	Congenital debility, icterus, sclerema	W	92	92																
		C	109	109																
161a	Premature birth	W	407	407																
		C	240	240																
161b	Injury at birth	W	89	89																
		C	42	42																
162	Other diseases peculiar to early infancy	W	41	41																
		C	42	42																
163	Lack of care	W	1	1																
		C	5	5																
164	XIII.—Old age (senility)	White	202															21	181	
		Colored	281														4	34	242	1
	XIV.—External causes	White	995	33	29	15	16	10	37	56	78	90	78	84	143	109	82	65	68	2
		Colored	857	21	19	21	18	18	33	58	82	116	82	86	117	87	38	26	28	7
	Suicide	W	105								7	7	10	13	24	26	13	5		
		C	19							1	3	2	2	1	4	4	2			
165	By poisons (gas or corrosives excepted)	W	6								1		1	1		1	1	1		
		C	1													1				
166	By corrosive substances	W	10								1	1		2	4	1	1			
		C	5							1	1	1	2							
167	By poisonous gas	W	4									1			3					
		C	1											1						
168	By hanging or strangulation	W	6										2		1	3				
		C	2												1		1			
169	By drowning	W	5								2					1	1	1		
		C	2								2									
170	By firearms	W	64								2	5	6	9	13	18	9	2		
		C	7									1			2	3	1			
171	By cutting or piercing instruments	W	7										1		3	2	1			
		C	1												1					
172	By jumping from high places	W	1											1						
174	By other means	W	2								1							1		
	Homicide	W	101	1							8	18	15	16	16	16	8	2	1	
		C	257	2						6	21	64	37	48	48	22	5	3	1	
197	By firearms	W	77								7	14	11	12	13	14	5	1		
		C	192							2	14	54	26	36	38	16	4	2		
198	By cutting or piercing instruments	W	12								1	3	3	2	1	1			1	
		C	44							3	5	7	9	10	5	4	1			
199	By other means	W	12	1								1	1	2	2	1	3	1		
		C	21	2						1	2	3	2	2	5	2		1	1	
	Accidental or undefined	W	789	32	29	15	16	10	37	56	63	65	53	55	103	67	61	58	67	2
		C	581	19	19	21	18	18	33	51	58	50	43	37	65	61	31	23	27	7
175	Poisoning by food	W	20	3	3	1	1			1		1		1	1	1	1	2	1	
		C	14	2		1			2	1			1	1	1	3	1	1		
176	Poisoning by venomous animals	W	3	1								2								
177	Other acute poisonings (gas excepted)	W	21	1	2	2		1				2	2	2	3	1	2	2	1	
		C	23	1	6	4	2	1		1	2	3	1		1		1			
178	Conflagration	W	13			1	1	1	2				1	1		3	3			
		C	20			2		1		1	1		4	1	1	2	1	1	5	
179	Burns (conflagration excepted)	W	84	1	11	5	10	5	5	4	5	2	4	7	8	4	5	5	3	
		C	108	3	7	8	12	12	14	7	3	6	4	5	6	6	3	7	5	
180	Mechanical suffocation	W	17	11					1	3		1				1				
		C	6	6																
181	Absorption of irrespirable, irritating, or poisonous gas	W	19								1	4			4	3	1	3	3	
		C	6									1			2	2			1	
182	Drowning	W	109	2	5			1	8	12	21	12	7	8	17	8	4	3	1	
		C	86		2				3	16	20	12	6	3	8	7	3	2	2	2
183	Traumatism by firearms (except in war)	W	34						2	9	8	4	1	4	1	3	2			
		C	52		1		1		4	6	8	12	2	7	6	2	3			
184	Traumatism by cutting or piercing instruments	W	7		2					1		1	1		1		1			
		C	3						1							1				
185	Traumatism by fall	W	101	2	5		1			5		5	3	5	7	5	10	21	32	
		C	40		2		1		2	5	3	1	4	2	4	3	7	2	4	
187	Traumatism by machines	W	17			1				1	3	1	2	2	3	2	1	1		
		C	10							1	1	1		1	5	1				
188a	Railroad accidents	W	51						1	1	7	4	4	6	11	6	5	3	2	1
		C	36							2	4	3	5	3	5	7	3	3	1	
188b	Street-car accidents	W	11						1	2					1	2	1	2	2	
		C	8						1	2			1			3			1	
188c	Automobile accidents	W	141	2		3	1	1	12	13	13	13	16	9	16	13	10	6	12	1
		C	69			3		3	4	5	9	5	7	6	10	6	4	4	2	1
188e,f	Injuries by other vehicles	W	12							2	1	1	1	1	1	1		3	1	
		C	10						1	1	2		1		1	1	2			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
188g	Landslide, other crushing W	13		1				2			2	2		3		3			
	C	7										1		2	4				
189	Injuries by animals (not poisoning) W	5					1								1	2	1		
	C	6			1				1	1			1	1				1	
193	Excessive cold W	3										1	1		1				
	C	3													1			1	1
194	Excesive heat W	8												2	2	2	2		
	C	6									1	1		1	2	1			
195	Lightning W	3										1		2					
196	Other accidental electric shocks W	17									6	3	1	6	1				
	C	2												1	1				
201	Fracture (cause not specified) W	14							1	1				1		3	1	7	
	C	10				1							1	3	2			2	1
202	Other external violence W	66	9		2	2		3	2	3	3	4	7	15	6	5	3	2	
	C	56	7	1	2	1	1	1	2	4	5	5	5	7	7	2	3	2	1
	XV.—Ill-defined diseases. White	273	100	10	6	3	2	3	3	2	6	3	7	11	17	18	42	37	3
	Colored	604	264	21	7	7	2	10	10	9	19	17	11	37	40	42	52	55	1
204	Sudden death W	35	10								2	1		1	1	4	9	6	1
	C	44	17		2		1	1				2		3	9	5	3	1	
205a	Ill-defined W	74	14	4	2	2	1		1		3		3	4	7	6	17	10	
	C	108	27	10		3		2	1	2	1	2	2	15	4	11	13	15	
205b	Not specified or unknown W	164	76	6	4	1	1	3	2	2	1	2	4	6	9	8	16	21	2
	C	452	220	11	5	4	1	7	9	7	18	13	9	19	27	26	36	39	1
	MAINE																		
	All causes	10,754	1,493	178	81	54	54	143	125	163	234	248	236	583	884	1,363	2,098	2,817	
	I.—Epidemic, endemic, and infectious diseases	1,130	147	60	27	22	20	48	33	64	87	84	75	113	96	102	84	68	
1	Typhoid and paratyphoid fever	51	1					5	5	5	6	4	5	6	5	5	3	1	
7	Measles	45	16	12	4	1	3	3	2		1				2		1		
8	Scarlet fever	23		2	1	3	2	5	1	4	1	1			1	1	1		
9	Whooping cough	84	53	19	5	2	3	1									1		
10	Diphtheria	60	3	3	5	7	7	21	7	2				2	2	1			
11a	Influenza (with pulmonary complications)	97	21	6	3	3		3	1		2	4	2	4	2	9	16	21	
11b	Influenza (other and unspecified)	97	26	5	5	2	1	1	5		4		2	2	5	8	11	20	
13	Mumps	3		1			1			1									
15	Cholera nostras	5	1	2			1										1		
16	Dysentery	8	3					1					1			1	1	1	
19	Spirochetal hemorrhagic jaundice	1									1								
21	Erysipelas	24	5												4	4	3	8	
22	Acute anterior poliomyelitis	13			1			1	3	3		2	1		2				
23	Lethargic encephalitis	5				1	1					1		1		1			
24	Meningococcus meningitis	4		1						1	1		1						
25	Other epidemic and endemic diseases	6	3		1	1			1										
29	Tetanus	13						2	3	2	1	1		2		1	1		
30	Mycoses	1	1																
	Tuberculosis (all forms)	533	6	9	2	2	1	5	4	45	69	68	60	85	63	57	42	15	
31	Of the respiratory system	443	2				1		3	40	61	60	55	71	49	51	37	13	
32	Of the meninges, central nervous system	30	2	9	1	2		2		3		4		4	1	2			
33	Of the intestines, peritoneum	19	1					1		2	4	2	2	4		1	2		
34	Of the vertebral column	13						1					1	3	5	3			
35	Of the joints	5	1					1	1		1	1							
36	Of other organs	15			1						1	1	1		7		2	2	
37a	Disseminated (acute)	3									1			2					
37b	Disseminated (chronic or unspecified)	5									1		1	1	1		1		
38	Syphilis	41	7							1		2	1	8	9	9	3	1	
40	Gonococcus infection	7												4	1	1		1	
41	Purulent infection, septicemia	9	1						1		1	1		1		4			
	II.—General diseases not included in Class I	1,336	29	5	3	2	1	10	6	5	15	19	23	89	192	316	358	263	
	Cancer and other malignant tumors	952		1	1	1		1			2	8	11	60	146	236	274	211	
43	Of the buccal cavity	31												1	1	8	10	11	
44	Of the stomach, liver	372						1			1	1	2	11	52	86	115	103	
45	Of the peritoneum, intestines, rectum	144											1	9	24	34	43	33	
46	Of the female genital organs	153										6	4	22	33	41	30	17	
47	Of the breast	81											1	7	14	21	27	11	
48	Of the skin	26													2	5	9	10	
49	Of other or unspecified organs	145		1	1	1					1	1	3	10	20	41	40	26	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7									1		1		1	2		2	
51	Acute rheumatic fever	35	1		1		1	5	1	1	2	3	1	2	2	4	4	7	
52	Chronic rheumatism, osteoarthritis, gout	19		1					1						2	5	7	3	
54	Pellagra	2													1		1		
56	Rickets	4	3	1															
57	Diabetes mellitus	157		1				1	2	2	4	2	7	9	19	35	40	35	
58	Anemia, chlorosis	71	1			1		1	1	1	2	4		5	12	20	20	3	
60a	Exophthalmic goiter	5												3	1	1			
60b	Other diseases of the thyroid gland	2														2			
62	Diseases of the thymus gland	2	2																
63	Diseases of the adrenals (Addison's disease)	4														1	2	1	
65a	Leukemia	9			1						2			1	1	3	1		
65b	Hodgkin's disease	8								1	2		1			2	1	1	
66	Alcoholism (acute or chronic)	18										2	1	5	5	2	3		
67a	Chronic lead poisoning	9												3	2	1	3		
67b	Other chronic mineral poisoning	1														1			
68	Chronic poisoning by organic substances	2														1	1		
69	Other general diseases	29	22	1				2	1				1	1			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	1,518	41	15	1	2	3	7	7	8	4	10	12	38	113	252	409	596	
70	Encephalitis	5	1						1							1	1	1	
71a	Simple meningitis	22	12	3				1	1	1				1	1	2			
71b	Nonepidemic cerebrospinal meningitis	10	6			1		1					1			1			
72	Tabes dorsalis (locomotor ataxia)	29										1		2	6	6	12	2	
73	Other diseases of the spinal cord	35							1	1	1	1		2	4	16	5	4	
74a	Cerebral hemorrhage	1,157	1			1		1			1	4	7	16	67	189	349	521	
74b	Cerebral embolism and thrombosis	49	1							1				1	4	9	10	23	
75	Paralysis without specified cause	31							1						2	3	8	17	
76	General paralysis of the insane	45										1	2	6	15	10	5	6	
77	Other forms of mental alienation	9									1	1	1	1	2	3			
78	Epilepsy	20	1				1		1	4		1		2	3	1	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	1												1					
80	Infantile convulsions (under 5 years)	25	15	9	1														
82	Neuralgia and neuritis	3									1					1		1	
83	Softening of the brain	13														4	5	4	
84	Other diseases of the nervous system	43						2		1			1	5	6	4	10	14	
86a	Diseases of the ear	18	4	3			2	2	1					1	2	2	1		
86b	Diseases of the mastoid process	3							1			1			1				
	IV.—Diseases of the circulatory system	2,180	11	3	1		1	4	9	7	10	17	13	62	136	291	680	935	
87	Pericarditis	7										1		1	1	2	2		
88	Endocarditis and myocarditis (acute)	38	5	1			1		4	1	1		2	6	4	3	7	1	
89	Angina pectoris	250							1	1		1	1	9	25	42	92	78	
90	Other diseases of the heart	1,465	4	2	1			4	4	5	9	13	9	42	96	210	472	594	
91a	Aneurysm	9												1	3	1	3	1	
91b,c	Other diseases of the arteries	376												1	5	26	95	249	
92	Embolism and thrombosis (not cerebral)	24	2									1		2		4	9	6	
93	Diseases of the veins	8										1			1	3		3	
94	Diseases of the lymphatic system	2											1					1	
95	Hemorrhage without specified cause	2																2	
96	Other diseases of the circulatory system	1													1				
	V.—Diseases of the respiratory system	940	187	46	13	8	5	7	7	6	13	13	16	58	72	100	134	255	
97a	Diseases of the nasal fossae	1																1	
97b	Diseases of the nasal fossae annexa	3							1		1	1							
98	Diseases of the larynx	3		1										1			1		
99a	Acute bronchitis	44	18	2			1					1		2	1		4	15	
99b	Chronic bronchitis	19	1											1		1	3	13	
99c,d	Bronchitis (unspecified)	23	4		1										1	2		15	
100a	Broncho-pneumonia	353	104	22	9	4	2		3	1	5	2	3	11	23	26	43	95	
100b	Capillary bronchitis	8	5	1														2	
101a	Lobar pneumonia	376	39	18	3	2	2	7	2	5	5	8	11	34	39	61	73	67	
101b	Pneumonia (unspecified)	55	14	1								1	1	4	2	2	3	27	
102	Pleurisy	15		1					1		1		1	1	2	4	2	2	
103	Congestion and hemorrhagic infarct of the lung	15	1													1	2	11	
104	Gangrene of the lung	2												1				1	
105	Asthma	17		1		1					1			2	3	1	2	6	
107	Other diseases of the respiratory system (tuberculosis excepted)	6	1											1	1	2	1		
	VI.—Diseases of the digestive system	723	178	25	15	3	6	20	25	21	16	16	17	42	77	86	80	96	
108	Diseases of the mouth and annexa	4	1										1	1		1			
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	22		3	1	2		2	2	3	1	4			2		1	1	
110	Diseases of the esophagus	1															1		
111a	Ulcer of the stomach	41	2								1	2	1	2	5	14	7	7	
111b	Ulcer of the duodenum	5										1		2	1	1			
112	Other diseases of the stomach (cancer excepted)	64	11	1					3	1	1	1		2	8	10	8	18	
113	Diarrhea and enteritis (under 2 years)	163	145	18															
114	Diarrhea and enteritis (2 years and over)	32			7		1	1						1	2	3	7	10	
116	Diseases due to other intestinal parasites	1	1																
117	Appendicitis and typhlitis	124	2		5	1	3	11	19	15	9	5	9	12	16	11	6		
118a	Hernia	31			1					1					6	4	8	11	
118b	Intestinal obstruction	79	10	1	1		1	3		1	1	1	4	7	10	6	13	20	
119	Other diseases of the intestines	18	1	1							1	1	1			6	3	4	
120	Acute yellow atrophy of the liver	2															1	1	
122	Cirrhosis of the liver	32												4	6	7	10	5	
123	Biliary calculi	50									1		1	5	12	15	8	8	
124	Other diseases of the liver	33	2								1	1		3	4	6	5	11	
125	Diseases of the pancreas	3												2	1				
126	Peritonitis without specified cause	17	3	1			1	2	1					1	4	2	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	881	10		1	2	1	5	1	4	7	10	11	62	111	132	235	289	
128	Acute nephritis (including unspecified under 10 years)	34	4		1	1	1	2		1	1	1	1	7	4	3	4	3	
129	Chronic nephritis (including unspecified 10 years and over)	707						3		3	6	7	7	38	85	116	204	238	
131	Other diseases of the kidneys and annexa	28	6			1						1	1	3	5		6	5	
132	Calculi of the urinary passages	9										1		2	1	3	1	1	
133	Diseases of the bladder	14													2	2	3	7	
134	Diseases of the urethra, etc	1															1		
135	Diseases of the prostate	48														2	3	12	31
137	Cysts, other benign tumors of the ovary	4												1		1	1	1	
138	Salpingitis and pelvic abscess (female)	7							1				1	1	3		1		
139	Benign tumors of the uterus	25											1	7	8	4	2	3	
141	Other diseases of the female genital organs	4												3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	VIII.—The puerperal state	152							1	9	29	40	38	33	2				
143	Accidents of pregnancy	17									4	3	5	4	1				
144	Puerperal hemorrhage	18									4	7	6	1					
145	Other accidents of labor	29								1	4	5	10	9					
146	Puerperal septicemia	37								3	9	13	7	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	8										2	3	2	1				
148	Puerperal albuminuria and convulsions	42							1	5	7	10	7	12					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	51	6						2		1			2		2	11	27	
151	Gangrene	29									1						8	20	
152	Furuncle	3	1														1	1	
153	Acute abscess	10	3						1					2			1	3	
154	Other diseases of the skin and annexa	9	2						1							2	1	3	
	X.—Diseases of the bones and of the organs of locomotion	10	1					1	2					1		1	2	2	
155	Diseases of the bones (tuberculosis excepted)	9	1					1	2					1		1	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1																1	
	XI.—Malformations	112	99	4	2			1	1	1	4								
159a	Congenital hydrocephalus	12	6	3	1						2								
159b	Congenital malformations of the heart	65	58	1	1			1	1	1	2								
159c	Other congenital malformations	35	35																
	XII.—Early infancy	726	726																
160	Congenital debility, icterus, sclerema	136	136																
161a	Premature birth	428	428																
161b	Injury at birth	103	103																
162	Other diseases peculiar to early infancy	58	58																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	188														4	13	171	
	XIV.—External causes	685	16	14	17	14	16	39	31	38	48	38	31	74	76	66	66	101	
	Suicide	110							1	3	7	6	6	18	23	17	19	10	
165	By poisons (gas or corrosives excepted)	3												2		1			
166	By corrosive substances	4								1	1	1		1					
167	By poisonous gas	3										1		1			1		
168	By hanging or strangulation	30										1	1	4	3	5	9	7	
169	By drowning	11												1	3	4	1	2	
170	By firearms	53							1	2	6	3	4	7	16	5	8	1	
171	By cutting or piercing instruments	4											1	1		2			
172	By jumping from high places	2												1	1				
	Homicide	12	1	1						3	1		2	2		1	1		
197	By firearms	6								3	1			2					
199	By other means	6	1	1									2			1	1		
	Accidental or undefined	563	15	13	17	14	16	39	30	32	40	32	23	54	53	48	46	91	
175	Poisoning by food	6			1	1		1				1	1			1			
177	Other acute poisonings (gas excepted)	19		2	3	1	1	1			1		2	4	3	1			
178	Conflagration	34	2	3		6	2	1	2	1	1	2	1	5	1	1	3	3	
179	Burns (conflagration excepted)	31	1	2	6	1	3	2		1	1	1	1	4	2	2	1	3	
180	Mechanical suffocation	11	10											1					
181	Absorption of irrespirable, irritating, or poisonous gas	9		1							2			3	2		1		
182	Drowning	76		2	1	1	2	11	11	10	13	5	2	7	5	3	2	1	
183	Traumatism by firearms (except in war)	24						4	2	5	2	2	3	3	2		1		
184	Traumatism by cutting or piercing instruments	5			1			1								1	2		
185	Traumatism by fall	116		1	2		2		2	1	1	2	1	5	6	9	14	70	
186b	Traumatism in quarries	2													1	1			
187	Traumatism by machines	27				1			1	4	4	1	1	1	4	6	1	3	
188a	Railroad accidents	25					1	1			1	2	3	1	7	6	3		
188b	Street-car accidents	3						1			1							1	
188c	Automobile accidents	91	1		2	2	4	12	6	3	7	6	5	14	10	9	7	3	
188e,f	Injuries by other vehicles	18					1	2	3			1		1	3	1	4	2	
188g	Landslide, other crushing	7									2	1	1		1	1		1	
189	Injuries by animals (not poisoning)	3			1												1	1	
193	Excessive cold	5												1	1	2	1		
194	Excessive heat	1												1					
195	Lightning	1								1									
196	Other accidental electric shocks	9							1	1	1	3	2	1					
201	Fracture (cause not specified)	5						1		1							1	2	
202	Other external violence	35	1	2		1		1	2	4	3	5		2	5	4	4	1	
	XV.—Ill-defined diseases	122	42	6	1	1	1	1				1		9	9	11	26	14	
204	Sudden death	20	5				1								2	2	7	3	
205a	Ill-defined	45	6	4	1	1		1				1		5	3	7	9	7	
205b	Not specified or unknown	57	31	2										4	4	2	10	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND																		
	All causes—White	15,915	2,098	320	155	111	83	262	201	304	386	416	468	1,200	1,696	2,351	3,007	2,841	16
	All causes—Colored	5,059	886	181	49	29	25	75	88	197	248	210	251	634	777	585	440	363	21
	I.—Epidemic, endemic, and infectious diseases—White	1,936	178	88	57	39	25	76	44	88	156	163	123	285	234	186	131	62	1
	I.—Epidemic, endemic, and infectious diseases—Colored	1,099	102	51	14	8	7	31	44	105	134	93	97	179	124	74	26	8	2
1	Typhoid and paratyphoid fever—W	51	1					5	6	9	7	2	2	6	7	3	3		
	Typhoid and paratyphoid fever—C	46	1					7	9	4	9	3	1	4	5	1		1	1
5	Malaria—W	3														1	1	1	
7	Measles—W	42	11	17	7	1		4		1							1		
	Measles—C	12	4	4	2		1		1										
8	Scarlet fever—W	41	1	3	3	7	3	13	3	1	5		1			1			
	Scarlet fever—C	4	1			1			1			1							
9	Whooping cough—W	92	59	15	9	6		2										1	
	Whooping cough—C	56	28	23	3	1	1												
10	Diphtheria—W	109	9	18	21	15	11	22	9		2			1		1			
	Diphtheria—C	9	1		1	1	2	4											
11a	Influenza (with pulmonary complications)—W	123	15	8	5	2	1	5	4	1	2	6	5	6	17	19	14	13	
	Influenza (with pulmonary complications)—C	43	12	3	1			1	1	1	1	2	6	4	5	4	2		
11b	Influenza (other and unspecified)—W	58	4	4	1	1		3	3	2		1		2	9	4	11	13	
	Influenza (other and unspecified)—C	37	4	2	1					1		1	3	5	8	5	5	2	
13	Mumps—W	1																1	
15	Cholera nostras—W	4					1								1		2		
	Cholera nostras—C	1					1												
16	Dysentery—W	33	21	3				1				1		2		1	2	2	
	Dysentery—C	7	4	1								1					1		
21	Erysipelas—W	31	9									1	1	3	2	3	8	4	
	Erysipelas—C	3									1			1		1			
22	Acute anterior poliomyelitis—W	18	3	2		2	3	2	2	1			1	1	1				
	Acute anterior poliomyelitis—C	3		2					1										
23	Lethargic encephalitis—W	33		4				1		1	2	3	1	9	6	6			
	Lethargic encephalitis—C	7		2		1						1		3					
24	Meningococcus meningitis—W	14	4			1	2	2	2	1		1			1				
	Meningococcus meningitis—C	1		1															
25	Other epidemic and endemic diseases—W	4		2	1													1	
	Other epidemic and endemic diseases—C	1				1													
26	Glanders—W	1													1				
29	Tetanus—W	15	1		1		1	3	2					3	2	1	1		
	Tetanus—C	7			1			1	1	1			1		1	1			
30	Mycoses—W	1													1				
	Mycoses—C	1	1																
	Tuberculosis (all forms)—W	1,156	26	11	9	4	3	11	11	64	136	140	108	234	164	130	83	21	1
	Tuberculosis (all forms)—C	691	17	11	5	3	2	18	28	95	117	78	70	119	65	45	14	4	
31	Of the respiratory system—W	1,021	7	5	1			5	5	52	128	130	101	222	153	117	74	20	1
	Of the respiratory system—C	620	12	4	2	2	1	12	23	84	112	73	63	111	61	42	14	4	
32	Of the meninges, central nervous system—W	52	11	4		3	3	5	4	3	5	2		4	1				
	Of the meninges, central nervous system—C	17	1	3	1	1		2	1	3	1	1	3						
33	Of the intestines, peritoneum—W	30	1						1	5		3	1	3	5	6	5		
	Of the intestines, peritoneum—C	19						2	1	3	2	2	1	5	1	2			
34	Of the vertebral column—W	15				1		1		1			2	2	2	4	2		
	Of the vertebral column—C	8		1					2	2			1	2					
35	Of the joints—W	3							1			1		1					
36	Of other organs—W	15		1						1		1	3	2	3	2	2		
	Of other organs—C	5					1	1		1					2				
37a	Disseminated (acute)—W	16	7	1	1					1	2	2				1		1	
	Disseminated (acute)—C	17	3	3	2					1	2	2	2	1	1				
37b	Disseminated (chronic or unspecified)—W	4								1	1	1	1						
	Disseminated (chronic or unspecified)—C	5	1					1	1	1						1			
38	Syphilis—W	74	14							3		3	2	13	18	14	4	3	
	Syphilis—C	148	27	1					2	3	4	5	15	38	35	13	3	1	1
40	Gonococcus infection—W	13								3	1	3	2	3		1			
	Gonococcus infection—C	16	1								2		1	4	5	2	1		
41	Purulent infection, septicemia—W	18		1				2	1	1	1	2		2	4	1	1	2	
	Purulent infection, septicemia—C	6	1	1								1		1		2			
42	Other infectious diseases—W	1							1										
	II.—General diseases not included in Class I.—White	1,979	17	4	4	6	4	26	20	18	24	23	39	165	368	505	502	253	1
	II.—General diseases not included in Class I.—Colored	333	8	4		1	2	3	7	10	6	9	16	64	97	52	38	15	1
	Cancer and other malignant tumors—W	1,383	1		2	2		5	7	2	9	11	26	119	265	367	368	199	
	Cancer and other malignant tumors—C	202						1			1	9	7	41	70	34	28	11	
43	Of the buccal cavity—W	45								1				2	4	12	19	7	
	Of the buccal cavity—C	6												1	4		1		
44	Of the stomach, liver—W	493										1	3	27	94	138	149	81	
	Of the stomach, liver—C	67										2	1	15	24	8	13	4	
45	Of the peritoneum, intestines, rectum—W	162								1	2	1	7	9	26	53	45	18	
	Of the peritoneum, intestines, rectum—C	26										2	2	2	8	7	4	1	
46	Of the female genital organs—W	179									3	1	8	31	52	36	35	13	
	Of the female genital organs—C	57										4	2	14	19	11	6	1	
47	Of the breast—W	154										2	5	18	32	43	32	22	
	Of the breast—C	18												3	10	3	1	1	
48	Of the skin—W	37	1								1	1		2	6	6	6	14	
	Of the skin—C	1														1			
49	Of other or unspecified organs—W	313			2	2		5	7		3	5	3	30	51	79	82	44	
	Of other or unspecified organs—C	27						1			1	1	2	6	5	4	3	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)—W	10							1					3	2	1	1	2	
51	Acute rheumatic fever—W	56				2		10	8	7	6	1	2	4	6	5	3	1	1
	Acute rheumatic fever—C	30					1	2	3	6	2		3	4	5	1	1	2	
52	Chronic rheumatism, osteoarthritis, gout—W	24									1	1		1	2	4	7	8	
	Chronic rheumatism, osteoarthritis, gout—C	2														1	1		
54	Pellagra—W	2													1	1			
	Pellagra—C	1									1								
56	Rickets—W	8	4	2		1		1											
	Rickets—C	7	2	4		1													
57	Diabetes mellitus—W	267						1	3	5	4	3	2	11	29	78	96	35	
	Diabetes mellitus—C	34							2	1			2	5	10	7	5	1	1
58	Anemia, chlorosis—W	63	2	1				3	1	2	1			5	10	19	16	3	
	Anemia, chlorosis—C	9					1			1	1			2		2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	II.—General diseases not included in Class I—Continued																		
60a	Exophthalmic goiter W	41						1		2	1	3	1	3	17	9	1	3	
	C	8											4	1	2	1			
60b	Other diseases of the thyroid gland W	3						1							2				
61	Diseases of the parathyroid glands W	1	1																
62	Diseases of the thymus gland W	4	3				1												
	C	2	2																
63	Diseases of the adrenals (Addison's disease) W	3												1	1	1			
64	Diseases of the spleen C	1								1									
65a	Leukemia W	33	1	1	2	1	2	4			2	2	2	2	6	7		1	
	C	6							1		1			1	2	1			
65b	Hodgkin's disease W	13											2	2	2	3	4		
	C	4							1					1		1	1		
66	Alcoholism (acute or chronic) W	58										2	4	14	23	9	6		
	C	22								1				8	8	4	1		
67a	Chronic lead poisoning W	1														1			
68	Chronic poisoning by organic substances W	2													1			1	
	C	1												1					
69	Other general diseases W	7	5				1								1				
	C	4	4																
	III.—Diseases of the nervous system and of the organs of special sense White	1,980	51	22	5	9	3	15	13	16	11	20	33	99	205	385	572	520	1
	Colored	501	24	6	2		1	3	3	4	4	4	8	45	120	111	82	80	4
70	Encephalitis W	17	1	1	1			3	1	3		2		1	2	1	1		
	C	1						1											
71a	Simple meningitis W	29	6	5	1	3	1	4	2	1				1	2	1	2		
	C	10	4					2	1	1					1	1			
71b	Nonepidemic cerebrospinal meningitis W	4	1						1						1	1			
	C	2		1	1														
72	Tabes dorsalis (locomotor ataxia) W	16												2	4	5	4	1	
	C	1														1			
73	Other diseases of the spinal cord W	41				2				1	3			3	6	10	5	11	
	C	8								1				2	2		2	1	
74a	Cerebral hemorrhage W	1,409	1							2	4	5	6	39	150	301	473	427	1
	C	364		1							3	1	5	29	96	96	69	61	3
74b	Cerebral embolism and thrombosis W	40	1									1	1	2	5	6	12	12	
	C	5												1	2		1	1	
75	Paralysis without specified cause W	111	1						1			1	1	1	3	19	36	48	
	C	36											1	1	4	8	7	15	
76	General paralysis of the insane W	87									1	2	16	22	15	18	10	3	
	C	29										3	2	7	11	5	1		
77	Other forms of mental alienation W	6												2	1	2	1		
	C	2												1	1				
78	Epilepsy W	47						1	4	4		4	5	12	7	3	4	3	
	C	9	1	1			1			1				1	2		1		1
79	Convulsions (nonpuerperal; 5 years and over) W	1															1		
80	Infantile convulsions (under 5 years) W	40	32	6		1	1												
	C	20	17	2	1														
81	Chorea W	1								1									
82	Neuralgia and neuritis W	6								1				1	1	1	1	1	
83	Softening of the brain W	13													1	3	3	6	
84	Other diseases of the nervous system W	66	2		1	1	1	2		2	2	3	4	8	6	12	14	8	
	C	9	1						2	1				1	1		1	2	
85	Diseases of the eye and annexa W	2				1			1										
86a	Diseases of the ear W	31	6	9	1			4	2		1	1		3	1		3		
	C	4	1	1							1			1					
86b	Diseases of the mastoid process W	13		1	1	1		1	1	1		1		2		2	2		
	C	1												1					
	IV.—Diseases of the circulatory system White	2,790	10	4	1	4	1	15	24	29	27	34	38	127	270	529	798	877	2
	Colored	691	6	3	1			4	7	14	11	13	17	85	152	137	126	111	4
87	Pericarditis W	6						1			1			1		1	1	1	
	C	4							1					3					
88	Endocarditis and myocarditis (acute) W	65	1	1		2		4		1	5	9	4	11	7	4	12	4	
	C	19		1					1	4		1	1	6	3		1	1	
89	Angina pectoris W	178							1	1			4	7	33	56	52	24	
	C	31								1	1			5	12	8	2	2	
90	Other diseases of the heart W	2,209	7	3	1	2	1	10	21	26	20	22	28	103	205	430	639	689	2
	C	558	5	2	1			4	5	9	10	12	16	69	125	118	95	84	3
91a	Aneurysm W	16												1	4	4	6	1	
	C	4												1	2		1		
91b,c	Other diseases of the arteries W	272													13	24	82	153	
	C	72												1	10	11	26	23	1
92	Embolism and thrombosis (not cerebral) W	26	1						1	1		1		1	6	7	4	4	
	C	1																1	
93	Diseases of the veins W	11							1			2	2	1	1	2	2		
94	Diseases of the lymphatic system W	3												1	1			1	
95	Hemorrhage without specified cause W	4	1								1			1		1			
	C	2	1														1		
	V.—Diseases of the respiratory system White	1,623	329	94	40	22	14	29	15	27	22	28	37	96	163	161	252	294	
	Colored	692	199	70	16	10	4	11	10	16	24	30	26	70	73	60	38	31	4
97a	Diseases of the nasal fossae W	1																1	
	C	5	3	2															
97b	Diseases of the nasal fossae annexa W	2								1						1			
	C	1														1			
98	Diseases of the larynx W	9	3	2		1	1								2				
99a	Acute bronchitis W	38	13					1							1	3	5	15	
	C	22	11	3	2	2						1			1	1	1	1	
99b	Chronic bronchitis W	47	2												2	1	11	31	
	C	7	2										1	1		1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	V.—Diseases of the respiratory system—Continued																			
99c,d	Bronchitis (unspecified)	W	19	6									1				1	3	8	
		C	9	4	2		1				1								1	
100a	Broncho-pneumonia	W	744	233	69	19	11	6	11	7	8	6	13	7	25	50	47	96	136	
		C	286	131	42	7	2	2	2	3	1	1	8	3	9	18	19	21	15	2
100b	Capillary bronchitis	W	19	11	1	2		1										1	3	
		C	12	6	2	2		1								1				
101a	Lobar pneumonia	W	635	47	20	18	10	3	16	6	15	15	13	26	62	92	99	118	75	
		C	310	34	15	4	3	1	8	7	14	23	20	20	55	49	36	12	8	1
101b	Pneumonia (unspecified)	W	20	8					1		1				2	3	1	2	2	
		C	17	6	2	1	2												3	1
102	Pleurisy	W	35	4	2	1		3			1	1	1	3	2	5	2	6	4	
		C	6	1	1								1		2				1	
103	Congestion and hemorrhagic infarct of the lung	W	20	2						1					1			5	11	
		C	3	1													1		1	
104	Gangrene of the lung	W	2											1	1					
105	Asthma	W	18												1	4	5	3	5	
		C	8						1						3	1	1	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	14							1	1				2	4	1	2	3	
		C	6		1										2	2		1		
	VI.—Diseases of the digestive system	White	1,224	414	82	21	8	12	28	21	26	21	27	33	109	102	108	120	90	2
		Colored	387	164	31	8	4	4	3	7	12	16	12	13	34	38	15	19	6	1
108	Diseases of the mouth and annexa	W	7	1		1								2			1	1	1	
		C	3											1				2		
109b	Other diseases of the pharynx, tonsils	W	38	1	1		3	3	7	1	8	3	2	4	1	1	2		1	
		C	11	3		1			1		1	1	1		1			1	1	
111a	Ulcer of the stomach	W	43										3	2	15	9	4	8	2	
		C	12										1		3	7	1			
111b	Ulcer of the duodenum	W	20									2	2	1	8	4	1	1	1	
		C	2								1		1							
112	Other diseases of the stomach (cancer excepted)	W	75	21	3	2		1		1	1		1		8	8	10	10	9	
		C	36	5	1		1			1	1	2	3	2	7	6	3	2	1	1
113	Diarrhea and enteritis (under 2 years)	W	448	376	72															
		C	178	150	28															
114	Diarrhea and enteritis (2 years and over)	W	77			13	2	3	4	1	3		3	1	4	3	6	13	21	
		C	31			4	3	2	1				2	2	4	10		3		
116	Diseases due to other intestinal parasites	C	2			1					1									
117	Appendicitis and typhlitis	W	147	2	4	3	2	1	13	14	8	10	7	15	28	16	12	7	5	
		C	29					1		4	2	4	2	6	6	2	1		1	
118a	Hernia	W	54									1	2	1	5	4	10	12	18	1
		C	11												1	5		4	1	
118b	Intestinal obstruction	W	84	10	2	1	1	1	1	1	1	1	2	2	9	12	12	22	6	
		C	31	4				1			4	5		1	4	5	2	3	2	
119	Other diseases of the intestines	W	8								2	1					1	2	1	
		C	6	1	1	1				1	1				1		1			
120	Acute yellow atrophy of the liver	W	7								1	1			3	1		1		
122	Cirrhosis of the liver	W	95					1	1				1	1	13	16	24	25	13	
		C	9							1					1	3	2	2		
123	Biliary calculi	W	42											2	4	15	8	7	6	
		C	4												2		1	1		
124	Other diseases of the liver	W	53	1				1		2	2	2	1	2	6	8	16	9	3	
		C	10									3	1		4		2			
125	Diseases of the pancreas	W	11										2		3	4	1		1	
		C	1														1			
126	Peritonitis without specified cause	W	15	2		1		1	2	1			1		1	1		2	2	1
		C	11	1	1	1			1		1	1	1	1	1		1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,799	8	5	4	2	2	12	6	10	11	25	37	108	209	339	501	519	1
		Colored	534	10					2	1	4	7	15	21	75	126	98	91	79	5
128	Acute nephritis (including unspecified under 10 years)	W	94	3	5	3	2	1	4	4	1	3	7	4	15	11	13	10	8	
		C	48	8					1		3	1	3	5	13	6	6		2	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,538						7	1	8	7	13	26	79	170	296	455	475	1
		C	447						1	1	1	6	8	15	56	109	86	86	73	5
131	Other diseases of the kidneys and annexa	W	35	5		1		1		1	1		2	1	1	7	7	4	4	
		C	6	2									2				1	1		
132	Calculi of the urinary passages	W	14						1					1	1	2	4	4	1	
		C	2													1	1			
133	Diseases of the bladder	W	6															3	3	
		C	1													1				
134	Diseases of the urethra, etc	W	5														1	2	2	
		C	1																1	
135	Diseases of the prostate	W	58													2	11	20	25	
		C	11													1	3	4	3	
136	Nonvenereal diseases of the male genital organs	W	1													1				
		C	1													1				
137	Cysts, other benign tumors of the ovary	W	9										1			6	2			
		C	2											1		1				
138	Salpingitis and pelvic abscess (female)	W	8									1	2	4	1					
		C	5										1		2	2				
139	Benign tumors of the uterus	W	22											1	9	6	2	3	1	
		C	9										1		4	4				
140	Nonpuerperal uterine hemorrhage	W	1													1				
141	Other diseases of the female genital organs	W	8												2	3	3			
		C	1														1			
	VIII.—The puerperal state	White	157								18	31	28	39	39	2				
		Colored	70							1	13	11	11	16	16	2				
143	Accidents of pregnancy	W	13								1		3	2	7					
		C	8										3	2	3					
144	Puerperal hemorrhage	W	20								2	2	1	6	9					
		C	8									1	3	2	1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	VIII.—The puerperal state—Contd.																		
145	Other accidents of labor	W 15								1	4	2	5	2	1				
		C 3								1	1			1					
146	Puerperal septicemia	W 70								10	20	15	16	8	1				
		C 38								9	9	4	10	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	W 4								1	1			2					
		C 2												2					
148	Puerperal albuminuria and convulsions	W 34								3	3	7	10	11					
		C 11							1	3		1	2	3	1				
149	Following childbirth (undefined)	W 1									1								
	IX.—Diseases of the skin and of the cellular tissue	White 39	12					1			3		2	3	1	2	3	12	
		Colored 15	1									2			3	3	3	3	
151	Gangrene	W 11						1									1	9	
		C 9										1			1	2	3	2	
152	Furuncle	W 2	1								1					1			
		C 1																	
153	Acute abscess	W 18	5								1		2	3	1	2	2	2	
		C 1													1				
154	Other diseases of the skin and annexa	W 8	6								1							1	
		C 4	1									1			1			1	
	X.—Diseases of the bones and of the organs of locomotion	White 28	1	1	4	1	1	3	6	1	1	1	1	1	2	1	2	1	
		Colored 6							1		1		1	2		1			
155	Diseases of the bones (tuberculosis excepted)	W 27	1	1	4	1	1	3	6	1	1	1	1	1	1	1	2	1	
		C 5							1		1		1	2					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 1													1				
		C 1														1			
	XI.—Malformations	White 197	190	1	2	2	1	1											
		Colored 42	39	1	1			1											
159a	Congenital hydrocephalus	W 15	13	1	1														
		C 9	8					1											
159b	Congenital malformations of the heart	W 132	129		1	2													
		C 24	23	1															
159c	Other congenital malformations	W 50	48				1	1											
		C 9	8		1														
	XII.—Early infancy	White 828	828																
		Colored 292	292																
160	Congenital debility, icterus, sclerema	W 83	83																
		C 50	50																
161a	Premature birth	W 544	544																
		C 181	181																
161b	Injury at birth	W 106	106																
		C 26	26																
162	Other diseases peculiar to early infancy	W 93	93																
		C 33	33																
163	Lack of care	W 2	2																
		C 2	2																
164	XIII.—Old age (senility)	White 99															10	89	
		Colored 23															2	21	
	XIV.—External causes	White 1,165	23	17	16	18	20	56	51	71	79	67	84	166	137	132	106	115	7
		Colored 311	9	6	7	6	7	16	7	19	34	20	36	58	36	31	14	5	
	Suicide	W 148								3	13	16	14	26	24	38	13	1	
		C 8											1	5		2			
165	By poisons (gas or corrosives excepted)	W 9									1	1	3	1	1	2			
		C 1												1					
166	By corrosive substances	W 9									2	1		2	1	3			
167	By poisonous gas	W 25										1	1	3	8	10	2		
		C 2												1		1			
168	By hanging or strangulation	W 21								1	1	2	2	3	4	7	1		
169	By drowning	W 5								1		3				1			
		C 1														1			
170	By firearms	W 59								1	9	7	4	12	7	9	10		
		C 3											1	2					
171	By cutting or piercing instruments	W 7												1	1	4		1	
		C 1												1					
172	By jumping from high places	W 8											2	4	1	1			
173	By crushing	W 2																	
174	By other means	W 3											1		1				
	Homicide	W 57	2	1						4	6	1	1	1	9	4	4	1	1
		C 62								5	12	6	13	15	8	3			
197	By firearms	W 34								3	3	1	9	7	7	1	3		
		C 37								1	8	5	6	11	5	1			
198	By cutting or piercing instruments	W 3												1	1	1			
		C 13								3	3		3	4					
199	By other means	W 20	2	1						1	3		2	5	1	2	1	1	1
		C 12								1	1	1	4		3	2			
	Accidental or undefined	W 960	21	16	16	18	20	56	51	64	60	50	59	127	104	90	89	113	6
		C 241	9	6	7	6	7	16	7	14	22	14	22	38	28	26	14	5	
175	Poisoning by food	W 12	2	1					3						2	1	2	1	
		C 9		2		1		1					1	2	1	1			
176	Poisoning by venomous animals	W 1											1						
177	Other acute poisonings (gas excepted)	W 20	2	2		1	1		1	2	3	3		3	1		1		
		C 9		2						1	1		1	3		1			
178	Conflagration	W 18	1	1					2	3	2	1		2	1	2	2		1
		C 9					1	1	2		1		1			2	1		
179	Burns (conflagration excepted)	W 80	1	4	8	11	4	9	3	10	3	1		6	7	5	3	5	
		C 40		1	3	2	3	4	1	2	5	1	2	3	4	4	4	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
180	Mechanical suffocation W	12	10											2					
	C	7	6	1															
181	Absorption of irrespirable, irritating, or poisonous gas W	60	1	2			1		2		4	4	4	8	16	12	4	2	
	C	3												3					
182	Drowning W	107		2	3	3	1	6	9	8	8	8	14	17	17	6	2	2	1
	C	28			1		1	1	2	5	5	4	2	1	3	3			
183	Traumatism by firearms (except in war) W	20			1		1	1	5	6	1	1	1	2	1				
	C	10							1	2	1	2	2	1		1			
184	Traumatism by cutting or piercing instruments W	5								1				2	1	1			
185	Traumatism by fall W	178		2	2		2	4		5	5	4	6	13	15	16	31	72	1
	C	26	1		1	1						2	3	6	5	2	4	1	
186a	Traumatism in mines W	10								1	3	1	1	1	1		2		
186b	Traumatism in quarries W	3										1			1		1		
	C	2											1		1				
187	Traumatism by machines W	27						1	3	1	4	1	2	6	5	2	1	1	
	C	5									2	1		1	1				
188a	Railroad accidents W	68						2	2	5	3	8	8	15	7	9	5	1	3
	C	8								1	1		1	1	3	1			
188b	Street-car accidents W	24				1	1	1			2		2	4	1	2	7	3	
	C	2												1		1			
188c	Automobile accidents W	202	1	2		2	9	29	17	10	14	10	14	29	17	22	18	8	
	C	44				1	2	8	1	3	2	4	4	9	3	4	2	1	
188d	Airplane and balloon accidents W	1									1								
188e,f	Injuries by other vehicles W	20						1	2	3	1	1	1	6		1	4		
	C	4									1		1		1	1			
188g	Landslide, other crushing W	10								1	2			4	3				
	C	3												2		1			
189	Injuries by animals (not poisoning) W	3												2			1		
	C	1																1	
193	Excessive cold W	3													1	2			
	C	3												1		2			
194	Excessive heat W	8	1									2			1		1	3	
	C	4												2	2				
195	Lightning W	3								1			1			1			
	C	2											1		1				
196	Other accidental electric shocks W	12							1	3	1	2	3	1	1				
	C	2		1									1						
201	Fracture (cause not specified) W	13								1	1			1		1		9	
	C	2															1	1	
202	Other external violence W	40	2		2			2	1	3	2	2	1	3	5	7	4	6	
	C	18	2		1	1		1			3		1	2	3	2	2		
	XV.—Ill-defined diseases White	71	37	2	1				1				2	2	3	3	10	9	1
	Colored	63	32	9				1				1		6	6	3	1	4	
204	Sudden death W	7	3												1	1	2		
	C	6												2	3			1	
205a	Ill-defined W	24	5	1	1								2		2	1	7	5	
	C	23	5	6								1		4	2	2	1	2	
205b	Not specified or unknown W	40	29	1					1					2		1	1	4	1
	C	34	27	3				1							1	1		1	
	MASSACHUSETTS																		
	All causes	49,358	6,188	978	496	351	319	959	592	841	1,135	1,308	1,457	3,763	5,478	7,547	8,817	9,117	12
	I.—Epidemic, endemic, and infectious diseases	5,447	445	315	181	148	138	277	143	279	487	469	408	772	606	447	216	116	
1	Typhoid and paratyphoid fever	70	1					1	7	6	13	6	2	14	14	4	2		
5	Malaria	1																1	
6	Smallpox	2		1												1			
7	Measles	171	59	54	13	9	8	20	1	4			1		1			1	
8	Scarlet fever	161	8	26	17	22	15	38	8	8	5	7	4	1		2			
9	Whooping cough	155	100	31	15	5	3	1											
10	Diphtheria	529	42	70	84	62	72	140	31	5	3	6	5	5	2	2			
11a	Influenza (with pulmonary complications)	219	18	15	4	3	1	4	1	1	1	5	9	30	31	40	27	29	
11b	Influenza (other and unspecified)	100	10	2	5	1	1	1	5		5	2	3	12	8	9	15	21	
13	Mumps	9	2			1		3	1	1			1						
15	Cholera nostras	2				1												1	
16	Dysentery	16	3	2		2								2	1		3	3	
19	Spirochetal hemorrhagic jaundice	3			1						1			1					
21	Erysipelas	109	31						1	1		3	2	10	15	13	16	17	
22	Acute anterior poliomyelitis	24		5	1	2	3	3	5	1	1	1		2					
23	Lethargic encephalitis	58	1		1	1	5	2	5	4	3	5	4	9	10	6	2		
24	Meningococcus meningitis	62	23	7	1	7	3	5	5	1	2		1	2	5				
25	Other epidemic and endemic diseases	13	6	3	1			2	1										
27	Anthrax	2											1	1					
28	Rabies	1													1				
29	Tetanus	28	6					3	4	1	1		2	2	1	5	3		
30	Mycoses	7		1									2	2		1		1	
	Tuberculosis (all forms)	3,513	89	98	37	32	26	50	65	243	441	427	361	652	476	337	139	40	
31	Of the respiratory system	2,981	31	17	8	2	4	17	40	214	407	383	331	608	443	312	129	35	
32	Of the meninges, central nervous system	242	40	61	20	26	15	22	7	5	8	17	7	6	5	2	1		
33	Of the intestines, peritoneum	110	8	12	4	2	1	5	7	11	8	9	7	16	8	6	3	3	
34	Of the vertebral column	47	1	4		1	2	3	3	4	6	5	1	8	4	4		1	
35	Of the joints	19					3	1	1	2	2		4	1	1	3		1	
36	Of other organs	45	3	1				1	3	3	4	4	6	4	8	4	4		
37a	Disseminated (acute)	59	5	2	5	1	1	1	3	3	6	8	5	7	5	6	1		
37b	Disseminated (chronic or unspecified)	10	1	1					1	1		1		2	2		1		
38	Syphilis	152	35				1	1	2		7	6	7	25	37	24	6	1	
40	Gonococcus infection	16	4							1	3	1	3	1	2		1		
41	Purulent infection, septicemia	24	7		1			3	1	2	1			1	2	3	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	II.—General diseases not included in Class I	7,136	224	27	18	16	12	55	44	47	53	86	135	609	1,238	1,825	1,758	989	
	Cancer and other malignant tumors	5,052	7	6	4	4	2	14	6	6	10	39	68	404	912	1,367	1,384	819	
43	Of the buccal cavity	198						1						9	32	64	62	30	
44	Of the stomach, liver	1,680	2								1	6	19	99	269	459	534	291	
45	Of the peritoneum, intestines, rectum	895	1			1	1	1				8	11	66	132	234	253	187	
46	Of the female genital organs	681								1	2	5	15	105	179	184	126	64	
47	Of the breast	542										5	8	59	125	149	112	84	
48	Of the skin	90		1				1					1	7	9	11	26	34	
49	Of other or unspecified organs	966	4	5	4	3	1	11	6	5	7	15	14	59	166	266	271	129	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	40	3		1					1	3	1	1	5	1	6	11	7	
51	Acute rheumatic fever	108	1		1	4	2	20	20	7	4	1	5	10	7	12	9	3	
52	Chronic rheumatism, osteoarthritis, gout	54								2	1	1	2	5	8	8	18	9	
53	Scurvy	1	1																
54	Pellagra	12										1	1	3	4	1	1	1	
56	Rickets	18	14	3				1											
57	Diabetes mellitus	763	1		1		1	7	10	14	12	12	6	34	118	239	202	106	
58	Anemia, chlorosis	335	4	1			1	3		2	3	5	6	29	69	93	89	30	
59	Diseases of the pituitary gland	3		1										1				1	
60a	Exophthalmic goiter	47							2	2	2	3	2	7	11	9	9		
60b	Other diseases of the thyroid gland	13	1								1			2	5	2	1	1	
61	Diseases of the parathyroid glands	2	1		1														
62	Diseases of the thymus gland	113	88	6	1	3	2	5	2	3	1	1		1					
63	Diseases of the adrenals (Addison's disease)	18									1	1		1	6	5	1	3	
64	Diseases of the spleen	8	1			1					1		1	2	1	1			
65a	Leukemia	71	1		5	2	2	3	1	6	4	6	1	11	4	14	8	3	
65b	Hodgkin's disease	48	1					1	2	2	2	5	12	6	5	8	3	1	
66	Alcoholism (acute or chronic)	269								1	3	9	25	82	77	53	17	2	
67a	Chronic lead poisoning	12				1							1	1	5	3	1		
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	6										1	1	1		1	1	1	
69	Other general diseases	144	100	10	4	1	2	1	1	1	5		3	4	4	3	3	2	
	III.—Diseases of the nervous system and of the organs of special sense	5,987	132	53	27	19	13	44	45	38	54	61	64	312	695	1,116	1,610	1,704	
70	Encephalitis	38	2	4	3	1		4	2		5	2	2	8	1	3	1		
71a	Simple meningitis	92	25	10	4	5	2	6	7	3	5	2	3	7	5	6	1	1	
71b	Nonepidemic cerebrospinal meningitis	20	9	3	1			2	1	1	1		1			1			
72	Tabes dorsalis (locomotor ataxia)	83							1		1			7	13	30	21	10	
73	Other diseases of the spinal cord	117		1	1		1	3	1	3	6	5	2	10	17	21	31	15	
74a	Cerebral hemorrhage	4,447	2	2	3	1	1		1	4	5	13	14	130	453	888	1,412	1,518	
74b	Cerebral embolism and thrombosis	150	3					1			2	1	1	5	12	37	37	51	
75	Paralysis without specified cause	114							1			1	1	1	11	17	39	43	
76	General paralysis of the insane	259							1	1	1	4	11	79	95	40	18	9	
77	Other forms of mental alienation	24									1	4	1	6	3	5	2	2	
78	Epilepsy	144	1	1		3	2	8	8	15	11	12	9	16	28	16	10	4	
80	Infantile convulsions (under 5 years)	80	60	12	5	2	1												
81	Chorea	2							1								1		
82	Neuralgia and neuritis	6								1			1	1	1	1		1	
83	Softening of the brain	21														4	4	13	
84	Other diseases of the nervous system	248	4	3	4	3	3	7	11	4	13	11	9	33	46	34	30	33	
85	Diseases of the eye and annexa	2					1									1			
86a	Diseases of the ear	98	21	11	4	3	2	9	8	4	2	5	6	8	4	6	2	3	
86b	Diseases of the mastoid process	42	5	6	2	1		4	2	2	1	1	3	1	6	6	1	1	
	IV.—Diseases of the circulatory system	11,315	59	14	6	8	12	67	85	120	91	110	142	545	1,072	2,048	3,044	3,891	1
87	Pericarditis	27	2					1	1	3			2	6	4	1	4	3	
88	Endocarditis and myocarditis (acute)	321	32	6	3	4	3	27	23	16	18	13	20	63	35	26	19	13	
89	Angina pectoris	657		1									2	23	71	172	225	163	
90	Other diseases of the heart	8,173	18	5	3	3	9	37	60	99	71	96	114	416	861	1,599	2,212	2,570	
91a	Aneurysm	59									2			9	17	13	15	3	
91b,c	Other diseases of the arteries	1,946											1	16	64	209	541	1,114	1
92	Embolism and thrombosis (not cerebral)	84	2	1								1	1	6	13	18	20	22	
93	Diseases of the veins	33	1							1			2	3	6	10	7	3	
94	Diseases of the lymphatic system	11	4	1		1		1		1				2	1				
95	Hemorrhage without specified cause	4						1	1					1			1		
	V.—Diseases of the respiratory system	4,702	1,010	321	112	56	38	94	31	52	62	80	138	328	432	533	594	821	
97a	Diseases of the nasal fossae	8	1	1						1	1	1	1		1			1	
97b	Diseases of the nasal fossae annexa	16						2		1		2	1	6	3	1			
98	Diseases of the larynx	19	4	4	3	2	1	2						2	1				
99a	Acute bronchitis	164	72	20	3			1		1	5			2	4	6	7	43	
99b	Chronic bronchitis	112	5	1							1		2	2	5	17	27	52	
99c,d	Bronchitis (unspecified)	81	25	6	2		1	1		1			1	1		3	13	27	
100a	Broncho-pneumonia	2,141	712	209	65	31	23	43	13	13	10	19	28	68	105	164	240	398	
100b	Capillary bronchitis	32	14	3	5	2		1								2	2	3	
101a	Lobar pneumonia	1,860	145	57	27	18	13	36	15	31	39	53	93	224	278	312	271	248	
101b	Pneumonia (unspecified)	42	8	1					1		2	1	1	4	5	2	6	11	
102	Pleurisy	115	18	18	3	2		6	1	3	3	1	5	11	14	8	9	13	
103	Congestion and hemorrhagic infarct of the lung	33	4		2			1		1					1	1	6	17	
104	Gangrene of the lung	11									1			2	1	2	2	1	
105	Asthma	32											1	2	8	9	8	4	
106	Pulmonary emphysema	5	1	1												1		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	31	1		2	1		1	1			3	3	5	5	5	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	VI.—Diseases of the digestive system	3,313	856	132	51	34	34	106	70	73	73	104	122	268	407	431	328	224	
108	Diseases of the mouth and annexa	26	1	1		1			3		3	1		2	5	5	1	3	
109b	Other diseases of the pharynx, tonsils	156	10	10	8	9	9	28	7	7	12	7	7	10	12	9	7	4	
110	Diseases of the esophagus	5											1		1	2		1	
111a	Ulcer of the stomach	162						1		1	5	7	6	31	39	35	20	17	
111b	Ulcer of the duodenum	82	1							1	2	3	10	17	13	18	10	7	
112	Other diseases of the stomach (cancer excepted)	96	35	5	3		2	2	4			3	2	2	4	12	9	15	
113	Diarrhea and enteritis (under 2 years)	850	750	100															
114	Diarrhea and enteritis (2 years and over)	161			23	17	6	13	3	1	6	1	5	14	10	15	19	28	
116	Diseases due to other intestinal parasites	1												1					
117	Appendicitis and typhlitis	573		8	11	4	10	58	47	49	27	53	38	79	86	69	29	5	
118a	Hernia	203	5	1						1	1	5	6	19	33	42	49	41	
118b	Intestinal obstruction	215	38	5	4	1	3	3	3	5	5	7	10	14	22	27	38	30	
119	Other diseases of the intestines	51	4							1	2	1	2	9	7	5	11	9	
120	Acute yellow atrophy of the liver	25									3	2	2	4	3	8	3		
121	Hydatid tumor of the liver	3											1		1		1		
122	Cirrhosis of the liver	221					1	1		1		3	5	24	58	62	50	16	
123	Biliary calculi	224									3	4	7	22	55	65	49	19	
124	Other diseases of the liver	165	5	2		1				1	4	3	9	13	36	39	26	26	
125	Diseases of the pancreas	40										2	6	4	15	10	3		
126	Peritonitis without specified cause	54	7	2	2	1	3		3	5		2	5	3	7	8	3	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,642	18	6	7	3	7	17	21	36	42	60	101	314	548	719	883	859	1
128	Acute nephritis (including unspecified under 10 years)	148	12	3	2	2	4	10	3	5	9	7	8	22	23	17	12	9	
129	Chronic nephritis (including unspecified 10 years and over)	2,874		1	4	1	3	6	16	18	22	37	70	206	438	606	726	720	
131	Other diseases of the kidneys and annexa	108	5	2	1			1	1	5	1	3	2	13	16	22	20	16	
132	Calculi of the urinary passages	36									1	1	1	5	6	10	7	4	1
133	Diseases of the bladder	25												1	2	1	4	17	
134	Diseases of the urethra, etc	17								1				6	1	6	1	2	
135	Diseases of the prostate	220													6	31	99	84	
136	Nonvenereal diseases of the male genital organs	5	1												1	1	2		
137	Cysts, other benign tumors of the ovary	43							1	1	2	3	2	6	8	9	6	5	
138	Salpingitis and pelvic abscess (female)	53								5	6	5	9	17	10	1			
139	Benign tumors of the uterus	74								1		1	4	30	28	7	2	1	
141	Other diseases of the female genital organs	37									1	3	5	7	8	8	4	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	2												1	1				
	VIII.—The puerperal state	592								32	74	148	155	174	9				
143	Accidents of pregnancy	49								4	8	6	16	14	1				
144	Puerperal hemorrhage	54									3	10	17	24					
145	Other accidents of labor	84								3	9	25	19	26	2				
146	Puerperal septicemia	198								16	23	63	48	47	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	60								2	9	9	15	22	3				
148	Puerperal albuminuria and convulsions	145								6	22	34	40	41	2				
150	Puerperal diseases of the breast	2								1		1							
	IX.—Diseases of the skin and of the cellular tissue	113	27	2	1			2	1	4	3	2	4	10	10	13	11	23	
151	Gangrene	30	1	1	1										2	5	3	17	
152	Furuncle	26						1		3	2		2	6	4	3	3	2	
153	Acute abscess	30	7	1				1	1	1	1	2	2	3	2	4	4	1	
154	Other diseases of the skin and annexa	27	19											1	2	1	1	3	
	X.—Diseases of the bones and of the organs of locomotion	62	4	2	2			8	6	3	2	5	4	6	3	3	7	7	
155	Diseases of the bones (tuberculosis excepted)	53	4	2	2			7	5	3	1	4	4	4	1	3	7	6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8						1			1	1		2	2			1	
158	Other diseases of the organs of locomotion	1							1										
	XI.—Malformations	735	670	30	11	2	2	10	4	2	3	1							
159a	Congenital hydrocephalus	71	54	6	3	2	1	4	1										
159b	Congenital malformations of the heart	439	403	15	7		1	4	3	2	3	1							
159c	Other congenital malformations	225	213	9	1			2											
	XII.—Early infancy	2,637	2,637																
160	Congenital debility, icterus, sclerema	232	232																
161a	Premature birth	1,525	1,525																
161b	Injury at birth	586	586																
162	Other diseases peculiar to early infancy	287	287																
163	Lack of care	7	7																
164	XIII.—Old age (senility)	123														3	10	110	
	XIV.—External causes	3,446	71	64	78	64	63	277	139	152	191	182	183	421	444	399	350	359	9
	Suicide	488								10	21	32	35	91	108	92	75	20	4
165	By poisons (gas or corrosives excepted)	22									2	4	1	7	5	2	1		
166	By corrosive substances	25								1		5	5	6	3	2	2	1	
167	By poisonous gas	139								2	5	8	6	19	35	33	25	6	
168	By hanging or strangulation	84								2		1	8	19	17	20	13	1	3
169	By drowning	49								2	2	2	3	11	16	6	5	1	1
170	By firearms	117								3	12	10	8	15	19	22	21	7	
171	By cutting or piercing instruments	29											4	10	4	3	7	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	XIV.—External causes—Continued																		
	Suicide—Continued.																		
172	By jumping from high places	14												3	4	4	1	2	
173	By crushing	5										2		1	2				
174	By other means	4													3			1	
	Homicide	109	11	1		3				4	11	10	16	26	19	4	3	1	
197	By firearms	51	1			1				3	7	4	6	16	10	2		1	
198	By cutting or piercing instruments	12									1		4	2	3	1	1		
199	By other means	46	10	1		2				1	3	6	6	8	6	1	2		
	Accidental or undefined	2,849	60	63	78	61	63	277	139	138	159	140	132	304	317	303	272	338	5
175	Poisoning by food	16	1	1	2	1			2		1	1	1	1	2			3	
176	Poisoning by venomous animals	2						1		1									
177	Other acute poisonings (gas excepted)	44	1	6	3			1		1	3	3	4	10	6	4	1	1	
178	Conflagration	46		2	2	1		5	1	2	2	4	1	6	9	4	4	3	
179	Burns (conflagration excepted)	256	7	33	27	25	16	26	8	7	8	5	7	24	18	16	17	12	
180	Mechanical suffocation	48	21					1	1	3		4	3	5	5	3	2		
181	Absorption of irrespirable, irritating, or poisonous gas	136	1	1	1	2	1	4	3	3	6	4	4	20	31	26	16	13	
182	Drowning	355	1	1	10	4	5	61	57	49	30	20	19	37	25	22	6	3	5
183	Traumatism by firearms (except in war)	29				2	1	3	5	6	3	1	2	3	1	1	1		
184	Traumatism by cutting or piercing instruments	20	2	1				1		1			1	2	2	7	2	1	
185	Traumatism by fall	703	7	8	11	3	5	13	5	10	15	19	13	54	80	90	125	245	
186b	Traumatism in quarries	2													2				
187	Traumatism by machines	63	2					1		4	8	6	3	13	10	8	6	2	
188a	Railroad accidents	110						3		4	11	9	19	20	19	16	4	5	
188b	Street-car accidents	61			2	2	2	7	3	2	5	3	6	8	2	9	5	5	
188c	Automobile accidents	685	1	3	17	18	26	139	46	32	47	36	29	65	65	60	65	36	
188e,f	Injuries by other vehicles	52		2		1	5	5		2	7	3	3	3	9	8	4		
188g	Landslide, other crushing	17						1			2	2	3	3	4	2			
189	Injuries by animals (not poisoning)	12			1	1		2						2	2	3		1	
192	Starvation (deprivation of food or water)	1																1	
193	Excessive cold	8										1	1	3	1		2		
194	Excessive heat	13	1									3		2	1	1	3	2	
195	Lightning	2									2								
196	Other accidental electric shocks	24								2	3	7	3	3	5	1			
201	Fracture (cause not specified)	18										1	1	5	2	6	2	1	
202	Other external violence	126	15	5	2	1	2	3	8	9	6	8	9	15	16	16	7	4	
	XV.—Ill-defined diseases	108	35	12	2	1		2	3	3			1	4	14	10	6	14	1
204	Sudden death	24	10			1				1				1	3	4	1	3	
205a	Ill-defined	69	16	11	2			2	3				1	3	9	6	5	11	
205b	Not specified or unknown	15	9	1						2					2				1
	MICHIGAN																		
	All causes	47,324	7,083	1,004	493	380	278	1,091	727	1,058	1,486	1,583	1,678	3,935	4,414	5,842	7,616	8,575	81
	I.—Epidemic, endemic, and infectious diseases	5,758	534	301	184	139	114	376	195	348	554	524	457	777	498	353	234	159	11
1	Typhoid and paratyphoid fever	150	1			3	2	6	9	16	22	15	21	27	16	8	3	1	
5	Malaria	2													2				
6	Smallpox	226	12	3	2	1		8		10	22	35	25	52	28	18	6	4	
7	Measles	215	61	68	27	12	5	20	4	6	2	1	2	4	2			1	
8	Scarlet fever	267	4	28	27	26	23	71	24	13	19	14	7	8	2				1
9	Whooping cough	177	110	39	13	1	6	7	1										
10	Diphtheria	476	32	61	59	59	38	130	41	15	6	8	7	8	6	5	1		
11a	Influenza (with pulmonary complications)	260	50	15	6	3	3	3	3	2	10	10	17	28	18	28	30	33	1
11b	Influenza (other and unspecified)	211	30	7	1	2	3	5	3	4	2	2	4	14	20	21	30	63	
13	Mumps	10	4	2		1						1	1	1					
15	Cholera nostras	8	6	1														1	
16	Dysentery	24	7	3	2	1	1	1			1		1	1			2	4	
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	133	43	7	3				1	1	1	5	1	11	14	13	15	18	
22	Acute anterior poliomyelitis	118	9	7	7	7	12	31	23	3	7	6	1	3		2			
23	Lethargic encephalitis	49	1	4		1		4		3	6	2	7	9	5	4	2	1	
24	Meningococcus meningitis	52	10	7	7	1	2	9	5	3		1	2	2	2		1		
25	Other epidemic and endemic diseases	16	6	4	2		1	1								1		1	
28	Rabies	5					1	2	1	1									
29	Tetanus	36		1	1		1	6	4	7	3		4	3	3	1	2		
30	Mycoses	7	1								2			1		1	2		
	Tuberculosis (all forms)	2,966	70	40	26	19	15	66	72	251	438	407	336	543	315	217	118	27	6
31	Of the respiratory system	2,493	16	8	5	2	1	18	42	219	401	379	305	483	280	196	108	25	5
32	Of the meninges, central nervous system	204	45	25	19	10	13	31	18	10	6	6	7	9	3		2		
33	Of the intestines, peritoneum	89	3	1		1	1	4	5	11	11	5	8	17	15	5	1	1	
34	Of the vertebral column	40	2			2		5	3	1	8	5	4	5	1	3	1		
35	Of the joints	14		1		1		1	1	1	2	1	1	3	2				
36	Of other organs	55		1				2	3	2	5	6	4	9	8	10	4	1	
37a	Disseminated (acute)	60	4	4	1	3		5		7	3	4	6	15	3	3	1		1
37b	Disseminated (chronic or unspecified)	11			1						2	1	1	2	3		1		
38	Syphilis	244	63	4		2	1	4	1	2	6	10	11	51	47	25	13	2	2
40	Gonococcus infection	34	1							5	6	2	7	8	3	2			
41	Purulent infection, septicemia	71	12		1			2	3	6	1	5	3	3	15	7	9	3	1
	II.—General diseases not included in Class I	5,821	185	26	22	14	14	47	53	59	68	84	146	537	958	1,371	1,401	829	7
	Cancer and other malignant tumors	3,762	4	5	5	7	5	11	4	13	20	30	70	313	650	957	1,025	638	5
43	Of the buccal cavity	116		1		1							2	4	16	28	32	31	1
44	Of the stomach, liver	1,491	1		1		1	1	2	2	1	3	18	70	206	394	508	281	2
45	Of the peritoneum, intestines, rectum	515					1	1		2	5	6	9	53	83	135	137	83	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Con.																		
46	Of the female genital organs	510									1	5	19	94	134	127	90	39	1
47	Of the breast	312									2		5	39	82	89	54	41	
48	Of the skin	98											2	2	8	9	33	44	
49	Of other or unspecified organs	720	3	4	4	6	3	9	2	9	11	16	15	51	121	175	171	119	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42							1	1		2	2	8	7	8	6	6	1
51	Acute rheumatic fever	133		1	3	1	1	20	16	7	9	5	6	17	19	9	10	9	
52	Chronic rheumatism, osteoarthritis, gout	66								2	2	1	2	6	6	12	17	18	
53	Scurvy	4	2			1			1										
54	Pellagra	5									1				1	1	2		
56	Rickets	21	17	3	1														
57	Diabetes mellitus	667		1	2			5	16	14	11	11	15	34	71	191	201	95	
58	Anemia, chlorosis	430	10	5	2			2	3	6	1	13	13	29	83	112	103	48	
59	Diseases of the pituitary gland	2					1							1					
60a	Exophthalmic goiter	179							2	5	12	6	10	44	46	37	14	3	
60b	Other diseases of the thyroid gland	30	2						1		1	2	2	3	7	8	2	2	
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	86	76	3	2	1		1		1		1	1						
63	Diseases of the adrenals (Addison's disease)	19							1	2			3	4	6	2	1		
64	Diseases of the spleen	6					1			2			1	1		1			
65a	Leukemia	56	1	1	3	1	2	5	2	2	4	2	1	6	10	5	8	3	
65b	Hodgkin's disease	27			1	1	1	1	3	1	1	3		4	4	3	1	3	
66	Alcoholism (acute or chronic)	156								1	2	7	16	57	45	22	5		1
67a	Chronic lead poisoning	2													1	1			
68	Chronic poisoning by organic substances	11								1	1	1	2	4		1	1		
69	Other general diseases	114	70	7	3	2	3	2	3	1	3		2	5	2		7	4	
	III.—Diseases of the nervous system and of the organs of special sense	5,866	221	50	24	18	12	57	51	43	55	67	119	341	581	950	1,598	1,667	12
70	Encephalitis	58	4	2	1			2		2	3	5	8	6	11	7	3	3	1
71a	Simple meningitis	113	22	14	2	6	1	12	6	3	5	4	11	12	6	3	5	1	
71b	Nonepidemic cerebrospinal meningitis	43	8	5	3	2	2	3	9	1	3		2	1	3		1		
72	Tabes dorsalis (locomotor ataxia)	87										3	3	14	23	20	16	8	
73	Other diseases of the spinal cord	121	2	1				3	3	3	1	4	4	5	13	26	34	22	
74a	Cerebral hemorrhage	3,943	5	1			1	1	1	4	6	13	20	119	330	709	1,303	1,421	9
74b	Cerebral embolism and thrombosis	112	1			1		1	1	1	1	4	2	9	10	16	35	30	
75	Paralysis without specified cause	267	2			1			2	1	1	2	1	9	26	43	90	88	1
76	General paralysis of the insane	315									2	7	29	87	86	54	35	15	
77	Other forms of mental alienation	54								2	2	4	7	10	13	6	4	6	
78	Epilepsy	149	6	4	1			8	9	8	19	6	15	25	22	11	9	6	
79	Convulsions (nonpuerperal; 5 years and over)	13						4	1	1	2		2	2				1	
80	Infantile convulsions (under 5 years)	138	120	10	6	1	1												
81	Chorea	3					1				1	1							
82	Neuralgia and neuritis	19						1						1	1	4	5	7	
83	Softening of the brain	33														5	11	17	
84	Other diseases of the nervous system	217	7	4	3	2	3	4	4	6	2	4	10	27	25	36	43	37	
85	Diseases of the eye and annexa	4										1					1	2	
86a	Diseases of the ear	110	41	6	6	4	1	7	8	6	5	3	2	8	6	4	2	1	
86b	Diseases of the mastoid process	67	3	3	2	1	2	11	7	5	2	6	3	6	6	6	1	2	1
	IV.—Diseases of the circulatory system	8,861	64	7	10	11	14	92	91	93	96	125	145	458	775	1,452	2,324	3,102	2
87	Pericarditis	46	1	1				3	1	2	1	3	1	4	4	7	8	10	
88	Endocarditis and myocarditis (acute)	347	15	1	5	5	7	24	25	16	19	29	30	76	20	26	21	28	
89	Angina pectoris	482						2	1	3		2	3	19	55	117	161	118	1
90	Other diseases of the heart	6,678	39	4	4	5	7	60	62	68	73	84	104	331	642	1,168	1,787	2,240	
91a	Aneurysm	53							1	1				3	10	14	19	5	
91b,c	Other diseases of the arteries	1,108												6	22	100	305	674	1
92	Embolism and thrombosis (not cerebral)	92	5			1		1	1	2	1	3	4	11	12	16	15	20	
93	Diseases of the veins	33						1		1	1	2	2	7	9	2	5	3	
94	Diseases of the lymphatic system	9	3	1	1										1		1	2	
95	Hemorrhage without specified cause	10	1					1			1	2	1			1	2	1	
96	Other diseases of the circulatory system	3												1		1		1	
	V.—Diseases of the respiratory system	4,453	1,056	304	104	65	32	96	46	81	121	150	153	376	378	375	497	612	7
97a	Diseases of the nasal fossae	13	7	1			1				1					1		2	
97b	Diseases of the nasal fossae annexa	21	1	1				2		1	4	1			2	3	4	2	
98	Diseases of the larynx	21	5	3	3		1	2	1				1	2	2			1	
99a	Acute bronchitis	213	78	14	11	2		3	2	1		3	1	4	3	10	17	64	
99b	Chronic bronchitis	114		2		1	1			2		1		6	7	12	30	52	
99c,d	Bronchitis (unspecified)	112	39	15	5	3		1		2	1	1	1	1	6	4	5	28	
100a	Broncho-pneumonia	1,497	653	189	48	28	13	31	14	16	11	24	19	46	52	59	115	178	1
100b	Capillary bronchitis	45	31	4			1		1								3	5	
101a	Lobar pneumonia	1,882	174	58	32	25	11	45	21	43	85	107	118	267	251	217	232	190	6
101b	Pneumonia (unspecified)	191	47	8	4	2	2	5	3	5	6	7	2	17	18	16	27	22	
102	Pleurisy	119	5	5	1	3	2	4	2	5	10	3	4	20	13	21	14	7	
103	Congestion and hemorrhagic infarct of the lung	59	8	2		1				1		1		2	1	3	12	28	
104	Gangrene of the lung	8												1	3	1	2	1	
105	Asthma	96	3	1				3	1	1	1	1	3	5	10	15	28	24	
106	Pulmonary emphysema	7												1	2		2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	55	5	1					1	4	2	1	4	4	8	13	6	6	
	VI.—Diseases of the digestive system	3,832	1,005	202	70	52	30	127	95	80	119	126	129	340	347	408	376	320	6
108	Diseases of the mouth and annexa	29	2	1		1			1	2	1		1	8	3	4	5		
109b	Other diseases of the pharynx, tonsils	203	12	13	7	7	4	42	17	10	11	11	11	16	16	10	11	4	1
110	Diseases of the esophagus	7	1										1		1		1	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	VI.—Diseases of the digestive system—Continued																		
111a	Ulcer of the stomach	174	1							2	5	4	10	33	33	40	29	16	1
111b	Ulcer of the duodenum	56	1								3	3	6	10	12	12	6	3	
112	Other diseases of the stomach (cancer excepted)	281	94	12	4	2	2	1		2	3	4	5	25	21	30	31	45	
113	Diarrhea and enteritis (under 2 years)	957	803	154															
114	Diarrhea and enteritis (2 years and over)	196			41	27	5	16	5		3	3	3	10	8	13	22	40	
117	Appendicitis and typhlitis	641	3	5	9	11	16	55	56	44	61	61	45	107	71	69	19	9	
118a	Hernia	136	4	1					1		2	4	4	9	27	25	29	30	
118b	Intestinal obstruction	339	56	9	5	3	2	3	5	8	15	14	14	46	38	37	37	45	2
119	Other diseases of the intestines	64	8	3				2	2	2	4	2	3	5	6	4	10	12	1
120	Acute yellow atrophy of the liver	19	1							1	1	1			1	5	5	4	
121	Hydatid tumor of the liver	2										1					1		
122	Cirrhosis of the liver	284							1	1	1	6	9	24	35	75	57	45	
123	Biliary calculi	127										3	3	7	26	36	33	19	
124	Other diseases of the liver	211	7	1				6	1	2	3	2	5	26	35	42	43	38	
125	Diseases of the pancreas	26							1		1	2	2	6	7	3	3	1	
126	Peritonitis without specified cause	80	12	3	4	1	1	2	5	6	5	5	7	8	7	3	4	6	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,094	32	6	5	7	1	22	29	26	54	68	92	209	354	496	728	891	4
128	Acute nephritis (including unspecified under 10 years)	183	17	2	2	7	1	17	9	5	5	5	11	17	16	21	25	22	1
129	Chronic nephritis (including unspecified 10 years and over)	2,336			2			4	16	14	27	29	58	159	271	406	620	728	2
130	Chyluria	1															1		
131	Other diseases of the kidneys and annexa	108	13	3	1			1	1	4	6	3	3	20	15	15	11	12	
132	Calculi of the urinary passages	27									1	2	1	3	8	7	1	4	
133	Diseases of the bladder	52									1	1		5	1	3	9	32	
134	Diseases of the urethra, etc	12									1			3	2	1	2	2	1
135	Diseases of the prostate	177											1	2	3	26	62	83	
136	Nonvenereal diseases of the male genital organs	4	1	1													1	1	
137	Cysts, other benign tumors of the ovary	28							1		3	3	1	6	7	2	2	3	
138	Salpingitis and pelvic abscess (female)	69							1	2	8	16	9	20	9	4			
139	Benign tumors of the uterus	64									2	2	6	24	18	7	4	1	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	30							1	1		7	2	9	4	4		2	
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1															1	
	VIII.—The puerperal state	640							1	62	115	151	135	172	4				
143	Accidents of pregnancy	73								4	10	17	18	21	3				
144	Puerperal hemorrhage	63								4	7	15	17	20					
145	Other accidents of labor	49							1	3	4	9	11	21					
146	Puerperal septicemia	277								32	58	70	58	58	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	32								2	5	10	3	12					
148	Puerperal albuminuria and convulsions	141								17	30	29	26	39					
149	Following childbirth (undefined)	5									1	1	2	1					
	IX.—Diseases of the skin and of the cellular tissue	155	41	3	1		1		1	7	4	1	3	7	11	9	21	45	
151	Gangrene	66	2	1	1						1		2	1	1	5	18	34	
152	Furuncle	21	5						1	3	2			4	3		2	1	
153	Acute abscess	30	11	2			1			2	1	1	1	2	4	1	1	3	
154	Other diseases of the skin and annexa	38	23							2					3	3		7	
	X.—Diseases of the bones and of the organs of locomotion	62	3	1		2	1	7	5	4	3	2	6	8	3	7	5	5	
155	Diseases of the bones (tuberculosis excepted)	47	2	1		2	1	6	4	4	1	1	5	7	1	5	4	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	1					1	1		2	1		1	1	2	1	1	
158	Other diseases of the organs of locomotion	3											1		1			1	
	XI.—Malformations	742	696	18	1	4	1	11	5	3			2	1					
159a	Congenital hydrocephalus	76	62	3		3	1	5	1				1						
159b	Congenital malformations of the heart	379	361	6		1		5	3	2				1					
159c	Other congenital malformations	287	273	9	1			1	1	1			1						
	XII.—Early infancy	3,047	3,047																
160	Congenital debility, icterus, sclerema	399	399																
161a	Premature birth	1,900	1,900																
161b	Injury at birth	466	466																
162	Other diseases peculiar ro early infancy	276	276																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	624														8	48	567	1
	XIV.—External causes	4,085	106	69	70	66	57	248	155	247	295	283	288	627	480	390	336	341	27
	Suicide	501							1	10	26	47	47	130	93	84	44	12	7
165	By poisons (gas or corrosives excepted)	40								1	4	3	2	18	4	5	2		1
166	By corrosive substances	72								5	4	16	11	17	6	9	4		
167	By poisonous gas	41									1	8	4	12	5	8	1	1	1
168	By hanging or strangulation	117								1	5	6	6	27	24	25	15	5	3
169	By drowning	27									2	3	1	5	7	3	5	1	
170	By firearms	142							1	3	7	10	17	33	32	26	8	3	2
171	By cutting or piercing instruments	49									2		3	14	15	7	6	2	
172	By jumping from high places	3											1	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	XIV.—External causes—Continued																		
	Suicide—Continued.																		
173	By crushing	6									1	1	1			1	2		
174	By other means	4											1	2			1		
	Homicide	297	3			1			1	14	46	57	49	71	30	16	6	1	2
197	By firearms	210							1	11	35	44	36	52	22	8			1
198	By cutting or piercing instruments	37								1	9	6	6	9	1	3	1	1	
199	By other means	50	3			1				2	2	7	7	10	7	5	5		1
	Accidental or undefined	3,287	103	69	70	65	57	248	153	223	223	179	192	426	357	290	286	328	18
175	Poisoning by food	28	5	3			1	4	3	2		1		3	1	1	4		
176	Poisoning by venomous animals	1														1			
177	Other acute poisoning (gas excepted)	54	1	8	7	5	3	1	2	4	1	3	4	7	2	3	1	2	
178	Conflagration	74	3	5	3	3	4	7	5		3		4	9	9	8	5	6	
179	Burns (conflagration excepted)	198	9	15	29	18	12	20	4	10	5	12	4	20	10	13	9	7	1
180	Mechanical suffocation	62	48	3						1	1	1	2	1	1	2		2	
181	Absorption of irrespirable, irritating, or poisonous gas	70	1	1	1	1	1		2	2	11	6	5	12	12	6	6	3	
182	Drowning	299	2	5	8	9	1	33	39	59	37	9	17	36	21	11	8	1	3
183	Traumatism by firearms (except in war)	99				1	1	9	14	24	15	8	6	11	6	3			1
184	Traumatism by cutting or piercing instruments	22					1	1	1	2	2		1	3	5	3	2	1	
185	Traumatism by fall	536	4	4	4	1	3	12	10	13	10	17	19	54	50	41	86	208	
186a	Traumatism in mines	36									1	8	3	12	6	4			2
186b	Traumatism in quarries	1									1								
187	Traumatism by machines	73				1		1		5	11	9	8	11	12	11	3	1	
188a	Railroad accidents	273	1	1	1	2	1	11	5	22	22	20	28	55	41	34	24	2	3
188b	Street-car accidents	139		2	2	2		4	3	2	9	12	9	19	24	24	16	10	1
188c	Automobile accidents	863	7	7	10	17	26	126	45	51	63	41	52	120	93	85	70	48	2
188d	Airplane and balloon accidents	7								1		3	2	1					
188e,f	Injuries by other vehicles	68		2		1	1	4	7	2	4	4	4	5	9	8	12	5	
188g	Landslide, other crushing	33							1	2	2	4	2	6	11	4	1		
189	Injuries by animals (not poisoning)	26		1	1	1		3	1	1	1	1		4	1	2	4	5	
190	Wounds of war	1												1					
193	Excessive cold	23										2		2	5	3	6	3	2
194	Excessive heat	8	1					1			1		2		1		1	1	
195	Lightning	5									1			2		2			
196	Other accidental electric shocks	36		1					2	4	6	3	5	5	8	2			
201	Fracture (cause not specified)	53						2	1	4	3	2	4	1	4	4	10	18	
202	Other external violence	199	21	11	4	3	2	9	8	12	13	13	11	26	25	15	18	5	3
	XV.—Ill-defined diseases	284	93	17	2	2	1	8		5	2	2	3	22	25	23	38	37	4
204	Sudden death	24	8	1						1	1					2	7	4	
205a	Ill-defined	113	7	16	2	1		3				1	2	10	14	15	25	17	
205b	Not specified or unknown	147	78			1	1	5		4	1	1	1	12	11	6	6	16	4
	MINNESOTA																		
	All causes	24,579	3,161	404	243	199	152	524	457	585	761	796	837	1,970	2,363	3,436	4,076	4,606	9
	I.—Epidemic, endemic, and infectious diseases	3,385	290	152	103	78	69	179	136	219	310	312	256	454	309	259	161	98	
1	Typhoid and paratyphoid fever	37						1	4	6	2	2	3	9	4	5	1		
6	Smallpox	305	17		3	2	6	4	1	21	44	42	19	54	36	34	14	8	
7	Measles	136	28	32	14	11	8	13	12	5	4	3	1	2	2		1		
8	Scarlet fever	206	8	24	30	18	23	40	23	12	7	8	5	4	4				
9	Whooping cough	131	84	25	9	3	4	5		1									
10	Diphtheria	211	9	21	19	21	19	61	29	16	4	2	1	2	4	2	1		
11a	Influenza (with pulmonary complications)	170	27	7	6		1	6	7	10	9	4	5	13	15	14	24	22	
11b	Influenza (other and unspecified)	84	15	1	1	1		3	5	4	1	4	4	5	5	7	8	20	
13	Mumps	8		2		3				1							1	1	
15	Cholera nostras	1		1															
16	Dysentery	13	3	2	2				1					1		1		3	
19	Spirochetal hemorrhagic jaundice	1														1			
20	Leprosy	2														1	1		
21	Erysipelas	77	30	3	1	1			1	1			1	7	5	10	8	9	
22	Acute anterior poliomyelitis	26	1		2		2	8	5	1	3	2	1	1					
23	Lethargic encephalitis	62	1	2	1	2	1	3	3	2	1	3	3	15	11	9	5		
24	Meningococcus meningitis	14	4		1	1	1	3	1	1	1	1							
25	Other epidemic and endemic diseases	5	3		1			1											
29	Tetanus	24	5				1	2	5	2	2		1	2	3	1			
30	Mycoses	6								1	1					2		2	
	Tuberculosis (all forms)	1,709	29	31	11	15	2	29	36	128	226	234	203	312	194	149	81	29	
31	Of the respiratory system	1,424	7	10	3	7	1	9	20	100	214	207	178	281	164	135	64	24	
32	Of the meninges, central nervous system	97	20	16	4	6	1	12	9	7	3	4	4	4	3	3	1		
33	Of the intestines, peritoneum	62			3	1		4	3	9	5	8	5	6	11	2	3	2	
34	Of the vertebral column	43						3	2	4	2	3	6	9	5	5	4		
35	Of the joints	11			1				1	1		1	1		1		4	1	
36	Of other organs	37		2		1		1	1	1		4	4	8	6	3	4	2	
37a	Disseminated (acute)	28	2	3						5	1	4	5	3	4	1			
37b	Disseminated (chronic or unspecified)	7								1	1	3		1			1		
38	Syphilis	118	19	1	1		1		3	2	2	2	5	24	22	20	13	3	
40	Gonococcus infection	10								2		1	2	2	3				
41	Purulent infection, septicemia	28	7		1					3	3	4	2		1	3	3	1	
42	Other infectious diseases	1												1					
	II.—General diseases not included in Class I	3,763	89	14	12	11	7	36	42	45	48	54	92	327	597	946	920	521	2
	Cancer and other malignant tumors	2,575	2	1	4	4	1	10	14	8	13	21	46	213	431	700	695	411	1
43	Of the buccal cavity	86										1	1		12	29	23	20	
44	Of the stomach, liver	1,074				1		1	1		3	2	10	48	144	306	356	202	
45	Of the peritoneum, intestines, rectum	347						1	2	1	2		7	30	51	107	90	56	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Con.																		
46	Of the female genital organs	247				1			1	1			5	38	80	68	41	12	
47	Of the breast	197								1		2	6	32	54	50	33	19	
48	Of the skin	48											1	1	5	6	17	18	
49	Of other or unspecified organs	576	2	1	4	2	1	8	10	5	8	16	16	64	85	134	135	84	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	22	1				1			1	1	1	1	3	7	3	2	1	
51	Acute rheumatic fever	80		1	1	2	1	10	9	8	6	3	3	9	5	11	10	1	
52	Chronic rheumatism, osteoarthritis, gout	41												4	8	9	6	14	
53	Scurvy	1			1														
54	Pellagra	1														1			
55	Beriberi	1														1			
56	Rickets	7	2	2	1	1			1										
57	Diabetes mellitus	423		5		1	1	6	7	11	17	7	14	21	47	96	125	64	1
58	Anemia, chlorosis	259	3	3	2			3	1	1	3	6	11	29	43	73	63	18	
59	Diseases of the pituitary gland	4						1	1	1					1				
60a	Exophthalmic goiter	91	1						2	7	2	6	6	13	19	21	8	6	
60b	Other diseases of the thyroid gland	10	2			1				1				1	2	2		1	
61	Diseases of the parathyroid glands	4	2											2					
62	Diseases of the thymus gland	35	31	1	1				1							1			
63	Diseases of the adrenals (Addison's disease)	9									1	1		1	5		1		
64	Diseases of the spleen	7	1												1	3	1	1	
65a	Leukemia	49	3		2	1	1	5	2	3	1	1	3	7	3	12	4	1	
65b	Hodgkin's disease	24	1						1	2		3	1	5	4	4	1	2	
66	Alcoholism (acute or chronic)	62								1	3	4	5	18	18	9	3	1	
68	Chronic poisoning by organic substances	1															1		
69	Other general diseases	57	40	1		1	2	1	3	1	1	1	2	1	3				
	III.—Diseases of the nervous system and of the organs of special sense	2,588	94	19	8	11	9	34	24	28	32	32	47	136	272	432	659	750	1
70	Encephalitis	20	1	3				3		1	1	2	1	1	3	2	2		
71a	Simple meningitis	41	11	6	2	2	1	3	3	1	3	1		4	1	1	1	1	
71b	Nonepidemic cerebrospinal meningitis	13	3	1				3			2	1	1		1	1			
72	Tabes dorsalis (locomotor ataxia)	32								1			1	3	9	9	5	4	
73	Other diseases of the spinal cord	76	2		1	2	1		3	5	3	1	5	9	13	8	18	5	
74a	Cerebral hemorrhage	1,717	5	1					2	2	4	5	4	36	154	310	538	655	1
74b	Cerebral embolism and thrombosis	67						2	1				2	2	2	13	27	18	
75	Paralysis without specified cause	67						1						3	3	14	19	27	
76	General paralysis of the insane	139										3	13	45	41	25	11	1	
77	Other forms of mental alienation	24									2	1	3	4	6	4	4		
78	Epilepsy	89			1		2	4	6	11	10	8	8	5	15	10	4	5	
80	Infantile convulsions (under 5 years)	61	54	5	1		1												
81	Chorea	1	1																
82	Neuralgia and neuritis	8							1			1		1		3	2		
83	Softening of the brain	12												1		2	2	7	
84	Other diseases of the nervous system	129	2		1	4	1	5	3	3	1	3	5	15	19	19	23	25	
85	Diseases of the eye and annexa	4	1	1	1											1			
86a	Diseases of the ear	58	12	1	1	2	2	6	4	2	2	5	4	4	5	7	1		
86b	Diseases of the mastoid process	30	2	1		1	1	7	1	2	4	1		3		3	2	2	
	IV.—Diseases of the circulatory system	4,277	16		3	3	6	27	53	44	51	48	61	220	352	768	1,065	1,560	
87	Pericarditis	9						2	2						1	1		3	
88	Endocarditis and myocarditis (acute)	98	4			1	2	5	9	8	6	8	9	20	5	6	8	7	
89	Angina pectoris	188								2	1			6	26	47	67	39	
90	Other diseases of the heart	3,409	8		3	2	4	19	40	33	42	37	45	181	293	635	881	1,186	
91a	Aneurysm	44							2		1	1	2	3	8	16	7	4	
91b,c	Other diseases of the arteries	463												5	11	50	88	309	
92	Embolism and thrombosis (not cerebral)	46	1					1		1	1	2	3	1	6	9	12	9	
93	Diseases of the veins	16											2	4	2	4	2	2	
94	Diseases of the lymphatic system	2	2																
95	Hemorrhage without specified cause	2	1															1	
	V.—Diseases of the respiratory system	2,181	433	103	38	29	9	54	26	39	53	36	60	133	167	211	309	480	1
97a	Diseases of the nasal fossae	7	4										1	1				1	
97b	Diseases of the nasal fossae annexa	11									3	2	1	3	2				
98	Diseases of the larynx	17	3	5	1	2		1	2						1		2		
99a	Acute bronchitis	55	19			1		1	1					1	2	2	7	21	
99b	Chronic bronchitis	67			2			1				1	1	4	3	4	9	42	
99c,d	Bronchitis (unspecified)	33	11						1	1					1	3	4	12	
100a	Broncho-pneumonia	764	283	54	22	12	4	20	5	9	8	3	10	19	25	43	72	175	
100b	Capillary bronchitis	7	3														2	2	
101a	Lobar pneumonia	949	80	37	5	11	4	23	14	23	32	25	37	89	116	136	164	152	1
101b	Pneumonia (unspecified)	95	22	4	4	2		4		2	4	1	1		3	6	14	28	
102	Pleurisy	78	5	2	3	1	1	3	2	3	5	2	7	10	6	7	9	12	
103	Congestion and hemorrhagic infarct of the lung	23	1														3	19	
104	Gangrene of the lung	3												2	1				
105	Asthma	47		1	1					1			1	1	5	5	19	13	
106	Pulmonary emphysema	5	1									1	1	1			1		
107	Other diseases of the respiratory system (tuberculosis excepted)	20	1					1	1		1	1		2	2	5	3	3	
	VI.—Diseases of the digestive system	1,894	307	70	37	28	17	73	70	55	67	70	73	178	206	244	233	166	
108	Diseases of the mouth and annexa	10					1		2		1	1		2	2	1			
109b	Other diseases of the pharynx, tonsils	111	7	7	8	6	5	14	12	10	8	4	3	9	5	7	4	2	
110	Diseases of the esophagus	2					1					1							
111a	Ulcer of the stomach	112							2		1	7	7	11	26	28	23	7	
111b	Ulcer of the duodenum	69										6	4	17	11	15	12	4	
112	Other diseases of the stomach (cancer excepted)	70	15	4	1			3						2	5	5	8	27	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	VI.—Diseases of the digestive system—Continued																		
113	Diarrhea and enteritis (under 2 years)	276	235	41															
114	Diarrhea and enteritis (2 years and over)	87			15	7	1	9	2	1	3		2	5	4	8	17	13	
117	Appendicitis and typhlitis	434	2	6	4	12	8	35	41	38	42	32	34	60	51	38	20	11	
118a	Hernia	94	2	1						1	3	2	1	8	11	21	28	16	
118b	Intestinal obstruction	157	35	9	4	2		4	5	1		2	9	18	15	15	19	19	
119	Other diseases of the intestines	35	3		2	1		2					1	3	5	2	8	8	
120	Acute yellow atrophy of the liver	10	1					1				1		1		6			
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	138						1	3		1	2		8	29	35	39	20	
123	Biliary calculi	147								1	2	5	7	11	26	41	33	21	
124	Other diseases of the liver	99	1		1			1		1	3	6	3	18	13	18	18	16	
125	Diseases of the pancreas	8												2	2	2	2		
126	Peritonitis without specified cause	34	6	2	2		1	3	3	2	3	1	2	2	1	2	2	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,864	14	3			2	8	16	12	25	34	46	124	210	306	480	580	4
128	Acute nephritis (including unspecified under 10 years)	73	8	2			1	3	4	1	2	5	4	6	11	6	7	13	
129	Chronic nephritis (including unspecified 10 years and over)	1,389		1				5	12	10	15	20	25	70	150	241	373	463	4
131	Other diseases of the kidneys and annexa	67	5				1				1	4	3	11	8	8	10	16	
132	Calculi of the urinary passages	27									2			4	7	5	7	2	
133	Diseases of the bladder	14												1		1	3	9	
134	Diseases of the urethra, etc	5												1	1	2	1		
135	Diseases of the prostate	186													5	33	73	75	
136	Nonvenereal diseases of the male genital organs	1																1	
137	Cysts, other benign tumors of the ovary	16										3	1	5	2	3	2		
138	Salpingitis and pelvic abscess (female)	26									3	1	6	10	4	1		1	
139	Benign tumors of the uterus	34										1	3	13	14	3			
141	Other diseases of the female genital organs	23									2		4	3	8	3	3		
142	Nonpuerperal diseases of the breast (cancer excepted)	3	1							1							1		
	VIII.—The puerperal state	277								18	47	69	65	74	4				
143	Accidents of pregnancy	16								1	2	5	2	6					
144	Puerperal hemorrhage	22								1	2	6	6	6	1				
145	Other accidents of labor	37								1	4	5	10	16	1				
146	Puerperal septicemia	116								11	26	36	20	21	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	18									2	5	6	5					
148	Puerperal albuminuria and convulsions	68								4	11	12	21	20					
	IX.—Diseases of the skin and of the cellular tissue	94	17	1		1			2	4	4	2	2	5	5	6	15	30	
151	Gangrene	29													1	2	7	19	
152	Furuncle	18	1						1	2	2	1	2			3	3	3	
153	Acute abscess	10	2							1				1	1	1	3	1	
154	Other diseases of the skin and annexa	37	14	1		1			1	1	2	1		4	3		2	7	
	X.—Diseases of the bones and of the organs of locomotion	30	2			1	2	4	6		1	1	2		3	2	2	4	
155	Diseases of the bones (tuberculosis excepted)	26	1			1	1	4	6		1	1	2		3	1	2	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2														1		1	
158	Other diseases of the organs of locomotion	2	1				1												
	XI.—Malformations	327	304	6	1	3	1	4	4	4									
159a	Congenital hydrocephalus	35	30	2		2				1									
159b	Congenital malformations of the heart	156	147	2		1	1	1	1	3									
159c	Other congenital malformations	136	127	2	1			3	3										
	XII.—Early infancy	1,501	1,501																
160	Congenital debility, icterus, sclerema	150	150																
161a	Premature birth	950	950																
161b	Injury at birth	257	257																
162	Other diseases peculiar to early infancy	141	141																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	244															22	222	
	XIV.—External causes	2,040	44	36	38	32	29	104	77	115	122	138	129	314	234	251	197	179	1
	Suicide	294							1	6	15	26	17	66	61	55	38	9	
165	By poisons (gas or corrosives excepted)	14								1	2	1		5	3	2			
166	By corrosive substances	13								1	2		2	3	1	3	1		
167	By poisonous gas	24											3	9	4	5	3		
168	By hanging or strangulation	77									1	3	2	17	14	17	18	5	
169	By drowning	18										2	1	5	4	4	1	1	
170	By firearms	113							1	3	10	14	8	16	27	19	12	3	
171	By cutting or piercing instruments	20										3		7	4	4	2		
172	By jumping from high places	7										3	1	2		1			
173	By crushing	4								1				1	2				
174	By other means	4												1	2		1		
	Homicide	79			1		1	1	1	6	10	14	26	12	7				
197	By firearms	51			1		1	1		5	9	7	16	7	4				
198	By cutting or piercing instruments	7										2	2	2	1				
199	By other means	21								1	1	1	5	8	3	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined	1,667	44	36	38	31	29	103	75	108	101	102	98	222	161	189	159	170	1
175	Poisoning by food	14	2					2	3			1		2	1	2		1	
177	Other acute poisonings (gas excepted)	42	1	9		2					3	3		13	5	5	1		
178	Conflagration	43	3	2	3	1	3	4	5			1	6	4	4	2		5	
179	Burns (conflagration excepted)	84	4	7	16	8	6	3	1	5	2	1	3	5	4	8	9	2	
180	Mechanical suffocation	23	16							1		1	1	2		1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	59	2	1			1			4	3	6	3	10	6	12	6	5	
182	Drowning	154	1	6	5	5	4	21	19	20	15	10	11	14	14	7	1	1	
183	Traumatism by firearms (except in war)	49	1			2		3	7	14	6	5		6	5				
184	Traumatism by cutting or piercing instruments	12	2							1				1	1	3	2	2	
185	Traumatism by fall	284		3	3			6	5	3	9	4	6	18	17	35	56	118	1
186a	Traumatism in mines	64									4	10	10	27	9	4			
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	60		2	2	1		1	1	5	7	6	4	12	3	10	4	2	
188a	Railroad accidents	125	1	1		1	1	4	2	12	11	8	12	19	18	20	12	3	
188b	Street-car accidents	15				1				1	1		3	4	1	1	2	1	
188c	Automobile accidents	366	4	1	4	5	9	40	16	28	28	23	20	54	41	41	40	12	
188e,f	Injuries by other vehicles	50			1	1	1	4	1	3	2	3	1	2	5	15	7	4	
188g	Landslide, other crushing	24			1	1	2	1	1	2		1	3	3	1	7	1		
189	Injuries by animals (not poisoning)	28				1		3	2	1		2		3	5	3	4	4	
192	Starvation (deprivation of food or water)	2													1		1		
193	Excessive cold	6										1			1		1	3	
194	Excessive heat	4	1											1		1	1		
195	Lightning	13						1	1	2	1	2		3	3				
196	Other accidental electric shocks	26							2	1	2	7	5	4	3	2			
201	Fracture (cause not specified)	4													1	1		2	
202	Other external violence	115	6	4	3	2	2	10	9	5	7	6	10	15	12	9	11	4	
	XV.—Ill-defined diseases	114	50		3	2	1	1	1	2	1		4	5	4	11	13	16	
204	Sudden death	8	3						1				1		1		2		
205a	Ill-defined	30	1		1									1	3	6	9	9	
205b	Not specified or unknown	76	46		2	2	1	1		2	1		3	4		5	2	7	
	MISSISSIPPI																		
	All causes—White	7,865	1,205	311	156	78	57	153	144	224	242	214	254	550	639	791	1,349	1,440	58
	All causes—Colored	13,283	1,907	477	179	134	79	270	310	720	951	709	559	1,337	1,396	1,114	1,259	1,735	147
	I.—Epidemic, endemic, and infectious diseases—White	1,326	152	88	58	34	18	49	37	62	71	73	67	149	109	90	133	124	12
	I.—Epidemic, endemic, and infectious diseases—Colored	2,997	272	140	61	53	33	108	130	301	468	302	191	342	245	135	100	91	25
1	Typhoid and paratyphoid fever—W	97		1	1			3	9	15	13	7	10	19	8	2	7	1	1
	Typhoid and paratyphoid fever—C	225	1			3	4	21	33	50	39	15	10	25	17	4	1		2
5	Malaria—W	110	15	7	11	6		10	5	5	6	2	2	6	5	9	5	13	3
	Malaria—C	269	26	15	13	16	9	25	19	20	26	17	6	11	25	14	16	11	
6	Smallpox—W	1													1				
	Smallpox—C	5	2											2				1	
7	Measles—W	132	25	20	16	3	6	8	5	6	6	7	2	11	2	7	6	1	1
	Measles—C	70	17	12	4	4	1	7	9	9	3			3				1	
8	Scarlet fever—W	10		1	1	2	1	3	1				1						
	Scarlet fever—C	1				1													
9	Whooping cough—W	58	33	16	3	1	3	1	1										
	Whooping cough—C	160	81	37	15	10	5	8	2	1	1								
10	Diphtheria—W	59	5	13	9	14	3	11	1					2	1				
	Diphtheria—C	38	6	5	4	5	3	11		1	1		1	1					
11a	Influenza (with pulmonary complications)—W	145	17	9	3	1	1	6	3	4	2	5	5	15	16	9	31	18	
	Influenza (with pulmonary complications)—C	154	34	10	7	2		3	4	13	7	3	8	15	7	20	10	9	2
11b	Influenza (other and unspecified)—W	109	13	4	2	2	1			3	1		1	4	7	8	27	35	1
	Influenza (other and unspecified)—C	157	29	5	2	3	2	5	6	6	8	5	1	14	12	11	21	26	1
13	Mumps—W	2														1		1	
	Mumps—C	3	1					2											
15	Cholera nostras—W	3												1		1		1	
	Cholera nostras—C	2	1	1															
16	Dysentery—W	75	15	10	6	1	1		1	2				1	2	2	8	26	
	Dysentery—C	95	13	27	6	3	1		3	2	2	1	2	1	8	5	5	14	2
19	Spirochetal hemorrhagic jaundice—C	1												1					
21	Erysipelas—W	19	8	1				1	1	1			1	2	1			3	
	Erysipelas—C	8	3							1	1			1	1	1			
22	Acute anterior poliomyelitis—W	12		3	2	2		1		1	1			1		1			
	Acute anterior poliomyelitis—C	5	3		1				1										
23	Lethargic encephalitis—W	6			1								1	1		2	1		
	Lethargic encephalitis—C	1							1										
24	Meningococcus meningitis—W	10	6	1	1				1										
	Meningococcus meningitis—C	3						1		1	1								
27	Anthrax—W	1											1						
	Anthrax—C	5			1				1						1	1	1		
28	Rabies—W	1		1															
	Rabies—C	1							1										
29	Tetanus—W	16	3			1	1	2	2	2	2	1	1	1					
	Tetanus—C	21	8				1	4	3	1	1				2		1		
30	Mycoses—W	2	1											1					
	Mycoses—C	4	4																
	Tuberculosis (all forms)—W	422	3	1	1	1	1	2	7	19	36	48	40	78	62	46	46	25	6
	Tuberculosis (all forms)—C	1,484	6	18	6	4	5	18	47	181	344	227	140	226	127	66	31	24	14
31	Of the respiratory system—W	394	1		1				5	16	34	47	39	74	57	43	46	25	6
	Of the respiratory system—C	1,357	5	15	3	3	3	11	42	169	320	214	132	206	120	57	27	20	10
32	Of the meninges, central nervous system—W	12	1	1			1	2	1		1		1		4				
	Of the meninges, central nervous system—C	14	1	1	1	1	2	3	1	1				1	1				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
	Tuberculosis (all forms)—Continued.																			
33	Of the intestines, peritoneum	W	6									1	1		2		2			
		C	61						1	1	7	15	9	2	9	4	8	2	2	1
34	Of the vertebral column	W	1							1										
		C	5									1	1		2	1				
35	Of the joints	W	1								1									
		C	10							2	3	1			1			1		2
36	Of other organs	W	6	1			1				1				2		1			
		C	22		2	1			1	1		3	2	3	5		1	1	2	
37a	Disseminated (acute)	W	1								1									
		C	12			1			1		1	4	1	3	1					
37b	Disseminated (chronic or unspecified)	W	1													1				
		C	3						1						1	1				
38	Syphilis	W	20	6		1							2	2	5	2	2			
		C	242	35	9	2	2	2	3		10	24	27	18	36	41	11	13	5	4
40	Gonococcus infection	W	4								1	2	1							
		C	32	1							4	8	7	5	5	1		1		
41	Purulent infection, septicemia	W	12	2					1		3	1			1	2		2		
		C	11	1	1						1	2			1	3	2			
	II.—General diseases not included in Class I.	White	702	24	10	5	1	5	9	12	7	16	17	18	51	109	122	183	106	7
		Colored	904	11	4	4	2	1	16	19	37	49	61	45	160	161	117	118	92	7
	Cancer and other malignant tumors	W	433		1	1		1	2	6	1	4	8	9	28	78	86	117	86	5
		C	394		1		1		3	1	7	8	12	21	71	94	66	62	46	1
43	Of the buccal cavity	W	24							1				1		2	2	7	10	1
		C	7								1						2	2	2	
44	Of the stomach, liver	W	140									1	3	2	9	25	35	44	20	1
		C	106									3	2	4	8	28	19	20	22	
45	Of the peritoneum, intestines, rectum	W	40												3	7	8	15	7	
		C	28								2	1	2	3	2	6	8	3	1	
46	Of the female genital organs	W	63							2			1	4	8	17	15	8	5	3
		C	160						1		1	3	7	11	41	40	18	25	12	1
47	Of the breast	W	25											2	2	12	5	2	2	
		C	35											2	9	11	7	3	3	
48	Of the skin	W	40									1	2		1	1	5	14	16	
		C	7										1	1	1	2	1	1		
49	Of other or unspecified organs	W	101		1	1		1	2	3	1	2	2		5	14	16	27	26	
		C	51		1		1		2	1	3	1			10	7	11	8	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6					1						1		2	1		1	
		C	5												2	3				
51	Acute rheumatic fever	W	15						2	2	1	1				1	1	4	2	1
		C	36	2		1			1	7	1	1	1	1	1	3	2	8	7	
52	Chronic rheumatism, osteoarthritis, gout	W	12										1				1	8	2	
		C	3										1				1		1	
54	Pellagra	W	85							1	1	2	2	3	13	14	23	20	5	1
		C	349	1	1	1	1		7	6	25	38	42	16	67	46	33	34	25	6
56	Rickets	W	2	1			1													
		C	2		1	1														
57	Diabetes mellitus	W	61					2	2	1	1	4	2		4	9	5	23	8	
		C	75			1			3	4	3		3	6	12	12	11	10	10	
58	Anemia, chlorosis	W	18	1		1							1	2	2	3	2	5	1	
		C	5	1									1	1				2		
60a	Exophthalmic goiter	W	6										1	1		1	2	1		
		C	5										1		2	1	1			
60b	Other diseases of the thyroid gland	W	2									1		1						
		C	5									1			1	2	1			
62	Diseases of the thymus gland	W	3	3																
63	Diseases of the adrenals (Addison's disease)	W	1	1																
65a	Leukemia	W	12			1					2	4	1		3		1			
		C	1								1									
65b	Hodgkin's disease	W	3						1									2		
		C	2									1						1		
66	Alcoholism (acute or chronic)	W	4										1	1	1			1		
		C	4												2		2			
67b	Other chronic mineral poisoning	C	1												1					
68	Chronic poisoning by organic substances	W	1													1				
69	Other general diseases	W	38	18	9	2		1	2	2	1							2	1	
		C	17	7	1			1	2	1					1			1	3	
	III.—Diseases of the nervous system and of the organs of special sense	White	740	31	2	5	2		7	9	9	8	11	14	40	79	106	212	196	9
		Colored	858	48	10	3	1	1	5	12	21	19	10	20	87	144	131	170	157	19
70	Encephalitis	W	8		1					1				1	1	1	1	2		
		C	6	1	1					1	1	1							1	
71a	Simple meningitis	W	19	7	1	1	1		1	1	2	1	1	1	1		1			
		C	13	5	2				1	1	1			1				1		1
71b	Nonepidemic cerebrospinal meningitis	W	2	1						1										
		C	9	1	1			1	1	2	2		1							
72	Tabes dorsalis (locomotor ataxia)	W	7												1	2		2	2	
		C	6												1	1	1	2	1	
73	Other diseases of the spinal cord	W	16				1				3	1	1	1		2	2	2	3	
		C	11								1				1	3	2		2	2
74a	Cerebral hemorrhage	W	473	5		1			1		1	2	2	3	18	54	80	162	139	5
		C	505	1	2				3	3	3	6	3	8	53	98	86	124	104	11
74b	Cerebral embolism and thrombosis	W	14							1					1	1	3	2	5	1
		C	8											1	1	1	2	1	2	
75	Paralysis without specified cause	W	79			1						1	2	1	4	5	6	26	32	1
		C	127		1						2	1		2	6	20	25	28	39	3
76	General paralysis of the insane	W	21											1	6	5	2	4	3	
		C	46								2	2		4	18	11	6	3		
77	Other forms of mental alienation	W	9										1			2	2	2	2	
		C	10								1	1			1	1	2	1	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
78	Epilepsy	W	26	2		1				1	1	3	1	5	4	4	3	1		
		C	34	1						2	6	3	5	1	4	4	2	4	1	1
79	Convulsions (nonpuerperal; 5 years and over)	W	1						1											
		C	9							1		3		3	1		1			
80	Infantile convulsions (under 5 years)	W	10	10																
		C	40	36	1	3														
81	Chorea	W	2							1								1		
82	Neuralgia and neuritis	W	4														1	1	2	
		C	1														1			
83	Softening of the brain	W	3															1	2	
		C	3													1		1	1	
84	Other diseases of the nervous system	W	28	2		1			1	2			3		3	1	4	4	5	2
		C	22	2	1		1			1	1	2	1			3	3	4	2	1
85	Diseases of the eye and annexa	W	1														1			
		C	1																1	
86a	Diseases of the ear	W	9	3					1	1	2				1			1		
		C	4	1	1					1								1		
86b	Diseases of the mastoid process	W	8	1					2					1		2		1	1	
		C	3								1				1	1				
	IV.—Diseases of the circulatory system	White	968	6	1	2	3		6	9	8	12	4	12	27	98	151	281	345	3
		Colored	1,342	3	1	1	2		10	21	24	25	44	45	158	238	232	227	294	17
87	Pericarditis	W	2															1	1	
		C	12										1		2	2	1	3	3	
88	Endocarditis and myocarditis (acute)	W	23	2					1	3	1	3		1	3	2	2	2	3	
		C	36	1	1					2	4	4	5	2	10	2	2	1	2	
89	Angina pectoris	W	101										1		5	15	24	33	22	1
		C	33									2			3	9	10	6	3	
90	Other diseases of the heart	W	699	4	1	1	3		4	6	5	7	3	10	18	73	109	204	250	1
		C	1,153	1		1	2		9	19	20	19	37	43	135	211	206	195	238	17
91a	Aneurysm	W	11									1				2	1	3	3	1
		C	10												3	3	1	1	2	
91b,c	Other diseases of the arteries	W	115												1	5	12	35	62	
		C	86												1	7	11	21	46	
92	Embolism and thrombosis (not cerebral)	W	7						1		1	1		1			2		1	
		C	3						1							1	1			
93	Diseases of the veins	W	2								1						1			
		C	2										1		1					
94	Diseases of the lymphatic system	W	1															1		
95	Hemorrhage without specified cause	W	3			1													2	
		C	2	1											1					
96	Other diseases of the circulatory system	W	4													1		2	1	
		C	5												2	3				
	V.—Diseases of the respiratory system	White	755	131	38	19	9	7	17	17	25	23	9	27	49	52	66	135	127	4
		Colored	1,011	242	63	22	19	8	31	21	57	61	39	40	93	99	56	77	76	7
97a	Diseases of the nasal fossae	W	2																	
		C	8	5							1								1	1
97b	Diseases of the nasal fossae annexa	W	3									1			1	1				
		C	4				1			1					2					
98	Diseases of the larynx	W	3				1	1	1											
		C	2			2														
99a	Acute bronchitis	W	8	1					1									1	5	
		C	8	4	2										1				1	
99b	Chronic bronchitis	W	17									2					2	4	9	
		C	10						1		1	1		1		1		3	2	
99c,d	Bronchitis (unspecified)	W	11	3	1													1	6	
		C	6	1	1								1		2				1	
100a	Broncho-pneumonia	W	201	66	17	5	4	2	5	1	3	4	1	5	5	5	13	27	38	
		C	217	94	30	7	4		3	5	7	7	2	1	7	13	5	16	15	1
100b	Capillary bronchitis	W	4	2					1										1	
		C	7	5	1			1												
101a	Lobar pneumonia	W	399	37	17	9	4	3	8	13	20	10	8	18	38	39	41	83	49	2
		C	516	54	16	5	8	5	18	11	40	44	30	29	66	67	40	41	38	4
101b	Pneumonia (unspecified)	W	59	16	2	3		1	1	2	1	4		2	3	4	3	8	7	2
		C	179	76	12	5	5	2	8	3	7	4	4	2	12	11	6	11	11	
102	Pleurisy	W	14	1	1	2				1					2		3	1	3	
		C	11	1		1						2				1	2	3	1	
103	Congestion and hemorrhagic infarct of the lung	W	14	2								1		1		1	1	1	7	
		C	9	1		1				1	1					1	2		2	
104	Gangrene of the lung	W	2								1						1			
		C	2												1		1			
105	Asthma	W	8											1		1	1	4	1	
		C	17	1	1	1							1	3		2		3	4	1
106	Pulmonary emphysema	W	1													1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	9	1								1					1	5	1	
		C	15				1		1			3	1	4	2	3				
	VI.—Diseases of the digestive system	White	802	128	144	47	15	10	24	25	26	15	18	24	55	53	62	69	83	4
		Colored	912	222	147	31	14	8	25	23	41	31	28	26	58	100	51	44	55	8
108	Diseases of the mouth and annexa	W	10	1	2				1		1		1		1	2	1			
		C	5	1					1			1						1		1
109b	Other diseases of the pharynx, tonsils	W	14	2				1	3		1		2	1			1	2		1
		C	16	1	2	1	1	1	1	1	1	2		2	1	1	1			
111a	Ulcer of the stomach	W	22										1	1	1	7	3	4	5	
		C	12											2	3	5		1	1	
111b	Ulcer of the duodenum	W	8												1	2	3	1		1
		C	5							1			2				1	1		
112	Other diseases of the stomach (cancer excepted)	W	54	6	4	1					1	1		3	2	1	7	7	21	
		C	107	10	2	2	4		2	2		1	2	2	12	21	16	17	12	2
113	Diarrhea and enteritis (under 2 years)	W	241	107	134															
		C	338	199	139															
114	Diarrhea and enteritis (2 years and over)	W	100			40	11	4	3	2		2			4	2	5	5	21	1
		C	88			25	7	1	4	2	3	2	5	1	4	4	6	6	15	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	VI.—Diseases of the digestive system—Continued																			
115	Ancylostomiasis	W	6						3	1					1		1			
		C	1								1									
116	Diseases due to other intestinal parasites	W	1			1														
		C	5		1	1		1	2											
117	Appendicitis and typhlitis	W	126		1	1	1	1	12	20	19	10	8	9	14	13	9	3	5	
		C	103	2			2	1	8	12	19	11	8	8	14	14	3		1	
118a	Hernia	W	17			1					2				3	2		6	3	
		C	24	1	1						2	1	3		2	2	4	3	5	
118b	Intestinal obstruction	W	64	6	3	1	2	4	2	1			1	4	18	4	3	9	6	
		C	90	6	2	2		2	3	1	4	7	3	4	12	21	9	6	7	1
119	Other diseases of the intestines	W	9			1											1	3	4	
		C	12					1	1		3				1	5			1	
120	Acute yellow atrophy of the liver	W	2												1			1		
		C	1													1				
122	Cirrhosis of the liver	W	53	2											1	6	18	17	9	
		C	51	1						1	2	2		1	2	20	6	7	9	
123	Biliary calculi	W	18											2	1	4	2	5	4	
		C	7								1			1		1	1	1	2	
124	Other diseases of the liver	W	46	3			1			1		2	5	4	5	9	6	5	4	1
		C	29						1	2	4	1	2	5	3	4	4	1	1	1
125	Diseases of the pancreas	W	1														1			
126	Peritonitis without specified cause	W	10	1		1					2				2	1	1	1	1	
		C	18	1				1	2	1	1	3	3		4	1			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	757	7	4	4	2	2	4	4	7	16	14	18	38	71	111	217	233	5
		Colored	1,295	7	6	6	2	1	7	5	26	33	44	42	156	210	196	255	276	23
128	Acute nephritis (including unspecified under 10 years)	W	66	2	2	1	1		2	2	2	3	4		5	6	12	13	11	
		C	132	4	6	5		1	5	1	9	5	6	4	27	21	14	10	12	2
129	Chronic nephritis (including unspecified 10 years and over)	W	602			2		1	2	1	3	9	8	15	22	57	94	188	196	4
		C	970			1	1		1	3	12	17	25	27	96	165	165	217	227	13
131	Other diseases of the kidneys and annexa	W	26	4	2	1	1	1				2		1	2	3	3		5	1
		C	33	2			1		1	1			3		3	4	4	6	8	
132	Calculi of the urinary passages	W	2												1				1	
		C	2														2			
133	Diseases of the bladder	W	10	1														3	6	
		C	21	1							1				4	2	5	6	2	
134	Diseases of the urethra, etc	C	16										1	2	3	4	3	2		1
135	Diseases of the prostate	W	30												1	1	2	12	14	
		C	55										1	1	3	4	6	15	23	2
136	Nonvenereal diseases of the male genital organs	C	1													1				
137	Cysts, other benign tumors of the ovary	W	4							1				1	1			1		
		C	5									1	1		2	1				
138	Salpingitis and pelvic abscess (female)	W	7									1	1		3	2				
		C	27								3	8	7	3	5	1				
139	Benign tumors of the uterus	W	4									1			2	1				
		C	22											2	14	4				2
140	Nonpuerperal uterine hemorrhage	C	2									1								1
141	Other diseases of the female genital organs	W	6								2		1	1	1	1				
		C	9								1	1		3	3	1				
	VIII.—The puerperal state	White	143								24	27	25	29	34	2				2
		Colored	272							6	70	60	39	26	59	5				7
143	Accidents of pregnancy	W	14									3	3	4	4					
		C	13								2	3	3		5					
144	Puerperal hemorrhage	W	21									2	2	3	12	1				1
		C	18									4	1	3	8	2				
145	Other accidents of labor	W	9								1	3	2	2	1					
		C	38								6	5	7	3	15	1				1
146	Puerperal septicemia	W	40								12	7	9	6	5					1
		C	87							1	22	22	10	10	18	1				3
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2								1		1							
		C	5								2	1	2							
148	Puerperal albuminuria and convulsions	W	56								10	12	7	14	12	1				
		C	111							5	38	25	16	10	13	1				3
149	Following childbirth (undefined)	W	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	26	3	2				1		3	1		1	1	1	3	4	6	
		Colored	27	1					1		1	1		2	1	3	5	4	8	
151	Gangrene	W	9														1	3	5	
		C	16									1		2		1	3	2	7	
152	Furuncle	W	2											1		1				
		C	3													1	1		1	
153	Acute abscess	W	6	1	1				1		1				1		1			
		C	3								1					1	1			
154	Other diseases of the skin and annexa	W	9	2	1						2	1					1	1	1	
		C	5	1					1						1			2		
	X.—Diseases of the bones and of the organs of locomotion	White	14	1	1			1	2	5		1				3				
		Colored	10		1				2	1	2				1	1			2	
155	Diseases of the bones (tuberculosis excepted)	W	13	1	1			1	2	4		1				3				
		C	7						2		1				1	1			2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1							1										
		C	1		1															
158	Other diseases of the organs of locomotion	C	2							1	1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	XI.—Malformations	White	71	66	1		1				2					1				
		Colored	26		3	1				1										
159a	Congenital hydrocephalus	W	8	7	1															
		C	11	8		2				1										
159b	Congenital malformations of the heart	W	39	37			1									1				
		C	5	4		1														
159c	Other congenital malformations	W	24	22							2									
		C	10	9			1													
	XII.—Early infancy	White	471	471																
		Colored	340	340																
160	Congenital debility, icterus, sclerema	W	52	52																
		C	64	64																
161a	Premature birth	W	350	350																
		C	205	205																
161b	Injury at birth	W	47	47																
		C	29	29																
162	Other diseases peculiar to early infancy	W	22	22																
		C	41	41																
163	Lack of care	C	1	1																
164	XIII.—Old age (senility)	White	115														1	15	99	
		Colored	338												1	1	7	40	289	
	XIV.—External causes	White	566	16	6	13	6	12	29	23	47	49	42	39	91	46	43	40	55	9
		Colored	924	54	29	23	22	21	43	52	92	134	80	80	104	57	40	33	46	14
	Suicide	W	41								3	1	2	6	9	7	9	3	1	
		C	8											3	2	1	1	1		
165	By poisons (gas or corrosives excepted)	W	3								1		1		1					
166	By corrosive substances	W	2											1		1				
168	By hanging or strangulation	W	3								1						2			
169	By drowning	W	1																1	
		C	2											2						
170	By firearms	W	27								1	1	1	2	7	6	6	3		
		C	4											1	1	1		1		
171	By cutting or piercing instruments	W	3											3						
		C	1														1			
174	By other means	W	2												1		1			
		C	1												1					
	Homicide	W	68								1	10	6	9	24	7	7	1		3
		C	233						1	7	23	66	31	41	38	14	4	4		4
197	By firearms	W	53									8	5	8	20	5	4			3
		C	176						1	4	14	48	25	34	30	12	2	3		3
198	By cutting or piercing instruments	W	5									1		1	2		1			
		C	29								7	13	4	1	4					
199	By other means	W	10								1	1	1		2	2	2	1		
		C	28							3	2	5	2	6	4	2	2	1		1
	Accidental or undefined	W	457	16	6	13	6	12	29	23	43	38	34	24	58	32	27	36	54	6
		C	683	54	29	23	22	21	42	45	69	68	49	36	64	42	35	28	46	10
175	Poisoning by food	W	7	3		1	1								1		1			
		C	9	3		1							2			1	2			
176	Poisoning by venomous animals	W	3										2		1					
		C	3						1						1				1	
177	Other acute poisonings (gas excepted)	W	13		2	1		1	1			1	1		2	2	1	1		
		C	19	1	4	2		2	1		1	1		1	1	2	1	1	1	
178	Conflagration	W	7		1		1							1		1			3	
		C	23	2	2		4	1	1		2		1		1			4	5	
179	Burns (conflagration excepted)	W	59	3	2	7	3	5	8	3	4	3	1	2	4	3	1	6	4	
		C	154	16	12	17	14	12	19	7	7	6	4	2	1	2	5	10	20	
180	Mechanical suffocation	W	7	5								1	1							
		C	22	20					1		1									
181	Absorption of irrespirable, irritating, or poisonous gas	W	2					1				1								
		C	1										1							
182	Drowning	W	21	1	1	1			1	2	6	1	1	2	2		1	2		
		C	51		1		1		1	9	9	9	4	5	7	2	1			2
183	Traumatism by firearms (except in war)	W	29			1			3	5	6	3	1	2	1	6	1			
		C	95		2	1		1	6	8	23	14	9	7	14	5	2	1	1	1
184	Traumatism by cutting or piercing instruments	W	2						2											
		C	6						1			1	1	1	1			1		
185	Traumatism by fall	W	49					1	3	2	1	1	2	1	1	2	2	8	23	2
		C	35	5	4		1	1	2	3	2					4	4	3	6	
187	Traumatism by machines	W	21							1	3	6	2		2	2	3	2		
		C	15								4	4	3		2	2				
188a	Railroad accidents	W	32								4	3	5	3	8	3	1	2		3
		C	55					1		3	4	12	8	7	6	3	2	2	3	4
188b	Street-car accidents	C	3							1					1	1				
188c	Automobile accidents	W	69	1		1	1	2	3	4	7	7	4	6	11	5	6	7	4	
		C	56		1		2		4	3	6	7	1	5	10	6	6	3	1	1
188e,f	Injuries by other vehicles	W	8					1	1		1		2		3					
		C	9					1		1			1			2	3	1		
188g	Landslide, other crushing	W	5						1		2	1			1					
		C	9		1				1	1	1		1		2	1	1			
189	Injuries by animals (not poisoning)	W	6					1	1	1	1				1					
		C	11					1	1	1		1	2			1	3		1	
192	Starvation (deprivation of food or water)	C	1											1						
193	Excessive cold	W	2	1								1								
		C	4	2															2	
194	Excessive heat	W	2																1	
		C	6										1		1	3	1			
195	Lightning	W	9						1	1	1	2			2	1		1		
		C	9							2	1	2	1	1	2					
196	Other accidental electric shocks	W	3										1	1			1			
		C	3							1	1			1						
201	Fracture (cause not specified)	W	31							1		2		2	2		3	5	15	1
		C	14								1	4	1		3	2			3	
202	Other external violence	W	70	2		1			4	3	7	4	9	5	15	8	6	2	4	
		C	70	5	2	2		1	3	5	6	7	8	5	11	5	4	2	2	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																		
	XV.—Ill-defined diseases. White	409	169	14	3	5	2	5	3	4	3	1	5	15	15	36	60	66	3
	XV.—Ill-defined diseases. Colored	2,027	686	76	25	18	6	22	19	48	70	62	42	117	132	144	191	349	20
204	Sudden death. W	44	8	1						1				3	3	12	10	6	
	Sudden death. C	131	4	2	1		1	3	1		4	4	5	14	23	18	20	29	2
205a	Ill-defined. W	57	12	4				1	1		2		1	2	3	6	11	13	1
	Ill-defined. C	179	28	9		2			5	2	5	6	6	12	19	24	27	33	1
205b	Not specified or unknown. W	308	149	9	3	5	2	4	2	3	1	1	4	10	9	18	39	47	2
	Not specified or unknown. C	1,717	654	65	24	16	5	19	13	46	61	52	31	91	90	102	144	287	17
	MISSOURI																		
	All causes	40,474	4,750	967	465	317	214	698	597	999	1,280	1,237	1,340	3,223	4,291	5,432	6,839	7,716	109
	I.—Epidemic, endemic, and infectious diseases	6,352	593	337	200	129	110	278	202	387	504	463	400	745	625	519	459	387	14
1	Typhoid and paratyphoid fever	294	2	3	5	2	4	25	28	54	44	18	20	27	29	15	13	5	
5	Malaria	169	14	7	9	7		7	11	12	11	7	14	11	20	13	16	10	
6	Smallpox	2									1			1					
7	Measles	333	64	82	32	26	17	36	20	15	7	3	2	12	8	3	2	4	
8	Scarlet fever	171	3	11	19	22	20	57	13	9	9	4	3	1					
9	Whooping cough	335	191	77	27	12	9	15	4										
10	Diphtheria	276	18	32	52	27	45	64	18	6	4	3	1	2	2	1		1	
11a	Influenza (with pulmonary complications)	553	78	33	9	2	2	7	11	12	18	11	16	50	49	70	93	90	2
11b	Influenza (other and unspecified)	339	40	9	3	5	5	9	4	7	5	7	5	18	23	40	47	111	1
13	Mumps	4			1	1					1						1		
15	Cholera nostras	1															1		
16	Dysentery	144	33	28	6	6					2	1	1	3	4	12	19	29	
19	Spirochetal hemorrhagic jaundice	4											2		2				
21	Erysipelas	65	13		1	1			2	1	4	5	2	2	9	8	9	8	
22	Acute anterior poliomyelitis	20		5	2	2		4	6								1		
23	Lethargic encephalitis	51		3	1	3		5	3	5	2	3	3	3	11	4	3	2	
24	Meningococcus meningitis	37	9	6	4		2	5	3		1		2	4	1				
25	Other epidemic and endemic diseases	6	5		1														
27	Anthrax	1															1		
28	Rabies	5						1	1						2	1			
29	Tetanus	67	16	1	1			9	12	6	2		1	9	5	3	2		
30	Mycoses	4	1								1			1		1			
	Tuberculosis (all forms)	3,105	41	33	26	10	5	28	59	253	380	375	303	525	413	297	230	117	10
31	Of the respiratory system	2,771	18	10	12	2	1	11	41	231	351	348	286	484	381	277	203	108	7
32	Of the meninges, central nervous system	93	15	18	10	7	4	8	5	6	2	4	3	5	2	2	2		
33	Of the intestines, peritoneum	96	2	1				6	3	3	10	9	8	13	11	10	12	5	3
34	Of the vertebral column	32		1					5	2	3	2	2	3	6	4	3	1	
35	Of the joints	15	1					1	1		1	4		1	3		2	1	
36	Of other organs	49	2	2	3	1		1	2	4	5	3	2	8	6	1	7	2	
37a	Disseminated (acute)	41	3	1	1			1	2	6	7	4	2	11	3				
37b	Disseminated (chronic or unspecified)	8								1	1	1			1	3	1		
38	Syphilis	289	62	5	1	2	1	4	3	2	7	20	18	55	39	48	15	6	1
39	Soft chancre	1	1																
40	Gonococcus infection	30	1							2	4	5	4	12	2				
41	Purulent infection, septicemia	46	1	2		1		2	4	3	1	1	3	9	6	3	6	4	
	II.—General diseases not included in Class I	4,679	62	17	4	13	13	28	47	49	44	66	107	389	810	1,055	1,157	781	7
	Cancer and other malignant tumors	3,300	1	2		2	3	5	5	15	21	35	51	278	597	801	891	588	5
43	Of the buccal cavity	127									1	2		9	17	37	34	27	
44	Of the stomach, liver	1,261					2	1	1	3	1	4	11	73	189	318	407	248	3
45	Of the peritoneum, intestines, rectum	424								1	3	10	6	48	79	89	116	72	
46	Of the female genital organs	436		1						1	1	7	17	78	110	103	85	32	1
47	Of the breast	290										1	8	38	82	73	51	37	
48	Of the skin	123								2				2	13	12	42	51	1
49	Of other or unspecified organs	639	1	1		2	1	4	4	8	15	11	9	30	107	169	156	121	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	24	1	1						1			1	1	5	5	5	4	
51	Acute rheumatic fever	94				1		9	17	5	4	2	7	3	9	7	14	16	
52	Chronic rheumatism, osteoarthritis, gout	41							1			1		2	4	6	11	16	
54	Pellagra	16								1			1	6	2	2	1	3	
56	Rickets	12	6	2	1	2			1										
57	Diabetes mellitus	576		1	1	1	1	7	14	11	7	11	10	25	73	152	158	103	1
58	Anemia, chlorosis	184	3			1	1	1	3	2	2	1	6	14	34	47	43	26	
59	Diseases of the pituitary gland	1										1							
60a	Exophthalmic goiter	94							1	2	5	8	10	14	26	17	7	4	
60b	Other diseases of the thyroid gland	14	1	1			1			1			1	1	2	3	3		
61	Diseases of the parathyroid glands	4	3							1									
62	Diseases of the thymus gland	31	21	1	1	1	3		1	1	1				1				
63	Diseases of the adrenals (Addison's disease)	8												1		4		2	1
64	Diseases of the spleen	9				1					1		1			4	1	1	
65a	Leukemia	63	1	1		3	1	5	3	4	1		4	9	11	9	7	4	
65b	Hodgkin's disease	28	1		1			1			1	2	1	2	6	5	6	2	
66	Alcoholism (acute or chronic)	101								4	1	3	8	26	33	16	6	4	
67a	Chronic lead poisoning	7								1			1	3	2				
67b	Other chronic mineral poisoning	2													1			1	
68	Chronic poisoning by organic substances	8											1	1		2	1	3	
69	Other general diseases	62	24	8		1	3		1			2	4	3	4	5	3	4	
	III.—Diseases of the nervous system and of the organs of special sense	4,390	87	22	21	14	9	34	28	23	41	51	79	278	499	749	1,152	1,293	10
70	Encephalitis	28	2	1	1			4	1	1			2	1	9	4	1	1	
71a	Simple meningitis	94	20	8	8	5	2	4		2	4	6	3	8	4	12	2	6	
71b	Nonepidemic cerebrospinal meningitis	30	7	1	3	3		4	3	2		2	1	1	1	1	1		
72	Tabes dorsalis (locomotor ataxia)	77										1		6	18	28	16	8	
73	Other diseases of the spinal cord	139		1					2			4	2	7	20	20	40	43	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
74a	Cerebral hemorrhage	2,905	6	2	1		2	2	1	1	11	10	21	104	282	529	913	1,012	8
74b	Cerebral embolism and thrombosis	77				1			1			4	2	2	4	16	18	29	
75	Paralysis without specified cause	223				1				1			1	3	8	33	61	115	
76	General paralysis of the insane	289								1	2	5	22	86	93	46	20	14	
77	Other forms of mental alienation	52									3	3	4	11	10	9	7	5	
78	Epilepsy	130	1	1				2	6	5	11	10	11	23	22	9	17	11	1
79	Convulsions (nonpuerperal; 5 years and over)	3								1						1	1		
80	Infantile convulsions (under 5 years)	27	23	1	1	1	1												
81	Chorea	2								2									
82	Neuralgia and neuritis	9											1			1	3	4	
83	Softening of the brain	36													1	3	7	25	
84	Other diseases of the nervous system	147	3	2	3	2	3		3	1	6	5	5	11	17	29	39	18	
85	Diseases of the eye and annexa	1			1														
86a	Diseases of the ear	80	20	4	2	1	1	9	8	3	1	1	2	11	7	3	4	2	1
86b	Diseases of the mastoid process	41	5	1	1			9	3	3	3		2	4	3	5	2		
	IV.—Diseases of the circulatory system	6,154	24	3	2	5	1	40	54	71	67	77	104	359	686	1,042	1,614	1,990	15
87	Pericarditis	55	1					4	3	5	5	1	1	2	9	6	7	11	
88	Endocarditis and myocarditis (acute)	172	5		1	1		6	6	12	3	11	7	30	22	23	24	20	1
89	Angina pectoris	300							1		1	1	2	11	44	72	106	62	
90	Other diseases of the heart	4,644	11	3	1	4	1	30	43	53	56	60	82	278	558	816	1,250	1,384	14
91a	Aneurysm	138										2	8	25	33	37	22	11	
91b,c	Other diseases of the arteries	778												7	12	77	190	492	
92	Embolism and thrombosis (not cerebral)	39	2						1		2	2	2	3	4	6	9	8	
93	Diseases of the veins	19								1			2	3	4	3	5	1	
94	Diseases of the lymphatic system	7	5													2			
95	Hemorrhage without specified cause	2															1	1	
	V.—Diseases of the respiratory system	4,150	691	206	81	55	33	69	46	73	106	98	114	307	370	452	574	862	13
97a	Diseases of the nasal fossae	3	1															2	
97b	Diseases of the nasal fossae annexa	16					1	2		2	3		1	4		2	1		
98	Diseases of the larynx	19	4	5	3								1	1	2		2	1	
99a	Acute bronchitis	112	37	5	2	1	2		1		3			4	2	4	15	36	
99b	Chronic bronchitis	119	1	2					1	2		1	1	4	8	15	19	64	1
99c,d	Bronchitis (unspecified)	33	4	4								1				1	2	21	
100a	Broncho-pneumonia	1,516	470	115	39	33	15	34	11	12	12	18	20	63	71	85	177	339	2
100b	Capillary bronchitis	33	18	5	1		1				1				1	3		3	
101a	Lobar pneumonia	2,050	142	63	33	17	11	26	33	48	81	69	78	212	257	307	318	347	8
101b	Pneumonia (unspecified)	36	6	4	1		1	1		2	1	1	1	2	2	6	2	6	
102	Pleurisy	79	2	3	2	3	1	3		3	3	3	7	8	9	10	11	11	
103	Congestion and hemorrhagic infarct of the lung	15	3					1						1		2		8	
104	Gangrene of the lung	6								1		2	1	2					
105	Asthma	68	2			1	1			1		1		3	14	9	18	18	
106	Pulmonary emphysema	9											1		1	3	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	36	1					2		2	2	2	3	3	3	5	7	4	2
	VI.—Diseases of the digestive system	3,432	791	293	93	49	21	86	82	87	92	102	122	260	310	365	361	316	2
108	Diseases of the mouth and annexa	20	2			1	1	1	1		1	1			5	2	5		
109b	Other diseases of the pharynx, tonsils	107	4	3	4	6	3	10	13	11	6	8	6	7	10	5	6	5	
110	Diseases of the esophagus	2												1	1				
111a	Ulcer of the stomach	138						1	1	1	5	7	9	28	29	22	21	14	
111b	Ulcer of the duodenum	49								1		5	5	10	9	11	7	1	
112	Other diseases of the stomach (cancer excepted)	212	56	11	1			2	2	2	2	4	8	9	11	22	27	55	
113	Diarrhea and enteritis (under 2 years)	936	676	260															
114	Diarrhea and enteritis (2 years and over)	276			71	30	9	16	1	5	4	2	8	13	12	19	33	53	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	530	1	5	7	8	2	45	52	53	43	47	49	84	58	41	26	8	1
118a	Hernia	141	1	1					1		1		2	13	27	34	36	25	
118b	Intestinal obstruction	250	35	9	4	3	2	7	6	7	11	10	9	23	23	29	41	30	1
119	Other diseases of the intestines	56	6	2	2				1		2	1	2	8	5	8	7	12	
120	Acute yellow atrophy of the liver	11	1								2		1	1		5	1		
122	Cirrhosis of the liver	325						1	2	3	2	2	5	22	59	87	88	54	
123	Biliary calculi	132										3	6	12	27	37	26	21	
124	Other diseases of the liver	168	5		1			1		1	8	7	8	24	23	28	31	31	
125	Diseases of the pancreas	21									1	2	1	1	5	6	3	2	
126	Peritonitis without specified cause	57	4	2	2	1	4	2	2	3	4	3	3	4	6	9	3	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,448	23	8	7	7	3	17	22	26	38	68	102	318	511	759	1,090	1,434	15
128	Acute nephritis (including unspecified under 10 years)	221	5	6	6	5	2	8	7	4	6	10	11	29	20	40	26	35	1
129	Chronic nephritis (including unspecified 10 years and over)	3,652	3	2		2	1	8	13	16	15	31	52	212	420	655	961	1,250	11
131	Other diseases of the kidneys and annexa	91	15		1			1	2	1	5	3	4	8	10	13	17	11	
132	Calculi of the urinary passages	25								1	1	1	1	1	1	9	5	5	
133	Diseases of the bladder	37													3	1	6	27	
134	Diseases of the urethra, etc	16										1	1	3	4	5	1	1	
135	Diseases of the prostate	197												1	5	25	64	100	2
136	Nonvenereal diseases of the male genital organs	2													1		1		
137	Cysts, other benign tumors of the ovary	24								2		4	3	3	3	2	4	3	
138	Salpingitis and pelvic abscess (female)	86								2	10	15	21	21	11	3	2	1	
139	Benign tumors of the uterus	71										2	8	30	24	5	2		
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	25									1	1	1	9	9	1	1	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	VIII.—The puerperal state	441							1	64	95	86	88	104	3				
143	Accidents of pregnancy	47								3	7	9	16	12					
144	Puerperal hemorrhage	46								3	9	9	11	13	1				
145	Other accidents of labor	36							1	3	5	8	7	11	1				
146	Puerperal septicemia	195								35	51	33	34	42					
147	Puerperal phlegmasia alba dolens, embolus, etc.	14								1	3	4	4	2					
148	Puerperal albuminuria and convulsions	101								18	20	22	16	24	1				
149	Following childbirth (undefined)	2								1		1							
	IX.—Diseases of the skin and of the cellular tissue	112	14	2				2	1	5	3	2	4	6	7	14	23	29	
151	Gangrene	43											1	2	3	7	12	18	
152	Furuncle	25	2					2	1	5	2	1	1	1	3	4	2	1	
153	Acute abscess	16	2	1								1	1	2	1	3	2	3	
154	Other diseases of the skin and annexa	28	10	1							1		1	1			7	7	
	X.—Diseases of the bones and of the organs of locomotion	41	1		4	1		6	6	1	2		1	2	3	6	7	1	
155	Diseases of the bones (tuberculosis excepted)	36	1		4	1		6	6		2		1	2	3	4	5	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3								1						1	1		
158	Other diseases of the organs of locomotion	2														1	1		
	XI.—Malformations	442	401	17	3	1	4	5	3	2	2	1	1	1		1			
159a	Congenital hydrocephalus	37	28	3			2	1	1			1		1					
159b	Congenital malformations of the heart	269	251	8	3		1	2	1	2	1								
159c	Other congenital malformations	136	122	6		1	1	2	1		1		1			1			
	XII.—Early infancy	1,824	1,824																
160	Congenital debility, icterus, sclerema	189	189																
161a	Premature birth	1,241	1,241																
161b	Injury at birth	237	237																
162	Other diseases peculiar to early infancy	153	153																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	281														3	27	249	2
	XIV.—External causes	3,235	55	50	47	42	19	125	100	204	281	222	210	432	433	374	298	320	23
	Suicide	497							4	9	40	35	48	81	110	91	57	21	1
165	By poisons (gas or corrosives excepted)	26									6	3	2	7	3	3	2		
166	By corrosive substances	107								4	9	18	9	18	19	15	13	2	
167	By poisonous gas	36									2	2	7	1	13	6	3	2	
168	By hanging or strangulation	63									1		5	10	18	13	8	7	1
169	By drowning	21								2	1	1	1	3	3	3	6	1	
170	By firearms	201							4	3	19	11	18	32	47	41	20	6	
171	By cutting or piercing instruments	30									1		4	7	6	4	5	3	
172	By jumping from high places	7											1	1		5			
173	By crushing	2											1	1					
174	By other means	4									1			1	1	1			
	Homicide	457	2	1		2		5	5	29	84	75	55	117	45	27	4	3	3
197	By firearms	350		1		2		3	4	22	58	63	45	94	36	18	2	1	1
198	By cutting or piercing instruments	45							1	3	11	7	5	11	3	3			1
199	By other means	62	2					2		4	15	5	5	12	6	6	2	2	1
	Accidental or undefined	2,281	53	49	47	40	19	120	91	166	157	112	107	234	278	256	237	296	19
175	Poisoning by food	36	2	2	2	2		2		3	5	1	1	3	2	1	4	6	
176	Poisoning by venomous animals	1													1				
177	Other acute poisonings (gas excepted)	64	1	9	6	2	1			1	5	2	9	9	8	6	4	1	
178	Conflagration	55	2	1	4	1	3	2	3	5	2	1	3	7	5	6	6	4	
179	Burns (conflagration excepted)	179	2	17	15	17	5	18	5	7	10	7	4	14	22	9	13	14	
180	Mechanical suffocation	23	19	2							1				1				
181	Absorption of irrespirable, irritating, or poisonous gas	53		1							2	6	3	8	7	11	9	6	
182	Drowning	159	1	4	3	3		9	14	26	19	8	5	17	21	15	5	1	8
183	Traumatism by firearms (except in war)	80				1		4	13	22	6	5	11	8	5	4		1	
184	Traumatism by cutting or piercing instruments	23	1		1			1	1				1	2	4	5	3	2	2
185	Traumatism by fall	504	10	4	3	1	2	11	11	12	10	9	12	30	41	58	82	208	
186a	Traumatism in mines	27			1					2	5	2	3	9	4	1			
186b	Traumatism in quarries	4									1	1		2					
187	Traumatism by machines	54						1	1	7	2	10	5	8	11	4	5		
188a	Railroad accidents	192	1		2			4	3	17	23	11	11	27	38	24	15	9	7
188b	Street-car accidents	33				1		2		2	2	1	1	8	6	7	2	1	
188c	Automobile accidents	449	2	1	1	8	3	55	22	38	37	31	18	42	61	54	51	24	1
188d	Airplane and balloon accidents	2								1			1						
188e,f	Injuries by other vehicles	62			1	1	2	4	4	4	1		2	7	8	15	10	3	
188g	Landslide, other crushing	14						1	1		3		2	1	4	1	1		
189	Injuries by animals (not poisoning)	19				1		1	1	1			1		1	6	5	2	
192	Starvation (deprivation of food or water)	2													1	1			
193	Excessive cold	10							1		1	1					3	3	1
194	Excessive heat	11	1											2	2	2	2	2	
195	Lightning	25	1						2	1	4	2	3	2	1	9			
196	Other accidental electric shocks	32					1	1		4	5	7	4	5	4	1			
201	Fracture (cause not specified)	14										1		4	1	3	1	4	
202	Other external violence	154	10	8	8	2	2	4	9	13	13	6	7	19	19	13	16	5	
	XV.—Ill-defined diseases	493	184	12	3	1	1	8	5	7	5	1	8	22	34	63	77	54	8
204	Sudden death	24	5										2	2	3	2	4	6	
205a	Ill-defined	200	27	5	1		1	3	2	3	2		5	13	24	43	48	22	1
205b	Not specified or unknown	269	152	7	2	1		5	3	4	3	1	1	7	7	18	25	26	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA																		
	All causes	4,970	683	118	96	52	48	145	130	152	160	161	168	521	531	724	708	553	20
	I.—Epidemic, endemic, and infectious diseases	806	65	38	40	22	18	64	38	47	55	45	43	102	86	78	48	15	2
1	Typhoid and paratyphoid fever	16						2	1	5	1	3		4					
6	Smallpox	3	1														1	1	
7	Measles	73	18	18	14	4	3	7	2	1	3			1	1		1		
8	Scarlet fever	32	3	3	1	8	2	9	3	2			1						
9	Whooping cough	26	18	1	5		1		1										
10	Diphtheria	56	1	1	8	4	6	19	9	3	1		1		2				1
11a	Influenza (with pulmonary complications)	42	4	2	1	1			1	3	3	1	6	6	4	2	6	2	
11b	Influenza (other and unspecified)	22	4	1	1				3	2	1		1	2		2	2	3	
15	Cholera nostras	1		1															
16	Dysentery	3				1		1								1			
21	Erysipelas	7	2								1				2	1	1		
22	Acute anterior poliomyelitis	23	2		1		2	5	4	4	1	1	2	1					
23	Lethargic encephalitis	13						1		1	1	1	3	1		3	1	1	
24	Meningococcus meningitis	5		1				1		1			1		1				
25	Other epidemic and endemic diseases	11				1								2	4	2	2		
	Tuberculosis (all forms)	434	7	9	7	3	3	19	11	23	42	36	27	82	68	60	29	7	1
31	Of the respiratory system	387	2	6	6	2	2	13	8	17	40	33	26	76	63	59	26	7	1
32	Of the meninges, central nervous system	23	4	3	1	1	1	5	3	2		1	1		1				
33	Of the intestines, peritoneum	10								3	1	1		1	1	1	2		
34	Of the vertebral column	4												3	1				
35	Of the joints	1									1								
36	Of other organs	4						1		1		1					1		
37a	Disseminated (acute)	4												2	2				
37b	Disseminated (chronic or unspecified)	1	1																
38	Syphilis	31	3		1				1	1	1	3	1	3	4	7	5	1	
40	Gonococcus infection	1								1									
41	Purulent infection, septicemia	7	2	1	1		1		2										
	II.—General diseases not included in Class I	547	15	6	1	1	1	6	10	5	4	8	9	63	86	144	127	60	1
	Cancer and other malignant tumors	363	1	1	1	1		1	1	1		2	4	39	67	101	92	50	1
43	Of the buccal cavity	15													2	5	5	3	
44	Of the stomach, liver	149	1									1	1	10	26	51	41	18	
45	Of the peritoneum, intestines, rectum	46				1							1	4	9	12	11	8	
46	Of the female genital organs	42										1		11	10	11	9		
47	Of the breast	33												6	11	7	6	3	
48	Of the skin	16												3	3	1	2	7	
49	Of other or unspecified organs	62		1	1			1	1	1			2	5	6	14	18	11	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1															1		
51	Acute rheumatic fever	18					1	2	6	3			1	1	1		2	1	
52	Chronic rheumatism, osteoarthritis, gout	4												1	1	2			
54	Pellagra	1															1		
56	Rickets	3	1	2															
57	Diabetes mellitus	52						1	2				1	4	4	13	21	6	
58	Anemia, chlorosis	29		1					1					4	4	12	6	1	
59	Diseases of the pituitary gland	2										1		1					
60a	Exophthalmic goiter	22								1	1	2		5	3	10			
60b	Other diseases of the thyroid gland	6		1							1		1	1	2				
62	Diseases of the thymus gland	7	6	1															
63	Diseases of the adrenals (Addison's disease)	6									1	1	1	2		1			
64	Diseases of the spleen	1						1											
65a	Leukemia	6									1	1		2			1	1	
65b	Hodgkin's disease	1															1		
66	Alcoholism (acute or chronic)	15										1	1	3	4	4	1	1	
69	Other general diseases	10	7					1								1	1		
	III.—Diseases of the nervous system and of the organs of special sense	441	16	1	3	2	3	9	10	6	8	6	7	39	49	92	106	82	2
70	Encephalitis	6	2				2			1		1							
71a	Simple meningitis	12	1		1	1		4	2		1			1		1			
71b	Nonepidemic cerebrospinal meningitis	2								1	1								
72	Tabes dorsalis (locomotor ataxia)	6													1	4	1		
73	Other diseases of the spinal cord	11						1		2				2	3	1	1	1	
74a	Cerebral hemorrhage	272		1	1						1	2		18	26	73	84	64	2
74b	Cerebral embolism and thrombosis	14													1	4	5	4	
75	Paralysis without specified cause	18			1			1				1			1	1	6	7	
76	General paralysis of the insane	30										1	2	12	8	4	3		
77	Other forms of mental alienation	7												2	1		2	2	
78	Epilepsy	10							5			1	3					1	
79	Convulsions (nonpuerperal; 5 years and over)	2												1	1				
80	Infantile convulsions (under 5 years)	9	8				1												
81	Chorea	1							1										
83	Softening of the brain	2																2	
84	Other diseases of the nervous system	15						1			4				3	3	3	1	
86a	Diseases of the ear	19	5					2	2	1	1		1	3	3		1		
86b	Diseases of the mastoid process	5				1				1			1		1	1			
	IV.—Diseases of the circulatory system	722	6	3	1	3	2	9	10	18	6	11	13	50	76	156	182	176	
87	Pericarditis	4					1						2	1					
88	Endocarditis and myocarditis (acute)	38	1			2		2	2	6	3	3	1	8		6	4		
89	Angina pectoris	33										1		2	6	12	8	4	
90	Other diseases of the heart	570	3	3	1	1	1	7	7	12	3	7	10	33	64	126	149	143	
91a	Aneurysm	12												4	3	4		1	
91b,c	Other diseases of the arteries	51												1	2	5	17	26	
92	Embolism and thrombosis (not cerebral)	10	1											1	1	2	3	2	
93	Diseases of the veins	1														1			
94	Diseases of the lymphatic system	2	1						1										
95	Hemorrhage without specified cause	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	V.—Diseases of the respiratory system	437	83	32	19	8	6	10	5	6	8	6	12	42	36	48	52	62	2
97a	Diseases of the nasal fossae	2	1		1														
97b	Diseases of the nasal fossae annexa	4						1						1	1	1			
98	Diseases of the larynx	5	1	2				2											
99a	Acute bronchitis	3		1	1												1		
99b	Chronic bronchitis	5	1														1	3	
99c,d	Bronchitis (unspecified)	7	2		2													3	
100a	Broncho-pneumonia	126	48	16	7	2	2	1	1	1	1	1		2	4	8	14	18	
100b	Capillary bronchitis	5	3	1															1
101a	Lobar pneumonia	187	16	7	2	3	4	4	4	5	6	4	11	27	24	20	25	25	
101b	Pneumonia (unspecified)	46	10	5	5	3					1	1	1	2	2	3	4	8	1
102	Pleurisy	8	1		1			1						3		1	1		
103	Congestion and hemorrhagic infarct of the lung	6												1		1	1	3	
104	Gangrene of the lung	1													1				
105	Asthma	11						1								5	3	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	21												6	4	9	2		
	VI.—Diseases of the digestive system	420	71	22	16	2	11	19	17	11	8	17	22	51	56	42	33	22	
108	Diseases of the mouth and annexa	5	1				1				1	1	1						
109b	Other diseases of the pharynx, tonsils	17	2	2			2	2	2			2		1	1	1	2		
111a	Ulcer of the stomach	17		2									2	5	5	1	1	1	
111b	Ulcer of the duodenum	10												1	3	4	1	1	
112	Other diseases of the stomach (cancer excepted)	19	4	2				1						1		3	4	4	
113	Diarrhea and enteritis (under 2 years)	71	57	14															
114	Diarrhea and enteritis (2 years and over)	32			13	1	5	3			1	2			1	2		4	
117	Appendicitis and typhlitis	94		2		1	2	10	11	8	4	5	13	15	13	6	4		
118a	Hernia	14			1				2					3	2	1	3	2	
118b	Intestinal obstruction	36	6		1		1	1		2		3	1	3	4	5	4	5	
119	Other diseases of the intestines	4						1		1				1	1				
120	Acute yellow atrophy of the liver	4									1	1		2					
121	Hydatid tumor of the liver	1											1						
122	Cirrhosis of the liver	42										1	3	4	11	10	11	2	
123	Biliary calculi	24										1	1	5	8	6	2	1	
124	Other diseases of the liver	18			1									7	5	3		2	
125	Diseases of the pancreas	3										1		1	1				
126	Peritonitis wthout specified cause	9	1					1	2		1			2	1		1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	364	4			1		2	7	6	11	4	10	35	44	79	100	61	
128	Acute nephritis (including unspecified under 10 years)	23	2						3		2		1	4	3	2	3	3	
129	Chronic nephritis (including unspecified 10 years and over)	272					4	2	4	5	7	3	3	23	29	66	80	50	
131	Other diseases of the kidneys and annexa	13	1			1							3	1	1	3	3		
132	Calculi of the urinary passages	2													1		1		
133	Diseases of the bladder	3	1															2	
134	Diseases of the urethra, etc	1													1				
135	Diseases of the prostate	24														7	11	6	
136	Nonvenereal diseases of the male genital organs	1													1				
137	Cysts, other benign tumors of the ovary	4											1	2			1		
138	Salpingitis and pelvic abscess (female)	8							1	2		2	2	1					
139	Benign tumors of the uterus	11									1			5	3	1	1		
141	Other diseases of the female genital organs	2													2				
	VIII.—The puerperal state	67								10	10	17	13	16	1				
143	Accidents of pregnancy	2											2						
144	Puerperal hemorrhage	6							1	2	1		1	1					
145	Other accidents of labor	8								2	4	1	1						
146	Puerperal septicemia	30							4	6	6	6	8						
147	Puerperal phlegmasia alba dolens, embolus, etc	2										2							
148	Puerperal albuminuria and convulsions	19							5		4	4	6						
	IX.—Diseases of the skin and of the cellular tissue	17	5					1			1		2		2	1	4	1	
151	Gangrene	7	1										1		1		3	1	
152	Furuncle	3													1	1	1		
153	Acute abscess	2	1					1											
154	Other diseases of the skin and annexa	5	3								1		1						
	X.—Diseases of the bones and of the organs of locomotion	3							1	1	1								
155	Diseases of the bones (tuberculosis excepted)	1									1								
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1	1									
	XI.—Malformations	63	58	2	1			1	1										
159a	Congenital hydrocephalus	7	5	1	1														
159b	Congenital malformations of the heart	41	39	1				1											
159c	Other congenital malformations	15	14						1										
	XII.—Early infancy	317	317																
160	Congenital debility, icterus, sclerema	41	41																
161a	Premature birth	201	201																
161b	Injury at birth	50	50																
162	Other diseases peculiar to early infancy	25	25																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
164	XIII.—Old age (senility)	54														2	12	40	
	XIV.—External causes	635	11	12	13	12	7	24	30	40	46	46	37	121	90	77	37	28	4
	Suicide	79							1	4	3	5	10	18	18	12	5	2	1
165	By poisons (gas or corrosives excepted)	8							1	1				2		4	1		
166	By corrosive substances	7							1			1	1	1	2	1			
167	By poisonous gas	1												1					
168	By hanging or strangulation	5												2	2	1			
169	By drowning	3												1	1	1			
170	By firearms	48							3	3	4	7	9	13	3	3	2	1	
171	By cutting or piercing instruments	4										1				2	1		
172	By jumping from high places	2										1	1						
173	By crushing	1												1					
	Homicide	37							1	5	6	3	10	6	4	1			1
197	By firearms	29								4	5	3	7	6	3	1			
198	By cutting or piercing instruments	3											3						
199	By other means	5							1	1	1				1				1
	Accidental or undefined	519	11	12	13	12	7	24	29	35	38	35	24	93	66	61	31	26	2
175	Poisoning by food	7									1			3		1	2		
177	Other acute poisonings (gas excepted)	19	1	1				1	1			2		6	1	3	2		1
178	Conflagration	22	1	2	4	3	1	2						2	2	2		3	
179	Burns (conflagration excepted)	27	3	3	2	5	1	1	1	1	1	2	1	2	2	1	1		
180	Mechanical suffocation	7	6						1										
181	Absorption of irrespirable, irritating, or poisonous gas	8										1		3	2	1	1		
182	Drowning	34		3	2			1	7	5	5	1	1	4	2	1	2		
183	Traumatism by firearms (except in war)	24			1		1	3	3	5		3	2	1	2	3			
184	Traumatism by cutting or piercing instruments	5			1									1	1	2			
185	Traumatism by fall	50					1	4	3	1	2	2	1	5	4	7	6	14	
186a	Traumatism in mines	68							1	4	5	5	4	25	14	5	5		
187	Traumatism by machines	9									1	1	2	2	2			1	
188a	Railroad accidents	58		1		1		2	3	6	8	4	1	11	6	11	2	1	1
188c	Automobile accidents	69				2	1	4	1	9	7	7	5	8	10	11	3	1	
188e,f	Injuries by other vehicles	19						1	4		1		1	2	2	4	3	1	
188g	Landslide, other crushing	15					1			2		2	1	2	3	3	1		
189	Injuries by animals (not poisoning)	10							1		1		1	2	3	1		1	
193	Excessive cold	13									1	1		4	1	1	2	3	
195	Lightning	2									1						1		
196	Other accidental electric shocks	5						1				1		2	1				
201	Fracture (cause not specified)	3							1		1							1	
202	Other external violence	45		2	3	1	1	4	2	2	3	3	4	8	8	4			
	XV.—Ill-defined diseases	77	32	2	2	1			1	2	2	1		2	5	5	7	6	9
204	Sudden death	2	1														1		
205a	Ill-defined	10	1												2	1	4	2	
205b	Not specified or unknown	65	30	2	2	1			1	2	2	1		2	3	4	2	4	9
	NEBRASKA																		
	All causes	12,388	1,663	280	130	102	85	280	220	268	296	319	350	842	1,032	1,570	2,167	2,772	12
	I.—Epidemic, endemic, and infectious diseases	1,374	179	110	45	41	41	122	58	64	72	69	70	116	111	94	93	89	
1	Typhoid and paratyphoid fever	28					1	3	2	5	3	2	2	3	2	2	2	1	
5	Malaria	1												1					
6	Smallpox	1	1																
7	Measles	209	38	55	22	17	8	25	12	10	4		4	3	6	1	2	2	
8	Scarlet fever	42	4	5	2	2	3	16	4	2	3		1						
9	Whooping cough	77	49	15	2	2	3	5	1										
10	Diphtheria	107	4	9	8	13	17	42	9	3	2								
11a	Influenza (with pulmonary complications)	115	26	6	2		3	6	3		4	3	1	4	6	13	22	16	
11b	Influenza (other and unspecified)	148	22	5	3	1	2	8	2	5	6	4	2	10	12	8	20	38	
15	Cholera nostras	1		1															
16	Dysentery	15	3	1		1	1	1						1	2	3	1	1	
19	Spirochetal hemorrhagic jaundice	1									1								
21	Erysipelas	21	7						1				2			4	1	6	
22	Acute anterior poliomyelitis	8	1	1		2		2		1			1						
23	Lethargic encephalitis	9							1	2	2			2	1	1			
24	Meningococcus meningitis	7	3						3	1									
25	Other epidemic and endemic diseases	2			1				1										
29	Tetanus	16	1		1	1	1	3	4	2	1			1			1		
30	Mycoses	1									1								
	Tuberculosis (all forms)	477	11	11	3	2	2	10	15	29	43	55	55	77	62	48	34	20	
31	Of the respiratory system	383	3	4	1	2		5	8	24	36	48	50	62	56	38	28	18	
32	Of the meninges, central nervous system	23	7	3			2	3	3		1	1		2		1			
33	Of the intestines, peritoneum	27		1				1	4	3	1	3	3	4	1	3	2	1	
34	Of the vertebral column	4												3			1		
35	Of the joints	2									1	1							
36	Of other organs	16		2	1							2		2	4	3	2		
37a	Disseminated (acute)	19	1	1	1			1		1	4		1	4	1	3		1	
37b	Disseminated (chronic or unspecified)	3								1			1				1		
38	Syphilis	60	7	1						2	1	3		14	15	12	4	1	
40	Gonococcus infection	1									1								
41	Purulent infection, septicemia	27	2		1			1		2		2	2		5	2	6	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	II.—General diseases not included in Class I	1,702	39	6	4	4	1	14	21	17	21	28	33	135	227	416	436	298	2
	Cancer and other malignant tumors	1,132	3		1	1		5	1	4	5	10	16	89	162	288	315	230	2
43	Of the buccal cavity	27								1				1	5	6	6	8	
44	Of the stomach, liver	469						1	1	1		1	2	12	54	134	163	98	2
45	Of the peritoneum, intestines, rectum	178						1			1	1	2	16	25	36	55	41	
46	Of the female genital organs	118						1			1	1	5	20	33	27	18	12	
47	Of the breast	85									1		1	20	14	25	14	10	
48	Of the skin	28						1						2	5	4	5	11	
49	Of other or unspecified organs	227	3		1	1		1		2	2	7	6	18	26	56	54	50	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6	1											1	1	1	2		
51	Acute rheumatic fever	33							7	4	1	2	2	1	2	6	5	3	
52	Chronic rheumatism, osteoarthritis, gout	17										1		3		2	7	4	
53	Scurvy	1			1														
56	Rickets	3	2	1															
57	Diabetes mellitus	262		1		1	1	5	10	4	6	7	5	19	22	76	60	45	
58	Anemia, chlorosis	103			1			1	2		3	4		8	19	27	29	9	
60a	Exophthalmic goiter	25								2		2	2	2	8	5	3	1	
60b	Other diseases of the thyroid gland	7								2			1	1	1	1	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	16	14	2															
63	Diseases of the adrenals (Addison's disease)	9														2	5	2	
64	Diseases of the spleen	4	1													1	1	1	
65a	Leukemia	18		2	1			1	1	1	1				6	2	3		
65b	Hodgkin's disease	14						2			1		3	4	2			2	
66	Alcoholism (acute or chronic)	20									1	1	3	6	4	2	3		
68	Chronic poisoning by organic substances	1														1			
69	Other general diseases	30	17			2					3	1	1	1		2	2	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,503	20	13	7	2	3	11	9	8	15	16	29	84	152	250	417	465	2
70	Encephalitis	15	1	3			2		1	1		2	1	2	2				
71a	Simple meningitis	18	7	2	2			1	1	1	1		1		1	1			
71b	Nonepidemic cerebrospinal meningitis	5				1		3					1						
72	Tabes dorsalis (locomotor ataxia)	14												2	4	5	2	1	
73	Other diseases of the spinal cord	53									1		3	6	4	6	18	15	
74a	Cerebral hemorrhage	1,020		1							5	2	6	28	96	185	323	373	1
74b	Cerebral embolism and thrombosis	47								1					8	5	14	19	
75	Paralysis without specified cause	69	1										1	1	4	7	22	33	
76	General paralysis of the insane	59										2	5	23	11	9	7	1	1
77	Other forms of mental alienation	21										1	3	6	2	3	3	3	
78	Epilepsy	59			1			2	6	4	4	4	3	8	7	11	6	3	
79	Convulsions (nonpuerperal: 5 years and over)	3									1	1		1					
80	Infantile convulsions (under 5 years)	14	9	2	2		1												
82	Neuralgia and neuritis	7														2	4	1	
83	Softening of the brain	11												1		2	2	6	
84	Other diseases of the nervous system	65		2	1			3			3	3	3	4	10	11	15	10	
85	Diseases of the eye and annexa	1		1															
86a	Diseases of the ear	13	2	1	1	1		1		1				1	1	3	1		
86b	Diseases of the mastoid process	9		1				1	1			1	2	1	2				
	IV.—Diseases of the circulatory system	2,026	8		1	2	2	13	24	24	22	25	29	77	170	329	544	755	1
87	Pericarditis	7							3						1		1	2	
88	Endocarditis and myocarditis (acute)	90	4		1		2	4	3	16	4	6	7	11	6	8	7	10	1
89	Angina pectoris	147									2		1	5	19	39	44	37	
90	Other diseases of the heart	1,462	2			2		9	17	8	16	18	16	56	124	246	416	532	
91a	Aneurysm	22												4	5	3	9	1	
91b,c	Other diseases of the arteries	253													5	28	56	164	
92	Embolism and thrombosis (not cerebral)	36	2						1			1	4	1	8	3	9	7	
93	Diseases of the veins	5													1	1	1	2	
94	Diseases of the lymphatic system	1															1		
95	Hemorrhage without specified cause	3											1		1	1			
	V.—Diseases of the respiratory system	1,013	188	55	24	11	4	23	19	22	15	19	17	61	57	86	153	258	1
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	4						1						1	2				
98	Diseases of the larynx	8	2	2	1			2							1				
99a	Acute bronchitis	21	5		2							1			2		3	8	
99b	Chronic bronchitis	31	1					1							2	4	8	15	
99c,d	Bronchitis (unspecified)	16	4	1												1	4	6	
100a	Broncho-pneumonia	334	110	30	10	8	3	10	4	3	1	6	5	9	11	13	32	78	1
100b	Capillary bronchitis	7	4	1	1													1	
101a	Lobar pneumonia	407	39	16	9	2	1	4	14	14	10	9	9	38	30	43	77	92	
101b	Pneumonia (unspecified)	84	18	3				2		1	2		1	8	4	11	9	25	
102	Pleurisy	24	1					2		2	1	2		2	1	8	2	3	
103	Congestion and hemorrhagic infarct of the lung	29	1	1						1			1		2	2	4	17	
104	Gangrene of the lung	6							1	1				1	1	1	1		
105	Asthma	32		1	1	1		1			1		1	2	1	3	8	12	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	8	2									1					4	1	
	VI.—Diseases of the digestive system	1,153	190	55	33	24	19	44	31	32	41	35	53	114	102	124	118	138	
108	Diseases of the mouth and annexa	7	2											2	1	1	1		
109a	Adenoid vegetations	1	1																
109b	Other diseases of the pharynx, tonsils	51	3	1	3	1	1	8	5	4	5	2	2	9	1	4	2		
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	47								1	3	2	2	9	10	7	6	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	VI.—Diseases of the digestive system—Continued																		
111b	Ulcer of the duodenum	15									1	1	3	3	2	3	1	1	
112	Other diseases of the stomach (cancer excepted)	70	13	3		1				2	1	1	5	2	5	9	8	20	
113	Diarrhea and enteritis (under 2 years)	185	145	40															
114	Diarrhea and enteritis (2 years and over)	81			24	13	6	2	1			3	2	3		2	8	17	
116	Diseases due to other intestinal parasites	1												1					
117	Appendicitis and typhlitis	245	2	3	2	4	7	31	22	17	22	17	20	40	25	17	13	3	
118a	Hernia	50	1											5	6	17	12	9	
118b	Intestinal obstruction	117	21	5	4	4	4	2	2	5	4	5	5	11	9	9	11	16	
119	Other diseases of the intestines	26		2		1	1						2	2	2	2	3	11	
120	Acute yellow atrophy of the liver	6								1		1		4					
122	Cirrhosis of the liver	87							1				1	3	11	19	26	26	
123	Biliary calculi	66										1	7	10	11	13	13	11	
124	Other diseases of the liver	77	1	1				1			3	1	4	3	16	18	14	15	
125	Diseases of the pancreas	7										1		3	1	2			
126	Peritonitis without specified cause	13	1							2	2			4	2	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,053	8		2		1	8	12	10	15	18	23	62	101	166	279	347	1
128	Acute nephritis (including unspecified under 10 years)	57	5		2		1	6	1	5	4	1	2	4	8	6	8	4	
129	Chronic nephritis (including unspecified 10 years and over)	778						2	10	1	7	5	13	32	65	136	224	282	1
131	Other diseases of the kidneys and annexa	29	2							1			1	2	6	4	8	5	
132	Calculi of the urinary passages	7									1				1	2	1	2	
133	Diseases of the bladder	19	1											1	2	2	4	9	
134	Diseases of the urethra, etc	3												1			2		
135	Diseases of the prostate	82														11	29	42	
136	Nonvenereal diseases of the male genital organs	2										1				1			
137	Cysts, other benign tumors of the ovary	6											1	2	1		1	1	
138	Salpingitis and pelvic abscess (female)	26								2	3	6	3	7	4	1			
139	Benign tumors of the uterus	29										1	2	9	13	1	1	2	
140	Nonpuerperal uterine hemorrhage	4							1	1				2					
141	Other diseases of the female genital organs	11										4	1	2	1	2	1		
	VIII.—The puerperal state	190								14	36	43	38	57	2				
143	Accidents of pregnancy	18									1	7	5	5					
144	Puerperal hemorrhage	17									2	4	4	7					
145	Other accidents of labor	22								1	5	2	4	10					
146	Puerperal septicemia	76								5	14	17	18	21	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	12								1	4	1	2	4					
148	Puerperal albuminuria and convulsions	44								6	10	12	5	10	1				
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	41	4	1					2		1	1		2	2	4	4	20	
151	Gangrene	21													1	2	1	17	
152	Furuncle	7	1								1	1			1	2	1		
153	Acute abscess	7	1						1					2			2	1	
154	Other diseases of the skin and annexa	6	2	1					1									2	
	X.—Diseases of the bones and of the organs of locomotion	18						1	1	3		2	3	1	3	2		2	
155	Diseases of the bones (tuberculosis excepted)	15						1	1	3		2	2	1	3	1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2											1					1	
158	Other diseases of the organs of locomotion	1														1			
	XI.—Malformations	194	182	7		1			1	2	1								
159a	Congenital hydrocephalus	12	12																
159b	Congenital malformations of the heart	124	118	2					1	2	1								
159c	Other congenital malformations	58	52	5		1													
	XII.—Early infancy	772	772																
160	Congenital debility, icterus, sclerema	117	117																
161a	Premature birth	489	489																
161b	Injury at birth	104	104																
162	Other diseases peculiar to early infancy	61	61																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	265													1	2	25	237	
	XIV.—External causes	958	24	30	12	17	14	44	42	70	57	62	53	131	96	82	81	139	4
	Suicide	170								10	12	7	16	40	33	28	12	12	
165	By poisons (gas or corrosives excepted)	15								1	1		2	4	4	1	1	1	
166	By corrosive substances	15								1	3		1	3	4	2	1		
167	By poisonous gas	18								2	2	1	2	2	3	5	1		
168	By hanging or strangulation	36								2	3	1	2	11	4	7	2	4	
169	By drowning	7									1			1		2	1	2	
170	By firearms	69								4	1	5	8	15	16	9	6	5	
171	By cutting or piercing instruments	7									1			3	1	2			
172	By jumping from high places	2												1	1				
174	By other means	1											1						
	Homicide	58		1						5	5	12	9	16	5	4	1		
197	By firearms	41								1	5	9	7	10	5	3	1		
198	By cutting or piercing instruments	5								1		2	1	1					
199	By other means	12		1						3		1	1	5		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined	730	24	29	12	17	14	44	42	55	40	43	28	75	58	50	68	127	4
175	Poisoning by food	11		1		1	1			2				3		1	2		
177	Other acute poisonings (gas excepted)	15	1	6	1					1					2	2	2		
178	Conflagration	12				1	1			1	1	1		2		1	1	3	
179	Burns (conflagration excepted)	47	2	1	6	5		2		2	3	1	3	6	3	2	5	6	
180	Mechanical suffocation	21	15							1	1	1		1		1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	21		1	1					1	1	3		3	4	2	3	2	
182	Drowning	52	2	13	1	1	2	5	4	2	6	2	1	7	3	1			2
183	Traumatism by firearms (except in war)	32					1	2	6	6	6	3	2	3	2		1		
184	Traumatism by cutting or piercing instruments	9				1		3	1	1							1	2	
185	Traumatism by fall	178	1	2		2		5	5	2	3	6	3	11	8	12	26	92	
186b	Traumatism in quarries	1													1				
187	Traumatism by machines	20		1		1	2	2	2	4	1	1	1	2	1	1	1		
188a	Railroad accidents	70						5	6	8	5	11	6	8	14	4	1		2
188b	Street-car accidents	6				1		1								1	2	1	
188c	Automobile accidents	113		1	2	1	4	11	7	18	5	7	6	16	7	10	11	7	
188d	Airplane and balloon accidents	1												1					
188e,f	Injuries by other vehicles	29			1		1	1	4	2	3		1	3	3	2	3	5	
188g	Landslide, other crushing	6						1				2	1		2				
189	Injuries by animals (not poisoning)	20				2		2	1	1	1	1		1	2	4	3	2	
193	Excessive cold	2													1			1	
194	Excessive heat	4				1									1		1	1	
195	Lightning	5							1	1	1			1	1				
196	Other accidental electric shocks	10							3		1	2	1	2		1			
201	Fracture (cause not specified)	5						1									2	2	
202	Other external violence	40	3	3			2	3	2	2	2	2	3	5	3	5	2	3	
	XV.—Ill-defined diseases	126	49	3	2					2		1	2	2	8	15	17	24	1
204	Sudden death	9	3												1	1	2	2	
205a	Ill-defined	52	5	1	1					1				2	5	12	9	15	1
205b	Not specified or unknown	65	41	2	1					1		1	2		2	2	6	7	
	NEW HAMPSHIRE																		
	All causes	6,357	804	125	46	37	24	94	58	92	124	139	130	353	557	886	1,252	1,604	32
	I.—Epidemic, endemic, and infectious diseases	655	69	57	13	7	12	33	19	33	50	50	41	73	63	43	52	37	3
1	Typhoid and paratyphoid fever	19		1				2	1	2	5		2	2	3	1			
5	Malaria	1											1						
6	Smallpox	1										1							
7	Measles	26	8	13	2			1					1	1					
8	Scarlet fever	13	3	1			2	2	2	1	1		1						
9	Whooping cough	46	27	12		2	2	3											
10	Diphtheria	34	1	4	2	4	4	15	3	1									
11a	Influenza (with pulmonary complications)	55	4	3				1			1	4	3	3	3	6	17	10	
11b	Influenza (other and unspecified)	45	3	1	1			2		4	1			3	8	4	7	11	
13	Mumps	1						1											
15	Cholera nostras	1												1					
16	Dysentery	3	1		1													1	
21	Erysipelas	20	2	1						1	1				1	3	8	3	
22	Acute anterior poliomyelitis	12		1				1	1	3	2	1		2	1				
23	Lethargic encephalitis	5		1			1								2	1			
24	Meningococcus meningitis	8	2	3				1			1				1				
27	Anthrax	1													1				
28	Rabies	1							1										
29	Tetanus	7	1						2	1				1	2				
	Tuberculosis (all forms)	333	7	16	7	1	3	4	8	20	38	43	32	57	38	26	20	10	3
31	Of the respiratory system	251	2	2				1	3	16	33	35	29	46	31	24	18	8	3
32	Of the meninges, central nervous system	33	5	11	4		3	3	3	1			1	2					
33	Of the intestines, peritoneum	19		3	1					1	4	4	1	2	1	1		1	
34	Of the vertebral column	7			1								1	1	1	1	1	1	
35	Of the joints	2							1	1									
36	Of other organs	9							1			1		3	4				
37a	Disseminated (acute)	7			1					1	1	1		2	1				
37b	Disseminated (chronic or unspecified)	5				1						2		1			1		
38	Syphilis	14	5										1	3	3	2			
41	Purulent infection, septicemia	9	5						1			1						2	
	II.—General diseases not included in Class I	872	21	6				2	7	5	6	7	23	50	149	213	238	142	3
	Cancer and other malignant tumors	609		1				1	1	2	3		13	31	110	154	171	120	2
43	Of the buccal cavity	24						1							5	6	7	5	
44	Of the stomach, liver	234								1			3	6	35	66	74	48	1
45	Of the peritoneum, intestines, rectum	108											3	4	20	28	27	25	1
46	Of the female genital organs	74									1		5	11	18	14	14	11	
47	Of the breast	49											1	4	19	9	8	8	
48	Of the skin	16													2	2	7	5	
49	Of other or unspecified organs	104		1					1	1	2		1	6	11	29	34	18	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5	1												1		1	2	
51	Acute rheumatic fever	16							5	1	1	1	2	3			3		
52	Chronic rheumatism, osteoarthritis, gout	10													2	2	4	2	
53	Scurvy	2		1									1						
54	Pellagra	4										1		1		2			
56	Rickets	3	2	1															
57	Diabetes mellitus	104							1	1	2	2	4	9	13	27	35	10	
58	Anemia, chlorosis	54	4					1				1	2	1	11	12	16	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	II.—General diseases not included in Class I—Continued																		
60a	Exophthalmic goiter	3												1	2				
60b	Other diseases of the thyroid gland	2															2		
62	Diseases of the thymus gland	4	2	2															
63	Diseases of the adrenals (Addison's disease)	4								1				1	1	1			
65a	Leukemia	8													1	4	3		
65b	Hodgkin's disease	5														4	1		
66	Alcoholism (acute or chronic)	17												3	7	6			1
67a	Chronic lead poisoning	4													1	1	1	1	
67b	Other chronic mineral poisoning	1										1							
69	Other general diseases	17	12	1								1	1				1	1	
	III.—Diseases of the nervous system and of the organs of special sense	891	23	2	2	3	2	6	6	3	4	13	7	28	70	158	262	299	3
70	Encephalitis	13	2		1	2	1	1						1	2	1		2	
71a	Simple meningitis	14	8	1					3		1	1							
71b	Nonepidemic cerebrospinal meningitis	2	1								1								
72	Tabes dorsalis (locomotor ataxia)	14												2	2	5	3	2	
73	Other diseases of the spinal cord	16	1						1			1			3	4	3	2	1
74a	Cerebral hemorrhage	671	1	1				2	1	1	1	3	4	7	44	122	228	255	1
74b	Cerebral embolism and thrombosis	33										3		2		7	9	12	
75	Paralysis without specified cause	18													1	4	6	7	
76	General paralysis of the insane	27										1		7	8	4	3	4	
77	Other forms of mental alienation	21								1		1	2	4	4	5		4	
78	Epilepsy	13	2					1		1		1	1	3		3			1
80	Infantile convulsions (under 5 years)	6	6																
81	Chorea	1															1		
82	Neuralgia and neuritis	2													1		1		
83	Softening of the brain	4															1	3	
84	Other diseases of the nervous system	20						1				1		1	4		6	7	
86a	Diseases of the ear	9	2			1	1		1					1	1	1		1	
86b	Diseases of the mastoid process	7			1			1			1	1				2	1		
	IV.—Diseases of the circulatory system	1,367	9	1	1			8	4	4	6	10	7	49	88	192	380	603	5
87	Pericarditis	4													2			2	
88	Endocarditis and myocarditis (acute)	34	2					1	1	1		2		7	4	9	3	3	1
89	Angina pectoris	129									1	1	1	5	9	27	42	43	
90	Other diseases of the heart	880	6	1	1			7	3	3	4	6	5	32	64	129	263	352	4
91a	Aneurysm	9									1		1	1	1	3	1	1	
91b,c	Other diseases of the arteries	277													4	17	64	192	
92	Embolism and thrombosis (not cerebral)	24	1											2	4	5	5	7	
93	Diseases of the veins	8												2		2	1	3	
95	Hemorrhage without specified cause	2										1					1		
	V.—Diseases of the respiratory system	556	105	32	17	9	4	11	2	4	4	5	7	31	34	63	77	148	3
97a	Diseases of the nasal fossae	1												1					
97b	Diseases of the nasal fossae annexa	1						1											
98	Diseases of the larynx	5	1	2		1									1				
99a	Acute bronchitis	37	14	3											1	1	4	14	
99b	Chronic bronchitis	15															6	8	1
99c,d	Bronchitis (unspecified)	13	2	1		1											1	8	
100a	Broncho-pneumonia	178	50	14	6	5	3	4		1	1	2	2	6	13	9	19	41	2
100b	Capillary bronchitis	10	5													1		4	
101a	Lobar pneumonia	206	19	7	6	1	1	3	2	2	2	3	3	16	16	43	34	48	
101b	Pneumonia (unspecified)	54	12	3	5			1						4		6	8	15	
102	Pleurisy	12		2				1		1			1	2	1			4	
103	Congestion and hemorrhagic infarct of the lung	9	1											1			4	3	
105	Asthma	12				1					1		1		2	3	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	3	1					1						1					
	VI.—Diseases of the digestive system	436	116	15	3	9	1	16	7	11	9	8	11	29	42	47	55	55	2
108	Diseases of the mouth and annexa	1	1																
109b	Other diseases of the pharynx, tonsils	19		1		2		3	1		1	2	1	1		4	2	1	
110	Diseases of the esophagus	2	1															1	
111a	Ulcer of the stomach	24							1		1	1	1	1	3	4	6	5	1
111b	Ulcer of the duodenum	5												1		3		1	
112	Other diseases of the stomach (cancer excepted)	31	14	2											1	5	2	6	1
113	Diarrhea and enteritis (under 2 years)	104	95	9															
114	Diarrhea and enteritis (2 years and over)	28			3	2	1	3	1			2	2	2	2	1	5	6	
117	Appendicitis and typhlitis	68	1	1		5		7	4	9	3	3	4	6	9	6	7	3	
118a	Hernia	19												1	5	2	4	7	
118b	Intestinal obstruction	39	4	1				1		1	1		2	6	7	6	3	7	
119	Other diseases of the intestines	9		1							1			2	1	1		3	
120	Acute yellow atrophy of the liver	4									1						2	1	
122	Cirrhosis of the liver	31												2	4	6	13	6	
123	Biliary calculi	19									1			3	5	4	5	1	
124	Other diseases of the liver	24								1			1	3	5	4	3	7	
126	Peritonitis without specified cause	9						2				2		1		1	3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	540	6	1	1	2	1	2			8	10	4	38	51	108	138	166	4
128	Acute nephritis (including unspecified under 10 years)	35	5		1	2	1				2	1	1	1	2	6	7	6	
129	Chronic nephritis (including unspecified 10 years and over)	451	1					2			5	6	2	30	43	96	119	143	4
131	Other diseases of the kidneys and annexa	4		1										1		1		1	
132	Calculi of the urinary passages	2														1	1		
133	Diseases of the bladder	6														1	1	4	
134	Diseases of the urethra, etc	1																1	
135	Diseases of the prostate	15															6	9	
137	Cysts, other benign tumors of the ovary	5										1	1				3		
138	Salpingitis and pelvic abscess (female)	4										2		2					
139	Benign tumors of the uterus	10												3	4	1	1	1	
141	Other diseases of the female genital organs	7									1			1	2	2		1	
	VIII.—The puerperal state	62								4	9	19	11	19					
143	Accidents of pregnancy	5									2		1	2					
144	Puerperal hemorrhage	11										5	2	4					
145	Other accidents of labor	6										2	1	3					
146	Puerperal septicemia	13								1	3	4	2	3					
147	Puerperal phlegmasia alba dolens, embolus, etc	8										4	2	2					
148	Puerperal albuminuria and convulsions	19								3	4	4	3	5					
	IX.—Diseases of the skin and of the cellular tissue	19							1	1		1	1		2	1	2	10	
151	Gangrene	14							1				1		1		2	9	
153	Acute abscess	4								1		1			1	1			
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	1														1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	XI.—Malformations	80	76	2				1		1									
159a	Congenital hydrocephalus	10	8	1						1									
159b	Congenital malformations of the heart	42	41					1											
159c	Other congenital malformations	28	27	1															
	XII.—Early infancy	355	355																
160	Congenital debility, icterus, sclerema	57	57																
161a	Premature birth	203	203																
161b	Injury at birth	51	51																
162	Other diseases peculiar to early infancy	42	42																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	107															16	91	
	XIV.—External causes	380	18	5	9	7	4	15	12	26	28	15	18	35	54	51	28	48	7
	Suicide	65							1	2	2	3	1	9	12	21	8	3	3
165	By poisons (gas or corrosives excepted)	2													1		1		
167	By poisonous gas	4												1	1	2			
168	By hanging or strangulation	17										1		1	2	5	6	2	
169	By drowning	6										1		1		3	1		
170	By firearms	32							1	2	2	1	1	5	8	9		1	2
171	By cutting or piercing instruments	4												1		2			1
	Homicide	7	1											2	1	2		1	
197	By firearms	3												1	1	1			
199	By other means	4	1											1		1		1	
	Accidental or undefined	308	17	5	9	7	4	15	11	24	26	12	17	24	41	28	20	44	4
175	Poisoning by food	2								1						1			
177	Other acute poisonings (gas excepted)	9	1		1									1	3	1	2		
178	Conflagration	14			1	1	1	1				1		2	2	1	3	1	
179	Burns (conflagration excepted)	22	2	2	4	4			2			1		1	1	1	1	2	1
180	Mechanical suffocation	9	8						1										
181	Absorption of irrespirable, irritating, or poisonous gas	4									1			1	1			1	
182	Drowning	44		1	1		1	2	3	9	10	1	2	6	3	2	2		1
183	Traumatism by firearms (except in war)	9					1	1		4			2				1		
184	Traumatism by cutting or piercing instruments	3									1			1	1				
185	Traumatism by fall	61		1	1			1		1	1		2	3	8	5	3	35	
186b	Traumatism in quarries	2									1				1				
187	Traumatism by machines	8							1	1	1	1		1		1	1	1	
188a	Railroad accidents	17								1			1	3	7	5			
188b	Street-car accidents	2															1		1
188c	Automobile accidents	61	2	1	1		1	9	2	3	9	5	7	3	6	7	3	2	
188e,f	Injuries by other vehicles	9						1	2			2			2	1	1		
188g	Landslide, other crushing	3								1					1				1
189	Injuries by animals (not poisoning)	3				1									2				
193	Excessive cold	3									1			1		1			
194	Excessive heat	1																1	
196	Other accidental electric shocks	4								3					1				
201	Fracture (cause not specified)	2														1	1		
202	Other external violence	16	4			1					1	1	3	1	2	1	1	1	
	XV.—Ill-defined diseases	36	6	4								1		1	4	9	4	5	2
204	Sudden death	15										1			2	7	2	3	
205a	Ill-defined	11	2	2										1		1	2	2	1
205b	Not specified or unknown	10	4	2											2	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY																		
	All causes	40,840	5,369	978	416	318	255	851	567	841	1,106	1,281	1,323	3,719	5,012	6,135	6,561	6,106	2
	I.—Epidemic, endemic, and infectious diseases	4,992	457	327	129	126	86	228	115	282	405	422	381	728	613	375	216	102	
1	Typhoid and paratyphoid fever	97		2	2		1	5	8	9	12	10	9	18	18	1	2		
5	Malaria	6						1		1					1	1	2		
6	Smallpox	14	3	1							4	1	1	1	3				
7	Measles	196	58	88	14	12	5	18	1										
8	Scarlet fever	70	2	3	8	10	7	20	6	1	3	1	3	5				1	
9	Whooping cough	275	155	75	23	9	4	7	1							1			
10	Diphtheria	342	19	60	41	52	46	95	14	4	1	1	3	2	3	1			
11a	Influenza (with pulmonary complications)	301	38	21	6	3	1	5	3	7	4	5	10	40	38	48	48	24	
11b	Influenza (other and unspecified)	144	12	4	2	5	2	4	5	3	3	3	9	19	10	14	23	26	
13	Mumps	8	1	1					1					1	1	1		2	
15	Cholera nostras	1							1										
16	Dysentery	14	3	3		1	1							1			3	2	
19	Spirochetal hemorrhagic jaundice	1										1							
21	Erysipelas	99	30	1	1	2		1	2		1	3	4	6	10	14	13	11	
22	Acute anterior poliomyelitis	25	3	4	3	1	1	3	4	3		2			1				
23	Lethargic encephalitis	98	4	4	1	2	4	12	1	8	3	6	6	13	25	8	1		
24	Meningococcus meningitis	39	9	5	3	2	5	3	2	2	2		3	2	1				
25	Other epidemic and endemic diseases	9	3	1	2	1		2											
28	Rabies	4						1		1					1		1		
29	Tetanus	41	4		1	2		5	10	3	2	3	3	4	4				
	Tuberculosis (all forms)	2,961	59	49	20	23	9	41	53	236	357	377	315	573	457	253	109	30	
31	Of the respiratory system	2,576	10	5	4	5	1	6	31	210	332	351	292	534	432	237	102	24	
32	Of the meninges, central nervous system	169	41	34	12	13	6	23	8	4	4	7	4	6	7				
33	Of the intestines, peritoneum	82	4	3	2	3		2	6	7	7	9	10	17	6	2	2	2	
34	Of the vertebral column	30	1	1	1		1		4	4	6	2	4			5	1		
35	Of the joints	14				1		2	3	2	1	1		1		2		1	
36	Of other organs	32	1	2				2		3		3	1	6	4	4	4	2	
37a	Disseminated (acute)	46	1	3	1	1	1	5	1	4	6	3	3	7	8	2			
37b	Disseminated (chronic or unspecified)	12	1	1				1		2	1	1	1	2		1		1	
38	Syphilis	200	47	5	1	1		2	1	1	7	8	13	34	35	27	12	6	
40	Gonococcus infection	20	2						1	1	5	1	2	4	2	2			
41	Purulent infection, septicemia	27	5		1			3	1	2	1			5	3	4	2		
	II.—General diseases not included in Class I	4,994	99	21	13	10	11	54	39	54	62	72	116	462	910	1,315	1,183	573	
	Cancer and other malignant tumors	3,431	1	5	4	4	2	6	5	13	18	25	60	312	675	972	863	466	
43	Of the buccal cavity	107							1	1	1	1	1	7	20	35	28	12	
44	Of the stomach, liver	1,278	1					1		3	6	3	14	85	226	393	364	182	
45	Of the peritoneum, intestines, rectum	542			1				1	3	3	7	4	36	117	148	141	81	
46	Of the female genital organs	450									1	6	14	76	129	109	80	35	
47	Of the breast	355									1	2	8	52	83	100	68	41	
48	Of the skin	75									1	1	2	3	3	10	21	33	
49	Of other or unspecified organs	624		5	3	4	2	4	3	6	5	5	17	53	97	177	161	82	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	19	1			1	1							1	5	5	3	2	
51	Acute rheumatic fever	142	1	1	2	2	3	33	21	18	13	6	5	9	11	5	6	6	
52	Chronic rheumatism, osteoarthritis, gout	28											1	2	3	7	9	6	
53	Scurvy	1	1																
54	Pellagra	3												2	1				
56	Rickets	23	16	5	1	1													
57	Diabetes mellitus	720		3	1	1		3	6	9	7	12	17	28	105	232	228	68	
58	Anemia, chlorosis	201	5	1	1		2		2	3	4	7	8	21	35	56	38	18	
59	Diseases of the pituitary gland	2	1							1									
60a	Exophthalmic goiter	62								2	5	3	3	19	14	10	5	1	
60b	Other diseases of the thyroid gland	9			1						1			3		3	1		
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	32	25	3	1		1	1				1							
63	Diseases of the adrenals (Addison's disease)	12										1	2	3	2	1	3		
64	Diseases of the spleen	4	1											1		1	1		
65a	Leukemia	61	4	1	1			4	5	4	6	4	4	6	10	4	6	2	
65b	Hodgkin's disease	22						2			2	3	1	3	3	4	2	2	
66	Alcoholism (acute or chronic)	136								1	4	6	12	43	42	14	14		
67a	Chronic lead poisoning	9									1	1	1	4	1		1		
67b	Other chronic mineral poisoning	2										1						1	
68	Chronic poisoning by organic substances	4									1	1	1	1					
69	Other general diseases	69	41	2	1	1	2	5		3		1	1	4	3	1	3	1	
	III.—Diseases of the nervous system and of the organs of special sense	4,603	122	35	23	6	6	44	36	44	32	53	57	303	582	880	1,225	1,155	
70	Encephalitis	51	4	4	2	1	1	5	5	5	2	6	2	3	8	1	2		
71a	Simple meningitis	95	20	5	9	1	1	14	7	4	2	2	6	6	8	4	4	2	
71b	Nonepidemic cerebrospinal meningitis	37	10	5	4	1		5	2	2	1			3	2	2			
72	Tabes dorsalis (locomotor ataxia)	67								1	2			6	13	21	18	6	
73	Other diseases of the spinal cord	106	2					1	3	5	4	3	4	12	22	20	17	13	
74a	Cerebral hemorrhage	3,344	7	3	2			1	1	4	4	9	12	130	381	714	1,046	1,030	
74b	Cerebral embolism and thrombosis	114	3					1	1	1		1	3	9	13	21	35	26	
75	Paralysis without specified cause	107	1				1				1		1	5	10	15	41	32	
76	General paralysis of the insane	214										3	8	75	66	35	18	9	
77	Other forms of mental alienation	37									3	1	1	9	10	9	3	1	
78	Epilepsy	99	4	1			2	3	8	9	7	11	11	12	13	9	6	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	54	45	6	3														
81	Chorea	3	1									1	1						
82	Neuralgia and neuritis	11										1			3	2	2	3	
83	Softening of the brain	24														4	8	12	
84	Other diseases of the nervous system	126	6	2	1	1		2		3	3	6	3	25	22	18	21	13	
85	Diseases of the eye and annexa	2	1															1	1
86a	Diseases of the ear	61	13	6	2			4	4	8	2	4	4	3	4	1	2	4	
86b	Diseases of the mastoid process	49	5	3		2	1	7	5	2	1	5	1	4	7	4	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	IV.—Diseases of the circulatory system	7,908	41	7	6	7	16	85	106	101	87	100	141	584	1,023	1,500	1,900	2,203	1
87	Pericarditis	20	2			1	1	1	2					4	2	1	4	2	
88	Endocarditis and myocarditis (acute)	349	22	3	2	3	4	14	31	20	19	17	29	74	39	31	22	19	
89	Angina pectoris	327								1		2	2	14	56	76	102	74	
90	Other diseases of the heart	6,453	14	3	3	3	10	66	73	80	68	74	107	469	873	1,290	1,599	1,720	1
91a	Aneurysm	57										1	1	12	17	14	9	3	
91b,c	Other diseases of the arteries	605											1	4	13	67	147	373	
92	Embolism and thrombosis (not cerebral)	66						3				5	1	4	17	15	11	10	
93	Diseases of the veins	20	1											3	5	4	6	1	
94	Diseases of the lymphatic system	8	2	1	1		1	1				1				1			
95	Hemorrhage without specified cause	2													1	1			
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	4,188	942	345	121	68	34	82	42	63	87	109	131	367	396	439	445	517	
97a	Diseases of the nasal fossae	4	1						1	1				1					
97b	Diseases of the nasal fossae annexa	15						1		2	1	2	1	5	2	1			
98	Diseases of the larynx	23	4	6	3	2		1					2	1	1		1	2	
99a	Acute bronchitis	157	88	13	2	1	1	1			1	1		4	2	7	10	26	
99b	Chronic bronchitis	91	2	1	1			1			1	2		3	6	16	23	35	
99c,d	Bronchitis (unspecified)	45	15	5	1									2	3	1	3	15	
100a	Broncho-pneumonia	1,327	518	170	52	27	11	31	6	11	7	16	11	45	53	72	115	182	
100b	Capillary bronchitis	52	36	8	1	1			1						2		1	2	
101a	Lobar pneumonia	2,101	237	128	50	31	20	39	29	38	65	80	108	274	279	288	240	195	
101b	Pneumonia (unspecified)	114	22	5	6	4	1	3	2	3	5	1	5	8	12	11	10	16	
102	Pleurisy	99	9	5	5	2	1	3	2	3	4	4	3	10	13	15	14	6	
103	Congestion and hemorrhagic infarct of the lung	44	7					1		1			1	1	1	2	4	26	
104	Gangrene of the lung	8		1				1			1			1	2		2		
105	Asthma	76		2						1	1	2		8	12	21	18	11	
106	Pulmonary emphysema	6								1						2	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	26	3	1					1	2	1	1		4	8	3	2		
	VI.—Diseases of the digestive system	3,230	953	146	52	43	31	98	50	62	70	92	106	311	384	377	266	189	
108	Diseases of the mouth and annexa	14	2	1	1				2	2	1			3	2				
109b	Other diseases of the pharynx, tonsils	95	4	2	6	7	3	19	6	6	2	7	10	9	9	3	1	1	
110	Diseases of the esophagus	4	1												1		1	1	
111a	Ulcer of the stomach	141						1		4	5	6	12	43	35	18	11	6	
111b	Ulcer of the duodenum	43								2	1	2	1	9	12	7	8	1	
112	Other diseases of the stomach (cancer excepted)	170	41	7	5	4	1	3	1	1	1	1	3	14	23	26	18	21	
113	Diarrhea and enteritis (under 2 years)	972	845	127															
114	Diarrhea and enteritis (2 years and over)	177			29	17	16	22	3	1	2	3	4	7	9	12	15	37	
115	Ancylostomiasis	1					1												
116	Diseases due to other intestinal parasites	1	1																
117	Appendicitis and typhlitis	511	2	3	7	12	7	43	32	36	40	54	40	87	64	55	21	8	
118a	Hernia	138	2	1				1			4	1	2	20	31	35	22	19	
118b	Intestinal obstruction	195	38	4	1	2	1	4	4	3	6	4	8	27	25	24	19	25	
119	Other diseases of the intestines	37	11			1		1						2	7	5	6	4	
120	Acute yellow atrophy of the liver	11								1		1	1	4		2	2		
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	354		1				2		3	2	1	8	35	84	106	73	39	
123	Biliary calculi	182									1	4	6	25	45	50	36	15	
124	Other diseases of the liver	117	4		1			2	1	1	1	3	8	12	25	23	25	11	
125	Diseases of the pancreas	20										2	1	4	6	3	4		
126	Peritonitis without specified cause	46	2		2		2		1	2	4	3	2	10	6	7	4	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,018	24	9	8	4	6	19	27	39	47	81	81	317	608	813	1,003	932	
128	Acute nephritis (including unspecified under 10 years)	204	13	6	3	4	4	5	6	10	10	14	11	18	44	26	17	13	
129	Chronic nephritis (including unspecified 10 years and over)	3,419	4	2	3		2	9	20	28	30	40	50	231	492	733	925	850	
131	Other diseases of the kidneys and annexa	77	3	1	2			5	1		1		5	12	14	15	10	8	
132	Calculi of the urinary passages	24										2	1	5	3	5	4	4	
133	Diseases of the bladder	16	1											2	2	4	2	5	
134	Diseases of the urethra, etc	6												1	2	2		1	
135	Diseases of the prostate	116										1			7	18	41	49	
136	Nonvenereal diseases of the male genital organs	4	2									1			1				
137	Cysts, other benign tumors of the ovary	18										3		4	6	3	1	1	
138	Salpingitis and pelvic abscess (female)	55									5	14	4	21	9	2			
139	Benign tumors of the uterus	48										2	2	17	23	2	1	1	
140	Nonpuerperal uterine hemorrhage	1											1						
141	Other diseases of the female genital organs	28								1	1	4	7	5	5	3	2		
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1											1					
	VIII.—The puerperal state	478								27	83	119	111	135	3				
143	Accidents of pregnancy	47								1	8	14	9	15					
144	Puerperal hemorrhage	50									4	11	17	17	1				
145	Other accidents of labor	49								1	7	12	16	13					
146	Puerperal septicemia	201								13	38	47	48	53	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	19								2	1	6	3	7					
148	Puerperal albuminuria and convulsions	110								10	25	28	18	29					
149	Following childbirth (undefined)	2										1		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	129	23	2	2			1	7	5	2	6		8	6	19	16	32	
151	Gangrene	49	1		1				1			1		3		8	10	24	
152	Furuncle	20	1	1				1		3	1	3		2	2	4	1	1	
153	Acute abscess	33	11						4	2	1	1		3	2	4	1	4	
154	Other diseases of the skin and annexa	27	10	1	1				2			1			2	3	4	3	
	X.—Diseases of the bones and of the organs of locomotion	73	6	3	2	2	4	9	7	2	2	2	4	5	6	10	5	4	
155	Diseases of the bones (tuberculosis excepted)	58	4	3	2	2	4	8	6	2	1	2	3	4	5	5	3	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	11	1						1		1		1	1	1	3	2		
157	Amputations	2														2			
158	Other diseases of the organs of locomotion	2	1					1											
	XI.—Malformations	575	549	6	3	2		5	7	3									
159a	Congenital hydrocephalus	43	37	2				2	2										
159b	Congenital malformations of the heart	343	329	3	2	1		1	4	3									
159c	Other congenital malformations	189	183	1	1	1		2	1										
	XII.—Early infancy	2,037	2,037																
160	Congenital debility, icterus, sclerema	264	264																
161a	Premature birth	1,211	1,211																
161b	Injury at birth	370	370																
162	Other diseases peculiar to early infancy	187	187																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	173														5	28	140	
	XIV.—External causes	3,327	67	66	53	50	61	223	131	159	227	221	194	492	472	392	266	252	1
	Suicide	432							2	6	34	26	33	100	91	80	36	24	
165	By poisons (gas or corrosives excepted)	12									2			4	4	1	1		
166	By corrosive substances	28								1	5	3	1	7	7	4			
167	By poisonous gas	123								4	7	5	8	33	25	30	6	5	
168	By hanging or strangulation	93							1		3	4	6	20	22	17	11	9	
169	By drowning	22									3	1		6	3	4	2	3	
170	By firearms	106							1	1	10	12	16	17	21	15	10	3	
171	By cutting or piercing instruments	23									2		1	6	5	6	2	1	
172	By jumping from high places	15									2	1	1	4	1	1	3	2	
173	By crushing	7												2	2	2	1		
174	By other means	3												1	1			1	
	Homicide	172	12	1			1		2	11	22	28	21	44	19	9	2		
197	By firearms	95							2	5	14	17	16	27	10	3	1		
198	By cutting or piercing instruments	22								3	1	4	1	7	4	2			
199	By other means	55	12	1			1			3	7	7	4	10	5	4	1		
	Accidental or undefined	2,723	55	65	53	50	60	223	127	142	171	167	140	348	362	303	228	228	1
175	Poisoning by food	20		3		1	2	2		1		1		2	3	2	1	2	
177	Other acute poisonings (gas excepted)	46	3	8	4		1			1	5		2	11	2	4	3	2	
178	Conflagration	43		4	3	3	1		3	1	2	3	3	10	5	1	1	3	
179	Burns (conflagration excepted)	259	9	27	22	25	22	30	2	9	14	10	10	8	20	17	20	14	
180	Mechanical suffocation	36	24			1		1				4	1		3	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	129		1	1	1	2	1		4	4	10	5	16	20	30	20	14	
182	Drowning	310	3	4	3	1	4	33	32	51	29	19	16	46	36	25	6	1	1
183	Traumatism by firearms (except in war)	31		1			1	4	2	4	3	3	2	7	2	2			
184	Traumatism by cutting or piercing instruments	22	1	1	2		1				1	1	1	3	6	2	2	1	
185	Traumatism by fall	446	1	8	7	2	2	13	5	4	6	12	14	45	61	59	70	137	
186	Traumatism in mines	5									1		1	2	1				
187	Traumatism by machines	63							1	2	6	7	3	13	17	8	4	2	
188a	Railroad accidents	267	1	1	1			6	6	17	22	28	20	57	45	38	17	8	
188b	Street-car accidents	50			2	2	1	2	1			2	5	10	9	10	4	2	
188c	Automobile accidents	746		4	7	12	23	123	62	36	61	46	34	81	96	75	56	30	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	31				1		2	4	1	2	2	2	7	1	5	2	1	
188g	Landslide, other crushing	15										1	3	1	5	3	2		
189	Injuries by animals (not poisoning)	11									1	2			2	5	1		
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	7												1	1		4	1	
194	Excessive heat	17	2							1		2		2	6	2	1	1	
195	Lightning	1										1							
196	Other accidental electric shocks	28						2			9	6	3	4	3			1	
201	Fracture (cause not specified)	20	1		1						1	1		1	5		5	5	
202	Other external violence	118	10	3		1		4	9	10	3	6	15	21	13	14	6	3	
	XV.—Ill-defined diseases	115	49	11	4			3			2	4	1	7	9	10	8	7	
204	Sudden death	7											1	2	2		1	1	
205a	Ill-defined	84	33	9	3			2			2	3		4	7	9	7	5	
205b	Not specified or unknown	24	16	2	1			1				1		1		1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK																		
	All causes	140,205	16,128	3,088	1,518	918	793	2,583	1,831	2,719	3,899	4,320	4,821	12,440	17,248	22,387	23,703	21,747	62
	I.—Epidemic, endemic, and infectious diseases	17,170	1,472	1,114	547	365	300	739	355	946	1,561	1,471	1,390	2,470	2,006	1,352	720	357	5
1	Typhoid and paratyphoid fever	373		2		2	1	7	16	45	64	35	41	58	54	36	11	1	
2	Typhus fever	2													1	1			
5	Malaria	7										1	1		2	1		2	
6	Smallpox	5	1	1							1		1	1					
7	Measles	822	214	336	116	47	16	55	6	6	9	2	1	5	2	2	5		
8	Scarlet fever	264	12	28	41	19	27	53	21	12	10	11	13	9	6		2		
9	Whooping cough	767	442	206	54	27	15	18	1	1		1						2	
10	Diphtheria	1,104	70	207	144	147	140	272	46	17	11	4	11	17	9	6	1	2	
11a	Influenza (with pulmonary complications)	753	103	62	19	9	8	25	10	18	15	19	20	64	91	100	98	92	
11b	Influenza (other and unspecified)	440	53	16	9	6	4	16	4	11	14	16	20	46	37	55	54	79	
13	Mumps	10			1	1		1			1	1		1			3	1	
15	Cholera nostras	1								1									
16	Dysentery	42	7	2		2			1		3	2	3	7	1	2	4	8	
19	Spirochetal hemorrhagic jaundice	11	2	1				2		1			1	1	1	1	1		
21	Erysipelas	343	117	11	4	3		2	1	3	2	6	8	32	46	42	39	27	
22	Acute anterior poliomyelitis	193	15	21	16	18	19	40	26	13	9	5	2	6	1	1	1		
23	Lethargic encephalitis	314	13	10	8	11	10	20	15	20	22	19	19	56	46	29	15	1	
24	Meningococcus meningitis	139	45	19	7	1	6	20	7	8	2	6	4	7	4	3			
25	Other epidemic and endemic diseases	37	14	9	3	1	3	2	1			2		1			1		
29	Tetanus	89	3		2		1	10	22	9	4	5	7	9	8	6	3		
30	Mycoses	15	3							1	1			5	3	1	1		
	Tuberculosis (all forms)	10,407	169	174	112	70	47	187	170	760	1,357	1,287	1,167	1,942	1,476	935	423	127	4
31	Of the respiratory system	9,017	30	35	19	10	7	38	108	666	1,236	1,200	1,090	1,820	1,382	864	396	112	4
32	Of the meninges, central nervous system	604	101	109	76	38	29	90	29	31	33	20	15	18	6	5	1	3	
33	Of the intestines, peritoneum	278	14	7	5	7	3	19	15	27	35	30	29	34	27	17	6	3	
34	Of the vertebral column	109	1	2	3	4	3	12	7	5	5	10	7	17	17	11	3	2	
35	Of the joints	49		1		1	1	5	4	6	6	3	3	1	6	6	3	3	
36	Of other organs	112	4	1	1	2		6	1	7	9	11	7	19	19	16	7	2	
37a	Disseminated (acute)	221	18	19	8	6	4	17	6	18	29	13	15	31	18	12	6	1	
37b	Disseminated (chronic or unspecified)	17	1			2					4		1	2	1	4	1	1	
38	Syphilis	856	167	4	8		1	5	4	10	25	35	51	174	203	110	48	10	1
39	Soft chancre	2										1				1			
40	Gonococcus infection	56	7					1		3	8	5	10	18	3	1			
41	Purulent infection, septicemia	117	15	5	3		2	3	4	7	3	8	10	11	12	19	10	5	
42	Other infectious diseases	1				1													
	II.—General diseases not included in Class I	18,721	366	63	45	40	37	137	167	154	213	283	477	1,777	3,616	5,011	4,276	2,055	4
	Cancer and other malignant tumors	12,785	3	6	11	13	6	21	28	37	50	113	248	1,167	2,611	3,629	3,223	1,618	1
43	Of the buccal cavity	441							1			4	4	23	105	139	105	60	
44	Of the stomach, liver	4,507			1	1		1	3	1	9	21	46	288	827	1,352	1,342	614	1
45	Of the peritoneum, intestines, rectum	2,060		1	1			1	2	8	10	24	41	167	365	604	579	257	
46	Of the female genital organs	1,587						1	1	3	5	25	54	259	440	405	281	113	
47	Of the breast	1,260								1		6	41	194	313	348	218	139	
48	Of the skin	259			2					1	1	2	2	14	36	59	57	85	
49	Of other or unspecified organs	2,671	3	5	7	12	6	18	21	23	25	31	60	222	525	722	641	350	
50	Tumors, benign and unqualified (tumors of the female gental organs excepted)	135	6	3			1		1	3	2	6	4	14	32	28	18	17	
51	Acute rheumatic fever	472	2	2	6	8	10	68	78	48	44	23	27	42	51	26	24	13	
52	Chronic rheumatism, osteoarthritis, gout	117	1							3	1	3	1	7	16	17	31	37	
53	Scurvy	3	1	1													1		
54	Pellagra	17							1				2	6	2	6			
55	Beriberi	4									2	1		1					
56	Rickets	66	44	12	6	2	2												
57	Diabetes mellitus	2,599	2	3	3		4	14	17	21	34	33	32	126	408	888	729	283	2
58	Anemia, chlorosis	669	8	8	3	4	4	3	9	4	14	11	13	75	131	178	152	52	
59	Diseases of the pituitary gland	11											3	1	5	1		1	
60a	Exophthalmic goiter	269							4	6	15	18	28	51	85	41	16	5	
60b	Other diseases of the thyroid gland	47	1		1					2	2	2	5	6	8	4	10	6	
61	Diseases of the parathyroid glands	12	8	1	1	1										1			
62	Diseases of the thymus gland	130	107	11		4	2	1		3		2							
63	Diseases of the adrenals (Addison's disease)	64	2						2	1	1	3	1	17	11	18	5	3	
64	Diseases of the spleen	12						1		1	1	1			3	4	1		
65a	Leukemia	281	9	8	7	1	5	21	19	13	10	14	18	32	47	44	23	10	
65b	Hodgkin's disease	136	7	4	1	2	1	4	5	5	13	5	13	22	21	24	7	2	
66	Alcoholism (acute or chronic)	569									8	29	61	186	177	86	20	1	1
67a	Chronic lead poisoning	15									1	1	1	5	2	4	1		
67b	Other chronic mineral poisoning	2										2							
68	Chronic poisoning by organic substances	55							1	1	7	12	17	11	2	2	2		
69	Other general diseases	251	165	4	6	5	2	4	2	6	8	4	3	8	4	10	13	7	
	III.—Diseases of the nervous system and of the organs of special sense	14,438	305	97	58	35	32	154	107	127	144	191	229	934	1,777	2,960	3,688	3,597	3
70	Encephalitis	84	3	4	2	1	1	1	6	2	11	6	5	13	11	10	6	2	
71a	Simple meningitis	292	69	16	15	6	5	33	20	19	11	13	7	24	23	17	8	6	
71b	Nonepidemic cerebrospinal meningitis	73	6	6	4	5	1	10	6	5	3	4	4	4	5	9		1	
72	Tabes dorsalis (locomotor ataxia)	235									1	3	2	16	69	75	53	16	
73	Other diseases of the spinal cord	323	3	3	3	1	2	4	3	9	6	10	6	21	54	85	70	43	
74a	Cerebral hemorrhage	10,061	13	4	1	4	1	4	6	3	13	27	38	329	1,107	2,265	3,113	3,130	3
74b	Cerebral embolism and thrombosis	440	3		1			1		3	4	4	4	16	42	97	123	142	
75	Paralysis without specified cause	303	4	2		1		2	2				1	10	18	62	96	105	
76	General paralysis of the insane	828							3	2	9	26	57	291	231	140	40	29	
77	Other forms of mental alienation	149								11	18	13	20	31	25	18	7	6	
78	Epilepsy	283	4	4	5	2		12	14	23	35	30	30	48	34	15	12	15	
79	Convulsions (nonpuerperal; 5 years and over)	8							1		2	3			1			1	
80	Infantile convulsions (under 5 years)	95	82	6	3	2	2												
81	Chorea	10							1	3	2		1		2		1		
82	Neuralgia and neuritis	46									1	3	2	12	6	7	6	9	
83	Softening of the brain	63													2	9	22	30	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
84	Other diseases of the nervous system	631	27	14	6	4	11	17	10	11	14	29	25	71	99	127	111	55	
85	Diseases of the eye and annexa	9	1	1	1					1				1	1		1	2	
86a	Diseases of the ear	280	67	22	9	6	4	35	20	16	6	12	16	19	23	13	10	2	
86b	Diseases of the mastoid process	225	23	15	8	3	5	35	15	19	8	8	11	28	24	11	9	3	
	IV.—Diseases of the circulatory system	31,142	110	46	31	19	30	251	373	363	331	369	514	1,832	3,621	6,068	8,183	8,985	16
87	Pericarditis	80	2	3	1		2	3	5	1	4	5	1	4	11	16	10	12	
88	Endocarditis and myocarditis (acute)	873	63	16	11	6	6	51	63	57	56	53	73	180	68	64	59	46	1
89	Angina pectoris	1,492							1		1	6	15	136	301	427	373	231	1
90	Other diseases of the heart	25,016	37	23	18	13	22	194	299	299	264	294	403	1,383	2,958	5,027	6,775	6,995	12
91a	Aneurysm	202							1	1	1	4	9	33	50	55	34	14	
91b,c	Other diseases of the arteries	3,113							1			2	3	53	171	390	845	1,646	2
92	Embolism and thrombosis (not cerebral)	237	1					1	2	2	4	2	7	27	35	57	62	37	
93	Diseases of the veins	91	1							1		3	2	12	23	28	19	2	
94	Diseases of the lymphatic system	23	5	4	1					1				1	3	4	4		
95	Hemorrhage without specified cause	12	1					2	1	1	1		1	2	1		1	1	
96	Other diseases of the circulatory system	3												1			1	1	
	V.—Diseases of the respiratory system	14,363	2,899	1,120	419	187	112	288	141	219	305	396	476	1,325	1,483	1,694	1,611	1,685	3
97a	Diseases of the nasal fossae	9	2	1					1	1		1	2					1	
97b	Diseases of the nasal fossae annexa	61	2	1	1			4	1	6	10	7	7	11	4	5	2		
98	Diseases of the larynx	48	5	6	8	2	1	5	1			2	1	5	7	2	3		
99a	Acute bronchitis	378	180	25	6	1	3	9	2	1		2	2	8	8	19	29	83	
99b	Chronic bronchitis	219	8	2	2			1	1		2	1	1	10	11	27	58	95	
99c,d	Bronchitis (unspecified)	174	57	9	2	4	1	1	1			1	3	3	6	8	15	63	
100a	Broncho-pneumonia	5,119	1,787	649	206	68	53	94	38	47	49	67	72	223	275	389	464	636	2
100b	Capillary bronchitis	301	195	37	11	6		5	1	1					3	7	8	27	
101a	Lobar pneumonia	6,893	560	313	141	86	45	152	83	134	218	285	358	921	1,029	1,077	877	613	1
101b	Pneumonia (unspecified)	358	55	25	11	7	5	7	4	7	6	11	7	48	33	34	41	57	
102	Pleurisy	451	33	47	29	11	3	10	6	18	14	15	19	63	57	65	36	25	
103	Congestion and hemorrhagic infarct of the lung	95	12	3			1							5	1	4	21	48	
104	Gangrene of the lung	25							1		1		1	4	8	4	5	1	
105	Asthma	136	2	1		1				2			1	9	24	35	36	25	
106	Pulmonary emphysema	23									1			1	2	5	7	7	
107	Other diseases of the respiratory system (tuberculosis excepted)	73	1	1	2	1			1	2	4	4	2	14	15	13	9	4	
	VI.—Diseases of the digestive system	9,539	2,280	414	185	102	80	239	188	210	252	296	318	938	1,291	1,260	890	593	3
108	Diseases of the mouth and annexa	70	6	1				3	3	6	4	3	5	7	13	7	9	3	
109a	Adenoid vegetations	3	2				1												
109b	Other diseases of the pharynx, tonsils	395	34	24	22	20	14	45	20	21	30	28	25	27	39	24	15	7	
110	Diseases of the esophagus	18		1						1	1			3	3	5	1	3	
111a	Ulcer of the stomach	491	2					1	2	4	17	21	39	83	122	107	60	33	
111b	Ulcer of the duodenum	210	2					1		3	9	14	13	64	44	38	15	7	
112	Other diseases of the stomach (cancer excepted)	289	67	14	5	1	2	4	1	6	1	3	6	15	25	39	43	57	
113	Diarrhea and enteritis (under 2 years)	2,341	2,006	335															
114	Diarrhea and enteritis (2 years and over)	431			109	34	19	27	6	5	9	8	8	37	31	36	40	62	
116	Diseases due to other intestinal parasites	11			1	1		1		1	1	2		3	1				
117	Appendicitis and typhlitis	1,718	4	14	29	34	30	131	129	121	126	119	113	275	276	211	74	31	1
118a	Hernia	553	13	4	1	1	1	3	2	5	4	10	11	50	99	130	121	97	1
118b	Intestinal obstruction	628	105	18	9	5	4	6	10	15	10	19	20	69	82	78	97	81	
119	Other diseases of the intestines	136	8		3	1		1	2	2	5	7	2	18	27	25	17	18	
120	Acute yellow atrophy of the liver	54	1							2	5	7	5	10	12	6	3	3	
121	Hydatid tumor of the liver	4											2		1	1			
122	Cirrhosis of the liver	1,028	1					1	3	4	6	13	28	113	259	281	215	103	1
123	Biliary calculi	420									2	13	13	59	109	122	74	28	
124	Other diseases of the liver	480	11		1		1	3	4	3	9	15	12	75	104	109	84	49	
125	Diseases of the pancreas	85				1	1		1	2	3	2	8	12	19	21	13	2	
126	Peritonitis without specified cause	174	18	3	5	4	7	12	5	9	10	12	8	18	25	20	9	9	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	12,963	50	23	22	14	9	60	61	99	146	255	348	1,070	1,866	2,694	3,263	2,980	3
128	Acute nephritis (including unspecified under 10 years)	473	28	14	11	9	4	26	18	19	17	22	21	73	66	62	37	45	1
129	Chronic nephritis (including unspecified 10 years and over)	10,870		5	5	4	4	26	35	61	80	142	215	785	1,535	2,401	2,917	2,653	2
131	Other diseases of the kidneys and annexa	260	18	4	6	1	1	8	7	3	7	16	17	21	34	42	39	36	
132	Calculi of the urinary passages	104							1	2	6	6	9	17	24	24	12	3	
133	Diseases of the bladder	90										1	2		6	9	19	53	
134	Diseases of the urethra, etc	49									1	1	6	7	14	11	8	1	
135	Diseases of the prostate	480									1	3		4	16	83	205	168	
136	Nonvenereal diseases of the male genital organs	6	2													3		1	
137	Cysts, other benign tumors of the ovary	79								1	3	4	8	12	24	16	6	5	
138	Salpingitis and pelvic abscess (female)	207								10	25	42	40	55	23	9	2	1	
139	Benign tumors of the uterus	258									2	7	22	78	100	27	12	10	
140	Nonpuerperal uterine hemorrhage	6											2	3				1	
141	Other diseases of the female genital organs	76								3	4	10	5	15	23	7	6	3	
142	Nonpuerperal diseases of the breast (cancer excepted)	5	2									1	1		1				
	VIII.—The puerperal state	1,366								67	254	334	292	397	20				2
143	Accidents of pregnancy	139								6	17	35	39	39	3				
144	Puerperal hemorrhage	170								2	19	41	36	69	3				
145	Other accidents of labor	167								4	26	34	47	51	4				1
146	Puerperal septicemia	507								35	117	127	99	124	4				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	VIII.—The puerperal state—Con.																		
147	Puerperal phlegmasia alba dolens, embolus, etc.	80								1	17	18	15	27	2				
148	Puerperal albuminuria and convulsions	289								19	54	74	55	84	3				
149	Following childbirth (undefined)	12									3	4	1	3	1				
150	Puerperal diseases of the breast	2									1	1							
	IX.—Diseases of the skin and of the cellular tissue	364	65	6	3	2	1	7	6	11	12	8	20	30	34	36	43	80	
151	Gangrene	113	2		2	1	1	2	1	2			1	2	5	9	21	64	
152	Furuncle	63	8						2	5	4	4	4	14	7	9	3	3	
153	Acute abscess	95	17	4	1	1		5	2	3	4	1	8	7	14	11	10	7	
154	Other diseases of the skin and annexa	93	38	2					1	1	4	3	7	7	8	7	9	6	
	X.—Diseases of the bones and of the organs of locomotion	198	20	4	2	4	6	24	23	13	8	9	5	17	13	21	16	13	
155	Diseases of the bones (tuberculosis excepted)	146	13	4	1	4	6	17	7	11	8	6	2	13	7	15	11	11	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	42	7		1			6	6	1		3	3	3	4	5	3		
158	Other diseases of the organs of locomotion	10						1		1				1	2	1	2	2	
	XI.—Malformations	1,579	1,444	45	27	8	6	18	11	6	5	2	2	5					
159a	Congenital hydrocephalus	164	127	14	8		2	6		2	1	1	1	2					
159b	Congenital malformations of the heart	857	787	20	12	6	3	8	9	4	3	1	1	3					
159c	Other congenital malformations	558	530	11	7	2	1	4	2		1								
	XII.—Early infancy	6,905	6,905																
160	Congenital debility, icterus, sclerema	764	764																
161a	Premature birth	3,917	3,917																
161b	Injury at birth	1,566	1,566																
162	Other diseases peculiar to early infancy	649	649																
163	Lack of care	9	9																
164	XIII.—Old age (senility)	574													1	7	51	515	
	XIV.—External causes	10,705	176	136	174	142	180	664	398	500	662	699	746	1,627	1,500	1,261	950	869	21
	Suicide	1,523							3	42	94	120	149	324	324	252	155	55	5
165	By poisons (gas or corrosives excepted)	76								4	6	6	2	18	14	14	11	1	
166	By corrosive substances	108								7	11	10	14	22	25	9	9	1	
167	By poisonous gas	409								11	22	32	37	88	95	71	38	15	
168	By hanging or strangulation	279								8	8	14	22	52	59	62	36	16	2
169	By drowning	91								5	7	7	14	19	18	8	12	1	
170	By firearms	309							2	6	24	28	31	70	63	46	23	13	3
171	By cutting or piercing instruments	103									1	6	8	25	24	21	14	4	
172	By jumping from high places	107							1		10	12	14	24	21	16	8	1	
173	By crushing	23								1	5		5	4	5	3			
174	By other means	18										5	2	2		2	4	3	
	Homicide	598	28		4	1	1	7	5	42	89	97	104	116	62	28	10	2	
197	By firearms	347			2			4	3	30	65	58	67	66	33	15	3	1	
198	By cutting or piercing instruments	80	1			1			1	5	9	15	10	21	11	4	2		
199	By other means	169	27		2		1	3	1	7	15	24	27	29	18	9	5	1	
	Accidental or undefined	8,586	148	136	170	141	179	657	390	416	479	482	493	1,187	1,114	981	785	812	16
175	Poisoning by food	29	3		1	1	1	1		2	1	3	1	4	4	3	2	2	
176	Poisoning by venomous animals	2		1										1					
177	Other acute poisonings (gas excepted)	154	5	15	12	4	6	3	2	1	10	8	11	29	22	18	7	1	
178	Conflagration	210	8	5	8	4	8	15	13	4	10	11	7	36	27	21	20	13	
179	Burns (conflagration excepted)	604	19	50	65	48	49	82	16	8	11	20	18	53	43	47	42	33	
180	Mechanical suffocation	94	59	1		1	1		1		3	2	6	12	5	2		1	
181	Absorption of irrespirable, irritating, or poisonous gas	716	3	2	3	2		8	7	18	32	30	43	127	148	149	82	62	
182	Drowning	960	2	8	10	6	4	79	90	130	104	71	77	155	126	60	18	13	7
183	Traumatism by firearms (except in war)	118		1	1	2	1	3	12	26	15	10	6	24	10	4	2	1	
184	Traumatism by cutting or piercing instruments	67	3		4	2		2	4	4	3	1	4	10	11	11	4	4	
185	Traumatism by fall	1,723	18	24	16	11	18	64	33	29	36	54	75	168	211	204	281	481	
186a	Traumatism in mines	10							1		1	1		3	1	2			1
186b	Traumatism in quarries	12								1		1	3	5	1	1			
187	Traumatism by machines	191		1			2	1	2	18	14	19	22	49	25	31	6	1	
188a	Railroad accidents	472		2	1	1	4	8	14	23	55	49	40	92	75	60	33	12	3
188b	Street-car accidents	275	1		1	7	5	11	9	7	14	24	21	50	48	37	27	13	
188c	Automobile accidents	1,985	2	13	27	42	70	342	153	104	111	126	101	230	214	213	165	69	3
188d	Airplane and balloon accidents	5						1			1			2	1				
188e,f	Injuries by other vehicles	158			7	3	4	13	8	10	9	7	2	23	24	23	18	7	
188g	Landslide, other crushing	41					2	1	1		2	2	6	8	11	4	4		
189	Injuries by animals (not poisoning)	42				1		4	3	2	1	4	2	4	9	6	3	3	
192	Starvation (deprivation of food or water)	1														1			
193	Excessive cold	15									1			3	3	3	3	2	
194	Excessive heat	28	3		1					1	1		2	5	5	6	1	3	
195	Lightning	15							2	2	1	1	2	4	1	2			
196	Other accidental electric shocks	82						2	4	6	14	13	10	22	11				
201	Fracture (cause not specified)	201			1		3	1	3	1	7	9	5	18	26	24	29	74	
202	Other external violence	376	22	13	12	6	1	16	12	19	22	16	29	50	52	49	38	17	2
	XV.—Ill-defined diseases	178	36	20	5			2	1	4	6	7	4	18	20	23	12	18	2
204	Sudden death	11	2	1						1					1	2	1	2	1
205a	Ill-defined	67	9	16	2			1	1	1		1	1	7	3	9	5	11	
205b	Not specified or unknown	100	25	3	3			1		2	6	6	3	11	16	12	6	5	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORTH CAROLINA																				
	All causes	White	19,969	4,211	920	390	228	151	468	299	480	649	600	655	1,295	1,481	1,928	3,060	3,086	68
		Colored	13,269	2,997	613	208	155	93	267	264	629	785	704	562	1,240	1,285	1,027	1,179	1,170	91
	I.—Epidemic, endemic, and infectious diseases	White	3,179	440	255	121	91	71	156	80	137	234	250	237	323	256	153	203	164	8
		Colored	2,777	371	148	69	53	34	105	114	289	345	307	176	310	205	105	72	55	19
1	Typhoid and paratyphoid fever	W	119		3		3	4	7	10	14	26	14	7	11	9	4	5	1	1
		C	151		3	1	4	2	19	20	28	24	12	10	12	12	2	1	1	
5	Malaria	W	64	8	1	2	1	1	3	4	2	3	5	4	6	9	4	3	8	
		C	81	8	10	7	1	2	8	4	3	4	4	4	11	6	4	2	2	1
6	Smallpox	W	12	1								1				1	1	7	1	
		C	17	3							1	2	2	1	1	3	2		2	
7	Measles	W	327	55	83	32	11	8	39	17	22	7	6	6	10	8	10	10	2	1
		C	129	38	28	14	5	10	12	7	9	2	2		2					
8	Scarlet fever	W	34		8	3	3	6	8	2	3	1								
		C	2						1	1										
9	Whooping cough	W	277	175	54	18	6	7	11	4	1								1	
		C	220	140	44	15	7	4	6	1	1		1							1
10	Diphtheria	W	242	26	33	41	48	29	49	9	1	2	2	1						1
		C	88	16	6	12	12	9	26	5	1		1							
11a	Influenza (with pulmonary complications)	W	295	55	18	10	3	3	6	3	5	11	7	9	20	26	31	49	39	
		C	186	32	12	4	3	1	2	8	9	13	16	11	21	12	20	9	10	3
11b	Influenza (other and unspecified)	W	154	21	7	1	1	1	3	6	2	2	4	4	17	13	9	20	42	1
		C	113	22	3	2	5	1	3	1	7	3	5	4	6	16	7	11	17	
13	Mumps	W	3	1			1				1									
		C	4				1		1	1					1					
15	Cholera nostras	W	9	1	2										2	1		1	2	
		C	1	1																
16	Dysentery	W	121	23	26	5	2	3	2		1		1	1	3	2	6	19	27	
		C	63	17	16	4				1		1	1		5	1	2	6	6	3
21	Erysipelas	W	39	16	1		1			1			1	1	3	4	1	5	5	
		C	8	3									1			2	1		1	
22	Acute anterior poliomyelitis	W	18	8	2		2	1	3						1			1		
		C	9	2	4	1		1	1											
23	Lethargic encephalitis	W	15		2				2	3	1	1		1	2	1	1			1
		C	5			1					1		1		2					
24	Meningococcus meningitis	W	14	2	3	1	1		3	1		1			1	1				
		C	7	2	1		1				1	1								
25	Other epidemic and endemic diseases	W	7	4			1		1								1			
		C	1								1						1			
27	Anthrax	W	1															1		
28	Rabies	W	3				1			1										
29	Tetanus	W	17	3		1		2	4	2	2	1			2					
		C	41	19	1		1	1	2	2	3	1	2	2	3	4				
30	Mycoses	W	8	6									1			1				
		C	12	12																
	Tuberculosis (all forms)	W	1,326	17	10	6	6	5	10	15	77	174	207	201	235	171	79	78	32	3
		C	1,447	23	10	6	11	2	22	60	216	277	238	130	211	128	55	34	13	11
31	Of the respiratory system	W	1,205	8	1	1	2	1	2	8	72	166	196	188	222	161	76	70	29	2
		C	1,292	14	6	3	4	1	13	44	197	255	223	120	192	119	49	30	11	11
32	Of the meninges, central nervous system	W	34	6	7	4	2	3	2	2	1	2		1	2	1	1			
		C	24	6	2	3	2		3	3	2	2			1					
33	Of the intestines, peritoneum	W	44		1		2	1	1	2	2	4	5	4	5	6	1	7	2	1
		C	70		1		2		2	6	7	11	9	8	10	6	3	4	1	
34	Of the vertebral column	W	8			1			2				1	3		1				
		C	10				1	1	1	1	1	1	1		2				1	
35	Of the joints	W	5	1					1		1						1	1		
		C	10	2						2		3	1		2					
36	Of other organs	W	18	1	1				2	2		1	3	1	4	2			1	
		C	21		1		2		2	1	5	1	1	2	2	1	3			
37a	Disseminated (acute)	W	9	1							1	1	2	3	1					
		C	17	1					1	2	4	3	3		2	1				
37b	Disseminated (chronic or unspecified)	W	3							1				1	1					
		C	3							1		1				1				
38	Syphilis	W	46	17	1	1			1		2			1	7	7	5	3	1	
		C	167	32	9	2	2	1	1	3	5	13	18	14	29	20	8	9	1	
40	Gonococcus infection	W	3								1	1					1			
		C	11								3	2	3		3					
41	Purulent infection, septicemia	W	25	1	1			1	4	2	2	3	2		3	2		1	3	
		C	14	1	1				1			2			3	1	3		2	
	II.—General diseases not included in Class I.	White	1,655	46	21	9	4	5	25	19	22	40	40	60	164	254	320	391	227	8
		Colored	625	29	7	6	2	3	6	8	13	9	27	34	97	127	107	83	58	9
	Cancer and other malignant tumors	W	990	1	1	2	1	1	8	1	4	12	12	20	81	177	220	267	176	6
		C	314						1	1	2	2	7	10	53	72	67	60	34	5
43	Of the buccal cavity	W	37					1				1		1	2	8	5	7	12	
		C	9									1				3	1	3		1
44	Of the stomach, liver	W	336	1	1				1			4	5	9	17	55	82	103	56	2
		C	99										1	4	14	18	26	26	7	3
45	Of the peritoneum, intestines, rectum	W	100			1			3		1	1	3	1	8	17	19	25	21	
		C	24							1			4			3	5	3	8	
46	Of the female genital organs	W	167									1	3	3	26	52	38	30	13	1
		C	101									1	1	3	25	30	20	15	5	1
47	Of the breast	W	90											1	13	21	14	29	11	1
		C	34											1	4	10	8	5	6	
48	Of the skin	W	63						1	1					3	6	10	13	28	1
		C	8										1		1	3			3	
49	Of other or unspecified organs	W	197			1	1		3		3	5	1	5	12	18	52	60	35	1
		C	39						1		2			2	9	5	7	8	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10									1		2	1	3	2		1	
		C	9												1	1	1	2	3	1
51	Acute rheumatic fever	W	51	1					5	4	2	3	1	1	6	5	5	13	5	
		C	45			1			2	2		1	2	2	8	7	6	5	8	1
52	Chronic rheumatism, osteoarthritis, gout	W	33								1		2	2	2	1	8	11	6	
		C	5										1		3	1				
53	Scurvy	C	1			1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	II.—General diseases not included in Class I—Continued																		
54	Pellagra W	180			1			1		4	8	10	14	39	28	22	35	17	1
	Pellagra C	101							2	4	3	13	13	20	19	16	5	6	
56	Rickets W	8	3	2	2	1													
	Rickets C	12	7	3				1		1									
57	Diabetes mellitus W	171		2				7	7	8	6	6	3	14	14	41	45	17	1
	Diabetes mellitus C	74			1		1	2	2	4	1	2	4	10	17	15	9	6	
58	Anemia, chlorosis W	45	2	6		1	1		2	1		2	5	4	4	7	9	1	
	Anemia, chlorosis C	6	2							1			1		2				
59	Diseases of the pituitary gland W	2										1			1				
60a	Exophthalmic goiter W	22								1	2	2	3	5	3	3	3		
	Exophthalmic goiter C	6									1		1		4				
60b	Other diseases of the thyroid gland W	12		1			1	1			1	1	1		4		1	1	
	Other diseases of the thyroid gland C	1																1	
61	Diseases of the parathyroid glands W	1	1																
	Diseases of the parathyroid glands C	1	1																
62	Diseases of the thymus gland W	10	10																
	Diseases of the thymus gland C	4	4																
63	Diseases of the adrenals (Addison's disease) W	1													1				
64	Diseases of the spleen W	2						1					1						
	Diseases of the spleen C	1										1							
65a	Leukemia W	20		1	1	1			1		3	1	2	3	2	4	1		
	Leukemia C	5		1	1	1				1	1								
65b	Hodgkin's disease W	7					1		1				1	1	1		2		
	Hodgkin's disease C	2														1			1
66	Alcoholism (acute or chronic) W	30							1		3	2	4	5	7	5	3		
	Alcoholism (acute or chronic) C	11										1	3	2	3	1	1		
67a	Chronic lead poisoning W	2													1	1			
68	Chronic poisoning by organic substances W	4								1			1	1		1			
69	Other general diseases W	54	28	8	3		1	2	2		1			2	2	1	1	3	
	Other general diseases C	27	15	3	2	1	2		1							1	1		1
	III.—Diseases of the nervous system and of the organs of special sense White	2,097	86	18	14	8	11	33	24	16	23	25	24	108	215	371	576	536	9
	III.—Diseases of the nervous system and of the organs of special sense Colored	1,235	63	17	9	11	2	13	6	21	29	25	30	121	212	212	240	217	7
70	Encephalitis W	28	4	3	1	1	1	3	3	3		1	1	3	2	1			1
	Encephalitis C	9	1	2				1					1	1	1	2			
71a	Simple meningitis W	69	24	5	5	2	2	10	5	1	4		2	3	2		4		
	Simple meningitis C	26	5	3	3	2		4		2	2		1	2	1	1			
71b	Nonepidemic cerebrospinal meningitis W	21	7	3		1		4	3	2					1				
	Nonepidemic cerebrospinal meningitis C	11	1	5	1			2		1	1								
72	Tabes dorsalis (locomotor ataxia) W	8										1			2	1	4		
	Tabes dorsalis (locomotor ataxia) C	6												2	1	2		1	
73	Other diseases of the spinal cord W	37						1	1		2		3	4	8	4	10	4	
	Other diseases of the spinal cord C	15	1								1	1		3	4	2	1	2	
74a	Cerebral hemorrhage W	1,339	4				3	2	1		3	8	8	62	148	289	430	373	8
	Cerebral hemorrhage C	783	2	1						7	10	14	18	81	155	160	182	149	4
74b	Cerebral embolism and thrombosis W	21	1								1			1	1	5	7	5	
	Cerebral embolism and thrombosis C	13										1			7	1	2	2	
75	Paralysis without specified cause W	289	3								1			5	22	49	84	125	
	Paralysis without specified cause C	186	2			3		1			2	2	1	12	26	33	46	56	2
76	General paralysis of the insane W	25							1			1	1	1	7	5	3	6	
	General paralysis of the insane C	21									1	1	4	3	4	5	3		
77	Other forms of mental alienation W	35								1	2		2	9	6	3	8	4	
	Other forms of mental alienation C	20							1	1	3	2	1	1	4		2	4	1
78	Epilepsy W	55	4		2			4	6	3	6	7	2	9	3	2	6	1	
	Epilepsy C	37	5	1				2	4	7	4	1	2	5	5	1			
79	Convulsions (nonpuerperal; 5 years and over) W	5						2		1		1		1					
	Convulsions (nonpuerperal; 5 years and over) C	6								1	2		1	2					
80	Infantile convulsions (under 5 years) W	27	23	2	2														
	Infantile convulsions (under 5 years) C	48	41	2	3	2													
81	Chorea W	1													1				
	Chorea C	1												1					
82	Neuralgia and neuritis W	7													1	1	2	3	
	Neuralgia and neuritis C	6											1	1	1	1		2	
83	Softening of the brain W	14													1	3	3	7	
	Softening of the brain C	1													1				
84	Other diseases of the nervous system W	64	1	3		2	3	2	1	3	2	1	3	7	9	6	13	8	
	Other diseases of the nervous system C	20	2	1				1	1	1	2			4	1	3	3	1	
85	Diseases of the eye and annexa W	1							1										
	Diseases of the eye and annexa C	1									1								
86a	Diseases of the ear W	31	13	2	2	1		2	1		2	3	2	1		1	1		
	Diseases of the ear C	17	3	1	1	4	1	2				2		1	1		1		
86b	Diseases of the mastoid process W	20	2		2	1	2	3	1	2		2		1	2	1	1		
	Diseases of the mastoid process C	8		1	1		1			1		1		2		1			
	IV.—Diseases of the circulatory system White	2,374	23	1	1	2	2	16	17	21	19	41	38	106	189	417	747	727	7
	IV.—Diseases of the circulatory system Colored	1,377	3	3	1	1	1	10	12	24	36	54	53	172	275	230	281	212	9
87	Pericarditis W	9						1	1				1	1	1		1	3	
	Pericarditis C	7							1							2	1	2	1
88	Endocarditis and myocarditis (acute) W	45	6				1	5	4	1	4	4	5	10		1	1	3	
	Endocarditis and myocarditis (acute) C	42		2				1	1	2	5	8	2	15	2	1	1	2	
89	Angina pectoris W	167										3	2	8	27	40	57	29	1
	Angina pectoris C	40									1		1	7	12	8	7	3	1
90	Other diseases of the heart W	1,972	16	1		2		9	12	19	14	34	27	84	152	347	629	620	6
	Other diseases of the heart C	1,183	2	1		1	1	8	10	22	29	43	47	129	244	204	255	180	7
91a	Aneurysm W	10												1	1	2	6		
	Aneurysm C	17						1			1	1		7	4		1	2	
91b,c	Other diseases of the arteries W	125											1	1	6	18	41	58	
	Other diseases of the arteries C	50											1	2	10	7	11	19	
92	Embolism and thrombosis (not cerebral) W	29	1				1			1	1		2	1	1	5	6	10	
	Embolism and thrombosis (not cerebral) C	12											1	7	1	1		2	
93	Diseases of the veins W	2														1		1	
	Diseases of the veins C	3											1	1			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1923—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	IV.—Diseases of the circulatory system—Continued																		
94	Diseases of the lymphatic system	W 2			1			1											
		C 3	1		1													1	
95	Hemorrhage without specified cause	W 1																1	
		C 8										2		2	1	1	2		
96	Other diseases of the circulatory system	W 12													1	3	6	2	
		C 12												2	1	6	2	1	
	V.—Diseases of the respiratory system	White 1,884	455	159	66	31	16	52	29	52	55	35	46	104	131	131	231	285	6
		Colored 1,310	402	128	37	27	12	36	34	66	79	67	51	93	79	56	69	68	6
97a	Diseases of the nasal fossae	W 9	2							1		1				1		4	
		C 26	22	2		1											1		
97b	Diseases of the nasal fossae annexa	W 11							2	2	2		1	1	2			1	
		C 4								1		2		1					
98	Diseases of the larynx	W 13	3	5		1		3					1						
		C 9	2	2	1	1				1						1	1		
99a	Acute bronchitis	W 28	13	2	3											1	2	6	1
		C 20	8	6	1			1	1					1		1		1	
99b	Chronic bronchitis	W 22		1	1								1	1		2	7	9	
		C 5			1							1	1		1		1		
99c,d	Bronchitis (unspecified)	W 29	12	2		1											1	11	
		C 23	13	2	1			1			1		1		1		1	2	
100a	Broncho-pneumonia	W 654	264	91	26	14	6	19	7	9	5	7	5	14	15	26	57	87	2
		C 412	207	70	15	15	4	12	9	7	8	5	2	4	9	8	16	19	2
100b	Capillary bronchitis	W 8	5		1											1		1	
		C 8	4	2				1						1					
101a	Lobar pneumonia	W 769	79	35	23	11	6	22	8	36	40	22	31	73	88	72	116	105	2
		C 548	56	28	13	7	4	16	20	46	54	46	39	65	54	37	32	27	4
101b	Pneumonia (unspecified)	W 228	70	16	11	2	3	4	10	3	6	3	3	8	13	16	30	29	1
		C 177	83	15	5	3	2	4	3	8	10	5	2	9	6	3	9	10	
102	Pleurisy	W 35	1	6		2	1		2	1	1	1	1	3	3	1	5	7	
		C 13	1				2	1	1	1	2	1	1	2	1				
103	Congestion and hemorrhagic infarct of the lung	W 26	2	1				2							3	3	3	12	
		C 6	1													1	1	3	
104	Gangrene of the lung	W 2						1						1					
105	Asthma	W 38	2		1			1			1		3	2	6	4	6	12	
		C 33	1	1						1		4	2	6	5	4	3	6	
106	Pulmonary emphysema	C 1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W 12	2									1		1	1	2	4	1	
		C 25	4							1	3	4	3	4	1	1	4		
	VI.—Diseases of the digestive system	White 1,961	590	368	94	41	14	77	54	45	49	28	38	85	110	106	148	110	4
		Colored 1,161	497	200	48	16	12	31	20	23	31	38	27	70	65	28	24	27	4
108	Diseases of the mouth and annexa	W 16	1	2				3				2	1		4		2	1	
		C 5	1		1			1				1		1					
109a	Adenoid vegetations	C 1	1																
109b	Other diseases of the pharynx, tonsils	W 50	3	1	3	3	2	14	3	2	3	3	2	2	2	2	4	1	
		C 33	4	2			4	7	1		2	2	2	4	4			1	
110	Diseases of the esophagus	W 1																1	
		C 1										1							
111a	Ulcer of the stomach	W 37									1	1	4	7	9	7	7		1
		C 12								2	2			1	3	2	1	1	
111b	Ulcer of the duodenum	W 11											2	1	1	1	6		
		C 3									1	1		1					
112	Other diseases of the stomach (cancer excepted)	W 140	37	14	2	1	1	4		4	1	3	2	6	10	14	21	20	
		C 100	33	8		2	2		1		1	4	2	13	14	10	5	4	1
113	Diarrhea and enteritis (under 2 years)	W 847	509	338															
		C 634	449	185															
114	Diarrhea and enteritis (2 years and over)	W 230			82	27	6	13	3	4	1		3	4	6	10	28	41	2
		C 101			40	12	2	9	3	1	2	3	2	3	3	2	6	11	2
115	Ancylostomiasis	W 4							3						1				
116	Diseases due to other intestinal parasites	W 5	1	1		2	1												
		C 6		1	1	2	1							1					
117	Appendicitis and typhlitis	W 242		3	3	3	2	29	35	26	29	12	6	31	27	18	14	3	1
		C 93			1		1	7	11	13	12	11	9	17	9	1	1		
118a	Hernia	W 35	1	1									2	1	9	7	9	5	
		C 20	1		1		1			1			1	4	4	3	3	1	
118b	Intestinal obstruction	W 113	28	5	3	2	1	6	4	1	6	5	3	9	9	9	10	12	
		C 55	4	3	2		1	4	3	3	3	4	1	9	8	4	4	2	
119	Other diseases of the intestines	W 19		1		1			1	2	2	1	2	1		3		5	
		C 11	3		1					1	2	2			1			1	
120	Acute yellow atrophy of the liver	W 4									2		1	1					
		C 2									1		1						
122	Cirrhosis of the liver	W 63			1								1	6	13	12	24	6	
		C 30						1	1		1	2	1	7	10	3	2	2	
123	Biliary calculi	W 33											2	4	11	6	8	2	
		C 8											1	2	3		1	1	
124	Other diseases of the liver	W 71	4	1		1	1	3	2	1	3	1	1	11	7	14	10	11	
		C 22	1	1				1		1	1	2	4	4	3	2	1	1	
125	Diseases of the pancreas	W 7							1	2			1				2	1	
		C 2										1			1				
126	Peritonitis without specified cause	W 33	6	1		1		5	2	3	1		5	1	1	3	3	1	
		C 21			1			1		1	3	4	3	3	1	1		2	1
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	C 1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,679	18	11	9	6	4	10	12	18	28	19	37	137	163	263	482	458	4
		Colored 1,144	13	7	9	4	4	6	13	24	40	37	42	144	181	187	232	192	9
128	Acute nephritis (including unspecified under 10 years)	W 120	15	3	4	4	4	7	8	7	9	3	7	13	13	8	9	6	
		C 133	10	6	7	2	3	6	4	8	11	8	7	18	23	5	7	7	1
129	Chronic nephritis (including unspecified 10 years and over)	W 1,364	1	4	3	1		2	4	8	12	11	16	94	136	233	436	400	3
		C 861			1	1			7	11	15	18	26	94	141	167	210	163	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
131	Other diseases of the kidneys and annexa	W 65	2	4	2	1		1		2	2	3	3	12	4	9	10	10	
		C 24	2		1	1	1			1	3	2		1	3	4	1	4	
132	Calculi of the urinary passages	W 17								1			1	3	3	3	5	1	
		C 6											2		1		1	2	
133	Diseases of the bladder	W 11													1		1	9	
		C 8		1											1	2	1	2	1
134	Diseases of the urethra, etc	W 2									1					1			
		C 10									2				3	3	2		
135	Diseases of the prostate	W 57												1		7	20	28	1
		C 34											1	1	3	6	10	13	
136	Nonvenereal diseases of the male genital organs	W 2									1							1	
		C 3	1												1			1	
137	Cysts, other benign tumors of the ovary	W 8										1	1	3	1	1	1		
		C 4												3			1		
138	Salpingitis and pelvic abscess (female)	W 11									2	1	6	1	1				
		C 28							1	1	5	5	5	10	1				
139	Benign tumors of the uterus	W 19											2	9	4	1		3	
		C 15											1	9	4	1			
140	Nonpuerperal uterine hemorrhage	C 4									1	2		1					
141	Other diseases of the female genital organs	W 3									1		1	1					
		C 14							1	3	3	2		4			1		
	VIII.—The puerperal state	White 395								54	80	64	92	99	3				3
		Colored 283							2	59	65	43	45	66	2				1
143	Accidents of pregnancy	W 31								4	6	6	6	8					1
		C 19								3	2	2	5	5	1				1
144	Puerperal hemorrhage	W 38								1	6	6	8	17					
		C 30								2		8	6	14					
145	Other accidents of labor	W 39								3	5	9	11	10	1				
		C 43								8	9	7	10	9					
146	Puerperal septicemia	W 94								12	18	15	22	23	2				2
		C 77								11	22	8	14	21	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	W 23								1	6	7	7	2					
		C 10									1	4	1	4					
148	Puerperal albuminuria and convulsions	W 169								33	39	21	38	38					
		C 104							2	35	31	14	9	13					
149	Following childbirth (undefined)	W 1												1					
	IX.—Diseases of the skin and of the cellular tissue	White 53	7	1		1	1	3	1	2	4	2		3	6	5	8	9	
		Colored 37	6		1	1			1	1	1		2	2	4	4	5	9	
151	Gangrene	W 22	2				1	2			2				2	3	5	5	
		C 16	1			1			1	1					2	2	2	6	
152	Furuncle	W 11	1							1	1	1		1	2	2	2		
		C 3											1			1	1		
153	Acute abscess	W 10	1	1		1			1	1	1			1	1			2	
		C 5	3											1		1			
154	Other diseases of the skin and annexa	W 10	3					1				1		1	1		1	2	
		C 13	2		1						1		1	1	2		2	3	
	X.—Diseases of the bones and of the organs of locomotion	White 30	3	1		1		6	7	1	1	1		2	3	3			1
		Colored 14	1	1			1		1			1	1	4	1	1	2		
155	Diseases of the bones (tuberculosis excepted)	W 24	1	1		1		6	7	1		1		2	2	1			1
		C 10		1			1		1			1	1	3	1		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 3									1				1	1			
		C 3	1											1		1			
158	Other diseases of the organs of locomotion	W 3	2													1			
		C 1															1		
	XI.—Malformations	White 233	208	12	5	3	2	1		1	1								
		Colored 44	37	4	1		1		1										
159a	Congenital hydrocephalus	W 25	14	4	3	1	2				1								
		C 11	6	3			1		1										
159b	Congenital malformations of the heart	W 131	125	2	1	1		1		1									
		C 8	7	1															
159c	Other congenital malformations	W 77	69	6	1	1													
		C 25	24		1														
	XII.—Early infancy	White 1,599	1,599																
		Colored 710	710																
160	Congenital debility, icterus, sclerema	W 216	216																
		C 145	145																
161a	Premature birth	W 1,142	1,142																
		C 456	456																
161b	Injury at birth	W 150	150																
		C 43	43																
162	Other diseases peculiar to early infancy	W 87	87																
		C 57	57																
163	Lack of care	W 4	4																
		C 9	9																
	XIII.—Old age (senility)	White 293														4	25	264	
		Colored 232													2	7	32	190	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	XIV.—External causes—White	1,215	68	43	52	38	19	79	50	107	100	82	62	126	100	59	90	131	9
	XIV.—External causes—Colored	869	67	28	19	32	18	43	40	91	118	78	75	100	51	29	33	32	15
	Suicide—W	97								4	5	7	9	24	24	16	6	2	
	Suicide—C	14									1	4	1	3	1	2	1	1	
165	By poisons (gas or corrosives excepted)—W	4								1			2	1					
166	By corrosive substances—W	6												2	2	2			
166	By corrosive substances—C	1										1							
167	By poisonous gas—W	3												2	1				
168	By hanging or strangulation—W	6											2	2	1	1			
168	By hanging or strangulation—C	1											1						
169	By drowning—W	7								1	1			2		3			
169	By drowning—C	1										1							
170	By firearms—W	55								1	4	7	4	11	17	6	4	1	
170	By firearms—C	11									1	2		3	1	2	1	1	
171	By cutting or piercing instruments—W	10												4	2	3	1		
172	By jumping from high places—W	1								1									
173	By crushing—W	2													1		1		
174	By other means—W	3											1			1		1	
	Homicide—W	91	4						1	8	16	15	8	13	18	3	2	1	2
	Homicide—C	193	2	1				1	3	19	43	28	39	30	13	4	2	1	7
197	By firearms—W	66								4	12	12	7	10	15	3	1		2
197	By firearms—C	152						1	3	13	34	25	35	21	10	3	2		5
198	By cutting or piercing instruments—W	10							1	4	2	2			1				
198	By cutting or piercing instruments—C	23								3	8	2	3	3	2	1			1
199	By other means—W	15	4								2	1	1	3	2		1	1	
199	By other means—C	18	2	1						3	1	1	1	6	1			1	1
	Accidental or undefined—W	1,027	64	43	52	38	19	79	49	95	79	60	45	89	58	40	82	128	7
	Accidental or undefined—C	662	65	27	19	32	18	42	37	72	74	46	35	67	37	23	30	30	8
175	Poisoning by food—W	31	6	5	3	1		1	1		2	2	1	2	3	2	2		
175	Poisoning by food—C	14	3		1				1			1	2	1	3		2		
176	Poisoning by venomous animals—W	1				1													
176	Poisoning by venomous animals—C	1			1														
177	Other acute poisonings (gas excepted)—W	21	1	5	5	2						1	1	2	1	2	1		
177	Other acute poisonings (gas excepted)—C	23	1	10	3	1	1	1	1		2			2			1		
178	Conflagration—W	21	2		1		1	1		1				3	4		5	3	
178	Conflagration—C	18			2		1	2	3	1	1		1	2		2	1	2	
179	Burns (conflagration excepted)—W	164	8	20	32	20	7	20	7	8	5	6		6	3	2	7	12	1
179	Burns (conflagration excepted)—C	141	7	13	9	26	10	22	9	6	6	8	5	2	5	2	2	9	
180	Mechanical suffocation—W	28	27															1	
180	Mechanical suffocation—C	38	30	1			1				1	1		2	2				
181	Absorption of irrespirable, irritating, or poisonous gas—W	3	2											1					
181	Absorption of irrespirable, irritating, or poisonous gas—C	4									1			2	1				
182	Drowning—W	62	1	1	4		1	2	9	15	13	5	1	7		1	1	1	
182	Drowning—C	55	2	1				1	6	21	9	3	3	2	2		2	3	
183	Traumatism by firearms (except in war)—W	43	1	1		3	1	3	6	13	4	5	2	2			1	1	
183	Traumatism by firearms (except in war)—C	65			1	2		5	4	22	15	5	3	5	1		1	1	
184	Traumatism by cutting or piercing instruments—W	8		1				4						1				2	
184	Traumatism by cutting or piercing instruments—C	3									1			2					
185	Traumatism by fall—W	173	6	2	3	1		3	2	2	5	4	6	4	7	8	30	89	1
185	Traumatism by fall—C	23	6					1	2	1	2		1	1	1	1	2	4	1
186a	Traumatism in mines—W	4									1		1	2					
186a	Traumatism in mines—C	1												1					
187	Traumatism by machines—W	23				1		2	2	1	3	4	1	4	1	2	1	1	
187	Traumatism by machines—C	25							1	3	2		2	9	3	2	2	1	
188a	Railroad accidents—W	57						1	2	7	11	6	4	12	7	4	3		
188a	Railroad accidents—C	50			1			1	1	7	10	7	4	6	1	5	3	1	3
188b	Street-car accidents—W	2											1	1					
188c	Automobile accidents—W	227	3	2	2	4	6	28	9	33	21	19	17	27	20	10	16	8	2
188c	Automobile accidents—C	101			1	1	3	4	4	6	15	14	10	16	8	5	6	5	3
188d	Airplane and balloon accidents—W	1								1									
188e,f	Injuries by other vehicles—W	21							2	2	3	1		3	2	2	4	1	1
188e,f	Injuries by other vehicles—C	12	1				1		2						4	1	2	1	
188g	Landslide, other crushing—W	9				1	1	1	1	2	1	1		1					
188g	Landslide, other crushing—C	3	1								1			1					
189	Injuries by animals (not poisoning)—W	9		1				1		1				2		1	2	1	
189	Injuries by animals (not poisoning)—C	5					1	1		1				1					1
190	Wounds of war—C	1										1							
193	Excessive cold—W	1															1		
193	Excessive cold—C	3								1		1				1			
194	Excessive heat—W	6	1												2	1	1	1	
194	Excessive heat—C	11	1						1			1	1	4	1	1	1		
195	Lightning—W	7					1	1	2	1	1				1				
195	Lightning—C	8						1	2	1	1			2			1		
196	Other accidental electric shocks—W	22						2	2	3	4	1	5	4		1			
196	Other accidental electric shocks—C	1									1								
201	Fracture (cause not specified)—W	6														2	1	3	
201	Fracture (cause not specified)—C	6											1	2		1		2	
202	Other external violence—W	77	6	5	2	4	1	9	4	5	5	5	5	5	7	2	6	4	2
202	Other external violence—C	50	13	2		2		3		2	6	3	3	4	5	2	4	1	
	XV.—Ill-defined diseases—W	1,322	668	30	19	2	6	10	6	4	15	13	21	38	51	96	159	175	9
	XV.—Ill-defined diseases—C	1,451	798	70	8	8	5	17	12	18	32	27	26	61	81	61	106	110	11
204	Sudden death—W	187	29	2	2		1		1		2	2	3	14	17	30	44	39	1
204	Sudden death—C	115	27	2		1						3	4	9	13	12	29	13	2
205a	Ill-defined—W	272	84	10	3		1	1	1	1	3	4	9	15	17	29	47	46	1
205a	Ill-defined—C	193	41	19		2		1	2	3	7	1	8	20	21	ø21	27	18	2
205b	Not specified or unknown—W	863	555	18	14	2	4	9	4	3	10	7	9	9	17	37	68	90	7
205b	Not specified or unknown—C	1,143	730	49	8	5	5	16	10	15	25	23	14	32	47	28	50	79	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA																		
	All causes	4,852	949	140	74	79	55	161	126	133	170	143	144	350	414	540	661	695	18
	I.—Epidemic, endemic, and infectious diseases	695	73	42	33	28	20	65	41	45	62	44	36	88	47	33	24	10	4
1	Typhoid and paratyphoid fever	24	1					2	2	6	3	3	3	3			1		
6	Smallpox	3											1	2					
7	Measles	66	17	14	11	2	6	8	3	4									1
8	Scarlet fever	53	3	6	6	9		15	5	1	3	4					1		
9	Whooping cough	45	25	9	5	3	1	1	1										
10	Diphtheria	85	4	4	9	8	11	23	13	7		2		2	1	1			
11a	Influenza (with pulmonary complications)	32	4						1	1	1	3	2	1	5	6	6	2	
11b	Influenza (other and unspecified)	23	4	2		1		2	2	1	4			2	1		2	2	
16	Dysentery	4	1			1				1							1		
21	Erysipelas	12	4					1				1				1	3	2	
22	Acute anterior poliomyelitis	18		1		1		4	4	1	4	2	1						
23	Lethargic encephalitis	8									1			4		2		1	
24	Meningococcus meningitis	8					1	1	1		2	1		2					
25	Other epidemic and endemic diseases	3		1					1							1			
29	Tetanus	3						1		1					1				
30	Mycoses	1												1					
	Tuberculosis (all forms)	286	6	5	2	3	1	7	7	22	43	28	29	64	37	19	8	3	2
31	Of the respiratory system	236	3	2	2	2		3	5	18	37	23	27	56	30	15	8	3	2
32	Of the meninges, central nervous system	16	3	2		1	1	4	1	1				2		1			
33	Of the intestines, peritoneum	13								1	5	3		2	2				
34	Of the vertebral column	7								2		2			1	2			
36	Of other organs	7									1		2		3	1			
37a	Disseminated (acute)	6							1					4	1				
37b	Disseminated (chronic or unspecified)	1		1															
38	Syphilis	12	4											3	2	1	2		
40	Gonococcus infection	2									1			1					
41	Purulent infection, septicemia	7							1					3		2			1
	II.—General diseases not included in Class I	602	15	2	2	3	2	11	7	9	7	9	9	49	105	135	161	76	
	Cancer and other malignant tumors	395			1	1		2	1	2	1	4	3	31	79	96	115	59	
43	Of the buccal cavity	13												1	2		4	6	
44	Of the stomach, liver	208						1				4		12	38	52	65	36	
45	Of the peritoneum, intestines, rectum	47			1				1				1	3	12	13	11	5	
46	Of the female genital organs	32									1		1	7	9	7	4	3	
47	Of the breast	26												6	9	4	5	2	
48	Of the skin	7													1	2	2	2	
49	Of other or unspecified organs	62				1		1		2			1	2	8	18	24	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2															2		
51	Acute rheumatic fever	18						3		1	1	1	1		3		6	2	
52	Chronic rheumatism, osteoarthritis, gout	8									1				2	1	4		
56	Rickets	3	3																
57	Diabetes mellitus	87			1			3	5	4		1	2	8	6	24	24	9	
58	Anemia, chlorosis	40				1				1	2	2	1	5	6	9	8	5	
59	Diseases of the pituitary gland	1						1											
60a	Exophthalmic goiter	8									1	1		1	3	1	1		
60b	Other diseases of the thyroid gland	3	1										1			1			
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	7	5	1			1												
63	Diseases of the adrenals (Addison's disease)	2												1	1				
65a	Leukemia	7				1				1	1				2	2			
65b	Hodgkin's disease	1												1					
66	Alcoholism (acute or chronic)	7											1	2	2	1	1		
67a	Chronic lead poisoning	1																1	
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	9	5				1	2	1										
	III.—Diseases of the nervous system and of the organs of special sense	448	36	9		3	3	3	7	9	8	6	7	30	30	81	103	110	3
70	Encephalitis	9	1	2					1	1	1		2			1			
71a	Simple meningitis	19	5	2		2		1		1		2			3	3			
71b	Nonepidemic cerebrospinal meningitis	8	3	2					2								1		
72	Tabes dorsalis (locomotor ataxia)	5												1	1	1	2		
73	Other diseases of the spinal cord	7								1	1		1	1		1	2		
74a	Cerebral hemorrhage	307										2	2	16	20	69	94	101	3
74b	Cerebral embolism and thrombosis	1																1	
75	Paralysis without specified cause	7		1							1							5	
76	General paralysis of the insane	4												1	1	2			
77	Other forms of mental alienation	14									1		1	5	3		2	2	
78	Epilepsy	18		1				2	2	5	2	1	1	1	1	2			
80	Infantile convulsions (under 5 years)	28	26				2												
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	10				1			1		2			3	1	2			
86a	Diseases of the ear	8	1	1			1		1	1				1			1	1	
86b	Diseases of the mastoid process	2										1		1					
	IV.—Diseases of the circulatory system	583	11	1	1	1		9	11	8	11	5	15	34	61	104	150	160	1
87	Pericarditis	3				1							1		1				
88	Endocarditis and myocarditis (acute)	31	2		1			2	2	2	1	1	1	10	1	3	2	3	
89	Angina pectoris	27												1	4	8	7	7	
90	Other diseases of the heart	467	8	1				7	9	6	8	3	13	21	54	91	125	121	
91a	Aneurysm	5									1						4		
91b,c	Other diseases of the arteries	42														1	12	28	1
92	Embolism and thrombosis (not cerebral)	3										1		1				1	
93	Diseases of the veins	2													1	1			
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	2									1			1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	V.—Diseases of the respiratory system	547	139	41	16	9	7	18	9	15	12	8	10	32	36	47	64	81	3
97a	Diseases of the nasal fossae	2	1					1											
97b	Diseases of the nasal fossae annexa	4								1		1		2					
98	Diseases of the larynx	1													1				
99a	Acute bronchitis	10	4	3												1		2	
99b	Chronic bronchitis	10													1	1	3	5	
99c,d	Bronchitis (unspecified)	7	2												1		2	2	
100a	Broncho-pneumonia	225	87	27	9	7	3	7		4		2	1	6	5	9	22	36	
100b	Capillary bronchitis	1						1											
101a	Lobar pneumonia	185	18	7	2	1	2	4	8	10	8	5	6	19	21	29	22	21	2
101b	Pneumonia (unspecified)	64	24	4	3		2	4			4		2	4	4	1	4	7	1
102	Pleurisy	9			1	1		1	1				1	1		1	1	1	
103	Congestion and hemorrhagic infarct of the lung	8	3															5	
105	Asthma	18													3	4	9	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	3			1											1	1		
	VI.—Diseases of the digestive system	484	129	20	10	10	10	31	24	12	19	19	17	36	42	40	37	26	2
108	Diseases of the mouth and annexa	2		1											1				
109b	Other diseases of the pharynx, tonsils	21	2	2	1	2		5	2	3	1		1		2				
111a	Ulcer of the stomach	21		1									2	5	3	5	5		
111b	Ulcer of the duodenum	6											1	2	1	2			
112	Other diseases of the stomach (cancer excepted)	25	12	2	2	1								2	2		1	3	
113	Diarrhea and enteritis (under 2 years)	112	100	12															
114	Diarrhea and enteritis (2 years and over)	24			5	4	5	2	1		1			1				4	1
117	Appendicitis and typhlitis	113		1	1	3	5	20	19	7	10	12	7	9	9	7	2	1	
118a	Hernia	19									1	1	2	1	5	3	5	1	
118b	Intestinal obstruction	36	9		1			3	2	1	1	2	1	3	2	2	4	5	
119	Other diseases of the intestines	6	3					1						1	1				
120	Acute yellow atrophy of the liver	3									1					1		1	
122	Cirrhosis of the liver	20									1			1	6	6	6		
123	Biliary calculi	41									1	2	2	9	6	9	6	6	
124	Other diseases of the liver	19		1						1	2	1	1	1	3	3	4	1	1
125	Diseases of the pancreas	3															2	1	
126	Peritonitis without specified cause	13	3									1		1	1	2	2	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	286	4	2		2	3	3	3	3	5	5	6	14	35	56	63	81	1
128	Acute nephritis (including unspecified under 10 years)	24	2	1		1	1	3	1		1		2	2	2	2	4	2	
129	Chronic nephritis (including unspecified 10 years and over)	201					1		2	3	4	1	3	10	26	43	49	58	1
131	Other diseases of the kidneys and annexa	14	1	1		1	1					1			4	1	2	2	
132	Calculi of the urinary passages	1														1			
133	Diseases of the bladder	7	1														1	5	
135	Diseases of the prostate	30											1			8	7	14	
136	Nonvenereal diseases of the male genital organs	1														1			
137	Cysts, other benign tumors of the ovary	3										1			2				
138	Salpingitis and pelvic abscess (female)	3										1		1	1				
139	Benign tumors of the uterus	1										1							
141	Other diseases of the female genital organs	1												1					
	VIII.—The puerperal state	81								6	13	18	19	22	3				
143	Accidents of pregnancy	7									2	2		3					
144	Puerperal hemorrhage	14									2	2	4	6					
145	Other accidents of labor	6										3	2	1					
146	Puerperal septicemia	23								1	4	7	7	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	7								1			1	5					
148	Puerperal albuminuria and convulsions	23								4	5	3	5	3	3				
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	19	3							1				1		3	2	9	
151	Gangrene	10														2	1	7	
152	Furuncle	1																1	
153	Acute abscess	1														1			
154	Other diseases of the skin and annexa	7	3							1				1			1	1	
	X.—Diseases of the bones and of the organs of locomotion	5				1				2	1			1					
155	Diseases of the bones (tuberculosis excepted)	4				1				1	1			1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1								1									
	XI.—Malformations	64	60	2		1			1										
159a	Congenital hydrocephalus	10	9	1															
159b	Congenital malformations of the heart	39	36	1		1			1										
159c	Other congenital malformations	15	15																
	XII.—Early infancy	387	387																
160	Congenital debility, icterus, sclerema	70	70																
161a	Premature birth	242	242																
161b	Injury at birth	44	44																
162	Other diseases peculiar to early infancy	30	30																
163	Lack of care	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
164	XIII.—Old age (senility)	143														1	24	116	2
	XIV.—External causes	356	9	9	9	14	8	18	21	22	27	28	22	43	54	30	24	17	1
	Suicide	51									5	5	6	6	16	9	3	1	
165	By poisons (gas or corrosives excepted)	7									1	1		1	3	1			
166	By corrosive substances	3									2				1				
168	By hanging or strangulation	17											1	3	7	4	2		
169	By drowning	3											1			1		1	
170	By firearms	17									2	3	3	1	5	2	1		
171	By cutting or piercing instruments	4										1	1	1		1			
	Homicide	14			1					1		1	2	4	5				
197	By firearms	10										1	2	4	3				
198	By cutting or piercing instruments	1													1				
199	By other means	3			1					1					1				
	Accidental or undefined	291	9	9	8	14	8	18	21	21	22	22	14	33	33	21	21	16	1
175	Poisoning by food	3					1		1					1					
177	Other acute poisonings (gas excepted)	7		1		1				1	1	1	2						
178	Conflagration	19		1	1	1	3	4	3			1		1	2	1	1		
179	Burns (conflagration excepted)	23		2	3	3		2		2	1	2	2	1	3	1	1		
180	Mechanical suffocation	4	2			1								1					
181	Absorption of irrespirable, irritating, or poisonous gas	7												2		1	1	3	
182	Drowning	25	1	5	3	2	1	2	2	4	1	1		1		1	1		
183	Traumatism by firearms (except in war)	14							4	3	3			2	2				
184	Traumatism by cutting or piercing instruments	1						1											
185	Traumatism by fall	27				1		2		1	2			1	3	2	6	9	
186a	Traumatism in mines	5										2		1		2			
187	Traumatism by machines	15								1		2	5	4	3				
188a	Railroad accidents	13							1	1	2	4		3	2				
188b	Street-car accidents	1											1						
188c	Automobile accidents	45			1	2	2		2	3	5	6	3	8	5	3	3	1	1
188e,f	Injuries by other vehicles	27	1					4	4	1	2	1		1	2	5	4	2	
188g	Landslide, other crushing	6								1		1	1	2	1				
189	Injuries by animals (not poisoning)	10				1	1		2	1	1			1	2	1			
193	Excessive cold	5								1				1	1	1	1		
195	Lightning	7						1	1		2				1	1	1		
196	Other accidental electric shocks	2									1			1					
201	Fracture (cause not specified)	4												1		2		1	
202	Other external violence	21	5			2		2	1	1	1	1			6		2		
	XV.—Ill-defined diseases	152	83	12	3	7	2	3	2	1	5	1	3		1	10	9	9	1
204	Sudden death	3	2														1		
205a	Ill-defined	27	5	5				1	1		1		1		1	5	2	5	
205b	Not specified or unknown	122	76	7	3	7	2	2	1	1	4	1	2			5	6	4	1
	OHIO																		
	All causes	69,950	8,787	1,225	615	424	323	1,236	955	1,459	2,009	2,195	2,310	5,620	7,017	9,369	12,235	14,143	28
	I.—Epidemic, endemic, and infectious diseases	8,828	759	357	185	163	130	398	229	500	784	799	666	1,172	939	760	594	392	1
1	Typhoid and paratyphoid fever	224			1	5	3	20	23	38	30	25	18	21	18	16	5	1	
5	Malaria	9									2		1		2	1	1	2	
6	Smallpox	63	4	1		1	1	2	1	4	4	4	3	19	9	3	5	2	
7	Measles	165	49	46	10	15	1	20	3	5	3	1	2	2	2	1	3	2	
8	Scarlet fever	242	10	25	24	24	22	60	25	15	6	6	13	6	4	1	1		
9	Whooping cough	474	283	114	40	10	11	13	2					1					
10	Diphtheria	420	23	42	44	44	39	145	36	11	6	4	6	8	4	8			
11a	Influenza (with pulmonary complications)	630	71	30	9	11	6	14	10	12	17	19	18	61	76	79	95	102	
11b	Influenza (other and unspecified)	396	40	5	3	6	4	17	8	5	13	12	14	30	42	35	70	92	
13	Mumps	6	1		1			2			1		1						
15	Cholera nostras	1																1	
16	Dysentery	65	13	5	3		1	1	1			1	2		4	7	10	17	
19	Spirochetal hemorrhagic jaundice	2								1					1				
21	Erysipelas	142	37	2	1	2			1	1	3	4	4	14	15	19	22	17	
22	Acute anterior poliomyelitis	41	3	6	1	5	4	13	1	6		1	1						
23	Lethargic encephalitis	111	2	3	4	3	3	8	3	7	4	7	10	15	21	17	2	2	
24	Meningococcus meningitis	33	6	4	1	2	1	4	2	2	4	2	1	1	2	1			
25	Other epidemic and endemic diseases	13	3	1	2	1	1	4					1						
27	Anthrax	1															1		
28	Rabies	4					1	1							1		1		
29	Tetanus	81	4	1	2	2	2	16	14	9	2	3	3	6	5	4	7	1	
30	Mycoses	5										1		1		1	2		
	Tuberculosis (all forms)	5,093	108	65	38	32	27	54	94	373	663	683	515	862	625	474	333	146	1
31	Of the respiratory system	4,300	29	11	8	8	10	22	56	321	599	615	458	785	546	419	285	127	1
32	Of the meninges, central nervous system	258	54	41	21	17	9	21	14	12	17	12	7	14	10	6	2	1	
33	Of the intestines, peritoneum	214	2	4	2		2	4	7	24	20	25	21	22	27	28	18	8	
34	Of the vertebral column	75		2	1	2		1	3	3	3	7	7	13	13	6	11	3	
35	Of the joints	26	2						3	3	3	1	1	3	7	1	1	1	
36	Of other organs	78	2	1	2	2		3	5	1	5	6	10	12	12	6	6	5	
37a	Disseminated (acute)	108	16	5	4	3	5	3	5	5	15	11	10	9	5	5	7		
37b	Disseminated (chronic or unspecified)	34	3	1			1		1	4	1	6	1	4	5	3	3	1	
38	Syphilis	508	90	7	1		1	1	2	6	18	17	36	109	95	86	32	7	
40	Gonococcus infection	41	3							3	7	6	9	8	3	2			
41	Purulent infection, septicemia	58	9				2	3	3	2	1	3	8	8	10	5	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	II.—General diseases not included in Class I	8,583	195	24	16	13	9	68	70	70	70	110	193	742	1,367	2,078	2,212	1,345	1
	Cancer and other malignant tumors	5,931	1	5	5	1	4	10	11	14	17	44	103	490	978	1,490	1,659	1,099	
43	Of the buccal cavity	205		1				1	1			2		12	29	38	64	57	
44	Of the stomach, liver	2,283									3	3	24	137	297	578	775	466	
45	Of the peritoneum, intestines, rectum	807		1	2		1		3	1	6	10	21	50	134	207	225	146	
46	Of the female genital organs	879							2		2	13	25	136	229	243	165	64	
47	Of the breast	510										2	11	71	129	134	97	66	
48	Of the skin	178									1		1	7	13	17	56	83	
49	Of other or unspecified organs	1,069	1	3	3	1	3	9	5	13	5	14	21	77	147	273	277	217	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	41	1	2	2				1		1	1		5	5	5	11	7	
51	Acute rheumatic fever	160	1		1	1	1	29	22	15	4	10	7	15	10	18	13	13	
52	Chronic rheumatism, osteoarthritis, gout	89										2	1	1	7	15	30	33	
53	Scurvy	1	1																
54	Pellagra	7	1										2		3	1			
56	Rickets	27	17	6	2			1		1									
57	Diabetes mellitus	1,037	3	3	1	3		16	19	11	13	13	22	61	150	281	301	139	1
58	Anemia, chlorosis	409	8	1		3		3	4	2	3	5	11	36	71	123	103	36	
59	Diseases of the pituitary gland	4								1		1	1			1			
60a	Exophthalmic goiter	318					1		4	14	14	18	18	62	67	60	51	9	
60b	Other diseases of the thyroid gland	44	1	2		1			1	4	2	2	2	7	7	13	3		
61	Diseases of the parathyroid glands	4	4																
62	Diseases of the thymus gland	93	90		1	1			1										
63	Diseases of the adrenals (Addison's disease)	25									1	3	1	2	5	7	5	1	
64	Diseases of the spleen	11						1	2			2	1		4		1		
65a	Leukemia	76		2	1	3	2	2	2	3	4	2	6	12	9	16	9	3	
65b	Hodgkin's disease	51						2	2	3	4	2	5	4	6	10	13		
66	Alcoholism (acute or chronic)	128								1	4	3	11	40	31	28	8	2	
67a	Chronic lead poisoning	12									1	1		2	5	3			
68	Chronic poisoning by organic substances	9										1	1	1	1	3	1	1	
69	Other general diseases	106	68	3	3		1	4	1	1	2		1	4	8	4	4	2	
	III.—Diseases of the nervous system and of the organs of special sense	9,197	224	71	40	23	14	63	66	47	73	88	126	492	920	1,604	2,491	2,853	2
70	Encephalitis	58	6	3	1	2		1	6	1	4	2	3	6	8	4	5	6	
71a	Simple meningitis	159	50	21	11	2	6	11	12	2	3	1	7	14	12	5	2		
71b	Nonepidemic cerebrospinal meningitis	51	10	7	5	4	2	5	6	3	2	1	1	1	1	2		1	
72	Tabes dorsalis (locomotor ataxia)	130											3	9	39	41	34	4	
73	Other diseases of the spinal cord	207	1					3	4	2	5	6	2	16	21	60	56	31	
74a	Cerebral hemorrhage	6,679	8	2	1		2	2	2	6	13	19	27	183	560	1,230	2,106	2,517	1
74b	Cerebral embolism and thrombosis	182	2		1				2		5	2	5	6	14	27	46	72	
75	Paralysis without specified cause	166	3		1						2		1	3	8	21	50	76	1
76	General paralysis of the insane	582								2	2	12	37	176	170	94	48	41	
77	Other forms of mental alienation	82									3	4	8	15	18	18	6	10	
78	Epilepsy	181	6	1	2	1	1	2	11	18	22	21	19	23	19	14	17	4	
79	Convulsions (nonpuerperal; 5 years and over)	5						1	2		1						1		
80	Infantile convulsions (under 5 years)	133	107	20	4	1	1												
81	Chorea	4							1	1				1		1			
82	Neuralgia and neuritis	27										1		4	4	5	7	6	
83	Softening of the brain	81													3	8	30	40	
84	Other diseases of the nervous system	276	6	4	2	2		9	9	5	4	9	10	21	27	58	71	39	
85	Diseases of the eye and annexa	2			1													1	
86a	Diseases of the ear	118	22	9	6	7		15	6	4	3	6	3	8	7	12	8	2	
86b	Diseases of the mastoid process	74	3	4	5	4	2	14	5	3	4	4		6	9	4	4	3	
	IV.—Diseases of the circulatory system	12,789	56	15	12	10	10	79	113	113	109	161	202	680	1,252	2,035	3,376	4,555	11
87	Pericarditis	65	3				1	3	7	2	2	1	2	2	6	9	14	13	
88	Endocarditis and myocarditis (acute)	415	22	2	5	4	4	25	24	23	20	36	23	90	51	25	34	27	
89	Angina pectoris	721								1	4	4	3	44	94	168	246	156	1
90	Other diseases of the heart	9,706	19	13	6	5	5	47	82	85	81	116	158	505	1,015	1,638	2,648	3,273	10
91a	Aneurysm	109										2	3	16	29	26	24	9	
91b,c	Other diseases of the arteries	1,612								1			5	6	40	133	376	1,051	
92	Embolism and thrombosis (not cerebral)	91	4					1		1	2	1	4	8	11	20	24	15	
93	Diseases of the veins	44			1								4	7	5	16	6	5	
94	Diseases of the lymphatic system	11	5			1		1				1		1				2	
95	Hemorrhage without specified cause	12	3					2						1	1		2	3	
96	Other diseases of the circulatory system	3															2	1	
	V.—Diseases of the respiratory system	6,276	1,381	360	150	59	29	93	65	102	152	149	184	446	497	589	767	1,250	3
97a	Diseases of the nasal fossae	6	2	1								1	2						
97b	Diseases of the nasal fossae annexa	26	4						2	2	4	1	1	1	4	3	2	2	
98	Diseases of the larynx	37	6	3	3	4	2	1	1		2	1	1	1	6	1	2	3	
99a	Acute bronchitis	154	57	7	2			1			1	2	2	1	5	8	23	45	
99b	Chronic bronchitis	170	3				1		1		1	2	2	3	4	18	36	99	
99c,d	Bronchitis (unspecified)	83	25	4								2		2	2	2	8	38	
100a	Broncho-pneumonia	2,510	963	258	93	34	19	35	26	27	20	19	21	70	77	146	220	482	
100b	Capillary bronchitis	67	38	6	4								1			2	4	12	
101a	Lobar pneumonia	2,770	247	72	40	20	6	51	33	59	115	109	138	329	347	354	397	451	2
101b	Pneumonia (unspecified)	56	17	3	3		1		1	4	1	1	2	3	2	4	5	8	1
102	Pleurisy	133	7	5	4	1		2	1	6	3	5	13	14	24	16	18	14	
103	Congestion and hemorrhagic infarct of the lung	62	8	1	1			2			1		1			6	12	30	
104	Gangrene of the lung	10	1									1		3		3	2		
105	Asthma	118	1					1			1	1		8	16	20	23	47	
106	Pulmonary emphysema	14												2		1	6	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	60	2							4	3	4		9	10	5	9	14	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	VI.—Diseases of the digestive system	5,305	1,105	225	94	48	31	152	123	119	165	145	193	485	599	618	641	561	1
108	Diseases of the mouth and annexa	36	3	2					2	2	2	1	2	5	6	4	3	4	
109b	Other diseases of the pharynx, tonsils	211	17	4	6	8	8	39	11	19	17	11	14	19	14	9	9	6	
110	Diseases of the esophagus	7		1										1	2		1	2	
111a	Ulcer of the stomach	271	1		1		1			3	7	10	14	39	55	55	53	32	
111b	Ulcer of the duodenum	85	1							1	2	4	5	18	19	15	11	9	
112	Other diseases of the stomach (cancer excepted)	322	79	15	5	3	1	6	4	1	2	3	6	19	17	35	46	80	
113	Diarrhea and enteritis (under 2 years)	1,094	912	182															
114	Diarrhea and enteritis (2 years and over)	353			58	13	10	21	5		5	6	6	14	29	37	63	86	
116	Diseases due to other intestinal parasites	5		1					1				1	1	1				
117	Appendicitis and typhlitis	892	3	3	13	17	6	57	82	72	83	66	80	160	115	81	38	16	
118a	Hernia	225	11		1					1	1	6	7	18	39	47	55	38	1
118b	Intestinal obstruction	448	50	12	5	4	2	15	6	5	22	16	15	48	49	62	67	70	
119	Other diseases of the intestines	104	11	1			1	3	2		1	2	3	10	11	11	21	27	
120	Acute yellow atrophy of the liver	31	1				1	3			3	1	4	4	3	2	6	3	
122	Cirrhosis of the liver	503	2		1				1	2	1	4	5	41	95	128	144	79	
123	Biliary calculi	274								1	5	4	10	32	66	64	50	42	
124	Other diseases of the liver	291	4	2	1	1			2	4	6	5	10	35	58	50	55	58	
125	Diseases of the pancreas	25											1	7	5	7	3	2	
126	Peritonitis without specified cause	127	10	2	3	2	1	8	7	8	8	6	9	14	15	11	16	7	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1											1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	5,761	50	12	8	8	8	30	35	47	66	99	129	438	646	1,000	1,448	1,735	2
128	Acute nephritis (including unspecified under 10 years)	351	29	8	6	6	5	17	12	9	5	14	17	38	55	40	29	61	
129	Chronic nephritis (including unspecified 10 years and over)	4,461				1	3	13	20	26	45	45	57	251	483	832	1,234	1,449	2
131	Other diseases of the kidneys and annexa	149	16	3	2	1			3	2	2	4	9	13	23	26	23	22	
132	Calculi of the urinary passages	46	3							1			1	5	4	14	10	8	
133	Diseases of the bladder	60												2	3	2	12	41	
134	Diseases of the urethra, etc	20										1	1	2	4	8	4		
135	Diseases of the prostate	317												4	4	50	113	146	
136	Nonvenereal diseases of the male genital organs	7	2	1										1	1	1	1		
137	Cysts, other benign tumors of the ovary	54									2	3	6	10	11	7	13	2	
138	Salpingitis and pelvic abscess (female)	129								5	9	23	21	42	22	5	1	1	
139	Benign tumors of the uterus	119									2	4	10	56	28	9	6	4	
140	Nonpuerperal uterine hemorrhage	2								2									
141	Other diseases of the female genital organs	44								2		5	7	13	8	6	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	2									1			1					
	VIII.—The puerperal state	845							1	86	170	206	167	205	10				
143	Accidents of pregnancy	90								9	16	27	15	22	1				
144	Puerperal hemorrhage	83							1	4	16	16	18	25	3				
145	Other accidents of labor	86								4	10	17	24	30	1				
146	Puerperal septicemia	343								37	78	99	59	65	5				
147	Puerperal phlegmasia alba dolens, embolus, etc	53								2	9	12	12	18					
148	Puerperal albuminuria and convulsions	187								30	41	34	38	44					
149	Following childbirth (undefined)	3										1	1	1					
	IX.—Diseases of the skin and of the cellular tissue	197	23	1		1		3	3	7	5	5	3	14	16	16	32	68	
15	Gangrene	102	1	1				1			2	2		3	6	6	25	55	
152	Furuncle	37	3					1	2	2	1	2	1	5	6	6	3	5	
153	Acute abscess	22	5						1	3	1		1	5		4	1	1	
154	Other diseases of the skin and annexa	36	14		1			1		2	1	1	1	1	4		3	7	
	X.—Diseases of the bones and of the organs of locomotion	85	4	3			1	13	10	8	4	1	4	6	9	5	10	7	
155	Diseases of the bones (tuberculosis excepted)	69	3	3			1	12	10	7	2	1	4	5	9	5	3	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	10	1					1			2			1			4	1	
158	Other diseases of the organs of locomotion	6								1							3	2	
	XI.—Malformations	981	908	24	6	6	2	13	9	5	2	2	1	1	2				
159a	Congenital hydrocephalus	67	51	6	3	1	1		2	1		1			1				
159b	Congenital malformations of the heart	586	546	13	2	3		8	6	4	2		1		1				
159c	Other congenital malformations	328	311	5	1	2	1	5	1			1		1					
	XII.—Early infancy	3,832	3,832																
160	Congenital debility, icterus, sclerema	411	411																
161a	Premature birth	2,472	2,472																
161b	Injury at birth	662	662																
162	Other diseases peculiar to early infancy	282	282																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	680														8	69	603	
	XIV.—External causes	6,309	136	121	98	91	88	321	231	347	407	429	440	929	742	629	557	736	7
	Suicide	730							1	28	46	51	49	157	137	133	88	39	1
165	By poisons (gas or corrosives excepted)	43								2	3	4	5	8	7	7	5	2	
166	By corrosive substances	96								8	10	13	5	25	18	6	6	5	
167	By poisonous gas	22									1	2	2	6	3	5	2	1	
168	By hanging or strangulation	171								4	4	10	11	32	31	38	30	11	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	XIV.—External causes—Continued																		
	Suicide—Continued.																		
169	By drowning	47								1		4	1	5	14	14	5	2	1
170	By firearms	271							1	12	23	14	15	68	49	48	30	11	
171	By cutting or piercing instruments	48									2		6	7	11	10	8	4	
172	By jumping from high places	18									3	3	3	3		3		3	
173	By crushing	7								1			1	1	1	1	2		
174	By other means	7												2	3	1			
	Homicide	422	11				1	7	1	12	61	69	69	121	47	9	12	1	1
197	By firearms	269						1	1	5	44	55	39	84	31	4	4	1	
198	By cutting or piercing instruments	67	1							4	11	6	15	21	6	1	2		
199	By other means	86	10				1	6		3	6	8	15	16	10	4	6		1
	Accidental or undefined	5,157	125	121	98	91	87	314	229	307	300	309	322	651	558	487	457	696	5
175	Poisoning by food	49	2	4	3	3	2	2		4	4	2	2	5	4	2	6	4	
176	Poisoning by venomous animals	3		1							1			1					
177	Other acute poisonings (gas excepted)	113	4	16	10	5			2	4	3	9	10	23	17	7	1	2	
178	Conflagration	81	6	3	6	6	3	10	6	3	7	5	2	5	5	2	4	8	
179	Burns (conflagration excepted)	439	15	45	34	36	33	38	13	16	10	19	27	31	35	27	22	38	
180	Mechanical suffocation	68	44	4				3	1	1		1	1	5	4	2	2		
181	Absorption of irrespirable, irritating, or poisonous gas	116	2		1	1		1	3	6	19	6	12	24	12	17	9	3	
182	Drowning	331	1	13	8	5	9	41	42	55	33	22	21	34	26	11	6	2	2
183	Traumatism by firearms (except in war)	120		1	2	3	2	8	16	28	13	4	7	17	8	5	4	2	
184	Traumatism by cutting or piercing instruments	42	3	2				1	5	1	2	1	1	2	7	8	5	4	
185	Traumatism by fall	1,043	10	11	7	8	1	14	13	23	15	20	19	74	66	102	177	483	
186a	Traumatism in mines	102						1	1	6	5	12	14	30	17	12	4		
186b	Traumatism in quarries	2									1			1					
187	Traumatism by machines	163				1			6	13	19	13	12	35	31	26	7		
188a	Railroad accidents	613	3	5	4	3	2	16	25	47	65	61	57	118	83	72	34	18	
188b	Street-car accidents	156	2	1	2	1	3	4	3	11	10	10	18	28	29	18	10	6	
188c	Automobile accidents	1,024	6	5	13	14	27	149	58	55	49	68	62	116	117	119	111	53	2
188d	Airplane and balloon accidents	19								3	3	8	5						
188e,f	Injuries by other vehicles	79		1		2	2	6	9	6	5	3	5	10	12	5	7	6	
188g	Landslide, other crushing	37								3	4	1	3	13	7	2	2	2	
189	Injuries by animals (not poisoning)	35	2	1	1				1	1	1	2	2	2	8	4	8	2	
190	Wounds of war	1										1							
193	Excessive cold	9	1							1		1			2	1		3	
194	Excessive heat	42	3		1					1	1	5	1	5	7	4	7	7	
195	Lightning	11						3		1			1	3	2			1	
196	Other accidental electric shocks	78						2	3	6	15	15	8	20	4	4	1		
201	Fracture (cause not specified)	60								1	1	2	1	3	3	4	8	37	
202	Other external violence	321	21	8	6	3	3	15	22	11	14	18	31	46	52	33	22	15	1
	XV.—Ill-defined diseases	282	114	12	6	2	1	3		8	2	1	2	10	18	27	38	38	
204	Sudden death	18	1							1			1		3	4	3	5	
205a	Ill-defined	73	9	7	4	1		2		5		1	1	3	7	11	12	10	
205b	Not specified or unknown	191	104	5	2	1	1	1		2	2			7	8	12	23	23	
	OREGON																		
	All causes	9,505	842	122	89	57	53	195	182	250	281	256	311	741	1,017	1,356	1,860	1,884	9
	I.—Epidemic, endemic, and infectious diseases	1,174	79	35	35	24	21	81	61	81	81	79	88	150	128	98	84	49	
1	Typhoid and paratyphoid fever	48	1		1			1	4	9	7	1	5	6	6	4	3		
5	Malaria	4													1	1	2		
6	Smallpox	3	1											1		1			
7	Measles	89	15	10	12	6	5	17	8	5		1	1	6	1	2			
8	Scarlet fever	18	1	2		2	2	5	2	1	2			1					
9	Whooping cough	16	10	5		1													
10	Diphtheria	106	2	4	13	9	6	32	19	7	1	4		4	2	2		1	
11a	Influenza (with pulmonary complications)	61	9	2	1	1	1	5	1	2	3		4	4	4	6	11	7	
11b	Influenza (other and unspecified)	74	9	2			2	2	4	1	1	2	1	7	6	6	10	21	
15	Cholera nostras	1														1			
16	Dysentery	8	2			1							1	1		2		1	
21	Erysipelas	20	5									1		2	1	5	4	2	
22	Acute anterior poliomyelitis	10		1	1		1	1	2		3		1						
23	Lethargic encephalitis	17	1	1				3	2		2			4	2	2			
24	Meningococcus meningitis	15	6			1	1	2				1		1		1		2	
25	Other epidemic and endemic diseases	3										1					2		
29	Tetanus	4	1				1			1					1				
30	Tuberculosis (all forms)	593	7	7	7	3	2	13	19	55	58	65	69	92	87	56	43	10	
31	Of the respiratory system	473	1	1		1		8	12	43	46	54	63	85	70	42	38	9	
32	Of the meninges, central nervous system	32	5	5	5	1	2	2	2	2	3	1		2	2				
33	Of the intestines, peritoneum	36	1		2	1			4	4	6	5		2	4	7			
34	Of the vertebral column	17							1	2	2	1	2		4	3	2		
35	Of the joints	7										1	2		2	1	1		
36	Of other organs	16		1				1		2		2	1	2	4	1	1	1	
37a	Disseminated (acute)	7						1		1	1	1	1		1		1		
37b	Disseminated (chronic or unspecified)	5						1		1				1		2			
38	Syphilis	66	7	1							1	3	4	17	13	7	9	4	
40	Gonococcus infection	6									1		1	2	1	1			
41	Purulent infection, septicemia	11	2								2		1	2	2	1		1	
42	Other infectious diseases	1													1				
	II.—General diseases not included in Class I	1,322	15	2	4	1	7	14	13	18	16	16	21	107	220	327	357	183	1
	Cancer and other malignant tumors	929	1				1		3	7	7	7	14	76	160	248	270	134	1
43	Of the buccal cavity	29												1	1	9	8	10	
44	Of the stomach, liver	375									2	2	1	25	52	104	132	56	1
45	Of the peritoneum, intestines, rectum	129								1	2	3	2	12	24	35	34	16	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Con.																		
46	Of the female genital organs	102											5	10	35	24	17	11	
47	Of the breast	71											2	9	21	20	14	5	
48	Of the skin	27												1	4	7	5	10	
49	Of other or unspecified organs	196	1				1		3	6	3	2	4	18	23	49	60	26	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7			1			1							1	1	2	1	
51	Acute rheumatic fever	16						4	2	3		1		1		3	1	1	
52	Chronic rheumatism, osteoarthritis, gout	8														3	3	2	
53	Scurvy	1	1																
54	Pellagra	2													1	1			
56	Rickets	1	1																
57	Diabetes mellitus	173			1	1	2	3	6		5	1	3	7	15	43	49	37	
58	Anemia, chlorosis	58	1	1			1	2		1		1		4	12	14	17	4	
60a	Exophthalmic goiter	44								4		5	2	3	13	8	8	1	
60b	Other diseases of the thyroid gland	10						1	1					1	2	3	1	1	
61	Diseases of the parathyroid glands	2		1				1											
62	Diseases of the thymus gland	4	2											1	1				
63	Diseases of the adrenals (Addison's disease)	3												2		1			
64	Diseases of the spleen	1																1	
65a	Leukemia	15	1		1		2	1		1				4	2	2	1		
65b	Hodgkin's disease	6						1		2	1	1		1					
66	Alcoholism (acute or chronic)	21									2		2	5	10		2		
68	Chronic poisoning by organic substances	4												1	2		1		
69	Other general diseases	17	8		1		1		1		1			1	1		2	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,265	23	2	2	1	2	14	8	14	9	8	15	62	137	216	365	386	1
70	Encephalitis	11	4					2	1		1				2	1			
71a	Simple meningitis	15	2	1	1		1	1	1	4		1		1	1	1			
71b	Nonepidemic cerebrospinal meningitis	4				1		1	1					1					
72	Tabes dorsalis (locomotor ataxia)	7												1	3	2	1		
73	Other diseases of the spinal cord	37								1			2	3	5	8	13	5	
74a	Cerebral hemorrhage	877	5						2		2	2	3	8	69	159	289	337	1
74b	Cerebral embolism and thrombosis	42										1		1	5	10	17	8	
75	Paralysis without specified cause	44													2	7	16	19	
76	General paralysis of the insane	83											5	29	29	11	5	4	
77	Other forms of mental alienation	24								1	2	2	2	6	6	1	4		
78	Epilepsy	36	1		1		1		1	5	4	2	2	5	2	5	6	1	
79	Convulsions (nonpuerperal; 5 years and over)	2						1		1									
80	Infantile convulsions (under 5 years)	8	8																
82	Neuralgia and neuritis	6													1		2	3	
83	Softening of the brain	10													2	1	3	4	
84	Other diseases of the nervous system	34	1						1					3	10	8	6	5	
85	Diseases of the eye and annexa	2	1														1		
86a	Diseases of the ear	15	1	1				5	1	1			1	2		1	2		
86b	Diseases of the mastoid process	8						4		1				2		1			
	IV.—Diseases of the circulatory system	1,750	5	1	2	1	2	6	14	25	17	19	32	60	148	327	498	593	
87	Pericarditis	9		1			1					1			2	3	1		
88	Endocarditis and myocarditis (acute)	49	2					2	3	4	3	3	5	8	3	6	3	7	
89	Angina pectoris	123											1	3	12	30	46	31	
90	Other diseases of the heart	1,274	2		1	1	1	4	10	21	13	13	22	41	113	244	372	416	
91a	Aneurysm	22												1	4	9	6	2	
91b,c	Other diseases of the arteries	226										1	1	3	6	22	63	130	
92	Embolism and thrombosis (not cerebral)	38	1						1				2	4	7	11	6	6	
93	Diseases of the veins	6											1		1	2	1	1	
94	Diseases of the lymphatic system	1			1														
95	Hemorrhage without specified cause	2									1	1							
	V.—Diseases of the respiratory system	774	125	36	14	5	8	14	11	21	16	8	20	50	55	76	143	171	1
97a	Diseases of the nasal fossae	5	3										1				1		
97b	Diseases of the nasal fossae annexa	10								2	1		1	4		1	1		
98	Diseases of the larynx	5		1	1			1		1					1				
99a	Acute bronchitis	17	5	1	1											1	3	6	
99b	Chronic bronchitis	26									1			1		2	10	12	
99c,d	Bronchitis (unspecified)	14	2											1			3	8	
100a	Broncho-pneumonia	273	74	21	8	3	3	6	3	2	3	1	6	10	14	14	34	70	1
100b	Capillary bronchitis	5	2	1	1													1	
101a	Lobar pneumonia	321	30	9	3	2	5	7	6	12	6	5	10	28	32	45	73	48	
101b	Pneumonia (unspecified)	22	7	3							2						4	6	
102	Pleurisy	24							1	1	1		1	3	7	6	3	1	
103	Congestion and hemorrhagic infarct of the lung	14								1				1		1	4	7	
104	Gangrene of the lung	3									1	1				1			
105	Asthma	25							1	2	1		1	2	1	3	4	10	
106	Pulmonary emphysema	2														1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	8	2									1				1	2	2	
	VI.—Diseases of the digestive system	647	63	21	13	13	6	24	16	18	23	20	22	60	90	92	96	69	1
108	Diseases of the mouth and annexa	6										1			1	2	1	1	
109b	Other diseases of the pharynx, tonsils	27	1	1	1	2		3	3	4	4	1		2	2	1		2	
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	46							1		1	3	1	6	12	13	6	3	
111b	Ulcer of the duodenum	13	1									1		1	3	3	3	1	
112	Other diseases of the stomach (cancer excepted)	47	4		2							1		1	6	10	8	15	
113	Diarrhea and enteritis (under 2 years)	63	44	19															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	VI.—Diseases of the digestive system—Continued																		
114	Diarrhea and enteritis (2 years and over)	51			9	6	3	4	3	2	1	2		2	3	1	8	7	
116	Diseases due to other intestinal parasites	2	1					1											
117	Appendicitis and typhlitis	129	1		1	4	2	12	8	10	10	7	8	26	12	15	11	1	1
118a	Hernia	25	2								3	2	7	1	2	3	10	7	
118b	Intestinal obstruction	60	6					1						3	14	10	9	5	
119	Other diseases of the intestines	12					1				1		1		1	2	3	3	
120	Acute yellow atrophy of the liver	5													1	1	1	2	
121	Hydatid tumor of the liver	1															1		
122	Cirrhosis of the liver	56		1				1		1		1		5	8	10	18	11	
123	Biliary calculi	69								1	2	1	2	9	17	17	14	6	
124	Other diseases of the liver	19												1	8	4	2	4	
125	Diseases of the pancreas	3											1	1			1		
126	Peritonitis without specified cause	12	3			1		2	1		1		2	2					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	751	3	1		1	1	1	5	7	16	16	21	61	86	116	200	215	1
128	Acute nephritis (including unspecified under 10 years)	29	2	1			1		2	2	2	2	3	4	5	1	2	2	
129	Chronic nephritis (including unspecified 10 years and over)	581				1		1	3	3	10	7	12	38	66	96	167	176	1
131	Other diseases of the kidneys and annexa	12	1								1			2	3		1	4	
132	Calculi of the urinary passages	6												1	1	2	1	1	
133	Diseases of the bladder	11													1		4	6	
134	Diseases of the urethra, etc	2									1						1		
135	Diseases of the prostate	64											1			14	23	26	
137	Cysts, other benign tumors of the ovary	4									1			2	1				
138	Salpingitis and pelvic abscess (female)	19								2	1	6	3	4	3				
139	Benign tumors of the uterus	14											1	7	4	2			
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	7										1	1	2	2	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	1															1		
	VIII.—The puerperal state	102								10	21	29	21	21					
143	Accidents of pregnancy	11									4	5		2					
144	Puerperal hemorrhage	10									1	3	4	2					
145	Other accidents of labor	6								1		2		3					
146	Puerperal septicemia	37								5	7	11	8	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	8									2		3	3					
148	Puerperal albuminuria and convulsions	30								4	7	8	6	5					
	IX.—Diseases of the skin and of the cellular tissue	23	2	1					2	1	1			2	2	2	2	8	
151	Gangrene	10	1								1			1			2	5	
152	Furuncle	6							2	1					1	1		1	
153	Acute abscess	4												1	1	1		1	
154	Other diseases of the skin and annexa	3	1	1														1	
	X.—Diseases of the bones and of the organs of locomotion	10		1					3		1				1	2	2		
155	Diseases of the bones (tuberculosis excepted)	8							3		1				1	1	2		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2		1												1			
	XI.—Malformations	97	88	2	2	1		2	1		1								
159a	Congenital hydrocephalus	11	8		1	1		1											
159b	Congenital malformations of the heart	54	51	2					1										
159c	Other congenital malformations	32		1				1			1								
	XII.—Early infancy	413	413																
160	Congenital debility, icterus, sclerema	39	39																
161a	Premature birth	256	256																
161b	Injury at birth	74	74																
162	Other diseases peculiar to early infancy	41	41																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	134														3	13	118	
	XIV.—External causes	995	15	20	17	9	4	37	47	54	78	59	71	162	149	89	94	86	4
	Suicide	157								3	9	9	8	39	41	24	17	7	
165	By poisons (gas or corrosives excepted)	12										3		4	3		1	1	
166	By corrosive substances	16								2	3		1	2	4	1	3		
167	By poisonous gas	8										1		4	1	2			
168	By hanging or strangulation	27										1	3	5	9	4	2	3	
169	By drowning	11									2	2	1	1	4	1			
170	By firearms	47									4	2	1	12	12	8	7	1	
171	By cutting or piercing instruments	25											1	7	6	6	3	2	
172	By jumping from high places	6								1				3	1	1			
173	By crushing	4												1	1	1	1		
174	By other means	1											1						
	Homicide	29				1				1	4		8	6	4	3	2		
197	By firearms	22									3		7	4	4	3	1		
198	By cutting or piercing instruments	4								1	1			1			1		
199	By other means	3				1							1	1					
	Accidental or undefined	809	15	20	17	8	4	37	47	50	65	50	55	117	104	62	75	79	4
175	Poisoning by food	21	1	3		1		2	1		1	1	1	1	2		3	4	
177	Other acute poisonings (gas excepted)	12		4	1					1	1				3	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
178	Conflagration	18	1	1	1	1		2	1			2	1	2	2	1	2	1	
179	Burns (conflagration excepted)	41	2	3	7	2		3	1	2	1	2	1	3	3	4	4	3	
180	Mechanical suffocation	8	6									1			1				
181	Absorption of irrespirable, irritating, or poisonous gas	11								1		1	1	2	2	2	1	1	
182	Drowning	108	1	2	5		1	12	18	13	11	6	11	14	10		1	1	2
183	Traumatism by firearms (except in war)	29							4	8	5	1	1	4	4		2		
184	Traumatism by cutting or piercing instruments	7							1	1		1			1	1	1	1	
185	Traumatism by fall	99		1		1		3	4	1	2	2	4	4	9	9	17	42	
186b	Traumatism in quarries	5									1			2	2				
187	Traumatism by machines	38						1	1	1	3	2	5	8	6	7	3		1
188a	Railroad accidents	65							1	3	8	7	7	16	11	3	6	3	
188b	Street-car accidents	7											1	2		1		3	
188c	Automobile accidents	144		2	1	3	3	8	7	9	10	4	7	21	21	17	20	11	
188d	Airplane and balloon accidents	5						1			2	1			1				
188e,f	Injuries by other vehicles	22	1						1	1	1	1		2	3	3	8	1	
188g	Landslide, other crushing	45								2	8	9	5	10	6	3	1	1	
189	Injuries by animals (not poisoning)	12								1	1			4	1	1	4		
193	Excessive cold	3												1				2	
194	Excessive heat	1													1				
195	Lightning	1													1				
196	Other accidental electric shocks	10						1	2		2		1	3	1				
201	Fracture (cause not specified)	3												1				2	
202	Other external violence	94	3	4	2			4	5	6	8	9	9	17	13	8	2	3	1
	XV.—Ill-defined diseases	48	11			1	2	2	1	1	1	2		6	1	8	6	6	
204	Sudden death	3					1										2		
205a	Ill-defined	24	4									1		3	1	7	2	6	
205b	Not specified or unknown	21	7			1	1	2	1	1	1	1		3		1	2		
	PENNSYLVANIA																		
	All causes	113,321	17,519	2,719	1,341	928	741	2,343	1,667	2,548	3,088	3,547	3,883	9,770	12,395	15,392	17,863	17,566	11
	I.—Epidemic, endemic, and infectious diseases	14,323	1,601	760	443	320	244	703	374	783	1,123	1,118	1,014	1,865	1,524	1,082	799	570	
1	Typhoid and paratyphoid fever	356	2		2	4	4	14	42	57	56	35	27	52	36	18	4	3	
5	Malaria	10									1	2		1	2	2		2	
6	Smallpox	39	1	1	1		2	1		1	4	5	3	11	4	3	2		
7	Measles	295	100	89	27	19	12	28	5	3	1	2	1	4	3		1		
8	Scarlet fever	345	16	27	45	27	30	89	21	23	22	17	13	8	5	2			
9	Whooping cough	684	413	156	62	26	8	16	1	1						1			
10	Diphtheria	1,059	69	162	137	142	117	311	60	20	7	12	4	7	4	4	1	2	
11a	Influenza (with pulmonary complications)	1,623	281	95	36	25	4	34	22	41	50	55	80	146	197	162	195	200	
11b	Influenza (other and unspecified)	754	101	26	18	6	7	28	19	23	15	23	27	73	67	63	101	157	
13	Mumps	14	3	2	2		1	3	1					1		1			
15	Cholera nostras	8	2					2								3		1	
16	Dysentery	95	22	20	7	3	2	2	1	2	2		1	4	2	8	7	12	
19	Spirochetal hemorrhagic jaundice	4	1												1	1		1	
21	Erysipelas	318	131	6	3	1		3	1		7	3	7	20	22	34	44	36	
22	Acute anterior poliomyelitis	44	3	8	6	3	6	9	3	2			2	1			1		
23	Lethargic encephalitis	110	1	7	2	1	5	7	5	9	10	3	8	12	15	17	5	3	
24	Meningococcus meningitis	69	20	7	6	4	2	6	5	4	5	2	2	3	1			2	
25	Other epidemic and endemic diseases	23	9	5	3	1		4						1					
27	Anthrax	3											1	1	1				
29	Tetanus	120	13		4	2	4	26	19	12	6	5	6	8	9	2	4		
30	Mycoses	15	7					1			2		1		1	2		1	
	Tuberculosis (all forms)	7,533	186	134	76	56	35	107	155	566	897	913	789	1,387	1,019	675	403	135	
31	Of the respiratory system	6,406	66	48	16	7	11	49	91	498	791	820	725	1,262	937	607	356	122	
32	Of the meninges, central nervous system	405	76	69	45	36	13	36	26	18	18	20	8	18	15	3	3	1	
33	Of the intestines, peritoneum	273	16	6	3	8	3	8	15	21	31	31	20	40	22	28	17	4	
34	Of the vertebral column	89	2	1	4	2	2	7	4	4	4	11	3	13	10	11	9	2	
35	Of the joints	47	4	1		1	2	2	5		3	5	3	6	5	7	3		
36	Of other organs	122	1	2	1			3	4	4	17	12	14	17	18	13	12	4	
37a	Disseminated (acute)	150	15	7	6		4	2	9	18	26	11	15	25	8	1	1	2	
37b	Disseminated (chronic or unspecified)	41	6		1	2			1	3	7	3	1	6	4	5	2		
38	Syphilis	646	197	10	3		4	6	8	7	28	25	32	102	111	76	26	11	
39	Soft chancre	1														1			
40	Gonococcus infection	52	4				1		1	5	7	10	6	13	4	1			
41	Purulent infection, septicemia	103	19	5	3			6	5	7	3	6	4	10	20	6	5	4	
	II.—General diseases not included in Class I	12,521	255	54	27	40	30	120	112	148	153	235	268	1,223	2,201	3,122	2,912	1,620	1
	Cancer and other malignant tumors	8,425	8	9	4	11	9	27	15	36	38	100	148	777	1,512	2,232	2,195	1,304	
43	Of the buccal cavity	304		1	1	1	1	2			1	2		25	42	89	80	59	
44	Of the stomach, liver	3,255	2	1	1	1	1	2	1	2	7	14	28	218	500	934	995	548	
45	Of the peritoneum, intestines, rectum	1,135		1	1	2	3	3	2	3	11	18	30	100	184	307	285	185	
46	Of the female genital organs	1,200					1			6	4	30	39	202	318	299	209	92	
47	Of the breast	818									3	8	17	108	217	200	153	112	
48	Of the skin	230					1		1			3	2	13	21	33	58	98	
49	Of other or unspecified organs	1,483	6	6	1	7	2	20	11	25	12	25	32	111	230	370	415	210	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	58	5	1	3	1	1					3	2	8	11	6	10	7	
51	Acute rheumatic fever	374	1	1	2	11	5	47	50	45	28	23	19	28	31	43	19	21	
52	Chronic rheumatism, osteoarthritis, gout	126						2			2		4	8	13	30	37	30	
53	Scurvy	3	1	2															
54	Pellagra	9										1		1	4	3			
56	Rickets	61	41	15	1	1		2		1									
57	Diabetes mellitus	1,710	1	1	4	3	4	12	21	26	24	35	20	106	280	506	475	192	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	II.—General diseases not included in Class I—Continued																		
58	Anemia, chlorosis	497	9	7	2	3	2	7	8	4	13	9	14	53	109	122	96	39	
59	Diseases of the pituitary gland	8							1	1	1		1	1	1	2			
60a	Exophthalmic goiter	256							2	11	16	19	16	64	62	39	21	5	1
60b	Other diseases of the thyroid gland	39	3	1	1	1				3	1	3	1	8	4	9	3	1	
61	Diseases of the parathyroid glands	13	7	2	1				1			1		1					
62	Diseases of the thymus gland	93	73	5	4	1	1	5			2	1	1						
63	Diseases of the adrenals (Addison's disease)	34								2	2	1	1	11	5	6	5	1	
64	Diseases of the spleen	13	2						1		2	1	1	2	1	2	1		
65a	Leukemia	130	3	5		4	3	8	5	12	6	10	5	11	27	22	8	1	
65b	Hodgkin's disease	65	1	1	1	1	1	3	4	2	6	5	5	5	8	11	8	3	
66	Alcoholism (acute or chronic)	389								1	6	15	28	127	114	74	22	2	
67a	Chronic lead poisoning	19										2	1	6	5	4	1		
67b	Other chronic mineral poisoning	2		1										1					
68	Chronic poisoning by organic substances	14									1	2	1	2	5		3		
69	Other general diseases	183	100	3	4	3	4	7	4	4	5	4		3	9	11	8	14	
	III.—Diseases of the nervous system and of the organs of special sense	12,105	402	94	59	31	30	131	98	105	102	132	198	731	1,374	2,191	3,109	3,317	1
70	Encephalitis	104	9	6	5	4	3	8	2	7	10	4	3	17	11	8	6	1	
71a	Simple meningitis	283	72	25	24	10	10	28	17	11	9	9	6	15	19	13	6	9	
71b	Nonepidemic cerebrospinal meningitis	34	8	3	2	1	1	7	3	1	1	1	2	3	1				
72	Tabes dorsalis (locomotor ataxia)	171							1	1		1		16	45	53	41	13	
73	Other diseases of the spinal cord	293	7			1	2	8	2	5	7	4	5	24	53	75	63	37	
74a	Cerebral hemorrhage	8,398	21	6	3		1	8	6	5	17	24	39	260	830	1,661	2,622	2,894	1
74b	Cerebral embolism and thrombosis	319	4					1	2	3	2	3	5	22	32	67	91	87	
75	Paralysis without specified cause	354	4		1	1					4	5	3	11	35	55	117	118	
76	General paralysis of the insane	677							1		4	11	67	218	194	100	45	37	
77	Other forms of mental alienation	93							1	2	5	9	10	19	16	18	8	5	
78	Epilepsy	279	9	2		1	2	5	13	32	27	29	29	49	33	29	13	6	
79	Convulsions (nonpuerperal; 5 years and over)	11						5	2			1			1	2			
80	Infantile convulsions (under 5 years)	243	197	29	11	5	1												
81	Chorea	15						1	5	4					2		1	2	
82	Neuralgia and neuritis	31								2	1				4	6	5	13	
83	Softening of the brain	62												1	2	9	18	32	
84	Other diseases of the nervous system	424	16	6	1	3	4	12	11	10	5	16	18	54	67	78	67	56	
85	Diseases of the eye and annexa	12	3	1					1	2	1			1	2			1	
86a	Diseases of the ear	169	40	7	5	2	5	27	20	9	2	3	7	9	15	10	4	4	
86b	Diseases of the mastoid process	133	12	9	7	3	1	21	11	11	7	12	4	12	12	7	2	2	
	IV.—Diseases of the circulatory system	19,518	174	25	11	19	29	196	272	300	193	288	350	1,178	2,259	3,476	5,052	5,696	
87	Pericarditis	117	6		1		1	7	8	8	4	8	5	10	17	16	16	10	
88	Endocarditis and myocarditis (acute)	866	68	7	3	6	6	51	59	52	44	57	59	162	91	67	77	57	
89	Angina pectoris	894					1		1	1	3	5	6	49	126	225	284	193	
90	Other diseases of the heart	15,261	76	16	6	10	21	133	201	234	135	208	269	889	1,905	2,911	4,034	4,213	
91a	Aneurysm	168								1	4	4	5	25	44	30	36	19	
91b,c	Other diseases of the arteries	1,984											2	19	43	191	559	1,170	
92	Embolism and thrombosis (not cerebral)	138	9			3			2	2	2	3	1	13	25	21	32	25	
93	Diseases of the veins	53	1					1			1	3	2	10	6	11	12	6	
94	Diseases of the lymphatic system	26	12	2	1			4		1			1			3		2	
95	Hemorrhage without specified cause	10	2						1	1					1	2	1	2	
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	14,538	3,390	957	372	160	102	276	151	242	315	402	463	1,275	1,477	1,599	1,632	1,725	
97a	Diseases of the nasal fossae	17	7									1	2		3		2	2	
97b	Diseases of the nasal fossae annexa	50	4	1	2	1	1	2	3	6	7	1		12	6	3	1		
98	Diseases of the larynx	63	23	8	7	3	6	4		1			1	3		3	2	2	
99a	Acute bronchitis	353	155	26	5	4	2	3	1	1		3	1	15	16	14	31	76	
99b	Chronic bronchitis	275	5	3	1			1		3	2	1	2	17	20	33	65	122	
99c,d	Bronchitis (unspecified)	194	74	9	5	1		2			1	2		5	5	16	22	52	
100a	Broncho-pneumonia	4,931	2,023	523	169	73	44	86	30	29	36	54	61	164	254	358	418	609	
100b	Capillary bronchitis	128	74	16	5	1	1	2			1			1	3	7	6	11	
101a	Lobar pneumonia	7,128	833	320	135	60	40	155	93	173	241	310	360	929	994	930	913	642	
101b	Pneumonia (unspecified)	435	125	25	15	6	4	7	10	9	7	7	8	29	29	41	46	67	
102	Pleurisy	308	20	18	26	8	3	11	11	16	11	13	15	29	31	50	28	18	
103	Congestion and hemorrhagic infarct of the lung	205	41	4		1		2	2		2	2	6	22	14	15	19	75	
104	Gangrene of the lung	30			1						2	2	1	5	5	8	5	1	
105	Asthma	223	1	1	1		1	1		1	1	1	3	24	37	63	52	36	
106	Pulmonary emphysema	20	1	1										2	4	7	3	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	178	4	2	1	1			1	3	4	5	3	18	56	51	19	10	
	VI.—Diseases of the digestive system	9,454	3,217	562	180	123	89	246	193	188	167	219	274	768	875	905	813	635	
108	Diseases of the mouth and annexa	65	13	3	2			7		1	1	1	4	8	10	7	4	4	
109b	Other diseases of the pharynx, tonsils	306	22	12	14	15	18	44	31	19	30	13	14	27	19	16	6	6	
110	Diseases of the esophagus	13	1						1		1				3	2	1	4	
111a	Ulcer of the stomach	316	1						1	4	7	7	19	68	70	57	51	31	
111b	Ulcer of the duodenum	117	1							1	1	5	8	28	29	24	12	8	
112	Other diseases of the stomach (cancer excepted)	620	153	18	8	6	4	8	4	4	2	11	15	45	59	83	89	111	
113	Diarrhea and enteritis (under 2 years)	3,333	2,851	482															
114	Diarrhea and enteritis (2 years and over)	604			132	62	32	43	11	8	7	10	17	23	33	43	72	111	
116	Diseases due to other intestinal parasites	8		2	1		1	4											
117	Appendicitis and typhlitis	1,080	5	5	4	18	16	94	113	115	69	79	80	131	147	91	49	14	
118a	Hernia	390	15	3	4		1	2			6	5	7	35	74	93	83	62	
118b	Intestinal obstruction	623	115	23	7	12	6	22	13	13	15	29	26	71	59	68	74	70	
119	Other diseases of the intestines	82	13	5		1	1	1	4	1		3	4	12	5	6	9	17	
120	Acute yellow atrophy of the liver	42	2						1	1	3	5	3	8	5	3	5	6	
121	Hydatid tumor of the liver	4								1					1		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	VI.—Diseases of the digestive system—Continued																		
122	Cirrhosis of the liver	832	3		2		1	6	2	2	3	6	25	98	171	215	197	101	
123	Biliary calculi	355								1	3	14	9	63	81	80	73	31	
124	Other diseases of the liver	419	10	2	2	1	1	3	3	9	10	17	24	62	78	86	65	46	
125	Diseases of the pancreas	70		1			1	1			1	3	5	17	18	14	7	2	
126	Peritonitis without specified cause	175	12	6	4	8	7	11	9	8	8	11	14	22	13	17	14	11	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	10,299	72	29	16	16	13	54	62	100	121	187	259	831	1,342	1,979	2,596	2,621	1
128	Acute nephritis (including unspecified under 10 years)	658	50	17	12	14	10	32	25	24	22	24	40	89	80	96	66	57	
129	Chronic nephritis (including unspecified 10 years and over)	8,456		4	2	2	2	20	37	66	55	99	152	583	1,090	1,731	2,319	2,293	1
131	Other diseases of the kidneys and annexa	201	14	5	2		1	2		5	11	6	13	18	33	39	26	26	
132	Calculi of the urinary passages	47									2	2	3	6	5	13	10	6	
133	Diseases of the bladder	101	3								1		1	3	7	8	22	56	
134	Diseases of the urethra, etc	20										3	1	2	7	5	2		
135	Diseases of the prostate	360									1			2	14	46	136	161	
136	Nonvenereal diseases of the male genital organs	8	3	3										1				1	
137	Cysts, other benign tumors of the ovary	71								1	3	4	3	13	16	13	7	11	
138	Salpingitis and pelvic abscess (female)	143								3	21	29	24	40	20	3	3		
139	Benign tumors of the uterus	164										9	14	60	53	16	4	8	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	66								1	5	11	7	13	17	9	1	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	3	2										1						
	VIII.—The puerperal state	1,412							7	120	286	284	299	407	9				
143	Accidents of pregnancy	121							1	5	23	26	32	33	1				
144	Puerperal hemorrhage	163								4	23	36	36	63	1				
145	Other accidents of labor	133								12	19	37	23	41	1				
146	Puerperal septicemia	564							4	53	133	91	130	150	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	61								1	11	14	16	18	1				
148	Puerperal albuminuria and convulsions	361							2	45	76	77	61	98	2				
149	Following childbirth (undefined)	9									1	3	1	4					
	IX.—Diseases of the skin and of the cellular tissue	348	62	7	2		3	1	4	10	9	4	9	23	28	34	49	103	
151	Gangrene	169	7	2	1				3	1	1		2	4	9	15	35	89	
152	Furuncle	45	5	1			1		1	4	5	1	5	7	4	5	4	2	
153	Acute abscess	67	19	3	1		2	1		4	2	1	2	9	9	8	3	3	
154	Other diseases of the skin and annexa	67	31	1						1	1	2		3	6	6	7	9	
	X.—Diseases of the bones and of the organs of locomotion	138	11	6	2	1	5	21	14	9	7	5	5	12	7	15	11	7	
155	Diseases of the bones (tuberculosis excepted)	109	7	6	2	1	5	20	13	6	7	3	4	6	5	11	9	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	23	4					1	1	3		2	1	5	1	2	1	2	
158	Other diseases of the organs of locomotion	6												1	1	2	1	1	
	XI.—Malformations	1,824	1,735	37	5	9	2	14	8	9	2	3							
159a	Congenital hydrocephalus	144	120	7	1	5	1	3	1	4		2							
159b	Congenital malformations of the heart	1,216	1,166	23	4	3		9	5	3	2	1							
159c	Other congenital malformations	464	449	7		1	1	2	2	2									
	XII.—Early infancy	6,274	6,274																
160	Congenital debility, icterus, sclerema	712	712																
161a	Premature birth	4,045	4,045																
161b	Injury at birth	980	980																
162	Other diseases peculiar to early infancy	532	532																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	551														4	66	481	
	XIV.—External causes	9,604	212	167	219	206	190	573	369	527	605	664	729	1,433	1,264	933	764	743	6
	Suicide	1,031							4	28	68	73	104	229	216	178	100	31	
165	By poisons (gas or corrosives excepted)	31								2	4	4	3	7	3	2	5	1	
166	By corrosive substances	76							1	3	9	9	11	16	20	2	4	1	
167	By poisonous gas	145								3	6	15	14	26	29	30	16	6	
168	By hanging or strangulation	214							3	2	8	6	11	49	53	44	32	6	
169	By drowning	38								1	4	4	2	6	11	6	4		
170	By firearms	423								14	35	30	48	91	80	82	34	9	
171	By cutting or piercing instruments	67								2		2	8	24	16	7	4	4	
172	By jumping from high places	18								1	2	1	3	5		3		3	
173	By crushing	8										1	2	2		2	1		
174	By other means	11										1	2	3	4		1		
	Homicide	571	18	2	1	2	3	3	7	26	67	104	89	145	62	26	13	2	1
197	By firearms	415	2			1	1	2	6	19	48	79	74	112	41	19	10	1	
198	By cutting or piercing instruments	43			1					2	8	10	6	9	7				
199	By other means	113	16	2		1	2	1	1	5	11	15	9	24	14	7	3	1	1
	Accidental or undefined	8,002	194	165	218	204	187	570	358	473	470	487	536	1,059	986	729	651	710	5
175	Poisoning by food	53	6	4	1	5	4	2	1	3	1	2	1	3	4	8	4	4	
176	Poisoning by venomous animals	2	1											1					
177	Other acute poisonings (gas excepted)	120	10	24	20	4	4	2	2	4	5	6	10	5	11	8	3	2	
178	Conflagration	135	8	5	8	10	6	11	7	2	4	10	11	22	9	5	6	10	1
179	Burns (conflagration excepted)	855	30	71	111	91	73	116	19	28	25	28	32	55	49	43	44	40	
180	Mechanical suffocation	97	65		1		1	4	2	3	2	2	3	4	8		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
181	Absorption of irrespirable, irritating, or poisonous gas	258	4	2	3	2	1	5	5	13	15	14	15	37	47	34	38	23	
182	Drowning	500		14	12	7	9	72	76	84	43	20	29	45	43	26	11	5	4
183	Traumatism by firearms (except in war)	169			4	3	5	19	23	26	22	9	16	16	16	7	3		
184	Traumatism by cutting or piercing instruments	52	1	1	2			5	1	4	1	1		9	10	11	5	1	
185	Traumatism by fall	1,417	13	12	17	12	7	27	12	22	31	35	36	123	156	169	237	508	
186a	Traumatism in mines	896				1			3	54	76	115	139	258	178	59	12	1	
186b	Traumatism in quarries	19							1	2		3	3	5	3		2		
187	Traumatism by machines	201			1			2	6	17	18	17	21	30	42	30	15	2	
188a	Railroad accidents	771	3	4	6	2	5	25	23	41	57	73	77	177	136	81	48	13	
188b	Street-car accidents	161			3	6	6	10	2	2	8	8	7	21	23	24	29	12	
188c	Automobile accidents	1,535	11	6	18	50	60	228	115	119	103	92	90	142	170	147	133	51	
188d	Airplane and balloon accidents	8									2	4		1		1			
188e,f	Injuries by other vehicles	140		2		5	2	13	16	18	14	10	10	9	11	18	10	2	
188g	Landslide, other crushing	31						3		1	5	1	6	8	3	2		2	
189	Injuries by animals (not poisoning)	35				1		4	3	3		1		3	6	3	4	7	
193	Excessive cold	39	2		1							1	1	11	8	8	4	3	
194	Excessive heat	42	7	2		1		1	1	1	1			5	4	7	5	7	
195	Lightning	8							3		2		1		2				
196	Other accidental electric shocks	99					1	3	8	11	12	16	9	19	14	6			
201	Fracture (cause not specified)	11	1						1					3	3		3		
202	Other external violence	348	32	18	10	4	3	18	28	15	23	19	19	47	30	32	34	16	
	XV.—Ill-defined diseases	412	114	21	5	3	4	8	3	7	5	6	15	24	35	52	60	48	2
204	Sudden death	55	9	3				1			1	1	1	2	7	14	8	8	
205a	Ill-defined	160	22	18	2	3	2	3	2	2	1	1	3	9	18	21	29	24	
205b	Not specified or unknown	197	83		3		2	4	1	5	3	4	11	13	10	17	23	16	2
	RHODE ISLAND																		
	All causes	8,337	1,198	192	87	52	44	175	115	164	208	231	232	591	937	1,316	1,472	1,319	4
	I.—Epidemic, endemic, and infectious diseases	915	93	56	32	20	12	50	30	60	77	82	64	110	100	60	46	23	
1	Typhoid and paratyphoid fever	15							2	3	3	2		2	1		1	1	
5	Malaria	2								1								1	
7	Measles	14	4	4	4	1		1											
8	Scarlet fever	32	1	3	3	4	2	3	3	3		2	2	5		1			
9	Whooping cough	51	35	15	1														
10	Diphtheria	61	6	6	7	5	4	28	3					2					
11a	Influenza (with pulmonary complications)	46	5	6	2	1		2			1	5	1	3	3	1	9	7	
11b	Influenza (other and unspecified)	23	4		2			2		1	1			2	2	3	1	5	
16	Dysentery	2						1									1		
21	Erysipelas	23	4			1				1			1	2	4	5	3	2	
22	Acute anterior poliomyelitis	6	1	1		1						1	2						
23	Lethargic encephalitis	6								1	2			1	1	1			
24	Meningococcus meningitis	11	2		1		1	2	2			1	1	1					
25	Other epidemic and endemic diseases	4	2	2															
29	Tetanus	7							2	1			2	1		1			
	Tuberculosis (all forms)	567	20	17	11	7	5	10	16	48	70	69	52	88	79	43	26	6	
31	Of the respiratory system	468	6	2	1			2	13	41	67	64	47	83	72	40	24	6	
32	Of the meninges, central nervous system	47	8	11	6	4	4	2		3	1		4	2	1		1		
33	Of the intestines, peritoneum	21	4	2	2	1	1	2	1	2	1	2		1	2				
34	Of the vertebral column	4			1	1				1						1			
35	Of the joints	5						2	2						1				
36	Of other organs	6		1						1		1	1		1		1		
37a	Disseminated (acute)	13		1	1	1		2			1	1		2	2	2			
37b	Disseminated (chronic or unspecified)	3	2									1							
38	Syphilis	37	7	1	1							1	3	3	10	5	5	1	
40	Gonococcus infection	2	1									1							
41	Purulent infection, septicemia	6	1	1				1	2	1									
	II.—General diseases not included in Class I	1,135	29	3	1	1	1	12	11	12	2	20	14	90	209	311	285	134	
	Cancer and other malignant tumors	769				1		1	2	2	2	10	8	56	153	219	217	98	
43	Of the buccal cavity	30												1	5	10	8	6	
44	Of the stomach, liver	275				1						1	2	9	55	83	92	32	
45	Of the peritoneum, intestines, rectum	142						1				2	2	8	25	33	47	24	
46	Of the female genital organs	118									1	3	3	19	38	32	19	3	
47	Of the breast	83										3	1	8	17	22	16	16	
48	Of the skin	17								1	1					7	2	6	
49	Of other or unspecified organs	104							2	1		1		11	13	32	33	11	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5								1						1	1	2	
51	Acute rheumatic fever	16						8	2			2		1		2	1		
52	Chronic rheumatism, osteoarthritis, gout	19							1	1					2	3	7	5	
54	Pellagra	1										1							
56	Rickets	2	1									1							
57	Diabetes mellitus	153		1				1	2	2		1	2	7	21	52	41	23	
58	Anemia, chlorosis	53	2						2				3	5	7	18	12	4	
60a	Exophthalmic goiter	11											1	3	3	3	1		
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	11	8					1		2									
63	Diseases of the adrenals (Addison's disease)	3												1		1	1		
65a	Leukemia	12	1		1					3		1		1	2	2	1		
65b	Hodgkin's disease	5	1						2						2				
66	Alcoholism (acute or chronic)	52										4		16	19	8	3	2	
67a	Chronic lead poisoning	1														1			
69	Other general diseases	20	14	2			1	1		1						1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	1,058	39	16	4	3	2	8	10	3	8	6	16	45	115	225	287	271	
70	Encephalitis	11	1		1		1	2	2		1	1		1		1			
71a	Simple meningitis	34	12	5	1	1	1	3	3	1	1		2	1	1	2			
71b	Nonepidemic cerebrospinal meningitis	6	1	1	1	1		1									1		
72	Tabes dorsalis (locomotor ataxia)	12													3	4	3	2	
73	Other diseases of the spinal cord	20		1					1		2	1	1			6	6	2	
74a	Cerebral hemorrhage	791									1	2	3	24	84	183	256	238	
74b	Cerebral embolism and thrombosis	28								1			1	2	1	6	9	8	
75	Paralysis without specified cause	19												1	2	3	6	7	
76	General paralysis of the insane	41											4	9	13	10	3	2	
77	Other forms of mental alienation	12										1	1		3	3	1	3	
78	Epilepsy	12								1		1	1	2	4	1		2	
80	Infantile convulsions (under 5 years)	26	19	7															
82	Neuralgia and neuritis	3	1											1		1			
83	Softening of the brain	3													1			2	
84	Other diseases of the nervous system	23				1		2	1		2		1	3	2	4	2	5	
86a	Diseases of the ear	11	4	1	1				1		1		1		1	1			
86b	Diseases of the mastoid process	6	1	1					2				1	1					
	IV.—Diseases of the circulatory system	1,505	10	3	1	4	2	13	8	16	19	14	17	80	169	294	414	440	1
87	Pericarditis	10										1		1	2	3	2	1	
88	Endocarditis and myocarditis (acute)	56	9		1	3	1	2	2	2	4	4	3	11	4	4	4	2	
89	Angina pectoris	98									1			9	11	30	30	17	
90	Other diseases of the heart	1,126		1		1	1	11	6	14	13	9	11	50	142	230	313	323	1
91a	Aneurysm	9												2	4		2	1	
91b,c	Other diseases of the arteries	182												2	2	24	59	95	
92	Embolism and thrombosis (not cerebral)	16									1		2	3	3	2	4	1	
93	Diseases of the veins	3											1	1	1				
94	Diseases of the lymphatic system	4	1	2												1			
96	Other diseases of the circulatory system	1												1					
	V.—Diseases of the respiratory system	844	182	59	18	8	10	17	10	11	15	18	16	69	80	100	109	122	
97a	Diseases of the nasal fossae	2		1														1	
98	Diseases of the larynx	4	1		1			1	1										
99a	Acute bronchitis	21	12	1					1								1	6	
99b	Chronic bronchitis	20										1		1	1	3	7	7	
99c,d	Bronchitis (unspecified)	17	8	2												1	2	4	
100a	Broncho-pneumonia	269	97	28	6	6	6	7	1	2	1	1	1	11	10	7	33	52	
100b	Capillary bronchitis	3		1		1								1					
101a	Lobar pneumonia	444	61	23	9	1	3	9	7	8	9	14	13	52	60	77	56	42	
101b	Pneumonia (unspecified)	27	1	2	1		1				1	1	1	1	5	3	6	4	
102	Pleurisy	15	1	1	1						3	1	1	1	1	3	1	1	
103	Congestion and hemorrhagic infarct of the lung	4								1							1	2	
104	Gangrene of the lung	1														1			
105	Asthma	7													1	4	1	1	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	9	1								1			2	2	1	1	1	
	VI.—Diseases of the digestive system	605	162	27	11	2	2	14	16	17	25	13	22	58	73	80	53	30	
108	Diseases of the mouth and annexa	2							1				1						
109b	Other diseases of the pharynx, tonsils	16	2	1				1	1	2		1		3	2	2		1	
110	Diseases of the esophagus	2														1	1		
111a	Ulcer of the stomach	35									1		2	6	7	9	4	6	
111b	Ulcer of the duodenum	13										2		4	2	3	2		
112	Other diseases of the stomach (cancer excepted)	41	14	2	1				1		1		1	5	3	2	8	3	
113	Diarrhea and enteritis (under 2 years)	157	134	23															
114	Diarrhea and enteritis (2 years and over)	29			3	1	1	1			1		1	1	3	7	2	8	
117	Appendicitis and typhlitis	123	1	1		1	1	12	12	11	15	8	9	18	17	11	5	1	
118a	Hernia	24	1								1			3	5	8	5	1	
118b	Intestinal obstruction	36	8		3				1	2			2	5	3	4	5	3	
119	Other diseases of the intestines	8			1									2	1	2	1	1	
120	Acute yellow atrophy of the liver	3									2					1			
122	Cirrhosis of the liver	47									1		1	2	13	17	11	2	
123	Biliary calculi	26										1	1	3	10	7	4		
124	Other diseases of the liver	29	1		2						1	1	2	3	6	5	5	3	
125	Diseases of the pancreas	4								1			1	1	1				
126	Peritonitis without specified cause	10	1		1					1	2		1	2		1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	740	4			1		8	1	5	15	18	21	48	105	160	193	161	
128	Acute nephritis (including unspecified under 10 years)	27	2			1		2		1	1	2	1	5	7	2	2	1	
129	Chronic nephritis (including unspecified 10 years and over)	622	1					5	1	2	9	7	14	38	80	143	175	147	
131	Other diseases of the kidneys and annexa	11						1			1	1	2	1	2		2	1	
132	Calculi of the urinary passages	4									1					2	1		
133	Diseases of the bladder	3										1				1		1	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	27													2	4	11	10	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	7									1				3	2		1	
138	Salpingitis and pelvic abscess (female)	12								2	1	3	2	1	2	1			
139	Benign tumors of the uterus	19										3	2	3	7	2	2		
141	Other diseases of the female genital organs	5										1			2	2			
142	Nonpuerperal diseases of the breast (cancer excepted)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	VIII.—The puerperal state	95								6	12	25	23	28					1
143	Accidents of pregnancy	9									2	2	3	2					
144	Puerperal hemorrhage	12									1	5	3	3					
145	Other accidents of labor	7								1	1	1	2	2					
146	Puerperal septicemia	33								3	6	9	8	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	11										6	3	2					
148	Puerperal albuminuria and convulsions	22								2	2	2	3	12					1
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	21	4	1	1					1	1	1				3		3	
151	Gangrene	8													1	2	3	2	
152	Furuncle	5	1								1				2	1			
153	Acute abscess	3	1	1						1									
154	Other diseases of the skin and annexa	5	2		1							1						1	
	X.—Diseases of the bones and of the organs of locomotion	9		1	1		2		1	1				1		1		1	
155	Diseases of the bones (tuberculosis excepted)	8		1	1		1		1	1				1		1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1					1												
	XI.—Malformations	124	114	6	1		1			1					1				
159a	Congenital hydrocephalus	15	13	2															
159b	Congenital malformations of the heart	64	59	2	1		1								1				
159c	Other congenital malformations	45	42	2						1									
	XII.—Early infancy	535	535																
160	Congenital debility, icterus, sclerema	107	107																
161a	Premature birth	258	258																
161b	Injury at birth	134	134																
162	Other diseases peculiar to early infancy	35	35																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	105															18	87	
	XIV.—External causes	594	9	20	17	12	12	53	27	30	32	31	37	55	74	80	56	47	2
	Suicide	73								4	5	6	3	7	19	16	9	4	
165	By poisons (gas or corrosives excepted)	8								1		1	1		4	1			
166	By corrosive substances	4									2				2				
167	By poisonous gas	17									1	3			4	3	3	3	
168	By hanging or strangulation	9								1		1		3	1	2	1		
169	By drowning	8								1				2	1	2	1	1	
170	By firearms	18								1	2		2	1	5	5	2		
171	By cutting or piercing instruments	7										1		1	2	2	1		
172	By jumping from high places	1															1		
174	By other means	1														1			
	Homicide	13									1	1	5	4	1	1			
197	By firearms	7											4	3					
198	By cutting or piercing instruments	4										1	1	1		1			
199	By other means	2									1				1				
	Accidental or undefined	508	9	20	17	12	12	53	27	26	26	24	29	44	54	63	47	43	2
175	Poisoning by food	6		1	1			1						1		2			
176	Poisoning by venomous animals	1	1																
177	Other acute poisonings (gas excepted)	6	2	1	1								1	1					
178	Conflagration	18					1	3	3	2	3		1		4		1		
179	Burns (conflagration excepted)	50	2	8	7	5	5	9		1	1	2	1		3	3	2	1	
180	Mechanical suffocation	4	1										1		1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	29	2	1	1					2	1	1	4	3	5	5	3	1	
182	Drowning	63		2		2		9	8	12	1	5	3	3	9	5	2		2
183	Traumatism by firearms (except in war)	7						1	3			2			1				
184	Traumatism by cutting or piercing instruments	7									2		1	1	1	1		1	
185	Traumatism by fall	96		3	3			5	2	1	2	3	2	7	7	12	18	31	
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	14								2	1	1	3		3	3	1		
188a	Railroad accidents	18		1	1				1		1	2	2	4	1	4	1		
188b	Street-car accidents	18						3		1	1			3	2	6	2		
188c	Automobile accidents	113		1	1	4	5	21	8	3	7	4	6	17	9	13	8	6	
188d	Airplane and balloon accidents	1									1								
188a,f	Injuries by other vehicles	9					1		1		1	2	1			2	1		
188g	Landslide, other crushing	7								1	1	1		2	2				
189	Injuries by animals (not poisoning)	4														1	3		
193	Excessive cold	3														1		2	
194	Excessive heat	3													1		2		
195	Lightning	1							1										
196	Other accidental electric shocks	4									2		2						
201	Fracture (cause not specified)	1													1				
202	Other external violence	24	1	2	2	1		1		1	1	1	1	1	4	4	3	1	
	XV.—Ill-defined diseases	52	17			1			1	1	2	3	2	7	8	2	8		
204	Sudden death	16	4							1	2	1	1	3	2		2		
205a	Ill-defined	12	2						1			1	1	2	1		4		
205b	Not specified or unknown	24	11			1						1		2	5	2	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SOUTH CAROLINA																				
	All causes	White	9,146	1,858	505	208	96	67	221	137	225	268	241	268	598	719	980	1,458	1,276	21
		Colored	13,749	2,958	755	284	149	112	329	305	647	871	708	633	1,382	1,321	1,074	1,068	1,129	24
	I.—Epidemic, endemic, and infectious diseases	White	1,565	292	188	76	39	35	89	43	68	74	86	80	132	105	94	79	79	6
		Colored	3,369	583	260	100	52	40	142	149	316	409	269	219	327	213	112	100	72	6
1	Typhoid and paratyphoid fever	W	118	1			1	3	6	13	17	14	17	4	18	16	5	2		1
		C	348	4	8	7	5	6	35	48	81	52	23	15	26	15	12	9	1	1
5	Malaria	W	46	5	6	2	2	1	2		2	2	2	1	5	3	2	5	6	
		C	226	24	17	6	8	7	12	13	11	18	14	15	28	14	12	12	14	1
6	Smallpox	W	1							1										
		C	11	1		1			1				1		1	2	2	1	1	
7	Measles	W	284	60	72	29	10	5	34	12	17	5	8	3	11	7	5	4	2	
		C	262	93	58	20	7	6	24	18	20	7	3	2	2	1		1		
8	Scarlet fever	W	3		1				1					1						
		C	1				1													
9	Whooping cough	W	167	96	42	13	5	4	5			1								1
		C	303	172	73	26	10	7	11		3				1					
10	Diphtheria	W	83	11	18	15	12	10	14			2							1	
		C	45	15	3	5	3	3	9	1	1	1	1	2					1	
11a	Influenza (with pulmonary complications)	W	147	26	7	5		4	5	3	2	5	3	6	10	16	20	12	23	
		C	175	37	7	2	2	4	7	4	9	15	9	11	18	16	12	8	13	1
11b	Influenza (other and unspecified)	W	64	14	4	1		2	4		3	1			5	1	4	7	18	
		C	119	28	10	6	3		3	6	3	10	5	7	3	4	6	15	10	
13	Mumps	W	1											1						
		C	1													1				
15	Cholera nostras	W	7	1					1					1				1	3	
		C	3	2						1										
16	Dysentery	W	114	38	29	6	1	1	3					1	3	2	3	16	10	1
		C	190	82	53	9	3	2	3	2	3		3	1	1	4	3	5	16	
21	Erysipelas	W	21	7		1			1	1	1		1	1	2		2	1	3	
		C	1	1																
22	Acute anterior poliomyelitis	W	2	1				1												
		C	7	2	1	1	1				1			1						
23	Lethargic encephalitis	W	8						1		1		2	1	1	1	1			
		C	4			1					2	1								
24	Meningococcus meningitis	W	8	4		1	1	1		1										
		C	7			1	1	1			2				1	1				
25	Other epidemic and endemic diseases	W	1	1																
28	Rabies	W	1								1									
		C	2							1					1					
29	Tetanus	W	18	5	1	1	1		2	3	1			1		2	1			
		C	32	16					5	4	5	1		1						
30	Mycoses	W	3	2											1					
		C	42	33	8				1											
	Tuberculosis (all forms)	W	428	13	7	2	5	3	2	8	21	39	51	58	72	53	49	30	12	3
		C	1,353	14	11	10	7	3	30	50	168	274	191	145	210	132	54	38	14	2
31	Of the respiratory system	W	372	6	2		2	1	1	6	20	36	50	54	63	49	44	27	10	1
		C	1,261	8	5	9	4	3	26	41	158	257	186	138	196	128	53	34	13	2
32	Of the meninges, central nervous system	W	17	5	3	1	2	1	1	1			1		1	1				
		C	12	3			3		2		1	1		1	1					
33	Of the intestines, peritoneum	W	15	1	1		1					1			5	1	3		1	1
		C	30	1	1	1			1	4	4	5	2	1	6	1	1	2		
34	Of the vertebral column	W	3								1				2					
		C	3												1			2		
35	Of the joints	W	4					1								1	1		1	
		C	2	1								1								
36	Of other organs	W	6											2		1	1	2		
		C	22	1	1				1	3	2	4	1	2	4	2			1	
37a	Disseminated (acute)	W	8	1	1	1				1		2			1			1		
		C	20		4					2	3	4	1	3	2	1				
37b	Disseminated (chronic or unspecified)	W	3											2						1
		C	3									2	1							
38	Syphilis	W	19	6					2			1	2		4	2	2			
		C	208	59	10	5	1	1	1		7	22	14	17	28	22	10	9	1	1
40	Gonococcus infection	W	3									3								
		C	14									5	3	2	4					
41	Purulent infection, septicemia	W	18	1	1		1		6	1	2	1		1		2		1	1	
		C	15		1					1		3	2		3	1	1	2	1	
	II.—General diseases not included in Class I.	White	831	31	12	8	4	3	10	11	15	19	21	31	80	124	178	184	98	2
		Colored	659	24	13	3	2	2	4	9	15	39	41	48	135	127	83	71	42	1
	Cancer and other malignant tumors	W	457		1	1	2		1	2	4	2	4	3	47	77	117	123	72	1
		C	278		1		1		1	2	3	5	5	17	64	75	36	41	26	1
43	Of the buccal cavity	W	15													1	1	10	3	
		C	6												2	2	1	1		
44	Of the stomach, liver	W	159								1	1		1	16	32	39	41	27	1
		C	93						1	1	1	2	1	3	16	21	16	21	10	
45	Of the peritoneum, intestines, rectum	W	43				1			1			1	1	6	7	8	12	6	
		C	26								1			2	8	4	3	5	3	
46	Of the female genital organs	W	79									1	2		16	12	24	14	10	
		C	85							1		1	3	7	20	34	8	5	5	1
47	Of the breast	W	44											1	3	11	11	11	7	
		C	27											3	10	5	3	3	3	
48	Of the skin	W	25						1						1	2	4	12	5	
		C	6													1	3	2		
49	Of other or unspecified organs	W	92		1	1	1			1	3		1		5	12	30	23	14	
		C	35		1		1				1	2	1	2	8	8	2	4	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	2												1			1		
		C	6										2			1	3			
51	Acute rheumatic fever	W	24				1		1	2	1	1		2	2	2	1	8	3	
		C	45		1		1	1			3	6	1	3	8	1	6	6	8	
52	Chronic rheumatism, osteoarthritis, gout	W	4												1	1	2			
		C	7											2	1		2	1	1	
53	Scurvy	C	2	1	1															
54	Pellagra	W	118			1			1	1	2	7	10	17	14	12	23	19	10	1
		C	218	1	1	1			2	4	8	21	29	21	52	37	23	15	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	II.—General diseases not included in Class I—Continued																		
56	Rickets	W 3	2	1															
		C 9	8	1															
57	Diabetes mellitus	W 114			1		1	2	4	7	4	4	7	6	16	27	24	11	
		C 50		2				1	1	1	4	3	1	4	12	11	8	2	
58	Anemia, chlorosis	W 18									2	3	1	3	2	3	4		
		C 7	2	1	1				1			1						1	
59	Diseases of the pituitary gland	C 1					1												
60a	Exophthalmic goiter	W 7													2	4	1		
		C 5											3	2					
60b	Other diseases of the thyroid gland	W 5	1												3			1	
61	Diseases of the parathyroid glands	W 1	1																
		C 3	1	1											1				
62	Diseases of the thymus gland	W 13	12		1														
		C 4	4																
64	Diseases of the spleen	W 1															1		
		C 1																1	
65a	Leukemia	W 8							1	1	2			1	1	1	1		
65b	Hodgkin's disease	W 5					1		1						2				
66	Alcoholism (acute or chronic)	W 12									1		1	3	5		2		
		C 10							1		3		1	3		2			
69	Other general diseases	W 39	15	10	4	1	1	5						1	1			1	
		C 13	7	4	1													1	
	III.—Diseases of the nervous system and of the organs of special sense	White 1,032	42	5	4	4	2	19	6	11	12	9	14	59	114	189	302	238	2
		Colored 1,139	84	11	5	7	7	12	11	20	20	23	34	127	223	189	203	161	2
70	Encephalitis	W 5	1			1		1			1				1				
		C 8	2	2				1			1			1	1				
71a	Simple meningitis	W 32	14	1	2	1	1	5	1	1	2	1		1	1		1		
		C 18	4	1	3	1		1	1	3	1		1		1	1			
71b	Nonepidemic cerebrospinal meningitis	W 12	2	3		1		2	1	2				1					
		C 8	1	1	1	1	1	2	1										
72	Tabes dorsalis (locomotor ataxia)	W 5	1										1		1		2		
		C 4									1				1			2	
73	Other diseases of the spinal cord	W 15	1								1			1	2	3	3	4	
		C 10								1			2	1	3	3			
74a	Cerebral hemorrhage	W 691	2							1	1	2	5	37	91	152	222	177	1
		C 597	1			1	1	1		1	3	11	16	77	144	118	136	86	1
74b	Cerebral embolism and thrombosis	W 5												1			3	1	
		C 10												1	5	3	1		
75	Paralysis without specified cause	W 140										1		2	7	25	55	49	1
		C 267	1		1		3		1	1	2	4	3	27	49	50	59	65	1
76	General paralysis of the insane	W 18								1			1	8	2	1	4	1	
		C 27								2		1	5	7	5	4	2	1	
77	Other forms of mental alienation	W 6								1	1			2	2				
		C 15								2	5		3	2	3				
78	Epilepsy	W 25	2		1			2		2	3	4	3	4	1	1	2		
		C 46	4				1	2	6	10	4	6	2	5	3	1	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	W 3						2				1							
		C 7						2			3			1	1				
80	Infantile convulsions (under 5 years)	W 13	12			1													
		C 77	67	5		4	1												
82	Neuralgia and neuritis	W 2													1		1		
		C 5											1	1	3				
83	Softening of the brain	W 9															6	3	
		C 5													1	3		1	
84	Other diseases of the nervous system	W 26	2					2	2	2			2	1	4	6	2	3	
		C 28	2	1				1	2			1	3	3	5	5	1	4	
85	Diseases of the eye and annexa	W 3						1	1								1		
		C 2						1								1			
86a	Diseases of the ear	W 12	3	1	1		1	2			2			1		1			
		C 4	2	1				1											
86b	Diseases of the mastoid process	W 10	2					2	1	1	1		2		1				
		C 1															1		
	IV.—Diseases of the circulatory system	White 1,156	7	1	2	1	2	8	5	10	20	11	17	59	122	205	374	311	1
		Colored 1,466	7	3	5	1	1	5	8	24	44	58	73	225	281	254	242	229	6
87	Pericarditis	W 4														1	2	1	
		C 7													3		1	3	
88	Endocarditis and myocarditis (acute)	W 37			1			4	2	3	6	4	1	5	3	3	3	2	
		C 38						2	1	3	4	3	6	13	2	2	1	1	
89	Angina pectoris	W 103											3	4	18	27	36	15	
		C 38			1					1	2	4		6	9	6	3	6	
90	Other diseases of the heart	W 878	6		1	1	2	4	3	7	14	7	13	44	89	149	287	260	1
		C 1,215	4	2	4	1	1	3	6	20	38	47	63	180	240	215	203	183	5
91a	Aneurysm	W 6													1	2	2	1	
		C 17										1	1	7	6	1	1		
91b,c	Other diseases of the arteries	W 101												2	7	18	37	37	
		C 107											1	8	16	25	26	30	1
92	Embolism and thrombosis (not cerebral)	W 8												2		3	2	1	
		C 7							1			2		2	1			1	
93	Diseases of the veins	W 2													1			1	
		C 2																1	
94	Diseases of the lymphatic system	W 2		1										1					
		C 5		1										1	2		1		
95	Hemorrhage without specified cause	W 1	1																
		C 11	3									1		3	1		2	1	
96	Other diseases of the circulatory system	W 14												1	3	2	5	3	
		C 19											2	4	1	5	4	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	V.—Diseases of the respiratory system—White	715	197	49	31	10	5	10	11	25	26	15	19	36	55	48	87	90	
	V.—Diseases of the respiratory system—Colored	1,394	463	121	55	26	9	36	35	76	90	74	53	101	79	59	65	50	2
97a	Diseases of the nasal fossae—W	7	5	1													1		
	Diseases of the nasal fossae—C	108	61	8	2	2	1	3	4	3	5	5		3	2	3	4	2	
97b	Diseases of the nasal fossae annexa—C	1								1									
98	Diseases of the larynx—C	4		1		1						1						1	
99a	Acute bronchitis—W	11	6													1	2	2	
	Acute bronchitis—C	17	10					1		2	1		1		1		1		
99b	Chronic bronchitis—W	8										1		1			2	4	
	Chronic bronchitis—C	3								1								2	
99c,d	Bronchitis (unspecified)—W	15	5		3							1		1	2		1	2	
	Bronchitis (unspecified)—C	17	7	2	1				1			1	2	1	2				
100a	Broncho-pneumonia—W	192	82	18	12	5	3	4	1	4	5	2		4	6	10	16	19	1
	Broncho-pneumonia—C	278	139	44	20	9	1	12	4	6	4	6	3	9	10	5	4	2	
100b	Capillary bronchitis—W	2	2																
	Capillary bronchitis—C	2	1													1			
101a	Lobar pneumonia—W	290	36	18	14	3		5	4	12	13	9	7	20	38	24	46	41	
	Lobar pneumonia—C	447	64	30	14	6	3	13	14	35	46	43	25	53	37	21	30	13	
101b	Pneumonia (unspecified)—W	153	58	10	2	2	2	1	6	9	7	2	6	6	5	8	12	17	
	Pneumonia (unspecified)—C	424	165	33	17	8	3	6	9	26	29	13	18	22	18	19	20	16	2
102	Pleurisy—W	11	2	1										3		2	2	1	
	Pleurisy—C	18	1	2		1	1	1	1	2	1			4	1		1	2	
103	Congestion and hemorrhagic infarct of the lung—W	7		1											1	1	1	3	
	Congestion and hemorrhagic infarct of the lung—C	11	8											2	1				
105	Asthma—W	13											5		2	1	4	1	
	Asthma—C	36	1		1				1			3	2	4	5	6	4	9	
107	Other diseases of the respiratory system (tuberculosis excepted)—W	6	1								1		1	1	1	1			
	Other diseases of the respiratory system (tuberculosis excepted)—C	28	6	1					1	1	3	1	2	3	2	4	1	3	
	VI.—Diseases of the digestive system—White	938	310	202	63	15	7	28	16	15	19	11	16	38	34	49	59	52	4
	VI.—Diseases of the digestive system—Colored	1,187	448	241	55	21	19	25	18	28	37	19	37	77	49	48	36	28	1
108	Diseases of the mouth and annexa—W	1													1				
	Diseases of the mouth and annexa—C	11	2	1				1	1			1	2	1			2		
109a	Adenoid vegetations—W	1																	1
109b	Other diseases of the pharynx, tonsils—W	14	1	1	1	2		3	2		1				1		1	1	
	Other diseases of the pharynx, tonsils—C	26	2		1	2	2	3	2	3	3	1		3	1	1	1	1	
110	Diseases of the esophagus—W	2		1									1						
	Diseases of the esophagus—C	1						1											
111a	Ulcer of the stomach—W	17									2	1	3	6		2	2	1	
	Ulcer of the stomach—C	16									2			10	2		2		
111b	Ulcer of the duodenum—W	8												3	1	2	2		
	Ulcer of the duodenum—C	4												2		1			
112	Other diseases of the stomach (cancer excepted)—W	96	28	8	3	1	2	3	1		1								
	Other diseases of the stomach (cancer excepted)—C	295	111	29	12	6	4	4	3	5	5	1	1	3	10	8	14	8	
113	Diarrhea and enteritis (under 2 years)—W	451	263	188							11	2	12	27	23	19	12	14	1
	Diarrhea and enteritis (under 2 years)—C	524	319	205															
114	Diarrhea and enteritis (2 years and over)—W	120			56	10	4	7	2	1	1			3	1	5	10	18	2
	Diarrhea and enteritis (2 years and over)—C	106			36	11	9	8	5	2	2	3	1	9	4	6	7	3	
115	Ancylostomiasis—W	3						1	1	1									
116	Diseases due to other intestinal parasites—W	1				1													
	Diseases due to other intestinal parasites—C	10		1	4	2		3											
117	Appendicitis and typhlitis—W	76		1	3			8	9	11	6	5	5	13	3	7	2	3	
	Appendicitis and typhlitis—C	65	1	1			1	2	7	11	11	4	4	9	7	6		1	
118a	Hernia—W	10								1				2	2	2	2	1	
	Hernia—C	15	3	1			1	1						2	2	2	1	2	
118b	Intestinal obstruction—W	43	15	2				1	1	1	1	2	2	2	3	3	2	8	
	Intestinal obstruction—C	44	4	1	1		1	1		1	3	5	4	8	3	4	4	4	
119	Other diseases of the intestines—W	4	1										2			1			
	Other diseases of the intestines—C	8	4								1		1	1		1			
120	Acute yellow atrophy of the liver—W	4					1						1	2					
	Acute yellow atrophy of the liver—C	2								1									
122	Cirrhosis of the liver—W	31	2					1						1	5	8	9	5	
	Cirrhosis of the liver—C	30		2	1					1		1	7	2	4	5	6	1	
123	Biliary calculi—W	13									1			1	1	3	5	1	1
	Biliary calculi—C	4													1	2		1	
124	Other diseases of the liver—W	32						1			1	1		2	5	6	10	6	
	Other diseases of the liver—C	18	2				1	1		2	1		5	2	2	1	1		
125	Diseases of the pancreas—W	2										1				1			
126	Peritonitis without specified cause—W	9		1		1		3			1		1		1				
	Peritonitis without specified cause—C	8								2	2	2	1	1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—White	921	7	5	3		2	5	9	6	11	15	14	62	87	159	286	246	4
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Colored	1,246	11	13	6	5	2	13	6	13	44	48	41	178	232	235	221	176	2
128	Acute nephritis (including unspecified under 10 years)—W	51	2	3	3		2	4	3		1	3	1	7	6	4	8	3	1
	Acute nephritis (including unspecified under 10 years)—C	94	7	6	3	3	1	10	3	3	8	8	3	13	14	7	4	1	
129	Chronic nephritis (including unspecified 10 years and over)—W	790		1					6	5	8	10	12	45	76	146	261	217	3
	Chronic nephritis (including unspecified 10 years and over)—C	969		2	1			3	2	5	25	26	26	134	200	200	189	154	2
131	Other diseases of the kidneys and annexa—W	34	5	1				1		1	1			3	2	3	5	12	
	Other diseases of the kidneys and annexa—C	88	4	5	2	2	1		1	3	1	5	5	14	4	11	22	8	
132	Calculi of the urinary passages—W	5									1			1	1	2			
	Calculi of the urinary passages—C	1																1	
133	Diseases of the bladder—W	5															1	3	
	Diseases of the bladder—C	9									1	1	1		1	2	1	2	
134	Diseases of the urethra, etc—W	2															1	1	
	Diseases of the urethra, etc—C	3													2	1			
135	Diseases of the prostate—W	22												1		2	10	9	
	Diseases of the prostate—C	27													4	11	5	7	
136	Nonvenereal diseases of the male genital organs—W	1													1				
	Nonvenereal diseases of the male genital organs—C	2												1				1	
137	Cysts, other benign tumors of the ovary—C	2									1					1			
138	Salpingitis and pelvic abscess (female)—W	4										1		2	1				
	Salpingitis and pelvic abscess (female)—C	20								2	7	5	2	3	1				
139	Benign tumors of the uterus—W	4										1		3					
	Benign tumors of the uterus—C	18										1	3	8	4	1		1	
140	Nonpuerperal uterine hemorrhage—C	2										1						1	
141	Other diseases of the female genital organs—W	3											1			1		1	
	Other diseases of the female genital organs—C	11									1	1	1	5	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	VIII.—The puerperal state—White	183								22	37	42	40	40	2				
	VIII.—The puerperal state—Colored	328							5	66	70	60	50	73	4				
143	Accidents of pregnancy—W	18								1	3	3	5	6					
	Accidents of pregnancy—C	29								5	8	6	5	5					
144	Puerperal hemorrhage—W	17								1	2	5	6	3					
	Puerperal hemorrhage—C	25								1	3	7	5	9					
145	Other accidents of labor—W	22								4	5	5	2	5	1				
	Other accidents of labor—C	74								15	11	12	13	21	2				
146	Puerperal septicemia—W	49								7	9	12	14	7					
	Puerperal septicemia—C	75							1	16	15	12	14	17					
147	Puerperal phlegmasia alba dolens, embolus, etc—W	1										1							
	Puerperal phlegmasia alba dolens, embolus, etc—C	5									2			3					
148	Puerperal albuminuria and convulsions—W	76								9	18	16	13	19	1				
	Puerperal albuminuria and convulsions—C	116							4	29	31	22	12	16	2				
149	Following childbirth (undefined)—C	4										1	1	2					
	IX.—Diseases of the skin and of the cellular tissue—White	29	3	1						1	2	3	1	1	6		1	10	
	IX.—Diseases of the skin and of the cellular tissue—Colored	34	3					1	1	1	1	1	1	2	2	6	7	8	
151	Gangrene—W	8		1											2			5	
	Gangrene—C	13												1	1	3	2	5	
152	Furuncle—W	6												1	3			1	
	Furuncle—C	2						1										1	
153	Acute abscess—W	8	1							1	2	2			1			1	
	Acute abscess—C	11	2						1	1	1		1	1		1	2	1	
154	Other diseases of the skin and annexa—W	7	2										1				1	3	
	Other diseases of the skin and annexa—C	8	1												1	2	3	1	
	X.—Diseases of the bones and of the organs of locomotion—White	12	1	1				5	1	1							1	2	
	X.—Diseases of the bones and of the organs of locomotion—Colored	3				1		1							1				
155	Diseases of the bones (tuberculosis excepted)—W	7	1					4		1							1		
	Diseases of the bones (tuberculosis excepted)—C	3				1		1							1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	3		1				1	1										
158	Other diseases of the organs of locomotion—W	2																2	
	XI.—Malformations—White	97	87	4	1	1		3	1										
	XI.—Malformations—Colored	50	27	5	3		3	7	2	1		1	1						
159a	Congenital hydrocephalus—W	14	11		1			2											
	Congenital hydrocephalus—C	21	7	5	2		1	4	1			1							
159b	Congenital malformations of the heart—W	56	53	2					1										
	Congenital malformations of the heart—C	12	8		1		2	1											
159c	Other congenital malformations—W	27	23	2		1		1											
	Other congenital malformations—C	17	12					2	1	1			1						
	XII.—Early infancy—White	763	763																
	XII.—Early infancy—Colored	1,068	1,068																
160	Congenital debility, icterus, sclerema—W	75	75																
	Congenital debility, icterus, sclerema—C	158	158																
161a	Premature birth—W	569	569																
	Premature birth—C	811	811																
161b	Injury at birth—W	61	61																
	Injury at birth—C	42	42																
162	Other diseases peculiar to early infancy—W	56	56																
	Other diseases peculiar to early infancy—C	54	54																
163	Lack of care—W	2	2																
	Lack of care—C	3	3																
164	XIII.—Old age (senility)—White	112														3	20	89	
	XIII.—Old age (senility)—Colored	323														7	39	277	
	XIV.—External causes—White	601	43	28	16	21	11	42	32	50	46	25	34	81	53	37	40	41	1
	XIV.—External causes—Colored	765	33	24	36	25	20	64	39	72	91	91	68	77	54	32	22	25	2
	Suicide—W	55							1	4	4	4	5	13	11	6	7		
	Suicide—C	3										1	1	1					
165	By poisons (gas or corrosives excepted)—W	1												1					
166	By corrosive substances—W	3								1	1			1					
	By corrosive substances—C	1										1							
168	By hanging or strangulation—W	2									1						1		
169	By drowning—W	5									1			1	3				
170	By firearms—W	42							1	3	1	4	5	10	7	6	5		
	By firearms—C	2											1	1					
171	By cutting or piercing instruments—W	1															1		
174	By other means—W	1													1				
	Homicide—W	53	2						1		3	5	7	19	9	7			
	Homicide—C	162		1				1	3	18	28	39	30	24	11	6	1		
197	By firearms—W	43							1		2	3	6	18	8	5			
	By firearms—C	135		1				1	3	13	24	31	25	21	10	5	1		
198	By cutting or piercing instruments—W	2										1				1			
	By cutting or piercing instruments—C	21								4	4	6	3	2	1	1			
199	By other means—W	8	2									2	1	1	1	1			
	By other means—C	6								1		2	2	1					
	Accidental or undefined—W	493	41	28	16	21	11	42	30	46	39	16	22	49	33	24	33	41	1
	Accidental or undefined—C	600	33	23	36	25	20	63	36	54	63	51	27	52	43	26	21	25	2
175	Poisoning by food—W	12	4	4	1		1							1			1		
	Poisoning by food—C	9	1		1	1				1	2	1	1			1			
176	Poisoning by venomous animals—C	3								1				2					
177	Other acute poisonings (gas excepted)—W	10		3	2	1	1						1	2					
	Other acute poisonings (gas excepted)—C	15		2	6			1		1	2	1		1		1			
178	Conflagration—W	5					1	1					1	1		1			
	Conflagration—C	17	2	2	2	1	2	4			1		1					2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	XIV.—External causes—Continued																			
	Accidental or undefined—Continued.																			
179	Burns (conflagration excepted)	W	69	6	12	7	7	6	8	4	6	3	1	1	2	2		1	3	
		C	159	8	5	20	19	13	41	7	6	4	2		6	7	3	6	12	
180	Mechanical suffocation	W	20	19			1													
		C	15	15																
181	Absorption of irrespirable, irritating, or poisonous gas	W	4								1	1				1			1	
		C	2								1					1				
182	Drowning	W	27	1	1	1	1		2	4	5	3		3	3		1	2		
		C	39		3	1				4	5	7	4	5	4	3	1	1	1	
183	Traumatism by firearms (except in war)	W	28				1		1	5	9	4	1		3	2	1	1		
		C	45				2		4	6	11	10	3		5	1	1	1		1
184	Traumatism by cutting or piercing instruments	W	2				1									1				
		C	12	1				1			1	2	2		2	1		1	1	
185	Traumatism by fall	W	55	1	1	1	1		3		2	1		1	1	5	1	10	27	
		C	29	1	3	2				3		2	1	2	1	2	6	4	2	
187	Traumatism by machines	W	14							1	5	3		1	1	3				
		C	24						1	1	4	5	2	3	5	2	1			
188a	Railroad accidents	W	29				1			1	5	4	3	2	5	2	4	2		
		C	32		1			1		1	5	5	4	2	4	6	1	2		
188b	Street-car accidents	W	1														1			
188c	Automobile accidents	W	105	2	2	1	3		9	8	10	10	6	10	17	9	9	5	4	
		C	62	1			1	1	3	3	6	9	10	6	7	7	5	1	2	
188e,f	Injuries by other vehicles	W	9		1					1	1		1		1	1	1	2		
		C	10				1		1			2	1		1		2	1	1	
188g	Landslide, other crushing	W	20	1	1		1		9	1			1	1	1	1	2	1		
		C	16		1	1		1		1	1		3		4	3	1			
189	Injuries by animals (not poisoning)	W	7						2	1		1			1			1	1	
		C	8						1	3		1			1	1		1		
192	Starvation (deprivation of food or water)	C	1																1	
193	Excessive cold	W	1															1		
		C	6	3							1	1						1		
194	Excessive heat	W	5												2	1			2	
		C	4							1	1			1					1	
195	Lightning	W	2												1		1			
		C	11							1		4	4		1	1				
196	Other accidental electric shocks	W	7									1	2		1	2				1
		C	3									1			1			1		
201	Fracture (cause not specified)	W	6						1		1					1		1	2	
		C	5								2		2				1			
202	Other external violence	W	55	7	3	3	3	2	6	4	1	8	1	1	6	2	2	5	1	
		C	73	1	6	3		1	7	5	7	5	11	6	7	8	2	1	2	1
	XV.—Ill-defined diseases	White	191	75	9	4	1		2	2	1	2	3	2	10	17	18	25	20	
		Colored	718	207	64	16	9	9	19	22	15	26	23	18	60	56	49	62	61	2
204	Sudden death	W	12	7						1			1					2	1	
		C	14	4	1					1	1		1		1		1		3	1
205a	Ill-defined	W	90	22	6	2			1		1		1	2	6	9	13	16	11	
		C	453	87	48	14	7	7	11	17	10	16	11	11	40	44	36	46	47	1
205b	Not specified or unknown	W	89	46	3	2	1		1	1		2	1		4	8	5	7	8	
		C	251	116	15	2	2	2	8	4	4	10	11	7	19	12	12	16	11	
	TENNESSEE																			
	All causes	White	19,456	3,160	770	367	188	157	377	348	631	734	690	698	1,449	1,712	2,007	2,936	3,206	26
		Colored	8,562	1,115	220	84	73	55	164	188	513	618	578	514	1,010	1,132	850	683	743	22
	I.—Epidemic, endemic, and infectious diseases	White	4,464	433	247	134	87	78	142	118	270	344	308	300	459	399	358	449	328	10
		Colored	2,399	168	83	29	31	25	71	105	289	326	269	197	287	233	137	83	60	6
1	Typhoid and paratyphoid fever	W	358	3	3	3	5	4	25	38	75	55	33	32	27	30	12	12	1	
		C	216	2		2	2	2	19	37	56	29	20	8	19	10	4	2	4	
5	Malaria	W	102	6	6	5	1	5	3	7	3	6	5	3	11	11	9	10	10	1
		C	73	5	5			1	3	4	9	2	5	8	8	7	7	5	4	
6	Smallpox	W	8	1	1					1			1		1		2		1	
7	Measles	W	257	44	43	23	18	13	21	14	10	8	5	12	10	16	7	7	5	1
		C	46	14	8	2		2	3	3	7	1	3		1		1			1
8	Scarlet fever	W	30	1	6	2	5	4	5	3	1		1	2						
		C	3			1			1	1										
9	Whooping cough	W	221	126	54	19	12	1	5	2	1									1
		C	74	37	23	4	3	3	4											
10	Diphtheria	W	189	37	28	35	26	28	27	3	1	1		1	1		1			
		C	20	5	2	2	3	3	1	2			1			1				
11a	Influenza (with pulmonary complications)	W	427	48	23	9	4	7	12	6	7	13	14	13	32	33	57	85	63	1
		C	236	23	10	5	6	2	5	4	17	18	17	12	20	32	26	21	17	1
11b	Influenza (other and unspecified)	W	247	36	5	4		4	6	6	5	8	4	6	10	18	22	41	72	
		C	112	17	4		1		2	2	3	7	6	1	16	20	11	14	8	
13	Mumps	W	2						1										1	
		C	1						1											
15	Cholera nostras	W	5	2											1	1		1		
		C	1							1										
16	Dysentery	W	175	33	30	14	3	2	4		2	1	1	1	7	9	8	25	35	
		C	58	14	13	1	2	2		2	1	4			4	4	4	3	4	
21	Erysipelas	W	49	13	1	1	1		1		3	2		1	1	4	4	10	7	
		C	5	2											1	1			1	
22	Acute anterior poliomyelitis	W	22	13	2	1	1	1	1	1		1		1						
		C	1				1													
23	Lethargic encephalitis	W	11						2		1	1	1		2	1	1	2		
		C	2								1				1					
24	Meningococcus meningitis	W	22	4	5	1	4	1	2		1	1		1	1			1		
		C	6	2	1					1				1	1					
25	Other epidemic and endemic diseases	W	8	1	1		1		1		1			1	1	1				
28	Rabies	W	3												1	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
29	Tetanus	W	34	4		1		1	7	9	1	4	1	1	1	2	1	1		
		C	23	1	1	1			5	1	1	3		2	3	3		2		
30	Mycoses	W	3												1	1				
		C	5	2						2	1				1					
	Tuberculosis (all forms)	W	2,188	40	37	15	5	7	18	27	155	236	235	220	328	257	226	250	126	6
		C	1,359	14	12	10	9	10	26	45	189	250	199	151	186	136	67	33	20	2
31	Of the respiratory system	W	1,904	16	14	3	2	3	3	18	142	219	219	208	308	226	203	212	103	5
		C	1,183	7	6	7	6	3	18	41	169	226	183	133	159	117	61	29	16	2
32	Of the meninges, central nervous system	W	99	21	18	11	3	3	12	4	6	6	4	3	1	3	3		1	
		C	32	4	3		2	5	5	1	5	1		1	2	1	1		1	
33	Of the intestines, peritoneum	W	107	1	2	1		1		2	4	4	5	4	7	18	13	30	15	
		C	67	1	1			1	1	1	6	12	8	9	11	9	3	2	2	
34	Of the vertebral column	W	15	1	1				1			2	2		3	2		1	2	
		C	9			1					1	1	2		2	1				
35	Of the joints	W	3												2	1				
		C	10		1						2	2				1	1			
36	Of other organs	W	35	1					1	3	1	3		1	4	5	6	5	4	1
		C	11			1	1		2	1			1		1	1		2	1	
37a	Disseminated (acute)	W	16		1				1		2	2	5	1	2	1			1	
		C	40	2	1	1		1		1	5	7	4	4	8	5	1			
37b	Disseminated (chronic or unspecified)	W	9		1									1	2	2	1	2		
		C	7								1	1	1	2	1	1				
38	Syphilis	W	73	21	1	1	1				2	2	2	3	16	12	7	4	1	
		C	144	28	4	1	4			1	3	8	16	14	24	19	17	3	1	1
40	Gonococcus infection	W	10									3	4		3					
		C	10	2							1	4	2		1					
41	Purulent infection, septicemia	W	19		1				1	1	1	2		1	4	1	1		6	
		C	4												2				1	1
42	Other infectious diseases	W	1											1						
	II.—General diseases not included in Class I	White	1,688	25	14	7	3	3	15	19	22	24	43	51	174	318	335	360	274	1
		Colored	426	9	2	1			2	3	10	13	24	26	72	107	76	50	30	1
	Cancer and other malignant tumors	W	1,028		3	4	2		2	3	5	7	12	16	94	201	232	249	197	1
		C	244							1	1	4	9	15	38	72	50	37	16	1
43	Of the buccal cavity	W	31										1			7	5	12	6	
		C	10							1		1		2	1	1	2	1	1	
44	Of the stomach, liver	W	342			1					1		2	3	25	61	86	91	72	
		C	61								1	1	1	2	5	14	18	13	5	1
45	Of the peritoneum, intestines, rectum	W	112		1							1	3	3	8	15	38	22	21	
		C	18											1	6	5	1	2	3	
46	Of the female genital organs	W	191									2	1	1	35	55	46	37	13	1
		C	88									2	3	9	19	32	11	9	3	
47	Of the breast	W	94										1	3	10	33	17	22	8	
		C	29										1		5	10	7	4	2	
48	Of the skin	W	65			1			1	1	1				3	4	6	18	30	
		C	5										2			2		1		
49	Of other or unspecified organs	W	193		2	2	2		1	2	3	4	4	6	13	26	34	47	47	
		C	33										2	1	2	8	11	7	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	7	1										1		1	1	3		
		C	5												1	2	1	1		
51	Acute rheumatic fever	W	41						2	2	4	2	2	1	4	7	2	7	8	
		C	27	2					1		3	2	1	1	6	6		2	3	
52	Chronic rheumatism, osteoarthritis, gout	W	26						1				1		3	1	3	7	10	
		C	4									1			2				1	
53	Scurvy	W	1					1												
54	Pellagra	W	199		1			1		1	2	6	16	15	39	33	37	33	15	
		C	64								3	3	11	4	16	9	11	5	2	
56	Rickets	W	7	4	2	1														
		C	4	2	1	1														
57	Diabetes mellitus	W	158				1		4	8	4	3	2	4	10	31	33	33	25	
		C	42						1		1	2	2	2	3	10	11	4	6	
58	Anemia, chlorosis	W	84	1	1				2		3	3	2	4	10	19	17	12	10	
		C	9	3						1	1				2		1		1	
60a	Exophthalmic goiter	W	30						1			1	3	1	5	7	5	6	1	
		C	10											3	2	3	1	1		
60b	Other diseases of the thyroid gland	W	7	1							1		1		1	2			1	
		C	1														1			
62	Diseases of the thymus gland	W	5	4	1															
		C	2	2																
63	Diseases of the adrenals (Addison's disease)	W	3													2	1			
64	Diseases of the spleen	W	2														1		1	
65a	Leukemia	W	15			1			1	1	1	1	1	1	1	4	1	1	1	
		C	2										1		1					
65b	Hodgkin's disease	W	12						1	3			1		1	1	1	2	2	
66	Alcoholism (acute or chronic)	W	19								1	1		8	2	4	1	2		
		C	5							1		1		1		2				
67b	Other chronic mineral poisoning	W	1												1					
		C	1													1				
68	Chronic poisoning by organic substances	W	7										1		1	4		1		
69	Other general diseases	W	36	14	6	1		1	1	1	1		1		2	1		4	3	
		C	6		1						1				1	2			1	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,635	76	25	10	8	5	18	25	26	23	25	22	80	166	278	412	435	1
		Colored	649	29	6	3	2	5	5	6	12	10	14	20	79	135	107	105	108	3
70	Encephalitis	W	22	2	2				2		1	5			5	3	2			
		C	9	1		1					2				1			2	2	
71a	Simple meningitis	W	57	20	11	4	3		6	1	4	1	1		2	2		2		
		C	12	4			1	1	2		2					1			1	
71b	Nonepidemic cerebrospinal meningitis	W	27	5	6	2	3		1	5	1		1	1	1	1				
		C	3					1			1				1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
72	Tabes dorsalis (locomotor ataxia)	W	10													2	6	1	1	
		C	4												2	1		1		
73	Other diseases of the spinal cord	W	47				1	2	1			2	1	1	2	6	12	10	9	
		C	20						1	1					4	9	2	3		
74a	Cerebral hemorrhage	W	909	6	1	2		1	2	2	5	2	3	6	28	97	192	287	274	1
		C	390	1						2	2	5	11	11	52	91	68	77	69	1
74b	Cerebral embolism and thrombosis	W	20									1	1			3	5	7	3	
		C	1																1	
75	Paralysis without specified cause	W	229	4	1				1			2	1	1	4	17	23	66	109	
		C	87		1	1		1	1		1			3	8	10	20	13	27	1
76	General paralysis of the insane	W	60								2	1		3	15	15	10	9	5	
		C	28											2	5	9	5	5	2	
77	Other forms of mental alienation	W	28								1	1	1	3	4	5	4	5	4	
		C	7												2	1	2		2	
78	Epilepsy	W	51	2	2				1	2	3	6	4	5	7	6	5	2	6	
		C	24	1	1				1		3	3	1	2	3	5	1	1	2	
79	Convulsions (nonpuerperal; 5 years and over)	W	6							2			2			1		1		
80	Infantile convulsions (under 5 years)	W	23	21	1	1														
		C	20	18	2															
81	Chorea	W	2						1		1									
82	Neuralgia and neuritis	W	1															1		
		C	3													1	2			
83	Softening of the brain	W	18														1	4	13	
		C	3													1	1		1	
84	Other diseases of the nervous system	W	75	4				1		4	2		7	2	10	6	13	16	10	
		C	19							3		1	2	1		4	5	1	1	1
85	Diseases of the eye and annexa	W	1										1							
		C	2				1											1		
86a	Diseases of the ear	W	30	8		1		1	3	7	2	1	2		2		3			
		C	10	3	2	1		1								2		1		
86b	Diseases of the mastoid process	W	19	4	1		1			2	4	1				2	2	1	1	
		C	7	1				1			1	1		1	1		1			
	IV.—Diseases of the circulatory system	White	2,062	15	3	2	4	2	10	17	25	25	22	34	111	190	326	627	648	1
		Colored	928	2	1		1	2	4	7	5	25	30	48	126	209	180	130	157	1
87	Pericarditis	W	15							1				1	1	3	4	1	4	
		C	4										1			2			1	
88	Endocarditis and myocarditis (acute)	W	58	4			2		5		3	8	2	6	14	3	2	3	6	
		C	30						1	1	2	3	2	2	9	6	3		1	
89	Angina pectoris	W	141							1	1		2		8	20	25	54	30	
		C	25										2	1	6	5	3	6	2	
90	Other diseases of the heart	W	1,656	11	2	2	2	2	5	14	19	16	18	26	82	145	278	526	507	1
		C	805	1	1			2	3	6	3	19	23	42	105	180	164	117	138	1
91a	Aneurysm	W	16								1			1	1	5	1	4	3	
		C	20									1	1	2	5	6	1	2	2	
91b,c	Other diseases of the arteries	W	143												2	9	10	33	89	
		C	28													6	5	5	12	
92	Embolism and thrombosis (not cerebral)	W	18		1						1	1			2	4	3	1	5	
		C	6	1								1			1	2	1			
93	Diseases of the veins	W	6														3	1	2	
		C	3										1			1	1			
94	Diseases of the lymphatic system	W	3												1			2		
		C	2				1					1								
95	Hemmorrhage without specified cause	W	5							1						1		1	2	
		C	5											1		1	2		1	
96	Other diseases of the circulatory system	W	1															1		
	V.—Diseases of the respiratory system	White	1,865	346	104	61	14	13	42	30	46	44	52	46	106	159	171	286	343	2
		Colored	917	179	46	10	12	8	25	11	50	65	52	51	104	99	80	75	48	2
97a	Diseases of the nasal fossae	W	6	4												1			1	
		C	3	3																
97b	Diseases of the nasal fossae annexa	W	7						2		1				1	1	1		1	
98	Diseases of the larynx	W	10	5	1				2									2		
		C	1									1								
99a	Acute bronchitis	W	20	6	2												1	3	8	
		C	7	2	1	1					1	1				1				
99b	Chronic bronchitis	W	27												1		2	6	18	
		C	9								2				1	3		2	1	
99c,d	Bronchitis (unspecified)	W	29	6			1								1	1	3	5	12	
		C	12	1	3				1		2		1	1	1	1	1			
100a	Broncho-pneumonia	W	705	212	65	22	9	7	15	9	8	11	9	9	18	38	47	75	151	
		C	291	107	25	4	9	4	10	2	6	12	6	7	20	21	19	24	15	
100b	Capillary bronchitis	W	10	6	1	1											1		1	
		C	6	3	1								1		1					
101a	Lobar pneumonia	W	826	63	28	28	4	5	13	18	33	25	32	32	70	104	90	169	111	1
		C	483	45	12	3	3	3	11	8	35	44	39	37	63	62	50	38	28	2
101b	Pneumonia (unspecified)	W	116	37	6	5			7	1	1	3	3	2	7	5	12	11	15	1
		C	52	17	3	1		1	3		2	3	4	2	5	6	1	4		
102	Pleurisy	W	34			3			2	1	2	3	4	1	2	3	5	2	6	
		C	21		1						2	2	1	2	4	2	2	5		
103	Congestion and hemorrhagic infarct of the lung	W	16	4					1	1		1	1		2	1			5	
		C	2														1	1		
104	Gangrene of the lung	W	5	1									2	1			1			
		C	1									1								
105	Asthma	W	29	1	1	1					1		1	1	2	3	4	4	10	
		C	20							1				1	8	1	6		3	
106	Pulmonary emphysema	W	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	24	1		1		1				1			2	2	4	9	3	
		C	9	1		1						1		1	1	2		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	VI.—Diseases of the digestive system	White	1,807	445	286	92	26	24	39	51	49	50	39	42	123	128	125	136	150	2
		Colored	655	165	50	19	10	4	14	10	21	35	38	34	76	65	53	35	25	1
108	Diseases of the mouth and annexa	W	16	2							1	1	1		2	3	4		2	
		C	8	1			1							1	1		3		1	
109b	Other diseases of the pharynx, tonsils	W	47	4		4	1	2	5	3	1	1	3	4	10	5	1	2	1	
		C	13			1			1	2	2	1	1	1	1	1	1	1		
110	Diseases of the esophagus	W	2	1														1		
		C	1										1							
111a	Ulcer of the stomach	W	35									1	2	1	6	8	6	6	5	
		C	19									3	1		5	3	5	1	1	
111b	Ulcer of the duodenum	W	20									1	1	3	5	7	1	1	1	
		C	4										1	1	1					
112	Other diseases of the stomach (cancer excepted)	W	127	36	13	3	2	2	4		1	3		2	2	11	13	15	20	
		C	102	15	1		2		1	1	1	3	2	7	20	23	13	8	5	
113	Diarrhea and enteritis (under 2 years)	W	651	385	266															
		C	191	143	48															
114	Diarrhea and enteritis (2 years and over)	W	265			80	18	9	13	6	1	4	1	3	5	14	16	39	56	
		C	88			15	6	1	3		4	8	5	4	9	6	9	11	7	
116	Diseases due to other intestinal parasites	W	3		1			1	1											
		C	2	1				1												
117	Appendicitis and typhlitis	W	270		2	2	3	7	14	36	37	32	18	18	40	20	16	15	8	2
		C	88	1		1		1	6	6	7	11	10	12	23	6	2	2		
118a	Hernia	W	34							1					6	3	6	4	14	
		C	10					1					1	1		1	3		3	
118b	Intestinal obstruction	W	83	8	3	2	1	2	1	3	5	5	2	3	9	13	9	9	8	
		C	41	3		1	1			1	4	3	4	2	7	8	4	2	1	
119	Other diseases of the intestines	W	15	4	1								1		2	2	1	1	3	
		C	17	1	1						1	2	1	1		2	3	2	3	
120	Acute yellow atrophy of the liver	W	3									1			1				1	
122	Cirrhosis of the liver	W	45	1										2	2	9	14	9	8	
		C	21										1		4	8	3	3	2	
123	Biliary calculi	W	66								1		3	1	10	10	19	14	8	
		C	6										3					3		
124	Other diseases of the liver	W	94	3			1		1	1	1		2	5	17	19	15	16	13	
		C	25								1	3	3	2	1	5	6	2	1	1
125	Diseases of the pancreas	W	8								1				1	2	2	2		
		C	1												1					
126	Peritonitis without specified cause	W	23	1		1		1		1		1	5		5	2	2	2	2	
		C	18			1			3			1	4	2	3	2	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,375	11	4	5	3	2	13	9	13	16	29	34	90	123	227	368	426	2
		Colored	682	3					2	8	13	22	22	33	94	134	125	105	119	2
128	Acute nephritis (including unspecified under 10 years)	W	91	3	3	4	1	2	9	2	5	2	3	4	9	6	10	15	13	
		C	80	1					1	6	5	3	3	5	9	18	11	8	10	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,026				2		3	5	7	6	14	19	46	90	185	306	341	2
		C	464	1					1	2	5	11	5	14	54	92	98	83	96	2
131	Other diseases of the kidneys and annexa	W	71	7	1	1			1	1	1	2	1	3	8	7	10	9	19	
		C	10	1							1	1	1		1	2	1	2		
132	Calculi of the urinary passages	W	14										1	1	4	1	1	3	3	
		C	1														1			
133	Diseases of the bladder	W	17										1			1	1	7	7	
		C	11											1	1		5	2	2	
134	Diseases of the urethra, etc	W	9										1		1	5		1	1	
		C	7												1	2		1	2	
135	Diseases of the prostate	W	72									1				1	8	24	39	
		C	30												1	5	6	9	9	
136	Nonvenereal diseases of the male genital organs	W	1	1																
		C	1													1				
137	Cysts, other benign tumors of the ovary	W	14									1			1	3	5	2	2	
		C	7												5	2				
138	Salpingitis and pelvic abscess (female)	W	25							1		4	7	5	5	3				
		C	23								1	6	5	3	6	2				
139	Benign tumors of the uterus	W	20										1	1	9	5	3		1	
		C	35										4	8	13	8	2			
140	Nonpuerperal uterine hemorrhage	C	1													1				
141	Other diseases of the female genital organs	W	15									1		1	7	1	4	1		
		C	12								1		4	2	3	1	1			
	VIII.—The puerperal state	White	278							2	53	56	52	43	69	3				
		Colored	141							2	34	30	26	26	20	2				1
143	Accidents of pregnancy	W	23								1	8	3	7	3	1				
		C	13								2	3	2	4	2					
144	Puerperal hemorrhage	W	22								2	1	6	3	10					
		C	6								1	1	2	2						
145	Other accidents of labor	W	23								4	3	5	5	6					
		C	15								5	2	2	1	5					
146	Puerperal septicemia	W	102							1	19	20	19	19	24					
		C	58							2	11	16	10	10	7	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	12									2	4	2	3	1				
		C	4								2			2						
148	Puerperal albuminuria and convulsions	W	95							1	27	22	14	7	23	1				
		C	44								13	8	9	7	6					1
149	Following childbirth (undefined)	W	1										1							
		C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	49	15		1	1		1		3	2	3		3	3	4	7	6	
		Colored	23									2	1	2	5	2	1	3	7	
151	Gangrene	W	16	1			1		1							1	2	4	6	
		C	14											1	3	1		3	6	
152	Furuncle	W	6								2		1			1		2		
53	Acute abscess	W	7	1		1									2	1	1	1		
		C	6									1	1	1	2	1				
154	Other diseases of the skin and annexa	W	20	13							1	2	2		1		1			
		C	3									1					1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	White	26	1	3		1		6	3	3	5					2	2		
		Colored	8						1		1		1		3		1	1		
155	Diseases of the bones (tuberculosis excepted)	W	23	1	3		1		6	3	3	5					1			
		C	2												1		1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1															1		
		C	5						1		1		1		2					
158	Other diseases of the organs of locomotion	W	2														1	1		
		C	1															1		
	XI.—Malformations	White	148	136	5	3	1	1		2										
		Colored	19	16	2	1														
159a	Congenital hydrocephalus	W	16	14	1	1														
		C	5	3	2															
159b	Congenital malformations of the heart	W	72	66	2	1	1	1		1										
		C	7	7																
159c	Other congenital malformations	W	60	56	2	1				1										
		C	7	6		1														
	XII.—Early infancy	White	1,020	1,020																
		Colored	261	261																
160	Congenital debility, icterus, sclerema	W	160	160																
		C	53	53																
161a	Premature birth	W	695	695																
		C	170	170																
161b	Injury at birth	W	97	97																
		C	15	15																
162	Other diseases peculiar to early infancy	W	66	66																
		C	22	22																
163	Lack of care	W	2	2																
		C	1	1																
164	XIII.—Old age (senility)	White	305														1	31	272	1
		Colored	106													1	2	14	87	2
	XIV.—External causes	White	1,466	54	35	33	34	22	82	64	112	134	111	108	187	156	84	105	143	2
		Colored	639	18	10	13	12	9	25	29	67	67	81	60	98	76	35	15	22	2
	Suicide	W	171							1	6	19	15	10	37	42	22	14	4	1
		C	11									1	3	1	2	3	1			
165	By poisons (gas or corrosives excepted)	W	13								1	2	2		4		1	2	1	
		C	1													1				
166	By corrosive substances	W	30								2	10		1	7	8	1	1		
		C	2									1	1							
167	By poisonous gas	W	5											1		1	3			
168	By hanging or strangulation	W	27							1	2		2	1	4	7	5	4	1	
		C	1										1							
169	By drowning	W	4									1	1	1		1				
170	By firearms	W	74							1	6	9	5	18	22	8	5			
		C	5									1	1	2		1				
171	By cutting or piercing instruments	W	16									1	1	4	3	3	2	2		
		C	2												2					
174	By other means	W	2													1				1
	Homicide	W	213	3					2	1	14	30	29	42	47	28	10	5	2	
		C	232							2	26	42	49	32	53	17	7	1	2	1
197	By firearms	W	179						2	1	10	27	24	39	40	23	10	2	1	
		C	169								16	29	42	22	43	9	5	1	1	1
198	By cutting or piercing instruments	W	14								3	1	2	1	1	3		2	1	
		C	44							2	6	10	6	8	7	5				
199	By other means	W	20	3							1	2	3	2	6	2		1		
		C	19								4	3	1	2	3	3	2		1	
	Accidental or undefined	W	1,082	51	35	33	34	22	80	62	92	85	67	56	103	86	52	86	137	1
		C	396	18	10	13	12	9	25	27	41	24	29	27	43	56	27	14	20	1
175	Poisoning by food	W	31	5	6	3	1	1	1			3	1	1	2	2		4	1	
		C	13	1	2					1	1	1	1		3	2	1			
177	Other acute poisonings (gas excepted)	W	18	5	1		1						2	1	2	4		1	1	
		C	1						1											
178	Conflagration	W	12		2		1		2	2	1		1	1	2					
		C	20	1	2	2		2	3	1	2	2	1	2		1			1	
179	Burns (conflagration excepted)	W	140	7	16	18	19	9	19	6	8	3	4	1	6	5	2	6	11	
		C	74	2	2	8	10	6	4	4	6	4	1	4	5	6	3	3	6	
180	Mechanical suffocation	W	23	21					1							1				
		C	10	8							1					1				
181	Absorption of irrespirable, irritating, or poisonous gas	W	7		1					1		1	1		1			2		
		C	1											1						
182	Drowning	W	61	2	1	2		2	6	6	15	7	6	4	7	2		1		
		C	15				1			4	7	1	2							
183	Traumatism by firearms (except in war)	W	75	1			2	2	3	14	16	10	3	8	6	8	1			1
		C	36			1		1	5	3	8	5	2	2	4	5				
184	Traumatism by cutting or piercing instruments	W	15		1				1	1			1		2	4	4	1		
		C	8	1					1	1	1	1			2		1			
185	Traumatism by fall	W	215	4	2	6	3	2	4	4	3	5	4	4	9	13	8	37	107	
		C	38	1	1				1	4	1		4	2	3	6	5	5	5	
186a	Traumatism in mines	W	17								2	3	2	2	6	2				
		C	6											3	1	2				
186b	Traumatism in quarries	C	2								1			1						
187	Traumatism by machines	W	10							2				2	1	2	1	2		
		C	7						1			1	1		2	2				
188a	Railroad accidents	W	94			1	1		2	3	9	14	7	10	18	12	11	4	2	
		C	34							1	4	2	7	4	5	3	4	1	3	
188b	Street-car accidents	W	11								2	3	1		1	2		1	1	
		C	4									1	1				2			
188c	Automobile accidents	W	172		1	2	3	4	27	10	16	21	20	12	16	12	12	12	4	
		C	60	1	1	2	1		6	6	5	1	2	5	11	13	2	3	1	
188d	Airplane and balloon accidents	W	2										1		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued																		
188e,f	Injuries by other vehicles—W	26					1	2	2	4			2	2	5	5	2	1	
	C	6							1			1			2	1	1		
188g	Landslide, other crushing—W	8		1				1		1	2			1	2				
	C	5								1					1	2			1
189	Injuries by animals (not poisoning)—W	16				2		3	3	2	1	2					3		
193	Excessive cold—W	1													1				
	C	5	1									1			1	1	1		
194	Excessive heat—W	7						1				1			2	1		2	
	C	5										1	1	2	1				
195	Lightning—W	11						1	1	1		1	3	3	1				
196	Other accidental electric shocks—W	16						1	2	2	4	1	1	5					
	C	3								2				1					
201	Fracture (cause not specified)—W	10									1		1				5	3	
	C	8	1					1			2	1		1	1			1	
202	Other external violence—W	84	6	3	1	1	1	5	5	10	7	8	3	12	6	7	5	4	
	C	35	1	2				2	1	1	3	3	2	3	9	5		3	
	XV.—Ill-defined diseases—White	1,268	583	44	19	6	7	9	8	9	11	6	18	47	67	96	153	181	4
	Colored	709	265	20	8	5	2	15	7	11	23	20	17	46	69	53	67	80	1
204	Sudden death—W	137	21	1	2			1	1	1	2	1	3	7	10	19	32	35	1
	C	51	5	1	1			1			2	3		5	13	7	7	6	
205a	Ill-defined—W	230	53	10	5	1	4	3	3	4	1	2	4	13	19	30	37	41	
	C	97	8	5	2		1	3			1	3	3	12	21	16	13	8	1
205b	Not specified or unknown—W	901	509	33	12	5	3	5	4	4	8	3	11	27	38	47	84	105	3
	C	561	252	14	5	5	1	11	7	11	20	14	14	29	35	30	47	66	
	UTAH																		
	All causes	5,048	900	188	72	49	39	144	127	156	170	162	189	490	473	547	651	671	20
	I.—Epidemic, endemic, and infectious diseases	607	78	69	24	14	14	44	21	29	35	23	34	74	63	36	30	18	1
1	Typhoid and paratyphoid fever	38					1	1	6	8	6	3	2	6	3	1	1		
5	Malaria	1		1															
7	Measles	96	15	28	13	7	5	20	2	4			1		1				
8	Scarlet fever	6	1	1				2	2										
9	Whooping cough	18	7	10	1														
10	Diphtheria	54	4	9	2	7	7	12	4	4	3	1		1					
11a	Influenza (with pulmonary complications)	74	17	8	3			3	1	3	2	1	4	7	10	3	6	6	
11b	Influenza (other and unspecified)	39	7	3	2			2		2	2		1	3	1	1	8	7	
16	Dysentery	2												1			1		
21	Erysipelas	38	20	2	2				2				1	4	3	2	1	1	
22	Acute anterior poliomyelitis	1		1															
23	Lethargic encephalitis	6		1				1	1						1	1	1		
24	Meningococcus meningitis	7						2	2	1	1		1						
25	Other epidemic and endemic diseases	5		3							1					1			
30	Mycoses	1											1						
	Tuberculosis (all forms)	183	2	1	1		1			6	18	14	20	41	38	24	12	4	1
31	Of the respiratory system	158								5	16	12	18	35	34	22	11	4	1
32	Of the meninges, central nervous system	6	2	1	1									2					
33	Of the intestines, peritoneum	6									2			2	1	1			
34	Of the vertebral column	5												1	2	1	1		
35	Of the joints	1												1					
36	Of other organs	1											1						
37a	Disseminated (acute)	5					1			1		1	1		1				
37b	Disseminated (chronic or unspecified)	1										1							
38	Syphilis	29	5								1	3	3	9	5	3			
40	Gonococcus infection	1												1					
41	Purulent infection, septicemia	8		1				1	1	1	1	1		1	1				
	II.—General diseases not included in Class I	522	17	2		3	3	4	12	4	6	13	15	55	84	122	116	65	1
	Cancer and other malignant tumors	329				1	1	2	3	2		6	8	22	60	84	87	53	
43	Of the buccal cavity	12												1	1	5	2	3	
44	Of the stomach, liver	130										1	1	2	21	36	44	25	
45	Of the peritoneum, intestines, rectum	43										1	1	5	5	13	12	6	
46	Of the female genital organs	36								1			2	4	14	4	6	5	
47	Of the breast	29											2	4	8	8	3	4	
48	Of the skin	5														1	2	2	
49	Of other or unspecified organs	74				1	1	2	3	1		4	2	6	11	17	18	8	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6										1			1	1	2	1	
51	Acute rheumatic fever	16					1	2	2				1	3	2	1	3	1	
52	Chronic rheumatism, osteoarthritis, gout	6														3	2	1	
56	Rickets	1		1															
57	Diabetes mellitus	61							6	2	1		1	3	10	18	16	4	
58	Anemia, chlorosis	25	1				1				1	1		7	3	5	4	2	
60a	Exophthalmic goiter	30									2	1	2	11	4	8	1	1	
60b	Other diseases of the thyroid gland	3										1	1	1					
62	Diseases of the thymus gland	5	4	1															
63	Diseases of the adrenals (Addison's disease)	3											1	1	1				
64	Diseases of the spleen	1											1						
65a	Leukemia	5	1			2										2			
65b	Hodgkin's disease	5	1								1	1		1				1	
66	Alcoholism (acute or chronic)	11									1	2		4	3				1
67a	Chronic lead poisoning	3												2			1		
69	Other general diseases	12	10						1									1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	466	15	7	4	2	2	9	7	12	11	9	8	19	57	71	107	126	
70	Encephalitis	5	1							1		1			1	1			
71a	Simple meningitis	11	5	2							2		1	1					
71b	Nonepidemic cerebrospinal meningitis	11	2	2	1			1	1	2	1						1		
72	Tabes dorsalis (locomotor ataxia)	1												1					
73	Other diseases of the spinal cord	16						1	1		1	1	1		1	4	5	1	
74a	Cerebral hemorrhage	273			1							1		3	30	47	88	103	
74b	Cerebral embolism and thrombosis	11	1			1				2					2	1		4	
75	Paralysis without specified cause	10				1									1		1	7	
76	General paralysis of the insane	25								1			1	6	9	4	3	1	
77	Other forms of mental alienation	26										1	2	3	5	4	5	6	
78	Epilepsy	23							1	5	2	1	2	2	1	3	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	7	5		2														
82	Neuralgia and neuritis	1														1			
83	Softening of the brain	1														1			
84	Other diseases of the nervous system	18					1	2			2	2		1	6	3		1	
86a	Diseases of the ear	21	1	2			1	4	3	1	1	2	1	2	1	1	1		
86b	Diseases of the mastoid process	5		1					1		2					1			
	IV.—Diseases of the circulatory system	623	2				1	10	30	22	14	14	13	52	67	110	140	148	
87	Pericarditis	3											1		2				
88	Endocarditis and myocarditis (acute)	35							2	4	3	3	3	6	2	5	2	5	
89	Angina pectoris	44												3	7	15	9	10	
90	Other diseases of the heart	490	1				1	8	28	18	11	10	8	41	54	81	115	114	
91a	Aneurysm	5												1	1	3			
91b,c	Other diseases of the arteries	29													1	1	11	16	
92	Embolism and thrombosis (not cerebral)	12	1					2				1	1			4	2	1	
93	Diseases of the veins	3												1		1		1	
94	Diseases of the lymphatic system	1																1	
95	Hemorrhage without specified cause	1															1		
	V.—Diseases of the respiratory system	587	155	52	16	5	5	13	4	21	8	11	9	42	50	50	62	84	
97b	Diseases of the nasal fossae annexa	7	1							1	1	1	1	2					
98	Diseases of the larynx	4	1		1		1	1											
99a	Acute bronchitis	10	4	1												1		4	
99b	Chronic bronchitis	7													2	1	1	3	
99c,d	Bronchitis (unspecified)	11	4	1	1									1	1		1	2	
100a	Broncho-pneumonia	241	111	36	8	2	1	5	2	2	1		1	2	11	10	18	31	
101a	Lobar pneumonia	231	18	9	4	3	3	6	2	14	4	9	6	29	27	32	34	31	
101b	Pneumonia (unspecified)	41	15	3	2			1		3		1		2		4	4	6	
102	Pleurisy	9		2							1		1	1	2	1		1	
103	Congestion and hemorrhagic infarct of the lung	9	1							1					1		2	4	
105	Asthma	7													4		2	1	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	9									1			5	2	1			
	VI.—Diseases of the digestive system	468	102	34	16	12	3	25	20	23	18	17	14	35	39	39	37	34	
108	Diseases of the mouth and annexa	2									1	1							
109b	Other diseases of the pharynx, tonsils	35	3	2	3	1	1	4	7	2	5	1	1	2	1	1		1	
110	Diseases of the esophagus	2													1		1		
111a	Ulcer of the stomach	27									1	3		8	2	8	5		
111b	Ulcer of the duodenum	10												2	2	3	2	1	
112	Other diseases of the stomach (cancer excepted)	21	6	2	1									1	1		3	7	
113	Diarrhea and enteritis (under 2 years)	96	68	28															
114	Diarrhea and enteritis (2 years and over)	31			8	7			1			2		3	1	2	1	6	
116	Diseases due to other intestinal parasites	1									1								
117	Appendicitis and typhlitis	121	1	1	3	3	2	20	11	18	9	6	9	10	18	5	4	1	
118a	Hernia	17	2											1		2	6	6	
118b	Intestinal obstruction	36	18	1	1			1	1	1	1	1			2	3	4	2	
119	Other diseases of the intestines	4								1				1	1	1			
120	Acute yellow atrophy of the liver	6	1											1	1	1		2	
122	Cirrhosis of the liver	18	2										1	2	6	4	1	2	
123	Biliary calculi	12											1	2		3	5	1	
124	Other diseases of the liver	21										1	1	2	3	5	5	4	
125	Diseases of the pancreas	2				1							1						
126	Peritonitis without specified cause	6	1							1		2				1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	381	2		1		1	4	7	8	3	6	16	43	39	56	97	98	
128	Acute nephritis (including unspecified under 10 years)	29			1			3	3	2	1		4	4	3	2	3	3	
129	Chronic nephritis (including unspecified 10 years and over)	283					1	1	3	6	2	5	8	24	30	47	79	77	
131	Other diseases of the kidneys and annexa	12	2						1					4	1	1	2	1	
132	Calculi of the urinary passages	7											1	1	2	2		1	
133	Diseases of the bladder	3														1		2	
134	Diseases of the urethra, etc	1													1				
135	Diseases of the prostate	25													1	3	9	12	
137	Cysts, other benign tumors of the ovary	2															1	1	
138	Salpingitis and pelvic abscess (female)	9										1	3	3	1		1		
139	Benign tumors of the uterus	8												5			2	1	
141	Other diseases of the female genital organs	2												2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	VIII.—The puerperal state	63								4	9	11	11	26	2				
143	Accidents of pregnancy	6									1	1	1	3					
144	Puerperal hemorrhage	9									2	1	2	3	1				
145	Other accidents of labor	4									2	1		1					
146	Puerperal septicemia	22								3	3	5	4	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	2											1	1					
148	Puerperal albuminuria and convulsions	20								1	1	3	3	11	1				
	IX.—Diseases of the skin and of the cellular tissue	6								1	1							4	
151	Gangrene	4									1							3	
152	Furuncle	1								1									
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	10		1	1							2	1	2		1	2		
155	Diseases of the bones (tuberculosis excepted)	8		1	1							1	1	2		1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2										1					1		
	XI.—Malformations	75	66	3	1		1	3	1										
159a	Congenital hydrocephalus	7	7																
159b	Congenital malformations of the heart	43	37	2	1		1	2											
159c	Other congenital malformations	25	22	1				1	1										
	XII.—Early infancy	422	422																
160	Congenital debility, icterus, sclerema	34	34																
161a	Premature birth	299	299																
161b	Injury at birth	65	65																
162	Other diseases peculiar to early infancy	22	22																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	65														1	6	57	1
	XIV.—External causes	649	12	17	8	12	9	31	24	30	62	56	68	136	67	42	38	20	17
	Suicide	35								1	4	5	3	8	6	6	1	1	
165	By poisons (gas or corrosives excepted)	3									1			2					
166	By corrosive substances	4									1	1	2						
167	By poisonous gas	1										1							
168	By hanging or strangulation	5												2	1	2			
169	By drowning	1													1				
170	By firearms	16								1	2	2	1	3	2	3	1	1	
171	By cutting or piercing instruments	3												1	1	1			
172	By jumping from high places	1										1							
174	By other means	1													1				
	Homicide	28						2		2	3	5	5	6	2	2			1
197	By firearms	20								1	3	5	4	5		2			
198	By cutting or piercing instruments	1																	1
199	By other means	7						2		1			1	1	2				
	Accidental or undefined	586	12	17	8	12	9	29	24	27	55	46	60	122	59	34	37	19	16
175	Poisoning by food	4			1							1	1	1					
176	Poisoning by venomous animals	2	2																
177	Other acute poisonings (gas excepted)	13	1	1	1			1	1		3	2	1	1	1				
178	Conflagration	3									2					1			
179	Burns (conflagration excepted)	22		1	1	4	3	4		1			2	1	1	2	1	1	
180	Mechanical suffocation	6	5									1							
181	Absorption of irrespirable, irritating, or poisonous gas	6							1	1	1		1	1	1				
182	Drowning	30		10	2	1		4	2	4	3				2	1	1		
183	Traumatism by firearms (except in war)	13						3	2		2	1	2	1	1		1		
184	Traumatism by cutting or piercing instruments	2							1						1				
185	Traumatism by fall	40		2	1	1		1	4	2				6	2	3	5	13	
186a	Traumatism in mines	235								7	24	31	38	82	29	8	4		12
187	Traumatism by machines	8									1			4	1		2		
188a	Railroad accidents	35		1				1		2	7	4	3	3	5	4	2		3
188b	Street-car accidents	3						1					1				1		
188c	Automobile accidents	81		2	1	3	3	12	8	6	3	4	5	9	10	7	6	2	
188e,f	Injuries by other vehicles	15					2	2			1			4	2	1	3		
188g	Landslide, other crushing	4									1		1	1	1				
189	Injuries by animals (not poisoning)	7				1	1		2					2	1				
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	2												1			1		
195	Lightning	1															1		
196	Other accidental electric shocks	9						1		1	3	1	3	1					
201	Fracture (cause not specified)	20				1			2	2	1	1	1	1		3	4	3	1
202	Other external violence	24	4		1	1			1	1	3		1	3	1	4	4		
	XV.—Ill-defined diseases	104	29	3	1	1		1	1	2	3			6	5	19	16	17	
204	Sudden death	10	2												1	2	4	1	
205a	Ill-defined	53	15	3					1	1	2			4	1	10	6	10	
205b	Not specified or unknown	41	12		1	1		1		1	1			2	3	7	6	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT																		
	All causes	4,860	520	59	37	27	19	63	45	83	81	89	116	220	416	666	1,001	1,418	
	I.—Epidemic, endemic, and infectious diseases	512	45	18	16	14	7	23	10	15	35	34	30	48	68	55	41	53	
1	Typhoid and paratyphoid fever	12					1	1	2		1		1	5			1		
7	Measles	14	5	2	3	1		2					1						
8	Scarlet fever	12		1		2	1	6		2									
9	Whooping cough	28	20	3	3	1									1				
10	Diphtheria	25	1	2	4	7	2	7			1					1			
11a	Influenza (with pulmonary complications)	37	3	2		2		2						1	1	4	9	13	
11b	Influenza (other and unspecified)	51	6	2	1										4	5	5	28	
21	Erysipelas	13	1											2	2	2	3	3	
22	Acute anterior poliomyelitis	5		2					1					1		1			
23	Lethargic encephalitis	6									1	1	2		1		1		
24	Meningococcus meningitis	1	1																
29	Tetanus	2						1								1			
	Tuberculosis (all forms)	287	6	3	4	1	3	5	6	13	30	31	26	34	55	41	22	7	
31	Of the respiratory system	240	3	1				1	5	11	23	29	24	29	51	37	21	5	
32	Of the meninges, central nervous system	21	3	2	3	1	2	4	1		2	1		2					
33	Of the intestines, peritoneum	9			1						1	1	1	1	2	2			
34	Of the vertebral column	6					1			1	2			1				1	
36	Of other organs	6								1				1	2		1	1	
37a	Disseminated (acute)	4									1		1			2			
37b	Disseminated (chronic or unspecified)	1									1								
38	Syphilis	7	1											1	4			1	
40	Gonococcus infection	2									1			1					
41	Purulent infection, septicemia	10	1	1	1						1	2		3				1	
	II.—General diseases not included in Class I	610	9		1	1	1	4	3	7	5	4	15	30	91	124	186	129	
	Cancer and other malignant tumors	422						2			2		5	17	70	86	136	104	
43	Of the buccal cavity	17													1	5	6	5	
44	Of the stomach, liver	145											2	6	21	30	53	33	
45	Of the peritoneum, intestines, rectum	63									1				5	17	26	14	
46	Of the female genital organs	70												7	24	15	16	8	
47	Of the breast	51												2	11	6	19	13	
48	Of the skin	15													2	2	1	10	
49	Of other or unspecified organs	61						2			1		3	2	6	11	15	21	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4															1	3	
51	Acute rheumatic fever	11							1	1	2	1			1	1	3	1	
52	Chronic rheumatism, osteoarthritis, gout	10														3	2	5	
54	Pellagra	1								1									
57	Diabetes mellitus	78					1	1		5		1	1	4	6	13	31	15	
58	Anemia, chlorosis	38	2									1	4	4	4	12	10	1	
60a	Exophthalmic goiter	8											1	2	1	4			
60b	Other diseases of the thyroid gland	2													1	1			
62	Diseases of the thymus gland	5	3		1				1										
63	Diseases of the adrenals (Addison's disease)	4											1	1	1	1			
64	Diseases of the spleen	1															1		
65a	Leukemia	4						1					1		1		1		
65b	Hodgkin's disease	5							1		1		1	1	1				
66	Alcoholism (acute or chronic)	10										1	1	1	5	2			
69	Other general diseases	7	4			1										1	1		
	III.—Diseases of the nervous system and of the organs of special sense	608	17	2	1	1	1	4	3	4	3	7	4	22	55	106	161	217	
70	Encephalitis	5			1			1	1						1			1	
71a	Simple meningitis	9	4	1			1				1		1	1					
71b	Nonepidemic cerebrospinal meningitis	1												1					
72	Tabes dorsalis (locomotor ataxia)	10													1	3	4	2	
73	Other diseases of the spinal cord	19										1		1	4	5	4	4	
74a	Cerebral hemorrhage	449									1		3	7	35	85	140	178	
74b	Cerebral embolism and thrombosis	27										1		2	1	4	7	12	
75	Paralysis without specified cause	5				1										1	1	2	
76	General paralysis of the insane	10								1				4		1		4	
77	Other forms of mental alienation	5												1	1	1	1	1	
78	Epilepsy	18	2					1	1	3		2		4	3		1	1	
79	Convulsions (nonpuerperal; 5 years and over)	2							1							1			
80	Infantile convulsions (under 5 years)	12	11	1															
82	Neuralgia and neuritis	1																1	
83	Softening of the brain	8														1	1	6	
84	Other diseases of the nervous system	21									1	3		1	6	4	2	4	
86a	Diseases of the ear	3						1							2				
86b	Diseases of the mastoid process	3						1							1			1	
	IV.—Diseases of the circulatory system	1,064	1	1				1	3	5	3	6	5	25	56	147	303	508	
87	Pericarditis	9							1			1	1			1	2	3	
88	Endocarditis and myocarditis (acute)	16							2	1	1	2		1		2	5	2	
89	Angina pectoris	95									1			3	7	17	33	34	
90	Other diseases of the heart	750	1	1				1		4	1	3	4	20	44	110	220	341	
91a	Aneurysm	2												1		1			
91b,c	Other diseases of the arteries	180													4	13	40	123	
92	Embolism and thrombosis (not cerebral)	10													1	3	2	4	
93	Diseases of the veins	2															1	1	
	V.—Diseases of the respiratory system	435	58	19	4	2	2	6	3	7	4	2	10	12	34	64	86	122	
98	Diseases of the larynx	2		1					1										
99a	Acute bronchitis	16	5					1							1		4	5	
99b	Chronic bronchitis	19											1		2	3	4	9	
99c,d	Bronchitis (unspecified)	13	4					1							1	1		6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	V.—Diseases of the respiratory system—Continued																		
100a	Broncho-pneumonia	136	35	10	3			1		2			3	2	7	13	17	43	
100b	Capillary bronchitis	5	4													1			
101a	Lobar pneumonia	191	9	5	1	2	1	3	1	5	4	2	6	7	14	35	50	46	
101b	Pneumonia (unspecified)	27	1	3			1		1						1	3	6	11	
102	Pleurisy	8												1	2	1	3	1	
103	Congestion and hemorrhagic infarct of the lung	4													2	1		1	
105	Asthma	9												1	2	4	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	5												1	2	2			
	VI.—Diseases of the digestive system	311	66	11	4	4	3	7	4	10	6	5	9	19	23	41	41	58	
108	Diseases of the mouth and annexa	3	1											1			1		
109b	Other diseases of the pharynx, tonsils	8			1		1				1	1		2		1		1	
111a	Ulcer of the stomach	19									1		2	4	2	4	5	1	
111b	Ulcer of the duodenum	3													1	1	1		
112	Other diseases of the stomach (cancer excepted)	32	6	2									1		1	6	5	11	
113	Diarrhea and enteritis (under 2 years)	60	52	8															
114	Diarrhea and enteritis (2 years and over)	19			2	2	1	1						1		3		9	
117	Appendicitis and typhlitis	61				1	1	4	3	9	2	3	4	5	9	9	5	6	
118a	Hernia	19												1	2	2	3	11	
118b	Intestinal obstruction	38	5	1	1			2			1		1	2	4	5	6	10	
119	Other diseases of the intestines	3	1													1		1	
120	Acute yellow atrophy of the liver	1																1	
122	Cirrhosis of the liver	11												1	1	2	5	2	
123	Biliary calculi	11								1			1			3	3	3	
124	Other diseases of the liver	16												2	3	3	6	2	
125	Diseases of the pancreas	1															1		
126	Peritonitis without specified cause	6	1			1			1		1	1				1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	450	2		1			3		3	3	1	7	16	57	77	121	159	
128	Acute nephritis (including unspecified under 10 years)	14	1					1					1	3	3	3		2	
129	Chronic nephritis (including unspecified 10 years and over)	383	1		1			2		3	3	1	4	11	43	67	114	133	
131	Other diseases of the kidneys and annexa	5												1	1		1	2	
133	Diseases of the bladder	5																5	
134	Diseases of the urethra, etc	1													1				
135	Diseases of the prostate	25														5	4	16	
137	Cysts, other benign tumors of the ovary	4													3			1	
138	Salpingitis and pelvic abscess (female)	3											2		1				
139	Benign tumors of the uterus	8												1	5	1	1		
141	Other diseases of the female genital organs	2														1	1		
	VIII.—The puerperal state	60								9	7	10	14	18	2				
143	Accidents of pregnancy	6								1	1	1	2	1					
144	Puerperal hemorrhage	7									1	2		4					
145	Other accidents of labor	7								3		3		1					
146	Puerperal septicemia	15								2	1	1	5	5	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	3									1		1	1					
148	Puerperal albuminuria and convulsions	22								3	3	3	6	6	1				
	IX.—Diseases of the skin and of the cellular tissue	15	2									1				2	5	5	
151	Gangrene	8										1				1	3	3	
152	Furuncle	1															1		
154	Other diseases of the skin and annexa	6	2													1	1	2	
	X.—Diseases of the bones and of the organs of locomotion	3														2	1		
155	Diseases of the bones (tuberculosis excepted)	2														2			
158	Other diseases of the organs of locomotion	1															1		
	XI.—Malformations	65	58	4	2			1											
159a	Congenital hydrocephalus	8	5	3															
159b	Congenital malformations of the heart	32	29		2			1											
159c	Other congenital malformations	25	24	1															
	XII.—Early infancy	245	245																
160	Congenital debility, icterus, sclerema	42	42																
161a	Premature birth	145	145																
161b	Injury at birth	29	29																
162	Other diseases peculiar to early infancy	27	27																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	118														1	7	110	
	XIV.—External causes	345	11	3	8	5	5	14	18	23	15	19	22	29	29	41	46	57	
	Suicide	49									2	4	4	11	7	14	3	4	
165	By poisons (gas or corrosives excepted)	2											1		1				
166	By corrosive substances	1													1				
167	By poisonous gas	4												1		3			
168	By hanging or strangulation	9												2		3	2	2	
169	By drowning	3												2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	XIV.—External causes—Continued																		
	Suicide—Continued.																		
170	By firearms	25									2	4	2	5	3	7	1	1	
171	By cutting or piercing instruments	4												1	1	1		1	
173	By crushing	1											1						
	Homicide	2										1	1						
197	By firearms	1											1						
199	By other means	1										1							
	Accidental or undefined	294	11	3	8	5	5	14	18	23	13	14	17	18	22	27	43	53	
175	Poisoning by food	1						1											
176	Poisoning by venomous animals	1														1			
177	Other acute poisonings (gas excepted)	10		1	4							1	1	2	1				
178	Conflagration	19	2			1			2			1	2	1	2	1	7		
179	Burns (conflagration excepted)	8		1	1	1	1	1									1	2	
180	Mechanical suffocation	8	7						1										
181	Absorption of irrespirable, irritating, or poisonous gas	1														1			
182	Drowning	33		1	1	2	2	4	5	5	3	1	5	3	1				
183	Traumatism by firearms (except in war)	11							3	4	2	1			1				
184	Traumatism by cutting or piercing instruments	3												1		1		1	
185	Traumatism by fall	76	1		1			1	1					1	5	3	18	45	
186b	Traumatism in quarries	8								3	1		1			2	1		
187	Traumatism by machines	13						1		2	1	2		1	2	1	2	1	
188a	Railroad accidents	24	1								1	1	3	4	4	8	2		
188b	Street-car accidents	1														1			
188c	Automobile accidents	48			1	1	1	5	6	5	4	3	3	2	4	4	7	2	
188e,f	Injuries by other vehicles	3								1							2		
188g	Landslide, other crushing	1										1							
189	Injuries by animals (not poisoning)	3										1				1		1	
193	Excessive cold	1													1				
194	Excessive heat	1																1	
196	Other accidental electric shocks	5								1	1	2	1						
202	Other external violence	15					1	1		2			1	3	1	3	3		
	XV.—Ill-defined diseases	19	6	1					1					1	1	6	3		
204	Sudden death	1														1			
205a	Ill-defined	8		1					1							3	3		
205b	Not specified or unknown	10	6											1	1	2			
	VIRGINIA																		
	All causes—White	17,710	2,947	482	235	154	81	327	240	386	543	473	464	1,086	1,540	2,036	3,039	3,660	17
	All causes—Colored	11,465	2,043	421	130	93	66	184	226	522	622	518	455	1,259	1,556	1,337	1,027	984	22
	I.—Epidemic, endemic, and infectious diseases—White	2,884	436	180	94	72	36	108	75	110	186	172	140	291	263	233	273	212	3
	I.—Epidemic, endemic, and infectious diseases—Colored	2,556	326	148	48	38	24	82	94	263	338	235	146	312	235	135	68	59	5
1	Typhoid and paratyphoid fever—W	123	2	1	2		1	7	13	19	9	13	10	20	14	7	3	1	1
	Typhoid and paratyphoid fever—C	82			1		2	7	16	12	14	9	3	11	4	2		1	
5	Malaria—W	9	1								2			1	1	1	2	1	
	Malaria—C	26				1			2	4	2	1	1	3	6	4	1	1	
6	Smallpox—C	2													1			1	
7	Measles—W	140	35	30	11	6	2	14	7	8	5	3		4	7	4	3	1	
	Measles—C	76	23	17	4	5	5	6	3	7	2		1	1	1				1
8	Scarlet fever—W	30	1	5	4	6	2	8	2	1				1					
	Scarlet fever—C	3	1					1			1								
9	Whooping cough—W	271	173	56	17	10	1	8	1	2				1		1			1
	Whooping cough—C	243	137	64	16	7	5	11	2	1									
10	Diphtheria—W	170	26	29	22	29	16	31	11	1	1	2	1						1
	Diphtheria—C	46	7	2	4	7	2	18	1	2	3								
11a	Influenza (with pulmonary complications)—W	315	55	15	7	3	5	6	6	8	9	8	10	25	26	40	41	51	
	Influenza (with pulmonary complications)—C	213	40	14	4	3		1	6	14	11	3	6	27	32	21	16	14	1
11b	Influenza (other and unspecified)—W	159	29	3	4	2	5	1	2	6	2	2	2	6	10	13	26	46	
	Influenza (other and unspecified)—C	120	11	1	1	1			3	3	3	2	8	19	18	20	11	19	
13	Mumps—W	2		1				1											
	Mumps—C	1							1										
15	Cholera nostras—W	6	2						1					1				2	
	Cholera nostras—C	3	2													1			
16	Dysentery—W	119	37	14	9	5		6	2		1			4	3	6	12	20	
	Dysentery—C	56	25	6	4	1				1			1	2	3	5		8	
21	Erysipelas—W	52	11		1	1				1	2	1	2	1	6	5	12	9	
	Erysipelas—C	11	2							1				2	2	2	1	1	
22	Acute anterior poliomyelitis—W	13	3	3	2			2	3										
	Acute anterior poliomyelitis—C	14	2	3	1	2	1	2	2	1									
23	Lethargic encephalitis—W	10	2		1			2						2	3				
	Lethargic encephalitis—C	3								1		1		1					
24	Meningococcus meningitis—W	27	10	5	3	1		1	1	1	1	2		1				1	
	Meningococcus meningitis—C	5	3				1					1							
25	Other epidemic and endemic diseases—W	4	1	1				1	1										
	Other epidemic and endemic diseases—C	2	1															1	
28	Rabies—W	2							2										
29	Tetanus—W	21						5	5	1	1	1	1	2	2		2	1	
	Tetanus—C	17	4				1	2	3		2			4	1				
30	Mycoses—W	2	2																
	Mycoses—C	10	8		1											1			
	Tuberculosis (all forms)—W	1,308	26	17	10	9	4	14	16	59	147	135	109	203	175	146	162	76	
	Tuberculosis (all forms)—C	1,411	18	28	11	10	6	34	54	211	288	201	109	194	136	64	32	12	3
31	Of the respiratory system—W	1,155	7	6	3	4		4	10	53	139	129	99	190	154	132	155	70	
	Of the respiratory system—C	1,262	9	15	4	6	5	19	46	186	269	189	99	182	130	60	28	12	3
32	Of the meninges, central nervous system—W	59	15	10	4	4	4	8	3	3	2	1	1	1	2	1			
	Of the meninges, central nervous system—C	40	7	9	5	3	1	4	1	6	1	1	1	1					
33	Of the intestines, peritoneum—W	45		1	1	1				3	3	2	5	7	7	6	4	5	
	Of the intestines, peritoneum—C	51		2				4	3	7	11	4	5	6	5	2	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued																			
	Tuberculosis (all forms)—Continued.																			
34	Of the vertebral column	W	9										1	2	3	1	2			
		C	6		1				2		2		1							
35	Of the joints	W	3									1					2			
		C	6			1			1		1	1	1					1		
36	Of other organs	W	23	1		2			2	2			2	1			10		2	1
		C	18	2	1	1			1		2	3	3		1	1	2	1		
37a	Disseminated (acute)	W	9	3						1		1		1	2			1		
		C	26						3	4	7	3	1	4	4					
37b	Disseminated (chronic or unspecified)	W	5									1				1	3			
		C	2				1						1							
38	Syphilis	W	84	20		1				1		4	3	4	16	14	10	10	1	
		C	189	42	13	1	1	1			3	10	16	13	43	26	13	6	1	
39	Soft chancre	C	1									1								
40	Gonococcus infection	W	8							1	2	2	1	1	1					
		C	12								2	1	1	4	2	2				
41	Purulent infection, septicemia	W	9						1		1		1		2	2			2	
		C	10							1					3	3	2	1		
	II.—General diseases not included in Class I.	White	1,643	24	12	3	3	2	16	13	18	13	21	39	152	283	376	390	275	3
		Colored	621	22	8	1	1	2	3	8	13	16	22	31	113	134	121	80	44	2
	Cancer and other malignant tumors	W	1,107		1		1	1	5	3	3	6	8	22	105	206	258	278	208	2
		C	374		1		1			2	6	4	7	17	63	98	89	54	31	1
43	Of the buccal cavity	W	40									1		1	1	4	9	13	11	
		C	5										1		1		1	2		
44	Of the stomach, liver	W	408				1		1		1	1	2	3	27	60	100	122	90	
		C	122								1		2		16	33	35	24	11	
45	Of the peritoneum, intestines, rectum	W	98					1	1		1		3	1	11	9	26	30	15	
		C	30				1				1			3	4	8	5	4	4	
46	Of the female genital organs	W	199										1	6	37	57	51	37	10	
		C	111							1	1	1	2	11	32	29	20	9	5	
47	Of the breast	W	100										1	3	13	36	21	13	13	
		C	34											2	4	13	7	4	4	
48	Of the skin	W	47											1	1	5	6	10	24	
		C	7													2	2	2	1	
49	Of other or unspecified organs	W	215		1				3	3	1	4	1	7	15	35	45	53	45	2
		C	65		1					1	3	3	2	1	6	13	19	9	6	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	12			1									1	4	3		3	
		C	5												2	1	2			
51	Acute rheumatic fever	W	38		1				5	4	3	1		2	1		2	8	11	
		C	47					1	1	2	3	1	3	2	12	4	5	6	7	
52	Chronic rheumatism, osteoarthritis, gout	W	33											1		2	10	8	12	
		C	16										1		1	5	3	4	2	
53	Scurvy	C	1						1											
54	Pellagra	W	45								1		4		9	6	10	12	3	
		C	30									3	5	1	8	6	5	2		
56	Rickets	W	3	1	2															
		C	16	9	4	1			1	1										
57	Diabetes mellitus	W	189						3	2	6		4	3	13	24	57	49	28	
		C	60					1		1	2		4	2	12	12	12	10	3	1
58	Anemia, chlorosis	W	66					1		1		2		5	7	9	16	19	6	
		C	15		2					1	1	4		1	2	2	2			
59	Diseases of the pituitary gland	W	4										1	1	1	1				
60a	Exophthalmic goiter	W	38									2	1	2	6	16	7	4		
		C	10							1			1	1	5	1		1		
60b	Other diseases of the thyroid gland	W	10	1	1									1	2	1	1	2		1
		C	4	2											1				1	
61	Diseases of the parathyroid glands	W	3	3																
		C	4	3											1					
62	Diseases of the thymus gland	W	8	7	1															
		C	4	4																
63	Diseases of the adrenals (Addison's disease)	W	5												1	1	2	1		
65a	Leukemia	W	26	1	1	1	2		2	1	2	1	1	1	1	2	5	4	1	
		C	5									1	1	1		1		1		
65b	Hodgkin's disease	W	12							2	1	1			1	3	2	2		
		C	5											2		1	1	1		
66	Alcoholism (acute or chronic)	W	19								1		1	1	4	8	2	1	1	
		C	18								1	3		3	6	3	2			
67a	Chronic lead poisoning	W	1														1			
69	Other general diseases	W	24	11	5	1			1		1		1					2	2	
		C	7	4	1									1				1		
	III.—Diseases of the nervous system and of the organs of special sense	White	2,047	74	16	15	8	3	26	17	23	28	19	26	64	191	325	583	629	
		Colored	1,290	61	11	4	6	4	10	15	12	19	28	25	148	324	258	214	148	3
70	Encephalitis	W	29	2	2	1	1	1	3	2	2		5		2	3	2	3		
		C	10	1	1		1		1	2		1		1		2				
71a	Simple meningitis	W	44	21	4	3	1	1	3	1	2	2	2			1	3			
		C	24	3	3	3	3		1	1	1	1	2	1		2	2	1		
71b	Nonepidemic cerebrospinal meningitis	W	29	7	3	3			7	2	1	2	1	1	1		1			
		C	4	1						1			1		1					
72	Tabes dorsalis (locomotor ataxia)	W	10											1	1	2	1	3	2	
		C	7									2	1	1	1	1	1			
73	Other diseases of the spinal cord	W	45	1	1									1	2	5	12	11	12	
		C	21		1			1						1	3	7	6	2		
74a	Cerebral hemorrhage	W	1,364	1	1					3	1	2	5	10	31	140	239	456	475	
		C	878	1	1			1	1			4	11	11	115	256	202	160	113	2
74b	Cerebral embolism and thrombosis	W	29									1			2	2	5	12	7	
		C	18										1		1	4	3	7	2	
75	Paralysis without specified cause	W	194			1									1	14	24	65	89	
		C	122	1							1			1	3	30	29	30	27	
76	General paralysis of the insane	W	35									1		3	11	6	5	5	4	
		C	18									1	3	1	6		4	2		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
77	Other forms of mental alienation	W	26									2	2	2	2	5	4	4	5	
		C	28								2		3	2	8	9	1	2	1	
78	Epilepsy	W	57	1	1		2		1	3	10	12	2	3	6	5	5	3	3	
		C	48	3		1	1		2	8	5	7	1	3	6	7	1	3		
79	Convulsions (nonpuerperal; 5 years and over)	W	3						1		1	1								
		C	6						2				2				1	1		
80	Infantile convulsions (under 5 years)	W	37	30	1	4	2													
		C	49	45	2		1	1												
81	Chorea	W	2						1										1	
		C	1																	
82	Neuralgia and neuritis	W	7							1			1			1			2	3	
		C	4		1							1						1	1	
83	Softening of the brain	W	21															2	8	11	
		C	4														1	2		1	
84	Other diseases of the nervous system	W	77	5	1	2	2		5	1	3	3	1	3	3	5	18	11	14	
		C	27	5	1				1	1	2	1	1	2	3	4	2	3	1	
85	Diseases of the eye and annexa	W	2					1											1	
		C	2												1			1		
86a	Diseases of the ear	W	24	6	2	1			4	3	1	1	1	1	1	1	1		1	
		C	12		1			1	1	1			1	1		1	2	1	2	
86b	Diseases of the mastoid process	W	12						1	1	2	1		1		2	3		1	
		C	7	1					1	1	1	1					1		1	
	IV.—Diseases of the circulatory system	White	2,707	13	4	3		1	14	14	28	27	19	29	120	258	446	755	976	
		Colored	1,541	5	1	2			9	15	19	23	41	60	221	326	325	263	229	2
87	Pericarditis	W	8								1						1	4	2	
		C	9									2			1	3		3		
88	Endocarditis and myocarditis (acute)	W	38	5	2				4	1	3	3	3	4	3	3	2	3	2	
		C	57	2		1			3		5	4	5	9	17	6	3	1	1	
89	Angina pectoris	W	190										1	2	8	25	47	69	38	
		C	56									1	1	5	13	14	15	6	1	
90	Other diseases of the heart	W	2,212	8	2	3			9	13	23	22	14	22	102	216	378	632	768	
		C	1,295	1	1	1			6	14	14	16	34	43	175	285	281	226	196	2
91a	Aneurysm	W	7											1	1	3	1		1	
		C	20										1		10	4	3	1	1	
91b,c	Other diseases of the arteries	W	210												1	5	8	39	157	
		C	81							1					3	6	19	24	28	
92	Embolism and thrombosis (not cerebral)	W	25					1			1	2	1		4	5	4	4	3	
		C	5											1		3	1			
93	Diseases of the veins	W	2												1		1			
		C	4	1											1	1			1	
94	Diseases of the lymphatic system	W	3						1								1	1		
		C	2	1													1			
95	Hemorrhage without specified cause	W	3													1	1		1	
		C	4											1	1	1			1	
96	Other diseases of the circulatory system	W	9														2	3	4	
		C	8											1		3	2	2		
	V.—Diseases of the respiratory system	White	1,481	310	80	31	12	6	22	25	21	35	29	37	71	106	131	234	328	3
		Colored	1,177	349	104	31	8	7	19	27	48	51	32	37	109	130	93	69	61	2
97a	Diseases of the nasal fossae	W	8	4		1			1									1	1	
		C	24	14	4	2	1				1		1		1					
97b	Diseases of the nasal fossae annexa	W	9	1	1					1		1		2	1	1	1			
		C	2											1					1	
98	Diseases of the larynx	W	20	10	2	4	1											3		
		C	4	2		1						1								
99a	Acute bronchitis	W	26	10	1	1											1	6	7	
		C	21	12	3					1	2		1		1	1				
99b	Chronic bronchitis	W	35	1					1					1		2	3	3	24	
		C	19		1						1		2			4	4	4	3	
99c,d	Bronchitis (unspecified)	W	24	10										1		1	2		10	
		C	23	13	1				1			1		1	1		3		2	
100a	Broncho-pneumonia	W	535	185	52	16	5	2	8	9	3	8	4	4	10	13	21	60	134	1
		C	384	188	63	20	3	2	8	5	2	2	6	1	18	19	14	12	21	
100b	Capillary bronchitis	W	15	9	1	1							1					1	2	
		C	18	4	6	1			1		1	2	1				1	1		
101a	Lobar pneumonia	W	578	43	13	7	4	3	11	10	12	21	20	27	50	69	73	112	101	2
		C	473	57	17	5	3	4	4	19	36	35	17	29	67	72	52	34	22	
101b	Pneumonia (unspecified)	W	113	30	7	1		1	1	3	4	4	2	2	4	7	9	18	20	
		C	107	54	3	2	1		4	1	1	3	2	2	4	12	7	5	6	
102	Pleurisy	W	33	1	1						2	1	2		2	7	5	9	3	
		C	24	1				1	1		3	4		3	4	4	3			
103	Congestion and hemorrhagic infarct of the lung	W	24	4												1	2	4	13	
		C	13	2	1										1	3	3	1	2	
104	Gangrene of the lung	W	1													1				
105	Asthma	W	39	2			2								3	2	9	13	8	
		C	33		3							1	2		4	9	3	8	2	1
106	Pulmonary emphysema	W	1		1															
		C	2												1	1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	20		1					2					1	2	5	4	5	
		C	30	2	2					1	1	2			7	5	3	4	2	1
	VI.—Diseases of the digestive system	White	1,309	349	138	39	18	14	41	25	34	28	34	36	79	112	109	120	133	
		Colored	833	286	86	18	10	5	13	16	24	24	28	30	70	87	66	41	28	1
108	Diseases of the mouth and annexa	W	11	4					1		1				4	1				
		C	10	2					1				1	1	1	2	1	1		
109a	Adenoid vegetations	C	1	1																
109b	Other diseases of the pharynx, tonsils	W	50	2	4	4	3	3	5		3	1	6	3	4	2	3	3	4	
		C	27	3	3	1	3	1	3	2	1			1	2	4	2		1	
111a	Ulcer of the stomach	W	49								1	3	3	4	5	11	7	9	6	
		C	34								3	2	2	1	6	8	10	1	1	
111b	Ulcer of the duodenum	W	22										3	4	3	6	2	2	2	
		C	5											1	2	2				
112	Other diseases of the stomach (cancer excepted)	W	86	18	3	1	3	1	2		2	1	1		4	9	10	13	18	
		C	112	22	9		2			1	3	1	2	8	17	16	15	5	11	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	VI.—Diseases of the digestive system—Continued																			
113	Diarrhea and enteritis (under 2 years)	W	430	304	126															
		C	316	246	70															
114	Diarrhea and enteritis (2 years and over)	W	131			29	10	4	8		2	2	2	1		3	11	24	35	
		C	67			12	3	1	1	1	2	4	1	1	7	13	8	7	6	
116	Diseases due to other intestinal parasites	W	3		1		1	1												
		C	4	1		2	1													
117	Appendicitis and typhlitis	W	166		1		1	3	19	19	17	13	10	10	28	19	14	9	3	
		C	73					1	6	11	9	9	10	5	12	3	4	1	2	
118a	Hernia	W	37	2								1	1		3	7	4	8	11	
		C	25	2		1					1		1		2	8	4	4	2	
118b	Intestinal obstruction	W	81	13	2	1			1	2	3	3	1	2	5	15	11	8	14	
		C	56	6	1	1		2	2		2	3	3	6	6	7	4	11	2	
119	Other diseases of the intestines	W	16	1		1			2		1				2	1	1	3	4	
		C	9		2							2		1	2	1		1		
120	Acute yellow atrophy of the liver	W	2										1						1	
		C	2	1											1					
122	Cirrhosis of the liver	W	81			1							1	1	9	12	24	16	17	
		C	49			1				1	1		2	3	7	16	11	5	2	
123	Biliary calculi	W	39									1	1	1	4	5	8	12	7	
		C	10											1	2	2	3	2		
124	Other diseases of the liver	W	72	2	1	2		1	2	2		3	3	7	6	12	10	11	10	
		C	19	1							1	1	3	1	2	3	3	3	1	
125	Diseases of the pancreas	W	12							2			1	2		6	1			
126	Peritonitis without specified cause	W	21	3				1	1		4			1	2	3	3	2	1	
		C	14	1	1		1				1	2	3		1	2	1			1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,703	11	6	3	3	1	5	12	14	25	19	29	78	169	283	484	560	1
		Colored	1,080	4	5	3	1	2	7	5	20	21	25	31	125	228	254	204	143	2
128	Acute nephritis (including unspecified under 10 years)	W	84	8	2	2	3	1	2	6	2	6	1	3	12	7	8	12	9	
		C	125	3	4	2			5	5	6	4	5	8	21	31	18	8	4	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,415		1	1			3	4	10	9	12	20	51	144	247	438	474	1
		C	821					2	1		4	8	13	19	86	174	214	173	126	1
131	Other diseases of the kidneys and annexa	W	53	3	3					2		2	4	2	6	5	6	6	14	
		C	23	1	1	1	1		1		1		1	1	5	2	5	2	1	
132	Calculi of the urinary passages	W	15											2	1	4	3	4	1	
		C	3												1		1	1		
133	Diseases of the bladder	W	15												1		4	2	8	
		C	8													1	5	1	1	
134	Diseases of the urethra, etc	C	5									1		1	1	2				
135	Diseases of the prostate	W	80													3	10	18	49	
		C	42													10	6	16	10	
136	Nonvenereal diseases of the male genital organs	W	2														2			
		C	1															1		
137	Cysts, other benign tumors of the ovary	W	8												3		2		3	
		C	2									1							1	
138	Salpingitis and pelvic abscess (female)	W	12								1	4	2	1	1	3				
		C	22								9	4	5	1	3					
139	Benign tumors of the uterus	W	9									1			3	3		1	1	
		C	21									1	1	1	5	8	5			
140	Nonpuerperal uterine hemorrhage	C	1									1								
141	Other diseases of the female genital organs	W	10								1	3		1			1	3	1	
		C	6									1			3			2		
	VIII.—The puerperal state	White	224							1	25	44	46	50	53	4				1
		Colored	195							5	45	38	35	32	37	3				
143	Accidents of pregnancy	W	15										10	5						
		C	14							1		3	2	5	2	1				
144	Puerperal hemorrhage	W	18								1		5	6	6					
		C	20								3	3		6	7	1				
145	Other accidents of labor	W	22								3	4	1	6	6	2				
		C	25								7	4	5	4	5					
146	Puerperal septicemia	W	86							1	11	18	19	15	22					
		C	60							2	13	13	12	10	10					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	10										3	1	6					
		C	2									2								
148	Puerperal albuminuria and convulsions	W	71								10	21	7	17	13	2				1
		C	73							2	22	13	16	6	13	1				
149	Following childbirth (undefined)	W	2									1	1							
		C	1											1						
	IX.—Diseases of the skin and of the cellular tissue	White	33	3	1	1				1	2	1	1	1	1		3	6	12	
		Colored	34	2				1	1	1				2	1	3	5	8	10	
151	Gangrene	W	12	1													3	3	5	
		C	19											1	1	1	3	5	8	
152	Furuncle	W	5									1	1	1				1	1	
		C	2						1					1						
153	Acute abscess	W	5								1								4	
		C	5																	
154	Other diseases of the skin and annexa	W	11	2	1	1				1					1	1	2	1		
		C	8	2				1		1	1					1		2	2	
	X.—Diseases of the bones and of the organs of locomotion	White	21				2		2	1	5	1	1		3	3	1	2		
		Colored	11						1	1	1	2	1		3	1	1			
155	Diseases of the bones (tuberculosis excepted)	W	17				2		2	1	5				3	2	1	1		
		C	6						1	1	1		1			1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3									1	1					1		
		C	2									1			1					
158	Other diseases of the organs of locomotion	W	1													1				
		C	3									1			2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	XI.—Malformations	White	241	216	6	2	5		6	3	1	1		1						
		Colored	64	56	5	1				1					1					
159a	Congenital hydrocephalus	W	27	22	1		2		1	1										
		C	9	5	3	1														
159b	Congenital malformations of the heart	W	127	113	5		1		4	2	1			1						
		C	31	31																
159c	Other congenital malformations	W	87	81		2	2		1			1								
		C	24	20	2					1					1					
	XII.—Early infancy	White	1,286	1,286																
		Colored	701	701																
160	Congenital debility, icterus, sclerema	W	228	228																
		C	193	193																
161a	Premature birth	W	813	813																
		C	392	392																
161b	Injury at birth	W	171	171																
		C	54	54																
162	Other diseases peculiar to early infancy	W	71	71																
		C	59	59																
163	Lack of care	W	3	3																
		C	3	3																
164	XIII.—Old age (senility)	White	352													1	2	32	317	
		Colored	229													1	7	27	194	
	XIV.—External causes	White	1,374	41	28	37	29	16	81	50	104	152	108	70	161	134	99	107	152	5
		Colored	730	60	21	18	26	18	35	35	73	80	59	52	101	55	40	26	28	3
	Suicide	W	162								6	14	12	16	36	29	28	16	4	1
		C	17								1	1	2	2	6	2	1	1	1	
165	By poisons (gas or corrosives excepted)	W	5									1			2	1			1	
166	By corrosive substances	W	13								1	3	2	1	2	3	1			
167	By poisonous gas	W	12								1			1	2	2	2	4		
168	By hanging or strangulation	W	16									2		2	4	2	4	1	1	
		C	3												1	1		1		
169	By drowning	W	7								1	1		1		1	1	1	1	
		C	2										1		1					
170	By firearms	W	94								3	7	9	10	20	17	18	8	1	1
		C	5											1	2	1			1	
171	By cutting or piercing instruments	W	12										1	1	6	2	1	1		
173	By crushing	W	1														1			
174	By other means	W	2													1		1		
		C	4									1	1		1		1			
	Homicide	W	97	4		1				2	6	15	18	9	21	12	5	2	1	1
		C	140	6		1				3	16	30	15	27	31	7	1	2		1
197	By firearms	W	73			1					4	11	15	8	19	10	3	1	1	
		C	109	1		1				3	13	24	14	20	24	6		2		1
198	By cutting or piercing instruments	W	3								1	1		1						
		C	19	1							1	6	1	4	5		1			
199	By other means	W	21	4						2	1	3	3		2	2	2	1		1
		C	4								2			3	2	1				
	Accidental or undefined	W	1,115	37	28	36	29	16	81	48	92	123	78	45	104	93	66	89	147	3
		C	573	54	21	17	26	18	35	32	56	49	42	23	64	46	38	23	27	2
175	Poisoning by food	W	17	3		2				1		2	2	1	1	1		1	3	
		C	12	3	1				1		1	2			1	1	1		1	
177	Other acute poisonings (gas excepted)	W	32	1	3	2	2		2			2	1		1	3	3	6	6	
		C	11		2	2	1				1	1	1		1	1	1			
178	Conflagration	W	27	1	3	1	1	1	5	3	1		1		1	5	1	2	1	
		C	43	6	1	3	6	1	6	4	1		1			4	2	2	6	
179	Burns (conflagration excepted)	W	124	1	11	16	20	10	19	2	8	9	5	2	3	2	3	2	11	
		C	104	6	11	7	13	14	15	2	6	5	2		3	2	5	7	6	
180	Mechanical suffocation	W	21	18							1	1	1							
		C	23	22							1									
181	Absorption of irrespirable, irritating, or poisonous gas	W	9								1				1	6	1			
		C	7								1		2	1	3					
182	Drowning	W	119	2	5	4	3		13	12	19	27	6	6	9	6	1	4	2	
		C	54		1		1		2	7	14	13	3	3	4	3	1		1	1
183	Traumatism by firearms (except in war)	W	59			3			9	9	15	7	2	4	4	3	2	1		
		C	56			1	3	1	6	10	15	6	6	2	5	1				
184	Traumatism by cutting or piercing instruments	W	9		1	1		1	1	1								2	1	
		C	8							1	1	1			1	1	3			
185	Traumatism by fall	W	175	3		1			4	2	5	6	1	3	8	5	14	29	94	
		C	32	4	1	1		2		1			2	1	1	7	6	1	5	
186a	Traumatism in mines	W	45								7	7	11	3	9	6	1	1		
		C	10									1	2	4	2	1				
186b	Traumatism in quarries	W	5								1	2				1	1			
		C	2								1	1								
187	Traumatism by machines	W	22							3	2	3			9	1	4			
		C	10							1	3	2		1	2	1				
188a	Railroad accidents	W	88					1	4	2	4	12	13	7	14	13	8	6	4	
		C	43							2	3	7	6	4	13	3	1	3	1	
188b	Street-car accidents	W	12				1		1			1	1		1	1	3	3		
		C	6			1	1		1				1				2			
188c	Automobile accidents	W	184		1	3	1	1	20	7	15	25	16	12	19	22	11	20	11	
		C	56						3	1	2	4	11	4	12	8	6	2	2	1
188d	Airplane and balloon accidents	W	16								2	5	3	2	4					
188e,f	Injuries by other vehicles	W	14						1		1	2	1		3	1	4	1		
		C	15									2	1		3	1	5	2	1	
188g	Landslide, other crushing	W	2											1		1				
		C	5	1											2	1		1		
189	Injuries by animals (not poisoning)	W	7						1		3				1		1	1		
		C	5				1		1		1				1				1	
193	Excessive cold	W	6													3	2			1
		C	6	1									1			3			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																		
	XIV.—External causes—Continued																		
	Accidental or undefined—Continued.																		
194	Excessive heat {W	5	1								1				1		1	1	
	{C	12	1	1	1					1	1			3	3		1		
195	Lightning {W	7							1	1				1	2	1		1	
	{C	1									1								
196	Other accidental electric shocks {W	24								3	5	7	1	6	1				1
	{C	3									1		1			1			
201	Fracture (cause not specified) {W	20	1								2	1			1	1	5	8	1
	{C	2															1	1	
202	Other external violence {W	66	6	4	3	1	2	1	5	3	4	6	3	9	8	2	5	4	
	{C	47	10	3	1				3	4	1	3	2	7	5	4	3	1	
	XV.—Ill-defined diseases {White	405	184	11	7	2	2	6	3	1	2	4	6	13	16	28	53	66	1
	{Colored	403	171	32	4	3	3	4	3	4	10	12	9	18	29	32	27	40	2
204	Sudden death {W	50	12									1	2	3	1	11	10	10	
	{C	35	14					1			1		1	4	4	3	2	5	
205a	Ill-defined {W	157	43	9	4			5	1		2	2	2	3	9	16	29	31	1
	{C	141	20	23	3	2		2			5	5	5	11	16	13	16	20	
205b	Not specified or unknown {W	198	129	2	3	2	2	1	2	1		1	2	7	6	1	14	25	
	{C	227	137	9	1	1	3	1	3	4	4	7	3	3	9	16	9	15	2
	WASHINGTON																		
	All causes	14,580	1,426	239	124	86	97	380	303	385	494	469	520	1,291	1,609	2,235	2,541	2,358	23
	I.—Epidemic, endemic, and infectious diseases	2,119	135	85	55	47	48	189	109	144	176	152	162	266	207	171	118	54	1
1	Typhoid and paratyphoid fever	48	1	1			1	3	5	5	6	7	4	8	4	1	2		
5	Malaria	1										1							
6	Smallpox	2	1					1											
7	Measles	184	44	40	14	14	16	31	10	8		1	1	2	3				
8	Scarlet fever	33		3	6	1	2	13	1	3	1		2	1					
9	Whooping cough	23	12	5	3	1	2												
10	Diphtheria	158	1	6	10	13	14	64	25	8	3	6	3	2	2		1		
11a	Influenza (with pulmonary complications)	97	11	5	1	2	2	4	4	2	3	3	6	6	12	6	14	16	
11b	Influenza (other and unspecified)	107	16	5	3	3	1	7	3	5	4	1	4	4	4	15	17	15	
13	Mumps	3							3										
16	Dysentery	8			1	1						1		1			2	2	
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	22	10							1	1	1	1	2	1	1		3	1
22	Acute anterior poliomyelitis	104	2	2	3	1	4	30	23	17	6	4	6	5	1				
23	Lethargic encephalitis	37			2	1		3		5	2	2	2	5	7	3	5		
24	Meningococcus meningitis	16	3	1	1			2	1	2	3		1		1	1			
25	Other epidemic and endemic diseases	7		2		1							2		1	1			
28	Rabies	1												1					
29	Tetanus	3									1		1	1					
30	Mycoses	3	1					1			1								
	Tuberculosis (all forms)	1,087	16	14	10	9	6	30	33	85	132	117	115	193	143	110	64	10	
31	Of the respiratory system	912	1	3	4	2	2	16	21	71	120	109	104	178	120	98	53	10	
32	Of the meninges, central nervous system	66	14	8	5	7	3	12	7	4		1	1		1	1	2		
33	Of the intestines, peritoneum	41							2	5	8	1	7	4	8	5	1		
34	Of the vertebral column	13		1						1	2	1		3	2	2	1		
35	Of the joints	5									1	1		1	1	1			
36	Of other organs	31		2					1	3		2	3	5	8	2	5		
37a	Disseminated (acute)	18	1		1		1	2	2	1	1	2		2	3	1	1		
37b	Disseminated (chronic or unspecified)	1															1		
38	Syphilis	146	14	1							6	4	11	31	27	32	12	8	
40	Gonococcus infection	12									4	2		4	1		1		
41	Purulent infection, septicemia	16	2		1				1	3	3	2	3			1			
	II.—General diseases not included in Class I	2,059	57	11	4	5	2	13	24	18	19	26	41	187	369	508	521	252	2
	Cancer and other malignant tumors	1,394	3	2	1	1		1	4	2	5	10	24	123	253	369	402	192	2
43	Of the buccal cavity	45										1		1	7	13	8	15	
44	Of the stomach, liver	551		1	1						2	2	5	32	86	172	174	75	1
45	Of the peritoneum, intestines, rectum	189								1			3	19	28	45	57	36	
46	Of the female genital organs	183		1								4	11	36	52	47	25	7	
47	Of the breast	111												10	34	30	18	19	
48	Of the skin	37	1											2	5	4	14	11	
49	Of other or unspecified organs	278	2			1		1	4	1	3	3	5	23	41	58	106	29	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11		1										1	3	2	1	3	
51	Acute rheumatic fever	23						4	6	4	1			2	2	4			
52	Chronic rheumatism, osteoarthritis, gout	17								1		1	1		2	3	5	4	
54	Pellagra	1															1		
55	Beriberi	4								1	1			2					
56	Rickets	6	4	1		1													
57	Diabetes mellitus	233			2			2	7	6	4	1	5	13	32	55	65	41	
58	Anemia, chlorosis	116	2	2						1	1	1	1	12	30	39	21	6	
60a	Exophthalmic goiter	84							1	1	4	5	4	15	20	19	12	3	
60b	Other diseases of the thyroid gland	15									2	1		1	2	5	2	2	
61	Diseases of the parathyroid glands	2					1					1							
62	Diseases of the thymus gland	34	27	2	1	1		2				1							
63	Diseases of the adrenals (Addison's disease)	5												1	2	1	1		
64	Diseases of the spleen	1															1		
65a	Leukemia	26		1		1		3	3			1	2	2	7	4	2		
65b	Hodgkin's disease	12		1				1	1	1		2	1	1	1	1	1	1	
66	Alcoholism (acute or chronic)	42									1	1	2	13	13	6	6		
67a	Chronic lead poisoning	2													2				
68	Chronic poisoning by organic substances	3										1	1				1		
69	Other general diseases	28	21	1		1	1		2	1				1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	1,596	28	12	4	2	3	7	9	25	17	18	25	119	178	318	438	388	5
70	Encephalitis	10	1						2		1			3	1	2			
71a	Simple meningitis	25	8	4	1	2	1	1		2		1	2	1			2		
71b	Nonepidemic cerebrospinal meningitis	5	1	2	1									1					
72	Tabes dorsalis (locomotor ataxia)	23												2	9	4	6	2	
73	Other diseases of the spinal cord	39	1					1		1		1	5	4	4	13	8	1	
74a	Cerebral hemorrhage	1,073		1				1		2	2	1	3	32	110	242	349	327	3
74b	Cerebral embolism and thrombosis	31								1		1	1	2	5	5	10	6	
75	Paralysis without specified cause	55								1		1	1	6	5	10	14	17	
76	General paralysis of the insane	93										2	3	39	24	13	8	4	
77	Other forms of mental alienation	65								2	2	2	4	9	7	7	18	12	2
78	Epilepsy	46	1		1		1	1	2	10	6	3	2	9	3	6	1		
80	Infantile convulsions (under 5 years)	11	10	1															
81	Chorea	1								1									
82	Neuralgia and neuritis	6												1	2		3		
83	Softening of the brain	13														2	3	8	
84	Other diseases of the nervous system	64					1		2	1	2	4	3	6	7	12	16	10	
85	Diseases of the eye and annexa	1									1								
86a	Diseases of the ear	23	5	2	1			3	3	2	3			3		1			
86b	Diseases of the mastoid process	12	1	2						2		2	1	1	1	1		1	
	IV.—Diseases of the circulatory system	2,547	5	3	3	1	1	17	18	28	26	14	24	128	265	510	707	795	2
87	Pericarditis	12		1				1		1		1			2	2	3	1	
88	Endocarditis and myocarditis (acute)	68			1		1	5	8	3	4	3	3	16	9	4	5	6	
89	Angina pectoris	199										1	1	11	32	49	61	44	
90	Other diseases of the heart	1,957	4	1	1			11	10	23	22	8	19	94	209	402	554	597	2
91a	Aneurysm	18													4	7	4	3	
91b,c	Other diseases of the arteries	242													4	40	69	129	
92	Embolism and thrombosis (not cerebral)	27	1										1	3	2	3	8	9	
93	Diseases of the veins	15								1		1		3	2	1	3	4	
94	Diseases of the lymphatic system	5		1	1	1								1				1	
95	Hemorrhage without specified cause	2													1	1			
96	Other diseases of the circulatory system	2														1		1	
	V.—Diseases of the respiratory system	988	185	52	11	11	8	28	15	13	25	14	20	59	76	118	149	203	1
97a	Diseases of the nasal fossae	4	1					1			1							1	
97b	Diseases of the nasal fossae annexa	9							1	1			2	4	1				
98	Diseases of the larynx	5	2	1					1								1		
99a	Acute bronchitis	15	7	3													2	3	
99b	Chronic bronchitis	29	1												3	2	9	14	
99c,d	Bronchitis (unspecified)	11	1														1	9	
100a	Broncho-pneumonia	366	121	32	7	8	5	8	4	1	4	2	5	12	14	27	33	83	
100b	Capillary bronchitis	4	2								1						1		
101a	Lobar pneumonia	438	33	10	4	2	1	14	6	9	16	10	11	38	49	75	88	71	1
101b	Pneumonia (unspecified)	35	14	4		1	1	2			2			1	1	2	2	5	
102	Pleurisy	32	3	2			1	2	3	2	1	2	1	1	2	2	5	5	
103	Congestion and hemorrhagic infarct of the lung	8															2	6	
104	Gangrene of the lung	1												1					
105	Asthma	19						1					1	1	3	6	4	3	
106	Pulmonary emphysema	2														1		1	
107	Other diseases of the respiratory system (tuberculosis excepted)	10												1	3	3	1	2	
	VI.—Diseases of the digestive system	1,088	155	38	17	9	12	46	43	23	38	30	46	113	122	161	130	105	
108	Diseases of the mouth and annexa	12				1				1			1	3	1	2	2	1	
109b	Other diseases of the pharynx, tonsils	58	2	3	1			12	8	5	5	4	2	8	1	2	3	2	
110	Diseases of the esophagus	3													2	1			
111a	Ulcer of the stomach	79						1	1			3	4	15	6	28	12	9	
111b	Ulcer of the duodenum	35										1	2	4	11	8	7	2	
112	Other diseases of the stomach (cancer excepted)	62	18	1	2		2				1		3	3	8	4	5	15	
113	Diarrhea and enteritis (under 2 years)	146	120	26															
114	Diarrhea and enteritis (2 years and over)	51			10	5	3	9	7		1	1		2	3	1	3	6	
117	Appendicitis and typhlitis	211	1	2	1	2	5	18	25	13	19	10	18	32	26	21	12	6	
118a	Hernia	41	1		1									1	6	11	12	9	
118b	Intestinal obstruction	110	9	5	1	1		5	2	2	7	2	5	15	10	13	21	12	
119	Other diseases of the intestines	24	3								1		2	1	4	3	3	7	
120	Acute yellow atrophy of the liver	7										1	1	3	1		1		
121	Hydatid tumor of the liver	1											1						
122	Cirrhosis of the liver	84								1	1	1	3	4	15	22	19	18	
123	Biliary calculi	65										2	1	7	13	19	15	8	
124	Other diseases of the liver	74						1			3	4	1	11	14	20	12	8	
125	Diseases of the pancreas	10					1					1	2	1		2	3		
126	Peritonitis without specified cause	15	1	1	1		1			1				3	1	4		2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,138	9	1	2		4	3	8	13	17	24	30	82	132	219	314	279	1
128	Acute nephritis (including unspecified under 10 years)	58	7	1	2		1	1	4	2	1	2	3	4	9	7	12	2	
129	Chronic nephritis (including unspecified 10 years and over)	848					3	2	3	9	10	15	14	50	92	178	251	220	1
131	Other diseases of the kidneys and annexa	34	2						1		1	2	1	2	8	4	7	6	
132	Calculi of the urinary passages	14									1		1	1	2	3	5	1	
133	Diseases of the bladder	11									1					1	2	7	
134	Diseases of the urethra, etc	2													1		1		
135	Diseases of the prostate	92													4	15	31	42	
136	Nonvenereal diseases of the male genital organs	2															1	1	
137	Cysts, other benign tumors of the ovary	13										3	1	4		3	2		
138	Salpingitis and pelvic abscess (female)	18								2	3	1	4	6	2				
139	Benign tumors of the uterus	37											6	14	12	4	1		
141	Other diseases of the female genital organs	9										1		1	2	4	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	VIII.—The puerperal state	180								18	31	51	33	46	1				
143	Accidents of pregnancy	22									4	7	7	3	1				
144	Puerperal hemorrhage	15								2	6	1	3	3					
145	Other accidents of labor	16								1		5	5	5					
146	Puerperal septicemia	60								7	8	24	9	12					
147	Puerperal phlegmasia alba dolens, embolus, etc	10									3	1	1	5					
148	Puerperal albuminuria and convulsions	53								7	10	13	8	15					
149	Following childbirth (undefined)	3								1				2					
150	Puerperal diseases of the breast	1												1					
	IX.—Diseases of the skin and of the cellular tissue	34	4	1						1	1		2	6	1	1	4	13	
151	Gangrene	18											1	1	1		3	12	
152	Furuncle	6	1										1	3		1			
153	Acute abscess	2									1						1		
154	Other diseases of the skin and annexa	8	3	1						1				2				1	
	X.—Diseases of the bones and of the organs of locomotion	17						4	5		1	1	1	2			1	2	
155	Diseases of the bones (tuberculosis excepted)	13						3	5		1	1	1	1				1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3						1						1				1	
158	Other diseases of the organs of locomotion	1															1		
	XI.—Malformations	171	150	8	4		1	4	2	1		1							
159a	Congenital hydrocephalus	19	12	3	2			1	1										
159b	Congenital malformations of the heart	93	81	4	2		1	3	1			1							
159c	Other congenital malformations	59	57	1						1									
	XII.—Early infancy	647	647																
160	Congenital debility, icterus, sclerema	72	72																
161a	Premature birth	418	418																
161b	Injury at birth	98	98																
162	Other diseases peculiar to early infancy	59	59																
164	XIII.—Old age (senility)	163															4	22	137
	XIV.—External causes	1,736	22	28	24	10	18	69	69	99	141	138	135	280	249	205	122	116	11
	Suicide	285								10	16	22	22	54	63	62	22	12	2
165	By poisons (gas or corrosives excepted)	23								2	2	5	4	4	2	2		2	
166	By corrosive substances	16								1	3	2	1	3	1	2	3		
167	By poisonous gas	44									3	2	5	8	8	17	1		
168	By hanging or strangulation	37									1	1	2	8	8	9	6	2	
169	By drowning	27								1	3		2	3	9	5	2	2	
170	By firearms	103								6	4	9	6	23	25	18	7	4	1
171	By cutting or piercing instruments	22											2	2	7	7	2	2	
172	By jumping from high places	6										1		3	1		1		
173	By crushing	1													1				
174	By other means	6										2			1	2			1
	Homicide	90			1		1			7	6	12	14	24	10	5	5	1	4
197	By firearms	69					1			4	3	11	11	22	8	2	3	1	3
198	By cutting or piercing instruments	6			1						2		1		1	1			
199	By other means	15								3	1	1	2	2	1	2	2		1
	Accidental or undefined	1,361	22	28	23	10	17	69	69	82	119	104	99	202	176	138	95	103	5
175	Poisoning by food	16			2			2	1			2		3	2	2	1	1	
176	Poisoning by venomous animals	2					1		1										
177	Other acute poisonings (gas excepted)	17		3	3						2	1	1	4	1		1	1	
178	Conflagration	34	3	4			1	5	6	1		2		1	4	3	1	2	1
179	Burns (conflagration excepted)	58	2	4	4	4	2	3	1	2	4	3	5	4	5	4	5	6	
180	Mechanical suffocation	16	9						1				1	2	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	33							1	1			2	8	7	6	5	3	
182	Drowning	171		7	5	1	5	26	14	18	30	12	8	20	10	7	3	2	3
183	Traumatism by firearms (except in war)	43			1		1	2	7	9	4	4	3	4	5	1	1	1	
184	Traumatism by cutting or piercing instruments	11	1					1		1	1	2	1	2	1		1		
185	Traumatism by fall	187	1	4		1	1		7	1	13	3	9	14	22	19	25	67	
186a	Traumatism in mines	26								1	5	4	5	4	5	2			
187	Traumatism by machines	68				1			1	4	6	10	7	15	11	10	1	1	1
188a	Railroad accidents	96						3	4	4	7	7	7	19	18	17	8	2	
188b	Street-car accidents	21						1		3	1	2	1	5	2	4		2	
188c	Automobile accidents	265		2	6	3	5	20	18	19	17	19	15	35	36	34	25	11	
188d	Airplane and balloon accidents	3									1		1	1					
188e,f	Injuries by other vehicles	25						2	3	2	1	3	1	4	3	2	4		
188g	Landslide, other crushing	77						2		2	9	9	14	19	10	7	5		
189	Injuries by animals (not poisoning)	12							1		1		1		4	3	2		
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	2												1		1			
194	Excessive heat	1									1								
195	Lightning	2							1						1				
196	Other accidental electric shocks	22		1			1			4	2	7	1	3	2	1			
201	Fracture (cause not specified)	4													3		1		
202	Other external violence	148	6	3	2			2	2	10	14	14	16	34	22	14	5	4	
	XV.—Ill-defined diseases	97	29			1			1	2	2		1	3	9	20	15	14	
204	Sudden death	12	1										1	2	1	4	3		
205a	Ill-defined	35	5			1			1					1	3	12	6	6	
205b	Not specified or unknown	50	23							2	2				5	4	6	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN																		
	All causes	28,250	3,841	435	245	201	139	516	401	609	708	755	843	1,994	2,462	3,769	5,212	6,108	12
	I.—Epidemic, endemic, and infectious diseases	3,213	301	131	86	78	49	211	96	199	284	298	235	394	279	240	210	121	1
1	Typhoid and paratyphoid fever	28						1	2	6	3	3	2	3	4	3	1		
6	Smallpox	11		1				3		2	1	1	1			2			
7	Measles	87	27	20	8	9		9		6	1			3		2	2		
8	Scarlet fever	217	13	20	24	19	22	55	24	11	13	3	3	7	2		1		
9	Whooping cough	132	83	27	7	7	2	4	1								1		
10	Diphtheria	212	12	12	22	25	14	76	18	12	7	5		5	2	1	1		
11a	Influenza (with pulmonary complications)	224	41	15	6	5	1	5	3	4	5	5	5	24	22	21	29	32	1
11b	Influenza (other and unspecified)	174	37	6	5	2	1	7	1	5	2	3	9	14	10	12	27	33	
13	Mumps	1	1																
16	Dysentery	16	8					1			1				1		3	2	
21	Erysipelas	70	21					1		3			1	6	6	9	13	10	
22	Acute anterior poliomyelitis	28	1	2	5		2	6	4	2	2	1	1	1				1	
23	Lethargic encephalitis	33	4	2	1	1	1	3	3	2	4		2	2	5		2	1	
24	Meningococcus meningitis	21	7	1	1	1		4	1	2			2	1	1				
25	Other epidemic and endemic diseases	4	2		1				1										
27	Anthrax	1														1			
29	Tetanus	17	1					4	3	1	1	2	1	2			2		
30	Mycoses	7	3	1				1			1			1					
	Tuberculosis (all forms)	1,792	28	19	6	9	6	29	32	142	237	270	199	299	199	162	115	40	
31	Of the respiratory system	1,529	6	4	3	1	3	11	14	121	219	248	180	262	176	145	100	36	
32	Of the meninges, central nervous system	86	13	13	3	8	2	10	8	5	5	3	4	8	3			1	
33	Of the intestines, peritoneum	66		2				2	3	7	6	9	7	10	7	7	6		
34	Of the vertebral column	32	1					3	3	1	2	2		6	6	3	2	3	
35	Of the joints	9						2		3	1				1		2		
36	Of other organs	32	2						3	1	1	3	3	5	5	5	4		
37a	Disseminated (acute)	24	2				1	1	1	3	2	3	4	4	1	1	1		
37b	Disseminated (chronic or unspecified)	14	4							1	1	2	1	4		1			
38	Syphilis	101	11	3				1			3	3	7	20	22	22	8	1	
40	Gonococcus infection	7									2	1	1	1		1	1		
41	Purulent infection, septicemia	30	1	2				1	3	1	1	1	1	6	4	4	4	1	
	II.—General diseases not included in Class I	4,116	84	13	10	5	8	26	30	53	38	64	88	286	571	1,008	1,175	656	1
	Cancer and other malignant tumors	2,797	2	2	5	1		5	3	8	7	26	39	164	386	708	907	533	1
43	Of the buccal cavity	77			1						1			3	11	15	25	21	
44	Of the stomach, liver	1,329				1				2		6	11	59	138	364	484	264	
45	Of the peritoneum, intestines, rectum	358			1					1	1	1	4	15	51	90	123	68	
46	Of the female genital organs	256						1	1		1	4	4	34	61	66	62	22	
47	Of the breast	192										5	5	24	58	47	29	24	
48	Of the skin	62											2		3	9	14	33	1
49	Of other or unspecified organs	523	2	2	3			4	2	5	4	10	13	29	64	117	167	101	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12	1											2	3	6			
51	Acute rheumatic fever	107	1		1	1		9	8	14	9	6	4	13	7	11	16	7	
52	Chronic rheumatism, osteoarthritis, gout	45									1	1	2	4	3	7	10	17	
54	Pellagra	1														1			
56	Rickets	12	9	3															
57	Diabetes mellitus	438		2	3	1	1	5	8	13	8	8	6	20	44	125	129	65	
58	Anemia, chlorosis	249	3			1	2		2	2	3	2	3	18	41	74	79	19	
60a	Exophthalmic goiter	143							2	8	4	7	9	28	36	31	15	3	
60b	Other diseases of the thyroid gland	20	2						1			1	1	2	5	5	3		
61	Diseases of the parathyroid glands	1					1												
62	Diseases of the thymus gland	34	31		1							2							
63	Diseases of the adrenals (Addison's disease)	15								1		1	3	5		4	1		
64	Diseases of the spleen	4	1									1		2					
65a	Leukemia	64		1		1	1	2	5	3	2	2	6	6	9	13	7	6	
65b	Hodgkin's disease	31						2		1	2	4	3	1	5	5	4	4	
66	Alcoholism (acute or chronic)	79								1	1	2	10	18	30	14	3		
67a	Chronic lead poisoning	2														1	1		
68	Chronic poisoning by organic substances	2													1	1			
69	Other general diseases	60	34	5			3	3	1	2	1	1	2	2	1	3		2	
	III.—Diseases of the nervous system and of the organs of special sense	3,343	158	18	10	8	8	29	25	35	22	38	45	167	308	541	889	1,041	1
70	Encephalitis	29	4	2		1	1	4			2	2	1		5	3	3	1	
71a	Simple meningitis	58	24	3	5	1	2	2	3	4	3		1	1	3	3	2	1	
71b	Nonepidemic cerebrospinal meningitis	27	13	3				5	1	1		1	1	1				1	
72	Tabes dorsalis (locomotor ataxia)	24											1	7	8	6		2	
73	Other diseases of the spinal cord	67		1		1		1		2	1	1	3	5	6	13	22	11	
74a	Cerebral hemorrhage	2,382	5	1		1			1	3	2	9	6	69	190	425	755	914	1
74b	Cerebral embolism and thrombosis	82					1		1			1		6	15	13	20	25	
75	Paralysis without specified cause	87	1	1						1		5		3	11	9	16	40	
76	General paralysis of the insane	107										1	9	35	28	20	11	3	
77	Other forms of mental alienation	44						1			2	3	1	5	8	10	8	6	
78	Epilepsy	93	1	1	1	1	2	6	6	11	3	10	8	15	8	7	8	5	
79	Convulsions (nonpuerperal; 5 years and over)	5						1	1	1	1	1							
80	Infantile convulsions (under 5 years)	99	95	2	2														
82	Neuralgia and neuritis	11												1	1	1	4	4	
83	Softening of the brain	26												1	2	9	14		
84	Other diseases of the nervous system	128	5		2	1		4	2	6	1	2	8	14	18	23	30	12	
85	Diseases of the eye and annexa	2	1														1		
86a	Diseases of the ear	49	6	3		1	2	4	7	5	5	2	2	3	2	5		2	
86b	Diseases of the mastoid process	23	3	1		1		1	3	1	2		4	2	4	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	IV.—Diseases of the circulatory system	5,055	20	2	1	6	6	33	49	36	47	35	63	214	407	798	1,455	1,879	4
87	Pericarditis	21	1					4	2			1			2	3	3	5	
88	Endocarditis and myocarditis (acute)	207	11	2		1	6	11	11	9	9	7	15	50	8	24	18	25	
89	Angina pectoris	233			1						1		1	9	21	52	87	61	
90	Other diseases of the heart	4,029	4			3		18	35	25	34	24	43	140	352	667	1,193	1,487	4
91a	Aneurysm	19										1	1	2	3	7	4	1	
91b,c	Other diseases of the arteries	462											1	2	15	33	130	281	
92	Embolism and thrombosis (not cerebral)	53	1						1	2	2	1	1	7	4	10	10	14	
93	Diseases of the veins	24	1										1	4	2	2	10	4	
94	Diseases of the lymphatic system	7	2			2					1	1						1	
	V.—Diseases of the respiratory system	2,703	540	134	41	32	18	54	28	47	36	41	58	181	197	290	392	613	1
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	6	1		2				1	1				1					
98	Diseases of the larynx	19	5	2	1	2	2	3			1					1	1	1	
99a	Acute bronchitis	97	25	2				2	1		2		1	3	1	4	12	44	
99b	Chronic bronchitis	75				1			1			1	1	1		6	18	46	
99c,d	Bronchitis (unspecified)	52	14	1	1			1						1	1	4	3	26	
100a	Broncho-pneumonia	918	334	70	11	14	7	15	6	5	9	8	11	32	38	58	90	210	
100b	Capillary bronchitis	23	9	4	1		1							2	1		1	4	
101a	Lobar pneumonia	1,164	111	38	17	10	6	21	14	32	22	23	42	112	132	186	204	193	1
101b	Pneumonia (unspecified)	163	25	13	6	3	2	8	1	4		4		11	7	11	20	48	
102	Pleurisy	68	5	4	2	1		3	4	3	2	3	2	7	5	3	17	7	
103	Congestion and hemorrhagic infarct of the lung	31	8											1	1		6	15	
104	Gangrene of the lung	9								1				1	4	3			
105	Asthma	56	1			1		1					1	5	3	11	18	15	
106	Pulmonary emphysema	2										1		1					
107	Other diseases of the respiratory system (tuberculosis excepted)	19	1							1		1		3	4	3	2	4	
	VI.—Diseases of the digestive system	2,203	530	72	42	33	17	55	58	62	56	59	89	177	209	259	267	217	1
108	Diseases of the mouth and annexa	20	3	1		2		1	1	1				3	2	2	3	1	
109a	Adenoid vegetations	1	1																
109b	Other diseases of the pharynx, tonsils	88	6	1	7	5	2	10	10	6	5	4	6	10	4	7	2	3	
110	Diseases of the esophagus	2													1		1		
111a	Ulcer of the stomach	125	1						1	1	2	5	6	26	22	24	27	10	
111b	Ulcer of the duodenum	36	2								1	1	1	6	10	6	7	2	
112	Other diseases of the stomach (cancer excepted)	134	66	7		2	1	2	1		1		2	4	6	8	12	22	
113	Diarrhea and enteritis (under 2 years)	470	410	60															
114	Diarrhea and enteritis (2 years and over)	97			20	13	3	5	2	4	3	2	3	2	5	10	7	18	
116	Diseases due to other intestinal parasites	1		1															
117	Appendicitis and typhlitis	404	2		10	8	7	28	36	43	35	29	42	55	43	33	27	6	
118a	Hernia	99	2	1			1			1				7	13	22	26	26	
118b	Intestinal obstruction	178	29		1	1	1	3	3	4	3	11	10	11	13	25	26	36	1
119	Other diseases of the intestines	31	5		1	1		1	2		1		1	1	4	4	2	8	
120	Acute yellow atrophy of the liver	10	1							2	1		1	1	1	2	1		
122	Cirrhosis of the liver	213					1						3	15	34	49	67	44	
123	Biliary calculi	130									1	1	6	18	28	34	28	14	
124	Other diseases of the liver	109	2				1	4			2	3	3	12	19	20	23	20	
125	Diseases of the pancreas	22				1						1	4	3	2	7	3	1	
126	Peritonitis without specified cause	33		1	3			1	2		1	2	1	3	2	6	5	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,108	20	2	5	1	1	5	13	22	22	30	37	153	205	352	541	698	1
128	Acute nephritis (including unspecified under 10 years)	91	13	2	3			2	7	9	2	3	3	11	8	11	8	9	
129	Chronic nephritis (including unspecified 10 years and over)	1,683	2		2	1	1	2	6	9	14	13	22	105	161	294	464	586	1
131	Other diseases of the kidneys and annexa	48	3					1		2	1	2		5	7	11	10	6	
132	Calculi of the urinary passages	11												1	1	5	2	2	
133	Diseases of the bladder	29											1	3	2	1	5	17	
134	Diseases of the urethra, etc	5													2	2		1	
135	Diseases of the prostate	137													2	16	45	74	
136	Nonvenereal diseases of the male genital organs	3	1										1			1			
137	Cysts, other benign tumors of the ovary	23								1		2	1	6	3	6	3	1	
138	Salpingitis and pelvic abscess (female)	29									4	6	7	7	5				
139	Benign tumors of the uterus	29									1	1	1	13	10	1	1	1	
141	Other diseases of the female genital organs	19								1		3	1	2	4	4	3	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	359							2	28	70	65	73	117	4				
143	Accidents of pregnancy	31								1	5	4	12	9					
144	Puerperal hemorrhage	43								2	3	7	9	20	2				
145	Other accidents of labor	39								2	6	3	9	18	1				
146	Puerperal septicemia	124							1	13	29	24	25	32					
147	Puerperal phlegmasia alba dolens, embolus, etc	28								2	6	5	3	12					
148	Puerperal albuminuria and convulsions	91							1	7	21	22	15	25					
149	Following childbirth (undefined)	2								1					1				
150	Puerperal diseases of the breast	1												1					
	IX.—Diseases of the skin and of the cellular tissue	101	18	2	1	1			1	1	6	2	1	3	5	12	17	31	
151	Gangrene	41				1					1				1	3	10	25	
152	Furuncle	16	1						1		2	1	1		1	2	3	4	
153	Acute abscess	22	6	2	1					1	2	1		3	3	1	2		
154	Other diseases of the skin and annexa	22	11								1					6	2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	29	1	2		2	1	2	7			2	1	3	1	4	2	1	
155	Diseases of the bones (tuberculosis excepted)	23		2		2	1	2	6			2	1	2	1	2	2		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1						1							1		1	
158	Other diseases of the organs of locomotion	2												1		1			
	XI.—Malformations	334	316	3	4	1		7	3										
159a	Congenital hydrocephalus	33	26		1	1		4	1										
159b	Congenital malformations of the heart	173	164	2	3			3	1										
159c	Other congenital malformations	128	126	1					1										
	XII.—Early infancy	1,771	1,771																
160	Congenital debility, icterus, sclerema	226	226																
161a	Premature birth	1,078	1,078																
161b	Injury at birth	294	294																
162	Other diseases peculiar to early infancy	171	171																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	684															54	628	2
	XIV.—External causes	2,151	35	45	45	33	31	94	88	126	127	120	151	296	272	261	204	223	
	Suicide	363							1	6	10	21	25	74	88	82	43	13	
165	By poisons (gas or corrosives excepted)	11								1		1		1	2	4		2	
166	By corrosive substances	36								2	1	4	1	9	8	5	5	1	
167	By poisonous gas	26								1		1	1	5	6	5	3	4	
168	By hanging or strangulation	135								1	3	6	9	24	29	35	23	5	
169	By drowning	30										3	5	5	6	6	4	1	
170	By firearms	94							1	1	6	3	6	23	28	20	6		
171	By cutting or piercing instruments	23										3	2	6	4	6	2		
172	By jumping from high places	2													2				
173	By crushing	1													1				
174	By other means	5											1	1	2	1			
	Homicide	50	3						1	2	4	7	8	11	9	3	1	1	
197	By firearms	33							1	2	3	4	7	6	7	2		1	
198	By cutting or piercing instruments	5	1									2	1	1					
199	By other means	12	2								1	1		4	2	1	1		
	Accidental or undefined	1,738	32	45	45	33	31	94	86	118	113	92	118	211	175	176	160	209	
175	Poisoning by food	12		1	3	2	1		1			1			1	1		1	
177	Other acute poisonings (gas excepted)	21	1	5	4	1	1				1		1	2	3	1		1	
178	Conflagration	13			1	1	2				1			3	2	2	1		
179	Burns (conflagration excepted)	107	2	12	13	8	8	7	4	3	1	5	11	9	6	4	9	5	
180	Mechanical suffocation	19	10		1				1		1	1	2	3					
181	Absorption of irrespirable, irritating, or poisonous gas	49	1					4		1	5		7	5	9	4	4	9	
182	Drowning	188	1	12	9	2	3	19	17	18	20	10	17	22	19	10	6	3	
183	Traumatism by firearms (except in war)	66		1		2	2	3	7	19	6	5	4	7	3	4			
184	Traumatism by cutting or piercing instruments	18									1	1	2	4	1	3	2	1	
185	Traumatism by fall	310	1	4	2			3	5	5	5	6	6	15	18	31	56	152	
186a	Traumatism in mines	2										1		1					
186b	Traumatism in quarries	1								1									
187	Traumatism by machines	55		1		2			1	5	6	6	4	12	8	7	3		
188a	Railroad accidents	155	3		1	2	1	2	7	14	16	16	11	28	19	17	10	8	
188b	Street-car accidents	28		1		1			1	1	2	1	3	8	2	3	3	2	
188c	Automobile accidents	363	3	2	5	7	11	37	19	31	33	21	28	42	35	39	35	15	
188e,f	Injuries by other vehicles	50		1				4	6	3	1	6	1	4	4	8	11	1	
188g	Landslide, other crushing	32							2	3	1		2	7	5	7	4	1	
189	Injuries by animals (not poisoning)	29			1			2	2	1			1	2	10	6	2	2	
193	Excessive cold	23												4	3	8	3	5	
194	Excessive heat	2													1	1			
195	Lightning	11						1	2	3			1	1	2	1			
196	Other accidental electric shocks	32							1	4	6	2	5	8	3		2	1	
201	Fracture (cause not specified)	12									1	2	1	4	3	1			
202	Other external violence	140	10	5	5	5	2	7	8	6	6	8	11	20	18	18	9	2	
	XV.—Ill-defined diseases	80	47	11		1			1			1	2	3	4	4	6		
204	Sudden death	9	7										1		1				
205a	Ill-defined	22	7	7		1			1				1			2	2		
205b	Not specified or unknown	49	33	4								1		3	3	1	4		
	WYOMING																		
	All causes	2,063	336	73	41	26	30	58	55	53	87	97	120	240	229	191	239	179	9
	I.—Epidemic, endemic, and infectious diseases	282	32	19	8	15	12	27	15	14	11	24	19	26	20	15	13	10	2
1	Typhoid and paratyphoid fever	10	1		1				1	1	1	1	1	1	2				
5	Malaria	1									1								
7	Measles	42	4	12	5	5	2	7	3	2			2						
8	Scarlet fever	16				6	3	3	1	1			1	1					
9	Whooping cough	10	5	3	1	1													
10	Diphtheria	12					4	3	4				1						
11a	Influenza (with pulmonary complications)	26	4			1		1		1	1	2	1	2	4	5		4	
11b	Influenza (other and unspecified)	26	4		1			5					2	2	2	2	6	2	
16	Dysentery	4	3															1	
21	Erysipelas	2	2																
22	Acute anterior poliomyelitis	1								1									
24	Meningococcus meningitis	2	1														1		
25	Other epidemic and endemic diseases	11	1						1				1	3	2	1	2		
	Tuberculosis (all forms)	104	4	3		2	3	8	6	5	7	21	10	15	8	6	2	3	1
31	Of the respiratory system	86	1	3		1	2	6	4	4	5	20	9	14	8	5	1	3	
32	Of the meninges, central nervous system	6	1			1			1		2	1							
33	Of the intestines, peritoneum	3						1		1									1
34	Of the vertebral column	1														1			
35	Of the joints	3	1				1						1						
36	Of other organs	3	1											1			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued																		
	Tuberculosis (all forms)—Continued.																		
37a	Disseminated (acute)	1						1											
37b	Disseminated (chronic or unspecified)	1							1										
38	Syphilis	10	3	1						2				1	1	1	1		
40	Gonococcus infection	4									1			1	1		1		
41	Purulent infection, septicemia	1																	1
	II. General diseases not included in Class I	167	4	1	1		1		5	1	4	7	7	22	29	32	38	15	
	Cancer and other malignant tumors	96					1					3	4	13	14	22	28	11	
43	Of the buccal cavity	2														1		1	
44	Of the stomach, liver	42											2	4	9	10	13	4	
45	Of the peritoneum, intestines, rectum	14										1			1	6	4	2	
46	Of the female genital organs	15										1		6	2	1	3	2	
47	Of the breast	4												1	2	1			
48	Of the skin	3															2	1	
49	Of other or unspecified organs	16					1					1	2	2		3	6	1	
51	Acute rheumatic fever	9							2					1	2	1	1	2	
52	Chronic rheumatism, osteoarthritis, gout	1													1				
54	Pellagra	1												1					
56	Rickets	1	1																
57	Diabetes mellitus	20			1				3		2	1	1		1	5	5	1	
58	Anemia, chlorosis	7									1			1	2		2	1	
60a	Exophthalmic goiter	3								1				1		1			
60b	Other diseases of the thyroid gland	1												1					
61	Diseases of the parathyroid glands	1	1																
65a	Leukemia	1															1		
65b	Hodgkin's disease																		
66	Alcoholism (acute or chronic)	20									1	2	1	4	8	3	1		
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	5	2	1								1	1						
	III.—Diseases of the nervous system and of the organs of special sense	183	7	4	3	1		1	2		3	3	7	17	17	32	49	36	1
70	Encephalitis	1									1								
71a	Simple meningitis	3		1	1			1											
71b	Nonepidemic cerebrospinal meningitis	4		2	1				1										
72	Tabes dorsalis (locomotor ataxia)	2												1	1				
73	Other diseases of the spinal cord	4														1	2	1	
74a	Cerebral hemorrhage	111							1		1		1	6	10	21	42	28	1
74b	Cerebral embolism and thrombosis	4												1				3	
75	Paralysis without specified cause	14												1	1	5	4	3	
76	General paralysis of the insane	13											1	5	2	4		1	
77	Other forms of mental alienation	1											1						
78	Epilepsy	9										2	4	1	1		1		
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	6	6																
84	Other diseases of the nervous system	4				1						1		1	1				
86a	Diseases of the ear	4		1	1									1		1			
86b	Diseases of the mastoid process	2	1												1				
	IV.—Diseases of the circulatory system	223	2	1	1		1	2	5	3	2	6	4	33	41	33	49	39	1
87	Pericarditis	1										1							
88	Endocarditis and myocarditis (acute)	15						1		2	1	1		5	2	2	1		
89	Angina pectoris	15											1	2	5	2	3	2	
90	Other diseases of the heart	170	1	1	1		1	1	5	1	1	3	3	23	31	26	38	33	1
91a	Aneurysm	6												3		2	1		
91b,c	Other diseases of the arteries	13													2	1	6	4	
92	Embolism and thrombosis (not cerebral)	2	1												1				
94	Diseases of the lymphatic system	1										1							
	V.—Diseases of the respiratory system	207	58	20	11	3	7	6	3	6	11	5	5	10	12	12	21	15	2
97a	Diseases of the nasal fossae	3	1				1					1							
97b	Diseases of the nasal fossae annexa	3					1				1	1							
98	Diseases of the larynx	4	1		2	1													
99a	Acute bronchitis	2					1	1											
99b	Chronic bronchitis	1																1	
99c,d	Bronchitis (unspecified)	4	1														2	1	
100a	Broncho-pneumonia	76	30	14	5	2	3	1	1	3	1	1	1	2	3	3	4	2	
100b	Capillary bronchitis	4	3															1	
101a	Lobar pneumonia	64	12	2	1			2	1	1	5	1	3	5	7	8	11	3	2
101b	Pneumonia (unspecified)	31	9	3	3		1	2	1		3			1		1	3	4	
102	Pleurisy	2								1			1						
103	Congestion and hemorrhagic infarct of the lung	2																2	
104	Gangrene of the lung	2									1			1					
105	Asthma	4	1									1		1				1	
107	Other diseases of the respiratory system (tuberculosis excepted)	5		1						1					2		1		
	VI.—Diseases of the digestive system	180	32	12	7	2	2	9	10	7	3	10	5	18	29	16	11	7	
109b	Other diseases of the pharynx, tonsils	4						1	2							1			
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	7								1		1		2	3				
111b	Ulcer of the duodenum	2														1	1		
112	Other diseases of the stomach (cancer excepted)	15	3		1			1				2		1	3	3	1		
113	Diarrhea and enteritis (under 2 years)	35	27	8															
114	Diarrhea and enteritis (2 years and over)	13			5	2	1							1	3	1			
117	Appendicitis and typhlitis	50		1			1	4	8	6	1	5	3	7	7	4	2	1	
118a	Hernia	1													1				
118b	Intestinal obstruction	14	2	3				1			1	1	1			1	1	3	
119	Other diseases of the intestines	4						1			1				2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	VI.—Diseases of the digestive system—Continued																		
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	12													4	1	5	2	
123	Biliary calculi	4											1		1	1	1		
124	Other diseases of the liver	10												5	2	2		1	
125	Diseases of the pancreas	1													1				
126	Peritonitis without specified cause	6			1			1				1		1	2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	123	2			1	2	2		3	4	6	4	13	14	20	30	22	
128	Acute nephritis (including unspecified under 10 years)	14	1			1	1	2		1		1	1	2	2		2		
129	Chronic nephritis (including unspecified 10 years and over)	74					1			1	4	1	2	6	6	15	21	17	
131	Other diseases of the kidneys and annexa	4												2	1	1			
132	Calculi of the urinary passages	1															1		
133	Diseases of the bladder	2														1		1	
135	Diseases of the prostate	10														1	6	3	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	1														1			
138	Salpingitis and pelvic abscess (female)	7								1		2	1	2	1				
139	Benign tumors of the uterus	8										1		1	4	1		1	
141	Other diseases of the female genital organs	1										1							
	VIII.—The puerperal state	51							1	3	10	10	10	17					
143	Accidents of pregnancy	5							1	1			3						
144	Puerperal hemorrhage	5										2		3					
145	Other accidents of labor	7									3	1	1	2					
146	Puerperal septicemia	18								2	3	5	5	3					
147	Puerperal phlegmasia alba dolens, embolus, etc	2									1	1							
148	Puerperal albuminuria and convulsions	14									3	1	1	9					
	IX.—Diseases of the skin and of the cellular tissue	5									2						1	2	
151	Gangrene	2																2	
152	Furuncle	2									2								
153	Acute abscess	1															1		
	XI.—Malformations	21	21																
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	14	14																
159c	Other congenital malformations	6	6																
	XII.—Early infancy	156	156																
160	Congenital debility, icterus, sclerema	13	13																
161a	Premature birth	113	113																
161b	Injury at birth	13	13																
162	Other diseases peculiar to early infancy	15	15																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	43														2	13	27	1
	XIV.—External causes	385	10	9	7	2	4	11	13	16	37	26	59	80	65	27	13	4	2
	Suicide	32									4	1	7	7	10	2	1		
165	By poisons (gas or corrosives excepted)	2													2				
166	By corrosive substances	4									1	1	2						
168	By hanging or strangulation	2											1		1				
170	By firearms	21									2		3	7	6	2	1		
172	By jumping from high places	3									1		1		1				
	Homicide	28						1		2	3	1	10	8	3				
197	By firearms	23						1		1	2	1	10	6	2				
198	By cutting or piercing instruments	2												1	1				
199	By other means	3								1	1			1					
	Accidental or undefined	325	10	9	7	2	4	10	13	14	30	24	42	65	52	25	12	4	2
175	Poisoning by food	7	1		1					1	1			1		1	1		
177	Other acute poisonings (gas excepted)	4	1		1		2												
178	Conflagration	8	1	1		1		1			1		1		1	1			
179	Burns (conflagration excepted)	20	1	1	3				1		1	3	3	3	2	1		1	
180	Mechanical suffocation	5	3											1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	2												1	1				
182	Drowning	23		4				3		3	2	3	1	5	1		1		
183	Traumatism by firearms (except in war)	17						1	3	2			5	3	3				
184	Traumatism by cutting or piercing instruments	1							1										
185	Traumatism by fall	21	1					1	1		1	1	2		4	6		3	1
186a	Traumatism in mines	76								1	10	8	16	27	11	1	1		1
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	9								1	1		1	1	5				
188a	Railroad accidents	23									5	1	3	3	5	3	3		
188c	Automobile accidents	59		2	1	1	1	3	4	3	5	4	6	12	8	4	5		
188e,f	Injuries by other vehicles	11							2						4	4	1		
188g	Landslide, other crushing	2								1				1					
189	Injuries by animals (not poisoning)	2									1		1						
193	Excessive cold	5			1									2	1	1			
195	Lightning	5								1				3	1				
196	Other accidental electric shocks	4							1	1					1	1			
202	Other external violence	20	2	1			1	1			2	3	3	2	3	2			
	XV.—Ill-defined diseases	37	12	7	3	2	1		1					4	2	2	1	2	
204	Sudden death	1														1			
205a	Ill-defined	7	1	3	1											1		1	
205b	Not specified or unknown	29	11	4	2	2	1		1					4	2		1	1	

NOTE.—For populations, see reference on Table 4.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on Jan. 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,541	226	56	23	20	12	28	22	39	67	72	79	135	174	188	221	179	
Typhoid and paratyphoid fever (1)	8				1		1	2	1		1		1	1				
Measles (7)	15	1	4	2			2	2	1	1	1		1					
Scarlet fever (8)	2				1			1										
Whooping cough (9)	14	6	5	1	1		1											
Diphtheria (10)	5	1	1	2		1												
Influenza (11)	26	2		1						1	3	3	3	4	2	3	4	
Meningococcus meningitis (24)	2		1									1						
Tuberculosis of the respiratory system (31)	55			1					2	5	8	7	5	13	11	2	1	
Other forms of tuberculosis (32–37)	17	2	2							1	2	1	4	3	2			
Cancer and other malignant tumors (43–49)	103				1	1					2	4	15	21	22	24	13	
Diabetes mellitus (57)	8						1				1				4	2		
Cerebral hemorrhage and softening (74, 83)	109										1	2	7	12	26	32	29	
Other [organic] diseases of the heart (90)	130			1		1	2	2	1	2	3	2	5	20	30	32	29	
Bronchitis (99)	4													1	1		2	
Broncho-pneumonia (100)	45	11	2	2	1			1	2		2		4	3	5	5	7	
Pneumonia (101)	111	12	6	1	2	2	2	1	5	6	5	11	12	12	9	14	11	
Diarrhea and enteritis (113, 114)	53	15	25	5	4	1								1		2		
Appendicitis and typhlitis (117)	36				1	2	2	1	4	4	4	1	4	8	4	1		
Hernia, intestinal obstruction (118)	21	1			1			1	1		1	1	7	2	2	3	1	
Cirrhosis of the liver (122)	7													3	1	2	1	
Nephritis (128, 129)	109		1					1	3		3	5	10	16	18	28	24	
Diseases of the female genital organs (137–141)	7										2	1	1	2		1		
Puerperal septicemia (146)	18								3	6	2	7						
Other puerperal causes (143–145, 147–150)	22								3	8	2	5	3	1				
Suicide (165–174)	24								2	5	2	1	9	4		1		
Homicide (197–200)	30	2						1		8	6	1	5	2	1	4		
Automobile accidents (188c)	32					2	2	1	3	3	3	2	4	4	1	5	2	
Other external causes (175–188b, 188d–196, 201–203)	99	7	6	3	4	2	4	4	5	8	8	7	13	5	4	7	12	
All other causes	429	166	3	4	3		11	4	3	9	10	17	22	36	45	53	43	
BIRMINGHAM, ALA. (COLORED), all causes	1,870	269	59	22	19	10	22	26	85	174	170	116	274	276	192	92	60	4
Typhoid and paratyphoid fever (1)	7									1			3	3				
Measles (7)	10		2	1	2	1	1		1		1			1				
Scarlet fever (8)																		
Whooping cough (9)	19	7	7	3	1		1											
Diphtheria (10)	2			2														
Influenza (11)	54	6	2		2		4	1	3	6	4	3	5	5	10	2	1	
Meningococcus meningitis (24)	2	1									1							
Tuberculosis of the respiratory system (31)	153	1	1	2	1		1	3	22	25	29	19	24	12	12		1	
Other forms of tuberculosis (32–37)	32	5	4	2		2		3	2	4	1	1	5	2	1			
Cancer and other malignant tumors (43–49)	54										2	5	13	18	13	3		
Diabetes mellitus (57)	9												2	4	1	2		
Cerebral hemorrhage and softening (74, 83)	97	1						1		1		2	15	35	24	12	6	
Other [organic] diseases of the heart (90)	128		2					1	3	8	7	4	15	45	27	9	7	
Bronchitis (99)	6	1	1				1									2	1	
Broncho-pneumonia (100)	49	15	8	2	1		2		1	3	4	2	4	3	1	1	1	1
Pneumonia (101)	228	16	3	3	2	1	3	2	15	34	33	30	31	28	15	7	4	1
Diarrhea and enteritis (113, 114)	53	34	10								1	2	1	1	3		1	
Appendicitis and typhlitis (117)	16				1		2	1	2	3	2	1	1	2	1			
Hernia, intestinal obstruction (118)	13								1	4	2		2	2	2			
Cirrhosis of the liver (122)	8										1		4	1	1	1		
Nephritis (128, 129)	86	1		1	1	1			1	2	1	5	14	14	16	16	13	
Diseases of the female genital organs (137–141)	13								2	1	3	1	5	1				
Puerperal septicemia (146)	16								2	5	5	1	3					
Other puerperal causes (143–145, 147–150)	18							1	3	2	7	1	4					
Suicide (165–174)	3												2				1	
Homicide (197–200)	107						2		12	27	22	12	20	10	1			1
Automobile accidents (188c)	23		1			1		1		6	2		6	1	3	1	1	
Other external causes (175–188b, 188d–196, 201–203)	70	3	4	2	7		2		4	11	9	3	8	12	2	3		
All other causes	594	178	14	4	1	4	3	12	11	31	33	24	87	76	59	33	23	1
LOS ANGELES, CALIF. (WHITE), all causes	10,634	1,171	196	108	63	53	206	151	246	436	426	418	1,063	1,360	1,570	1,651	1,515	1
Typhoid and paratyphoid fever (1)	27		1		1		1	3	1	9	2		3	2	2	2		
Measles (7)	39	7	16	4	1		7	2								1	1	
Scarlet fever (8)	13		1	3	1	3	1	2			1	1						
Whooping cough (9)	35	21	8	3	2		1											
Diphtheria (10)	157	8	17	17	14	16	55	17	4	1	3	1	1	2	1			
Influenza (11)	69	9	2	3			1		1	3	5	1	6	8	12	8	10	
Meningococcus meningitis (24)	9	3					2	1				1	1	1				
Tuberculosis of the respiratory system (31)	1,037	6	4	5	6	3	10	21	98	141	123	125	194	140	92	54	15	
Other forms of tuberculosis (32–37)	167	19	17	7	7	5	18	9	11	9	15	10	22	7	4	5	2	
Cancer and other malignant tumors (43–49)	1,132	1	1			1	1	1	4	7	7	21	133	251	309	254	141	
Diabetes mellitus (57)	164				1		5	1	1	1	3	1	11	23	52	44	21	
Cerebral hemorrhage and softening (74, 83)	738	3		1					1	4	3		20	80	162	218	246	
Other [organic] diseases of the heart (90)	1,409	2	1	1		1	7	18	10	18	27	21	85	172	268	387	391	
Bronchitis (99)	51	20	2		1		1	1		1				5	2	5	13	
Broncho-pneumonia (100)	312	126	23	10	5	1	9	3	1	5	3	3	6	22	22	26	47	
Pneumonia (101)	310	24	13	9	2	1	7	2	4	10	11	8	41	42	50	46	40	
Diarrhea and enteritis (113, 114)	266	184	31	14	1	2	1			1		1		4	5	7	15	
Appendicitis and typhlitis (117)	165				2	3	7	10	6	21	8	16	31	28	15	13	5	
Hernia, intestinal obstruction (118)	117	15		2				1	2		3	4	19	20	14	18	19	
Cirrhosis of the liver (122)	64										1	1	8	10	13	25	6	
Nephritis (128, 129)	673	9		1			3	6	4	11	19	16	58	104	135	165	142	
Diseases of the female genital organs (137–141)	67									3	8	10	19	19	5	1	2	
Puerperal septicemia (146)	32								6	5	7	7	7					
Other puerperal causes (143–145, 147–150)	77								4	13	20	22	16	2				
Suicide (165–174)	214								5	21	19	19	45	52	26	18	9	
Homicide (197–200)	74								9	10	10	14	18	9	3	1		
Automobile accidents (188c)	247		1	3	3	3	14	10	10	17	20	16	36	25	35	32	22	
Other external causes (175–188b, 188d–196, 201–203)	519	18	9	7	11	4	13	12	36	66	44	29	70	47	38	42	73	
All other causes	2,450	696	49	18	5	10	42	31	28	59	64	70	213	285	305	279	295	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF. (COLORED), all causes	675	79	16	12	12	8	16	9	19	43	50	37	147	103	63	43	17	1
Typhoid and paratyphoid fever (1)	3							1			1	1						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	6	1		2	1		1						1					
Influenza (11)	7	3	1							1				1	1			
Meningococcus meningitis (24)	3			1				1	1									
Tuberculosis of the respiratory system (31)	122	1	1				1	4	8	21	15	11	33	17	6	4		
Other forms of tuberculosis (32–37)	21	1	2	2	2	2	3		1	2	1	2	3					
Cancer and other malignant tumors (43–49)	35		1							1		2	12	11	6	2		
Diabetes mellitus (57)	9										1		3	1	3	1		
Cerebral hemorrhage and softening (74, 83)	30										1	2	6	5	6	7	3	
Other [organic] diseases of the heart (90)	52								1	2	2		12	13	10	11	1	
Bronchitis (99)	4	2												1			1	
Broncho-pneumonia (100)	11	4	1	1	1			1	1					2				
Pneumonia (101)	33	4	2	1	1	2		1		2	2	2	6	5	1	3	1	
Diarrhea and enteritis (113, 114)	22	14	2	1	1	1	1						1				1	
Appendicitis and typhlitis (117)	6									1	1	1	3					
Hernia, intestinal obstruction (118)	11		1				2				3	2	1	2				
Cirrhosis of the liver (122)	7												1	3	3			
Nephritis (128, 129)	50	1				1				1	1	2	8	16	10	5	5	
Diseases of the female genital organs (137–141)	4												4					
Puerperal septicemia (146)	10								1	4	5							
Other puerperal causes (143–145, 147–150)	7								1	1	2	2		1				
Suicide (165–174)	16										4	2	9		1			
Homicide (197–200)	25								2	1	3	3	10	3	1	1		1
Automobile accidents (188c)	20				2		2			1	1	1	3	5	3	2		
Other external causes (175–188b, 188d–196, 201–203)	30	2	1	3	1	1	1	1	2	1	1	1	9	3	2	1		
All other causes	130	45	4	1	3	1	5		1	4	6	3	22	14	10	6	5	
OAKLAND, CALIF., all causes	2,767	297	41	14	22	17	63	40	37	53	68	76	253	326	420	516	523	1
Typhoid and paratyphoid fever (1)	4								1			1	1			1		
Measles (7)	2		1			1												
Scarlet fever (8)																		
Whooping cough (9)	6	4	1				1											
Diphtheria (10)	59	1	5	5	9	6	21	9		1			1	1				
Influenza (11)	24	1					2			1		1	3	4	2	6	4	
Meningococcus meningitis (24)	1				1													
Tuberculosis of the respiratory system (31)	122	2	1	1	1				13	11	20	9	21	17	11	11	3	1
Other forms of tuberculosis (32–37)	22	1	2	1		1	3	3	2	1	1	2	2	1	1	1		
Cancer and other malignant tumors (43–49)	286		1		1	1		1				4	30	47	89	72	40	
Diabetes mellitus (57)	49							1		1		1	3	9	15	9	10	
Cerebral hemorrhage and softening (74, 83)	258									1	1	1	13	26	40	87	89	
Other [organic] diseases of the heart (90)	496		1				3	5	1	2	2	4	23	66	94	130	165	
Bronchitis (99)	18	5											1	2	1	2	7	
Broncho-pneumonia (100)	114	41	11	3	4	1	5	1	4		1	3	5	5	3	9	18	
Pneumonia (101)	105	14	1	1			1	3	1	4	2	1	13	12	14	16	22	
Diarrhea and enteritis (113, 114)	52	39	4	1		1	3				1		1			1	1	
Appendicitis and typhlitis (117)	31				1		1		1	2	2	6	7	4	4	2	1	
Hernia, intestinal obstruction (118)	21	2	1							1	1	1		1	4	4	6	
Cirrhosis of the liver (122)	27										1	1	3	5	4	10	3	
Nephritis (128, 129)	179	1			1			1	1	1	1	3	18	26	37	45	44	
Diseases of the female genital organs (137–141)	14										1	1	8	2	2			
Puerperal septicemia (146)	4									1	1	1	1					
Other puerperal causes (143–145, 147–150)	21								2	2	5	3	9					
Suicide (165–174)	73									3	5	5	20	17	12	8	3	
Homicide (197–200)	8									2		2	3	1				
Automobile accidents (188c)	49	1			1	2	7	3	3	7	5	2	2	5	5	2	4	
Other external causes (175–188b, 188d–196, 201–203)	106	3	1	1			4	3	3	5	8	8	17	10	14	14	14	
All other causes	616	182	11	1	2	4	12	10	5	7	10	16	48	65	68	86	89	
SAN FRANCISCO, CALIF., all causes	7,484	504	77	51	29	36	130	89	111	215	235	284	825	1,162	1,401	1,271	1,063	1
Typhoid and paratyphoid fever (1)	14					1			2	2	1	2	3	2		1		
Measles (7)	15	1	5	5	2	1	1											
Scarlet fever (8)	15				2		5	3		1	1	2	1					
Whooping cough (9)	3	1	1			1												
Diphtheria (10)	116	5	4	10	7	14	56	12	1	2	1	1	1	1			1	
Influenza (11)	34			1			1			1	2	2	4	10	5	2	6	
Meningococcus meningitis (24)	12	2	1	1					4	3		1						
Tuberculosis of the respiratory system (31)	574	2	2	2	1	2	5	6	26	59	68	59	124	117	60	30	11	
Other forms of tuberculosis (32–37)	85	5	3	6	3	4	5	3	2	12	7	7	9	11	3	3	2	
Cancer and other malignant tumors (43–49)	918	1	2	2		1	1	1	2	1	8	18	107	205	281	203	85	
Diabetes mellitus (57)	115						1	1		1	1	1	5	14	32	38	21	
Cerebral hemorrhage and softening (74, 83)	568	1							1	2		1	7	28	78	140	161	150
Other [organic] diseases of the heart (90)	1,303		1	2			3	6	9	13	12	10	60	152	292	371	372	
Bronchitis (99)	40	8					1					1	1	1	3	7	18	
Broncho-pneumonia (100)	231	61	20	1	1		2	1	3	2	4	6	12	23	24	27	44	
Pneumonia (101)	363	27	4	3	2	2	5	7	5	7	8	19	59	65	67	41	42	
Diarrhea and enteritis (113, 114)	71	39	7	6	3		1	1	3	1		3	4		1	1	1	
Appendicitis and typhlitis (117)	111		1	1	1		1	4	8	8	2	11	21	27	15	9	2	
Hernia, intestinal obstruction (118)	83	8	1				1		1	5	2	4	12	19	13	10	7	
Cirrhosis of the liver (122)	93							2			1	2	11	22	30	15	10	
Nephritis (128, 129)	604					1	4	9	3	4	6	11	49	101	137	144	135	
Diseases of the female genital organs (137–141)	55								2	3	4	8	14	16	4	3	1	
Puerperal septicemia (146)	13								1	1	2	6	3					
Other puerperal causes (143–145, 147–150)	29									5	6	10	7	1				
Suicide (165–174)	213								4	15	14	16	50	53	42	14	5	
Homicide (197–200)	46	1				2	2	1	1	3	12	3	13	6	2			
Automobile accidents (188c)	113			1	1	1	11	5	8	5	3	5	19	20	11	12	11	
Other external causes (175–188b, 188d–196, 201–203)	306	3	2	5	3	1	7	5	8	22	22	21	52	34	56	34	31	
All other causes	1,341	339	23	5	3	5	17	22	17	37	48	48	156	184	183	145	108	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	4,122	517	100	50	29	26	67	58	96	143	179	191	405	452	586	662	559	2
Typhoid and paratyphoid fever (1)	14								2	3	2		1	4	2			
Measles (7)	28	7	13	5	1		1			1								
Scarlet fever (8)	5			2		1	1						1					
Whooping cough (9)	20	12	3	2	1	2												
Diphtheria (10)	57	3	4	5	5	6	17	7	3	2	2			1	2			
Influenza (11)	101	19	16	4	3		1	2	1	3	3	2	7	7	13	9	11	
Meningococcus meningitis (24)	5								1	1			3					
Tuberculosis of the respiratory system (31)	515		2		2		3	2	25	76	80	81	117	61	45	19	2	
Other forms of tuberculosis (32–37)	56	7	6	3	3	1	2	1	7	1	7	3	7	2	6			
Cancer and other malignant tumors (43–49)	340			1							3	6	30	68	88	104	40	
Diabetes mellitus (57)	20	1								1		1	1	3	10	3		
Cerebral hemorrhage and softening (74, 83)	282	1									1	4	5	25	74	94	78	
Other [organic] diseases of the heart (90)	394	1				2	3	8	10	6	3	8	34	35	67	112	105	
Bronchitis (99)	6		1											1	1	1	2	
Broncho-pneumonia (100)	185	62	14	3	3	1	3	1		1	1	3	4	14	13	25	37	
Pneumonia (101)	265	24	9	10	2	4	4	3	6	4	5	12	23	30	31	60	38	
Diarrhea and enteritis (113, 114)	90	68	10	4	1						1		1	2			3	
Appendicitis and typhlitis (117)	89			1	2		5	7	7	6	12	7	16	13	9	2	2	
Hernia, intestinal obstruction (118)	47	3							1		4	7	3	5	10	8	5	1
Cirrhosis of the liver (122)	21										1		1	6	5	5	3	
Nephritis (128, 129)	295	3		1		1		5	5	1	5	3	21	36	68	79	66	1
Diseases of the female genital organs (137–141)	31								3	1	1	4	10	7	3	2		
Puerperal septicemia (146)	31								4	9	9	5	4					
Other puerperal causes (143–145, 147–150)	25								2	4	6	5	8					
Suicide (165–174)	62								5	6	9	4	12	10	10	5	1	
Homicide (197–200)	30		1		1	1		1	1	4	5	5	3	4	2	2		
Automobile accidents (188c)	40			1		2	8	2	1	3	1	1	6	5	5	4	1	
Other external causes (175–188b, 188d–196, 201–203)	148	8	11		1	3	4	5	3	3	5	8	11	16	20	14	36	
All other causes	920	298	10	8	4	2	15	14	9	7	13	22	76	97	102	114	129	
BRIDGEPORT, CONN., all causes	1,537	183	33	28	24	5	38	21	34	28	44	60	136	214	268	212	209	
Typhoid and paratyphoid fever (1)	5								1	1		1	1		1			
Measles (7)																		
Scarlet fever (8)	6		1	1			3		1									
Whooping cough (9)	10	5	3	2														
Diphtheria (10)	24	2	5	5	8		2	1				1						
Influenza (11)	29	8	3	2	1						1	2	6		1	4	1	
Meningococcus meningitis (24)	2				1									1				
Tuberculosis of the respiratory system (31)	80		1		1		1	1	7	10	9	16	14	14	5	1		
Other forms of tuberculosis (32–37)	15	1		2	1		2	1			2	1	2	1	1	1		
Cancer and other malignant tumors (43–49)	167	1								1	3	5	25	35	43	35	19	
Diabetes mellitus (57)	33						2		1		1	1	2	6	10	7	3	
Cerebral hemorrhage and softening (74, 83)	129												3	21	32	35	38	
Other [organic] diseases of the heart (90)	244			1			1	2	5	1	2	3	8	37	62	58	64	
Bronchitis (99)	5	1											1	1		1	1	
Broncho-pneumonia (100)	58	16	6	2	3		2						3	3	6	6	11	
Pneumonia (101)	69	8	4	3	2		3		1	1	2	2	10	10	12	6	5	
Diarrhea and enteritis (113, 114)	18	12	3		1				1				1					
Appendicitis and typhlitis (117)	14							1	2		1	2	1	3	3	1		
Hernia, intestinal obstruction (118)	19	2		1					1	2	1			7	2	1	2	
Cirrhosis of the liver (122)	9											1	1	3	1	2	1	
Nephritis (128, 129)	125	1		1						2	5		12	25	24	25	30	
Diseases of the female genital organs (137–141)	2											1	1					
Puerperal septicemia (146)	10								2	1	3	3	1					
Other puerperal causes (143–145, 147–150)	12									1	3	4	4					
Suicide (165–174)	15									2			2	3	7	1		
Homicide (197–200)	5										1	1			3			
Automobile accidents (188c)	21				1	1	5		1		1		2	4	4	1	1	
Other external causes (175–188b, 188d–196, 201–203)	97	2	2	3	2	3	11	10	5	1	2	3	13	12	11	7	10	
All other causes	314	124	5	5	3	1	6	5	6	5	7	13	23	28	40	20	23	
HARTFORD, CONN., all causes	1,818	250	48	28	19	6	35	34	48	46	46	72	166	217	286	295	222	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	11	5	6															
Scarlet fever (8)	9			2	2	1		1	2			1						
Whooping cough (9)	3		3															
Diphtheria (10)	14	1	2		1	1	3	3		1		1	1					
Influenza (11)	11	2	3							1		1	2			1	1	
Meningococcus meningitis (24)	2			1				1										
Tuberculosis of the respiratory system (31)	68		1	2				2	9	10	8	5	11	10	6	3	1	
Other forms of tuberculosis (32–37)	28	1	4		3	1	2		4	2		2	3	1	4	1		
Cancer and other malignant tumors (43–49)	194			1			2			1	4	6	19	41	46	56	18	
Diabetes mellitus (57)	43						1				1		2	4	15	15	5	
Cerebral hemorrhage and softening (74, 83)	124												5	17	30	43	29	
Other [organic] diseases of the heart (90)	259	1					1	3	3	2	4	4	15	33	64	70	59	
Bronchitis (99)	14	6	1				1		1				1	2		1	1	
Broncho-pneumonia (100)	88	25	4	6	3		2	3				1	3	5	10	6	20	
Pneumonia (101)	92	2	3	6	1			2	5	4	4	4	12	9	19	8	13	
Diarrhea and enteritis (113, 114)	48	40	5				1						1				1	
Appendicitis and typhlitis (117)	49						2	3	6	4	4	2	6	8	9	4	1	
Hernia, intestinal obstruction (118)	19	2	2				1				2		3		4	3	2	
Cirrhosis of the liver (122)	13												1	3	4	3	2	
Nephritis (128, 129)	121											5	9	20	26	29	32	
Diseases of the female genital organs (137–141)	15										1	3	6	4	1			
Puerperal septicemia (146)	9										3	4	2					
Other puerperal causes (143–145, 147–150)	11									1	2	2	6					
Suicide (165–174)	13										1	2	4	1	2	3		
Homicide (197–200)	7											4	2		1			
Automobile accidents (188c)	33				2	1	3	2	2	5		4	2	6	4	1	1	
Other external causes (175–188b, 188d–196, 201–203)	106	3	2	5	4	1	6	5	6	2	2	4	16	16	9	11	14	
All other causes	413	162	12	5	3	1	10	9	10	13	9	18	33	37	32	37	22	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,153	290	55	21	17	16	39	30	44	41	49	82	150	281	354	362	322	
Typhoid and paratyphoid fever (1)	12			1			1		2	1	1	2	2	1	1			
Measles (7)	2		2															
Scarlet fever (8)	5	1		1	2		1											
Whooping cough (9)	8	2	4	2														
Diphtheria (10)	7	1	1		2		3											
Influenza (11)	18	3	3		1								1	2	2	3	3	
Meningococcus meningitis (24)	3	2							1									
Tuberculosis of the respiratory system (31)	80		3		1				4	16	5	5	14	14	8	9	1	
Other forms of tuberculosis (32–37)	29	4	6	3			1		3	1	2		5	3		1		
Cancer and other malignant tumors (43–49)	237			1		1	1			2	3	8	19	51	61	54	36	
Diabetes mellitus (57)	36							1					1	3	16	7	8	
Cerebral hemorrhage and softening (74, 83)	196						1	1	1		2		7	30	50	48	56	
Other [organic] diseases of the heart (90)	292				2	1		3	5	3	6	8	8	45	60	85	66	
Bronchitis (99)	11	1											1	1	2	3	3	
Broncho-pneumonia (100)	101	27	10	2	2		1			1	1	3	2	7	12	10	23	
Pneumonia (101)	116	9	3	3	1		3	1	4	1	2	7	12	16	16	22	16	
Diarrhea and enteritis (113, 114)	66	43	12				1					2	1		1	5	1	
Appendicitis and typhlitis (117)	26					2	2	2	3	1	4	2	1	3	5	1		
Hernia, intestinal obstruction (118)	35	8	1					1	1			1	2	3	9	6	3	
Cirrhosis of the liver (122)	12												1	5	2	3	1	
Nephritis (128, 129)	135						1		1		1	3	13	12	30	38	36	
Diseases of the female genital organs (137–141)	14									1		1	5	3	3		1	
Puerperal septicemia (146)	9										3	3	3					
Other puerperal causes (143–145, 147–150)	15								1	3	2	4	4	1				
Suicide (165–174)	22								1		1	2	6	6	6			
Homicide (197–200)	7								1	2		1		1	1	1		
Automobile accidents (188c)	48			1		2	7	5	3	2	3	3	5	4	6	7		
Other external causes (175–188b, 188d–196, 201–203)	98	3	2	3	2	3	6	3	5	3	6	7	13	8	11	13	10	
All other causes	513	186	8	4	4	7	10	13	8	4	7	20	24	62	52	46	58	
WILMINGTON, DEL., all causes	1,407	209	38	20	14	9	32	17	36	37	40	50	113	163	195	222	210	2
Typhoid and paratyphoid fever (1)	7						1		2	1		1	1	1				
Measles (7)																		
Scarlet fever (8)	4				1	1	1			1								
Whooping cough (9)	10	7	2		1													
Diphtheria (10)	14		4	2	4		3		1									
Influenza (11)	24	8	2	3			1			1		2	2		1		4	
Meningococcus meningitis (24)	3	1		1			1											
Tuberculosis of the respiratory system (31)	66	1					1		5	9	8	11	14	11	3	1	2	
Other forms of tuberculosis (32–37)	17	2	1				1	2	3		2	1		2	1	1	1	
Cancer and other malignant tumors (43–49)	122											1	14	29	29	19	1	
Diabetes mellitus (57)	19										1		1	4	8	5		
Cerebral hemorrhage and softening (74, 83)	118												4	10	31	40	33	
Other [organic] diseases of the heart (90)	177	1		1		2	3	3	3	1	3	2	6	25	36	44	46	1
Bronchitis (99)	9	4	1	1									1			1	1	
Broncho-pneumonia (100)	73	37	9	4	1	1	2			1		1	2	5	1	5	4	
Pneumonia (101)	59	2	2			2	2			3		3	11	10	8	12	4	
Diarrhea and enteritis (113, 114)	50	36	6	2	1								1	1	2		1	
Appendicitis and typhlitis (117)	14							2	4		1	1	1	1	1	2	1	
Hernia, intestinal obstruction (118)	8	1	1	1				1	1				2		1		1	
Cirrhosis of the liver (122)	15							1	1					3	3	5	2	
Nephritis (128, 129)	141	1		2						1	2	4	13	17	28	32	41	
Diseases of the female genital organs (137–141)	8											1	4	1	1		1	
Puerperal septicemia (146)	7								2		1	2	1	1				
Other puerperal causes (143–145, 147–150)	12								2	5	1	2	2					
Suicide (165–174)	10									1	1			2	3	3		
Homicide (197–200)	11										2	1	3	3	1	1		
Automobile accidents (188c)	29			1			1	3	2	2	2	2	3	5	1	6	1	
Other external causes (175–188b, 188d–196, 201–203)	88	3	5	2	3	2	7	2	5	6	6	6	8	6	10	9	8	
All other causes	292	105	5	1	2	1	8	3	5	5	10	9	19	26	27	26	40	
WASHINGTON, D. C. (WHITE), all causes	4,142	396	44	32	22	17	63	35	50	122	131	146	343	484	696	766	795	
Typhoid and paratyphoid fever (1)	18						2	2	1	3	1	2	3	4				
Measles (7)	2		2															
Scarlet fever (8)	8	1			2		2	2		1								
Whooping cough (9)	5	1	3			1												
Diphtheria (10)	26		1	6	2	6	9						1	1				
Influenza (11)	29	2			1	1		2			2	1	2	3	6	5	4	
Meningococcus meningitis (24)	2						1							1				
Tuberculosis of the respiratory system (31)	213	1	1	1					6	30	35	23	33	39	23	14	7	
Other forms of tuberculosis (32–37)	30		1	3	2		4		3	5	4	3		1	3	1		
Cancer and other malignant tumors (43–49)	430	2					1	1		3	3	16	48	70	113	105	68	
Diabetes mellitus (57)	59		1								2	1	3	9	14	22	7	
Cerebral hemorrhage and softening (74, 83)	366									1	1	1	12	46	84	93	128	
Other [organic] diseases of the heart (90)	668	2					2	5	2	5	3	2	21	76	151	200	199	
Bronchitis (99)	26	3													1	6	16	
Broncho-pneumonia (100)	114	28	5	7			3		1	1		1	3	6	19	17	23	
Pneumonia (101)	163	2	6	1	2		1	1	2	5	4	7	21	23	35	28	25	
Diarrhea and enteritis (113, 114)	102	66	11	5	5		1			2	1	1		2		3	5	
Appendicitis and typhlitis (117)	63				2		2	1	3	4	3	8	14	14	6	3	3	
Hernia, intestinal obstruction (118)	36	1						1	1	4	2	4	6	1	7	3	6	
Cirrhosis of the liver (122)	18												2	4	5	5	2	
Nephritis (128, 129)	384						2	1			5	6	23	47	83	107	110	
Diseases of the female genital organs (137–141)	19									1	2	3	1	9	2	1		
Puerperal septicemia (146)	27								3	3	8	5	8					
Other puerperal causes (143–145, 147–150)	32								2	10	5	7	7	1				
Suicide (165–174)	76								3	7	4	6	14	22	15	2	3	
Homicide (197–200)	11	1								2	4	1	1	2				
Automobile accidents (188c)	78					2	12	5	8	8	7	2	9	8	10	3	4	
Other external causes (175–188b, 188d–196, 201–203)	157	3	3	3	2	2	4	6	3	11	7	10	11	12	16	28	36	
All other causes	980	283	10	6	4	5	17	8	12	16	28	35	100	84	103	120	149	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,411	309	55	14	18	9	32	30	89	134	142	134	322	426	324	232	141	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)																		
Scarlet fever (8)	2				1					1								
Whooping cough (9)	10	6	4															
Diphtheria (10)	3				1	2												
Influenza (11)	32	2	2				2	1	2	2	5	1	3	6	2	3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	287		2		2	1	1	6	31	41	53	40	56	35	15	3	1	
Other forms of tuberculosis (32–37)	52	3	6	1	4	2	2	2	3	5	4	4	8	7		1		
Cancer and other malignant tumors (43–49)	131			2					1	2	1	3	24	39	30	22	7	
Diabetes mellitus (57)	32									1	1	3	5	12	4	5	1	
Cerebral hemorrhage and softening (74, 83)	155	1								2		2	14	32	49	41	14	
Other [organic] diseases of the heart (90)	359	3	1				2	1	2	7	8	7	29	114	88	48	49	
Bronchitis (99)	10	2								2			1		1	2	2	
Broncho-pneumonia (100)	144	60	19	4	2		1	2	5	4	2	5	5	11	10	6	8	
Pneumonia (101)	157	8	4	2			5	2	8	5	15	16	33	32	11	9	7	
Diarrhea and enteritis (113, 114)	62	40	7	1	2		2				2	1	1	1	1	3	1	
Appendicitis and typhlitis (117)	26						2	1	6	7	3	2	4	1				
Hernia, intestinal obstruction (118)	34		1	1	1				1	4	3	3	5	7	4	3	1	
Cirrhosis of the liver (122)	11									1	2		3	3	2			
Nephritis (128, 129)	190		1		1			1	2	1	5	5	21	52	47	38	16	
Diseases of the female genital organs (137–141)	20									1	1	5	11	1	1			
Puerperal septicemia (146)	26								4	8	6	4	3	1				
Other puerperal causes (143–145, 147–150)	28								7	9	4	4	4					
Suicide (165–174)	6											1	3	1	1			
Homicide (197–200)	34							1	4	7	5	7	5	4		1		
Automobile accidents (188c)	30				1		3	1	2	2	4	2	3	7	1	3	1	
Other external causes (175–188b, 188d–196, 201–203)	74	6	3	3	1	2	6	5	4	7	2	3	10	8	9	4	1	
All other causes	495	178	5		2	2	6	7	7	15	16	16	70	52	48	40	31	
ATLANTA, GA. (WHITE), all causes	2,094	308	56	36	21	9	49	21	53	83	75	85	209	217	255	307	309	1
Typhoid and paratyphoid fever (1)	13							1	3	5		1		2			1	
Measles (7)	27	10	7	1	4	1	2		1							1		
Scarlet fever (8)	5		2				2	1										
Whooping cough (9)	14	9	4	1														
Diphtheria (10)	17	1	3	5	1	1	3	1	1		1							
Influenza (11)	51	7	1	3		2	2	2	2	2	1	2	3	5	3	12	4	
Meningococcus meningitis (24)	3	1		1			1											
Tuberculosis of the respiratory system (31)	84	1			1		2	1	3	9	10	4	24	12	10	5	2	
Other forms of tuberculosis (32–37)	13		1		1				1	2		1	1	3	1	1	1	
Cancer and other malignant tumors (43–49)	126						1			3	1	4	18	25	31	23	20	
Diabetes mellitus (57)	26							1		1	1		1	5	4	5	8	
Cerebral hemorrhage and softening (74, 83)	166											2	16	15	37	55	41	
Other [organic] diseases of the heart (90)	188	1					1		1	1	3	2	8	29	33	52	56	1
Bronchitis (99)	9	1											1		1	1	5	
Broncho-pneumonia (100)	76	30	7	6	2	1		1	1	2	1	1	2	2	4	7	9	
Pneumonia (101)	112	11	4	3	2		2	2	3	4	6	5	15	14	15	13	13	
Diarrhea and enteritis (113, 114)	75	50	12	4			1						3	1		1	3	
Appendicitis and typhlitis (117)	54				2		5	1	3	4	4	7	9	7	7	3	2	
Hernia, intestinal obstruction (118)	33	2	1				1		1			3	7	2	5	6	5	
Cirrhosis of the liver (122)	9											1		3	1	2	2	
Nephritis (128, 129)	218	1		1						5	2	6	13	18	41	67	64	
Diseases of the female genital organs (137–141)	16								1	3			6	3	2		1	
Puerperal septicemia (146)	26								4	9	3	5	5					
Other puerperal causes (143–145, 147–150)	39								6	5	11	12	5					
Suicide (165–174)	45								1	4	9	3	13	8	5	2		
Homicide (197–200)	24	1						1	2	4	2	2	7	4	1			
Automobile accidents (188c)	41	1			2	1	7	4	5	2			3	7	4	4	1	
Other external causes (175–188b, 188d–196, 201–203)	100	7	4	7	3	1	4	2	4	4	7	6	10	14	5	3	19	
All other causes	484	174	10	4	3	2	15	3	10	14	13	18	39	38	44	45	52	
ATLANTA, GA. (COLORED), all causes	2,121	285	72	38	17	15	46	33	115	197	177	158	333	313	196	75	50	1
Typhoid and paratyphoid fever (1)	26						3		8	4	3	2	5		1			
Measles (7)	16	3	4	3	2	2		1	1									
Scarlet fever (8)	1	1																
Whooping cough (9)	37	17	12	6	1	1												
Diphtheria (10)	2			1			1											
Influenza (11)	79	4	1		2		2	3	5	9	11	5	10	11	8	4	4	
Meningococcus meningitis (24)	3						1		1	1								
Tuberculosis of the respiratory system (31)	175	1	1	3	3	1	4	6	24	38	31	24	28	10		1		
Other forms of tuberculosis (32–37)	40	3	1		1	1	1	1	7	6	9	1	5	4				
Cancer and other malignant tumors (43–49)	63						2				1	3	15	18	14	8	2	
Diabetes mellitus (57)	20							1	1	2	1	1	5	5	3		1	
Cerebral hemorrhage and softening (74, 83)	147						1		1	4	4	6	26	43	32	17	13	
Other [organic] diseases of the heart (90)	196		1	1			1	2	3	4	16	7	38	61	41	17	4	
Bronchitis (99)	19	1	1	1	1		1		1	4	3	2	2	2				
Broncho-pneumonia (100)	89	29	10	1	3		6	2	6	6	4	3	14	4	1			
Pneumonia (101)	214	29	8	7		1	5	2	16	35	19	24	31	21	9	4	3	
Diarrhea and enteritis (113, 114)	74	37	15	8			1			1	1	1	3	2	4		1	
Appendicitis and typhlitis (117)	21						1	2	1	5	1	2	6	2	1			
Hernia, intestinal obstruction (118)	24	2			1		1				2	4	6	4	2	2		
Cirrhosis of the liver (122)	1												1					
Nephritis (128, 129)	198	2	2				1		1	5	9	14	40	63	38	11	11	1
Diseases of the female genital organs (137–141)	30								2	3	1	9	11	3	1			
Puerperal septicemia (146)	22								3	6	9	2	2					
Other puerperal causes (143–145, 147–150)	13								1	3	4	4	1					
Suicide (165–174)	6								1	1		2	2					
Homicide (197–200)	96						1		9	21	19	18	16	9	2	1		
Automobile accidents (188c)	12							1	2	2	1		3	1	2			
Other external causes (175–188b, 188d–196, 201–203)	67	10	1	2		6	5	4	3	7	4	6	7	6	3	2	1	
All other causes	430	146	15	5	3	3	8	8	18	30	24	18	56	44	34	8	10	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (WHITE), all causes	29,449	3,990	605	269	209	162	603	388	576	891	1,056	1,259	3,209	3,934	4,814	4,317	3,164	3
Typhoid and paratyphoid fever (1)	39				1				2	6	7	7	6	2	5	3		
Measles (7)	55	14	24	6	4	1	4					1			1			
Scarlet fever (8)	74	2	6	7	14	12	15	1	2	5	6		3	1				
Whooping cough (9)	79	49	19	4	4	1	2											
Diphtheria (10)	208	15	31	23	28	31	54	13	2	1	3	1	2	2	2			
Influenza (11)	168	22	12	1	4		9	1	8	9	9	9	25	27	12	13	7	
Meningococcus meningitis (24)	16	3	2		2		2	1	1			2	2	1				
Tuberculosis of the respiratory system (31)	1,658	12	8	7		1	9	16	136	251	241	210	380	231	110	39	7	
Other forms of tuberculosis (32–37)	260	21	16	15	6	5	30	15	12	23	21	18	33	24	13	7	1	
Cancer and other malignant tumors (43–49)	3,039		2	5		1	8	8	8	17	32	56	322	668	912	698	302	
Diabetes mellitus (57)	513		1			1	5	1	5	10	14	8	37	74	184	123	49	1
Cerebral hemorrhage and softening (74, 83)	1,779	5					1	2	3	4	5	18	86	241	446	544	424	
Other [organic] diseases of the heart (90)	5,119	8	8	7	7	9	63	64	68	78	88	144	426	728	1,134	1,200	1,087	
Bronchitis (99)	240	127	29	9	1				1	3	1	1	4	5	18	14	27	
Broncho-pneumonia (100)	880	429	121	48	20	6	18	7	3	5	8	12	32	42	33	33	63	
Pneumonia (101)	1,381	102	44	21	13	9	24	12	34	45	45	86	255	257	197	174	63	
Diarrhea and enteritis (113, 114)	902	690	118	28	17	3	11	2	2	3	4	3	4	3	6	5	3	
Appendicitis and typhlitis (117)	495	5	4	8	7	4	32	32	47	37	33	44	85	75	52	25	4	1
Hernia, intestinal obstruction (118)	259	49	8	1	2		2	1	4	2	7	9	27	43	52	35	17	
Cirrhosis of the liver (122)	287							1	1		4	7	51	82	65	53	23	
Nephritis (128, 129)	2,854	24	4	6	4	2	17	26	38	42	53	72	249	402	632	666	617	
Diseases of the female genital organs (137–141)	189							1	2	8	18	27	69	36	20	6	2	
Puerperal septicemia (146)	135								15	26	33	34	26	1				
Other puerperal causes (143–145, 147–150)	204								11	45	52	55	41					
Suicide (165–174)	438								15	15	47	45	112	94	59	43	8	
Homicide (197–200)	257	8	2				2	4	12	24	46	42	73	27	13	3	1	
Automobile accidents (188c)	514		3	9	19	97	39	18	15	25	27	53	65	67	53	24		
Other external causes (175–188b, 188d–196, 201–203)	1,554	21	40	26	24	22	64	60	45	89	71	112	269	255	209	139	108	
All other causes	5,853	2,384	106	44	42	35	134	81	81	128	183	209	537	548	572	441	327	1
CHICAGO, ILL. (COLORED), all causes	3,466	532	143	48	31	20	54	43	139	265	295	234	553	560	303	158	88	
Typhoid and paratyphoid fever (1)	6			1				1	1	3								
Measles (7)	16	6	6	1	1	1					1							
Scarlet fever (8)	1							1										
Whooping cough (9)	32	13	10	3	1	2	3											
Diphtheria (10)	14	3		1	1	2	1		1		1	1	2		1			
Influenza (11)	28	1	1	2				1	1	1	2	2	6	7	1	3		
Meningococcus meningitis (24)	3					1	1				1							
Tuberculosis of the respiratory system (31)	436	4	3	3		3	4	13	62	93	67	42	79	45	16	2		
Other forms of tuberculosis (32–37)	80	4	6	3	3	1	7	1	13	9	15	4	5	6	2	1		
Cancer and other malignant tumors (43–49)	145				1			1		1	4	4	38	50	33	10	3	
Diabetes mellitus (57)	40									1		2	13	11	10	2	1	
Cerebral hemorrhage and softening (74, 83)	121								2		3	3	19	37	25	19	13	
Other [organic] diseases of the heart (90)	498	1	1		1	1	7	6	9	14	28	25	90	157	88	45	25	
Bronchitis (99)	24	15	5				1						3					
Broncho-pneumonia (100)	216	113	58	12	4	3	2	1			3		8	4	3	3	2	
Pneumonia (101)	335	26	13	6	4		4	1	17	34	36	37	67	53	25	11	1	
Diarrhea and enteritis (113, 114)	109	76	22	4	3		1		1							1	1	
Appendicitis and typhlitis (117)	43			1	1	1	1	4	3	3	8	7	9	4	1			
Hernia, intestinal obstruction (118)	22	5		2						3	1		2	5	3	1		
Cirrhosis of the liver (122)	16											2	1	7	4	1	1	
Nephritis (128, 129)	277	1		2			1	1	3	5	10	14	48	80	56	33	23	
Diseases of the female genital organs (137–141)	54									5	9	12	21	6	1			
Puerperal septicemia (146)	22								1	5	7	1	8					
Other puerperal causes (143–145, 147–150)	22								4	6	3	4	5					
Suicide (165–174)	12								3	3	1	2	1	2				
Homicide (197–200)	158	2							5	34	39	27	34	12	5			
Automobile accidents (188c)	46				4	1	9	3		4	2	2	5	8	3	3	2	
Other external causes (175–188b, 188d–196, 201–203)	100	3	1		4		4	7	6	10	12	8	20	12	6	3	4	
All other causes	590	259	17	7	3	4	8	2	7	31	42	35	69	54	20	20	12	
INDIANAPOLIS, IND. (WHITE), all causes	3,821	448	54	27	23	15	53	41	73	106	128	152	328	424	601	758	590	
Typhoid and paratyphoid fever (1)	14							3	3	2	2		2	1			1	
Measles (7)	2	1									1							
Scarlet fever (8)	5				2		2						1					
Whooping cough (9)	16	8	6	1	1													
Diphtheria (10)	15		1	4	2	4	4											
Influenza (11)	59	9	4		1	1	1			4		2	4	8	7	10	8	
Meningococcus meningitis (24)	2						1							1				
Tuberculosis of the respiratory system (31)	188	1						2	17	24	32	20	30	29	17	15	1	
Other forms of tuberculosis (32–37)	45	2		1	2	1	5	4	1	5	2	3	7	6	5	1		
Cancer and other malignant tumors (43–49)	320		1			1	1		1	2	2	8	32	57	93	82	40	
Diabetes mellitus (57)	53			1			1		1			1	5	6	11	21	6	
Cerebral hemorrhage and softening (74, 83)	292		1							1	3	4	9	29	66	90	89	
Other [organic] diseases of the heart (90)	581	3					3	5	5	6	7	14	33	57	132	187	129	
Bronchitis (99)	9	2												1	1	3	2	
Broncho-pneumonia (100)	154	58	5	5	2	1	2		2	3	4	2	6	1	11	18	34	
Pneumonia (101)	152	10	2	2	1		3		3	1	4	8	17	19	23	39	20	
Diarrhea and enteritis (113, 114)	149	102	20	5	4		1						2	4	3	7	1	
Appendicitis and typhlitis (117)	67			2	1		7	5	4	7	6	5	13	7	6	2	2	
Hernia, intestinal obstruction (118)	40	6		1			2	1		3	1	2	5	5	4	6	4	
Cirrhosis of the liver (122)	30											1	1	6	9	11	2	
Nephritis (128, 129)	311	1	1					2	4	3	7	8	12	52	57	92	72	
Diseases of the female genital organs (137–141)	44									2	3	7	20	8	3	1		
Puerperal septicemia (146)	18								1	2	5	7	3					
Other puerperal causes (143–145, 147–150)	22								3	6	5	6	2					
Suicide (165–174)	58								3	4	7	7	16	9	7	3	2	
Homicide (197–200)	24									4	4	2	4	4	4		2	
Automobile accidents (188c)	66		1		1	1	8	3	2	2	2	4	9	9	8	13	3	
Other external causes (175–188b, 188d–196, 201–203)	123	4	2	2	1	3	1	5	8	7	9	10	15	17	14	13	12	
All other causes	962	241	10	3	5	3	11	11	15	18	22	31	80	88	120	144	160	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	776	117	18	8	3	1	16	9	26	40	43	53	112	128	107	51	44	
Typhoid and paratyphoid fever (1)	3								2		1							
Measles (7)	1						1											
Scarlet fever (8)																		
Whooping cough (9)	3	2				1												
Diphtheria (10)																		
Influenza (11)	10							1	1			2	3	1	1	1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	84		2				3	2	10	17	10	9	14	10	4	1	2	
Other forms of tuberculosis (32–37)	20	2		1				1	2	2	4	2	1	3	2			
Cancer and other malignant tumors (43–49)	40											3	12	10	7	4	4	
Diabetes mellitus (57)	6													1	3	1	1	
Cerebral hemorrhage and softening (74, 83)	41												3	10	15	6	7	
Other [organic] diseases of the heart (90)	93						3	1	1	2	3	2	15	24	19	12	11	
Bronchitis (99)	5	1												1	2		1	
Broncho-pneumonia (100)	51	24	3	2	1		2	1		1	2	2	2	2	3	1	5	
Pneumonia (101)	53	5	1	2					2	4	9	4	10	10	3	2	1	
Diarrhea and enteritis (113, 114)	42	26	7				1			1			2	2	3			
Appendicitis and typhlitis (117)	9									2	2	1	2	1	1			
Hernia, intestinal obstruction (118)	3											1		1	1			
Cirrhosis of the liver (122)	8								1	2				4		1		
Nephritis (128, 129)	61						2		1	1		2	8	17	16	10	4	
Diseases of the female genital organs (137–141)	13								1	1	2	2	5	2				
Puerperal septicemia (146)	1											1						
Other puerperal causes (143–145, 147–150)	7										2	3	2					
Suicide (165–174)	1										1							
Homicide (197–200)	25								2	4	3	5	8	1	1	1		
Automobile accidents (188c)	5						2						1		2			
Other external causes (175–188b, 188d–196, 201–203)	24	2	2	2	1		1	2				1	5	2	3	3		
All other causes	167	55	3	1	1		1	1	3	3	4	13	19	26	21	8	8	
DES MOINES, IOWA, all causes	1,505	177	33	21	21	10	36	21	20	41	67	49	119	161	233	229	266	1
Typhoid and paratyphoid fever (1)	4								1		1	2						
Measles (7)	18	6	6	3	2		1											
Scarlet fever (8)	2				1		1											
Whooping cough (9)	3	2	1															
Diphtheria (10)	21	1		2	5	1	7	4		1								
Influenza (11)	19	3	3								1		2	1	3	2	4	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	61						1	1	2	10	14	5	11	6	6	5		
Other forms of tuberculosis (32–37)	18		1	1		1			1	3	1	2	3	2	2	1		
Cancer and other malignant tumors (43–49)	123		1						1	2			17	19	41	29	13	
Diabetes mellitus (57)	19												1	4	1	8	5	
Cerebral hemorrhage and softening (74, 83)	117						2				1	1	4	10	23	33	43	
Other [organic] diseases of the heart (90)	175	2		2				1			4	4	5	22	39	37	59	
Bronchitis (99)	6													1			5	
Broncho-pneumonia (100)	52	19	4	2									1	3		1	11	
Pneumonia (101)	74	5	3		1		5		1	3		5	5	4	12	15	15	
Diarrhea and enteritis (113, 114)	32	13	5	3	2	2							1	2	2	2		
Appendicitis and typhlitis (117)	35			1	2		2	4	2	1	6	1	4	6	4	2		
Hernia, intestinal obstruction (118)	18	1									2	1	4	4	2	1	3	
Cirrhosis of the liver (122)	6							1						1	3	1		
Nephritis (128, 129)	70				1	1					4	4	7	14	14	16	9	
Diseases of the female genital organs (137–141)	13										3	1	4	3	1	1		
Puerperal septicemia (146)	10										2	4	1	3				
Other puerperal causes (143–145, 147–150)	13										1	4	6	2				
Suicide (165–174)	18								1	1	4			4	7	1		
Homicide (197–200)	13										5	3	2	1	1	1		
Automobile accidents (188c)	17		1				3		1	1	3	2			2		4	
Other external causes (175–188b, 188d–196, 201–203)	93	3	1	3	2	4	8	4	6	6		1	10	8	10	6	20	1
All other causes	454	122	7	4	5	1	6	5	4	7	12	10	31	49	59	57	75	
KANSAS CITY, KANS., all causes	1,530	247	36	21	13	11	27	22	49	66	53	58	133	172	199	228	193	2
Typhoid and paratyphoid fever (1)	7						1	2	1		1	1	1					
Measles (7)	17	4	6	1	1	1	3				1							
Scarlet fever (8)	3	1		1		1												
Whooping cough (9)	14	7	4	1	1					1								
Diphtheria (10)	8		1	4			1	1						1				
Influenza (11)	19	3	2		1					1			1	4	1	1	5	
Meningococcus meningitis (24)	1													1				
Tuberculosis of the respiratory system (31)	120	2	2				2	1	14	22	16	18	19	14	4	4	2	
Other forms of tuberculosis (32–37)	23	1			2		1		2	3	5	2	4	1	1	1		
Cancer and other malignant tumors (43–49)	116						1			2	1	3	6	25	33	33	12	
Diabetes mellitus (57)	13													4	4	2	3	
Cerebral hemorrhage and softening (74, 83)	84												5	5	22	27	25	
Other [organic] diseases of the heart (90)	177						2	3	4	4	2	2	12	26	27	47	48	
Bronchitis (99)	7	2												1			4	
Broncho-pneumonia (100)	50	25	4	2			1			2				2	3	4	7	
Pneumonia (101)	63	5	2	1			1	2	2	1	1	4	9	7	8	13	7	
Diarrhea and enteritis (113, 114)	77	48	10	4	2	2		1	1	1			2	1		3	2	
Appendicitis and typhlitis (117)	19						3	2	3		1	2	3	2	3			
Hernia, intestinal obstruction (118)	28	3				1		1			3	1	3	4	8	3	1	
Cirrhosis of the liver (122)	11													2	4	3	2	
Nephritis (128, 129)	119	1			1		2		1	1	2	1	4	17	30	33	25	1
Diseases of the female genital organs (137–141)	11								1	1		2	6	1				
Puerperal septicemia (146)	10								1	3	1	1	3	1				
Other puerperal causes (143–145, 147–150)	16								3	6	2		5					
Suicide (165–174)	18								1		1	1	6	5	2	2		
Homicide (197–200)	24	1							2	1	2	5	7	1	3	2		
Automobile accidents (188c)	18			1		1	1	1			2		3	2	3	2	2	
Other external causes (175–188b, 188d–196, 201–203)	85	3	2	2	1	1	2	5	6	8	4	6	10	10	8	8	8	1
All other causes	372	141	3	4	4	4	6	3	7	9	8	9	24	35	35	40	40	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (WHITE), all causes	2,970	365	37	20	10	17	48	41	59	106	99	81	239	351	471	525	501	
Typhoid and paratyphoid fever (1)	7					1	1		1		1	1	1		1			
Measles (7)	5	3				1					1							
Scarlet fever (8)	2	1					1											
Whooping cough (9)	9	9																
Diphtheria (10)	11	2	1	2	2	3	1											
Influenza (11)	32	1		1			1				1	1	5	4	5	4	9	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	181		1			1		1	14	31	33	11	39	19	19	9	3	
Other forms of tuberculosis (32–37)	29	2	4	4		2	2	3	2	1			1	3	2	3		
Cancer and other malignant tumors (43–49)	261						1		1		2	4	32	52	71	62	36	
Diabetes mellitus (57)	43		1					1					2	4	13	17	5	
Cerebral hemorrhage and softening (74, 83)	240	1				1	1		1		2	1	7	36	50	80	60	
Other [organic] diseases of the heart (90)	423	3				1	1	3	5	7	5	4	25	58	100	111	100	
Bronchitis (99)	22	2		1	1									1	3	5	9	
Broncho-pneumonia (100)	106	46	7	2			1	2	2	3	1	3	1	5	6	13	14	
Pneumonia (101)	99	6	1	4	1	1	4	2	1	6	5	2	8	16	16	14	12	
Diarrhea and enteritis (113, 114)	93	66	9	1	2	2	1			1				4		3	4	
Appendicitis and typhlitis (117)	47				1		3	2	9	7	4	2	5	8	2	3	1	
Hernia, intestinal obstruction (118)	33	2		1					3	1	3	2	1	5	6	6	3	
Cirrhosis of the liver (122)	28											1	2	9	9	4	3	
Nephritis (128, 129)	250	3	1	1	1		2	1	2	4	4	5	13	28	49	64	72	
Diseases of the female genital organs (137–141)	18										4	1	6	3	2	1	1	
Puerperal septicemia (146)	13								1	5		5	2					
Other puerperal causes (143–145, 147–150)	22								3	5	4	7	3					
Suicide (165–174)	41									2	3	4	7	13	6	3	3	
Homicide (197–200)	18									1	3	3	6	3	1	1		
Automobile accidents (188c)	46	1		1		2	6	3	3	3	1	1	5	6	6	6	2	
Other external causes (175–188b, 188d–196, 201–203)	137	6	8			1	8	8	5	10	7	6	10	9	17	23	19	
All other causes	753	211	5	1	2	1	14	14	6	19	15	17	58	65	87	93	145	
LOUISVILLE, KY. (COLORED), all causes	977	76	16	14	4	2	11	19	30	44	50	61	182	175	147	104	42	
Typhoid and paratyphoid fever (1)	2								1		1							
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping cough (9)	1			1														
Diphtheria (10)	2				1									1				
Influenza (11)	21	1		1				1	1	1		2	5	4	3	2		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	72			2				4	10	11	6	9	15	7	4	4		
Other forms of tuberculosis (32–37)	15				1		1	1	2	1	1	3	2	1	1	1		
Cancer and other malignant tumors (43–49)	46											1	12	15	9	7	2	
Diabetes mellitus (57)	6										1		1	1		3		
Cerebral hemorrhage and softening (74, 83)	67								1			1	8	20	14	14	9	
Other [organic] diseases of the heart (90)	149			1						2	3	5	37	31	42	22	6	
Bronchitis (99)	23	2	2	2					1	2			5	1	7	1		
Broncho-pneumonia (100)	54	26	4	3	1	1		1	1	3	1	1	2	5	1	2	2	
Pneumonia (101)	68	5	1	1			1	1		5	8	7	12	12	8	6	1	
Diarrhea and enteritis (113, 114)	21	9	5	1		1								1	1	3		
Appendicitis and typhlitis (117)	9							1		1	2		3	2				
Hernia, intestinal obstruction (118)	14								1	1		2	2	5	2	1		
Cirrhosis of the liver (122)	8									1			2	1	3	1		
Nephritis (128, 129)	103						1	1			6	1	16	28	25	17	8	
Diseases of the female genital organs (137–141)	14									1	2	1	6	2	2			
Puerperal septicemia (146)	7								1	1	2	1	2					
Other puerperal causes (143–145, 147–150)	2										1		1					
Suicide (165–174)	2										1		1					
Homicide (197–200)	44								6	5	7	14	9	1	2			
Automobile accidents (188c)	12						4				2	1	2	2		1		
Other external causes (175–188b, 188d–196, 201–203)	36		2		1		1	6	1	2	2	2	11	5	1	1	1	
All other causes	178	33	2	2			2	3	4	7	4	10	28	30	22	19	12	
NEW ORLEANS, LA. (WHITE), all causes	4,528	456	128	40	38	14	65	57	95	131	173	169	447	648	748	725	590	4
Typhoid and paratyphoid fever (1)	27				1		1		7	3	5	1	4	3	2			
Measles (7)	52	8	21	8	3	3	5	1	1	1						1		
Scarlet fever (8)	4			1	2		1											
Whooping cough (9)	4	1	3															
Diphtheria (10)	18	2	8	2	1	2	2	1										
Influenza (11)	51	2	5						3	2		2	5	4	12	6	10	
Meningococcus meningitis (24)	2		1				1											
Tuberculosis of the respiratory system (31)	345	2	1				1		11	29	53	31	80	79	32	22	4	
Other forms of tuberculosis (32–37)	21	1	2				2		1	3	2		3	3	4			
Cancer and other malignant tumors (43–49)	359	1			1			1		3	11	8	40	84	105	71	34	
Diabetes mellitus (57)	60										2		4	10	16	21	7	
Cerebral hemorrhage and softening (74, 83)	314	1						1		1		3	20	46	87	86	68	1
Other [organic] diseases of the heart (90)	718	1					2	2	7	4	4	15	26	115	147	201	194	
Bronchitis (99)	16	2					1		1					1	2	8	1	
Broncho-pneumonia (100)	132	45	19	6	8	1	3	1	2		2	2	5	9	7	12	10	
Pneumonia (101)	127	10	3	5	2		4	3	2	4	6	8	14	15	18	18	14	1
Diarrhea and enteritis (113, 114)	168	100	38	4	4	1	3			4			2	1	3	5	3	
Appendicitis and typhlitis (117)	107						3	5	8	8	16	15	21	18	10	3		
Hernia, intestinal obstruction (118)	72	9			2		3	1	1		1		13	10	16	13	3	
Cirrhosis of the liver (122)	41	1	1								1	1	7	11	11	7	1	
Nephritis (128, 129)	469	2	2	1	1	1	2	3	2	5	3	13	44	72	113	116	88	1
Diseases of the female genital organs (137–141)	19										5	3	3	3	2	3		
Puerperal septicemia (146)	18								1	4	8	3	1	1				
Other puerperal causes (143–145, 147–150)	35								3	6	8	6	10	2				
Suicide (165–174)	45									2	2	6	14	12	7	2		
Homicide (197–200)	38								2	9	4	6	7	6	4			
Automobile accidents (188c)	61	1					7	7	2	4	7	2	4	9	6	3	8	1
Other external causes (175–188b, 188d–196, 201–203)	222	4	6		4		7	12	16	20	8	16	33	23	28	22	23	
All other causes	983	263	18	13	9	6	17	19	25	19	25	28	87	111	116	105	122	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW ORLEANS, LA. (COLORED), all causes	3,072	390	94	44	20	16	36	48	96	185	217	157	468	539	346	243	164	9
Typhoid and paratyphoid fever (1)	17			1				6	4	2	1	1		2				
Measles (7)	40	7	10	10	3	1	4	1	1	2	1							
Scarlet fever (8)																		
Whooping cough (9)	14	5	5	2	1	1												
Diphtheria (10)	6	1	2	1				1		1								
Influenza (11)	53	8	3			1	2	1	2	4	1		7	6	12	2	4	
Meningococcus meningitis (24)	2	1					1											
Tuberculosis of the respiratory system (31)	289	1			2		6	4	21	49	58	37	60	28	13	6	3	1
Other forms of tuberculosis (32–37)	36	1			1	1	2	2	4	4	10	2	4	3	1		1	
Cancer and other malignant tumors (43–49)	143		1					1		5	4	8	26	43	37	16	2	
Diabetes mellitus (57)	16									1	1		2	7	1	2	1	1
Cerebral hemorrhage and softening (74, 83)	179	1						1	1	1	4	5	22	51	37	29	25	2
Other [organic] diseases of the heart (90)	462								2	9	16	19	71	144	99	69	32	1
Bronchitis (99)	9	3								1	3	1		1				
Broncho-pneumonia (100)	148	70	21	7	4	2	1		1	6	4	2	5	7	9	4	5	
Pneumonia (101)	192	21	11	4	1	2		2	16	15	20	9	30	39	10	4	8	
Diarrhea and enteritis (113, 114)	120	76	23	5	2					3	1		3	3	1	1	2	
Appendicitis and typhlitis (117)	23			1			1		3	2	3	2	5	1	5			
Hernia, intestinal obstruction (118)	29	3					1		1	1	7	2	4	5	4	1		
Cirrhosis of the liver (122)	31							1	1		2		3	12	3	3	6	
Nephritis (128, 129)	281	3		3		1	2		4	5	12	14	48	67	55	45	21	1
Diseases of the female genital organs (137–141)	30									4	5	6	12	3				
Puerperal septicemia (146)	19								2	5	8		2	2				
Other puerperal causes (143–145, 147–150)	25								3	6	1	5	10					
Suicide (165–174)	9							1	1	1	2	1	1	2				
Homicide (197–200)	95							1	7	30	19	14	15	7	1	1		
Automobile accidents (188c)	23			1		1	1	2	2	2	2		4	3	2	3		
Other external causes (175–188b, 188d–196, 201–203)	135	3	8	6	5	4	4	9	8	9	6	7	26	21	10	5	3	1
All other causes	646	186	10	3	1	2	11	15	12	17	26	22	108	82	46	52	51	2
BALTIMORE, MD. (WHITE), all causes	8,672	1,077	184	81	67	44	142	101	164	188	245	272	753	1,080	1,405	1,601	1,268	
Typhoid and paratyphoid fever (1)	12						2	1	4	1	1	1	1	1				
Measles (7)	22	4	12	3			2		1									
Scarlet fever (8)	20	1	1	2	5	1	6	1		3								
Whooping cough (9)	29	23	2	2	1		1											
Diphtheria (10)	55	8	16	7	7	4	9	3		1								
Influenza (11)	84	7	6	3	1	1	1	3	1	1	4	5	3	11	14	10	13	
Meningococcus meningitis (24)	10	3				1	2	2	1					1				
Tuberculosis of the respiratory system (31)	518	3	4	1			1	2	22	55	64	47	120	94	61	38	6	
Other forms of tuberculosis (32–37)	83	13	4	3	4	3	2	3	9	5	6	4	10	5	8	4		
Cancer and other malignant tumors (43–49)	886	1		1	2		5	6	2	7	9	18	87	189	251	212	96	
Diabetes mellitus (57)	162								3	1	1	2	8	17	48	60	22	
Cerebral hemorrhage and softening (74, 83)	776	1								3	3	4	29	102	168	262	204	
Other [organic] diseases of the heart (90)	1,215	5	2	1	1	1	7	13	19	11	17	16	72	133	262	324	331	
Bronchitis (99)	51	9									1			3	1	8	29	
Broncho-pneumonia (100)	507	146	46	12	6	4	6	4	4	2	11	4	20	42	37	77	86	
Pneumonia (101)	386	32	16	12	8	1	12	4	10	8	7	15	43	54	62	69	33	
Diarrhea and enteritis (113, 114)	269	209	31	5	1	1	1	1			3	1	2	1	3	4	6	
Appendicitis and typhlitis (117)	98		3	3	2		7	10	4	4	4	13	20	11	9	4	4	
Hernia, intestinal obstruction (118)	92	8	2		1	1	1	1	1	2	4	2	12	12	15	23	7	
Cirrhosis of the liver (122)	59					1						1	7	13	15	13	9	
Nephritis (128, 129)	831		1		1	1	6	1	6	5	14	17	66	109	173	232	199	
Diseases of the female genital organs (137–141)	33									1	2	4	8	12	6			
Puerperal septicemia (146)	43								6	10	11	11	4	1				
Other puerperal causes (143–145, 147–150)	49								6	5	9	14	14	1				
Suicide (165–174)	92								1	8	10	7	18	17	24	6	1	
Homicide (197–200)	30	1							3	4		8	7	7				
Automobile accidents (188c)	107	1	1		2	4	16	13	5	7	4	7	13	8	10	10	6	
Other external causes (175–188b, 188d–196, 201–203)	383	9	5	11	12	5	12	10	23	20	14	26	51	53	40	46	46	
All other causes	1,770	593	32	15	13	15	43	23	33	24	46	45	138	183	198	199	170	
BALTIMORE, MD. (COLORED), all causes	2,638	402	80	24	15	11	29	32	74	113	122	158	434	504	334	211	95	
Typhoid and paratyphoid fever (1)	9						1	1	2	2		1		2				
Measles (7)	4	2	2															
Scarlet fever (8)	2				1							1						
Whooping cough (9)	18	8	9	1														
Diphtheria (10)	5	1			1	1	2											
Influenza (11)	51	8	1	2			1		1	1	3	8	7	9	6	3	1	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	289	9	2	2	2	1	4	9	28	40	36	31	70	30	16	8	1	
Other forms of tuberculosis (32–37)	49	5	5	3	1		3	2	5	3	3	7	7	3	2			
Cancer and other malignant tumors (43–49)	128						1				5	4	30	49	21	14	4	
Diabetes mellitus (57)	19							1				1	5	8	2	2		
Cerebral hemorrhage and softening (74, 83)	191									1		3	21	67	51	33	15	
Other [organic] diseases of the heart (90)	310		2	1			2	4	3	7	10	11	49	77	71	46	27	
Bronchitis (99)	8	3	1								1	1	1		1			
Broncho-pneumonia (100)	208	89	30	4	2	1	1		1	1	6	3	7	16	17	19	11	
Pneumonia (101)	227	22	7	4	1		4	3	9	18	15	16	47	43	28	6	4	
Diarrhea and enteritis (113, 114)	92	60	12		2	1					2	2	4	9				
Appendicitis and typhlitis (117)	18					1		1	2	3	1	4	5	1				
Hernia, intestinal obstruction (118)	17	1				1				1		1	3	5	1	2	2	
Cirrhosis of the liver (122)	4												1	1	1	1		
Nephritis (128, 129)	256	1					1		2	1	8	14	44	75	52	39	19	
Diseases of the female genital organs (137–141)	10											1	4	4	1			
Puerperal septicemia (146)	17								5	2		7	3					
Other puerperal causes (143–145, 147–150)	11								1	1	2	3	3	1				
Suicide (165–174)	4												3		1			
Homicide (197–200)	37								2	3	4	7	12	2	2			
Automobile accidents (188c)	22				1	1	3	1		1	4	1	6	2	1	1		
Other external causes (175–188b, 188d–196, 201–203)	100	2	1	3	2	2	2	3	5	9	5	8	21	15	14	8		
All other causes	531	191	7	4	2	2	4	7	8	14	16	24	81	85	46	29	11	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 year	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BOSTON, MASS., all causes	10,940	1,473	258	130	87	83	246	154	183	267	331	380	1,029	1,401	1,883	1,678	1,357	
Typhoid and paratyphoid fever (1)	15						1	1	1	5	2		2	3				
Measles (7)	45	19	17	2	3		1					1						
Scarlet fever (8)	53	2	10	5	8	8	14	2	2	1	1							
Whooping cough (9)	22	10	7	3		2												
Diphtheria (10)	169	20	23	31	17	18	38	9	1		4	2	4	1	1			
Influenza (11)	25	4		4			1					3	4	2	1	2	4	
Meningococcus meningitis (24)	19	7	2	1	1			2				1	2	3				
Tuberculosis of the respiratory system (31)	670	18	10	4	2	3	5	9	41	81	71	58	129	103	91	38	7	
Other forms of tuberculosis (32–37)	114	8	23	6	7	7	13	8	3	11	8	5	8	4	2		1	
Cancer and other malignant tumors (43–49)	1,189	2	3	2	1		2	1	2	2	8	20	116	250	352	298	130	
Diabetes mellitus (57)	184								4		3		6	32	61	60	18	
Cerebral hemorrhage and softening (74, 83)	805	1	1		1				1	1	5	4	36	100	222	215	218	
Other [organic] diseases of the heart (90)	1,805		1			2	15	12	33	19	31	29	121	228	420	456	438	
Bronchitis (99)	43	12	4							3			1	2	4	6	11	
Broncho-pneumonia (100)	576	196	56	21	13	4	11	2	4	4	6	12	25	35	49	62	76	
Pneumonia (101)	473	34	15	3	5	2	13	4	5	10	20	25	66	87	94	52	38	
Diarrhea and enteritis (113, 114)	194	160	13	2	2		1			1	1		1	3	2	5	3	
Appendicitis and typhlitis (117)	159		3	3	3	2	15	13	12	7	18	13	30	16	19	3	2	
Hernia, intestinal obstruction (118)	127	14	1	1		1	1	1	1	3	3	6	7	22	33	21	12	
Cirrhosis of the liver (122)	60					1			1		1	2	10	17	20	6	2	
Nephritis (128, 129)	541	1	1	1		1	2	7	4	6	11	19	44	89	117	117	121	
Diseases of the female genital organs (137–141)	70								3	7	5	8	21	15	9	1	1	
Puerperal septicemia (146)	57								5	7	18	12	15					
Other puerperal causes (143–145, 147–150)	103								4	12	23	27	36	1				
Suicide (165–174)	113									8	10	10	28	22	21	9	5	
Homicide (197–200)	37	3							1	4	5	8	8	6	1	1		
Automobile accidents (188c)	143		1	4	4	6	34	17	2	6	4	7	9	12	13	14	10	
Other external causes (175–188b, 188d–196, 201–203)	537	13	20	10	7	9	31	21	15	22	27	29	69	88	69	52	55	
All other causes	2,592	949	47	27	14	14	48	45	38	47	46	79	231	260	282	260	205	
CAMBRIDGE, MASS., all causes	1,435	168	19	11	8	7	38	21	27	42	42	43	95	180	230	252	252	
Typhoid and paratyphoid fever (1)	5							1	1				2	1				
Measles (7)	2	1	1															
Scarlet fever (8)	1	1																
Whooping cough (9)	1	1																
Diphtheria (10)	9	2		2	2	1	2											
Influenza (11)	3	1											1				1	
Meningococcus meningitis (24)	3	2												1				
Tuberculosis of the respiratory system (31)	121	1	1				1	4	10	18	17	9	23	23	11	3		
Other forms of tuberculosis (32–37)	21		2				3	2	2	2	2	2	3	1	1		1	
Cancer and other malignant tumors (43–49)	161						1				1	1	7	35	46	49	21	
Diabetes mellitus (57)	20								1			1		3	8	6	1	
Cerebral hemorrhage and softening (74, 83)	134								1				4	19	30	37	43	
Other [organic] diseases of the heart (90)	265			1			2	6	3	1	3	4	11	28	60	69	77	
Bronchitis (99)	9	1											1		1	1	5	
Broncho-pneumonia (100)	53	18	4	1	2		1	1				1	2	2	2	6	13	
Pneumonia (101)	49	5	3	2			2		1	4	1	4	3	4	6	5	9	
Diarrhea and enteritis (113, 114)	16	12			1	1											2	
Appendicitis and typhlitis (117)	17			1			1	1	2	2	1	2		3	2	2		
Hernia, intestinal obstruction (118)	15			1	1				1			1	2		2	4	3	
Cirrhosis of the liver (122)	6													3		1	2	
Nephritis (128, 129)	86	1					1		1	2	2	2	6	17	17	21	16	
Diseases of the female genital organs (137–141)	5											1		2		2		
Puerperal septicemia (146)	5										3		2					
Other puerperal causes (143–145, 147–150)	9									1	3	3	2					
Suicide (165–174)	8								1		1	2		2	1	1		
Homicide (197–200)	3								2		1							
Automobile accidents (188c)	27		1			2	9	3		1			1	1	5	2	2	
Other external causes (175–188b, 188d–196, 201–203)	59	3	2	2	1	2	5	2		5	3	1	6	9	9	2	7	
All other causes	322	119	5	1	1	1	10	1	1	6	4	9	19	26	29	41	49	
FALL RIVER, MASS., all causes	1,600	332	60	20	18	16	29	20	31	45	29	32	129	171	235	242	191	
Typhoid and paratyphoid fever (1)	1							1										
Measles (7)	1		1															
Scarlet fever (8)	2		1					1										
Whooping cough (9)	25	16	4	2	3													
Diphtheria (10)	18	1	1	2	3	5	5		1									
Influenza (11)	13	1						1						3	2	5	1	
Meningococcus meningitis (24)	4	3								1								
Tuberculosis of the respiratory system (31)	94	1	1	2					10	19	12	6	18	13	9	2	1	
Other forms of tuberculosis (32–37)	18		4	1	2	1	2		1	3	1		2	1				
Cancer and other malignant tumors (43–49)	143						2			1	1	2	16	26	42	40	13	
Diabetes mellitus (57)	34							1	1	2			4	3	13	6	4	
Cerebral hemorrhage and softening (74, 83)	137									1			8	17	26	55	30	
Other [organic] diseases of the heart (90)	176					1		2	4	1	1	3	9	19	38	48	50	
Bronchitis (99)	37	17	5	1						1		1			2	4	6	
Broncho-pneumonia (100)	95	39	15	4	2		2						2	7	7	7	10	
Pneumonia (101)	53	8	1				1	1		1	1	2	7	7	15	6	3	
Diarrhea and enteritis (113, 114)	104	82	9	2	3	1						1	2		1	2	1	
Appendicitis and typhlitis (117)	19		1	1			1	2	3			3	1	4	1	2		
Hernia, intestinal obstruction (118)	10	3							1				1	1	2	2		
Cirrhosis of the liver (122)	8												2		4	2		
Nephritis (128, 129)	115	2				3	2		2	1	3	4	13	20	24	20	21	
Diseases of the female genital organs (137–141)	7											1	2	3		1		
Puerperal septicemia (146)	3									1	1		1					
Other puerperal causes (143–145, 147–150)	15								2		3	4	6					
Suicide (165–174)	10										1	1	3	3	2			
Homicide (197–200)	1								1									
Automobile accidents (188c)	16			1		2	3	1		1			2	2	4			
Other external causes (175–188b, 188d–196, 201–203)	57		4	1		2	3	5	3	5	4	3	7	7	6	1	6	
All other causes	384	159	13	3	5	1	8	5	2	7	1	1	23	35	37	39	45	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOWELL, MASS., all causes	1,548	279	31	21	13	6	38	15	16	23	31	51	131	165	264	263	201	
Typhoid and paratyphoid fever (1)	2								1				1					
Measles (7)	2	1					1											
Scarlet fever (8)	1			1														
Whooping cough (9)	5	4	1															
Diphtheria (10)	10	1	3	1	1	2	2											
Influenza (11)	7												2	1	1	1	2	
Meningococcus meningitis (24)	3	1	1		1													
Tuberculosis of the respiratory system (31)	92		1					3	5	11	8	15	24	11	11	3		
Other forms of tuberculosis (32–37)	25	6	3	3	1		3	1	1			3	1		2		1	
Cancer and other malignant tumors (43–49)	114						1						11	23	39	27	13	
Diabetes mellitus (57)	17													6	7	2	2	
Cerebral hemorrhage and softening (74, 83)	128						1				1		8	23	32	32	31	
Other [organic] diseases of the heart (90)	219						1	2	4	2	2	2	16	29	58	67	36	
Bronchitis (99)	21	5	3	1					1						1	3	7	
Broncho-pneumonia (100)	76	32	4	4	1	1	1				1	1	3	4	10	11	3	
Pneumonia (101)	39	5	3	1		1	1	1		1	1		8	6	3	5	3	
Diarrhea and enteritis (113, 114)	83	70	4	3			1			1				2			2	
Appendicitis and typhlitis (117)	23						4	4	1	2		3	3	3	3			
Hernia, intestinal obstruction (118)	11			1							1		2	3	2	2		
Cirrhosis of the liver (122)	8											1	1	1	1	1	3	
Nephritis (128, 129)	68										1	4	16	11	18	14	4	
Diseases of the female genital organs (137–141)	8											1	3	3		1		
Puerperal septicemia (146)	2									1			1					
Other puerperal causes (143–145, 147–150)	11										2	7	2					
Suicide (165–174)	8									1			2	2	3			
Homicide (197–200)	3												1	1	1			
Automobile accidents (188c)	23			1	2	1	5	1	1		1	4	1	1	1	3	1	
Other external causes (175–188b, 188d–196, 201–203)	69	2	2	4	3	1	9	1	1	2	5	2	4	9	11	4	9	
All other causes	470	152	6	1	4		8	2	1	2	8	8	21	26	60	87	84	
NEW BEDFORD, MASS., all causes	1,350	250	41	17	10	15	21	21	32	30	37	42	110	149	178	193	204	
Typhoid and paratyphoid fever (1)	5							1	1	1			1		1			
Measles (7)	2	2																
Whooping cough (9)	7	2	3	2														
Diphtheria (10)	14	1	3	2	2	3	2	1										
Influenza (11)	20		2							2		1	2	4	4	3	2	
Meningococcus meningitis (24)	2		1					1										
Tuberculosis of the respiratory system (31)	93	2					2	2	11	15	14	9	18	12	5	2	1	
Other forms of tuberculosis (32–37)	24	2	7		1	2		1			3	3	2	2	1			
Cancer and other malignant tumors (43–49)	98								1		1	2	11	17	20	28	18	
Diabetes mellitus (57)	22							1	1		1			5	8	3	3	
Cerebral hemorrhage and softening (74, 83)	119												7	13	24	35	40	
Other [organic] diseases of the heart (90)	197	1	1			1	2		2	2		4	9	21	48	47	59	
Bronchitis (99)	4	4																
Broncho-pneumonia (100)	100	42	11	4	2	3	3	1		1	2	1	1	5	6	9	9	
Pneumonia (101)	34	2	3	2	2		1	1	2			2	7	6	2	3	1	
Diarrhea and enteritis (113, 114)	42	35	1	2			1										3	
Appendicitis and typhlitis (117)	19						2	3	2		2		1	7	2			
Hernia, intestinal obstruction (118)	7	1	1										2			1	2	
Cirrhosis of the liver (122)	5													1	1	3		
Nephritis (128, 129)	92	1				1	2	1	2		3	6	9	13	15	21	18	
Diseases of the female genital organs (137–141)	6										1		1		4			
Puerperal septicemia (146)	7								2		3	1	1					
Other puerperal causes (143–145, 147–150)	12								2		3	3	4					
Suicide (165–174)	12											1	4	3	2	1	1	
Homicide (197–200)	2												2					
Automobile accidents (188c)	13			1			3	2	1	1			3	1	1			
Other external causes (175–188b, 188d–196, 201–203)	43	3	4				2	2	2	3	1		6	7	3	6	4	
All other causes	349	152	4	4	3	5	1	4	3	5	3	9	19	32	31	31	43	
SPRINGFIELD, MASS., all causes	1,691	241	34	12	16	10	36	20	27	37	62	57	149	201	241	257	291	
Typhoid and paratyphoid fever (1)	2											1		1				
Measles (7)	11	5	1		1		2	1	1									
Scarlet fever (8)	4		1				2	1										
Whooping cough (9)	3	1	2															
Diphtheria (10)	25	3	4	2	3	3	6	1		1	1			1				
Influenza (11)	14		1										1	3	3	2	4	
Meningococcus meningitis (24)	2	1	1															
Tuberculosis of the respiratory system (31)	62								5	10	10	12	17	5	1	2		
Other forms of tuberculosis (32–37)	22	3	3		2	1	2	1	1	1	2	1	2	2	1			
Cancer and other malignant tumors (43–49)	153	1					1				1	4	15	35	35	30	31	
Diabetes mellitus (57)	32							1		1			3	6	10	6	5	
Cerebral hemorrhage and softening (74, 83)	164			1						1			4	20	31	53	54	
Other [organic] diseases of the heart (90)	238	2						2	2	2	6	4	17	31	51	55	66	
Bronchitis (99)	6	1	1									1					3	
Broncho-pneumonia (100)	69	17	11		2	2	5		1		1	1	4	3	5	7	10	
Pneumonia (101)	61	5		1		1			2	2		5	9	11	10	10	5	
Diarrhea and enteritis (113, 114)	38	31	1	2			1			1					1		1	
Appendicitis and typhlitis (117)	28					1	4	1		1	4	2	4	3	4	4		
Hernia, intestinal obstruction (118)	17	1								2	2			1	3	2	6	
Cirrhosis of the liver (122)	9											1	1	1	2	4		
Nephritis (128, 129)	161							1	1	2	4	1	11	28	36	31	46	
Diseases of the female genital organs (137–141)	8								1		2		2	1		1	1	
Puerperal septicemia (146)	15										6	5	4					
Other puerperal causes (143–145, 147–150)	16									3	4	5	4					
Suicide (165–174)	14										2	1	3	3	3	2		
Homicide (197–200)	4	1									1		2					
Automobile accidents (188c)	27				1		5	2	2	2	1		2	4	2	2	4	
Other external causes (175–188b, 188d–196, 201–203)	78	1	3	1	1	1	3	2	3	2	3	5	12	15	8	9	9	
All other causes	408	168	5	5	6	1	5	7	8	6	12	8	32	27	35	37	46	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WORCESTER, MASS., all causes	2,465	288	46	31	19	22	60	31	43	48	55	93	212	311	383	422	401	
Typhoid and paratyphoid fever (1)	1								1									
Measles (7)	2	1		1														
Scarlet fever (8)	17	1	2	3	2	3	4		1		1							
Whooping cough (9)	5	2	2	1														
Diphtheria (10)	43	1	2	4	8	7	14	4		2	1							
Influenza (11)	6				1							1	2	1			1	
Meningococcus meningitis (24)	2		1					1										
Tuberculosis of the respiratory system (31)	137	1					1	1	6	15	22	23	31	19	14	4		
Other forms of tuberculosis (32–37)	25	4	6		1		1	1	4		2	3	1	1		1		
Cancer and other malignant tumors (43–49)	259		1								3	1	18	58	71	63	44	
Diabetes mellitus (57)	37						1	2	2	1	1		2	2	15	6	5	
Cerebral hemorrhage and softening (74, 83)	207		1								1	1	2	24	46	68	64	
Other [organic] diseases of the heart (90)	376				1		2	3	4	2	5	4	21	40	73	105	116	
Bronchitis (99)	18	6	1						1			1		1	3		5	
Broncho-pneumonia (100)	111	27	9	5		2	4	1	1	2	2	3	5	5	11	16	18	
Pneumonia (101)	89	9	3	4			2	1		1		8	12	17	8	17	7	
Diarrhea and enteritis (113, 114)	46	30	8	2	1		1					1	1			1	1	
Appendicitis and typhlitis (117)	36			1		1	4	1	4	2	4	3	3	5	6	2		
Hernia, intestinal obstruction (118)	32	5										2	3	8	5	7	2	
Cirrhosis of the liver (122)	9													5	2	2		
Nephritis (128, 129)	204		1				1	1	2	1		3	23	41	45	41	45	
Diseases of the female genital organs (137–141)	12								1				7	2	1	1		
Puerperal septicemia (146)	14									2	1	5	6					
Other puerperal causes (143–145, 147–150)	29								1	3	3	8	14					
Suicide (165–174)	20								1		1	1	3	9	2	2	1	
Homicide (197–200)	5	1								1		1		2				
Automobile accidents (188c)	29		1			1	5	3	3	3	2	2	3	3	2		1	
Other external causes (175–188b, 188d–196, 201–203)	118	3		8	4	3	7	5	4	6	4	7	12	14	14	15	12	
All other causes	576	197	8	2	1	5	13	7	7	7	2	15	43	54	65	71	79	
DETROIT, MICH. (WHITE), all causes	11,400	2,159	295	144	129	101	357	184	234	418	542	589	1,335	1,223	1,352	1,273	1,056	9
Typhoid and paratyphoid fever (1)	27				2	1		1		4	3	7	6		2	1		
Measles (7)	55	13	24	7	5	4	1	1										
Scarlet fever (8)	50		4	7	8	6	15	3		1	2	2	2					
Whooping cough (9)	37	26	7	1	1	1	1											
Diphtheria (10)	149	12	21	15	22	14	48	9		1	2	1	1	1	2			
Influenza (11)	80	19	6	2	1	2		1		2	4	1	12	9	12	7	2	
Meningococcus meningitis (24)	17	3	2	2		1	4	1	1		1		1	1				
Tuberculosis of the respiratory system (31)	742	5	1	3		1	8	8	57	121	120	100	153	83	58	23	1	
Other forms of tuberculosis (32–37)	162	23	12	9	10	7	22	8	8	7	9	13	15	11	6	2		
Cancer and other malignant tumors (43–49)	865	1	1	2	1	1	2		2	3	12	23	113	179	253	192	79	1
Diabetes mellitus (57)	133						2	3	4	2	3	4	14	16	35	38	12	
Cerebral hemorrhage and softening (74, 83)	627	3	1		1		1	1	2	3	5	8	42	76	132	200	152	
Other [organic] diseases of the heart (90)	1,332	9	1	1	4	2	25	25	26	26	34	31	116	184	264	286	296	2
Bronchitis (99)	101	23	10	5	2				1		2		4	6	7	11	30	
Broncho-pneumonia (100)	526	268	69	16	9	6	8	2	4	1	8	9	17	21	32	26	30	
Pneumonia (101)	671	56	24	10	8	5	18	5	12	27	42	50	128	112	68	65	38	3
Diarrhea and enteritis (113, 114)	391	305	40	9	12	2	5	1					3	2	2	6	4	
Appendicitis and typhlitis (117)	204	1		3	3	5	14	16	10	28	20	16	43	27	15	3		
Hernia, intestinal obstruction (118)	121	28	3		1			3	2	6	6	7	16	21	8	9	11	
Cirrhosis of the liver (122)	82										5	6	7	14	23	18	9	
Nephritis (128, 129)	501	4	1	2			7	5	1	10	10	25	57	68	98	106	106	1
Diseases of the female genital organs (137–141)	60							1		5	8	8	22	11	3	2		
Puerperal septicemia (146)	97								9	23	23	22	19	1				
Other puerperal causes (143–145, 147–150)	104								8	20	28	19	29					
Suicide (165–174)	147								1	7	21	25	50	25	14	3	1	
Homicide (197–200)	123	1			1			1	4	15	30	21	24	13	10	2		1
Automobile accidents (188c)	289	1	1	4	7	10	53	16	4	14	15	19	52	29	26	30	8	
Other external causes (175–188b, 188d–196, 201–203)	473	21	11	18	11	10	26	20	26	30	28	41	87	54	34	29	27	
All other causes	3,234	1,337	56	28	20	23	97	53	52	62	101	131	302	259	248	214	250	1
DETROIT, MICH. (COLORED), all causes	1,441	235	72	16	14	9	28	20	52	140	141	138	264	175	72	37	24	4
Typhoid and paratyphoid fever (1)	3									1			1	1				
Measles (7)	2		1								1							
Scarlet fever (8)	3		1			1			1									
Whooping cough (9)	22	13	6	2			1											
Diphtheria (10)	13	3	1	2	1		2	1	1	1			1					
Influenza (11)	21	4								2	2	5	6	1	1			
Meningococcus meningitis (24)	5	1	1	1			1						1					
Tuberculosis of the respiratory system (31)	204	7	3				3	6	16	50	34	31	36	9	7	2		
Other forms of tuberculosis (32–37)	35	5	2	1	2	2	3	1	2	5	2	1	6	3				
Cancer and other malignant tumors (43–49)	28		1							1	1	2	7	9	5	1	1	
Diabetes mellitus (57)	5											2	1	2				
Cerebral hemorrhage and softening (74, 83)	45										1	1	11	13	11	4	4	
Other [organic] diseases of the heart (90)	125	1					1	3	3	4	5	8	20	36	12	19	11	2
Bronchitis (99)	9	5	1	1									2					
Broncho-pneumonia (100)	93	42	30	6	2	1	2	2	1	2		2	1	2				
Pneumonia (101)	194	12	6	1	4	1	5	1	4	26	32	26	42	27	4	2		1
Diarrhea and enteritis (113, 114)	34	20	12	1										1				
Appendicitis and typhlitis (117)	21								1	2	5	6	3	2	2			
Hernia, intestinal obstruction (118)	12	1							2		1		5	1	1		1	
Cirrhosis of the liver (122)	1											1						
Nephritis (128, 129)	28									1	1	1	12	6	3	2	2	
Diseases of the female genital organs (137–141)	21									1	6	3	6	4	1			
Puerperal septicemia (146)	9								2	2	2	1	2					
Other puerperal causes (143–145, 147–150)	12							1	2	3	4	1	1					
Suicide (165–174)	6									1		2	1	1		1		
Homicide (197–200)	85								3	18	14	19	26	4	1			
Automobile accidents (188c)	16					1	6			2	1	1	2	2	1			
Other external causes (175–188b, 188d–196, 201–203)	50	3			2	2			5	3	4	3	15	7	4	1	1	
All other causes	339	118	7	1	3	1	4	5	9	15	25	22	56	44	19	5	4	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
GRAND RAPIDS, MICH., all causes	1,530	175	23	8	7	7	30	28	31	47	27	47	118	137	228	283	334	
Typhoid and paratyphoid fever (1)	5								1	2	1		1					
Measles (7)																		
Scarlet fever (8)	4					1				1	1	1						
Whooping cough (9)	2	2																
Diphtheria (10)	9		1		2		3		2					1				
Influenza (11)	12	2	1									1	2	1	2	3		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	52	1					2	5	12	4	4	10	4	7	3			
Other forms of tuberculosis (32–37)	21	2	1	2	1	1	1	2	2	1	2	2	1		3			
Cancer and other malignant tumors (43–49)	154						2	1		1		4	11	26	42	49	18	
Diabetes mellitus (57)	32							2	1	1	1	2	1	1	9	5	9	
Cerebral hemorrhage and softening (74, 83)	129							1					2	8	30	40	48	
Other [organic] diseases of the heart (90)	282	1	2			1	1	4	1	5		4	13	31	47	65	107	
Bronchitis (99)	7	1	2											1		1	2	
Broncho-pneumonia (100)	44	15	6	2			1	1	1			1	2	2	2	7	4	
Pneumonia (101)	36	6					1			3	1	2	2	5	5	9	2	
Diarrhea and enteritis (113, 114)	27	19	1	1											1	3	2	
Appendicitis and typhlitis (117)	21						2	3	3	2	1	4	3		3			
Hernia, intestinal obstruction (118)	18	3		1						2	1	1	3	2	3	2		
Cirrhosis of the liver (122)	7										1		2		1	3		
Nephritis (128, 129)	126								1	3	2	4	8	11	24	32	41	
Diseases of the female genital organs (137–141)	9											2	2	3	1	1		
Puerperal septicemia (146)	8								1	3	3		1					
Other puerperal causes (143–145, 147–150)	8									1	1	3	3					
Suicide (165–174)	17										3		5	1	4	3	1	
Homicide (197–200)	2										2							
Automobile accidents (188c)	31					1	7	1	3	2			5	3	3	1	5	
Other external causes (175–188b, 188d–196, 201–203)	73	2	1		3	1	3	2	5	4		4	13	8	5	6	16	
All other causes	394	122	7	2	1	2	9	9	5	4	3	8	28	29	36	50	79	
MINNEAPOLIS, MINN., all causes	4,689	522	79	25	39	21	98	65	112	172	176	185	462	518	748	774	693	
Typhoid and paratyphoid fever (1)	9							2	1			2	1		3			
Measles (7)	7		4		2		1											
Scarlet fever (8)	21		7	1	2	1	4	2		1	2		1					
Whooping cough (9)	13	6	4		1		1		1									
Diphtheria (10)	69	5	7	2	7	8	17	11	5	2	2			1	1	1		
Influenza (11)	32	2	1	2				1	2	2	2		3	5	2	4	6	
Meningococcus meningitis (24)	4	1			1		1		1									
Tuberculosis of the respiratory system (31)	248	1	2		1		1	1	15	37	40	35	45	20	33	15	2	
Other forms of tuberculosis (32–37)	45	5	4	2			4		4	5	4	5	6	3	2	1		
Cancer and other malignant tumors (43–49)	546	1		1	1		1	2	1	1	4	12	49	100	165	140	68	
Diabetes mellitus (57)	87		2					2	1	3	2	3	7	13	17	31	6	
Cerebral hemorrhage and softening (74, 83)	289							2		2			5	27	50	89	114	
Other [organic] diseases of the heart (90)	626	1		1	2		5	4	10	7	8	7	37	74	141	172	157	
Bronchitis (99)	17	1					1		1				2		1	4	7	
Broncho-pneumonia (100)	162	59	7	5	5		6		2	1		2	8	8	8	18	33	
Pneumonia (101)	183	15	11	1	2		6	3	2	6	9	6	18	24	28	29	23	
Diarrhea and enteritis (113, 114)	42	23	7		3		1					1				3	4	
Appendicitis and typhlitis (117)	103				3	1	6	4	7	10	7	14	17	14	12	7	1	
Hernia, intestinal obstruction (118)	50	8	3					1			1	2	5	5	7	15	3	
Cirrhosis of the liver (122)	34							1			1		1	10	10	8	3	
Nephritis (128, 129)	210	1	1				2	2	4	6	3	12	19	42	52	66		
Diseases of the female genital organs (137–141)	36									2	3	7	16	5	3			
Puerperal septicemia (146)	36								6	7	14	2	7					
Other puerperal causes (143–145, 147–150)	27								2	5	4	8	7	1				
Suicide (165–174)	74									2	7	6	21	19	12	7		
Homicide (197–200)	27								1	4	5	6	8	2	1			
Automobile accidents (188c)	86			1	1	1	13	3	1	6	3	4	13	13	12	11	4	
Other external causes (175–188b, 188d–196, 201–203)	199	6	8	4	3	2	6	8	9	11	6	13	22	18	31	23	30	
All other causes	1,407	387	11	5	5	8	24	16	38	54	47	47	151	137	167	144	166	
ST. PAUL, MINN., all causes	2,928	347	45	28	13	17	55	58	58	70	89	105	302	333	485	505	418	
Typhoid and paratyphoid fever (1)	5							1		1			1	1	1			
Measles (7)	7	1	2	1			1		1		1							
Scarlet fever (8)	20	1	2	3	4	4	2	1			1	2						
Whooping cough (9)	5	4		1														
Diphtheria (10)	33	2	5	4	3	2	10	4	1				1		1			
Influenza (11)	18	4						1	1	1	1		1	1	2	2	4	
Meningococcus meningitis (24)	2	1								1								
Tuberculosis of the respiratory system (31)	157		2					2	7	15	19	17	37	29	18	7	4	
Other forms of tuberculosis (32–37)	44	4	6	1			2	6	2		4	3	10	2		3	1	
Cancer and other malignant tumors (43–49)	362			1				4	3	1	7	6	40	68	102	83	47	
Diabetes mellitus (57)	55							2	1	2		2	4	7	9	18	10	
Cerebral hemorrhage and softening (74, 83)	206	1							1		1	1	8	25	39	71	59	
Other [organic] diseases of the heart (90)	466	1				1	1	8	6	7	9	16	32	43	96	136	110	
Bronchitis (99)	10											1	1	2			6	
Broncho-pneumonia (100)	81	30	8	2	1		1			2			3	4	8	5	17	
Pneumonia (101)	116	7	6			1	4	1	5	3	2	5	21	17	25	10	9	
Diarrhea and enteritis (113, 114)	47	37	4	1			2	1		1							1	
Appendicitis and typhlitis (117)	61		1			1	5	5	6	4	6	1	15	4	8	4	1	
Hernia, intestinal obstruction (118)	24	3						1					4	3	3	5	5	
Cirrhosis of the liver (122)	16						1			1			2	4	2	5	1	
Nephritis (128, 129)	161						1	3		1	2	5	11	25	30	38	45	
Diseases of the female genital organs (137–141)	15											1	2	6	3	2	1	
Puerperal septicemia (146)	10									2	3	3	2					
Other puerperal causes (143–145, 147–150)	16									2	3	8	3					
Suicide (165–174)	35								3	3	2		6	4	9	7	1	
Homicide (197–200)	15										1	4	7	3				
Automobile accidents (188c)	55					3	8	5	5	1	2		8	6	7	10		
Other external causes (175–188b, 188d–196, 201–203)	139	3	3	4	2		2	2	4	10	8	10	15	12	29	18	17	
All other causes	747	248	6	10	3	5	15	11	12	12	17	20	68	67	93	81	79	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	3,989	514	68	40	31	13	67	50	89	138	154	183	381	470	578	639	573	1
Typhoid and paratyphoid fever (1)	9			1			1		1	1		4	1					
Measles (7)	20	2	9	4	4		1											
Scarlet fever (8)	6			1	2		2						1					
Whooping cough (9)	27	16	4	2	2	2	1											
Diphtheria (10)	15	1	1	3	2	2	3	1					1	1				
Influenza (11)	62	5	4	1	2		1	2	1	1	1	6	5	6	8	9	10	
Meningococcus meningitis (24)	3	1								1			1					
Tuberculosis of the respiratory system (31)	210	4		1	1			5	13	24	33	29	35	25	23	11	6	
Other forms of tuberculosis (32–37)	21	2		1				2	2		1	1	4	4	1	3		
Cancer and other malignant tumors (43–49)	363						1	1	1	7	7	7	37	68	87	103	44	
Diabetes mellitus (57)	57			1				1				3	2	11	14	17	8	
Cerebral hemorrhage and softening (74, 83)	278	2								1		3	13	29	53	81	96	
Other [organic] diseases of the heart (90)	421	2					5	9	5	10	7	11	30	44	73	107	118	
Bronchitis (99)	21	1	1					1							1	5	12	
Broncho-pneumonia (100)	129	38	7	3	3	2	4	1		2	3	3	8	9	7	17	22	
Pneumonia (101)	160	17	4	3	2	1	2	1	3	6	6	7	15	21	22	23	27	
Diarrhea and enteritis (113, 114)	150	108	26	4	3	1						1	3		1		3	
Appendicitis and typhlitis (117)	99		1		1	1	6	6	10	7	12	10	17	9	13	6		
Hernia, intestinal obstruction (118)	64	7			1			2	2	2	4	3	10	4	10	11	8	
Cirrhosis of the liver (122)	35												4	10	9	6	6	
Nephritis (128, 129)	341			1			2		2	1	2	8	25	50	78	93	79	
Diseases of the female genital organs (137–141)	36								1	8	6	3	8	5	2	2	1	
Puerperal septicemia (146)	31								10	8	5	4	4					
Other puerperal causes (143–145, 147–150)	21								1	4	8	6	2					
Suicide (165–174)	67							1		7	8	7	9	12	16	5	2	
Homicide (197–200)	78							1	7	10	12	12	24	8	4			
Automobile accidents (188c)	78			1	1		11	5	6	5	5	5	7	8	9	10	5	
Other external causes (175–188b, 188d–196, 201–203)	187	5	4	4	4		8	2	7	10	7	13	31	28	18	21	25	
All other causes	1,000	303	7	9	3	4	19	9	17	23	27	37	84	118	129	109	101	1
KANSAS CITY, MO. (COLORED), all causes	836	85	18	10	5	3	15	12	31	51	64	69	140	148	92	49	44	
Typhoid and paratyphoid fever (1)	4							1	1					1	1			
Measles (7)	7	1	3				1	1		1								
Scarlet fever (8)																		
Whooping cough (9)	14	6	3	3			2											
Diphtheria (10)	1										1							
Influenza (11)	15	1								5	3	2	1	1	1	1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	100			2			1	3	13	15	11	14	22	17	2			
Other forms of tuberculosis (32–37)	13					1	3		1	2	1	2	3					
Cancer and other malignant tumors (43–49)	29								1		2		6	9	5	5	1	
Diabetes mellitus (57)	5												1	1	2	1		
Cerebral hemorrhage and softening (74, 83)	27	1									1		4	8	7	4	2	
Other [organic] diseases of the heart (90)	109							1	1	1	3	4	14	38	25	14	8	
Bronchitis (99)	3	2	1															
Broncho-pneumonia (100)	41	16	4	3	2					2	2	1		3	2	2	4	
Pneumonia (101)	60	2		1		1	2	1	2	4	7	6	14	8	7	2	3	
Diarrhea and enteritis (113, 114)	19	13	2	1	1							1		1				
Appendicitis and typhlitis (117)	13							1		1	3	4	2	1	1			
Hernia, intestinal obstruction (118)	10	1	1						1		1		1	2	1	2		
Cirrhosis of the liver (122)	2														1	1		
Nephritis (128, 129)	92							1	1	2	2	2	14	26	18	10	16	
Diseases of the female genital organs (137–141)	11								1			5	3	2				
Puerperal septicemia (146)	2											1	1					
Other puerperal causes (143–145, 147–150)	8								1	4	1		2					
Suicide (165–174)	2										2							
Homicide (197–200)	61								2	7	11	10	24	5	1	1		
Automobile accidents (188c)	9								1	2			2		3		1	
Other external causes (175–188b, 188d–196, 201–203)	40	1			1	1	2	3	3	2	4	5	6	6	4		2	
All other causes	139	41	4		1		4		2	3	9	12	20	19	11	6	7	
ST. LOUIS, MO. (WHITE), all causes	9,074	851	166	80	71	58	166	98	169	228	249	307	827	1,281	1,598	1,614	1,320	1
Typhoid and paratyphoid fever (1)	26		1		1	1		1	2	4	3	4	5	3	1			
Measles (7)	18	4	8	3	1	2												
Scarlet fever (8)	77		7	13	11	10	24	3	5	4								
Whooping cough (9)	30	15	10	4	1													
Diphtheria (10)	76	5	9	12	7	15	23	3		1					1			
Influenza (11)	86	9	4	2		1	1	2	1	1	5	2	9	16	13	9	11	
Meningococcus meningitis (24)	14	5	2	2			1	1					2	1				
Tuberculosis of the respiratory system (31)	362	5		2	1			1	28	45	48	35	70	60	41	22	4	
Other forms of tuberculosis (32–37)	72	10	8	3	4	1	3	2	4	7	4	4	7	7	5	1	2	
Cancer and other malignant tumors (43–49)	1,007		1			1		2	4	8	6	23	96	249	279	239	99	
Diabetes m llitus (57)	177		1				3	2	2	2	1	4	5	24	57	50	26	
Cerebral hermorrhage and softening (74, 83)	538	1				1				4	4	6	16	66	121	171	148	
Other [organic] diseases of the heart (90)	1,282	3	2		2		15	16	17	14	24	24	78	183	249	340	315	
Bronchitis (99)	58	6	1		1								1	4	7	11	27	
Broncho-pneumonia (100)	415	130	34	6	6	4	11	1	3	1	5	8	21	18	28	57	82	
Pneumonia (101)	498	28	19	9	2	3	4	4	3	10	16	17	54	77	116	74	62	
Diarrhea and enteritis (113, 114)	181	136	17	5	3	1	2	1	2	1		1	2	2	6	1	1	
Appendicitis and typhlitis (117)	144		1	4	2		7	7	14	12	15	14	27	22	9	7	3	
Hernia, intestinal obstruction (118)	107	9	2		1		1	2	3	2		1	10	16	23	20	16	1
Cirrhosis of the liver (122)	118							1			2	1	11	24	43	23	13	
Nephritis (128, 129)	1,037	1	2	1	3	1	6	2	6	4	10	30	75	142	226	267	261	
Diseases of the female genital organs (137–141)	48									1	5	8	16	16	1	1		
Puerperal septicemia (146)	29								6	7	5	6	5					
Other puerperal causes (143–145, 147–150)	57								4	7	15	15	15	1				
Suicide (165–174)	152								1	10	12	19	22	36	33	16	3	
Homicide (197–200)	94						1	2	7	21	16	7	19	11	7	2	1	
Automobile accidents (188c)	171	1			3	2	21	8	9	17	8	4	14	29	25	19	11	
Other external causes (175–188b, 188d–196, 201–203)	390	2	7	7	7	4	10	8	21	22	14	16	54	64	75	44	35	
All other causes	1,810	481	30	7	15	11	33	29	27	23	31	58	193	210	232	230	200	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,919	215	59	26	12	6	25	23	64	136	117	120	330	349	223	135	79	
Typhoid and paratyphoid fever (1)	4						1		1	2								
Measles (7)	3		2				1											
Scarlet fever (8)																		
Whooping cough (9)	5	1	2			1	1											
Diphtheria (10)	3	1						2										
Influenza (11)	18	4	3	2			1			3	2			3				
Meningococcus meningitis (24)	3			1								1	1					
Tuberculosis of the respiratory system (31)	203	1	2	2			2	5	23	43	27	24	42	23	8	1		
Other forms of tuberculosis (32–37)	40	3	3	2			1	2	5	5	5		7	4		2	1	
Cancer and other malignant tumors (43–49)	76									1	2	4	17	27	15	5	5	
Diabetes mellitus (57)	10							1					1	1	3	2	2	
Cerebral hemorrhage and softening (74, 83)	72										1	1	13	19	18	17	3	
Other [organic] diseases of the heart (90)	276	1					2		6	4	1	13	59	78	57	36	19	
Bronchitis (99)	18	8		1									3	3	3			
Broncho-pneumonia (100)	113	55	19	3	4		3		1	3	1	3	5	8	2	4	2	
Pneumonia (101)	224	12	11	5	2		1	4	9	23	21	19	46	32	23	11	5	
Diarrhea and enteritis (113, 114)	48	32	6	2	3						1	1		2	1			
Appendicitis and typhlitis (117)	20						1	2	1	4	1	1	2	4	2	1	1	
Hernia, intestinal obstruction (118)	12		2							1		1	2	1	4	1		
Cirrhosis of the liver (122)	19						1		1	1		1		6	5	4		
Nephritis (128, 129)	216							1	1	5	3	6	41	58	44	36	21	
Diseases of the female genital organs (137–141)	34										6	4	17	6	1			
Puerperal septicemia (146)	6								3	1	1		1					
Other puerperal causes (143–145, 147–150)	9								2	2	2	1	2					
Suicide (165–174)	10									1	2	1	4	2				
Homicide (197–200)	63								4	12	16	11	13	5	2			
Automobile accidents (188c)	26				2		5	1		3	1	1	4	6	2		1	
Other external causes (175–188b, 188d–196, 201–203)	55	1	3	4		2	2	2	1	6	3	1	12	11	3		4	
All other causes	333	96	6	4	1	3	3	3	6	16	21	26	38	50	30	15	15	
OMAHA, NEBR., all causes	2,650	342	41	22	13	21	54	39	57	68	118	110	281	326	376	425	357	
Typhoid and paratyphoid fever (1)	3							1							2			
Measles (7)	39	12	12	7	2	1	4			1								
Scarlet fever (8)	1						1											
Whooping cough (9)	3		3															
Diphtheria (10)	36		1	4	3	9	15	3	1									
Influenza (11)	22	5		1							1		2	3	3	2	5	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	120	3	1				1	3	5	11	19	21	21	17	11	4	3	
Other forms of tuberculosis (32–37)	26	4	1			2	2	2	1	2	2	1	5	1	3			
Cancer and other malignant tumors (43–49)	272			1			1			1	5	5	32	57	68	76	26	
Diabetes mellitus (57)	42								2	2	1	1	4	3	15	10	4	
Cerebral hemorrhage and softening (74, 83)	169								1		1	1	5	26	37	60	38	
Other [organic] diseases of the heart (90)	327	1			1		2	6	3	4	5	4	24	43	72	82	80	
Bronchitis (99)	6	1												1	1		3	
Broncho-pneumonia (100)	77	28	3	2		2	1	1				4	3	3	5	4	7	14
Pneumonia (101)	140	20	2	2			2	2	2	2	4	5	24	10	16	26	23	
Diarrhea and enteritis (113, 114)	57	40	4	1	1						2		1			2	6	
Appendicitis and typhlitis (117)	73		2	1		1	4	3	3	7	8	8	13	11	6	6		
Hernia, intestinal obstruction (118)	34	6	1			1			2	1	2		6	4	6	4	1	
Cirrhosis of the liver (122)	17											1		5	3	5	3	
Nephritis (128, 129)	143	1					1	3	1		2	3	14	16	34	40	28	
Diseases of the female genital organs (137–141)	29								1	1	5	3	9	8	1	1		
Puerperal septicemia (146)	12									3	2	7						
Other puerperal causes (143–145, 147–150)	17								1	3	5	6	2					
Suicide (165–174)	56								3	3	2	8	10	19	9	1	1	
Homicide (197–200)	30								1	4	7	7	8	1	1	1		
Automobile accidents (188c)	29					1	4	3	3	1	3		4		4	5	1	
Other external causes (175–188b, 188d–196, 201–203)	144	5	3	2	5	2	8	4	4	7	14	5	17	12	10	22	24	
All other causes	725	215	8	1	1	2	8	8	23	15	24	21	77	84	70	71	97	
CAMDEN, N. J., all causes	1,744	297	56	12	11	12	45	30	37	59	64	74	166	193	260	239	189	
Typhoid and paratyphoid fever (1)	8						2	3	1	1		1						
Measles (7)	3	1	1		1													
Scarlet fever (8)	1												1					
Whooping cough (9)	5	3	1	1														
Diphtheria (10)	23	2	4		1	5	10					1						
Influenza (11)	17	1					1		2	1	1		4	1	3	2	1	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	81	1		1			1	3	7	11	12	7	14	11	10	3		
Other forms of tuberculosis (32–37)	12	2		1	1			1		1	1		2	2		1		
Cancer and other malignant tumors (43–49)	117				1					1	1	3	14	21	32	32	12	
Diabetes mellitus (57)	31										1		2	6	12	9	1	
Cerebral hemorrhage and softening (74, 83)	128									1		1	5	14	32	37	38	
Other [organic] diseases of the heart (90)	218	1					4	3	1	2	4	4	23	35	41	56	44	
Bronchitis (99)	11	5		1							1				1	1	2	
Broncho-pneumonia (100)	76	38	14			1	4		1	1		1		2	5	5	4	
Pneumonia (101)	126	19	6	1	1		2	2	2	3	8	11	22	14	17	9	9	
Diarrhea and enteritis (113, 114)	93	62	18		1	2	1	1						3	1	2	2	
Appendicitis and typhlitis (117)	24						3	2	3	2	3	1	4	2	1	2	1	
Hernia, intestinal obstruction (118)	16									1		1	3	3	7	1		
Cirrhosis of the liver (122)	13													4	5	2	2	
Nephritis (128, 129)	155	3		1				1	1	2	1	3	10	28	36	32	37	
Diseases of the female genital organs (137–141)	10								1	1	1	1	4	1	1			
Puerperal septicemia (146)	26									6	5	5	10					
Other puerperal causes (143–145, 147–150)	18								1	2	4	5	6					
Suicide (165–174)	19									2	1	3		4	5	2	2	
Homicide (197–200)	10	1								1	2	1	4		1			
Automobile accidents (188c)	36						2	3	1	3	3	5	2	5	5	4	3	
Other external causes (175–188b, 188d–196, 201–203)	107	5	6	4	2	3	9	3	5	5	3	7	14	4	18	11	8	
All other causes	359	152	6	2	3	1	6	8	11	12	12	13	22	33	27	28	23	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
JERSEY CITY, N. J., all causes	3,821	563	108	57	39	30	93	65	88	110	160	147	376	538	606	497	344	
Typhoid and paratyphoid fever (1)	9							1	1	1		2	1	3				
Measles (7)	28	5	16	3	1	1	2											
Scarlet fever (8)	7			1			4	1					1					
Whooping cough (9)	32	22	6	2	1		1											
Diphtheria (10)	38	2	7	7	9	7	5	1										
Influenza (11)	39	4	4	1	1		2	1	2			2	5	3	6	7	1	
Meningococcus meningitis (24)	2		1			1												
Tuberculosis of the respiratory system (31)	246			1		1		2	18	31	39	27	53	45	23	5	1	
Other forms of tuberculosis (32–37)	31	1	2	3	2	1	3	3	2	1	2	5	4	1	1			
Cancer and other malignant tumors (43–49)	333								1	2	5	9	25	70	102	86	33	
Diabetes mellitus (57)	68										1	1	3	15	23	19	6	
Cerebral hemorrhage and softening (74, 83)	240	2	1						1		1	1	8	33	80	68	45	
Other [organic] diseases of the heart (90)	591						5	12	11	11	12	17	49	112	145	115	102	
Bronchitis (99)	36	22	2		1									2	3	2	4	
Broncho-pneumonia (100)	188	65	24	10	4	3	8		2		5	3	11	10	10	18	15	
Pneumonia (101)	251	24	15	10	4	3	4	2	6	12	18	12	44	38	25	21	13	
Diarrhea and enteritis (113, 114)	150	113	19	5	1	1	2	1					1			2	5	
Appendicitis and typhlitis (117)	83			1	2	3	5	8	8	6	15	6	9	13	4	3		
Hernia, intestinal obstruction (118)	42	6	2	1			2	2	1	2		1	7	4	7	3	4	
Cirrhosis of the liver (122)	25											1	2	12	4	3	3	
Nephritis (128, 129)	305	2					4	2	4	8	4	9	38	54	69	73	38	
Diseases of the female genital organs (137–141)	20									1	3		6	8	2			
Puerperal septicemia (146)	27								3	5	8	5	6					
Other puerperal causes (143–145, 147–150)	26									5	9	6	6					
Suicide (165–174)	31								1	2	1	5	6	4	7	2	3	
Homicide (197–200)	7								2		2	1	1	1				
Automobile accidents (188c)	56		1	2	1	3	17	7	2	4		1	4	5	5	2	2	
Other external causes (175–188b, 188d–196, 201–203)	186	6	3	3	4	3	6	2	6	6	3	8	33	43	33	16	11	
All other causes	724	289	5	7	8	3	23	20	17	13	32	25	53	62	57	52	58	
NEWARK, N. J., all causes	4,982	740	122	56	44	31	113	80	90	152	164	167	591	655	794	708	475	
Typhoid and paratyphoid fever (1)	13								1	2	4		2	3		1		
Measles (7)	18	4	8	2	1		3											
Scarlet fever (8)	4			1			1		1				1					
Whooping cough (9)	35	17	12	3	2		1											
Diphtheria (10)	19		5	3	2	5	4											
Influenza (11)	39	7	1	3	1		2	1	2	1	2	1	6	4	5	1	2	
Meningococcus meningitis (24)	9	2				1	1		1	1		2		1				
Tuberculosis of the respiratory system (31)	258		1		2		2	7	16	38	35	30	50	49	18	10		
Other forms of tuberculosis (32–37)	47	8	1	1	4	3	5	2	4	2	4		4	4	4		1	
Cancer and other malignant tumors (43–49)	416		1	2	1		1	1	1	3	2	13	56	92	123	91	29	
Diabetes mellitus (57)	111						1		1		1	3	7	15	37	37	9	
Cerebral hemorrhage and softening (74, 83)	374	1						1	1			1	25	42	97	127	79	
Other [organic] diseases of the heart (90)	738	1		1	2	1	13	10	13	6	7	15	82	119	173	160	135	
Bronchitis (99)	49	29	4	1		1	1								2	4	7	
Broncho-pneumonia (100)	173	78	24	13	4		1	1	2	1		1	8	8	6	6	20	
Pneumonia (101)	297	27	21	6	4	4	7	6	6	15	16	18	42	41	50	21	13	
Diarrhea and enteritis (113, 114)	157	130	13	1	2		3			1			1	2	1	1	2	
Appendicitis and typhlitis (117)	95		1	2	2	2	5	9	3	7	3	6	27	11	13	3	1	
Hernia, intestinal obstruction (118)	43	6	2							3	2		5	12	9	2	2	
Cirrhosis of the liver (122)	51								1	1	1		10	11	13	9	5	
Nephritis (128, 129)	397	2	2				2	3	5	3	7	5	47	66	84	95	76	
Diseases of the female genital organs (137–141)	42										8	6	11	15	1		1	
Puerperal septicemia (146)	32								3	8	10	5	6					
Other puerperal causes (143–145, 147–150)	54								1	9	13	17	14					
Suicide (165–174)	53							2	1	5	4	1	17	11	10	2		
Homicide (197–200)	34	2						1		6	5	4	11	4	1			
Automobile accidents (188c)	104		1		3	2	24	10	2	3	3	3	14	13	13	11	2	
Other external causes (175–188b, 188d–196, 201–203)	203	2	8	5	6	5	13	4	5	10	9	10	48	21	25	15	17	
All other causes	1,117	424	17	12	8	7	23	22	20	27	28	26	97	111	109	112	74	
PATERSON, N. J., all causes	1,706	201	42	16	16	4	38	19	32	62	48	63	135	232	283	307	208	
Typhoid and paratyphoid fever (1)	4						1		1				2					
Measles (7)	8	2	4				2											
Whooping cough (9)	8	4	3	1														
Diphtheria (10)	11		3		4		3	1										
Influenza (11)	26	3	2										2	4	3	4	3	5
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	102								7	17	8	12	15	22	10	9	2	
Other forms of tuberculosis (32–37)	23	5	2	2	2		1			2	5	1		1	2			
Cancer and other malignant tumors (43–49)	175			1					1	2	2	17	39	53	43	17		
Diabetes mellitus (57)	52							1		1		3	3	14	13	15	2	
Cerebral hemorrhage and softening (74, 83)	120								1	1		1	3	19	26	43	26	
Other [organic] diseases of the heart (90)	231		1			1	4	5	5	5	4	3	17	28	48	64	46	
Bronchitis (99)	8	4													1	2	1	
Broncho-pneumonia (100)	54	19	10	5	3		1					1		1	2	6	6	
Pneumonia (101)	89	14	3		1		3		3	5	4	3	10	10	13	13	7	
Diarrhea and enteritis (113, 114)	35	22	6	1	1		2								1		2	
Appendicitis and typhlitis (117)	32	1			2		2	4		4	4	4	6	3	1		1	
Hernia, intestinal obstruction (118)	20	2	1			1	1			1			1	4	5	3	1	
Cirrhosis of the liver (122)	22											1	1	7	9	2	2	
Nephritis (128, 129)	137	1				1	1		3	2	5	5	3	21	30	35	30	
Diseases of the female genital organs (137–141)	8										2	1	1	2	1	1		
Puerperal septicemia (146)	9									1		4	3	1				
Other puerperal causes (143–145, 147–150)	11									3	3	1	4					
Suicide (165–174)	21									3		2	3	5	5	1	2	
Homicide (197–200)	7								1	2	1	1	2					
Automobile accidents (188c)	49			1			10	1	4	4	2	3	5	4	5	8	2	
Other external causes (175–188b, 188d–196, 201–203)	75		2	2	1		1	1	1	3	2	9	9	6	11	17	10	
All other causes	368	123	5	3	2	1	6	6	6	7	6	4	26	42	43	42	46	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TRENTON, N. J., all causes	1,872	294	58	13	12	5	33	23	36	42	78	65	195	248	289	268	213	
Typhoid and paratyphoid fever (1)	4					1						1	1	1				
Measles (7)	15	5	8		1			1										
Scarlet fever (8)	1						1											
Whooping cough (9)	20	10	7	2	1													
Diphtheria (10)	6	1	1		2	1	1											
Influenza (11)	22	1	2	1							1		1	4	4	6	2	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	95							1	6	7	14	11	27	16	9	4		
Other forms of tuberculosis (32–37)	26	4	7	1	1		3		4		2		3			1		
Cancer and other malignant tumors (43–49)	127						1		1	1	1		11	29	42	30	11	
Diabetes mellitus (57)	22									1	1	1		6	9	4		
Cerebral hemorrhage and softening (74, 83)	126						1		1		1	1	5	21	29	35	32	
Other [organic] diseases of the heart (90)	324	3			1		1	3	1	4	9	4	18	38	73	81	88	
Bronchitis (99)	8	4												1		1	2	
Broncho-pneumonia (100)	70	32	12	3	1	1	1				1		3	3	3	5	5	
Pneumonia (101)	94	14	7	2	2		2	4	1	3	2	4	15	14	12	8	4	
Diarrhea and enteritis (113, 114)	61	49	3	1			1	1			1		1		3		1	
Appendicitis and typhlitis (117)	24						2	1	3	1	3	4	3	4	2	1		
Hernia, intestinal obstruction (118)	25	1								1		2	4	4	4	6	3	
Cirrhosis of the liver (122)	6												2	1	3			
Nephritis (128, 129)	140	1					1	2	2	2	2	3	11	33	29	26	28	
Diseases of the female genital organs (137–141)	12									1	4	1	4	1		1		
Puerperal septicemia (146)	12								2	1	2	6	1					
Other puerperal causes (143–145, 147–150)	10								4		3	1	2					
Suicide (165–174)	25										2	3	7	7	2	2	2	
Homicide (197–200)	11								1	3	2	1	3		1			
Automobile accidents (188c)	34						5	2	4	4	1	1	5	5	2	2	3	
Other external causes (175–188b, 188d–196, 201–203)	95	2	3	2	1		4	1	2	4	8	4	21	11	13	12	7	
All other causes	456	166	8	1	2	2	9	7	4	9	18	17	47	49	49	43	25	
ALBANY, N. Y., all causes	1,827	172	24	18	8	7	26	19	27	43	58	67	149	275	311	337	286	
Typhoid and paratyphoid fever (1)	16								2	4	2	2	1	3	1	1		
Measles (7)	2		1	1														
Scarlet fever (8)	8					1	4	1					1	1				
Whooping cough (9)	5	2	2	1														
Diphtheria (10)	15	1	2	1	2	3	2	2	1					1				
Influenza (11)	13	2		1			1					2		1	1	4	1	
Meningococcus meningitis (24)	2		1								1							
Tuberculosis of the respiratory system (31)	115								4	9	24	14	23	20	11	9	1	
Other forms of tuberculosis (32–37)	15	1			1	1	3			2	1	2	2	1	1			
Cancer and other malignant tumors (43–49)	172			1	1				5		1	3	13	40	40	43	25	
Diabetes mellitus (57)	36								1	1	2		1	5	16	8	2	
Cerebral hemorrhage and softening (74, 83)	135										1	1	1	18	31	45	38	
Other [organic] diseases of the heart (90)	312	1			1		7	3	2	1	4	11	40	68	86	88		
Bronchitis (99)	10	1										2		1	1	1	4	
Broncho-pneumonia (100)	44	10	3	4	2		1		1	1		1	2	2	2	4	11	
Pneumonia (101)	79	3		1						2	3	6	10	11	17	15	11	
Diarrhea and enteritis (113, 114)	33	20	8	1			1					1	1	1				
Appendicitis and typhlitis (117)	26			1		1		1	1	1	1		6	6	7	1		
Hernia, intestinal obstruction (118)	29	1	1						2	1	1	1	4	4	9	2	3	
Cirrhosis of the liver (122)	18											1	1	5	8	3		
Nephritis (128, 129)	178							1		2	1	2	14	33	39	52	34	
Diseases of the female genital organs (137–141)	15										1	3	2	7	2			
Puerperal septicemia (146)	6										3	2	1					
Other puerperal causes (143–145, 147–150)	14									2	5	4	2	1				
Suicide (165–174)	12									2	2	2	2	3		1		
Homicide (197–200)	6								1	1		1	2	1				
Automobile accidents (188c)	28			1			3	2	1	3	1	2	3	5		5	2	
Other external causes (175–188b, 188d–196, 201–203)	57	1	1	2	1		3	1	2	2	2	3	12	5	7	6	9	
All other causes	426	129	5	3	1		8	4	3	8	5	8	34	60	50	51	57	
BUFFALO, N. Y., all causes	6,955	1,082	132	75	29	39	128	99	136	207	245	290	658	853	1,092	1,105	785	
Typhoid and paratyphoid fever (1)	15								4	3	2	2	2	1	1			
Measles (7)	5	2	2						1									
Scarlet fever (8)	15	1		2		4	5		1	1		1						
Whooping cough (9)	45	31	12	1		1												
Diphtheria (10)	49	4	12	10	4	3	9	4		2			1					
Influenza (11)	31	1	1							1	4	1	3	7	6	5	2	
Meningococcus meningitis (24)	2						2											
Tuberculosis of the respiratory system (31)	478	4			1		5	6	41	86	65	58	91	63	42	11	5	
Other forms of tuberculosis (32–37)	67	7	8	5	1	6	12	2	1	6	4	4	5	3	1	2		
Cancer and other malignant tumors (43–49)	630				1		2		2		7	15	74	154	178	133	64	
Diabetes mellitus (57)	129							1	1		4	2	5	18	48	37	13	
Cerebral hemorrhage and softening (74, 83)	484	1							1	1		4	14	70	120	166	107	
Other [organic] diseases of the heart (90)	984	1	1	1			9	16	15	15	13	21	58	115	199	289	231	
Bronchitis (99)	80	38	7	1			1	1					1	2	8	6	15	
Broncho-pneumonia (100)	237	73	23	10	1	2	5	1	3	3	4	5	14	14	22	29	28	
Pneumonia (101)	292	16	13	3	1	3	7	4	6	9	17	22	47	48	47	26	23	
Diarrhea and enteritis (113, 114)	264	208	24	13	3	2	4			1	1		2	1	4		1	
Appendicitis and typhlitis (117)	124				1	1	10	11	4	6	8	12	30	23	15	2	1	
Hernia, intestinal obstruction (118)	62	8		1		2	2	2	1	1	1	4	9	12	8	9	2	
Cirrhosis of the liver (122)	61										1		10	16	13	18	3	
Nephritis (128, 129)	573	3	3	1	3		1	6	5	5	5	21	37	65	129	166	123	
Diseases of the female genital organs (137–141)	30								1	1	3	4	5	13	3			
Puerperal septicemia (146)	37								3	7	11	10	5	1				
Other puerperal causes (143–145, 147–150)	49								2	3	11	18	15					
Suicide (165–174)	66							1		2	6	8	12	13	11	13		
Homicide (197–200)	35						2	1	4	7	3	3	8	4	3			
Automobile accidents (188c)	112			4	2	5	17	8	3	3	6	8	10	12	16	16	2	
Other external causes (175–188b, 188d–196, 201–203)	312	9	5	8	6	5	11	10	15	15	21	24	40	44	42	23	34	
All other causes	1,687	675	21	15	5	5	24	25	22	29	48	43	160	154	176	154	131	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (WHITE), all causes	67,558	8,188	1,941	894	536	476	1,481	984	1,332	1,897	2,169	2,500	6,777	9,536	11,728	10,174	6,937	8
Typhoid and paratyphoid fever (1)	184		1		2		3	9	21	38	19	13	30	30	15	3		
Measles (7)	542	132	249	83	32	11	32	3										
Scarlet fever (8)	80	6	18	16	7	6	11	3	3	1	3	3	3					
Whooping cough (9)	401	216	118	28	19	9	9				1						1	
Diphtheria (10)	688	46	149	96	89	90	167	17	8	5	2	5	8	3	2	1		
Influenza (11)	491	77	45	20	8	6	23	7	15	10	13	18	52	56	54	43	44	
Meningococcus meningitis (24)	104	36	15	6		6	12	5	6	1	4	3	5	3	2			
Tuberculosis of the respiratory system (31)	4,302	12	23	13	3	5	16	47	289	557	527	489	923	752	448	160	37	1
Other forms of tuberculosis (32–37)	714	77	87	54	31	24	84	30	45	52	49	38	56	44	34	9		
Cancer and other malignant tumors (43–49)	6,439	1	3	7	6	6	13	20	21	35	65	147	662	1,487	1,983	1,444	539	
Diabetes mellitus (57)	1,464	2	3	1		1	8	8	8	13	10	16	68	270	533	406	116	1
Cerebral hemorrhage and softening (74, 83)	3,564	3	3	2	2		5	2	2	10	18	16	165	533	1,002	1,058	743	
Other [organic] diseases of the heart (90)	12,418	14	8	12	10	15	135	209	206	155	183	237	859	1,780	2,859	3,196	2,539	1
Bronchitis (99)	261	79	12	3	3	2	5	2	1	1	2	3	10	8	25	43	62	
Broncho-pneumonia (100)	3,253	1,261	482	140	43	32	60	24	24	30	37	47	141	169	249	240	274	
Pneumonia (101)	4,168	392	253	121	70	34	108	56	89	135	158	210	583	643	645	428	243	
Diarrhea and enteritis (113, 114)	1,362	1,047	167	51	18	10	8	4	3	2	2	1	10	11	11	7	10	
Appendicitis and typhlitis (117)	967		11	21	25	13	70	61	69	77	64	66	159	158	117	43	12	1
Hernia, intestinal obstruction (118)	540	55	11	2	2	3	3	3	8	7	11	11	56	88	111	99	69	1
Cirrhosis of the liver (122)	533	1					1	1	2	2	8	18	65	150	141	99	45	
Nephritis (128, 129)	5,553	6	6	8	6	5	28	24	43	54	96	137	474	906	1,312	1,375	1,073	
Diseases of the female genital organs (137–141)	299	1							4	14	29	37	91	80	31	11	1	
Puerperal septicemia (146)	249								10	58	67	44	69	1				
Other puerperal causes (143–145, 147–150)	447								10	73	111	105	140	7				1
Suicide (165–174)	808							1	24	53	68	80	194	175	133	62	18	
Homicide (197–200)	363	13		4		1	4	4	26	57	68	67	70	36	8	4	1	
Automobile accidents (188c)	967	1	4	11	20	48	219	95	38	42	45	39	96	92	122	65	30	
Other external causes (175–188b, 188d–196, 201–203)	2,973	48	46	55	51	54	151	91	107	133	149	188	513	507	393	284	203	
All other causes	13,424	4,662	227	140	89	95	306	258	250	282	360	462	1,275	1,547	1,498	1,094	877	2
NEW YORK, N. Y. (COLORED), all causes	3,748	612	133	56	35	16	48	49	136	270	293	312	635	519	329	203	101	1
Typhoid and paratyphoid fever (1)	6						1			2	1			2				
Measles (7)	15	3	9	2						1								
Scarlet fever (8)	2							2										
Whooping cough (9)	45	18	18	5	2	2												
Diphtheria (10)	34	2	5	6	7	2	8	1		2	1							
Influenza (11)	25	2	5				1			3		1	4	3	4	1	1	
Meningococcus meningitis (24)	6	3	1	1					1									
Tuberculosis of the respiratory system (31)	559	5	1	3	3	2	2	15	55	102	100	87	104	55	18	7		
Other forms of tuberculosis (32–37)	92	6	7	6	5	2	1	2	13	19	2	7	14	5		2	1	
Cancer and other malignant tumors (43–49)	163									5	8	10	39	46	35	13	7	
Diabetes mellitus (57)	37											2	9	8	15	2	1	
Cerebral hemorrhage and softening (74, 83)	125										1	2	21	34	22	27	18	
Other [organic] diseases of the heart (90)	476	1			1	1	6	6	5	9	17	37	100	103	79	73	37	1
Bronchitis (99)	17	13	1											1		2		
Broncho-pneumonia (100)	256	131	52	19	5	1	2		4	2	7	2	9	11	6	4	1	
Pneumonia (101)	371	34	11	1	4		3	3	11	35	46	46	76	57	26	13	5	
Diarrhea and enteritis (113, 114)	60	51	4	3							1			1				
Appendicitis and typhlitis (117)	28						4	1		4	3	3	9	3	1			
Hernia, intestinal obstruction (118)	29	5			1			3			3	2	5	6	2		2	
Cirrhosis of the liver (122)	21								1	1	1	1	3	5	9			
Nephritis (128, 129)	221	1		1			1			5	8	14	54	54	43	31	9	
Diseases of the female genital organs (137–141)	53								5	9	12	3	15	8	1			
Puerperal septicemia (146)	28								5	7	8	4	4					
Other puerperal causes (143–145, 147–150)	28								1	8	11	4	3	1				
Suicide (165–174)	26								4	3	4	7	6	1	1			
Homicide (197–200)	68	3							1	9	15	12	18	5	5			
Automobile accidents (188c)	33				1	1	5	4	1	1	2	3	6	7	1	1		
Other external causes (175–188b, 188d–196, 201–203)	134	4	6	3	1	2	8	6	13	11	6	22	23	19	5	3	2	
All other causes	790	330	13	6	5	3	6	6	16	32	36	43	113	84	56	24	17	
NEW YORK, N. Y. (BRONX BOROUGH), all causes	7,894	905	174	98	59	62	180	145	193	245	245	304	766	1,090	1,437	1,217	772	2
Typhoid and paratyphoid fever (1)	16		1						1	2	1	3	5	1	1	1		
Measles (7)	37	10	14	6	2		4	1										
Scarlet fever (8)	17	3	2	3	1	3	2							2	1			
Whooping cough (9)	34	21	9	3	1													
Diphtheria (10)	93	10	19	10	12	17	21		2	1		1						
Influenza (11)	70	9	4	2		1	6		2	2	1	7	8	10	10	6	2	
Meningococcus meningitis (24)	14	8	2			2			1				1					
Tuberculosis of the respiratory system (31)	527		6			1		10	36	62	73	67	107	90	46	22	6	1
Other forms of tuberculosis (32–37)	70	6	5	9	3	2	6	4	3	5	6	7	9	4	1			
Cancer and other malignant tumors (43–49)	881			1	3		2	2	4	7	17	14	103	197	271	194	66	
Diabetes mellitus (57)	177		1				1	2	1	1	1	3	5	30	65	51	16	
Cerebral hemorrhage and softening (74, 83)	318		1							1	3	3	8	54	108	86	54	
Other [organic] diseases of the heart (90)	1,528		3		1	2	11	34	36	20	18	28	115	213	360	383	304	
Bronchitis (99)	24	7	4											1	3	7	2	
Broncho-pneumonia (100)	350	124	27	11	3		9	2	4	5	4	5	11	23	46	36	40	
Pneumonia (101)	485	41	28	17	7	4	16	12	17	14	18	26	65	73	65	52	30	
Diarrhea and enteritis (113, 114)	114	84	10	3	4	1	1	1			1		2	2	3		2	
Appendicitis and typhlitis (117)	144		2	4	4	1	10	12	12	9	7	9	20	29	17	8		
Hernia, intestinal obstruction (118)	74	7	1						3	2	1		3	10	22	10	15	
Cirrhosis of the liver (122)	54											2	7	19	10	13	3	
Nephritis (128, 129)	600	2	2		1		3	1	5	5	11	15	47	88	155	154	111	
Diseases of the female genital organs (137–141)	35								1			5	12	11	3	3		
Puerperal septicemia (146)	32								2	11	8	5	6					
Other puerperal causes (143–145, 147–150)	48									10	12	11	15					
Suicide (165–174)	91								5	9	6	11	19	13	17	9	2	
Homicide (197–200)	39	2						2	1	6	4	9	11	2	2			
Automobile accidents (188c)	122		1		4	7	31	15	3	6	5	4	16	10	10	10		
Other external causes (175–188b, 188d–196, 201–203)	234	5	7	3	5	6	10	5	13	12	9	19	43	33	29	20	15	
All other causes	1,666	566	25	26	8	15	47	42	41	55	39	48	127	177	193	152	104	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,768	3,075	764	344	229	205	545	368	480	690	763	844	2,194	3,141	4,013	3,527	2,583	3
Typhoid and paratyphoid fever (1)	61				1		1	3	10	12	4	2	12	6	9	1		
Measles (7)	192	48	96	23	11	1	12	1										
Scarlet fever (8)	21		7	4	2	1	2	1	1		2		1					
Whooping cough (9)	149	85	37	12	6	4	4										1	
Diphtheria (10)	275	17	65	41	39	32	62	11	2			2	1	2		1		
Influenza (11)	204	38	26	11	2	1	8	4	6	4	4	6	26	21	14	13	20	
Meningococcus meningitis (24)	39	13	5	3		2	6	4	3		1	1			1			
Tuberculosis of the respiratory system (31)	1,312	5	8	5	3	3	4	12	94	200	163	150	263	230	119	41	12	
Other forms of tuberculosis (32–37)	266	30	26	17	13	10	34	10	24	22	17	13	19	15	14	2		
Cancer and other malignant tumors (43–49)	2,022		1	1	2	1	3	9	4	7	23	45	202	464	610	470	180	
Diabetes mellitus (57)	514	1					2	4	5	8	7	3	18	101	180	145	40	
Cerebral hemorrhage and softening (74, 83)	1,231	2		1	1		3		1	4	3	7	58	162	341	384	264	
Other [organic] diseases of the heart (90)	4,778	7	2	5	5	6	52	82	71	68	70	94	326	674	1,105	1,205	1,006	
Bronchitis (99)	96	40	3			1	4	1	1		1	1		1	8	7	28	
Broncho-pneumonia (100)	1,246	512	210	59	24	16	22	14	7	3	13	14	49	54	86	73	90	
Pneumonia (101)	1,470	160	93	43	31	15	43	26	32	42	60	88	191	209	211	144	82	
Diarrhea and enteritis (113, 114)	519	399	69	24	6	5	1	2	3				3	1	2	2	2	
Appendicitis and typhlitis (117)	346		3	7	10	6	27	22	18	31	22	31	59	47	48	10	4	1
Hernia, intestinal obstruction (118)	183	18	6	1		1	1	2	3	2	4	2	21	37	42	28	14	1
Cirrhosis of the liver (122)	179	1							2	2	3	7	24	36	51	30	23	
Nephritis (128, 129)	2,170	2	2	5	2	5	13	8	20	20	40	53	184	349	540	519	408	
Diseases of the female genital organs (137–141)	100								1	4	11	12	30	28	12	2		
Puerperal septicemia (146)	114								3	32	30	17	31	1				
Other puerperal causes (143–145, 147–150)	202								1	34	53	46	64	3				1
Suicide (165–174)	236							1	13	19	15	24	61	53	30	12	8	
Homicide (197–200)	100	2		1		1		1	8	16	23	17	20	8	2	1		
Automobile accidents (188c)	325		1	6	7	27	83	28	13	15	10	16	23	32	43	15	6	
Other external causes (175–188b, 188d–196, 201–203)	976	24	14	22	22	23	44	35	40	45	61	53	147	164	111	97	74	
All other causes	4,442	1,671	90	53	42	44	114	87	94	100	123	140	361	443	434	325	321	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	809	141	36	16	8	4	10	10	26	45	63	52	114	107	87	54	36	
Measles (7)	6	3	3															
Scarlet fever (8)	1							1										
Whooping cough (9)	10	2	3	3		2												
Diphtheria (10)	5			1	2	1	1											
Influenza (11)	11	1	1							1				3	3	1	1	
Meningococcus meningitis (24)	3	2		1														
Tuberculosis of the respiratory system (31)	93	1					1	2	11	11	20	15	17	9	3	3		
Other forms of tuberculosis (32–37)	21	2		2				1	5	3	1	1	2	3		1		
Cancer and other malignant tumors (43–49)	29										1	1	10	5	4	6	2	
Diabetes mellitus (57)	9												1	1	7			
Cerebral hemorrhage and softening (74, 83)	27												1	8	5	6	7	
Other [organic] diseases of the heart (90)	124						2	1	2	2	4	6	22	24	25	22	14	
Bronchitis (99)	6	5												1				
Broncho-pneumonia (100)	72	38	18	5	3					1	2		2	2	1			
Pneumonia (101)	80	8	5					2	1	11	13	6	13	14	4	3		
Diarrhea and enteritis (113, 114)	13	9	2	1							1							
Appendicitis and typhlitis (117)	5									1			3	1				
Hernia, intestinal obstruction (118)	7	4						1						1			1	
Cirrhosis of the liver (122)	9													2	7			
Nephritis (128, 129)	62									1	2	6	13	14	17	6	3	
Diseases of the female genital organs (137–141)	10								2	1	2		3	1	1			
Puerperal septicemia (146)	3										2	1						
Other puerperal causes (143–145, 147–150)	5									1	2	1	1					
Suicide (165–174)	5								1	1	1	2						
Homicide (197–200)	11	1							1	2	3		2	1	1			
Automobile accidents (188c)	2						1	1										
Other external causes (175–188b, 188d–196, 201–203)	32	1	2	1			5		1	2	1	5	7	4	2	1		
All other causes	148	64	2	4	1	1		1	2	7	8	8	17	13	7	5	8	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	27,933	3,275	813	344	183	158	580	343	494	761	906	1,081	3,108	4,237	4,918	4,149	2,580	3
Typhoid and paratyphoid fever (1)	85						2	5	9	18	12	7	9	17	5	1		
Measles (7)	259	59	119	44	15	8	13	1										
Scarlet fever (8)	30	2	9	6	3	2	3	1		1	1	1	1					
Whooping cough (9)	176	89	63	11	7	3	3											
Diphtheria (10)	224	15	51	37	25	26	50	3	3	2	2	2	6	1	1			
Influenza (11)	139	23	8	5	6	3	3	1	3	4	4	3	9	11	25	16	15	
Meningococcus meningitis (24)	47	14	7	3		2	5		2	1	3	2	4	3	1			
Tuberculosis of the respiratory system (31)	1,973	6	8	7		1	11	19	131	227	219	217	448	344	242	78	15	
Other forms of tuberculosis (32–37)	300	36	46	21	11	10	35	13	12	18	19	13	23	21	16	6		
Cancer and other malignant tumors (43–49)	2,767	1	2	3		4	7	6	11	17	20	71	294	650	865	594	222	
Diabetes mellitus (57)	597	1	2	1		1	3	1		4	2	8	38	108	224	155	48	1
Cerebral hemorrhage and softening (74, 83)	1,400	1	2				2	2		4	9	6	73	217	396	407	281	
Other [organic] diseases of the heart (90)	4,700	4	1	5	3	4	57	75	79	51	75	85	346	716	1,069	1,238	891	1
Bronchitis (99)	101	18	3	3	2	1		1		1		2	7	5	11	24	23	
Broncho-pneumonia (100)	1,336	506	195	46	13	10	22	5	10	15	17	24	74	79	96	107	117	
Pneumonia (101)	1,815	155	113	53	26	11	40	9	25	68	68	80	268	307	310	177	105	
Diarrhea and enteritis (113, 114)	583	462	68	15	3	4	4	1		2	1	1	2	8	5	3	4	
Appendicitis and typhlitis (117)	365		6	4	8	4	27	19	30	29	24	22	65	54	47	18	8	
Hernia, intestinal obstruction (118)	219	23	3		2	2	2	1	1	2	4	9	28	30	38	46	28	
Cirrhosis of the liver (122)	231						1				5	9	27	73	62	43	11	
Nephritis (128, 129)	2,003	1	2	2	2		11	11	11	21	28	45	180	355	442	521	371	
Diseases of the female genital organs (137–141)	130								2	8	14	13	45	36	9	3		
Puerperal septicemia (146)	75								4	12	18	16	25					
Other puerperal causes (143–145, 147–150)	136								4	22	33	33	41	3				
Suicide (165–174)	378								4	22	40	39	89	89	61	30	4	
Homicide (197–200)	204	8		2			2		15	33	35	40	36	24	5	3	1	
Automobile accidents (188c)	414		1	5	8	12	88	39	13	15	20	14	43	42	60	32	22	
Other external causes (175–188b, 188d–196, 201–203)	1,405	12	20	24	18	20	78	35	40	58	61	90	264	259	214	140	72	
All other causes	5,841	1,839	84	47	31	30	111	95	85	106	172	229	663	785	714	507	342	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,661	423	91	36	22	11	36	31	95	210	212	239	477	375	215	132	55	1
Typhoid and paratyphoid fever (1)	6						1			2	1			2				
Measles (7)	7		4	2						1								
Scarlet fever (8)																		
Whooping cough (9)	32	13	15	2	2													
Diphtheria (10)	27	2	5	5	3	1	7	1		2	1							
Influenza (11)	10		3				1			2		1	3					
Meningococcus meningitis (24)	3	1	1						1									
Tuberculosis of the respiratory system (31)	435	4	1	3	3	2	1	11	40	87	77	64	84	41	13	4		
Other forms of tuberculosis (32–37)	65	4	6	6	2	2	1	1	7	15	1	6	11	1		1	1	
Cancer and other malignant tumors (43–49)	115									5	6	9	27	34	26	6	2	
Diabetes mellitus (57)	25											2	8	6	7	1	1	
Cerebral hemorrhage and softening (74, 83)	89										1	1	19	24	15	18	11	
Other [organic] diseases of the heart (90)	321	1				1	3	4	3	7	12	29	71	76	49	45	19	1
Bronchitis (99)	9	7	1													1		
Broncho-pneumonia (100)	168	85	33	11	2	1	2		2	1	5	2	7	8	4	4	1	
Pneumonia (101)	267	26	5	1	4		2	1	8	22	30	38	57	39	19	10	5	
Diarrhea and enteritis (113, 114)	43	39	2	2														
Appendicitis and typhlitis (117)	17						4	1		2	2	2	4	1	1			
Hernia, intestinal obstruction (118)	20	1			1			2			3	2	4	5	2			
Cirrhosis of the liver (122)	10								1	1			3	3	2			
Nephritis (128, 129)	143	1					1			4	4	8	37	38	24	22	4	
Diseases of the female genital organs (137–141)	38								3	8	8	3	10	6				
Puerperal septicemia (146)	23								5	6	6	3	3					
Other puerperal causes (143–145, 147–150)	21								1	7	8	2	2	1				
Suicide (165–174)	19								2	2	2	5	6	1	1			
Homicide (197–200)	50	2								6	11	11	14	4	2			
Automobile accidents (188c)	25					1	4	2	1	1	2	3	5	5		1		
Other external causes (175–188b, 188d–196, 201–203)	88	2	4	2	1	1	3	5	8	8	5	14	15	13	3	2	2	
All other causes	585	235	11	2	4	2	6	3	13	21	27	34	87	67	47	17	9	
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	6,513	778	151	86	56	41	144	100	148	165	225	231	603	879	1,130	1,024	751	
Typhoid and paratyphoid fever (1)	18				1			1	1	6	2		4	3				
Measles (7)	43	11	19	6	3	2	2											
Scarlet fever (8)	12	1		3	1		4	1	2									
Whooping cough (9)	34	20	6	1	3	1	2				1							
Diphtheria (10)	71	2	8	6	10	13	26	2	1	2					1			
Influenza (11)	60	5	4	2			6	1	4		4	1	9	12	5	4	3	
Meningococcus meningitis (24)	3	1					1	1										
Tuberculosis of the respiratory system (31)	394	1	1	1			1	6	21	51	59	53	87	66	29	16	2	
Other forms of tuberculosis (32–37)	68	4	7	6	4	1	7	2	7	6	6	5	4	5	3	1		
Cancer and other malignant tumors (43–49)	644			1	1		1	2	2	2	5	15	54	155	201	156	49	
Diabetes mellitus (57)	148						2		1			2	4	26	56	48	9	
Cerebral hemorrhage and softening (74, 83)	496				1				1	1	2		24	83	133	143	108	
Other [organic] diseases of the heart (90)	1,144	3	2	2	3	11	16	16	14	17	25	61	150	264	293	265		
Bronchitis (99)	33	10	2			1				1		2		2	6	9		
Broncho-pneumonia (100)	268	95	41	22	3	5	7	3	4	7	2	4	6	13	15	22	19	
Pneumonia (101)	335	28	14	6	6	2	10	8	17	9	13	16	56	38	53	43	16	
Diarrhea and enteritis (113, 114)	118	79	18	6	4		2						3	1	1	2	2	
Appendicitis and typhlitis (117)	98			6	2	2	6	7	7	8	9	3	14	23	5	6		
Hernia, intestinal obstruction (118)	50	2	1	1					1	1	2		5	10	8	11	8	
Cirrhosis of the liver (122)	62							1			1	1	6	17	16	13	7	
Nephritis (128, 129)	616				1			4	6	8	17	17	57	88	145	131	142	
Diseases of the female genital organs (137–141)	31	1								2	5	5	4	5	5	3	1	
Puerperal septicemia (146)	23								1	4	7	6	5					
Other puerperal causes (143–145, 147–150)	45								4	3	12	10	15	1				
Suicide (165–174)	88								3	3	7	6	20	15	21	10	3	
Homicide (197–200)	20	1		1			1	1	2	3	5	1	2	2	1			
Automobile accidents (188c)	90	1	1		2	2	16	10	8	4	8	3	12	9	6	7	1	
Other external causes (175–188b, 188d–196, 201–203)	275	6	5	3	4	6	11	11	16	15	17	17	43	38	33	20	30	
All other causes	1,226	507	22	13	8	5	27	23	23	16	23	41	106	119	127	89	77	
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,728	203	45	26	14	10	34	36	32	51	48	61	150	226	257	274	261	
Typhoid and paratyphoid fever (1)	4											1		3				
Measles (7)	13	4	3	4	1		1											
Scarlet fever (8)	1							1										
Whooping cough (9)	11	4	3	1	2	1												
Diphtheria (10)	27	2	6	2	5	2	8	1					1					
Influenza (11)	22	3	4			1		1				1	1	2	1	4	4	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	127							2	11	21	16	10	21	27	14	3	2	
Other forms of tuberculosis (32–37)	16	1	4	1	1	1	2	1		2	1		2					
Cancer and other malignant tumors (43–49)	144			1		1		1		2	1	2	11	28	41	31	25	
Diabetes mellitus (57)	31							1	1				3	6	9	8	3	
Cerebral hemorrhage and softening (74, 83)	128			1							1	1	3	19	26	41	36	
Other [organic] diseases of the heart (90)	299						5	3	4	2	4	7	18	30	66	83	77	
Bronchitis (99)	9	5			1								1	1	1			
Broncho-pneumonia (100)	69	32	10	5		1			1		1		1	1	7	2	8	
Pneumonia (101)	87	8	6	2		2		1		4	2	2	9	20	9	12	10	
Diarrhea and enteritis (113, 114)	32	26	2	3	1													
Appendicitis and typhlitis (117)	20				1			1	2	1	3	2	3	6		1		
Hernia, intestinal obstruction (118)	16	5												1	1	4	5	
Cirrhosis of the liver (122)	9												1	5	2		1	
Nephritis (128, 129)	180	1		2			1		1		2	7	10	28	32	53	43	
Diseases of the female genital organs (137–141)	8										1	2	2	1	2			
Puerperal septicemia (146)	7										4		3					
Other puerperal causes (143–145, 147–150)	18								1	4	2	6	5					
Suicide (165–174)	17										1		5	5	4	1	1	
Homicide (197–200)	7						1				2	1	3					
Automobile accidents (188c)	22						1	4	1	2	2	2	3	1	4	1	1	
Other external causes (175–188b, 188d–196, 201–203)	97	2		3	2		8	6	2	4	1	12	17	15	6	7	12	
All other causes	306	110	6	1		1	7	13	8	9	4	5	27	27	32	23	33	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ROCHESTER, N. Y., all causes	3,623	385	59	36	19	16	68	39	57	87	98	98	283	436	622	739	581	
Typhoid and paratyphoid fever (1)	4											2		2				
Measles (7)	9	3	3	1						1			1					
Scarlet fever (8)	13	1		1	1	1	2	3	1			2				1		
Whooping cough (9)	12	9	2				1											
Diphtheria (10)	17		4	3	2		5	1					1	1				
Influenza (11)	15	1			1						2		1	1	5	3	1	
Meningococcus meningitis (24)	2		1									1						
Tuberculosis of the respiratory system (31)	151	1	1				2	13	18	23	12	26	24	16	12	3		
Other forms of tuberculosis (32–37)	43	3	3	2	2	2	7	3	4	2	6	4	1	1	2		1	
Cancer and other malignant tumors (43–49)	382				1			2		2	3	9	37	70	115	104	39	
Diabetes mellitus (57)	55							1	1	1	1		2	3	15	20	11	
Cerebral hemorrhage and softening (74, 83)	367	1								1		1	9	35	81	131	108	
Other [organic] diseases of the heart (90)	675	1	2			1	3	3	5	10	8	8	24	72	122	209	207	
Bronchitis (99)	27	10		1	1		1								2	5	7	
Broncho-pneumonia (100)	98	34	8	7		2	6	1		1			7	3	5	11	13	
Pneumonia (101)	125	9	8	2	2	2	4			1	5	3	13	20	22	20	14	
Diarrhea and enteritis (113, 114)	78	57	8	3	2			1		1			1	3	2			
Appendicitis and typhlitis (117)	60	1		1		1	3	1	4	8	8	2	7	14	4	5	1	
Hernia, intestinal obstruction (118)	34	3	2	2				1		2		2	5	6	2	3	6	
Cirrhosis of the liver (122)	38							1		1			4	6	18	4	4	
Nephritis (128, 129)	313		1			1			2	3	3	4	24	42	69	88	76	
Diseases of the female genital organs (137–141)	11										1	2	2	5		1		
Puerperal septicemia (146)	15									3	2	6	4					
Other puerperal causes (143–145, 147–150)	18								2	3	4	6	3					
Suicide (165–174)	39								3	2	2	2	6	13	8	3		
Homicide (197–200)	11								1	1	2	4	1	1		1		
Automobile accidents (188c)	48				4		9	1			2	2	9	3	6	10	2	
Other external causes (175–188b, 188d–196, 201–203)	159	2	4	8	1	3	11	5	11	9	12	6	18	20	16	13	20	
All other causes	804	249	12	5	2	3	16	13	10	17	14	20	77	91	112	95	68	
SYRACUSE, N. Y., all causes	2,259	288	42	27	10	14	42	31	40	49	65	68	194	259	414	364	352	
Typhoid and paratyphoid fever (1)	3									2				1				
Measles (7)	12	4	3	3	1		1											
Scarlet fever (8)	17		2	1	1	2	3	3	1	1	2		1					
Whooping cough (9)	2	2																
Diphtheria (10)	17	2	5	2	1	3	2							1			1	
Influenza (11)	4										1			3				
Meningococcus meningitis (24)	2	1												1				
Tuberculosis of the respiratory system (31)	59		1						4	7	5	6	11	5	10	9	1	
Other forms of tuberculosis (32–37)	25	4	3	2	2		3	2	1	2	2		1	2		1		
Cancer and other malignant tumors (43–49)	211		1	1					1		2	2	17	49	65	40	33	
Diabetes mellitus (57)	39							1		2			1	4	17	9	5	
Cerebral hemorrhage and softening (74, 83)	201				1					1		1	7	19	59	56	57	
Other [organic] diseases of the heart (90)	368	1					2	4	3	2	4	7	22	36	75	93	119	
Bronchitis (99)	16	6	2										2	2	4			
Broncho-pneumonia (100)	77	23	9	2	1		1	3	1	1	3		5	3	7	5	13	
Pneumonia (101)	138	4	3	2		1	5		2	4	7	9	22	20	23	23	13	
Diarrhea and enteritis (113, 114)	35	27	2	1									2				3	
Appendicitis and typhlitis (117)	39		1	2		2	2	3	2	1	2	2	11	5	4	1	1	
Hernia, intestinal obstruction (118)	20				1				2		1		3	1	5	3	4	
Cirrhosis of the liver (122)	16								1			1	1	3	6	2	2	
Nephritis (128, 129)	163				1		1	3	2		4	4	9	25	40	45	29	
Diseases of the female genital organs (137–141)	6									1		2	1	2				
Puerperal septicemia (146)	4									1	2	1						
Other puerperal causes (143–145, 147–150)	18									4	3	4	7					
Suicide (165–174)	30								1	2	3		11	8	2	3		
Homicide (197–200)	10	2									3	1	1	3				
Automobile accidents (188c)	41				1	1	8		4	2	5	3	1	4	7	2	3	
Other external causes (175–188b, 188d–196, 201–203)	102	2	2	4		3	3	1	4	5	4	8	12	8	18	13	15	
All other causes	584	210	8	7		2	11	11	11	11	12	17	46	54	72	59	53	
YONKERS, N. Y., all causes	1,088	172	19	9	11	5	27	15	22	34	37	43	101	132	171	149	140	1
Typhoid and paratyphoid fever (1)	3								2			1						
Measles (7)																		
Scarlet fever (8)	4			1	1		1					1						
Whooping cough (9)	9	8	1															
Diphtheria (10)	13	2	1		5	1	3			1								
Influenza (11)	21	6	1				1		1	1	1		2	1	1	3	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	72						1	1	7	7	6	11	20	10	9			
Other forms of tuberculosis (32–37)	4	2	1				1											
Cancer and other malignant tumors (43–49)	95						1	1		1		3	11	16	30	24	8	
Diabetes mellitus (57)	22					1							1	7	6	3	4	
Cerebral hemorrhage and softening (74, 83)	98											1	4	15	24	29	25	
Other [organic] diseases of the heart (90)	172					1	4	3	3	1	4	2	9	27	33	35	50	
Bronchitis (99)	13	7		1							1			1	1	1	1	
Broncho-pneumonia (100)	26	13	2	1									1		4	2	3	
Pneumonia (101)	66	6	4	1	2		1	1		4	2	5	7	9	10	10	4	
Diarrhea and enteritis (113, 114)	22	14	5									1			1	1		
Appendicitis and typhlitis (117)	11						1			1	1	3	1	1	3			
Hernia, intestinal obstruction (118)	9													3	3	3		
Cirrhosis of the liver (122)	8										1		2	3	1	1		
Nephritis (128, 129)	79							4		2			7	12	18	13	23	
Diseases of the female genital organs (137–141)	5										1	1	1	1		1		
Puerperal septicemia (146)	5									1	1	1	2					
Other puerperal causes (143–145, 147–150)	6												6					
Suicide (165–174)	15									2	3	1	2	3	2		2	
Homicide (197–200)	3	1							1	1								
Automobile accidents (188c)	16			1			7	1	1	1	2			2			1	
Other external causes (175–188b, 188d–196, 201–203)	49	2		2	1	1	3	1	2	2	6	1	7	7	5	5	4	
All other causes	242	111	4	2	2	1	3	3	5	9	8	11	18	14	20	18	12	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,537	285	40	31	10	13	44	26	28	53	70	82	135	158	188	181	193	
Typhoid and paratyphoid fever (1)	2							1		1								
Measles (7)																		
Scarlet fever (8)	12		2	2	2	2	3					1						
Whooping cough (9)	13	6	6	1														
Diphtheria (10)	9	1	1	3			3			1								
Influenza (11)	23	4	1				1			1	1	1	1	2	2	1	8	
Meningococcus meningitis (24)	2	1					1											
Tuberculosis of the respiratory system (31)	69			1	1		1	2	3	8	10	8	11	12	9	3		
Other forms of tuberculosis (32–37)	21	4	1	1	1	2	1		1	3	2	1	1	1	1	1		
Cancer and other malignant tumors (43–49)	116			1			1		1	1	2	6	15	22	28	24	15	
Diabetes mellitus (57)	21			1			1	3			1	3	1	2	6	2	1	
Cerebral hemorrhage and softening (74, 83)	130									2			4	13	29	37	45	
Other [organic] diseases of the heart (90)	182					1	3	2	3	3	1	8	15	28	33	35	50	
Bronchitis (99)	5	1	1													2	1	
Broncho-pneumonia (100)	65	27	9	5	1	1	2		1		2			5	2	3	7	
Pneumonia (101)	69	8	1	3			4		1	8	2	7	6	8	11	5	5	
Diarrhea and enteritis (113, 114)	31	24	4	1											2			
Appendicitis and typhlitis (117)	26			1	1		3	1	1	3	1	3	3	5	3		1	
Hernia, intestinal obstruction (118)	24	6							1	1	5		2	3	1	4	1	
Cirrhosis of the liver (122)	6														3	2	1	
Nephritis (128, 129)	84	1	1	1			1	2	2	1	3	4	11	9	13	23	12	
Diseases of the female genital organs (137–141)	7										1	3	3					
Puerperal septicemia (146)	16								1	3	6	4	2					
Other puerperal causes (143–145, 147–150)	13								2	4	2	2	3					
Suicide (165–174)	19								2	2	3	2	5	3	2			
Homicide (197–200)	16	1								1	3	3	7	1				
Automobile accidents (188c)	39				2	1	6	2	1		7	2	5	3	6	2	2	
Other external causes (175–188b, 188d–196, 201–203)	97	7	5	7	1	3	4	3	4	5	4	10	12	9	11	5	7	
All other causes	420	194	8	3	1	3	9	10	4	5	14	14	28	32	26	32	37	
CINCINNATI, OHIO (WHITE), all causes	5,305	562	79	30	24	21	76	59	79	133	158	166	445	569	898	1,056	959	
Typhoid and paratyphoid fever (1)	7						1			2		1	1	1	1			
Measles (7)	20	4	7	4	2		1							1			1	
Scarlet fever (8)	19		2	2		1	6	5			1	1	1					
Whooping cough (9)	19	12	4	2		1												
Diphtheria (10)	16		3	4	2	1	4	2										
Influenza (11)	50	4	1	1	1		3	2			4	4	7	4	9	6	4	
Meningococcus meningitis (24)	2	1										1						
Tuberculosis of the respiratory system (31)	284	1				1		2	15	40	43	28	54	39	41	18	2	
Other forms of tuberculosis (32–37)	78	15	10	3	3	1	4	4	2	6	4	2	3	10	4	6	1	
Cancer and other malignant tumors (43–49)	496			1		1	1			2	4	8	38	94	146	128	73	
Diabetes mellitus (57)	85	1					2						4	10	23	34	11	
Cerebral hemorrhage and softening (74, 83)	484	1				1					2	1	12	42	96	160	169	
Other [organic] diseases of the heart (90)	845		1			1	1	6	12	6	11	15	42	86	170	248	246	
Bronchitis (99)	33	6	1												4	7	15	
Broncho-pneumonia (100)	132	53	17	2	4	1	1			1		2	2	5	5	16	23	
Pneumonia (101)	217	15	5	3			1		2	5	7	7	24	28	41	43	36	
Diarrhea and enteritis (113, 114)	114	75	16	4		1	1			2		1	1	1	4	5	3	
Appendicitis and typhlitis (117)	115		1				4	6	8	10	7	13	29	16	15	6		
Hernia, intestinal obstruction (118)	65	2		1			2		1	3		4	3	7	20	14	8	
Cirrhosis of the liver (122)	61											2	9	13	17	16	4	
Nephritis (128, 129)	477	2			1		2	4	3	3	3	5	28	45	95	142	144	
Diseases of the female genital organs (137–141)	35								1	1	3	5	10	11	3	1		
Puerperal septicemia (146)	25								1	7	8	5	4					
Other puerperal causes (143–145, 147–150)	29								4	2	9	3	11					
Suicide (165–174)	62								2	6	2	3	17	10	11	8	3	
Homicide (197–200)	21								1	1	1	3	5	4	2	3	1	
Automobile accidents (188c)	77					1	11	2	4	4	6	4	9	6	11	14	5	
Other external causes (175–188b, 188d–196, 201–203)	254	5	3	1	6	4	5	7	11	12	17	15	27	33	32	29	47	
All other causes	1,183	365	8	2	5	6	26	10	12	20	26	33	104	103	148	152	163	
CINCINNATI, OHIO (COLORED), all causes	913	132	28	13	14	12	10	21	26	65	70	58	154	135	89	49	37	
Typhoid and paratyphoid fever (1)	2						1				1							
Measles (7)	7	2	5															
Scarlet fever (8)	2				2													
Whooping cough (9)	11	3	4	1	1	1	1											
Diphtheria (10)	4	1	1			2												
Influenza (11)	11		1					1	1	1			2	2	1	2		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	133	4	1	1	2	1		8	13	19	17	20	28	11	6	1	1	
Other forms of tuberculosis (32–37)	31	2	2		1	4	2	1		5	7	2	2	3				
Cancer and other malignant tumors (43–49)	27									1		1	6	6	7	3	3	
Diabetes mellitus (57)	6							1					1	2	1	1		
Cerebral hemorrhage and softening (74, 83)	35												3	14	9	3	6	
Other [organic] diseases of the heart (90)	99						2	1		4	6	3	17	24	28	7	7	
Bronchitis (99)	4	1								1	1					1		
Broncho-pneumonia (100)	46	24	8	3		2	1	1	2			1			1	3		
Pneumonia (101)	74	5	1	3	2		2	1	1	12	9	6	13	13	3	2	1	
Diarrhea and enteritis (113, 114)	18	11	2	1						1	1			1		1		
Appendicitis and typhlitis (117)	7										2	2	2	1				
Hernia, intestinal obstruction (118)	5										1		4					
Cirrhosis of the liver (122)	7										1		2	2	1		1	
Nephritis (128, 129)	77	3	1	1					1		1	3	13	17	14	17	6	
Diseases of the female genital organs (137–141)	9										3		4	2				
Puerperal septicemia (146)	3									1	2							
Other puerperal causes (143–145, 147–150)	5								1	3			1					
Suicide (165–174)																		
Homicide (197–200)	52									11	8	7	19	6	1			
Automobile accidents (188c)	8				1		1	1	2			1	1			1		
Other external causes (175–188b, 188d–196, 201–203)	44		1	2	4	1		2	2	2	4	4	10	7	4		1	
All other causes	186	76	1	1	1	1		4	3	4	6	8	26	24	13	7	11	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CLEVELAND, OHIO (WHITE), all causes	8,148	1,219	153	76	53	44	186	116	190	224	297	347	922	1,039	1,213	1,142	927	
Typhoid and paratyphoid fever (1)	9				1		1		1		1	2	1		2			
Measles (7)	17	8	4	2	1		2											
Scarlet fever (8)	13		3	2	1	1	2	1	1	1	1							
Whooping cough (9)	23	17	5	1														
Diphtheria (10)	77	5	15	5	8	5	30	5	1			2	1					
Influenza (11)	71	6	2	2	1		1	1	2	2	2	2	8	9	19	8	6	
Meningococcus meningitis (24)	8	1	2				1	1		2				1				
Tuberculosis of the respiratory system (31)	522	2	1		1	1	2	4	38	61	80	57	123	78	49	19	6	
Other forms of tuberculosis (32–37)	90	14	7	4	3		7	8	3	6	8	5	10	9	3	2	1	
Cancer and other malignant tumors (43–49)	719						1	2	3	1	3	20	74	155	230	166	64	
Diabetes mellitus (57)	150							2	1	2		3	9	26	47	46	14	
Cerebral hemorrhage and softening (74, 83)	604	1							2		3	2	28	64	141	195	168	
Other [organic] diseases of the heart (90)	964	1	2	2	2		5	19	21	13	17	20	71	135	187	238	231	
Bronchitis (99)	58	23	3	1							2	1	3	3	3	6	13	
Broncho-pneumonia (100)	369	164	34	13	4	5	7	2	3	1	5	7	17	22	27	34	24	
Pneumonia (101)	426	25	10	7	3		9	3	9	17	18	25	85	65	69	45	36	
Diarrhea and enteritis (113, 114)	205	152	22	8	1		4				1		3	2	5	6	1	
Appendicitis and typhlitis (117)	146	1	1	5	4	1	12	14	16	10	13	15	25	14	10	3	2	
Hernia, intestinal obstruction (118)	91	8	5					1	1	1	1		9	19	22	17	7	
Cirrhosis of the liver (122)	67									1	1		9	24	14	12	6	
Nephritis (128, 129)	582	6	2		1	2	9	4	3	7	9	13	54	89	116	134	133	
Diseases of the female genital organs (137–141)	49										4	8	14	13	8	1	1	
Puerperal septicemia (146)	51								4	6	15	14	12					
Other puerperal causes (143–145, 147–150)	64							1	7	11	18	12	15					
Suicide (165–174)	109								1	6	13	12	32	21	10	7	7	
Homicide (197–200)	63	1					1	1	2	12	8	12	15	9	1	1		
Automobile accidents (188c)	208	1	1	2	3	5	40	10	7	11	10	16	23	31	21	17	10	
Other external causes (175–188b, 188d–196, 201–203)	378	6	14	8	11	11	14	14	23	19	14	28	75	48	30	18	45	
All other causes	2,015	777	20	14	8	13	38	23	41	34	50	71	206	202	199	167	152	
CLEVELAND, OHIO (COLORED), all causes	1,147	167	36	22	12	9	14	14	41	98	99	122	207	157	71	40	38	
Typhoid and paratyphoid fever (1)	2									1	1							
Measles (7)	4	1	2				1											
Scarlet fever (8)																		
Whooping cough (9)	15	8	5	1		1												
Diphtheria (10)	2						2											
Influenza (11)	9	2							1	1		1	2	1	1			
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	195	2	2	1	1	2	3	4	21	42	33	29	35	16	3		1	
Other forms of tuberculosis (32–37)	47	3	4	5	2	2	2	2	1	4	4	8	4	5	1			
Cancer and other malignant tumors (43–49)	33			1				1	1			1	10	8	10		1	
Diabetes mellitus (57)	6											1	1	3		1		
Cerebral hemorrhage and softening (74, 83)	43										2	1	6	12	7	5	10	
Other [organic] diseases of the heart (90)	77							2	1	3	2	6	15	20	10	11	7	
Bronchitis (99)	7	4		1												1	1	
Broncho-pneumonia (100)	80	34	12	7	3				2	1		3	9	1	4	2	2	
Pneumonia (101)	140	4	2	3					2	14	19	23	35	25	7	5	1	
Diarrhea and enteritis (113, 114)	24	10	5			1					1	1		3	2	1		
Appendicitis and typhlitis (117)	14						1				3	1	3	5	1			
Hernia, intestinal obstruction (118)	7	1									1		3	1	1			
Cirrhosis of the liver (122)	3													1	1	1		
Nephritis (128, 129)	65										1	4	6	15	15	11	6	7
Diseases of the female genital organs (137–141)	13								2	1	3	2	4	1				
Puerperal septicemia (146)	8								1	3	3		1					
Other puerperal causes (143–145, 147–150)	13								2	4	3	2	2					
Suicide (165–174)	6									1	2	2	1					
Homicide (197–200)	37								3	5	6	7	14	2				
Automobile accidents (188c)	12							2			2		4	3	1			
Other external causes (175–188b, 188d–196, 201–203)	43	1	2	1	4	1	3	1	2	4	4	6	7	4	2		1	
All other causes	242	97	2	2	2	2	2	2	2	9	9	17	36	35	11	7	7	
COLUMBUS, OHIO, all causes	3,532	371	50	17	21	14	50	47	56	130	154	151	352	426	522	595	576	
Typhoid and paratyphoid fever (1)	10					1	1	1	2	2	1		1		1			
Measles (7)	3	1	1		1													
Scarlet fever (8)	4	1			1		2											
Whooping cough (9)	8	4	1		2					1								
Diphtheria (10)	11			2	1	2	3		1						2			
Influenza (11)	39	1		1		1	1	2	1	2	2	1	6	6	4	3	8	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	173							3	8	25	38	19	30	20	20	8	2	
Other forms of tuberculosis (32–37)	50	3	4	1	1	1	1	4	5	6	4	6	5	5	1	2	1	
Cancer and other malignant tumors (43–49)	331	1								2	5	10	31	67	87	90	38	
Diabetes mellitus (57)	59						1	1	1			1	3	10	20	15	7	
Cerebral hemorrhage and softening (74, 83)	265									1	1	2	14	31	44	81	91	
Other [organic] diseases of the heart (90)	498		1				2		2	6	13	17	49	66	97	121	124	
Bronchitis (99)	11	3												1	1	3	3	
Broncho-pneumonia (100)	115	38	16	3	1		2	3	3	2			1	6	6	16	18	
Pneumonia (101)	120	12	3	1	2			1	5	7	9	5	13	14	17	21	10	
Diarrhea and enteritis (113, 114)	53	33	10	1		1	1			1		1			2	1	2	
Appendicitis and typhlitis (117)	71					2	3	8	3	7	9	4	15	14	3	3		
Hernia, intestinal obstruction (118)	52	5		1				1		1	2	5	7	4	12	10	4	
Cirrhosis of the liver (122)	16								1				1	5	1	7	1	
Nephritis (128, 129)	203				2	1		1	1	2		3	14	28	38	56	57	
Diseases of the female genital organs (137–141)	43									4	8	6	16	6	1	2		
Puerperal septicemia (146)	28								4	6	13	1	4					
Other puerperal causes (143–145, 147–150)	34								1	7	9	9	8					
Suicide (165–174)	33									4	4	3	9	2	9	2		
Homicide (197–200)	17									2	4	5	4	1		1		
Automobile accidents (188c)	59						11	4	3	5	2	1	5	2	13	7	6	
Other external causes (175–188b, 188d–196, 201–203)	212	9	4	3	4	3	7	8	7	17	10	18	23	17	25	26	31	
All other causes	1,013	259	10	4	6	2	15	10	8	20	20	34	93	121	118	120	173	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DAYTON, OHIO, all causes	1,837	239	33	12	14	4	32	23	37	51	54	50	177	204	282	335	290	
Typhoid and paratyphoid fever (1)	4								1		2			1				
Measles (7)	1						1											
Scarlet fever (8)	3		2		1													
Whooping cough (9)	14	5	4	3	2													
Diphtheria (10)	17	1	1	4	3		4	2		1	1							
Influenza (11)	21	1								2				5	4	2	7	
Meningococcus meningitis (24)	2				1		1											
Tuberculosis of the respiratory system (31)	104	5		1			1	1	11	16	9	7	15	17	12	6	3	
Other forms of tuberculosis (32–37)	19	2		2				2	2	1	2	2	4	1	1			
Cancer and other malignant tumors (43–49)	190										1	3	23	42	45	49	27	
Diabetes mellitus (57)	37								1				2	8	10	15	1	
Cerebral hemorrhage and softening (74, 83)	159								1	1	3		6	18	35	51	44	
Other [organic] diseases of the heart (90)	318		1		1		3	2	2	3	3	2	26	29	71	96	79	
Bronchitis (99)	9	1										1			1	2	4	
Broncho-pneumonia (100)	56	31	7		1	1			1				1		1	4	9	
Pneumonia (101)	67	4	1				3	2	2		2	1	8	13	6	13	12	
Diarrhea and enteritis (113, 114)	41	28	5		1		1	1					1		1	2	1	
Appendicitis and typhlitis (117)	40		1			1	2	3	1	6	2	3	10	5	3	3		
Hernia, intestinal obstruction (118)	30	1					1			2	1		8	7	5	1	4	
Cirrhosis of the liver (122)	11												1		3	5	2	
Nephritis (128, 129)	131	3	1				1		2	2	2	5	10	9	27	32	37	
Diseases of the female genital organs (137–141)	17											2	10	2	2	1		
Puerperal septicemia (146)	14								2	4	3	3	2					
Other puerperal causes (143–145, 147–150)	11								1	2	4	3	1					
Suicide (165–174)	15									1	1	1	4	4	1	1	2	
Homicide (197–200)	7								1		2	3	1					
Automobile accidents (188c)	26				1		5	2		1	2	1	3	2	5	3	1	
Other external causes (175–188b, 188d–196, 201–203)	86	1	3	1	2	1	4	4	4	5	5	5	14	8	5	6	18	
All other causes	387	156	7	1	1	1	5	4	5	4	9	8	27	33	44	43	39	
TOLEDO, OHIO, all causes	3,293	401	43	26	21	17	67	37	72	116	111	152	343	439	469	506	470	3
Typhoid and paratyphoid fever (1)	12						3		3	3	2			1				
Measles (7)	3	1	2															
Scarlet fever (8)	18	1	1	4		1	4	1	2	1	1	2						
Whooping cough (9)	19	13	2	2		2												
Diphtheria (10)	28		1	1	7	3	13	2						1				
Influenza (11)	32	2	1		1		2		1	2	2	2	5	6	3	4	1	
Meningococcus meningitis (24)	2								1						1			
Tuberculosis of the respiratory system (31)	260	2				1	3	2	25	35	40	38	52	32	20	8	1	1
Other forms of tuberculosis (32–37)	39	7	2	2	1		1	1	1	9	2	1	4	3	4	1		
Cancer and other malignant tumors (43–49)	259		1	1							4	9	25	59	71	57	34	
Diabetes mellitus (57)	54		1				1	1			1	1	3	14	12	14	5	1
Cerebral hemorrhage and softening (74, 83)	260	1					1			1		4	10	26	63	78	76	
Other [organic] diseases of the heart (90)	436						1	1	3	1	5	8	30	71	78	134	104	
Bronchitis (99)	15	3	1			1								2			8	
Broncho-pneumonia (100)	109	37	11	1	3	1	1			1	1	1	1	7	6	11	27	
Pneumonia (101)	132	10	1	1			2	1	2	8	2	10	23	21	24	11	16	
Diarrhea and enteritis (113, 114)	79	58	8	3			1				1			1		2	5	
Appendicitis and typhlitis (117)	42				3		1	5	3	4	3	7	5	6	4	1		
Hernia, intestinal obstruction (118)	32	1					2	1	1	3	3	1	2	4	7	2	5	
Cirrhosis of the liver (122)	29								1				2	8	8	8	2	
Nephritis (128, 129)	173	1				1	1	1	4	2	4	4	12	30	37	43	33	
Diseases of the female genital organs (137–141)	25								1		2	5	10	4	3			
Puerperal septicemia (146)	18								1	5	4	4	4					
Other puerperal causes (143–145, 147–150)	31								4	6	4	9	8					
Suicide (165–174)	37								2		3	4	6	9	6	6		1
Homicide (197–200)	23								1	4	6	4	6	1	1			
Automobile accidents (188c)	46			1		3	8	2	1	1		5	9	8	4	3	1	
Other external causes (175–188b, 188d–196, 201–203)	181	7	3	5	3		6	9	5	9	11	5	40	25	18	18	17	
All other causes	899	257	8	5	3	4	16	10	10	21	12	28	86	100	99	105	135	
YOUNGSTOWN, OHIO, all causes	1,667	308	46	22	13	12	50	19	43	67	77	87	206	185	203	165	164	
Typhoid and paratyphoid fever (1)	16							1		3	4	3	3	2				
Measles (7)	3	2	1															
Scarlet fever (8)	14		1	1	3	1	5		1	1				1				
Whooping cough (9)	17	10	6	1														
Diphtheria (10)	17		1	3	1	3	8	1										
Influenza (11)	34	5	2	1		1		1	2	1	2	1	3	5	3	1	6	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	88	1	1					1	5	16	14	12	17	12	7	1	1	
Other forms of tuberculosis (32–37)	13	1	1		1		1			3	2	1	2	1				
Cancer and other malignant tumors (43–49)	123							1		1		3	16	15	44	28	15	
Diabetes mellitus (57)	17		1					2	1				2	1	4	5	1	
Cerebral hemorrhage and softening (74, 83)	84												5	8	23	22	26	
Other [organic] diseases of the heart (90)	175						2		4	2	5	5	19	25	36	32	45	
Bronchitis (99)	8	4											1			2	1	
Broncho-pneumonia (100)	103	57	14	4	1		2	1		4	1		5	1	3	5	5	
Pneumonia (101)	125	9	4	3	1		4	2	5	2	4	11	15	26	15	16	8	
Diarrhea and enteritis (113, 114)	40	32	2	2		1											3	
Appendicitis and typhlitis (117)	27				1		2	1	3	3	1		9	3	2	1	1	
Hernia, intestinal obstruction (118)	26	5	1				1			1		2	5	3	4	2	2	
Cirrhosis of the liver (122)	11											1		1	3	4	2	
Nephritis (128, 129)	73	2				1		1	1	1	1	3	15	13	8	10	17	
Diseases of the female genital organs (137–141)	17								1	1	2	1	5	5	2			
Puerperal septicemia (146)	17								2	1	4	4	6					
Other puerperal causes (143–145, 147–150)	17								3	3	5	3	2	1				
Suicide (165–174)	22								1	5	2	2	5	4	2	1		
Homicide (197–200)	27	1					1			4	4	7	8	1		1		
Automobile accidents (188c)	39		1			2	8			1	4	2	7	5	5	3	1	
Other external causes (175–188b, 188d–196, 201–203)	125	1	3	7	3	2	5	1	8	8	11	11	19	17	15	6	8	
All other causes	389	178	7		2	1	11	6	6	6	11	15	37	35	27	25	22	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PORTLAND, OREG., all causes	3,240	279	31	28	15	8	55	36	70	93	94	110	264	398	561	635	562	1
Typhoid and paratyphoid fever (1)	16			1				1	3	2		4	1	2	2			
Measles (7)	15	2	3	6		1	3											
Scarlet fever (8)	4	1			1		2											
Whooping cough (9)	4	2	2															
Diphtheria (10)	32		1	3	3	2	10	6		1	2		2	1			1	
Influenza (11)	17	3					1	2	1	1	1	1	2		1	2	2	
Meningococcus meningitis (24)	2	2																
Tuberculosis of the respiratory system (31)	115	1			1		1	2	13	15	15	13	15	11	11	13	4	
Other forms of tuberculosis (32–37)	46	2	4	4			3	2	4	5	10		1	6	3	1	1	
Cancer and other malignant tumors (43–49)	424	1						1	2	4	4	7	45	76	127	115	42	
Diabetes mellitus (57)	73					1	1	2		1		1	6	8	24	17	12	
Cerebral hemorrhage and softening (74, 83)	323	3								2	1	2	4	28	59	112	112	
Other [organic] diseases of the heart (90)	415			1			1	1	5	5	5	12	15	45	95	104	126	
Bronchitis (99)	23	3								1			2			8	9	
Broncho-pneumonia (100)	111	22	10	2	2	1	3		1		1	2	6	5	8	20	27	1
Pneumonia (101)	118	8	3	2		1	2		5	2	3	4	13	14	21	27	13	
Diarrhea and enteritis (113, 114)	25	5	4	2	1	1	1	1		1	1		1	3	1	2	1	
Appendicitis and typhlitis (117)	50				1		6	2	3	2	6	2	11	7	7	3		
Hernia, intestinal obstruction (118)	44	5								1	1	3	3	8	8	8	7	
Cirrhosis of the liver (122)	18												3	3	4	4	4	
Nephritis (128, 129)	202				1	1	1	1	3	3	2	7	19	30	37	50	47	
Diseases of the female genital organs (137–141)	24								1	2	2	3	12	4				
Puerperal septicemia (146)	13								3		4	5	1					
Other puerperal causes (143–145, 147–150)	23								2	7	4	5	5					
Suicide (165–174)	72								2	6	6	5	20	19	9	4	1	
Homicide (197–200)	12				1				1	1		3	2	1	1	2		
Automobile accidents (188c)	41				2		2	1	4	5		1	3	5	7	7	4	
Other external causes (175–188b, 188d–196, 201–203)	133	2	2	3			7	5	5	9	9	9	13	23	10	14	22	
All other causes	845	217	2	4	2		11	9	12	17	17	21	59	99	126	122	127	
PHILADELPHIA, PA. (WHITE), all causes	21,776	2,494	481	268	198	125	437	262	367	494	640	735	1,919	2,745	3,725	3,761	3,125	
Typhoid and paratyphoid fever (1)	37							3	6	5	4	3	11	3	2			
Measles (7)	31	5	11	2	6	2	5											
Scarlet fever (8)	42	3	6	6	5	4	13			1	1		1	1	1			
Whooping cough (9)	95	54	25	10	2	1	3											
Diphtheria (10)	258	14	49	36	28	24	92	10	1	1	1			1		1		
Influenza (11)	227	35	12	7	4	1	6	5	3	4	7	19	18	27	25	30	24	
Meningococcus meningitis (24)	24	10	4		2		2	1	2		1	1	1					
Tuberculosis of the respiratory system (31)	1,297	13	9	4	1		1	8	73	147	151	157	268	240	137	72	16	
Other forms of tuberculosis (32–37)	210	22	23	18	16	6	15	13	6	14	9	12	19	14	7	12	4	
Cancer and other malignant tumors (43–49)	2,105	2	2		5	3	4	1	9	7	28	43	214	416	640	505	226	
Diabetes mellitus (57)	384			1	1	1	1	3	3	4	4	2	23	64	120	107	50	
Cerebral hemorrhage and softening (74, 83)	1,410	3					3	2	5	6	4	8	44	168	327	432	408	
Other [organic] diseases of the heart (90)	3,639	8		3	3	2	36	38	50	20	54	63	181	488	822	983	888	
Bronchitis (99)	165	35	5	1						1	3		8	8	12	38	54	
Broncho-pneumonia (100)	938	322	110	38	17	9	20	7	3	7	10	16	31	49	87	90	122	
Pneumonia (101)	1,198	116	53	27	15	7	28	17	25	23	44	65	152	182	198	164	82	
Diarrhea and enteritis (113, 114)	589	434	76	20	9	1	8		1	1	2	1	5	5	4	11	11	
Appendicitis and typhlitis (117)	233	2	4		7	4	17	17	18	9	16	21	48	35	25	9	1	
Hernia, intestinal obstruction (118)	200	11	4	3	1	1	5	4	2	4	5	6	24	31	40	40	19	
Cirrhosis of the liver (122)	173	1		1					1	2	1	4	22	41	54	32	14	
Nephritis (128, 129)	2,401	10	6	3	5	1	8	10	8	12	32	44	158	303	544	648	609	
Diseases of the female genital organs (137–141)	84								9	8	9	28	19	8	1	2		
Puerperal septicemia (146)	107							1	8	22	19	29	27	1				
Other puerperal causes (143–145, 147–150)	144								7	28	36	24	48	1				
Suicide (165–174)	286								4	18	26	31	64	55	53	28	7	
Homicide (197–200)	76	1	2			3	2	2	5	14	11	7	19	6	1	2	1	
Automobile accidents (188c)	249	2		2	9	9	42	17	13	10	14	16	13	29	38	28	7	
Other external causes (175–188b, 188d–196, 201–203)	896	28	20	32	31	20	41	25	32	34	44	46	104	109	126	105	99	
All other causes	4,278	1,363	60	54	31	26	85	78	82	91	105	108	388	449	454	423	481	
PHILADELPHIA, PA. (COLORED), all causes	3,487	611	133	45	17	25	56	51	118	219	271	246	551	528	331	174	111	
Typhoid and paratyphoid fever (1)	4										4							
Measles (7)	5	2	2			1												
Scarlet fever (8)	4	1	1				1				1							
Whooping cough (9)	34	18	12	2		1	1											
Diphtheria (10)	14		5		2	1	4	1			1							
Influenza (11)	48	9					3	3	2	6	4	4	5	6	4	2		
Meningococcus meningitis (24)	1													1				
Tuberculosis of the respiratory system (31)	464	6	4	4	1	1	7	9	42	78	87	65	86	56	15	3		
Other forms of tuberculosis (32–37)	83	7	3	3	2	4	1	5	9	12	12	8	8	4	3	2		
Cancer and other malignant tumors (43–49)	133						1			2	2	8	33	41	31	12	3	
Diabetes mellitus (57)	31							1				1	8	10	5	5	1	
Cerebral hemorrhage and softening (74, 83)	127		1						1	1	1	6	20	27	35	21	14	
Other [organic] diseases of the heart (90)	389	1	1				4	6	2	16	9	22	64	102	80	45	37	
Bronchitis (99)	16	4	2	1			1	1					1	1	2	1	2	
Broncho-pneumonia (100)	265	120	52	13	3	7	5	3	3	3	5	1	12	12	10	9	7	
Pneumonia (101)	330	27	16	7	1	2	3	2	12	22	36	28	81	62	18	9	4	
Diarrhea and enteritis (113, 114)	116	85	12	5	1	1	2		2	3		2			2	1		
Appendicitis and typhlitis (117)	40						3		3	7	6	4	14	1	2			
Hernia, intestinal obstruction (118)	36	6	1				1			2	5	2	6	8	4	1		
Cirrhosis of the liver (122)	14						1					3	3	3	4			
Nephritis (128, 129)	263	1			2		1	3	4	2	11	12	44	81	52	33	17	
Diseases of the female genital organs (137–141)	33									2	10	8	5	6	2			
Puerperal septicemia (146)	18							1	3	5	2	4	3					
Other puerperal causes (143–145, 147–150)	32								7	11	9	4	1					
Suicide (165–174)	12								1	2	2	2	3	1		1		
Homicide (197–200)	61				1				3	8	14	10	18	4	1	2		
Automobile accidents (188c)	14					1	1	2		3	1		1	4	1			
Other external causes (175–188b, 188d–196, 201–203)	110	7	7	5	2	4	6	4	2	9	8	8	21	18	5	2	2	
All other causes	790	317	14	5	2	2	10	10	22	25	41	44	114	80	55	25	24	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (WHITE), all causes	8,461	1,231	211	124	74	74	220	116	198	267	276	377	883	1,075	1,249	1,209	877	
Typhoid and paratyphoid fever (1)	22						1	1	3	2	1	3	6	3	2			
Measles (7)	16	4	6	1	1	1	2						1					
Scarlet fever (8)	34		4	7	2	4	8	1		1	1	4		2				
Whooping cough (9)	40	25	10	2	3													
Diphtheria (10)	92	7	12	11	15	11	28	4			2	1			1			
Influenza (11)	193	17	10	7	2	2	5	2	3	5	11	10	23	29	23	23	21	
Meningococcus meningitis (24)	8	4	1							2		1						
Tuberculosis of the respiratory system (31)	382	4	2	1	1	1	2	2	36	57	38	50	65	59	36	23	5	
Other forms of tuberculosis (32–37)	87	10	11	4	3	3	7	4	8	10	10	2	7	4	1	2	1	
Cancer and other malignant tumors (43–49)	613	2	1			1	2		4	3	10	15	62	126	180	141	66	
Diabetes mellitus (57)	119							2	2	1	2	1	11	31	40	22	7	
Cerebral hemorrhage and softening (74, 83)	488	3	1	1			2	1		3	1	4	22	63	108	158	121	
Other [organic] diseases of the heart (90)	984	3		1		2	15	19	19	8	23	26	82	126	216	241	263	
Bronchitis (99)	74	21	5	2	1							1	4	6	7	6	21	
Broncho-pneumonia (100)	486	145	36	17	8	6	7	2	3	4	7	15	25	35	49	64	63	
Pneumonia (101)	1,023	85	30	16	3	4	19	8	21	33	41	56	159	168	163	149	68	
Diarrhea and enteritis (113, 114)	329	222	45	9	3	5	3	1			1	3	3	5	7	7	15	
Appendicitis and typhlitis (117)	115			2	1	1	7	13	12	8	8	8	17	17	18	3		
Hernia, intestinal obstruction (118)	88	18	2		3	1	3	1	1		2	2	10	9	17	10	9	
Cirrhosis of the liver (122)	69										5	1	9	18	16	10	10	
Nephritis (128, 129)	538	4		1	2		5	2	5	7	9	21	52	84	113	141	92	
Diseases of the female genital organs (137–141)	49								2	4	5	6	16	12	4			
Puerperal septicemia (146)	56								3	15	5	13	19	1				
Other puerperal causes (143–145, 147–150)	58								3	14	18	12	10	1				
Suicide (165–174)	68									5	2	15	23	12	5	6		
Homicide (197–200)	48	4			1			1	2	7	5	7	13	6	2			
Automobile accidents (188c)	178			2	4	7	39	14	15	12	8	10	6	19	21	13	8	
Other external causes (175–188b, 188d–196, 201–203)	465	9	8	18	10	7	25	15	20	22	27	35	79	65	55	40	30	
All other causes	1,739	644	27	22	11	18	40	23	36	44	34	55	159	174	165	150	137	
PITTSBURGH, PA. (COLORED), all causes	1,259	209	56	19	15	8	22	13	41	112	111	94	201	179	104	49	26	
Typhoid and paratyphoid fever (1)	3									2		1						
Measles (7)																		
Scarlet fever (8)	2						1				1							
Whooping cough (9)	21	15	4	1	1													
Diphtheria (10)	5	1		1		1	2											
Influenza (11)	28	1	3				1		1	3	3	1	5	4	2	2	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	97	2		1	1	1	4	7	5	21	18	9	17	7	4			
Other forms of tuberculosis (32–37)	20	1	2		3	1	2		1	1	4	1	2	1		1		
Cancer and other malignant tumors (43–49)	31									1	1		4	8	13	3	1	
Diabetes mellitus (57)	11												4	3	4			
Cerebral hemorrhage and softening (74, 83)	36	2										1	7	6	8	9	3	
Other [organic] diseases of the heart (90)	136	1				1	2	3	4	4	6	11	28	35	22	12	7	
Bronchitis (99)	5	3	1										1					
Broncho-pneumonia (100)	85	33	16	1			1		2	5	2	1	8	10	3	2	1	
Pneumonia (101)	297	24	14	9	2	1	2	1	11	41	36	26	65	45	11	6	3	
Diarrhea and enteritis (113, 114)	39	24	8	3			1					1		2				
Appendicitis and typhlitis (117)	13				1				2	2	3	2	1	1	1			
Hernia, intestinal obstruction (118)	11	1	1						1	2	1		3	1	1			
Cirrhosis of the liver (122)	6												2	1	2	1		
Nephritis (128, 129)	50		1						1		2	4	8	11	12	4	7	
Diseases of the female genital organs (137–141)	11										2		6	3				
Puerperal septicemia (146)	7								2	2		3						
Other puerperal causes (143–145, 147–150)	12								3	3	3	2	1					
Suicide (165–174)	1											1						
Homicide (197–200)	28									3	10	5	5	4	1			
Automobile accidents (188c)	8						2			1	1	1	1	1	1			
Other external causes (175–188b, 188d–196, 201–203)	52	3	1	1	6	1	1		2	4	5	6	10	5	6	1		
All other causes	244	98	5	2	1	2	3	2	6	17	13	18	23	31	13	8	2	
READING, PA., all causes	1,508	187	20	20	14	6	34	24	41	36	31	43	105	182	222	289	254	
Typhoid and paratyphoid fever (1)	6						1		1		1		1	1		1		
Measles (7)	1	1																
Scarlet fever (8)	3						1		1	1								
Whooping cough (9)	4	2	1				1											
Diphtheria (10)	16	1	3	1	2	2	4	1	1		1							
Influenza (11)	41	4	2	1			3		1	1		3	8	6	4	4	4	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	66						1	2	5	9	5	1	13	15	9	2	4	
Other forms of tuberculosis (32–37)	13	3	1	1				1			1	2	2	2				
Cancer and other malignant tumors (43–49)	116				1			2			1	3	11	20	28	31	19	
Diabetes mellitus (57)	31						2					1	2	1	12	11	2	
Cerebral hemorrhage and softening (74, 83)	135							1			1		2	11	18	56	46	
Other [organic] diseases of the heart (90)	187						2	3	2	2	2	1	5	28	39	50	53	
Bronchitis (99)	6	1					1								1	2	1	
Broncho-pneumonia (100)	54	19	3	4	1	1	2	1		2	1	2	3	5	1	4	5	
Pneumonia (101)	73	6	2	2	1		2		3	2	2	2	7	13	11	9	11	
Diarrhea and enteritis (113, 114)	53	40	3	4	1							1	1		1	1	1	
Appendicitis and typhlitis (117)	21						1	3	5	2	3	1	3	1		1	1	
Hernia, intestinal obstruction (118)	27										2		2	6	5	8	4	
Cirrhosis of the liver (122)	6												1			2	3	
Nephritis (128, 129)	176	1		1			1	1	1	1	1	7	7	19	34	52	50	
Diseases of the female genital organs (137–141)	12									1		1	4	4	1	1		
Puerperal septicemia (146)	8								2	1		4	1					
Other puerperal causes (143–145, 147–150)	10								2	1	1	3	3					
Suicide (165–174)	30								4	2	1	1	4	5	7	3	3	
Homicide (197–200)	7								3			1	1	1	1			
Automobile accidents (188c)	24			1	2	1	1	2		1	2	1	1	4	2	4	2	
Other external causes (175–188b, 188d–196, 201–203)	72	2	2	1	3	1	4	1	4	4	3	3	8	6	11	11	8	
All other causes	310	107	3	4	3	1	7	6	6	6	3	5	15	34	37	36	37	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SCRANTON, PA., all causes	1,974	281	39	30	7	13	43	37	46	57	65	87	228	288	327	250	176	
Typhoid and paratyphoid fever (1)	3									2					1			
Measles (7)	2			1			1											
Scarlet fever (8)	2			1								1						
Whooping cough (9)	16	9	3	2		1	1											
Diphtheria (10)	10	1		1	1	1	5		1									
Influenza (11)	37	6	2	1				1	1		1	1	4	3	8	5	4	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	86						2	2	6	12	9	10	18	16	8	3		
Other forms of tuberculosis (32–37)	18	2		1			1	1	3	2	1	3		2		1	1	
Cancer and other malignant tumors (43–49)	136						2	1	2	3	2	2	15	30	43	26	10	
Diabetes mellitus (57)	43								1		1		2	8	16	9	6	
Cerebral hemorrhage and softening (74, 83)	125	2									2	2	3	21	30	34	31	
Other [organic] diseases of the heart (90)	260	2					8	6	5	2	7	7	24	49	54	54	42	
Bronchitis (99)	10	3											2	1	1	2	1	
Broncho-pneumonia (100)	89	33	7	6	1		1			1	1		5	7	10	8	9	
Pneumonia (101)	167	19	5	3		1	4	3	3	4	4	8	21	31	34	16	11	
Diarrhea and enteritis (113, 114)	70	46	13	3	2				1								5	
Appendicitis and typhlitis (117)	33			1	1	1	1	7	4		3	5	5	2	2	1		
Hernia, intestinal obstruction (118)	27	1				1				1	1	2	3	5	6	4	3	
Cirrhosis of the liver (122)	13									1	1		2	3	3	2	1	
Nephritis (128, 129)	134	1						2	1	3	1	4	19	24	35	29	15	
Diseases of the female genital organs (137–141)	16									1	3	1	5	2	2	1	1	
Puerperal septicemia (146)	19								2	3	3	3	8					
Other puerperal causes (143–145, 147–150)	24								1	2	5	7	9					
Suicide (165–174)	29									3	2	3	9	7	4	1		
Homicide (197–200)	9							1			2	2	4					
Automobile accidents (188c)	24			2		2	2	2	1	3			2	5	2	3		
Other external causes (175–188b, 188d–196, 201–203)	138	3	2	3	2	3	5		6	8	9	17	24	22	19	9	6	
All other causes	433	153	7	5		3	10	10	8	6	7	9	44	50	49	42	30	
PROVIDENCE, R. I., all causes	3,492	517	89	39	19	22	80	43	73	103	104	109	257	446	554	581	455	1
Typhoid and paratyphoid fever (1)	6								2	1			1	1		1		
Measles (7)	3	1	2															
Scarlet fever (8)	17	1	1	2	1	1	1	3	3		2	1	1					
Whooping cough (9)	14	9	5															
Diphtheria (10)	35	5	4	4	2	2	14	2					2					
Influenza (11)	20	3	2	2					1		1	1	2	2	3	2	1	
Meningococcus meningitis (24)	3	2											1					
Tuberculosis of the respiratory system (31)	150	3	1					2	12	20	15	8	27	37	13	8	4	
Other forms of tuberculosis (32–37)	53	9	8	4	4	2	3	2	6	1	3	2	3	2	2	2		
Cancer and other malignant tumors (43–49)	318							1	2	1	6	4	33	63	89	89	30	
Diabetes mellitus (57)	49		1					1	1				2	5	20	11	8	
Cerebral hemorrhage and softening (74, 83)	326											3	6	40	80	113	84	
Other [organic] diseases of the heart (90)	466				1		8	1	4	7	6	5	20	64	95	124	131	
Bronchitis (99)	21	5	2					1			1				2	1	9	
Broncho-pneumonia (100)	111	44	14	3		2	4				1	1	5	3	4	10	20	
Pneumonia (101)	214	26	12	6	1	4	4	4	4	5	6	8	26	29	42	21	16	
Diarrhea and enteritis (113, 114)	62	48	9			1						1		2	1			
Appendicitis and typhlitis (117)	86	1	1			1	7	9	6	13	5	8	13	10	8	3	1	
Hernia, intestinal obstruction (118)	35	5		1				1	1	1		2	5	6	5	8		
Cirrhosis of the liver (122)	15									1				7	2	4	1	
Nephritis (128, 129)	293	2					4		2	5	5	8	21	52	67	71	56	
Diseases of the female genital organs (137–141)	30								2	2	5	3	4	8	3	2	1	
Puerperal septicemia (146)	21								1	5	7	4	4					
Other puerperal causes (143–145, 147–150)	36								2	3	10	11	9					1
Suicide (165–174)	31								1	2	3	2	1	11	4	4	3	
Homicide (197–200)	9									1	1	3	3	1				
Automobile accidents (188c)	58		1	1	3	1	12	3	2	5	2	4	7	3	7	5	2	
Other external causes (175–188b, 188d–196, 201–203)	160	1	9	9	5	3	13	2	6	7	11	8	9	20	22	19	16	
All other causes	850	352	17	7	2	5	10	11	15	23	14	22	52	80	85	83	72	
MEMPHIS, TENN. (WHITE), all causes	1,551	185	33	25	16	13	24	29	47	63	58	71	150	223	235	199	180	
Typhoid and paratyphoid fever (1)	10		1	1				2	2			4						
Measles (7)	13	5		1			2				1	2	1	1				
Scarlet fever (8)	9		2	1	2	2	2											
Whooping cough (9)	3	1	1	1														
Diphtheria (10)	10	1	1	1	4	1	1						1					
Influenza (11)	35	6	3	2	1		1				1		2	4	3	5	7	
Meningococcus meningitis (24)	3						1					1				1		
Tuberculosis of the respiratory system (31)	67	1	1					1	3	4	8	6	13	16	10	3	1	
Other forms of tuberculosis (32–37)	16			1			1	1	1	3	2	1	1	2	2	1		
Cancer and other malignant tumors (43–49)	133		1	1				1	2		2	1	15	32	37	29	12	
Diabetes mellitus (57)	21												2	6	8	5		
Cerebral hemorrhage and softening (74,83)	55			1			1					1		9	12	14	17	
Other [organic] diseases of the heart (90)	161							2	1	1		3	9	23	43	43	36	
Bronchitis (99)	2	1													1			
Broncho-pneumonia (100)	48	6	3		2		1					3	1	7	8	5	12	
Pneumonia (101)	73	2	2	2		1	1	1	2	4	3	3	10	17	10	8	7	
Diarrhea and enteritis (113, 114)	42	27	6	5		1							1	1		1		
Appendicitis and typhlitis (117)	59				1	1	1	7	6	9	3	6	9	11	3	2		
Hernia, intestinal obstruction (118)	19	1		1		1		1	1	1			2	4	2	5		
Cirrhosis of the liver (122)	11											2	1	2	3	2	1	
Nephritis (128, 129)	105					1	1		3	1	1	4	6	12	24	20	32	
Diseases of the female genital organs (137–141)	23									1	3	2	7	5	3	1	1	
Puerperal septicemia (146)	12								3	3	1	2	3					
Other puerperal causes (143–145, 147–150)	17							1	6	4	3	1	2					
Suicide (165–174)	30								1	5	1	2	9	5	6		1	
Homicide (197–200)	22								3	3	5	5	4	2				
Automobile accidents (188c)	24				1	3	3	2		1	4	3	2	2		2	1	
Other external causes (175–188b, 188d–196, 201–203)	75	1	3	3	3	1	3	3	4	7	6	4	6	6	3	8	14	
All other causes	453	133	9	4	2	1	5	7	9	16	14	15	43	56	57	44	38	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MEMPHIS, TENN. (COLORED), all causes	1,955	271	33	9	8	20	33	40	113	164	166	133	302	287	196	103	76	1
Typhoid and paratyphoid fever (1)	52			1		1	4	6	17	8	3	4	5	3				
Measles (7)	5	1	1				2		1									
Scarlet fever (8)																		
Whooping cough (9)	6	5				1												
Diphtheria (10)	7	1	2			2		2										
Influenza (11)	73	7	1				1	4	3	6	5	4	10	17	8	5	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	181			1	2	2	3	2	25	38	36	20	27	19	5	1		
Other forms of tuberculosis (32–37)	56	4	2	1	1	5	1	2	5	7	7	5	9	3	3	1		
Cancer and other malignant tumors (43–49)	54									1	3	4	8	16	12	7	3	
Diabetes mellitus (57)	11								1		1		2	3	3		1	
Cerebral hemorrhage and softening (74, 83)	72										1	5	16	20	18	8	4	
Other [organic] diseases of the heart (90)	152		1			1	1	3		3	5	10	26	42	32	14	14	
Bronchitis (99)	6	1	1						2						1	1		
Broncho-pneumonia (100)	71	28	2		1	1	1	1	1	3	1	1	8	7	8	8		
Pneumonia (101)	140	12	2	1		1	6	1	7	14	16	10	23	24	10	6	7	
Diarrhea and enteritis (113, 114)	71	40	13	2	1	1				2	2		1	3	3	3		
Appendicitis and typhlitis (117)	41						2	4	5	8	3	3	14	1	1			
Hernia, intestinal obstruction (118)	18	1							2	1	1	2	4	3	3		1	
Cirrhosis of the liver (122)	5												1	3	1			
Nephritis (128, 129)	125	1						2	3	9	4	6	16	26	28	17	13	
Diseases of the female genital organs (137–141)	33								1	3	5	3	16	4	1			
Puerperal septicemia (146)	12							1	2	3	2	3	1					
Other puerperal causes (143–145, 147–150)	20								4	5	5	3	2					1
Suicide (165–174)	2												1	1				
Homicide (197–200)	98								10	16	24	15	22	6	3	1	1	
Automobile accidents (188c)	16							1			2	3	6	3		1		
Other external causes (175–188b, 188d–196, 201–203)	89	1	2	1	2	3	5	4	9	10	10	6	14	12	5	1	4	
All other causes	539	169	6	2	1	2	7	7	15	27	30	26	70	71	51	29	26	
NASHVILLE, TENN. (WHITE), all causes	1,429	206	37	13	6	10	25	18	48	51	58	51	129	143	185	235	213	1
Typhoid and paratyphoid fever (1)	15					1		1	2	1	3	3		3	1			
Measles (7)	7	2		1	1		1			1			1					
Scarlet fever (8)	1					1												
Whooping cough (9)	22	17	5															
Diphtheria (10)																		
Influenza (11)	42	4	1	2		1	1		1	1	3		4	2	4	7	10	1
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	81							1	9	8	9	9	16	4	15	9	1	
Other forms of tuberculosis (32–37)	9	1					1	1	1					4		1		
Cancer and other malignant tumors (43–49)	102		1	1			1		1	1		2	8	23	23	23	18	
Diabetes mellitus (57)	15													5	2	6	2	
Cerebral hemorrhage and softening (74, 83)	84	2											4	7	21	26	24	
Other [organic] diseases of the heart (90)	149						1			2	1	4	5	14	29	56	37	
Bronchitis (99)	8	4											1			1	2	
Broncho-pneumonia (100)	40	15	5	1		1		1			1		1	2	3	2	8	
Pneumonia (101)	65		2	1			1	4	2	2	2	3	7	7	8	11	15	
Diarrhea and enteritis (113, 114)	56	27	16	5	2		1			1			1			2	1	
Appendicitis and typhlitis (117)	44		1			1	3	3	8	6	6	3	6	2	1	2	2	
Hernia, intestinal obstruction (118)	15	1						1		1			3	2	5	1	1	
Cirrhosis of the liver (122)	3													1	1		1	
Nephritis (128, 129)	94							1			3	2	7	11	18	31	21	
Diseases of the female genital organs (137–141)	9									1			3	3	2			
Puerperal septicemia (146)	11								2	1	2	4	2					
Other puerperal causes (143–145, 147–150)	13								2	2	4	1	4					
Suicide (165–174)	18									3	3		8	3		1		
Homicide (197–200)	19									3	2	3	6	3	2			
Automobile accidents (188c)	23					1	5	2	3	2	1	1	3		2	2	1	
Other external causes (175–188b, 188d–196, 201–203)	75	2	1	1	2	4	3	1	9	5	6	5	5	8	4	7	12	
All other causes	409	131	5	1	1		7	2	8	10	12	11	34	39	44	47	57	
NASHVILLE, TENN. (COLORED), all causes	942	108	25	6	6	5	16	13	46	64	49	63	131	158	124	75	53	
Typhoid and paratyphoid fever (1)	11							3	3	2		1	1	1				
Measles (7)	5		3							1	1							
Scarlet fever (8)																		
Whooping cough (9)	6	2	3				1											
Diphtheria (10)	2				1		1											
Influenza (11)	33	1	4	1	2	1			1		2	2	4	9	3	2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	103		1				1	2	13	21	12	15	14	13	9	2		
Other forms of tuberculosis (32–37)	20	1				1	1		4	3	1	2	1	5		1		
Cancer and other malignant tumors (43–49)	32										1	1	5	9	7	7	2	
Diabetes mellitus (57)	8									1		1		1	4		1	
Cerebral hemorrhage and softening (74, 83)	69								1	1		3	16	17	12	13	6	
Other [organic] diseases of the heart (90)	150									5	3	8	31	35	32	19	17	
Bronchitis (99)	2													1		1		
Broncho-pneumonia (100)	41	20	5	2			1			1	1	1	2	5	2	1		
Pneumonia (101)	37	8	1		1				3	2	2	2	3	8	4	2	1	
Diarrhea and enteritis (113, 114)	20	11	4	1						1			2		1			
Appendicitis and typhlitis (117)	14	1				1	2	1	1	1	2	2	2	1				
Hernia, intestinal obstruction (118)	7										2	1	1	2	1			
Cirrhosis of the liver (122)	6										1		2	2	1			
Nephritis (128, 129)	78	1					1	1		2		2	8	17	23	10	13	
Diseases of the female genital organs (137–141)	18								1	1	4	4	3	4	1			
Puerperal septicemia (146)	7							1		4			2					
Other puerperal causes (143–145, 147–150)	8								1		3	2	2					
Suicide (165–174)	4									1	1							
Homicide (197–200)	29								5	6	4	3	6	3	1	1		
Automobile accidents (188c)	11									1		2	1	2	1	1	1	
Other external causes (175–188b, 188d–196, 201–203)	38	1	1	1	1	1	2	2	8	4	2	2	5	3	2			
All other causes	183	62	3	1	1	1	1	3	5	6	7	9	20	20	19	15	10	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,462	415	78	33	26	11	52	37	81	121	123	119	278	284	288	256	260	
Typhoid and paratyphoid fever (1)	14						3	1		1	5	1	2		1			
Measles (7)	35	2	15	5	3		5	1	2		2							
Scarlet fever (8)	1						1											
Whooping cough (9)	5	2	1		1		1											
Diphtheria (10)	13	1	3	1	4		3				1							
Influenza (11)	53	9			1	1		2	1	3	5	2	10	5	3	8	3	
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	146		1	2	1			2	12	23	19	20	25	18	15	6	2	
Other forms of tuberculosis (32–37)	37	4	4	3	2		4	2	4	1	4	3	2	1	2	1		
Cancer and other malignant tumors (43–49)	162					1	1	1	1		4	8	24	33	39	31	19	
Diabetes mellitus (57)	20						1						2	5	5	4	3	
Cerebral hemorrhage and softening (74, 83)	185									2	3	3	18	28	52	44	35	
Other [organic] diseases of the heart (90)	184							3			4	4	25	32	39	39	38	
Bronchitis (99)	11	1											1		2	3	4	
Broncho-pneumonia (100)	74	43	4	2	1		1		2	1	3		3	3	2	5	4	
Pneumonia (101)	111	14	9	5				5	4	4	11	6	14	12	7	9	11	
Diarrhea and enteritis (113, 114)	90	63	14	3					1				1	2		3	3	
Appendicitis and typhlitis (117)	73					2	8	5	12	7	6	7	5	11	7	3		
Hernia, intestinal obstruction (118)	32	2	2							5	1	2	7	2	4	3	4	
Cirrhosis of the liver (122)	14												1	5	2	4	2	
Nephritis (128, 129)	166		1		1		1		2	2	3	6	20	32	30	36	32	
Diseases of the female genital organs (137–141)	35								5	3	4	7	7	6	2		1	
Puerperal septicemia (146)	31								5	9	4	7	4	2				
Other puerperal causes (143–145, 147–150)	18								2	4	2	4	6					
Suicide (165–174)	22								2	4	3	2	4	5		1	1	
Homicide (197–200)	46							1	3	7	8	7	16	4				
Automobile accidents (188c)	36	1			1		8	1	2	8	1	2	2	3	3	2	2	
Other external causes (175–188b, 188d–196, 201–203)	123	8	6	4	2	4	5	2	8	5	10	8	18	14	7	6	16	
All other causes	724	265	18	8	9	3	10	11	12	32	20	20	61	61	66	48	80	
FORT WORTH, TEX., all causes	1,296	165	34	15	18	5	32	24	33	65	67	51	147	166	156	181	136	1
Typhoid and paratyphoid fever (1)	3							1			1			1				
Measles (7)	28	3	4	4	5	1	6	1			2			1			1	
Scarlet fever (8)	1			1														
Whooping cough (9)	6	6																
Diphtheria (10)	5			1	2	1	1											
Influenza (11)	26	1	4				1		1	2		1	4	1	4	5	2	
Meningococcus meningitis (24)	2		1							1								
Tuberculosis of the respiratory system (31)	74								8	15	7	6	19	9	4	4	2	
Other forms of tuberculosis (32–37)	14				2		1			2	2	1	4	1		1		
Cancer and other malignant tumors (43–49)	82								1		4	5	12	18	17	20	5	
Diabetes mellitus (57)	16									1			1	2	5	6	1	
Cerebral hemorrhage and softening (74, 83)	77									1	1	3	3	19	14	22	14	
Other [organic] diseases of the heart (90)	93	1	1								1	4	6	19	16	26	19	
Bronchitis (99)	8	2					1						1		3	1		
Broncho-pneumonia (100)	26	6	5				2			1	1		3	2	1	4	1	
Pneumonia (101)	85	9	5	2	4		2	3	3	6	4	2	8	3	12	11	11	
Diarrhea and enteritis (113, 114)	34	23	4	3	1		1					1				1		
Appendicitis and typhlitis (117)	28			1			2	4	2	3	2	1	5	5	1	2		
Hernia, intestinal obstruction (118)	19	5					1		1	1	1	1	1	4	2	2		
Cirrhosis of the liver (122)	4	1											1		2			
Nephritis (128, 129)	95	3						2		2	3	3	13	17	14	19	19	
Diseases of the female genital organs (137–141)	11									1	3	1	4	1	1			
Puerperal septicemia (146)	6								2	2	1	1						
Other puerperal causes (143–145, 147–150)	11								1	4	3		3					
Suicide (165–174)	17							1		2	2	1	3	3	2	3		
Homicide (197–200)	14									3	5	1	1	1	2		1	
Automobile accidents (188c)	27						1		2	2	3	1	2	5	3	4	4	
Other external causes (175–188b, 188d–196, 201–203)	75	2	2	1	3	1	5	2	6	7	6	7	10	11	5	2	5	
All other causes	409	103	8	2	1	2	8	10	6	9	15	11	43	43	48	48	51	1
HOUSTON, TEX. (WHITE), all causes	1,490	190	45	22	11	12	19	21	44	69	72	74	148	171	205	217	163	7
Typhoid and paratyphoid fever (1)	11							2	1	3	1	1	2	1				
Measles (7)	30	7	12	5	1	1	2	1		1								
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	6			2	2		1				1							
Influenza (11)	29	2	1								1	2	2	4	6	6	4	1
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	89	1				1			2	15	12	10	15	15	7	5	3	3
Other forms of tuberculosis (32–37)	6									1	1	1	1		1	1		
Cancer and other malignant tumors (43–49)	108			1	1				3		2	2	12	17	33	24	13	
Diabetes mellitus (57)	23							1				1	1	5	11	2	2	
Cerebral hemorrhage and softening (74, 83)	68	1						1			1	1	5	9	19	14	16	1
Other [organic] diseases of the heart (90)	121	2				1		1		3	1		2	20	24	46	21	
Bronchitis (99)	4												1			1	2	
Broncho-pneumonia (100)	38	7	8	1		3	2		2				1	1	1	3	9	
Pneumonia (101)	55	10	2	1	1	1		1	1	3	3	3	6	3	7	7	6	
Diarrhea and enteritis (113, 114)	49	26	12	3	1								1	3		1	2	
Appendicitis and typhlitis (117)	40	1			1		2	3	4	2	2	2	12	7	2	1	1	
Hernia, intestinal obstruction (118)	27	3					1	1	1		3	2	6	2	2	4	2	
Cirrhosis of the liver (122)	7													1	5		1	
Nephritis (128, 129)	98	2					1	1	3		6	5	12	19	10	24	15	
Diseases of the female genital organs (137–141)	9										1	3	2	2		1		
Puerperal septicemia (146)	13								5	4	2	1	1					
Other puerperal causes (143–145, 147–150)	21								3	5	5	7	1					
Suicide (165–174)	22								3	3	2	2	4	3	2	2	1	
Homicide (197–200)	15									3	1	3	5	1		2		
Automobile accidents (188c)	27		1	1			1	1		3	2	1	7	3	4	2	1	
Other external causes (175–188b, 188d–196, 201–203)	87	2	4	1	2	2		4	9	7	8	8	10	5	8	8	7	2
All other causes	485	125	5	7	2	3	9	4	7	16	16	19	39	50	63	63	57	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	838	109	10	4	6	3	8	16	26	60	59	54	150	135	83	57	47	11
Typhoid and paratyphoid fever (1)	3			1				1		1								
Measles (7)	7	2			1	1		2						1				
Scarlet fever (8)																		
Whooping cough (9)	2	2																
Diphtheria (10)	6	2			2	2												
Influenza (11)	37	3	1							4	2	4	8	8	2	3	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	74	1							9	12	14	8	22	4		2		2
Other forms of tuberculosis (32–37)	9		1				1	1		1	1	1	1	1	1			
Cancer and other malignant tumors (43–49)	21									2	2	2	5	5	3	2		
Diabetes mellitus (57)	5												2		2		1	
Cerebral hemorrhage and softening (74, 83)	48									1	1		11	16	10	6	2	1
Other [organic] diseases of the heart (90)	64										3	4	12	17	17	4	5	2
Bronchitis (99)	4										2		1		1			
Broncho-pneumonia (100)	10	6	1				1				1					1		
Pneumonia (101)	41	2	3		2			1	3	4	2	2	4	9	4	2	3	
Diarrhea and enteritis (113, 114)	22	16	1						1			1	1	1			1	
Appendicitis and typhlitis (117)	8						1			1	1	2	3					
Hernia, intestinal obstruction (118)	18		1						1	4	1	1	8	2				
Cirrhosis of the liver (122)	7												4	2		1		
Nephritis (128, 129)	71							1		2	3	3	11	17	11	9	13	1
Diseases of the female genital organs (137–141)	12								1	3	1		4	2	1			
Puerperal septicemia (146)	3								1	2								
Other puerperal causes (143–145, 147–150)	9								2	4		3						
Suicide (165–174)	2											2						
Homicide (197–200)	24							1	1	6	5	6	3	1		1		
Automobile accidents (188c)	4							1		1	1			1				
Other external causes (175–188b, 188d–196, 201–203)	29	1		1			3	4	1	3	2	1	5	5	1	2		
All other causes	298	74	2	2	1		2	4	6	9	17	14	45	43	30	24	20	5
SAN ANTONIO, TEX., all causes	2,995	612	163	69	39	32	49	48	112	162	161	127	291	340	283	278	227	2
Typhoid and paratyphoid fever (1)	10						1	1	2	2	1	2			1			
Measles (7)	104	23	37	17	9	4	9	3		1			1					
Scarlet fever (8)	1						1											
Whooping cough (9)	38	16	13	4	3		2											
Diphtheria (10)	9	1		1	1		4			1		1						
Influenza (11)	36	3	2			1		1	6	4	1	1	5	4	1	3	4	
Meningococcus meningitis (24)	9	1		1	2	1		2				1	1					
Tuberculosis of the respiratory system (31)	418	1	4	3	1	2	3	8	52	69	81	50	63	56	13	10	2	
Other forms of tuberculosis (32–37)	32	4	3	2	2	1		1	6	1	2	3	4	2	1			
Cancer and other malignant tumors (43–49)	131						1			2	2	3	21	40	30	24	8	
Diabetes mellitus (57)	24									1		1		4	6	6	6	
Cerebral hemorrhage and softening (74, 83)	116	1		1			1		1	1	1	2	12	19	25	29	23	
Other [organic] diseases of the heart (90)	212							1		3	4	3	25	41	44	54	37	
Bronchitis (99)	25	6	2				1		2	1		1	1		1	3	7	
Broncho-pneumonia (100)	118	43	16	8	4	3	4		9	4	3	1	2	9	4	2	6	
Pneumonia (101)	127	17	11	7	3	2	1	6	6	6	9	6	8	17	13	10	5	
Diarrhea and enteritis (113, 114)	302	194	52	12	4	4	4	1				1	3	5	7	8	7	
Appendicitis and typhlitis (117)	49			1		2	2	4	1	3	7	8	9	6	4	2		
Hernia, intestinal obstruction (118)	34	3	2							3	1	2	8	3	6	5	1	
Cirrhosis of the liver (122)	9												1	4	2	2		
Nephritis (128, 129)	152	1			2		3	1		3	7	4	12	26	33	38	22	
Diseases of the female genital organs (137–141)	24									2	4	4	8	6				
Puerperal septicemia (146)	25							1	3	9	4	3	5					
Other puerperal causes (143–145, 147–150)	20								2	4	2	6	5	1				
Suicide (165–174)	21								1	4		2	5	3	4	1	1	
Homicide (197–200)	28								2	5	5	6	5	2	3			
Automobile accidents (188c)	22					1	2		1	1	3	1	2	3	4	2	2	
Other external causes (175–188b, 188d–196, 201–203)	92	4	2		2	4	3	7	7	14	10	1	11	9	5	4	8	1
All other causes	807	294	19	12	6	7	7	11	11	18	14	14	74	80	76	75	88	1
SALT LAKE CITY, UTAH, all causes	1,677	213	41	21	16	16	51	35	44	53	58	73	192	194	213	251	206	
Typhoid and paratyphoid fever (1)	14							3	3	2	1	2	2			1		
Measles (7)	25	5	3	3	3	2	9											
Scarlet fever (8)	2						1	1										
Whooping cough (9)	3	2	1															
Diphtheria (10)	16		2	1	2	6	3	1					1					
Influenza (11)	31	3	2	2				1	2	1	1	1	2	4	2	5	5	
Meningococcus meningitis (24)	4						1	1	1			1						
Tuberculosis of the respiratory system (31)	96								2	8	9	13	25	21	11	6	1	
Other forms of tuberculosis (32–37)	19	2	1	1		1				1	2	1	3	4	2	1		
Cancer and other malignant tumors (43–49)	128					1		1	1		2	4	10	28	35	31	15	
Diabetes mellitus (57)	24							1	2				1	4	6	8	2	
Cerebral hemorrhage and softening (74, 83)	127				1				1				1	10	26	45	43	
Other [organic] diseases of the heart (90)	167						5	5	5	5	4	2	19	22	30	38	32	
Bronchitis (99)	5	1												1	1	1	1	
Broncho-pneumonia (100)	60	23	6	3				1						5	6	8	8	
Pneumonia (101)	84	4	3	2	1	1	4		5	1	3	3	11	11	9	14	12	
Diarrhea and enteritis (113, 114)	30	13	7	2	2						2		2		2			
Appendicitis and typhlitis (117)	60	1		1	2	1	8	5	8	4	4	6	4	11	2	2	1	
Hernia, intestinal obstruction (118)	20	4	1	1			1						1	2	2	8		
Cirrhosis of the liver (122)	2													2				
Nephritis (128, 129)	111					1		1	1	1	2	5	11	15	19	27	28	
Diseases of the female genital organs (137–141)	13										1	2	6	1		2	1	
Puerperal septicemia (146)	10									2	2	2	4					
Other puerperal causes (143–145, 147–150)	15									2	3	2	8					
Suicide (165–174)	12										3	2	2	3	1	1		
Homicide (197–200)	11						2		1	1	2	1	3	1				
Automobile accidents (188c)	34		1	1		1	5	5	1	3	1	2	4	4	2	2	2	
Other external causes (175–188b, 188d–196, 201–203)	80	2	2	1	3		4		2	7	5	8	14	11	6	6	9	
All other causes	474	153	12	3	2	2	8	9	9	15	11	16	58	34	51	45	46	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORFOLK, VA. (WHITE), all causes	806	82	11	13	7	2	11	11	15	41	29	26	73	100	123	141	121	
Typhoid and paratyphoid fever (1)	4								1		1			2				
Measles (7)	3	1		1	1													
Scarlet fever (8)																		
Whooping cough (9)	6	4		1	1													
Diphtheria (10)	4		1	2			1											
Influenza (11)	8									1			1	1	1	3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	42	1	1						4	6	5	2	15	4	2	2		
Other forms of tuberculosis (32–37)	9	2	2	1	1		1					1				1		
Cancer and other malignant tumors (43–49)	62									1		3	7	13	17	17	4	
Diabetes mellitus (57)	11												1	3	3	3	1	
Cerebral hemorrhage and softening (74, 83)	75											2	2	15	13	25	18	
Other [organic] diseases of the heart (90)	160									1	2	2	10	19	38	45	43	
Bronchitis (99)	5														1	2	2	
Broncho-pneumonia (100)	12	3	1		1			1			1						5	
Pneumonia (101)	22		1							2	1	2	4	3	6	1	2	
Diarrhea and enteritis (113, 114)	11	6	1	2											1	1		
Appendicitis and typhlitis (117)	14					1		2	1	3	1	1		4		1		
Hernia, intestinal obstruction (118)	6											1		3	1		1	
Cirrhosis of the liver (122)	9												1	2	3	3		
Nephritis (128, 129)	56							1		2		1	2	4	15	15	16	
Diseases of the female genital organs (137–141)	3									2			1					
Puerperal septicemia (146)	9									4	2	2	1					
Other puerperal causes (143–145, 147–150)	2									1		1						
Suicide (165–174)	11								2	3			4	1	1			
Homicide (197–200)	6										2		2	1	1			
Automobile accidents (188c)	12			1			1			2	2		1	2		2	1	
Other external causes (175–188b, 188d–196, 201–203)	45	2	1	1			2	3		11	3	2	6	2	3	5	4	
All other causes	199	63	3	4	3	1	6	4	7	2	9	6	15	21	17	15	23	
NORFOLK, VA. (COLORED), all causes	935	149	36	9	9	2	18	17	38	57	51	55	158	193	91	33	18	1
Typhoid and paratyphoid fever (1)	2									1		1						
Measles (7)	7	3	2		1		1											
Scarlet fever (8)																		
Whooping cough (9)	10	5	1	1	1		2											
Diphtheria (10)																		
Influenza (11)	21	3	3						1			1	5	5	3			
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	112	2	1		1	1	5	5	12	25	17	9	21	12	1			
Other forms of tuberculosis (32–37)	20	2	3	2	1		2	2	2	2	2	1	1					
Cancer and other malignant tumors (43–49)	32							1			1	1	9	13	4	2	1	
Diabetes mellitus (57)	4												2	1	1			
Cerebral hemorrhage and softening (74, 83)	83										3	2	16	26	24	6	6	
Other [organic] diseases of the heart (90)	120								2	2	2	5	28	49	24	3	5	
Bronchitis (99)	10	4	1						1		1		2		1			
Broncho-pneumonia (100)	55	34	11	2	1			1			1		3	2				
Pneumonia (101)	37	3	5	1				1	1	4	1	2	9	7	2	1		
Diarrhea and enteritis (113, 114)	33	21	5	1			1						2	3				
Appendicitis and typhlitis (117)	8							2	2	1		1	2					
Hernia, intestinal obstruction (118)	12									1	3	1	1	4		1	1	
Cirrhosis of the liver (122)	7										2		2	3				
Nephritis (128, 129)	84	1		1			1		1	1	2	8	12	28	15	13	1	
Diseases of the female genital organs (137–141)	7								2	1	1		1		1	1		
Puerperal septicemia (146)	6								2	2	1		1					
Other puerperal causes (143–145, 147–150)	11								2	3	2	2	1	1				
Suicide (165–174)	1												1					
Homicide (197–200)	18			1					1	4		6	4	2				
Automobile accidents (188c)	4						1					1	1		1			
Other external causes (175–188b, 188d–196, 201–203)	27		2		3		2	2	4	2	1	2	7	1	1			
All other causes	203	71	2		1	1	3	3	5	8	10	12	27	36	13	6	4	1
RICHMOND, VA. (WHITE), all causes	1,598	201	33	14	15	6	35	19	32	37	50	51	119	181	217	271	317	
Typhoid and paratyphoid fever (1)	10						1	1	2		2	1	2			1		
Measles (7)	8	2	5			1												
Scarlet fever (8)	1				1													
Whooping cough (9)	13	6	6				1											
Diphtheria (10)	13		2	1	3	1	5	1										
Influenza (11)	17	4		3	1						1		1		2	3	2	
Meningococcus meningitis (24)	2	2																
Tuberculosis of the respiratory system (31)	73	1			1			2	2	10	9	5	13	16	8	5	1	
Other forms of tuberculosis (32–37)	20	2	1				2	1	1	2	1	3	3	2	1	1		
Cancer and other malignant tumors (43–49)	124							1		1	2	2	12	27	30	36	13	
Diabetes mellitus (57)	14										1			3	6	2	2	
Cerebral hemorrhage and softening (74, 83)	147									1			4	17	26	47	52	
Other [organic] diseases of the heart (90)	206						1	1	1			4	12	25	46	38	78	
Bronchitis (99)	9															1	8	
Broncho-pneumonia (100)	39	8	2	2		1		1					1	3	1	5	15	
Pneumonia (101)	45	4		1	1	1			1		2	1	6	11	4	4	9	
Diarrhea and enteritis (113, 114)	48	24	13	2	1		1				1			1	2		3	
Appendicitis and typhlitis (117)	30					1	2		5	2	1	3	8	3	3	1	1	
Hernia, intestinal obstruction (118)	15	1									1		1	2	4	3	3	
Cirrhosis of the liver (122)	13			1							1		3	2	1	1	4	
Nephritis (128, 129)	170							1	1		4	5	7	13	36	55	48	
Diseases of the female genital organs (137–141)	14								2	3		1	3	3	1	1		
Puerperal septicemia (146)	9								2	1	3	1	2					
Other puerperal causes (143–145, 147–150)	13								1	3	3	3	3					
Suicide (165–174)	28								1	1	3	2	3	8	5	5		
Homicide (197–200)	5	1								2		1	1					
Automobile accidents (188c)	20						4		1	2	2	3	3	2		3		
Other external causes (175–188b, 188d–196, 201–203)	63			1	2	1	8	3	8	1	5	2	7	7	6	5	7	
All other causes	429	146	4	3	5		10	7	4	8	8	14	24	36	35	54	71	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (COLORED), all causes	1,220	181	59	15	13	7	25	25	41	49	69	66	175	216	177	78	24	
Typhoid and paratyphoid fever (1)	4					1	1	1						1				
Measles (7)	6	3	3															
Scarlet fever (8)																		
Whooping cough (9)	21	7	8	3	1	1	1											
Diphtheria (10)	9		1		1	1	6											
Influenza (11)	26			1								1	6	8	7	2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	98	1	1				1	4	14	15	18	11	15	15	2	1		
Other forms of tuberculosis (32–37)	16		5		2		4		1	2		1	1					
Cancer and other malignant tumors (43–49)	45		1						1	1	1	3	11	16	7	3	1	
Diabetes mellitus (57)	7								1				2	1	2	1		
Cerebral hemorrhage and softening (74, 83)	129	1									2	1	16	43	41	21	4	
Other [organic] diseases of the heart (90)	127							2	1		5	14	24	29	35	15	2	
Bronchitis (99)	6	2	1											2	1			
Broncho-pneumonia (100)	75	38	14	4			2	2	1	1	1		3	5	1	1	2	
Pneumonia (101)	83	9	3	2	1	1	2	3	2	6	4	6	17	11	13	2	1	
Diarrhea and enteritis (113, 114)	16	8		1	1			1	1					1	2	1		
Appendicitis and typhlitis (117)	17						2	4	4	1	3	1	2					
Hernia, intestinal obstruction (118)	12	1										1	3	5	1	1		
Cirrhosis of the liver (122)	9								1			1		4	2	1		
Nephritis (128, 129)	100			1				1		1	3	2	21	32	27	5	7	
Diseases of the female genital organs (137–141)	11										1	2	2	4	1	1		
Puerperal septicemia (146)	5							1		2	1		1					
Other puerperal causes (143–145, 147–150)	17							1	4	3	4	2	3					
Suicide (165–174)	4								1			1	2					
Homicide (197–200)	14	1							1	4	3	1	4					
Automobile accidents (188c)	13									1	3	1	2	2	3	1		
Other external causes (175–188b, 188d–196, 201–203)	51	5	3		3	3	4	1	5	4	3	2	4	4	7	2	1	
All other causes	299	105	19	3	4		2	4	3	8	17	15	36	33	25	20	5	
SEATTLE, WASH., all causes	3,312	249	50	15	17	20	78	55	71	101	93	113	337	451	590	583	488	1
Typhoid and paratyphoid fever (1)	10							1			3		4	1		1		
Measles (7)	33	7	14	1	2	4	4	1										
Scarlet fever (8)	3			1			2											
Whooping cough (9)	2	2																
Diphtheria (10)	23		1	2	3	1	11	3				1		1				
Influenza (11)	37	3	3			2	2	2	1			2	6	4	4	4	4	
Meningococcus meningitis (24)	4		1	1			1		1									
Tuberculosis of the respiratory system (31)	142							1	10	20	13	18	28	24	17	9	2	
Other forms of tuberculosis (32–37)	66	3	5		3	2	9	1	6	6	5	5	4	10	3	4		
Cancer and other malignant tumors (43–49)	367		1	1			1	2	1		4	6	41	70	109	97	34	
Diabetes mellitus (57)	51						1	1	1	1		1	1	9	16	16	4	
Cerebral hemorrhage and softening (74, 83)	257								1			2	11	34	61	79	69	
Other [organic] diseases of the heart (90)	506	2	1				1	4	6	5	3	6	30	64	112	130	142	
Bronchitis (99)	11	1												1		5	4	
Broncho-pneumonia (100)	76	20	4	1	3		3	1		2	2	2	4	6	6	8	14	
Pneumonia (101)	107	5	3	1			4		1	4	3	5	10	19	18	16	18	
Diarrhea and enteritis (113, 114)	21	15	3					1		1			1					
Appendicitis and typhlitis (117)	50				1	1	5	4	1	1	5	4	10	8	6	2	2	
Hernia, intestinal obstruction (118)	24	2					1			1		2	2		3	8	5	
Cirrhosis of the liver (122)	19											2	2	2	6	3	4	
Nephritis (128, 129)	220	1		1		3		3	3	1	2	4	14	27	51	58	52	
Diseases of the female genital organs (137–141)	27								1		2	2	8	8	4	2		
Puerperal septicemia (146)	18								3	5	5	2	3					
Other puerperal causes (143–145, 147–150)	28								1	6	6	4	10	1				
Suicide (165–174)	98									9	8	9	22	17	26	4	3	
Homicide (197–200)	26			1					1	4	4	3	8	1	2	1		1
Automobile accidents (188c)	53			1		2	7	4	4	3	3	2	7	5	5	6	4	
Other external causes (175–188b, 188d–196, 201–203)	181	2			2	2	6	8	10	15	10	6	21	26	26	20	27	
All other causes	852	186	14	4	3	3	20	18	19	17	15	25	90	113	115	110	100	
SPOKANE, WASH., all causes	1,302	120	14	8	9	5	28	34	40	25	44	41	124	149	221	259	181	
Typhoid and paratyphoid fever (1)	3							1		1		1						
Measles (7)	1		1															
Scarlet fever (8)	4			2			2											
Whooping cough (9)	1					1												
Diphtheria (10)	13		1		1		5	3	2		1							
Influenza (11)	14				1			1			1	1			2	3	5	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	42							1	2	4	8	3	9	4	7	3	1	
Other forms of tuberculosis (32–37)	12	1		1	1		2			1			2	3	1			
Cancer and other malignant tumors (43–49)	168				1				1	1		5	17	37	45	43	18	
Diabetes mellitus (57)	14								1	1			1	3	2	5	1	
Cerebral hemorrhage and softening (74, 83)	72										1		1	5	10	36	19	
Other [organic] diseases of the heart (90)	127			1			4	1	3	2	1	1	13	14	23	35	29	
Bronchitis (99)	5	1															4	
Broncho-pneumonia (100)	42	19	4	1								1	3	2	4	3	5	
Pneumonia (101)	52	2					1	1	2				4	5	13	16	8	
Diarrhea and enteritis (113, 114)	20	12	1		1	1	1	2			1			1				
Appendicitis and typhlitis (117)	32					2		6	2	1	2	3	7	2	3	2	2	
Hernia, intestinal obstruction (118)	31	2						1	1	1		2	4	2	8	5	5	
Cirrhosis of the liver (122)	9								1			1	1	2	1	1	2	
Nephritis (128, 129)	122						1	1		1	3	4	9	13	22	46	22	
Diseases of the female genital organs (137–141)	21									1	1	4	6	6	3			
Puerperal septicemia (146)	11								3		5		3					
Other puerperal causes (143–145, 147–150)	15								3	3	2	3	4					
Suicide (165–174)	24								1	1	1	2	5	4	7	3		
Homicide (197–200)	7								1		1	1	2	1	1			
Automobile accidents (188c)	22		1		1	2	1	2		3	1	2	3	6				
Other external causes (175–188b, 188d–196, 201–203)	61	3	2		1	4	5	5	2	3	2	12	6	6	2	8		
All other causes	357	80	5	2	3		6	10	10	5	10	6	19	36	57	56	52	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 358]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes	4,842	786	88	52	34	27	67	60	109	139	144	183	419	493	705	826	710	
Typhoid and paratyphoid fever (1)	5							1	1				1		2			
Measles (7)	6	2	1	2									1					
Scarlet fever (8)	8			3		1	4											
Whooping cough (9)	23	13	7		2											1		
Diphtheria (10)	44	2	2	8	9	4	13	2	1	1	1		1					
Influenza (11)	42	13	5	1			1		1				7	4	2	7	1	
Meningococcus meningitis (24)	7	4	1		1							1						
Tuberculosis of the respiratory system (31)	240	3		1			1	3	30	44	44	26	32	27	18	9	2	
Other forms of tuberculosis (32–37)	59	4	9	1	2	1	5	3	5	6	2	7	5	5	2	1	1	
Cancer and other malignant tumors (43–49)	532	1		2				1	2	1	7	6	39	84	144	165	80	
Diabetes mellitus (57)	82						1		1	1	2	2	4	11	31	19	10	
Cerebral hemorrhage and softening (74, 83)	366	2				1					2	1	15	30	76	125	114	
Other [organic] diseases of the heart (90)	632						4	9	5	5	6	8	28	68	138	177	184	
Bronchitis (99)	44	13	1					1					2		3	9	15	
Broncho-pneumonia (100)	210	77	15	2	4	1	1		1	2		1	8	15	14	20	49	
Pneumonia (101)	258	37	13	5	2	3	5	4	6		7	5	29	33	45	38	26	
Diarrhea and enteritis (113, 114)	138	111	13	5	1	1			1	1				1	3		1	
Appendicitis and typhlitis (117)	83	1		1			3	3	7	9	7	17	13	10	7	5		
Hernia, intestinal obstruction (118)	46	8	1	1		1				1	2	3	3	4	9	8	5	
Cirrhosis of the liver (122)	46											2	6	11	7	14	6	
Nephritis (128, 129)	326	5		1			2	2	4	2	3	9	34	37	64	87	76	
Diseases of the female genital organs (137–141)	40								2	3	4	8	8	8	2	3	2	
Puerperal septicemia (146)	21								3	2	6	8	2					
Other puerperal causes (143–145, 147–150)	39								3	11	11	5	9					
Suicide (165–174)	72								2		5	9	18	16	15	5	2	
Homicide (197–200)	11									1	3	3		3		1		
Automobile accidents (188c)	83	1		1	4	1	12	5	4	10	3	2	13	6	6	9	6	
Other external causes (175–188b, 188d–196, 201–203)	190	3	4	7	1	3	1	7	8	11	7	21	35	27	21	17	17	
All other causes	1,189	486	16	11	8	10	14	19	22	28	22	39	106	93	96	106	113	

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 49 and 50.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA (exclusive of Hawaii), all causes	1,173,990	109,220	105,092	114,574	106,539	101,325	92,496	88,345	86,785	83,793	90,139	92,201	103,481
Typhoid and paratyphoid fever (1)	6,677	341	287	277	273	340	481	760	1,016	917	766	645	574
Malaria (5)	2,441	89	91	92	105	153	265	326	414	348	255	183	120
Smallpox (6)	874	24	33	48	71	137	95	52	51	30	60	93	180
Measles (7)	8,517	1,165	1,733	1,996	1,527	955	549	204	111	52	48	65	112
Scarlet fever (8)	3,122	423	364	393	382	316	185	142	105	116	153	256	287
Whooping cough (9)	8,188	731	803	1,050	900	844	750	749	623	516	390	383	449
Diphtheria (10)	9,316	1,199	917	835	748	635	537	494	495	630	914	947	965
Influenza (11)	19,374	2,448	2,943	3,331	2,606	1,454	744	367	318	432	776	1,406	2,549
Dysentery (16)	2,946	75	92	81	74	249	529	542	446	359	240	150	109
Lethargic encephalitis (23)	1,441	112	113	156	154	148	125	105	96	104	97	97	134
Meningococcus meningitis (24)	964	79	112	96	102	86	66	73	80	52	68	77	73
Tuberculosis of the respiratory system (31)	78,096	7,039	6,780	7,655	7,529	7,500	6,585	6,329	5,914	5,468	5,622	5,517	6,158
Other forms of tuberculosis (32–37)	11,628	889	948	1,071	1,155	1,200	1,065	1,045	947	846	866	785	811
Bronchitis (99)	7,207	875	821	967	785	603	454	313	277	353	499	566	694
Broncho-pneumonia (100)	40,631	5,214	5,339	5,791	4,703	3,395	2,234	1,332	1,270	1,578	2,372	3,154	4,249
Pneumonia (101)	56,772	7,565	7,451	8,081	7,017	4,504	3,006	1,709	1,531	1,959	3,247	4,496	6,206
Diarrhea and enteritis [under 2 years] (113)	27,566	1,457	1,242	1,460	1,459	2,094	2,819	3,215	4,028	3,577	2,799	1,924	1,492
Diarrhea and enteritis [2 years and over] (114)	6,916	362	322	365	407	494	726	969	981	841	624	443	382
Puerperal septicemia (146)	5,745	530	562	596	511	500	514	446	426	362	415	433	450
Other puerperal causes (143–145, 147–150)	9,630	852	810	939	875	919	822	799	733	737	738	681	725
Suicide (165–174)	12,061	889	892	1,039	1,121	1,115	1,073	1,072	944	1,010	1,031	968	907
Automobile accidents (188c)	15,528	1,008	748	865	1,053	1,249	1,273	1,493	1,589	1,520	1,751	1,688	1,291
Other external causes (175–188b, 188d–203)	68,637	6,056	5,334	5,553	5,268	5,418	6,053	6,538	6,308	5,071	5,397	5,578	6,063
All other causes	769,713	69,798	66,355	71,837	67,714	67,017	61,546	59,271	58,082	56,915	61,011	61,666	68,501
REGISTRATION STATES,[1] all causes	1,151,076	107,141	103,006	112,434	104,560	99,369	90,535	86,487	85,042	82,257	88,472	90,396	101,377
Typhoid and paratyphoid fever (1)	6,520	331	276	273	265	333	470	738	982	903	755	631	563
Malaria (5)	2,363	87	89	91	100	145	262	322	399	333	243	174	118
Smallpox (6)	871	23	33	48	70	137	94	52	51	30	60	93	180
Measles (7)	8,180	1,150	1,642	1,883	1,475	928	528	196	107	50	47	63	111
Scarlet fever (8)	3,106	423	363	390	381	313	184	140	105	116	151	254	286
Whooping cough (9)	8,033	727	788	1,036	882	823	724	731	615	511	380	379	437
Diphtheria (10)	9,232	1,183	910	828	745	633	531	493	491	624	904	937	953
Influenza (11)	18,892	2,379	2,846	3,247	2,555	1,426	731	359	313	419	767	1,371	2,479
Dysentery (16)	2,843	73	89	75	72	235	514	523	437	350	227	143	105
Lethargic encephalitis (23)	1,410	110	111	152	148	142	124	104	93	103	96	95	132
Meningococcus meningitis (24)	941	78	107	94	98	81	64	73	80	50	68	76	72
Tuberculosis of the respiratory system (31)	75,976	6,837	6,575	7,451	7,321	7,299	6,401	6,175	5,741	5,329	5,485	5,380	5,982
Other forms of tuberculosis (32–37)	11,370	875	926	1,050	1,127	1,172	1,036	1,026	925	832	848	763	790
Bronchitis (99)	7,097	863	806	951	776	596	451	308	273	345	489	552	687
Broncho-pneumonia (100)	39,994	5,124	5,252	5,691	4,634	3,352	2,199	1,316	1,251	1,551	2,335	3,116	4,173
Pneumonia (101)	55,570	7,410	7,298	7,894	6,892	4,421	2,940	1,676	1,501	1,925	3,194	4,368	6,051
Diarrhea and enteritis [under 2 years] (113)	26,649	1,421	1,216	1,438	1,413	1,976	2,664	3,083	3,920	3,509	2,744	1,842	1,423
Diarrhea and enteritis [2 years and over] (114)	6,711	348	313	356	387	479	700	943	951	830	609	431	364
Puerperal septicemia (146)	5,535	511	549	579	495	485	484	434	406	345	395	417	435
Other puerperal causes (143–145, 147–150)	9,413	832	796	923	857	907	791	781	722	713	722	664	705
Suicide (165–174)	11,846	865	871	1,023	1,099	1,100	1,053	1,052	928	993	1,012	955	895
Automobile accidents (188c)	15,221	986	732	846	1,036	1,224	1,249	1,465	1,570	1,482	1,721	1,654	1,256
Other external causes (175–188b, 188d–203)	67,119	5,921	5,207	5,443	5,146	5,286	5,933	6,409	6,178	4,971	5,277	5,433	5,915
All other causes	756,184	68,584	65,211	70,672	66,586	65,876	60,408	58,088	57,003	55,943	59,943	60,605	67,265
CALIFORNIA, all causes	56,832	5,508	4,928	5,284	4,978	4,910	4,501	4,337	4,136	4,142	4,329	4,495	5,284
Typhoid and paratyphoid fever (1)	229	11	18	34	18	18	22	10	13	22	24	20	19
Malaria (5)	19	1	-	2	2	3	1	1	5	1	2	1	-
Smallpox (6)	57	3	4	2	7	1	2	1	-	3	15	14	5
Measles (7)	329	37	39	66	54	71	39	7	7	2	1	2	4
Scarlet fever (8)	106	14	11	13	18	9	7	5	5	5	4	9	6
Whooping cough (9)	174	8	12	17	13	12	20	24	16	15	10	5	22
Diphtheria (10)	699	95	60	70	68	77	61	60	39	31	51	43	44
Influenza (11)	604	114	97	77	71	44	20	19	10	9	39	49	55
Dysentery (16)	107	3	8	6	5	13	17	14	11	8	10	6	6
Lethargic encephalitis (23)	76	9	6	7	11	6	6	6	4	4	7	6	4
Meningococcus meningitis (24)	50	6	9	5	2	1	4	6	3	-	7	4	3
Tuberculosis of the respiratory system (31)	5,381	490	499	541	537	480	432	422	378	363	371	390	478
Other forms of tuberculosis (32–37)	687	50	66	73	71	71	57	52	59	45	45	41	57
Bronchitis (99)	312	47	30	38	31	17	11	13	12	21	26	28	38
Broncho-pneumonia (100)	1,680	209	190	221	175	134	87	82	76	79	102	137	188
Pneumonia (101)	2,064	320	205	214	208	143	121	94	95	127	145	166	226
Diarrhea and enteritis [under 2 years] (113)	1,359	74	61	82	96	177	190	143	121	124	110	88	93
Diarrhea and enteritis [2 years and over] (114)	327	27	15	10	25	30	38	41	38	33	26	28	16
Puerperal septicemia (146)	174	18	19	16	14	12	13	24	10	12	9	14	13
Other puerperal causes (143–145, 147–150)	341	33	21	37	26	33	29	23	30	27	26	28	28
Suicide (165–174)	1,095	83	95	82	95	81	114	92	85	86	89	87	106
Automobile accidents (188c)	1,254	117	121	99	94	74	89	114	96	108	119	117	106
Other external causes (175–188b, 188d–203)	3,258	264	240	243	224	296	323	286	268	269	259	259	327
All other causes	36,450	3,475	3,102	3,329	3,113	3,107	2,798	2,798	2,755	2,748	2,832	2,953	3,440
COLORADO, all causes	12,528	1,172	1,079	1,128	1,103	1,053	965	897	1,014	1,002	1,009	963	1,143
Typhoid and paratyphoid fever (1)	67	-	6	3	2	3	3	4	16	9	12	6	3
Malaria (5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox (6)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (7)	216	39	54	41	35	25	11	7	2	1	-	-	1
Scarlet fever (8)	44	7	6	3	4	6	2	-	-	1	5	4	6
Whooping cough (9)	65	3	2	1	5	11	9	5	7	4	10	3	5
Diphtheria (10)	157	10	21	14	14	16	13	15	9	13	9	10	13
Influenza (11)	344	43	32	43	50	28	16	8	13	6	16	28	61
Dysentery (16)	22	1	1	1	1	-	1	1	5	4	5	2	-
Lethargic encephalitis (23)	10	3	1	1	2	-	1	-	1	-	1	-	-
Meningococcus meningitis (24)	15	-	-	1	2	-	2	1	2	-	1	4	2
Tuberculosis of the respiratory system (31)	1,513	148	133	140	131	144	112	108	125	110	107	119	136
Other forms of tuberculosis (32–37)	126	12	10	9	10	12	10	11	14	8	9	9	12
Bronchitis (99)	48	4	3	10	6	3	1	2	3	4	-	6	6
Broncho-pneumonia (100)	506	78	52	73	38	47	19	19	18	26	33	42	61
Pneumonia (101)	725	100	74	94	82	53	36	18	22	35	54	54	103
Diarrhea and enteritis [under 2 years] (113)	386	12	11	8	18	20	22	30	85	100	49	15	16
Diarrhea and enteritis [2 years and over] (114)	64	5	7	3	1	-	2	4	12	14	7	6	3
Puerperal septicemia (146)	79	9	6	7	9	5	6	6	7	5	7	7	5
Other puerperal causes (143–145, 147–150)	94	7	7	5	7	6	11	13	6	6	11	6	9
Suicide (165–174)	164	16	18	13	12	11	15	16	15	14	11	12	11
Automobile accidents (188c)	158	5	8	4	14	7	12	31	21	12	19	17	8
Other external causes (175–188b, 188d–203)	771	62	54	47	53	67	86	80	78	63	53	54	74
All other causes	6,954	608	573	607	607	589	575	518	553	567	590	559	608

[1] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT, all causes	16,989	1,557	1,604	1,760	1,517	1,342	1,298	1,198	1,241	1,224	1,419	1,367	1,462
Typhoid and paratyphoid fever (1)	38	1	2	4		3	3	5	6	7	5		2
Malaria (5)	4							4					
Smallpox (6)	5		2	2	1								
Measles (7)	45	7	11	5	9	5	5	2	1				
Scarlet fever (8)	64	9	10	7	12	10	4		1	1	5	3	2
Whooping cough (9)	74	8	10	6	5	7	4	2	5	9	6	6	6
Diphtheria (10)	167	20	22	16	19	7	10	9	7	14	16	14	13
Influenza (11)	232	24	48	33	38	17	11	2	3	4	6	18	28
Dysentery (16)	8	1						2	1	1		1	2
Lethargic encephalitis (23)	42	2		3	3	2	4	5	7	4	3	4	5
Meningococcus meningitis (24)	16	1	1	1	2		1	2	3	1	1	1	2
Tuberculosis of the respiratory system (31)	1,044	85	91	96	85	101	108	85	82	71	85	68	87
Other forms of tuberculosis (32–37)	186	17	21	10	20	13	12	18	20	9	21	13	12
Bronchitis (99)	109	12	9	18	10	9	11	4	2	6	5	11	12
Broncho-pneumonia (100)	677	74	94	130	71	54	46	20	14	22	44	55	53
Pneumonia (101)	749	85	109	136	73	59	41	17	15	21	56	67	70
Diarrhea and enteritis (under 2 years) (113)	323	30	14	18	10	22	18	29	63	40	36	30	13
Diarrhea and enteritis (2 years and over) (114)	96	5	2	8	6	8	7	13	21	10	10	4	2
Puerperal septicemia (146)	68	6	8	8	9	6	4	5	5	4	7	4	2
Other puerperal causes (143–145, 147–150)	113	19	6	7	11	10	9	5	10	10	8	10	8
Suicide (165–174)	157	7	12	12	20	17	9	15	17	12	15	11	10
Automobile accidents (188c)	277	14	13	18	32	17	23	18	26	24	28	39	25
Other external causes (175–188b, 188d–203)	913	82	65	63	72	79	81	106	83	73	67	66	76
All other causes	11,582	1,048	1,054	1,159	1,009	896	887	830	849	881	995	942	1,032
DELAWARE, all causes	3,015	292	279	299	262	258	210	215	246	231	237	213	273
Typhoid and paratyphoid fever (1)	16		1		1	1	1	2	3	3	1	1	2
Malaria (5)	1							1					
Measles (7)	1	1											
Scarlet fever (8)	6	2		1	3								
Whooping cough (9)	23	4	2	1	5	1	1	3		1		3	2
Diphtheria (10)	22	3	2	1	3				1	3	3	3	3
Influenza (11)	46	2	3	9	4	3	2	2	5	3	3	5	5
Dysentery (16)	4							1	2	1			
Meningococcus meningitis (24)	3		1			1						1	
Tuberculosis of the respiratory system (31)	237	23	16	28	27	27	13	17	21	14	13	22	16
Other forms of tuberculosis (32–37)	29	1	1	5	6	1	1	3	3	3	1	3	1
Bronchitis (99)	21	4	1	4	3			1	1		5	2	
Broncho-pneumonia (100)	124	17	17	11	17	10	6	3	3	9	6	8	17
Pneumonia (101)	122	14	15	25	19	8	2	4	3	4	5	13	10
Diarrhea and enteritis (under 2 years) (113)	93	5	5	4	4	4	1	15	11	17	19	5	3
Diarrhea and enteritis (2 years and over) (114)	26	2	1	2	2		1	5	4	5	1	2	1
Puerperal septicemia (146)	14	1	2	1	2		2	1	1	2	1		1
Other puerperal causes (143–145, 147–150)	20		1	4	1	5	1	1	1	1	1	1	3
Suicide (165–174)	22	2	1	3	2	2	1	1	2	1	3	2	2
Automobile accidents (188c)	46	4	3	1	2	5	3	3	6	3	6	5	5
Other external causes (175–188b, 188d–203)	192	17	7	14	10	25	15	19	16	20	22	13	14
All other causes	1,947	190	200	185	151	165	160	133	163	141	147	124	188
FLORIDA (WHITE), all causes	9,297	914	935	1,045	755	689	692	657	645	637	714	752	862
Typhoid and paratyphoid fever (1)	85	15	4	5	5	5	7	8	7	8	6	5	10
Malaria (5)	163	9	7	5	2	10	18	13	24	26	25	18	6
Measles (7)	172	29	44	64	20	8	4	3					
Scarlet fever (8)	3				1	1							1
Whooping cough (9)	71	9	7	10	12	7	11	4	3	2	3	1	2
Diphtheria (10)	72	6	2	6	6	2		4	6	8	12	12	8
Influenza (11)	146	10	23	27	20	5	3	4	6	2	8	16	22
Dysentery (16)	55	5	5	2	6	10	8	8	3	1		5	2
Lethargic encephalitis (23)	10	1		2	1	1	1	1		2		1	
Meningococcus meningitis (24)	15		1	5	1	2	3	1			1	1	
Tuberculosis of the respiratory system (31)	416	53	41	39	45	33	25	24	28	25	27	34	42
Other forms of tuberculosis (32–37)	46	2	5	6	2	5	4	3	5	1	5	2	6
Bronchitis (99)	46	6	5	5	5	3	2	1	2	4	2	2	9
Broncho-pneumonia (100)	173	30	24	27	20	8	7	4	8	6	9	16	14
Pneumonia (101)	304	45	59	55	29	12	5	11	8	8	21	23	28
Diarrhea and enteritis (under 2 years) (113)	275	26	15	20	11	28	59	29	19	11	16	20	21
Diarrhea and enteritis (2 years and over) (114)	133	12	13	8	10	10	17	17	10	5	16	6	9
Puerperal septicemia (146)	47	4	3	6	4	3	5	2	4	6	3	5	2
Other puerperal causes (143–145, 147–150)	116	14	9	11	5	12	10	4	8	6	15	11	11
Suicide (165–174)	100	5	7	9	9	3	10	11	8	8	11	11	8
Automobile accidents (188c)	166	14	19	6	16	13	8	17	15	12	8	16	22
Other external causes (175–188b, 188d–203)	583	51	40	67	39	43	53	48	36	45	47	53	61
All other causes	6,100	568	602	660	486	465	432	440	445	451	479	494	578
FLORIDA (COLORED), all causes	6,564	568	578	582	526	579	519	548	534	498	537	495	600
Typhoid and paratyphoid fever (1)	70	1	4	1	4	6	7	13	11	4	6	4	9
Malaria (5)	138	8	7	11	1	7	14	19	24	16	13	11	7
Measles (7)	80	16	19	18	14	8	3	1	1				
Whooping cough (9)	37	4	4	2	8	3	2	1	1	4	2	2	4
Diphtheria (10)	27	1	4	1	2	2	1	4		5	2	4	1
Influenza (11)	142	23	22	24	5	14	6	2	7	5	6	7	21
Dysentery (16)	46	4	3	2	2	6	6	8	3	3	4	1	4
Meningococcus meningitis (24)	2		1	1									
Tuberculosis of the respiratory system (31)	552	57	47	43	63	45	42	63	42	41	32	41	36
Other forms of tuberculosis (32–37)	43	4	5	3	4	2	6	2	2	4	7	3	1
Bronchitis (99)	36	1	5	2	1	2	3	6	4	1	3	4	4
Broncho-pneumonia (100)	114	16	10	17	15	7	5	5	6	6	5	7	15
Pneumonia (101)	227	25	41	33	20	19	12	8	8	4	12	15	30
Diarrhea and enteritis (under 2 years) (113)	184	19	11	10	15	26	25	17	17	10	11	9	14
Diarrhea and enteritis (2 years and over) (114)	71	2	3	4	5	4	12	12	4	5	8	3	9
Puerperal septicemia (146)	51	2	6	5	5	3	6	1	8	4	7	1	3
Other puerperal causes (143–145, 147–150)	111	6	9	7	8	10	10	8	12	9	11	9	12
Suicide (165–174)	10		2			2	2	1	1	1	1		
Automobile accidents (188c)	76	12	3	6	6	6	6	10	5	6	2	6	8
Other external causes (175–188b, 188d–203)	660	54	50	55	49	50	59	60	61	49	50	47	76
All other causes	3,887	313	322	337	299	357	292	307	317	321	355	321	346

TABLE 10.—DEATHS' (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA (WHITE), all causes	17,774	1,631	1,767	1,782	1,506	1,453	1,517	1,444	1,332	1,164	1,393	1,329	1,456
Typhoid and paratyphoid fever (1)	285	7	8	9	3	5	17	47	73	47	24	23	22
Malaria (5)	163	5	10	10	12	7	13	17	23	18	26	11	11
Smallpox (6)	11	2	1	2	3	1						2	
Measles (7)	368	79	110	91	44	29	7	3	2		2	1	
Scarlet fever (8)	18	3	2	1	1	2	1		2		1	3	2
Whooping cough (9)	210	15	11	16	12	37	28	29	14	15	10	11	12
Diphtheria (10)	164	19	16	10	5	3	2	5	9	20	29	19	27
Influenza (11)	511	53	80	106	82	44	18	4	7	6	19	30	62
Dysentery (16)	252	3	7	6	8	25	70	61	28	15	15	9	5
Lethargic encephalitis (23)	10	1	1	2	1			2			1	1	1
Meningococcus meningitis (24)	11	2	1	2		2	1				1		2
Tuberculosis of the respiratory system (31)	853	70	98	83	81	79	66	64	58	66	65	53	70
Other forms of tuberculosis (32–37)	88	9	7	11	8	5	8	10	8	9	5	5	3
Bronchitis (99)	69	11	9	6	7	3	2	1	4	2	6	8	10
Broncho-pneumonia (100)	508	71	72	79	49	31	24	16	16	16	32	43	59
Pneumonia (101)	944	156	155	132	118	53	33	26	21	30	48	78	94
Diarrhea and enteritis (under 2 years) (113)	583	26	23	20	9	56	122	124	80	39	35	27	22
Diarrhea and enteritis (2 years and over) (114)	202	5	5	12	9	28	48	37	15	16	7	14	6
Puerperal septicemia (146)	106	14	7	7	10	8	15	5	9	6	9	6	10
Other puerperal causes (143–145, 147–150)	266	21	16	26	30	22	17	22	28	26	26	13	19
Suicide (165–174)	174	19	17	21	16	20	12	14	14	8	15	11	7
Automobile accidents (188c)	230	14	22	17	20	16	14	18	21	24	15	22	27
Other external causes (175–188b, 188d–203)	966	96	78	77	77	78	90	59	95	53	77	92	94
All other causes	10,782	930	1,011	1,036	901	899	909	880	805	748	925	847	891
GEORGIA (COLORED), all causes	17,021	1,388	1,453	1,693	1,449	1,494	1,515	1,459	1,326	1,257	1,302	1,271	1,414
Typhoid and paratyphoid fever (1)	385	9	12	6	11	14	32	61	89	75	41	19	16
Malaria (5)	235	11	8	8	13	14	30	36	39	30	28	8	10
Smallpox (6)	13	1	1	2	1	5					1		2
Measles (7)	196	25	42	43	37	22	5	14	3	2	2		1
Scarlet fever (8)	2		1							1			
Whooping cough (9)	243	13	15	18	17	35	37	25	25	23	11	8	16
Diphtheria (10)	57	5	2	3	6	3	4	2	7	8	4	7	6
Influenza (11)	418	36	60	87	60	42	12	11	5	4	17	37	47
Dysentery (16)	191	3	6	5	4	25	62	45	16	11	11	1	2
Lethargic encephalitis (23)	4		2	1		1							
Meningococcus meningitis (24)	7	2		1					2		1	1	
Tuberculosis of the respiratory system (31)	1,567	118	120	163	141	161	155	122	134	111	109	131	102
Other forms of tuberculosis (32–37)	168	10	7	14	22	16	13	18	15	18	15	11	9
Bronchitis (99)	95	9	6	13	9	13	7	8	5	6	9	5	5
Broncho-pneumonia (100)	388	41	57	48	40	27	19	14	17	20	32	37	36
Pneumonia (101)	1,161	149	151	212	139	88	47	30	30	34	64	103	114
Diarrhea and enteritis (under 2 years) (113)	430	13	16	13	20	57	78	70	56	43	26	20	18
Diarrhea and enteritis (2 years and over) (114)	146	4	2	7	7	25	28	17	22	9	11	8	6
Puerperal septicemia (146)	117	6	7	18	15	13	6	9	9	11	10	7	6
Other puerperal causes (143–145, 147–150)	246	17	19	28	23	24	17	33	15	23	21	11	15
Suicide (165–174)	19	2	2	1	1	2	1	3	1	1		2	3
Automobile accidents (188c)	77	2	9	2	8	3	2	7	7	5	10	11	11
Other external causes (175–188b, 188d–203)	1,228	112	111	136	96	80	84	96	98	81	95	92	147
All other causes	9,628	800	797	864	779	824	876	838	731	741	784	752	842
IDAHO, all causes	3,787	309	318	319	414	344	309	298	264	282	336	278	316
Typhoid and paratyphoid fever (1)	34	2	1	1	1	2	1	3	1	3	8	9	2
Smallpox (6)	1												1
Measles (7)	104	13	23	15	29	17	3	2			1	1	
Scarlet fever (8)	17	3	2	5	1	2	3					1	
Whooping cough (9)	28	5	2	2	4	2	3	1	2	3		3	1
Diphtheria (10)	37	4	1	3	1	2	2	4	3	3	3	7	4
Influenza (11)	94	12	15	8	13	2	6	3	2	4	7	8	14
Dysentery (16)	7	1	1							4	1		
Lethargic encephalitis (23)	10	1		3		1	1	2		1	1		
Meningococcus meningitis (24)	5	2		1	1	1							
Tuberculosis of the respiratory system (31)	188	13	14	14	32	27	11	16	14	7	18	13	9
Other forms of tuberculosis (32–37)	31	2	2	4	7	2	1	3	3	2	4		1
Bronchitis (99)	8		1		1	1	1				2	2	
Broncho-pneumonia (100)	123	18	15	14	15	13	5	3	5	3	10	8	14
Pneumonia (101)	143	20	10	24	11	15	8	4	2	7	14	13	15
Diarrhea and enteritis (under 2 years) (113)	52	3	1	6	5	4	2	7	1	14	5	3	1
Diarrhea and enteritis (2 years and over) (114)	32		1		1	1	1	3	6	7	9	3	
Puerperal septicemia (146)	24		4	1	3	3	1	5	2	1		3	1
Other puerperal causes (143–145, 147–150)	40	3	2	7	7	5	4	2		2	2	3	3
Suicide (165–174)	50	3	5	6	3	5	2	11	3	2	4	2	4
Automobile accidents (188c)	54	1	4	2	5	6	3	4	7	6	7	6	3
Other external causes (175–188b, 188d–203)	363	14	20	21	23	43	44	53	38	39	16	21	31
All other causes	2,342	189	194	182	251	190	207	172	175	174	224	172	212
ILLINOIS, all causes	77,133	7,557	6,711	7,471	7,088	6,630	5,838	5,657	5,657	5,658	5,909	6,083	6,874
Typhoid and paratyphoid fever (1)	241	33	9	13	5	10	6	22	23	17	37	23	43
Malaria (5)	67	4	1	4	5	6	6	3	16	11	6	2	3
Smallpox (6)	16	1	1	1	3	6	2	1	1				
Measles (7)	228	19	25	39	54	32	26	9	7	1	1	4	11
Scarlet fever (8)	206	30	26	24	26	21	8	8	4	5	9	17	28
Whooping cough (9)	353	32	43	48	48	24	19	31	26	25	15	19	23
Diphtheria (10)	480	83	34	41	38	36	32	33	16	31	37	44	55
Influenza (11)	1,003	152	133	165	137	71	40	18	20	22	32	71	142
Dysentery (16)	53			5		2	3	6	8	12	4	9	4
Lethargic encephalitis (23)	50	4	3	3	5	6	1	7	2	4	4	6	5
Meningococcus meningitis (24)	43	3	2	5	8	6	3	4	2	3	2	4	1
Tuberculosis of the respiratory system (31)	4,946	484	407	507	429	455	433	380	372	355	365	373	386
Other forms of tuberculosis (32–37)	696	60	62	53	76	88	49	66	44	54	55	51	38
Bronchitis (99)	607	81	53	93	77	57	35	28	24	34	34	34	57
Broncho-pneumonia (100)	2,299	307	285	349	280	183	127	69	51	86	130	156	276
Pneumonia (101)	3,431	457	463	463	419	276	195	113	99	145	193	229	379
Diarrhea and enteritis (under 2 years) (113)	1,938	138	130	151	113	142	101	152	245	237	252	151	126
Diarrhea and enteritis (2 years and over) (114)	399	16	21	23	14	25	28	46	61	62	48	37	18
Puerperal septicemia (146)	364	41	44	37	29	30	24	30	28	19	20	30	32
Other puerperal causes (143–145, 147–150)	480	44	43	38	51	37	44	33	31	41	43	40	35
Suicide (165–174)	1,020	59	71	87	104	87	94	100	78	91	110	73	66
Automobile accidents (188c)	1,065	58	36	51	77	91	98	104	106	128	118	121	77
Other external causes (175–188b, 188d–203)	4,874	495	367	359	367	366	436	443	457	363	356	418	447
All other causes	52,274	4,956	4,452	4,912	4,723	4,573	4,028	3,951	3,936	3,912	4,038	4,171	4,622

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA, all causes	37,162	3,459	3,199	3,653	3,408	3,246	2,848	2,736	2,861	2,799	2,880	2,919	3,154
Typhoid and paratyphoid fever (1)	216	11	18	13	8	9	12	16	28	34	26	28	13
Malaria (5)	16	1			1		3	5	2	1	1	2	
Smallpox (6)	9	1		2	4	1	1						
Measles (7)	211	39	39	44	50	21	11		2	3	1	1	
Scarlet fever (8)	75	7	7	8	5	14	3	1	5	4	2	4	15
Whooping cough (9)	306	38	36	66	51	38	16	12	16	17	7	4	5
Diphtheria (10)	247	43	21	34	17	6	10	8	14	18	22	32	22
Influenza (11)	727	99	111	120	98	48	21	18	11	18	34	63	91
Dysentery (16)	96	3	3	3			4	12	25	19	20	6	1
Lethargic encephalitis (23)	33	2	2	8	3	2	3			5	1	3	4
Meningococcus meningitis (24)	23	2	3	5	5	2	1	2		1	1		1
Tuberculosis of the respiratory system (31)	2,189	183	184	234	190	203	190	186	173	146	181	149	170
Other forms of tuberculosis (32–37)	386	37	25	39	36	50	40	30	27	27	21	26	28
Bronchitis (99)	200	24	21	29	25	20	17	10	5	7	12	11	19
Broncho-pneumonia (100)	1,174	177	158	183	156	103	47	21	28	47	71	83	100
Pneumonia (101)	1,594	213	181	250	208	127	89	36	31	56	95	132	176
Diarrhea and enteritis [under 2 years] (113)	875	33	32	40	42	26	42	69	178	174	119	84	36
Diarrhea and enteritis [2 years and over] (114)	239	5	15	13	12	14	13	29	43	42	24	18	11
Puerperal septicemia (146)	182	9	22	25	19	18	14	10	10	12	12	15	16
Other puerperal causes (143–145, 147–150)	212	17	23	14	23	20	20	20	11	16	17	17	14
Suicide (165–174)	407	36	20	43	36	40	31	33	31	34	40	31	32
Automobile accidents (188c)	480	24	16	17	27	45	33	50	55	46	72	57	38
Other external causes (175–188b, 188d–203)	2,256	215	186	162	183	181	201	214	201	166	169	181	197
All other causes	25,009	2,240	2,076	2,301	2,209	2,258	2,026	1,959	1,965	1,906	1,932	1,972	2,165
IOWA, all causes	23,774	2,297	2,091	2,370	2,137	2,108	1,886	1,775	1,724	1,674	1,791	1,811	2,160
Typhoid and paratyphoid fever (1)	65	6		4	6	4	8	3	11	9	5	4	5
Malaria (5)	2		1				1						
Smallpox (6)	12			1				1			1		9
Measles (7)	262	53	61	59	44	22	16	4		1	1	1	
Scarlet fever (8)	85	11	10	19	10	7	3	6	3	2	4	6	4
Whooping cough (9)	139	20	18	25	21	17	4	10	7	3	2	6	6
Diphtheria (10)	151	22	25	13	12	12	10	8	7	11	10	9	12
Influenza (11)	412	38	60	73	38	47	20	11	14	11	19	27	54
Dysentery (16)	33	2	2	2		1	2		11	8	1	4	
Lethargic encephalitis (23)	18	2	3	3	2		2			3	1		2
Meningococcus meningitis (24)	11	1	3	1		1			2			1	2
Tuberculosis of the respiratory system (31)	840	56	82	82	103	68	70	70	60	55	64	59	71
Other forms of tuberculosis (32–37)	166	10	10	17	19	20	10	17	17	12	10	9	15
Bronchitis (99)	168	24	17	20	16	12	9	9	6	7	15	11	22
Broncho-pneumonia (100)	663	86	77	112	86	50	42	29	23	19	22	44	73
Pneumonia (101)	1,036	154	117	138	122	81	73	26	32	37	58	85	113
Diarrhea and enteritis [under 2 years] (113)	243	24	23	13	20	23	10	29	31	23	23	12	12
Diarrhea and enteritis [2 years and over] (114)	122	8	2	7	2	6	13	11	24	20	15	6	8
Puerperal septicemia (146)	113	9	18	9	14	8	9	7	3	4	7	15	10
Other puerperal causes (143–145, 147–150)	181	13	12	11	17	23	20	15	9	16	15	16	14
Suicide (165–174)	345	22	35	27	18	36	37	28	22	33	28	37	22
Automobile accidents (188c)	211	8	4	3	15	21	17	29	23	22	26	28	15
Other external causes (175–188b, 188d–203)	1,254	117	91	100	110	99	90	127	124	96	98	90	112
All other causes	17,242	1,611	1,420	1,631	1,462	1,550	1,370	1,335	1,295	1,282	1,366	1,341	1,579
KANSAS, all causes	17,898	1,787	1,603	1,772	1,588	1,444	1,373	1,322	1,431	1,214	1,340	1,365	1,659
Typhoid and paratyphoid fever (1)	79	1	3		2	1	7	6	14	18	18	8	1
Malaria (5)	6					1	1		2			1	1
Smallpox (6)	2	1		1									
Measles (7)	151	6	30	48	33	18	10	3	1	1			1
Scarlet fever (8)	44	7	4	5	5	2	4	1	1	2	5	5	3
Whooping cough (9)	128	18	11	19	18	16	13	6	7	4	2	7	7
Diphtheria (10)	91	13	6	11	5	7	4	4	7	7	7	9	11
Influenza (11)	386	60	68	66	56	24	10	4	10	10	16	16	46
Dysentery (16)	47		2	1	2	2	1	7	11	14	6		1
Lethargic encephalitis (23)	13		1	2	2	1	3		1	2			1
Meningococcus meningitis (24)	10		1	1	5							1	2
Tuberculosis of the respiratory system (31)	672	71	58	66	62	59	62	47	54	48	45	48	52
Other forms of tuberculosis (32–37)	115	3	5	7	14	16	10	12	12	7	9	12	8
Bronchitis (99)	112	17	17	14	14	8	5	3	6	4	5	8	11
Broncho-pneumonia (100)	519	100	78	79	60	41	22	7	9	12	20	34	57
Pneumonia (101)	580	93	100	89	65	33	26	14	11	17	27	37	68
Diarrhea and enteritis [under 2 years] (113)	328	9	8	15	18	10	17	46	75	59	38	20	13
Diarrhea and enteritis [2 years and over] (114)	148	3	1	11	4	8	11	18	36	29	12	9	6
Puerperal septicemia (146)	80	6	4	7	5	9	7	7	5	8	7	3	12
Other puerperal causes (143–145, 147–150)	158	13	11	18	12	11	17	12	16	14	8	11	15
Suicide (165–174)	201	10	19	16	16	14	21	14	21	13	21	18	18
Automobile accidents (188c)	169	17	11	7	10	13	18	13	21	24	13	13	9
Other external causes (175–188b, 188d–203)	1,094	93	82	84	78	80	120	107	104	76	84	84	102
All other causes	12,765	1,246	1,083	1,205	1,102	1,070	984	991	1,007	845	997	1,021	1,214
KENTUCKY (WHITE), all causes	22,305	2,131	2,109	2,214	2,039	1,779	1,538	1,731	1,803	1,643	1,680	1,691	1,947
Typhoid and paratyphoid fever (1)	340	24	14	18	22	14	12	20	56	53	39	36	32
Malaria (5)	35			1	5	2	3	4	8	7	3	2	
Smallpox (6)	5		1		1			2		1			
Measles (7)	281	33	65	58	58	37	17	3	5	1	2		2
Scarlet fever (8)	31	3	3	2	2	3			2	1	4	6	5
Whooping cough (9)	296	39	41	50	26	21	14	14	25	21	16	16	13
Diphtheria (10)	223	36	13	12	5	7	8	8	9	18	45	27	35
Influenza (11)	439	49	68	89	56	33	10	14	4	9	15	30	62
Dysentery (16)	131	4	3	3	5	2	2	22	28	29	15	13	5
Lethargic encephalitis (23)	13		1	1	2	1	1		2		1	2	2
Meningococcus meningitis (24)	42	2	6	7	4	4	3	3	3	3	2	4	1
Tuberculosis of the respiratory system (31)	2,092	219	194	214	210	187	154	172	155	122	161	128	176
Other forms of tuberculosis (32–37)	277	21	24	27	21	24	29	25	21	25	20	22	18
Bronchitis (99)	154	12	21	19	16	18	12	4	6	7	13	15	11
Broncho-pneumonia (100)	740	115	117	112	80	42	24	16	27	32	34	73	68
Pneumonia (101)	1,009	147	153	167	134	51	26	18	19	39	56	75	124
Diarrhea and enteritis [under 2 years] (113)	732	17	17	22	20	12	24	130	170	124	109	60	27
Diarrhea and enteritis [2 years and over] (114)	212	10	6	8	16	4	14	48	42	19	25	10	10
Puerperal septicemia (146)	157	18	17	22	8	10	11	11	12	8	17	14	9
Other puerperal causes (143–145, 147–150)	198	18	22	22	17	18	13	15	22	16	13	8	14
Suicide (165–174)	166	11	15	13	19	15	10	16	8	15	17	12	15
Automobile accidents (188c)	173	8	7	2	13	9	20	18	23	18	14	21	20
Other external causes (175–188b, 188d–203)	1,458	121	126	110	139	122	118	107	143	98	121	114	139
All other causes	13,101	1,224	1,175	1,235	1,160	1,143	1,013	1,061	1,013	977	938	1,003	1,159

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (COLORED), all causes	4,501	401	405	429	405	405	329	368	362	337	333	367	360
Typhoid and paratyphoid fever (1)	79	3	4	3	4	5	10	5	5	14	13	10	3
Malaria (5)	15	1	1		1		1	4	1	3		2	1
Smallpox (6)	1			1									
Measles (7)	9			2	3	1	2					1	
Scarlet fever (8)	3	1										1	1
Whooping cough (9)	36	4	5	8	3	1	2	6	2	1	2	1	1
Diphtheria (10)	14	3	1	1				1	2	1	1	3	1
Influenza (11)	105	4	21	19	21	9	6	3	1	2	2	5	12
Dysentery (16)	18			1			2	6	5	3	1		
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	523	38	49	46	50	66	43	45	37	38	38	36	37
Other forms of tuberculosis (32–37)	69	5	5	7	9	6	2	12	5	4	4	5	5
Bronchitis (99)	49	3	7	6	3	3	3	6	3	7	1	3	4
Broncho-pneumonia (100)	143	14	16	21	26	13	7	4	3	7	6	15	11
Pneumonia (101)	271	31	36	37	38	28	6	9	13	8	14	23	28
Diarrhea and enteritis [under 2 years] (113)	79	3	2	1	2	4	4	19	15	9	12	6	2
Diarrhea and enteritis [2 years and over] (114)	28	2			1	1	3	5	5	4	2	3	2
Puerperal septicemia (146)	31		7	4	2	2	1	3	2	2	6		2
Other puerperal causes (143–145, 147–150)	26	3	3	3	1		1	3	5	1	4		2
Suicide (165–174)	10	1	1		1		4		1	1	1		
Automobile accidents (188c)	24		1		1	1	5	5	2	3	3	3	
Other external causes (175–188b, 188d–203)	353	31	36	39	16	18	27	26	48	21	30	30	31
All other causes	2,613	254	209	230	223	246	200	206	207	208	193	220	217
LOUISIANA (WHITE), all causes	12,260	1,157	1,217	1,233	1,010	942	954	1,010	871	828	908	1,018	1,112
Typhoid and paratyphoid fever (1)	187	7	9	7	9	6	14	22	13	27	13	31	29
Malaria (5)	132	4	4	4	5	14	15	25	17	19	8	9	8
Smallpox (6)	1			1									
Measles (7)	260	34	57	81	48	17	19	1			1	1	1
Scarlet fever (8)	6			2		1					1	2	
Whooping cough (9)	51	4	1	5	4	5	4	9	6	2	2	4	5
Diphtheria (10)	81	10	12	4	11	3	4	4	4	1	11	11	6
Influenza (11)	308	44	72	55	29	7	5	1	2	2	9	30	52
Dysentery (16)	83	3	6	1	4	10	10	10	6	5	12	10	6
Lethargic encephalitis (23)	7					1	1		1	2			2
Meningococcus meningitis (24)	8		2		1	1	1					1	2
Tuberculosis of the respiratory system (31)	711	60	70	64	66	63	64	59	44	41	50	64	66
Other forms of tuberculosis (32–37)	65	7	4	4	5	10	3	2	7	6	7	5	5
Bronchitis (99)	67	13	8	8	7	3	2	4	3	1	5	10	3
Broncho-pneumonia (100)	433	56	63	54	48	29	23	19	15	15	21	38	52
Pneumonia (101)	527	62	102	94	52	41	15	14	10	15	27	38	57
Diarrhea and enteritis [under 2 years] (113)	527	20	12	29	23	53	68	54	40	45	63	59	61
Diarrhea and enteritis [2 years and over] (114)	127	5	5	7	4	13	11	23	13	9	16	12	9
Puerperal septicemia (146)	67	6	4	4	3	4	4	6	6	8	5	9	8
Other puerperal causes (143–145, 147–150)	134	15	10	15	10	14	8	10	9	10	7	13	13
Suicide (165–174)	105	10	11	7	14	7	6	10	5	13	6	5	11
Automobile accidents (188c)	141	10	5	8	7	17	11	9	14	17	10	19	14
Other external causes (175–188b, 188d–203)	749	68	67	59	58	51	70	71	81	59	56	48	61
All other causes	7,483	719	693	720	602	572	596	657	575	531	578	599	641
LOUISIANA (COLORED), all causes	12,220	994	1,090	1,155	1,039	1,060	1,073	1,036	885	801	954	1,004	1,129
Typhoid and paratyphoid fever (1)	213	5	9	7	9	20	26	26	29	20	22	22	18
Malaria (5)	142	4	5	2	10	7	25	21	21	16	11	12	8
Smallpox (6)	1		1										
Measles (7)	210	19	40	63	42	19	16	6	3		1		1
Scarlet fever (8)	1		1										
Whooping cough (9)	88	10	5	9	10	8	13	12	7	4	3	3	4
Diphtheria (10)	29	5	1	1	2	3		3		3	4	3	4
Influenza (11)	294	40	63	45	27	14	7	1	3	9	6	34	45
Dysentery (16)	95		5	8	4	6	13	10	9	9	11	11	9
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	3		3										
Tuberculosis of the respiratory system (31)	1,192	99	101	111	106	113	116	104	80	83	88	77	114
Other forms of tuberculosis (32–37)	134	12	14	12	12	16	15	10	8	8	9	7	11
Bronchitis (99)	62	3	4	9	8	9	8	2	2	4	5	5	3
Broncho-pneumonia (100)	422	47	51	55	37	31	17	26	14	20	23	38	63
Pneumonia (101)	621	95	86	97	58	38	21	20	20	23	25	52	86
Diarrhea and enteritis [under 2 years] (113)	448	18	13	12	23	63	63	51	27	42	48	55	33
Diarrhea and enteritis [2 years and over] (114)	122	5	7	3	8	12	21	12	8	10	8	21	7
Puerperal septicemia (146)	83	7	4	11	8	9	9	11	8	1	7	4	4
Other puerperal causes (143–145, 147–150)	160	5	14	11	14	20	14	12	15	10	7	17	21
Suicide (165–174)	19		2	1	2		3	4	2		1	3	1
Automobile accidents (188c)	69	4	4	5	4	2	7	10	6	3	11	7	6
Other external causes (175–188b, 188d–203)	769	58	75	63	61	51	67	79	71	60	50	65	69
All other causes	7,042	558	582	630	594	619	612	616	552	476	614	567	622
MAINE, all causes	10,754	981	953	1,022	961	999	840	798	759	739	876	882	944
Typhoid and paratyphoid fever (1)	51	3	2		3	2	3	8	6	5	6	7	6
Malaria (5)													
Smallpox (6)													
Measles (7)	45	4	8	11	8	8	2	2	1	1			
Scarlet fever (8)	23		4	5	2	2		3	3			1	3
Whooping cough (9)	84	13	16	10	13	12	5	3	1	3	3	2	3
Diphtheria (10)	60	9	7	4	4	6	5	2	5	4	2	8	4
Influenza (11)	194	15	26	34	22	23	11	7		8	6	11	31
Dysentery (16)	8	1							4	1		1	1
Lethargic encephalitis (23)	5				1	1				1	1		1
Meningococcus meningitis (24)	4						2			1			1
Tuberculosis of the respiratory system (31)	443	37	35	44	43	39	47	35	29	34	29	29	42
Other forms of tuberculosis (32–37)	90	10	10	9	7	8	4	6	6	6	8	6	10
Bronchitis (99)	86	11	10	11	13	3	7	2		5	8	8	8
Broncho-pneumonia (100)	361	41	41	46	42	41	35	12	4	10	22	28	39
Pneumonia (101)	431	43	49	65	44	39	27	14	14	9	34	45	48
Diarrhea and enteritis [under 2 years] (113)	163	13	5	7	9	8	4	8	19	39	25	14	12
Diarrhea and enteritis [2 years and over] (114)	32	4	4	1	2		1	1	5	2	4	3	5
Puerperal septicemia (146)	37	3	2	5	2	1	1	1		5	9	6	2
Other puerperal causes (143–145, 147–150)	115	14	11	12	5	16	7	12	11	11	4	6	6
Suicide (165–174)	110	5	8	8	11	14	15	17	6	8	2	9	7
Automobile accidents (188c)	91	1		1	2	8	7	18	10	13	16	12	3
Other external causes (175–188b, 188d–203)	484	29	28	37	37	43	40	62	48	33	49	44	34
All other causes	7,837	725	687	712	691	725	617	585	587	540	648	642	678

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (WHITE), all causes	15,915	1,533	1,494	1,560	1,381	1,340	1,121	1,179	1,163	1,142	1,273	1,302	1,427
Typhoid and paratyphoid fever (1)	51	5	1	4	4	4	1	3	9	7	4	3	6
Malaria (5)	3			1			1	1					
Smallpox (6)													
Measles (7)	42	2	3	9	6	10	6	2	3			1	
Scarlet fever (8)	41	4	5	8	2	4	2	3				5	8
Whooping cough (9)	92	6	9	12	9	5	10	6	5	11	2	8	9
Diphtheria (10)	109	17	6	8	3	5	7	5	5	4	13	21	15
Influenza (11)	181	23	27	25	25	9	5	6	4	7	3	17	30
Dysentery (16)	33		1			1	1	5	8	10	5	2	
Lethargic encephalitis (23)	33		4	5	3	5	7		3	3	1	2	
Meningococcus meningitis (24)	14		1		1	4	1	2	1	1	1		2
Tuberculosis of the respiratory system (31)	1,021	94	98	105	75	104	77	87	86	68	78	72	77
Other forms of tuberculosis (32–37)	135	11	11	19	14	8	8	16	10	9	16	8	5
Bronchitis (99)	104	9	19	16	13	9	3	6	2	4	7	6	10
Broncho-pneumonia (100)	763	101	121	107	85	55	29	22	28	32	49	55	79
Pneumonia (101)	655	88	99	90	94	49	28	16	7	22	20	58	84
Diarrhea and enteritis [under 2 years] (113)	448	25	7	14	9	12	11	60	112	96	60	29	13
Diarrhea and enteritis [2 years and over] (114)	77	4	3	1	4	6	5	9	16	10	8	9	2
Puerperal septicemia (146)	70	5	7	12	10	6	6	6	3	3	1	8	3
Other puerperal causes (143–145, 147–150)	87	3	11	7	6	15	9	4	9	4	4	8	7
Suicide (165–174)	148	18	7	17	10	19	11	10	11	8	16	15	6
Automobile accidents (188c)	202	14	6	16	17	13	23	14	20	19	20	18	22
Other external causes (175–188b, 188d–203)	815	80	65	70	58	63	68	86	60	67	60	63	75
All other causes	10,791	1,024	983	1,014	933	934	802	810	761	757	905	894	974
MARYLAND (COLORED), all causes	5,059	451	445	532	470	412	390	364	401	386	395	368	445
Typhoid and paratyphoid fever (1)	46	1	3		1	3	1	3	10	7	8	7	2
Malaria (5)													
Smallpox (6)													
Measles (7)	12		1	3	1	1	1	1	2	2			
Scarlet fever (8)	4	2							1				1
Whooping cough (9)	56	4	5	12	7	7	2	1	6	5	2		5
Diphtheria (10)	9				1	1		1		1	1	2	2
Influenza (11)	80	8	11	13	11	4	4		4	4	4	5	12
Dysentery (16)	7						1	2	2		2		
Lethargic encephalitis (23)	7	2				1	1	1	1			1	
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	620	58	53	64	69	55	48	54	40	47	48	42	42
Other forms of tuberculosis (32–37)	71	2	4	7	6	6	11	13	7	3	8	3	1
Bronchitis (99)	38	9	4	7	6	3		1	3	2			3
Broncho-pneumonia (100)	298	30	49	47	21	27	19	11	11	12	22	15	34
Pneumonia (101)	327	43	49	45	37	28	20	9	9	8	14	20	45
Diarrhea and enteritis [under 2 years] (113)	178	5	11	12	11	2	12	17	48	21	20	16	3
Diarrhea and enteritis [2 years and over] (114)	31	3	2	3	3	3		6	3	2	3	2	1
Puerperal septicemia (146)	38	4	3	3	3	4	3	3	6	2	2	3	2
Other puerperal causes (143–145, 147–150)	32	2	3	7	2	1	4	1	3	4	2	1	2
Suicide (165–174)	8			1	2	1			1		2		1
Automobile accidents (188c)	44	1	2	1	3	2		9	5	8	4	5	4
Other external causes (175–188b, 188d–203)	259	23	15	14	24	16	14	21	35	25	17	30	25
All other causes	2,893	254	230	293	262	247	249	210	204	233	235	216	260
MASSACHUSETTS, all causes	49,358	4,636	4,424	4,675	4,539	4,332	3,954	3,558	3,516	3,508	3,880	3,938	4,398
Typhoid and paratyphoid fever (1)	70	5	5	4	6	4	8	6	7	7	11	5	2
Malaria (5)	1								1				
Smallpox (6)	2		1	1									
Measles (7)	171	17	19	32	27	19	9	8	3		6	7	24
Scarlet fever (8)	161	20	16	27	23	15	12	10	5	5	4	12	12
Whooping cough (9)	155	21	25	14	12	12	7	19	11	11	10	4	9
Diphtheria (10)	529	71	64	52	66	50	30	34	31	20	26	47	38
Influenza (11)	319	46	38	45	40	26	9	6	1	4	19	29	56
Dysentery (16)	16	1	1	1				1	3	5	1		3
Lethargic encephalitis (23)	58	4	3	5	5	7	2	5	2	7	3	2	13
Meningococcus meningitis (24)	62	7	5	6	2	6	10	3	4	9	6	2	2
Tuberculosis of the respiratory system (31)	2,981	265	240	280	290	298	276	245	243	229	212	189	214
Other forms of tuberculosis (32–37)	532	50	51	45	58	55	43	43	41	44	31	38	33
Bronchitis (99)	357	43	48	55	30	27	25	14	9	17	27	29	33
Broncho-pneumonia (100)	2,173	305	282	297	223	205	118	58	57	82	131	194	221
Pneumonia (101)	1,902	240	239	208	253	143	122	60	44	58	131	172	232
Diarrhea and enteritis [under 2 years] (113)	850	53	50	50	41	59	59	72	117	130	97	72	50
Diarrhea and enteritis [2 years and over] (114)	161	15	13	8	10	9	10	12	25	26	9	15	9
Puerperal septicemia (146)	198	27	17	26	13	17	16	17	13	10	12	13	17
Other puerperal causes (143–145, 147–150)	394	28	31	44	32	33	42	44	30	28	35	19	28
Suicide (165–174)	488	38	35	31	45	50	47	39	34	41	41	47	40
Automobile accidents (188c)	685	51	22	31	40	50	68	73	61	66	78	83	62
Other external causes (175–188b, 188d–203)	2,273	227	176	164	167	175	231	237	205	165	178	179	169
All other causes	34,820	3,102	3,043	3,249	3,156	3,072	2,810	2,552	2,569	2,544	2,812	2,780	3,131
MICHIGAN, all causes	47,324	4,446	4,108	4,377	4,502	4,350	3,754	3,540	3,523	3,444	3,577	3,672	4,031
Typhoid and paratyphoid fever (1)	150	4	9	16	12	18	13	15	10	14	14	15	10
Malaria (5)	2										2		
Smallpox (6)	226	1	5	7	22	98	53	15	11	6	7	1	
Measles (7)	215	22	27	47	51	26	24	7	3	1		3	4
Scarlet fever (8)	267	27	27	42	27	32	15	15	12	12	17	18	23
Whooping cough (9)	177	9	12	19	15	19	13	17	28	18	8	8	11
Diphtheria (10)	476	71	52	40	47	38	31	21	25	26	38	44	43
Influenza (11)	471	72	65	68	78	36	26	10	9	8	9	37	53
Dysentery (16)	24	2			1		1	4	5	4	4	3	
Lethargic encephalitis (23)	49	5	7	5	4	5	6	3	2	2	4	4	2
Meningococcus meningitis (24)	52	2	8	2	4	3	2	8	7	5	4	4	3
Tuberculosis of the respiratory system (31)	2,493	234	240	238	229	212	217	214	181	196	192	167	173
Other forms of tuberculosis (32–37)	473	30	42	50	40	53	56	43	47	30	30	24	28
Bronchitis (99)	439	53	59	48	42	59	33	17	18	19	22	33	36
Broncho-pneumonia (100)	1,542	212	178	214	200	134	106	50	50	55	82	98	163
Pneumonia (101)	2,073	278	275	243	308	218	138	70	64	87	105	134	153
Diarrhea and enteritis [under 2 years] (113)	957	82	55	55	87	73	65	60	147	134	75	68	56
Diarrhea and enteritis [2 years and over] (114)	196	16	11	12	16	15	13	21	19	28	24	11	10
Puerperal septicemia (146)	277	28	31	31	20	26	29	16	15	16	14	25	26
Other puerperal causes (143–145, 147–150)	363	34	21	28	32	33	29	26	29	25	39	36	31
Suicide (165–174)	501	40	27	42	49	55	51	52	36	37	36	35	41
Automobile accidents (188c)	863	51	33	48	63	66	77	76	99	86	120	87	57
Other external causes (175–188b, 188d–203)	2,721	227	185	193	198	218	226	290	279	213	230	239	223
All other causes	32,317	2,946	2,739	2,929	2,957	2,913	2,530	2,490	2,427	2,422	2,501	2,578	2,885

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA, all causes	24,579	2,327	2,059	2,318	2,250	2,236	2,014	1,869	1,758	1,768	1,773	2,054	2,153
Typhoid and paratyphoid fever (1)	37	4	3	2	1	2	4	3	7	3	4	4	
Malaria (5)													
Smallpox (6)	305	3	6	12	12	5	8	9	7	2	26	67	148
Measles (7)	136	22	36	29	13	16	8	4		1	2	4	1
Scarlet fever (8)	206	29	32	16	28	11	15	12	7	5	8	20	23
Whooping cough (9)	131	18	14	22	12	18	12	9	10	5	1	3	7
Diphtheria (10)	211	29	13	19	12	18	10	12	21	18	22	18	19
Influenza (11)	254	42	29	32	28	28	31	4	6	6	6	15	27
Dysentery (16)	13	2	1			2			1	2	3	2	
Lethargic encephalitis (23)	62	3	3	13	3	4	5	7	7	5	4	3	5
Meningococcus meningitis (24)	14	2	1	2	3	2	1	1			2		
Tuberculosis of the respiratory system (31)	1,424	114	107	135	135	157	131	136	106	101	98	99	105
Other forms of tuberculosis (32-37)	285	21	23	28	21	35	28	31	20	23	21	13	21
Bronchitis (99)	155	16	19	17	14	14	20	3	7	5	8	12	20
Broncho-pneumonia (100)	771	105	75	106	90	71	49	27	25	31	37	82	73
Pneumonia (101)	1,044	141	102	127	131	117	76	44	36	34	53	81	102
Diarrhea and enteritis [under 2 years] (113)	276	29	23	40	26	22	22	8	16	21	21	25	23
Diarrhea and enteritis [2 years and over] (114)	87	5	6	5	9	4	6	12	7	10	10	6	7
Puerperal septicemia (146)	116	13	12	12	15	9	16	6	5	6	8	9	5
Other puerperal causes (143-145, 147-150)	161	20	13	14	13	16	20	16	9	10	12	8	10
Suicide (165-174)	294	24	21	27	27	30	33	26	23	21	27	20	15
Automobile accidents (188c)	366	16	13	29	23	23	32	49	38	47	39	33	24
Other external causes (175-188b, 188d-203)	1,380	99	115	98	95	108	126	158	130	107	123	142	79
All other causes	16,851	1,574	1,391	1,532	1,538	1,525	1,363	1,291	1,274	1,301	1,239	1,388	1,435
MISSISSIPPI (WHITE), all causes	7,865	765	788	749	603	624	676	649	588	491	586	636	710
Typhoid and paratyphoid fever (1)	97	9	3	4	2	7	10	18	16	5	8	8	7
Malaria (5)	110	4	5	6		7	14	7	21	20	10	11	5
Smallpox (6)	1				1								
Measles (7)	132	21	37	26	26	12	6	4					
Scarlet fever (8)	10	2				1	5			1		1	
Whooping cough (9)	58	6	3	12	9	4	4	10	4	2	1	1	2
Diphtheria (10)	59	4	8	7	2	1		3	2	5	14	8	5
Influenza (11)	254	26	57	39	20	14		4	1	3	4	35	51
Dysentery (16)	75	1	3	3	1	3	19	16	5	3	3	8	10
Lethargic encephalitis (23)	6		2			1	2				1		
Meningococcus meningitis (24)	10	3		2	1		1					2	1
Tuberculosis of the respiratory system (31)	394	37	42	32	37	49	21	35	26	19	29	37	30
Other forms of tuberculosis (32-37)	28	1	1		2	8	3	4	1		1	4	3
Bronchitis (99)	36	10	4	5	2	2	2			2	3	2	4
Broncho-pneumonia (100)	205	29	32	28	14	13	6	7	4	7	10	27	28
Pneumonia (101)	458	68	72	59	43	25	12	6	10	10	24	51	78
Diarrhea and enteritis [under 2 years] (113)	241	9	11	11	8	23	45	45	30	17	11	21	10
Diarrhea and enteritis [2 years and over] (114)	100	2	7	2	3	7	22	27	8	9	7	1	5
Puerperal septicemia (146)	40	2	2	9	1	4	6	2	5	1	3	1	4
Other puerperal causes (143-145, 147-150)	103	7	14	9	8	12	6	11	6	7	10	4	9
Suicide (165-174)	41	2		3	6	8	5	1	2	2	5	2	5
Automobile accidents (188c)	69	1	4	1	4	7	7	7	5	5	7	15	6
Other external causes (175-188b, 188d-203)	456	41	38	37	24	47	46	36	43	25	35	36	48
All other causes	4,882	480	443	454	389	369	434	406	399	348	400	361	399
MISSISSIPPI (COLORED), all causes	13,283	1,066	1,094	1,240	1,187	1,164	1,187	1,243	1,030	873	1,033	1,049	1,117
Typhoid and paratyphoid fever (1)	225	4	6	5	12	8	22	38	41	27	27	23	12
Malaria (5)	269	2	4	6	10	16	28	44	62	39	34	18	6
Smallpox (6)	5	1	1			1	1		1				
Measles (7)	70	7	8	17	22	5	3	6				2	
Scarlet fever (8)	1		1										
Whooping cough (9)	160	8	13	26	26	17	20	14	5	8	9	8	6
Diphtheria (10)	38	3	1	1	1	3		1	1	3	11	4	9
Influenza (11)	311	43	62	59	33	22	12	3	2	1	7	24	43
Dysentery (16)	95	1	1	1	3	7	37	19	15	4	3	1	3
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	3	1					1		1				
Tuberculosis of the respiratory system (31)	1,357	133	120	123	142	155	121	103	73	77	108	96	106
Other forms of tuberculosis (32-37)	127	8	10	7	14	12	9	12	10	13	15	6	11
Bronchitis (99)	24	1	1	3	6	1		2	1	1	2	3	3
Broncho-pneumonia (100)	224	25	32	32	31	14	4	2	7	5	12	23	37
Pneumonia (101)	695	104	91	105	79	32	16	13	11	10	25	100	109
Diarrhea and enteritis [under 2 years] (113)	338	6	8	7	12	43	64	80	34	25	22	20	17
Diarrhea and enteritis [2 years and over] (114)	88	7	3	3	6	4	19	17	13	3	2	9	2
Puerperal septicemia (146)	87	4	11	6	6	7	11	13	6	9	2	4	8
Other puerperal causes (143-145, 147-150)	185	19	12	23	18	23	12	16	14	15	8	12	13
Suicide (165-174)	8	2		1	1	1		1	1				1
Automobile accidents (188c)	56	3	4	2	4	2	5	5	6	2	9	6	8
Other external causes (175-188b, 188d-203)	860	77	79	74	73	62	64	84	81	48	70	71	77
All other causes	8,056	606	626	739	688	729	738	770	645	583	667	619	646
MISSOURI, all causes	40,474	3,857	3,625	4,113	3,828	3,227	2,907	3,035	3,123	2,921	3,126	3,123	3,589
Typhoid and paratyphoid fever (1)	294	13	12	8	9	13	15	17	51	60	45	30	21
Malaria (5)	169	6	7	6	10	7	14	15	29	35	18	12	10
Smallpox (6)	2				1	1							
Measles (7)	333	59	77	85	66	34	5	3	1	2			1
Scarlet fever (8)	171	26	10	25	21	13	6	9	5	4	12	20	20
Whooping cough (9)	335	50	50	55	50	30	15	32	20	10	7	10	6
Diphtheria (10)	276	43	19	22	19	8	20	5	5	14	39	42	40
Influenza (11)	892	140	142	155	134	70	30	10	6	14	26	62	103
Dysentery (16)	144	4	3	4	5	3	4	32	29	30	18	7	5
Lethargic encephalitis (23)	51	4	3	7	6	10	4	4	4		1	4	4
Meningococcus meningitis (24)	37	6	5	2	4	2		3	4	2	1	2	6
Tuberculosis of the respiratory system (31)	2,771	242	273	280	264	261	226	218	189	197	178	199	244
Other forms of tuberculosis (32-37)	334	22	31	33	25	27	32	34	26	28	26	30	20
Bronchitis (99)	264	32	26	37	26	27	23	14	7	11	18	20	23
Broncho-pneumonia (100)	1,549	195	215	233	211	89	77	36	52	60	67	124	190
Pneumonia (101)	2,086	283	268	337	296	140	86	54	56	71	109	142	244
Diarrhea and enteritis [under 2 years] (113)	936	37	23	43	35	28	58	162	210	140	115	53	32
Diarrhea and enteritis [2 years and over] (114)	276	15	15	19	11	5	18	36	60	42	29	14	12
Puerperal septicemia (146)	195	17	14	15	22	10	16	13	14	17	24	16	17
Other puerperal causes (143-145, 147-150)	246	21	28	24	23	18	15	21	13	19	22	19	23
Suicide (165-174)	497	41	37	50	45	45	34	44	50	30	46	37	38
Automobile accidents (188c)	449	28	22	15	31	40	31	34	43	50	53	56	46
Other external causes (175-188b, 188d-203)	2,289	194	182	174	175	180	212	213	230	169	186	177	197
All other causes	25,878	2,379	2,163	2,484	2,339	2,166	1,966	2,026	2,019	1,916	2,086	2,047	2,287

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA, all causes	4,970	419	464	445	450	433	407	383	359	389	393	370	458
Typhoid and paratyphoid fever (1)	16	1	2	1	1	1		1	4	1		3	1
Malaria (5)													
Smallpox (6)	3	1		1		1							
Measles (7)	73	4	21	19	11	14	1					2	1
Scarlet fever (8)	32	9	6	1	1	2	1	1	2	1	1	3	4
Whooping cough (9)	26	2	3	1	3	4	3	8	1				1
Diphtheria (10)	56	3	9	3	4	2	7	6	2	5	1	5	9
Influenza (11)	64	8	7	5	10	7	3	1	1	4	4	7	7
Dysentery (16)	3									1	2		
Lethargic encephalitis (23)	13	1	2	1	6	1			1				1
Meningococcus meningitis (24)	5		1					1		2	1		
Tuberculosis of the respiratory system (31)	387	41	34	35	40	45	26	32	28	29	27	19	31
Other forms of tuberculosis (32–37)	47	8	5	4	3	4	4	3		4	9	2	1
Bronchitis (99)	15		1		1	2	4			1	2	2	2
Broncho-pneumonia (100)	131	16	15	15	14	10	11	10	8	4	6	11	11
Pneumonia (101)	233	22	29	30	39	23	13	8	7	5	16	16	25
Diarrhea and enteritis [under 2 years] (113)	71	6	5	3	6	6	6	4	9	8	8	5	5
Diarrhea and enteritis [2 years and over] (114)	32	2	4	2	1	3	1	2	5	4	4	4	
Puerperal septicemia (146)	30		5	5		2	2	5	3	2	1	2	3
Other puerperal causes (143–145, 147–150)	37	4	3	4	6	4	2	1	2	2	1	2	6
Suicide (165–174)	79	5	9	7	3	11	7	5	4	5	5	9	9
Automobile accidents (188c)	69	1		3	4	3	9	8	13	5	14	5	4
Other external causes (175–188b, 188d–203)	487	31	30	40	28	31	35	66	54	47	37	33	55
All other causes	3,061	254	273	265	269	257	272	221	215	259	254	240	282
NEBRASKA, all causes	12,388	1,158	1,094	1,158	1,136	1,089	944	875	948	919	916	1,053	1,098
Typhoid and paratyphoid fever (1)	28	1	1	2	1	3	2	2	4	2	4	3	3
Malaria (5)	1	1											
Smallpox (6)	1								1				
Measles (7)	209	21	42	53	53	23	9	3	1	2	1		1
Scarlet fever (8)	42	6	6	2	3	5	3	1	1		5	5	5
Whooping cough (9)	77	11	7	6	6	10	6	6	4	7	5	5	4
Diphtheria (10)	107	13	11	6	7	2	7	6	2	14	13	18	8
Influenza (11)	263	16	34	38	35	25	21	7	8	16	15	19	29
Dysentery (16)	15								7	4	2	1	1
Lethargic encephalitis (23)	9	1			2	1	2	1		1			1
Meningococcus meningitis (24)	7	3			1	1	1				1		
Tuberculosis of the respiratory system (31)	383	39	19	45	37	33	37	32	33	24	23	29	32
Other forms of tuberculosis (32–37)	94	7	6	9	8	13	10	8	5	8	4	9	7
Bronchitis (99)	68	7	6	10	10	7	3	2	3	3	5	3	9
Broncho-pneumonia (100)	341	42	46	37	30	37	19	5	9	11	18	31	56
Pneumonia (101)	491	73	66	61	50	52	33	13	16	16	24	39	48
Diarrhea and enteritis [under 2 years] (113)	185	7	9	18	13	8	11	12	26	38	16	12	15
Diarrhea and enteritis [2 years and over] (114)	81	2	5	4	1	1	3	9	21	13	13	6	3
Puerperal septicemia (146)	76	11	11	10	9	8	1	7	3	3	5	4	4
Other puerperal causes (143–145, 147–150)	114	11	19	12	7	13	6	12	5	8	7	10	4
Suicide (165–174)	170	15	14	13	19	12	19	8	20	15	15	11	9
Automobile accidents (188c)	113	10	4	2	4	9	8	15	11	13	17	16	4
Other external causes (175–188b, 188d–203)	675	53	45	42	49	52	62	75	73	60	52	60	52
All other causes	8,838	808	743	788	791	774	681	651	695	661	671	772	803
NEW HAMPSHIRE, all causes	6,357	556	543	542	589	556	502	511	471	470	508	528	581
Typhoid and paratyphoid fever (1)	19	3			1	3	2	2	2	2	1	3	
Malaria (5)	1									1			
Smallpox (6)	1	1											
Measles (7)	26	7	5	4	3	2		1	2				2
Scarlet fever (8)	13	2		1	1			2				4	3
Whooping cough (9)	46	1	4	7	7	2	3	3	2	3	3	5	6
Diphtheria (10)	34	6		2	3	3	3	1		1	5	4	6
Influenza (11)	100	5	11	15	14	11	3	7	1	4	4	6	19
Dysentery (16)	3					1		1		1			
Lethargic encephalitis (23)	5					1				1	1		2
Meningococcus meningitis (24)	8	1	2	2		1							2
Tuberculosis of the respiratory system (31)	251	17	28	15	17	24	22	24	26	23	18	19	18
Other forms of tuberculosis (32–37)	82	4	5	10	9	10	11	4	8	5	7	3	6
Bronchitis (99)	65	8	9	10	6	7	4	1	4	3	3	1	9
Broncho-pneumonia (100)	188	29	21	21	23	15	15	7	4	3	15	11	24
Pneumonia (101)	260	29	38	32	29	25	15	8	5	6	15	22	36
Diarrhea and enteritis [under 2 years] (113)	104	5	7	6	10	13	6	5	8	13	14	12	5
Diarrhea and enteritis [2 years and over] (114)	28	1	1	4	2		2	2	4	3	2	3	4
Puerperal septicemia (146)	13		1	1	3	1	2	1	3			1	
Other puerperal causes (143–145, 147–150)	49	6	3	2	2	2	2	7	9	2	6	5	3
Suicide (165–174)	65	1	4	7	5	5	4	9	6	7	6	6	5
Automobile accidents (188c)	61		1		2	9	11	9	4	3	7	8	7
Other external causes (175–188b, 188d–203)	254	23	19	16	15	21	29	32	24	16	17	27	15
All other causes	4,681	407	384	387	437	400	368	385	359	373	384	388	409
NEW JERSEY, all causes	40,840	3,712	3,708	3,864	3,722	3,535	3,095	3,029	3,066	2,981	3,150	3,242	3,736
Typhoid and paratyphoid fever (1)	97	6	7	6	1	4	4	8	8	12	10	9	22
Malaria (5)	6							2	1			1	2
Smallpox (6)	14							1	3	2	2	1	5
Measles (7)	196	22	31	36	38	24	17	8	5	1	1	6	7
Scarlet fever (8)	70	9	10	10	9	7	9	5	2	1		4	4
Whooping cough (9)	275	7	14	19	21	18	17	26	36	27	28	22	40
Diphtheria (10)	342	32	45	39	28	19	22	11	18	18	29	37	44
Influenza (11)	445	41	56	80	62	36	14	8	6	6	17	41	78
Dysentery (16)	14					1		1	5	4	1	1	1
Lethargic encephalitis (23)	98	4	6	11	10	13	8	9	8	4	9	6	10
Meningococcus meningitis (24)	39	3	6	4	5	3	1	3	3	1	2	8	
Tuberculosis of the respiratory system (31)	2,576	205	201	241	238	246	218	238	203	208	192	180	206
Other forms of tuberculosis (32–37)	385	31	30	27	31	54	33	38	29	28	29	23	32
Bronchitis (99)	293	42	43	34	31	18	12	14	10	14	28	14	33
Broncho-pneumonia (100)	1,379	186	191	157	145	111	80	38	42	54	99	98	178
Pneumonia (101)	2,215	291	277	303	271	194	113	78	47	86	142	158	255
Diarrhea and enteritis [under 2 years] (113)	972	55	45	52	71	65	57	82	148	162	102	79	54
Diarrhea and enteritis [2 years and over] (114)	177	10	9	15	15	14	12	17	26	17	15	17	10
Puerperal septicemia (146)	201	13	13	20	23	29	13	18	16	12	14	12	18
Other puerperal causes (143–145, 147–150)	277	31	31	30	20	27	25	24	19	19	22	13	16
Suicide (165–174)	432	32	40	34	40	39	34	39	30	32	37	44	31
Automobile accidents (188c)	746	61	44	42	50	74	51	60	70	65	74	76	79
Other external causes (175–188b, 188d–203)	2,149	188	152	177	173	186	174	220	219	155	159	171	175
All other causes	27,442	2,443	2,457	2,527	2,440	2,353	2,181	2,081	2,112	2,053	2,138	2,221	2,436

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, all causes	140,205	12,682	12,525	13,855	13,036	12,499	10,998	9,795	10,033	10,023	10,807	11,310	12,642
Typhoid and paratyphoid fever (1)	373	20	17	15	11	23	23	33	30	43	37	31	90
Malaria (5)	7	1			1		2	1		1	1		
Smallpox (6)	5			1		2				1	1		
Measles (7)	822	98	105	186	180	127	75	22	9	5	6	2	7
Scarlet fever (8)	264	37	33	41	41	34	16	8	9	5	5	16	19
Whooping cough (9)	767	62	56	78	63	78	67	77	68	79	41	51	47
Diphtheria (10)	1,104	116	123	125	110	104	90	69	62	43	68	83	111
Influenza (11)	1,193	144	172	191	142	89	51	17	16	31	62	97	181
Dysentery (16)	42	2	2	2	1	1	3	1	9	9	3	3	6
Lethargic encephalitis (23)	314	25	19	27	32	31	29	22	18	28	20	32	31
Meningococcus meningitis (24)	139	9	12	14	22	9	9	13	11	7	9	11	13
Tuberculosis of the respiratory system (31)	9,017	751	752	875	868	871	765	695	707	677	707	648	701
Other forms of tuberculosis (32–37)	1,390	107	108	118	161	130	144	119	114	95	99	94	101
Bronchitis (99)	771	86	82	105	91	56	48	33	35	33	54	75	73
Broncho-pneumonia (100)	5,420	550	631	670	613	528	374	217	191	246	361	483	556
Pneumonia (101)	7,251	851	872	940	880	621	467	239	216	262	491	581	831
Diarrhea and enteritis [under 2 years] (113)	2,341	169	156	180	169	171	127	131	362	321	234	168	153
Diarrhea and enteritis [2 years and over] (114)	431	36	27	32	33	28	41	39	42	58	35	25	35
Puerperal septicemia (146)	507	41	53	54	36	51	62	40	40	31	33	35	31
Other puerperal causes (143–145, 147–150)	859	80	69	74	81	85	74	73	63	61	66	69	64
Suicide (165–174)	1,523	107	117	143	144	137	120	119	93	155	117	137	134
Automobile accidents (188c)	1,985	152	89	144	135	158	155	163	224	211	214	198	142
Other external causes (175–188b, 188d–203)	7,197	595	528	568	603	581	622	747	686	494	564	598	611
All other causes	96,483	8,643	8,502	9,272	8,619	8,584	7,634	6,917	7,028	7,127	7,579	7,873	8,705
NORTH CAROLINA (WHITE), all causes	19,969	1,872	1,918	2,069	1,727	1,680	1,852	1,655	1,450	1,361	1,470	1,375	1,540
Typhoid and paratyphoid fever (1)	119			4	7	3	11	27	25	14	10	11	7
Malaria (5)	64	2	3	1	3	5	9	3	10	10	11	3	4
Smallpox (6)	12	1	2	3	2	3	1						
Measles (7)	327	58	65	88	57	25	21	7	3	1			2
Scarlet fever (8)	34	7	3	4	2	1	3	1	2	4	1	2	4
Whooping cough (9)	277	27	34	39	25	24	39	22	18	12	13	10	14
Diphtheria (10)	242	20	11	10	8	6	5	14	19	36	55	39	19
Influenza (11)	449	76	87	77	45	30	6	1	4	8	19	31	65
Dysentery (16)	121	2	3	3	4	6	45	38	6	9	3	2	
Lethargic encephalitis (23)	15	2	1	1	1	3	1				4	1	1
Meningococcus meningitis (24)	14	1	1	1		1	2		5	1	1	1	
Tuberculosis of the respiratory system (31)	1,205	112	103	131	118	104	82	90	126	80	99	70	90
Other forms of tuberculosis (32–37)	121	10	13	8	7	14	13	9	9	12	6	8	12
Bronchitis (99)	79	10	11	10	12	3	3	1	4	9	4	8	4
Broncho-pneumonia (100)	662	121	116	116	63	49	20	15	10	21	32	48	51
Pneumonia (101)	997	156	183	183	104	82	35	20	16	32	40	67	79
Diarrhea and enteritis [under 2 years] (113)	847	24	19	17	26	85	246	198	96	54	37	28	17
Diarrhea and enteritis [2 years and over] (114)	230	8	8	8	7	26	55	64	20	13	11	7	3
Puerperal septicemia (146)	94	10	8	10	7	13	4	9	2	7	9	5	10
Other puerperal causes (143–145, 147–150)	301	27	23	24	27	33	27	27	26	26	22	20	19
Suicide (165–174)	97	9	5	11	5	11	11	6	8	9	9	5	8
Automobile accidents (188c)	227	11	10	13	19	17	12	16	30	16	25	36	22
Other external causes (175–188b, 188d–203)	891	82	99	72	73	62	83	84	70	61	61	62	82
All other causes	12,544	1,096	1,110	1,235	1,105	1,074	1,118	1,003	941	926	998	911	1,027
NORTH CAROLINA (COLORED), all causes	13,269	1,159	1,183	1,276	1,205	1,200	1,287	1,143	1,039	931	945	933	968
Typhoid and paratyphoid fever (1)	151	3	2	2	6	9	14	42	40	13	9	7	4
Malaria (5)	81	1	7	4	2	3	10	8	16	16	9	3	2
Smallpox (6)	17	4	2	2	3	3			1	1			1
Measles (7)	129	13	27	26	25	10	7	8	5	3	1	3	1
Scarlet fever (8)	2				1		1						
Whooping cough (9)	220	24	14	22	26	29	35	29	12	5	9	8	7
Diphtheria (10)	88	5	6	5	2	1	3		9	16	18	12	11
Influenza (11)	299	45	61	45	46	25	8	4	3	5	9	16	32
Dysentery (16)	63	1	1		3	4	24	19	5	2	2		2
Lethargic encephalitis (23)	5	1			1			1		1			1
Meningococcus meningitis (24)	7	1	1		2	2			1				
Tuberculosis of the respiratory system (31)	1,292	130	106	143	126	136	102	107	107	87	79	88	81
Other forms of tuberculosis (32–37)	155	9	7	18	16	11	19	15	19	14	10	3	14
Bronchitis (99)	48	3	5	8	5	2	3	4	2	5	5	2	4
Broncho-pneumonia (100)	420	66	80	65	48	36	12	16	11	14	22	29	21
Pneumonia (101)	725	117	119	125	87	55	34	14	15	17	36	54	52
Diarrhea and enteritis [under 2 years] (113)	634	8	14	10	19	64	210	131	73	36	31	25	13
Diarrhea and enteritis [2 years and over] (114)	101	2	2	4	4	6	32	21	8	9	6	3	4
Puerperal septicemia (146)	77	11	5	3	5	11	4	7	5	6	7	7	6
Other puerperal causes (143–145, 147–150)	206	14	19	19	20	18	23	20	12	17	15	17	12
Suicide (165–174)	14	1		2	4	1	1	2		1	1	1	
Automobile accidents (188c)	101	9	8	4	8	10	6	3	5	12	9	18	9
Other external causes (175–188b, 188d–203)	754	73	69	70	58	65	64	56	55	42	58	67	77
All other causes	7,680	618	628	699	688	699	675	636	635	609	609	570	614
NORTH DAKOTA, all causes	4,852	492	455	465	464	414	392	383	335	310	403	344	395
Typhoid and paratyphoid fever (1)	24	2	3	1	1	2	4	3	2	1	4	1	
Malaria (5)													
Smallpox (6)	3	1											2
Measles (7)	66	10	16	14	9	6	4	1	1	2			3
Scarlet fever (8)	53	7	4	5	11	6	2	2	3	2	3	4	4
Whooping cough (9)	45		4	3	6	9	5	5	4	2	2	3	2
Diphtheria (10)	85	15	10	9	7	3	6	8	2	8	8	6	3
Influenza (11)	55	14	8	7	10	5		2		1	3	2	3
Dysentery (16)	4		1								2		1
Lethargic encephalitis (23)	8		1	1	1	3			2				
Meningococcus meningitis (24)	8				1	2	1				2		2
Tuberculosis of the respiratory system (31)	236	19	18	30	27	30	20	19	20	14	14	10	15
Other forms of tuberculosis (32–37)	50	3	9	7	4	5	3	6	5	5	1		2
Bronchitis (99)	27	3	4	5	4	1	3		5				2
Broncho-pneumonia (100)	226	26	19	39	38	12	12	14	9	5	14	11	27
Pneumonia (101)	249	42	35	26	29	26	26	6	5	9	15	15	15
Diarrhea and enteritis [under 2 years] (113)	112	15	10	14	14	8	5	2	7	7	16	6	8
Diarrhea and enteritis [2 years and over] (114)	24		1	2	1	1	3	3	3	2	7	1	
Puerperal septicemia (146)	23	3	4	1	4	2	1	1	1	2	1	1	2
Other puerperal causes (143–145, 147–150)	58	7	11	5	5	4	7	2	2	3	7	2	3
Suicide (165–174)	51	3	3	4	3	5	5	8	8	2	1	4	5
Automobile accidents (188c)	45	1	2	3		3	4	9	7	3	6	6	1
Other external causes (175–188b, 188d–203)	260	18	18	12	12	33	29	22	24	33	28	13	18
All other causes	3,140	303	274	277	278	249	251	269	225	209	269	259	277

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO, all causes	69,950	6,509	6,310	6,617	6,456	6,177	5,613	5,096	5,062	4,925	5,412	5,508	6,265
Typhoid and paratyphoid fever (1)	224	10	11	17	8	16	15	18	25	34	24	26	20
Malaria (5)	9		2	1			2		1	1	1		1
Smallpox (6)	63		1		3	5	19	10	14	3	3	3	2
Measles (7)	165	11	12	22	38	43	21	7	3	1	2	1	4
Scarlet fever (8)	242	46	24	30	25	27	12	5	9	13	13	21	17
Whooping cough (9)	474	33	42	76	71	54	42	46	36	20	15	17	22
Diphtheria (10)	420	69	53	46	34	29	16	11	13	22	36	45	46
Influenza (11)	1,026	120	139	128	154	85	62	27	17	29	49	76	140
Dysentery (16)	65	4	4	1	1	2	3	4	15	17	5	5	4
Lethargic encephalitis (23)	111	6	14	14	16	12	7	10	8	4	8	3	9
Meningococcus meningitis (24)	33		4	6	2	8	1	2	2	2	3	2	1
Tuberculosis of the respiratory system (31)	4,300	399	376	413	453	439	368	370	320	263	285	303	311
Other forms of tuberculosis (32–37)	793	63	66	78	78	85	71	66	62	56	57	54	57
Bronchitis (99)	407	37	52	47	42	50	29	12	15	17	30	34	42
Broncho-pneumonia (100)	2,577	316	321	374	325	233	151	93	74	105	142	178	265
Pneumonia (101)	2,826	381	374	361	381	254	136	81	60	81	152	255	310
Diarrhea and enteritis [under 2 years] (113)	1,094	58	60	69	47	63	62	68	190	185	144	82	66
Diarrhea and enteritis [2 years and over] (114)	353	19	21	25	23	25	22	34	53	44	35	29	23
Puerperal septicemia (146)	343	35	36	40	24	27	33	19	28	19	20	30	32
Other puerperal causes (143–145, 147–150)	502	41	57	54	46	47	40	40	43	40	35	21	38
Suicide (165–174)	730	48	46	61	69	62	59	78	72	67	62	58	48
Automobile accidents (188c)	1,024	63	32	53	65	88	86	105	96	84	134	132	86
Other external causes (175–188b, 188d–203)	4,555	401	339	371	342	345	470	407	433	307	385	360	395
All other causes	47,614	4,349	4,224	4,330	4,209	4,178	3,886	3,583	3,473	3,511	3,772	3,773	4,326
OREGON, all causes	9,505	938	755	870	870	833	712	732	724	712	774	744	841
Typhoid and paratyphoid fever (1)	48	3	2	3	4	4	2		6	10	5	5	4
Malaria (5)	4		1		2								1
Smallpox (6)	3			1		1			1				
Measles (7)	89	25	21	15	17	3	4	2	1				1
Scarlet fever (8)	18	4	3		1	1	1	1	1	1	3	1	1
Whooping cough (9)	16	3		3	2	3	2	1	1		1		
Diphtheria (10)	106	12	8	6	4	10	7	8	11	4	15	10	11
Influenza (11)	135	16	17	23	15	5	8	6	5	8	17	2	13
Dysentery (16)	8								1	5	2		
Lethargic encephalitis (23)	17	2	2	2	1	1			3	2	1	2	1
Meningococcus meningitis (24)	15	2	1		3	2		1	1	1		4	
Tuberculosis of the respiratory system (31)	473	53	43	38	54	49	29	37	33	38	26	38	35
Other forms of tuberculosis (32–37)	120	7	10	13	13	16	11	8	5	9	12	6	10
Bronchitis (99)	57	10	2	11	3	4	3	3	2	2	4	6	7
Broncho-pneumonia (100)	278	33	19	36	20	33	24	14	11	13	21	24	30
Pneumonia (101)	343	42	30	30	42	36	21	9	12	20	26	29	46
Diarrhea and enteritis [under 2 years] (113)	63	4	4	3	3	8	3	7	3	14	8	3	3
Diarrhea and enteritis [2 years and over] (114)	51	1	2	2	4	1	3	8	7	13	7	2	1
Puerperal septicemia (146)	37	2	2		5	5	4	7	6	1			5
Other puerperal causes (143–145, 147–150)	65	9	3	4	6	8	5	6	7	4	3	7	3
Suicide (165–174)	157	19	9	12	14	15	13	16	15	12	13	9	10
Automobile accidents (188c)	144	9	7	9	15	13	11	14	19	6	12	18	11
Other external causes (175–188b, 188d–203)	694	54	54	57	52	66	60	63	59	76	49	55	49
All other causes	6,564	628	515	602	590	549	501	521	514	473	549	523	599
PENNSYLVANIA, all causes	113,321	10,765	10,218	11,789	10,827	9,505	8,381	7,781	8,057	7,915	8,821	9,129	10,133
Typhoid and paratyphoid fever (1)	356	36	23	17	20	22	18	24	35	55	46	34	26
Malaria (5)	10	1		2					2	1	1		3
Smallpox (6)	39					4	11	6	10	2	4		2
Measles (7)	295	34	43	57	51	26	22	6	11	5	8	11	21
Scarlet fever (8)	345	36	45	33	42	36	21	22	14	17	19	28	32
Whooping cough (9)	684	66	72	108	81	57	39	50	52	49	42	30	38
Diphtheria (10)	1,059	144	130	105	94	80	57	39	39	63	85	104	119
Influenza (11)	2,377	241	284	479	406	202	98	45	41	62	95	150	274
Dysentery (16)	95	4	4	2	1	3	4	7	25	20	16	6	3
Lethargic encephalitis (23)	110	11	12	8	12	5	15	4	9	6	11	5	12
Meningococcus meningitis (24)	69	6	8	7	6	4	3	4	7	4	7	4	9
Tuberculosis of the respiratory system (31)	6,406	606	526	600	636	605	564	511	451	460	449	468	530
Other forms of tuberculosis (32–37)	1,127	75	86	114	115	113	103	93	100	78	87	80	83
Bronchitis (99)	822	96	97	111	105	58	44	40	28	36	57	65	85
Broncho-pneumonia (100)	5,059	645	703	790	659	397	266	146	152	171	293	371	466
Pneumonia (101)	7,563	909	922	1,180	1,006	584	399	235	197	260	443	619	809
Diarrhea and enteritis [under 2 years] (113)	3,333	192	166	220	191	211	188	238	508	556	427	238	198
Diarrhea and enteritis [2 years and over] (114)	604	30	26	25	37	34	29	67	104	111	56	37	48
Puerperal septicemia (146)	564	59	54	64	55	48	52	34	46	33	36	45	38
Other puerperal causes (143–145, 147–150)	848	70	83	94	85	81	65	60	58	49	67	68	68
Suicide (165–174)	1,031	66	66	102	105	85	82	87	100	91	93	92	62
Automobile accidents (188c)	1,535	101	82	105	93	137	135	145	165	143	182	152	95
Other external causes (175–188b, 188d–203)	7,038	710	574	600	540	553	588	634	608	470	575	583	603
All other causes	71,952	6,627	6,212	6,966	6,487	6,164	5,585	5,279	5,299	5,165	5,724	5,935	6,509
RHODE ISLAND, all causes	8,337	757	821	875	753	683	649	632	557	614	615	624	757
Typhoid and paratyphoid fever (1)	15	3		1			1		1	3	2	1	3
Malaria (5)	2		1										1
Smallpox (6)													
Measles (7)	14			2	2	1	5	1			1		2
Scarlet fever (8)	32	4	3	6	5	5	1	1	1	1	2	3	
Whooping cough (9)	51	9	9	5	6	4	3	3	4	3	2	1	2
Diphtheria (10)	61	6	6	3	10	4	3	5	2	6	2	5	9
Influenza (11)	69	8	12	12	7	2	2	1	1	1	1	4	18
Dysentery (16)	2									2			
Lethargic encephalitis (23)	6		1	2			1		1	1			
Meningococcus meningitis (24)	11			3			3		3			1	1
Tuberculosis of the respiratory system (31)	468	46	49	49	37	42	44	34	32	38	27	38	32
Other forms of tuberculosis (32–37)	99	10	10	9	9	6	15	4	11	6	5	9	5
Bronchitis (99)	58	6	5	11	6	2	5	7	1	3	3	4	5
Broncho-pneumonia (100)	272	27	54	53	24	17	15	9	11	10	16	17	19
Pneumonia (101)	471	57	77	60	62	32	26	9	12	13	33	35	55
Diarrhea and enteritis [under 2 years] (113)	157	10	4	8	12	10	11	17	26	27	17	13	2
Diarrhea and enteritis [2 years and over] (114)	29	2	1	4	2	5		2	3	3	2	1	4
Puerperal septicemia (146)	33	2	8	7	3	1	2	3	1	2	4		
Other puerperal causes (143–145, 147–150)	62	6	2	6	3	8	8	5	3	4	7	4	6
Suicide (165–174)	73	2	5	7	9	8	8	7	1	8	7	8	3
Automobile accidents (188c)	113	8	3	8	8	11	8	9	8	10	15	12	13
Other external causes (175–188b, 188d–203)	408	54	43	29	27	29	34	45	29	26	26	26	40
All other causes	5,831	497	528	590	521	496	454	470	406	447	443	442	537

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (WHITE), all causes	9,146	823	870	912	744	810	892	753	661	639	635	706	701
Typhoid and paratyphoid fever (1)	118	8	2	1	2	3	12	23	29	10	9	11	8
Malaria (5)	46	1	2		2	5	4	9	5	8	2	5	3
Smallpox (6)	1			1									
Measles (7)	284	35	80	84	42	23	15	1	2	2			
Scarlet fever (8)	3		1				1	1					
Whooping cough (9)	167	16	18	18	21	14	27	15	14	9	7	1	7
Diphtheria (10)	83	10	8	4	4	2	1	3	8	14	17	8	4
Influenza (11)	211	27	41	46	20	8	5		4	5	10	17	28
Dysentery (16)	114	4	1	4		30	44	14	9	2	2	3	1
Lethargic encephalitis (23)	8		1		1		1	1	1	1	1		1
Meningococcus meningitis (24)	8	1	3			1	1					1	1
Tuberculosis of the respiratory system (31)	372	43	30	39	30	40	32	34	30	24	15	26	29
Other forms of tuberculosis (32-37)	56	3	1	6	1	3	8	6	5	10	3	9	1
Bronchitis (99)	34	6	3	3	2	2	4	1	1	4	1	3	4
Broncho-pneumonia (100)	194	25	34	23	18	19	5	9	7	10	10	15	19
Pneumonia (101)	443	76	72	69	49	26	14	14	15	13	21	35	39
Diarrhea and enteritis [under 2 years] (113)	451	8	10	8	14	57	128	76	54	40	26	18	12
Diarrhea and enteritis [2 years and over] (114)	120	1	2	3	3	25	28	21	10	8	5	9	5
Puerperal septicemia (146)	49	5	4	2	5	2	4	7	1	3	8	2	6
Other puerperal causes (143-145, 147-150)	134	13	10	16	16	5	14	13	9	11	12	7	8
Suicide (165-174)	55	3	2	11	4	7	6	5	2	5		3	7
Automobile accidents (188c)	105	5	10	7	5	9	7	8	11	6	12	13	12
Other external causes (175-188b, 188d-203)	441	33	40	35	58	29	43	36	28	33	26	35	45
All other causes	5,649	500	495	532	447	500	488	456	416	421	448	485	461
SOUTH CAROLINA (COLORED), all causes	13,749	1,174	1,195	1,229	1,146	1,354	1,351	1,187	1,111	979	1,036	932	1,055
Typhoid and paratyphoid fever (1)	348	16	4	10	13	16	46	61	61	49	40	17	15
Malaria (5)	226	13	8	12	10	18	31	49	25	26	12	11	11
Smallpox (6)	11		2	1	3	2	2			1			
Measles (7)	262	30	71	68	27	26	25	6	3	3		1	2
Scarlet fever (8)	1											1	
Whooping cough (9)	303	15	22	35	25	33	45	37	29	19	15	16	12
Diphtheria (10)	45	1		4	4	4	2	5	6	3	6	7	3
Influenza (11)	294	43	59	61	31	14	8	4	1	8	11	17	37
Dysentery (16)	190	1	1	2	5	57	71	23	15	7	4	2	2
Lethargic encephalitis (23)	4										1	1	2
Meningococcus meningitis (24)	7		4							1			2
Tuberculosis of the respiratory system (31)	1,261	125	94	126	119	130	114	119	95	86	96	71	86
Other forms of tuberculosis (32-37)	92	9	9	8	6	3	9	5	13	8	8	5	9
Bronchitis (99)	37	5	5	2	1	4	4	2	1	2	5	5	1
Broncho-pneumonia (100)	280	48	53	25	29	25	12	4	10	12	18	23	21
Pneumonia (101)	871	113	151	141	107	55	24	27	21	33	38	59	102
Diarrhea and enteritis [under 2 years] (113)	524	14	15	17	26	74	123	103	64	29	18	22	19
Diarrhea and enteritis [2 years and over] (114)	106	2	1	3	15	25	27	12	7	5	6	2	1
Puerperal septicemia (146)	75	5	5	6	5	9	6	5	6	7	8	8	5
Other puerperal causes (143-145, 147-150)	253	19	13	22	26	30	22	21	23	27	12	20	18
Suicide (165-174)	3	1					1				1		
Automobile accidents (188c)	62	2		5	3	4	9	1	7	5	12	8	6
Other external causes (175-188b, 188d-203)	700	73	59	55	80	54	52	39	56	45	44	58	85
All other causes	7,794	639	619	626	611	771	718	664	668	603	681	578	616
TENNESSEE (WHITE), all causes	19,456	1,777	1,812	1,978	1,667	1,429	1,442	1,703	1,637	1,356	1,488	1,512	1,655
Typhoid and paratyphoid fever (1)	358	11	13	6	8	9	23	30	60	70	50	47	31
Malaria (5)	102	5	3	3	1	6	4	14	17	14	11	16	8
Smallpox (6)	8		2	2	1				2		1		
Measles (7)	257	60	71	66	24	13	8	6	3	1	2	2	1
Scarlet fever (8)	30	3	3	1	7	3	1	1		1	2	2	6
Whooping cough (9)	221	14	22	26	16	19	17	26	16	10	20	25	10
Diphtheria (10)	189	15	16	11	5	6	2	4	15	16	35	34	27
Influenza (11)	674	101	121	136	89	40	13	9	9	9	21	47	79
Dysentery (16)	175	4	4	3	4	4	19	48	42	17	12	9	9
Lethargic encephalitis (23)	11	1	1	1	3	1					1		3
Meningococcus meningitis (24)	22	3	2	1	2	3	3	2	3		1	2	
Tuberculosis of the respiratory system (31)	1,904	147	164	199	197	169	156	159	165	118	135	135	160
Other forms of tuberculosis (32-37)	284	25	22	22	27	20	24	30	22	18	21	28	25
Bronchitis (99)	76	13	4	14	5	6	4	3	4	2	3	9	9
Broncho-pneumonia (100)	715	102	117	124	67	38	23	16	29	24	42	56	77
Pneumonia (101)	942	153	138	155	120	48	37	22	23	25	41	85	95
Diarrhea and enteritis [under 2 years] (113)	651	10	14	20	14	19	82	168	142	59	61	38	24
Diarrhea and enteritis [2 years and over] (114)	265	7	8	8	15	14	33	72	45	24	20	9	10
Puerperal septicemia (146)	102	5	12	6	8	12	6	11	5	5	7	13	12
Other puerperal causes (143-145, 147-150)	176	9	19	24	19	15	13	13	15	17	9	9	14
Suicide (165-174)	171	15	13	14	18	22	21	6	9	17	14	5	17
Automobile accidents (188c)	172	12	7	12	16	14	13	18	15	21	19	10	15
Other external causes (175-188b, 188d-203)	1,123	82	91	78	90	89	103	97	92	97	100	104	100
All other causes	10,828	977	945	1,046	911	859	837	948	904	791	860	827	923
TENNESSEE (COLORED), all causes	8,562	696	777	892	717	689	660	792	728	603	664	640	704
Typhoid and paratyphoid fever (1)	216	7	7	4	6	8	10	34	48	29	20	28	15
Malaria (5)	73	1	2		2	7	5	11	17	9	6	8	5
Smallpox (6)													
Measles (7)	46	7	9	15	10	3	1				1		
Scarlet fever (8)	3		1		1							1	
Whooping cough (9)	74	5	5	14	6	6	7	12	5	3	5	3	3
Diphtheria (10)	20		3	1	1	1	2	1	1	2	4	1	3
Influenza (11)	348	40	58	77	50	20	13	6	3	4	16	24	37
Dysentery (16)	58	1	2			1	9	21	12	10		1	1
Lethargic encephalitis (23)	2	1									1		
Meningococcus meningitis (24)	6	1			1	1					1	1	1
Tuberculosis of the respiratory system (31)	1,183	105	103	123	103	108	103	102	112	71	78	80	95
Other forms of tuberculosis (32-37)	176	11	11	15	15	21	10	23	16	12	17	17	8
Bronchitis (99)	28	2	1	4	1	4	1	1	1	7	2	3	1
Broncho-pneumonia (100)	297	30	38	45	35	27	17	10	11	8	16	20	40
Pneumonia (101)	535	67	78	99	75	36	19	16	18	16	28	35	48
Diarrhea and enteritis [under 2 years] (113)	191	4	2	5	4	15	24	48	35	22	19	7	6
Diarrhea and enteritis [2 years and over] (114)	88	5	8	4	6	4	12	21	8	8	7	1	4
Puerperal septicemia (146)	58	3	3	7	2	5	4	8	8	6	3	2	7
Other puerperal causes (143-145, 147-150)	83	6	4	8	7	10	8	8	8	6	6	6	6
Suicide (165-174)	11		2			1	1			1	1	2	3
Automobile accidents (188c)	60	5	3	3	6	4	1	6	5	4	8	7	8
Other external causes (175-188b, 188d-203)	568	50	44	55	40	37	56	56	54	30	49	48	49
All other causes	4,438	345	393	413	346	370	357	408	366	355	376	345	364

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH, all causes	5,048	446	442	643	426	435	375	347	371	337	391	392	443
Typhoid and paratyphoid fever (1)	38				2	4	1	2	4	3	15	6	1
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	96	2	13	22	26	23	6		3	1			
Scarlet fever (8)	6	1	1		2			1		1			
Whooping cough (9)	18	2	4	5	2	1	1	2	1				
Diphtheria (10)	54	5	5	1	2	3	2	4	6	5	9	9	3
Influenza (11)	113	20	21	26	9	5	1	1	3	2	3	8	14
Dysentery (16)	2								1	1			
Lethargic encephalitis (23)	6	1		2		1						1	1
Meningococcus meningitis (24)	7							1	3	1		1	1
Tuberculosis of the respiratory system (31)	158	15	13	21	18	16	9	11	8	12	9	12	14
Other forms of tuberculosis (32–37)	25	6	2	1	1	2	2	2	2	1		3	3
Bronchitis (99)	28	2	3	4	2	3	2	3	1	3	2	1	2
Broncho-pneumonia (100)	241	27	31	27	21	24	15	12	9	12	20	17	26
Pneumonia (101)	272	37	29	38	19	21	13	9	14	9	24	22	37
Diarrhea and enteritis [under 2 years] (113)	96	10	4	5	7	1	6	6	9	19	13	10	6
Diarrhea and enteritis [2 years and over] (114)	31		1	1		1	1	3	7	10	3	1	3
Puerperal septicemia (146)	22	3		1	1	1	4	4	2		2	1	3
Other puerperal causes (143–145, 147–150)	41	6	2	5	3	5	3	6	1		4	5	1
Suicide (165–174)	35	2	2	3	3	4	1	2	7	2	3	2	4
Automobile accidents (188c)	81	4	3	4	8	8	11	6	9	8	9	7	4
Other external causes (175–188b, 188d–203)	533	29	24	207	23	34	28	36	42	31	30	21	28
All other causes	3,144	274	284	270	277	278	268	236	239	216	245	265	292
VERMONT, all causes	4,860	429	416	459	432	456	398	389	336	350	377	393	425
Typhoid and paratyphoid fever (1)	12	1	1				1		2	3	1	3	
Malaria (5)													
Smallpox (6)													
Measles (7)	14	4	3	3	2	1	1						
Scarlet fever (8)	12	1	1	2		1	2			2		1	2
Whooping cough (9)	28	1	6	1	3		5		1	3	2	5	1
Diphtheria (10)	25	1	3	3	1		2	2	1	3		5	4
Influenza (11)	88	6	7	16	14	12	7		2	2	4	5	13
Dysentery (16)													
Lethargic encephalitis (23)	6	1		1	1		2			1			
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	240	19	13	26	24	33	23	17	15	20	18	12	20
Other forms of tuberculosis (32–37)	47	5	7	4	6	2	4	5	2	5	1	4	2
Bronchitis (99)	48	5	8	8	3	3	1	3	4	3	3	5	2
Broncho-pneumonia (100)	141	11	14	25	16	20	14	5	3	5	7	10	11
Pneumonia (101)	218	21	28	31	39	20	14	10	2	4	9	20	20
Diarrhea and enteritis [under 2 years] (113)	60	7	4	3		8	4	4	3	10	8	4	5
Diarrhea and enteritis [2 years and over] (114)	19	1	1		1		1	1	4	3	5		2
Puerperal septicemia (146)	15		2		1		2	1	2	1	1	2	3
Other puerperal causes (143–145, 147–150)	45	4	2	6	3	7	3	5	2	1	4	6	2
Suicide (165–174)	49	5	3	4	5	4	3	6	4	3	6	4	2
Automobile accidents (188c)	48	1	1	1	2	2	7	11	7	2	6	5	3
Other external causes (175–188b, 188d–203)	248	33	26	19	12	28	14	28	21	15	18	13	21
All other causes	3,496	302	286	306	298	315	288	291	261	264	284	289	312
VIRGINIA (WHITE), all causes	17,710	1,689	1,672	1,793	1,656	1,461	1,362	1,382	1,308	1,195	1,335	1,361	1,496
Typhoid and paratyphoid fever (1)	123	11	6	3	2	10	4	16	20	14	20	13	4
Malaria (5)	9			1			1		1	2	1	3	
Smallpox (6)													
Measles (7)	140	15	39	31	22	13	7	4	1	3	1	3	1
Scarlet fever (8)	30	5	3	3	4	1		4	1	1	2	3	3
Whooping cough (9)	271	26	35	40	36	22	29	21	17	14	10	14	7
Diphtheria (10)	170	24	15	13	13	1	2	6	5	17	25	22	27
Influenza (11)	474	72	79	101	68	32	10	7	8	6	13	18	60
Dysentery (16)	119	1	3		1	1	13	36	28	20	10	3	3
Lethargic encephalitis (23)	10	2	2	1		2	1	1					1
Meningococcus meningitis (24)	27	2	1	3	4	2		2	2		4	3	4
Tuberculosis of the respiratory system (31)	1,155	105	116	133	125	109	84	88	75	71	85	81	83
Other forms of tuberculosis (32–37)	153	11	10	14	17	12	13	14	13	11	16	4	18
Bronchitis (99)	85	9	14	10	10	3	4	6	3	1	12	7	6
Broncho-pneumonia (100)	550	64	84	97	84	37	29	13	13	12	25	44	48
Pneumonia (101)	691	118	112	124	77	52	24	12	15	11	33	42	71
Diarrhea and enteritis [under 2 years] (113)	430	7	17	9	6	15	54	106	93	61	32	18	12
Diarrhea and enteritis [2 years and over] (114)	131	7	3	9	6	5	16	27	23	15	8	4	8
Puerperal septicemia (146)	86	9	12	7	9	5	5	5	6	3	10	5	10
Other puerperal causes (143–145, 147–150)	138	14	8	19	15	13	14	13	9	13	7	6	7
Suicide (165–174)	162	14	11	5	15	17	20	8	14	23	12	12	11
Automobile accidents (188c)	184	17	7	3	9	16	18	17	21	13	22	15	26
Other external causes (175–188b, 188d–203)	1,028	74	79	89	102	70	96	93	86	61	81	93	104
All other causes	11,544	1,082	1,016	1,078	1,031	1,023	918	883	854	823	906	948	982
VIRGINIA (COLORED), all causes	11,465	1,001	1,090	1,139	955	981	978	1,024	912	765	824	854	942
Typhoid and paratyphoid fever (1)	82	3	3		5		8	17	17	10	7	8	4
Malaria (5)	26			1			5	4	9	2	1	3	1
Smallpox (6)	2				1				1				
Measles (7)	76	8	16	14	10	10	3	6	3	1	1	1	3
Scarlet fever (8)	3				1			1		1			
Whooping cough (9)	243	14	28	21	24	39	24	26	22	15	8	11	11
Diphtheria (10)	46	3	2	3		1	2	2	6	7	11	5	4
Influenza (11)	333	41	55	72	37	24	9	8	4		14	27	42
Dysentery (16)	56			1		3	13	16	7	8	5	3	
Lethargic encephalitis (23)	3								2	1			
Meningococcus meningitis (24)	5		1			1				1	1		1
Tuberculosis of the respiratory system (31)	1,262	86	111	133	126	114	96	119	94	97	92	101	93
Other forms of tuberculosis (32–37)	149	15	9	15	13	16	15	21	11	5	13	9	7
Bronchitis (99)	63	11	10	8	7	3	5	3	1		8	6	1
Broncho-pneumonia (100)	402	47	66	63	35	29	17	21	17	22	25	27	33
Pneumonia (101)	580	96	94	88	75	42	34	14	17	10	23	33	54
Diarrhea and enteritis [under 2 years] (113)	316	10	7	7	5	12	67	78	51	27	25	16	11
Diarrhea and enteritis [2 years and over] (114)	67	3	1	5	1	5	9	17	5	8	2	4	7
Puerperal septicemia (146)	60	3	5	2	6	3	9	5	6	6	6	4	5
Other puerperal causes (143–145, 147–150)	135	12	11	14	13	11	11	8	11	8	15	14	7
Suicide (165–174)	17	3	1	2	2	3	1	1	4				
Automobile accidents (188c)	56	2	3	4	5	8	2	8	7	1	4	5	7
Other external causes (175–188b, 188d–203)	657	66	78	65	42	43	45	61	59	49	46	45	58
All other causes	6,826	578	589	621	547	615	602	588	558	486	517	532	593

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1924—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, all causes	14,580	1,394	1,159	1,330	1,298	1,292	1,144	1,151	1,074	1,109	1,178	1,147	1,304
Typhoid and paratyphoid fever (1)	48	3	2	4	2	2	4	7	2	7	10	5	
Malaria (5)	1	1											
Smallpox (6)	2	1				1							
Measles (7)	184	45	64	38	19	15	2	1					
Scarlet fever (8)	33	7	5	5		4	2	1	1	4	1	2	1
Whooping cough (9)	23	1	2	4	2	6	2	1	3			2	
Diphtheria (10)	158	20	10	10	10	17	13	15	16	14	7	10	16
Influenza (11)	204	22	22	27	28	17	7	9	10	9	21	14	18
Dysentery (16)	8	2					1	1	2	1		1	
Lethargic encephalitis (23)	37	1	2	5	3	4	4	4	3	5	2	3	1
Meningococcus meningitis (24)	16		2	2	2	2		1	1	3	1	2	
Tuberculosis of the respiratory system (31)	912	100	81	75	85	88	87	62	72	72	62	63	65
Other forms of tuberculosis (32–37)	175	15	15	19	17	21	16	14	12	16	11	12	7
Bronchitis (99)	55	3	2	10	7	7	5	2	3	2	6	4	4
Broncho-pneumonia (100)	370	36	31	46	47	42	21	15	19	15	30	21	47
Pneumonia (101)	473	78	40	61	54	40	26	26	19	20	30	28	51
Diarrhea and enteritis [under 2 years] (113)	146	16	8	10	9	11	11	16	7	24	16	9	9
Diarrhea and enteritis [2 years and over] (114)	51	8			2	2	3	6	7	12	7	1	3
Puerperal septicemia (146)	60	10	7	5	8	2	3	3	6	5	3	5	3
Other puerperal causes (143–145, 147–150)	120	16	10	13	11	12	8	9	11	6	7	9	8
Suicide (165–174)	285	19	19	20	23	31	24	32	21	19	25	24	28
Automobile accidents (188c)	265	20	9	14	16	28	27	24	23	30	28	25	21
Other external causes (175–188b, 188d–203)	1,186	98	78	83	101	97	109	127	94	97	108	87	107
All other causes	9,768	872	750	879	852	843	769	775	742	748	803	820	915
WISCONSIN, all causes	28,250	2,699	2,444	2,609	2,603	2,699	2,304	2,158	1,992	2,049	2,061	2,184	2,448
Typhoid and paratyphoid fever (1)	28	3	3	2	2	3	2	2	3	3	1	3	1
Malaria (5)													
Smallpox (6)	11			1	1		1	1	2		1	1	3
Measles (7)	87	22	10	17	10	8	13	4	2		1		
Scarlet fever (8)	217	30	29	33	31	22	15	9	3	9	13	12	11
Whooping cough (9)	132	13	14	15	14	20	17	8	9	4	6	3	9
Diphtheria (10)	212	30	17	25	19	19	11	14	9	16	19	11	22
Influenza (11)	398	51	51	48	57	39	30	11	7	17	16	22	49
Dysentery (16)	16	2	1	2	1	3		1	1	3		1	1
Lethargic encephalitis (23)	33	6	2	2	2	5	2	8		2	1		3
Meningococcus meningitis (24)	21	3	3	1	1	1		4	3		2	2	1
Tuberculosis of the respiratory system (31)	1,529	136	123	135	149	171	127	120	117	110	110	107	124
Other forms of tuberculosis (32–37)	263	19	21	23	30	34	24	25	14	21	20	20	12
Bronchitis (99)	224	41	25	26	24	24	14	5	9	13	8	13	22
Broncho-pneumonia (100)	941	120	113	106	108	119	63	37	23	42	49	65	96
Pneumonia (101)	1,327	182	172	161	169	142	113	42	45	42	62	79	118
Diarrhea and enteritis [under 2 years] (113)	470	45	45	43	54	48	39	35	21	33	31	34	42
Diarrhea and enteritis [2 years and over] (114)	97	8	7	13	12	9	4	9	10	8	7	3	7
Puerperal septicemia (146)	124	17	12	16	19	13	12	9	4	6	6	5	5
Other puerperal causes (143–145, 147–150)	235	24	19	24	23	24	17	19	22	18	11	13	21
Suicide (165–174)	363	29	19	29	39	45	32	39	27	29	25	30	20
Automobile accidents (188c)	363	5	6	7	17	25	30	48	59	42	48	42	34
Other external causes (175–188b, 188d–203)	1,425	98	103	92	90	102	95	168	145	161	122	123	126
All other causes	19,734	1,815	1,649	1,788	1,731	1,823	1,643	1,540	1,457	1,470	1,502	1,595	1,721
WYOMING, all causes	2,063	213	181	175	159	180	158	159	161	192	175	160	150
Typhoid and paratyphoid fever (1)	10			1	1	2		1	2			3	
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	42	16	3	7	4	6	2		2			2	
Scarlet fever (8)	16	2	3		1	1				3		2	4
Whooping cough (9)	10	2	1	4	1	2							
Diphtheria (10)	12	1	3		2		1	1	1			3	
Influenza (11)	52	3	2	7	4	1	5	6	2		5	8	9
Dysentery (16)	4						1		2	1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2		1					1					
Tuberculosis of the respiratory system (31)	86	16	10	5	6	7	9	4	6	5	6	8	4
Other forms of tuberculosis (32–37)	18	1	2	1	3	2	3	2		2	1	1	
Bronchitis (99)	7	1	1	2					1		1		1
Broncho-pneumonia (100)	80	16	16	4	14	7	2	1	1	1	3	7	8
Pneumonia (101)	95	10	12	11	11	13	7	3	3	4	7	8	6
Diarrhea and enteritis [under 2 years] (113)	35	6	3	2	3	2	1	3	1	6	5	2	1
Diarrhea and enteritis [2 years and over] (114)	13		2			1	1	2	1	4	1	1	
Puerperal septicemia (146)	18	1	2	1	3	1	2	1	3	1		2	1
Other puerperal causes (143–145, 147–150)	33	2	2	3	3	3	2	1	4	4	3	3	3
Suicide (165–174)	32	4	3	3		3	1	4	2	6	3	1	2
Automobile accidents (188c)	59	2		1	2	5	2	10	8	6	11	5	7
Other external causes (175–188b, 188d–203)	294	17	20	21	9	21	24	29	30	65	23	22	13
All other causes	1,144	113	95	102	92	103	95	89	92	84	106	82	91

NOTE.—Populations are shown in Table IA.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on Jan. 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIRMINGHAM, ALA. (WHITE), all causes	1,541	139	135	132	139	133	125	120	117	95	117	145	144
Typhoid and paratyphoid fever (1)	8				2	1		1	2	1		1	
Malaria (5)	2								1			1	
Smallpox (6)	1				1								
Measles (7)	15	1	1	5	5	3							
Scarlet fever (8)	2		1			1							
Whooping cough (9)	14		1		5	1	1	4				1	1
Diphtheria (10)	5		1						1		3		
Influenza (11)	26	3	5	4		3	1			1		4	5
Dysentery (16)	2					1			1				
Lethargic encephalitis (23)	2				1								1
Meningococcus meningitis (24)	2			1		1							
Tuberculosis of the respiratory system (31)	55	3	6	5	5	6	1	6	1	6	5	6	5
Other forms of tuberculosis (32–37)	17		1	2	2	2		2	2		2	1	3
Bronchitis (99)	4		2	1		1							
Broncho-pneumonia (100)	45	6	6	5	4	3		2		3	5	3	8
Pneumonia (101)	111	12	8	10	20	6	6	1	2	3	7	20	16
Diarrhea and enteritis [under 2 years] (113)	40	3	1	1		1	6	9	7	2	2	5	3
Diarrhea and enteritis [2 years and over] (114)	13	1		2		1	1	4	4				
Puerperal septicemia (146)	18	1		1		1	5	1	1	2	2	1	3
Other puerperal causes (143–145, 147–150)	22	3	3		3	1	1		1	4	2	3	1
Suicide (165–174)	24	2	2	3	4	1	3			2	1	4	2
Automobile accidents (188c)	32	5	6		1	1	5	3	1	2	2	1	5
Other external causes (175–188b, 188d–203)	129	11	16	8	13	11	10	10	9	10	8	14	9
All other causes	952	88	75	84	73	88	84	77	84	59	78	80	82
BIRMINGHAM, ALA. (COLORED), all causes	1,870	153	177	180	168	172	134	143	122	113	143	180	185
Typhoid and paratyphoid fever (1)	7			1	1			1	2	1			1
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	10		1	7	1	1							
Scarlet fever (8)													
Whooping cough (9)	19		2		2	4	3	3	1	2			2
Diphtheria (10)	2									1			1
Influenza (11)	54	10	9	7	6	3	3			1	1	4	10
Dysentery (16)	3							1	1	1			
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	2		1			1							
Tuberculosis of the respiratory system (31)	153	16	11	9	14	23	11	17	9	12	10	12	9
Other forms of tuberculosis (32–37)	32	4	3	2	4	5	2	1	2	1	4	2	2
Bronchitis (99)	6			1					1		1	3	
Broncho-pneumonia (100)	49	6	9	8	4	5	1	1	3	2		2	8
Pneumonia (101)	228	17	26	41	30	17	10	7	3	4	8	33	32
Diarrhea and enteritis [under 2 years] (113)	44			2	3	2	9	10	5	6	3	3	1
Diarrhea and enteritis [2 years and over] (114)	9	1		1	1	1	1	1	2				1
Puerperal septicemia (146)	16	1			3	1	3	2	1		2	1	2
Other puerperal causes (143–145, 147–150)	18	1	2		1	2	4	2	1		1	1	3
Suicide (165–174)	3									2			1
Automobile accidents (188c)	23			3	2	2	1	3	2	3	2	3	2
Other external causes (175–188b, 188d–203)	177	12	24	12	13	14	17	16	9	9	15	18	18
All other causes	1,013	85	89	86	83	91	69	78	80	67	96	97	92
LOS ANGELES, CALIF. (WHITE), all causes	10,634	1,059	936	1,002	980	912	948	757	721	739	786	794	1,000
Typhoid and paratyphoid fever (1)	27	1	3	2	1	5	2	1	2	4	1	3	2
Malaria (5)	1				1								
Smallpox (6)	14	2	2		2						2	4	2
Measles (7)	39	1	2	10	5	10	6	2	1	1			1
Scarlet fever (8)	13	1	2	4	3			2	1				
Whooping cough (9)	35	1		1	3	1	3	4	5	4	7	3	3
Diphtheria (10)	157	23	16	19	15	14	15	21	8	5	7	5	9
Influenza (11)	69	15	9	5	11	3	6	1	1	2	4	7	5
Dysentery (16)	18		1	1	1	2	2	2	2	1	3		3
Lethargic encephalitis (23)	14	5		2	1	1				1	2	2	
Meningococcus meningitis (24)	9	1	2	1			1				3		1
Tuberculosis of the respiratory system (31)	1,037	111	105	101	97	80	87	86	74	78	65	70	83
Other forms of tuberculosis (32–37)	167	13	14	20	18	16	14	13	14	9	13	7	16
Bronchitis (99)	51	7	3	8	7	3	2	2	2	4	3	3	7
Broncho-pneumonia (100)	312	27	27	45	32	38	12	14	15	17	22	26	37
Pneumonia (101)	310	51	30	32	34	20	26	16	21	16	18	18	28
Diarrhea and enteritis [under 2 years] (113)	215	13	12	12	19	30	42	22	12	18	17	5	13
Diarrhea and enteritis [2 years and over] (114)	51	2	3	1	6	9	10	2	5	6	2	5	
Puerperal septicemia (146)	32	3	6	1	1	2	1	4	3	2	1	6	2
Other puerperal causes (143–145, 147–150)	77	7	7	8	4	7	6	7	6	5	8	5	7
Suicide (165–174)	214	17	20	19	19	18	25	12	15	19	20	9	21
Automobile accidents (188c)	247	31	27	19	26	18	16	18	9	19	20	20	24
Other external causes (175–188b, 188d–203)	593	49	49	48	44	52	94	33	35	37	43	40	69
All other causes	6,932	678	596	643	630	583	578	495	490	491	525	556	667
LOS ANGELES, CALIF. (COLORED), all causes	675	64	47	68	69	71	53	40	41	51	57	53	61
Typhoid and paratyphoid fever (1)	3			1				1			1		
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	1												1
Diphtheria (10)	6	1	2	1			2						
Influenza (11)	7	3	1			1	1						1
Dysentery (16)	1											1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3	1									1	1	
Tuberculosis of the respiratory system (31)	122	7	10	16	13	12	11	12	6	5	13	7	10
Other forms of tuberculosis (32–37)	21	2	2	3	2	3		2	1	3	1	1	1
Bronchitis (99)	4					1					1		2
Broncho-pneumonia (100)	11	2		1		2		1	2		1	2	
Pneumonia (101)	33	4	1	5	2	2	1		2	5	2	3	6
Diarrhea and enteritis [under 2 years] (113)	16	1	2	1	1	3	4				1	1	2
Diarrhea and enteritis [2 years and over] (114)	6					1	1		2		1		1
Puerperal septicemia (146)	10	1	1	2	1	1				1		1	2
Other puerperal causes (143–145, 147–150)	7	1			2	1		1				2	
Suicide (165–174)	16		1	1	4	2		2	1			2	3
Automobile accidents (188c)	20			3	2			2		7	2	2	2
Other external causes (175–188b, 188d–203)	55	8		3	10	7	5	3	6	2	1	1	9
All other causes	332	33	27	31	32	35	28	16	20	28	32	29	21

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OAKLAND, CALIF., all causes	2,767	286	268	253	250	234	176	197	210	205	189	217	282
Typhoid and paratyphoid fever (1)	4		1				1					2	
Malaria (5)													
Smallpox (6)													
Measles (7)	2	2											
Scarlet fever (8)													
Whooping cough (9)	6			1	1		1	1	2				
Diphtheria (10)	59	10	2	4	11	7	1	8	4	5	1	1	5
Influenza (11)	24	4	2	3	2	3	1	1	2			3	3
Dysentery (16)	2									2			
Lethargic encephalitis (23)	8	1	1	1		1				1	1	2	
Meningococcus meningitis (24)	1								1				
Tuberculosis of the respiratory system (31)	122	10	17	8	15	12	8	12	6	6	7	5	16
Other forms of tuberculosis (32–37)	22		5	2	2		4		1	4		2	2
Bronchitis (99)	18	3	3	2	2		2	1	1		1	2	1
Broncho-pneumonia (100)	114	18	11	21	10	9	5	6	10	2	8	8	6
Pneumonia (101)	105	17	14	14	10	8	5	3	3	8	5	8	10
Diarrhea and enteritis [under 2 years] (113)	43	5	2	2	1	3	4	1	3	4	7	4	7
Diarrhea and enteritis [2 years and over] (114)	9	1		1	1	1	1	2			1	1	
Puerperal septicemia (146)	4		1					2					1
Other puerperal causes (143–145, 147–150)	21	3	2	2		3	2	1		2	2	1	3
Suicide (165–174)	73	11	6	3	5	4	5	6	8	5	2	10	8
Automobile accidents (188c)	49	4	7	4	5	4	4	2	2	5	4	2	6
Other external causes (175–188b, 188d–203)	114	7	11	8	6	7	10	8	9	11	8	10	19
All other causes	1,967	190	183	177	179	172	122	143	158	150	142	156	195
SAN FRANCISCO, CALIF., all causes	7,484	763	663	665	632	613	551	610	539	565	585	595	703
Typhoid and paratyphoid fever (1)	14	2	1	1		3			1	1	2	1	2
Malaria (5)													
Smallpox (6)	1									1			
Measles (7)	15	4	4	4	2	1							
Scarlet fever (8)	15	4	2	2	2	2	1			1			1
Whooping cough (9)	3	1			1								1
Diphtheria (10)	116	10	12	14	17	17	12	10	3	3	9	7	2
Influenza (11)	34	6	9	4	4		2	1	2	1	1	1	3
Dysentery (16)	2			1							1		
Lethargic encephalitis (23)	22	2	2	2	5		2	3	2		2	1	1
Meningococcus meningitis (24)	12	1	3	3	1		1	2	1				
Tuberculosis of the respiratory system (31)	574	64	46	56	57	56	52	40	35	31	37	36	64
Other forms of tuberculosis (32–37)	85	9	9	7	9	11	8	8	9	5	2	4	4
Bronchitis (99)	40	2	7	5	6	2		2	3	1	4	4	4
Broncho-pneumonia (100)	231	37	31	21	19	14	11	10	7	15	23	14	29
Pneumonia (101)	363	57	39	35	33	24	19	21	11	22	27	33	42
Diarrhea and enteritis [under 2 years] (113)	46	3	3	2	2	3	4	8	4	5	1	7	4
Diarrhea and enteritis [2 years and over] (114)	25	3	3		4		1	3	4	3	2	1	1
Puerperal septicemia (146)	13		1	2	2		2	1	2	1	2		
Other puerperal causes (143–145, 147–150)	29	3	1	2	3	6	2	2	2	3	1	4	
Suicide (165–174)	213	16	17	7	12	18	24	19	17	19	21	19	24
Automobile accidents (188c)	113	10	8	11	9	3	7	9	10	11	11	12	12
Other external causes (175–188b, 188d–203)	352	30	44	29	24	27	24	21	28	35	31	31	28
All other causes	5,166	499	421	457	420	426	379	450	398	407	408	420	481
DENVER, COLO., all causes	4,122	412	320	385	402	322	288	273	339	307	341	348	385
Typhoid and paratyphoid fever (1)	14		2	1	1		1	1	3	2	2	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	28	2	2	4	10	5	3	2					
Scarlet fever (8)	5					2	1				1	1	
Whooping cough (9)	20	1	1		1	4		2	1	4	4	1	1
Diphtheria (10)	57	2	6	7	6	5	7	7	4	2	2	2	7
Influenza (11)	101	6	8	13	20	7	1	2	5	2	3	9	25
Dysentery (16)	2								1	1			
Lethargic encephalitis (23)	5	2		1	2								
Meningococcus meningitis (24)	5			1			2	1	1				
Tuberculosis of the respiratory system (31)	515	44	38	48	57	46	42	31	52	28	47	36	46
Other forms of tuberculosis (32–37)	56	6	4	3	4	3	5	5	8	2	7	5	4
Bronchitis (99)	6	1		1						2			2
Broncho-pneumonia (100)	185	24	12	31	20	12	7	9	12	11	13	15	19
Pneumonia (101)	265	38	23	39	41	19	6	8	9	8	20	16	38
Diarrhea and enteritis [under 2 years] (113)	78	4	4		2	4	4	8	14	19	9	8	2
Diarrhea and enteritis [2 years and over] (114)	12	1	1					1	2	2	2	1	2
Puerperal septicemia (146)	31		1	3	5	3	1	3	3	2	4	3	3
Other puerperal causes (143–145, 147–150)	25	4	1	1	3	1	6	2	1	2	2		2
Suicide (165–174)	62	6	9	3	4	3	10	4	3	7	4	5	4
Automobile accidents (188c)	40	2	3		6	2	3	4	7	5	3	4	1
Other external causes (175–188b, 188d–203)	178	20	12	14	13	18	19	16	10	14	9	13	20
All other causes	2,432	249	193	215	207	188	170	167	203	194	209	228	209
BRIDGEPORT, CONN., all causes	1,537	132	160	162	144	124	126	111	92	107	123	119	137
Typhoid and paratyphoid fever (1)	5							1	2		2		
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	6			1		1	2			1			1
Whooping cough (9)	10	1	2	2		2			1	1	1		
Diphtheria (10)	24	2	3	5	1	2	5	2		1	1	1	1
Influenza (11)	29	2	4	3	6	2	3	1	1		1	3	3
Dysentery (16)	1									1			
Lethargic encephalitis (23)	9			2	1	1	1	1		2		1	
Meningococcus meningitis (24)	2	1											1
Tuberculosis of the respiratory system (31)	80	4	4	9	6	6	7	10	7	10	11	1	5
Other forms of tuberculosis (32–37)	15		2					5	1	2	2	1	2
Bronchitis (99)	5		1	1			1				1	1	
Broncho-pneumonia (100)	58	6	9	9	9	6	4	2		1	3	4	5
Pneumonia (101)	69	12	5	9	11	7	5	2	1	3	2	7	5
Diarrhea and enteritis [under 2 years] (113)	15	1		1			3	1	4	2		1	2
Diarrhea and enteritis [2 years and over] (114)	3							1	1	1			
Puerperal septicemia (146)	10	1	1		2	2				2	2		
Other puerperal causes (143–145, 147–150)	12	2	2		1		1		1	2	2		1
Suicide (165–174)	15	1	1	2	3	2			1	3	1		1
Automobile accidents (188c)	21	1	3	1	2		2	2	2	1	1	2	4
Other external causes (175–188b, 188d–203)	102	7	11	7	15	4	7	13	10	4	8	6	10
All other causes	1,046	91	112	110	87	89	85	70	60	71	84	91	96

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
HARTFORD, CONN., all causes	1,818	157	184	194	164	146	132	137	116	129	150	166	143
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)													
Smallpox (6)													
Measles (7)	11	1	1	2	4	2		1					
Scarlet fever (8)	9			3	3	2					1		
Whooping cough (9)	3				1				1	1			
Diphtheria (10)	14	2	1	3	1		2			2	1	2	
Influenza (11)	11	1	2	1	2	2		1				1	1
Dysentery (16)	1							1					
Lethargic encephalitis (23)	10	1		1		1	1	2	2	1			1
Meningococcus meningitis (24)	2							1	1				
Tuberculosis of the respiratory system (31)	68	9	7	8	6	7	10	4	3	1	3	6	4
Other forms of tuberculosis (32–37)	28	4	5	2	7	1		2	3	1	1		2
Bronchitis (99)	14	1		1	3	2	1			1	1	2	2
Broncho-pneumonia (100)	88	7	17	14	7	10	6	1	3	5	8	7	3
Pneumonia (101)	92	10	13	20	7	6	5	1	3	1	12	10	4
Diarrhea and enteritis [under 2 years] (113)	45	2	2	4	2	4		7	8	4	8	4	
Diarrhea and enteritis [2 years and over] (114)	3	1				1		1					
Puerperal septicemia (146)	9	1	2	2				1		1		2	
Other puerperal causes (143–145, 147–150)	11	1		3			1	2	2	1			1
Suicide (165–174)	13	1	3		1	3		2			1	1	1
Automobile accidents (188c)	33	2	1	2	5	2	2	2	3	2	4	5	3
Other external causes (175–188b, 188d–203)	113	2	6	8	15	12	5	9	7	14	9	16	10
All other causes	1,239	111	124	120	100	91	99	99	80	94	100	110	111
NEW HAVEN, CONN., all causes	2,153	191	187	234	191	159	151	172	147	162	185	181	193
Typhoid and paratyphoid fever (1)	12		1	1		3		2	1	2			2
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	2					1			1				
Scarlet fever (8)	5	4										1	
Whooping cough (9)	8	2	1						1	2	1		1
Diphtheria (10)	7	1		1			2		1		1	1	
Influenza (11)	18	2	4	6		3							3
Dysentery (16)	3	1										1	1
Lethargic encephalitis (23)	6				1		1	1	2				1
Meningococcus meningitis (24)	3				2			1					
Tuberculosis of the respiratory system (31)	80	3	9	6	11	9	11	3	4	6	3	7	8
Other forms of tuberculosis (32–37)	29	3	2	2	2	1	2	2	2	2	7	1	3
Bronchitis (99)	11	1	1	1	1			1		2		1	3
Broncho-pneumonia (100)	101	11	17	22	12	6	9	3	1	2	5	7	6
Pneumonia (101)	116	9	18	23	11	6	7	4	1	4	11	7	15
Diarrhea and enteritis [under 2 years] (113)	55	7	1	2		2	1	8	18	10	3	3	
Diarrhea and enteritis [2 years and over] (114)	11			1	2	2	1	1			3	1	
Puerperal septicemia (146)	9	2	1	2			1	1	1		1		
Other puerperal causes (143–145, 147–150)	15	1	1	1	4	2	1		3			2	
Suicide (165–174)	22		1	3	2	2	1	4	4	2	2		1
Automobile accidents (188c)	48	4	2	7	7	3	3	3	2	3	3	7	4
Other external causes (175–188b, 188d–203)	105	8	8	6	8	7	6	11	10	8	8	12	13
All other causes	1,486	132	120	150	128	112	105	126	95	119	137	130	132
WILMINGTON, DEL., all causes	1,407	136	121	134	123	115	98	98	104	118	124	95	141
Typhoid and paratyphoid fever (1)	7		1						2	2			2
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4	1		1	2								
Whooping cough (9)	10	2	1		2	1		1		1		2	
Diphtheria (10)	14	3		1	2					3	2	3	
Influenza (11)	24		2	4	2	1		1	3	3	3	2	3
Dysentery (16)	1								1				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3		1			1						1	
Tuberculosis of the respiratory system (31)	66	8	3	8	9	7	4	6	2	4	5	4	6
Other forms of tuberculosis (32–37)	17	2		2	3	1		2	1	3		3	
Bronchitis (99)	9	2		1				1			4	1	
Broncho-pneumonia (100)	73	12	8	3	5	8	5	2	3	7	6	4	10
Pneumonia (101)	59	8	6	15	8	3	1	2	2	2	2	6	4
Diarrhea and enteritis [under 2 years] (113)	42	4	3	3	2	3	1	4	3	8	7	2	2
Diarrhea and enteritis [2 years and over] (114)	8		1		1				3	2		1	
Puerperal septicemia (146)	7		1	1	2				1		1		1
Other puerperal causes (143–145, 147–150)	12		1	2		3	1	1			1		3
Suicide (165–174)	10	2	1	1	1			1	1			1	2
Automobile accidents (188c)	29	2	3		2	4	2	2	3	2	3	3	3
Other external causes (175–188b, 188d–203)	99	4	1	8	7	16	12	6	7	7	14	10	7
All other causes	913	86	88	84	75	67	72	69	72	74	76	52	98
WASHINGTON, D. C. (WHITE), all causes	4,142	387	395	405	368	372	306	317	261	281	318	340	392
Typhoid and paratyphoid fever (1)	18			1					1	6	3	2	5
Malaria (5)													
Smallpox (6)													
Measles (7)	2				1		1						
Scarlet fever (8)	8		1			1	2					1	3
Whooping cough (9)	5	1		1				1		1	1		
Diphtheria (10)	26	4	2		4		1	2	3	1	3	3	3
Influenza (11)	29		3	9	3	2	2					3	7
Dysentery (16)													
Lethargic encephalitis (23)	9		2	2	2	2						1	
Meningococcus meningitis (24)	2							1	1				
Tuberculosis of the respiratory system (31)	213	15	19	25	23	24	13	18	12	12	16	18	18
Other forms of tuberculosis (32–37)	30	1	1	3	1	2	4	4	5		3	2	4
Bronchitis (99)	26	1	3	3	7	1	4			1		3	3
Broncho-pneumonia (100)	114	18	22	15	14	4	7	1	3	5	6	11	8
Pneumonia (101)	163	21	30	23	16	13	6	5	5	5	9	13	17
Diarrhea and enteritis [under 2 years] (113)	77	2	1	6	3	4	3	12	8	12	10	8	8
Diarrhea and enteritis [2 years and over] (114)	25	4		3	2	1		2	6	3	2	1	1
Puerperal septicemia (146)	27	3	3	2	1	4	2	2	3			4	3
Other puerperal causes (143–145, 147–150)	32	4	1	4	4	2		1	3	6	3	1	3
Suicide (165–174)	76	6	10	8	6	6	10	4	3	4	8	5	6
Automobile accidents (188c)	78	6	3	5	5	10	5	7	5	12	4	7	9
Other external causes (175–188b, 188d–203)	168	29	11	20	12	9	14	11	13	10	11	14	14
All other causes	3,014	272	283	275	264	287	232	246	190	203	239	243	280

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes	2,411	210	203	270	209	187	175	187	196	189	186	170	229
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)	1											1	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	2				1		1						
Whooping cough (9)	10	3					1	1	1		1	1	2
Diphtheria (10)	3		1								1		1
Influenza (11)	32	1	6	5	3	6	4	2	1	1		1	2
Dysentery (16)	3								1		1		1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	287	26	31	24	23	25	11	22	24	26	26	21	28
Other forms of tuberculosis (32–37)	52	3	5	5	7	4	3	6	5	5	5	2	2
Bronchitis (99)	10	1	3	2				1				1	2
Broncho-pneumonia (100)	144	24	16	23	14	11	5	6	3	7	13	8	14
Pneumonia (101)	157	14	19	23	21	13	10	8	6	7	7	13	16
Diarrhea and enteritis [under 2 years] (113)	47					1	4	7	9	12	9	3	2
Diarrhea and enteritis [2 years and over] (114)	15	2	2		3	1			2	1	2		2
Puerperal septicemia (146)	26	1	1	2	2	3	4	2	4	2	2		3
Other puerperal causes (143–145, 147–150)	28	1		5	4	3	3	5	3	4			
Suicide (165–174)	6					1	1	2				1	1
Automobile accidents (188c)	30	1	6	2	1	2	2			4	2	5	5
Other external causes (175–188b, 188d–203)	108	10	6	10	9	8	13	9	11	7	10	7	8
All other causes	1,449	123	107	169	121	109	113	116	126	113	106	106	140
ATLANTA, GA. (WHITE), all causes	2,094	210	216	198	192	161	150	162	162	140	184	140	179
Typhoid and paratyphoid fever (1)	13			1				4	4		2	2	
Malaria (5)	3							1		1			1
Smallpox (6)	5	1		2	2								
Measles (7)	27	13	11	2	1								
Scarlet fever (8)	5	1	1		1	1						1	
Whooping cough (9)	14					2		4		3	1	1	3
Diphtheria (10)	17	2		2	2	1	1	1		2	5		1
Influenza (11)	51	7	5	7	14	3	1			1	1	7	5
Dysentery (16)	7							3	3			1	
Lethargic encephalitis (23)	3			1				1			1		
Meningococcus meningitis (24)	3					1							2
Tuberculosis of the respiratory system (31)	84	8	10	11	7	6	4		6	9	9	7	7
Other forms of tuberculosis (32–37)	13		1	4	1	1	4			1	1		
Bronchitis (99)	9	2		2			1				1	2	1
Broncho-pneumonia (100)	76	18	14	10	6	1	2	5	2	1	4	4	9
Pneumonia (101)	112	14	22	13	16	9	6	2	2	6	8	6	8
Diarrhea and enteritis [under 2 years] (113)	62	5	4		2	2	8	19	10	5	4	1	2
Diarrhea and enteritis [2 years and over] (114)	13	2				2	2	3	2		1		1
Puerperal septicemia (146)	26	3	2	2	4	2	4	1	2		1	1	4
Other puerperal causes (143–145, 147–150)	39	3	3	4	6	4	1	2	4	1	5	4	2
Suicide (165–174)	45	4	7	3	5	3	3	3	3	3	5	4	2
Automobile accidents (188c)	41	1	4	4	6	4	3	1	4	8	4	2	
Other external causes (175–188b, 188d–203)	124	15	14	10	10	11	11	7	9	2	7	13	15
All other causes	1,302	111	118	120	109	108	99	105	111	97	124	84	116
ATLANTA, GA. (COLORED), all causes	2,121	172	208	243	192	170	174	180	161	146	152	148	175
Typhoid and paratyphoid fever (1)	26	1		1			4	7	6	4	3		
Malaria (5)	2							1		1			
Smallpox (6)	5			1	1	3							
Measles (7)	16	4	8	4									
Scarlet fever (8)	1		1										
Whooping cough (9)	37	2	3	2	3	3	3	3	5	7		1	5
Diphtheria (10)	2	1										1	
Influenza (11)	79	3	12	11	14	9	4	5	1	1	3	4	12
Dysentery (16)	3						1	1			1		
Lethargic encephalitis (23)	2		1			1							
Meningococcus meningitis (24)	3								2			1	
Tuberculosis of the respiratory system (31)	175	13	11	12	10	20	19	20	12	17	10	15	16
Other forms of tuberculosis (32–37)	40	5	3	2	2	5	4	2	4	4	2	3	4
Bronchitis (99)	19	2	1		2	3	3		1	1	2	2	2
Broncho-pneumonia (100)	89	9	10	9	8	3	4	2	9	3	8	13	11
Pneumonia (101)	214	28	18	51	35	15	11	5	6	3	10	15	17
Diarrhea and enteritis [under 2 years] (113)	52		2	3	1	1	9	9	16	5	4	1	1
Diarrhea and enteritis [2 years and over] (114)	22	1		2	1		3	1	5	1	4	3	1
Puerperal septicemia (146)	22		1	5	6	3		2	1	3	1		
Other puerperal causes (143–145, 147–150)	13	1	1	2	2				4		3		
Suicide (165–174)	6		2	1				1	1			1	
Automobile accidents (188c)	12		3		1	1		2			2	2	1
Other external causes (175–188b, 188d–203)	163	7	13	23	10	15	10	11	15	16	14	14	15
All other causes	1,118	95	118	114	96	88	99	108	73	80	85	72	90
CHICAGO, ILL. (WHITE), all causes	29,449	2,852	2,578	2,925	2,746	2,559	2,244	2,055	2,051	2,135	2,227	2,300	2,777
Typhoid and paratyphoid fever (1)	39	7	4	5		2		4	1		4	1	11
Malaria (5)	6	1		1	1	1	1						1
Smallpox (6)													
Measles (7)	55	3		4	11	10	8	7	2	1		3	6
Scarlet fever (8)	74	13	7	8	12	8	3	5	1	2	2	4	9
Whooping cough (9)	79	1	5	4	4	4	4	6	6	12	9	8	16
Diphtheria (10)	208	29	13	19	14	17	15	22	8	15	13	20	23
Influenza (11)	168	22	26	32	17	16	9	2	3	3	8	11	19
Dysentery (16)	9			2			1			2		2	2
Lethargic encephalitis (23)	11	1				1		3		1		2	3
Meningococcus meningitis (24)	16	1		2	5	3	1	1		1	2		
Tuberculosis of the respiratory system (31)	1,658	155	138	180	142	141	149	120	110	122	138	124	139
Other forms of tuberculosis (32–37)	260	25	25	16	30	34	18	29	16	20	22	16	9
Bronchitis (99)	240	18	21	39	24	21	15	10	14	17	18	20	23
Broncho-pneumonia (100)	880	112	108	135	93	66	42	28	28	37	62	54	115
Pneumonia (101)	1,381	152	181	193	186	104	90	37	49	55	74	96	164
Diarrhea and enteritis [under 2 years] (113)	808	70	65	82	60	71	40	50	86	92	84	43	65
Diarrhea and enteritis [2 years and over] (114)	94	3	8	9	7	9	5	9	10	11	10	9	4
Puerperal septicemia (146)	135	16	19	15	7	10	7	7	10	13	7	13	11
Other puerperal causes (143–145, 147–150)	204	17	24	19	19	11	16	18	15	17	18	18	12
Suicide (165–174)	438	26	29	36	44	43	40	44	27	40	45	26	38
Automobile accidents (188c)	514	35	21	30	37	53	52	41	47	56	48	50	44
Other external causes (175–188b, 188d–203)	1,811	175	145	146	153	139	148	166	140	131	120	166	182
All other causes	20,361	1,970	1,739	1,948	1,880	1,795	1,580	1,446	1,478	1,487	1,543	1,614	1,881

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (COLORED), all causes	3,466	302	301	339	336	342	283	256	233	245	253	264	312
Typhoid and paratyphoid fever (1)	6	2				1			1		2		
Malaria (5)	1						1						
Smallpox (6)	1			1									
Measles (7)	16	1		4	3	2	6						
Scarlet fever (8)	1				1								
Whooping cough (9)	32	2	3	3	6	3	2	2	4		2	5	
Diphtheria (10)	14	3		1	2	1	1	1	1		1	1	2
Influenza (11)	28	4	2	7	7	1			2			3	2
Dysentery (16)	1						1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3	1										2	
Tuberculosis of the respiratory system (31)	436	32	32	41	33	47	36	40	38	32	38	35	32
Other forms of tuberculosis (32–37)	80	9	9	7	11	6	5	7	7	5	3	9	2
Bronchitis (99)	24	2	1	3	4	3	3	1			2	2	3
Broncho-pneumonia (100)	216	23	28	35	27	22	22	7	4	6	7	11	24
Pneumonia (101)	335	36	49	48	38	39	18	15	11	20	19	16	26
Diarrhea and enteritis [under 2 years] (113)	98	9	5	9	4	7	2	7	13	13	9	9	11
Diarrhea and enteritis [2 years and over] (114)	11	1				1	1	2	2	1	2	1	
Puerperal septicemia (146)	22	4		4		2	2	1	1	2		2	4
Other puerperal causes (143–145, 147–150)	22	2	2	2	1	2	3	3	2	1	1	2	1
Suicide (165–174)	12			1	2	1		1	1		2	2	2
Automobile accidents (188c)	46	5	1		9	5	3	3	2	7	5	5	1
Other external causes (175–188b, 188d–203)	258	20	16	22	16	14	25	28	21	23	27	22	24
All other causes	1,803	146	153	151	172	185	152	138	123	135	133	137	178
INDIANAPOLIS, IND. (WHITE), all causes	3,821	309	328	406	319	328	277	285	318	332	285	311	323
Typhoid and paratyphoid fever (1)	14			2			1	3		2	2	4	
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1		1								
Scarlet fever (8)	5		1	2		1	1						
Whooping cough (9)	16	1	3	2	1	1	2	2	2	2			
Diphtheria (10)	15	4	1	3	2		1	1				1	2
Influenza (11)	59	9	12	9	6	2	3		2	3	2	6	5
Dysentery (16)	5								3	2			
Lethargic encephalitis (23)	7	1	1		1	2							2
Meningococcus meningitis (24)	2	1						1					
Tuberculosis of the respiratory system (31)	188	27	15	19	21	21	13	17	13	12	14	7	9
Other forms of tuberculosis (32–37)	45	3	3	3	3	6	4	5	4	2	6	3	3
Bronchitis (99)	9	3	2			1	1	1			1		
Broncho-pneumonia (100)	154	23	18	33	18	12	3	1	5	11	8	12	10
Pneumonia (101)	152	15	25	14	22	7	8	3	6	8	11	16	17
Diarrhea and enteritis [under 2 years] (113)	122	3	1	8	4	3	3	14	33	35	10	4	4
Diarrhea and enteritis [2 years and over] (114)	27		3	2	2	2	3	2	4	4	1	1	3
Puerperal septicemia (146)	18		2	4	1	1		1	3	3	1	1	1
Other puerperal causes (143–145, 147–150)	22	1	3	2	3	1	3	1		3	2	3	
Suicide (165–174)	58	7	1	6	3	5	6	5	4	6	4	7	4
Automobile accidents (188c)	66	5	2	4	1	7	2	8	6	8	11	2	10
Other external causes (175–188b, 188d–203)	147	7	9	9	15	15	12	19	19	6	11	10	15
All other causes	2,688	199	225	284	215	241	211	201	214	225	201	234	238
INDIANAPOLIS, IND. (COLORED), all causes	776	58	56	79	61	79	53	70	60	60	65	66	69
Typhoid and paratyphoid fever (1)	3						1		1			1	
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	1	1											
Scarlet fever (8)													
Whooping cough (9)	3			1						1	1		
Diphtheria (10)													
Influenza (11)	10	2	1	2	1	2							2
Dysentery (16)	1								1				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	84	4	8	7	8	5	3	10	13	5	6	8	7
Other forms of tuberculosis (32–37)	20		2	2	4	5	2		2	1		1	1
Bronchitis (99)	5	1		1			1	1				1	
Broncho-pneumonia (100)	51	6	8	5	5	4	4	3		1	2	8	5
Pneumonia (101)	53	6	5	7	3	6	4	2		6	4	2	8
Diarrhea and enteritis [under 2 years] (113)	33				2	3	1	6	7	7	3	2	2
Diarrhea and enteritis [2 years and over] (114)	9				1	1	1	2	1	1			2
Puerperal septicemia (146)	1												1
Other puerperal causes (143–145, 147–150)	7		1		2		2	1		1			
Suicide (165–174)	1			1									
Automobile accidents (188c)	5					1		1	2			1	
Other external causes (175–188b, 188d–203)	49	1	2	9	3	3	4	5	6	4	2	5	5
All other causes	439	37	29	44	32	49	30	38	27	33	47	37	36
DES MOINES, IOWA, all causes	1,505	137	112	162	146	137	108	100	121	115	113	128	126
Typhoid and paratyphoid fever (1)	4					1			1	2			
Malaria (5)													
Smallpox (6)													
Measles (7)	18	3	6	3	5							1	
Scarlet fever (8)	2	1											1
Whooping cough (9)	3			1		1				1			
Diphtheria (10)	21	2	2	2	1	1	1	2	1	3	2	1	3
Influenza (11)	19	4	1	2	3	3	1		1		1		3
Dysentery (16)	5						1		1	3			
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	1								1				
Tuberculosis of the respiratory system (31)	61	4	5	4	6	9	7	6	4	2	5	5	4
Other forms of tuberculosis (32–37)	18		3	5	3			2		1	2		2
Bronchitis (99)	6	1	1		1							1	2
Broncho-pneumonia (100)	52	7		8	10	6	5	3	2		3	4	4
Pneumonia (101)	74	11	5	8	10	6	3	1	2	3	6	9	10
Diarrhea and enteritis [under 2 years] (113)	18	2	1	1	1	1		1	6	4	1		
Diarrhea and enteritis [2 years and over] (114)	14				1		1	1	4	5	1		1
Puerperal septicemia (146)	10	1	2	1	2	1				1	1		1
Other puerperal causes (143–145, 147–150)	13			1		3	1	1		1	2	2	2
Suicide (165–174)	18		1	2	2	2	2	4		1	1	2	1
Automobile accidents (188c)	17	2	1	1	4	1	1			2	2	2	1
Other external causes (175–188b, 188d–203)	106	11	9	8	7	11	5	9	12	7	9	10	8
All other causes	1,024	88	75	114	90	91	80	70	86	79	77	91	83

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, KANS., all causes	1,530	139	137	147	136	111	122	119	126	103	125	115	150
Typhoid and paratyphoid fever (1)	7							1	1	3	2		
Malaria (5)													
Smallpox (6)													
Measles (7)	17		12	5									
Scarlet fever (8)	3	1		1									1
Whooping cough (9)	14	2	1	4	1	1	2		1	1		1	
Diphtheria (10)	8	1	1	1			1			1	2		1
Influenza (11)	19	2	7		1		1				1	2	5
Dysentery (16)	3							2					1
Lethargic encephalitis (23)	2		1	1									
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	120	10	16	8	10	10	17	10	6	13	3	8	9
Other forms of tuberculosis (32–37)	23	1	1		4	3	2	1	2	1	3	3	2
Bronchitis (99)	7	1	1	1				1	1	1		1	
Broncho-pneumonia (100)	50	10	5	11	7	2	4	1			4		6
Pneumonia (101)	63	6	10	7	12	5		2	1	3	7	1	9
Diarrhea and enteritis [under 2 years] (113)	58		1	1	4		3	12	22	4	6	2	3
Diarrhea and enteritis [2 years and over] (114)	19	1			1	2	1	3	7	2	2		
Puerperal septicemia (146)	10	1	1	1			4					1	2
Other puerperal causes (143–145, 147–150)	16	2		3		2	2	1	1	1	2	1	1
Suicide (165–174)	18	1	2	2	4		1	2	1		2	1	2
Automobile accidents (188c)	18	1	2	1	1	2	2		2	2	3	1	1
Other external causes (175–188b, 188d–203)	109	14	7	10	8	6	14	10	3	9	6	7	15
All other causes	945	85	69	90	82	78	68	73	78	62	82	86	92
LOUISVILLE, KY. (WHITE), all causes	2,970	291	290	298	248	262	207	228	192	244	225	231	254
Typhoid and paratyphoid fever (1)	7				1				2	2	1		1
Malaria (5)	1									1			
Smallpox (6)	1							1					
Measles (7)	5			1	2	1	1						
Scarlet fever (8)	2		1								1		
Whooping cough (9)	9		1	2				1	2	1	1	1	
Diphtheria (10)	11							1	1		7	1	1
Influenza (11)	32	4	1	8	6	5	1	2			1		4
Dysentery (16)	3							1	1	1			
Lethargic encephalitis (23)	3								2			1	
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	181	22	15	22	11	19	13	14	14	14	10	14	13
Other forms of tuberculosis (32–37)	29	2	4	4	1	2	4	4	1	1	2		4
Bronchitis (99)	22	1	9	3	1	2		1		2		2	1
Broncho-pneumonia (100)	106	14	23	18	12	6	2	2	2	9	3	11	4
Pneumonia (101)	99	10	22	18	8	6	4		1	6	5	9	10
Diarrhea and enteritis [under 2 years] (113)	75	2	1	3			3	9	17	18	13	5	4
Diarrhea and enteritis [2 years and over] (114)	18	2	2		1		1	6	1	2	1	1	1
Puerperal septicemia (146)	13	2	1	1	1		1	1	1	1	1	2	1
Other puerperal causes (143–145, 147–150)	22	1	3	3	1	4	2	1		3	2	2	
Suicide (165–174)	41	2	3	4	5	1	4	4	3	2	5	4	4
Automobile accidents (188c)	46	3	4	1	4	3	2	3	3	11	3	2	7
Other external causes (175–188b, 188d–203)	155	14	9	9	17	16	11	19	13	7	11	17	12
All other causes	2,088	212	191	201	177	197	158	157	128	163	158	159	187
LOUISVILLE, KY. (COLORED), all causes	977	88	87	90	94	91	57	85	72	78	70	84	81
Typhoid and paratyphoid fever (1)	2					1				1			
Malaria (5)	2	1						1					
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1											1	
Whooping cough (9)	1							1					
Diphtheria (10)	2	1											1
Influenza (11)	21	1	2	5	4	4	1	2	1				1
Dysentery (16)	4			1				1	1	1			
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	72	7	8	6	10	7	5	7	7	4	6	2	3
Other forms of tuberculosis (32–37)	15				2	1	1	4	2	1	2	1	1
Bronchitis (99)	23	1	5	2	2	1		3		5	1	2	1
Broncho-pneumonia (100)	54	5	5	10	9	5	1	2		4	1	5	7
Pneumonia (101)	68	9	7	6	14	6		3	3	3	4	7	6
Diarrhea and enteritis [under 2 years] (113)	14		1			1	1	4	3		3	1	
Diarrhea and enteritis [2 years and over] (114)	7	1			1		2	2			1		
Puerperal septicemia (146)	7		3	1		1		1		1			
Other puerperal causes (143–145, 147–150)	2		1					1					
Suicide (165–174)	2		1				1						
Automobile accidents (188c)	12				1	1	3	2	1		2	2	
Other external causes (175–188b, 188d–203)	80	4	7	4	6	2	5	6	11	3	13	10	9
All other causes	587	58	46	55	45	61	37	45	43	55	37	53	52
NEW ORLEANS, LA. (WHITE), all causes	4,528	453	456	436	365	358	358	384	323	322	322	336	415
Typhoid and paratyphoid fever (1)	27	1		2	3	1	2	6	1	2	1	4	4
Malaria (5)	4					1			2	1			
Smallpox (6)													
Measles (7)	52	3	13	22	13	1							
Scarlet fever (8)	4			2		1						1	
Whooping cough (9)	4			1			1	2					
Diphtheria (10)	18	1	3	3	4	1	1		1		1	2	1
Influenza (11)	51	9	12	8	5	1				1	2	7	6
Dysentery (16)	10	1	2		1	2	2	1			1		
Lethargic encephalitis (23)	2					1				1			
Meningococcus meningitis (24)	2		1			1							
Tuberculosis of the respiratory system (31)	345	34	25	30	34	34	22	25	25	22	28	31	35
Other forms of tuberculosis (32–37)	21	3	2	3		5	1		2		2	2	1
Bronchitis (99)	16	5	3	1	1			1			1	4	
Broncho-pneumonia (100)	132	17	20	13	17	13	8	7	7	4	5	9	12
Pneumonia (101)	127	18	30	15	16	12	2	6	2	5	4	7	10
Diarrhea and enteritis [under 2 years] (113)	138	8	2	9	11	14	16	14	14	11	10	7	22
Diarrhea and enteritis [2 years and over] (114)	30	1	2	3	1	4	4	3	5		3	3	1
Puerperal septicemia (146)	18	1		1		1	1	2	5	1	3	1	2
Other puerperal causes (143–145, 147–150)	35	4	1	4	1	4	2	2	2	6	3	5	1
Suicide (165–174)	45	5	7	2	5	2	3	5	3	5	3	1	4
Automobile accidents (188c)	61	4	2	6	2	8	5	4	5	7	2	8	8
Other external causes (175–188b, 188d–203)	260	25	28	24	17	18	23	34	24	21	15	8	23
All other causes	3,126	313	303	287	234	233	265	272	225	235	238	236	285

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	3,072	261	292	311	255	260	260	242	251	187	229	222	302
Typhoid and paratyphoid fever (1)	17				1	3	3	4	2	1	1	1	1
Malaria (5)	3		1			1		1					
Smallpox (6)													
Measles (7)	40	2	9	10	12	6	1						
Scarlet fever (8)													
Whooping cough (9)	14	2		1	2	1	1	1	5	1			
Diphtheria (10)	6		1	1	1	1							2
Influenza (11)	53	7	14	12	4		1		1	1	1	6	6
Dysentery (16)	6			1			2		1				2
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	2		2										
Tuberculosis of the respiratory system (31)	289	20	29	26	27	22	31	20	16	22	25	21	30
Other forms of tuberculosis (32–37)	36	2	1	6	1	5	5	2	2	4	3	2	3
Bronchitis (99)	9	1	1			1	5			1			
Broncho-pneumonia (100)	148	15	14	23	12	12	10	16	6	9	9	8	14
Pneumonia (101)	192	27	30	31	16	9	5	5	9	7	11	11	31
Diarrhea and enteritis [under 2 years] (113)	99	3	4	2	7	18	14	16	9	5	8	4	9
Diarrhea and enteritis [2 years and over] (114)	21	2		1	1	2	3	2	1	4	1	2	2
Puerperal septicemia (146)	19	1	1	1	3	3	1	1	4		2	1	1
Other puerperal causes (143–145, 147–150)	25	2	3		1	1	3	1	2	3	1	6	2
Suicide (165–174)	9		1				1	2			1	3	1
Automobile accidents (188c)	23	2	2	2	1	1	1	3	1	1	6	2	1
Other external causes (175–188b, 188d–203)	230	19	22	19	14	19	11	22	21	26	17	19	21
All other causes	1,830	156	157	175	152	155	162	146	171	102	143	136	175
BALTIMORE, MD. (WHITE), all causes	8,672	840	823	831	773	738	600	637	592	602	701	728	807
Typhoid and paratyphoid fever (1)	12	1	1		2				1	3	1	1	2
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	22			3	4	7	4	2	2				
Scarlet fever (8)	20	2	2	5	1	3	2	2				2	1
Whooping cough (9)	29			1	2	1	4	1	1	7	2	4	6
Diphtheria (10)	55	6	3	2	2	3	4	2	3	2	6	14	8
Influenza (11)	84	9	17	5	11	7	3	1	1	2	2	11	15
Dysentery (16)	23		1			1	1	3	5	6	4	2	
Lethargic encephalitis (23)	25		3	2	2	4	5		3	3	1	2	
Meningococcus meningitis (24)	10		1			4	1	1	1	1			1
Tuberculosis of the respiratory system (31)	518	45	57	59	44	46	39	42	45	32	32	38	39
Other forms of tuberculosis (32–37)	83	9	6	13	8	8	3	6	5	7	7	7	4
Bronchitis (99)	51	6	10	8	9	5		3		2	3	2	3
Broncho-pneumonia (100)	507	66	75	54	57	39	24	17	21	25	34	36	59
Pneumonia (101)	386	52	48	46	58	28	18	11	3	13	15	39	55
Diarrhea and enteritis [under 2 years] (113)	240	15	3	8	5	5	6	37	58	50	30	16	7
Diarrhea and enteritis [2 years and over] (114)	29	2	1	1	1	3	3	4	3	5	3	3	
Puerperal septicemia (146)	43	3	4	7	6	1	4	6	1	2	1	5	3
Other puerperal causes (143–145, 147–150)	49	2	7	4	5	7	6	3	4	3	2	2	4
Suicide (165–174)	92	13	6	12	5	12	5	6	7	4	8	10	4
Automobile accidents (188c)	107	5	2	12	11	11	11	9	7	8	11	11	9
Other external causes (175–188b, 188d–203)	413	42	30	35	33	34	28	39	30	36	35	27	44
All other causes	5,873	562	546	554	507	509	429	441	391	391	504	496	543
BALTIMORE, MD. (COLORED), all causes	2,638	240	242	255	255	219	206	176	198	203	195	195	254
Typhoid and paratyphoid fever (1)	9	1	1		1	3					1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	4				1		1		1	1			
Scarlet fever (8)	2	2											
Whooping cough (9)	18	1	2			2	1		5	2	2		3
Diphtheria (10)	5				1	1		1					2
Influenza (11)	51	5	9	7	6	3	4		4	1	3	3	6
Dysentery (16)	5							2	1		2		
Lethargic encephalitis (23)	5	2				1	1		1				
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	289	30	23	22	34	30	21	22	21	23	23	18	22
Other forms of tuberculosis (32–37)	49	1	3	6	4	5	8	10	4	2	4	1	1
Bronchitis (99)	8	3			2	1			2				
Broncho-pneumonia (100)	208	20	29	34	15	19	12	7	8	10	16	11	27
Pneumonia (101)	227	28	31	25	26	22	17	6	8	7	9	15	33
Diarrhea and enteritis [under 2 years] (113)	72	1	4	8	7	1	6	4	19	7	5	8	2
Diarrhea and enteritis [2 years and over] (114)	20	1	2	2	1	3		2	2	2	3	1	1
Puerperal septicemia (146)	17		2	2	1	1	2	2	4	2			1
Other puerperal causes (143–145, 147–150)	11		1		2			1	2	2	1		2
Suicide (165–174)	4			1	1						1		1
Automobile accidents (188c)	22	1	1	1	2	1		3	4	2	4	1	2
Other external causes (175–188b, 188d–203)	137	12	10	5	12	11	8	10	20	10	9	16	14
All other causes	1,474	132	124	142	139	115	125	106	92	132	111	120	136
BOSTON, MASS., all causes	10,940	976	987	1,015	1,073	941	861	780	755	748	884	888	1,032
Typhoid and paratyphoid fever (1)	15		1	1	3		1	2	1	2	3		1
Malaria (5)													
Smallpox (6)													
Measles (7)	45	2	2	8	3	3	1	1	1		2	6	16
Scarlet fever (8)	53	7	5	8	8	5	3	4	2		2	4	5
Whooping cough (9)	22	1	4			1	1	1	3	3	1	3	4
Diphtheria (10)	169	21	26	18	24	16	10	12	6	5	8	11	12
Influenza (11)	25	5	5	3		1	1	1			1	4	4
Dysentery (16)	4	1						1			1		1
Lethargic encephalitis (23)	15	1	2	1	2	1		2		4	1		1
Meningococcus meningitis (24)	19	2	2	2		2	3	3	1	3	1		
Tuberculosis of the respiratory system (31)	670	40	55	68	62	65	60	61	58	52	54	38	57
Other forms of tuberculosis (32–37)	114	8	11	8	11	14	6	18	10	11	4	7	6
Bronchitis (99)	43	4	8	3	5	2	2	3	1	3	2	4	6
Broncho-pneumonia (100)	576	68	78	56	63	57	32	13	26	24	42	52	65
Pneumonia (101)	473	55	54	56	70	36	31	17	8	19	31	32	64
Diarrhea and enteritis [under 2 years] (113)	173	13	8	9	4	4	18	17	32	29	17	14	8
Diarrhea and enteritis [2 years and over] (114)	21	3	1		2		1		6	4	1	1	2
Puerperal septicemia (146)	57	10	3	6	3	3	10	4	6	3	1	3	5
Other puerperal causes (143–145, 147–150)	103	9	7	10	10	8	10	9	7	8	7	8	10
Suicide (165–174)	113	7	10	6	9	12	7	8	8	15	7	12	12
Automobile accidents (188c)	143	14	3	6	12	11	9	14	11	16	24	14	9
Other external causes (175–188b, 188d–203)	574	63	42	51	55	41	46	44	44	45	44	51	48
All other causes	7,513	642	660	695	727	659	609	545	524	502	630	624	696

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CAMBRIDGE, MASS., all causes	1,435	144	116	133	144	122	129	97	88	114	99	116	133
Typhoid and paratyphoid fever (1)	5	1	1			2	1						
Malaria (5)													
Smallpox (6)													
Measles (7)	2				1			1					
Scarlet fever (8)	1											1	
Whooping cough (9)	1					1							
Diphtheria (10)	9	2				3			1			1	2
Influenza (11)	3					1							2
Dysentery (16)													
Lethargic encephalitis (23)	2	1											1
Meningococcus meningitis (24)	3	2					1						
Tuberculosis of the respiratory system (31)	121	14	10	9	12	8	14	4	9	13	11	10	7
Other forms of tuberculosis (32–37)	21	1	4	2	1	2	3	2		4	2		
Bronchitis (99)	9	2		2			2					2	1
Broncho-pneumonia (100)	53	4	8	3	5	6	3	2	2	1	4	7	8
Pneumonia (101)	49	7	4	3	5	5	5	1	2	5	2	6	4
Diarrhea and enteritis [under 2 years] (113)	12	1		2		2		1	2	3		1	
Diarrhea and enteritis [2 years and over] (114)	4	1		1								2	
Puerperal septicemia (146)	5			1	1		1		1	1			
Other puerperal causes (143–145, 147–150)	9			2		1	3			1	1		1
Suicide (165–174)	8			1	3		1				1	1	1
Automobile accidents (188c)	27	2		3	1	3	5	2	4		1	4	2
Other external causes (175–188b, 188d–203)	62	8	3	3	7	4	6	4	8	4	6	5	4
All other causes	1,029	98	86	101	108	84	84	80	59	82	71	76	100
FALL RIVER, MASS., all causes	1,600	147	139	161	128	154	130	97	110	128	143	116	147
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)													
Smallpox (6)													
Measles (7)	1				1								
Scarlet fever (8)	2			1									1
Whooping cough (9)	25	4	4	3	4		1	1	4	2	1		1
Diphtheria (10)	18	5	1	2	2	4	1		1				2
Influenza (11)	13	1		6	2					1	1	1	1
Dysentery (16)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	4			1	1		2						
Tuberculosis of the respiratory system (31)	94	7	8	9	7	11	5	10	7	9	9	4	8
Other forms of tuberculosis (32–37)	18	1	1	2	3	4	1	1	2	1	1		1
Bronchitis (99)	37	4	4	9	3	3	3			3	3	1	4
Broncho-pneumonia (100)	95	18	15	15	10	8	8	1			5	7	8
Pneumonia (101)	53	9	10	6	3	6	4	1		1	6	1	6
Diarrhea and enteritis [under 2 years] (113)	91	6	6	9	5	8	3	3	9	12	12	15	3
Diarrhea and enteritis [2 years and over] (114)	13			1	1	1	1	2	2	3		1	1
Puerperal septicemia (146)	3						1		1	1			
Other puerperal causes (143–145, 147–150)	15	1	1			2	2	2	1	3	1	1	1
Suicide (165–174)	10	1				1			1	1	3	2	1
Automobile accidents (188c)	16	1	1		1	1				4	1	4	3
Other external causes (175–188b, 188d–203)	58	6	1	3	2	4	1	6	9	7	4	5	10
All other causes	1,032	83	87	94	83	101	96	70	73	80	96	74	95
LOWELL, MASS., all causes	1,548	151	112	145	134	132	124	123	111	140	134	110	132
Typhoid and paratyphoid fever (1)	2					1		1					
Malaria (5)													
Smallpox (6)													
Measles (7)	2	1										1	
Scarlet fever (8)	1	1											
Whooping cough (9)	5	2	1	1	1								
Diphtheria (10)	10	2	3	1		2			1				1
Influenza (11)	7	3	1	1	1								1
Dysentery (16)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	3		1	1	1								
Tuberculosis of the respiratory system (31)	92	9	6	6	10	11	7	12	5	9	2	5	10
Other forms of tuberculosis (32–37)	25	3	2	4	1		1	1	3	3	3	3	1
Bronchitis (99)	21	3	2	2	1	1	3	1	2	1	2	1	2
Broncho-pneumonia (100)	76	14	12	7	7	7	6	3	1	2	3	7	7
Pneumonia (101)	39	7	2	2	8	1	1	1	3		2	7	5
Diarrhea and enteritis [under 2 years] (113)	74	1	3	3	1	4	3	13	15	12	9	4	6
Diarrhea and enteritis [2 years and over] (114)	9	1			2		1	1	1	2	1		
Puerperal septicemia (146)	2	1										1	
Other puerperal causes (143–145, 147–150)	11	2	2	1			1	1	1	1	1		1
Suicide (165–174)	8	1	1	1	1		2				2		
Automobile accidents (188c)	23		2	4	1	1	3	1	3	2	3	2	1
Other external causes (175–188b, 188d–203)	72	7	6	9	2	7	9	9	7	5	6	4	1
All other causes	1,065	93	68	102	97	97	87	79	69	103	100	75	95
NEW BEDFORD, MASS., all causes	1,350	141	125	141	115	122	96	94	99	73	118	103	123
Typhoid and paratyphoid fever (1)	5			1					2	1		1	
Malaria (5)													
Smallpox (6)													1
Measles (7)	2				1								
Scarlet fever (8)													
Whooping cough (9)	7	1	2		2	1		1					
Diphtheria (10)	14	1	1	1	2		1		2	1	3		2
Influenza (11)	20	1	2	5	6	2					2	1	1
Dysentery (16)													
Lethargic encephalitis (23)	2				1	1							
Meningococcus meningitis (24)	2										1	1	
Tuberculosis of the respiratory system (31)	93	6	11	10	4	8	11	8	8	6	11	5	5
Other forms of tuberculosis (32–37)	24	2	4	1	5	1		1	2	1		5	
Bronchitis (99)	4	1		1		1							1
Broncho-pneumonia (100)	100	15	17	17	9	6	4		2	3	3	7	17
Pneumonia (101)	34	5	4	4	5	5	2					1	8
Diarrhea and enteritis [under 2 years] (113)	36	3	4	3	1	1	2	1	7	7	3	2	2
Diarrhea and enteritis [2 years and over] (114)	6		1			1		1	2				1
Puerperal septicemia (146)	7		3			2				1	1		
Other puerperal causes (143–145, 147–150)	12		1		3	1	1	2			2	1	1
Suicide (165–174)	12	3	1				4	1			1	1	1
Automobile accidents (188c)	13					4	2	1	1		1		4
Other external causes (175–188b, 188d–203)	45	3	3	4	1	6	4	4	1	2	5	7	5
All other causes	912	100	71	94	75	82	63	74	72	51	85	71	74

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SPRINGFIELD, MASS., all causes	1,691	179	142	173	166	149	137	120	113	128	127	136	121
Typhoid and paratyphoid fever (1)	2		1							1			
Malaria (5)													
Smallpox (6)													
Measles (7)	11	1	2	4	3	1							
Scarlet fever (8)	4			1	2								1
Whooping cough (9)	3			1							1		1
Diphtheria (10)	25	6	4	3	4	2			1	1	1	2	1
Influenza (11)	14	2	1	2	2	1	1				1	1	3
Dysentery (16)	1												1
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	2		1								1		
Tuberculosis of the respiratory system (31)	62	4	3	7	6	5	10	8	2	7		6	4
Other forms of tuberculosis (32–37)	22	3	1	2	1	4	4	2		1		1	3
Bronchitis (99)	6			2		1			1			1	1
Broncho-pneumonia (100)	69	11	7	11	5	8	1	1	3	6	4	8	4
Pneumonia (101)	61	14	5	8	6	2	4	1	1	2	4	9	5
Diarrhea and enteritis [under 2 years] (113)	32		1	1	2	4	4	2	8	7	1		2
Diarrhea and enteritis [2 years and over] (114)	6	2	1						1		1		1
Puerperal septicemia (146)	15	1	1	2	1	2		6		1	1		
Other puerperal causes (143–145, 147–150)	16		2	4	1	2	1	2		2	2		
Suicide (165–174)	14	1			3	5	1		1			1	2
Automobile accidents (188c)	27	1	1	2	3	1	4	4	1	5	2	3	
Other external causes (175–188b, 188d–203)	82	4	8	10	5	9	10	9	5	7	7	4	4
All other causes	1,216	129	103	113	122	102	97	55	89	85	101	100	87
WORCESTER, MASS., all causes	2,465	243	216	233	221	214	170	189	210	165	173	220	211
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1	1									
Scarlet fever (8)	17	3	1	3	1	1	2	2	1	1	1	1	
Whooping cough (9)	5	1				2		1					1
Diphtheria (10)	43	5	4	5	8	1	2	3	5	1	3	3	3
Influenza (11)	6	1	1		2	1							1
Dysentery (16)	2									2			
Lethargic encephalitis (23)	7	1				1		1				1	3
Meningococcus meningitis (24)	2								1		1		
Tuberculosis of the respiratory system (31)	137	14	7	18	16	8	12	12	15	4	9	13	9
Other forms of tuberculosis (32–37)	25	3	1	3	5	2	2	1	2	1	1	2	2
Bronchitis (99)	18	1	7	3	1				1	1	2	1	1
Broncho-pneumonia (100)	111	15	13	20	9	8	7	5	3	4	10	11	6
Pneumonia (101)	89	16	11	9	13	7	2	5	3	3	2	12	6
Diarrhea and enteritis [under 2 years] (113)	38	4	4	1	1	2	3	1	10	3	3	5	1
Diarrhea and enteritis [2 years and over] (114)	8	2				1		1	2			1	1
Puerperal septicemia (146)	14	5	1	2		1		1			1	2	1
Other puerperal causes (143–145, 147–150)	29	3	2	2	3	3	3	2	6	1	2	1	1
Suicide (165–174)	20	2	2		1	2	3		2	1	3	3	1
Automobile accidents (188c)	29	3	3	1	2		3	2	3	5		5	2
Other external causes (175–188b, 188d–203)	123	13	10	6	13	11	11	12	10	9	7	12	9
All other causes	1,739	151	148	159	146	163	119	140	146	129	128	147	163
DETROIT, MICH. (WHITE), all causes	11,400	1,043	969	1,077	1,121	1,153	836	798	863	832	886	874	948
Typhoid and paratyphoid fever (1)	27	2	2	2		4			1	4	3	4	5
Malaria (5)	1										1		
Smallpox (6)	139		2	2	15	73	25	8	6	2	6		
Measles (7)	55	4	6	9	15	9	8	2	1			1	
Scarlet fever (8)	50	5	4	7	6	9	4	4	2	2	2	2	3
Whooping cough (9)	37		1		2	4	4	5	15	4			2
Diphtheria (10)	149	19	17	17	20	12	10	9	10	8	9	10	8
Influenza (11)	80	15	11	12	22	3	3	1	1			4	8
Dysentery (16)	3								1		1	1	
Lethargic encephalitis (23)	12	3	4	1		2		1		1			
Meningococcus meningitis (24)	17		1	2	1	1		4	1	3	2	1	1
Tuberculosis of the respiratory system (31)	742	67	79	73	63	59	55	74	52	59	64	51	46
Other forms of tuberculosis (32–37)	162	10	16	17	17	21	17	16	12	7	8	14	7
Bronchitis (99)	101	7	15	10	14	13	7	6	2	6	8	6	7
Broncho-pneumonia (100)	526	65	54	76	61	52	33	14	23	21	32	28	67
Pneumonia (101)	671	80	78	69	111	75	49	27	17	30	36	54	45
Diarrhea and enteritis [under 2 years] (113)	345	26	20	20	26	27	15	22	59	57	21	33	19
Diarrhea and enteritis [2 years and over] (114)	46	4	1	2	1	2	2	8	7	8	7	2	2
Puerperal septicemia (146)	97	8	10	8	8	10	12	7	6	8	4	8	8
Other puerperal causes (143–145, 147–150)	104	4	3	7	8	12	8	4	10	12	13	12	11
Suicide (165–174)	147	14	8	8	16	24	18	11	9	10	11	8	10
Automobile accidents (188c)	289	24	12	17	35	20	21	22	33	15	39	25	26
Other external causes (175–188b, 188d–203)	596	61	41	50	42	53	46	51	49	53	49	43	58
All other causes	7,004	625	584	668	638	668	499	502	546	522	570	567	615
DETROIT, MICH. (COLORED), all causes	1,441	109	117	164	151	163	133	103	113	123	76	89	100
Typhoid and paratyphoid fever (1)	3						1	1	1				
Malaria (5)	1										1		
Smallpox (6)	25	1			1	12	9	1	1				
Measles (7)	2						2						
Scarlet fever (8)	3			1	1								1
Whooping cough (9)	22			1	1	3	1	3	6	1	4	1	1
Diphtheria (10)	13		1	1	4		1	2	1			1	2
Influenza (11)	21		2	4	3	5		1		1	1	2	2
Dysentery (16)													
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	5		1		1				1	1	1		
Tuberculosis of the respiratory system (31)	204	16	17	18	22	18	15	13	17	22	15	17	14
Other forms of tuberculosis (32–37)	35		1	4	3	5	3	3	6	4	4		2
Bronchitis (99)	9	1		3		2	1					1	1
Broncho-pneumonia (100)	93	12	9	14	15	8	6	3	4	6	1	4	11
Pneumonia (101)	194	15	35	43	28	22	13	4	8	8	3	8	7
Diarrhea and enteritis [under 2 years] (113)	32		2	2	2	1	3	7	5	6	1	2	1
Diarrhea and enteritis [2 years and over] (114)	2					1		1					
Puerperal septicemia (146)	9		1				1	1		3		2	1
Other puerperal causes (143–145, 147–150)	12	2	1	1	1	3	2	1				1	
Suicide (165–174)	6	1		1	1			1				1	1
Automobile accidents (188c)	16	1	2		1	2	1	1	3	3	1		1
Other external causes (175–188b, 188d–203)	135	8	8	15	7	13	13	14	15	14	7	14	7
All other causes	598	52	37	56	60	68	60	46	45	54	37	35	48

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404].

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes	1,530	141	135	162	146	113	110	127	97	101	103	145	150
Typhoid and paratyphoid fever (1)	5	1		1	1			2					
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4			3					1				
Whooping cough (9)	2		1	1									
Diphtheria (10)	9	1		1	1		1			1		2	2
Influenza (11)	12		4	3	1				1			1	2
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	52	6	4	9	2	4	2	6	3	2	7	2	5
Other forms of tuberculosis (32–37)	21	2	5	1	2	3	3		4				1
Bronchitis (99)	7			1	2	2	2						
Broncho-pneumonia (100)	44	1	7	11	7	2	1	1	3	5	3	1	2
Pneumonia (101)	36	8	4	6	3	2	2	2	1	1	1	2	4
Diarrhea and enteritis [under 2 years] (113)	20	3	2	3	3	2	1	3			1	1	1
Diarrhea and enteritis [2 years and over] (114)	7			1	1		1	1				1	2
Puerperal septicemia (146)	8	1	2			1			1			1	2
Other puerperal causes (143–145, 147–150)	8				1			2			1	2	2
Suicide (165–174)	17	1		5	1	1	1	2		1	1	3	1
Automobile accidents (188c)	31	4	1	1			1	4	6	1	5	4	4
Other external causes (175–188b, 188d–203)	75	7	8	1	12	4	5	9	5	5	5	8	6
All other causes	1,172	106	97	114	109	92	90	95	72	85	79	117	116
MINNEAPOLIS, MINN., all causes	4,689	428	390	439	452	453	338	352	300	311	331	424	471
Typhoid and paratyphoid fever (1)	9				1		1	1		2	1	1	2
Malaria (5)													
Smallpox (6)	219				1	1	2	6	2	1	25	53	128
Measles (7)	7		1	1	1	3	1						
Scarlet fever (8)	21	4	3		4		1	1	2		3	1	2
Whooping cough (9)	13	2		4	1	2		1	1	1		1	
Diphtheria (10)	69	12	3	10	1	6	3	6	4	5	9	7	3
Influenza (11)	32	8	3	4	6	4	3			1		2	1
Dysentery (16)	1					1							
Lethargic encephalitis (23)	13	1		4	2	2	1	2					1
Meningococcus meningitis (24)	4	1			1		1	1					
Tuberculosis of the respiratory system (31)	248	22	22	25	22	24	22	26	26	15	20	13	11
Other forms of tuberculosis (32–37)	45	4	4	5	3	8	2	5	1	3	5	1	4
Bronchitis (99)	17		4	2		1	1	1	2		2	2	2
Broncho-pneumonia (100)	162	24	17	21	27	15	4	5	4	9	9	18	9
Pneumonia (101)	183	26	15	22	29	19	10	8	5	5	10	15	19
Diarrhea and enteritis [under 2 years] (113)	30	7	3	3	1		6		1	3	2	1	3
Diarrhea and enteritis [2 years and over] (114)	12		1		2			2	2		2	2	1
Puerperal septicemia (146)	36	2	2	2	8	2	7	1	1	1	1	5	4
Other puerperal causes (143–145, 147–150)	27	4	3	2	1	5	1	2	2	3	1	2	1
Suicide (165–174)	74	6	8	3	5	7	6	10	4	5	6	8	6
Automobile accidents (188c)	86	7	4	13	6	4	8	12	6	7	6	7	6
Other external causes (175–188b, 188d–203)	226	16	10	22	21	25	23	24	21	17	22	15	10
All other causes	3,155	282	287	296	309	324	235	238	216	233	207	270	258
ST. PAUL, MINN., all causes	2,928	273	242	299	264	245	221	227	233	217	233	235	239
Typhoid and paratyphoid fever (1)	5						1	1		2		1	
Malaria (5)													
Smallpox (6)	11						1	1			1	5	3
Measles (7)	7		3	3		1							
Scarlet fever (8)	20	4	5		3	1	2				2	3	
Whooping cough (9)	5		1	1				1		2			
Diphtheria (10)	33	1	2	1		3	4	2	1	3	5	4	7
Influenza (11)	18	2	1	1	3	1	2		2	1		2	3
Dysentery (16)	1									1			
Lethargic encephalitis (23)	14			4	1		2	1	2	2		1	1
Meningococcus meningitis (24)	2										2		
Tuberculosis of the respiratory system (31)	157	12	11	20	16	19	11	13	12	13	11	8	11
Other forms of tuberculosis (32–37)	44	3	5	3	2	3	4	11	6	2	1	2	2
Bronchitis (99)	10		2	1	1		2			1	1		2
Broncho-pneumonia (100)	81	15	10	12	12	5	1	3	2	1	2	8	10
Pneumonia (101)	116	19	9	16	15	13	5	5	3	1	6	12	12
Diarrhea and enteritis [under 2 years] (113)	41	3	2	9	5	6		2	2	4	4	2	2
Diarrhea and enteritis [2 years and over] (114)	6		1		1			1	1		1	1	
Puerperal septicemia (146)	10		1	2	1	1	1	2		1	1		
Other puerperal causes (143–145, 147–150)	16		1	4	1	1	2	2		2	2		1
Suicide (165–174)	35	2	1	5	4	2	9		4	1	4	1	2
Automobile accidents (188c)	55	5	4	5	3	3	8	2	6	8	5	4	2
Other external causes (175–188b, 188d–203)	154	16	8	15	7	14	4	17	18	11	12	21	11
All other causes	2,087	191	175	197	189	172	162	163	174	161	173	160	170
KANSAS CITY, MO. (WHITE), all causes	3,989	382	352	403	383	302	272	297	336	270	331	297	364
Typhoid and paratyphoid fever (1)	9				1			1	3	2	2		
Malaria (5)													
Smallpox (6)													
Measles (7)	20	3	7	3	5	1		1					
Scarlet fever (8)	6	2		1								1	2
Whooping cough (9)	27		4	5	9	2	2	2	3				
Diphtheria (10)	15	3	2		1		2				3	3	1
Influenza (11)	62	11	10	7	11	4	1	2	1	4	1	2	8
Dysentery (16)	5	1						2	1		1		
Lethargic encephalitis (23)	6			2		1			2				1
Meningococcus meningitis (24)	3		1					1					1
Tuberculosis of the respiratory system (31)	210	25	26	18	17	20	23	22	10	15	15	10	9
Other forms of tuberculosis (32–37)	21	2	2		2		3	2	2	1	5	1	1
Bronchitis (99)	21	1	1	3	1	2	5		2		3	1	2
Broncho-pneumonia (100)	129	16	13	29	13	6	11	4	1	3	5	12	16
Pneumonia (101)	160	27	22	27	21	11	6		2	7	12	10	15
Diarrhea and enteritis [under 2 years] (113)	134	4	7	10	6	2	3	19	34	18	17	7	7
Diarrhea and enteritis [2 years and over] (114)	16	1	3	1	1	1	2		5	1	1		
Puerperal septicemia (146)	31	3	3	4	5		3	2	2	3	3	2	1
Other puerperal causes (143–145, 147–150)	21	1		3	5	2	1	2		1	4		2
Suicide (165–174)	67	9	3	6	3	8	4	7	12	7	2	4	2
Automobile accidents (188c)	78	3	4	6	6	9	2	6	8	8	6	12	8
Other external causes (175–188b, 188d–203)	265	22	21	17	15	32	18	23	29	15	26	21	26
All other causes	2,683	248	223	261	261	201	186	201	219	185	225	211	262

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, MO. (COLORED), all causes	836	74	67	79	78	63	75	99	57	62	66	72	44
Typhoid and paratyphoid fever (1)	4						1			2	1		
Malaria (5)	1			1									
Smallpox (6)													
Measles (7)	7			3	2	2							
Scarlet fever (8)													
Whooping cough (9)	14		1	2	3	2		1	2	3			
Diphtheria (10)	1					1							
Influenza (11)	15	4		2	1	3	1	1				2	1
Dysentery (16)	1									1			
Lethargic encephalitis (23)	2							1				1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	100	11	9	9	14	5	8	13	5	4	12	7	3
Other forms of tuberculosis (32–37)	13		1	2	1	1	2	2		1	1	2	
Bronchitis (99)	3				1	1						1	
Broncho-pneumonia (100)	41	3	2	4	6	4	5	2	1	1	1	9	3
Pneumonia (101)	60	7	3	7	6	6	5	5	3	5	5	2	6
Diarrhea and enteritis [under 2 years] (113)	15	1	1	1		1		2	4	3	1	1	
Diarrhea and enteritis [2 years and over] (114)	4			1				1		1		1	
Puerperal septicemia (146)	2				1		1						
Other puerperal causes (143–145, 147–150)	8	1	1	2			1	1					2
Suicide (165–174)	2							1					1
Automobile accidents (188c)	9		1		2				1	2	2	1	
Other external causes (175–188b, 188d–203)	101	11	14	8	5	4	9	23	10	6	2	6	3
All other causes	433	36	34	37	36	33	42	46	31	33	41	39	25
ST. LOUIS, MO. (WHITE), all causes	9,074	867	820	879	893	706	685	636	666	632	728	745	817
Typhoid and paratyphoid fever (1)	26	1		3	2	2	1	5	4	7			1
Malaria (5)	6		1						2		3		
Smallpox (6)													
Measles (7)	18			7	8		3						
Scarlet fever (8)	77	6	4	16	14	8	4	6	3	1	6	5	4
Whooping cough (9)	30	4	6	6	6	2	2	3	1				
Diphtheria (10)	76	15	4	5	4	4	11	4	2	1	6	11	9
Influenza (11)	86	11	10	10	17	8	3			1	3	9	14
Dysentery (16)	8	1			1		1		2		1	1	1
Lethargic encephalitis (23)	6		1	1	1		2	1					
Meningococcus meningitis (24)	14	5	1	2	2			1		1		1	1
Tuberculosis of the respiratory system (31)	362	35	40	36	36	41	23	13	28	25	27	27	31
Other forms of tuberculosis (32–37)	72	4	9	7	6	4	9	8	5	5	1	6	8
Bronchitis (99)	58	11	9	9	6	4	1	3	1	2	2	6	4
Broncho-pneumonia (100)	415	48	55	46	59	23	15	15	26	19	21	32	56
Pneumonia (101)	498	40	59	58	71	34	35	16	17	16	26	48	78
Diarrhea and enteritis [under 2 years] (113)	153	7	3	5	9	8	13	17	31	20	19	11	10
Diarrhea and enteritis [2 years and over] (114)	28	3	1	1	2		6	3	6	3	1		2
Puerperal septicemia (146)	29	1	1	1	3	2	5	2	3	1	5	2	3
Other puerperal causes (143–145, 147–150)	57	5	6	7	1	3	1	4	7	5	6	5	7
Suicide (165–174)	152	12	19	13	17	14	8	9	10	7	16	17	10
Automobile accidents (188c)	171	15	9	3	8	15	18	14	13	23	16	17	20
Other external causes (175–188b, 188d–203)	484	39	40	42	33	40	35	40	37	47	49	36	46
All other causes	6,248	604	542	601	587	494	489	472	468	448	520	511	512
ST. LOUIS, MO. (COLORED), all causes	1,919	134	147	196	196	157	148	168	156	134	145	149	189
Typhoid and paratyphoid fever (1)	4						1	1	3				
Malaria (5)	3						1				1	1	
Smallpox (6)													
Measles (7)	3				1	2							
Scarlet fever (8)													
Whooping cough (9)	5					1	2	1					1
Diphtheria (10)	3			1	1							1	
Influenza (11)	18	2		3	3	1	2				2	3	2
Dysentery (16)	4							1	3				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3	1				1							1
Tuberculosis of the respiratory system (31)	203	15	20	19	9	10	23	26	19	16	13	17	16
Other forms of tuberculosis (32–37)	40	2	4	3	1	6	4	4	4	3	4	2	3
Bronchitis (99)	18		1	2		2	4	4	1	1	1	2	
Broncho-pneumonia (100)	113	8	11	16	26	7	10	2	6	5	3	10	9
Pneumonia (101)	224	20	17	38	45	16	10	7	9	15	17	12	18
Diarrhea and enteritis [under 2 years] (113)	38		2	2	1	1	6	5	8	4	4	1	4
Diarrhea and enteritis [2 years and over] (114)	10			2	2	1		2	2	1			
Puerperal septicemia (146)	6						1		1	1		1	2
Other puerperal causes (143–145, 147–150)	9		1		1	2		2		1		1	1
Suicide (165–174)	10			2	2	1	1	2	1		1		
Automobile accidents (188c)	26	2	2	1	3	1	2	4	3	3	4	1	
Other external causes (175–188b, 188d–203)	118	10	10	11	7	5	13	9	16	5	8	6	18
All other causes	1,061	74	79	96	94	100	69	98	80	79	87	91	114
OMAHA, NEBR., all causes	2,650	246	216	251	249	224	193	189	196	231	200	234	221
Typhoid and paratyphoid fever (1)	3										1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	39		2	10	17	6	2	1			1		
Scarlet fever (8)	1												1
Whooping cough (9)	3				1	1							1
Diphtheria (10)	36	1	4	1	3	2	1	1	1	9	4	7	2
Influenza (11)	22	5	6	1	2	1			2	1	3	1	
Dysentery (16)	1									1			
Lethargic encephalitis (23)	5				2	1	1						1
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	120	11	6	17	13	9	10	10	8	8	4	12	12
Other forms of tuberculosis (32–37)	26	2	1	2	3	4	2	2	3		1	4	2
Bronchitis (99)	6	1		1	2		1					1	
Broncho-pneumonia (100)	77	8	9	6	6	13	4	1		4	7	7	12
Pneumonia (101)	140	23	13	18	17	17	11	6	3	7	5	7	13
Diarrhea and enteritis [under 2 years] (113)	44	2	3	3	4	1	4	3	10	8	3		3
Diarrhea and enteritis [2 years and over] (114)	13		1	1			1	2	4	2		2	
Puerperal septicemia (146)	12	2	2	2	1	1			1	1		1	1
Other puerperal causes (143–145, 147–150)	17	1	3		1	3		3		2		3	1
Suicide (165–174)	56	9	5	2	6	2	5	2	6	7	6	2	4
Automobile accidents (188c)	29	5	1		1	3	3	1	3	3	3	3	3
Other external causes (175–188b, 188d–203)	174	21	9	15	17	18	12	16	18	16	10	15	7
All other causes	1,825	155	151	172	153	142	136	141	137	162	151	168	157

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CAMDEN, N. J., all causes	1,744	172	150	165	175	160	133	130	117	129	110	147	156
Typhoid and paratyphoid fever (1)	8			1			1	1	1	1	3		
Malaria (5)													
Smallpox (6)	13							1	3	2	1	1	5
Measles (7)	3				1								2
Scarlet fever (8)	1											1	
Whooping cough (9)	5				1	1				2		1	
Diphtheria (10)	23	3	1	4	1	2	3	3		2	3	1	
Influenza (11)	17		2	4	5	2	3					1	
Dysentery (16)													
Lethargic encephalitis (23)	3								1	1			1
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	81	9	5	5	5	10	4	8	6	11	3	7	8
Other forms of tuberculosis (32–37)	12	4		2		2		1		2			1
Bronchitis (99)	11	2	2		1	1	1			1	1	1	1
Broncho-pneumonia (100)	76	8	13	9	11	9	5	1	1	1	3	8	7
Pneumonia (101)	126	18	17	17	20	10	6	1	1	3	7	10	16
Diarrhea and enteritis [under 2 years] (113)	80	8	3	6	9	7	4	9	11	5	6	8	4
Diarrhea and enteritis [2 years and over] (114)	13			4	3	2	1	2			1		
Puerperal septicemia (146)	26	2	2	1	4	5	1	3	1	1	3	1	2
Other puerperal causes (143–145, 147–150)	18	2	2		3	2	1	2	1	2	2		1
Suicide (165–174)	19	3	3	2	2	1	1	1	3	1		1	1
Automobile accidents (188c)	36	2	2	1	1	6	1	3	3	5	4	4	4
Other external causes (175–188b, 188d–203)	117	8	8	9	6	10	8	8	8	7	3	20	22
All other causes	1,055	102	90	100	102	90	93	86	77	82	70	82	81
JERSEY CITY, N. J., all causes	3,821	326	373	370	362	346	274	282	253	271	279	322	363
Typhoid and paratyphoid fever (1)	9	2		1					1			2	3
Malaria (5)													
Smallpox (6)													
Measles (7)	28	3	9	7	5	4							
Scarlet fever (8)	7		1	1	1		2	1					1
Whooping cough (9)	32		1		1	2	2	5	2	5	4	3	7
Diphtheria (10)	38	1	5	5	2	2	1		2	2	4	5	9
Influenza (11)	39	5	2	2	6	2	3	1	1	2	4	4	7
Dysentery (16)	1								1				
Lethargic encephalitis (23)	5					1	1	1			1		1
Meningococcus meningitis (24)	2								1			1	
Tuberculosis of the respiratory system (31)	246	16	25	27	18	22	17	22	21	25	11	14	28
Other forms of tuberculosis (32–37)	31	1	2	3	3	6	3	4	4	2	1	1	1
Bronchitis (99)	36	3	6	3	8	1	1	1	2	2	1	3	5
Broncho-pneumonia (100)	188	14	30	16	16	16	16	5	4	8	21	11	31
Pneumonia (101)	251	36	23	47	42	16	11	15	5	8	11	15	22
Diarrhea and enteritis [under 2 years] (113)	132	8	7	8	10	6	12	11	29	12	9	12	8
Diarrhea and enteritis [2 years and over] (114)	18	1		2	1	1	1	2	2	3	2	3	
Puerperal septicemia (146)	27	2	1	1	3	5	4	2	3	2	1	1	2
Other puerperal causes (143–145, 147–150)	26	3	5		1	2	3	4	1	2	1	1	3
Suicide (165–174)	31	1	2	3	3	3	1	4	1	2	3	6	2
Automobile accidents (188c)	56	5	1	5	5	3	5	4	7	8	6	5	2
Other external causes (175–188b, 188d–203)	193	13	9	29	23	29	14	12	14	7	13	13	17
All other causes	2,425	212	244	210	214	225	177	188	152	181	186	222	214
NEWARK, N. J., all causes	4,982	429	468	498	486	439	374	355	355	358	369	406	445
Typhoid and paratyphoid fever (1)	13	1			1			1	1	1		2	6
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	18		1	2	3	3	3	2	1			2	1
Scarlet fever (8)	4			1	2								1
Whooping cough (9)	35			2	1	1	2	6	8	5	3	2	5
Diphtheria (10)	19	1	1	2	4	1			1		4	1	4
Influenza (11)	39	6	5	7	2	7		1	1		1	1	8
Dysentery (16)	2								1	1			
Lethargic encephalitis (23)	19	1		2	4	5		2	1		1	1	2
Meningococcus meningitis (24)	9		3	1				1		1		3	
Tuberculosis of the respiratory system (31)	258	18	26	26	31	21	27	22	11	21	22	21	12
Other forms of tuberculosis (32–37)	47	1	1	4	8	12	3	4	3	3	1	5	2
Bronchitis (99)	49	6	4	2	5	4	4	3	1	2	2	3	13
Broncho-pneumonia (100)	173	20	21	17	21	13	8	9	6	10	15	10	23
Pneumonia (101)	297	46	29	34	33	25	19	10	8	13	21	28	31
Diarrhea and enteritis [under 2 years] (113)	143	5	5	3	12	9	12	16	15	30	15	13	8
Diarrhea and enteritis [2 years and over] (114)	14	1	1			3	1	1	1	2		2	2
Puerperal septicemia (146)	32	2	2	7	1	7	1	1		4	2	2	3
Other puerperal causes (143–145, 147–150)	54	8	4	5	5	4	4	5	3	6	5	2	3
Suicide (165–174)	53	7	5	3	2	6	5	4	4	3	5	6	3
Automobile accidents (188c)	104	6	8	7	10	12	9	7	9	6	6	10	14
Other external causes (175–188b, 188d–203)	237	20	19	25	28	28	16	16	27	14	13	17	14
All other causes	3,362	280	333	348	313	278	260	243	253	236	253	275	290
PATERSON, N. J., all causes	1,706	169	162	159	170	121	118	126	113	129	126	150	163
Typhoid and paratyphoid fever (1)	4	1						2	1				
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	8		3		3	1	1						
Scarlet fever (8)													
Whooping cough (9)	8	3						1				1	3
Diphtheria (10)	11	2	2	1		2	3					1	
Influenza (11)	26		7	2	1	2		1		1	1	4	7
Dysentery (16)													
Lethargic encephalitis (23)	5		1		1	1	1					1	
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	102	9	13	10	10	5	4	10	5	14	7	6	9
Other forms of tuberculosis (32–37)	23	3	2		1		2	4		4	3	1	3
Bronchitis (99)	8	2	1	1	1			1			2		
Broncho-pneumonia (100)	54	9	9	3	5	2	3	2		4	4	8	5
Pneumonia (101)	89	6	15	14	14		5	4	2	5	6	4	14
Diarrhea and enteritis [under 2 years] (113)	28	2	1			2	5		2	7	3	5	1
Diarrhea and enteritis [2 years and over] (114)	7		1		1				1	1	2	1	
Puerperal septicemia (146)	9		1	1		2	1	1				1	2
Other puerperal causes (143–145, 147–150)	11	2	2	1	1			2			2		1
Suicide (165–174)	21	1	1		5	2	1	2	1	2	3	2	1
Automobile accidents (188c)	49	6	3	3	3	6	2	4	3	4	3	5	7
Other external causes (175–188b, 188d–203)	82	9	11	3	6	6	5	5	4	6	7	9	11
All other causes	1,159	114	89	120	118	89	85	87	93	81	83	101	99

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes	1,872	163	156	169	172	154	141	147	150	121	154	155	190
Typhoid and paratyphoid fever (1)	4		1				1			1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	15		1	5	2	2	2	2	1				
Scarlet fever (8)	1	1											
Whooping cough (9)	20		1	2		4		1	1	2	6		3
Diphtheria (10)	6	2	1	1				1			1		
Influenza (11)	22	3	1	4	6			1			1	4	2
Dysentery (16)													
Lethargic encephalitis (23)	2			1									1
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	95	11	4	11	10	6	10	10	6	2	8	7	10
Other forms of tuberculosis (32–37)	26	2	3		5	5	2			1	4	3	1
Bronchitis (99)	8		1	2	1	2					1		1
Broncho-pneumonia (100)	70	7	8	4	9	4	9	1	4	3	3	8	10
Pneumonia (101)	94	15	10	13	15	9	6	3	3	2	3	9	6
Diarrhea and enteritis [under 2 years] (113)	52	3	3	4	1	2	4	3	11	8	9	2	2
Diarrhea and enteritis [2 years and over] (114)	9			1	2			2	1		1	2	
Puerperal septicemia (146)	12	1	1	1	1			1	2	1	2	1	1
Other puerperal causes (143–145, 147–150)	10		1	2	1	2						2	2
Suicide (165–174)	25	2	3		3	2	3	3	1		3	4	1
Automobile accidents (188c)	34	3	1	1	3	4	1	2	6	3	3	4	3
Other external causes (175–188b, 188d–203)	106	10	9	7	8	7	7	14	7	8	5	5	19
All other causes	1,260	103	107	110	105	104	96	103	107	90	103	104	128
ALBANY, N. Y., all causes	1,827	146	167	178	151	179	164	119	123	138	139	161	162
Typhoid and paratyphoid fever (1)	16					9	4	1		1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1				1						
Scarlet fever (8)	8	1	1		2	1	1					1	1
Whooping cough (9)	5								2	1	1		1
Diphtheria (10)	15			1		4	2	4	1		2		1
Influenza (11)	13	2	3	1	3						1	2	1
Dysentery (16)													
Lethargic encephalitis (23)	3	1		1			1						
Meningococcus meningitis (24)	2			1					1				
Tuberculosis of the respiratory system (31)	115	11	8	15	8	18	7	8	10	8	8	6	8
Other forms of tuberculosis (32–37)	15	1	2		4	2	2	2	1			1	
Bronchitis (99)	10			3		1	1			3	2		
Broncho-pneumonia (100)	44	2	5	11	6	1	3	1	1	2	5	3	4
Pneumonia (101)	79	7	10	15	9	7	5	3	1	1	6	7	8
Diarrhea and enteritis [under 2 years] (113)	28	1		2	1	2	1	1	2	6	7	1	4
Diarrhea and enteritis [2 years and over] (114)	5	1	1				2						1
Puerperal septicemia (146)	6				3				2	1			
Other puerperal causes (143–145, 147–150)	14	1	2		3	1	1		1	1		2	2
Suicide (165–174)	12	3	1			2		1	1	3		1	
Automobile accidents (188c)	28				2	2	4	2	3	5	2	5	3
Other external causes (175–188b, 188d–203)	63	3	7	4	7	5	5	10	3	2	6	5	6
All other causes	1,344	112	126	124	103	124	124	86	94	104	98	127	122
BUFFALO, N. Y., all causes	6,955	655	581	617	665	599	543	455	511	604	516	551	658
Typhoid and paratyphoid fever (1)	15	1	2	2			1		1	4	3		1
Malaria (5)													
Smallpox (6)													
Measles (7)	5				1	1	1			1			1
Scarlet fever (8)	15	5	2		2	2	2			1			1
Whooping cough (9)	45	3	3	4	7	6	5	4	5	5	1	1	1
Diphtheria (10)	49	3	7	10	8	2	3	4	3	1	3	4	1
Influenza (11)	31	3	5	5	5	3			1			1	8
Dysentery (16)	9								6	2			1
Lethargic encephalitis (23)	2											1	1
Meningococcus meningitis (24)	2		1		1								
Tuberculosis of the respiratory system (31)	478	41	33	50	39	45	58	50	29	38	33	35	27
Other forms of tuberculosis (32–37)	67	5	7	2	5	13	7	4	7	3	4	3	7
Bronchitis (99)	80	8	9	12	14	6	6		3	4	3	7	3
Broncho-pneumonia (100)	237	27	24	22	32	26	13	4	10	12	20	18	21
Pneumonia (101)	292	32	33	37	39	12	18	14	11	13	25	27	31
Diarrhea and enteritis [under 2 years] (113)	232	24	23	14	16	11	9	8	37	43	16	15	16
Diarrhea and enteritis [2 years and over] (114)	32	3	1	1	4	3	3	4	4	5	1		3
Puerperal septicemia (146)	37	10	3	5	2	2	3	1	4		4	2	1
Other puerperal causes (143–145, 147–150)	49	3	5	1	2	3	4	9	2	4	4	5	7
Suicide (165–174)	66	4	4	8	3	7	5	2	4	8	6	8	7
Automobile accidents (188c)	112	12	2	9	9	7	14	7	9	11	9	13	10
Other external causes (175–188b, 188d–203)	347	27	24	27	37	30	24	30	33	35	23	25	32
All other causes	4,753	444	393	408	439	420	367	314	342	414	361	386	465
NEW YORK, N. Y. (WHITE), all causes	67,558	6,223	6,135	6,928	6,330	6,044	5,123	4,582	4,622	4,654	5,157	5,474	6,286
Typhoid and paratyphoid fever (1)	184	8	5	5	6	5	12	22	16	18	11	13	63
Malaria (5)	2						1				1		
Smallpox (6)	1			1									
Measles (7)	542	36	67	139	143	91	43	12	5	2	3		1
Scarlet fever (8)	80	6	12	15	13	11	3	3	3	1		5	8
Whooping cough (9)	401	24	16	36	29	38	38	46	45	47	29	34	19
Diphtheria (10)	688	66	82	75	73	70	59	46	31	21	35	52	78
Influenza (11)	491	65	65	80	52	29	18	6	4	17	41	40	74
Dysentery (16)	18				1	1	1		1	6	2	2	4
Lethargic encephalitis (23)	223	14	15	20	24	23	18	15	13	21	17	20	23
Meningococcus meningitis (24)	104	9	8	9	16	7	8	11	7	4	6	8	11
Tuberculosis of the respiratory system (31)	4,302	388	352	431	445	421	334	297	323	326	312	309	364
Other forms of tuberculosis (32–37)	714	62	58	64	75	64	74	62	54	49	47	48	57
Bronchitis (99)	261	30	29	36	23	17	14	12	14	11	13	33	29
Broncho-pneumonia (100)	3,253	323	356	384	352	315	201	143	122	138	239	323	357
Pneumonia (101)	4,168	493	501	557	495	375	241	142	135	151	277	326	475
Diarrhea and enteritis [under 2 years] (113)	1,214	84	79	95	78	91	70	72	215	165	113	81	71
Diarrhea and enteritis [2 years and over] (114)	148	11	10	9	10	12	12	15	15	21	13	6	14
Puerperal septicemia (146)	249	16	26	27	19	22	31	26	18	12	13	21	18
Other puerperal causes (143–145, 147–150)	447	40	28	34	43	42	43	46	35	36	40	27	33
Suicide (165–174)	808	60	55	74	70	73	59	61	49	78	63	85	81
Automobile accidents (188c)	967	87	64	81	66	84	77	70	85	97	94	90	72
Other external causes (175–188b, 188d–203)	3,336	282	275	273	297	295	257	312	267	212	269	275	322
All other causes	44,957	4,119	4,032	4,483	4,000	3,958	3,509	3,163	3,165	3,221	3,519	3,676	4,112

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (COLORED), all causes	3,748	328	294	371	341	329	305	291	267	259	324	315	324
Typhoid and paratyphoid fever (1)	6						2		2	1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	15	2		3	3	4	2			1			
Scarlet fever (8)	2					1					1		
Whooping cough (9)	45	2		6	3	3	6	4	4	5	4	3	5
Diphtheria (10)	34	3		6	1	2	8	3	2	2	4	1	2
Influenza (11)	25		1	7	6	4			2	1		2	2
Dysentery (16)													
Lethargic encephalitis (23)	15	2		2	2	1	3	1	1			2	1
Meningococcus meningitis (24)	6			1	2			1	1			1	
Tuberculosis of the respiratory system (31)	559	53	46	46	36	46	40	46	50	38	58	58	42
Other forms of tuberculosis (32–37)	92	5	10	8	11	3	15	8	4	6	7	6	9
Bronchitis (99)	17	2		2	1	2	1	2		1	1	2	3
Broncho-pneumonia (100)	256	25	25	32	33	18	22	19	7	13	13	23	26
Pneumonia (101)	371	53	45	40	40	28	24	11	13	13	21	33	50
Diarrhea and enteritis [under 2 years] (113)	55	4	4	4	2	3	4	6	7	7	7	6	1
Diarrhea and enteritis [2 years and over] (114)	5	1	1							2		1	
Puerperal septicemia (146)	28	3	6	3	1	2		3	3	4	2	1	
Other puerperal causes (143–145, 147–150)	28	4	2		2	1	4	2	2	2		5	4
Suicide (165–174)	26	2	4	4	4	1	1	1		3	3	2	1
Automobile accidents (188c)	33	2	1	1		5	1	2	5	2	8	2	4
Other external causes (175–188b, 188d–203)	202	13	7	18	13	17	20	31	15	10	26	14	18
All other causes	1,928	152	142	188	181	188	152	151	149	148	168	153	156
NEW YORK, N. Y. (BRONX BOROUGH), all causes	7,894	721	705	821	758	717	616	539	551	533	603	592	738
Typhoid and paratyphoid fever (1)	16	2		1	1			1	2		2	1	6
Malaria (5)													
Smallpox (6)													
Measles (7)	37	2	4	6	10	8	6						1
Scarlet fever (8)	17	2	5	3	2	1		1	1	1			1
Whooping cough (9)	34	1	3	2	1		6	6	8	2	4		1
Diphtheria (10)	93	6	12	9	11	10	8	5	4	3	6	10	9
Influenza (11)	70	8	12	12	7	5	2	1	1	3	4	6	9
Dysentery (16)	1												1
Lethargic encephalitis (23)	32	2	2		3	3	2	2	1	6	4	2	5
Meningococcus meningitis (24)	14	3	1	1	1			1	1	1	1	2	2
Tuberculosis of the respiratory system (31)	527	51	42	57	44	48	38	35	49	35	45	39	44
Other forms of tuberculosis (32–37)	70	12	2	5	9	5	10	7	3	4	4	5	4
Bronchitis (99)	24	2	3	5	2	1		2	2	1	2	1	3
Broncho-pneumonia (100)	350	49	39	33	36	34	22	17	10	23	15	35	37
Pneumonia (101)	485	61	56	60	59	52	34	15	18	11	25	32	62
Diarrhea and enteritis [under 2 years] (113)	94	10	6	11	5	5	5	1	18	8	14	4	7
Diarrhea and enteritis [2 years and over] (114)	20	2	1		2	1	1	2	2	2	3	2	2
Puerperal septicemia (146)	32	2	7		6	2	3	5	3	1		2	1
Other puerperal causes (143–145, 147–150)	48	4	2	1	4	9	5	3	4	2	7	5	2
Suicide (165–174)	91	4	8	9	5	2	6	11	7	13	7	10	9
Automobile accidents (188c)	122	9	13	8	5	9	11	5	12	14	14	11	11
Other external causes (175–188b, 188d–203)	273	18	21	22	19	27	26	29	13	22	21	27	28
All other causes	5,444	471	466	576	526	495	431	390	392	381	425	398	493
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,768	2,191	2,137	2,467	2,216	2,163	1,725	1,623	1,606	1,670	1,803	1,941	2,226
Typhoid and paratyphoid fever (1)	61	3	2	3	2	1	4	11	5	6	4	5	15
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	192	8	21	63	51	27	10	8	2	1	1		
Scarlet fever (8)	21		1	5	4	6	1	1	1				2
Whooping cough (9)	149	5	3	9	11	18	12	19	17	20	9	18	8
Diphtheria (10)	275	27	40	34	31	26	25	14	12	10	10	14	32
Influenza (11)	204	22	25	27	27	14	9	2	1	7	19	17	34
Dysentery (16)	6						1			1		2	2
Lethargic encephalitis (23)	77	6	3	8	8	10	3	7	7	7	7	7	4
Meningococcus meningitis (24)	39	2	1	2	9	3	4	5	4	2	3	2	2
Tuberculosis of the respiratory system (31)	1,312	111	110	121	147	139	95	88	102	97	88	90	124
Other forms of tuberculosis (32–37)	266	19	29	25	26	23	27	20	20	18	21	19	19
Bronchitis (99)	96	18	9	13	11	7	3	4	4	5	6	10	6
Broncho-pneumonia (100)	1,246	119	145	152	129	118	73	57	52	45	101	116	139
Pneumonia (101)	1,470	175	180	203	169	123	76	41	49	52	107	128	167
Diarrhea and enteritis [under 2 years] (113)	468	27	33	27	33	33	21	34	85	67	44	41	23
Diarrhea and enteritis [2 years and over] (114)	51	3	2	3	4	4	5	4	7	8	6	1	4
Puerperal septicemia (146)	114	8	11	17	6	13	7	11	8	4	9	10	10
Other puerperal causes (143–145, 147–150)	202	16	15	13	16	21	22	21	15	18	17	14	14
Suicide (165–174)	236	20	18	21	14	30	13	21	12	21	20	24	22
Automobile accidents (188c)	325	27	22	30	24	29	24	32	30	33	31	27	16
Other external causes (175–188b, 188d–203)	1,076	94	73	80	93	108	87	105	100	79	83	83	91
All other causes	15,881	1,481	1,394	1,611	1,401	1,410	1,203	1,118	1,073	1,169	1,216	1,313	1,492
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	809	83	74	75	72	61	63	65	56	56	67	70	67
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	6			2	1	1	1			1			
Scarlet fever (8)	1										1		
Whooping cough (9)	10			1	1	2			3	2		1	
Diphtheria (10)	5			2							2		1
Influenza (11)	11			5	3	1				1		1	
Dysentery (16)													
Lethargic encephalitis (23)	2	1					1						
Meningococcus meningitis (24)	3				2				1				
Tuberculosis of the respiratory system (31)	93	14	6	7	3	11	6	10	7	5	8	11	5
Other forms of tuberculosis (32–37)	21	1	1	1	2		4	3		2	3	1	3
Bronchitis (99)	6			1	1	1		1			1		1
Broncho-pneumonia (100)	72	8	10	11	9	1	6	6	1	2	3	8	7
Pneumonia (101)	80	10	14	9	6	5	6		4	5	5	7	9
Diarrhea and enteritis [under 2 years] (113)	11	1	1					2	2	3	2		
Diarrhea and enteritis [2 years and over] (114)	2									2			
Puerperal septicemia (146)	3	2						1					
Other puerperal causes (143–145, 147–150)	5	1	1				1					2	
Suicide (165–174)	5				3					1			1
Automobile accidents (188c)	2					1					1		
Other external causes (175–188b, 188d–203)	43	4	1	2	2	4	6	5	4	1	5	3	6
All other causes	428	41	40	34	39	34	32	37	34	31	36	36	34

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	27,933	2,582	2,632	2,892	2,646	2,518	2,157	1,860	1,871	1,871	2,133	2,260	2,511
Typhoid and paratyphoid fever (1)	85	3	3	1	2	4	6	8	7	8	4	6	33
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	259	24	39	58	67	42	21	3	3		2		
Scarlet fever (8)	30	1	5	6	5	2	2	1	1			3	4
Whooping cough (9)	176	11	9	21	15	20	16	18	16	16	14	13	7
Diphtheria (10)	224	25	24	22	21	26	16	22	10	4	12	15	27
Influenza (11)	139	20	19	24	11	11	7	2	2	5	12	9	17
Dysentery (16)	7					1			1	2	2		1
Lethargic encephalitis (23)	89	5	6	9	10	10	10	5	5	4	6	9	10
Meningococcus meningitis (24)	47	4	5	6	4	4	4	5	2	1	1	4	7
Tuberculosis of the respiratory system (31)	1,973	179	165	201	209	197	166	133	129	158	147	140	149
Other forms of tuberculosis (32–37)	300	27	20	29	33	26	33	27	24	20	14	20	27
Bronchitis (99)	101	7	13	12	9	7	7	3	5	3	5	16	14
Broncho-pneumonia (100)	1,336	116	147	167	158	127	92	56	44	56	101	135	137
Pneumonia (101)	1,815	214	212	250	220	165	95	72	55	72	128	134	198
Diarrhea and enteritis [under 2 years] (113)	530	40	39	49	33	45	34	29	91	73	37	30	30
Diarrhea and enteritis [2 years and over] (114)	53	4	6	5	3	7	4	5	3	5	3	2	6
Puerperal septicemia (146)	75	5	6	8	6	3	12	8	8	5	1	9	4
Other puerperal causes (143–145, 147–150)	136	12	10	15	14	8	12	15	13	10	11	6	10
Suicide (165–174)	378	27	23	34	45	29	34	22	22	35	27	39	41
Automobile accidents (188c)	414	38	22	38	29	38	34	22	36	36	44	42	35
Other external causes (175–188b, 188d–203)	1,609	142	149	142	147	127	111	145	128	85	130	133	170
All other causes	18,156	1,678	1,710	1,795	1,605	1,619	1,440	1,259	1,266	1,273	1,432	1,495	1,584
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,661	232	205	267	242	241	222	201	190	183	232	220	226
Typhoid and paratyphoid fever (1)	6						2		2	1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	7	2		1	2	2							
Scarlet fever (8)													
Whooping cough (9)	32	1		4	2	1	6	4	1	3	4	2	4
Diphtheria (10)	27	3		2	1	2	8	3	2	2	2	1	1
Influenza (11)	10		1	2	1	1			2			1	2
Dysentery (16)													
Lethargic encephalitis (23)	13	1		2	2	1	2	1	1			2	1
Meningococcus meningitis (24)	3			1				1				1	
Tuberculosis of the respiratory system (31)	435	37	37	36	31	34	32	34	40	29	48	44	33
Other forms of tuberculosis (32–37)	65	3	9	6	8	3	10	5	4	3	4	4	6
Bronchitis (99)	9	1				1	1	1		1		2	2
Broncho-pneumonia (100)	168	17	14	20	24	13	14	12	5	9	10	12	18
Pneumonia (101)	267	41	28	27	28	23	18	10	8	7	15	24	38
Diarrhea and enteritis [under 2 years] (113)	41	3	2	4	2	2	4	4	5	4	5	5	1
Diarrhea and enteritis [2 years and over] (114)	2	1	1										
Puerperal septicemia (146)	23	1	6	3	1	2		2	2	4	1	1	
Other puerperal causes (143–145, 147–150)	21	3	1		2	1	2	2	2	2		3	3
Suicide (165–174)	19	2	4	4	1	1	1			2	2	2	
Automobile accidents (188c)	25	2	1	1		4	1	1	3	1	7	2	2
Other external causes (175–188b, 188d–203)	138	9	6	14	11	13	10	21	10	7	18	8	11
All other causes	1,350	105	95	140	126	137	111	100	103	108	115	106	104
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	6,513	569	531	599	585	542	511	455	476	480	511	568	686
Typhoid and paratyphoid fever (1)	18						1	2	2	4	1	1	7
Malaria (5)													
Smallpox (6)													
Measles (7)	43	2	3	10	9	13	5	1					
Scarlet fever (8)	12	3	1	1	2	2						2	1
Whooping cough (9)	34	5		2	2		1	3	4	8	2	3	4
Diphtheria (10)	71	6	4	10	6	7	7	4		4	5	10	8
Influenza (11)	60	9	4	15	7			1		2	4	8	10
Dysentery (16)	3									3			
Lethargic encephalitis (23)	20		4	2	3		2	1		4		1	3
Meningococcus meningitis (24)	3		1		1						1		
Tuberculosis of the respiratory system (31)	394	34	32	42	37	30	23	32	31	31	32	34	36
Other forms of tuberculosis (32–37)	68	3	5	3	8	8	3	7	6	8	7	4	6
Bronchitis (99)	33	3	2	6	1	2	3	3	3	1		4	5
Broncho-pneumonia (100)	268	28	20	26	24	36	14	10	15	10	18	31	36
Pneumonia (101)	335	31	43	39	43	30	29	8	9	13	17	27	46
Diarrhea and enteritis [under 2 years] (113)	97	6	2	7	4	7	9	7	15	11	12	7	10
Diarrhea and enteritis [2 years and over] (114)	21	2		1	1		1	4	2	5	1	2	2
Puerperal septicemia (146)	23	1	1	2	1	3	8	1		2	1		3
Other puerperal causes (143–145, 147–150)	45	4	1	4	8	3	4	5	2	4	5	1	4
Suicide (165–174)	88	9	5	8	5	9	3	6	6	9	9	11	8
Automobile accidents (188c)	90	12	5	5	6	7	7	9	6	11	5	7	10
Other external causes (175–188b, 188d–203)	295	20	25	22	29	23	31	25	22	21	27	24	26
All other causes	4,492	391	373	394	388	362	360	326	353	329	364	391	461
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,728	173	145	178	152	131	134	130	139	120	132	138	156
Typhoid and paratyphoid fever (1)	4				1		1						2
Malaria (5)													
Smallpox (6)	1			1									
Measles (7)	13			2	6	2	2			1			
Scarlet fever (8)	1					1							
Whooping cough (9)	11	3	1	3			3			1			
Diphtheria (10)	27	2	2	2	4	1	3	1	5		2	3	2
Influenza (11)	22	6	5	2	2	1					2		4
Dysentery (16)	1				1								
Lethargic encephalitis (23)	5	1		1			1					1	1
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	127	15	6	13	10	8	14	11	15	9	2	9	15
Other forms of tuberculosis (32–37)	16	2	2	3		2	2	1	1		1	1	1
Bronchitis (99)	9	1	2	1			1			1		2	1
Broncho-pneumonia (100)	69	11	6	7	5	4	2	4	2	6	4	9	9
Pneumonia (101)	87	14	13	9	10	5	7	7	5	4	1	7	5
Diarrhea and enteritis [under 2 years] (113)	28	1		1	3	2	1	1	6	6	6		1
Diarrhea and enteritis [2 years and over] (114)	4		1				1		1	1			
Puerperal septicemia (146)	7		1			1	1	1			3		
Other puerperal causes (143–145, 147–150)	18	4		1	1	1	1	2	1	2		1	4
Suicide (165–174)	17		1	2	1	3	3	2	2		1	1	1
Automobile accidents (188c)	22	1	2		2	1	1	3	3	4		3	2
Other external causes (175–188b, 188d–203)	104	8	7	9	9	10	6	13	5	7	11	11	8
All other causes	1,134	104	96	121	96	89	84	84	93	78	99	90	100

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes	3,623	298	307	372	355	336	294	237	267	269	309	285	294
Typhoid and paratyphoid fever (1)	4										2	1	1
Malaria (5)	1	1											
Smallpox (6)	1										1		
Measles (7)	9			1		2	5	1					
Scarlet fever (8)	13		5	2	3						1	1	1
Whooping cough (9)	12	2	2	3		1		2			1	1	
Diphtheria (10)	17	3		1	1	2	3		1	2	1	1	2
Influenza (11)	15	3	1		3	3						2	3
Dysentery (16)	1											1	
Lethargic encephalitis (23)	3		1		1	1							
Meningococcus meningitis (24)	2			1								1	
Tuberculosis of the respiratory system (31)	151	16	14	13	19	9	13	14	10	7	14	10	12
Other forms of tuberculosis (32–37)	43	2	3	3	7	4	3	3	3	4	6	2	3
Bronchitis (99)	27	3	4	6	3	1					5	3	2
Broncho-pneumonia (100)	98	8	13	15	17	4	7	2	7	5	7	3	10
Pneumonia (101)	125	16	11	17	14	9	10	5	6	7	8	11	11
Diarrhea and enteritis [under 2 years] (113)	65	4	8	7	5	5	2		10	9	6	8	1
Diarrhea and enteritis [2 years and over] (114)	13		2	2	1	1	2		4		1		
Puerperal septicemia (146)	15		1	1		3	4	1		1	3		1
Other puerperal causes (143–145, 147–150)	18	3	1	3	2	1	1		1	1	2	1	2
Suicide (165–174)	39		3	2	9	7	2	2	5	3	2	1	3
Automobile accidents (188c)	48	2		4	4	3	4	4	8	9	5	2	3
Other external causes (175–188b, 188d–203)	170	11	8	18	7	12	19	9	26	16	13	15	16
All other causes	2,733	224	230	273	259	268	219	194	186	205	231	221	223
SYRACUSE, N. Y., all causes	2,259	186	182	215	239	210	182	153	172	155	195	176	194
Typhoid and paratyphoid fever (1)	3	1	1								1		
Malaria (5)													
Smallpox (6)													
Measles (7)	12	5	2	1	3			1					
Scarlet fever (8)	17	2	1	5	5	2	2						
Whooping cough (9)	2			1						1			
Diphtheria (10)	17	2	1	2		5	1	1	4		1		
Influenza (11)	4		1	2								1	
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2		1							1			
Tuberculosis of the respiratory system (31)	59	4	3	6	9	9	5	5	3	3	5	2	5
Other forms of tuberculosis (32–37)	25	2		4	6	2	2	2	3	2	1	1	
Bronchitis (99)	16	4	2	2	2		1		2	1	2		
Broncho-pneumonia (100)	77	8	7	7	14	15	7	1	1	3	4	6	4
Pneumonia (101)	138	14	21	12	15	10	9	1	4	8	12	15	17
Diarrhea and enteritis [under 2 years] (113)	29	2	2	3	3	1	1		3	5	3	3	3
Diarrhea and enteritis [2 years and over] (114)	6		1		1					1			3
Puerperal septicemia (146)	4		1					1			1	1	
Other puerperal causes (143–145, 147–150)	18	1		2	3	1	1	1	3	1	1	1	3
Suicide (165–174)	30		1	3	2	3	2	1		8	5	3	2
Automobile accidents (188c)	41	1	1	1	3		4	2	11	8	6	3	1
Other external causes (175–188b, 188d–203)	112	10	7	10	8	12	10	12	10	4	4	13	12
All other causes	1,647	130	129	154	165	150	137	125	128	109	149	127	144
YONKERS, N. Y., all causes	1,088	93	91	109	93	103	92	68	89	77	85	96	92
Typhoid and paratyphoid fever (1)	3	1					1						1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4					1	1			1		1	
Whooping cough (9)	9		1			2			1	2	1		2
Diphtheria (10)	13	1	1	3	2						4	1	1
Influenza (11)	21	2	2	2	2	2					4	3	4
Dysentery (16)													
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	72	1	8	5	10	7	5	5	6	4	7	6	8
Other forms of tuberculosis (32–37)	4	1	1			1		1					
Bronchitis (99)	13			3		2		1		1	1	4	1
Broncho-pneumonia (100)	26	1	4	1	4	3	1		1	1	2	2	6
Pneumonia (101)	66	9	6	9	7	1	7	2	4	1	4	5	11
Diarrhea and enteritis [under 2 years] (113)	19	3				1		1	6	6		1	1
Diarrhea and enteritis [2 years and over] (114)	3	1					1					1	
Puerperal septicemia (146)	5	1				2			2				
Other puerperal causes (143–145, 147–150)	6						3				1	1	1
Suicide (165–174)	15		2	4	2	1	1	1	1	1		1	1
Automobile accidents (188c)	16	1	1	1	1	1	1		1	2	3	3	1
Other external causes (175–188b, 188d–203)	52	3	3	8	3	4	4	8	7	1	2	9	
All other causes	740	68	62	73	62	75	66	49	60	57	56	58	54
AKRON, OHIO, all causes	1,537	138	109	143	266	131	118	118	87	104	130	130	143
Typhoid and paratyphoid fever (1)	2					1		1					
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	12	2	1	1		1				2		2	3
Whooping cough (9)	13		1	1			3	4	2	1			1
Diphtheria (10)	9	1		2		2				1	1		2
Influenza (11)	23	3		3	7		1	1	2		1	2	3
Dysentery (16)	1											1	
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	2		1	1									
Tuberculosis of the respiratory system (31)	69	8	6	8	11	8	5	3	3	3	2	8	4
Other forms of tuberculosis (32–37)	21	1	1	2	4	3	4	1	1		1	2	1
Bronchitis (99)	5	1	1			1			1			1	
Broncho-pneumonia (100)	65	7	8	15	10	4	3	1		1	3	5	8
Pneumonia (101)	69	8	8	4	11	3	3	7	2	3	5	5	10
Diarrhea and enteritis [under 2 years] (113)	28		1	1	2	1	1	3	5	2	6	6	
Diarrhea and enteritis [2 years and over] (114)	3					1		1	1				
Puerperal septicemia (146)	16		1	3	1	1	1	1	1	2	1	4	
Other puerperal causes (143–145, 147–150)	13		2	5			1	1		1	2		1
Suicide (165–174)	19	1		1		4	3	4	1	1	1	1	2
Automobile accidents (188c)	39	3	2	2	2	2	1	5	2	3	6	8	3
Other external causes (175–188b, 188d–203)	113	16	6	10	15	6	12	11	6	4	13	8	6
All other causes	1,014	87	70	84	103	93	80	74	60	80	88	97	98

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CINCINNATI, OHIO (WHITE), all causes	5,305	497	490	478	458	458	405	358	410	350	453	438	510
Typhoid and paratyphoid fever (1)	7			1			1	1	2	1			2
Malaria (5)	2			1			1						
Smallpox (6)													
Measles (7)	20		5	4	7	3			1				
Scarlet fever (8)	19	2	1	3	1	2			2	2	3	1	2
Whooping cough (9)	19		2	3	4	2	2		4	1	1		
Diphtheria (10)	16	2	3	3			1			1	4	1	1
Influenza (11)	50	4	12	4	4	1	2		1	1		11	10
Dysentery (16)	5							1	1	2		1	
Lethargic encephalitis (23)	8	2		2	1				1			1	1
Meningococcus meningitis (24)	2									1	1		
Tuberculosis of the respiratory system (31)	284	30	23	24	32	32	21	27	17	19	23	18	18
Other forms of tuberculosis (32–37)	78	2	7	10	7	8	5	7	7	6	7	6	6
Bronchitis (99)	33	3	5	3	1	3	3	1	2	2	3	3	4
Broncho-pneumonia (100)	132	17	26	18	11	12	6	6	2	4	7	5	18
Pneumonia (101)	217	26	32	23	24	16	9	5	7	7	12	31	25
Diarrhea and enteritis [under 2 years] (113)	91	1	3	4	2	3	5	12	27	9	7	7	11
Diarrhea and enteritis [2 years and over] (114)	23	2	2	3	1		3	4	2	2	3		1
Puerperal septicemia (146)	25	1	4		1	3	2	2	1	2	2	4	3
Other puerperal causes (143–145, 147–150)	29	1	5	5	3	2		3	4	1	2	3	
Suicide (165–174)	62	2	4	9	5	2	10	4	6	4	3	7	6
Automobile accidents (188c)	77	3	2	3	6	8	5	4	8	6	13	14	5
Other external causes (175–188b, 188d–203)	275	37	22	16	26	23	21	21	23	17	25	18	26
All other causes	3,831	362	332	340	321	338	309	260	292	262	337	307	371
CINCINNATI, OHIO (COLORED), all causes	913	89	68	100	81	67	69	83	68	59	76	76	77
Typhoid and paratyphoid fever (1)	2								1	1			
Malaria (5)													
Smallpox (6)													
Measles (7)	7			3	3	1							
Scarlet fever (8)	2	1								1			
Whooping cough (9)	11			1		1	3	3	1	1		1	
Diphtheria (10)	4			2			1			1			
Influenza (11)	11	1	1	2	1		1			1	1	2	1
Dysentery (16)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	133	14	8	13	19	8	11	14	14	7	10	8	7
Other forms of tuberculosis (32–37)	31		4	1		5	4	3	4	2	6	1	1
Bronchitis (99)	4			1								3	
Broncho-pneumonia (100)	46	6	1	9	9	1	1	3	1	2	1	3	9
Pneumonia (101)	74	10	14	9	11	7	4	3	1	1	2	5	7
Diarrhea and enteritis [under 2 years] (113)	13				3	1			3	2	2	1	1
Diarrhea and enteritis [2 years and over] (114)	5			1	1	1		1		1			
Puerperal septicemia (146)	3	1		1				1					
Other puerperal causes (143–145, 147–150)	5	1			1	1		2					
Suicide (165–174)													
Automobile accidents (188c)	8	1	1	1		1			1	1		1	1
Other external causes (175–188b, 188d–203)	96	8	7	7	2	9	11	2	8	8	11	13	10
All other causes	457	46	32	49	31	31	33	51	34	30	43	38	39
CLEVELAND, OHIO (WHITE), all causes	8,148	770	756	795	773	719	623	561	576	560	585	639	791
Typhoid and paratyphoid fever (1)	9			1				1		2	3		2
Malaria (5)													
Smallpox (6)	6						4		2				
Measles (7)	17	1		2	3	5	3	2	1				
Scarlet fever (8)	13	3	1	2	1		2			1	1	1	1
Whooping cough (9)	23	1	1	3	1	4	2	4	2	3		1	1
Diphtheria (10)	77	13	12	7	6	3	1	2	2	7	4	6	14
Influenza (11)	71	12	3	9	12	8	2			2	3	6	14
Dysentery (16)	9		2						2	3	1		1
Lethargic encephalitis (23)	13		3	2	3	3					2		
Meningococcus meningitis (24)	8		2			1		1	1		2		1
Tuberculosis of the respiratory system (31)	522	49	58	48	59	51	39	44	36	29	29	36	44
Other forms of tuberculosis (32–37)	90	8	3	7	14	9	8	6	10	6	7	3	9
Bronchitis (99)	58	8	9	8	6	6	2	2	2	1	4	5	5
Broncho-pneumonia (100)	369	35	51	60	44	34	26	9	17	10	16	26	41
Pneumonia (101)	426	57	52	71	58	34	20	9	10	14	21	33	47
Diarrhea and enteritis [under 2 years] (113)	174	19	13	10	9	18	12	2	28	25	15	6	17
Diarrhea and enteritis [2 years and over] (114)	31	7	3	1	1	1	4	3		2	5	3	1
Puerperal septicemia (146)	51	4	5	4	5	2	6	1	4	4	4	5	7
Other puerperal causes (143–145, 147–150)	64	7	7	5	8	5	4	8	10	1	4	2	3
Suicide (165–174)	109	9	6	10	9	8	9	9	12	13	9	7	8
Automobile accidents (188c)	208	8	7	10	15	30	12	15	18	20	28	23	22
Other external causes (175–188b, 188d–203)	441	42	38	30	36	34	41	34	42	27	26	47	44
All other causes	5,359	487	480	505	483	463	426	409	377	390	401	429	509
CLEVELAND, OHIO (COLORED), all causes	1,147	97	117	106	132	90	89	94	84	56	76	97	109
Typhoid and paratyphoid fever (1)	2			2									
Malaria (5)													
Smallpox (6)													
Measles (7)	4		1		1		1		1				
Scarlet fever (8)													
Whooping cough (9)	15	3	1	1	2	2	3		2				1
Diphtheria (10)	2											1	1
Influenza (11)	9		1	1	3	2					1		1
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	195	12	15	11	23	13	17	18	23	11	10	20	22
Other forms of tuberculosis (32–37)	47	5	2	2	2	5	5	4	5	1	3	9	4
Bronchitis (99)	7		1		1	2				2	1		
Broncho-pneumonia (100)	80	10	8	9	16	5	6	6	1	4	2	5	8
Pneumonia (101)	140	15	25	19	24	9	6	4	2	3	7	14	12
Diarrhea and enteritis [under 2 years] (113)	15		2	3	1	1	1			2	2	1	2
Diarrhea and enteritis [2 years and over] (114)	9		1	1		1		1	1	1		2	1
Puerperal septicemia (146)	8			1	1		2	1		1	1		1
Other puerperal causes (143–145, 147–150)	13		4	1		1	1		1	1	1	2	1
Suicide (165–174)	6			1						1	1		3
Automobile accidents (188c)	12			1	1		2	2	1		4	1	
Other external causes (175–188b, 188d–203)	80	7	11	6	4	4	4	12	8	2	11	5	6
All other causes	503	45	45	47	53	45	41	46	39	27	32	37	46

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLUMBUS, OHIO, all causes	3,532	318	300	365	288	271	273	283	247	250	309	275	353
Typhoid and paratyphoid fever (1)	10		2			1	1				3	2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	3			2				1					
Scarlet fever (8)	4	1			1		1	1					
Whooping cough (9)	8	1	1			2		2	1				1
Diphtheria (10)	11	2	2	1	1		1	1	1			1	1
Influenza (11)	39	5	6	6	1	2	1	2	1	1	2	6	6
Dysentery (16)	3	1	1								1		
Lethargic encephalitis (23)	25	1	2	5	3	4		3	3		4		
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	173	11	12	18	13	15	11	22	16	10	10	10	25
Other forms of tuberculosis (32–37)	50	8	1	8	6	2	4	3	4	6	2	2	4
Bronchitis (99)	11	1		1	2	4	2						1
Broncho-pneumonia (100)	115	15	10	11	18	7	9	3	1	6	10	10	15
Pneumonia (101)	120	13	11	17	14	9	3	3	3	5	7	13	22
Diarrhea and enteritis [under 2 years] (113)	43	5	1	2		2	2	1	9	7	10	1	3
Diarrhea and enteritis [2 years and over] (114)	10	2		2				1		3	2		
Puerperal septicemia (146)	28	2	2	8	3	2	1	1		1	1	3	4
Other puerperal causes (143–145, 147–150)	34	3	3	6	4	1	4	1	3	4	1	2	2
Suicide (165–174)	33	2	2		1	6	4	6	3	3	1	3	2
Automobile accidents (188c)	59	5	4	4	5	3	5	6	5	2	8	7	5
Other external causes (175–188b, 188d–203)	229	16	21	29	27	18	16	22	18	12	20	16	14
All other causes	2,523	224	219	245	189	192	208	204	179	190	227	199	247
DAYTON, OHIO, all causes	1,837	151	178	168	180	149	126	147	148	125	154	145	166
Typhoid and paratyphoid fever (1)	4			1						1	2		
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	3	3											
Whooping cough (9)	14		2	3	2	3		2		1		1	
Diphtheria (10)	17	4	2		2	1	1		2	1	2		2
Influenza (11)	21	2	5		4	1	2				1	1	5
Dysentery (16)	3								2	1			
Lethargic encephalitis (23)	5		1					2	1				1
Meningococcus meningitis (24)	2			1		1							
Tuberculosis of the respiratory system (31)	104	10	9	9	11	7	6	11	10	6	11	6	8
Other forms of tuberculosis (32–37)	19	1	3	1	4	1	1		5	2	1		
Bronchitis (99)	9		2	2		1	1				1	1	1
Broncho-pneumonia (100)	56	7	4	10	8	3	5	1	3	4	2	2	7
Pneumonia (101)	67	12	11	10	13	5	2	3	1			2	8
Diarrhea and enteritis [under 2 years] (113)	33		1	2	1	1	2		6	4	6	6	4
Diarrhea and enteritis [2 years and over] (114)	8		1	1	1				1	1	2	1	
Puerperal septicemia (146)	14		1	2			2	2	3	1		1	2
Other puerperal causes (143–145, 147–150)	11	3	1	1	2			1	1		1	1	
Suicide (165–174)	15	1		1	3	1		3	3	1	1		1
Automobile accidents (188c)	26	1	3	1	5	2		5	1	1	1	4	2
Other external causes (175–188b, 188d–203)	93	7	15	5	6	5	8	4	10	4	12	7	10
All other causes	1,311	100	117	118	118	116	96	113	99	97	110	112	115
TOLEDO, OHIO, all causes	3,293	307	291	322	307	292	300	247	234	223	240	240	290
Typhoid and paratyphoid fever (1)	12	1		1			2			4	2		2
Malaria (5)	1									1			
Smallpox (6)	30				1	1	8	7	10	2	1		
Measles (7)	3			1	1	1							
Scarlet fever (8)	18	3	3	5	1	4	1					1	
Whooping cough (9)	19			5	2	1	2	4		2	1		2
Diphtheria (10)	28	4	2	1	3	4	1		1	1	2	6	3
Influenza (11)	32	2	5	6	2	4	2	3	2	1		3	2
Dysentery (16)	1												1
Lethargic encephalitis (23)	13	1	2		2	1	2	1	1		1	1	1
Meningococcus meningitis (24)	2		1			1							
Tuberculosis of the respiratory system (31)	260	19	14	32	28	16	26	22	18	14	30	23	18
Other forms of tuberculosis (32–37)	39	4	2	5	5	3	6	5	3	2	2	1	1
Bronchitis (99)	15	4	3			2	1						5
Broncho-pneumonia (100)	109	10	12	12	16	10	8	4	3	5	6	7	16
Pneumonia (101)	132	25	15	13	13	17	14	4	2	2	2	9	16
Diarrhea and enteritis [under 2 years] (113)	66	4	8	10	5	8	4	3	7	7	7	2	1
Diarrhea and enteritis [2 years and over] (114)	13	1	1		3	2	1				4	1	
Puerperal septicemia (146)	18	1	3	2	3	3	2	2	1	1			
Other puerperal causes (143–145, 147–150)	31	1	4	2	1	3	4	2	2	3	4	1	4
Suicide (165–174)	37	2	2	1	2	2	1	5	2	12	5	3	
Automobile accidents (188c)	46	4	1	1	1	3	5	3	5	2	10	5	6
Other external causes (175–188b, 188d–203)	204	17	17	24	30	10	15	13	20	12	14	13	19
All other causes	2,164	204	196	201	188	196	195	169	157	152	149	164	193
YOUNGSTOWN, OHIO, all causes	1,667	136	178	182	174	155	120	99	119	101	136	124	143
Typhoid and paratyphoid fever (1)	16	1	2		1		2	6	1	3			
Malaria (5)													
Smallpox (6)													
Measles (7)	3			1		1					1		
Scarlet fever (8)	14	7	1	1	1			1		1	1		1
Whooping cough (9)	17	3	1	1	3	2	3		1		1	1	1
Diphtheria (10)	17	4	3	2	2	1					3	2	
Influenza (11)	34	2	6	5	4	3	3		1		4	1	5
Dysentery (16)													
Lethargic encephalitis (23)	2					2							
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	88	13	5	9	9	15	3	4	8	5	1	6	10
Other forms of tuberculosis (32–37)	13	1		3	3	1	1			2			2
Bronchitis (99)	8		4				1		1	1			1
Broncho-pneumonia (100)	103	7	12	13	20	10	5	4	4	2	7	9	10
Pneumonia (101)	125	11	20	20	26	14	5	7	1		3	8	10
Diarrhea and enteritis [under 2 years] (113)	34	1	2	3	1	1	2	1	10	4	4	3	2
Diarrhea and enteritis [2 years and over] (114)	6		2	2		1	1						
Puerperal septicemia (146)	17	1	4	1		3	3	1	1		2	1	
Other puerperal causes (143–145, 147–150)	17		2	1	3	1	1	1	2	2	3		1
Suicide (165–174)	22	1	3	2	2	1	1	3	2	4		1	2
Automobile accidents (188c)	39	2	2	5	2	3	5	7	3	1	3	2	4
Other external causes (175–188b, 188d–203)	152	14	10	19	17	11	9	6	12	4	21	14	15
All other causes	940	68	99	94	80	85	75	58	72	72	82	76	79

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PORTLAND, OREG., all causes	3,240	326	254	308	278	297	249	223	225	244	246	273	317
Typhoid and paratyphoid fever (1)	16	1		2	1	3	1		1	1	2	4	
Malaria (5)	1		1										
Smallpox (6)													
Measles (7)	15	7	4	2	1	1							
Scarlet fever (8)	4	1	2										1
Whooping cough (9)	4	1					1		1		1		
Diphtheria (10)	32	6		2	1	5	2	2	2	1	2	5	4
Influenza (11)	17	2	1	2	1	1	1		2	2	3		2
Dysentery (16)	2								1	1			
Lethargic encephalitis (23)	11	1	1	1	1	1			2	1	1	2	
Meningococcus meningitis (24)	2	1			1								
Tuberculosis of the respiratory system (31)	115	13	10	9	11	10	8	7	9	10	4	13	11
Other forms of tuberculosis (32-37)	46	2	1	9	6	6	2	4	3	2	4	3	4
Bronchitis (99)	23	3		6		1	2	1		2	2	3	3
Broncho-pneumonia (100)	111	12	8	21	5	11	9	7	4	5	4	12	13
Pneumonia (101)	118	12	13	11	9	11	9	1	4	6	8	12	22
Diarrhea and enteritis [under 2 years] (113)	9	1	2			2	1	1	1	1			
Diarrhea and enteritis [2 years and over] (114)	16			1	1	1	3	4	1	1	2	1	1
Puerperal septicemia (146)	13		1			2	1	2	3	1			3
Other puerperal causes (143-145, 147-150)	23	6		2		3	3	1	2	2	1		3
Suicide (165-174)	72	6	3	6	9	8	9	5	6	3	7	5	5
Automobile accidents (188c)	41	6	3	5	2	3	2	1	2	2	6	4	5
Other external causes (175-188b, 188d-203)	145	14	6	17	8	12	19	9	8	18	9	12	13
All other causes	2,404	231	198	212	221	216	176	178	173	185	190	197	227
PHILADELPHIA, PA. (WHITE), all causes	21,776	2,128	1,972	2,203	2,095	1,789	1,558	1,460	1,511	1,468	1,662	1,782	2,148
Typhoid and paratyphoid fever (1)	37	2		1	2	4		1	6	5	8	5	3
Malaria (5)													
Smallpox (6)													
Measles (7)	31	3	3	3	7	2	4	2	5	1		1	
Scarlet fever (8)	42	2	7	6	6	5	1	3	2		1	3	6
Whooping cough (9)	95	4	4	7	9	4	6	11	19	13	10	6	2
Diphtheria (10)	258	33	25	32	25	29	14	6	12	13	13	24	32
Influenza (11)	227	17	32	37	40	23	5	5	5	4	10	18	31
Dysentery (16)	7		1			1	1	1			2		1
Lethargic encephalitis (23)	31	2	3	2	4	1	4	1	1		5	3	5
Meningococcus meningitis (24)	24	2	5	1	2	4		1	3	1	1	2	2
Tuberculosis of the respiratory system (31)	1,297	115	111	137	137	111	103	98	86	98	86	94	121
Other forms of tuberculosis (32-37)	210	16	19	34	19	21	18	14	18	10	13	20	8
Bronchitis (99)	165	24	16	21	17	9	9	10	6	9	11	11	22
Broncho-pneumonia (100)	938	137	103	118	123	59	53	26	30	38	54	75	122
Pneumonia (101)	1,198	162	123	178	144	103	54	41	29	36	60	102	166
Diarrhea and enteritis [under 2 years] (113)	510	33	21	33	29	32	20	32	90	81	63	46	30
Diarrhea and enteritis [2 years and over] (114)	79	4	3	3	6	5	5	7	15	11	5	6	9
Puerperal septicemia (146)	107	15	4	16	8	11	7	7	16	1	6	8	8
Other puerperal causes (143-145, 147-150)	144	11	7	16	16	13	7	13	9	9	13	12	18
Suicide (165-174)	286	25	20	21	35	24	19	22	25	20	23	27	25
Automobile accidents (188c)	249	22	15	22	26	17	21	15	20	29	24	22	16
Other external causes (175-188b, 188d-203)	972	85	90	81	71	78	80	84	71	69	84	82	97
All other causes	14,869	1,414	1,360	1,434	1,369	1,233	1,127	1,060	1,043	1,020	1,170	1,215	1,424
PHILADELPHIA, PA. (COLORED), all causes	3,487	328	317	334	341	302	256	258	253	285	233	293	287
Typhoid and paratyphoid fever (1)	4				1	1					1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	5	1	1		2		1						
Scarlet fever (8)	4		2							1		1	
Whooping cough (9)	34	1		2	4	2	1	7	5	7	3	2	
Diphtheria (10)	14	3	2			1		2	1	2		3	
Influenza (11)	48	4	5	5	5	6	4	1	5	4	1	4	4
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	464	54	43	43	44	40	35	40	25	47	33	31	29
Other forms of tuberculosis (32-37)	83	9	6	8	12	7	5	4	6	8	7	7	4
Bronchitis (99)	16		1		4				1	1	2	5	2
Broncho-pneumonia (100)	265	35	28	31	36	18	14	14	24	10	16	13	26
Pneumonia (101)	330	37	44	44	43	24	18	7	12	19	14	30	38
Diarrhea and enteritis [under 2 years] (113)	97	6	3	9	3	6	6	11	12	22	9	6	4
Diarrhea and enteritis [2 years and over] (114)	19	1	2	2	2	2		6	1	1	2		
Puerperal septicemia (146)	18	1	2	2	1	2	4		1	2	1	2	
Other puerperal causes (143-145, 147-150)	32	1	4		6	3	2	4	3	1	2	4	2
Suicide (165-174)	12		1		1	2	2	2	1	1	1	1	
Automobile accidents (188c)	14	1	2	1	1	2	1	1	2	2	1		
Other external causes (175-188b, 188d-203)	171	16	12	15	13	13	10	13	12	19	14	19	15
All other causes	1,856	158	159	172	163	173	153	146	142	138	125	164	163
PITTSBURGH, PA. (WHITE), all causes	8,461	800	775	1,055	874	662	609	513	552	519	710	706	686
Typhoid and paratyphoid fever (1)	22	1	1		1		1	3	1	1	3	3	7
Malaria (5)													
Smallpox (6)	12					4	4	2	1		1		
Measles (7)	16	1		1	3	3		2	2	1	1	1	2
Scarlet fever (8)	34	7	2	3	1	2	3	1	4	5	4	2	
Whooping cough (9)	40	5	7	8	7	8	3				2		
Diphtheria (10)	92	17	8	12	9	5	6	4	5	5	6	3	12
Influenza (11)	193	18	25	57	32	16	4	4	2	3	7	9	16
Dysentery (16)	3					1			2				
Lethargic encephalitis (23)	16	2	2	2	2	1	3		2		2		
Meningococcus meningitis (24)	8	3		1			2	1		1			
Tuberculosis of the respiratory system (31)	382	36	35	33	46	32	33	31	23	13	30	37	33
Other forms of tuberculosis (32-37)	87	5	9	5	9	7	8	4	9	9	8	2	12
Bronchitis (99)	74	6	10	12	14	3	4	3	1	3	7	5	6
Broncho-pneumonia (100)	486	64	75	104	55	33	21	18	13	12	21	42	28
Pneumonia (101)	1,023	98	109	206	137	68	50	39	38	49	73	76	80
Diarrhea and enteritis [under 2 years] (113)	267	18	14	21	17	15	18	17	37	35	34	31	10
Diarrhea and enteritis [2 years and over] (114)	62	4	2	3	5	5	5	5	11	7	4	3	8
Puerperal septicemia (146)	56	6	4	9	6	1	4	2	5	2	6	5	6
Other puerperal causes (143-145, 147-150)	58	4	4	10	4	3	4	5	3	7	5	5	4
Suicide (165-174)	68	4	3	10	6	4	6	3	1	9	5	10	7
Automobile accidents (188c)	178	11	7	15	12	19	14	16	13	14	19	23	16
Other external causes (175-188b, 188d-203)	513	63	46	44	56	33	45	32	47	30	46	39	32
All other causes	4,771	427	412	499	452	406	371	319	334	312	426	407	405

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PITTSBURGH, PA. (COLORED), all causes	1,259	110	128	173	127	115	85	78	80	83	93	94	93
Typhoid and paratyphoid fever (1)	3		1						1	1			
Malaria (5)													
Smallpox (6)	12							4	4	3	1		
Measles (7)													
Scarlet fever (8)	2							2					
Whooping cough (9)	21	1	4	5	2	3	3			2			1
Diphtheria (10)	5		1		1		1		1				1
Influenza (11)	28	3		10	4	5					1	3	2
Dysentery (16)	1								1				
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	97	13	8	9	10	5	10	8	5	8	5	12	4
Other forms of tuberculosis (32–37)	20			2	2	2	1	2	3	3	2	1	2
Bronchitis (99)	5	1				2	2						
Broncho-pneumonia (100)	85	14	10	23	9	4	9	4	1	2	2	3	4
Pneumonia (101)	297	28	38	51	35	36	16	11	12	9	20	16	25
Diarrhea and enteritis [under 2 years] (113)	32			4	3	9	4	3	1	1	3	1	3
Diarrhea and enteritis [2 years and over] (114)	7		1	2				1	1	1	1		
Puerperal septicemia (146)	7	2	1	1			1	1		1			
Other puerperal causes (143–145, 147–150)	12		3	1		3	2		2		1		
Suicide (165–174)	1									1			
Automobile accidents (188c)	8					1	1	1	1		2	1	1
Other external causes (175–188b, 188d–203)	80	9	12	8	5	5	3	4	4	4	8	11	7
All other causes	535	39	49	57	56	40	32	37	42	47	47	46	43
READING, PA., all causes	1,508	136	159	188	146	133	92	119	120	98	104	99	114
Typhoid and paratyphoid fever (1)	6	2				1			2	1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1		1										
Scarlet fever (8)	3					1	1		1				
Whooping cough (9)	4	1	1				1	1					
Diphtheria (10)	16	3	2		2	1	1	1		2	2	2	
Influenza (11)	41	6	3	10	10	3	3	1	1		2	1	1
Dysentery (16)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	66	4	5	9	7	3	4	6	7	4	6	2	9
Other forms of tuberculosis (32–37)	13	1	1		2	1		2	1	2		3	
Bronchitis (99)	6	2		1	1				1			1	
Broncho-pneumonia (100)	54	3	18	11	4	3	2	3			1	5	4
Pneumonia (101)	73	6	13	14	9	8	2	3	1	2	5	6	4
Diarrhea and enteritis [under 2 years] (113)	43		2	3	3	5	1	1	3	11	6	4	4
Diarrhea and enteritis [2 years and over] (114)	10			1		1		3	2	1	1		1
Puerperal septicemia (146)	8		2	2	2	1			1				
Other puerperal causes (143–145, 147–150)	10	3	1	2				1		1		1	1
Suicide (165–174)	30	2	1	2	3		2	2	5	4	4	4	1
Automobile accidents (188c)	24	3	4		1	1	1	2	3	2	5	1	1
Other external causes (175–188b, 188d–203)	79	7	7	10	13	5	6	7	7	4	5	2	6
All other causes	1,021	93	98	123	89	99	68	86	85	64	67	67	82
SCRANTON, PA., all causes	1,974	170	180	207	176	148	157	148	130	133	182	163	180
Typhoid and paratyphoid fever (1)	3								1	1			1
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1					1					
Scarlet fever (8)	2			1	1								
Whooping cough (9)	16			1	1	1		1	3	3	3	3	
Diphtheria (10)	10	1	1	1		1	1	1		1	1	1	1
Influenza (11)	37	2	7	4	5	2	2	1	2	3	2	3	4
Dysentery (16)	1	1											
Lethargic encephalitis (23)	5		2	1									2
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	86	6	7	12	8	10	5	4	6	6	10	5	7
Other forms of tuberculosis (32–37)	18	3	1	1	1	3	3	1	1		1	2	1
Bronchitis (99)	10	1	1	2	1	1				1		1	2
Broncho-pneumonia (100)	89	5	9	10	10	10	8	1	4	6	7	5	14
Pneumonia (101)	167	11	21	20	25	12	9	6	3	13	13	15	19
Diarrhea and enteritis [under 2 years] (113)	59	3	2	3		1	5	9	10	10	6	8	2
Diarrhea and enteritis [2 years and over] (114)	11							1	3	4	1	2	
Puerperal septicemia (146)	19	3	1	4		3	2	1			3	1	1
Other puerperal causes (143–145, 147–150)	24	2	3	1	2	3	2	1	2	1	2	4	1
Suicide (165–174)	29	2	3	3	2	1	2	3	3	3	2	4	1
Automobile accidents (188c)	24	2	2		3	2		4	3	3	4	1	
Other external causes (175–188b, 188d–203)	147	10	21	19	9	6	13	15	16	6	13	13	6
All other causes	1,214	118	98	123	108	92	105	98	73	72	114	95	118
PROVIDENCE, R. I., all causes	3,492	300	364	360	340	304	276	238	246	244	241	263	316
Typhoid and paratyphoid fever (1)	6	1		1						1	1		2
Malaria (5)	1		1										
Smallpox (6)													
Measles (7)	3				1		1						1
Scarlet fever (8)	17	3	1	3	3	2	1	1			1	2	
Whooping cough (9)	14	4	3			1		1	3	1	1		
Diphtheria (10)	35	2	3	2	8	3		4	2	4	1	3	3
Influenza (11)	20	6	4	3	1	1		1				1	3
Dysentery (16)													
Lethargic encephalitis (23)	4			2			1			1			
Meningococcus meningitis (24)	3			1			2						
Tuberculosis of the respiratory system (31)	150	11	17	15	15	18	12	10	9	12	5	12	14
Other forms of tuberculosis (32–37)	53	5	5	6	4	1	8	3	10	2		5	4
Bronchitis (99)	21	3	1	3	4	1		1		1	1	4	2
Broncho-pneumonia (100)	111	14	25	19	8	7	8	2	5	3	5	6	9
Pneumonia (101)	214	27	32	21	34	16	16	4	10	5	13	14	22
Diarrhea and enteritis [under 2 years] (113)	57	1	1	3	5	4	4	10	11	8	5	4	1
Diarrhea and enteritis [2 years and over] (114)	5	1		1					1	1		1	
Puerperal septicemia (146)	21	2	5	3	2		2	1	1	2	3		
Other puerperal causes (143–145, 147–150)	36	2	1	4	2	5	6	2	2	3	4	2	3
Suicide (165–174)	31	1	4	2	5	4	5			3	4	3	
Automobile accidents (188c)	58	3	3	2	2	3	6	5	5	6	7	6	10
Other external causes (175–188b, 188d–203)	169	17	21	17	10	12	14	12	9	14	14	11	18
All other causes	2,463	197	237	252	236	226	190	181	178	177	176	189	224

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MEMPHIS, TENN. (WHITE), all causes	1,551	128	157	134	130	109	123	136	141	90	118	138	147
Typhoid and paratyphoid fever (1)	10		1			1	3		1		1	2	1
Malaria (5)	11	1						2	1	1	2	2	2
Smallpox (6)													
Measles (7)	13	5	3	3		2							
Scarlet fever (8)	9				5	1						1	2
Whooping cough (9)	3		1			1					1		
Diphtheria (10)	10	2	1	1	1				1		2	1	1
Influenza (11)	35	3	7	3	7	2	2	1			2	4	4
Dysentery (16)	19						1	7	5	1	2		3
Lethargic encephalitis (23)	4	1			1	1					1		
Meningococcus meningitis (24)	3				1	1						1	
Tuberculosis of the respiratory system (31)	67	7	7	5	6	4	6	5	8	2	4	7	6
Other forms of tuberculosis (32–37)	16		3		2	1	2	1				2	5
Bronchitis (99)	2								1		1		
Broncho-pneumonia (100)	48	2	8	5	4	2	3	3	2	3	5	7	4
Pneumonia (101)	73	9	10	9	13	6	2	2	3	3	1	4	11
Diarrhea and enteritis [under 2 years] (113)	33		1	2	2		4	3	4	5	4	5	3
Diarrhea and enteritis [2 years and over] (114)	9	1					2	1	1	1	1		2
Puerperal septicemia (146)	12	1	1		2	1	1	1	2	2			1
Other puerperal causes (143–145, 147–150)	17	1	1	1	1	2	1	2	3	2	1	1	1
Suicide (165–174)	30	2	4	3	2	2	6	1	1	1	1	1	6
Automobile accidents (188c)	24	1	3	3	1	5	1		2	1	2	1	4
Other external causes (175–188b, 188d–203)	97	6	11	9	5	5	6	8	11	2	16	13	5
All other causes	1,006	86	95	90	77	72	83	99	95	66	71	86	86
MEMPHIS, TENN. (COLORED), all causes	1,955	144	176	162	166	130	158	200	185	153	167	136	178
Typhoid and paratyphoid fever (1)	52		3			1		12	11	12	2	6	5
Malaria (5)	17	1			2		2	3	2	2	3	2	
Smallpox (6)													
Measles (7)	5	3			2								
Scarlet fever (8)													
Whooping cough (9)	6			2			2	2					
Diphtheria (10)	7		1		1		2				3		
Influenza (11)	73	9	19	14	7	3	1	1		1	6	7	5
Dysentery (16)	15	1	1				1	5	4	3			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	181	8	17	16	13	16	20	21	20	14	14	9	13
Other forms of tuberculosis (32–37)	56	2	2	4	6	4	4	9	7	3	7	5	3
Bronchitis (99)	6	1		1	1	1					1	1	
Broncho-pneumonia (100)	71	8	10	7	7	6	6	6	3	2	1	5	10
Pneumonia (101)	140	19	25	23	18	9	4	6	1	5	9	9	12
Diarrhea and enteritis [under 2 years] (113)	53	1			2	3	6	13	12	9	3	2	2
Diarrhea and enteritis [2 years and over] (114)	18	1	1				5	5	1	2	1		2
Puerperal septicemia (146)	12	2	1	2				1	3		1		2
Other puerperal causes (143–145, 147–150)	20	3	1		2	1	2	1	2	3	1		4
Suicide (165–174)	2		1									1	
Automobile accidents (188c)	16	1	1	1	2	1			1	1	1	2	5
Other external causes (175–188b, 188d–203)	187	17	12	11	19	11	19	22	19	5	19	15	18
All other causes	1,018	67	81	81	84	74	84	93	99	91	95	72	97
NASHVILLE, TENN. (WHITE), all causes	1,429	124	138	136	114	123	105	131	126	96	126	92	118
Typhoid and paratyphoid fever (1)	15						3		4	4	2	2	
Malaria (5)	2								1	1			
Smallpox (6)													
Measles (7)	7	2	1	2		1	1						
Scarlet fever (8)	1											1	
Whooping cough (9)	22		3	2	3				1	1		10	2
Diphtheria (10)													
Influenza (11)	42	4	6	14	5	2	2			1		2	6
Dysentery (16)	1								1				
Lethargic encephalitis (23)	2		1	1									
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	81	3	11	7	10	9	5	3	9	5	8	5	6
Other forms of tuberculosis (32–37)	9	2	1		1		1		2	1	1		
Bronchitis (99)	8	2	1	1	1							1	2
Broncho-pneumonia (100)	40	8	7	5	5	1	1	1	3		1	1	7
Pneumonia (101)	65	9	9	11	9	4	2	5	1		2	8	5
Diarrhea and enteritis [under 2 years] (113)	43	2	3		3	1	2	15	5	2	8		2
Diarrhea and enteritis [2 years and over] (114)	13	2			1		4	3	3				
Puerperal septicemia (146)	11	1			1	1		2	1		2	1	2
Other puerperal causes (143–145, 147–150)	13	1	2	1		2	1		2	2		1	1
Suicide (165–174)	18	1	2	2	1	4	2		1	2	2		1
Automobile accidents (188c)	23	1	1	4	3		1	1	6	3	2		1
Other external causes (175–188b, 188d–203)	94	10	5	6	2	8	7	4	10	7	13	9	13
All other causes	919	76	85	80	69	90	73	97	76	67	85	51	70
NASHVILLE, TENN. (COLORED), all causes	942	88	88	101	79	77	74	77	84	56	72	64	82
Typhoid and paratyphoid fever (1)	11	2						2	1	2	2	1	1
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	5		1	3	1								
Scarlet fever (8)													
Whooping cough (9)	6			1	3			1	1				
Diphtheria (10)	2							1			1		
Influenza (11)	33	1	6	8	6	2	3	1			2	1	3
Dysentery (16)	3						2		1				
Lethargic encephalitis (23)	2	1									1		
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	103	11	4	10	12	9	9	11	10	6	7	7	7
Other forms of tuberculosis (32–37)	20	2	1	1		2	2	2	3	1	3		3
Bronchitis (99)	2									2			
Broncho-pneumonia (100)	41	4	8	7	4	2	1		1		4	4	6
Pneumonia (101)	37	5	5	7	2	6	1		3	1	1	2	4
Diarrhea and enteritis [under 2 years] (113)	15					3	1	2	5	1	2		1
Diarrhea and enteritis [2 years and over] (114)	5		1			1			1	1		1	
Puerperal septicemia (146)	7		1		1		1	1	1	1			1
Other puerperal causes (143–145, 147–150)	8			2		1	1	1	1		1		1
Suicide (165–174)	4	1					1					1	1
Automobile accidents (188c)	11		1	2		1	1	1			3	1	1
Other external causes (175–188b, 188d–203)	67	6	10	6	6	2	9	4	9	4	4	4	3
All other causes	559	55	50	54	44	48	42	50	46	37	41	42	50

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes	2,462	202	251	245	226	199	205	178	183	166	194	191	222
Typhoid and paratyphoid fever (1)	14	2	1	1				1	7	1	1		
Malaria (5)	7				1					2	3	1	
Smallpox (6)													
Measles (7)	35	4	22	5	2			1	1				
Scarlet fever (8)	1										1		
Whooping cough (9)	5		1		1			1			1		1
Diphtheria (10)	13	3		2		1	1	1	1		1	1	2
Influenza (11)	53	2	19	10	6	3	2		1	1		3	6
Dysentery (16)	12			1			3	2		3	2	1	
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	146	12	14	14	11	17	7	9	18	9	11	5	19
Other forms of tuberculosis (32–37)	37	1	1	3	3	5	7	2	4	1	2	5	3
Bronchitis (99)	11	5		1				1		2	1		1
Broncho-pneumonia (100)	74	7	6	16	8	6	9	1	3	1	9	4	4
Pneumonia (101)	111	16	24	17	10	6	3	5	2	2	5	11	10
Diarrhea and enteritis [under 2 years] (113)	77	2	1	2	4	3	12	5	6	6	14	11	11
Diarrhea and enteritis [2 years and over] (114)	13		1		4		1	1	1		3	2	
Puerperal septicemia (146)	31	1	1	2	1	4	5	3	4	2	2	3	3
Other puerperal causes (143–145, 147–150)	18	1	2	2	4		2	1		5		1	
Suicide (165–174)	22	1	4	3	3	1	1	2		2	2	2	1
Automobile accidents (188c)	36	5	2	2	2	1	3	2	2	5	4	5	3
Other external causes (175–188b, 188d–203)	169	13	17	12	17	17	10	14	16	8	15	12	18
All other causes	1,575	127	135	152	149	135	138	126	116	116	117	124	140
FORT WORTH, TEX., all causes	1,296	100	137	117	136	86	111	111	96	92	107	78	125
Typhoid and paratyphoid fever (1)	3										1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	28	2	7	15	4								
Scarlet fever (8)	1			1									
Whooping cough (9)	6	1				1	1	1	2				
Diphtheria (10)	5				2		1				1		1
Influenza (11)	26	2	9		5	1	1	2				4	2
Dysentery (16)	5		1	1			2						1
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	2		1		1								
Tuberculosis of the respiratory system (31)	74	1	6	15	7	7	6	5	6	3	9	4	5
Other forms of tuberculosis (32–37)	14		2	1	1	3	2	1	1	2		1	
Bronchitis (99)	8	2			2	1	1			1	1		
Broncho-pneumonia (100)	26	2	4	4	7	2		1				2	4
Pneumonia (101)	85	7	17	11	9	5	7	5	1	2	4	3	14
Diarrhea and enteritis [under 2 years] (113)	27	2	1	3	1	2	3	3	2	1	5	1	3
Diarrhea and enteritis [2 years and over] (114)	7	1		1			1	1	1			2	
Puerperal septicemia (146)	6	1			1	1	1					1	1
Other puerperal causes (143–145, 147–150)	11		1	2	1		3	1		1	1	1	
Suicide (165–174)	17	5	4		1		2	3	1				1
Automobile accidents (188c)	27	2	2	1	1		1	3	3	5	3	3	3
Other external causes (175–188b, 188d, 203)	89	4	3	4	14	7	8	9	9	7	7	8	9
All other causes	828	68	79	58	79	56	71	76	70	70	75	46	80
HOUSTON, TEX. (WHITE), all causes	1,490	144	119	153	127	120	117	130	115	94	110	121	140
Typhoid and paratyphoid fever (1)	11		2			1	2	2		1		1	2
Malaria (5)	7				1	1	1	1	1	1			1
Smallpox (6)													
Measles (7)	30		4	16	7	2			1				
Scarlet fever (8)													
Whooping cough (9)	1				1								
Diphtheria (10)	6			3		1					1		1
Influenza (11)	29	4	5	5	5	1		1				1	7
Dysentery (16)	9					2	1	2			3		1
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	89	9	7	10	11	8	9	9	5	4	3	8	6
Other forms of tuberculosis (32–37)	6				1	1	1		1		1	1	
Bronchitis (99)	4			2	1					1			
Broncho-pneumonia (100)	38	5	3	12	3		2	1	2		2	4	4
Pneumonia (101)	55	9	7	6	5	3	1		2	1	3	4	14
Diarrhea and enteritis [under 2 years] (113)	38	4	2	2	2	6	3	5	1	3		5	5
Diarrhea and enteritis [2 years and over] (114)	11	1	1				1	2		1	2		3
Puerperal septicemia (146)	13	1	1		1	1	3	1	1		1	2	1
Other puerperal causes (143–145, 147–150)	21	1	1	2	1	2	3	1	1	3	2	3	1
Suicide (165–174)	22	2		2	3	2	1	2	3	2	3		2
Automobile accidents (188c)	27	1	2	3	2	1	1		3	3	3	4	4
Other external causes (175–188b, 188d–203)	102	14	5	5	10	11	9	9	10	4	7	13	5
All other causes	969	93	78	85	73	77	79	94	83	70	79	75	83
HOUSTON, TEX. (COLORED), all causes	838	71	67	78	61	68	70	72	57	68	65	77	84
Typhoid and paratyphoid fever (1)	3					1	1			1			
Malaria (5)	5									1	3	1	
Smallpox (6)													
Measles (7)	7		1	3	2	1							
Scarlet fever (8)													
Whooping cough (9)	2	1											1
Diphtheria (10)	6	1	1				1			1		1	1
Influenza (11)	37	5	7	5	8	2		1	1	1	1	2	4
Dysentery (16)	5						1	3				1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	74	7	8	4	4	5	6	6	7	7	3	7	10
Other forms of tuberculosis (32–37)	9		2	2			2					1	2
Bronchitis (99)	4				1		1					1	1
Broncho-pneumonia (100)	10	1	1	1						1	1	1	4
Pneumonia (101)	41	4	3	5	4	1	2		2	2	3	10	5
Diarrhea and enteritis [under 2 years] (113)	17				2	3		2	2	1	1	2	4
Diarrhea and enteritis [2 years and over] (114)	5				1		1		1		2		
Puerperal septicemia (146)	3		2									1	
Other puerperal causes (143–145, 147–150)	9				1	2	1			1	1	2	1
Suicide (165–174)	2							1			1		
Automobile accidents (188c)	4									2		1	1
Other external causes (175–188b, 188d–203)	53	4	6	10	2	3	4	3	6	4	3	5	3
All other causes	542	48	36	48	[illegible]	50	50	56	38	46	46	41	47

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SAN ANTONIO, TEX., all causes	2,995	283	295	275	268	296	266	202	214	172	213	214	297
Typhoid and paratyphoid fever (1)	10	1	1		2		2	1	2			1	
Malaria (5)	7					2	1			1	1	1	1
Smallpox (6)	1						1						
Measles (7)	104	1	40	33	13	9	7	1					
Scarlet fever (8)	1												1
Whooping cough (9)	38	1	3	4	4	5	9	5	1	2	2		2
Diphtheria (10)	9	2		1			2				1	1	2
Influenza (11)	36	6	6	4	1	3	1			3	2	2	8
Dysentery (16)	27		1	2	1	7	3	4	3	3		2	1
Lethargic encephalitis (23)	5	1		1	1	2							
Meningococcus meningitis (24)	9		2		3	3							1
Tuberculosis of the respiratory system (31)	418	43	46	36	42	38	42	21	28	26	31	27	38
Other forms of tuberculosis (32–37)	32	2	3		4	3	2	1	3	3	2	6	3
Bronchitis (99)	25	2	4	3	3			1	1	1	3	3	4
Broncho-pneumonia (100)	118	22	24	17	12	3	6	4	2	5	5	2	16
Pneumonia (101)	127	21	20	20	15	8	8	3	3	5	5	6	13
Diarrhea and enteritis [under 2 years] (113)	246	12	9	6	17	51	46	16	27	16	9	18	19
Diarrhea and enteritis [2 years and over] (114)	56	5	3		7	9	11	5	5	2	2	3	4
Puerperal septicemia (146)	25	5	1	3	2	2	2		2	2	2	3	1
Other puerperal causes (143–145, 147–150)	20	1	1	1		4	2	2	2	2	5	1	1
Suicide (165–174)	21	1	2	1	3	3	1	3	1	2	2		2
Automobile accidents (188c)	22	1		2		6	1	1	2	1	2	1	5
Other external causes (175–188b, 188d–203)	120	15	9	10	7	9	1	12	6	10	15	12	14
All other causes	1,518	141	120	131	131	133	116	122	126	88	124	125	161
SALT LAKE CITY, UTAH, all causes	1,677	160	163	171	140	157	126	131	131	116	128	130	124
Typhoid and paratyphoid fever (1)	14				1			1	2		7	3	
Malaria (5)													
Smallpox (6)													
Measles (7)	25	2	9	7	5	2							
Scarlet fever (8)	2		1							1			
Whooping cough (9)	3	1				1		1					
Diphtheria (10)	16	2	2	1			1	2	1	2	3	2	
Influenza (11)	31	6	7	5	4	1			2		2	1	3
Dysentery (16)													
Lethargic encephalitis (23)	4			1		1						1	1
Meningococcus meningitis (24)	4							1	1	1		1	
Tuberculosis of the respiratory system (31)	96	8	7	12	11	10	8	6	5	6	7	8	8
Other forms of tuberculosis (32–37)	19	6	1	1	1	1	2	1	1	1		2	2
Bronchitis (99)	5		1	1				2					1
Broncho-pneumonia (100)	60	9	9	3	3	13	5	4	4	2	1	2	5
Pneumonia (101)	84	11	11	12	7	11	4	1	5	2	6	5	9
Diarrhea and enteritis [under 2 years] (113)	20	1	2	1			3	2	4	4	3		
Diarrhea and enteritis [2 years and over] (114)	10		1				1	1	1	3		1	2
Puerperal septicemia (146)	10	1					2	2	2		1	1	1
Other puerperal causes (143–145, 147–150)	15	2	1	3	2		1	2			1	3	
Suicide (165–174)	12		2	2		1		1	2	1		1	2
Automobile accidents (188c)	34	3		1	4	4	1	4	4	4	4	4	1
Other external causes (175–188b, 188d–203)	91	9	6	11	3	12	6	8	11	7	6	6	6
All other causes	1,122	99	103	110	99	100	92	92	86	82	87	89	83
NORFOLK, VA. (WHITE), all causes	806	73	73	73	64	64	70	64	55	64	65	67	74
Typhoid and paratyphoid fever (1)	4				1	1		1			1		
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	3		2		1								
Scarlet fever (8)													
Whooping cough (9)	6	1	3	1						1			
Diphtheria (10)	4	1										1	2
Influenza (11)	8	1	1	3						1	1	1	
Dysentery (16)	4						1	1					2
Lethargic encephalitis (23)	3	1		1			1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	42	7	3	4	3	1	2	8	4	3	1	3	3
Other forms of tuberculosis (32–37)	9	1		2	1		2			2	1		
Bronchitis (99)	5	1	1					1		1	1		
Broncho-pneumonia (100)	12	4	2		2	3	1						
Pneumonia (101)	22	3	7	3	2		1	1	1	1			3
Diarrhea and enteritis [under 2 years] (113)	7						2	2		1	1		1
Diarrhea and enteritis [2 years and over] (114)	4							1	2		1		
Puerperal septicemia (146)	9		1		1	1	1	1	1			2	1
Other puerperal causes (143–145, 147–150)	2								1			1	
Suicide (165–174)	11	1		1	1	1	1		1	3	1	1	
Automobile accidents (188c)	12	1				4		1	1	2	1	1	1
Other external causes (175–188b, 188d–203)	51	1	4	6	5	5	6	2	6	2	3	6	5
All other causes	587	50	49	52	47	48	52	45	38	46	53	51	56
NORFOLK, VA. (COLORED), all causes	935	78	93	95	82	77	82	64	87	60	75	69	73
Typhoid and paratyphoid fever (1)	2							2					
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	7	1	3	1	1	1							
Scarlet fever (8)													
Whooping cough (9)	10		1							4	1	1	3
Diphtheria (10)													
Influenza (11)	21	2	5	3	2	2		1			1	3	2
Dysentery (16)	3					1	1	1					
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	112	8	14	10	14	12	9	8	7	7	11	4	8
Other forms of tuberculosis (32–37)	20	1	1	3	1	3		2	3	1	1	2	2
Bronchitis (99)	10	3		1	2	1	2		1				
Broncho-pneumonia (100)	55	3	11	11	1	5	1	4	2	4	3	4	6
Pneumonia (101)	37	5	9	10	6	2					1	1	3
Diarrhea and enteritis [under 2 years] (113)	26	1					9	6	3	1	3	2	1
Diarrhea and enteritis [2 years and over] (114)	7		1	1				2		2		1	
Puerperal septicemia (146)	6						1	1	1	2	1		
Other puerperal causes (143–145, 147–150)	11	2	1	3	2						3		
Suicide (165–174)	1								1				
Automobile accidents (188c)	4	1	1		1	1							
Other external causes (175–188b, 188d–203)	45	1	3	5	3	3	4	5	6	6	3	4	2
All other causes	556	50	43	47	49	46	55	32	63	32	46	47	46

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RICHMOND, VA. (WHITE), all causes	1,598	148	146	151	153	126	137	140	106	94	133	127	137
Typhoid and paratyphoid fever (1)	10	1							2	1	3	3	
Malaria (5)													
Smallpox (6)													
Measles (7)	8				1	1	3	3					
Scarlet fever (8)	1											1	
Whooping cough (9)	13	2			3			5	2	1			
Diphtheria (10)	13	1	1		2			1	1		5		2
Influenza (11)	17	4	1	3	1	1		1		1		2	3
Dysentery (16)	5						1	1	1	2			
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	2							1					1
Tuberculosis of the respiratory system (31)	73	8	7	5	7	4	6	2	6	3	9	7	9
Other forms of tuberculosis (32–37)	20	4		1	2	2		1	3		2		5
Bronchitis (99)	9	2	2		1	1			1		2		
Broncho-pneumonia (100)	39	6	4	9	2	1	2	3	1		3	4	4
Pneumonia (101)	45	4	7	10	8		1	1	2	1	1	3	7
Diarrhea and enteritis [under 2 years] (113)	37		2	1	1		3	15	7	4	2	2	
Diarrhea and enteritis [2 years and over] (114)	11		2	2				1	2	2		2	
Puerperal septicemia (146)	9		1	2	1		1	1	1		1		1
Other puerperal causes (143–145, 147–150)	13	3	1	1	2			2	2	2			
Suicide (165–174)	28	1	3	2	5	4	2		1	4	3	1	2
Automobile accidents (188c)	20	2		1	1	2	1	2	1	2	1	2	5
Other external causes (175–188b, 188d–203)	68	4	6	2	11	4	8	7	5	4	9	3	5
All other causes	1,156	106	109	112	105	106	109	93	68	67	92	97	92
RICHMOND, VA. (COLORED), all causes	1,220	111	112	98	99	98	105	118	95	96	95	92	101
Typhoid and paratyphoid fever (1)	4									1		2	1
Malaria (5)													
Smallpox (6)	1				1								
Measles (7)	6			1		2		1	2				
Scarlet fever (8)													
Whooping cough (9)	21		2	1	2	4	2	3	1	2	1		3
Diphtheria (10)	9							1	3	1	4		
Influenza (11)	26	3	6	4	4	1	1				2	3	2
Dysentery (16)	2						1					1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	98	6	7	10	13	6	4	14	6	11	3	11	7
Other forms of tuberculosis (32–37)	16	1		2	4	2	1	3			2	1	
Bronchitis (99)	6	1		1			1	1		1	1		
Broncho-pneumonia (100)	75	14	10	8	7	3	2	7	4	3	6	2	9
Pneumonia (101)	83	13	10	7	8	3	7	5	3	3	7	10	7
Diarrhea and enteritis [under 2 years] (113)	8						2	2		2		2	
Diarrhea and enteritis [2 years and over] (114)	8			1		1	1	3		1			1
Puerperal septicemia (146)	5						2		1		1	1	
Other puerperal causes (143–145, 147–150)	17	2	3	1	2			1	1	3		2	2
Suicide (165–174)	4	1				1	1		1				
Automobile accidents (188c)	13		1	1		5	1	1	3			1	
Other external causes (175–188b, 188d–203)	65	8	7	5	2	2	4	6	9	6	4	6	6
All other causes	753	62	66	56	56	68	75	70	61	62	64	50	63
SEATTLE, WASH., all causes	3,312	318	247	314	312	251	245	269	221	273	283	270	309
Typhoid and paratyphoid fever (1)	10	2			1			3		1	1	2	
Malaria (5)	1	1											
Smallpox (6)													
Measles (7)	33	7	14	6	3	2		1					
Scarlet fever (8)	3	1					1			1			
Whooping cough (9)	2								1			1	
Diphtheria (10)	23	3	3	2	3	3	1		3			4	1
Influenza (11)	37	2	3	3	6	2	2	4	4	3	2	2	4
Dysentery (16)													
Lethargic encephalitis (23)	6		1	1	1		2						1
Meningococcus meningitis (24)	4			1					1	2			
Tuberculosis of the respiratory system (31)	142	15	9	13	14	15	15	10	9	12	6	13	11
Other forms of tuberculosis (32–37)	66	8	5	8	6	7	4	4	5	7	2	7	3
Bronchitis (99)	11	1			2	2	2		1		1	1	1
Broncho-pneumonia (100)	76	7	5	13	7	7	2	3	4	4	9	6	9
Pneumonia (101)	107	15	9	18	10	6	5	3	3	6	6	6	20
Diarrhea and enteritis [under 2 years] (113)	18	1	2	2	1	3	2	1		1	2	1	2
Diarrhea and enteritis [2 years and over] (114)	3					1					1		1
Puerperal septicemia (146)	18	3	2	1	1	2	1		2	3		2	1
Other puerperal causes (143–145, 147–150)	28	5	3	1	2	2	3	2	2	1	3	3	1
Suicide (165–174)	98	4	5	7	10	10	7	10	4	8	12	8	13
Automobile accidents (188c)	53	3		2	5	9	3	8	4	3	6	7	3
Other external causes (175–188b, 188d–203)	207	17	14	13	23	13	17	29	14	19	15	16	17
All other causes	2,366	223	172	223	217	167	178	191	164	202	217	191	221
SPOKANE, WASH., all causes	1,302	121	94	122	121	127	103	102	86	95	110	102	119
Typhoid and paratyphoid fever (1)	3						1			1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)	1	1											
Scarlet fever (8)	4	2				1					1		
Whooping cough (9)	1											1	
Diphtheria (10)	13	1	1	1	1	1	2	2	1		2		1
Influenza (11)	14	2	2	2	1	1		2		1	1	2	
Dysentery (16)	1											1	
Lethargic encephalitis (23)	8					2	1		2	1	1	1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	42	6	2	3	2	4	2	5	5	3	3	3	4
Other forms of tuberculosis (32–37)	12	2		2	2	1		1	1	2	1		
Bronchitis (99)	5		1	2							2		
Broncho-pneumonia (100)	42	5	2	2	8	9	3	1	2		3	2	5
Pneumonia (101)	52	5	3	7	6	4	2	3	3	4	6	5	4
Diarrhea and enteritis [under 2 years] (113)	13	1				1		1		3	3	3	1
Diarrhea and enteritis [2 years and over] (114)	7	3			1					2	1		
Puerperal septicemia (146)	11	1	1	2	3				1	1	1		1
Other puerperal causes (143–145, 147–150)	15	1		4	3			3		2		1	1
Suicide (165–174)	24	1	1	2	1	4	2	4	2	2	3	1	1
Automobile accidents (188c)	22	1	1	2	3	3	3	2	1	1	2	2	1
Other external causes (175–188b, 188d–203)	68	9	2	3	7	7	12	5	1	4	5	6	7
All other causes	944	80	78	90	83	89	75	73	67	68	75	73	93

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1924—Continued

[See note at head of this table, p. 404]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes	4,842	429	418	446	438	454	386	357	344	337	383	392	458
Typhoid and paratyphoid fever (1)	5					1		1		1		1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	6	1	1	2			1				1		
Scarlet fever (8)	8		3	1	1			1		1	1		
Whooping cough (9)	23	1	2	4	3	1	2	1	3	2	1		3
Diphtheria (10)	44	4	6	11	3	5	2	3	2		3	1	4
Influenza (11)	42	4	3	3	3	4	4	2	1	1	2	6	9
Dysentery (16)	4	1			1	1							1
Lethargic encephalitis (23)	7	1	1	1				1					3
Meningococcus meningitis (24)	7		1		1			2	1		1		1
Tuberculosis of the respiratory system (31)	240	29	27	18	21	32	13	17	17	17	11	19	19
Other forms of tuberculosis (32–37)	59	4	3	5	7	10	6	4	5	1	4	5	5
Bronchitis (99)	44	4	6	6	4	7	2	2	1	4	3	1	4
Broncho-pneumonia (100)	210	26	24	27	29	29	12	6	6	11	6	15	19
Pneumonia (101)	258	24	33	40	36	21	20	9	13	9	15	17	21
Diarrhea and enteritis [under 2 years] (113)	124	11	10	9	20	14	7	5	8	8	4	11	17
Diarrhea and enteritis [2 years and over] (114)	14	1		1	1	1	1	3	1	2	2		1
Puerperal septicemia (146)	21	3	1	2	4	1	3	3		3	1		
Other puerperal causes (143–145, 147–150)	39	5	2	3	3	3	5	4	5	2	2	1	4
Suicide (165–174)	72	6	5	2	5	11	7	6	5	8	4	9	4
Automobile accidents (188c)	83	1	4	5	4	8	10	12	9	8	5	7	10
Other external causes (175–188b, 188d–203)	201	11	19	19	16	22	13	10	19	26	18	12	16
All other causes	3,331	292	267	287	276	283	278	265	248	233	299	287	316

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924

[Corresponding data for death registration States and cities in birth registration area appear in the report on Birth Statistics, Stillbirths, and Infant Mortality: 1924. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on Jan. 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO, all causes	1,949	389	99	71	136	129	79	58	961	161	141	116	97	78	76	69	74	63	57	56
Measles (7)	50									1	4	4	2	2	4	6	10	2	7	8
Scarlet fever (8)	2															1				1
Whooping cough (9)	39					1		1	2	7	2	7	3	3	1	3	3	2	3	3
Diphtheria (10)	10									1	1	1		4	1		1		1	
Influenza (11)	74					2	5	2	9	9	13	5	2	4	7	4	5	3	8	5
Dysentery (16)	10					1		1	2		1	2			1		2	1		1
Erysipelas (21)	15					1		1	2	2	2	3		1	2	1	1	1		
Meningococcus meningitis (24)	2														2					
Tetanus (29)	1									1										
Tuberculosis of the respiratory system (31)	1															1				
Tuberculosis of the meninges, etc. (32)	15									1			1		2	2	2	3	2	2
Other forms of tuberculosis (33–37)	1												1							
Syphilis (38)	34	3			1	3	5	1	13	6	7	1	2	1		1	1	1	1	
Convulsions (80)	6		1		1	1		1	4	1		1								
Bronchitis (99)	10					1			1	1		1	2			1	1	1	1	1
Broncho-pneumonia (100)	217	1	3	2	8	13	15	12	54	26	28	23	15	9	13	10	12	11	7	9
Pneumonia (101)	118		1		4	3	3	4	15	25	15	10	7	7	10	4	7	9	4	5
Diseases of the stomach (111, 112)	13		1	1	1	2	1		6			1	3	1	1		1			
Diarrhea and enteritis (113)	315			1	2	10	10	7	30	26	42	31	43	35	19	20	23	17	17	12
Congenital malformations (159)	137	28	8	13	19	15	8	10	101	8	4	7	5	3	2	6		1		
Congenital debility (160)	93	14	3	4	10	9	3	9	52	14	6	8	2	3	4		1	1	1	1
Premature birth (161a)	503	290	59	24	44	40	19	4	480	15	5		2					1		
Injury at birth (161b)	86	25	17	15	19	7			86											
Other diseases of early infancy (162, 163)	71	19	4	9	17	14	3	2	68	3										
External causes (175–203)	34	2	2		2	2	2		10	6	2	1	1	1	1	3	2	4	2	1
Unknown or ill-defined diseases (204, 205)	8	3			3	1			7			1								
All other causes	84	1		2	5	3	5	3	19	8	9	9	6	4	6	6	2	5	3	7
GEORGIA (WHITE), all causes	3,101	723	162	146	242	222	128	115	1,738	255	193	150	108	104	95	84	90	94	99	91
Measles (7)	83				3	4	1	8	16	7	9	6	2	3	4	6	5	6	10	9
Scarlet fever (8)	2					1			1											1
Whooping cough (9)	113				2	2	8	9	21	17	11	11	6	6	8	3	4	9	7	10
Diphtheria (10)	28		1		2	1			4	2	5		1	1	2	1	2	3	5	2
Influenza (11)	59			1		3	4	1	9	10	5	4	4	4	3	4	4	4	3	5
Dysentery (16)	59					1	1	1	3	9	5	6	4	6	4	4	3	5	4	6
Erysipelas (21)	5						1		1	3									1	
Meningococcus meningitis (24)	5										1		2	1					1	
Tetanus (29)	5				2	3			5											
Tuberculosis of the respiratory system (31)	8						1		1	1			1		1	1		1	1	1
Tuberculosis of the meninges, etc. (32)	2																1		1	
Other forms of tuberculosis (33–37)	4					1			1				1	1			1			
Syphilis (38)	16		1		2	2	1	1	7	1	4	1	1		1		1			
Convulsions (80)	33	2	4	3	5	5	4	1	24	1	2	1	2		1	1	1			
Bronchitis (99)	17	1			2	2	2		7	2	1		2	2	1		1		1	
Broncho-pneumonia (100)	176			4	6	12	7	7	36	30	18	11	11	15	15	10	6	11	4	9
Pneumonia (101)	173	5		4	14	14	3	10	50	29	21	7	10	10	9	10	8	10	7	6
Diseases of the stomach (111, 112)	30			1	2	1	1		5	6	5	3	1	2	2		1		2	3
Diarrhea and enteritis (113)	347				3	4	7	6	20	24	38	45	29	30	22	25	33	24	31	26
Congenital malformations (159)	142	37	10	12	21	10	4	6	100	10	7	5	1	4	4	7	2	1	1	
Congenital debility (160)	218	45	16	8	30	16	12	21	148	18	16	13	10	3	1		1	4	4	
Premature birth (161a)	832	468	88	56	66	69	33	15	795	28	7		1				1			
Injury at birth (161b)	135	62	18	11	22	20	2		135											
Other diseases of early infancy (162, 163)	79	34	7	10	13	8	4		76	1	2									
External causes (175–203)	53	5	1	2	1	2	4	4	19	2	8	8	2	1	3		5	2	1	2
Unknown or ill-defined diseases (204, 205)	270	61	15	31	22	26	19	13	187	27	20	14	6	3	6	2	1	2	1	1
All other causes	207	3	1	3	24	16	8	12	67	27	8	15	11	12	12	10	9	12	14	10
GEORGIA (COLORED), all causes	2,748	402	148	108	273	219	107	97	1,354	222	208	172	142	112	134	95	99	73	71	66
Measles (7)	47			1		3	2	2	8	2	4	4	5	3	5	1	3	4	4	4
Scarlet fever (8)	1													1						
Whooping cough (9)	146		1	1		1	3	4	10	17	24	14	13	9	13	11	8	6	13	8
Diphtheria (10)	24		1	1	1	1	2	1	7	7		1	4	1		3	1			
Influenza (11)	44				2	1	2	2	7	5	6	6	3	1	5	2	5		2	2
Dysentery (16)	57				1			1	2	11	2	2	3	7	6	4	12	2	4	2
Erysipelas (21)																				
Meningococcus meningitis (24)	1												1							
Tetanus (29)	20			2	4	12			18	2										
Tuberculosis of the respiratory system (31)	12				2			1	3	2		1	1		1	1	1	1	1	
Tuberculosis of the meninges, etc. (32)	1															1				
Other forms of tuberculosis (33–37)	4										1	1					2			
Syphilis (38)	64	10	5	5	6	1	2	4	33	5	6	5	2	1	4	3	2	2		1
Convulsions (80)	57	3	1	1	12	10	2	2	31	4	3	4	3	4	4	1		1	1	1
Bronchitis (99)	18					3	2		5	1	2	2	1	1	3				2	1
Broncho-pneumonia (100)	140	2		1	3	6	3	6	21	13	10	18	8	9	13	12	14	8	5	9
Pneumonia (101)	217	1	1	2	11	17	2	5	39	27	22	35	19	19	11	7	13	10	9	6
Diseases of the stomach (111, 112)	37	1		1	6	1	1		10	3	7	2	1	2	3	3	2	2	2	
Diarrhea and enteritis (113)	275	1	1		8	11	13	8	42	17	29	26	31	22	21	26	18	19	15	12
Congenital malformations (159)	34	3		4	4	5	2		18	3	5	1	1		1	2		1	1	1
Congenital debility (160)	218	20	7	8	39	26	17	7	124	30	23	10	9	5	5		4	4	1	3
Premature birth (161a)	493	231	67	39	75	36	14	11	473	10	5		2	3						
Injury at birth (161b)	43	15	8	2	9	5	1		40	3										
Other diseases of early infancy (162, 163)	78	20	10	8	17	15	5	1	76	2										
External causes (175–203)	92	9	3	2	4	4	2	4	28	11	9	12	9	3	4	3	6	2	1	4
Unknown or ill-defined diseases (204–205)	462	85	40	28	59	53	29	31	325	34	27	18	16	8	11	9	3	4	3	4
All other causes	160	1	3	2	10	8	3	7	34	13	23	10	10	13	24	6	5	7	7	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
IDAHO, all causes	529	132	23	24	51	37	27	15	309	33	31	22	20	22	19	14	11	13	21	14
Measles (7)	26						1	1	2	3	2	1	2	2			2	2	6	4
Scarlet fever (8)																				
Whooping cough (9)	21					1	2	2	5	3	2	1	1	1	1	3	1		3	
Diphtheria (10)	3																1		1	1
Influenza (11)	19						4		4	2	3		4	1				1	2	2
Dysentery (16)	3										1		1			1				
Erysipelas (21)	4					2	1	1	4											
Meningococcus meningitis (24)	1											1								
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1																		1	
Other forms of tuberculosis (33–37)	1																1			
Syphilis (38)	3						1		1	2										
Convulsions (80)	4			1	2				3										1	
Bronchitis (99)	2				1	1			2											
Broncho-pneumonia (100)	55			3		1	5	1	10	5	5	3	1	6	9	2	4	5	1	4
Pneumonia (101)	17					2	1	1	4	4		2	2		2	1			1	1
Diseases of the stomach (111, 112)	6									3	2			1						
Diarrhea and enteritis (113)	39				1	3	4	3	11	3	4	3	2	3	3	2	2	2	3	1
Congenital malformations (159)	26	6	5	2	6	1	3		23			1				2				
Congenital debility (160)	28	5	1	2	7	3	1	1	20		4	2	2							
Premature birth (161a)	136	82	12	6	12	13	3	1	129	3	2				2					
Injury at birth (161b)	45	22	5	4	8	6			45											
Other diseases of early infancy (162, 163)	20	13		2	4				19	1										
External causes (175–203)	10	1			2			1	4		1	1		2		1			1	
Unknown or ill-defined diseases (204, 205)	17	1		2	2	2			7	1	2	3		1	1			1	1	
All other causes	42	2		2	6	2	1	3	16	3	3	4	5	5	1	2		2		1
LOUISIANA (WHITE), all causes	2,002	359	100	72	140	112	68	67	918	198	145	151	110	87	77	50	80	63	66	57
Measles (7)	51						2	2	4	4	4	6	2	3	1	5	5	3	4	10
Scarlet fever (8)																				
Whooping cough (9)	30						1	1	2	6	2	2	5	1		1	4	2	3	2
Diphtheria (10)	7									3			1			1				2
Influenza (11)	40				3	2		1	6	4	8	6	2	1	1	3	2	2	4	1
Dysentery (16)	12				1				1		2	2	3	1		1		1		1
Erysipelas (21)	7				1	1	1		3	2	1	1								
Meningococcus meningitis (24)	2											1		1						
Tetanus (29)	19	1		1	4	11	1	1	19											
Tuberculosis of the respiratory system (31)	5											2			1		1		1	
Tuberculosis of the meninges, etc. (32)	4									1				1					1	1
Other forms of tuberculosis (33–37)	2										1		1							
Syphilis (38)	25	5		1		1	1	1	9	2	2	1	2		2	3	1	1	1	1
Convulsions (80)	5		1	1	1				3	1		1								
Bronchitis (99)	18	1	1	1				2	5	4	1		3	2	1			1		1
Broncho-pneumonia (100)	183		2		5	14	9	9	39	34	25	16	10	16	10	4	11	6	6	6
Pneumonia (101)	75	1		1	4	4	2	1	13	7	9	9	7	6	2	4	4	3	4	7
Diseases of the stomach (111, 112)	22	1						1	2	7	3	4	1	1	1			1	1	1
Diarrhea and enteritis (113)	397				8	9	9	7	33	39	51	50	45	31	32	16	29	25	30	16
Congenital malformations (159)	152	23	19	8	20	13	7	13	103	13	8	9	3	5	4	5		1	1	
Congenital debility (160)	92	13	5	2	10	8	8	6	52	14	4	13	2	4	2					1
Premature birth (161a)	407	243	42	28	39	20	13	6	391	9	2	3			1			1		
Injury at birth (161b)	89	39	15	7	21	5	1	1	89											
Other diseases of early infancy (162, 163)	42	16	4	6	4	2	4	1	37	4	1									
External causes (175–203)	33	1	2			2	3	1	9	6	1	2	3		2		3	4		3
Unknown or ill-defined diseases (204, 205)	100	14	8	7	14	10	3	5	61	18	4	7	3	2	1	1	3			
All other causes	183	1	1	9	5	10	3	8	37	20	16	16	17	12	16	6	17	12	10	4
LOUISIANA (COLORED), all causes	1,954	215	89	57	152	148	68	53	782	215	167	149	121	102	91	84	68	65	63	47
Measles (7)	44					1	2	1	4	3	4	2	6	1	4	4	3	4	2	7
Scarlet fever (8)																				
Whooping cough (9)	46							2	2	3	6	8	2	5	7	2	2	5	3	1
Diphtheria (10)	8							1	1			2	1	1			1	1		1
Influenza (11)	60				1	2		4	7	9	6	7	4	9	5	3	2	3	2	3
Dysentery (16)	36						1		1	2	3	4	3	2	3	3	4	6	3	2
Erysipelas (21)	2					1			1			1								
Meningococcus meningitis (24)	2										1								1	
Tetanus (29)	49		1	19	24			3	47		1				1					
Tuberculosis of the respiratory system (31)	6										1		2	1	1				1	
Tuberculosis of the meninges, etc. (32)	4											1				1		1	1	
Other forms of tuberculosis (33–37)	4							1	1					1			2			
Syphilis (38)	88	3	5	3	3	8	6	3	31	20	13	6	6	3	2	1	1	1	1	3
Convulsions (80)	24			1	5	5		1	12	3	4	1	3						1	
Bronchitis (99)	31				1	3			4	9	3	5	3	3	1	1		1	1	
Broncho-pneumonia (100)	192			1	3	13	8	3	28	25	19	19	18	17	16	11	12	8	16	3
Pneumonia (101)	92		1	2	4	2	2	1	12	10	6	13	13	8	4	8	4	4	7	3
Diseases of the stomach (111, 112)	19			1		1	1		3	3	3	3	1		1	2	1		1	1
Diarrhea and enteritis (113)	327				2	7	4	10	23	34	46	42	34	28	28	29	19	19	16	9
Congenital malformations (159)	77	7	5	7	11	7	7	1	45	9	5	4	2	2	1	6	2	1		
Congenital debility (160)	109	25	6	2	16	8	2	2	61	12	4	11	7	5	4		2	3		
Premature birth (161a)	240	105	27	21	24	30	13	7	227	10	2			1						
Injury at birth (161b)	42	15	12	3	9	2	1		42											
Other diseases of early infancy (162, 163)	47	10	9	5	10	5	3	2	44	3										
External causes (175–203)	21	3			2	1			6	6	1	1		1	1	2	1	1		1
Unknown or ill-defined diseases (204–205)	264	45	22	10	33	21	15	7	153	40	26	8	7	8	3	4	3	5	4	3
All other causes	120	2	2		9	7	3	4	27	14	13	11	9	6	9	7	9	3	3	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSOURI, all causes	4,750	1,064	281	192	395	334	184	146	2,596	384	302	202	207	179	182	148	139	124	113	124
Measles (7)	64	1				2	3	4	10	8	4	5	5	2	2	10	1	4	5	8
Scarlet fever (8)	3							1	1								1			1
Whooping cough (9)	191	1			1	2	7	8	19	31	16	26	15	14	11	11	11	12	8	17
Diphtheria (10)	18									2		1	1		2		2	7	1	2
Influenza (11)	118			1	5	7	9	7	29	16	16	10	6	6	10	7	7	3	3	5
Dysentery (16)	33					1			1	2	5	4	3	4	3	1	2	1	1	4
Erysipelas (21)	13			1			1	1	3	2	2	2	1	1		1	1			
Meningococcus meningitis (24)	9						1		1		1	1	2	1	1	1	1			
Tetanus (29)	16			1	2	11	1		15	1										
Tuberculosis of the respiratory system (31)	18									1	2	2	4	1	2				5	1
Tuberculosis of the meninges, etc. (32)	15	1					1		2		2	1	1	1		2	1		3	2
Other forms of tuberculosis (33–37)	8				1				1	1					1	1	2	1	1	
Syphilis (38)	62	3	3	4	4		3	2	19	12	8	5	5	2	4	2	2	1	2	
Convulsions (80)	23		2	5	8	2		1	18	1				2	1		1			
Bronchitis (99)	42	1	1	3		6	4		15	6	6	3	4		2	1	3	1		1
Broncho-pneumonia (100)	488		2	3	23	29	26	21	104	64	46	41	42	36	32	31	28	21	25	18
Pneumonia (101)	148		1	1	5	8	3	3	21	20	16	8	9	15	12	12	10	8	7	19
Diseases of the stomach (111, 112)	56		1	2	6	8	2	2	21	8	4	4	4		6	1	3	3		2
Diarrhea and enteritis (113)	676	1		3	8	19	12	19	62	89	87	83	61	49	53	38	45	34	39	36
Congenital malformations (159)	401	97	42	29	76	34	18	13	309	29	18	15	9	8	2	6	1	3		1
Congenital debility (160)	189	33	10	8	26	28	14	4	123	25	15	5	8	2	5		4	1	1	
Premature birth (161a)	1,241	718	124	74	11	92	49	31	1,202	29	6	2		1	1					
Injury at birth (161b)	237	104	42	22	46	18	4	1	237											
Other diseases of early infancy (162, 163)	157	54	28	23	19	18	10	4	156	1										
External causes (175–203)	55	2	2	2	3	2	1	1	13	5	10	5	4	1	3	6	4	2		2
Unknown or ill-defined diseases (204, 205)	184	41	18	8	25	19	7	12	130	10	12	4	6	6	6	3	1	5		1
All other causes	285	7	5	2	23	28	8	11	84	21	26	25	17	27	21	14	8	17	12	13
TENNESSEE (WHITE), all causes	3,160	581	199	118	270	207	158	142	1,675	307	201	170	164	115	103	73	77	108	78	89
Measles (7)	44	1			2		2	3	8	4	3	2	1	2	6	4	1	5	5	3
Scarlet fever (8)	1																		1	
Whooping cough (9)	126		1			1	4	7	13	21	16	15	18	11	9	3	6	4	2	8
Diphtheria (10)	37				2	2	2	1	7	6	3	3	1	4	1	2	2	5	2	1
Influenza (11)	84		2			3	7	12	24	12	7	7	12	4	2	4	3	3	1	5
Dysentery (16)	33						1	1	2	1	3	4	5	4	1	3	2	3	2	3
Erysipelas (21)	13					1	1	1	3	6	1	1	2							
Meningococcus meningitis (24)	4											2	1			1				
Tetanus (29)	4					2			2					1		1				
Tuberculosis of the respiratory system (31)	16				1	1	1		3	1			1	1	1	5		3		1
Tuberculosis of the meninges, etc. (32)	21							1	1	1	2	1	2	2	1	1	3	3	1	3
Other forms of tuberculosis (33–37)	3												1	1				1		
Syphilis (38)	21	1			2		2	1	6	6	5		1		2					1
Convulsions (80)	21	1	2	1	1	3	6	2	16	1			1	1	2					
Bronchitis (99)	12				1			2	3	5	1			2	1					
Broncho-pneumonia (100)	218		1	4	13	10	16	17	61	29	22	7	18	12	6	7	16	19	12	9
Pneumonia (101)	100	1	1	1	5	6	1	1	16	8	18	12	9	3	7	3	5	4	5	10
Diseases of the stomach (111, 112)	36				2	1	1	2	6	11	3	2	3	3	1	3	2		1	1
Diarrhea and enteritis (113)	385	1	1		7	7	12	10	38	41	43	39	40	37	36	11	17	28	29	26
Congenital malformations (159)	136	23	16	10	25	8	8	9	99	9	5	4	2	2	2	5		6	1	1
Congenital debility (160)	160	25	8	7	21	15	8	9	96	23	11	7	9	4	2		2	4		2
Premature birth (161a)	695	379	100	41	63	59	20	16	678	9	6	1							1	
Injury at birth (161b)	97	44	8	8	27	5	2	2	96	1										
Other diseases of early infancy (162,163)	68	24	9	5	15	5	4	5	67		1									
External causes (175–203)	54	4	2	2	4	1	4	3	20	6	3	5	4	2		1	2	4	3	4
Unknown or ill-defined diseases (204, 205)	583	75	47	34	65	62	41	31	355	85	38	44	21	9	10	6	5	5	2	3
All other causes	188	2	1	5	14	12	15	6	85	21	10	14	12	10	13	13	11	11	10	8
TENNESSEE (COLORED), all causes	1,115	151	65	28	70	66	52	30	462	107	91	71	55	50	57	63	55	43	30	31
Measles (7)	14				1		1		2				2	1	1	2	3	1		2
Scarlet fever (8)																				
Whooping cough (9)	37							3	3	2	4	1	3	2	3	3	5	4	4	3
Diphtheria (10)	5										1					1		2	1	
Influenza (11)	40			1		4		2	7	4	7	3	3	2	3	1	4	2	3	1
Dysentery (16)	14									1	1	2	1	3	3		1	1	1	
Erysipelas (21)	2									1		1								
Meningococcus meningitis (24)	2													1					1	
Tetanus (29)	1										1									
Tuberculosis of the respiratory system (31)	7				1	1			2				1			1		3		
Tuberculosis of the meninges, etc. (32)	4											1					1	2		
Other forms of tuberculosis (33–37)	3											1	1	1						
Syphilis (38)	26	6	2			3	2	2	15	2	4	3	1		1	1	1			
Convulsions (80)	18		1			4	2	1	8	4	1	2	2							1
Bronchitis (99)	3									1		1			1					
Broncho-pneumonia (100)	110				1	5	5	2	13	8	18	9	6	11	11	13	9	7	1	4
Pneumonia (101)	62			1	5	2	1	2	11	7	7	3	3	8	4	5	4	4	1	5
Diseases of the stomach (111, 112)	15					3	2		5	3				2	2	1	1		1	
Diarrhea and enteritis (113)	143	1	1			4	3	3	12	14	13	20	13	7	13	16	13	8	8	6
Congenital malformations (159)	16	4		4				1	9			1	2	1		1		2		
Congenital debility (160)	53	7	1	2	8	3	7	1	29	9	6	3	1	2			2		1	
Premature birth (161a)	170	81	32	14	13	15	10	1	166	2		1	1							
Injury at birth (161b)	15	8	1	1	2	1		2	15											
Other diseases of early infancy (162, 163)	23	6	5	1	8	1	1		22	1										
External causes (175–203)	18		1			1	1		3		3	2	4			3		1	2	
Unknown or ill-defined diseases (204, 205)	265	38	21	6	25	19	14	9	132	36	19	13	8	9	12	12	10	5	2	7
All other causes	47			2	2		3	1	8	12	6	4	3		3	3	1	1	4	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BIRMINGHAM, ALA. (WHITE), all causes	226	76	13	10	18	8	9	8	142	15	17	7	5	5	9	7	6	6	3	4
Measles (7)	1						1		1											
Scarlet fever (8)																				
Whooping cough (9)	6									3	1									2
Diphtheria (10)	1											1								
Influenza (11)	2																	2		
Dysentery (16)																				
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2									1			1							
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1	1							1											
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	11							1	1	3	2	1		2	1	1				
Pneumonia (101)	12						1		1	2	3					3	1	1		1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	15										2	1	2	1	4	2	1		1	1
Congenital malformations (159)	27	7	2	1	4	1	1	2	18	3	2	1		2		1				
Congenital debility (160)	10	4	1		1		1		7	1	1				1					
Premature birth (161a)	85	53	6	6	8	5	4	1	83		2									
Injury at birth (161b)	16	9	1	3	2	1			16											
Other diseases of early infancy (162, 163)	3		2			1			3											
External causes (175–203)	9		1		1				2		1	2						2	2	
Unknown or ill-defined diseases (204, 205)	11	2			1			3	6		1	1	1		1		1			
All other causes	13				1		1	1	3	1	2		1		2		3	1		
BIRMINGHAM, ALA. (COLORED), all causes	269	53	21	11	20	18	10	9	142	22	23	14	4	10	12	6	12	13	4	7
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	7														3		2	1		1
Diphtheria (10)																				
Influenza (11)	6						1		1		1	1					1	1		1
Dysentery (16)																				
Erysipelas (21)	1				1				1											
Meningococcus meningitis (24)	1																			1
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																	1		
Tuberculosis of the meninges, etc. (32)	4																2			2
Other forms of tuberculosis (33–37)	1															1				
Syphilis (38)	18	7	2			3	1	1	14	1	1				1	1				
Convulsions (80)	1										1									
Bronchitis (99)	1														1					
Broncho-pneumonia (100)	15									3	1	1		2	1	1	2	2	2	
Pneumonia (101)	16					1	1		2	2	3	1	2	1	2	1	1	1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	34					1		1	2	5	4	4	1	4	4		2	6	2	
Congenital malformations (159)	8	5	1		1				7	1										
Congenital debility (160)	12	2	1	2	2	2	1		10	1		1								
Premature birth (161a)	70	33	13	4	10	6		3	69	1										
Injury at birth (161b)	4	1		2	1				4											
Other diseases of early infancy (162, 163)	9	3	2	2	2				9											
External causes (175–203)	3									2			1							
Unknown or ill-defined diseases (204, 205)	41		1	1	2	2	5	4	15	5	10	6		1			1	1		2
All other causes	16	2	1		1	3	1		8	1	2			2		2	1			
DENVER, COLO., all causes	517	100	27	20	35	28	24	18	252	45	43	32	26	16	24	20	17	16	14	12
Measles (7)	7											1				2	1		2	1
Scarlet fever (8)																				
Whooping cough (9)	12									2	1	4			1	3		1		
Diphtheria (10)	3										1			2						
Influenza (11)	19						1		1	3	4		1	1	2	1	2	2	2	
Dysentery (16)	1																1			
Erysipelas (21)	2														1	1				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	7									1					2	1		1	1	1
Other forms of tuberculosis (33–37)																				
Syphilis (38)	21	1				2	1	1	5	4	4	1	2	1		1	1	1	1	
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	62				2	2	8	2	14	8	7	10	4	3	2	3	3	3	2	3
Pneumonia (101)	24							1	1	3	3	1	3	1	4	1	1	3		3
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	68				2	1	3	2	8	3	14	9	9	5	7	2	4	1	4	2
Congenital malformations (159)	52	9	3	3	8	7	2	7	39	5	3		2		2	1				
Congenital debility (160)	20	2		1	1	2		1	7	3	1	2	2	1	2	1	1			
Premature birth (161a)	137	76	16	9	8	7	8	2	126	7	3		1							
Injury at birth (161b)	28	6	5	6	7	4			28											
Other diseases of early infancy (162, 163)	17	5	2	1	2	2	1	2	15	2										
External causes (175–203)	8		1		1				2	1	1	1		1			1	1		
Unknown or ill-defined diseases (204, 205)	2				1				1			1								
All other causes	27	1			3	1			5	3	1	2	2	1	1	3	2	3	2	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ATLANTA, GA. (WHITE), all causes	308	70	21	14	25	17	12	10	169	22	15	9	20	16	7	13	9	5	10	13
Measles (7)	10							2	2	1	1	1		1		1			2	1
Scarlet fever (8)																				
Whooping cough (9)	9									1	1	1		1	1	1			1	2
Diphtheria (10)	1												1							
Influenza (11)	7			1			1		2	2			1		1			1		
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)	1												1							
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1															1				
Tuberculosis of the meninges, etc., (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	6				1	1			2		2	1					1			
Convulsions (80)	1									1										
Bronchitis (99)	1																		1	
Broncho-pneumonia (100)	30			2	2		1		5	6	3		4	3	3	2	1	1	1	1
Pneumonia (101)	11	1		2	1	1			5	1			2				1	1	1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	50							1	1	5	4	4	7	8	1	5	5	1	2	7
Congenital malformations (159)	11	3	3	1		1	1		9							1	1			
Congenital debility (160)	18	4		1	1	1	4		11	1	3	1		1					1	
Premature birth (161a)	94	46	11	8	11	6	5	4	91	3										
Injury at birth (161b)	21	7	5	1	4	4			21											
Other diseases of early infancy (162, 163)	9	6	1		1	1			9											
External causes (175–203)	9	1					1	2	4		1	1	1	1						1
Unknown or ill-defined diseases (204, 205)	4	2	1		1				4											
All other causes	14				3				3	1			3	1	1	2		1	1	1
ATLANTA, GA. (COLORED), all causes	285	33	17	8	24	17	16	8	123	24	20	20	16	15	11	14	19	8	7	8
Measles (7)	3													1					1	1
Scarlet fever (8)	1													1						
Whooping cough (9)	17										3	1		1	2	3	4		1	2
Diphtheria (10)																				
Influenza (11)	4									1		1	1				1			
Dysentery (16)	1																1			
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)	1									1										
Tuberculosis of the meninges, etc. (32)	1															1				
Other forms of tuberculosis (33–37)	2											1					1			
Syphilis (38)	14	5	2	1	2		1	2	13				1							
Convulsions (80)	4							1	1	1		1							1	
Bronchitis (99)	1					1			1											
Broncho-pneumonia (100)	29	2			1	3	1	1	8	3	2	1	2	2	2	1	3	3		2
Pneumonia (101)	29			1	3		2		6	6	3	6	1	1	1	1	2	1	1	
Diseases of the stomach (111, 112)	2						1		1							1				
Diarrhea and enteritis (113)	37					1	1		2	1	5	4	4	5	2	3	6	3	1	1
Congenital malformations (159)	3										2				1					
Congenital debility (160)	13	1	1		2		2		6	1	2	1	1	1		1				
Premature birth (161a)	56	20	11	5	8	6	4		54	1								1		
Injury at birth (161b)	10		2	1	2	4			9	1										
Other diseases of early infancy (162, 163)	8	2	1		3	2			8											
External causes (175–203)	10									3	1	3	2							1
Unknown or ill-defined diseases (204, 205)	18	3		2			3	3	11	3			2	1		1				
All other causes	20						1	1	2	2	2	1	2	2	3	2	1		2	1
NEW ORLEANS, LA. (WHITE), all causes	456	84	33	16	38	19	16	17	223	29	18	37	27	17	20	12	26	18	15	14
Measles (7)	8							1	1			1				2		1		3
Scarlet fever (8)																				
Whooping cough (9)	1													1						
Diphtheria (10)	2												1							1
Influenza (11)	2														1	1				
Dysentery (16)	1												1							
Erysipelas (21)	2										1	1								
Meningococcus meningitis (24)																				
Tetanus (29)	1			1					1											
Tuberculosis of the respiratory system (31)	2														1		1			
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	1												1							
Syphilis (38)	8	1				1			2	1		1			1	2		1		
Convulsions (80)																				
Bronchitis (99)	2									2										
Broncho-pneumonia (100)	45		2		3	3	3	3	14	6	5	4	6	3		1	4		1	1
Pneumonia (101)	10			1		1	1		3				2	1	1		1		1	1
Diseases of the stomach (111, 112)	2										1								1	
Diarrhea and enteritis (113)	100				2		3	2	7	6	8	16	10	5	9	4	11	10	8	6
Congenital malformations (159)	51	5	6	1	12	6	2	5	37	4		3	2	2	2			1		
Congenital debility (160)	7						2	2	4			2	1							
Premature birth (161a)	100	55	15	6	8	3	3	1	91	4	1	3			1					
Injury at birth (161b)	40	17	8	4	11				40											
Other diseases of early infancy (162, 163)	14	5	2	1	1	1	2	1	13	1										
External causes (175–203)	5					1			1	1							1	1		1
Unknown or ill-defined diseases (204, 205)																				
All other causes	52	1		2	1	3		2	9	4	2	6	3	5	4	2	8	4	4	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos	9 mos.	10 mos.	11 mos.
NEW ORLEANS, LA. (COLORED), all causes	390	45	17	14	18	33	21	6	154	36	28	35	25	26	21	20	9	15	15	6
Measles (7)	7												2	1		2	1		1	
Scarlet fever (8)																				
Whooping cough (9)	5										1	2		1				1		
Diphtheria (10)	1												1							
Influenza (11)	8												1	3	2			1		1
Dysentery (16)	2																	2		
Erysipelas (21)	1					1			1											
Meningococcus meningitis (24)	1										1									
Tetanus (29)	4			1	2	1			4											
Tuberculosis of the respiratory system (31)	1													1						
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33–37)																				
Syphilis (38)	17	1				3		1	5	4		3	2	1		1		1		
Convulsions (80)	1			1					1											
Bronchitis (99)	3									2					1					
Broncho-pneumonia (100)	70			1		2	2		5	7	5	12	7	7	5	5		6	9	2
Pneumonia (101)	21		1	1		1	1		4	3	1	3	2	1	1	3			3	
Diseases of the stomach (111, 112)	1						1		1											
Diarrhea and enteritis (113)	76				1	1	2	2	6	9	14	11	8	6	10	3	6	2		1
Congenital malformations (159)	46	3	2	6	6	7	6	1	31	5	2	2	1	1	1	2	1			
Congenital debility (160)	9	1			1	1			3		2	1			1		1	1		
Premature birth (161a)	71	32	10	2	3	14	5	1	67	2	1			1						
Injury at birth (161b)	7	3	1		2		1		7											
Other diseases of early infancy (162, 163)	15	4	3	2	1	1	3	1	15											
External causes (175–203)	3									1						1				1
Unknown or ill-defined diseases (204, 205)																				
All other causes	19	1			2	1			4	3	1	1	1	3		3			2	1
KANSAS CITY, MO. (WHITE), all causes	514	123	35	21	33	19	16	13	260	34	41	39	21	24	23	20	13	19	14	6
Measles (7)	2															1		1		
Scarlet fever (8)																				
Whooping cough (9)	16							1	1	1	2	3	2	1	1	2	1	1		1
Diphtheria (10)	1												1							
Influenza (11)	5							1	1		1		1	1		1				
Dysentery (16)	1											1								
Erysipelas (21)	4									1	1			1		1				
Meningococcus meningitis (24)	1																1			
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	4										2				1					1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	2																1		1	
Syphilis (38)	14		1				2		3	5	2	1	1	1					1	
Convulsions (80)	2			1					1					1						
Bronchitis (99)	1										1									
Broncho-pneumonia (100)	38		1	1	1	1	2		6	3	3	4	1	3	4	4	3	5	2	
Pneumonia (101)	17				1	1		1	3		2	3		2	1	2		2	2	
Diseases of the stomach (111, 112)	1											1								
Diarrhea and enteritis (113)	108				1	1		1	3	15	15	21	10	9	11	7	5	4	5	3
Congenital malformations (159)	40	11	5	2	5		3	2	28	6	3	1			1			1		
Congenital debility (160)	13	2	2	1	3	1		1	10						3					
Premature birth (161a)	131	84	15	7	8	7	6	3	130		1									
Injury at birth (161b)	47	22	9	4	8	3	1		47											
Other diseases of early infancy (162, 163)	12	2		2	4	3		1	12											
External causes (175–203)	5		1	2					3		1						1			
Unknown or ill-defined diseases (204, 205)	1												1							
All other causes	48	2	1	1	2	2	2	2	12	3	7	4	4	5	1	2	1	5	3	1
KANSAS CITY, MO. (COLORED), all causes	85	8	8	3	5	8	1	1	34	9	6	6	4	4	3	7	5	3	4	
Measles (7)	1															1				
Scarlet fever (8)																				
Whooping cough (9)	6					1			1						1	1	1	1	1	
Diphtheria (10)																				
Influenza (11)	1											1								
Dysentery (16)	1											1								
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	5			1					1	1	1						1	1		
Convulsions (80)																				
Bronchitis (99)	2									1			1							
Broncho-pneumonia (100)	16			1	2	2			5	2			1	2	1	3	1		1	
Pneumonia (101)	2										1						1			
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	13									1	1	3	2	1		2	1	1	1	
Congenital malformations (159)	6	1	1		2	1			5		1									
Congenital debility (160)	6	1							1	2	1			1	1					
Premature birth (161a)	19	5	6	1	1	3	1	1	18	1										
Injury at birth (161b)	2	1				1			2											
Other diseases of early infancy (162, 163)																				
External causes (175–203)	1											1								
Unknown or ill-defined diseases (204, 205)																				
All other causes	4		1						1	1	1								1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ST. LOUIS, MO. (WHITE), all causes	851	185	58	41	67	40	29	22	442	68	59	44	54	35	32	27	28	22	22	18
Measles (7)	4												1		1	1			1	
Scarlet fever (8)																				
Whooping cough (9)	15									2	4	1	2			2	2	1		1
Diphtheria (10)	5									1							2	1		1
Influenza (11)	9					1	1	1	3		1	1			1	1	1		1	
Dysentery (16)	2					1			1									1		
Erysipelas (21)	2						1		1			1								
Meningococcus meningitis (24)	5										1	1	1	1	1					
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)	5												3		1				1	
Tuberculosis of the meninges, etc. (32)	7						1		1		2		1						1	2
Other forms of tuberculosis (33–37)	3															1	1	1		
Syphilis (38)	11		1		1				2	3		1	3		1				1	
Convulsions (80)	1																1			
Bronchitis (99)	6					1	1		2		1				1		1	1		
Broncho-pneumonia (100)	130		1	1	6	6	4	3	21	17	12	10	14	15	10	10	3	5	8	5
Pneumonia (101)	28				2	1	3		6	1	5		4	2	3		1	2		4
Diseases of the stomach (111, 112)	3											1					1			1
Diarrhea and enteritis (113)	136		1	2	4	3	6		16	25	18	17	14	13	5	6	8	3	8	3
Congenital malformations (159)	81	19	9	8	14	4	1	3	58	5	5	3	5	1		2		2		
Congenital debility (160)	22	2		2	5	1	1		11	2	5	1	1				1	1		
Premature birth (161a)	247	138	26	24	20	12	8	6	234	10	2	1								
Injury at birth (161b)	53	18	12	4	15	3	1		53											
Other diseases of early infancy (162, 163)	20	7	7	1		3	1	1	20											
External causes (175–203)	3														1		2			
Unknown or ill-defined diseases (204, 205)	1													1						
All other causes	51	1	2		1	3	3	2	12	2	3	6	5	2	7	4	4	4	1	1
ST. LOUIS, MO. (COLORED), all causes	215	40	5	7	14	8	8	7	89	15	14	16	12	9	10	18	11	7	4	10
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	1																1			1
Diphtheria (10)	1																			
Influenza (11)	4						1		1		3									
Dysentery (16)	2												2							
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1					1			1											
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)	3													1		1			1	
Other forms of tuberculosis (33–37)																				
Syphilis (38)	12	2		1	1			1	5	1	2			1	1	1	1			
Convulsions (80)																				
Bronchitis (99)	8	1	1	1		1			4	2		1				1				
Broncho-pneumonia (100)	55				1	2	1	3	7	3	4	7	6	1	4	8	5	3	2	5
Pneumonia (101)	12						1		1	1				2	2	2	1	1		2
Diseases of the stomach (111, 112)	2									1						1				
Diarrhea and enteritis (113)	32					1		2	3	4	2	6	3	1	3	4	1	2	1	2
Congenital malformations (159)	4	2					1		3		1									
Congenital debility (160)	3	1			1				2		1									
Premature birth (161a)	52	29	3	3	6	3	3	1	48	3	1									
Injury at birth (161b)	4	2			2				4											
Other diseases of early infancy (162, 163)	6	2	1	1	1		1		6											
External causes (175–203)	1												1							
Unknown or ill-defined diseases (204, 205)																				
All other causes	11	1		1	2				4			1		3			2	1		
MEMPHIS, TENN. (WHITE), all causes	185	38	18	9	16	5	5	5	96	9	14	12	9	11	5	7	5	8	3	6
Measles (7)	5													1			1	1		2
Scarlet fever (8)																				
Whooping cough (9)	1											1								
Diphtheria (10)	1																	1		
Influenza (11)	6									1	1	1		1	1	1				
Dysentery (16)	3												1	1		1				
Erysipelas (21)	1												1							
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	3						1		1	2										
Convulsions (80)																				
Bronchitis (99)	1													1						
Broncho-pneumonia (100)	6				1		1		2				1	1				1	1	
Pneumonia (101)	2											1								1
Diseases of the stomach (111, 112)	1															1				
Diarrhea and enteritis (113)	27		1			1			2	3	4	6	2	2	2		2	2	1	1
Congenital malformations (159)	13	1	3	2	2				8				1			2		2		
Congenital debility (160)	13		1		1				2	2	4	2	1	2						
Premature birth (161a)	56	28	8	4	7	3	2	3	55					1						
Injury at birth (161b)	14	6	2	2	3			1	14											
Other diseases of early infancy (162, 163)	11	3	3	1	2		1	1	11											
External causes (175–203)	1										1									
Unknown or ill-defined diseases (204, 205)	2										2									
All other causes	17					1			1	1	2	1	2	1	2	2	2	1	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MEMPHIS, TENN. (COLORED), all causes	271	56	15	7	14	16	10	7	125	28	26	23	8	4	14	12	12	6	4	8
Measles (7)	1																			1
Scarlet fever (8)																				
Whooping cough (9)	5										2					1	1		1	
Diphtheria (10)	1																	1		
Influenza (11)	7										1	2	1				1		1	1
Dysentery (16)	5											1		1	1		1	1		
Erysipelas (21)	2									1		1								
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1											1								
Other forms of tuberculosis (33–37)	3											1	1	1						
Syphilis (38)	12	2				2	1	1	6	1	3	1	1							
Convulsions (80)	4					1		1	2	1			1							
Bronchitis (99)	1									1										
Broncho-pneumonia (100)	28				1	1			2	2	7	3		1	3	3	2	2	1	2
Pneumonia (101)	12					1			1	2	1		1			2	2	1		2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	40		1				1	1	3	8	3	8	2	1	6	4	3	1	1	
Congenital malformations (159)																				
Congenital debility (160)	15	1		2			2	1	6	3	2	1				1	2			
Premature birth (161a)	83	42	12	5	7	10	4		80	2		1								
Injury at birth (161b)	2	1						1	2											
Other diseases of early infancy (162, 163)	6	3			3				6											
External causes (175–203)	1						1		1											
Unknown or ill-defined diseases (204, 205)	26	7	2	1	1	1		2	14	4	3	1	1		1	1				1
All other causes	16			1			1		2	3	4	2			3				1	1
NASHVILLE, TENN. (WHITE), all causes	206	49	13	7	14	14	6	7	110	15	15	16	14	6	4	3	5	10	5	3
Measles (7)	2										1				1					
Scarlet fever (8)																				
Whooping cough (9)	17							1	1		2	4	3	2	1	1	1	1		1
Diphtheria (10)																				
Influenza (11)	4									2		1		1						
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	1																	1		
Syphilis (38)	1	1							1											
Convulsions (80)	1														1					
Bronchitis (99)	4							1	1	2	1									
Broncho-pneumonia (100)	15				1	3			4	1	2	1	3				2	1	1	
Pneumonia (101)																				
Diseases of the stomach (111, 112)	2				1				1							1				
Diarrhea and enteritis (113)	27							1	1	5	3	4	2	2	1		2	2	3	2
Congenital malformations (159)	16	4		1	3		2	2	12	1	1	1						1		
Congenital debility (160)	16	1	1	1	1	2		2	8	1	1	1	4					1		
Premature birth (161a)	68	38	11	3	4	6	1		63	2	2								1	
Injury at birth (161b)	7	3			2	2			7											
Other diseases of early infancy (162, 163)	3	2	1						3											
External causes (175–203)	2					1			1			1								
Unknown or ill-defined diseases (204, 205)	10			2			3		5	1	1	1		1				1		
All other causes	10				2				2		1	2	2			1		2		
NASHVILLE, TENN. (COLORED), all causes	108	20	8	2	5	5	15	3	58	7	2	5	7	4	4	5	4	7	4	1
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2																1	1		
Diphtheria (10)																				
Influenza (11)	1																	1		
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33–37)																				
Syphilis (38)	3	1	1					1	3											
Convulsions (80)	2		1						1	1										
Bronchitis (99)																				
Broncho-pneumonia (100)	20					1	2	1	4	2	2	3	2	2	1	1	2			1
Pneumonia (101)	8							1	1			1	1	2	1	1			1	
Diseases of the stomach (111, 112)	3					1	1		2	1										
Diarrhea and enteritis (113)	11						1		1	1		1	3			1	1	2	1	
Congenital malformations (159)	2												1					1		
Congenital debility (160)	12	2		1	2	2	5		12											
Premature birth (161a)	22	12	4	1		1	4		22											
Injury at birth (161b)	1	1							1											
Other diseases of early infancy (162, 163)	3		1		2				3											
External causes (175–203)	1																		1	
Unknown or ill-defined diseases (204, 205)	10	3	1				2		6	1					2			1		
All other causes	6	1			1				2	1						2			1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DALLAS, TEX., all causes	415	100	25	12	27	28	16	18	226	40	29	24	21	10	13	9	13	12	11	7
Measles (7)	2							1	1										1	
Scarlet fever (8)																				
Whooping cough (9)	2													1			1			
Diphtheria (10)	1																		1	
Influenza (11)	9										2	1	1		1	1	1		1	1
Dysentery (16)	6									1			1				1	2	1	
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2									1						1				
Other forms of tuberculosis (33–37)	2										1		1							
Syphilis (38)	7				1	1		2	4	2						1				
Convulsions (80)																				
Bronchitis (99)	1																1			
Broncho-pneumonia (100)	43		1		2	3	1	3	10	8	7	2	7	1		1	3	1	2	1
Pneumonia (101)	14				2			1	3	3		2		1		2		3		
Diseases of the stomach (111, 112)	4													1		1		1	1	
Diarrhea and enteritis (113)	63					3	1	1	5	13	6	11	6	4	8	1	4	2	1	2
Congenital malformations (159)	24	6	2	1	3	2	1	1	16	1	1	2		1	2		1			
Congenital debility (160)	18	2			2	1	1	2	8	2	2	2	2						2	
Premature birth (161a)	136	76	13	4	8	14	9	3	127	4	5									
Injury at birth (161b)	30	10	6	6	3	3	1		29	1										
Other diseases of early infancy (162, 163)	13	5	3		3	1			12	1										
External causes (175–203)	9				1		1		2			1	2		1	1		2		
Unknown or ill-defined diseases (204, 205)																				
All other causes	28	1		1	2		1	4	9	2	5	3	1	1	1		1	1	1	3
FORT WORTH, TEX., all causes	165	30	14	6	14	14	7	4	89	13	7	10	9	6	7	5	4	10	4	1
Measles (7)	3												1	1			1			
Scarlet fever (8)																				
Whooping cough (9)	6						2	1	3	1	1		1							
Diphtheria (10)																				
Influenza (11)	1										1									
Dysentery (16)	2												1		1					
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1															1				
Convulsions (80)																				
Bronchitis (99)	2									1		1								
Broncho-pneumonia (100)	6											3		1			1		1	
Pneumonia (101)	9					1			1	2	1	1	1				1	1	1	
Diseases of the stomach (111, 112)	1				1				1											
Diarrhea and enteritis (113)	23					1		1	2	4		1	3	2	4	2		4	1	
Congenital malformations (159)	7	1	2		1	2		1	7											
Congenital debility (160)	11	1	2		1	1			5	4			1		1					
Premature birth (161a)	30	16	4	1	2	4	2		29			1								
Injury at birth (161b)	23	8	4	4	3	3	1		23											
Other diseases of early infancy (162, 163)	6		2	1	1	1		1	6											
External causes (175–203)	2	1							1		1									
Unknown or ill-defined diseases (204, 205)	6						1		1		1					2		1	1	
All other causes	26	3			5	1	1		10	1	2	3	1	2	1		1	4		1
HOUSTON, TEX. (WHITE), all causes	190	37	9	6	11	12	3	4	82	20	11	17	8	12	7	6	8	5	7	7
Measles (7)	7									2			1		1		1		1	1
Scarlet fever (8)																				
Whooping cough (9)	1																		1	
Diphtheria (10)																				
Influenza (11)	2					1			1	1										
Dysentery (16)	3																1		2	
Erysipelas (21)	3										1	1							1	
Meningococcus meningitis (24)																				
Tetanus (29)	3		1		1	1			3											
Tuberculosis of the respiratory system (31)	1									1										
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	4							1	1	3										
Convulsions (80)	1													1						
Bronchitis (99)																				
Broncho-pneumonia (100)	7							1	1		1	1			1		1	1	1	
Pneumonia (101)	10									1	1	2		1		1	1	1		2
Diseases of the stomach (111, 112)	1															1				
Diarrhea and enteritis (113)	26									3	1	5	4	6		2		2		3
Congenital malformations (159)	16	6		2	2	1		1	12	1	1	1						1		
Congenital debility (160)	11	2				1			3	1	1	2	1	1	1	1				
Premature birth (161a)	36	19	5	1	6	4	1		36											
Injury at birth (161b)	12	7	2	2	1				12											
Other diseases of early infancy (162, 163)	1	1							1											
External causes (175–203)	2	1							1			1								
Unknown or ill-defined diseases (204, 205)	22			1	1	1		1	4	4	5	3		1	1		3			1
All other causes	21	1	1			3	2		7	3		1	2	2	3	1	1		1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1924—Continued

[See note at head of this table, p. 429]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
HOUSTON, TEX. (COLORED), all causes	109	15	7	3	7	9	8	2	51	10	7	11	7	7	3	2	4	2	2	3
Measles (7)	2										1								1	
Scarlet fever (8)																				
Whooping cough (9)	2													1				1		
Diphtheria (10)	2									1							1			
Influenza (11)	3											2	1							
Dysentery (16)	2													1				1		
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	3				1	1	1		3											
Tuberculosis of the respiratory system (31)	1															1				1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	3		1	1			1		3											
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	6									1	1			2	1		1			
Pneumonia (101)	2											1							1	
Diseases of the stomach (111, 112)																				1
Diarrhea and enteritis (113)	16				1	2	1		4	2	2	5		1	1					
Congenital malformations (159)	3	1	1		1				3											1
Congenital debility (160)	5	2							2		1		1							
Premature birth (161a)	11	5	3	2	1				11											
Injury at birth (161b)	2	2							2											
Other diseases of early infancy (162, 163)	2		1			1			2											
External causes (175–203)	1																1			
Unknown or ill-defined diseases (204, 205)	41	5	1		2	5	5	2	20	6	2	3	5	1	1	1	1			1
All other causes	2				1				1					1						
SAN ANTONIO, TEX., all causes	612	75	27	21	54	39	27	25	268	43	49	37	27	31	32	31	29	19	22	24
Measles (7)	23						1		1		1	3		1	1	3	4	1	5	3
Scarlet fever (8)																				1
Whooping cough (9)	16					1	2	1	4		3	1	2		1	2	2			1
Diphtheria (10)	1																		1	
Influenza (11)	3									2										
Dysentery (16)	15					1			1	1	3	1	1	2	2	2	1		1	
Erysipelas (21)	1									1										
Meningococcus meningitis (24)	1																1			
Tetanus (29)	17		1		8	6	1	1	17											
Tuberculosis of the respiratory system (31)	1										1									
Tuberculosis of the meninges, etc. (32)	1														1					1
Other forms of tuberculosis (33–37)	3																1		1	
Syphilis (38)	22	2			1	4	2		9	5	4	2		1		1				
Convulsions (80)	2				1				1								1			
Bronchitis (99)	6							1	1			1			3					1
Broncho-pneumonia (100)	43				3	3	3	3	12	2	7	2		2	4	3	1	2	4	4
Pneumonia (101)	17				1	1			2		1	1	1	2	1	2	2	3	1	1
Diseases of the stomach (111, 112)	2											1								1
Diarrhea and enteritis (113)	194		1		4	1	6	9	21	21	22	20	18	20	16	14	14	10	9	9
Congenital malformations (159)	17	2	3	1	5	2			13	2		1				1				
Congenital debility (160)	22		1	2	3	4	1	2	13	4	2		2			1				
Premature birth (161a)	136	63	13	12	22	13	6	3	132	3					1					
Injury at birth (161b)	17	4	4	3	3	1	1	1	17											
Other diseases of early infancy (162, 163)	17	4	3	2	2	1	2	1	15		2									
External causes (175–203)	4							1	1		1			1	1					1
Unknown or ill-defined diseases (204, 205)	11		1	1			1		3			2	1	1	1		1	1		1
All other causes	20				1	1	1	2	5	2	2	2	2	1		2	1	2		

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, and 50.

SUPPLEMENT

HAWAII

HAWAII

In Hawaii the number of deaths from all causes during the year 1924 was 4,014, and the population as estimated by the Bureau of the Census was 285,576, giving a rate of 14.1 per 1,000 population against a rate of 16.6 in 1923. The populations used in computing these rates are estimated by the arithmetical method and are based on the Federal censuses of April 15, 1910, and January 1, 1920. The deaths are tabulated by sex, age, race, month, and cause.

The highest rates per 100,000 population in 1924 were from pneumonia (all forms), 189.4; diarrhea and enteritis (under 2 years), 150.9; tuberculosis (all forms), 135.2; congenital malformations and diseases of early infancy, 119.8; diseases of the heart, 113.8; nephritis, 70; cerebral hemorrhage and softening, 64.8; and cancer, 62.7. These causes together account for 64.5 per cent of the total deaths. The death rate from automobile accidents was 22.8 in 1924 against 16.8 in 1923, and the rate from homicide was 16.1 against 8.6; on the other hand, the rate from measles decreased from 22.2 in 1923 to 1.8 in 1924, the rate from whooping cough from 34.4 to 6, and from influenza from 31.2 to 11.9.

In 1924 the death rate for infants under 1 year of age was 135.3 per 1,000 estimated population under 1 year against 163.9 in 1923. About one-third of all the deaths in 1924 were those of infants under 1 year of age (1,295), and more than half of these were due to diarrhea and enteritis (378), broncho-pneumonia (239), and premature birth (170).

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1924

RACE	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population, July 1, 1924							
Total	4,014	14.1	286	1,596	567	539	40	383	603
Hawaiian	760	33.6	37	324	127	53	29	49	141
Part Hawaiian	249	12.1	11	132	30	18	4	10	44
Caucasian-Hawaiian	175	14.4	8	104	17	12	3	6	25
Asiatic-Hawaiian	74	8.8	3	28	13	6	1	4	19
Caucasian	661	11.1	50	355	62	72	1	43	78
Portuguese	320	11.0	34	148	43	19	1	21	54
Porto Rican	79	13.3	6	25	10	13	----	11	14
Other Caucasian	262	11.9	10	182	9	40	----	11	10
Chinese	338	13.9	13	213	32	26	2	16	36
Japanese	1,243	10.1	131	405	209	143	3	149	203
Korean	84	16.3	5	45	7	15	1	4	7
Filipino	670	22.6	39	114	100	211	----	112	94
All others	9	19.2	----	8	----	1	----	----	----

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1924

AREA AND SEX	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	4,014	381	386	346	351	361	312	311	259	309	304	330	364
Males	2,516	247	236	217	237	212	181	194	160	203	180	221	228
Females	1,498	134	150	129	114	149	131	117	99	106	124	109	136
Hilo city:													
Males	173	11	13	14	15	13	15	13	20	6	11	20	22
Females	113	5	8	5	6	16	10	12	12	8	3	16	12
Honolulu city:													
Males	994	91	98	85	94	89	60	84	60	72	72	90	99
Females	602	66	51	58	47	63	53	43	40	46	51	29	55
Hawaii County (exclusive of Hilo city):													
Males	336	32	37	27	27	35	33	25	18	30	20	30	22
Females	231	13	28	19	22	17	27	21	13	10	21	17	23
Honolulu County (exclusive of Honolulu city):													
Males	353	43	31	34	34	24	24	24	20	31	27	30	31
Females	186	22	21	18	12	19	16	15	9	13	16	14	11
Kalawao County:													
Males	29	1		3	4	5	1	1	2	3	7	1	1
Females	11				1	2				1	4	2	1
Kauai County:													
Males	268	32	21	21	27	20	18	13	16	38	20	23	19
Females	115	10	17	11	10	11	11	7	9	7	5	7	10
Maui County:													
Males	363	37	36	33	36	26	30	34	24	23	23	27	34
Females	240	18	25	18	16	21	14	19	16	21	24	24	24

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1924

RACE AND SEX	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years
Total	4,014	1,295	169	82	52	43	1,641	115	74	87	186	183	135	176
Males	2,516	741	95	48	31	23	938	66	35	47	115	110	75	110
Females	1,498	554	74	34	21	20	703	49	39	40	71	73	60	66
Hawaiian:														
Males	408	87	11	2	3	4	107	11	9	7	21	11	17	20
Females	352	71	11	6	4	2	94	5	7	12	12	12	20	21
Part Hawaiian:														
Males	143	68	7	2	1	3	81	4	5	7	7	3	1	3
Females	106	40	5		2	2	49	3	4	5	9	5	6	5
Caucasian-Hawaiian—														
Males	100	36	5	2	1		44	4	5	6	6	2	1	1
Females	75	24	4		1	1	30	3	2	3	9	4	4	5
Asiatic-Hawaiian—														
Males	43	32	2			3	37			1	1	1		2
Females	31	16	1		1	1	19		2	2		1	2	
Caucasian:														
Males	424	82	10	5	3	1	101	11	5	16	24	14	17	19
Females	237	56	7	1	1	3	68	7	2	6	6	14	11	11
Portuguese—														
Males	185	52	5	2			59	10	4	7	3	4	4	8
Females	135	39	2		1	1	43	6	1	4	3	6	8	3
Porto Rican—														
Males	47	12	3	2	3		20	1		2	2	1	5	1
Females	32	13		1		1	15		1	1	1	2		1
Other Caucasian—														
Males	192	18	2	1		1	22		1	7	19	9	8	10
Females	70	4	5			1	10	1		1	2	6	3	7
Chinese:														
Males	260	39	4	1		2	46	5	3	5	3	8	3	2
Females	78	35	2	5	1	2	45	3	5	1	4	3	1	2
Japanese:														
Males	773	227	51	28	20	9	335	32	12	12	16	12	13	33
Females	470	186	34	17	10	9	256	25	17	11	24	24	19	22
Korean:														
Males	60	7	2	1	1	1	12				1		1	8
Females	24	8	3	1	1		13	1		2		1	1	1
Filipino:														
Males	440	231	10	9	3	3	256	3	1		43	61	22	25
Females	230	158	12	4	2	2	178	4	4	3	16	14	2	4
All others:														
Males	8											1	1	
Females	1							1						

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1924—Continued

RACE AND SEX	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	189	207	200	185	200	144	125	78	57	14	7	5	4	2
Males	116	160	150	141	153	99	90	57	33	9	4	4	2	2
Females	73	47	50	44	47	45	35	21	24	5	3	1	2	
Hawaiian:														
Males	20	29	23	21	37	20	26	10	10	4		2	2	1
Females	23	19	23	23	23	21	18	8	6	1	1	1	2	
Part Hawaiian:														
Males	4	5	5	1	4	4	3	3		1	2			
Females	5	3	2	4	2	1	1	2						
Caucasian-Hawaiian—														
Males	4	5	4	1	4	4	3	3		1	2			
Females	3	3	1	3	2	1	1	1						
Asiatic-Hawaiian—														
Males			1											
Females	2		1	1				1						
Caucasian:														
Males	13	22	27	24	26	30	27	26	15	4	2	1		
Females	14	5	9	8	15	18	13	10	15	3	2			
Portuguese—														
Males	4	8	5	9	11	11	13	17	5	3				
Females	6	4	3	4	10	12	6	4	8	2	2			
Porto Rican—														
Males	3	3	3	2	1	1	1		1					
Females	4	1	1	1		2		2						
Other Caucasian—														
Males	6	11	19	13	14	18	13	9	9	1	2	1		
Females	4		5	3	5	4	7	4	7	1				
Chinese:														
Males	9	18	23	22	41	25	26	13	7			1		
Females	4	1	3		2	1			3					
Japanese:														
Males	52	66	61	61	42	16	7	2	1					
Females	26	15	13	8	5	3	2							
Korean:														
Males	12	13	5	5		1	1	1						
Females	1	1		1		1	1							
Filipino:														
Males	6	6	5	7	3	2								
Females		3						1		1				
All others:														
Males		1	1			1		2						1
Females														

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1924

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA	All causes (exclusive of stillbirths)	Typhoid and paratyphoid fever	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart
		1	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52	57	74, 83	87–90
Territory of Hawaii	4,014	24	5	1	17	38	34	8	22	341	15	30	179	9	19	185	325
Hilo city	286	6				7	4			31	1	1	17		1	6	35
Honolulu city	1,596	10	2		8	19	8	3	4	170	9	18	74	5	13	81	130
Hawaii County (exclusive of Hilo city)	567	3	2		1	8	5	1	4	35		3	33	2	1	26	61
Honolulu County (exclusive of Honolulu city)	539				5	1	10	2	4	17	2		14	1		14	39
Kalawao County	40																
Kauai County	383	2	1		1	1	5	2	3	39	2	1	12	1	1	12	27
Maui County	603	3		1	2	2	2		7	49	1	7	29		3	46	33
	DEATH RATE PER 100,000 POPULATION																
Territory of Hawaii	1,405.6	8.4	1.8	0.4	6.0	13.3	11.9	2.8	7.7	119.4	5.3	10.5	62.7	3.2	6.7	64.8	113.8

AREA	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents	Other external causes	Unknown or ill-defined diseases	All other causes
	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	175–188b, 188d–196, 201–203	204, 205	
Territory of Hawaii	35	541	431	29	35	30	200	14	48	342	57	46	65	196	13	680
Hilo city	2	44	30	3	2	3	9	1	3	19	1	3	4	7		46
Honolulu city	15	206	112	12	23	17	113	6	14	126	31	12	32	49	1	273
Hawaii County (exclusive of Hilo city)	3	85	70	2		2	22	3	14	53	7	2	3	32	6	78
Honolulu County (exclusive of Honolulu city)	12	90	103	3	2	1	19	1	7	41	11	3	13	42	1	81
Kalawao County		1								1				1		37
Kauai County	1	29	37	3	1	3	14		2	48	5	23	9	24	5	69
Maui County	2	86	79	6	7	4	23	3	8	54	2	3	4	41		96
	DEATH RATE PER 100,000 POPULATION															
Territory of Hawaii	12.3	189.4	150.9	10.2	12.3	10.5	70.0	4.9	16.8	119.8	20.0	16.1	22.8	68.6	4.6	238.1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1924

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	All causes (exclusive of stillbirths)	4,014	760	249	175	74	661	320	79	262	338	1,243	84	670	9
	I.—Epidemic, endemic, and infectious diseases	700	177	45	30	15	66	30	10	26	44	242	13	110	3
1	Typhoid and paratyphoid fever	24	8	3	2	1	2	1	1		1	6	1	3	
7	Measles	5	1									1		2	1
8	Scarlet fever	1										1			
9	Whooping cough	17	4	2		2	2	1		1		8		1	
10	Diphtheria	38	3				5	3	2		6	23		1	
11a	Influenza (with pulmonary complications)	15	4	1	1							7		3	
11b	Influenza (other and unspecified)	19	3	2	2		3		1	2		6		5	
16	Dysentery	17	5	2	1	1	1			1	2	3		4	
17	Plague	2												2	
19	Spirochetal hemorrhagic jaundice	1										1			
20	Leprosy	46	30	5	4	1	2	2			2	5	1	1	
21	Erysipelas	8										8			
23	Lethargic encephalitis	2										1		1	
24	Meningococcus meningitis	22	1				1	1				10		10	
25	Other epidemic and endemic diseases	1												1	
29	Tetanus	22	5				2	1		1	3	7		4	1
	Tuberculosis (all forms)	386	96	25	16	9	37	16	5	16	28	134	10	56	
31	Of the respiratory system	341	87	21	14	7	35	15	5	15	24	113	10	51	
32	Of the meninges, central nervous system	15		3	2	1	1	1				9		2	
33	Of the intestines, peritoneum	17	6	1		1	1			1	2	5		2	
34	Of the vertebral column	2										2			
35	Of the joints	2	1									1			
36	Of other organs	3	1								1	1			
37a	Disseminated (acute)	6	1								1	3		1	
38	Syphilis	69	17	5	4	1	10	4	1	5	2	17	1	16	1
40	Gonococcus infection	3										3			
41	Purulent infection, septicemia	2					1	1				1			
	II.—General diseases not included in Class I	343	44	14	9	5	60	28	10	22	34	140	6	45	
	Cancer and other malignant tumors	179	32	5	3	2	41	18	9	14	25	68	2	6	
43	Of the buccal cavity	4					3	2		1	1				
44	Of the stomach, liver	103	15	3	2	1	20	7	6	7	15	46	2	2	
45	Of the peritoneum, intestines, rectum	18	4				5	2	2	1	2	5		2	
46	Of the female genital organs	21	5				5	2	1	2	2	9			
47	Of the breast	4	2	1		1					1				
48	Of the skin	1	1												
49	Of other or unspecified organs	28	5	1	1		8	5		3	4	8		2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2										2			
51	Acute rheumatic fever	8	2								1	4	1		
52	Chronic rheumatism, osteoarthritis, gout	1					1	1							
53	Scurvy	1										1			
55	Beriberi	82		1		1						46	1	34	
57	Diabetes mellitus	19	2	4	4		9	5		4	1	3			
58	Anemia, chlorosis	8					2	1		1		4	1	1	
60a	Exophthalmic goiter	5		1		1					2	2			
62	Diseases of the thymus gland	3					1	1				2			
64	Diseases of the spleen	2					2	1	1						
65a	Leukemia	5	1	2	2							2			
65b	Hodgkin's disease	3					2			2	1				
66	Alcoholism (acu or chronic)	8	4				2	1		1		2			
67b	Other chronic mineral poisoning	1									1				
68	Chronic poisonin by organic substances	3									3				
69	Other general diseases	13	3	1		1						4	1	4	
	III.—Diseases of the nervous system and of the organs of special sense	294	71	23	17	6	68	33	4	31	20	83	6	23	
70	Encephalitis	3	1	1	1							1			
71a	Simple meningitis	12	2	1	1		1	1				6	1	1	
71b	Nonepidemic cerebrospinal meningitis	3	1	1		1						1			
72	Tabes dorsalis (locomotor ataxia)	3		1	1		2			2					
73	Othe diseases of the spinal cord	10	3	1	1		3	1		2		3			
74a	Cerebral hemorrhage	182	50	9	8	1	48	27	2	19	14	51	3	7	
74b	Cerebral embolism and thrombosis	2	1									1			
75	Paralysis without specified cause	3	1									2			
76	General paralysis of the insane	9	2				5	2	1	2	1	1			
77	Other forms of mental alienation	6	2	1	1		1			1	1	1			
78	Epilepsy	11	2	6	3	3	1			1		2			
79	Convulsions (nonpuerperal; 5 years and over)	2		1	1									1	
80	Infantile convulsions (under 5 years)	22	1	1		1	1		1		1	5		13	
82	Neuralgia and neuritis	1										1			
83	Softening of the brain	1	1												
84	Other diseases of the nervous system	8					4	2		2	2	1	1		
86a	Diseases of the ear	6					2			2		3	1		
86b	Diseases of the mastoid process	10	4								1	4		1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	IV.—Diseases of the circulatory system	353	89	19	14	5	109	55	5	49	51	64	3	17	1
87	Pericarditis	3					1	1						1	1
88	Endocarditis and myocarditis (acute)	21	2	3	2	1	7	3	1	3	1	5		3	
89	Angina pectoris	15	1	1		1	7	3		4	1	3		2	
90	Other diseases of the heart	286	78	14	11	3	82	43	4	35	43	56	3	10	
91a	Aneurysm	4	1				2			2				1	
91b,c	Other diseases of the arteries	22	7				9	4		5	6				
92	Embolism and thrombosis (not cerebral)	1		1	1										
95	Hemorrhage without specified cause	1					1	1							
	V.—Diseases of the respiratory system	612	117	47	28	19	60	23	21	16	44	188	12	143	1
97b	Diseases of the nasal fossae annexa	1					1			1					
98	Diseases of the larynx	5	1	1		1	1			1		2			
99a	Acute bronchitis	23	6	4	2	2	1		1			6	1	5	
99b	Chronic bronchitis	4	2								1	1			
99c,d	Bronchitis (unspecified)	8		1		1	1	1				3		3	
100a	Broncho-pneumonia	319	44	26	16	10	26	13	10	3	26	94	7	96	
100b	Capillary bronchitis	22	2				1		1		1	12		6	
101a	Lobar pneumonia	197	57	14	9	5	22	7	8	7	13	58	3	30	
101b	Pneumonia (unspecified)	3		1	1		1			1			1		
102	Pleurisy	12					3	2		1		6		2	1
103	Congestion and hemorrhagic infarct of the lung	3					2			2	1				
105	Asthma	12	4				1		1		2	4		1	
107	Other diseases of the respiratory system (tuberculosis excepted)	3	1									2			
	VI.—Diseases of the digestive system	668	115	34	22	12	98	55	19	24	38	207	10	166	
108	Diseases of the mouth and annexa	4	1									3			
109b	Other diseases of the pharynx, tonsils	9					5	3		2	1	1		2	
111a	Ulcer of the stomach	30	8	1		1	3			3	4	10	2	2	
111b	Ulcer of the duodenum	3					2	1	1			1			
112	Other diseases of the stomach (cancer excepted)	12	3				2	2				4		3	
113	Diarrhea and enteritis (under 2 years)	431	58	27	16	11	57	37	13	7	24	120	4	141	
114	Diarrhea and enteritis (2 years and over)	56	11	2	2		5	3	1	1	3	28	1	6	
117	Appendicitis and typhlitis	29	4	1	1		5	4		1		11	2	6	
118a	Hernia	11	9				1	1				1			
118b	Intestinal obstruction	24	1	2	2		4	1	1	2	2	11	1	3	
119	Other diseases of the intestines	1					1	1							
121	Hydatid tumor of the liver	1	1												
122	Cirrhosis of the liver	30	12				4	2		2	3	10		1	
123	Biliary calculi	4					1			1	1	2			
124	Other diseases of the liver	17	7	1	1		5		2	3		3		1	
125	Diseases of the pancreas	3					2		1	1		1			
126	Peritonitis without specified cause	3					1			1		1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	213	48	8	8		39	22	1	16	53	46	7	10	2
128	Acute nephritis (including unspecified under 10 years)	26	3	1	1		4	3		1	3	8	1	6	
129	Chronic nephritis (including unspecified 10 years and over)	174	42	6	6		31	17	1	13	48	37	6	2	2
131	Other diseases of the kidneys and annexa	3									1	1		1	
132	Calculi of the urinary passages	1	1												
133	Diseases of the bladder	1												1	
135	Diseases of the prostate	3					2			2	1				
139	Benign tumors of the uterus	3	2				1	1							
141	Other diseases of the female genital organs	2		1	1		1	1							
	VIII.—The puerperal state	62	13	4	4		7	5	1	1	1	25	2	10	
143	Accidents of pregnancy	12	6	2	2							1	1	2	
144	Puerperal hemorrhage	5									1	2		2	
145	Other accidents of labor	12										10		2	
146	Puerperal septicemia	14	5	1	1		2	2				3	1	2	
147	Puerperal phlegmasia alba dolens, embolus, etc	2		1	1							1			
148	Puerperal albuminuria and convulsions	17	2				5	3	1	1		8		2	
	IX.—Diseases of the skin and of the cellular tissue	19	4	1		1	2	1		1	2	4	1	5	
151	Gangrene	2	1				1	1							
152	Furuncle	10	2	1		1	1			1	1	3	1	1	
153	Acute abscess	6	1								1	1		3	
154	Other diseases of the skin and annexa	1												1	
	X.—Diseases of the bones and of the organs of locomotion	14	1	1	1		3	2		1	1	6		2	
155	Diseases of the bones (tuberculosis excepted)	11	1	1	1		2	1		1	1	4		2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2										2			
158	Other diseases of the organs of locomotion	1					1	1							

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	XI.—Malformations	52	4	5	5		15	13		2	4	16	1	7	
159a	Congenital hydrocephalus	5		1	1						2	2			
159b	Congenital malformations of the heart	36	3	4	4		10	9		1	2	11	1	5	
159c	Other congenital malformations	11	1				5	4		1		3		2	
	XII.—Early infancy	290	30	26	18	8	41	27	4	10	20	95	3	75	
160	Congenital debility, icterus, sclerema	39	4	5	2	3	2	2			1	10		17	
161a	Premature birth	170	18	13	9	4	24	17	3	4	16	56	2	41	
161b	Injury at birth	31	2	5	4	1	9	3		6	2	5	1	7	
162	Other diseases peculiar to early infancy	48	6	3	3		6	5	1		1	24		8	
163	Lack of care	2												2	
164	XIII.—Old age (senility)	17	6	2	2		5	2		3	2	2			
	XIV.—External causes	364	40	19	17	2	88	24	4	60	21	122	20	52	2
	Suicide	57	4	3	3		15	3	2	10	6	19	5	4	1
165	By poisons (gas or corrosives excepted)	9	1	1	1		1			1		5	2		
166	By corrosive substances	7					3	1		2		3		1	
168	By hanging or strangulation	15	1				1	1			5	5	1	1	1
169	By drowning	1											1		
170	By firearms	11	2	1	1		7	1	1	5				1	
171	By cutting or piercing instruments	12	1	1	1		2			2	1	6	1		
173	By crushing	1					1		1						
174	By other means	1												1	
	Homicide	46	4	5	4	1	6	2		4	2	6	1	22	
197	By firearms	25	4	3	2	1	2	1		1				16	
198	By cutting or piercing instruments	13		1	1		1	1			1	5		5	
199	By other means	8		1	1		3			3	1	1	1	1	
	Accidental or undefined	261	32	11	10	1	67	19	2	46	13	97	14	26	1
175	Poisoning by food	5	1	1		1						1	1	1	
177	Other acute poisonings (gas excepted)	1					1	1							
178	Conflagration	1												1	
179	Burns (conflagration excepted)	15	1	1	1		5	3		2	3	5			
180	Mechanical suffocation	1					1			1					
181	Absorption of irrespirable, irritating, or poisonous gas	3					1			1	1	1			
182	Drowning	51	4	3	3		10	2		8		23	6	4	1
183	Traumatism by firearms (except in war)	5	1				1		1					3	
184	Traumatism by cutting or piercing instruments	2					1			1		1			
185	Traumatism by fall	41	9	1	1		6	2		4	1	17	1	6	
187	Traumatism by machines	8	1				1	1			1	4		1	
188a	Railroad accidents	17	1				3		1	2		6	3	4	
188b	Street-car accidents	2	1									1			
188c	Automobile accidents	65	5	4	4		19	6		13	6	28	1	2	
188d	Airplane and balloon accidents	4					4			4					
188e,f	Injuries by other vehicles	6	1				1			1		4			
188g	Landslide, other crushing	4					1			1		3			
189	Injuries by animals (not poisoning)	5	1				2			2		1	1		
196	Other accidental electric shocks	5		1	1		3	1		2				1	
202	Other external violence	20	6				7	3		4	1	2	1	3	
	XV.—Ill-defined diseases	13	1	1		1					3	3		5	
205a	Ill-defined	6	1								2	1		2	
205b	Not specified or unknown	7		1		1					1	2		3	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1924

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes (exclusive of stillbirths)	4,014	1,295	169	82	52	43	115	74	87	186	183	135	365	407	385	269	165	2
	I.—Epidemic, endemic, and infectious diseases	700	74	21	19	9	17	32	25	37	73	84	48	95	95	52	18	1	
1	Typhoid and paratyphoid fever	24						2	1	3	7	3	3	4		1			
7	Measles	5	2	1	1		1												
8	Scarlet fever	1												1					
9	Whooping cough	17	10	4	1			1						1					
10	Diphtheria	38	1	7	10	5	7	8											
11a	Influenza (with pulmonary complications)	15	5			1			2		3	2		1	1				
11b	Influenza (other and unspecified)	19	1	1				1	1		2	2	2	2	4	2	1		
16	Dysentery	17	2	3	1			1				1		1	2	4	2		
17	Plague	2									1		1						
19	Spirochetal hemorrhagic jaundice	1												1					
20	Leprosy	46	1							4	6	5	8	5	8	4	5	6	
21	Erysipelas	8	7	1															
23	Lethargic encephalitis	2	1					1											
24	Meningococcus meningitis	22	1	1		1		4	3		6	3	1	2					
25	Other epidemic and endemic diseases	1	1																
29	Tetanus	22	5				3	3	1	2		5	1		1	1			
	Tuberculosis (all forms)	386	7	3	4	2	6	11	16	28	48	59	29	68	66	31	7	1	
31	Of the respiratory system	341	3		2	1	2	4	10	25	46	52	28	65	65	30	7	1	
32	Of the meninges, central nervous system	15	3	3	1		3	1	2		1	1							
33	Of the intestines, peritoneum	17					1	2	2	2	1	4	1	3	1				
34	Of the vertebral column	2				1			1										
35	Of the joints	2						2											
36	Of other organs	3			1				1			1							
37a	Disseminated (acute)	6	1					2		1		1				1			
38	Syphilis	69	29		2				1			3	3	8	11	9	3		
40	Gonococcus infection	3	1											1	1				
41	Purulent infection, septicemia	2										1			1				
	II.—General diseases not included in Class I	343	81	2	1	2		5	4	3	11	10	12	43	57	65	32	15	
	Cancer and other malignant tumors	179			1	2				1	4	4	4	32	45	50	24	12	
43	Of the buccal cavity	4														1	2	1	
44	Of the stomach, liver	103											3	15	28	34	18	5	
45	Of the peritoneum, intestines, rectum	18				1								4	4	5	2	2	
46	Of the female genital organs	21									1	2		9	5	4			
47	Of the breast	4										1			2	1			
48	Of the skin	1												1					
49	Of other or unspecified organs	28			1	1				1	3	1	1	3	6	5	2	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2	1									1							
51	Acute rheumatic fever	8						3	1					1	1	1		1	
52	Chronic rheumatism, osteoarthritis, gout	1									1								
53	Scurvy	1												1					
55	Beriberi	82	66							1	4	3	2	3	3				
57	Diabetes mellitus	19												1	2	10	5	1	
58	Anemia, chlorosis	8						1	3			1		1			2		
60a	Exophthalmic goiter	5											3	1	1				
62	Diseases of the thymus gland	3	3																
64	Diseases of the spleen	2									1			1					
65a	Leukemia	5	1	1				1		1	1								
65b	Hodgkin's disease	3	1											1	1				
66	Alcoholism (acute or chronic)	8											2	1	2	2		1	
67b	Other chronic mineral poisoning	1														1			
68	Chronic poisoning by organic substances	3													1	1	1		
69	Other general diseases	13	9	1								1	1		1				
	III.—Diseases of the nervous system and of the organs of special sense	294	31	7	5	3	3	7	4	2	3		8	26	50	55	52	38	
70	Encephalitis	3	1										2						
71a	Simple meningitis	12	3	2	1		1	1			1			2		1			
71b	Nonepidemic cerebrospinal meningitis	3		1										2					
72	Tabes dorsalis (locomotor ataxia)	3													2	1			
73	Other diseases of the spinal cord	10	1				1							1	2	2	2	1	
74a	Cerebral hemorrhage	182	2		1			1	1		1		3	10	38	45	46	34	
74b	Cerebral embolism and thrombosis	2					1											1	
75	Paralysis without specified cause	3												2			1		
76	General paralysis of the insane	9											2	4	1	1		1	
77	Other forms of mental alienation	6												1	3	1		1	
78	Epilepsy	11	3		1			1	2	2			1	1					
79	Convulsions (nonpuerperal; 5 years and over)	2						2											
80	Infantile convulsions (under 5 years)	22	17	3	1	1													
82	Neuralgia and neuritis	1															1		
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	8	1											1	2	3	1		
86a	Diseases of the ear	6	1		1						1			1	1	1			
86b	Diseases of the mastoid process	10	2	1		2		2	1					1	1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IV.—Diseases of the circulatory system	353	10	1	2	1		3	8	9	8	10	6	44	65	65	71	49	1
87	Pericarditis	3	1									1			1				
88	Endocarditis and myocarditis (acute)	21	3		2	1			2		1	2	1	5	2	2			
89	Angina pectoris	15									1	1	1	3	5	2	1	1	
90	Other diseases of the heart	286	6	1				3	6	8	6	6	4	34	56	57	62	36	1
91a	Aneurysm	4												1	1		1	1	
91b,c	Other diseases of the arteries	22														4	7	11	
92	Embolism and thrombosis (not cerebral)	1								1									
95	Hemorrhage without specified cause	1												1					
	V.—Diseases of the respiratory system	612	330	56	25	11	9	12	11	7	7	11	13	28	27	30	23	12	
97b	Diseases of the nasal fossae annexa	1															1		
98	Diseases of the larynx	5	2		2													1	
99a	Acute bronchitis	23	20	1		1												1	
99b	Chronic bronchitis	4		1										1		1		1	
99c,d	Bronchitis (unspecified)	8	5	1					1		1								
100a	Broncho-pneumonia	319	219	33	14	5	8	6	3	2	1	1	1	7	5	6	5	3	
100b	Capillary bronchitis	22	20												1		1		
101a	Lobar pneumonia	197	59	18	8	4	1	5	5	4	5	8	12	16	17	18	14	3	
101b	Pneumonia (unspecified)	3	1			1						1		1					
102	Pleurisy	12	5	2	1			1		1				1		1			
103	Congestion and hemorrhagic infarct of the lung	3							1									2	
105	Asthma	12										1		1	3	4	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	3							1					1	1				
	VI.—Diseases of the digestive system	668	406	58	15	14	8	10	6	3	12	17	11	32	31	23	16	6	
108	Diseases of the mouth and annexa	4	2	1									1						
109b	Other diseases of the pharynx, tonsils	9	1	1		1		3				2		1					
111a	Ulcer of the stomach	30						1		1	2	4	2	5	8	5	1	1	
111b	Ulcer of the duodenum	3										1	1	1					
112	Other diseases of the stomach (cancer excepted)	12	8								1			1			1	1	
113	Diarrhea and enteritis (under 2 years)	431	378	53															
114	Diarrhea and enteritis (2 years and over)	56			15	13	7	5			2		1	3	1	1	5	3	
117	Appendicitis and typhlitis	29		1				1	5	2	3	3	3	6	3	2			
118a	Hernia	11	1									1		1	4	1	3		
118b	Intestinal obstruction	24	15	2								3	1	2	1				
119	Other diseases of the intestines	1												1					
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	30					1				2		1	5	6	11	4		
123	Biliary calculi	4									2			1		1			
124	Other diseases of the liver	17							1			1	1	4	7	1	2		
125	Diseases of the pancreas	3										1		1				1	
126	Peritonitis without specified cause	3	1									1			1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	213	8	2	3	1	2	7	3	2	4	4	2	19	29	54	41	32	
128	Acute nephritis (including unspecified under 10 years)	26	7	1	2		2	5	1	2	2	1		1	1		1		
129	Chronic nephritis (including unspecified 10 years and over)	174		1	1	1		2	1		1	2	2	17	26	51	38	31	
131	Other diseases of the kidneys and annexa	3	1						1					1					
132	Calculi of the urinary passages	1														1			
133	Diseases of the bladder	1										1							
135	Diseases of the prostate	3														1	1	1	
139	Benign tumors of the uterus	3													2	1			
141	Other diseases of the female genital organs	2									1						1		
	VIII.—The puerperal state	62								3	14	12	8	24	1				
143	Accidents of pregnancy	12								1	2	3	3	2	1				
144	Puerperal hemorrhage	5								1	1	1		2					
145	Other accidents of labor	12								1	3	2		6					
146	Puerperal septicemia	14									3	5	1	5					
147	Puerperal phlegmasia alba dolens, embolus, etc.	2												2					
148	Puerperal albuminuria and convulsions	17									5	1	4	7					
	IX.—Diseases of the skin and of the cellular tissue	19	7	3		2				2		1	1	1	2				
151	Gangrene	2	1												1				
152	Furuncle	10	4	1		1				2			1	1					
153	Acute abscess	6	1	2		1						1			1				
154	Other diseases of the skin and annexa	1	1																
	X.—Diseases of the bones and of the organs of locomotion	14	1			1		2	4	1			1	1	1	2			
155	Diseases of the bones (tuberculosis excepted)	11	1			1		2	4	1					1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2											1	1					
158	Other diseases of the organs of locomotion	1														1			
	XI.—Malformations	52	45	3		1		3											
159a	Congenital hydrocephalus	5	1	1		1		2											
159b	Congenital malformations of the heart	36	34	1				1											
159c	Other congenital malformations	11	10	1															

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1924—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XII.—Early infancy	290	290																
160	Congenital debility, icterus, sclerema	39	39																
161a	Premature birth	170	170																
161b	Injury at birth	31	31																
162	Other diseases peculiar to early infancy	48	48																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	17														2	7	8	
	XIV.—External causes	364	4	15	12	7	4	34	9	18	53	34	25	52	49	35	8	4	1
	Suicide	57								4	6	9	6	10	11	6	4		1
165	By poisons (gas or corrosives excepted)	9								1	2	1	2	3					
166	By corrosive substances	7								1	1	1	2	1		1			
168	By hanging or strangulation	15									1	2		1	6	1	3		1
169	By drowning	1													1				
170	By firearms	11								2	1	2	2	2	2				
171	By cutting or piercing instruments	12										3		3	2	3	1		
173	By crushing	1														1			
174	By other means	1									1								
	Homicide	46		1				1	1	2	11	8	5	9	5	1	1	1	
197	By firearms	25									9	6	4	5	1				
198	By cutting or piercing instruments	13						1	1	1	2	2	1	3	1	1			
199	By other means	8		1						1				1	3		1	1	
	Accidental or undefined	261	4	14	12	7	4	33	8	12	36	17	14	33	33	28	3	3	
175	Poisoning by food	5					2					1	1	1					
177	Other acute poisonings (gas excepted)	1		1															
178	Conflagration	1										1							
179	Burns (conflagration excepted)	15		1	4	1		2	1	1	1		1			2	1		
180	Mechanical suffocation	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	3									1		1		1				
182	Drowning	51	1	8	4	1		8	1	1	3	5	3	4	8	3	1		
183	Traumatism by firearms (except in war)	5						1			2	1	1						
184	Traumatism by cutting or piercing instruments	2	1											1					
185	Traumatism by fall	41		1		1		6		2	5	3	2	4	7	9		1	
187	Traumatism by machines	8							1	1	1	1		3	1				
188a	Railroad accidents	17						1		2	3	1		4	5	1			
188b	Street-car accidents	2														2			
188c	Automobile accidents	65	1	2	3	3	2	11	4	3	8	1	3	8	8	6		2	
188d	Airplane and balloon accidents	4								1	1			2					
188e,f	Injuries by other vehicles	6						2			1	1		1		1			
188g	Landslide, other crushing	4									1			2		1			
189	Injuries by animals (not poisoning)	5									2		1	1	1				
196	Other accidental electric shocks	5						1			3			1					
202	Other external violence	20		1	1	1		1	1	1	4	2	1	1	2	3	1		
	XV.—Ill-defined diseases	13	8	1							1					2	1		
205a	Ill-defined	6	2								1					2	1		
205b	Not specified or unknown	7	6	1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1924

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths)	4,014	381	386	346	351	361	312	311	259	309	304	330	364
Typhoid and paratyphoid fever (1)	24	2	1	2	3	3	7		3	1			2
Malaria (5)													
Smallpox (6)													
Measles (7)	5		1			1	1	2					
Scarlet fever (8)	1	1											
Whooping cough (9)	17	1	3	3	2	1	2	1	1	2		1	
Diphtheria (10)	38		7	3	2	6	2	6	2	3	2	2	3
Influenza (11)	34	4	4	5	3	5	3	1	2	1	1	2	3
Dysentery (16)	17	3	5	1			1				1	2	4
Lethargic encephalitis (23)	2					1							1
Meningococcus meningitis (24)	22	10	4	1		1		2	1	1	1		1
Tuberculosis of the respiratory system (31)	341	34	30	36	26	27	30	21	25	25	29	29	29
Other forms of tuberculosis (32–37)	45	4	2	4	2	6	3	3	7	3	2	4	5
Bronchitis (99)	35	4	4	2	4	1	3	1	1	2	1	7	5
Broncho-pneumonia (100)	341	42	38	32	25	36	22	30	17	24	22	23	30
Pneumonia (101)	200	26	24	22	18	16	11	12	14	9	14	13	21
Diarrhea and enteritis [under 2 years] (113)	431	36	39	34	34	33	32	39	35	33	30	39	47
Diarrhea and enteritis [2 years and over] (114)	56	2	7	5	11	5	1	4	4	4	2	7	4
Puerperal septicemia (146)	14		3		2	1	1	1	2	2	1		1
Other puerperal causes (143–145, 147–150)	48	6	5	5	4	4	6	2	1	3	5	5	2
Suicide (165–174)	57	6	10	3	5	9	1	8	3	1	4	4	3
Automobile accidents (188c)	65	5	5	5	9	7	3	5	5	3	8	4	6
Other external causes (175–188b, 188d–203)	242	19	19	21	18	18	27	24	14	31	21	16	14
All other causes	1,979	176	175	162	183	180	156	149	122	161	160	172	183

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1924

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes (exclusive of stillbirths)	1,295	130	36	38	77	46	39	49	415	209	170	96	60	52	54	50	65	54	39	31
Measles (7)	2										1						1			
Scarlet fever (8)																				
Whooping cough (9)	10							1	1	2	2		1	1		2	1			
Diphtheria (10)	1									1										
Influenza (11)	6			1					1					1	1	1		1	1	
Dysentery (16)	2												1				1			
Erysipelas (21)	7									2	2	1	1		1					
Meningococcus meningitis (24)	1																1			
Tetanus (29)	5				3	2			5											
Tuberculosis of the respiratory system (31)	3																3			
Tuberculosis of the meninges, etc. (32)	3																1	1		1
Other forms of tuberculosis (33–37)	1																		1	
Syphilis (38)	29	4	2	1	1	1			9	7	3	2	4	1			1	1	1	
Convulsions (80)	17	1				1	2		4	6	1	1	2	1	1	1				
Bronchitis (99)	25						2		2	7	7	3		1	2			1	2	
Broncho-pneumonia (100)	239		1		3	7	6	8	25	32	49	27	20	17	12	8	15	14	8	12
Pneumonia (101)	59			1	1		1	2	5	3	4	4	2	5	6	6	9	6	5	4
Diseases of the stomach (111, 112)	8						2		2	2		1			1	1	1			
Diarrhea and enteritis (113)	378		1		8	4	12	24	49	87	54	38	18	20	22	22	20	21	16	11
Congenital malformations (159)	45	8	7	4	7	1		3	30	5	3	1	1	2		2		1		
Congenital debility (160)	39	5	1	1	8	2	1	1	19	6	2	6	3		1		2			
Premature birth (161a)	170	80	12	14	29	14	9	4	162	5	2		1							
Injury at birth (161b)	31	19	3	2	5			1	30	1										
Other diseases of early infancy (162, 163)	50	8	9	8	10	8	2		45	3	2									
External causes (175–203)	4									2	1							1		
Unknown or ill-defined diseases (204, 205)	8	3		2					5	1	1				1					
All other causes	152	2		4	2	6	2	5	21	37	36	12	6	3	6	7	9	8	5	2

APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes	1,081,805	147,677	26,190	12,316	8,278	6,248	200,709	21,014	16,197	26,141	34,619	35,447
	Both sexes—White	946,219	125,246	21,126	10,455	7,034	5,412	169,273	18,494	13,608	20,169	25,993	27,546
	Both sexes—Colored	135,586	22,431	5,064	1,861	1,244	836	31,436	2,520	2,589	5,972	8,626	7,901
	Males—White	511,480	71,736	11,349	5,774	3,810	2,911	95,580	10,231	7,698	10,639	12,854	13,668
	Males—Colored	71,513	12,558	2,687	1,014	626	437	17,322	1,248	1,271	2,671	4,125	3,900
	Females—White	434,739	53,510	9,777	4,681	3,224	2,501	73,693	8,263	5,910	9,530	13,139	13,878
	Females—Colored	64,073	9,873	2,377	847	618	399	14,114	1,272	1,318	3,301	4,501	4,001
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES												
	Males—White	65,954	6,367	3,565	1,974	1,470	1,096	14,472	3,102	1,679	2,635	4,081	4,493
	Males—Colored	16,065	1,765	813	334	220	166	3,298	515	498	1,215	1,819	1,582
	Females—White	56,923	5,404	3,258	1,791	1,290	1,051	12,794	3,059	1,740	3,967	5,747	5,149
	Females—Colored	15,349	1,590	763	296	236	158	3,043	564	711	1,710	2,262	1,725
1	Typhoid and paratyphoid fever:												
	Males—White	2,388	17	14	10	19	20	80	125	190	356	370	192
	Males—Colored	834	8	11	9	10	8	46	72	100	165	128	81
	Females—White	1,704	7	16	26	23	22	94	111	194	286	231	185
	Females—Colored	791	6	6	10	10	18	50	91	128	168	129	59
2	Typhus fever:												
	Males—White	1											
	Females—White	1											
5	Malaria:												
	Males—White	509	49	26	26	16	9	126	28	26	28	23	12
	Males—Colored	483	51	42	22	21	20	156	35	31	29	28	21
	Females—White	435	50	22	18	13	10	113	30	22	17	22	28
	Females—Colored	535	43	38	18	18	9	126	36	31	39	49	39
6	Smallpox:												
	Males—White	437	31	8	3	3	9	54	15	4	25	47	46
	Males—Colored	54	7	1	1			9			2	4	4
	Females—White	302	20	5	3	3	3	34	9	2	19	31	47
	Females—Colored	38	2				1	3	1			6	7
7	Measles:												
	Males—White	3,095	794	915	350	195	111	2,365	318	89	94	51	17
	Males—Colored	579	178	142	55	31	22	428	51	30	47	9	4
	Females—White	2,925	623	801	288	160	104	1,976	318	120	102	47	47
	Females—Colored	543	144	132	38	20	21	355	55	43	41	21	12
8	Scarlet fever:												
	Males—White	1,365	69	154	175	151	135	684	357	119	58	34	27
	Males—Colored	19	3	1	4	1	2	11	3	3	1	1	
	Females—White	1,498	51	123	149	145	131	599	370	133	97	107	69
	Females—Colored	33	1	1	3	6		11	8	7	1	3	3
9	Whooping cough:												
	Males—White	2,637	1,680	553	164	80	56	2,533	75	18	2	1	2
	Males—Colored	815	448	228	63	25	14	778	31	2		1	
	Females—White	3,014	1,762	698	264	116	51	2,891	91	10	6	3	1
	Females—Colored	892	476	248	63	31	27	845	31	6	7		1
10	Diphtheria:												
	Males—White	4,261	325	619	608	575	457	2,584	1,123	309	80	34	33
	Males—Colored	245	47	24	33	29	27	160	56	9	2	4	4
	Females—White	3,952	228	486	493	483	432	2,122	1,161	280	90	54	44
	Females—Colored	268	43	24	25	42	21	155	67	14	8	6	6
11a	Influenza (with pulmonary complications):												
	Males—White	4,692	769	299	94	65	36	1,263	111	74	94	112	104
	Males—Colored	975	175	57	22	11	9	274	19	20	54	66	40
	Females—White	4,146	566	235	106	47	34	988	103	66	87	110	126
	Females—Colored	853	158	53	19	12	1	243	25	27	44	56	46
11b	Influenza (other and unspecified):												
	Males—White	2,728	417	100	44	42	28	631	83	64	76	47	49
	Males—Colored	551	89	25	12	5	3	134	17	18	26	23	14
	Females—White	2,829	305	82	50	27	31	495	92	57	74	82	74
	Females—Colored	576	85	20	10	13	1	129	9	14	14	28	24
13	Mumps:												
	Males—White	65	9	7	3	5	4	28	12	3	5	1	2
	Males—Colored	7	1			1		2	3		1		
	Females—White	47	6	6	1	4		17	5	3	2	2	2
	Females—Colored	14		2	1	1		4	3	4			
15	Cholera nostras:												
	Males—White	47	12	5		2	1	20	2	2			
	Males—Colored	15	4	3				7	1	1			
	Females—White	49	9	4	1		2	16	3	1		1	
	Females—Colored	7	3	1			1	5			1		1
16	Dysentery:												
	Males—White	863	238	131	57	27	8	461	17	4	12	7	12
	Males—Colored	363	130	82	16	9	4	241	4	4	4	4	6
	Females—White	807	168	117	44	22	11	362	18	4	4	11	4
	Females—Colored	319	94	63	15	4	3	179	4	4	5	11	8
17	Plague:												
	Males—White	20							2	2	2	2	4
	Females—White	10		2				2			1	2	1
19	Spirochetal hemorrhagic jaundice:												
	Males—White	22	4	1				5	1		1	2	1
	Females—White	14	2		2			4	1		1	2	
	Females—Colored	2											
20	Leprosy:												
	Males—White	7											2
	Males—Colored	4											3
	Females—White	2											1
21	Erysipelas:												
	Males—White	1,174	352	11	10	6	1	380	4	8	16	20	28
	Males—Colored	60	18	1	1			20	1		2	3	2
	Females—White	1,022	346	31	12	9	1	399	7	11	11	15	18
	Females—Colored	40	15	2				17			1	1	
22	Acute anterior poliomyelitis:												
	Males—White	526	43	55	42	37	34	211	99	76	49	26	20
	Males—Colored	30	4	7		3	3	17	6	3	2		1
	Females—White	409	46	50	27	19	35	177	89	60	24	16	11
	Females—Colored	35	10	11	6	1	1	29	1	4	1		
23	Lethargic encephalitis:												
	Males—White	645	22	26	20	11	15	94	46	24	37	34	31
	Males—Colored	38	1	2	2	1		6			7	3	5
	Females—White	647	15	30	11	19	21	96	46	34	45	48	34
	Females—Colored	30	1	2		4		7		3	3	1	4

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
37,335	43,723	47,289	52,828	62,246	66,050	79,293	86,728	87,605	78,040	59,480	30,728	11,345	2,562	1,041	1,385	
30,190	35,545	39,017	44,417	53,503	59,430	72,862	81,143	82,145	74,117	56,273	28,919	10,267	2,104	410	794	
7,145	8,178	8,272	8,411	8,743	6,620	6,431	5,585	5,460	3,923	3,207	1,809	1,078	458	631	591	
15,849	19,878	22,169	25,312	30,407	34,005	40,636	45,154	43,814	38,164	26,840	12,844	4,261	803	145	529	
3,621	4,214	4,396	4,483	4,871	3,627	3,563	3,069	2,981	2,231	1,710	949	487	196	234	344	
14,341	15,667	16,848	19,105	23,096	25,425	32,226	35,989	38,331	35,953	29,433	16,075	6,006	1,301	265	265	
3,524	3,964	3,876	3,928	3,872	2,993	2,868	2,516	2,479	1,692	1,497	860	591	262	397	247	
4,648	4,843	4,701	4,249	3,921	3,256	2,984	2,570	1,833	1,246	722	348	100	12	4	55	
1,251	1,216	1,096	947	808	514	409	288	227	161	87	51	21	3	5	54	
4,112	3,436	2,819	2,356	2,086	1,733	1,800	1,707	1,509	1,318	873	464	162	42	8	42	
1,179	1,044	762	616	484	311	249	188	156	102	88	49	21	12	17	56	
196	197	161	138	122	84	63	62	37	8	3	2				2	
46	50	36	38	24	18	7	8	5	4	1		1			4	1
124	101	89	85	70	45	31	28	13	8	3	3				3	
32	38	29	23	18	7	8	2	2	3	1		1			2	
						1										2
			1													
21	21	19	28	25	19	27	23	24	27	17	8	2		1	4	
17	16	24	19	29	17	11	13	11	13	7	4	1			1	5
23	22	11	15	17	11	17	14	22	22	15	9	3	1		1	
29	32	20	25	24	20	12	13	11	9	8	1	3		3	5	
26	35	45	33	26	23	26	16	8	5	1	2					
7	4	6	4	4	1	3		2	2	1			1			6
22	31	28	18	13	15	7	10	5	5	4	2					
6	8		2	3			1			1						
21	16	23	14	18	15	18	9	12	8	2	1				4	
	1	4		1	1					1					2	7
46	55	38	36	26	15	26	25	23	17	4	1	2			1	
3	5	3	1	1		1	1								1	
33	13	15	9	6	2	4	2	1		1						8
58	31	10	8	9	2	1	2			1					1	
							1		1		2				2	
	1					1									1	9
	1	2	1		1	1	1	1	2						2	
	1														1	
19	14	18	10	9	14	4	2	3	2	1	1				1	
3	1	3	1	1	1											10
48	40	28	19	25	17	11	4	1	4		1				3	
4	1	2	1	1	1								1		1	
149	224	251	275	272	249	295	337	319	269	176	87	23	6		2	
56	64	65	52	57	53	45	28	32	20	13	7	2			8	11a
153	159	152	163	183	203	270	313	321	310	255	129	46	5	1	3	
47	50	34	36	49	37	36	27	31	19	16	17	1	4	2	6	
69	81	111	109	136	118	151	202	218	214	189	124	49	3	1	3	
15	28	30	35	35	22	21	34	25	26	22	14	6	1	4	1	11b
90	99	99	89	116	95	147	193	224	273	245	180	71	28	4	2	
26	28	30	30	37	33	33	36	28	18	27	11	7	5	7	2	
3		1				2	1	3	2		1	1				
				1												13
2	2	1			1	1	2	1	5		1					
	2			1												
1		1		3	1	1	4	3	5	2		2				
	1			1	2	1			1							15
	4	1	1		2	2	3	2	4	4	2	2	1			
9	15	17	14	15	24	25	31	65	56	35	33	8			3	
2	3	8	10	9	6	7	4	12	16	10	5	5		1	2	16
12	14	12	11	13	22	32	46	60	62	63	41	10	2	1	3	
6	7	7	8	7	7	12	9	8	8	9	6	6	2	3	3	
3	1	1	2	1												17
				1	1	1				1						
2		3	2	2	1	1				1						
2			1		1	1	1									19
1		1														
2					1	1	1									20
	1															
					1											
26	38	52	61	63	54	91	97	83	69	51	26	6	1			
1	3	5	5	7	3	4	2			1	1					21
22	44	30	45	51	55	65	47	64	57	42	24	11	3	1		
	2	4	2	3	2	3		2	1	1					1	
15	14	5	2	1	4	1	1	2								
1																22
8	8	4	3	2		3	3			1						
44	58	47	60	52	48	26	26	11	2	3	1				1	
6	3	6		1	1											23
31	47	43	60	52	29	43	17	13	6	2	1					
3	4	2	1	1	1											

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES—Continued												
24	Meningococcus meningitis:												
	Males—White	457	126	49	27	21	12	235	54	33	35	18	12
	Colored	40	11	1	6	1	2	21	4	2	2	3	2
	Females—White	362	93	52	20	20	22	207	43	30	11	18	11
	Colored	38	7	4	2	1	3	17	6	1	4	2	2
25	Other epidemic and endemic diseases:												
	Males—White	124	37	24	11	4	4	80	14	2	1	1	1
	Colored	10	3	1	1	1		6	1		1		
	Females—White	98	36	15	9	5	3	68	11	4	2		3
	Colored	11	2	4		1		7	1		1		
26	Glanders:												
	Males—White	2											
	Females—Colored	1										1	
27	Anthrax:												
	Males—White	16											
	Colored	3			1			1					
	Females—White	4		1	1			2			1		
	Colored	2								1			
28	Rabies:												
	Males—White	33		1	1	2	1	5	5	6	3		
	Colored	5								1	1		
	Females—White	11		1			1	2	4	1			
	Colored	2							1	1			
29	Tetanus:												
	Males—White	716	71	3	13	7	15	109	111	158	70	30	25
	Colored	246	78	4	4	1	3	90	27	37	19	8	8
	Females—White	291	50	4	8	6	8	76	57	23	15	16	10
	Colored	103	62	1		1	2	66	8	2	5	4	1
30	Mycoses:												
	Males—White	81	27	2	1			30	2		1	8	3
	Colored	46	30	4	1			35	2	2		1	
	Females—White	40	9	1				10	1		3	4	3
	Colored	44	39	4				43			1		
	Tuberculosis (all forms):												
	Males—White	35,223	656	524	294	193	131	1,798	440	422	1,522	3,130	3,755
	Colored	8,817	131	132	72	60	44	439	169	228	821	1,429	1,269
	Females—White	30,112	532	436	243	163	120	1,494	453	637	2,970	4,752	4,272
	Colored	8,903	131	109	73	63	43	419	205	406	1,307	1,810	1,367
31	Of the respiratory system—												
	Males—White	30,574	186	133	56	36	30	441	108	190	1,273	2,837	3,459
	Colored	7,707	71	63	38	28	21	221	105	172	713	1,291	1,150
	Females—White	26,018	138	104	55	27	24	348	147	427	2,677	4,403	3,959
	Colored	7,907	64	56	37	32	18	207	141	347	1,190	1,664	1,278
32	Of the meninges, central nervous system—												
	Males—White	1,791	329	316	175	108	75	1,003	215	111	71	79	66
	Colored	262	36	38	15	16	14	119	26	15	22	19	12
	Females—White	1,640	292	269	146	109	75	891	194	86	87	68	65
	Colored	231	43	24	28	20	14	129	29	14	20	9	8
33	Of the intestines, peritoneum—												
	Males—White	981	51	29	23	16	7	126	31	46	72	58	62
	Colored	328	6	6	3	5	1	21	15	19	37	53	39
	Females—White	1,148	24	23	11	15	8	81	35	45	94	141	129
	Colored	388	3	5	1	3	5	17	15	20	42	80	49
34	Of the vertebral column—												
	Males—White	452	7	6	11	13	8	45	26	21	27	37	47
	Colored	86		3	2	2	2	9	2	5	8	8	15
	Females—White	314	10	5	4	4	4	27	23	22	23	16	19
	Colored	55	1	2	2	1		6	5	5	8	6	5
35	Of the joints—												
	Males—White	217	7	4	2	1	4	18	18	22	15	21	20
	Colored	50	1		1			2	4	1	6	9	8
	Females—White	115	6	3	2	3	2	16	12	8	8	7	5
	Colored	23	2	1			1	4		3	4	4	
36	Of other organs—												
	Males—White	574	17	6	6	6		35	19	17	32	32	48
	Colored	134	1	5	5	2		13	10	8	12	13	12
	Females—White	399	11	10	7	1		29	11	22	15	34	35
	Colored	83	4	6	1	3	2	16	4	5	10	8	6
37a	Disseminated (acute)—												
	Males—White	514	53	28	20	11	7	119	22	11	21	53	41
	Colored	220	14	16	8	6	5	49	5	6	20	30	30
	Females—White	467	43	22	16	3	7	91	30	25	59	72	47
	Colored	175	8	12	4	2	3	29	10	10	29	34	16
37b	Disseminated (chronic or unspecified)—												
	Males—White	120	6	2	1	2		11	1	4	11	13	12
	Colored	30	2	1		1	1	5	2	2	3	6	3
	Females—White	111	8		2	1		11	1	2	7	11	13
	Colored	41	6	3		2		11	1	2	4	5	5
38	Syphilis:												
	Males—White	3,144	535	24	13	5	6	583	19	16	24	57	89
	Colored	1,704	335	41	9	10	4	399	10	5	28	94	109
	Females—White	1,409	422	24	8	4	5	463	14	20	37	60	72
	Colored	993	258	37	12	8	5	320	9	12	37	81	95
39	Soft chancre:												
	Males—White	3	1					1					
	Colored	2											1
	Females—White	2											
	Colored	1										1	
40	Gonococcus infection:												
	Males—White	88	11				1	12			1	5	2
	Colored	49	8					8				5	4
	Females—White	367	13					13	1	2	34	84	60
	Colored	208	5					5	1	1	20	46	40
41	Purulent infection, septicemia:												
	Males—White	584	72	14	8	3	2	99	39	30	43	21	24
	Colored	70	5	4			1	10	3	2	1	5	4
	Females—White	409	45	16	7	2	4	74	21	25	28	29	26
	Colored	66	5	1			1	7	2	2	2	6	10
42	Other infectious diseases:												
	Males—White	1				1		1					
	Colored	1											
	Females—White	5								1			
	Colored	1		1				1					

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
12	13	11	12	9	1	8		1	2	1						24
	1	2	3													
15	9	3	6	4	1		1		2	1						
2	3				1											
2	3	1	4	1	3	5	4	1	1							25
		1									1					
4		2	1	1			1				1					
				1				1								
		1	1													26
3	2	2	2		1	2	4									27
				1				1								
				1												
					1											
2	2		4	3		1	1	1								28
1		1		1												
		1	2		1											
37	26	29	25	25	11	19	24	12	4	1						29
7	12	7	14	4	3	4	2	3	1							
18	20	14	13	8	6	6	5	2	2							
5	1	4	3	2			2									
5	3	6	3	3	3	5	2	2	4		1					30
2			1		3											
2	3	3	1	2	3	2	1	1	1							
3,754	3,737	3,497	3,061	2,734	2,233	1,913	1,516	913	487	216	55	8	1	2	29	
943	839	731	577	482	289	233	137	105	60	23	17	2	1		23	
3,242	2,568	2,083	1,612	1,384	1,103	1,051	933	723	519	215	64	14	1	1	21	
905	726	522	415	277	171	130	82	60	37	21	13	3			27	
3,452	3,473	3,253	2,858	2,520	2,065	1,754	1,385	802	424	196	47	8	1		28	31
866	758	671	525	431	261	215	119	95	55	21	16	2	1		19	
3,016	2,353	1,895	1,427	1,243	971	930	824	655	466	196	50	13	1	1	16	
823	651	478	386	252	154	122	74	54	30	16	13	3			24	
60	54	43	24	23	17	9	7	7	1	1						32
12	13	10	7	3		2			1	1						
34	23	26	21	14	10	5	10	2	2	1	1					
6	10	1	2	1		1									1	
80	66	65	55	68	52	59	52	45	31	7	4			1	1	33
26	22	17	20	20	13	8	9	6	2						1	
86	90	77	73	59	57	55	46	34	26	8	8	1			3	
44	33	26	17	15	8	6	5	3	5	1					2	
39	34	32	30	20	29	25	16	16	5	2	1					34
9	9	6	5	3	4	1	1	1								
20	25	21	23	24	20	16	12	8	6	4	5					
2	5	3	2	3	2			1	1	1						
12	8	13	10	20	11	7	10	7	4		1				2	35
	5	4	1	3	2	1	1	1								
7	6	3	5	5	11	7	3	5	6	1						
2	3	1			1					1						
51	47	40	55	48	38	26	32	24	18	9	2			1		36
10	12	12	4	10	5	4	5	2	1		1					
31	28	26	41	29	21	24	26	14	9	3					1	
9	4	6	3	3	4	1		2		2						
52	45	40	22	27	19	23	8	6	4	1						37a
19	19	11	12	10	3	2	2		1						1	
39	36	23	17	7	5	5	7	3	1							
15	18	6	2	1	2		2		1							
8	10	11	7	8	2	10	6	6								37b
1	1		3	2	1					1						
9	7	12	5	3	8	9	5	2	3	2					1	
4	2	1	3	2			1									
160	293	341	324	346	302	258	172	91	57	10					2	38
132	181	157	176	141	87	65	52	29	17	5	2	4			11	
93	105	117	123	86	80	64	36	15	13	7	2				2	
80	94	78	56	51	27	13	14	10	7	2				1	6	
1			1													39
				1												
					1	1										
9	10	6	10	8	12	6	3	1	2	1						40
6	3	5	6	5	4		2	1								
67	50	35	15	3	1	1	1									
29	36	18	10	2												
24	27	37	45	41	33	30	29	22	21	11	4	1	1		2	41
5	4	5	6	3	3	7	6	1	1	3					1	
29	23	11	26	19	21	16	20	18	6	10	3	3	1			
1	6	8	3	6	3	1	1	3		2	1			1	1	
1																42
1		2	1													

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I												
	Males—White	53,226	1,360	245	168	131	143	2,047	553	517	556	581	753
	Colored	2,956	187	55	19	13	11	285	37	37	75	92	114
	Females—White	64,713	1,008	214	130	118	92	1,562	452	510	526	646	985
	Colored	4,891	96	34	6	11	13	160	30	47	91	168	226
	Cancer and other malignant tumors:												
	Males—White	35,902	28	32	43	39	32	174	122	89	132	185	284
	Colored	1,423		2	2	2		6	7	3	15	22	24
	Females—White	44,968	24	42	38	30	17	151	76	86	106	152	418
	Colored	2,948	1	7	2	3	1	14	5	7	16	35	75
43	Of the buccal cavity—												
	Males—White	2,357		2	3	1	2	8	4	8	1	7	16
	Colored	93		1				1			2	3	
	Females—White	455			2	1		3	3		2	3	2
	Colored	33								2		1	2
44	Of the stomach, liver—												
	Males—White	16,567	3	2	2	6	2	15	7	8	11	30	61
	Colored	719								1	2	6	5
	Females—White	14,114	5	3	3	2	1	14	11	6	12	22	53
	Colored	644	1	1	1		1	4	2	1	4	6	11
45	Of the peritoneum, intestines, rectum—												
	Males—White	5,147	2	2	7	5	6	22	15	7	17	38	64
	Colored	156			1			1			1	4	8
	Females—White	6,315	1	4		4	3	12	6	8	11	22	72
	Colored	253				1		1		1	5	2	9
46	Of the female genital organs—												
	Females—White	10,600		2		1	1	4	5	8	15	31	155
	Colored	1,309							1	2	2	16	38
47	Of the breast—												
	Males—White	84									2		1
	Colored	11											
	Females—White	7,270									1	9	49
	Colored	427										1	4
48	Of the skin—												
	Males—White	1,468			2	1	1	4	4	2	3	5	7
	Colored	28											3
	Females—White	882	3	2	3		2	10	2	2	3	3	5
	Colored	31		1				1					2
49	Of other or unspecified organs—												
	Males—White	10,279	23	26	29	26	21	125	92	64	98	105	135
	Colored	416		1	1	2		4	7	2	10	9	8
	Females—White	5,332	15	31	30	22	10	108	49	62	62	62	82
	Colored	251		5	1	2		8	2	1	5	9	9
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):												
	Males—White	290	8	5	3	1	5	22	2	3	4	4	6
	Colored	21			1	1		2	1				2
	Females—White	352	17	6	5	2	1	31	2	1	4	11	12
	Colored	42										2	2
51	Acute rheumatic fever:												
	Males—White	1,267	7	2	14	16	19	58	208	181	125	81	50
	Colored	209	5	2	2	1	1	11	8	13	22	9	9
	Females—White	1,362	6	5	6	22	24	63	182	180	114	96	67
	Colored	221	1			2	3	6	6	16	14	15	12
52	Chronic rheumatism, osteoarthritis, gout:												
	Males—White	416		1				1	5	2	7	7	16
	Colored	31									1		1
	Females—White	690	1					1		2	5	3	11
	Colored	40										2	4
53	Scurvy:												
	Males—White	18	13	3				16		1			
	Colored	7	3	1	1	1		6	1				
	Females—White	11	4	3	2		1	10					
	Colored	2		1			1	2					
54	Pellagra:												
	Males—White	336	3		2		1	6	2	4	5	2	13
	Colored	247	2		2	1	1	6	7	7	9	14	22
	Females—White	566		1	1		1	3	2	2	9	27	42
	Colored	721	1	2		1	1	5	8	9	38	80	98
55	Beriberi:												
	Males—Colored	11									2	3	1
	Females—White	1											
	Colored	1	1					1					
56	Rickets:												
	Males—White	216	150	37	12	6	1	206	4	2	3		1
	Colored	88	48	32	2	2	1	85	2		1		
	Females—White	136	87	32	7	5		131	4	1			
	Colored	55	35	13	2	1	1	52	2	1			
57	Diabetes mellitus:												
	Males—White	6,041	8	20	16	11	23	78	68	108	114	113	122
	Colored	343			1		2	3	5	6	14	13	14
	Females—White	8,511	2	13	16	10	9	50	82	126	118	107	107
	Colored	487		2	1			3	3	9	6	7	13
58	Anemia, chlorosis:												
	Males—White	2,541	58	23	11	9	10	111	19	28	21	29	37
	Colored	70	9	5		1	1	16		2	1		3
	Females—White	3,015	46	27	7	11	6	97	21	30	25	49	66
	Colored	70	5		1		2	8		1	8	8	5
59	Diseases of the pituitary gland:												
	Males—White	31	1	1				2	1	1	4		3
	Colored	1											
	Females—White	22					1	1		2	2	3	2
60a	Exophthalmic goiter:												
	Males—White	336					1	1	1	5	14	9	18
	Colored	9								1	1		1
	Females—White	2,148	1					1	2	18	71	106	136
	Colored	100								1	2	7	5
60b	Other diseases of the thyroid gland:												
	Males—White	85	10	6	1	2	1	20		2	7	1	2
	Colored	6	1	1				2				1	
	Females—White	318	10	5	2	2	1	20	3	3	11	13	17
	Colored	30	1					1			1	3	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1,077	1,601	2,398	3,337	4,737	5,877	7,373	7,646	6,416	4,369	2,319	812	192	28	3	34	
100	161	257	271	327	265	293	212	171	116	61	40	10	7	10	15	
1,572	2,499	3,864	5,351	6,695	7,526	8,528	8,120	6,921	4,673	2,788	1,091	310	48	11	35	
318	458	564	566	590	419	394	284	243	147	94	37	17	12	8	18	
449	768	1,371	2,139	3,290	4,256	5,536	5,849	5,033	3,503	1,870	646	156	24	3	23	
39	55	136	152	206	180	184	142	100	68	38	29	5	5	2	5	
917	1,709	2,879	4,043	5,012	5,444	5,997	5,820	5,163	3,574	2,224	876	249	41	9	22	
154	282	368	406	426	289	279	208	174	94	57	23	14	6	4	12	
8	37	94	152	238	294	371	355	302	221	148	67	18	5	1	2	
1		9	13	15	13	11	8	6	6	2	1	1			1	
7	11	18	22	32	36	52	56	68	59	44	27	10				43
1	3	1	6	5	1	2	4	4							1	
125	258	591	990	1,610	2,082	2,768	2,921	2,429	1,597	758	237	48	7	1	13	
19	25	74	90	108	86	105	79	52	25	16	19	1	2		4	
159	297	543	891	1,224	1,616	2,070	2,264	2,137	1,533	880	297	63	10	3	9	44
20	41	67	77	80	72	82	54	64	30	15	6	4	2		2	
108	152	247	320	462	664	809	822	662	447	216	66	9				
9	10	16	14	10	29	20	14	4	11	4			1			
117	191	329	465	604	755	813	897	842	592	389	154	30	5		1	45
20	18	28	31	43	22	26	14	14	7	8	3				1	
335	656	1,060	1,350	1,533	1,373	1,325	1,119	808	456	254	80	21	5	1	6	
87	160	180	200	198	117	97	89	56	28	21	4	7		1	5	46
1	3	3	8	7	8	12	22	8		5	4					
		1	1	2	1	2	1	1	2							
167	352	630	879	1,006	964	927	764	591	435	295	137	52	8	1	3	47
15	39	56	64	60	46	52	30	22	19	9	6	1	2	1		
12	20	39	62	85	98	132	195	246	211	195	97	41	7		3	
1	1	2	2	4	6	1	3	2	1	1		1				
9	8	17	32	35	38	69	90	125	135	148	95	47	6	2	1	48
	1	3	2	6	6		1	4	1		1	1	1		1	
195	298	397	607	888	1,110	1,444	1,534	1,386	1,027	548	175	40	5	1	5	
9	19	34	32	67	45	45	37	35	23	15	9	2	2	2		
123	194	282	404	578	662	741	630	592	364	214	86	26	7	2	2	49
11	20	33	26	34	25	20	16	10	9	4	3	1	1	2	2	
8	16	20	37	32	24	29	26	19	17	17	4					
	2	1	2	1	3	3	2	1		1						
15	18	14	30	22	29	34	34	28	25	19	19	4				50
4	5	6	1	7	3	4	2	1	2	1					2	
40	52	58	47	63	54	67	58	52	38	23	9	3				
8	14	15	12	14	12	7	14	13	10	7	4	2	1	3	1	
70	53	65	56	69	47	61	65	62	44	43	17	5	1		2	51
20	22	17	14	14	13	10	11	6	9	8	4	1	1	2		
9	10	21	20	23	25	45	54	59	54	31	18	6	1		2	
1	4	1	2	6	1	3	1	2	4		1	1		2		
9	14	18	32	37	53	89	107	92	106	69	29	12			1	52
1	1	4	2	5	4	3	4	3	1	3	1		1	1		
1																
							1									53
11	11	25	23	37	31	48	44	39	21	11	2				1	
10	16	21	15	27	16	26	9	19	13	3	2			2	3	54
53	66	71	54	38	40	45	41	37	21	9	3	1			2	
72	86	85	60	49	37	24	22	19	13	8	3	1	1		3	
	3	1	1													
						1										55
																56
114	153	180	302	486	696	907	925	793	497	266	100	16	1		2	
8	21	24	37	33	31	42	27	30	16	9	2	2	1	1	4	
132	173	240	414	747	1,143	1,459	1,425	1,080	664	305	101	27	3	1	7	57
25	32	47	59	66	52	56	32	32	22	14	4		3	1	1	
60	75	126	162	255	321	390	400	277	157	52	12	9				
1	8	9	4	6	5	4	7		3	1						
81	121	184	272	328	391	447	368	283	156	62	30	3	1			58
6	7	4	3	4	6	4		2	3	1						
3	1	2	6	2	3	1	1		1							
																59
3	2	2	1	1	1	1			1							
25	38	44	38	39	33	27	28	8	6	1					1	
	1			2	1	1	1									
142	183	222	296	257	227	204	132	92	35	18	4	2				60a
17	13	17	12	7	8	9	1	1								
6	1	8	3	4	3	6	8	8	1	3	1	1				
			1		2											60b
17	23	21	30	41	23	45	23	10	5	6	3	2		1	1	
1	3	3	3	4	1	4	2	1		1	1	1				

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—GENERAL DISEASES NOT INCLUDED IN CLASS I—Continued												
61	Diseases of the parathyroid glands:												
	Males—White	41	29	2	3	2		36	1	1			1
	Colored	8	5	2				7					
	Females—White	32	24	1			2	27	1		1		1
	Colored	6	2	2		1		5					
62	Diseases of the thymus gland:												
	Males—White	553	445	35	12	12	11	515	9	3	11	3	5
	Colored	45	38	1	1	1	2	43					1
	Females—White	387	328	17	10	5	1	361	8	7	3	4	2
	Colored	23	18	1				19	1			1	2
63	Diseases of the adrenals (Addison's disease):												
	Males—White	165	1					1		2	7	5	8
	Colored	3											
	Females—White	178	2					2		3	2	5	10
	Colored	1											
64	Diseases of the spleen:												
	Males—White	63	4				1	5	2	2	3	2	4
	Colored	7				1	1	2			1		2
	Females—White	52	5			1		6	2	1		4	2
	Colored	1											
65a	Leukemia:												
	Males—White	812	17	16	24	14	16	87	60	44	50	38	31
	Colored	40	1		2		1	4	3	2	2	5	7
	Females—White	579	12	15	13	15	9	64	29	22	24	24	35
	Colored	19	1	1		2	1	5	1	1	1	1	1
65b	Hodgkin's disease:												
	Males—White	447	11	6	3	4	3	27	26	23	18	32	31
	Colored	30			1	1		2	2			3	2
	Females—White	269	7	1	1	2	1	12	8	8	15	16	20
	Colored	4								1			
66	Alcoholism (acute or chronic):												
	Males—White	2,490								1	11	39	84
	Colored	215								2	4	17	13
	Females—White	234									2	6	22
	Colored	42									3	5	4
67a	Chronic lead poisoning:												
	Males—White	118									1	4	5
	Colored	8										1	3
	Females—White	7	1			1		2					
67b	Other chronic mineral poisoning:												
	Males—White	12											2
	Colored	3											
	Females—White	4		1				1					2
	Colored	1											
68	Chronic poisoning by organic substances:												
	Males—White	99								1	1	5	18
	Colored	19									1	2	7
	Females—White	64									1	5	6
	Colored	11										1	3
69	Other general diseases:												
	Males—White	947	567	56	24	15	19	681	23	14	18	22	12
	Colored	112	75	9	4	1		89	1	1	1	2	2
	Females—White	807	431	45	22	12	18	528	30	18	13	15	7
	Colored	66	30	5		1	3	39	4	1	2	1	2
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE												
	Males—White	56,632	1,683	410	240	156	134	2,623	591	465	525	509	628
	Colored	5,618	334	63	35	27	22	481	51	51	97	100	154
	Females—White	51,217	1,145	382	207	126	97	1,957	453	383	341	417	531
	Colored	5,518	206	54	19	27	15	321	33	41	70	91	98
70	Encephalitis:												
	Males—White	490	50	32	12	12	11	117	36	22	21	26	32
	Colored	63	11	7	1			19	4	2	3	4	4
	Females—White	399	39	30	15	8	5	97	24	22	19	31	23
	Colored	45	3	7	2	3	1	16	3	4	3	1	
71a	Simple meningitis:												
	Males—White	1,181	335	103	72	40	31	581	120	65	57	35	30
	Colored	158	41	12	14	5	1	73	14	5	12	6	14
	Females—White	926	264	106	61	34	26	491	79	55	25	41	25
	Colored	92	19	7	7	8	1	42	6	4	4	6	1
71b	Nonepidemic cerebrospinal meningitis:												
	Males—White	366	91	42	22	14	6	175	47	31	19	16	8
	Colored	43	12	5	3	1	3	24	2	2	4	1	1
	Females—White	258	58	33	18	18	5	132	40	27	12	6	4
	Colored	38	9	6	2	2	1	20	7	5	2	1	2
72	Tabes dorsalis (locomotor ataxia):												
	Males—White	1,151									2	1	8
	Colored	69										4	4
	Females—White	343	1					1		2	1	2	2
	Colored	23										1	
73	Other diseases of the spinal cord:												
	Males—White	1,454	24	9	4	4	5	46	19	24	36	30	35
	Colored	98	1				1	2	1	1	2	5	4
	Females—White	1,221	8	3	4	5	3	23	22	10	17	25	20
	Colored	92	2	1		1		4	1	2	4	1	
74a	Cerebral hemorrhage:												
	Males—White	37,491	68	17	14	5	8	112	15	19	33	67	102
	Colored	3,130	12	3	2	1	2	20	5	7	12	23	47
	Females—White	37,538	51	15	5	3	8	82	20	22	27	59	104
	Colored	3,665	8	4			2	14	1	3	9	22	46
74b	Cerebral embolism and thrombosis:												
	Males—White	1,317	14	1		3	1	19	3	10	15	6	14
	Colored	67		1				1	1	1	1		1
	Females—White	1,357	7		3			10	7	1	9	14	24
	Colored	93	1					1			2	2	6
75	Paralysis without specified cause:												
	Males—White	1,923	13	2	4	6		25	4	6	2	9	11
	Colored	559	7	2	3	1	3	16	2		4	5	5
	Females—White	2,051	19	2	1	3	1	26	5	4	5	5	8
	Colored	622	2	3	1	3	2	11	1	1	5	3	6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
	1				1											
				1												
	1	1														61
	1															
1	3		2		1											
1																62
1	1															
11	17	18	18	13	18	12	17	9	6		2				1	
					2	1										
13	25	18	13	21	23	18	11	5	3	4	2					63
			1													
6	1	4	5	5	8	3	3	4	4	1	1					
1		1														64
3	4	3	2	3	5	7	6	2	1	1						
	1															
43	41	45	55	56	72	69	58	28	20	11	4					
	4	2	2	3		5	1									65a
31	41	47	36	49	43	64	31	19	9	9	1	1				
2		2	1	2	1			1								
35	30	30	38	32	37	28	33	9	11	4	3					
4	2	2	2	2	1	3	2	2							1	65b
30	16	18	16	17	17	21	24	16	9	4	1	1				
1	1							1								
215	341	408	401	365	265	167	117	50	13	6	3				4	
24	28	36	35	23	10	14	5	2		1	1					66
35	33	35	33	30	17	9	8	3	1							
10	2	8	4	3	2	1										
4	10	18	17	15	13	14	8	5	3	1						
	1	1	1	1												67a
1	1	1				1		1								
	3	1	1	1	1				2	1						
2		1														67b
			1													
				1												
21	11	9	6	6	3	9	5	2	1	1						
1	2	2	1		1			1	1							68
7	5	6	6	3	5	5	3	6	4	2						
2		2		1	1				1							
15	18	10	17	13	12	15	12	21	14	20	7	1	2			
		4	4	2			1	1	1	1	1				1	69
12	10	19	16	20	18	20	21	22	15	13	5	3	2			
3	2	1		1	2		2	2	2	1	1					
940	1,544	2,038	2,642	3,651	4,711	6,125	7,578	7,840	6,964	4,637	1,925	554	88	11	43	
159	267	430	476	632	529	500	487	434	312	226	110	54	21	13	34	
673	951	1,393	2,072	3,174	3,628	5,173	6,360	7,263	7,045	5,638	2,662	886	163	23	31	
150	252	403	538	604	538	503	492	478	348	261	139	68	35	26	29	
23	30	39	28	32	24	16	17	12	9	5					1	
3	3	6	5	3	1	1	1	2		1		1				70
17	23	25	23	18	17	21	13	13	7		2	2	1		1	
2	2		3	2	1	1	2	2		2					1	
36	35	43	31	40	37	20	17	14	7	11	2					
6	8	4	5	3	4	1	1	1							1	71a
32	25	23	23	25	19	24	14	10	8	4	1		1	1		
5	2	6	6	2	3	3		1	1							
17	10	10	10	6	9	6	1	1								
1	2	4				1			1							71b
8	6	3	5	1	9		2		3							
			1													
14	31	69	105	174	178	186	164	121	70	20	7	1				
1	5	8	10	5	8	9	7	3	2	1	1			1		72
6	11	16	33	63	46	54	51	26	18	9	2					
		5	4	1	5	5	1	1								
32	37	55	95	114	147	197	198	166	111	72	35	2	1		2	
5	8	12	6	14	10	7	6	6	3	2	1	1			2	73
30	41	61	68	103	112	166	154	149	113	71	19	16	1			
3	4	9	9	15	4	9	7	9	3	4	2		1		1	
167	376	708	1,289	2,201	3,286	4,661	6,016	6,484	5,792	3,943	1,638	472	75	8	27	
52	108	231	262	429	361	358	349	335	216	159	82	33	13	9	19	74a
161	341	717	1,357	2,314	2,819	4,130	5,290	6,118	5,985	4,793	2,279	738	143	16	23	
72	161	281	388	469	416	376	381	356	268	190	105	47	23	18	19	
11	18	31	48	90	130	153	215	195	186	115	43	13	1		1	
2	3	4	6	10	6	11	9	3	4	3	1					74b
19	38	33	36	83	93	142	173	195	196	169	78	33	4			
4	4	6	9	9	7	8	6	12	6	3	1	4	3			
8	17	24	41	70	114	192	323	340	356	245	96	31	5	2	2	
5	16	18	32	59	57	54	68	57	66	41	23	17	6	3	5	75
8	12	32	50	99	90	176	246	363	365	313	170	54	11	5	4	
14	20	37	42	53	63	68	66	73	53	46	26	15	7	8	4	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—DISEASES OF THE NERVOUS SYSTEM AND OF THE ORGANS OF SPECIAL SENSE—Continued												
76	General paralysis of the insane:												
	Males—White	4,089								5	6	15	76
	Colored	562									6	5	25
	Females—White	1,163								1	4	9	30
	Colored	201									2	8	8
77	Other forms of mental alienation:												
	Males—White	543							1	1	16	38	31
	Colored	88									7	10	5
	Females—White	693									12	24	48
	Colored	100								1	7	13	13
78	Epilepsy:												
	Males—White	1,470	37	14	12	9	7	79	54	76	150	142	125
	Colored	256	17	6	1	4	3	31	7	20	35	22	24
	Females—White	1,035	23	13	11	4	10	61	33	58	86	97	96
	Colored	123	3	1			2	6	2	11	18	17	5
79	Convulsions (nonpuerperal; 5 years and over):												
	Males—White	37							10	6	1	2	5
	Colored	14							4		1	2	2
	Females—White	60							10	8	9	8	10
	Colored	25							2	2	1	6	2
80	Infantile convulsions (under 5 years):												
	Males—White	800	690	69	28	5	8	800					
	Colored	236	208	13	6	6	3	236					
	Females—White	541	431	71	26	11	2	541					
	Colored	152	129	14	4	3	2	152					
81	Chorea:												
	Males—White	16	1				1	2	1	2	4		
	Females—White	57	1		1		1	3	3	12	12	5	2
	Colored	3							1				1
82	Neuralgia and neuritis:												
	Males—White	116	1					1	1	1	2	1	4
	Colored	11		1				1					
	Females—White	184								1	2	2	4
	Colored	22										2	
83	Softening of the brain:												
	Males—White	362											
	Colored	14											
	Females—White	352											
	Colored	18											
84	Other diseases of the nervous system:												
	Males—White	2,166	69	24	21	21	26	161	69	55	43	42	73
	Colored	138	9	3	1	1	1	15	2	9	5	7	9
	Females—White	1,846	55	26	17	14	13	125	47	31	45	47	76
	Colored	111	11	4		1	1	17	2	4	7	6	5
85	Diseases of the eye and annexa:												
	Males—White	27	5	2	1	1	1	10	1		1	2	
	Colored	4				1		1		1			
	Females—White	41	5	2	4		1	12	2	4	2	2	2
	Colored	8			1			1	1			1	
86a	Diseases of the ear:												
	Males—White	1,003	230	63	29	21	18	361	126	90	68	40	37
	Colored	70	15	9	2	6	1	33	4	2	2	4	5
	Females—White	718	147	52	28	17	14	258	85	78	25	20	30
	Colored	54	17	5	1	3	3	29	4	1	3		3
86b	Diseases of the mastoid process:												
	Males—White	630	55	32	21	15	11	134	84	52	49	37	37
	Colored	38	1	1	2	1	4	9	5	1	3	2	4
	Females—White	434	36	29	13	9	8	95	76	47	29	20	23
	Colored	31	2	2	1	3		8	2	3	3	1	
	IV.—DISEASES OF THE CIRCULATORY SYSTEM												
	Males—White	94,124	484	110	90	75	82	841	612	805	955	797	900
	Colored	9,035	40	13	8	7	8	76	45	87	91	170	233
	Females—White	80,006	396	88	61	80	98	723	661	912	923	889	1,040
	Colored	8,189	43	7	8	5	6	69	65	88	145	220	288
87	Pericarditis:												
	Males—White	396	9	6	1		1	17	19	27	14	7	14
	Colored	80	1				1	2	2	2	5	4	3
	Females—White	298	10	2	1	1	4	18	11	17	15	11	7
	Colored	54					2	2	1	3	1	5	7
88	Endocarditis and myocarditis (acute):												
	Males—White	2,900	194	32	36	27	23	312	150	160	149	140	163
	Colored	370	11	6	2		3	22	10	15	19	21	32
	Females—White	2,620	165	22	21	27	29	264	169	195	187	183	189
	Colored	399	10	3	3	1	2	19	12	16	30	27	38
89	Angina pectoris:												
	Males—White	6,736		1			1	2		5	6	10	25
	Colored	226									2	2	5
	Females—White	3,208			1			1	4	3	9	12	16
	Colored	203			1			1			3	7	10
90	Other diseases of the heart:												
	Males—White	70,910	218	59	47	42	55	421	421	602	758	617	663
	Colored	7,422	17	4	4	5	4	34	32	68	65	135	175
	Females—White	63,962	177	57	35	46	62	377	467	682	702	658	785
	Colored	6,844	26	4	4	3	2	39	51	68	109	176	220
91a	Aneurysm:												
	Males—White	1,057								3	7	7	13
	Colored	244							1	1		5	10
	Females—White	358								2	1	7	3
	Colored	103									1	1	4
91b,c	Other diseases of the arteries:												
	Males—White	10,847								1			3
	Colored	574											1
	Females—White	8,454									1	1	2
	Colored	475								1			
92	Embolism and thrombosis (not cerebral):												
	Males—White	863	22	2		4	1	29	8	3	13	11	10
	Colored	35	2					2		1		2	3
	Females—White	647	16	2		2	2	22	2	8	6	12	23
	Colored	38	1					1	1			3	5

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
302	628	716	662	544	408	261	178	127	97	35	21	6			2	
50	73	103	96	65	55	35	25	12	5	3	1		2		1	76
86	139	176	138	122	98	94	74	65	58	53	13	3				
17	21	27	33	26	20	12	15	7	1		1				3	
48	60	41	37	45	43	48	42	38	29	14	6	1	1		3	
5	10	10	18	7	3	4	2	1	2	2		1			1	77
61	70	78	85	64	63	53	44	28	27	28	4	2	1		1	
10	16	6	11	6	1	1	3	4	3	4	1					
129	110	98	85	84	76	68	66	58	34	23	8	3	1		1	
18	17	13	20	13	5	7	7	7	3	4					3	78
99	93	72	66	70	47	38	33	34	29	10	6	5		1	1	
10	11	9	11	10	3	4	1	2	1	2						
2	1	1	2	2	2	1	2									
	2	1			1		1									79
3	4	1	1		1		4		1							
4	3	1		1		1	1				1					
																80
1	1		1	2			1	1								
2	1		3	1	2	1	4		4	1		1				81
		1														
3	6	5	7	10	13	12	12	11	12	6	6	2			1	
1	1	1	2	1	2	1				1						82
5	10	10	12	10	12	20	18	26	16	22	12	2				
1	2	1	4	2	3	2		1	1	1	1	1				
		1	5	6	23	32	50	59	71	65	33	15	1	1		
				3		2		1	3	5						83
	1	1	5	10	17	21	44	58	66	74	39	15	1			
		1	1	1	3	2	1	2	3	3			1			
78	115	126	143	167	164	218	229	199	173	74	27	7	2		1	
6	8	12	12	13	7	6	9	4	6	4	1	1			2	84
79	90	108	126	141	147	193	175	157	135	78	32	13			1	
6	3	6	10	5	9	8	5	6	4	6	1	1				
		2	2	1	2	2	1	1	1	1						
					1		1									85
		1			3		1	3	2	4	2	1				
	1	1	1				1		1							
37	35	40	23	34	35	26	31	6	6	3	2	1	1		1	
3	2			4	6	1	1	2	1							86a
31	28	24	24	29	17	21	13	14	11	7	2	1				
1		4	3	2			1	2	1							
32	34	29	28	29	20	26	15	7	10	5	1				1	
1	1	3	2	3	2	2										86b
26	18	12	17	21	16	19	7	4	1	2	1					
1	2	2	2			3	1		2						1	
1,274	2,015	2,866	4,153	6,086	7,723	10,422	12,792	13,539	12,619	9,383	4,515	1,459	276	40	52	
357	588	729	882	1,051	857	884	742	771	589	417	227	106	42	41	50	
1,251	1,651	2,260	2,939	4,127	5,196	7,523	9,524	11,270	11,429	9,763	5,444	1,953	409	81	38	
367	528	656	841	888	734	722	637	662	434	363	191	129	66	61	35	
12	17	16	27	23	33	38	28	35	30	25	12		2			
4	2	6	7	14	8	4	5	3	2	6	1					87
10	4	11	18	17	17	10	32	29	29	24	16	2				
3	6	3	6	4		2		6	1	1		1	1		1	
196	282	310	132	145	136	137	138	141	94	77	26	8	2		2	
35	64	62	24	22	12	8	6	4	7	4		1			2	
206	218	260	77	93	95	101	85	103	86	61	29	13	6			88
44	58	65	23	27	8	11	3	6	4	4	1	2			1	
49	158	281	428	712	806	977	1,115	949	686	364	127	34			2	
8	16	25	28	33	23	25	14	22	14	6	2				1	
29	41	67	111	179	272	432	529	583	474	289	123	26	5		3	89
7	17	20	29	21	29	18	14	11	5	4	4	1	1		1	
959	1,441	2,031	3,233	4,671	6,085	8,158	9,917	10,348	9,556	6,772	3,095	920	172	30	40	
283	445	568	746	906	740	771	649	636	486	320	177	82	34	26	44	90
940	1,298	1,790	2,581	3,563	4,458	6,321	7,927	9,239	9,119	7,443	3,969	1,300	261	50	32	
295	425	522	743	776	650	643	564	555	360	293	143	91	48	44	29	
19	42	90	116	159	129	157	128	101	50	23	9	3			1	
12	51	42	46	31	19	11	6	5	3						1	91a
11	17	19	26	43	37	43	51	41	35	10	9	1	1		1	
9	14	18	16	16	8	1	2	6	2	4				1		
11	34	73	130	254	419	798	1,309	1,832	2,103	2,060	1,218	487	98	10	7	
4	5	16	19	33	48	54	56	89	76	80	46	22	8	15	2	91b,c
3	12	40	56	152	224	512	785	1,174	1,520	1,876	1,262	599	133	30	2	
7		9	13	34	32	38	48	75	57	54	41	31	16	16	3	
20	23	44	57	95	80	117	115	95	72	44	21	5	1			
3	1	4	2	6	4	2	2	1	1	1						92
30	36	33	39	47	44	67	65	69	64	40	28	9	2	1		
2	4	5	5	2	2	2	1	2	1		1	1				

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	IV.—DISEASES OF THE CIRCULATORY SYSTEM—Continued												
93	Diseases of the veins:												
	Males—White	221	3		1			4	2	1	4		5
	Colored	18	1					1					3
	Females—White	305	2					2	1	1	1	3	10
	Colored	25									1	1	1
94	Diseases of the lymphatic system:												
	Males—White	94	28	10	5	2	1	46	8		3	1	
	Colored	19	3	3	2	2		10				1	1
	Females—White	73	21	5	2	4	1	33	4	2			2
	Colored	4	1					1					
95	Hemorrhage without specified cause:												
	Males—White	52	10					10	4	3	1	4	3
	Colored	23	5					5					
	Females—White	49	5		1			6	3	2	1	2	3
	Colored	23	5			1		6					3
96	Other diseases of the circulatory system:												
	Males—White	48											1
	Colored	24											
	Females—White	32											
	Colored	21											
	V.—DISEASES OF THE RESPIRATORY SYSTEM												
	Males—White	49,778	10,648	2,972	1,254	587	349	15,810	982	484	880	973	1,027
	Colored	9,277	2,356	729	249	114	71	3,519	165	113	334	562	540
	Females—White	39,230	8,036	2,518	926	477	292	12,249	805	467	603	674	772
	Colored	6,590	1,824	653	207	107	43	2,834	146	127	250	356	322
97a	Diseases of the nasal fossae:												
	Males—White	77	23	6	1		1	31	2	2	4	5	4
	Colored	102	72	9	3	1	1	86	1	2	2	2	1
	Females—White	63	31	1				32					1
	Colored	104	58	8	2	4		72	2	2	3	3	6
97b	Diseases of the nasal fossae annexa:												
	Males—White	238	11	5	1	1		18	10	9	30	33	20
	Colored	19	1				1	2			3	1	3
	Females—White	160	5	2	5		2	14	11	10	13	19	12
	Colored	13				1		1	2	1			1
98	Diseases of the larynx:												
	Males—White	260	57	39	34	17	14	161	27	6	1	2	1
	Colored	33	12	2	5	2	1	22		1	1	1	
	Females—White	194	48	35	19	12	7	121	14	3	3	3	2
	Colored	15	2	4				6	1			1	2
99a	Acute bronchitis:												
	Males—White	1,230	572	92	36	8	3	711	16	5	3	7	8
	Colored	158	89	15	6	3		113	2	2	2	2	1
	Females—White	1,244	440	68	19	5	6	538	14	6	3	6	4
	Colored	142	72	16	6	1		95	3	1	3	8	4
99b	Chronic bronchitis:												
	Males—White	1,086	22	8	4	1	1	36	4	3	5	2	5
	Colored	70	5	1	2			8	1		4	1	1
	Females—White	1,101	19	8	2	1	1	31	2	2	3	11	8
	Colored	64	2	3	1			6	1		5	2	2
99c,d	Bronchitis (unspecified):												
	Males—White	681	237	34	12	9	1	293	7	2	2	3	5
	Colored	116	53	18	4	1		76	2	1	3	1	3
	Females—White	705	187	35	13	9	1	245	3	1	3	4	7
	Colored	126	53	14	2		1	70	6		2	1	4
100a	Broncho-pneumonia:												
	Males—White	16,866	6,527	1,672	590	270	151	9,210	327	127	125	145	156
	Colored	2,725	1,279	418	117	55	32	1,901	47	30	39	48	65
	Females—White	15,056	5,017	1,474	473	230	126	7,320	295	132	138	114	153
	Colored	2,253	1,034	381	107	52	12	1,586	53	25	32	46	31
100b	Capillary bronchitis:												
	Males—White	487	315	56	21	7	4	403	7	2		3	
	Colored	100	51	21	7	2	3	84	3	1	1	1	1
	Females—White	442	230	48	14	7	3	302	4	2	1		1
	Colored	77	42	11	1	1		55	1	1	2	4	1
101a	Lobar pneumonia:												
	Males—White	23,504	2,186	841	422	213	134	3,796	457	260	607	653	730
	Colored	4,722	451	168	73	34	26	752	76	62	230	455	426
	Females—White	16,234	1,597	658	298	172	118	2,843	379	257	338	414	481
	Colored	2,786	304	159	58	33	17	571	50	77	155	220	226
101b	Pneumonia (unspecified):												
	Males—White	1,806	457	106	56	28	22	669	33	29	44	45	28
	Colored	773	310	59	25	15	5	414	23	10	36	26	21
	Females—White	1,493	327	94	35	16	16	488	32	20	33	40	28
	Colored	624	227	47	25	12	8	319	22	13	30	41	22
102	Pleurisy:												
	Males—White	1,371	98	92	63	26	14	293	50	27	44	48	45
	Colored	145	13	8	3		1	25	5	2	6	16	6
	Females—White	900	60	77	42	15	10	204	28	23	38	34	37
	Colored	123	5	5	2	1	5	18	5	3	13	12	7
103	Congestion and hemorrhagic infarct of the lung:												
	Males—White	534	98	5	2	1	1	107	9	1	1	5	2
	Colored	48	9	1				10	2		2	1	1
	Females—White	579	43	7	2	1		53	7	4	7	2	6
	Colored	45	15	2	1	1		19		1			
104	Gangrene of the lung:												
	Males—White	112	2			1		3		2	2	3	3
	Colored	8										2	
	Females—White	53	1	1				2	2		5	2	7
	Colored	6										2	1
105	Asthma:												
	Males—White	837	15	9	7	5	1	37	8	2	4	2	8
	Colored	152	4	6	2	1		13	2	1	3	1	6
	Females—White	702	10	4	2	5	1	22	7	1	4	11	7
	Colored	125	1	2	2			5		2	2	1	8
106	Pulmonary emphysema:												
	Males—White	77	4	2				6	1			1	
	Colored	6											1
	Females—White	51	2					2			1		2
	Colored	5	2					2					

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
6	12	14	20	20	27	23	30	24	12	12	4		1			93
1	2		2	2	1	1	1	3				1				
19	18	35	23	28	38	33	37	22	19	9	5	1				
	4	5	3	4	1	2	1		1		1					
1	3	5	4		3	6		5	6	2		1				94
			2	2		2		1								
1	3	2	3	2	6	1	4	2	3	3	1	1				
		1	1							1						
1	2	1	2	4	3	3	4	2	2	1	1	1				95
4	1	2	3			1	2	4			1					
2	1	2	3	2	3		4	4	4	5	2					
		5		3	1	2	1		2							
	1	1	4	3	2	8	8	7	8	3	2					96
3	1	4	3	2	2	5	1	3								
	3	1	2	1	2	3	5	4	6	3		1	1			
		3	2	1	3	3	3	1	1	2		2				
1,392	2,039	2,298	2,486	2,684	2,772	2,940	3,078	3,065	2,862	2,240	1,180	457	98	16	35	
470	579	560	546	475	292	284	257	211	151	102	47	28	14	11	17	
947	1,090	1,030	1,175	1,431	1,576	2,185	2,615	2,982	3,136	2,856	1,721	687	181	28	20	
277	274	298	300	262	195	198	194	185	103	110	58	44	16	18	23	
7	6		4				1	1	4	2	3		1			97a
	1	1	1			1	1	1		1					1	
3	1			2		3	2	4	4	2	1	7	1			
		2	1		2	1	3	2		1	1	1	1	1		
16	27	21	18	9	10	6	6	1	2	2						97b
2	3	2	1	1		1										
8	18	10	10	9	5	5	5	7	2	1	1					
2	2	2			1				1							
1	7	7	7	12	5	2	9	5	5	1		1				98
	1	1	2	2				2								
7	5	3	4	8	2	1	6	2	6	2	2					
1			1	1		1							1			
6	11	17	12	15	25	34	39	55	74	86	65	32	8	1		99a
2	7	2	3	4	2	1	4	1	2	3	2	2		1		
4	9	10	12	14	17	24	49	88	113	137	119	51	21	4	1	
2	2	2	5	4	3	3		2	2	1		1	1			
8	21	33	25	43	70	73	105	152	186	182	84	37	8	3	1	99b
4	1	6	7	8	4	2	6	4	4	4		1	1	3		
8	10	13	14	21	31	69	101	166	208	205	125	55	14	3	1	
3	2	2	2	5	7	4	6	7	4	2	1	1		2		
4	4	9	12	11	19	23	22	40	59	90	48	22	6			99c,d
2	5	3	2	3	4	3	1	2		3			2			
2	4	5	8	12	4	20	22	50	68	112	77	48	7	3		
4	2	4	2	2	6	3	2	3	1	6	4	2		1	1	
206	294	346	397	470	473	639	711	861	922	798	430	179	35	7	8	100a
22	63	56	78	64	40	57	53	54	50	23	18	8	5	2	2	
168	192	191	223	322	381	556	735	880	1,109	1,131	657	277	67	7	8	
33	30	47	46	45	31	42	45	54	31	35	19	9		8	5	
2	2	3	6	2	6	3	5	7	12	11	8	5				100b
2		2	1	1	1	1		1								
			3	3	8	12	16	13	18	35	16	7		1		
	2				2	1	1	1	2	2	1				1	
1,010	1,438	1,597	1,679	1,804	1,794	1,772	1,798	1,571	1,235	793	369	95	24	3	19	101a
391	437	414	372	333	200	168	144	102	68	43	22	11	4	2	10	
629	708	673	777	873	957	1,242	1,414	1,422	1,272	874	483	137	48	8	5	
190	190	192	205	165	111	104	108	85	37	40	21	18	10	1	10	
26	66	61	67	67	75	82	98	110	110	87	67	33	4	1	4	101b
23	23	30	35	20	17	15	22	22	9	15	2	5	2		3	
32	44	42	27	46	42	87	82	111	102	117	71	37	7		5	
19	20	16	10	21	10	15	10	13	8	13	4	9	1	4	4	
61	82	91	93	97	88	102	84	75	49	23	13	5			1	102
8	15	9	9	9	9	10	8	4	1	1	1			1		
50	45	38	30	56	50	56	54	45	43	41	24	4				
7	9	10	10	5	4	7	3	3	4	2	1					
5	11	12	10	14	11	18	34	42	67	84	55	37	8	1		103
3	1	5	3	1	1	6	2	1	5	1	1			2		
4	3	12	9	4	12	20	29	55	76	108	103	53	11	1		
		2	1	2	3	3		3	1	4	3	2	1			
5	8	13	9	17	13	15	11	5	2	1						104
1	1		1	1	1	1										
5	7	3	2	3	3	2	4	3	1	1	1					
		1	1					1								
16	21	31	58	56	95	98	99	96	98	63	33	8	4			105
4	9	13	19	15	8	16	11	10	12	6	1	1			1	
15	28	25	39	46	45	66	75	106	89	70	32	8	5	1		
9	8	11	11	11	14	11	11	6	8	1	2	1	1	1	1	
	4	5	4	4	6	9	5	12	10	7	2	1				106
		2	1				1	1								
2			3		4	7	2	13	6	4	4	1				
1		1					1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	V.—DISEASES OF THE RESPIRATORY SYSTEM—Continued												
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males—White	612	24	5	5		2	36	4	7	8	16	12
	Colored	100	7	3	2		1	13	1	1	2	4	4
	Females—White	253	21	4	2	4	1	32	7	6	13	14	16
	Colored	82	7	1		1		9		1	3	15	7
	VI.—DISEASES OF THE DIGESTIVE SYSTEM												
	Males—White	42,469	11,396	2,701	1,021	541	352	16,011	1,131	990	1,083	1,054	1,108
	Colored	5,638	1,896	681	180	89	53	2,899	109	84	133	170	184
	Females—White	34,223	8,156	2,319	767	475	290	12,007	1,049	753	692	837	983
	Colored	4,926	1,518	540	140	59	35	2,292	118	91	147	223	233
108	Diseases of the mouth and annexa:												
	Males—White	317	33	8	4	3	1	49	17	10	11	12	12
	Colored	41	10	3	1			14	4	1	1		1
	Females—White	234	29	9	2	5	5	50	9	9	5	11	15
	Colored	38	3			1		4	1		3	4	2
109a	Adenoid vegetations:												
	Males—White	5	3					3	1				
	Colored	1	1					1					
	Females—White	3	1				1	2	1				
	Colored	1	1					1					
109b	Other diseases of the pharynx, tonsils:												
	Males—White	1,513	123	86	86	76	58	429	202	114	101	104	106
	Colored	134	17	7	8	6	10	48	16	3	7	10	6
	Females—White	1,318	61	45	52	61	50	269	231	107	93	96	59
	Colored	136	10	6	4	6	4	30	17	14	11	9	11
110	Diseases of the esophagus:												
	Males—White	70	3	4		1	1	9		1		1	
	Colored	8		1			1	2				1	2
	Females—White	29	2		2			4			1	1	2
	Colored	3				1		1	1				1
111a	Ulcer of the stomach:												
	Males—White	2,455	10				1	11	2	3	19	58	100
	Colored	174		2				2			2	6	9
	Females—White	1,019	3		1			4	3	8	18	29	35
	Colored	129	2	1				3		1	7	10	7
111b	Ulcer of the duodenum:												
	Males—White	1,034	7					7			8	25	59
	Colored	40									1	4	7
	Females—White	258	3					3	1		4	10	12
	Colored	19								1	1	1	3
112	Other diseases of the stomach (cancer excepted):												
	Males—White	2,366	642	96	36	19	12	805	33	15	19	16	25
	Colored	625	146	49	12	17	5	229	11	6	6	15	14
	Females—White	1,841	424	94	36	20	13	587	32	17	10	17	23
	Colored	705	143	26	12	8	4	193	5	8	13	17	26
113	Diarrhea and enteritis (under 2 years):												
	Males—White	11,978	9,677	2,301				11,978					
	Colored	2,235	1,635	600				2,235					
	Females—White	9,205	7,177	2,028				9,205					
	Colored	1,776	1,293	483				1,776					
114	Diarrhea and enteritis (2 years and over):												
	Males—White	2,563			699	256	102	1,057	166	42	29	31	33
	Colored	452			132	57	15	204	25	9	12	7	13
	Females—White	2,650			552	249	99	900	162	39	26	47	41
	Colored	507			103	33	16	152	33	12	10	27	24
115	Ancylostomiasis:												
	Males—White	13				1	1	2	3	2	3		1
	Colored	3			1			1		1	1		
	Females—White	13			1	1	1	3	2	5	1		
	Colored	1							1				
116	Diseases due to other intestinal parasites:												
	Males—White	42	1	2	4	4	5	16	8	3		1	
	Colored	22	4	2	7	3	4	20	2				
	Females—White	34	4	9	4	3		20	3	1	2	2	2
	Colored	24		5	6	3		14	6		1		
117	Appendicitis and typhlitis:												
	Males—White	7,365	27	48	94	106	105	380	545	666	710	626	543
	Colored	632	5		3	4	7	19	29	52	64	74	57
	Females—White	4,851	13	41	50	103	76	283	478	476	406	363	368
	Colored	468	3	1	2	3	3	12	31	37	56	69	62
118a	Hernia:												
	Males—White	1,716	70	14	10		3	97	5	6	11	19	30
	Colored	201	14	5	2		2	23	1		8	6	12
	Females—White	1,418	11	2				13	1	1	2	7	12
	Colored	64	5			1	1	7			1		1
118b	Intestinal obstruction:												
	Males—White	2,775	596	107	48	46	30	827	74	57	80	71	65
	Colored	340	38	8	6	2	6	60	10	7	17	19	24
	Females—White	2,653	306	61	32	11	17	427	59	34	33	86	126
	Colored	376	48	9	6		2	65	11	5	15	30	33
119	Other diseases of the intestines:												
	Males—White	626	67	12	13	13	5	110	11	11	15	11	13
	Colored	72	11	2			1	14	1	1	3	9	2
	Females—White	479	34	7	4	3	1	49	8	9	5	14	18
	Colored	80	5	2	2		1	10	1	1	4	7	7
120	Acute yellow atrophy of the liver:												
	Males—White	118	5				2	7	3	1	2	6	8
	Colored	17	1					1				1	2
	Females—White	236	5				2	7	1	1	7	25	25
	Colored	19									2	3	2
121	Hydatid tumor of the liver:												
	Males—White	15									1		1
	Females—White	9									1		
	Colored	1											

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
19	37	52	85	63	82	64	51	32	27	10	3	2			2	107
6	12	14	11	13	5	2	4	6		2						
10	16	5	14	12	15	15	19	17	19	16	5	2				
6	7	6	5	1	1	3	4	5	4	3	1				1	
1,308	1,721	1,889	2,034	2,316	2,357	2,375	2,349	1,836	1,366	944	431	118	15	10	23	
210	233	269	258	287	206	161	120	116	68	56	25	13	12	10	15	
1,113	1,271	1,437	1,611	1,838	1,780	1,902	1,877	1,632	1,513	1,126	572	172	31	9	18	
222	231	231	247	211	149	141	106	98	69	55	23	13	5	13	8	
15	19	25	18	27	24	21	25	14	5	9	2	1	1			108
1	2	2	2	1	4	1	1	4	1						1	
11	8	24	22	15	15	8	6	6	5	11	3	1				
4	2	3	2	3	3	1	3	1	1			1				
															1	109a
80	70	58	51	41	37	31	27	26	22	11	2	1				109b
9	9	5	8	5	1	1	2		3				1			
76	60	55	51	46	41	33	31	19	27	11	8	3			2	
9	5	10	4	8	1	2	4			1						
2	1	4	5	7	7	4	6	4	8	7	4					110
	1					1				1						
1	1	2	2	3	2	3	1	1	2	1	2					
160	228	262	268	260	252	263	220	155	108	65	15	3			3	111a
5	25	21	28	26	16	12	8	6	4	2		1	1			
44	68	66	91	101	106	111	105	78	76	46	24	4	1		1	
4	17	22	13	9	8	7	6	5	4	3		3				
71	120	134	113	116	123	90	88	34	27	15	4					111b
3	3	6	4	3	5	1		1	1	1						
23	19	23	24	33	26	21	15	20	11	9	2	1			1	
1	1	3	2	2	1		1	1	1							
48	67	86	89	130	148	162	182	160	149	131	73	24	2		2	112
24	35	50	47	48	39	28	16	20	9	12	5	3	5	1	2	
29	38	34	45	68	77	108	106	139	184	166	107	40	11	3		
36	53	49	58	53	37	47	26	29	19	17	6	3	2	4	4	
																113
43	72	52	58	79	89	102	126	159	141	159	85	30	3	2	5	114
15	10	11	16	24	10	13	18	20	11	11	6	4	2	5	6	
48	37	57	46	67	82	112	150	207	226	222	119	48	7	4	3	
23	19	21	24	26	22	26	19	23	14	16	8	3	1	3	1	
				1	1											115
		2														
1	6	1	1	1	2		1		1							116
	2	1			1											
		2	1													
554	577	583	508	472	445	279	245	122	69	30	8			1	2	117
76	68	64	41	35	23	16	6	4	2						2	
349	357	334	285	326	249	218	147	86	76	26	16	3			5	
46	51	33	29	11	11	8	2	2	3	2	1			2		
36	75	71	104	132	150	188	225	198	164	120	61	19	2	1	2	118a
10	9	15	12	22	18	14	8	14	11	8	5	3	1	1		
20	45	81	116	181	188	177	180	143	110	88	40	12			1	
3	6	3	12	7	5	4	5	4	3	1	2					
76	115	107	129	142	164	184	188	173	156	101	40	16	4	3	3	118b
15	23	36	34	21	18	17	14	10	6	5	3				1	
147	157	163	173	146	133	166	225	162	190	145	59	16	4		2	
25	27	29	41	25	9	12	17	12	8	6	1	2	1	2		
19	27	42	34	37	36	43	50	50	45	45	19	6	1	1		119
7	3	4	2	5	5	4	3	1	3	3	1				1	
18	17	22	38	19	25	32	39	34	44	42	28	14	3	1		
8	6	8	2	10	4	2	2	1	2	2	1			2		
3	4	11	4	6	9	12	15	8	12	4	3					120
3	3	2	1	3				1								
24	26	21	20	9	16	16	11	10	10	4	3					
4	1	2	1		1	1	1			1						
3	2		2	1		1	2	1	1							121
1		2				1	2	2								
1																

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VI.—DISEASES OF THE DIGESTIVE SYSTEM—Continued												
122	Cirrhosis of the liver:												
	Males—White	4,216	8	2	2		2	14	10	15	12	10	31
	Colored	365	1	1	2			4	3	1	4	2	12
	Females—White	2,148	7	1	3		3	14	4	7	11	6	23
	Colored	202		1				1	2	5	6	11	8
123	Biliary calculi:												
	Males—White	964								1	3	10	8
	Colored	33											3
	Females—White	2,574									8	23	73
	Colored	63									2	1	7
124	Other diseases of the liver:												
	Males—White	1,508	52	6	9	2	7	76	20	11	27	29	46
	Colored	145	7		2		1	10	3	1	5	12	7
	Females—White	2,307	36	7	7	4	3	57	12	11	18	47	77
	Colored	159	4	3			3	10	2	2	4	14	12
125	Diseases of the pancreas:												
	Males—White	254	2	1		2	1	6	1	5	4	4	10
	Colored	19											3
	Females—White	246				1	2	3	1		4	6	12
	Colored	8											
126	Peritonitis without specified cause:												
	Males—White	556	70	14	16	12	16	128	30	27	28	20	17
	Colored	79	6	1	4		1	12	4	2	2	4	10
	Females—White	698	40	15	21	14	17	107	41	28	37	47	60
	Colored	145	1	3	5	3	1	13	7	5	11	20	27
127	Other diseases of the digestive system (cancer and tuberculosis excepted):												
	Females—Colored	2											
	VII.—NONVENEREAL DISEASES OF THE GENITO-URINARY SYSTEM AND ANNEXA												
	Males—White	44,412	344	104	71	67	60	646	220	216	339	345	502
	Colored	6,335	58	27	20	13	14	132	40	30	50	95	117
	Females—White	39,232	247	81	75	47	35	485	210	298	382	636	911
	Colored	5,774	37	16	19	10	4	86	23	38	130	209	321
128	Acute nephritis (including unspecified under 10 years):												
	Males—White	2,292	206	59	46	46	34	391	107	68	77	67	93
	Colored	619	42	18	15	9	9	93	29	14	25	25	35
	Females—White	1,883	128	50	43	29	23	273	119	92	83	84	72
	Colored	567	24	12	14	7	2	59	11	18	32	31	42
129	Chronic nephritis (including unspecified 10 years and over):												
	Males—White	35,727	9	18	19	16	24	86	97	129	227	235	351
	Colored	4,913	1	2	3	2	4	12	8	14	20	57	70
	Females—White	32,022	14	12	15	8	6	55	71	186	207	288	418
	Colored	4,103	1				1	2	12	15	52	84	116
130	Chyluria:												
	Males—White	1											
131	Other diseases of the kidneys and annexa:												
	Males—White	1,108	96	24	6	5	2	133	14	16	27	22	30
	Colored	181	12	4	2	2	1	21	3	1	4	6	5
	Females—White	1,021	94	19	17	10	6	146	20	10	17	40	54
	Colored	128	11	4	5	3	1	24		2	3	5	15
132	Calculi of the urinary passages:												
	Males—White	402	3					3	1	3	6	12	15
	Colored	28								1			
	Females—White	228									2	9	5
	Colored	6										1	
133	Diseases of the bladder:												
	Males—White	610	9					9				2	3
	Colored	121	2	1				3			1	1	2
	Females—White	167	2					2				1	1
	Colored	17	1					1		1		1	
134	Diseases of the urethra, etc.:												
	Males—White	187									2	4	5
	Colored	86										6	3
	Females—White	16											1
	Colored	9									1	1	
135	Diseases of the prostate:												
	Males—White	4,017										2	4
	Colored	372											1
136	Nonvenereal diseases of the male genital organs:												
	Males—White	65	18	3				21	1			1	1
	Colored	15	1	2				3					1
137	Cysts, other benign tumors of the ovary:												
	Females—White	641								3	8	23	51
	Colored	55									1	3	8
138	Salpingitis and pelvic abscess (female):												
	Females—White	1,233								3	49	143	210
	Colored	367								1	30	61	88
139	Benign tumors of the uterus:												
	Females—White	1,381									1	11	34
	Colored	405										9	34
140	Nonpuerperal uterine hemorrhage:												
	Females—White	26								2	2	1	
	Colored	11									1	3	3
141	Other diseases of the female genital organs:												
	Females—White	590								2	12	34	63
	Colored	104								1	10	10	15
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males—Whlte	3	3					3					
	Females—White	24	9					9			1	2	2
	Colored	2											

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
78	163	247	362	534	534	631	596	495	272	137	63	8	2		2	
19	26	29	41	71	46	32	25	24	11	9	2		2	2		122
52	78	115	174	229	206	257	275	292	211	123	63	5	3			
13	9	18	29	24	21	17	14	12	2	4	4	1	1			
26	38	61	99	115	132	147	129	91	56	31	13	3		1		
1	3	2	4	3	4	3	3	3	3		1					123
102	162	186	271	304	316	335	314	205	140	93	32	9			1	
6	4	6	7	14	4	3	3	1	4	1						
50	95	101	130	149	140	152	169	114	99	62	29	6		1	2	
13	8	13	11	14	13	8	11	7	3	3	2	1				124
90	114	179	189	228	228	260	222	194	179	124	63	12	2		1	
22	11	18	11	14	16	8	1	6	6						2	
18	18	19	39	34	24	32	17	13	7	3						
5		6	2	2		1										125
23	19	31	21	26	29	25	25	13	6	1		1				
2	2			1	2	1										
25	24	25	20	32	40	33	38	19	24	14	10	1			1	
4	5	3	5	4	4	9	5	1		1		2			2	126
55	63	39	43	37	40	19	23	21	16	14	3	3		1	1	
14	17	4	11	3	4	2	2	1	2	1					1	
1				1												127
699	1,002	1,381	1,992	2,771	3,584	4,920	5,994	6,512	6,190	4,277	2,074	592	95	21	40	
145	270	378	539	734	610	658	653	654	499	361	186	86	29	28	41	
1,201	1,562	2,093	2,492	2,707	2,911	3,908	4,357	4,802	4,457	3,377	1,762	544	105	12	20	
367	520	607	573	608	479	435	390	355	227	180	92	54	26	27	27	
104	140	131	146	155	133	143	147	131	125	67	48	13	1	2	3	
25	38	45	58	65	33	39	27	19	17	13	11	1	1	3	3	128
94	113	117	97	91	119	115	106	90	95	68	41	12			2	
48	55	52	58	57	39	23	15	8	5	5	2	2	1	2	2	
521	770	1,143	1,697	2,370	3,094	4,149	4,971	5,330	5,001	3,378	1,603	444	82	18	31	
97	200	297	422	600	507	539	529	548	409	298	141	72	23	19	31	129
599	846	1,261	1,706	2,152	2,476	3,519	4,034	4,532	4,201	3,170	1,656	514	103	11	17	
180	279	370	405	505	402	397	360	337	211	170	87	51	25	24	19	
								1								130
42	45	50	53	91	87	102	102	91	91	62	36	14				
8	8	15	11	12	17	13	19	14	7	7	6	2	1	1		131
47	50	86	61	76	69	80	68	60	58	50	22	4	1	1	1	
9	7	8	10	7	11	4	8	6	5	3	1					
17	23	21	30	32	42	63	45	39	24	17	7		1		1	
2	3	1	2	3	2	4	2	4	1	1		1		1		132
13	22	24	28	14	30	28	24	11	8	5	3	2				
	1			1	1	1					1					
2	9	6	18	12	20	30	45	80	142	127	71	30	4			
2	6	4	12	9	14	12	8	17	8	10	7	1		1	3	133
1	3	4	6	5	9	14	10	20	27	33	23	7	1			
1		1	1		2	3		2	3					1		
7	6	14	22	23	17	28	18	19	12	6	3				1	
9	10	8	15	7	9	8	4	2	2				1	1	1	134
	2	2	3	1	1			1	1	2	1	1				
1	1	2	1	1								1				
5	7	16	23	82	187	400	659	819	791	615	305	90	7	1	4	135
2	4	8	17	35	28	42	62	50	55	30	21	9	3	2	3	
1	2		3	6	4	5	7	2	4	5	1	1				136
	1		2	3		1	2			2						
52	58	67	68	74	58	45	47	31	27	21	8					137
6	10	11	7	3	3	1	1		1							
228	195	168	130	55	28	6	9	4	2	3						138
51	68	41	15	5	3	1	3									
98	194	295	305	181	79	58	34	34	25	20	8	4				139
56	89	99	67	27	14	3	1	1	1	1					3	
3	9	4	4							1						140
	1		1						1						1	
63	70	63	83	57	42	43	23	19	12	4						141
15	8	22	8	2	4	2	2	1		1	1				2	
3		2	1	1			2		1							142
	1	1														

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VIII.—THE PUERPERAL STATE												
	Females—White	11,327								15	1,037	2,170	2,485
	Colored	2,396								31	486	559	442
143	Accidents of pregnancy:												
	Females—White	1,069								1	51	173	256
	Colored	195								1	18	45	43
144	Puerperal hemorrhage:												
	Females—White	1,175								2	40	141	259
	Colored	190									14	33	40
145	Other accidents of labor:												
	Females—White	1,154									74	170	251
	Colored	312								2	62	52	49
146	Puerperal septicemia:												
	Females—White	4,305								6	458	946	968
	Colored	829								10	152	215	157
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females—White	594									17	106	138
	Colored	63									12	8	17
148	Puerperal albuminuria and convulsions:												
	Females—White	2,971								6	391	625	595
	Colored	795								18	228	204	132
149	Following childbirth (undefined):												
	Females—White	51									5	7	16
	Colored	12										2	4
150	Puerperal diseases of the breast:												
	Females—White	8									1	2	2
	IX.—DISEASES OF THE SKIN AND OF THE CELLULAR TISSUE												
	Males—White	1,576	274	18	11	8	3	314	8	34	49	45	39
	Colored	171	16	3	1	1	2	23	4	2	1	6	2
	Females—White	1,136	181	24	8	3	2	218	16	14	37	46	24
	Colored	172	15	2	1	1	1	20	2	1	2	6	4
151	Gangrene:												
	Males—White	617	18	2	4	2	1	27	3	4	2	5	2
	Colored	89	2		1	1		4					1
	Females—White	450	6	5	3	1	1	16	6	3	2	5	5
	Colored	84	1			1		2	1	1	1	2	1
152	Furuncle:												
	Males—White	334	31	1		1		33	3	13	28	18	19
	Colored	18	1	1				2	1			1	
	Females—White	164	16	2		1	1	20	2	3	16	20	7
	Colored	16		1				1	1				
153	Acute abscess:												
	Males—White	324	76	6	4	3	2	91	2	14	15	19	10
	Colored	40	6	1			2	9	2	2	1	3	1
	Females—White	208	43	12	3	1		59	5	3	11	8	6
	Colored	29	8	1				9			1	2	2
154	Other diseases of the skin and annexa:												
	Males—White	301	149	9	3	2		163		3	4	3	8
	Colored	24	7	1				8	1			2	
	Females—White	314	116	5	2			123	3	5	8	13	6
	Colored	43	6		1		1	8				2	1
	X.—DISEASES OF THE BONES AND OF THE ORGANS OF LOCOMOTION												
	Males—White	759	37	17	17	16	17	104	111	104	59	36	29
	Colored	72	5	5	1	1	1	13	5	2	4	9	8
	Females—White	438	26	15	10	8	11	70	55	54	17	15	16
	Colored	47	3	1	2		1	7	4	7	2	1	2
155	Diseases of the bones (tuberculosis excepted):												
	Males—White	626	27	15	15	15	16	88	102	90	53	33	23
	Colored	49	4	5	1	1	1	12	4	2	3	7	5
	Females—White	332	16	15	10	8	10	59	48	49	10	8	9
	Colored	37	3		2		1	6	4	6	1		2
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males—White	102	9	2	2	1	1	15	7	13	4	3	6
	Colored	17	1					1	1		1	1	3
	Females—White	77	7					7	7	5	7	5	6
	Colored	5		1				1				1	
157	Amputations:												
	Males—White	1											
	Colored	1											
	Females—White	1											
158	Other diseases of the organs of locomotion:												
	Males—White	30	1					1	2	1	2		
	Colored	5										1	
	Females—White	28	3				1	4				2	1
	Colored	5								1	1		
	XI.—MALFORMATIONS												
	Males—White	7,170	6,650	181	59	46	22	6,958	84	45	36	18	11
	Colored	417	371	13	12	2	3	401	9	3	1		2
	Females—White	5,398	4,982	163	57	31	12	5,245	60	40	23	9	2
	Colored	283	242	20	6	1	5	274	3	4	1		
159a	Congenital hydrocephalus:												
	Males—White	649	488	54	18	21	11	592	27	8	10	4	3
	Colored	71	47	8	4	1		60	6	3			2
	Females—White	500	404	40	16	8	4	472	12	8	3	1	1
	Colored	44	31	6	2		3	42		1	1		
159b	Congenital malformations of the heart:												
	Males—White	4,332	4,098	64	31	17	9	4,219	39	30	20	10	6
	Colored	211	200	4	5		2	211					
	Females—White	3,032	2,812	84	27	14	4	2,941	35	21	17	7	1
	Colored	157	140	9	4		2	155	2				
159c	Other congenital malformations:												
	Males—White	2,189	2,064	63	10	8	2	2,147	18	7	6	4	2
	Colored	135	124	1	3	1	1	130	3		1		
	Females—White	1,866	1,766	39	14	9	4	1,832	13	11	3	1	
	Colored	82	71	5		1		77	1	3			

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
2,455	2,102	929	118	3											13	
361	356	119	30	1											11	
276	212	84	14	1											1	143
43	35	7	2												1	
278	281	149	24												1	144
41	42	14	5	1												
271	253	110	24												1	145
50	68	23	4												2	
920	698	278	24	2											5	146
125	114	43	10												3	
132	128	64	9													147
11	8	6	1													
568	521	238	22												5	148
89	87	25	7												5	
9	8	5	1													149
2	2	1	1													
1	1	1														150
45	45	63	63	65	66	83	100	121	153	146	89	37	10		1	
8	5	8	9	15	16	13	12	21	10	11	2	2			1	
32	46	27	41	34	43	52	71	85	100	124	81	37	7	1		
8	5	8	10	10	10	15	9	12	15	13	9	5	1	7		
7	8	8	11	15	20	34	54	85	104	115	73	33	7			
4		5	4	12	8	9	6	12	9	10	2	2			1	151
2	2	3	11	8	15	20	33	52	70	97	63	29	7	1		
3	2	3	3	4	2	9	7	8	11	8	7	4	1	4		
13	12	25	22	26	25	29	23	17	13	12	1	2				
2	2	2			2	1	3	2								152
14	15	9	12	9	5	6	10	7	1	4	4					
2		2		2	3	3			1		1					
18	17	24	21	17	15	12	12	10	12	9	3	1	1		1	
2	3	1	2	3	5	2	1	2	1							153
10	17	10	6	8	13	12	6	11	11	5	5	2				
1	1	1	1	4	3	1	1	1			1					
7	8	6	9	7	6	8	11	9	24	10	12	1	2			
			3		1	1	2	5		1						154
6	12	5	12	9	10	14	22	15	18	18	9	6				
2	2	2	6		2	2	1	3	3	5		1		3		
33	25	40	24	24	41	32	39	19	24	8	6	1				
4	7	5	3	2		2	1	4	2						1	
18	14	19	17	18	20	27	20	16	13	17	7	3	1		1	
2	3	6	1	2	2	3	3			1	1					
25	21	34	20	18	32	22	29	11	15	7	2	1				
2	4	2	3	1			1	2	1							155
15	9	15	10	14	11	21	14	10	8	11	6	3	1		1	
1	2	4	1	2	1	3	2			1	1					
7	4	5	4	3	6	6	6	5	5		3					
2	3	1				2			1						1	156
2	3	2	5	3	6	4	6	3	4	2						
	1	1			1											
					1											157
		1														
						1										
1		1		3	2	4	4	3	4	1	1					
		1		1				2								158
1	2	2	2	1	3	1		3	1	4	1					
1		1					1									
7	3	5		2	1											
1																
4	5	3	3	2	1	1										
		1														
1	1	2		1												
																159a
1	1	1														
4	1	3														
																159b
2	2	1	2	2	1											
2	1			1	1											
1																159c
1	2	1	1			1										
		1														

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XII.—EARLY INFANCY												
	Males—White	29,696	29,696					29,696					
	Colored	3,799	3,799					3,799					
	Females—White	21,785	21,785					21,785					
	Colored	2,909	2,909					2,909					
160	Congenital debility, icterus, sclerema:												
	Males—White	3,529	3,529					3,529					
	Colored	671	671					671					
	Females—White	2,464	2,464					2,464					
	Colored	506	506					506					
161a	Premature birth:												
	Males—White	18,038	18,038					18,038					
	Colored	2,391	2,391					2,391					
	Females—White	14,002	14,002					14,002					
	Colored	1,957	1,957					1,957					
161b	Injury at birth:												
	Males—White	5,640	5,640					5,640					
	Colored	338	338					338					
	Females—White	3,443	3,443					3,443					
	Colored	216	216					216					
162	Other diseases peculiar to early infancy:												
	Males—White	2,433	2,433					2,433					
	Colored	375	375					375					
	Females—White	1,837	1,837					1,837					
	Colored	214	214					214					
163	Lack of care:												
	Males—White	56	56					56					
	Colored	24	24					24					
	Females—White	39	39					39					
	Colored	16	16					16					
164	XIII.—OLD AGE (SENILITY)												
	Males—White	3,688											
	Colored	898											
	Females—White	4,973											
	Colored	1,067											
	XIV.—EXTERNAL CAUSES												
	Males—White	57,304	936	870	815	688	634	3,943	2,812	2,328	3,470	4,375	4,132
	Colored	7,603	216	115	115	102	71	619	212	323	624	1,016	903
	Females—White	20,945	772	583	600	560	506	3,021	1,402	697	957	1,013	943
	Colored	2,622	172	107	96	123	96	594	232	91	182	282	216
	Suicide:												
	Males—White	8,304								18	149	418	533
	Colored	262								1	9	23	32
	Females—White	2,511								14	157	239	257
	Colored	98								1	10	18	18
165	By poisons (gas or corrosives excepted)—												
	Males—White	421									10	31	26
	Colored	8										1	3
	Females—White	244								1	23	27	35
	Colored	7											1
166	By corrosive substances—												
	Males—White	555								2	9	36	46
	Colored	9									1	1	
	Females—White	500								2	60	85	69
	Colored	36								1	2	11	9
167	By poisonous gas—												
	Males—White	1,033									13	36	67
	Colored	22									1	2	2
	Females—White	543									18	39	47
	Colored	6									1	1	
168	By hanging or strangulation—												
	Males—White	1,583								8	26	40	59
	Colored	43									1	1	3
	Females—White	344									1	9	19
	Colored	7										1	1
169	By drowning—												
	Males—White	404									11	20	27
	Colored	21									2	3	7
	Females—White	205									10	13	14
	Colored	8									2		
170	By firearms—												
	Males—White	3,351								8	76	223	254
	Colored	111								1	3	11	16
	Females—White	404								10	41	51	51
	Colored	19									5	1	4
171	By cutting or piercing instruments—												
	Males—White	622										12	23
	Colored	28										2	
	Females—White	107									2	2	7
	Colored	4										1	1
172	By jumping from high places—												
	Males—White	175									2	11	19
	Colored	8											1
	Females—White	103								1	1	11	7
	Colored	6										1	1
173	By crushing—												
	Males—White	88									1	9	3
	Colored	6									1		
	Females—White	24									1	2	4
	Colored	1											
174	By other means—												
	Males—White	72									1		9
	Colored	6										2	
	Females—White	37											4
	Colored	4										2	1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
																160
																161a
																161b
																162
																163
				2	7	34	64	312	675	1,014	887	518	136	34	5	
			1	4	3	21	28	99	109	206	157	133	45	87	5	164
				1	12	33	110	385	749	1,334	1,226	815	229	72	7	
		1		2	7	30	28	110	94	208	169	172	73	167	6	
4,358	4,943	4,378	4,188	3,987	3,392	3,063	2,586	1,975	1,438	1,000	495	200	37	4	200	
847	802	579	419	385	235	191	118	94	62	49	31	8	4	6	76	
904	981	898	863	883	906	959	1,066	1,271	1,312	1,386	966	402	76	15	24	
197	158	108	97	83	50	64	66	51	53	31	27	18	4	11	7	
654	895	867	898	930	834	766	585	371	214	100	34	10	2		26	
34	42	35	17	23	14	15	6	7	3	1						
268	268	279	244	223	201	138	109	58	29	18	5	1			3	
19	6	10	7	3	3	1		1				1				
34	56	40	44	42	41	32	30	18	12	2	2				1	
1		1	1				1									165
27	28	30	20	15	14	10	4	5	3	1	1					
2		2	2													
58	66	55	68	62	43	36	36	19	12	6	1					
1	3	1	2													166
59	60	48	32	33	17	13	13	4	3	2						
7	3	2	1													
71	105	117	109	127	126	103	71	45	21	18	1	2			1	
3	1	4	2	2	2	2		1								167
49	58	69	52	52	64	36	26	17	8	7	1					
2		1				1										
104	159	152	151	177	180	179	149	92	56	26	12	3	1		9	
4	7	4	1	6	4	5	3	3	1							168
26	36	35	44	48	40	30	30	14	8	2	2					
1		2			1							1				
20	40	39	53	46	38	34	29	23	12	8	1				3	
2	3	1	1	1	1											169
25	11	19	24	22	20	20	13	9	3	1					1	
3			1	1	1											
286	354	345	375	365	308	299	210	127	73	29	10	1			8	
19	15	16	8	9	2	6	1	2	1	1						170
49	48	45	43	26	19	10	5	3		1					2	
2	2	2	1	2												
42	74	77	74	75	66	63	46	36	18	8	3	3	1		1	
3	5	4	1	4	4	2	1	1	1							171
10	10	22	12	9	13	9	4	4	1	2						
	1		1													
17	21	27	9	15	17	13	6	7	4	3	3	1				
	4	2	1													172
18	10	8	10	13	10	4	4	1	2	1	1	1				
1		1			1			1								
10	13	11	9	12	8	2	6	2	1						1	
1	2	1		1												173
3	3	2	1	2	1	2	2	1								
1																
12	7	4	6	9	7	5	2	2	5		1				2	
	2	1			1											174
2	4	1	6	3	3	4	8		1	1						
			1													

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—EXTERNAL CAUSES—Continued												
	Homicide:												
	Males—White	3,431	62	8	5	5	6	86	21	28	170	408	500
	Colored	2,422	11	3	1	1		16	4	29	141	458	437
	Females—White	950	62	6	4	7	7	86	15	13	87	149	136
	Colored	526	10			3		13	3	5	70	129	94
197	By firearms—												
	Males—White	2,560	1	2	2	2	1	8	12	16	131	351	417
	Colored	1,867	1	1	1	1		4	4	18	101	352	367
	Females—White	459	2		2	3	2	9	5	7	45	74	62
	Colored	342				1		1		5	45	87	67
198	By cutting or piercing instruments—												
	Males—White	294	1		1		1	3	1	4	25	32	43
	Colored	352		1				1		6	29	85	53
	Females—White	75	4		1	1	1	7		1	5	12	7
	Colored	106	1			1		2			18	29	20
199	By other means—												
	Males—White	577	60	6	2	3	4	75	8	8	14	25	40
	Colored	203	10	1				11		5	11	21	17
	Females—White	416	56	6	1	3	4	70	10	5	37	63	67
	Colored	78	9			1		10	3		7	13	7
	Accidental or undefined:												
	Males—White	45,569	874	862	810	683	628	3,857	2,791	2,282	3,151	3,549	3,099
	Colored	4,919	205	112	114	101	71	603	208	293	474	535	434
	Females—White	17,484	710	577	596	553	499	2,935	1,387	670	713	625	550
	Colored	1,998	162	107	96	120	96	581	229	85	102	135	104
175	Poisoning by food—												
	Males—White	356	29	29	21	19	11	109	24	11	17	8	13
	Colored	66	10	4	2	1		17		3	2	4	4
	Females—White	310	48	33	14	10	11	116	13	8	15	14	13
	Colored	55	5	5	4	2		16	5	1	2	5	4
176	Poisoning by venomous animals—												
	Males—White	30	7	1		1	3	12			3	1	3
	Colored	5			1			1					
	Females—White	13	1	2	1			4	2	1	1	2	
	Colored	5	1					1	1		1		1
177	Other acute poisonings (gas excepted)—												
	Males—White	779	36	115	58	24	19	252	11	11	11	28	35
	Colored	112	6	21	17	4	5	53	6	2	6	7	5
	Females—White	479	25	84	51	14	7	181	11	2	22	45	43
	Colored	66		19	9	2	2	32	1	1	2	8	3
178	Conflagration—												
	Males—White	767	30	26	34	31	30	151	52	38	22	36	45
	Colored	141	14	6	8	12	3	43	9	8	11	7	7
	Females—White	455	23	27	22	30	16	118	50	42	17	17	25
	Colored	124	7	4	8	6	10	35	14	10	3	9	4
179	Burns (conflagration excepted)—												
	Males—White	2,151	80	287	318	207	113	1,005	147	55	80	82	100
	Colored	422	32	48	53	42	27	202	28	14	15	23	18
	Females—White	2,869	92	178	272	297	228	1,067	385	98	102	79	85
	Colored	750	22	39	52	86	70	269	130	30	36	34	23
180	Mechanical suffocation—												
	Males—White	557	342	6	2	3	3	356	15	18	13	15	23
	Colored	114	82	2			1	85	1	1	3	3	4
	Females—White	301	208	10			1	279	1	2	1	1	2
	Colored	67	66					66					1
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males—White	1,683	8	9	9	5	7	38	17	22	43	101	87
	Colored	90	2		1	1		4	1		4	7	11
	Females—White	625	15	10	5	4	4	38	13	8	20	44	25
	Colored	29	2					2	2	1	2	2	3
182	Drowning—												
	Males—White	4,777	16	114	86	63	55	334	508	541	689	555	300
	Colored	630	4	7	3	3	3	20	22	87	138	110	51
	Females—White	637	15	60	40	14	14	143	70	100	87	48	21
	Colored	69	1	12	3	5		21	7	4	14	6	6
183	Traumatism by firearms (except in war)—												
	Males—White	1,545	2	5	6	22	18	53	90	227	361	216	108
	Colored	423		2	3	7	6	18	29	41	96	76	40
	Females—White	196	2	4	13	11	8	38	37	26	24	16	11
	Colored	88		1	2	3	1	7	12	6	16	20	8
184	Traumatism by cutting or piercing instruments—												
	Males—White	365	15	9	9	4	3	40	24	20	20	12	12
	Colored	62	3				2	5	2	2	3	7	7
	Females—White	125	3	5	6	2	2	18	11	5	1	5	4
	Colored	15				1		1	1			1	
185	Traumatism by fall—												
	Males—White	6,167	67	77	66	36	32	278	160	162	154	207	220
	Colored	332	15	12	6	3	2	38	8	20	14	16	25
	Females—White	5,421	38	52	41	27	24	182	96	42	34	28	32
	Colored	179	15	7	4	5	3	34	5	7	4	5	7
186a	Traumatism in mines—												
	Males—White	1,977							1	5	115	217	246
	Colored	95									1	15	12
	Females—White	4			1	1		2		2			
186b	Traumatism in quarries—												
	Males—White	89								1	13	11	6
	Colored	12									1	1	1
187	Traumatism by machines—												
	Males—White	1,605	1	7	6	9	3	26	15	42	138	178	152
	Colored	193							2	5	28	25	17
	Females—White	48	1			3	1	5	2	6	2	4	3
	Colored	9							2	2		1	
188a	Railroad accidents—												
	Males—White	4,665	14	15	10	6	14	59	104	123	306	465	431
	Colored	511			1		3	4	3	13	40	79	67
	Females—White	738	8	10	13	9	7	47	34	45	76	56	61
	Colored	45		1			1	2	1	2	1	5	2
188b	Street-car accidents—												
	Males—White	1,124	4	2	9	15	13	43	31	22	45	68	88
	Colored	64			3	1		4	3	6	4	4	8
	Females—White	343	1	4	6	14	9	34	21	9	13	21	10
	Colored	27	1		1	2	1	5	4		2	2	1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
507	455	382	262	213	158	93	66	41	14	7		1	1		18	
439	358	210	118	91	42	28	16	11	1	1	1				21	
127	116	78	50	28	20	14	15	4	5	3					4	
94	62	24	14	7	1	2	3	2	1						2	
401	349	286	193	151	109	59	33	24	7	2					11	
341	288	160	87	61	32	17	12	7	1						15	197
64	65	46	33	20	13	6	3	2	3	1					1	
68	34	17	10	4			2								2	
51	42	27	19	14	13	3	5	4	2	3			1		2	
57	45	32	20	13	5	3		2							1	198
5	8	8	9	4	3	2	4									
15	14	3	2	1	1	1										
55	64	69	50	48	36	31	28	13	5	2		1			5	
41	25	18	11	17	5	8	4	2		1	1				5	199
58	43	24	8	4	4	6	8	2	2	2					3	
11	14	4	2	2		1	1	2	1							
3,197	3,593	3,129	3,028	2,844	2,400	2,204	1,935	1,563	1,210	893	461	189	34	4	156	
374	402	334	284	271	179	148	96	76	58	47	30	8	4	6	55	
509	597	541	569	632	685	807	942	1,209	1,278	1,365	961	401	76	15	17	
84	90	74	76	73	46	61	63	48	52	31	27	17	4	11	5	
10	14	17	9	25	14	17	17	23	11	12	4	1				
3	4	6	9	2	4	3	3		1	1						175
14	16	12	7	11	13	12	12	12	12	2	3	3	1		1	
3	4	2	5	3		2	1	1	1							
1	2	2	1	1	1		1		1		1					
		3						1								176
	1					1	1							1		
39	78	70	64	53	38	30	25	14	6	6	3	3			2	
5	3	8	1	4	7	2		2			1					177
44	32	19	23	15	10	9	8	8	3	1	2				1	
5	5	2	1	1	2	2			1							
45	60	56	44	52	34	31	25	29	15	12	5	2			13	
6	6	6	5	7	4	3	1	2	4	3	7	1		1		178
13	20	17	17	16	9	13	12	19	20	19	6	5				
8	3	3	1	3	3	7	6	5	3	2	2	1		2		
92	100	81	54	71	64	43	58	45	30	21	14	4	3		2	
19	18	10	10	13	8	10	5	11	8		4			4	2	179
94	87	74	91	89	64	95	106	105	96	80	55	14	1		2	
18	24	15	20	19	15	14	23	18	21	15	9	5	3	7	2	
23	17	21	17	17	7	5	6	1	3							
2	4	3	3	2	1		1		1							180
	2	2	3	1	1	2	1	1	1	1						
112	141	164	177	172	158	162	119	71	49	35	12	2			1	
6	13	12	9	12	4	2	1	2	2							181
21	40	44	41	40	42	52	47	47	45	40	12	6				
1	1	4	3	1			2	1	1	1	2					
310	345	271	256	212	149	112	74	38	23	14	4	2			40	
44	35	32	26	17	12	4	2	5	8	3	1	3			13	182
28	25	22	19	17	18	10	12	8		2	4				3	
4	2	2		1				1	1							
107	83	74	64	60	32	26	24	11	4	1	1				3	
31	31	21	12	10	5	7	2	1	1		1				1	183
10	5	11	5	1	8	1	2		1							
5	7	4	1	1											1	
18	23	31	24	33	24	33	15	17	12	3	2				2	
3	6	8	5	3	5	3		2				1				184
6	6	7	7	7	17	9	3	5	8	4	1	1				
1	2	2		1		3	2								1	
292	367	393	411	395	381	417	403	443	501	481	319	148	27	4	4	
31	23	25	28	22	16	18	20	7	4	6	6	2	2		1	185
26	45	55	74	125	176	240	402	688	894	1,060	807	333	71	9	2	
9	5	6	11	10	8	13	6	14	14	6	7	6	1	1		
278	354	213	213	142	82	52	32	9	2						16	
19	10	10	10	6	4	4	1	1							2	186a
6	8	12	13	6	6	1	1	4	1							
4	2		2												1	186b
162	162	153	130	121	131	85	57	32	14	6	1				2	
21	23	25	12	20	6	2	3	1		1					2	187
1	6	3	3	2	5	2	1	1	1	1						
	1	3														
451	502	416	398	343	300	270	195	125	74	39	14	7	1		42	
55	63	43	32	27	20	21	7	12	6	5	2		1		11	188a
50	58	41	49	48	44	34	34	36	11	9	3	1		1		
3	4	6	5	5		2	3	1	1		2					
103	87	91	79	102	84	84	63	54	42	26	9	2			1	
4	7	3	3	5	3	2	5	1	1	1						188b
11	18	21	12	20	23	36	33	30	9	15	5				2	
2	2		1	2	3	2	1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—EXTERNAL CAUSES—Continued												
	Accidental or undefined—Continued.												
188c	Automobile accidents—												
	Males—White	9,916	46	53	99	169	246	613	1,302	644	650	757	658
	Colored	789	2	2	6	19	13	42	70	48	58	72	70
	Females—White	3,604	23	35	68	85	134	345	540	200	265	204	183
	Colored	236	3		5	5	4	17	33	6	12	21	28
188d	Airplane and balloon accidents—												
	Males—White	124							3		8	34	37
	Females—White	8									1	4	2
188e, 188f	Injuries by other vehicles—												
	Males—White	1,149	3	8	9	15	24	59	76	100	98	75	68
	Colored	105				1	2	3	1	6	3	7	8
	Females—White	123	3	5	5	6	7	26	18	9	6	4	5
	Colored	16	1	1	1	1	1	5	1				1
188g	Landslide, other crushing—												
	Males—White	586	1	2	1	3	4	11	26	8	31	66	48
	Colored	66	2					2	2	1	5	6	6
	Females—White	29		2	1	3	2	8	6	3		2	1
	Colored	11		2	1		1	4		2	1		1
189	Injuries by animals (not poisoning)—												
	Males—White	450	3	2	8	13	4	30	36	23	30	16	20
	Colored	45	1		1	2	2	6	5	5	3	3	3
	Females—White	41		2		3	3	8	3	4		2	1
	Colored	3								1	1		
190	Wounds of war—												
	Males—White	5											1
	Colored	1											1
192	Starvation (deprivation of food or water)—												
	Males—White	9											
	Colored	3											
	Females—White	2											
193	Excessive cold—												
	Males—White	203	6		1			7			2	7	5
	Colored	42	2					2		1	2	1	6
	Females—White	35	2					2					1
	Colored	20	4					4		1		1	1
194	Excessive heat—												
	Males—White	226	19	1	5	2		27			5	8	14
	Colored	51	1					1		2	2	4	4
	Females—White	77	16					16	4		1	3	2
	Colored	22	3	3	1			7		1	1		2
195	Lightning—												
	Males—White	196		1			1	2	11	20	28	18	16
	Colored	29								3	2	6	5
	Females—White	37	1			1		2	2	5	2	3	1
	Colored	17							2	4		4	1
196	Other accidental electric shocks—												
	Males—White	844		3		1	4	8	17	40	74	148	153
	Colored	32								4	5	7	2
	Females—White	24					2	2	4	3	3		
	Colored	1			1			1					
201	Fracture (cause not specified)—												
	Males—White	370	1		1		3	5	4	9	17	26	22
	Colored	51				1		1	1		1	7	6
	Females—White	258	3		1	1		5	4	2	1	3	
	Colored	16	1					1	1		2		1
202	Other external violence—												
	Males—White	2,838	144	89	52	35	18	338	116	140	178	194	187
	Colored	433	29	8	9	4	2	52	15	21	27	38	46
	Females—White	682	122	54	36	18	19	249	60	48	19	20	19
	Colored	128	30	13	4	2	2	51	7	6	2	11	6
203	Violent deaths of unknown causation—												
	Males—White	16		1				1	1			2	1
	XV.—ILL-DEFINED DISEASES												
	Males—White	4,692	1,861	156	54	25	19	2,115	45	31	52	40	46
	Colored	3,629	1,515	170	40	37	15	1,777	56	41	46	86	61
	Females—White	3,193	1,372	132	49	9	15	1,577	41	27	25	40	37
	Colored	3,340	1,218	180	47	38	22	1,505	52	41	85	124	124
204	Sudden death:												
	Males—White	525	98	7	1	1		107	1	3	6	3	4
	Colored	222	37	3	2	1		43	3	1		7	3
	Females—White	303	76	2	3	1	2	84	1	1	1	7	6
	Colored	218	38	4	3		3	48	4	1	2	3	12
205a	Ill-defined:												
	Males—White	1,530	284	83	26	13	8	414	20	13	17	13	15
	Colored	792	158	78	11	8	2	257	10	17	6	13	13
	Females—White	992	226	90	15	4	7	342	16	11	8	13	13
	Colored	726	111	71	13	12	8	215	14	11	16	31	27
205b	Not specified or unknown:												
	Males—White	2,637	1,479	66	27	11	11	1,594	24	15	29	24	27
	Colored	2,615	1,320	89	27	28	13	1,477	43	23	40	66	45
	Females—White	1,898	1,070	40	31	4	6	1,151	24	15	16	20	18
	Colored	2,396	1,069	105	31	26	11	1,242	34	29	67	90	85

NOTE.—For populations, see Table I. For States included, see Table A.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
624	652	585	574	595	502	472	480	365	254	134	37	9	1		8	
60	71	58	60	57	27	25	23	13	8	14	3				10	
143	187	162	163	195	209	242	206	180	111	49	14	4			2	188c
18	18	17	11	16	10	9	10	2	4	1	2	1				
19	17	2	2	1		1										188d
1																
46	80	55	64	68	67	90	82	77	29	10	3		1		1	
4	6	7	6	13	11	14	5	3	5	1	1				1	188e
4	3	7	4	4	8	3	7	7	3	2	3					188f
	1		1	1	1	3		1		1						
65	69	57	54	53	36	29	20	6	4	2					1	
2	10	7	6	7	3	5		1	1						2	188g
1		1	1	1	1	1	2		1							
	2			1												
11	20	26	29	42	26	33	38	32	25	8	5					
1	2	4	1	1	2	3	2			1	1	1			1	189
		2	6	1	3	5	2		3			1				
										1						
1	2	1														190
1		1	1	1	1	1		2		1						
							1		2							192
							2									
4	13	22	23	17	19	18	22	14	12	14	2	1			1	
2		2	5	4	5	1	2		2	4			1		2	
	2	1	5		3	2		4	6	3	2	1	1		2	193
		2	2		1		2	1	1	1	1	1			1	
9	17	12	25	17	17	15	16	15	17	7	3	1	1			
2	10	6	4	5	5	2	2	1			1					194
	4	2	2	9	4	2	3	9	7	4	4			1		
	1	2	5	3												
18	19	12	16	7	15	7	2	3	1		1					
2	3	3	2	2						1						195
5	6	3	4	1	1	1		1								
1	2		1	1			1									
108	105	71	49	33	14	12	5	2	2						3	
3	4	2	1	2		1	1									196
1		3		3	2	2			1							
16	26	23	32	25	26	21	20	26	17	31	15	6			3	
3	10	6	3	2	2		2		2	2	1			1	1	
4	2	3	4	7	9	13	17	29	32	55	33	28	2	3	2	201
1				1	1		1	1	2	2	1	1				
226	229	197	202	177	171	137	133	104	61	30	6	1			11	
42	38	24	29	28	25	16	7	10	5	4	1				5	
32	32	29	29	19	15	20	29	19	13	18	7	4		1		202
5	6	4	8	3	2	4	5	2	2	1	1	2				
	1		3	3	1		2	1								203
68	97	112	144	161	218	285	358	346	258	150	82	33	8	2	41	
69	86	85	132	151	100	147	151	179	152	134	73	26	19	23	35	
59	59	76	67	97	93	135	162	195	208	151	79	35	9	5	16	
76	135	112	109	127	99	114	119	129	100	93	65	50	12	42	27	
12	16	11	26	21	43	56	56	72	45	25	9	5			4	
5	12	8	19	18	12	18	15	19	11	7	8	3	2	3	5	204
6	9	10	11	10	13	19	28	27	29	25	12	2	1		1	
8	11	12	9	25	11	11	17	13	14	7	6	2			2	
25	35	38	64	76	105	139	195	139	110	57	34	11	3		7	
20	26	30	53	55	32	60	40	62	41	28	14	4	4	1	6	205a
22	30	31	23	50	50	64	62	76	95	51	16	13	2		4	
25	39	46	32	40	30	41	34	39	33	15	17	10	3	6	2	
31	46	63	54	64	70	90	107	135	103	68	39	17	5	2	30	
44	48	47	60	78	56	69	96	98	100	99	51	19	13	19	24	205b
31	20	35	33	37	30	52	72	92	84	75	51	20	6	5	11	
43	85	54	68	62	58	62	68	77	53	71	42	38	9	36	23	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924

[Population and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)						
BOTH SEXES						
All ages	1,081,805	946,219	135,586			
Adjusted rate				1,134.8	1,062.7	1,996.4
Crude rate				1,190.4	1,134.0	1,822.5
Under 1 year	147,677	125,246	22,431	8,230.8	7,623.6	14,823.0
1 to 4 years	53,032	44,027	9,005	683.8	615.9	1,483.5
Under 5 years	200,709	169,273	31,436	2,101.7	1,925.4	4,145.5
5 to 9 years	21,014	18,494	2,520	220.5	212.8	299.5
10 to 14 years	16,197	13,608	2,589	183.2	169.8	313.0
15 to 19 years	26,141	20,169	5,972	348.4	297.2	332.6
20 to 24 years	34,619	25,993	8,626	461.5	384.0	1,179.0
25 to 34 years	72,782	57,736	15,046	488.4	420.5	1,283.8
35 to 44 years	91,012	74,562	16,450	719.7	643.9	1,543.3
45 to 54 years	115,074	97,920	17,154	1,196.6	1,103.2	2,314.3
55 to 64 years	145,343	132,292	13,051	2,368.6	2,275.0	4,063.8
65 to 74 years	174,333	163,288	11,045	5,495.4	5,441.2	6,443.3
75 years and over	183,196	172,090	11,106	13,327.8	13,270.1	14,290.5
Unknown	1,385	794	591			
MALES						
All ages	582,993	511,480	71,513			
Adjusted rate				1,217.5	1,146.9	2,049.5
Crude rate				1,265.3	1,208.5	1,906.0
Under 1 year	84,294	71,736	12,558	9,295.6	8,622.9	16,767.7
1 to 4 years	28,608	23,844	4,764	728.7	658.1	1,575.3
Under 5 years	112,902	95,580	17,322	2,336.3	2,145.3	4,591.0
5 to 9 years	11,479	10,231	1,248	238.7	233.1	297.0
10 to 14 years	8,969	7,698	1,271	201.3	190.3	309.1
15 to 19 years	13,310	10,639	2,671	358.9	316.0	781.4
20 to 24 years	16,979	12,854	4,125	472.9	395.4	1,216.4
25 to 34 years	37,038	29,517	7,521	497.7	428.5	1,358.4
35 to 44 years	50,657	42,047	8,610	771.6	698.8	1,570.9
45 to 54 years	65,073	55,719	9,354	1,268.3	1,187.3	2,136.1
55 to 64 years	81,831	74,641	7,190	2,540.8	2,457.8	3,910.8
65 to 74 years	95,018	88,968	6,050	5,873.2	5,835.2	6,494.2
75 years and over	88,864	83,057	5,807	13,878.8	13,781.6	15,435.1
Unknown	873	529	344			
FEMALES						
All ages	498,812	434,739	64,073			
Adjusted rate				1,060.1	986.6	1,947.9
Crude rate				1,113.3	1,057.3	1,737.6
Under 1 year	63,383	53,510	9,873	7,142.6	6,598.4	12,917.4
1 to 4 years	24,424	20,183	4,241	637.7	572.5	1,392.4
Under 5 years	87,807	73,693	14,114	1,861.3	1,699.4	3,704.3
5 to 9 years	9,535	8,263	1,272	202.0	192.2	302.1
10 to 14 years	7,228	5,910	1,318	164.8	148.9	316.7
15 to 19 years	12,831	9,530	3,301	338.2	278.7	879.3
20 to 24 years	17,640	13,139	4,501	451.0	373.4	1,146.7
25 to 34 years	35,744	28,219	7,525	479.2	412.5	1,216.9
35 to 44 years	40,355	32,515	7,840	663.7	584.6	1,514.1
45 to 54 years	50,001	42,201	7,800	1,114.5	1,008.9	2,571.6
55 to 64 years	63,512	57,651	5,861	2,178.4	2,075.1	4,268.7
65 to 74 years	79,315	74,320	4,995	5,102.2	5,034.3	6,382.7
75 years and over	94,332	89,033	5,299	12,847.3	12,826.0	13,216.4
Unknown	512	265	247			
TYPHOID AND PARATYPHOID FEVER						
BOTH SEXES						
All ages	5,717	4,092	1,625			
Adjusted rate				6.4	5.0	21.6
Crude rate				6.3	4.9	21.8
Under 1 year	38	24	14	2.1	1.5	9.3
1 to 4 years	232	150	82	3.0	2.1	13.5
Under 5 years	270	174	96	2.8	2.0	12.7
5 to 9 years	399	236	163	4.2	2.7	19.4
10 to 14 years	612	384	228	6.9	4.8	27.6
15 to 19 years	975	642	333	13.0	9.5	46.4
20 to 24 years	858	601	257	11.4	8.9	35.1
25 to 34 years	915	697	218	6.1	5.1	18.6
35 to 44 years	701	548	153	5.5	4.7	14.4
45 to 54 years	518	415	103	5.4	4.7	13.9
55 to 64 years	263	223	40	4.3	3.8	12.5
65 to 74 years	157	140	17	4.9	4.7	9.9
75 years and over	38	27	11	2.8	2.1	14.2
Unknown	11	5	6			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TYPHOID AND PARATYPHOID FEVER—continued						
MALES						
All ages	3,222	2,388	834			
Adjusted rate				7.2	5.8	22.6
Crude rate				7.0	5.6	22.2
Under 1 year	25	17	8	2.8	2.0	10.7
1 to 4 years	101	63	38	2.6	1.7	12.6
Under 5 years	126	80	46	2.6	1.8	12.2
5 to 9 years	197	125	72	4.1	2.8	17.1
10 to 14 years	290	190	100	6.5	4.7	24.3
15 to 19 years	521	356	165	14.0	10.6	48.3
20 to 24 years	498	370	128	13.9	11.4	37.7
25 to 34 years	515	388	127	6.9	5.6	22.9
35 to 44 years	444	358	86	6.8	5.9	15.7
45 to 54 years	322	260	62	6.3	5.5	14.2
55 to 64 years	172	147	25	5.3	4.8	13.6
65 to 74 years	112	99	13	6.9	6.5	14.0
75 years and over	19	13	6	3.0	2.2	15.9
Unknown	6	2	4			
FEMALES						
All ages	2,495	1,704	791			
Adjusted rate				5.7	4.3	20.8
Crude rate				5.6	4.1	21.5
Under 1 year	13	7	6	1.5	0.9	7.9
1 to 4 years	131	87	44	3.4	2.5	14.4
Under 5 years	144	94	50	3.1	2.2	13.1
5 to 9 years	202	111	91	4.3	2.6	21.6
10 to 14 years	322	194	128	7.3	4.9	30.8
15 to 19 years	454	286	168	12.0	8.4	44.7
20 to 24 years	360	231	129	9.2	6.6	32.9
25 to 34 years	400	309	91	5.4	4.5	14.7
35 to 44 years	257	190	67	4.2	3.4	12.9
45 to 54 years	196	155	41	4.4	3.7	13.5
55 to 64 years	91	76	15	3.1	2.7	10.9
65 to 74 years	45	41	4	2.9	2.8	5.1
75 years and over	19	14	5	2.6	2.0	12.5
Unknown	5	3	2			
MEASLES						
BOTH SEXES						
All ages	7,142	6,020	1,122			
Adjusted rate				8.4	7.7	16.2
Crude rate				7.9	7.2	15.1
Under 1 year	1,739	1,417	322	96.9	86.3	212.8
1 to 4 years	3,385	2,924	461	43.6	40.9	75.9
Under 5 years	5,124	4,341	783	53.7	49.4	103.3
5 to 9 years	742	636	106	7.8	7.3	12.6
10 to 14 years	282	209	73	3.2	2.6	8.8
15 to 19 years	284	196	88	3.8	2.9	12.3
20 to 24 years	128	98	30	1.7	1.4	4.1
25 to 34 years	150	131	19	1.0	1.0	1.6
35 to 44 years	145	132	13	1.1	1.1	1.2
45 to 54 years	97	94	3	1.0	1.1	0.4
55 to 64 years	76	74	2	1.2	1.3	0.6
65 to 74 years	70	69	1	2.2	2.3	0.6
75 years and over	36	35	1	2.6	2.7	1.3
Unknown	8	5	3			
MALES						
All ages	3,674	3,095	579			
Adjusted rate				8.6	7.9	17.0
Crude rate				8.0	7.3	15.4
Under 1 year	972	794	178	107.2	95.4	237.7
1 to 4 years	1,821	1,571	250	46.4	43.4	82.7
Under 5 years	2,793	2,365	428	57.8	53.1	113.4
5 to 9 years	369	318	51	7.7	7.2	12.1
10 to 14 years	119	89	30	2.7	2.2	7.3
15 to 19 years	141	94	47	3.8	2.8	13.8
20 to 24 years	60	51	9	1.7	1.6	2.7
25 to 34 years	42	38	4	0.6	0.6	0.7
35 to 44 years	44	39	5	0.7	0.6	0.9
45 to 54 years	33	32	1	0.6	0.7	0.2
55 to 64 years	34	33	1	1.1	1.1	0.5
65 to 74 years	21	21		1.3	1.4	
75 years and over	12	11	1	1.9	1.8	2.7
Unknown	6	4	2			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
MEASLES—continued						
FEMALES						
All ages	3,468	2,925	543			
Adjusted rate				8.2	7.5	15.4
Crude rate				7.7	7.1	14.7
Under 1 year	767	623	144	86.4	76.8	188.4
1 to 4 years	1,564	1,353	211	40.8	38.4	69.3
Under 5 years	2,331	1,976	355	49.4	45.6	93.2
5 to 9 years	373	318	55	7.9	7.4	13.1
10 to 14 years	163	120	43	3.7	3.0	10.3
15 to 19 years	143	102	41	3.8	3.0	10.9
20 to 24 years	68	47	21	1.7	1.3	5.4
25 to 34 years	108	93	15	1.4	1.4	2.4
35 to 44 years	101	93	8	1.7	1.7	1.5
45 to 54 years	64	62	2	1.4	1.5	0.7
55 to 64 years	42	41	1	1.4	1.5	0.7
65 to 74 years	49	48	1	3.2	3.3	1.3
75 years and over	24	24		3.3	3.5	
Unknown	2	1	1			
SCARLET FEVER						
BOTH SEXES						
All ages	2,915	2,863	52			
Adjusted rate				3.4	3.7	0.7
Crude rate				3.2	3.4	0.7
Under 1 year	124	120	4	6.9	7.3	2.6
1 to 4 years	1,181	1,163	18	15.2	16.3	3.0
Under 5 years	1,305	1,283	22	13.7	14.6	2.3
5 to 9 years	738	727	11	7.7	8.4	1.6
10 to 14 years	262	252	10	3.0	3.1	1.2
15 to 19 years	157	155	2	2.1	2.3	0.3
20 to 24 years	145	141	4	1.9	2.1	0.5
25 to 34 years	190	187	3	1.3	1.4	0.3
35 to 44 years	69	69		0.5	0.6	
45 to 54 years	32	32		0.3	0.4	
55 to 64 years	9	9		0.1	0.2	
65 to 74 years	5	5		0.2	0.2	
75 years and over	2	2		0.1	0.2	
Unknown	1	1				
MALES						
All ages	1,384	1,365	19			
Adjusted rate				3.2	3.4	0.5
Crude rate				3.0	3.2	0.5
Under 1 year	72	69	3	7.9	8.3	4.0
1 to 4 years	623	615	8	15.9	17.0	2.6
Under 5 years	695	684	11	14.4	15.4	2.9
5 to 9 years	360	357	3	7.5	8.1	0.7
10 to 14 years	122	119	3	2.7	2.9	0.7
15 to 19 years	59	58	1	1.6	1.7	0.3
20 to 24 years	35	34	1	1.0	1.0	0.3
25 to 34 years	60	60		0.8	0.9	
35 to 44 years	28	28		0.4	0.5	
45 to 54 years	15	15		0.3	0.3	
55 to 64 years	6	6		0.2	0.2	
65 to 74 years	3	3		0.2	0.2	
75 years and over	1	1		0.2	0.2	
Unknown						
FEMALES						
All ages	1,531	1,498	33			
Adjusted rate				3.6	3.9	0.9
Crude rate				3.4	3.6	0.9
Under 1 year	52	51	1	5.9	6.3	1.3
1 to 4 years	558	548	10	14.6	15.5	3.3
Under 5 years	610	599	11	12.9	13.8	2.9
5 to 9 years	378	370	8	8.0	8.6	1.9
10 to 14 years	140	133	7	3.2	3.4	1.7
15 to 19 years	98	97	1	2.6	2.8	0.3
20 to 24 years	110	107	3	2.8	3.0	0.8
25 to 34 years	130	127	3	1.7	1.9	0.5
35 to 44 years	41	41		0.7	0.7	
45 to 54 years	17	17		0.4	0.4	
55 to 64 years	3	3		0.1	0.1	
65 to 74 years	2	2		0.1	0.1	
75 years and over	1	1		0.1	0.1	
Unknown	1	1				

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
WHOOPING COUGH						
BOTH SEXES						
All ages	7,358	5,651	1,707			
Adjusted rate				8.8	7.3	25.5
Crude rate				8.1	6.8	22.9
Under 1 year	4,366	3,442	924	243.3	209.5	610.6
1 to 4 years	2,681	1,982	699	34.6	27.7	115.2
Under 5 years	7,047	5,424	1,623	73.8	61.7	214.0
5 to 9 years	228	166	62	2.4	1.9	7.4
10 to 14 years	36	28	8	0.4	0.3	1.0
15 to 19 years	15	8	7	0.2	0.1	1.0
20 to 24 years	5	4	1	0.1	0.1	0.1
25 to 34 years	4	3	1	(1)	(1)	0.1
35 to 44 years	5	3	2	(1)	(1)	0.2
45 to 54 years	1	1		(1)	(1)	
55 to 64 years	3	2	1	(1)	(1)	0.3
65 to 74 years	3	3		0.1	0.1	
75 years and over	5	5		0.4	0.4	
Unknown	6	4	2			
MALES						
All ages	3,452	2,637	815			
Adjusted rate				8.1	6.7	24.5
Crude rate				7.5	6.2	21.7
Under 1 year	2,128	1,680	448	234.7	201.9	598.2
1 to 4 years	1,183	853	330	30.1	23.5	109.1
Under 5 years	3,311	2,533	778	68.5	56.9	206.2
5 to 9 years	106	75	31	2.2	1.7	7.4
10 to 14 years	20	18	2	0.4	0.4	0.5
15 to 19 years	2	2		0.1	0.1	
20 to 24 years	2	1	1	0.1	(1)	0.3
25 to 34 years	2	2		(1)	(1)	
35 to 44 years	1		1	(1)		0.2
45 to 54 years						
55 to 64 years	1		1	(1)		0.5
65 to 74 years	1	1		0.1	0.1	
75 years and over	3	3		0.5	0.5	
Unknown	3	2	1			
FEMALES						
All ages	3,906	3,014	892			
Adjusted rate				9.4	7.9	26.5
Crude rate				8.7	7.3	24.2
Under 1 year	2,238	1,762	476	252.2	217.3	622.8
1 to 4 years	1,498	1,129	369	39.1	32.0	121.2
Under 5 years	3,736	2,891	845	79.2	66.7	221.8
5 to 9 years	122	91	31	2.6	2.1	7.4
10 to 14 years	16	10	6	0.4	0.3	1.4
15 to 19 years	13	6	7	0.3	0.2	1.9
20 to 24 years	3	3		0.1	0.1	
25 to 34 years	2	1	1	(1)	(1)	0.2
35 to 44 years	4	3	1	0.1	0.1	0.2
45 to 54 years	1	1		(1)	(1)	
55 to 64 years	2	2		0.1	0.1	
65 to 74 years	2	2		0.1	0.1	
75 years and over	2	2		0.3	0.3	
Unknown	3	2	1			
DIPHTHERIA						
BOTH SEXES						
All ages	8,726	8,213	513			
Adjusted rate				10.2	10.5	7.3
Crude rate				9.6	9.8	6.9
Under 1 year	643	553	90	35.8	33.7	59.5
1 to 4 years	4,378	4,153	225	56.4	58.1	37.1
Under 5 years	5,021	4,706	315	52.6	53.5	41.5
5 to 9 years	2,407	2,284	123	25.3	26.3	14.6
10 to 14 years	612	589	23	6.9	7.3	2.8
15 to 19 years	180	170	10	2.4	2.5	1.4
20 to 24 years	98	88	10	1.3	1.3	1.4
25 to 34 years	161	144	17	1.1	1.0	1.5
35 to 44 years	107	100	7	0.8	0.9	0.7
45 to 54 years	67	63	4	0.7	0.7	0.5
55 to 64 years	48	46	2	0.8	0.8	0.6
65 to 74 years	10	10		0.3	0.3	
75 years and over	10	9	1	0.7	0.7	1.3
Unknown	5	4	1			

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIPHTHERIA—continued						
MALES						
All ages	4,506	4,261	245			
Adjusted rate				10.4	10.8	7.0
Crude rate				9.8	10.1	6.5
Under 1 year	372	325	47	41.0	39.1	62.8
1 to 4 years	2,372	2,259	113	60.4	62.3	37.4
Under 5 years	2,744	2,584	160	56.8	58.0	42.4
5 to 9 years	1,179	1,123	56	24.5	25.6	13.3
10 to 14 years	318	309	9	7.1	7.6	2.2
15 to 19 years	82	80	2	2.2	2.4	0.6
20 to 24 years	38	34	4	1.1	1.0	1.2
25 to 34 years	59	52	7	0.8	0.8	1.3
35 to 44 years	36	32	4	0.5	0.5	0.7
45 to 54 years	21	19	2	0.4	0.4	0.5
55 to 64 years	19	18	1	0.6	0.6	0.5
65 to 74 years	5	5		0.3	0.3	
75 years and over	4	4		0.6	0.7	
Unknown	1	1				
FEMALES						
All ages	4,220	3,952	268			
Adjusted rate				9.9	10.2	7.5
Crude rate				9.4	9.6	7.3
Under 1 year	271	228	43	30.5	28.1	56.3
1 to 4 years	2,006	1,894	112	52.4	53.7	36.8
Under 5 years	2,277	2,122	155	48.3	48.9	40.7
5 to 9 years	1,228	1,161	67	26.0	27.0	15.9
10 to 14 years	294	280	14	6.7	7.1	3.4
15 to 19 years	98	90	8	2.6	2.6	2.1
20 to 24 years	60	54	6	1.5	1.5	1.5
25 to 34 years	102	92	10	1.4	1.3	1.6
35 to 44 years	71	68	3	1.2	1.2	0.6
45 to 54 years	46	44	2	1.0	1.1	0.7
55 to 64 years	29	28	1	1.0	1.0	0.7
65 to 74 years	5	5		0.3	0.3	
75 years and over	6	5	1	0.8	0.7	2.5
Unknown	4	3	1			
TUBERCULOSIS (ALL FORMS)						
BOTH SEXES						
All ages	83,055	65,335	17,720			
Adjusted rate				89.2	75.6	237.8
Crude rate				91.4	78.3	238.2
Under 1 year	1,450	1,188	262	80.8	72.3	173.1
1 to 4 years	2,700	2,104	596	34.8	29.4	98.2
Under 5 years	4,150	3,292	858	43.5	37.4	113.1
5 to 9 years	1,267	893	374	13.3	10.3	44.5
10 to 14 years	1,693	1,059	634	19.1	13.2	76.6
15 to 19 years	6,620	4,492	2,128	88.2	66.2	296.7
20 to 24 years	11,121	7,882	3,239	148.3	116.4	442.7
25 to 34 years	19,507	15,023	4,484	130.9	109.4	382.6
35 to 44 years	14,703	11,885	2,818	116.3	102.6	264.4
45 to 54 years	10,542	8,791	1,751	109.6	99.0	236.2
55 to 64 years	7,123	6,300	823	116.1	108.3	256.3
65 to 74 years	4,469	4,085	384	140.9	136.1	224.0
75 years and over	1,760	1,583	177	128.0	122.1	227.8
Unknown	100	50	50			
MALES						
All ages	44,040	35,223	8,817			
Adjusted rate				92.1	79.0	238.4
Crude rate				95.6	83.2	235.0
Under 1 year	787	656	131	86.8	78.9	174.9
1 to 4 years	1,450	1,142	308	36.9	31.5	101.8
Under 5 years	2,237	1,798	439	46.3	40.4	116.4
5 to 9 years	609	440	169	12.7	10.0	40.2
10 to 14 years	650	422	228	14.6	10.4	55.5
15 to 19 years	2,343	1,522	821	63.2	45.2	240.2
20 to 24 years	4,559	3,130	1,429	127.0	96.3	421.4
25 to 34 years	9,721	7,509	2,212	130.6	109.0	399.5
35 to 44 years	8,804	7,234	1,570	134.1	120.2	286.5
45 to 54 years	6,854	5,795	1,059	133.6	123.5	241.8
55 to 64 years	4,668	4,146	522	144.9	136.5	283.9
65 to 74 years	2,671	2,429	242	165.1	159.3	259.8
75 years and over	872	769	103	136.2	127.6	273.8
Unknown	52	29	23			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TUBERCULOSIS (ALL FORMS)—continued						
FEMALES						
All ages	39,015	30,112	8,903			
Adjusted rate				86.9	72.7	238.1
Crude rate				87.1	73.2	241.4
Under 1 year	663	532	131	74.7	65.6	171.4
1 to 4 years	1,250	962	288	32.6	27.3	94.6
Under 5 years	1,913	1,494	419	40.6	34.5	110.0
5 to 9 years	658	453	205	13.9	10.5	48.7
10 to 14 years	1,043	637	406	23.8	16.0	97.6
15 to 19 years	4,277	2,970	1,307	112.7	86.9	348.1
20 to 24 years	6,562	4,752	1,810	167.8	135.1	461.1
25 to 34 years	9,786	7,514	2,272	131.2	109.8	367.4
35 to 44 years	5,899	4,651	1,248	97.0	83.6	241.0
45 to 54 years	3,688	2,996	692	82.2	71.6	228.1
55 to 64 years	2,455	2,154	301	84.2	77.5	219.2
65 to 74 years	1,798	1,656	142	115.7	112.2	181.5
75 years and over	888	814	74	120.9	117.3	184.6
Unknown	48	21	27			
CANCER AND OTHER MALIGNANT TUMORS						
BOTH SEXES						
All ages	85,241	80,870	4,371			
Adjusted rate				85.7	86.5	69.8
Crude rate				93.8	96.9	58.8
Under 1 year	53	52	1	3.0	3.2	0.7
1 to 4 years	292	273	19	3.8	3.8	3.1
Under 5 years	345	325	20	3.6	3.7	2.6
5 to 9 years	210	198	12	2.2	2.3	1.4
10 to 14 years	185	175	10	2.1	2.2	1.2
15 to 19 years	269	238	31	3.6	3.5	4.3
20 to 24 years	394	337	57	5.3	5.0	7.8
25 to 34 years	2,360	2,068	292	15.8	15.1	24.9
35 to 44 years	7,568	6,727	841	59.8	58.1	78.9
45 to 54 years	15,674	14,484	1,190	163.0	163.2	160.5
55 to 64 years	22,165	21,233	932	361.2	365.1	290.2
65 to 74 years	22,489	21,865	624	708.9	728.6	364.0
75 years and over	13,520	13,175	345	983.6	1,015.9	443.9
Unknown	62	45	17			
MALES						
All ages	37,325	35,902	1,423			
Adjusted rate				73.0	75.1	40.7
Crude rate				81.0	84.8	37.9
Under 1 year	28	28		3.1	3.4	
1 to 4 years	152	146	6	3.9	4.0	2.0
Under 5 years	180	174	6	3.7	3.9	1.6
5 to 9 years	129	122	7	2.7	2.8	1.7
10 to 14 years	92	89	3	2.1	2.2	0.7
15 to 19 years	147	132	15	4.0	3.9	4.4
20 to 24 years	207	185	22	5.8	5.7	6.5
25 to 34 years	796	733	63	10.7	10.6	11.4
35 to 44 years	2,330	2,139	191	35.5	35.5	34.8
45 to 54 years	5,787	5,429	358	112.8	115.7	81.8
55 to 64 years	10,156	9,792	364	315.3	322.4	198.0
65 to 74 years	11,124	10,882	242	687.6	713.7	259.8
75 years and over	6,349	6,202	147	991.6	1,029.1	390.7
Unknown	28	23	5			
FEMALES						
All ages	47,916	44,968	2,948			
Adjusted rate				97.2	96.9	95.7
Crude rate				106.9	109.4	79.9
Under 1 year	25	24	1	2.8	3.0	1.3
1 to 4 years	140	127	13	3.7	3.6	4.3
Under 5 years	165	151	14	3.5	3.5	3.7
5 to 9 years	81	76	5	1.7	1.8	1.2
10 to 14 years	93	86	7	2.1	2.2	1.7
15 to 19 years	122	106	16	3.2	3.1	4.3
20 to 24 years	187	152	35	4.8	4.3	8.9
25 to 34 years	1,564	1,335	229	21.0	19.5	37.0
35 to 44 years	5,238	4,588	650	86.1	82.5	125.5
45 to 54 years	9,887	9,055	832	220.4	216.5	274.3
55 to 64 years	12,009	11,441	568	411.9	411.8	413.7
65 to 74 years	11,365	10,983	382	731.1	744.0	488.1
75 years and over	7,171	6,973	198	976.6	1,004.5	493.8
Unknown	34	22	12			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIABETES MELLITUS						
BOTH SEXES						
All ages	15,382	14,552	830			
Adjusted rate				15.8	16.0	13.2
Crude rate				16.9	17.4	11.2
Under 1 year	10	10		0.6	0.6	
1 to 4 years	124	118	6	1.6	1.7	1.0
Under 5 years	134	128	6	1.4	1.5	0.8
5 to 9 years	158	150	8	1.7	1.7	1.0
10 to 14 years	249	234	15	2.8	2.9	1.8
15 to 19 years	252	232	20	3.4	3.4	2.8
20 to 24 years	240	220	20	3.2	3.2	2.7
25 to 34 years	535	475	60	3.6	3.5	5.1
35 to 44 years	870	746	124	6.9	6.4	11.6
45 to 54 years	2,144	1,949	195	22.3	22.0	26.3
55 to 64 years	4,386	4,205	181	71.5	72.3	56.4
65 to 74 years	4,344	4,223	121	136.9	140.7	70.6
75 years and over	2,056	1,981	75	149.6	152.8	96.5
Unknown	14	9	5			
MALES						
All ages	6,384	6,041	343			
Adjusted rate				12.7	12.9	9.8
Crude rate				13.9	14.3	9.1
Under 1 year	8	8		0.9	1.0	
1 to 4 years	73	70	3	1.9	1.9	1.0
Under 5 years	81	78	3	1.7	1.8	0.8
5 to 9 years	73	68	5	1.5	1.5	1.2
10 to 14 years	114	108	6	2.6	2.7	1.5
15 to 19 years	128	114	14	3.5	3.4	4.1
20 to 24 years	126	113	13	3.5	3.5	3.8
25 to 34 years	258	236	22	3.5	3.4	4.0
35 to 44 years	378	333	45	5.8	5.5	8.2
45 to 54 years	858	788	70	16.7	16.8	16.0
55 to 64 years	1,676	1,603	73	52.0	52.8	39.7
65 to 74 years	1,775	1,718	57	109.7	112.7	61.2
75 years and over	911	880	31	142.3	146.0	82.4
Unknown	6	2	4			
FEMALES						
All ages	8,998	8,511	487			
Adjusted rate				18.5	18.6	16.2
Crude rate				20.1	20.7	13.2
Under 1 year	2	2		0.2	0.2	
1 to 4 years	51	48	3	1.3	1.4	1.0
Under 5 years	53	50	3	1.1	1.2	0.8
5 to 9 years	85	82	3	1.8	1.9	0.7
10 to 14 years	135	126	9	3.1	3.2	2.2
15 to 19 years	124	118	6	3.3	3.5	1.6
20 to 24 years	114	107	7	2.9	3.0	1.8
25 to 34 years	277	239	38	3.7	3.5	6.1
35 to 44 years	492	413	79	8.1	7.4	15.3
45 to 54 years	1,286	1,161	125	28.7	27.8	41.2
55 to 64 years	2,710	2,602	108	93.0	93.7	78.7
65 to 74 years	2,569	2,505	64	165.3	169.7	81.8
75 years and over	1,145	1,101	44	155.9	158.6	109.7
Unknown	8	7	1			
DIARRHEA AND ENTERITIS						
BOTH SEXES						
All ages	31,366	26,396	4,970			
Adjusted rate				36.8	33.6	75.0
Crude rate				34.5	31.6	66.8
Under 1 year	19,782	16,854	2,928	1,102.5	1,025.9	1,934.9
1 year	5,412	4,329	1,083	276.7	239.2	740.9
Under 2 years	25,194	21,183	4,011	671.8	613.6	1,348.2
2 to 4 years	2,313	1,957	356	39.9	36.7	77.3
5 to 9 years	386	328	58	4.1	3.8	6.9
10 to 14 years	102	81	21	1.2	1.0	2.5
15 to 44 years	708	516	192	1.7	1.3	5.2
45 to 64 years	796	635	161	3.0	4.3	15.2
65 years and over	1,852	1,688	164	0.3	39.3	65.8
Unknown	15	8	7			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIARRHEA AND ENTERITIS—continued						
MALES						
All ages	17,228	14,541	2,687			
Adjusted rate				40.1	36.7	80.9
Crude rate				37.4	34.4	71.6
Under 1 year	11,312	9,677	1,635	1,247.4	1,163.2	2,183.1
1 year	2,901	2,301	600	292.6	250.5	825.1
Under 2 years	14,213	11,978	2,235	748.8	684.2	1,514.1
2 to 4 years	1,261	1,057	204	43.0	39.1	88.8
5 to 9 years	191	166	25	4.0	3.8	5.9
10 to 14 years	51	42	9	1.1	1.0	2.2
15 to 44 years	328	260	68	1.5	1.3	3.8
45 to 64 years	391	328	63	4.7	4.2	10.1
65 years and over	782	705	77	34.6	33.1	58.9
Unknown	11	5	6			
FEMALES						
All ages	14,138	11,855	2,283			
Adjusted rate				33.4	30.4	68.8
Crude rate				31.6	28.8	61.9
Under 1 year	8,470	7,177	1,293	954.5	885.0	1,691.7
1 year	2,511	2,028	483	260.4	227.6	657.5
Under 2 years	10,981	9,205	1,776	593.0	540.9	1,184.8
2 to 4 years	1,052	900	152	36.7	34.2	65.8
5 to 9 years	195	162	33	4.1	3.8	7.8
10 to 14 years	51	39	12	1.2	1.0	2.9
15 to 44 years	380	256	124	1.8	1.3	6.5
45 to 64 years	405	307	98	5.5	4.4	22.2
65 years and over	1,070	983	87	46.7	45.3	73.5
Unknown	4	3	1			
ACUTE AND CHRONIC NEPHRITIS						
BOTH SEXES						
All ages	82,126	71,924	10,202			
Adjusted rate				81.8	76.4	158.0
Crude rate				90.4	86.2	137.1
Under 1 year	425	357	68	23.7	21.7	44.9
1 to 4 years	546	448	98	7.0	6.3	16.1
Under 5 years	971	805	166	10.2	9.2	21.9
5 to 9 years	454	394	60	4.8	4.5	7.1
10 to 14 years	536	475	61	6.1	5.9	7.4
15 to 19 years	723	594	129	9.6	8.8	18.0
20 to 24 years	871	674	197	11.6	10.0	26.9
25 to 34 years	2,865	2,252	613	19.2	16.4	52.3
35 to 44 years	5,857	4,521	1,336	46.3	39.0	125.3
45 to 54 years	10,584	8,414	2,170	110.1	94.8	292.8
55 to 64 years	15,727	13,748	1,979	256.3	236.4	616.2
65 to 74 years	21,184	19,341	1,843	667.8	644.5	1,075.1
75 years and over	22,246	20,653	1,593	1,618.4	1,592.6	2,049.8
Unknown	108	53	55			
MALES						
All ages	43,551	38,019	5,532			
Adjusted rate				86.9	81.3	164.7
Crude rate				94.5	89.8	147.4
Under 1 year	258	215	43	28.5	25.8	57.4
1 to 4 years	324	262	62	8.3	7.2	20.5
Under 5 years	582	477	105	12.0	10.7	27.8
5 to 9 years	241	204	37	5.0	4.6	8.8
10 to 14 years	225	197	28	5.0	4.9	6.8
15 to 19 years	349	304	45	9.4	9.0	13.2
20 to 24 years	384	302	82	10.7	9.3	24.2
25 to 34 years	1,266	1,069	227	17.4	15.5	41.0
35 to 44 years	2,764	2,184	580	42.1	36.3	105.8
45 to 54 years	5,513	4,368	1,145	107.5	93.1	261.5
55 to 64 years	8,637	7,519	1,118	268.2	247.6	608.1
65 to 74 years	11,702	10,579	1,123	723.3	693.9	1,205.5
75 years and over	11,790	10,782	1,008	1,841.4	1,789.1	2,679.3
Unknown	68	34	34			

37

40.7

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates. For explanation of these rates, see p. 10]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ACUTE AND CHRONIC NEPHRITIS—continued						
FEMALES						
All ages	38,575	33,905	4,670			
Adjusted rate				78.1	72.8	154.6
Crude rate				86.1	82.5	126.6
Under 1 year	167	142	25	18.8	17.5	32.7
1 to 4 years	222	186	36	5.8	5.3	11.8
Under 5 years	389	328	61	8.2	7.6	16.0
5 to 9 years	213	190	23	4.5	4.4	5.5
10 to 14 years	311	278	33	7.1	7.0	7.9
15 to 19 years	374	290	84	9.9	8.5	22.4
20 to 24 years	487	372	115	12.5	10.6	29.3
25 to 34 years	1,569	1,183	386	21.0	17.3	62.4
35 to 44 years	3,093	2,337	756	50.9	42.0	146.0
45 to 54 years	5,071	4,046	1,025	113.0	96.7	337.9
55 to 64 years	7,090	6,229	861	243.2	224.2	627.1
65 to 74 years	9,482	8,762	720	610.0	593.5	920.0
75 years and over	10,456	9,871	585	1,424.0	1,422.0	1,459.1
Unknown	40	19	21			
PUERPERAL SEPTICEMIA[1]						
FEMALES						
All ages	5,134	4,305	829			
Adjusted rate				11.6	10.6	21.0
Crude rate				11.5	10.5	22.5
Under 15 years	16	6	10	0.1	(2)	0.8
15 to 19 years	610	458	152	16.1	13.4	40.5
20 to 24 years	1,161	946	215	29.7	26.9	54.8
25 to 29 years	1,125	968	157	28.4	26.8	45.2
30 to 34 years	1,045	920	125	29.8	28.5	46.2
35 to 39 years	812	698	114	24.5	23.2	38.3
40 to 44 years	321	278	43	11.6	10.9	19.6
45 years and over	36	26	10	0.4	0.3	1.8
Unknown	8	5	3			
OTHER PUERPERAL CAUSES[1]						
FEMALES						
All ages	8,589	7,022	1,567			
Adjusted rate				19.1	17.0	39.7
Crude rate				19.2	17.1	42.5
Under 15 years	30	9	21	0.2	0.1	1.7
15 to 19 years	913	579	334	24.1	16.9	89.0
20 to 24 years	1,568	1,224	344	40.1	34.8	87.6
25 to 29 years	1,802	1,517	285	45.5	42.0	82.0
30 to 34 years	1,771	1,535	236	50.6	47.5	87.2
35 to 39 years	1,646	1,404	242	49.7	46.6	81.2
40 to 44 years	727	651	76	26.2	25.5	34.6
45 years and over	116	95	21	1.2	1.0	3.8
Unknown	16	8	8			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1924					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
VIOLENT DEATHS (SUICIDE EXCEPTED)						
BOTH SEXES						
All ages	77,299	67,434	9,865			
Adjusted rate				81.2	76.5	133.1
Crude rate				85.1	80.8	132.6
Under 1 year	2,096	1,708	388	116.8	104.0	256.4
1 to 4 years	6,081	5,256	825	78.4	73.5	135.9
Under 5 years	8,177	6,964	1,213	85.6	79.2	160.0
5 to 9 years	4,658	4,214	444	48.9	48.5	52.8
10 to 14 years	3,405	2,993	412	38.5	37.3	49.8
15 to 19 years	4,908	4,121	787	65.4	60.7	109.7
20 to 24 years	5,988	4,731	1,257	79.8	69.9	171.8
25 to 34 years	10,685	8,625	2,060	71.7	62.8	175.8
35 to 44 years	10,445	8,891	1,554	82.6	76.8	145.8
45 to 54 years	8,560	7,626	934	89.0	85.9	126.0
55 to 64 years	6,888	6,381	507	112.3	109.7	157.9
65 to 74 years	6,090	5,775	315	192.0	192.4	183.8
75 years and over	7,217	6,918	299	525.0	533.5	384.7
Unknown	278	195	83			
MALES						
All ages	56,341	49,000	7,341			
Adjusted rate				120.1	113.0	199.4
Crude rate				122.3	115.8	195.7
Under 1 year	1,152	936	216	127.0	112.5	288.4
1 to 4 years	3,410	3,007	403	86.9	83.0	133.3
Under 5 years	4,562	3,943	619	94.4	88.5	164.1
5 to 9 years	3,024	2,812	212	62.9	64.1	50.4
10 to 14 years	2,632	2,310	322	59.4	57.1	78.3
15 to 19 years	3,936	3,321	615	106.1	98.6	179.9
20 to 24 years	4,950	3,957	993	137.9	121.7	292.8
25 to 34 years	8,987	7,303	1,684	120.8	106.0	304.2
35 to 44 years	8,863	7,559	1,304	135.0	125.6	237.9
45 to 54 years	7,111	6,347	764	138.6	135.2	174.5
55 to 64 years	5,252	4,855	397	163.1	159.9	215.9
65 to 74 years	3,804	3,605	199	235.1	236.4	213.6
75 years and over	2,970	2,814	156	463.9	466.9	414.7
Unknown	250	174	76			
FEMALES						
All ages	20,958	18,434	2,524			
Adjusted rate				45.2	42.6	72.3
Crude rate				46.8	44.8	68.4
Under 1 year	944	772	172	106.4	95.2	225.0
1 to 4 years	2,671	2,249	422	69.7	63.8	138.6
Under 5 years	3,615	3,021	594	76.6	69.7	155.9
5 to 9 years	1,634	1,402	232	34.6	32.6	55.1
10 to 14 years	773	683	90	17.6	17.2	21.6
15 to 19 years	972	800	172	25.6	23.4	45.8
20 to 24 years	1,038	774	264	26.5	22.0	67.3
25 to 34 years	1,698	1,322	376	22.8	19.3	60.8
35 to 44 years	1,582	1,332	250	26.0	23.9	48.3
45 to 54 years	1,449	1,279	170	32.3	30.6	56.0
55 to 64 years	1,636	1,526	110	56.1	54.9	80.1
65 to 74 years	2,286	2,170	116	147.1	147.0	148.2
75 years and over	4,247	4,104	143	578.4	591.2	356.7
Unknown	28	21	7			

[1] Rates computed on female population.

[2] Less than one-tenth of 1 per 100,000 population.

NOTE.—Populations are shown in Table I; for States included, see Table A.

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA																								
	Total	Registration States			Registration cities in nonregistration States	All registration cities	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
		Total	Urban	Rural																			
	Page																						
Population, deaths, and rates by color; urban and rural	88	88	88	88	88	88	88	88	88	88	90	88	88	88	88	88	88	88	88	88	88	88	88
Population, deaths, and rates for total and residents—Cities	-----	-----	-----	-----	-----	-----	90	90	90	90	90	90	90	90	90	91	91	91	91	91	91	91	91
Population, deaths, and rates for total and residents—Counties	-----	-----	-----	-----	-----	-----	95	95	95	95	-----	95	96	98	99	99	100	100	101	102	102	103	103
Deaths by cause in full detail	114																						
Deaths by months; urban and rural	118	118	118	118	118	118	118	118	118	118	-----	118	118	118	118	118	118	118	118	118	118	118	118
Deaths by race and nativity of white; urban and rural	120	120	120	120	120	120	120	120	120	120	-----	120	120	120	120	120	120	120	120	120	120	120	120
Deaths by age and color; urban and rural	122	122	122	122	122	122	122	122	122	122	-----	122	122	122	122	122	122	122	124	124	124	124	124
Deaths by age, sex, race, and nativity of white	128	128	129	129	129	130	130	130	131	131	131	132	132	132	133	133	133	134	134	134	135	135	135
Deaths from important causes—Urban and rural	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	146	146	146	146	146
Deaths from important causes—Cities							150	150	150	152	152	152	152	152	152	154	156	156	156	156	156	158	158
Deaths by cause; urban and rural	174	174	174	174	174	174	174	174	174	175	175	175	175	175	175	175	180	180	180	180	181	181	181
Deaths by cause, age, sex, and color	-----	196	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause for colored, by race and sex	-----	220	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause and age	223	-----	-----	-----	-----	-----	226	229	231	234	237	241	245	250	253	256	259	262	264	269	274	277	281
Deaths from important causes by age; large cities							358	360	360	361	361	-----	362	-----	363	363	364	364	365	365	-----	366	367
Deaths from important causes by months—Area and States	391	391	-----	-----	-----	-----	391	391	392	392	406	392	393	393	393	394	394	394	394	395	395	396	396
Deaths from important causes by months—Large cities	-----	-----	-----	-----	-----	-----	404	405	405	406	407	-----	407	-----	407	408	408	409	409	409	-----	410	410
Deaths of infants from important causes—States	-----	-----	-----	-----	-----	-----	-----	429	-----	-----	-----	-----	429	430	-----	-----	-----	-----	-----	430	-----	-----	-----
Deaths of infants from important causes—Large cities	-----	-----	-----	-----	-----	-----	-----	432	-----	-----	-----	-----	433	-----	-----	-----	-----	-----	-----	433	-----	-----	-----

SUBJECTS PRESENTED IN TABLES	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	New Hampshire	New Jersey	New York	North Carolina	North Dakota	Ohio	Oregon	Pennsylvania	Rhode Island	South Carolina	Tennessee	Utah	Vermont	Virginia	Washington	Wisconsin	Wyoming
	Page																						
Population, deaths, and rates by color; urban and rural	88	88	88	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89
Population, deaths, and rates for total and residents—Cities	92	92	92	92	92	92	92	92	92	93	93	93	93	93	94	94	94	94	94	94	94	94	95
Population, deaths, and rates for total and residents—Counties	103	103	104	105	105	106	106	106	106	107	108	108	109	109	109	109	110	111	111	111	112	112	113
Deaths by months; urban and rural	118	118	118	118	118	118	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119	119
Deaths by race and nativity of white; urban and rural	120	120	120	120	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121	121
Deaths by age and color; urban and rural	124	124	124	124	124	124	124	124	124	126	126	126	126	126	126	126	126	126	126	126	126	126	126
Deaths by age, sex, race, and nativity of white	136	136	136	137	137	137	138	138	138	139	139	139	140	140	140	141	141	141	142	142	142	143	143
Deaths from important causes—Urban and rural	146	146	146	146	146	146	146	146	148	148	148	148	148	148	148	148	148	148	148	148	148	150	150
Deaths from important causes—Cities	160	160	160	160	162	162	162	162	164	164	166	166	168	168	170	170	170	172	172	172	172	172	172
Deaths by cause; urban and rural	181	181	181	181	186	186	186	186	186	186	187	187	187	187	187	187	187	192	192	192	192	192	192
Deaths by cause and age	284	287	290	295	298	300	303	306	309	312	317	319	322	325	328	331	335	340	343	345	350	353	355
Deaths from important causes by age; large cities	369	370	-----	371	-----	372	-----	372	374	-----	-----	379	382	382	384	-----	384	387	-----	388	389	390	-----
Deaths from important causes by months—Area and States	396	397	397	397	398	398	398	398	399	399	399	400	400	400	400	401	401	402	402	402	403	403	403
Deaths from important causes by months—Large cities	412	413	-----	413	-----	414	-----	415	416	-----	-----	419	422	422	423	-----	424	426	-----	426	427	428	-----
Deaths of infants from important causes—States	-----	-----	-----	431	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	431	-----	-----	-----	-----	-----	-----
Deaths of infants from important causes—Large cities	-----	-----	-----	434	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	435	-----	-----	-----	-----	-----	-----

Abscess, acute, deaths from, 115, 178; by age, 211, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
——death rate, 115.
Absorption of irrespirable, irritating, or poisonous gas, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
——death rate, 116.
Accidental or undefined (total), deaths from, 72, 116, 145, 178; by age, 216, 225, 472; by color, 145, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 145, 178; in each major city by age, 358; in detail, 116.
——death rate, 116.
Accuracy of statistics of causes of death, number of replies and per cent of changes, 83.
Acrodynia, deaths from 36.
Acute anterior poliomyelitis, deaths from, 34, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174.
——death rate, 34, 114.
Acute yellow atrophy of the liver, deaths from, 115, 176; by age, 210, 224, 464; by color, 210, 221, 464; by sex, 210, 221,464; in cities and rural districts, 176.
——death rate, 115.
Addison's disease. *See* Adrenals, diseases of.
Adenoid vegetations, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
——death rate, 115.
Adjusted death rates. *See* Death rates.
Adrenals, diseases of (Addison's disease), deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
——death rate, 114.
Airplane and balloon accidents, deaths from, 72, 116, 178; by age, 218, 225, 474; by color, 218, 474; by sex, 218, 474; in cities and rural districts, 178.
—— death rate, 116.
Age, population by, 12, 81; deaths by, 9, 80, 122, 128, 196, 223, 358, 452, 476.
——death rate, 64, 80, 476.
Alcoholism (acute or chronic), deaths from, 54, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 55, 114.
Amputations, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
—— death rate, 115.
Ancylostomiasis, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Anemia, chlorosis, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174; in detail, 114.
—— death rate, 114.
Anesthetics, deaths from, 77.
Aneurysm, deaths from, 115, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 115.
Angina pectoris, deaths from, 115, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 115.
Animals, injuries, by (not poisoning), deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Anthrax, deaths from, 37, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Appendicitis and typhlitis, deaths from, 20, 115, 145, 176; by age, 208, 224, 358, 464; by color, 145, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 145, 176; in each major city by age, 358.
—— death rate, 20, 21, 115.
Arteries, diseases of, deaths from, 115, 176; by age, 206, 224, 460; by color, 206, 221, 460; by sex, 206, 221, 460; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Asiatic cholera, no deaths in 1924.
Asthma, deaths from, 115, 176; by age, 208, 224, 462; by color, 208, 221, 462; by sex, 208, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Australian Commonwealth, death rates of, 18; from puerperal causes, 65.
Austria, death rates of, 18; from puerperal causes, 64.
Automobile accidents, deaths from, 72, 116, 145, 178; by age, 218, 225, 358, 474; by color, 145, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 145, 178; by month of death, 391; in each major city by age, 358.
—— death rate, 73, 116.
—— contributory to railroad trains and street cars, 75.

Balloon accidents. *See* Airplane and balloon accidents.
Belgium, death rates of, 18.
Beriberi, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Biliary calculi, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Birth, injury at. *See* Injury at birth.
Bladder, diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Bones and organs of locomotion, diseases of, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178; in detail, 115.
—— death rate, 115.
Breast (cancer excepted) nonpuerperal, diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 222, 466; by sex, 210, 222, 466; in cities and rural districts, 176.
—— death rate, 115.
Bronchitis, deaths from, 20, 115, 145, 176; by age, 206, 224, 358, 462; by color 145, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 145, 176; by month of death, 391; by age under 1 year, 429; in each major city by age, 358; in detail, 115.
—— death rate, 20, 115. Capillary. *See* Broncho-pneumonia.
Broncho-pneumonia, deaths from, 115, 176; by age, 206, 224, 358, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176; by month of death, 391; by age under 1 year, 429; in each major city by age, 358.
—— death rate, 115.
Burns (conflagration excepted), deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178; in detail, 116.
—— death rate, 116.

Calculi of the urinary passages, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Canada, death rate from puerperal causes, 64.
Cancer and other malignant tumors, deaths from, 20, 41, 114, 144, 174; by age, 200, 223, 358, 456, 478; by color, 144, 200, 220, 456, 478; by sex, 200, 220, 456, 478; in cities and rural districts, 144, 174; in detail 44, 45, 114; in each major city by age, 358.
—— death rate, 11, 20, 42–52, 114, 476.
Capillary bronchitis. *See* Broncho-pneumonia.
Cause of death, 20, 114, 174; by age, 196, 223, 358, 452, 476; by color, 144, 196, 220, 452, 476; by sex, 196, 452, 476; in cities and rural districts, 174; by month of death, 391, 404; in each major city by age, 358.
—— death rate 20, 114.
Cerebral embolism and thrombosis, deaths from, 114, 174; by age, 204, 223, 458; by color, 204, 221, 458; by sex, 204, 221,458; in cities and rural districts, 174.
—— death rate, 114.
Cerebral hemorrhage, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174; in detail, 114.
—— death rate, 114.
Cerebral hemorrhage and softening, deaths from, 20, 114, 145, 174; by age, 202, 223, 358, 458; by color, 145, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 145, 174; in each major city by age, 358.
—— death rate, 20, 114.
Cerebrospinal meningitis (nonepidemic), deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Ceylon, death rates of, 18.
Chicken pox, deaths from, 36, 114.
—— death rate, 114.
Childbirth. *See* Puerperal state, the.
Children under 1 year of age, deaths of, 80, 122, 128, 196, 223, 429, 452; by cause, 196, 223, 358, 429, 452, 476; by color, 80, 122, 128, 196, 452, 476; by sex, 80, 128, 196, 452, 476; in each major city by cause, 358.
—— death rate, 80, 82, 476.
Chile, death rates of, 18.
Chinese population, by age and sex, 80; deaths of, 8, 16, 80; by age, 80, 128; by sex, 80, 128, 220.
—— death rate, 80.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, deaths from, 20, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174.
—— death rate, 20, 114.

Chorea, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.
Chyluria, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 466; by sex, 210, 466; in cities and rural districts, 176.
—— death rate, 115.
Circulatory system, diseases of, deaths from, 115, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Cirrhosis of the liver, deaths from, 20, 54, 115, 145, 176; by age, 210, 224, 358, 466; by color, 145, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 145, 176; in each major city by age, 358; in detail, 115.
—— death rate, 20, 21, 55, 115.
Cold, excessive, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Colored population, 88; by age and sex, 12, 81; deaths of, 8, 16, 88, 120, 144; by age, 80, 122, 128, 196, 452, 476; by sex, 8, 80, 128, 196, 220, 452, 476; by cause, 144, 196, 220, 452, 476; in cities and rural districts, 88, 122, 144.
—— death rate, 11, 16, 80, 88, 476.
Conflagration, deaths from, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Congenital debility, icterus, sclerema, deaths from, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178; by age under 1 year, 429.
—— death rate, 115.
Congenital malformations and diseases of early infancy, deaths from, 20, 115, 145, 178; by age, 212, 225, 468; by color, 145, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 145, 178; in detail, 115.
—— death rate, 20, 21, 115.
Congenital malformations of the heart, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178; by age under 1 year, 429.
—— death rate, 115.
Congestion and hemorrhagic infarct of the lung, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Contributory causes in relation to primary causes of death, 85.
Convulsions, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176; by age under 1 year, 429.
—— death rate, 114.
Country of birth. Death rates from puerperal causes, 64.
Crushing. *See* Landslide.
Cutting or piercing instruments, traumatism by, deaths from, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Cysts and other benign tumors of the ovary, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Death rates, 8, 13–15, 88, 90, 114; by cause, 11, 21, 114, 476; in foreign countries, 18, 64; by month of death, 10.
—— specific death rates, 80; causes, 476; from puerperal causes, 64.
—— adjusted death rates, 10, 13, 80; causes, 11, 476; typhoid fever, 11, 24, 476; measles, 11, 476; scarlet fever, 11, 477; whooping cough, 11, 477; diphtheria, 11, 477; tuberculosis, 11, 38, 478; cancer, 11, 42–48, 50–52; diabetes mellitus, 11, 479; diarrhea and enteritis, 11, 479; acute and chronic nephritis, 11, 60, 479; puerperal causes, 11, 64, 66, 480; violent deaths (suicide excepted), 11, 480.
—— refined rates, 15; cancer, 46.
Debility, congenital. *See* Congenital debility, etc.
Dengue fever, deaths from, 36.
Denmark, death rates of, 18; from puerperal causes, 64.
Devil's grip, deaths from, 36.
Diabetes mellitus, deaths from, 53, 114, 145, 174; by age, 200, 223, 358, 456, 479; by color, 145, 200, 220, 456, 479; by sex, 200, 220, 456, 479; in cities and rural districts, 145, 174; in each major city by age, 358.
—— death rate, 11, 21, 53, 114, 479.
Diarrhea and enteritis, deaths from, 20, 59, 115, 145, 176; by age, 208, 224, 358, 464, 479; by color, 145, 208, 221, 464, 479; by sex, 208, 221, 464, 479; by cities and rural districts, 145, 176; by month of death, 391; by age under 1 year, 429; in each major city by age, 358.
—— death rate, 20, 21, 59, 115, 479.
Digestive system, diseases of, deaths from, 115, 176; by age, 208, 224, 464; by color, 206, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Diphtheria, deaths from, 20, 31, 114, 144, 174; by age, 196, 223, 358, 452, 477; by color, 144, 196, 220, 452, 477; by sex, 196, 220, 452, 477; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age, 358.
——death rate, 11, 20, 21, 32, 114, 477.
Drowning, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
——death rate, 116.
Dysentery, deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174; by month of death, 391; in detail, 114.
——death rate, 114.

Ear, diseases of, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
——death rate, 114.
Early infancy, deaths from, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178; in detail, 115.
——death rate, 115.
Electric shocks, accidental, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
——death rate, 116.
Embolism and thrombosis (not cerebral), deaths from, 115, 176; by age, 206, 224, 460; by color, 206, 221, 460; by sex, 206, 221, 460; in cities and rural districts, 176.
——death rate, 115.
Embolism, cerebral. *See* Cerebral embolism and thrombosis.
Emphysema, pulmonary, deaths from, 115, 176; by age, 208, 224, 462; by color, 208, 221, 462; by sex, 208, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Encephalitis, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Encephalitis, lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute) deaths from, 115, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 115.
England and Wales, death rates of, 18; from puerperal causes, 64; from syphilis, 41.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.
Erysipelas, deaths from, 36, 114, 144, 174; by age, 196, 223, 452; by color, 144, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 144, 174; by age under 1 year, 429.
—— death rate, 21, 114.
Esophagus, diseases of, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
External causes, deaths from, 116, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178; by month of death, 391; in detail, 116.
—— death rate, 116.
Eye and annexa, diseases of, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.

Fall, traumatism by, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178; in detail, 116.
—— death rate, 116.
Female genital organs, diseases of, deaths from, 115, 176; by age, 210, 224, 358, 466; by color, 210, 221, 466; in cities and rural districts, 176; in each major city by age, 358; in detail, 115.
—— death rate, 115.
Finland, death rates of, 18.
Firearms (except in war), traumatism by, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Foreign countries, death rates of, 18; from puerperal causes, 64.
Foreign-born white population, deaths of, 8, 120; by age, 128; by sex, 128.
Fracture (cause not specified), deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
France, death rates of, 18.
Furuncle, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
—— death rate, 115.

Gangrene, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
Gangrene, death rate, 115.
Gangrene of the lung, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
General paralysis of the insane, deaths from, 41, 114, 174; by age, 204, 223, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 174.
—— death rate, 41, 114.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
German measles, deaths from, 36, 114.
—— death rate, 114.
Germany, death rates of, 18; from puerperal causes, 64.
Glanders, deaths from, 36, 114, 174; by age, 196, 223, 454; by color, 198, 220, 454; by sex, 196, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Glandular fever, deaths from, 36.
Goiter, exophthalmic. *See* Thyroid gland, diseases of.
Gonococcus infection, deaths from, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Gout. *See* Rheumatism.
Growth of the registration area, 6, 7.

Hawaii, statistics of, 441.
Heart, diseases of, deaths from, 20, 56, 115, 176; by age, 204, 224, 358, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176; in each major city by age, 358.
—— death rate, 20, 21, 56, 115.
Heat, excessive, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Hemorrhage without specified cause, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Hernia, intestinal obstruction, deaths from, 20, 115, 145, 176; by age, 208, 224, 358, 464; by color, 145, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 145, 176; in each major city by age, 358; in detail, 115.
—— death rate, 20, 21, 115.
Hodgkin's disease, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Homicide, deaths from, 70, 72, 116, 145, 178; by age, 216, 225, 358, 472; by color, 145, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 145, 178; in detail, 116; in each major city by age, 358.
—— death rate, 20, 21, 70, 72, 116.
Hydatid tumor of the liver, deaths from, 115, 176; by age, 210, 224, 464; by color, 210, 221, 464; by sex, 210 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Hydrocephalus (congenital), deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
—— death rate, 115.

Icterus (congenital). *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 20, 75, 116, 145, 178; by age, 218, 225, 474; by color, 145, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 145, 178; by age under 1 year, 429; in detail, 116.
—— death rate, 20, 21, 76, 116.
Indian population by age and sex, 81; deaths of, 8, 17; by age, 80, 128; by sex, 8, 80, 128, 220.
—— death rate, 17, 80.
Infanticide. (Murder of infants less than 1 year of age), deaths from, 116.
—— death rate, 116.
Influenza, deaths from, 20, 114, 144, 174; by age, 196, 223, 358, 452; by color, 144, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age, 358; in detail, 114.
—— death rate, 20, 114.
Influenza and pneumonia (all forms), deaths from, 33.
—— death rate, 33.
Injuries by vehicles, deaths from, 72, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Injury at birth, deaths from, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178; by age under 1 year, 429.
—— death rate, 115.
International List of Causes of Death, 20; changes in, 20.
Intestinal obstruction. *See* Hernia.
Intestinal parasites, diseases due to, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Intestines, diseases of, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Ireland, death rates of, 18; from puerperal causes, 64.
Italy, death rates of, 18; from puerperal causes, 64.

Jamaica, death rates of, 18.
Japan, death rates of, 18; from puerperal causes, 65.
Japanese population, by age and sex, 81; deaths of, 8, 17, 120; by age, 80, 128; by sex, 8, 80, 128, 220.
—— death rate, 80.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178.
—— death rate, 115.

Kala-azar, deaths from, 36.
Kidneys and annexa (nonpuerperal), diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.

Lack of care, deaths from, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178.
—— death rate, 115.
Land area, 8.
Landslide, crushing, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Larynx, diseases of, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Lead poisoning, chronic, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Leprosy, deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174.
—— death rate, 114.
Lethargic encephalitis, deaths from, 35, 114, 174; by age, 198, 223, 452; by color, 198, 220, 452; by sex, 198, 220, 452; in cities and rural districts, 174; by month of death, 391.
—— death rate, 35, 114.
Leukemia, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Lightning, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Liver, diseases of, deaths from, 115, 176; by age, 210, 224, 464; by color, 210, 221, 464; by sex, 210, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.

Machines, traumatism by, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472, by sex, 216, 222, 472; in cities and rural districts, 178; in detail, 116.
—— death rate, 116.
Malaria, deaths from, 20, 25, 114, 144, 174; by age, 196, 223, 452; by color, 144, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 144, 174; by month of death, 391.
—— death rate, 20, 21, 25, 114.
Male genital organs, nonvenereal diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Malformations. *See* Congenital malformations, etc.
Malta fever, no deaths in 1924.
Mastoid process, diseases of, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.
Measles, deaths from, 20, 27, 114, 144, 174; by age, 196, 223, 358, 452, 476; by color, 144, 196, 220, 452, 476; by sex, 196, 220, 452, 476; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age, 358.
—— death rate, 11, 20, 21, 28, 114, 476.

Mechanical suffocation, deaths from, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Meningitis. *See* Meningococcus meningitis, Meningitis (simple) and Cerebrospinal meningitis (nonepidemic).
Meningitis (simple), deaths from 20, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 20, 114.
Meningococcus meningitis, deaths from, 36, 114, 144, 174; by age, 198, 223, 358, 454; by color, 144, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age 358; in detail, 114.
—— death rate, 20, 21, 114.
Mental alienation, deaths from, 114, 174; by age, 204, 223, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 174.
—— death rate, 114.
Miliary fever, no deaths in 1924.
Milk-sickness, deaths from, 36.
Mineral poisoning, chronic, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Mines, traumatism in, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Month of death, deaths by, 118; by cause, 391.
—— death rate, 10.
Motor-cycle accidents, deaths from, 72, 116.
—— death rate, 116.
Mouth and annexa, diseases of, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Mumps, deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174.
—— death rate, 114.
Mycoses, deaths from, 37, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Myocarditis. *See* Endocarditis and myocarditis, acute.

Nasal fossae, diseases of, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Native white population, deaths of, 8, 120, 128; by age, 128; by sex, 8, 128; in cities and rural districts, 120.
Nativity, deaths by, 8, 120, 128.
Negro population, by age and sex, 81; deaths of, 8, 16, 120; by age, 80, 128; by sex, 8, 80, 128, 220; in cities and rural districts, 120.
—— death rate, 16, 80.
Nephritis, deaths from, 20, 60, 145, 176; by age, 210, 224, 358, 466, 479; by color, 145, 210, 221, 466, 479; by sex, 210, 221, 466, 479; in cities and rural districts, 145, 176; in each major city by age, 358.
—— death rate, 12, 20, 21, 60, 115, 479.
Nervous system and of the organs of special sense, diseases of, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 200, 220, 458; in cities and rural districts, 174; in detail, 114.
—— death rate, 114.
Netherlands, death rates of, 18; from puerperal causes, 65.
Neuralgia and neuritis, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.
Neuritis. *See* Neuralgia and neuritis.
New Zealand, death rates of, 18; from puerperal causes, 65.
Nonresidents. *See* Residents.
Norway, death rates of, 18; from puerperal causes, 64.

Old age (senility), deaths from, 20, 68, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 210, 222, 470; in cities and rural districts, 178.
—— death rate, 20, 68, 115.
Ontario, Province of, death rates of, 18.
Osteoarthritis. *See* Rheumatism.

Pancreas, diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in, cities and rural districts, 176.
—— death rate, 115.
Paralysis without specified cause, deaths from, 114, 174; by age, 204, 223, 458; by color, 204, 221, 458; by sex, 204, 221, 458; in cities and rural districts, 174; in detail, 114.
—— death rate, 114.
Parathyroid glands, diseases of, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 8, 120.
Pellagra, deaths from, 52, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 52, 114.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 115, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 115.
Peritonitis without specified cause, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Pharynx, tonsils, diseases of, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Pituitary gland, diseases of, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Plague, deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 452; by sex, 196, 452; in cities and rural districts, 174, in detail, 114.
—— death rate, 114.
Pleurisy, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.
Pneumonia, deaths from, 20, 57, 115, 145, 176; by age, 206, 224, 351, 462; by color, 145, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 145, 176; by month of death, 391; by age under 1 year, 429; in each major city by age, 358; in detail, 115.
—— death rate, 20, 57, 115.
Poisoning by food, deaths from, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178; in detail, 116.
——death rate, 116.
Poisoning by organic substances, chronic, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Poisoning by venomous animals, deaths from 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Poisonings, acute, (gas excepted), deaths from, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178; in detail, 116.
—— death rate, 116.
Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
Poland, death rate from puerperal causes, 65.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 88, and subdivisions, 88, 90; registration States of 1920 by age, color, and sex, 12; by age, color, race, and sex, 80.
Premature birth, deaths from, 115, 178; by age, 214, 225, 470; by color, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 178; by age under 1 year 429.
—— death rate, 115.
Prostate, diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Puerperal septicemia. *See* page references under Puerperal state, the
Puerperal state, the, deaths from, 20, 115, 145, 178; by age, 212, 225, 358, 468, 480; by color, 145, 212, 222, 468, 480; in cities and rural districts, 145, 178; by month of death, 391; in each major city by age, 358; in more detail 115.
—— death rate, 11, 20, 21, 62, 66, 115, 480; by country of birth, 64.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.

Quarries, traumatism in, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.

Rabies, deaths from, 37, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Race. *See* Colored population.
Railroad accidents, deaths from, 72, 116, 178; by age, 216, 225, 472; by color, 216, 222, 472; by sex, 216, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Refined rates. *See* Death rates.
Registration area, the, extent of, 7, 8; growth of, 6, 7; States and cities included in, 7.
Registration States of 1920, population of, by age, color, and sex, 12, 81; deaths in, 80, 128; by age, color, sex, 128, 452, 476; by cause, 452, 476.
—— death rate, 11, 80, 476.
Registration States of 1910, death rate, 22.
Registration States of 1900, death rate, 10, 13, 21, 44.
Relapsing fever (spirillum overmeieri), deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220; in cities and rural districts, 174.
—— death rate, 114.
Residents, deaths of, 17, 90.
—— death rate, 15, 17, 90; cancer, 46.
Respiratory system, diseases of, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176; in more detail, 115.
—— death rate, 115.
Rheumatic fever, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Rheumatism (chronic), deaths from, 114, 145, 174; by age, 200, 223, 456; by color, 145, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 145, 174.
—— death rate, 114.
Rickets, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Rocky Mountain spotted fever, deaths from, 36.
Russia, death rate from puerperal causes, 65.

Salpingitis and pelvic abscess, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; in cities and rural districts, 176.
—— death rate, 115.
Scarlet fever, deaths from, 20, 29, 114, 144, 174; by age, 196, 223, 358, 452, 477; by color, 144, 196, 220, 452, 477; by sex, 196, 220, 452, 477; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age, 358.
—— death rate, 11, 20, 21, 29, 114, 477.
Sclerema, congenital. *See* Congenital debility, etc.
Scotland, death rates of, 18; from puerperal causes, 64.
Scurvy, deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200. 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Sex, population by, 12, 81; deaths by, 8, 9, 80, 128, 196, 220, 452, 476.
—— death rate, 12, 80.
Skin and cellular tissue, diseases of, deaths from, 115, 178; by age, 212, 225, 468; by color, 212, 222, 468; by sex, 212, 222, 468; in cities and rural districts, 178; in detail, 115.
—— death rate, 115.
Smallpox, deaths from, 20, 26, 114, 144, 174; by age, 196, 223, 452; by color, 144, 196, 220, 452, by sex, 196, 220, 452; in cities and rural districts, 144, 174.
—— death rate, 20, 21, 27, 114.
Soft chancre, deaths from, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174.
—— death rate, 114.
Softening of the brain, deaths from, 114, 176; by age, 204, 224, 460; by color, 204, 221, 460; by sex, 204, 221, 460; in cities and rural districts, 176.
—— death rate, 114.
Spain, death rates of, 18.
Specific rates. *See* Death rates.
Spinal cord, diseases of, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Spirochetal hemorrhagic jaundice, deaths from, 36, 114, 174; by age, 196, 223, 452; by color, 196, 220, 452; by sex, 196, 220, 452; in cities and rural districts, 174.
—— death rate, 114.
Spleen, diseases of, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate 114.
Starvation (deprivation of food or water), deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
States. *See* Registration States.
Statistics, accuracy of. *See* Accuracy of statistics.
Stomach (cancer excepted), diseases of, deaths from, 20, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176; by age under 1 year, 429; in detail, 115.
—— death rate, 20, 115.
Street-car accidents, deaths from, 72, 116, 178; by age, 218, 225, 472; by color, 218, 222, 472; by sex, 218, 222, 472; in cities and rural districts, 178.
—— death rate, 116.
Sudden death, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.
Suicide, deaths from, 20, 69, 72, 116, 145, 178; by age, 214, 225, 358, 470; by color, 145, 214, 222, 470; by sex, 214, 222, 470; in cities and rural districts, 145, 178; in detail, 116; in each major city by age, 358.
—— death rate, 20, 21, 69, 72, 116.
Sweden, death rates of, 18; from puerperal causes, 64.
Switzerland, death rates of, 18.
Syphilis, deaths from, 41, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174; by age under 1 year, 429.
—— death rate, 41, 114.

Tabes dorsalis (locomotor ataxia), deaths from, 41, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 41, 114.
Tetanus, deaths from, 114, 174; by age, 198, 223, 454; by color, 198, 220, 454; by sex, 198, 220, 454; in cities and rural districts, 174; by age under 1 year, 429.
—— death rate, 114.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 114, 174; by age, 202, 223, 458; by color, 202, 220, 458; by sex, 202, 220, 458; in cities and rural districts, 174.
—— death rate, 114.
Thyroid gland, diseases of, deaths from, 114, 174; by age, 202, 223, 456; by color, 202, 220, 456; by sex, 202, 220, 456; in cities and rural districts, 174; in detail, 114.
—— death rate, 114.
Tonsils. *See* Pharynx.
Tuberculosis, deaths from, 20, 38, 114, 144, 174; by age, 198, 223, 358, 454, 478; by color, 144, 198, 220, 454, 478; by sex, 198, 220, 454, 478; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in each major city by age, 358; in detail, 114.
—— death rate, 11, 20, 21, 38, 39, 114, 478.
Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 114, 174; by age, 200, 223, 456; by color, 200, 220, 456; by sex, 200, 220, 456; in cities and rural districts, 174.
—— death rate, 114.
Tumors of the uterus, benign, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 222, 466; in cities and rural districts, 176.
—— death rate, 115.
Typhlitis. *See* Appendicitis and typhlitis.
Typhoid and paratyphoid fever, deaths from, 20, 24, 114, 144, 174; by age, 196, 223, 358, 452, 476; by color, 144, 196, 220, 452, 476; by sex, 196, 220, 452, 476; in cities and rural districts, 144, 174; by month of death, 391; in each major city by age, 358; in detail, 114.
—— death rate, 11, 20, 21, 24, 114, 476.
Typhus fever, deaths from 20, 36, 114, 174; by age, 196, 223, 452; by color, 196, 452; by sex, 196, 452; in cities and rural districts, 174.
—— death rate, 20, 114.

Ulcer of the duodenum, deaths from, 115, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 115.
Ulcer of the stomach, deaths from, 114, 176; by age, 208, 224, 464; by color, 208, 221, 464; by sex, 208, 221, 464; in cities and rural districts, 176.
—— death rate, 114.
Unknown causes of death, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.

Unknown or ill-defined diseases, deaths from, 116, 145, 178; by age, 218, 225, 474; by color, 145, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178; in detail, 116.
—— death rate, 116.
Urethra, etc., diseases of, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 221, 466; by sex, 210, 221, 466; in cities and rural districts, 176; in detail, 115.
—— death rate, 115.
Uterine hemorrhage, nonpuerperal, deaths from, 115, 176; by age, 210, 224, 466; by color, 210, 222, 466; in cities and rural districts, 176.
—— death rate, 115.
Uterus, benign tumors of. *See* Tumors of the uterus, benign.

Veins, diseases of, deaths from, 115, 176; by age, 206, 224, 462; by color, 206, 221, 462; by sex, 206, 221, 462; in cities and rural districts, 176.
—— death rate, 115.

Wales. *See* England, etc.
White population, 88; by age and sex, 12, 81; deaths of, 8, 88, 120, 144; by age, 80, 122, 128, 196, 452, 476; by nativity, 8, 120, 128; by sex, 80, 128, 196, 452, 476; by cause, 144, 196, 452, 476, in cities and rural districts, 88, 122, 144.
—— death rate, 11, 80, 88, 476.
Whooping cough, deaths from, 20, 30, 114, 144, 174; by age, 196, 223, 358, 452, 477; by color, 144, 196, 220, 452, 477; by sex, 196, 220, 452, 477; in cities and rural districts, 144, 174; by month of death, 391; by age under 1 year, 429; in major cities by age, 358.
—— death rate, 11, 20, 21, 30, 114, 477.
Wounds of war, deaths from, 116, 178; by age, 218, 225, 474; by color, 218, 222, 474; by sex, 218, 222, 474; in cities and rural districts, 178.
—— death rate, 116.

Yellow fever, deaths from, 36, 114, 174; by age, 223, 452; in cities and rural districts, 174.
—— death rate, 114.