UNITED STATES DEPARTMENT OF COMMERCE
R. P. LAMONT, SECRETARY
BUREAU OF THE CENSUS
W. M. STEUART, *Director*

MORTALITY STATISTICS

1927

TWENTY-EIGHTH ANNUAL REPORT

PART I

SUMMARY AND RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL STATISTICS FOR HAWAII AND THE VIRGIN ISLANDS

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1929

For sale by the Superintendent of Documents, Washington, D. C. - - - - - - - - - Price $2.00 (cloth)

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (ANNUAL):

Part I.—Summary and rate tables and general tables for the birth registration area in continental United States, with supplemental statistics for the Virgin Islands.

Part II.—Text and text tables.

MORTALITY STATISTICS (ANNUAL):

Part I.—Summary and rate tables and general tables for the death registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

Part II.—Text and text tables.

CONTENTS

SUMMARY AND RATE TABLES

Page

TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1927 2
Estimated population and death rates, by color, for registration area and its main subdivisions, and for urban and rural districts of each registration State.

TABLE I B.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each registration city of 30,000 population or more in 1920: 1927 4

TABLE I C.—Total deaths and deaths of residents in each registration city having a population from 10,000 to 30,000 in 1920, and in the rural part of each registration county: 1927 6

TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1926 and 1927 19

NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and from each cause in urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census, except for cities with less than 30,000 population in 1920.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1927 24
Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1927 26
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1927 28
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1927 34
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1927 52
Deaths from 33 causes, in the registration area, and each registration city, and by color, for urban and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1927 82

TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1927 106
Causes of death by single years under 5 and by 5-year age periods.

TABLE 7 A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1927 130

TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1927 133
Causes of death by single years under 5 and by 5 and 10-year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1927 286
Deaths by single years under 5 and by 5 and 10 year age periods, in cities of 100,000 population or more on January 1, 1920.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1927 319

TABLE 10 A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1927 338
Deaths in cities of 100,000 population or more on January 1, 1920.

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1927 371
Deaths in cities of 100,000 population or more on January 1, 1920.

SUPPLEMENT

HAWAII 376

VIRGIN ISLANDS 385

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1927 392

TABLE 2.—Deaths (exclusive of stillbirths), and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1927 418

MORTALITY STATISTICS: 1927

INTRODUCTION

This is the twenty-eighth annual report of mortality statistics prepared by the Bureau of the Census; it relates to the calendar year 1927, and is presented in two parts. Part I includes rate and general tables for the death registration area in continental United States, and special tables for Hawaii and the Virgin Islands; Part II presents an analysis of these statistics in text and text tables.

The data are procured from transcripts of death certificates received from the registration area, which included the Territory of Hawaii, the Virgin Islands, and, in continental United States, 42 States, the District of Columbia, and 21 cities in nonregistration States. The States are:

Alabama.	Iowa.	Missouri.	Pennsylvania.
Arizona.	Kansas.	Montana.	Rhode Island.
Arkansas.	Kentucky.	Nebraska.	South Carolina.
California.	Louisiana.	New Hampshire.	Tennessee.
Colorado.	Maine.	New Jersey.	Utah.
Connecticut.	Maryland.	New York.	Vermont.
Delaware.	Massachusetts.	North Carolina.	Virginia.
Florida.	Michigan.	North Dakota.	Washington.
Idaho.	Minnesota.	Ohio.	West Virginia.
Illinois.	Mississippi.	Oregon.	Wisconsin.
Indiana.			Wyoming.

The registration cities in nonregistration States are:

Albany, Ga.	LaGrange, Ga.	Oklahoma City, Okla.	Fort Worth, Tex.
Athens, Ga.	Macon, Ga.	Sioux Falls, S. Dak.	Galveston, Tex.
Atlanta, Ga.	Savannah, Ga.	Beaumont, Tex.	Houston, Tex.
Augusta, Ga.	Waycross, Ga.	Dallas, Tex.	San Antonio, Tex.
Brunswick, Ga.	Albuquerque, N. Mex.	El Paso, Tex.	Waco, Tex.
Columbus, Ga.			

The total number of deaths returned from this part of continental United States, which included an estimated population of 108,327,000, or 91.3 per cent of the total, was 1,236,949, corresponding to a death rate of 11.4 per 1,000 population—the lowest rate recorded in the annual reports, beginning in 1900.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division. Acknowledgment is made of the efficient service rendered by John O. Spain and Maud E. Linder.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1927

[Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1927	DEATHS: 1927	
		Number	Rate per 1,000 population
The registration area in continental United States	108,327,000	1,236,949	11.4
White	98,552,000	1,067,485	10.8
Colored	9,775,000	169,464	17.3
Registration States [1]	106,510,200	1,211,627	11.4
White	97,112,600	1,050,358	10.8
Colored	9,397,600	161,269	17.2
Cities in registration States [1]	49,792,700	621,605	12.5
White	46,576,300	549,660	11.8
Colored	3,216,400	71,945	22.4
Rural part of registration States	56,717,500	590,022	10.4
White	50,536,300	500,698	9.9
Colored	6,181,200	89,324	14.5
Registration cities in nonregistration States [2]	1,816,500	25,322	13.9
White	1,439,500	17,127	11.9
Colored	377,000	8,195	21.7
All registration cities [1]	51,609,200	646,927	12.5
White	48,015,800	566,787	11.8
Colored	3,593,400	80,140	22.3
ALABAMA			
Total	2,549,000	27,062	10.6
White	1,656,900	14,273	8.6
Colored	892,100	12,789	14.3
Urban	457,900	7,447	16.3
White	281,200	3,750	13.3
Colored	176,700	3,697	20.9
Rural	2,091,100	19,615	9.4
White	1,375,700	10,523	7.6
Colored	715,400	9,092	12.7
ARIZONA			
Total	459,000	5,881	12.8
White	407,000	5,094	12.5
Colored	52,000	787	15.1
Urban	73,000	2,233	30.6
White	69,600	2,075	30.1
Colored	3,400	158	46.5
Rural	386,000	3,648	9.5
White	337,400	3,019	8.9
Colored	48,600	629	12.9
ARKANSAS			
Total	1,923,000	18,311	9.5
White	1,422,500	11,926	8.4
Colored	500,500	6,385	12.8
Urban	160,600	3,244	20.2
White	123,800	2,153	17.4
Colored	36,800	1,091	29.6
Rural	1,762,400	15,067	8.5
White	1,298,700	9,773	7.5
Colored	463,700	5,294	11.4
CALIFORNIA			
Total	4,433,000	61,540	13.9
White	4,228,000	58,490	13.8
Colored	205,000	3,050	14.9
Urban	2,540,700	36,130	14.2
White	2,437,000	34,310	14.1
Colored	103,700	1,820	17.6
Rural	1,892,300	25,410	13.4
White	1,791,000	24,180	13.5
Colored	101,300	1,230	12.1
COLORADO			
Total	1,074,000	13,082	12.2
White	1,058,800	12,739	12.0
Colored	15,200	343	22.6
Urban	400,300	5,969	14.9
White	390,200	5,741	14.7
Colored	10,100	228	22.6
Rural	673,700	7,113	10.6
White	668,600	6,998	10.5
Colored	5,100	115	22.5
CONNECTICUT			
Total	1,636,000	16,757	10.2
White	1,608,300	16,266	10.1
Colored	27,700	491	17.7
Urban	1,214,600	12,715	10.5
White	1,191,400	12,288	10.3
Colored	23,200	427	18.4
Rural	421,400	4,042	9.6
White	416,900	3,978	9.5
Colored	4,500	64	14.2
DELAWARE			
Total	243,000	3,007	12.4
White	212,900	2,404	11.3
Colored	30,100	603	20.0
Urban	126,400	1,462	11.6
White	114,300	1,209	10.6
Colored	12,100	253	20.9
Rural	116,600	1,545	13.3
White	98,600	1,195	12.1
Colored	18,000	350	19.4
FLORIDA			
Total	1,363,000	18,151	13.3
White	933,400	10,887	11.7
Colored	429,600	7,264	16.9
Urban	474,200	5,921	12.5
White	356,100	3,515	9.9
Colored	118,100	2,406	20.4
Rural	888,800	12,230	13.8
White	577,300	7,372	12.8
Colored	311,500	4,858	15.6
IDAHO			
Total	534,000	3,787	7.1
White	527,900	3,656	6.9
Colored	6,100	131	21.5
Urban	42,900	530	12.4
White	41,800	510	12.2
Colored	1,100	20	18.2
Rural	491,100	3,257	6.6
White	486,100	3,146	6.5
Colored	5,000	111	22.2
ILLINOIS			
Total	7,296,000	82,849	11.4
White	7,039,500	77,012	10.9
Colored	256,500	5,837	22.8
Urban	4,412,500	52,659	11.9
White	4,200,200	47,877	11.4
Colored	212,300	4,782	22.5
Rural	2,883,500	30,190	10.5
White	2,839,300	29,135	10.3
Colored	44,200	1,055	23.9
INDIANA			
Total	3,150,000	37,677	12.0
White	3,049,000	35,672	11.7
Colored	101,000	2,005	19.9
Urban	1,406,900	17,180	12.2
White	1,320,100	15,505	11.7
Colored	86,800	1,675	19.3
Rural	1,743,100	20,497	11.8
White	1,728,900	20,167	11.7
Colored	14,200	330	23.2
IOWA			
Total	2,425,000	24,532	10.1
White	2,405,100	24,198	10.1
Colored	19,900	334	16.8
Urban	676,200	8,644	12.8
White	659,600	8,419	12.8
Colored	16,600	225	13.6
Rural	1,748,800	15,888	9.1
White	1,745,500	15,779	9.0
Colored	3,300	109	33.0
KANSAS			
Total	1,828,000	18,582	10.2
White	1,754,900	17,418	9.9
Colored	73,100	1,164	15.9
Urban	492,900	6,146	12.5
White	442,100	5,370	12.1
Colored	50,800	776	15.3
Rural	1,335,100	12,436	9.3
White	1,312,800	12,048	9.2
Colored	22,300	388	17.4
KENTUCKY			
Total	2,538,000	27,209	10.7
White	2,327,000	22,786	9.8
Colored	211,000	4,423	21.0
Urban	543,600	7,713	14.2
White	465,300	5,893	12.7
Colored	78,300	1,820	23.2
Rural	1,994,400	19,496	9.8
White	1,861,700	16,893	9.1
Colored	132,700	2,603	19.6
LOUISIANA			
Total	1,934,000	23,875	12.3
White	1,245,200	11,878	9.5
Colored	688,800	11,997	17.4
Urban	582,800	10,681	18.3
White	412,000	5,987	14.5
Colored	170,800	4,694	27.5
Rural	1,351,200	13,194	9.8
White	833,200	5,891	7.1
Colored	518,000	7,303	14.1
MAINE			
Total	793,000	10,958	13.8
White	790,600	10,924	13.8
Colored	2,400	34	14.2
Urban	238,200	3,501	14.7
White	237,200	3,488	14.7
Colored	1,000	13	13.0
Rural	554,800	7,457	13.4
White	553,400	7,436	13.4
Colored	1,400	21	15.0
MARYLAND			
Total	1,597,000	21,102	13.2
White	1,340,700	15,827	11.8
Colored	256,300	5,275	20.6
Urban	912,200	12,806	14.0
White	784,500	9,704	12.4
Colored	127,700	3,102	24.3
Rural	684,800	8,296	12.1
White	556,200	6,123	11.0
Colored	128,600	2,173	16.9
MASSACHUSETTS			
Total	4,242,000	49,285	11.6
White	4,187,600	48,360	11.5
Colored	54,400	925	17.0
Urban	3,438,400	39,861	11.6
White	3,391,000	39,066	11.5
Colored	47,400	795	16.8
Rural	803,600	9,424	11.7
White	796,600	9,294	11.7
Colored	7,000	130	18.6
MICHIGAN			
Total	4,490,000	50,643	11.3
White	4,359,100	47,999	11.0
Colored	130,900	2,644	20.2
Urban	2,518,500	27,814	11.0
White	2,401,400	25,659	10.7
Colored	117,100	2,155	18.4
Rural	1,971,500	22,829	11.6
White	1,957,700	22,340	11.4
Colored	13,800	489	35.4
MINNESOTA			
Total	2,686,000	24,688	9.2
White	2,666,000	24,252	9.1
Colored	20,000	436	21.8
Urban	945,300	11,016	11.7
White	935,200	10,842	11.6
Colored	10,100	174	17.2
Rural	1,740,700	13,672	7.9
White	1,730,800	13,410	7.7
Colored	9,900	262	26.5

See footnotes at end of table.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1927—Continued

[See note at head of this table, p. 2]

AREA AND COLOR	Estimated population, July 1, 1927	DEATHS: 1927	
		Number	Rate per 1,000 population
MISSISSIPPI			
Total	[1] 1,790,618	23,203	13.0
White	853,962	8,847	10.4
Colored	936,656	14,356	15.3
Urban	156,400	4,098	26.2
White	91,200	1,755	19.2
Colored	65,200	2,343	35.9
Rural	1,634,200	19,105	11.7
White	762,800	7,092	9.3
Colored	871,400	12,013	13.8
MISSOURI			
Total	3,510,000	40,753	11.6
White	3,311,600	36,337	11.0
Colored	198,400	4,416	22.3
Urban	1,504,900	20,251	13.5
White	1,361,600	17,202	12.6
Colored	143,300	3,049	21.3
Rural	2,005,100	20,502	10.2
White	1,950,000	19,135	9.8
Colored	55,100	1,367	24.8
MONTANA			
Total	714,000	5,342	7.5
White	700,200	4,917	7.0
Colored	13,800	425	30.8
Urban	131,900	1,727	13.1
White	130,400	1,695	13.0
Colored	1,500	32	21.3
Rural	582,100	3,615	6.2
White	569,800	3,222	5.7
Colored	12,300	393	32.0
NEBRASKA			
Total	1,396,000	12,369	8.9
White	1,374,000	12,030	8.8
Colored	22,000	339	15.4
Urban	333,500	3,975	11.9
White	317,200	3,743	11.8
Colored	16,300	232	14.2
Rural	1,062,500	8,394	7.9
White	1,056,800	8,287	7.8
Colored	5,700	107	18.8
NEW HAMPSHIRE			
Total	455,000	6,329	13.9
White	454,300	6,317	13.9
Colored	700	12	17.1
Urban	208,900	2,719	13.0
White	208,500	2,712	13.0
Colored	400	7	17.5
Rural	246,100	3,610	14.7
White	245,800	3,605	14.7
Colored	300	5	16.7
NEW JERSEY			
Total	3,749,000	42,128	11.2
White	3,603,800	38,720	10.7
Colored	145,200	3,408	23.5
Urban	2,359,500	26,316	11.2
White	2,263,000	23,940	10.6
Colored	96,500	2,376	24.6
Rural	1,389,500	15,812	11.4
White	1,340,800	14,780	11.0
Colored	48,700	1,032	21.2
NEW YORK			
Total	11,423,000	140,899	12.3
White	11,155,700	134,709	12.1
Colored	267,300	6,190	23.2
Urban	8,706,600	106,620	12.2
White	8,502,200	101,039	11.9
Colored	204,400	5,581	27.3
Rural	2,716,400	34,279	12.6
White	2,653,500	33,670	12.7
Colored	62,900	609	9.7
NORTH CAROLINA			
Total	2,897,000	32,917	11.4
White	2,054,900	19,844	9.7
Colored	842,100	13,073	15.5
Urban	466,900	7,300	15.6
White	303,600	3,893	12.8
Colored	163,300	3,407	20.9
Rural	2,430,100	25,617	10.5
White	1,751,300	15,951	9.1
Colored	678,800	9,666	14.2
NORTH DAKOTA			
Total	[4] 641,192	5,211	8.1
White	635,707	4,978	7.8
Colored	5,485	233	42.5
Urban	54,760	777	14.2
White	54,709	776	14.2
Colored	51	1	[5]
Rural	586,432	4,434	7.6
White	580,998	4,202	7.2
Colored	5,434	232	42.7
OHIO			
Total	6,710,000	73,515	11.0
White	6,450,400	68,065	10.6
Colored	259,600	5,450	21.0
Urban	3,889,800	43,056	11.1
White	3,679,500	38,602	10.5
Colored	210,300	4,454	21.2
Rural	2,820,200	30,459	10.8
White	2,770,900	29,463	10.6
Colored	49,300	996	20.2
OREGON			
Total	890,000	10,206	11.5
White	878,800	9,922	11.3
Colored	11,200	284	25.4
Urban	340,500	4,714	13.8
White	337,100	4,599	13.6
Colored	3,400	115	33.8
Rural	549,500	5,492	10.0
White	541,700	5,323	9.8
Colored	7,800	169	21.7
PENNSYLVANIA			
Total	9,730,000	111,252	11.4
White	9,356,900	103,663	11.1
Colored	373,100	7,589	20.3
Urban	4,998,400	61,025	12.2
White	4,715,800	54,979	11.7
Colored	282,600	6,046	21.4
Rural	4,731,600	50,227	10.6
White	4,641,100	48,684	10.5
Colored	90,500	1,543	17.0
RHODE ISLAND			
Total	704,000	7,897	11.2
White	692,500	7,661	11.1
Colored	11,500	236	20.5
Urban	586,500	6,619	11.3
White	575,800	6,421	11.2
Colored	10,700	198	18.5
Rural	117,500	1,278	10.9
White	116,700	1,240	10.6
Colored	800	38	47.5
SOUTH CAROLINA			
Total	1,845,000	21,740	11.8
White	951,800	8,961	9.4
Colored	893,200	12,779	14.3
Urban	205,700	4,305	20.9
White	127,400	1,924	15.1
Colored	78,300	2,381	30.4
Rural	1,639,300	17,435	10.6
White	824,400	7,037	8.5
Colored	814,900	10,398	12.8
TENNESSEE			
Total	2,485,000	29,029	11.7
White	2,053,400	20,549	10.0
Colored	431,600	8,480	19.6
Urban	527,400	9,648	18.3
White	386,100	5,656	14.6
Colored	141,300	3,992	28.3
Rural	1,957,600	19,381	9.9
White	1,667,300	14,893	8.9
Colored	290,300	4,488	15.5
UTAH			
Total	522,000	4,737	9.1
White	513,900	4,615	9.0
Colored	8,100	122	15.1
Urban	185,500	2,271	12.2
White	183,400	2,221	12.1
Colored	2,100	50	23.8
Rural	336,500	2,466	7.3
White	330,500	2,394	7.2
Colored	6,000	72	12.0
VERMONT			
Total	[3] 352,428	4,882	13.9
White	351,817	4,879	13.9
Colored	611	3	4.9
Urban	50,615	827	16.3
White	50,520	827	16.4
Colored	95		
Rural	301,813	4,055	13.4
White	301,297	4,052	13.4
Colored	516	3	6.0
VIRGINIA			
Total	2,546,000	28,772	11.3
White	1,836,000	17,503	9.5
Colored	710,000	11,269	15.9
Urban	686,700	8,684	12.6
White	467,800	4,908	10.5
Colored	218,900	3,776	17.2
Rural	1,859,300	20,088	10.8
White	1,368,200	12,595	9.2
Colored	491,100	7,493	15.3
WASHINGTON			
Total	1,562,000	15,950	10.2
White	1,521,300	15,311	10.1
Colored	40,700	639	15.7
Urban	730,200	8,241	11.3
White	710,000	7,959	11.2
Colored	20,200	282	14.0
Rural	831,800	7,709	9.3
White	811,300	7,352	9.1
Colored	20,500	357	17.4
WEST VIRGINIA			
Total	1,696,000	16,989	10.0
White	1,588,500	15,139	9.5
Colored	107,500	1,850	17.2
Urban	312,500	4,596	14.7
White	292,100	4,133	14.1
Colored	20,400	463	22.7
Rural	1,383,500	12,393	9.0
White	1,296,400	11,006	8.5
Colored	87,100	1,387	15.9
WISCONSIN			
Total	2,918,000	29,567	10.1
White	2,900,800	29,169	10.1
Colored	17,200	398	23.1
Urban	1,121,000	12,796	11.4
White	1,114,700	12,639	11.3
Colored	6,300	157	24.9
Rural	1,797,000	16,771	9.3
White	1,786,100	16,530	9.3
Colored	10,900	241	22.1
WYOMING			
Total	241,000	1,976	8.2
White	238,100	1,855	7.8
Colored	2,900	121	41.7
Urban	36,500	382	10.5
White	35,900	370	10.3
Colored	600	12	20.0
Rural	204,500	1,594	7.8
White	202,200	1,485	7.3
Colored	2,300	109	47.4

[1] Including District of Columbia.
[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1B and 1C, respectively.
[3] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.
[4] Population State census, 1925; decrease between 1920 and 1925; no estimate made.
[5] Rate not shown when population is less than 100.

NOTE.—The population of the registration area in 1927 constituted 91.3 per cent of the total population of continental United States.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH REGISTRATION CITY OF 30,000 POPULATION OR MORE IN 1920: 1927

[Minor cities which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. White and colored are shown separately when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920]

CITY AND COLOR	Estimated population, July 1, 1927	1927 Total deaths: Number	Total deaths: Rate per 1,000 population	Deaths of residents [1]: Number	Deaths of residents [1]: Rate per 1,000 population
ALABAMA CITIES					
Birmingham	217,500	3,446	15.8	3,151	14.5
White	(2)	1,616	(2)	1,383	(2)
Colored	(2)	1,830	(2)	1,768	(2)
Mobile	67,700	1,100	16.2	943	13.9
White	(2)	601	(2)	484	(2)
Colored	(2)	499	(2)	459	(2)
Montgomery	47,600	884	18.6	769	16.2
White	(2)	370	(2)	281	(2)
Colored	(2)	514	(2)	488	(2)
ARKANSAS CITIES					
Little Rock*	77,500	1,723	22.2	1,369	17.7
White	(2)	1,093	(2)	851	(2)
Colored	(2)	630	(2)	518	(2)
CALIFORNIA CITIES					
Berkeley	69,400	620	8.9	627	9.0
Fresno	62,200	534	8.6	556	8.9
Long Beach	104,200	1,316	12.6	1,231	11.8
Los Angeles	(3)	12,927	(3)	13,048	(3)
White	(2)	12,182	(2)	12,299	(2)
Colored	(2)	745	(2)	749	(2)
Oakland	267,300	2,951	11.0	2,895	10.8
White	(2)	2,800	(2)	2,745	(2)
Colored	(2)	151	(2)	150	(2)
Pasadena	60,500	904	14.9	891	14.7
Sacramento	74,600	1,347	18.1	1,267	17.0
San Diego	115,300	2,090	18.1	1,918	16.6
San Francisco	576,000	7,826	13.6	7,692	13.4
White	(2)	7,402	(2)	7,288	(2)
Colored	(2)	424	(2)	404	(2)
San Jose	44,800	581	13.0	581	13.0
Stockton	49,800	552	11.1	565	11.3
COLORADO CITIES					
Colorado Springs*	[4] 30,105	620	20.6	517	17.2
Denver	289,800	4,185	14.4	3,825	13.2
Pueblo	44,100	595	13.5	543	12.3
CONNECTICUT CITIES					
Bridgeport	(3)	1,514	(3)	1,440	(3)
Hartford	168,300	2,073	12.3	1,724	10.2
Meriden	36,800	418	11.4	390	10.6
New Britain	71,200	574	8.1	612	8.6
New Haven	184,900	2,070	11.2	1,804	9.8
Stamford town	48,700	558	11.5	532	10.9
Waterbury	(3)	1,082	(3)	1,009	(3)
DELAWARE CITIES					
Wilmington	126,400	1,462	11.6	1,459	11.5
White	114,300	1,209	10.6	1,188	10.4
Colored	12,100	253	20.9	271	22.4
DISTRICT OF COLUMBIA					
Washington	540,000	6,986	12.9	6,655	12.3
White	413,800	4,306	10.4	4,064	9.8
Colored	126,200	2,680	21.2	2,591	20.5
FLORIDA CITIES					
Jacksonville	138,900	2,024	14.6	1,882	13.5
White	(2)	904	(2)	793	(2)
Colored	(2)	1,120	(2)	1,080	(2)
Miami	140,000	1,256	9.0	1,229	8.8
White	(2)	784	(2)	781	(2)
Colored	(2)	472	(2)	448	(2)
Pensacola	[5] 25,305	519	20.5	505	20.0
White	(2)	300	(2)	292	(2)
Colored	(2)	219	(2)	213	(2)
St. Petersburg	48,500	606	12.5	498	10.3
White	(2)	476	(2)	363	(2)
Colored	(2)	130	(2)	135	(2)
Tampa	107,800	1,277	11.8	1,185	11.0
White	(2)	884	(2)	799	(2)
Colored	(2)	393	(2)	386	(2)
GEORGIA CITIES [6]					
Atlanta	249,000	3,833	15.4	3,529	14.2
White	(2)	2,001	(2)	1,755	(2)
Colored	(2)	1,832	(2)	1,774	(2)
Augusta*	56,200	1,130	20.1	909	16.2
White	(2)	523	(2)	369	(2)
Colored	(2)	607	(2)	540	(2)
Columbus	45,800	694	15.2	661	14.4
White	(2)	387	(2)	370	(2)
Colored	(2)	307	(2)	291	(2)
Macon	60,100	949	15.8	827	13.8
White	(2)	406	(2)	338	(2)
Colored	(2)	543	(2)	489	(2)
GEORGIA CITIES—continued					
Savannah*	99,700	1,586	15.9	1,411	14.2
White	(2)	553	(2)	449	(2)
Colored	(2)	1,033	(2)	962	(2)
ILLINOIS CITIES					
Aurora	46,500	605	13.0	545	11.7
Chicago	3,102,800	35,758	11.5	35,632	[7] 11.5
White	(2)	31,915	(2)	31,784	(2)
Colored	(2)	3,843	(2)	3,848	(2)
Cicero	68,500	338	4.9	453	6.6
Danville	38,200	553	14.5	420	11.0
Decatur	56,000	794	14.2	673	12.0
East St. Louis	73,100	881	12.1	859	11.8
White	(2)	695	(2)	670	(2)
Colored	(2)	186	(2)	189	(2)
Elgin*	35,000	767	21.9	721	20.6
Evanston	46,400	652	14.1	572	12.3
Joliet	41,500	547	13.2	501	12.1
Moline	35,100	366	10.4	328	9.3
Oak Park	55,600	779	14.0	558	10.0
Peoria	83,500	1,148	13.7	1,002	12.0
Quincy	39,500	583	14.8	511	12.9
Rockford	80,900	816	10.1	774	9.6
Rock Island	41,900	380	9.1	393	9.4
Springfield	66,400	1,034	15.6	852	12.8
INDIANA CITIES					
East Chicago	49,100	395	8.0	486	9.9
Evansville	96,600	1,119	11.6	996	10.3
Fort Wayne	103,100	1,218	11.8	1,112	10.8
Gary	85,200	996	11.7	960	11.3
Hammond	54,200	619	11.4	573	10.6
Indianapolis	374,300	4,901	13.1	4,675	12.5
White	(2)	4,100	(2)	3,873	(2)
Colored	(2)	801	(2)	802	(2)
Kokomo	39,100	319	8.2	330	8.4
Muncie	45,800	511	11.2	499	10.9
South Bend	84,200	972	11.5	968	[7] 11.5
Terre Haute	72,700	902	12.4	834	11.5
IOWA CITIES					
Cedar Rapids	54,100	600	11.1	558	10.3
Council Bluffs	41,600	534	12.8	472	11.3
Davenport	[5] 52,469	762	14.5	672	12.8
Des Moines	148,900	1,628	10.9	1,441	9.7
Dubuque	41,900	625	14.9	576	13.7
Sioux City	79,000	884	11.2	718	9.1
Waterloo	37,000	378	10.2	395	10.7
KANSAS CITIES					
Kansas City	117,500	1,556	13.2	1,351	11.5
White	(2)	1,193	(2)	1,015	(2)
Colored	(2)	363	(2)	336	(2)
Topeka	61,900	754	12.2	683	11.0
Wichita	96,100	1,167	12.1	952	9.9
KENTUCKY CITIES [8]					
Covington	58,700	928	15.8	------	------
Lexington*	48,100	998	20.7	------	------
White	(2)	605	(2)	------	------
Colored	(2)	393	(2)	------	------
Louisville	320,100	4,093	12.8	------	------
White	(2)	3,080	(2)	------	------
Colored	(2)	1,013	(2)	------	------
LOUISIANA CITIES					
New Orleans	424,400	7,942	18.7	6,816	16.1
White	(2)	4,693	(2)	4,016	(2)
Colored	(2)	3,249	(2)	2,800	(2)
Shreveport*	78,000	1,442	18.5	812	10.4
White	(2)	652	(2)	384	(2)
Colored	(2)	790	(2)	428	(2)
MAINE CITIES					
Lewiston*	36,100	559	15.5	289	8.0
Portland	77,500	1,114	14.4	646	8.3
MARYLAND CITIES					
Baltimore	819,000	11,578	14.1	10,768	13.1
White	(2)	8,613	(2)	7,916	(2)
Colored	(2)	2,965	(2)	2,852	(2)
MASSACHUSETTS CITIES					
Boston	793,100	11,109	14.0	9,803	12.4
White	(2)	10,713	(2)	9,434	(2)
Colored	(2)	396	(2)	369	(2)
Brockton	[5] 65,343	751	11.5	704	10.8
Brookline town	44,800	497	11.1	509	11.4
Cambridge	123,900	1,393	11.2	1,444	11.7
MASSACHUSETTS CITIES—continued					
Chelsea	49,000	536	10.9	534	[7] 10.9
Chicopee	44,300	301	6.8	344	7.8
Everett	42,900	343	8.0	469	10.9
Fall River	132,600	1,442	10.9	1,409	10.6
Fitchburg	44,700	456	10.2	452	10.1
Haverhill	[5] 49,232	641	13.0	653	13.3
Holyoke	60,400	672	11.1	611	10.1
Lawrence	[5] 93,527	953	10.2	981	10.5
Lowell	[5] 110,296	1,392	12.6	1,416	12.8
Lynn	104,800	1,146	10.9	1,230	11.7
Malden	52,900	529	10.0	586	11.1
Medford	51,300	479	9.3	530	10.3
New Bedford	[5] 119,539	1,309	11.0	1,327	11.1
Newton	56,000	554	9.9	552	[7] 9.9
Pittsfield	49,100	573	11.7	480	9.8
Quincy	65,300	554	8.5	582	8.9
Revere	35,200	210	6.0	301	8.6
Salem	42,900	521	12.1	505	11.8
Somerville	101,600	926	9.1	1,150	11.3
Springfield	147,400	1,684	11.4	1,545	10.5
Taunton	40,200	525	13.1	555	13.8
Waltham	36,400	379	10.4	390	10.7
Worcester	195,500	2,516	12.9	2,271	11.6
MICHIGAN CITIES					
Battle Creek	46,100	575	12.5	506	11.0
Bay City	49,400	608	12.3	599	12.1
Detroit	1,334,500	14,455	10.8	14,463	[7] 10.8
White	(2)	12,713	(2)	12,647	(2)
Colored	(2)	1,742	(2)	1,816	(2)
Flint	142,700	1,420	10.0	1,423	[7] 10.0
Grand Rapids	161,900	1,592	9.8	1,508	9.3
Hamtramck	93,800	288	3.1	329	3.5
Highland Park	81,700	570	7.0	575	[7] 7.0
Jackson	61,700	719	11.7	657	10.6
Kalamazoo*	55,500	950	17.1	818	14.7
Lansing	75,600	792	10.5	710	9.4
Muskegon	45,500	514	11.3	479	10.5
Pontiac	54,000	533	9.9	521	9.6
Saginaw	74,400	947	12.7	918	12.3
MINNESOTA CITIES					
Duluth	114,700	1,139	9.9	988	8.6
Minneapolis	447,700	4,719	10.5	4,276	9.6
St. Paul	250,100	2,950	11.8	2,669	10.7
MISSOURI CITIES					
Kansas City	383,100	5,011	13.1	4,769	12.4
White	(2)	4,212	(2)	3,962	(2)
Colored	(2)	799	(2)	807	(2)
St. Joseph*	78,500	1,286	16.4	1,078	13.7
St. Louis	839,200	10,860	12.9	10,291	12.3
White	(2)	9,027	(2)	8,466	(2)
Colored	(2)	1,833	(2)	1,825	(2)
Springfield	51,200	685	13.4	575	11.2
MONTANA CITIES					
Butte	43,300	601	13.9	625	14.4
NEBRASKA CITIES					
Lincoln	69,900	766	11.0	625	8.9
Omaha	219,200	2,670	12.2	2,317	10.6
White	(2)	2,460	(2)	2,103	(2)
Colored	(2)	210	(2)	214	(2)
NEW HAMPSHIRE CITIES					
Manchester	84,800	867	10.2	894	10.5
NEW JERSEY CITIES					
Atlantic City*	54,200	1,112	20.5	871	16.1
White	(2)	818	(2)	585	(2)
Colored	(2)	294	(2)	286	(2)
Bayonne	93,100	647	6.9	725	7.8
Camden	133,100	1,645	12.4	1,352	10.2
East Orange	63,300	483	7.6	607	9.6
Elizabeth	(3)	1,250	(3)	1,136	(3)
Hoboken	[4] 68,166	855	12.5	768	11.3
Jersey City	321,500	3,550	11.0	3,584	11.1
Newark	466,700	5,090	10.9	5,096	[7] 10.9
White	(2)	4,376	(2)	4,344	(2)
Colored	(2)	714	(2)	752	(2)

See footnotes at end of table..

MORTALITY STATISTICS: 1927—PART I

ERRATA

Page

21. "Note" at foot of table, end of first line, should be 89.8.
66. Line 73, figure for "Rheumatism" should be 2.
69. Delete figure one, Title 188c, lower line of bracket 50.
88. Title No. 58b, figure for Indiana Urban should be 9.
101. Title No. 83, figure for Virginia Urban white should be 6.
161. Title No. 62, figure for Under 1 year should be 2.
161. Title No. 63, delete figure 2 for Under 1 year.
212. Title No. 62, White, under 1 year, figure should be 4.
262. Title No. 181, White, 2 and 3 years, figure for each should be 1.
262. Title No. 181, Colored, 2 and 3 years, delete figure 1.
304. New York, Brooklyn Borough, white, figure for "Hernia, intestinal obstruction," 55 to 64 years, should be 42.
342. Atlanta, Ga., Colored, "Bronchitis," figure for July should be 3, and figure for September should be 1.
351. Kansas City, Mo., Colored, "Diabetes mellitus," delete figure 2 for December.
367. Salt Lake City, Utah, "Other external causes," figure for May should be 8 and figure for June should be 9.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH REGISTRATION CITY OF 30,000 POPULATION OR MORE IN 1920: 1927—Continued

[See note at head of this table, p. 4]

CITY AND COLOR	Estimated population, July 1, 1927	1927 Total deaths: Number	1927 Total deaths: Rate per 1,000 population	1927 Deaths of residents [1]: Number	1927 Deaths of residents [1]: Rate per 1,000 population
NEW JERSEY CITIES—continued					
New Brunswick	39,900	502	12.6	380	9.5
Orange*	36,100	619	17.1	408	11.3
White	(2)	532	(2)	325	(2)
Colored	(2)	87	(2)	83	(2)
Passaic	70,800	717	10.1	559	7.9
Paterson	143,800	1,756	12.2	1,536	10.7
Perth Amboy	49,100	463	9.4	432	8.8
Trenton	136,700	1,809	13.2	1,612	11.8
Union City	64,000	370	5.8	629	9.8
NEW YORK CITIES					
Albany	119,500	1,899	15.9	1,646	13.8
Amsterdam	35,900	396	10.0	352	9.8
Auburn	[5] 35,677	491	13.8	459	12.9
Binghamton*	73,900	1,044	14.1	999	13.5
Buffalo	556,000	7,225	13.1	6,713	12.2
Elmira	49,500	713	14.4	628	12.7
Jamestown	45,100	563	12.5	505	11.2
Mount Vernon	53,300	493	9.2	514	9.6
Newburgh	30,400	477	15.7	413	13.6
New Rochelle	47,300	420	8.9	441	9.3
New York	5,970,800	70,396	11.8	70,589	[7] 11.8
Bronx Borough	926,100	9,103	9.8	9,055	[7] 9.8
Brooklyn Borough	2,274,400	24,852	10.9	25,214	11.1
White	(2)	23,843	(2)	24,206	(2)
Colored	(2)	1,009	(2)	1,008	(2)
Manhattan Borough	1,814,600	26,676	14.7	26,556	14.6
White	(2)	23,358	(2)	23,249	(2)
Colored	(2)	3,318	(2)	3,307	(2)
Queens Borough	809,100	7,978	9.9	7,975	[7] 9.9
Richmond Borough	146,600	1,787	12.2	1,789	[7] 12.2
Niagara Falls	66,600	654	9.8	670	10.1
Poughkeepsie	35,900	533	14.8	492	13.7
Rochester	324,500	3,787	11.7	3,599	11.1
Schenectady	93,200	997	10.7	931	10.0
Syracuse	197,000	2,419	12.3	2,301	11.7
Troy	72,300	1,232	17.0	1,108	15.3
Utica*	103,400	1,566	15.1	1,470	14.2
Watertown	33,400	500	15.0	385	11.5
Yonkers	118,800	1,114	9.4	1,144	9.6
NORTH CAROLINA CITIES					
Charlotte	[9] 71,700	909	12.7	879	12.3
White	(2)	488	(2)	464	(2)
Colored	(2)	421	(2)	415	(2)
Durham	45,700	730	16.0	629	13.8
White	(2)	381	(2)	331	(2)
Colored	(2)	349	(2)	298	(2)
Greensboro	50,300	663	13.2	540	10.7
White	(2)	417	(2)	319	(2)
Colored	(2)	246	(2)	221	(2)
Wilmington	38,400	565	14.7	518	13.5
White	(2)	251	(2)	221	(2)
Colored	(2)	314	(2)	297	(2)
Winston-Salem	77,100	1,006	13.0	926	12.0
White	(2)	449	(2)	377	(2)
Colored	(2)	557	(2)	549	(2)
OHIO CITIES					
Akron	(3)	1,917	(3)	1,879	(3)
Canton	113,300	1,101	9.7	1,065	9.4
Cincinnati	412,200	6,878	16.7	6,355	15.4
White	(2)	5,830	(2)	5,337	(2)
Colored	(2)	1,048	(2)	1,018	(2)
Cleveland	984,500	9,503	9.7	9,241	9.4
White	(2)	8,288	(2)	8,021	(2)
Colored	(2)	1,215	(2)	1,220	(2)
Columbus	291,400	3,908	13.4	3,522	12.1
White	(2)	3,381	(2)	3,006	(2)
Colored	(2)	527	(2)	516	(2)
OHIO CITIES—con.					
Dayton	180,700	2,217	12.3	2,083	11.5
Hamilton	43,800	532	12.1	509	11.6
Lakewood	62,200	491	7.9	525	8.4
Lima	48,700	560	11.5	467	9.6
Lorain	44,000	411	9.3	413	9.4
Portsmouth	40,500	566	14.0	515	12.7
Springfield	71,600	819	11.4	833	11.6
White	(2)	663	(2)	675	(2)
Colored	(2)	156	(2)	158	(2)
Toledo	305,400	3,641	11.9	3,418	11.2
Youngstown	169,400	1,695	10.0	1,583	9.3
OKLAHOMA CITIES [5]					
Oklahoma City	(3)	1,417	(3)	1,193	(3)
OREGON CITIES					
Portland	(3)	3,564	(3)	3,233	(3)
PENNSYLVANIA CITIES					
Allentown	97,000	1,226	12.6	1,227	[7] 12.6
Altoona	67,800	806	11.9	813	12.0
Bethlehem	66,000	402	6.1	414	6.3
Chester	72,300	669	9.3	672	[7] 9.3
White	(2)	493	(2)	496	(2)
Colored	(2)	176	(2)	176	(2)
Easton	37,900	563	14.9	581	15.3
Erie	(3)	1,276	(3)	1,288	(3)
Harrisburg	85,700	1,307	15.3	1,226	14.3
Hazleton	37,500	482	12.9	490	13.1
Johnstown	73,000	944	12.9	841	11.5
Lancaster	57,700	948	16.4	945	[7] 16.4
McKeesport	49,900	752	15.1	740	14.8
New Castle	51,600	528	10.2	533	10.3
Norristown*	35,800	782	21.8	783	21.9
Philadelphia	2,035,900	24,765	12.2	25,096	12.3
White	(2)	21,058	(2)	21,355	(2)
Colored	(2)	3,707	(2)	3,741	(2)
Pittsburgh [10]	665,500	9,092	13.7	9,077	13.6
White	(2)	8,068	(2)	8,045	(2)
Colored	(2)	1,024	(2)	1,032	(2)
Reading	114,500	1,210	10.6	1,220	10.7
Scranton	143,900	1,903	13.2	1,829	12.7
Wilkes-Barre	90,900	1,326	14.6	1,006	11.1
Williamsport	43,600	629	14.4	634	14.5
York	49,600	701	14.1	720	14.5
RHODE ISLAND CITIES					
Cranston	36,600	270	19.0	329	20.6
State institutions		425		425	
Newport	[5] 27,757	334	12.0	337	12.1
Pawtucket	72,100	864	12.0	895	12.4
Providence	280,600	3,169	11.3	2,870	10.2
Woonsocket	52,300	516	9.9	505	9.7
SOUTH CAROLINA CITIES [8]					
Charleston	75,000	1,401	18.7		
White	(2)	474	(2)		
Colored	(2)	927	(2)		
Columbia*	50,000	1,205	24.1		
White	(2)	529	(2)		
Colored	(2)	676	(2)		
TENNESSEE CITIES					
Chattanooga*	72,900	1,690	23.2	1,688	[7] 23.2
White	(2)	897	(2)	895	(2)
Colored	(2)	793	(2)	793	(2)
Knoxville	102,100	1,479	14.5	1,341	13.1
White	(2)	1,147	(2)	1,017	(2)
Colored	(2)	332	(2)	324	(2)
Memphis	178,900	3,448	19.3	2,836	15.9
White	(2)	1,751	(2)	1,338	(2)
Colored	(2)	1,697	(2)	1,498	(2)
Nashville	137,800	2,396	17.4	2,166	15.7
White	(2)	1,432	(2)	1,253	(2)
Colored	(2)	964	(2)	913	(2)
TEXAS CITIES [6]					
Beaumont	54,400	616	11.3	532	9.8
White	(2)	337	(2)	269	(2)
Colored	(2)	279	(2)	263	(2)
Dallas	211,600	2,431	11.5	2,063	9.7
White	(2)	1,900	(2)	1,578	(2)
Colored	(2)	531	(2)	485	(2)
El Paso	113,500	1,700	15.0	1,419	12.5
Fort Worth	163,600	1,520	9.3	1,528	[7] 9.3
White	(2)	1,188	(2)	1,196	(2)
Colored	(2)	332	(2)	332	(2)
Galveston	49,900	710	14.2	668	13.4
White	(2)	450	(2)	415	(2)
Colored	(2)	260	(2)	253	(2)
Houston	(3)	2,990	(3)	2,952	(3)
White	(2)	1,975	(2)	1,943	(2)
Colored	(2)	1,015	(2)	1,009	(2)
San Antonio	211,400	3,035	14.4	2,813	13.3
White	(2)	2,740	(2)	2,520	(2)
Colored	(2)	295	(2)	293	(2)
Waco	45,700	630	13.8	515	11.3
White	(2)	458	(2)	358	(2)
Colored	(2)	172	(2)	157	(2)
UTAH CITIES					
Ogden	38,300	416	10.9	353	9.2
Salt Lake City	135,700	1,664	12.3	1,358	10.0
VIRGINIA CITIES					
Lynchburg	38,600	610	15.8	501	13.0
White	(2)	393	(2)	305	(2)
Colored	(2)	217	(2)	196	(2)
Newport News	51,700	436	8.4	413	8.0
White	(2)	186	(2)	164	(2)
Colored	(2)	250	(2)	249	(2)
Norfolk	179,200	1,749	9.8	1,605	9.0
White	(2)	844	(2)	728	(2)
Colored	(2)	905	(2)	877	(2)
Petersburg	37,100	534	14.4	484	13.0
White	(2)	229	(2)	204	(2)
Colored	(2)	305	(2)	280	(2)
Portsmouth	60,700	689	11.4	672	11.1
White	(2)	259	(2)	250	(2)
Colored	(2)	430	(2)	422	(2)
Richmond	191,800	2,714	14.2	2,436	12.7
White	(2)	1,572	(2)	1,354	(2)
Colored	(2)	1,142	(2)	1,082	(2)
Roanoke	63,200	859	13.6	729	11.5
White	(2)	641	(2)	525	(2)
Colored	(2)	218	(2)	204	(2)
WASHINGTON CITIES					
Seattle	375,300	3,570	9.5	3,362	9.0
White	(2)	3,404	(2)	3,213	(2)
Colored	(2)	166	(2)	149	(2)
Spokane	109,000	1,484	13.6	1,273	11.7
Tacoma	107,200	1,301	12.1	1,144	10.7
WEST VIRGINIA CITIES					
Charleston	53,400	817	15.3	588	11.0
White	(2)	689	(2)	492	(2)
Colored	(2)	128	(2)	96	(2)
Huntington*	66,900	937	14.0	852	12.7
Wheeling*	[4] 56,208	884	15.7	741	13.2
WISCONSIN CITIES					
Green Bay	35,500	560	15.8	405	11.4
Kenosha	54,600	372	6.8	360	6.6
La Crosse*	30,400	597	19.6	394	13.0
Madison	48,800	757	15.5	512	10.5
Milwaukee	536,400	5,753	10.7	5,550	10.3
Oshkosh	33,200	442	13.3	412	12.4
Racine	71,300	565	7.9	557	7.8
Sheboygan	34,500	391	11.3	382	11.1
Superior	[4] 39,671	411	10.4	398	10.0

[1] "Residents" excludes all nonresidents and includes residents who died elsewhere in the registration area.
[2] Population not estimated.
[3] Estimate of population unsatisfactory.
[4] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.
[5] Population by State census, 1925; decrease between 1920 and 1925; no estimate made.
[6] Nonregistration state; cities shown are those with satisfactory registration of deaths.
[7] Rate not affected by difference between total deaths and deaths of residents.
[8] Reliable data for nonresidents not available.
[9] Based on Federal census 1920 and special census, 1928.
[10] Carrick added to Pittsburgh in 1927.

256

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927

[Owing to the uncertainty involved in estimating population seven years after a census, no estimates will be made for cities of less than 30,000 population, or for counties, until after the next census has been taken. Areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. White and colored are shown separately when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
ALABAMA CITIES		
Anniston	282	271
White	172	164
Colored	110	107
Bessemer	336	322
White	117	112
Colored	219	210
Dothan*	239	144
White	155	74
Colored	84	70
Florence	193	159
White	141	109
Colored	52	50
Gadsden	232	192
White	157	120
Colored	75	72
Selma*	410	269
White	191	98
Colored	219	171
Tuscaloosa*	325	302
White	230	217
Colored	95	85
ARIZONA CITIES		
Phoenix*	1,353	1,080
Tucson*	880	806
ARKANSAS CITIES		
Fort Smith*	515	382
White	459	316
Colored	65	66
Hot Springs*	465	328
White	370	251
Colored	95	77
North Little Rock	191	246
White	95	136
Colored	96	110
Pine Bluff	350	322
White	145	128
Colored	205	194
CALIFORNIA CITIES		
Alameda	335	331
Bakersfield	277	280
Eureka	289	295
Glendale*	690	687
Pomona	199	200
Richmond	159	170
Riverside	491	461
San Bernardino*	564	517
Santa Ana	331	329
Santa Barbara	353	350
Santa Cruz	210	209
Santa Monica	402	394
Vallejo	191	199
COLORADO CITIES		
Boulder	171	156
Greeley	230	154
Trinidad	168	155
CONNECTICUT CITIES		
Ansonia	129	198
Bristol	230	258
Danbury town	365	324
Derby	180	103
East Hartford town	91	140
Enfield town	83	90
Fairfield town	103	120
Greenwich town	260	249
Manchester town	171	178
Middletown*	459	421
Milford town	132	126
Naugatuck	94	155
New London	406	336
Norwalk	385	369
Norwich town*	462	342
Orange town	197	273
Stonington town	101	107
CONNECTICUT CITIES—continued		
Stratford town	91	142
Torrington town	211	215
Wallingford town	117	148
Windham town	159	149
FLORIDA CITIES		
Key West	239	241
White	167	169
Colored	72	72
GEORGIA CITIES [2]		
Albany	250	224
White	72	65
Colored	178	159
Athens	299	247
White	148	110
Colored	151	137
Brunswick	219	197
White	81	68
Colored	138	129
La Grange	248	219
White	144	133
Colored	104	86
Waycross	243	217
White	123	104
Colored	120	113
IDAHO CITIES		
Boise	315	238
Pocatello	215	181
ILLINOIS CITIES		
Alton	401	381
Belleville	314	264
Berwyn	211	274
Bloomington	468	407
Blue Island	195	178
Cairo	256	218
White	149	122
Colored	107	96
Canton	147	121
Centralia	154	130
Champaign	211	195
Chicago Heights	215	230
Forest Park	98	133
Freeport	374	287
Galesburg	396	329
Granite City	224	209
Herrin	126	113
Jacksonville*	576	474
Kankakee	251	221
Kewanee	231	217
La Salle	165	146
Lincoln*	223	191
Mattoon	170	161
Maywood	156	213
Murphysboro	125	105
White	102	83
Colored	23	22
Ottawa	185	170
Pekin	161	170
Streator	204	185
Urbana	146	139
Waukegan	275	252
INDIANA CITIES		
Anderson	418	420
Bloomington	174	187
Clinton	101	110
Crawfordsville	169	168
Elkhart	380	358
Elwood	146	149
Frankfort	173	170
Huntington	165	172
Jeffersonville	184	186
White	157	159
Colored	27	27
INDIANA CITIES—continued		
Lafayette	530	460
La Porte	235	217
Logansport	320	313
Marion	344	342
Michigan City	259	238
Mishawaka	246	239
New Albany	374	356
New Castle	167	177
Peru	160	167
Richmond	342	356
Vincennes	275	254
Whiting	66	93
IOWA CITIES		
Boone	166	161
Burlington	386	357
Clinton	361	336
Fort Dodge	266	234
Fort Madison	182	157
Iowa City*	483	210
Keokuk	271	221
Marshalltown	252	229
Mason City	259	247
Muscatine	251	240
Ottumwa	356	318
KANSAS CITIES		
Arkansas City	176	155
Atchison	175	172
White	150	143
Colored	25	29
Chanute	135	122
Coffeyville	180	177
White	155	152
Colored	25	25
Eldorado	104	107
Emporia	194	168
Fort Scott	199	175
Hutchinson	296	258
Independence	155	144
Lawrence	199	200
White	162	160
Colored	37	40
Leavenworth	260	261
White	226	224
Colored	34	37
Parsons	230	211
Pittsburg	168	167
Salina	198	170
KENTUCKY CITIES [3]		
Ashland	312	----
Henderson	214	----
White	136	----
Colored	78	----
Newport	324	----
Owensboro	378	----
White	321	----
Colored	57	----
Paducah	466	----
White	310	----
Colored	156	----
LOUISIANA CITIES		
Alexandria	363	283
White	190	110
Colored	173	173
Baton Rouge	310	301
White	138	121
Colored	172	180
Lake Charles	238	217
White	110	85
Colored	128	132
Monroe	386	364
White	204	191
Colored	182	173
MAINE CITIES		
Auburn	216	151
Augusta*	297	236
Bangor*	552	344
Bath	150	111
Biddeford	239	119
Sanford town	166	87
Waterville	208	117
MARYLAND CITIES		
Annapolis	155	154
White	81	81
Colored	74	73
Cumberland	440	385
Frederick	244	251
White	223	226
Colored	21	25
Hagerstown	389	400
MASSACHUSETTS CITIES		
Adams town	136	141
Amesbury town	127	159
Arlington town	252	283
Attleboro	267	233
Belmont town	129	151
Beverly	287	279
Braintree town	132	140
Clinton town	152	139
Danvers town*	319	341
Dedham town	121	158
Easthampton town	93	115
Framingham town	274	237
Gardner town	250	233
Gloucester	308	325
Greenfield town	197	188
Leominster	204	217
Marlborough	215	218
Melrose	249	240
Methuen	168	200
Milford town	184	153
Natick town	182	172
Newburyport	232	217
North Adams	284	277
Northampton*	487	407
Northbridge town	101	86
Norwood town	126	110
Peabody	188	207
Plymouth town	141	136
Saugus town	102	130
Southbridge town	110	135
Wakefield town	114	153
Watertown town	191	307
Webster town	113	146
Westfield	228	199
West Springfield town	109	147
Weymouth town	206	227
Winchester town	132	121
Winthrop town	162	209
Woburn	198	218
MICHIGAN CITIES		
Adrian	197	203
Alpena	153	153
Ann Arbor*	917	326
Benton Harbor	214	200
Escanaba	185	175
Holland	103	114
Ironwood	123	146
Ishpeming	108	110
Marquette	198	195
Monroe	169	199
Owosso	220	199
Port Huron	446	451
Sault Ste. Marie	199	191
Traverse City*	363	352
Wyandotte	256	263

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
MINNESOTA CITIES		
Austin	100	94
Faribault*	194	182
Hibbing	112	109
Mankato	228	175
Rochester*	969	354
St. Cloud	232	186
Virginia	123	113
Winona	250	227
MISSISSIPPI CITIES [3]		
Biloxi	216	
White	171	
Colored	45	
Columbus	259	
White	74	
Colored	185	
Greenville	488	
White	126	
Colored	362	
Hattiesburg	304	
White	164	
Colored	140	
Jackson*	752	
White	309	
Colored	443	
Laurel	386	
White	217	
Colored	169	
Meridian*	621	
White	347	
Colored	274	
Natchez	321	
White	119	
Colored	202	
Vicksburg*	751	
White	228	
Colored	523	
MISSOURI CITIES		
Cape Girardeau	216	172
Carthage	143	139
Columbia	202	188
White	148	138
Colored	54	50
Hannibal	315	297
Independence	191	196
Jefferson City	305	288
White	260	245
Colored	45	43
Joplin	539	524
Moberly	211	195
Sedalia	287	290
MONTANA CITIES		
Anaconda	169	172
Billings	219	218
Great Falls	326	325
Helena	169	171
Missoula	243	247
NEBRASKA CITIES		
Grand Island	237	195
Hastings	182	143
North Platte	120	112
NEW HAMPSHIRE CITIES		
Berlin	202	191
Concord*	474	464
Dover	172	178
Keene	194	159
Laconia*	213	191
Nashua	419	389
Portsmouth	178	187
NEW JERSEY CITIES		
Asbury Park	164	211
White	122	158
Colored	42	53
Belleville*	280	222
Bloomfield	182	298
Bridgeton	244	222
Carteret	76	97
NEW JERSEY CITIES—continued		
Clifton	214	302
Englewood*	272	184
Garfield	121	173
Gloucester	140	180
Hackensack*	395	240
Harrison	90	145
Irvington	392	436
Kearny	295	295
Long Branch*	425	193
Millville	206	192
Montclair	270	382
White	235	301
Colored	35	81
Morristown*	347	187
Phillipsburg	223	207
Plainfield	465	402
Rahway	147	158
Summit	158	137
West New York	213	325
West Orange	129	186
NEW MEXICO CITIES [2]		
Albuquerque*	506	263
NEW YORK CITIES		
Batavia	292	232
Beacon*	215	195
Cohoes	309	312
Corning	194	184
Cortland	277	204
Dunkirk	227	210
Fulton	144	148
Geneva	235	220
Glens Falls	310	243
Gloversville	346	299
Herkimer	127	129
Hornell	256	246
Hudson	255	193
Ilion	112	112
Ithaca	316	257
Johnstown	122	155
Kingston	518	408
Lackawanna*	341	312
Little Falls	159	159
Lockport	322	304
Middletown*	426	394
North Tonawanda	178	165
Ogdensburg*	461	351
Olean	325	243
Oneida	179	142
Oneonta	197	158
Ossining	179	168
Oswego	316	328
Peekskill	208	190
Plattsburg	235	177
Port Chester	233	221
Port Jervis	189	153
Rensselaer	101	124
Rome*	586	458
Saratoga Springs	307	244
Tonawanda	77	108
Watervliet	141	193
White Plains	286	265
NORTH CAROLINA CITIES		
Asheville*	875	805
White	551	480
Colored	324	325
Gastonia	260	245
White	166	159
Colored	94	86
Goldsboro*	240	239
White	86	83
Colored	154	156
High Point	360	346
White	272	260
Colored	88	86
NORTH CAROLINA CITIES—continued		
New Bern	269	261
White	80	70
Colored	189	191
Raleigh*	642	605
White	364	340
Colored	278	265
Rocky Mount	329	280
White	162	132
Colored	167	148
Salisbury	198	193
White	117	117
Colored	81	76
Wilson	254	249
White	109	104
Colored	145	145
NORTH DAKOTA CITIES		
Fargo	350	235
Grand Forks	181	137
Minot	246	178
OHIO CITIES		
Alliance	270	250
Ashtabula	274	253
Barberton	208	208
Bellaire	182	170
Bucyrus	120	120
Cambridge	171	164
Campbell	100	118
Chillicothe	266	254
Cleveland Heights	247	270
Coshocton	133	146
Cuyahoga Falls	128	130
East Cleveland	209	218
East Liverpool	335	302
Elyria	246	235
Findlay	287	264
Fremont	139	145
Ironton	235	217
Kenmore	93	115
Lancaster	233	215
Mansfield	361	356
Marietta	198	191
Marion	386	390
Martins Ferry	191	169
Massillon	264	240
Middletown	299	303
Newark	404	401
New Philadelphia	139	143
Niles	105	136
Norwood	188	243
Piqua	223	195
Salem	160	136
Sandusky	334	324
Steubenville	438	339
Tiffin	222	215
Warren	447	362
Zanesville	582	519
OREGON CITIES		
Astoria	154	128
Eugene*	272	181
Salem	428	248
State institutions	296	206
PENNSYLVANIA CITIES		
Ambridge	106	111
Beaver Falls	236	236
Berwick	125	125
Braddock	295	289
Bradford	255	269
Bristol	128	127
Butler	200	208
Canonsburg	118	123
Carbondale	304	306
Carlisle	195	197
PENNSYLVANIA CITIES—continued		
Carnegie	85	93
Chambersburg	194	190
Charleroi	71	73
Coatesville	119	120
White	97	98
Colored	22	22
Columbia	142	147
Connellsville	135	135
Dickson City	92	99
Donora	92	94
Du Bois	161	156
Dunmore	244	261
Duquesne	146	153
Farrell	96	101
Greensburg	255	250
Homestead	227	228
Jeannette	124	104
Lebanon	332	334
McKees Rocks	143	147
Mahanoy City	147	147
Meadville	263	261
Monessen	128	130
Mount Carmel	171	172
Nanticoke	308	318
New Kensington	194	194
North Braddock	111	111
Oil City	243	240
Old Forge	78	78
Olyphant	73	75
Phoenixville	147	148
Pittston	201	230
Plymouth	134	177
Pottstown	274	283
Pottsville	493	497
Punxsutawney	118	118
Shamokin	207	208
Sharon	287	288
Shenandoah	251	257
Steelton	129	153
White	100	119
Colored	29	34
Sunbury	240	239
Swissvale	103	109
Tamaqua	123	123
Uniontown	341	335
Warren	228	233
Washington	376	378
West Chester*	312	307
White	244	240
Colored	68	67
Wilkinsburg	310	314
Woodlawn	104	108
RHODE ISLAND CITIES		
Bristol town	111	127
Central Falls	258	284
Cumberland town	92	104
East Providence town	228	278
Warwick town	198	204
West Warwick town	154	166
SOUTH CAROLINA CITIES [3]		
Anderson	394	
White	288	
Colored	106	
Florence	407	
White	169	
Colored	238	
Greenville	402	
White	208	
Colored	194	
Spartanburg	496	
White	256	
Colored	240	
SOUTH DAKOTA CITIES [2]		
Sioux Falls	316	257

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table. p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
TENNESSEE CITIES		
Jackson	343	337
White	178	170
Colored	165	167
Johnson City*	292	280
White	251	242
Colored	41	38
UTAH CITIES		
Provo	191	175
VERMONT CITIES		
Barre	152	147
Burlington	399	341
Rutland	276	257
VIRGINIA CITIES		
Alexandria	277	269
White	176	164
Colored	101	105
Charlottesville	166	171
White	112	108
Colored	54	63
Danville	330	275
White	212	177
Colored	118	98
Staunton*	320	306
White	284	268
Colored	36	38
WASHINGTON CITIES		
Aberdeen	241	187
Bellingham	414	354
Everett	358	322
Hoquiam	113	129
Vancouver	199	180
Walla Walla	218	172
Yakima	343	242
WEST VIRGINIA CITIES		
Bluefield	240	163
White	182	121
Colored	58	42
Clarksburg	367	271
Fairmont	364	309
Martinsburg	235	228
Morgantown	207	199
Moundsville	152	150
Parkersburg	393	352
WISCONSIN CITIES		
Appleton	294	254
Ashland*	225	125
Beloit	221	224
Eau Claire*	386	251
Fond du Lac	365	275
Janesville	245	225
Manitowoc	259	216
Marinette	212	180
Stevens Point	150	147
Waukesha	178	171
Wausau	256	186
West Allis	157	228
WYOMING CITIES		
Casper	179	174
Cheyenne	203	195
ALABAMA COUNTIES (RURAL) [4]		
Autauga—White	69	76
Colored	118	119
Baldwin—White	165	184
Colored	85	92
Barbour—White	190	180
Colored	222	212
Bibb—White	95	112
Colored	72	85
Blount	155	164
Bullock—White	42	45
Colored	190	191
ALABAMA COUNTIES (RURAL)—con.		
Butler—White	127	131
Colored	206	206
Calhoun—White	228	238
Colored	80	81
Chambers—White	197	201
Colored	219	220
Cherokee	135	135
Chilton—White	135	142
Colored	44	44
Choctaw—White	61	66
Colored	123	125
Clarke—White	87	106
Colored	148	154
Clay—White	123	130
Colored	24	24
Cleburne	96	99
Coffee—White	169	174
Colored	51	51
Colbert—White	173	176
Colored	129	127
Conecuh—White	99	105
Colored	112	117
Coosa—White	64	67
Colored	51	50
Covington—White	286	283
Colored	77	76
Crenshaw—White	125	138
Colored	80	82
Cullman	285	301
Dale—White	142	155
Colored	65	71
Dallas—White	33	54
Colored	408	424
De Kalb	228	235
Elmore—White	145	171
Colored	207	214
Escambia—White	131	134
Colored	101	104
Etowah—White	310	331
Colored	28	31
Fayette—White	87	100
Colored	20	20
Franklin	170	178
Geneva—White	189	206
Colored	48	48
Greene—White	18	20
Colored	196	201
Hale—White	50	56
Colored	201	203
Henry—White	99	108
Colored	103	107
Houston—White	164	179
Colored	61	65
Jackson	267	274
Jefferson—White	725	793
Colored	828	864
Lamar—White	121	124
Colored	32	35
Lauderdale—White	130	147
Colored	37	40
Lawrence—White	135	135
Colored	91	92
Lee—White	176	184
Colored	230	230
Limestone—White	201	206
Colored	102	103
Lowndes—White	27	36
Colored	239	249
Macon*—White	43	45
Colored	404	394
Madison—White	466	475
Colored	258	262
Marengo—White	89	97
Colored	287	293
Marion	144	149
Marshall	217	237
Mobile—White	267	313
Colored	440	452
ALABAMA COUNTIES (RURAL)—con.		
Monroe—White	113	120
Colored	154	158
Montgomery—White	87	102
Colored	266	272
Morgan—White	338	341
Colored	115	118
Perry—White	51	65
Colored	193	205
Pickens—White	90	99
Colored	143	142
Pike—White	160	161
Colored	158	157
Randolph—White	156	151
Colored	55	55
Russell—White	75	84
Colored	218	224
St. Clair—White	157	163
Colored	34	38
Shelby—White	151	165
Colored	92	94
Sumter—White	55	56
Colored	240	239
Talladega—White	245	245
Colored	172	171
Tallapoosa—White	197	196
Colored	122	120
Tuscaloosa—White	204	216
Colored	163	168
Walker—White	455	474
Colored	117	124
Washington—White	52	58
Colored	69	73
Wilcox—White	58	76
Colored	260	270
Winston	103	106
ARIZONA COUNTIES (RURAL) [4]		
Apache—White	42	44
Colored	49	46
Cochise	456	467
Coconino—White	121	111
Colored	22	24
Gila	483	488
Graham	146	147
Greenlee	138	139
Maricopa	621	701
Mohave—White	54	47
Colored	20	20
Navajo—White	95	101
Colored	176	175
Pima—White	51	77
Colored	71	80
Pinal—White	232	241
Colored	79	83
Santa Cruz—White	88	78
Colored	12	11
Yavapai*	457	450
Yuma	235	224
ARKANSAS COUNTIES (RURAL) [4]		
Arkansas—White	154	173
Colored	71	74
Ashley—White	73	77
Colored	157	158
Baxter	72	75
Benton	356	364
Boone	94	103
Bradley—White	76	80
Colored	40	42
Calhoun—White	46	47
Colored	35	37
Carroll	158	163
Chicot—White	41	45
Colored	200	203
Clark—White	129	140
Colored	78	80
ARKANSAS COUNTIES (RURAL)—con.		
Clay	283	295
Cleburne	93	97
Cleveland—White	28	33
Colored	22	22
Columbia—White	83	83
Colored	94	94
Conway—White	154	154
Colored	88	90
Craighead	457	426
Crawford	213	248
Crittenden—White	54	69
Colored	332	356
Cross—White	123	138
Colored	110	115
Dallas—White	42	46
Colored	42	42
Desha—White	82	90
Colored	164	167
Drew—White	55	57
Colored	86	88
Faulkner—White	171	180
Colored	64	66
Franklin	143	153
Fulton	59	60
Garland	110	128
Grant	90	93
Greene	261	260
Hempstead—White	125	125
Colored	142	142
Hot Spring—White	112	116
Colored	35	36
Howard—White	94	98
Colored	47	46
Independence	195	199
Izard	61	62
Jackson—White	217	221
Colored	53	53
Jefferson—White	54	67
Colored	303	320
Johnson	171	174
Lafayette—White	70	75
Colored	88	90
Lawrence	140	154
Lee—White	65	68
Colored	282	281
Lincoln—White	24	28
Colored	95	94
Little River—White	73	75
Colored	64	66
Logan*	252	250
Lonoke—White	250	268
Colored	158	176
Madison	99	111
Marion	47	49
Miller*—White	124	117
Colored	147	145
Mississippi—White	364	394
Colored	315	331
Monroe—White	103	107
Colored	161	166
Montgomery	66	71
Nevada—White	78	75
Colored	65	66
Newton	38	37
Ouachita—White	146	155
Colored	154	156
Perry	80	87
Phillips—White	119	123
Colored	471	471
Pike	79	86
Poinsett—White	223	259
Colored	70	71
Polk	145	149
Pope	230	235
Prairie—White	123	131
Colored	67	68
Pulaski—White	187	235
Colored	200	236
Randolph	128	132

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
ARKANSAS COUNTIES (RURAL)—con.		
St. Francis—White	100	112
St. Francis—Colored	298	307
Saline	113	118
Scott	87	91
Searcy	62	66
Sebastian	150	185
Sevier—White	121	124
Sevier—Colored	38	38
Sharp	49	51
Stone	30	31
Union—White	281	289
Union—Colored	146	148
Van Buren	59	62
Washington	391	387
White	341	349
Woodruff—White	84	87
Woodruff—Colored	89	95
Yell	146	150
CALIFORNIA COUNTIES (RURAL) [4]		
Alameda*	1,156	1,177
Alpine—White	4	4
Alpine—Colored	----	----
Amador	89	99
Autte	483	489
Balaveras	76	81
Colusa	98	98
Contra Costa	416	445
Del Norte—White	40	43
Del Norte—Colored	6	7
Eldorado	79	82
Fresno	988	994
Glenn	113	120
Humboldt	191	196
Imperial—White	510	531
Imperial—Colored	50	50
Inyo—White	65	66
Inyo—Colored	9	10
Kern	542	547
Kings	300	305
Lake	114	114
Lassen	121	121
Los Angeles	5,513	5,596
Madera	186	173
Marin	369	372
Mariposa	40	41
Mendocino	351	359
Merced	332	340
Modoc	67	69
Mono—White	8	7
Mono—Colored	5	5
Monterey	422	414
Napa*	562	551
Nevada	186	189
Orange	801	810
Placer—White	344	273
Placer—Colored	26	20
Plumas	94	95
Riverside	525	567
Sacramento—White	243	295
Sacramento—Colored	47	65
San Benito	119	122
San Bernardino*	1,141	1,182
San Diego	541	549
San Joaquin—White	898	897
San Joaquin—Colored	101	100
San Luis Obispo	343	346
San Mateo	629	635
Santa Barbara	279	282
Santa Clara*	1,357	1,347
Santa Cruz	298	299
Shasta	207	212
Sierra	38	39
Siskiyou	241	247
Solano	173	188
Sonoma	779	793
Stanislaus	551	554
Sutter	126	134
Tehama	149	157
Trinity	23	24
Tulare	670	673
CALIFORNIA COUNTIES (RURAL)—con.		
Tuolumne	152	157
Ventura	595	598
Yolo	266	273
Yuba	163	176
COLORADO COUNTIES (RURAL) [4]		
Adams*	339	349
Alamosa	109	110
Arapahoe	204	235
Archuleta	24	24
Baca	33	36
Bent*	156	155
Boulder	298	326
Chaffee*	164	168
Cheyenne	26	27
Clear Creek	26	37
Conejos	33	36
Costilla	2	2
Crowley	50	55
Custer	15	16
Delta	148	148
Dolores	13	13
Douglas	19	25
Eagle	33	33
Elbert	21	30
El Paso*	218	227
Fremont	263	268
Garfield	118	123
Gilpin	18	22
Grand	37	45
Gunnison	64	67
Hinsdale	2	2
Huerfano	239	252
Jackson	----	2
Jefferson*	286	327
Kiowa	11	13
Kit Carson	54	65
Lake	122	125
La Plata	184	187
Larimer	349	365
Las Animas	304	323
Lincoln	44	52
Logan	158	169
Mesa	300	309
Mineral	10	11
Moffat	48	52
Montezuma	90	91
Montrose	137	138
Morgan	217	224
Otero	334	338
Ouray	27	27
Park	1	6
Phillips	63	65
Pitkin	28	29
Prowers	160	161
Pueblo*	505	523
Rio Blanco	21	21
Rio Grande	118	119
Routt	82	89
Saguache	52	56
San Juan	24	24
San Miguel	58	62
Sedgwick	41	41
Summit	22	24
Teller	76	83
Washington	55	62
Weld	367	468
Yuma	93	105
CONNECTICUT COUNTIES (RURAL) [4]		
Fairfield	517	574
Hartford	827	1,060
Litchfield	620	689
Middlesex	266	337
New Haven	478	625
New London	654	767
Tolland	249	265
Windham	431	489
DELAWARE COUNTIES (RURAL) [4]		
Kent—White	334	340
Kent—Colored	122	126
New Castle*—White	485	494
New Castle*—Colored	127	106
Sussex—White	376	397
Sussex—Colored	101	102
FLORIDA COUNTIES (RURAL) [4]		
Alachua—White	208	208
Alachua—Colored	272	268
Baker—White	36	39
Baker—Colored	29	28
Bay—White	91	89
Bay—Colored	38	40
Bradford—White	73	81
Bradford—Colored	23	24
Brevard—White	99	101
Brevard—Colored	57	60
Broward—White	122	102
Broward—Colored	88	89
Calhoun—White	43	46
Calhoun—Colored	17	18
Charlotte—White	38	43
Charlotte—Colored	21	21
Citrus—White	36	42
Citrus—Colored	31	32
Clay—White	52	59
Clay—Colored	27	29
Collier—White	17	22
Collier—Colored	----	1
Columbia—White	151	129
Columbia—Colored	121	121
Dade—White	212	207
Dade—Colored	62	84
De Soto—White	108	87
De Soto—Colored	40	39
Dixie—White	16	14
Dixie—Colored	15	19
Duval—White	155	181
Duval—Colored	113	122
Escambia—White	113	112
Escambia—Colored	52	54
Flagler—White	6	11
Flagler—Colored	6	7
Franklin—White	30	35
Franklin—Colored	42	41
Gadsden*—White	353	348
Gadsden*—Colored	409	409
Gilchrist—White	18	19
Gilchrist—Colored	3	3
Glades—White	12	15
Glades—Colored	5	4
Gulf—White	16	16
Gulf—Colored	12	12
Hamilton—White	56	59
Hamilton—Colored	75	74
Hardee—White	79	91
Hardee—Colored	21	21
Hendry—White	17	20
Hendry—Colored	3	3
Hernando—White	52	52
Hernando—Colored	26	27
Highlands—White	74	77
Highlands—Colored	48	46
Hillsborough—White	338	347
Hillsborough—Colored	145	143
Holmes	96	107
Indian River—White	40	40
Indian River—Colored	24	25
Jackson—White	171	177
Jackson—Colored	156	158
Jefferson—White	48	46
Jefferson—Colored	157	161
Lafayette—White	31	34
Lafayette—Colored	7	7
Lake—White	180	185
Lake—Colored	98	103
Lee—White	115	95
Lee—Colored	63	53
Leon—White	95	85
Leon—Colored	151	136
Levy—White	69	75
Levy—Colored	66	66
Liberty—White	23	28
Liberty—Colored	12	16
FLORIDA COUNTIES (RURAL)—con.		
Madison—White	83	87
Madison—Colored	107	107
Manatee—White	182	162
Manatee—Colored	123	124
Marion—White	221	203
Marion—Colored	222	208
Martin—White	43	42
Martin—Colored	25	25
Monroe—White	----	1
Monroe—Colored	3	3
Nassau—White	32	35
Nassau—Colored	76	79
Okaloosa—White	74	74
Okaloosa—Colored	18	18
Okeechobee—White	23	26
Okeechobee—Colored	4	4
Orange—White	498	367
Orange—Colored	204	201
Osceola—White	141	152
Osceola—Colored	34	35
Palm Beach—White	344	325
Palm Beach—Colored	209	207
Pasco—White	130	120
Pasco—Colored	37	38
Pinellas—White	181	174
Pinellas—Colored	41	39
Polk—White	491	473
Polk—Colored	208	213
Putnam—White	128	138
Putnam—Colored	169	143
St. Johns—White	172	158
St. Johns—Colored	128	122
St. Lucie—White	56	48
St. Lucie—Colored	24	24
Santa Rosa—White	83	87
Santa Rosa—Colored	21	19
Sarasota—White	100	59
Sarasota—Colored	45	31
Seminole—White	99	103
Seminole—Colored	167	162
Sumter—White	58	67
Sumter—Colored	33	34
Suwannee—White	103	107
Suwannee—Colored	91	94
Taylor—White	50	53
Taylor—Colored	52	53
Union—White	47	48
Union—Colored	38	40
Volusia—White	361	347
Volusia—Colored	148	149
Wakulla—White	34	36
Wakulla—Colored	34	35
Walton—White	101	103
Walton—Colored	27	27
Washington—White	52	58
Washington—Colored	31	34
IDAHO COUNTIES (RURAL) [4]		
Ada	104	136
Adams	17	22
Bannock	67	89
Bear Lake	59	63
Benewah	77	75
Bingham	212	229
Blaine	46	48
Boise	8	11
Bonner	122	133
Bonneville	159	132
Boundary	57	50
Butte	15	16
Camas	6	7
Canyon	278	267
Caribou	35	20
Cassia	77	89
Clark	6	9
Clearwater	74	76
Custer	32	32
Elmore	32	41
Franklin	53	62
Fremont	54	66
Gem	43	53
Gooding	51	58
Idaho	75	81

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
IDAHO COUNTIES (RURAL)—con.		
Jefferson	41	50
Jerome	22	28
Kootenai	172	182
Latah	168	184
Lemhi	56	60
Lewis	35	40
Lincoln	20	23
Madison	84	81
Minidoka	45	48
Nez Perce	195	171
Oneida	41	46
Owyhee	22	30
Payette	41	50
Power	25	31
Shoshone	210	221
Teton	25	30
Twin Falls	225	203
Valley	20	29
Washington	51	58
ILLINOIS COUNTIES (RURAL) [4]		
Adams	326	372
Alexander—White	74	86
Colored	39	43
Bond	147	172
Boone	176	180
Brown	100	113
Bureau	409	416
Calhoun	95	100
Carroll	215	222
Cass	135	182
Champaign	236	267
Christian	409	420
Clark	207	227
Clay	166	180
Clinton	227	233
Coles	212	215
Cook*	3,616	3,775
Crawford	210	216
Cumberland	119	132
De Kalb	343	337
De Witt	177	183
Douglas	181	186
Du Page	609	648
Edgar	239	255
Edwards	88	93
Effingham	231	216
Fayette	276	277
Ford	138	148
Franklin	546	566
Fulton	376	433
Gallatin	135	134
Greene	206	228
Grundy	199	207
Hamilton	140	145
Hancock	289	326
Hardin	61	62
Henderson	67	79
Henry	245	262
Iroquois	346	367
Jackson	255	263
Jasper	146	166
Jefferson	289	290
Jersey	162	161
Jo Daviess	214	259
Johnson	114	118
Kane	411	422
Kankakee*	600	627
Kendall	95	120
Knox	214	262
Lake	662	661
La Salle	481	521
Lawrence	192	199
Lee	417	417
Livingston	355	367
Logan	112	163
McDonough	396	364
McHenry	346	374
McLean	413	431
Macon	164	212
Macoupin	411	506
Madison*	903	976
Marion	248	265
Marshall	139	149
Mason	153	169
Massac—White	143	148
Colored	39	38
Menard	94	120
Mercer	192	218
Monroe	104	115
Montgomery	459	403
Morgan	159	184
Moultrie	142	160
Ogle	271	310
Peoria*	707	765
Perry	216	208
Piatt	127	169
Pike	258	280
Pope	97	97
Pulaski—White	122	129
Colored	104	106
Putnam	51	64
Randolph	288	309
Richland	222	185
Rock Island*	363	403
St. Clair	442	485
Saline	465	460
Sangamon	376	392
Schuyler	147	162
Scott	108	119
Shelby	283	293
Stark	80	96
Stephenson	172	204
Tazewell	242	280
Union*	452	439
Vermilion	425	492
National Military Home	121	121
Wabash	121	134
Warren	248	263
Washington	160	171
Wayne	187	198
White	202	203
Whiteside	373	399
Will	646	679
Williamson	426	458
Winnebago	278	314
Woodford	176	199
INDIANA COUNTIES (RURAL) [4]		
Adams	213	215
Allen	327	324
Bartholomew	276	276
Benton	90	106
Blackford	167	172
Boone	278	275
Brown	67	69
Carroll	157	168
Cass*	240	244
Clark	181	181
Clay	276	299
Clinton	166	180
Crawford	117	120
Daviess	287	288
Dearborn	252	273
Decatur	274	279
De Kalb	327	340
Delaware	215	233
Dubois	175	179
Elkhart	402	420
Fayette	229	232
Floyd	77	77
Fountain	213	246
Franklin	154	160
Fulton	185	188
Gibson	332	339
Grant	342	342
Greene	347	363
Hamilton	307	333
Hancock	225	244
Harrison	183	186
Hendricks	232	263
Henry	283	287
Howard	203	199
Huntington	173	179
Jackson	266	268
Jasper	136	134
Jay	271	280
Jefferson*	394	399
Jennings	140	140
Johnson	253	278
Knox	255	276
Kosciusko	330	338
Lagrange	136	146
Lake	291	293
La Porte	162	189
Lawrence	392	403
Madison	330	342
Marion	546	520
Marshall	294	297
Martin	121	126
Miami	185	196
Monroe	172	171
Montgomery	217	229
Morgan	281	283
Newton	97	110
Noble	244	257
Ohio	41	42
Orange	205	214
Owen	132	145
Parke	212	221
Perry	151	157
Pike	177	189
Porter	245	257
Posey	195	209
Pulaski	132	139
Putnam	224	234
Randolph	315	318
Ripley	203	211
Rush	213	225
St. Joseph	253	266
Scott	67	68
Shelby	347	351
Spencer	153	158
Starke	118	124
Steuben	195	195
Sullivan	349	361
Switzerland	98	103
Tippecanoe*	234	245
Tipton	162	173
Union	89	92
Vanderburg*	282	290
Vermilion	146	166
Vigo	329	348
Wabash	324	333
Warren	121	133
Warrick	196	215
Washington	153	159
Wayne*	424	423
Wells	205	214
White	173	189
Whitley	149	171
IOWA COUNTIES (RURAL) [4]		
Adair	106	113
Adams	69	75
Allamakee	145	161
Appanoose	268	270
Audubon	90	93
Benton	200	225
Black Hawk	188	183
Boone	151	171
Bremer	185	171
Buchanan*	295	301
Buena Vista	166	175
Butler	143	157
Calhoun	139	151
Carroll	230	219
Cass	189	197
Cedar	158	189
Cerro Gordo	119	133
Cherokee*	250	246
Chickasaw	138	144
Clarke	104	103
Clay	123	123
Clayton	219	231
Clinton	170	198
Crawford	146	162
Dallas	218	236
Davis	116	119
Decatur	148	161
Delaware	179	190
Des Moines	91	105
Dickinson	89	95
Dubuque	155	171
Emmet	109	104
Fayette	249	260
Floyd	188	192
Franklin	147	150
Fremont	104	120
Greene	113	130
Grundy	88	96
Guthrie	135	143
Hamilton	188	197
Hancock	100	110
Hardin	212	222
Harrison	192	239
Henry*	312	317
Howard	128	132
Humboldt	84	94
Ida	104	102
Iowa	170	182
Jackson	239	258
Jasper	305	324
Jefferson	166	172
Johnson	159	97
Jones	182	177
Keokuk	190	209
Kossuth	173	180
Lee	98	130
Linn	270	300
Louisa	125	130
Lucas	146	148
Lyon	105	114
Madison	140	151
Mahaska	286	287
Marion	212	232
Marshall	169	183
Mills	146	165
Mitchell	116	122
Monona	110	131
Monroe	186	196
Montgomery	177	185
Muscatine	122	137
O'Brien	135	140
Osceola	81	85
Page*	336	347
Palo Alto	99	108
Plymouth	164	180
Pocahontas	106	127
Polk	229	276
Pottawattamie	176	205
Poweshiek	195	203

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
IOWA COUNTIES (RURAL)—con.		
Ringgold	100	114
Sac	156	170
Scott	120	157
Shelby	113	126
Sioux	204	212
Story	243	257
Tama	187	201
Taylor	134	148
Union	176	175
Van Buren	134	141
Wapello	106	133
Warren	155	175
Washington	204	217
Wayne	142	153
Webster	101	119
Winnebago	87	97
Winneshiek	178	189
Woodbury	158	184
Worth	84	93
Wright	153	171
KANSAS COUNTIES (RURAL) [4]		
Allen	255	261
Anderson	116	130
Atchison	77	81
Barber	60	75
Barton	195	184
Bourbon	75	94
Brown	183	203
Butler	148	183
Chase	64	68
Chautauqua	108	116
Cherokee	363	366
Cheyenne	47	49
Clark	36	39
Clay	132	137
Cloud	214	208
Coffey	126	137
Comanche	36	46
Cowley	289	281
Crawford	361	367
Decatur	65	70
Dickinson	232	251
Doniphan	108	129
Douglas	82	88
Edwards	55	64
Elk	112	119
Ellis	169	132
Ellsworth	104	102
Finney	89	76
Ford	182	167
Franklin	219	224
Geary	111	110
Gove	36	42
Graham	42	44
Grant	12	18
Gray	28	33
Greeley	9	10
Greenwood	147	164
Hamilton	27	25
Harper	134	138
Harvey	296	212
Haskell	7	9
Hodgeman	24	26
Jackson	127	136
Jefferson	106	121
Jewell	124	129
Johnson	234	257
Kearny	23	28
Kingman	96	103
Kiowa	45	52
Labette*	201	206
Lane	18	24
Leavenworth	195	214
National Military Home	175	175
Lincoln	64	65
Linn	129	141
Logan	26	29
Lyon	86	108
McPherson	210	215
Marion	171	193
Marshall	206	222
Meade	31	40
Miami*	297	318
Mitchell	113	116
Montgomery	219	238
Morris	110	114
Morton	27	27
Nemaha	148	154
Neosho	122	137
Ness	46	57
Norton	123	104
Osage	172	196
Osborne	99	112
Ottawa	104	109
Pawnee	139	142
Phillips	108	113
Pottawatomie	135	141
Pratt	113	114
Rawlins	59	61
Reno	169	199
Republic	119	125
Rice	141	151
Riley	170	178
Rooks	59	67
Rush	67	77
Russell	69	81
Saline	43	56
Scott	32	34
Sedgwick	155	195
Seward	113	73
Shawnee	370	352
Sheridan	42	39
Sherman	57	54
Smith	114	117
Stafford	74	84
Stanton	5	6
Stevens	17	25
Sumner	301	322
Thomas	54	63
Trego	35	41
Wabaunsee	73	87
Wallace	13	15
Washington	150	169
Wichita	12	12
Wilson	182	192
Woodson	88	87
Wyandotte—White	108	137
Colored	28	29
KENTUCKY COUNTIES (RURAL) [4]		
Adair	141	
Allen	161	
Anderson	84	
Ballard—White	90	
Colored	15	
Barren—White	249	
Colored	62	
Bath	115	
Bell	250	
Boone	99	
Bourbon—White	174	
Colored	82	
Boyd	147	
Boyle—White	143	
Colored	59	
Bracken	114	
Breathitt	80	
Breckinridge	181	
Bullitt	92	
Butler	57	
Caldwell—White	140	
Colored	27	
Calloway	198	
Campbell	440	
Carlisle	87	
Carroll	97	
Carter	197	
Casey	142	
Christian*—White	469	
Colored	267	
Clark—White	141	
Colored	62	
Clay	82	
Clinton	49	
Crittenden	110	
Cumberland	94	
Daviess	167	
Edmonson	54	
Elliott	46	
Estill	64	
Fayette—White	94	
Colored	41	
Fleming	156	
Floyd	194	
Franklin—White	188	
Colored	34	
Fulton—White	118	
Colored	52	
Gallatin	35	
Garrard—White	91	
Colored	17	
Grant	138	
Graves	338	
Grayson	120	
Green	97	
Greenup	214	
Hancock	60	
Hardin	165	
Harlan	606	
Harrison	196	
Hart	101	
Henderson—White	142	
Colored	26	
Henry—White	111	
Colored	19	
Hickman—White	86	
Colored	24	
Hopkins—White	402	
Colored	109	
Jackson	30	
Jefferson*	638	
Jessamine—White	91	
Colored	27	
Johnson	165	
Kenton	191	
Knott	55	
Knox	266	
Larue	74	
Laurel	130	
Lawrence	144	
Lee	60	
Leslie	64	
Letcher	208	
Lewis	122	
Lincoln—White	196	
Colored	46	
Livingston	76	
Logan—White	214	
Colored	62	
Lyon—White	52	
Colored	9	
McCracken—White	132	
Colored	9	
McCreary	47	
McLean	110	
Madison—White	188	
Colored	73	
Magoffin	59	
Marion—White	165	
Colored	39	
Marshall	96	
Martin	36	
Mason—White	205	
Colored	46	
Meade	69	
Menifee	40	
Mercer—White	103	
Colored	27	
Metcalfe	97	
Monroe	111	
Montgomery—White	116	
Colored	37	
Morgan	122	
Muhlenberg	441	
Nelson—White	127	
Colored	42	
Nicholas	114	
Ohio	222	
Oldham—White	99	
Colored	18	
Owen	97	
Owsley	40	
Pendleton	109	
Perry	317	
Pike	597	
Powell	43	
Pulaski	304	
Robertson	29	
Rockcastle	74	
Rowan	87	
Russell	57	
Scott—White	109	
Colored	56	
Shelby—White	168	
Colored	47	
Simpson—White	117	
Colored	37	
Spencer	65	
Taylor—White	110	
Colored	16	
Todd—White	100	
Colored	46	
Trigg—White	122	
Colored	36	
Trimble	46	
Union—White	143	
Colored	38	
Warren—White	337	
Colored	85	
Washington—White	74	
Colored	5	
Wayne	95	
Webster—White	168	
Colored	68	
Whitley	284	
Wolfe	35	
Woodford—White	83	
Colored	40	
LOUISIANA PARISHES (RURAL) [4]		
Acadia—White	187	195
Colored	101	106
Allen—White	91	98
Colored	45	53
Ascension—White	71	91
Colored	125	140
Assumption—White	117	136
Colored	96	101
Avoyelles—White	165	181
Colored	109	114
Beauregard—White	71	79
Colored	33	44
Bienville—White	68	94
Colored	104	124
Bossier—White	51	66
Colored	111	140
Caddo—White	119	185
Colored	330	447
Calcasieu—White	98	115
Colored	73	71
Caldwell—White	55	63
Colored	39	44
Cameron—White	19	21
Colored	7	8

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
LOUISIANA PARISHES (RURAL)—CON.		
Catahoula—White	40	44
Colored	42	44
Claiborne—White	114	122
Colored	160	179
Concordia—White	15	14
Colored	126	130
De Soto—White	93	106
Colored	188	211
East Baton Rouge—White	169	141
Colored	337	318
East Carroll—White	21	26
Colored	99	111
East Feliciana*—White	92	98
Colored	198	205
Evangeline—White	70	73
Colored	25	29
Franklin—White	96	104
Colored	108	112
Grant—White	60	91
Colored	64	75
Iberia—White	171	179
Colored	172	180
Iberville—White	132	146
Colored	237	258
Jackson—White	44	55
Colored	25	30
Jefferson—White	170	297
Colored	125	177
Jefferson Davis—White	84	92
Colored	61	66
Lafayette—White	198	194
Colored	281	282
Lafourche—White	200	250
Colored	88	102
La Salle—White	58	75
Colored	24	29
Lincoln—White	68	78
Colored	51	69
Livingston—White	62	78
Colored	27	32
Madison—White	15	14
Colored	104	112
Morehouse—White	64	74
Colored	171	183
Natchitoches—White	161	174
Colored	254	272
Ouachita—White	115	117
Colored	130	135
Plaquemines—White	35	52
Colored	45	51
Pointe Coupee—White	62	84
Colored	197	213
Rapides*—White	227	259
Colored	213	221
Red River—White	45	53
Colored	51	65
Richland—White	54	64
Colored	141	155
Sabine—White	111	121
Colored	42	46
St. Bernard—White	20	42
Colored	15	22
St. Charles—White	34	42
Colored	61	68
St. Helena—White	18	25
Colored	31	33
St. James—White	64	77
Colored	146	157
St. John the Baptist—White	50	63
Colored	98	113
St. Landry—White	249	268
Colored	457	480
St. Martin—White	92	100
Colored	123	126
St. Mary—White	137	154
Colored	225	241
St. Tammany—White	106	120
Colored	90	111
Tangipahoa—White	177	227
Colored	131	173
Tensas—White	26	27
Colored	174	182
Terrebonne—White	161	197
Colored	138	151
Union—White	85	98
Colored	66	74
Vermilion—White	218	222
Colored	65	67
Vernon—White	84	106
Colored	33	46
Washington—White	161	153
Colored	120	123
Webster—White	125	141
Colored	125	141
West Baton Rouge—White	22	25
Colored	96	101
West Carroll—White	35	42
Colored	29	31
West Feliciana—White	14	17
Colored	83	89
Winn—White	55	65
Colored	38	47
MAINE COUNTIES (RURAL)[4]		
Androscoggin	222	253
Aroostook	1,068	967
Cumberland	799	710
Franklin	277	269
Hancock	410	429
Kennebec	491	459
National Military Home	59	59
Knox	469	414
Lincoln	250	278
Oxford	521	484
Penobscot	728	748
Piscataquis	229	226
Sagadahoc	106	124
Somerset	476	452
Waldo	326	355
Washington	493	488
York	533	523
MARYLAND COUNTIES (RURAL)[4]		
Allegany	385	409
Anne Arundel*—White	258	299
Colored	230	241
Baltimore—White	1,002	1,193
Colored	118	162
Calvert—White	62	65
Colored	51	54
Caroline—White	138	143
Colored	65	69
Carroll	580	556
Cecil—White	329	333
Colored	75	77
Charles—White	76	89
Colored	104	119
Dorchester*—White	245	251
Colored	147	148
Frederick	549	493
Garrett	174	180
Harford—White	304	342
Colored	94	101
MARYLAND COUNTIES (RURAL)—CON.		
Howard—White	109	136
Colored	33	43
Kent—White	93	104
Colored	78	81
Montgomery—White	374	418
Colored	123	145
Prince Georges—White	259	357
Colored	156	202
Queen Annes—White	107	112
Colored	80	82
St. Marys—White	91	103
Colored	101	108
Somerset—White	176	190
Colored	149	150
Talbot—White	177	183
Colored	116	120
Washington	352	361
Wicomico—White	321	302
Colored	125	121
Worcester—White	162	174
Colored	128	134
MASSACHUSETTS COUNTIES (RURAL)[4]		
Barnstable	507	514
Berkshire	388	479
Bristol	780	890
Dukes	77	69
Essex	838	909
Franklin	415	464
Hampden	483	560
Hampshire	395	466
Middlesex*	1,532	1,474
Nantucket	63	59
Norfolk	1,146	1,330
Plymouth	1,044	1,185
Worcester	1,756	1,937
MICHIGAN COUNTIES (RURAL)[4]		
Alcona	56	56
Alger	95	103
Allegan	491	526
Alpena	59	59
Antrim	126	135
Arenac	96	104
Baraga	83	87
Barry	257	269
Bay	202	213
Benzie	104	111
Berrien	632	674
Branch	328	343
Calhoun	488	497
Cass	313	319
Charlevoix	157	163
Cheboygan	145	152
Chippewa	105	111
Clare	73	75
Clinton	314	344
Crawford	60	51
Delta	149	175
Dickinson	261	286
Eaton	440	468
Emmet	215	210
Genesee	458	484
Gladwin	72	77
Gogebic	202	195
Grand Traverse	89	91
Gratiot	379	380
Hillsdale	395	416
Houghton	670	666
Huron	311	321
Ingham	356	419
Ionia	447	469
Iosco	101	107
Iron	174	186
Isabella	231	241
Jackson	311	353
Kalamazoo	273	307
Kalkaska	61	64
Kent*	875	885
Keweenaw	54	55
Lake	42	44
Lapeer*	393	391
Leelanau	84	89
Lenawee	439	456
Livingston*	257	252
Luce*	168	172
Mackinac	96	91
Macomb	701	737
Manistee	238	238
Marquette	215	224
Mason	220	229
Mecosta	242	249
Menominee	298	272
Midland	175	189
Missaukee	76	79
Monroe	291	309
Montcalm	369	386
Montmorency	31	32
Muskegon	318	339
Newaygo	185	196
Oakland	1,161	1,276
Oceana	175	184
Ogemaw	70	78
Ontonagon	110	121
Osceola	156	157
Oscoda	20	22
Otsego	78	82
Ottawa	345	372
Presque Isle	99	106
Roscommon	17	20
Saginaw	401	437
St. Clair	390	416
St. Joseph	402	417
Sanilac	317	327
Schoolcraft	99	111
Shiawassee	283	304
Tuscola	469	478
Van Buren	384	426
Washtenaw	416	458
Wayne*	1,650	1,565
Wexford	241	246
MINNESOTA COUNTIES (RURAL)[4]		
Aitkin	91	117
Anoka*	200	211
Becker	229	232
Beltrami	286	285
Benton	73	84
Big Stone	98	88
Blue Earth	141	172
Brown	282	252
Carlton	196	210
Carver	132	145
Cass	166	162
Chippewa	116	108
Chisago	143	168
Clay	161	182
Clearwater	81	86
Cook—White	11	18
Colored	4	6
Cottonwood	135	134
Crow Wing	254	238
Dakota	278	307
Dodge	81	96
Douglas	185	193
Faribault	171	188
Fillmore	221	258
Freeborn	209	210
Goodhue	303	297

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
MINNESOTA COUNTIES (RURAL)—con.		
Grant	65	70
Hennepin	534	538
Houston	133	151
Hubbard	68	75
Isanti	115	128
Itasca	206	217
Jackson	119	124
Kanabec	64	71
Kandiyohi	223	229
Kittson	77	74
Koochiching	129	133
Lac qui Parle	106	114
Lake	78	67
Lake of the Woods	46	46
Le Sueur	138	164
Lincoln	99	97
Lyon	133	138
McLeod	170	183
Mahnomen—White	34	35
Colored	27	29
Marshall	158	171
Martin	139	151
Meeker	141	149
Mille Lacs	144	153
Morrison	223	236
Mower	103	120
Murray	91	92
Nicollet*	236	247
Nobles	157	162
Norman	101	117
Olmsted	131	140
Otter Tail*	643	630
Pennington	117	107
Pine	135	167
Pipestone	80	79
Polk	336	336
Pope	120	124
Ramsey	88	142
Red Lake	41	48
Redwood	124	142
Renville	143	183
Rice	144	156
Rock	86	92
Roseau	92	97
St. Louis	535	639
Scott	115	135
Sherburne	80	90
Sibley	96	113
Stearns	338	363
Steele	127	137
Stevens	59	66
Swift	130	133
Todd	206	224
Traverse	56	59
Wabasha	176	191
Wadena	131	118
Waseca	109	112
Washington	269	282
Watonwan	90	100
Wilkin	88	81
Winona	123	140
Wright	226	255
Yellow Medicine	134	140
MISSISSIPPI COUNTIES (RURAL) [3, 4]		
Adams—White	62	
Colored	197	
Alcorn—White	218	
Colored	60	
Amite—White	57	
Colored	93	
Attala—White	135	
Colored	122	
Benton—White	37	
Colored	58	
Bolivar—White	148	
Colored	846	
Calhoun—White	104	
Colored	25	
Carroll—White	60	
Colored	110	
Chickasaw—White	90	
Colored	153	
Choctaw—White	70	
Colored	22	
Claiborne—White	33	
Colored	131	
Clarke—White	87	
Colored	80	
Clay—White	65	
Colored	147	
Coahoma—White	90	
Colored	589	
Copiah—White	118	
Colored	164	
Covington—White	60	
Colored	42	
De Soto—White	50	
Colored	261	
Forrest—White	49	
Colored	11	
Franklin—White	58	
Colored	62	
George—White	37	
Colored	13	
Greene—White	77	
Colored	38	
Grenada—White	66	
Colored	158	
Hancock—White	76	
Colored	43	
Harrison—White	322	
Colored	140	
Hinds—White	178	
Colored	561	
Holmes—White	83	
Colored	357	
Humphreys—White	51	
Colored	271	
Issaquena—White	7	
Colored	108	
Itawamba	129	
Jackson—White	93	
Colored	54	
Jasper—White	92	
Colored	81	
Jefferson—White	35	
Colored	122	
Jefferson Davis		
White	62	
Colored	69	
Jones—White	100	
Colored	45	
Kemper—White	57	
Colored	140	
Lafayette—White	113	
Colored	109	
Lamar—White	70	
Colored	40	
Lauderdale—White	44	
Colored	88	
Lawrence—White	53	
Colored	69	
Leake—White	82	
Colored	68	
Lee—White	169	
Colored	99	
Leflore—White	96	
Colored	385	
Lincoln—White	131	
Colored	137	
Lowndes—White	21	
Colored	104	
Madison—White	72	
Colored	324	
Marion—White	109	
Colored	57	
Marshall—White	67	
Colored	215	
Monroe—White	151	
Colored	187	
Montgomery		
White	107	
Colored	87	
Neshoba—White	125	
Colored	43	
Newton—White	111	
Colored	82	
Noxubee—White	45	
Colored	228	
Oktibbeha—White	51	
Colored	116	
Panola—White	119	
Colored	283	
Pearl River—White	95	
Colored	44	
Perry—White	48	
Colored	32	
Pike—White	181	
Colored	175	
Pontotoc—White	117	
Colored	32	
Prentiss—White	129	
Colored	32	
Quitman—White	72	
Colored	230	
Rankin—White	73	
Colored	113	
Scott—White	82	
Colored	95	
Sharkey—White	31	
Colored	221	
Simpson—White	134	
Colored	93	
Smith—White	103	
Colored	23	
Stone—White	29	
Colored	22	
Sunflower—White	131	
Colored	536	
Tallahatchie—White	114	
Colored	327	
Tate—White	63	
Colored	132	
Tippah—White	122	
Colored	41	
Tishomingo	121	
Tunica—White	22	
Colored	306	
Union—White	125	
Colored	47	
Walthall—White	62	
Colored	38	
Warren—White	3	
Colored	137	
Washington—White	15	
Colored	420	
Wayne—White	60	
Colored	54	
Webster—White	94	
Colored	27	
Wilkinson—White	35	
Colored	151	
Winston—White	74	
Colored	57	
Yalobusha—White	98	
Colored	96	
Yazoo—White	100	
Colored	405	
MISSOURI COUNTIES (RURAL) [4]		
Adair	236	216
Andrew	142	126
Atchison	111	120
Audrain	283	278
Barry	238	252
Barton	124	127
Bates	209	224
Benton	94	97
Bollinger	68	74
Boone	143	156
Buchanan	120	155
Butler	416	411
Caldwell	121	133
Callaway*—White	307	291
Colored	64	65
Camden	54	57
Cape Girardeau	131	161
Carroll	239	242
Carter	29	33
Cass	214	239
Cedar	121	125
Chariton	207	223
Christian	124	124
Clark	103	127
Clay	350	336
Clinton	152	166
Cole	83	94
Cooper—White	174	172
Colored	30	30
Crawford	91	99
Dade	85	91
Dallas	71	72
Daviess	144	161
De Kalb	90	104
Dent	80	85
Douglas	65	65
Dunklin	318	349
Franklin	334	340
Gasconade	127	135
Gentry	142	153
Greene	220	256
Grundy	158	162
Harrison	190	205
Henry	248	264
Hickory	45	49
Holt	129	144
Howard—White	94	98
Colored	34	34
Howell	214	218
Iron	103	104
Jackson	409	459
Jasper	380	396
Jefferson	260	282
Johnson	267	282
Knox	86	94
Laclede	151	161
Lafayette	330	360
Lawrence	297	282
Lewis	126	136
Lincoln	145	158
Linn	242	244
Livingston	196	203
McDonald	132	139
Macon	284	282
Madison	114	120
Maries	86	93
Marion	101	115
Mercer	80	84
Miller	127	129
Mississippi—White	119	127
Colored	85	87
Moniteau	96	97
Monroe	164	182
Montgomery	157	170
Morgan	95	100
New Madrid	266	275
Newton	252	254
Nodaway	272	290
Oregon	75	82
Osage	120	128
Ozark	46	48

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
MISSOURI COUNTIES (RURAL)—con.		
Pemiscot—White	208	221
Pemiscot—Colored	131	133
Perry	121	126
Pettis	125	132
Phelps	200	199
Pike—White	188	201
Pike—Colored	36	38
Platte	133	146
Polk	148	160
Pulaski	80	88
Putnam	126	134
Ralls	89	105
Randolph	133	144
Ray	155	173
Reynolds	30	35
Ripley	89	93
St. Charles	284	287
St. Clair	104	109
St. Francois	410	412
St. Louis*	1,766	1,979
Ste. Genevieve	79	81
Saline—White	259	269
Saline—Colored	56	60
Schuyler	74	83
Scotland	96	105
Scott	224	245
Shannon	62	67
Shelby	136	142
Stoddard	280	294
Stone	106	112
Sullivan	143	152
Taney	62	67
Texas	147	160
Vernon	374	351
Warren	104	116
Washington	124	134
Wayne	90	95
Webster	141	149
Worth	53	63
Wright	107	117
MONTANA COUNTIES (RURAL)[4]		
Beaverhead	73	75
Big Horn—White	40	44
Big Horn—Colored	53	53
Blaine—White	37	38
Blaine—Colored	46	46
Broadwater	24	24
Carbon	125	126
Carter	24	26
Cascade	58	61
Chouteau	46	47
Custer	109	101
Daniels	33	33
Dawson	91	83
Deer Lodge*	192	170
Fallon	30	34
Fergus	153	152
Flathead	201	205
Gallatin	165	163
Garfield	15	16
Glacier—White	28	28
Glacier—Colored	69	69
Golden Valley	13	13
Granite	33	33
Hill	130	133
Jefferson	30	31
Judith Basin	17	22
Lake	115	114
Lewis and Clark	53	55
Liberty	18	18
Lincoln	43	53
McCone	14	15
Madison	64	67
Meagher	18	18
Mineral	10	12
Missoula—White	28	30
Missoula—Colored	2	3
MONTANA COUNTIES (RURAL)—con.		
Musselshell	64	66
Park	110	115
Petroleum	8	9
Phillips	48	51
Pondera	48	49
Powder River	16	23
Powell	60	64
Prairie	26	28
Ravalli	92	95
Richland	56	58
Roosevelt—White	48	52
Roosevelt—Colored	37	38
Rosebud	109	113
Sanders	42	43
Sheridan	45	49
Silver Bow	239	239
Stillwater	43	46
Sweet Grass	40	42
Teton	32	33
Toole	51	52
Treasure	10	10
Valley	69	73
Wheatland	22	21
Wibaux	17	19
Yellowstone	83	84
NEBRASKA COUNTIES (RURAL)[4]		
Adams*	182	190
Antelope	116	122
Arthur	3	4
Banner	8	8
Blaine	6	8
Boone	77	97
Box Butte	128	117
Boyd	63	59
Brown	65	62
Buffalo*	250	225
Burt	115	121
Butler	100	112
Cass	136	168
Cedar	108	115
Chase	41	46
Cherry	79	87
Cheyenne	61	69
Clay	117	131
Colfax	83	102
Cuming	109	113
Custer	217	236
Dakota	48	67
Dawes	81	82
Dawson	118	120
Deuel	21	22
Dixon	86	111
Dodge	212	218
Douglas	63	94
Dundy	39	42
Fillmore	116	126
Franklin	62	76
Frontier	62	65
Furnas	145	144
Gage	267	250
Garden	19	21
Garfield	22	26
Gosper	23	21
Grant	8	13
Greeley	63	82
Hall	78	86
Hamilton	117	115
Harlan	70	72
Hayes	18	18
Hitchcock	42	44
Holt	137	145
Hooker	10	13
Howard	86	89
Jefferson	134	146
Johnson	63	72
Kearney	77	78
NEBRASKA COUNTIES (RURAL)—con.		
Keith	38	42
Keyapaha	14	19
Kimball	51	45
Knox	127	145
Lancaster*	266	302
Lincoln	60	67
Logan	11	12
Loup	10	11
McPherson	4	8
Madison*	314	278
Merrick	88	93
Morrill	58	68
Nance	68	75
Nemaha	90	97
Nuckolls	105	106
Otoe	151	159
Pawnee	105	112
Perkins	25	28
Phelps	81	92
Pierce	68	73
Platte	196	185
Polk	72	85
Redwillow	141	131
Richardson	165	170
Rock	18	22
Saline	124	149
Sarpy	64	87
Saunders	155	187
Scotts Bluff	241	240
Seward	136	146
Sheridan	82	83
Sherman	46	50
Sioux	21	20
Stanton	49	54
Thayer	122	129
Thomas	6	10
Thurston—White	57	59
Thurston—Colored	60	60
Valley	80	76
Washington	91	101
Wayne	75	83
Webster	79	90
Wheeler	15	15
York	214	193
NEW HAMPSHIRE COUNTIES (RURAL)[4]		
Belknap	194	217
Carroll	229	241
Cheshire	229	259
Coos	247	267
Grafton	611	565
Hillsborough	512	451
Merrimack	441	469
Rockingham	537	603
Strafford	310	354
Sullivan	300	277
NEW JERSEY COUNTIES (RURAL)[4]		
Atlantic	616	650
Bergen	1,867	2,318
Burlington	1,066	1,120
Camden	1,078	1,182
Cape May	427	372
Cumberland	458	454
Essex*	1,087	860
Gloucester	729	750
Hudson*	1,136	829
Hunterdon	422	458
Mercer	671	674
Middlesex	817	1,008
Monmouth	1,232	1,343
Morris*	1,075	1,203
Ocean	408	378
Passaic	368	508
Salem—White	335	353
Salem—Colored	55	58
NEW JERSEY COUNTIES (RURAL)—con.		
Somerset	610	652
Sussex	348	361
Union	673	786
Warren	334	354
NEW YORK COUNTIES (RURAL)[4]		
Albany	400	485
Allegany	503	545
Broome	799	776
Cattaraugus	684	707
Cayuga	458	495
Chautauqua	824	877
Chemung	315	369
Chenango	552	552
Clinton	379	428
Columbia	396	466
Cortland	194	249
Delaware	595	613
Dutchess*	1,132	1,151
Erie	1,451	1,726
Essex	545	481
Franklin*	754	618
Fulton	202	226
Genesee	297	374
Greene	423	453
Hamilton	54	67
Herkimer	435	461
Jefferson	673	754
Lewis	284	331
Livingston	612	670
Madison	396	446
Monroe	800	875
Montgomery	304	365
Nassau	2,009	2,102
Niagara	430	448
Oneida	690	855
Onondaga	887	940
Ontario	607	537
Orange	806	840
Orleans	420	433
Oswego	542	568
Otsego	598	631
Putnam	184	188
Rensselaer	464	496
Rockland	740	678
St. Lawrence	966	1,044
Saratoga	626	730
Schenectady	229	257
Schoharie	297	331
Schuyler	173	185
Seneca*	540	554
Steuben	797	805
Suffolk*	2,311	2,249
Sullivan*	588	469
Tioga	347	384
Tompkins	266	299
Ulster	682	773
Warren	193	220
Washington	609	676
Wayne	617	650
Westchester	1,509	1,513
Wyoming	428	442
Yates	263	273
NORTH CAROLINA COUNTIES (RURAL)[4]		
Alamance—White	266	283
Alamance—Colored	87	93
Alexander	116	121
Alleghany	36	38
Anson—White	121	127
Anson—Colored	193	191
Ashe	168	174
Avery	68	65
Beaufort—White	222	222
Beaufort—Colored	248	248
Bertie—White	135	136
Bertie—Colored	192	199

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
NORTH CAROLINA COUNTIES (RURAL)—con.		
Bladen—White	124	130
Colored	131	133
Brunswick—White	86	88
Colored	86	89
Buncombe	591	548
Burke*—White	285	251
Colored	36	36
Cabarrus—White	314	325
Colored	106	108
Caldwell	250	256
Camden—White	22	25
Colored	29	35
Carteret—White	123	123
Colored	34	31
Caswell—White	80	86
Colored	94	95
Catawba—White	310	311
Colored	85	85
Chatham—White	142	156
Colored	82	89
Cherokee	96	101
Chowan—White	71	75
Colored	116	119
Clay	33	35
Cleveland—White	290	297
Colored	74	76
Columbus—White	191	205
Colored	145	149
Craven—White	78	85
Colored	117	117
Cumberland—White	312	312
Colored	224	228
Currituck—White	51	52
Colored	20	20
Dare	36	42
Davidson—White	404	411
Colored	72	74
Davie—White	105	110
Colored	32	35
Duplin—White	231	248
Colored	154	156
Durham—White	56	66
Colored	53	59
Edgecombe—White	122	125
Colored	265	258
Forsythe—White	210	253
Colored	82	80
Franklin—White	149	158
Colored	178	182
Gaston—White	405	421
Colored	102	104
Gates—White	41	46
Colored	39	40
Graham	29	29
Granville—White	139	149
Colored	162	168
Greene—White	65	67
Colored	116	118
Guilford—White	264	296
Colored	84	93
Halifax—White	171	174
Colored	346	348
Harnett—White	197	193
Colored	117	112
Haywood	232	239
Henderson	258	267
Hertford—White	62	69
Colored	154	155
Hoke—White	49	43
Colored	119	112
Hyde—White	31	34
Colored	34	36
Iredell—White	352	350
Colored	137	136
Jackson	150	149
Johnston—White	396	400
Colored	147	147
NORTH CAROLINA COUNTIES (RURAL)—con.		
Jones—White	28	37
Colored	46	46
Lee—White	137	136
Colored	72	78
Lenoir—White	291	290
Colored	258	251
Lincoln—White	141	141
Colored	32	34
McDowell—White	157	164
Colored	33	33
Macon	122	129
Madison	157	160
Martin—White	113	117
Colored	142	144
Mecklenburg—White	242	243
Colored	155	155
Mitchell	114	119
Montgomery—White	99	101
Colored	50	54
Moore—White	130	135
Colored	73	75
Nash—White	139	156
Colored	182	190
New Hanover—White	45	43
Colored	59	57
Northampton—White	79	79
Colored	172	178
Onslow—White	117	120
Colored	50	50
Orange—White	112	131
Colored	79	95
Pamlico—White	35	35
Colored	48	49
Pasquotank—White	149	149
Colored	119	119
Pender—White	67	74
Colored	118	123
Perquimans—White	42	44
Colored	68	72
Person—White	95	100
Colored	126	128
Pitt—White	207	216
Colored	299	314
Polk—White	105	91
Colored	17	17
Randolph—White	302	323
Colored	57	60
Richmond—White	212	212
Colored	139	139
Robeson—White	315	320
Colored	407	411
Rockingham—White	268	293
Colored	155	158
Rowan—White	227	220
Colored	107	112
Rutherford—White	264	263
Colored	80	77
Sampson—White	269	272
Colored	169	174
Scotland—White	104	108
Colored	120	121
Stanly—White	241	247
Colored	58	60
Stokes—White	151	155
Colored	23	25
Surry	316	325
Swain	109	114
Transylvania	65	70
Tyrrell—White	40	41
Colored	31	31
Union—White	214	214
Colored	96	101
Vance—White	130	133
Colored	172	168
NORTH CAROLINA COUNTIES (RURAL)—con.		
Wake—White	272	295
Colored	267	280
Warren—White	89	91
Colored	207	212
Washington—White	54	59
Colored	93	94
Watauga	72	74
Wayne*—White	187	189
Colored	333	324
Wilkes	339	340
Wilson—White	139	144
Colored	131	133
Yadkin	155	166
Yancey	90	96
NORTH DAKOTA COUNTIES (RURAL) [4]		
Adams	29	32
Barnes	129	146
Benson	97	104
Billings	13	13
Bottineau	102	106
Bowman	40	42
Burke	59	70
Burleigh*	287	194
Cass	135	161
Cavalier	82	88
Dickey	70	73
Divide	44	47
Dunn	53	55
Eddy	50	52
Emmons	71	79
Foster	57	59
Golden Valley	26	31
Grand Forks	116	118
Grant	75	85
Griggs	36	48
Hettinger	50	54
Kidder	29	40
La Moure	69	74
Logan	54	60
McHenry	93	108
McIntosh	52	57
McKenzie	45	46
McLean	122	149
Mercer	38	43
Morton	149	165
Mountrail	71	81
Nelson	56	62
Oliver	19	21
Pembina	103	110
Pierce	89	90
Ramsey	145	151
Ransom	62	70
Renville	33	39
Richland	148	171
Rolette—White	78	78
Colored	52	53
Sargent	56	65
Sheridan	33	34
Sioux—White	17	19
Colored	59	59
Slope	23	24
Stark	135	138
Steele	36	43
Stutsman	283	289
Towner	46	48
Traill	91	111
Walsh	171	180
Ward	103	125
Wells	118	124
Williams	135	136
OHIO COUNTIES (RURAL) [4]		
Adams	220	232
Allen	363	404
Ashland	297	307
Ashtabula	567	586
Athens	535	567
OHIO COUNTIES (RURAL)—con.		
Auglaize	283	304
Belmont	638	690
Brown	294	315
Butler	300	341
Carroll	131	139
Champaign	321	340
Clark	267	271
Clermont	351	409
Clinton	273	289
Columbiana	505	557
Coshocton	181	190
Crawford	293	303
Cuyahoga	940	1,004
Darke	437	453
Defiance	327	338
Delaware	360	355
Erie*	258	275
Fairfield	246	285
Fayette	212	235
Franklin	670	730
Fulton	287	290
Gallia*	433	429
Geauga	150	168
Greene—White	350	381
Colored	63	67
Guernsey	266	282
Hamilton	699	874
Hancock	214	227
Harden	378	396
Harrison	219	244
Henry	248	257
Highland	286	295
Hocking	204	217
Holmes	172	183
Huron	482	472
Jackson	247	274
Jefferson	454	529
Knox	363	371
Lake	392	411
Lawrence	301	321
Licking	308	350
Logan	377	380
Lorain	382	401
Lucas	356	408
Madison	223	247
Mahoning	436	481
Marion	169	171
Medina	310	332
Meigs	297	309
Mercer	274	300
Miami	399	433
Monroe	197	215
Montgomery*	844	851
National Military Home	312	312
Morgan	188	186
Morrow	179	184
Muskingum	317	370
Noble	169	177
Ottawa	297	314
Paulding	164	174
Perry	305	347
Pickaway	327	340
Pike	164	173
Portage	470	486
Preble	267	286
Putnam	269	285
Richland	345	361
Ross	311	310
Sandusky	294	298
Scioto	342	378
Seneca	391	411
Shelby	261	277
Stark*	817	868
Summit	367	393
Trumbull	522	630
Tuscarawas	652	669

See footnotes at end of table

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
OHIO COUNTIES (RURAL)—con.		
Union	230	238
Van Wert	258	261
Vinton	128	135
Warren	341	377
Washington	271	289
Wayne	482	481
Williams	291	311
Wood	480	530
Wyandot	199	220
OREGON COUNTIES (RURAL)[4]		
Baker	189	196
Benton	146	146
Clackamas	376	398
Clatsop	77	105
Columbia	171	210
Coos	284	283
Crook	29	29
Curry	17	19
Deschutes	123	130
Douglas	241	271
Gilliam	26	34
Grant	50	54
Harney	31	33
Hood River	74	77
Jackson	332	338
Jefferson—White		611
Colored	12	
Josephine	135	131
Klamath	245	238
Lake	36	37
Lane	259	346
Lincoln	70	82
Linn	271	275
Malheur	98	83
Marion	249	329
Morrow	36	45
Multnomah	359	388
Polk	143	149
Sherman	12	17
Tillamook	114	113
Umatilla*	308	310
Union	226	205
Wallowa	49	53
Wasco	183	144
Washington	272	314
Wheeler	10	14
Yamhill	239	266
PENNSYLVANIA COUNTIES (RURAL)[4]		
Adams	402	407
Allegheny	4,573	4,656
Armstrong	663	672
Beaver	873	884
Bedford	401	415
Berks*	1,662	1,604
Blair	771	779
Bradford	805	817
Bucks	937	1,000
Butler	689	695
Cambria	1,315	1,390
Cameron	47	50
Carbon	658	668
Centre	582	590
Chester	1,100	1,121
Clarion	369	381
Clearfield	825	833
Clinton	366	365
Columbia	418	430
Crawford	617	631
Cumberland	578	602
Dauphin	827	849
Delaware	1,460	1,532
Elk	323	333
Erie	649	668
Fayette	1,568	1,588
Forest	50	51
Franklin	582	599
Fulton	96	96
Greene	405	410
PENNSYLVANIA COUNTIES (RURAL)—con.		
Huntingdon	483	487
Indiana	828	837
Jefferson	428	439
Juniata	164	169
Lackawanna	1,006	1,055
Lancaster	1,411	1,429
Lawrence	427	433
Lebanon	450	453
Lehigh*	908	911
Luzerne	2,474	2,757
Lycoming	544	557
McKean	350	375
Mercer	686	697
Mifflin	460	462
Monroe	341	349
Montgomery	1,983	2,019
Montour*	456	454
Northampton	846	857
Northumberland	753	764
Perry	274	282
Pike	110	120
Potter	239	259
Schuylkill	2,060	2,065
Snyder	207	208
Somerset	838	866
Sullivan	67	77
Susquehanna	418	457
Tioga	450	464
Union	228	233
Venango	469	485
Warren*	462	475
Washington	1,226	1,250
Wayne	343	351
Westmoreland	1,948	1,971
Wyoming	180	195
York	1,099	1,111
RHODE ISLAND COUNTIES (RURAL)[4]		
Bristol	105	139
Kent	112	156
Newport	156	171
Providence	527	546
Washington	378	366
SOUTH CAROLINA COUNTIES (RURAL)[3 4]		
Abbeville—White	125	
Colored	199	
Aiken—White	273	
Colored	304	
Allendale—White	31	
Colored	121	
Anderson—White	276	
Colored	185	
Bamberg—White	56	
Colored	183	
Barnwell—White	66	
Colored	142	
Beaufort—White	38	
Colored	330	
Berkeley—White	66	
Colored	289	
Calhoun—White	33	
Colored	211	
Charleston—White	48	
Colored	501	
Cherokee—White	230	
Colored	136	
Chester—White	155	
Colored	231	
Chesterfield—White	202	
Colored	190	
Clarendon—White	66	
Colored	325	
Colleton—White	142	
Colored	262	
Darlington—White	170	
Colored	335	
Dillon—White	135	
Colored	151	
SOUTH CAROLINA COUNTIES (RURAL)—con.		
Dorchester—White	68	
Colored	140	
Edgefield—White	72	
Colored	172	
Fairfield—White	57	
Colored	202	
Florence—White	197	
Colored	308	
Georgetown—White	65	
Colored	274	
Greenville—White	605	
Colored	207	
Greenwood—White	199	
Colored	235	
Hampton—White	63	
Colored	169	
Horry—White	257	
Colored	126	
Jasper—White	23	
Colored	104	
Kershaw—White	114	
Colored	209	
Lancaster—White	149	
Colored	142	
Laurens—White	241	
Colored	228	
Lee—White	80	
Colored	246	
Lexington—White	224	
Colored	165	
McCormick—White	41	
Colored	80	
Marion—White	105	
Colored	155	
Marlboro—White	173	
Colored	283	
Newberry—White	154	
Colored	191	
Oconee—White	238	
Colored	84	
Orangeburg—White	223	
Colored	679	
Pickens—White	187	
Colored	68	
Richland—White	116	
Colored	265	
Saluda—White	74	
Colored	100	
Spartanburg—White	508	
Colored	261	
Sumter—White	151	
Colored	520	
Union—White	145	
Colored	133	
Williamsburg—White	97	
Colored	283	
York—White	299	
Colored	274	
TENNESSEE COUNTIES (RURAL)[4]		
Anderson	110	118
Bedford—White	205	205
Colored	74	74
Benton	82	82
Bledsoe	32	32
Blount	326	336
Bradley	243	243
Campbell	123	131
Cannon	68	68
Carroll—White	173	180
Colored	56	57
Carter	253	258
Cheatham—White	78	86
Colored	14	14
Chester—White	60	62
Colored	22	22
Claiborne	149	157
Clay	47	50
Cocke	312	316
TENNESSEE COUNTIES (RURAL)—con.		
Coffee	141	143
Crockett—White	115	117
Colored	49	49
Cumberland	63	65
Davidson*—White	609	625
Colored	186	204
Decatur	85	91
De Kalb	141	144
Dickson—White	136	148
Colored	36	36
Dyer—White	345	347
Colored	95	96
Fayette—White	67	74
Colored	226	229
Fentress	44	47
Franklin—White	179	183
Colored	47	48
Gibson—White	284	296
Colored	134	137
Giles—White	201	204
Colored	112	118
Grainger	116	123
Greene	344	348
Grundy	38	40
Hamblen—White	179	186
Colored	19	19
Hamilton—White	491	497
Colored	71	71
Hancock	86	87
Hardeman—White	149	158
Colored	113	114
Hardin—White	106	107
Colored	10	10
Hawkins	162	169
Haywood—White	71	74
Colored	223	224
Henderson	162	168
Henry—White	187	191
Colored	58	58
Hickman—White	101	104
Colored	12	13
Houston—White	41	42
Colored	9	9
Humphreys	131	134
Jackson	109	110
Jefferson	203	212
Johnson	100	100
Knox	513	551
Lake—White	61	61
Colored	43	43
Lauderdale—White	130	144
Colored	134	137
Lawrence	180	183
Lewis—White	56	56
Colored	6	6
Lincoln—White	206	212
Colored	74	76
Loudoun	172	179
McMinn	224	232
McNairy	122	129
Macon	136	142
Madison—White	132	138
Colored	112	113
Marion	164	168
Marshall—White	134	143
Colored	37	37
Maury—White	274	279
Colored	173	178
Meigs	32	32
Monroe	204	213
Montgomery—White	189	189
Colored	171	170
Moore	45	45
Morgan	94	93
Obion—White	258	262
Colored	91	91
Overton	123	132
Perry	39	39
Pickett	38	38
Polk	105	105
Putnam	225	232
Rhea	165	167
Roane	275	284

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
TENNESSEE COUNTIES (RURAL)—con.		
Robertson—White	226	234
Colored	91	95
Rutherford—White	260	272
Colored	152	154
Scott	76	78
Sequatchie	37	37
Sevier	142	145
Shelby—White	327	373
Colored	795	818
Smith	148	152
Stewart	145	147
Sullivan	444	453
Sumner—White	259	274
Colored	65	65
Tipton—White	161	175
Colored	93	99
Trousdale—White	25	28
Colored	25	25
Unicoi	124	129
Union	90	93
Van Buren	17	18
Warren	181	181
Washington	242	222
Wayne	75	76
Weakley	310	313
White	159	159
Williamson—White	168	180
Colored	75	79
Wilson—White	229	236
Colored	90	93
UTAH COUNTIES (RURAL) [4]		
Beaver	59	58
Box Elder	137	150
Cache	263	263
Carbon	200	184
Daggett	2	2
Davis	85	104
Duchesne	57	65
Emery	62	76
Garfield	33	37
Grand	26	23
Iron	66	66
Juab	52	69
Kane	20	21
Millard	59	73
Morgan	18	21
Piute	12	14
Rich	16	19
Salt Lake	342	461
San Juan—White	8	10
Colored	----	----
Sanpete	128	151
Sevier	101	90
Summit	81	92
Tooele	69	81
Uintah—White	76	80
Colored	3	2
Utah	282	309
Wasatch	47	48
Washington	60	59
Wayne	22	28
Weber	80	96
VERMONT COUNTIES (RURAL) [4]		
Addison	234	251
Bennington	294	308
Caledonia	364	364
Chittenden	290	300
Essex	64	75
Franklin	386	395
Grand Isle	49	51
Lamoille	142	156
Orange	248	260
Orleans	290	307
Rutland	378	403
Washington*	469	480
Windham*	438	451
Windsor	409	482
VIRGINIA COUNTIES (RURAL) [4]		
Accomac—White	201	217
Colored	201	202
Albemarle—White	326	239
Colored	166	130
Alleghany—White	119	129
Colored	35	36
Amelia—White	31	34
Colored	77	80
Amherst—White	133	150
Colored	65	73
Appomattox—White	62	68
Colored	40	43
Arlington—White	113	186
Colored	55	67
Augusta—White	315	331
Colored	55	60
Bath—White	50	53
Colored	15	16
Bedford—White	202	216
Colored	104	106
Bland	53	57
Botetourt—White	111	132
Colored	27	29
Bristol (city) White	119	116
Colored	28	28
Brunswick—White	70	77
Colored	129	139
Buchanan	140	138
Buckingham White	78	85
Colored	89	92
Buena Vista (city)	41	40
Campbell—White	126	167
Colored	118	128
Caroline—White	53	61
Colored	122	125
Carroll	186	182
Charles City White	7	10
Colored	54	58
Charlotte—White	83	92
Colored	99	102
Chesterfield—White	136	161
Colored	111	112
Clarke—White	47	47
Colored	27	27
Clifton Forge* (city) White	71	46
Colored	22	17
Craig	34	37
Culpeper—White	79	87
Colored	49	47
Cumberland—White	30	30
Colored	82	79
Dickenson	119	122
Dinwiddie*—White	71	80
Colored	330	329
Elizabeth City* White	127	132
Colored	156	155
National Military Home—White	154	154
Colored	23	23
Essex—White	36	39
Colored	57	59
Fairfax—White	196	224
Colored	66	72
Fauquier—White	156	160
Colored	96	94
Floyd	116	115
Fluvanna—White	48	53
Colored	53	61
Franklin—White	146	159
Colored	42	43
Frederick	124	125
Fredericksburg (city) White	89	82
Colored	38	37
Giles	122	126
Gloucester—White	46	51
Colored	64	63
Goochland—White	39	46
Colored	56	64
VIRGINIA COUNTIES (RURAL)—con.		
Grayson	177	178
Greene—White	42	48
Colored	10	9
Greensville—White	41	45
Colored	107	106
Halifax—White	200	211
Colored	252	261
Hanover—White	99	103
Colored	97	94
Harrisonburg (city) White	104	105
Colored	18	17
Henrico—White	173	200
Colored	78	89
Henry—White	158	158
Colored	119	119
Highland	39	42
Isle of Wight—White	57	64
Colored	104	103
James City*—White	117	119
Colored	43	47
King and Queen—White	29	34
Colored	73	77
King George—White	41	41
Colored	31	32
King William White	31	39
Colored	69	73
Lancaster—White	51	57
Colored	72	77
Lee	273	284
Loudoun—White	183	195
Colored	79	80
Louisa—White	64	88
Colored	91	98
Lunenburg—White	62	61
Colored	97	104
Madison—White	42	46
Colored	31	36
Mathews—White	64	69
Colored	28	29
Mecklenburg White	144	161
Colored	243	250
Middlesex—White	45	50
Colored	53	56
Montgomery White	162	170
Colored	32	35
Nansemond—White	75	82
Colored	234	215
Nelson—White	92	111
Colored	61	67
New Kent—White	11	19
Colored	34	37
Norfolk—White	193	228
Colored	250	263
Northampton White	75	82
Colored	118	121
Northumberland White	53	60
Colored	77	83
Nottoway—White	57	64
Colored	157	105
Orange—White	74	87
Colored	52	61
Page	156	168
Patrick	119	129
Pittsylvania—White	335	366
Colored	261	273
Powhatan—White	32	36
Colored	38	38
Prince Edward White	65	70
Colored	129	131
Prince George [5] White	121	138
Colored	88	94
VIRGINIA COUNTIES (RURAL)—con.		
Prince William White	102	109
Colored	26	33
Princess Anne* White	90	101
Colored	161	161
Pulaski—White	175	176
Colored	34	37
Radford (city) White	45	46
Colored	12	12
Rappahannock White	49	54
Colored	32	34
Richmond—White	37	37
Colored	38	40
Roanoke—White	260	257
Colored	52	52
Rockbridge—White	191	194
Colored	45	46
Rockingham	273	280
Russell	253	248
Scott	227	234
Shenandoah	250	260
Smyth	278	283
Southampton White	89	100
Colored	222	237
Spotsylvania White	61	68
Colored	44	45
Stafford—White	51	55
Colored	13	13
Suffolk—White	84	74
Colored	130	119
Surry—White	37	40
Colored	110	110
Sussex—White	28	29
Colored	157	174
Tazewell—White	275	279
Colored	39	53
Warren—White	80	87
Colored	9	14
Warwick—White	20	26
Colored	39	42
Washington	366	359
Westmoreland White	70	73
Colored	51	54
Winchester (city) White	167	157
Colored	19	16
Wise	553	543
Wythe	229	247
York—White	32	37
Colored	45	44
WASHINGTON COUNTIES (RURAL) [4]		
Adams	46	61
Asotin	75	90
Benton	58	80
Chelan	290	277
Clallam	176	171
Clarke	194	227
Columbia	54	65
Cowlitz	228	233
Douglas	35	40
Ferry—White	26	27
Colored	21	22
Franklin	72	60
Garfield	26	30
Grant	41	50
Grays Harbor	186	225
Island	38	49
Jefferson	115	100
King	820	947
Kitsap	316	352
Kittitas	157	157
Klickitat	63	87

See footnotes at end of table.

TABLE I C.—TOTAL DEATHS AND DEATHS OF RESIDENTS IN EACH REGISTRATION CITY HAVING A POPULATION FROM 10,000 TO 30,000 IN 1920, AND IN THE RURAL PART OF EACH REGISTRATION COUNTY: 1927—Continued

[See note at head of this table, p. 6]

AREA AND COLOR	1927 Total deaths	1927 Deaths of residents [1]
WASHINGTON COUNTIES (RURAL)—con.		
Lewis	383	389
Lincoln	93	121
Mason	100	97
Okanogan	150	163
Pacific	128	141
Pend Oreille	59	68
Pierce*	751	866
San Juan	33	43
Skagit*	502	500
Skamania	31	36
Snohomish	474	540
Spokane*	456	525
Stevens	208	218
Thurston	294	308
Wahkiakum	25	35
Walla Walla	133	157
Whatcom	212	269
Whitman	231	254
Yakima	409	507
WEST VIRGINIA COUNTIES (RURAL)[4]		
Barbour	203	218
Berkeley	116	119
Boone	171	192
Braxton	202	219
Brooke	191	233
Cabell	154	160
Calhoun	65	72
Clay	75	85
Doddridge	88	96
Fayette—White	507	547
Fayette—Colored	153	172
Gilmer	65	69
Grant	68	72
Greenbrier	302	305
Hampshire	103	107
Hancock	216	258
Hardy	92	92
Harrison	475	543
Jackson	121	135
Jefferson—White	150	157
Jefferson—Colored	58	59
Kanawha	719	826
Lewis*	305	311
Lincoln	85	93
Logan—White	451	478
Logan—Colored	102	113
McDowell—White	597	610
McDowell—Colored	326	321
WEST VIRGINIA COUNTIES (RURAL)—con.		
Marion	351	397
Marshall	258	276
Mason	232	239
Mercer—White	236	249
Mercer—Colored	50	59
Mineral	211	218
Mingo	277	310
Monongalia	429	441
Monroe	108	117
Morgan	84	93
Nicholas	176	170
Ohio	119	138
Pendleton	40	42
Pleasants	73	76
Pocahontas	165	152
Preston	346	362
Putnam	112	116
Raleigh—White	472	472
Raleigh—Colored	132	131
Randolph	247	242
Ritchie	121	135
Roane*	253	252
Summers	152	161
Taylor	243	243
Tucker	130	132
Tyler	118	125
Upshaw	174	175
Wayne	183	188
Webster	96	103
Wetzel	219	225
Wirt	60	62
Wood	214	226
Wyoming—White	107	114
Wyoming—Colored	45	49
WISCONSIN COUNTIES (RURAL)[4]		
Adams	75	86
Ashland	98	142
Barron	358	354
Bayfield	123	151
Brown	250	311
Buffalo	104	130
Burnett	83	96
Calumet	137	164
Chippewa	458	450
Clark	257	311
WISCONSIN COUNTIES (RURAL)—con.		
Columbia	372	365
Crawford	150	159
Dane	509	583
Dodge	468	508
Door	181	188
Douglas	78	109
Dunn	232	271
Eau Claire	104	137
Florence	22	27
Fond du Lac	273	330
Forest	80	91
Grant	395	419
Green	215	243
Green Lake	138	147
Iowa	229	237
Iron	77	109
Jackson	143	170
Jefferson	439	443
Juneau	208	222
Kenosha	94	112
Kewaunee	146	170
La Crosse	137	176
Lafayette	178	202
Langlade	203	199
Lincoln	238	219
Manitowoc	319	367
Marathon	289	355
Marinette	150	199
Marquette	94	103
Milwaukee*	1,422	1,444
Monroe	317	328
Oconto	277	290
Oneida	188	178
Outagamie	317	361
Ozaukee	147	166
Pepin	60	72
Pierce	186	206
Polk	257	270
Portage	146	155
Price	143	159
Racine	227	238
Richland	214	225
Rock	275	313
Rusk	121	128
St. Croix	216	247
WISCONSIN COUNTIES (RURAL)—con.		
Sauk	347	372
Sawyer—White	38	46
Sawyer—Colored	7	9
Shawano	291	318
Sheboygan	328	338
Taylor	124	138
Trempealeau	227	270
Vernon	259	331
Vilas	67	76
Walworth	307	350
Washburn	95	113
Washington	282	294
Waukesha*	411	418
Waupaca	388	403
Waushara	125	141
Winnebago*	500	498
Wood	358	304
WYOMING COUNTIES (RURAL)[4]		
Albany	133	138
Big Horn	79	81
Campbell	32	33
Carbon	115	119
Converse	57	59
Crook	33	38
Fremont—White	72	75
Fremont—Colored	69	69
Goshen	56	60
Hot Springs	69	69
Johnson	29	33
Laramie	29	44
Lincoln	99	111
Natrona	54	64
Niobrara	12	16
Park	63	63
Platte	78	82
Sheridan	177	175
Sublette	6	6
Sweetwater	155	159
Teton	14	14
Uinta	76	80
Washakie	53	53
Weston	31	31
Yellowstone National Park (part of)	3	3

[1] "Residents" excludes all nonresidents and includes residents who died elsewhere in registration area.
[2] Nonregistration State; cities shown are those with satisfactory registration of deaths.
[3] Reliable data for nonresidents not available.
[4] Exclusive of municipalities of 10,000 inhabitants or more in 1920.
[5] Including Hopewell city.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1926 AND 1927

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1927	1926	1927	1926
	All causes	1,236,949	1,285,927	1,141.9	1,222.7
	I.—Epidemic, endemic, and infectious diseases	167,595	194,962	154.7	185.4
1	Typhoid and paratyphoid fever	5,905	6,826	5.5	6.5
	Typhoid fever	5,830	6,747	5.4	6.4
	Paratyphoid fever	75	79	0.1	0.1
2	Typhus fever	16	7	(1)	(1)
3	Relapsing fever (spirillum obermeieri)				
4	Malta fever	2		(1)	
5	Malaria	2,875	2,006	2.7	1.9
6	Smallpox	145	377	0.1	0.4
7	Measles	4,433	8,607	4.1	8.2
8	Scarlet fever	2,440	2,662	2.3	2.5
9	Whooping cough	7,445	9,317	6.9	8.9
10	Diphtheria	8,426	7,856	7.8	7.5
11	Influenza	24,471	42,809	22.6	40.7
	With pulmonary complications specified	14,425	27,372	13.3	26.0
	Without pulmonary complications specified	10,046	15,437	9.3	14.7
12	Miliary fever				
13	Mumps	121	103	0.1	0.1
14	Asiatic cholera				
15	Cholera nostras	112	148	0.1	0.1
16	Dysentery	2,605	2,921	2.4	2.8
	Amebic	212	239	0.2	0.2
	Bacillary	413	429	0.4	0.4
	Unspecified or due to other causes	1,980	2,253	1.8	2.1
17	Plague		1		(1)
	Bubonic		1		(1)
	Pneumonic				
	Septicemic				
	Unspecified				
18	Yellow fever				
19	Spirochetal hemorrhagic jaundice	34	48	(1)	(1)
20	Leprosy	29	24	(1)	(1)
21	Erysipelas	2,567	2,680	2.4	2.5
22	Acute anterior poliomyelitis	2,013	851	1.9	0.8
23	Lethargic encephalitis	1,326	1,499	1.2	1.4
24	Meningococcus meningitis	1,705	1,413	1.6	1.3
25	Other epidemic and endemic diseases	300	301	0.3	0.3
	Chicken pox	184	147	0.2	0.1
	German measles	34	46	(1)	(1)
	Others under this title	82	108	0.1	0.1
26	Glanders	1	2	(1)	(1)
27	Anthrax	17	14	(1)	(1)
28	Rabies	95	86	0.1	0.1
29	Tetanus	1,437	1,377	1.3	1.3
30	Mycoses	204	235	0.2	0.2
	Tuberculosis (all forms)	87,567	91,568	80.8	87.1
31	Of the respiratory system	77,195	80,375	71.3	76.4
32	Of the meninges, central nervous system	3,533	3,788	3.3	3.6
33	Of the intestines and peritoneum	2,808	3,069	2.6	2.9
34	Of the vertebral column	853	956	0.8	0.9
35	Of the joints	346	377	0.3	0.4
36	Of other organs	1,213	1,244	1.1	1.2
	Of the skin and subcutaneous cellular tissue	50	51	(1)	(1)
	Of the bones (vertebral column excepted)	177	199	0.2	0.2
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	254	253	0.2	0.2
	Of the genito-urinary system	640	656	0.6	0.6
	Of other organs other than the above	92	85	0.1	0.1
37	Disseminated tuberculosis	1,619	1,759	1.5	1.7
	Acute	1,335	1,456	1.2	1.4
	Chronic or unspecified	284	303	0.3	0.3
38	Syphilis	9,139	8,965	8.4	8.5
39	Soft chancre	9	10	(1)	(1)
40	Gonococcus infection	1,026	1,056	0.9	1.0
41	Purulent infection, septicemia	1,108	1,173	1.0	1.1
42	Other infectious diseases	22	20	(1)	(1)
	II.—General diseases not included in Class I	155,298	151,136	143.4	143.7
	Cancer and other malignant tumors	103,578	99,833	95.6	94.9
43	Cancer of the buccal cavity	3,184	3,196	2.9	3.0
	Lip	487	564	0.4	0.5
	Tongue	829	859	0.8	0.8
	Mouth	372	354	0.3	0.3
	Jaw	1,054	1,011	1.0	1.0
	Other of this class	442	408	0.4	0.4
44	Cancer of the stomach, liver	36,874	35,694	34.0	33.9
	Pharynx	1,044	971	1.0	0.9
	Esophagus	1,756	1,766	1.6	1.7
	Stomach	24,069	23,322	22.2	22.2
	Liver and gall bladder	10,005	9,635	9.2	9.2

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1927	1926	1927	1926
	II.—General diseases not included in Class I—Continued.				
	Cancer and other malignant tumors—Con.				
45	Cancer of the peritoneum, intestines, rectum	15,164	14,435	14.0	13.7
	Mesentery and peritoneum	866	908	0.8	0.9
	Intestines (except rectum)	9,791	9,217	9.0	8.8
	Rectum and anus	4,427	4,253	4.1	4.0
	Others of this class	80	57	0.1	0.1
46	Cancer of the female genital organs	15,001	14,394	13.8	13.7
	Ovary and Fallopian tube	1,380	1,318	1.3	1.3
	Uterus	13,132	12,634	12.1	12.0
	Vagina and vulva	429	396	0.4	0.4
	Others of this class	60	46	0.1	(1)
47	Cancer of the breast	9,580	9,190	8.8	8.7
48	Cancer of the skin	2,758	2,802	2.5	2.7
49	Cancer of other or unspecified organs	21,017	20,122	19.4	19.1
	Larynx	779	809	0.7	0.8
	Lung and pleura	2,012	1,892	1.9	1.8
	Pancreas	2,335	2,147	2.2	2.0
	Kidneys and suprarenals	1,342	1,269	1.2	1.2
	Prostate	3,784	3,427	3.5	3.3
	Bladder	3,242	3,183	3.0	3.0
	Brain	580	528	0.5	0.5
	Bones (except jaw)	1,390	1,209	1.3	1.1
	Testes	266	225	0.2	0.2
	Scrotum	29	33	(1)	(1)
	Others of this class	5,258	5,400	4.9	5.1
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	750	771	0.7	0.7
51	Acute rheumatic fever	2,804	2,881	2.6	2.7
52	Chronic rheumatism, osteoarthritis, gout	1,373	1,338	1.3	1.3
53	Scurvy	42	53	(1)	0.1
54	Pellagra	5,418	3,854	5.0	3.7
55	Beriberi	8	6	(1)	(1)
56	Rickets	475	596	0.4	0.6
57	Diabetes mellitus	18,937	18,881	17.5	18.0
58	Anemia, chlorosis	5,210	6,624	4.8	6.3
	Pernicious anemia	4,526	5,959	4.2	5.7
	Other anemias and chlorosis	684	665	0.6	0.6
59	Diseases of the pituitary gland	116	113	0.1	0.1
60	Diseases of the thyroid gland	4,842	4,843	4.5	4.6
	Exophthalmic goiter	4,202	4,161	3.9	4.0
	Other diseases of the thyroid gland	640	682	0.6	0.6
61	Diseases of the parathyroid glands	103	111	0.1	0.1
62	Diseases of the thymus gland	1,402	1,280	1.3	1.2
63	Diseases of the adrenals (Addison's disease)	350	391	0.3	0.4
64	Diseases of the spleen	142	167	0.1	0.2
65	Leukemia and Hodgkin's disease	2,979	2,806	2.8	2.7
	Leukemia	2,043	1,906	1.9	1.8
	Hodgkin's disease	936	900	0.9	0.9
66	Alcoholism (acute or chronic)	4,372	4,109	4.0	3.9
67	Chronic poisoning by mineral substances	177	175	0.2	0.2
	Chronic lead poisoning	139	144	0.1	0.1
	Others under this title	38	31	(1)	(1)
68	Chronic poisoning by organic substances	152	213	0.1	0.2
69	Other general diseases	2,068	2,091	1.9	2.0
	III.—Diseases of the nervous system and of the organs of special sense	125,652	127,391	116.0	121.1
70	Encephalitis	1,300	1,316	1.2	1.3
71	Meningitis	3,084	3,219	2.8	3.1
	Simple meningitis	2,454	2,520	2.3	2.4
	Nonepidemic cerebrospinal meningitis	630	699	0.6	0.7
72	Tabes dorsalis (locomotor ataxia)	1,474	1,601	1.4	1.5
73	Other diseases of the spinal cord	3,314	3,403	3.1	3.2
74	Cerebral hemorrhage, apoplexy	90,316	90,167	83.4	85.7
	Cerebral hemorrhage	86,236	86,261	79.6	82.0
	Cerebral embolism and thrombosis	4,080	3,906	3.8	3.7
75	Paralysis without specified cause	5,006	5,732	4.6	5.5
	Hemiplegia	1,917	2,045	1.8	1.9
	Others under this title	3,089	3,687	2.9	3.5
76	General paralysis of the insane	5,363	5,900	5.0	5.6
77	Other forms of mental alienation	1,700	1,636	1.6	1.6
78	Epilepsy	3,005	3,261	2.8	3.1
79	Convulsions (nonpuerperal; 5 years and over)	125	131	0.1	0.1
80	Infantile convulsions (under 5 years of age)	1,447	1,597	1.3	1.5
81	Chorea	69	80	0.1	0.1
82	Neuralgia and neuritis	319	300	0.3	0.3
83	Softening of the brain	685	665	0.6	0.6
84	Other diseases of the nervous system	4,788	4,596	4.4	4.4
85	Diseases of the eye and annexa	104	93	0.1	0.1
86	Diseases of the ear and of the mastoid process	3,553	3,694	3.3	3.5
	Diseases of the ear	2,048	2,113	1.9	2.0
	Diseases of the mastoid process	1,505	1,581	1.4	1.5

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1926 AND 1927—Con.

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1927	1926	1927	1926
	IV.—Diseases of the circulatory system	240,412	237,010	221.9	225.4
87	Pericarditis	964	915	0.9	0.9
88	Endocarditis and myocarditis (acute)	8,875	8,337	8.2	7.9
89	Angina pectoris	15,970	15,221	14.7	14.5
90	Other diseases of the heart	186,167	184,897	171.9	175.8
91	Diseases of the arteries	23,615	23,698	21.8	22.5
	Aneurysm	2,208	1,989	2.0	1.9
	Arteriosclerosis	20,962	21,247	19.4	20.2
	Other diseases of the arteries	445	462	0.4	0.4
92	Embolism and thrombosis (not cerebral)	3,620	2,781	3.3	2.6
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	616	585	0.6	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	216	196	0.2	0.2
95	Hemorrhage without specified cause	117	138	0.1	0.1
96	Other diseases of the circulatory system	252	242	0.2	0.2
	V.—Diseases of the respiratory system	102,192	123,960	94.3	117.9
97	Diseases of the nasal fossae and their annexa	953	933	0.9	0.9
	Diseases of the nasal fossae	292	313	0.3	0.3
	Others under this title	661	620	0.6	0.6
98	Diseases of the larynx	458	478	0.4	0.5
99	Bronchitis	5,851	6,961	5.4	6.6
	Acute	2,162	2,795	2.0	2.7
	Chronic	2,198	2,391	2.0	2.3
	Unspecified (under 5 years of age)	546	655	0.5	0.6
	Unspecified (5 years and over)	945	1,120	0.9	1.1
100	Broncho-pneumonia	36,574	46,148	33.8	43.9
	Broncho-pneumonia	35,861	45,157	33.1	42.9
	Capillary bronchitis	713	991	0.7	0.9
101	Pneumonia	50,656	61,649	46.8	58.6
	Lobar	46,694	56,699	43.1	53.9
	Unspecified	3,962	4,950	3.7	4.7
102	Pleurisy	2,639	2,780	2.4	2.6
103	Congestion and hemorrhagic infarct of the lung	1,454	1,427	1.3	1.4
104	Gangrene of the lung	209	189	0.2	0.2
105	Asthma	1,952	2,051	1.8	2.0
106	Pulmonary emphysema	166	158	0.2	0.2
107	Other diseases of the respiratory system (tuberculosis excepted)	1,280	1,186	1.2	1.1
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system	279	269	0.3	0.3
	Diseases of the mediastinum	40	37	(1)	(1)
	Others under this title	961	880	0.9	0.8
	VI.—Diseases of the digestive system	96,264	100,266	88.9	95.3
108	Diseases of the mouth and annexa	904	797	0.8	0.8
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	4,136	3,947	3.8	3.8
	Adenoid vegetations	4	6	(1)	(1)
	Others under this title	4,132	3,941	3.8	3.7
110	Diseases of the esophagus	118	131	0.1	0.1
111	Ulcer of the stomach and duodenum	6,862	6,424	6.3	6.1
	Ulcer of the stomach	4,819	4,566	4.4	4.3
	Ulcer of the duodenum	2,043	1,858	1.9	1.8
112	Other diseases of the stomach (cancer excepted)	5,232	5,444	4.8	5.2
113	Diarrhea and enteritis (under 2 years of age)	23,382	28,374	21.6	27.0
114	Diarrhea and enteritis (2 years and over)	6,517	6,922	6.0	6.6
115	Ancylostomiasis	18	26	(1)	(1)
116	Diseases due to other intestinal parasites	108	95	0.1	0.1
	Cestodes (hydatids of the liver excepted)	3	5	(1)	(1)
	Trematodes		3		(1)
	Nematodes (other than ancylostoma)	26	20	(1)	(1)
	Coccidia	1		(1)	
	Other parasites specified	1	1	(1)	(1)
	Parasites not specified	77	66	0.1	0.1
117	Appendicitis and typhlitis	16,205	15,751	15.0	15.0
118	Hernia, intestinal obstruction	11,309	11,734	10.4	11.2
	Hernia	4,079	4,138	3.8	3.9
	Intestinal obstruction	7,230	7,596	6.7	7.2
119	Other diseases of the intestines	1,213	1,213	1.1	1.2
120	Acute yellow atrophy of the liver	486	515	0.4	0.5
121	Hydatid tumor of the liver	32	25	(1)	(1)
122	Cirrhosis of the liver	8,098	7,591	7.5	7.2
	Specified as alcoholic	523	452	0.5	0.4
	Not specified as alcoholic	7,575	7,139	7.0	6.8
123	Biliary calculi	4,362	4,148	4.0	3.9
124	Other diseases of the liver	4,928	4,745	4.5	4.5
125	Diseases of the pancreas	640	631	0.6	0.6
126	Peritonitis without specified cause	1,713	1,752	1.6	1.7
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1	(1)	(1)
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	117,254	119,978	108.2	114.1
128	Acute nephritis (including unspecified under 10 years of age)	5,233	5,427	4.8	5.2
129	Chronic nephritis (including unspecified 10 years and over)	94,930	97,905	87.6	93.1
130	Chyluria	3	1	(1)	(1)
131	Other diseases of the kidneys and annexa	3,141	2,979	2.9	2.8
132	Calculi of the urinary passages	888	823	0.8	0.8
133	Diseases of the bladder	919	974	0.8	0.9
134	Diseases of the urethra, urinary abscess, etc.	397	421	0.4	0.4
	Stricture of the urethra	254	263	0.2	0.3
	Others under this title	143	158	0.1	0.2
135	Diseases of the prostate	5,761	5,600	5.3	5.3
136	Nonvenereal diseases of the male genital organs	111	128	0.1	0.1
137	Cysts and other benign tumors of the ovary	869	851	0.8	0.8
	Salpingitis and pelvic abscess (female)	1,822	1,864	1.7	1.8
3	nign tumors of the uterus	2,270	2,068	2.1	2.0
140	npuerperal uterine hemorrhage	68	54	0.1	0.1
1	er diseases of the female genital organs	823	855	0.8	0.8
1	npuerperal diseases of the breast (cancer cepted)	19	28	(1)	(1)
	VIII.—The puerperal state	14,860	15,058	13.7	14.3
143	Accidents of pregnancy	1,346	1,538	1.2	1.5
	Abortion	621	804	0.6	0.8
	Ectopic gestation	510	511	0.5	0.5
	Others under this title	215	223	0.2	0.2
144	Puerperal hemorrhage	1,544	1,563	1.4	1.5
145	Other accidents of labor	1,691	1,731	1.6	1.6
	Cesarean section	382	326	0.4	0.3
	Other surgical operations and instrumental delivery	179	175	0.2	0.2
	Others under this title	1,130	1,230	1.0	1.2
146	Puerperal septicemia	5,715	5,518	5.3	5.2
147	Puerperal phlegmasia alba dolens, embolus, sudden death	646	613	0.6	0.6
148	Puerperal albuminuria and convulsions	3,853	4,036	3.6	3.8
149	Following childbirth (not otherwise defined)	57	56	0.1	0.1
150	Puerperal diseases of the breast	8	3	(1)	(1)
	IX.—Diseases of the skin and of the cellular tissue	3,252	3,390	3.0	3.2
151	Gangrene	1,298	1,366	1.2	1.3
152	Furuncle	559	568	0.5	0.5
153	Acute abscess	694	705	0.6	0.7
154	Other diseases of the skin and annexa	701	751	0.6	0.7
	X.—Diseases of the bones and of the organs of locomotion	1,474	1,429	1.4	1.4
155	Diseases of the bones (tuberculosis excepted)	1,173	1,142	1.1	1.1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	243	224	0.2	0.2
157	Amputations	10	3	(1)	(1)
158	Other diseases of the organs of locomotion	48	60	(1)	0.1
	XI.—Malformations	13,588	13,990	12.5	13.3
159	Congenital malformations (stillbirths not included)	13,588	13,990	12.5	13.3
	Congenital hydrocephalus	1,490	1,394	1.4	1.3
	Congenital malformations of the heart	7,583	8,073	7.0	7.7
	Others under this title	4,515	4,523	4.2	4.3
	XII.—Early infancy	59,777	61,249	55.2	58.2
160	Congenital debility, icterus, sclerema	6,409	7,344	5.9	7.0
161	Premature birth, injury at birth	48,808	49,198	45.1	46.8
	Premature birth	38,180	38,990	35.2	37.1
	Injury at birth	10,628	10,208	9.8	9.7
162	Other diseases peculiar to early infancy	4,407	4,609	4.1	4.4
163	Lack of care	153	98	0.1	0.1
	XIII.—Old age	11,465	12,065	10.6	11.5
164	Senility	11,465	12,065	10.6	11.5

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1926 AND 1927—Con.

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1927	1926	1927	1926
	XIV.—External causes	108,806	105,335	100.4	100.2
	Suicide	14,356	13,410	13.3	12.8
165	By solid or liquid poisons (corrosive substances excepted)	849	796	0.8	0.8
	Arsenic	156	156	0.1	0.1
	Hydrocyanic acid	84	79	0.1	0.1
	Opium, morphin, laudanum	35	27	(1)	(1)
	Strychnin	232	235	0.2	0.2
	Others under this title	342	299	0.3	0.3
166	By corrosive substances	1,618	1,451	1.5	1.4
	Corrosive sublimate	366	369	0.3	0.4
	Carbolic acid	754	634	0.7	0.6
	Lysol	343	307	0.3	0.3
	Others under this title	155	141	0.1	0.1
167	By poisonous gas	2,138	1,940	2.0	1.8
168	By hanging or strangulation	2,528	2,385	2.3	2.3
169	By drowning	752	717	0.7	0.7
170	By firearms	4,989	4,616	4.6	4.4
171	By cutting or piercing instruments	794	861	0.7	0.8
172	By jumping from high places	404	362	0.4	0.3
173	By crushing	138	135	0.1	0.1
174	Other suicides	146	147	0.1	0.1
	Homicide	9,470	9,210	8.7	8.8
197	By firearms	6,310	6,377	5.8	6.1
198	By cutting or piercing instruments	1,495	1,322	1.4	1.3
199	By other means	1,665	1,511	1.5	1.4
200	(Infanticide-murder of infants less than 1 year of age)[2]	(176)	(159)	(0.2)	(0.2)
	Accidental, other, or undefined	84,980	82,715	78.4	78.7
175	Poisoning by food	771	830	0.7	0.8
	Botulism	54	47	(1)	(1)
	Other food poisoning	717	783	0.7	0.7
176	Poisoning by venomous animals	96	107	0.1	0.1
177	Other acute accidental poisonings (gas excepted)	1,661	1,575	1.5	1.5
	Wood alcohol	230	221	0.2	0.2
	Denatured alcohol	59		0.1	
	Carbolic acid	58	37	0.1	(1)
	Opium, morphin, laudanum	35	35	(1)	(1)
	Strychnin	179	178	0.2	0.2
	Other poisons or kind not stated	1,100	1,104	1.0	1.0
178	Conflagration	1,519	1,558	1.4	1.5
179	Burns (conflagration excepted)	6,089	6,487	5.6	6.2
	Molten metal	22	19	(1)	(1)
	Playing with fire, matches, etc	416	359	0.4	0.3
	Fall into fire	131	180	0.1	0.2
	Scalds	1,235	1,271	1.1	1.2
	Others under this title	4,285	4,658	4.0	4.4
180	Mechanical suffocation	1,128	1,279	1.0	1.2
181	Absorption of irrespirable, irritating, or poisonous gas	2,521	2,836	2.3	2.7
182	Drowning	7,296	6,661	6.7	6.3
183	XIV.—External causes—Continued. Accidental, other, or undefined—Con. Traumatism— By firearms (wounds of war excepted)	2,741	2,593	2.5	2.5
184	By cutting or piercing intruments	691	702	0.6	0.7
185	By fall	15,152	14,681	14.0	14.0
	Fall down stairs	2,134	1,979	2.0	1.9
	Fall in ships, docks, etc	150	126	0.1	0.1
	Fall in building operations	731	780	0.7	0.7
	Others under this title	12,137	11,796	11.2	11.2
186	In mines and quarries	2,832	2,952	2.6	2.8
	Mines	2,690	2,825	2.5	2.7
	Quarries	142	127	0.1	0.1
187	By machines	2,124	2,224	2.0	2.1
	Agricultural machinery	300	273	0.3	0.3
	Elevator	383	437	0.4	0.4
	Crane	231	270	0.2	0.3
	Others under this title	1,210	1,244	1.1	1.2
188	By other crushing (vehicles, railways, landslides, etc.)	31,866	29,768	29.4	28.3
	Railroad accidents	6,892	7,026	6.4	6.7
	Collision with automobiles	1,676	1,556	1.5	1.5
	Other railroad accidents	5,216	5,470	4.8	5.2
	Street-car accidents	1,452	1,621	1.3	1.5
	Collision with automobiles	476	464	0.4	0.4
	Other street-car accidents	976	1,157	0.9	1.1
	Automobile accidents[3]	21,160	18,871	19.5	17.9
	Airplane and balloon accidents	214	160	0.2	0.2
	Motorcycle accidents	291	220	0.3	0.2
	Injuries by other vehicles	1,088	1,127	1.0	1.1
	Landslide, other crushing	769	743	0.7	0.7
189	Injuries by animals (not poisoning)	555	541	0.5	0.5
190	Wounds of war	5	3	(1)	(1)
192	Starvation (deprivation of food or water)	17	14	(1)	(1)
193	Excessive cold	258	256	0.2	0.2
194	Excessive heat	530	646	0.5	0.6
195	Lightning	352	364	0.3	0.3
196	Other accidental electric shocks	991	1,037	0.9	1.0
201	Fracture (cause not specified)	665	690	0.6	0.7
202	Other external violence	5,120	4,909	4.7	4.7
	Foreign body in digestive or respiratory tract	648	603	0.6	0.6
	Others under this title	4,472	4,306	4.1	4.1
203	Violent deaths of unknown causation		2		(1)
	XV.—Ill-defined diseases	19,060	18,708	17.6	17.8
204	Sudden death	1,961	2,013	1.8	1.9
205	Not specified or ill-defined	17,099	16,695	15.8	15.9
	Ill-defined	4,312	4,461	4.0	4.2
	Not specified or unknown	12,787	12,234	11.8	11.6

[1] Less than one-tenth of 1 per 100,000 population.
[2] The figures are included in those for homicide.
[3] Excludes collision with railroad trains and street cars.

NOTE.—The population in 1927, which is shown in Table 1A, constituted 91.3 per cent of the total population of continental United States; in 1926 it constituted 89. per cent of the total.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1927

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The registration area in continental United States	1,236,949	116,620	101,612	114.760	109,853	107,046	99,381	97,081	92,261	92,506	98,099	98,351	109,379
Registration States [1]	1,211,627	114,293	99,650	112,513	107,699	104,889	97,339	95,071	90,243	90,604	96,091	96,274	106,961
Cities in registration States [1]	621,605	58,986	52,535	58,846	56,104	53,587	48,738	47,396	44,685	45,981	49,341	50,051	55,355
Rural part of registration States	590,022	55,307	47,115	53,667	51,595	51,302	48,601	47,675	45,558	44,623	46,750	46,223	51,606
Registration cities in nonregistration States [2]	25,322	2,327	1,962	2,247	2,154	2,157	2,042	2,010	2,018	1,902	2,008	2,077	2,418
All registration cities [1]	646,927	61,313	54,497	61,093	58,258	55,744	50,780	49,406	46,703	47,883	51,349	52,128	57,773
Alabama	27,062	2,354	1,971	2,278	2,202	2,404	2,278	2,279	2,073	2.197	2,146	2,206	2,674
Urban	7,447	663	542	642	607	659	600	612	583	630	554	626	729
Rural	19,615	1,691	1,429	1,636	1,595	1,745	1,678	1,667	1,490	1,567	1,592	1,580	1,945
Arizona	5,881	520	494	517	558	566	530	515	365	414	450	436	516
Urban	2,233	209	213	214	249	213	180	169	101	144	150	157	234
Rural	3,648	311	281	303	309	353	350	346	264	270	300	279	282
Arkansas	18,311	1,621	1,308	1,538	1,450	1,591	1,581	1,567	1,601	1,517	1.475	1,446	1,616
Urban	3.244	306	241	267	272	245	269	279	267	278	255	262	303
Rural	15,067	1,315	1,067	1,271	1,178	1,346	1,312	1,288	1,334	1,239	1.220	1,184	1,313
California	61,540	5,976	4,925	5,374	5,364	5,444	5,050	4,938	4,509	4,421	4,942	4,778	5,819
Urban	36,130	3,663	2,958	3,217	3,146	3,113	2,930	2,828	2,603	2,610	2,868	2,778	3,416
Rural	25,410	2,313	1,967	2,157	2,218	2,331	2,120	2,110	1,906	1,811	2,074	2,000	2,403
Colorado	13,082	1,240	1,059	1,175	1,148	1,137	1,004	952	1,103	1,066	998	1,022	1,178
Urban	5,969	574	494	550	545	495	441	421	491	455	451	468	584
Rural	7,113	666	565	625	603	642	563	531	612	611	547	554	594
Connecticut	16,757	1,642	1,411	1,577	1,573	1,455	1,261	1,305	1,164	1,273	1,311	1,281	1,504
Urban	12,715	1,248	1,073	1,197	1,176	1,120	955	995	879	957	981	971	1,163
Rural	4,042	394	338	380	397	335	306	310	285	316	330	310	341
Delaware	3,007	304	237	280	302	247	229	223	204	216	263	248	254
Urban	1,462	145	116	126	154	105	116	101	93	109	127	130	140
Rural	1,545	159	121	154	148	142	113	122	111	107	136	118	114
Florida	18,151	1,856	1,524	1,800	1,520	1,530	1,327	1,424	1,333	1,334	1,451	1,370	1,682
Urban	5,921	581	548	605	525	493	455	482	421	424	430	421	536
Rural	12,230	1,275	976	1,195	995	1,037	872	942	912	910	1,021	949	1,146
Idaho	3,787	375	293	316	333	337	292	302	291	288	314	315	331
Urban	530	48	46	41	39	45	33	43	43	43	54	46	49
Rural	3,257	327	247	275	294	292	259	259	248	245	260	269	282
Illinois	82,849	7,840	6,985	7,641	7,267	7,081	6,511	6,171	6,297	6,315	6,828	6,593	7,320
Urban	52,659	4,926	4,422	4,903	4,692	4,465	4,174	3,928	3,924	3,955	4,382	4,178	4,710
Rural	30,190	2.914	2,563	2,738	2,575	2,616	2.337	2,243	2,373	2,360	2,446	2,415	2,610
Indiana	37,677	3,420	3,083	3,346	3,340	3,102	3,082	3,016	2,866	2,914	3,142	3,068	3,298
Urban	17,180	1,543	1,451	1,468	1,462	1,416	1,413	1,414	1,317	1,375	1,393	1,407	1,521
Rural	20,497	1,877	1,632	1,878	1,878	1,686	1,669	1,602	1,549	1,539	1,749	1,661	1,777
Iowa	24,532	2,379	2,098	2,359	2,152	2,071	2,016	1,908	1,784	1,881	1,914	1,880	2,090
Urban	8,644	772	703	828	787	747	695	694	627	687	676	688	740
Rural	15,888	1,607	1,395	1,531	1,365	1,324	1,321	1,214	1,157	1,194	1,238	1,192	1,350
Kansas	18,582	1.732	1,411	1.700	1,587	1,536	1,448	1,535	1,441	1,397	1,516	1,511	1,768
Urban	6,146	560	480	546	523	502	512	484	485	444	508	522	580
Rural	12,436	1,172	931	1,154	1,064	1,034	936	1,051	956	953	1,008	989	1,188
Kentucky	27,209	2,528	2,124	2.394	2,247	2,158	2,252	2,409	2,210	2,178	2,213	2,099	2,397
Urban	7,713	665	665	688	631	640	607	663	577	589	683	610	695
Rural	19,496	1,863	1,459	1,706	1,616	1,518	1,645	1,746	1,633	1,589	1,530	1,489	1,702
Louisiana	23,875	2,086	1,757	2,050	1.810	2,096	2,001	2,105	2,028	1,894	1,935	1,874	2,239
Urban	10,681	937	817	949	808	988	845	886	884	828	861	857	1,021
Rural	13,194	1,149	940	1,101	1,002	1,108	1,156	1.219	1,144	1,066	1,074	1,017	1,218
Maine	10,958	999	942	965	1,015	942	860	815	850	818	853	898	1,001
Urban	3,501	325	291	335	329	297	266	267	243	260	287	307	294
Rural	7,457	674	651	630	686	645	594	548	607	558	566	591	707
Maryland	21,102	2,098	1,792	2,175	1,911	1,727	1,501	1,616	1,512	1,561	1,680	1,700	1,829
Urban	12,806	1,278	1,114	1,341	1,128	1,045	903	952	873	942	1,055	1,079	1,096
Rural	8,296	820	678	834	783	682	598	664	639	619	625	621	733
Massachusetts	49,285	4,748	4,237	4,770	4,551	4,246	3,774	3,673	3,582	3,602	3,855	3,933	4,314
Urban	39,861	3,882	3,482	3,880	3,709	3,460	3,005	2,895	2,858	2,928	3,089	3,162	3,531
Rural	9.424	866	755	890	842	786	769	778	724	674	786	771	783
Michigan	50,643	4,664	4,276	4,741	4,568	4,527	4,137	3,911	3,724	3,819	4,189	3,846	4,241
Urban	27,814	2,565	2,384	2,661	2,554	2,509	2,282	2,067	1,944	2,069	2,312	2,141	2,326
Rural	22,829	2,099	1,892	2,080	2,014	2,018	1,855	1,844	1,780	1,750	1,877	1,705	1,915
Minnesota	24,688	2,209	1,978	2,273	2,227	2,159	2,121	1,857	1,882	1,772	2,079	2,003	2,128
Urban	11,016	955	906	1,015	1.016	945	927	809	826	806	981	899	981
Rural	13,672	1,254	1,072	1,258	1,211	1,214	1,194	1,048	1,056	966	1,148	1,104	1,147
Mississippi	23,203	1,966	1,739	2,022	1,866	2,113	2,074	2,101	1,825	1,778	1,826	1,833	2,060
Urban	4,098	314	274	356	349	392	357	386	339	316	303	325	387
Rural	19,105	1,652	1,465	1,666	1.517	1,721	1,717	1,715	1,486	1,462	1,523	1,508	1,673

[1] Including District of Columbia.
[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1 B and 1 C, respectively.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1927—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	40,753	3,911	3,350	3,823	3,413	3,443	3,203	3,126	3,092	3,233	3,249	3,267	3,643
Urban	20,251	1,934	1,633	1,930	1,705	1,700	1,571	1,529	1,439	1,655	1,662	1,705	1,788
Rural	20,502	1,977	1,717	1,893	1,708	1,743	1,632	1,597	1,653	1,578	1,587	1,562	1,855
Montana	5,342	538	437	491	478	455	464	431	396	366	422	391	473
Urban	1,727	166	146	146	156	134	160	145	121	113	142	129	169
Rural	3,615	372	291	345	322	321	304	286	275	253	280	262	304
Nebraska	12,369	1,203	1,084	1,111	1,080	1,027	999	893	896	967	1,043	1,004	1,062
Urban	3,975	350	352	368	371	326	314	282	293	317	335	322	345
Rural	8,394	853	732	743	709	701	685	611	603	650	708	682	717
New Hampshire	6,329	615	515	594	610	544	515	444	525	452	464	490	561
Urban	2,719	276	214	257	270	213	216	186	217	176	196	240	258
Rural	3,610	339	301	337	340	331	299	258	308	276	268	250	303
New Jersey	42,128	4,074	3,573	4,076	3,931	3,491	3,297	3,255	3,031	3,085	3,296	3,401	3,618
Urban	26,316	2,561	2,290	2,582	2,488	2,131	2,048	1,990	1,859	1,887	2,076	2,145	2,259
Rural	15,812	1,513	1,283	1,494	1,443	1,360	1,249	1,265	1,172	1,198	1,220	1,256	1,359
New York	140,899	13,417	11,882	13,419	13,049	12,714	11,115	10,725	10,122	10,229	10,796	11,304	12,127
Urban	106,620	10,170	9,147	10,353	10,024	9,604	8,283	7,886	7,419	7,665	8,198	8,553	9,318
Rural	34,279	3,247	2,735	3,066	3,025	3,110	2,832	2,839	2,703	2,564	2,598	2,751	2,809
North Carolina	32,917	2,955	2,371	3,084	3,005	3,068	3,076	2,848	2,429	2,379	2,487	2,511	2,704
Urban	7,300	644	519	721	630	594	611	611	537	588	602	596	647
Rural	25,617	2,311	1,852	2,363	2,375	2,474	2,465	2,237	1,892	1,791	1,885	1,915	2,057
North Dakota	5,211	511	481	489	486	420	382	382	389	427	384	437	23 458
Urban	777	75	73	79	79	60	56	71	47	49	58	72	
Rural	4,434	436	408	410	407	360	326	311	342	378	326	365	365
Ohio	73,515	6,946	6,243	6,864	6,632	6,268	5,817	5,625	5,357	5,519	5,832	5,891	6,521
Urban	43,056	4,074	3,650	3,935	3,943	3,651	3,393	3,356	3,073	3,199	3,388	3,510	3,884
Rural	30,459	2,872	2,593	2,929	2,689	2,617	2,424	2,269	2,284	2,320	2,444	2,381	2,637
Oregon	10,206	914	1,000	894	888	872	796	829	795	759	795	794	870
Urban	4,714	418	484	410	428	399	350	384	348	327	364	394	408
Rural	5,492	496	516	484	460	473	446	445	447	432	431	400	462
Pennsylvania	111,252	11,129	9,571	10,920	10,342	9,605	8,500	8,046	7,796	7,928	8,672	9,090	9,653
Urban	61,025	6,089	5,299	6,041	5,630	5,306	4,623	4,358	4,191	4,287	4,806	5,079	5,316
Rural	50,227	5,040	4,272	4,879	4,712	4,299	3,877	3,688	3,605	3,641	3,866	4,011	4,337
Rhode Island	7,897	746	677	799	746	660	586	586	536	552	670	638	701
Urban	6,619	622	561	681	630	559	486	490	436	454	567	540	593
Rural	1,278	124	116	118	116	101	100	96	100	98	103	98	108
South Carolina	21,740	1,785	1,435	1,860	1,874	2,087	1,971	1,927	1,821	1,726	1,671	1,683	1,900
Urban	4,305	371	306	385	345	417	363	386	343	344	316	352	377
Rural	17,435	1,414	1,129	1,475	1,529	1,670	1,608	1,541	1,478	1,382	1,355	1,331	1,523
Tennessee	29,029	2,619	2,186	2,662	2,467	2,496	2,599	2,586	2,209	2,158	2,205	2,261	2,581
Urban	9,648	875	780	906	805	837	792	842	758	720	752	734	847
Rural	19,381	1,744	1,406	1,756	1,662	1,659	1,807	1,744	1,451	1,438	1,453	1,527	1,734
Utah	4,737	480	447	452	469	381	337	343	349	310	359	380	430
Urban	2,271	225	226	194	206	181	169	161	161	157	189	173	229
Rural	2,466	255	221	258	263	200	168	182	188	153	170	207	201
Vermont	4,882	496	420	456	449	404	414	365	351	342	322	444	419
Urban	827	78	76	89	80	72	67	52	63	58	57	68	67
Rural	4,055	418	344	367	369	332	347	313	288	284	265	376	352
Virginia	28,772	2,747	2,361	2,738	2,503	2,428	2,331	2,412	2,182	2,119	2,208	2,269	2,474
Urban	8,684	797	740	835	732	712	693	718	640	657	694	707	759
Rural	20,088	1,950	1,621	1,903	1,771	1,716	1,638	1,694	1,542	1,462	1,514	1,562	1,715
Washington	15,950	1,456	1,380	1,446	1,417	1,384	1,236	1,314	1,127	1,185	1,286	1,262	1,457
Urban	8,241	757	684	750	716	688	623	720	564	608	663	685	783
Rural	7,709	699	696	696	701	696	613	594	563	577	623	577	674
West Virginia	16,989	1,572	1,365	1,434	1,529	1,318	1,231	1,342	1,362	1,431	1,459	1,347	1,599
Urban	4,596	429	366	401	391	359	358	344	373	391	360	388	436
Rural	12,393	1,143	999	1,033	1,138	959	873	998	989	1,040	1,099	959	1,163
Wisconsin	29,567	2,702	2,395	2,752	2,580	2,592	2,465	2,276	2,230	2,115	2,407	2,344	2,709
Urban	12,796	1,160	1,050	1,213	1,144	1,145	1,057	929	926	947	1,028	1,031	1,166
Rural	16,771	1,542	1,345	1,539	1,436	1,447	1,408	1,347	1,304	1,168	1,379	1,313	1,543
Wyoming	1,976	197	147	143	157	205	169	147	132	159	151	166	203
Urban	382	33	33	26	27	47	33	34	27	25	25	34	38
Rural	1,594	164	114	117	130	158	136	113	105	134	126	132	165

NOTE.—Populations are shown in Table 1 A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1927

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
The registration area in continental United States	1,236,949	1,067,485	807,577	478,224	215,147	114,206	242,530	17,378	169,464	163,628	3,145	1,332	1,196	163
Registration States [1]	1,211,627	1,050,358	793,501	469,818	212,566	111,117	240,059	16,798	161,269	155,462	3,137	1,317	1,191	162
Cities in registration States [1]	621,605	549,660	379,434	193,804	138,854	46,776	162,067	8,159	71,945	69,983	237	978	674	73
Rural part of registration States	590,022	500,698	414,067	276,014	73,712	64,341	77,992	8,639	89,324	85,479	2,900	339	517	89
Registration cities in nonregistration States [2]	25,322	17,127	14,076	8,406	2,581	3,089	2,471	580	8,195	8,166	8	15	5	1
All registration cities [1]	646,927	566,787	393,510	202,210	141,435	49,865	164,538	8,739	80,140	78,149	245	993	679	74
Alabama	27,062	14,273	13,695	11,384	415	1,896	347	231	12,789	12,780	8	1		
Urban	7,447	3,750	3,485	2,885	259	341	225	40	3,697	3,696		1		
Rural	19,615	10,523	10,210	8,499	156	1,555	122	191	9,092	9,084	8			
Arizona	5,881	5,094	3,705	1,603	1,355	747	1,116	273	787	159	594	20	11	3
Urban	2,233	2,075	1,573	726	470	377	370	132	158	90	52	9	7	
Rural	3,648	3,019	2,132	877	885	370	746	141	629	69	542	11	4	3
Arkansas	18,311	11,926	10,883	7,066	319	3,498	305	738	6,385	6,382	2	1		
Urban	3,244	2,153	1,860	994	119	747	133	160	1,091	1,090		1		
Rural	15,067	9,773	9,023	6,072	200	2,751	172	578	5,294	5,292	2			
California	61,540	58,490	40,622	17,714	12,973	9,935	16,557	1,311	3,050	1,134	305	731	791	89
Urban	36,130	34,310	23,475	10,217	7,812	5,446	10,121	714	1,820	816	26	500	448	30
Rural	25,410	24,180	17,147	7,497	5,161	4,489	6,436	597	1,230	318	279	231	343	59
Colorado	13,082	12,739	10,104	5,538	2,180	2,386	2,288	347	343	296	5	5	36	1
Urban	5,969	5,741	4,448	2,328	1,005	1,115	1,144	149	228	205	1	3	19	
Rural	7,113	6,998	5,656	3,210	1,175	1,271	1,144	198	115	91	4	2	17	1
Connecticut	16,757	16,266	10,518	4,907	4,397	1,214	5,582	166	491	479	4	7	1	
Urban	12,715	12,288	7,674	3,348	3,540	786	4,500	114	427	421	1	5		
Rural	4,042	3,978	2,844	1,559	857	428	1,082	52	64	58	3	2	1	
Delaware	3,007	2,404	2,028	1,458	336	234	328	48	603	602	1			
Urban	1,462	1,209	943	582	259	102	251	15	253	253				
Rural	1,545	1,195	1,085	876	77	132	77	33	350	349	1			
Florida	18,151	10,887	9,348	6,252	892	2,204	1,153	386	7,264	7,259	1	3	1	
Urban	5,921	3,515	2,818	1,820	459	539	627	70	2,406	2,403		2	1	
Rural	12,230	7,372	6,530	4,432	433	1,665	526	316	4,858	4,856	1	1		
Idaho	3,787	3,656	2,855	1,617	614	624	672	129	131	15	96	9	10	1
Urban	530	510	405	224	95	86	86	19	20	10	1	6	3	
Rural	3,257	3,146	2,450	1,393	519	538	586	110	111	5	95	3	7	1
Illinois	82,849	77,012	52,370	25,740	18,770	7,860	23,290	1,352	5,837	5,752	6	72	5	2
Urban	52,659	47,877	29,472	12,142	13,580	3,750	17,461	944	4,782	4,712	4	62	2	2
Rural	30,190	29,135	22,898	13,598	5,190	4,110	5,829	408	1,055	1,040	2	10	3	
Indiana	37,677	35,672	32,076	21,857	4,861	5,358	3,229	367	2,005	1,999	1	4		1
Urban	17,180	15,505	13,192	8,356	2,678	2,158	2,120	193	1,675	1,672	1	2		
Rural	20,497	20,167	18,884	13,501	2,183	3,200	1,109	174	330	327		2		1
Iowa	24,532	24,198	18,905	10,652	4,909	3,344	4,984	309	334	316	17	1		
Urban	8,644	8,419	6,696	3,480	1,939	1,277	1,595	128	225	221	4			
Rural	15,888	15,779	12,209	7,172	2,970	2,067	3,389	181	109	95	13	1		
Kansas	18,582	17,418	14,712	8,551	2,301	3,860	2,399	307	1,164	1,146	18			
Urban	6,146	5,370	4,611	2,662	771	1,178	657	102	776	768	8			
Rural	12,436	12,048	10,101	5,889	1,530	2,682	1,742	205	388	378	10			
Kentucky	27,209	22,786	21,715	17,510	1,510	2,695	780	291	4,423	4,423				
Urban	7,713	5,893	5,287	3,479	1,010	798	522	84	1,820	1,820				
Rural	19,496	16,893	16,428	14,031	500	1,897	258	207	2,603	2,603				
Louisiana	23,875	11,878	10,635	7,114	1,530	1,991	938	305	11,997	11,971	18	7		1
Urban	10,681	5,987	5,171	3,154	1,262	755	727	89	4,694	4,689		4		1
Rural	13,194	5,891	5,464	3,960	268	1,236	211	216	7,303	7,282	18	3		
Maine	10,958	10,924	9,055	6,576	1,843	636	1,783	86	34	23	8	2		1
Urban	3,501	3,488	2,641	1,652	770	219	811	36	13	11		2		
Rural	7,457	7,436	6,414	4,924	1,073	417	972	50	21	12	8			1
Maryland	21,102	15,827	13,408	9,084	2,842	1,482	2,237	182	5,275	5,267	1	6	1	
Urban	12,806	9,704	7,781	4,715	2,188	878	1,826	97	3,102	3,094	1	6	1	
Rural	8,296	6,123	5,627	4,369	654	604	411	85	2,173	2,173				
Massachusetts	49,285	48,360	30,905	14,734	13,462	2,709	17,219	236	925	876	5	38	4	2
Urban	39,861	39,066	24,276	10,895	11,365	2,016	14,601	189	795	752	2	36	4	1
Rural	9,424	9,294	6,629	3,839	2,097	693	2,618	47	130	124	3	2		1
Michigan	50,643	47,999	32,909	16,376	11,555	4,978	13,991	1,099	2,644	2,473	148	17		6
Urban	27,814	25,659	16,771	7,666	6,801	2,304	8,251	637	2,155	2,110	25	14		6
Rural	22,829	22,340	16,138	8,710	4,754	2,674	5,740	462	489	363	123	3		
Minnesota	24,688	24,252	14,194	6,263	6,637	1,294	9,811	247	436	179	250	7		
Urban	11,016	10,842	6,674	2,860	3,222	592	4,059	109	174	158	9	7		
Rural	13,672	13,410	7,520	3,403	3,415	702	5,752	138	262	21	241			
Mississippi	23,203	8,847	8,329	6,294	271	1,764	172	346	14,356	14,332	22	2		
Urban	4,098	1,755	1,617	1,212	103	302	66	72	2,343	2,342	1			
Rural	19,105	7,092	6,712	5,082	168	1,462	106	274	12,013	11,990	21	2		

[1] Including District of Columbia.

[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1 B and 1 C, respectively.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1927—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
Missouri	40,753	36,337	30,825	18,320	5,567	6,938	4,473	1,039	4,416	4,407	6	3		
Urban	20,251	17,202	13,582	7,026	3,605	2,951	3,174	446	3,049	3,043	4	2		
Rural	20,502	19,135	17,243	11,294	1,962	3,987	1,299	593	1,367	1,364	2	1		
Montana	5,342	4,917	3,323	1,595	1,012	716	1,411	183	425	31	364	20	10	
Urban	1,727	1,695	1,071	469	371	231	569	55	32	19	5	5	3	
Rural	3,615	3,222	2,252	1,126	641	485	842	128	393	12	359	15	7	
Nebraska	12,369	12,030	8,878	5,308	2,409	1,161	2,997	155	339	249	81	3	5	1
Urban	3,975	3,743	2,736	1,517	880	339	932	75	232	224	2	3	2	1
Rural	8,394	8,287	6,142	3,791	1,529	822	2,065	80	107	25	79		3	
New Hampshire	6,329	6,317	4,697	2,647	1,020	1,030	1,413	207	12	11		1		
Urban	2,719	2,712	1,829	912	591	326	813	70	7	6		1		
Rural	3,610	3,605	2,868	1,735	429	704	600	137	5	5				
New Jersey	42,128	38,720	25,756	14,044	10,344	1,368	12,694	270	3,408	3,392	2	11	1	2
Urban	26,316	23,940	14,953	7,235	6,993	725	8,824	163	2,376	2,368	1	7		
Rural	15,812	14,780	10,803	6,809	3,351	643	3,870	107	1,032	1,024	1	4	1	2
New York	140,899	134,709	86,332	40,953	39,277	6,102	47,146	1,231	6,190	5,903	93	156	27	11
Urban	106,620	101,039	59,363	24,780	31,654	2,929	40,761	915	5,581	5,370	25	150	25	11
Rural	34,279	33,670	26,969	16,173	7,623	3,173	6,385	316	609	533	68	6	2	
North Carolina	32,917	19,844	19,418	16,598	216	2,604	146	280	13,073	12,911	159	3		
Urban	7,300	3,893	3,772	3,138	99	535	81	40	3,407	3,405	2			
Rural	25,617	15,951	15,646	13,460	117	2,069	65	240	9,666	9,506	157	3		
North Dakota	5,211	4,978	3,035	1,402	1,432	201	1,883	60	233	8	225			
Urban	777	776	469	212	207	50	292	15	1	1				
Rural	4,434	4,202	2,566	1,190	1,225	151	1,591	45	232	7	225			
Ohio	73,515	68,065	55,132	33,789	13,782	7,561	11,711	1,222	5,450	5,421	4	24		1
Urban	43,056	38,602	29,133	16,194	9,414	3,525	8,890	579	4,454	4,429	3	21		1
Rural	30,459	29,463	25,999	17,595	4,368	4,036	2,821	643	996	992	1	3		
Oregon	10,206	9,922	7,455	4,004	1,484	1,967	2,169	298	284	50	112	63	53	6
Urban	4,714	4,599	3,283	1,694	822	767	1,196	120	115	33	7	44	28	3
Rural	5,492	5,323	4,172	2,310	662	1,200	973	178	169	17	105	19	25	3
Pennsylvania	111,252	103,663	79,540	50,283	22,563	6,694	22,870	1,253	7,589	7,554	7	25	2	1
Urban	61,025	54,979	39,429	22,067	14,056	3,306	14,802	748	6,046	6,013	5	25	2	1
Rural	50,227	48,684	40,111	28,216	8,507	3,388	8,068	505	1,543	1,541	2			
Rhode Island	7,897	7,661	4,771	2,314	2,204	253	2,818	72	236	232	3	1		
Urban	6,619	6,421	3,892	1,777	1,918	197	2,466	63	198	195	2	1		
Rural	1,278	1,240	879	537	286	56	352	9	38	37	1			
South Carolina	21,740	8,961	8,784	7,410	197	1,177	117	60	12,779	12,775	1	3		
Urban	4,305	1,924	1,824	1,444	108	272	79	21	2,381	2,380		1		
Rural	17,435	7,037	6,960	5,966	89	905	38	39	10,398	10,395	1	2		
Tennessee	29,029	20,549	19,941	15,908	512	3,521	340	268	8,480	8,480				
Urban	9,648	5,656	5,315	3,894	338	1,083	252	89	3,992	3,992				
Rural	19,381	14,893	14,626	12,014	174	2,438	88	179	4,488	4,488				
Utah	4,737	4,615	3,332	1,875	1,179	278	1,211	72	122	25	47	11	39	
Urban	2,271	2,221	1,532	801	574	157	643	46	50	21	1	10	18	
Rural	2,466	2,394	1,800	1,074	605	121	568	26	72	4	46	1	21	
Vermont	4,882	4,879	4,037	2,633	970	434	796	46	3	3				
Urban	827	827	660	395	224	41	164	3						
Rural	4,055	4,052	3,377	2,238	746	393	632	43	3	3				
Virginia	28,772	17,503	16,830	13,968	650	2,212	452	221	11,269	11,244	13	2	2	8
Urban	8,684	4,908	4,605	3,643	359	603	253	50	3,776	3,771	2	2	1	
Rural	20,088	12,595	12,225	10,325	291	1,609	199	171	7,493	7,473	11		1	8
Washington	15,950	15,311	10,508	5,815	2,820	1,873	4,382	421	639	147	254	42	173	23
Urban	8,241	7,959	5,366	2,912	1,660	794	2,408	185	282	98	27	35	107	15
Rural	7,709	7,352	5,142	2,903	1,160	1,079	1,974	236	357	49	227	7	66	8
West Virginia	16,989	15,139	14,317	12,188	1,062	1,067	805	17	1,850	1,850				
Urban	4,596	4,133	3,815	3,039	456	320	314	4	463	463				
Rural	12,393	11,006	10,502	9,149	606	747	491	13	1,387	1,387				
Wisconsin	29,567	29,169	18,605	7,742	8,934	1,929	10,200	364	398	207	189	2		
Urban	12,796	12,639	8,061	3,141	4,133	787	4,429	149	157	142	14	1		
Rural	16,771	16,530	10,544	4,601	4,801	1,142	5,771	215	241	65	175	1		
Wyoming	1,976	1,855	1,416	758	339	319	335	104	121	32	66	5	17	1
Urban	382	370	276	143	64	69	63	31	12	10		1	1	
Rural	1,594	1,485	1,140	615	275	250	272	73	109	22	66	4	16	1

NOTE.—Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR	All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	The registration area in continental United States—White	1,067,485	122,352	42,973	20,214	14,740	22,243	28,492	29,682	33,080
	Colored	169,464	24,782	9,400	3,175	3,025	7,199	10,317	10,626	9,695
2	Registration States [1]—White	1,050,358	119,979	42,060	19,867	14,495	21,765	27,748	28,873	32,270
	Colored	161,269	23,773	9,094	3,056	2,902	6,862	9,740	10,003	9,061
3	Cities in registration States [1]—White	549,660	58,776	20,792	11,099	7,454	10,883	14,813	16,217	18,990
	Colored	71,945	9,386	3,597	1,191	1,068	2,582	4,363	5,281	5,009
4	Rural part of registration States—White	500,698	61,203	21,268	8,768	7,041	10,882	12,935	12,656	13,280
	Colored	89,324	14,387	5,497	1,865	1,834	4,280	5,377	4,722	4,052
5	Registration cities in nonregistration States [2]—White	17,127	2,373	913	347	245	478	744	809	810
	Colored	8,195	1,009	306	119	123	337	577	623	634
6	All registration cities [1]—White	566,787	61,149	21,705	11,446	7,699	11,361	15,557	17,026	19,800
	Colored	80,140	10,395	3,903	1,310	1,191	2,919	4,940	5,904	5,643
7	Alabama—White	14,273	2,419	1,052	334	208	385	494	470	422
	Colored	12,789	1,921	621	230	199	610	864	792	692
8	Urban—White	3,750	431	211	74	65	105	156	161	143
	Colored	3,697	476	182	52	48	162	253	279	249
9	Rural—White	10,523	1,988	841	260	143	280	338	309	279
	Colored	9,092	1,445	439	178	151	448	611	513	443
10	Arizona—White	5,094	947	385	113	84	162	282	323	345
	Colored	787	164	120	28	45	57	45	34	25
11	Urban—White	2,075	255	103	38	31	60	137	176	182
	Colored	158	20	13		3	16	12	10	8
12	Rural—White	3,019	692	282	75	53	102	145	147	163
	Colored	629	144	107	28	42	41	33	24	17
13	Arkansas—White	11,926	1,769	863	297	258	397	468	397	385
	Colored	6,385	687	319	134	145	341	441	392	302
14	Urban—White	2,153	188	97	43	51	67	73	68	92
	Colored	1,091	75	20	7	14	47	78	73	74
15	Rural—White	9,773	1,581	766	254	207	330	395	329	293
	Colored	5,294	612	299	127	131	294	363	319	228
16	California—White	58,490	4,890	2,012	943	712	1,147	1,717	1,856	2,015
	Colored	3,050	367	185	69	57	73	149	159	178
17	Urban—White	34,310	2,620	1,072	519	386	599	956	1,077	1,178
	Colored	1,820	221	111	43	34	40	88	92	97
18	Rural—White	24,180	2,270	940	424	326	548	761	779	837
	Colored	1,230	146	74	26	23	33	61	67	81
19	Colorado—White	12,739	1,685	622	301	235	348	477	532	571
	Colored	343	25	14	6	8	15	16	21	27
20	Urban—White	5,741	583	232	113	76	154	201	237	255
	Colored	228	15	8	5	5	10	13	16	9
21	Rural—White	6,998	1,102	390	188	159	194	276	295	316
	Colored	115	10	6	1	3	5	3	5	18
22	Connecticut—White	16,266	1,651	486	305	196	263	376	382	461
	Colored	491	50	31	5	6	15	21	27	33
23	Urban—White	12,288	1,348	396	240	157	201	298	293	376
	Colored	427	46	28	5	6	12	19	25	31
24	Rural—White	3,978	303	90	65	39	62	78	89	85
	Colored	64	4	3			3	2	2	2
25	Delaware—White	2,404	222	81	35	34	39	45	59	71
	Colored	603	79	45	6	6	21	30	30	29
26	Urban—White	1,209	124	48	21	20	22	26	35	41
	Colored	253	25	20	4	2	5	9	13	19
27	Rural—White	1,195	98	33	14	14	17	19	24	30
	Colored	350	54	25	2	4	16	21	17	10
28	Florida—White	10,887	1,342	534	215	163	265	385	393	397
	Colored	7,264	957	305	107	114	328	516	569	485
29	Urban—White	3,515	436	130	64	48	69	142	125	141
	Colored	2,406	287	95	37	43	111	200	225	214
30	Rural—White	7,372	906	404	151	115	196	243	268	256
	Colored	4,858	670	210	70	71	217	316	344	271
31	Idaho—White	3,656	440	199	107	77	94	101	117	109
	Colored	131	19	13	4	6	5	2	4	2
32	Urban—White	510	50	20	15	8	8	15	24	26
	Colored	20	1			1	1		1	
33	Rural—White	3,146	390	179	92	69	86	86	93	83
	Colored	111	18	13	4	5	4	2	3	2
34	Illinois—White	77,012	7,976	2,849	1,510	1,006	1,542	1,865	2,148	2,582
	Colored	5,837	629	291	109	102	224	370	451	424
35	Urban—White	47,877	5,110	1,993	1,092	671	1,009	1,244	1,447	1,769
	Colored	4,782	529	264	98	91	170	320	390	348
36	Rural—White	29,135	2,866	856	418	335	533	621	701	813
	Colored	1,055	100	27	11	11	54	50	61	76
37	Indiana—White	35,672	3,456	1,147	543	437	665	861	879	928
	Colored	2,005	208	96	32	34	68	94	126	141
38	Urban—White	15,505	1,646	589	261	214	329	460	469	516
	Colored	1,675	189	89	26	28	54	81	115	120
39	Rural—White	20,167	1,810	558	282	223	336	401	410	412
	Colored	330	19	7	6	6	14	13	11	21
40	Iowa—White	24,198	2,437	740	401	303	443	504	509	520
	Colored	334	41	7	4	4	13	14	20	14
41	Urban—White	8,419	867	311	154	101	172	212	227	231
	Colored	225	34	6	2	1	4	11	17	8
42	Rural—White	15,779	1,570	429	247	202	271	292	282	289
	Colored	109	7	1	2	3	9	3	3	6

[1] Including District of Columbia.

BIRTHS), BY AGE AND COLOR: 1927

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
39,978	44,789	51,555	61,566	71,128	83,028	99,176	98,545	88,718	64,746	34,714	11,856	2,483	427	1,000	1
11,198	11,112	11,822	11,831	9,186	8,642	7,050	6,313	4,780	3,706	2,174	1,186	554	774	917	
39,107	43,905	50,579	60,464	70,073	81,953	97,873	97,392	87,766	64,160	34,424	11,751	2,458	412	984	2
10,472	10,384	11,103	11,113	8,724	8,265	6,816	6,136	4,667	3,619	2,130	1,159	534	759	897	
23,553	27,188	31,263	37,352	41,748	47,226	51,343	46,562	38,597	26,195	13,742	4,572	951	157	187	3
5,704	5,907	6,052	5,721	4,367	3,675	2,732	1,944	1,348	897	506	225	100	139	151	
15,554	16,717	19,316	23,112	28,325	34,727	46,530	50,830	49,169	37,965	20,682	7,179	1,507	255	797	4
4,768	4,477	5,051	5,392	4,357	4,590	4,084	4,192	3,319	2,722	1,624	934	434	620	746	
871	884	976	1,102	1,055	1,075	1,303	1,153	952	586	290	105	25	15	16	5
726	728	719	718	462	377	234	177	113	87	44	27	20	15	20	
24,424	28,072	32,239	38,454	42,803	48,301	52,646	47,715	39,549	26,781	14,032	4,677	976	172	203	6
6,430	6,635	6,771	6,439	4,829	4,052	2,966	2,121	1,461	984	550	252	120	154	171	
508	557	575	654	683	747	1,157	1,188	1,079	772	351	101	28	21	68	7
809	748	920	878	560	603	502	518	405	350	199	135	56	97	80	
162	215	203	247	241	238	318	300	234	149	65	18	3	[2]3	8	8
288	318	365	318	178	162	117	74	50	52	28	15	6	11	14	
346	342	372	407	442	509	839	888	845	623	286	83	25	18	60	9
521	430	555	560	382	441	385	444	355	298	171	120	50	86	66	
392	266	253	238	239	189	259	220	174	111	44	21	17	5	25	10
31	27	34	31	20	24	27	21	17	16	8	3	1	4	5	
180	137	133	108	98	81	115	88	65	39	17	10	6	3	13	11
12	12	8	11	7	8	6	6	3	1					2	
212	129	120	130	141	108	144	132	109	72	27	11	11	2	12	12
19	15	26	20	13	16	21	15	14	15	8	3	1	4	3	
501	429	486	575	612	595	872	958	906	610	298	87	29	10	124	
377	396	482	527	342	309	268	251	176	152	83	45	22	43	151	13
117	97	124	161	142	137	199	182	154	88	44	16	4		9	
81	94	91	121	84	59	47	35	25	26	13	5	2	6	14	14
384	332	362	414	470	458	673	776	752	522	254	71	25	10	115	
296	302	391	406	258	250	221	216	151	126	70	40	20	37	137	15
2,468	2,792	3,238	3,663	4,247	4,955	5,580	5,334	4,722	3,376	1,918	694	158	34	19	
209	201	221	223	180	208	183	153	119	61	20	15	2	13	5	16
1,434	1,699	1,966	2,331	2,579	3,020	3,433	3,158	2,821	1,888	1,099	372	76	11	16	
124	138	146	154	132	123	109	79	52	23	7	3		3	1	17
1,034	1,093	1,272	1,332	1,668	1,935	2,147	2,176	1,901	1,488	819	322	82	23	3	
85	63	75	69	48	55	74	74	67	38	13	12	2	10	4	18
583	560	568	618	731	864	1,031	992	917	622	331	105	26	5	15	
30	27	21	22	26	19	19	18	6	11	6	4	1	1		19
280	291	283	320	368	471	512	451	428	281	147	41	12	2	3	
20	20	16	17	21	13	10	13	3	7	3	3	1			20
303	269	285	298	363	393	519	541	489	341	184	64	14	3	12	
10	7	5	5	5	6	9	5	3	4	3	1		1		21
578	709	827	1,019	1,197	1,479	1,518	1,615	1,327	1,059	569	190	46	5	8	
21	32	42	40	40	34	27	13	23	17	7	3	1	1	2	22
467	580	669	811	967	1,163	1,118	1,140	898	654	359	119	29	4	1	
20	29	36	36	34	29	22	10	19	9	6	3	1	1		23
111	129	158	208	230	316	400	475	429	405	210	71	17	1	7	
1	3	6	4	6	5	5	3	4	8	1				2	24
70	88	96	139	156	184	265	270	253	180	79	32	4		2	
34	30	50	44	39	48	39	27	19	9	8	5			5	25
42	57	57	85	80	89	139	116	99	67	24	12	3		2	
18	19	30	19	18	20	13	10	4		3	1			1	26
28	31	39	54	76	95	126	154	154	113	55	20	1			
16	11	20	25	21	28	26	17	15	9	5	4			4	27
473	448	524	563	747	752	969	857	813	598	312	72	17	7	41	
585	604	589	547	342	323	227	186	129	119	77	44	19	30	62	28
170	162	184	217	268	271	316	251	238	171	85	20	4	3		
210	240	201	179	111	94	52	33	21	23	15	7	3	3	2	29
303	286	340	346	479	481	653	606	575	427	227	52	13	4	41	
375	364	388	368	231	229	175	153	108	96	62	37	16	27	60	30
156	154	170	217	204	269	297	306	291	178	118	38	12		2	
3	1	4	9	8	6	10	8	6	8	12	1				31
25	25	19	35	28	40	40	44	37	25	24	1			1	
1	1	1	2	2	1	2	1	1	1	3					32
131	129	151	182	176	229	257	262	254	153	94	37	12		1	
2		3	7	6	5	8	7	5	7	9	1				33
3,195	3,767	4,054	4,732	5,582	6,348	7,325	6,793	5,984	4,349	2,369	835	165	26	10	
470	451	530	442	366	300	227	175	117	72	46	22	9	8	2	34
2,277	2,762	2,911	3,318	3,815	4,179	4,382	3,613	2,887	1,944	1,023	343	74	11	3	
396	385	454	367	297	226	175	120	63	44	26	11	4	3	1	35
918	1,005	1,143	1,414	1,767	2,169	2,943	3,180	3,097	2,405	1,346	492	91	15	7	
74	66	76	75	69	74	52	55	54	28	20	11	5	5	1	36
1,113	1,267	1,452	1,761	2,300	2,788	3,648	3,960	3,722	2,709	1,451	478	76	12	19	
174	163	144	162	128	115	96	68	61	36	33	12	6	4	4	37
598	716	787	897	1,103	1,225	1,479	1,462	1,255	858	452	155	25	2	7	
152	147	124	142	102	90	74	53	43	18	16	6	3	2	1	38
515	551	665	864	1,197	1,563	2,169	2,498	2,467	1,851	999	323	51	10	12	
22	16	20	20	26	25	22	15	18	18	17	6	3	2	3	39
633	775	901	1,084	1,390	1,827	2,462	2,694	2,639	2,145	1,209	481	88	11	2	
17	24	23	33	18	27	15	18	14	13	7	3	4	1		40
287	336	399	444	585	676	858	863	726	545	281	119	21	4		
10	21	16	25	9	16	7	12	9	8	5	1	2	1		41
346	439	502	640	805	1,151	1,604	1,831	1,913	1,600	928	362	67	7	2	
7	3	7	8	9	11	8	6	5	5	2	2	2			42

[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1 B and 1 C, respectively.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Kansas	White	17,418	1,803	626	262	245	355	382	415	399
		Colored	1,164	117	36	18	14	31	53	49	50
2	Urban	White	5,370	525	211	103	76	117	161	149	147
		Colored	776	86	24	15	7	20	43	39	40
3	Rural	White	12,048	1,278	415	159	169	238	221	266	252
		Colored	388	31	12	3	7	11	10	10	10
4	Kentucky	White	22,786	3,361	1,473	467	387	657	833	724	783
		Colored	4,423	442	186	60	71	180	209	244	193
5	Urban	White	5,893	671	234	101	81	133	169	176	210
		Colored	1,820	152	79	25	27	48	71	98	85
6	Rural	White	16,893	2,690	1,239	366	306	524	664	548	573
		Colored	2,603	290	107	35	44	132	138	146	108
7	Louisiana	White	11,878	1,682	834	256	197	318	399	411	447
		Colored	11,997	1,896	715	263	239	480	761	720	612
8	Urban	White	5,987	610	364	114	81	138	213	226	258
		Colored	4,694	614	221	70	74	183	314	351	290
9	Rural	White	5,891	1,072	470	142	116	180	186	185	189
		Colored	7,303	1,282	494	193	165	297	447	369	322
10	Maine	White	10,924	1,301	362	143	127	184	225	204	222
		Colored	34	7	2	1	1	2	2	1	1
11	Urban	White	3,488	427	103	60	48	66	84	82	83
		Colored	13	4	2				1		1
12	Rural	White	7,436	874	259	83	79	118	141	122	139
		Colored	21	3		1	1	2	1	1	
13	Maryland	White	15,827	1,768	568	234	155	285	376	398	417
		Colored	5,275	879	278	93	72	170	251	284	290
14	Urban	White	9,704	1,066	363	163	93	176	208	244	264
		Colored	3,102	442	155	56	41	75	146	210	210
15	Rural	White	6,123	702	205	71	62	109	168	154	153
		Colored	2,173	437	123	37	31	95	105	74	80
16	Massachusetts	White	48,360	5,190	1,679	935	623	803	1,037	1,131	1,370
		Colored	925	120	32	11	11	34	39	46	66
17	Urban	White	39,066	4,519	1,488	809	519	642	864	920	1,149
		Colored	795	105	30	8	9	26	35	39	47
18	Rural	White	9,294	671	191	126	104	161	173	211	221
		Colored	130	15	2	3	2	8	4	7	19
19	Michigan	White	47,999	6,440	1,911	1,047	698	1,071	1,373	1,379	1,568
		Colored	2,644	338	150	50	38	102	184	287	257
20	Urban	White	25,659	3,944	1,173	657	385	571	831	918	1,059
		Colored	2,155	285	127	38	25	86	157	253	226
21	Rural	White	22,340	2,496	738	390	313	500	542	461	509
		Colored	489	53	23	12	13	16	27	34	31
22	Minnesota	White	24,252	2,572	672	393	356	533	690	689	720
		Colored	436	71	32	10	21	25	22	16	18
23	Urban	White	10,842	930	287	184	152	233	307	325	374
		Colored	174	12	1	3	4	4	6	8	7
24	Rural	White	13,410	1,642	385	209	204	300	383	364	346
		Colored	262	59	31	7	17	21	16	8	11
25	Mississippi	White	8,847	1,339	586	230	158	254	259	264	267
		Colored	14,356	1,951	941	334	321	745	968	806	668
26	Urban	White	1,755	222	114	56	30	50	58	59	73
		Colored	2,343	208	127	43	44	100	179	177	122
27	Rural	White	7,092	1,117	472	174	128	204	201	205	194
		Colored	12,013	1,743	814	291	277	645	789	629	546
28	Missouri	White	36,337	3,538	1,304	582	500	742	891	923	1,017
		Colored	4,416	428	186	54	67	164	234	259	278
29	Urban	White	17,202	1,464	520	282	225	303	439	503	537
		Colored	3,049	281	106	32	45	94	156	191	223
30	Rural	White	19,135	2,074	784	300	275	439	452	420	480
		Colored	1,367	147	80	22	22	70	78	68	55
31	Montana	White	4,917	559	164	107	95	131	127	147	178
		Colored	425	92	79	28	15	14	12	15	11
32	Urban	White	1,695	145	42	29	24	43	52	51	63
		Colored	32	1	2					1	2
33	Rural	White	3,222	414	122	78	71	88	75	96	115
		Colored	393	91	77	28	15	14	12	14	9
34	Nebraska	White	12,030	1,396	413	218	187	228	294	299	313
		Colored	339	31	18	4	7	13	13	18	19
35	Urban	White	3,743	395	104	80	49	73	108	102	132
		Colored	232	10	3	1	6	6	10	13	17
36	Rural	White	8,287	1,001	309	138	138	155	186	197	181
		Colored	107	21	15	3	1	7	3	5	2
37	New Hampshire	White	6,317	608	167	83	75	100	97	100	124
		Colored	12	1		1		1	1		
38	Urban	White	2,712	332	82	46	41	43	44	46	60
		Colored	7			1			1		
39	Rural	White	3,605	276	85	37	34	57	53	54	64
		Colored	5	1				1			
40	New Jersey	White	38,720	3,922	1,412	828	566	699	901	1,008	1,219
		Colored	3,408	545	178	70	63	111	201	200	224
41	Urban	White	23,940	2,677	983	566	374	450	566	628	807
		Colored	2,376	405	135	57	43	62	113	134	164
42	Rural	White	14,780	1,245	429	262	192	249	335	380	412
		Colored	1,032	140	43	13	20	49	88	66	60

BIRTHS), BY AGE AND COLOR: 1927—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
480	540	670	807	1,022	1,193	1,697	1,769	1,908	1,542	935	303	56	4	5	1
91	69	75	94	79	80	72	66	59	50	33	9	12	7		
187	212	237	300	343	399	522	506	510	356	229	65	13	1	1	2
65	52	53	67	46	54	45	41	28	18	19	5	5	4		
293	328	433	507	679	794	1,175	1,263	1,398	1,186	706	238	43	3	4	3
26	17	22	27	33	26	27	25	31	32	14	4	7	3		
756	794	887	1,021	1,161	1,438	1,848	1,907	1,812	1,407	732	255	58	8	17	4
288	295	310	372	314	322	234	242	159	146	67	41	18	14	16	
233	260	306	366	391	481	596	541	424	275	174	62	8	1		5
129	160	169	177	152	138	108	77	57	42	13	7	1	4	1	
523	534	581	655	770	957	1,252	1,366	1,388	1,132	558	193	50	7	17	6
159	135	141	195	162	184	126	165	102	104	54	34	17	10	15	
472	523	601	720	747	767	968	920	743	475	249	96	27	5	21	7
720	702	815	799	625	560	483	423	366	289	203	121	63	80	62	
262	312	355	433	476	459	527	433	351	203	118	41	10		3	8
358	371	394	399	288	220	186	112	83	58	45	28	7	15	13	
210	211	246	287	271	308	441	487	392	272	131	55	17	5	18	9
362	331	421	400	337	340	297	311	283	231	158	93	56	65	49	
254	315	347	500	630	784	1,066	1,270	1,173	979	565	210	54	8	1	
1			1	2	1	2	3	5	2						10
116	138	143	197	241	271	339	379	292	231	124	48	14	2		11
1				1				2	1						
138	177	204	303	389	513	727	891	881	748	441	162	40	6	1	12
			1	1	1	2	3	3	1						
608	649	778	1,001	1,101	1,345	1,577	1,540	1,332	979	504	162	25	8	17	13
320	379	375	370	341	322	252	211	165	94	56	21	13	6	33	
410	432	551	700	740	897	979	894	693	504	239	68	14	6		14
236	288	272	252	210	194	124	83	54	29	14	6	3	1	1	
198	217	227	301	361	448	598	646	639	475	265	94	11	2	17	15
84	91	103	118	131	128	128	128	111	65	42	15	10	5	32	
1,672	1,851	2,296	3,083	3,559	4,136	4,633	4,572	4,189	3,063	1,710	668	130	18	12	16
44	51	67	70	68	71	66	48	39	18	13	6	3	2		
1,397	1,569	1,909	2,614	2,914	3,423	3,672	3,544	3,109	2,244	1,192	466	85	13	5	17
37	45	60	64	63	66	56	35	35	17	11	5		2		
275	282	387	469	645	713	961	1,028	1,080	819	518	202	45	5	7	18
7	6	7	6	5	5	10	13	4	1	2	1	3			
1,911	2,142	2,140	2,408	2,792	3,378	4,329	4,351	3,850	2,952	1,582	528	87	13	49	19
248	219	204	131	124	86	63	58	42	28	10	10	2	10	3	
1,280	1,391	1,370	1,438	1,556	1,755	2,051	1,885	1,535	1,080	558	178	25	4	15	20
214	180	176	107	89	58	38	35	26	18	5	6	1	5		
631	751	770	970	1,236	1,623	2,278	2,466	2,315	1,872	1,024	350	62	9	34	21
34	39	28	24	35	28	25	23	16	10	5	4	1	5	3	
871	1,016	1,119	1,227	1,475	2,019	2,477	2,268	2,103	1,670	891	402	79	8	2	22
24	27	29	25	20	20	17	18	12	14	7	5	3			
477	581	606	675	761	1,003	1,189	967	776	588	263	135	26	2	1	23
11	21	20	18	13	16	9	6	7	5	2		1			
394	435	513	552	714	1,016	1,288	1,301	1,327	1,082	628	267	53	6	1	24
13	6	9	7	7	4	8	12	5	9	5	5	2			
302	307	393	391	448	458	721	791	740	521	239	79	12	5	83	25
765	732	757	848	739	661	656	620	550	435	272	155	75	139	218	
73	82	98	89	96	111	133	138	136	72	35	13	3		14	26
149	174	170	176	168	107	93	59	73	36	27	12	6	19	74	
229	225	295	302	352	347	588	653	604	449	204	66	9	5	69	27
616	558	587	672	571	554	563	561	477	399	245	143	69	120	144	
1,280	1,398	1,594	2,024	2,437	2,924	3,534	3,595	3,420	2,557	1,414	484	85	15	79	28
344	358	344	389	286	260	219	176	146	80	55	33	17	17	22	
745	856	985	1,231	1,430	1,598	1,713	1,551	1,259	906	456	148	30	8	13	29
274	285	285	310	192	186	134	93	72	35	20	17	8	5	5	
535	542	609	793	1,007	1,326	1,821	2,044	2,161	1,651	958	336	55	7	66	30
70	73	59	79	94	74	85	83	74	45	35	16	9	12	17	
220	293	286	315	400	398	418	394	345	182	105	36	7	2	8	31
13	17	5	12	9	14	17	21	18	18	8	4		1	2	
92	129	125	141	158	157	154	95	99	47	30	14	4		1	32
3	5		1	1	2	2	2	4	3	2	1				
128	164	161	174	242	241	264	299	246	135	75	22	3	2	7	33
10	12	5	11	8	12	15	19	14	15	6	3		1	2	
361	417	485	586	715	886	1,204	1,180	1,185	925	515	172	39	5	7	34
29	29	32	27	19	20	20	22	7	3	2	2		1	3	
166	163	220	245	288	317	387	310	268	189	102	37	5	2	1	35
19	26	28	21	11	18	15	16	6	3	1	1		1		
195	254	265	341	427	569	817	870	917	736	413	135	34	3	6	36
10	3	4	6	8	2	5	6	1		1	1			3	
151	168	241	292	422	503	622	759	738	546	335	119	27	4	36	37
		1	1		1		2		3						
75	87	127	124	204	228	251	288	269	180	118	43	11	2	11	38
		1	1				2		1						
76	81	114	168	218	275	371	471	469	366	217	76	16	2	25	39
					1				2						
1,547	1,833	2,256	2,688	3,044	3,494	3,568	3,374	2,889	1,998	1,027	353	77	11	6	40
215	264	274	244	222	183	137	114	64	50	34	9	4	2		
1,059	1,210	1,520	1,805	1,976	2,230	2,075	1,893	1,477	960	483	153	38	7	3	41
164	208	206	176	156	117	93	62	33	25	16	6	1			
488	623	736	883	1,068	1,264	1,493	1,481	1,412	1,038	544	200	39	4	3	42
51	56	68	68	66	66	44	52	31	25	18	3	3	2		

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	New York	White	134,709	12,548	4,326	2,397	1,576	2,418	3,262	3,534	4,341
		Colored	6,190	965	293	105	75	191	366	516	517
2	Urban	White	101,039	10,079	3,649	1,999	1,273	1,920	2,596	2,810	3,540
		Colored	5,581	898	262	99	70	167	334	484	477
3	Rural	White	33,670	2,469	677	398	303	498	666	724	801
		Colored	609	67	31	6	5	24	32	32	40
4	North Carolina	White	19,844	3,791	1,436	405	267	463	631	618	615
		Colored	13,073	2,797	949	256	243	647	810	697	566
5	Urban	White	3,893	674	242	82	53	93	154	192	159
		Colored	3,407	674	214	69	54	162	256	244	221
6	Rural	White	15,951	3,117	1,194	323	214	370	477	426	456
		Colored	9,666	2,123	735	187	189	485	554	453	345
7	North Dakota	White	4,978	887	227	119	126	163	156	138	127
		Colored	233	45	35	11	13	17	4	8	12
8	Urban	White	776	90	27	21	21	24	24	27	28
		Colored	1								
9	Rural	White	4,202	797	200	98	105	139	132	111	99
		Colored	232	45	35	11	13	17	4	8	12
10	Ohio	White	68,065	6,991	2,153	1,257	881	1,262	1,641	1,733	1,997
		Colored	5,450	654	252	97	78	207	341	461	414
11	Urban	White	38,602	4,197	1,277	825	520	726	993	1,136	1,349
		Colored	4,454	557	221	85	63	165	287	394	355
12	Rural	White	29,463	2,794	876	432	361	536	648	597	648
		Colored	996	97	31	12	15	42	54	67	59
13	Oregon	White	9,922	663	220	185	165	215	268	268	290
		Colored	284	32	12	16	10	16	13	16	10
14	Urban	White	4,599	268	92	79	62	82	121	128	154
		Colored	115	12	7	7	1	2	3	8	6
15	Rural	White	5,323	395	128	106	103	133	137	140	136
		Colored	169	20	5	9	9	14	10	8	4
16	Pennsylvania	White	103,663	13,349	4,215	2,002	1,411	2,059	2,505	2,684	3,150
		Colored	7,589	1,137	408	117	115	262	439	575	569
17	Urban	White	54,979	6,317	2,249	1,139	768	1,099	1,386	1,580	1,886
		Colored	6,046	921	339	96	93	198	339	458	454
18	Rural	White	48,684	7,032	1,966	863	643	960	1,119	1,104	1,264
		Colored	1,543	216	69	21	22	64	100	117	115
19	Rhode Island	White	7,661	879	317	156	81	99	167	154	221
		Colored	236	34	10	3	2	8	8	9	10
20	Urban	White	6,421	737	272	141	62	73	137	129	187
		Colored	198	28	9	3	1	6	5	5	7
21	Rural	White	1,240	142	45	15	19	26	30	25	34
		Colored	38	6	1		1	2	3	4	3
22	South Carolina	White	8,961	1,521	672	189	112	234	260	265	273
		Colored	12,779	2,504	929	275	277	581	744	677	604
23	Urban	White	1,924	221	118	40	27	55	74	83	90
		Colored	2,381	356	167	40	37	103	148	191	164
24	Rural	White	7,037	1,300	554	149	85	179	186	182	183
		Colored	10,398	2,148	762	235	240	478	596	486	440
25	Tennessee	White	20,549	2,943	1,384	426	339	564	704	699	672
		Colored	8,480	942	432	151	161	448	630	551	455
26	Urban	White	5,656	658	323	116	85	152	196	221	233
		Colored	3,992	427	185	60	54	195	310	292	257
27	Rural	White	14,893	2,285	1,061	310	254	412	508	478	439
		Colored	4,488	515	247	91	107	253	320	259	198
28	Utah	White	4,615	676	307	176	124	132	156	137	138
		Colored	122	23	9	1	2	7	2	7	6
29	Urban	White	2,221	248	118	74	53	64	78	66	79
		Colored	50	8	2			3	1	3	4
30	Rural	White	2,394	428	189	102	71	68	78	71	59
		Colored	72	15	7	1	2	4	1	4	2
31	Vermont	White	4,879	489	134	69	50	77	93	91	115
		Colored	3	1							
32	Urban	White	827	83	30	17	14	12	23	18	18
		Colored									
33	Rural	White	4,052	406	104	52	36	65	70	73	97
		Colored	3	1							
34	Virginia	White	17,503	2,551	900	326	251	416	454	446	457
		Colored	11,269	1,841	588	196	171	426	552	522	485
35	Urban	White	4,908	547	166	98	70	101	116	146	152
		Colored	3,776	585	188	60	42	132	196	182	233
36	Rural	White	12,595	2,004	734	228	181	315	338	300	305
		Colored	7,493	1,256	400	136	129	294	356	340	252
37	Washington	White	15,311	1,075	399	304	262	386	505	466	517
		Colored	639	87	64	23	17	29	31	37	36
38	Urban	White	7,959	539	202	154	128	157	235	241	245
		Colored	282	22	25	10	3	7	12	20	17
39	Rural	White	7,352	536	197	150	134	229	270	225	272
		Colored	357	65	39	13	14	22	19	17	19
40	West Virginia	White	15,139	2,963	1,158	326	266	488	601	572	506
		Colored	1,850	264	96	29	24	67	136	144	156
41	Urban	White	4,133	608	225	97	81	168	192	186	162
		Colored	463	54	18	7	8	12	25	36	33
42	Rural	White	11,006	2,355	933	229	185	320	409	386	344
		Colored	1,387	210	78	22	16	55	111	108	123
43	Wisconsin	White	29,169	3,355	883	533	422	578	723	704	780
		Colored	398	48	34	14	6	26	29	36	18
44	Urban	White	12,639	1,572	426	269	189	259	338	344	386
		Colored	157	12	16	2	2	8	15	19	9
45	Rural	White	16,530	1,783	457	264	233	319	385	360	394
		Colored	241	36	18	12	4	18	14	17	9
46	Wyoming	White	1,855	283	96	52	43	46	65	76	84
		Colored	121	25	7	6	4	2	7	3	4
47	Urban	White	370	51	14	8	5	10	18	11	19
		Colored	12				1			1	1
48	Rural	White	1,485	232	82	44	38	36	47	65	65
		Colored	109	25	7	6	3	2	7	2	3

NOTE.—Similar data for cities, which have not been shown since 1922, are held in manuscript.

BIRTHS), BY AGE AND COLOR: 1927—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
5,550	6,300	7,616	9,451	10,762	12,273	13,188	12,388	10,300	7,065	3,800	1,211	289	45	69	1
528	520	500	416	332	285	201	156	95	61	40	8	8	4	8	
4,514	5,267	6,273	7,656	8,591	9,488	9,635	8,263	6,445	4,142	2,065	630	162	25	17	2
475	463	458	380	300	255	165	128	72	51	26	5	6	3	3	
1,036	1,033	1,343	1,795	2,171	2,785	3,553	4,125	3,855	2,923	1,735	581	127	20	52	3
53	57	42	36	32	30	36	28	23	10	14	3	2	1	5	
700	635	743	810	989	1,032	1,608	1,698	1,587	1,021	487	172	37	14	85	4
654	617	657	689	511	596	506	544	433	353	192	111	61	82	102	
193	182	212	230	217	206	284	236	235	141	67	27	5	2	7	5
214	220	218	211	144	145	103	93	62	45	17	16	4	12	9	
507	453	531	580	772	826	1,324	1,462	1,352	880	420	145	32	12	78	6
440	397	439	478	367	451	403	451	371	308	175	95	57	70	93	
150	204	196	233	261	334	418	428	361	252	150	40	7	1		7
4	6	9	9	7	9	9	8	10	6	5	5		1		
26	46	41	56	39	65	69	72	48	24	16	11	1			8
				1											
124	158	155	177	222	269	349	356	313	228	134	29	6	1		9
4	6	9	9	6	9	9	8	10	6	5	5		1		
2,415	2,698	3,264	3,739	4,386	5,353	6,604	6,901	6,402	4,826	2,567	813	146	25	11	10
436	434	424	377	327	221	201	169	138	102	61	35	6	13	2	
1,654	1,879	2,242	2,484	2,789	3,167	3,590	3,429	2,936	1,987	1,021	338	49	12	2	11
381	376	369	317	267	167	142	103	82	58	36	17	4	7	1	
761	819	1,022	1,255	1,597	2,186	3,014	3,472	3,466	2,839	1,546	475	97	13	9	12
55	58	55	60	60	54	59	66	56	44	25	18	2	6	1	
366	419	484	593	692	830	1,058	1,109	929	643	338	149	31	6	11	13
11	8	15	14	12	23	15	20	19	5	7	5	1	1	3	
201	223	248	338	331	430	499	497	394	258	138	40	13	2	1	14
5	3	7	9	5	9	11	7	8	3	1		1			
165	196	236	255	361	400	559	612	535	385	200	109	18	4	10	15
6	5	8	5	7	14	4	13	11	2	6	5		1	3	
3,843	4,482	5,268	6,646	7,203	8,498	9,166	9,248	8,119	5,739	2,907	961	184	14	10	16
625	626	579	501	424	384	283	220	142	97	52	19	5	10		
2,316	2,709	3,194	4,021	4,222	4,807	4,853	4,496	3,716	2,416	1,251	404	79	7	4	17
517	519	471	422	338	291	208	150	109	63	37	11	4	8		
1,527	1,773	2,074	2,625	2,981	3,631	4,313	4,752	4,403	3,323	1,656	557	105	7	6	18
108	107	108	79	86	93	75	70	33	34	15	8	1	2		
231	282	370	492	585	669	809	759	630	424	229	71	21	7	8	19
17	19	13	18	14	11	14	24	7	8	3	1	1	2		
198	247	316	432	513	562	678	624	503	339	185	55	18	6	7	20
13	16	12	17	14	10	10	23	6	7	2	1	1	2		
33	35	54	60	72	107	131	135	127	85	44	16	3	1	1	21
4	3	1	1		1	4	1	1	1	1					
311	348	394	450	505	527	738	727	654	478	214	58	19	2	10	22
711	723	790	826	581	583	480	516	322	288	149	97	41	61	20	
77	100	119	125	127	132	172	125	97	89	42	8	2		1	23
177	177	215	211	127	98	62	50	22	16	8	4	6	1	1	
234	248	275	325	378	395	566	602	557	389	172	50	17	2	9	24
534	546	575	615	454	485	418	466	300	272	141	93	35	60	19	
735	819	891	1,086	1,126	1,215	1,714	1,700	1,560	1,180	575	179	42	4	42	25
576	510	599	615	501	459	379	318	248	211	123	57	35	42	37	
233	281	322	376	414	406	484	434	340	228	117	26	7	1	3	26
338	303	336	343	268	213	154	96	62	44	25	8	8	12	2	
502	533	569	660	712	809	1,230	1,266	1,220	952	458	153	35	3	39	27
238	207	263	272	233	246	225	222	186	167	98	49	27	30	35	
179	191	213	228	242	274	343	322	333	240	135	52	11		6	28
6	12	6	6	4	5	5	7	4	2	1	4	2		1	
111	97	121	129	144	153	183	158	160	98	62	18	3		4	29
3	6	3	2	2	2	3	2	3	1	1	1				
68	94	92	99	98	121	160	164	173	142	73	34	8		2	30
3	6	3	4	2	3	2	5	1	1		3	2		1	
107	153	197	227	308	362	514	561	545	430	258	81	17	1		31
		1						1							
36	38	49	56	74	63	74	75	72	41	27	6	1			32
71	115	148	171	234	299	440	486	473	389	231	75	16	1		33
		1						1							
549	603	716	851	976	1,088	1,556	1,674	1,598	1,188	633	195	51	8	16	34
604	667	743	875	770	744	596	470	369	269	168	89	37	42	45	
175	222	259	306	362	354	482	469	390	293	156	32	10		2	35
299	318	335	332	280	238	163	81	44	32	16	8	6	3	3	
374	381	457	545	614	734	1,074	1,205	1,208	895	477	163	41	8	14	36
305	349	408	543	490	506	433	389	325	237	152	81	31	39	42	
591	743	824	907	1,071	1,269	1,635	1,474	1,319	869	473	157	30	5	30	37
29	44	34	33	33	32	37	25	12	15	8	3	1	5	4	
319	406	448	529	618	731	879	754	656	409	212	77	12	3	5	38
15	23	24	25	14	16	22	16	6	1	2				2	
272	337	376	378	453	538	756	720	663	460	261	80	18	2	25	39
14	21	10	8	19	16	15	9	6	14	6	3	1	5	2	
552	561	569	620	731	761	990	1,065	1,039	780	407	127	32	5		40
161	121	123	122	83	95	59	46	47	37	19	10	1	10		
176	196	203	225	246	256	287	269	261	171	84	30	9	1		41
41	35	40	34	32	29	16	11	15	10	4		1	2		
376	365	366	395	485	525	703	796	778	609	323	97	23	4		42
120	86	83	88	51	66	43	35	32	27	15	10		8		
998	1,089	1,290	1,445	1,752	2,225	2,896	2,928	2,664	2,146	1,199	433	98	23	5	43
33	21	20	15	15	21	19	16	11	6	5	2	1	2		
520	576	681	741	845	1,030	1,193	1,118	911	696	387	126	25	5	2	44
23	8	8	8	2	10	5	2	4	2	1		1			
478	513	609	704	907	1,195	1,703	1,810	1,753	1,450	812	307	73	18	3	45
10	13	12	7	13	11	14	14	7	4	4	2		2		
114	116	84	114	93	131	140	108	102	64	35	4	2		3	46
6	11	8	6	5	8	4	4	6	4	1					
32	16	25	20	18	25	33	26	23	9	6					
2	2				3	1		1						1	47
82	100	59	94	75	106	107	82	79	55	29	4	2		2	48
4	9	8	6	5	5	3	4	5	4	1					

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
All ages	670,417	566,532	431,760	375,817	136,543	105,987	13,258	4,120	85,148	78,480	1,592	1,553	1,184	148	791	405	141	22
Under 1 year	83,775	63,359	69,912	52,172	74	69	79	46	13,164	10,612	362	294	43	43	137	113	4	10
1 to 4 years	28,110	24,263	22,838	19,636	165	159	107	68	4,662	4,108	203	199	27	16	102	75	6	2
5 to 9 years	13,045	10,344	11,034	8,608	282	167	70	53	1,538	1,418	74	66	12	10	34	22	1	----
10 to 14 years	9,866	7,899	8,095	6,148	215	208	40	34	1,430	1,401	59	89	11	7	15	12	1	----
15 to 19 years	15,009	14,433	10,977	9,655	747	668	117	79	3,043	3,896	97	113	18	5	7	17	3	----
20 to 24 years	19,101	19,708	12,312	12,590	1,754	1,462	268	106	4,611	5,439	79	84	31	8	24	17	22	2
25 to 29 years	20,000	20,308	11,964	12,578	2,497	2,111	417	115	4,937	5,410	55	59	62	6	33	27	35	2
30 to 34 years	22,100	20,675	12,653	12,773	4,081	2,884	533	156	4,671	4,766	55	49	59	8	26	38	22	1
35 to 39 years	27,985	23,191	14,700	13,503	6,726	4,052	836	161	5,538	5,387	47	48	73	5	43	34	22	1
40 to 44 years	31,424	24,477	16,271	14,121	8,486	4,787	955	169	5,523	5,327	38	51	52	3	89	18	10	1
45 to 49 years	36,134	27,243	18,904	15,811	9,712	5,796	1,130	202	6,172	5,374	48	40	77	8	86	11	5	1
50 to 54 years	42,084	31,313	23,198	18,615	11,026	7,204	1,305	218	6,309	5,219	59	41	99	4	86	11	2	1
55 to 59 years	46,201	34,113	27,327	21,023	12,633	8,782	1,107	256	4,939	4,000	59	41	91	6	42	5	3	----
60 to 64 years	51,961	39,709	30,089	24,082	15,698	11,454	1,382	323	4,575	3,787	50	55	126	5	41	3	----	----
65 to 69 years	58,969	47,257	37,623	31,358	16,033	12,374	1,360	428	3,733	3,026	73	67	136	4	10	----	1	----
70 to 74 years	57,028	47,830	37,249	32,295	15,038	12,292	1,241	430	3,312	2,743	64	61	114	8	7	1	3	----
75 to 79 years	48,877	44,621	31,521	29,345	13,722	12,730	932	468	2,557	2,021	48	54	93	2	3	1	1	----
80 to 84 years	33,642	34,810	21,027	22,600	10,101	10,054	609	355	1,817	1,748	53	53	34	----	1	----	----	----
85 to 89 years	16,918	19,970	10,158	12,882	5,294	5,852	316	212	1,103	989	32	34	15	----	----	----	----	1
90 to 94 years	5,383	7,659	3,033	4,679	1,748	2,223	82	91	506	639	11	27	3	----	----	----	----	----
95 to 99 years	1,211	1,826	571	956	382	522	16	36	237	306	5	6	----	----	----	----	----	----
100 years and over	417	784	67	163	75	106	8	8	257	492	10	15	----	----	----	----	----	----
Unknown	1,177	740	237	224	54	31	348	106	514	372	11	7	8	----	5	----	----	----
REGISTRATION STATES OF 1920 [1]																		
All ages	599,659	508,219	386,350	338,340	128,966	100,646	11,416	3,521	69,812	64,108	1,077	1,052	1,138	142	763	390	137	20
Under 1 year	73,183	55,258	61,653	45,960	58	55	69	39	10,987	8,853	243	198	40	39	129	106	4	8
1 to 4 years	24,318	20,898	19,887	17,031	154	131	82	55	3,938	3,480	125	112	27	15	99	72	6	2
5 to 9 years	11,549	9,179	9,875	7,723	262	161	53	44	1,262	1,179	51	40	12	10	33	22	1	----
10 to 14 years	8,646	6,946	7,187	5,496	202	184	36	25	1,162	1,173	33	49	10	7	15	12	1	----
15 to 19 years	12,968	12,369	9,661	8,495	664	606	99	62	2,457	3,113	60	72	17	4	7	17	3	----
20 to 24 years	16,381	16,923	10,755	11,078	1,620	1,330	207	87	3,664	4,347	59	55	31	8	24	16	21	2
25 to 29 years	17,284	17,593	10,474	11,051	2,316	1,991	346	93	3,982	4,376	39	47	61	6	32	27	34	2
30 to 34 years	19,468	18,158	11,214	11,376	3,848	2,728	471	135	3,790	3,835	40	38	59	8	25	37	21	1
35 to 39 years	24,836	20,329	13,048	11,954	6,402	3,851	713	133	4,505	4,314	33	39	73	5	40	32	22	1
40 to 44 years	28,230	21,663	14,510	12,595	8,146	4,602	849	141	4,554	4,267	25	37	49	3	87	17	10	1
45 to 49 years	32,444	24,401	16,981	14,298	9,310	5,584	995	177	4,964	4,294	33	28	75	8	82	11	4	1
50 to 54 years	37,871	28,356	20,872	17,002	10,590	6,933	1,149	183	5,038	4,198	38	24	98	4	84	11	2	1
55 to 59 years	42,266	31,275	24,914	19,200	12,084	8,454	984	224	4,111	3,353	44	33	86	6	40	5	3	----
60 to 64 years	47,610	36,654	27,435	22,152	14,975	11,025	1,212	281	3,792	3,150	37	38	118	5	41	3	----	----
65 to 69 years	53,702	43,498	34,035	28,728	15,202	11,793	1,148	372	3,129	2,547	48	54	129	4	10	----	1	----
70 to 74 years	51,760	43,927	33,711	29,482	14,085	11,707	1,052	388	2,747	2,293	46	48	110	8	6	1	3	----
75 to 79 years	44,261	40,900	28,429	26,774	12,778	11,993	797	404	2,132	1,687	32	39	89	2	3	1	1	----
80 to 84 years	30,467	31,814	19,036	20,630	9,337	9,412	521	312	1,500	1,426	39	34	33	----	1	----	----	----
85 to 89 years	15,310	18,298	9,197	11,826	4,877	5,455	267	190	935	803	22	23	12	----	----	----	----	1
90 to 94 years	4,827	6,982	2,744	4,314	1,595	2,050	70	79	405	520	10	19	3	----	----	----	----	----
95 to 99 years	1,057	1,636	506	874	344	479	14	26	189	251	4	6	----	----	----	----	----	----
100 years and over	327	635	52	134	67	93	7	6	192	390	9	12	----	----	----	----	----	----
Unknown	894	527	174	167	50	29	275	65	377	259	7	7	6	----	5	----	----	----
REGISTRATION STATES [2]																		
All ages	656,697	554,930	424,055	369,446	135,199	104,860	12,807	3,991	80,949	74,513	1,588	1,549	1,172	145	786	405	141	21
Under 1 year	81,896	61,856	68,592	51,142	66	61	75	43	12,621	10,153	361	294	42	41	135	113	4	9
1 to 4 years	27,460	23,694	22,353	19,231	160	146	102	68	4,507	3,958	203	199	27	15	102	75	6	2
5 to 9 years	12,767	10,156	10,836	8,473	277	166	64	51	1,470	1,368	74	66	12	10	33	22	1	----
10 to 14 years	9,677	7,720	7,976	6,039	209	198	39	34	1,367	1,341	59	89	11	7	15	12	1	----
15 to 19 years	14,635	13,992	10,784	9,454	709	630	114	74	2,904	3,699	97	113	17	5	7	17	3	----
20 to 24 years	18,484	19,004	12,013	12,293	1,703	1,386	252	101	4,360	5,114	79	83	31	8	24	17	22	2
25 to 29 years	19,311	19,565	11,656	12,230	2,431	2,052	396	108	4,643	5,081	55	59	62	6	33	27	35	2
30 to 34 years	21,374	19,957	12,302	12,463	4,026	2,811	515	153	4,370	4,435	54	48	59	8	26	38	22	1
35 to 39 years	27,153	22,426	14,334	13,185	6,655	3,976	805	152	5,175	5,025	47	48	73	5	42	34	22	1
40 to 44 years	30,542	23,747	15,865	13,823	8,420	4,717	922	158	5,147	4,976	38	51	52	3	88	18	10	1
45 to 49 years	35,140	26,542	18,445	15,500	9,621	5,725	1,096	192	5,762	5,065	48	40	77	8	86	11	5	1
50 to 54 years	40,986	30,591	22,675	18,282	10,913	7,132	1,257	205	5,895	4,916	59	40	99	4	86	11	2	1
55 to 59 years	45,362	33,435	26,874	20,678	12,517	8,678	1,081	245	4,697	3,782	59	41	89	6	42	5	3	----
60 to 64 years	51,097	39,121	29,616	23,764	15,562	11,371	1,326	314	4,379	3,609	50	55	123	5	41	3	----	----
65 to 69 years	58,079	46,610	37,050	30,920	15,901	12,279	1,303	420	3,608	2,920	73	67	133	4	10	----	1	----
70 to 74 years	56,262	47,266	36,746	31,903	14,915	12,207	1,201	420	3,213	2,666	63	61	114	8	7	1	3	----
75 to 79 years	48,308	44,125	31,154	28,990	13,601	12,651	911	459	2,498	1,968	48	54	92	2	3	1	1	----
80 to 84 years	33,320	34,459	20,842	22,348	10,023	10,006	593	348	1,775	1,705	52	52	34	----	1	----	----	----
85 to 89 years	16,762	19,792	10,069	12,767	5,253	5,817	311	207	1,082	966	32	34	15	----	----	----	----	1
90 to 94 years	5,331	7,579	3,010	4,635	1,735	2,202	78	91	494	624	11	27	3	----	----	----	----	----
95 to 99 years	1,193	1,799	567	946	376	518	15	36	230	293	5	6	----	----	----	----	----	----
100 years and over	408	763	65	159	72	100	8	8	253	481	10	15	----	----	----	----	----	----
Unknown	1,150	731	231	221	54	31	343	104	499	368	11	7	7	----	5	----	----	----

[1] These States are shown in Table A, Part II.

[2] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	333,856	287,749	200,161	179,273	88,903	73,164	6,452	1,707	36,832	33,151	137	100	853	125	452	222	66	7
Under 1 year	39,026	29,136	33,691	24,955	36	36	44	14	5,128	4,020	17	21	37	34	71	53	2	3
1 to 4 years	13,148	11,241	11,060	9,458	109	100	41	24	1,846	1,587	12	11	23	14	55	47	2	----
5 to 9 years	6,807	5,483	5,965	4,762	202	126	27	17	580	554	4	4	11	9	18	11	----	----
10 to 14 years	4,713	3,809	4,017	3,123	148	137	18	11	513	523	1	5	9	4	7	6	----	----
15 to 19 years	6,775	6,690	5,141	4,763	459	454	40	26	1,104	1,424	16	9	12	4	2	10	1	----
20 to 24 years	9,311	9,865	5,948	6,502	1,179	1,027	111	46	2,006	2,261	12	10	27	6	14	12	14	1
25 to 29 years	10,613	10,885	6,112	6,665	1,661	1,553	179	47	2,565	2,591	8	8	49	6	19	15	20	----
30 to 34 years	12,342	11,657	6,665	6,959	2,828	2,199	265	74	2,504	2,394	9	2	47	7	14	22	10	----
35 to 39 years	16,287	12,970	7,944	7,265	4,733	3,050	475	86	3,033	2,545	15	2	53	4	28	18	6	----
40 to 44 years	18,976	14,119	9,054	7,708	6,127	3,629	578	92	3,104	2,671	10	5	42	3	58	11	3	----
45 to 49 years	21,537	15,778	10,344	8,621	7,053	4,445	700	100	3,311	2,597	4	3	69	7	55	4	1	1
50 to 54 years	24,718	18,355	12,652	10,179	8,095	5,528	788	110	3,034	2,523	8	5	81	4	58	5	2	1
55 to 59 years	26,461	19,654	14,302	10,927	9,089	6,656	642	132	2,320	1,925	6	3	72	6	27	5	3	----
60 to 64 years	28,449	22,452	14,744	12,128	10,989	8,513	709	143	1,900	1,658	2	4	90	5	15	1	----	----
65 to 69 years	29,316	24,759	16,514	14,528	10,654	8,814	651	182	1,386	1,231	6	1	99	3	6	----	----	----
70 to 74 years	25,297	23,209	14,541	13,869	9,249	8,224	499	180	939	926	2	2	63	7	3	1	1	----
75 to 79 years	19,488	20,457	10,826	11,612	7,623	8,022	338	176	652	644	1	----	46	2	1	1	1	----
80 to 84 years	12,239	14,853	6,505	8,412	5,149	5,847	167	115	401	477	2	2	14	----	1	----	----	----
85 to 89 years	5,872	8,376	3,027	4,765	2,503	3,289	81	77	254	243	----	1	7	----	----	----	----	1
90 to 94 years	1,801	2,996	901	1,687	802	1,133	18	31	80	145	----	----	----	----	----	----	----	----
95 to 99 years	367	684	159	313	167	303	3	6	38	60	----	2	----	----	----	----	----	----
100 years and over	98	198	13	44	37	59	1	3	47	92	----	----	----	----	----	----	----	----
Unknown	215	123	36	28	11	20	77	15	87	60	2	----	2	----	----	----	----	----
RURAL PART OF REGISTRATION STATES [2]																		
All ages	322,841	267,181	223,894	190,173	46,296	31,696	6,355	2,284	44,117	41,362	1,451	1,449	319	20	334	183	75	14
Under 1 year	42,870	32,720	34,901	26,187	30	25	31	29	7,493	6,133	344	273	5	7	64	60	2	6
1 to 4 years	14,312	12,453	11,293	9,773	51	46	61	44	2,661	2,371	191	188	4	1	47	28	4	2
5 to 9 years	5,960	4,673	4,871	3,711	75	40	37	34	890	814	70	62	1	1	15	11	1	----
10 to 14 years	4,964	3,911	3,959	2,916	61	61	21	23	854	818	58	84	2	3	8	6	1	----
15 to 19 years	7,860	7,302	5,643	4,691	250	176	74	48	1,800	2,275	81	104	5	1	5	7	2	----
20 to 24 years	9,173	9,139	6,065	5,791	524	359	141	55	2,354	2,853	67	73	4	2	10	5	8	1
25 to 29 years	8,698	8,680	5,544	5,565	770	499	217	61	2,078	2,490	47	51	13	----	14	12	15	2
30 to 34 years	9,032	8,300	5,637	5,504	1,198	612	250	79	1,866	2,041	45	46	12	1	12	16	12	1
35 to 39 years	10,866	9,456	6,390	5,920	1,922	926	330	66	2,142	2,480	32	46	20	1	14	16	16	1
40 to 44 years	11,566	9,628	6,811	6,115	2,293	1,088	344	66	2,043	2,305	28	46	10	----	30	7	7	1
45 to 49 years	13,603	10,764	8,101	6,879	2,568	1,280	396	92	2,451	2,468	44	37	8	1	31	7	4	----
50 to 54 years	16,268	12,236	10,023	8,103	2,818	1,604	469	95	2,861	2,393	51	35	18	----	28	6	----	----
55 to 59 years	18,901	13,781	12,572	9,751	3,428	2,022	439	113	2,377	1,857	53	38	17	----	15	----	----	----
60 to 64 years	22,648	16,669	14,872	11,636	4,573	2,858	617	171	2,479	1,951	48	51	33	----	26	2	----	----
65 to 69 years	28,763	21,851	20,536	16,392	5,247	3,465	652	238	2,222	1,689	67	66	34	1	4	----	1	----
70 to 74 years	30,965	24,057	22,205	18,034	5,666	3,983	702	240	2,274	1,740	61	59	51	1	4	----	2	----
75 to 79 years	28,820	23,668	20,328	17,378	5,978	4,629	573	283	1,846	1,324	47	54	46	----	2	----	----	----
80 to 84 years	21,081	19,606	14,337	13,936	4,874	4,159	426	233	1,374	1,228	50	50	20	----	----	----	----	----
85 to 89 years	10,890	11,416	7,042	8,002	2,750	2,528	230	130	828	723	32	33	8	----	----	----	----	----
90 to 94 years	3,530	4,583	2,109	2,948	933	1,069	60	60	414	479	11	27	3	----	----	----	----	----
95 to 99 years	826	1,115	408	633	209	215	12	30	192	233	5	4	----	----	----	----	----	----
100 years and over	310	565	52	115	35	41	7	5	206	389	10	15	----	----	----	----	----	----
Unknown	935	608	195	193	43	11	266	89	412	308	9	7	5	----	5	----	----	----
REGISTRATION CITIES IN NON-REGISTRATION STATES [3]																		
All ages	13,720	11,602	7,705	6,371	1,344	1,127	451	129	4,199	3,967	4	4	12	3	5	----	----	1
Under 1 year	1,879	1,503	1,320	1,030	8	8	4	3	543	459	1	----	1	2	2	----	----	1
1 to 4 years	650	569	485	405	5	13	5	----	155	150	----	----	----	1	----	----	----	----
5 to 9 years	278	188	198	135	5	1	6	2	68	50	----	----	----	----	1	----	----	----
10 to 14 years	189	179	119	109	6	10	1	----	63	60	----	----	----	----	----	----	----	----
15 to 19 years	374	441	193	201	38	38	3	5	139	197	----	----	1	----	----	----	----	----
20 to 24 years	617	704	299	297	51	76	16	5	251	325	----	1	----	----	----	----	----	----
25 to 29 years	689	743	308	348	66	59	21	7	294	329	----	----	----	----	----	----	----	----
30 to 34 years	726	718	351	310	55	73	18	3	301	331	1	1	----	----	----	----	----	----
35 to 39 years	832	765	366	318	71	76	31	9	363	362	----	----	----	----	1	----	----	----
40 to 44 years	882	730	406	298	66	70	33	11	376	351	----	----	----	----	1	----	----	----
45 to 49 years	994	701	459	311	91	71	34	10	410	309	----	----	----	----	----	----	----	----
50 to 54 years	1,098	722	523	333	113	72	48	13	414	303	----	1	----	----	----	----	----	----
55 to 59 years	839	678	453	345	116	104	26	11	242	218	----	----	2	----	----	----	----	----
60 to 64 years	864	588	473	318	136	83	56	9	196	178	----	----	3	----	----	----	----	----
65 to 69 years	890	647	573	438	132	95	57	8	125	106	----	----	3	----	----	----	----	----
70 to 74 years	766	564	503	392	123	85	40	10	99	77	1	----	----	----	----	----	----	----
75 to 79 years	569	496	367	355	121	79	21	9	59	53	----	----	1	----	----	----	----	----
80 to 84 years	322	351	185	252	78	48	16	7	42	43	1	1	----	----	----	----	----	----
85 to 89 years	156	178	89	115	41	35	5	5	21	23	----	----	----	----	----	----	----	----
90 to 94 years	52	80	23	44	13	21	4	----	12	15	----	----	----	----	----	----	----	----
95 to 99 years	18	27	4	10	6	4	1	----	7	13	----	----	----	----	----	----	----	----
100 years and over	9	21	2	4	3	6	----	----	4	11	----	----	----	----	----	----	----	----
Unknown	27	9	6	3	----	----	5	2	15	4	----	----	1	----	----	----	----	----

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[2] "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1920.
[3] These cities are shown under the various States (indicated by footnotes 6 and 2 in Tables 1B and 1C, respectively.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES [1]																		
All ages	347,576	299,351	207,866	185,644	90,247	74,291	6,903	1,836	41,031	37,118	141	104	865	128	457	222	66	8
Under 1 year	40,905	30,639	35,011	25,985	44	44	48	17	5,671	4,479	18	21	38	36	73	53	2	4
1 to 4 years	13,798	11,810	11,545	9,863	114	113	46	24	2,001	1,737	12	11	23	15	55	47	2	
5 to 9 years	7,085	5,671	6,163	4,897	207	127	33	19	648	604	4	4	11	9	19	11		
10 to 14 years	4,902	3,988	4,136	3,232	154	147	19	11	576	583	1	5	9	4	7	6		
15 to 19 years	7,149	7,131	5,334	4,964	497	492	43	31	1,243	1,621	16	9	13	4	2	10	1	
20 to 24 years	9,928	10,569	6,247	6,799	1,230	1,103	127	51	2,257	2,586	12	11	27	6	14	12	14	1
25 to 29 years	11,302	11,628	6,420	7,013	1,727	1,612	200	54	2,859	2,920	8	8	49	6	19	15	20	
30 to 34 years	13,068	12,375	7,016	7,269	2,883	2,272	283	77	2,805	2,725	10	3	47	7	14	22	10	
35 to 39 years	17,119	13,735	8,310	7,583	4,804	3,126	506	95	3,396	2,907	15	2	53	4	29	18	6	
40 to 44 years	19,858	14,849	9,460	8,006	6,193	3,699	611	103	3,480	3,022	10	5	42	3	59	11	3	
45 to 49 years	22,531	16,479	10,803	8,932	7,144	4,516	734	110	3,721	2,906	4	3	69	7	55	4	1	1
50 to 54 years	25,816	19,077	13,175	10,512	8,208	5,600	836	123	3,448	2,826	8	6	81	4	58	5	2	1
55 to 59 years	27,300	20,332	14,755	11,272	9,205	6,760	668	143	2,562	2,143	6	3	74	6	27	5	3	
60 to 64 years	29,313	23,040	15,217	12,446	11,125	8,596	765	152	2,096	1,836	2	4	93	5	15	1		
65 to 69 years	30,206	25,406	17,087	14,966	10,786	8,909	708	190	1,511	1,337	6	1	102	3	6			
70 to 74 years	26,063	23,773	15,044	14,261	9,372	8,309	539	190	1,038	1,003	3	2	63	7	3	1	1	
75 to 79 years	20,057	20,953	11,193	11,967	7,744	8,101	359	185	711	697	1		47	2	1	1	1	
80 to 84 years	12,561	15,204	6,690	8,664	5,227	5,895	183	122	443	520	3	3	14		1			
85 to 89 years	6,028	8,554	3,116	4,880	2,544	3,324	86	82	275	266		1	7					1
90 to 94 years	1,853	3,076	924	1,731	815	1,154	22	31	92	160								
95 to 99 years	385	711	163	323	173	307	4	6	45	73		2						
100 years and over	107	219	15	48	40	65	1	3	51	103								
Unknown	242	132	42	31	11	20	82	17	102	64	2		3					
ALABAMA																		
All ages	14,131	12,931	7,303	6,392	226	121	147	84	6,450	6,330	4	4	1					
Under 1 year	2,414	1,926	1,343	1,075			1		1,070	851								
1 to 4 years	893	780	566	483			1	2	325	294	1	1						
5 to 9 years	309	255	185	145	2		1	1	121	109								
10 to 14 years	226	181	120	88					106	93								
15 to 19 years	463	532	205	180					258	352								
20 to 24 years	653	705	239	245	5		3	2	406	458								
25 to 29 years	596	666	221	239	3	2	3	2	369	423								
30 to 34 years	540	574	193	213	3	3	6	4	338	354								
35 to 39 years	632	685	235	254	7	4	5	3	385	423		1						
40 to 44 years	613	692	271	261	11	7	5	2	325	422	1							
45 to 49 years	769	726	309	232	19	4	11		429	490			1					
50 to 54 years	847	685	351	266	13	9	12	3	471	407								
55 to 59 years	732	511	368	273	28	9	5		331	229								
60 to 64 years	737	613	378	322	20	11	8	8	331	272								
65 to 69 years	904	755	615	486	22	16	9	9	257	244	1							
70 to 74 years	956	750	629	490	33	15	17	4	277	241								
75 to 79 years	800	684	532	468	26	19	19	15	223	181		1						
80 to 84 years	539	583	341	379	18	7	14	13	166	183		1						
85 to 89 years	234	316	128	190	11	11	8	3	87	112								
90 to 94 years	106	130	40	53	1	3	2	2	63	72								
95 to 99 years	40	44	9	16	2			1	29	27								
100 years and over	52	66	8	10	2	1			41	55	1							
Unknown	76	72	17	24			17	10	42	38								
ARIZONA																		
All ages	3,643	2,238	2,246	1,459	705	411	244	29	103	56	317	277	18	2	8	3	2	1
Under 1 year	608	503	508	424	6	5	1	3	16	7	76	60	1	2		1		1
1 to 4 years	275	230	209	159	6	11			4	1	54	57			2	2		
5 to 9 years	82	59	60	40	9	3	1		1		11	16						
10 to 14 years	73	56	51	26	3	4			1		17	26	1					
15 to 19 years	120	99	61	63	23	12	3		4	2	29	22						
20 to 24 years	165	162	91	104	39	33	14	1	4	4	16	20					1	
25 to 29 years	216	141	138	95	45	28	15	2	7	8	8	8	1		1		1	
30 to 34 years	244	126	159	86	60	25	13	2	7	8	4	5			1			
35 to 39 years	302	121	154	71	88	40	37	2	12	4	11	4						
40 to 44 years	210	83	110	52	67	19	17	1	5	4	10	7	1					
45 to 49 years	217	70	113	38	60	19	21	2	11	3	9	8	1		2			
50 to 54 years	187	82	96	47	51	23	20	1	8	4	10	7			2			
55 to 59 years	169	90	100	51	39	27	18	4	4	4	7	4	1					
60 to 64 years	139	74	71	45	36	21	15	1	6	1	8	6	3					
65 to 69 years	187	99	101	45	46	44	21	2	5	2	11	6	3					
70 to 74 years	168	73	92	41	48	25	13	1	3	2	8	4	4					
75 to 79 years	126	65	66	36	36	23	11	2	3	1	9	3	1					
80 to 84 years	80	47	41	19	21	20	9	1			9	7						
85 to 89 years	32	20	14	7	12	10	1		1		4	3						
90 to 94 years	13	11	6	4	4	5	2				1	2						
95 to 99 years	4	14	1	3	1	10	1	1			1							
100 years and over	3	6			2	2		1	1	1		2						
Unknown	23	7	4	3	3	2	11	2			4		1					

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ARKANSAS																		
All ages	9,890	8,421	5,965	4,918	206	99	487	251	3,229	3,153	2		1					
Under 1 year	1,433	1,023	1,047	719			2	1	383	303	1							
1 to 4 years	615	567	423	413		1	17	9	175	144								
5 to 9 years	234	197	161	123			8	5	65	69								
10 to 14 years	234	169	149	98			3	8	82	63								
15 to 19 years	340	398	196	181			8	12	136	205								
20 to 24 years	434	475	209	227	4	1	17	10	204	237								
25 to 29 years	362	427	167	199	1		20	10	174	218								
30 to 34 years	307	380	164	194	4	3	13	7	125	176	1							
35 to 39 years	397	481	217	245	4	1	24	10	152	225								
40 to 44 years	385	440	193	201	5		20	10	167	229								
45 to 49 years	522	446	229	207	4	4	31	11	258	224								
50 to 54 years	618	484	309	212	11	8	23	12	274	252			1					
55 to 59 years	546	408	311	232	14	7	36	12	185	157								
60 to 64 years	519	385	291	220	21	9	38	16	169	140								
65 to 69 years	682	458	432	328	21	9	58	24	171	97								
70 to 74 years	735	474	495	351	34	12	52	14	154	97								
75 to 79 years	661	421	475	313	40	12	42	24	104	72								
80 to 84 years	399	363	278	257	21	22	21	11	79	73								
85 to 89 years	216	165	135	114	19	7	16	7	46	37								
90 to 94 years	59	73	37	40	1	3	1	5	20	25								
95 to 99 years	21	30	10	11	2			6	9	13								
100 years and over	19	34	2	7				1	17	26								
Unknown	152	123	35	26			37	26	80	71								
CALIFORNIA																		
All ages	36,116	25,424	22,829	17,793	10,178	6,379	1,097	214	640	494	149	156	626	105	520	271	77	12
Under 1 year	2,929	2,328	2,727	2,134	13	13	1	2	47	41	17	27	28	23	93	84	3	4
1 to 4 years	1,191	1,006	1,040	910	26	27	4	5	13	7	10	9	19	10	73	36	6	2
5 to 9 years	588	424	520	362	27	29	4	1	5	4	3	4	10	9	19	15		
10 to 14 years	443	326	375	259	44	31	2	1	7	11	2	10	5	5	8	9		
15 to 19 years	655	565	508	409	105	115	6	4	11	13	10	10	8	3	5	11	2	
20 to 24 years	1,047	819	701	583	238	173	19	3	33	29	14	7	21	7	13	15	8	2
25 to 29 years	1,156	859	698	579	319	210	43	7	30	32	12	7	20	6	20	17	14	1
30 to 34 years	1,239	954	735	656	362	211	45	6	45	42	8	6	17	3	15	29	12	1
35 to 39 years	1,635	1,042	895	714	548	235	68	8	44	50	5	6	35	3	23	25	17	1
40 to 44 years	1,874	1,119	1,024	748	620	293	95	12	56	45	5	7	15	3	51	10	8	1
45 to 49 years	2,169	1,290	1,171	861	722	354	111	19	61	42	7	5	32	5	62	4	3	
50 to 54 years	2,452	1,434	1,429	952	729	407	125	21	58	40	3	3	49	4	59	7		
55 to 59 years	2,808	1,619	1,693	1,109	867	450	112	16	62	30	3	3	36	6	34	5	1	
60 to 64 years	3,227	1,936	1,830	1,239	1,095	623	140	28	56	34	9	6	67	4	30	2		
65 to 69 years	3,543	2,220	2,128	1,501	1,152	660	118	21	45	29	10	5	84	4	6			
70 to 74 years	3,228	2,259	1,921	1,528	1,088	690	94	13	30	14	8	5	80	8	5	1	2	
75 to 79 years	2,711	2,130	1,565	1,340	1,005	746	47	19	21	12	5	10	64	2	3	1	1	
80 to 84 years	1,848	1,589	1,095	997	672	565	34	13	11	8	10	6	25		1			
85 to 89 years	951	987	529	607	400	362	12	8	3	4	1	6	6					
90 to 94 years	329	380	202	229	116	138	5	4	2	3	1	6	3					
95 to 99 years	61	99	35	58	24	40		1			2							
100 years and over	14	33	6	16	4	7		1		4	4	5						
Unknown	18	6	2	2	2		12	1				3	2					
COLORADO																		
All ages	7,535	5,547	5,591	4,513	1,456	832	282	65	176	120	3	2	4	1	23	13		1
Under 1 year	966	744	950	731			3	1	8	9					5	2		1
1 to 4 years	345	291	332	285	2	1	1	1	3	1					7	3		
5 to 9 years	170	137	163	133	4	1			1	2					2	1		
10 to 14 years	127	116	121	109	2	3			3	2	1					2		
15 to 19 years	187	176	162	162	12	5	7		6	8		1						
20 to 24 years	262	231	208	195	33	26	14	1	7	9								
25 to 29 years	284	269	226	236	37	21	6	6	14	6					1			
30 to 34 years	338	260	242	232	61	19	13	4	22	3				1		1		
35 to 39 years	358	255	252	194	74	44	16	3	14	13			1		1	1		
40 to 44 years	357	230	236	183	92	34	14	1	14	12					1			
45 to 49 years	337	252	203	200	101	36	22	6	10	8					1	2		
50 to 54 years	387	253	254	192	89	53	26	4	12	3			1		5	1		
55 to 59 years	461	296	306	208	116	68	27	6	12	14								
60 to 64 years	554	329	353	222	157	97	31	4	12	6			1					
65 to 69 years	653	397	434	284	179	99	30	5	9	8		1	1					
70 to 74 years	603	407	400	300	158	94	31	9	12	4	2							
75 to 79 years	531	392	359	280	149	103	19	7	4	2								
80 to 84 years	360	273	235	193	108	76	10		7	4								
85 to 89 years	170	167	102	127	58	35	6	3	4	2								
90 to 94 years	59	50	44	33	14	14			1	3								
95 to 99 years	14	13	7	9	6	2		2	1									
100 years and over	3	3		1	3	1				1								
Unknown	9	6	2	4	1		6	2										

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other color	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CONNECTICUT																		
All ages	8,880	7,877	5,428	5,090	3,068	2,514	115	51	259	220	2	2	7		1			
Under 1 year	1,002	699	968	681	2				32	18								
1 to 4 years	314	203	293	187	3	3			18	13								
5 to 9 years	160	150	157	143	2	3			1	4								
10 to 14 years	108	94	101	90	3	2			4	2								
15 to 19 years	137	141	116	114	14	19			6	8			1					
20 to 24 years	205	192	145	149	52	29		1	8	13								
25 to 29 years	199	210	127	142	57	53	2	1	13	14								
30 to 34 years	265	229	145	136	99	79	2		18	14			1					
35 to 39 years	331	268	139	144	176	113	5	1	10	10			1					
40 to 44 years	428	313	185	160	215	136	11	2	17	15								
45 to 49 years	479	390	208	197	236	176	7	3	26	14	1		1					
50 to 54 years	616	443	291	252	286	172	15	3	22	16			2					
55 to 59 years	710	527	350	280	324	227	13	3	22	17			1					
60 to 64 years	855	658	406	334	418	305	14	2	17	17								
65 to 69 years	808	737	449	414	337	302	8	8	14	12		1						
70 to 74 years	802	826	468	498	309	318	20	2	5	8								
75 to 79 years	667	683	391	416	253	252	9	6	13	9	1							
80 to 84 years	479	597	292	398	175	182	4	8	8	8		1						
85 to 89 years	235	341	146	233	83	97	3	7	3	4								
90 to 94 years	59	134	41	96	18	32		3		3								
95 to 99 years	12	35	7	21	5	13				1								
100 years and over	3	3	2	2		1			1									
Unknown	6	4	1	3	1		2	1	1						1			
DELAWARE																		
All ages	1,608	1,399	1,074	954	184	144	37	11	312	290	1							
Under 1 year	166	135	127	95					39	40								
1 to 4 years	64	62	41	39				1	23	22								
5 to 9 years	24	17	19	16					5	1								
10 to 14 years	21	19	18	16					3	3								
15 to 19 years	25	35	18	21					7	14								
20 to 24 years	37	38	19	21	3	1		1	15	15								
25 to 29 years	37	52	18	30	3	7	1		15	15								
30 to 34 years	57	43	37	21	5	4	3	1	12	17								
35 to 39 years	63	41	32	22	7	6	3		21	13								
40 to 44 years	69	49	32	32	19	4	1		17	13								
45 to 49 years	81	65	40	29	19	5	1	2	21	29								
50 to 54 years	97	86	51	47	20	16	4	1	22	22								
55 to 59 years	112	83	69	51	23	13			20	19								
60 to 64 years	131	101	83	60	15	18	5	3	28	20								
65 to 69 years	157	147	109	107	23	23	3		21	17	1							
70 to 74 years	162	135	128	106	15	16	5		14	13								
75 to 79 years	153	119	113	100	18	13	8	1	14	5								
80 to 84 years	99	90	84	79	8	7	1	1	6	3								
85 to 89 years	39	48	27	40	5	5	2		5	3								
90 to 94 years	9	28	8	19	1	4				5								
95 to 99 years	1	3	1	2		1												
100 years and over																		
Unknown	4	3		1		1			4	1								
DISTRICT OF COLUMBIA																		
All ages	3,573	3,413	1,830	1,768	283	226	126	73	1,322	1,345	1		8	1	2		1	
Under 1 year	343	268	162	140					180	128					1			
1 to 4 years	101	87	40	38	1		7	6	53	43								
5 to 9 years	45	36	30	22		1	3		12	13								
10 to 14 years	40	35	17	15	2		1	2	20	18								
15 to 19 years	65	76	30	20			3	2	32	54								
20 to 24 years	99	125	49	49	3		2	5	45	71								
25 to 29 years	148	157	56	50	10	9	6		75	98					1			
30 to 34 years	162	135	77	42	8	5	4	1	73	87								
35 to 39 years	204	166	69	58	11	10	8	5	115	93			1					
40 to 44 years	206	197	83	86	15	12	7	1	98	98			2				1	
45 to 49 years	237	220	99	84	16	5	14	5	106	125			2	1				
50 to 54 years	290	256	134	116	25	9	9	3	122	128								
55 to 59 years	293	245	146	132	38	20	11	3	95	90	1		2					
60 to 64 years	288	256	167	133	25	23	14	10	82	90								
65 to 69 years	301	280	196	182	21	29	13	10	70	59			1					
70 to 74 years	258	280	173	174	25	39	6	8	54	59								
75 to 79 years	209	240	133	170	32	26	4	5	40	39								
80 to 84 years	164	207	105	149	23	23	7	3	29	32								
85 to 89 years	89	106	47	78	19	12	6	3	17	13								
90 to 94 years	22	30	14	23	6	3		1	2	3								
95 to 99 years	6	9	3	7	1		1		1	2								
100 years and over	3	2			2				1	2								
Unknown																		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
FLORIDA																		
All ages	10,430	7,721	5,341	4,007	737	416	268	118	4,080	3,179		1	3		1			
Under 1 year	1,261	1,038	743	598			1		517	440								
1 to 4 years	468	371	291	239	1	2	1		175	130								
5 to 9 years	177	145	117	93	2	2		1	58	49								
10 to 14 years	166	111	101	55	2	1	3	1	60	54								
15 to 19 years	290	303	141	112	4	2	3	3	142	186								
20 to 24 years	467	434	182	173	4	11	10	5	271	245								
25 to 29 years	503	459	185	171	11	10	12	4	295	274								
30 to 34 years	451	431	181	170	16	11	12	7	240	243			2					
35 to 39 years	569	489	215	186	34	18	10	10	310	275								
40 to 44 years	604	448	215	165	35	17	13	3	341	263								
45 to 49 years	687	426	258	170	49	23	16	8	364	225								
50 to 54 years	695	415	272	175	54	33	22	7	347	200								
55 to 59 years	710	379	388	219	85	35	14	6	222	119			1					
60 to 64 years	713	362	384	209	91	35	27	6	211	111		1						
65 to 69 years	741	455	475	312	99	44	31	8	136	91								
70 to 74 years	627	416	395	281	85	53	33	10	113	72					1			
75 to 79 years	526	416	358	304	67	49	23	12	78	51								
80 to 84 years	406	311	273	214	51	37	13	10	69	50								
85 to 89 years	209	180	125	116	33	23	8	7	43	34								
90 to 94 years	53	63	22	30	9	7	1	3	21	23								
95 to 99 years	11	25	3	9	2	2		1	6	13								
100 years and over	19	18	1	2	3	1			15	15								
Unknown	77	26	16	4			15	6	46	16								
IDAHO																		
All ages	2,325	1,462	1,707	1,148	435	237	119	10	11	4	39	57	9		4	6	1	
Under 1 year	278	181	268	172							9	6			1	3		
1 to 4 years	114	98	110	89							3	8			1	1		
5 to 9 years	59	52	53	49	4	1					2	2						
10 to 14 years	56	27	51	24	1	1			1		3	2						
15 to 19 years	62	37	58	34	2				1		1	3						
20 to 24 years	62	41	51	36	9	3	2					2						
25 to 29 years	78	43	63	41	10	1	2		1		2	1						
30 to 34 years	51	60	40	49	7	10	2	1			1					1		
35 to 39 years	85	74	62	67	17	5	5				1					2		
40 to 44 years	93	62	73	54	15	6	5	1				1						
45 to 49 years	106	68	61	55	29	11	14		2	1		1						
50 to 54 years	147	79	91	53	38	21	14		2	1	2	4						
55 to 59 years	138	74	91	52	32	18	10	1	1	1	1	2	1		2			
60 to 64 years	192	83	136	63	43	16	11		1			4	1					
65 to 69 years	211	96	139	70	47	23	18		1		5	3	1					
70 to 74 years	189	125	129	91	42	25	16	3		1	2	5						
75 to 79 years	179	118	108	65	59	50	8	1			2	2	2					
80 to 84 years	113	73	62	46	41	21	7	1	1		1	5	1					
85 to 89 years	81	49	45	33	25	11	4				4	5	3					
90 to 94 years	20	19	10	5	10	13						1						
95 to 99 years	10	2	6		4	1		1										
100 years and over																		
Unknown	1	1					1	1										
ILLINOIS																		
All ages	45,821	37,028	28,226	24,144	13,145	10,145	1,144	208	3,227	2,525	5	1	70	2	2	3	2	
Under 1 year	4,915	3,690	4,554	3,398	2	2	18	2	340	287			1	1				
1 to 4 years	1,701	1,439	1,525	1,297	15	5	4	3	156	134					1			
5 to 9 years	901	718	828	641	22	14	2	3	47	60			1		1			
10 to 14 years	605	503	534	443	14	12	3		54	48								
15 to 19 years	942	824	757	666	59	50	7	3	118	105			1					
20 to 24 years	1,075	1,160	734	850	129	128	19	5	188	177	2		1				2	
25 to 29 years	1,366	1,233	850	847	222	193	35	1	255	191			4			1		
30 to 34 years	1,655	1,351	941	924	414	257	35	11	258	159	1		6					
35 to 39 years	2,126	1,539	1,094	959	663	391	80	8	286	180			3	1				
40 to 44 years	2,537	1,681	1,226	1,008	946	478	100	9	260	186			5					
45 to 49 years	2,794	1,790	1,321	1,047	1,010	547	118	11	333	183			12			2		
50 to 54 years	3,015	2,159	1,535	1,252	1,078	702	153	12	243	192		1	6					
55 to 59 years	3,530	2,418	1,945	1,373	1,262	868	121	13	190	164	1		11					
60 to 64 years	3,828	2,820	1,968	1,592	1,561	1,084	130	13	159	131			10					
65 to 69 years	4,147	3,405	2,371	2,030	1,528	1,254	114	28	128	93	1		5					
70 to 74 years	3,829	3,139	2,218	1,886	1,439	1,141	85	24	84	88			3					
75 to 79 years	3,086	3,015	1,777	1,673	1,192	1,261	55	26	61	55			1					
80 to 84 years	2,183	2,238	1,207	1,273	914	901	37	17	25	47								
85 to 89 years	1,126	1,289	615	677	469	578	18	12	24	22								
90 to 94 years	360	497	181	259	164	223	3	5	12	10								
95 to 99 years	76	98	39	41	34	47	2	2	1	8								
100 years and over	15	19	3	7	8	8			4	4								
Unknown	9	3	3	1		1	5		1	1								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
INDIANA																		
All ages	19,956	17,721	16,735	15,341	1,900	1,329	238	129	1,079	920	----	1	4	----	----	----	----	1
Under 1 year	2,090	1,574	1,972	1,481	----	----	----	3	118	89	----	----	----	----	----	----	----	1
1 to 4 years	649	594	598	543	3	3	----	----	48	47	----	1	----	----	----	----	----	----
5 to 9 years	328	247	305	231	3	2	1	1	19	13	----	----	----	----	----	----	----	----
10 to 14 years	270	201	247	181	5	3	----	1	18	16	----	----	----	----	----	----	----	----
15 to 19 years	378	355	326	316	12	4	4	3	36	32	----	----	----	----	----	----	----	----
20 to 24 years	458	497	373	443	26	12	7	----	51	42	----	----	1	----	----	----	----	----
25 to 29 years	469	536	368	453	30	12	12	4	59	67	----	----	----	----	----	----	----	----
30 to 34 years	519	550	389	458	45	25	6	5	79	62	----	----	----	----	----	----	----	----
35 to 39 years	686	601	477	478	103	40	10	5	95	78	----	----	1	----	----	----	----	----
40 to 44 years	742	688	516	572	117	44	15	3	94	69	----	----	----	----	----	----	----	----
45 to 49 years	843	753	633	629	109	56	20	5	80	63	----	----	1	----	----	----	----	----
50 to 54 years	1,043	880	807	735	122	69	22	6	92	70	----	----	----	----	----	----	----	----
55 to 59 years	1,311	1,117	1,086	965	142	83	16	8	67	61	----	----	----	----	----	----	----	----
60 to 64 years	1,580	1,323	1,353	1,159	152	100	16	8	59	56	----	----	----	----	----	----	----	----
65 to 69 years	2,014	1,730	1,746	1,541	200	120	21	20	47	49	----	----	----	----	----	----	----	----
70 to 74 years	2,183	1,845	1,917	1,631	204	168	25	15	37	31	----	----	----	----	----	----	----	----
75 to 79 years	1,989	1,794	1,684	1,554	246	196	26	16	33	28	----	----	----	----	----	----	----	----
80 to 84 years	1,399	1,346	1,165	1,108	199	206	14	17	21	15	----	----	----	----	----	----	----	----
85 to 89 years	720	764	572	618	123	123	11	4	14	19	----	----	----	----	----	----	----	----
90 to 94 years	222	268	171	202	43	57	3	2	5	7	----	----	----	----	----	----	----	----
95 to 99 years	45	37	28	31	11	4	2	----	4	2	----	----	----	----	----	----	----	----
100 years and over	3	13	1	9	1	1	----	----	1	3	----	----	----	----	----	----	----	----
Unknown	15	8	1	3	4	1	7	3	2	1	----	----	1	----	----	----	----	----
IOWA																		
All ages	13,349	11,183	10,170	8,735	2,748	2,236	230	79	193	123	8	9	----	1	----	----	----	----
Under 1 year	1,407	1,071	1,380	1,055	----	1	1	----	23	14	3	1	----	----	----	----	----	----
1 to 4 years	405	342	400	337	----	----	1	2	4	2	----	1	----	----	----	----	----	----
5 to 9 years	225	180	222	177	----	----	1	1	1	2	1	----	----	----	----	----	----	----
10 to 14 years	176	131	172	128	1	2	----	----	1	----	2	1	----	----	----	----	----	----
15 to 19 years	250	206	233	196	9	3	2	----	5	3	1	3	----	1	----	----	----	----
20 to 24 years	268	250	251	230	8	8	6	1	3	10	----	1	----	----	----	----	----	----
25 to 29 years	246	283	214	264	17	11	2	1	13	7	----	----	----	----	----	----	----	----
30 to 34 years	269	265	230	244	26	14	5	1	8	6	----	----	----	----	----	----	----	----
35 to 39 years	333	317	291	281	24	27	7	3	10	5	1	1	----	----	----	----	----	----
40 to 44 years	421	378	353	331	45	34	9	3	14	10	----	----	----	----	----	----	----	----
45 to 49 years	497	427	399	369	74	46	11	2	13	10	----	----	----	----	----	----	----	----
50 to 54 years	628	489	515	399	74	75	16	5	23	9	----	1	----	----	----	----	----	----
55 to 59 years	797	611	635	507	139	94	12	3	11	7	----	----	----	----	----	----	----	----
60 to 64 years	1,078	776	769	574	266	190	23	5	20	7	----	----	----	----	----	----	----	----
65 to 69 years	1,398	1,079	1,030	813	324	250	35	10	9	6	----	----	----	----	----	----	----	----
70 to 74 years	1,506	1,206	1,000	898	454	294	39	9	13	5	----	----	----	----	----	----	----	----
75 to 79 years	1,421	1,232	917	809	466	404	30	13	8	6	----	----	----	----	----	----	----	----
80 to 84 years	1,147	1,011	665	591	460	406	15	8	7	6	----	----	----	----	----	----	----	----
85 to 89 years	596	620	348	367	234	243	11	6	3	4	----	----	----	----	----	----	----	----
90 to 94 years	234	250	122	138	108	106	2	5	2	1	----	----	----	----	----	----	----	----
95 to 99 years	41	51	21	23	18	25	----	1	2	2	----	----	----	----	----	----	----	----
100 years and over	5	7	3	3	1	3	1	----	----	1	----	----	----	----	----	----	----	----
Unknown	1	1	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----
KANSAS																		
All ages	10,281	8,301	8,060	6,652	1,380	1,019	221	86	611	535	9	9	----	----	----	----	----	----
Under 1 year	1,079	841	1,006	794	----	1	1	1	70	44	2	1	----	----	----	----	----	----
1 to 4 years	366	296	343	281	1	----	1	----	20	14	1	1	----	----	----	----	----	----
5 to 9 years	167	113	153	106	1	----	1	1	12	6	----	----	----	----	----	----	----	----
10 to 14 years	153	106	148	94	1	2	----	----	4	10	----	----	----	----	----	----	----	----
15 to 19 years	208	178	191	154	1	6	1	2	13	14	2	2	----	----	----	----	----	----
20 to 24 years	219	216	174	179	13	11	4	1	27	23	1	2	----	----	----	----	----	----
25 to 29 years	218	246	178	209	7	9	12	----	21	28	----	----	----	----	----	----	----	----
30 to 34 years	211	238	166	197	16	12	6	2	23	27	----	----	----	----	----	----	----	----
35 to 39 years	301	270	213	217	29	15	6	----	53	38	----	----	----	----	----	----	----	----
40 to 44 years	336	273	259	222	29	21	9	----	39	29	----	1	----	----	----	----	----	----
45 to 49 years	411	334	314	270	44	23	15	4	37	36	1	1	----	----	----	----	----	----
50 to 54 years	486	415	380	331	47	28	14	7	45	49	----	----	----	----	----	----	----	----
55 to 59 years	639	462	510	356	69	64	14	9	45	33	1	----	----	----	----	----	----	----
60 to 64 years	766	507	579	388	125	80	17	4	44	35	1	----	----	----	----	----	----	----
65 to 69 years	1,005	764	773	602	163	117	32	10	37	35	----	----	----	----	----	----	----	----
70 to 74 years	1,039	796	779	625	196	129	27	13	37	29	----	----	----	----	----	----	----	----
75 to 79 years	1,075	892	787	665	232	177	29	18	27	32	----	----	----	----	----	----	----	----
80 to 84 years	880	712	619	510	208	174	24	7	29	20	----	1	----	----	----	----	----	----
85 to 89 years	530	438	354	321	151	101	6	2	19	14	----	----	----	----	----	----	----	----
90 to 94 years	148	164	108	112	34	42	2	5	4	5	----	----	----	----	----	----	----	----
95 to 99 years	37	31	22	16	12	6	----	----	3	9	----	----	----	----	----	----	----	----
100 years and over	4	7	1	1	1	1	----	----	2	5	----	----	----	----	----	----	----	----
Unknown	3	2	3	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KENTUCKY																		
All ages	14,562	12,647	11,607	10,108	415	365	194	97	2,346	2,077								
Under 1 year	2,145	1,658	1,904	1,455			1	1	240	202								
1 to 4 years	831	828	731	742					100	86								
5 to 9 years	282	245	256	209				2	26	34								
10 to 14 years	256	202	215	170			1	1	40	31								
15 to 19 years	430	407	336	316			3	2	91	89								
20 to 24 years	530	512	428	394	5	1	4	1	93	116								
25 to 29 years	488	480	348	362	2		8	4	130	114								
30 to 34 years	497	479	398	365	5	3	6	6	88	105								
35 to 39 years	550	494	372	347	14	4	12	7	152	136								
40 to 44 years	547	542	367	390	14	8	9	6	157	138								
45 to 49 years	660	537	466	374	28	4	9	6	157	153								
50 to 54 years	780	613	541	432	16	12	17	3	206	166								
55 to 59 years	817	658	608	507	22	12	8	4	179	135								
60 to 64 years	968	792	751	591	32	42	16	6	169	153								
65 to 69 years	1,137	945	918	803	58	32	23	14	138	96								
70 to 74 years	1,171	978	949	805	59	53	29	12	134	108								
75 to 79 years	1,058	913	881	771	68	66	18	8	91	68								
80 to 84 years	817	736	681	595	54	61	12	4	70	76								
85 to 89 years	406	393	331	317	22	45	10	7	43	24								
90 to 94 years	132	164	100	123	12	17	3		17	24								
95 to 99 years	32	44	20	27	4	5		2	8	10								
100 years and over	8	14	3	5					5	9								
Unknown	20	13	3	8			5	1	12	4								
LOUISIANA																		
All ages	12,810	11,065	5,923	4,712	561	377	203	102	6,105	5,866	10	8	7				1	
Under 1 year	2,040	1,538	968	707			4	3	1,067	823	1	5						
1 to 4 years	845	704	464	354	1	2	6	7	374	341								
5 to 9 years	316	203	156	92			2	6	158	105								
10 to 14 years	235	201	104	85	2		2	4	125	112	2							
15 to 19 years	399	399	177	137		1	1	2	219	259	2							
20 to 24 years	562	598	202	175	6	6	5	5	347	412	2							
25 to 29 years	528	603	202	181	10	11	5	2	309	409	1		1					
30 to 34 years	521	538	217	198	17	7	6	2	279	331			2					
35 to 39 years	610	582	236	187	21	14	11	3	342	376		2						
40 to 44 years	613	612	265	210	24	13	7	4	317	385								
45 to 49 years	772	644	314	218	37	18	13	1	408	407								
50 to 54 years	850	669	364	256	54	19	21	6	410	388			1					
55 to 59 years	842	530	412	230	60	25	18	2	348	273	2		1				1	
60 to 64 years	759	568	389	260	70	26	14	8	284	273		1	2					
65 to 69 years	823	628	464	379	58	38	22	7	279	204								
70 to 74 years	728	615	417	365	53	42	28	15	230	193								
75 to 79 years	560	549	284	324	67	53	10	5	199	167								
80 to 84 years	375	389	168	193	47	45	10	12	150	139								
85 to 89 years	219	233	74	101	26	36	7	5	112	91								
90 to 94 years	100	117	31	38	6	18	1	2	62	59								
95 to 99 years	32	58	6	15	2	3		1	24	39								
100 years and over	26	59	1	3			1		24	56								
Unknown	55	28	8	4			9		38	24								
MAINE																		
All ages	5,732	5,226	4,715	4,340	938	845	61	25	12	11	5	3		2			1	
Under 1 year	759	549	752	545	3	1			1	2	2			1			1	
1 to 4 years	180	184	174	181	5	2			1					1				
5 to 9 years	85	59	80	59	4						1							
10 to 14 years	70	58	67	56	3	1						1						
15 to 19 years	83	103	73	92	9	10			1	1								
20 to 24 years	103	124	84	105	15	19	2		2									
25 to 29 years	99	106	81	84	17	22			1									
30 to 34 years	103	120	82	101	18	18	3			1								
35 to 39 years	123	132	95	103	28	28				1								
40 to 44 years	143	172	108	133	31	38	4	1										
45 to 49 years	176	171	129	133	45	37	2	1										
50 to 54 years	257	244	187	188	67	54	3	1		1								
55 to 59 years	362	270	277	211	83	57	2			1		1						
60 to 64 years	451	334	328	248	116	81	6	5	1									
65 to 69 years	600	468	481	372	110	95	7	1	2									
70 to 74 years	689	584	544	460	127	119	16	4	1	1	1							
75 to 79 years	632	546	513	443	109	96	8	4	2	2		1						
80 to 84 years	469	512	380	425	82	85	6	1		1	1							
85 to 89 years	247	318	201	263	45	52	1	3										
90 to 94 years	79	131	61	108	17	20	1	3										
95 to 99 years	16	38	12	27	4	10		1										
100 years and over	5	3	5	3														
Unknown	1		1															

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MARYLAND																		
All ages	11,416	9,686	7,199	6,209	1,258	979	138	44	2,816	2,451	1	------	3	3	1	------	------	------
Under 1 year	1,527	1,120	1,015	747	1	------	2	3	509	370	------	------	------	------	------	------	------	------
1 to 4 years	449	397	313	253	------	1	1	------	135	141	------	------	------	2	------	------	------	------
5 to 9 years	174	153	129	102	1	------	1	1	43	50	------	------	------	------	------	------	------	------
10 to 14 years	131	96	93	59	------	3	------	------	38	34	------	------	------	------	------	------	------	------
15 to 19 years	212	243	132	147	4	2	------	------	76	94	------	------	------	------	------	------	------	------
20 to 24 years	354	273	204	153	14	4	------	1	136	115	------	------	------	------	------	------	------	------
25 to 29 years	357	325	187	170	21	16	4	------	144	139	------	------	------	------	1	------	------	------
30 to 34 years	383	324	181	170	40	17	8	1	154	136	------	------	------	------	------	------	------	------
35 to 39 years	549	379	296	216	60	26	9	1	182	135	1	------	1	1	------	------	------	------
40 to 44 years	585	443	297	227	82	29	13	1	193	186	------	------	------	------	------	------	------	------
45 to 49 years	672	481	353	257	105	46	16	1	198	177	------	------	------	------	------	------	------	------
50 to 54 yaers	786	585	460	336	115	73	14	3	197	173	------	------	------	------	------	------	------	------
55 to 59 years	836	606	544	364	104	76	8	5	179	161	------	------	1	------	------	------	------	------
60 to 64 years	914	753	589	494	134	107	17	4	173	148	------	------	1	------	------	------	------	------
65 to 69 years	976	853	674	604	161	124	9	5	132	120	------	------	------	------	------	------	------	------
70 to 74 years	916	835	650	603	140	128	12	7	114	97	------	------	------	------	------	------	------	------
75 to 79 years	771	726	551	536	118	117	6	4	96	69	------	------	------	------	------	------	------	------
80 to 84 years	487	586	329	441	103	99	7	------	48	46	------	------	------	------	------	------	------	------
85 to 89 years	223	337	152	232	39	74	2	5	30	26	------	------	------	------	------	------	------	------
90 to 94 years	65	118	43	77	13	26	1	2	8	13	------	------	------	------	------	------	------	------
95 to 99 years	12	26	5	10	1	9	------	------	6	7	------	------	------	------	------	------	------	------
100 years and over	3	11	1	5	1	1	------	------	1	5	------	------	------	------	------	------	------	------
Unknown	34	16	1	6	1	1	8	------	24	9	------	------	------	------	------	------	------	------
MASSACHUSETTS																		
All ages	25,190	24,095	15,951	14,954	8,616	8,603	153	83	426	450	2	3	36	2	4	------	2	------
Under 1 year	3,069	2,241	3,000	2,184	3	2	------	1	66	51	------	1	------	2	------	------	------	------
1 to 4 years	925	786	905	756	8	10	------	------	12	20	------	------	------	------	------	------	------	------
5 to 9 years	536	410	501	394	26	12	1	1	8	3	------	------	------	------	------	------	------	------
10 to 14 years	345	289	323	268	14	15	1	2	5	4	------	------	2	------	------	------	------	------
15 to 19 years	452	385	390	318	48	47	------	------	12	20	1	------	1	------	------	------	------	------
20 to 24 years	505	571	387	447	100	101	1	1	15	22	------	------	1	------	------	------	1	------
25 to 29 years	554	623	394	467	128	137	4	1	23	18	1	------	4	------	------	------	------	------
30 to 34 years	728	708	458	446	229	229	4	4	36	29	------	------	------	------	1	------	------	------
35 to 39 years	931	785	474	411	424	353	9	1	22	20	------	------	1	------	1	------	------	------
40 to 44 years	1,053	849	524	424	483	401	16	3	27	21	------	------	3	------	------	------	------	------
45 to 49 years	1,266	1,097	641	575	580	482	14	4	27	36	------	------	4	------	------	------	------	------
50 to 54 years	1,684	1,469	799	747	836	683	13	5	31	34	------	------	5	------	------	------	------	------
55 to 59 years	1,977	1,650	961	783	962	830	17	6	31	31	------	------	5	------	1	------	------	------
60 to 64 years	2,207	2,000	1,079	913	1,069	1,047	20	8	32	32	------	------	6	------	1	------	------	------
65 to 69 years	2,468	2,231	1,345	1,167	1,066	1,027	21	7	32	30	------	------	3	------	------	------	1	------
70 to 74 years	2,283	2,337	1,318	1,292	930	1,011	11	10	24	22	------	2	------	------	------	------	------	------
75 to 79 years	1,975	2,253	1,142	1,280	809	940	13	5	10	28	------	------	1	------	------	------	------	------
80 to 84 years	1,309	1,772	753	1,064	546	682	5	13	5	13	------	------	------	------	------	------	------	------
85 to 89 years	656	1,067	397	648	253	406	------	6	6	7	------	------	------	------	------	------	------	------
90 to 94 years	215	459	126	306	88	145	------	3	1	5	------	------	------	------	------	------	------	------
95 to 99 years	40	93	29	55	10	35	------	1	1	2	------	------	------	------	------	------	------	------
100 years and over	4	16	1	7	3	7	------	------	------	2	------	------	------	------	------	------	------	------
Unknown	8	4	4	2	1	1	3	1	------	------	------	------	------	------	------	------	------	------
MICHIGAN																		
All ages	27,924	22,719	17,620	15,289	7,956	6,035	835	264	1,411	1,062	83	65	14	3	------	------	5	1
Under 1 year	3,860	2,918	3,668	2,748	6	13	4	1	166	140	15	14	1	2	------	------	------	------
1 to 4 years	1,112	949	992	869	16	23	9	2	84	50	10	5	1	------	------	------	------	------
5 to 9 years	599	498	528	449	32	25	9	4	27	19	3	1	------	------	------	------	------	------
10 to 14 years	394	342	357	301	14	18	5	3	17	16	1	4	------	------	------	------	------	------
15 to 19 years	629	544	517	431	55	43	14	11	40	55	2	4	1	------	------	------	------	------
20 to 24 years	803	754	570	572	111	83	23	14	91	83	5	2	------	------	------	------	3	------
25 to 29 years	837	829	506	541	141	149	26	16	154	120	6	3	3	------	------	------	1	------
30 to 34 years	985	840	528	517	256	197	52	18	144	106	3	1	1	1	------	------	1	------
35 to 39 years	1,247	912	606	560	427	248	59	11	150	91	5	2	------	------	------	------	------	------
40 to 44 years	1,431	930	664	562	554	266	78	18	134	83	1	1	------	------	------	------	------	------
45 to 49 years	1,405	939	683	568	520	283	74	12	126	75	2	1	------	------	------	------	------	------
50 to 54 years	1,489	1,050	786	682	551	300	76	13	73	51	2	4	1	------	------	------	------	------
55 to 59 years	1,664	1,252	941	740	590	438	64	19	63	51	4	4	2	------	------	------	------	------
60 to 64 years	1,917	1,547	1,031	884	752	616	77	18	49	27	7	2	1	------	------	------	------	------
65 to 69 years	2,416	1,976	1,381	1,173	954	746	53	22	20	28	5	7	3	------	------	------	------	------
70 to 74 years	2,436	1,973	1,408	1,175	920	743	81	24	23	29	4	2	------	------	------	------	------	------
75 to 79 years	2,109	1,783	1,131	1,004	897	740	53	25	23	13	5	1	------	------	------	------	------	------
80 to 84 years	1,512	1,468	812	835	652	603	33	17	15	12	------	1	------	------	------	------	------	------
85 to 89 years	751	841	372	467	362	359	12	10	3	3	2	1	------	------	------	------	------	1
90 to 94 years	243	295	114	178	118	108	7	3	4	5	------	1	------	------	------	------	------	------
95 to 99 years	38	51	17	26	19	23	1	1	1	------	------	1	------	------	------	------	------	------
100 years and over	7	16	1	1	3	8	------	------	2	4	1	3	------	------	------	------	------	------
Unknown	40	12	7	6	6	3	25	2	2	1	------	------	------	------	------	------	------	------

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MINNESOTA																		
All ages	13,907	10,781	7,801	6,393	5,648	4,163	216	31	113	66	122	128	7					
Under 1 year	1,508	1,135	1,466	1,104	2				5	5	35	26						
1 to 4 years	368	336	348	319	3	1	1		1		15	16						
5 to 9 years	227	176	222	168	1			2		2	4	4						
10 to 14 years	196	181	184	168	2	2			2	1	7	10	1					
15 to 19 years	312	246	290	223	8	11	1		2	2	11	10						
20 to 24 years	370	342	322	315	35	17		1	5	2	8	7						
25 to 29 years	348	357	295	315	37	34	7	1	5	3	4	4						
30 to 34 years	394	344	316	288	69	41	5	1	2	6	2	8						
35 to 39 years	501	394	353	316	121	66	13	2	10	2	4	8						
40 to 44 years	603	440	381	318	192	110	14	1	15	8		3	1					
45 to 49 years	674	474	374	300	263	166	16		18	5	3	3						
50 to 54 years	731	521	388	320	305	189	24	1	10	7	3	4	1					
55 to 59 years	873	622	461	334	379	281	19	1	10	4	4	2						
60 to 64 years	1,233	806	532	371	655	429	32		10	6	2		2					
65 to 69 years	1,459	1,035	633	480	791	538	29	6	3	6	3	5						
70 to 74 years	1,377	909	505	337	835	561	25	5	5	2	6	4	1					
75 to 79 years	1,185	930	361	297	802	624	14	5	4	2	3	2	1					
80 to 84 years	918	766	237	205	666	550	8	4	4	1	3	6						
85 to 89 years	424	474	89	133	327	337	4	1	1	2	3	1						
90 to 94 years	161	246	36	67	121	176	2				2	3						
95 to 99 years	39	43	8	14	30	27			1			2						
100 years and over	4	4		1	4	3												
Unknown	2						2											
MISSISSIPPI																		
All ages	12,081	11,122	4,598	3,731	111	61	207	139	7,155	7,177	8	14	2					
Under 1 year	1,836	1,454	793	544	1		1		1,039	907	2	3						
1 to 4 years	842	685	332	243			7	4	503	438								
5 to 9 years	294	270	111	109	1		5	4	176	157	1							
10 to 14 years	252	227	90	61		2	4	1	158	163								
15 to 19 years	480	519	137	104		3	3	7	340	403		2						
20 to 24 years	553	674	116	131	3		4	5	430	537		1						
25 to 29 years	488	582	115	137	2	1	7	2	364	440		2						
30 to 34 years	395	540	116	138	2	1	6	4	271	397								
35 to 39 years	476	591	149	130	5	2	10	6	312	453								
40 to 44 years	496	543	160	134	2	4	6	1	328	404								
45 to 49 years	567	583	211	160	7		11	4	338	418		1						
50 to 54 years	642	597	194	171	9	4	9	4	429	418	1							
55 to 59 years	683	504	261	163	7	1	10	6	405	334								
60 to 64 years	655	464	257	159	8	9	16	9	373	287			1					
65 to 69 years	800	577	396	272	10	7	21	15	373	282		1						
70 to 74 years	798	613	413	314	21	6	23	14	341	279								
75 to 79 years	707	583	355	325	13	5	24	18	315	235								
80 to 84 years	513	443	254	228	6	7	14	12	237	195	2	1						
85 to 89 years	244	267	88	124	9	4	7	7	139	130	1	2						
90 to 94 years	100	134	23	45	3	3	4	1	70	85								
95 to 99 years	46	41	3	8		1			43	32								
100 years and over	42	102		4			1		41	98								
Unknown	172	129	24	27	2	1	14	15	130	85	1	1	1					
MISSOURI																		
All ages	22,368	18,385	16,624	14,201	2,618	1,855	734	305	2,385	2,022	4	2	3					
Under 1 year	2,301	1,665	2,060	1,477			1		240	187		1						
1 to 4 years	815	675	708	582	3		6	5	98	88								
5 to 9 years	389	247	350	222	2	1	5	2	32	22								
10 to 14 years	315	252	278	211	4	5	1	1	32	35								
15 to 19 years	455	451	374	347	8	5	4	4	69	95								
20 to 24 years	501	624	386	456	16	11	12	10	87	147								
25 to 29 years	587	595	412	445	19	20	15	12	141	118								
30 to 34 years	641	654	455	477	32	27	20	6	134	144								
35 to 39 years	852	772	569	565	58	38	41	9	183	160			1					
40 to 44 years	959	797	639	560	93	49	46	11	179	176	2	1						
45 to 49 years	1,077	861	718	642	110	67	43	14	206	138								
50 to 54 years	1,382	1,031	936	785	151	80	56	16	238	150	1							
55 to 59 years	1,547	1,176	1,132	916	190	128	58	13	166	119			1					
60 to 64 years	1,865	1,319	1,323	1,030	318	162	63	28	159	99	1		1					
65 to 69 years	2,156	1,597	1,585	1,273	348	196	100	32	123	96								
70 to 74 years	2,117	1,654	1,594	1,298	359	240	72	32	92	84								
75 to 79 years	1,978	1,588	1,444	1,207	364	285	85	35	85	61								
80 to 84 years	1,351	1,286	964	917	302	296	39	39	46	34								
85 to 89 years	727	742	494	540	177	165	22	16	34	21								
90 to 94 years	224	293	158	199	45	65	7	10	14	19								
95 to 99 years	47	65	30	35	9	10	1		7	10								
100 years and over	11	21	2	6	3	3	1		5	12								
Unknown	71	30	13	11	7	2	36	10	15	7								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MONTANA																		
All ages	3,465	1,877	2,073	1,250	990	421	169	14	18	13	188	176	20		7	3		
Under 1 year	376	275	325	233		1			1		48	41			2			
1 to 4 years	143	100	93	69	1	1					47	29	1		1	1		
5 to 9 years	80	55	66	40		1					14	14						
10 to 14 years	57	53	48	44	3						6	9						
15 to 19 years	102	43	85	36	10						7	7						
20 to 24 years	85	54	63	41	9	6	8				5	7						
25 to 29 years	87	75	66	59	11	7	4		1		5	8				1		
30 to 34 years	109	80	73	65	29	7	2	2		1	5	5						
35 to 39 years	145	88	77	59	51	22	11		1		3	7	1		1			
40 to 44 years	206	104	106	61	83	35	8		1	3	7	4			1	1		
45 to 49 years	209	82	118	55	70	25	17	1	1		3	1						
50 to 54 years	232	95	118	60	87	32	18		2		5	3	1		1			
55 to 59 years	292	117	147	73	121	42	17			1	6	1	1					
60 to 64 years	303	109	147	63	125	41	21	1	3	1	6	3			1			
65 to 69 years	298	137	162	71	106	52	25	2		1	3	11	2					
70 to 74 years	289	126	152	69	113	43	14	3		3	5	8	5					
75 to 79 years	232	131	122	72	86	49	13	3	4	1	3	6	4					
80 to 84 years	122	78	63	41	41	32	5		3		7	5	3					
85 to 89 years	62	51	32	29	24	17	2	1	1	1	1	3	2					
90 to 94 years	24	16	7	6	15	6	1	1		1	1	2						
95 to 99 years	4	3	2	2	2	1												
100 years and over	1	2			1	1						1						
Unknown	7	3	1	2	2		3				1	1						
NEBRASKA																		
All ages	6,735	5,634	4,806	4,072	1,630	1,367	125	30	138	111	33	48	2	1	1	4		1
Under 1 year	816	611	799	596		1			5	6	11	6			1	2		
1 to 4 years	221	210	215	196	1	1			2	4	3	8				1		
5 to 9 years	117	105	112	103	1	2			1		3							
10 to 14 years	102	92	97	87	1	2			3	3	1							
15 to 19 years	120	121	109	112	4	1	2		2	3	2	4	1	1				
20 to 24 years	159	148	143	134	7	6	2	2	7	3		3						
25 to 29 years	150	167	127	150	12	8	2		8	5	1	3				1		
30 to 34 years	141	191	114	166	12	15	5	1	10	8		1						
35 to 39 years	192	198	151	164	25	16	4	1	11	10	1	7						
40 to 44 years	217	229	156	170	42	43	4	2	15	12		2						
45 to 49 years	283	234	198	179	63	38	6	1	15	13	1	2						1
50 to 54 years	329	284	239	215	68	53	10	1	9	13	2	2	1					
55 to 59 years	406	328	290	224	93	93	14	1	7	8	2	2						
60 to 64 years	535	371	319	230	184	129	19	5	13	5		2						
65 to 69 years	732	492	466	310	237	171	16	4	11	6	2	1						
70 to 74 years	679	523	418	303	236	204	13	6	10	8	2	2						
75 to 79 years	667	525	398	294	247	230	16		6			1						
80 to 84 years	487	441	268	261	214	175	4	3	1	2								
85 to 89 years	267	250	130	128	130	121	5	1	2									
90 to 94 years	86	88	46	40	39	44	1	2		1		1						
95 to 99 years	18	21	7	9	11	12												
100 years and over	4	2	1		3	1				1								
Unknown	7	3	3	1		1	2				2	1						
NEW HAMPSHIRE																		
All ages	3,308	3,021	2,440	2,257	751	662	113	94	3	8			1					
Under 1 year	359	250	359	249						1								
1 to 4 years	92	75	90	75	1		1											
5 to 9 years	39	45	39	40		1		3		1								
10 to 14 years	45	30	43	24	2	5		1										
15 to 19 years	56	45	48	35	4	8	4	1		1								
20 to 24 years	37	61	29	49	7	9	1	2		1								
25 to 29 years	48	52	39	39	9	11		2										
30 to 34 years	52	72	34	56	17	15	1	1										
35 to 39 years	77	74	50	53	24	19	3	2										
40 to 44 years	99	69	54	51	39	17	6	1										
45 to 49 years	122	120	71	76	46	39	4	5	1									
50 to 54 years	139	154	90	92	40	55	8	7					1					
55 to 59 years	250	172	155	111	91	55	4	6										
60 to 64 years	276	228	183	146	87	68	6	13		1								
65 to 69 years	350	272	245	198	98	72	7	2										
70 to 74 years	422	339	300	244	103	83	19	10		2								
75 to 79 years	395	343	276	251	96	78	23	14										
80 to 84 years	245	304	186	221	50	71	7	11	2	1								
85 to 89 years	140	195	112	152	25	40	3	3										
90 to 94 years	33	86	23	73	7	9	3	4										
95 to 99 years	8	19	7	17	1	1		1										
100 years and over	2	2	1	1	1	1												
Unknown	22	14	6	4	3	5	13	5										

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEW JERSEY																		
All ages	22,213	19,915	13,447	12,309	6,804	5,890	222	48	1,724	1,668	2		11		1		2	
Under 1 year	2,525	1,942	2,227	1,691	3		1		294	251								
1 to 4 years	865	725	761	641	5	3	2		97	81								
5 to 9 years	526	372	468	337	17	5	1		40	30								
10 to 14 years	372	257	327	214	14	11			30	32							1	
15 to 19 years	419	391	336	302	27	33		1	56	55								
20 to 24 years	517	585	352	385	91	73			73	127			1					
25 to 29 years	575	633	351	380	129	146	2		92	107			1					
30 to 34 years	739	704	384	404	234	191	6		112	109			2		1			
35 to 39 years	1,002	760	472	384	400	270	19	2	109	104			1				1	
40 to 44 years	1,194	903	506	452	529	320	25	1	132	130			2					
45 to 49 years	1,478	1,052	667	544	633	380	29	3	149	125								
50 to 54 years	1,750	1,182	864	638	718	443	25		143	101								
55 to 59 years	1,809	1,457	890	730	767	623	33	1	118	103			1					
60 to 64 years	1,992	1,685	989	851	893	737	19	5	89	92			2					
65 to 69 years	1,904	1,801	1,069	1,034	746	691	22	6	65	70	2							
70 to 74 years	1,716	1,772	1,043	1,039	613	658	13	8	47	67								
75 to 79 years	1,344	1,609	812	945	491	620	12	9	29	35								
80 to 84 years	910	1,138	574	717	305	392	4	6	27	23								
85 to 89 years	419	642	272	419	127	203	2	4	17	16			1					
90 to 94 years	124	238	72	160	49	70	1	1	2	7								
95 to 99 years	24	57	10	40	10	16	1		3	1								
100 years and over	3	10		2	3	5		1		2								
Unknown	6		1				5											
NEW YORK																		
All ages	75,380	65,519	45,517	40,815	25,486	21,660	992	239	3,151	2,752	52	41	147	9	25	2	10	1
Under 1 year	7,795	5,718	7,237	5,282	9	10	6	4	529	412	8	5	5	3	1	1		1
1 to 4 years	2,509	2,110	2,328	1,942	24	24	6	2	145	138	5	4	1					
5 to 9 years	1,400	1,102	1,285	1,013	57	36	3	3	54	47		2	1	1				
10 to 14 years	917	734	846	658	32	36	2	2	34	37	1		2	1				
15 to 19 years	1,370	1,239	1,129	1,010	150	121	7	1	81	105		1	3			1		
20 to 24 years	1,843	1,785	1,276	1,263	385	327	8	3	165	188		3	4	1	2		3	
25 to 29 years	2,131	1,919	1,250	1,217	558	474	30	5	265	222	1	1	21		3		3	
30 to 34 years	2,561	2,297	1,324	1,348	881	719	56	13	265	213	8	4	22		3		2	
35 to 39 years	3,556	2,522	1,670	1,341	1,480	942	105	12	280	227			15		4		2	
40 to 44 years	4,055	2,765	1,825	1,438	1,817	1,102	104	14	290	210	4	1	10		5			
45 to 49 years	4,707	3,409	2,235	1,806	2,063	1,379	122	11	269	208	1	3	14	2	3			
50 to 54 years	5,588	4,279	2,833	2,333	2,397	1,757	115	16	216	172	7	1	20					
55 to 59 years	6,248	4,846	3,272	2,549	2,713	2,133	76	19	174	142	3	3	9		1			
60 to 64 years	6,798	5,760	3,368	2,997	3,162	2,607	116	23	141	128	1	4	8	1	2			
65 to 69 years	7,053	6,336	3,871	3,567	3,002	2,652	78	18	90	97	4	2	7		1			
70 to 74 years	6,364	6,180	3,776	3,706	2,470	2,353	56	27	57	91	3	3	2					
75 to 79 years	5,038	5,357	2,964	3,083	2,005	2,197	27	24	38	51	2	2	2					
80 to 84 years	3,201	3,925	1,806	2,279	1,345	1,590	22	23	26	33	1		1					
85 to 89 years	1,600	2,240	924	1,395	643	817	14	7	17	20	2	1						
90 to 94 years	459	760	241	460	211	292	3	4	4	4								
95 to 99 years	112	185	45	109	63	68		4	4	3		1						
100 years and over	18	31	5	13	10	15	2		1	3								
Unknown	57	20	7	6	9	9	34	4	6	1	1							
NORTH CAROLINA																		
All ages	16,892	16,025	10,170	9,248	90	56	149	131	6,392	6,519	88	71	3					
Under 1 year	3,705	2,883	2,157	1,626			4	4	1,510	1,235	33	18	1					
1 to 4 years	1,277	1,108	765	653		1	6	11	496	436	10	7						
5 to 9 years	352	309	220	176			4	5	125	126	3	2						
10 to 14 years	273	237	153	114					118	122	2	1						
15 to 19 years	502	608	232	225		1	3	2	266	375	1	5						
20 to 24 years	616	825	290	334	1	1	5		316	486	4	4						
25 to 29 years	580	735	288	310	4	5	8	3	280	415		2						
30 to 34 years	551	630	268	325	9	1	7	5	264	296	3	3						
35 to 39 years	605	749	313	368	10	3	5	1	274	375	2	2	1					
40 to 44 years	573	679	292	328	4	2	6	3	269	343	1	3	1					
45 to 49 years	695	705	358	363	4	5	7	6	324	329	2	2						
50 to 54 years	784	715	432	352	3	6	11	6	335	350	3	1						
55 to 59 years	804	696	533	425	5	4	9	13	253	254	4							
60 to 64 years	935	693	574	428	13	2	12	3	334	259	2	1						
65 to 69 years	1,114	1,000	825	741	9	4	15	14	260	236	5	5						
70 to 74 years	1,238	1,004	918	747	5	3	12	13	300	239	3	2						
75 to 79 years	1,102	918	829	711	13	5	12	17	244	181	4	4						
80 to 84 years	628	746	447	545	4	9	10	6	165	181	2	5						
85 to 89 years	283	396	170	301	3	2	3	8	104	83	3	2						
90 to 94 years	110	173	59	108	3	1		1	48	62		1						
95 to 99 years	41	57	12	22		1		2	29	32								
100 years and over	35	61	3	9			1	1	31	51								
Unknown	89	98	32	37			9	7	47	53	1	1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH DAKOTA																		
All ages	3,003	2,208	1,709	1,326	1,125	758	56	4	4	4	109	116						
Under 1 year	540	392	515	372							25	20						
1 to 4 years	139	123	121	102		3	1			1	17	17						
5 to 9 years	70	60	65	54							5	6						
10 to 14 years	76	63	71	48	2	4		1		1	3	9						
15 to 19 years	106	74	92	60	7	3	1				6	11						
20 to 24 years	73	87	72	79		4	1			1		3						
25 to 29 years	80	66	62	53	9	10	4				5	3						
30 to 34 years	65	74	43	59	13	11	1		1		7	4						
35 to 39 years	83	71	55	42	25	26	2		1			3						
40 to 44 years	102	108	49	76	43	28	8				2	4						
45 to 49 years	119	86	60	46	50	37	3		1		5	3						
50 to 54 years	151	91	75	58	65	31	4				7	2						
55 to 59 years	180	88	57	44	107	43	10		1		5	1						
60 to 64 years	216	127	72	44	136	74	6	2			2	7						
65 to 69 years	266	161	84	48	172	110	3	1			7	2						
70 to 74 years	283	153	100	47	173	102	6				4	4						
75 to 79 years	219	152	60	40	153	107	1			1	5	4						
80 to 84 years	139	119	44	28	91	87	2				2	4						
85 to 89 years	77	78	8	20	64	55	3				2	3						
90 to 94 years	16	29	4	5	12	19						5						
95 to 99 years	3	4		1	3	3												
100 years and over		2				1						1						
Unknown																		
OHIO																		
All ages	38,973	34,542	28,466	26,666	6,478	5,233	1,012	210	2,992	2,429	3	1	22	2				1
Under 1 year	4,338	3,307	3,965	3,021		2	2	1	369	282			2	1				
1 to 4 years	1,318	1,087	1,171	969	7	4		2	139	111			1	1				
5 to 9 years	769	585	707	534	9	6	1		52	45								
10 to 14 years	526	433	482	382	11	6			33	45								
15 to 19 years	751	718	631	569	30	28	1	3	89	118								
20 to 24 years	947	1,035	694	792	70	63	18	4	165	176								
25 to 29 years	1,103	1,091	710	770	114	97	40	2	237	222			2					
30 to 34 years	1,277	1,134	773	816	188	142	74	4	240	172			2					
35 to 39 years	1,545	1,306	893	901	335	212	67	7	248	186	1		1					
40 to 44 years	1,783	1,349	1,012	942	440	224	74	6	253	177			4					
45 to 49 years	2,053	1,635	1,212	1,143	518	303	80	8	242	181			1					
50 to 54 years	2,317	1,799	1,519	1,326	481	309	98	6	216	157	1		2					1
55 to 59 years	2,674	2,039	1,848	1,556	545	337	87	13	189	133			5					
60 to 64 years	2,987	2,587	2,119	1,958	650	516	96	14	122	98		1						
65 to 69 years	3,685	3,120	2,770	2,464	722	546	73	29	119	81			1					
70 to 74 years	3,688	3,382	2,812	2,668	706	608	74	33	95	73			1					
75 to 79 years	3,349	3,191	2,495	2,387	708	722	60	30	86	52								
80 to 84 years	2,319	2,609	1,602	1,946	574	587	93	24	49	52	1							
85 to 89 years	1,142	1,486	800	1,090	262	347	52	16	28	33								
90 to 94 years	323	525	210	360	88	139	11	5	14	21								
95 to 99 years	57	95	33	60	17	28	5	3	2	4								
100 years and over	14	24	5	10	3	6	1		5	8								
Unknown	8	5	3	2		1	5			2								
OREGON																		
All ages	6,023	4,183	4,195	3,260	1,390	779	254	44	25	25	55	57	59	4	40	13	5	1
Under 1 year	406	289	383	280					1	2	12	4		1	10	1		1
1 to 4 years	141	91	137	82			1				1		2		1	8		
5 to 9 years	116	85	99	80	4	1	1				6	3			6	1		
10 to 14 years	100	75	90	68	6	1					2	4		1	2	1		
15 to 19 years	123	108	110	87	4	8	1	5	1		5	8	1		1			
20 to 24 years	160	111	129	98	16	7	7	1	2		3	5			3			
25 to 29 years	137	147	106	131	16	9	6		2	5	3	2			1		3	
30 to 34 years	165	135	130	115	25	14	6			1	1	2	3	2		1		
35 to 39 years	225	152	151	136	53	13	11	2	2	1	1		3		3		1	
40 to 44 years	263	164	162	142	77	16	19	3		1		1	2		2	1	1	
45 to 49 years	283	216	195	170	56	43	19	1	3		3	2	1		6			
50 to 54 years	376	231	247	160	94	63	25	4	2	4	4		1		3			
55 to 59 years	457	247	309	173	118	61	25	6	2	2	1	5	2					
60 to 64 years	519	334	328	244	147	83	27	1	3	2	3	4	11					
65 to 69 years	646	427	411	315	181	102	43	6	1	2	1	2	9					
70 to 74 years	683	446	441	333	196	104	30	5	4		2	4	10					
75 to 79 years	563	385	365	279	171	97	13	4	2	1	3	4	9					
80 to 84 years	367	281	236	198	117	79	11	2				2	3					
85 to 89 years	187	158	101	106	76	48	5	2			4	2	1					
90 to 94 years	75	79	53	53	21	21	1			3		2						
95 to 99 years	15	17	9	9	6	7				1								
100 years and over	3	4	1		2	2		1				1						
Unknown	13	1	2	1	4		4						1		2			

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
PENNSYLVANIA																		
All ages	60,092	51,160	41,525	38,015	13,355	9,515	969	284	4,211	3,343	7	----	22	3	2	----	1	----
Under 1 year	8,338	6,148	7,695	5,635	7	5	5	2	629	505	2	----	----	1	----	----	----	----
1 to 4 years	2,455	2,168	2,218	1,968	14	9	4	2	218	188	----	----	1	1	----	----	----	----
5 to 9 years	1,157	962	1,081	892	18	8	2	1	56	61	----	----	----	----	----	----	----	----
10 to 14 years	884	642	806	577	15	9	3	1	60	55	----	----	----	----	----	----	----	----
15 to 19 years	1,178	1,143	1,023	931	45	54	6	----	104	158	----	----	----	----	----	----	----	----
20 to 24 years	1,475	1,469	1,109	1,138	131	118	6	3	228	210	1	----	----	----	----	----	----	----
25 to 29 years	1,593	1,666	989	1,202	273	198	19	3	308	263	1	----	2	----	----	----	1	----
30 to 34 years	2,006	1,713	1,108	1,131	533	319	43	16	320	246	1	----	1	1	----	----	----	----
35 to 39 years	2,505	1,963	1,228	1,211	830	492	68	14	374	246	1	----	4	----	----	----	----	----
40 to 44 years	2,950	2,158	1,420	1,300	1,093	584	72	13	363	261	----	----	2	----	----	----	----	----
45 to 49 years	3,452	2,395	1,744	1,487	1,234	671	114	18	358	219	----	----	2	----	----	----	----	----
50 to 54 years	4,132	3,015	2,311	1,928	1,435	850	110	12	273	225	----	----	2	----	1	----	----	----
55 to 59 years	4,345	3,282	2,581	2,250	1,414	836	97	25	250	171	----	----	3	----	----	----	----	----
60 to 64 years	5,007	3,875	2,997	2,558	1,672	1,125	118	28	218	164	----	----	1	----	1	----	----	----
65 to 69 years	5,098	4,351	3,492	3,179	1,356	1,019	90	30	157	123	----	----	3	----	----	----	----	----
70 to 74 years	4,980	4,488	3,621	3,402	1,151	962	81	31	127	93	----	----	----	----	----	----	----	----
75 to 79 years	4,105	4,156	2,944	3,071	1,011	980	71	42	78	63	----	----	1	----	----	----	----	----
80 to 84 years	2,737	3,099	1,979	2,298	684	734	27	17	47	50	----	----	----	----	----	----	----	----
85 to 89 years	1,231	1,728	875	1,315	312	364	21	20	23	29	----	----	----	----	----	----	----	----
90 to 94 years	388	592	261	445	111	134	4	6	11	7	1	----	----	----	----	----	----	----
95 to 99 years	59	130	39	88	15	41	1	----	4	1	----	----	----	----	----	----	----	----
100 years and over	8	16	3	8	----	3	----	----	5	5	----	----	----	----	----	----	----	----
Unknown	9	1	1	1	1	----	7	----	----	----	----	----	----	----	----	----	----	----
RHODE ISLAND																		
All ages	4,049	3,848	2,442	2,329	1,433	1,385	45	27	126	106	2	1	1	----	----	----	----	----
Under 1 year	516	397	497	380	1	1	----	----	17	16	1	----	----	----	----	----	----	----
1 to 4 years	184	143	173	139	4	1	----	----	7	3	----	----	----	----	----	----	----	----
5 to 9 years	82	77	72	73	6	3	1	1	3	----	----	----	----	----	----	----	----	----
10 to 14 years	47	36	44	35	1	----	----	1	2	----	----	----	----	----	----	----	----	----
15 to 19 years	57	50	46	41	7	5	----	----	4	4	----	----	----	----	----	----	----	----
20 to 24 years	78	97	57	75	15	19	----	1	6	2	----	----	----	----	----	----	----	----
25 to 29 years	72	91	56	58	10	29	1	----	5	4	----	----	----	----	----	----	----	----
30 to 34 years	110	121	60	73	41	44	1	2	8	2	----	----	----	----	----	----	----	----
35 to 39 years	140	108	70	62	57	38	3	1	10	7	----	----	----	----	----	----	----	----
40 to 44 years	159	142	82	70	66	59	3	2	8	11	----	----	----	----	----	----	----	----
45 to 49 years	214	169	93	86	107	79	5	----	9	4	----	----	----	----	----	----	----	----
50 to 54 years	281	229	128	106	140	111	5	2	8	10	----	----	----	----	----	----	----	----
55 to 59 years	329	270	148	120	168	144	4	1	7	5	1	----	1	----	----	----	----	----
60 to 64 years	366	314	166	136	192	164	6	5	2	9	----	----	----	----	----	----	----	----
65 to 69 years	423	400	214	186	193	206	8	2	8	6	----	----	----	----	----	----	----	----
70 to 74 years	373	410	198	219	158	178	4	2	13	10	----	1	----	----	----	----	----	----
75 to 79 years	308	329	163	179	140	142	2	4	3	4	----	----	----	----	----	----	----	----
80 to 84 years	191	241	106	141	79	97	----	1	6	2	----	----	----	----	----	----	----	----
85 to 89 years	79	153	50	102	29	47	----	1	----	3	----	----	----	----	----	----	----	----
90 to 94 years	26	46	13	36	13	9	----	----	----	1	----	----	----	----	----	----	----	----
95 to 99 years	6	16	3	8	3	6	----	1	----	1	----	----	----	----	----	----	----	----
100 years and over	2	7	----	3	2	2	----	----	----	2	----	----	----	----	----	----	----	----
Unknown	6	2	3	1	1	1	2	----	----	----	----	----	----	----	----	----	----	----
SOUTH CAROLINA																		
All ages	11,082	10,658	4,656	4,128	66	51	37	23	6,319	6,456	1	----	3	----	----	----	----	----
Under 1 year	2,278	1,747	879	641	----	----	1	----	1,398	1,106	----	----	----	----	----	----	----	----
1 to 4 years	808	793	345	327	----	----	----	----	463	466	----	----	----	----	----	----	----	----
5 to 9 years	238	226	100	89	----	----	----	----	138	137	----	----	----	----	----	----	----	----
10 to 14 years	203	186	68	43	----	----	----	1	135	142	----	----	----	----	----	----	----	----
15 to 19 years	346	469	110	123	----	1	----	----	236	345	----	----	----	----	----	----	----	----
20 to 24 years	416	588	121	139	----	----	----	----	295	449	----	----	----	----	----	----	----	----
25 to 29 years	361	581	114	145	1	2	3	----	243	434	----	----	----	----	----	----	----	----
30 to 34 years	365	512	117	149	3	3	1	----	244	360	----	----	----	----	----	----	----	----
35 to 39 years	442	580	143	162	4	1	1	----	294	417	----	----	----	----	----	----	----	----
40 to 44 years	514	557	179	162	3	3	1	----	331	392	----	----	----	----	----	----	----	----
45 to 49 years	580	604	197	192	2	2	1	----	380	410	----	----	----	----	----	----	----	----
50 to 54 years	725	551	275	165	6	----	4	----	438	386	----	----	2	----	----	----	----	----
55 to 59 years	624	462	289	201	6	3	2	4	326	254	1	----	----	----	----	----	----	----
60 to 64 years	610	500	293	221	5	5	2	1	310	273	----	----	----	----	----	----	----	----
65 to 69 years	724	494	419	294	9	7	6	3	290	190	----	----	----	----	----	----	----	----
70 to 74 years	695	548	378	327	10	4	6	2	301	215	----	----	----	----	----	----	----	----
75 to 79 years	504	472	322	315	2	5	4	6	176	146	----	----	----	----	----	----	----	----
80 to 84 years	361	405	191	262	9	11	2	3	159	129	----	----	----	----	----	----	----	----
85 to 89 years	170	193	90	116	3	3	----	2	76	72	----	----	1	----	----	----	----	----
90 to 94 years	55	100	15	38	3	1	----	1	37	60	----	----	----	----	----	----	----	----
95 to 99 years	21	39	5	14	----	----	----	----	16	25	----	----	----	----	----	----	----	----
100 years and over	23	40	----	2	----	----	----	----	23	38	----	----	----	----	----	----	----	----
Unknown	19	11	6	1	----	----	3	----	10	10	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
TENNESSEE																		
All ages	15,230	13,799	10,520	9,412	216	124	174	94	4,311	4,169								
Under 1 year	2,197	1,688	1,664	1,277			2		531	411								
1 to 4 years	947	869	730	651			3		214	218								
5 to 9 years	319	258	240	182	1		2	1	76	75								
10 to 14 years	255	245	179	159			1		75	86								
15 to 19 years	473	539	264	290			7	3	202	246								
20 to 24 years	623	711	322	372	2		4	4	295	335								
25 to 29 years	590	660	336	351	3	1	3	5	248	303								
30 to 34 years	532	595	312	346	4	3	5	2	211	244								
35 to 39 years	642	669	341	371	8	1	9	5	284	292								
40 to 44 years	667	662	393	396	9	4	10	7	255	255								
45 to 49 years	754	736	445	426	9	1	5	5	295	304								
50 to 54 years	905	746	544	449	13	6	19	5	329	286								
55 to 59 years	915	712	631	458	18	7	9	3	257	244								
60 to 64 years	916	758	616	524	34	17	18	6	248	211								
65 to 69 years	1,161	932	903	741	32	10	17	11	209	170								
70 to 74 years	1,132	886	908	723	26	18	19	6	179	139								
75 to 79 years	994	814	805	682	28	18	18	9	143	105								
80 to 84 years	697	694	550	567	19	21	13	10	115	96								
85 to 89 years	336	362	243	297	9	13	6	7	78	45								
90 to 94 years	103	133	74	98	1	3	1	2	27	30								
95 to 99 years	25	52	15	26				1	10	25								
100 years and over	16	30	1	2		1			15	27								
Unknown	31	48	13	24			3	2	15	22								
UTAH																		
All ages	2,620	2,117	1,827	1,505	655	556	60	12	13	12	29	18	10	1	26	13		
Under 1 year	378	321	366	307		3			2	1	7	2		1	3	7		
1 to 4 years	172	144	165	141	1						4				2	3		
5 to 9 years	97	80	94	80	2						1							
10 to 14 years	78	48	76	47	1						1	1						
15 to 19 years	81	58	72	53	3	2	2		1	1	3	2						
20 to 24 years	86	72	71	66	12	4	2	1			1					1		
25 to 29 years	54	90	44	76	8	7	1	1		3		2			1	1		
30 to 34 years	81	63	55	58	18	2	4	1	4	2								
35 to 39 years	104	81	65	64	32	15	2	1			1		1		3	1		
40 to 44 years	120	83	87	67	20	15	2		1	1					10			
45 to 49 years	128	91	85	70	31	18	8	1		1	1	1			3			
50 to 54 years	152	82	99	65	40	17	7		2		2				2			
55 to 59 years	156	90	103	62	45	26	5	1	1	1	1				1			
60 to 64 years	166	113	99	68	57	45	5		1		2		1		1			
65 to 69 years	203	145	126	87	66	56	8		1			2	2					
70 to 74 years	175	154	88	73	83	75	2	1		1	1	4	1					
75 to 79 years	176	161	65	56	104	103	4	1				1	3					
80 to 84 years	122	120	45	37	72	81	3	2			1		1					
85 to 89 years	61	75	18	17	42	58							1					
90 to 94 years	19	37	3	11	15	22		1		1	1	2						
95 to 99 years	5	8	1		3	6		1			1	1						
100 years and over																		
Unknown	6	1				1	5				1							
VERMONT																		
All ages	2,594	2,288	2,118	1,919	446	350	29	17	1	2								
Under 1 year	267	223	266	221	1			1		1								
1 to 4 years	72	62	69	61	3	1												
5 to 9 years	33	36	30	35	3	1												
10 to 14 years	33	17	33	16		1												
15 to 19 years	42	35	37	32	5	3												
20 to 24 years	46	47	40	41	6	6												
25 to 29 years	40	51	37	46	3	4		1										
30 to 34 years	62	53	45	47	16	6	1											
35 to 39 years	53	49	44	43	13	6	1											
40 to 44 years	75	78	64	57	9	21	2											
45 to 49 years	126	72	90	57	35	14	1			1								
50 to 54 years	117	110	93	84	23	26	1											
55 to 59 years	172	136	129	105	42	31	1											
60 to 64 years	224	138	181	109	42	29	1											
65 to 69 years	262	252	203	215	54	32	5	5										
70 to 74 years	317	244	257	204	52	39	8	1										
75 to 79 years	286	260	227	210	57	48	1	2	1									
80 to 84 years	203	227	150	180	48	41	5	6										
85 to 89 years	125	133	98	105	25	28	2											
90 to 94 years	29	52	22	43	7	8		1										
95 to 99 years	5	12	3	8	2	4												
100 years and over		1				1												
Unknown																		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VIRGINIA																		
All ages	15,243	13,529	9,057	7,773	285	167	155	66	5,728	5,516	6	7	2		2		8	
Under 1 year	2,475	1,917	1,459	1,079			6	7	1,009	829	1	2						
1 to 4 years	809	679	467	423		1	9		332	254	1	1						
5 to 9 years	263	259	176	149			1		86	110								
10 to 14 years	232	190	148	98		1	3	1	81	90								
15 to 19 years	441	401	250	165			1		190	236								
20 to 24 years	500	506	241	202	2		6	3	249	301	1				1			
25 to 29 years	455	513	212	213	5	3	10	3	222	294							6	
30 to 34 years	445	497	207	234	10	1	3	2	222	259		1			1		2	
35 to 39 years	552	601	241	235	9	6	5	3	297	307								
40 to 44 years	674	596	312	253	16	9	9	4	337	330								
45 to 49 years	798	661	385	295	18	9	7	2	386	353	1	2	1					
50 to 54 years	978	748	462	357	13	9	9	1	492	381	1		1					
55 to 59 years	939	807	508	420	24	14	7	3	400	369		1						
60 to 64 years	972	860	557	472	29	16	12	2	374	370								
65 to 69 years	1,150	1,002	809	674	36	26	6	5	298	297	1							
70 to 74 years	1,175	969	872	733	32	17	13	7	258	212								
75 to 79 years	1,048	919	790	722	36	23	19	8	203	166								
80 to 84 years	744	713	582	534	30	21	14	7	118	151								
85 to 89 years	398	403	287	310	18	8	5	5	88	80								
90 to 94 years	115	169	68	117	5	2	3		39	50								
95 to 99 years	32	56	16	32	2	1			14	23								
100 years and over	12	38	3	4				1	9	33								
Unknown	36	25	5	2			7	2	24	21								
WASHINGTON																		
All ages	9,473	6,477	5,980	4,528	2,785	1,597	350	71	70	77	122	132	39	3	105	68	22	1
Under 1 year	692	470	634	433	3		3	2	4	3	33	20	2	3	13	9		
1 to 4 years	251	212	221	166	4	3	2	3		1	9	19	1		14	20		
5 to 9 years	182	145	155	128	11	6	3	1		1	7	4			5	5	1	
10 to 14 years	163	116	147	98	2	10	4	1			5	7			5			
15 to 19 years	241	174	201	149	20	8	5	3	2	1	11	8			1	5	1	
20 to 24 years	294	242	232	193	34	36	8	2	2	4	7	7	2		5		4	
25 to 29 years	277	226	204	163	45	42	8	4	5	3	2	7	3		4	6	6	1
30 to 34 years	293	260	201	198	64	38	10	6	4	8	6	4			4	6	4	
35 to 39 years	361	259	206	182	123	60	18	2	4	5	4	5	1		4	5	1	
40 to 44 years	473	314	277	228	146	65	25	2	2	7	4	7	2		17	5		
45 to 49 years	507	351	283	224	179	107	24	7	8	8	1	2	4		7	3	1	
50 to 54 years	575	365	337	256	181	98	33	2	7	4	1	2	1		13	3	2	
55 to 59 years	665	439	403	303	220	118	23	4	8	7	4	7	3		3		1	
60 to 64 years	807	494	422	302	328	173	39	5	9	4	1	9	3		5	1		
65 to 69 years	1,049	623	610	387	371	213	47	7	7	11	4	5	7		3			
70 to 74 years	947	552	539	353	360	183	33	6	3	5	5	5	6				1	
75 to 79 years	798	533	442	337	317	188	31	4	3		2	4	3					
80 to 84 years	504	380	277	238	210	133	8	3	1	2	8	4						
85 to 89 years	261	220	139	126	116	86	4	2	1	2	1	4						
90 to 94 years	78	82	41	54	35	24		3			2	1						
95 to 99 years	20	11	8	6	11	5					1							
100 years and over	5	5		3	1	1					4	1						
Unknown	30	4	1	1	4		22	2		1			1		2			
WEST VIRGINIA																		
All ages	9,492	7,497	7,789	6,528	562	243	15	2	1,126	724								
Under 1 year	1,847	1,380	1,704	1,268	1				142	122								
1 to 4 years	652	602	592	566					60	36								
5 to 9 years	209	146	189	137					20	9								
10 to 14 years	163	127	150	116					13	11								
15 to 19 years	304	251	257	223	4	4			43	24								
20 to 24 years	402	335	311	272	12	6			79	57								
25 to 29 years	413	303	291	251	26	4			96	48								
30 to 34 years	373	289	219	217	54	15		1	100	56								
35 to 39 years	414	299	234	228	71	17	2		107	54								
40 to 44 years	403	279	259	224	65	12	1		78	43								
45 to 49 years	409	283	265	230	59	13	2		83	40								
50 to 54 years	453	289	319	221	54	23	3		77	45								
55 to 59 years	475	339	368	288	52	20	3		52	31								
60 to 64 years	510	366	409	316	42	13	1		58	37								
65 to 69 years	624	425	549	382	38	19	2		35	24								
70 to 74 years	593	518	547	470	27	20		1	19	27								
75 to 79 years	579	507	528	457	24	30			27	20								
80 to 84 years	397	420	355	380	21	24			21	16								
85 to 89 years	199	227	182	197	7	20	1		9	10								
90 to 94 years	55	82	47	73	4	3			4	6								
95 to 99 years	16	17	14	17	1				1									
100 years and over	2	13		5					2	8								
Unknown																		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1927—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WISCONSIN																		
All ages	16,097	13,470	9,950	8,655	5,654	4,546	292	72	115	92	84	105	2					
Under 1 year	1,926	1,477	1,906	1,446	1		2		4	9	13	22						
1 to 4 years	488	429	469	410	1	2	1		8	5	9	12						
5 to 9 years	317	230	306	221	5	1			1	2	5	6						
10 to 14 years	232	196	227	191	2	2			1	1	2	2						
15 to 19 years	327	277	303	246	16	10	3		2	13	3	8						
20 to 24 years	349	403	302	366	26	22	6	1	10	7	5	7						
25 to 29 years	365	375	299	322	42	34	4	3	18	10	2	6						
30 to 34 years	435	363	345	309	70	45	10	1	8	5	2	3						
35 to 39 years	573	458	397	361	145	84	11		16	13	4							
40 to 44 years	625	485	402	344	190	126	21	6	11	3	1	6						
45 to 49 years	748	562	469	411	241	143	24	2	8	4	6	2						
50 to 54 years	809	651	473	447	297	195	28	5	9	1	2	3						
55 to 59 years	1,006	761	588	499	371	251	39	4	3	3	5	4						
60 to 64 years	1,286	960	675	559	562	384	40	5	7	8	2	4						
65 to 69 years	1,646	1,269	882	769	726	483	27	9	4	2	6	6	1					
70 to 74 years	1,641	1,303	793	661	808	624	32	10	3	2	4	6	1					
75 to 79 years	1,430	1,245	581	491	825	739	20	8		4	4	3						
80 to 84 years	1,060	1,092	321	341	720	739	15	10	1		3	2						
85 to 89 years	583	621	141	176	432	439	6	5			4	1						
90 to 94 years	200	235	53	68	144	167	1				2							
95 to 99 years	40	59	16	13	24	44		1				1						
100 years and over	7	18	1	4	5	12		1	1			1						
Unknown	4	1	1		1		2	1										
WYOMING																		
All ages	1,205	771	816	600	226	109	93	11	21	11	32	34	5		11	6	1	
Under 1 year	186	122	174	107	1		1			3	4	9	1		5	3		
1 to 4 years	49	54	45	51					1		3	3						
5 to 9 years	30	28	26	25		1					4	2						
10 to 14 years	27	20	25	15		3			1		1	2						
15 to 19 years	22	26	21	22		2	1					2						
20 to 24 years	46	26	34	22	6	1	2				4	2				1		
25 to 29 years	36	43	26	37	4	5	4		1	1	1							
30 to 34 years	57	31	40	25	11	2	4	2	1		1	1				1		
35 to 39 years	71	49	38	43	17	5	10	1	3		1				2			
40 to 44 years	85	42	47	29	23	9	8		4	1		2	2		1	1		
45 to 49 years	57	35	28	25	16	7	8		1	3	1				2		1	
50 to 54 years	84	36	47	24	17	9	16	1	2		2	2						
55 to 59 years	59	39	30	31	22	6	3	1	1		2	1	1					
60 to 64 years	96	43	55	28	23	12	12	1	2	2	3		1					
65 to 69 years	105	39	65	20	29	15	9	2	1		1	2						
70 to 74 years	72	40	43	33	19	7	6				3				1			
75 to 79 years	62	46	39	28	19	13	3		1			5						
80 to 84 years	39	29	20	18	13	7	4	2	1	1	1	1						
85 to 89 years	17	19	12	13	4	5		1	1									
90 to 94 years	1	3		3			1											
95 to 99 years	1	1		1	1													
100 years and over																		
Unknown	3		1		1		1											

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
1	The registration area in continental United States	White	1,067,485	4,120	1,378	109	3,900	2,381	5,505	7,787	20,220	2,462	1,529	58,340	2,912	5,005	97,492	3,642
		Colored	169,464	1,785	1,497	36	533	59	1,940	639	4,251	105	176	18,855	621	1,834	6,086	535
2	Registration States [2]	White	1,050,358	4,007	1,353	106	3,821	2,354	5,429	7,628	19,826	2,439	1,497	56,884	2,860	4,929	96,153	3,606
		Colored	161,269	1,686	1,466	32	524	57	1,893	607	4,006	101	172	18,165	602	1,754	5,801	509
3	Cities in registration States [2]	White	549,660	1,127	122	20	1,359	1,130	1,848	4,378	7,234	1,341	993	26,635	1,953	2,633	55,362	1,777
		Colored	71,945	364	138	8	174	33	553	263	1,562	69	109	8,021	419	947	2,938	241
4	Rural part of registration States	White	500,698	2,880	1,231	86	2,462	1,224	3,581	3,250	12,592	1,098	504	30,249	907	2,296	40,791	1,829
		Colored	89,324	1,322	1,328	24	350	24	1,340	344	2,444	32	63	10,144	183	807	2,863	268
5	Registration cities in nonregistration States	White	17,127	113	25	3	79	27	76	159	394	23	32	1,456	52	76	1,339	36
		Colored	8,195	99	31	4	9	2	47	32	245	4	4	690	19	80	285	26
6	All registration cities [2]	White	566,787	1,240	147	23	1,438	1,157	1,924	4,537	7,628	1,364	1,025	28,091	2,005	2,709	56,701	1,813
		Colored	80,140	463	169	12	183	35	600	295	1,807	73	113	8,711	438	1,027	3,223	267
7	Alabama	White	14,273	132	89	4	90	21	200	218	424	40	4	722	21	55	843	41
		Colored	12,789	186	119	2	30	2	145	46	335	5	11	1,276	25	121	444	36
8	Urban	White	3,750	23	8		9	4	27	35	110	7	2	122	8	16	284	5
		Colored	3,697	40	16	2	10		40	5	121	3	6	313	15	35	144	7
9	Rural	White	10,523	109	81	4	81	17	173	183	314	33	2	600	13	39	559	36
		Colored	9,092	146	103		20	2	105	41	214	2	5	963	10	86	300	29
10	Arizona	White	5,094	33	2		34	7	39	22	124	14	5	1,220	20	39	206	11
		Colored	787	9			49		5	2	11		1	189	12	11	13	1
11	Urban	White	2,075	6			9	1	8	6	36	3	4	745	13	19	72	4
		Colored	158	1					1	1	1			61		1	5	
12	Rural	White	3,019	27	2		25	6	31	16	88	11	1	475	7	20	134	7
		Colored	629	8			49		4	1	10		1	128	12	10	8	1
13	Arkansas	White	11,926	291	446	1	68	17	129	153	290	27	9	718	17	54	608	29
		Colored	6,385	154	364		6		59	16	202	3	1	618	6	64	191	18
14	Urban	White	2,153	20	22		10	4	16	12	34	7	4	130	3	11	135	6
		Colored	1,091	8	37		1		9	1	25	1		104	1	14	38	2
15	Rural	White	9,773	271	424	1	58	13	113	141	256	20	5	588	14	43	473	23
		Colored	5,294	146	327		5		50	15	177	2	1	514	5	50	153	16
16	California	White	58,490	99	15	4	326	60	179	302	691	74	108	4,829	203	362	5,756	127
		Colored	3,050	10		1	31	7	15	16	37	6	10	520	31	51	186	4
17	Urban	White	34,310	44	4		166	38	95	187	312	42	76	2,308	141	243	3,839	69
		Colored	1,820	3			21	2	8	11	19	6	9	276	27	33	124	2
18	Rural	White	24,180	55	11	4	160	22	84	115	379	32	32	2,521	62	119	1,917	58
		Colored	1,230	7		1	10	5	7	5	18		1	244	4	18	62	2
19	Colorado	White	12,739	76	1	3	133	63	55	97	428	45	48	1,320	29	59	993	47
		Colored	343	1			3		2	1	4	2		78		6	11	
20	Urban	White	5,741	18			53	27	6	35	155	23	27	633	21	23	534	14
		Colored	228	1					1		3			56		3	5	
21	Rural	White	6,998	58	1	3	80	36	49	62	273	22	21	687	8	36	459	33
		Colored	115				3		1	1	1	2		22		3	6	
22	Connecticut	White	16,266	18	1		22	23	37	96	228	43	13	881	50	74	1,695	52
		Colored	491				2		3		5	1		59	3	6	24	
23	Urban	White	12,288	15	1		16	13	26	80	177	35	11	561	43	63	1,315	40
		Colored	427				2		3		5	1		50	3	6	20	
24	Rural	White	3,978	3			6	10	11	16	51	8	2	320	7	11	380	12
		Colored	64											9			4	
25	Delaware	White	2,404	11			2	3	6	11	47	5	1	128	6	11	219	6
		Colored	603	1					6	3	11	2		72	4	6	22	1
26	Urban	White	1,209	5					1	7	18		1	43	2	6	112	5
		Colored	253	1					1		6			19	1		12	
27	Rural	White	1,195	6			2	3	5	4	29	5		85	4	5	107	1
		Colored	350						5	3	5	2		53	3	6	10	1
28	Florida	White	10,887	74	94	3	15	11	37	85	185	15	14	424	14	28	765	28
		Colored	7,264	69	118	8	7	1	33	9	151	1	3	593	7	40	194	19
29	Urban	White	3,515	24	5		5	5	6	22	31	3	6	163	6	10	284	8
		Colored	2,406	17	10	1	1		6	5	67	1	2	227	4	23	65	5
30	Rural	White	7,372	50	89	3	10	6	31	63	154	12	8	261	8	18	481	20
		Colored	4,858	52	108	7	6	1	27	4	84		1	366	3	17	129	14
31	Idaho	White	3,656	16	2		36	12	21	23	93	17	19	123	8	18	302	21
		Colored	131								10	2	1	27	9	4	6	
32	Urban	White	510	2			5	2			10	3	3	13	4	2	53	2
		Colored	20										1				3	
33	Rural	White	3,146	14	2		31	10	21	23	83	14	16	110	4	16	249	19
		Colored	111								10	2		27	9	4	3	
34	Illinois	White	77,012	164	44	3	279	171	274	627	979	141	116	3,965	191	323	7,521	265
		Colored	5,837	12	14		17	3	30	23	57	9	14	877	36	105	240	22
35	Urban	White	47,877	73	7	1	166	113	112	514	437	85	103	2,149	156	195	4,915	162
		Colored	4,782	10	9		16	3	22	21	47	9	13	703	33	89	195	20
36	Rural	White	29,135	91	37	2	113	58	162	113	542	56	13	1,816	35	128	2,606	103
		Colored	1,055	2	5		1		8	2	10		1	174	3	16	45	2
37	Indiana	White	35,672	148	8	16	71	91	176	220	874	75	18	1,755	92	247	3,296	96
		Colored	2,005	15	1		2	1	24	4	41		1	224	12	25	105	7
38	Urban	White	15,505	40	2	6	22	45	54	110	304	41	13	618	49	90	1,424	33
		Colored	1,675	12	1		2		19	4	31		1	176	9	22	84	7
39	Rural	White	20,167	108	6	10	49	46	122	110	570	34	5	1,137	43	157	1,872	63
		Colored	330	3				1	5		10			48	3	3	21	

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
17,727	82,015	191,043	5,206	73,032	19,336	14,726	10,053	7,399	86,357	4,670	7,417	65,220	13,880	5,184	19,425	1,586	452	54,155	9,264	162,556	1
1,210	8,986	20,933	645	14,198	4,046	1,479	1,256	699	13,806	1,045	1,728	8,145	476	4,286	1,735	90	24	7,513	9,796	28,416	
17,527	80,996	189,125	5,146	72,051	18,696	14,389	9,829	7,298	85,111	4,555	7,249	64,152	13,635	5,001	19,073	1,575	445	53,329	8,865	159,419	2
1,153	8,410	19,966	594	13,522	3,852	1,387	1,158	651	13,058	1,002	1,644	7,763	461	3,996	1,631	89	22	7,244	9,483	26,808	
10,440	36,776	102,920	2,458	40,842	8,072	9,918	6,347	4,345	45,055	2,813	3,965	33,171	7,734	2,789	11,365	509	305	26,565	1,204	84,155	3
696	3,832	10,247	283	7,922	1,470	866	686	362	6,114	495	615	3,714	310	2,328	887	18	17	2,948	1,172	11,124	
7,087	44,220	86,205	2,688	31,209	10,624	4,471	3,482	2,953	40,056	1,742	3,284	30,981	5,901	2,212	7,708	1,066	140	26,764	7,661	75,264	4
457	4,578	9,719	311	5,600	2,382	521	472	289	6,944	507	1,029	4,049	151	1,668	744	71	5	4,296	8,311	15,684	
200	1,019	1,918	60	981	640	337	224	101	1,246	115	168	1,068	245	183	352	11	7	826	399	3,137	5
57	576	967	51	676	194	92	98	48	748	43	84	382	15	290	104	1	2	269	313	1,608	
10,640	37,795	104,838	2,518	41,823	8,712	10,255	6,571	4,446	46,301	2,928	4,133	34,239	7,979	2,972	11,717	520	312	27,391	1,603	87,292	6
753	4,408	11,214	334	8,598	1,664	958	784	410	6,862	538	699	4,096	325	2,618	991	19	19	3,217	1,485	12,732	
159	841	1,557	54	944	513	209	120	63	1,098	93	181	1,177	146	164	247	23	4	757	668	2,351	7
55	594	1,294	33	790	236	101	93	46	988	97	166	557	9	362	114	3	------	611	1,594	2,263	
46	218	421	7	272	94	115	57	15	298	36	30	249	60	53	99	10	4	213	79	714	8
22	203	425	6	286	60	49	34	20	334	26	38	175	3	168	39	1	------	151	297	603	
113	623	1,136	47	672	419	94	63	48	800	57	151	928	86	111	148	13	------	544	589	1,637	9
33	391	869	27	504	176	52	59	26	654	71	128	382	6	194	75	2	------	460	1,297	1,660	
21	162	414	25	398	407	50	26	21	159	34	31	268	53	37	135	3	2	300	97	675	10
1	14	32	5	74	64	5	4	1	18	3	8	23	3	11	5	1	------	35	89	88	
5	76	188	10	147	128	33	8	8	62	14	14	68	15	10	47	2	2	58	5	249	11
------	5	15	------	20	10	2	1	------	3	1	1	2	2	1	3	------	------	4	------	17	
16	86	226	15	251	279	17	18	13	97	20	17	200	38	27	88	1	------	242	92	426	12
1	9	17	5	54	54	3	3	1	15	2	7	21	1	10	2	1	------	31	89	71	
110	554	1,141	52	722	369	216	98	57	732	75	153	746	106	124	146	9	------	771	541	2,347	13
26	218	597	16	318	126	53	42	21	440	48	86	164	5	191	24	2	------	345	574	1,387	
22	107	301	7	95	38	61	29	17	180	12	18	101	28	13	37	4	------	124	10	535	14
11	40	166	3	49	19	9	11	6	101	5	8	20	1	38	4	------	------	41	17	301	
88	447	840	45	627	331	155	69	40	552	63	135	645	78	111	109	5	------	647	531	1,812	15
15	178	431	13	269	107	44	31	15	339	43	78	144	4	153	20	2	------	304	557	1,086	
899	4,229	11,559	244	3,578	970	691	576	514	4,305	190	255	2,404	1,219	345	1,562	127	41	2,829	87	8,731	16
28	132	405	24	253	58	30	29	25	176	15	26	140	53	43	66	8	------	121	16	477	
595	2,457	6,923	136	2,046	369	489	385	336	2,792	124	156	1,426	812	199	814	44	28	1,368	27	5,220	17
19	88	265	16	160	28	21	15	17	119	12	15	90	34	28	42	1	------	59	1	249	
304	1,772	4,636	108	1,532	601	202	191	178	1,513	66	99	978	407	146	748	83	13	1,461	60	3,511	18
9	44	140	8	93	30	9	14	8	57	3	11	50	19	15	24	7	------	62	15	228	
129	827	1,576	44	1,033	365	274	152	68	758	97	107	748	163	52	230	22	------	658	50	1,989	19
3	15	36	------	35	1	8	3	------	31	1	3	9	3	7	4	------	------	12	1	63	
57	382	766	18	441	93	138	84	38	371	44	42	284	97	21	104	8	------	207	13	964	20
2	10	20	------	25	------	5	3	------	24	------	2	6	2	4	1	------	------	6	------	40	
72	445	810	26	592	272	136	68	30	387	53	65	464	66	31	126	14	------	451	37	1,025	21
1	5	7	------	10	1	3	------	------	7	1	1	3	1	3	3	------	------	6	1	23	
323	1,429	3,496	82	1,194	196	187	138	108	1,329	45	111	1,015	178	27	318	10	5	726	59	2,057	22
6	34	89	2	54	7	6	1	4	33	2	2	27	8	8	9	------	1	23	2	70	
259	1,024	2,440	49	968	151	173	121	82	1,004	38	97	844	138	24	271	6	4	564	35	1,600	23
5	29	69	2	49	7	6	1	3	30	2	2	23	6	8	7	------	1	20	2	65	
64	405	1,056	33	226	45	14	17	26	325	7	14	171	40	3	47	4	1	162	24	457	24
1	5	20	------	5	------	------	------	1	3	------	------	4	2	------	2	------	------	3	------	5	
49	247	416	12	150	41	23	19	9	331	8	11	115	24	11	49	5	2	118	2	306	25
7	69	90	5	63	22	------	6	1	48	4	2	31	2	13	13	2	------	24	1	72	
23	99	199	6	87	22	19	14	5	168	5	10	56	14	6	34	1	2	74	------	165	26
7	41	32	2	33	8	------	4	1	17	2	1	5	------	7	6	------	------	13	------	34	
26	148	217	6	63	19	4	5	4	163	3	1	59	10	5	15	4	------	44	2	141	27
------	28	58	3	30	14	------	2	------	31	2	1	26	2	6	7	2	------	11	1	38	
130	746	1,585	37	513	276	143	126	69	998	65	149	758	191	134	316	18	2	678	250	1,911	28
44	450	704	30	378	208	74	58	54	589	56	105	353	12	351	109	5	------	443	427	1,561	
46	236	564	5	154	88	59	56	34	352	17	33	245	87	41	102	3	2	180	31	602	29
22	167	237	15	156	67	22	24	29	216	19	33	121	5	143	41	1	------	114	41	499	
84	510	1,021	32	359	188	84	70	35	646	48	116	513	104	93	214	15	------	498	219	1,309	30
22	283	467	15	222	141	52	34	25	373	37	72	232	7	208	68	4	------	329	386	1,062	
49	246	564	13	244	29	101	38	20	231	22	33	257	49	13	73	9	3	277	42	632	31
------	6	8	------	7	3	2	1	1	12	------	------	4	------	2	3	------	------	3	2	18	
5	30	94	------	31	3	19	8	1	19	2	4	30	8	2	9	------	1	22	2	121	32
------	1	1	------	1	------	------	------	------	5	------	------	------	------	1	1	------	------	------	------	6	
44	216	470	13	213	26	82	30	19	212	20	29	227	41	11	64	9	2	255	40	511	33
------	5	7	------	6	3	2	1	1	7	------	------	4	------	1	2	------	------	3	2	12	
1,422	5,071	14,859	480	4,820	1,321	1,178	681	701	7,571	243	434	4,471	1,099	509	1,436	146	61	3,728	177	11,541	34
62	243	1,032	24	603	99	67	39	30	499	37	29	259	26	247	76	2	1	247	15	741	
975	2,536	9,269	293	3,302	811	949	509	453	4,634	187	313	2,893	707	367	1,059	45	50	2,317	39	6,981	35
54	172	848	21	537	76	61	37	25	417	34	28	219	23	227	72	------	1	199	6	535	
447	2,535	5,590	187	1,518	510	229	172	248	2,937	56	121	1,578	392	142	377	101	11	1,411	138	4,560	36
8	71	184	3	66	23	6	2	5	82	3	1	40	3	20	4	2	------	48	9	206	
600	3,234	6,555	144	2,165	587	443	327	242	3,339	166	219	1,903	479	127	641	158	60	1,658	40	5,402	37
28	102	314	5	216	39	23	17	17	182	12	12	80	9	73	24	2	8	83	3	294	
269	1,128	2,770	52	1,035	314	299	187	119	1,346	102	112	891	235	82	387	71	32	794	14	2,415	38
18	81	263	5	201	36	20	16	15	148	11	11	73	7	68	21	------	8	67	2	236	
331	2,106	3,785	92	1,130	273	144	140	123	1,993	64	107	1,012	244	45	254	87	28	864	26	2,987	39
10	21	51	------	15	3	3	1	2	34	1	1	7	2	5	3	2	------	16	1	58	

[2] Including District of Columbia.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

]"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
1	Iowa	White	24,198	54	1	2	224	41	104	121	639	63	21	691	46	82	2,679	87
		Colored	334				1		1		9			48	1	5	10	
2	Urban	White	8,419	19	1		75	9	31	50	155	20	11	272	26	33	958	31
		Colored	225				1		1		5			24	1	2	7	
3	Rural	White	15,779	35		2	149	32	73	71	484	43	10	419	20	49	1,721	56
		Colored	109								4			24		3	3	
4	Kansas	White	17,418	58	2	1	82	68	59	74	461	32	17	451	15	52	1,754	58
		Colored	1,164	8	2		2		1	2	44	1		105	1	21	72	
5	Urban	White	5,370	17	1	1	14	21	24	30	139	5	8	158	10	16	582	21
		Colored	776	2			1			1	34	1		71	1	20	49	
6	Rural	White	12,048	41	1		68	47	35	44	322	27	9	293	5	36	1,172	37
		Colored	388	6	2		1		1	1	10			34		1	23	
7	Kentucky	White	22,786	377	43	8	139	46	294	227	518	45	48	1,867	87	221	1,454	93
		Colored	4,423	65	12		9	2	54	10	130	3	5	542	12	51	168	30
8	Urban	White	5,893	27	9	2	6	10	44	27	72	10	2	322	27	45	508	16
		Colored	1,820	9	4		4	1	20	4	46	1	1	171	4	27	79	12
9	Rural	White	16,893	350	34	6	133	36	250	200	446	35	46	1,545	60	176	946	77
		Colored	2,603	56	8		5	1	34	6	84	2	4	371	8	24	89	18
10	Louisiana	White	11,878	131	109	2	166	9	99	141	305	17	16	653	19	41	869	21
		Colored	11,997	159	160	3	100	2	127	60	339	3	8	1,067	13	106	445	33
11	Urban	White	5,987	31	12		80	6	26	53	106	6	9	371	17	18	530	5
		Colored	4,694	32	10	1	36	2	30	24	136	1	4	440	12	60	195	10
12	Rural	White	5,891	100	97	2	86	3	73	88	199	11	7	282	2	23	339	16
		Colored	7,303	127	150	2	64		97	36	203	2	4	627	1	46	250	23
13	Maine	White	10,924	28			80	36	75	30	302	26	9	455	25	58	1,086	36
		Colored	34								4			4			2	
14	Urban	White	3,488	11			15	10	16	13	47	10	3	148	10	20	354	8
		Colored	13								2			2			1	
15	Rural	White	7,436	17			65	26	59	17	255	16	6	307	15	38	732	28
		Colored	21								2			2			1	
16	Maryland	White	15,827	58	2		15	16	116	97	250	23	17	887	30	45	1,369	53
		Colored	5,275	36	1		6	2	76	21	94	1	4	574	27	61	229	36
17	Urban	White	9,704	15	1		5	10	53	79	139	16	11	428	25	27	910	34
		Colored	3,102	14			2	1	16	18	48		3	317	23	37	138	25
18	Rural	White	6,123	43	1		10	6	63	18	111	7	6	459	5	18	459	19
		Colored	2,173	22	1		4	1	60	3	46	1	1	257	4	24	91	11
19	Massachusetts	White	48,360	42	1		91	144	154	275	396	124	52	2,642	179	212	5,381	119
		Colored	925					1	1		4	3	1	145	9	15	68	4
20	Urban	White	39,066	38	1		77	126	132	258	293	115	50	1,920	163	159	4,356	85
		Colored	795					1	1		4	3	1	108	7	14	61	2
21	Rural	White	9,294	4			14	18	22	17	103	9	2	722	16	53	1,025	34
		Colored	130											37	2	1	7	2
22	Michigan	White	47,999	87	1		71	168	191	503	743	141	68	2,111	178	185	4,084	200
		Colored	2,644	9	1		4	7	12	12	29	3	6	408	30	40	85	25
23	Urban	White	25,659	59	1		41	89	102	359	328	85	42	1,157	129	114	2,164	94
		Colored	2,155	7	1		2	6	10	9	25	3	6	342	25	31	66	18
24	Rural	White	22,340	28			30	79	89	144	415	56	26	954	49	71	1,920	106
		Colored	489	2			2	1	2	3	4			66	5	9	19	7
25	Minnesota	White	24,252	28	2		56	87	70	81	479	51	59	1,239	60	135	2,787	96
		Colored	436	1				1	4		8			91	6	6	14	2
26	Urban	White	10,842	13			11	22	17	41	158	32	39	444	26	71	1,427	40
		Colored	174	1					1					19	1	2	11	1
27	Rural	White	13,410	15	2		45	65	53	40	321	19	20	795	34	64	1,360	56
		Colored	262					1	3		8			72	5	4	3	1
28	Mississippi	White	8,847	72	161	1	120	17	79	116	254	24	7	362	7	27	526	14
		Colored	14,356	199	326	3	56		198	77	351	3	3	1,311	11	117	461	25
29	Urban	White	1,755	8	9		21	3	14	22	32	6	3	44	4	7	101	2
		Colored	2,343	24	23		22		17	16	57		1	139	1	22	97	4
30	Rural	White	7,092	64	152	1	99	14	65	94	222	18	4	318	3	20	425	12
		Colored	12,013	175	303	3	34		181	61	294	3	2	1,172	10	95	364	21
31	Missouri	White	36,337	217	121	11	183	88	205	208	803	76	44	1,952	60	151	3,504	98
		Colored	4,416	29	15		6	1	38	12	82	3	3	560	12	51	205	18
32	Urban	White	17,202	47	13	4	59	40	77	88	232	36	30	704	32	67	1,846	31
		Colored	3,049	8	1		3		10	6	40	3	3	358	10	34	144	9
33	Rural	White	19,135	170	108	7	124	48	128	120	571	40	14	1,248	28	84	1,658	67
		Colored	1,367	21	14		3	1	28	6	42			202	2	17	61	9
34	Montana	White	4,917	12		1	12	30	12	17	141	22	51	222	6	24	399	29
		Colored	425	3			18	2	3	3	6	1	15	98	12	11	15	
35	Urban	White	1,695	4			2	4	3	1	35	9	27	63	5	7	161	11
		Colored	32	1										1	1		4	
36	Rural	White	3,222	8		1	10	26	9	16	106	13	24	159	1	17	238	18
		Colored	393	2			18	2	3	3	6	1	15	97	11	11	11	
37	Nebraska	White	12,030	37	1	1	72	17	49	45	361	32	8	285	18	46	1,232	34
		Colored	339				6		1		3		1	44	4	10	18	2
38	Urban	White	3,743	9			21	4	12	16	72	7	3	102	13	16	423	6
		Colored	232								2			28	3	9	12	1
39	Rural	White	8,287	28	1	1	51	13	37	29	289	25	5	183	5	30	809	28
		Colored	107				6		1		1		1	16	1	1	6	1
40	New Hampshire	White	6,317	3			11	20	28	20	173	15	7	232	25	37	612	23
		Colored	12														1	
41	Urban	White	2,712	1			5	8	16	4	74	8	2	101	14	22	262	13
		Colored	7														1	
42	Rural	White	3,605	2			6	12	12	16	99	7	5	131	11	15	350	10
		Colored	5															

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
429	2,467	3,997	110	1,473	188	394	264	141	1,664	117	144	1,493	418	55	276	25	5	1,132	142	4,409	1
4	23	39		35	7	5	2	3	26	1	1	19	4	4	8			14	3	61	
142	699	1,324	21	495	72	215	113	56	521	63	54	531	151	31	127	7	3	450	25	1,628	2
3	15	29		27	5	5	1	3	21	1	1	17	3	4	6			9	1	33	
287	1,768	2,673	89	978	116	179	151	85	1,143	54	90	962	267	24	149	18	2	682	117	2,781	3
1	8	10		8	2		1		5			2	1		2			5	2	28	
317	1,825	2,830	91	830	242	297	186	127	1,373	88	118	1,096	266	55	243	57	2	940	153	3,098	4
17	83	181	5	71	15	13	9	10	130	7	6	50	6	26	10			45	9	212	
102	469	846	26	299	75	126	77	41	428	37	35	308	69	31	79	14	2	280	17	962	5
15	52	114	3	50	12	13	8	8	88	7	5	34	5	19	5			24	5	129	
215	1,356	1,984	65	531	167	171	109	86	945	51	83	788	197	24	164	43		660	136	2,136	6
2	31	67	2	21	3		1	2	42		1	16	1	7	5			21	4	83	
273	1,506	2,826	104	1,463	792	286	155	116	1,758	108	156	1,521	254	271	257	24	1	1,363	387	3,698	7
26	284	689	34	354	79	30	27	12	430	27	17	169	9	155	42	2		205	63	676	
114	476	942	31	375	152	139	60	44	504	23	36	356	81	48	119	2	1	282	13	968	8
12	130	329	13	189	28	16	15	7	188	7	6	55	7	88	18			61	4	264	
159	1,030	1,884	73	1,088	640	147	95	72	1,254	85	120	1,165	173	223	138	22		1,081	374	2,730	9
14	154	360	21	165	51	14	12	5	242	20	11	114	2	67	24	2		144	59	412	
155	693	1,673	54	685	360	240	122	109	1,024	76	125	744	137	126	212	24		624	187	1,910	10
71	573	1,703	40	886	410	108	90	69	933	88	131	550	20	292	83	8		589	500	2,228	
98	372	960	17	353	148	158	83	72	582	41	56	285	84	60	111	6		308	9	914	11
43	219	773	8	390	159	76	58	37	418	40	33	189	12	140	39			202	41	824	
57	321	713	37	332	212	82	39	37	442	35	69	459	53	66	101	18		316	178	996	12
28	354	930	32	496	251	32	32	32	515	48	98	361	8	152	44	8		387	459	1,404	
168	1,111	2,061	77	674	148	143	89	55	818	34	96	685	101	15	112	7	5	420	120	1,739	13
1	2	5		2				1	1			5						2		5	
65	285	646	17	205	29	74	41	17	246	23	39	255	26	2	53	4	3	134	25	634	14
		1		2				1				3						1			
103	826	1,415	60	469	119	69	48	38	572	11	57	430	75	13	59	3	2	286	95	1,105	15
1	2	4							1			2						1		5	
255	1,269	2,920	89	1,337	305	144	160	76	1,836	54	86	894	203	46	275	10	1	721	44	2,124	16
44	320	704	37	687	157	40	31	13	557	17	30	329	16	68	55	1	1	204	40	756	
181	685	1,789	46	957	165	125	118	52	1,079	44	63	543	135	32	172		1	420	6	1,338	17
25	180	419	6	518	64	25	14	8	343	13	16	174	11	39	33		1	124	3	444	
74	584	1,131	43	380	140	19	42	24	757	10	23	351	68	14	103	10		301	38	786	18
19	140	285	31	169	93	15	17	5	214	4	14	155	5	29	22	1		80	37	312	
848	3,962	10,159	268	3,867	618	565	414	223	3,487	166	341	2,964	457	78	690	16	12	2,022	67	7,324	19
16	72	134	3	100	17	6	7	3	75	6	5	50	8	7	6			25	1	133	
704	3,013	7,970	210	3,277	545	526	380	192	2,822	152	318	2,583	373	71	578	5	10	1,664	53	5,847	20
15	63	110	2	96	12	5	7	3	72	5	5	45	8	6	3			22	1	113	
144	949	2,189	58	590	73	39	34	31	665	14	23	381	84	7	112	11	2	358	14	1,477	21
1	9	24	1	4	5	1			3	1		5		1	3			3		20	
768	4,098	8,537	349	3,205	905	732	481	317	2,825	280	360	3,514	587	256	1,232	77	28	2,367	191	8,159	22
29	92	362	12	331	36	26	29	20	145	15	26	142	10	116	34	3	3	121	8	413	
425	1,649	4,105	154	1,949	545	525	316	182	1,413	192	241	2,160	342	181	787	28	20	1,203	43	4,435	23
24	67	280	9	288	26	25	26	15	117	13	22	120	7	114	24			94	4	329	
343	2,449	4,432	195	1,256	360	207	165	135	1,412	88	119	1,354	245	75	445	49	8	1,164	148	3,724	24
5	25	82	3	43	10	1	3	5	28	2	4	22	3	2	10	3	3	27	4	84	
464	1,822	4,236	122	1,694	156	392	281	145	1,472	85	137	1,635	321	60	363	20	7	1,283	94	4,233	25
5	17	44	3	52	9	5	1		13	3	1	17	4	5	6			20	26	72	
208	674	1,830	35	810	37	213	134	67	554	37	47	606	162	34	175	5	5	562	8	2,298	26
2	12	29	1	21		2			10			2	2	3	6			5		43	
256	1,148	2,406	87	884	119	179	147	78	918	48	90	1,029	159	26	188	15	2	721	86	1,935	27
3	5	15	2	31	9	3	1		3	3	1	15	2	2				15	26	29	
98	544	1,005	34	487	268	161	76	74	865	55	93	611	69	81	146	27		467	482	1,417	28
85	582	1,230	15	804	321	171	118	52	1,189	91	188	331	14	352	97	7		743	2,267	2,558	
27	110	223	2	97	47	57	14	27	156	16	19	116	18	16	38	8		102	44	342	29
24	106	260	3	152	38	82	40	8	185	16	26	36	2	75	27	2		187	244	427	
71	434	782	32	390	221	104	62	47	709	39	74	495	51	65	108	19		365	438	1,075	30
61	476	970	12	652	283	109	78	44	1,004	75	162	295	12	277	70	5		556	2,023	2,131	
556	2,701	5,820	218	2,489	606	579	319	309	3,786	178	220	1,795	524	225	485	38	18	1,831	348	5,571	31
29	241	696	20	469	77	38	43	34	545	23	27	139	19	150	32	2		163	49	585	
296	1,030	2,980	86	1,289	231	394	194	196	1,876	98	92	763	287	142	275	6	13	864	12	2,772	32
22	125	498	9	380	35	31	36	27	439	18	15	106	13	126	23			107	3	407	
260	1,671	2,840	132	1,200	375	185	125	113	1,910	80	128	1,032	237	83	210	32	5	967	336	2,799	33
7	116	198	11	89	42	7	7	7	106	5	12	33	6	24	9	2		56	46	178	
70	306	785	14	329	46	112	53	45	321	24	39	349	111	33	72	4		408	39	779	34
1	7	30	4	43	3	3	2		4		2	31	2	4	1			21	34	46	
28	78	279	4	114	7	46	28	19	114	12	14	104	47	9	26	3		97	2	332	35
	4	7	1	6	1				1					2				1		2	
42	228	506	10	215	39	66	25	26	207	12	25	245	64	24	46	1		311	37	447	36
1	3	23	3	37	2	3	2		3		2	31	2	2	1			20	34	44	
271	1,117	2,073	39	674	123	234	168	66	848	67	92	826	196	33	192	23	4	589	81	2,076	37
4	16	46		28	5	4	1		29	3	3	14	1	15	6			12	2	61	
61	299	653	9	198	32	92	70	26	267	32	28	238	58	12	70	3	3	168	11	709	38
1	13	39		20	2	4	1		24	1	1	6	1	14	4			3		43	
210	818	1,420	30	476	91	142	98	40	581	35	64	588	138	21	122	20	1	421	70	1,367	39
3	3	7		8	3				5	2	2	8		1	2			9	2	18	
138	726	1,321	37	445	47	54	55	29	433	17	40	374	62	3	71	12		203	37	1,007	40
	2	3		1					1										1	3	
57	247	536	11	188	24	31	30	16	182	7	20	214	18	1	44	5		90	23	438	41
	1	1																	1	3	
81	479	785	26	257	23	23	25	13	251	10	20	160	44	2	27	7		113	14	569	42
	1	2		1					1												

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	New Jersey	White	38,720	49	2	------	21	96	152	413	458	109	46	2,127	91	138	3,783	165
		Colored	3,408	5	------	------	4	3	47	9	47	8	4	390	24	30	138	23
2	Urban	White	23,940	37	1	------	17	55	85	262	235	70	36	938	71	102	2,345	115
		Colored	2,376	3	------	------	2	3	39	7	32	6	3	166	20	25	91	19
3	Rural	White	14,780	12	1	------	4	41	67	151	223	39	10	1,189	20	36	1,438	50
		Colored	1,032	2	------	------	2	------	8	2	15	2	1	224	4	5	47	4
4	New York	White	134,709	179	4	1	194	216	452	971	1,280	378	143	7,403	436	583	14,089	514
		Colored	6,190	11	1	------	3	3	58	31	30	7	17	881	60	94	299	15
5	Urban	White	101,039	135	3	------	138	165	339	874	814	317	133	5,257	376	464	10,853	394
		Colored	5,581	10	1	------	3	------	52	31	25	7	16	788	55	80	277	14
6	Rural	White	33,670	44	1	1	56	51	113	97	466	61	10	2,146	60	119	3,236	120
		Colored	609	1	------	------	------	3	6	------	5	------	1	93	5	14	22	1
7	North Carolina	White	19,844	124	22	11	191	33	328	231	643	31	17	1,039	41	84	1,068	72
		Colored	13,073	110	38	4	55	1	296	46	445	8	11	1,280	18	116	390	32
8	Urban	White	3,893	15	2	1	34	4	46	37	98	6	7	231	15	16	251	19
		Colored	3,407	30	6	3	8	------	50	8	153	4	4	306	10	35	114	9
9	Rural	White	15,951	109	20	10	157	29	282	194	545	25	10	808	26	68	817	53
		Colored	9,666	80	32	1	47	1	246	38	292	4	7	974	8	81	276	23
10	North Dakota	White	4,978	11	------	------	34	25	16	32	102	21	24	203	13	32	423	32
		Colored	233	2	------	------	2	------	16	------	1	------	------	50	11	5	4	4
11	Urban	White	776	2	------	------	3	3	------	1	7	3	5	17	5	7	70	4
		Colored	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
12	Rural	White	4,202	9	------	------	31	22	16	31	95	18	19	186	8	25	353	28
		Colored	232	2	------	------	2	------	16	------	1	------	------	50	11	5	4	4
13	Ohio	White	68,065	162	3	10	38	159	240	480	1,369	155	40	3,261	191	313	6,330	238
		Colored	5,450	19	1	------	2	3	38	27	115	5	9	832	37	78	210	22
14	Urban	White	38,602	72	1	1	15	80	100	351	609	95	33	1,801	146	189	3,715	125
		Colored	4,454	17	------	------	2	3	34	26	88	5	9	658	31	61	159	18
15	Rural	White	29,463	90	2	9	23	79	140	129	760	60	7	1,460	45	124	2,615	113
		Colored	996	2	1	------	------	------	4	1	27	------	------	174	6	17	51	4
16	Oregon	White	9,922	31	1	3	15	15	24	37	240	21	31	378	19	56	984	28
		Colored	284	5	------	2	------	1	4	------	8	------	1	61	9	7	13	------
17	Urban	White	4,599	8	------	------	5	4	10	12	80	11	19	182	12	41	537	10
		Colored	115	1	------	------	------	1	2	------	2	------	1	21	9	1	9	------
18	Rural	White	5,323	23	1	3	10	11	14	25	160	10	12	196	7	15	447	18
		Colored	169	4	------	2	------	------	2	------	6	------	------	40	------	6	4	------
19	Pennsylvania	White	103,663	245	4	------	241	255	412	799	2,239	246	64	4,978	294	402	8,981	397
		Colored	7,589	17	------	------	9	3	39	41	161	7	5	1,000	57	78	296	17
20	Urban	White	54,979	116	3	------	77	124	134	510	927	118	47	2,324	182	209	5,100	202
		Colored	6,046	14	------	------	7	3	25	33	128	6	5	712	50	59	237	16
21	Rural	White	48,684	129	1	------	164	131	278	289	1,312	128	17	2,654	112	193	3,881	195
		Colored	1,543	3	------	------	2	------	14	8	33	1	------	288	7	19	59	1
22	Rhode Island	White	7,661	4	------	------	1	15	39	60	88	19	5	400	44	28	760	30
		Colored	236	------	------	------	------	------	1	1	------	------	------	39	1	4	16	1
23	Urban	White	6,421	2	------	------	1	14	32	51	71	17	5	255	40	23	645	25
		Colored	198	------	------	------	------	------	------	1	------	------	------	26	1	2	12	------
24	Rural	White	1,240	2	------	------	------	1	7	9	17	2	------	145	4	5	115	5
		Colored	38	------	------	------	------	------	1	------	------	------	------	13	------	2	4	1
25	South Carolina	White	8,961	149	65	1	75	6	80	106	307	15	11	313	12	24	461	32
		Colored	12,779	283	217	5	28	1	209	45	346	2	5	1,099	14	88	299	31
26	Urban	White	1,924	22	5	------	17	------	10	14	51	3	4	68	1	11	124	6
		Colored	2,381	25	2	1	7	------	29	------	71	1	1	203	9	27	57	5
27	Rural	White	7,037	127	60	1	58	6	70	92	256	12	7	245	11	13	337	26
		Colored	10,398	258	215	4	21	1	180	45	275	1	4	896	5	61	242	26
28	Tennessee	White	20,549	364	94	2	133	49	263	166	625	43	26	1,843	71	165	1,240	69
		Colored	8,480	174	62	1	15	1	97	38	292	7	6	1,121	17	122	294	23
29	Urban	White	5,656	38	8	1	35	9	44	25	148	9	8	282	24	42	433	11
		Colored	3,992	49	16	------	8	------	29	18	143	5	5	399	6	75	138	9
30	Rural	White	14,893	326	86	1	98	40	219	141	477	34	18	1,561	47	123	807	58
		Colored	4,488	125	46	1	7	1	68	20	149	2	1	722	11	47	156	14
31	Utah	White	4,615	18	------	2	109	21	21	56	96	31	18	115	7	12	328	33
		Colored	122	------	------	------	5	------	------	------	6	------	------	7	------	2	2	------
32	Urban	White	2,221	4	------	1	32	7	3	23	39	14	10	70	5	6	179	16
		Colored	50	------	------	------	------	------	------	------	1	------	------	5	------	2	1	------
33	Rural	White	2,394	14	------	1	77	14	18	33	57	17	8	45	2	6	149	17
		Colored	72	------	------	------	5	------	------	------	5	------	------	2	------	------	1	------
34	Vermont	White	4,879	11	1	------	35	11	40	9	134	6	2	205	15	27	464	15
		Colored	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
35	Urban	White	827	3	------	------	9	1	4	------	6	------	1	48	7	7	87	2
		Colored	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
36	Rural	White	4,052	8	1	------	26	10	36	9	128	6	1	157	8	20	377	13
		Colored	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
37	Virginia	White	17,503	115	9	4	85	27	244	118	640	39	15	1,123	32	96	1,187	70
		Colored	11,269	59	14	1	31	2	207	36	470	2	7	1,151	31	102	380	43
38	Urban	White	4,908	12	2	------	9	6	22	25	137	8	4	222	11	32	390	11
		Colored	3,776	14	1	------	10	2	55	5	144	1	4	310	17	33	107	15
39	Rural	White	12,595	103	7	4	76	21	222	93	503	31	11	901	21	64	797	59
		Colored	7,493	45	13	1	21	------	152	31	326	1	3	841	14	69	273	28
40	Washington	White	15,311	32	------	6	49	35	29	50	415	31	113	766	47	105	1,509	48
		Colored	639	------	------	1	7	1	4	------	41	------	3	111	9	15	28	3
41	Urban	White	7,959	13	------	1	22	15	15	19	194	17	71	246	28	64	880	23
		Colored	282	------	------	------	2	------	4	------	10	------	2	37	5	7	22	------
42	Rural	White	7,352	19	------	[1]5	27	20	14	31	221	14	42	520	19	41	629	25
		Colored	357	------	------	1	5	1	------	------	31	------	1	74	4	8	6	3

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
813	3,079	7,989	191	2,809	581	550	340	309	3,688	151	252	2,119	517	101	922	61	8	1,880	53	4,657	1
39	207	532	20	408	89	34	25	9	275	24	29	235	12	61	51	------	------	143	13	470	
574	1,658	4,830	109	1,872	382	465	272	204	2,114	131	182	1,475	293	68	668	21	7	1,206	30	3,010	2
35	128	373	15	313	70	28	21	6	187	18	26	179	8	50	36	------	------	104	7	356	
239	1,421	3,159	82	937	199	85	68	105	1,574	20	70	644	224	33	254	40	1	674	23	1,647	3
4	79	159	5	95	19	6	4	3	88	6	3	56	4	11	15	------	------	39	6	114	
2,832	9,193	29,809	626	10,563	1,487	1,727	1,226	1,084	11,324	498	771	7,198	1,829	530	2,323	134	32	6,341	86	18,253	4
77	198	895	19	826	99	65	44	25	398	47	64	442	49	105	61	10	------	277	3	976	
2,260	5,653	21,355	424	8,497	1,204	1,559	1,016	869	8,356	434	636	5,721	1,402	485	1,774	49	19	4,819	38	13,707	5
73	163	806	17	773	87	62	41	20	355	44	62	414	46	98	48	8	------	244	1	860	
572	3,540	7,954	202	2,066	283	168	210	215	2,968	64	135	1,477	427	45	549	85	13	1,522	48	4,546	6
4	35	89	2	53	12	3	3	5	43	3	2	28	3	7	13	2	------	33	2	116	
175	1,411	2,504	49	1,229	704	212	127	68	1,724	74	219	1,724	122	88	377	24	------	796	1,246	3,036	7
68	778	1,354	33	957	451	85	74	40	1,011	80	174	757	10	192	126	11	------	505	1,514	2,003	
47	248	485	5	233	111	85	57	14	331	24	49	378	43	26	121	5	------	141	58	650	8
15	241	385	11	307	106	45	33	13	228	27	43	243	2	97	46	2	------	144	154	525	
128	1,163	2,019	44	996	593	127	70	54	1,393	50	170	1,346	79	62	256	19	------	655	1,188	2,386	9
53	537	969	22	650	345	40	41	27	783	53	131	514	8	95	80	9	------	361	1,360	1,478	
85	400	622	22	350	89	129	56	25	286	25	48	454	48	11	70	7	------	280	118	885	10
2	1	12	------	30	2	2	------	------	5	------	2	5	1	------	2	------	------	4	41	29	
13	61	98	3	49	2	38	15	6	42	9	11	58	3	1	12	------	------	41	12	175	
------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	11
72	339	524	19	301	87	91	41	19	244	16	37	396	45	10	58	7	------	239	106	710	12
2	1	12	------	29	2	2	------	------	5	------	2	5	1	------	2	------	------	4	41	29	
1,152	6,467	12,537	275	4,486	843	866	682	532	5,042	277	422	4,123	866	332	1,414	235	61	3,469	206	10,789	13
46	313	762	14	617	72	62	47	22	376	29	37	297	24	218	80	4	4	223	16	789	
683	3,028	6,730	147	2,733	495	693	491	322	2,792	209	292	2,529	500	239	957	71	35	1,971	54	6,298	14
41	229	593	12	553	57	58	42	20	297	28	37	257	20	199	68	1	2	176	10	643	
469	3,439	5,807	128	1,753	348	173	191	210	2,250	68	130	1,594	366	93	457	164	26	1,498	152	4,491	15
5	84	169	2	64	15	4	5	2	79	1	------	40	4	19	12	3	2	47	6	146	
177	890	1,914	43	588	40	137	97	49	722	32	59	422	162	29	187	17	7	596	33	1,838	16
5	9	28	1	18	2	5	2	------	10	------	2	14	2	5	7	------	------	17	4	42	
85	348	828	22	277	10	62	48	17	312	15	28	176	80	11	79	4	4	218	3	1,041	17
3	3	9	------	7	------	4	1	------	8	------	2	7	------	3	1	------	------	3	------	17	
92	542	1,086	21	311	30	75	49	32	410	17	31	246	82	18	108	13	3	378	30	797	18
2	6	19	1	11	2	1	1	------	2	------	------	7	2	2	6	------	------	14	4	25	
1,771	8,137	19,406	609	8,258	2,069	1,164	1,046	862	9,138	514	718	6,873	1,153	347	1,777	89	32	5,857	437	13,849	19
70	341	1,089	42	1,143	165	64	58	24	583	55	58	436	29	210	83	3	2	358	43	1,003	
1,071	3,718	10,387	286	4,616	912	875	689	458	5,022	335	447	3,447	630	220	1,068	29	24	3,003	141	7,528	20
57	262	860	34	1,009	127	60	50	20	480	51	51	352	24	168	64	1	2	252	31	796	
700	4,419	9,019	323	3,642	1,157	289	357	404	4,116	179	271	3,426	523	127	709	60	8	2,854	296	6,321	21
13	79	229	8	134	38	4	8	4	103	4	7	84	5	42	19	2	------	106	12	207	
144	742	1,448	46	581	92	89	68	37	720	28	56	505	65	18	127	------	3	289	41	1,069	22
1	16	40	4	19	4	1	1	2	15	1	3	16	------	------	4	------	------	13	5	28	
130	615	1,206	37	486	77	83	62	34	617	27	53	420	53	16	108	------	3	249	38	926	23
1	15	38	2	19	4	1	1	2	14	1	3	14	------	------	2	------	------	11	3	25	
14	127	242	9	95	15	6	6	3	103	1	3	85	12	2	19	------	------	40	3	143	24
------	1	2	2	------	------	------	------	------	1	------	------	2	------	------	2	------	------	2	2	3	
95	679	1,198	16	564	386	80	64	26	979	36	132	710	73	56	154	1	1	338	250	1,466	25
53	737	1,412	39	838	385	47	63	22	1,151	70	167	813	15	148	125	2	------	397	1,025	2,598	
33	115	250	1	119	62	34	24	5	212	12	37	114	18	17	44	------	1	95	15	380	26
17	184	285	9	179	71	16	23	5	231	19	25	172	4	48	36	------	------	61	21	537	
62	564	948	15	445	324	46	40	21	767	24	95	596	55	39	110	1	------	243	235	1,086	27
36	553	1,127	30	659	314	31	40	17	920	51	142	641	11	100	89	2	------	336	1,004	2,061	
169	1,142	2,224	50	1,465	589	245	149	71	1,302	109	160	1,192	178	174	271	17	5	958	1,295	3,631	28
49	433	956	31	647	140	84	63	23	610	47	72	247	19	259	74	3	------	314	634	1,505	
69	330	708	7	435	102	142	69	27	403	45	51	330	69	69	129	8	3	315	172	1,061	29
33	214	476	18	375	71	59	47	9	304	29	27	145	10	198	55	------	------	135	207	680	
100	812	1,521	43	1,030	487	103	80	44	899	64	109	862	109	105	142	9	2	643	1,123	2,570	30
16	219	480	13	272	69	25	16	14	306	18	45	102	9	61	19	3	------	179	427	825	
51	287	707	15	362	41	115	70	22	295	39	55	406	48	11	78	3	5	291	102	745	31
1	1	8	------	12	4	2	1	------	6	3	------	6	2	2	1	------	1	11	14	25	
27	150	337	7	162	8	56	35	10	153	23	23	157	31	8	44	1	5	121	39	415	32
1	------	5	------	4	2	1	1	------	5	1	------	3	2	1	------	------	1	1	2	11	
24	137	370	8	200	33	59	35	12	142	16	32	249	17	3	34	2	------	170	63	330	33
------	1	3	------	8	2	1	------	------	1	2	------	3	------	1	1	------	------	10	12	14	
92	491	939	40	306	33	60	45	23	375	14	36	301	49	3	60	6	------	292	11	728	34
------	------	------	------	------	------	------	------	------	1	1	------	1	------	------	------	------	------	------	------	------	
19	56	125	3	50	2	28	17	6	71	7	10	52	4	1	24	------	------	50	1	126	35
73	435	814	37	256	31	32	28	17	304	7	26	249	45	2	36	6	------	242	10	602	
------	------	------	------	------	------	------	------	------	1	1	------	1	------	------	------	------	------	------	------	------	36
191	1,289	2,727	67	987	374	168	107	78	1,669	78	118	1,363	175	132	267	24	------	910	421	2,554	37
90	894	1,606	52	841	318	64	77	49	1,046	58	104	675	14	138	109	7	1	460	400	1,730	
59	337	825	24	283	76	93	43	30	570	32	40	350	57	28	99	5	------	251	21	789	38
29	362	567	22	363	141	36	36	20	333	26	35	217	6	68	51	1	1	169	59	516	
132	952	1,902	43	704	298	75	59	48	1,099	46	78	1,013	118	104	168	19	------	659	400	1,765	39
61	532	1,039	30	478	177	28	41	29	713	32	69	458	8	70	58	6	------	291	341	1,214	
268	1,296	2,738	48	882	76	239	158	67	966	52	91	667	293	57	353	19	9	1,049	82	2,666	40
3	19	50	------	58	6	7	3	2	23	2	10	28	17	8	12	1	------	43	21	103	
150	623	1,467	22	491	31	160	115	43	552	35	43	351	165	24	176	7	6	425	12	1,453	41
3	12	24	------	23	1	6	1	1	16	1	3	6	14	5	8	------	------	19	1	49	
118	673	1,271	26	391	45	79	43	24	414	17	48	316	128	33	177	12	3	624	70	1,213	42
------	7	26	------	35	5	1	2	1	7	1	7	22	3	3	4	1	------	24	20	54	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	West Virginia	White	15,139	194	1	1	86	46	304	128	383	28	23	872	49	94	934	45
		Colored	1,850	30		1	5	1	28	9	35	1	2	202	8	22	62	2
2	Urban	White	4,133	51			6	5	40	20	100	8	6	204	19	28	297	12
		Colored	463	6			1		9	1	8	1		43	5	7	20	2
3	Rural	White	11,006	143	1	1	80	41	264	108	283	20	17	668	30	66	637	33
		Colored	1,387	24		1	4	1	19	8	27		2	159	3	15	42	
4	Wisconsin	White	29,169	39	1	4	104	64	76	134	508	71	131	1,455	81	154	3,053	115
		Colored	398	1			2		3		5	2	8	88	7	12	14	1
5	Urban	White	12,639	21		1	45	18	34	86	154	27	108	547	53	69	1,378	43
		Colored	157						1				6	25	3	5	8	
6	Rural	White	16,530	18	1	3	59	46	42	48	354	44	23	908	28	85	1,675	72
		Colored	241	1			2		2		5	2	2	63	4	7	6	1
7	Wyoming	White	1,855	7			12	11	10	11	61	5	4	60	2	7	124	6
		Colored	121				1				4		4	6		2	2	
8	Urban	White	370				1	2	1	1	8	1	1	15	2		34	1
		Colored	12														1	
9	Rural	White	1,485	7			11	9	9	10	53	4	3	45		7	90	5
		Colored	109				1				4		4	6		2	1	
	ALABAMA																	
10	Anniston	White	172						3	1	6		1	11			13	
		Colored	110	1					4		6			17			2	1
11	Bessemer	White	117				2		2	3	4			5			2	
		Colored	219			1	2		2		7			27		3	3	
12	Birmingham	White	1,616	8	3		2	2	5	13	57	5		49	5	5	130	5
		Colored	1,830	22	2		2		22	4	64	1	4	139	10	19	68	5
13	Dothan*	White	155	4	1				2	3	2			2	2	1	7	
		Colored	84	2	2							1		6			4	
14	Florence	White	141	2	1		2	1	2		5	2		7		2	9	
		Colored	52	1							1			6			4	
15	Gadsden	White	157				1		1	1	1			5		4	15	
		Colored	75	1			1				2			11	1	1	4	
16	Mobile	White	601	3	2		1	1	4	2	15			19	1	3	61	
		Colored	499	2	1		2		3		13		2	39	1	4	26	
17	Montgomery	White	370	1			1		4	2	8			7		1	32	
		Colored	514	7	7		3		7		19	1		42	2	6	19	1
18	Selma*	White	191	5						7	9		1	5			7	
		Colored	219	2	2						5			19			11	
19	Tuscaloosa*	White	230		1				4	3	3			12			8	
		Colored	95	2	2	1					4			7	1	2	3	
	ARIZONA																	
20	Phoenix*		1,353	4			9	1	4	5	22	2	3	434	5	14	48	2
21	Tucson*		880	3					5		15	1	1	372	8	6	29	2
	ARKANSAS																	
22	Fort Smith*	White	450	8	6		8		5	4	4	1	2	32			32	1
		Colored	65		2				5		1			6		1	4	
23	Hot Springs*	White	370	3	4				2	2	9	1		11	1		24	4
		Colored	95		1									4		2	5	
24	Little Rock*	White	1,093	8	6		1	3	6	5	14	4	1	73	1	8	69	
		Colored	630	5	8				1	1	10			67	1	9	21	2
25	North Little Rock	White	95		2		1				4			5	1	1	3	1
		Colored	96		6		1		2		3			13		1	4	
26	Pine Bluff	White	145	1	4			1	3	1	3	1	1	9		2	7	
		Colored	205	3	20				1		11	1		14		1	4	
	CALIFORNIA																	
27	Alameda		335							1	4		1	12			27	
28	Bakersfield		277				4		4		1			15		1	16	
29	Berkeley		620				3		4	5	8			18	1		77	1
30	Eureka		289	4			1				4			25		1	25	
31	Fresno		534	1			3	1	1	1	5	1	1	39	5	1	45	
32	Glendale*		690				3		2	2	8			45	3	7	112	1
33	Long Beach		1,316	2			4	1	2	5	20	1	1	44	1	10	152	6
34	Los Angeles	White	12,182	12	2		78	9	36	93	90	20	26	1,042	58	101	1,340	17
		Colored	745				9		2	6	11	2	2	142	7	11	51	2
35	Oakland	White	2,800	5			7	7	16	27	22	2	11	91	14	16	319	7
		Colored	151	1			3		1		1	1		14	2	5	7	
36	Pasadena		904	1			1		1	1	7	1		56	1	8	121	3
37	Pomona		199				5				4			12	1	2	15	
38	Richmond		150				3	1	3	1	4		2	5			11	
39	Riverside		491	2			7	1	3	3	3			59	11	2	50	2
40	Sacramento		1,347	4			12	4	4	4	12	4	20	100	5	14	128	5
41	San Bernardino*		564	2			6	2		6	6		1	83	4	11	46	1
42	San Diego		2,090				14	1	8	11	26	2	4	162	7	12	225	3
43	San Francisco	White	7,402	8	1		11	7	14	18	59	11	11	438	26	49	861	16
		Colored	424	2			3	1		2	4	2	1	62	11	7	40	
44	San Jose		581	1			1	1		1	8	1		27	2	5	70	1
45	Santa Ana		331	1			4	1	2	7	12		1	20		1	38	2
46	Santa Barbara		353							1	4		1	14	2		49	
47	Santa Cruz		210							1			1	7		1	27	
48	Santa Monica		402				3	1		1	2			16	1	3	48	1
49	Stockton		552		1		1	1			4		1	29	5	5	49	1
50	Vallejo		191	1			1	1		1	2			7	1	3	14	2

Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
144	829	1,714	34	975	954	184	121	45	1,029	104	145	1,414	126	129	273	9	5	1,368	19	2,330	1
18	87	198	4	125	70	19	13	3	148	9	18	117	4	100	25	------	------	265	4	215	
52	248	508	7	276	167	103	57	14	275	45	50	312	57	31	98	5	5	333	8	686	2
9	19	59	------	41	8	7	7	------	43	------	8	28	2	25	7	------	------	30	1	66	
92	581	1,206	27	699	787	81	64	31	754	59	95	1,102	69	98	175	4	------	1,035	11	1,644	3
9	68	139	4	84	62	12	6	3	105	9	10	89	2	75	18	------	------	235	3	149	
561	2,543	5,464	200	1,854	404	459	293	250	1,943	99	197	1,950	390	67	506	34	13	1,360	60	4,532	4
7	13	37	------	47	11	3	1	1	19	2	6	18	3	6	5	------	------	19	2	55	
274	897	2,236	88	801	177	288	173	132	787	50	94	927	178	36	259	13	6	565	15	2,059	5
2	6	14	------	28	1	2	1	1	10	------	3	2	1	4	3	------	------	7	1	23	
287	1,646	3,228	112	1,053	227	171	120	118	1,156	49	103	1,023	212	31	247	21	7	795	45	2,473	6
5	7	23	------	19	10	1	------	------	9	2	3	16	2	2	2	------	------	12	1	32	
27	99	237	9	120	31	49	18	11	98	21	15	167	34	19	64	------	------	203	20	293	7
1	3	7	------	11	4	4	4	------	6	1	2	9	1	3	2	------	------	6	16	22	
5	23	49	1	19	9	11	5	4	26	5	4	24	5	4	17	------	------	35	1	56	8
------	1	1	------	------	------	1	------	------	2	------	1	------	1	2	------	------	------	------	------	2	
22	76	188	8	101	22	38	13	7	72	16	11	143	29	15	47	------	------	168	19	237	9
1	2	6	------	11	4	3	4	------	4	1	1	9	------	1	2	------	------	6	16	20	
2	10	19	------	19	5	2	------	------	10	2	3	14	2	2	2	------	------	13	2	30	10
1	4	7	------	11	3	2	------	------	7	1	1	9	------	5	1	------	------	2	11	14	
------	8	13	1	14	3	2	3	------	8	1	------	3	1	1	5	1	------	10	1	24	11
1	8	32	------	28	1	2	2	2	15	1	1	9	------	10	1	------	------	12	8	41	
19	77	176	4	136	31	48	22	5	106	20	14	141	38	33	37	8	4	102	62	244	12
11	92	192	4	163	22	17	19	6	136	15	15	91	2	106	14	1	------	75	239	248	
1	7	13	------	8	1	11	3	1	4	3	2	8	1	3	11	1	------	10	1	42	13
1	2	9	------	6	------	4	------	2	5	1	2	5	1	2	1	------	------	4	5	19	
1	9	10	------	4	9	2	1	------	19	------	------	15	2	6	4	------	------	4	2	20	14
1	5	5	------	2	1	------	1	------	7	1	------	4	------	2	1	------	------	1	------	9	
------	11	10	------	9	7	17	3	1	11	1	1	12	3	1	5	------	------	6	3	28	15
------	4	2	------	5	1	3	1	------	11	1	1	1	------	2	2	------	------	5	3	12	
10	37	77	1	22	5	14	10	6	87	5	4	24	4	3	16	------	------	33	8	123	16
2	25	60	2	23	14	6	5	4	96	2	6	25	------	14	8	------	------	18	6	90	
5	31	53	1	19	21	9	11	2	26	3	5	12	6	4	11	------	------	15	------	80	17
5	45	73	------	32	13	8	3	2	40	------	9	19	------	17	8	------	------	14	14	98	
5	13	25	------	10	10	6	1	------	10	------	1	15	2	------	4	------	------	10	------	45	18
------	13	28	------	11	2	3	3	3	12	3	1	8	------	6	1	------	------	17	11	55	
3	15	25	------	31	2	4	3	------	17	1	------	5	1	------	4	------	------	10	------	78	19
------	5	17	------	5	3	4	------	1	5	1	2	4	------	4	2	------	------	3	------	17	
2	56	149	5	103	65	26	7	4	42	10	8	39	8	9	34	------	1	48	1	183	20
3	25	54	5	64	73	9	2	4	23	5	7	31	9	2	16	2	1	14	4	83	21
7	29	50	1	26	11	16	3	3	29	5	7	33	3	2	6	------	------	34	1	81	22
2	4	10	------	3	1	------	------	------	4	------	------	5	------	1	------	------	------	3	------	13	
5	22	60	1	18	7	4	5	3	54	1	1	11	6	1	6	1	------	15	2	86	23
2	2	9	------	6	------	2	1	------	22	1	------	------	1	1	------	------	------	7	2	27	
9	38	154	4	45	16	39	19	8	83	6	8	41	15	10	20	1	------	59	3	316	24
6	24	107	1	19	11	6	7	3	54	3	5	10	------	24	2	------	------	21	------	202	
------	5	24	------	2	1	------	------	------	6	------	------	9	1	------	1	2	------	4	------	22	25
1	5	14	1	8	4	------	3	1	4	1	------	4	------	1	------	------	------	2	1	16	
1	13	13	1	4	3	2	2	3	8	------	2	7	3	------	4	------	------	12	4	30	26
------	5	26	1	13	3	1	------	2	17	------	3	1	------	11	2	------	------	8	14	43	
9	51	92	------	15	------	8	3	2	26	1	2	4	9	------	4	1	------	16	------	47	27
3	16	44	2	14	14	3	2	1	27	7	5	16	1	2	12	1	------	16	5	45	28
13	72	149	1	28	3	9	8	5	50	2	5	18	8	4	13	7	2	26	------	80	29
6	33	47	2	11	1	4	5	2	24	1	3	10	5	2	3	------	1	22	------	47	30
8	20	84	2	33	12	5	9	3	46	2	4	38	14	7	23	------	1	24	1	94	31
12	75	136	2	21	4	12	5	5	55	2	1	26	6	------	5	2	------	17	------	121	32
14	104	322	6	55	3	17	17	9	130	4	6	74	16	7	28	2	1	55	1	196	33
221	794	2,201	51	731	190	172	149	102	945	45	65	557	252	81	335	11	10	446	14	1,886	34
7	37	97	7	50	11	9	8	4	55	6	4	42	12	11	18	------	------	24	------	98	
56	240	625	16	181	29	36	24	31	210	11	18	128	75	18	44	6	1	104	------	403	35
2	12	28	2	15	------	------	1	------	11	2	1	8	3	------	9	1	------	3	------	18	
14	89	191	2	33	6	16	12	4	76	------	5	39	15	3	15	1	1	29	------	152	36
2	27	46	1	5	3	2	2	3	7	1	1	9	1	1	4	------	------	3	------	42	37
2	10	30	------	11	1	1	2	------	12	------	2	8	6	2	7	------	------	12	------	14	38
8	27	111	1	29	9	6	3	3	16	4	2	23	6	1	10	6	------	13	2	68	39
18	113	249	2	95	23	25	12	13	112	4	10	46	38	12	32	1	------	57	------	169	40
7	35	75	1	34	19	4	7	3	29	5	3	34	7	4	18	------	1	26	------	84	41
33	141	391	6	163	18	29	17	21	147	11	3	98	56	8	38	1	4	78	------	352	42
129	408	1,625	34	490	16	106	75	113	676	17	19	221	249	41	165	1	4	339	3	1,141	43
7	20	77	5	48	4	5	2	8	23	1	3	9	10	3	1	------	------	10	------	53	
8	41	130	2	32	9	10	9	4	66	1	------	21	12	3	17	3	------	18	------	77	44
9	30	76	------	9	8	6	6	1	27	------	------	10	6	------	4	------	2	14	------	34	45
7	28	64	3	19	3	4	7	4	34	3	1	18	4	6	8	1	------	14	1	53	46
3	24	61	1	8	------	1	2	5	23	1	------	7	4	------	3	------	------	9	------	21	47
7	38	81	------	25	5	5	6	2	39	1	2	21	12	1	15	------	------	13	------	53	48
7	44	110	3	38	5	10	6	4	32	3	4	22	17	7	17	------	------	28	1	97	49
2	16	46	------	13	1	5	1	1	13	1	2	9	2	3	8	------	------	11	------	24	50

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
	COLORADO																
1	Boulder	171								3		1	30			22	
2	Colorado Springs*	620	2			2		1	1	11	4	1	152	3	1	60	1
3	Denver	4,185	8			41	16	1	24	114	9	21	426	15	21	394	11
4	Greeley	230	3				7	1	4	7	1		15	2		18	
5	Pueblo	595	4			10	2	4	6	16	6	3	49	1	3	38	1
6	Trinidad	168	2				2			7	3	1	17		1	7	1
	CONNECTICUT																
7	Ansonia	129							1	3			8			9	1
8	Bridgeport	1,514	1					1	26	24	3	1	82	6	8	150	8
9	Bristol	230				7	2	1	1	2	1	1	10		1	19	
10	Danbury town	365								4	3		16		3	45	1
11	Derby	180							2	5	1		7			7	
12	East Hartford town	91		1				1		1			2			12	1
13	Enfield town	83						1		4			3			12	
14	Fairfield town	103							1				3		3	13	
15	Greenwich town	260	1				2		1	6			8	2		32	
16	Hartford	2,073	5			4	1	9	10	16	9	3	70	11	15	193	4
17	Manchester town	171							3	1			3			26	1
18	Meriden	418								5	2		26	3	3	45	
19	Middletown*	459					1			5	1		35		3	35	1
20	Milford town	132					1			3	1		2			10	
21	Naugatuck	94											8		1	11	
22	New Britain	574	1			1		5	3	9	1	2	32	6	3	65	3
23	New Haven	2,070	2			1	3	1	8	44	4		74	4	9	260	9
24	New London	406	1			1	1	1	1	2		1	13	1	2	47	4
25	Norwalk	385						2	3	9	1		11	2	2	38	
26	Norwich town*	462	1			1			5	7	2	1	84	5	2	41	1
27	Orange town	197						2		2			20		1	24	
28	Stamford town	558				2		1	4	10	1	1	18	1	2	50	3
29	Stonington town	101					1			1			4		1	17	
30	Stratford town	91						1	3		1		6			11	
31	Torrington town	211	1					2	2	1			9	2		16	
32	Wallingford town	117							3	1			7		1	13	
33	Waterbury	1,082	1			1			1	16	5	1	46	3	9	115	3
34	Windham town	159	1				1	1	2	1			4			19	
	DELAWARE																
35	Wilmington—White	1,209	5					1	7	18		1	43	2	6	112	5
	Colored	253	1					1		6			19	1		12	
	DISTRICT OF COLUMBIA																
36	Washington—White	4,306	7				4	11	18	50	3	5	209	9	23	495	13
	Colored	2,680	4				5	8	7	33		2	317	16	44	125	9
	FLORIDA																
37	Jacksonville—White	904	4	2			3	1	9	11		1	35	3	5	57	2
	Colored	1,120	7	3	1				3	31	1		118	1	10	32	3
38	Key West—White	167	1			1				1			17		1	15	2
	Colored	72								1			6		1	2	1
39	Miami—White	784	3			1	1	1	4	8		1	22		2	55	2
	Colored	472	3					2	2	14		1	38	2	5	9	1
40	Pensacola—White	300	9			1		1	4	2		1	18	2		19	
	Colored	219	5	5				2		12		1	16	1	6	4	
41	St. Petersburg—White	476				1			3	4		1	17	1	1	63	1
	Colored	130	2	2						4			12			2	
42	Tampa—White	884	7	3		1	1	3	2	5	3	2	54		1	75	1
	Colored	393				1		2		5			37		1	16	
	GEORGIA [2]																
43	Albany—White	72	1	1						2			3			5	
	Colored	178	3	2				1		11			15			4	1
44	Athens—White	148							1	1			11		2	18	
	Colored	151			1			2		2			22		3	5	1
45	Atlanta—White	2,001	10	1	1	10	2	18	18	50	4	6	72	4	9	177	4
	Colored	1,832	28	4	1	5		19	7	75	1	1	110	8	32	51	8
46	Augusta*—White	523	3	6			1	2	3	9	3	1	24			35	1
	Colored	607	14	2	2		2	5		28	1	1	44	1	6	24	2
47	Brunswick—White	81	1							2	1		2			2	
	Colored	138	2	1					1	1			14		2	2	
48	Columbus—White	387	2	3				3	2	6	1		13			17	2
	Colored	307	5	1		1		2		2			19			11	
49	La Grange—White	144	7	1		1		1	2	5			7			7	
	Colored	104	9						1	1			12		1	7	1
50	Macon—White	406	5	1		2		1	2	10	1		19	1	1	44	
	Colored	543	8	3				4	2	7			61	1	3	17	
51	Savannah*—White	553	6	2		1	2	3	4	7			16	1	1	50	3
	Colored	1,033	2						2	30	1		92	2	8	21	4
52	Waycross—White	123	3						1	1			2			7	
	Colored	120	2	1						1			8			2	

[1] Excludes collision with railroad trains and **street cars.**

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
	16	34	1	12		2			6	2	1	4	1		6			6		24	1
8	33	78	4	33	3	9	7	4	44	5	5	24	8		14			17		85	2
41	274	577	10	344	43	104	68	21	281	23	28	203	76	18	61	6		149	13	744	3
3	12	23		11	10	8	5		11	6	2	14	4	2	9	2		11		39	4
4	46	67	2	51	27	16	4	6	41	7	7	29	8	5	11			26		95	5
3	11	16	1	15	10	4	3	7	12	1	1	16	2		4			4		17	6
	15	29	1	9	3			3	15		1	6	4					8		13	7
32	133	308	3	125	11	15	22	9	132	4	2	82	19	2	25			69	21	190	8
3	16	36		14	5	8	3	2	26		3	27	1	1	2			8	2	28	9
6	27	60	3	33	2	9	7	4	24	2	2	29	5	3	6	2		17		52	10
3	16	18	1	19	1	7	3	2	13		6	16	2		5			19		27	11
1	13	24		6					7			3	3		1			5		10	12
	9	19	1	5	1				3		1	8			2			6		8	13
1	6	22		5	1			3	12			7	2		4			5		15	14
1	23	46	2	18	1	2	2	2	29		2	15	3		7			15		40	15
35	131	435	9	166	72	50	21	13	165	7	16	162	19	5	49		1	84	2	281	16
4	15	43		10	1	1	1		16		3	5	2	1	4	1		6		24	17
10	48	64	3	32	3	2	2	4	39		3	34	4	1	14			13	1	57	18
9	20	130		44	1	3	1	6	28		2	24	4		5			20		81	19
7	11	31		6		1	1	1	11			6	2		13			8	1	16	20
1	13	25		12					8			3						2		10	21
5	41	83	2	63	10	9	1	4	40	2	2	63	9	2	13		1	27		66	22
46	179	366	9	194	6	30	24	5	135	13	21	124	21	4	48		1	89	6	330	23
10	28	107	1	30	4	5	4		29		3	34	3		7			16		50	24
10	58	68	4	26	5	6	2	4	39		3	19	4	3	12			22		32	25
9	38	68		26	2	9	6	4	39		4	27	5		10			19		46	26
6	23	46	1	13		2	3	1	11	1	1	12	2		2			10		14	27
14	48	152	1	30	9	3	5	5	38	1	7	34	8	2	19			30		59	28
2	7	35	2	2					13			5			1			4		6	29
1	4	24	1	2			1	1	15	1	1	7			1					10	30
10	11	44		16	3	3	3	1	17	1		13	5	2	7	2		11	1	28	31
5	17	30	1	4			1	1	9			2				1		5		16	32
29	91	168	3	92	13	10	6	10	108	7	15	91	17	4	19		2	60	3	133	33
4	12	28	3	15	4	4	3		13	1	1	9		2	2			6		23	34
23	99	199	6	87	22	19	14	5	168	5	10	56	14	6	34	1	2	74		165	35
7	41	32	2	33	8		4	1	17	2	1	5		7	6			13		34	
79	289	983	13	259	25	68	38	35	450	17	24	201	94	17	71	1	1	182		612	36
31	169	513	18	271	31	21	29	12	281	17	20	154	16	39	37			78	1	372	
11	57	133	1	44	24	20	14	8	96	3	8	56	27	10	34			35	3	187	37
11	83	109	10	87	27	13	7	16	107	9	17	41	1	63	16	1		47	18	227	
3	17	30		7	10		4	2	12	1	2	4	1	1	2			7	5	21	
	5	10		2	5			1	7		1	4	1					3	2	20	38
9	50	137		32	9	18	13	3	66	5	7	76	29	11	34	1	1	42	4	137	39
3	25	51	1	23	24	5	11	4	14	5	7	41	1	44	12			22	7	95	
4	14	48		13	19	5	3	6	24	1	7	27	6	3	7	1		20	4	31	40
1	17	17	2	12	6	1	2	3	36			8		7	5			7		43	
7	52	101	3	14	2	6	4	3	58	1		24	5	1	5	1	1	20	7	69	41
1	7	9	1	5	2		1	1	13	1	4	10		2	4			6	4	37	
12	46	115	1	44	24	10	18	12	96	6	9	58	19	15	20			56	8	157	42
6	30	41	1	27	3	3	3	4	39	4	4	17	2	27	4			29	10	77	
1	7	8		2	2	2	1		10			4		1	1			6	1	14	43
	10	19	1	9	8	3		3	22	4	2	10		4	2			5		39	
2	9	29		2	1	1	4		15		4	7		1	4	1	1	8	2	24	44
1	12	23	1	7			1	1	14	1	2	10		5	5			4	5	23	
23	151	257	7	104	31	48	18	21	238	10	30	128	34	18	39	2	3	113	11	329	45
13	145	246	16	188	44	30	17	8	144	7	19	112		82	26			63	23	299	
5	38	51	1	31	19	11	6	2	56	6	6	38	13	10	20		1	20		101	46
4	40	74	2	50	23	7	7	1	64	5	6	25	2	12	12	1	1	19	3	117	
	4	15		2	2	2	2	1	3	1	4	8	1		2			9	1	16	47
1	22	21	3	6	1	4	1		8	1	1	8		3	3			8	1	23	
2	26	42	1	36	19	6	2	1	33	3	6	40	6	9	10			15	5	76	48
1	16	35		23	5	2	2	1	37	2	4	16		11	4			10	11	86	
4	6	10	1	10	8	4	1	2	22		2	14		1	3			4		21	49
	3	12		3	3	1	2	3	8		1	5		3	2			4	2	20	
6	30	54		19	6	7	4	4	50	4	3	31	6	5	6	1		21	4	58	50
4	41	57	5	36	23	3	9	2	56	4	9	22	2	17	5			17	31	94	
12	28	90	3	25	12	7	9	6	70	4	8	31	12	5	14			31		90	51
2	94	169	4	83	26	12	8	2	126	4	8	64		28	9			48	1	183	
2	7	14		10	7	4	2		11	1	3	10		1	3			8		26	
1	12	15		10	7	1		1	8	3	3	8		2	2			7	1	25	52

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	IDAHO																
1	Boise	315	2			3				9	2	2	11	4	1	39	1
2	Pocatello	215				2	2			1	1	2	2		1	17	1
	ILLINOIS																
3	Alton	401	1	2		4	2	3	1	8	1		10		1	47	
4	Aurora	605	2			1	4	1	2	8	1	2	22		2	75	
5	Belleville	314	2				1	1	1	3	1		19	1	1	32	1
6	Berwyn	211							2	3	1		8			24	1
7	Bloomington	468	1			1	1	2		5	1		19	2	2	49	4
8	Blue Island	195							1	4			10	1		21	1
9	Cairo—White	149	7	1		1		1		1		1	8			14	1
	Colored	107		3									16			4	
10	Canton	147				2				9			3		1	8	1
11	Centralia	154	2						1	2			9	1	4	16	
12	Champaign	211					1	1	1	1			9			25	
13	Chicago—White	31,915	16	1	1	112	76	69	422	207	54	82	1,623	120	133	3,278	119
	Colored	3,843	7	3		15	3	17	19	24	7	12	594	30	78	156	18
14	Chicago Heights	215						1	6	3	1		10		2	16	
15	Cicero	338					2		9	3			18	2	1	37	
16	Danville	553	2			1	1		5	9	1		25		2	63	2
17	Decatur	794	5	1		4	2	5	9	8	1		42	2	3	84	1
18	East St. Louis—White	695	2			1		3	10	7	1	1	27	1		47	3
	Colored	186	2	1				1		10			23	1	2	3	
19	Elgin*	767	3							11	1	3	24	3	2	57	
20	Evanston	652				1	4		7	8	1	3	11			68	
21	Forest Park	98				1	1		1	2			3		1	6	
22	Freeport	374						2		5			7	1	4	46	
23	Galesburg	396	3			2		2		9			7	1	2	46	2
24	Granite City	224	1				1		2	2			12			9	2
25	Herrin	126		1				1			1		8		2	11	
26	Jacksonville*	576	5			1		2	1	6	5	1	49		1	50	
27	Joliet	547				4		3	1	14	1		15	6	1	50	2
28	Kankakee	251	4						2	2			11		2	19	
29	Kewanee	231	2			3		1	4	3			7		1	24	1
30	La Salle	165								5		1	5		1	12	
31	Lincoln*	223				1	1	2		3	1		20	1	2	20	
32	Mattoon	170	1					2		4	1		4		3	17	
33	Maywood	156	2			2			4	1	1		5			17	1
34	Moline	366		1		6	2	1	2	3	1		3		3	38	
35	Murphysboro—White	102	2				2			1	1		3			11	1
	Colored	23						1		3			4		1		
36	Oak Park	779					2	1	7	7	1		10	3	3	92	2
37	Ottawa	185						1	1	2	2	1	12	1	1	10	1
38	Pekin	161	1				1			3	1		2		1	18	
39	Peoria	1,148	1	2		2	1	3	2	15	1	1	37	2	6	127	4
40	Quincy	583	3				2	2	1	4		1	15	1		75	3
41	Rockford	816	3			2	3	2	2	13	1	2	23	2	3	91	2
42	Rock Island	380	1			3	1	2	2	5		1	23	2	1	34	2
43	Springfield	1,034	1			10	2		4	31	4	3	22		8	102	6
44	Streator	204				1			1	2			5	1		22	1
45	Urbana	146	1			1				2			5	1	2	11	
46	Waukegan	275						1	2	3		1	5	3	1	28	
	INDIANA																
47	Anderson	418			1			2	1	18			15		4	38	1
48	Bloomington	174	1					1		7			10		1	10	
49	Clinton	101								2	1		4			11	1
50	Crawfordsville	169							1	11			8			24	1
51	East Chicago	395				1		2	11	7	2		22	1	5	13	
52	Elkhart	380	2		1	2	1		4	4			10		4	35	
53	Elwood	146								2	1		7	1		12	
54	Evansville	1,119	7			2	3	8	7	14	2		62	1	9	99	2
55	Fort Wayne	1,218	4			1		5	7	16	1		49	5	11	131	4
56	Frankfort	173						2		7			6		2	16	1
57	Gary	996	8	1		2	1	8	5	19	3	4	49	2	9	38	2
58	Hammond	619	2				1	4	9	9		2	21	5	4	45	2
59	Huntington	165							2	2			6			20	
60	Indianapolis—White	4,100	3	1	4	4	14	6	26	71	15	4	155	15	19	398	6
	Colored	801	2			1		10	3	9		1	97	4	10	39	5
61	Jeffersonville—White	157							1	8			3			12	1
	Colored	27						1		1					1	3	
62	Kokomo	319		1			2	1	2	12	2		17	2	2	29	
63	Lafayette	530	2			1	7		9	4	1	1	17		4	48	4
64	La Porte	235				2		3	1	4	1		9		1	31	1
65	Logansport	320	5					2		10	2		10	1	1	29	
66	Marion	344	2				1		3	4			17	1	1	39	
67	Michigan City	259	1			1			2	1	1		20			29	
68	Mishawaka	246				3	1		1	11	3		9	1	1	21	
69	Muncie	511	2					3	3	3	1		19	1	5	48	2
70	New Albany	374	1				3	1	3	10			18	1	1	38	1
71	New Castle	167	1							7			6	1	1	15	2
72	Peru	160	1							2			4		2	13	1

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary 1	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
4	21	53	-------	16	-------	10	5	-------	14	-------	2	17	6	-------	3	-------	1	12	1	76	1
1	10	42	-------	16	3	9	3	1	10	2	2	13	2	3	7	-------	-------	10	1	51	2
5	46	48	4	14	11	6	6	2	40	4	4	31	2	10	8	2	-------	15	1	62	3
16	48	109	6	33	13	12	8	3	45	2	8	44	6	6	11	2	2	19	-------	92	4
4	30	40	5	11	4	9	3	8	29	3	2	12	3	1	6	-------	1	16	1	63	5
9	8	49	-------	12	2	1	1	5	25	1	1	10	5	-------	6	1	1	9	-------	26	6
4	63	92	1	25	5	6	4	-------	38	-------	2	22	10	7	5	-------	5	11	-------	81	7
4	8	36	-------	10	4	6	2	2	19	-------	2	21	2	3	7	2	-------	8	-------	21	8
2	11	15	-------	8	7	5	3	1	9	3	-------	9	1	-------	2	-------	-------	15	1	22	} 9
-------	16	12	-------	6	1	-------	5	-------	17	-------	-------	3	-------	9	-------	-------	-------	5	-------	10	
3	15	29	-------	8	2	4	3	-------	19	1	1	9	3	1	-------	-------	-------	10	-------	15	10
4	13	16	3	5	5	5	3	-------	9	-------	1	8	3	1	-------	-------	-------	9	-------	34	11
1	12	33	-------	18	6	6	1	1	19	-------	3	13	3	2	8	-------	-------	13	1	33	12
654	1,456	6,463	221	2,392	499	586	309	321	3,358	106	195	1,863	482	268	727	10	29	1,562	5	4,096	} 13
44	120	710	12	446	56	50	25	20	338	28	19	170	20	175	60	-------	1	143	2	421	
-------	8	29	1	25	4	5	3	1	11	5	3	18	-------	3	11	2	-------	12	-------	35	14
10	16	83	2	21	9	-------	4	3	41	-------	1	22	9	3	3	-------	-------	11	-------	28	15
10	34	77	-------	44	10	21	5	2	44	-------	5	24	6	4	15	3	1	46	1	90	16
20	44	127	1	38	12	17	8	5	66	4	6	50	16	2	19	2	-------	31	6	153	17
16	52	110	3	44	20	15	7	7	44	5	6	52	17	14	18	1	-------	61	4	96	} 18
2	10	25	2	25	7	3	1	-------	7	1	3	17	-------	14	-------	-------	-------	11	2	13	
12	32	137	3	43	9	12	4	6	33	4	3	26	9	2	13	-------	-------	20	2	293	19
17	40	128	1	41	22	14	6	6	48	1	4	57	9	1	20	3	-------	22	-------	109	20
2	4	26	1	8	-------	-------	-------	2	16	-------	-------	3	2	-------	1	-------	-------	2	-------	16	21
15	27	38	-------	24	6	18	6	4	42	3	2	15	2	1	6	-------	-------	18	-------	82	22
5	30	61	2	21	2	13	5	2	36	-------	5	23	4	5	5	3	-------	20	-------	80	23
1	14	20	3	15	10	8	7	2	17	4	1	21	6	6	7	-------	-------	17	2	34	24
2	3	18	1	4	4	4	2	-------	10	1	-------	14	4	4	1	-------	-------	4	7	19	25
4	27	115	1	48	3	11	5	1	27	1	1	16	4	1	5	1	-------	14	-------	170	26
9	31	82	10	41	26	10	8	5	39	-------	5	45	5	8	26	-------	2	33	2	63	27
5	17	46	-------	12	4	9	7	1	27	-------	4	16	5	1	9	2	-------	14	-------	32	28
3	19	33	3	21	9	4	2	1	21	1	1	17	3	-------	2	-------	-------	13	-------	32	29
3	15	20	-------	9	5	1	4	5	13	-------	3	12	3	2	3	-------	-------	12	-------	31	30
3	5	38	-------	18	5	6	4	2	23	3	-------	11	-------	1	5	-------	-------	6	-------	42	31
6	12	24	-------	8	4	11	3	3	25	-------	1	10	2	-------	2	1	-------	5	-------	21	32
1	11	40	2	15	2	1	-------	-------	15	-------	-------	6	3	1	-------	-------	-------	5	-------	21	33
8	19	72	3	24	2	13	8	6	31	6	3	23	10	-------	4	-------	-------	17	-------	57	34
1	5	15	-------	3	3	2	3	2	12	1	-------	6	2	1	1	-------	-------	6	-------	18	} 35
-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	1	-------	-------	-------	8	-------	3	
25	47	147	1	29	3	24	14	9	88	4	10	73	6	1	21	1	2	27	1	118	36
1	14	38	1	14	4	1	-------	-------	10	2	3	22	2	-------	6	-------	-------	14	-------	21	37
3	11	26	-------	12	10	2	2	-------	9	-------	2	16	-------	-------	3	-------	-------	8	3	27	38
26	66	235	5	82	20	11	11	11	83	4	6	69	17	7	20	-------	-------	56	-------	215	39
8	52	132	6	27	12	10	7	4	42	2	4	31	4	3	6	-------	-------	22	-------	104	40
17	51	155	1	51	8	22	15	6	40	4	7	72	15	6	16	3	3	38	-------	137	41
5	39	79	5	19	4	6	3	2	27	1	4	16	9	1	4	-------	-------	20	-------	59	42
28	64	164	2	43	20	21	10	11	96	9	5	55	10	12	21	3	-------	56	4	209	43
6	17	36	2	5	6	7	6	3	18	1	2	11	1	2	4	1	-------	7	-------	36	44
3	11	36	-------	4	4	2	1	-------	12	1	-------	6	2	-------	2	1	-------	5	-------	33	45
4	14	53	-------	13	3	10	2	3	13	5	2	22	3	4	12	1	4	20	-------	43	46
7	49	71	-------	24	13	6	4	1	33	4	4	24	5	3	8	2	2	21	1	56	47
1	11	37	-------	12	6	3	2	-------	18	2	3	12	4	2	3	1	-------	8	-------	19	48
1	6	16	-------	6	2	2	1	-------	11	-------	2	8	-------	3	2	-------	-------	8	-------	14	49
3	19	37	-------	4	1	1	2	-------	12	1	-------	3	-------	-------	2	2	-------	6	-------	31	50
4	7	61	6	34	21	1	2	7	18	2	1	28	5	9	9	1	1	27	-------	37	51
2	56	61	-------	21	6	8	4	4	39	3	6	18	7	-------	11	1	1	16	3	50	52
3	14	23	1	9	4	2	3	-------	14	1	1	18	2	-------	1	3	1	4	-------	19	53
32	70	178	4	57	18	31	21	12	113	8	6	69	17	15	24	1	1	58	1	167	54
23	93	189	7	92	12	27	16	7	120	5	13	67	20	3	25	2	-------	60	2	201	55
1	27	22	-------	9	3	7	1	-------	12	1	2	8	4	-------	2	-------	-------	13	-------	27	56
10	38	107	4	129	22	24	13	8	56	13	10	63	17	35	38	13	10	71	-------	164	57
10	25	73	2	64	21	5	5	6	51	1	7	41	10	8	36	16	2	52	-------	80	58
3	15	33	1	13	4	2	2	-------	11	1	-------	5	1	1	3	-------	-------	7	-------	33	59
68	290	838	11	266	74	81	46	28	332	30	18	176	75	18	76	9	15	184	2	722	} 60
11	40	133	2	90	17	7	7	3	89	6	6	38	1	20	8	-------	2	22	-------	118	
4	10	36	-------	8	5	1	3	3	16	1	3	13	-------	-------	1	-------	-------	10	-------	18	} 61
-------	3	7	-------	1	-------	-------	-------	1	3	-------	-------	1	-------	1	-------	-------	-------	1	-------	3	
6	21	57	1	20	13	4	2	7	26	2	2	18	2	1	3	-------	2	12	-------	50	62
10	36	119	4	18	8	12	9	1	29	3	8	29	7	6	15	3	-------	24	-------	91	63
8	21	42	2	10	6	3	4	2	20	-------	1	17	2	1	6	2	-------	8	-------	27	64
6	33	44	1	23	2	10	5	2	55	1	4	10	2	1	5	-------	-------	13	-------	43	65
5	29	76	1	13	4	6	1	7	21	1	2	18	3	1	8	2	-------	15	-------	63	66
5	17	43	-------	8	5	5	3	2	23	1	1	24	1	-------	15	-------	-------	15	-------	36	67
4	16	46	2	8	6	5	2	2	24	-------	-------	28	2	-------	7	1	-------	14	-------	28	68
12	43	82	1	33	10	11	4	2	59	5	4	36	9	3	13	2	-------	20	2	73	69
5	27	60	1	15	8	6	7	1	44	1	2	22	8	3	11	-------	-------	15	1	60	70
-------	13	28	-------	7	3	2	3	2	20	-------	1	18	3	-------	7	-------	-------	6	-------	18	71
5	13	26	-------	18	3	2	2	6	11	1	2	7	2	-------	1	-------	-------	11	1	26	72

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	INDIANA—continued																
1	Richmond	342	2				4	5	2	8	3	1	13		2	36	
2	South Bend	972	3				5	2	3	13			52	14	4	80	2
3	Terre Haute	902	2			1	1	6	5	24	1		40	1	7	80	
4	Vincennes	275	1			3	1	1		15	1	1	13	1	1	22	1
5	Whiting	66							3				6			6	
	IOWA																
6	Boone	166						1		2	2		4	1	2	20	
7	Burlington	386	1			6		1	2	13			10			43	1
8	Cedar Rapids	600	1			1		1	5	18	1	1	17	3	3	66	
9	Clinton	361				3		3	1	3	1		15		2	35	3
10	Council Bluffs	534				9			7	5	1		4	3	3	62	2
11	Davenport	762	3			6	1		7	9			51	2	5	82	1
12	Des Moines	1,628	5			16	1	11	6	30	5	3	72	4	2	190	9
13	Dubuque	625	1			8		2	6	4	3		28	3	1	73	3
14	Fort Dodge	266				4		1	2	3	2	1	12		1	29	
15	Fort Madison	182	1	1		5	2	3		4			6		2	15	3
16	Iowa City*	483	3			3	1		10	6		1	11	4	4	69	1
17	Keokuk	271				2		1		6			6			20	
18	Marshalltown	252								9			7	1	1	21	
19	Mason City	259				2	2	2	1	5	2		4			21	
20	Muscatine	251	1			5				8	1	1	8	1	3	31	1
21	Ottumwa	356				2		1		6			17	1	1	43	2
22	Sioux City	884	2			1	2	3	1	22	1	3	15	4	3	96	4
23	Waterloo	378	1			3		2	2	7	1	1	9		2	49	1
	KANSAS																
24	Arkansas City	176				2	1			4			7			20	1
25	Atchison—White	150						1	1	6			3			12	1
	Colored	25								2			1			2	
26	Chanute	135						1		3	1		5			17	1
27	Coffeyville—White	155	2			1	3	1		4			10		2	14	
	Colored	25								1			1		2	1	
28	Eldorado	104	1				1			1			3			6	
29	Emporia	194					1	1		5			4		1	22	1
30	Fort Scott	199	1							3			4		1	24	
31	Hutchinson	296	2				1	1		6			10		2	24	
32	Independence	155	2			1				9			3			19	1
33	Kansas City—White	1,193	1			3	3	7	7	17	1	2	42	1	5	133	5
	Colored	363								18			47	1	11	19	
34	Lawrence—White	162	1			1		2	1	3			4			21	
	Colored	37								6			1			3	
35	Leavenworth—White	226		1					2	15			5	1	3	22	
	Colored	34								3			2			2	
36	Parsons	230	1			1		1	2	5		1	6		1	24	
37	Pittsburg	168	1			1			4	15			5			12	1
38	Salina	198				1		1		3	1		4			23	3
39	Topeka	754	2		1	3	3	2	4	16	2	1	27	4	3	73	1
40	Wichita	1,167	5			1	8	6	10	28	1	4	35	4	5	138	6
	KENTUCKY																
41	Ashland	312	3			1	1	9	3	7			20	3	3	16	1
42	Covington	928							4	8	3		46	5	8	74	5
43	Henderson—White	136	2							5			7	1	1	9	1
	Colored	78						2		1	1		14		1	1	
44	Lexington—White	605	4			2		4	3	5		1	43	3	3	48	
	Colored	393	3			4		10	2	11			37	1	4	16	1
45	Louisville—White	3,080	8		2	1	9	21	13	31	4		136	10	25	280	4
	Colored	1,013	2	1			1	7	2	19		1	84	3	14	51	11
46	Newport	324	1			2			3	8			29	2	3	30	1
47	Owensboro—White	321	4	1				4		6	2	1	24	1	2	32	1
	Colored	57	2							2			10		4	2	
48	Paducah—White	310	5	8				7	1	5	1		26	2	1	24	3
	Colored	156	2	3						10			17		3	4	
	LOUISIANA																
49	Alexandria—White	190		2					3	4	1	1	4			11	
	Colored	173	3	1		1		4		6			18			4	
50	Baton Rouge—White	138	1			4				4	1	1	4		1	10	
	Colored	172			1	9		6		7			13		2	12	1
51	Lake Charles—White	110	1	1						3			3		1	8	
	Colored	128						2		4			8		2	2	
52	Monroe—White	204	1	2					2	6	2		5	1		18	
	Colored	182	6	2				1	2	3		1	13		4	5	
53	New Orleans—White	4,693	24	3		75	5	25	47	77	1	6	334	13	14	426	5
	Colored	3,249	12	3		26	2	16	19	107	1		335	10	38	143	8
54	Shreveport*—White	652	4	4		1	1	1	1	12	1	1	21	3	2	57	
	Colored	790	11	4				1	3	9		3	53	2	14	29	1

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

Subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
2	24	90	------	19	12	3	2	4	30	2	------	12	6	------	3	2	------	13	2	40	1
14	75	172	2	75	20	16	11	10	70	7	8	67	14	6	26	1	1	51	------	148	2
18	56	167	3	54	8	21	13	5	87	8	5	53	9	9	31	1	2	47	1	136	3
4	10	46	------	19	7	5	3	1	20	2	1	12	4	1	6	2	------	23	------	48	4
------	2	13	1	7	6	------	------	------	7	------	------	1	------	------	2	1	------	6	------	5	5
2	13	26	------	7	1	4	1	1	19	1	------	13	3	------	4	------	------	10	------	29	6
9	38	83	3	21	2	8	6	4	12	3	1	24	5	------	2	------	------	22	2	64	7
10	64	108	1	24	2	15	6	11	41	4	6	28	20	3	11	------	------	41	------	88	8
7	22	57	2	29	4	3	3	4	27	------	7	19	6	1	6	------	------	26	3	69	9
10	39	72	------	48	6	18	4	2	44	5	4	32	8	2	6	------	------	31	4	103	10
12	68	150	1	50	2	7	7	6	51	2	2	35	26	3	9	------	------	49	1	114	11
21	114	282	------	101	12	41	17	8	83	14	10	103	26	7	30	3	2	75	5	320	12
11	72	113	4	30	14	14	9	5	38	2	2	29	8	5	5	------	------	29	5	98	13
12	13	33	------	12	------	14	6	------	10	2	1	29	------	1	3	------	------	19	------	56	14
------	19	24	2	8	2	9	1	1	14	1	2	10	4	------	1	------	------	7	------	35	15
12	18	47	1	35	1	8	8	1	23	5	3	20	5	1	3	------	------	12	3	164	16
5	28	46	3	13	5	8	10	3	21	4	3	10	4	------	5	------	------	19	1	48	17
3	33	32	------	22	3	3	5	------	14	2	1	16	5	1	6	------	------	12	------	55	18
3	16	32	2	12	4	6	5	3	12	3	1	25	4	1	1	2	------	17	------	71	19
3	31	26	------	11	3	9	2	2	20	4	1	20	3	------	3	------	------	7	------	46	20
3	36	43	------	28	2	7	4	1	30	2	1	26	4	1	6	1	1	23	------	64	21
14	58	119	2	44	9	41	16	6	46	7	10	88	16	7	22	------	------	46	2	174	22
8	32	60	------	27	5	5	4	1	37	3	------	21	7	2	10	1	------	14	------	63	23
4	22	23	------	3	4	4	2	1	13	3	2	12	2	2	2	2	------	12	------	28	24
6	7	33	------	4	------	8	3	------	18	1	1	9	2	------	2	------	------	10	1	21	25
------	2	2	------	5	------	1	------	------	4	------	1	2	------	------	------	------	------	------	------	3	
2	13	22	------	7	1	2	4	------	7	------	1	7	2	------	------	1	------	7	3	28	26
6	10	18	------	10	8	1	2	1	5	2	------	14	3	------	3	------	------	5	1	29	27
------	1	9	------	2	------	------	------	------	2	------	------	1	------	1	------	------	------	1	------	3	
5	7	12	1	7	------	1	2	------	11	------	1	14	3	1	1	------	------	7	1	18	28
4	8	30	------	9	4	2	5	------	20	------	2	12	2	------	1	------	------	15	3	42	29
2	25	38	------	4	1	9	3	------	16	3	2	8	------	------	4	1	------	11	1	38	30
3	29	51	------	11	3	10	1	2	26	2	7	19	3	4	6	2	1	21	1	48	31
5	15	21	2	10	1	4	5	1	10	------	2	9	------	------	------	------	------	6	------	29	32
29	72	175	6	78	16	23	13	14	109	12	5	74	17	9	18	2	1	64	------	229	33
9	16	39	1	27	8	7	4	3	48	4	------	15	3	11	2	------	------	11	1	58	
------	16	30	2	8	1	4	------	1	12	1	1	4	1	1	3	1	------	13	1	29	34
------	3	8	------	------	------	1	------	------	1	------	------	3	------	------	------	------	------	1	1	9	
3	26	36	4	10	1	5	1	4	11	1	2	12	------	2	5	------	------	12	------	42	35
1	5	11	------	1	------	------	------	1	3	------	------	------	------	1	------	------	------	1	------	3	
7	29	32	------	19	4	6	3	6	19	------	2	6	2	1	------	1	------	8	------	43	36
2	13	26	1	10	1	1	------	3	21	------	------	11	3	3	1	------	------	8	1	24	37
1	13	28	3	14	2	3	5	------	13	2	2	12	6	3	2	1	------	9	3	40	38
14	68	136	2	52	14	13	9	5	68	4	5	35	8	3	10	1	------	22	2	141	39
14	121	180	7	58	18	34	23	7	79	9	4	63	17	8	24	2	------	60	2	186	40
3	14	39	------	29	11	13	6	3	17	2	2	22	7	4	12	------	------	13	------	48	41
18	85	148	3	65	15	26	9	8	102	4	9	64	7	11	21	------	------	44	2	134	42
------	9	30	1	4	4	2	2	2	16	------	1	5	1	------	1	------	------	12	1	19	43
------	10	13	------	6	2	1	------	------	10	1	------	7	------	------	------	------	------	1	------	7	
9	69	82	4	38	11	24	7	4	50	------	3	17	6	7	9	------	1	24	3	121	44
4	31	69	2	38	9	3	4	------	46	2	1	8	------	11	2	------	------	18	------	56	
67	243	512	15	205	83	52	29	16	251	12	16	199	46	25	67	2	------	154	2	540	45
6	61	190	6	113	10	8	9	5	101	3	4	31	4	61	14	------	------	33	1	157	
5	43	70	4	18	4	------	1	8	32	1	------	18	2	3	1	------	------	4	1	30	46
5	22	38	4	17	20	10	2	1	24	4	2	16	6	2	5	------	------	22	3	40	47
------	2	9	------	3	------	2	------	1	8	------	------	2	------	1	------	------	------	4	------	5	
7	10	49	1	12	6	13	5	3	22	------	3	18	7	3	4	------	------	14	2	48	48
2	7	22	4	16	5	1	1	------	13	1	1	4	2	8	1	------	------	------	2	27	
7	8	19	------	13	8	11	4	------	12	3	7	17	------	3	3	2	------	11	1	35	49
1	5	29	------	11	11	3	------	------	20	2	2	6	------	3	------	------	------	7	2	34	
2	11	23	2	6	3	4	2	1	14	1	4	7	1	1	3	------	------	9	------	18	50
1	12	30	------	10	7	------	------	1	15	------	1	6	1	------	3	------	------	13	------	21	
3	5	8	------	1	4	4	3	1	8	2	1	9	2	------	4	1	------	9	4	24	51
------	4	13	------	7	4	1	------	1	20	3	2	6	------	2	1	------	------	8	16	22	
4	11	13	------	10	4	15	4	2	11	3	6	12	4	4	11	------	------	15	1	37	52
1	7	20	------	9	2	11	6	1	13	3	2	3	------	17	1	------	------	8	4	37	
69	308	818	14	295	118	92	60	62	498	25	33	200	65	45	69	3	------	220	1	643	53
31	167	581	8	326	125	41	33	28	289	20	17	138	11	92	27	------	------	132	2	461	
13	29	79	1	28	11	32	10	6	39	7	5	40	12	7	21	------	------	44	2	157	54
9	24	100	------	27	10	20	19	6	61	12	9	30	------	26	7	------	------	34	17	249	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MAINE																
1	Auburn	216	1						2	6	1		10		1	27	
2	Augusta*	297	1			1		1		9			15		1	21	1
3	Bangor*	552	1			9	1		2	6	1		40	3	2	43	
4	Bath	150	1					1		2			5		2	13	
5	Biddeford	239	2						1	6	1		14		2	24	
6	Lewiston*	559				1	3	2	2	5			23	3	1	63	3
7	Portland	1,114	2			1	3	7	4	8	6	3	29	2	8	136	2
8	Sanford town	166	2			1	3	2	2	4			7	1	2	17	
9	Waterville	208	1			2		3		3	1		7	1	1	11	2
	MARYLAND																
10	Annapolis—White	81							1				1			10	
	Colored	74	3			1				1			5		1	2	2
11	Baltimore—White	8,613	7	1		5	8	45	75	115	14	10	405	21	24	826	31
	Colored	2,965	10			1	1	16	18	47		3	312	23	36	134	21
12	Cumberland	440	3					4	1	10			9	1	2	24	
13	Frederick—White	223	1					3		6		1	5	2		23	3
	Colored	21														1	1
14	Hagerstown	389	5				2	1	2	8	2		8	1	1	28	1
	MASSACHUSETTS																
15	Adams town	136					3	1	5	2			7			17	1
16	Amesbury town	127				1							4		1	10	2
17	Arlington town	252						1	1	1	1	1	11	2		34	
18	Attleboro	267							2	3			34	1	2	37	
19	Belmont town	129					1	1			2		6	1		21	2
20	Beverly	287				1	1	3	1	1			8	1		24	
21	Boston—White	10,713	9			43	55	31	63	39	43	28	555	48	28	1,194	16
	Colored	396								3	2	1	51	2	7	34	1
22	Braintree town	132				1		3		3			39		1	16	
23	Brockton	751		1			2	1		4	1		21		5	95	1
24	Brookline town	497	1				1	2		2			17		1	96	1
25	Cambridge	1,393	1			4	3	5		6	2		102	2	8	165	3
26	Chelsea	536							3	2	1		32	1	2	70	1
27	Chicopee	301	1					2	2	4	3	1	34	1	1	27	1
28	Clinton town	152					1			1			1	1		22	
29	Danvers town*	319						1		1	4		22	1	3	20	
30	Dedham town	121								2			2	1		17	
31	Easthampton town	93					1	1		1			2	1		12	
32	Everett	343					1			5	2		20	2	4	39	1
33	Fall River	1,442	2			1	1	2	18	15	1	2	109	10	8	143	1
34	Fitchburg	456	2			4		4	3	2	1		21	2	3	54	2
35	Framingham town	274				1	1			5			9		1	24	
36	Gardner town	250						2		3			10			23	2
37	Gloucester	308					2	5	2	1	1		8	1	1	46	
38	Greenfield town	197				1			1	3		1	3			24	1
39	Haverhill	641				2	3	1	3	7	1		13	4	3	68	2
40	Holyoke	672						6	5	6		1	46	8	4	67	2
41	Lawrence	953	1			6	4	3	8	8	1	1	31	5	5	127	
42	Leominster	204						2	2	2			5	2	1	16	
43	Lowell	1,392	3			1	1	8	19	3	1	1	47	6	10	143	1
44	Lynn	1,146	1				6	3	19	8	6	2	31	6	4	122	2
45	Malden	529					3	2	2	2	2	1	25	3	2	61	2
46	Marlborough	215						1	4	6		1	6	1		26	
47	Medford	479	1			1				4	1		20	2	2	48	
48	Melrose	249	1			1	1				1		1	3		26	2
49	Methuen	168				2	1	1		3			7	1	1	23	
50	Milford town	184								4	1		7		1	18	1
51	Natick town	182								3	1		1			18	
52	New Bedford	1,309	4				2	1	19	20	7	1	91	11	7	129	3
53	Newburyport	232					1	1		4			7		1	30	
54	Newton	554				1				8	3		16	2	4	63	3
55	North Adams	284					4	1	1	6			9	1		25	1
56	Northampton*	487					2		5	5	3	1	61	1	1	32	
57	Northbridge town	101					1	3		3			6			15	
58	Norwood town	126											1			13	
59	Peabody	188						3	2		1	1	6	1		15	
60	Pittsfield	573				3	7	4	3	7	2	2	28	5		50	1
61	Plymouth town	141						2		5	1		2			18	
62	Quincy	554					4	2	1	9	2		34	1	1	66	2
63	Revere	210						3		2	1		15			24	
64	Salem	521	1				1	3	11	2	1	1	14	2	3	49	2
65	Saugus town	102						1			1		8			8	
66	Somerville	926	2				5	3	5	7	3	1	37	4		96	3
67	Southbridge town	110				1		1		2			2	1		14	
68	Springfield	1,684				1	1	6	18	15	6	2	64	3	14	168	4
69	Taunton	525	1						1	7	3		38	2	1	47	1
70	Wakefield town	114							1				3		1	16	1
71	Waltham	379					2		6	5	1		13	2	3	47	2
72	Watertown town	191								1	2		10		1	21	1
73	Webster town	113					1						5	2	1	13	

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–190, 201–203	204, 205		
	21	64	1	14	2				25			12	3		3			4	2	17	1
4	25	68	2	26	2	4	4	1	18	2	1	22	2		4			7		55	2
11	49	87	1	27	3	14	5	3	23	2	3	22	4		12			33	12	133	3
	10	31	1	10	1	2			21		3	6			1			8		32	4
5	20	42		17	4	4	4	2	11	2	12	15	2		5	1	1	3	2	37	5
10	50	82	4	32	3	17	8	2	44	9	6	74	2		8	1	1	17	5	78	6
30	82	211	3	58	6	21	16	10	80	4	10	69	13	2	15		1	44	4	224	7
2	13	29	5	7	6	7			8	1	1	22			1			3		20	8
3	15	33		16	2	5	4		16	3	3	16			4	2		16		38	9
	7	16	1	5	1			1	16			3	1	1	2			5		10	10
	2	10	1	7	4			1	8	1		2		2	1			4	2	14	
168	620	1,620	38	889	133	105	108	42	944	38	50	455	120	25	140		1	365	3	1,159	11
25	174	391	5	504	59	25	13	6	326	12	16	169	10	37	31		1	117		422	
6	21	63	2	29	15	11	4	7	66	1	3	36	6	5	10			24		77	12
2	13	43	2	7	1	6	2		23	3	6	23	1		4			6		37	13
	2	10		2					2			1								2	
5	26	55	3	32	16	3	5	3	37	2	4	28	8	1	17			20	4	61	14
	17	20		5	1	2	3	4	11		1	9	5	1				3		18	15
2	14	28	3	19	1	3			12	1		9			1			6	1	9	16
6	19	53	1	18	2	2	1		23	1	3	15	5		7			8		36	17
5	8	41	1	22	1	2	5	1	22	1	3	23	3	1	5			8		36	18
2	15	37		6		1	2		10	1	1	5	2		1			1		11	19
12	32	84	3	10		5	4		15			16	3		3		1	11		48	20
178	618	2,096	35	1,032	228	146	134	63	643	57	80	740	100	27	139		1	511	18	1,715	21
10	29	44	1	48	7	3	4	1	39	4	4	21	3	4	1			11	1	60	
2	11	25		7			1		7		1	5	2					1		7	22
22	75	154	3	45		15	10	4	47	2	5	64	4		18	1		30		121	23
12	49	137	2	20	1	3	1	4	42		2	10	3		1			9		80	24
16	135	292	10	122	13	21	12	7	74	5	11	85	19	2	28		1	52	1	186	25
9	27	112	3	46	2	9	2	2	39	1	4	24	3	2	10			57		72	26
4	26	54	4	24	15		2	4	23			29	4					10		25	27
6	15	38		19	1		3	1	4		1	17			3			4	1	13	28
5	26	65	1	34	1				15		1	1	4		2			7		105	29
3	10	34	1	7					9		1	5	1		2			8	1	17	30
3	12	23	1	7		1			5		1	7	3		1			4		7	31
7	23	85	1	39	3	3	2	1	13	3	3	23	2		1			16		44	32
30	92	221	12	132	50	15	12	9	169	5	10	102	13	3	11	1		35	1	206	33
8	34	87	1	37	4	5	5		37	1	5	35	5	2	8			25		59	34
4	25	64	1	18	1	5	4	1	20	4	3	25	2		4			9		43	35
5	16	53	1	18	7	3	1		32	1	3	17	2		5			10		36	36
8	29	62	1	26	4	2	2		23		1	16	2		11			20		34	37
9	15	38		12		2	3		20	1	1	13	1		6			10	1	31	38
10	60	130	3	43	2	16	9	3	46	1	6	30	10	4	5			29		127	39
10	47	106	4	54	13	13	7	5	60	2	5	65	5		7		1	36		87	40
20	75	209	6	71	11	13	5	6	69	4	12	66	9	1	24			48	1	103	41
3	20	50	1	21	2	2	1	1	21		1	14	2		1	1		9		24	42
29	83	283	31	99	49	21	10	6	68	1	19	116	9	3	16			52	3	250	43
18	99	260	5	87	5	22	16	8	94	10	10	82	12	1	11		1	34		161	44
5	45	96	3	58	6	7	4	2	31	2	8	24	8		8			24		93	45
1	23	50		17		4	3	2	17	1	3	9	1		2			6	3	28	46
10	34	112	1	48	5	3	3	4	28		1	36		1	13			23		78	47
5	30	58	2	21		2	3		17		1	14	1		6			9		44	48
2	18	32	3	10	4	2	2		8	3	1	7	2		1			6	1	27	49
3	30	27		24	1	2	1	1	13	1	2	11			5			9		22	50
5	15	31	1	15	1	6	1		14		3	17			7			15		28	51
20	129	228	8	90	19	19	13	9	77	5	9	88	13	1	16		1	50	11	208	52
1	24	58	1	20		4	1		13		3	13			2			14	1	33	53
10	42	150	5	65		5	3	1	29	5	5	28	4		4			17		81	54
4	23	62	2	16	7	2	4	2	27		4	23	3		4			12	1	40	55
8	47	87	2	17	3	4	7	1	47	2	4	15	9		8			22	2	91	56
1	8	23		7	2				8	1		8			4			8		3	57
3	8	28		10	3	4	1		6		1	14	2		10			7		15	58
2	23	38	2	17		3	2		10	1	1	15	2	1	7			8		27	59
10	48	98		39	3	18	10	3	64	2	5	34	4	2	8			28		85	60
2	18	35		6		3	4		6			10	1		2			9		17	61
10	41	136		41	5	7	4	3	32	1	11	36	5	2	8		1	23	1	65	62
4	19	57		21	2	1	1	2	18		1	5	5		2			8	1	18	63
12	36	140	4	39	7	5	4	2	26	2	3	42	5		10			20		74	64
4	11	21	2	6	4		1		9			1						5		20	65
13	93	217	7	86	9	4	6	3	57	3	11	51	2		10			29		159	66
3	13	26		9	3			1	11			8	1		2			4		8	67
35	142	320	4	126	8	34	11	7	192	11	19	111	19	2	24		3	61		253	68
11	35	145	6	46	5	3	1		28	1	5	30	2	3	7			16	1	79	69
	12	35	1	12		1		1	7		1	3	1					9	1	8	70
3	43	82	1	22	7	1	3		20	3	1	30	2	2	7	1		19	1	50	71
4	18	47	1	22	3			2	9	1	1	12	4	1	2			2		26	72
2	10	29	3	5					11		1	9						4		15	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
	MASSACHUSETTS—continued																
1	Westfield	228	1			1			5	3			29		1	31	1
2	West Springfield town	109							2	1			5			14	2
3	Weymouth town	206							1				5			24	1
4	Winchester town	132								1		1	4			22	
5	Winthrop town	162											4		1	25	1
6	Woburn	198						1		8			8	2		22	
7	Worcester	2,516	6				4	6	14	11	2		135	11	24	293	8
	MICHIGAN																
8	Adrian	197	1			1	1			2			11			16	
9	Alpena	153	4							1			1		2	16	
10	Ann Arbor*	917	3					1	9	2	3	2	47	9	14	144	5
11	Battle Creek	575	3			1	3		13	9	1		7	1	2	63	1
12	Bay City	608	2				3		6	11	1		20	3	2	68	1
13	Benton Harbor	214				3	4			6			4		1	23	
14	Detroit—White	12,713	15	1		17	40	50	268	121	48	24	730	80	55	1,005	53
	Colored	1,742	2	1		1	4	8	8	14	3	6	305	22	25	41	17
15	Escanaba	185								5		1	7	2	1	10	
16	Flint	1,420	3			2	17	11	10	32	5	9	45	7	6	91	8
17	Grand Rapids	1,592	3			3	1	3	3	19	4	2	37	4	6	147	2
18	Hamtramck	288					1		9				21	4	2	13	1
19	Highland Park	570	1				3	1	6	3	2		17	2	1	33	1
20	Holland	103						1		6			3			14	
21	Ironwood	123				2			1	1		1	6			12	1
22	Ishpeming	108							1	2			5	3	1	3	1
23	Jackson	719	8				1	2	3	19			34	3	5	72	5
24	Kalamazoo*	950				3	1	4	11	8	6		23	1	3	89	3
25	Lansing	792				1	2	3	7	16	1	1	12		4	84	3
26	Marquette	198				1		1		4			9	1		15	2
27	Monroe	169	3			2	1	2		3	1		7			10	
28	Muskegon	514	1				2	1	2	10	5		8	1	1	59	1
29	Owosso	220	2					2	1	2			11			17	
30	Pontiac	533					1	1	4	13	2		25	3	1	25	1
31	Port Huron	446	1			1	2	3	1	10	1	1	21		3	39	1
32	Saginaw	947	13				8	14	2	22	3	1	24	6	2	71	1
33	Sault Ste. Marie	199				4				1			13		2	14	2
34	Traverse City*	363	1			1		1	1	6	1		30		6	21	1
35	Wyandotte	256						3	2	3	1		16	2		15	1
	MINNESOTA																
36	Austin	100								2			3			7	1
37	Duluth	1,139	3			1		2	3	10	4	9	69	2	12	121	8
38	Faribault*	194					1		1	12			20		5	8	
39	Hibbing	112						1	3			1	3		3	7	1
40	Mankato	228							1	3	1		6		3	32	
41	Minneapolis	4,719	3			1	13	9	27	55	11	18	161	10	21	605	16
42	Rochester*	969				3	3			7	4		20	2	11	253	1
43	St. Cloud	232	1			1	1		2	3	1		7	1		28	
44	St. Paul	2,950	7			5	3	2	4	59	11	7	160	10	16	353	10
45	Virginia	123					1	1		5		4	2			5	2
46	Winona	250						3		2			12	2	2	19	2
	MISSISSIPPI																
47	Biloxi—White	171				13		3	1	5	1		2		1	6	
	Colored	45								1			4			1	
48	Columbus—White	74							3	4			1		1	9	
	Colored	185	1	2		1		2	1	8			20		2	8	1
49	Greenville—White	126		1				2	1		1	2				8	
	Colored	362	1	5		1		3	2	3			7		2	19	1
50	Hattiesburg—White	164		2		2	1	3	6	5	1		4	1		11	
	Colored	140							1	2			13			5	
51	Jackson*—White	309					1		1	4	1		7	2	2	22	1
	Colored	443	2	6		14		3	3	9			28		5	18	
52	Laurel—White	217	3	1		1		3	1	6		1	3			10	
	Colored	169	1			2		5	2	4			5		4	4	
53	Meridian*—White	347	4	2		5		1	5	6			18			15	
	Colored	274	2	3		3			3	16			25	1	5	4	1
54	Natchez—White	119		3					2	1			2	1	2	8	
	Colored	202		3					1	9			9		2	12	
55	Vicksburg*—White	228	1				1	2	2	1	2		7		1	12	1
	Colored	523	17	4		1		4	3	5		1	28		2	26	1
	MISSOURI																
56	Cape Girardeau	216	2	1			2	4	1	4	1		21	1		22	
57	Carthage	143	3			1			1	3		1	7		3	17	
58	Columbus—White	148	1						1	5			6		1	15	
	Colored	54						1		1			3			6	
59	Hannibal	315	1			7			1	12			9		2	26	5
60	Independence	191				1				11		1	7			17	
61	Jefferson City—White	260				5	3	4	1	5			10	1	1	17	
	Colored	45											7			3	
62	Joplin	539	5	1		2		3	2	12			43	1	2	56	1
63	Kansas City—White	4,212	8	1	1	18	10	21	12	62	11	13	187	11	20	427	2
	Colored	799	3	1		1		1		13	1	1	99	3	10	36	2

[1] Excludes collision with railroad trains and street cars

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
3	19	19	2	25	5	1	1	------	32	------	------	21	2	------	5	------	------	7	------	14	1
2	15	24	------	11	------	------	------	1	13	------	------	6	1	------	------	------	------	5	------	7	2
5	17	42	1	22	2	1	5	2	19	------	1	8	8	------	6	------	------	5	------	31	3
3	11	23	1	10	2	1	3	1	2	------	4	7	2	------	6	------	------	8	------	20	4
3	12	43	------	11	------	------	------	------	30	1	2	10	3	1	------	------	------	5	------	10	5
3	20	38	3	12	------	------	------	2	8	------	2	22	2	------	7	------	------	7	------	31	6
49	188	438	10	219	17	49	24	12	243	5	11	161	29	10	46	1	------	108	1	381	7
2	19	36	1	10	5	4	------	------	17	2	1	13	1	------	3	2	------	12	1	36	8
2	10	40	------	5	1	3	2	1	4	2	2	9	1	------	2	------	------	14	2	29	9
15	35	91	1	55	1	15	15	6	46	4	2	41	6	2	15	2	1	30	1	294	10
13	56	103	3	27	10	11	14	1	42	2	1	37	15	1	11	3	------	24	------	97	11
15	48	114	5	26	10	24	10	6	35	5	8	31	10	1	10	------	------	30	------	103	12
6	13	47	1	11	2	6	1	2	19	3	3	7	1	1	12	------	------	7	2	29	13
209	649	1,966	81	1,107	280	259	151	104	672	106	125	1,119	196	143	383	3	12	584	19	2,038	14
19	47	232	8	236	18	20	22	12	92	10	18	98	6	103	20	------	------	77	3	244	
5	21	33	2	7	4	5	7	1	8	------	------	18	2	1	9	2	------	15	1	18	15
18	72	187	4	175	69	23	13	3	69	13	18	164	8	7	49	------	------	66	1	215	16
31	150	352	9	80	23	25	19	13	102	11	15	121	17	6	35	1	1	63	------	284	17
1	6	53	3	30	16	1	3	5	19	1	3	26	7	------	2	------	------	16	------	43	18
10	36	80	3	46	2	18	9	7	24	4	12	60	7	4	52	1	------	32	1	92	19
1	7	19	3	3	------	5	2	1	4	1	------	7	------	------	4	------	------	1	1	20	20
4	11	11	------	11	4	------	------	1	8	1	2	11	------	------	------	------	------	11	1	23	21
1	4	24	------	7	1	11	3	1	12	------	1	5	------	------	3	------	------	2	1	16	22
19	60	116	3	39	7	14	6	------	51	5	8	55	11	3	22	2	------	36	1	109	23
10	69	144	7	27	14	24	16	2	70	7	4	56	12	2	22	------	------	42	4	266	24
10	61	145	3	35	14	22	14	5	41	4	9	82	7	2	26	------	------	34	1	143	25
3	14	38	------	13	4	2	------	1	9	2	3	19	3	1	5	------	------	17	------	31	26
2	14	23	------	14	3	1	1	------	15	------	------	16	1	1	14	1	2	7	1	24	27
3	43	91	1	40	13	9	5	4	27	2	4	53	7	2	14	------	------	27	3	75	28
6	19	38	1	14	2	7	2	------	9	2	3	12	4	------	9	1	2	8	1	45	29
6	61	60	2	30	17	10	3	4	20	4	5	49	7	7	34	3	1	35	1	98	30
16	37	71	4	24	8	8	4	5	28	3	5	40	3	2	14	------	1	21	------	68	31
15	84	159	7	104	27	12	10	7	52	5	9	69	10	2	22	2	------	43	------	141	32
4	21	36	6	10	2	4	3	------	8	1	------	17	1	2	2	------	------	13	------	33	33
2	34	52	5	25	2	6	5	2	12	2	2	5	2	------	8	------	------	7	------	123	34
1	15	24	------	26	12	1	2	3	15	3	------	40	4	2	9	5	------	23	1	27	35
5	16	24	------	3	------	5	2	------	5	------	------	6	2	------	------	------	------	5	------	14	36
24	86	195	4	68	4	25	8	9	43	6	3	79	15	5	19	1	------	53	1	247	37
------	11	23	------	18	1	1	4	3	15	------	1	9	------	------	2	------	------	16	1	42	38
------	4	20	------	10	1	2	3	------	5	1	------	11	5	------	6	------	------	13	------	12	39
7	13	37	1	11	1	7	6	------	20	------	2	12	2	------	1	------	------	12	------	50	40
106	287	818	17	430	12	78	53	24	263	14	24	253	80	14	64	1	1	245	3	982	41
5	33	103	4	28	------	15	19	2	30	1	2	18	7	1	13	------	------	18	------	366	42
3	13	26	2	10	3	12	1	2	8	1	------	35	1	1	8	1	------	17	------	43	43
49	192	549	7	230	12	65	34	25	152	14	14	162	45	16	57	1	4	167	3	505	44
3	6	19	------	7	2	3	1	------	12	------	------	15	3	------	4	------	------	10	------	18	45
8	25	45	1	16	1	2	3	2	11	------	1	8	4	------	7	1	------	11	------	62	46
------	8	22	------	13	10	4	------	3	25	------	------	14	2	2	5	1	------	6	5	19	47
1	6	4	------	4	1	------	------	------	1	------	------	3	------	2	------	------	------	4	3	10	
1	7	7	------	------	1	1	------	1	4	1	------	7	1	4	1	------	------	6	3	11	48
4	12	35	------	9	3	2	2	1	9	2	5	12	------	2	------	------	------	6	4	31	
6	6	15	------	14	2	3	4	1	10	------	1	9	------	------	------	4	------	12	4	20	49
2	16	55	1	23	3	8	2	1	23	1	4	2	1	17	2	------	------	70	46	41	
5	12	17	------	8	9	5	------	2	14	2	4	11	1	2	2	1	------	9	2	22	50
2	9	15	------	11	3	5	1	1	17	2	1	6	------	2	1	1	------	7	13	23	
5	14	47	------	16	8	16	5	5	24	1	2	15	3	2	14	------	------	16	13	62	51
4	11	41	------	19	14	12	9	2	31	4	5	4	1	21	10	1	------	25	48	93	
------	16	20	------	16	7	10	2	2	17	6	1	22	------	1	7	------	------	14	3	44	52
2	2	7	1	15	4	11	11	------	24	------	3	------	------	8	2	------	------	14	5	33	
7	20	44	------	15	6	11	2	------	29	2	2	18	6	1	7	------	------	21	4	96	53
4	16	23	------	11	6	11	2	1	21	1	2	6	------	11	3	------	------	14	26	53	
2	6	29	------	5	1	1	------	2	10	1	1	8	1	------	1	1	------	6	1	24	54
2	9	26	------	10	1	2	------	------	20	1	------	------	------	2	2	------	------	11	39	41	
1	21	22	2	10	3	6	1	11	23	3	8	12	4	4	1	1	------	12	9	44	55
3	25	54	1	50	3	11	13	2	39	5	6	3	------	10	8	------	------	36	60	102	
4	14	21	------	7	8	3	6	1	13	2	2	15	2	2	3	------	------	9	1	44	56
------	8	32	------	4	------	2	1	------	17	------	1	5	5	1	------	1	------	5	------	25	57
3	10	22	------	13	1	3	------	2	12	1	3	11	1	------	6	------	------	3	------	28	
1	7	12	------	6	------	------	------	2	2	------	------	3	------	1	------	------	------	3	------	6	58
9	23	53	3	18	2	7	4	5	27	4	1	21	5	1	4	------	------	18	1	46	59
4	11	39	------	12	1	7	1	2	15	2	2	18	3	1	2	------	------	6	------	28	60
8	11	32	1	34	6	9	3	3	19	1	2	11	5	4	3	------	------	17	1	43	61
1	2	5	------	9	------	------	------	------	3	------	------	4	------	2	------	------	------	1	------	8	
8	33	66	------	38	13	19	6	4	58	3	3	30	6	6	11	2	------	28	------	77	62
59	266	624	15	331	61	108	56	51	447	23	31	197	65	52	72	------	3	194	2	751	63
2	33	112	------	99	12	9	15	8	105	3	6	20	7	49	8	------	------	23	------	117	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MISSOURI—continued																
1	Moberly	211	3			2	1	1		3	2		10			25	
2	St. Joseph*	1,286	4		3	1	2	3	1	31	1	2	54	2	7	134	1
3	St. Louis—White	9,027	13	9		5	19	42	62	60	20	10	331	13	28	1,025	18
	Colored	1,833	3			1		6	6	19	2	1	212	7	22	80	7
4	Sedalia	287	2			1	2			7		1	13		3	29	1
5	Springfield	685	7	1		17	1	1	6	24	1	3	43	3	2	55	3
	MONTANA																
6	Anaconda	169								2		4	10		1	15	2
7	Billings	219	2			1		2		8	4	5	7	1		25	3
8	Butte	601					2			11	5	10	38	1	4	42	4
9	Great Falls	326	2			1	1		1	7		2	3	4	1	38	1
10	Helena	169						1				4	4		1	21	1
11	Missoula	243	1				1			7		2	2			24	
	NEBRASKA																
12	Grand Island	237				2	1	1		6			5		2	31	1
13	Hastings	182	4					1		1			6		1	19	
14	Lincoln	766	1			5	1	2	2	20	1		19		4	106	3
15	North Platte	120	2			1		2		7	2	1				7	
16	Omaha—White	2,460	2			13	2	6	14	38	4	2	73	13	9	264	2
	Colored	210								2			27	3	9	8	1
	NEW HAMPSHIRE																
17	Berlin	202					3	2	1	3			11	1	4	18	
18	Concord*	474				1	2	1	1	9	5		23		4	29	3
19	Dover	172						1					5	1	1	18	
20	Keene	194								4	2		2		2	32	1
21	Laconia*	213				1		4		14			8		3	25	1
22	Manchester	867				3	1	6	2	34	1	1	35	10	4	77	4
23	Nashua	419						2		10		1	13	2	3	41	3
24	Portsmouth	178	1				2						4		1	23	1
	NEW JERSEY																
25	Asbury Park—White	122					1	1			1		2		1	14	
	Colored	42											3			5	
26	Atlantic City*—White	818	4			2		1	9	10	1		15	2	3	70	4
	Colored	294	1					2		6			10	1		10	
27	Bayonne	647				1	1	6	8	16	4	5	32	2	3	57	2
28	Belleville*	280	1			2	11	9	51	2	10	4	16	4	2	20	2
29	Bloomfield	182					1	1		1			10			20	
30	Bridgeton	244							2	1			8		1	19	3
31	Camden	1,645	1				7	7	35	18	2		63	4	11	121	6
32	Carteret	76					1	3	2	3	1		1			3	
33	Clifton	214					1	3	1	3		1	11	2	1	19	2
34	East Orange	483	1					3		4			9			67	
35	Elizabeth	1,250	2			1	2	10	13	11	5	2	42	10	5	121	9
36	Englewood*	272					1		1	1			8		2	28	1
37	Garfield	121					1		1	3			16	2		8	
38	Gloucester	140						2	1	3			9	1	1	14	
39	Hackensack*	395	1					4		4			8		1	49	2
40	Harrison	90						1		2			4			9	1
41	Hoboken	855	1			1	1	3	30	7	2	2	33	1	3	65	6
42	Irvington	392	1						3	5	2		19	1	2	39	3
43	Jersey City	3,550	4			1	5	17	38	26	13	8	187	16	20	306	20
44	Kearny	295	1				1			6	1		7		1	32	2
45	Long Branch*	425	2					1	1	1			9	1	3	48	
46	Millville	206					1			5			7		4	22	2
47	Montclair—White	235	1					1		4			6			28	4
	Colored	35						3					4		1	2	
48	Morristown*	347	2					1	4	2	2		6		3	34	3
49	Newark—White	4,376	5			3	4	11	26	23	11	7	170	14	17	481	18
	Colored	714	1				2	13	2	11	1		67	6	9	14	10
50	New Brunswick	502	1						3	4	3	2	15	3	1	45	3
51	Orange*—White	532					1	1	1	6	2	1	17	1	5	57	1
	Colored	87								1	1		6		1	2	
52	Passaic	717					1	4	1	14			16	4	5	68	3
53	Paterson	1,756	1	1		1	8	3	13	14	3	2	92	6	9	183	6
54	Perth Amboy	463	1			6	1	1	6	5		2	22	4	2	40	1
55	Phillipsburg	223					2		1	2	1		11		2	18	2
56	Plainfield	465	2				2	2	2	6			10	1	2	58	4
57	Rahway	147							2		5	2	2		1	10	
58	Summit	158							1	2			5	1		25	
59	Trenton	1,809	4			1	2	7	1	27	4	1	83	4	5	129	10
60	Union City	370	1					2	5	4	1		17			39	1
61	West New York	213	1						5				17			21	2
62	West Orange	129						1		4			9			16	1
	NEW MEXICO [2]																
63	Albuquerque*	506	3			1	1		2	1	1	1	209	5	3	28	1

1 Excludes colision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–99	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
4	14	29		12	5	5		2	25	2	1	7			3			11	2	42	1
13	113	198	4	108	11	50	11	11	78	13	6	41	26	4	18	1	1	55		278	2
176	488	1,802	60	678	119	155	93	110	1,103	37	38	374	158	71	144	1	8	476	3	1,278	3
14	58	319	6	242	16	18	19	17	288	10	8	65	4	66	15			72	2	228	
4	21	40	1	15	5	7	4	2	50	5		11	2	5	1	1		17		37	4
8	43	72	5	43	6	23	11	3	53	10	3	36	11	3	8		1	33	3	143	5
4	8	22		8		1	1	3	8	1	1	11	4	2	7			11		43	6
1	12	25	1	13	2	8	8	3	7	5	3	21	4	1	4	1		7		35	7
8	22	109	1	49	2	18	10	6	35	2	2	27	19	5	10			44	2	113	8
6	13	50	3	24		8	5	4	30	3	4	19	10	1	3			14		68	9
7	10	36		12	2	5	2	1	16		1	4	2	1	2			12		24	10
2	17	44		14	2	6	2	2	19	1	3	22	8	1		2		10		51	11
3	14	37		11		6	5	1	17	1	3	22	3		4			13	2	46	12
4	20	30		6	5	3	7	1	12	2		6	1		5			9	1	38	13
10	76	133		32	4	24	12	2	66	5	5	48	12	1	14			34	2	122	14
	11	9		9	2	4	1		14	3	1	10			2			7	1	24	15
44	181	448	9	141	22	55	45	22	160	21	19	153	42	11	45	3	3	106	5	483	16
1	10	35		19	1	4	1		22	1	1	5	1	14	4			2		39	
4	9	31	1	15	9	4	2	3	4	1	3	36	4		2			2	1	28	17
10	42	118	1	53	1	1	3	2	21		1	19	3		8			20	1	92	18
4	22	36	2	11			3	1	10			13	1					5		38	19
3	28	24		11		1	8	2	19	1	1	12	3		2			11	1	24	20
7	27	41	2	12		1	4		12			11			6	1		5		28	21
12	78	148	3	56	12	15	6	5	60	3	6	77	4	1	14	2		26	20	141	22
11	29	103	2	18	1	5	3	1	38	1	6	31	3		9	2		18		63	23
6	13	36		12	1	4	1	2	18	1	3	15			3			3	1	27	24
2	18	51		6	2				8			1	2					4		8	25
1	2	5	1	5	1			1	6			3		1	1					7	
22	50	189	3	41	7	13	15	5	106	1	4	43	14	5	35			43	2	99	
7	21	42	4	42	7	1	1	2	26		2	16	2	4	4			19		64	26
8	43	151	4	52	15	5	6	6	37	2	3	53	3	4	16		1	36		65	27
4	14	46	2	12	4	1	2	3	18	1		9		1	1			2		26	28
10	11	43		12	4	1	2	3	20		1	13	1	2	2			7		17	29
3	21	65	1	12	1	2	5	1	36	1	4	15	7	2	5			8	1	20	30
26	109	277	7	163	49	31	18	9	176	20	17	100	20	4	65	7		87	3	182	31
2	3	8		11	4				7			12	1	1	2			5	1	5	32
4	12	54	2	16	3			2	25			18	1		3	1		4		25	33
10	52	123	3	30	2	12	3	2	54	3	5	7	10	1	3			13		66	34
28	79	203	2	129	26	26	7	8	112	15	8	87	18	4	48	2		65	10	140	35
9	24	51		18	2	7	4	2	26		7	29	1	2	9			11		28	36
1	4	22	2	11	5		1		11			18	2		2			4		7	37
	9	25		16	5		1		22	1	2	12	4		1					11	38
7	27	59	2	33	3	14	6	3	27	1	7	22	3	2	14	1		24		71	39
4	1	23	2	8	3		2	5	5	1		7	2					4		6	40
23	32	213	1	91	9	16	11	7	51	5	8	38	14	2	10			59		110	41
9	23	84	1	17	4	11	1	2	47	1	3	26	6		11			13		58	42
95	199	784	22	329	73	54	41	26	303	15	18	220	23	8	65		1	183	4	426	43
2	31	54	1	23	3	4	4	4	18	2	5	14	3		14			25		37	44
8	27	68	2	20	4	15	7	2	42	3	8	29	3		19	1		37	1	63	45
5	24	39	1	11	3	1	4	1	16	1	2	11	1	1	8	2		5		29	46
8	28	63		15	6	5	3		22			6	3	1	3			2		26	47
	1	13		2		1	1		2					1						4	
7	21	37	4	25	6	9	5	4	35	3	4	30	1	2	9			19	1	68	48
104	293	945	20	348	60	101	43	47	372	15	39	273	73	15	115		3	208	2	510	49
12	31	119	2	95	22	9	7		44	10	7	76	2	22	7			32		81	
19	42	63	1	28	2	11	4	6	38	3	3	36	8	7	28	1		38	2	82	50
10	33	90	2	50	3	13	16	4	46	9	3	44	5	3	12		2	23	1	70	51
1	4	17		8	1				13	1	2	6	2	2	1			1		17	
21	42	104	5	39	10	34	10	4	55	7	6	51	5	4	36	1		42		125	52
50	145	301	8	133	32	32	22	13	134	10	14	83	22	5	52	3		77	2	276	53
9	37	81	2	34	14	8	6	4	38	4	5	29	3	1	17			34	2	44	54
5	26	29	1	24	1	1	1		20		1	21	2		3			17		32	55
16	32	80	2	39	4	15	5	3	40	3	6	36	3	1	19			19	1	52	56
3	20	25	2	6	2	3	1	3	11			7	3		11	1		9		18	57
1	12	42		8		2	3		15			4	4	1	9			8		15	58
34	130	325	10	159	39	29	21	16	140	9	11	113	13	7	40	1		112	3	319	59
10	22	99	2	31	7	5	3	6	47	2	3	20	5	1	1			4		32	60
7	20	53		24	3			6	20			12	4		1			5	1	11	61
2	11	38		9	1	1	1		10			4	2	1	2			2		14	62
8	15	39		21	8	11	6	1	25	2	3	21	2	6	3	1		12	19	47	63

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	NEW YORK																
1	Albany	1,899	4			6	3	5	11	19	3	1	106	8	12	218	3
2	Amsterdam	396						2	1	13	4		21	1		49	1
3	Auburn	491								2	4		23	2	3	53	2
4	Batavia	292	1			1				3	2	1	7			24	
5	Beacon*	215	1			1				6			11		2	16	
6	Binghamton*	1,044					2	2	3	9	7	1	40	4	7	102	1
7	Buffalo	7,225	13			3	19	11	62	36	17	2	395	32	39	703	18
8	Cohoes	309	5			3		3	3	2			17			27	3
9	Corning	194	1					2		5	1		4			21	
10	Cortland	277	1							4	1		1	1	3	29	
11	Dunkirk	227	1			1		1		6			8	3		12	
12	Elmira	713	1					3		9	1		27		2	73	1
13	Fulton	144				4				1			5			14	1
14	Geneva	235								6	2		9	1		26	2
15	Glens Falls	310	2				1			7	1		11	2	1	29	1
16	Gloversville	346				1			1	4		1	6	1		41	4
17	Herkimer	127	1			3				1			3	2		11	
18	Hornell	256						1		6	2		5		3	25	1
19	Hudson	255					1	2	1	9	1		6	2		28	1
20	Ilion	112				1			1	2						15	
21	Ithaca	316	1							2			6		3	35	2
22	Jamestown	563				2	1			1		1	19	1	3	58	2
23	Johnstown	122					1	1		3			2		1	17	1
24	Kingston	518						2	1	4	1		38	1	2	56	1
25	Lackawanna*	341	3					6	3	8			7		1	13	
26	Little Falls	159				1			1				3		1	14	
27	Lockport	322	1						1	1			6		1	38	2
28	Middletown*	426					1			5			28	3	4	30	2
29	Mount Vernon	493	1					1	1	7	1	1	12	1	2	42	1
30	Newburgh	477						1		2	1		39	3	6	39	
31	New Rochelle	420	1			1	1		1	2	1	8	16		2	44	
32	New York—White	65,633	67	3		40	110	254	698	476	217	107	3,817	245	303	7,275	280
	Colored	4,763	7	1		3		46	31	21	7	16	703	46	70	244	13
33	Bronx Borough	9,103	10			5	17	38	85	74	41	13	614	43	44	1,049	39
34	Brooklyn Borough—White	23,843	25	1		11	52	95	341	201	93	45	1,156	89	110	2,522	128
	Colored	1,009	1	1		1		10	13	4	1	8	115	7	9	50	2
35	Manhattan Borough—White	23,358	22	2		24	24	93	159	139	62	34	1,533	85	116	2,614	73
	Colored	3,318	6			1		31	18	14	6	8	542	33	48	172	10
36	Queens Borough	7,978	7			1	15	21	107	51	18	15	444	28	38	942	32
37	Richmond Borough	1,787	3				2	12	6	14	3		116	6	8	170	9
38	Niagara Falls	654				13	3	5	9	11	2		21	3	3	52	2
39	North Tonawanda	178	1			2		1		6			6	2	1	8	5
40	Ogdensburg*	461	3					3	2	6	3	1	16		4	31	1
41	Olean	325					1			2		1	9	1		18	3
42	Oneida	179											2	1	1	17	
43	Oneonta	197									1		7	1		21	2
44	Ossining	179						3		1	1	1	4	2	3	17	
45	Oswego	316	2			1				4			3	1		30	
46	Peekskill	208	2							1		1	17	2		19	1
47	Plattsburg	235						1	1	5			7		2	19	
48	Port Chester	233	1					1		2	1		6			25	2
49	Port Jervis	189	1					1	1	3			2		3	19	2
50	Poughkeepsie	533						6	3	8	1		12	2	3	68	1
51	Rensselaer	101				1			1				3	1		8	
52	Rochester	3,787	4				10	7	21	19	16	1	126	12	18	411	13
53	Rome*	586				16		1	1	4	4		59	1	3	63	
54	Saratoga Springs	307				1			2	8	1		9		1	33	2
55	Schenectady	997	1			5		2	1	14	4		26	8	4	112	1
56	Syracuse	2,419	5			17	3	1	4	6	3	1	66	13	9	247	13
57	Tonawanda	77						1		1			1			8	
58	Troy	1,232	5			4	1	4	1	10	1		44	7	2	130	6
59	Utica*	1,566	5			6	2	3	12	14	1		74	8	9	154	5
60	Watertown	500	3			2		3		7	3	2	18	1	3	58	1
61	Watervliet	141				2		1	1	6	1		6	1		10	
62	White Plains	286						1		3			15	2		31	1
63	Yonkers	1,114					5	3	25	16	7	2	85	3	4	100	4
	NORTH CAROLINA																
64	Asheville*—White	551	3		1	2	1		7	7		1	125	5	2	34	5
	Colored	324	4		2			1		37			31	4	1	10	
65	Charlotte—White	488				3	1	6	5	21	1		8	2	4	32	
	Colored	421	1	1		3		4		22			35	2	3	17	1
66	Durham—White	381	2			11		8	1	6	1		15	1	2	25	4
	Colored	349	8			3		6	3	13	2	1	34		8	13	1
67	Gastonia—White	166				4		3	4	1		1	6			10	2
	Colored	94	1					2		5			3			4	1
68	Goldsboro*—White	86						1	1	2			2		1	5	1
	Colored	154		2	1			1	2	3			17		1	9	
69	Greensboro—White	417	1					5	3	12		1	9	2		42	1
	Colored	246	4					2		3			20		3	6	1

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
44	111	430	9	122	18	26	29	13	185	10	9	100	11	6	36	3	2	81	1	254	1
9	23	68	4	11	8	6	5	1	55	5	2	25	8	1	7	-------	-------	15	1	50	2
3	48	112	3	29	10	4	5	1	42	3	4	23	2	2	14	-------	-------	13	-------	84	3
3	25	54	-------	22	5	9	7	1	13	3	1	24	5	1	10	2	-------	27	1	40	4
6	15	41	-------	11	3	3	2	1	34	1	3	10	2	-------	2	-------	-------	6	-------	38	5
18	83	217	3	69	11	9	12	8	88	7	6	68	12	4	18	1	1	54	1	176	6
142	441	1,426	59	550	148	89	68	76	650	31	61	512	72	39	137	2	6	332	-------	1,034	7
9	13	90	2	22	5	1	2	2	27	2	4	23	-------	-------	2	1	-------	14	-------	27	8
4	14	36	-------	11	4	2	2	1	14	-------	2	16	3	-------	3	1	-------	10	-------	37	9
4	29	49	1	13	-------	10	3	2	17	1	1	17	4	-------	6	-------	-------	21	-------	59	10
6	18	38	1	12	3	6	5	6	13	-------	1	22	-------	1	5	3	-------	13	-------	42	11
12	46	170	4	41	4	15	8	1	86	7	5	41	9	2	12	1	-------	33	-------	99	12
4	17	25	1	9	6	-------	2	-------	15	2	1	5	-------	-------	3	1	-------	6	-------	22	13
2	20	42	1	21	2	4	1	3	17	1	4	15	3	-------	4	2	-------	11	-------	36	14
13	31	65	2	15	-------	10	4	2	28	1	4	18	-------	-------	7	1	-------	14	-------	40	15
11	30	88	1	16	1	4	6	-------	34	4	4	13	4	-------	3	-------	-------	12	-------	56	16
3	6	24	-------	15	3	2	3	2	16	2	2	5	1	1	4	-------	-------	6	-------	11	17
8	26	60	2	12	-------	5	4	1	24	2	1	16	3	-------	7	-------	-------	13	-------	29	18
5	17	49	5	10	1	3	2	2	24	-------	2	20	3	1	7	-------	-------	18	-------	35	19
3	7	26	1	4	1	5	3	1	12	-------	-------	9	-------	-------	3	-------	-------	6	-------	12	20
5	29	50	1	28	3	7	5	-------	26	2	3	14	3	-------	11	2	-------	22	-------	56	21
10	48	122	4	27	1	10	10	3	41	2	8	41	7	2	17	1	-------	29	-------	92	22
4	9	32	1	7	-------	-------	2	1	15	-------	-------	7	4	-------	1	-------	-------	2	-------	11	23
11	48	97	2	26	3	15	8	4	53	2	-------	30	5	-------	7	-------	-------	24	-------	77	24
5	6	39	5	37	28	7	6	3	19	3	4	44	1	9	18	1	-------	20	-------	45	25
6	19	30	2	12	2	3	4	-------	11	-------	2	7	1	-------	1	-------	-------	10	1	28	26
2	23	100	1	15	5	4	3	3	17	1	4	16	6	4	12	-------	1	19	-------	36	27
6	45	95	-------	14	-------	4	11	1	43	-------	-------	12	6	-------	7	-------	-------	12	1	96	28
12	28	146	2	40	7	5	4	7	31	1	4	35	3	-------	13	-------	-------	26	3	56	29
7	47	99	2	25	3	11	3	1	46	1	4	39	2	2	11	1	-------	13	-------	69	30
8	33	79	1	34	1	9	2	2	36	1	4	24	5	6	12	-------	-------	23	-------	63	31
1,521	3,026	14,440	220	6,086	750	996	584	576	5,283	273	376	3,463	1,051	355	1,062	2	7	3,192	16	8,462	32
60	127	688	11	685	71	56	32	16	300	41	51	354	44	72	37	-------	-------	197	-------	713	
191	378	2,257	24	796	72	152	86	62	583	47	56	523	118	42	156	-------	-------	344	-------	1,144	33
584	1,094	5,418	85	2,183	324	370	211	189	1,996	108	167	1,385	322	94	343	1	1	1,010	9	3,080	34
9	23	147	3	148	24	18	5	4	64	10	6	104	5	9	6	-------	-------	50	-------	152	
546	996	4,710	87	2,304	274	312	212	223	1,748	56	97	1,018	481	179	435	1	4	1,386	4	3,305	35
41	94	466	7	484	42	33	23	12	202	26	36	219	38	55	26	-------	-------	122	-------	503	
183	463	1,721	18	681	72	144	62	89	800	57	59	476	113	41	108	-------	2	353	1	816	36
27	105	409	7	175	13	23	17	13	190	10	6	92	18	7	25	-------	-------	124	2	175	37
16	41	104	4	51	9	7	7	5	46	2	8	55	8	5	13	9	-------	41	-------	99	38
3	14	23	3	9	6	6	5	4	11	-------	1	7	3	1	11	-------	1	12	-------	26	39
7	53	84	5	32	3	6	10	4	19	1	1	30	-------	1	3	1	-------	13	-------	118	40
6	31	55	-------	16	5	14	4	3	31	2	4	27	7	4	6	3	-------	18	-------	54	41
1	21	49	-------	9	1	4	3	2	6	1	2	9	3	1	5	-------	-------	7	-------	34	42
4	13	28	2	12	2	10	4	1	18	1	1	7	2	-------	8	1	-------	16	-------	35	43
1	11	39	1	10	3	-------	2	-------	13	-------	2	12	-------	3	1	-------	-------	23	-------	26	44
5	35	100	1	25	2	1	5	3	27	-------	3	17	2	2	7	1	-------	11	-------	28	45
7	22	37	3	8	-------	3	2	-------	16	-------	4	10	2	1	9	-------	-------	9	1	31	46
6	15	42	1	11	2	3	4	-------	13	1	3	20	2	-------	10	-------	-------	21	1	45	47
3	12	30	-------	24	1	4	7	8	15	1	2	14	4	1	14	-------	-------	12	-------	43	48
8	19	38	-------	7	3	4	2	6	13	3	-------	12	2	-------	3	-------	-------	14	-------	23	49
11	76	120	2	42	3	7	5	-------	24	3	3	23	4	-------	6	-------	-------	18	-------	82	50
3	9	34	-------	7	1	-------	1	1	3	-------	-------	2	2	1	2	-------	-------	10	-------	11	51
82	267	759	25	291	43	65	47	36	345	13	22	232	33	17	62	3	-------	141	1	645	52
11	32	103	8	39	13	10	8	5	77	1	-------	31	2	3	3	-------	-------	19	-------	69	53
10	23	84	2	14	3	3	5	-------	31	1	2	11	3	1	8	-------	-------	15	-------	34	54
28	76	215	4	47	8	12	11	11	54	5	7	31	14	4	12	-------	-------	50	3	177	55
58	168	571	9	197	20	27	26	23	188	14	27	160	24	4	43	5	-------	98	-------	369	56
3	10	4	-------	4	1	-------	-------	-------	7	-------	-------	5	2	-------	6	-------	-------	6	-------	18	57
25	117	305	8	75	9	24	13	7	121	9	5	72	7	4	23	-------	-------	55	-------	138	58
26	100	301	5	116	23	33	23	13	183	6	12	83	19	15	23	9	1	56	2	224	59
12	33	92	1	33	3	11	5	6	29	4	5	34	5	-------	12	-------	-------	27	1	86	60
3	21	45	-------	8	1	-------	-------	1	16	-------	-------	6	1	-------	-------	-------	-------	3	-------	8	61
8	16	53	1	25	4	6	-------	1	26	-------	3	23	6	2	8	-------	-------	11	1	39	62
20	73	219	5	107	15	21	11	8	64	1	4	84	11	5	25	-------	-------	63	4	120	63
8	34	64	-------	21	10	11	6	4	33	8	5	35	4	4	12	1	-------	14	2	82	64
-------	18	40	1	35	6	6	3	-------	13	-------	5	33	-------	14	6	-------	-------	14	-------	40	
6	37	75	2	45	13	9	8	1	32	2	4	39	6	3	16	2	-------	13	5	87	65
-------	28	56	-------	58	12	3	2	2	15	2	5	16	-------	21	6	-------	-------	13	14	79	
2	26	58	3	13	6	8	6	1	36	3	3	39	2	1	8	2	-------	15	13	60	66
1	21	33	-------	22	6	3	9	1	26	-------	4	25	-------	12	3	-------	-------	13	16	62	
1	8	9	-------	10	8	4	3	-------	10	-------	3	22	2	1	7	-------	-------	9	11	27	67
1	5	5	-------	7	6	-------	3	-------	8	2	-------	8	-------	2	1	-------	-------	4	14	12	
-------	8	10	-------	6	7	2	-------	-------	6	1	2	8	1	3	4	-------	-------	3	-------	12	
2	14	13	6	8	3	1	-------	1	9	-------	1	9	-------	1	4	-------	-------	5	2	39	68
8	21	52	-------	24	4	16	8	-------	38	2	14	49	3	-------	21	-------	-------	14	1	66	
1	17	32	-------	19	9	2	-------	1	22	1	6	37	1	4	4	-------	-------	9	2	40	69

1411

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
	NORTH CAROLINA—continued																	
1	High Point	White	272				12		7	3	10	2		13		1	13	
		Colored	88	2					1	1	7			7			4	
2	New Bern	White	80		1				1		4			3			7	
		Colored	189	1							5			17		1	5	
3	Raleigh*	White	364	1				1	2	1	6		3	14		2	20	1
		Colored	278	4	1				1	1	5			34	1	4	8	1
4	Rocky Mount	White	162	3			1		2	3	3			4			9	
		Colored	167						1	1	3			12		4	7	2
5	Salisbury	White	117						2		5	2		2		1	8	2
		Colored	81						3		2	1		7		2	2	1
6	Wilmington	White	251	1					3	2	8		1	3	2	1	18	1
		Colored	314	3			1		5		9	1	1	14		2	11	
7	Wilson	White	109		1		1		2	2	5			10			6	
		Colored	145								3			23	1		4	
8	Winston-Salem	White	449	4				1	4	5	8			17	3	2	22	2
		Colored	557	2	2		1		23		36		2	52	2	6	14	1
	NORTH DAKOTA																	
9	Fargo		350				2	1		1	2	1	3	7	1	2	34	1
10	Grand Forks		181	2			1	1			2			5	4	3	16	1
11	Minot		246					1			3	2	2	5		2	20	2
	OHIO																	
12	Akron		1,917	6	1			13	8	11	26	9	1	82	13	6	139	4
13	Alliance		270	2						2	11			13		1	24	2
14	Ashtabula		274							3	3			8	1	2	36	1
15	Barberton		208					1	1	3	2	2		13	2		12	
16	Bellaire		182								3			4			17	1
17	Bucyrus		120							2	2			5		1	9	
18	Cambridge		171								7			3	2	1	18	1
19	Campbell		100							4	2	1		8	1		5	
20	Canton		1,101	1			1	7	4	1	26	1	1	32	3	3	87	5
21	Chillicothe		266	1						3	1			8			25	
22	Cincinnati	White	5,830	11			1	7	6	24	84	15	9	293	23	29	614	22
		Colored	1,048	3				1	6		17			175	10	17	36	5
23	Cleveland	White	8,288	6			1	17	9	172	46	21	7	470	33	39	813	27
		Colored	1,215	4				1	8	16	13	4	3	239	14	15	44	6
24	Cleveland Heights		247								1	1		4			33	
25	Columbus	White	3,381	5				8	12	19	39	6	2	137	4	21	367	6
		Colored	527	1					2	2	11		1	58	2	8	20	1
26	Coshocton		133								4			4			17	
27	Cuyahoga Falls		128					1		2		2		4			13	
28	Dayton		2,217	4			2	4	16	13	40	5	6	122	11	21	179	11
29	East Cleveland		209							2	3			6			30	
30	East Liverpool		335	4					1	4	8	1		14	1	2	21	1
31	Elyria		246								5	1		11		2	23	
32	Findlay		287						1	1	8			7			28	2
33	Fremont		139					2			4			4			16	
34	Hamilton		532	2						3	27		1	31	3	4	47	1
35	Ironton		235					2	4	3	2		1	21	1	1	29	
36	Kenmore		93						1		1	1		9			7	1
37	Lakewood		491							4	8	1	1	13		1	66	2
38	Lancaster		233	2					1		5			10	1	1	18	2
39	Lima		560	2				2	1	4	9	1		18	3	5	58	
40	Lorain		411	2					3	4	14	1		20	5	5	36	3
41	Mansfield		361	2				1	1	1	7	1		12		5	33	2
42	Marietta		198	1					3		6			11	1	1	24	
43	Marion		386						2	1	16			21		2	36	
44	Martins Ferry		191				1	1		1	2			2		1	12	
45	Massillon		264				2		1		11	2		7	1	1	19	1
46	Middletown		299	3					1	2	13		1	13	6	2	24	1
47	Newark		404	4			1		3	1	17			16	1	1	46	
48	New Philadelphia		139						1	1				6			13	
49	Niles		105			1	1		1	1	2			7	1	2	6	1
50	Norwood		188							2	5			11	1		27	
51	Piqua		223					1	3	1	8	2		17	2	2	27	1
52	Portsmouth		566					1	7	4	19	1		35	4	3	48	4
53	Salem		160					1	1		4			2		2	15	
54	Sandusky		334	1					3		5		1	18	1	2	22	1
55	Springfield	White	663				2		7	1	11			22	2	4	68	
		Colored	156								14			13	1		12	
56	Steubenville		438	4			2		1	3	13	1	1	16	1	3	21	3
57	Tiffin		222	2						1	1			12	1	3	20	1
58	Toledo		3,641	9			1	4	8	25	56	12	4	269	12	22	301	8
59	Warren		447	1				5	1	7	8	1		14	1	5	32	
60	Youngstown		1,695	5			1	3	3	23	32	6	2	65	7	3	125	12
61	Zanesville		582	1			1		3		15	1		24	1	1	56	4
	OKLAHOMA [2]																	
62	Oklahoma City		1,417	20	2		9	1	3	17	31	2	4	52	5	7	113	3

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
2	15	38	-------	15	13	9	1	1	18	-------	1	35	3	-------	10	-------	-------	7	4	39	1
-------	4	5	-------	6	1	2	1	-------	4	1	2	4	-------	4	2	-------	-------	5	8	17	
3	7	9	-------	7	2	3	2	-------	8	1	-------	7	-------	-------	3	-------	-------	4	1	7	2
-------	18	30	-------	18	5	2	1	-------	21	2	1	8	-------	7	4	-------	-------	15	8	20	
5	21	53	-------	19	2	3	6	2	55	-------	1	24	7	2	9	-------	-------	11	-------	93	3
3	16	36	-------	19	8	6	4	-------	16	7	3	16	-------	3	7	-------	-------	21	4	49	
4	4	22	-------	6	4	3	2	1	17	3	3	19	4	3	4	-------	-------	9	1	28	4
2	11	11	2	8	11	4	1	2	13	3	2	16	-------	7	-------	1	-------	13	1	29	
3	9	16	-------	7	2	2	5	2	5	-------	-------	10	2	4	4	-------	-------	7	3	14	5
1	3	6	-------	12	-------	1	1	-------	8	-------	1	5	-------	3	-------	-------	-------	3	6	13	
1	14	24	-------	25	13	4	5	-------	24	-------	5	24	3	1	4	-------	-------	12	2	50	6
2	45	46	-------	22	6	8	2	1	32	4	4	29	-------	9	4	1	-------	9	3	40	
1	8	6	-------	1	2	2	2	1	17	1	2	10	3	2	1	-------	-------	7	2	14	7
-------	6	11	-------	13	4	1	2	2	9	1	5	9	-------	4	1	-------	-------	4	27	15	
3	36	49	-------	34	25	9	3	1	32	3	6	57	3	2	18	-------	-------	16	13	71	8
2	35	61	2	60	29	6	4	3	32	4	4	28	1	6	4	-------	-------	16	49	70	
5	36	46	-------	25	1	13	6	2	15	5	8	29	1	-------	4	-------	-------	17	6	76	9
4	17	26	2	10	-------	7	3	2	16	2	-------	13	-------	-------	3	-------	-------	4	2	35	10
4	8	26	1	15	1	18	6	2	11	2	3	16	2	1	5	-------	-------	20	4	64	11
25	116	321	10	179	23	49	17	15	83	19	26	194	25	33	75	2	1	98	-------	287	12
3	22	41	-------	19	3	9	7	3	22	-------	3	12	5	1	4	3	-------	11	-------	47	13
6	22	40	3	17	2	9	3	1	19	1	3	20	4	1	8	-------	-------	9	2	50	14
3	12	31	-------	22	3	5	4	1	6	1	2	20	4	1	7	2	1	16	-------	31	15
2	13	33	1	15	1	2	7	2	12	1	-------	15	4	2	3	-------	-------	17	-------	27	16
6	16	23	1	6	-------	3	3	-------	12	-------	-------	4	1	-------	2	1	-------	9	2	12	17
2	28	24	-------	7	-------	3	1	1	15	1	-------	12	2	1	4	-------	-------	7	1	30	18
-------	4	10	2	18	4	-------	-------	1	2	2	-------	15	5	1	1	-------	-------	2	-------	12	19
11	124	189	6	107	29	17	5	8	43	6	5	85	16	19	42	2	3	50	1	161	20
8	18	66	-------	20	2	4	2	1	27	1	-------	14	2	1	3	-------	-------	15	3	41	21
132	495	1,053	19	358	84	107	67	58	606	27	40	300	79	41	108	8	-------	247	1	862	22
6	66	148	-------	107	22	9	5	4	99	11	8	47	5	49	11	1	1	35	-------	144	
136	546	1,393	42	668	92	156	98	80	622	37	62	566	117	58	235	7	10	388	9	1,305	23
9	49	147	4	154	8	13	13	5	60	3	9	65	3	52	15	-------	-------	45	4	190	
4	32	57	2	21	-------	-------	1	1	27	-------	-------	3	2	1	1	-------	-------	7	-------	49	24
43	252	609	9	200	26	73	43	11	234	19	31	187	43	12	64	9	2	190	-------	698	25
5	34	82	2	51	6	9	1	3	36	-------	5	33	4	15	8	-------	-------	20	2	105	
3	8	33	-------	10	1	4	2	4	5	1	1	1	1	3	3	-------	-------	6	1	21	26
2	22	22	-------	14	1	-------	1	1	8	-------	-------	4	2	-------	3	1	-------	7	-------	18	27
52	141	464	6	119	26	26	34	21	160	11	12	135	20	15	44	5	5	96	-------	391	28
2	21	52	-------	11	-------	-------	2	5	26	-------	1	5	3	-------	-------	-------	-------	9	-------	31	29
4	28	66	2	28	7	7	7	4	14	3	3	24	5	3	5	-------	-------	22	2	44	30
1	29	37	3	12	6	4	3	6	25	1	1	12	2	2	5	1	-------	15	1	38	31
6	33	56	-------	14	1	6	9	2	17	-------	2	23	6	3	8	1	1	15	-------	37	32
3	15	34	-------	9	2	-------	1	-------	8	-------	1	9	1	1	1	-------	1	8	-------	19	33
10	46	61	1	33	23	4	4	4	35	-------	3	53	7	5	15	4	-------	38	3	64	34
1	13	28	1	10	10	4	1	-------	20	2	3	20	3	5	5	-------	-------	16	-------	29	35
3	9	8	-------	7	-------	-------	-------	2	6	1	1	13	2	1	1	5	-------	5	-------	9	36
7	59	109	3	35	5	4	4	2	37	2	3	23	5	-------	9	1	-------	22	1	64	37
2	23	48	1	10	4	3	2	-------	21	2	1	16	3	-------	2	-------	-------	13	2	40	38
9	42	82	-------	33	5	13	17	7	36	3	7	54	4	-------	10	2	-------	42	-------	91	39
9	14	58	-------	24	14	5	5	3	33	2	3	41	5	3	17	-------	1	19	7	55	40
9	44	64	-------	20	5	7	5	4	32	-------	1	24	2	2	8	1	-------	19	1	48	41
1	29	35	-------	12	2	2	1	3	11	1	3	11	2	-------	3	-------	-------	8	-------	27	42
11	31	81	2	23	6	8	5	-------	18	-------	1	19	3	-------	5	1	-------	26	-------	68	43
5	13	35	-------	14	4	5	5	2	12	1	2	16	2	3	6	-------	-------	14	1	31	44
6	33	45	2	9	2	7	1	2	18	2	2	22	2	2	11	-------	-------	18	-------	35	45
5	17	42	-------	16	12	3	2	3	21	5	2	27	5	3	4	4	-------	12	2	48	46
5	49	64	-------	25	2	7	5	3	18	2	2	19	7	2	4	3	-------	23	1	73	47
2	19	36	1	16	-------	-------	-------	2	10	-------	-------	4	3	-------	-------	-------	-------	2	-------	23	48
1	10	20	1	7	2	-------	-------	-------	6	-------	1	5	-------	-------	2	-------	-------	10	1	16	49
5	14	45	1	12	2	2	1	2	22	1	-------	6	2	-------	2	-------	-------	7	-------	18	50
2	22	31	2	11	2	4	9	1	13	4	2	7	-------	-------	5	-------	-------	11	-------	33	51
9	32	53	1	33	21	10	12	4	41	5	3	48	7	13	18	-------	-------	51	-------	79	52
7	12	19	1	12	2	9	2	-------	11	-------	1	7	1	-------	3	-------	-------	8	4	36	53
5	39	58	7	26	1	1	6	2	15	1	1	22	12	-------	8	-------	-------	23	-------	53	54
12	67	109	3	53	6	6	6	1	62	1	3	45	5	1	11	2	-------	37	2	114	55
3	12	29	-------	21	-------	3	1	-------	7	4	1	5	1	5	3	-------	-------	2	1	18	
10	31	51	1	46	6	10	5	2	15	6	7	41	3	9	16	-------	-------	37	-------	73	56
4	22	49	1	7	4	7	4	2	18	-------	-------	13	2	1	2	1	-------	11	-------	33	57
59	210	658	9	253	43	61	57	36	207	21	28	208	45	25	108	3	7	179	1	692	58
8	51	45	-------	44	-------	11	5	2	17	5	6	32	6	6	17	2	1	31	-------	83	59
27	108	245	7	241	15	25	20	13	91	14	24	137	13	36	56	-------	2	86	4	244	60
13	40	84	2	47	5	15	12	2	48	7	3	43	7	1	14	-------	1	33	4	94	61
10	95	177	3	146	37	30	20	4	86	9	5	81	15	30	25	-------	-------	74	25	276	62

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33-37	Cancer and other malignant tumors 43-49	Rheumatism 51, 52
	OREGON																
1	Astoria	154					1			1		1	4	1		16	
2	Eugene*	272								10			2		3	33	
3	Portland	3,564	7			5	3	10	11	55	10	19	121	20	34	455	8
4	Salem	428	2				1	2	1	16			21		2	38	2
5	State institutions	296									1		55		3	4	
	PENNSYLVANIA																
6	Allentown	1,226	9			1	7	4	28	11	1		68	1	7	108	3
7	Altoona	806	2				13	3	6	15	1		33	3	4	84	7
8	Ambridge	106				3			8	6			4	1	1	5	
9	Beaver Falls	236								8	1		7	1	2	30	1
10	Berwick	125	1					3		2	1		3			14	
11	Bethlehem	402						2	6	9	1		17		1	34	1
12	Braddock	295	2				1	1	3	5		1	11	2	2	14	
13	Bradford	255				2		2	1	5	3		7			23	
14	Bristol	128								5			6	1	1	11	1
15	Butler	200				1	1	4		6	1		7			13	
16	Canonsburg	118	1							4	1		8	1		8	
17	Carbondale	304	1			2	3		1	4			6		3	20	
18	Carlisle	195	1					1		5			2		1	25	
19	Carnegie	85				2		1		2			3			6	
20	Chambersburg	194					2		2	8			4		3	8	
21	Charleroi	71	1						1	1			4			7	1
22	Chester—White	493	2						1	7	1		17	3	2	40	2
	Colored	176						3		6	1		15	1		5	
23	Coatesville—White	97								4			4	1	1	14	
	Colored	22											1			3	
24	Columbia	142								3			10			15	1
25	Connellsville	135	1					1		7	1		8			14	1
26	Dickson City	92						1	1	10			5			9	
27	Donora	92				4			1	3			8		2	3	
28	Du Bois	161						3		2			6	1	1	16	
29	Dunmore	244						1	3	4			17	4		23	1
30	Duquesne	146					1		1	8			5	1		15	2
31	Easton	563	1				1	1	1	8	1		16	1	5	56	2
32	Erie	1,276	2			1	5	2	11	20	3	3	63	7	7	113	4
33	Farrell	96					1	4		9			12			3	
34	Greensburg	255	3			2	1		2	1		1	4	1	1	14	3
35	Harrisburg	1,307	6				1	1	1	24	4		43	1	2	118	4
36	Hazleton	482	1				1	2	2	8			17		2	40	3
37	Homestead	227	1			1	1	1	3	7			12		2	11	
38	Jeannette	124				1			2	1			7	1	2	7	
39	Johnstown	944	4			1	4	1	3	33	1	1	28	6	5	67	5
40	Lancaster	948	4				7	5	1	14		2	33	3	4	90	3
41	Lebanon	332	3						1	2		1	11		1	27	
42	McKeesport	143				2	1	1	5	7			7	2	2	7	
43	McKees Rocks	752	6				2	3	3	11	1	1	25	3	3	58	1
44	Mahanoy City	147								2			5			8	
45	Meadville	263								9		2	4		1	29	3
46	Monessen	128				8		2	2	11			5	1		5	
47	Mount Carmel	171	1				1	3	3	4			7	1	2	11	
48	Nanticoke	308	1				1			5	3	1	11	2	1	13	
49	New Castle	528	2			1		2	4	14			20	3	4	47	5
50	New Kensington	194	4					2		3			3		3	15	2
51	Norristown*	782	3					2	3	7			44	2	1	38	2
52	North Braddock	111					1	1	3	3			9	2		14	
53	Oil City	243	2				1			14			6			25	1
54	Old Forge	78	1					3	2	1			3			4	1
55	Olyphant	73						1	1	1			3			6	
56	Philadelphia—White	21,058	27	2		4	35	27	209	247	41	16	1,017	61	70	2,233	80
	Colored	3,707	5				1	10	14	69	3	5	520	30	33	167	11
57	Phoenixville	147								5	1		6	1		10	
58	Pittsburgh—White	8,068	10			32	16	15	102	132	23	14	315	39	36	685	27
	Colored	1,024	2			4		3	18	25	1		90	11	13	32	3
59	Pittston	201							5	1	1	1	5			9	1
60	Plymouth	134							1	7			1		1	6	
61	Pottstown	274	2					2	2	8	1		8		1	29	
62	Pottsville	493	1				3	1	1	13	2		23		3	41	1
63	Punxsutawney	118	1							3					2	10	1
64	Reading	1,210	3			4	2	1	10	22	2		58	3	6	99	3
65	Scranton	1,903	1			2	5	6	29	28	9		106	8	1	161	4
66	Shamokin	207							3	6			9			13	2
67	Sharon	287				2		3		14	2		24	1	1	23	2
68	Shenandoah	251						4	8	7			10			10	1
69	Steelton—White	100						1					5			10	
	Colored	29								2			1				
70	Sunbury	240				1			1	1			7	1	1	24	3

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
3	15	34	-------	6	-------	5	7	-------	3	4	-------	6	4	1	4	-------	-------	13	2	23	1
2	21	40	-------	14	1	7	5	2	17	2	5	20	2	1	7	2	-------	19	-------	57	2
73	264	652	20	229	6	47	35	13	255	8	21	142	67	11	62	2	4	159	-------	736	3
9	34	79	1	22	3	7	2	2	39	1	4	15	4	1	7	-------	-------	23	1	89	4
1	17	32	1	13	-------	-------	-------	-------	6	-------	-------	-------	3	-------	-------	-------	-------	7	-------	153	5
31	114	204	7	63	14	28	18	12	88	5	13	74	14	2	33	1	-------	58	-------	199	6
24	51	131	1	65	6	20	9	6	69	8	7	49	11	5	16	-------	-------	32	6	119	7
-------	5	15	-------	12	6	1	1	2	2	1	-------	11	2	-------	-------	-------	1	6	-------	13	8
4	24	23	5	30	5	4	2	3	14	1	1	13	5	2	5	-------	-------	16	-------	29	9
4	14	21	-------	11	1	1	3	-------	6	2	2	12	-------	-------	1	-------	-------	7	3	13	10
10	56	63	4	41	13	-------	1	5	39	-------	3	26	6	1	3	-------	1	17	1	41	11
4	16	44	2	39	11	5	5	3	20	2	3	17	5	5	10	-------	1	24	4	33	12
5	23	43	3	17	1	5	2	3	20	2	-------	25	4	-------	8	1	2	17	-------	31	13
2	17	18	-------	13	3	2	-------	2	8	-------	1	14	-------	2	1	-------	-------	8	-------	12	14
6	29	31	-------	17	2	1	1	2	13	-------	1	15	-------	-------	1	-------	-------	5	-------	43	15
-------	6	14	-------	11	1	1	2	-------	7	2	-------	17	1	-------	2	3	-------	13	-------	15	16
7	19	29	1	34	7	5	6	1	29	5	6	24	1	2	6	-------	-------	26	1	55	17
6	20	48	7	14	1	1	-------	-------	23	1	3	8	2	-------	2	-------	-------	7	1	16	18
-------	6	28	-------	7	5	-------	-------	1	6	-------	-------	7	-------	-------	-------	-------	-------	2	-------	9	19
2	25	35	-------	13	3	2	5	1	17	-------	2	13	5	-------	3	-------	-------	13	-------	28	20
-------	4	16	-------	5	2	-------	-------	1	8	-------	-------	9	-------	-------	1	-------	-------	-------	-------	10	21
3	39	84	-------	35	15	3	11	3	42	1	4	35	5	2	16	-------	-------	39	-------	81	22
1	7	22	1	37	5	-------	3	-------	11	1	-------	11	-------	5	1	-------	-------	10	1	29	
2	13	21	-------	5	1	-------	1	-------	10	-------	-------	6	-------	-------	-------	-------	-------	8	1	5	23
-------	1	3	-------	1	-------	-------	-------	-------	2	-------	1	1	-------	1	1	-------	-------	1	-------	6	
2	11	36	3	10	-------	3	3	3	11	-------	1	10	-------	-------	2	-------	-------	9	-------	9	24
1	8	24	1	11	3	2	2	1	5	-------	4	14	1	1	4	-------	-------	9	-------	11	25
1	3	18	-------	4	5	-------	2	1	6	-------	-------	6	-------	-------	-------	-------	-------	10	-------	10	26
1	6	9	-------	11	5	-------	1	2	3	-------	-------	11	4	-------	1	-------	-------	4	-------	13	27
2	7	26	-------	9	6	4	3	1	15	1	4	10	1	1	7	-------	-------	10	1	24	28
4	11	45	2	31	15	-------	1	1	16	-------	1	21	2	-------	4	-------	-------	12	-------	25	29
2	4	14	-------	19	8	1	1	2	8	1	-------	18	-------	1	5	-------	-------	13	2	14	30
14	45	88	1	42	4	15	14	5	52	3	4	39	8	1	24	1	-------	32	-------	78	31
24	99	252	5	80	27	15	20	14	83	6	13	70	19	5	32	1	2	84	-------	184	32
1	8	15	3	17	2	-------	-------	-------	4	-------	-------	5	-------	-------	1	-------	-------	2	-------	9	33
3	12	23	1	17	1	7	9	1	19	6	5	24	2	-------	16	1	-------	27	8	40	34
33	87	279	3	82	8	40	16	11	138	14	18	82	5	1	31	1	-------	85	-------	168	35
9	28	77	8	41	16	15	9	2	40	6	12	36	1	1	10	-------	-------	37	-------	58	36
2	12	28	-------	39	5	-------	3	3	16	-------	-------	23	2	5	7	1	-------	16	5	21	37
2	15	19	1	14	1	-------	1	3	8	-------	1	9	1	-------	-------	-------	-------	4	10	14	38
16	57	102	5	115	17	27	17	15	66	8	9	85	4	8	23	-------	3	82	-------	126	39
27	73	182	3	55	16	24	14	5	58	5	18	62	11	-------	23	-------	-------	27	-------	179	40
12	35	61	-------	20	7	6	5	4	30	1	8	18	6	1	7	2	-------	18	-------	45	41
3	4	17	-------	15	9	1	3	-------	6	-------	-------	15	3	2	1	-------	-------	9	4	17	42
11	42	80	4	100	27	14	12	5	54	13	7	51	9	8	18	1	1	85	2	91	43
2	9	38	4	17	4	-------	-------	-------	10	-------	-------	12	-------	-------	5	-------	-------	10	1	20	44
10	17	56	2	9	1	9	5	2	16	2	3	11	5	1	6	-------	-------	14	1	45	45
1	7	13	-------	15	7	-------	1	-------	6	1	1	15	2	-------	-------	-------	-------	6	5	14	46
5	10	32	3	31	8	-------	-------	3	11	-------	1	10	-------	-------	3	-------	-------	8	-------	13	47
1	10	55	3	37	3	7	5	1	19	4	2	22	-------	-------	8	-------	-------	45	-------	48	48
15	41	77	4	41	7	14	5	2	36	5	4	35	7	2	14	1	-------	36	4	76	49
3	11	9	-------	22	1	4	4	3	5	2	3	27	3	2	9	-------	-------	18	-------	36	50
8	61	188	5	59	12	5	8	3	80	-------	6	33	6	3	13	-------	-------	31	-------	159	51
-------	8	17	1	9	5	-------	-------	-------	5	-------	1	15	-------	1	1	-------	-------	5	2	8	52
4	24	44	1	19	3	1	2	1	11	-------	6	17	1	-------	4	-------	-------	12	1	43	53
-------	2	10	1	6	5	-------	1	1	8	-------	2	14	-------	1	-------	-------	-------	3	-------	9	54
-------	2	19	1	4	11	-------	1	1	3	-------	-------	7	1	-------	-------	-------	-------	6	-------	5	55
426	1,300	4,693	89	1,588	276	275	231	173	2,397	105	132	1,088	272	78	295	3	7	855	9	2,697	56
31	169	562	21	574	80	39	33	12	299	26	31	205	16	94	29	-------	1	131	2	484	
2	10	35	-------	14	7	1	2	4	13	1	1	11	2	-------	3	-------	-------	4	-------	14	57
116	508	1,213	49	946	115	137	85	69	581	61	64	531	81	56	202	3	4	490	56	1,255	58
14	34	109	-------	216	14	9	7	3	75	11	4	63	4	36	13	-------	-------	55	20	135	
4	15	30	2	40	5	-------	1	1	15	1	1	18	1	2	-------	-------	-------	17	2	23	59
1	5	28	1	23	6	-------	-------	1	10	-------	-------	15	1	-------	-------	-------	-------	9	-------	18	60
10	29	42	1	15	12	3	6	3	19	1	-------	27	2	-------	13	-------	-------	11	-------	27	61
10	19	62	2	23	6	18	7	4	82	8	4	33	6	1	18	1	1	33	1	65	62
5	7	23	-------	2	2	3	3	1	12	1	1	8	1	1	3	2	-------	12	-------	14	63
30	97	260	7	67	14	11	21	14	135	8	16	62	28	7	30	-------	-------	58	2	130	64
40	111	343	23	167	29	37	26	22	126	15	17	121	15	6	34	5	1	138	1	266	65
10	18	48	2	17	8	-------	2	3	11	1	1	24	1	-------	1	-------	-------	4	-------	23	66
6	18	38	2	17	2	5	8	2	6	3	3	18	3	3	7	-------	-------	22	-------	52	67
2	21	37	4	39	11	-------	4	3	16	1	2	17	-------	-------	-------	-------	-------	18	3	33	68
2	7	19	-------	15	7	1	1	3	11	-------	-------	8	-------	-------	1	-------	-------	2	-------	7	69
-------	2	1	-------	10	1	-------	-------	-------	3	-------	1	3	-------	1	1	-------	-------	-------	-------	3	
4	11	62	-------	8	7	5	7	1	25	2	2	18	5	2	5	-------	-------	13	-------	24	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	PENNSYLVANIA—continued																
1	Swissvale	103	1					1	2	2	1		4	1	1	9	1
2	Tamaqua	123								1	1		8	1		12	
3	Uniontown	341	2			2	1			7			14		2	22	2
4	Warren	228							3	4			7			25	1
5	Washington	376	3					5	2	14	1		14	2	2	32	
6	West Chester* White	244	1					1		4	1	1	8	3		21	1
	Colored	68	2			1	1	1					5		1	4	1
7	Wilkes-Barre	1,326	1	1			2	6	11	27	5	1	50	5	6	102	3
8	Wilkinsburg	310	1				1		2	9	1		5	1	2	26	2
9	Williamsport	629	1					4	3	10			14	4	2	59	2
10	Woodlawn	104					1	1		5			3		1	3	
11	York	701					2		1	13	2	1	15	3	4	67	6
	RHODE ISLAND																
12	Bristol town	111						1		7			5	1		8	
13	Central Falls	258						4	2	7	1		7	1		24	2
14	Cranston	270					1			2	1	1	7	1	1	33	1
15	State institutions	425							1	1			42			20	
16	Cumberland town	92								3	1	1	3	1		10	
17	East Providence town	228					1	3		5			3	1		25	2
18	Newport	334								2	1		16		4	29	
19	Pawtucket	864					1		6	9	4		25	7	3	98	6
20	Providence	3,169	2				10	14	23	27	8	2	126	19	14	329	8
21	Warwick town	198						1	1	4			14		1	23	
22	West Warwick town	154						6	9	1	1		10	2	2	16	2
23	Woonsocket	516				1	1	3	10	3		1	23	8		42	4
	SOUTH CAROLINA																
24	Anderson White	288	1			13				4	12		12		1	13	1
	Colored	106	3								6		10		1	1	
25	Charleston White	474	6	1		1		3	1	7	1	2	15		4	37	3
	Colored	927	12	1	1	2		16		13		1	80	5	10	33	4
26	Columbia* White	529	4	2		1		3	2	15	1	1	22		2	33	
	Colored	676	5	1		4		7		27			48	1	7	12	
27	Florence White	169	7	2				2	3	4			1			10	
	Colored	238	4					5		6			23	1	3	3	
28	Greenville White	208	1			1		1	1		1	1	11		3	16	1
	Colored	194				1		1		6			20	1	4	2	1
29	Spartanburg White	256	3			1		1	3	13			7	1	1	15	1
	Colored	240	1							13	1		22	1	2	6	
	SOUTH DAKOTA [2]																
30	Sioux Falls	316	3			2	2			5			8			44	3
	TENNESSEE																
31	Chattanooga* White	897	8			11	1	4	3	23	1	1	51	8	7	55	5
	Colored	793	5	4		4		8	1	27	2		69		22	13	2
32	Jackson White	178	2					1	1	2			10	2		16	1
	Colored	165	5	2		1		2	1	8			17		3	8	
33	Johnson City* White	251	3		1	7		2	2	10		1	27	1	4	15	
	Colored	41	3										8			2	
34	Knoxville White	1,147	5	1		13	3	15	3	38			59	2	10	74	2
	Colored	332	6			1		3		22	1		38		10	17	
35	Memphis White	1,751	11	6		4	4	14	11	41	4	2	75	6	6	158	
	Colored	1,697	16	9		2		15	3	57	1	2	166	4	20	66	6
36	Nashville White	1,432	9	1			1	8	5	34	4	4	60	5	15	115	3
	Colored	964	14	1				1	13	29	1	3	101	2	20	32	1
	TEXAS [2]																
37	Beaumont White	337	1		1				4	8			6		1	34	
	Colored	279	1	2		1		6	2	12		1	36		2	13	2
38	Dallas White	1,900	6	3		13	2	4	28	51	3	5	88	5	3	166	5
	Colored	531	8	2				1	4	8			30	2	6	21	2
39	El Paso	1,700	11	1		16	4	12	3	50	1	1	425	15	15	84	2
40	Fort Worth White	1,188	8			21	4	9	22	39	3	1	44	2	4	88	2
	Colored	332	4	1				2	4	15		1	33		2	10	
41	Galveston White	450							1	3		3	31	3	5	44	1
	Colored	260	1					3		4			18	1	2	15	1
42	Houston White	1,975	15	3	1		2	6	20	36	1	5	118	3	7	144	3
	Colored	1,015	6	7				1	3	22	1		71	1	8	53	2
43	San Antonio White	2,740	11	2		4	4	14	26	69	2	4	328	9	17	204	6
	Colored	295	1	1					4	18			44	2	2	8	2
44	Waco White	458	1	1			2		3	14		1	26		3	37	
	Colored	172	1	2		1		1	2	2			13		1	12	
	UTAH																
45	Ogden	416	1		1	7	4		1	7	3	1	7	1	1	32	3
46	Provo	191							1	7	1		3			8	
47	Salt Lake City	1,664	3			25	3	3	21	26	10	9	65	4	7	140	13

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
1	9	21	1	17	2	------	------	1	6	------	------	8	1	1	1	------	------	------	1	10	1
------	1	36	1	6	6	------	3	2	11	------	------	18	1	1	------	------	------	8	------	6	2
6	23	37	1	16	9	9	------	------	19	1	5	23	4	5	13	1	------	41	1	66	3
3	20	46	------	9	2	6	4	------	10	2	4	18	3	3	4	------	------	17	------	37	4
9	28	46	2	20	8	8	3	1	26	4	7	26	5	8	7	1	------	27	1	64	5
5	13	40	------	17	3	8	3	------	25	5	4	16	1	------	9	------	------	14	------	40	6
------	2	17	------	6	2	1	2	------	6	1	------	3	------	1	------	------	------	2	1	8	
22	74	209	10	132	22	48	14	9	99	13	6	102	10	6	19	------	1	116	3	191	7
10	28	59	------	35	------	4	1	1	34	------	2	19	3	------	9	------	------	16	4	35	8
10	64	139	2	55	5	4	5	2	47	3	5	36	11	------	11	------	------	26	1	104	9
1	3	12	3	11	12	------	1	------	6	------	1	15	1	1	1	------	------	10	------	12	10
18	76	134	1	49	15	10	12	2	95	3	3	31	11	3	14	------	------	28	------	82	11
2	11	15	2	8	1	1	------	1	7	------	------	6	1	------	2	------	------	3	4	25	12
7	23	50	------	19	5	3	4	2	23	1	2	28	3	1	4	------	------	7	1	27	13
11	46	51	3	19	2	------	1	1	25	------	------	12	3	------	3	------	------	13	1	31	14
4	48	106	------	27	------	------	4	1	18	------	1	1	2	------	------	------	------	9	2	138	15
2	16	20	------	10	------	------	------	------	6	------	1	3	------	------	1	------	------	6	1	7	16
4	35	48	3	19	8	------	1	3	33	------	3	6	2	------	------	------	------	11	2	10	17
5	34	79	2	24	3	1	1	4	29	1	5	11	3	1	3	------	------	17	1	58	18
30	62	182	4	69	12	14	12	3	82	4	7	71	9	1	13	------	------	33	4	93	19
57	280	546	19	232	33	57	34	18	334	19	27	234	24	11	64	------	2	132	21	443	20
4	26	38	------	10	2	------	2	1	19	------	1	7	2	------	3	------	1	12	------	26	21
1	12	21	1	13	2	------	1	1	14	------	1	11	2	1	2	------	------	4	1	17	22
4	37	88	5	55	13	8	3	1	41	3	8	44	2	1	15	------	------	13	3	76	23
4	15	31	------	25	21	5	1	------	27	------	5	22	2	1	6	------	------	15	4	47	24
2	6	14	------	6	3	2	3	------	7	1	------	5	1	2	1	------	------	4	1	27	
12	34	75	------	30	7	7	6	2	71	2	4	29	5	3	6	------	------	24	2	74	25
4	74	108	4	80	39	1	7	2	93	6	7	102	------	12	8	------	------	24	15	163	
6	41	65	------	31	9	7	4	1	65	1	9	19	5	4	22	------	------	19	2	133	26
7	49	87	2	43	19	5	7	------	63	6	5	21	1	17	7	------	------	14	------	211	
1	3	14	1	12	11	3	6	------	8	3	12	14	1	3	------	------	------	10	1	37	27
1	19	16	1	18	6	5	4	------	16	3	6	20	1	7	12	------	------	8	2	48	
4	8	29	------	9	8	4	2	2	23	1	3	14	1	3	7	------	1	13	1	38	28
1	18	24	1	19	2	------	2	2	20	2	1	12	------	4	7	------	------	5	2	36	
6	14	36	------	12	6	8	5	------	18	5	4	16	4	3	3	------	------	14	5	51	29
2	18	36	1	13	2	3	------	1	32	1	6	12	1	6	1	------	------	6	1	52	
5	23	48	------	20	2	10	7	------	19	3	3	17	8	2	6	------	------	13	------	63	30
13	40	101	1	64	33	18	11	1	59	5	9	57	7	18	28	6	------	43	58	147	31
------	46	71	8	90	16	5	7	1	62	7	6	20	2	57	9	------	------	24	86	119	
3	17	22	------	9	2	11	2	------	23	1	------	11	------	1	5	------	------	6	10	20	32
2	2	4	1	12	8	------	1	2	21	------	3	4	------	4	2	------	------	5	24	23	
------	12	27	2	16	10	5	------	------	14	1	4	19	------	1	8	------	------	14	8	37	33
------	3	7	------	------	1	------	------	------	------	------	------	2	1	2	------	------	------	2	------	10	
12	56	136	2	102	25	16	15	5	78	10	18	62	16	13	11	1	------	77	35	232	34
1	15	43	3	33	5	1	6	------	20	2	1	10	2	11	7	------	------	12	10	52	
24	111	207	1	123	18	66	26	13	124	15	11	98	34	21	41	1	2	97	31	345	35
19	89	201	5	162	22	38	18	3	116	14	14	70	1	97	27	------	------	58	44	332	
17	94	210	1	121	14	26	15	8	105	13	9	83	12	15	36	------	1	78	30	280	36
11	59	150	1	78	19	15	15	3	85	6	3	39	4	27	10	------	------	34	43	144	
3	16	44	------	12	7	13	9	3	38	2	6	20	8	3	10	1	------	23	8	56	37
3	12	30	2	17	7	3	6	------	14	2	3	10	1	8	3	------	------	14	19	47	
22	158	213	5	107	34	39	22	7	131	12	17	129	23	12	40	------	------	105	4	438	38
3	40	54	3	45	12	7	4	4	64	1	7	18	2	20	9	------	------	11	1	142	
10	42	95	12	90	165	23	20	11	82	8	9	82	16	16	24	1	1	66	20	267	39
18	103	123	3	71	24	13	16	5	62	4	13	99	23	17	28	1	1	43	32	242	40
2	20	21	3	40	7	5	8	2	33	1	5	13	------	15	3	------	------	6	12	64	
6	28	75	2	16	4	6	4	7	34	6	1	15	8	8	11	------	------	27	8	93	41
2	10	24	------	23	5	------	7	4	21	3	2	9	3	5	2	------	------	7	4	84	
30	114	223	6	88	46	42	31	19	128	11	19	133	26	27	48	1	------	111	136	372	42
16	56	91	3	74	8	6	9	11	73	1	7	30	4	41	9	------	1	28	184	188	
27	112	294	14	184	207	44	38	7	125	29	21	141	34	27	47	1	------	98	125	465	43
------	16	32	6	18	4	2	10	3	22	2	2	2	1	10	1	------	------	5	10	67	
7	18	51	4	21	7	16	4	1	27	2	6	31	10	3	11	1	------	28	3	119	44
1	16	10	------	8	3	4	5	1	15	------	2	8	------	5	4	------	------	4	------	51	
7	22	70	1	30	3	10	9	------	16	5	4	34	8	3	10	------	1	25	3	86	45
2	19	17	2	6	------	5	1	------	9	1	1	13	2	------	4	1	------	11	1	76	46
19	109	255	4	130	7	42	26	10	133	18	18	113	23	6	30	------	5	86	37	264	47

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
	VERMONT																
1	Barre	152	1			3						1	22	3	1	11	
2	Burlington	399	2			3		4		4			13	2	6	51	1
3	Rutland	276				3	1			2			13	2	1	25	1
	VIRGINIA																
4	Alexandria—White	176						1		7			9			12	
	Colored	101	3					1		1			9			4	
5	Charlottesville—White	112	1							3		1	8	1		9	
	Colored	54								3			4		2	1	
6	Danville—White	212	2			1	1	2	1	15			13		3	10	
	Colored	118	2						1	8			9	1		2	
7	Lynchburg—White	393					1		4	14			14		4	28	2
	Colored	217	1			2				5			13	1	1	7	
8	Newport News—White	186						1	1	10			10		1	14	
	Colored	250	2			2		8		4		1	20	2		10	
9	Norfolk—White	844	2	1		6		4	3	9	3		46	1	6	78	1
	Colored	905	2			1		12	4	21	1	1	92	3	8	21	5
10	Petersburg—White	229	1					1	3	5	1		7		3	25	2
	Colored	305						9		15			31			10	1
11	Portsmouth—White	259						2	1	11	1		10	1	2	20	1
	Colored	430	1	1		2		6		33			29	1	3	9	
12	Richmond—White	1,572				2	4	8	11	23	2	1	66	3	9	133	2
	Colored	1,142				3	1	15		37		1	85	9	18	37	7
13	Roanoke—White	641	3					3	1	39		2	21	5	2	50	3
	Colored	218	2				1	4		17			15		1	4	2
14	Staunton*—White	284	3	1						1	1		18		2	11	
	Colored	36	1									1	3			2	
	WASHINGTON																
15	Aberdeen	241				1	1			7		1	9	2	1	27	
16	Bellingham	414				4		1	3	15	1	1	15	1	3	48	2
17	Everett	358						2	3	4		2	15	3	3	31	
18	Hoquiam	113								1			1			3	1
19	Seattle—White	3,404	4			6	4	6	4	68	8	18	131	9	28	402	16
	Colored	166				2		4		6		1	27	4	5	8	
20	Spokane	1,484	1			3	7	2	1	46	5	33	32	3	15	165	
21	Tacoma	1,301	3		1	5	3	4	5	29	2	10	33	7	11	131	4
22	Vancouver	199	1			1				8			9	1	1	19	
23	Walla Walla	218	1			1				10		1	5		1	31	
24	Yakima	343	3			1			3	10	1	6	6	3	3	37	
	WEST VIRGINIA																
25	Bluefield—White	182	7			1	2	5	2	1			5			10	1
	Colored	58						2		1	1		7			3	
26	Charleston—White	689	14			1		7	2	25	1		33	6	4	41	
	Colored	128	2			1		2		3			6	3	3	8	
27	Clarksburg	367	7			1	1		1	7		1	12	4	2	23	1
28	Fairmont	364	6			2		4	3	8	1	1	14	1	5	25	2
29	Huntington*	937	7				1	12	6	13	1	1	78	2	8	66	1
30	Martinsburg	235	4					3	2	10		1	13	3	1	12	3
31	Morgantown	207	6			1		6	3	4	1		4	1	1	24	
32	Moundsville	152	1					2		6	1		19			12	
33	Parkersburg	393	1				1		1	18		1	20	1	6	39	2
34	Wheeling*	884	2					6	1	12	3	1	36	3	5	54	4
	WISCONSIN																
35	Appleton	294	2					1	1	7	1		13	1		37	1
36	Ashland*	225	1			2			1			11	15		4	26	
37	Beloit	221								3			8	1	2	18	1
38	Eau Claire*	386					1		2	4		2	29			47	2
39	Fond du Lac	365				6			2	4	3	2	6	1	2	48	
40	Green Bay	560	4		1	3		2	5	12	2	1	16	4	2	82	2
41	Janesville	245				1	2			4	1		8	2	1	17	
42	Kenosha	372	2			4	3	1	2	5	1		9	2	3	44	2
43	La Crosse*	597	2			6		3	1	4	1		20	2	3	66	
44	Madison	757	2			3	2	4		5	2	3	31	8	4	115	4
45	Manitowoc	259						3	1	2			9	1	2	33	1
46	Marinette	212				1				10		1	16	1	1	15	
47	Milwaukee	5,753	5			9	8	17	57	48	12	84	315	26	31	589	21
48	Oshkosh	442							1	6	1		12	1	2	57	2
49	Racine	565				1	1	2	3	13		5	14	2	3	60	1
50	Sheboygan	391	2			1	1			14			6	2	7	37	1
51	Stevens Point	150				3				2			3		2	6	
52	Superior	411							3	6	2	3	17	1		31	1
53	Waukesha	178	1			2		1	2	1	1		8		4	16	4
54	Wausau	256				2		1	2	3		1	10		1	28	
55	West Allis	157				1			3	1		1	7	1		14	
	WYOMING																
56	Casper	179				1			1	1			4			20	1
57	Cheyenne	208					2	1		7	1	1	11	2		15	

[1] Excludes collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1927—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
2	10	23	1	6	-------	1	4	1	5	-------	1	22	1	-------	1	-------	-------	10	-------	22	1
6	24	64	1	29	1	14	10	4	35	5	5	16	1	-------	15	-------	-------	18	-------	65	2
11	22	38	1	15	1	13	3	1	31	2	4	14	2	1	8	-------	-------	22	1	39	3
2	12	21	-------	7	4	4	-------	-------	25	2	3	16	3	2	6	-------	-------	13	1	26	4
1	7	19	1	13	2	-------	1	-------	6	-------	1	9	-------	-------	2	-------	-------	1	3	17	
1	12	16	-------	4	2	1	-------	-------	19	2	-------	8	1	1	3	-------	-------	6	3	10	5
2	4	20	-------	6	2	-------	-------	-------	3	-------	-------	2	-------	-------	1	-------	-------	-------	-------	4	
4	6	29	-------	5	7	10	2	1	18	1	2	28	1	-------	6	-------	-------	8	3	33	6
-------	6	16	-------	4	4	4	4	-------	12	2	1	6	-------	3	1	-------	-------	10	5	17	
4	31	55	2	28	3	8	2	-------	39	2	2	26	3	3	9	3	-------	28	-------	78	7
1	25	38	1	16	8	5	1	1	26	2	1	12	2	1	5	-------	-------	9	5	28	
1	17	26	-------	8	2	6	-------	-------	25	4	-------	14	2	4	1	-------	-------	12	1	26	8
1	26	35	2	34	6	1	2	-------	24	1	-------	13	-------	2	1	-------	-------	11	2	40	
7	62	170	5	31	6	15	10	8	90	4	6	49	14	3	19	-------	-------	54	-------	131	9
10	88	159	8	98	48	10	11	3	64	10	13	40	-------	14	16	-------	-------	43	-------	99	
2	16	30	-------	7	7	2	3	2	41	3	6	10	3	1	8	-------	-------	15	-------	25	10
4	20	30	-------	35	18	-------	4	3	42	3	2	13	-------	4	4	1	-------	13	1	42	
5	23	33	3	13	12	4	1	2	43	1	2	23	1	-------	4	-------	-------	13	-------	27	11
-------	65	34	5	52	25	1	4	2	16	1	3	43	1	7	5	-------	1	19	1	60	
17	102	293	9	94	17	32	18	7	204	7	13	95	21	4	32	-------	-------	60	8	275	12
8	106	189	5	85	22	10	6	10	111	3	13	63	1	25	14	-------	-------	50	38	170	
13	42	90	4	32	16	7	11	8	43	5	4	73	6	9	9	1	-------	33	5	101	13
2	11	20	-------	18	6	5	3	-------	24	4	1	15	1	10	1	-------	-------	12	3	36	
3	14	62	1	54	-------	4	1	2	23	1	2	8	2	1	2	1	-------	9	-------	57	14
-------	4	7	-------	2	-------	-------	-------	1	5	-------	-------	1	1	2	1	-------	-------	1	1	3	
1	10	43	-------	6	2	4	4	3	11	3	1	12	5	6	10	-------	-------	39	-------	32	15
9	49	54	1	19	3	11	4	2	27	3	3	18	3	-------	11	-------	1	22	-------	80	16
7	24	42	2	19	-------	7	7	-------	46	3	-------	14	8	1	9	-------	-------	34	6	66	17
5	7	23	-------	11	-------	3	-------	-------	8	-------	-------	9	4	1	3	-------	-------	12	1	20	18
56	292	706	8	199	10	49	40	18	206	9	13	140	87	4	75	4	2	175	-------	607	19
3	5	15	-------	18	1	2	-------	-------	9	-------	-------	5	12	2	4	-------	-------	9	-------	24	
29	91	206	5	122	9	46	22	9	128	7	12	56	31	5	21	-------	1	57	-------	314	20
24	97	281	4	74	2	30	18	10	76	4	11	55	23	9	35	1	2	64	4	229	21
6	20	43	1	12	1	2	5	1	13	-------	1	8	2	-------	7	1	-------	12	-------	24	22
5	16	31	1	7	-------	5	9	1	24	1	2	12	2	1	2	-------	-------	7	-------	42	23
8	24	47	-------	27	4	7	7	-------	20	6	3	28	2	-------	7	1	-------	13	2	64	24
-------	11	20	-------	10	10	4	4	-------	10	3	3	18	1	3	5	-------	-------	13	2	31	25
-------	-------	8	-------	6	3	1	-------	-------	5	-------	2	4	-------	2	-------	-------	-------	4	-------	9	
5	32	84	2	35	49	25	9	2	45	7	6	60	10	9	18	-------	2	66	1	88	26
2	4	18	-------	10	2	2	3	-------	17	-------	2	7	-------	5	1	-------	-------	8	-------	19	
5	21	36	1	26	11	12	9	-------	20	3	5	28	4	3	17	2	2	40	-------	62	27
5	26	45	-------	14	12	8	5	3	12	4	6	31	8	6	7	-------	1	45	-------	54	28
12	48	99	3	69	42	22	9	4	45	11	12	76	16	17	17	1	-------	57	2	179	29
3	20	30	1	10	11	4	1	-------	21	1	2	16	1	1	6	2	-------	16	1	36	30
5	10	25	-------	22	7	4	1	-------	7	3	7	14	3	1	4	-------	-------	16	1	26	31
4	9	19	-------	13	3	1	1	1	10	2	-------	12	1	-------	-------	-------	-------	13	2	20	32
6	28	54	-------	17	10	10	6	-------	35	2	-------	24	5	1	12	-------	-------	21	-------	72	33
14	58	129	-------	85	15	17	16	4	91	9	13	50	10	8	18	-------	-------	64	-------	156	34
10	20	38	2	9	2	8	7	1	30	2	-------	18	1	1	5	-------	-------	18	2	56	35
3	12	29	1	15	1	8	2	3	18	3	-------	11	2	-------	5	-------	-------	9	-------	43	36
5	21	40	2	12	1	6	1	2	13	-------	2	21	1	2	8	-------	-------	10	-------	41	37
5	28	73	1	29	-------	8	6	2	12	-------	4	26	4	-------	7	-------	-------	22	3	69	38
11	30	63	2	19	3	8	8	3	27	1	4	15	5	1	9	2	-------	16	2	62	39
13	38	70	-------	23	8	19	10	4	30	5	5	43	5	-------	12	-------	-------	27	2	110	40
6	19	43	2	9	1	4	3	2	25	2	5	19	2	3	3	-------	-------	16	1	44	41
6	21	67	2	18	10	4	2	5	25	1	2	36	11	1	11	2	-------	21	-------	49	42
17	44	93	-------	27	1	19	15	8	41	5	3	50	7	2	14	-------	-------	21	-------	122	43
14	50	127	3	38	1	20	13	2	32	2	7	37	5	-------	16	2	-------	30	2	173	44
6	16	31	4	11	3	11	8	3	18	1	3	28	2	-------	5	-------	-------	15	-------	42	45
5	17	37	1	9	4	5	1	2	24	-------	1	14	4	1	5	-------	-------	9	-------	28	46
108	382	1,073	52	442	111	114	62	67	350	17	43	408	92	20	121	4	3	228	2	832	47
11	43	89	-------	29	3	16	8	2	20	-------	4	31	3	-------	4	1	-------	17	-------	79	48
16	44	105	5	31	10	12	6	12	36	3	3	40	11	1	14	-------	2	21	-------	88	49
10	27	91	1	17	2	9	8	1	22	1	3	40	5	3	9	-------	-------	16	1	54	50
2	13	24	2	7	6	3	2	3	9	2	2	11	2	2	2	-------	1	6	-------	35	51
9	36	60	3	45	2	8	6	1	17	2	3	28	9	2	4	-------	-------	48	1	63	52
8	18	31	-------	8	2	5	-------	1	10	-------	-------	14	3	1	3	1	-------	6	-------	27	53
7	18	39	4	13	5	3	6	3	25	3	2	19	2	-------	4	-------	-------	12	-------	43	54
4	6	27	1	18	2	-------	-------	6	13	-------	1	20	3	-------	1	1	-------	4	-------	22	55
3	12	28	-------	11	-------	5	3	2	13	2	2	9	2	4	9	-------	-------	21	1	24	56
2	12	22	1	8	9	7	2	2	15	3	3	15	4	2	8	-------	-------	14	-------	34	57

NOTE.—Populations are shown in Tables 1 A and 1 B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	All causes	1,236,949	1,211,627	621,605	590,022	25,322	646,927	3,750	3,697	10,523	9,092	2,233	3,648
	I.—Epidemic, endemic, and infectious diseases	167,595	163,035	73,283	89,752	4,560	77,843	449	754	1,836	2,005	947	1,018
1	Typhoid and paratyphoid fever	5,905	5,693	1,491	4,202	212	1,703	23	40	109	146	7	35
2	Typhus fever	16	9	6	3	7	13	2		1			
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever	2	2	2			2					1	
5	Malaria	2,875	2,819	260	2,559	56	316	8	16	81	103		2
6	Smallpox	145	138	28	110	7	35		2	4			
7	Measles	4,433	4,345	1,533	2,812	88	1,621	9	10	81	20	9	74
8	Scarlet fever	2,440	2,411	1,163	1,248	29	1,192	4		17	2	1	6
9	Whooping cough	7,445	7,322	2,401	4,921	123	2,524	27	40	173	105	9	35
10	Diphtheria	8,426	8,235	4,641	3,594	191	4,332	35	5	183	41	7	17
11a	Influenza (with pulmonary complications)	14,425	14,024	5,636	8,388	401	6,037	80	92	189	124	27	59
11b	Influenza (other and unspecified)	10,046	9,808	3,160	6,648	238	3,398	30	29	125	90	10	39
13	Mumps	121	118	55	63	3	58				1	2	
15	Cholera nostras	112	110	15	95	2	17			8	1		
16	Dysentery	2,605	2,530	581	1,949	75	656	3	12	72	40	9	26
19	Spirochetal hemorrhagic jaundice	34	34	19	15		19	1	1				1
20	Leprosy	29	28	6	22	1	7						
21	Erysipelas	2,567	2,540	1,410	1,130	27	1,437	7	3	33	2	3	11
22	Acute anterior poliomyelitis	2,013	1,969	873	1,096	44	917		4	19	6	6	19
23	Lethargic encephalitis	1,326	1,295	845	450	31	876	7	1	6	3		2
24	Meningococcus meningitis	1,705	1,669	1,102	567	36	1,138	2	6	2	5	4	2
25	Other epidemic and endemic diseases	300	299	121	178	1	122			3	2	1	2
26	Glanders	1	1		1								
27	Anthrax	17	16	8	8	1	9			1			
28	Rabies	95	90	59	31	5	64			3	1		1
29	Tetanus	1,437	1,352	728	624	85	813	12	14	21	19	1	2
30	Mycoses	204	202	87	115	2	89	1	1	1	3		1
	Tuberculosis (all forms)	87,567	85,194	40,608	44,586	2,373	42,981	146	363	652	1,059	839	652
31	Of the respiratory system	77,195	75,049	34,656	40,393	2,146	36,802	122	313	600	963	806	603
32	Of the meninges, central nervous system	3,533	3,462	2,372	1,090	71	2,443	8	15	13	10	13	19
33	Of the intestines, peritoneum	2,808	2,730	1,314	1,416	78	1,392	7	17	20	49	5	8
34	Of the vertebral column	853	843	477	366	10	487		2	3	6	3	9
35	Of the joints	346	337	164	173	9	173	1	2		4		3
36	Of other organs	1,213	1,198	632	566	15	647	4	3	7	11	8	6
37a	Disseminated (acute)	1,335	1,293	862	431	42	904	2	11	6	14	4	2
37b	Disseminated (chronic or unspecified)	284	282	131	151	2	133	2		3	2		2
38	Syphilis	9,139	8,706	5,203	3,503	433	5,636	41	106	28	203	6	30
39	Soft chancre	9	8	5	3	1	6						1
40	Gonococcus infection	1,026	979	689	290	47	736	5	7	4	18	1	
41	Purulent infection, septicemia	1,108	1,068	538	530	40	578	6	2	20	11	4	1
42	Other infectious diseases	22	21	10	11	1	11						
	II.—General diseases not included in Class I	155,298	152,629	86,468	66,161	2,669	89,137	468	254	1,019	649	114	206
	Cancer and other malignant tumors	103,578	101,954	58,300	43,654	1,624	59,924	284	144	559	300	77	142
43	Of the buccal cavity	3,184	3,139	1,727	1,412	45	1,772	10	4	17	3	1	4
44	Of the stomach, liver	36,874	36,421	19,692	16,729	453	20,145	83	27	180	80	29	54
45	Of the peritoneum, intestines, rectum	15,164	14,992	9,115	5,877	172	9,287	43	20	45	21	9	17
46	Of the female genital organs	15,001	14,632	8,637	5,995	369	9,006	64	44	105	116	12	32
47	Of the breast	9,580	9,440	5,554	3,886	140	5,694	20	24	40	32	8	6
48	Of the skin	2,758	2,712	1,058	1,654	46	1,104	7	4	51	1	2	4
49	Of other or unspecified organs	21,017	20,618	12,517	8,101	399	12,916	57	21	121	47	16	25
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	750	732	461	271	18	479	4	1	4	3	2	2
51	Acute rheumatic fever	2,804	2,761	1,480	1,281	43	1,523	2	7	26	21		7
52	Chronic rheumatism, osteoarthritis, gout	1,373	1,354	538	816	19	557	3		10	8	4	1
53	Scurvy	42	39	16	23	3	19			1			
54	Pellagra	5,418	5,091	1,201	3,890	327	1,528	63	57	191	246	2	5
55	Beriberi	8	8	7	1		7						
56	Rickets	475	462	242	220	13	255		1	3		1	3
57	Diabetes mellitus	18,937	18,680	11,136	7,544	257	11,393	46	22	113	33	5	17
58a	Pernicious anemia	4,526	4,480	2,212	2,268	46	2,258	8	4	22	3	4	
58b	Other anemias and chlorosis	684	665	347	318	19	366	2	4	3	1	3	4
59	Diseases of the pituitary gland	116	116	90	26		90						
60a	Exophthalmic goiter	4,202	4,152	2,662	1,490	50	2,712	10	2	6	10	4	3
60b	Other diseases of the thyroid gland	640	632	372	260	8	380	3		2	1		1
61	Diseases of the parathyroid glands	103	101	54	47	2	56	1	1	2			2
62	Diseases of the thymus gland	1,402	1,364	918	446	38	956	1		5		1	3
63	Diseases of the adrenals (Addison's disease)	350	349	200	149	1	201	2			1	1	
64	Diseases of the spleen	142	139	84	55	3	87		1	5			
65a	Leukemia	2,043	1,997	1,354	643	46	1,400	10	1	14	3	1	1
65b	Hodgkin's disease	936	924	550	374	12	562	2		4			1
66	Alcoholism (acute or chronic)	4,372	4,296	2,917	1,379	76	2,993	8	3	12	6	6	10
67a	Chronic lead poisoning	139	135	90	45	4	94						
67b	Other chronic mineral poisoning	38	35	23	12	3	26		1				
68	Chronic poisoning by organic substances	152	145	97	48	7	104	3		1		3	
69	Other general diseases	2,068	2,018	1,117	901	50	1,167	16	5	36	13		4
	III.—Diseases of the nervous system and of the organs of special sense	125,652	123,369	56,272	67,097	2,283	58,555	331	257	955	669	134	157
70	Encephalitis	1,300	1,247	672	575	53	725	8	1	13	4	1	2
71a	Simple meningitis	2,454	2,370	1,373	997	84	1,457	8	7	31	8	8	8
71b	Nonepidemic cerebrospinal meningitis	630	620	261	359	10	271	6	2	8	3		4
72	Tabes dorsalis (locomotor ataxia)	1,474	1,450	743	707	24	767	4	2	6	7		2
73	Other diseases of the spinal cord	3,314	3,269	1,529	1,740	45	1,574	5	3	34	7	5	4
74a	Cerebral hemorrhage	86,236	84,714	38,060	46,654	1,522	39,582	206	201	615	388	80	93
74b	Cerebral embolism and thrombosis	4,080	4,020	2,342	1,678	60	2,402	9	2	2	1	1	1
75	Paralysis without specified cause	5,006	4,883	1,342	3,541	123	1,465	9	14	122	110	3	9
76	General paralysis of the insane	5,363	5,305	2,331	2,974	58	2,389	15	3	11	26	16	1
77	Other forms of mental alienation	1,700	1,663	669	994	37	706	11	5	6	22	4	3
78	Epilepsy	3,005	2,970	939	2,031	35	974	14	3	14	27	6	5
79	Convulsions (nonpuerperal; 5 years and over)	125	120	36	84	5	41			4	6		3
80	Infantile convulsions (under 5 years)	1,447	1,432	455	977	15	470		5	14	40		5
81	Chorea	69	68	36	32	1	37		1	1			
82	Neuralgia and neuritis	319	306	123	183	13	136	1		6	1		

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927

1920; the remainder of the State is included in "rural"]

ARKANSAS				CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		List No.
Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	
White	Colored	White	Colored											
2,153	1,091	9,773	5,294	36,130	25,410	5,969	7,113	12,715	4,042	1,462	1,545	4,306	2,680	
329	247	2,151	1,434	4,705	4,387	1,160	1,468	1,217	476	143	240	378	475	
20	8	271	146	47	62	19	58	15	3	6	6	7	4	1
														2
														3
														4
22	37	424	327	4	11		1	1						5
		1			5		3							6
10	1	58	5	187	170	53	83	18	6		2			7
4		13		40	27	27	36	13	10		3	4	5	8
16	9	113	50	103	91	7	50	29	11	2	10	11	8	9
12	1	141	15	198	120	35	63	80	16	7	7	18	7	10
19	11	128	77	212	265	97	134	113	31	15	15	31	20	11a
15	14	128	100	119	132	61	140	69	20	9	19	19	13	11b
			1	2	2		1	2						13
		2		1	1		5							15
10	3	112	38	35	53	7	22	1		5	5	2		16
					3									19
				3	2									20
7	1	20	2	48	32	23	24	36	8		7	3		21
3		26	3	111	119	6	9	10	6	1	1	3		22
4	1	4	1	38	21	7	8	16	2	2		1	4	23
4		5	1	85	33	27	21	11	2	1		5	2	24
		7	1	3	10	4	3	3		1		3		25
														26
	1	1			1		1							27
					1									28
5	5	9	10	25	17	3	5	4	3	4	2	2	3	29
			1	6	6		1	1				2		30
144	119	645	569	3,028	2,968	736	756	726	347	71	156	241	377	
130	104	588	514	2,584	2,765	689	709	611	329	62	138	209	317	31
3	1	14	5	168	66	21	8	46	7	3	7	9	16	32
6	5	18	16	66	63	5	11	23	5	3	5	6	15	33
2		5		32	11	8	5	11			1	5	6	34
		3	2	6	9	1	4	3	1		3	1	2	35
2	5	14	15	62	24	6	12	15	4	1	1	4	6	36
1	3	3	16	101	25	6	5	11	1	2		6	15	37a
	1		1	9	5		2	6			1	1		37b
26	32	19	68	344	209	35	41	58	7	13	5	17	30	38
														39
6	4	4	10	28	10	3	1	2		4	2	3		40
2		20	9	38	16	10	2	9	4	2		6	2	41
														42
246	130	903	532	5,358	2,699	745	671	1,880	510	184	161	673	193	
135	38	473	153	3,963	1,979	539	465	1,335	384	124	117	495	125	
4		19	4	113	61	13	10	46	12	4	5	18	5	43
44	7	156	34	1,264	760	173	182	456	135	49	46	147	47	44
18	2	54	12	626	281	80	66	219	59	11	13	82	14	45
25	15	64	53	586	243	84	66	185	43	24	17	63	37	46
13	7	33	21	413	157	54	28	137	41	12	15	56	7	47
3		41	3	64	72	11	18	32	9	2	2	15	1	48
28	7	106	26	897	405	124	95	260	85	22	19	114	14	49
4		5	2	35	13	4	2	9			1	5	2	50
2	1	14	11	35	29	6	24	32	6	2	1	6	4	51
4	1	9	5	36	31	8	9	8	6	3	1	7	5	52
				2	1	1		1						53
54	71	206	324	26	14	2			1			1	4	54
				2	1									55
		4		1	3	1	4	3	1	2		2	4	56
22	11	88	15	614	313	59	73	264	65	30	26	79	31	57
2	1	12	6	151	73	25	25	29	10	3	3	15	2	58a
		7		26	10	4		9	2	1		6	1	58b
		1		11	3	2	1	1				1		59
3	3	6	1	99	26	30	20	23	2	1	3	22	4	60a
1	1	8	2	21	7	5	2	4		1		1		60b
				3	5		1	1		1				61
7	1	4		48	18	9	2	23	4	2	1	2		62
		4		13	7	5	1	4		1		1		63
		2	1	5	2		1	1						64
1		9	2	97	32	15	7	24	2	5	1	8		65a
1		4	1	30	17	10	3	19	2		1	3		65b
5	2	22	5	81	88	10	16	58	24	7	4	8	6	66
		3		6	1	1		1	1			1		67a
1					1	1	1	1			1			67b
1		3		10	3	1					1	3	1	68
3		19	4	43	22	7	14	30		1		7	4	69
210	94	783	320	3,425	2,727	540	639	1,351	514	165	223	412	236	
	1	14	7	49	25	5	5	8	5	1	1	6	2	70
5	4	24	11	68	34	23	10	41	4	3	5	9	7	71a
2		9	2	10	20	8	10	9	1	1		2		71b
4		5	1	48	58	5	7	16	6	1		7	2	72
8	4	43	19	110	78	12	15	35	8	7	7	27	3	73
99	40	436	176	2,356	1,711	362	440	986	379	135	173	276	165	74a
7		9	2	165	84	27	10	65	27	4	3	13	4	74b
12	5	114	61	99	92	16	29	9	7		6	13	12	75
23	20	16	4	61	325	18	38	35	25	3	11	17	25	76
2	2	11	4	17	55	1	2	10	5		7	1	2	77
18	11	22	12	40	67	6	27	21	18		3	5	7	78
		1	1	2				1		1				79
1	1	11	8	13	9	3	7	14	7	2	1	1	1	80
				3		1		1	1					81
2		6	2	7	3	1	1	3	1					82

[1] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables I B and I C, respectively.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES		Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural		Urban		Rural		Urban	Rural
							White	Colored	White	Colored		
	III.—Diseases of the nervous system and of the organs of special sense—Con.											
83	Softening of the brain	685	672	206	466	13	219	3		6	2		1
84	Other diseases of the nervous system	4,788	4,708	2,576	2,132	80	2,656	14	3	48	12	4	7
85	Diseases of the eye and annexa	104	101	60	41	3	63			1		1	
86a	Diseases of the ear	2,048	1,987	1,370	617	61	1,431	13	3	13	2	4	2
86b	Diseases of the mastoid process	1,505	1,464	1,149	315	41	1,190	5	2		3	1	7
	IV.—Diseases of the circulatory system	240,412	237,173	127,848	109,325	3,239	131,087	493	461	1,234	940	225	273
87	Pericarditis	964	943	438	505	21	459		4	9	4		1
88	Endocarditis and myocarditis (acute)	8,875	8,673	5,414	3,259	202	5,616	22	41	34	24	23	11
89	Angina pectoris	15,970	15,698	8,059	7,639	272	8,331	64	9	82	16	17	26
90	Other diseases of the heart	186,167	183,777	99,256	84,521	2,390	101,646	335	371	1,011	825	163	205
91a	Aneurysm	2,208	2,134	1,396	738	74	1,470	2	11	12	13	5	4
91b,c	Other diseases of the arteries	21,407	21,212	10,305	10,907	195	10,500	57	19	66	37	13	20
92	Embolism and thrombosis (not cerebral)	3,620	3,559	2,398	1,161	61	2,459	11	2	4	3	3	4
93	Diseases of the veins	616	608	365	243	8	373	1		2	2	1	
94	Diseases of the lymphatic system	216	211	123	88	5	128	1	1	1	2		
95	Hemorrhage without specified cause	117	113	46	67	4	50		2	2	3		1
96	Other diseases of the circulatory system	252	245	48	197	7	55		1	11	11		1
	V.—Diseases of the respiratory system	102,192	100,205	56,229	43,976	1,987	58,216	306	322	790	585	205	358
97a	Diseases of the nasal fossae	292	287	48	239	5	53			7	8		1
97b	Diseases of the nasal fossae annexa	661	640	459	181	21	480		2	3	1	2	
98	Diseases of the larynx	458	442	186	256	16	202		1	10	1	2	3
99a	Acute bronchitis	2,162	2,121	1,178	943	41	1,219	2	2	10	6	4	8
99b	Chronic bronchitis	2,198	2,171	987	1,184	27	1,014	2	1	17	4	5	4
99c	Bronchitis (unspecified, under 5 years)	546	533	202	331	13	215	1		5	8		7
99d	Bronchitis (unspecified, 5 years and over)	945	915	374	541	30	404	2	3	15	9	1	1
100a	Broncho-pneumonia	35,861	35,210	20,227	14,983	651	20,878	103	86	245	141	83	115
100b	Capillary bronchitis	713	707	387	320	6	393		1	3	2	1	1
101a	Lobar pneumonia	46,694	45,813	27,154	18,659	881	28,035	162	189	349	248	63	130
101b	Pneumonia (unspecified)	3,962	3,843	996	2,847	119	1,115	7	10	75	113	20	59
102	Pleurisy	2,639	2,582	1,710	872	57	1,767	7	9	12	11	3	5
103	Congestion and hemorrhagic infarct of the lung	1,454	1,402	661	741	52	713	7	3	17	3	1	2
104	Gangrene of the lung	209	206	118	88	3	121	2	1	1			
105	Asthma	1,952	1,914	841	1,073	38	879	9	9	17	20	14	11
106	Pulmonary emphysema	166	163	93	70	3	96			1			1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,280	1,256	608	648	24	632	2	5	3	10	6	10
	VI.—Diseases of the digestive system	96,264	93,510	51,669	41,841	2,754	54,423	451	293	942	533	253	536
108	Diseases of the mouth and annexa	904	880	460	420	24	484	2	7	4	6	2	3
109a	Adenoid vegetations	4	4	3	1		3						
109b	Other diseases of the pharynx, tonsils	4,132	4,038	2,382	1,656	94	2,476	10	9	21	17	6	16
110	Diseases of the esophagus	118	112	66	46	6	72	2			1		1
111a	Ulcer of the stomach	4,819	4,728	2,969	1,759	91	3,060	22	19	34	22	9	3
111b	Ulcer of the duodenum	2,043	2,008	1,471	537	35	1,506	13	1	8	2	1	1
112	Other diseases of the stomach (cancer excepted)	5,232	5,011	1,617	3,394	221	1,838	8	41	71	95	8	45
113	Diarrhea and enteritis (under 2 years)	23,382	22,548	9,542	13,006	834	10,376	94	60	419	176	138	333
114	Diarrhea and enteritis (2 years and over)	6,517	6,316	2,348	3,968	201	2,549	33	22	112	37	20	47
115	Ancylostomiasis	18	16	3	13	2	5	2		3	1		
116	Diseases due to other intestinal parasites	108	105	20	85	3	23				3		
117	Appendicitis and typhlitis	16,205	15,776	10,784	4,992	429	11,213	115	49	94	52	35	20
118a	Hernia	4,079	3,986	2,785	1,201	93	2,878	18	10	14	19	4	3
118b	Intestinal obstruction	7,230	7,001	4,248	2,753	229	4,477	39	24	49	40	5	18
119	Other diseases of the intestines	1,213	1,163	636	527	50	686	6	10	7	7	4	5
120	Acute yellow atrophy of the liver	486	471	307	164	15	322		3	1	1		
121	Hydatid tumor of the liver	32	32	26	6		26						
122	Cirrhosis of the liver	8,098	7,949	4,707	3,242	149	4,856	15	20	48	26	8	14
123	Biliary calculi	4,362	4,307	2,946	1,361	55	3,001	22	3	13	7		5
124	Other diseases of the liver	4,928	4,775	2,946	1,829	153	3,099	41	10	29	12	8	7
125	Diseases of the pancreas	640	627	458	169	13	471	4		1		1	4
126	Peritonitis without specified cause	1,713	1,656	944	712	57	1,001	5	5	14	9	4	11
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1	1			1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	117,254	114,737	61,779	52,958	2,517	64,296	375	420	904	759	84	142
128	Acute nephritis (including unspecified under 10 years)	5,233	5,021	2,380	2,641	212	2,592	14	44	50	67	8	8
129	Chronic nephritis (including unspecified 10 years and over)	94,930	93,148	48,789	44,359	1,782	50,571	284	290	750	587	57	104
130	Chyluria	3	3		3								
131	Other diseases of the kidneys and annexa	3,141	3,033	1,797	1,236	108	1,905	21	10	30	20	5	5
132	Calculi of the urinary passages	888	858	606	252	30	636	5		1	1	1	
133	Diseases of the bladder	919	893	348	545	26	374	1	3	6	14	2	2
134	Diseases of the urethra, etc	397	362	274	88	35	309	2	9	4	8	2	1
135	Diseases of the prostate	5,761	5,656	3,290	2,366	105	3,395	24	15	35	17	3	10
136	Nonvenereal diseases of the male genital organs	111	104	71	33	7	78		1	1	1	1	
137	Cysts, other benign tumors of the ovary	869	844	590	254	25	615	7	7	5	4	1	1
138	Salpingitis and pelvic abscess (female)	1,822	1,750	1,359	391	72	1,431	7	16	6	14	2	4
139	Benign tumors of the uterus	2,270	2,183	1,670	513	87	1,757	7	20	7	17	2	4
140	Nonpuerperal uterine hemorrhage	68	64	31	33	4	35		1	3	2		1
141	Other diseases of the female genital organs	823	799	557	242	24	581	3	4	6	7		2
142	Nonpuerperal diseases of the breast (cancer excepted)	19	19	17	2		17						
	VIII.—The puerperal state	14,860	14,450	7,888	6,562	410	8,298	66	64	208	199	30	46
143	Accidents of pregnancy	1,346	1,308	753	555	38	791	1	5	19	9	2	3
144	Puerperal hemorrhage	1,544	1,513	811	702	31	842	2	5	14	23	1	4
145	Other accidents of labor	1,691	1,647	839	808	44	883	5	2	28	26	2	6
146	Puerperal septicemia	5,715	5,557	3,308	2,249	158	3,466	36	26	57	71	15	22
147	Puerperal phlegmasia alba dolens, embolus, etc	646	632	360	272	14	374	3		9		1	1
148	Puerperal albuminuria and convulsions	3,853	3,731	1,778	1,953	122	1,900	19	26	81	69	8	10
149	Following childbirth (undefined)	57	54	32	22	3	35				1	1	
150	Puerperal diseases of the breast	8	8	7	1		7						

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

ARKANSAS				CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		List No.
Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	
White	Colored	White	Colored											
1		2		24	21	3		2	4	1				83
19	6	43	6	191	95	27	18	58	15	3	3	23	3	84
		1		3	1	2	1	1				1		85
6		9		100	30	13	11	22		1	2	8	2	86a
1		7	4	59	19	7	8	14	1	2	1	3	1	86b
397	203	928	462	8,095	5,473	947	965	2,776	1,217	255	312	1,093	585	
1	1	11	12	30	20	5	6	4	5	2		2	1	87
19	23	13	11	254	199	33	52	115	44	18	6	46	79	88
21		63	7	641	410	90	78	200	94	12	25	66	6	89
260	142	753	401	6,263	4,147	667	681	2,190	933	199	244	869	427	90
7	6	10	9	150	73	14	13	21	1		1	10	13	91a
79	28	62	16	538	561	114	120	173	125	16	31	84	51	91b,c
5	3	5	2	195	49	17	12	61	12	7	4	11	6	92
1		2	1	16	5	4	3	5	2		1	3	2	93
		2	1	6	4	3		3		1		2		94
2		1		1	3			3	1					95
2		6	2	1	2			1						96
126	59	747	311	2,659	1,953	554	691	1,151	286	144	110	314	330	
		5	2	2	2			1	2					97a
4		1		33	14	15	3	2		2		4		97b
3		7	1	5	8	2	1	7	1	1		2	1	98
1	1	6	4	65	40	10	9	20	14	1	5	6	11	99a
5	1	20	1	61	57	5	12	15	13	4		4	5	99b
1		4	3	7	12	1	1	1	4	3				99c
	1	15	5	19	7	2	4	15	2		4	3	2	99d
39	24	213	75	1,030	811	172	278	375	88	55	34	106	128	100a
		1		30	5	2	10	7	1	1	2	1	1	100b
53	23	331	150	1,109	746	280	278	608	141	62	52	141	131	101a
3	2	82	44	37	63	12	36	27	1	2	5	11	11	101b
6	2	13	4	100	50	9	11	21	4	4	1	13	20	102
6		22	2	51	43	13	9	23	6	4	3	7	4	103
1				7	6	1	1	4				1	2	104
	3	14	12	61	62	18	15	13	4	3	4	10	8	105
	1	1	2	8	1		3	2						106
4	1	12	6	34	26	12	20	10	5	2		5	6	107
239	76	973	388	2,740	1,827	585	766	902	169	122	72	276	165	
3		9	6	23	15	6	9	10	1	1	1	3	3	108
														109a
10	4	34	15	110	58	32	43	39	8	1	2	9	6	109b
			1	5	2	1	1		1					110
7	1	23	9	224	111	34	42	55	9	7	2	10	9	111a
3	1	6	1	103	45	19	8	34	2	3		11	3	111b
11	9	94	78	70	86	9	34	19	15	15	1	10	8	112
38	19	331	107	397	631	93	273	158	45	30	33	25	31	113
22	5	109	42	122	116	24	48	30	14	7	11	5	21	114
														115
			3	2	1			1		1				116
61	9	155	44	510	211	143	139	179	14	19	4	68	21	117
9	6	22	7	139	53	29	27	47	8	7	4	12	10	118a
20	5	47	24	261	152	58	41	75	9	11	3	26	19	118b
4		13	7	45	23	7	5	11	2	1		2	4	119
1	1	3		19	5	3	3	6	1	1	1	1		120
				1										121
17	6	40	15	353	186	38	30	85	27	6	4	35	12	122
20	2	24	4	119	45	32	19	68	6	6	3	23	2	123
8	6	45	15	169	55	41	35	46	5	4	1	26	8	124
1		2	1	24	7	4	3	11		1		5	3	125
4	2	16	9	44	25	12	6	28	2	1	2	5	5	126
														127
228	131	664	406	3,572	1,812	517	479	1,213	350	197	203	507	313	
16	10	54	43	99	66	23	20	40	9	9	9	16	38	128
164	91	498	296	2,812	1,504	372	374	994	319	176	185	434	243	129
							1							130
9	3	42	25	114	41	23	14	34	3	3	3	10		131
1		6	2	48	11		3	10		1	1	3	1	132
1	4	19	7	31	9	4	4	7	6		2	3	1	133
2	1		1	11	11	2	2	6				1	2	134
16	3	21	17	235	96	37	32	48	8	3	3	22	9	135
			2	6	1	1	1	3						136
2	2	3	1	45	16	6	9	8	1	3		4	1	137
9	9	9	1	59	19	19	10	22	1	2		4	8	138
5	5	7	6	88	27	21	5	28	2			9	9	139
				4	3			2						140
3	3	5	5	20	8	9	4	11	1			1	1	141
														142
30	13	198	121	307	179	88	120	139	21	18	7	41	37	
3	1	14	6	28	21	10	14	12	3	1	1	5	6	143
1		17	4	28	18	5	14	23	2	1		2	3	144
2	3	27	25	35	24	7	14	15	2	4		1	3	145
12	5	63	43	136	69	44	54	40	7	7	5	17	17	146
1		2	3	16	5	4	4	6	2			2		147
11	4	75	40	63	42	17	20	43	5	5	1	14	8	148
				1		1								149
														150

[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1B and 1C, respectively.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	IX.—Diseases of the skin and of the cellular tissue	3,252	3,148	1,602	1,546	104	1,706	13	12	21	20	2	8
151	Gangrene	1,298	1,266	504	762	32	536	4	7	4	4	1	4
152	Furuncle	559	541	313	228	18	331	2		4	3		
153	Acute abscess	694	657	427	230	37	464	4	3	6	8		2
154	Other diseases of the skin and annexa	701	684	358	326	17	375	3	2	7	5	1	2
	X.—Diseases of the bones and of the organs of locomotion	1,474	1,414	982	432	60	1,042	16	3	7	13	3	7
155	Diseases of the bones (tuberculosis excepted)	1,173	1,127	796	331	46	842	14	3	6	6	3	7
156	Diseases of the joints (tuberculosis and rheumatism excepted)	243	233	162	71	10	172	2		1	2		
157	Amputations	10	10	6	4		6						
158	Other diseases of the organs of locomotion	48	44	18	26	4	22				5		
	XI.—Malformations	13,588	13,409	7,071	6,338	179	7,250	30	16	108	37	6	25
159a	Congenital hydrocephalus	1,490	1,463	854	609	27	881	3	1	8	11		3
159b	Congenital malformations of the heart	7,583	7,507	3,676	3,831	76	3,752	14	8	61	16	6	12
159c	Other congenital malformations	4,515	4,439	2,541	1,898	76	2,617	13	7	39	10		10
	XII.—Early infancy	59,777	58,506	29,814	28,692	1,271	31,085	219	159	820	345	64	196
160	Congenital debility, icterus, sclerema	6,409	6,263	2,306	3,957	146	2,452	11	22	128	68	13	49
161a	Premature birth	38,180	37,300	18,784	18,516	880	19,664	162	110	565	226	37	105
161b	Injury at birth	10,628	10,453	6,365	4,088	175	6,540	34	13	90	25	6	27
162	Other diseases peculiar to early infancy	4,407	4,347	2,316	2,031	60	2,376	12	14	37	23	8	13
163	Lack of care	153	143	43	100	10	53				3		2
164	XIII.—Old age (senility)	11,465	11,193	2,549	8,644	272	2,821	15	23	188	304	17	54
	XIV.—External causes	108,806	106,501	55,775	50,726	2,305	58,080	439	362	902	737	144	441
	Suicide	14,356	14,096	8,044	6,052	260	8,304	60	3	86	6	17	39
165	By poisons (gas or corrosives excepted)	849	829	457	372	20	477	4		7			1
166	By corrosive substances	1,618	1,557	1,076	481	61	1,137	16	1	7			6
167	By poisonous gas	2,138	2,119	1,874	245	19	1,893	1		1		1	
168	By hanging or strangulation	2,528	2,516	1,143	1,373	12	1,155	1		3	3	4	2
169	By drowning	752	750	363	387	2	365	2			1		2
170	By firearms	4,989	4,864	2,208	2,656	125	2,333	33	2	64	1	9	27
171	By cutting or piercing instruments	794	784	460	324	10	470	3		2	1	2	
172	By jumping from high places	404	397	342	55	7	349						
173	By crushing	138	135	71	64	3	74						
174	By other means	146	145	50	95	1	51			2		1	1
	Homicide	9,470	8,997	5,117	3,880	473	5,590	53	168	111	194	11	37
197	By firearms	6,310	6,004	3,201	2,803	306	3,507	37	119	87	142	9	20
198	By cutting or piercing instruments	1,495	1,376	908	468	119	1,027	1	35	10	35	1	9
199	By other means	1,665	1,617	1,008	609	48	1,056	15	14	14	17	1	8
	Accidental, other, or undefined	84,980	83,408	42,614	40,794	1,572	44,186	326	191	705	537	116	365
175	Poisoning by food	771	748	259	489	23	282	5	3	27	11	1	8
176	Poisoning by venomous animals	96	88	31	57	8	39	1		1		3	7
177	Other acute poisonings (gas excepted)	1,661	1,608	911	697	53	964	9	3	15	11	4	6
178	Conflagration	1,519	1,496	583	913	23	606	2	2	7	16	1	8
179	Burns (conflagration excepted)	6,089	5,937	3,312	2,625	152	3,464	21	29	63	94	5	18
180	Mechanical suffocation	1,128	1,107	376	731	21	397	4	2	13	23	1	6
181	Absorption of irrespirable, irritating, or poisonous gas	2,521	2,510	2,129	381	11	2,140	3	2		4		1
182	Drowning	7,296	7,246	2,472	4,774	50	2,522	3	7	55	42	5	19
183	Traumatism by firearms (except in war)	2,741	2,647	827	1,820	94	921	13	13	39	43	12	15
184	Traumatism by cutting or piercing instruments	691	672	380	292	19	399	3	4	5	2	2	2
185	Traumatism by fall	15,152	14,913	8,881	6,032	239	9,120	58	15	111	29	10	36
186a	Traumatism in mines	2,690	2,688	572	2,116	2	574	22	15	29	52		50
186b	Traumatism in quarries	142	142	41	101		41				1		2
187	Traumatism by machines	2,124	2,072	1,100	972	52	1,152	6	13	32	8		5
188a	Railroad accidents	6,892	6,794	2,764	4,030	98	2,862	37	21	58	42	3	30
	Collision with automobiles	1,676	1,664	527	1,137	12	539	10	1	13	2	2	2
	Other railroad accidents	5,216	5,130	2,237	2,893	86	2,323	27	20	45	40	1	28
188b	Street-car accidents	1,452	1,427	1,120	307	25	1,145	7	2			2	
	Collision with automobiles	476	467	322	145	9	331	4				2	
	Other street-car accidents	976	960	798	162	16	814	3	2				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	21,160	20,704	12,252	8,452	456	12,708	99	39	148	75	50	90
188d	Airplane and balloon accidents	214	204	70	134	10	80	2					
188e,f	Injuries by other vehicles	1,379	1,342	591	751	37	628	3	1	10	8		4
188g	Landslide, other crushing	769	756	316	440	13	329	1	2	7	4	1	4
189	Injuries by animals (not poisoning)	555	548	129	419	7	136	3		4	5		2
190	Wounds of war	5	5	2	3		2						
192	Starvation (deprivation of food or water)	17	16	11	5	1	12						
193	Excessive cold	258	257	61	196	1	62			1	2		1
194	Excessive heat	530	519	269	250	11	280	1	2	5	3	6	13
195	Lightning	352	348	21	327	4	25	1		12	16		7
196	Other accidental electric shocks	991	970	453	517	21	474	5	4	7	2	3	5
201	Fracture (cause not specified)	665	640	354	286	25	379	1	1	5	2	1	2
202	Other external violence	5,120	5,004	2,327	2,677	116	2,443	16	10	52	42	6	24
	XV.—Ill-defined diseases	19,060	18,348	2,376	15,972	712	3,088	79	297	589	1,297	5	181
204	Sudden death	1,961	1,912	255	1,657	49	304	3	3	67	81		11
205a	Ill-defined	4,312	3,765	624	3,141	547	1,171	10	36	76	125	1	32
205b	Not specified or unknown	12,787	12,671	1,497	11,174	116	1,613	66	258	446	1,091	4	138

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

ARKANSAS				CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		List No.
Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	
White	Colored	White	Colored											
	1	28	10	84	60	19	14	48	10	4	4	12	4	
2	1	11	4	30	30	10	7	16	4	1	4	4	1	151
3		5	1	14	13	2		10	1			4	1	152
		4	3	29	4	3	5	13	1	2		3	2	153
1		8	2	11	13	4	2	9	4	1		1		154
4	1	10	1	49	17	7	3	31	4	3	2	4	5	
3	1	9	1	42	14	5	2	21	4	3	2	1	5	155
1		1		6	2	2	1	7				3		156
					1			1						157
				1				2						158
14	1	80	7	286	190	45	92	164	38	13	15	38	15	
1		7	1	38	22	3	5	36	5	3	2	3	2	159a
9	1	42	3	144	111	25	58	60	23	8	10	24	9	159b
4		31	3	104	57	17	29	68	10	2	3	11	4	159c
87	19	565	137	1,230	838	245	375	703	137	48	70	163	139	
8	1	105	51	78	140	15	54	66	13	5	10	12	16	160
62	14	388	63	810	505	162	240	375	85	30	46	105	103	161a
12	3	43	11	236	116	42	44	205	29	11	10	34	9	161b
4	1	29	12	103	70	26	31	56	10	2	4	12	11	162
1				3	7		6	1						163
21	15	262	125	163	188	54	91	54	22	9	17	29	12	164
206	84	950	483	3,429	2,985	450	701	1,049	264	157	106	366	170	
28	1	78	4	846	426	99	67	144	42	14	12	94	16	
2		13		96	45	6	7	11	3			8		165
8	1	14		88	7	15	6	20	3	1		11	3	166
				195	33	18	1	42	4	7	8	37	3	167
		7	1	78	70	5	7	24	16	3		4	1	168
		1		30	23	3	1	5	4			4	2	169
14		36	3	275	204	47	38	25	10	3	4	25	6	170
2				47	30	4	4	10					1	171
1		1		26	6			3				3		172
1		1		5	3	1	1	2				2		173
		5		6	5		2	2	2					174
13	38	111	153	227	161	25	34	32	3	13	11	17	39	
9	30	91	119	141	120	17	29	14	1	8	8	7	25	197
	6	9	20	28	15	3	2	7		3			8	198
4	2	11	14	58	26	5	3	11	2	2	3	10	6	199
165	45	761	326	2,356	2,398	326	600	873	219	130	83	255	115	
5	2	13	6	22	27	2	10	1		1		3	2	175
		2		2	5	2	3							176
3	2	6	15	71	40	13	13	22	1	3		6		177
1		7	8	24	51	1	4	7	3	1	2	3	3	178
13	4	71	40	163	124	12	22	62	10	16	5	20	20	179
4	4	15	9	19	35	6	20	8	6		1	1	4	180
				88	29	16	3	49	5	16		32	4	181
6	3	114	108	103	298	6	59	72	46	8	12	14	8	182
5	5	36	26	43	74	7	37	9	6	2	4	4	4	183
3	1	10	4	23	15	7	4	4	1	1	1		1	184
30	2	39	10	484	328	67	56	179	33	20	16	63	14	185
7	1	7		3	18	7	70							186a
		1		4	6		1			1				186b
3		31	3	71	66	9	16	18	3	1	1	5	2	187
10	8	63	27	115	201	22	56	26	15	10	10	5	4	188a
4		5	2	45	90	8	14	6	4	1	6	1		
6	8	58	25	70	111	14	42	20	11	9	4	4	4	
2		1		74	24	6		21	5	2		10	2	188b
				28	13			5	1	2		1		
2		1		46	11	6		16	4			9	2	
37	4	109	20	856	772	105	129	278	49	40	22	71	37	188c
				12	15	2	2		1			2		188d
6		12	5	26	25	5	20	17	4		1	5	2	188e,f
1		11	1	16	47	4	9	5		1			2	188g
2		5	2	4	9	4	13	1	2	1	3		1	189
					1			1						190
		1		2	3		3	3	2					192
	1	3	4	5	36			7			1	1	1	193
2		3	3		1		5		3					194
2		8	1	23	44	3	11	7	2	1		2		195
3	3	6	3	8	2	1		31	7			1		196
20	5	132	31	95	102	19	34	45	15	5	4	7	4	201
10	17	531	557	28	75	13	38	37	24		3		1	202
1	1	68	55	2	4			9	5		1			204
4	7	144	109	8	40	1	15	13	9				1	205a
5	9	319	393	18	31	12	23	15	10		2			205b

[2] These cities are shown under the various States (indicated by footnotes 6 and 2) in Tables 1 B and 1 C, respectively.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	FLORIDA				IDAHO		ILLINOIS		INDIANA		IOWA	
		Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
		White	Colored	White	Colored								
	All causes	3,515	2,406	7,372	4,858	530	3,257	52,659	30,190	17,180	20,497	8,644	15,888
	I.—Epidemic, endemic, and infectious diseases	375	510	858	954	59	447	5,662	3,709	1,899	2,671	870	1,587
1	Typhoid and paratyphoid fever	24	17	50	52	2	14	83	93	52	111	19	35
2	Typhus fever											1	
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever											1	
5	Malaria	5	10	89	108		2	16	42	3	6	1	
6	Smallpox		1	3	7			1	2	6	10		2
7	Measles	5	1	10	6	5	31	182	114	24	49	76	149
8	Scarlet fever	5		6	1	2	10	116	58	45	47	9	32
9	Whooping cough	6	6	31	27		21	134	170	73	127	32	73
10	Diphtheria	22	5	63	4		23	535	115	114	110	50	71
11a	Influenza (with pulmonary complications)	17	31	91	50	4	60	305	266	203	273	70	210
11b	Influenza (other and unspecified)	14	36	63	34	6	33	179	286	132	307	90	278
13	Mumps			2	1		1	2	2	1	1	2	1
15	Cholera nostras		1	1	1			2	1	1	1		2
16	Dysentery	7	9	37	29		7	19	36	14	36	9	15
19	Spirochetal hemorrhagic jaundice	1		1		1		1			1		
20	Leprosy												
21	Erysipelas	3	1	12		3	16	94	56	41	34	20	43
22	Acute anterior poliomyelitis	3	2	3			8	62	45	16	27	13	15
23	Lethargic encephalitis		2	5	2	2	5	39	27	14	12	7	9
24	Meningococcus meningitis	6	2	8	1	4	16	116	14	14	5	11	10
25	Other epidemic and endemic diseases			2	3		10	9	7	2	3	1	6
26	Glanders				1								
27	Anthrax												
28	Rabies	1						9	2	2			1
29	Tetanus	14	28	15	22	2	1	58	22	24	19	15	30
30	Mycoses	3	1	1	4		1	7	4	3	2		4
	Tuberculosis (all forms)	179	254	287	386	19	170	3,325	2,172	964	1,391	358	515
31	Of the respiratory system	163	227	261	366	13	137	2,852	1,990	794	1,185	296	443
32	Of the meninges, central nervous system	6	4	8	3	4	13	189	38	58	46	27	20
33	Of the intestines, peritoneum	1	8	11	9	1	12	89	80	48	73	13	18
34	Of the vertebral column	2	2	1	3	1	3	41	23	7	10	8	6
35	Of the joints	1		1				19	7	5	2	1	1
36	Of other organs	4	4	3	1		2	38	24	17	26	10	14
37a	Disseminated (acute)	2	8	1	3		3	92	10	29	28	3	10
37b	Disseminated (chronic or unspecified)		1	1	1			5		6	21		3
38	Syphilis	43	93	54	191	5	12	282	136	105	79	58	59
39	Soft chancre		1		2			1		1			
40	Gonococcus infection	9	7	4	12	2	3	57	15	21	9	10	5
41	Purulent infection, septicemia	8	2	20	10	2	3	28	23	22	11	17	22
42	Other infectious diseases								1	2			
	II.—General diseases not included in Class I	424	159	783	286	80	375	7,723	3,807	2,221	2,657	1,405	2,380
	Cancer and other malignant tumors	284	65	481	129	56	252	5,110	2,651	1,508	1,893	965	1,724
43	Of the buccal cavity	7	7	10	1	3	10	151	117	45	53	26	55
44	Of the stomach, liver	100	10	184	32	23	111	1,886	1,041	531	752	334	690
45	Of the peritoneum, intestines, rectum	52	6	39	8	10	39	729	321	216	285	157	258
46	Of the female genital organs	43	22	74	47	11	24	733	321	271	232	127	145
47	Of the breast	13	6	22	10	3	18	456	253	124	169	78	155
48	Of the skin	6	2	23	1	1	11	73	96	34	78	21	54
49	Of other or unspecified organs	63	12	129	30	5	39	1,082	502	287	324	222	367
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	5	3	2		2	32	14	6	8	8	4
51	Acute rheumatic fever	5	2	13	11	2	11	154	62	26	35	21	30
52	Chronic rheumatism, osteoarthritis, gout	3	3	7	3		8	28	43	14	28	10	26
53	Scurvy			1	1				1		2		
54	Pellagra	16	34	91	81			20	11	2	2		2
55	Beriberi							1					
56	Rickets		5		6	1	1	22	3	5	4	1	4
57	Diabetes mellitus	46	22	84	22	5	44	1,029	455	287	341	145	288
58a	Pernicious anemia	6	4	22	6	2	9	194	166	65	114	70	115
58b	Other anemias and chlorosis	3		3	1		1	28	17	7	14	16	13
59	Diseases of the pituitary gland							7	3			2	
60a	Exophthalmic goiter	8	1	7	1	7	14	411	107	135	111	61	50
60b	Other diseases of the thyroid gland		1	2	2	1		28	14	13	10	7	12
61	Diseases of the parathyroid glands	2		2				4		3	1		
62	Diseases of the thymus gland	10		3	2		3	96	30	19	7	11	12
63	Diseases of the adrenals (Addison's disease)			1			1	23	13	6	7		10
64	Diseases of the spleen	1				1		8	7	1	2	2	1
65a	Leukemia	9		12		2	4	92	38	25	30	31	30
65b	Hodgkin's disease	2	3	5			5	44	24	12	9	13	14
66	Alcoholism (acute or chronic)	16	12	26	13	2	8	304	105	48	17	28	25
67a	Chronic lead poisoning						3	9	2	3			1
67b	Other chronic mineral poisoning							1	1				
68	Chronic poisoning by organic substances	3		1			2	3	2			2	2
69	Other general diseases	7	2	19	6	1	7	75	38	34	22	12	17
	III.—Diseases of the nervous system and of the organs of special sense	333	229	739	453	50	340	3,868	3,733	1,642	2,847	1,003	2,323
70	Encephalitis	5	1	10	2	3	3	53	19	24	22	15	31
71a	Simple meningitis	11	5	19	4	2	8	88	35	66	44	26	19
71b	Nonepidemic cerebrospinal meningitis	4		6			4	6	13	7	13	3	7
72	Tabes dorsalis (locomotor ataxia)	6		7	1		5	66	64	29	32	12	18
73	Other diseases of the spinal cord	9	12	15	6	3	14	115	142	57	98	39	61
74a	Cerebral hemorrhage	218	162	494	277	31	209	2,454	2,410	1,158	2,020	669	1,711
74b	Cerebral embolism and thrombosis	14	5	13	4		9	247	163	44	73	42	54
75	Paralysis without specified cause	18	23	88	90	1	14	47	72	55	131	15	60
76	General paralysis of the insane	6	1	15	9	1	18	190	329	51	154	10	82
77	Other forms of mental alienation	5		9	5		12	58	93	13	36	3	56
78	Epilepsy	3	5	13	30	1	13	73	114	21	60	14	57
79	Convulsions (nonpuerperal; 5 years and over)			2	2			1	1		3	1	1
80	Infantile convulsions (under 5 years)		8	11	10	1	4	21	24	7	10	10	13
81	Chorea								3		1		1
82	Neuralgia and neuritis	1		1	3			6	7	3	10	4	8

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

KANSAS		KENTUCKY				LOUISIANA				MAINE		MARYLAND				MASSACHUSETTS		List No.
		Urban		Rural		Urban		Rural				Urban		Rural				
Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
6,146	12,436	5,893	1,820	16,893	2,603	5,987	4,694	5,891	7,303	3,501	7,457	9,704	3,102	6,123	2,173	39,861	9,424	
695	1,140	688	330	3,669	663	888	1,019	1,150	1,687	359	868	956	641	786	459	3,884	1,090	
19	47	27	9	350	56	31	32	100	127	11	17	15	14	43	22	38	4	1
																		2
																		3
																		4
1	3	9	4	34	8	12	10	97	150			1		1	1	1		5
1		2		6			1	2	2									6
15	69	6	4	133	5	80	36	86	64	15	65	5	2	10	4	77	14	7
21	47	10	1	36	1	6	2	3		10	26	10	1	6	1	127	18	8
24	36	44	20	250	34	26	30	73	97	16	59	53	16	63	60	133	22	9
31	45	27	4	200	6	53	24	88	36	13	17	79	18	18	3	258	17	10
100	166	48	31	245	51	83	101	115	119	31	145	100	35	63	31	218	79	11a
73	166	24	15	201	33	23	35	84	84	18	112	39	13	48	15	79	24	11b
1	1			2		1	1	1	4		2					5	1	13
1	4			10				5			3							15
9	18	16	5	167	7	23	11	58	57	1	4	30	9	11	4	12	4	16
						1										1		19
						1		19	1									20
6	27	10	1	35	2	6	1	11	2	10	16	16		7	1	118	9	21
18	26	12	2	53	6	7	4	9	13	9	13	2		4		144	26	22
4	9	5	1	12		7	3	2		3	1	19	5	2		55	6	23
8	9	2	1	46	4	9	4	7	4	3	6	11	3	6	1	51	2	24
	6							1		1		3				6	2	25
																		26
											1							27
2			1			1	4		1	1		2				2		28
21	15	9	4	21	6	22	22	34	45	4	2	7	7	6	4	21	3	29
1	4	4		3		1		1	2			1				2		30
276	369	394	202	1,781	403	406	512	307	674	180	362	480	377	482	285	2,371	831	
229	327	322	171	1,545	371	371	440	282	627	150	309	428	317	459	257	2,028	759	31
11	5	27	4	60	8	17	12	2	1	10	15	25	23	5	4	170	18	32
13	16	15	12	93	15	12	29	9	14	6	16	2	12	6	14	66	20	33
3	7	6	1	16		3	4	1	2	3	5	9	4	3	3	23	8	34
3	2	2	1	10	1	2		3	3	3	2	3	1	2		8	7	35
5	6	7	2	31	3	1	5	6	14	3	5	9	4	4	4	33	7	36
10	2	10	7	14	3		11	3	9	2	2	4	15	1	1	35	9	37a
2	4	5	4	12	2		11	1	4	3	8		1	2	2	8	3	37b
49	53	28	23	54	33	73	165	31	196	23	11	60	122	11	24	124	19	38
																		39
10	9	5	3	5	6	10	16	4	6	6	2	14	19	2	1	21	3	40
4	11	5		23	2	6	5	11	3	4	4	9		3	2	19	6	41
		1		1				1								1		42
910	1,715	758	132	1,524	149	763	381	519	531	498	953	1,344	273	639	146	6,131	1,376	
631	1,195	508	79	946	89	530	195	339	250	355	733	910	138	459	91	4,417	1,032	
22	40	8	1	33	1	18	9	14	5	11	23	43	2	12	2	119	39	43
184	453	187	25	346	36	165	50	112	76	117	279	293	46	195	34	1,459	312	44
77	187	71	9	107	8	66	19	36	16	81	136	118	22	49	9	833	212	45
125	122	93	18	169	28	76	65	60	85	52	93	126	40	56	21	568	123	46
58	99	42	13	65	7	29	14	28	33	40	48	80	13	48	6	462	116	47
25	50	11		83		18	2	34	8	7	26	18	2	21		71	18	48
140	244	96	13	143	9	158	36	55	27	47	128	232	13	78	19	905	212	49
6	9	5	2	2	4	10	2	3	3	2	8	9	2	2	1	37	7	50
9	22	12	12	52	15	2	7	11	14	4	11	20	22	11	8	55	15	51
12	15	4		25	3	3	3	5	9	4	17	14	3	8	3	32	21	52
									1					1		1		53
3	5	5	2	147	6	21	94	38	189	4	2	5	6	7		7	3	54
																2		55
7	3		1	8		2	2	5	7		4	1	7	4	5	12	5	56
117	217	114	12	159	14	98	43	57	28	65	104	181	25	74	19	719	145	57
31	82	20	2	55	1	12		10	1	15	25	15	1	12		146	46	58a
5	12	2	2	10	2	7	2	2	1	3	6	2		2		24	1	58b
		1						2				2	1			3		59
31	66	23	6	25	4	10	6	4	4	5	6	37	3	13	2	46	8	60a
4	7	8		7	2	1	4	4	1	2	3	5		3	1	18	3	60b
1	1			1		1			1			1				1		61
9	2	7	1	8	2	12	5	8	6	3	5	7	1	1		90	17	62
2	2	2		1	1			1		1	1	3				12	2	63
2	1	2		3		6	4				1					1		64
17	24	16	1	13		12	2	5	2	8	9	20	4	6	2	100	13	65a
2	17	1	1	10		6	1	2		2	7	7	1	1		41	12	65b
10	16	20	9	25	3	17	3	13	7	14	3	84	56	26	10	234	29	66
	1						1	1			3	3		1		10	5	67a
							1		1							1		67b
		2				1						2	1			3	1	68
11	18	6	2	27	3	12	6	9	6	11	5	16	2	8	4	119	11	69
671	1,750	666	183	1,617	252	512	313	478	519	399	1,012	940	220	811	235	4,014	1,271	
11	18	5	1	23	1	17	12	5	6	6	7	10		5	2	37	13	70
14	11	17	6	48	3	12	11	5	1	6	16	26	4	6	3	66	17	71a
	2	4		26	2	2	1	2	2		6	2	3	3		10	1	71b
11	14	13	1	13	3	8	3	7	3	5	11	11	1	8	1	45	30	72
15	44	12	5	54	9	14	5	13	5	4	17	24	2	20	5	95	35	73
492	1,321	456	127	995	152	349	211	315	350	271	780	640	177	551	137	2,902	911	74a
24	51	14	1	15	1	19	6	5	4	13	43	41	3	20	3	163	44	74b
6	42	28	7	191	22	12	15	36	38	11	23	27	8	70	40	69	28	75
9	58	30	18	43	30	14	18	17	36	29	7	19	13	48	12	145	49	76
6	50	19	1	21	2	15	10	9	13		10	4	2	6	5	25	6	77
21	33	17	7	48	6	5	4	20	27	8	21	13	1	22	15	55	71	78
2	1	1		3			1	1	1		1					2		79
3	9	7	2	25	6	1	2	8	15	6	11	4	2	12	9	30	14	80
	1			2						1		1				4	1	81
2	6	2	1	7	2	3		4	2		4	3				4	1	82

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	FLORIDA				IDAHO		ILLINOIS		INDIANA		IOWA	
		Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
		White	Colored	White	Colored								
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
83	Softening of the brain	4		3	2		3	7	33	7	34	3	11
84	Other diseases of the nervous system	18	1	23	7	3	9	223	158	45	80	48	110
85	Diseases of the eye and annexa	1						7	5	4	1	2	3
86a	Diseases of the ear	5	4	3		2	11	128	36	27	20	34	13
86b	Diseases of the mastoid process	5	2	7	1	2	4	78	12	24	5	53	7
	IV.—Diseases of the circulatory system	624	261	1,118	506	103	525	11,244	6,627	3,498	4,495	1,542	3,163
87	Pericarditis	2	1	5	5		2	38	40	22	22	5	19
88	Endocarditis and myocarditis (acute)	36	26	37	24	7	31	447	198	173	145	66	73
89	Angina pectoris	73	19	107	18	15	35	472	428	228	365	117	287
90	Other diseases of the heart	453	191	872	420	73	409	9,160	5,108	2,610	3,304	1,165	2,304
91a	Aneurysm	7	11	12	6	1	4	119	38	46	36	18	22
91b,c	Other diseases of the arteries	30	2	61	18	4	33	834	730	339	589	117	364
92	Embolism and thrombosis (not cerebral)	19	6	11	5	3	7	121	63	64	25	42	66
93	Diseases of the veins	1	2	2	3		3	41	11	10	2	8	22
94	Diseases of the lymphatic system		2	1				10	7	3	4	3	2
95	Hemorrhage without specified cause	2	1	3	1			1	1	3	1		1
96	Other diseases of the circulatory system	1		7	6		1	1	3		2	1	3
	V.—Diseases of the respiratory system	191	186	460	284	41	258	4,564	2,012	1,417	1,364	616	1,183
97a	Diseases of the nasal fossae		1	3	9		1	5	6	1	3	1	2
97b	Diseases of the nasal fossae annexa	5	1	2	1	2	3	49	11	15	7	16	7
98	Diseases of the larynx	1		1	2		4	10	10	4	6	3	6
99a	Acute bronchitis	1	7	3	4		5	190	61	21	25	5	17
99b	Chronic bronchitis	2	4	18	1		6	67	71	26	48	12	43
99c	Bronchitis (unspecified, under 5 years)		1	3	5		1	31	18	2	4		5
99d	Bronchitis (unspecified, 5 years and over)	2	3	8	5		1	26	40	8	15	4	24
100a	Broncho-pneumonia	71	44	133	79	13	87	1,477	696	491	458	229	443
100b	Capillary bronchitis	2	5	2				37	25	10	5	4	6
101a	Lobar pneumonia	74	97	159	81	18	112	2,309	834	705	640	284	521
101b	Pneumonia (unspecified)	7	10	65	62	1	20	16	29	30	42	5	16
102	Pleurisy	8	3	12	5	1	3	162	47	37	20	20	21
103	Congestion and hemorrhagic infarct of the lung	4	2	16	3		3	40	61	23	33	15	29
104	Gangrene of the lung	2			1			8	6	3	3	1	
105	Asthma	9	6	24	15	2	8	73	67	25	37	13	31
106	Pulmonary emphysema							13	5	1	5	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	3	2	11	11	4	4	51	25	15	13	3	12
	VI.—Diseases of the digestive system	359	247	681	480	63	279	4,496	2,112	1,611	1,261	798	1,035
108	Diseases of the mouth and annexa	2	3	6	5	1	5	41	26	16	10	9	9
109a	Adenoid vegetations												
109b	Other diseases of the pharynx, tonsils	7	6	22	11	4	22	222	96	70	56	29	50
110	Diseases of the esophagus		1		1			4	2	2	3		
111a	Ulcer of the stomach	7	9	27	8	4	11	284	99	89	59	40	72
111b	Ulcer of the duodenum	7	3	9	1	2	4	106	37	26	24	41	16
112	Other diseases of the stomach (cancer excepted)	15	38	65	90	1	14	59	131	59	98	19	75
113	Diarrhea and enteritis (under 2 years)	88	67	188	141	3	29	887	533	350	276	77	118
114	Diarrhea and enteritis (2 years and over)	27	17	77	46	1	14	171	242	86	140	33	112
115	Ancylostomiasis			4									
116	Diseases due to other intestinal parasites			2	5		1	2	1				1
117	Appendicitis and typhlitis	59	22	84	52	19	84	1,010	235	319	147	220	179
118a	Hernia	10	7	11	14	2	7	216	53	64	46	46	46
118b	Intestinal obstruction	46	17	59	20	6	24	330	121	139	95	68	106
119	Other diseases of the intestines	2	5	7	15	1	4	48	32	18	15	11	20
120	Acute yellow atrophy of the liver	4	1	3	2	1	3	30	9	5	10	1	3
121	Hydatid tumor of the liver							3	1				1
122	Cirrhosis of the liver	34	29	35	25	1	20	478	253	134	125	59	85
123	Biliary calculi	9		15	3	10	18	293	115	84	46	64	46
124	Other diseases of the liver	31	10	49	18	6	9	222	88	109	69	61	67
125	Diseases of the pancreas	2	1	3			2	33	7	11	11	7	7
126	Peritonitis without specified cause	9	11	15	23	1	8	57	31	30	31	13	22
127	Other diseases of the digestive system (cancer and tuberculosis excepted)												
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	439	280	747	437	38	260	6,029	3,372	1,789	2,229	785	1,372
128	Acute nephritis (including unspecified under 10 years	21	42	59	65	1	16	143	126	85	84	25	56
129	Chronic nephritis (including unspecified 10 years and over)	331	174	587	308	23	203	4,908	2,893	1,409	1,943	517	1,092
130	Chyluria												
131	Other diseases of the kidneys and annexa	27	8	28	18	1	4	135	60	46	45	29	45
132	Calculi of the urinary passages	4	2	8	1	2	2	66	24	17	7	15	16
133	Diseases of the bladder	2	6	12	9		2	29	28	12	22	11	16
134	Diseases of the urethra, etc	2	6	3	3			26	5	8	1	5	
135	Diseases of the prostate	19	5	29	11	5	25	307	158	88	77	109	107
136	Nonvenereal diseases of the male genital organs		1		2			3	1	2	1		1
137	Cysts, other benign tumors of the ovary	9		1		1		49	16	21	12	14	7
138	Salpingitis and pelvic abscess (female)	13	18	10	8	3	3	115	21	39	14	19	6
139	Benign tumors of the uterus	6	11	3	8	2	3	186	25	43	16	30	18
140	Nonpuerperal uterine hemorrhage		1	1	1			2	2		2		
141	Other diseases of the female genital organs	5	5	6	3		2	58	13	18	5	11	8
142	Nonpuerperal diseases of the breast (cancer excepted)		1					2		1			
	VIII.—The puerperal state	50	52	164	109	6	49	562	181	236	173	119	144
143	Accidents of pregnancy	4	2	8	5	1	3	67	17	28	15	13	13
144	Puerperal hemorrhage	5	6	18	5		8	65	19	25	17	9	18
145	Other accidents of labor	2	2	20	22	1	4	62	20	14	16	9	16
146	Puerperal septicemia	17	19	48	37	2	20	221	59	113	65	64	54
147	Puerperal phlegmasia alba dolens, embolus, etc		4		2		3	18	11	5	11	6	13
148	Puerperal albuminuria and convulsions	22	18	70	38	2	11	124	55	49	48	17	29
149	Following childbirth (undefined)		1					3		2	1	1	1
150	Puerperal diseases of the breast							2					

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

KANSAS		KENTUCKY				LOUISIANA				MAINE		MARYLAND				MASSACHUSETTS		List No.
Urban	Rural	Urban		Rural		Urban		Rural		Urban	Rural	Urban		Rural		Urban	Rural	
		White	Colored	White	Colored	White	Colored	White	Colored			White	Colored	White	Colored			
27	15 49	6 17	2 2	20 44	1 10	4 17	2 6	1 18	— 6	1 16	5 39	4 64	— 3	13 22	— 2	11 194	3 37	83 84
——	3	——	——	1	——	1	——	1	2	——	——	——	——	——	——	6	——	85
14	15	13	2	23	2	7	1	8	4	11	7	30	——	5	1	91	7	86a
9	7	5	——	15	——	12	5	3	4	11	4	17	1	——	——	60	3	86b
1,105	2,382	1,096	360	2,129	400	1,061	829	781	1,014	776	1,704	1,975	445	1,294	340	9,702	2,811	
10	13	13	5	17	6	2	3	2	8	3	9	7	1	7	2	23	4	87
38	48	49	32	80	17	50	57	25	32	22	28	53	16	42	15	260	53	88
81	158	78	22	136	19	101	46	66	36	104	210	168	9	117	12	744	203	89
831	1,832	802	270	1,651	318	807	667	620	854	518	1,172	1,561	393	965	256	7,053	1,953	90
18	23	5	7	10	3	14	20	12	7	3	7	6	2	9	3	54	10	91a
102	251	125	19	205	37	54	26	42	64	106	257	146	14	142	50	1,315	538	91b,c
24	45	21	5	18	——	27	7	3	7	19	16	25	4	10	1	208	43	92
——	6	2	——	5	——	3	——	4	——	1	4	4	5	——	——	29	3	93
1	1	1	——	3	——	2	——	——	——	——	1	4	——	1	——	6	1	94
——	2	——	——	1	——	——	1	2	1	——	——	1	1	1	——	4	1	95
——	3	——	——	3	——	1	2	5	5	——	——	——	——	——	1	6	2	96
429	729	462	219	1,279	210	403	421	398	576	254	563	1,059	540	460	217	3,799	700	
1	2	——	——	2	——	——	——	3	7	——	1	1	——	——	1	2	——	97a
3	6	4	——	5	——	6	2	1	1	5	1	7	1	3	——	14	1	97b
——	10	2	3	13	——	2	1	1	——	3	4	4	——	2	3	10	4	98
10	12	10	4	13	6	5	3	10	14	6	27	15	2	20	19	84	22	99a
11	36	16	3	27	8	5	3	10	7	5	16	18	3	15	2	73	16	99b
2	5	——	6	12	2	1	——	8	6	5	8	4	1	4	8	16	3	99c
6	14	5	——	21	5	6	2	9	5	1	9	9	——	4	2	39	18	99d
149	224	166	66	452	57	196	197	124	188	107	203	484	238	188	101	1,730	295	100a
3	7	2	2	12	2	1	5	3	8	4	11	5	8	2	3	18	4	100b
195	296	187	114	480	91	149	175	167	228	89	219	464	269	186	58	1,606	285	101a
2	25	20	7	144	15	7	13	38	72	7	36	4	3	4	7	19	10	101b
13	20	17	5	23	4	12	8	3	11	7	8	22	8	11	6	89	14	102
13	28	12	1	25	3	6	2	9	1	5	9	6	2	4	1	29	7	103
4	1	1	1	——	1	——	1	2	2	——	3	——	1	1	——	4	2	104
8	28	9	5	36	7	4	6	6	14	2	4	11	1	10	2	27	10	105
1	2	——	——	——	1	1	1	1	2	3	——	——	——	——	——	3	2	106
8	13	11	2	14	8	2	2	3	10	5	4	5	3	6	4	36	7	107
611	997	596	117	1,574	172	635	450	611	595	286	467	742	188	363	177	2,742	360	
5	7	6	3	24	3	4	4	2	8	3	3	7	1	3	1	29	1	108
——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	1	——	109a
30	41	25	6	40	5	18	7	11	18	18	25	35	9	19	6	150	20	109b
——	4	——	1	1	——	1	——	——	1	——	1	1	——	——	——	6	——	110
30	57	25	6	39	13	25	18	15	16	20	23	45	10	11	7	155	25	111a
22	17	18	3	10	1	6	5	5	1	8	5	17	1	1	3	103	13	111b
37	79	22	14	133	29	7	27	67	102	15	47	25	13	29	14	40	32	112
87	170	152	28	640	51	148	159	212	251	29	119	165	64	140	93	557	78	113
34	88	31	6	218	16	27	22	65	64	8	27	30	24	38	12	101	22	114
——	——	——	——	——	——	——	——	——	1	——	——	——	——	1	——	——	——	115
1	——	1	——	5	——	1	1	7	5	——	——	1	——	——	——	2	——	116
139	171	139	16	147	14	158	76	82	32	74	69	125	25	19	15	531	40	117
34	31	16	2	24	4	27	13	12	3	18	14	54	4	10	6	200	12	118a
51	79	44	13	71	8	56	45	27	29	23	34	64	10	32	11	187	22	118b
11	15	7	4	12	6	9	6	6	8	2	8	6	5	2	1	26	3	119
2	6	3	——	3	——	4	1	2	——	——	1	4	3	3	——	29	4	120
1	——	——	——	——	——	——	——	——	——	——	1	——	——	——	——	1	——	121
49	88	44	7	72	5	72	37	37	32	18	38	52	8	24	5	195	31	122
27	49	21	1	46	3	16	2	12	5	22	15	46	2	10	——	204	24	123
35	72	31	5	69	11	51	22	38	16	22	25	46	5	15	——	150	26	124
4	3	5	——	6	1	2	——	1	——	1	2	3	——	2	——	26	4	125
12	20	6	2	14	2	3	5	10	3	5	10	16	4	4	3	49	3	126
——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	127
659	1,173	594	220	1,400	274	708	549	490	584	302	653	1,212	368	798	232	3,470	752	
21	38	30	22	107	26	44	43	40	61	14	29	23	28	43	27	104	22	128
495	949	474	166	1,147	216	538	375	402	454	232	544	1,056	315	714	187	2,790	646	129
——	——	——	——	1	——	——	——	——	——	——	——	——	——	——	——	——	1	130
24	26	16	3	27	4	36	12	10	10	7	14	35	6	12	3	94	15	131
9	9	5	——	7	1	7	3	3	1	8	3	7	2	3	1	36	3	132
2	10	6	1	19	6	2	4	3	11	2	7	3	——	3	——	27	6	133
——	——	2	——	1	——	3	11	——	2	2	——	3	——	——	——	10	1	134
56	90	24	8	63	9	25	33	17	21	15	34	49	5	13	6	206	41	135
2	——	——	——	——	——	3	2	——	2	——	——	2	1	——	——	4	——	136
9	7	5	2	7	——	6	5	3	2	——	6	6	——	1	——	33	8	137
15	19	11	6	9	6	25	31	4	9	3	3	11	3	3	1	34	4	138
21	17	12	12	6	3	13	26	2	7	12	10	12	8	6	7	100	3	139
——	——	1	——	——	——	——	——	1	1	——	1	——	——	——	——	——	1	140
5	8	8	——	6	3	6	3	5	3	6	2	5	——	——	——	30	1	141
——	——	——	——	——	——	——	1	——	——	1	——	——	——	——	——	2	——	142
84	135	59	13	205	31	97	73	104	146	62	68	107	29	33	18	480	38	
5	13	7	2	13	4	7	7	6	9	5	2	13	2	3	2	28	4	143
3	17	2	1	21	1	11	3	13	16	6	7	13	3	4	3	59	4	144
6	14	12	1	24	2	5	1	10	28	11	10	9	4	3	1	97	5	145
44	51	23	7	85	20	41	40	35	48	23	11	44	13	10	4	157	15	146
2	6	1	——	3	1	4	1	1	1	8	11	5	1	——	2	30	2	147
23	33	14	2	58	3	29	20	39	43	9	27	23	6	13	5	105	8	148
1	1	——	——	——	——	——	——	——	1	——	——	——	——	——	1	3	——	149
——	——	——	——	1	——	——	1	——	——	——	——	——	——	——	——	1	——	150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	FLORIDA				IDAHO		ILLINOIS		INDIANA		IOWA	
		Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
		White	Colored	White	Colored								
	IX.—Diseases of the skin and of the cellular tissue	11	6	30	16	2	10	102	70	40	53	21	59
151	Gangrene	1	5	14	6	1	6	28	38	16	30	5	38
152	Furuncle	6	1	7	2	1	1	30	6	9	6	6	6
153	Acute abscess	1		6	3		3	30	10	7	5	4	3
154	Other diseases of the skin and annexa	3		3	5			14	16	8	12	6	12
	X.—Diseases of the bones and of the organs of locomotion	3	4	2	3	1	4	82	24	21	15	27	13
155	Diseases of the bones (tuberculosis excepted)	3	3	1	2		4	68	14	15	12	23	11
156	Diseases of the joints (tuberculosis and rheumatism excepted)		1	1		1		12	7	6	3	4	1
157	Amputations												
158	Other diseases of the organs of locomotion				1			2	3				1
	XI.—Malformations	47	9	91	20	7	53	700	353	189	233	115	228
159a	Congenital hydrocephalus	4	1	9	6		6	72	31	21	19	16	18
159b	Congenital malformations of the heart	21	6	53	3	3	26	399	229	106	168	58	130
159c	Other congenital malformations	22	2	29	11	4	21	229	93	62	46	41	80
	XII.—Early infancy	198	112	422	212	23	178	2,412	1,265	775	786	433	736
160	Congenital debility, icterus, sclerema	13	21	45	62	1	14	124	77	59	90	38	93
161a	Premature birth	138	70	277	116	15	120	1,469	775	521	488	285	471
161b	Injury at birth	37	8	72	13	4	32	660	366	153	129	76	120
162	Other diseases peculiar to early infancy	9	12	27	20	3	12	156	46	42	78	34	51
163	Lack of care	1	1	1	1			3	1		1		1
164	XIII.—Old age (senility)	15	6	134	96	11	49	103	267	54	136	93	396
	XIV.—External causes	415	304	924	616	44	388	5,067	2,511	1,772	1,550	791	1,150
	Suicide	87	5	104	7	8	41	730	395	242	246	154	268
165	By poisons (gas or corrosives excepted)	7		4			2	32	17	19	18	8	22
166	By corrosive substances	19	2	14	2	1		84	41	76	39	19	17
167	By poisonous gas	9		7		1	2	192	29	25	3	48	9
168	By hanging or strangulation	3		3			7	102	84	26	54	29	86
169	By drowning	4	1	5			2	24	29	9	10	7	10
170	By firearms	39	1	61	1	6	25	218	158	66	98	29	103
171	By cutting or piercing instruments	2		9	1		2	46	22	16	20	11	10
172	By jumping from high places	1						24	4	3		3	3
173	By crushing							7	10	2	3		3
174	By other means	3	1	1	3		1	1	1		1		5
	Homicide	41	143	93	208	3	12	594	162	150	50	35	24
197	By firearms	27	91	76	129	3	9	415	118	95	34	21	14
198	By cutting or piercing instruments	4	42	7	57		1	91	12	25	3	1	1
199	By other means	10	10	10	22		2	88	32	30	13	13	9
	Accidental, other, or undefined	287	156	727	401	33	335	3,743	1,954	1,380	1,254	602	858
175	Poisoning by food	9	8	22	5	2	3	9	15	6	14	3	7
176	Poisoning by venomous animals	1		3				2	1		3	1	
177	Other acute poisonings (gas excepted)	8	14	18	14	1	6	94	23	26	23	14	16
178	Conflagration	4	2	9	8		8	65	49	18	15	9	14
179	Burns (conflagration excepted)	19	22	47	34	1	13	263	84	78	55	28	27
180	Mechanical suffocation	3		9	7		3	29	35	18	18	6	15
181	Absorption of irrespirable, irritating, or poisonous gas	4	1	4	3	1		242	32	29	8	35	12
182	Drowning	20	15	104	76	3	58	207	214	61	105	23	71
183	Traumatism by firearms (except in war)	14	11	49	34		15	81	52	26	39	12	37
184	Traumatism by cutting or piercing instruments	3	4	7	4		2	32	6	11	6	8	7
185	Traumatism by fall	34	8	64	20	4	35	641	298	282	285	183	234
186a	Traumatism in mines			1			20	21	96	11	36	9	11
186b	Traumatism in quarries				1			1	4		8		1
187	Traumatism by machines	2	3	12	13	1	8	87	49	38	28	17	24
188a	Railroad accidents	15	11	44	36	1	28	287	330	182	177	52	68
	Collision with automobiles	3	1	15	4		9	45	103	71	89	7	18
	Other railroad accidents	12	10	29	32	1	19	242	227	111	88	45	50
188b	Street-car accidents	6	1			2	2	149	31	66	39	5	3
	Collision with automobiles	2				1	2	51	11	40	28	3	2
	Other street-car accidents	4	1			1		98	20	26	11	2	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	102	41	214	68	10	66	1,131	381	408	257	133	151
188d	Airplane and balloon accidents	6		5			1	3	11	1	11	3	3
188e,f	Injuries by other vehicles	1		7		1	13	51	33	16	25	8	34
188g	Landslide, other crushing			4	2		12	23	14	11	7	5	9
189	Injuries by animals (not poisoning)				1		10	8	18	1	16	5	26
190	Wounds of war												
192	Starvation (deprivation of food or water)							1					
193	Excessive cold						2	6	14	1	1	1	4
194	Excessive heat		1	1	5			28	15	9	9	5	10
195	Lightning			6	3			2	17	1	7	1	7
196	Other accidental electric shocks	8		22	4	2	1	34	28	19	17	6	10
201	Fracture (cause not specified)	9	3	26	8	1		23		4	1	2	3
202	Other external violence	19	11	49	55	3	29	223	104	57	44	28	54
	XV.—Ill-defined diseases	31	41	219	386	2	42	45	147	16	27	26	119
204	Sudden death	1	2	15	35		6	1	5		1	4	24
205a	Ill-defined	15	24	77	129	1	18	14	81	11	14	13	42
205b	Not specified or unknown	15	15	127	222	1	18	30	61	5	12	9	53

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

KANSAS		KENTUCKY				LOUISIANA				MAINE		MARYLAND				MASSACHUSETTS		List No.
Urban	Rural	Urban		Rural		Urban		Rural		Urban	Rural	Urban		Rural		Urban	Rural	
		White	Colored	White	Colored	White	Colored	White	Colored			White	Colored	White	Colored			
16	45	9	1	53	6	22	18	19	12	19	29	21	6	12	6	82	14	
5	21	5		19	2	6	9	3	5	9	13	5	4	6	3	16	6	151
4	6	3		13	2	5	1	11		6	5	4		3		11	2	152
3	7	1	1	8	1	6	6	2	3	1	6	8		1	1	32	2	153
4	11			13	1	5	2	3	4	3	5	4	2	2	2	23	4	154
7	14	8	1	14	1	11	5	6	1	4	3	17	2	4	1	66	5	
4	12	7		12	1	11	1	4	1	4	1	17	2	4	1	55	5	155
3		1	1	2			4	1			2					9		156
																		157
	2							1								2		158
90	185	58	4	163	8	34	6	66	29	42	62	135	12	71	14	592	98	
8	13	8		17	1	3		7	9	8	4	18	1	2	3	72	10	159a
51	132	30	2	83	6	21	1	38	15	22	32	87	10	50	6	303	61	159b
31	40	20	2	63	1	10	5	21	5	12	26	30	1	19	5	217	27	159c
252	619	298	51	1,002	106	251	183	393	332	216	370	408	162	280	141	2,036	288	
34	70	33	6	181	26	11	20	51	79	28	64	26	6	38	27	142	38	160
158	397	202	33	653	62	158	122	243	183	126	221	250	104	177	77	1,214	165	161
47	106	44	5	115	9	69	33	73	33	38	49	76	26	37	13	508	57	161
13	46	19	7	52	9	13	8	24	33	22	35	56	25	28	23	168	28	162
				1				2	4	2	1		1		1	4		163
67	290	55	11	253	33	24	13	144	219	36	171	22	5	38	13	69	26	164
528	1,122	533	174	1,637	239	569	393	554	599	223	439	760	208	496	137	2,740	581	
74	198	81	7	173	2	84	12	53	8	26	75	135	11	68	5	381	84	
4	17		1	15		2	1	3		6	3	3	1	3	1	26	3	165
17	28	14	2	20		22	1	6		1		12	1	4		28		166
3		5		1		12				6		37		5		136	8	167
7	37	14		28	1	2	2	6	1	3	17	15	1	11	2	70	27	168
2	9	6		9		6	1	6	2	4	14	5	2	3		25	20	169
37	92	37	4	89	1	37	7	30	5	4	38	52	1	33	2	60	21	170
2	7	3		7		2		1		1	2	7	4	5		17	5	171
1	2	2		2		1						2		3		14		172
	2							1		1		1	1			2		173
1	4			2							1	1		1		3		174
50	31	48	88	223	67	60	140	66	152	2	13	32	39	14	29	77	8	
33	23	34	68	191	57	40	89	48	105		7	21	18	7	23	32	3	197
5	5	7	16	12	6	4	35	10	33	1	3	3	12	1	3	9	1	198
12	3	7	4	20	4	16	16	8	14	1	3	8	9	6	3	36	4	199
404	893	404	79	1,241	170	425	241	435	439	195	351	593	158	414	103	2,282	489	
3	8	4	4	15	6	7		8	13	2	5	2	4	5	1	6	2	175
1	2			2				1	2	1				2		2		176
13	22	5	3	24	4	18	8	11	9	8	6	14	2	9	1	27	1	177
8	14	4	2	20	3	5	2	8	7		4	2	5	5	3	30	18	178
32	58	37	14	88	12	45	54	28	54	10	18	59	25	20	7	183	18	179
2	14	2	2	29	6		5	5	15	3	5	1	3	8	2	33	12	180
8	9	10		5		8	1		2	6	4	26	5	3		120	14	181
14	84	20	6	99	10	37	29	72	109	8	60	48	17	74	14	200	95	182
10	40	10	2	87	15	17	15	34	32	4	15	7	3	12	8	22	6	183
4	11	3		12	3	4	6		5		5	1		3	1	25	1	184
106	155	111	9	194	14	89	23	41	18	52	78	128	17	55	14	582	110	185
1	20	6	1	202	26									3				186a
	4										5		1	2		4		186b
9	40	9	2	20	1	15	5	12	7	9	7	17	4	13	2	51	6	187
41	93	31	6	140	25	23	21	39	34	9	20	29	12	50	11	86	33	188a
14	43	2		22	2	6		18	8	4	3			10	1	5	11	
27	50	29	6	118	23	17	21	21	26	5	17	29	12	40	10	81	22	
7	2	4				2	3		3	5	3	29	9	1	2	59	5	188b
2		1								3	2	1	1			10	2	
5	2	3				2	3		3	2	1	28	8	1	2	49	3	
84	169	119	18	138	24	111	39	101	44	53	59	172	33	103	22	581	115	188c
1	3	1		2				1			2						1	188d
3	22	5		18	2	5	2	3	10	5	8	6		3	2	56	6	188e,f
1	9	2	1	11	1	3	2	6	4	1	5	1	1	1	1	10	1	188g
5	16	1	1	13	3		2	5	3	1	2	2		2	2	6	1	189
	1												1					190
										1						2		192
1	3		1	3	3				6			1	1	4	1	7	1	193
	5	3	1	4	1	2	4		4	2	1	8	3	1	1	5	2	194
	10			10				5	7		2			2	2	5	5	195
6	16	5	1	10		4	1	4	6	3	4	7	1	2		20	8	196
3	1		1	15	1	3	2	3	1	1	5	4		6	1	12	3	201
41	62	12	4	80	10	27	17	48	44	11	28	29	11	25	5	148	25	202
22	140	13	4	374	59	9	41	178	459	25	95	6	3	38	37	54	14	
5	26			35	6	4	17	48	68	12	16	2		7	9	9	1	204
7	41	6	3	166	26	1	12	42	88	5	26	2	1	9	9	40	12	205a
10	73	7	1	173	27	4	12	88	303	8	53	2	2	22	19	5	1	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		MONTANA	
						Urban		Rural					
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural
	All causes	27,814	22,829	11,016	13,672	1,755	2,343	7,092	12,013	20,251	20,502	1,727	3,615
	I.—Epidemic, endemic, and infectious diseases	3,382	2,261	1,096	1,700	207	422	1,197	2,722	2,305	3,341	187	608
1	Typhoid and paratyphoid fever	66	30	14	15	8	24	64	175	55	191	5	10
2	Typhus fever												
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever												
5	Malaria	2			2	9	23	152	303	14	122		
6	Smallpox							1	3	4	7		1
7	Measles	43	32	11	45	21	22	99	34	62	127	2	28
8	Scarlet fever	95	80	22	66	3		14		40	49	4	28
9	Whooping cough	112	91	18	56	14	17	65	181	87	156	3	12
10	Diphtheria	368	147	41	40	22	16	94	61	94	126	1	19
11a	Influenza (with pulmonary complications)	208	180	98	173	17	32	125	156	172	326	26	64
11b	Influenza (other and unspecified)	145	239	60	156	15	25	97	138	100	287	9	48
13	Mumps	7		1	2				1		1	1	
15	Cholera nostras	1						2	3	1	6		
16	Dysentery	10	21	12	11	4	16	55	101	26	90	1	5
19	Spirochetal hemorrhagic jaundice									1		1	1
20	Leprosy			1									
21	Erysipelas	88	56	32	19	6		18	3	39	40	9	14
22	Acute anterior poliomyelitis	27	40	14	17	2	1	12	5	21	60	1	3
23	Lethargic encephalitis	32	19	32	35	2	1	5	1	36	11	3	4
24	Meningococcus meningitis	48	26	39	20	3	1	4	2	33	14	27	39
25	Other epidemic and endemic diseases	7	8	7	4	1		1		2	4		5
26	Glanders												
27	Anthrax		3										
28	Rabies	3						2	2	1			
29	Tetanus	30	11	8	13	8	8	11	15	25	27	2	
30	Mycoses	5		5	1		1		2	1	3		
	Tuberculosis (all forms)	1,798	1,154	563	974	55	162	341	1,277	1,205	1,581	77	296
31	Of the respiratory system	1,499	1,020	463	867	44	139	318	1,172	1,062	1,450	64	256
32	Of the meninges, central nervous system	154	54	27	39	4	1	3	10	42	30	6	12
33	Of the intestines, peritoneum	47	24	25	24	3	11	7	43	39	54	3	12
34	Of the vertebral column	19	16	11	13	3		2	7	13	14		3
35	Of the joints	6	7		1		3	2	6	1	2	1	2
36	Of other organs	28	17	16	12	1	3	7	16	16	14	2	5
37a	Disseminated (acute)	39	11	16	13		5	1	20	31	13	1	4
37b	Disseminated (chronic or unspecified)	6	5	5	5			1	3	1	4		2
38	Syphilis	216	96	95	35	9	62	22	231	227	86	11	23
39	Soft chancre			1									
40	Gonococcus infection	36	9	6	3	3	9	1	22	38	5		1
41	Purulent infection, septicemia	35	19	15	12	5	2	12	6	21	21	4	7
42	Other infectious diseases			1	1						1		
	II.—General diseases not included in Class I	3,614	2,924	2,070	1,997	186	219	697	995	2,786	2,376	289	374
	Cancer and other malignant tumors	2,230	1,939	1,438	1,363	101	97	425	364	1,990	1,719	165	249
43	Of the buccal cavity	45	67	32	54	1	3	14	5	63	47	6	5
44	Of the stomach, liver	784	830	505	625	29	30	149	83	641	715	58	128
45	Of the peritoneum, intestines, rectum	301	265	222	176	10	13	44	27	285	224	29	28
46	Of the female genital organs	361	237	139	115	17	29	67	144	342	224	19	22
47	Of the breast	211	176	125	93	10	5	29	30	181	151	16	13
48	Of the skin	44	56	21	27	6	1	37	10	29	65	2	7
49	Of other or unspecified organs	484	308	394	273	28	16	85	65	449	293	35	46
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15	13	5	3		5	6	6	19	7	2	1
51	Acute rheumatic fever	85	51	21	38	2	4	6	17	31	45	9	11
52	Chronic rheumatism, osteoarthritis, gout	27	62	20	19			6	4	9	31	2	7
53	Scurvy	1					1						
54	Pellagra	4		3		31	79	106	490	14	13		1
55	Beriberi												
56	Rickets	14	13	1	6			2	8	3	3		
57	Diabetes mellitus	449	348	210	259	27	24	71	61	318	267	28	43
58a	Pernicious anemia	147	153	79	116	2	2	6	2	52	86	9	8
58b	Other anemias and chlorosis	17	20	7	10	3		2		8	10	2	3
59	Diseases of the pituitary gland	4		4	1					4		3	
60a	Exophthalmic goiter	204	131	94	60	6	1	3	5	111	65	13	11
60b	Other diseases of the thyroid gland	37	11	8	7		1	1	4	15	6	2	
61	Diseases of the parathyroid glands	3	3	1	1						3	1	1
62	Diseases of the thymus gland	84	36	17	22			4	1	30	11	3	2
63	Diseases of the adrenals (Addison's disease)	9	7	11	5			1		3	7	2	2
64	Diseases of the spleen	3	3					1		2	1		
65a	Leukemia	63	17	46	22	2		8	3	50	28	2	7
65b	Hodgkin's disease	21	11	20	11	2		9	1	19	13		3
66	Alcoholism (acute or chronic)	133	66	60	23	4	1	9	11	82	28	39	19
67a	Chronic lead poisoning	1	1							4	3		
67b	Other chronic mineral poisoning	4	1							2		2	
68	Chronic poisoning by organic substances	5	3		1								2
69	Other general diseases	54	35	25	30	6	4	31	18	20	30	5	4
	III.—Diseases of the nervous system and of the organs of special sense	2,546	3,267	1,039	1,505	173	147	628	770	1,733	2,384	109	354
70	Encephalitis	26	20	12	11	4	2	6	8	11	22	2	2
71a	Simple meningitis	73	36	27	27	4	1	16	16	43	22	1	12
71b	Nonepidemic cerebrospinal meningitis	20	16	4	2	3	2	7	8	5	16		3
72	Tabes dorsalis (locomotor ataxia)	28	44	22	7		1	3	6	38	33	2	5
73	Other diseases of the spinal cord	46	67	28	44	4	6	16	8	55	74	9	12
74a	Cerebral hemorrhage	1,629	2,380	628	1,094	103	106	421	467	1,115	1,728	72	218
74b	Cerebral embolism and thrombosis	82	82	52	44	7		6	8	38	36	10	13
75	Paralysis without specified cause	99	137	26	39	6	9	60	94	47	107	1	8
76	General paralysis of the insane	126	160	57	52	12	2	13	41	156	77	1	16
77	Other forms of mental alienation	35	30	16	16	4	4	5	12	17	25		13
78	Epilepsy	31	100	28	30	7	4	20	43	34	68	2	18
79	Convulsions (nonpuerperal; 5 years and over)	2				1	1		5		2		2
80	Infantile convulsions (under 5 years)	46	40	4	31	1	3	5	26	3	30		8
81	Chorea	3		2				2	1	1			
82	Neuralgia and neuritis	4	4	2	6	4	1	4	3	2	10		
83	Softening of the brain	5	12	6	15			7	1	2	23		

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

* NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA				NORTH DAKOTA		OHIO		OREGON		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
3,975	8,394	2,719	3,610	26,316	15,812	106,620	34,279	3,893	3,407	15,951	9,666	777	4,434	43,056	30,459	4,714	5,492	
396	793	268	346	2,551	2,205	11,511	3,590	580	706	2,471	2,017	61	588	5,127	3,555	517	665	
9	28	1	2	40	14	145	45	15	30	109	80	2	11	89	92	9	27	1
						2												2
																		3
																		4
	1			1	1	4	1	2	6	20	32			1	3		1	5
	1					1	1	1	3	10	1			1	9		5	6
21	57	5	6	19	6	141	56	34	8	157	47	3	33	17	23	5	10	7
4	13	8	12	58	41	165	54	4		29	1	3	22	83	79	5	11	8
12	38	16	12	124	75	391	119	46	50	282	246		32	134	144	12	16	9
16	29	4	16	269	153	905	97	37	8	194	38	1	31	377	130	12	25	10
41	134	37	59	177	147	544	239	66	118	363	188	3	46	427	407	52	92	11a
33	156	37	40	90	91	295	232	32	35	182	104	4	50	270	380	30	74	11b
2	1	1	1	2	4	9	5		1	2	2			4	2		2	13
								1		7			2		1			15
1	10		1	7	10	33	18	17	11	96	40		8	28	31		5	16
					1	5	1							1	1			19
						1												20
7	25	8	7	76	41	324	61	6	4	25	4	3	18	100	60	11	10	21
6	15	2	11	29	14	98	31	3	1	7	7	2	10	58	107	20	64	22
4	1	3	1	36	28	194	27	12	1	7	6	2	2	71	47	13	5	23
3	6	2	5	39	11	149	11	7	4	10	7	5	19	42	7	20	12	24
2	2			7	3	21	4	1		4	2		1	10	7		10	25
																		26
						3		1										27
				3	3	7				3				6	3			28
4	9	2	1	31	12	59	21	4	2	6	9		6	48	22	3	2	29
3	1			2		12	1		1	2	10			6	1			30
171	236	137	157	1,322	1,478	7,020	2,437	262	351	902	1,063	29	285	2,886	1,826	266	264	
130	199	101	131	1,104	1,413	6,045	2,239	231	306	808	974	17	236	2,459	1,634	203	236	31
16	6	14	11	91	24	431	65	15	10	26	8	5	19	177	51	21	7	32
9	17	8	5	50	18	179	53	7	25	25	41	4	9	101	61	18	7	33
2	4	4	2	17	7	75	23		2	7	9		7	30	20	6	2	34
3	3	2		5	1	22	6	1	1	3	5		2	12	10	3	2	35
5	3	5	2	19	5	95	25	3		15	11	2	5	46	19	8	6	36
4	3	2	5	32	10	160	17	5	6	16	12	1	4	52	22	5	2	37a
2	1	1	1	4		13	9		1	2	3		3	9	9	2	2	37b
43	18	4	7	164	65	864	104	16	62	29	115	4	10	377	143	50	18	38
						1												39
8	4		3	24	2	80	5	3	6	3	6		1	54	10	1	7	40
6	8	1	5	30	5	38	20	10	3	22	8		1	37	20	8	5	41
				1		1			1		1							42
619	1,230	387	500	3,640	2,003	16,231	4,525	426	247	1,527	634	113	566	5,860	3,840	785	660	
435	815	263	350	2,436	1,485	11,130	3,258	251	114	817	276	70	357	3,874	2,666	546	451	
12	23	8	12	63	43	339	106	6	1	26	8	1	8	115	78	20	23	43
148	343	93	115	895	511	3,700	1,097	55	31	267	76	32	186	1,308	1,114	191	167	44
54	124	55	77	398	248	1,941	520	34	11	84	20	9	34	591	353	93	71	45
68	84	22	36	288	215	1,421	419	52	38	118	88	9	28	636	310	70	63	46
37	62	25	34	242	180	1,092	351	31	16	71	21	2	20	369	225	53	33	47
9	21	4	7	56	31	170	120	10	1	49	4	1	6	70	117	5	11	48
107	158	56	69	494	257	2,467	645	63	16	202	59	16	75	785	469	114	83	49
2	3	3		11	8	97	19	3	2	7	12	1	1	29	17	3	3	50
5	18	7	3	101	39	347	51	11	6	39	21	4	22	100	66	4	8	51
2	11	6	7	33	15	61	70	8	3	14	2		10	43	51	6	10	52
				1	1	3	3						1		1			53
		1		3	2	10	8	49	81	330	211			14	2			54
						2												55
4	5		1	14	5	51	10	1	2	2	8		1	17	15	2	1	56
62	213	57	81	609	243	2,333	576	47	15	128	53	13	74	724	474	88	94	57
25	40	16	20	71	55	327	173	8	2	41	8	7	34	196	147	30	23	58a
1	10	6	5	4	7	43	25	3	5	9	2		5	18	13	5	2	58b
	1		1	2		15	1	1		1	1			8	1	1		59
30	32	4	1	49	20	253	54	8	2	19	4	7	13	322	149	37	26	60a
2	5			9	5	45	12	1		5	3		1	54	22	8	5	60b
1				3	1	13			1	3			1	1	2		3	61
7	11	2	5	30	11	111	36	6	2	13	5	2	6	58	19	6	3	62
2	3		3	6	5	33	11	1		2		1	5	20	13	3		63
	3			4		15	2			5	1			6	2	1	1	64
13	21	5	2	55	20	263	33	9	2	17	3	3	12	84	36	15	10	65a
2	8	4	1	24	10	108	21	2	1	8		1	7	33	35	6	2	65b
14	7	6	13	110	55	726	114	4	4	17	12	1	5	165	51	11	10	66
1	1		1	3		21	3						1	10	1		1	67a
				1		3								2	1			67b
			1	9	1	31	6	1		1				5	5	2		68
11	23	7	5	52	15	190	39	12	5	49	12	3	10	77	51	11	7	69
429	1,106	330	551	2,326	1,952	8,348	4,540	399	313	1,706	865	93	489	4,320	4,396	559	680	
5	7	4	3	32	13	65	20	6	5	33	8	5	6	53	22	6	6	70
10	8	10	6	55	22	197	49	12	6	39	25	7	14	80	49	20	4	71a
1	3		1	11	4	52	13		3	19	5	1	4	16	19	3	3	71b
5	8	4	5	31	23	109	47	3	1	7		1	1	66	43	6	2	72
16	40	10	9	58	50	259	94	8	4	41	11	2	14	81	108	22	22	73
273	748	220	443	1,685	1,429	5,332	3,345	233	235	1,139	525	59	328	3,112	3,384	315	527	74a
35	62	28	34	95	61	462	176	13	6	15	9	2	11	121	99	35	18	74b
11	42	2	6	33	52	147	72	24	19	214	127		2	47	78	15	29	75
8	45	18	7	54	115	417	211	5	4	20	37	2	2	238	169	46	12	76
	16	2	3	20	20	139	35	20	3	11	18	1	17	45	23	18	4	77
4	49	8	12	34	65	146	174	10	12	37	50	1	22	47	118	14	11	78
	1			1	2	3	2		1	5	2		1	2	4		1	79
3	13	6	2	20	19	35	24	2	5	20	16	1	36	27	37	3	5	80
		1		2	1	7		2					1	1	1			81
	1			4	3	15	13	1		2	2			11	16	3	2	82
4	11		3	6	10	22	54	2		9	3		1	24	40	1	3	83

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		MONTANA	
						Urban		Rural					
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Contd.												
84	Other diseases of the nervous system	128	99	62	60	4	1	26	13	63	72	5	13
85	Diseases of the eye and annexa	4	3	1					1	1			
86a	Diseases of the ear	93	28	31	22	3	1	8	8	50	28	4	5
86b	Diseases of the mastoid process	66	9	31	5	6	3	3	1	52	11		6
	IV.—Diseases of the circulatory system	5,043	5,223	2,314	2,773	258	274	909	1,084	4,001	3,531	324	577
87	Pericarditis	38	22	4	12		6	4	2	17	23		3
88	Endocarditis and myocarditis (acute)	383	160	79	57	12	6	28	31	151	87	29	20
89	Angina pectoris	285	346	106	183	34	7	65	21	158	229	27	36
90	Other diseases of the heart	3,679	3,986	1,670	2,169	177	241	685	916	3,152	2,699	230	470
91a	Aneurysm	38	24	40	14	2	6	8	8	113	33	8	5
91b,c	Other diseases of the arteries	472	604	312	265	29	4	105	84	325	420	23	30
92	Embolism and thrombosis (not cerebral)	108	62	87	49	4		6	5	71	23	4	10
93	Diseases of the veins	23	12	9	11				2	13	10	2	1
94	Diseases of the lymphatic system	11	5	3	1			1	1		2	1	1
95	Hemorrhage without specified cause	1	1	1	4		3	2	2	1	3		
96	Other diseases of the circulatory system	5	1	3	8		1	5	12		2		1
	V.—Diseases of the respiratory system	2,650	1,671	964	1,114	109	167	449	720	1,866	1,533	138	295
97a	Diseases of the nasal fossae	3	7	1	3		1	2	8	1	6		
97b	Diseases of the nasal fossae annexa	18	6	14	7	3		2	3	14	7	1	
98	Diseases of the larynx	10	8	2	9	1		1	1	7	4		1
99a	Acute bronchitis	80	68	12	21		1	9	2	39	33	2	
99b	Chronic bronchitis	49	70	18	44	1	2	10	5	48	81	2	8
99c	Bronchitis (unspecified, under 5 years)	13	30		10			7	2	4	9	1	5
99d	Bronchitis (unspecified, 5 years and over)	21	30	6	14	1		6	3	4	20		
100a	Broncho-pneumonia	931	538	383	357	38	34	135	160	673	522	34	36
100b	Capillary bronchitis	12	20	1	10	1	1	1	1	7	16		1
101a	Lobar pneumonia	1,214	632	437	506	56	100	232	393	984	719	80	136
101b	Pneumonia (unspecified)	80	109	10	42	2	17	22	98	5	32	6	29
102	Pleurisy	96	42	44	33	1	2	2	9	40	18	4	5
103	Congestion and hemorrhagic infarct of the lung	26	26	17	22		3	8	4	6	6		5
104	Gangrene of the lung	9	4	1	3				1	3	2		
105	Asthma	47	49	13	21	2	2	9	17	13	41	1	6
106	Pulmonary emphysema	1	1	1	1					3	3		1
107	Other diseases of the respiratory system (tuberculosis excepted)	40	31	4	11	3	4	3	13	15	14	7	12
	VI.—Diseases of the digestive system	2,710	1,565	927	863	227	200	662	819	1,787	1,468	194	259
108	Diseases of the mouth and annexa	15	12	8	12	2		8	9	15	9	1	6
109a	Adenoid vegetations												
109b	Other diseases of the pharynx, tonsils	169	77	51	38	4	1	21	33	68	60	13	8
110	Diseases of the esophagus	4	1	1	2					2	1		
111a	Ulcer of the stomach	132	82	55	51	12	4	26	21	110	61	14	18
111b	Ulcer of the duodenum	80	32	67	12	5	1	3	4	46	18	11	4
112	Other diseases of the stomach (cancer excepted)	125	118	9	26	6	10	46	71	34	106	5	20
113	Diarrhea and enteritis (under 2 years)	571	370	37	128	47	38	221	283	266	417	8	41
114	Diarrhea and enteritis (2 years and over)	106	124	36	42	22	18	69	109	81	165	4	13
115	Ancylostomiasis												
116	Diseases due to other intestinal parasites	1				1		2	3		1		
117	Appendicitis and typhlitis	550	208	215	182	57	62	104	109	425	192	46	69
118a	Hernia	116	54	65	54	3	10	6	19	100	44	15	12
118b	Intestinal obstruction	226	114	69	94	11	30	56	59	130	88	13	15
119	Other diseases of the intestines	35	26	11	15	2	2	7	7	21	16	6	1
120	Acute yellow atrophy of the liver	18	9	12	4	3		2	2	11	5		2
121	Hydatid tumor of the liver	1								1	2		
122	Cirrhosis of the liver	197	140	67	78	27	8	47	44	223	120	19	26
123	Biliary calculi	123	52	121	65	2	3	9	8	111	63	17	10
124	Other diseases of the liver	147	94	59	40	20	8	28	34	97	67	21	10
125	Diseases of the pancreas	31	9	12	2	1	2	2		21	6		1
126	Peritonitis without specified cause	63	43	32	18	2	3	5	4	25	27	1	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)												
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,008	1,688	866	1,091	194	254	790	1,135	2,706	2,257	153	245
128	Acute nephritis (including unspecified under 10 years)	93	71	14	40	22	30	69	96	76	70	10	9
129	Chronic nephritis (including unspecified 10 years and over)	1,437	1,369	550	881	134	155	640	908	2,239	1,946	105	201
130	Chyluria												
131	Other diseases of the kidneys and annexa	88	44	59	30	20	4	28	33	62	35	6	5
132	Calculi of the urinary passages	30	7	20	7	1	3	5	2	16	14	1	1
133	Diseases of the bladder	14	24	10	12	1	2	7	16	13	28	1	3
134	Diseases of the urethra, etc.	12	4	3			4		5	10	1		
135	Diseases of the prostate	131	109	139	98	6	19	27	37	122	117	10	15
136	Nonvenereal diseases of the male genital organs	1	2	1	2			1		4	1		
137	Cysts, other benign tumors of the ovary	19	9	9	3	1	1	2	2	22	6	2	1
138	Salpingitis and pelvic abscess (female)	73	14	23	6	5	17	2	14	57	16	5	5
139	Benign tumors of the uterus	75	23	27	7	2	14	6	16	72	19	9	2
140	Nonpuerperal uterine hemorrhage	1	1	1		1			1				
141	Other diseases of the female genital organs	33	11	9	5	1	5	3	5	13	4	4	3
142	Nonpuerperal diseases of the breast (cancer excepted)	1		1									
	VIII.—The puerperal state	468	213	84	142	35	42	113	237	223	225	26	39
143	Accidents of pregnancy	56	20	13	16		2	10	17	30	25	4	9
144	Puerperal hemorrhage	48	24	5	15	2	2	12	22	21	23	2	3
145	Other accidents of labor	42	10	6	12	1	2	14	18	18	21	1	3
146	Puerperal septicemia	205	90	37	51	16	16	39	75	116	85	12	12
147	Puerperal phlegmasia alba dolens, embolus, etc.	21	14	6	10			2	2	4	7	3	2
148	Puerperal albuminuria and convulsions	93	54	17	38	15	19	35	103	34	64	3	10
149	Following childbirth (undefined)	3	1			1	1	1				1	
150	Puerperal diseases of the breast												

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA				NORTH DAKOTA		OHIO		OREGON		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
26	35	8	14	80	47	462	164	21	4	48	15	6	21	178	132	37	20	84
1	1			3		5	2							4	1			85
14	6	5	1	46	4	252	31	11	2	24	8	3	8	87	34	10	9	86a
13	10	4	2	56	12	222	14	26	3	23	4	2		80	19	5	2	86b
783	1,629	669	990	5,614	3,644	25,382	9,365	538	407	2,185	1,037	107	614	8,369	6,899	1,080	1,221	
5	7	2	5	15	7	26	39	1	1	8	3	2	3	27	36	4	3	87
38	63	23	10	251	149	741	196	25	18	54	43	7	23	420	149	31	30	88
55	122	98	115	393	234	1,517	718	66	14	160	34	6	51	493	496	64	98	89
594	1,235	414	657	4,544	2,928	20,377	7,090	393	352	1,797	889	83	459	6,383	5,295	738	974	90
7	9	1	3	39	18	224	45	5	11	19	6		9	83	44	18	11	91a
47	153	105	180	282	264	1,870	1,137	19	4	109	50	6	50	817	805	163	82	91b,c
30	29	21	17	63	35	543	104	24	4	12	3	2	15	114	58	58	18	92
6	7	3	1	18	4	61	26	2		3	2		4	21	11	2	1	93
1	1			6	1	19	7			3				9	2	2	3	94
		1	1	3	3	1	3	2		2	1			2	1		1	95
	3	1	1		1	3		1	3	18	6	1			2			96
248	578	223	299	2,530	1,204	10,374	2,533	267	352	1,141	737	62	394	3,737	2,155	355	384	
	2		1			9	4	1		8	11		1	5	3			97a
2	5			22	5	78	9	4	4	4	5		2	27	12	6	4	97b
1	4	2	2	4	7	31	15	3		8	3		7	12	11	1	1	98
2	9	3	8	63	31	206	83	2	6	11	9	1	5	45	36	2	5	99a
5	13	7	9	36	39	161	81	2	3	22	5	1	5	77	67	12	12	99b
	1	1		16	7	29	12		2	6	7		3	7	2	2	1	99c
2	7		9	9	10	45	28	1		5	1	1	6	30	25	6	4	99d
86	194	95	115	792	389	3,685	899	105	121	379	246	28	171	1,390	858	133	147	100a
	4	1	2	8	12	126	26		2	4	4		1	14	19		1	100b
124	237	84	131	1,356	607	5,310	1,156	118	155	469	263	22	155	1,872	898	148	164	101a
8	49	8	10	29	24	149	38	10	29	144	137		3	10	42	3	10	101b
10	13	6	3	88	25	315	59	12	10	24	18	1	7	96	43	16	8	102
3	21	6	3	30	14	57	37	2	3	20	6	1	8	29	37	7	9	103
				7	6	19	12					1	1	12	7	1		104
3	14	2	3	44	19	77	37	4	8	22	10	2	13	61	67	8	11	105
1		2		1	2	12	4			3		1	2	8	5	2		106
1	5	6	3	25	7	65	33	3	9	12	12	3	4	42	23	8	7	107
414	657	171	162	2,251	767	7,656	1,629	405	309	1,319	680	112	376	3,687	1,787	323	328	
6	2	1	1	22	10	56	14	6	2	14	11		2	44	19	6	4	108
						1												109a
31	33	12	13	92	36	385	67	16	11	40	16	7	11	184	91	18	18	109b
	1		1	2	2	9	8							4	3			110
22	16	15	15	156	35	515	113	14	10	38	23	7	14	219	121	30	17	111a
17	19	6	3	47	10	226	33	4	2	15	5	2	5	88	28	18	2	111b
8	36	5	12	47	50	112	115	13	39	102	57	5	18	154	173	14	24	112
34	94	24	23	452	218	1,291	295	111	105	593	345	2	89	552	363	10	32	113
8	67	8	8	122	49	250	143	25	20	160	70	1	20	156	147	13	19	114
						1				1								115
	1				2	2			1		6				2			116
96	142	31	23	493	91	1,621	171	85	45	127	40	38	93	751	177	66	76	117
27	35	10	9	151	28	523	77	11	7	12	4	3	15	185	74	20	15	118a
44	63	20	16	142	44	534	136	46	26	58	37	12	26	348	122	29	35	118b
11	7	3	1	36	12	91	34	5	5	15	9	1	7	38	17	6	5	119
2	4		1	9	2	64	9	2		3	2	2	2	6	6	2		120
						10	1							3				121
26	40	16	13	210	108	889	220	14	13	54	27	6	19	342	212	17	32	122
37	35	6	10	124	26	427	61	18	3	26	3	22	27	274	68	26	19	123
34	47	9	7	88	31	422	91	19	7	39	13	2	17	217	117	39	25	124
5	3	2	3	16	4	89	6	4	2	6			1	30	6	4	1	125
6	12	3	3	42	9	138	35	12	10	16	12	2	10	92	41	5	4	126
																		127
399	702	217	288	2,689	1,772	10,142	3,298	389	295	1,527	860	68	301	3,871	2,620	404	475	
13	38	14	8	120	70	223	93	31	27	86	77	4	20	169	112	11	19	128
278	548	168	244	2,181	1,592	8,488	2,918	300	201	1,307	706	38	229	2,920	2,217	309	393	129
																		130
16	14	7	5	65	24	262	63	14	9	48	16	4	8	122	51	11	9	131
8	6	2	2	28	5	99	11	4	3	11		2	1	29	8	4	1	132
	5	1	2	14	7	31	23	1		13	2	1	4	24	26	5	1	133
1	1	1	1	9	2	41	3		4	2	5			19	2			134
38	58	9	12	107	40	427	119	13	11	40	28	10	29	192	140	39	36	135
					3	15	2	2		2	1							136
7	6		2	23	6	85	19	1	2	4	3	1	1	52	12	4	3	137
14	5	4	3	59	8	171	8	8	14	4	10	3	1	132	12	3	7	138
15	18	9	5	61	12	237	30	7	17	4	7	5	7	141	27	10	5	139
2				1		1		2	1	1	1			2	1	3		140
6	3	2	4	21	3	62	9	6	6	5	4		1	67	12	5	1	141
																		142
1														2				
62	103	27	30	357	99	1,176	204	73	70	220	184	20	55	566	199	45	48	
3	10	5	2	33	15	114	19	2	6	14	12	1	5	42	16	8	6	143
10	11	1	2	46	13	153	26	8	5	35	14	1	3	58	21	3	11	144
4	9	1	1	45	14	158	28	9	11	32	30	2	7	79	19	3	3	145
33	37	7	10	149	26	478	67	24	27	50	53	9	16	237	69	15	17	146
3	11	4	3	17	8	68	15	2	2	5	6	1	2	26	19	4	2	147
9	24	9	12	66	23	200	49	28	19	84	68	6	20	124	54	12	9	148
	1			1		3					1		2		1			149
						2												150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		MONTANA	
						Urban		Rural					
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural
	IX.—Diseases of the skin and of the cellular tissue	72	80	29	35	1	11	15	20	44	58	7	2
151	Gangrene	28	53	4	16		8	5	13	8	29	3	1
152	Furuncle	11	9	4	2			4	3	16	12	2	
153	Acute abscess	22	7	8	4		2	3	1	6	3	2	
154	Other diseases of the skin and annexa	11	11	13	13	1	1	3	3	14	14		1
	X.—Diseases of the bones and of the organs of locomotion	46	14	15	10	4	3	6	5	27	8		3
155	Diseases of the bones (tuberculosis excepted)	37	9	12	10	3	2	3	3	23	8		1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8	3			1		3	1	3			1
157	Amputations			2			1						1
158	Other diseases of the organs of locomotion	1	2	1					1	1			
	XI.—Malformations	419	321	145	192	11	2	48	18	178	199	13	37
159a	Congenital hydrocephalus	48	25	24	29		1	1	3	23	18	2	2
159b	Congenital malformations of the heart	212	190	53	86	8		29	8	80	118	6	20
159c	Other congenital malformations	159	106	68	77	3	1	18	7	75	63	5	15
	XII.—Early infancy	1,861	1,055	463	852	105	34	447	277	691	866	91	239
160	Congenital debility, icterus, sclerema	143	127	24	78	14	7	63	32	41	95	5	21
161a	Premature birth	1,244	683	312	555	72	25	308	190	489	569	67	153
161b	Injury at birth	323	142	95	154	14		45	22	121	134	16	42
162	Other diseases peculiar to early infancy	149	99	32	64	5	1	31	32	38	67	3	20
163	Lack of care	2	4		1		1		1	2	1		3
164	XIII.—Old age (senility)	148	361	37	156	19	31	85	268	33	243	9	41
	XIV.—External causes	2,800	2,034	959	1,130	182	293	608	920	1,856	1,631	185	471
	Suicide	349	248	164	161	18	2	51	12	300	243	47	66
165	By poisons (gas or corrosives excepted)	18	15	2	12	1		2		24	13	5	10
166	By corrosive substances	87	22	18	12	3		6		72	33	15	7
167	By poisonous gas	52	9	32	4	1		1		44	6		
168	By hanging or strangulation	58	78	33	56			1	2	26	42	3	4
169	By drowning	22	16	14	11				1	9	14	2	2
170	By firearms	85	83	52	48	12		32	5	98	115	16	36
171	By cutting or piercing instruments	19	12	4	12		1	6		17	11	4	3
172	By jumping from high places	2	2	7	2					8	1	2	1
173	By crushing	2	2	1	2				1	2	5		2
174	By other means	4	9	1	2	1	1	3	3		3		1
	Homicide	295	77	37	28	16	75	65	277	268	107	11	26
197	By firearms	188	23	20	11	12	52	54	211	188	70	8	16
198	By cutting or piercing instruments	66	4	4	4	3	17	4	37	49	12	1	3
199	By other means	41	50	13	13	1	6	7	29	31	25	2	7
	Accidental, other, or undefined	2,156	1,709	758	941	148	216	492	631	1,288	1,281	127	379
175	Poisoning by food	6	13	3	9	5	2	12	10	14	27		3
176	Poisoning by venomous animals			1			1	3					
177	Other acute poisonings (gas excepted)	39	25	17	13	2	4	10	13	36	18	4	9
178	Conflagration	65	48	11	30	3	1	5	20	32	36	5	7
179	Burns (conflagration excepted)	132	59	53	44	13	20	49	86	82	69	3	19
180	Mechanical suffocation	29	37	5	16	3	1	6	21	6	11		5
181	Absorption of irrespirable, irritating, or poisonous gas	49	13	56	16		1		1	40	5	3	7
182	Drowning	95	267	32	135	18	68	31	140	25	127	1	59
183	Traumatism by firearms (except in war)	25	65	9	44	8	31	33	88	39	59	8	24
184	Traumatism by cutting or piercing instruments	7	12	11	7	1	3	5	5	14	11	2	2
185	Traumatism by fall	406	255	221	158	17	3	61	22	332	242	18	41
186a	Traumatism in mines	7	32	5	18					4	13	24	36
186b	Traumatism in quarries	1		1	2					2	1		1
187	Traumatism by machines	48	38	15	29		8	17	13	33	24	3	9
188a	Railroad accidents	112	129	51	69	18	12	55	37	77	124	16	36
	Collision with automobiles	28	52	5	15	8	2	19	5	6	34	3	1
	Other railroad accidents	84	77	46	54	10	10	36	32	71	90	13	35
188b	Street-car accidents	59	24	8	2					37	10	2	
	Collision with automobiles	20	11	5	2					13	5		
	Other street-car accidents	39	13	3						24	5	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	811	455	181	188	38	27	108	70	298	219	26	47
188d	Airplane and balloon accidents	6	9								5		2
188e,f	Injuries by other vehicles	21	36	15	24	3	3	5	8	17	28	2	11
188g	Landslide, other crushing	24	21	8	5			9	6	69	11		4
189	Injuries by animals (not poisoning)	8	14	1	18			3	8	3	22		9
190	Wounds of war				1					1			
192	Starvation (deprivation of food or water)	1											
193	Excessive cold	2	5	5	7				3	4	5	2	14
194	Excessive heat	32	13	1	6		1	2	2	11	6		1
195	Lightning	3	10	1	15			6	12	2	20		6
196	Other accidental electric shocks	31	17	4	6	1	3	7	2	15	29	1	4
201	Fracture (cause not specified)	16	15	2	1	2	6	17	6	20	8		
202	Other external violence	121	97	41	78	16	21	48	58	75	160	7	23
	XV.—Ill-defined diseases	47	152	8	112	44	244	438	2,023	15	382	2	71
204	Sudden death	4	22		16	8	6	60	144		37		3
205a	Ill-defined	29	73	4	34	10	20	43	123	6	80	2	29
205b	Not specified or unknown	14	57	4	62	26	218	335	1,756	9	265		39

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA				NORTH DAKOTA		OHIO		OREGON		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
10	10	5	13	84	48	241	80	15	5	36	20	3	21	122	80	14	13	
2	7	2	9	24	25	49	33	3	4	11	13	1	7	41	50	3	7	151
3		1	2	22	8	41	9	7		7	1		4	16	14	5		152
3	1	1	1	23	8	76	16	2		10	2		2	31	5	3	3	153
2	2	1	1	15	7	75	22	3	1	8	4	2	8	34	11	3	3	154
7	5	2	3	49	14	147	28	7	4	16	2	5	6	65	18	7	4	
5	5	1	3	38	9	124	22	7	4	13	2	4	6	51	12	5	3	155
2		1		11	2	23	6			3		1		9	6	2	1	156
														2				157
					3									3				158
53	113	51	32	302	181	1,105	359	60	16	222	34	13	64	514	361	49	48	
2	16	5	2	30	12	168	30	6	2	20	5	2	9	59	35	6	7	159a
34	68	21	18	162	130	503	237	29	11	126	14	5	37	274	234	23	31	159b
17	29	25	12	110	39	434	92	25	3	76	15	6	18	181	92	20	10	159c
191	483	163	128	1,352	519	5,030	1,146	318	227	1,124	480	45	337	2,272	1,273	134	205	
6	54	15	12	122	63	365	120	19	31	131	100	3	43	157	177	4	27	160
128	307	85	86	808	314	2,865	725	229	161	822	311	29	209	1,564	809	82	118	161a
46	84	52	19	288	83	1,345	220	52	19	124	32	8	50	419	201	37	37	161b
11	37	11	11	132	58	445	78	18	16	46	33	5	34	130	85	11	20	162
	1			2	1	10	3			1	4		1	2	1		3	163
17	178	24	61	73	80	246	233	22	11	198	203	6	110	243	427	36	101	164
336	735	158	193	2,461	1,295	8,992	2,699	336	291	1,071	553	57	366	4,239	2,691	403	626	
59	138	18	44	301	228	1,448	430	43	2	79	8	3	46	520	370	80	84	
3	8			12	4	54	22	3		1			6	28	22	5	11	165
13	9		1	26	13	120	23	8	1	7		1	3	93	13	15	1	166
12	2	5	1	113	51	522	23							19	2	18	6	167
5	41	6	14	44	75	226	123	3		7	2	1	15	108	104	9	11	168
1	4	2	6	10	9	53	41			6	1		2	36	28	10	7	169
17	63	3	19	51	55	198	162	23	1	50	2		19	175	166	13	37	170
5	6	1	2	19	15	91	27	6		4	2	1		38	15	7	6	171
	2	1		20	5	156	4						1	19	4	3	3	172
1			1	3	1	22	3							3	10			173
2	3			3		6	2			4	1			1	6		2	174
26	22	1	2	118	44	583	52	26	97	62	95	1	10	438	112	14	20	
19	14		1	47	31	241	26	16	67	42	65		7	283	66	9	14	197
1	1			18	4	121	8	4	22	8	16	1		79	13	2	1	198
6	7	1	1	53	9	221	18	6	8	12	14		3	76	33	3	5	199
251	575	139	147	2,042	1,023	6,961	2,217	267	192	930	450	53	310	3,281	2,209	309	522	
4	10	1	2	5	7	18	14	4	3	16	10		6	24	17		5	175
	2			2	1	2	1	1		1	1			3	2		1	176
5	22		5	27	10	107	31	12	17	17	13	2	7	70	32	6	10	177
2	9	6	12	14	33	116	59	2	3	7	15		1	46	57		10	178
15	26	11	4	185	31	455	76	26	11	106	93	3	23	255	115	18	13	179
3	14		1	9	14	47	23	3	8	22	12		4	38	33		4	180
7	15	3		101	26	734	33	1	1	3			11	81	18	4	4	181
5	40	12	26	136	179	560	342	3	5	56	41	3	28	129	205	24	73	182
5	20	1	3	21	20	45	51	7	28	52	47	1	22	68	54	10	27	183
1	4	2		22	6	64	9		2	3	3	1	2	16	17	2	8	184
67	123	29	31	418	171	1,583	440	36	9	132	22	13	31	695	394	85	65	185
					6	7	6			2	1		6	15	55		2	186a
				1	1	2	5		1	2	1			2	9		1	186b
5	26	4	4	47	13	185	25	2	3	18	6	5	12	97	49	15	21	187
15	40	12	17	166	126	312	262	12	15	72	25	3	23	296	359	9	40	188a
3	20	5	7	21	40	57	87	5	2	19	9		7	72	167	4	13	
12	20	7	10	145	86	255	175	7	13	53	16	3	16	224	192	5	27	
4	1	2		23	6	184	19		1	1				92	48	9	4	188b
3	1			7	1	19	13							37	28	4	3	
1		2		16	5	165	6		1	1				55	20	5	1	
74	124	44	27	704	269	1,822	562	121	46	256	80	12	60	1,025	469	80	114	188c
	3			5	14	1	11			1				6	4			188d
4	20	2	3	18	11	100	43	6	1	13	12	2	19	43	40	5	9	188e,f
3	2			8	8	31	9	2	3	7	7	1	2	14	14	2	38	188g
2	9	3		2	6	20	20	2		8	1		10	8	21	1	9	189
																		190
						2	1							1				192
1	2		1		1	4	12	1		4	7		3	3	5		4	193
4	4	2	1	17	8	18	10	1	1	4	3		2	18	13		1	194
	9		2		2		8			14	6		5		7			195
3	8	2	3	16	11	70	32	7	3	12	1		5	41	24	6	9	196
2	3	1	2	8	6	106	11	3	3	22	2		1	30	42	4	2	201
20	39	2	3	87	37	366	102	15	28	79	41	7	27	165	106	29	48	202
11	72	24	14	37	29	39	50	58	154	1,188	1,360	12	147	64	158	3	34	
1	12	19	2	1	2	6	9	11	14	155	104		11	6	14		5	204
5	31	2	8	28	23	18	19	12	15	169	105	2	24	14	42	3	14	205a
5	29	3	4	8	4	15	22	35	125	864	1,151	10	112	44	102		15	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	All causes	61,025	50,227	6,619	1,278	1,924	2,381	7,037	10,398	5,656	3,992	14,893	4,488
	I.—Epidemic, endemic, and infectious diseases	6,614	6,207	611	216	250	467	1,086	2,303	815	891	3,434	1,326
1	Typhoid and paratyphoid fever	130	132	2	2	22	25	127	258	38	49	326	125
2	Typhus fever							1					
3	Relapsing fever (spirillum obermeieri)												
4	Malta fever												
5	Malaria	3	1			5	2	60	215	8	16	86	46
6	Smallpox						1	1	4	1		1	1
7	Measles	84	166	1		17	7	58	21	35	8	98	7
8	Scarlet fever	127	131	14	1			6	1	9		40	1
9	Whooping cough	159	292	32	8	10	29	70	180	44	29	219	68
10	Diphtheria	543	297	52	9	14		92	45	25	18	141	20
11a	Influenza (with pulmonary complications)	692	836	55	8	35	43	161	144	90	92	283	97
11b	Influenza (other and unspecified)	363	509	16	9	16	28	95	131	58	51	194	52
13	Mumps	5	5		2								
15	Cholera nostras	2	4	1		1	1	3	2			10	2
16	Dysentery	26	20	4		6	10	68	95	42	16	142	34
19	Spirochetal hemorrhagic jaundice	3	2	1									
20	Leprosy												
21	Erysipelas	124	129	17	2	3	1	12	1	9	5	34	2
22	Acute anterior poliomyelitis	54	46	9	2	2		11	14	4		28	7
23	Lethargic encephalitis	55	39	6	1	5	1	5	2	9	3	6	
24	Meningococcus meningitis	52	17	5		4	1	7	4	8	5	18	1
25	Other epidemic and endemic diseases	9	8	3				2	3	5		2	
26	Glanders												
27	Anthrax	2											
28	Rabies	9	1							4		3	
29	Tetanus	67	36	2	2	6	11	5	16	13	12	20	9
30	Mycoses	6	3				1	2	26	1	1		
	Tuberculosis (all forms)	3,536	3,273	347	169	80	239	269	962	348	480	1,731	780
31	Of the respiratory system	3,036	2,942	281	158	68	203	245	896	282	399	1,561	722
32	Of the meninges, central nervous system	232	119	41	4	1	9	11	5	24	6	47	11
33	Of the intestines, peritoneum	118	98	4	3	3	11	3	28	21	47	74	20
34	Of the vertebral column	55	30	3	2	1	3	1	5	5	3	10	2
35	Of the joints	18	19	2			1	3	6	1	2	4	2
36	Of other organs	53	52	5	2	3	4	3	5	8	5	25	9
37a	Disseminated (acute)	22	9	8		3	8	2	15	5	17	8	14
37b	Disseminated (chronic or unspecified)	2	4	3		1		1	2	2	1	2	
38	Syphilis	464	210	32	1	17	55	18	162	49	95	33	72
39	Soft chancre												
40	Gonococcus infection	67	25	2		1	7	2	6	6	7	2	
41	Purulent infection, septicemia	31	24	10		6	5	11	11	9	4	15	2
42	Other infectious diseases	1	1									2	
	II.—General diseases not included in Class I	7,950	5,782	946	155	262	237	721	737	702	263	1,467	340
	Cancer and other malignant tumors	5,337	3,940	657	119	124	57	337	242	433	138	807	156
43	Of the buccal cavity	172	128	23	6	7		19	9	15	2	25	2
44	Of the stomach, liver	1,844	1,547	215	37	33	17	117	71	108	34	269	53
45	Of the peritoneum, intestines, rectum	797	552	116	24	17	5	30	14	67	13	83	14
46	Of the female genital organs	785	562	99	20	31	22	62	79	97	48	110	50
47	Of the breast	475	377	77	11	8	6	31	24	39	19	83	15
48	Of the skin	94	133	16	2	3		24	5	16	1	71	4
49	Of other or unspecified organs	1,170	641	111	19	25	7	54	40	91	21	166	18
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	36	19	5	1	2	1	1	7	5	3	5	3
51	Acute rheumatic fever	163	140	21	3	4	4	16	23	4	8	37	9
52	Chronic rheumatism, osteoarthritis, gout	55	56	4	3	2	1	10	3	7	1	21	5
53	Scurvy	1	3			1					2	1	
54	Pellagra	20	4	1	1	65	141	201	365	89	43	347	125
55	Beriberi												
56	Rickets	31	24	3		1	2	5	10		5	1	1
57	Diabetes mellitus	1,128	713	131	14	33	17	62	36	69	33	100	16
58a	Pernicious anemia	180	201	18	5	4	1	14	9	18	2	37	3
58b	Other anemias and chlorosis	28	34	5		2	1	2		6		14	
59	Diseases of the pituitary gland	8	4								1		
60a	Exophthalmic goiter	218	153	13		6		5	3	18	7	12	2
60b	Other diseases of the thyroid gland	22	27	1	1	1		2	6	2	3	10	2
61	Diseases of the parathyroid glands	3	4			1	3	2				2	
62	Diseases of the thymus gland	111	47	11	1	3	1	8	6	6		3	1
63	Diseases of the adrenals (Addison's disease)	16	15	2				1		3		1	
64	Diseases of the spleen	9	6			2				1		2	
65a	Leukemia	119	52	11	1	2	2	7	2	11	4	9	
65b	Hodgkin's disease	44	27	5	1	2		6	4	4	1	5	2
66	Alcoholism (acute or chronic)	308	237	45	3	6	3	13	6	10	5	16	4
67a	Chronic lead poisoning	8	6	1				1	1	1	1	2	
67b	Other chronic mineral poisoning	1	2				1						1
68	Chronic poisoning by organic substances	1	2					2		2		4	
69	Other general diseases	103	66	12	2	1	2	26	14	13	6	31	10
	III.—Diseases of the nervous system and of the organs of special sense	5,512	5,917	810	155	167	278	769	874	481	309	1,365	383
70	Encephalitis	72	39	12		3	6	15	10	6	1	19	4
71a	Simple meningitis	148	80	20	3	2	3	14	10	18	8	46	3
71b	Nonepidemic cerebrospinal meningitis	24	16	4	1	5	1	3	2			16	1
72	Tabes dorsalis (locomotor ataxia)	74	79	8	2	1	1	5	6	9		16	3
73	Other diseases of the spinal cord	156	122	16	1		1	16	10	14	23	45	14
74a	Cerebral hemorrhage	3,685	4,293	597	121	112	179	545	548	307	210	776	218
74b	Cerebral embolism and thrombosis	275	166	32	7	3	4	11	1	15	4	21	1
75	Paralysis without specified cause	142	159	9	4	4	9	73	175	21	39	185	56
76	General paralysis of the insane	251	287	32	2	10	29	3	3	10	5	35	20
77	Other forms of mental alienation	49	48	9		6	21	2	7	4	3	40	16
78	Epilepsy	95	181	10	3	3	7	18	19	8	2	40	17
79	Convulsions (nonpuerperal; 5 years and over)	5	1	2	1			3	7	2	1	1	4
80	Infantile convulsions (under 5 years)	85	129	8	2	2	1	15	55	5	3	22	8
81	Chorea	2	3					2	1			3	
82	Neuralgia and neuritis	18	11	1			1	2	1	2	1	3	2
83	Softening of the brain	20	39	1			1	8	4	8		15	

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING		List No.
				Urban		Rural										
Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	
2,271	2,466	827	4,055	4,908	3,776	12,595	7,493	8,241	7,709	4,596	12,393	12,796	16,771	382	1,594	
271	342	93	435	576	709	2,273	1,784	976	1,218	662	2,204	1,353	1,907	40	205	
4	14	3	8	12	14	103	45	13	19	57	167	21	19		7	1
				1			1									2
																3
																4
			1	2	1	7	13				1		1			5
1	1					4	1	1	6		2	1	3			6
32	82	9	26	9	10	76	21	24	32	7	84	45	61	1	12	7
7	14	1	10	6	2	21		15	21	5	42	18	46	2	9	8
3	18	4	36	22	55	222	152	19	14	49	283	35	44	1	9	9
23	33		9	25	5	93	31	19	31	21	116	86	48	1	10	10
26	28	4	71	100	98	331	200	140	135	56	197	89	178	4	34	11a
14	34	2	57	37	46	172	126	64	117	52	113	65	181	4	23	11b
			2			1	1		1	1	2	2	2			13
						4						1	4			15
1	2		2	20	15	95	71	2	7	5	37	5	14	2	2	16
	1					2										19
																20
14	17		6	8	1	31	1	17	14	9	20	27	46	1	4	21
6	16		4	2	4	22	5	38	27	14	30	17	24		1	22
2	1		3	10		13	3	42	16	6	6	17	16		1	23
10	8	1	1	4	4	11	3	73	43	6	19	114	25	1	7	24
3	7		2			4	2	2	2	2	3	1	3	1	17	25
																26
1																27
						1				1	2	1				28
3		1	1	7	8	7	8	2		13	11	13	11			29
				1	2	1	15	2		3			7		1	30
88	55	62	185	265	360	986	924	387	666	306	941	702	1,095	17	60	
75	47	48	157	222	310	901	841	283	594	247	827	572	971	15	51	31
5	2	7	8	11	17	21	14	33	23	24	33	56	32	2		32
2	5	2	10	10	20	32	38	29	21	15	40	18	37		6	33
1		1	3	3	3	8	6	12	9	6	10	13	13			34
1		1		3	1	1	3	3	3	2	5	4	5			35
2	1	1	3	7	1	11	8	15	11	5	11	16	19			36
2		2	3	4	6	9	13	11	5	7	13	18	13		3	37a
			1	5	2	3	1	1			2	5	5			37b
19	2	2	6	31	72	48	147	94	56	37	105	68	61	3	7	38
																39
6	4	1	4	6	9	3	10	17	5	8	9	10	3	1		40
8	5	3	1	7	3	15	4	5	5	4	13	15	15	1	1	41
				1					1		1					42
280	234	119	512	583	205	1,207	447	1,345	924	489	996	2,121	2,457	47	144	
180	150	87	377	390	107	797	273	902	635	317	679	1,386	1,681	35	91	
5	1	6	12	18	2	32	3	24	21	15	22	32	60	1	3	43
68	72	19	128	100	26	280	110	340	290	108	297	533	736	11	36	44
22	14	16	66	47	8	78	29	123	83	31	72	212	229	5	16	45
22	14	11	43	76	45	121	74	135	61	67	133	169	148	10	9	46
15	8	11	36	43	14	86	20	80	50	31	63	134	137	5	6	47
4	5	2	15	16		46	3	17	15	10	19	17	37	1	3	48
44	36	22	77	90	12	154	34	183	115	55	73	289	334	2	18	49
2	4		1	1		5	3	8	4	3	2	3	5		1	50
14	12	1	4	7	11	32	24	13	18	11	24	31	41	1	3	51
2	5	1	9	4	4	27	4	10	10	3	9	12	32		2	52
				1		1	1				1		1			53
	1	1		34	17	71	34	1			5	1	2			54
																55
	1		2		1	4	4	2	2	1	4	5	5	1		56
28	24	19	73	59	29	132	61	153	118	61	101	276	292	5	23	57
12	4	1	14	13	6	33	5	55	30	20	39	80	144	2		58a
1			3	6		6	4	5	3	1	5	11	11		1	58b
	1		1			1		2		1		5	1		1	59
14	8	4	10	22	8	28	10	56	34	23	36	141	94		3	60a
4	3		5	5	1	5	2	12	5	2	2	8	9			60b
					1			2			1		3		1	61
1	1			6		8		18	17	6	9	32	16		1	62
3	2			2		1		3	2		2	4	8			63
1								2	1		1	3				64
9	3	1	2	6	6	13	1	36	14	8	8	26	30		3	65a
3	2	1	4	7	1	8	2	12	5	7	9	19	17		3	65b
2	6	2	6	11	7	21	9	39	13	16	32	49	49	3	11	66
				1				2				1	1			67a
						1			1							67b
									2	1	2	1				68
4	7	1	1	8	6	13	10	12	10	8	25	27	15			69
234	193	67	549	462	436	1,313	744	836	1,007	414	1,007	1,170	2,135	34	126	
5	3		4	10	4	8	5	8	6	3	14	21	18	1		70
6	6	1	7	15	3	26	11	19	12	7	34	31	25	3	1	71a
2	1	1	1		1	15	3	3	5	5	14	11	12	1	3	71b
1	1		5	8	2	11	1	8	8	5	7	9	18		2	72
5	3	2	18	5	8	29	13	27	21	11	25	23	58		2	73
146	127	53	412	323	359	915	529	599	660	254	635	873	1,577	23	78	74a
4	10	3	22	8	3	26	3	35	16	10	10	26	69	1		74b
2	6	1	7	16	16	75	59	24	19	20	98	18	57	1	6	75
14	2		21	15	2	26	10	10	106	8	25	8	79	1	14	76
10	1		4	4	2	26	22	1	75	7	22	13	35			77
5	4	1	15	5	5	37	19	5	34	19	29	13	46		7	78
			1	1		1	3	1	1	1			3			79
2	5	1	3	4	18	20	44	3	9	7	25	12	45			80
	1					1			2			3	2			81
	1		3	1	1	7		4	1	2	8	2	2		1	82
	1		1			11		1	4	3	4	4	7			83

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
84	Other diseases of the nervous system	184	158	30	7	4	12	25	10	28	5	57	13
85	Diseases of the eye and annexa	7	1	2				1				3	1
86a	Diseases of the ear	101	74	12	1	8	2	4	3	12	4	15	2
86b	Diseases of the mastoid process	119	31	5		4		4	2	12		7	
	IV.—Diseases of the circulatory system	12,291	10,370	1,433	275	294	322	1,023	1,222	774	516	1,672	516
87	Pericarditis	68	30	8	3			1	5	4		17	2
88	Endocarditis and myocarditis (acute)	762	441	54	9	7	18	22	52	28	24	47	26
89	Angina pectoris	557	658	94	31	32	31	115	38	94	8	131	8
90	Other diseases of the heart	9,860	8,119	1,088	201	211	236	810	1,032	577	444	1,326	444
91a	Aneurysm	98	51	7	2	3	5	6	11	6	9	7	5
91b,c	Other diseases of the arteries	754	909	141	24	31	27	53	54	34	19	106	25
92	Embolism and thrombosis (not cerebral)	148	122	34	5	8	3	4		17	5	20	1
93	Diseases of the veins	29	23	5			2	2	3	4	2	4	4
94	Diseases of the lymphatic system	11	15	1		1		1	1	2		3	
95	Hemorrhage without specified cause	1	2	1		1			2	4	2	5	1
96	Other diseases of the circulatory system	3						9	24	4	3	6	
	V.—Diseases of the respiratory system	6,554	4,547	595	111	132	199	491	810	494	425	1,167	307
97a	Diseases of the nasal fossae	1	6	1				5	67	2		8	
97b	Diseases of the nasal fossae annexa	30	14	2						3		2	
98	Diseases of the larynx	21	32	3	2	2	1	3	1	3		6	1
99a	Acute bronchitis	142	149	18	4		5	2	7	1	6	8	4
99b	Chronic bronchitis	110	91	11	2	1	1	6	6	4	4	21	4
99c	Bronchitis (unspecified, under 5 years)	31	41	3	3		1	2	11		1	3	2
99d	Bronchitis (unspecified, 5 years and over)	37	50	7	2		2	5	6	2	7	11	3
100a	Broncho-pneumonia	2,114	1,648	192	36	43	68	127	130	198	152	402	87
100b	Capillary bronchitis	38	40	4	3		1		1	2	1	9	1
101a	Lobar pneumonia	3,286	1,961	298	46	70	92	253	266	223	201	493	154
101b	Pneumonia (unspecified)	187	127	11	10	6	18	65	262	12	21	126	30
102	Pleurisy	208	107	19	1	4	6	6	5	14	15	17	7
103	Congestion and hemorrhagic infarct of the lung	109	59	10		2		5	4	8	1	17	
104	Gangrene of the lung	8	13	3		1			1	2		1	1
105	Asthma	119	97	7	1	1	2	11	15	11	11	22	7
106	Pulmonary emphysema	24	15					1		1		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	89	97	6	1	2	2		28	8	5	19	6
	VI.—Diseases of the digestive system	4,932	3,500	440	54	201	218	610	739	583	346	1,259	280
108	Diseases of the mouth and annexa	38	38	4	1	4	1	3	7	2	1	14	5
109a	Adenoid vegetations		1										
109b	Other diseases of the pharynx, tonsils	183	157	21	2	11	8	15	30	23	14	31	14
110	Diseases of the esophagus	11	3	1					1			1	
111a	Ulcer of the stomach	238	108	22	5	7	3	8	23	22	16	28	10
111b	Ulcer of the duodenum	140	43	14	2	7	3	5	2	14	4	9	4
112	Other diseases of the stomach (cancer excepted)	207	230	15	4	5	25	60	180	26	52	104	58
113	Diarrhea and enteritis (under 2 years)	1,039	1,195	81	15	62	71	324	314	102	71	487	69
114	Diarrhea and enteritis (2 years and over)	185	236	25	6	15	41	55	52	53	44	242	32
115	Ancylostomiasis		1					1					
116	Diseases due to other intestinal parasites	1	3						12	1		1	2
117	Appendicitis and typhlitis	935	293	84	6	34	16	46	31	142	59	103	25
118a	Hernia	272	120	37	3	6	7	6	9	18	14	16	3
118b	Intestinal obstruction	467	245	26	3	18	16	34	31	51	33	64	13
119	Other diseases of the intestines	47	38	5		1	9	4	7	4	4	12	6
120	Acute yellow atrophy of the liver	23	18	6		2	4	2		2		8	
121	Hydatid tumor of the liver	2								1			
122	Cirrhosis of the liver	478	408	36	3	5	5	21	17	27	9	44	14
123	Biliary calculi	226	122	32		6	3	10	1	31	5	34	3
124	Other diseases of the liver	306	149	22	2	12	1	12	16	44	11	40	13
125	Diseases of the pancreas	50	27	2		1	1		1	5		3	1
126	Peritonitis without specified cause	83	65	7	2	5	4	4	5	15	9	18	8
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1											
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	6,373	4,615	705	116	245	262	831	1,064	534	403	1,038	357
128	Acute nephritis (including unspecified under 10 years)	296	228	25	5	17	17	28	67	15	43	55	35
129	Chronic nephritis (including unspecified 10 years and over)	5,206	3,991	606	99	195	214	739	853	388	261	844	271
130	Chyluria												
131	Other diseases of the kidneys and annexa	136	55	13	3	11	8	26	90	26	5	27	7
132	Calculi of the urinary passages	47	22	3		2		3	1	6	1	8	2
133	Diseases of the bladder	28	34		2	4	1	8	6	2	6	19	17
134	Diseases of the urethra, etc	19	7				6		3	1	11		2
135	Diseases of the prostate	256	162	28	7	9	7	14	12	43	30	59	12
136	Nonvenereal diseases of the male genital organs	10	2				1				1	1	
137	Cysts, other benign tumors of the ovary	66	26	3		1		1	1	7	3	4	1
138	Salpingitis and pelvic abscess (female)	127	28	10		3	3	2	8	23	17	4	4
139	Benign tumors of the uterus	130	47	14		2	3	5	10	14	22	6	2
140	Nonpuerperal uterine hemorrhage	2							1	1		2	
141	Other diseases of the female genital organs	48	13	3		1	1	5	12	8	3	9	3
142	Nonpuerperal diseases of the breast (cancer excepted)	2					1						1
	VIII.—The puerperal state	884	461	84	4	49	44	119	193	96	56	173	63
143	Accidents of pregnancy	85	44	8		4	3	8	10	7	2	12	6
144	Puerperal hemorrhage	85	53	9		6	4	10	18	8	2	17	1
145	Other accidents of labor	77	47	8		3	3	23	55	7	6	16	12
146	Puerperal septicemia	386	183	28	1	12	19	24	51	45	29	64	18
147	Puerperal phlegmasia alba dolens, embolus, etc	43	29	8		3	1	3	2	1		4	5
148	Puerperal albuminuria and convulsions	205	105	22	3	21	13	50	54	27	16	60	20
149	Following childbrith (undefined)	3		1			1	1	3	1			1
150	Puerperal diseases of the breast										1		

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING		List No.
				Urban		Rural										
Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	
15	15	3	18	25	8	45	16	48	20	23	31	70	67	1	10	84
			1			3		1		2	3					85
8	4		3	12	3	21	5	19	5	14	18	20	12	2	2	86a
9	3	1	3	4	1	10	1	20	3	13	5	13	3			86b
379	390	146	993	901	617	2,066	1,143	1,681	1,532	629	1,478	2,492	3,652	59	219	
2		1	2	3	2	9	2	3	1	3	7	10	19	1	1	87
21	19	7	30	28	37	30	31	50	44	29	55	125	103	5	8	88
22	31	17	100	95	41	175	36	165	106	49	76	127	213	1	15	89
297	323	100	682	699	487	1,688	970	1,273	1,146	486	1,207	1,988	2,916	43	170	90
3	1	4		12	24	17	12	24	10	4	12	31	10	1		91a
15	7	15	163	49	20	104	77	119	198	35	102	159	315	4	13	91b,c
15	5		13	14	4	21	6	38	20	19	15	41	57	3	11	92
1	1	2	2	1	1	5	1	7	2	2	3	9	14	1	1	93
2	1				1	3	2	2		1		1	3			94
						1	3		3							95
1	2		1			13	3		2	1	1	1	2			96
196	251	62	319	343	422	833	566	598	501	358	888	1,014	1,317	24	137	
1			1	1	1	5	13		3	3	1	2	6		1	97a
4	2	2		3	3	6	3	9	1	6	7	9	3	1	1	97b
2	4		2		3	6			2	2	8	7	9	1		98
1	2	2	12	7	5	7	9	5	1	3	7	33	39		2	99a
6	4		16	13	11	23	8	11	18		11	35	49		2	99b
			6	1	1	6	6	1	1		3	4	7	1	2	99c
	2	1	3	3	5	7	7	5	6	4	10	16	17		2	99d
62	79	20	97	120	147	310	184	190	161	138	345	390	410	6	43	100a
1	1		7		3	4	2	1	1	3	3	10	9		2	100b
96	109	29	137	153	212	325	226	306	249	155	311	404	597	13	52	101a
7	19	1	15	10	1	65	66	17	15	21	124	25	56		15	101b
9	10	1	6	10	12	14	5	20	9	8	13	37	40		4	102
3	3	1	6	11	12	18	7	14	9	9	16	11	29	1	3	103
			1			1	1	1		1	1	4	2			104
4	5	2	4	10	3	26	15	10	18	5	25	19	25	1	5	105
			1								1	1	1			106
	11	3	5	1	3	10	14	8	7		2	7	18		3	107
207	204	86	213	413	336	791	493	647	390	536	1,381	1,264	1,068	44	148	
4	1		3	4	1	8	8	8	8	8	10	7	11		3	108
				1												109a
20	16	4	11	21	9	35	22	39	29	25	27	67	36	3	13	109b
1			2					1		3		3				110
19	9	3	12	16	19	20	27	52	23	15	33	53	58	5	7	111a
5	3	1		16	3	12	4	29	14	10	9	45	14		3	111b
2	5	7	22	16	17	55	53	17	27	7	37	36	56		5	112
10	35	2	31	76	141	298	177	32	50	175	849	178	237	9	26	113
13	6	5	21	31	35	92	62	16	29	27	125	58	80	1	8	114
																115
						6	5				5					116
57	60	28	32	93	36	75	28	166	80	110	93	290	172	12	41	117
16	13	9	5	16	8	21	16	40	17	20	14	71	47	1	3	118a
20	22	8	23	32	28	38	25	76	28	44	56	103	73	4	14	118b
3	1	3	2	6	2	14	9	6	5	3	10	15	16		1	119
1	3			3	2	4		2	3	1	3	6	6	1		120
				1						1						121
10	12	6	17	30	20	48	29	44	25	14	34	133	118	4	7	122
6	5	6	11	20	3	22	3	59	16	29	33	107	80	1	6	123
14	9	4	14	23	9	28	12	47	25	34	27	54	41	3	5	124
1	1		2	1		4		7	1	5	6	17	5		1	125
5	3		5	7	3	11	13	6	10	5	10	21	18		5	126
																127
208	175	94	335	676	394	1,220	775	752	503	399	931	1,047	1,353	33	104	
10	5	2	14	18	36	49	53	28	14	13	28	39	47	1	10	128
148	138	69	291	552	297	1,050	660	540	407	305	831	758	1,118	27	66	129
																130
10	6	4	4	36	10	30	16	33	15	9	15	35	22	1	3	131
3		1	2	8	3	4	1	7	4	4	3	18	7			132
3	2	1	2	4	2	12	8	5	9	1	7	9	22		1	133
					4	1		4	2	1		7	3	1	1	134
23	18	8	12	36	13	50	18	71	26	25	29	97	90	2	12	135
1									1			3	2			136
2	1		2	2		10	1	7	3	12	1	12	13		1	137
3	3	6	2	11	12	4	4	18	10	12	8	23	13		2	138
3	1	2	5	7	12	5	7	27	7	12	6	33	10		5	139
							2		1		2	2	1			140
2	1	1	1	2	5	5	5	11	3	5	1	11	5	1	3	141
								1	1							142
47	50	17	34	72	61	124	101	82	73	103	173	147	157	10	29	
4	4	1	8	9	9	10	13	7	13	5	11	23	10	2	3	143
5	6	3	7	9	2	21	11	10	3	7	24	14	26		3	144
5	6	2	1	5	4	17	10	4	15	7	20	11	14		4	145
24	18	7	8	32	26	46	32	36	18	45	68	50	51	5	17	146
1	3		1	1	3	1	1	6	2	3	6	11	13		1	147
8	13	4	9	16	16	29	34	18	21	36	41	38	43	3	1	148
					1			1	1		3					149
																150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue	181	160	23	4	6	4	11	26	19	5	35	12
151	Gangrene	61	77	8	2	3	2	2	6	9	2	16	7
152	Furuncle	33	15	4	1	1	1	3	3	4		8	2
153	Acute abscess	53	40	3	1	1	1	4	5	3	2	4	
154	Other diseases of the skin and annexa	34	28	8		1		2	12	3	1	7	3
	X.—Diseases of the bones and of the organs of locomotion	106	39	9		3	1	6	4	10	10	11	3
155	Diseases of the bones (tuberculosis excepted)	84	27	9		3	1	5	3	7	4	6	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	20	12					1		3	6	1	
157	Amputations											2	
158	Other diseases of the organs of locomotion	2							1			2	
	XI.—Malformations	845	815	93	19	18	7	72	26	42	10	121	9
159a	Congenital hydrocephalus	86	60	7	1			9	9	2	3	9	2
159b	Congenital malformations of the heart	506	534	41	10	10	3	36	6	18	3	57	4
159c	Other congenital malformations	253	221	45	8	8	4	27	11	22	4	55	3
	XII.—Early infancy	2,954	2,695	341	68	96	165	524	615	288	135	741	93
160	Congenital debility, icterus, sclerema	263	329	43	12	6	47	72	115	21	18	145	17
161a	Premature birth	1,869	1,740	179	33	66	91	379	446	203	93	491	62
161b	Injury at birth	575	420	95	17	18	16	42	21	49	8	80	4
162	Other diseases peculiar to early infancy	247	195	24	6	6	11	31	30	15	14	23	8
163	Lack of care		11						3		2	2	2
164	XIII.—Old age (senility)	172	356	46	19	11	7	91	243	53	18	277	101
	XIV.—External causes	5,485	4,455	442	77	175	149	448	538	593	398	1,010	271
	Suicide	654	528	53	12	18	4	55	11	69	10	109	9
165	By poisons (gas or corrosives excepted)	18	13	6		2		2	1	6		7	
166	By corrosive substances	61	28	1		1	1	8	2	13	2	26	2
167	By poisonous gas	155	23	6		2		1		9			
168	By hanging or strangulation	116	162	14	1			4		2	1	10	3
169	By drowning	33	34	3	5			2		2	1	1	1
170	By firearms	200	220	17	6	10	2	32	7	31	4	56	3
171	By cutting or piercing instruments	31	32	3		3		4	1	4		7	
172	By jumping from high places	27	6	2						1	2		
173	By crushing	7	5	1			1			1		1	
174	By other means	6	5					2				1	
	Homicide	388	169	16	2	17	48	39	100	69	198	105	61
197	By firearms	253	108	9	1	12	33	30	76	47	136	79	50
198	By cutting or piercing instruments	58	29	3	1	3	7	7	17	11	50	8	5
199	By other means	77	32	4		2	8	2	7	11	12	18	6
	Accidental, other, or undefined	4,443	3,758	373	63	140	97	354	427	455	190	796	201
175	Poisoning by food	17	21	4				3	10	10	1	10	3
176	Poisoning by venomous animals	3	2			1		1				3	
177	Other acute poisonings (gas excepted)	94	50	5		4	4	5	14	10	1	19	5
178	Conflagration	33	93	4			2	2	17		6	9	6
179	Burns (conflagration excepted)	461	219	31	5	13	16	49	85	35	27	67	28
180	Mechanical suffocation	23	36	4	1	1		25	8		2	7	5
181	Absorption of irrespirable, irritating, or poisonous gas	232	46	17	2	1	3		2	8	2	3	
182	Drowning	172	259	28	15	3	4	20	46	10	13	64	29
183	Traumatism by firearms (except in war)	54	95	1	1	7	3	19	27	12	23	55	22
184	Traumatism by cutting or piercing instruments	31	32	1		2	1	5	3	7	1	9	1
185	Traumatism by fall	926	662	118	9	35	3	43	17	93	15	128	10
186a	Traumatism in mines	293	576							5	1	15	1
186b	Traumatism in quarries	8	24				1			1	2	1	2
187	Traumatism by machines	122	90	6		1	6	7	14	10	4	20	3
188a	Railroad accidents	322	402	10	5	10	5	22	17	37	14	69	23
	Collision with automobiles	30	62					1	2	8		9	3
	Other railroad accidents	292	340	10	5	10	5	21	15	29	14	60	20
188b	Street-car accidents	115	41	12		2				9	5	2	
	Collision with automobiles	26	8	3		1				3		2	
	Other street-car accidents	89	33	9		1				6	5		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,132	728	110	21	44	36	110	89	129	55	142	19
188d	Airplane and balloon accidents	7	7	1				1		1		3	
188e,f	Injuries by other vehicles	68	59	2		1		7	8	7	1	24	7
188g	Landslide, other crushing	10	13	1		1	1	3	5	5	2	7	3
189	Injuries by animals (not poisoning)	13	24			1	1	2	8	2	1	10	2
190	Wounds of war		1										
192	Starvation (deprivation of food or water)	1	2										
193	Excessive cold	6	16						5		1	2	
194	Excessive heat	48	28	1					1	1	3	2	3
195	Lightning		11					7	12	1		15	1
196	Other accidental electric shocks	34	63	4		1	1	4	5	15	2	10	4
201	Fracture (cause not specified)	10	1	2		1	1		2	6		23	2
202	Other external violence	208	157	11	4	11	9	19	32	41	8	77	22
	XV.—Ill-defined diseases	172	308	41	5	15	21	235	1,004	172	207	1,123	427
204	Sudden death	18	62	12	1	5	1	26	40	31	10	164	37
205a	Ill-defined	30	85	15	4	6	15	64	380	26	36	146	35
205b	Not specified or unknown	124	161	14		4	5	145	584	115	161	813	355

NOTE.—Populations are shown in Table I A.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1927—Continued

1920; the remainder of the State is included in "rural"]

UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING		List No.
				Urban		Rural										
Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	
4	5	3	11	12	8	31	18	33	17	14	27	46	43		6	
3	2		5	4	5	19	10	9	7	6	19	20	26		3	151
		2	3			5	1	6	4	1	1	10	9		1	152
			2	2	1	2	2	8	3	5	5	10	2			153
1	3	1	1	6	2	5	5	10	3	2	2	6	6		2	154
7		2	1	3	4	13	6	20	7	6	13	28	13			
7		2		3	2	10	4	15	7	5	11	24	10			155
			1		1	1		3		1	2	4	3			156
																157
					1	2	2	2								158
36	34	9	51	53	21	150	28	95	65	53	213	187	218	3	22	
4	1	1	7	9	1	10	6	9	10	2	15	30	33		4	159a
21	26	3	34	25	16	84	13	52	40	39	142	89	119	1	12	159b
11	7	5	10	19	4	56	9	34	15	12	56	68	66	2	6	159c
124	218	43	199	297	196	863	430	262	273	287	978	742	821	21	130	
6	11	5	14	17	30	154	151	22	35	15	63	45	103	3	20	160
83	167	25	128	194	123	556	217	169	165	211	726	470	520	13	79	161a
28	32	7	32	75	21	105	33	53	46	44	115	148	122	4	11	161b
7	8	6	25	11	21	46	26	18	23	16	61	76	73	1	20	162
					1	2	3		4	1	13	3	3			163
22	57	6	62	56	12	243	184	52	97	44	379	97	253	2	21	164
215	238	79	331	440	296	1,068	433	849	1,012	593	1,711	1,072	1,331	64	268	
33	17	4	45	57	6	118	8	179	131	59	71	179	214	6	29	
3		1	6	3		4		13	6	3	10	9	10	1	3	165
5	1	1	4	8	2	14		8	14	15	9	22	9	1		166
3		1	1	16		2		63	1	2		21	1			167
4	3		12	3		15	3	24	19	6	6	57	86		1	168
1	1		4	2		6	2	9	13	2	3	9	16			169
12	11	1	16	21	2	68	3	47	67	28	40	48	72	4	19	170
4			1	2	2	5		8	8	1	1	9	12		4	171
1				1		1		2	1	1		3	1			172
						1		2	1				4		1	173
	1		1	1		2		3	1	1	2	1	3		1	174
9	4	1	2	28	68	104	70	29	36	56	173	40	33	6	16	
5	3		1	17	45	82	55	18	23	43	146	25	22	5	15	197
2				4	18	7	9	6	1	5	11	5	3	1		198
2	1	1	1	7	5	15	6	5	12	8	16	10	8		1	199
173	217	74	284	355	222	846	355	641	845	478	1,467	853	1,084	52	223	
2	1		4	2	3	12	7	8	7	3	13	3	5	1	1	175
1									2		3					176
6	4		3	7	9	11	10	16	11	2	20	13	13	1	3	177
1	1		1	2	7	29	30	10	13	3	28	8	26		18	178
11	11	5	11	32	26	75	47	41	23	52	115	41	53	4	14	179
2	4		5	4	6	13	10	5	12	7	59	8	9	2	3	180
2	3		2	6	3	2		26	14	7	6	34	8	1	3	181
3	22	8	67	19	17	73	33	44	133	14	94	75	148	3	24	182
9	12	1	5	13	12	50	35	8	31	16	35	9	49	2	20	183
4	2	1	1	2	1	9	3	10	9	8	5	12	2	1		184
33	17	19	74	82	24	148	23	123	87	62	92	202	198	3	13	185
8	40					45	11	3	17	96	565		5		23	186a
		4	5	1		1				3	5		4			186b
2	2	1	7	12	7	11	7	24	36	15	32	21	26	2	6	187
6	18	4	24	23	15	82	30	23	66	35	123	62	90	5	15	188a
1	2		6	5	1	19	6	7	13	5	4	13	21			
5	16	4	18	18	14	63	24	16	53	30	119	49	69	5	15	
15			1	10	3	1		20	5	17	4	16	17			188b
6					1			6	3	5		6	7			
9			1	10	2	1		14	2	12	4	10	10			
44	35	24	36	99	51	168	58	184	181	105	193	262	249	17	49	188c
		1	1	1		12		7	2			1			1	188d
4	4	4	4	3	3	18	3	9	16	3	9	18	30	2	5	188e,f
1	12		3	2	7	4	3	16	45	3	9	8	20			188g
2	3		4	3	2	7	4	1	5		6	4	20		3	189
																190
								1	1							192
	1		3			2	5		4		5	4	13	3	13	193
	1		1	1	4	4	1	1	1	2	2	7	6			194
	3		1	1		7	3		1		1	1	5			195
1	2	1	5	7	1	10	1	8	12	4	13	4	15			196
2	8			6	1	4	3	1	2	1		2	1	1		201
14	11	1	16	17	20	48	28	52	109	20	30	38	72	4	8	202
41	75	1	10	21	59	400	341	13	90	9	14	16	46	35		
	4	1	1	5	12	56	47	6	12	1	3	1	13	1		204
39	36		2	6	33	108	86	1	26	5	3	5	10	1	9	205a
2	35		7	10	14	236	208	6	52	3	8	10	23		2	205b

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,211,627	143,752	23,796	11,986	8,625	6,747	194,906	22,923	17,397	28,627	37,488
	Both sexes—White	1,050,358	119,979	18,976	10,006	7,277	5,801	162,039	19,867	14,495	21,765	27,748
	Both sexes—Colored	161,269	23,773	4,820	1,980	1,348	946	32,867	3,056	2,902	6,862	9,740
	Males—White	572,061	68,733	10,124	5,397	4,002	3,092	91,348	11,177	8,224	11,607	13,968
	Males—Colored	84,636	13,163	2,615	1,038	672	520	18,008	1,590	1,453	3,028	4,516
	Females—White	478,297	51,246	8,852	4,609	3,275	2,709	70,691	8,690	6,271	10,158	13,780
	Females—Colored	76,633	10,610	2,205	942	676	426	14,859	1,466	1,449	3,834	5,224
	I.—Epidemic, endemic, and infectious diseases:											
	Males—White	68,132	6,235	3,051	1,871	1,456	1,119	13,732	3,340	1,794	2,658	3,996
	Males—Colored	18,604	1,924	802	412	236	206	3,580	631	530	1,292	1,958
	Females—White	58,354	5,248	2,855	1,729	1,316	1,082	12,230	2,933	1,826	3,976	5,564
	Females—Colored	17,945	1,611	726	344	270	170	3,121	612	741	1,998	2,622
1	Typhoid and paratyphoid fever:											
	Males—White	2,357	14	23	21	25	32	115	122	187	333	361
	Males—Colored	895	10	14	7	9	15	55	77	83	169	157
	Females—White	1,650	9	17	13	16	26	81	119	209	291	209
	Females—Colored	791	6	7	6	12	12	43	80	114	156	138
2	Typhus fever:											
	Males—White	6								1		
	Females—White	2										
	Females—Colored	1							1			
4	Malta fever:											
	Males—White	2										1
5	Malaria:											
	Males—White	715	77	29	31	15	17	169	72	42	35	26
	Males—Colored	708	84	48	32	18	14	196	65	34	37	35
	Females—White	638	66	42	25	19	18	170	37	35	26	38
	Females—Colored	758	50	33	18	27	21	149	46	50	71	60
6	Smallpox:											
	Males—White	61	13		1			14	3	4	3	5
	Males—Colored	21	3	1				4			3	2
	Females—White	45	6	4	1		1	12	2	4	4	2
	Females—Colored	11	1					1	1			2
7	Measles:											
	Males—White	1,960	490	539	232	124	83	1,468	257	67	60	21
	Males—Colored	282	71	81	39	11	16	218	23	17	10	5
	Females—White	1,861	391	495	233	119	76	1,314	212	63	68	28
	Females—Colored	242	62	52	29	19	7	169	28	15	10	10
	Scarlet fever:											
	Males—White	1,195	66	116	144	132	100	558	348	95	60	32
	Males—Colored	25	4	3	6	2		15	6	2	1	
	Females—White	1,159	38	97	123	95	102	455	292	122	78	73
	Females—Colored	32	3	3	2	1	1	10	10	6	1	
9	Whooping cough:											
	Males—White	2,571	1,684	490	181	88	45	2,488	61	12	3	1
	Males—Colored	919	502	234	72	34	21	863	45	5	2	1
	Females—White	2,858	1,657	647	244	112	69	2,729	95	13	3	2
	Females—Colored	974	514	235	94	53	26	922	37	6	4	2
10	Diphtheria:											
	Males—White	3,904	228	507	543	574	450	2,302	1,147	244	60	36
	Males—Colored	323	48	38	60	40	34	220	60	25	3	4
	Females—White	3,724	197	417	450	517	429	2,010	1,118	265	55	47
	Females—Colored	284	33	32	29	32	29	155	73	26	9	3
11a	Influenza (with pulmonary complications):											
	Males—White	6,081	925	310	104	75	49	1,463	126	86	163	152
	Males—Colored	1,263	244	84	42	13	8	391	33	16	61	76
	Females—White	5,487	683	232	130	84	61	1,190	130	74	127	124
	Females—Colored	1,193	177	88	24	21	13	323	38	28	52	88
11b	Influenza (other and unspecified):											
	Males—White	4,173	602	169	99	64	51	985	147	81	121	102
	Males—Colored	741	126	34	24	8	6	198	17	23	23	36
	Females—White	4,085	451	131	83	57	41	763	141	112	101	95
	Females—Colored	809	73	33	12	11	7	136	28	19	45	39
13	Mumps:											
	Males—White	48	9	2	3	5	2	21	8	7	1	
	Males—Colored	10		1	1	2		4	1	2	1	1
	Females—White	53	8	3	2	3	3	19	6	2	2	2
	Females—Colored	7	3	1				4	1			1
15	Cholera nostras:											
	Males—White	57	8	9		2	1	20	1	2		1
	Males—Colored	8	2					2				
	Females—White	39	9	3	1			13	2	1		
	Females—Colored	6	2	1				3				
16	Dysentery:											
	Males—White	944	253	158	58	23	19	511	23	5	7	11
	Males—Colored	341	107	68	18	6	3	202	7	1	6	6
	Females—White	905	207	124	44	24	6	405	21	4	8	15
	Females—Colored	340	105	46	12	10	3	176	7	4	5	9
19	Spirochetal hemorrhagic jaundice:											
	Males—White	21	3		2			5				1
	Males—Colored	2	1					1	1			
	Females—White	11		1				1	2			
20	Leprosy:											
	Males—White	16										
	Males—Colored	1										
	Females—White	10										
	Females—Colored	1										
21	Erysipelas:											
	Males—White	1,316	379	21	7	3	5	415	14	11	16	27
	Males—Colored	59	15	1				16	1	3	1	3
	Females—White	1,123	359	39	13	11	7	429	9	13	17	27
	Females—Colored	42	18					18			2	
22	Acute anterior poliomyelitis:											
	Males—White	1,040	72	93	78	72	68	383	262	176	92	43
	Males—Colored	67	15	6	7	6	4	38	12	7	3	3
	Females—White	800	58	75	51	54	65	303	196	136	62	32
	Females—Colored	62	10	5	9	6	8	38	13	3	2	1
	Lethargic encephalitis:											
	Males—White	633	12	16	13	13	5	59	31	30	34	38
	Males—Colored	45	1	3	2	1	1	8	4		4	1
	Females—White	574	10	17	19	9	9	64	26	22	36	39
	Females—Colored	43	3	1	2	1		7	1	1	4	7

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
38,876	41,331	49,579	54,289	61,682	71,577	78,797	90,218	104,689	103,528	92,433	67,779	36,554	12,910	2,992	1,171	1,881	
28,873	32,270	39,107	43,905	50,579	60,464	70,073	81,953	97,873	97,392	87,766	64,160	34,424	11,751	2,458	412	984	
10,003	9,061	10,472	10,384	11,103	11,113	8,724	8,265	6,816	6,136	4,667	3,619	2,130	1,159	534	759	897	
14,483	16,843	21,794	25,207	29,162	34,845	40,472	46,504	54,254	52,862	45,666	31,458	15,633	4,823	958	145	628	
4,828	4,531	5,359	5,335	5,978	6,141	4,890	4,593	3,825	3,400	2,642	1,862	1,129	508	235	263	522	
14,390	15,427	17,313	18,698	21,417	25,619	29,601	35,449	43,619	44,530	42,100	32,702	18,791	6,928	1,500	267	356	
5,175	4,530	5,113	5,049	5,125	4,972	3,834	3,672	2,991	2,736	2,025	1,757	1,001	651	299	496	375	
4,223	4,592	5,070	4,751	4,521	4,219	3,621	3,142	2,935	2,181	1,643	950	496	144	41	7	76	
1,886	1,558	1,576	1,296	1,173	993	591	517	349	242	172	80	50	24	13	9	79	
5,018	4,222	3,480	2,815	2,441	2,223	1,960	1,979	2,095	1,878	1,651	1,139	593	208	47	12	64	
2,204	1,527	1,293	979	769	560	380	327	209	170	120	101	54	41	16	27	74	
238	152	180	151	128	117	78	73	66	29	16	6	1	2			2	
86	52	42	38	39	35	15	17	9	7	4	2	2	2		1	3	
157	114	91	82	78	67	49	38	23	24	7	1	5				5	1
77	48	32	30	24	16	11	5	5	5	1		2	1			3	
		1			2		1	1									
				1	1												2
				1													4
31	24	41	19	28	33	31	27	28	39	33	17	12	2			6	
26	22	23	26	42	58	31	23	28	25	10	8	9	1	3	2	4	
32	27	44	15	22	25	36	19	29	33	20	15	6	2	1		6	5
42	23	48	52	37	43	32	34	20	14	8	15	1	3	1	1	8	
3	2	1	3		1	4	4	7	2	1	3	1					
				1	4				2	2	1	1	1				
4	2	2	2		2			1	2		3	3					6
1		2		1		1	1	1									
12	6	10	8	9	6	9	7	6	5	6	1					2	
4	1	1		2												1	
22	33	22	20	20	12	6	7	9	8	9	4	1	1			2	7
2	3	1	2	1					1								
32	16	19	9	12	5	3	4		2								
			1														
42	37	22	13	9	6	4	1	3	1	1							8
3			2														
2	1		1				1					1					
1			1													1	9
	5	1		1	1	1	2	1			1					3	
			1								1					1	
16	18	18	15	13	11	10	6	1	4		1					2	
3	2	1	1	2				1		1							
40	41	31	30	20	23	20	10	6	3	3	1	1					10
6	2	5	4									1					
128	214	290	328	300	357	358	356	473	419	390	274	144	49	7		4	
76	67	70	76	84	87	55	41	44	26	25	15	9	3		3	5	
149	192	226	197	227	240	286	330	414	453	459	374	197	71	14	6	7	11a
78	45	61	82	79	65	60	51	39	26	29	19	8	7	5	6	4	
78	110	118	160	147	161	185	220	268	332	371	294	202	61	22	4	4	
20	31	37	44	50	54	40	42	27	32	27	11	8	9	4		8	
136	117	126	128	113	165	152	192	289	320	401	378	233	94	24	2	3	11b
43	46	49	38	42	49	41	50	27	47	26	28	22	15	4	11	4	
1	2	1	1				1	1	2	1		1					
1																	
2	3	1	4		2	1	1	3		3	1	1					13
1																	
		4	1	2		4		2	4	5	9	1	1				
		1	2				1			1			1				
	1	2		1		1	1	3	4	3	5	1	1				15
1	1			1													
10	10	7	12	22	16	27	23	43	47	70	52	28	10	5	2	3	
5	4	5	7	10	17	12	8	8	10	10	7	5	5	2	2	2	
15	12	9	12	18	18	20	32	54	48	88	67	37	14	3	1	4	16
6	7	10	9	12	15	8	14	8	11	9	9	6	7	3	3	2	
5	3	2	2			2	1										
																	19
			1	1		2		2	2								
3	1	5	2	1	1	1	1			1							
						1											
		1	1	1	2		1	4									20
				1													
24	40	46	54	56	94	77	105	87	82	71	55	26	10	3	1	2	
1	3	6	5	3	6	3	3	1		2		1				1	
26	30	39	33	42	52	60	66	69	68	66	43	24	8		2		21
2	1	2	2	4	3	2	1	1	2	1		1					
28	16	12	10	7	4	1		2	1	2						1	
4																	
21	14	10	11	4	2	3	2	1	2	1							22
2		1					2										
42	36	53	65	58	48	42	37	34	12	10	3					1	
7	5	4	4	2	2	2	1		1								
34	37	40	50	38	48	46	38	32	13	7	4						23
3	3	4	1	4	3	2			1		1				1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	1.—Epidemic, endemic, and infectious diseases—Continued.											
24	Meningococcus meningitis:											
	Males—White	944	156	65	61	42	28	352	120	75	122	72
	Colored	111	23	10	4	2	2	41	16	8	10	10
	Females—White	553	108	52	30	27	23	240	72	62	32	40
	Colored	61	9	7	5	2		23	10	6	3	4
25	Other epidemic, and endemic diseases:											
	Males—White	167	46	23	16	5	2	92	10	6	3	3
	Colored	17	4	5				9	1			
	Females—White	104	34	21	11	5	3	74	11	5	5	2
	Colored	11	1	2				3	2	1		
26	Glanders:											
	Males—Colored	1										
27	Anthrax:											
	Males—White	11									1	
	Colored	1										
	Females—White	4									2	
28	Rabies:											
	Males—White	57			2	1	6	9	10	9	3	3
	Colored	9			1			1	6			
	Females—White	20			1		3	4	4	3	3	
	Colored	4				1		1			1	
29	Tetanus:											
	Males—White	783	66	5	9	10	18	108	138	201	78	27
	Colored	233	76	1	2	2	2	83	29	33	21	6
	Females—White	235	40	4	6	11	9	70	44	20	7	8
	Colored	101	42		2		2	46	15	7	6	5
30	Mycoses:											
	Males—White	73	8	2			1	11	1	1	3	1
	Colored	46	35	3				38	1		1	1
	Females—White	50	11			1		12				3
	Colored	33	25	4				29			1	
	Tuberculosis (all forms):											
	Males—White	34,886	486	428	241	173	129	1,457	395	404	1,394	2,937
	Colored	10,114	146	130	86	76	69	507	207	263	889	1,486
	Females—White	29,787	443	409	228	141	120	1,341	355	621	2,926	4,590
	Colored	10,407	144	145	89	70	37	485	214	433	1,539	2,072
31	Of the respiratory system—											
	Males—White	30,757	146	114	48	28	34	370	125	208	1,167	2,661
	Colored	8,888	76	72	38	36	37	259	114	194	782	1,345
	Females—White	26,127	118	109	42	31	33	333	127	456	2,676	4,272
	Colored	9,277	72	71	37	44	15	239	128	368	1,396	1,941
32	Of the meninges, central nervous system—											
	Males—White	1,550	243	249	146	105	66	809	167	107	71	64
	Colored	317	43	38	32	27	16	156	39	17	17	16
	Females—White	1,310	246	222	140	83	69	760	156	79	64	64
	Colored	285	41	45	30	17	16	149	40	20	18	9
33	Of the intestines, peritoneum—											
	Males—White	899	25	25	20	11	12	93	34	33	50	67
	Colored	376	4	3	3	4	8	22	19	19	42	56
	Females—White	1,044	20	23	11	4	7	65	26	30	79	123
	Colored	411	3	3	8	3	2	19	21	24	61	65
34	Of the vertebral column—											
	Males—White	411	2	3	5	8	9	27	24	23	27	47
	Colored	92		1		3	1	5	6	5	10	15
	Females—White	284	3	5	9	6	1	24	13	17	17	17
	Colored	56	1	1		2		4	4	8	3	7
35	Of the joints—											
	Males—White	154	3			3	1	7	8	9	16	7
	Colored	49	2		1	1	1	5	2	4	3	8
	Females—White	108	4	2			1	7	3	7	10	6
	Colored	26							3	3	4	4
36	Of other organs—											
	Males—White	567	12	6	2	1	2	23	18	10	29	41
	Colored	121	3	4	4	1	1	13	8	10	10	16
	Females—White	412	5	9	7	2	3	26	8	14	17	44
	Colored	98	6	3	1	1		11	6	3	9	8
37a	Disseminated (acute)—											
	Males—White	431	49	29	19	17	5	119	19	9	27	35
	Colored	233	17	11	7	4	4	43	17	12	21	26
	Females—White	410	42	37	18	14	5	116	21	14	57	52
	Colored	219	21	20	13	3	4	61	10	4	44	33
37b	Disseminated (chronic or unspecified)—											
	Males—White	117	6	2	1			9		5	7	15
	Colored	38	1	1	1		1	4	2	2	4	4
	Females—White	92	5	2	1	1	1	10	1	4	6	12
	Colored	35		2				2	2	3	4	5
38	Syphilis:											
	Males—White	3,515	567	30	10	7	5	619	15	21	24	61
	Colored	2,228	398	36	9	5	9	457	15	8	38	114
	Females—White	1,574	391	20	8	6	4	429	15	14	39	58
	Colored	1,389	323	30	10	3	4	370	7	19	50	130
39	Soft chancre:											
	Males—White	1										
	Colored	5										1
	Females—Colored	2										1
40	Gonococcus infection:											
	Males—White	82	12	1	1			14			3	11
	Colored	66	7	1				8			4	5
	Females—White	555	14		1	1	2	18		6	66	101
	Colored	276	1					1		2	34	43
41	Purulent infection, septicemia:											
	Males—White	509	59	15	14	3	3	94	29	27	39	23
	Colored	63	2			1	2	5	4		5	5
	Females—White	434	57	4	11	4	5	81	23	20	18	27
	Colored	62	5	1	1	1		8		1	3	7
42	Other infectious diseases:											
	Males—White	4										
	Females—White	14	1	1	1			3	1			2
	Colored	3	1					1				

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
45	31	34	26	18	23	10	8	2	4	1						1	
9	5	1	5	3	1	1	1										
21	14	21	15	12	8	6	8	1								1	24
4	5	4	1		1												
4	1	6	2	5	10	5	7	6	4	1		2					
1	1		1	1	1				1							1	25
		2			1		2			1	1						
			2		1		1				1						
								1									26
	1	2	3		1		2		1								
							1										27
1					1												
5	5	1	2	2	2	1	2	1	1			1					
							2										28
1			1	2	1	1											
		1		1													
20	29	28	25	24	28	22	16	17	14	2	4	2					
6	4	9	12	11	6	5	2	1	1	2	1	1					
8	15	11	10	7	7	11	2	6	5	2	2						29
3	4	4	5	2		1	2									1	
4	6	7	5	3	8	8	2	4	8	1							
	1	2	1	1													
3	2	7	1	2	3	7	3	4	2	1							30
1		1			1												
3,365	3,685	3,852	3,451	3,265	2,830	2,336	1,940	1,634	1,030	587	211	61	8	2		42	
1,472	1,163	1,095	819	699	533	312	274	155	98	68	23	10	2	4	1	34	
4,106	3,307	2,533	1,954	1,645	1,366	1,132	1,126	1,048	843	547	222	76	15	4		30	
1,709	1,151	882	606	452	288	178	133	85	49	37	23	12	6	2	5	46	
3,124	3,419	3,595	3,223	3,047	2,652	2,157	1,797	1,473	929	528	182	53	8	1		38	
1,348	1,071	1,007	746	643	489	280	246	147	89	59	23	10	2	3	1	30	
3,858	3,093	2,317	1,786	1,492	1,208	1,010	1,008	940	750	481	206	67	14	4		29	31
1,593	1,070	803	548	407	261	167	122	73	43	35	18	11	4	2	5	43	
61	70	58	31	33	28	19	14	6	4	3	1	2				2	
16	16	12	12	8	4		3									1	
40	32	38	23	14	15	7	7	5	2	3	1						32
15	10	10	9	2	1	1	1										
51	67	62	62	74	63	53	46	59	46	25	12	1		1			
36	39	31	27	18	20	18	11	5	3	7						3	
98	92	89	66	65	62	56	52	52	40	40	6	2				1	33
58	39	38	33	14	13	6	7	6	3		3		1				
37	41	32	29	23	19	26	19	21	8	4	4						
13	9	8	9	4	3	2	3										
22	18	26	13	18	20	18	18	14	18	5	2	3	1				34
8	6	4	1	2	4	1	1	2	1								
15	4	11	6	8	10	8	14	13	9	5	2	2					
6	1	2	5	5		2	3	1	2								
7	5	9	6	3	17	8	5	5	4	4	1	1					35
4			1	2	1			1	1	1	1						
33	50	51	59	56	32	37	30	41	26	18	9	2				2	
11	9	9	10	5	4	5	4	1	3	2				1			
34	28	29	41	34	31	16	22	25	25	10	5	3					36
9	9	11	6	12	6	2	2	2	1			1					
33	22	37	34	14	19	28	15	15	3	2							
34	13	24	10	15	11	4	2	1									
39	30	21	18	12	7	9	8	3	1	1	1						37a
18	14	10	7	9	2	1		1			1		1			3	
11	12	6	7	10	7	8	5	6	5	2	1	1					
8	5	2		1	2	1	2		1								
8	9	4	1	7	6	8	6	4	3	3							37b
4	3	6	1	4						1							
94	155	306	361	383	432	367	259	222	112	59	11	7		1		6	
153	186	264	243	208	184	106	100	68	34	17	10	4				19	
73	99	128	139	136	131	94	76	82	30	17	7	1				1	38
154	131	139	112	92	64	39	30	21	13	8	3	1	2			4	
	1																
1				2	1												39
			1														
8	5	5	8	10	3	7	4	2	1			1					
2	8	11	6	9	3	5		2	1	2							
96	95	75	56	24	12	4		1		1							40
60	56	41	21	12	3	2										1	
24	21	21	27	27	26	32	35	27	26	15	9	5	1	1			
8	3	4	4	4	6	3	1	4	4	1	2						
24	24	35	39	17	24	18	22	9	16	14	11	6	2	1	1	2	41
5		6	8	4	8	3	3	2	1	1	1			1			
1	1					1		1									
	1	1	1	1	3		1										42
1	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I:											
	Males—White	63,415	1,585	237	174	148	133	2,277	630	534	646	611
	Colored	4,089	202	42	19	17	16	296	59	41	82	109
	Females—White	77,432	1,060	248	166	134	126	1,734	491	537	615	728
	Colored	7,693	142	31	14	14	14	215	68	83	206	343
	Cancer and other malignant tumors:											
	Males—White	42,922	27	30	41	52	26	176	118	99	199	209
	Colored	1,888	1	1		1	3	6	5	4	13	21
	Females—White	53,231	12	34	39	40	32	157	78	96	135	198
	Colored	3,913	1	1	3	2	4	11	8	6	20	41
43	Of the buccal cavity—											
	Males—White	2,476	1	1			3	5	3	7	6	5
	Colored	86									1	1
	Females—White	529		1	1		1	3	4	3	2	2
	Colored	48					1	1			1	1
44	Of the stomach, liver—											
	Males—White	18,903	2	6	3	3	2	16	12	6	17	32
	Colored	945	1				1	2	1	1	2	5
	Females—White	15,728	3	4	2		1	10	4	3	12	21
	Colored	845			1			1	1		3	5
45	Of the peritoneum, intestines, rectum—											
	Males—White	6,552	2	1	4	9	4	20	19	22	33	39
	Colored	230							1		3	5
	Females—White	7,864		4	3	7	2	16	12	8	11	27
	Colored	346								1	2	6
46	Of the female genital organs—											
	Females—White	12,888		2	3	2	1	8	1	16	19	66
	Colored	1,744			1			1	1		4	17
47	Of the breast—											
	Males—White	123										
	Colored	11										
	Females—White	8,750								2	2	10
	Colored	556							1		1	4
48	Of the skin—											
	Males—White	1,565	1	2		2		5		4	4	4
	Colored	36										
	Females—White	1,077	1	2	2	3	1	9	2		4	3
	Colored	34							1	1		1
49	Of other or unspecified organs—											
	Males—White	13,303	21	20	34	38	17	130	84	60	139	129
	Colored	580		1		1	2	4	3	3	7	10
	Females—White	6,395	8	21	28	28	26	111	55	64	85	69
	Colored	340	1	1	1	2	3	8	4	4	9	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males—White	326	8	6	3	4	2	23	5	5	5	6
	Colored	31				1		1	5		1	1
	Females—White	310	7	4	1	1	2	15	5		4	10
	Colored	65							1		2	6
51	Acute rheumatic fever:											
	Males—White	1,129	5	7	9	9	21	51	175	166	120	61
	Colored	172		1		2	3	6	11	16	12	11
	Females—White	1,222	6	5	9	18	19	57	161	165	107	64
	Colored	238	1		1	1	1	4	22	19	21	12
52	Chronic rheumatism, osteoarthritis, gout:											
	Males—White	478		1	2	1		4	2	4	5	7
	Colored	46								1	1	2
	Females—White	777			1		1	2	4	1	6	4
	Colored	53							1		3	1
53	Scurvy:											
	Males—White	16	10			2		12	1			2
	Colored	4	2	1				3				
	Females—White	17	9	5				14	1			
	Colored	2	1					1		1		
54	Pellagra:											
	Males—White	812	3	4	4	4	1	16	9	6	9	13
	Colored	665	2	5	3	3	6	19	18	12	24	28
	Females—White	1,539	2	3	2	2	3	12	7	7	35	77
	Colored	2,075	6	1	3	2	3	15	23	27	125	237
55	Beriberi:											
	Males—White	2										
	Colored	5	1					1			1	
	Females—White	1										
56	Rickets:											
	Males—White	180	130	36	7	2		175	5			
	Colored	84	52	21	4	4	1	82	2			
	Females—White	141	92	26	15	4		137	1	2		
	Colored	57	36	15	1	3	1	56	1			
57	Diabetes mellitus:											
	Males—White	7,117	12	9	14	12	13	60	98	106	133	102
	Colored	477	1			1		2	11	1	11	16
	Females—White	10,410	7	14	17	13	20	71	94	147	117	120
	Colored	676	2	1	1			4	6	14	9	13
58a	Pernicious anemia:											
	Males—White	1,973	13	11	4	8	4	40	21	15	18	19
	Colored	38	2					2		1	3	
	Females—White	2,402	11	5	6	6	3	31	16	14	23	31
	Colored	67	3			3		6		2	5	4
58b	Other anemias and chlorosis:											
	Males—White	282	48	13	4	1	5	71	13	10	5	10
	Colored	18	6	1	1		1	9				
	Females—White	341	37	17	6	3	1	64	7	15	3	6
	Colored	24	5	1	1	1	1	9			4	1
59	Diseases of the pituitary gland:											
	Males—White	59	2					2	1	1	6	4
	Colored	3								1	1	
	Females—White	51	2		2			4	1	1	2	5
	Colored	3										
60a	Exophthalmic goiter:											
	Males—White	595							1	5	11	22
	Colored	22		1				1			1	
	Females—White	3,380		1			3	4	4	17	84	104
	Colored	155								1	4	11
60b	Other diseases of the thyroid gland:											
	Males—White	126	13	3	5	1	2	24	4	5	4	3
	Colored	10							1	1	1	
	Females—White	453	8	8	3	2		21	5	1	14	13
	Colored	43							1	1	1	1

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
811	1,225	1,915	2,831	3,898	5,332	7,066	8,370	9,354	7,960	5,710	2,863	1,080	199	37	6	60	
131	177	219	293	415	483	434	409	321	284	163	80	43	14	12	4	20	
1,140	1,877	3,006	4,525	6,070	7,758	8,932	9,752	10,327	8,458	6,210	3,274	1,494	382	55	11	56	
487	540	742	807	906	852	643	558	422	330	185	138	67	24	14	13	50	
312	492	892	1,565	2,457	3,591	5,069	6,250	7,143	6,273	4,638	2,325	881	167	32	3	31	
27	58	79	136	225	255	257	239	192	182	96	47	24	8	5	2	7	
482	1,065	1,963	3,263	4,480	5,778	6,382	6,823	7,237	6,075	4,783	2,609	1,227	307	47	10	36	
136	198	367	447	546	554	438	352	290	208	117	80	40	12	7	9	26	
12	16	35	69	155	223	312	345	412	322	265	193	73	14	1		3	
3	3	4	13	12	11	9	11	7	6	1		3	1				
6	3	11	20	24	45	49	48	67	72	60	55	44	7	4			43
2	1	1	7	4	8	5	6	3	3	2	1	1		1			
66	122	306	638	1,123	1,642	2,394	2,942	3,376	2,968	1,991	880	312	32	11		17	
4	25	45	62	115	147	149	123	93	94	41	18	9	1	3	1	4	
58	152	295	561	837	1,324	1,728	2,243	2,634	2,406	1,956	965	417	81	11	3	7	44
12	25	63	69	79	116	118	101	83	71	42	23	14	5	1	5	8	
56	124	180	279	389	567	776	1,007	1,027	939	643	298	101	25	4		4	
9	9	12	14	31	24	30	32	21	13	15	6	4		1			
94	144	231	353	517	742	833	1,005	1,243	1,017	857	491	215	40	5		3	45
18	16	24	43	53	40	44	29	19	22	15	5	3	2		1	3	
172	425	775	1,293	1,532	1,829	1,744	1,520	1,393	983	645	319	121	15	3		9	
74	107	192	242	278	254	166	141	117	65	35	27	11	1		2	9	46
1	1	3	10	5	10	13	17	15	15	15	10	6	2				
			1		1	3	1	3	1	1							
47	181	419	683	1,065	1,191	1,181	1,103	915	753	591	338	184	68	8	1	8	47
17	27	63	55	86	86	66	41	45	24	12	13	7	1	3	1	3	
6	14	17	35	55	72	109	184	197	231	262	196	119	42	6	1	2	
	1	1	3	4	8	2	3	3	7	3	1						
2	8	7	20	30	61	61	74	116	144	175	165	124	53	14	4	1	48
	1	2	4	1	6	5		6	4		1		1				
171	215	351	534	730	1,077	1,465	1,755	2,116	1,798	1,462	748	270	52	10	2	5	
11	20	17	43	63	64	64	69	65	61	35	22	8	6	1	1	3	
103	152	225	333	475	586	786	830	869	700	499	276	122	43	2	2	8	49
13	21	22	27	45	44	34	34	17	19	11	10	4	2	2		3	
10	12	20	23	23	19	36	30	43	27	13	15	8	1	1		1	
1	1	4	3	3	4	6			1								
9	17	16	13	30	14	37	20	34	27	25	18	8	2	1			50
4	4	10	5	5	5	6	3	3	3	3	3	1	1				
32	40	49	48	47	57	44	49	46	64	37	23	18	2				
5	9	8	14	17	17	8	8	5	7	8	4	3		2	1		
60	52	61	44	44	61	56	53	57	75	54	21	18	10	1		1	51
9	16	18	14	19	15	14	10	11	13	6	6	3	4	1		1	
13	11	14	22	21	41	40	52	57	70	49	45	16	3			2	
2		2	4	6	6	5	4	6	3	1	1	2					
5	9	14	19	28	40	65	89	121	131	111	73	39	15	1			52
2	1	2	5	4	3	9	7	2	6	2	5						
											1						
			1														
	1			1													53
15	28	35	57	61	84	94	86	105	86	68	28	7	1			4	
31	27	32	37	51	83	68	73	54	49	29	13	6		2	1	8	
97	145	169	173	160	125	110	105	121	80	64	27	9	1			15	54
259	244	236	206	178	140	80	82	57	61	34	24	16	5	6	1	19	
	1	1															
2				1													55
											1						
1																	56
112	135	161	207	312	561	866	1,059	1,210	930	630	296	108	21	1	2	7	
15	18	25	27	56	50	60	59	45	30	25	11	6	6	1		2	
111	147	229	282	492	831	1,340	1,723	1,831	1,479	855	372	132	32	3	1	1	57
21	30	47	70	88	100	71	85	47	32	15	17	3	2		1	1	
25	29	46	80	128	155	247	305	331	275	159	59	14	3	1	1	2	
1	3	2	2	2	5	5	7	3	2								
46	66	94	124	182	228	294	324	382	293	158	70	25	1				58a
3	7	6	4	10	5	4	4	2	3	1					1		
7	14	4	16	14	12	17	12	8	28	23	10	7		1			
1	1	1	1	2	1					1		1					
13	14	14	17	24	25	21	20	22	24	21	13	9	5	2		2	58b
2			1	1	1	2	1	1				1					
3	5	8	4	15	2	5	2		1								
	1																
7	4	4	8	5	5	2	1	1				1					59
	1				1			1									
27	47	44	57	83	91	70	61	45	23	6		2					
1	3	4	2	5	3				1							1	
156	177	230	331	393	450	408	391	347	168	85	25	4	2				60a
20	14	22	26	26	9	11	4	5	1							1	
5	8	4	8	11	9	10	11	8	9	1	1	1					
		1	2		2		1					1					
16	26	28	34	30	43	50	57	58	30	15	7	5					60b
2	4	2	5	6	4	2	2	3	1	3	2	1				2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I—Continued.												
61	Diseases of the parathyroid glands:												
	Males	White	46	29	4	6	2		42	2			1
		Colored	8	5	1	1			7				
	Females	White	45	30	9	2		1	42	1			1
		Colored	2	2					2				
62	Diseases of the thymus gland:												
	Males	White	758	643	36	15	4	5	703	24	13	6	4
		Colored	61	47	5	4	1	1	58				1
	Females	White	501	411	33	7	9	3	463	15	4	6	1
		Colored	44	33	3	3	1		40		1	2	1
63	Diseases of the adrenals (Addison's disease):												
	Males	White	165							1		4	7
		Colored	3									1	
	Females	White	177								2		4
		Colored	4	1					1				
64	Diseases of the spleen:												
	Males	White	64	3	2	2	1		8	6	3	7	1
		Colored	5	1					1	1			
	Females	White	64	1	4		1		6	2	3	1	1
		Colored	6									2	1
65a	Leukemia:												
	Males	White	1,098	30	27	23	27	35	142	77	43	52	54
		Colored	35				1		1	2	2	4	5
	Females	White	833	10	29	25	26	23	113	49	34	32	38
		Colored	31	1				2	3	2	4	1	1
65b	Hodgkin's disease:												
	Males	White	565	10	3	1	6	3	23	26	22	29	20
		Colored	31	1	1			1	3	1	1	2	1
	Females	White	318	7	5	1	1	2	16	13	9	15	29
		Colored	10		1				1	1	2		1
66	Alcoholism (acute or chronic):												
	Males	White	3,489									16	46
		Colored	337									6	21
	Females	White	360								1	4	2
		Colored	110									1	10
67a	Chronic lead poisoning:												
	Males	White	119		1	2			3				2
		Colored	9										
	Females	White	7		2	2			4				
67b	Other chronic mineral poisoning:												
	Males	White	23										1
	Females	White	5				1		1				1
		Colored	7		1				1			1	
68	Chronic poisoning by organic substances:												
	Males	White	80									1	7
		Colored	15										1
	Females	White	48									1	2
		Colored	2										1
69	Other general diseases:												
	Males	White	991	599	44	32	12	15	702	41	31	16	10
		Colored	122	81	4	6	3		94	2	1		1
	Females	White	799	408	44	28	7	13	500	27	18	26	17
		Colored	106	50	7	1	1	2	61	2	5	5	1
	III.—Diseases of the nervous system and of the organs of special sense:												
	Males	White	58,801	1,546	409	236	186	152	2,529	714	498	595	546
		Colored	6,464	253	71	26	22	13	385	59	65	98	123
	Females	White	51,754	1,190	359	225	171	115	2,060	561	440	377	423
		Colored	6,350	206	45	24	23	16	314	57	50	63	112
70	Encephalitis:												
	Males	White	597	63	26	15	12	7	123	34	29	36	29
		Colored	76	4	7	5	1		17	3	4	5	3
	Females	White	507	50	33	22	10	10	125	35	22	15	29
		Colored	67	12	4	2	1	2	21	6	4	4	3
71a	Simple meningitis:												
	Males	White	1,204	285	95	68	37	30	515	125	71	66	40
		Colored	147	33	11	5	6	5	60	10	6	8	8
	Females	White	904	255	79	63	37	18	452	96	58	27	33
		Colored	115	22	11	9	7	9	58	15	4	4	8
71b	Nonepidemic cerebrospinal meningitis:												
	Males	White	315	90	41	22	14	15	182	41	17	17	8
		Colored	34	9	5	3	1	2	20		3		5
	Females	White	240	69	29	21	12	8	139	36	15	8	3
		Colored	31	5	1	3	2	2	13	3	8	1	1
72	Tabes dorsalis (locomotor ataxia):												
	Males	White	1,044									2	2
		Colored	87										2
	Females	White	297										
		Colored	22								1	1	1
73	Other diseases of the spinal cord:												
	Males	White	1,676	13	11	8	9	8	49	27	29	47	45
		Colored	108	1			1	1	3	2	2	6	2
	Females	White	1,340	22	11	8	3	3	47	22	17	19	18
		Colored	145	2					2	1	2	3	4
74a	Cerebral hemorrhage:												
	Males	White	39,055	77	18	11	12	4	122	18	20	45	55
		Colored	3,862	7	3	1			11	6	8	10	20
	Females	White	37,451	46	11	10	4	1	72	19	14	29	61
		Colored	4,346	5	2	1	1		9	6	8	8	28
74b	Cerebral embolism and thrombosis:												
	Males	White	1,976	12	6	2	3	4	27	14	17	13	27
		Colored	81	1			1		2			1	3
	Females	White	1,869	12	6	1	4	3	26	13	22	24	18
		Colored	94								1	4	4
75	Paralysis without specified cause:												
	Males	White	1,848	10	3		3	1	17	2	6	5	3
		Colored	529	2	1		2		5	3	1	4	7
	Females	White	1,879	7		1		1	9	4	6	4	10
		Colored	627	3		2	1		6		4	4	1

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
			1														
			1														
1																	61
3		3	1			1											
	1			1													
7	1	1	2		1												62
4	15	21	23	23	13	11	9	18	8	5	2		1				
			1	1													
14	12	23	16	18	19	23	21	15	6	1	3						63
		1		1	1												
3	2	3	7	2	3	3	4	6	1	2	2	1					
	1		1		1												
4	4	4	8	3	6	5	4	3	2	1	4	3					64
1		1		1													
57	44	48	71	64	93	89	85	86	49	27	14	2				1	
2		3	2	6	4		1	3									
44	33	65	67	67	60	63	63	53	33	11	6	2					65a
2	2	4	1	2	4	2	3										
44	47	45	49	41	46	42	49	42	18	9	8	4				1	
1	5	3	7	1	4	2											
29	27	25	16	23	21	25	23	22	13	5	5	2					65b
2			1			1	1										
110	272	483	560	554	513	383	268	173	66	23	9	3				10	
35	42	45	50	35	41	20	16	10	8	3	4					1	
23	53	51	81	72	30	23	8	5	2	2	2					1	66
20	16	23	17	14	7	1						1					
6	4	9	11	16	19	14	17	8	7	2	1						
3	2	3	1														67a
	1								1	1							
	2	4	1	3	3	3	2	3			1						
2						1											67b
1		1	2		1												
12	10	10	6	7	8	7		4	4	1	2					1	
3	4	3		1	2			1									
4	6	4	7	5	1	5	5	3	3		1	1					68
				1													
11	7	11	14	16	12	15	19	18	21	17	21	8		1			
1	1	4	1	2	5	3	1	2	1					2		1	
9	17	11	15	13	20	22	22	15	16	18	17	9	7				69
3	3	2	3	4	2	2	4		2	4	1	1			1		
600	962	1,486	2,043	2,666	3,555	4,923	6,055	7,967	8,237	7,507	4,955	2,231	573	87	15	57	
154	205	356	486	669	785	637	637	497	473	333	239	136	54	28	14	31	
499	688	1,006	1,372	2,075	2,986	3,730	4,911	6,635	7,417	7,153	5,513	2,789	913	152	24	30	
144	179	326	452	685	729	618	646	554	490	334	279	145	70	23	31	49	
30	34	40	41	34	39	37	24	25	20	11	5	5				1	
6	3	8	8	3	7	5	1	2			1						
19	38	33	27	30	27	30	28	20	12	9	6	2					70
10	2	3	7	2	3	1	1										
48	47	45	50	48	41	33	28	21	10	9	2		1			4	
10	9	6	5	6	8	7	1			1		1				1	
26	33	23	38	23	25	18	12	14	12	9	4					1	71a
3	6		2	4	5	3	1		1	1							
4	11	7	5	5	3	5	7	2	1								
		2	1	2					1								
7	9	3		6	4	4	3	1		2							71b
2		1			2												
4	10	23	61	84	128	170	180	168	105	72	23	8	1	1		2	
2	4	10	10	11	12	6	12	4	7	1	4	2					
2	4	10	27	27	31	51	49	40	23	15	13	4	1				72
		2	5	4	1	1	1	1	3				1				
29	47	54	75	89	119	173	202	216	195	157	81	32	6		1	3	
5	5	8	5	7	18	12	5	10	6	5	4	2		1			
20	36	42	60	74	112	128	148	171	170	129	78	36	11	1	1		73
3	5	5	9	18	13	16	19	12	13	6	5	3			2	1	
91	171	365	703	1,223	2,158	3,420	4,598	6,380	6,711	6,307	4,170	1,884	491	78	12	33	
45	67	161	266	435	527	455	485	385	358	251	174	103	43	21	11	20	
75	145	361	686	1,304	2,132	2,812	3,909	5,429	6,258	6,071	4,698	2,409	798	128	21	20	74a
65	92	208	325	504	565	483	517	450	382	248	206	118	51	17	23	33	
39	36	51	59	83	121	177	214	248	313	241	193	86	16		1		
1	10	7	6	6	7	7	10	9	5	3	3	1					
35	47	38	55	77	108	141	197	235	254	244	186	106	33	8	1	1	74b
3	4	6	9	12	9	14	7	6	7	2	3	1	1	1			
5	12	10	25	45	83	125	161	294	349	315	232	122	29	4		4	
10	9	13	24	40	59	53	61	54	61	48	40	16	10	5	1	5	
6	11	24	29	39	75	100	161	281	332	329	279	133	38	8		1	75
7	12	24	22	61	63	59	65	67	63	62	52	19	12	5	6	11	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.											
76	General paralysis of the insane:											
	Males—White	3,521								4	11	16
	Colored	631									5	8
	Females—White	916								2	4	9
	Colored	237									3	6
77	Other forms of mental alienation:											
	Males—White	617									13	45
	Colored	117								1	11	13
	Females—White	808								1	12	36
	Colored	121								1	3	18
78	Epilepsy:											
	Males—White	1,451	31	9	9	14	12	75	58	89	146	120
	Colored	298	12	2	1	2	1	18	15	21	37	40
	Females—White	1,086	23	8	5	17	13	66	32	57	100	119
	Colored	135	6			3		9	7	7	17	20
79	Convulsions (nonpuerperal; 5 years and over):											
	Males—White	37							14	6	2	1
	Colored	17							6	5		
	Females—White	45							12	5	3	3
	Colored	21							5	1	3	2
80	Infantile convulsions (under 5 years):											
	Males—White	638	531	57	21	21	8	638				
	Colored	185	149	26	4	5	1	185				
	Females—White	459	352	60	27	16	4	459				
	Colored	150	126	16	4	4		150				
81	Chorea:											
	Males—White	17			1	1	1	3	4		2	2
	Colored	1									1	
	Females—White	47	1	1		1	2	5	9	8	7	1
	Colored	3		1				1			1	1
82	Neuralgia and neuritis:											
	Males—White	121				1		1	3	1	3	2
	Colored	15	1				1	2	1	1		
	Females—White	155	1	1				2		1	2	2
	Colored	15								1		1
83	Softening of the brain:											
	Males—White	340										
	Colored	14										
	Females—White	305									1	
	Colored	13										
84	Other diseases of the nervous system:											
	Males—White	2,429	58	31	22	21	19	151	92	62	65	65
	Colored	151	6	3	1	2		12	3	6	6	8
	Females—White	2,027	60	26	21	20	13	140	77	53	59	42
	Colored	101	2	1		1	1	5	5		6	8
85	Diseases of the eye and annexa;											
	Males—White	54	4	3	5	2	1	15	6	2	1	3
	Colored	6	3					3	1			
	Females—White	39	7	2	2	2		13	3	2		
	Colored	2								1		
86a	Diseases of the ear:											
	Males—White	1,051	256	66	27	17	19	385	145	78	71	41
	Colored	67	21	8	3		1	33	6	5	4	2
	Females—White	811	199	52	30	33	20	334	109	86	32	22
	Colored	58	11	4		3		18	6	5	1	4
86b	Diseases of the mastoid process:											
	Males—White	810	116	43	25	19	23	226	131	67	50	42
	Colored	38	4	5	3	1	1	14	3	2		2
	Females—White	569	86	40	14	12	19	171	94	71	31	17
	Colored	47	12	5	3		2	22	1	2		2
	IV.—Diseases of the circulatory system:											
	Males—White	118,124	471	107	69	78	101	826	613	810	992	879
	Colored	11,628	43	11	9	14	15	92	58	76	120	165
	Females—White	97,104	352	96	89	60	95	692	641	915	978	1,052
	Colored	10,317	34	22	13	14	9	92	58	83	149	260
87	Pericarditis:											
	Males—White	458	9		2	1	3	15	14	14	7	22
	Colored	67	1			1	1	3		1	5	2
	Females—White	349	9	7	4		4	24	19	7	9	9
	Colored	69				2		2	1		2	6
88	Endocarditis and myocarditis (acute):											
	Males—White	3,985	203	37	23	27	32	322	153	152	180	169
	Colored	568	15	4	3	7	3	32	16	16	22	20
	Females—White	3,481	143	39	28	23	24	257	185	188	219	263
	Colored	639	12	8	2		2	24	14	17	24	52
89	Angina pectoris:											
	Males—White	10,328	2				1	3	3	2	6	15
	Colored	362								1	2	6
	Females—White	4,699	1					1	2	1	6	11
	Colored	309	1	1	1			3			4	6
90	Other diseases of the heart:											
	Males—White	88,071	194	54	41	45	56	390	422	626	783	636
	Colored	9,456	22	6	6	6	11	51	40	56	89	127
	Females—White	77,754	160	38	49	33	62	342	425	709	730	740
	Colored	8,496	20	11	10	12	7	60	42	66	115	191
91a	Aneurysm:											
	Males—White	1,279				1		1	2	1	3	11
	Colored	334								1	1	2
	Females—White	403								1	6	3
	Colored	118										2
91b,c	Other diseases of the arteries:											
	Males—White	11,344							2		1	2
	Colored	665										1
	Females—White	8,656										3
	Colored	547									1	
92	Embolism and thrombosis (not cerebral):											
	Males—White	2,162	21	1	1	2	3	28	5	10	7	17
	Colored	83	1					1				3
	Females—White	1,256	12	2	2		1	17	3	4	7	18
	Colored	58										3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
47	240	512	637	612	450	371	236	180	98	68	29	3	1	1		5	
20	49	86	113	107	101	57	36	16	14	10	2	3				4	76
18	51	119	126	145	126	94	68	67	31	31	14	9	2				
13	19	29	33	46	35	17	16	8	6	3	1	1	1				
37	37	46	53	63	48	63	46	64	36	30	17	12	4	1		2	
12	5	9	14	12	15	6	5	6	2	3	3						77
58	65	82	90	96	85	78	53	52	29	27	27	9	5			3	
17	14	18	13	7	6	7	2	3	2	5	4					1	
140	128	114	83	103	81	66	60	60	66	31	18	10				3	
28	28	30	15	16	11	14	9	2	5	3	2	3		1			78
104	94	86	71	74	62	57	39	49	35	21	11	8	1				
14	6	7	12	9	11	5	4	1	2	1	2					1	
1	1	4	1	3	1	1				2							
2		1	1			1			1								79
6		4	1	3	1	1		1		2	1	1				1	
	4	1	3									1				1	
																	80
		2				1		1	1	1							81
	1	3		1		2	2	2	3	3							
3	1	4	11	4	9	13	6	15	20	9	7	7	2				
1		1		2	1	1	1		1	1	1	1					82
2	6	8	4	6	11	13	14	14	13	26	17	7	4	3			
1	2		1	3	2	1			1	1	1						
2	2	4	5	6	9	17	32	35	60	69	62	32	5				
				1	2			1	5	3		1	1				83
		2		1	4	13	24	35	45	66	66	35	10	2	1		
		1		1			1	3	3	1	2	1					
59	106	137	157	194	205	191	207	214	214	160	105	28	14	2	1		
10	10	13	15	14	13	11	9	6	6	2	3	3				1	84
80	97	115	118	131	148	150	162	183	179	150	103	28	8	2		2	
3	6	12	8	8	8	7	9	2	6	3	2	1	1			1	
1		1	2	3	3	3	3	3	2	4	2						
							1				1						85
1		1	2			1	1	2	4	4	3	1	1				
										1							
26	41	35	39	40	31	33	28	20	19	12	4	2	1				
2	3		1	4	2	1		1	1	1					1		86a
17	28	27	23	22	16	22	28	19	10	8	6	1				1	
1	4	4	2	2	5	3	1		1		1						
34	38	32	36	27	26	24	23	21	17	9	5		2				
	3	1	2	3	2	1	1	1		1	1				1		86b
23	23	25	15	16	19	15	13	20	7	7	1		1				
2	3	5	1	4	1	1	2	1									
949	1,448	2,400	3,600	5,267	7,704	10,248	13,080	16,507	17,503	15,669	11,508	5,852	1,796	327	42	104	
312	430	678	945	1,226	1,376	1,248	1,159	1,036	907	736	496	294	107	49	43	75	
1,131	1,436	1,893	2,520	3,611	4,771	6,489	8,871	12,336	13,916	14,125	11,611	6,902	2,552	523	85	54	
376	505	695	897	1,091	1,153	939	916	807	719	558	469	223	142	63	77	45	
13	13	33	30	21	21	39	45	50	42	30	32	11	5			1	
5	3	10	2	8	6	3	4	5	6	1	1		1			1	87
6	11	10	7	16	17	24	27	39	34	34	32	17	5	2			
7	2	6	6	5	5	5	4	3	7	3	2	2				1	
180	249	358	486	185	212	227	265	242	222	177	131	50	18	5		2	
50	62	86	116	32	30	26	20	16	8	8	5	2				1	88
223	240	261	326	131	133	138	148	202	173	180	121	64	24	4	1		
83	67	107	109	43	22	25	14	12	9	9	3	3			2		
38	79	183	385	661	977	1,329	1,501	1,784	1,544	997	577	185	45	4		10	
9	17	26	38	51	63	40	23	30	26	16	7	4	1	1		1	89
20	32	62	118	194	273	419	602	828	829	693	384	166	51	5	1	1	
12	23	26	39	31	40	36	22	25	12	13	7	4	3		1	2	
681	1,031	1,617	2,398	3,915	5,733	7,654	9,945	12,562	13,375	11,946	8,527	4,266	1,250	213	26	75	
224	295	494	710	1,037	1,176	1,085	992	863	751	609	401	236	85	36	35	64	90
837	1,088	1,485	1,916	3,063	4,052	5,442	7,415	10,168	11,382	11,382	9,107	5,217	1,806	354	48	46	
256	383	524	693	954	1,021	824	808	695	607	473	372	162	111	45	56	38	
10	18	66	82	143	190	182	181	157	116	61	33	17	3		1	1	
16	37	38	51	60	41	32	20	24	7		2					2	91a
6	6	13	28	29	34	46	51	67	54	24	25	9	1				
7	13	21	17	14	12	8	9	4	4	1	3	2		1			
5	21	35	87	146	282	480	800	1,369	1,892	2,263	2,088	1,275	464	104	14	14	
2	3	8	11	20	40	48	85	83	96	94	78	51	20	12	8	5	91b,c
2	9	5	34	78	142	267	445	788	1,249	1,625	1,815	1,366	638	150	34	6	
3	6	4	15	26	39	29	51	56	73	55	79	46	28	17	18	1	
14	31	86	107	165	238	297	291	296	260	163	100	38	6	1	1	1	
4	6	11	11	11	11	9	4	5	3	3	1						92
24	24	35	59	65	78	103	148	191	149	152	101	50	20	6	1	1	
2	5	2	9	10	9	9	1	4			2	1				1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—Diseases of the circulatory system—Con.											
93	Diseases of the veins:											
	Males—White	261	2	1		1	1	5	1	4	1	3
	Colored	23										1
	Females—White	304	1		1	2		4	2			4
	Colored	20										
94	Diseases of the lymphatic system:											
	Males—White	101	32	14	2	1	4	53	9	1		1
	Colored	13	2	1				3	1	1	1	2
	Females—White	90	24	10	3	2	2	41	3	3	1	1
	Colored	7	1	2				3	1			
95	Hemorrhage without specified cause:											
	Males—White	50	8				1	9	2		3	1
	Colored	17	2					2	1			
	Females—White	34	2		2		2	6	2	1		
	Colored	12									2	
96	Other diseases of the circulatory system:											
	Males—White	85									1	2
	Colored	40										1
	Females—White	78								1		
	Colored	42									1	
	V.—Diseases of the respiratory system:											
	Males—White	48,011	8,970	2,380	1,067	579	362	13,358	1,001	527	891	969
	Colored	8,886	2,205	682	223	131	74	3,315	171	127	276	427
	Females—White	36,916	6,866	2,037	865	462	303	10,533	819	487	590	669
	Colored	6,392	1,751	569	210	114	51	2,695	148	126	257	309
97a	Diseases of the nasal fossae:											
	Males—White	90	31	3		1		35		2	3	4
	Colored	74	53	3		2	1	59	1	1	1	1
	Females—White	61	24		3	2		29	2	1	1	1
	Colored	62	39	5	2	2	1	49			1	3
97b	Diseases of the nasal fossae annexa:											
	Males—White	369	11	8	1	1	2	23	14	27	32	29
	Colored	22	1					1	3	2	1	2
	Females—White	228	10	5	2		5	22	14	20	20	13
	Colored	21	3					3	3			4
98	Diseases of the larynx:											
	Males—White	260	44	31	32	20	18	145	39	3	2	2
	Colored	18	5	3		1		9		1		1
	Females—White	152	25	22	18	15	10	90	15	3	4	
	Colored	12	3	1	1	2		7	1			
99a	Acute bronchitis:											
	Males—White	917	346	56	32	13	9	456	14	7	7	7
	Colored	121	57	14	3	3	2	79	4	1	3	2
	Females—White	955	307	43	11	14	9	384	12	3	5	5
	Colored	128	65	13	6	2		86	3		3	3
99b	Chronic bronchitis:											
	Males—White	988	15	5	3			23	5	4	2	11
	Colored	67	4	2	3	3	1	13			1	2
	Females—White	1,045	20	5	1	1	2	29	3	5	7	11
	Colored	71	5	4				9		1	1	3
99c,d	Bronchitis (unspecified):											
	Males—White	613	184	31	14	7	2	238	5	4	1	2
	Colored	96	41	9	3	4	1	58	1	2	1	6
	Females—White	628	139	30	8	6		183	4	4	1	3
	Colored	111	40	8	4	2		54	3	2	1	5
100a	Broncho-pneumonia:											
	Males—White	16,245	5,822	1,333	554	264	169	8,142	349	128	150	136
	Colored	2,727	1,239	382	109	64	34	1,828	56	19	46	57
	Females—White	14,003	4,396	1,160	438	203	126	6,323	295	130	120	113
	Colored	2,235	982	329	116	55	32	1,514	52	30	35	56
100b	Capillary bronchitis:											
	Males—White	311	163	36	15	6	3	223	4	1	1	2
	Colored	53	32	6	3	1		42	1		1	1
	Females—White	285	120	27	10	8	4	169	7	1		1
	Colored	58	30	7	2		1	40	1	1	1	
101a	Lobar pneumonia:											
	Males—White	22,865	1,810	670	302	196	124	3,102	468	287	577	643
	Colored	4,488	461	186	77	37	27	788	76	74	183	301
	Females—White	15,738	1,404	605	278	163	109	2,559	354	260	343	413
	Colored	2,722	340	143	51	32	13	579	61	70	172	188
101b	Pneumonia (unspecified):											
	Males—White	1,457	369	94	52	27	18	560	41	22	55	33
	Colored	674	263	57	20	9	6	355	24	20	26	27
	Females—White	1,147	282	62	40	21	13	418	39	24	27	34
	Colored	565	222	45	20	15	1	303	20	11	20	27
102	Pleurisy:											
	Males—White	1,402	93	87	48	29	13	270	36	27	38	62
	Colored	191	12	10	1	3		26	4	2	5	14
	Females—White	870	72	61	32	22	18	205	51	23	33	39
	Colored	119	7	6	3		2	18	3	2	11	11
103	Congestion and hemorrhagic infarct of the lung:											
	Males—White	587	51	5	2	3	2	63	8	3	2	3
	Colored	63	15	2		1		18			2	1
	Females—White	706	37	4	8		1	50	5	5	6	6
	Colored	46	4	1	2			7			1	1
104	Gangrene of the lung:											
	Males—White	135		2	1			3	2	2	2	4
	Colored	12					1	1			1	
	Females—White	50		1	2	1		4	2		5	6
	Colored	9									2	
105	Asthma:											
	Males—White	930	12	9	7	7	1	36	9	4	4	11
	Colored	142	6	5	3	2		16		1		2
	Females—White	707	7	5	6	4	4	26	10	1	6	12
	Colored	135	3	2	3	2	1	11	1	1		4
106	Pulmonary emphysema:											
	Males—White	99	2	1				3	1	1	1	1
	Colored	9	1	1		1		3				
	Females—White	47	3		2			5	1			
	Colored	8	2					2	1			

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
6	6	17	16	19	33	23	31	25	30	19	13	6	3				
1	3	3	2	2	3	1	4	2	1								
9	15	19	24	26	33	44	26	34	23	19	11	7	3	1			93
3	1	1	2	2	1		2	1	4	2		1					
		3	2	4	4	4	5	6	6		1	2					
1	2	1			1												
2	4		5	2	3	3	4	4	4	4	4	1		1			94
	1	1										1					
2		2	4	5	8	2	2	2	2	2	2	1	1				
	1	1	2	2	1	1	1	2		2		1					
1	3	3	2	1		2	1	2	4		1	1	4				95
2	2	2	1		1			2									
			3	3	6	11	14	14	14	11	4	1	1				
	1		2	3	4	3	6	6	9	3	1					1	96
1	4		1	6	6	1	4	13	15	12	10	4					
1	2	1	6	6	3	3	5	5	3	2	1	1				2	
1,078	1,399	2,060	2,395	2,474	2,696	2,731	2,997	3,205	3,175	2,897	2,280	1,268	463	97	16	34	
484	466	576	530	565	480	356	316	201	212	149	89	57	34	10	12	33	
759	840	1,035	1,022	1,208	1,348	1,568	1,960	2,633	2,965	3,072	2,747	1,717	724	169	19	32	
308	261	325	298	292	282	215	213	153	122	129	102	59	41	20	18	19	
4	2	1	5	2	1	1	2	3	3	4	12	4	1			1	
	1			1	3		2			1	1				2		
1		1	2	1	1	1	1	3		4	2	7	2	1			97a
		3			2		2			1		1					
28	38	34	42	18	25	19	15	15	7	2			1				
2	3	2	1			1	1		2		1						
19	21	14	15	14	22	10	5	6	6	5	2						97b
2	1	2	1	1	2									1		1	
2	4	4	8	5	8	6	6	7	6	1	7	3	1			1	
1		1		2			1				1	1					
	4	5	2	3	1	5	4	6	2	6	2						98
1		2		1													
2	7	6	11	16	15	21	25	44	42	60	72	69	26	9	1		
3	1	5	1	3	5	3	1	1	2	3	2	2					
5	2	5	8	11	12	32	23	28	60	88	123	79	54	14	2		99a
4	4	2	1	2	3	2	4	2	3	2	1	1	1		1		
5	11	15	29	43	54	65	75	105	143	159	129	72	32	6			
2	3	4	4	2	4	6	3	5	7	4	4	1		2			
11	6	8	14	18	24	28	68	104	167	180	191	124	35	10	2		99b
5	5	6	3	3	2	3	5	3	8	5		3	2	4			
1	1	7	8	10	12	15	20	20	47	73	82	38	21	7	1		
2	1	1	1	3	6	2		3	4	1		2	1	1			
	3	6	2	5	13	8	17	24	47	63	94	78	52	19	2		99c,d
4	3	2	6	4	1	2	5	2	3	2	4	3	3	2			
155	206	325	373	377	495	529	681	834	902	917	827	474	193	38	4	10	
46	54	71	69	88	81	62	56	45	54	34	22	20	9	4	2	4	
146	169	198	201	242	286	380	502	734	982	1,075	1,041	694	285	68	7	12	100a
45	47	48	49	42	47	41	55	44	24	35	31	15	11	2	9	3	
1	3	1	2	3	7	2	6	7	11	10	11	7	8	1			
1	1			1	3			2									
1	2	2	1	4	3	4	5	10	18	18	19	13	7				100b
2	1	2	1	3	1	1			1	1						1	
752	985	1,423	1,643	1,639	1,733	1,706	1,787	1,790	1,611	1,321	831	405	126	16	5	15	
375	353	421	397	397	310	223	204	101	109	72	42	18	17	2	5	20	
477	506	672	659	771	845	941	1,152	1,463	1,414	1,260	938	483	184	28	2	14	101a
198	170	207	184	190	178	128	113	64	64	55	44	19	17	7	6	8	
28	25	45	47	52	56	57	58	66	81	74	76	55	14	6	1	5	
22	15	21	17	22	24	16	19	18	16	14	6	3	5	1		3	
30	25	28	20	22	32	35	49	44	63	80	79	55	26	12	1	4	101b
21	10	22	19	13	16	11	4	16	6	14	11	11	2	2	1	5	
59	68	92	89	104	102	95	88	91	63	63	36	11	5	2		1	
15	11	23	17	19	10	10	8	10	6	4	2	1				4	
31	45	39	39	42	33	46	44	59	47	49	31	11	2	1			102
5	9	10	8	7	4	9	7	8	2	2	1		2				
2	6	6	8	20	11	18	20	28	58	81	113	99	26	9	3		
1	4	2	1	3	4	4	6	2	4	3	2	3	1		1	1	
4	2	5	11	7	10	10	19	34	56	118	147	130	62	15	3	1	103
	1	2	6	2	1	4	4	1		3	6	2	2	1	1	1	
2	6	12	17	17	13	15	11	12	8	4	2	3					
1	3	1	1	1		1	1			1							
3	2	5	4	3	2	2	2	3	4	1	1		1				104
2	1			2	1					1							
14	14	30	54	64	77	91	100	114	119	93	62	23	7	3		1	
4	5	9	8	15	21	14	9	11	5	11	5	4	1		1		
18	27	27	32	48	47	50	45	87	70	98	54	33	14	1		1	105
6	5	14	13	16	14	11	9	8	9	7	3	2	1				
1		5		18	8	10	9	12	12	6	8	2	1				
	1		3			1					1						
		1	2	3	3	2	5	6	4	4	5	6					106
		1	1	1	1		1										

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	V.—Diseases of the respiratory system—Con.											
107	Other diseases of the respiratory system (tuberculosis excepted):											
	Males—White	743	17	9	4	5	1	36	6	5	14	19
	Colored	129	15	2	1		1	19	1	4	5	10
	Females—White	294	20	7	6	2	2	37	5	7	12	12
	Colored	90	6	5		2		13	2	5	9	4
	VI.—Diseases of the digestive system:											
	Males—White	45,173	9,848	2,602	993	628	422	14,493	1,323	1,030	1,187	1,130
	Colored	6,194	1,883	599	173	81	53	2,789	151	134	149	231
	Females—White	36,715	7,214	2,224	787	472	343	11,040	1,284	879	903	933
	Colored	5,428	1,444	517	150	61	41	2,213	152	118	175	259
108	Diseases of the mouth and annexa:											
	Males—White	411	29	6		4	4	43	27	12	19	11
	Colored	67	13	1	1	1		16	1		3	5
	Females—White	337	33	6	6	5	6	56	21	7	12	17
	Colored	65	7	1	1			9	3	2	3	2
109a	Adenoid vegetations:											
	Males—White	1		1				1				
	Females—White	2		1				1	1			
	Colored	1		1				1				
109b	Other diseases of the pharynx, tonsils:											
	Males—White	1,857	137	83	84	102	77	483	257	125	89	118
	Colored	215	26	13	13	8	10	70	21	12	12	17
	Females—White	1,765	73	63	76	78	68	358	277	123	120	102
	Colored	201	10	6	5	4	3	28	24	21	15	16
110	Diseases of the esophagus:											
	Males—White	73	4		1		1	6	3	1		1
	Colored	6		1				1				1
	Females—White	30	1	1		1		3	1	1	1	
	Colored	3		1				1				
111a	Ulcer of the stomach:											
	Males—White	3,108	7		1	2		10	5	3	26	53
	Colored	311	1			1		2	2	1	7	8
	Females—White	1,126	3		1		2	6	5	6	15	23
	Colored	183	1			1		2	1	1	6	4
111b	Ulcer of the duodenum:											
	Males—White	1,513	2			1	1	4	1	2	20	42
	Colored	65					1	1		1	2	4
	Females—White	397	3			2		5	1	2	1	14
	Colored	33									1	
112	Other diseases of the stomach (cancer excepted):											
	Males—White	2,078	469	70	32	26	8	605	34	8	17	16
	Colored	655	133	35	11	5	5	189	10	14	5	13
	Females—White	1,596	347	63	39	14	8	471	22	15	10	22
	Colored	682	101	22	11	9	4	147	13	10	19	34
113	Diarrhea and enteritis (under 2 years):											
	Males—White	10,518	8,311	2,207				10,518				
	Colored	2,123	1,598	525				2,123				
	Females—White	8,178	6,260	1,918				8,178				
	Colored	1,729	1,262	467				1,729				
114	Diarrhea and enteritis (2 years and over):											
	Males—White	2,594			648	264	141	1,053	207	51	31	33
	Colored	475			123	47	20	190	32	10	9	12
	Females—White	2,688			533	215	114	862	179	48	25	44
	Colored	559			124	40	19	183	35	8	14	22
115	Ancylostomiasis:											
	Males—White	4	1		2			3	1			
	Colored	2			1			1				1
	Females—White	9		1	1		1	3	2		2	1
	Colored	1				1		1				
116	Diseases due to other intestinal parasites:											
	Males—White	28	1	9	7	2		19	5	1	2	1
	Colored	29	4	2	3	3	4	16	10	1		
	Females—White	28	4	6	3	3		16	2	2	2	2
	Colored	20	6	2	5	1	2	16	4			
117	Appendicitis and typhlitis:											
	Males—White	8,496	47	68	100	147	127	489	570	710	822	661
	Colored	793	3	2	5	8	6	24	44	66	75	99
	Females—White	5,893	26	40	69	93	103	331	609	580	573	410
	Colored	594		2	1	1	7	11	53	46	71	77
118a	Hernia:											
	Males—White	2,097	86	21	7			114	5	5	7	27
	Colored	245	21	5	4	1	1	32	3		5	4
	Females—White	1,557	6	4		1	1	12	2	2		5
	Colored	87	4	1			1	6		1		2
118b	Intestinal obstruction:											
	Males—White	3,108	590	95	67	42	32	826	105	57	70	67
	Colored	393	62	12	8	3	4	89	14	10	16	23
	Females—White	3,067	329	84	26	30	17	486	56	34	47	87
	Colored	433	32	8	1	3	3	47	8	12	16	40
119	Other diseases of the intestines:											
	Males—White	530	43	7	5	7	2	64	19	9	7	16
	Colored	77	7	1	1			9	2	4	1	3
	Females—White	445	32	6	3	6	3	50	9	8	7	18
	Colored	111	8	1			1	10	2	3	1	13
120	Acute yellow atrophy of the liver:											
	Males—White	138	4				1	5		1	2	7
	Colored	15							1	1		4
	Females—White	287	5	2		1	1	9	2	2	8	36
	Colored	31	1					1	1	1	5	5
121	Hydatid tumor of the liver:											
	Males—White	19				1		1				
	Females—White	13										
122	Cirrhosis of the liver:											
	Males—White	4,752	7	5	2	2	4	20	14	9	20	16
	Colored	413	2		2	1		5	3	1	4	8
	Females—White	2,546	8	3	2	1	1	15	9	10	11	18
	Colored	238			1			1		3	3	10
123	Biliary calculi:											
	Males—White	1,127							1		1	4
	Colored	30								1		2
	Females—White	3,057								1	8	26
	Colored	93									1	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
22	23	54	59	86	79	81	94	57	62	29	12	3	1		1		
9	10	15	10	8	9	13	5	3	3	1		2			1	1	
13	26	19	10	14	14	14	19	22	25	23	18	4					107
13	4	2	5	7	7	3	4	5	2	1	1	2		1			
1,300	1,449	1,942	2,359	2,511	2,832	2,793	2,682	2,733	2,187	1,594	972	452	154	26	2	22	
230	226	312	298	387	332	256	215	151	117	78	53	43	7	10	3	22	
1,097	1,293	1,548	1,730	1,950	2,097	2,067	2,234	2,240	1,868	1,562	1,162	570	189	39	13	17	
293	269	331	317	306	271	167	156	109	91	66	51	32	18	8	6	20	
21	24	21	23	30	36	39	30	35	15	18	6	1					
3	4	2	4	4	4	5	5	3	2	3	1	1	1				
16	17	29	20	17	10	21	17	22	20	15	10	6	2	1		1	108
5	4	9	6	6	3	2	5	2	2				1		1		
																	109a
108	94	106	93	78	66	52	50	51	35	23	17	7	4			1	
17	10	8	7	8	9	10	3	3	2	2	2	1		1			
109	93	84	78	67	90	69	53	52	29	25	21	10	2	2		1	109b
25	12	20	12	5	11	6	2			1	2	1					
	1	4		6	4	7	3	16	9	5	4	2	1				
		1		2				1									
	1	2	3	2	1	2	2	2	3	4	1		1				110
			1					1									
112	173	273	346	327	404	378	306	260	209	132	56	23	9	1	1	1	
28	30	43	43	43	31	23	23	10	7	2	4	3		1			
40	42	50	85	112	116	126	107	109	92	98	63	24	5		1	1	111a
14	15	20	28	27	23	10	10	7	7	4	1	1	1			1	
51	106	151	192	201	159	193	136	124	69	40	15	5	2				
9	7	6	8	8	7	5	1	3	3								
15	23	32	36	39	48	28	52	44	27	15	12	3					111b
2	6	7	5	2	2	1	1	1	3	1	1						
27	41	49	83	107	137	144	144	167	158	128	121	56	30	5		1	
26	25	47	47	72	58	43	29	20	15	16	6	12	1	1	2	4	
18	26	24	33	57	57	57	92	131	131	145	154	84	33	7	3	4	112
39	21	43	67	62	62	44	32	30	16	13	9	6	2	3	3	7	
																	113
45	37	55	77	76	72	79	96	98	153	161	144	88	30	7		1	
16	11	15	19	29	24	22	16	13	14	8	10	14	2	4		5	
46	64	60	48	70	69	81	118	163	158	205	223	155	54	12	3	1	114
19	24	27	28	29	24	24	29	21	19	18	13	12	6	2	1	1	
												1					115
		1					1										
1		2		1													116
648	631	665	682	625	598	450	349	272	188	81	34	18	1			2	
86	71	80	65	64	40	27	23	12	6	4	2	1				4	
412	414	414	383	381	363	347	241	195	130	59	29	18	1	1		2	117
75	61	70	35	35	34	7	5	3	3		2			1		5	
29	30	70	108	120	167	180	213	264	275	217	166	76	19	2	1	2	
6	9	19	13	23	24	22	19	17	19	14	8	4			1	3	
16	29	68	90	130	163	169	211	206	191	144	77	32	7	3			118a
1	9	7	8	10	13	9	10	3	2	4	1		1				
91	92	100	141	155	196	195	222	253	194	152	110	46	27	6		3	
11	17	33	23	25	40	27	18	13	15	4	9	2	1	1		2	
123	157	179	205	212	191	169	220	211	218	206	162	63	30	5	3	3	118b
42	50	50	38	33	38	11	14	12	8	8	1	1	1		1	2	
14	13	25	33	46	45	47	35	44	44	27	27	9	3	2		1	
2	9	8	4	10	6		6	6	1	3		1		1		1	
17	22	22	20	28	31	24	30	25	37	41	32	18	3	2		1	119
14	14	16	8	8	5	6	3		1		4	1	2				
13	5	14	8	13	4	13	13	16	7	10	6	1					
	1	1	2		1	2	2										
34	22	27	24	25	25	15	10	13	21	10	3	1					120
4		2	2	2	1		5	1	1								
4	4	2	1	3	1	2			1								
	1	2	1	3	3			3									121
38	88	189	302	413	558	595	652	718	535	361	147	59	12	1		5	
10	17	25	40	70	57	41	47	34	23	16	7	2	1	1		1	
32	57	109	153	197	238	276	317	339	312	238	136	53	20	3	1	2	122
9	11	20	28	39	23	22	18	13	10	8	8	6	3	1		2	
10	21	42	64	101	144	169	169	159	106	79	37	19	1				
1	1	1	4	3	2	2	6	5				1	1				
67	115	204	292	303	377	350	398	389	238	161	80	38	9			1	123
7	8	8	14	14	8	6	6	3	5	3	5	1				1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system—Continued.												
124	Other diseases of the liver:												
	Males	White	1,757	22	7	9	10	8	56	20	12	23	23
		Colored	167	2	1		2		5	3	6	7	13
	Females	White	2,647	16	8	7	7	4	42	18	6	26	51
		Colored	204	3	4		1		8	2	2	7	15
125	Diseases of the pancreas:												
	Males	White	287	2		1	2	2	7		1	5	10
		Colored	14										1
	Females	White	311	1				1	2		1	3	9
		Colored	15								1		1
126	Peritonitis without specified cause:												
	Males	White	677	86	23	27	16	14	166	49	23	26	24
		Colored	99	11	1	1	1	2	16	5	6	3	13
	Females	White	735	67	18	21	15	13	134	68	31	32	48
		Colored	145	9	1	1		1	12	6	7	13	15
127	Other diseases of the digestive system (cancer and tuberculosis excepted):												
	Females	White	1										
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males	White	53,246	321	80	63	76	47	587	211	250	300	365
		Colored	7,887	49	29	12	14	19	123	35	34	69	85
	Females	White	46,185	236	98	81	36	43	494	192	251	397	743
		Colored	7,419	30	20	10	15	8	83	35	45	132	246
128	Acute nephritis (including unspecified under 10 years):												
	Males	White	2,113	159	37	42	49	32	319	103	72	60	74
		Colored	608	31	22	6	10	12	81	23	14	22	22
	Females	White	1,651	108	48	42	22	25	245	104	67	53	78
		Colored	649	21	15	8	10	4	58	23	16	24	45
129	Chronic nephritis (including unspecified 10 years and over):												
	Males	White	43,205	5	12	11	18	10	56	85	165	208	260
		Colored	6,330	1	2	4	4	4	15	10	19	45	49
	Females	White	38,142	6	11	14	4	9	44	63	154	234	357
		Colored	5,471	1	1	2	3	2	9	10	20	64	98
130	Chyluria:												
	Males	White	2										
	Females	White	1										
131	Other diseases of the kidneys and annexa:												
	Males	White	1,306	107	26	9	8	5	155	19	10	27	25
		Colored	219	14	4	2		3	23	2		1	5
	Females	White	1,331	117	36	25	9	8	195	24	13	23	41
		Colored	177	7	3		2	2	14	2	2	6	15
132	Calculi of the urinary passages:												
	Males	White	526			1	1		2	1	1	3	5
		Colored	33										2
	Females	White	287	1					1		2	1	8
		Colored	12										
133	Diseases of the bladder:												
	Males	White	563	5					5	1	1	1	3
		Colored	116	1					1		1		1
	Females	White	180	1	3			1	5		1		1
		Colored	34								1	2	
134	Diseases of the urethra, etc.:												
	Males	White	229	1					1		1	1	5
		Colored	118										4
	Females	White	13	1					1				
		Colored	2										
135	Diseases of the prostate:												
	Males	White	5,213										2
		Colored	443										1
136	Nonvenereal diseases of the male genital organs:												
	Males	White	84	40	5				45	2			1
		Colored	20	2	1				3			1	1
137	Cysts, other benign tumors of the ovary:												
	Females	White	766								1	7	21
		Colored	78									2	8
138	Salpingitis and pelvic abscess (female):												
	Females	White	1,356	1					1	1	3	54	171
		Colored	394								3	29	57
139	Benign tumors of the uterus:												
	Females	White	1,701								1	5	11
		Colored	482										9
140	Nonpuerperal uterine hemorrhage:												
	Females	White	51								5	5	1
		Colored	13									1	3
141	Other diseases of the female genital organs:												
	Females	White	696				1		1		4	14	53
		Colored	103								3	4	11
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males	White	5	4					4				
	Females	White	10	1					1			1	1
		Colored	4	1	1				2				
	VIII.—The puerperal state:												
	Females	White	11,804								13	1,108	2,316
		Colored	2,646								41	532	583
143	Accidents of pregnancy:												
	Females	White	1,097									59	164
		Colored	211								1	23	49
144	Puerperal hemorrhage:												
	Females	White	1,302								1	56	186
		Colored	211								1	12	24
145	Other accidents of labor:												
	Females	White	1,289								3	82	216
		Colored	358								3	55	73
146	Puerperal septicemia:												
	Females	White	4,555								2	474	1,014
		Colored	1,002								10	225	240

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
56	51	109	146	142	174	181	201	185	133	116	71	38	14	2		4	
10	10	10	12	16	19	17	15	7	5	5	4	1				2	
73	135	170	183	227	251	262	299	289	223	168	140	62	19	3			124
11	20	23	19	24	17	15	13	7	13	4	2			1		1	
8	13	31	26	37	27	33	28	34	14	8	5						
3	3	3	1	1	1	1											
23	18	22	32	43	30	43	31	26	13	8	6				1		125
2	1		3	2	1	2			1				1				
25	25	36	34	31	40	36	35	37	42	36	6	4	1			1	
2	1	9	6	9	9	9	1	4	5	1							
55	57	48	44	36	33	28	36	21	25	20	13	2	3		1		126
24	13	9	15	8	6	2	3	5		2	2	3					
					1												127
500	732	1,154	1,642	2,281	3,292	4,370	5,750	7,497	8,164	7,554	5,286	2,457	676	127	13	38	
171	207	383	543	663	965	829	836	842	734	556	383	226	104	24	33	42	
971	1,368	1,856	2,433	2,744	3,150	3,526	4,333	5,550	5,801	5,493	3,979	2,062	645	137	22	38	
409	485	658	798	729	790	630	579	471	445	329	235	134	67	37	46	36	
76	88	142	150	145	130	138	156	131	124	83	66	41	10	3		2	
30	32	52	50	56	67	43	44	28	16	11	6	7			2	2	
70	105	94	107	91	92	99	85	98	74	86	55	29	13	3	1	2	128
57	57	63	66	50	67	30	28	17	15	14	7	6	2	1	2	1	
355	558	903	1,324	1,950	2,883	3,746	4,905	6,211	6,677	6,120	4,193	1,945	532	96	9	34	
116	150	281	445	542	800	699	690	698	631	471	321	179	86	20	29	34	
473	657	976	1,437	1,831	2,539	3,032	3,932	5,164	5,507	5,220	3,801	1,937	603	130	21	30	129
158	238	390	530	554	658	561	520	434	411	306	222	117	64	35	43	29	
										1	1						130
							1										
37	39	53	69	72	89	115	90	123	142	107	92	36	5	1			
11	13	17	21	13	15	13	19	15	11	16	13	8	3				
51	63	82	69	93	88	114	95	108	99	75	48	34	13	1		2	131
16	11	12	16	13	19	13	7	7	8	5	4	5		1		1	
14	31	32	45	37	48	56	74	60	51	31	22	11	1	1			
1		3	2	7	5	4	1	3	3			1				1	
8	31	23	25	31	32	35	22	27	24	8	4	5					132
2	3	3		2		1					1						
5	6	4	11	16	10	31	31	53	70	110	97	78	21	6	3		
3	3	3	1	7	15	13	8	13	12	5	12	10	5	1		2	
2	5	5	13	4	12	10	10	12	14	26	21	30	7	1		1	133
1	1	1	3	3	5	1	5	2	2	1		4	1			1	
7	4	12	17	28	26	35	19	27	21	13	9	3					
9	7	19	12	17	17	10	6	9	2	4	1					1	
1	1	1	2		2	1		2		1		1					134
1	1																
4	5	7	20	31	106	242	473	885	1,075	1,087	804	342	107	20	1	2	
1	1	6	9	17	46	46	67	74	59	48	30	21	10	3	2	2	135
2	1	1	6	2		6	2	7	4	2	2	1					
	1	2	3	4		1	1	2		1							136
42	60	107	109	73	79	61	58	44	36	31	20	11	5			1	
9	14	12	11	7	4	2	5		1	1		1				1	137
210	243	226	187	127	56	31	22	12	5	3		1	2	1			
88	64	68	44	24	6	7	1			1	1					1	138
51	120	251	379	398	189	81	72	53	24	28	25	10	2			1	
59	77	95	115	62	26	12	10	9	6						1	1	139
7	3	8	8	8	4			1				1					
4		3	1					1									140
56	78	81	97	86	57	62	36	29	18	15	5	2		1		1	
14	18	10	12	14	5	3	3	1	2	1		1				1	141
						1											
	2	2		2								1					142
	1	1															
2,582	2,439	2,224	981	124	2	1										14	
514	391	377	165	29	2											12	
256	257	239	108	12												2	
47	47	31	10	3													143
254	309	323	152	19	1											1	
44	55	42	26	6	1												144
273	284	280	133	16												2	
80	58	59	21	7												2	145
1,090	911	739	280	38	1											6	
200	143	113	57	9												5	146

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—The puerperal state—Continued.											
147	Puerperal phlegmasia alba dolens, embolus, etc.:											
	Females—White	576									36	90
	Colored	56									6	12
148	Puerperal albuminuria and convulsions:											
	Females—White	2,940								7	396	637
	Colored	791								25	208	184
149	Following childbirth (undefined):											
	Females—White	39									5	6
	Colored	15								1	3	1
150	Puerperal diseases of the breast:											
	Females—White	6										3
	Colored	2										
	IX.—Diseases of the skin and of the cellular tissue:											
	Males—White	1,615	248	13	11	8	6	286	26	25	42	29
	Colored	168	18	2		1		21	6		2	9
	Females—White	1,195	179	18	12	5	7	221	17	21	41	36
	Colored	170	16					16	3		10	2
151	Gangrene:											
	Males—White	649	10	2	2	2	1	17	4	1	2	1
	Colored	79	2			1		3	1			4
	Females—White	460	8	9	5	1	3	26	4	5	1	6
	Colored	78	1					1	2		2	1
152	Furuncle:											
	Males—White	336	31	1		1	1	34	3	14	18	14
	Colored	18		1				1	1			1
	Females—White	170	31	2	2		1	36	1	4	14	11
	Colored	17	1					1				
153	Acute abscess:											
	Males—White	329	67	6	5	4	4	86	17	4	18	11
	Colored	36	5	1				6	2		2	4
	Females—White	256	56	4	4	3	1	68	9	8	17	10
	Colored	36	8					8	1		7	1
154	Other diseases of the skin and annexa:											
	Males—White	301	140	4	4	1		149	2	6	4	3
	Colored	35	11					11	2			
	Females—White	309	84	3	1	1	2	91	3	4	9	9
	Colored	39	6					6			1	
	X.—Diseases of the bones and of the organs of locomotion:											
	Males—White	830	46	17	19	20	16	118	103	108	66	28
	Colored	88	6	4	1		1	12	7	4	8	6
	Females—White	455	18	8	15	11	12	64	85	66	15	14
	Colored	41	2	3	2	1		8	1	3	2	3
155	Diseases of the bones (tuberculosis excepted):											
	Males—White	689	34	13	18	17	14	96	92	96	59	20
	Colored	57	3	2			1	6	6	3	6	4
	Females—White	357	13	6	12	10	12	53	76	58	14	12
	Colored	24		3	2	1		6	1	1	2	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):											
	Males—White	123	10	4	1	3	2	20	11	11	7	6
	Colored	22	3	1	1			5		1	1	1
	Females—White	76	5	2	3	1		11	9	7		1
	Colored	12	2					2		2		1
157	Amputations:											
	Males—White	4								1		1
	Colored	1										
	Females—White	5										
158	Other diseases of the organs of locomotion:											
	Males—White	14	2					2				1
	Colored	8		1				1	1		1	1
	Females—White	17								1	1	1
	Colored	5										
	XI.—Malformations:											
	Males—White	7,148	6,585	208	60	43	41	6,937	82	42	27	21
	Colored	351	310	13	4	3	4	334	7	2	7	
	Females—White	5,638	5,154	163	56	36	30	5,439	82	45	25	21
	Colored	272	235	7	6	5	4	257	11	1	1	1
159a	Congenital hydrocephalus:											
	Males—White	715	536	67	26	15	16	660	26	11	8	3
	Colored	56	35	4	2	3	3	47	2	1	5	
	Females—White	656	547	42	14	8	5	616	22	11	2	4
	Colored	36	19	2	5	2	3	31	5			
159b	Congenital malformations of the heart:											
	Males—White	4,145	3,887	88	24	17	14	4,030	45	26	15	12
	Colored	189	173	8	2		1	184	3	1	1	
	Females—White	3,024	2,763	83	26	20	15	2,907	46	25	19	13
	Colored	149	133	4	1	3		141	5	1	1	
159c	Other congenital malformations:											
	Males—White	2,288	2,162	53	10	11	11	2,247	11	5	4	6
	Colored	106	102	1				103	2		1	
	Females—White	1,958	1,844	38	16	8	10	1,916	14	9	4	4
	Colored	87	83	1			1	85	1			1
	XII.—Early infancy:											
	Males—White	29,889	29,889					29,889				
	Colored	3,967	3,967					3,967				
	Females—White	21,477	21,477					21,477				
	Colored	3,173	3,173					3,173				
160	Congenital debility, icterus, sclerema:											
	Males—White	3,018	3,018					3,018				
	Colored	674	674					674				
	Females—White	2,043	2,043					2,043				
	Colored	528	528					528				
161a	Premature birth:											
	Males—White	18,656	18,656					18,656				
	Colored	2,476	2,476					2,476				
	Females—White	14,089	14,089					14,089				
	Colored	2,079	2,079					2,079				

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
128	130	124	63	3		1										1	147
12	6	12	7	1													
570	544	508	241	35												2	148
124	80	117	44	3	1											5	
8	4	11	4	1													149
6	2	2															
3																	150
1		1															
25	34	61	56	73	83	79	102	105	128	156	138	107	51	7	1	1	
7	5	4	10	10	11	22	7	12	8	10	7	7	4		3	3	
33	32	28	43	47	63	51	51	92	70	114	106	78	31	13	6	1	
6	4	5	11	15	17	17	15	14	8	6	8	4	2	1	5	1	
3	4	13	10	18	17	17	35	50	90	114	111	88	47	6	1		
3	2		3	4	7	10	4	7	5	7	6	6	3		2	2	151
2	6	4	6	8	18	13	18	42	47	78	83	58	25	6	4		
1		1	4	4	5	10	8	9	5	6	7	4	1	1	5	1	
10	8	26	22	22	35	24	32	24	14	17	12	5	1			1	
1		1	2	2	1	7	1										
12	6	10	11	9	12	14	6	10	4	7	1	1				1	152
	2	1	4	2	3	1	1	1	1								
8	11	14	16	23	29	22	26	15	13	12	2		2				
3	2	2	4	4	3	2	1		1								153
7	9	7	8	15	20	15	13	17	11	7	6	6	1	2			
1	1	3	2	3	2	3	2	1	1								
4	11	8	8	10	2	16	9	16	11	13	13	14	1	1			
	1	1	1			3	1	5	2	3	1	1	1		1	1	154
12	11	7	18	15	13	9	14	23	8	22	16	13	5	5	2		
4	1		1	6	7	3	4	3	1		1		1				
28	28	32	31	38	37	33	48	38	49	16	19	5	3			2	
7	4	5	6	7	5	3	4	5	2		3						
14	17	15	12	13	20	26	12	22	19	20	8	11	2				
2	3	7	1	1	3	1	1	3	2								
25	26	26	27	32	26	25	36	26	38	14	17	4	2			2	
3	1	3	4	6	3	3	3	3			3						155
9	12	9	6	6	13	20	11	12	15	15	6	8	2				
1	2	4	1		2		1	1									
3	2	6	4	6	9	7	9	8	10	1	2		1				
3	3	2	2				1	2	1								156
5	4	6	5	5	7	4	1	6	2	1	1	1					
1	1	1		1	1	1			1								
							2										
1																	157
				1				1	1	2							
					2	1	1	4	1	1		1					158
				1	2				1								
	1		1	1		2		3	1	2	1	2					
		2						2	1								
14	4	10	6	1	4												
1																	
7	7	2	3	2	2	2		1									
	1																
2	1	1	1		2												
1																	159a
		1															
5	1	6	4	1													
																	159b
4	6	1		1	2												
	1																
7	2	3	1		2												195c
3	1		3	1		2		1									
																	160
																	161a

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XII.—Early infancy—Continued.											
161b	Injury at birth:											
	Males—White	6,061	6,061					6,061				
	Colored	444	444					444				
	Females—White	3,674	3,674					3,674				
	Colored	274	274					274				
162	Other diseases peculiar to early infancy:											
	Males—White	2,106	2,106					2,106				
	Colored	354	354					354				
	Females—White	1,619	1,619					1,619				
	Colored	268	268					268				
163	Lack of care:											
	Males—White	48	48					48				
	Colored	19	19					19				
	Females—White	52	52					52				
	Colored	24	24					24				
164	XIII.—Old age (senility):											
	Males—White	3,910										
	Colored	1,017										
	Females—White	5,112										
	Colored	1,154										
	XIV.—External causes:											
	Males—White	68,487	975	876	785	754	673	4,063	3,074	2,569	4,164	5,327
	Colored	10,406	244	139	104	108	94	689	331	385	853	1,282
	Females—White	24,571	800	626	546	550	533	3,055	1,536	756	1,090	1,222
	Colored	3,037	206	84	91	114	85	580	258	102	193	326
	Suicide:											
	Males—White	10,486								32	181	520
	Colored	345								2	12	29
	Females—White	3,149								22	152	302
	Colored	116								1	8	21
165	By poisons (gas or corrosives excepted)—											
	Males—White	524									10	27
	Colored	6										2
	Females—White	292								4	21	35
	Colored	7										2
166	By corrosive substances—											
	Males—White	732									16	46
	Colored	31									2	1
	Females—White	756								3	56	143
	Colored	38									2	8
167	By poisonous gas—											
	Males—White	1,435									19	60
	Colored	31									2	5
	Females—White	638									18	45
	Colored	15								1	3	1
168	By hanging or strangulation—											
	Males—White	2,008								11	27	60
	Colored	57								1	1	5
	Females—White	442								1		11
	Colored	9										2
169	By drowning—											
	Males—White	470									2	21
	Colored	25									1	2
	Females—White	243								4	9	7
	Colored	12									1	2
170	By firearms—											
	Males—White	4,252								20	103	275
	Colored	137								1	4	12
	Females—White	458								9	41	43
	Colored	17									1	4
171	By cutting or piercing instruments—											
	Males—White	644									1	9
	Colored	23										2
	Females—White	113									2	5
	Colored	4										1
172	By jumping from high places—											
	Males—White	230										10
	Colored	22										
	Females—White	136									2	7
	Colored	9									1	1
173	By crushing—											
	Males—White	104								1	3	6
	Colored	8									2	
	Females—White	23										3
174	By other means—											
	Males—White	87										6
	Colored	5										
	Females—White	48								1	3	3
	Colored	5										
	Homicide:											
	Males—White	3,928	82	8	7	8	7	112	35	40	194	437
	Colored	3,240	9	2	1	1	3	16	4	23	198	545
	Females—White	1,073	74	5	3	9	5	96	32	31	102	144
	Colored	756	9	1	2		1	13	2	14	76	193
197	By firearms—											
	Males—White	2,796	1	1		2	1	5	7	13	155	347
	Colored	2,279			1	1		2	2	15	143	388
	Females—White	494	5	2		4	1	12	9	11	50	62
	Colored	435	1					1	1	7	44	114
198	By cutting or piercing instruments—											
	Males—White	407	3	3	1		1	8	3	2	22	50
	Colored	667							1	5	40	135
	Females—White	87	2		1	1		4	1	2	4	7
	Colored	215							1	5	23	60
199	By other means—											
	Males—White	725	78	4	6	6	5	99	25	25	17	40
	Colored	294	9	2			3	14	1	3	15	22
	Females—White	492	67	3	2	4	4	80	22	18	48	75
	Colored	106	8	1	2		1	12		2	9	19

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
																	161b
																	162
																	163
					3	10	37	92	388	669	1,089	922	512	152	29	7	
					8	9	25	31	110	159	220	159	114	66	104	12	164
					3	10	45	124	442	761	1,341	1,295	773	258	54	6	
			1		6	6	20	33	124	129	197	173	181	81	192	11	
4,906	4,903	5,575	5,348	5,239	4,867	4,317	3,965	3,403	2,487	1,913	1,223	671	226	48	12	187	
1,359	1,158	1,143	799	690	488	316	251	172	108	95	76	31	12	5	10	153	
1,088	1,138	1,149	1,155	1,049	1,100	1,111	1,156	1,337	1,494	1,721	1,644	1,181	456	98	15	20	
293	233	199	168	137	102	84	77	59	60	46	39	27	13	7	17	17	
611	817	1,035	1,055	1,217	1,167	1,064	972	793	504	301	128	50	11	1	1	26	
53	50	44	38	28	32	20	14	11	8	2	1					1	
325	351	338	353	302	305	233	179	137	70	48	16	9	1			6	
20	21	18	9	10	3	3	2										
44	51	47	56	51	62	38	49	32	24	23	7	1				2	
	1		1	1			1										165
32	41	35	37	20	19	11	15	13	2	5	1	1					
	3	2															
63	83	88	76	80	67	67	65	41	29	6	3	1				1	
7	4	11	2	2	2												166
131	106	73	72	52	40	31	25	11	8	2	2					1	
9	9	7	2	1													
88	89	143	144	175	187	154	141	117	66	31	12	6				3	
5	4	2	3		3	2	2	3									167
44	60	79	86	75	66	53	39	39	18	10	4	2					
2	2	1	1	1	1	1	1										
63	111	177	224	258	222	217	214	175	121	66	31	20	3		1	7	
7	10	2	6	7	4	5	4	3	1		1						168
22	31	35	45	63	76	51	34	37	18	11	2	4				1	
1			2	3			1										
25	30	49	48	51	48	55	41	39	34	17	6	3				1	
4	1	4	4	3	4			1	1								169
13	20	25	27	22	28	18	25	16	13	9	3	2				2	
2	3	1		1	2												
281	360	392	397	480	462	431	367	312	189	108	46	12	5	1		11	
24	23	15	15	12	11	8	4	3	4							1	170
57	56	58	45	40	44	29	19	6	6	3						2	
3	2	1	1	3		2											
23	43	78	69	78	74	69	64	53	25	41	12	2	2			1	
	3	5	3	1	4	3			1	1							171
8	6	8	21	11	15	18	7	5	2	3	2						
	1	1	1														
12	30	36	23	20	24	16	18	13	7	8	9	4					
6	3	3	2	1	3	1	1	1	1								172
14	21	17	15	11	12	14	10	4	2	4	2		1				
1	1	3	1	1													
6	13	16	8	11	10	8	7	7	6	1	1						
	1	1	1		1		2										173
2	5	2	2	2	2		3	2									
6	7	9	10	13	11	9	6	4	3		1	1	1				
		1	1	1		1				1							
2	5	6	3	6	3	8	2	4	1	1							174
2		2	1														
599	517	538	405	328	250	173	117	79	46	23	6	5	1		1	22	
651	544	477	293	197	104	57	50	20	5	8	4	3	1			40	
150	141	123	83	57	33	26	19	14	12	2	3	3	1			1	
163	115	71	47	32	7	4	6	3	1	1	1				1	6	
482	406	410	288	235	167	109	77	38	27	10	3		1			16	
475	368	345	210	138	69	40	36	10	2	4		2	1			29	197
63	74	74	53	40	18	11	7	6	3				1				
109	64	37	22	21	6	2	3		1							3	
68	53	66	44	21	21	16	7	12	7	2	2	1				2	
144	125	94	54	38	10	5	4	3	2	2	2					5	198
13	13	11	12	5	2	5	3		3	1		1					
37	39	23	12	6		2	3	1		1						2	
49	58	62	73	72	62	48	33	29	12	11	1	4			1	4	
32	51	38	29	21	25	12	10	7	3	2	2	1				6	199
74	54	38	18	12	13	10	9	8	6	1	3	2				1	
17	12	11	13	5	1			2			1				1	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued											
	Accidental, other, or undefined:											
	Males—White	54,073	893	868	778	746	666	3,951	3,039	2,497	3,789	4,370
	Colored	6,821	235	137	103	107	91	673	327	360	643	708
	Females—White	20,349	726	621	543	541	528	2,959	1,504	703	836	776
	Colored	2,165	197	83	89	114	84	567	256	87	109	112
175	Poisoning by food—											
	Males—White	331	28	19	29	15	12	103	24	15	7	7
	Colored	74	5	4	6		1	16	8	1	4	4
	Females—White	269	28	21	21	10	8	88	18	9	11	11
	Colored	74	7	4	5	3	1	20	8	4	3	5
176	Poisoning by venomous animals—											
	Males—White	50	9	4	3	2	2	20	3	5	1	1
	Colored	3	2					2	1			
	Females—White	33	6	5	1	3	1	16	1	1	3	3
	Colored	2			1			1				
177	Other acute poisonings (gas excepted)—											
	Males—White	871	34	116	52	33	15	250	27	4	16	25
	Colored	149	7	29	9	12	7	64	9	2	7	5
	Females—White	506	17	69	50	33	12	181	7	1	16	48
	Colored	82	6	22	14	4	1	47	5		2	8
178	Conflagration—											
	Males—White	781	23	29	28	31	26	137	62	27	24	35
	Colored	166	11	8	4	17	11	51	20	3	2	6
	Females—White	425	25	24	23	17	22	111	44	28	24	20
	Colored	124	12	6	10	14	4	46	19	4	2	9
179	Burns (conflagration excepted)—											
	Males—White	2,234	97	260	245	170	115	887	172	85	84	103
	Colored	487	40	51	40	38	31	200	35	15	20	24
	Females—White	2,588	63	176	220	220	242	921	366	85	69	100
	Colored	628	20	27	40	75	53	215	118	28	23	21
180	Mechanical suffocation—											
	Males—White	561	326	3	5	2	2	338	16	22	11	19
	Colored	128	95		1			96	2	3	3	1
	Females—White	330	299	5		1	1	306	3	3		1
	Colored	88	84	2	1		1	88				
181	Absorption of irrespirable, irritating, or poisonous gas—											
	Males—White	1,739	10	4	5	1	6	26	15	20	50	92
	Colored	100	1					1	1	1	4	11
	Females—White	651	8	5	5	7	2	27	7	9	25	37
	Colored	20	1					1				1
182	Drowning—											
	Males—White	5,323	20	146	95	64	57	382	493	627	756	591
	Colored	1,017	2	12	9	5	2	30	58	111	218	132
	Females—White	790	11	75	45	25	9	165	92	113	120	57
	Colored	116	4	9	5	2	2	22	10	14	17	7
183	Traumatism by firearms (except in war)—											
	Males—White	1,814	1	5	16	16	18	56	87	279	416	195
	Colored	477	1	4	6	6	2	19	24	61	87	81
	Females—White	224	2	8	4	7	9	30	40	27	23	12
	Colored	132	1		1	2	3	7	20	17	26	14
184	Traumatism by cutting or piercing instruments—											
	Males—White	416	12	9	7	10	2	40	29	22	21	18
	Colored	57							4	3	3	8
	Females—White	173	3	6	9	2	4	24	15	6	6	5
	Colored	26	2		1	1		4	1		1	
185	Traumatism by fall—											
	Males—White	7,541	55	59	58	60	45	277	217	153	200	265
	Colored	454	19	7	5	2	1	34	21	22	16	23
	Females—White	6,701	48	56	31	34	22	191	69	46	33	28
	Colored	217	20	5	3	1	2	31	6	3	8	6
186a	Traumatism in mines—											
	Males—White	2,324								2	151	302
	Colored	364					1	1		1	13	60
186b	Traumatism in quarries—											
	Males—White	118		1				1	2	3	10	10
	Colored	22									3	1
	Females—White	2							1			
187	Traumatism by machines—											
	Males—White	1,793		4	4	6	4	18	38	36	122	191
	Colored	204								11	23	31
	Females—White	72		1	4	6	4	15	7	2	4	6
	Colored	3										
188a	Railroad accidents—											
	Males—White	5,288	9	19	13	10	16	67	104	153	359	499
	Colored	644	1	3	3	1	3	11	6	12	61	95
	Females—White	802	10	16	11	5	9	51	49	52	91	72
	Colored	60				1	1	2	4		3	9
	Collision with automobiles—											
	Males—White	1,144	8	8	4	9	10	39	38	32	110	149
	Colored	67	1	1			1	3	1		8	5
	Females—White	431	8	5	4	5	3	25	25	29	67	51
	Colored	22					1	1			2	4
	Other railroad accidents—											
	Males—White	4,144	1	11	9	1	6	28	66	121	249	350
	Colored	577		2	3	1	2	8	5	12	53	90
	Females—White	371	2	11	7		6	26	24	23	24	21
	Colored	38				1		1	4		1	5
188b	Street-car accidents—											
	Males—White	999	4	4	7	8	4	27	28	18	46	64
	Colored	88			1			1	2	3	3	10
	Females—White	326	2	8	9	5	6	30	14	9	18	21
	Colored	14				1	1	2	1			1
	Collision with automobiles—											
	Males—White	339	3	1		1	1	6	3	9	29	33
	Colored	17								1		3
	Females—White	106	1	1	1	1	2	6	2	3	12	14
	Colored	5										1
	Other street-car accidents—											
	Males—White	660	1	3	7	7	3	21	25	9	17	31
	Colored	71			1			1	2	2	3	7
	Females—White	220	1	7	8	4	4	24	12	6	6	7
	Colored	9				1	1	2	1			

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3,696	3,569	4,002	3,888	3,694	3,450	3,080	2,876	2,531	1,937	1,589	1,089	616	214	47	10	139	
655	564	622	468	465	352	239	187	141	95	85	71	28	11	5	10	112	
613	646	688	719	690	762	852	958	1,186	1,412	1,671	1,625	1,169	454	98	15	13	
110	97	110	112	95	92	77	69	56	59	45	38	27	13	7	16	11	
12	8	18	16	19	16	19	21	13	14	9	6	3	1				
3	1	4	4	12	5	4	3	1		1	1				1	1	
9	13	16	16	7	10	10	9	11	13	8	7	3					175
1	4	7	7	5	4	1	3	1	1								
1	2	3	1	2	1		2	3	1	2	2						
	1	1	1	1	1			1	1	1	1						176
1																	
49	53	58	96	79	61	51	39	33	10	9	6	3	1			1	
9	13	11	6	6	6	5	1	3	2								
28	42	48	35	33	18	11	14	9	6	7	1	1					177
6	4	3	3	1	1	1		1									
46	48	59	44	46	54	37	39	32	33	28	12	9	2			7	
9	11	11	1	10	5	10	5	4	4	4	5	2	1		1	1	
21	24	26	16	18	18	10	13	14	9	16	7	6					178
7	4	4	2	3	3	2		3	5	3	3	2		2	1		
97	109	113	90	94	62	63	58	67	37	39	39	25	5	2		3	
32	15	26	18	17	10	9	14	8	10	7	12	6	4	1	1	3	
75	94	77	100	88	77	69	86	89	88	88	67	34	10	1	2	2	179
17	15	15	22	17	20	13	18	18	19	10	14	11	3	2	6	3	
26	18	26	20	20	13	16	5	6	3		1	1					
2	3	5	3	4	2	2	1			1							
1		6	3		2	2	1		1		1						180
96	103	169	162	169	189	191	172	102	83	53	35	8	2	2			
10	14	12	7	10	10	8	4	5			1			1			
36	25	41	35	37	52	52	62	59	41	44	37	18	6	1			181
5	1	2	2	2	1		1	1	1	1	1						
349	320	301	340	312	268	198	146	88	57	31	15	8		1		40	
87	74	70	48	44	31	21	14	12	7	8	8	2				42	
46	32	35	26	18	16	19	14	12	9	8	4	1				3	182
7	7	6	3	3	3	3	2		4						1	7	
150	105	119	99	81	64	58	41	27	17	9	4	3				4	
59	42	35	24	19	5	8	4	1	1	1	1					5	
18	20	17	12	7	8	4	1	2	3								183
14	9	11	3	3	2	2	1	2			1						
17	14	23	27	38	24	26	46	24	19	18	7	3					
2	6	2	6	5	4	2	3		3	2	3	1					
5	6	9	11	11	8	23	7	12	11	6	5	3					184
2	1	4	2	4	1	3	3										
257	329	408	473	474	514	496	510	567	560	620	591	401	174	38	7	10	
35	38	48	42	38	32	30	14	18	11	12	9	5	2		2	2	
35	39	57	92	100	119	194	321	520	824	1,190	1,306	1,006	421	95	13	2	185
8	7	6	10	10	12	17	15	11	13	18	13	8	7	1	7		
309	274	355	278	232	170	118	66	44	15	3	1		1			3	
60	52	62	47	30	20	11	4	2								1	186a
10	10	20	9	19	10	3	6	3	1	1							
3	5	1		4	1	2	1									1	186b
		1															
186	188	190	176	152	142	130	116	64	29	14		1					
29	19	18	24	11	16	8	9		1	1						3	
4	3	2	5	3	4	3	3	3	4	2	1		1				187
1	1		1														
467	442	557	493	487	424	319	308	255	158	100	37	19	3	1		36	
80	63	79	59	48	34	19	22	12	7	6	5	2		1		22	
48	53	54	44	58	47	48	43	33	31	16	9	3					188a
7	6	4	5	4	5	3	2	1	1	2	1	1					
111	103	118	87	89	75	66	42	42	22	13	4	2				2	
11	5	8	5	9	8	1		2			1						
31	28	36	32	25	25	23	13	13	4	1	3						
4	4	2		2	2	1											
356	339	439	406	398	349	253	266	213	136	87	33	17	3	1		34	
69	58	71	54	39	26	18	22	10	7	6	4	2		1		22	
17	25	18	12	33	22	25	30	20	27	15	6	3					
3	2	2	5	2	3	2	2	1	1	2	1	1					
66	87	78	80	82	90	87	69	55	47	39	22	9	4			1	
11	6	12	4	7	9	6	3	2	4	3		1	1				
16	13	16	18	18	21	28	28	26	15	26	6	3					188b
2	1	1	1	1	1	1				1		1					
31	51	34	32	25	23	25	15	8	7	4	2	2					
4	2	3	1	2			1										
12	10	9	9	7	3	7	4	4	2	1		1					
2	1				1												
35	36	44	48	57	67	62	54	47	40	35	20	7	4			1	
7	4	9	3	5	9	6	2	2	4	3		1	1				
4	3	7	9	11	18	21	24	22	13	25	6	2					
		1	1	1		1				1		1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.											
	Accidental, other, or undefined—Continued.											
188c	Automobile accidents (excluding collision with railroad trains and street cars)—											
	Males—White	14,090	53	69	127	245	277	771	1,421	714	1,015	1,273
	Colored	1,268	5	5	9	16	24	59	105	66	92	106
	Females—White	4,983	42	66	57	126	143	434	662	239	337	306
	Colored	363	5	1	4	8	12	30	52	7	17	22
188d	Airplane and balloon accidents—											
	Males—White	191							2	1	14	42
	Females—White	13									1	8
188e,f	Injuries by other vehicles—											
	Males—White	1,102	5	4	8	15	15	47	85	64	97	97
	Colored	107	1	1	1	3		6	6	9	7	7
	Females—White	119	4	3	1	4	10	22	16	7	8	4
	Colored	14	2	1	3			6	1			2
188g	Landslide, other crushing—											
	Males—White	612	1		2		1	4	20	10	35	48
	Colored	84	2					2	2	1	8	10
	Females—White	47	2	1	1		1	5	5	4	5	
	Colored	13							1	1		
189	Injuries by animals (not poisoning)—											
	Males—White	447	3	4	10	6	4	27	29	39	16	24
	Colored	50		1		2	1	4	3	8	5	2
	Females—White	42	3	2	5	1	1	12	5			
	Colored	9	2					2	1			1
190	Wounds of war—											
	Males—White	4										
	Colored	1										
192	Starvation (deprivation of food or water)—											
	Males—White	9	1					1				
	Colored	2										
	Females—White	4	1					1				
	Colored	1										
193	Excessive cold—											
	Males—White	189	1				1	2	2	1	6	4
	Colored	40	1					1	3		1	
	Females—White	17	1			1		2			1	2
	Colored	11		1				1				
194	Excessive heat—											
	Males—White	344	24	2	2		1	29	1	2	8	13
	Colored	61	2			1		3			1	2
	Females—White	91	27	4	2			33	2	1	2	3
	Colored	23	4					4		1		2
195	Lightning—											
	Males—White	239	1					1	6	20	32	32
	Colored	47							1	6	7	3
	Females—White	41					1	1	5	6	3	6
	Colored	21					1	1	2	3	3	1
196	Other accidental electric shocks—											
	Males—White	887				1	2	3	13	19	82	162
	Colored	56		1				1	1	3	6	10
	Females—White	26				1	1	2		2		4
	Colored	1							1			
201	Fracture (cause not specified)—											
	Males—White	355	1	1	1			3	6	2	11	11
	Colored	60	2					2		1	2	3
	Females—White	211	1	1	2	1		5	3	2	3	4
	Colored	14	1					1				
202	Other external violence—											
	Males—White	3,421	176	105	61	51	41	434	137	154	199	247
	Colored	611	38	11	9	4	7	69	15	17	47	73
	Females—White	863	123	69	42	32	20	286	73	51	33	18
	Colored	109	26	5	1	2	2	36	6	5	4	3
	XV.—Ill-defined diseases:											
	Males—White	5,280	2,014	144	49	26	20	2,253	60	37	39	67
	Colored	4,887	2,059	221	55	45	25	2,405	75	55	72	121
	Females—White	3,585	1,452	120	38	22	20	1,652	49	35	43	59
	Colored	4,696	1,760	181	78	45	28	2,092	63	56	116	158
204	Sudden death:											
	Males—White	781	105	3	2		1	111	1	9	7	10
	Colored	366	65	4	1	3	1	74	2	1	6	10
	Females—White	427	85	8	1	2	1	97	2	4	7	9
	Colored	338	65	4	2	2	2	75	3	3	8	10
205a	Ill-defined:											
	Males—White	1,402	242	71	19	9	6	347	21	13	13	15
	Colored	799	195	63	12	10	3	283	16	15	9	15
	Females—White	871	190	58	14	6	6	274	15	12	14	14
	Colored	693	149	57	17	8	8	239	16	14	13	19
205b	Not specified or unknown:											
	Males—White	3,097	1,667	70	28	17	13	1,795	38	15	19	42
	Colored	3,722	1,799	154	42	32	21	2,048	57	39	57	96
	Females—White	2,287	1,177	54	23	14	13	1,281	32	19	22	36
	Colored	3,565	1,546	120	59	35	18	1,778	44	39	95	129

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
975	853	864	933	831	817	816	815	722	570	391	199	77	13	1	2	17	188c
123	98	119	90	99	86	51	47	45	24	26	13	5	3	1	2	8	
228	225	230	248	235	304	317	304	318	278	189	91	34	3			1	
30	28	32	35	28	26	10	16	12	10	4	1	1	1	1			
59	33	21	5	9	3											2	188d
2			2														
50	45	53	50	61	71	74	83	77	66	56	22	4					188e,f
2	7	8	4	10	16	5	5	3	4	3	3				1	1	
6	3	3	3	7	6	8	3	6	10	1	3	2				1	
		1			1	2	1										
69	65	66	73	49	50	36	34	25	9	15	3					1	188g
11	10	11	9	6	6	5	1	1	1								
	5	4	3	1	4	2	3	3	2	1							
		1	1	3	1	2	1	1				1					
8	23	19	26	23	32	32	37	46	31	22	7	5	1				189
	3	5	4	3	3	4	3	2		1							
	3		2	3	1	3	3	3	2	3		1	1				
		1			1			3									
	2	2															190
	1																
			1	1		1	1	1	1	1	1						192
			1	1													
							1		1		1						
								1									
5	2	16	10	19	19	18	13	22	20	16	10	3				1	193
3		3	2	6	1	1	6	3	3	2	2				1	2	
1	1		1		1	1		4		1	1					1	
				1		2			2	2	2				1		
8	17	34	34	39	29	32	28	24	14	14	12	3	1	1	1		194
2	6	5	9	8	6	6	5	3	1	3					1		
	3	3	3	4	2	3	5	5	4	6	7	5					
	1	3		2	3	4	2						1				
17	23	18	24	14	16	16	5	6	4	1	3					1	195
6	4	4	2	3	2	2	2	1	2	2							
3	5	1	3	3	2	1					1	1					
	2	2	2	2	3												
154	136	99	83	59	40	15	8	7	3	2			1			1	196
9	8	7	1	5	2	1		1								1	
7	1	1	3	2	1	2	1										
18	22	30	33	25	35	33	26	32	15	20	16	12	2	1		2	201
2	7	9	8	8	7	1		2			2	2				4	
1	3		2	2	6	7	6	20	27	31	49	31	7	1		1	
1	1	3			1	1	1		1	3		1					
195	238	283	212	258	236	195	182	186	120	76	38	19	3			9	202
66	58	55	45	51	33	18	16	12	10	2	6	2		1		15	
23	32	40	35	34	34	35	30	36	32	27	20	17	5			2	
1	5	4	13	6	3	10	3	1	2	1	2	1	1	1		1	
49	67	89	145	193	221	281	276	418	403	338	175	92	26	9	2	40	
86	95	107	129	173	210	189	217	208	203	191	136	83	34	18	28	52	
51	70	71	87	83	96	128	145	227	202	218	178	99	53	9	6	24	
139	132	155	155	165	205	134	164	157	175	123	138	83	52	29	64	41	
9	7	9	28	37	43	73	63	96	122	85	49	15	4	1	1	1	204
8	8	12	20	26	25	29	39	31	23	22	11	7	3	2	2	5	
3	10	15	12	13	24	27	33	42	33	47	30	8	5	3		3	
10	14	22	24	19	24	16	24	22	23	13	9	5	4	2	2	6	
14	19	24	48	83	81	104	110	175	141	107	52	24	3	1		7	205a
18	30	22	32	40	55	50	55	37	41	31	28	16	2			4	
17	16	22	37	29	28	46	58	85	65	59	39	26	10	2	1	2	
22	25	23	38	37	44	34	48	24	31	19	22	5	9	1	4	6	
26	41	56	69	73	97	104	103	147	140	146	74	53	19	7	1	32	205b
60	57	73	77	107	130	110	123	140	139	138	97	60	29	16	26	43	
31	44	34	38	41	44	55	54	100	104	112	109	65	38	4	5	19	
107	93	110	93	109	137	84	92	111	121	91	107	73	39	26	58	29	

TABLE 7 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	All causes	155,462	3,137	1,317	1,191	162
	Males	80,949	1,588	1,172	786	141
	Females	74,513	1,549	145	405	21
	I.—Epidemic, endemic, and infectious diseases:					
	Males	17,479	539	286	234	66
	Females	17,148	610	38	143	6
1	Typhoid and paratyphoid fever M	878	14	1	2	
	F	778	12		1	
2	Typhus fever F	1				
5	Malaria M	708				
	F	757	1			
6	Smallpox M	18	3			
	F	10	1			
7	Measles M	215	49	2	16	
	F	186	45	1	9	1
8	Scarlet fever M	19	1	1	3	1
	F	24	3	2	3	
9	Whooping cough M	891	20	1	7	
	F	940	22		12	
10	Diphtheria M	305	7	5	6	
	F	278	2	1	3	
11a	Influenza (with pulmonary complications) M	1,225	21	5	9	3
	F	1,163	23	2	4	1
11b	Influenza (other and unspecified) M	710	20	4	7	
	F	773	32		4	
13	Mumps M	10				
	F	6	1			
15	Cholera nostras M	5	1		1	1
	F	6				
16	Dysentery M	330	10	1		
	F	331	7		2	
19	Spirochetal hemorrhagic jaundice M	2				
20	Leprosy M			1		
	F	1				
21	Erysipelas M	48	4	4	3	
	F	37	2	1	2	
22	Acute anterior poliomyelitis M	64	1	1		1
	F	52	3	2	5	
23	Lethargic encephalitis M	44	1			
	F	43				
24	Meningococcus meningitis M	86	16	1	6	2
	F	46	10		5	
25	Other epidemic and endemic diseases M	15	2			
	F	9	2			
26	Glanders M	1				
27	Anthrax M	1				
28	Rabies M	9				
	F	4				
29	Tetanus M	231		1	1	
	F	101				
30	Mycoses M	42	2			2
	F	32	1			
	Tuberculosis (all forms) M	9,324	348	229	160	53
	F	9,868	417	29	91	2
31	Of the respiratory system M	8,202	298	211	129	48
	F	8,847	346	19	63	2
32	Of the meninges, central nervous system M	267	27	6	15	2
	F	235	33	7	10	
33	Of the intestines, peritoneum M	362	8	4	1	1
	F	380	18	2	11	
34	Of the vertebral column M	84	5	1	2	
	F	53	3			
35	Of the joints M	47			1	1
	F	22	4			
36	Of other organs M	108	5	2	5	1
	F	92	4		2	
37a	Disseminated (acute) M	219	4	3	7	
	F	208	5	1	5	
37b	Disseminated (chronic or unspecified) M	35	1	2		
	F	31	4			
38	Syphilis M	2,172	14	27	12	3
	F	1,366	19		2	2
39	Soft chancre M	4		1		
	F	1	1			
40	Gonococcus infection M	65		1		
	F	272	4			
41	Purulent infection, septicemia M	57	5		1	
	F	60	2			
42	Other infectious diseases F	3				
	II.—General diseases not included in Class I:					
	Males	3,858	54	108	64	5
	Females	7,592	71	10	19	1
	Cancer and other malignant tumors M	1,741	26	66	52	3
	F	3,855	37	6	15	
43	Of the buccal cavity M	83	1	2		
	F	48				
44	Of the stomach, liver M	851	17	35	42	
	F	823	15	1	6	
45	Of the peritoneum, intestines, rectum M	216	2	6	5	1
	F	344	2			
46	Of the female genital organs F	1,728	11	2	3	
47	Of the breast M	11				
	F	548	5	1	2	
48	Of the skin M	35				1
	F	34				
49	Of other or unspecified organs M	545	6	23	5	1
	F	330	4	2	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) M	30		1		
	F	64	1			
51	Acute rheumatic fever M	168	2	2		
	F	236	2			
52	Chronic rheumatism, osteoarthritis, gout M	44	1	1		
	F	47	6			
53	Scurvy M	4				
	F	2				
54	Pellagra M	664	1			
	F	2,075				
55	Beriberi M	2		2	1	
	F					
56	Rickets M	84				
	F	57				
57	Diabetes mellitus M	442	5	26	3	1
	F	664	9	3		
58a	Pernicious anemia M	36		1		1
	F	64	2		1	
58b	Other anemias and chlorosis M	18				
	F	23	1			
59	Diseases of the pituitary gland M	3				
	F	3				
60a	Exophthalmic goiter M	22				
	F	153	1			1
60b	Other diseases of the thyroid gland M	10				
	F	40	2		1	
61	Diseases of the parathyroid glands M	7			1	
	F	2				
62	Diseases of the thymus gland M	58	3			
	F	39	3	1	1	
63	Diseases of the adrenals (Addison's disease) M	2		1		
	F	4				
64	Diseases of the spleen M	5				
	F	6				
65a	Leukemia M	33		2		
	F	31				
65b	Hodgkin's disease M	28		2	1	
	F	9	1			
66	Alcoholism (acute or chronic) M	318	14	2	3	
	F	106	4			
67a	Chronic lead poisoning M	9				
67b	Other chronic mineral poisoning F	7				
68	Chronic poisoning by organic substances M	12	1	2		
	F	2				
69	Other general diseases M	118	1		3	
	F	103	2		1	
	III.—Diseases of the nervous system and of the organs of special sense:					
	Males	6,259	78	80	41	6
	Females	6,263	58	11	16	2
70	Encephalitis M	74	1	1		
	F	65	2			
71a	Simple meningitis M	135	11	1		
	F	106	5		4	
71b	Nonepidemic cerebrospinal meningitis M	28	2	1	2	1
	F	30			1	
72	Tabes dorsalis (locomotor ataxia) M	77	1	5	4	
	F	22				
73	Other diseases of the spinal cord M	104	2	1	1	
	F	144	1			
74a	Cerebral hemorrhage M	3,763	34	44	21	
	F	4,305	29	7	4	1

TABLE 7 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.					
74b	Cerebral embolism and thrombosis M	79		2		
	F	94				
75	Paralysis without specified cause M	516	8	5		
	F	617	9	1		
76	General paralysis of the insane M	610	4	11	4	2
	F	234	1		2	
77	Other forms of mental alienation M	110	3	1	2	1
	F	119			2	
78	Epilepsy M	292	3	2		1
	F	130	3	1		1
79	Convulsions (nonpuerperal; 5 years and over) M	16	1			
	F	21				
80	Infantile convulsions (under 5 years) M	178	4		3	
	F	147	3			
81	Chorea M	1				
	F	3				
82	Neuralgia and neuritis M	14		1		
	F	15				
83	Softening of the brain M	14				
	F	11	2			
84	Other diseases of the nervous system M	146	1	2	1	1
	F	101				
85	Diseases of the eye and annexa M	6				
	F	2				
86a	Diseases of the ear M	62	1	2	2	
	F	54	1	1	2	
86b	Diseases of the mastoid process M	34	2	1	1	
	F	43	2	1	1	
	IV.—Diseases of the circulatory system:					
	Males	11,203	99	243	69	14
	Females	10,203	84	16	11	3
87	Pericarditis M	63		2	2	
	F	68	1			
88	Endocarditis and myocarditis (acute) M	553	4	3	6	2
	F	627	10	1	1	
89	Angina pectoris M	349	4	7	1	1
	F	305	3	1		
90	Other diseases of the heart M	9,108	88	196	53	11
	F	8,406	65	13	9	3
91a	Aneurysm M	327	1	4	2	
	F	117	1			
91b,c	Other diseases of the arteries M	636	2	25	2	
	F	542	4		1	
92	Embolism and thrombosis (not cerebral) M	78		4	1	
	F	58				
93	Diseases of the veins M	22		1		
	F	20				
94	Diseases of the lymphatic system M	11			2	
	F	6		1		
95	Hemorrhage without specified cause M	16		1		
	F	12				
96	Other diseases of the circulatory system M	40				
	F	42				
	V.—Diseases of the respiratory system:					
	Males	8,477	213	107	75	14
	Females	6,156	166	22	45	3
97a	Diseases of the nasal fossae M	71	3			
	F	59	3			
97b	Diseases of the nasal fossae annexa M	22				
	F	20			1	
98	Diseases of the larynx M	17	1			
	F	10	1		1	
99a	Acute bronchitis M	110	5	3	3	
	F	121	3	1	3	
99b	Chronic bronchitis M	63	2	2		
	F	69			2	
99c,d	Bronchitis (unspecified) M	89	4	1	2	
	F	109	2			
100a	Broncho-pneumonia M	2,593	64	39	26	5
	F	2,149	52	10	22	2
100b	Capillary bronchitis M	51	2			
	F	57		1		
101a	Lobar pneumonia M	4,314	84	49	34	7
	F	2,644	58	8	11	1
101b	Pneumonia (unspecified) M	625	44	4		1
	F	524	40		1	
102	Pleurisy M	179	1	3	8	
	F	114	3		2	
103	Congestion and hemorrhagic infarct of the lung M	58		4		1
	F	45			1	

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	V.—Diseases of the respiratory system—Con.					
104	Gangrene of the lung M	12				
	F	8			1	
105	Asthma M	139	1	1	1	
	F	132	1	1	1	
106	Pulmonary emphysema M	7	1	1		
	F	8				
107	Other diseases of the respiratory system (tuberculosis excepted) M	127	1		1	
	F	87	3			
	VI.—Diseases of the digestive system:					
	Males	5,906	135	58	86	9
	Females	5,231	135	11	51	
108	Diseases of the mouth and annexa M	61	2	1	3	
	F	63	2			
109a	Adenoid vegetations F	1				
109b	Other diseases of the pharynx, tonsils M	208		4	2	1
	F	195	3		3	
110	Diseases of the esophagus M	6				
	F	3				
111a	Ulcer of the stomach M	289	2	7	13	
	F	178	5			
111b	Ulcer of the duodenum M	63		1	1	
	F	33				
112	Other diseases of the stomach (cancer excepted) M	636	17	1	1	
	F	666	12	2	2	
113	Diarrhea and enteritis (under 2 years) M	2,020	70	8	23	2
	F	1,648	56	6	19	
114	Diarrhea and enteritis (2 years and over) M	447	15	3	10	
	F	538	14	1	6	
115	Ancylostomiasis M	1				1
	F	1				
116	Diseases due to other intestinal parasites M	28				1
	F	20				
	Appendicitis and typhlitis M	752	14	9	16	2
	F	575	7	1	11	
118a	Hernia M	239			4	2
	F	85	2			
118b	Intestinal obstruction M	377	6	4	6	
	F	418	7	1	7	
119	Other diseases of the intestines M	74	1	1	1	
	F	108	3			
120	Acute yellow atrophy of the liver M	13	1	1		
	F	27	4			
122	Cirrhosis of the liver M	392	4	12	4	1
	F	236	1		1	
123	Biliary calculi M	27	2	1		
	F	85	7		1	
124	Other diseases of the liver M	165			1	1
	F	197	7			
125	Diseases of the pancreas M	13			1	
	F	14	1			
126	Peritonitis without specified cause M	95	1	1	2	
	F	140	4		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:					
	Males	7,718	38	105	19	7
	Females	7,347	51	8	12	1
128	Acute nephritis (including unspecified under 10 years) M	601	1		5	1
	F	640	5	1	3	
129	Chronic nephritis (including unspecified 10 years and over) M	6,176	35	102	12	5
	F	5,419	38	7	7	
131	Other diseases of the kidneys and annexa M	217			2	
	F	176	1			
132	Calculi of the urinary passages M	30		2		1
	F	12				
133	Diseases of the bladder M	115	1			
	F	33	1			
134	Diseases of the urethra, etc. M	118				
	F	2				
135	Diseases of the prostate M	441	1	1		
136	Nonvenereal diseases of the male genital organs M	20				
137	Cysts, other benign tumors of the ovary F	77	1			
138	Salpingitis and pelvic abscess (female) F	391	1		2	
139	Benign tumors of the uterus F	480	1			1
140	Nonpuerperal uterine hemorrhage F	13				
141	Other diseases of the female genital organs F	100	3			
142	Nonpuerperal diseases of the breast (cancer excepted) F	4				

TABLE 7 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	VIII.—The puerperal state	2,568	49	10	19	------
143	Accidents of pregnancy F	201	5	1	4	------
144	Puerperal hemorrhage F	201	4	3	3	------
145	Other accidents of labor F	337	17	------	4	------
146	Puerperal septicemia F	979	15	4	4	------
147	Puerperal phlegmasia alba dolens, embolus, etc F	55	1	------	------	------
148	Puerperal albuminuria and convulsions F	778	7	2	4	------
149	Following childbirth (undefined) F	15	------	------	------	------
150	Puerperal diseases of the breast F	2	------	------	------	------
	IX.—Diseases of the skin and of the cellular tissue:					
	Males	158	4	3	2	1
	Females	167	2	------	1	------
151	Gangrene M	76	2	1	------	------
	F	76	2	------	------	------
152	Furuncle M	14	2	1	------	1
	F	17	------	------	------	------
153	Acute abscess M	35	------	------	1	------
	F	35	------	------	1	------
154	Other diseases of the skin and annexa M	33	------	1	1	------
	F	39	------	------	------	------
	X.—Diseases of the bones and of the organs of locomotion:					
	Males	86	1	1	------	------
	Females	40	1	------	------	------
155	Diseases of the bones (tuberculosis excepted) M	55	1	1	------	------
	F	24	------	------	------	------
156	Diseases of the joints (tuberculosis and rheumatism excepted) M	22	------	------	------	------
	F	11	1	------	------	------
157	Amputations M	1	------	------	------	------
158	Other diseases of the organs of locomotion M	8	------	------	------	------
	F	5	------	------	------	------
	XI.—Malformations:					
	Males	326	9	3	13	------
	Females	259	3	3	7	------
159a	Congenital hydrocephalus M	52	------	------	4	------
	F	36	------	------	------	------
159b	Congenital malformations of the heart M	173	4	3	9	------
	F	139	2	2	6	------
159c	Other congenital malformations M	101	5	------	------	------
	F	84	1	1	1	------
	XII.—Early infancy:					
	Males	3,840	80	7	40	------
	Females	3,051	65	11	44	2
160	Congenital debility, icterus, sclerema M	646	19	1	8	------
	F	507	16	1	4	------
161a	Premature birth M	2,412	34	6	24	------
	F	2,016	33	7	21	2
161b	Injury at birth M	427	12	------	5	------
	F	259	6	2	7	------
162	Other diseases peculiar to early infancy M	341	11	------	2	------
	F	247	8	1	12	------
163	Lack of care M	14	4	------	1	------
	F	22	2	------	------	------
	XIII.—Old age (senility):					
164	Males	970	36	11	------	------
	Females	1,098	56	------	------	------
	XIV.—External causes:					
	Males	9,927	168	151	141	19
	Females	2,951	43	5	35	3
	Suicide M	272	8	43	21	1
	F	101	5	1	9	------
165	By poisons (gas or corrosives excepted) M	5	------	1	------	------
	F	3	2	1	1	------
166	By corrosive substances M	29	1	------	1	------
	F	36	------	------	2	------
167	By poisonous gas M	20	------	8	3	------
	F	15	------	------	------	------
168	By hanging or strangulation M	33	2	11	10	1
	F	5	2	------	2	------
169	By drowning M	17	------	8	------	------
	F	9	1	------	2	------
170	By firearms M	116	4	13	4	------
	F	16	------	------	1	------
171	By cutting or piercing instruments M	20	------	1	2	------
	F	3	------	------	1	------
172	By jumping from high places M	19	1	1	1	------
	F	9	------	------	------	------
	XIV—External causes—Con. Suicide—Continued.					
173	By crushing M	8	------	------	------	------
174	By other means M	5	------	------	------	------
	F	5	------	------	------	------
	Homicide M	3,172	18	36	12	2
	F	745	7	1	2	1
197	By firearms M	2,239	8	22	9	1
	F	431	3	------	1	------
198	By cutting or piercing instruments M	653	4	8	2	------
	F	211	1	1	1	1
199	By other means M	280	6	6	1	1
	F	103	3	------	------	------
	Accidental, other, or undefined M	6,483	142	72	108	16
	F	2,105	31	3	24	2
175	Poisoning by food M	70	2	------	2	------
	F	71	2	------	1	------
176	Poisoning by venomous animals M	3	------	------	------	------
	F	1	------	------	1	------
177	Other acute poisonings (gas excepted) M	138	8	1	1	1
	F	82	------	------	------	------
178	Conflagration M	150	6	3	6	1
	F	121	2	------	1	------
179	Burns (conflagration excepted) M	473	6	4	4	------
	F	616	6	1	5	------
180	Mechanical suffocation M	117	5	1	5	------
	F	84	2	------	2	------
181	Absorption of irrespirable, irritating, or poisonous gas M	88	1	9	1	1
	F	20	------	------	------	------
182	Drowning M	977	15	12	13	------
	F	110	2	1	3	------
183	Traumatism by firearms (except in war) M	462	7	------	5	3
	F	132	------	------	------	------
184	Traumatism by cutting or piercing instruments M	55	------	1	1	------
	F	25	1	------	------	------
85	Traumatism by fall M	421	15	13	5	------
	F	211	5	------	1	------
186a	Traumatism in mines M	354	2	------	8	------
186b	Traumatism in quarries M	22	------	------	------	------
187	Traumatism by machines M	191	5	------	7	1
	F	3	------	------	------	------
188a	Railroad accidents M	617	15	4	6	2
	F	58	2	------	------	------
	Collision with automobiles M	60	2	------	3	2
	F	21	1	------	------	------
	Other railroad accidents M	557	13	4	3	------
	F	37	1	------	------	------
188b	Street-car accidents M	86	------	------	1	1
	F	14	------	------	------	------
	Collision with automobiles M	17	------	------	------	------
	F	5	------	------	------	------
	Other street-car accidents M	69	------	------	1	1
	F	9	------	------	------	------
188c	Automobile accidents (excluding collision with railroad trains and street cars) M	1,195	19	19	31	4
	F	350	2	------	10	1
188e,f	Injuries by other vehicles M	100	4	------	3	------
	F	13	------	1	------	------
188g	Landslide, other crushing M	81	3	------	------	------
	F	13	------	------	------	------
189	Injuries by animals (not poisoning) M	46	4	------	------	------
	F	8	1	------	------	------
190	Wounds of war M	1	------	------	------	------
192	Starvation (deprivation of food or water) M	2	------	------	------	------
	F	1	------	------	------	------
193	Excessive cold M	34	5	------	1	------
	F	9	2	------	------	------
194	Excessive heat M	60	------	1	------	------
	F	21	1	------	------	1
195	Lightning M	47	------	------	------	------
	F	21	------	------	------	------
196	Other accidental electric shocks M	55	------	------	1	------
	F	1	------	------	------	------
201	Fracture (cause not specified) M	59	------	------	------	1
	F	14	------	------	------	------
202	Other external violence M	579	20	4	7	1
	F	106	3	------	------	------
	XV.—Ill-defined diseases:					
	Males	4,742	134	9	2	------
	Females	4,439	155	------	2	------
204	Sudden death M	362	3	1	------	------
	F	334	4	------	------	------
205a	Ill-defined M	782	11	6	------	------
	F	687	5	------	1	------
205b	Not specified or unknown M	3,598	120	2	2	------
	F	3,418	146	------	1	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
	All causes	1,236,949	147,134	24,405	12,256	8,822	6,890	23,389	17,765	29,442	38,809	40,308	42,775	107,077	136,774	171,984	211,084	216,118	1,917
	I.—Epidemic, endemic, and infectious diseases	167,595	15,454	7,607	4,454	3,363	2,638	7,679	5,005	10,211	14,635	13,834	12,347	21,931	17,374	12,790	10,235	7,741	297
1	Typhoid and paratyphoid fever	5,905	41	63	49	64	85	413	619	983	896	580	385	680	517	292	171	54	13
2	Typhus fever	16						1	2					4	4	3	2		
3	Relapsing fever (spirillum obermeieri)																		
4	Malta fever	2										1			1				
5	Malaria	2,875	283	152	106	81	71	224	164	172	159	133	101	275	299	239	221	171	24
6	Smallpox	145	24	5	2		1	6	9	10	11	9	4	12	10	10	16	16	
7	Measles	4,433	1,037	1,189	547	284	187	526	164	150	64	41	43	64	51	29	30	22	5
8	Scarlet fever	2,440	112	222	277	232	206	669	226	142	105	77	54	66	33	12	6	1	
9	Whooping cough	7,445	4,435	1,630	599	292	162	244	37	12	6	3	6	4	1	3	3	3	5
10	Diphtheria	8,426	523	1,025	1,114	1,195	966	2,443	563	129	91	67	65	105	69	46	15	8	2
11a	Influenza (with pulmonary complications)	14,425	2,107	732	302	197	137	333	214	408	463	452	545	1,374	1,488	1,586	1,928	2,139	20
11b	Influenza (other and unspecified)	10,046	1,279	381	221	143	106	339	239	302	282	287	312	716	818	949	1,361	2,291	20
12	Miliary fever																		
13	Mumps	121	20	7	6	11	6	17	11	4	4	5	5	7	2	3	6	7	
14	Asiatic cholera																		
15	Cholera nostras	112	22	13	2	2	1	3	3		1	1	2	10	4	7	13	28	
16	Dysentery	2,605	701	405	136	64	32	60	14	27	43	38	34	74	131	152	231	452	11
17	Plague																		
18	Yellow fever																		
19	Spirochetal hemorrhagic jaundice	34	4	1	2			3			1	5	3	5	1	5	4		
20	Leprosy	29										3	1	10	6	4	4	1	
21	Erysipelas	2,567	776	62	20	14	12	24	29	39	57	54	78	188	262	318	312	319	3
22	Acute anterior poliomyelitis	2,013	161	184	152	142	147	493	326	161	81	57	30	44	17	8	6	3	1
23	Lethargic encephalitis	1,326	27	41	38	25	15	62	54	82	87	87	84	223	206	173	95	26	1
24	Meningococcus meningitis	1,705	302	137	101	75	56	220	155	170	127	82	59	110	66	35	7	1	2
25	Other epidemic and endemic diseases	300	85	51	27	11	5	24	12	8	5	5	2	13	19	15	11	6	1
26	Glanders	1															1		
27	Anthrax	17								3		1	1	6	2	3	1		
28	Rabies	95			4	2	9	21	14	7	4	6	5	5	9	6	2	1	
29	Tetanus	1,437	238	10	21	27	34	242	268	128	48	40	56	108	91	64	45	16	1
30	Mycoses	204	80	9		1	1	2	1	5	5	8	9	25	18	20	18	2	
	Tuberculosis (all forms)	87,567	1,257	1,139	661	467	362	1,196	1,757	6,926	11,467	11,033	9,635	15,650	11,343	7,551	5,022	1,947	154
31	Of the respiratory system	77,195	419	377	172	139	124	505	1,254	6,183	10,580	10,282	8,970	14,453	10,445	6,896	4,517	1,737	142
32	Of the meninges, central nervous system	3,533	598	565	355	238	168	407	225	173	157	133	128	195	107	52	18	11	3
33	Of the intestines, peritoneum	2,808	52	56	42	23	29	103	109	237	318	251	243	428	341	257	217	98	4
34	Of the vertebral column	853	6	10	14	19	12	48	55	57	86	82	75	123	94	89	64	19	
35	Of the joints	346	9	2	1	4	3	17	23	34	27	35	11	40	47	40	36	17	
36	Of other organs	1,213	27	22	14	5	6	41	37	67	109	88	98	218	181	120	127	51	2
37a	Disseminated (acute)	1,335	134	100	59	38	18	70	40	154	153	131	81	166	91	67	24	6	3
37b	Disseminated (chronic or unspecified)	284	12	7	4	1	2	5	14	21	37	31	29	27	37	30	19	8	
38	Syphilis	9,139	1,780	123	38	21	25	55	65	160	389	510	606	1,770	1,701	1,113	601	151	31
39	Soft chancre	9									2	1	1	1	3		1		
40	Gonococcus infection	1,026	35	2	2	2	2	1	8	116	168	181	167	229	78	23	7	4	1
41	Purulent infection, septicemia	1,108	123	23	26	11	10	57	51	67	66	66	51	150	120	119	94	72	2
42	Other infectious diseases	22	2	1	1			1			2	2	3	3	4	2	1		
	II.—General diseases not included in Class I	155,298	3,066	567	379	314	293	1,275	1,216	1,587	1,843	2,678	3,948	14,744	26,248	36,707	37,944	22,299	190
	Cancer and other malignant tumors	103,578	42	67	85	95	65	216	207	377	491	997	1,864	8,958	18,236	26,195	27,941	17,639	103
43	Of the buccal cavity	3,184	1	2	1		5	7	11	10	9	24	23	161	490	797	907	733	3
44	Of the stomach, liver	36,874	7	10	6	3	4	19	10	34	66	143	330	2,083	5,475	9,928	11,841	6,878	37
45	Of the peritoneum, intestines, rectum	15,164	2	5	7	16	6	33	31	50	80	185	297	1,157	2,393	3,794	4,352	2,746	10
46	Of the female genital organs	15,001		2	4	2	1	2	16	24	89	259	555	2,604	3,991	3,644	2,594	1,196	18
47	Of the breast	9,580					1	2	3	15	68	214	1,269	2,478	2,453	1,794	1,272	11	
48	Of the skin	2,758	2	4	2	5	1	3	5	8	10	9	24	92	244	445	719	1,181	4
49	Of other or unspecified organs	21,017	30	44	65	69	48	151	132	248	222	309	421	1,592	3,165	5,134	5,734	3,633	20
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	750	15	10	4	6	4	17	6	13	24	26	35	102	105	143	139	100	1
51	Acute rheumatic fever	2,804	12	13	19	30	44	371	371	263	149	111	120	261	283	248	280	227	2
52	Chronic rheumatism, osteoarthritis, gout	1,373		1	3	1	1	7	7	16	14	22	22	84	151	274	400	368	2
53	Scurvy	42	24	6	1	2		2	1		2		1	1	1			1	
54	Pellagra	5,418	13	13	12	11	13	62	55	203	369	430	479	1,006	951	737	661	356	47
55	Beriberi	8	1							1		2	1	1	1			1	
56	Rickets	475	320	100	27	13	2	9	3			1							
57	Diabetes mellitus	18,937	24	24	33	26	33	214	269	277	255	268	341	1,066	2,543	5,327	5,660	2,566	11
58a	Pernicious anemia	4,526	31	16	10	17	7	37	32	50	56	77	107	365	721	1,199	1,304	495	2
58b	Other anemias and chlorosis	684	97	33	12	5	8	22	26	12	17	25	30	56	83	75	86	95	2
59	Diseases of the pituitary gland	116	4		2			2	3	9	9	10	11	24	28	10	3	1	
60a	Exophthalmic goiter	4,202		2			3	5	23	102	138	210	248	728	1,070	952	594	125	2
60b	Other diseases of the thyroid gland	640	21	12	8	3	2	11	8	20	17	24	38	85	105	135	111	38	2
61	Diseases of the parathyroid glands	103	67	15	9	2	2	3			2	1		2					
62	Diseases of the thymus gland	1,402	1,165	79	29	16	10	40	19	14	8	10	2	7	2	1			
63	Diseases of the adrenals (Addison's disease)	350	1					1	2	5	11	18	27	86	76	64	47	12	
64	Diseases of the spleen	142	5	6	2	2		9	6	10	3	8	7	26	16	17	12	13	
65a	Leukemia	2,043	43	56	49	54	62	131	85	90	99	108	84	270	307	312	228	64	1
65b	Hodgkin's disease	936	18	10	2	7	6	42	34	47	51	76	82	148	138	145	96	33	1
66	Alcoholism (acute or chronic)	4,372							1	28	81	194	390	1,338	1,285	727	268	48	12
67a	Chronic lead poisoning	139		3	4						2	10	7	25	35	32	17	4	
67b	Other chronic mineral poisoning	38		1		1				1	3	3	2	8	9	6	3	1	
68	Chronic poisoning by organic substances	152								2	11	22	20	32	26	18	15	5	1
69	Other general diseases	2,068	1,163	100	68	23	31	74	58	47	31	25	30	65	76	90	79	107	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	125,652	3,271	901	523	412	306	1,424	1,085	1,160	1,245	1,445	2,103	7,812	14,593	22,579	32,691	33,930	172
70	Encephalitis	1,300	133	73	44	25	20	81	62	62	65	69	81	176	151	136	81	40	1
71a	Simple meningitis	2,454	609	198	149	91	65	257	145	111	93	92	101	174	167	106	58	30	8
71b	Nonepidemic cerebrospinal meningitis	630	175	76	49	29	29	80	43	27	17	15	20	21	23	19	5	2	
72	Tabes dorsalis (locomotor ataxia)	1,474							1	3	5	8	19	153	305	477	354	147	2
73	Other diseases of the spinal cord	3,314	42	22	17	13	12	54	52	75	71	58	95	264	456	712	799	568	4
74a	Cerebral hemorrhage	86,236	138	35	23	17	5	50	52	97	181	291	508	3,263	9,173	16,999	26,696	28,600	108
74b	Cerebral embolism and thrombosis	4,080	25	12	3	9	8	28	40	43	57	81	98	238	426	781	1,089	1,140	2
75	Paralysis without specified cause	5,005	22	4	4	6	2	11	18	19	21	29	45	179	487	813	1,533	1,792	21
76	General paralysis of the insane	5,363							6	23	39	102	362	1,668	1,642	905	425	182	9
77	Other forms of mental alienation	1,700							3	39	115	126	128	332	346	263	194	148	6
78	Epilepsy	3,005	72	19	15	38	27	112	176	300	300	288	258	430	376	256	221	113	4
79	Convulsions (nonpuerperal; 5 years and over)	125						38	18	8	8	10	5	16	8	3	2	7	2
80	Infantile convulsions (under 5 years)	1,447	1,170	161	57	46	13												
81	Chorea	69	1	2	1	2	3	13	8	12	4		1	5	1	5	7	4	
82	Neuralgia and neuritis	319	2	1		1	1	4	4	5	5	7	9	31	40	50	67	92	
83	Softening of the brain	685								1		2	2	13	26	88	191	362	
84	Other diseases of the nervous system	4,788	126	62	46	45	33	181	125	140	127	159	221	588	733	758	819	621	4
85	Diseases of the eye and annexa	104	14	6	7	4	1	11	5	1	3	2	1	6	6	9	11	17	
86a	Diseases of the ear	2,048	510	135	63	53	41	272	178	111	70	46	80	135	125	119	72	37	1
86b	Diseases of the mastoid process	1,505	232	95	45	33	46	232	149	83	64	60	69	120	102	80	67	28	
	IV.—Diseases of the circulatory system	240,412	910	243	183	167	223	1,387	1,902	2,282	2,398	2,845	3,932	14,030	26,840	43,563	64,413	74,812	282
87	Pericarditis	964	20	7	6	4	8	35	22	24	39	31	31	111	101	154	188	180	3
88	Endocarditis and myocarditis (acute)	8,875	375	90	58	57	63	371	375	462	513	557	643	1,916	808	876	897	811	3
89	Angina pectoris	15,970	4	1	1		1	5	4	18	40	82	158	901	2,351	4,041	5,149	3,200	14
90	Other diseases of the heart	186,167	401	113	107	97	136	940	1,472	1,742	1,724	2,040	2,868	10,101	21,452	34,622	50,932	57,195	225
91a	Aneurysm	2,208				1		2	3	10	19	42	77	336	547	543	440	184	4
91b,c	Other diseases of the arteries	21,407						2		2	6	13	40	206	789	2,250	5,652	12,421	26
92	Embolism and thrombosis (not cerebral)	3,620	35	4	3	2	5	8	15	14	41	50	70	325	599	872	920	654	3
93	Diseases of the veins	616	3	1	1	3	1	3	4	1	8	20	25	87	120	132	121	85	1
94	Diseases of the lymphatic system	216	59	27	5	3	6	16	5	2	4	3	7	14	14	17	20	14	
95	Hemorrhage without specified cause	117	13		2		3	5	1	5	1	5	6	19	19	9	14	15	
96	Other diseases of the circulatory system	252							1	2	3	2	7	14	40	47	80	53	3
	V.—Diseases of the respiratory system	102,192	20,188	5,781	2,416	1,317	802	2,184	1,292	2,077	2,486	2,746	3,058	8,455	9,559	10,520	12,810	16,379	122
97a	Diseases of the nasal fossae	292	150	11	5	7	2	3	4	6	10	5	4	12	11	9	9	43	1
97b	Diseases of the nasal fossae annexa	661	25	13	3	1	7	33	53	53	51	54	66	117	85	51	36	12	1
98	Diseases of the larynx	458	80	60	52	38	28	57	7	6	4	4	9	23	22	22	22	23	1
99a	Acute bronchitis	2,162	785	128	53	33	20	33	11	18	21	19	16	45	70	112	183	615	
99b	Chronic bronchitis	2,198	44	16	7	4	3	8	10	12	29	25	26	85	152	259	545	973	
99c,d	Bronchitis (unspecified)	1,491	411	80	32	20	3	14	12	5	17	10	9	37	57	71	154	559	
100a	Broncho-pneumonia	35,861	12,666	3,265	1,248	602	365	770	312	363	379	408	489	1,374	1,701	2,353	3,650	5,887	29
100b	Capillary bronchitis	713	347	76	31	15	8	13	3	3	4	5	7	11	26	18	49	96	1
101a	Lobar pneumonia	46,694	4,117	1,636	721	435	280	975	705	1,316	1,612	1,876	2,070	5,729	6,179	6,339	6,684	5,960	60
101b	Pneumonia (unspecified)	3,962	1,173	264	133	75	39	127	78	135	124	107	81	224	245	259	320	560	18
102	Pleurisy	2,639	186	170	84	54	33	96	54	87	132	116	139	320	334	313	291	225	5
103	Congestion and hemorrhagic infarct of the lung	1,454	109	12	12	5	3	13	11	12	13	8	13	45	64	86	192	853	3
104	Gangrene of the lung	209		3	3	1	1	4	2	10	11	8	12	41	40	32	27	14	
105	Asthma	1,952	28	22	19	17	6	20	7	10	30	42	53	196	312	331	431	426	2
106	Pulmonary emphysema	166	8	2	2	1		3	1	1	1	1	1	13	36	29	34	33	
107	Other diseases of the respiratory system (tuberculosis excepted)	1,280	59	23	11	9	4	15	22	40	48	58	63	183	225	236	183	100	1
	VI.—Diseases of the digestive system	96,264	21,088	6,157	2,158	1,268	878	2,959	2,220	2,495	2,671	3,055	3,398	9,158	11,011	10,802	9,660	7,202	84
108	Diseases of the mouth and annexa	904	83	14	9	11	10	52	21	37	36	47	52	118	112	128	103	70	1
109a	Adenoid vegetations	4		3				1											
109b	Other diseases of the pharynx, tonsils	4,132	254	170	182	194	169	589	289	242	264	265	216	417	340	245	172	122	2
110	Diseases of the esophagus	118	5	3	1	3	1	6	2	1	2		2	11	15	15	32	19	
111a	Ulcer of the stomach	4,819	12		2	4	2	13	11	54	92	202	269	907	1,103	999	710	436	3
111b	Ulcer of the duodenum	2,043	5			3	2	2	5	24	61	79	148	446	476	421	276	94	1
112	Other diseases of the stomach (cancer excepted)	5,232	1,068	194	94	57	26	80	49	54	95	122	123	434	660	616	692	852	16
113	Diarrhea and enteritis (under 2 years)	23,382	18,067	5,315															
114	Diarrhea and enteritis (2 years and over)	6,517			1,469	580	299	464	118	83	114	134	150	345	416	492	652	1,193	8
115	Ancylostomiasis	18	1	1	4	1	1	3	1	2	2		1				1	1	
116	Diseases due to other intestinal parasites	108	15	20	18	9	6	21	4	4	3	1	1	3	1	1	1		
117	Appendicitis and typhlitis	16,205	77	113	178	250	244	1,292	1,441	1,584	1,300	1,263	1,226	2,470	2,196	1,480	824	253	14
118a	Hernia	4,079	124	31	11	2	3	10	8	12	40	55	79	398	673	850	992	786	5
118b	Intestinal obstruction	7,230	1,036	204	104	79	57	187	115	157	231	287	330	811	932	899	945	846	10
119	Other diseases of the intestines	1,213	93	16	9	14	6	33	25	19	51	53	60	148	188	155	160	180	3
120	Acute yellow atrophy of the liver	486	10	2		1	2	4	5	17	53	55	29	83	72	61	60	32	
121	Hydatid tumor of the liver	32				1						4	5	6	10	2	4		
122	Cirrhosis of the liver	8,098	17	8	8	4	5	26	25	38	54	93	184	891	1,630	1,999	2,009	1,097	10
123	Biliary calculi	4,362						1	2	10	36	87	150	636	968	1,119	914	437	2
124	Other diseases of the liver	4,928	43	20	18	21	12	46	28	68	104	158	235	699	894	1,080	885	659	8
125	Diseases of the pancreas	640	3		1	2	3		3	9	21	39	37	120	144	138	90	30	
126	Peritonitis without specified cause	1,713	175	43	50	32	30	129	68	80	112	111	101	215	180	152	139	95	1
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	117,254	656	232	170	146	121	487	588	925	1,495	2,134	2,898	9,839	15,087	21,301	30,014	31,003	158
128	Acute nephritis (including unspecified under 10 years)	5,233	325	125	99	94	76	262	170	165	228	245	299	768	739	656	515	459	8
129	Chronic nephritis (including unspecified 10 years and over)	94,930	13	26	32	30	26	170	364	559	773	1,132	1,651	6,503	12,106	18,442	26,162	26,812	129
130	Chyluria	3													1			2	
131	Other diseases of the kidneys and annexa	3,141	255	71	38	20	18	50	26	60	89	122	131	356	419	484	526	473	3
132	Calculi of the urinary passages	888	1		1	1		1	3	4	16	30	68	139	166	199	169	89	1
133	Diseases of the bladder	919	7	3			1	1	4	4	6	12	16	42	75	116	184	444	4
134	Diseases of the urethra, etc	397	3						1	3	12	21	16	69	101	74	62	34	1
135	Diseases of the prostate	5,761									4	5	6	45	210	841	2,137	2,509	4
136	Nonvenereal diseases of the male genital organs	111	45	6				2		1	2	2	2	13	8	11	13	6	
137	Cysts, other benign tumors of the ovary	869							1	11	31	52	76	248	167	126	82	73	2
138	Salpingitis and pelvic abscess (female)	1,822	1					1	6	87	240	316	317	545	219	62	17	9	2
139	Benign tumors of the uterus	2,270							1	5	22	115	205	881	696	182	95	66	2
140	Nonpuerperal uterine hemorrhage	68							5	6	4	11	5	22	12		2	1	
141	Other diseases of the female genital organs	823				1			7	19	67	71	103	205	167	106	50	25	2
142	Nonpuerperal diseases of the breast (cancer excepted)	19	6	1						1	1		3	3	2	1		1	
	VIII.—The puerperal state	14,860							55	1,707	2,992	3,189	2,904	3,824	162	1			26
143	Accidents of pregnancy	1,346							1	87	219	309	313	400	15				2
144	Puerperal hemorrhage	1,544							2	73	215	305	368	552	28				1
145	Other accidents of labor	1,691							6	141	303	357	352	505	23				4
146	Puerperal septicemia	5,715							13	731	1,289	1,329	1,083	1,209	50				11
147	Puerperal phlegmasia alba dolens, embolus, etc	646								44	105	144	138	209	4	1			1
148	Puerperal albuminuria and convulsions	3,853							32	622	850	726	644	931	41				7
149	Following childbirth (undefined)	57							1	9	8	15	6	17	1				
150	Puerperal diseases of the breast	8									3	4		1					
	IX.—Diseases of the skin and of the cellular tissue	3,252	469	37	25	15	13	54	49	100	81	74	76	230	333	358	449	882	7
151	Gangrene	1,298	22	11	7	4	4	11	7	5	12	9	12	46	85	120	260	680	3
152	Furuncle	559	63	5	2	1	2	6	19	33	29	23	17	79	87	90	54	47	2
153	Acute abscess	694	140	13	11	8	5	30	13	47	27	21	23	61	107	86	62	39	1
154	Other diseases of the skin and annexa	701	244	8	5	2	2	7	10	15	13	21	24	44	54	62	73	116	1
	X.—Diseases of the bones and of the organs of locomotion	1,474	73	36	37	32	31	202	190	94	55	57	54	117	130	131	141	92	2
155	Diseases of the bones (tuberculosis excepted)	1,173	51	27	32	28	28	180	167	84	42	41	42	85	92	102	96	74	2
156	Diseases of the joints (tuberculosis and rheumatism excepted)	243	20	8	5	4	3	21	21	8	9	14	11	28	31	23	30	7	
157	Amputations	10							1		1	1			1	2	2	2	
158	Other diseases of the organs of locomotion	48	2	1				1	1	2	3	1	1	4	6	4	13	9	
	XI.—Malformations	13,588	12,443	397	129	89	81	184	90	61	45	23	12	22	9	2	1		
159a	Congenital hydrocephalus	1,490	1,158	117	48	29	27	56	23	15	8	3	1	3	2				
159b	Congenital malformations of the heart	7,583	7,023	185	54	41	31	100	53	37	25	10	8	12	4				
159c	Other congenital malformations	4,515	4,262	95	27	19	23	28	14	9	12	10	3	7	3	2	1		
	XII.—Early infancy	59,777	59,777																
160	Congenital debility, icterus, sclerema	6,409	6,409																
161a	Premature birth	38,180	38,180																
161b	Injury at birth	10,628	10,628																
162	Other diseases peculiar to early infancy	4,407	4,407																
163	Lack of care	153	153																
164	XIII.—Old age (senility)	11,465												1	22	173	1,393	9,840	36
	XIV.—External causes	108,806	2,275	1,760	1,557	1,559	1,408	5,300	3,885	6,457	8,437	7,884	7,656	15,886	13,952	11,436	9,263	9,708	383
	Suicide	14,356							57	365	910	1,039	1,272	2,939	3,119	2,511	1,539	572	33
165	By poisons (gas or corrosives excepted)	849							4	35	71	81	98	181	154	114	71	38	2
166	By corrosive substances	1,618							3	80	211	218	213	338	252	195	92	14	2
167	By poisonous gas	2,138							1	43	113	143	156	462	515	393	244	65	3
168	By hanging or strangulation	2,528							13	28	79	94	154	494	636	527	356	139	8
169	By drowning	752							4	13	32	44	54	158	160	140	104	40	3
170	By firearms	4,989							30	151	350	375	456	951	1,081	874	530	177	14
171	By cutting or piercing instruments	794								3	17	32	54	189	186	162	87	63	1
172	By jumping from high places	404								3	19	34	56	101	74	60	28	29	
173	By crushing	138							1	6	9	8	19	31	27	20	15	2	
174	By other means	146							1	3	9	10	12	34	34	26	12	5	
	Homicide	9,470	176	17	13	19	16	74	110	605	1,417	1,654	1,397	2,130	1,051	468	186	65	72
197	By firearms	6,310	7	3	1	7	2	19	47	410	977	1,194	967	1,499	723	294	87	22	51
198	By cutting or piercing instruments	1,495	5	3	2	1	1	6	15	105	280	286	248	336	112	47	27	12	9
199	By other means	1,665	164	11	10	11	13	49	48	90	160	174	182	295	216	127	72	31	12
	Accidental, other, or undefined	84,980	2,099	1,743	1,544	1,540	1,392	5,226	3,718	5,487	6,110	5,191	4,987	10,817	9,782	8,457	7,538	9,071	278
175	Poisoning by food	771	69	49	61	28	23	60	29	25	27	26	28	91	85	71	57	41	1
176	Poisoning by venomous animals	96	18	11	5	5	3	5	6	4	4	2	3	7	6	4	7	6	
177	Other acute poisonings (gas excepted)	1,661	66	240	129	82	37	50	9	43	92	97	120	267	207	126	67	28	1
178	Conflagration	1,519	71	67	66	79	64	147	62	53	71	86	89	163	162	120	107	104	8
179	Burns (conflagration excepted)	6,089	231	522	558	511	448	700	220	205	252	233	242	473	403	338	345	397	11
180	Mechanical suffocation	1,128	821	10	7	3	5	21	29	14	21	29	21	64	41	28	10	4	
181	Absorption of irrespirable, irritating, or poisonous gas	2,521	20	9	10	8	8	23	30	79	144	149	145	431	470	492	293	210	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																			
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
182	Drowning	7,296	39	247	154	97	70	662	872	1,115	789	492	436	834	701	418	190	88	92
183	Traumatism by firearms (except in war)	2,741	5	18	27	32	35	179	395	566	318	245	183	332	199	122	57	19	9
184	Traumatism by cutting or piercing instruments	691	18	16	17	13	6	51	33	31	35	27	30	86	98	113	69	48	
185	Traumatism by fall	15,152	144	130	101	99	70	316	227	265	334	342	420	1,161	1,319	1,619	2,565	6,026	14
186a	Traumatism in mines	2,690					1		3	164	362	370	326	743	452	199	61	5	4
186b	Traumatism in quarries	142		1				3	3	13	11	13	15	31	34	12	4	1	1
187	Traumatism by machines	2,124		5	8	13	8	46	50	155	238	227	218	422	333	274	103	21	3
188a	Railroad accidents	6,892	21	38	27	17	29	163	218	518	691	612	573	1,329	1,115	768	506	208	59
	Collision with automobiles	1,676	18	14	8	14	15	64	61	188	211	158	142	292	235	146	84	24	2
	Other railroad accidents	5,216	3	24	19	3	14	99	157	330	480	454	431	1,037	880	622	422	184	57
188b	Street-car accidents	1,452	6	12	17	15	11	48	31	67	97	96	111	216	231	225	151	117	1
	Collision with automobiles	476	4	2	1	2	3	6	13	41	52	50	65	91	62	52	22	10	
	Other street-car accidents	976	2	10	16	13	8	42	18	26	45	46	46	125	169	173	129	107	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	21,160	106	143	203	408	463	2,289	1,053	1,500	1,747	1,395	1,231	2,611	2,489	2,423	2,001	1,071	27
188d	Airplane and balloon accidents	214	1					2	1	15	55	63	34	29	12				2
188e,f	Injuries by other vehicles	1,379	12	9	13	23	26	111	83	118	113	61	56	123	178	183	171	97	2
188g	Landslide, other crushing	769	5	1	3		2	28	17	50	60	82	81	170	121	85	43	20	1
189	Injuries by animals (not poisoning)	555	8	8	15	9	6	39	47	21	27	10	31	57	67	82	87	41	
190	Wounds of war	5											3	2					
192	Starvation (deprivation of food or water)	17	1	1										2	3	3	4	3	
193	Excessive cold	258	3	1		1	1	5	1	8	6	9	3	32	47	41	55	41	4
194	Excessive heat	530	57	6	4	1	1	3	4	11	20	12	28	94	96	85	52	56	
195	Lightning	352	1				2	14	35	45	43	26	36	57	45	26	13	8	1
196	Other accidental electric shocks	991		1		2	3	15	24	90	180	174	147	199	113	27	11	3	2
201	Fracture (cause not specified)	665	5	2	4	2		9	5	18	20	24	34	88	84	78	102	183	7
202	Other external violence	5,120	371	196	115	92	70	237	231	294	353	289	343	703	671	495	407	225	28
203	Violent deaths of unknown causation																		
	XV.—Ill-defined diseases	19,060	7,464	687	225	140	96	254	188	286	426	344	389	1,028	1,454	1,621	2,070	2,230	158
204	Sudden death	1,961	323	20	6	7	5	8	17	28	40	31	39	149	222	311	406	334	15
205a	Ill-defined	4,312	889	267	66	35	24	73	58	61	80	86	113	324	487	577	655	497	20
205b	Not specified or unknown	12,787	6,252	400	153	98	67	173	113	197	306	227	237	555	745	733	1,009	1,399	123
ALABAMA																			
	All causes {White	14,273	2,419	522	223	166	141	334	208	385	494	470	422	1,065	1,229	1,430	2,345	2,352	68
	{Colored	12,789	1,921	314	138	96	73	230	199	610	864	792	692	1,557	1,798	1,163	1,020	1,242	80
	I.—Epidemic, endemic and infectious diseases {White	2,285	295	151	87	77	65	126	49	77	139	135	113	211	213	157	225	155	10
	{Colored	2,759	284	90	46	40	21	98	72	262	356	305	256	390	276	132	61	58	12
1	Typhoid and paratyphoid fever {W	132				2	1	5	10	22	24	12	11	22	11	8	2	1	1
	{C	186		1	2	2	1	16	21	41	33	15	11	16	13	7	2	3	2
2	Typhus fever {W	3													2		1		
5	Malaria {W	89	6	2	6	3	3	4	6	1	5	6	1	6	4	10	23	3	
	{C	119	7	3	4	5	1	9	7	11	12	7	3	16	12	8	8	5	1
6	Smallpox {W	4											1	1	1		1		
	{C	2									1							1	
7	Measles {W	90	20	20	9	2	4	14	3	1	1	1	1	3	4	1	3	2	1
	{C	30	3	7	7			5	2	3	1	1	1						
8	Scarlet fever {W	21	1	2	4	2	3	7	2										
	{C	2	1	1															
9	Whooping cough {W	200	124	40	10	13	3	8	1										1
	{C	145	78	24	21	6	4	11	1										
10	Diphtheria {W	218	13	41	37	44	42	39		1						1			
	{C	46	7	6	5	9	5	9	1		1	2	1						
11a	Influenza (with pulmonary complications) {W	269	38	11	8		3	14	6	7	5	10	7	22	34	24	39	39	2
	{C	216	34	15	2	3	2	7	3	16	17	12	10	25	30	16	9	15	
11b	Influenza (other and unspecified) {W	155	14	5	2			6	1	3		1	7	13	10	12	30	48	3
	{C	119	17	3	1	2	2	5	2	7	5	6	4	17	14	17	9	7	1
13	Mumps {C	1										1							
15	Cholera nostras {W	8		1					1					1	1	1	2	1	
	{C	1	1																
16	Dysentery {W	75	13	8	2	1	1	1		1		1			2	4	16	25	
	{C	52	12	5		1	1	2	1	1		2	1	3	7	4	2	10	
19	Spirochetal hemorrhagic jaundice {W	1											1						
	{C	1	1																
21	Erysipelas {W	40	18	5		1		2	1	1	1		1	3		3	3	1	
	{C	5	1							2			1	1					
22	Acute anterior poliomyelitis {W	19	2	3	1	2	2	6		1		1		1					
	{C	10	1	2	1	2	1	1	1	1									
23	Lethargic encephalitis {W	13		2	1			1						1	4		3	1	
	{C	4						1				1			2				
24	Meningococcus meningitis {W	4	2						1						1				
	{C	11	2	4		1		2			2								
25	Other epidemic and endemic diseases {W	3	1					1									1		
	{C	2		1															1
27	Anthrax {W	1										1							
28	Rabies {W	3											1	1	1				
	{C	1													1				
29	Tetanus {W	33	8			4	1	8	4	1			1	1	4				
	{C	33	12		1		1	3	1	3	1	4		5		1		1	
30	Mycoses {W	2													1				
	{C	4	2	1						1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
	Tuberculosis (all forms)	W	798	14	10	6	3	2	7	12	32	100	90	72	122	123	84	91	29	1
		C	1,422	15	6	1	8	3	24	28	163	255	230	192	249	151	59	22	10	6
31	Of the respiratory system	W	722	3	6	3	1	1	2	11	30	97	82	65	117	115	80	82	26	1
		C	1,276	9	2		5		13	20	146	232	217	182	224	138	55	19	9	5
32	Of the meninges, central nervous system	W	21	8		3	2		4				1	2				1		
		C	25	2	3	1	2	2	5	1	2		3		3	1				
33	Of the intestines, peritoneum	W	27		1				1		1	2	5	1	4	3	2	6	1	
		C	66		1			1	3	6	8	13	4	7	9	8	2	2	1	1
34	Of the vertebral column	W	3							1				1	1					
		C	8						1	1	1	2		1	2					
35	Of the joints	W	1																1	
		C	6	1							1		1		1	1	1			
36	Of other organs	W	11		2							1	1	2		3	1		1	
		C	14	1					1		2	3	1		5			1		
37a	Disseminated (acute)	W	8	3	1								1	1		1		1		
		C	25	2			1		1		3	5	3	2	4		1			
37b	Disseminated (chronic or unspecified)	W	5					1			1					1	1	1		
		C	2										1		1					
38	Syphilis	W	69	18	1						2	2	5	6	12	9	8	3	3	
		C	309	88	11	1	1		3	3	8	22	21	30	53	39	18	7	4	
40	Gonococcus infection	W	9	1							2		5	1						
		C	25	2						1	4	5	3	2	5	1			1	1
41	Purulent infection, septicemia	W	26	2		1			3	1	3		2	2	2	1	1	5	2	1
		C	13								1		1			6	2	2	1	
	II.—General diseases not included in Class I	White	1,487	46	8	8	5	5	20	14	19	20	35	49	163	220	284	340	245	6
		Colored	903	15	2		2	3	7	8	23	46	62	70	155	202	138	108	53	9
	Cancer and other malignant tumors	W	843	1		2			5	2	5	3	10	21	82	133	186	232	158	3
		C	444					2	1	1	3	5	21	27	71	127	87	66	28	5
43	Of the buccal cavity	W	27											2	2	7	4	7	5	
		C	7								1	1	1	1	1		2			
44	Of the stomach, liver	W	263								1		3	4	13	30	69	78	65	
		C	107									1	1	5	12	24	26	23	13	2
45	Of the peritoneum, intestines, rectum	W	88			1							1	2	10	11	18	27	18	
		C	41									2	3		6	11	13	2	4	
46	Of the female genital organs	W	169									1	2	9	35	37	41	32	12	
		C	160						1			1	10	10	38	52	22	19	4	3
47	Of the breast	W	60											1	9	18	7	16	9	
		C	56										4	7	10	18	7	8	2	
48	Of the skin	W	58							1					1	3	7	19	26	1
		C	5													2		2	1	
49	Of other or unspecified organs	W	178	1		1			5	1	4	2	4	3	12	27	40	53	23	2
		C	68					2		1	2		2	4	4	20	17	12	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8						1			1	1				3		2	
		C	4									1			1	1			1	
51	Acute rheumatic fever	W	28	1					2	2	1	2	1		1	3	2	4	9	
		C	28						1	2		1	1		6	7	2	4	4	
52	Chronic rheumatism, osteoarthritis, gout	W	13												1	2	3	3	4	
		C	8						1		1				2		3		1	
53	Scurvy	W	1	1																
54	Pellagra	W	254	2	1	1	2	2	1	2	6	9	11	20	47	34	32	48	35	1
		C	303	2				1	1	2	16	36	34	31	57	48	32	28	11	4
56	Rickets	W	3	2	1															
		C	1		1															
57	Diabetes mellitus	W	159	4		1	1		2	4	4	1	4	3	7	29	34	35	29	1
		C	55						1	1		2	2	7	6	13	10	8	5	
58a	Pernicious anemia	W	30	1					2					1	5	6	5	9	1	
		C	7							1				1	3		2			
58b	Other anemias and chlorosis	W	5									1	1				1	1	1	
		C	5	2			1				1								1	
60a	Exophthalmic goiter	W	16										3		6	5	2			
		C	12								2	1			7	1		1		
60b	Other diseases of the thyroid gland	W	5	1											2					
		C	1													1	1			
61	Diseases of the parathyroid glands	W	3	3																
		C	1	1																
62	Diseases of the thymus gland	W	6	6																
63	Diseases of the adrenals (Addison's disease)	W	2								1						1			
		C	1													1				
64	Diseases of the spleen	W	5				1		1					1	1	1				
		C	1						1											
65a	Leukemia	W	24		2			2	4	3	1	2	3		1		1	4	1	
		C	4						1	1				1		1				
65b	Hodgkin's disease	W	6					1						1	1	1	1	1		
66	Alcoholism (acute or chronic)	W	20										1		8	1	1	1		1
		C	9										4	2	1	1		1		
67b	Other chronic mineral poisoning	C	1												1					
68	Chronic poisoning by organic substances	W	4											1	1	1	1			
69	Other general diseases	W	52	24	4	4	1		2	1	1	1		1		4	3	1	5	
		C	18	10	1		1							1		1	2		2	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,286	50	6	10	8	4	15	13	15	19	19	18	69	130	190	390	323	7
		Colored	926	46	11	4	1		9	11	7	15	13	22	111	224	151	150	145	6
70	Encephalitis	W	21	2	1	3				3	4	1	1		1	2	1	1	1	
		C	5		1								2		1	1				
71a	Simple meningitis	W	39	19	1	2	2	2	4		1	2	1	2	2	1				
		C	15	3	1	3			1	3	1			2					1	
71b	Nonepidemic cerebrospinal meningitis	W	14	4	1		1		2	1	1			2		1	1			
		C	5	2						2		1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
72	Tabes dorsalis (locomotor ataxia)	W	10												1	2	1	6		
		C	9												1	4	1	2	1	
73	Other diseases of the spinal cord	W	39	2		1						1	1	1	4	1	5	12	10	1
		C	10								1	1				3	2	1	2	
74a	Cerebral hemorrhage	W	821	2		1		1		1	2	4	3	5	37	83	147	287	244	4
		C	589							3		5	8	8	76	169	113	107	95	5
74b	Cerebral embolism and thrombosis	W	11						1			2			2	1	2	2	1	
		C	3												2	1				
75	Paralysis without specified cause	W	131							2					4	7	14	57	47	
		C	124	1						1		1		6	6	23	19	33	34	
76	General paralysis of the insane	W	26										1	3	1	2	7	8	4	
		C	29									1	1	1	7	8	6	1	3	1
77	Other forms of mental alienation	W	17									1	2		2	7	1	2	2	
		C	27									1	1	1	8	6	5	2	3	
78	Epilepsy	W	28	1			2		1	2	3	3	2	2	4	3	2	2		1
		C	30		1				6		2	3	1	3	6	4	3	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	4						1				1			1			1	
		C	6						1	1	1			1	1				1	
80	Infantile convulsions (under 5 years)	W	14	13			1													
		C	45	38	6		1													
81	Chorea	W	1														1			
		C	1								1									
82	Neuralgia and neuritis	W	7								1		1		1				4	
		C	1							1										
83	Softening of the brain	W	9														1	5	3	
		C	2																2	
84	Other diseases of the nervous system	W	62	4		1	1	1	1		2	2	5	3	7	15	7	7	5	1
		C	15	1							1	1			3	2	2	3	2	
85	Diseases of the eye and annexa	W	1															1		
86a	Diseases of the ear	W	26	2	3	2	1		5	2	1	3	1		2	3			1	
		C	5	1	2	1			1											
86b	Diseases of the mastoid process	W	5	1						2					1					
		C	5									1				3			1	
	IV.—Diseases of the circulatory system	White	1,727	11	3	3			9	13	15	11	22	29	88	163	275	531	547	7
		Colored	1,401	3	3	1		3	12	10	23	29	49	51	194	341	233	214	223	12
87	Pericarditis	W	9													2	3	2	2	
		C	8									2			2	1		2		1
88	Endocarditis and myocarditis (acute)	W	56	3	1					4		4	4	5	15	6	5	5	4	
		C	65		2			2	3	2	3	6	6	5	24	4	2	5	1	
89	Angina pectoris	W	146									1		1	13	22	25	46	37	1
		C	25								1				2	10	4	5	3	
90	Other diseases of the heart	W	1,346	7	1	3			9	7	14	6	14	20	58	117	222	429	433	6
		C	1,196	2		1		1	8	8	17	21	41	40	154	307	216	185	184	11
91a	Aneurysm	W	14											2		3	4	3	2	
		C	24										1	4	6	8	3	2		
91b,c	Other diseases of the arteries	W	123										1		1	8	10	40	63	
		C	56												2	9	5	11	29	
92	Embolism and thrombosis (not cerebral)	W	15							1	1		2	1	1	3	3	1	2	
		C	5												1	1		1	2	
93	Diseases of the veins	W	3											1			1		1	
		C	2											1	1					
94	Diseases of the lymphatic system	W	2		1											1				
		C	3	1	1														1	
95	Hemorrhage without specified cause	W	2	1														1		
		C	5						1		1			1	1				1	
96	Other diseases of the circulatory system	W	11							1						1	2	4	3	
		C	12								1		1		1	1	3	3	2	
	V.—Diseases of the respiratory system	White	1,096	197	60	30	22	20	26	21	35	32	36	30	75	77	92	150	186	7
		Colored	907	226	54	26	12	11	19	18	47	58	46	28	100	116	59	34	51	2
97a	Diseases of the nasal fossae	W	7	4						1									2	
		C	8	5				1											2	
97b	Diseases of the nasal fossae annexa	W	3								1					1			1	
		C	3							1				1		1				
98	Diseases of the larynx	W	10		2	1	2	2	1										2	
		C	2	1												1				
99a	Acute bronchitis	W	12	5	1	1						1			1			3		
		C	8	3	1						1				2	1				
99b	Chronic bronchitis	W	19	2	1										1	1	2	3	9	
		C	5										1		1	1		1	1	
99c,d	Bronchitis (unspecified)	W	23	5	1				1	1						1	1	6	7	
		C	20	7	1					1		1		1	2	1	1	1	4	
100a	Broncho-pneumonia	W	348	122	27	11	7	7	5	1	5	7	5	5	16	14	22	33	60	1
		C	227	87	32	12	6	6	7	3	3	10	5	4	7	15	13	17	19	1
100b	Capillary bronchitis	W	3	2															1	
		C	3	1											2					
101a	Lobar pneumonia	W	511	34	16	10	10	7	12	16	23	21	30	20	48	47	56	86	71	4
		C	437	64	17	9	3	3	9	7	35	37	31	20	70	71	34	14	12	1
101b	Pneumonia (unspecified)	W	82	20	9	4	3	3	7	1	2	1	1	1	4	4	4	6	11	1
		C	123	55	3	2	2	1	2	6	6	6	2		6	10	3	6	13	
102	Pleurisy	W	19	2	2	2		1				2			3	2	1	2	2	
		C	20	1		1			1			3	1		3	3	2	3	2	
103	Congestion and hemorrhagic infarct of the lung	W	24							1	1					1	1	2	18	
		C	6	1		1	1								1			1	1	
104	Gangrene of the lung	W	3			1								2						
		C	1								1									
105	Asthma	W	26	1	1						2		1	1	6	5	6	2	1	
		C	29			1							2	4	12	5		5		
106	Pulmonary emphysema	W	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	5								1			1	1			2		
		C	15	1							1	1	4	2	2		1	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALABAMA—Continued																				
	VI.—Diseases of the digestive system	White	1,393	318	246	55	20	13	55	31	45	40	32	37	85	105	88	111	112	
		Colored	826	180	91	23	8	6	11	14	31	40	39	48	102	102	50	50	28	3
108	Diseases of the mouth and annexa	W	6			1						1		1		1		1	1	
		C	13	1		1					1	2		1	1	4	1	1		
109b	Other diseases of the pharynx, tonsils	W	31	2	1	1	2	3	4	2	2	4		1	4		3	1	1	
		C	26	1	1	4	1		3	2	1		4	1	2	2	2	1	1	
110	Diseases of the esophagus	W	2												1			1		
		C	1									1								
111a	Ulcer of the stomach	W	56								1	1	3	3	9	10	13	9	7	
		C	41								2	1	5	5	13	10	3	1	1	
111b	Ulcer of the duodenum	W	21									3	3	1	1	4	6	3		
		C	3							1				1			1			
112	Other diseases of the stomach (cancer excepted)	W	79	12	4		1		5		2	2	4	1	1	8	4	19	16	
		C	136	13	5	2			1	1	4	6	7	7	24	25	15	17	8	1
113	Diarrhea and enteritis (under 2 years)	W	513	283	230															
		C	236	155	81															
114	Diarrhea and enteritis (2 years and over)	W	145			46	13	7	7	1		1	2	1	3	9	7	16	32	
		C	59			14	7	2	3	1	2	1	3	1	7	4	6	4	4	
115	Ancylostomiasis	W	5			1			1		2	1								
		C	1			1														
116	Diseases due to other intestinal parasites	C	3		1			1	1											
117	Appendicitis and typhlitis	W	209		3	4	1	2	27	23	29	19	14	18	24	22	10	9	4	
		C	101					1	2	6	14	15	9	11	23	16	3		1	
118a	Hernia	W	32		1					1			1	1	3	6	4	9	6	
		C	29	1		1		1			1	1	1	2	3	6	3	5	3	1
118b	Intestinal obstruction	W	88	18	3	1	2	1	5	2	3	4	2	7	11	7	4	9	9	
		C	64	5	3			1	1	1	2	5	4	5	10	12	4	7	3	1
119	Other diseases of the intestines	W	13						1				1		1	2	4		4	
		C	17	2						1		1	1	5	4	1	2			
120	Acute yellow atrophy of the liver	W	1	1																
		C	4									2		1		1				
122	Cirrhosis of the liver	W	63	1							3	1			5	11	14	15	13	
		C	46								2	2	1	3	6	13	8	7	4	
123	Biliary calculi	W	35										1	1	6	8	8	7	4	
		C	10												3	3		2	2	
124	Other diseases of the liver	W	70	1	3	1	1		2	1	2	2		2	12	14	7	10	12	
		C	22	1							1	1	1	4	3	4	2	4	1	
125	Diseases of the pancreas	W	5												1	1	1	1	1	
126	Peritonitis without specified cause	W	19		1				3	1	1	1	1		3	2	3	1	2	
		C	14	1						1	1	2	3	1	3	1		1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,279	8	2	4	3	2	6	7	12	18	20	27	102	119	194	385	362	8
		Colored	1,179	6	4	3	2	1	6	3	17	27	55	54	176	264	205	185	164	7
128	Acute nephritis (including unspecified under 10 years)	W	64	4	1	2	1		2	4	3	2	3		12	8	8	7	7	
		C	111	5	4	3	2		5		5	8	9	10	20	22	6	6	5	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,034			1			3	2	6	10	9	14	66	94	169	334	319	7
		C	877					1	1	2	10	8	22	25	119	212	179	156	138	4
131	Other diseases of the kidneys and annexa	W	51	4	1	1	2	2	1		2	2	2	2	7	5	3	11	6	
		C	30							1		2	4	2	4	4	4	3	6	
132	Calculi of the urinary passages	W	6												4	2				
		C	1											1						
133	Diseases of the bladder	W	7														2	1	4	
		C	17									1			1	2	2	3	8	
134	Diseases of the urethra, etc	W	6													1	1	3	1	
		C	17										1	1	4	4	3	4		
135	Diseases of the prostate	W	59												2	1	6	25	25	
		C	32												1	4	8	11	7	1
136	Nonvenereal diseases of the male genital organs	W	1															1		
		C	2	1											1					
137	Cysts, other benign tumors of the ovary	W	12								1	1	1		2	4	2	1		
		C	11								1	1	1	2	2	3				1
138	Salpingitis and pelvic abscess (female)	W	13									2	3	5	1		1	1		
		C	30									4	9	6	9	2				
139	Benign tumors of the uterus	W	14										1	3	5	2	2			1
		C	37									1	3	7	13	9	3	1		
140	Nonpuerperal uterine hemorrhage	W	3												1	2				
		C	3									1	1		1					
141	Other diseases of the female genital organs	W	9							1		1	1	3	2			1		
		C	11								1	1	5		1	2		1		
	VIII.—The puerperal state	White	274							1	46	66	52	36	68	2				3
		Colored	263							5	64	65	38	29	54	6				2
143	Accidents of pregnancy	W	20								2	2	6	4	5	1				
		C	14								2	3	2	3	4					
144	Puerperal hemorrhage	W	16									6		5	5					
		C	28							1	2	5	5	8	6	1				
145	Other accidents of labor	W	33							1	3	6	8	1	13					1
		C	28								3	7	4	3	10	1				
146	Puerperal septicemia	W	93								18	21	19	8	25	1				1
		C	97								26	28	14	8	17	2				2
147	Puerperal phlegmasia alba dolens, embolus, etc	W	12									5	5	1	1					
148	Puerperal albuminuria and convulsions	W	100								23	26	14	17	19					1
		C	95							4	31	22	12	7	17	2				
149	Following childbirth (undefined)	C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	34	7	1				2		2	1	1		3		4	2	11	
		Colored	32	1					2		2	2	1	1	3	7	5	4	3	1
151	Gangrene	W	8	1													1	1	5	
		C	11						1				1		2	1	1	1	3	1
152	Furuncle	W	6	1												2	2		1	
		C	3													1	1	1		
153	Acute abscess	W	10	2					2		1	1					1	1	2	
		C	11						1		2	2		1	1	3	1			
154	Other diseases of the skin and annexa	W	10	3	1						1		1			1			3	
		C	7	1												2	2	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

ALABAMA—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	X.—Diseases of the bones and of the organs of locomotion	White	23			1	1		5	6		1			2	1	3	2	1	
		Colored	16	1		1			2		1	1	1	1	1	3	1	2	1	
155	Diseases of the bones (tuberculosis excepted)	W	20			1	1		4	5		1			2	1	3	1	1	
		C	9			1			2		1		1	1		1	1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3						1	1								1		
		C	2	1											1					
158	Other diseases of the organs of locomotion	C	5									1				2		2		
	XI.—Malformations	White	138	128	1	1		1	4	2		1								
		Colored	53	41	3	2		2	2		3									
159a	Congenital hydrocephalus	W	11	8	1			1	1											
		C	12	4		2		2	2		2									
159b	Congenital malformations of the heart	W	75	69		1			3	1		1								
		C	24	20	3					1	1									
159c	Other congenital malformations	W	52	51						1										
		C	17	17																
	XII.—Early infancy	White	1,039	1,039																
		Colored	504	504																
160	Congenital debility, icterus, sclerema	W	139	139																
		C	90	90																
161a	Premature birth	W	727	727																
		C	336	336																
161b	Injury at birth	W	124	124																
		C	38	38																
162	Other diseases peculiar to early infancy	W	49	49																
		C	37	37																
163	Lack of care	C	3	3																
164	XIII. Old age (senility)	White	203														2	23	178	
		Colored	327													1	8	33	280	5
	XIV.—External causes	White	1,341	39	33	20	22	26	61	47	114	139	113	69	178	160	84	98	122	16
		Colored	1,099	45	14	13	21	18	44	49	97	165	139	87	155	106	60	31	44	11
	Suicide	W	146							1	14	21	16	7	23	33	15	14	2	
		C	9								2	1			2	3		1		
165	By poisons (gas or corrosives excepted)	W	11								1			1	3	3	1	2		
166	By corrosive substances	W	23							1	2	8	2	4	2	3		1		
		C	1												1					
167	By poisonous gas	W	2													1		1		
168	By hanging or strangulation	W	4										2			1	1			
		C	3								1	1			1					
169	By drowning	W	2									1			1					
		C	1													1				
170	By firearms	W	97								11	11	12	2	14	25	13	8	1	
		C	3								1					1		1		
171	By cutting or piercing instruments	W	5												2			2	1	
		C	1													1				
174	By other means	W	2									1			1					
	Homicide	W	164						1	2	16	19	15	18	35	32	8	9	1	8
		C	362	1					1	6	31	74	82	47	70	32	9	4		5
197	By firearms	W	124							1	11	17	13	15	26	24	4	6	1	6
		C	261							3	23	49	61	33	52	26	8	1		5
198	By cutting or piercing instruments	W	11								1	1		2	5		1	1		
		C	70						1	1	6	20	18	10	9	3	1	1		
199	By other means	W	29						1	1	4	1	2	1	4	8	3	2		2
		C	31	1						2	2	5	3	4	9	3		2		
	Accidental, other, or undefined	W	1,031	39	33	20	22	26	60	44	84	99	82	44	120	95	61	75	119	8
		C	728	44	14	13	21	18	43	43	64	90	57	40	83	71	51	26	44	6
175	Poisoning by food	W	32	7	5	7	1		2			1	1		3	2		1	2	
		C	14	1		2	2	1			1		1		3	2	1			
176	Poisoning by venomous animals	W	2	1													1			
177	Other acute poisonings (gas excepted)	W	24	2	6	1	4		2		1				1	3		1		
		C	14	2	5	1		1	2						1	1		1	2	
178	Conflagration	W	9	1											1	2	1			
		C	18	3			2	3	2									3	1	
179	Burns (conflagration excepted)	W	84	5	6	7	6	14	9	2	1	6	4	4	5	3	4	2	1	
		C	123	7	5	8	15	9	19	4	3	6	3	3	5	10	7	6	12	1
180	Mechanical suffocation	W	17	15					1						1					
		C	25	22				1					1						1	
181	Absorption of irrespirable, irritating, or poisonous gas	W	3									2					1			
		C	6						1				1		1	3				
182	Drowning	W	58		2	2	1		5	6	7	7	4	8	7	3	2	2	1	1
		C	49			1			2	5	12	7	5	4	7	2	2	1	1	
183	Traumatism by firearms (except in war)	W	52		1	1	1	1	3	7	16	4	6	3	7	1	1			
		C	56	1					8	13	11	9	3	1	2	2	4	1		1
184	Traumatism by cutting or piercing instruments	W	8			1	1	1	2						1	1			1	
		C	6							1	1		1				1	1		
185	Traumatism by fall	W	169	2	2		1	1	5	3	2	2	3	1	10	13	10	26	87	
		C	44	2	1		1		1	3	1	3		2	2	2	9	5	12	
186a	Traumatism in mines	W	51								4	9	9	1	13	8	6	1		
		C	67							1	1	20	11	10	10	8	4		1	1
186b	Traumatism in quarries	C	1													1				
187	Traumatism by machines	W	38								1	4	11	1	9	8	2	2		
		C	21							3	3	4	4	1	3		3			1
188a	Railroad accidents	W	95		2			2	2	2	13	18	9	4	15	9	8	9		2
		C	63								9	12	6	7	15	5	5		2	2
	Collision with automobiles	W	23					1	2		2	7	3		3	4		1		
		C	3								1	1		1						
	Other railroad accidents	W	72		2			1		2	11	11	6	4	12	5	8	8		2
		C	60								8	11	6	6	15	5	5		2	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188b	Street-car accidents—W	7		1						1	1			1	2		1		
	Street-car accidents—C	2					1	1											
	Collision with automobiles—W	4								1				1	2				
	Other street-car accidents—W	3		1							1						1		
	Other street-car accidents—C	2					1	1											
188c	Automobile accidents (excluding collision with railroad trains and street cars)—W	247		3		5	7	22	16	27	29	22	11	30	31	15	15	11	3
	Automobile accidents (excluding collision with railroad trains and street cars)—C	114		1			2	5	7	10	19	11	4	17	17	10	3	8	
188d	Airplane and balloon accidents—W	2									1				1				
188e,f	Injuries by other vehicles—W	13	1	1				1		2	1			1	2	1	2	1	
	Injuries by other vehicles—C	9	1			1			1	1	1			1				3	
188g	Landslide, other crushing—W	8						1	1		1	2		1		1			1
	Landslide, other crushing—C	6								1	1			2	2				
189	Injuries by animals (not poisoning)—W	7						1	1	1			1				2	1	
	Injuries by animals (not poisoning)—C	5							2		1			1			1		
193	Excessive cold—W	3													1	2			
	Excessive cold—C	6													2	1	2		
194	Excessive heat—W	5									1				2	1	1		
	Excessive heat—C	13								3	5	2	1		1	1			
195	Lightning—W	16							1	1		5	2	2	3		1	1	
	Lightning—C	12							1	3	2	4	1	1					
196	Other accidental electric shocks—W	6							1	1	1		1		1		1		
	Other accidental electric shocks—C	6										1			1			4	
201	Fracture (cause not specified)—W	3										1		1			1		
	Fracture (cause not specified)—C	68	5	4	1	2		4	5	2	6	4	6	10	6	6	4	3	
202	Other external violence—W	52	5	2	1			2	1	8	5	2	4	10	7	2	1	1	1
	Other external violence—C																		
	XV.—Ill-defined diseases—White	668	281	11	4	8	5	5	4	5	7	5	14	24	36	57	88	110	4
	XV.—Ill-defined diseases—Colored	1,594	569	42	19	10	8	18	9	33	60	44	45	116	150	121	148	192	10
204	Sudden death—W	70	7	1				1		1	1		1		2	8	20	28	
	Sudden death—C	84	11		2	1				2	2	1	2	14	9	13	12	13	2
205a	Ill-defined—W	86	12	2	1	2	1				2	1	3	5	11	13	22	11	
	Ill-defined—C	161	34	3	3		1	3	3	4	4	9	6	20	21	18	12	19	1
205b	Not specified or unknown—W	512	262	8	3	6	4	4	4	4	4	4	10	19	23	36	46	71	4
	Not specified or unknown—C	1,349	524	39	16	8	6	15	6	27	54	34	37	82	120	90	124	160	7
	ARIZONA																		
	All causes	5,881	1,111	283	118	62	42	141	129	219	327	357	370	716	556	472	527	421	30
	I.—Epidemic, endemic, and infectious diseases	1,965	134	81	46	23	19	52	69	101	196	221	227	382	209	102	67	28	8
1	Typhoid and paratyphoid fever	42			1		1	4	9	8	6	3	2	4	4				
4	Malta fever	1													1				
5	Malaria	2	1														1		
7	Measles	83	19	25	15	7	2	7	4	1	2			1					
8	Scarlet fever	7	1	1			1	1			1		1	1					
9	Whooping cough	44	24	14	2	1	1	2											
10	Diphtheria	24	3	3	3	3	3	6	2					1					
11a	Influenza (with pulmonary complications)	86	22	4	3	2	2	2		1	2	1	2	8	11	11	7	8	
11b	Influenza (other and unspecified)	49	13	5	3		1	2	1	1	1	2	3	3	5	1	5	3	
13	Mumps	2				1								1					
16	Dysentery	35	14	6	3	3		1		1		1	1		1		2	2	
19	Spirochetal hemorrhagic jaundice	1														1			
21	Erysipelas	14	4										1	1	2	1	4	1	
22	Acute anterior poliomyelitis	25	3	2	3	1		4	7	1	1	1	1			1			
23	Lethargic encephalitis	2				1											1		
24	Meningococcus meningitis	6	1	2	1	1		1											
25	Other epidemic and endemic diseases	3		1				1	1										
28	Rabies	1													1				
29	Tetanus	3	1				1							1					
30	Mycoses	1		1															
	Tuberculosis (all forms)	1,491	14	16	12	4	6	21	45	88	181	208	215	356	176	85	43	13	8
31	Of the respiratory system	1,409	8	8	7	1	4	14	36	84	172	204	210	347	172	85	39	11	7
32	Of the meninges, central nervous system	32	5	5	4	2	1	5	5	2		1	2						
33	Of the intestines, peritoneum	13		1							4		2	2			3		1
34	Of the vertebral column	12		1				2	1		2	1		4	1				
35	Of the joints	3								1		1						1	
36	Of other organs	14		1	1		1		2	1		1		2	3		1	1	
37a	Disseminated (acute)	6				1			1		3			1					
37b	Disseminated (chronic or unspecified)	2	1										1						
38	Syphilis	36	14	1							2	4		3	7	1	3	1	
39	Soft chancre	1												1					
40	Gonococcus infection	1												1					
41	Purulent infection, septicemia	5										1	1		1	1	1		
	II.—General diseases not included in Class I	320	10	2	3	2		6	2	5	9	8	12	32	58	58	70	40	3
	Cancer and other malignant tumors	219			1	1		1		1	5	5	9	20	40	49	53	33	1
43	Of the buccal cavity	5															4	1	
44	Of the stomach, liver	83			1						1	1	4	6	11	19	24	15	1
45	Of the peritoneum, intestines, rectum	26												4	2	6	8	6	
46	Of the female genital organs	44									1	3	5	8	7	11	5	4	
47	Of the breast	14												1	8	3		2	
48	Of the skin	6												1		2	1	2	
49	Of other or unspecified organs	41				1		1		1	3	1			12	8	11	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4												1			1	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
51	Acute rheumatic fever	7						1	1				1		2			2	
52	Chronic rheumatism, osteoarthritis, gout	5									1			2	1		1		
54	Pellagra	7													1	2	2	2	
56	Rickets	4	4																
57	Diabetes mellitus	22						2	1		1		1	2	3	1	9	2	
58a	Pernicious anemia	4								1					1	1	1		
58b	Other anemias and chlorosis	7			2			2						1		1			1
60a	Exophthalmic goiter	7								1	1		1		1	2	1		
60b	Other diseases of the thyroid gland	1												1					
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	4	4																
63	Diseases of the adrenals (Addison's disease)	1														1			
65a	Leukemia	2										1			1				
65b	Hodgkin's disease	1				1													
66	Alcoholism (acute or chronic)	16								1	1			5	7	1	1		
68	Chronic poisoning by organic substances	3										2			1				
69	Other general diseases	4	1	1						1							1		
	III.—Diseases of the nervous system and of the organs of special sense	291	14	6	2	2	2	8	5	4	6	2	8	23	38	53	58	60	
70	Encephalitis	3	1											1	1				
71a	Simple meningitis	16	2	2	1	1	1	4	2		1				1		1		
71b	Nonepidemic cerebrospinal meningitis	4			1		1	1			1								
72	Tabes dorsalis (locomotor ataxia)	2												1				1	
73	Other diseases of the spinal cord	9							2	2						2	2	1	
74a	Cerebral hemorrhage	173	3										2	7	19	47	49	46	
74b	Cerebral embolism and thrombosis	2																2	
75	Paralysis without specified cause	12				1									4	1	2	4	
76	General paralysis of the insane	17											1	5	8	1	1	1	
77	Other forms of mental alienation	7											1	3	2			1	
78	Epilepsy	11		1					1	1	2	1	1	1	1	1			
79	Convulsions (nonpuerperal; 5 years and over)	3									1			1				1	
80	Infantile convulsions (under 5 years)	5	4	1															
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	11		2									2	1	2		2	2	
85	Diseases of the eye and annexa	1	1																
86a	Diseases of the ear	6	2					1			1	1	1						
86b	Diseases of the mastoid process	8	1					2		1				3		1			
	IV.—Diseases of the circulatory system	498	3	1	1	1	1	4	8	7	12	16	17	53	58	89	132	91	4
87	Pericarditis	1														1			
88	Endocarditis and myocarditis (acute)	34	1		1			1	2		2	3	4	11		6	3		
89	Angina pectoris	43									1	2	1	3	12	8	10	6	
90	Other diseases of the heart	368	1	1		1	1	2	5	7	8	11	11	31	42	66	109	69	3
91a	Aneurysm	9							1					3	4		1		
91b,c	Other diseases of the arteries	33						1						2		6	8	15	1
92	Embolism and thrombosis (not cerebral)	7	1								1		1	3		1			
93	Diseases of the veins	1															1		
95	Hemorrhage without specified cause	1																1	
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	563	157	49	21	10	4	14	12	15	9	16	10	41	49	49	58	45	4
97a	Diseases of the nasal fossae	1								1									
97b	Diseases of the nasal fossae annexa	2								1						1			
98	Diseases of the larynx	5		1				1	2		1								
99a	Acute bronchitis	12	9															3	
99b	Chronic bronchitis	9		1										1	2	2	3		
99c,d	Bronchitis (unspecified)	9	4	2	1											1		1	
100a	Broncho-pneumonia	198	87	27	11	3	3	6	1	3	2	1	1	7	7	8	14	15	2
100b	Capillary bronchitis	2	1	1															
101a	Lobar pneumonia	193	30	13	5	4	1	5	7	5	4	13	4	20	30	17	21	13	1
101b	Pneumonia (unspecified)	79	25	3	3	3		2	1	4	2	2	2	3	3	7	9	9	1
102	Pleurisy	8			1				1				1	2	2			1	
103	Congestion and hemorrhagic infarct of the lung	3												1				1	
105	Asthma	25												4	3	11	5	2	
106	Pulmonary emphysema	1		1															
107	Other diseases of the respiratory system (tuberculosis excepted)	16	1							1			2	3	2	2	5		
	VI.—Diseases of the digestive system	789	399	114	28	11	6	20	9	9	17	11	15	37	37	30	25	19	2
108	Diseases of the mouth and annexa	5												1	2	1	1		
109b	Other diseases of the pharynx, tonsils	22	1	1	2	2	1	4	2		1		1	6	1				
110	Diseases of the esophagus	1						1											
111a	Ulcer of the stomach	12								1	1			3	3	1	2	1	
111b	Ulcer of the duodenum	2											1		1				
112	Other diseases of the stomach (cancer excepted)	53	27	5	1	2						2	1		4	3	4	4	
113	Diarrhea and enteritis (under 2 years)	471	364	107															
114	Diarrhea and enteritis (2 years and over)	67			23	5	2	9	2		1	1			8	5	14	7	
117	Appendicitis and typhlitis	55			1	1	2	3	4	4	8	6	3	12	5	4	1	1	
118a	Hernia	7									1		1	1		1	2	1	
118b	Intestinal obstruction	23	5			1	1	2		2	1		1	3	1	3	1	2	
119	Other diseases of the intestines	9		1					1	1			1		2	1	1		1
122	Cirrhosis of the liver	22									1		1	3	5	7	3	1	1
123	Biliary calculi	5											1	2		1	1	1	
124	Other diseases of the liver	15						1				2	1	5	1	3	1		
125	Diseases of the pancreas	5											1	1	3				
126	Peritonitis without specified cause	15	2		1					1	3		2		1	1	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	226	3	1				2	6	4	5	12	6	25	27	25	56	51	3
128	Acute nephritis (including unspecified under 10 years)	16	1	1					4		2		1	1	2	1	2	1	
129	Chronic nephritis (including unspecified 10 years and over)	161						1	2	2	2	7	3	16	21	21	44	39	3
131	Other diseases of the kidneys and annexa	10	2							1				1		1	3	2	
132	Calculi of the urinary passages	1													1				
133	Diseases of the bladder	4													1		1	2	
134	Diseases of the urethra, etc	3												1		1	1		
135	Diseases of the prostate	13												1		1	4	7	
136	Nonvenereal diseases of the male genital organs	1						1											
137	Cysts, other benign tumors of the ovary	2											1	1					
138	Salpingitis and pelvic abscess (female)	6								1	1	1	1	1	1				
139	Benign tumors of the uterus	6										3		2	1				
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	2										1					1		
	VIII.—The puerperal state	76								16	12	13	14	19	2				
143	Accidents of pregnancy	5									1	1	1	2					
144	Puerperal hemorrhage	5										1	2	2					
145	Other accidents of labor	8									2	3		2	1				
146	Puerperal septicemia	37								12	5	8	6	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	2									1		1						
148	Puerperal albuminuria and convulsions	18								4	3		4	6	1				
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	10	1	1							1		1	1		1	2	2	
151	Gangrene	5									1					1	2	1	
153	Acute abscess	2		1									1						
154	Other diseases of the skin and annexa	3	1											1				1	
	X.—Diseases of the bones and of the organs of locomotion	10						3		4					1	1		1	
155	Diseases of the bones (tuberculosis excepted)	10						3		4					1	1		1	
	XI.—Malformations	31	26				1	2		1	1								
159a	Congenital hydrocephalus	3	1					2											
159b	Congenital malformations of the heart	18	15				1			1	1								
159c	Other congenital malformations	10	10																
	XII.—Early infancy	260	260																
160	Congenital debility, icterus, sclerema	62	62																
161a	Premature birth	142	142																
161b	Injury at birth	33	33																
162	Other diseases peculiar to early infancy	21	21																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	71														2	16	53	
	XIV.—External causes	585	20	15	14	10	8	25	17	48	55	53	60	93	62	48	31	21	5
	Suicide	56								4	4	7	8	9	8	10	5	1	
165	By poisons (gas or corrosives excepted)	1								1									
166	By corrosive substances	6								2			2		1	1			
167	By poisonous gas	1												1					
168	By hanging or strangulation	6										1	1	2		1	1		
169	By drowning	2														1		1	
170	By firearms	36								1	4	5	4	6	6	7	3		
171	By cutting or piercing instruments	2											1		1				
174	By other means	2										1					1		
	Homicide	48	1					1		2	4	4	7	12	7	3	2	2	3
197	By firearms	29						1		1	3	4	4	6	5	1	2		2
198	By cutting or piercing instruments	10									1		2	4	1	1			1
199	By other means	9	1							1			1	2	1	1		2	
	Accidental, other, or undefined	481	19	15	14	10	8	24	17	42	47	42	45	72	47	35	24	18	2
175	Poisoning by food	9	1					2	1		1	1			1	2			
176	Poisoning by venomous animals	10	1	1	3	4		1											
177	Other acute poisonings (gas excepted)	10		1	1								1	3	3		1		
178	Conflagration	9	1	1		1		1			1			1	2	1			
179	Burns (conflagration excepted)	23		3	1			3		2	4	1	2	1	3	2	1		
180	Mechanical suffocation	7	2					3			1			1					
181	Absorption of irrespirable, irritating, or poisonous gas	1										1							
182	Drowning	24	1	6	3			2	1	4		2	1			1	2	1	
183	Traumatism by firearms (except in war)	27					1	1	5	5	5		4	3	1	2			
184	Traumatism by cutting or piercing instruments	4	1		1		1									1			
185	Traumatism by fall	46	2	2	1	1	1	1	2	4	4	1	2	5	2	2	5	11	
186a	Traumatism in mines	50									6	12	10	15	4	1	2		
186b	Traumatism in quarries	2									1					1			
187	Traumatism by machines	5										2		2		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188a	Railroad accidents	33					1			8	3	5	5	9		2			
	Collision with automobiles	4									1		1	1		1			
	Other railroad accidents	29					1			8	2	5	4	8		1			
188b	Street-car accidents	2									1	1							
	Collision with automobiles	2									1	1							
188c	Automobile accidents (excluding collision with railroad trains and street cars)	140	2	1	4	3	3	8	5	12	16	9	11	20	21	14	8	2	1
188e,f	Injuries by other vehicles	4											1	1	1			1	
188g	Landslide, other crushing	5								1			1	2	1				
189	Injuries by animals (not poisoning)	2	1														1		
193	Excessive cold	1															1		
194	Excessive heat	19	5							2		1		3	3	2	1	2	
195	Lightning	7										1	2	2	2				
196	Other accidental electric shocks	8									3	1	2	1	1				
201	Fracture (cause not specified)	3								1				1				1	
202	Other external violence	30	2			1	1	2	3	3	1	4	3	2	2	3	2		1
	XV.—Ill-defined diseases	186	84	13	3	3	1	5	1	5	4	5		10	15	14	12	10	1
204	Sudden death	11	3											3	1	1	1	2	
205a	Ill-defined	33	8	2				1		1	1	2		2	6	4	4	1	1
205b	Not specified or unknown	142	73	11	3	3	1	4	1	4	3	3		5	8	9	7	7	
	ARKANSAS																		
	All causes—White	11,926	1,769	431	213	119	100	297	258	397	468	397	385	930	1,061	1,207	1,830	1,940	124
	All causes—Colored	6,385	687	170	62	52	35	134	145	341	441	392	302	773	1,009	651	519	521	151
	I.—Epidemic, endemic, and infectious diseases—White	2,480	283	156	104	57	51	122	84	130	175	145	131	235	232	189	202	161	23
	I.—Epidemic, endemic, and infectious diseases—Colored	1,681	111	65	22	22	16	59	68	150	194	173	109	228	211	120	63	41	29
1	Typhoid and paratyphoid fever—W	291	4	5	3	6	4	21	32	52	53	32	9	27	18	10	11	1	3
	Typhoid and paratyphoid fever—C	154	3	5	2	2	4	12	19	25	34	12	9	12	8	4	2	1	
5	Malaria—W	446	54	30	16	11	8	37	28	21	20	17	17	40	39	35	39	28	6
	Malaria—C	364	17	25	9	8	9	22	14	25	18	19	12	43	55	44	21	20	3
6	Smallpox—W	1										1							
7	Measles—W	68	17	13	11	4	2	5	2	6	2		1	3	1	1			
	Measles—C	6	1	1			1	1	1		1								
8	Scarlet fever—W	17		4	2		3	5	1	2									
9	Whooping cough—W	129	38	19	12	5	2	2	1										
	Whooping cough—C	59	38	12	2	2	2	3											
10	Diphtheria—W	153	12	33	34	18	26	26	3	1									
	Diphtheria—C	16	2	3	1	5		1	1			1		1				1	
11a	Influenza (with pulmonary complications)—W	147	16	8	3	2		6	1	2	3	2	2	13	16	22	20	29	2
	Influenza (with pulmonary complications)—C	88	6	3	3	1		1	1	1	8	6		14	21	8	7	5	3
11b	Influenza (other and unspecified)—W	143	22	4	1	1	2	4	2	2	4	1	7	5	8	10	27	43	
	Influenza (other and unspecified)—C	114	10	3	1	1		5	5	4	6	7	6	18	17	15	8	4	4
13	Mumps—C	1	1																
15	Cholera nostras—W	2												1				1	
16	Dysentery—W	122	32	28	8	2					1		1		4	8	12	25	1
	Dysentery—C	41	14	6	3	2				2		2		1	4	3		2	2
21	Erysipelas—W	27	6	1	2			2		1		4	1		2	1	4	3	
	Erysipelas—C	3							1						2				
22	Acute anterior poliomyelitis—W	29	7		3	6	1	4	2	2				1	1		1		1
	Acute anterior poliomyelitis—C	3	1	1				1											
23	Lethargic encephalitis—W	8						1				1		1	2	3			
	Lethargic encephalitis—C	2							1						1				
24	Meningococcus meningitis—W	9	1	1	3	1			1	1	1	1							
	Meningococcus meningitis—C	1						1											
25	Other epidemic and endemic diseases—W	7	3								1				2	1			
	Other epidemic and endemic diseases—C	1		1															
27	Anthrax—W	1															1		
	Anthrax—C	1														1			
29	Tetanus—W	14	2		1		1	3	2		1		1	2				1	
	Tetanus—C	15	7							1			3	2			1	1	
30	Mycoses—C	1	1																
	Tuberculosis (all forms)—W	789	7	7	4	1	1	4	9	35	81	84	87	134	127	92	83	23	10
	Tuberculosis (all forms)—C	688		5	1	1		12	25	83	117	118	64	113	77	32	20	5	15
31	Of the respiratory system—W	718	4	3			1	1	5	32	80	78	84	127	121	83	70	21	8
	Of the respiratory system—C	618		2	1	1		7	21	76	104	110	61	102	66	30	19	4	14
32	Of the meninges, central nervous system—W	17	3	3	3			2	1				1	2	1				1
	Of the meninges, central nervous system—C	6		1				1	2	1				1					
33	Of the intestines, peritoneum—W	24		1	1				1	1			4	1	2	1	7	4	1
	Of the intestines, peritoneum—C	21		1						2	6	3	1	4	2		1		1
34	Of the vertebral column—W	7				1		1	1	1	1					1		1	
35	Of the joints—W	3													1		2		
	Of the joints—C	2						1							1				
36	Of other organs—W	16								1				3	3	1	7	1	
	Of other organs—C	20		1				3	1	2	1	1	1	3	4	2		1	
37a	Disseminated (acute)—W	4							1			2	1						
	Disseminated (acute)—C	19							1	2	5	4	1	2	4				
37b	Disseminated (chronic or unspecified)—C	2									1			1					
38	Syphilis—W	45	9	1	1					1	1	1	4	5	10	4	4	4	
	Syphilis—C	100	10							6	6	7	14	16	22	12	4	1	2
40	Gonococcus infection—W	10								2	5		1	2		1			
	Gonococcus infection—C	14								1	3		1	6	2	1			
41	Purulent infection, septicemia—W	22	3	2			1	2	1	2	2	1		1	2	2		3	
	Purulent infection, septicemia—C	9						1		1	1	1		2	2			1	

TABLE 8.—DEATHS, (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARKANSAS—Continued																			
	II.—General diseases not included in Class I.	White	1,149	20	7	2	1	1	13	14	23	21	30	30	140	162	218	274	180	13
		Colored	662	2		1	1	1	10	4	29	44	45	47	103	157	94	63	40	21
	Cancer and other malignant tumors	W	608			1			3	3	7	2	5	10	66	81	119	181	125	58
		C	191						2			5	4	9	30	62	32	24	15	
43	Of the buccal cavity	W	23							1					1	1	5	5	10	
		C	4												1	1		1	1	
44	Of the stomach, liver	W	200								1	1	1	1	9	24	44	74	44	1
		C	41											2	4	14	10	4	5	2
45	Of the peritoneum, intestines, rectum	W	72								1		1	3	10	14	7	23	12	1
		C	14									1			3	4	3	1		2
46	Of the female genital organs	W	89			1							1	1	26	15	21	16	7	1
		C	68									1	2	3	16	21	13	5	5	2
47	Of the breast	W	46								1			3	6	9	9	12	5	1
		C	28									2	1	2	2	10	4	6		1
48	Of the skin	W	44													5	12	12	15	
		C	3						1						1				1	
49	Of other or unspecified organs	W	134						3	2	4	1	2	2	14	13	21	39	32	1
		C	33						1			1	1	2	3	12	2	7	3	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	9		1			1					1	1	1	1	1	2		
		C	2														1	1		
51	Acute rheumatic fever	W	16	1						3						4	1	5	2	
		C	12						1		2	1		1	4	1		2		
52	Chronic rheumatism, osteoarthritis, gout	W	13								1		1		3	1	1	4	2	
		C	6													2	1	2	1	
54	Pellagra	W	260		1				1	1	6	9	14	11	45	46	54	39	28	5
		C	395	2		1	1	1	7	3	24	36	39	29	62	81	49	30	18	12
56	Rickets	W	4	2	2															
57	Diabetes mellitus	W	110	1					4	3	3	4	2	4	8	17	22	28	13	1
		C	26											1	3	10	5	3	4	
58a	Pernicious anemia	W	14							1		3	1		1	1	4	1	1	1
		C	7										2	2			1	1	1	
58b	Other anemias and chlorosis	W	7												2	1		1	3	
59	Diseases of the pituitary gland	W	1									1								
60a	Exophthalmic goiter	W	9												4	3	1	1		
		C	4											2	1		1			
60b	Other diseases of the thyroid gland	W	9	1									1	1			3	2	1	
		C	3												1		1			1
62	Diseases of the thymus gland	W	11	8		1			1	1										
		C	1									1								
63	Diseases of the adrenals (Addison's disease)	W	4							1			1		1				1	
64	Diseases of the spleen	W	2												1			1		
		C	1												1					
65a	Leukemia	W	10	1					1	1	1		1			1		2	2	
		C	2							1	1									
65b	Hodgkin's disease	W	5						2		1			1			1			
		C	1														1			
66	Alcoholism (acute or chronic)	W	27								2	1		1	6	6	8	2		1
		C	7									1		2	1	1	2			
67a	Chronic lead poisoning	W	3										1	1			1			
67b	Other chronic mineral poisoning	W	1				1													
68	Chronic poisoning by organic substances	W	4									1			1		1	1		
69	Other general diseases	W	22	6	3				1		2		2		1		1	4	2	
		C	4								2			1					1	
	III.—Diseases of the nervous system and of the organs of special sense	White	993	35	8	7	5	1	8	9	9	21	17	24	63	98	145	261	272	10
		Colored	414	14	4	1	3			3	8	13	14	12	44	100	81	51	56	10
70	Encephalitis	W	14	4				1			2		1	2		1	1	2		
		C	8		1								2		3	1			1	
71a	Simple meningitis	W	29	9	2	2			1	1		3		1	4	2	2			2
		C	15	5	1	1	1			1		2	1			2	1			
71b	Nonepidemic cerebrospinal meningitis	W	11	4	3	1	1			1	1									
		C	2		1					1										
72	Tabes dorsalis (locomotor ataxia)	W	9										1		1	1	4		2	
		C	1													1				
73	Other diseases of the spinal cord	W	51	1							1	1			1	3	9	17	18	
		C	23				1				1			1	1	7	5	4	3	
74a	Cerebral hemorrhage	W	535	3	1	2			3	1		3	3	7	26	49	90	175	169	3
		C	216				1				2	3	2	2	28	51	50	32	39	6
74b	Cerebral embolism and thrombosis	W	16							1			1	1		3	2	1	7	
		C	2									1					1			
75	Paralysis without specified cause	W	126				2			1	1		1	2	4	7	18	39	48	3
		C	66							1	1		2	2	3	21	12	10	11	3
76	General paralysis of the insane	W	39											4	10	15	4	2	4	
		C	24										1	2	5	10	3	1	2	
77	Other forms of mental alienation	W	13									1	1	1		3	2	3	2	
		C	6								1	1	2			1	1			
78	Epilepsy	W	40	1					2		2	8	6	4	2	5	3	5	1	1
		C	23		1						2	6	2	3	3	1	4	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	1																	1
		C	1											1						
80	Infantile convulsions (under 5 years)	W	12	7	2	2	1													
		C	9	9																
82	Neuralgia and neuritis	W	8									1				2		3	2	
		C	2										1			1				
83	Softening of the brain	W	3															2	1	
84	Other diseases of the nervous system	W	62	1						2	1	2		1	13	5	8	12	17	
		C	12								1		1			3	3	3		1
85	Diseases of the eye and annexa	W	1													1				
86a	Diseases of the ear	W	15	4			1		1			1	1	1	2	1	2		1	
86b	Diseases of the mastoid process	W	8	1					1	2	1	1	2							
		C	4											1	1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARKANSAS—Continued																			
	IV.—Diseases of the circulatory system	White	1,325	13	3		1	1	6	13	7	12	12	18	70	145	206	422	389	7
		Colored	665	1	2	2		1	2	6	6	16	17	19	91	179	119	97	91	16
87	Pericarditis	W	12								2		1		1	1	2	3	2	
		C	13																	
88	Endocarditis and myocarditis (acute)	W	32					1	3	5		1	1	1	4	2	2	3	1	
		C	34		1	1					1	4	3	4	8	4	2	1	1	
89	Angina pectoris	W	84											2	12	4	2	2		
		C	7												3		3			
90	Other diseases of the heart	W	1,013	12	2		1		3	8	5	8	9	11	56	118	169	321	286	4
		C	543		1	1		1	2	6	5	10	11	14	70	155	99	78	76	14
91a	Aneurysm	W	17													7	5	4	1	
		C	15										1		6	4	2	2		
91b,c	Other diseases of the arteries	W	141												1	4	10	49	74	3
		C	44													7	11	11	13	2
92	Embolism and thrombosis (not cerebral)	W	10												1	2	3	3	1	
		C	5										1		2	2				
93	Diseases of the veins	W	3													2			1	
		C	1												1					
94	Diseases of the lymphatic system	W	2	1	1															
		C	1	1																
95	Hemorrhage without specified cause	W	3									1		1				1		
96	Other diseases of the circulatory system	W	8													1	3	4		
		C	2														1	1		
	V.—Diseases of the respiratory system	White	873	150	51	27	11	12	22	12	29	21	21	13	52	63	73	117	187	12
		Colored	370	86	23	10	6	1	14	11	19	16	15	8	43	53	22	19	17	7
97a	Diseases of the nasal fossae	W	5	2									1						2	
		C	2	2																
97b	Diseases of the nasal fossae annexa	W	5					1					1			1	1	1		
98	Diseases of the larynx	W	10		3	2	1	1	1									1		1
		C	1													1				
99a	Acute bronchitis	W	7	2	1		1				1								2	
		C	5	1	1				1						1			1		
99b	Chronic bronchitis	W	25	1					1						1	3	4	6	9	
		C	2												1	1				
99c,d	Bronchitis (unspecified)	W	20	3	1	1											1	6	8	
		C	9	3									1			3	1	1		
100a	Broncho-pneumonia	W	252	73	21	13	6	4	6	5	3		2		7	15	12	25	56	4
		C	99	33	13	4	1		7	6	2	6	2	2	4	7	3	3	6	
100b	Capillary bronchitis	W	1	1																
101a	Lobar pneumonia	W	384	49	16	7	2	5	9	7	17	12	11	10	29	32	45	57	70	6
		C	173	36	6	5	3		4	3	13	7	9	4	22	28	11	9	8	5
101b	Pneumonia (unspecified)	W	85	14	8	3	1	1	1		6	6	3	2	5	6	5	7	16	1
		C	46	10	3	1	2		2	2	2	1	3	2	5	4	3	4		2
102	Pleurisy	W	19	1	1				2		1	1	2		4	2	1	2	2	
		C	6									1			1	1	2		1	
103	Congestion and hemorrhagic infarct of the lung	W	28	4					2		1			1	1			4	15	
		C	2								1				1					
104	Gangrene of the lung	W	1									1								
105	Asthma	W	14												2	1	3	4	4	
		C	15									1			4	5	2	1	2	
106	Pulmonary emphysema	W	1																1	
		C	3																	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	16			1						1	1		3	3	1	4	2	
		C	7	1				1			1				1	3				
	VI.—Diseases of the digestive system	White	1,212	280	156	44	16	8	44	47	42	38	27	29	77	101	95	108	94	6
		Colored	464	94	50	14	6	4	17	11	13	21	13	14	57	58	38	27	16	11
108	Diseases of the mouth and annexa	W	12	2					1			1					6	2		
		C	6												2	1	1	1	1	
109b	Other diseases of the pharynx, tonsils	W	44	7	3	3	2	2	8	3	2	5		3	1	1	2	1		1
		C	19	1		1	1		6	2	1	2	1		1	1	2			
110	Diseases of the esophagus	C	1														1			
111a	Ulcer of the stomach	W	30			1					2	1		1	5	8	4	3	5	
		C	10										1		3	3	1	1		1
111b	Ulcer of the duodenum	W	9												1	2	1	1	4	
		C	2								1							1		
112	Other diseases of the stomach (cancer excepted)	W	105	28	7	3			1	1	1		3	3	7	8	11	18	18	
		C	87	11	2	1	2	1	2	2	1	1	3	3	13	19	11	8	3	4
113	Diarrhea and enteritis (under 2 years)	W	369	226	143															
		C	126	80	46															
114	Diarrhea and enteritis (2 years and over)	W	131			33	11	3	7	3	1	4		3	9	7	12	9	29	
		C	47			9	2	1	3	1	1			2	4	9	7	2	3	3
116	Diseases due to other intestinal parasites	C	3		1	1		1								1				
117	Appendicitis and typhlitis	W	216	2		1		1	17	35	31	22	20	13	27	26	9	6	3	3
		C	53						5	3	7	11	6	3	12	2	1	1	1	1
118a	Hernia	W	31	1						1			2		6	4	5	9	2	1
		C	13	1		1								1	1	3	1	2	3	
118b	Intestinal obstruction	W	67	9	2	3	1	1	6	4	1	1	3	2	7	9	7	5	6	
		C	29		1		1		1			2	2	2	8	6	3	3		
119	Other diseases of the intestines	W	17	1			1			1		1	1	1	2		2	3	4	
		C	7	1								1		1		1	1	1		1
120	Acute yellow atrophy of the liver	W	4													1	2	1		
		C	1												1					
122	Cirrhosis of the liver	W	57												3	16	11	19	8	
		C	21			1						2			3	5	5	3	2	
123	Biliary calculi	W	44											1	5	5	12	15	6	
		C	6												3	2	1			
124	Other diseases of the liver	W	53	1	1		1		2		1	1		1	4	11	9	12	9	
		C	21							2	1			1	4	4	3	3	2	1
125	Diseases of the pancreas	W	3														1	2		
		C	1																	
126	Peritonitis without specified cause	W	20	3				1	2		3	2	1	1		3	1	2		1
		C	11					1		1	1	2			2	2	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARKANSAS—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	892	6	4	1	2	3	6	7	11	10	16	21	61	85	147	245	258	9
		Colored	537	2	2	2	2	2	2	3	10	9	13	22	48	120	105	105	79	11
128	Acute nephritis (including unspecified under 10 years)	W	70	2		1	2	1	5	5	1	3		3	11	8	13	9	6	
		C	53	1	1	1	2	1	1	1	3	2	1	3	6	10	12	6	2	
129	Chronic nephritis (including unspecified 10 years and over)	W	662		2			1	1	1	3	3	7	8	38	70	117	212	191	8
		C	387			1		1		1	6	4	8	8	29	92	84	82	62	9
131	Other diseases of the kidneys and annexa	W	51	4	2			1			3	2	3	1		2	9	9	14	1
		C	28	1					1					1	3	5	4	7	5	1
132	Calculi of the urinary passages	W	7							1	1		1		1			1	2	
		C	2													2				
133	Diseases of the bladder	W	20													1	2	1	16	
		C	11												1	3		3	3	1
134	Diseases of the urethra, etc	W	2													1			1	
		C	2													1		1		
135	Diseases of the prostate	W	37												1		2	11	23	
		C	20										1		1	3	5	5	5	
136	Nonvenereal diseases of the male genital organs	C	2		1														1	
137	Cysts, other benign tumors of the ovary	W	5								1		1	1					2	
		C	3											1	1	1				
138	Salpingitis and pelvic abscess (female)	W	18								2	2	2	4	5	1		1	1	
		C	10								1	3	1	2	2	1				
139	Benign tumors of the uterus	W	12										1	3	4		2		2	
		C	11										1	5	3			1	1	
141	Other diseases of the female genital organs	W	8										1	1	1	2	2	1		
		C	8							1			1	2	2	2				
	VIII.—The puerperal state	White	228							2	40	56	33	32	58	4				3
		Colored	134							3	33	28	23	15	30					2
143	Accidents of pregnancy	W	17								3	5	3	2	3					1
		C	7								1	1		3	2					
144	Puerperal hemorrhage	W	18								4	1	1	3	8					1
		C	4								1		2		1					
145	Other accidents of labor	W	29							1	3	3	4	5	11	2				
		C	28								5	6	1	5	10					1
146	Puerperal septicemia	W	75								11	21	12	12	17	2				
		C	48							1	15	12	10	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	3								1	1			1					
		C	3										1		2					
148	Puerperal albuminuria and convulsions	W	86							1	18	25	13	10	18					1
		C	44							2	11	9	9	2	10					1
	IX.—Diseases of the skin and of the cellular tissue	White	34	3		3			2				3	1	4	2	1	7	7	1
		Colored	11	2					1						1	3	1	2	1	
151	Gangrene	W	13			2									2			4	5	
		C	5						1							1		2	1	
152	Furuncle	W	8						1				2			1	1	1	1	1
		C	1												1					
153	Acute abscess	W	4			1			1				1		1					
		C	3	1																
154	Other diseases of the skin and annexa	W	9	3										1	1	1		2	1	
		C	2	1													1			
	X.—Diseases of the bones and of the organs of locomotion	White	14	2		1			3	5		1					1			1
		Colored	2									1			1					
155	Diseases of the bones (tuberculosis excepted)	W	12	1		1			2	5		1					1			1
		C	2									1			1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2	1					1											
	XI.—Malformations	White	94	83	2	1	1	1	4	1	1									
		Colored	8	8																
159a	Congenital hydrocephalus	W	8	5	1		1		1											
		C	1	1																
159b	Congenital malformations of the heart	W	51	45	1			1	2	1	1									
		C	4	4																
159c	Other congenital malformations	W	35	33		1			1											
		C	3	3																
	XII.—Early infancy	White	652	652																
		Colored	156	156																
160	Congenital debility, icterus, sclerema	W	113	113																
		C	52	52																
161a	Premature birth	W	450	450																
		C	77	77																
161b	Injury at birth	W	55	55																
		C	14	14																
162	Other diseases peculiar to early infancy	W	33	33																
		C	13	13																
163	Lack of care	W	1	1																
164	XIII.—Old age (senility)	White	283														4	41	233	5
		Colored	140														3	25	108	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARKANSAS—Continued																			
	XIV.—External causes	White	1,156	37	30	20	21	20	60	61	101	103	85	80	145	126	90	67	93	17
		Colored	567	22	8	7	8	7	21	24	64	85	66	44	84	59	18	15	11	24
	Suicide	W	106								4	13	10	9	15	18	18	13	2	4
		C	5								1				1	2	1			
165	By poisons (gas or corrosives excepted)	W	15									3	2		2	3	1	4		
166	By corrosive substances	W	22								1	4	2	4	2	2	3	2		2
		C	1								1									
168	By hanging or strangulation	W	7									2				1	4			
		C	1														1			
169	By drowning	W	1													1			1	
170	By firearms	W	50								3	4	5	4	8	12	7	4	1	2
		C	3												1	2				
171	By cutting or piercing instruments	W	2												1		1			
172	By jumping from high places	W	2											1				1		
173	By crushing	W	2										1					1		
174	By other means	W	5												2		2	1		
	Homicide	W	124	1						2	10	13	15	21	24	20	14	2		2
		C	191			1			1	2	18	40	30	20	44	19	4	1	1	10
197	By firearms	W	100								8	7	14	14	23	19	11	2		2
		C	149							2	10	33	25	15	39	16	3		1	5
198	By cutting or piercing instruments	W	9								2	3		4						
		C	26								7	5	5	2	4	1	1			1
199	By other means	W	15	1						2		3	1	3	1	1	3			
		C	16			1			1		1	2		3	1	2		1		4
	Accidental, other, or undefined	W	926	36	30	20	21	20	60	59	87	77	60	50	106	88	58	52	91	11
		C	371	22	8	6	8	7	20	22	45	45	36	24	39	38	13	14	10	14
175	Poisoning by food	W	18	2	4	1	3				1			1	2	1	2	1		
		C	8		1					1	1				2	3				
176	Poisoning by venomous animals	W	2							1					1					
177	Other acute poisonings (gas excepted)	W	9		2	2				1		1		1	1	1				
		C	17	2	1	1			1		2	2	3	2	2	1				
178	Conflagration	W	8			1		1	3			1	1	1						
		C	8	2		1	1							1		2	1			
179	Burns (conflagration excepted)	W	84	3	9	8	10	9	12		6	2	1	5	5	5	3	5		
		C	44	2	4	2	4	5	9	1	2	3	2		1	3		3	1	2
180	Mechanical suffocation	W	19	15										1	2					
		C	13	11											1	1				
182	Drowning	W	120	1	5	1			9	15	12	11	16	11	19	13	3	3	1	
		C	111		1	1	1		5	9	24	18	12	7	10	10	3	3	1	6
183	Traumatism by firearms (except in war)	W	41							9	11	8	3	1	3	2	2		2	
		C	31					1	2	4	8	6	3	2	3	1		1		
184	Traumatism by cutting or piercing instruments	W	13				1		1		2		1	2	2		1	3		
		C	5							1				1	1	1	1			
185	Traumatism by fall	W	119	1			1		3	1	4	5	4	2	4	11	7	19	56	1
		C	12	1				1	1	2	1					3			3	
186a	Traumatism in mines	W	14								1	3	3		3	4				
		C	1														1			
186b	Traumatism in quarries	W	1										1							
187	Traumatism by machines	W	34						2	1	1	8	3	4	7	5	2	1		
		C	3									1	1		1					
188a	Railroad accidents	W	73	1	1					3	12	13	3	3	14	10	7		4	2
		C	35		1					1	3	7	5	3	6	4		1		4
	Collision with automobiles	W	9	1							2	1			1	2	2			
		C	2		1							1								
	Other railroad accidents	W	64		1					3	10	12	3	3	13	8	5		4	2
		C	33							1	3	6	5	3	6	4		1		4
188b	Street-car accidents	W	3						1								1	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	146	2		3	1	4	14	9	12	10	15	7	23	17	14	4	9	2
		C	24			1	1			1	2	3	2	4	3	1	2	3	1	
188e,f	Injuries by other vehicles	W	18		1				1		2	1	1			2	4	3	3	
		C	5									1	1			2			1	
188g	Landslide, other crushing	W	12						1	2	2	2		1	1	2		1		
		C	1												1					
189	Injuries by animals (not poisoning)	W	7		1			1	1	1	1	1			1					
		C	2											1			1			
193	Excessive cold	W	1													1				
194	Excessive heat	W	3											1	1			1		
		C	5											1	2			1	1	
195	Lightning	W	10						1	2	1	1			1	2		1	1	
		C	3								1	1	1							
196	Other accidental electric shocks	W	10							1	2		2	1		1	1	1		
		C	1													1				
201	Fracture (cause not specified)	W	9												1			2	5	1
		C	6												2	2	1		1	
202	Other external violence	W	152	11	7	4	5	5	11	13	17	10	5	8	14	15	9	8	5	5
		C	36	4			1		2	2	1	3	6	2	4	3	3	2	1	2
	XV.—Ill-defined diseases	White	541	205	14	3	4	2	7	3	4	10	8	6	25	43	38	86	66	17
		Colored	574	189	16	3	4	3	8	12	9	14	13	12	43	69	50	52	61	16
204	Sudden death	W	69	9	1								2	1	3	7	11	19	15	1
		C	56	9	1				1			2	1	1	8	9	7	7	7	3
205a	Ill-defined	W	148	32	2	1	1		1	2	1	3	1	2	10	17	13	35	24	3
		C	116	19	3	1	2		1	4	3	1	1	3	12	21	21	10	13	1
205b	Not specified or unknown	W	324	164	11	2	3	2	6	1	3	7	5	3	12	19	14	32	27	13
		C	402	161	12	2	2	3	6	8	6	11	11	8	23	39	22	35	41	12

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA																		
	All causes	61,540	5,257	1,049	489	364	295	1,012	769	1,220	1,866	2,015	2,193	5,670	7,345	9,590	11,250	11,132	24
	I.—Epidemic, endemic, and infectious diseases	9,092	567	383	205	138	134	410	276	476	806	814	768	1,419	1,086	796	543	268	3
1	Typhoid and paratyphoid fever	109	1		1		1	5	9	12	10	12	6	24	13	9	6		
5	Malaria	15		1	1	1								3	4	2	1	2	
6	Smallpox	5	1											1		1	1	1	
7	Measles	357	77	110	47	19	17	55	10	7	2	2	2	3	2	2		2	
8	Scarlet fever	67	2	1	8	8	3	25	3	3	3	4	3	4					
9	Whooping cough	194	116	43	18	7	9									1			
10	Diphtheria	318	13	36	26	29	37	107	34	8	5	4	6	5	6	2			
11a	Influenza (with pulmonary complications)	477	54	24	12	4	5	12	9	11	18	18	17	45	47	65	69	67	
11b	Influenza (other and unspecified)	251	33	10	10	7	4	14	5	5	6	5	10	16	27	29	35	35	
13	Mumps	4	1														2	1	
15	Cholera nostras	2	2																
16	Dysentery	88	28	8	4	3	2				1	1	5	7	10	4	6	9	
19	Spirochetal hemorrhagic jaundice	3			1											1	1		
20	Leprosy	5												2	1	1		1	
21	Erysipelas	80	25	1				3	3	2			4	8	8	8	10	7	1
22	Acute anterior poliomyelitis	230	16	16	9	7	14	57	50	22	17	9	4	4	3	2			
23	Lethargic encephalitis	59	4	3	3	2		4	2	3	4	4	1	6	9	9	3	2	
24	Meningococcus meningitis	118	13	17	8	2	3	12	9	12	12	7	7	11	4				1
25	Other epidemic and endemic diseases	13	2	1	1	1	2	2	2							1	1		
27	Anthrax	1								1									
28	Rabies	1															1		
29	Tetanus	42	4					10	9	4	1		4		6	3	1		
30	Mycoses	12	1	1						1			3	1	1	4			
	Tuberculosis (all forms)	5,996	99	108	53	47	36	99	126	373	708	714	657	1,151	815	556	326	127	1
31	Of the respiratory system	5,349	36	38	15	14	11	49	98	342	642	679	632	1,076	776	522	302	116	1
32	Of the meninges, central nervous system	234	37	41	22	22	18	23	14	11	13	6	5	13	4	4		1	
33	Of the intestines, peritoneum	129	4	4	4	3	1	10	6	6	15	13	8	21	12	12	5	5	
34	Of the vertebral column	43		1	1	1		5		4	8	1	5	9	3	3	2		
35	Of the joints	15	1	1				1	1	3	3			1	1	2	1		
36	Of other organs	86	1	3	1		3	3	3	1	12	5	5	15	14	5	11	4	
37a	Disseminated (acute)	126	20	19	10	7	3	8	3	5	13	8	2	15	4	6	3		
37b	Disseminated (chronic or unspecified)	14		1					1	1	2	2		1	1	2	2	1	
38	Syphilis	553	71	3	3	1		2	4	5	10	21	33	108	118	88	74	12	
40	Gonococcus infection	38	1				1			5	5	6	4	12	3		1		
41	Purulent infection, septicemia	54	3					3	1	2	4	7	2	8	9	8	6	1	
	II.—General diseases not included in Class I	8,057	106	23	15	10	11	43	48	41	81	103	184	739	1,368	2,054	1,994	1,234	3
	Cancer and other malignant tumors	5,942	5	3	3	6	6	11	10	15	36	40	111	524	1,063	1,584	1,522	1,000	3
43	Of the buccal cavity	174					1				2	1	1	13	25	44	49	38	
44	Of the stomach, liver	2,024		1				1		4	4	8	24	134	315	557	598	376	2
45	Of the peritoneum, intestines, rectum	907			1			3	2	1	4	3	23	64	143	236	246	181	
46	Of the female genital organs	829							3	2	9	11	22	127	226	228	144	57	
47	Of the breast	570									1	2	18	84	137	149	106	72	1
48	Of the skin	136											2	5	11	29	41	48	
49	Of other or unspecified organs	1,302	5	2	2	6	5	7	5	8	16	15	21	97	206	341	338	228	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	48				1		1			2	2	1	2	11	10	13	5	
51	Acute rheumatic fever	64			1			9	12	3	2	6	2	4	6	7	7	5	
52	Chronic rheumatism, osteoarthritis, gout	67			1		1	1			1	2	2	2	3	11	22	21	
53	Scurvy	3	1	1									1						
54	Pellagra	40									1	2	4	9	12	6	6		
55	Beriberi	3	1							1					1				
56	Rickets	4	3	1															
57	Diabetes mellitus	927	2		3	2	1	7	14	7	11	11	15	54	117	243	293	147	
58a	Pernicious anemia	224		1				2		1	2	4	7	17	28	64	70	28	
58b	Other anemias and chlorosis	36	5	1				1				1	3	3	6	5	3	8	
59	Diseases of the pituitary gland	14	1							1	2		3	2	2	2	1		
60a	Exophthalmic goiter	125				1			1	2	5	5	5	21	33	30	15	8	
60b	Other diseases of the thyroid gland	28	2	1					1		2	3	2	3	2	9	3		
61	Diseases of the parathyroid glands	8	5	2				1											
62	Diseases of the thymus gland	66	43	7	1	1	2	1	2	4		3		2					
63	Diseases of the adrenals (Addison's disease)	20											1	4	4	6	4	1	
64	Diseases of the spleen	7								1				2	1	2	1		
65a	Leukemia	129	3	4	6		1	7	3	3	8	8	4	22	19	25	12	4	
65b	Hodgkin's disease	47	1					2	2	1	1	4	6	6	8	13	3		
66	Alcoholism (acute or chronic)	169								1	3	10	14	56	42	30	12	1	
67a	Chronic lead poisoning	7									1			2	2	1	1		
67b	Other chronic mineral poisonings	1															1		
68	Chronic poisoning by organic substances	13								1	1	1	2	3	3	2			
69	Other general diseases	65	34	2					3		3	1	1	1	5	4	5	6	
	III.—Diseases of the nervous system and of the organs of special sense	6,152	111	36	25	14	19	74	49	51	43	62	111	414	665	1,126	1,702	1,650	
70	Encephalitis	74	11	3	2	1	2	2	2	4	5	3	8	10	9	6	3	3	
71a	Simple meningitis	102	12	5	4	4	4	14	9	7	1	5	2	14	11	5	4	1	
71b	Nonepidemic cerebrospinal meningitis	30	5	2	6	1	3	2	2	1	1	1	2	3	1				
72	Tabes dorsalis (locomotor ataxia)	106									1	1	2	5	25	29	34	9	
73	Other diseases of the spinal cord	188	1	3	1	2		6	1	5	2	4	5	14	30	44	35	35	
74a	Cerebral hemorrhage	4,067	7	3	1	1		3	2	8	7	12	13	128	350	788	1,357	1,387	
74b	Cerebral embolism and thrombosis	249	1		1	2		2	2	1	2	1	7	10	28	46	80	66	
75	Paralysis without specified cause	191	2							3			3	5	9	30	63	76	
76	General paralysis of the insane	386							1	2	1	7	22	126	105	74	35	13	
77	Other forms of mental alienation	72								2	2	6	11	17	12	19	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
78	Epilepsy	107	1		1	1	2	5	8	10	6	11	11	20	12	8	8	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1				1							
80	Infantile convulsions (under 5 years)	22	13	7	1	1													
81	Chorea	3							1					1			1		
82	Neuralgia and neuritis	10												3			3	4	
83	Softening of the brain	45										1			1	5	15	23	
84	Other diseases of the nervous system	286	7	2	2	1	2	8	5	4	4	3	14	38	55	57	57	27	
85	Diseases of the eye and annexa	4	1					1						1		1			
86a	Diseases of the ear	130	42	10	4		2	18	12	2	5	4	4	6	9	9	2	1	
86b	Diseases of the mastoid process	78	8	1	2		4	12	4	2	6	2	7	13	8	5	3	1	
	IV.—Diseases of the circulatory system	13,568	30	7	10	5	6	31	68	73	103	119	159	673	1,450	2,570	3,828	4,432	14
87	Pericarditis	50		1	1	1			1	1	1	2		4	6	13	10	9	
88	Endocarditis and myocarditis (acute)	453	14	4	1	2		11	21	16	21	25	33	86	45	46	61	67	
89	Angina pectoris	1,051	1									3	1	38	137	276	360	235	
90	Other diseases of the heart	10,410	13	1	6	2	5	18	46	55	75	78	114	481	1,101	1,985	2,944	3,484	2
91a	Aneurysm	223									4	2	3	29	47	62	56	20	
91b,c	Other diseases of the arteries	1,099									2	3	1	11	65	135	309	571	2
92	Embolism and thrombosis (not cerebral)	244	2					1				3	5	19	44	51	80	39	
93	Diseases of the veins	21										2	2	5	2	2	3	5	
94	Diseases of the lymphatic system	10		1	2		1	1				1			1		2	1	
95	Hemorrhage without specified cause	4								1					2			1	
96	Other diseases of the circulatory system	3															3		
	V.—Diseases of the respiratory system	4,612	859	249	88	60	34	108	48	74	99	98	117	360	447	521	601	849	
97a	Diseases of the nasal fossae	4										1	1			1	1		
97b	Diseases of the nasal fossae annexa	47	1	1				2	3	5	4	3	6	9	7	2	3	1	
98	Diseases of the larynx	13	2	3			1	2		1		1				2		1	
99a	Acute bronchitis	105	39	12	2	1	2		2		2	1	1	1	2	3	4	33	
99b	Chronic bronchitis	118	1	1						2	3	2		5	9	13	33	49	
99c,d	Bronchitis (unspecified)	45	15	2	1	1			1				1	1	3	1	4	15	
100a	Broncho-pneumonia	1,841	582	146	56	32	22	46	13	19	17	22	28	79	108	128	199	344	
100b	Capillary bronchitis	35	10	2		2		1				1	1	1	3		4	10	
101a	Lobar pneumonia	1,855	160	68	22	19	6	44	24	40	53	50	64	211	250	290	281	273	
101b	Pneumonia (unspecified)	100	24	6	1	2		4		3	2	3		7	6	13	7	22	
102	Pleurisy	150	9	6	4	1	2	4	3	3	9	8	7	22	24	20	13	15	
103	Congestion and hemorrhagic infarct of the lung	94	13			1		2						2	2	2	13	59	
104	Gangrene of the lung	13									1		1	2	3	4	2		
105	Asthma	123		2	1			2			3	4	4	14	19	32	23	19	
106	Pulmonary emphysema	9	1					1						1	3	1	3		
107	Other diseases of the respiratory system (tuberculosis excepted)	60	2		1	1	1	1	2	1	5	2	3	5	8	9	11	8	
	VI.—Diseases of the digestive system	4,567	927	227	63	54	35	112	69	101	96	128	154	451	613	649	525	363	
108	Diseases of the mouth and annexa	38	4	2				1		2	3	2	1	3	8	4	6	2	
109b	Other diseases of the pharynx, tonsils	168	8	6	8	6	3	22	10	8	9	8	7	22	19	16	7	9	
110	Diseases of the esophagus	7			1											2	4		
111a	Ulcer of the stomach	335	2			1				2	3	10	11	60	85	88	45	28	
111b	Ulcer of the duodenum	148				1		1			1	3	5	26	39	34	31	7	
112	Other diseases of the stomach (cancer excepted)	156	22	5	4	4		5	1	1	3	4	3	5	20	16	28	35	
113	Diarrhea and enteritis (under 2 years)	1,028	829	199															
114	Diarrhea and enteritis (2 years and over)	238			36	26	20	21	3	2	1	6	2	15	18	24	17	47	
116	Diseases due to other intestinal parasites	3									1			2					
117	Appendicitis and typhlitis	721	7	5	4	10	5	37	44	66	49	56	54	112	120	92	48	12	
118a	Hernia	192	6				1		1	1		2	1	18	25	39	55	43	
118b	Intestinal obstruction	413	33	6	5	3	4	12	8	6	10	13	27	47	65	65	54	55	
119	Other diseases of the intestines	68	1	1	1		1	3		1	3	1	5	8	11	9	14	9	
120	Acute yellow atrophy of the liver	24								2	1	2	3	5	6	2	2	1	
121	Hydatid tumor of the liver	1															1		
122	Cirrhosis of the liver	539	1	1				1		4		8	14	69	109	146	124	62	
123	Biliary calculi	164									2	2	6	13	38	40	40	23	
124	Other diseases of the liver	224	7		2	1		1	2	4	9	4	8	30	39	53	36	28	
125	Diseases of the pancreas	31					1						1	9	5	9	6		
126	Peritonitis without specified cause	69	7	2	2	2		8		2	1	7	6	7	6	10	7	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	5,384	31	6	6	9	4	13	24	33	69	80	116	443	709	1,023	1,384	1,434	
128	Acute nephritis (including unspecified under 10 years)	165	11	3	3	3	3	6	4	9	10	7	10	32	16	20	13	15	
129	Chronic nephritis (including unspecified 10 years and over)	4,316	4	1	3	4	1	5	20	20	40	43	59	275	575	883	1,178	1,205	
131	Other diseases of the kidneys and annexa	155	12	2		2		1			3	7	4	22	18	27	32	25	
132	Calculi of the urinary passages	59						1			1	1	3	6	11	14	15	7	
133	Diseases of the bladder	40	1									1		4	2	4	9	19	
134	Diseases of the urethra, etc	22										1		6	8	2	2	3	
135	Diseases of the prostate	331									1			4	9	44	122	151	
136	Nonvenereal diseases of the male genital organs	7	3													1	2	1	
137	Cysts, other benign tumors of the ovary	61									3	5	2	21	15	8	5	2	
138	Salpingitis and pelvic abscess (female)	78								3	5	5	23	26	11	5			
139	Benign tumors of the uterus	115									1	8	11	39	37	10	6	3	
140	Nonpuerperal uterine hemorrhage	7										1	1	1	4				
141	Other diseases of the female genital organs	28								1	5	1	3	7	3	5		3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	VIII.—The puerperal state	486								54	97	113	103	116	3				
143	Accidents of pregnancy	49								9	19	9	11	1					
144	Puerperal hemorrhage	46								3	6	8	12	17					
145	Other accidents of labor	59								6	12	10	11	20					
146	Puerperal septicemia	205								28	47	45	48	36	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	21								1	2	11	3	4					
148	Puerperal albuminuria and convulsions	105								15	21	20	20	28	1				
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	144	10	1	1			2	2	6	5	4	6	12	16	19	20	40	
151	Gangrene	60	1								1		1	2	5	5	16	29	
152	Furuncle	27							2		2			6	5	7	3	2	
153	Acute abscess	33	2		1			1		5	2	2	4	4	4	5		3	
154	Other diseases of the skin and annexa	24	7	1				1		1		2	1		2	2	1	6	
	X.—Diseases of the bones and of the organs of locomotion	66	3		2			4	7	6	3	1	3	5	11	10	6	5	
155	Diseases of the bones (tuberculosis excepted)	56	1		2			3	7	5	1	1	2	4	11	8	6	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8	2					1		1	1		1	1		1			
157	Amputations	1														1			
158	Other diseases of the organs of locomotion	1									1								
	XI.—Malformations	476	433	15	2	6	1	4	5	4	3	1		1			1		
159a	Congenital hydrocephalus	60	50	2	1	3		1	2	1									
159b	Congenital malformations of the heart	255	230	12	1	1		3	3	3	1			1					
159c	Other congenital malformations	161	153	1		2	1				2	1					1		
	XII.—Early infancy	2,068	2,068																
160	Congenital debility, icterus, sclerema	218	218																
161a	Premature birth	1,315	1,315																
161b	Injury at birth	352	352																
162	Other diseases peculiar to early infancy	173	173																
163	Lack of care	10	10																
164	XIII.—Old age (senility)	351													1	6	58	286	
	XIV.—External causes	6,414	95	96	70	68	51	207	173	298	460	490	467	1,028	957	801	577	566	10
	Suicide	1,272							3	24	71	86	124	254	280	244	119	64	3
165	By poisons (gas or corrosives excepted)	141							2	7	10	16	25	29	22	18	6	6	
166	By corrosive substances	95								2	17	13	14	20	19	6	3	1	
167	By poisonous gas	228								4	7	16	17	42	51	52	26	12	1
168	By hanging or strangulation	148								2	2	4	13	28	39	34	11	13	2
169	By drowning	53									2	5	2	11	12	13	7	1	
170	By firearms	479							1	9	29	31	41	88	111	95	55	19	
171	By cutting or piercing instruments	77									1	1	3	22	19	18	6	7	
172	By jumping from high places	32									1		5	10	4	6	2	4	
173	By crushing	8									1		2	2	2		1		
174	By other means	11									1		2	2	1	2	2	1	
	Homicide	388	6	4		2	1	4	6	18	38	57	40	100	58	38	9	7	
197	By firearms	261		1		1	1	2	3	13	28	43	29	71	34	28	5	2	
198	By cutting or piercing instruments	43								1	7	6	4	16	3	1	1	4	
199	By other means	84	6	3		1		2	3	4	3	8	7	13	21	9	3	1	
	Accidental, other, or undefined	4,754	89	92	70	66	50	203	164	256	351	347	303	674	619	519	449	495	7
175	Poisoning by food	49	4	2	4	3	1	4	1	1	2	2	1	4	6	8	5	1	
176	Poisoning by venomous animals	7		1	1	1			1					1	1		1		
177	Other acute poisonings (gas excepted)	111	1	8	5	6	1	5			7	3	6	29	21	12	5	2	
178	Conflagration	75	3	3	1	3	5	3	5	2	2	3	4	8	12	4	11	6	
179	Burns (conflagration excepted)	287	9	15	12	10	12	26	13	11	18	19	16	38	28	21	15	24	
180	Mechanical suffocation	54	27	2				2	3	1	4	1	3	8	1	2			
181	Absorption of irrespirable, irritating, or poisonous gas	117				1		1	1	3	11	7	7	17	19	22	18	10	
182	Drowning	401	3	22	13	7	6	30	32	41	35	27	19	55	53	31	14	7	6
183	Traumatism by firearms (except in war)	117		2		1	2	9	17	13	11	10	17	12	16	3	2	2	
184	Traumatism by cutting or piercing instruments	38		1	3			2	3	2	2	2	2	5	7	3	3	3	
185	Traumatism by fall	812	5	9	2	4	1	20	13	10	28	33	31	67	73	83	135	298	
186a	Traumatism in mines	21												8	6	3	3	1	
186b	Traumatism in quarries	10									1	1	2	2	3	1			
187	Traumatism by machines	137			2	1	1	4	1	7	17	17	11	41	17	13	4	1	
188a	Railroad accidents	316	1	2	2	1		8	5	18	22	40	22	72	49	45	20	8	1
	Collision with automobiles	135	1			1		4	4	11	8	19	9	26	19	21	8	3	1
	Other railroad accidents	181		2	2			4	1	7	14	21	13	46	30	24	12	5	
188b	Street-car accidents	98			1	2	1	3		8	3	6	7	12	17	10	12	16	
	Collision with automobiles	41						1		8	2	2	6	6	6	5	4	1	
	Other street-car accidents	57			1	2	1	2			1	4	1	6	11	5	8	15	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,628	10	15	17	22	18	77	60	112	142	120	120	209	216	211	172	107	
188d	Airplane and balloon accidents	27								2	5	13	4	3					
188e,f	Injuries by other vehicles	51	1					2	2	6	7	4		5	8	8	5	3	
188g	Landslide, other crushing	63	1					2		9	6	11	7	10	9	7		1	
189	Injuries by animals (not poisoning)	13		1					1		1	2	2	2	3		1		
192	Starvation (deprivation of food or water)	1												1					
193	Excessive cold	5												1	1	2	1		
194	Excessive heat	41	8		1			1			1	2	1	4	10	9	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
195	Lightning	1													1				
196	Other accidental electric shocks	67				1	1	1		4	13	11	3	23	9	1			
201	Fracture (cause not specified)	10						1		1			1	2	1	1	3		
202	Other external violence	197	16	9	6	3	1	2	6	5	13	13	17	35	32	19	15	5	
	XV.—Ill-defined diseases	103	17	6	2			4		3	1	2	5	9	19	15	11	5	4
204	Sudden death	6	5													1			
205a	Ill-defined	48	4	3	2			1		1			3	2	12	8	8	3	1
205b	Not specified or unknown	49	8	3				3		2	1	2	2	7	7	6	3	2	3
	COLORADO																		
	All causes	13,082	1,710	289	151	112	84	307	243	363	493	553	598	1,200	1,229	1,640	2,060	2,035	15
	I.—Epidemic, endemic, and infectious diseases	2,628	224	102	57	42	36	119	73	120	228	284	272	408	238	183	132	108	2
1	Typhoid and paratyphoid fever	77	1	3		1	2	12	12	15	11	4	2	6	4	3		1	
5	Malaria	1										1							
6	Smallpox	3							1	1								1	
7	Measles	136	31	33	12	9	8	25	5	5	4		1	3					
8	Scarlet fever	63	2	3	11	5	5	11	8	8	4	3	2	1					
9	Whooping cough	57	34	12	5	2	2	2											
10	Diphtheria	98	2	6	8	10	9	37	16	2	3	1	1	1	1	1			
11a	Influenza (with pulmonary complications)	231	37	17	6	3	2	2	1	9	5	6	9	20	19	24	36	34	1
11b	Influenza (other and unspecified)	201	41	9	8	4	1	7	9	2	3	4	7	9	12	19	16	50	
13	Mumps	1	1																
15	Cholera nostras	5	4	1															
16	Dysentery	29	17	5	1			1	1					1		1	1	1	
21	Erysipelas	47	16	1								1		4	2	10	6	7	
22	Acute anterior poliomyelitis	15	2	2	1	1	1	4	1		2	1							
23	Lethargic encephalitis	15	2		1				2	1				4		4	1		
24	Meningococcus meningitis	48	5	1	2	2	3	6	4	8	7	2		5	3				
25	Other epidemic and endemic diseases	7	1					1		1	1						3		
27	Anthrax	1												1					
29	Tetanus	8					1	3				1				1	2		
30	Mycoses	1									1								
	Tuberculosis (all forms)	1,492	13	6	1	4	2	4	13	67	184	253	244	338	180	108	62	12	1
31	Of the respiratory system	1,398	5	2		1		2	8	63	175	243	234	324	170	99	59	12	1
32	Of the meninges, central nervous system	29	7	4	1	2	1	1	1	1	3	3	1	2	1	1			
33	Of the intestines, peritoneum	16							2		1	2	4	2	2	3			
34	Of the vertebral column	13						1	1		1	1	3	2	1	3			
35	Of the joints	5								2		1		2					
36	Of other organs	18							1		1	3	2	3	5	1	2		
37a	Disseminated (acute)	11	1			1	1			1	3			1	1	1	1		
37b	Disseminated (chronic or unspecified)	2												2					
38	Syphilis	76	15	2		1		4			2	5	3	13	13	12	5	1	
40	Gonococcus infection	4									1	1	1		1				
41	Purulent infection, septicemia	12		1	1					1		1	2	2	3			1	
	II.—General diseases not included in Class I	1,416	31	4	5	2	1	10	17	14	20	19	31	125	202	314	387	231	3
	Cancer and other malignant tumors	1,004	1		1	1	1	1	2	3	7	8	15	84	155	237	295	191	2
43	Of the buccal cavity	23												2	6	9	6		
44	Of the stomach, liver	355								1	1	1	2	13	56	90	105	85	1
45	Of the peritoneum, intestines, rectum	146				1					3	1	2	8	17	32	57	25	
46	Of the female genital organs	150			1				1		1	2	2	32	33	34	29	15	
47	Of the breast	82										1	1	10	21	23	16	9	1
48	Of the skin	29												1	2	2	15	9	
49	Of other or unspecified organs	219	1				1	1	1	2	2	3	8	20	24	50	64	42	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6													1	1	3	1	
51	Acute rheumatic fever	30			1			6	6	3	1		2	4	1	2	2	2	
52	Chronic rheumatism, osteoarthritis, gout	17									1				1	4	6	5	
53	Scurvy	1																1	
54	Pellagra	2													1	1			
56	Rickets	5	4		1														
57	Diabetes mellitus	132						1	6	6	2	4	1	5	12	32	43	20	
58a	Pernicious anemia	50									1	1	1	6	6	8	20	7	
58b	Other anemias and chlorosis	4	1	1	1										1				
59	Diseases of the pituitary gland	3												1	2				
60a	Exophthalmic goiter	50								1	3	2	4	9	12	10	8	1	
60b	Other diseases of the thyroid gland	7									1		1	2	1	1	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	11	8	1				1			1								
63	Diseases of the adrenals (Addison's disease)	6							1				1			2	2		
64	Diseases of the spleen	1							1										
65a	Leukemia	22	1	1		1		1				1		4	4	5	2	2	
65b	Hodgkin's disease	13	1									3	3	1	1	3	1		
66	Alcoholism (acute or chronic)	26									2		3	9	4	7		1	
67a	Chronic lead poisoning	1															1		
67b	Other chronic mineral poisoning	2									1					1			
68	Chronic poisoning by organic substances	1								1									
69	Other general diseases	21	14	1	1				1								3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	1,179	26	14	2	4	5	16	15	16	13	16	28	56	113	212	327	315	1
70	Encephalitis	10				1				2		1	1	2		3			
71a	Simple meningitis	33	9	1			2	3	3	1	1	1	3	3	2	3	1		
71b	Nonepidemic cerebrospinal meningitis	18	2	4	1	1	3	2		1			1	1		1	1		
72	Tabes dorsalis (locomotor ataxia)	12												2	4	4		2	
73	Other diseases of the spinal cord	27							1	1	1	1	2	2	5	3	7	4	
74a	Cerebral hemorrhage	802	1	2				1	1	3	2	3	4	19	66	161	273	265	1
74b	Cerebral embolism and thrombosis	37							1		3		1	1	4	8	10	9	
75	Paralysis without specified cause	45						1						1	4	6	14	19	
76	General paralysis of the insane	56									1	2	4	13	17	9	7	3	
77	Other forms of mental alienation	3													1	1		1	
78	Epilepsy	33						1	3	4	3	3	5	5	2	4	3		
80	Infantile convulsions (under 5 years)	10	7	2		1													
81	Chorea	1								1									
82	Neuralgia and neuritis	2		1														1	
83	Softening of the brain	3														1		2	
84	Other diseases of the nervous system	45	1					2	1			4	6	5	8	4	6	8	
85	Diseases of the eye and annexa	3						1						1		1			
86a	Diseases of the ear	24	3	1		1		4	3	2	1	1	1	1		2	4		
86b	Diseases of the mastoid process	15	3	3	1			1	2	1	1					1	1	1	
	IV.—Diseases of the circulatory system	1,912	13	4	2	4	6	27	27	31	23	15	35	114	181	343	510	576	1
87	Pericarditis	11						1						1	2	2	2	3	
88	Endocarditis and myocarditis (acute)	85	6	4	1	2	1	9	5	3	3	5	5	12	8	5	9	7	
89	Angina pectoris	168									1		1	8	25	48	48	37	
90	Other diseases of the heart	1,348	6		1	1	5	16	22	27	16	10	29	78	130	250	367	389	1
91a	Aneurysm	27								1	1			6	5	4	8	2	
91b,c	Other diseases of the arteries	234												4	5	28	64	133	
92	Embolism and thrombosis (not cerebral)	29				1					2			2	4	6	10	4	
93	Diseases of the veins	7												3	2		2		
94	Diseases of the lymphatic system	3	1					1										1	
	V.—Diseases of the respiratory system	1,245	270	62	31	15	3	26	14	20	23	24	21	108	96	122	188	220	2
97b	Diseases of the nasal fossae annexa	18							2	2		2	1	6	2	1	2		
98	Diseases of the larynx	3		1				1	1										
99a	Acute bronchitis	19	4	3				1		1	1					1	2	6	
99b	Chronic bronchitis	17	1								1		1			4	4	6	
99c,d	Bronchitis (unspecified)	8	1				1							1		1	1	3	
100a	Broncho-pneumonia	450	178	36	18	8	2	7	3	2	2	6	2	12	15	27	50	82	
100b	Capillary bronchitis	12	9	1	2														
101a	Lobar pneumonia	558	53	17	7	5		12	8	12	16	13	14	68	63	73	110	85	2
101b	Pneumonia (unspecified)	48	20	1	2	1		2		1	1	1		3	2	1	3	10	
102	Pleurisy	20	1	1	1			2		1	2		1	3	3	2	1	2	
103	Congestion and hemorrhagic infarct of the lung	22	2										1		1			18	
104	Gangrene of the lung	2												1			1		
105	Asthma	33						1		1		2		8	3	3	8	7	
106	Pulmonary emphysema	3													1		2		
107	Other diseases of the respiratory system (tuberculosis excepted)	32	1	2	1	1							1	6	6	9	4	1	
	VI.—Diseases of the digestive system	1,351	331	78	32	24	12	49	37	46	37	40	47	111	138	141	140	88	
108	Diseases of the mouth and annexa	15	2			1		1	1				1	1		3	3	2	
109b	Other diseases of the pharynx, tonsils	75		5	3	4	3	9	7	8	5	6	5	8	3	6	3		
110	Diseases of the esophagus	2															2		
111a	Ulcer of the stomach	76	1							3	1	1	4	7	19	16	15	9	
111b	Ulcer of the duodenum	27										1		3	9	8	5	1	
112	Other diseases of the stomach (cancer excepted)	43	11	1				2			1			2	2	6	5	13	
113	Diarrhea and enteritis (under 2 years)	366	299	67															
114	Diarrhea and enteritis (2 years and over)	72			18	9	2	2	2	1	1	3		3	4	6	7	14	
117	Appendicitis and typhlitis	282	3	3	7	5	5	29	24	32	19	21	22	39	39	20	11	3	
118a	Hernia	56	1		2			1			1		2	5	9	9	17	9	
118b	Intestinal obstruction	99	12	2	1	5		2	2	1	3	2	6	12	11	20	14	6	
119	Other diseases of the intestines	12									1		1	3	2	2	2	1	
120	Acute yellow atrophy of the liver	6									1			2	1		2		
122	Cirrhosis of the liver	68					1	1					1	6	12	20	16	11	
123	Biliary calculi	51									1	1	2	6	7	13	15	6	
124	Other diseases of the liver	76							1	1	3	2	1	10	16	10	20	12	
125	Diseases of the pancreas	7					1					1		1	3		1		
126	Peritonitis without specified cause	18	2		1			2				2	2	3	1	2	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	996	16	2	1	3	5	4	7	12	17	18	32	67	107	188	248	269	
128	Acute nephritis (including unspecified under 10 years)	43	10	1		1	2	2	1	1	3	1	3	1	6	5	3	3	
129	Chronic nephritis (including unspecified 10 years and over)	746				2	2	2	5	7	7	7	14	38	76	151	210	225	
130	Chyluria	1														1			
131	Other diseases of the kidneys and annexa	37	6	1	1		1		1	2		2	3	3	2	9	5	1	
132	Calculi of the urinary passages	3										1				1		1	
133	Diseases of the bladder	8												1	1		2	4	
134	Diseases of the urethra, etc.	4													1	2	1		
135	Diseases of the prostate	69													4	10	21	34	
136	Nonvenereal diseases of the male genital organs	2											1					1	
137	Cysts, other benign tumors of the ovary	15									1	2	2	3	1	3	3		
138	Salpingitis and pelvic abscess (female)	29								1	6	4	7	5	5	1			
139	Benign tumors of the uterus	26											2	11	8	3	2		
141	Other diseases of the female genital organs	13								1		1		5	3	2	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	VIII.—The puerperal state	208								25	31	55	46	50	1				
143	Accidents of pregnancy	24								5	2	6	4	7					
144	Puerperal hemorrhage	19								2	2	2	5	8					
145	Other accidents of labor	21								5	2	2	5	7					
146	Puerperal septicemia	98								7	19	31	24	16	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	8								2		1	2	3					
148	Puerperal albuminuria and convulsions	37								3	6	13	6	9					
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	33	2							1		1		5	3	3	6	12	
151	Gangrene	17												2	1	1	3	10	
152	Furuncle	2								1		1							
153	Acute abscess	8	1											1	2	2	1	1	
154	Other diseases of the skin and annexa	6	1											2			2	1	
	X.—Diseases of the bones and of the organs of locomotion	10							1	2	1			1	1	2	1	1	
155	Diseases of the bones (tuberculosis excepted)	7							1	2	1			1		1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3													1	1	1		
	XI.—Malformations	137	127	5	1	1	2					1							
159a	Congenital hydrocephalus	8	5	1		1	1												
159b	Congenital malformations of the heart	83	79	2	1							1							
159c	Other congenital malformations	46	43	2			1												
	XII.—Early infancy	620	620																
160	Congenital debility, icterus, sclerema	69	69																
161a	Premature birth	402	402																
161b	Injury at birth	86	86																
162	Other diseases peculiar to early infancy	57	57																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	145													1	1	12	130	1
	XIV.—External causes	1,151	29	17	19	16	14	56	52	75	98	76	86	150	145	128	105	80	5
	Suicide	166							1	6	13	10	14	36	35	28	16	6	1
165	By poisons (gas or corrosives excepted)	13								2	1		3	3		3	1		
166	By corrosive substances	21								1	5	4	2	3	4	1	1		
167	By poisonous gas	19								1	1		2	4	5	3	2	1	
168	By hanging or strangulation	12											1	2	5	3		1	
169	By drowning	4													2	1			
170	By firearms	85							1	2	6	6	5	20	17	14	9	4	
171	By cutting or piercing instruments	8											1	2	2	3			
173	By crushing	2												1			1		
174	By other means	2												1			1		
	Homicide	59	1					2	1	2	7	12	13	10	6	4	1		
197	By firearms	46							1	2	4	11	11	8	5	3	1		
198	By cutting or piercing instruments	5									1			2	1	1			
199	By other means	8	1					2			2	1	2						
	Accidental, other, or undefined	926	28	17	19	16	14	54	50	67	78	54	59	104	104	96	88	74	4
175	Poisoning by food	12		2		1		1	3	1	1			2	1				
176	Poisoning by venomous animals	5		2						2					1				
177	Other acute poisonings (gas excepted)	26	4	2			1			2	2	1	1	6	2	3	1	1	
178	Conflagration	5				1		3								1			
179	Burns (conflagration excepted)	34		1	8	1	1	5	3	2	2		3	2	3	1	1		
180	Mechanical suffocation	26	18						1	1		1	1	1	1	2		1	
181	Absorption of irrespirable, irritating, or poisonous gas	19					1			2	4	2		7	1			2	
182	Drowning	65		3	6	3	2	6	9	13	4	7	4	2	1	2	1	1	1
183	Traumatism by firearms (except in war)	44				2		5	7	10	4	4	5	1	2	2	2		
184	Traumatism by cutting or piercing instruments	11	1					2			1			2		3		2	
185	Traumatism by fall	123				1	1	5	5	4	2	2	2	11	8	9	29	44	
186a	Traumatism in mines	77								5	9	11	7	13	17	12	2		
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	25				1	1			1	3	2	2	5	3	6		1	
188a	Railroad accidents	78			1	2		3	1	3	14	4	7	10	16	7	7	3	
	Collision with automobiles	22			1	2		3	1		5	1	2		2	2	2	1	
	Other railroad accidents	56								3	9	3	5	10	14	5	5	2	
188b	Street-car accidents	6													2	3		1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	234	1	4	1	1	5	16	15	13	21	11	16	35	29	30	23	12	1
188d	Airplane and balloon accidents	4									2	2							
188e,f	Injuries by other vehicles	25					1	2	1					1	5	3	8	3	1
188g	Landslide, other crushing	13								1	2	4	1	2	1	2			
189	Injuries by animals (not poisoning)	17			1	1			1	4		2	1	2	2	2	1		
193	Excessive cold	3												1	1		1		
195	Lightning	5							1	2	1					1			
196	Other accidental electric shocks	14								3	2	3	4			2			
201	Fracture (cause not specified)	1															1		
202	Other external violence	53	4	3	2	2	1	6	3	3	1	2	1	2	7	6	9	1	
	XV.—Ill-defined diseases	51	21	1	1	1				1	2	4		5	3	3	4	5	
205a	Ill-defined	16	4	1	1							1		2		3	2	2	
205b	Not specified or unknown	35	17			1				1	2	3		3	3		2	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT																		
	All causes	16,757	1,701	218	109	106	84	310	202	278	397	409	494	1,340	1,928	2,750	3,173	3,248	10
	I.—Epidemic, endemic, and infectious diseases	1,693	103	57	36	32	22	87	37	100	145	146	122	278	192	168	107	60	1
1	Typhoid and paratyphoid fever	18				1	1	2	1		2	1	3	4	1	1	1		
5	Malaria	1															1		
7	Measles	24	5	7	2	5		4	1										
8	Scarlet fever	23	1	2	3		2	8	2	2	1		1	1					
9	Whooping cough	40	24	9	4	2		1											
10	Diphtheria	96	9	8	11	7	14	34	7	1		1	1	2		1			
11a	Influenza (with pulmonary complications)	144	16	5	4		2	6	1	5	6	7	4	11	20	19	16	22	
11b	Influenza (other and unspecified)	89	6	6	2	1	1	6	1	2		7	2	6	4	12	16	17	
13	Mumps	2														1	1		
16	Dysentery	1	1																
21	Erysipelas	44	12	1		1				1	1			7	4	8	5	3	1
22	Acute anterior poliomyelitis	16			1	2		5	5		1	1		1					
23	Lethargic encephalitis	18		2		1	1	1		2	1		1	4	2	2	1		
24	Meningococcus meningitis	13	2	2		2		2	2	1	1			1					
25	Other epidemic and endemic diseases	3	1	1		1													
29	Tetanus	7						1	3	1					1		1		
30	Mycoses	1												1					
	Tuberculosis (all forms)	1,073	11	14	8	9	1	17	14	33	129	125	107	220	146	116	59	14	
31	Of the respiratory system	940	2	3		1		4	7	77	115	119	99	202	135	106	57	13	
32	Of the meninges, central nervous system	53	7	8	7	8	1	5	3	1	3		2	4	3	1			
33	Of the intestines, peritoneum	28		1	1			2	2	2	5	2	3	5		4	1		
34	Of the vertebral column	11						3		1		1		2	1	1	1	1	
35	Of the joints	4						2		1		1							
36	Of other organs	19	1					1	2		3		1	5	3	3			
37a	Disseminated (acute)	12		1							1	2	2	2	4				
37b	Disseminated (chronic or unspecified)	6	1	1						1	2					1			
38	Syphilis	65	12								2	4	3	15	13	7	5	4	
40	Gonococcus infection	2									1			1					
41	Purulent infection, septicemia	13	3		1					2				4	1	1	1		
	II.—General diseases not included in Class I	2,390	52	8	3	3	5	14	15	15	19	24	36	190	373	625	631	375	2
	Cancer and other malignant tumors	1,719		1	2			3	2	3	3	13	15	128	285	466	483	313	2
43	Of the buccal cavity	58										1		3	2	20	17	15	
44	Of the stomach, liver	591									1	1	3	33	80	171	194	107	1
45	Of the peritoneum, intestines, rectum	278			1			2				1	1	18	37	70	92	55	1
46	Of the female genital organs	228								1	1	7	6	31	53	60	44	25	
47	Of the breast	178											1	16	42	51	34	34	
48	Of the skin	41									1			1	2	5	11	21	
49	Of other or unspecified organs	345		1	1			1	2	2		3	4	26	69	89	91	56	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	9				1					1			1	3	2		1	
51	Acute rheumatic fever	38	1			1		4	6	5	3	3	4	5		4	2		
52	Chronic rheumatism, osteoarthritis, gout	14										1			1	4	3	5	
53	Scurvy	1		1															
54	Pellagra	1														1			
56	Rickets	4	4																
57	Diabetes mellitus	329		2		1	1	3	2	1	6		4	14	39	99	109	48	
58a	Pernicious anemia	39	1									2	2	3	5	10	13	3	
58b	Other anemias and chlorosis	11	1						1						1	4	4		
59	Diseases of the pituitary gland	1															1		
60a	Exophthalmic goiter	25								2	1		4	5	2	4	6	1	
60b	Other diseases of the thyroid gland	4	1						1							1	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	27	24	1			1				1								
63	Diseases of the adrenals (Addison's disease)	4												2	1		1		
64	Diseases of the spleen	1													1				
65a	Leukemia	26		2	1				1	1	1		3	2	10	4		1	
65b	Hodgkin's disease	21					2	2		2		2	1	2	4	5	1		
66	Alcoholism (acute or chronic)	82								1	2	3	3	27	19	21	6		
67a	Chronic lead poisoning	2													2				
67b	Other chronic mineral poisoning	1																	
69	Other general diseases	30	19	1			1	2	2		1			1			1	3	
	III.—Diseases of the nervous system and of the organs of special sense	1,865	40	14	9	4	5	19	14	8	16	13	27	103	215	355	498	523	2
70	Encephalitis	13		1	1	1	1	1		1			1	2	2		2		
71a	Simple meningitis	45	11	6	4	1	1	2	1		3	1	3	3	3	3	2	1	
71b	Nonepidemic cerebrospinal meningitis	10	2	1	1			4					1	1					
72	Tabes dorsalis (locomotor ataxia)	22													3	10	6	3	
73	Other diseases of the spinal cord	43	1	1	1				1	1	3	2	3	5	2	10	10	3	
74a	Cerebral hemorrhage	1,365	3	1				1			2	1	5	40	151	273	424	462	2
74b	Cerebral embolism and thrombosis	92								1	1		1	5	10	25	20	29	
75	Paralysis without specified cause	16	1											1	3		5	6	
76	General paralysis of the insane	60												22	19	10	6	3	
77	Other forms of mental alienation	15									1			4	6	1	3		
78	Epilepsy	39					1		2	3	3	3	3	9	4	4	3	4	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	21	16	4	1														
81	Chorea	2							1								1		
82	Neuralgia and neuritis	4												1	1			2	
83	Softening of the brain	6														2	2	2	
84	Other diseases of the nervous system	73	2		1	1	1	5	1		1	3	8	8	8	16	12	6	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	22	3				1	3	5	2	1	1	2	1	3				
86b	Diseases of the mastoid process	15	1			1		2	3		1	2		1		1	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	IV.—Diseases of the circulatory system	3,993	13	4	1	4	1	23	27	29	31	32	56	173	414	760	1,070	1,353	2
87	Pericarditis	9						1			1			1	1	1		4	
88	Endocarditis and myocarditis (acute)	159	10	3		3		7	5	10	8	4	9	31	17	13	17	22	
89	Angina pectoris	294											1	16	45	75	90	67	
90	Other diseases of the heart	3,123	2		1	1	1	12	22	19	22	28	41	112	316	600	865	1,079	2
91a	Aneurysm	22												5	5	9	3		
91b,c	Other diseases of the arteries	298											2	2	10	38	78	168	
92	Embolism and thrombosis (not cerebral)	73	1					2					1	4	18	20	17	10	
93	Diseases of the veins	7											1		1	4		1	
94	Diseases of the lymphatic system	3		1											1			1	
95	Hemorrhage without specified cause	4						1					1	1				1	
96	Other diseases of the circulatory system	1												1					
	V.—Diseases of the respiratory system	1,437	210	82	20	19	9	27	13	21	24	23	41	113	173	197	219	245	1
97a	Diseases of the nasal fossae	3	1															2	
97b	Diseases of the nasal fossae annexa	2		1										1					
98	Diseases of the larynx	8	2	1	1		1	1							1	1			
99a	Acute bronchitis	34	10	4			1		1						1	3	6	8	
99b	Chronic bronchitis	28		1					1	1				1	4	5	6	9	
99c,d	Bronchitis (unspecified)	22	5												1	1	5	10	
100a	Broncho-pneumonia	463	137	43	9	8	3	7	2	3	1	4	6	14	29	52	67	78	
100b	Capillary bronchitis	8	3	1	2	2													
101a	Lobar pneumonia	749	44	27	6	7	1	15	8	16	16	19	29	89	125	117	118	112	
101b	Pneumonia (unspecified)	28	5	2	1		2	2	1		1		2	1	4	5	2		
102	Pleurisy	25	1	2	1	1	1	1		1	2		3	3		3	3	2	1
103	Congestion and hemorrhagic infarct of the lung	29													2	1	6	20	
104	Gangrene of the lung	4									2					1	1		
105	Asthma	17	1										1	1	5	3	3	3	
106	Pulmonary emphysema	2												1		1			
107	Other diseases of the respiratory system (tuberculosis excepted)	15	1			1		1			2			2	1	4	2	1	
	VI.—Diseases of the digestive system	1,071	215	31	16	11	16	37	36	19	29	30	39	106	140	143	120	83	
108	Diseases of the mouth and annexa	11	1						1				1	1		4	2	1	
109b	Other diseases of the pharynx, tonsils	47	3	3	3		3	9	5		3	1	1	3	5	2	6		
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	64									1	3	5	12	14	15	10	4	
111b	Ulcer of the duodenum	36				1							5	8	10	6	6		
112	Other diseases of the stomach (cancer excepted)	34	6	1		1		1	1		1		1	1	4	4	3	10	
113	Diarrhea and enteritis (under 2 years)	203	184	19															
114	Diarrhea and enteritis (2 years and over)	44			6	3	8	5	1				2	4	2	3	2	8	
116	Diseases due to other intestinal parasites	1								1									
117	Appendicitis and typhlitis	193		3	5	3	4	14	22	14	15	14	13	31	28	13	10	4	
118a	Hernia	55												6	6	12	13	18	
118b	Intestinal obstruction	84	13	3	1	2		3	1	2	2	5	3	8	9	11	14	7	
119	Other diseases of the intestines	13	2			1					2			1	1	2	3	1	
120	Acute yellow atrophy of the liver	7									1			3	1	2			
122	Cirrhosis of the liver	112	1	1									4	8	25	32	30	11	
123	Biliary calculi	74								1		1	3	9	17	18	14	11	
124	Other diseases of the liver	51									1	2	1	10	11	13	7	6	
125	Diseases of the pancreas	11										2		1	4	3		1	
126	Peritonitis without specified cause	30	5	1	1		1	5	5	1	3	2			3	3			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,563	3	1	2	2	1	6	9	11	20	29	35	139	223	313	397	372	
128	Acute nephritis (including unspecified under 10 years)	49	1				1	3	2	1	4	6	3	9	7	6	4	2	
129	Chronic nephritis (including unspecified 10 years and over)	1,313			2	2		1	7	8	12	15	22	89	195	275	357	328	
131	Other diseases of the kidneys and annexa	37	1	1				2		2		1	1	5	5	6	7	6	
132	Calculi of the urinary passages	10												2	1	2	2	3	
133	Diseases of the bladder	13												1		1	2	9	
134	Diseases of the urethra, etc	6												2		3	1		
135	Diseases of the prostate	56										1				13	19	23	
136	Nonvenereal diseases of the male genital organs	3	1								1					1			
137	Cysts, other benign tumors of the ovary	9											1	3	2	1	2		
138	Salpingitis and pelvic abscess (female)	23									2	4	6	8	3				
139	Benign tumors of the uterus	30											1	15	8	4	2		
140	Nonpuerperal uterine hemorrhage	2										1		1					
141	Other diseases of the female genital organs	12									1	1	1	4	2	1	1	1	
	VIII.—The puerperal state	160							1	12	26	34	41	42	4				
143	Accidents of pregnancy	15								1	3	1	8	1	1				
144	Puerperal hemorrhage	25								1	1	7	7	8	1				
145	Other accidents of labor	17								1	3	6	2	5					
146	Puerperal septicemia	47							1	3	10	10	10	12	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	8								1	1		4	2					
148	Puerperal albuminuria and convulsions	48								5	8	10	10	14	1				
	IX.—Diseases of the skin and of the cellular tissue	58	11					1		1	1	1	1	4	9	7	8	14	
151	Gangrene	20											1	2	3	1	4	9	
152	Furuncle	11	3							1				1	2	2		2	
153	Acute abscess	14	3					1			1	1		1	3	2	1	1	
154	Other diseases of the skin and annexa	13	5												1	2	3	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	35			2	3	1	3	2	3			1	4	4	4	3	5	
155	Diseases of the bones (tuberculosis excepted)	25			2	3	1	2	2	2			1	2	4	1	1	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	7						1		1				2		1	2		
157	Amputations	1														1			
158	Other diseases of the organs of locomotion	2														1		1	
	XI.—Malformations	202	184	9	1	2	1	4						1					
159a	Congenital hydrocephalus	41	32	4		2		3											
159b	Congenital malformations of the heart	83	77	4	1									1					
159c	Other congenital malformations	78	75	1			1	1											
	XII.—Early infancy	840	840																
160	Congenital debility, icterus, sclerema	79	79																
161a	Premature birth	460	460																
161b	Injury at birth	234	234																
162	Other diseases peculiar to early infancy	66	66																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	76														1	6	69	
	XIV.—External causes	1,313	18	11	19	26	23	85	47	59	85	76	93	182	174	167	102	144	2
	Suicide	186								6	13	8	24	35	38	36	12	14	
165	By poisons (gas or corrosives excepted)	14											2	4	2	5		1	
166	By corrosive substances	23								1	1	3	4	6	2	4	2		
167	By poisonous gas	46								3	7	1	6	8	6	10	3	2	
168	By hanging or strangulation	40								1	2	2	4	5	13	10	1	2	
169	By drowning	9										1	2	1	3	1		1	
170	By firearms	35								1	1	1	3	7	8	4	5	5	
171	By cutting or piercing instruments	10											1	2	2	1	1	3	
172	By jumping from high places	3									1		1		1				
173	By crushing	2									1			1					
174	By other means	4											1	1	1	1			
	Homicide	35							1	1	1	6	7	9	6	4			
197	By firearms	15										4	4	4	3				
198	By cutting or piercing instruments	7								1			1	2		3			
199	By other means	13							1		1	2	2	3	3	1			
	Accidental, other, or undefined	1,092	18	11	19	26	23	85	46	52	71	62	62	138	130	127	90	130	2
175	Poisoning by food	1										1							
177	Other acute poisonings (gas excepted)	23	1	2	3						2		1	9	4	1			
178	Conflagration	10		1		4					1			2			1	1	
179	Burns (conflagration excepted)	72	1	7	5	8	11	5	2		3	3	2	6	8	2	2	7	
180	Mechanical suffocation	14	8						1	1		1			3				
181	Absorption of irrespirable, irritating, or poisonous gas	54	1			1					4	2	3	12	7	12	4	8	
182	Drowning	118			2	1	2	18	16	12	12	7	7	12	13	11	3	1	1
183	Traumatism by firearms (except in war)	15			1				2	3	1	1	2	3		1		1	
184	Traumatism by cutting or piercing instruments	5			1			1							1		1	1	
185	Traumatism by fall	212	1		2	3		3	1	4	5	2	6	15	21	29	40	80	
187	Traumatism by machines	21						1		5		1	2	6	3	2	1		
188a	Railroad accidents	41			1				1	4	1	5	5	8	9	4	1	2	
	Collison with automobiles	10								2		2	4	1	1				
	Other railroad accidents	31			1				1	2	1	3	1	7	8	4	1	2	
188b	Street-car accidents	26			1	1					4	2		4	4	4	3	3	
	Collision with automobiles	6				1					1	1		3					
	Other street-car accidents	20			1						3	1		1	4	4	3	3	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	327		1	2	4	10	50	18	15	27	28	23	42	39	39	21	7	1
188d	Airplane and balloon accidents	1											1						
188e,f	Injuries by other vehicles	21				1		2	1	4	5	1	1		1	3	1	1	
188g	Landslide, other crushing	5						1						2	1		1		
189	Injuries by animals (not poisoning)	3							1					1			1		
192	Starvation (deprivation of food or water)	1																1	
193	Excessive cold	5												2		1		2	
194	Excessive heat	7											1	1	2		1	2	
195	Lightning	3										1		1		1			
196	Other accidental electric shocks	9										3	3	1		2			
201	Fracture (cause not specified)	38						1	1	1	4		1	2	3	9	5	11	
202	Other external violence	60	6		1	3		3	2	3	2	4	4	9	11	6	4	2	
	XV.—Ill-defined diseases	61	12	1				4	1		1	1	2	5	7	10	12	5	
204	Sudden death	14	3											2	1	3	4	1	
205a	Ill-defined	22	3	1				4			1		2	1	3	4	3		
205b	Not specified or unknown	25	6						1			1		2	3	3	5	4	
	DELAWARE																		
	All causes	3,007	301	74	26	14	12	41	40	60	75	89	100	222	329	427	601	589	7
	I.—Epidemic, endemic, and infectious diseases	383	28	26	4	3	5	10	13	28	27	33	32	46	52	27	31	17	1
1	Typhoid and paratyphoid fever	12					1		1	1	1	1	3	2	1	1			
7	Measles	2	1						1										
8	Scarlet fever	3			1				2										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
9	Whooping cough	12	7	4				1											
10	Diphtheria	14		3		3	1	4	2				1						
11a	Influenza (with pulmonary complications)	30	4	5	1				2				1	1	3		8	5	
11b	Influenza (other and unspecified)	28	4	2				2	1	1		1	2	2	3	4	3	3	
16	Dysentery	10	2	3	1												1	3	
21	Erysipelas	7								1						3	2	1	
22	Acute anterior poliomyelitis	2							2										
23	Lethargic encephalitis	2								1					1				
24	Meningococcus meningitis	1						1											
25	Other epidemic and endemic diseases	1		1															
29	Tetanus	6						1	1	3					1				
	Tuberculosis (all forms)	227	6	7	1		2	1		21	24	30	23	33	39	18	16	5	1
31	Of the respiratory system	200	4	4						19	23	30	21	31	35	14	15	3	1
32	Of the meninges, central nervous system	10	1	3	1		1	1		1				1	1				
33	Of the intestines, peritoneum	8	1								1		1	1		2		2	
34	Of the vertebral column	1											1						
35	Of the joints	3													1	1	1		
36	Of other organs	2													1	1			
37a	Disseminated (acute)	2					1			1									
37b	Disseminated (chronic or unspecified)	1													1				
38	Syphilis	18	3	1			1		1		2		1	5	3		1		
40	Gonococcus infection	6										1	1	3	1				
41	Purulent infection, septicemia	2	1													1			
	II.—General diseases not included in Class I	345	4	3	3	1		3	2	1	2	2	9	26	64	79	90	56	
	Cancer and other malignant tumors	241			1						1	1	2	18	44	61	66	47	
43	Of the buccal cavity	9													1	3	1	4	
44	Of the stomach, liver	95												4	13	27	33	18	
45	Of the peritoneum, intestines, rectum	24												3	4	7	6	4	
46	Of the female genital organs	41									1	1	2	6	10	10	7	4	
47	Of the breast	27													10	5	7	5	
48	Of the skin	4														2	1	1	
49	Of other or unspecified organs	41			1									5	6	7	11	11	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1															1		
51	Acute rheumatic fever	3							1	1			1						
52	Chronic rheumatism, osteoarthritis, gout	4			1									1		1	1		
56	Rickets	2		2															
57	Diabetes mellitus	56						1					3	3	11	12	17	9	
58	Pernicious anemia	6			1										2	2	1		
58b	Other anemias and chlorosis	1															1		
60a	Exophthalmic goiter	4												1	2		1		
60b	Other diseases of the thyroid gland	1						1											
61	Diseases of the parathyroid glands	1		1															
62	Disease of the thymus gland	3	3																
63	Diseases of the adrenals (Addison's disease)	1											1						
65a	Leukemia	6						1	1		1	1		1	1				
65b	Hodgkin's disease	1				1													
66	Alcoholism (acute or chronic)	11											2	2	3	2	2		
67b	Other chronic mineral poisoning	1														1			
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	1	1																
	III.—Diseases of the nervous system and of the organs of special sense	388	5	5	2	1		2	1	1	1	6	8	23	42	75	107	108	1
70	Encephalitis	2		1								1				1		1	1
71a	Simple meningitis	8	2	1	1	1							1						
71b	Nonepidemic cerebrospinal meningitis	1															1		
72	Tabes dorsalis (locomotor ataxia)	1												2		3	5	3	
73	Other diseases of the spinal cord	14		1								2	2	15	33	62	95	99	
74a	Cerebral hemorrhage	308												1	1	1	3	1	
74b	Cerebral embolism and thrombosis	7													1	2	1	2	
75	Paralysis without specified cause	6									1	1	2	4	5	1			
76	General paralysis of the insane	14										2	1	1	2	1			
77	Other forms of mental alienation	7														1			
78	Epilepsy	3							1	1									
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	3	2	1															
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	6												2		1	1	2	
86a	Diseases of the ear	3						1								2			
86b	Diseases of the mastoid process	3	1	1	1														
	IV.—Diseases of the circulatory system	567	3	1	1		1	3	5	6	8	4	10	27	56	99	164	177	2
87	Pericarditis	2									1			1					
88	Endocarditis and myocarditis (acute)	24			1			1	3	2	1		1	7	1	3	1	3	
89	Angina pectoris	37									1		1		4	6	16	9	
90	Other diseases of the heart	443	2				1	2	2	4	5	4	7	19	50	81	131	133	2
91a	Aneurysm	1													1				
91b,c	Other diseases of the arteries	47														6	12	29	
92	Embolism and thrombosis (not cerebral)	11	1	1												3	3	3	
93	Diseases of the veins	1															1		
94	Diseases of the lymphatic system	1											1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	V.—Diseases of the respiratory system	254	50	17	10	4		1	4	1	7	7	6	15	30	31	28	42	1
97b	Diseases of the nasal fossae annexa	2										1		1					
98	Diseases of the larynx	1															1		
99a	Acute bronchitis	6	2	1														3	
99b	Chronic bronchitis	4							1						1			2	
99c,d	Bronchitis (unspecified)	7	3															4	
100a	Broncho-pneumonia	89	36	7	6	3			2			1	2	3	8	2	11	7	1
100b	Capillary bronchitis	3	1	1	1														
101a	Lobar pneumonia	114	6	7	3	1		1	1	1	6	5	3	11	18	22	13	16	
101b	Pneumonia (unspecified)	7		1												1	1	4	
102	Pleurisy	5	1								1					2	1		
103	Congestion and hemorrhagic infarct of the lung	7	1												1			5	
105	Asthma	7											1		1	3	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	2													1	1			
	VI.—Diseases of the digestive system	194	55	18	3	1		6	3	2	5	2	9	14	18	19	23	16	
108	Diseases of the mouth and annexa	2									1						1		
109b	Other diseases of the pharynx, tonsils	3						1						1	1				
111a	Ulcer of the stomach	9												1	3	1	3	1	
111b	Ulcer of the duodenum	3											1	1		1			
112	Other diseases of the stomach (cancer excepted)	16												5	5	1		5	
113	Diarrhea and enteritis (under 2 years)	63	46	17															
114	Diarrhea and enteritis (2 years and over)	18			2	1		1	1	1			2	1		2	3	4	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	23	1	1				3	2		2	1	4	1	3	3	2		
118a	Hernia	11														6	4	1	
118b	Intestinal obstruction	14	8								1		2				2	1	
119	Other diseases of the intestines	1						1											
120	Acute yellow atrophy of the liver	2										1		1					
122	Cirrhosis of the liver	10								1				1	1	3	4		
123	Biliary calculi	9													3	2	3	1	
124	Other diseases of the liver	5												1	1		1	2	
125	Diseases of the pancreas	1												1					
126	Peritonitis without specified cause	3									1				1			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	400	3					2	2	3	2	5	7	28	37	71	123	117	
128	Acute nephritis (including unspecified, under 10 years)	18	1						1			1	1	3	4	1	4	2	
129	Chronic nephritis (including unspecified 10 years and over)	361						1	1	3	2	4	6	21	30	68	112	113	
131	Other diseases of the kidneys and annexa	6	2					1						1	1	1			
132	Calculi of the urinary passages	2															1	1	
133	Diseases of the bladder	2															1	1	
135	Diseases of the prostate	6														1	5		
137	Cysts, other benign tumors of the ovary	3												2	1				
138	Salpingitis and pelvic abscess (female)	2												1	1				
	VIII.—The puerperal state	25								2	7	9	2	5					
143	Accidents of pregnancy	2										1		1					
144	Puerperal hemorrhage	1											1						
145	Other accidents of labor	4									1	2		1					
146	Puerperal septicemia	12								1	4	4	1	2					
148	Puerperal albuminuria and convulsions	6								1	2	2		1					
	IX.—Diseases of the skin and of the cellular tissue	8						1							1		3	3	
151	Gangrene	5															3	2	
153	Acute abscess	2						1							1				
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	5					1	1			1						2		
155	Diseases of the bones (tuberculosis excepted)	5					1	1			1						2		
	XI.—Malformations	28	27					1											
159a	Congenital hydrocephalus	5	4					1											
159b	Congenital malformations of the heart	18	18																
159c	Other congenital malformations	5	5																
	XII.—Early infancy	118	118																
160	Congenital debility, icterus, sclerema	15	15																
161a	Premature birth	76	76																
161b	Injury at birth	21	21																
162	Other diseases peculiar to early infancy	6	6																
164	XIII.—Old age (senility)	26															5	21	
	XIV.—External causes	263	8	4	3	4	5	11	10	16	15	21	17	36	29	26	25	31	2
	Suicide	26								1	3	2	4	1	7	2	4	2	
166	By corrosive substances	1											1						
167	By poisonous gas	15								3	1	2			5	1	2	1	
168	By hanging or strangulation	3										1	1				1		
170	By firearms	7								1		1			2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	XIV.—External causes—Continued.																		
	Homicide	24			1					2	2	3	1	10	2	2	1		
197	By firearms	16								2	1	2		9	2				
198	By cutting or piercing instruments	3										1	1	1					
199	By other means	5			1								1			2	1		
	Accidental, other, or undefined	213	8	4	2	4	5	11	10	13	10	16	12	25	20	22	20	29	2
175	Poisoning by food	1											1						
177	Other acute poisonings (gas excepted)	3											1		1	1			
178	Conflagration	3				1	1							1					
179	Burns (conflagration excepted)	21	2	2		1	2	2				1		4	1	1	1	4	
180	Mechanical suffocation	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	16								1		1		1	4	5	2	2	
182	Drowning	20		1					4	3		3	1	4		2		2	
183	Traumatism by firearms (except in war)	6					1		2			1		1		1			
184	Traumatism by cutting or piercing instruments	2	1														1		
185	Traumatism by fall	36									1		2	2	5	2	5	18	1
186b	Traumatism in quarries	1																	1
187	Traumatism by machines	2											1	1					
188a	Railroad accidents	20							2	3	3	1		5	3	2	1		
	Collision with automobiles	7								2	2				1	1	1		
	Other railroad accidents	13							2	1	1	1		5	2	1			
188b	Street-car accidents	2										2							
	Collision with automobiles	2										2							
188c	Automobile accidents (excluding collision with railroad trains and street cars)	62	1		1	2	1	8	2	6	6	6	5	5	5	3	8	3	
188e,f	Injuries by other vehicles	1											1						
188g	Landslide, other crushing	1														1			
189	Injuries by animals (not poisoning)	4		1											1	1	1		
194	Excessive heat	1														1			
196	Other accidental electric shocks	1												1					
202	Other external violence	9	3		1			1				1				2	1		
	XV.—Ill-defined diseases	3												2				1	
204	Sudden death	1																1	
205b	Not specified or unknown	2												2					
	DISTRICT OF COLUMBIA																		
	All causes—White	4,306	302	27	26	21	18	56	37	55	108	131	137	365	519	722	876	906	
	All causes—Colored	2,680	309	51	17	19	9	25	38	86	116	174	160	408	484	360	243	181	
	I.—Epidemic, endemic, and infectious diseases—White	378	19	5	13	7	6	14	6	13	33	32	33	51	53	45	28	20	
	I.—Epidemic, endemic, and infectious diseases—Colored	475	32	14	6	6	5	6	14	45	61	65	57	81	48	19	13	3	
1	Typhoid and paratyphoid fever—W	7			2									2	2	1			
	Typhoid and paratyphoid fever—C	4							1		1		1				1		
8	Scarlet fever—W	4						3					1						
	Scarlet fever—C	5		1		1		1						2					
9	Whooping cough—W	11	6	1	2	2													
	Whooping cough—C	8	5	2	1														
10	Diphtheria—W	18	2		2	2	4	7	1										
	Diphtheria—C	7			1	2	1	2						1					
11a	Influenza (with pulmonary complications)—W	31									1		1	2	14	5	2	6	
	Influenza (with pulmonary complications)—C	20	1			1				1	1	2	3	1	5	4	1		
11b	Influenza (other and unspecified)—W	19	3		2	1						1	1	2	2	3	3	1	
	Influenza (other and unspecified)—C	13	2	1							1		1	1	3		3	1	
16	Dysentery—W	2										1			1				
21	Erysipelas—W	3													1	1		1	
22	Acute anterior poliomyelitis—W	3		1				1		1									
23	Lethargic encephalitis—W	1														1			
	Lethargic encephalitis—C	4										2		1	1				
24	Meningococcus meningitis—W	5	2				1	1			1								
	Meningococcus meningitis—C	2	1				1												
25	Other epidemic and endemic diseases—W	3	1	1													1		
29	Tetanus—W	2							2										
	Tetanus—C	3						1		1					1				
30	Mycoses—W	2										1		1					
	Tuberculosis (all forms)—W	241	3	2	5	2	1	1	3	10	29	25	29	41	31	27	21	11	
	Tuberculosis (all forms)—C	377	8	10	4	3	1	2	13	42	56	59	49	73	34	14	7	2	
31	Of the respiratory system—W	209			1	1			1	8	25	25	25	39	30	26	17	11	
	Of the respiratory system—C	317	3	1	2	1	1		9	33	51	51	44	68	31	13	7	2	
32	Of the meninges, central nervous system—W	9	1	2	3	1	1							1					
	Of the meninges, central nervous system—C	16	3	3	1	1		1	1	2		1	1	1	1				
33	Of the intestines, peritoneum—W	6						1	1	1	1		2						
	Of the intestines, peritoneum—C	15								3	5	5	1	1					
34	Of the vertebral column—W	5							1		1		1	1			1		
	Of the vertebral column—C	6		1						2		1	1			1			
35	Of the joints—W	1															1		
	Of the joints—C	2										1		1					
36	Of other organs—W	4									1		1				2		
	Of other organs—C	6				1			1	1				2	1				
37a	Disseminated (acute)—W	6	2		1					1					1	1			
	Disseminated (acute)—C	15	2	5	1			1	2	1			2		1				
37b	Disseminated (chronic or unspecified)—W	1									1								
38	Syphilis—W	17	2							1	1	1		2	2	7	1		
	Syphilis—C	30	14				1			1	2	2	3	2	4	1			
40	Gonococcus infection—W	3								1		1		1					
41	Purulent infection, septicemia—W	6						1			1	2	1					1	
	Purulent infection, septicemia—C	2	1														1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																		
	II—General diseases not included in Class I. White	673	7	1	2	3	2	5	3	3	7	14	10	71	106	167	159	113	
	II—General diseases not included in Class I. Colored	193	6			1	2		2		5	5	7	34	66	32	25	8	
	Cancer and other malignant tumors W	495				2	1	1	1	1	2	10	6	52	83	129	122	85	
	Cancer and other malignant tumors C	125				1	1		1		2	3	2	24	49	19	20	3	
43	Of the buccal cavity W	18											1		4	3	6	4	
43	Of the buccal cavity C	5					1							1	3				
44	Of the stomach, liver W	147												10	22	43	40	32	
44	Of the stomach, liver C	47										1	1	5	14	11	12	3	
45	Of the peritoneum, intestines, rectum W	82				1	1					3	3	10	14	19	22	9	
45	Of the peritoneum, intestines, rectum C	14									1			3	7	1	2		
46	Of the female genital organs W	63										2	1	13	14	13	13	7	
46	Of the female genital organs C	37										1	1	11	18	4	2		
47	Of the breast W	56												5	13	17	12	9	
47	Of the breast C	7												1	3	1	2		
48	Of the skin W	15												1	2	2	5	5	
48	Of the skin C	1							1										
49	Of other or unspecified organs W	114				1		1	1	1	2	5	1	13	14	32	24	19	
49	Of other or unspecified organs C	14				1					1	1		3	4	2	2		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) W	5											1				2	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) C	2												1		1			
51	Acute rheumatic fever W	6							1					1	1	2		1	
51	Acute rheumatic fever C	4							1						2		1		
52	Chronic rheumatism, osteoarthritis, gout W	7											1		1	2	1	2	
52	Chronic rheumatism, osteoarthritis, gout C	5									1			1			2	1	
54	Pellagra W	1										1							
54	Pellagra C	4									1	1		1	1				
56	Rickets W	2		1		1													
56	Rickets C	4	3				1												
57	Diabetes mellitus W	79								2		1	1	6	10	17	27	15	
57	Diabetes mellitus C	31											3	4	10	10	1	3	
58a	Pernicious anemia W	15						1						1	1	4	2	6	
58a	Pernicious anemia C	2														1	1		
58b	Other anemias and chlorosis W	6	2											1			2	1	
58b	Other anemias and chlorosis C	1													1				
59	Diseases of the pituitary gland W	1												1					
60a	Exophthalmic goiter W	22												7	6	7	1	1	
60a	Exophthalmic goiter C	4									1		1	1		1			
60b	Other diseases of the thyroid gland W	1														1			
62	Diseases of the thymus gland W	2																	
63	Diseases of the adrenals (Addison's disease) W	1	2								1								
65a	Leukemia W	8		1				2			2	1		1			1		
65b	Hodgkin's disease W	3							1							1	1		
66	Alcoholism (acute or chronic) W	8										1	1	1	1	4			
66	Alcoholism (acute or chronic) C	6										1	1	2	2				
67a	Chronic lead poisoning W	1													1				
68	Chronic poisoning by organic substances W	3									2				1				
68	Chronic poisoning by organic substances C	1													1				
69	Other general diseases W	7	3		1		1	1							1				
69	Other general diseases C	4	3															1	
	III—Diseases of the nervous system and of the organs of special sense White	412	3	2		4	2	7	3	1	3	7	9	18	52	76	126	99	
	III—Diseases of the nervous system and of the organs of special sense Colored	236	2	1	2			2	2	3	3	7	4	25	54	71	41	19	
70	Encephalitis W	6	1	1				1	1			1	1						
70	Encephalitis C	2			2														
71a	Simple meningitis W	9	1					2					1	1	2	1	1		
71a	Simple meningitis C	7						2		1	1			2	1				
71b	Nonepidemic cerebrospinal meningitis W	2				1		1											
72	Tabes dorsalis (locomotor ataxi)a W	7													1	4	2		
72	Tabes dorsalis (locomotor ataxi)a C	2												1			1		
73	Other diseases of the spinal cord W	27					1						1	2	7	6	8	2	
73	Other diseases of the spinal cord C	3														3			
74a	Cerebral hemorrhage W	276											1	6	30	50	101	88	
74a	Cerebral hemorrhage C	165									1	2	2	10	44	53	38	15	
74b	Cerebral embolism and thrombosis W	13									1	1			1	2	5	3	
74b	Cerebral embolism and thrombosis C	4													1	1	2		
75	Paralysis without specified cause W	13													2	3	3	5	
75	Paralysis without specified cause C	12										1		1	2	4		4	
76	General paralysis of the insane W	17										2	3	5	3	3	1		
76	General paralysis of the insane C	25								1		3	1	10	6	4			
77	Other forms of mental alienation W	1												1					
77	Other forms of mental alienation C	2								1	1								
78	Epilepsy W	5									1	1		1	2				
78	Epilepsy C	7							2			1	1	1		2			
80	Infantile convulsions (under 5 years) W	1				1													
80	Infantile convulsions (under 5 years) C	1	1																
84	Other diseases of the nervous system W	23						2	1		1	2	1	2	4	5	4	1	
84	Other diseases of the nervous system C	3														3			
85	Diseases of the eye and annexa W	1				1													
86a	Diseases of the ear W	8	1	1			1	1		1			1			1	1		
86a	Diseases of the ear C	2	1	1															
86b	Diseases of the mastoid process W	3				1			1							1			
86b	Diseases of the mastoid process C	1														1			
	IV—Diseases of the circulatory system White	1,093	6	2				3	5	6	9	8	15	69	110	206	287	367	
	IV—Diseases of the circulatory system Colored	585	2			2		1	4	6	7	16	29	105	139	115	89	70	
87	Pericarditis W	2							1	1									
87	Pericarditis C	1				1													
88	Endocarditis and myocarditis (acute) W	46	3					1	2		2	4	5	21	3	4		1	
88	Endocarditis and myocarditis (acute) C	79	1						1	3	2	7	16	43	4	1		1	
89	Angina pectoris W	66											1	6	6	19	23	11	
89	Angina pectoris C	6												1	3	1	1		
90	Other diseases of the heart W	869	2	2				2	2	5	7	4	9	40	98	165	237	296	
90	Other diseases of the heart C	427	1			1		1	3	3	4	9	11	54	119	102	69	50	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	IV.—Diseases of the circulatory system—Continued.																			
91a	Aneurysm	W	10												1	1	6	1	1	
		C	13											2	3	5	2		1	
91b,c	Other diseases of the arteries	W	84													2	8	20	54	
		C	51												2	7	7	18	17	
92	Embolism and thrombosis (not cerebral)	W	11									1			1	1	2	6	3	
		C	6																1	
93	Diseases of the veins	W	3												1		1		1	
		C	2												1			1		
94	Diseases of the lymphatic system	W	2	1													1			
	V.—Diseases of the respiratory system	White	314	36	8	6	2	2	6	5	4	8	9	9	33	39	39	49	59	
		Colored	330	77	28	5	5		4	1	8	13	14	21	47	49	34	10	14	
97b	Diseases of the nasal fossae annexa	W	4												2	1			1	
98	Diseases of the larynx	W	2													1		1		
		C	1		1															
99a	Acute bronchitis	W	6	3	1	1													1	
		C	11	4	1	1			1		1					1		2		
99b	Chronic bronchitis	W	4										1						3	
		C	5											1	1	1	1	1		
99c,d	Bronchitis (unspecified)	W	3													1	1	1		
		C	2																1	
100a	Broncho-pneumonia	W	106	27	3	2		1	3	1	1	1	3	1	6	5	11	12	29	
		C	128	59	20	2	4		2	1		4	3	2	7	10	8	2	4	
100b	Capillary bronchitis	W	1	1																
		C	1	1																
101a	Lobar pneumonia	W	141	3	4	2	1	1	2	4	3	4	3	6	19	25	20	28	16	
		C	131	8	5	1	1				6	7	7	13	27	33	15	3	5	
101b	Pneumonia (unspecified)	W	11	2			1					1		1	1	1	1	2	1	
		C	11	2		1			1			1	1	1	3		1			
102	Pleurisy	W	13						1			1			2	2	3	2	2	
		C	20	1							1	1		3	6	4	3	1		
103	Congestion and hemorrhagic infarct of the lung	W	7			1													6	
		C	4	1													1		2	
104	Gangrene of the lung	W	1												1					
		C	2												1				1	
105	Asthma	W	10									1	1		2	2	1	3		
		C	8		1									1	1		3	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	5										1	1		1	2			
		C	6	1									3		1		1			
	VI.—Diseases of the digestive system	White	276	26	6	1	2	3	8	8	10	10	13	14	27	39	50	44	15	
		Colored	165	31	3	2	2	1	4	5	3	7	8	7	26	37	14	7	8	
108	Diseases of the mouth and annexa	W	3	1							1								1	
		C	3									1				1			1	
109b	Other diseases of the pharynx, tonsils	W	9		1				1		1		1	1		1	2		1	
		C	6	1						1					1	1	1		1	
111a	Ulcer of the stomach	W	10									1	1	1	2		3	1	1	
		C	9										1		3	3			2	
111b	Ulcer of the duodenum	W	11											3	2	2	2	2		
		C	3												1	2				
112	Other diseases of the stomach (cancer excepted)	W	10	2												3		2	3	
		C	8	1											1	4	1		1	
113	Diarrhea and enteritis (under 2 years)	W	25	21	4															
		C	31	28	3															
114	Diarrhea and enteritis (2 years and over)	W	5													2	2	1		
		C	21			2	2	1				1	1	2	3	2	4	3		
117	Appendicitis and typhlitis	W	68			1	2	2	7	4	7	7	4	3	6	8	12	4	1	
		C	21						3	2	3	1	3	1	3	3	1		1	
118a	Hernia	W	12											1	2	3	4	2		
		C	10							1						3	4	2		
118b	Intestinal obstruction	W	26	2	1					1	1	1	2	2	2	3	5	5	1	
		C	19									1		3	5	8		1	1	
119	Other diseases of the intestines	W	2												1	1				
		C	4												2	2				
120	Acute yellow atrophy of the liver	W	1										1							
122	Cirrhosis of the liver	W	35							1			1	2	5	5	9	10	2	
		C	12									1	1		3	5		1	1	
123	Biliary calculi	W	23										1	1	3	4	6	6	2	
		C	2													1	1			
124	Other diseases of the liver	W	26									1			4	8	3	8	2	
		C	8							1		2		1	2	1	1			
125	Diseases of the pancreas	W	5													1	2	2		
		C	3										1		2					
126	Peritonitis without specified cause	W	5					1		2			2							
		C	5	1					1				1			1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	507	1	1				1		1	5	8	11	41	61	84	141	152	
		Colored	313				1		3	1	3	3	15	12	52	68	61	51	43	
128	Acute nephritis (including unspecified under 10 years)	W	16	1					1				1		4	4	2	2	1	
		C	38				1		2	1		1	4	3	9	8	3	2	4	
129	Chronic nephritis (including unspecified 10 years and over)	W	434								1	4	6	9	26	48	76	128	136	
		C	243						1		1	2	4	8	35	53	54	46	39	
131	Other diseases of the kidneys and annexa	W	10		1										2	3	1	1	2	
132	Calculi of the urinary passages	W	3											1			2			
		C	1													1				
133	Diseases of the bladder	W	3													1			2	
		C	1										1							
134	Diseases of the urethra, etc	W	1															1		
		C	2												1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

DISTRICT OF COLUMBIA—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
135	Diseases of the prostate	W	22												1	1	2	8	10	
		C	9													3	3	3		
137	Cysts, other benign tumors of the ovary	W	4											1		1		1	1	
		C	1										1							
138	Salpingitis and pelvic abscess (female)	W	4									1			3					
		C	8								2		2	1	3					
139	Benign tumors of the uterus	W	9												5	3	1			
		C	9										3		4	1	1			
141	Other diseases of the female genital organs	W	1										1							
		C	1													1				
	VIII.—The puerperal state	White	41								4	10	11	9	7					
		Colored	37							1	9	6	12	6	3					
143	Accidents of pregnancy	W	5									1	2	1	1					
		C	6								1	1	3	1						
144	Puerperal hemorrhage	W	2									1		1						
		C	3											1	2					
145	Other accidents of labor	W	1									1								
		C	3							1			1	1						
146	Puerperal septicemia	W	17								1	5	6	2	3					
		C	17								7	2	6	2						
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2										1		1					
148	Puerperal albuminuria and convulsions	W	14								3	2	2	5	2					
		C	8								1	3	2	1	1					
	IX.—Diseases of the skin and of the cellular tissue	White	12	1					1				1		2	3	1	2	1	
		Colored	4									1	1			1		1		
151	Gangrene	W	4												2			1	1	
		C	1															1		
152	Furuncle	W	4	1												2		1		
		C	1													1				
153	Acute abscess	W	3						1				1							
		C	2									1	1			1				
154	Other diseases of the skin and annexa	W	1														1			
	X.—Diseases of the bones and of the organs of locomotion	White	4									1			1			2		
		Colored	5										1	1	1	2				
155	Diseases of the bones (tuberculosis excepted)	W	1												1					
		C	5										1	1	1	2				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3									1						2		
	XI.—Malformations	White	38	37		1														
		Colored	15	13	2															
159a	Congenital hydrocephalus	W	3	3																
		C	2	1	1															
159b	Congenital malformations of the heart	W	24	24																
		C	9	8	1															
159c	Other congenital malformations	W	11	10		1														
		C	4	4																
	XII.—Early infancy	White	163	163																
		Colored	139	139																
160	Congenital debility, icterus, sclerema	W	12	12																
		C	16	16																
161a	Premature birth	W	105	105																
		C	103	103																
161b	Injury at birth	W	34	34																
		C	9	9																
162	Other diseases peculiar to early infancy	W	12	12																
		C	11	11																
164	XIII.—Old age (senility)	White	29														1	1	27	
		Colored	12														1		11	
	XIV.—External causes	White	366	3	2	3	3	3	11	7	13	22	28	27	45	56	53	37	53	
		Colored	170	7	3	2	1	1	5	8	9	10	30	16	34	20	13	6	5	
	Suicide	W	94								4	5	11	12	18	23	12	7	2	
		C	16								1		5	4	3	2	1			
165	By poisons (gas or corrosives excepted)	W	8								1	1	2			1	2	1		
166	By corrosive substances	W	11								1	2	2	4			2			
		C	3											2	1					
167	By poisonous gas	W	37								1	1	3	5	9	9	4	3	2	
		C	3										1	1	1					
168	By hanging or strangulation	W	4									1	1		1		1			
		C	1										1							
169	By drowning	W	4												1	3				
		C	2								1		1							
170	By firearms	W	25								1		3	3	7	6	2	3		
		C	6										2	1	1	2				
171	By cutting or piercing instruments	C	1														1			
172	By jumping from high places	W	3													2				
173	By crushing	W	2													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																		
	XIV.—External causes—Continued.																		
	Homicide—W	17	1								1	3	4	5	3				
	Homicide—C	39								4	3	10	8	11	3				
197	By firearms—W	7									1	1	1	3	1				
197	By firearms—C	25								2	2	8	6	5	2				
198	By cutting or piercing instruments—C	8								1		1	1	4	1				
199	By other means—W	10	1									2	3	2	2				
199	By other means—C	6								1	1	1	1	2					
	Accidental, other, or undefined—W	255	2	2	3	3	3	11	7	9	16	14	11	22	30	41	30	51	
	Accidental, other, or undefined—C	115	7	3	2	1	1	5	8	4	7	15	4	20	15	12	6	5	
175	Poisoning by food—W	3	1												1	1			
175	Poisoning by food—C	2												1	1				
177	Other acute poisonings (gas excepted)—W	6		1	1	1									2			1	
178	Conflagration—W	3										1	1	1					
178	Conflagration—C	3			1				1							1			
179	Burns (conflagration excepted)—W	20		1	1	1	2	2	1	1		3		2	3	2	1		
179	Burns (conflagration excepted)—C	20	3	3	1	1			2	1	1			3	2	2		1	
180	Mechanical suffocation—W	1						1											
180	Mechanical suffocation—C	4	2										1	1					
181	Absorption of irrespirable, irritating, or poisonous gas—W	32												1	7	10	8	6	
181	Absorption of irrespirable, irritating, or poisonous gas—C	4									1				1	1	1		
182	Drowning—W	14					1	1	1	2	1	2	2	1	2		1		
182	Drowning—C	8						1	3	1		1	1		1				
183	Traumatism by firearms (except in war)—W	4							1		1					2			
183	Traumatism by firearms (except in war)—C	4								1		2		1					
184	Traumatism by cutting or piercing instruments—C	1														1			
185	Traumatism by fall—W	63	1					1			2		3	4	4	7	8	33	
185	Traumatism by fall—C	14									2	3	1	4	2		1	1	
187	Traumatism by machines—W	5						1				1			2	1			
187	Traumatism by machines—C	2										1	1						
188a	Railroad accidents—W	5									1			2	1	1			
188a	Railroad accidents—C	4						1						2		1			
	Collision with automobiles—W	1												1					
	Other railroad accidents—W	4									1			1	1	1			
	Other railroad accidents—C	4						1						2		1			
188b	Street-car accidents—W	10			1							1		1	1	2	3	1	
188b	Street-car accidents—C	2													1			1	
	Collision with automobiles—W	1										1							
	Other street-car accidents—W	9			1									1	1	2	3	1	
	Other street-car accidents—C	2													1			1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)—W	71				1		5	4	4	10	4	2	6	5	13	9	8	
188c	Automobile accidents (excluding collision with railroad trains and street cars)—C	37					1	3	2		1	7		5	7	5	4	2	
188d	Airplane and balloon accidents—W	2										1	1						
188e,f	Injuries by other vehicles—W	5								2		1				1		1	
188e,f	Injuries by other vehicles—C	2												2					
188g	Landslide, other crushing—C	2									1			1					
189	Injuries by animals (not poisoning)—C	1								1									
194	Excessive heat—W	1											1						
194	Excessive heat—C	1														1			
196	Other accidental electric shocks—W	2												1	1				
201	Fracture (cause not specified)—W	1												1					
202	Other external violence—W	7									1			2	2	1		1	
202	Other external violence—C	4	2								1	1							
	XV.—Ill-defined diseases—Colored	1				1													
205a	Ill-defined—C	1				1													
	FLORIDA																		
	All causes—White	10,887	1,342	244	148	94	48	215	163	265	385	393	397	921	1,087	1,499	1,826	1,819	41
	All causes—Colored	7,264	957	176	57	40	32	107	114	328	516	569	485	1,189	1,136	665	413	418	62
	I. Epidemic, endemic, and infectious diseases—White	1,233	107	50	38	38	17	61	43	54	72	66	69	166	140	136	98	73	5
	I. Epidemic, endemic, and infectious diseases—Colored	1,464	127	30	11	6	9	32	39	118	178	180	117	271	187	74	44	26	15
1	Typhoid and paratyphoid fever—W	74				1	1	3	6	11	11	11	4	9	3	6	5	2	1
1	Typhoid and paratyphoid fever—C	69	1	1			1	5	6	5	17	3	4	10	5	2	6	3	
5	Malaria—W	94	4	3	7	3	2	9	11	7	7	1	2	12	4	7	5	9	1
5	Malaria—C	118	9	5	2	2		6	5	11	4	7	5	17	24	7	8	4	2
6	Smallpox—W	3						1								1		1	
6	Smallpox—C	8	1	1											4		1	1	
7	Measles—W	15	3	3	2	1	1	1	1							1	1	1	
7	Measles—C	7	3				1	1		1			1						
8	Scarlet fever—W	11		2	2			5			1			1					
8	Scarlet fever—C	1						1											
9	Whooping cough—W	37	23	6	2	3	2			1									
9	Whooping cough—C	33	25	5	1			1			1								
10	Diphtheria—W	85	4	17	15	19	6	17	1		2	1		2		1			
10	Diphtheria—C	9	3		2		1	1		2									
11a	Influenza (with pulmonary complications)—W	108	7	3	1	5	1	4	9	4	5	6	4	13	11	13	15	7	
11a	Influenza (with pulmonary complications)—C	81	9	5	1	2	1	1	2	8	5	9	5	10	11	3	5	4	
11b	Influenza (other and unspecified)—W	77	13	2			1	4	2	1	2	6	1	4	5	6	12	18	
11b	Influenza (other and unspecified)—C	70	10	2	2				4	2	4	3	5	9	8	12	5	4	
13	Mumps—W	2							1			1							
13	Mumps—C	1										1							
15	Cholera nostras—W	1																1	
15	Cholera nostras—C	2										1		1					
16	Dysentery—W	44	10	3	4			1			2	1	1	2	3	1	4	12	
16	Dysentery—C	38	14	2	1			1		1				5	6	5		2	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
19	Spirochetal hemorrhagic jaundice	W	2										1					1		
21	Erysipelas	W	15	8								1			1		1	2	2	
		C	1												1					
22	Acute anterior poliomyelitis	W	6			1	1		2		1				1					
		C	2						1		1									
23	Lethargic encephalitis	W	5				1				1						2	1		
		C	4									2			2					
24	Meningococcus meningitis	W	14	5		2	1		1	1	1				2		1			
		C	3			1					1				1					
25	Other epidemic and endemic diseases	W	2												1		1			
		C	3											1	2					
26	Glanders	C	1															1		
28	Rabies	W	1								1									
29	Tetanus	W	29	7	1			2	5	4	1		2	2	5					
		C	50	19				1	11	5	3			3	3	4	1			
30	Mycoses	W	4													1	2		1	
		C	5	3	1				1											
	Tuberculosis (all forms)	W	466	5	4	1	2	1	5	5	18	36	27	52	86	92	71	42	17	2
		C	640	6	1	1	1	1	2	16	75	119	125	57	127	71	23	8	4	3
31	Of the respiratory system	W	424	1	1		1	1	1	1	14	32	25	47	81	90	70	41	16	2
		C	593	4	1	1	1	1		15	72	113	113	53	119	64	23	7	3	3
32	Of the meninges, central nervous system	W	14	3	2	1			2	1	1	2		1	1					
		C	7	1					2			1		1	2					
33	Of the intestines, peritoneum	W	12				1			1	1		2	3	3	1				
		C	17								1	1	8		1	4		1	1	
34	Of the vertebral column	W	3						2								1			
		C	5									2		1	1	1				
35	Of the joints	W	2							2										
36	Of other organs	W	7								1	2		1	1			1	1	
		C	5	1								1		2	1					
37a	Disseminated (acute)	W	3	1	1											1				
		C	11							1	2	1	3		2	2				
37b	Disseminated (chronic or unspecified)	W	1								1									
		C	2										1		1					
38	Syphilis	W	97	17	5						4	2	7	1	20	16	17	7		1
		C	284	23	7		1	2			4	22	29	30	77	46	21	9	4	9
39	Soft chancre	C	3									2				1				
40	Gonococcus infection	W	13							1	2	2	2	1	3	2				
		C	19							1	4		1	6	4	3				
41	Purulent infection, septicemia	W	28	1	1	1	1		3	1	1	1		1	4	3	5	3	2	
		C	12	1				1				2	1		2	4		1		
	II.—General diseases not included in Class I.	White	1,207	28	8	3	2		14	9	10	16	23	40	115	182	294	264	196	3
		Colored	445	9	12		1		2	3	11	17	37	44	110	102	53	18	23	3
	Cancer and other malignant tumors	W	765			1	1		6		1	7	7	17	67	109	207	191	150	1
		C	194	1								1	10	14	46	60	38	10	13	1
43	Of the buccal cavity	W	17													4	4	4	5	
		C	8										2		1	1	4			
44	Of the stomach, liver	W	284						2			1	1	6	18	30	87	81	57	1
		C	42										1	1	10	17	9	2	1	1
45	Of the peritoneum, intestines, rectum	W	91				1					1	1	1	10	13	28	17	19	
		C	14										1	4	1	3	3	1	1	
46	Of the female genital organs	W	117										4	5	21	23	31	23	10	
		C	69										5	8	19	21	9	4	3	
47	Of the breast	W	35											1	4	9	8	7	6	
		C	16										1		5	7	3			
48	Of the skin	W	29												1	7	3	7	11	
		C	3												1	1			1	
49	Of other or unspecified organs	W	192			1			4		1	5	1	4	13	23	46	52	42	
		C	42	1								1		1	9	10	10	3	7	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6		1										1		2	1	1	
		C	7								1		1		4		1			
51	Acute rheumatic fever	W	18						2	1	1		1	1	1	1	4	2	4	
		C	13						1		1		1		2	3	1		4	
52	Chronic rheumatism, osteoarthritis, gout	W	10												1	2	2	3	2	
		C	6								1	1			2	1	1			
53	Scurvy	W	1	1																
		C	1		1															
54	Pellagra	W	107		1				2		1	4	7	11	20	17	15	18	10	1
		C	115		2		1			1	3	10	17	25	30	16	5	2	2	1
56	Rickets	C	11	2	8				1											
57	Diabetes mellitus	W	130			1				4	2	2	2	2	9	19	37	34	18	
		C	44								1	2	2	1	12	13	4	6	3	
58a	Pernicious anemia	W	28	1					1			1				6	9	5	5	
		C	10								1	1	1	2	1	3	1			
58b	Other anemias and chlorosis	W	6	1										1		1	1	1	1	
		C	1								1									
60a	Exophthalmic goiter	W	15										1		2	7	3	1	1	
		C	2												2					
60b	Other diseases of the thyroid gland	W	2															2		
		C	3												1		1		1	
61	Diseases of the parathyroid glands	W	4	2		1	1													
62	Diseases of the thymus gland	W	13	12					1											
		C	2	1												1				
63	Diseases of the adrenals (Addison's disease)	W	1															1		
64	Diseases of the spleen	W	1							1										
65a	Leukemia	W	21						1	2	3	1			4	3	5	1	1	
65b	Hodgkin's disease	W	7								1		1	3		1	1			
		C	3		1					1				1						
66	Alcoholism (acute or chronic)	W	42									1	3	3	9	15	6	3	1	1
		C	25								1	2	5	1	10	4	1			1
68	Chronic poisoning by organic substances	W	4										1	1	1	1				
69	Other general diseases	W	26	11	6				1	1	1			1			2	1	2	
		C	8	5						1	1					1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued.

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	White	1,072	38	8	5	1	3	11	6	7	9	15	15	57	128	198	302	267	2
		Colored	682	21	4	1	2	1	6	2	6	12	15	24	108	194	130	77	71	8
70	Encephalitis	W	15	3					1	1		1		1	2	3	2		1	
		C	3						1			1	1							
71a	Simple meningitis	W	30	12	4	2		1	4	1		1	2	1	2					
		C	9	3				1					1	1		3				
71b	Nonepidemic cerebrospinal meningitis	W	10	3		2	1		1					1			2			
72	Tabes dorsalis (locomotor ataxia)	W	13												3	2	3	5		
		C	1													1				
73	Other diseases of the spinal cord	W	24	1	1					1	1				1	1	7	5	6	
		C	18						1			1		1	4	6	2	1	1	1
74a	Cerebral hemorrhage	W	712	5								1	5	6	30	90	143	230	201	1
		C	439						1		1	5	9	13	76	135	90	56	49	4
74b	Cerebral embolism and thrombosis	W	27							1		2			2	5	3	8	6	
		C	9											3	1	1	2	2		
75	Paralysis without specified cause	W	106					1						1	3	10	15	32	43	1
		C	113				1		1				2	2	16	32	25	12	19	3
76	General paralysis of the insane	W	21								1			1	5	4	8	2		
		C	10									2			1	3	3	1		
77	Other forms of mental alienation	W	14									2	1		1	4	2	3	1	
		C	5											1	2	2				
78	Epilepsy	W	16							1	1	1	2	2	3		2	3	1	
		C	35	1			1				4	1	2	2	7	8	7	2		
79	Convulsions (nonpuerperal; 5 years and over)	W	2								1		1							
		C	2						1	1										
80	Infantile convulsions (under 5 years)	W	11	7	3	1														
		C	18	16	1	1														
82	Neuralgia and neuritis	W	2														1	1		
		C	3						1			1				1				
83	Softening of the brain	W	7														3	2	2	
		C	2															2		
84	Other diseases of the nervous system	W	41	2					1		1	1	2	1	4	7	7	9	6	
		C	8							1	1				1	1	1	1	2	
85	Diseases of the eye and annexa	W	1						1											
86a	Diseases of the ear	W	8	4						1	1		1	1						
		C	4		3											1				
86b	Diseases of the mastoid process	W	12	1				1	3		1		1		1	2		2		
		C	3	1								1		1						
	IV.—Diseases of the circulatory system	White	1,742	7	4	1		2	11	5	8	24	20	27	100	201	334	484	508	6
		Colored	767			1			3	8	11	36	31	45	149	191	134	84	64	10
87	Pericarditis	W	7						1			2					2	2		
		C	6										1		1	2		1	1	
88	Endocarditis and myocarditis (acute)	W	73	3	2			1	5		3	6	6	6	18	5	7	6	5	
		C	50						1	1	2	4	6	6	18	8	4			
89	Angina pectoris	W	180									1	1	2	9	27	47	58	35	
		C	37							1	1	2	2	3	13	10	3	2		
90	Other diseases of the heart	W	1,325	4	2	1		1	5	5	3	14	11	17	68	151	251	376	410	6
		C	611			1			2	5	8	27	19	29	107	157	120	72	55	9
91a	Aneurysm	W	19										1		2	4	6	5	1	
		C	17										1	2	5	7	2			
91b,c	Other diseases of the arteries	W	91												1	5	11	22	52	
		C	20											1		2	2	7	8	
92	Embolism and thrombosis (not cerebral)	W	30								2		1		1	4	9	8	5	
		C	11									2		4	4			1		
93	Diseases of the veins	W	3									1						2		
		C	5									1	1			1	1	1		
94	Diseases of the lymphatic system	W	1															1		
		C	2							1						1				
95	Hemorrhage without specified cause	W	5											1	1	2	1			
		C	2										1		1					
96	Other diseases of the circulatory system	W	8											1		3		4		
		C	6													3	2			1
	V.—Diseases of the respiratory system	White	651	92	33	30	11	5	24	7	18	28	25	17	49	57	65	91	95	4
		Colored	470	102	29	15	9	5	14	8	28	36	38	23	68	43	21	12	15	4
97a	Diseases of the nasal fossae	W	3	1					1				1							
		C	10	8		1						1								
97b	Diseases of the nasal fossae annexa	W	7							1		1	2	1	1	1				
		C	2												1	1				
98	Diseases of the larynx	W	2				1	1												
		C	2				1								1					
99a	Acute bronchitis	W	4	3		1														
		C	11	2	1						1	2	2	1		2				
99b	Chronic bronchitis	W	20			1								1	1	1	2	4	10	
		C	5								1			1	2				1	
99c,d	Bronchitis (unspecified)	W	13	1	1			1							1		2	2	5	
		C	14	4	2									3	4			1		
100a	Broncho-pneumonia	W	204	57	15	15	5		9	1	3	4	5	2	4	10	16	25	33	
		C	123	41	19	5	2	2	4	2	2	4	9	2	10	11	5	3	2	
100b	Capillary bronchitis	W	4	1														1	2	
		C	5	4												1				
101a	Lobar pneumonia	W	233	16	10	6	2	3	6	3	12	13	12	8	33	23	27	36	22	1
		C	178	23	5	7	3	1	5	3	16	16	15	15	32	19	10	2	4	2
101b	Pneumonia (unspecified)	W	72	11	7	6	1		6	2	3	2	2	1	2	5	8	8	5	3
		C	72	19	2	1	3	1	5	2	4	8	3	3	7	2	3	4	5	
102	Pleurisy	W	20	2					2			2	1			5	2	3	3	
		C	8					1			1	1	2		1	1				1
103	Congestion and hemorrhagic infarct of the lung	W	20									1		1	1	2	1	3	11	
		C	5									1			1		1		1	1
104	Gangrene of the lung	W	2									1						1		
		C	1													1				
105	Asthma	W	33			1	1					2		3	6	7	5	6	2	
		C	21			1						1	1	1	8	4	1	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	14				1					2	2			3	2	2	2	
		C	13	1						1	3	2	3		1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	VI.—Diseases of the digestive system	White 1,040	220	94	38	17	6	22	18	27	32	38	38	102	97	93	112	81	5
		Colored 727	173	75	12	6	5	16	15	25	39	34	33	109	85	43	28	26	3
108	Diseases of the mouth and annexa	W 8	2		1										2		2	1	
		C 8	2										1	1	2			2	
109b	Other diseases of the pharynx, tonsils	W 29	2	2		3	1		1	1	1	2	2	4	3	3	3		1
		C 17		3			1		2	3	1	1	1	2	2		1		
110	Diseases of the esophagus	C 2												1	1				
111a	Ulcer of the stomach	W 34	1					1		1			2	7	6	4	5	7	
		C 17									2	2	5	3	2		2	1	
111b	Ulcer of the duodenum	W 16								2				2	7	3	1	1	
		C 4											1	1	2				
112	Other diseases of the stomach (cancer excepted)	W 80	5	1	1			1				3	3	11	9	13	17	14	2
		C 128	14	6			1	2	1	1	4	6	5	29	29	13	8	7	2
113	Diarrhea and enteritis (under 2 years)	W 276	189	87															
		C 208	145	63															
114	Diarrhea and enteritis (2 years and over)	W 104			30	12	3	6	3	1		2	2	1	7	9	12	16	
		C 63			8	6	2	7	1	2	3		3	8	6	7	4	6	
115	Ancylostomiasis	W 4	1	1	1			1											
116	Diseases due to other intestinal parasites	W 2			1	1													
		C 5	2		1			2											
117	Appendicitis and typhlitis	W 143						8	10	19	19	14	13	24	12	16	7	1	
		C 74			2		1	2	4	11	11	8	5	19	6	2	2	1	
118a	Hernia	W 21	1							1	1	1		1	2	3	5	6	
		C 21	2	1									1	6	3	5	3		
118b	Intestinal obstruction	W 105	16	2	2	1	1	2	2	2	7	4	4	19	10	10	12	11	
		C 37	7	2	1				2	2	2	5	3	4	3	2	4		
119	Other diseases of the intestines	W 9		1							2	1					1	4	
		C 20							1	1	1		3	5	3	2	1	3	
120	Acute yellow atrophy of the liver	W 7	1								1	1	1	2			1		
		C 3										1				2			
122	Cirrhosis of the liver	W 69							1			1	1	8	16	12	20	9	1
		C 54									3	6	1	14	18	6	2	3	1
123	Biliary calculi	W 24										2	1	5	7	3	5	1	
		C 3							1		1			1					
124	Other diseases of the liver	W 80	1		1		1	2				5	5	10	12	15	19	8	1
		C 28	1					2		3	5	1	1	8	2	2	1	2	
125	Diseases of the pancreas	W 5												3	1		1		
		C 1							1										
126	Peritonitis without specified cause	W 24	1		1			1	1		1	2	4	5	3	2	1	2	
		C 34						1	2	2	6	4	3	7	6	2		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,186	14	5	4	2	1	6	10	11	24	13	30	86	116	206	338	320	
		Colored 717	5	2	1	3		5	4	14	30	37	45	140	172	110	80	68	1
128	Acute nephritis (including unspecified under 10 years)	W 80	4	3	2	1		4	6	1	5	3	4	7	10	8	16	6	
		C 107	5	2	1	2		3	1	5	7	6	9	18	27	10	6	4	1
129	Chronic nephritis (including unspecified 10 years and over)	W 918		1	1			2	3	7	9	4	11	53	89	177	288	273	
		C 482				1		2	2	6	13	14	24	91	127	88	59	55	
131	Other diseases of the kidneys and annexa	W 55	10	1	1	1	1		1	1	1		4	7	5	6	9	7	
		C 26									2	3	4	6	1	3	5	2	
132	Calculi of the urinary passages	W 12										1	2	1		3	3	2	
		C 3										1			1		1		
133	Diseases of the bladder	W 14							1				1	2		2	2	6	
		C 15										1	1	1	6	2	1	3	
134	Diseases of the urethra, etc	W 5													3		2		
		C 9										2		3	3			1	
135	Diseases of the prostate	W 48												1	1	5	17	24	
		C 16									1			1	3	4	6	1	
136	Nonvenereal diseases of the male genital organs	C 3									1			1		1			
137	Cysts, other benign tumors of the ovary	W 10									1		2	2	2	1	1	1	
138	Salpingitis and pelvic abscess (female)	W 23									6	2	5	5	3	2			
		C 26							1	2	5	6	4	5	2	1			
139	Benign tumors of the uterus	W 9										1		5	1	1		1	
		C 19										3	1	11	2	1	1		
140	Nonpuerperal uterine hemorrhage	W 1													1				
		C 2										1					1		
141	Other diseases of the female genital organs	W 11								1	2	2	1	3	1	1			
		C 8								1	1		2	2				2	
142	Nonpuerperal diseases of the breast (cancer excepted)	C 1												1					
	VIII.—The puerperal state	White 214							1	34	53	52	29	43	2				
		Colored 161							3	44	32	34	19	27	2				
143	Accidents of pregnancy	W 12								1	5	3	2	1					
		C 7								2	2			3					
144	Puerperal hemorrhage	W 23								1	7	6	3	6					
		C 11									3	1	3	3	1				
145	Other accidents of labor	W 22								3	5	3	2	8	1				
		C 24							1	4	5	10	1	3					
146	Puerperal septicemia	W 65								11	11	16	12	14	1				
		C 56								17	9	10	10	9	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	C 6								2	1			3					
148	Puerperal albuminuria and convulsions	W 92							1	18	25	24	10	14					
		C 56							2	19	11	13	5	6					
149	Following childbirth (undefined)	C 1									1								
	IX.—Diseases of the skin and of the cellular tissue	White 41	5				1		2	2	1			3	5	4	8	9	1
		Colored 22	3										2	2	4	7	2	2	
151	Gangrene	W 15													2	1	5	7	
		C 11	1										1			6	2	1	
152	Furuncle	W 13					1		1	1	1			3	1	2	1	1	1
		C 3											1		2				
153	Acute abscess	W 7	2						1	1					2	1			
		C 3	2											1					
154	Other diseases of the skin and annexa	W 6	3														2	1	
		C 5												1	2	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion	White	5							1	1		1	1				1		
		Colored	7	1							1	1				1	2	1		
155	Diseases of the bones (tuberculosis excepted)	W	4							1	1			1				1		
		C	5	1							1	1				1	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1										1							
		C	1														1			
158	Other diseases of the organs of locomotion	C	1															1		
	XI.—Malformations	White	138	122	4	2	1		4	3					2					
		Colored	29	24	1	1	2	1												
159a	Congenital hydrocephalus	W	13	7	3	1			1	1										
		C	7	5	1		1													
159b	Congenital malformations of the heart	W	74	66	1	1	1		3	1					1					
		C	9	7		1	1													
159c	Other congenital malformations	W	51	49						1					1					
		C	13	12				1												
	XII.—Early infancy	White	620	620																
		Colored	324	324																
160	Congenital debility, icterus, sclerema	W	58	58																
		C	83	83																
161a	Premature birth	W	415	415																
		C	186	186																
161b	Injury at birth	W	109	109																
		C	21	21																
162	Other diseases peculiar to early infancy	W	36	36																
		C	32	32																
163	Lack of care	W	2	2																
		C	2	2																
164	XIII.—Old age (senility)	White	149														5	18	126	
		Colored	102													1	2	21	77	1
	XIV.—External causes	White	1,339	23	28	25	20	12	61	57	90	123	134	124	184	142	130	69	105	12
		Colored	920	23	14	11	7	9	25	24	61	123	154	112	167	104	39	17	17	13
	Suicide	W	191							5	6	25	13	23	41	33	28	9	8	
		C	12									2	2	2	4	1	1			
165	By poisons (gas or corrosives excepted)	W	11									2	1	2	2	2	1	1		
166	By corrosive substances	W	33								2	7	5	7	6	4	2			
		C	4									1		1	2					
167	By poisonous gas	W	16								1	2	1	2	1	1	6	1	1	
168	By hanging or strangulation	W	6									1	1	1		1	1		1	
169	By drowning	W	9											1	4	1	1	1	1	
		C	1													1				
170	By firearms	W	100							4	3	13	5	8	25	21	16	4	1	
		C	2									1		1						
171	By cutting or piercing instruments	W	11											2	2	2	1	1	3	
		C	1														1			
172	By jumping from high places	W	1															1		
174	By other means	W	4							1					1	1			1	
		C	4										2		2					
	Homicide	W	134				2		2	2	12	11	22	18	31	15	14	2	1	2
		C	351		2				1	3	15	64	89	59	71	29	8	1	2	7
197	By firearms	W	103				1		1	1	7	11	19	15	21	12	13	1		1
		C	220						1	2	7	40	56	38	49	15	6			6
198	By cutting or piercing instruments	W	11								1		1	2	3	1		1	1	1
		C	99						1	1	7	21	30	16	13	8		1	1	1
199	By other means	W	20				1		1	1	4		2	1	7	2	1			
		C	32		2						1	3	3	5	9	6	2		1	
	Accidental, other, or undefined	W	1,014	23	28	25	18	12	59	50	72	87	99	83	112	94	88	58	96	10
		C	557	23	12	11	7	9	24	21	46	57	63	51	92	74	30	16	15	6
175	Poisoning by food	W	31	3	2	3	4		1		1	1		2	2	5	3	3	1	
		C	13	1					1		1			2	3	2	2	1		
176	Poisoning by venomous animals	W	4		1					1				1	1					
177	Other acute poisonings (gas excepted)	W	26	2	1	3	3		1			1	1	2	2	3	6		1	
		C	28	2	7	2	1	3			2	2	2		4	1		2		
178	Conflagration	W	13								1		1		1	5	3	1	1	
		C	10				2		1				1	2		2	1		1	
179	Burns (conflagration excepted)	W	66	2	9	4	5	4	6	3	3	5	4	4	6	3	3	4	1	
		C	56	2	4	4	2	3	4	2	5	5	3	2	7	5	3	1	4	
180	Mechanical suffocation	W	12	7					1	2					1	1				
		C	7	5											2					
181	Absorption of irrespirable, irritating, or poisonous gas	W	8							1	1	1	1	1		2			1	
		C	4	1										1	1		1			
182	Drowning	W	124		7	2	3	1	13	16	15	10	12	14	13	8	5	3	1	1
		C	91	1			1		2	13	16	15	12	7	9	7	2	3	3	
183	Traumatism by firearms (except in war)	W	63			2			3	5	7	4	8	7	13	5	5	1	1	2
		C	45			1		1	1	1	2	7	14	3	8	5	2			
184	Traumatism by cutting or piercing instruments	W	10								1	1	1		1	4			2	
		C	8						3			2		1		2				
185	Traumatism by fall	W	98	3	1	1		1	3	2	4	3	4	3	4	5	6	7	51	
		C	28		1	2			1		3	1	1	1	3	5	4	2	4	
186a	Traumatism in mines	W	1										1							
186b	Traumatism in quarries	C	1								1									
187	Traumatism by machines	W	14					1	1		2	3	2	2	1	1		1		
		C	16								2	3	2	4	2	3				
188a	Railroad accidents	W	59		1	1			2	3	2	3	7	3	11	6	10	3	5	2
		C	47								5	3	11	4	13	8	2			1
	Collision with automobiles	W	18						1	1	1	1	3		6	3	2			
		C	5										1	1		3				
	Other railroad accidents	W	41		1	1			1	2	1	2	4	3	5	3	8	3	5	2
		C	42								5	3	10	3	13	5	2			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188b	Street-car accidents W	6							1		2	1			2				
	Street-car accidents C	1													1				
	Collision with automobiles W	2									1	1							
	Other street-car accidents W	4							1		1				2				
	Other street-car accidents C	1													1				
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	316	1	2	4	2	4	20	12	26	32	35	27	39	32	34	27	19	1
	Automobile accidents (excluding collision with railroad trains and street cars) C	109	1		1	1	1	10	3	4	11	11	15	23	13	8	5	2	
188d	Airplane and balloon accidents W	11									2	4	4	1					
188e,f	Injuries by other vehicles W	8					1		1		2	1			1		1	1	
188g	Landslide, other crushing W	4								1	1			2					
	Landslide, other crushing C	2								1	1								
189	Injuries by animals (not poisoning) C	1								1									
194	Excessive heat W	1												1					
	Excessive heat C	6								1		1		1	2		1		
195	Lightning W	6						1		1	1				1	1			1
	Lightning C	3											1	1	1				
196	Other accidental electric shocks W	30								2	7	9	4	4	3	1			
	Other accidental electric shocks C	4										2	1	1					
201	Fracture (cause not specified) W	35			2	1		3			1	3	3		5	2	4	11	
	Fracture (cause not specified) C	11							1	1	2	1	1	1	2				2
202	Other external violence W	68	5	4	3			4	3	5	7	4	6	9	2	9	3		4
	Other external violence C	66	10		1		1	1	1	1	5	2	6	13	15	5	1	1	3
	XV.—Ill-defined diseases White	250	66	10	2	2	1	1	1	3	3	6	7	14	17	34	41	39	3
	XV.—Ill-defined diseases Colored	427	145	9	4	4	2	4	8	9	12	9	21	38	50	50	29	29	4
204	Sudden death W	16	1							1				1	1	4	5	3	
	Sudden death C	37	3					1		3	2	1	2	3	12	7	1	2	
205a	Ill-defined W	92	5	6			1			2	2	2	2	9	9	15	23	16	
	Ill-defined C	153	25	5	1	3	1	1	4	1	4	4	11	21	18	23	17	13	1
205b	Not specified or unknown W	142	60	4	2	2		1	1		1	4	5	4	7	15	13	20	3
	Not specified or unknown C	237	117	4	3	1	1	2	4	5	6	4	8	14	20	20	11	14	3
	IDAHO																		
	All causes	3,787	459	78	57	38	39	111	83	99	103	121	111	314	400	487	621	664	2
	I.—Epidemic, endemic, and infectious diseases	506	62	30	19	9	15	40	21	20	21	31	27	48	55	53	32	23	
1	Typhoid and paratyphoid fever	16					1		1	4	1	4	1	2	1		1		
5	Malaria	2									1				1				
7	Measles	36	7	10	2	3	1	11						2					
8	Scarlet fever	12		1	1		3	5	1			1							
9	Whooping cough	21	12	4	2	2			1										
10	Diphtheria	23	2	1	6	1	3	8		1				1					
11a	Influenza (with pulmonary complications)	64	15	3	2	1	1	1	2	2	2	2	2	6	3	11	7	4	
11b	Influenza (other and unspecified)	39	3	2	1		2	3	1		1		1	2	1	9	7	6	
13	Mumps	1											1						
16	Dysentery	7	2	1						1				1	1		1		
19	Spirochetal hemorrhagic jaundice	1						1											
21	Erysipelas	19	8	1					1						2	3	1	3	
22	Acute anterior poliomyelitis	8	1	1				1	2	1	1	1							
23	Lethargic encephalitis	7							1			1	1	3		1			
24	Meningococcus meningitis	20	4	3		1	2	1	1	3		1		2	2				
25	Other epidemic and endemic diseases	10			2						1	1		1	4	1			
29	Tetanus	3							1	1			1						
30	Mycoses	1	1																
	Tuberculosis (all forms)	189	4	3	3	1	2	9	9	7	12	19	16	22	33	28	12	9	
31	Of the respiratory system	150			1	1	2	2	5	5	9	16	16	21	29	25	10	8	
32	Of the meninges, central nervous system	17	3	3	2			5	1	1		1			1				
33	Of the intestines, peritoneum	13	1					1	3		2	1			3	1	1		
34	Of the vertebral column	4						1		1		1				1			
36	Of other organs	2															1	1	
37a	Disseminated (acute)	3									1			1		1			
38	Syphilis	17	3										2	3	6		2	1	
40	Gonococcus infection	5									1	1	2	1					
41	Purulent infection, septicemia	5									1			2	1		1		
	II.—General diseases not included in Class I	455	9	4	1	3		10	9	4	6	4	6	39	68	96	113	83	
	Cancer and other malignant tumors	308		2					1	1	3	1	3	20	46	73	89	69	
43	Of the buccal cavity	13													4	4	2	3	
44	Of the stomach, liver	134										1		6	9	36	50	32	
45	Of the peritoneum, intestines, rectum	49		1					1		1			4	10	11	9	12	
46	Of the female genital organs	35									1		2	4	11	9	6	2	
47	Of the breast	21									1			3	6	5	3	3	
48	Of the skin	12												1	1		4	6	
49	Of other or unspecified organs	44		1						1			1	2	5	8	15	11	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2													1		1		
51	Acute rheumatic fever	13				1		4	3	2					1	1		1	
52	Chronic rheumatism, osteoarthritis, gout	8												1	1	2	1	3	
56	Rickets	2		1	1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	II.—General diseases not included in Class I—Continued.																		
57	Diabetes mellitus	49				1		5	2		1		2	7	5	6	12	8	
58a	Pernicious anemia	11													2	6	2	1	
58b	Other anemias and chlorosis	1														1			
60a	Exophthalmic goiter	21							1		2	1		2	6	2	6	1	
60b	Other diseases of the thyroid gland	1															1		
62	Diseases of the thymus gland	3	3																
63	Diseases of the adrenals (Addison's disease)	1												1					
64	Diseases of the spleen	1							1										
65a	Leukemia	6				1				1		1		1		2			
65b	Hodgkin's disease	5						1	1					2	1				
66	Alcoholism (acute or chronic)	10											1	3	3	3			
67a	Chronic lead poisoning	3												1	2				
68	Chronic poisoning by organic substances	2												1			1		
69	Other general diseases	8	6	1								1							
	III.—Diseases of the nervous system and of the organs of special sense	390	7	6	1	3	3	5	7	9	6	5	4	24	46	60	91	113	
70	Encephalitis	6	1						2		1					1		1	
71a	Simple meningitis	10		2			1	3		1		1		1				1	
71b	Nonepidemic cerebrospinal meningitis	4					1		1	2									
72	Tabes dorsalis (locomotor ataxia)	5													1	1	1	2	
73	Other diseases of the spinal cord	17										1		1	4	3	7	1	
74a	Cerebral hemorrhage	240		1										7	27	41	69	95	
74b	Cerebral embolism and thrombosis	9										1		1		4	2	1	
75	Paralysis without specified cause	15									1		1		2	2	4	5	
76	General paralysis of the insane	19											1	6	6	3	2	1	
77	Other forms of mental alienation	12								1	1	1		5	1		2	1	
78	Epilepsy	14							1	3		1	2		4	2	1		
80	Infantile convulsions (under 5 years)	5	2	2		1													
83	Softening of the brain	3														1		2	
84	Other diseases of the nervous system	12				1			2	1	1			1	1	1	2	2	
86a	Diseases of the ear	13	3		1	1		1			2			2		1	1	1	
86b	Diseases of the mastoid process	6	1	1			1	1	1	1									
	IV.—Diseases of the circulatory system	628	4	1		1	2	6	8	10	9	8	6	36	63	105	177	191	1
87	Pericarditis	2									1						1		
88	Endocarditis and myocarditis (acute)	38	2	1			2		3	1	4	1	2	8	2	2	5	5	
89	Angina pectoris	50										2		3	5	12	19	9	
90	Other diseases of the heart	482	2			1		6	5	9	4	4	4	22	52	83	136	153	1
91a	Aneurysm	5													1		3	1	
91b,c	Other diseases of the arteries	37												2		5	10	20	
92	Embolism and thrombosis (not cerebral)	10										1		1	1	2	3	2	
93	Diseases of the veins	3													2			1	
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	299	66	14	7	8	3	4	2	4	10	5	8	25	20	22	38	63	
97a	Diseases of the nasal fossae	1								1									
97b	Diseases of the nasal fossae annexa	5	1	1						1			1			1			
98	Diseases of the larynx	4	2			2													
99a	Acute bronchitis	5	1				1	1									1	1	
99b	Chronic bronchitis	6									1						1	4	
99c,d	Bronchitis (unspecified)	2	1															1	
100a	Broncho-pneumonia	100	35	6	2	1	1	2	1	1	2			4	4	3	14	24	
101a	Lobar pneumonia	130	22	4	4	1			1	1	6	4	3	15	16	12	17	24	
101b	Pneumonia (unspecified)	21	4	2		4	1				1		1	1		1	2	4	
102	Pleurisy	4		1				1					1	1					
103	Congestion and hemorrhagic infarct of the lung	3															1	2	
105	Asthma	10										1	2	4			1	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	8			1											5	1	1	
	VI.—Diseases of the digestive system	342	38	10	12	1	5	15	12	16	14	17	16	34	46	42	29	35	
108	Diseases of the mouth and annexa	6						1				1	1				3		
109b	Other diseases of the pharynx, tonsils	26	3	3	1		2	3	1	4	1	1	1	4	2				
111a	Ulcer of the stomach	15										2	1	1	5	4		2	
111b	Ulcer of the duodenum	6												2	4				
112	Other diseases of the stomach (cancer excepted)	15	3									1		1	3		4	3	
113	Diarrhea and enteritis (under 2 years)	32	25	7															
114	Diarrhea and enteritis (2 years and over)	15			4	1	1	2		1	1			1			1	3	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	103	1		5		2	9	11	10	7	6	7	15	12	12	4	2	
118a	Hernia	9													1	2	3	3	
118b	Intestinal obstruction	30	5								1	2	2	4	2	4	5	5	
119	Other diseases of the intestines	5								1		1						3	
120	Acute yellow atrophy of the liver	4									3					1			
122	Cirrhosis of the liver	21												3	5	4	4	5	
123	Biliary calculi	28										1	2		9	10	1	5	
124	Other diseases of the liver	15											1	3	2	3	2	4	
125	Diseases of the pancreas	2										1				1			
126	Peritonitis without specified cause	9	1		1						1	1	1		1	1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	298		1	1	1		3	2	3	3	6	5	22	38	55	80	78	
128	Acute nephritis (including unspecified under 10 years)	17				1		2	1	1				2	4	2	2	2	
129	Chronic nephritis (including unspecified 10 years and over)	226			1			1	1	2	2	3	4	14	28	45	61	64	
131	Other diseases of the kidneys and annexa	5		1									1		1		1	1	
132	Calculi of the urinary passages	4												1	1	1	1		
133	Diseases of the bladder	2										1						1	
135	Diseases of the prostate	30													1	5	15	9	
137	Cysts, other benign tumors of the ovary	1												1					
138	Salpingitis and pelvic abscess (female)	6									1	2		2		1			
139	Benign tumors of the uterus	5												2	2			1	
141	Other diseases of the female genital organs	2													1	1			
	VIII.—The puerperal state	55								2	8	12	15	18					
143	Accidents of pregnancy	4											1	3					
144	Puerperal hemorrhage	8										1	3	4					
145	Other accidents of labor	5									1	3	1						
146	Puerperal septicemia	22								2	5	4	5	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	3									1		2						
148	Puerperal albuminuria and convulsions	13									1	4	3	5					
	IX.—Diseases of the skin and of the cellular tissue	12	1					1					2		2	1	1	4	
151	Gangrene	7													1	1	1	4	
152	Furuncle	2											1		1				
153	Acute abscess	3	1					1					1						
	X.—Diseases of the bones and of the organs of locomotion	5						2							1		2		
155	Diseases of the bones (tuberculosis excepted)	4						2							1		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1															1		
	XI.—Malformations	60	56	1	2										1				
159a	Congenital hydrocephalus	6	4		2														
159b	Congenital malformations of the heart	29	29																
159c	Other congenital malformations	25	23	1											1				
	XII.—Early infancy	201	201																
160	Congenital debility, icterus, sclerema	15	15																
161a	Premature birth	135	135																
161b	Injury at birth	36	36																
162	Other diseases peculiar to early infancy	15	15																
164	XIII.—Old age (senility)	60														5	9	46	
	XIV.—External causes	432	7	11	11	11	11	24	21	30	26	32	22	67	55	42	38	23	1
	Suicide	49									2	5	7	11	9	6	9		
165	By poisons (gas or corrosives excepted)	2										1		1					
166	By corrosive substances	1											1						
167	By poisonous gas	3											2				1		
168	By hanging or strangulation	7													3	2	2		
169	By drowning	2													2				
170	By firearms	31									2	4	4	10	2	3	6		
171	By cutting or piercing instruments	2													2				
174	By other means	1														1			
	Homicide	15	1									1	1	2	5	2	2	1	
197	By firearms	12										1	1	2	5	2	1		
198	By cutting or piercing instruments	1																1	
199	By other means	2	1														1		
	Accidental, other, or undefined	368	6	11	11	11	11	24	21	30	24	26	14	54	41	34	27	22	1
175	Poisoning by food	5									1			2			2		
177	Other acute poisonings (gas excepted)	7		1						1				2	1	1		1	
178	Conflagration	8			1		1	1		1				1		1	1	1	
179	Burns (conflagration excepted)	14	1	2	1	1	4	1	1					1		2			
180	Mechanical suffocation	3	2					1											
181	Absorption of irrespirable, irritating, or poisonous gas	1													1				
182	Drowning	61	1	6	3	6	1	4	6	4	7	3	3	5	6	2	3	1	
183	Traumatism by firearms (except in war)	15				1		4	1	5	1	1	1			1			
184	Traumatism by cutting or piercing instruments	2															1	1	
185	Traumatism by fall	39		1			1	1	5	1	1	4	1	7	2	3	1	11	
186a	Traumatism in mines	20									2	5	2	4	3	2	2		
187	Traumatism by machines	9						1	1	1	1	1	1	2		2			
188a	Railroad accidents	29								4		2	2	7	5	4	3	2	
	Collision with automobiles	9								1		1	1	3		2	1		
	Other railroad accidents	20								3		1	1	4	5	2	2	2	
188b	Street-car accidents	4						1			1			1		1			
	Collision with automobiles	3									1			1		1			
	Other street-car accidents	1						1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	76	2		3	1	1	8	3	8	2	5	1	13	12	10	4	3	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	14				1	4	1		1				3		3	1		
188g	Landslide, other crushing	12										2	1	4	2	1	2		
189	Injuries by animals (not poisoning)	10			2						1			1	1	1	3	1	
193	Excessive cold	2													1			1	
196	Other accidental electric shocks	3									2	1							
201	Fracture (cause not specified)	1														1			
202	Other external violence	32		1	2			2	3	5	3	2	2	2	6	2	2		
	XV.—Ill-defined diseases	44	8		3	1		1	1	1		1		1	5	6	11	5	
204	Sudden death	6													2	3	1		
205a	Ill-defined	19			1			1	1	1					2	2	9	1	
205b	Not specified or unknown	19	8		2	1						1			1	1	1	4	
	ILLINOIS																		
	All causes	82,849	8,605	1,349	722	598	471	1,619	1,108	1,766	2,235	2,599	3,006	7,883	9,758	12,596	14,520	14,002	12
	I.—Epidemic, endemic, and infectious diseases	9,371	663	356	259	223	173	561	277	611	834	764	779	1,306	1,008	695	534	326	2
1	Typhoid and paratyphoid fever	176	1		2	1	1	8	15	27	28	21	12	24	16	7	10	3	
5	Malaria	58	5	1	2	2		4	3	3	1	1	2	5	6	8	12	3	
6	Smallpox	3									1	2							
7	Measles	296	72	86	27	22	19	43	8	4	2	3	2	4		2	1	1	
8	Scarlet fever	174	7	16	24	28	12	48	13	4	10	3	2	1	4	1	1		
9	Whooping cough	304	189	67	20	13	4	8	1			1				1			
10	Diphtheria	650	26	46	76	93	79	238	54	10	6	1	6	6	4	2	2	1	
11a	Influenza (with pulmonary complications)	571	83	26	16	7	7	13	5	23	13	12	21	56	49	69	83	88	
11b	Influenza (other and unspecified)	465	53	13	12	11	7	19	13	19	9	15	15	33	40	46	62	97	1
13	Mumps	4					1	2										1	
15	Cholera nostras	3	1														2		
16	Dysentery	55	12	5	2	1				2	1	1	1	1	4	1	11	13	
19	Spirochetal hemorrhagic jaundice	1										1							
21	Erysipelas	150	35	1	3	1		2	2	2	5	2	8	10	16	27	22	14	
22	Acute anterior poliomyelitis	107	3	10	12	3	10	26	20	7	9	4	2			1			
23	Lethargic encephalitis	66	1	2	1	1		2	5	6	5	3	4	9	11	8	7	1	
24	Meningococcus meningitis	130	16	7	7	6	2	18	9	18	11	5	6	11	11	2	1		
25	Other epidemic and endemic diseases	16	3	5	1	1		1	2	2								1	
28	Rabies	11				2	3	1	3	1					1				
29	Tetanus	80	5	1	1	2	1	22	20	8	3	1	2	4	4	3	1	2	
30	Mycoses	11									2		1	3	3	2			
	Tuberculosis (all forms)	5,497	60	68	48	29	27	102	96	456	700	650	656	1,047	741	446	280	90	1
31	Of the respiratory system	4,842	20	26	12	8	9	37	60	403	657	612	607	970	675	411	253	81	1
32	Of the meninges, central nervous system	227	20	29	21	13	10	36	15	12	14	7	14	22	8	4	2		
33	Of the intestines, peritoneum	169	2	1	3	1	4	8	7	20	11	15	16	22	26	15	13	5	
34	Of the vertebral column	64		1	3		2	3	4	2	5	5	9	8	8	9	5		
35	Of the joints	26				3			2	5	1			5	5	3	2		
36	Of other organs	62		1			1	5	1	3	9	5	5	10	12	2	5	3	
37a	Disseminated (acute)	102	18	10	9	4	1	13	4	11	3	6	4	10	7	1		1	
37b	Disseminated (chronic or unspecified)	5							3				1			1			
38	Syphilis	418	81	2	1			4	4	6	16	22	24	72	91	59	30	6	
39	Soft chancre	1										1							
40	Gonococcus infection	72			1				1	9	8	14	12	18	6	3			
41	Purulent infection, septicemia	51	10		2				3	4	4	1	4	4	1	6	7	5	
42	Other infectious diseases	1			1														
	II.—General diseases not included in Class I	11,530	190	37	33	23	27	97	76	102	112	184	305	1,147	1,904	2,838	2,857	1,596	2
	Cancer and other malignant tumors	7,761	2	6	3	7	3	8	13	30	36	75	158	678	1,324	2,020	2,114	1,283	1
43	Of the buccal cavity	268							1		2	1	2	15	29	71	88	59	
44	Of the stomach, liver	2,927	1	3		1		2	1	4	3	10	29	162	456	815	937	503	
45	Of the peritoneum, intestines, rectum	1,050		1	1	1				3	4	13	22	85	178	279	279	184	
46	Of the female genital organs	1,054							2		6	16	52	180	263	248	193	94	
47	Of the breast	709							1		1	5	21	110	175	167	140	89	
48	Of the skin	169								2		1	3	5	10	27	41	80	
49	Of other or unspecified organs	1,584	1	2	2	5	3	6	8	21	20	29	29	121	213	413	436	274	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	46	2	2						1	1	3	2	4	5	14	3	9	
51	Acute rheumatic fever	216	1	1	3	4	9	35	21	12	15	7	8	29	24	17	17	13	
52	Chronic rheumatism, osteoarthritis, gout	71								2	1	1	1	2	10	11	24	19	
53	Scurvy	1						1											
54	Pellagra	31			1				1	1				3	11	6	2	5	1
55	Beriberi	1																1	
56	Rickets	25	17	6		1			1										
57	Diabetes mellitus	1,484	1	1	2		1	17	19	26	12	24	32	95	189	429	438	198	
58a	Pernicious anemia	360	3		2	1		3	2	4	2	8	6	36	42	107	107	37	
58b	Other anemias and chlorosis	45	7	1	2		1	2	3		2	2	4	1	5	5	5	5	
59	Diseases of the pituitary gland	10			1				1			1	2	2	2		1		
60a	Exophthalmic goiter	518					1		3	8	17	33	25	96	132	120	72	11	
60b	Other diseases of the thyroid gland	42		3	1	1		1		2		2	2	9	4	8	7	2	
61	Diseases of the parathyroid glands	4	2	1	1														
62	Diseases of the thymus gland	126	97	9	6	2		8	1	1		2							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	II.—General diseases not included in Class I—Continued.																		
63	Diseases of the adrenals (Addison's disease)	36						1				1	2	11	10	4	7		
64	Diseases of the spleen	15		2	1			1			1			4	1	2	2	1	
65a	Leukemia	130	2	4	3	6	9	9	2	5	8	8	9	11	18	12	18	6	
65b	Hodgkin's disease	68	1		1			4	3	2	4	2	8	14	10	7	11	1	
66	Alcoholism (acute or chronic)	409								1	9	10	39	135	115	71	23	5	1
67a	Chronic lead poisoning	11			1							3	1	1	1	3	1		
67b	Other chronic mineral poisoning	2											1			1			
68	Chronic poisoning by organic substances	5									1		1	1	2				
69	Other general diseases	113	55	1	5	1	3	7	6	7	3	2	1	7	4	5	2	4	
	III.—Diseases of the nervous system and of the organs of special sense	7,601	148	48	28	31	13	90	70	80	90	93	176	575	904	1,426	1,863	1,965	1
70	Encephalitis	72	5		4	3	1	10	6	3	4	5	7	8	10	4	1	1	
71a	Simple meningitis	123	26	14	4	6	2	14	6	4	6	5	6	8	16	1	3	2	
71b	Nonepidemic cerebrospinal meningitis	19	5	3		1	2	3	2	1		1		1					
72	Tabes dorsalis (locomotor ataxia)	130									1		1	15	31	36	31	15	
73	Other diseases of the spinal cord	257	1	1	1			1	6	7	7	1	10	21	33	62	58	48	
74a	Cerebral hemorrhage	4,864	5	1	2			2	2	5	8	12	37	185	458	1,018	1,496	1,632	1
74b	Cerebral embolism and thrombosis	410	1	2		1		1		7	2	3	5	29	44	86	105	124	
75	Paralysis without specified cause	119			1	1			1	1	1		1	3	12	17	34	47	
76	General paralysis of the insane	519							1	2	4	10	42	162	161	87	38	12	
77	Other forms of mental alienation	151								1	20	14	14	37	30	13	16	6	
78	Epilepsy	187	4	3	2	3	2	12	9	19	19	12	16	27	28	16	11	4	
79	Convulsions (nonpuerperal; 5 years and over)	2							2										
80	Infantile convulsions (under 5 years)	45	37	5	2	1													
81	Chorea	3						1	1									1	
82	Neuralgia and neuritis	13									1			2	2	2	2	4	
83	Softening of the brain	40												1	4	4	11	20	
84	Other diseases of the nervous system	381	9	5	4	5	3	13	12	9	8	19	25	52	58	65	49	45	
85	Diseases of the eye and annexa	12	4	1					1		1	1		1	1			2	
86a	Diseases of the ear	164	32	8	6	6	2	20	10	13	7	5	8	17	13	9	6	2	
86b	Diseases of the mastoid process	90	19	5	2	4	1	13	11	7	2	5	4	6	3	6	2		
	IV.—Diseases of the circulatory system	17,871	64	29	23	18	30	117	169	200	185	251	318	1,164	2,168	3,304	4,605	5,223	3
87	Pericarditis	78	1	1			2	5	3		1	5	2	7	6	11	19	15	
88	Endocarditis and myocarditis (acute)	645	43	16	10	9	11	23	24	42	38	37	38	116	46	73	58	61	
89	Angina pectoris	900						1				1	7	50	118	224	302	197	
90	Other diseases of the heart	14,268	16	8	12	7	15	87	138	155	143	200	258	917	1,859	2,696	3,669	4,085	3
91a	Aneurysm	157							1	2	1	5	5	30	43	36	23	11	
91b,c	Other diseases of the arteries	1,564										1	4	17	61	204	476	801	
92	Embolism and thrombosis (not cerebral)	184							1	1	1	2	3	18	26	48	44	40	
93	Diseases of the veins	52				1	1		2		1		1	7	8	10	13	8	
94	Diseases of the lymphatic system	17	4	4	1	1	1	1						2	1	1	1		
95	Hemorrhage without specified cause	2														1		1	
96	Other diseases of the circulatory system	4																4	
	V.—Diseases of the respiratory system	6,576	1,277	414	155	106	60	131	71	96	136	171	220	657	682	721	752	927	
97a	Diseases of the nasal fossae	11	3			1					1			2	2		1	1	
97b	Diseases of the nasal fossae annexa	60	3	1				3	3	4	1	6	6	13	8	6	5	1	
98	Diseases of the larynx	20	4	4	3	1	1	3		1				1		1		1	
99a	Acute bronchitis	251	127	16	7	7	3	4	1		1	2		4	5	14	9	51	
99b	Chronic bronchitis	138	2						1	1	2	1		9	9	17	38	58	
99c,d	Bronchitis (unspecified)	115	35	9	3	2		1	1				1		3	3	16	41	
100a	Broncho-pneumonia	2,173	825	270	90	48	38	47	12	19	22	18	27	87	92	120	179	279	
100b	Capillary bronchitis	62	32	6	3	3	1	2						1	1	1	4	8	
101a	Lobar pneumonia	3,143	210	86	32	34	9	63	44	55	90	126	160	485	495	490	416	348	
101b	Pneumonia (unspecified)	45	10	2	2			3	2	2		2	1	3	4	2		12	
102	Pleurisy	209	16	14	13	8	5	3	7	7	8	12	14	17	30	27	17	11	
103	Congestion and hemorrhagic infarct of the lung	101	3		1	1				2	2		1	2	2	2	8	77	
104	Gangrene of the lung	14		1			1			2	2			2	2	1	1	2	
105	Asthma	140	1	1		1	1			1	4	2	6	17	15	19	40	32	
106	Pulmonary emphysema	18	2					1						3	3	5	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	76	4	5			1	1		2	3	2	4	11	11	13	17	2	
	VI.—Diseases of the digestive system	6,608	1,332	305	106	89	65	209	154	164	138	225	249	748	782	854	721	467	
108	Diseases of the mouth and annexa	67	4			1	1	3	4	3		5	1	11	10	8	9	7	
109b	Other diseases of the pharynx, tonsils	318	25	14	12	11	16	49	26	20	16	27	17	27	23	18	12	5	
110	Diseases of the esophagus	6	1				1									1	2	1	
111a	Ulcer of the stomach	383	2						1	5	5	22	24	79	75	84	58	28	
111b	Ulcer of the duodenum	143	1						1	3	2	7	12	35	20	31	27	4	
112	Other diseases of the stomach (cancer excepted)	190	39	3	4	2		2	5	3	4	2	3	9	22	24	27	41	
113	Diarrhea and enteritis (under 2 years)	1,420	1,167	253															
114	Diarrhea and enteritis (2 years and over)	413			64	39	16	39	8	5	5	7	7	23	26	39	55	80	
116	Diseases due to other intestinal parasites	3		1	1						1								
117	Appendicitis and typhlitis	1,245	7	11	13	24	23	85	92	103	69	100	104	223	188	133	54	16	
118a	Hernia	269	3	1	1						3	4	1	30	45	68	68	45	
118b	Intestinal obstruction	451	68	17	6	4	6	13	7	8	12	16	25	49	53	62	53	52	
119	Other diseases of the intestines	80	4	2	1	1	1	5	2	3	3	1	4	10	7	10	13	13	
120	Acute yellow atrophy of the liver	39				1					4	5	2	3	8	5	6	5	
121	Hydatid tumor of the liver	4											1		1	1	1		
122	Cirrhosis of the liver	731		1		2		3	4	1	5	4	18	94	152	179	176	92	
123	Biliary calculi	408								1	1	3	10	71	82	112	90	38	
124	Other diseases of the liver	310	2			1		1	3	4	5	15	11	59	51	65	58	35	
125	Diseases of the pancreas	40				1				1		4	3	7	8	9	6	1	
126	Peritonitis without specified cause	88	9	2	4	2	1	9	1	3	4	3	6	18	11	5	6	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	9,401	70	13	10	9	7	42	41	61	107	165	223	805	1,148	1,749	2,364	2,586	1
128	Acute nephritis (including unspecified under 10 years)	269	36	4	5	5	4	14	5	5	11	14	12	38	32	25	31	28	
129	Chronic nephritis (including unspecified 10 years and over)	7,801	2	3	3	3	2	24	32	44	63	99	132	544	920	1,558	2,067	2,304	1
131	Other diseases of the kidneys and annexa	195	27	6	2	1		4	2	4	5	10	5	26	26	25	26	26	
132	Calculi of the urinary passages	90								1	1		9	11	19	25	17	7	
133	Diseases of the bladder	57	1				1		1			1	1	3	6	5	10	28	
134	Diseases of the urethra, etc	31										2	5	7	7	3	6	1	
135	Diseases of the prostate	465											2	3	19	70	187	184	
136	Nonvenereal diseases of the male genital organs	4	3											1					
137	Cysts, other benign tumors of the ovary	65									1	5	7	21	16	6	5	4	
138	Salpingitis and pelvic abscess (female)	136								6	21	20	21	47	15	4	1	1	
139	Benign tumors of the uterus	211								1	1	8	19	88	73	13	6	2	
140	Nonpuerperal uterine hemorrhage	4							1			1	1		1				
141	Other diseases of the female genital organs	71									4	5	9	16	14	15	8		
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1															1	
	VIII.—The puerperal state	743								55	146	178	157	205	2				
143	Accidents of pregnancy	84									16	25	20	22	1				
144	Puerperal hemorrhage	84								5	7	18	18	36					
145	Other accidents of labor	82								7	9	21	17	27	1				
146	Puerperal septicemia	280								29	59	67	59	66					
147	Puerperal phlegmasia alba dolens, embolus, etc	29									6	8	7	8					
148	Puerperal albuminuria and convulsions	179								14	48	37	36	44					
149	Following childbirth (undefined)	3										1		2					
150	Puerperal diseases of the breast	2									1	1							
	IX.—Diseases of the skin and of the cellular tissue	172	39	4	2	2	2	3	1	4	7	5	1	15	11	16	17	43	
151	Gangrene	66	2	2		1		2				1	1	1	5	4	11	36	
152	Furuncle	36	9	1	1				1	3	5			9	2	4	1		
153	Acute abscess	40	11	1	1	1	1	1		1	2	3		3	3	7	3	2	
154	Other diseases of the skin and annexa	30	17				1					1		2	1	1	2	5	
	X.—Diseases of the bones and of the organs of locomotion	106	5	4	3	2		18	9	6	4	4	6	9	11	11	10	4	
155	Diseases of the bones (tuberculosis excepted)	82	4	4	3	2		15	9	4	2	3	5	6	6	10	6	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	19	1					3		1	2	1		3	4		4		
158	Other diseases of the organs of locomotion	5								1			1		1	1		1	
	XI.—Malformations	1,053	966	34	14	9	3	14	4	5	2	1				1			
159a	Congenital hydrocephalus	103	81	11	3	2	1	5											
159b	Congenital malformations of the heart	628	579	19	8	5	2	7	3	4	1								
159c	Other congenital malformations	322	306	4	3	2		2	1	1	1	1				1			
	XII.—Early infancy	3,677	3,677																
160	Congenital debility, icterus, sclerema	201	201																
161a	Premature birth	2,244	2,244																
161b	Injury at birth	1,026	1,026																
162	Other diseases peculiar to early infancy	202	202																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	370														4	46	320	
	XIV.—External causes	7,578	133	99	89	85	91	336	233	378	474	555	563	1,229	1,120	948	710	532	13
	Suicide	1,125							1	22	52	71	99	242	242	204	144	48	
165	By poisons (gas or corrosives excepted)	49								1	3	2	7	15	12	6	2	1	
166	By corrosive substances	125								7	11	15	14	27	24	14	10	3	
167	By poisonous gas	221								3	7	16	9	55	46	41	37	7	
168	By hanging or strangulation	186								4	2	7	14	34	35	50	29	11	
169	By drowning	53									2	3	1	11	17	6	9	4	
170	By firearms	376							1	5	22	25	41	79	85	66	41	11	
171	By cutting or piercing instruments	68									4	1	4	10	16	13	12	8	
172	By jumping from high places	28										1	6	9	4	4	1	3	
173	By crushing	17								2	1	1	3	1	3	4	2		
174	By other means	2												1			1		
	Homicide	756	20	1	1	2	1	1	8	41	104	135	129	175	86	33	17	2	
197	By firearms	533		1		1			3	34	76	105	100	121	60	22	9	1	
198	By cutting or piercing instruments	103			1				1	2	17	19	16	31	8	4	4		
199	By other means	120	20			1	1	1	4	5	11	11	13	23	18	7	4	1	
	Accidental, other, or undefined	5,697	113	98	88	83	90	335	224	315	318	349	335	812	792	711	549	482	3
175	Poisoning by food	24	2	1	3				2	3	1	1		1	1	4	5		
176	Poisoning by venomous animals	3	1												1		1		
177	Other acute poisonings (gas excepted)	117	10	9	8	6	1	2		2	7	8	19	20	14	7	3	1	
178	Conflagration	114	3	2	7	2	3	7	8	4	4	9	8	20	11	9	8	8	1
179	Burns (conflagration excepted)	347	11	27	31	30	30	35	6	8	12	21	17	31	27	17	24	20	
180	Mechanical suffocation	64	42	1	1	1		1	2	1		3	3	5	2	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	274	2	1	2	1		2	2	8	9	15	9	54	62	47	33	27	
182	Drowning	421	3	10	6	5	4	46	53	64	22	19	24	61	52	35	14	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
183	Traumatism by firearms (except in war)	133	1	1	------	1	1	8	12	28	12	15	6	25	10	6	5	2	------
184	Traumatism by cutting or piercing instruments	38	------	------	------	------	------	2	1	2	1	------	2	10	4	10	4	2	------
185	Traumatism by fall	939	8	11	11	5	4	15	18	13	21	27	35	99	113	122	158	278	1
186a	Traumatism in mines	117	------	------	------	------	------	------	------	3	13	12	13	31	28	16	1	------	------
186b	Traumatism in quarries	5	------	1	------	------	------	1	1	------	------	------	1	1	------	------	------	------	------
187	Traumatism by machines	136	------	------	------	------	2	4	3	11	11	15	14	28	18	21	6	3	------
188a	Railroad accidents	617	------	6	3	------	4	9	20	43	56	57	52	116	105	79	44	22	1
	Collision with automobiles	148	------	2	------	------	2	3	5	20	13	15	10	26	33	10	8	1	------
	Other railroad accidents	469	------	4	3	------	2	6	15	23	43	42	42	90	72	69	36	21	1
188b	Street-car accidents	180	------	------	------	2	1	4	2	10	9	13	16	28	38	35	12	10	------
	Collision with automobiles	62	------	------	------	------	------	1	------	7	5	6	8	13	9	8	2	3	------
	Other street-car accidents	118	------	------	------	2	1	3	2	3	4	7	8	15	29	27	10	7	------
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,512	4	9	11	24	35	174	76	83	96	86	74	172	197	222	167	82	------
188d	Airplane and balloon accidents	14	------	------	------	------	------	------	------	------	3	6	2	2	1	------	------	------	------
188e,f	Injuries by other vehicles	84	1	1	1	1	1	7	1	10	5	1	3	13	13	12	11	3	------
188g	Landslide, other crushing	37	------	1	------	------	------	3	------	1	------	7	4	7	4	7	1	2	------
189	Injuries by animals (not poisoning)	26	2	1	1	1	------	1	1	1	1	1	1	5	2	4	4	------	------
192	Starvation (deprivation of food or water)	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------
193	Excessive cold	20	------	------	------	------	------	------	------	2	------	------	------	1	8	1	7	1	------
194	Excessive heat	43	4	1	------	------	------	------	1	------	------	------	2	9	11	4	4	7	------
195	Lightning	19	------	------	------	------	------	------	1	1	2	1	1	5	3	3	2	------	------
196	Other accidental electric shocks	62	------	------	------	------	------	------	2	4	6	10	9	15	9	2	5	------	------
201	Fracture (cause not specified)	23	------	------	------	------	------	------	------	1	------	1	1	8	5	4	3	------	------
202	Other external violence	327	19	15	3	4	4	14	12	12	27	21	19	44	53	43	26	11	------
	XV.—Ill-defined diseases	192	41	6	------	1	------	1	3	4	------	3	9	23	18	29	41	13	------
204	Sudden death	6	1	------	------	------	------	------	------	------	------	------	------	------	1	1	2	1	------
205a	Ill-defined	95	19	4	------	1	------	1	3	3	------	1	3	9	8	12	25	6	------
205b	Not specified or unknown	91	21	2	------	------	------	------	------	1	------	2	6	14	9	16	14	6	------
	INDIANA																		
	All causes	37,677	3,664	565	290	227	161	575	471	733	955	1,005	1,069	2,717	3,519	5,331	7,772	8,600	23
	I.—Epidemic, endemic, and infectious diseases	4,570	368	188	85	89	68	199	118	248	359	324	295	508	440	462	430	386	3
1	Typhoid and paratyphoid fever	163	------	2	4	3	3	14	10	20	15	9	12	26	16	19	9	1	------
5	Malaria	9	------	------	------	------	------	1	------	------	------	1	1	1	1	4	------	------	------
6	Smallpox	16	3	------	------	------	------	1	------	1	3	------	1	------	------	2	1	4	------
7	Measles	73	18	21	11	4	2	5	3	4	1	------	2	------	1	------	1	------	------
8	Scarlet fever	92	5	9	5	7	7	27	11	6	5	3	2	4	------	1	------	------	------
9	Whooping cough	200	120	48	12	12	4	3	1	------	------	------	------	------	------	------	------	------	------
10	Diphtheria	224	6	21	24	33	17	74	24	9	4	------	2	7	3	------	------	------	------
11a	Influenza (with pulmonary complications)	476	75	19	7	7	5	9	7	8	8	5	16	37	40	58	74	101	------
11b	Influenza (other and unspecified)	439	37	20	2	4	9	14	6	9	14	17	12	24	36	55	60	120	------
13	Mumps	2	------	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
15	Cholera nostras	2	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	1	------
16	Dysentery	50	7	6	2	------	------	------	------	------	2	1	------	------	------	6	7	19	------
19	Spirochetal hemorrhagic jaundice	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------
21	Erysipelas	75	18	1	1	1	------	------	------	2	3	1	3	3	5	15	12	10	------
22	Acute anterior poliomyelitis	43	5	7	5	3	2	8	6	------	------	2	------	4	1	------	------	------	------
23	Lethargic encephalitis	26	------	1	------	1	------	------	1	2	1	1	2	3	3	4	6	------	1
24	Meningococcus meningitis	19	1	1	------	------	2	7	4	------	1	------	------	1	------	2	------	------	------
25	Other epidemic and endemic diseases	5	2	1	------	------	------	1	------	------	------	------	------	1	------	------	------	------	------
28	Rabies	2	------	------	------	------	------	1	------	1	------	------	------	------	------	------	------	------	------
29	Tetanus	43	1	------	------	------	1	7	12	6	------	3	1	4	5	1	------	2	------
30	Mycoses	5	1	------	------	------	------	1	------	------	------	------	------	------	------	2	1	------	------
	Tuberculosis (all forms)	2,355	29	28	9	13	15	25	30	172	285	261	223	344	287	261	247	124	2
31	Of the respiratory system	1,979	10	11	1	4	6	4	21	147	250	223	197	305	250	227	219	103	1
32	Of the meninges, central nervous system	104	12	14	7	7	5	12	6	2	8	7	5	8	2	6	1	2	------
33	Of the intestines, peritoneum	121	1	2	------	1	1	4	1	6	9	15	10	16	17	17	11	10	------
34	Of the vertebral column	17	------	------	------	------	1	------	------	3	4	------	------	3	3	1	------	2	------
35	Of the joints	7	------	------	------	------	------	------	------	------	------	1	------	------	2	2	------	2	------
36	Of other organs	43	1	------	------	------	------	1	1	2	5	3	3	5	6	4	7	4	1
37a	Disseminated (acute)	57	4	1	1	1	2	4	------	12	7	8	4	5	3	3	2	------	------
37b	Disseminated (chronic or unspecified)	27	1	------	------	------	------	------	1	------	2	4	4	2	4	1	7	1	------
38	Syphilis	184	37	3	1	------	------	------	------	3	6	7	11	42	36	26	9	3	------
39	Soft chancre	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
40	Gonococcus infection	30	------	------	------	------	------	------	------	1	9	9	5	4	1	1	------	------	------
41	Purulent infection, septicemia	33	2	------	1	1	------	1	3	4	2	2	1	3	4	5	3	1	------
42	Other infectious diseases	2	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------
	II.—General diseases not included in Class I	4,878	61	15	11	6	8	18	39	31	27	51	87	421	685	1,147	1,365	904	2
	Cancer and other malignant tumors	3,401	------	2	3	3	2	2	9	8	11	20	44	264	457	803	1,033	738	2
43	Of the buccal cavity	98	------	------	------	------	------	------	------	1	------	------	1	4	14	23	27	28	------
44	Of the stomach, liver	1,283	------	------	------	------	------	------	------	------	1	3	12	67	126	309	475	289	1
45	Of the peritoneum, intestines, rectum	501	------	------	------	1	------	1	2	1	3	3	6	33	56	99	165	130	1
46	Of the female genital organs	503	------	------	------	1	------	------	------	2	3	5	18	81	120	135	88	50	------
47	Of the breast	293	------	------	------	------	------	------	------	------	------	2	3	39	64	77	63	45	------
48	Of the skin	112	------	------	------	------	------	------	------	------	------	------	------	1	8	21	28	54	------
49	Of other or unspecified organs	611	------	2	3	1	2	1	7	4	4	7	4	39	69	139	187	142	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	14		1					1				1	2		1	4	4	
51	Acute rheumatic fever	61				1	1	5	6	4	2	2	1	11	6	7	9	6	
52	Chronic rheumatism, osteoarthritis, gout	42							1				1	3	2	12	12	11	
53	Scurvy	2	2																
54	Pellagra	4												1	1	1	1		
56	Rickets	9	5		3		1												
57	Diabetes mellitus	628		2	1		1	5	11	9	5	13	13	40	81	172	174	101	
58a	Pernicious anemia	179	2							2	1	3	3	13	28	46	58	23	
58b	Other anemias and chlorosis	23	2	1	1	1		1	2					2	5	2	3	3	
60a	Exophthalmic goiter	246		1					1	4	4	5	14	37	56	68	50	6	
60b	Other diseases of the thyroid gland	23	1						1	1	1	1	1	4	5	5	2	1	
61	Diseases of the parathyroid glands	4	1	2										1					
62	Diseases of the thymus gland	26	21	1	1			1						2					
63	Diseases of the adrenals (Addison's disease)	13										2		2	3	4	2		
64	Diseases of the spleen	3												1			1	1	
65a	Leukemia	55		2	1	1	2	3	2	1	1	1	1	6	11	12	9	2	
65b	Hodgkin's disease	21	1	2				1			1		1	5	4	1	3	2	
66	Alcoholism (acute or chronic)	65								1	1	2	7	21	22	9	2		
67a	Chronic lead poisoning	3												2	1				
69	Other general diseases	56	26	1	1		1		5	1		2		4	3	4	2	6	
	III.—Diseases of the nervous system and of the organs of special sense	4,489	64	17	15	12	10	33	29	24	31	45	63	220	366	755	1,323	1,478	4
70	Encephalitis	46	3	3	1				2	3	3	4	1	8	2	10	3	3	
71a	Simple meningitis	110	28	4	5	4	5	10	7	5	7	6	2	10	5	5	6	1	
71b	Nonepidemic cerebrospinal meningitis	20	4	1	1	1	1	2	2	2	1			1		3		1	
72	Tabes dorsalis (locomotor ataxia)	61										1	1	1	15	16	20	7	
73	Other diseases of the spinal cord	155		1	1				1	2		4	5	13	14	26	50	38	
74a	Cerebral hemorrhage	3,178	1	1				1	1	2	2	6	11	61	221	583	1,054	1,231	3
74b	Cerebral embolism and thrombosis	117		1				2			2	2	4	8	5	19	40	34	
75	Paralysis without specified cause	186						1		1		1		1	8	25	70	79	
76	General paralysis of the insane	205							1	1	1	3	17	77	42	24	20	18	1
77	Other forms of mental alienation	49								1	2	5	2	6	20	7	5	1	
78	Epilepsy	81	1		3	2	2	2	2	5	6	7	9	8	8	8	8	10	
79	Convulsions (nonpuerperal; 5 years and over)	3												1	1			1	
80	Infantile convulsions (under 5 years)	17	15	2															
81	Chorea	1											1						
82	Neuralgia and neuritis	13								1				1	1		3	7	
83	Softening of the brain	41														6	9	26	
84	Other diseases of the nervous system	125	3	1		3	1	6	2		2	4	6	12	20	18	29	18	
85	Diseases of the eye and annexa	5			1					1							2	1	
86a	Diseases of the ear	47	6	2	2	2		4	7		4	1	3	7	3	2	3	1	
86b	Diseases of the mastoid process	29	3	1	1		1	5	4		1	1	1	5	1	3	1	1	
	IV.—Diseases of the circulatory system	7,993	43	3	5	6	6	32	55	49	51	56	86	339	699	1,338	2,313	2,906	6
87	Pericarditis	44	2			1		5	1		2	2		3	3	10	8	7	
88	Endocarditis and myocarditis (acute)	318	17	1	1	1	2	8	7	13	7	10	22	68	28	48	45	40	
89	Angina pectoris	593							1			2	3	22	72	139	215	138	1
90	Other diseases of the heart	5,914	18	2	3	4	4	17	46	36	42	41	56	224	550	1,015	1,747	2,104	5
91a	Aneurysm	82										1		9	18	24	21	9	
91b,c	Other diseases of the arteries	928											2	3	14	84	237	588	1
92	Embolism and thrombosis (not cerebral)	89	3		1			1					2	8	12	13	32	17	
93	Diseases of the veins	12											1	1	1	5	3	1	
94	Diseases of the lymphatic system	7	2					1									4		
95	Hemorrhage without specified cause	4	1											1	1			1	
96	Other diseases of the circulatory system	2															1	1	
	V.—Diseases of the respiratory system	2,781	498	133	61	35	21	60	28	52	58	66	62	188	204	280	412	623	
97a	Diseases of the nasal fossae	4	3															1	
97b	Diseases of the nasal fossae annexa	22		1	1		2	3	2	1	1	2	1	2	2	1	3		
98	Diseases of the larynx	10	2	1					1		1				3	1	1		
99a	Acute bronchitis	46	10	1								1	1	3	2	5	4	19	
99b	Chronic bronchitis	74						1	1	2			1	2	4	10	20	33	
99c,d	Bronchitis (unspecified)	29	3	1	2							1				3	3	16	
100a	Broncho-pneumonia	949	314	79	40	17	6	21	6	15	9	8	7	30	31	48	107	211	
100b	Capillary bronchitis	15	5	2				2				1			1	1	1	2	
101a	Lobar pneumonia	1,345	135	38	14	14	9	22	16	32	41	46	43	123	141	174	231	266	
101b	Pneumonia (unspecified)	72	20	4	1	1	1	2			2	3	2	4	1	4	10	17	
102	Pleurisy	57	4	3	1	1	2	3	2	2	2	3	1	6	7	4	9	7	
103	Congestion and hemorrhagic infarct of the lung	56			1			1						1	2	8	7	36	
104	Gangrene of the lung	6		1				1					1	2		1			
105	Asthma	62	1	2	1	2	1	4			1		4	9	3	14	9	11	
106	Pulmonary emphysema	6												1			3	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	28	1									1	1	1	5	7	6	4	2
	VI.—Diseases of the digestive system	2,872	577	144	67	41	16	84	69	49	64	101	89	245	301	346	369	308	2
108	Diseases of the mouth and annexa	26	2			1	1	2			1	2	4	6	4	2	1		
109b	Other diseases of the pharynx, tonsils	126	2	1	5	8	2	22	16	7	9	4	6	10	12	7	8	7	
110	Diseases of the esophagus	5	1												1		2	1	
111a	Ulcer of the stomach	148					1				4	6	6	22	34	33	25	17	
111b	Ulcer of the duodenum	5								1	1	2		8	9	14	8	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
112	Other diseases of the stomach (cancer excepted)	157	36	9	7	1		1				2	1	7	10	16	24	42	1
113	Diarrhea and enteritis (under 2 years)	626	503	123															
114	Diarrhea and enteritis (2 years and over)	226			46	15	11	11	4	1	3	3	4	8	11	23	30	56	
117	Appendicitis and typhlitis	466	1	2	2	10	1	31	40	30	26	51	42	77	70	39	33	11	
118a	Hernia	110	1								1	4	2	4	12	23	33	30	
118b	Intestinal obstruction	234	23	5	3	3		9	5	6	9	6	6	22	30	33	40	34	
119	Other diseases of the intestines	33	2		2			1	1		2		1	4	6	6	3	5	
120	Acute yellow atrophy of the liver	15									3	2		2	2	1	2	3	
122	Cirrhosis of the liver	259									2	2	3	20	34	65	83	50	
123	Biliary calculi	130							1		2	6	4	22	15	41	27	12	
124	Other diseases of the liver	178	1	1	1			1		3	1	7	5	20	37	32	41	27	1
125	Diseases of the pancreas	22										1	1	7	5	7	1		
126	Peritonitis without specified cause	61	5	3	1	3		6	2	1		3	4	6	9	4	8	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,018	16	10	3	1	2	9	18	24	38	37	74	255	400	624	1,151	1,356	
128	Acute nephritis (including unspecified under 10 years)	169	8	4	1	1	1	7	4	4	6	5	14	31	23	20	16	24	
129	Chronic nephritis (including unspecified 10 years and over)	3,352		1	1		1	1	14	15	20	20	38	157	317	545	1,036	1,186	
131	Other diseases of the kidneys and annexa	91	4	4	1			1		1	1	1	2	6	15	14	23	18	
132	Calculi of the urinary passages	24									1			3	4	7	6	3	
133	Diseases of the bladder	34	1										1		1	3	7	21	
134	Diseases of the urethra, etc.	9										1		2	1	3		2	
135	Diseases of the prostate	165											1	1	3	19	49	92	
136	Nonvenereal diseases of the male genital organs	3	2	1															
137	Cysts, other benign tumors of the ovary	33									1		3	8	5	4	7	5	
138	Salpingitis and pelvic abscess (female)	53								4	6	6	10	18	8		1		
139	Benign tumors of the uterus	59									2	1	4	20	16	7	6	3	
140	Nonpuerperal uterine hemorrhage	2										1						1	
141	Other diseases of the female genital organs	23									1	2	1	9	7	2		1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	409								52	75	92	88	97	5				
143	Accidents of pregnancy	43								3	6	9	12	12	1				
144	Puerperal hemorrhage	42								4	7	9	10	9	3				
145	Other accidents of labor	30								1	4	7	12	6					
146	Puerperal septicemia	178								25	42	43	34	34					
147	Puerperal phlegmasia alba dolens, embolus, etc.	16									2	2	1	11					
148	Puerperal albuminuria and convulsions	97								19	14	20	18	25	1				
149	Following childbirth (undefined)	3										2	1						
	IX.—Diseases of the skin and of the cellular tissue	93	9			1	1			1		1	4	6	14	7	12	37	
151	Gangrene	46												1	2	2	7	34	
152	Furuncle	15	1				1			1			2	1	4	3	2		
153	Acute abscess	12	2			1								2	4	1	2		
154	Other diseases of the skin and annexa	20	6									1	2	2	4	1	1	3	
	X.—Diseases of the bones and of the organs of locomotion	36	2			4	1	5	4		1	1		1	5	3	4	5	
155	Diseases of the bones (tuberculosis excepted)	27	2			3		5	3			1		1	3	2	3	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9				1	1		1		1				2	1	1	1	
	XI.—Malformations	422	398	10	2	1	3	2	3	1	1			1					
159a	Congenital hydrocephalus	40	34	3			1	1	1										
159b	Congenital malformations of the heart	274	263	5	2		1		2					1					
159c	Other congenital malformations	108	101	2		1	1	1		1	1								
	XII.—Early infancy	1,561	1,561																
160	Congenital debility, icterus, sclerema	149	149																
161a	Premature birth	1,009	1,009																
161b	Injury at birth	282	282																
162	Other diseases peculiar to early infancy	120	120																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	190														1	25	164	
	XIV.—External causes	3,322	57	42	41	31	24	133	107	202	248	231	221	434	393	363	362	427	6
	Suicide	488								10	32	44	43	76	100	87	69	26	1
165	By poisons (gas or corrosives excepted)	37								1		7	1	5	6	7	7	3	
166	By corrosive substances	115								5	13	14	15	15	17	19	13	4	
167	By poisonous gas	28								1	1	1	2	6	9	2	4	2	
168	By hanging or strangulation	80									4	5	5	10	20	14	18	4	
169	By drowning	19									2		2	3	8		2	2	
170	By firearms	164								2	12	13	16	29	27	36	20	8	1
171	By cutting or piercing instruments	36										2	1	7	12	8	3	3	
172	By jumping from high places	3								1		1		1					
173	By crushing	5										1	1			1	2		
174	By other means	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	XIV.—External causes—Continued.																		
	Homicide	200	3	1		1		4	2	9	27	35	31	53	17	13	1	3	
197	By firearms	129							1	6	18	25	20	35	12	10		2	
198	By cutting or piercing instruments	28								1	1	5	6	10	3	2			
199	By other means	43	3	1		1		4	1	2	8	5	5	8	2	1	1	1	
	Accidental, other, or undefined	2,634	54	41	41	30	24	129	105	183	189	152	147	305	276	263	292	398	5
175	Poisoning by food	20	1				1		2	2		1	2	5		3	3		
176	Poisoning by venomous animals	3						1			1							1	
177	Other acute poisonings (gas excepted)	49	1	15	5	1		3			4	5	4	4	1	3	1	2	
178	Conflagration	33	1	1	2	3	2			5				7	7	2	3		
179	Burns (conflagration excepted)	133	2	8	15	5	3	20	9	5	7	6	6	13	10	10	11	3	
180	Mechanical suffocation	36	25	1							2	3	1	1	2			1	
181	Absorption of irrespirable, irritating, or poisonous gas	37			2					5		2	1	6	8	2	5	6	
182	Drowning	166	1	4	7			12	25	41	21	7	8	11	11	8	5	2	3
183	Traumatism by firearms (except in war)	65		1		1	1	3	10	12	4	9		10	6	6	1	1	
184	Traumatism by cutting or piercing instruments	17	1			1		2	1	1	1	2	1	1	3	2		1	
185	Traumatism by fall	567	7	1		1	2	1	6	8	7	11	7	24	30	54	99	309	
186a	Traumatism in mines	47								1	4	9	2	15	10	4	2		
186b	Traumatism in quarries	8									1			3	2	1	1		
187	Traumatism by machines	66		1				1	1	5	6	5	13	9	10	7	7	1	
188a	Railroad accidents	359	1	5		1		14	11	23	31	33	26	61	58	45	39	10	1
	Collision with automobiles	160	1	4		1		10	6	13	22	12	9	30	25	13	13	1	
	Other railroad accidents	199		1				4	5	10	9	21	17	31	33	32	26	9	1
188b	Street-car accidents	105	1		3			2	4	6	7	5	17	22	11	11	11	5	
	Collision with automobiles	68	1		1			2	2	5	5	5	17	15	7	5	3		
	Other street-car accidents	37			2				2	1	2			7	4	6	8	5	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	665	2		4	10	12	60	29	54	69	31	43	79	68	78	83	42	1
188d	Airplane and balloon accidents	12								1	5	3	2	1					
188e,f	Injuries by other vehicles	41			1		1	4	2	1	7			4	7	6	5	3	
188g	Landslide, other crushing	18							1	1	2		1	3	5	2	2	1	
189	Injuries by animals (not poisoning)	17				1		1			1	1	1	1	6	2		3	
193	Excessive cold	2											1		1				
194	Excessive heat	18	2		1					1	1	1	2	3	2	2	2	1	
195	Lightning	8								1	2	1		2	2				
196	Other accidental electric shocks	36							1	2	5	11	5	6	4	1	1		
201	Fracture (cause not specified)	5										1			1	1	1	1	
202	Other external violence	101	9	4	1	6	2	5	3	8	1	4	5	14	11	13	10	5	
	XV.—Ill-defined diseases	43	10	3			1		1		2			2	7	5	6	6	
204	Sudden death	1																1	
205a	Ill-defined	25	4	3			1				1			1	3	4	5	3	
205b	Not specified or unknown	17	6						1		1			1	4	1	1	2	
	IOWA																		
	All causes	24,532	2,478	336	168	144	99	405	307	456	518	529	534	1,449	2,041	3,262	5,189	6,615	2
	I.—Epidemic, endemic, and infectious diseases	2,457	295	128	65	42	44	152	83	109	139	147	123	228	201	228	216	257	
1	Typhoid and paratyphoid fever	54			1	3		2	5	6	6	5	2	8	4	9	2	1	
2	Typhus fever	1														1			
4	Malta fever	1									1								
5	Malaria	1																1	
6	Smallpox	2							1				1						
7	Measles	225	43	72	21	12	13	28	13	8	3	5	1	1	3		1	1	
8	Scarlet fever	41	1	3	4	3	3	16	5	2		2			2				
9	Whooping cough	105	75	14	8	3	1	4											
10	Diphtheria	121	9	11	5	10	9	43	9	3	1	4	1	4	5	4	2	1	
11a	Influenza (with pulmonary complications)	280	40	5	8	1	2	6	7	11	9	4	5	23	18	36	50	55	
11b	Influenza (other and unspecified)	368	59	11	6	3	4	9	6	9	8	4	11	19	18	30	58	113	
13	Mumps	3	3																
15	Cholera nostras	2																2	
16	Dysentery	24	4	1					1		1		1		1	2	3	10	
21	Erysipelas	63	6	1	1		1			1	2		1	6	9	9	8	18	
22	Acute anterior poliomyelitis	28		5	2	1	4	8	4	1	1	1						1	
23	Lethargic encephalitis	16						2			1	1		5	5	2			
24	Meningococcus meningitis	21	5		1			5	3	2	1			3	1				
25	Other epidemic and endemic diseases	7	4		2			1											
28	Rabies	1							1										
29	Tetanus	45	6	1	1	2	4	8	8	5	1	1	1	1	1	2	1	2	
30	Mycoses	4								1		1				1	1		
	Tuberculosis (all forms)	873	18	2	5	4	3	17	16	52	96	113	87	129	107	105	75	44	
31	Of the respiratory system	739	5	2		1		5	13	38	90	103	77	111	96	91	63	44	
32	Of the meninges, central nervous system	47	11		5	3	3	9	2	4	1	1	1	3	1	2	1		
33	Of the intestines, peritoneum	31	1							3	1	2	4	6	5	5	4		
34	Of the vertebral column	14							1		2	3	1	4			3		
35	Of the joints	2													1		1		
36	Of other organs	24						2		2	2	1	1	4	3	6	3		
37a	Disseminated (acute)	13	1							4		3	3	1		1			
37b	Disseminated (chronic or unspecified)	3						1		1					1				
38	Syphilis	117	19	1				1	1	2	2	1	8	18	24	22	11	7	
40	Gonococcus infection	15								1	2	5	1	6					
41	Purulent infection, septicemia	39	3	1				2	3	5	4		3	5	3	5	4	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	II.—General diseases not included in Class I	3,785	39	10	6	18	7	24	23	38	37	40	55	256	485	816	1,145	785	1
	Cancer and other malignant tumors	2,689	2	3	1	4	1	5	5	13	12	20	28	161	346	597	847	644	
43	Of the buccal cavity	81		1				1		1				3	7	14	18	36	
44	Of the stomach, liver	1,024						1	1	1	1	2	4	36	97	229	376	276	
45	Of the peritoneum, intenstines, rectum	415							1	2	1	4	9	32	55	94	124	93	
46	Of the female genital organs	272								2	1	2	6	37	60	64	68	32	
47	Of the breast	233										4	4	27	65	58	45	30	
48	Of the skin	75				1						1			5	10	19	39	
49	Of other or unspecified organs	589	2	2	1	3	1	3	3	7	9	7	5	26	57	128	197	138	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12				1								1	2	4	3	1	
51	Acute rheumatic fever	51		1				7	5	2	2	1		11	4	4	6	8	
52	Chronic rheumatism, osteoarthritis, gout	36						1						4	3	5	13	10	
54	Pellagra	2												1				1	
56	Rickets	5	2	1	1	1													
57	Diabetes mellitus	433		1		2	2	6	8	10	8	5	7	16	38	95	165	70	
58a	Pernicious anemia	185	1			4			1	1			1	12	30	48	61	26	
58b	Other anemias and chlorosis	29	2	1									1	3	5	4	4	9	
59	Diseases of the pituitary gland	2										1		1					
60a	Exophthalmic goiter	111							1	3	5	8	5	16	22	25	20	6	
60b	Other diseases of the thyroid gland	19		1						1			1	3	3	4	4	2	
62	Diseases of the thymus gland	23	20		1	1		1											
63	Diseases of the adrenals (Addison's disease)	10											1	4	1	2	1	1	
64	Diseases of the spleen	3		1				1							1				
65a	Leukemia	61		1	3	4	3	2	3	5	2	1	2	5	10	11	6	3	
65b	Hodgkin's disease	27								1	5	4	3	5	3	4	1	1	
66	Alcoholism (acute or chronic)	53									1		6	9	16	11	8	2	
67a	Chronic lead poisoning	1															1		
68	Chronic poisoning by organic substances	4									1			1			1		1
69	Other general diseases	29	12			1	1	1		2	1			3	1	2	4	1	
	III.—Diseases of the nervous system and of the organs of special sense	3,326	69	34	9	6	1	34	21	28	30	31	39	140	250	485	917	1,232	
70	Encephalitis	46	1	7	1	1		1	2	2	3	3	3	3	4	7	7	1	
71a	Simple meningitis	45	14	1	1			3	3	1	3	4		5	5	4	1		
71b	Nonepidemic cerebrospinal meningitis	10	1	1	3					1	1				1	2			
72	Tabes dorsalis (locomotor ataxia)	30												1	7	12	5	5	
73	Other diseases of the spinal cord	100	2			1				1	2		1	6	13	18	26	30	
74a	Cerebral hemorrhage	2,380	1		1			1	2	3	6	6	9	48	132	344	757	1,070	
74b	Cerebral embolism and thrombosis	96	1					2		2	2	3	3	4	11	15	22	31	
75	Paralysis without specified cause	75	3							1	1		1	2	3	10	20	34	
76	General paralysis of the insane	92											9	31	25	21	4	2	
77	Other forms of mental alienation	59									2	4	6	7	13	13	6	8	
78	Epilepsy	71	2		1			2	5	9	2	3	5	9	8	8	13	4	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	23	18	3		1	1												
81	Chorea	1												1					
82	Neuralgia and neuritis	12													3	2	3	4	
83	Softening of the brain	14														1	7	6	
84	Other diseases of the nervous system	158	2	2	1			4	4	1	2	4	2	15	22	24	39	36	
85	Diseases of the eye and annexa	5						1			2				1		1		
86a	Diseases of the ear	47	10	3	1	3		10	4	3	2	1		3	1	3	2	1	
86b	Diseases of the mastoid process	60	14	17				9	1	4	2	3		4	1	1	4		
	IV.—Diseases of the circulatory system	4,705	13	6	2	2	5	18	36	43	32	35	40	140	351	733	1,374	1,874	1
87	Pericarditis	24	1					2	1	1	2	1		3		1	5	7	
88	Endocarditis and myocarditis (acute)	139	3	1	1		3	4	11	12	9	9	9	16	11	14	25	11	
89	Angina pectoris	404							1	1	1	1	3	14	29	104	146	105	
90	Other diseases of the heart	3,469	5	4			1	12	23	28	16	22	25	89	277	531	1,024	1,411	1
91a	Aneurysm	40										1		7	3	15	6	8	
91b,c	Other diseases of the arteries	481													6	44	126	305	
92	Embolism and thrombosis (not cerebral)	108	1			1	1			1	3	1	2	7	17	21	32	21	
93	Diseases of the veins	30	1			1			1		1		1	2	7	3	9	4	
94	Diseases of the lymphatic system	5	2	1	1									1					
95	Hemorrhage without specified cause	1												1					
96	Other diseases of the circulatory system	4													1		1	2	
	V.—Diseases of the respiratory system	1,799	280	55	33	14	5	22	19	32	29	24	32	82	100	165	306	601	
97a	Diseases of the nasal fossae	3	1								1							1	
97b	Diseases of the nasal fossae annexa	23	1	1						3		1	4	3	4	1	3	2	
98	Diseases of the larynx	9	4	2	1	1							1						
99a	Acute bronchitis	22	2		1		1							1	1	2	1	13	
99b	Chronic bronchitis	55		1				1		1	1				2	4	13	32	
99c,d	Bronchitis (unspecified)	33	5								1				1	1	7	18	
100a	Broncho-pneumonia	672	195	37	15	8	3	10	2	4	6	5	6	17	19	37	78	230	
100b	Capillary bronchitis	10	6														2	2	
101a	Lobar pneumonia	805	57	10	13	5		10	16	20	17	18	19	54	61	102	178	225	
101b	Pneumonia (unspecified)	21	5		1						1						1	13	
102	Pleurisy	41	3	1	1		1	1	1	1	2		2	6	3	5	9	5	
103	Congestion and hemorrhagic infarct of the lung	44														2	5	37	
104	Gangrene of the lung	1													1				
105	Asthma	44		1	1									1	4	10	7	20	
106	Pulmonary emphysema	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted)	15		2						3					4	1	2	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	VI.—Diseases of the digestive system	1,833	210	59	28	35	20	66	43	53	48	55	65	138	206	226	283	248	
108	Diseases of the mouth and annexa	18				1	1	2			1	3	2	1	2	1	3	1	
109b	Other diseases of the pharynx, tonsils	79	3	2	2	5	4	10	4	8	4	5	1	8	9	6	4	4	
111a	Ulcer of the stomach	112				1				1	1	3	4	13	25	25	18	21	
111b	Ulcer of the duodenum	57								1	1	3	5	11	13	18	4	1	
112	Other diseases of the stomach (cancer excepted)	94	20	1	2	1		1			1	2	1	3	9	7	21	25	
113	Diarrhea and enteritis (under 2 years)	195	151	44															
114	Diarrhea and enteritis (2 years and over)	145			19	13	7	4	2	3	2	2	6	4	6	14	20	43	
116	Diseases due to other intestinal parasites	1		1															
117	Appendicitis and typhlitis	399	1	4	3	10	6	40	34	33	27	30	29	70	50	27	27	8	
118a	Hernia	92	3	1		1							3	9	8	13	28	26	
118b	Intestinal obstruction	174	25	6		1	1	4	1	3	4	4	4	17	19	16	33	36	
119	Other diseases of the intestines	31	1								2	2		6	2	3	9	6	
120	Acute yellow atrophy of the liver	4									1		1					2	
121	Hydatid tumor of the liver	1				1													
122	Cirrhosis of the liver	144						1	1	2			2	7	15	34	55	27	
123	Biliary calculi	110											2	10	29	29	27	13	
124	Other diseases of the liver	128	1		1		1	1			2		5	21	17	22	28	29	
125	Diseases of the pancreas	14							1		1				1	7	1	3	
126	Peritonitis without specified cause	35	5		1	1		3		2	1	1		8	1	4	5	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,157	12	3	3	2		11	6	15	19	27	35	114	195	327	592	796	
128	Acute nephritis (including unspecified under 10 years)	81	5	1	2	1		7	1	2	3	6	8	9	7	8	7	14	
129	Chronic nephritis (including unspecified 10 years and over)	1,609		1				4	3	8	10	16	13	67	144	269	456	618	
131	Other diseases of the kidneys and annexa	74	6	1	1	1			2	1	3		3	3	4	7	22	20	
132	Calculi of the urinary passages	31									1			3	7	7	6	7	
133	Diseases of the bladder	27													2	2	3	20	
134	Diseases of the urethra, etc	5													2	2	1		
135	Diseases of the prostate	216													3	14	89	110	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	21								2		1	2	2	4	5	2	3	
138	Salpingitis and pelvic abscess (female)	25								2	2	3	5	7	6				
139	Benign tumors of the uterus	48											3	21	11	8	1	4	
141	Other diseases of the female genital organs	19										1	1	2	5	5	5		
	VIII.—The puerperal state	263								25	58	61	44	72	3				
143	Accidents of pregnancy	26								1	3	8	6	7	1				
144	Puerperal hemorrhage	27								2	2	6	5	11	1				
145	Other accidents of labor	25								1	4	8	4	8					
146	Puerperal septicemia	118								15	32	27	15	29					
147	Puerperal phlegmasia alba dolens, embolus, etc	19								1	4	4	3	7					
148	Puerperal albuminuria and convulsions	46								5	13	7	11	9	1				
149	Following childbirth (undefined)	2										1		1					
	IX.—Diseases of the skin and of the cellular tissue	80	5			1			2	2	1		2	3	3	7	12	42	
151	Gangrene	43														2	7	34	
152	Furuncle	12							2	1				2	2	2	1	2	
153	Acute abscess	7								1	1			1	1	2	1		
154	Other diseases of the skin and annexa	18	5			1							2			1	3	6	
	X.—Diseases of the bones and of the organs of locomotion	40			1	1	1	8	7	3	3	2		1	2	5	4	2	
155	Diseases of the bones (tuberculosis excepted)	34			1	1	1	8	6	3	3	1		1	1	3	3	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5							1			1			1	2			
158	Other diseases of the organs of locomotion	1															1		
	XI.—Malformations	343	312	8	1	1	1	8	4	3	2	1	1	1					
159a	Congenital hydrocephalus	34	27	1			1	2		1	1		1						
159b	Congenital malformations of the heart	188	173	2	1	1		6	2	2	1								
159c	Other congenital malformations	121	112	5					2			1		1					
	XII.—Early infancy	1,169	1,169																
160	Congenital debility, icterus, sclerema	131	131																
161a	Premature birth	756	756																
161b	Injury at birth	196	196																
162	Other diseases peculiar to early infancy	85	85																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	489															6	49	434
	XIV.—External causes	1,941	41	28	17	20	15	62	62	105	115	105	96	217	235	252	256	315	
	Suicide	422							3	10	25	30	30	82	88	88	56	10	
165	By poisons (gas or corrosives excepted)	30							1	2	1	4	4	3	5	5	5		
166	By corrosive substances	36								3	5	3	2	13	8	2			
167	By poisonous gas	57								1	5	2	8	10	10	9	9	3	
168	By hanging or strangulation	115									5	6	6	20	26	25	21	6	
169	By drowning	17										1	2	2	2	8	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	XIV.—External causes—Continued.																		
	Suicide—Continued.																		
170	By firearms	132							2	4	8	9	6	27	34	28	13	1	
171	By cutting or piercing instruments	21									1	2		6	2	6	4		
172	By jumping from high places	6										2	1		1		2		
173	By crushing	3												1		2			
174	By other means	5										1	1			3			
	Homicide	59	5			2		1		1	2	7	5	12	10	7	3	4	
197	By firearms	35								1	2	4	4	10	6	5	2	1	
198	By cutting or piercing instruments	2										1				1			
199	By other means	22	5			2		1				2	1	2	4	1	1	3	
	Accidental, other, or undefined	1,460	36	28	17	18	15	61	59	94	88	68	61	123	137	157	197	[1] 301	
175	Poisoning by food	10	1	2								1		1		3	1	1	
176	Poisoning by venomous animals	1															1		
177	Other acute poisonings (gas excepted)	30	1	5	3	3			1	1	1		1	6	4	2	1	1	
178	Conflagration	23				1	1	1		1		3	2		5	1	6	2	
179	Burns (conflagration excepted)	55	1	5	4	2	3	5	3	1	4	4	4	1	4	3	5	6	
180	Mechanical suffocation	21	18					1	1								1		
181	Absorption of irrespirable, irritating, or poisonous gas	47	1		1	1	2	1		4	3	2	3	4	9	10	5	1	
182	Drowning	94		7	1	3		6	17	19	13		3	6	9	6	3	1	
183	Traumatism by firearms (except in war)	49		1	1			1	5	14	4	5	2	8	5	1	2		
184	Traumatism by cutting or piercing instruments	15	3	1						2	1		1	1	2	3	1		
185	Traumatism by fall	417	1	1		2	2	7	5	5	5	4	4	14	18	35	87	227	
186a	Traumatism in mines	20									2	1	3	2	6	2	3	1	
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	41						3	1		2	4	3	11	8	4	4	1	
188a	Railroad accidents	120	1		1			1	4	12	8	15	8	14	15	16	19	6	
	Collision with automobiles	25	1							5	2	4	2	2	3	4	1	1	
	Other railroad accidents	95			1			1	4	7	6	11	6	12	12	12	18	5	
188b	Street-car accidents	8								1			1	2	1	2	1		
	Collision with automobiles	5								1			1	1	1	1			
	Other street-car accidents	3												1		1	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	284	2	1	1	4	5	21	10	24	29	20	14	24	26	38	33	32	
188d	Airplane and balloon accidents	6									3		3						
188e,f	Injuries by other vehicles	42					1	3	4	1	4	2	2	2	6	9	6	2	
188g	Landslide, other crushing	14								1		1		3	3	4	2		
189	Injuries by animals (not poisoning)	31				1		2	3		2	1	2	5	3	3	4	5	
193	Excessive cold	5								1						2		2	
194	Excessive heat	15		1						1	1			2	1	2	3	4	
195	Lightning	8						1			3		1	1	1	1			
196	Other accidental electric shocks	16						1	1	1	2	4		3	3	1			
201	Fracture (cause not specified)	5			1				1		1							2	
202	Other external violence	82	7	4	4	1	1	7	3	5		1	4	12	8	9	9	7	
	XV.—Ill-defined diseases	145	33	5	3	2			1		5	1	2	7	10	12	35	29	
204	Sudden death	28	3			1					1			2	1	5	6	9	
205a	Ill-defined	55	4	4	1						2	1	1	4	5	6	18	9	
205b	Not specified or unknown	62	26	1	2	1			1		2		1	1	4	1	11	11	
	KANSAS																		
	All causes	18,582	1,920	298	167	121	76	280	259	386	435	464	449	1,180	1,646	2,374	3,604	4,918	5
	I.—Epidemic, endemic, and infectious diseases	1,835	170	76	47	44	26	88	70	103	131	131	102	205	162	141	174	165	
1	Typhoid and paratyphoid fever	66		1	1	1	1	3	8	7	6	10	7	9	7	3	2		
5	Malaria	4									1						2	1	
6	Smallpox	1	1																
7	Measles	84	15	14	9	8		16	8	7	3	2		1		1			
8	Scarlet fever	68	7	7	4	5	6	17	9	6	2	1	2	1	1				
9	Whooping cough	60	38	13	5	3		1											
10	Diphtheria	76	1	9	11	9	13	18	5	3	1	3		3					
11a	Influenza (with pulmonary complications)	266	29	3	4	6		6	5	5	2	9	8	24	26	27	53	59	
11b	Influenza (other and unspecified)	239	31	8	7	3	1	6	4	10	8	12	3	13	11	20	43	59	
13	Mumps	2							2										
15	Cholera nostras	5	1			1		1										2	
16	Dysentery	27	7	3	1	2				1	1					2	4	6	
21	Erysipelas	33	5								1	3	1	4	2	7	4	6	
22	Acute anterior poliomyelitis	44	3	2	2	4		4	12	7	2	1	1	4	2				
23	Lethargic encephalitis	13			1		1							3	4	1	3		
24	Meningococcus meningitis	17	4	4	2			3	1			1		2					
25	Other epidemic and endemic diseases	6	3	2										1					
28	Rabies	2						1		1									
29	Tetanus	36	5	2			1	8	6	1	2	1	2	3		4		1	
30	Mycoses	5	1										1	1		1	1		
	Tuberculosis (all forms)	645	5	8		2	3	4	10	45	93	77	65	108	90	57	52	26	
31	Of the respiratory system	556	3				1		8	37	82	73	56	93	83	48	49	23	
32	Of the meninges, central nervous system	16	2	5		1	1	1		1	1	1	1	2					
33	Of the intestines, peritoneum	29		3		1	1	1		1	3		5	8	4	1	1		
34	Of the vertebral column	10						1	1		2	1		1		2	1	1	
35	Of the joints	5									1	1		2		1			
36	Of other organs	11								1	2		1		1	3	1	2	
37a	Disseminated (acute)	12						1	1	4	1		1	2	2				
37b	Disseminated (chronic or unspecified)	6								1	1	1	1			2			
38	Syphilis	102	14							3	6	8	8	22	13	16	8	4	
40	Gonococcus infection	19								6	1	3	4	2	1	1		1	
41	Purulent infection, septicemia	15								1	2			5	4	2	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	II.—General diseases not included in Class I	2,625	42	6	9	5	7	25	18	20	20	30	50	181	395	558	726	532	1
	Cancer and other malignant tumors	1,826	1	2	2	3	2	8	3	5	10	11	22	119	277	413	537	410	1
43	Of the buccal cavity	62						1		1				1	6	13	15	25	
44	Of the stomach, liver	637				1					2	1	4	21	68	149	226	165	
45	Of the peritoneum, intestines, rectum	264						2			1	3	7	20	35	53	83	60	
46	Of the female genital organs	247									1	2	3	35	66	72	46	22	
47	Of the breast	157											3	18	51	34	34	17	
48	Of the skin	75											1	2	9	13	15	33	
49	Of other or unspecified organs	384	1	2	2	2	2	5	3	4	6	5	4	22	42	77	118	88	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15					1							1	2	4	4	3	
51	Acute rheumatic fever	31					1	2	2	4			2	3	3	1	5	8	
52	Chronic rheumatism, osteoarthritis, gout	27										1			3	4	11	8	
54	Pellagra	8											1	3	2	1	1		
56	Rickets	10	8	1	1														
57	Diabetes mellitus	334	1		1	1	1	9	5	8	5	3	6	15	34	72	103	70	
58a	Pernicious anemia	113			1				3	1	2	2	6	10	20	25	31	12	
58b	Other anemias and chlorosis	17	5					1	1					1	1	4	3	1	
60a	Exophthalmic goiter	97								1	1	3	6	21	27	18	15	5	
60b	Other diseases of the thyroid gland	11											2	1	3		3	2	
61	Diseases of the parathyroid glands	2	1					1											
62	Diseases of the thymus gland	11	10	1															
63	Diseases of the adrenals (Addison's disease)	4												2	2				
64	Diseases of the spleen	3											1				1	1	
65a	Leukemia	41	1	1	3	1	2	2	4		1	1	2	1	3	5	7	7	
65b	Hodgkin's disease	19										5	1		4	5	2	2	
66	Alcoholism (acute or chronic)	26								1	1	4	1	3	11	3	2		
67a	Chronic lead poisoning	1															1		
69	Other general diseases	29	15	1	1			2						1	3	3		3	
	III.—Diseases of the nervous system and of the organs of special sense	2,421	28	14	5	2	1	18	13	16	21	23	21	104	198	396	647	914	
70	Encephalitis	29	4	3	1			1	2	1	1	1	2	3	1	3	5	1	
71a	Simple meningitis	25	7	1	1			3	1		3	1	2	2	2		1	1	
71b	Nonepidemic cerebrospinal meningitis	2		1								1							
72	Tabes dorsalis (locomotor ataxia)	25												6	5	11	2	1	
73	Other diseases of the spinal cord	59							1	2	2	2	2	5	3	12	20	10	
74a	Cerebral hemorrhage	1,813		1						2	2	4	4	35	125	317	532	791	
74b	Cerebral embolism and thrombosis	75							1	1		1		4	6	9	21	32	
75	Paralysis without specified cause	48												3	3	3	17	22	
76	General paralysis of the insane	67										2	4	13	19	19	7	3	
77	Other forms of mental alienation	56										2	1	10	9	10	12	12	
78	Epilepsy	54	1			2		4	1	5	7	4	5	9	7	2	1	6	
79	Convulsions (nonpuerperal; 5 years and over)	3									1			1			1		
80	Infantile convulsions (under 5 years)	12	8	3	1														
81	Chorea	1																1	
82	Neuralgia and neuritis	8													2	2	3	1	
83	Softening of the brain	20													1	1	2	16	
84	Other diseases of the nervous system	76	1	2	2			2	2		3	3		9	13	6	18	15	
85	Diseases of the eye and annexa	3		1													1	1	
86a	Diseases of the ear	29	7	1				6	3	2	1		1	2	2	1	2	1	
86b	Diseases of the mastoid process	16		1			1	2	2	3	1	2		2			2		
	IV.—Diseases of the circulatory system	3,487	14	3	1	4	2	7	21	23	26	25	34	126	254	517	963	1,466	1
87	Pericarditis	23						1	2		1			3	1	3	4	8	
88	Endocarditis and myocarditis (acute)	86	2	2		2		2	3	8	4	4	9	19	2	6	12	11	
89	Angina pectoris	239									1	2		9	24	49	84	70	
90	Other diseases of the heart	2,663	8	1		2	1	3	16	15	20	16	23	80	196	411	758	1,112	1
91a	Aneurysm	41												9	9	10	4	9	
91b,c	Other diseases of the arteries	353										1		1	11	20	79	241	
92	Embolism and thrombosis (not cerebral)	69	1		1		1					2	2	4	10	17	19	12	
93	Diseases of the veins	6	1												1	1	1	2	
94	Diseases of the lymphatic system	2	1											1					
95	Hemorrhage without specified cause	2	1					1											
96	Other diseases of the circulatory system	3															2	1	
	V.—Diseases of the respiratory system	1,158	206	44	17	10	5	16	14	28	20	22	26	77	75	87	176	335	
97a	Diseases of the nasal fossae	3	1												1			1	
97b	Diseases of the nasal fossae annexa	9							1		2		2	1		2	1		
98	Diseases of the larynx	10	1	2	1	1		2								1	1	1	
99a	Acute bronchitis	22	6	1						2						1		12	
99b	Chronic bronchitis	47		1					1					1		3	15	26	
99c,d	Bronchitis (unspecified)	27	6			1			1						1	1	1	16	
100a	Broncho-pneumonia	373	139	22	8	3	2	5	3	6	4	2	6	17	13	15	39	89	
100b	Capillary bronchitis	10	3	1											1		1	4	
101a	Lobar pneumonia	491	41	14	8	5	3	8	6	17	12	16	13	49	48	48	89	114	
101b	Pneumonia (unspecified)	27	4	1					1			1	2	3		2	1	12	
102	Pleurisy	33		2				1	1	1	2		3	1	4	5	5	8	
103	Congestion and hemorrhagic infarct of the lung	41	3													1	9	28	
104	Gangrene of the lung	5										2			1		1	1	
105	Asthma	36	1							1				2	3	2	8	19	
106	Pulmonary emphysema	3														1		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	21	1							1		1		3	3	5	5	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	VI.—Diseases of the digestive system	1,608	237	95	50	25	17	48	46	47	41	50	43	138	177	171	204	219	
108	Diseases of the mouth and annexa	12			1					1				4	1	3		2	
109b	Other diseases of the pharynx, tonsils	71	4	1	7	3	2	4	5	9	4	4		10	3	2	7	6	
110	Diseases of the esophagus	4	1												1		1	1	
111a	Ulcer of the stomach	87			1			2	1		3	2	3	14	19	12	19	11	
111b	Ulcer of the duodenum	39									2		2	8	9	5	10	3	
112	Other diseases of the stomach (cancer excepted)	116	20	6	3			2			1	2	2	6	9	14	20	31	
113	Diarrhea and enteritis (under 2 years)	257	182	75															
114	Diarrhea and enteritis (2 years and over)	122			30	16	6	9	2	2		1	1	6	7	5	8	29	
116	Diseases due to other intestinal parasites	1	1																
117	Appendicitis and typhlitis	310		4	1	4	7	26	34	29	27	29	19	36	40	22	25	7	
118a	Hernia	65	4	1									1	6	9	18	15	11	
118b	Intestinal obstruction	130	20	8	6	1	2	5		1	1	4	3	13	14	18	16	18	
119	Other diseases of the intestines	26	2			1						1	1	2	3	2	7	7	
120	Acute yellow atrophy of the liver	8							1			1			1	2	2	1	
121	Hydatid tumor of the liver	1															1		
122	Cirrhosis of the liver	137							1	1		1	1	6	20	23	37	47	
123	Biliary calculi	76											3	8	13	23	15	14	
124	Other diseases of the liver	107	1							1	1	3	6	15	19	15	18	28	
125	Diseases of the pancreas	7													2	3	1	1	
126	Peritonitis without specified cause	32	2		1				2	3	2	2	1	4	7	4	2	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,832	9	3	2	6	3	3	8	7	15	25	26	86	159	314	497	669	
128	Acute nephritis (including unspecified under 10 years)	59	3	1	1	4	2	1	1		2	2	3	4	7	6	9	13	
129	Chronic nephritis (including unspecified 10 years and over)	1,444			1	2		2	7	6	6	12	11	51	116	261	418	551	
131	Other diseases of the kidneys and annexa	50	5	1			1				2	3	1	1	8	10	10	8	
132	Calculi of the urinary passages	18										1		2	2	6	6	1	
133	Diseases of the bladder	12	1														1	10	
135	Diseases of the prostate	146													1	20	48	77	
136	Nonvenereal diseases of the male genital organs	2		1											1				
137	Cysts, other benign tumors of the ovary	16									1	1	1	2	4	3	1	3	
138	Salpingitis and pelvic abscess (female)	34								1	3	3	8	8	5	2	2	2	
139	Benign tumors of the uterus	38										1		15	13	5		4	
141	Other diseases of the female genital organs	13									1	2	2	3	2	1	2		
	VIII.—The puerperal state	219								16	50	51	47	55					
143	Accidents of pregnancy	18								1	2	2	6	7					
144	Puerperal hemorrhage	20								1	2	5	6	6					
145	Other accidents of labor	20									7	1	6	6					
146	Puerperal septicemia	95								13	21	21	19	21					
147	Puerperal phlegmasia alba dolens, embolus, etc	8									1	5		2					
148	Puerperal albuminuria and convulsions	56								1	17	17	9	12					
149	Following childbirth (undefined)	2											1	1					
	IX.—Diseases of the skin and of the cellular tissue	61	5	1				1	1	4			2	1	9	4	7	26	
151	Gangrene	26											1		1	3	4	17	
152	Furuncle	10						1	1	2					3		1	2	
153	Acute abscess	10	1	1						1			1		3	1	1	1	
154	Other diseases of the skin and annexa	15	4							1				1	2		1	6	
	X.—Diseases of the bones and of the organs of locomotion	21		1		1	1	3	2		1			1	1	2	6	2	
155	Diseases of the bones (tuberculosis excepted)	16		1		1	1	2	2		1				1	1	4	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3						1						1		1			
158	Other diseases of the organs of locomotion	2															2		
	XI.—Malformations	275	255	8	2		3	2	2	1	1				1				
159a	Congenital hydrocephalus	21	18	1	1			1											
159b	Congenital malformations of the heart	183	172	5	1			1	2	1	1								
159c	Other congenital malformations	71	65	2			3								1				
	XII.—Early infancy	871	871																
160	Congenital debility, icterus, sclerema	104	104																
161a	Premature birth	555	555																
161b	Injury at birth	153	153																
162	Other diseases peculiar to early infancy	59	59																
164	XIII.—Old age (senility)	357														2	29	325	1
	XIV.—External causes	1,650	37	45	32	22	11	69	63	120	108	102	97	198	204	155	146	239	2
	Suicide	272							2	13	13	20	20	49	64	45	28	18	
165	By poisons (gas or corrosives excepted)	21							1		2	4	1	2	5	1	2	3	
166	By corrosive substances	45								3	5	3	6	8	8	7	4	1	
167	By poisonous gas	3											1	1	1				
168	By hanging or strangulation	44								1	1	1	1	9	13	7	6	5	
169	By drowning	11									1		1	1	3	2	2	1	
170	By firearms	129							1	6	4	10	9	26	30	26	11	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	XIV.—External causes—Continued.																		
	Suicide—Continued.																		
171	By cutting or piercing instruments	9								1		1	1	1	1		3	1	
172	By jumping from high places	3										1			1			1	
173	By crushing	2								1					1				
174	By other means	5								1				1	1	2			
	Homicide	81	4					3		7	11	10	8	16	15	5	2		1
197	By firearms	56						1		7	6	7	6	12	12	4	1		
198	By cutting or piercing instruments	10	2								2	1	1	2	2				
199	By other means	15	2					2			3	2	1	2	1	1	1		
	Accidental, other, or undefined	1,297	33	45	32	22	11	66	61	100	84	72	69	133	125	105	116	221	2
175	Poisoning by food	11		1	3							2			1	1	1	2	
176	Poisoning by venomous animals	3	1												1			1	
177	Other acute poisonings (gas excepted)	35	4	4	2	1	1			1	1	4	3	5	3	3	2	1	
178	Conflagration	22	1	4	2	1		2	2	2	1	1		2	1	1		2	
179	Burns (conflagration excepted)	90	1	4	10	4	1	8	1	7	5		6	8	7	5	8	15	
180	Mechanical suffocation	16	12					1	2							1			
181	Absorption of irrespirable, irritating, or poisonous gas	17	1									2	2	1	3	5	2	1	
182	Drowning	98		18	2	3		6	17	20	7	7	1	8	1	3	2	3	
183	Traumatism by firearms (except in war)	50					1	6	9	8	5	7	2	8	3	1			
184	Traumatism by cutting or piercing instruments	15		1		1		1		3	1		1	2		2	1	2	
185	Traumatism by fall	261	2	2	3	1	2	9	4	6	4	6	3	5	11	10	39	154	
186a	Traumatism in mines	21									3	4	2	5	3	2	1		1
186b	Traumatism in quarries	4											1	2	1				
187	Traumatism by machines	49		2		1			5	4	4	3	8	7	7	5	3		
188a	Railroad accidents	134	1		1	1	1		2	12	19	9	9	23	27	14	10	5	
	Collision with automobiles	57	1			1	1			8	11	5	3	11	8	5	3		
	Other railroad accidents	77			1				2	4	8	4	6	12	19	9	7	5	
188b	Street-car accidents	9						1			2		2	3				1	
	Collision with automobiles	2									1		1						
	Other street-car accidents	7						1			1		1	3				1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	253	1	2	3	3	2	23	12	24	22	15	12	27	29	30	28	19	1
188d	Airplane and balloon accidents	4								1		2	1						
188e,f	Injuries by other vehicles	25			1	1	1	3	1				1		5	3	6	3	
188g	Landslide, other crushing	10			1			1						2	3	1		2	
189	Injuries by animals (not poisoning)	21		1		1	1	2					2	3	3	5	2	1	
190	Wounds of war	1											1						
193	Excessive cold	4														1	2	1	
194	Excessive heat	5	1								1					1	2		
195	Lightning	10						1		3	1	2		2	1	1			
196	Other accidental electric shocks	22						1	1	1	1	4	3	7	4				
201	Fracture (cause not specified)	4												2				2	
202	Other external violence	103	8	7	3	5	1	2	3	8	7	4	9	11	12	10	7	6	
	XV.—Ill-defined diseases	162	46	2	2	2			1	1	1	5	1	8	11	27	29	26	
204	Sudden death	31	4								1			1	3	9	8	5	
205a	Ill-defined	48	3		1	2			1	1		1		2	5	11	11	10	
205b	Not specified or unknown	83	39	2	1							4	1	5	3	7	10	11	
	KENTUCKY																		
	All causes—White	22,786	3,361	725	375	211	162	467	387	657	833	724	783	1,550	1,908	2,599	3,755	4,272	17
	All causes—Colored	4,423	442	91	40	28	27	60	71	180	209	244	193	583	682	636	476	445	16
	I.—Epidemic, endemic, and infectious diseases—White	4,357	430	277	157	98	74	167	127	254	345	290	292	420	344	343	392	343	4
	I.—Epidemic, endemic, and infectious diseases—Colored	993	67	31	15	8	14	28	41	105	104	107	62	151	108	81	30	41	
1	Typhoid and paratyphoid fever—W	377	3	2	9	2	8	28	44	64	60	26	23	36	38	17	11	6	
	Typhoid and paratyphoid fever—C	65			1	1	2	9	9	13	8	4	2	7	6	3			
5	Malaria—W	43	1	3	2	1	2		1	2	3	1	3	2	3	3	9	7	
	Malaria—C	12	1		1		1	1				2		2	1		2	1	
6	Smallpox—W	8	1	1									1			2	2	1	
7	Measles—W	139	29	37	17	9	3	14	6	6	1	2	4	3	3	1	2	2	
	Measles—C	9	2	2	2	1		1			1								
8	Scarlet fever—W	46	3	6	7	3	6	12	3	3	1		1			1			
	Scarlet fever—C	2							2										
9	Whooping cough—W	294	155	78	25	10	5	14	2	1	1		2				1		
	Whooping cough—C	54	25	16	5	1	2	3	1		1								
10	Diphtheria—W	227	30	38	45	42	25	36	7	2			1			1			
	Diphtheria—C	10	1	2	1			3	3										
11a	Influenza (with pulmonary complications)—W	293	35	15	6	5		5	3	9	8	11	13	19	29	29	51	54	1
	Influenza (with pulmonary complications)—C	82	4	4	1	1	1			6	1	6	3	12	11	21	2	9	
11b	Influenza (other and unspecified)—W	225	23	4	6	1	1	7	4	2	5	1	3	13	11	21	37	86	
	Influenza (other and unspecified)—C	48	3		1	1		1	1	3			3	7	6	4	3	15	
13	Mumps—W	2						1						1					
15	Cholera nostras—W	10	1	1											2	1	1	4	
16	Dysentery—W	183	38	34	11	6	1	5	3		3	4	1	2	3	8	20	44	
	Dysentery—C	12	4	1									1			2	2	2	
21	Erysipelas—W	45	13	2	1		1	1	1	2	1		2	1	1	4	5	10	
	Erysipelas—C	3	1						1						1				
22	Acute anterior poliomyelitis—W	65	6	16	8	5	8	8	5	3	1	1	1	1				2	
	Acute anterior poliomyelitis—C	8	2	1	1	1	2									1			
23	Lethargic encephalitis—W	17				1			2	2			1	3	2	3	2	1	
	Lethargic encephalitis—C	1												1					
24	Meningococcus meningitis—W	48	22	4	4	2	5	4	1	1		2	1	1		1			
	Meningococcus meningitis—C	5	3					1	1										
28	Rabies—W	1									1								
29	Tetanus—W	30	1		1	1		8	5	4			1	2		2	5		
	Tetanus—C	10	1			1	1		2	3		1		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

KENTUCKY—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
30	Mycoses	W	7	2										1	3		1			
	Tuberculosis (all forms)	W	2,175	38	35	14	10	9	24	37	149	257	236	226	311	236	237	232	121	3
		C	605	9	5	2	1	5	9	19	76	92	89	51	105	72	43	16	11	
31	Of the respiratory system	W	1,867	12	12	3	1	4	8	27	135	237	221	211	278	213	200	201	101	3
		C	542	5	4	1		2	4	16	72	85	82	50	90	68	36	16	11	
32	Of the meninges, central nervous system	W	87	20	18	6	6	4	8	4	5	4	2	1	4	2	2		1	
		C	12	3	1		1	1	1	1	1				2	1				
33	Of the intestines, peritoneum	W	108	3	4	2		1	2		3	7	3	6	11	11	17	24	14	
		C	27					1	1	1	2	4	2	1	8	1	6			
34	Of the vertebral column	W	22			2	1			2	1	2		2	4	1	6		1	
		C	1												1					
35	Of the joints	W	12						2	1			2		2	2	2		1	
		C	2									1			1					
36	Of other organs	W	38	1			1		2	2		3	4	3	6	5	3	6	2	
		C	5	1								1	1		1		1			
37a	Disseminated (acute)	W	24		1	1	1		2	1	3	3	3	1	4	1	3			
		C	10			1			2	1		1	3		1	1				
37b	Disseminated (chronic or unspecified)	W	17	2							2	1	1	2	2	1	4	1	1	
		C	6					1	1		1		1		1	1				
38	Syphilis	W	82	25	1					1	3	1	1	4	15	11	8	10	2	
		C	56	11						2	1	1	3	1	14	10	6	4	3	
40	Gonococcus infection	W	10									1	4	1	2	1		1		
		C	9								3		2	1	2	1				
41	Purulent infection, septicemia	W	28	4		1				2	1	1	1	1	5	4	2	3	3	
		C	2														1	1		
42	Other infectious diseases	W	2											1			1			
	II.—General diseases not included in Class I.	White	2,282	35	9	12	8	7	15	24	26	33	35	62	208	353	490	573	391	1
		Colored	281	8	1	1		1	2	1	4	3	12	12	41	67	66	43	18	1
	Cancer and other malignant tumors	W	1,454	1		2	1	2	3	6	8	8	13	20	116	239	322	402	310	1
		C	168						1				5	6	26	41	46	28	14	1
43	Of the buccal cavity	W	41	1				1		1			1		2	10	6	12	7	
		C	2												1		1			
44	Of the stomach, liver	W	533					1	1		3	2	5	5	36	65	126	168	122	1
		C	61						1				1		5	16	20	12	6	
45	Of the peritoneum, intestines, rectum	W	178						1		2	2	2	2	8	30	43	57	31	
		C	17											1	4	5	5	1	1	
46	Of the female genital organs	W	262							1		1	4	8	41	69	57	62	19	
		C	46										2	4	11	9	8	9	2	1
47	Of the breast	W	107											2	15	26	23	26	15	
		C	20										1		5	3	6	3	2	
48	Of the skin	W	94							1		1			2	3	13	20	54	
49	Of other or unspecified organs	W	239			2	1		1	3	3	2	1	3	12	36	54	59	62	
		C	22										1	1		8	6	3	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	7	1					1			1	1	1			1	1		
		C	6												3		2	1		
51	Acute rheumatic fever	W	64		1		1	1	3	6	4	3	1		3	9	8	16	8	
		C	27								2	1		3	5	4	4	6	2	
52	Chronic rheumatism, osteoarthritis, gout	W	29			1							1		1	4	4	13	5	
		C	3													1	1	1		
54	Pellagra	W	152			1			3	1	4	6	6	15	28	23	35	24	6	
		C	8	1					1				1		1	3		1		
56	Rickets	W	8	5	2	1														
		C	1		1															
57	Diabetes mellitus	W	273	1	1	1		1	3	5	5	8	5	5	15	31	69	83	40	
		C	26							1	1		1		3	5	10	3	2	
58a	Pernicious anemia	W	75	1	2	1	1		1		1		2	1	13	8	18	13	13	
		C	3								1	1			1					
58b	Other anemias and chlorosis	W	12	1			1			1				2	1	2	2	1	1	
		C	4	1									1				1	1		
59	Diseases of the pituitary gland	W	1											1						
60a	Exophthalmic goiter	W	48						1		1	1	1	2	12	11	10	7	2	
		C	10										2		1	6		1		
60b	Other diseases of the thyroid gland	W	15	1								1		1		4	4	3	1	
		C	2										1			1				
61	Diseases of the parathyroid glands	W	1			1														
62	Diseases of the thymus gland	W	15	14			1													
		C	3	3																
63	Diseases of the adrenals (Addison's disease)	W	3										1	1					1	
		C	1	1																
64	Diseases of the spleen	W	5								1		1			1	1	1		
65a	Leukemia	W	29				1	2		1	1	3	1	2	4	4	8	1	1	
		C	1					1												
65b	Hodgkin's disease	W	11							2				1	1		2	4	1	
		C	1													1				
66	Alcoholism (acute or chronic)	W	45								1	1	2	7	12	16	5		1	
		C	12									1	1	3		4	2	1		
68	Chronic poisoning by organic substances	W	2											1			1			
69	Other general diseases	W	33	10	3	4	2	1		2		1		2	2	1		4	1	
		C	5	2		1									1	1				
	III.—Diseases of the nervous system and of the organs of special sense	White	2,283	89	20	12	4	7	36	16	30	27	23	39	104	232	394	627	622	1
		Colored	435	11	1	2	2	1	2	1	1	7	7	6	61	100	98	83	51	1
70	Encephalitis	W	28	6	1				4		1	2		1	4	5	3	1		
		C	2		1										1					
71a	Simple meningitis	W	65	23	7	2		2	12	2	5	2	2	1		3	2	1	1	
		C	9	1		1	1		2		1				1	1		1		
71b	Nonepidemic cerebrospinal meningitis	W	30	11	6	5	1	1	4					1	1					
		C	2				1	1												
72	Tabes dorsalis (locomotor ataxia)	W	26											1	1	4	11	6	3	
		C	4												3		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
73	Other diseases of the spinal cord	W	66	2					1	1		1	1	3		7	15	19	16	
		C	14												1	3	6	2	2	
74a	Cerebral hemorrhage	W	1,451	6				2	3		3	6	6	10	50	148	278	476	462	1
		C	279	1								3	3	3	36	63	72	67	31	
74b	Cerebral embolism and thrombosis	W	29											1	1	1	1	5	11	9	
		C	2													1				1
75	Paralysis without specified cause	W	219	1	1					1		3		1	9	16	33	63	91	
		C	29										1	1	2	3	8	5	9	
76	General paralysis of the insane	W	73								1	1		9	13	21	18	7	3	
		C	48										1		10	22	10	3	2	
77	Other forms of mental alienation	W	40									1	3	2	10	8	5	4	7	
		C	3												1	1		1		
78	Epilepsy	W	65	1		1				3	12	7	6	6	7	8	7	7		
		C	13	1								4	2		3	2			1	
79	Convulsions (nonpuerperal; 5 years and over)	W	4						2	1			1							
80	Infantile convulsions (under 5 years)	W	32	29	1	1	1													
		C	8	7		1														
81	Chorea	W	2						1									1		
82	Neuralgia and neuritis	W	9												1		2	3	3	
		C	3													2			1	
83	Softening of the brain	W	26														4	7	15	
		C	3															3		
84	Other diseases of the nervous system	W	61	3	2				1	1	5	1	1	1	5	7	7	16	11	
		C	12											2	2	2	1	1	3	1
85	Diseases of the eye and annexa	W	1													1				
86a	Diseases of the ear	W	36	7	1	1	1	2	5	4	3	2	2	2	1	2	2	1		
		C	4	1						1						1			1	
86b	Diseases of the mastoid process	W	20		1	2	1		3	3		1			1	1	2	4	1	
	IV.—Diseases of the circulatory system	White	3,225	20	4	3	5	2	11	18	30	35	36	42	129	285	570	921	1,112	2
		Colored	760	2	1	1			2	1	7	5	11	24	87	159	165	153	138	4
87	Pericarditis	W	30							1			1	1	3	3	6	6	9	
		C	11										1	1	1	2		4	2	
88	Endocarditis and myocarditis (acute)	W	129	4	1	1	1	1	3	4	5	11	4	10	29	12	18	16	9	
		C	49		1	1			2		3		2	4	16	8	5	5	2	
89	Angina pectoris	W	214								2		3	3	11	25	65	75	30	
		C	41											4	7	11	11	4	4	
90	Other diseases of the heart	W	2,453	14	2	2	4		7	13	22	23	27	25	84	222	440	714	852	2
		C	588	2						1	3	5	8	13	57	131	131	125	108	4
91a	Aneurysm	W	15													5	5	4	1	
		C	10								1			1	5		3			
91b,c	Other diseases of the arteries	W	330											1		9	27	91	202	
		C	56											1	1	6	13	13	22	
92	Embolism and thrombosis (not cerebral)	W	39	1				1			1	1	1	1	1	6	7	12	7	
		C	5													1	2	2		
93	Diseases of the veins	W	7											1		3	1	1	1	
94	Diseases of the lymphatic system	W	4		1				1						1		1			
95	Hemorrhage without specified cause	W	1	1																
96	Other diseases of the circulatory system	W	3															2	1	
	V.—Diseases of the respiratory system	White	1,741	349	84	53	25	16	40	27	34	36	27	43	92	110	142	255	408	
		Colored	429	81	28	12	7	4	7	4	15	17	16	16	52	53	47	31	39	
97a	Diseases of the nasal fossae	W	2	1															1	
97b	Diseases of the nasal fossae annexa	W	9						1		2	1			3	1		1		
98	Diseases of the larynx	W	15	3		3	2	2	1	1						1		1	1	
		C	3	1			1										1			
99a	Acute bronchitis	W	23	8				1				1		1		1	1	1	9	
		C	10	3	1				2						1		1		2	
99b	Chronic bronchitis	W	43									2		1	1		3	10	26	
		C	11		1	1					1		1		1	1		2	3	
99c,d	Bronchitis (unspecified)	W	38	9	3							1				1	1	7	16	
		C	13	4	2	1	1						2	1		2				
100a	Broncho-pneumonia	W	618	197	56	27	7	7	16	11	3	5	6	12	11	23	31	73	133	
		C	123	48	14	5	3	2	1		3	3	1	2	7	13	6	6	9	
100b	Capillary bronchitis	W	14	8	2				1							1	1		1	
		C	4	3	1															
101a	Lobar pneumonia	W	667	66	15	14	10	4	9	11	19	22	15	24	56	64	90	102	146	
		C	205	14	5	5	2	1	3	3	9	11	11	12	40	29	25	18	17	
101b	Pneumonia (unspecified)	W	164	52	6	7	2	2	8	2	5	1	3	2	9	6	9	19	31	
		C	22	5	4				1		1	2	1		1		6	1		
102	Pleurisy	W	40		1	2	2		3	1	4	2	1	2	3	4	2	8	5	
		C	9					1		1		1				1	3	2		
103	Congestion and hemorrhagic infarct of the lung	W	37	3					1	1					2	1		11	18	
		C	4																4	
104	Gangrene of the lung	W	1															1		
		C	2											1					1	
105	Asthma	W	45	1	1		2					1	1		4	4	3	15	13	
		C	12	1											1	4	3	1	2	
106	Pulmonary emphysema	C	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted)	W	25	1							1		1	1	3	3	1	6	8	
		C	10	1							1				1	3	2	1	1	
	VI.—Diseases of the digestive system	White	2,170	641	247	91	28	21	72	47	48	46	51	56	129	159	154	199	180	1
		Colored	289	69	21	5	4	2	8	5	8	13	16	6	34	42	27	14	15	
108	Diseases of the mouth and annexa	W	30	1	1				3	3	1	1	2	2	2	3	4	4	3	
		C	6							1	1			1		2	1			
109b	Other diseases of the pharynx, tonsils	W	65	3	3	4	6	5	8	3	6	6	4	3	3	5	2	2	2	
		C	11		1	1			1		2	1	1			2	1		1	
110	Diseases of the esophagus	W	1																1	
		C	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
111a	Ulcer of the stomach	W	64							1		1	4	4	12	11	9	13	9	
		C	19												5	10		3	1	
111b	Ulcer of the duodenum	W	28									1	1	3	6	11	4	2		
		C	4									1	1		2					
112	Other diseases of the stomach (cancer excepted)	W	155	43	3	5	2	2	3	2		1	1	4	11	11	14	25	28	
		C	43	6			1	1	1	2	1	2	2	1	5	11	6	3	1	
113	Diarrhea and enteritis (under 2 years)	W	792	562	230															
		C	79	60	19															
114	Diarrhea and enteritis (2 years and over)	W	249			78	13	11	24	1	1	2	6	5	6	6	15	29	51	1
		C	22			4	1		2	1		2	1		2	1	3		5	
116	Diseases due to other intestinal parasites	W	6		4						1		1							
117	Appendicitis and typhlitis	W	286	2	1	1	4	2	27	32	33	23	14	16	48	41	20	18	4	
		C	30				1	1	3	1	1	2	5	2	5	4	3	1	1	
118a	Hernia	W	40	2	1					1				2		5	4	17	8	
		C	6													1	2	1	2	
118b	Intestinal obstruction	W	115	19	4	2	2	1	5	4	2	5	4	4	8	16	4	15	20	
		C	21	3	1				1		2	4	2		3	1	4			
119	Other diseases of the intestines	W	19	2					1			1	1		1	2	2	5	4	
		C	10										1		3	2	2		2	
120	Acute yellow atrophy of the liver	W	6										3		1				2	
122	Cirrhosis of the liver	W	116	1								1		2	6	22	38	29	17	
		C	12											1	2	5	3	1		
123	Biliary calculi	W	67										2	3	7	6	17	24	8	
		C	4										1			1	2			
124	Other diseases of the liver	W	100	5			1		1		3	3	6	7	9	15	18	13	19	
		C	16				1				1		2	1	3	2	1	3	2	
125	Diseases of the pancreas	W	11			1					1				1	3	2	2	1	
		C	1												1					
126	Peritonitis without specified cause	W	20	1								1	2	1	8	2	1	1	3	
		C	4									1			2	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,994	15	14	5	8	1	12	16	18	19	29	44	113	188	306	538	666	2
		Colored	494		1		1	3	2	1	3	6	13	13	59	106	105	90	90	1
128	Acute nephritis (including unspecified under 10 years)	W	137	11	10	5	7	1	3	3	5	7	2	5	6	16	17	22	17	
		C	48		1		1	2	1	1	1		1	2	8	15	7	5	3	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,621	2	4		1		8	12	11	7	16	24	77	151	269	471	567	1
		C	382						1		1	2	8	6	34	80	91	78	80	1
130	Chyluria	W	1																1	
131	Other diseases of the kidneys and annexa	W	43	1					1	1	1	1	1	2	2	9	5	4	15	
		C	7					1					1		1	3		1		
132	Calculi of the urinary passages	W	12								1			2	1	1	3	3	1	
		C	1													1				
133	Diseases of the bladder	W	25										1	1		1	4	5	12	1
		C	7													1	2	3	1	
134	Diseases of the urethra, etc	W	3	1										1				1		
135	Diseases of the prostate	W	87													2	6	28	51	
		C	17													3	5	3	6	
137	Cysts, other benign tumors of the ovary	W	12										2	2	2	2		3	1	
		C	2												1	1				
138	Salpingitis and pelvic abscess (female)	W	20									3	5	2	7	2		1		
		C	12								1	2	1	5	3					
139	Benign tumors of the uterus	W	18										1	1	13	2	1			
		C	15										2		11	2				
140	Nonpuerperal uterine hemorrhage	W	1												1					
141	Other diseases of the female genital organs	W	14									1	1	4	4	2	1		1	
		C	3									2			1					
	VIII.—The puerperal state	White	264							1	36	56	56	44	71					
		Colored	44							2	8	7	5	10	12					
143	Accidents of pregnancy	W	20								1	3	3	4	9					
		C	6							1		1		2	2					
144	Puerperal hemorrhage	W	23								1	3	7	3	9					
		C	2										1	1						
145	Other accidents of labor	W	36								4	8	6	9	9					
		C	3									1	1	1						
146	Puerperal septicemia	W	108							1	14	27	24	16	26					
		C	27							1	5	5	2	5	9					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	4									1	1	1	1					
		C	1								1									
148	Puerperal albuminuria and convulsions	W	72								16	13	15	11	17					
		C	5								2		1	1	1					
150	Puerperal diseases of the breast	W	1									1								
	IX.—Diseases of the skin and of the cellular tissue	White	62	11	2				1	1	2		1	1	2	5	6	14	16	
		Colored	7									1	1		1		1	2	1	
151	Gangrene	W	24	1	1										2	1	2	7	10	
		C	2															1	1	
152	Furuncle	W	16	1	1						2		1	1		3	4	1	2	
		C	2									1						1		
153	Acute abscess	W	9	4						1						1		3		
		C	2												1		1			
154	Other diseases of the skin and annexa	W	13	5					1									3	4	
		C	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																				
	X.—Diseases of the bones and of the organs of locomotion	White	22			1		2	5	3	2		1			1	4	1	2	
		Colored	2													2				
155	Diseases of the bones (tuberculosis excepted)	W	19			1		1	5	2	2		1				4	1	2	
		C	1													1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3					1		1						1				
		C	1													1				
	XI.—Malformations	White	221	205	4	3	1		3	2				1	2					
		Colored	12	10	1				1											
159a	Congenital hydrocephalus	W	25	21	1	1			1						1					
		C	1	1																
159b	Congenital malformations of the heart	W	113	110	1	1	1													
		C	8	6	1				1											
159c	Other congenital malformations	W	83	74	2	1			2	2				1	1					
		C	3	3																
	XII.—Early infancy	White	1,300	1,300																
		Colored	157	157																
160	Congenital debility, icterus, sclerema	W	214	214																
		C	32	32																
161a	Premature birth	W	855	855																
		C	95	95																
161b	Injury at birth	W	159	159																
		C	14	14																
162	Other diseases peculiar to early infancy	W	71	71																
		C	16	16																
163	Lack of care	W	1	1																
164	XIII.—Old age (senility)	White	308														5	32	270	1
		Colored	44												1	1	3	7	32	
	XIV.—External causes	White	2,170	63	49	31	34	32	103	101	172	226	172	155	272	215	160	165	215	5
		Colored	413	13	4	3	5	2	8	15	28	44	54	43	78	41	33	19	15	8
	Suicide	W	254							3	17	22	15	22	48	45	37	38	7	
		C	9									1	1	1	4	1		1		
165	By poisons (gas or corrosives excepted)	W	15								1	3	2		5	2	1		1	
		C	1												1					
166	By corrosive substances	W	34							1	4	4	3	5	3	5	6	3		
		C	2									1			1					
167	By poisonous gas	W	6									1		2	1	1	1			
168	By hanging or strangulation	W	42									2	1	3	10	9	8	8	1	
		C	1															1		
169	By drowning	W	15								1			1	4	4	1	4		
170	By firearms	W	126							2	10	12	7	8	22	22	16	23	4	
		C	5										1	1	2	1				
171	By cutting or piercing instruments	W	10										1	3	2	2	1		1	
172	By jumping from high places	W	4												1		3			
174	By other means	W	2								1			1						
	Homicide	W	271				2		1	3	19	44	47	31	64	38	14	5	2	1
		C	155					1		1	10	23	31	22	44	11	7	1	1	3
197	By firearms	W	225				1		1	1	13	38	42	28	56	29	10	4	1	1
		C	125								8	18	28	18	34	9	6	1		3
198	By cutting or piercing instruments	W	19				1				4	3	1	2	3	3	1		1	
		C	22							1	1	4	2	4	8	1	1			
199	By other means	W	27							2	2	3	4	1	5	6	3	1		
		C	8					1			1	1	1		2	1			1	
	Accidental, other, or undefined	W	1,645	63	49	31	32	32	102	95	136	160	110	102	160	132	109	122	206	4
		C	249	13	4	3	5	1	8	14	18	20	22	20	30	29	26	17	14	5
175	Poisoning by food	W	19	5	2		1	1				1	1		2	1	2	1	2	
		C	10	2		1					1	2	1		1	1	1			
176	Poisoning by venomous animals	W	2							1					1					
177	Other acute poisonings (gas excepted)	W	29	4	6	3	1	2	1	1	1	1			1	5	1	1	1	
		C	7	1		1	1				1			1		1		1		
178	Conflagration	W	24	3	1	2	1		1					2	1	3	3	1	3	
		C	5				2						1	1					1	
179	Burns (conflagration excepted)	W	125	4	15	14	15	9	17	10	3		5	5	6	5	4	5	8	
		C	26		3		1	1	2		1	1	2		1	4	3	4	2	1
180	Mechanical suffocation	W	31	28							1				1	1				
		C	8	8																
181	Absorption of irrespirable, irritating, or poisonous gas	W	15									4		2	2	2	2	2	1	
182	Drowning	W	119	2	2	3	4	2	15	22	25	12	6	4	9	6	1	2	4	
		C	16							2	5	1			1	2	3		1	1
183	Traumatism by firearms (except in war)	W	97		1	1	2	6	4	17	19	16	9	6	8	6	1	1		
		C	17			1	1			4	3	3	2	2		1				
184	Traumatism by cutting or piercing instruments	W	15						3	3						2	2	4	1	
		C	3						1							1	1			
185	Traumatism by fall	W	305	4	10	2	2	1	7	4	9	11	2	3	12	16	29	48	145	
		C	23	1	1				1	1	1		2	1	1	3	1	5	5	
186a	Traumatism in mines	W	208							2	29	41	37	21	50	17	10			1
		C	27								2	3	6	4	6	6				
187	Traumatism by machines	W	29					1	1	2	2	8		7	3	2	2		1	
		C	3							1					2					
188a	Railroad accidents	W	171	1	1	1		1	4	5	18	22	18	16	20	23	16	14	8	3
		C	31							1	1	5	4	3	5	2	3	1	3	3
	Collision with automobiles	W	24	1					1	2	3	2	2	3	4	2	2	1	1	
		C	2													1			1	
	Other railroad accidents	W	147		1	1		1	3	3	15	20	16	13	16	21	14	13	7	3
		C	29							1	1	5	4	3	5	1	3	1	2	3
188b	Street-car accidents	W	4						1	1		1						1		
	Collision with automobiles	W	1															1		
	Other street-car accidents	W	3						1	1		1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																				
	XIV.—External causes—Continued.																			
	Accidental, other, or undefined—Con.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	257	2	4	3	3	7	34	13	18	34	13	17	23	28	21	25	12	
		C	42						3	2	2	3	2	5	8	8	6	3		
188d	Airplane and balloon accidents	W	3										1	2						
188e,f	Injuries by other vehicles	W	23				1	1	4	2		1		1			6	3	4	
		C	2							1							1			
188g	Landslide, other crushing	W	13							1		1	2	2	5		1		1	
		C	2												1		1			
189	Injuries by animals (not poisoning)	W	14	1					1	3	1		1	1	1	1	4			
		C	4							1				1				2		
193	Excessive cold	W	3	1														2		
		C	4								1		1					1	1	
194	Excessive heat	W	7									1	1		2		1	1	1	
		C	2											1			1			
195	Lightning	W	10							3	1			1	2		1		2	
196	Other accidental electric shocks	W	15						1		3	3	2	1	1	4				
		C	1									1								
201	Fracture (cause not specified)	W	15									1	1	1		2		4	6	
		C	2												1		1			
202	Other external violence	W	92	8	7	2	2	1	8	5	6	2	9	11	8	8	4	5	6	
		C	14	1					1	1			1	2	3		4		1	
	XV.—Ill-defined diseases	White	387	203	15	7			2	4	5	10	3	4	8	16	25	38	47	
		Colored	63	24	2	1	1				1	2	2	1	6	3	10	4	5	1
204	Sudden death	W	35	11								2		1	2	2	3	5	9	
		C	6	2								1			1	1			1	
205a	Ill-defined	W	172	55	12	4			1	2	2	4	2	3	5	10	17	28	27	
		C	29	5	2								1		5	2	8	4	2	
205b	Not specified or unknown	W	180	137	3	3			1	2	3	4	1		1	4	5	5	11	
		C	28	17		1	1				1	1	1	1			2		2	1
LOUISIANA																				
	All causes	White	11,878	1,682	390	209	138	97	256	197	318	399	411	447	995	1,321	1,514	1,888	1,595	21
		Colored	11,997	1,896	395	158	104	58	263	239	480	761	720	612	1,422	1,614	1,185	906	1,122	62
	I.—Epidemic, endemic, and infectious diseases	White	2,038	288	165	96	64	41	87	48	83	108	120	137	221	211	154	119	92	4
		Colored	2,706	348	141	76	43	24	103	95	191	309	280	200	338	282	129	63	65	19
1	Typhoid and paratyphoid fever	W	131	2	1		2	3	8	12	24	20	17	7	14	14	4	3		
		C	159	3	1		1	1	19	24	26	24	23	10	11	12	3			1
5	Malaria	W	109	13	8	4	3	5	14	6	7	4	6	4	5	11	8	3	7	1
		C	160	23	5	10	7	4	15	9	12	7	10	2	12	18	8	8	9	1
6	Smallpox	W	2			1												1		
		C	3												1			1	1	
7	Measles	W	166	37	47	31	11	5	17	3	3	1	1		5	2	1		2	
		C	100	20	36	15	4	2	12	5	2	2	1							1
8	Scarlet fever	W	9		1	1			3	1	2			1						
		C	2	1							1									
9	Whooping cough	W	99	72	16	3	3	3	1			1								
		C	127	66	26	12	6	4	11		1								1	
10	Diphtheria	W	141	16	33	34	25	7	18	7				1						
		C	60	8	11	12	5	7	7	3	1	3	1	1	1					
11a	Influenza (with pulmonary complications)	W	198	49	17	7	6	2	2	3	3	6	9	7	17	17	14	18	21	
		C	220	68	21	9	4	2	6	5	4	9	14	10	12	22	14	7	11	2
11b	Influenza (other and unspecified)	W	107	19	7	1	3	6	6	4	4	2	1	1	6	4	7	12	24	
		C	119	18	9	1	1	1	5	3	6	5	6	7	10	8	14	9	15	1
13	Mumps	W	2		1					1										
		C	5		1		1		1		1	1								
15	Cholera nostras	W	5	1	1							1			1			1		
16	Dysentery	W	81	17	17	1	3	1	1		3	1	2	1		8	11	5	10	
		C	68	13	13	4	3		2	1	1	2	1	2	7	4	2	4	9	
19	Spirochetal hemorrhagic jaundice	W	1										1							
20	Leprosy	W	20										3	1	6	4	2	4		
		C	1														1			
21	Erysipelas	W	17	5		1	1	1		1		2	1		1	1	1	1	1	
		C	3										1	1			1			
22	Acute anterior poliomyelitis	W	16	5	2	2	1	3	2	1										
		C	17	4	2	2	3	1	1	2	1		1							
23	Lethargic encephalitis	W	9				1				1			2	1		2	2		
		C	3										1	1		1				
24	Meningococcus meningitis	W	16	3	4	2	1		1	1	1		1			1		1		
		C	8	1		2			2	1					1		1			
25	Other epidemic and endemic diseases	W	1		1															
28	Rabies	W	1							1										
		C	5		1				1						1		2			
29	Tetanus	W	56	30				1	7	3		5		2	4	2	1	1		
		C	67	38					7	8	3		1		2	5	2		1	
30	Mycoses	W	2													1		1		
		C	2	2																
	Tuberculosis (all forms)	W	713	4	7	6	3	4	4	3	33	60	68	105	128	122	89	54	21	2
		C	1,186	10	6	6	7	1	8	28	121	222	193	127	198	159	57	21	13	9
31	Of the respiratory system	W	653	1	1	2	1	2	2	3	30	57	65	101	120	116	83	48	19	2
		C	1,067	2	2	3	7		5	26	100	211	173	114	183	148	51	20	13	9
32	Of the meninges, central nervous system	W	19	3	4	3	2	2	2			1		1	1					
		C	13	6	2	1				1	2		1							
33	Of the intestines, peritoneum	W	21		1							2		2	4	4	3	4	1	
		C	43					1	1	1	10	3	8	6	8	2	2	1		
34	Of the vertebral column	W	4								1		1		1		1			
		C	6								1			1	2	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
	Tuberculosis (all forms)—Continued.																			
35	Of the joints	W	5		1						1		1	1				1		
		C	3								1		1			1				
36	Of other organs	W	7			1									1	1	2	1	1	
		C	19			2						2	5	2	1	5	2			
37a	Disseminated (acute)	W	3								1		1		1					
		C	20	2	1				1		5	2	4	1	3	1				
37b	Disseminated (chronic or unspecified)	W	1													1				
		C	15		1				1		2	4	1	3	1	1	1			
38	Syphilis	W	104	14	2		1		3	1	2	3	6	3	26	18	12	8	4	1
		C	361	73	10	2	1		5	6	10	28	23	32	75	51	24	13	4	4
40	Gonococcus infection	W	14									2	3	2	4	3				
		C	22									6	2	7	6	1				
41	Purulent infection, septicemia	W	17	1		2							1		3	2	2	4	2	
		C	8					1	1		1		2		1	1			1	
42	Other infectious diseases	W	1													1				
	II.—General diseases not included in Class I.	White	1,282	34	6	4	6		9	12	13	18	28	34	133	234	279	313	158	1
		Colored	912	28	4	2	3	1	11	12	22	46	62	50	158	202	137	100	73	1
	Cancer and other malignant tumors	W	869	2		1	2		1	3	7	5	11	18	77	179	210	230	123	
		C	445				1		2		2	7	13	12	77	130	90	66	45	
43	Of the buccal cavity	W	32							1			2	2	2	4	7	8	6	
		C	14												3	6	2	2	1	
44	Of the stomach, liver	W	277	1							2	2	3	3	14	42	76	90	44	
		C	126								2	2	2		9	35	26	31	19	
45	Of the peritoneum, intestines, rectum	W	102				1		1	1	1			3	11	21	23	32	8	
		C	35						1				1		5	10	10	5	3	
46	Of the female genital organs	W	136				1					1	1	5	20	43	23	31	11	
		C	150									3	7	9	37	43	33	12	6	
47	Of the breast	W	57										1	3	9	17	12	7	8	
		C	47											2	14	15	6	4	6	
48	Of the skin	W	52												1	10	9	13	19	
		C	10												1	4		5		
49	Of other or unspecified organs	W	213	1		1				1	4	2	4	2	20	42	60	49	27	
		C	63				1		1			2	3	1	8	17	13	7	10	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	13									1			3	1	3	2	3	
		C	5				1								1	1			2	
51	Acute rheumatic fever	W	13			1	1			2				1	2	2	2	2		
		C	21						1	3	2	3	1		2	2	2	2	3	
52	Chronic rheumatism, osteoarthritis, gout	W	8												2			4	2	
		C	12							1			1			2	5	1	2	
53	Scurvy	C	1												1					
54	Pellagra	W	59		1				1			4	4	3	15	4	13	7	7	
		C	283		1	2	1		5	5	16	34	40	30	56	38	23	20	11	1
56	Rickets	W	7	4	2	1														
		C	9	8	1															
57	Diabetes mellitus	W	155				1			2	1		6	8	9	22	36	53	17	
		C	71						2	1		1	2	3	10	19	14	10	9	
58a	Pernicious anemia	W	22	1							1			1	3	4	2	7	3	
		C	1	1																
58b	Other anemias and chlorosis	W	9	4									1		2	1		1		
		C	3												1	2				
59	Diseases of the pituitary gland	W	2												1	1				
60a	Exophthalmic goiter	W	14								1	1	2	1	2	2	2	2	1	
		C	10										1		2	4	2	1		
60b	Other diseases of the thyroid gland	W	5									1	1		1		1	1		
		C	5								1				2	2				
61	Diseases of the parathyroid glands	W	1									1								
		C	1	1																
62	Diseases of the thymus gland	W	20	15	1	1	1			2										
		C	11	9				1		1										
63	Diseases of the adrenals (Addison's disease)	W	1														1			
64	Diseases of the spleen	W	6		1					1	1		1		1	1				
		C	4								1		1	1	1					
65a	Leukemia	W	17						2	2		1		1	4	4	2	1		
		C	4	1						1					1	1				
65b	Hodgkin's disease	W	8						1	2					2	2				1
		C	1											1						
66	Alcoholism (acute or chronic)	W	30								1	1	3	1	9	9	3	3		
		C	10									1	2	3	2	1	1			
67a	Chronic lead poisoning	W	1														1			
		C	1										1							
67b	Other chronic mineral poisoning	C	2		1										1					
68	Chronic poisoning by organic substances	W	1													1				
69	Other general diseases	W	21	8	1		1		3			2				1	3		2	
		C	12	8	1				1						1				1	
	III.—Diseases of the nervous system and of the organs of special sense	White	990	22	6	4	8	6	11	15	16	9	12	23	56	146	207	248	198	3
		Colored	832	22	9	3	3	3	11	9	15	18	27	21	101	185	151	123	127	4
70	Encephalitis	W	22	1	1	1	1	1	1		2		2	1	1	5	4			1
		C	18		4	1	1	1		2	1	1	3		3		1			
71a	Simple meningitis	W	17	3	2	1	2		2	2	2	1				2				
		C	12	1		1		1	1	1		1	2	2	1		1			
71b	Nonepidemic cerebrospinal meningitis	W	4	2					1			1								
		C	3		1			1					1							
72	Tabes dorsalis (locomotor ataxia)	W	15												3	2	4	4	1	1
		C	6							1					1	2	2			
73	Other diseases of the spinal cord	W	27			1					2			1	3	7	7	2	4	
		C	10	1							1					3	2	1	2	
74a	Cerebral hemorrhage	W	664	4			1					2	1	8	21	99	158	207	162	1
		C	561	1					4		2	2	12	10	56	138	120	106	107	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
74b	Cerebral embolism and thrombosis	W	24				1	1	2	1	1	1	2	1	2	2	2	4	4	
		C	10								1			1	1	1	1	2	3	
75	Paralysis without specified cause	W	48								1		2			1	7	16	21	
		C	53								2	4	1	1	7	7	14	7	10	
76	General paralysis of the insane	W	31											2	8	9	7	4	1	
		C	54									1	1	2	18	19	8	4	1	
77	Other forms of mental alienation	W	24											1	8	6	8	1		
		C	23							2	2	2	2	2	6	3	1	1	1	1
78	Epilepsy	W	25					1		2	3		1	7	4	3	4			
		C	31	2			1		1	2	6	6	2	1	2	6		1	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	1										1							
		C	2						1					1						
80	Infantile convulsions (under 5 years)	W	9	6	1		2													
		C	17	15	2															
82	Neuralgia and neuritis	W	7						1			1				2	1		2	
		C	2							1						1				
83	Softening of the brain	W	5														2	1	2	
		C	2															1	1	
84	Other diseases of the nervous system	W	35	2	1			2	1	5		2	1	1	4	5	3	8		
		C	12	1								1	2	1	4	3				
85	Diseases of the eye and annexa	W	2						1						1					
		C	2						1											
86a	Diseases of the ear	W	15	4			1		2	2	2	1		1					1	
		C	5		1		1		1						1	1		1	1	
86b	Diseases of the mastoid process	W	15		1	1		1		3	3		2		1	3				
		C	9	1	1	1			2				1		1	1	1			
	IV.—Diseases of the circulatory system	White	1,842	4	1	2	4	5	9	5	16	11	26	31	120	209	369	541	488	1
		Colored	1,843	8	2	3	3		10	12	16	48	48	73	259	396	355	278	322	10
87	Pericarditis	W	4			1					1					1		1		
		C	11						1		1	1			1	3		2	1	
88	Endocarditis and myocarditis (acute)	W	75	1			2	1	4	3	4	5	9	5	18	5	6	7	5	
		C	89	2	1		1		3	3	2	12	8	4	30	13	4	4	2	
89	Angina pectoris	W	167						1			1	4	3	18	35	48	31	25	1
		C	82									1	4	4	14	18	20	11	9	1
90	Other diseases of the heart	W	1,427	3	1	1	2	3	4	2	10	4	11	21	74	153	283	461	394	
		C	1,521	6	1	3	2		6	9	13	29	35	58	201	342	305	239	265	7
91a	Aneurysm	W	26												4	4	10	6	2	
		C	27									2	1	4	9	7	2	1	1	
91b,c	Other diseases of the arteries	W	96													3	14	21	58	
		C	90									1			1	6	18	20	43	1
92	Embolism and thrombosis (not cerebral)	W	30									1	2	2	4	5	7	6	3	
		C	14									2		1	2	5	3	1		
93	Diseases of the veins	W	7												1	2		3	1	
94	Diseases of the lymphatic system	W	2					1								1				
95	Hemorrhage without specified cause	W	2								1							1		
		C	2													1			1	
96	Other diseases of the circulatory system	W	6												1		1	4		
		C	7											1	1	1	3			1
	V.—Diseases of the respiratory system	White	801	174	65	46	10	12	31	12	17	22	25	21	50	68	60	90	97	1
		Colored	997	296	81	29	20	9	30	24	41	66	35	43	83	79	60	37	57	7
97a	Diseases of the nasal fossae	W	3			1					1						1			
		C	7	4	1											1			1	
97b	Diseases of the nasal fossae annexa	W	7											1	2	1	1	2		
		C	3						1			2								
98	Diseases of the larynx	W	3	1		1			1											
		C	1										1							
99a	Acute bronchitis	W	15	9		2													4	
		C	17	12		1			1			1						2		
99b	Chronic bronchitis	W	15	1	1										1			7	5	
		C	10	2	1							1			1	1		1	3	
99c,d	Bronchitis (unspecified)	W	24	7	2				1			1				3	1	2	7	
		C	13	3	1	1		1	1		1	2						1	2	
100a	Broncho-pneumonia	W	320	103	37	30	5	6	14	4	8	3	8	6	6	18	18	21	33	
		C	385	185	43	18	9	4	7	6	7	14	3	12	16	20	9	9	21	2
100b	Capillary bronchitis	W	4	4																
		C	13	8	3			1										1		
101a	Lobar pneumonia	W	316	36	17	9	4	5	10	7	6	14	11	14	35	32	35	46	34	1
		C	403	43	20	5	4	3	17	15	26	39	27	28	53	42	41	15	20	5
101b	Pneumonia (unspecified)	W	45	9	5	2	1	1	3		2	3	2		3	3	1	4	6	
		C	85	33	11	2	3		2	1	4	4	4		7	4	2	4	4	
102	Pleurisy	W	15	1	2				2			1	3		1	1	2	2		
		C	19	2		1				1	2	1			4	1	3	2	2	
103	Congestion and hemorrhagic infarct of the lung	W	15	2	1	1										2		2	7	
		C	3	1															2	
104	Gangrene of the lung	W	2							1						1				
		C	3											1	1	1				
105	Asthma	W	10										1		2	2	1	3	1	
		C	20		1	1	3								1	7	4	1	2	
106	Pulmonary emphysema	W	2													2				
		C	3	1			1									1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	5	1												3		1		
		C	12	2					1	1	1	2		2		1	1	1		
	VI.—Diseases of the digestive system	White	1,246	310	109	26	14	11	44	38	37	45	34	53	86	127	124	115	70	3
		Colored	1,045	364	103	22	8	6	29	22	29	37	45	33	103	104	64	33	42	1
108	Diseases of the mouth and annexa	W	6							1	1		1				1	2		
		C	12	4								1	1		1		3		2	
109b	Other diseases of the pharynx, tonsils	W	29		5	2	1	2	8	3		1	1	1		3	2			
		C	25	4	1	2	1		6	1		2	3		2		2		1	
110	Diseases of the esophagus	W	1																1	
		C	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
111a	Ulcer of the stomach	W	40					1			1		3	4	5	7	9	7	3	
		C	34									1	3	2	11	11	4	1	1	
111b	Ulcer of the duodenum	W	11	1									1		3	3	2	1		
		C	6											2	3	1				
112	Other diseases of the stomach (cancer excepted)	W	74	11	5	4	3	2		1				2	4	11	10	11	10	
		C	129	26	2		2		2	5	3	5	10	4	15	23	16	7	8	1
113	Diarrhea and enteritis (under 2 years)	W	360	272	88															
		C	410	311	99															
114	Diarrhea and enteritis (2 years and over)	W	92			16	6	5	5	2	1		1	5	3	6	6	15	21	
		C	86			17	4	5	6	1	2	3	4	1	8	7	8	8	12	
115	Ancylostomiasis	C	1				1													
116	Diseases due to other intestinal parasites	W	8	3	2	1			2											
		C	6	2		1			2								1			
117	Appendicitis and typhlitis	W	240		2	1	3	1	24	28	30	27	15	21	26	34	14	13	1	
		C	108						9	10	17	13	13	10	15	13	6	2		
118a	Hernia	W	39									1		2	3	6	14	8	5	
		C	16	2										1	2	3	2	2	4	
118b	Intestinal obstruction	W	83	21	5	1				1	1	5	3	4	7	11	9	8	7	
		C	74	12				1	2	1	3	5	4	4	19	12	7	2	2	
119	Other diseases of the intestines	W	15	2			1			1					1	4	1	3	2	
		C	14	2	1	1							1	1	4	2		1	1	
120	Acute yellow atrophy of the liver	W	6						1			3					2			
		C	1								1									
122	Cirrhosis of the liver	W	109		1				1	1	1	1	2	4	12	17	30	28	8	3
		C	69	1		1			1	1	1	1		3	15	24	8	5	8	
123	Biliary calculi	W	28												6	10	4	5	3	
		C	7									1		1	1	1		1	2	
124	Other diseases of the liver	W	89		1	1			1		1	3	6	9	15	14	19	14	5	
		C	38						1	2	2	5	5	3	5	5	6	3	1	
125	Diseases of the pancreas	W	3									1				1	1			
126	Peritonitis without specified cause	W	13						2		1	3	1	1	1				4	
		C	8							1			1	1	2	1	1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,198	13	3	4	5	3	9	5	9	25	24	33	121	175	205	317	245	2
		Colored	1,133	9	4	1	2	2	6	7	18	27	44	57	185	225	197	168	173	8
128	Acute nephritis (including unspecified under 10 years)	W	84	5	2	4	5	1	6	1	2	5	3	5	17	11	7	5	5	
		C	104	7	2	1	2	2	4	2	6	3	8	8	18	15	15	6	5	
129	Chronic nephritis (including unspecified 10 years and over)	W	940					1	2	2	6	9	11	14	78	137	180	288	210	2
		C	829		1				2	5	6	15	17	29	135	176	152	141	142	8
131	Other diseases of the kidneys and annexa	W	46	6	1			1	1	1		3	3	2	4	6	4	6	8	
		C	22	1	1									2	4	4	5	3	2	
132	Calculi of the urinary passages	W	10											2	2	1	3	2		
		C	4											1		2	1			
133	Diseases of the bladder	W	5													3		1	1	
		C	15								1				1	2	6	2	3	
134	Diseases of the urethra, etc	W	3											1			2			
		C	13											3	2	5	2	1		
135	Diseases of the prostate	W	42													3	6	14	19	
		C	54												1	7	12	14	20	
136	Nonvenereal diseases of the male genital organs	W	3	2														1		
		C	4												1	2	1			
137	Cysts, other benign tumors of the ovary	W	9										1	1	3	1	1		2	
		C	7									1		3	1	1			1	
138	Salpingitis and pelvic abscess (female)	W	29								1	7	6	3	10	2				
		C	40								5	5	9	7	9	5				
139	Benign tumors of the uterus	W	15											2	6	7				
		C	33									2	9	2	12	5	2	1		
140	Nonpuerperal uterine hemorrhage	W	1							1										
		C	1										1							
141	Other diseases of the female genital organs	W	11									1		3	1	4	2			
		C	6									1		2	1	1	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1	1																
	VIII.—The puerperal state	White	201								28	42	39	37	55					
		Colored	219							3	46	49	36	38	42	3				2
143	Accidents of pregnancy	W	13								2	1	1	2	7					
		C	16									4	6	3	3					
144	Puerperal hemorrhage	W	24								2	7	2	5	8					
		C	19									5	1	4	8	1				
145	Other accidents of labor	W	15								1	3	4	3	4					
		C	29							1	4	5	2	6	8	2				1
146	Puerperal septicemia	W	76								13	15	18	12	18					
		C	88							1	22	21	18	15	11					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	5										3	1	1					
		C	2									2								
148	Puerperal albuminuria and convulsions	W	68								10	16	11	14	17					
		C	63							1	19	12	8	10	12					1
149	Following childbirth (undefined)	C	1								1									
150	Puerperal diseases of the breast	C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	41	3	2	1	2	1	1	2	3	6	1	1	4	1	4	6	3	
		Colored	30	1					2		2	1	2	2	2	2	2	9	5	
151	Gangrene	W	9		1		1	1								1	2	1	2	
		C	14												2		1	7	4	
152	Furuncle	W	16	1			1			1	2	2	1	1	2			4	1	
		C	1											1						
153	Acute abscess	W	8	1		1			1	1	1	2						1		
		C	9								2	1	1	1		2	1	1		
154	Other diseases of the skin and annexa	W	8	1	1							2			2		2			
		C	1	1					2				1					1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion	White	17	1				1	1	5	2					1	2	2	2	
		Colored	6							3		1			1			1		
155	Diseases of the bones (tuberculosis excepted)	W	15	1				1	1	5	1					1	2	2	1	
		C	2							1					1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1								1									
		C	4							2		1						1		
158	Other diseases of the organs of locomotion	W	1																1	
	XI.—Malformations	White	100	85	5		4		1	2	2	1								
		Colored	35	2	2				2	1										
159a	Congenital hydrocephalus	W	10	9							1									
		C	9	3	1	2			2	1										
159b	Congenital malformations of the heart	W	59	45	5		4		1	2	1	1								
		C	16	15	1															
159c	Other congenital malformations	W	31	31																
		C	10	10																
	XII.—Early infancy	White	644	644																
		Colored	515	515																
160	Congenital debility, icterus, sclerema	W	62	62																
		C	99	99																
161a	Premature birth	W	401	401																
		C	305	305																
161b	Injury at birth	W	142	142																
		C	66	66																
162	Other diseases peculiar to early infancy	W	37	37																
		C	41	41																
163	Lack of care	W	2	2																
		C	4	4																
164	XIII.—Old age (senility)	White	168														3	26	139	
		Colored	232													3	1	23	203	2
	XIV.—External causes	White	1,123	21	23	24	20	16	52	48	91	110	102	76	140	137	88	84	85	6
		Colored	992	34	25	13	13	9	52	48	98	147	127	76	125	101	52	34	30	8
	Suicide	W	137								6	27	19	11	19	27	17	7	4	
		C	20									4	5	2	4	4	1			
165	By poisons (gas or corrosives excepted)	W	5										2			1	2			
		C	1									1								
166	By corrosive substances	W	28									11	4	5	1	5		2		
		C	1												1					
167	By poisonous gas	W	12								1	1	1	1	5	2	1			
168	By hanging or strangulation	W	8											1	2	3		1	1	
		C	3										1		1	1				
169	By drowning	W	12								2	1			2	2	3		2	
		C	3									1	1		1					
170	By firearms	W	67								3	14	12	4	9	11	10	3	1	
		C	12									2	3	2	1	3	1			
171	By cutting or piercing instruments	W	3													2	1			
172	By jumping from high places	W	1													1				
173	By crushing	W	1														1			
	Homicide	W	126						2	2	6	12	24	15	32	16	10	7		
		C	292	1							27	78	65	36	52	19	7	3	2	2
197	By firearms	W	88						1	1	4	7	19	10	27	12	6	1		
		C	194								19	54	44	19	35	12	4	3	2	2
198	By cutting or piercing instruments	W	14							1		2	4	3		1	1	2		
		C	68								4	21	16	11	11	3	2			
199	By other means	W	24						1		2	3	1	2	5	3	3	4		
		C	30	1							4	3	5	6	6	4	1			
	Accidental, other, or undefined	W	860	21	23	24	20	16	50	46	79	71	59	50	89	94	61	70	81	6
		C	680	33	25	13	13	9	52	48	71	65	57	38	69	78	44	31	28	6
175	Poisoning by food	W	15	2	2	2		1	2				1	1	1	2			1	
		C	13	2	1				4			1			2	2		1		
176	Poisoning by venomous animals	W	1	1																
		C	2	1																
177	Other acute poisonings (gas excepted)	W	29	1	4	3	4		1		2	2	3	1	1	4	2	1		
		C	17		7	3	2		1			1	1				1	1		
178	Conflagration	W	13	1	1	1	1	2		2						1	1	2	1	
		C	9	1	2	1		1		1		1				1		1		
179	Burns (conflagration excepted)	W	73	2	5	7	5	4	10	2	4	4	3	3	4	8	2	8	2	
		C	108	9	8	3	6	3	15	5	6	7	5	4	12	7	2	7	9	
180	Mechanical suffocation	W	5	4									1							
		C	20	14	2	1						1			1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	W	8								1	2	1				2		2	
		C	3									2		1						
182	Drowning	W	109		5	3	2	1	9	13	16	11	4	9	12	16	6			2
		C	138	2	3	2			12	19	31	14	16	12	8	10	3	3	1	2
183	Traumatism by firearms (except in war)	W	51			1			3	7	12	3	5	5	6	4	3	2		
		C	47						3	9	8	11	4	3	5	2				2
184	Traumatism by cutting or piercing instruments	W	4	1								1	1			1				
		C	11							1		2			5		1	1	1	
185	Traumatism by fall	W	130	2	2	1	1		2		1		2	6	7	12	9	24	60	1
		C	41	2					2	2	2		1	2	2	10	8	2	8	
187	Traumatism by machines	W	27							2	2	5	4	4	7	1	2			
		C	12							1	2	2	1			3	3			
188a	Railroad accidents	W	62						1	2	3	9	6	7	4	14	8	4	2	1
		C	55			1			1	1		4	6	9	5	9	11	3	2	2	1
	Collision with automobiles	W	24						1	1	2	5	1	3	1	5	4	1		
		C	8							1				1	1	3	2			
	Other railroad accidents	W	38						1	1	4	5	4	3	9	4	3	2	1	1
		C	47			1		1			4	6	8	4	6	9	3	2	2	1
188b	Street-car accidents	W	2									1						1		
		C	6								1						2	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	212	2		2	3	3	15	10	23	28	19	11	26	19	23	18	9	1
	C	83	1			1	1	6	5	6	10	8	3	11	16	8	5	2	
188d	Airplane and balloon accidents W	1													1				
188e,f	Injuries by other vehicles W	8							1	1				1	1	1	2	1	
	C	12				1		3	1	2			1		1	2	1		
188g	Landslide, other crushing W	9					1			1			1	2	2	1	1		
	C	6								1		2		1	2				
189	Injuries by animals (not poisoning) W	5	1			1		1		1						1			
	C	5		1				1	1	1					1				
193	Excessive cold C	6													1	3		2	
194	Excessive heat W	2													2				
	C	8											1	2	1	4			
195	Lightning W	5	1							1				1	1	1			
	C	7						1		2			1		2		1		
196	Other accidental electric shocks W	8							1		4	2	1						
	C	7								2		1	2	2					
201	Fracture (cause not specified) W	6										1		1	1		1	2	
	C	3												2	1				
202	Other external violence W	75	3	4	5	2	3	5	5	5	4	5	4	5	10	4	8	2	1
	C	61	3	2	1	1	3	3	3	3	7	8	3	7	6	4	4	2	1
	XV.—Ill-defined diseases White	187	83	5	2	1	1	1	5	1	2		1	9	12	19	27	18	
	Colored	500	243	24	7	9	4	7	3	2	12	14	19	25	32	37	37	25	
204	Sudden death W	52	12						1		1		1	2	6	11	10	8	
	C	85	33	2		1		1		1	1	1	2	5	7	14	8	9	
205a	Ill-defined W	43	8	2	2	1			2					5	5	4	8	6	
	C	100	29	11	1		2	2	1			5	5	8	7	12	12	5	
205b	Not specified or unknown W	92	63	3			1	1	2	1	1			2	1	4	9	4	
	C	315	181	11	6	8	2	4	2	1	11	8	12	12	18	11	17	11	
	MAINE																		
	All causes	10,958	1,308	170	84	60	50	144	128	186	227	205	223	570	848	1,417	2,341	2,996	1
	I.—Epidemic, endemic, and infectious diseases	1,227	168	64	25	19	16	45	40	72	84	64	85	130	111	90	105	109	
1	Typhoid and paratyphoid fever	28						2	2	6	5	1	1	2	1	4	3	1	
7	Measles	80	28	21	6	3	3	4	5	3			2	1		4			
8	Scarlet fever	36	3	6	2	6	4	7	3	1	1	1			2				
9	Whooping cough	75	50	12	3	1	2	3	1				1					2	
10	Diphtheria	30	3	1	5	4	2	8	2		1		1	2	1				
11a	Influenza (with pulmonary complications)	176	36	11	2	1	2	3	2	1	1	4	5	10	15	15	34	34	
11b	Influenza (other and unspecified)	130	26	6	2		1	5	2	6	2	1	3	7	11	10	13	35	
13	Mumps	2	1						1										
15	Cholera nostras	3	3																
16	Dysentery	5	2	2	1														
21	Erysipelas	28	4											4	3	7	5	3	
22	Acute anterior poliomyelitis	22		3	1	1	1	5	4	1		3	2	1					
23	Lethargic encephalitis	4								1				1		2			
24	Meningococcus meningitis	9	2		2		1	1	1		2								
25	Other epidemic and endemic diseases	1	1																
27	Anthrax	1													1				
28	Rabies	1						1											
29	Tetanus	6				1		1	3				1						
	Tuberculosis (all forms)	542	5	2		2		5	12	49	70	51	66	93	68	38	49	32	
31	Of the respiratory system	459	1					2	5	42	60	46	57	79	63	33	43	28	
32	Of the meninges, central nervous system	25	4	2		1		3	5	3	1	2	3				1		
33	Of the intestines, peritoneum	22							1	1	6	2	2	5	1	4			
34	Of the vertebral column	8				1			1		1	1	1	2			1		
35	Of the joints	5												1			1	2	
36	Of other organs	8								1			1	1	1	1	2	1	
37a	Disseminated (acute)	4									1		1	2					
37b	Disseminated (chronic or unspecified)	11								1	1		1	3	3		1	1	
38	Syphilis	34	4						1	1		1	2	9	7	8	1		
40	Gonococcus infection	8							1	2	1	2	1		1				
41	Purulent infection, septicemia	8			1					1	1				1	2		2	
	II.—General diseases not included in Class I	1,451	22	5	5	3	3	11	6	7	12	12	12	93	190	319	448	303	
	Cancer and other malignant tumors	1,088	1	1	1	3	1	1		1	4	7	10	68	144	252	354	240	
43	Of the buccal cavity	34													4	9	12	9	
44	Of the stomach, liver	396	1											13	40	96	145	101	
45	Of the peritoneum, intestines, rectum	217									1	2	2	10	24	47	82	49	
46	Of the female genital organs	145									1	1	7	29	32	37	28	10	
47	Of the breast	88												5	22	26	17	18	
48	Of the skin	33				1								2	2	3	10	15	
49	Of other or unspecified organs	175		1	1	2	1	1		1	2	4	1	9	20	34	60	38	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	10		1				1							2		2	4	
51	Acute rheumatic fever	15						2	3			1			3	1	4	1	
52	Chronic rheumatism, osteoarthritis, gout	21													3	4	5	9	
54	Pellagra	6												2	4				
56	Rickets	4	1	1	1							1							
57	Diabetes mellitus	169					1	5	2	2	3	1	1	6	12	41	60	35	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	II.—General diseases not included in Class I—Continued.																		
58a	Pernicious anemia	40	2				1							2	8	9	12	6	
58b	Other anemias and chlorosis	9	3	1												2	2	1	
60a	Exophthalmic goiter	11									1		1	4	3	2			
60b	Other diseases of the thyroid gland	5								1				1			2	1	
62	Diseases of the thymus gland	8	7		1														
63	Diseases of the adrenals (Addison's disease)	2												1	1				
64	Diseases of the spleen	1												1					
65a	Leukemia	17			2			1	1	3	2			2	2	3	1		
65b	Hodgkin's disease	9							1	1				1	2	2	2		
66	Alcoholism (acute or chronic)	17												4	6	2	3	2	
67a	Chronic lead poisoning	3												1			1	1	
69	Other general diseases	16	8	1				2		1						1		3	
	III.—Diseases of the nervous system and of the organs of special sense	1,411	32	11	6	4	3	12	11	8	2	9	12	52	100	223	402	524	
70	Encephalitis	13	1	3						1	1	2	1	1		2		1	
71a	Simple meningitis	22	7	3	1			2	3			1		1	1	2	1		
71b	Nonepidemic cerebrospinal meningitis	6	2				1	1	1						1				
72	Tabes dorsalis (locomotor ataxia)	16													4	5	4	3	
73	Other diseases of the spinal cord	21								1		1	1			6	7	5	
74a	Cerebral hemorrhage	1,051								1		1	4	18	67	174	335	451	
74b	Cerebral embolism and thrombosis	56			1				1				1	4	2	10	11	26	
75	Paralysis without specified cause	34	1												1	3	16	13	
76	General paralysis of the insane	36											1	15	6	7	5	2	
77	Other forms of mental alienation	10										1	1		3	2	1	2	
78	Epilepsy	29			1	1		3	2	3		2	2	1	4	3	7		
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	17	13	2	1	1													
81	Chorea	1						1											
82	Neuralgia and neuritis	4												1		1	1	1	
83	Softening of the brain	6												1			1	4	
84	Other diseases of the nervous system	55	2	1	1	1		1		1			1	7	8	6	11	15	
86a	Diseases of the ear	18	5		1		1	2	2	1				2	2	1		1	
86b	Diseases of the mastoid process	15	1	2		1	1	1	2		1	1		1	1	1	2		
	IV.—Diseases of the circulatory system	2,480	8	2	1	2	1	9	8	15	13	10	12	47	146	372	739	1,094	1
87	Pericarditis	12	1										1	1	1	1	3	4	
88	Endocarditis and myocarditis (acute)	50	1	1				4		4	5	2	1	6	2	7	6	11	
89	Angina pectoris	314										1	1	5	26	80	103	98	
90	Other diseases of the heart	1,690	6	1	1	1	1	4	8	11	8	6	9	31	105	248	517	732	1
91a	Aneurysm	10												1	2	2	3	2	
91b,c	Other diseases of the arteries	363						1						2	6	26	92	236	
92	Embolism and thrombosis (not cerebral)	35										1		1	3	6	13	11	
93	Diseases of the veins	5													1	2	2		
94	Diseases of the lymphatic system	1				1													
	V.—Diseases of the respiratory system	817	165	43	16	7	8	14	12	14	11	8	10	30	47	96	129	207	
97a	Diseases of the nasal fossae	1																1	
97b	Diseases of the nasal fossae annexa	6						1	1		1	1		1		1			
98	Diseases of the larynx	7	1	2	1									1	1	1			
99a	Acute bronchitis	33	9	2								1	1		2	2	5	11	
99b	Chronic bronchitis	21									1				2	1	4	13	
99c,d	Bronchitis (unspecified)	23	11	1		1										1	1	8	
100a	Broncho-pneumonia	310	88	17	7	2	2	4	4	6	1	1	2	5	11	27	45	88	
100b	Capillary bronchitis	15	6	4	1	1							1			1		1	
101a	Lobar pneumonia	308	35	13	2	2	6	8	6	6	6	4	6	19	22	51	63	59	
101b	Pneumonia (unspecified)	43	14	1	3	1									3	5	4	12	
102	Pleurisy	15		2	2		1				2			1	2	1	3	1	
103	Congestion and hemorrhagic infarct of the lung	14		1					1						1	1	2	8	
104	Gangrene of the lung	3								2					1				
105	Asthma	6	1									1			1	2		1	
106	Pulmonary emphysema	3												1			2		
107	Other diseases of the respiratory system (tuberculosis excepted)	9												2	1	2		4	
	VI.—Diseases of the digestive system	753	165	22	15	10	7	26	21	19	25	25	25	49	63	89	103	89	
108	Diseases of the mouth and annexa	6	1				1					1	1			1	1		
109b	Other diseases of the pharynx, tonsils	43	2	2	3	4		3	2	1	6	3	3	8	2	1	2	1	
110	Diseases of the esophagus	1											1						
111a	Ulcer of the stomach	43						1						4	7	13	9	9	
111b	Ulcer of the duodenum	13										1	1		2	6	2	1	
112	Other diseases of the stomach (cancer excepted)	62	20	1		1					2			1	4	9	7	17	
113	Diarrhea and enteritis (under 2 years)	148	134	14															
114	Diarrhea and enteritis (2 years and over)	35			8	3	2	4	2						4		3	9	
117	Appendicitis and typhlitis	143		3	3	2	4	17	14	15	12	15	12	17	8	11	8	2	
118a	Hernia	32	1											2	2	3	16	8	
118b	Intestinal obstruction	57	7	2							4		2	4	7	7	7	17	
119	Other diseases of the intestines	10							1				1		2	1	1	4	
120	Acute yellow atrophy of the liver	1																1	
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	56									1			2	8	17	23	5	
123	Biliary calculi	37												6	6	9	10	6	
124	Other diseases of the liver	47							1	1		3	3	5	9	9	11	5	
125	Diseases of the pancreas	3													1		2		
126	Peritonitis without specified cause	15			1			1	1	2		2	1			2	1	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	955	3	5	1		2	2	3	4	4	4	12	63	104	132	290	326	
128	Acute nephritis (including unspecified under 10 years)	43	3	3	1		2	1		1	1			8	4	7	5	7	
129	Chronic nephritis (including unspecified 10 years and over)	776						1	2	1	1	3	8	38	76	113	253	280	
131	Other diseases of the kidneys and annexa	21		2						1			1	2	3	2	4	6	
132	Calculi of the urinary passages	11											1	1	3	2	4		
133	Diseases of the bladder	9												1	1		1	6	
134	Diseases of the urethra, etc	2							1						1				
135	Diseases of the prostate	49													1	5	20	23	
137	Cysts, other benign tumors of the ovary	6												1		1	1	3	
138	Salpingitis and pelvic abscess (female)	6									1		2	1	2				
139	Benign tumors of the uterus	22										1		7	10	1	2	1	
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	8												4	3	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	1									1								
	VIII.—The puerperal state	130								10	25	33	24	35	3				
143	Accidents of pregnancy	7									2	3	1	1					
144	Puerperal hemorrhage	13								1	1	5		6					
145	Other accidents of labor	21								3	1	5	4	7	1				
146	Puerperal septicemia	34								1	12	10	4	6	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	19									2	4	5	7	1				
148	Puerperal albuminuria and convulsions	36								5	7	6	10	8					
	IX.—Diseases of the skin and of the cellular tissue	48	7						1	1				5	2	4	10	18	
151	Gangrene	22								1					1	1	7	12	
152	Furuncle	11	2						1					3		2	1	2	
153	Acute abscess	7	2											1	1		2	1	
154	Other diseases of the skin and annexa	8	3											1		1		3	
	X.—Diseases of the bones and of the organs of locomotion	7		1				2				1					3		
155	Diseases of the bones (tuberculosis excepted)	5		1				2				1					1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2															2		
	XI.—Malformations	104	93	4	2						1	3		1					
159a	Congenital hydrocephalus	12	8	2	1									1					
159b	Congenital malformations of the heart	54	50	2	1							1							
159c	Other congenital malformations	38	35								1	2							
	XII.—Early infancy	586	586																
160	Congenital debility, icterus, sclerema	92	92																
161a	Premature birth	347	347																
161b	Injury at birth	87	87																
162	Other diseases peculiar to early infancy	57	57																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	207															15	192	
	XIV.—External causes	662	15	11	12	13	9	22	26	35	48	32	27	60	73	85	84	110	
	Suicide	101							1	2	2	4	6	11	22	22	21	10	
165	By poisons (gas or corrosives excepted)	9										1		3	2	1	1	1	
166	By corrosive substances	1										1							
167	By poisonous gas	6												1	2	1	2		
168	By hanging or strangulation	20								1	1				6	2	5	5	
169	By drowning	18							1		1	1	3	2	2	4	4		
170	By firearms	42								1		1	3	5	9	11	8	4	
171	By cutting or piercing instruments	3														2	1		
173	By crushing	1													1				
174	By other means	1														1			
	Homicide	15								1	1		3	4	1	2	2	1	
197	By firearms	7											1	3	1	1	1		
198	By cutting or piercing instruments	4											1	1		1	1		
199	By other means	4								1	1		1					1	
	Accidental, other, or undefined	546	15	11	12	13	9	22	25	32	45	28	18	45	50	61	61	99	
175	Poisoning by food	7	1					1	1		1			1	1	1			
176	Poisoning by venomous animals	1									1								
177	Other acute poisonings (gas excepted)	14		4	1						2	2		2	2		1		
178	Conflagration	4													1		1	2	
179	Burns (conflagration excepted)	28	3	3	3	1	4	2		1	2	1		3		2	1	2	
180	Mechanical suffocation	8	4										1	1	1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	10			1					1		1		2	1	2	1	1	
182	Drowning	68			1	1	2	5	9	17	14	8	1	2	3	4	1		
183	Traumatism by firearms (except in war)	19					1	1	3	4	2		1	3	2	1	1		
184	Traumatism by cutting or piercing instruments	5							1						1	2	1		
185	Traumatism by fall	130	1	2		3		1	3	1	2	1	2	3	7	9	21	74	
186b	Traumatism in quarries	5									1			1	2		1		
187	Traumatism by machines	16								1	2	1	1	3	2	4	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188a	Railroad accidents	29				1			2	1	4	2	1	1	6	7	4		
	Collision with automobiles	7							1	1	1		1	1		1	1		
	Other railroad accidents	22				1			1		3	2			6	6	3		
188b	Street-car accidents	8			1			1			2			1	2	1			
	Collision with automobiles	5									2			1	1	1			
	Other street-car accidents	3			1			1							1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	112	3		4	4	1	7	4	3	7	8	6	12	8	18	17	10	
188d	Airplane and balloon accidents	2								1			1						
188e,f	Injuries by other vehicles	13			2		2				1	1	1	1			2	3	
188g	Landslide, other crushing	6										1			4	1			
189	Injuries by animals (not poisoning)	3					1		1									1	
192	Starvation (deprivation of food or water)	1														1			
194	Excessive heat	3												1		2			
195	Lightning	2											1	1					
196	Other accidental electric shocks	7								1	1	1	1	2	1				
201	Fracture (cause not specified)	6															2	4	
202	Other external violence	39	3	2	1	1		2	1	1	3	1	1	5	6	5	5	2	
	XV.—Ill-defined diseases	120	44	2	1	2	1	1		1	2	4	4	5	9	7	13	24	
204	Sudden death	28	8	1								1	2		4	4	1	7	
205a	Ill-defined	31	4	1	1		1				2	2	1	2	3	1	5	8	
205b	Not specified or unknown	61	32			2		1		1		1	1	3	2	2	7	9	
	MARYLAND																		
	All causes—White	15,827	1,768	264	145	86	73	234	155	285	376	398	417	1,257	1,779	2,446	3,117	3,010	17
	All causes—Colored	5,275	879	153	54	42	29	93	72	170	251	284	290	699	745	663	463	355	33
	I.—Epidemic, endemic, and infectious diseases—White	1,742	179	73	50	31	31	59	35	82	121	115	121	240	212	164	144	82	3
	I.—Epidemic, endemic, and infectious diseases—Colored	1,100	122	43	19	19	15	33	34	92	137	131	103	161	95	60	21	13	2
1	Typhoid and paratyphoid fever—W	58					1	4	9	10	4	5	5	7	3	5	4	1	
	Typhoid and paratyphoid fever—C	36	2				2	1	2	6	7	4	3	3	5		1		
5	Malaria—W	2										1						1	
	Malaria—C	1	1																
7	Measles—W	15	4	4	2	2		2		1									
	Measles—C	6	2	1		2			1										
8	Scarlet fever—W	16	3	1	2	3	1	3	1		2								
	Scarlet fever—C	2							1			1							
9	Whooping cough—W	116	71	19	11	4	3	7	1										
	Whooping cough—C	76	41	15	6	6	4	4											
10	Diphtheria—W	97	5	12	16	17	16	21	5				1	2	2				
	Diphtheria—C	21	2	1	2	2	2	8	3		1								
11a	Influenza (with pulmonary complications)—W	163	20	13	4	3	3	4	1	3	5	5	7	13	15	16	26	25	
	Influenza (with pulmonary complications)—C	66	5	14	2			2		3	4	3	5	5	10	6	4	3	
11b	Influenza (other and unspecified)—W	87	10	5	4	1	2	4	3	3	2	2	1	3	7	8	15	17	
	Influenza (other and unspecified)—C	28	6	1	1	2	1	2	2		1	1	2	2	3	3	1		
16	Dysentery—W	41	25	7							1				1	1	3	3	
	Dysentery—C	13	9	1		1								1				1	
21	Erysipelas—W	23	2				1		1				2		4	2	3	8	
	Erysipelas—C	1												1					
22	Acute anterior poliomyelitis—W	6	2	1	2			1											
23	Lethargic encephalitis—W	21	3					1		2			2	5	1	6	1		
	Lethargic encephalitis—C	5				2					1		1		1				
24	Meningococcus meningitis—W	17	9	1	1	1		1						2	1	1			
	Meningococcus meningitis—C	4	1								1	1		1					
25	Other epidemic and endemic diseases—W	3	2		1														
28	Rabies—W	2					1										1		
29	Tetanus—W	13						2	3	1	3		1			1	2		
	Tetanus—C	11	1		1			1	3	1	2					1			1
30	Mycoses—W	1												1					
	Tuberculosis (all forms)—W	962	8	9	7		3	9	10	58	98	97	95	190	158	113	78	26	3
	Tuberculosis (all forms)—C	662	17	9	6	4	5	14	23	78	114	106	74	108	56	33	7	7	1
31	Of the respiratory system—W	887		5	1		2	1	8	51	92	95	90	183	155	104	73	24	3
	Of the respiratory system—C	574	7	5	1	1	3	4	13	70	104	94	71	100	55	31	7	7	1
32	Of the meninges, central nervous system—W	30	7	4	5		1	6	2	3	1			1					
	Of the meninges, central nervous system—C	27	6	2	3	2	2	6	2	1	1	1		1					
33	Of the intestines, peritoneum—W	8									1			1	1	3	1	1	
	Of the intestines, peritoneum—C	26	1		1			1	3	5	2	3	2	6	1	1			
34	Of the vertebral column—W	12								3	1	1	1	2	1	2	1		
	Of the vertebral column—C	7				1		1	2		1	1	1						
35	Of the joints—W	5									1		1			1	2		
	Of the joints—C	1										1							
36	Of other organs—W	13						2		1	1	1	2	2	1	2		1	
	Of other organs—C	8						1	1	1	2	3							
37a	Disseminated (acute)—W	5			1						1		1			1	1		
	Disseminated (acute)—C	16	3	2	1			1	2	1	4	1				1			
37b	Disseminated (chronic or unspecified)—W	2	1											1					
	Disseminated (chronic or unspecified)—C	3										2		1					
38	Syphilis—W	71	13	1						2	1		4	12	17	10	10	1	
	Syphilis—C	146	33	1	1		1	1		2	4	13	12	35	19	14	8	2	
40	Gonococcus infection—W	16								2	5	2	3	2	2				
	Gonococcus infection—C	20	2							1	2	2	6	5		2			
41	Purulent infection, septicemia—W	12	2						1			3		3	1	1	1		
	Purulent infection, septicemia—C	2													1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	II.—General diseases not included in Class I.	White	1,983	33	4	7	5	3	15	12	16	21	43	33	172	365	502	497	254	1
		Colored	419	14	2		2		11	6	6	9	24	24	76	101	69	61	11	3
	Cancer and other malignant tumors	W	1,369	1	2	2	1	3	3	6	7	7	16	24	98	257	350	382	209	1
		C	229						3		1	1	6	11	39	63	45	48	9	3
43	Of the buccal cavity	W	55									1			3	14	15	15	7	
		C	4													2		2		
44	Of the stomach, liver	W	488								1		3	4	27	82	131	160	79	1
		C	80						1				1	4	11	19	20	21	3	
45	Of the peritoneum, intestines, rectum	W	167							2		1	3	2	13	31	31	58	26	
		C	31								1		1	1	4	10	6	4	3	1
46	Of the female genital organs	W	182					1					1	7	24	56	43	37	13	
		C	61									1	3	3	19	12	10	12		1
47	Of the breast	W	128										1	2	16	27	39	21	22	
		C	19												3	9	3	3	1	
48	Of the skin	W	39				1								2	1	8	5	22	
		C	2												1		1			
49	Of other or unspecified organs	W	310	1	2	2		2	3	4	6	5	8	9	13	46	83	86	40	
		C	32						2				1	3	1	11	5	6	2	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	11	1						1		1			2	2	2	1	1	
		C	3												1		1	1		
51	Acute rheumatic fever	W	31		1	1			8	4	3	1	2	1	2	1	4	1	2	
		C	30				1		6	3	2	2	2	2	2	6	3	1		
52	Chronic rheumatism, osteoarthritis, gout	W	22												1	4	3	5	9	
		C	6												1	1	2	2		
53	Scurvy	W	1	1																
54	Pellagra	W	12									1	1		1	3	4	2		
		C	6								1		1	1	3					
56	Rickets	W	5	5																
		C	12	9	1		1		1											
57	Diabetes mellitus	W	255			1			1		1	4	1	1	14	38	93	75	26	
		C	44							1	1		1	1	4	14	12	8	2	
58a	Pernicious anemia	W	27										3		4	2	5	12	1	
		C	1									1								
58b	Other anemias and chlorosis	W	4										1		1		1	1		
59	Diseases of the pituitary gland	W	2									1				1				
		C	1								1									
60a	Exophthalmic goiter	W	50								1	2	4	2	11	13	12	5		
		C	5										1	1	2	1				
60b	Other diseases of the thyroid gland	W	8			1			1		1	1				1	3			
		C	1												1					
61	Diseases of the parathyroid glands	W	1	1																
62	Diseases of the thymus gland	W	8	8																
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	3									1			1		1			
65a	Leukemia	W	26			2	3				2	1	4		4	3	3	3	1	
		C	6						1			2	1			1		1		
65b	Hodgkin's disease	W	8		1				1		1			1		2	1		1	
		C	1							1										
66	Alcoholism (acute or chronic)	W	110										11	4	32	36	19	7	1	
		C	66									3	11	8	23	15	6			
67a	Chronic lead poisoning	W	4													2	1	1		
68	Chronic poisoning by organic substances	W	2															2		
		C	1										1							
69	Other general diseases	W	24	16			1		1	1		1			1				3	
		C	6	4	1					1										
	III.—Diseases of the nervous system and of the organs of special sense	White	1,751	44	14	11	7	5	18	11	17	21	13	31	110	160	317	487	484	1
		Colored	455	18	2	1		1	1	5	5	4	6	5	64	99	101	72	65	6
70	Encephalitis	W	15	3	1	2	2		1			1		1	1	1	1	1		
		C	2	1											1					
71a	Simple meningitis	W	32	9	4	5		1	2	2	1	3		1	1		1	2		
		C	7	1				1	1	1	1	1				1				
71b	Nonepidemic cerebrospinal meningitis	W	5	2			1	1					1							
		C	3	1						1						1				
72	Tabes dorsalis (locomotor ataxia)	W	19												3	1	6	5	4	
		C	2														2			
73	Other diseases of the spinal cord	W	44		1			1	1	1				1	2	6	13	12	6	
		C	7												1	1	2	1	2	
74a	Cerebral hemorrhage	W	1,191	1	1	1					2	1	1	9	41	92	243	409	389	1
		C	314		1					1	1		2	2	44	69	83	58	50	3
74b	Cerebral embolism and thrombosis	W	61	1	1						2		1		5	8	14	13	16	
		C	6												1	3	1		1	
75	Paralysis without specified cause	W	97											1	2	4	18	26	46	
		C	48			1									1	8	11	13	11	3
76	General paralysis of the insane	W	67										1	8	26	19	5	5	3	
		C	25											2	10	12	1			
77	Other forms of mental alienation	W	10										1		3	1	2	1	2	
		C	7										2		3	2				
78	Epilepsy	W	35	3			1		2		2	6	3	3	5	5	2	2	1	
		C	16	3						2	3	3			2	2	1			
80	Infantile convulsions (under 5 years)	W	16	14	2															
		C	11	10	1															
81	Chorea	W	1						1											
82	Neuralgia and neuritis	W	3														1		2	
83	Softening of the brain	W	17													1	1	5	10	
84	Other diseases of the nervous system	W	86		1	3	2	1	6	5	3	5	3	3	15	19	10	5	5	
		C	5	1									2		1				1	
86a	Diseases of the ear	W	35	9	3		1	1	3	2	4	4	1	1	5	1				
		C	1											1						
86b	Diseases of the mastoid process	W	17	2					2	1	3	1	1	3	1	2		1		
		C	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	IV.—Diseases of the circulatory system	White	3,269	12		3	1	3	19	21	31	24	26	29	157	365	573	917	1,088	
		Colored	785	1	2				7	2		15	18	31	95	173	178	137	118	8
87	Pericarditis	W	14						1		2	2		1	1	1	1	1	4	
		C	3									1			1	1	1			
88	Endocarditis and myocarditis (acute)	W	95	6			1	1	4	2	5	7	4	3	15	17	8	10	12	
		C	31	1	1				1			2	2	3	8	4	7		2	
89	Angina pectoris	W	285											1	15	53	71	86	59	
		C	21												2	9	3	5	2	
90	Other diseases of the heart	W	2,526	3		3		1	13	19	24	15	22	23	120	278	457	736	812	
		C	649		1				6	2		12	15	24	81	146	157	110	90	5
91a	Aneurysm	W	15						1						1	2	4	4	3	
		C	5											1		4				
91b,c	Other diseases of the arteries	W	288												4	5	19	71	189	
		C	64													7	10	21	23	2
92	Embolism and thrombosis (not cerebral)	W	35											1	1	6	12	8	7	
		C	5											1	1	1			1	1
93	Diseases of the veins	W	4													1	1	1	1	
		C	5										1	1	2	1				
94	Diseases of the lymphatic system	W	5	2												2			1	
95	Hemorrhage without specified cause	W	2	1				1												
		C	1																	
96	Other diseases of the circulatory system	C	1												1			1		
	V.—Diseases of the respiratory system	White	1,519	289	86	27	14	10	17	10	23	24	33	38	135	150	175	226	261	1
		Colored	757	215	70	21	11	5	12	4	22	22	40	38	89	73	66	35	32	2
97a	Diseases of the nasal fossae	W	1	1																
		C	1	1																
97b	Diseases of the nasal fossae annexa	W	10								1	1	1	1	3	2			1	
		C	1	1																
98	Diseases of the larynx	W	6	1	1	1	1								1				1	
		C	3	2															1	
99a	Acute bronchitis	W	35	9	1	1									1		2	4	17	
		C	21	8	2		2						1			1	2		5	
99b	Chronic bronchitis	W	33	1					1		1				1	1	3	10	15	
		C	5							1				1			1	1	1	
99c,d	Bronchitis (unspecified)	W	21	6	2										1		1	2	9	
		C	11	8	1												1	1		
100a	Broncho-pneumonia	W	672	210	51	17	10	5	7	2	4	2	7	7	33	41	51	95	129	1
		C	339	145	47	13	5	4	8	2	7	5	7	8	15	21	20	19	13	
100b	Capillary bronchitis	W	7	5	1											1				
		C	11	7	3														1	
101a	Lobar pneumonia	W	650	47	25	6	2	4	8	7	13	18	24	26	87	99	103	104	77	
		C	327	36	16	8	3	1	4	1	14	15	31	26	67	48	35	12	9	1
101b	Pneumonia (unspecified)	W	8	2	1						1					1	1		2	
		C	10	6	1												1	2		
102	Pleurisy	W	33	5	4	2	1	1	1		1	3		1	2	2	6	4		
		C	14	1			1				1	1		2	5		2			1
103	Congestion and hemorrhagic infarct of the lung	W	10	2												1	1		6	
		C	3												1	1	1			
104	Gangrene of the lung	W	1												1					
		C	1																	
105	Asthma	W	21							1			2	4	1	4	5	4		
		C	3										1		1	1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	11							2		1	1	1	1	3	2			
		C	7								1		1	1	1	1			2	
	VI.—Diseases of the digestive system	White	1,105	291	54	23	11	5	26	13	20	16	24	32	106	123	151	115	95	
		Colored	365	148	23	6	1	2	8	5	7	17	13	18	38	37	27	10	5	
108	Diseases of the mouth and annexa	W	10	2										1	1		5		1	
		C	2								1					1				
109b	Other diseases of the pharynx, tonsils	W	54	2	1	3	1	1	8		3	5	5	2	4	11	4	2	2	
		C	15	1	1	1		1				2		2	2	2	2		1	
110	Diseases of the esophagus	W	1												1					
111a	Ulcer of the stomach	W	56										2	3	18	13	13	4	3	
		C	17						1	1				4	4	2	3	1	1	
111b	Ulcer of the duodenum	W	18											2	4	4	4	4		
		C	4					1						1	1	1				
112	Other diseases of the stomach (cancer excepted)	W	54	8	3				1		2	1		1	2	9	10	9	8	
		C	27	6	2	1	1		1			1	3		6	3	1	2		
113	Diarrhea and enteritis (under 2 years)	W	305	259	46															
		C	157	139	18															
114	Diarrhea and enteritis (2 years and over)	W	68			16	6		5				2		3	1	9	10	16	
		C	36			4			1		2	4	5	4	5	5	3	2	1	
115	Ancylostomiasis	W	1																1	
116	Diseases due to other intestinal parasites	W	1		1															
117	Appendicitis and typhlitis	W	144		1	3	2	4	8	11	11	2	7	9	27	26	17	9	7	
		C	40		1				3	2	3	6	1	3	11	7	2	1		
118a	Hernia	W	64	3								2		1	6	9	11	13	19	
		C	10						1				1	1	1	2	3	1		
118b	Intestinal obstruction	W	96	12	1	1			3	2	2	4	1	5	11	16	14	16	8	
		C	21	2	1							3	2	2	2	3	5	1		
119	Other diseases of the intestines	W	8	2											1	2		1	2	
		C	6							1				1	1	3				
120	Acute yellow atrophy of the liver	W	7								1		2		2				2	
		C	3									1	1		1					
122	Cirrhosis of the liver	W	76						1					1	9	13	20	24	8	
		C	13												1	5	4	2	1	
123	Biliary calculi	W	56										1	3	7	10	17	10	8	
		C	2														1		1	
124	Other diseases of the liver	W	61										2	4	5	6	26	10	8	
		C	5												2	1	2			
125	Diseases of the pancreas	W	5										1		1	2		1		
126	Peritonitis without specified cause	W	20	3	1		2				1	2	1		4	1	1	2	2	
		C	7						1	1	1				1	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—White	2,010	5	3	1	1	1	1	8	12	12	21	36	146	211	383	587	580	2
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Colored	600	3	1	1	1	1	5	1	7	4	17	24	93	116	130	109	85	2
128	Acute nephritis (including unspecified under 10 years)—W	66	1	2		1			1	1	1	3	2	10	6	9	22	7	
	Acute nephritis (including unspecified under 10 years)—C	55	3	1	1	1	1	2		3	1	3	4	12	7	8	5	3	
129	Chronic nephritis (including unspecified 10 years and over)—W	1,770					1	1	7	9	9	15	28	105	178	348	533	534	2
	Chronic nephritis (including unspecified 10 years and over)—C	502						2	1	3	1	8	19	74	101	117	97	78	1
131	Other diseases of the kidneys and annexa—W	47	3	1	1					1		1	1	9	11	7	2	10	
	Other diseases of the kidneys and annexa—C	9						1				2	1	2	1	1		1	
132	Calculi of the urinary passages—W	10									1		1	3		3		2	
	Calculi of the urinary passages—C	3										1					2		
133	Diseases of the bladder—W	6												1		1	3	1	
134	Diseases of the urethra, etc.—W	3													1	2			
135	Diseases of the prostate—W	62													7	9	23	23	
	Diseases of the prostate—C	11													1	3	3	3	1
136	Nonvenereal diseases of the male genital organs—W	2	1												1				
	Nonvenereal diseases of the male genital organs—C	1								1									
137	Cysts, other benign tumors of the ovary—W	7												5			1	1	
138	Salpingitis and pelvic abscess (female)—W	14								1	1	1	2	5	2		1	1	
	Salpingitis and pelvic abscess (female)—C	4									1	1		1	1				
139	Benign tumors of the uterus—W	18											1	6	5	3	2	1	
	Benign tumors of the uterus—C	15									1	2		4	5	1	2		
141	Other diseases of the female genital organs—W	5										1	1	2		1			
	VIII.—The puerperal state—White	140								16	31	30	24	38	1				
	VIII.—The puerperal state—Colored	47							1	6	6	10	9	14	1				
143	Accidents of pregnancy—W	16								3	2	4	2	5					
	Accidents of pregnancy—C	4										1	1	2					
144	Puerperal hemorrhage—W	17									3	2	5	7					
	Puerperal hemorrhage—C	6										2	2	2					
145	Other accidents of labor—W	12								2	3	2		4	1				
	Other accidents of labor—C	5								1		1	2	1					
146	Puerperal septicemia—W	54								10	13	15	9	7					
	Puerperal septicemia—C	17							1	3	1	3	3	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.—W	5										1		4					
	Puerperal phlegmasia alba dolens, embolus, etc.—C	3									1		1	1					
148	Puerperal albuminuria and convulsions—W	36								1	10	6	8	11					
	Puerperal albuminuria and convulsions—C	11								1	4	3		2	1				
149	Following childbirth (undefined)—C	1								1									
	IX.—Diseases of the skin and of the cellular tissue—White	33	5		1			1		1	1		1	1	6	3	4	9	
	IX.—Diseases of the skin and of the cellular tissue—Colored	12	2											2	4	1		3	
151	Gangrene—W	11													2	1	1	7	
	Gangrene—C	7												2	2			3	
152	Furuncle—W	7	1										1	1	2	1	1		
153	Acute abscess—W	9	1					1		1	1				2		2	1	
	Acute abscess—C	1													1				
154	Other diseases of the skin and annexa—W	6	3		1											1		1	
	Other diseases of the skin and annexa—C	4	2												1	1			
	X.—Diseases of the bones and of the organs of locomotion—White	21		3				4	2		2	1		3	2	1	3		
	X.—Diseases of the bones and of the organs of locomotion—Colored	3		1								1			1				
155	Diseases of the bones (tuberculosis excepted)—W	21		3				4	2		2	1		3	2	1	3		
	Diseases of the bones (tuberculosis excepted)—C	3		1								1			1				
	XI.—Malformations—White	206	187	6	3		2	7	1										
	XI.—Malformations—Colored	26	25			1													
159a	Congenital hydrocephalus—W	20	15	2			1	2											
	Congenital hydrocephalus—C	4	3			1													
159b	Congenital malformations of the heart—W	137	128	2	2		1	3	1										
	Congenital malformations of the heart—C	16	16																
159c	Other congenital malformations—W	49	44	2	1			2											
	Other congenital malformations—C	6	6																
	XII.—Early infancy—White	688	688																
	XII.—Early infancy—Colored	303	303																
160	Congenital debility, icterus, sclerema—W	64	64																
	Congenital debility, icterus, sclerema—C	33	33																
161a	Premature birth—W	427	427																
	Premature birth—C	181	181																
161b	Injury at birth—W	113	113																
	Injury at birth—C	39	39																
162	Other diseases peculiar to early infancy—W	84	84																
	Other diseases peculiar to early infancy—C	48	48																
163	Lack of care—C	2	2																
164	XIII.—Old age (senility)—White	60															7	53	
	XIII.—Old age (senility)—Colored	18														2	4	11	1
	XIV.—External causes—White	1,256	21	20	17	16	13	67	42	67	100	92	72	146	179	171	126	100	7
	XIV.—External causes—Colored	345	8	8	6	7	5	15	14	24	37	24	37	64	40	27	10	11	8
	Suicide—W	203								5	8	16	19	34	48	48	18	6	1
	Suicide—C	16								2	1	1	3	5	4				
165	By poisons (gas or corrosives excepted)—W	6											1	2	2			1	
	By poisons (gas or corrosives excepted)—C	2									1		1						
166	By corrosive substances—W	16								1	3	4	1	4	1	2			
	By corrosive substances—C	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	XIV.—External causes—Continued.																			
	Suicide—Continued.																			
167	By poisonous gas	W	42									1	4	4	11	9	9	3	1	
168	By hanging or strangulation	W	26										1	2	2	11	6	3	1	
		C	3											1	1	1				
169	By drowning	W	8									1		1	1	1	3	2		
		C	2										1			1				
170	By firearms	W	85								4	3	6	9	12	20	19	9	2	1
		C	3								1				1	1				
171	By cutting or piercing instruments	W	12										1		1	2	6	1	1	
		C	4											1	2	1				
172	By jumping from high places	W	5											1	2		2			
173	By crushing	W	1													1				
		C	1								1									
174	By other means	W	2													1	1			
	Homicide	W	46								1	7	7	8	9	8	3	2	1	
		C	68							1	3	11	11	15	19	1	2	1		4
197	By firearms	W	28								1	4	5	6	6	4	1	1		
		C	41								2	7	7	6	14		1			4
198	By cutting or piercing instruments	W	4									1	1		1	1				
		C	15									4	3	4	3		1			
199	By other means	W	14									2	1	2	2	3	2	1	1	
		C	12							1	1		1	5	2	1		1		
	Accidental, other, or undefined	W	1,007	21	20	17	16	13	67	42	61	85	69	45	103	123	120	106	93	6
		C	261	8	8	6	7	5	15	13	19	25	12	19	40	35	25	9	11	4
175	Poisoning by food	W	7			1		1	1				1	1	2					
		C	5			1						1			1		2			
176	Poisoning by venomous animals	W	2		1											1				
177	Other acute poisonings (gas excepted)	W	23		3	2	2		1			2	3	1	3	2	3	1		
		C	3		2							1								
178	Conflagration	W	7		1	1							1			2	1			1
		C	8	1			1		1				1		1	1	1	1		
179	Burns (conflagration excepted)	W	79	2	5	6	7	2	12	3	1	4	2		7	9	6	10	1	2
		C	32		3	2	5	4	2		1	1	3	3	2		4	1	1	
180	Mechanical suffocation	W	9	9																
		C	5	5																
181	Absorption of irrespirable, irritating, or poisonous gas	W	29	1							2		1	1	3	10	4	6	1	
		C	5										1	1	1		2			
182	Drowning	W	122			3	1		9	16	14	15	9	7	14	18	11	3		2
		C	31			1			2	2	3	8	3	1	6	2	1		1	1
183	Traumatism by firearms (except in war)	W	19					1	4	2	2	5	1		1		1	1	1	
		C	11							2	3	1		1	3	1				
184	Traumatism by cutting or piercing instruments	W	4		1												1	1	1	
		C	1												1					
185	Traumatism by fall	W	183	6		1		1	4	3	8	3	8	4	13	13	28	31	59	1
		C	31	1	1				1			3	1	3	4	6	4	1	5	1
186a	Traumatism in mines	W	3										1	1		1				
186b	Traumatism in quarries	W	2												1		1			
		C	1													1				
187	Traumatism by machines	W	30								4	4	2	2	5	4	4	5		
		C	6											1	3	2				
188a	Railroad accidents	W	79		1				2	1	6	7	13	8	15	10	9	4	3	
		C	23								3	1	1	6	7	4	1			
	Collision with automobiles	W	10								1	2	1	2	1	1	1	1		
		C	1													1				
	Other railroad accidents	W	69		1				2	1	5	5	12	6	14	9	8	3	3	
		C	22								3	1	1	6	7	3	1			
188b	Street-car accidents	W	30				1				4	2	2	2	3	2	6	4	4	
		C	11									1			1	3	4	1	1	
	Collision with automobiles	W	1															1		
		C	1														1			
	Other street-car accidents	W	29				1				4	2	2	2	3	2	6	3	4	
		C	10									1			1	3	3	1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	275		2		3	8	29	15	16	33	22	12	24	33	34	33	11	
		C	55		2	1	1	1	9	7	5	5	1	1	6	7	4	3	2	
188e,f	Injuries by other vehicles	W	9						1		1	2		2	1		1	1		
		C	2			1								1						
188g	Landslide, other crushing	W	2										1			1				
		C	2												1		1			
189	Injuries by animals (not poisoning)	W	4												1	1		2		
		C	2													1	1			
190	Wounds of war	C	1											1						
193	Excessive cold	W	5											2		1	1		1	
		C	2															2		
194	Excessive heat	W	9		1										3	2	2		1	
		C	4												1	2			1	
195	Lightning	W	2						1							1				
		C	2							1						1				
196	Other accidental electric shocks	W	9								1	2			3	2	1			
		C	1													1				
201	Fracture (cause not specified)	W	10		1										1	1	1	2	3	
		C	1								1									
202	Other external violence	W	54	3	4	3	2		3	2	2	6	2	1	3	9	5	2	7	
		C	16	1						1	3	3	1		2	3				2
	XV.—Ill-defined diseases	White	44	14	1	2						3			3	5	6	4	4	2
		Colored	40	20	1				1		1			1	3	5	2	4	1	1
204	Sudden death	W	9														4	3	2	
		C	9	3										1	2	3				
205a	Ill-defined	W	11	3	1	1						1			2	2		1		
		C	10	2												2		4	1	1
205b	Not specified or unknown	W	24	11		1						2			1	3	2		2	2
		C	21	15	1				1		1				1		2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS																		
	All causes	49,285	5,310	778	372	280	281	946	634	837	1,076	1,177	1,436	3,618	5,516	7,834	9,319	9,359	12
	I.—Epidemic, endemic, and infectious diseases	4,974	389	241	131	96	100	275	153	290	420	451	383	705	549	400	230	161	
1	Typhoid and paratyphoid fever	42						3	2	5	6	4	6	7	7		2		
5	Malaria	1														1			
7	Measles	91	17	43	15	2	4	6	1					1				2	
8	Scarlet fever	145	6	14	10	6	22	41	15	6	3	8	3	9	1	1			
9	Whooping cough	155	87	35	14	9	6	3				1							
10	Diphtheria	275	14	27	39	27	32	98	18	4	7		3	3			2	1	
11a	Influenza (with pulmonary complications)	297	41	13	5	4		8	3	9	4	9	11	24	32	44	35	55	
11b	Influenza (other and unspecified)	103	14	6	1	6	2	1	2	2	5	5	5	6	7	12	8	21	
13	Mumps	6	2				1							1		1		1	
16	Dysentery	16	8	1	1	1	1	1			1					1		1	
19	Spirochetal hemorrhagic jaundice	1															1		
21	Erysipelas	127	44	3		1	2	2	1		2	4		6	13	15	18	16	
22	Acute anterior poliomyelitis	170	14	13	7	16	18	48	23	17	3	2	5	3	1				
23	Lethargic encephalitis	61		5	2	1	1	5	4	3	2	8	4	9	9	7	1		
24	Meningococcus meningitis	53	22	4	4	2	1	5	5	2	2	2	1		3				
25	Other epidemic and endemic diseases	8	7		1														
28	Rabies	2														1	1		
29	Tetanus	24	1	1			1	2	9	1			1	1	2	3	2		
30	Mycoses	2															1	1	
	Tuberculosis (all forms)	3,202	65	69	29	20	8	50	66	237	379	402	328	607	446	287	152	57	
31	Of the respiratory system	2,787	12	17	7	4	4	14	40	208	348	381	310	576	410	266	137	53	
32	Of the meninges, central nervous system	188	35	43	17	11	2	25	11	7	7	5	3	8	13		1		
33	Of the intestines, peritoneum	86	9	3	1	2	1	8	5	7	14	6	4	5	10	6	3	2	
34	Of the vertebral column	31			1	2	1	1	4	3	3	4		3		5	4		
35	Of the joints	15							1		2	2	1	3	2	2	2		
36	Of other organs	40	1						1	3	1	3	6	6	8	6	4	1	
37a	Disseminated (acute)	44	6	3	3	1		2	3	9	2	1	4	6	1	1	1	1	
37b	Disseminated (chronic or unspecified)	11	2	3					1		2				2	1			
38	Syphilis	143	41	6		1	1		4	1	1	1	5	21	27	24	5	5	
40	Gonococcus infection	24	3		1					1	3	3	7	4		1	1		
41	Purulent infection, septicemia	25	3	1	2			2		2	1	2	4	3	1	2	1	1	
42	Other infectious diseases	1									1								
	II.—General diseases not included in Class I	7,507	212	25	18	12	6	49	33	49	39	71	160	609	1,259	1,913	1,895	1,156	1
	Cancer and other malignant tumors	5,449	1	3	4	3	2	8	9	14	16	29	78	425	965	1,462	1,468	962	
43	Of the buccal cavity	158					1							4	22	50	44	37	
44	Of the stomach, liver	1,771			1				1	1	2	9	12	106	283	492	539	325	
45	Of the peritoneum, intestines, rectum	1,045				1		2	1	3	3	8	15	58	155	285	304	210	
46	Of the female genital organs	691							1	1	4	3	20	112	182	166	134	68	
47	Of the breast	578											11	64	149	159	95	100	
48	Of the skin	89		1									1	1	7	15	23	41	
49	Of other or unspecified organs	1,117	1	2	3	2	1	6	6	9	7	9	19	80	167	295	329	181	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	44	2					1		1		1	4	9	4	4	11	7	
51	Acute rheumatic fever	70	2	1	1	2		14	7	5	4		6	6	9	5	7	1	
52	Chronic rheumatism, osteoarthritis, gout	53										1	2	5	5	11	15	14	
53	Scurvy	1				1													
54	Pellagra	10											2	2	4		2		
55	Beriberi	2											1	1					
56	Rickets	17	10	4	1			2											
57	Diabetes mellitus	864		1	3	1		5	9	9	6	8	10	29	113	258	268	144	
58a	Pernicious anemia	192						1	2	3	2	4	5	15	26	55	64	15	
58b	Other anemias and chlorosis	25	1	1			1	2		2		4	2	2	2	2	6		
59	Diseases of the pituitary gland	3								1					1	1			
60a	Exophthalmic goiter	54								3	1	4	8	5	12	14	6	1	
60b	Other diseases of the thyroid gland	21	2		1		1					1	1		2	6	5	2	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	107	91	8	1			2	2	2		1							
63	Diseases of the adrenals (Addison's disease)	14								1	1	1	1	2	1	7			
64	Diseases of the spleen	1													1				
65a	Leukemia	113	2	2	1	5	1	12	3	4	4	5	6	16	22	16	10	4	
65b	Hodgkin's disease	53						1		4	2	5	4	11	5	11	9	1	
66	Alcoholism (acute or chronic)	263							1		1	7	26	72	81	50	20	4	
67a	Chronic lead poisoning	15		1	1								1	3	2	5	1	1	
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	4											2	1		1			
69	Other general diseases	130	100	4	5		1	1			2		1	4	4	5	3		
	III.—Diseases of the nervous system and of the organs of special sense	5,285	110	46	19	21	15	76	50	47	40	40	65	232	578	1,002	1,384	1,559	1
70	Encephalitis	50	9	6	4	1	1	3	3	4	1	2	2	1	3	8	2		
71a	Simple meningitis	83	25	13	4	4	1	10	5	1	2	1		5	9	1	1	1	
71b	Nonepidemic cerebrospinal meningitis	11	3	3			1								2	2			
72	Tabes dorsalis (locomotor ataxia)	75											1	9	12	29	18	6	
73	Other diseases of the spinal cord	130	1	3		1		4	1	4	5	3	4	12	22	30	27	13	
74a	Cerebral hemorrhage	3,813	4	1	2			1		3	3	6	13	81	373	775	1,178	1,372	1
74b	Cerebral embolism and thrombosis	207	2	1				1		1	1	2	5	8	14	47	58	67	
75	Paralysis without specified cause	97	1						1			1			6	20	32	36	
76	General paralysis of the insane	194								1	1	2	13	63	74	24	11	5	
77	Other forms of mental alienation	31									4	2	2	9	4	7	3		
78	Epilepsy	126	2	1	1	5	1	7	13	12	11	9	8	19	15	6	8	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
79	Convulsions (nonpuerperal; 5 years and over)	2						2											
80	Infantile convulsions (under 5 years)	44	32	7	1	2	2												
81	Chorea	5					1	2		1	1								
82	Neuralgia and neuritis	5						1								2		2	
83	Softening of the brain	14															2	12	
84	Other diseases of the nervous system	231	5	4	3	5	1	14	6	8	6	7	12	19	39	38	34	30	
85	Diseases of the eye and annexa	6	1					1				1				1	1	1	
86a	Diseases of the ear	98	20	6	1	1	5	16	12	8	3	1	4	4	2	8	4	3	
86b	Diseases of the mastoid process	63	5	1	3	2	2	14	9	4	2	3	1	2	3	4	5	3	
	IV.—Diseases of the circulatory system	12,513	26	4	5	6	10	71	116	106	105	109	172	526	1,206	2,236	3,378	4,434	3
87	Pericarditis	27					1		2	2	1	1	2	2	3	6	3	4	
88	Endocarditis and myocarditis (acute)	313	11	3	1		1	19	15	19	28	22	20	54	36	31	20	33	
89	Angina pectoris	947	1								1		7	36	134	251	309	208	
90	Other diseases of the heart	9,006	11		3	6	8	51	97	85	73	83	138	399	917	1,675	2,473	2,984	3
91a	Aneurysm	64										1		3	21	18	15	6	
91b,c	Other diseases of the arteries	1,853										1	1	12	51	174	485	1,129	
92	Embolism and thrombosis (not cerebral)	251	1					1	1		1		3	12	32	70	67	63	
93	Diseases of the veins	32							1			1	1	7	10	7	4	1	
94	Diseases of the lymphatic system	7	2	1							1					2	1		
95	Hemorrhage without specified cause	5			1									1	1			2	
96	Other diseases of the circulatory system	8													1	2	1	4	
	V.—Diseases of the respiratory system	4,499	823	288	83	43	40	104	62	59	61	82	127	312	427	575	641	771	1
97a	Diseases of the nasal fossae	2	1											1					
97b	Diseases of the nasal fossae annexa	15		1				1	2		1		1	5	2	1	1		
98	Diseases of the larynx	14	1	1	1		1	4					1	2		1	1	1	
99a	Acute bronchitis	106	37	5	2	1	1	1	2	1			1	2	3	6	12	32	
99b	Chronic bronchitis	89	2	1							1	3	1	2	9	10	19	41	
99c,d	Bronchitis (unspecified)	76	13	2	4			1			1			2	5	2	7	39	
100a	Broncho-pneumonia	2,025	625	193	46	24	17	45	24	18	12	18	23	58	88	174	252	408	
100b	Capillary bronchitis	22	10	6				1						1		1		3	
101a	Lobar pneumonia	1,891	118	71	22	15	18	44	32	35	39	54	90	218	276	335	313	210	1
101b	Pneumonia (unspecified)	29	3	1	1		1			2	1	2	1	2		3	4	8	
102	Pleurisy	103	7	3	5	3	2	4	1	1	4	4	5	6	17	20	10	11	
103	Congestion and hemorrhagic infarct of the lung	36	3					2				1	1	1	5	4	11	8	
104	Gangrene of the lung	6								1				1	2		2		
105	Asthma	37			1			1			2		1	2	9	8	5	8	
106	Pulmonary emphysema	5			1										3		1		
107	Other diseases of the respiratory system (tuberculosis excepted)	43	3	4					1	1			2	9	8	10	3	2	
	VI.—Diseases of the digestive system	3,102	669	90	44	31	40	104	74	78	85	62	122	305	429	420	357	192	
108	Diseases of the mouth and annexa	30	1			1	1	4		1	1	3		5	2	6	5		
109a	Adenoid vegetations	1		1															
109b	Other diseases of the pharynx, tonsils	170	19	6	9	9	7	17	11	7	6	9	11	16	16	10	11	6	
110	Diseases of the esophagus	6	1												2	1	1	1	
111a	Ulcer of the stomach	180						2			4	5	11	41	42	34	32	9	
111b	Ulcer of the duodenum	116								2	6	1	13	23	24	23	18	6	
112	Other diseases of the stomach (cancer excepted)	72	26	5	3		2	1	1	1	1			2	5	7	9	9	
113	Diarrhea and enteritis (under 2 years)	635	563	72															
114	Diarrhea and enteritis (2 years and over)	123			20	13	8	15		2	2	2	3	14	9	7	13	15	
116	Diseases due to other intestinal parasites	2							1		1								
117	Appendicitis and typhlitis	571	3	3	10	7	18	52	52	56	37	28	51	73	83	57	32	9	
118a	Hernia	212	8	1						1	2	1	5	16	33	48	61	36	
118b	Intestinal obstruction	209	36	2	1			5	4	5	8	3	3	24	38	33	29	18	
119	Other diseases of the intestines	29	3					1			2		1	3	7	5	5	2	
120	Acute yellow atrophy of the liver	33	1							1	3	1	3	11	5	4	2	2	
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	226				1	1		1		1	2	5	20	49	66	54	26	
123	Biliary calculi	228									4	2	8	32	57	60	45	20	
124	Other diseases of the liver	176						1	1	1	3	2	3	15	40	51	33	26	
125	Diseases of the pancreas	30								1		2	3	4	10	4	3	3	
126	Peritonitis without specified cause	52	8		1		3	6	3		4	1	2	6	6	4	4	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,222	23	8	7	6	4	17	15	35	44	67	102	355	588	838	1,046	1,067	
128	Acute nephritis (including unspecified under 10 years)	126	9	3	5	3	3	8	3	3	10	3	9	13	20	15	14	5	
129	Chronic nephritis (including unspecified 10 years and over)	3,436	1			2		7	9	30	23	36	69	250	475	710	892	932	
130	Chyluria	1																1	
131	Other diseases of the kidneys and annexa	109	12	4	2	1	1	2	2	1	2	5	5	8	16	16	14	18	
132	Calculi of the urinary passages	39										2	4	9	9	7	7	1	
133	Diseases of the bladder	33											1	4	4	10	7	7	
134	Diseases of the urethra, etc	11	1									1		1	5		1	2	
135	Diseases of the prostate	247													5	50	97	95	
136	Nonvenereal diseases of the male genital organs	4		1								1			1		1		
137	Cysts, other benign tumors of the ovary	41										1		12	9	11	5	3	
138	Salpingitis and pelvic abscess (female)	38									6	13	4	8	4	2	1		
139	Benign tumors of the uterus	103							1	1		3	8	40	35	8	4	3	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	31									3	2	2	8	5	8	3		
142	Nonpuerperal diseases of the breast (cancer excepted)	2												1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	VIII.—The puerperal state	518								24	95	118	117	161	3				
143	Accidents of pregnancy	32								1	2	9	9	11					
144	Puerperal hemorrhage	63								1	6	11	20	25					
145	Other accidents of labor	102								4	17	24	23	31	3				
146	Puerperal septicemia	172								11	45	39	37	40					
147	Puerperal phlegmasia alba dolens, embolus, etc	32									4	5	7	16					
148	Puerperal albuminuria and convulsions	113								7	20	29	20	37					
149	Following childbirth (undefined)	3										1	1	1					
150	Puerperal diseases of the breast	1									1								
	IX.—Diseases of the skin and of the cellular tissue	96	27	1				3	4	4	2	1	2	9	15	5	10	13	
151	Gangrene	22						1			1			2	1	1	8	8	
152	Furuncle	13	4						3					1	5				
153	Acute abscess	34	10					1	1	4	1		1	3	7	4		2	
154	Other diseases of the skin and annexa	27	13	1				1				1	1	3	2		2	3	
	X.—Diseases of the bones and of the organs of locomotion	71	4	2	5	1	2	13	8	7		2	4	3	2	9	6	3	
155	Diseases of the bones (tuberculosis excepted)	60	3	1	5	1	2	12	5	6		2	4	2	1	8	5	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1	1				1	2					1	1	1	1		
158	Other diseases of the organs of locomotion	2							1	1									
	XI.—Malformations	690	633	23	6	3	1	12	4	1	1		1	2	3				
159a	Congenital hydrocephalus	82	70	5	3	1	1	2											
159b	Congenital malformations of the heart	364	331	12	2	2		7	4		1		1	1	3				
159c	Other congenital malformations	244	232	6	1			3		1				1					
	XII.—Early infancy	2,324	2,324																
160	Congenital debility, icterus, sclerema	180	180																
161a	Premature birth	1,379	1,379																
161b	Injury at birth	565	565																
162	Other diseases peculiar to early infancy	196	196																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	95														1	6	88	
	XIV.—External causes	3,321	49	47	51	61	63	219	114	137	183	174	181	397	454	421	357	407	6
	Suicide	465							2	4	29	24	38	97	110	85	55	20	1
165	By poisons (gas or corrosives excepted)	29										1	2	12	7	4	1	2	
166	By corrosive substances	28									3	3	3	7	7	2	3		
167	By poisonous gas	144								2	5	5	9	30	39	33	17	4	
168	By hanging or strangulation	97							1	1	6	2	5	18	27	18	13	6	
169	By drowning	45									3	5	2	7	8	13	3	3	1
170	By firearms	81							1	1	10	7	10	15	13	8	13	3	
171	By cutting or piercing instruments	22										1	4	4	5	4	2	2	
172	By jumping from high places	14									1		2	3	3	2	3		
173	By crushing	2											1	1					
174	By other means	3									1				1	1			
	Homicide	85	4	1		1	1		1	3	8	11	12	14	13	10	5	1	
197	By firearms	35								1	3	7	7	5	7	4	1		
198	By cutting or piercing instruments	10									1	1	1	3	3		1		
199	By other means	40	4	1		1	1		1	2	4	3	4	6	3	6	3	1	
	Accidental, other, or undefined	2,771	45	46	51	60	62	219	111	130	146	139	131	286	331	326	297	386	5
175	Poisoning by food	8		1		1								1	1	2		2	
176	Poisoning by venomous animals	2	1											1					
177	Other acute poisonings (gas excepted)	28		4	1	2					1		3	7	7	2	1		
178	Conflagration	48	1	2		1	1		2	5	5	4	5	7	3	3	6	3	
179	Burns (conflagration excepted)	201	4	16	18	14	20	27	2	6	6	7	3	13	21	15	14	15	
180	Mechanical suffocation	45	20				1		1			1	2	6	7	2	4	1	
181	Absorption of irrespirable, irritating, or poisonous gas	134		1					2	3	5	6	7	18	18	38	17	19	
182	Drowning	295	1	5	9	3	8	38	37	32	40	25	14	29	23	22	6	1	2
183	Traumatism by firearms (except in war)	28						3	5	7	5	2	2	2		1	1		
184	Traumatism by cutting or piercing instruments	26		1	2	1			2	1		3	1	4	5	2	3	1	
185	Traumatism by fall	692	2	5	6	6	1	12	5	4	1	13	19	51	88	80	129	269	1
186b	Traumatism in quarries	4						1	2					1					
187	Traumatism by machines	57								5	4	6	6	10	15	9	1	1	
188a	Railroad accidents	119					1	5	8	2	6	8	2	19	26	16	20	5	1
	Collision with automobiles	16							3	1	2	2		2	4	2			
	Other railroad accidents	103					1	5	5	1	4	6	2	17	22	14	20	5	1
188b	Street-car accidents	64	2		2	1		8	1	2	2	3	2	8	10	12	8	3	
	Collision with automobiles	12	2							1	1	2		3	1	1	1		
	Other street-car accidents	52			2	1		8	1	1	1	1	2	5	9	11	7	3	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	696	2	4	11	28	25	107	32	45	45	42	41	67	66	80	59	42	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	62		1		1	1	8	1	8	7	4	6	8	6	5	4	2	
188g	Landslide, other crushing	11								1	1		1	2	3		3		
189	Injuries by animals (not poisoning)	7												1	1		3	2	
192	Starvation (deprivation of food or water)	2	1													1			
193	Excessive cold	8												1	2	1	3	1	
194	Excessive heat	7	2								1		1			1	1	1	
195	Lightning	10							2	3			2	1	1			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
196	Other accidental electric shocks	28					1			2	6	5	3	4	5	2			
201	Fracture (cause not specified)	15							1				2	3	1	2	3	2	1
202	Other external violence	173	9	6	2	2	3	10	8	4	10	10	8	23	22	30	11	15	
	XV.—Ill-defined diseases	68	21	3	3			3	1		1			2	3	14	9	8	
204	Sudden death	10	5											1	1	1	1	1	
205a	Ill-defined	52	13	3	3			3	1		1			1	1	12	8	6	
205b	Not specified or unknown	6	3												1	1		1	
	MICHIGAN																		
	All causes	50,643	6,778	896	468	366	331	1,097	736	1,173	1,557	1,666	1,825	4,520	4,883	6,380	8,801	9,114	52
	I.—Epidemic, endemic, and infectious diseases	5,643	534	217	172	148	119	358	168	394	512	494	444	734	466	361	291	227	4
1	Typhoid and paratyphoid fever	96		2	3	1	2	3	8	22	10	12	7	8	9	6	1	1	1
5	Malaria	2								1	1								
7	Measles	75	19	21	10	4	4	11		2		1	1			1	1		
8	Scarlet fever	175	11	16	26	17	15	39	15	9	6	7	4	4	2	3	1		
9	Whooping cough	203	130	46	16	4	3	2		1						1			
10	Diphtheria	515	12	37	42	70	56	195	52	10	9	9	4	7	8	2	2		
11a	Influenza (with pulmonary complications)	388	67	17	3	3	3	6	1	4	14	9	27	39	36	49	50	60	
11b	Influenza (other and unspecified)	384	63	10	9	6	5	11	6	5	11	9	13	20	18	34	62	102	
13	Mumps	7	1			2		2	1						1				
15	Cholera nostras	1	1																
16	Dysentery	31	11	4	1			1		2	1				3	1	2	5	
21	Erysipelas	144	47	6		1	1		1	1	2	4	7	13	17	14	14	16	
22	Acute anterior poliomyelitis	67	1	6	6	5	4	21	12	4	3	1		2	2				
23	Lethargic encephalitis	51	1	1	4	2		4		5	8	2	5	4	5	4	3	3	
24	Meningococcus meningitis	74	17	3	8	5	2	7	6	4	6	4	4	4	2	1	1		
25	Other epidemic and endemic diseases	15	6	3	2				2	1						1			
27	Anthrax	3								1				1		1			
28	Rabies	3			1			1	1										
29	Tetanus	41	3	1	1	2	1	6	4	4		2	3	5	2	6	1		
30	Mycoses	5	1											2		1	1		
	Tuberculosis (all forms)	2,952	66	42	38	26	21	45	55	305	422	402	337	531	303	194	130	34	1
31	Of the respiratory system	2,519	24	17	9	5	4	15	38	263	390	371	301	494	280	168	110	29	1
32	Of the meninges, central nervous system	208	34	20	22	18	16	26	14	13	7	5	13	6	8	4	1	1	
33	Of the intestines, peritoneum	71	1	1	2		1		1	12	10	11	11	6	2	5	7	1	
34	Of the vertebral column	35		1	2	1			1	1		7	3	6	5	3	4	1	
35	Of the joints	13						1		2			2	3		1	4		
36	Of other organs	45	2		1			1		3	6	2	2	12	4	7	3	2	
37a	Disseminated (acute)	50	4	2	1	2		2	1	11	7	4	3	3	4	6			
37b	Disseminated (chronic or unspecified)	11	1	1	1						2	2	2	1			1		
38	Syphilis	312	67	2	1		1	2	3	4	8	25	21	65	53	35	18	5	2
40	Gonococcus infection	45	3							5	10	4	6	16		1			
41	Purulent infection, septicemia	54	7		1		1	2	1	4	1	3	5	13	5	6	4	1	
	II.—General diseases not included in Class I	6,538	194	35	18	10	13	54	51	60	61	118	177	657	1,018	1,508	1,616	945	3
	Cancer and other malignant tumors	4,169	2	2	1	4	2	7	8	13	16	42	78	391	677	1,033	1,178	712	3
43	Of the buccal cavity	112							1				2	5	14	26	37	26	1
44	Of the stomach, liver	1,614	1					1	1		5	5	15	92	233	432	541	288	
45	Of the peritoneum, intestines, rectum	566						1	1	2	3	5	8	57	77	128	171	113	
46	Of the female genital organs	598								1	3	13	20	112	150	153	105	40	1
47	Of the breast	387										3	13	53	83	98	82	55	
48	Of the skin	100								1				9	11	11	27	41	
49	Of other or unspecified organs	792	1	2	1	4	2	5	5	9	5	16	20	63	109	185	215	149	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	28		2		1						2	3	1	4	5	8	2	
51	Acute rheumatic fever	136		3	2	2	1	15	22	15	7	6	9	8	12	15	12	7	
52	Chronic rheumatism, osteoarthritis, gout	89							1	1		1	1	4	4	17	26	34	
53	Scurvy	1	1																
54	Pellagra	4											1	1	1	1			
56	Rickets	27	19	7				1											
57	Diabetes mellitus	797	1	2	3	3	2	10	10	14	10	17	23	59	101	206	225	111	
58a	Pernicious anemia	300	1	1	1			4	5	1	4	4	11	20	43	82	84	39	
58b	Other anemias and chlorosis	37	5	3			1		1	1				4	4	2	5	11	
59	Diseases of the pituitary gland	4							1		1	1			1				
60a	Exophthalmic goiter	335						2		5	12	23	22	51	85	84	37	14	
60b	Other diseases of the thyroid gland	48		1				1					3	8	7	12	14	2	
61	Diseases of the parathyroid glands	6	6																
62	Diseases of the thymus gland	120	105	4	2			2	1		1	2	1	2					
63	Diseases of the adrenals (Addison's disease)	16										2	1	4	5	1	2	1	
64	Diseases of the spleen	6	1							1			1	1		1		1)	
65a	Leukemia	80	2	4	3		3	10	1	3	3	5		10	13	12	9	2	
65b	Hodgkin's disease	32		1			1			3	1	3	2	9	5	1	2	4	
66	Alcoholism (acute or chronic)	199								2	5	5	18	73	54	31	9	2	
67a	Chronic lead poisoning	2												1		1			
67b	Other chronic mineral poisoning	5										2	1	2					
68	Chronic poisoning by organic substances	8										2	1	4			1		
69	Other general diseases	89	51	6	5		3	2	1	1	1	1	1	4	2	4	4	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	5,813	179	50	19	21	12	67	50	56	55	71	91	333	565	962	1,576	1,698	8
70	Encephalitis	46	4	1	1	2		2	3		3	1	6	7	5	4	4	3	
71a	Simple meningitis	109	20	10	4	3	3	16	7	7	7	6	5	7	5	4	4	1	
71b	Nonepidemic cerebrospinal meningitis	36	6	1	2	5	1	7	3	3	2	1	1	2	1		1		
72	Tabes dorsalis (locomotor ataxia)	72												8	16	24	18	6	
73	Other diseases of the spinal cord	113	1		1				2	2	2	2	5	10	18	18	21	30	1
74a	Cerebral hemorrhage	4,009	6	3	1	1		1	2	4	4	15	19	123	333	728	1,305	1,459	5
74b	Cerebral embolism and thrombosis	164	2		1		1	2	3	2	2	5	5	15	14	30	42	40	
75	Paralysis without specified cause	236								1		3	3	2	15	36	81	95	
76	General paralysis of the insane	286								1		13	20	90	92	45	20	5	
77	Other forms of mental alienation	65								3	5	4	3	10	11	12	5	11	1
78	Epilepsy	131	3	1			1	4	11	14	15	13	6	21	11	13	13	4	1
79	Convulsions (nonpuerperal; 5 years and over)	2													1			1	
80	Infantile convulsions (under 5 years)	86	66	16	2	2													
81	Chorea	3								2							1		
82	Neuralgia and neuritis	8					1							1	1	3	1	1	
83	Softening of the brain	17								1				1		4	2	9	
84	Other diseases of the nervous system	227	9	2		2	2	9	6	11	7	5	10	22	31	35	45	31	
85	Diseases of the eye and annexa	7	2			1		1	1						1	1			
86a	Diseases of the ear	121	46	9	4	5	1	17	9	2	1		4	7	5	1	9	1	
86b	Diseases of the mastoid process	75	14	7	3		2	8	3	3	7	3	4	7	5	4	4	1	
	IV.—Diseases of the circulatory system	10,266	57	15	8	5	11	67	91	89	98	136	178	628	970	1,621	2,852	3,423	17
87	Pericarditis	60	5	1	1			2		2	1	1	3	13	6	12	5	7	1
88	Endocarditis and myocarditis (acute)	543	19	5	1	3	3	20	21	25	31	47	51	133	42	42	47	53	
89	Angina pectoris	631	1				1		1		2	3	8	28	81	160	210	136	
90	Other diseases of the heart	7,665	21	8	6	2	7	45	67	59	58	75	108	411	775	1,272	2,225	2,512	14
91a	Aneurysm	62								1	1	2	1	11	11	12	15	8	
91b,c	Other diseases of the arteries	1,076									1	2	3	5	19	73	293	678	2
92	Embolism and thrombosis (not cerebral)	170	3	1					2	1	3	3	3	21	27	39	47	20	
93	Diseases of the veins	35									1	1	1	4	7	7	9	5	
94	Diseases of the lymphatic system	16	8							1		1		2	1	1		2	
95	Hemorrhage without specified cause	2										1				1			
96	Other diseases of the circulatory system	6													1	2	1	2	
	V.—Diseases of the respiratory system	4,321	1,008	247	95	51	35	77	51	81	122	140	160	396	367	372	547	568	4
97a	Diseases of the nasal fossae	10	1														1	8	
97b	Diseases of the nasal fossae annexa	24		1				1	2	2	5		1	1	4	4	3		
98	Diseases of the larynx	18	2	2	4	2	2	1					1	1		1	1	1	
99a	Acute bronchitis	148	45	10	3	1		3	1					1	3	5	23	53	
99b	Chronic bronchitis	119	4		1	1		1	1	1		1	1	4	7	14	32	51	
99c,d	Bronchitis (unspecified)	94	33	7	3			1	2	1			2	2	5	5	5	28	
100a	Broncho-pneumonia	1,469	639	144	47	30	18	37	13	11	20	15	24	43	52	69	144	162	1
100b	Capillary bronchitis	32	18	2		1		1		1			1		1		3	4	
101a	Lobar pneumonia	1,846	201	57	28	13	12	25	23	50	82	106	112	287	238	203	244	162	3
101b	Pneumonia (unspecified)	189	43	12	4		2	4	3	6	5	7	2	11	10	20	26	34	
102	Pleurisy	138	11	9	3	3	1	2	4	5	4	4	7	24	17	20	15	9	
103	Congestion and hemorrhagic infarct of the lung	52	6							1		1	1	1	2	3	7	30	
104	Gangrene of the lung	13											1	3	2	3	4		
105	Asthma	96	1	1	1			1		1	1	3	1	7	12	16	28	23	
106	Pulmonary emphysema	2													1			1	
107	Other diseases of the respiratory system (tuberculosis excepted)	71	4	2	1				2	2	5	3	6	11	13	9	11	2	
	VI.—Diseases of the digestive system	4,275	973	203	83	55	52	150	100	119	124	131	172	447	443	463	440	317	3
108	Diseases of the mouth and annexa	27	4	1		1	1			1	1	1	1	3	3	3	2	4	1
109b	Other diseases of the pharynx, tonsils	246	23	15	10	11	13	38	13	15	11	17	9	23	13	16	13	6	
110	Diseases of the esophagus	5											1	1			1	2	
111a	Ulcer of the stomach	214						1	1	3	4	10	14	51	37	36	36	20	1
111b	Ulcer of the duodenum	112						1		1	3	2	11	29	21	21	15	8	
112	Other diseases of the stomach (cancer excepted)	243	73	11	5	2	1	3	2	3	2	3	5	19	23	31	35	25	
113	Diarrhea and enteritis, (under 2 years)	941	786	155															
114	Diarrhea and enteritis (2 years and over)	230			50	21	20	21	5	3	4	2	4	9	11	12	26	42	
116	Diseases due to other intestinal parasites	1													1				
117	Appendicitis and typhlitis	758	5	6	6	10	13	61	68	77	63	53	70	123	101	58	37	7	
118a	Hernia	170	6	2	1		1		1		2	1	5	24	29	36	27	35	
118b	Intestinal obstruction	340	55	8	5	6	1	10	3	6	9	19	10	35	39	41	52	41	
119	Other diseases of the intestines	61	4	1		1		2	1		4	2	4	4	11	8	9	10	
120	Acute yellow atrophy of the liver	27	1						1		4	3	1	7	2	4	2	2	
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	337							1	2	4	1	13	46	58	76	84	52	
123	Biliary calculi	175										5	6	27	38	42	38	19	
124	Other diseases of the liver	241	2	2		1		4	1	3	6	3	11	29	38	57	45	38	1
125	Diseases of the pancreas	40									3	2		5	9	10	9	2	
126	Peritonitis without specified cause	106	14	2	6	2	2	9	3	5	4	7	7	12	8	12	9	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,696	35	10	10	5	5	21	28	33	64	74	117	333	440	591	975	953	2
128	Acute nephritis (including unspecified under 10 years)	164	16	7	5	4	3	11	7	2	5	7	12	22	16	17	12	17	1
129	Chronic nephritis (including unspecified 10 years and over)	2,806		1	1		2	5	19	19	35	31	60	202	339	491	824	776	1
131	Other diseases of the kidneys and annexa	132	15	2	4	1		5	1	4	3	7	5	11	16	17	24	17	
132	Calculi of the urinary passages	37							1		1	1	6	3	6	7	7	5	
133	Diseases of the bladder	38												2	3	4	8	21	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
134	Diseases of the urethra, etc.	16									3	2		1	3	2	3	2	
135	Diseases of the prostate	240												1	9	32	88	110	
136	Nonvenereal diseases of the male genital organs	3	3																
137	Cysts, other benign tumors of the ovary	28									1	3	1	9	6	5	2	1	
138	Salpingitis and pelvic abscess (female)	87							4	10	16	17	27	8	2	2	1		
139	Benign tumors of the uterus	98									4	10	41	30	9	2	2		
140	Nonpuerperal uterine hemorrhage	2										1	1						
141	Other diseases of the female genital organs	44								4	6	2	6	13	4	5	3	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	681								56	137	155	133	190	10				
143	Accidents of pregnancy	76								4	14	23	12	23					
144	Puerperal hemorrhage	72								4	12	10	17	28	1				
145	Other accidents of labor	52								2	6	13	13	16	2				
146	Puerperal septicemia	295								23	66	75	58	67	6				
147	Puerperal phlegmasia alba dolens, embolus, etc.	35								4	7	4	7	13					
148	Puerperal albuminuria and convulsions	147								19	31	29	25	42	1				
149	Following childbirth (undefined)	4									1	1	1	1					
	IX.—Diseases of the skin and of the cellular tissue	152	21				2	3	2	4	1	3	5	9	13	10	29	50	
151	Gangrene	81					1	1				2	2	2	1	2	23	47	
152	Furuncle	20	2					1	1			1	1	3	6	2	3		
153	Acute abscess	29	11				2		2					3	5	4	1	1	
154	Other diseases of the skin and annexa	22	8				1		1	1	1		2	1	1	2	2	2	
	X.—Diseases of the bones and of the organs of locomotion	60	4		1	1	2	9	8	1	2	3	3	10	5	4	3	4	
155	Diseases of the bones (tuberculosis excepted)	46	1		1	1	2	8	8	1	2	2	1	7	4	2	3	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	11	3					1				1	2	2		2			
158	Other diseases of the organs of locomotion	3												1	1			1	
	XI.—Malformations	740	685	29	5	1	5	7	5		2			1					
159a	Congenital hydrocephalus	73	55	11	1		2	2	2										
159b	Congenital malformations of the heart	402	381	8	2		2	5	2		1			1					
159c	Other congenital malformations	265	249	10	2	1	1		1		1								
	XII.—Early infancy	2,916	2,916																
160	Congenital debility, icterus, sclerema	270	270																
161a	Premature birth	1,927	1,927																
161b	Injury at birth	465	465																
162	Other diseases peculiar to early infancy	248	248																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	509													1	8	44	454	2
	XIV.—External causes	4,834	111	82	54	69	74	282	179	279	378	339	343	773	566	451	398	447	9
	Suicide	597							1	14	36	41	46	164	110	88	64	31	2
165	By poisons (gas or corrosives excepted)	33									4	1	7	8	4	4	4	1	
166	By corrosive substances	109								7	10	17	6	33	15	18	3		
167	By poisonous gas	61								2	2	6	5	18	8	12	6	2	
168	By hanging or strangulation	136							1		5	5	4	36	33	15	27	10	
169	By drowning	38									1		3	14	8	6	4	2	
170	By firearms	168								5	12	7	19	36	35	26	15	12	1
171	By cutting or piercing instruments	31										3	2	9	5	4	3	4	1
172	By jumping from high places	4										1		1		1	1		
173	By crushing	4												2		2			
174	By other means	13									2	1		7	2		1		
	Homicide	372	4	1			1	14	21	10	49	73	66	99	19	9	4	2	
197	By firearms	211	1							7	32	51	46	60	8	4	2		
198	By cutting or piercing instruments	70								1	11	14	13	24	6	1			
199	By other means	91	3	1			1	14	21	2	6	8	7	15	5	4	2	2	
	Accidental, other, or undefined	3,865	107	81	54	69	73	268	157	255	293	225	231	510	437	354	330	414	7
175	Poisoning by food	19			3	3	1	2				1	1	3		2	1	2	
177	Other acute poisonings (gas excepted)	64	1	10	3	1	3	2		3	6	3	7	10	8	3	2	2	
178	Conflagration	113	6	6	6	6	4	14	5		7	7	11	10	10	10	2	9	
179	Burns (conflagration excepted)	191	7	23	13	17	17	20	8	5	14	7	6	13	13	12	7	9	
180	Mechanical suffocation	66	48			1		1	1	1	1	4	1	5	1	2			
181	Absorption of irrespirable, irritating, or poisonous gas	62	1	1						3	2	4	5	17	14	6	3	6	
182	Drowning	362	1	11	3	1	5	39	39	60	52	31	17	43	29	15	8	5	3
183	Traumatism by firearms (except in war)	90				2		1	14	23	7	9	2	12	9	6	3	2	
184	Traumatism by cutting or piercing instruments	19		1				2	1	1			1	1	5	4	3		
185	Traumatism by fall	661	7	6	7	1	1	13	9	9	11	14	23	69	65	66	102	257	1
186a	Traumatism in mines	39								2	4		3	10	14	5	1		
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	86				1		1	2	8	9	9	6	20	16	12	2		
188a	Railroad accidents	241		1		1	1	10	6	18	26	17	26	47	33	29	17	6	3
	Collision with automobiles	80				1			3	10	12	8	8	12	11	11	3	1	
	Other railroad accidents	161		1			1	10	3	8	14	9	18	35	22	18	14	5	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188b	Street-car accidents	83	1	2		2	3	3		2	5	12	5	16	11	8	9	4	
	Collision with automobiles	31				1	3			1	3	9	3	4	3	2		2	
	Other street-car accidents	52	1	2		1		3		1	2	3	2	12	8	6	9	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,266	13	13	14	25	32	146	55	90	104	74	74	155	145	131	123	72	
188d	Airplane and balloon accidents	15								3	3	2	2	3	2				
188e,f	Injuries by other vehicles	57					1	2	1	5	5	3	3	5	10	10	8	4	
188g	Landslide, other crushing	45			1			1	1	3	5	5	5	12	4	2	3	3	
189	Injuries by animals (not poisoning)	22					2	1	2		2		1	4	1	5	3	1	
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	7												1		1	2	3	
194	Excessive heat	45	6		1								4	9	9	5	3	8	
195	Lightning	13							1	1	3	2	1	2		2		1	
196	Other accidental electric shocks	48						1		1	11	10	8	10	6	1			
201	Fracture (cause not specified)	31							1			1	2	1	5	2	6	13	
202	Other external violence	218	16	7	3	8	3	9	12	16	16	9	17	32	27	15	21	7	
	XV.—Ill-defined diseases	199	61	8	3		1	2	3	1	1	2	2	9	19	29	30	28	
204	Sudden death	26	6											2	4	6	5	3	
205a	Ill-defined	102	12	5	3			1	2	1	1	2	2	5	12	17	21	18	
205b	Not specified or unknown	71	43	3			1	1	1					2	3	6	4	7	
	MINNESOTA																		
	All causes	24,688	2,643	299	191	120	94	403	377	558	712	705	738	1,938	2,400	3,534	4,780	5,194	2
	I.—Epidemic, endemic, and infectious diseases	2,796	214	79	72	43	27	117	80	174	272	247	245	390	281	229	179	147	
1	Typhoid and paratyphoid fever	29			1				1	4	4	5	1	5	3	4	1		
5	Malaria	2													2				
7	Measles	56	7	13	14	2	2	7	1	3	3			1	1	2			
8	Scarlet fever	88	6	8	7	5	2	23	9	14	3	3	3	3	2				
9	Whooping cough	74	55	11	3	2	1	2											
10	Diphtheria	81	4	6	5	13	7	21	3	4	3	3	1	6	2	2	1		
11a	Influenza (with pulmonary complications)	271	35	9	3	6	1	11	3	8	8	6	10	43	11	29	40	48	
11b	Influenza (other and unspecified)	216	28	7	5	3	2	9	8	4	6	9	5	17	13	17	23	60	
13	Mumps	3			1							1						1	
16	Dysentery	23	4	1	4		3				2		1	1	2	1	1	3	
20	Leprosy	1												1					
21	Erysipelas	51	18	1	1					1		1	4	2	1	8	4	10	
22	Acute anterior poliomyelitis	31	1		4	2	1	5	2	4	3	5	2	2					
23	Lethargic encephalitis	67		1	2	1		3		5	10	4	4	15	6	10	5	1	
24	Meningococcus meningitis	59	4	3	4	2		7	8	14	5	2	4	4	1	1			
25	Other epidemic and endemic diseases	11	3	2	1			2		1				1	1				
29	Tetanus	21	1		1	2	1	3	4	1			1	3	1	3			
30	Mycoses	6										1	1	1	2		1		
	Tuberculosis (all forms)	1,537	26	15	15	5	5	20	39	108	221	202	195	247	198	120	99	22	
31	Of the respiratory system	1,330	6	3	6		1	6	26	100	200	185	173	228	179	108	90	19	
32	Of the meninges, central nervous system	66	12	8	5	3	3	11	8	3	3	2	2	2	2	1		1	
33	Of the intestines, peritoneum	49	4	1	1				3	2	10	4	6	6	5	2	4	1	
34	Of the vertebral column	24				1					1	3	8	2	6	3			
35	Of the joints	1								1									
36	Of other organs	28	1						2		4	2	3	7	3	2	4		
37a	Disseminated (acute)	29	3	3	3	1	1	3		2	3	2	2		1	3	1	1	
37b	Disseminated (chronic or unspecified)	10										4	1	2	2	1			
38	Syphilis	130	17	1	1		1				2	3	10	31	34	27	3		
39	Soft chancre	1											1						
40	Gonococcus infection	9								1	1	2	1	4					
41	Purulent infection, septicemia	27	4	1			1	4	2	2	1			3	1	5	1	2	
42	Other infectious diseases	2	1										1						
	II.—General diseases not included in Class I	4,067	88	12	4	5	8	33	47	40	39	67	90	321	625	957	1,103	628	
	Cancer and other malignant tumors	2,801	3	1		4	2	9	14	14	12	21	44	214	444	691	832	496	
43	Of the buccal cavity	86												6	13	18	25	24	
44	Of the stomach, liver	1,130						1				1	6	51	152	288	391	240	
45	Of the peritoneum, intestines, rectum	398				1				2		3	13	33	67	103	114	62	
46	Of the female genital organs	254							2	1	1	4	6	37	68	63	52	20	
47	Of the breast	218										1	2	31	53	51	50	30	
48	Of the skin	48	1											3	4	6	14	20	
49	Of other or unspecified organs	667	2	1		3	2	8	12	11	11	12	17	53	87	162	186	100	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8													2	2	3	1	
51	Acute rheumatic fever	59					3	8	14	5	4	2	1	7	4	3	6	2	
52	Chronic rheumatism, osteoarthritis, gout	39									1	1		1	4	6	6	20	
54	Pellagra	3											1			2			
56	Rickets	7	4	2	1														
57	Diabetes mellitus	469	1	1				9	14	8	8	8	10	20	58	127	136	69	
58a	Pernicious anemia	195				1	1	2		1	2	1	4	11	33	53	58	28	
58b	Other anemias and chlorosis	17	2		1							1		2	3	3	3	2	
59	Diseases of the pituitary gland	5												2	1	1		1	
60a	Exophthalmic goiter	154							2	3	6	16	8	22	36	29	31	1	
60b	Other diseases of the thyroid gland	15		2						2		1	2	4	1		2	1	
61	Diseases of the parathyroid glands	2	1								1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
62	Diseases of the thymus gland	39	35	2				2											
63	Diseases of the adrenals (Addison's disease)	16										1	2	1	9	1	2		
65a	Leukemia	68	2	2	2		2	1	1	5	2	2	3	11	2	20	11	2	
65b	Hodgkin's disease	31		1				1		1	2	9	4	2	2	4	2	3	
66	Alcoholism (acute or chronic)	83										4	10	22	25	14	8		
68	Chronic poisoning by organic substances	1														1			
69	Other general diseases	55	40	1				1	2	1	1		1	2	1		3	2	
	III.—Diseases of the nervous system and of the organs of special sense	2,544	74	14	16	7	7	25	33	34	26	28	23	162	221	434	670	765	
70	Encephalitis	23	2	3					2	2	3	2	1	3	1	3	1		
71a	Simple meningitis	54	10	1	5	2	1	2	5	6	3	2	1	6	4	4	2		
71b	Nonepidemic cerebrospinal meningitis	6	2	2						1	1								
72	Tabes dorsalis (locomotor ataxia)	29												2	9	9	8	1	
73	Other diseases of the spinal cord	72	1		1			2	1	1	1	3	1	7	12	15	19	8	
74a	Cerebral hemorrhage	1,722	3					2	1	1	5	5	5	49	135	315	550	651	
74b	Cerebral embolism and thrombosis	96							2		2	2	2	9	9	17	21	32	
75	Paralysis without specified cause	65							1				1	4	3	5	22	29	
76	General paralysis of the insane	109								1	1	2	4	40	23	24	10	4	
77	Other forms of mental alienation	32									2	1	3	5	4	6	10	1	
78	Epilepsy	58	1			1	3	9	8	5	6	4	10	4	3	2	2		
80	Infantile convulsions (under 5 years)	35	30	2	2	1													
81	Chorea	2								1						1			
82	Neuralgia and neuritis	8										1	1	1		1	2	2	
83	Softening of the brain	21												1	1	6	4	9	
84	Other diseases of the nervous system	122	5	1	3	1	1	5	4	5	1	1	5	15	12	21	17	25	
85	Diseases of the eye and annexa	1							1										
86a	Diseases of the ear	53	13	2	3	2	3	8	6	6	1	1		3	1	3		1	
86b	Diseases of the mastoid process	36	7	3	2	1	1	3	1	2	1	2		7	3	1	2		
	IV.—Diseases of the circulatory system	5,087	11	3	5		4	23	31	45	46	54	74	245	428	859	1,406	1,853	
87	Pericarditis	16			1			1	1				3	3	1		5	1	
88	Endocarditis and myocarditis (acute)	136	5		1		1	7	6	8	10	10	12	26	10	9	15	16	
89	Angina pectoris	289								2		2	6	7	23	69	110	70	
90	Other diseases of the heart	3,839	5	2	1		3	14	24	34	33	38	46	179	320	650	1,083	1,407	
91a	Aneurysm	54									2		1	9	17	11	9	5	
91b,c	Other diseases of the arteries	577										1	1	11	30	77	137	320	
92	Embolism and thrombosis (not cerebral)	136						1		1	1	2	4	9	21	35	37	25	
93	Diseases of the veins	20		1								1	1	1	2	5	5	4	
94	Diseases of the lymphatic system	4	1														1	2	
95	Hemorrhage without specified cause	5	1		1										2	1			
96	Other diseases of the circulatory system	11													2	2	4	3	
	V.—Diseases of the respiratory system	2,078	388	86	31	16	12	38	29	46	39	41	38	142	154	196	332	540	
97a	Diseases of the nasal fossae	4	2						1							1			
97b	Diseasss of the nasal fossae annexa	21							4	2	3	2	1	4		2	2	1	
98	Diseases of the larynx	11	1		1	1	1	3				1	1				2		
99a	Acute bronchitis	33	9	1	1			1	1								4	16	
99b	Chronic bronchitis	62	4				1				1	1		2	6	3	18	26	
99c,d	Bronchitis (unspecified)	30	7	2		1										3	3	14	
100a	Broncho-pneumonia	740	219	43	20	5	6	12	5	10	5	5	4	23	36	45	100	202	
100b	Capillary bronchitis	11	3	3													1	4	
101a	Lobar penumonia	943	56	31	8	7	4	17	11	28	27	25	26	103	98	120	173	209	
101b	Pneumonia (unspecified)	52	23	2	1				1	1				2	2	4	1	15	
102	Pleurisy	77	9	4				4	3	4	2	6	5	5	5	10	9	11	
103	Congestion and hemorrhagic infarct of the lung	39	2											1	2	1	4	29	
104	Gangrene of the lung	4										1	1	1		1			
105	Asthma	34	1			1		1	1						2	2	14	12	
106	Pulmonary emphysema	2														1		1	
107	Other diseases of the respiratory system (tuberculosis excepted)	15	2			1			2	1	1			1	3	3	1		
	VI.—Diseases of the digestive system	1,790	183	53	33	20	14	63	52	63	59	75	70	195	234	255	236	185	
108	Diseases of the mouth and annexa	20	1	1	1				1		1			4	3	2	2	4	
109b	Other diseases of the pharynx, tonsils	89	7	5	6	4	2	13	7	4	6	6	5	5	9	3	7		
110	Diseases of the esophagus	3								1	1						1		
111a	Ulcer of the stomach	106								3	2	2	5	20	25	29	12	8	
111b	Ulcer of the duodenum	79	2						1		3	3	7	23	12	18	9	1	
112	Other diseases of the stomach (cancer excepted)	35	5	2		1								4	2	2	4	15	
113	Diarrhea and enteritis (under 2 years)	165	133	32															
114	Diarrhea and enteritis (2 years and over)	78			17	7		6	2	1	2	3	3	7	6	4	6	14	
117	Appendicitis and typhlitis	397	1	2	6	7	6	35	39	48	32	30	20	49	52	39	20	11	
118a	Hernia	119	5					1				1		8	19	22	28	35	
118b	Intestinal obstruction	163	20	8	1		1		1	3	4	10	6	19	15	17	30	28	
119	Other diseases of the intestines	26	1				1				1		3	4	5	3	2	6	
120	Acute yellow atrophy of the liver	16									3	4	1	1	2	2	2	1	
122	Cirrhosis of the liver	145					1		1	1		4	3	8	29	35	40	23	
123	Biliary calculi	186									2	5	8	25	34	50	45	17	
124	Other diseases of the liver	99						1			1	3	5	14	15	22	18	20	
125	Diseases of the pancreas	14										1	2	2	2	4	3		
126	Peritonitis without specified cause	50	8	3	2	1	3	7		2	1	3	2	2	4	3	7	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,957	14	1	2	2	.....	7	10	17	28	26	31	117	171	321	565	645	.....
128	Acute nephritis (including unspecified under 10 years)	54	5	.....	1	2	.....	4	2	3	2	1	2	6	3	9	7	7	.....
129	Chronic nephritis (including unspecified 10 years and over)	1,431	.....	.....	.....	.....	.....	2	6	9	17	15	18	69	122	244	426	503	.....
131	Other diseases of the kidneys and annexa	89	7	1	1	.....	.....	1	2	5	3	1	3	10	9	12	21	13	.....
132	Calculi of the urinary passages	27	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	9	8	2	.....
133	Diseases of the bladder	22	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	3	16	.....
134	Diseases of the urethra, etc	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....
135	Diseases of the prostate	237	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	36	96	101	.....
136	Nonvenereal diseases of the male genital organs	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
137	Cysts, other benign tumors of the ovary	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	3	2	1	.....	.....
138	Salpingitis and pelvic abscess (female)	29	.....	.....	.....	.....	.....	.....	.....	.....	4	7	4	7	5	2	.....	.....	.....
139	Benign tumors of the uterus	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	12	13	4	1	1	.....
140	Nonpuerperal uterine hemorrhage	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
141	Other diseases of the female genital organs	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5	2	2	.....	.....
142	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	VIII.—The puerperal state	226	.....	.....	.....	.....	.....	.....	.....	16	45	58	43	60	4	.....	.....	.....	.....
143	Accidents of pregnancy	29	.....	.....	.....	.....	.....	.....	.....	2	4	6	8	9	.....	.....	.....	.....	.....
144	Puerperal hemorrhage	20	.....	.....	.....	.....	.....	.....	.....	2	3	3	3	8	1	.....	.....	.....	.....
145	Other accidents of labor	18	.....	.....	.....	.....	.....	.....	.....	.....	6	8	3	1	.....	.....	.....	.....	.....
146	Puerperal septicemia	88	.....	.....	.....	.....	.....	.....	.....	5	18	24	15	24	2	.....	.....	.....	.....
147	Puerperal phlegmasia alba dolens, embolus, etc	16	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	6	.....	.....	.....	.....	.....
148	Puerperal albuminuria and convulsions	55	.....	.....	.....	.....	.....	.....	.....	6	13	12	11	12	1	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	64	12	.....	.....	.....	.....	2	2	2	4	1	2	5	3	7	7	17	.....
151	Gangrene	20	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	3	13	.....
152	Furuncle	6	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....
153	Acute abscess	12	2	.....	.....	.....	.....	2	.....	.....	.....	1	.....	2	1	2	2	.....	.....
154	Other diseases of the skin and annexa	26	7	.....	.....	.....	.....	.....	2	1	1	.....	2	2	2	3	2	4	.....
	X.—Diseases of the bones and of the organs of locomotion	25	.....	1	.....	.....	.....	5	4	3	1	1	.....	.....	4	2	3	1	.....
155	Diseases of the bones (tuberculosis excepted)	22	.....	1	.....	.....	.....	5	4	3	1	1	.....	.....	3	2	1	1	.....
157	Amputations	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
158	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	XI.—Malformations	337	308	9	1	3	3	2	3	5	1	.....	1	1	.....	.....	.....	.....	.....
159a	Congenital hydrocephalus	53	47	.....	1	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
159b	Congenital malformations of the heart	139	125	5	.....	2	.....	1	1	3	1	.....	.....	1	.....	.....	.....	.....	.....
159c	Other congenital malformations	145	136	4	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	XII.—Early infancy	1,315	1,315	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Congenital debility, icterus, sclerema	102	102	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	867	867	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	249	249	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	Other diseases peculiar to early infancy	96	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
164	XIII.—Old age (senility)	193	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25	168	.....
	XIV.—External causes	2,089	39	31	27	23	19	86	85	111	151	105	115	299	267	262	236	232	1
	Suicide	325	.....	.....	.....	.....	.....	.....	.....	7	22	20	21	74	71	66	32	11	1
165	By poisons (gas or corrosives excepted)	14	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	4	1	3	2	.....	.....
166	By corrosive substances	30	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	5	6	6	1	.....	.....
167	By poisonous gas	36	.....	.....	.....	.....	.....	.....	.....	1	3	4	1	13	5	6	2	.....	1
168	By hanging or strangulation	89	.....	.....	.....	.....	.....	.....	.....	2	4	4	5	21	22	12	12	7	.....
169	By drowning	25	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	5	4	4	6	2	.....
170	By firearms	100	.....	.....	.....	.....	.....	.....	.....	1	6	7	9	21	23	26	6	1	.....
171	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	4	5	2	.....	.....
172	By jumping from high places	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	4	2	1	1	.....
173	By crushing	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
174	By other means	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
	Homicide	65	9	.....	2	.....	1	.....	3	8	5	11	10	9	1	4	2	.....	.....
197	By firearms	31	.....	.....	.....	.....	.....	.....	1	5	4	9	7	3	1	.....	1	.....	.....
198	By cutting or piercing instruments	8	1	.....	.....	.....	.....	.....	1	.....	1	2	2	1	.....	.....	.....	.....	.....
199	By other means	26	8	.....	2	.....	1	.....	1	3	.....	.....	1	5	.....	.....	4	1	.....
	Accidental, other, or undefined	1,699	30	31	27	21	19	85	85	101	121	80	83	215	187	195	200	219	.....
175	Poisoning by food	12	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	2	.....	4	2	.....
176	Poisoning by venomous animals	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
177	Other acute poisonings (gas excepted)	30	1	6	1	.....	2	.....	.....	2	2	2	1	6	5	.....	.....	2	.....
178	Conflagration	41	3	1	1	.....	1	8	2	1	1	4	3	2	5	3	3	3	.....
179	Burns (conflagration excepted)	97	3	8	8	6	5	10	6	1	3	2	9	9	6	8	8	5	.....
180	Mechanical suffocation	21	8	.....	.....	.....	1	.....	1	.....	4	2	.....	.....	4	.....	1	.....	.....
181	Absorption of irrespirable, irritating, or poisonous gas	72	.....	.....	.....	1	.....	.....	.....	3	2	5	4	9	10	16	16	6	.....
182	Drowning	167	.....	4	4	3	2	11	23	23	25	9	6	28	15	6	6	2	.....
183	Traumatism by firearms (except in war)	53	1	.....	1	.....	.....	1	8	15	9	1	3	6	2	4	2	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
184	Traumatism by cutting or piercing instruments	18	1	1	1			2	1	2	1			3		4	1	1	
185	Traumatism by fall	379	3	1	1	3		5	7	4	10	6	9	22	30	46	76	156	
186a	Traumatism in mines	23									3	2	3	12	2	1			
186b	Traumatism in quarries	3										1		2					
187	Traumatism by machines	44							3	2	3	6	3	12	5	5	5		
188a	Railroad accidents	120		2	1			2	5	8	11	10	8	26	13	17	15	2	
	Collision with automobiles	20			1			1	1	3	2	3	3	3	1	2			
	Other railroad accidents	100		2				1	4	5	9	7	5	23	12	15	15	2	
188b	Street-car accidents	10							1	3			1	1	1	1	2		
	Collision with automobiles	7							1	3			1	1	1				
	Other street-car accidents	3														1	2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	369	2	2	2	5	7	32	17	27	28	23	19	48	53	49	39	16	
188e,f	Injuries by other vehicles	39			1		1	4	3	3	2		1	3	7	8	2	4	
188g	Landslide, other crushing	13						2			1	3			3	3		1	
189	Injuries by animals (not poisoning)	19		1	1				2	1				1	3	2	3	5	
190	Wounds of war	1											1						
193	Excessive cold	12									1				1	4	2	4	
194	Excessive heat	7	1									1		1	1	1	1	1	
195	Lightning	16						1	2	1	4		2	4	2				
196	Other accidental electric shocks	10						1		1	2	1	1	2	2				
201	Fracture (cause not specified)	3											1			1	1		
202	Other external violence	119	7	5	4	3		6	3	3	8	2	7	18	16	17	12	8	
	XV.—Ill-defined diseases	120	47	10		1		2	1	2	1	2	1	1	8	12	18	13	1
204	Sudden death	16	4										1			5	3	3	
205a	Ill-defined	38	5	1						1		2		1	6	6	12	4	
205b	Not specified or unknown	66	38	9		1		2	1	1	1				2	1	3	6	1
	MISSISSIPPI																		
	All causes—White	8,847	1,339	286	147	72	81	230	158	254	259	264	267	609	784	906	1,512	1,596	83
	All causes—Colored	14,356	1,951	461	207	161	112	334	321	745	968	806	668	1,497	1,605	1,400	1,276	1,626	218
	I.—Epidemic, endemic, and infectious diseases—White	1,404	166	95	67	29	44	90	52	47	73	74	88	129	102	85	117	128	18
	I.—Epidemic, endemic, and infectious diseases—Colored	3,144	310	156	77	63	44	128	117	297	414	324	200	362	254	168	107	90	33
1	Typhoid and paratyphoid fever—W	72	1	2			1	6	7	7	9	8	5	10	8	4	1	2	1
	Typhoid and paratyphoid fever—C	199		6	1	2	3	18	24	39	37	26	13	13	9	4	2	1	1
5	Malaria—W	161	19	10	8		8	14	13	6	9	12	9	17	6	11	4	13	2
	Malaria—C	326	30	26	5	16	14	33	23	24	28	10	8	26	27	29	13	11	3
6	Smallpox—W	1																1	
	Smallpox—C	3								1				1	1				
7	Measles—W	120	18	22	9	2	7	20	4	7	5	1	4	2	5	1	6	4	3
	Measles—C	56	9	7	8	3	2	7	9	4	3	1	1	1			1		
8	Scarlet fever—W	17	1	2	5	1	2	3		1	1		1						
9	Whooping cough—W	79	52	18	4	2		2											1
	Whooping cough—C	198	103	44	22	11	6	8	2					1					1
10	Diphtheria—W	116	5	11	25	23	19	26	4		2	1							
	Diphtheria—C	77	8	7	13	12	10	18	6	2				1					
11a	Influenza (with pulmonary complications)—W	142	26	8	4		2	4	3	4	1	2	5	11	9	10	22	30	1
	Influenza (with pulmonary complications)—C	188	42	16	4	2	1	7	5	5	7	12	7	17	26	15	11	10	1
11b	Influenza (other and unspecified)—W	112	9	5	2			4	6	1	5	2	2	6	9	7	21	32	1
	Influenza (other and unspecified)—C	163	20	6	3	2	3	6	5	8	8	2	11	11	27	17	14	18	2
13	Mumps—C	1							1										
15	Cholera nostras—W	2												1				1	
	Cholera nostras—C	3	1	1										1					
16	Dysentery—W	59	10	12	2	1			1					1	3	4	8	16	1
	Dysentery—C	117	19	24	8	2	2	2	1	2	3		2	5	6	10	12	19	
21	Erysipelas—W	24	8				1		1	1	1		1	2	2	2	1	4	
	Erysipelas—C	3	1									1							1
22	Acute anterior poliomyelitis—W	14	6	1	3		1	3											
	Acute anterior poliomyelitis—C	6		1	2			1	2										
23	Lethargic encephalitis—W	7											1		1	2	3		
	Lethargic encephalitis—C	2								1				1					
24	Meningococcus meningitis—W	7		1			1	2	1			1	1						
	Meningococcus meningitis—C	3		1				1							1				
25	Other epidemic and endemic diseases—W	2								1					1				
28	Rabies—W	2						1						1					
	Rabies—C	2						2											
29	Tetanus—W	19	1		1		1	2	4	1	1	1	1	1	3	1	1		
	Tetanus—C	23	10					1	3	1	3			2	2	1			
30	Mycoses—C	3	3																
	Tuberculosis (all forms)—W	396	2	2	4		1	2	7	15	34	44	54	70	52	32	45	25	7
	Tuberculosis (all forms)—C	1,439	9	10	8	9	1	21	32	192	290	242	136	222	120	65	37	25	20
31	Of the respiratory system—W	362	2		2			2	4	13	32	43	50	66	50	28	40	24	6
	Of the respiratory system—C	1,311	7	10	5	5	1	12	23	172	263	228	129	207	113	60	35	23	18
32	Of the meninges, central nervous system—W	7		1	2				2				1			1			
	Of the meninges, central nervous system—C	11	2		2	1		2		2				1					1
33	Of the intestines, peritoneum—W	10							1	1	1		2	1		2	2		
	Of the intestines, peritoneum—C	54				2		1	3	9	13	8	3	7	4	3	1		
34	Of the vertebral column—W	5					1			1						1	1	1	
	Of the vertebral column—C	7							2	1	1	1			1		1		
35	Of the joints—W	2												1	1				
	Of the joints—C	9							1		3	1		2	1	1			
36	Of other organs—W	8		1							1	1		1	1		2		1
	Of other organs—C	19			1	1		5	1	2	2	1	2	2				2	
37a	Disseminated (acute)—W	1											1						
	Disseminated (acute)—C	25						1	2	6	7	3	1	3	1				1
37b	Disseminated (chronic or unspecified)—W	1												1					
	Disseminated (chronic or unspecified)—C	3									1		1			1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
38	Syphilis	W	31	7								2	1	3	5	1	10	2		
		C	293	54	7	3	4	2	3	4	16	29	22	18	53	29	24	16	5	4
40	Gonococcus infection	W	4							1		2	1							
		C	31								1	5	7	4	6	5	1	1	1	
41	Purulent infection, septicemia	W	17	1	1				1		3	1		1	2	2	1	3		1
		C	8	1							1	1	1		1	1	2			
	II.—General diseases not included in Class I	White	883	29	6	6	1	4	11	13	16	11	16	23	81	141	163	200	151	11
		Colored	1,214	12	5	5	3	9	12	23	52	75	66	73	181	229	172	155	125	17
	Cancer and other malignant tumors	W	526	1				1	3		4	5	3	12	39	101	103	144	105	5
		C	461		1			2		2	5	3	14	29	79	105	81	76	56	8
43	Of the buccal cavity	W	15						1				1		2		3	3	5	
		C	8										1			2	4		1	
44	Of the stomach, liver	W	178										1	1	5	31	41	66	30	3
		C	113					1					2	5	12	26	28	20	13	6
45	Of the peritoneum, intestines, rectum	W	54					1	1		1			1	1	10	13	14	12	
		C	40							1		1	3	1	7	9	7	6	5	
46	Of the female genital organs	W	84								2	2		4	12	23	16	15	10	
		C	173		1						1	1	4	15	39	49	23	22	17	1
47	Of the breast	W	39											2	6	13	8	4	5	1
		C	35											2	9	6	5	4	8	1
48	Of the skin	W	43									1			2	1	5	12	22	
		C	11											1	1	3	1	4	1	
49	Of other or unspecified organs	W	113	1					1		1	2	1	4	11	23	17	30	21	1
		C	81					1		1	4	1	4	5	11	10	13	20	11	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6	1					1							1		2	1	
		C	11									2	2	1	1	3	1		1	
51	Acute rheumatic fever	W	8							2	1				1	1		1	2	
		C	21							1	1	1		1	1	5	2	4	5	
52	Chronic rheumatism, osteoarthritis, gout	W	6													1		4	1	
		C	4															1	2	1
53	Scurvy	C	1							1										
54	Pellagra	W	137		2	1	1		1	1	2	4	6	7	22	18	24	22	22	4
		C	569	1	1	2	1	5	12	17	41	57	43	37	83	90	71	53	48	7
56	Rickets	W	2	2																
		C	8	5	1		2													
57	Diabetes mellitus	W	98		1			2	4	4	5	1	1	1	7	7	27	21	16	1
		C	85							1	2	8	4	2	6	20	14	16	10	2
58a	Pernicious anemia	W	8							1			1			2	1	2	1	
		C	4	1								1				2				
58b	Other anemias and chlorosis	W	5			1										2		1	1	
60a	Exophthalmic goiter	W	9		1						2		1		2	2	1			
		C	6										1		4		1			
60b	Other diseases of the thyroid gland	W	1											1						
		C	5											1	2				2	
62	Diseases of the thymus gland	W	4	3																
		C	1								1									
63	Diseases of the adrenals (Addison's disease)	W	1												1					
64	Diseases of the spleen	W	1								1									
65a	Leukemia	W	10						1	3			2		1	1	1	1		
		C	3													1	1	1		
65b	Hodgkin's disease	W	11							2		1	1		2	2	3			
		C	1												1					
66	Alcoholism (acute or chronic)	W	13								1			1	6	1	2	1		1
		C	12								2	2	1	2	1	2		1	1	
69	Other general diseases	W	37	21	2	4		1	1				1	1		2	1	1	2	
		C	22	5	3	2		2		1		1	1		3	1		2	1	
	III.—Diseases of the nervous system and of the organs of special sense	White	801	23	4	4	6	2	15	7	11	8	16	14	49	92	117	223	204	6
		Colored	917	36	11	3	2	5	19	14	14	22	28	25	87	177	181	141	141	11
70	Encephalitis	W	10		1		1		1					1	1	2	1	1	1	
		C	10	1					1	1	1		2		2	2				
71a	Simple meningitis	W	20	7		3	2		1	1		2		1	2					1
		C	17	4	2			2	3	2	1					1	1		1	
71b	Nonepidemic cerebrospinal meningitis	W	10		1	1		1	2	2			1	1	1					
		C	10	1	1	2	1	2	1	1					1					
72	Tabes dorsalis (locomotor ataxia)	W	3														1		2	
		C	7										1	1	1	1	2	1		
73	Other diseases of the spinal cord	W	20	2					2		1	1				1	3	9	1	
		C	14					1			1		2		1	2	3	3	1	
74a	Cerebral hemorrhage	W	524	3					2		2		4	5	22	69	88	168	156	5
		C	573	1	1				1	2	1	8	11	9	51	131	142	107	102	6
74b	Cerebral embolism and thrombosis	W	13							2					2	1	3	4	1	
		C	8				1					1	2		2	1		1		
75	Paralysis without specified cause	W	66	1								1		1	3	2	9	23	26	
		C	103	2					2				1	3	8	11	18	26	29	3
76	General paralysis of the insane	W	25										1		9	4	2	6	3	
		C	43									1	2	3	9	18	7		2	1
77	Other forms of mental alienation	W	9										1	1	1	2		2	2	
		C	16								1	3	2		2	2	3		3	
78	Epilepsy	W	27	1			1		1		2	8	6	1	2	4	3	2	1	
		C	47	1					5	4	7	7	4	5	5	4	3	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	1										1							
		C	6						2		1			1	1					1
80	Infantile convulsions (under 5 years)	W	6	6																
		C	29	24	4	1														
81	Chorea	W	2				1												1	
		C	1		1															
82	Neuralgia and neuritis	W	8										1		2		2	1	2	
		C	4										1			1		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

MISSISSIPPI—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
83	Softening of the brain	W	7															1	6	
		C	1															1		
84	Other diseases of the nervous system	W	30	1					3	1	3	1		3	3	6	3	5	1	
		C	14						1	2		1		3	3	2	2			
85	Diseases of the eye and annexa	C	1																1	
86a	Diseases of the ear	W	11	1	1				3	1	2		1			1		1		
		C	9	2					1	2	1	1			1	1				
86b	Diseases of the mastoid process	W	9	1	1		1	1			1				1		2		1	
		C	4		2				2											
	IV.—Diseases of the circulatory system	White	1,167	9			1	1	5	12	7	8	9	11	49	107	175	348	415	10
		Colored	1,358	7	3	2	3	3	9	11	19	27	35	51	163	268	235	252	254	16
87	Pericarditis	W	4										1					2	1	
		C	8										2				2	3		1
88	Endocarditis and myocarditis (acute)	W	40	4					3	4	2	2	1		3	2	6	9	4	
		C	37			1			2		2	1	2	6	11	3	4	5		
89	Angina pectoris	W	99										1	1	5	14	23	26	29	
		C	28										2	3	6	7	4	3	3	
90	Other diseases of the heart	W	862	4			1	1	2	8	5	6	6	9	38	81	132	255	306	8
		C	1,157	5	3	1	3	3	7	10	17	26	26	40	135	246	207	212	203	13
91a	Aneurysm	W	10												1	6		3		
		C	14							1			2	1	1	4	3	1		1
91b,c	Other diseases of the arteries	W	134													3	11	46	73	1
		C	88												5	4	13	22	44	
	Embolism and thrombosis (not cerebral)	W	10												1	1	1	4	2	1
		C	5													2		2	1	
93	Diseases of the veins	C	2										1					1		
94	Diseases of the lymphatic system	W	1											1						
		C	1	1																
95	Hemorrhage without specified cause	W	2	1											1					
		C	5	1										1	1	1		1		
96	Other diseases of the circulatory system	W	5														2	3		
		C	13												4	1	2	2	3	1
	V.—Diseases of the respiratory system	White	558	104	34	15	10	6	15	8	19	16	16	9	35	42	47	87	92	3
		Colored	887	194	59	28	23	11	19	27	50	53	42	33	78	86	57	62	52	13
97a	Diseases of the nasal fossae	W	2	1															1	
		C	9	6	1		1								1					
97b	Diseases of the nasal fossae annexa	W	5	1				1	1			1				1				
		C	3							1								1		1
98	Diseases of the larynx	W	2																2	
		C	1										1							
99a	Acute bronchitis	W	9	2	1	1	1											3	1	
		C	3	1					1										1	
99b	Chronic bronchitis	W	11															6	5	
		C	7	1		1											1	2	2	
99c,d	Bronchitis (unspecified)	W	14	5	1	1			1		1							1	4	
		C	5	2														1	2	
100a	Broncho-pneumonia	W	173	63	17	2	5	2	3		4	1		1	4	9	11	20	30	1
		C	194	82	21	12	8	8	5	3	8	8	5	2	5	4	8	6	7	2
100b	Capillary bronchitis	W	2	1	1															
		C	2	1										1						
101a	Lobar pneumonia	W	288	23	11	10	4	2	10	6	12	13	16	8	23	28	29	51	41	1
		C	493	52	24	10	10	3	9	19	36	38	30	23	60	68	40	35	28	8
101b	Pneumonia (unspecified)	W	24	8	1					2	1				1	2	2	3	3	1
		C	115	45	10	4	3		4	3	4	4	4	3	8	6	3	8	6	
102	Pleurisy	W	3		1											1			1	
		C	11	1	1	1						1		3	1	1		1		1
103	Congestion and hemorrhagic infarct of the lung	W	8			1		1			1				1	1	1	1	1	
		C	7		1										1		1	2	1	1
104	Gangrene of the lung	C	1										1							
105	Asthma	W	11		1							1			2		3	2	2	
		C	19	1								1			1	4	3	4	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	6												4		1		1	
		C	17	2	1		1			1	2	1	1	1	1	3	1	2		
	VI.—Diseases of the digestive system	White	889	188	115	35	8	7	27	26	41	23	23	22	60	83	70	78	81	2
		Colored	1,019	250	113	50	16	11	40	28	45	51	43	39	71	80	78	45	49	10
108	Diseases of the mouth and annexa	W	10											3	1	2	2	1	1	
		C	9	3					1				1	1	1		1	1		
109b	Other diseases of the pharynx, tonsils	W	25	3		1		2	5		2		2	4	2		1	2	1	
		C	34	2	2			2	5	2	4	3	2		3	2	3	1	3	
111a	Ulcer of the stomach	W	38								1		1		8	8	5	10	5	
		C	25								1		5	2	6	5	4	1	1	
111b	Ulcer of the duodenum	W	8										1	1	1	2	2		1	
		C	5									1	1		1		1		1	
112	Other diseases of the stomach (cancer excepted)	W	52	6	2	1			2		1	2			1	10	8	7	12	
		C	81	12	1	2			5	2	1	7	2	3	8	18	11	1	8	
113	Diarrhea and enteritis (under 2 years)	W	268	162	106															
		C	321	216	105															
114	Diarrhea and enteritis (2 years and over)	W	91			31	5	2	5	2		1	2	1	3	3	6	7	22	1
		C	127			47	12	6	12	5	3	1	2		4	4	4	10	16	1
116	Diseases due to other intestinal parasites	W	3	1	1		1													
		C	3					2	1											
117	Appendicitis and typhlitis	W	161	2	2		1	2	12	18	33	12	13	9	17	24	8	3	5	
		C	171		1		2	1	13	11	25	26	18	18	18	16	8	7	1	6
118a	Hernia	W	9												1	2		1	5	
		C	29	2		1			2				1	1	2	4	7	4	4	1
118b	Intestinal obstruction	W	67	14	4	2	1	1	3	4	2	2	1	1	7	7	4	7	7	
		C	89	9	2					5	8	10	3	8	13	9	11	5	5	1
119	Other diseases of the intestines	W	9									1			1	2	3	2		
		C	9	3								1	1	1	1	1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver	W	5									1	1		1	1		1		
		C	2															2		
122	Cirrhosis of the liver	W	74								1		1		5	13	18	23	12	1
		C	52				1		1	1	1	1	4	1	3	12	11	9	6	1
123	Biliary calculi	W	11										1		1	1	3	1	4	
		C	11										1		4	2	2		2	
124	Other diseases of the liver	W	48							1	1	3		3	9	8	9	10	4	
		C	42	1	1		1			2	2	1	1	3	6	6	14	3	1	
125	Diseases of the pancreas	W	3							1					1			1		
		C	2												1	1				
126	Peritonitis without specified cause	W	7									1			1		1	2	2	
		C	7	2	1								1	1			1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	984	16	4	6	1	3	6	3	15	10	13	18	60	95	141	301	277	15
		Colored	1,389	6	6	1	3		6	9	25	35	50	49	183	235	237	240	286	18
128	Acute nephritis (including unspecified under 10 years)	W	91	7	2	3	1	3	5	1	4	2	1	4	8	15	10	12	11	2
		C	126	4	4		2		4	4	7	10	15	7	26	13	13	8	8	1
129	Chronic nephritis (including unspecified 10 years and over)	W	774							2	7	4	6	8	41	62	123	271	237	13
		C	1,063				1		1	3	16	13	16	28	118	191	204	214	245	13
131	Other diseases of the kidneys and annexa	W	48	9	2	3					1	3	1		5	11	4	6	3	
		C	37	2	2	1			1			4	4	1	5	5	2	3	7	
132	Calculi of the urinary passages	W	6											3	3					
		C	5									1			1		1		1	1
133	Diseases of the bladder	W	8															2	6	
		C	18													6	3	2	6	1
134	Diseases of the urethra, etc	C	9									1			3	2	2			1
135	Diseases of the prostate	W	33													1	3	9	20	
		C	56											1	5	9	9	13	19	
136	Nonvenereal diseases of the male genital organs	W	1						1											
137	Cysts, other benign tumors of the ovary	W	3									1					1	1		
		C	3											1	2					
138	Salpingitis and pelvic abscess (female)	W	7								2		3		1	1				
		C	31							1	2	4	9	6	7	1				1
139	Benign tumors of the uterus	W	8										1	1	2	4				
		C	30										6	3	15	3	3			
140	Nonpuerperal uterine hemorrhage	W	1										1							
		C	1												1					
141	Other diseases of the female genital organs	W	4								1			2		1				
		C	10							1		2		2		5				
	VIII.—The puerperal state	White	148							1	22	26	29	29	36					5
		Colored	279							11	64	65	39	35	55	7				3
143	Accidents of pregnancy	W	10										3	1	5					1
		C	19								3	4	4	4	4					
144	Puerperal hemorrhage	W	14								1	1	3	5	4					
		C	24										8	6	8	2				
145	Other accidents of labor	W	15								2	2	1	3	7					
		C	20								2	7	2	3	5	1				
146	Puerperal septicemia	W	55								6	12	14	10	9					4
		C	91							1	25	20	14	12	15	2				2
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2										1	1						
		C	2											1		1				
148	Puerperal albuminuria and convulsions	W	50							1	13	9	7	9	11					
		C	122							9	34	34	11	9	23	1				1
149	Following childbirth (undefined)	W	2									2								
		C	1							1										
	IX.—Diseases of the skin and of the cellular tissue	White	16			1					2		1	1	2	1	2	4	2	
		Colored	31						2		3	2			1	3	8	2	8	2
151	Gangrene	W	5			1												2	2	
		C	21								2	2				1	6	1	7	2
152	Furuncle	W	4												1		2	1		
		C	3						1						1	1				
153	Acute abscess	W	3										1			1		1		
		C	3						1		1						1			
154	Other diseases of the skin and annexa	W	4								2			1	1					
		C	4													1	1	1	1	
	X.—Diseases of the bones and of the organs of locomotion	White	10				1		3	1					1			4		
		Colored	8						2	1			1		3	1				
155	Diseases of the bones (tuberculosis excepted)	W	6				1		3						1			1		
		C	5						1	1					2	1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	4							1								3		
		C	1												1					
157	Amputations	C	1										1							
158	Other diseases of the organs of locomotion	C	1						1											
	XI.—Malformations	White	59	56	1			1	1											
		Colored	20	16	2				2											
159a	Congenital hydrocephalus	W	1	1																
		C	4	3					1											
159b	Congenital malformations of the heart	W	37	34	1			1	1											
		C	8	6	1				1											
159c	Other congenital malformations	W	21	21																
		C	8	7	1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MISSISSIPPI—Continued																				
	XII.—Early infancy	White	552	552																
		Colored	311	311																
160	Congenital debility, icterus, sclerema	W	77	77																
		C	39	39																
161a	Premature birth	W	380	380																
		C	215	215																
161b	Injury at birth	W	59	59																
		C	22	22																
162	Other diseases peculiar to early infancy	W	36	36																
		C	33	33																
163	Lack of care	C	2	2																
164	XIII.—Old age (senility)	White	104														1	14	89	
		Colored	299													2	8	41	245	3
	XIV.—External causes	White	790	21	19	9	11	11	47	32	68	74	64	43	94	91	57	62	80	7
		Colored	1,213	45	21	21	26	14	54	54	120	148	137	105	172	97	67	32	42	58
	Suicide	W	69								1	9	8	4	15	12	11	7	1	1
		C	14										1	5	3	1	2	1	1	
165	By poisons (gas or corrosives excepted)	W	3										1		1	1				
166	By corrosive substances	W	9										3	1	2	1	2			
167	By poisonous gas	W	2												1	1				
168	By hanging or strangulation	W	1																1	
		C	2											1	1					
169	By drowning	C	1											1						
170	By firearms	W	44								1	7	4	2	10	8	4	7		1
		C	5										1	1		1	1	1		
171	By cutting or piercing instruments	W	6											1			5			
		C	1											1						
173	By crushing	C	1											1						
174	By other means	W	4									2			1	1				
		C	4												2		1		1	
	Homicide	W	81								9	13	7	7	17	16	8	1	2	1
		C	352	1						4	19	80	67	48	72	28	21	3	2	7
197	By firearms	W	66								8	10	6	6	12	15	7	1	1	
		C	263							3	13	59	52	33	59	24	16		1	3
198	By cutting or piercing instruments	W	7									2	1		4					
		C	54							1	4	16	11	10	8	1			1	2
199	By other means	W	8								1	1		1	1	1	1		1	1
		C	35	1							2	5	4	5	5	3	5	3		2
	Accidental, other, or undefined	W	640	21	19	9	11	11	47	32	58	52	49	32	62	63	38	54	77	5
		C	847	44	21	21	26	14	54	50	101	68	69	52	97	68	44	28	39	51
175	Poisoning by food	W	17	2	1	3	1	2	1			1			1	1		3	1	
		C	12	3		2			1				1	1	2	1			1	
176	Poisoning by venomous animals	W	3					1					1						1	
		C	1	1																
177	Other acute poisonings (gas excepted)	W	12		1		1	1	2		2	1	1	1	1		1			
		C	17		2	2	1		3		1	2	1	3	1	1				
178	Conflagration	W	8		1		1				1		1	2					2	
		C	21				3		7	1	1	1	1	1	1		3		2	
179	Burns (conflagration excepted)	W	62	5	9	3	4	3	3	5	1	4	4	4	1	3	2	7	4	
		C	106	7	8	7	16	7	13	5	4	3	4	1	6	2	2	8	11	2
180	Mechanical suffocation	W	9	3				1	4	1										
		C	22	18					1		1					1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	C	2							1			1							
182	Drowning	W	49	1			1	1	3	7	5	4	6	1	1	9	3			2
		C	208	2	3	3	2		10	11	36	18	14	14	24	16	8	6	4	37
183	Traumatism by firearms (except in war)	W	41						3	6	7	6	2	4	5	2	3	1	1	1
		C	119		2	2	1	1	6	15	25	15	15	13	13	5	3	1	1	1
184	Traumatism by cutting or piercing instruments	W	6									1			1	1		2	1	
		C	8						1		1			1	1	2	2			
185	Traumatism by fall	W	78	2		1			1	2	3	2	2		2	6	3	12	42	
		C	25	4						2	2		1	3	2	4	3		4	
187	Traumatism by machines	W	17							1	1	2	4		4	2	3			
		C	21							3	5	1	4	1	3	2	1			1
188a	Railroad accidents	W	73	2	1			1	1		7	6	7	6	11	12	10	3	5	1
		C	49								5	10	6	2	10	7	3	1		5
	Collision with automobiles	W	27	2	1			1	1		5	4	3		1	6	3			
		C	7											1	2	4				
	Other railroad accidents	W	46								2	2	4	6	10	6	7	3	5	1
		C	42								5	10	6	1	8	3	3	1		5
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	146	1	4	1	2	1	17	6	13	15	15	6	22	20	9	11	2	1
		C	97		1	1	2	3	8	4	6	3	11	4	14	14	9	6	10	1
188e,f	Injuries by other vehicles	W	8				1		1		2					1		3		
		C	11		1	2					1	1			1	3	2			
188g	Landslide, other crushing	W	9						1		3			1	1	1	1			
		C	6	1							1			1	1	1		1		
189	Injuries by animals (not poisoning)	W	3						1	1							1			
		C	8				1	1		2	1						1			
193	Excessive cold	C	3												1		1		1	
194	Excessive heat	W	2									1				1				
		C	3									1			1	1				
195	Lightning	W	6							1	2	1		1	1					
		C	12					1		2	5	1		1	1		1			
196	Other accidental electric shocks	W	8									3	1	2	2					
		C	5		1							2				1				1
201	Fracture (cause not specified)	W	19								2							2	15	
		C	12	2									1	1	1	3		1	2	1
202	Other external violence	W	64	5	2	1			4	2	9	5	5	3	9	5	2	9	31	
		C	79	6	3	2		1	4	4	6	10	9	5	13	3	4	4	3	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MISSISSIPPI—Continued																			
	XV.—Ill-defined diseases—White	482	175	8	4	4	2	10	3	6	10	3	9	13	30	48	74	77	6
	XV.—Ill-defined diseases—Colored	2,267	764	85	20	22	15	41	26	56	76	41	58	141	166	189	199	334	34
204	Sudden death—W	68	3							1	2		2	3	9	13	17	18	
204	Sudden death—C	150	14	3		1		1		2	5	3	6	17	24	24	26	22	2
205a	Ill-defined—W	53	4	3	1		1	2		2	3		2	1	7	9	10	8	
205a	Ill-defined—C	143	24	9	2	1	2	3	1	2	5	3	5	10	14	24	15	22	1
205b	Not specified or unknown—W	361	168	5	3	4	1	8	3	3	5	3	5	9	14	26	47	51	6
205b	Not specified or unknown—C	1,974	726	73	18	20	13	37	25	52	66	35	47	114	128	141	158	290	31
MISSOURI																			
	All causes	40,753	3,966	695	353	263	179	636	567	906	1,125	1,182	1,295	3,380	4,351	5,907	7,524	8,323	101
	I.—Epidemic, endemic, and infectious diseases	5,646	463	241	122	118	72	247	155	319	452	422	370	698	566	481	448	457	15
1	Typhoid and paratyphoid fever	246	1	4	2	4	4	24	20	44	33	23	9	23	21	16	13	5	
5	Malaria	136	14	8	4	3	3	12	5	8	5	7	7	14	14	10	8	14	
6	Smallpox	11	2		1				2		1			2	1	1		1	
7	Measles	189	41	43	14	13	11	21	9	12	2	3	1	9	3	5	1	1	
8	Scarlet fever	89	3	8	8	15	7	26	10	1	7	1	2	1					
9	Whooping cough	243	131	59	23	12	7	8	2	1									
10	Diphtheria	220	8	35	24	36	26	62	17	3		1	1	2	2	2			1
11a	Influenza (with pulmonary complications)	498	63	11	7	3	3	9	5	7	16	16	13	45	46	50	79	124	1
11b	Influenza (other and unspecified)	387	27	11	4	7		9	10	10	10	6	8	24	28	30	67	135	1
13	Mumps	1						1											
15	Cholera nostras	7	1	1					1									4	
16	Dysentery	116	32	21	7	3		1						1	3	5	8	35	
19	Spirochetal hemorrhagic jaundice	1									1								
21	Erysipelas	79	27	2	1				1		3	2	4	5	8	10	6	10	
22	Acute anterior poliomyelitis	81	8	6	5	6	6	19	13	14	4								
23	Lethargic encephalitis	47	1		3			3	3		6	5	2	7	8	6	1	2	
24	Meningococcus meningitis	47	6	5	2	2		7	6	1	3	4	2	3	3	2			1
25	Other epidemic and endemic diseases	6	3			1		1										1	
28	Rabies	1						1											
29	Tetanus	52	4			3		12	12	4			1	5	5	5	1		
30	Mycoses	4	2							1						1			
	Tuberculosis (all forms)	2,786	31	25	14	9	5	22	37	205	334	331	292	480	354	289	235	113	10
31	Of the respiratory system	2,512	19	12	3	3		10	26	186	310	311	274	437	328	268	213	102	10
32	Of the meninges, central nervous system	72	9	9	10	4	5	7	3	4	5	5		7	2	1	1		
33	Of the intestines, peritoneum	93	1					1	1	6	12	5	9	19	11	10	11	7	
34	Of the vertebral column	27	1					2	3	2	1	2	2	4	1	5	2	2	
35	Of the joints	3							2		1								
36	Of other organs	30		2				1	1	2	1	3	2	5	4	4	3	2	
37a	Disseminated (acute)	44	1	2	1	1		1		5	4	5	4	8	8		4		
37b	Disseminated (chronic or unspecified)	5				1			1				1			1	1		
38	Syphilis	313	49	2	1	1		3		2	13	16	19	59	67	44	27	9	1
40	Gonococcus infection	43	2							5	9	5	8	11	2	1			
41	Purulent infection, septicemia	42	7		2			6	2	1	5	2	1	7	1	4	1	3	
42	Other infectious diseases	1															1		
	II.—General diseases not included in Class I	5,162	75	8	9	11	9	31	39	38	48	68	111	459	903	1,265	1,245	834	9
	Cancer and other malignant tumors	3,709	1	2	4	3	5	6	10	11	13	27	64	314	663	948	957	674	7
43	Of the buccal cavity	110												8	17	26	32	26	1
44	Of the stomach, liver	1,356		1			1		1		3	4	9	63	198	364	421	290	1
45	Of the peritoneum, intestines, rectum	509	1				2	2	3	1		4	10	28	93	125	134	105	1
46	Of the female genital organs	566							2	1	3	5	23	109	146	138	92	45	2
47	Of the breast	332										3	6	39	97	95	55	37	
48	Of the skin	94					1						1	4	6	10	24	46	2
49	Of other or unspecified organs	742		1	4	3	1	4	4	9	7	11	15	63	106	190	199	125	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	26	1							1	1		1	2	7	5	4	4	
51	Acute rheumatic fever	76					2	7	7	6	6	4	3	3	8	5	12	13	
52	Chronic rheumatism, osteoarthritis, gout	40								2	1		1	3	5	9	11	7	1
54	Pellagra	27									1		4	7	7	4	3	1	
56	Rickets	6	5	1															
57	Diabetes mellitus	585	1			1		7	8	9	5	9	7	38	78	161	165	96	
58a	Pernicious anemia	138	2			1		1			1	1	3	10	21	38	40	20	
58b	Other anemias and chlorosis	18	1						2		1		1	2	2	3	1	5	
59	Diseases of the pituitary gland	4	1									1		1	1				
60a	Exophthalmic goiter	176							1	1	5	10	14	20	43	50	28	3	1
60b	Other diseases of the thyroid gland	21	3									2		3	3	5	5		
61	Diseases of the parathyroid glands	3			2		1												
62	Diseases of the thymus gland	41	31	2	1	2		2	3										
63	Diseases of the adrenals (Addison's disease)	10										1	1	2	4	1	1		
64	Diseases of the spleen	3				1						1		1					
65a	Leukemia	78	1	1	2	2	1	4	6	1	3	7	2	11	14	14	8	1	
65b	Hodgkin's disease	32	1			1		2		2	3	1	1	4	6	5	4	2	
66	Alcoholism (acute or chronic)	110								3	5	4	5	36	38	13	2	4	
67a	Chronic lead poisoning	7									1		2	1	1		1	1	
67b	Other chronic mineral poisoning	2												1		1			
69	Other general diseases	50	27	2				2	2	2	2		2		2	3	3	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	4,117	112	27	16	11	12	37	28	33	28	43	56	252	416	755	1,045	1,240	6
70	Encephalitis	33	2	1		1		1		2	2	1	1	4	7	4	3	4	
71a	Simple meningitis	65	16	4	5	3	2	2	4	5	1	3	2	8	5	1	2	2	
71b	Nonepidemic cerebrospinal meningitis	21	5	3	2	1	2	3	1	1	1	1						1	
72	Tabes dorsalis (locomotor ataxia)	71											1	9	11	25	14	11	
73	Other diseases of the spinal cord	129		2	1	1		3	1	4	3	2	3	10	11	28	30	30	
74a	Cerebral hemorrhage	2,843	7	1	2				1	2	2	7	16	98	243	558	853	1,049	4
74b	Cerebral embolism and thrombosis	74	1					1	3	2	1	3	4	7	5	8	19	20	
75	Paralysis without specified cause	154		1								2		2	8	25	45	71	
76	General paralysis of the insane	233									3	5	16	64	79	39	22	4	1
77	Other forms of mental alienation	42								1	3	3	3	7	6	11	3	4	1
78	Epilepsy	102	4			1	2	1	3	7	11	6	3	16	16	11	10	11	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	33	28	1	2	1	1												
81	Chorea	1						1											
82	Neuralgia and neuritis	12				1		1						1		5	2	2	
83	Softening of the brain	25											1			3	9	12	
84	Other diseases of the nervous system	135	2	2	1	2	1	6	2	4	1	4	1	15	19	29	28	18	
85	Diseases of the eye and annexa	1														1			
86a	Diseases of the ear	78	22	6	2		2	10	6	4		2	4	7	4	7	1	1	
86b	Diseases of the mastoid process	63	25	6	1		2	7	7	1		4	1	3	2		4		
	IV.—Diseases of the circulatory system	7,532	15	3	5	2	7	34	57	54	66	82	127	446	758	1,266	2,058	2,530	22
87	Pericarditis	40							2		1	1	1	2	6	9	11	7	
88	Endocarditis and myocarditis (acute)	238	5	2	2		1	6	13	9	13	14	4	30	34	28	43	33	1
89	Angina pectoris	387									1	2	6	16	49	87	128	98	
90	Other diseases of the heart	5,851	7		3	2	5	27	42	45	50	61	104	360	591	1,002	1,645	1,893	14
91a	Aneurysm	146										3	8	17	37	41	29	11	
91b,c	Other diseases of the arteries	745												8	21	61	186	462	7
92	Embolism and thrombosis (not cerebral)	94	2					1				1	2	9	20	31	14	14	
93	Diseases of the veins	23									1		2	2		7	2	9	
94	Diseases of the lymphatic system	2	1	1															
95	Hemorrhage without specified cause	4					1								2			1	
96	Other diseases of the circulatory system	2																2	
	V.—Diseases of the respiratory system	3,399	586	127	67	37	18	56	32	67	65	77	93	230	283	385	521	749	6
97a	Diseases of the nasal fossae	7	1							1						2	1	2	
97b	Diseases of the nasal fossae annexa	21				1	2	3	2			2	3	2	3	2		1	
98	Diseases of the larynx	11	2	1	1	2	2							1	1			1	
99a	Acute bronchitis	72	13	2	2	1		1		1	1	1				3	6	41	
99b	Chronic bronchitis	129	1	1							2	1		2	2	11	36	73	
99c,d	Bronchitis (unspecified)	37	10	1	1	1										1	2	21	
100a	Broncho-pneumonia	1,195	392	74	34	23	9	16	11	8	8	8	16	45	46	90	146	268	1
100b	Capillary bronchitis	23	9	4							2	1		1	3		1	2	
101a	Lobar pneumonia	1,703	140	38	26	8	4	33	15	49	47	60	63	163	212	245	291	306	3
101b	Pneumonia (unspecified)	37	12	1			1	1		1	2			2	1	4	6	4	2
102	Pleurisy	58	3	4	1	2	1	2	2	3	2	3	5	7	6	9	4	4	
103	Congestion and hemorrhagic infarct of the lung	12	2													1	3	6	
104	Gangrene of the lung	5												1		1	2	1	
105	Asthma	54		1	1			1			1	1	2	2	3	8	18	16	
106	Pulmonary emphysema	6											1		1	1	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	29	1		1				1	2			3	4	5	7	3	2	
	VI.—Diseases of the digestive system	3,255	576	204	86	39	24	95	76	111	85	96	97	295	364	406	392	306	3
108	Diseases of the mouth and annexa	24		1		1						3	2	4	5	4	2	2	
109b	Other diseases of the pharynx, tonsils	128	4	5	5	7	1	21	10	9	9	3	7	12	9	15	5	6	
110	Diseases of the esophagus	3							1								1	1	
111a	Ulcer of the stomach	171	1					1		3	3	4	3	26	37	40	26	27	
111b	Ulcer of the duodenum	64								1	2	1	4	12	18	15	10	1	
112	Other diseases of the stomach (cancer excepted)	140	31	2	2		1	4		2		2	1	11	16	15	27	25	1
113	Diarrhea and enteritis (under 2 years)	683	503	180															
114	Diarrhea and enteritis (2 years and over)	246			63	19	13	14	3	8	3	2	3	5	14	17	27	55	
116	Diseases due to other intestinal parasites	1						1											
117	Appendicitis and typhlitis	617	3	2	5	9	4	46	53	75	54	54	44	90	67	66	37	6	
118a	Hernia	144	3	2		1		1			1	2	2	11	20	27	46	28	
118b	Intestinal obstruction	218	29	7	8	2	2	3	3	3	3	7	10	23	30	27	28	32	1
119	Other diseases of the intestines	37						1	1	1	1	4		5	8	2	9	5	
120	Acute yellow atrophy of the liver	16									1			8	4	2		1	
121	Hydatid tumor of the liver	3											1	2					
122	Cirrhosis of the liver	343		1			2			2		3	7	35	65	77	89	61	1
123	Biliary calculi	174								1	3	4	2	15	35	49	43	22	
124	Other diseases of the liver	164	1	1	1		1	1		1	1	1	9	26	29	35	29	28	
125	Diseases of the pancreas	27									1	1		6	5	9	5		
126	Peritonitis without specified cause	52	1	3	2			2	5	5	3	5	2	4	2	4	8	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,963	8	6	8	6	4	15	23	27	38	75	113	372	563	873	1,333	1,490	9
128	Acute nephritis (including unspecified under 10 years)	146	4	1	5	4	4	6	3	6	3	6	11	26	19	15	16	17	
129	Chronic nephritis (including unspecified 10 years and over)	4,185		2		1		5	18	19	19	41	61	247	481	784	1,191	1,308	8
131	Other diseases of the kidneys and annexa	97	3	1	2	1		4	2	1	2	2	4	13	9	23	15	14	1
132	Calculi of the urinary passages	30			1						1		4	7	3	5	7	2	
133	Diseases of the bladder	41		1										1	1	7	5	26	
134	Diseases of the urethra, etc	11									1	1			4	2		3	
135	Diseases of the prostate	239										1		2	3	27	89	117	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
136	Nonvenereal diseases of the male genital organs	5	1	1								1			1		1		
137	Cysts, other benign tumors of the ovary	28									2	4	3	13	2	3		1	
138	Salpingitis and pelvic abscess (female)	73									9	15	14	25	7	3			
139	Benign tumors of the uterus	91									1	4	13	34	29	3	6	1	
141	Other diseases of the female genital organs	17								1			3	4	4	1	3	1	
	VIII.—The puerperal state	448							2	45	93	94	92	117	5				
143	Accidents of pregnancy	55								2	8	10	15	19	1				
144	Puerperal hemorrhage	44									7	9	11	17					
145	Other accidents of labor	39								3	5	10	7	13	1				
146	Puerperal septicemia	201							2	18	49	48	42	42					
147	Puerperal phlegmasia alba dolens, embolus, etc.	11									3	2	4	2					
148	Puerperal albuminuria and convulsions	98								22	21	15	13	24	3				
	IX.—Diseases of the skin and of the cellular tissue	102	13	1	1	1		1	1	1	3	1	2	5	11	6	22	32	1
151	Gangrene	37		1							1				1	2	10	22	
152	Furuncle	28	6								2		1	2	6	3	4	4	
153	Acute abscess	9								1				1	2	1	4		
154	Other diseases of the skin and annexa	28	7		1	1		1	1			1	1	2	2		4	6	1
	X.—Diseases of the bones and of the organs of locomotion	35	1		1		1	6	4	2	1	2	1	3	4	4	2	3	
155	Diseases of the bones (tuberculosis excepted)	31					1	5	4	2	1	2	1	3	4	3	2	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3			1			1								1			
158	Other diseases of the organs of locomotion	1	1																
	XI.—Malformations	377	351	5	2	3	2	6	4	3		1							
159a	Congenital hydrocephalus	41	34	1	1	1		2	1	1									
159b	Congenital malformations of the heart	198	185	2	1	1	2	2	3	2									
159c	Other congenital malformations	138	132	2		1		2				1							
	XII.—Early infancy	1,557	1,557																
160	Congenital debility, icterus, sclerema	136	136																
161a	Premature birth	1,058	1,058																
161b	Injury at birth	255	255																
162	Other diseases peculiar to early infancy	105	105																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	276													2	4	23	246	1
	XIV.—External causes	3,487	52	64	33	35	27	105	143	202	243	214	228	490	454	425	370	379	23
	Suicide	543							3	24	38	29	38	101	119	99	67	22	3
165	By poisons (gas or corrosives excepted)	37								3	4	2	4	5	8	6	4		1
166	By corrosive substances	105								6	9	11	11	19	22	15	11	1	
167	By poisonous gas	50							1	1	1	2	2	9	18	10	4	2	
168	By hanging or strangulation	68								3	1	3	4	12	14	13	13	5	
169	By drowning	23								1	1	3	1	3	1	5	5	2	1
170	By firearms	213							2	10	19	6	15	43	44	42	23	8	1
171	By cutting or piercing instruments	28												7	10	3	5	3	
172	By jumping from high places	9									2	1	1		1	4			
173	By crushing	7									1			2	1		2	1	
174	By other means	3										1		1		1			
	Homicide	375	4					3	3	19	49	65	52	82	52	31	11	2	2
197	By firearms	258							1	17	31	45	40	61	39	16	5	1	2
198	By cutting or piercing instruments	61						1	1		11	14	9	13	6	6			
199	By other means	56	4					2	1	2	7	6	3	8	7	9	6	1	
	Accidental, other, or undefined	2,569	48	64	33	35	27	102	137	159	156	120	138	307	283	295	292	355	18
175	Poisoning by food	41	3	4	2	3	1	3	3		1	1	1	4	7	1	4	3	
177	Other acute poisonings (gas excepted)	54	1	4	2	2	1		1	2	5	3	2	10	13	3	4	1	
178	Conflagration	68	2	6	2	3	3	6	4	4	5	2	5	9	8	2	3	4	
179	Burns (conflagration excepted)	151	5	16	10	7	8	9	10	8	10	5	4	11	13	12	10	12	1
180	Mechanical suffocation	17	11		1							1	2	1		1			
181	Absorption of irrespirable, irritating, or poisonous gas	45	1	2						3	1	2	4	8	6	12	5	1	
182	Drowning	152	1	7	3	3		9	20	26	17	9	8	11	16	8	5	4	5
183	Traumatism by firearms (except in war)	98				2		8	19	13	7	7	3	15	11	6	7		
184	Traumatism by cutting or piercing instruments	25		1			1	2			1		2	4	4	6	3	1	
185	Traumatism by fall	574	11	7	2	4	1	8	6	14	10	11	8	29	30	67	103	262	1
186a	Traumatism in mines	17									1	2	5	1	4	2	1	1	
186b	Traumatism in quarries	3										1			1	1			
187	Traumatism by machines	57			2			1	1	6	3	1	2	15	6	14	6		
188a	Railroad accidents	201			1			2	7	14	21	13	22	40	25	21	18	9	8
	Collision with automobiles	40						1	1	4	3	2	5	10	2	3	7	2	
	Other railroad accidents	161			1			1	6	10	18	11	17	30	23	18	11	7	8
188b	Street-car accidents	47		1			1	1	1	3	1	2	4	9	3	10	3	8	
	Collision with automobiles	18								1	1		2	6	3	3	1	1	
	Other street-car accidents	29		1			1	1	1	2		2	2	3		7	2	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	XIV.—External causes.—Continued.																		
	Accidental, other, or undefined—Con.																		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	517	4	6	2	4	5	38	40	38	38	26	18	67	65	80	68	18	
188d	Airplane and balloon accidents	5									1	2		1	1				
188e,f	Injuries by other vehicles	45	1				2	1	3	2	3	1	1	5	4	5	11	6	
188g	Landslide, other crushing	30			1			3	5	4	4	8	10	13	11	11	9	1	
189	Injuries by animals (not poisoning)	25	1	1	2			2	1	1			2	1	4	3	3	4	
190	Wounds of war	1												1					
193	Excessive cold	9												2	2	1	1	3	
194	Excessive heat	17	1										3	2	3	4	1	3	
195	Lightning	22							3	2	5	2	1	4	5				
196	Other accidental electric shocks	35								2	8	5	9	5	2	3			1
201	Fracture (cause not specified)	28											3	6	6	2	6	5	
202	Other external violence	235	6	9	3	7	4	9	13	17	14	16	19	33	33	20	21	9	2
	XV.—Ill-defined diseases	397	157	9	3		3	3	3	4	3	7	5	13	22	37	65	57	6
204	Sudden death	37	5						1	1	1			2	1	10	9	7	
205a	Ill-defined	86	16	4			1					1	1	3	7	15	22	15	1
205b	Not specified or unknown	274	136	5	3		2	3	2	3	2	6	4	8	14	12	34	35	5
	MONTANA																		
	All causes	5,342	651	86	76	48	33	135	110	145	139	162	189	543	618	821	850	726	10
	I.—Epidemic, endemic, and infectious diseases	795	86	32	34	20	12	51	32	42	27	37	48	105	93	89	54	33	
1	Typhoid and paratyphoid fever	15						1	3			1	1	3	3	3			
6	Smallpox	1										1							
7	Measles	30	11	6	6	3	2	1	1										
8	Scarlet fever	32	3	1	5	3	1	8	3	2	1	1	1	1	1		1		
9	Whooping cough	15	10	3	1			1											
10	Diphtheria	20	1	3	2	2	1	5	1	1			1	1	2				
11a	Influenza (with pulmonary complications)	90	16	4	1	1	1			2	3	1	7	14	9	10	10	11	
11b	Influenza (other and unspecified)	57	11	3	1	1	1	5	3		2	2	2	3	6	5	3	9	
13	Mumps	1														1			
16	Dysentery	6	3	1				1								1			
19	Spirochetal hemorrhagic jaundice	2												2					
21	Erysipelas	23	7									1		1	3	5	2	4	
22	Acute anterior poliomyelitis	4	1					1	1						1				
23	Lethargic encephalitis	7		1				1	1					2		1	1		
24	Meningococcus meningitis	66	9	4	5	3	3	9	4	15	4	3	1	3		3			
25	Other epidemic and endemic diseases	5	1						1					1		1	1		
29	Tetanus	2								1			1						
	Tuberculosis (all forms)	373	7	6	11	7	3	18	13	19	16	24	33	66	60	51	31	8	
31	Of the respiratory system	320	6	3	5	6	1	11	11	17	14	20	30	61	54	46	28	7	
32	Of the meninges, central nervous system	18	1	3	5	1	2	4		1		1							
33	Of the intestines, peritoneum	15			1			1			1	1	2	2	2	4	1		
34	Of the vertebral column	3							1				1		1				
35	Of the joints	3						1						1		1			
36	Of other organs	7							1	1	1	1			2	1			
37a	Disseminated (acute)	5						1				1		2	1				
37b	Disseminated (chronic or unspecified)	2															1	1	
38	Syphilis	34	2		2							1	1	7	8	7	5	1	
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	11	4						1	2	1	1		1		1			
	II.—General diseases not included in Class I	663	12	3	3	1	2	7	7	9	7	12	17	61	105	186	144	86	1
	Cancer and other malignant tumors	414		1						2		2	6	31	63	123	109	76	1
43	Of the buccal cavity	11												1		4	4	2	
44	Of the stomach, liver	186								1			3	5	19	60	62	36	
45	Of the peritoneum, intestines, rectum	57										1	1	4	8	19	13	11	
46	Of the female genital organs	41										1	1	11	14	8	1	4	1
47	Of the breast	29												4	8	8	5	4	
48	Of the skin	9														3	2	4	
49	Of other or unspecified organs	81		1						1			1	6	14	21	22	15	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3														1	1	1	
51	Acute rheumatic fever	20						3	4	4	1	1		6	1				
52	Chronic rheumatism, osteoarthritis, gout	9												1	1	2	2	3	
54	Pellagra	1									1								
57	Diabetes mellitus	71			1		2	3	1	3	2	1	2		7	25	21	3	
58a	Pernicious anemia	17	1					1							5	8	1	1	
58b	Other anemias and chlorosis	5	1						1		1					2			
59	Diseases of the pituitary gland	3										1			1	1			
60a	Exophthalmic goiter	24									1	1	1	3	8	7	3		
60b	Other diseases of the thyroid gland	2		2															
61	Diseases of the parathyroid glands	2			1							1							
62	Diseases of the thymus gland	5	4		1														
63	Diseases of the adrenals (Addison's disease)	4										1		2		1			
65a	Leukemia	9	1						1					3	2		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
65b	Hodgkin's disease	3											1	1		1			
66	Alcoholism (acute or chronic)	58									1	3	7	13	16	14	4		
67	Other chronic mineral poisoning	2													1			1	
68	Chronic poisoning by organic substances	2										1					1		
69	Other general diseases	9	5			1								1		1		1	
	III.—Diseases of the nervous system and of the organs of special sense	463	13	3	3	6	2	6	5	11	6	10	8	44	44	94	111	95	2
70	Encephalitis	4	1					1	1						1				
71a	Simple meningitis	13	2	1		4		1		3		1		1					
71b	Nonepidemic cerebrospinal meningitis	3	2										1						
72	Tabes dorsalis (locomotor ataxia)	7												1	2	2	1	1	
73	Other diseases of the spinal cord	21						3			1			2	3	1	8	2	1
74a	Cerebral hemorrhage	290							1	1		1	1	18	26	75	85	82	
74b	Cerebral embolism and thrombosis	23	1									3	1	2	3	3	4	5	1
75	Paralysis without specified cause	9												1	2	2	2	2	
76	General paralysis of the insane	17									1		1	4	4	4	3		
77	Other forms of mental alienation	13									1		2	4	3	2	1		
78	Epilepsy	20	1						2	3	2	2	1	4		2	2	1	
79	Convulsions (nonpuerperal; 5 years and over)	2							1					1					
80	Infantile convulsions (under 5 years)	8	5	1		1	1												
84	Other diseases of the nervous system	18		1		1				2		3		4		2	3	2	
86a	Diseases of the ear	9	1		1					1	1			2		1	2		
86b	Diseases of the mastoid process	6			2		1	1		1			1						
	IV.—Diseases of the circulatory system	901	5		1			5	15	7	14	11	18	71	106	175	225	245	3
87	Pericarditis	3							1					1	1				
88	Endocarditis and myocarditis (acute)	49	3						3	2	3	3	4	12	3	7	7	2	
89	Angina pectoris	63											1	5	9	19	19	10	
90	Other diseases of the heart	700	1		1			5	11	5	11	8	12	48	87	133	171	204	3
91a	Aneurysm	13											1	2	2	5	3		
91b,c	Other diseases of the arteries	53													1	10	16	26	
92	Embolism and thrombosis (not cerebral)	14	1											1	1	1	8	2	
93	Diseases of the veins	3													2			1	
94	Diseases of the lymphatic system	2												2					
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	433	73	24	8	10	5	10	6	5	9	11	11	36	38	60	64	60	3
97b	Diseases of the nasal fossae annexa	1							1										
98	Diseases of the larynx	1				1													
99a	Acute bronchitis	2		1		1													
99b	Chronic bronchitis	10													1	2		7	
99c,d	Bronchitis (unspecified)	6	2	3		1													
100a	Broncho-pneumonia	120	41	9	4	2	2	2	1		2	2	1	5	5	11	13	19	1
100b	Capillary bronchitis	1		1															
101a	Lobar pneumonia	216	17	6		1	2	6	4	4	6	8	9	26	24	36	43	22	2
101b	Pneumonia (unspecified)	35	12	4	4	3	1	1						2	1	1	1	5	
102	Pleurisy	9	1					1		1	1			1	2	1	1		
103	Congestion and hemorrhagic infarct of the lung	5															1	4	
105	Asthma	7										1		1	1	2	1	1	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	19				1							1	1	4	7	4	1	
	VI.—Diseases of the digestive system	453	52	12	5	4	7	28	16	8	18	11	14	45	75	64	61	33	
108	Diseases of the mouth and annexa	7	1							1	1			1	1	2			
109	Other diseases of the pharynx, tonsils	21	2	1	1		1	2	2		2	1	1	1	4		2	1	
111a	Ulcer of the stomach	32									2		1	5	7	5	7	5	
111b	Ulcer of the duodenum	15											1	1	7	3	1	2	
112	Other diseases of the stomach (cancer excepted)	25	5	1			1	1				1		1	1	7	3	4	
113	Diarrhea and enteritis (under 2 years)	49	40	9															
114	Diarrhea and enteritis (2 years and over)	17			1	4		1				1			1		2	7	
117	Appendicitis and typhlitis	115			2		5	20	14	6	9	6	9	13	16	8	6	1	
118a	Hernia	27		1				1			1		1	5	5	5	7	1	
118b	Intestinal obstruction	28	3		1									5	1	7	7	4	
119	Other diseases of the intestines	7	1											2	1	1	2		
120	Acute yellow atrophy of the liver	2													1			1	
122	Cirrhosis of the liver	45						1		1	1	1		3	9	12	14	3	
123	Biliary calculi	27											1	1	13	7	3	2	
124	Other diseases of the liver	31						2			1	2		6	6	7	6	1	
125	Diseases of the pancreas	1															1		
126	Peritonitis without specified cause	4												1	2			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	398	4	1	1		1	1	3	4	3	7	13	36	49	67	119	89	
128	Acute nephritis (including unspecified under 10 years)	19	3		1		1			2	1	1		2	3	3	1	1	
129	Chronic nephritis (including unspecified 10 years and over)	306						1	2	1		5	8	19	34	59	97	80	
131	Other diseases of the kidneys and annexa	11	1	1					1				1	3			4		
132	Calculi of the urinary passages	2															2		
133	Diseases of the bladder	4														1	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
135	Diseases of the prostate	25													3	3	13	6	
137	Cysts, other benign tumors of the ovary	3											1	1	1				
138	Salpingitis and pelvic abscess (female)	10								1	2	1	2	2	1	1			
139	Benign tumors of the uterus	11											1	5	4		1		
141	Other diseases of the female genital organs	7												4	3				
	VIII.—The puerperal state	65								7	7	16	10	25					
143	Accidents of pregnancy	13								2	1	4	3	3					
144	Puerperal hemorrhage	5										1		4					
145	Other accidents of labor	4										2		2					
146	Puerperal septicemia	24								1	5	6	4	8					
147	Puerperal phlegmasia alba dolens, embolus, etc	5								2			2	1					
148	Puerperal albuminuria and convulsions	13								2		3	1	7					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	9								1		1		1	1	3	1	1	
151	Gangrene	4												1	1	2			
152	Furuncle	2								1		1							
153	Acute abscess	2														1	1		
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	3						1									2		
155	Diseases of the bones (tuberculosis excepted)	1						1											
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1															1		
157	Amputations	1															1		
	XI.—Malformations	50	45	1	1				2	1									
159a	Congenital hydrocephalus	4	3	1															
159b	Congenital malformations of the heart	26	23		1				1	1									
159c	Other congenital malformations	20	19						1										
	XII.—Early infancy	330	330																
160	Congenital debility, icterus, sclerema	26	26																
161a	Premature birth	220	220																
161b	Injury at birth	58	58																
162	Other diseases peculiar to early infancy	23	23																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	50															9	41	
	XIV.—External causes	656	10	8	16	5	4	24	22	50	47	45	49	118	104	73	45	35	1
	Suicide	113							1	4	7	5	18	25	29	14	8	2	
165	By poisons (gas or corrosives excepted)	15								2	1		3	1	3	4		1	
166	By corrosive substances	22									1	3	3	4	7	1	3		
168	By hanging or strangulation	7											1	2	3		1		
169	By drowning	4											1	3					
170	By firearms	52							1	2	2	2	7	12	14	8	3	1	
171	By cutting or piercing instruments	7									1		2	1	1	1	1		
172	By jumping from high places	3									1		1	1					
173	By crushing	2									1			1					
174	By other means	1													1				
	Homicide	37	3					1	1	2	1	5	2	9	9	2	1		1
197	By firearms	24							1	2	1	4	1	6	6	1	1		1
198	By cutting or piercing instruments	4										1		1	2				
199	By other means	9	3					1					1	2	1	1			
	Accidental, other, or undefined	506	7	8	16	5	4	23	20	44	39	35	29	84	66	57	36	33	
175	Poisoning by food	3						1		1								1	
177	Other acute poisonings (gas excepted)	13		2			1			1		1	3	2	1	1	1		
178	Conflagration	12	1		2	1					1	1	1			3		2	
179	Burns (conflagration excepted)	22	1	1	4		1	1	1		3			4	4	1	1		
180	Mechanical suffocation	5	4											1					
181	Absorption of irrespirable, irritating, or poisonous gas	10						1		1	1	2		2		2	1		
182	Drowning	60		3	9	2		7	7	6	6	6	4	5	3	1	1		
183	Traumatism by firearms (except in war)	32						1	5	7	1	3	2	8	5				
184	Traumatism by cutting or piercing instruments	4							1		1				2				
185	Traumatism by fall	59		1					1	1	1	2	3	5	5	9	11	20	
186a	Traumatism in mines	60								2	6	7	7	22	9	3	4		
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	12						1			3	1		1	1	5			
188a	Railroad accidents	52							1	6	6	2	2	10	12	7	5	1	
	Collision with automobiles	4													2	1	1		
	Other railroad accidents	48							1	6	6	2	2	10	10	6	4	1	
188b	Street-car accidents	2													1	1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	73			1		1	4	3	11	5	5	2	13	10	11	3	4	
188d	Airplane and balloon accidents	2									1			1					
188e,f	Injuries by other vehicles	13										2		2	2	4	2	1	
188g	Landslide, other crushing	4						1		1			1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	XI.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
189	Injuries by animals (not poisoning)	9				1		2	1				1			2	1	1	
193	Excessive cold	16		1				1		1	1			4	1	3	3	1	
194	Excessive heat	1															1		
195	Lightning	6								1	1				3			1	
196	Other accidental electric shocks	5								2	1	1			1				
202	Other external violence	30	1			1	1	3		3	1	2	3	3	5	4	2	1	
	XV.—Ill-defined diseases	73	21	2	4	2		2	2		1	1	1	1	3	10	15	8	
204	Sudden death	3	1								1						1		
205a	Ill-defined	31	4	1	2			1	1					1	3	6	9	3	
205b	Not specified or unknown	39	16	1	2	2		1	1			1	1			4	5	5	
	NEBRASKA																		
	All causes	12,369	1,427	181	109	81	60	222	194	241	307	317	332	836	1,130	1,640	2,426	2,856	10
	I.—Epidemic, endemic, and infectious diseases	1,189	155	66	30	22	20	68	49	50	80	68	70	130	95	72	102	110	2
1	Typhoid and paratyphoid fever	37		3		1			2	4	7	2	6	3	4	3	1	1	
5	Malaria	1	1																
6	Smallpox	1	1																
7	Measles	78	20	18	7	5	3	13	1	2	3		3		2	1			
8	Scarlet fever	17		2		2	3	7	3										
9	Whooping cough	50	32	11	5	1	1												
10	Diphtheria	45		1	1	4	3	17	10	2	2	3	1		1				
11a	Influenza (with pulmonary complications)	175	39	13	2		1	3	2	3	8	5	6	12	12	10	26	33	
11b	Influenza (other and unspecified)	189	30	5	4	4	4	8	5	5	8	3	2	14	8	12	22	55	
13	Mumps	3			1			2											
16	Dysentery	11	2	2			1	1						1				3	1
21	Erysipelas	32	8	2						1	1			2	2	2	9	5	
22	Acute anterior poliomyelitis	21		1	3	1	2	6	5	2	1								
23	Lethargic encephalitis	5							1		1			1	1	1			
24	Meningococcus meningitis	9	2		1			3	2					1					
25	Other epidemic and endemic diseases	4			1	1	1		1										
29	Tetanus	13			2	1		1	2	1	2	1	1	1	1				
30	Mycoses	4										1			2		1		
	Tuberculosis (all forms)	407	9	7	4	1	1	5	14	26	42	49	44	74	45	34	39	12	1
31	Of the respiratory system	329	3	3	2	1	1	4	8	23	36	41	36	59	38	29	32	12	1
32	Of the meninges, central nervous system	22	3	4	2				4			2	3	1	1	1	1		
33	Of the intestines, peritoneum	26	2					1	1	1	1	1	2	6	4	4	3		
34	Of the vertebral column	6								1			1	3			1		
35	Of the joints	6							1			1		1	2		1		
36	Of other organs	8								1	2	1	1	3					
37a	Disseminated (acute)	7	1								3	1	1	1					
37b	Disseminated (chronic or unspecified)	3										2					1		
38	Syphilis	61	10	1						1	2		2	18	15	9	2	1	
40	Gonococcus infection	12								1	3	3	4	1					
41	Purulent infection, septicemia	14	1					2	1	2		1	1	2	2		2		
	II.—General diseases not included in Class I	1,849	42	6	2	6	4	14	13	22	20	26	29	126	270	405	505	356	3
	Cancer and other malignant tumors	1,250	1					2	1	7	7	13	19	90	186	283	363	275	3
43	Of the buccal cavity	35									1			1	5	10	10	8	
44	Of the stomach, liver	491						1			2	1	5	21	67	103	168	121	2
45	Of the peritoneum, intestines, rectum	178						1		1		3	3	15	17	48	48	42	
46	Of the female genital organs	152										3	8	24	34	40	26	16	1
47	Of the breast	99										1	1	14	24	31	14	14	
48	Of the skin	30											1	1	3	5	9	11	
49	Of other or unspecified organs	265	1						1	6	4	5	1	14	36	46	88	63	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5												1		1	2	1	
51	Acute rheumatic fever	23						2	6	2	1	1	1	2	2	2	2	2	
52	Chronic rheumatism, osteoarthritis, gout	13												1	1	2	3	6	
56	Rickets	9	6	2		1													
57	Diabetes mellitus	275			1	1		5	4	8	4	4	3	12	33	64	86	50	
58a	Pernicious anemia	65					1			1	1	1		5	15	13	21	7	
58b	Other anemias and chlorosis	11	1	1					1					1	1	3	1	2	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	62						1	1	2	2	2	2	4	17	16	13	2	
60b	Other diseases of the thyroid gland	7												2	1	3	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	18	16	2															
63	Diseases of the adrenals (Addison's disease)	5														3	1	1	
64	Diseases of the spleen	3								1						1		1	
65a	Leukemia	34	1	1	1	3	1	2		1	2	1	1	1	3	8	6	2	
65b	Hodgkin's disease	10	1					1				1		1	1	2	2	1	
66	Alcoholism (acute or chronic)	21									1	2	3	5	6	2	1	1	
67a	Chronic lead poisoning	2										1					1		
69	Other general diseases	34	15			1	2	1			2			1	3	2	2	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	1,535	30	10	8	4	3	15	18	16	16	17	16	63	123	248	421	527	
70	Encephalitis	12				1	1			1	2		1	2	2	2			
71a	Simple meningitis	18	4		2			3	1	1			2		2	2	1		
71b	Nonepidemic cerebrospinal meningitis	4	2		1					1									
72	Tabes dorsalis (locomotor ataxia)	13											1		5	5	1	1	
73	Other diseases of the spinal cord	56					1	2	2	1		1	1	2	12	12	12	10	
74a	Cerebral hemorrhage	1,021	3						3	1		1	1	23	60	176	324	429	
74b	Cerebral embolism and thrombosis	97						2	2	1	1	3	3	6	5	14	25	35	
75	Paralysis without specified cause	53												1	2	4	21	25	
76	General paralysis of the insane	53							1			1		15	20	6	6	4	
77	Other forms of mental alienation	16										1	2	2	1	4	5	1	
78	Epilepsy	53	1		2			2	3	4	7	6	2	6	6	6	6	2	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	16	10	2	2	2													
82	Neuralgia and neuritis	1															1		
83	Softening of the brain	15														2	4	9	
84	Other diseases of the nervous system	61	4	1				1	2	4	5	2	2	5	4	9	14	8	
85	Diseases of the eye and annexa	2																2	
86a	Diseases of the ear	20	2	5	1	1		2	1		1		1		2	2	1	1	
86b	Diseases of the mastoid process	23	4	2			1	2	3	2		2		1	2	4			
	IV.—Diseases of the circulatory system	2,412	19	2	1	2	1	13	24	30	21	23	32	100	202	389	695	856	2
87	Pericarditis	12		1								1		1	1	2	4	2	
88	Endocarditis and myocarditis (acute)	101	8		1	1		6	4	6	1	6	3	21	11	11	13	9	
89	Angina pectoris	177									1		1	6	23	37	69	39	1
90	Other diseases of the heart	1,829	10	1		1	1	7	19	23	19	16	26	65	152	307	538	643	1
91a	Aneurysm	16											2		2	3	5	4	
91b,c	Other diseases of the arteries	200												1	4	11	49	135	
92	Embolism and thrombosis (not cerebral)	59	1						1	1				2	6	14	14	20	
93	Diseases of the veins	13												4	3	2	3	1	
94	Diseases of the lymphatic system	2														1		1	
96	Other diseases of the circulatory system	3														1		2	
	V.—Diseases of the respiratory system	826	148	31	13	6	5	21	9	8	16	14	21	30	49	81	141	233	
97a	Diseases of the nasal fossae	2																2	
97b	Diseases of the nasal fossae annexa	7			1				1	1	1		2		1				
98	Diseases of the larynx	5	1		2	1										1			
99a	Acute bronchitis	11	1			1										1	1	7	
99b	Chronic bronchitis	18											1	1	1	3	4	8	
99c,d	Bronchitis (unspecified)	10	1								1			1		1	1	5	
100a	Broncho-pneumonia	280	96	20	6	1	3	9	3	3	2	4		7	5	14	33	74	
100b	Capillary bronchitis	4	3														1		
101a	Lobar pneumonia	361	22	8	4	1	1	11	4	3	8	7	17	16	34	51	81	93	
101b	Pneumonia (unspecified)	57	21	3		1	1			1		1	1	2		5	8	13	
102	Pleurisy	23	2			1		1			2	2		2	4	1	3	5	
103	Congestion and hemorrhagic infarct of the lung	24							1						2	1	2	18	
105	Asthma	17									1			1	2	1	6	6	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	6	1								1					2		2	
	VI.—Diseases of the digestive system	1,071	146	33	34	23	10	40	33	37	40	32	46	99	130	127	126	114	1
108	Diseases of the mouth and annexa	8							1					1		3	2	1	
109b	Other diseases of the pharynx, tonsils	64	6	2	2	5	1	5	6	8	1	3	4	3	8	4	4	2	
110	Diseases of the esophagus	1													1				
111a	Ulcer of the stomach	38						1			1	1	4	4	6	9	10	2	
111b	Ulcer of the duodenum	36	1								2	1	1	9	9	7	4	2	
112	Other diseases of the stomach (cancer excepted)	44	10							1	1		1		3	3	11	14	
113	Diarrhea and enteritis (under 2 years)	128	102	26															
114	Diarrhea and enteritis (2 years and over)	75			26	12	3	6			4	1	2	2	1	2	3	13	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	238		1	4	5	3	22	25	20	22	18	17	30	30	22	15	4	
118a	Hernia	62	2										3	4	6	10	21	16	
118b	Intestinal obstruction	107	20	3		1	2	4		5	5	2	6	12	14	8	9	16	
119	Other diseases of the intestines	18	2					1		1	2			4	1	2	2	3	
120	Acute yellow atrophy of the liver	6	1							1	1			1	1	1			
122	Cirrhosis of the liver	66			1								1	2	9	19	19	15	
123	Biliary calculi	72										3	2	11	16	21	10	8	1
124	Other diseases of the liver	81					1		1			1	3	9	21	14	14	17	
125	Diseases of the pancreas	8									1	1	1	2	1		1	1	
126	Peritonitis without specified cause	18	2	1				1		1		1	1	5	3	2	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,101	5	1	1			3	4	7	15	22	20	103	113	192	278	337	
128	Acute nephritis (including unspecified under 10 years)	51	2	1				2	4	1		2	1	6	10	7	8	7	
129	Chronic nephritis (including unspecified 10 years and over)	826			1			1		5	13	12	11	63	68	162	219	271	
131	Other diseases of the kidneys and annexa	30	2									3		3	5	6	6	5	
132	Calculi of the urinary passages	14											1	2	2	3	4	2	
133	Diseases of the bladder	5														1	1	3	
134	Diseases of the urethra, etc	2												1			1		
135	Diseases of the prostate	96													2	10	38	46	
137	Cysts, other benign tumors of the ovary	13								1				4	5	1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

NEBRASKA—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
138	Salpingitis and pelvic abscess (female)	19									1	4	3	6	4	1			
139	Benign tumors of the uterus	33											3	14	13	1		2	
140	Nonpuerperal uterine hemorrhage	2												2					
141	Other diseases of the female genital organs	9									1	1	1	2	4				
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	165								10	27	39	40	47	2				
143	Accidents of pregnancy	13									4	2	2	5					
144	Puerperal hemorrhage	21								1	4	3	5	8					
145	Other accidents of labor	13								2	1	3	5	2					
146	Puerperal septicemia	70								4	12	19	19	15	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	14										5	3	6					
148	Puerperal albuminuria and convulsions	33								3	6	7	6	10	1				
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	20	2								1	1		2	3	2	3	6	
151	Gangrene	9													1		3	5	
152	Furuncle	3										1		2					
153	Acute abscess	4	2												1			1	
154	Other diseases of the skin and annexa	4									1				1	2			
	X.—Diseases of the bones and of the organs of locomotion	12		1	1	1			3			2	1				2	1	
155	Diseases of the bones (tuberculosis excepted)	10			1	1			3			1	1				2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2		1								1							
	XI.—Malformations	166	150	4	1	1	2	1	3		1	2	1						
159a	Congenital hydrocephalus	18	12	3		1	1	1											
159b	Congenital malformations of the heart	102	95		1		1		1		1	2	1						
159c	Other congenital malformations	46	43	1					2										
	XII.—Early infancy	674	674																
160	Congenital debility, icterus, sclerema	60	60																
161a	Premature birth	435	435																
161b	Injury at birth	130	130																
162	Other diseases peculiar to early infancy	48	48																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	195															18	177	
	XIV.—External causes	1,071	29	27	18	16	15	47	38	60	66	71	54	132	134	113	120	129	2
	Suicide	197							1	3	12	14	13	42	42	30	26	14	
165	By poisons (gas or corrosives excepted)	11								1		3	1	2	4				
166	By corrosive substances	22									3		3	6	2	5	3		
167	By poisonous gas	14												2	5	4	2	1	
168	By hanging or strangulation	46							1		3		2	10	11	11	7	1	
169	By drowning	5													1	1	3		
170	By firearms	80								2	6	11	7	18	15	7	7	7	
171	By cutting or piercing instruments	11												2	4			5	
172	By jumping from high places	2															2		
173	By crushing	1																	
174	By other means	5												1					
	Homicide	48	1		1				1	2	4	6	8	1		2	2		
197	By firearms	33							1	1	1	4	8	10	10	5			
198	By cutting or piercing instruments	2									1	1		8	8	2			
199	By other means	13	1		1						1	1							
	Accidental, other, or undefined	826	28	27	17	16	15	47	36	55	50	51	33	2	2	3			
175	Poisoning by food	14	1		2			2	3					80	82	78	94	115	2
176	Poisoning by venomous animals	2					2							2		3	1		
177	Other acute poisonings (gas excepted)	27	1	6	4	3	2	4			1		2	3		1			
178	Conflagration	11	2								1	1		1	2	1	1	2	
179	Burns (conflagration excepted)	41	1	4	3	4	4	2		2	2	1	2	3	4	3	3	3	
180	Mechanical suffocation	17	12					1	1			1	1	1					
181	Absorption of irrespirable, irritating, or poisonous gas	22				1				1	4	3		3	3	4	3		
182	Drowning	45		6	5		1	5	5	3	2	5	2	3	1	5	2		
183	Traumatism by firearms (except in war)	25						1	3	5	3	4	3	1	3	2			
184	Traumatism by cutting or piercing instruments	5	1							1							1	1	
185	Traumatism by fall	190	3	1		4		6	2	2	1	4	2	13	18	10	40	84	
187	Traumatism by machines	31				1	1	2		4		3	3	1	8	4	4		
188a	Railroad accidents	55		1				2	3	8	5	5	5	4	8	6	7		1
	Collision with automobiles	23						2	2	4	5	4	1	1	2	1	1		
	Other railroad accidents	32		1					1	4		1	4	3	6	5	6		1
188b	Street-car accidents	5												1	1	1	2		
	Collision with automobiles	4												1		1	2		
	Other street-car accidents	1													1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	198	3	4	1	3	2	17	9	16	21	14	9	26	19	21	22	11	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188d	Airplane and balloon accidents	3								2	1								
188e,f	Injuries by other vehicles	24	1					2	1	3	1	2		5	2	2	2	2	1
188g	Landslide, other crushing	5										1	1	1		1	1		
189	Injuries by animals (not poisoning)	11							1					1	1	4	1	3	
193	Excessive cold	3										1					1	1	
194	Excessive heat	8							1	1				1		2		3	
195	Lightning	9						1		1	3	1		2			1		
196	Other accidental electric shocks	11					1			1	4	3		1	1				
201	Fracture (cause not specified)	5												1	2		1	1	
202	Other external violence	59	3	5	2		2	2	7	5	1	2	3	6	9	7	1	4	
	XV.—Ill-defined diseases	83	27							1	4		2	4	9	11	15	10	
204	Sudden death	13	2							1	2			1	3	1	3		
205a	Ill-defined	36	4								1		1	2	3	8	10	7	
205b	Not specified or unknown	34	21								1		1	1	3	2	2	3	
	NEW HAMPSHIRE																		
	All causes	6,329	609	80	32	27	28	84	75	101	98	100	124	319	535	926	1,383	1,772	36
	I.—Epidemic, endemic, and infectious diseases	614	59	21	8	6	7	35	23	38	35	40	38	64	56	57	62	62	3
1	Typhoid and paratyphoid fever	3												1	1		1		
7	Measles	11	5	3	1		1	1											
8	Scarlet fever	20	2	2	1	2	1	5	1	5	1								
9	Whooping cough	28	17	9	1		1												
10	Diphtheria	20	1		2	1	1	10	3	1									1
11a	Influenza (with pulmonary complications)	96	9	4				2	1	2	2	2	3	8	8	11	18	26	
11b	Influenza (other and unspecified)	77	10	1	1	1		2	1	2		5	2	5	4	5	19	19	
13	Mumps	2	1			1													
16	Dysentery	1	1																
21	Erysipelas	15								1					2	1	3	8	
22	Acute anterior poliomyelitis	13					1	4	4	2		1	1						
23	Lethargic encephalitis	4							1					1	1	1			
24	Meningococcus meningitis	7				1		1		1		1			1	2			
29	Tetanus	3	1					1										1	
	Tuberculosis (all forms)	294	8	2	2		2	9	10	23	32	29	31	47	36	34	21	6	2
31	Of the respiratory system	232	4				1	2	5	17	31	25	27	37	29	29	17	6	2
32	Of the meninges, central nervous system	25	4	1	2		1	4	5			1	2	2	2		1		
33	Of the intestines, peritoneum	13						2		1	1	2	1	1	2	2	1		
34	Of the vertebral column	6								1		1		1	1		2		
35	Of the joints	2						1							1				
36	Of other organs	7								1				4		2			
37a	Disseminated (acute)	7		1						2				2	1	1			
37b	Disseminated (chronic or unspecified)	2								1			1						
38	Syphilis	11	2									1	1	2	2	3			
40	Gonococcus infection	3	1							1		1							
41	Purulent infection, septicemia	6	1						2						1			2	
	II.—General diseases not included in Class I	887	18	2	5	1	1	5	2	6	3	5	14	48	121	212	246	193	5
	Cancer and other malignant tumors	613					1	1	1			4	5	37	84	146	173	157	4
43	Of the buccal cavity	20										1		1	3	4	6	4	1
44	Of the stomach, liver	208										1		10	24	48	65	58	2
45	Of the peritoneum, intestines, rectum	132										1		8	15	40	39	28	1
46	Of the female genital organs	58										1	2	11	14	12	11	7	
47	Of the breast	59											3	1	10	13	18	14	
48	Of the skin	11													1	2	1	7	
49	Of other or unspecified organs	125					1	1	1					6	17	27	33	39	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	1							1				1					
51	Acute rheumatic fever	10						1		2	1				1	2	2	1	
52	Chronic rheumatism, osteoarthritis, gout	13												1	1	3	5	3	
54	Pellagra	1													1				
56	Rickets	1			1														
57	Diabetes mellitus	138						2	1	3	1	1	2	5	15	45	40	23	
58a	Pernicious anemia	36				1							3	1	9	7	11	4	
58b	Other anemias and chlorosis	11		1	1								1		2	2	1	3	
59	Diseases of the pituitary gland	1	1																
60a	Exophthalmic goiter	5									1				1	2	1		
62	Diseases of the thymus gland	7	6		1														
63	Diseases of the adrenals (Addison's disease)	3														1	2		
65a	Leukemia	7		1	1										1		3	1	
65b	Hodgkin's disease	5						1						1	1		2		
66	Alcoholism (acute or chronic)	19											3	2	4	3	6		1
67a	Chronic lead poisoning	1														1			
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	12	10		1													1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	881	18	4	4	3	4	2	5	3	4	4	9	32	76	127	261	320	5
70	Encephalitis	7	1				1							1	2			2	
71a	Simple meningitis	16	7	3		2			2				1						1
71b	Nonepidemic cerebrospinal meningitis	1							1										
72	Tabes dorsalis (locomotor ataxia)	9												1	2	3	1	2	
73	Other diseases of the spinal cord	19												2	4	4	7	2	
74a	Cerebral hemorrhage	663							1			1	1	17	47	100	218	274	4
74b	Cerebral embolism and thrombosis	62									1			1	3	8	21	28	
75	Paralysis without specified cause	8	1														2	5	
76	General paralysis of the insane	25											1	4	11	3	4	2	
77	Other forms of mental alienation	5												1	1	1	1	1	
78	Epilepsy	20	2			1	1	1		1	2	2	3	3	1	1	2		
80	Infantile convulsions (under 5 years)	8	5		2		1												
81	Chorea	1												1					
83	Softening of the brain	3															1	2	
84	Other diseases of the nervous system	22		1	1		1						2	1	4	6	4	2	
86a	Diseases of the ear	6	2		1			1	1			1							
86b	Diseases of the mastoid process	6								2	1		1		1	1			
	IV.—Diseases of the circulatory system	1,659				1	1	5	6	5	4	8	11	48	114	272	476	697	11
87	Pericarditis	7									1					2	1	3	
88	Endocarditis and myocarditis (acute)	33				1		3		1	1			9	1	5	8	4	
89	Angina pectoris	213												7	19	50	83	52	2
90	Other diseases of the heart	1,071					1	2	5	4	2	8	10	28	82	185	310	427	7
91a	Aneurysm	4											1		1	1	1		
91b,c	Other diseases of the arteries	285													4	18	64	197	2
92	Embolism and thrombosis (not cerebral)	38							1					3	5	7	8	14	
93	Diseases of the veins	4												1	1	2			
95	Hemorrhage without specified cause	2														1	1		
96	Other diseases of the circulatory system	2													1	1			
	V.—Diseases of the respiratory system	522	77	38	4	3	3	8	6	6	1	5	11	27	32	59	94	145	3
97a	Diseases of the nasal fossae	1															1		
98	Diseases of the larynx	4		1			2										1		
99a	Acute bronchitis	11	2						1									8	
99b	Chronic bronchitis	16	1										1		1	2	7	4	
99c,d	Bronchitis (unspecified)	10	1												1		1	7	
100a	Broncho-pneumonia	210	55	21	3	2		3	1	1			2	6	7	15	30	63	1
100b	Capillary bronchitis	3	3																
101a	Lobar pneumonia	215	10	12	1		1	2	2	4		5	4	21	21	37	47	47	1
101b	Pneumonia (unspecified)	18	3	3							1		1			2	2	5	1
102	Pleurisy	9		1				1	1				2				2	2	
103	Congestion and hemorrhagic infarct of the lung	9							1						1		1	6	
105	Asthma	5													1	1	2	1	
106	Pulmonary emphysema	2	1					1											
107	Other diseases of the respiratory system (tuberculosis excepted)	9	1			1		1		1			1			2		2	
	VI.—Diseases of the digestive system	333	51	9	3	6	5	6	8	9	8	7	5	32	37	46	47	53	1
108	Diseases of the mouth and annexa	2	1							1									
109b	Other diseases of the pharynx, tonsils	25	1			1	2	2		1	1	1	2	5	3		4	2	
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	30									1	1		2	5	15	3	3	
111b	Ulcer of the duodenum	9												3	2	1	2	1	
112	Other diseases of the stomach (cancer excepted)	17	3		2	1					1			1	1	3	1	4	
113	Diarrhea and enteritis (under 2 years)	47	42	5															
114	Diarrhea and enteritis (2 years and over)	16			1	2	2			1			1			1	3	5	
117	Appendicitis and typhlitis	54		1			1	4	7	4	5	2		10	11	4	3	2	
118a	Hernia	19		1										4	2	2	4	6	
118b	Intestinal obstruction	36	4	2		1							3		1	7	8	9	1
119	Other diseases of the intestines	4												1	1	2			
120	Acute yellow atrophy of the liver	1															1		
122	Cirrhosis of the liver	29												1	4	4	9	11	
123	Biliary calculi	16											1	1	6	3	1	4	
124	Other diseases of the liver	16				1								2	1	2	5	5	
125	Diseases of the pancreas	5								1				2		1	1		
126	Peritonitis without specified cause	6							1	1			1				2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	505	4				2	1	3	3	5	3	11	23	51	96	142	157	4
128	Acute nephritis (including unspecified under 10 years)	22	3				2			1			1	3	2	4	4	2	
129	Chronic nephritis (including unspecified 10 years and over)	412						1	3	1	5	1	6	12	38	83	122	137	3
131	Other diseases of the kidneys and annexa	12	1										1	2	2	2	2	2	
132	Calculi of the urinary passages	4											1				2	1	
133	Diseases of the bladder	3																3	
134	Diseases of the urethra, etc	2												1			1		
135	Diseases of the prostate	21														3	10	8	
137	Cysts, other benign tumors of the ovary	2																2	
138	Salpingitis and pelvic abscess (female)	7								1			2	1	1	1	1		
139	Benign tumors of the uterus	14												3	7	2		2	
141	Other diseases of the female genital organs	6										2		1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	VIII.—The puerperal state	57								3	18	12	10	13					1
143	Accidents of pregnancy	7									2		2	3					
144	Puerperal hemorrhage	3									1	1		1					
145	Other accidents of labor	2											1	1					
146	Puerperal septicemia	17									6	4	4	3					
147	Puerperal phlegmasia alba dolens, embolus, etc	7									2	1	1	2					1
148	Puerperal albuminuria and convulsions	21								3	7	6	2	3					
	IX.—Diseases of the skin and of the cellular tissue	18	3											1	1	3	3	7	
151	Gangrene	11														3	3	5	
152	Furuncle	3	1											1	1			1	
153	Acute abscess	2	1															1	
154	Other diseases of the skin and annexa	2	1															1	
	X.—Diseases of the bones and of the organs of locomotion	5						1		1						2	1		
155	Diseases of the bones (tuberculosis excepted)	4						1		1						1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	XI.—Malformations	83	78	1	1	1		1	1										
159a	Congenital hydrocephalus	7	6		1														
159b	Congenital malformations of the heart	39	35	1		1		1	1										
159c	Other congenital malformations	37	37																
	XII.—Early infancy	291	291																
160	Congenital debility, icterus, sclerema	27	27																
161a	Premature birth	171	171																
161b	Injury at birth	71	71																
162	Other diseases peculiar to early infancy	22	22																
164	XIII.—Old age (senility)	85															6	79	
	XIV.—External causes	351	4	3	7	6	5	19	20	27	20	15	13	30	44	44	37	54	3
	Suicide	62								1	2	5	2	9	12	17	10	4	
166	By corrosive substances	1												1					
167	By poisonous gas	6													1	3	1	1	
168	By hanging or strangulation	20										2	1	1	5	4	5	2	
169	By drowning	8											1	2	2	3			
170	By firearms	22								1	1	2		3	4	7	3	1	
171	By cutting or piercing instruments	3												2			1		
172	By jumping from high places	1										1							
173	By crushing	1									1								
	Homicide	3	1								1	1							
197	By firearms	1									1								
199	By other means	2	1									1							
	Accidental, other, or undefined	286	3	3	7	6	5	19	20	26	17	9	11	21	32	27	27	50	3
175	Poisoning by food	3			1		1	1											
177	Other acute poisonings (gas excepted)	5										1		1	2		1		
178	Conflagration	18	2	1	2		1	3	1		1		1	1	1	1	1	2	
179	Burns (conflagration excepted)	15		1	3	1	2		1		1			2		1	1	2	
180	Mechanical suffocation	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	3										1		1				1	
182	Drowning	38		1				3	7	11	2	2	4		6	2			
183	Traumatism by firearms (except in war)	4								2	1				1				
184	Traumatism by cutting or piercing instruments	2														1	1		
185	Traumatism by fall	60				1		1	1				1	2	5	5	8	36	
187	Traumatism by machines	8												2	2	4			
188a	Railroad accidents	29			1			2		4	3	1	2	4	7	4		1	
	Collision with automobiles	12			1			1		4	1	1	1	1	2				
	Other railroad accidents	17						1			2		1	3	5	4		1	
188b	Street-car accidents	2														1	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	71				4	1	8	7	6	9	3	1	5	5	6	9	5	2
188e,f	Injuries by other vehicles	5						1	1					1	1			1	
189	Injuries by animals (not poisoning)	3							1	1							1		
193	Excessive cold	1																1	
194	Excessive heat	3													1	1	1		
195	Lightning	2							1	1									
196	Other accidental electric shocks	5										1	2	1	1				
201	Fracture (cause not specified)	3												1				1	1
202	Other external violence	5								1						1	3		
	XV.—Ill-defined diseases	38	6	2				1	1			1	2	1	3	8	8	5	
204	Sudden death	21	1										1		2	6	7	4	
205a	Ill-defined	10	2	1				1				1	1			2	1	1	
205b	Not specified or unknown	7	3	1					1					1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY																		
	All causes	42,128	4,467	695	346	295	254	898	629	810	1,102	1,208	1,443	3,859	5,462	6,943	7,193	6,518	
	I.—Epidemic, endemic, and infectious diseases	4,756	361	203	132	106	82	272	132	242	403	371	340	733	651	397	201	129	1
1	Typhoid and paratyphoid fever	54		1				2	4	5	8	8	3	7	8	6	2		
5	Malaria	2									1		1						
7	Measles	25	9	9	3	1		3											
8	Scarlet fever	99	6	10	9	7	10	29	12	6	4	2	2	1	1				
9	Whooping cough	199	116	53	16	4	5	5											
10	Diphtheria	422	13	51	54	59	43	147	35	1	3	1	1	8	3	3			
11a	Influenza (with pulmonary complications)	324	45	16	6	5	1	12	2	3	6	5	12	42	46	40	40	42	1
11b	Influenza (other and unspecified)	181	23	6	2	3	2	7	4	4	4	6	6	17	19	22	25	31	
13	Mumps	6			1	3						1	1						
16	Dysentery	17	2	2	1			2			4			1		2	1	2	
19	Spirochetal hemorrhagic jaundice	1												1					
21	Erysipelas	117	42	2	2			2	1	1	2	4	2	6	15	20	10	8	
22	Acute anterior poliomyelitis	43		5	4	2	6	12	6	2	1	2	1		2				
23	Lethargic encephalitis	64	1	2	2	1		4	4	6	2	13	2	11	8	4	3	1	
24	Meningococcus meningitis	50	10	5	5	5	4	9	1	2	3		1	3	2				
25	Other epidemic and endemic diseases	10	4	4	1			1											
28	Rabies	6			1			1		1		1			1	1			
29	Tetanus	43	1		1		2	6	13	3	2	3		6	3	2	1		
30	Mycoses	2										1				1			
	Tuberculosis (all forms)	2,800	35	34	21	15	9	28	46	204	353	309	279	578	478	263	104	44	
31	Of the respiratory system	2,517	10	5	3	4	1	12	32	190	337	293	256	539	450	250	94	41	
32	Of the meninges, central nervous system	115	21	19	12	7	5	11	4	5	4	5	10	10	2				
33	Of the intestines, peritoneum	68	1	6	3	1	2	1	5	3	4	6	5	16	10	4	1		
34	Of the vertebral column	24			1			2	3	2	1	2	1	2	3	4	2	1	
35	Of the joints	6							1			1			2	1	1		
36	Of other organs	24	1		1		1				2		4	6	5		2	2	
37a	Disseminated (acute)	42	2	4	1	3		2		4	4	2	3	5	6	2	4		
37b	Disseminated (chronic or unspecified)	4							1		1					2			
38	Syphilis	229	43	3	1					4	7	9	16	41	62	29	13	1	
40	Gonococcus infection	26	1			1					1	3	11	7	2				
41	Purulent infection, septicemia	35	10		2			2	4		2	3	2	4		4	2		
42	Other infectious diseases	1													1				
	II.—General diseases not included in Class I	5,643	99	26	13	5	8	42	40	49	56	81	115	492	1,051	1,504	1,361	701	
	Cancer and other malignant tumors	3,921	1	5	3	1	2	6	7	12	12	40	56	332	787	1,085	1,002	570	
43	Of the buccal cavity	106										1		6	18	31	34	16	
44	Of the stomach, liver	1,406					1			1	1	3	9	88	260	423	414	206	
45	Of the peritoneum, intestines, rectum	646								1	3	9	11	45	112	162	176	127	
46	Of the female genital organs	503									2	10	15	62	148	134	97	35	
47	Of the breast	422									1	5	7	64	109	116	66	54	
48	Of the skin	87	1	2									3	2	11	17	26	25	
49	Of other or unspecified organs	751		3	3	1	1	6	7	10	5	12	11	65	129	202	189	107	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	19												4	3	3	6	3	
51	Acute rheumatic fever	140	2	2	2		3	21	17	16	15	7	7	7	13	16	6	6	
52	Chronic rheumatism, osteoarthritis, gout	48						1				2		1	10	9	14	11	
53	Scurvy	2	1	1															
54	Pellagra	5											1	1	1	1	1		
56	Rickets	19	15	3		1													
57	Diabetes mellitus	852	1	1	1		1	4	7	6	9	6	7	42	121	289	266	91	
58a	Pernicious anemia	126	1	2		1				2	1	3	5	11	21	32	33	14	
58b	Other anemias and chlorosis	11	2	1				1		1			1	3	1		1		
59	Diseases of the pituitary gland	2									1	1							
60a	Exophthalmic goiter	69						1	1	5	3	3	9	11	19	11	6		
60b	Other diseases of the thyroid gland	14			1						1		2	1	3	2	2	2	
61	Diseases of the parathyroid glands	4	3	1															
62	Diseases of the thymus gland	41	33	5	1			1								1			
63	Diseases of the adrenals (Addison's disease)	11									1	1	2	2	3		2		
64	Diseases of the spleen	4							1					1	2				
65a	Leukemia	75		1	2	1	1	6	3	5	3	3	4	13	12	13	8		
65b	Hodgkin's disease	34	2	1				1	1		4	4	1	6	6	5	3		
66	Alcoholism (acute or chronic)	165									2	8	18	51	41	33	10	2	
67a	Chronic lead poisoning	3												1	1	1			
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	10									2	2		2	3	1			
69	Other general diseases	67	38	3	3	1	1		3	2	2	1	2	3	3	2	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	4,278	92	27	13	13	7	49	37	27	37	40	69	241	552	881	1,127	1,066	
70	Encephalitis	45	2	2	1	1		2	2	3	4	4	3	8	7	2	3	1	
71a	Simple meningitis	77	19	9	5	2	4	8	5	1	1	1	1	6	7	5	2	1	
71b	Nonepidemic cerebrospinal meningitis	15	4	5				4					1	1					
72	Tabes dorsalis (locomotor ataxia)	54												6	11	23	12	2	
73	Other diseases of the spinal cord	108	2	1		1		3	2				1	10	19	27	24	18	
74a	Cerebral hemorrhage	3,114	5		1	2				3	3	6	20	111	373	694	964	932	
74b	Cerebral embolism and thrombosis	156	2					1	2	4	2	4	3	5	18	36	38	41	
75	Paralysis without specified cause	85	2						1				2	1	10	16	28	25	
76	General paralysis of the insane	169								2		2	9	49	47	31	20	9	
77	Other forms of mental alienation	40							1		4	4	4	5	9	7	2	4	
78	Epilepsy	99	2					7	4	9	12	11	10	14	16	9	5		
79	Convulsions (nonpuerperal; 5 years and over)	3						1					1		1				
80	Infantile convulsions (under 5 years)	39	31	4	2	2													
81	Chorea	3									1						1	1	
82	Neuralgia and neuritis	7											1		1	2	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
83	Softening of the brain	16														1	4	11	
84	Other diseases of the nervous system	127	4	2		1		2	5	1	5	3	6	16	23	24	19	16	
85	Diseases of the eye and annexa	3	1											1				1	
86a	Diseases of the ear	50	13	3	2	1	1	9	4	2	1		3	2	4	3		2	
86b	Diseases of the mastoid process	68	5	1	2	3	2	12	11	2	4	5	4	6	6	1	4		
	IV.—Diseases of the circulatory system	9,258	56	8	8	7	13	89	98	121	95	127	184	613	1,146	1,920	2,317	2,456	
87	Pericarditis	22		1			1				1	1		4	3	3	3	5	
88	Endocarditis and myocarditis (acute)	400	22	3	3	2	4	33	18	28	23	28	36	78	29	39	26	28	
89	Angina pectoris	627	1								1	2	8	33	130	174	177	101	
90	Other diseases of the heart	7,472	28	2	5	5	8	53	80	93	67	93	133	465	930	1,596	1,920	1,994	
91a	Aneurysm	57									1		2	10	14	14	14	2	
91b,c	Other diseases of the arteries	546											3	5	13	68	150	307	
92	Embolism and thrombosis (not cerebral)	98	1								2	2		11	22	23	22	15	
93	Diseases of the veins	22						1				1	2	4	5	3	2	4	
94	Diseases of the lymphatic system	7	1	2				1						1			2		
95	Hemorrhage without specified cause	6	3					1						2					
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	3,734	760	242	77	41	36	73	54	65	70	103	122	370	436	436	427	422	
97b	Diseases of the nasal fossae annexa	27	3						4	2	2	1	3	6	1	4	1		
98	Diseases of the larynx	11	4	2	1		2							1			1		
99a	Acute bronchitis	94	39	4	3	1	1	1					1	4	6	6	8	20	
99b	Chronic bronchitis	75	1	1			1				1	2	1	6	9	9	20	24	
99c,d	Bronchitis (unspecified)	42	19	2	2									1	1	2	2	13	
100a	Broncho-pneumonia	1,181	464	123	32	10	14	26	12	8	10	14	19	62	55	84	112	136	
100b	Capillary bronchitis	20	6	4	1									1	1		2	5	
101a	Lobar pneumonia	1,963	200	90	35	17	15	39	33	53	50	78	84	255	302	294	241	177	
101b	Pneumonia (unspecified)	53	10	5	1	3	1	1	3	1	1	1		4	7	5	2	8	
102	Pleurisy	113	6	8	4	7	2	5	1	1	2	5	8	13	17	11	15	8	
103	Congestion and hemorrhagic infarct of the lung	44	7	3							1			2	4	2	3	22	
104	Gangrene of the lung	13									1		1	3	2	4	2		
105	Asthma	63				1		1	1		2	1	2	8	17	7	15	8	
106	Pulmonary emphysema	3													2	1			
107	Other diseases of the respiratory system (tuberculosis excepted)	32	1									1	3	5	11	7	3	1	
	VI.—Diseases of the digestive system	3,018	654	118	40	44	37	94	73	60	84	89	113	326	419	427	264	176	
108	Diseases of the mouth and annexa	32	1					2	2	4	1	1	1	3	5	2	7	3	
109b	Other diseases of the pharynx, tonsils	128	7	8	3	6	9	19	7	2	9	9	7	13	13	11	4	1	
110	Diseases of the esophagus	4							1					1			2		
111a	Ulcer of the stomach	191	1						1	1	1	11	12	43	50	38	22	11	
111b	Ulcer of the duodenum	57							1	1	2	2	3	12	16	16	2	2	
112	Other diseases of the stomach (cancer excepted)	97	13		3	1	1	1			3		4	4	21	12	15	19	
113	Diarrhea and enteritis (under 2 years)	670	577	93															
114	Diarrhea and enteritis (2 years and over)	171			25	16	12	13	9	5	5	3	3	19	16	15	15	15	
116	Diseases due to other intestinal parasites	2		1	1														
117	Appendicitis and typhlitis	584		5	5	14	13	45	48	42	47	36	45	106	85	65	15	13	
118a	Hernia	179	8	3							1	2	5	12	30	47	43	28	
118b	Intestinal obstruction	186	29	6	2	4	1	3	1	2	4	8	5	23	26	29	22	21	
119	Other diseases of the intestines	48	10			1		3				6	1	5	6	8	6	2	
120	Acute yellow atrophy of the liver	11									1	1	2		2		4		
122	Cirrhosis of the liver	318		1				3		1	1	1	2	7	31	82	105	58	26
123	Biliary calculi	150									2	2	5	25	29	37	32	18	
124	Other diseases of the liver	119				1					5	3	9	17	24	32	13	15	
125	Diseases of the pancreas	20					1					1	1	2	6	6	2	1	
126	Peritonitis without specified cause	51	8	1	1	1		5	3	1	2	1	3	10	8	4	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,461	17	5	6	7	4	19	25	33	47	77	119	364	617	889	1,112	1,120	
128	Acute nephritis (including unspecified under 10 years)	190	9	3	4	3	2	9	8	2	4	14	14	19	30	34	19	16	
129	Chronic nephritis (including unspecified 10 years and over)	3,773	1		2	1	2	7	17	25	27	44	74	251	516	776	1,008	1,022	
131	Other diseases of the kidneys and annexa	89	6	2		2		3		2	2	3	3	10	19	17	11	9	
132	Calculi of the urinary passages	33										1	6	5	7	8	3	3	
133	Diseases of the bladder	21											2	1	1	6	5	6	
134	Diseases of the urethra, etc	11													3	3	4	1	
135	Diseases of the prostate	147													4	30	53	60	
136	Nonvenereal diseases of the male genital organs	3	1											1			1		
137	Cysts, other benign tumors of the ovary	29									3	2	2	11	3	4	3	1	
138	Salpingitis and pelvic abscess (female)	67							4	9	9	8	8	28	6	2	1		
139	Benign tumors of the uterus	73										7	7	31	27	4	3	1	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	24				1					2	4	3	6	1	5	1	1	
	VIII.—The puerperal state	456							30	85	103	114	119	5					
143	Accidents of pregnancy	48							1	4	14	12	17						
144	Puerperal hemorrhage	59							3	11	13	14	18						
145	Other accidents of labor	59							3	9	7	20	19	1					
146	Puerperal septicemia	175							12	40	44	44	33	2					
147	Puerperal phlegmasia alba dolens, embolus, etc	25							1	5	5	7	7						
148	Puerperal albuminuria and convulsions	89							10	15	20	17	25	2					
149	Following childbirth (undefined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	132	23	2				2	2		2		3	12	16	23	20	27	
151	Gangrene	49	1						1					2	3	8	13	21	
152	Furuncle	30	4								1		1	7	4	9	2	2	
153	Acute abscess	31	10	2				2	1		1		2	2	4	3	2	2	
154	Other diseases of the skin and annexa	22	8											1	5	3	3	2	
	X.—Diseases of the bones and of the organs of locomotion	63	6	1	4	2	1	5	9	3	3	1	4	7	4	4	7	2	
155	Diseases of the bones (tuberculosis excepted)	47	5		4	2	1	5	8	2	1		3	5	4	2	3	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13	1	1					1	1	1	1	1	2		1	3		
158	Other diseases of the organs of locomotion	3									1					1	1		
	XI.—Malformations	483	441	14	4	7	1	6	3	1	1	2	1	2					
159a	Congenital hydrocephalus	42	32	5	1	1	1	1	1										
159b	Congenital malformations of the heart	292	271	8	2	2		5	2	1				1					
159c	Other congenital malformations	149	138	1	1	4					1	2	1	1					
	XII.—Early infancy	1,871	1,871																
160	Congenital debility, icterus, sclerema	185	185																
161a	Premature birth	1,122	1,122																
161b	Injury at birth	371	371																
162	Other diseases peculiar to early infancy	190	190																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	153														3	29	121	
	XIV.—External causes	3,756	52	45	48	62	65	246	155	179	218	210	257	576	559	455	328	296	5
	Suicide	529							2	14	22	33	44	125	122	109	42	15	1
165	By poisons (gas or corrosives excepted)	16								1	3		5	1	2	4			
166	By corrosive substances	39								2	1	2	4	12	9	7	2		
167	By poisonous gas	164								6	6	11	10	37	47	31	11	5	
168	By hanging or strangulation	119							1	1	5	2	3	29	28	32	14	3	1
169	By drowning	19								1			6	5	3	3	1		
170	By firearms	106							1	3	6	12	8	20	25	18	9	4	
171	By cutting or piercing instruments	34									1	1	3	13	6	5	3	2	
172	By jumping from high places	25										5	3	6	2	7	1	1	
173	By crushing	4											1	2			1		
174	By other means	3											1			2			
	Homicide	162	8						1	7	18	31	26	43	16	9	2	1	
197	By firearms	78								5	11	13	15	21	7	4	2		
198	By cutting or piercing instruments	22							1		2	8	3	7		1			
199	By other means	62	8							2	5	10	8	15	9	4		1	
	Accidental, other, or undefined	3,065	44	45	48	62	65	246	152	158	178	146	187	408	421	337	284	280	4
175	Poisoning by food	12		1	1		1	1		1			1		2	2	1	1	
176	Poisoning by venomous animals	3		2													1		
177	Other acute poisonings (gas excepted)	37	1	2		1	1	1		2	1	4	2	9	8	2	1	2	1
178	Conflagration	47	3	6	1	3	2	7	4		1		1	6	5	4	4		
179	Burns (conflagration excepted)	216	3	20	20	19	19	23	7	5	12	6	12	19	14	12	11	14	
180	Mechanical suffocation	23	16		1				1					4			1		
181	Absorption of irrespirable, irritating, or poisonous gas	127	1				1	3	3	2	4	6	3	24	28	29	15	8	
182	Drowning	315	1	1	2	3		38	39	48	19	21	32	33	37	26	8	3	4
183	Traumatism by firearms (except in war)	41			1	1		3	5	11	3	2	4	4	4	3			
184	Traumatism by cutting or piercing instruments	28	1			2			2	1	3	1	1	4	3	1	6	3	
185	Traumatism by fall	589	3	4	3	2	6	8	7	5	11	13	20	58	81	87	97	184	
186a	Traumatism in mines	6									1	2		1	1	1			
186b	Traumatism in quarries	2												1	1				
187	Traumatism by machines	60						1		2	8	4	5	14	16	5	5		
188a	Railroad accidents	292	1	1	1	1	2	10	20	14	22	23	25	68	53	23	22	6	
	Collision with automobiles	61	1	1		1	1	4	6	3	10	6	5	12	7	4			
	Other railroad accidents	231			1		1	6	14	11	12	17	20	56	46	19	22	6	
188b	Street-car accidents	29		1	1			1			3		3	5	5	6	2	2	
	Collision with automobiles	8		1							1		2	1	2	1			
	Other street-car accidents	21			1			1			2		1	4	3	5	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	973	4	6	13	29	30	139	52	53	64	42	58	115	120	116	93	39	
188d	Airplane and balloon accidents	19						1	1		4	6	1	5	1				
188e,f	Injuries by other vehicles	29				1		1	2	2	2	5	1	1	6	4		4	
188g	Landslide, other crushing	16						1			3		4	2	3	3			
189	Injuries by animals (not poisoning)	8			1									1	2		3	1	
193	Excessive cold	1															1		
194	Excessive heat	25	2						1		5			7	6	1	1	2	
195	Lightning	2													2				
196	Other accidental electric shocks	27						1		4	6	2	5	5	3	1			
201	Fracture (cause not specified)	14	2					1				1			2	2	2	4	
202	Other external violence	124	6	1	3		3	6	8	8	6	8	9	22	18	9	10	7	
	XV.—Ill-defined diseases	66	35	4	1	1		1	1		1	4	2	4	6	4		2	
204	Sudden death	3	1												2				
205a	Ill-defined	51	27	4	1	1		1	1		1	3	1	4	3	3		1	
205b	Not specified or unknown	12	7									1	1		1	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK																		
	All causes	140,899	3,513	1,920	1,156	845	698	2,502	1,651	2,609	3,628	4,050	4,858	12,898	17,983	23,652	25,933	22,926	77
	I.—Epidemic, endemic, and infectious diseases	15,101	1,131	583	387	308	241	655	358	849	1,264	1,277	1,217	2,337	1,990	1,312	793	396	3
1	Typhoid and paratyphoid fever	190		1			3	9	20	29	20	16	21	28	24	11	7	1	
2	Typhus fever	2												1	1				
5	Malaria	5											2	3					
6	Smallpox	1															1		
7	Measles	197	52	54	21	15	10	20	4	9	1	1		4	3		2	1	
8	Scarlet fever	219	5	21	37	27	25	58	14	5	7	7	2	7	3			1	
9	Whooping cough	510	320	113	32	19	9	11	4					1			1		
10	Diphtheria	1,002	51	128	143	141	113	315	51	10	8	8	8	10	11	5			
11a	Influenza (with pulmonary complications)	783	100	40	13	10	8	17	5	10	21	18	27	85	112	115	97	105	
11b	Influenza (other and unspecified)	527	61	17	15	7	6	19	14	12	13	16	17	46	46	56	79	103	
13	Mumps	14	1	1	1		2	1		1			2	3	1			1	
16	Dysentery	51	15	6	3	1		1				1	2	5		3	5	9	
19	Spirochetal hemorrhagic jaundice	6	1					1					1		1	1	1		
20	Leprosy	1													1				
21	Erysipelas	385	129	8	2	2		3	4	4	8	9	10	39	48	43	45	31	
22	Acute anterior poliomyelitis	129	5	9	8	8	12	40	21	13	3	1	2	4	3				
23	Lethargic encephalitis	221	2	3	7	2	3	13	11	14	20	17	13	49	36	22	9		
24	Meningococcus meningitis	160	35	7	7	7	7	17	17	16	16	10	5	13	2	1			
25	Other epidemic and endemic diseases	25	5	10	6	2		2											
27	Anthrax	3												2	1				
28	Rabies	7					1	2				2	1	1					
29	Tetanus	80	2	1	1	2	3	11	19	10	3	5	5	5	5	2	6		
30	Mycoses	13	4				1					1		1	2	1	3		
	Tuberculosis (all forms)	9,457	144	152	88	63	35	108	164	706	1,106	1,101	1,024	1,803	1,452	915	470	123	3
31	Of the respiratory system	8,284	31	28	14	14	11	34	111	628	1,015	1,020	952	1,667	1,354	862	436	104	3
32	Of the meninges, central nervous system	496	76	92	55	37	16	52	28	25	23	20	20	29	15	4	2	2	
33	Of the intestines, peritoneum	232	8	7	5	4	3	7	10	26	21	17	21	40	32	16	12	3	
34	Of the vertebral column	98		1	2	3	1	5	7	3	11	10	9	10	16	8	7	5	
35	Of the joints	28						1	1	3	2	3	1	4	5	2	2	4	
36	Of other organs	120	3	2					1	6	14	11	12	27	20	10	10	4	
37a	Disseminated (acute)	177	25	22	12	5	4	8	5	15	15	17	8	25	7	9			
37b	Disseminated (chronic or unspecified)	22	1					1	1		5	3	1	1	3	4	1	1	
38	Syphilis	968	188	8	3	2	2	5	5	7	25	44	59	199	219	125	62	15	
39	Soft chancre	1													1				
40	Gonococcus infection	85	2	1					1	2	11	17	16	22	11	2			
41	Purulent infection, septicemia	58	9	3			1	2	4	1	2	3		6	7	9	5	6	
42	Other infectious diseases	1														1			
	II.—General diseases not included in Class I	20,756	378	57	50	38	31	155	125	167	184	269	484	1,997	3,856	5,536	4,989	2,434	6
	Cancer and other malignant tumors	14,388	7	7	16	12	3	23	21	39	59	121	266	1,270	2,787	4,089	3,686	1,980	2
43	Of the buccal cavity	445						1	1	1		2	5	21	96	135	118	65	
44	Of the stomach, liver	4,797	2	3	1			1	1		6	20	54	302	803	1,480	1,441	683	
45	Of the peritoneum, intestines, rectum	2,461		1	1	1		1	4	6	17	27	40	202	451	662	675	373	
46	Of the female genital organs	1,840							2	3	13	20	58	290	503	521	295	135	
47	Of the breast	1,443									4	13	33	196	373	390	265	168	1
48	Of the skin	290			1		1	1	1	1		1	3	13	32	49	74	114	
49	Of other or unspecified organs	3,112	5	3	14	10	3	19	12	28	19	38	73	246	529	852	818	442	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	116	1					2	1	2	4	2	7	21	22	28	20	6	
51	Acute rheumatic fever	398	1	2	3	8	9	73	61	53	27	18	17	37	31	23	25	10	
52	Chronic rheumatism, osteoarthritis, gout	131								1	1	1	2	5	18	32	42	29	
53	Scurvy	6	3	1							1				1				
54	Pellagra	18									3	1		5	4	3	2		
55	Beriberi	2										2							
56	Rickets	61	42	12	6	1		1											
57	Diabetes mellitus	2,909			3	2	4	11	18	22	28	19	36	147	430	938	936	313	2
58a	Pernicious anemia	500	1	3	2			4	3	6	5	7	11	46	84	140	138	50	
58b	Other anemias and chlorosis	68	10	6			1	3	1	1	2	3	5	5	9	3	6	13	
59	Diseases of the pituitary gland	16								1	1	3	3	2	3	3			
60a	Exophthalmic goiter	307							1	14	12	11	16	54	97	61	33	8	
60b	Other diseases of the thyroid gland	57	5		1			2		1	1	4	3	8	10	13	7	2	
61	Diseases of the parathyroid glands	13	10	2		1													
62	Diseases of the thymus gland	147	122	7	5	2	1	4	2	2		1	1						
63	Diseases of the adrenals (Addison's disease)	44								1		2	3	15	6	9	5	3	
64	Diseases of the spleen	17		1	1			3	1	1		2	2	2		2	1	1	
65a	Leukemia	296	8	10	7	8	10	20	11	13	15	18	12	46	50	35	27	6	
65b	Hodgkin's disease	129	4			3	1	2	3	4	13	6	15	20	25	20	11	2	
66	Alcoholism (acute or chronic)	840									9	37	74	294	257	120	42	5	2
67a	Chronic lead poisoning	24		2	2							1	1	4	9	5			
67b	Other chronic mineral poisoning	3										1			1	1			
68	Chronic poisoning by organic substances	37									2	7	8	9	5	3	2	1	
69	Other general diseases	229	164	4	4	2	2	7	2	6	1	2	2	7	7	8	6	5	
	III.—Diseases of the nervous system and of the organs of special sense	12,888	255	69	59	50	44	168	124	126	127	152	248	834	1,563	2,488	3,405	3,171	5
70	Encephalitis	85	7	1	1	2	6	6	5	3	6	3	3	16	16	5	4	1	
71a	Simple meningitis	246	46	13	15	13	1	20	16	11	11	10	17	25	22	16	5	5	
71b	Nonepidemic cerebrospinal meningitis	65	20	8	4	2		6	4	1	3	2	2	1	6	5	1		
72	Tabes dorsalis (locomotor ataxia)	156											1	12	34	58	42	9	
73	Other diseases of the spinal cord	353	3		4	2	4	5	6	8	12	12	12	36	57	67	81	44	
74a	Cerebral hemorrhage	8,677	13	5	2	2		1	4	5	10	21	39	267	928	1,823	2,797	2,756	4
74b	Cerebral embolism and thrombosis	638	3	3		3	3	4	5	3	4	15	14	23	78	140	183	157	
75	Paralysis without specified cause	219	2									1		3	15	44	87	67	
76	General paralysis of the insane	628								3	1	7	40	213	193	128	39	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
77	Other forms of mental alienation	174								8	20	23	19	40	34	21	6	3	
78	Epilepsy	320	5	3		3	3	11	16	31	27	29	34	57	44	24	25	8	
79	Convulsions (nonpuerperal; 5 years and over)	5						3		1						1			
80	Infantile convulsions (under 5 years)	59	49	2	4	2	2												
81	Chorea	7		1			1			1				2		1	1		
82	Neuralgia and neuritis	28							1			1	2	2	3	6	6	7	
83	Softening of the brain	76												1	1	18	24	32	
84	Other diseases of the nervous system	626	16	9	12	6	7	24	18	16	18	20	37	101	95	93	88	65	1
85	Diseases of the eye and annexa	7	2	1	1			1								1		1	
86a	Diseases of the ear	283	66	13	9	8	6	38	17	23	7	4	18	17	20	22	9	6	
86b	Diseases of the mastoid process	236	23	10	7	7	11	49	32	12	8	4	10	18	17	15	7	6	
	IV.—Diseases of the circulatory system	34,747	93	26	21	14	22	235	286	363	355	379	553	1,979	4,000	6,994	9,337	10,068	22
87	Pericarditis	65	1	1				1		2	4	2	3	7	6	12	12	14	
88	Endocarditis and myocarditis (acute)	937	46	13	7	5	5	43	46	53	61	43	70	220	72	93	72	87	1
89	Angina pectoris	2,235						1		2	5	11	25	192	420	593	661	323	2
90	Other diseases of the heart	27,467	30	10	13	8	16	188	237	305	280	315	429	1,388	3,093	5,665	7,589	7,884	17
91a	Aneurysm	269				1				1	2	5	6	39	81	55	57	22	
91b,c	Other diseases of the arteries	3,007											8	50	171	376	773	1,628	1
92	Embolism and thrombosis (not cerebral)	647	7						2		2	2	7	69	133	184	145	95	1
93	Diseases of the veins	87						1			1	1	3	13	22	12	21	13	
94	Diseases of the lymphatic system	26	9	2	1		1	1	1				2		1	3	4	1	
95	Hemorrhage without specified cause	4												1	1		1	1	
96	Other diseases of the circulatory system	3														1	2		
	V.—Diseases of the respiratory system	12,907	2,217	703	302	148	91	258	132	221	307	347	458	1,322	1,497	1,630	1,648	1,622	4
97a	Diseases of the nasal fossae	13	3	2	1	1					1	1		2		1		1	
97b	Diseases of the nasal fossae annexa	87	2	2				3	6	12	4	6	11	13	17	7	3	1	
98	Diseases of the larynx	46	13	8	4	1		5					3	3	5	3	1		
99a	Acute bronchitis	289	106	16	9	3	3	5		3	2		3	7	16	23	24	69	
99b	Chronic bronchitis	242	5		1	1		1	1		2	1	3	12	16	37	65	97	
99c,d	Bronchitis (unspecified)	114	32	7	2			1	2					2	2	6	6	54	
100a	Broncho-pneumonia	4,584	1,560	410	152	75	35	80	35	41	50	54	67	223	272	399	520	608	3
100b	Capillary bronchitis	152	83	14	10	6	3	2	2	1			1	2	3	3	8	14	
101a	Lobar pneumonia	6,466	327	200	102	44	38	134	75	145	218	256	340	966	1,037	1,033	912	638	1
101b	Pneumonia (unspecified)	187	29	12	6	4	3	10	5	8	12	2	7	14	22	18	12	23	
102	Pleurisy	374	40	31	13	10	7	12	5	8	15	16	12	44	55	41	37	28	
103	Congestion and hemorrhagic infract of the lung	94	7		1		1				1	1	1	1	3	9	13	56	
104	Gangrene of the lung	31		1		1		2				1	1	9	5	6	2	3	
105	Asthma	114	5			1	1	1		3	1	2	3	6	21	23	27	20	
106	Pulmonary emphysema	16												2	2	3	5	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	98	5		1	1		2	1		1	7	6	16	21	18	13	6	
	VI.—Diseases of the digestive system	9,285	1,629	268	148	110	87	288	185	216	239	302	385	1,066	1,416	1,329	1,016	598	3
108	Diseases of the mouth and annexa	70	4	2				8		5	2	3	6	10	8	13	5	4	
109a	Adenoid vegetations	1		1															
109b	Other diseases of the pharynx, tonsils	452	20	22	25	24	20	71	24	20	32	29	26	58	34	34	9	4	
110	Diseases of the esophagus	17	1					2						1	1	4	4	4	
111a	Ulcer of the stomach	628	1						1	4	13	25	40	128	161	129	86	40	
111b	Ulcer of the duodenum	259							1	1	7	11	17	66	68	51	30	7	
112	Other diseases of the stomach (cancer excepted)	227	49	7	3	3	3	1	4	3	1	3	8	17	22	35	27	41	
113	Diarrhea and enteritis (under 2 years)	1,586	1,393	193															
114	Diarrhea and enteritis (2 years and over)	393			66	31	16	37	12	6	6	6	14	32	24	34	37	72	
115	Ancylostomiasis	1									1								
116	Diseases due to other intestinal parasites	2							1					1					
117	Appendicitis and typhlitis	1,792	8	18	32	38	33	133	117	137	132	133	129	271	278	197	101	35	
118a	Hernia	600	17	3	2			1	1	2	3	5	13	55	126	127	148	97	
118b	Intestinal obstruction	670	92	10	7	6	6	12	10	16	9	25	30	61	97	109	101	78	1
119	Other diseases of the intestines	125	9	3	2		2	3		3	3	2	3	10	28	27	17	13	
120	Acute yellow atrophy of the liver	73	2	2			1		1	2	8	7	9	11	15	8	6	1	
121	Hydatid tumor of the liver	11										4	1	2	3	1			
122	Cirrhosis of the liver	1,109			1			2	3	4	6	12	24	155	261	288	246	107	
123	Biliary calculi	488								1	4	10	21	83	137	125	82	24	1
124	Other diseases of the liver	513	2		2		2	4	1	6	4	13	28	76	104	112	94	64	1
125	Diseases of the pancreas	95	1							1	2	5	5	19	32	15	12	3	
126	Peritonitis without specified cause	173	30	7	8	8	4	14	9	5	6	9	11	10	17	20	11	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	13,440	52	18	16	9	8	34	57	93	127	225	359	1,094	1,884	2,786	3,517	3,157	4
128	Acute nephritis (including unspecified under 10 years)	316	24	5	6	3	3	11	10	12	14	16	18	52	42	41	32	26	1
129	Chronic nephritis (including unspecified 10 years and over)	11,406		3	4	3	4	19	43	66	74	142	224	777	1,592	2,462	3,152	2,838	3
131	Other diseases of the kidneys and annexa	325	20	10	6	2	1	4	1	7	10	11	18	31	47	67	59	31	
132	Calculi of the urinary passages	110				1				1	1	8	5	27	18	30	13	6	
133	Diseases of the bladder	54	1										1	2	3	9	14	24	
134	Diseases of the urethra, etc	44									1	1		10	8	14	7	3	
135	Diseases of the prostate	546											1	2	27	96	213	207	
136	Nonvenereal diseases of the male genital organs	17	7											3		3	3	1	
137	Cysts, other benign tumors of the ovary	104								1	3	3	10	28	24	19	10	6	
138	Salpingitis and pelvic abscess (female)	179							2	5	19	29	37	54	23	8	1	1	
139	Benign tumors of the uterus	267									1	9	34	97	84	22	9	11	
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	71							1		4	6	11	11	16	15	4	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

NEW YORK—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIII.—The puerperal state	1,380								71	264	325	325	377	17				1
143	Accidents of pregnancy	133								5	14	28	46	38	2				
144	Puerperal hemorrhage	179								2	28	35	52	61	1				
145	Other accidents of labor	186								4	38	43	39	60	1				1
146	Puerperal septicemia	545								38	121	142	109	129	6				
147	Puerperal phlegmasia alba dolens, embolus, etc	83								3	13	21	19	26	1				
148	Puerperal albuminuria and convulsions	249								19	50	53	60	61	6				
149	Following childbirth (undefined)	3										1		2					
150	Puerperal diseases of the breast	2										2							
	IX.—Diseases of the skin and of the cellular tissue	321	61	2	5	1	2	2	8	8	9	8	13	25	32	44	37	64	
151	Gangrene	82	2				1	1	1		2		1	2	9	8	14	41	
152	Furuncle	50	7						2	2	2	4	2	7	5	9	4	6	
153	Acute abscess	92	19	2	3	1	1	1	3	5	4	1	6	6	11	17	10	2	
154	Other diseases of the skin and annexa	97	33		2				2	1	1	3	4	10	7	10	9	15	
	X.—Diseases of the bones and of the organs of locomotion	175	12	4	5	2	4	22	21	15	2	8	5	19	23	18	9	6	
155	Diseases of the bones (tuberculosis excepted)	146	9	3	2	2	4	20	21	15	2	7	4	16	13	15	8	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	29	3	1	3			2				1	1	3	10	3	1	1	
	XI.—Malformations	1,464	1,320	51	21	10	13	18	9	7	4	4	4	2	1				
159a	Congenital hydrocephalus	198	161	19	5	2	4	3	1	1	2								
159b	Congenital malformations of the heart	740	678	17	6	6	5	9	6	3	2	3	4	1					
159c	Other congenital malformations	526	481	15	10	2	4	6	2	3		1		1	1				
	XII.—Early infancy	6,176	6,176																
160	Congenital debility, icterus, sclerema	485	485																
161a	Premature birth	3,590	3,590																
161b	Injury at birth	1,565	1,565																
162	Other diseases peculiar to early infancy	523	523																
163	Lack of care	13	13																
164	XIII.—Old age (senility)	479														6	60	413	
	XIV.—External causes	11,691	171	127	140	154	155	664	345	471	744	753	807	1,842	1,690	1,499	1,112	990	27
	Suicide	1,878							6	30	115	136	172	419	411	324	207	54	4
165	By poisons (gas or corrosives excepted)	76									9	5	8	14	18	12	7	3	
166	By corrosive substances	143								2	16	20	25	41	15	16	5	3	
167	By poisonous gas	545								8	40	43	39	113	130	96	65	11	
168	By hanging or strangulation	349							2	3	7	13	21	78	94	61	58	10	2
169	By drowning	94							1	1	7	7	6	23	12	13	18	5	1
170	By firearms	360							3	14	24	22	35	62	79	71	38	11	1
171	By cutting or piercing instruments	118								1	2	8	4	34	24	31	11	3	
172	By jumping from high places	160								1	10	15	26	47	32	19	4	6	
173	By crushing	25										3	5	7	4	5	1		
174	By other means	8											3		3			2	
	Homicide	635	42	2	4	1	5	12	8	34	83	110	97	137	64	20	12	3	1
197	By firearms	267					1	1	3	13	43	58	45	66	29	4	2	1	1
198	By cutting or piercing instruments	129		1	1			3	2	7	13	24	23	37	12	3	2	1	
199	By other means	239	42	1	3	1	4	8	3	14	27	28	29	34	23	13	8	1	
	Accidental, other, or undefined	9,178	129	125	136	153	150	652	331	407	546	507	538	1,286	1,215	1,155	893	933	22
175	Poisoning by food	32		2	2			4	1			1		5	7	7	3		
176	Poisoning by venomous animals	3	1						1									1	
177	Other acute poisonings (gas excepted)	138	2	14	8	6	3	3		1	5	9	7	29	25	15	9	2	
178	Conflagration	175	3	5	7	7	9	13	8	5	6	8	12	27	28	18	7	8	4
179	Burns (conflagration excepted)	531	15	47	55	38	35	63	11	11	9	16	23	47	39	50	43	29	
180	Mechanical suffocation	70	44	1	1			1	1	2	1	4	1	5	4	5			
181	Absorption of irrespirable, irritating, or poisonous gas	767	1		2		2	7	7	15	43	42	51	130	148	166	87	66	
182	Drowning	902	2	11	8	3	7	64	78	109	93	59	63	151	132	82	22	10	8
183	Traumatism by firearms (except in war)	96		1	2		2	5	12	22	11	3	7	10	12	8	1		
184	Traumatism by cutting or piercing instruments	73	3		1	1		5	1		5	1	3	13	15	17	4	4	
185	Traumatism by fall	2,023	9	17	22	24	20	60	34	29	66	59	79	222	195	251	319	617	
186a	Traumatism in mines	13									4	2	1	3	2		1		
186b	Traumatism in quarries	7									2		1	2	1	1			
187	Traumatism by machines	210		1		1		3	3	15	20	27	21	48	38	21	6	6	
188a	Railroad accidents	574		3	1	3	3	13	16	27	53	51	52	98	105	78	47	17	7
	Collision with automobiles	144		1	1	3	1	6	4	14	23	17	11	20	12	18	10	3	
	Other railroad accidents	430		2			2	7	12	13	30	34	41	78	93	60	37	14	7
188b	Street-car accidents	203	1		3	2		5	4	5	12	14	13	31	37	32	24	20	
	Collision with automobiles	32	1						1	1	3	4	4	8	3	5	1	1	
	Other street-car accidents	171			3	2		5	3	4	9	10	9	23	34	27	23	19	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	2,384	3	11	16	61	63	375	128	131	147	154	115	284	266	283	228	117	2
188d	Airplane and balloon accidents	12								2	1	6	1	2					
188e,f	Injuries by other vehicles	143	4	1	1	2	1	12	3	8	12	4	11	18	23	19	16	8	
188g	Landslide, other crushing	40						1	1	2	2	1	9	13	5	5	1		
189	Injuries by animals (not poisoning)	40	1					2	2	1	2		3	2	10	6	11		
192	Starvation (deprivation of food or water)	3													1		1	1	
193	Excessive cold	16																	
194	Excessive heat	28	3								1			2	4	2	4	2	1
195	Lightning	8						1	2	2	1	1	1	4	4	3	4	5	
196	Other accidental electric shocks	102						2	2	7	17	14	21	29	8	1		1	
201	Fracture (cause not specified)	117						1		1	2	6	7	31	27	21	15	6	
202	Other external violence	468	37	11	7	5	5	12	16	12	31	25	36	77	79	63	39	13	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	XV.—Ill-defined diseases	89	18	12	2	1	----	3	1	2	2	1	----	4	14	10	10	7	2
204	Sudden death	15	4	1	----	----	----	----	1	----	----	----	----	2	1	2	4	----	----
205a	Ill-defined	37	2	11	1	----	----	2	----	1	----	1	----	1	7	6	2	3	----
205b	Not specified or unknown	37	12	----	1	1	----	1	----	1	2	----	----	1	6	2	4	4	2
	NORTH CAROLINA																		
	All causes—White	19,844	3,791	780	324	191	141	405	267	463	631	618	615	1,335	1,553	2,021	3,306	3,318	85
	All causes—Colored	13,073	2,797	532	212	114	91	256	243	647	810	697	566	1,271	1,346	1,107	1,050	1,232	102
	I.—Epidemic, endemic, and infectious diseases—White	3,051	443	267	137	86	60	114	74	117	178	207	218	352	217	181	199	191	10
	I.—Epidemic, endemic, and infectious diseases—Colored	2,723	394	149	69	36	35	94	89	269	395	285	195	291	176	104	82	42	18
1	Typhoid and paratyphoid fever—W	124	----	1	2	1	4	8	15	20	10	9	7	19	15	7	3	3	----
	Typhoid and paratyphoid fever—C	110	1	----	----	----	3	15	7	28	21	7	8	8	6	1	4	----	1
5	Malaria—W	22	4	1	----	----	----	1	1	3	----	1	----	3	2	3	3	----	----
	Malaria—C	38	4	----	1	1	2	4	3	2	5	2	1	2	3	3	3	2	----
6	Smallpox—W	11	2	1	----	----	----	----	----	----	2	1	----	2	----	----	3	----	----
	Smallpox—C	4	2	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----
7	Measles—W	191	42	53	27	11	6	12	14	5	3	2	4	2	5	----	4	1	----
	Measles—C	55	10	16	7	1	3	4	4	7	2	1	----	----	----	----	----	----	----
8	Scarlet fever—W	33	3	2	11	1	3	6	3	3	1	----	----	----	----	----	----	----	----
	Scarlet fever—C	1	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
9	Whooping cough—W	328	193	78	30	9	4	9	2	1	----	----	1	----	----	----	----	----	1
	Whooping cough—C	296	176	65	22	13	4	8	2	2	1	1	----	1	----	----	----	----	1
10	Diphtheria—W	231	30	51	34	39	28	40	3	1	1	----	2	----	----	2	----	----	----
	Diphtheria—C	46	11	7	5	6	5	9	2	----	----	1	----	----	----	----	----	----	----
11a	Influenza (with pulmonary complications)—W	429	66	26	6	11	5	12	3	12	11	12	19	34	38	36	68	69	1
	Influenza (with pulmonary complications)—C	306	63	23	13	3	6	7	5	20	27	14	13	22	32	22	18	15	3
11b	Influenza (other and unspecified)—W	214	26	13	6	3	1	6	3	13	3	4	6	22	10	15	32	51	----
	Influenza (other and unspecified)—C	139	25	3	4	1	1	2	5	2	10	8	7	11	10	12	20	16	2
13	Mumps—W	2	----	----	----	----	----	1	----	----	----	----	----	----	----	----	1	----	----
	Mumps—C	3	----	1	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----
15	Cholera nostras—W	8	----	----	1	----	----	1	----	----	----	----	----	1	----	1	1	3	----
16	Dysentery—W	113	28	21	8	1	4	2	----	----	----	----	3	1	1	1	3	9	28	3
	Dysentery—C	51	23	10	----	2	----	1	1	2	1	----	----	----	----	3	1	2	4	1
21	Erysipelas—W	31	14	1	1	1	----	----	----	----	----	----	1	1	5	1	3	2	1	----
	Erysipelas—C	8	----	1	----	----	----	----	----	----	----	----	----	----	----	3	1	1	2	----
22	Acute anterior poliomyelitis—W	10	2	2	----	1	----	2	1	----	1	----	----	----	----	----	----	1	----	----
	Acute anterior poliomyelitis—C	8	3	----	----	----	1	3	----	----	1	----	----	----	----	----	----	----	----	----
23	Lethargic encephalitis—W	19	----	2	1	----	----	----	----	2	1	----	1	5	3	3	----	1	----	----
	Lethargic encephalitis—C	7	1	1	----	----	----	----	----	----	1	----	1	----	----	1	1	1	----	----
24	Meningococcus meningitis—W	17	4	4	2	1	----	----	2	----	1	----	1	----	1	1	----	----	----	----
	Meningococcus meningitis—C	11	----	1	1	1	----	1	2	3	1	----	----	----	1	----	----	----	----	----
25	Other epidemic and endemic diseases—W	5	----	----	----	1	1	1	----	----	1	----	----	----	1	----	----	----	----	----
	Other epidemic and endemic diseases—C	2	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
27	Anthrax—W	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
28	Rabies—W	3	----	----	----	----	1	1	----	----	1	----	----	----	----	----	----	----	----	----
29	Tetanus—W	10	2	1	----	----	----	1	5	----	----	1	----	----	----	----	----	----	----	----
	Tetanus—C	11	7	----	----	----	----	----	1	1	----	----	1	1	----	----	----	----	----	----
30	Mycoses—W	2	----	----	----	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----
	Mycoses—C	11	11	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
	Tuberculosis (all forms)—W	1,164	12	8	6	4	3	10	20	56	136	167	168	242	130	99	67	31	5
	Tuberculosis (all forms)—C	1,414	14	14	9	7	8	34	55	196	302	225	151	208	102	52	27	1	9
31	Of the respiratory system—W	1,039	4	----	----	1	1	3	16	50	127	157	157	222	125	92	54	26	4
	Of the respiratory system—C	1,280	4	9	4	4	5	21	49	184	285	208	140	190	94	47	26	1	9
32	Of the meninges, central nervous system—W	41	6	6	5	2	2	5	3	1	1	2	2	3	----	1	1	----	1
	Of the meninges, central nervous system—C	18	5	2	3	3	----	----	----	1	----	2	1	1	----	----	----	----	----
33	Of the intestines, peritoneum—W	32	----	1	----	----	----	1	1	1	5	1	2	4	4	2	7	3	----
	Of the intestines, peritoneum—C	66	1	----	1	----	1	8	5	6	8	8	8	12	5	3	----	----	----
34	Of the vertebral column—W	7	----	----	----	----	----	----	----	2	----	----	1	3	----	1	----	----	----
	Of the vertebral column—C	11	1	----	----	----	----	2	----	1	2	3	1	1	----	----	----	----	----
35	Of the joints—W	4	1	----	----	----	----	----	----	----	----	2	----	----	----	----	----	1	----
	Of the joints—C	6	----	----	----	----	1	2	----	----	1	----	----	----	1	----	1	----	----
36	Of other organs—W	18	----	----	1	----	----	----	----	----	1	1	3	4	----	3	4	1	----
	Of other organs—C	11	1	2	----	----	----	1	----	1	2	1	----	2	1	----	----	----	----
37a	Disseminated (acute)—W	21	----	1	----	1	----	1	----	2	2	4	2	6	1	----	1	----	----
	Disseminated (acute)—C	18	2	1	1	----	1	----	1	1	4	2	1	2	----	2	----	----	----
37b	Disseminated (chronic or unspecified)—W	2	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
	Disseminated (chronic or unspecified)—C	4	----	----	----	----	----	----	----	2	----	1	----	----	1	----	----	----	----
38	Syphilis—W	45	10	----	----	----	----	----	----	----	4	4	2	10	6	5	4	----	----
	Syphilis—C	177	42	6	7	----	2	2	2	6	14	22	10	31	14	11	6	1	1
40	Gonococcus infection—W	6	1	----	----	----	----	----	----	----	----	----	3	1	----	1	----	----	----
	Gonococcus infection—C	12	----	----	----	----	----	----	----	----	4	3	1	4	----	----	----	----	----
41	Purulent infection, septicemia—W	32	4	2	2	1	----	1	2	1	2	2	2	4	4	1	1	3	----
	Purulent infection, septicemia—C	11	----	----	----	1	----	1	----	----	3	----	1	3	2	----	----	----	----
42	Other infectious diseases—C	2	----	----	----	----	----	----	----	----	----	1	1	----	----	----	----	----	----
	II.—General diseases not included in Class I—White	1,953	60	15	7	6	4	25	27	33	39	46	68	205	291	371	437	300	19
	II.—General diseases not included in Class I—Colored	881	28	5	2	4	1	13	17	31	41	59	52	153	144	134	110	79	8
	Cancer and other malignant tumors—W	1,068	----	2	----	2	1	2	8	8	6	13	20	89	164	227	296	222	8
	Cancer and other malignant tumors—C	390	----	----	----	----	1	2	2	6	1	11	16	65	89	81	65	48	3
43	Of the buccal cavity—W	32	----	----	----	----	----	----	----	----	----	----	----	1	6	8	6	11	----
	Of the buccal cavity—C	9	----	----	----	----	----	----	----	----	----	1	----	2	1	2	1	2	----
44	Of the stomach, liver—W	322	----	----	----	----	----	----	1	1	1	3	2	16	32	84	112	67	3
	Of the stomach, liver—C	107	----	----	----	----	----	----	1	1	1	2	6	13	20	23	24	15	1
45	Of the peritoneum, intestines, rectum—W	118	----	----	----	----	----	2	1	----	1	2	3	13	15	20	35	26	----
	Of the peritoneum, intestines, rectum—C	31	----	----	----	----	----	----	----	2	----	1	2	5	10	3	8	----	----
46	Of the female genital organs—W	170	----	----	----	----	----	----	----	----	1	4	3	33	48	35	26	20	----
	Of the female genital organs—C	126	----	----	----	----	----	----	----	----	----	3	6	29	36	25	14	12	1
47	Of the breast—W	102	----	----	----	----	----	----	----	----	----	1	5	11	25	19	24	15	2
	Of the breast—C	37	----	----	----	----	----	1	----	----	----	1	----	7	10	9	4	4	1
48	Of the skin—W	59	----	----	----	----	----	----	----	----	----	----	----	1	4	9	16	29	----
	Of the skin—C	5	----	----	----	----	----	----	----	----	----	----	----	----	1	2	2	----	----
49	Of other or unspecified organs—W	265	----	2	----	2	1	----	6	7	3	3	7	14	34	52	77	54	3
	Of other or unspecified organs—C	75	----	----	----	----	1	1	1	3	----	3	2	9	11	17	12	15	----

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	II.—General diseases not included in Class I—Continued.																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10	1		1							1	1			1	1	4	
		C	14						1				1	1	4	3	1	2	1	
51	Acute rheumatic fever	W	50		1				5	5	3	2	3	1	7	7	1	7	7	1
		C	27						1	3	3	2		1	2	2	2	3	7	1
52	Chronic rheumatism, osteoarthritis, gout	W	22								2				1	1	7	5	5	1
		C	5										1		2	1		1		
54	Pellagra	W	379	2			1		2	4	8	18	17	32	64	78	56	62	30	5
		C	292		1		1		5	6	14	33	40	27	60	30	35	25	13	2
56	Rickets	W	3	2	1															
		C	10	7	1	1	1													
57	Diabetes mellitus	W	175	2	1		1		3	8	6	2	3	3	11	18	53	44	18	2
		C	68			1			2	4	3	3	2	4	8	12	12	10	6	1
58a	Pernicious anemia	W	49	1	1					1		2	3	2	8	5	11	12	2	1
		C	10	1		2				1	1			1	2			2		
58b	Other anemias and chlorosis	W	12	4	2	1						2				2	1			
		C	7	3	1						1		1						1	
59	Diseases of the pituitary gland	W	2												1	1				
		C	1							1										
60a	Exophthalmic goiter	W	27									3	2	1	9	4	4	3	1	
		C	6								1			1	2	1				1
60b	Other diseases of the thyroid gland	W	6						1							1		2	2	
		C	3						1							2				
61	Diseases of the parathyroid glands	W	3	3																
		C	1												1					
62	Diseases of the thymus gland	W	19	17	1								1							
		C	7	6	1															
63	Diseases of the adrenals (Addison's disease)	W	3									1		1	1					
64	Diseases of the spleen	W	5														1		4	
		C	1								1									
65a	Leukemia	W	26	1			1		5		2	1	1	2	5	4	1	2		1
		C	5									1			2	1		1		
65b	Hodgkin's disease	W	10	1			1			1	1					1	2	2		
		C	1								1									
66	Alchoholism (acute or chronic)	W	21								1	1	1	2	8	3	4	1		
		C	16									1	3	1	4	3	2	1	1	
68	Chronic poisoning by organic substances	W	2												1		1			
69	Other general diseases	W	61	26	6	5		3	7		2	1	1	2		2	1		5	
		C	17	11	1				1						1		1		2	
	III.—Diseases of the nervous system and of the organs of special sense	White	2,105	113	23	13	3	5	20	11	25	28	16	21	106	212	349	627	521	12
		Colored	1,178	50	13	5	3	1	12	13	22	27	26	27	131	228	217	195	196	12
70	Encephalitis	W	39	8		1			3	2	3			2	6	2	7	4	1	
		C	13	1	1				2		3	2			2		2			
71a	Simple meningitis	W	51	23	6	3	1	1	2	2	2	2	1	2	3	1	2			
		C	31	15	2	2	1	1	1	1		1	2		4	1				
71b	Nonepidemic cerebrospinal meningitis	W	19	10	4	1			4											
		C	8	4	1					1	1					1				
72	Tabes dorsalis (locomotor ataxia)	W	10												2	2	1	4		1
		C	1											1						
73	Other diseases of the spinal cord	W	49	2		1		1						1	3	5	11	17	8	
		C	15	1							1	1		1	2	2		4	3	
74a	Cerebral hemorrhage	W	1,372	8					1		2	6	3	5	53	147	265	478	395	9
		C	760	2	1	1			4	3	1	4	14	12	86	174	168	148	132	10
74b	Cerebral embolism and thrombosis	W	28		1				1			1	3	1	2	7	2	8	2	
		C	15	1						1		2	1		3	3	2	1	1	
75	Paralysis without specified cause	W	238					1				1		1	6	8	38	88	94	1
		C	146								2	1	1		6	19	33	32	50	2
76	General paralysis of the insane	W	25									1	1	1	9	6	3	3	1	
		C	41								1	1	2	5	13	11	4	2	2	
77	Other forms of mental alienation	W	31								1	2	3	1	7	7	3	7		
		C	21								1	3	1	2	5	5	1	3		
78	Epilepsy	W	47	1	1		1		1	2	7	6	2	4	2	8	5	5	2	
		C	62	6		1			3	4	9	10	3	3	6	5	4	2	6	
79	Convulsions (nonpuerperal; 5 years and over)	W	5								2		1		2					
		C	3						1		1						1			
80	Infantile convulsions (under 5 years)	W	22	19	1	2														
		C	21	14	5		2													
81	Chorea	W	2	1						1										
82	Neuralgia and neuritis	W	3							1									2	
		C	2	1														1		
83	Softening of the brain	W	11														1	2	8	
		C	3													2			1	
84	Other diseases of the nervous system	W	69	1		1			2	2	4	4	2	2	9	16	11	7	8	
		C	19	1	2				1	1	2		1	1	3	4	2	1		
86a	Diseases of the ear	W	35	16	5	1	1	1	2		2	1				1		4		1
		C	10	1						2		2	1	1	1			1	1	
86b	Diseases of the mastoid process	W	49	24	5	3		1	4	1	2	4		1	2	2				
		C	7	3	1	1								1		1				
	IV.—Diseases of the circulatory system	White	2,723	12	8	7	2	2	12	16	33	35	44	39	139	268	427	831	838	10
		Colored	1,444	3	3	2		5	5	18	31	27	41	67	174	317	247	228	260	16
87	Pericarditis	W	9							1		1	1		1		2	2	1	
		C	4					1								1	1		1	
88	Endocarditis and myocarditis (acute)	W	79		3	4		1	1	2	6	7	11	2	23	2	7	4	6	
		C	61							6	2	6	6	12	20	5	2		2	
89	Angina pectoris	W	226										2	6	12	40	52	70	40	4
		C	48										2	3	6	13	10	7	7	
90	Other diseases of the heart	W	2,190	11	4	3	2	1	11	11	26	25	28	26	91	205	330	696	714	6
		C	1,241	3	3	2		4	5	12	29	20	31	46	141	282	222	204	222	15

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	IV.—Diseases of the circulatory system—Continued.																			
91a	Aneurysm	W	24											1	2	6	6	6	3	
		C	17										1	4	4	4	1	2		1
91b,c	Other diseases of the arteries	W	128									1			2	5	17	38	65	
		C	54											1	1	6	8	12	26	
92	Embolism and thrombosis (not cerebral)	W	36							1	1	1	1	3	5	7	7	6	4	
		C	7										1		1	3	1	1		
93	Diseases of the veins	W	5		1								1				1	2		
		C	2														1		1	
94	Diseases of the lymphatic system	W	3	1						1					1					
95	Hemorrhage without specified cause	W	4												1		1	1	1	
		C	1											1						
96	Other diseases of the circulatory system	W	19											1	1	3	4	6	4	
		C	9									1			1	3	1	2	1	
	V.—Diseases of the respiratory system	White	1,408	299	92	43	26	16	45	26	31	44	42	31	69	94	101	188	256	5
		Colored	1,089	366	114	39	24	11	29	31	53	47	41	25	85	73	46	41	58	6
97a	Diseases of the nasal fossae	W	9	8															1	
		C	11	7	3		1													
97b	Diseases of the nasal fossae annexa	W	8							1		2	1	1	2	1				
		C	9	1					1	2			2	1	1			1		
98	Diseases of the larynx	W	11	2		2		1	3		1						1		1	
		C	3	1	1														1	
99a	Acute bronchitis	W	13	6	4						1						1		1	
		C	15	6	2	2		1				1	1					2		
99b	Chronic bronchitis	W	24	2								1		1	1	3	2	5	9	
		C	8		1		1						1			1		2	2	
99c,d	Bronchitis (unspecified)	W	12	3	1	1	1									1		1	4	
		C	10	6	1		2			1										
100a	Broncho-pneumonia	W	484	171	47	24	12	5	20	5	5	1	7	3	6	16	22	47	89	4
		C	367	183	60	18	10	6	11	4	7	6	5	4	10	13	7	5	17	1
100b	Capillary bronchitis	W	4	4																
		C	6	3		1							1				1			
101a	Lobar pneumonia	W	587	50	24	11	9	6	17	12	16	30	20	20	43	59	55	111	103	1
		C	418	64	24	12	8	4	10	17	36	30	19	18	58	46	24	20	26	2
101b	Pneumonia (unspecified)	W	154	49	11	5	3	2	2	4	4	5	7	1	11	8	8	8	26	
		C	166	85	17	6	1		5	5	5	4	5	1	5	6	9	6	4	2
102	Pleurisy	W	36	2	4			1	2	1	2	2	3	4	4	3	1	6	1	
		C	28	1	3		1		1	1	4	3	2	1	3	1	1	2	3	1
103	Congestion and hemorrhagic infarct of the lung	W	22	2				1		1	1	1					1	1	14	
		C	9	5											2				2	
105	Asthma	W	26				1		1			1	3		1	1	5	8	5	
		C	18	1	1					1		1	1		3	3	3	2	2	
106	Pulmonary emphysema	W	3		1												1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	15							2	1	1	1	1	1	2	4		2	
		C	21	3	1				1		1	2	4		3	3	1	1	1	
	VI.—Diseases of the digestive system	White	1,724	517	253	70	25	15	59	29	44	46	47	42	89	109	95	143	138	3
		Colored	989	359	143	40	12	11	31	21	29	31	41	28	65	69	40	35	31	3
108	Diseases of the mouth and annexa	W	20	5					2	1	1		1		1	2	5		2	
		C	13						2	1			1	1	1	3	2	1	1	
109b	Other diseases of the pharynx, tonsils	W	56	2	4	2	2	1	13	2	5	3	3	3	5	3	2	2	4	
		C	27	4		3	1	1	3		2	3	1	3	6					
111a	Ulcer of the stomach	W	52							1	2	1	4	2	12	10	6	8	6	
		C	33	1							2	2	1	5	5	7	6	2	2	
111b	Ulcer of the duodenum	W	19									1			5	9	1	2	1	
		C	7									1	1		1	1	1	2		
112	Other diseases of the stomach (cancer excepted)	W	115	19	6		1		6			3	2	2	9	12	7	21	26	1
		C	96	21	10	1	1	1	1	1	3	4	7	4	10	13	9	5	5	
113	Diarrhea and enteritis (under 2 years)	W	704	465	239															
		C	451	321	130															
114	Diarrhea and enteritis (2 years and over)	W	185			63	17	5	10	3		3	2	2	2	11	11	23	33	
		C	90			32	7	6	7	2	3	1	2	3	3	2	6	5	11	
115	Ancylostomiasis	W	1					1												
116	Diseases due to other intestinal parasites	C	7			2	1	1	2	1										
117	Appendicitis and typhlitis	W	212	4			2	4	18	17	30	22	19	17	22	21	15	16	5	
		C	85			1	1		10	12	8	9	9	4	16	11	2			2
118a	Hernia	W	23	2								1	1		2	5	2	4	6	
		C	11								1				2	3	1	4		
118b	Intestinal obstruction	W	104	17	3	2	1	1	5	2	2	4	6	2	10	14	7	14	14	
		C	63	8	2	1	1	2	5		7	3	8		8	7	3	3	5	
119	Other diseases of the intestines	W	20				1		1	1				1	1			6	8	
		C	14	1						1		1	4	1	2	3			1	
120	Acute yellow atrophy of the liver	W	5								1		1	1				2		
		C	2	1												1				
122	Cirrhosis of the liver	W	68	1					1			1		3	1	8	16	26	11	
		C	40	1					1		1		3	2	4	8	8	6	5	1
123	Biliary calculi	W	44									1	1	2	4	8	12	6	10	
		C	6											2	1	1		2		
124	Other diseases of the liver	W	58	1		3	1			1	1	3	3	4	9	3	10	10	7	2
		C	20		1							1	2		4	7	2	2	1	
125	Diseases of the pancreas	W	10									1	1	1	2	1		2	2	
		C	2									1	1							
126	Peritonitis without specified cause	W	28	1	1			3	3	1	2	2	2	2	4	2	1	1	3	
		C	22	1						3	2	5	1	3	2	2		3		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,916	11	7	3	6	3	19	6	13	22	33	38	114	187	309	581	552	12
		Colored	1,155	5	4	2	1	1	5	6	17	34	48	44	160	183	199	217	217	12
128	Acute nephritis (including unspecified under 10 years)	W	117	5	2	2	5	3	14	3	2	5	8	5	11	16	13	14	9	
		C	104	3	3	2			3	2	3	7	9	10	20	20	9	7	6	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,607		1	1			2	3	8	13	15	23	81	150	276	529	494	11
		C	907				1		2	3	9	18	19	28	109	146	174	196	191	11
131	Other diseases of the kidneys and annexa	W	62	4	3		1		3		1	1	1	2	7	9	10	8	12	
		C	25	2	1			1			1	2	2		7	4	1		4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
132	Calculi of the urinary passages	W	15												2	4	2	5	2	
		C	3									1	1				1			
133	Diseases of the bladder	W	14	1												1	1	2	9	
		C	2														1	1		
134	Diseases of the urethra, etc.	W	2								1				1					
		C	9										1		4		1	2	1	
135	Diseases of the prostate	W	53										1		1	1	6	20	24	
		C	39												1	2	10	11	15	
136	Nonvenereal diseases of the male genital organs	W	4	1	1												1	1		
		C	1											1						
137	Cysts, other benign tumors of the ovary	W	5												1	1		2		1
		C	5										1		3		1			
138	Salpingitis and pelvic abscess (female)	W	12									1	5	4	1	1				
		C	24							3	4	6	1	6	4					
139	Benign tumors of the uterus	W	11											1	5	4			1	
		C	24								1	6	2	7	7					1
140	Nonpuerperal uterine hemorrhage	W	3								1				2					
		C	2									1			1					
141	Other diseases of the female genital organs	W	11									2	3	3	2				1	
		C	10							1	1		3	2	2		1			
	VIII.—The puerperal state	White	293							2	42	66	51	48	81	3				
		Colored	254							4	61	64	39	26	52	5				3
143	Accidents of pregnancy	W	16									5	4	3	4					
		C	18								3	5	4	3	2	1				
144	Puerperal hemorrhage	W	43							1	2	9	5	10	16					
		C	19								2	2	2	4	7	2				
145	Other accidents of labor	W	41								3	12	3	6	17					
		C	41								7	9	12	5	8					
146	Puerperal septicemia	W	74								10	16	23	9	14	2				
		C	80							1	23	20	11	9	13	2				1
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	7								3		1	1	2					
		C	8								1	2	3		2					
148	Puerperal albuminuria and convulsions	W	112							1	24	24	15	19	28	1				
		C	87							3	25	26	6	5	20					2
149	Following childbirth (undefined)	C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	51	6	1	1			2	1	3	2	3	2	4	4	6	6	10	
		Colored	25	2							1		2	1	1	4	5	2	7	
151	Gangrene	W	14	2	1				1				1	1	2	1	1	1	3	
		C	17										1			4	4	2	6	
152	Furuncle	W	14						1			1	2		2	1	3	3	1	
		C	1												1					
153	Acute abscess	W	12							1	3			1		1	1	2	3	
		C	2								1						1			
154	Other diseases of the skin and annexa	W	11	4		1						1				1	1		3	
		C	5	2									1	1					1	
	X.—Diseases of the bones and of the organs of locomotion	White	23	3		1		3		5	2		2	1	1		1	2	2	
		Colored	6					1	2	1		1	1							
155	Diseases of the bones (tuberculosis excepted)	W	20	1		1		3		5	2		1	1	1		1	2	2	
		C	6					1	2	1		1	1							
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	3	2									1							
	XI.—Malformations	White	282	251	13	4	3	2	3	2	1	2			1					
		Colored	50	43	1	2			3		1									
159a	Congenital hydrocephalus	W	26	18	4	1	1	1		1										
		C	7	4		2					1									
159b	Congenital malformations of the heart	W	155	135	6	3	2	1	3	1	1	2			1					
		C	25	21	1				3											
159c	Other congenital malformations	W	101	98	3															
		C	18	18																
	XII.—Early infancy	White	1,442	1,442																
		Colored	707	707																
160	Congenital debility, icterus, sclerema	W	150	150																
		C	131	131																
161a	Premature birth	W	1,051	1,051																
		C	472	472																
161b	Injury at birth	W	176	176																
		C	51	51																
162	Other diseases peculiar to early infancy	W	64	64																
		C	49	49																
163	Lack of care	W	1	1																
		C	4	4																
164	XIII.—Old age (senility)	White	220													1	1	30	187	1
		Colored	214													2	11	30	169	2
	XIV.—External causes	White	1,407	52	58	23	30	27	90	56	111	148	117	95	138	120	98	97	142	5
		Colored	844	53	28	27	25	19	42	26	102	106	82	75	99	68	35	21	29	7
	Suicide	W	122								5	10	8	14	17	29	25	9	3	2
		C	10									2	2	1	3	1	1			
165	By poisons (gas or corrosives excepted)	W	4											2	1	1				
166	By corrosive substances	W	15								1	4		1	4	2	3			
		C	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 year	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	XIV.—External causes—Continued.																			
	Suicide—Continued.																			
168	By hanging or strangulation	W	10										2		2	2	3		1	
		C	2									2								
169	By drowning	W	6												1	1	2	1	1	
		C	1											1						
170	By firearms	W	73								3	6	4	11	8	19	13	7		2
		C	3										2		1					
171	By cutting or piercing instruments	W	10										1		1	2	4	1	1	
		C	2												1		1			
174	By other means	W	4								1		1			2				
		C	1													1				
	Homicide	W	88	1							9	11	13	11	20	12	4	5	2	
		C	192	2		1				2	20	49	37	25	29	17	5	2	1	2
197	By firearms	W	58								6	8	10	8	15	7	1	3		
		C	132			1				2	15	34	25	18	22	8	4	2		1
198	By cutting or piercing instruments	W	12								1	1	2	2	2	2	2			
		C	38								4	12	10	5	3	3				1
199	By other means	W	18	1							2	2	1	1	3	3	1	2	2	
		C	22	2							1	3	2	2	4	6	1		1	
	Accidental, other, or undefined	W	1,197	51	58	23	30	27	90	56	97	127	96	70	101	79	69	83	137	3
		C	642	51	28	26	25	19	42	24	82	55	43	49	67	50	29	19	28	5
175	Poisoning by food	W	20	4	4	2	1	1			1		1		2	1	1		2	
		C	13	1	1	1			2	3		2			2					1
176	Poisoning by venomous animals	W	2								1						1			
		C	1						1											
177	Other acute poisonings (gas excepted)	W	29	2	5	3	1			1	1	1	3	2	5	2	3			
		C	30	1	9	2	3	1	3			1	2	1	3	3	1			
178	Conflagration	W	9					1	1			2			1	1		1	2	
		C	18	2	1	4		1	3					1				3	3	
179	Burns (conflagration excepted)	W	132	5	17	12	13	11	24	7	4	5	6	3	4	4	4	4	9	
		C	104	11	7	11	17	12	12	3	5	1	4	3		3	4	4	7	
180	Mechanical suffocation	W	25	24												1				
		C	20	18							1				1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	4							1		1	1				1			
		C	1												1					
182	Drowning	W	59	1	7	1	1		1	10	9	8	2	3	9	1	1	3	2	
		C	46	2	3	2			3	5	16	7		2	2	2	1		1	
183	Traumatism by firearms (except in war)	W	59				2		3	8	10	9	9	1	8	2	4	3		
		C	75	1		2			2	1	23	14	9	9	9	3	1		1	
184	Traumatism by cutting or piercing instruments	W	3						1		1						1			
		C	5								1	1		1		2				
185	Traumatism by fall	W	168	2	2		1	2	3	2	4	4	2	2	4	8	12	35	84	1
		C	31	4	4	1		2			2	1	1		5	1	3	3	4	
186a	Traumatism in mines	W	2									1		1						
		C	1								1									
186b	Traumatism in quarries	W	2								1					1				
		C	2								1									
187	Traumatism by machines	W	20								3	3	1	4	6		2		1	
		C	9								3	2	1		1		1			1
188a	Railroad accidents	W	84						3	2	12	14	9	6	14	8	5	6	5	
		C	40			1	1	1	2	1	8	5	3	7	3	5	3			
	Collision with automobiles	W	24							1	2	2	2	4	4	4	2	1	2	
		C	11					1			6			1		3				
	Other railroad accidents	W	60						3	1	10	12	7	2	10	4	3	5	3	
		C	29			1	1		2	1	2	5	3	6	3	2	3			
188b	Street-car accidents	W	1										1							
		C	1									1								
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	377	1	4	2	7	11	42	14	43	56	44	30	41	31	22	17	11	1
		C	126		1	1	2	1	8	5	17	12	10	12	18	16	10	7	5	1
188d	Airplane and balloon accidents	W	1										1							
188e,f	Injuries by other vehicles	W	19				1		2		1	2	4	1	1	3	2	1	1	
		C	13		1	1			3		1			1	1	3	1	1		
188g	Landslide, other crushing	W	9						1			2	2	1		1	1		1	
		C	10							1	1	1	2	2	2				1	
189	Injuries by animals (not poisoning)	W	10				1		3			1	1	1		1		2		
		C	1						1											
193	Excessive cold	W	5	1							1				1				1	1
		C	7												1	1	1	1	3	
194	Excessive heat	W	5	3										1		1				
		C	4				1								2	1				
195	Lightning	W	14						2	1	1	1	2	3	1	2	1			
		C	6							3		1		1					1	
196	Other accidental electric shocks	W	19						1	2	1	8	4	1		2				
		C	4									2	1		1					
201	Fracture (cause not specified)	W	25									2	1	4			3	5	10	
		C	5											1		2		1	1	
202	Other external violence	W	94	8	19	3	2	1	3	8	3	7	2	6	4	9	5	6	8	
		C	69	11	1		1	1	2	2	2	4	10	7	15	8	3		1	1
	XV.—Ill-defined diseases	White	1,246	582	43	15	4	4	16	12	8	21	10	12	36	47	82	165	181	8
		Colored	1,514	787	72	24	9	6	20	17	30	37	32	26	60	77	69	89	144	15
204	Sudden death	W	166	26	1	1	1			3	3	5	3	3	10	11	16	43	38	2
		C	118	24	2	1		1			1	4	5	4	11	13	15	19	15	3
205a	Ill-defined	W	181	44	16	4	1	1	1	1		1	2	1	9	11	23	36	28	2
		C	120	29	12	1	2	1	3	1	2	2	3		5	14	13	12	19	1
205b	Not specified or unknown	W	899	512	26	10	2	3	15	8	5	15	5	8	17	25	43	86	115	4
		C	1,276	734	58	22	7	4	17	16	27	31	24	22	44	50	41	58	110	11

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA																		
	All causes	5,211	932	101	80	45	36	130	139	180	160	146	139	364	447	611	863	838	
	I.—Epidemic, endemic, and infectious diseases	649	64	30	31	19	8	42	37	65	58	48	45	59	51	30	37	25	
1	Typhoid and paratyphoid fever	13								3	2	2		2	3	1			
7	Measles	36	8	6	8	5	2	1	2	3		1							
8	Scarlet fever	25		1	5	2	1	9	4	1	2								
9	Whooping cough	32	14	9	1	2	1	4	1										
10	Diphtheria	32		1	5	2	1	9	7	5		1		1					
11a	Influenza (with pulmonary complications)	49	11	1	2		1	1	1	4	4		1	7	2	2	6	6	
11b	Influenza (other and unspecified)	54	9	1	1			3	2	4	5	3		3	3	5	5	10	
15	Cholera nostras	2																2	
16	Dysentery	8	2	1	1	1								1			1	1	
21	Erysipelas	21	4					1	1	1	3	1	1			5	1	3	
22	Acute anterior poliomyelitis	12	2			3		2	1	2	1			1					
23	Lethargic encephalitis	4							1		1			1	1				
24	Meningococcus meningitis	24	1		3	1	1	3	4	5	1	2	2					1	
25	Other epidemic and endemic diseases	1	1																
29	Tetanus	6	1							1			1	3					
	Tuberculosis (all forms)	314	8	9	5	3	1	9	13	36	39	38	40	37	36	15	23	2	
31	Of the respiratory system	253	3	3	1	1	1	6	8	35	36	26	37	33	29	13	19	2	
32	Of the meninges, central nervous system	24	4	6	4	2		2	4			2							
33	Of the intestines, peritoneum	13							1		2	4	1		2	1	2		
34	Of the vertebral column	7									1	1	1	1	2	1			
35	Of the joints	2												1	1				
36	Of other organs	7	1							1		3		1	1				
37a	Disseminated (acute)	5										2	1	1			1		
37b	Disseminated (chronic or unspecified)	3						1							1		1		
38	Syphilis	14	2											3	6	2	1		
40	Gonococcus infection	1	1																
41	Purulent infection, septicemia	1		1															
	II.—General diseases not included in Class I	679	17	2		3		14	11	15	12	8	5	52	86	153	197	104	
	Cancer and other malignant tumors	427						2	1	1	2	2	2	32	55	114	140	76	
43	Of the buccal cavity	9													1	1	3	4	
44	Of the stomach, liver	218											1	9	28	66	81	33	
45	Of the peritoneum, intestines, rectum	43												3	2	11	16	11	
46	Of the female genital organs	37											1	8	9	7	9	3	
47	Of the breast	22												2	7	3	4	6	
48	Of the skin	7									1					2	2	2	
49	Of other or unspecified organs	91						2	1	1	1	2		10	8	24	25	17	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2													1	1			
51	Acute rheumatic fever	26						2	6	7	1			2	4	1	2	1	
52	Chronic rheumatism, osteoarthritis, gout	10								1				1		1	4	3	
53	Scurvy	1		1															
56	Rickets	1		1															
57	Diabetes mellitus	87						5	2	2	2	2	1	3	7	16	33	14	
58a	Pernicious anemia	41				1		2						3	8	11	10	6	
58b	Other anemias and chlorosis	5									2			1				2	
60a	Exophthalmic goiter	20								2	1	1		5	4	3	3	1	
60b	Other diseases of the thyroid gland	1														1			
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	8	6			1				1									
63	Diseases of the adrenals (Addison's disease)	6									1				2		3		
65a	Leukemia	15				1		2			1	1		2	3	3	1	1	
65b	Hodgkin's disease	8						1	1		2	1	1	1		1			
66	Alcoholism (acute or chronic)	6										1		2	1	1	1		
67a	Chronic lead poisoning	1													1				
69	Other general diseases	13	10						1	1			1						
	III.—Diseases of the nervous system and of the organs of special sense	582	52	4		1	1	9	10	13	8	12	11	30	55	112	147	117	
70	Encephalitis	11	2					1	1	1		1	1	2	1		1		
71a	Simple meningitis	21	7				1	3	1	2			1	2		3	1		
71b	Nonepidemic cerebrospinal meningitis	5	2						1	1	1								
72	Tabes dorsalis (locomotor ataxia)	2														2			
73	Other diseases of the spinal cord	16								2	2		2	1	2	3	2	2	
74a	Cerebral hemorrhage	387	1							2		1	1	11	40	90	133	108	
74b	Cerebral embolism and thrombosis	13	1									2		2	1		4	3	
75	Paralysis without specified cause	2											1				1		
76	General paralysis of the insane	4												2	2				
77	Other forms of mental alienation	18								1	2	1	2	4	2	4		2	
78	Epilepsy	23	1					1	2	3	2	4	1	2	1	4	2		
79	Convulsions (nonpuerperal; 5 years and over)	1							1										
80	Infantile convulsions (under 5 years)	37	34	2		1													
81	Chorea	1							1										
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	27	2					2	1	1	1	3	2	3	2	6	3	1	
86a	Diseases of the ear	11	2	2				1	2					1	3				
86b	Diseases of the mastoid process	2						1							1				
	IV.—Diseases of the circulatory system	721	5	1		1		5	8	12	12	4	8	28	83	113	225	216	
87	Pericarditis	5									2			1	1	1			
88	Endocarditis and myocarditis, (acute)	30	1			1		3	3	2	1		1	4	3	3	2	6	
89	Angina pectoris	57									1	1		4	7	15	21	8	
90	Other diseases of the heart	542	3	1				2	5	8	8	2	7	17	66	79	182	162	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	IV.—Diseases of the circulatory system—Continued.																		
91a	Aneurysm	9								1				1		4	2	1	
91b,c	Other diseases of the arteries	56								1					4	5	14	32	
92	Embolism and thrombosis (not cerebral)	17	1									1		1	1	3	4	6	
93	Diseases of the veins	4														3		1	
96	Other diseases of the circulatory system	1													1				
	V.—Diseases of the respiratory system	456	120	27	19	6	7	10	9	6	6	12	10	21	26	39	58	80	
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	2							2										
98	Diseases of the larynx	7	2		1	1	1	2											
99a	Acute bronchitis	6	3		1												1	1	
99b	Chronic bronchitis	6													1		3	2	
99c,d	Bronchitis (unspecified)	10	2		1										1	1		5	
100a	Broncho-pneumonia	199	86	18	10	3	3	5	3		1	1	2	4	6	11	19	27	
100b	Capillary bronchitis	1												1					
101a	Lobar pneumonia	177	23	8	4	2	3	2	3	6	5	10	6	15	15	22	24	29	
101b	Pneumonia (unspecified)	3	1														1	1	
102	Pleurisy	8	2	1	1								1			1	1	1	
103	Congestion and hemorrhagic infarct of the lung	9															2	7	
104	Gangrene of the lung	2														2			
105	Asthma	15										1	1	1	3	1	2	6	
106	Pulmonary emphysema	3							1								1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	7			1			1								1	4		
	VI.—Diseases of the digestive system	488	105	19	13	4	6	23	25	21	15	15	18	47	36	55	49	37	
108	Diseases of the mouth and annexa	2												1	1				
109b	Other diseases of the pharynx, tonsils	18	2	1	1			2		1	1	2	2	2	1	2		1	
111a	Ulcer of the stomach	21									1		1		7	6	4	2	
111b	Ulcer of the duodenum	7												2	1	2	1	1	
112	Other diseases of the stomach (cancer excepted)	23	10	1		1		1						1	1	2		6	
113	Diarrhea and enteritis (under 2 years)	91	77	14															
114	Diarrhea and enteritis (2 years and over)	21			6	1	2	1	1	1		1					3	5	
117	Appendicitis and typhlitis	131		1	6	2	4	18	23	16	7	3	10	20	5	7	8	1	
118a	Hernia	18	1								2	1		2	1	4	5	2	
118b	Intestinal obstruction	38	10	1								3	2	3	5	7	3	4	
119	Other diseases of the intestines	8	1					1	1		1	1		1				2	
120	Acute yellow atrophy of the liver	4									1			1		1		1	
122	Cirrhosis of the liver	25										2		2	1	10	7	3	
123	Biliary calculi	49								1	2	1	1	9	7	11	12	5	
124	Other diseases of the liver	19											1	3	4	2	6	3	
125	Diseases of the pancreas	1	1																
126	Peritonitis without specified cause	12	3	1						2		1	1		2	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	369	7	1					4	1	11	8	4	30	45	53	97	108	
128	Acute nephritis (including unspecified under 10 years)	24	4	1					1	1	1		1	1	3	2	2	7	
129	Chronic nephritis (including unspecified 10 years and over)	267							3		9	7	3	19	30	46	74	76	
131	Other diseases of the kidneys and annexa	12	3											2	2	1	3	1	
132	Calculi of the urinary passages	3													1	1		1	
133	Diseases of the bladder	5															2	3	
135	Diseases of the prostate	39													2	2	16	19	
137	Cysts, other benign tumors of the ovary	2									1				1				
138	Salpingitis and pelvic abscess (female)	4										1		3					
139	Benign tumors of the uterus	12												5	6			1	
141	Other diseases of the female genital organs	1														1			
	VIII.—The puerperal state	75								4	11	14	18	26	2				
143	Accidents of pregnancy	6									1	1	1	3					
144	Puerperal hemorrhage	4										1	1	2					
145	Other accidents of labor	9										4	2	3					
146	Puerperal septicemia	25								1	4	7	6	6	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	3											3						
148	Puerperal albuminuria and convulsions	26								3	6	1	4	12					
149	Following childbirth (undefined)	2											1		1				
	IX.—Diseases of the skin and of the cellular tissue	24	6		1				3	1	1	1		1	2	3		5	
151	Gangrene	8							1	1					1			5	
152	Furuncle	4	2													2			
153	Acute abscess	2	1		1														
154	Other diseases of the skin and annexa	10	3						2		1	1		1	1	1			
	X.—Diseases of the bones and of the organs of locomotion	11	1			1		1	4					1		1	2		
155	Diseases of the bones (tuberculosis excepted)	10	1			1		1	4					1		1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	XI.—Malformations	77	70	2	1		1	2	1										
159a	Congenital hydrocephalus	11	9	1	1														
159b	Congenital malformations of the heart	42	38	1				2	1										
159c	Other congenital malformations	24	23				1												
	XII.—Early infancy	382	382																
160	Congenital debility, icterus, sclerema	46	46																
161a	Premature birth	238	238																
161b	Injury at birth	58	58																
162	Other diseases peculiar to early infancy	39	39																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	116														2	12	102	
	XIV.—External causes	423	16	10	13	8	11	23	25	40	25	22	17	64	54	41	28	26	
	Suicide	49									1	4	2	17	14	6	3	2	
165	By poisons (gas or corrosives excepted)	6										2		1	2			1	
166	By corrosive substances	4										1		2	1				
168	By hanging or strangulation	16											1	5	5	5			
169	By drowning	2												1	1				
170	By firearms	19									1		1	7	5	1	3	1	
171	By cutting or piercing instruments	1												1					
172	By jumping from high places	1										1							
	Homicide	11						1	1	2	2		1	2	2				
197	By firearms	7						1	1	1			1	1	2				
198	By cutting or piercing instruments	1								1									
199	By other means	3									2			1					
	Accidental, other, or undefined	363	16	10	13	8	11	22	24	38	22	18	14	45	38	35	25	24	
175	Poisoning by food	6	1				1	1					1	1	1				
177	Other acute poisonings (gas excepted)	9		1	2		1	1		1				1	1		1		
178	Conflagration	1			1														
179	Burns (conflagration excepted)	26	3	1	3	2	1	1	2	2				4	4	3			
180	Mechanical suffocation	4	4																
181	Absorption of irrespirable, irritating, or poisonous gas	11	1						1					3		2	3	1	
182	Drowning	31	1	2		3		5	3	10	1		2	2	2				
183	Traumatism by firearms (except in war)	23				1	2		3	4	1	2	1	4	3	2			
184	Traumatism by cutting or piercing instruments	3					1											2	
185	Traumatism by fall	44	1	1	1	1		3	3	1	1	1		2	4	1	7	17	
186a	Traumatism in mines	6												5	1				
187	Traumatism by machines	17				1			3	2		2	4		4	1			
188a	Railroad accidents	26			1		1		1	3	3	2	1	4	4	3	3		
	Collision with automobiles	7			1		1					1			2	1	1		
	Other railroad accidents	19							1	3	3	1	1	4	2	2	2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	72		2	2			5	3	6	12	6	4	11	7	10	2	2	
188e,f	Injuries by other vehicles	21						2		2	2		1	2	2	7	3		
188g	Landslide, other crushing	3										1				1	1		
189	Injuries by animals (not poisoning)	10			1			3	1	2						1	2		
193	Excessive cold	3									1					2			
194	Excessive heat	2								1							1		
195	Lightning	5							1	1		2		1					
196	Other accidental electric shocks	5										1		3	1				
201	Fracture (cause not specified)	1								1									
202	Other external violence	34	5	3	2		4	1	3	2	1	1		2	4	2	2	2	
	XV.—Ill-defined diseases	159	87	5	2	2	2	1	2	2	1	2	2	6	7	9	11	18	
204	Sudden death	11	3						1					1		1	1	4	
205a	Ill-defined	26	5									1		2	3	5	4	6	
205b	Not specified or unknown	122	79	5	2	2	2	1	1	2	1	1	2	3	4	3	6	8	
	OHIO																		
	All causes	73,515	7,645	1,023	570	413	399	1,354	959	1,469	1,982	2,194	2,411	5,983	7,804	10,287	13,875	15,134	13
	I.—Epidemic, endemic, and infectious diseases	8,682	621	281	207	131	152	425	276	502	763	742	642	1,159	955	693	629	503	1
1	Typhoid and paratyphoid fever	181	1	2		1	2	16	20	26	25	17	13	21	19	10	7	1	
5	Malaria	4								1	1				1	1			
6	Smallpox	10	2				1	1	1	1		1		1		1		1	
7	Measles	40	8	10	10	2		7	1				1	1					
8	Scarlet fever	162	6	12	13	13	13	42	16	9	10	10	3	8	4	2	1		
9	Whooping cough	278	169	52	26	11	8	11		1									
10	Diphtheria	507	19	45	66	56	67	162	49	13	5	6	1	9	4	2	2	1	
11a	Influenza (with pulmonary complications)	834	93	36	23	9	7	17	11	19	20	20	34	80	67	97	139	162	
11b	Influenza (other and unspecified)	650	74	29	15	5	6	26	12	21	13	17	17	51	52	53	92	167	
13	Mumps	6		2	1			1		1							1		
15	Cholera nostras	1												1					
16	Dysentery	59	9	6	3	2		1		1	1	2	1	1	5	2	7	18	
19	Spirochetal hemorrhagic jaundice	2	1													1			
21	Erysipelas	160	51	4			2		1	1	6	2	2	12	22	17	20	20	
22	Acute anterior poliomyelitis	165	9	16	12	7	16	49	26	13	4	2	4	7					
23	Lethargic encephalitis	118	2	3	2	2	2	1	2	7	6	10	11	18	17	17	14	4	
24	Meningococcus meningitis	49	7	7	3		2	9	4	1	3	7	2	2	1	1			
25	Other epidemic and endemic diseases	17	7	5	3					1		1							
28	Rabies	9						3	1	1	1		1			2			
29	Tetanus	70	3		1			8	20	7	4	1	4	5	5	2	9	1	
30	Mycoses	7	1						1			1	2	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (all forms)	4,712	67	49	28	20	23	66	100	359	637	608	504	817	615	413	287	118	1
31	Of the respiratory system	4,093	22	16	1	2	9	29	64	325	582	556	456	746	548	375	260	101	1
32	Of the meninges, central nervous system	228	35	26	23	15	11	24	18	9	12	15	12	12	10	4	1	1	
33	Of the intestines, peritoneum	162	3	2	1		1	5	7	14	17	15	15	25	25	11	13	8	
34	Of the vertebral column	50				1	1	2	2	2	8	6	2	5	10	4	5	2	
35	Of the joints	22				1		1	2	2	2	4	1		3	2	3	1	
36	Of other organs	65		1				2	3	3	1	6	8	14	10	7	5	5	
37a	Disseminated (acute)	74	7	4	3	1	1	3	3	2	10	6	7	14	5	8			
37b	Disseminated (chronic or unspecified)	18							1	2	5		3	1	4	2			
38	Syphilis	520	82	3		3	3	1	5	10	14	24	29	102	125	68	46	5	
40	Gonococcus infection	64	2						1	6	9	9	11	16	9	1			
41	Purulent infection, septicemia	57	8		1			4	5	3	4	4	2	5	7	5	4	5	
	II.—General diseases not included in Class I	9,700	178	27	24	21	17	68	73	85	88	130	205	800	1,571	2,370	2,590	1,451	2
	Cancer and other malignant tumors	6,540	1	4	9	9	4	8	7	21	18	67	100	503	1,062	1,647	1,897	1,181	2
43	Of the buccal cavity	193		1	1					1	1	1		6	36	41	55	50	
44	Of the stomach, liver	2,422			1	1			1	2	3	10	10	119	287	632	850	505	1
45	Of the peritoneum, intestines, rectum	944	1			3		1	1	5	2	16	25	54	132	252	287	165	
46	Of the female genital organs	946			1				1		3	18	35	160	249	226	176	77	
47	Of the breast	594										4	6	68	160	149	124	83	
48	Of the skin	187		1	1	1						1		4	15	33	50	81	
49	Of other or unspecified organs	1,254		2	5	4	4	7	4	13	9	17	24	92	183	314	355	220	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	46	1		1		1	1			3	2	3	6	4	10	6	8	
51	Acute rheumatic fever	166	1			2	4	20	22	12	3	6	10	19	15	20	14	18	
52	Chronic rheumatism, osteoarthritis, gout	94				1			1		1	4	3	5	9	15	32	23	
53	Scurvy	1	1																
54	Pellagra	16										3	1	1	5	3	3		
56	Rickets	32	20	10				1	1										
57	Diabetes mellitus	1,198	2		4	2	1	17	19	11	25	12	20	66	143	334	389	153	
58a	Pernicious anemia	343	2	1	1	2		1	3	3	2	3	7	18	66	104	96	34	
58b	Other anemias and chlorosis	31	4	2					1	1	1		1	1	5	6	6	3	
59	Diseases of the pituitary gland	9	1					1		1	1	1		3	1				
60a	Exophthalmic goiter	471							3	17	12	14	21	74	113	121	81	15	
60b	Other diseases of the thyroid gland	76				1	1	2	1	4	2		5	9	15	22	13	1	
61	Diseases of the parathyroid glands	3	2		1														
62	Diseases of the thymus gland	77	68	6	1						2								
63	Diseases of the adrenals (Addison's disease)	33								1	2	1	4	5	7	9	4		
64	Diseases of the spleen	8										1	1	1	1	1	1	2	
65a	Leukemia	120	1	2	3	3	3	8	8	6	8	4	7	15	18	22	11	1	
65b	Hodgkin's disease	68						5	4	6	4	3	2	10	11	10	11	2	
66	Alcoholism (acute or chronic)	216									4	5	18	53	33	34	17	2	
67a	Chronic lead poisoning	11												1	3	4	3		
67b	Other chronic mineral poisoning	3												1	1		1		
68	Chronic poisoning by organic substances:	10										1	2	3	2	2			
69	Other general diseases	128	74	2	4	1	3	4	3	2		3		6	7	6	5	8	
	III.—Diseases of the nervous system and of the organs of special sense	8,716	165	41	29	19	14	96	54	55	61	75	130	455	872	1,526	2,439	2,682	3
70	Encephalitis	75	4	1	1	1		7	4	2	4	3	7	15	9	8	5	4	
71a	Simple meningitis	129	35	13	9	5	2	19	7	3	3	3	10	4	6	5	4	1	
71b	Nonepidemic cerebrospinal meningitis	35	6	6	3	3	1	5	2	2	1	1			2	1	2		
72	Tabes dorsalis (locomotor ataxia)	109								1	1	1	2	14	18	37	24	11	
73	Other diseases of the spinal cord	189	1	1	1			2	3	6	3	1	8	12	22	52	40	37	
74a	Cerebral hemorrhage	6,496	9		3	3		5	3	8	12	21	24	181	539	1,200	2,090	2,395	3
74b	Cerebral embolism and thrombosis	220	1					3	2	1	4	4	7	12	25	37	63	61	
75	Paralysis without specified cause	125			1			1		1			1	4	7	21	43	46	
76	General paralysis of the insane	407							1	2	3	8	24	129	130	56	38	16	
77	Other forms of mental alienation	68								1	1	1	3	15	15	19	8	5	
78	Epilepsy	165		2		1	1	6	7	14	15	21	17	16	24	18	18	5	
79	Convulsions (nonpuerperal; 5 years and over)	6						2	1						3				
80	Infantile convulsions (under 5 years)	64	55	2	5	1	1												
81	Chorea	2					1									1			
82	Neuralgia and neuritis	27											2	3	5	2	8	7	
83	Softening of the brain	64												1	7	8	16	32	
84	Other diseases of the nervous system	310	7	4	1	1	3	13	4	8	8	6	13	32	45	44	69	52	
85	Diseases of the eye and annexa	5		1	1									1				2	
86a	Diseases of the ear	121	37	7	4	3	2	14	11	2	1	2	3	8	7	10	7	3	
86b	Diseases of the mastoid process	99	10	4		1	3	19	9	4	5	3	9	8	8	7	4	5	
	IV.—Diseases of the circulatory system	15,268	49	9	6	10	12	82	102	115	114	141	192	786	1,525	2,510	4,185	5,427	3
87	Pericarditis	63				1				2	1		3	7	11	6	13	19	
88	Endocarditis and myocarditis (acute)	569	24	4	1	5	4	27	27	19	22	35	33	114	64	56	64	70	
89	Angina pectoris	989						1		3	2	6	7	54	133	246	326	211	
90	Other diseases of the heart	11,678	18	5	5	4	8	50	74	89	84	94	139	561	1,238	1,988	3,316	4,002	3
91a	Aneurysm	127								1		2	5	18	18	41	32	10	
91b,c	Other diseases of the arteries	1,622								1	1	1	1	12	35	118	372	1,081	
92	Embolism and thrombosis (not cerebral)	172	2						1		3	1	3	15	23	43	52	29	
93	Diseases of the veins	32										2	1	5	2	11	9	2	
94	Diseases of the lymphatic system	11	5					3			1				1			1	
95	Hemorrhage without specified cause	3						1										2	
96	Other diseases of the circulatory system	2														1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	V.—Diseases of the respiratory system	5,892	1,087	276	113	52	51	135	64	82	122	153	180	465	514	585	832	1,181	
97a	Diseases of the nasal fossae	8	2						1				1	2			1	1	
97b	Diseases of the nasal fossae annexa	39	2	3	1			4	3	2	3	8	3	5	2	2		1	
98	Diseases of the larynx	23	4		3		2	3					1	3	1	1	5		
99a	Acute bronchitis	81	19	1	2		1	2	1		1	1		2	1	5	14	31	
99b	Chronic bronchitis	144		1				2			1	2	1	1	7	18	33	78	
99c,d	Bronchitis (unspecified)	64	8	1				1						2	7	4	12	29	
100a	Broncho-pneumonia	2,248	760	163	66	32	27	55	16	21	18	20	36	91	95	150	236	462	
100b	Capillary bronchitis	33	10	4	1		2	1			1		1		1	3	5	4	
101a	Lobar pneumonia	2,770	248	88	32	18	14	60	36	53	87	114	126	311	332	346	453	452	
101b	Pneumonia (unspecified)	52	19	4	3		3		3	1				3	2	2	6	6	
102	Pleurisy	139	8	10	2	2	1	5	4	5	8	4	4	23	18	14	14	17	
103	Congestion and hemorrhagic infarct of the lung	66	4										1	1		4	12	44	
104	Gangrene of the lung	19		1								1		4	5	4	3	1	
105	Asthma	128			1		1	2				2	3	6	23	26	27	37	
106	Pulmonary emphysema	13													3	2	4	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	65	3	1	1						3	1	3	11	17	4	7	14	
	VI.—Diseases of the digestive system	5,474	912	229	90	70	45	171	106	132	148	206	230	564	674	703	697	496	1
108	Diseases of the mouth and annexa	63	6	1		1		2	1	1	4	3	4	11	7	9	7	6	
109b	Other diseases of the pharynx, tonsils	275	18	6	12	13	9	44	21	17	13	14	20	28	20	13	15	12	
110	Diseases of the esophagus	7		1										2			2	2	
111a	Ulcer of the stomach	340								3	7	13	19	58	78	73	55	34	
111b	Ulcer of the duodenum	116								1	4	4	9	29	16	31	15	7	
112	Other diseases of the stomach (cancer excepted)	327	73	8	4	3	3	4	1	2	2	7	4	19	33	38	49	77	
113	Diarrhea and enteritis (under 2 years)	915	732	183															
114	Diarrhea and enteritis (2 years and over)	303			55	35	14	14	5	2	5	10	10	15	20	20	39	59	
116	Diseases due to other intestinal parasites	2			1		1												
117	Appendicitis and typhlitis	928	6	9	9	7	11	74	65	90	75	79	77	145	131	83	51	16	
118a	Hernia	259	5	3				1		2	3	5	3	21	40	52	61	62	1
118b	Intestinal obstruction	470	56	12	6	6	7	17	5	3	11	15	28	51	57	58	74	64	
119	Other diseases of the intestines	55	3	1	1	1			1		1	6	4	8	9	8	3	9	
120	Acute yellow atrophy of the liver	12										1	1	1	2	4	2	1	
121	Hydatid tumor of the liver	3											1		2				
122	Cirrhosis of the liver	554	1	1				2	4	1	2	9	6	48	106	131	174	69	
123	Biliary calculi	342									2	9	16	54	75	90	69	27	
124	Other diseases of the liver	334	1	1		2		7	1	6	5	17	13	48	56	68	65	44	
125	Diseases of the pancreas	36									2	4	4	9	5	8	2	2	
126	Peritonitis without specified cause	133	11	3	3	1	1	5	2	4	12	10	11	17	17	17	14	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	6,491	32	9	8	5	7	19	35	37	68	115	168	514	788	1,096	1,702	1,888	
128	Acute nephritis (including unspecified under 10 years)	281	16	4	8	4	6	12	13	5	13	13	11	42	36	36	28	34	
129	Chronic nephritis (including unspecified 10 years and over)	5,137		1				6	19	19	25	45	85	297	596	943	1,471	1,630	
131	Other diseases of the kidneys and annexa	173	16	4		1	1	1		2	2	9	10	15	30	25	29	28	
132	Calculi of the urinary passages	37											1	2	10	10	10	4	
133	Diseases of the bladder	50									1		1	1	5	3	17	22	
134	Diseases of the urethra, etc	21									1			1	7	5	5	2	
135	Diseases of the prostate	332												2	6	38	130	156	
137	Cysts, other benign tumors of the ovary	64									2	6	8	18	13	8	4	5	
138	Salpingitis and pelvic abscess (female)	144								9	17	27	24	46	13	7		1	
139	Benign tumors of the uterus	168								1	1	10	14	63	55	14	6	4	
140	Nonpuerperal uterine hemorrhage	3							1				1	1					
141	Other diseases of the female genital organs	79							2	1	6	5	11	26	17	7	2	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	2											2						
	VIII.—The puerperal state	765								71	146	173	161	208	6				
143	Accidents of pregnancy	58								6	8	8	13	23					
144	Puerperal hemorrhage	79								3	10	20	20	25	1				
145	Other accidents of labor	98								4	22	24	22	26					
146	Puerperal septicemia	306								31	67	76	59	72	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	45								6	5	10	6	17	1				
148	Puerperal albuminuria and convulsions	178								20	34	35	41	45	3				
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	202	23	2		1	1	2	1	5	5	6	4	12	11	25	34	70	
151	Gangrene	91		2				1			1	1		1	1	7	21	56	
152	Furuncle	30	2							3	2	2		5	5	6	2	3	
153	Acute abscess	36	4			1	1	1	1	2	1	1	2	4	3	5	6	4	
154	Other diseases of the skin and annexa	45	17								1	2	2	2	2	7	5	7	
	X.—Diseases of the bones and of the organs of locomotion	83	7	3		2	2	10	12	6	4	6	3	3	4	4	7	10	
155	Diseases of the bones (tuberculosis excepted)	63	6	3		1	2	10	11	4	3	4	3	1	2	2	4	7	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	15	1			1			1	2	1	2		2	1	2	1	1	
157	Amputations	2																2	
158	Other diseases of the organs of locomotion	3													1		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	XI.—Malformations	875	812	29	3	6	3	9	6	3	2	2							
159a	Congenital hydrocephalus	94	75	7	1	2	1	3	3	1		1							
159b	Congenital malformations of the heart	508	480	12	2	3	1	5	2	1	1	1							
159c	Other congenital malformations	273	257	10		1	1	1	1	1	1								
	XII.—Early infancy	3,545	3,545																
160	Congenital debility, icterus, sclerema	334	334																
161a	Premature birth	2,373	2,373																
161b	Injury at birth	620	620																
162	Other diseases peculiar to early infancy	215	215																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	670														9	83	578	
	XIV.—External causes	6,930	128	106	88	95	94	335	228	375	455	442	491	1,003	872	747	649	819	3
	Suicide	890							7	15	36	58	67	199	199	165	99	45	
165	By poisons (gas or corrosives excepted)	50								2	1	6	5	13	7	9	5	2	
166	By corrosive substances	106								5	12	17	12	30	16	8	5	1	
167	By poisonous gas	21												4	10	5	2		
168	By hanging or strangulation	212							3	1	3	6	13	41	58	53	21	13	
169	By drowning	64									2	3	3	14	13	13	12	4	
170	By firearms	341							3	6	15	22	25	74	74	66	43	13	
171	By cutting or piercing instruments	53									1	2	7	15	9	6	6	7	
172	By jumping from high places	23									1	1		5	5	3	4	4	
173	By crushing	13							1	1	1	1	2	1	3	2		1	
174	By other means	7												2	4		1		
	Homicide	550	13	1	1	2		2	5	25	73	106	91	136	60	22	10	3	
197	By firearms	349	3	1		2		1	3	16	47	76	53	95	38	11	2	1	
198	By cutting or piercing instruments	92	2							3	13	17	22	17	9	3	5	1	
199	By other means	109	8		1			1	2	6	13	13	16	24	13	8	3	1	
	Accidental, other, or undefined	5,490	115	105	87	93	94	333	216	335	346	278	333	668	613	560	540	771	3
175	Poisoning by food	41	3		3	1			3	2	3		4	3	9	5	4	1	
176	Poisoning by venomous animals	5	1	1						1				1				1	
177	Other acute poisonings (gas excepted)	102	2	17	7	4		1		2	7	6	8	14	17	10	6	1	
178	Conflagration	103	7	4		8	7	12		2	7	7	7	12	8	6	7	8	1
179	Burns (conflagration excepted)	370	8	35	29	28	32	34	8	13	15	17	16	44	23	22	15	31	
180	Mechanical suffocation	71	50	1					2		2	2	1	3	5	4	1		
181	Absorption of irrespirable, irritating, or poisonous gas	99	2					3	1	6	6	7	10	19	17	16	9	3	
182	Drowning	334		10	8	6	3	35	44	64	44	18	22	29	30	7	10	4	
183	Traumatism by firearms (except in war)	122		1	1	1	1	6	22	27	19	10	9	9	7	5	4		
184	Traumatism by cutting or piercing instruments	33		2	1	1		2		2		3	1	4	4	4	4	5	
185	Traumatism by fall	1,089	5	10	7	7	6	18	13	12	14	23	32	74	90	89	179	510	
186a	Traumatism in mines	70								3	8	9	3	13	15	9	10		
186b	Traumatism in quarries	11								3	2	4	1		1				
187	Traumatism by machines	146		1	3			4		6	15	13	20	28	24	23	9		
188a	Railroad accidents	655	6	3	4	2	1	23	16	41	61	46	55	143	111	81	42	19	1
	Collision with automobiles	239	4	3	2	1		15	6	23	30	15	19	55	32	20	10	4	
	Other railroad accidents	416	2		2	1	1	8	10	18	31	31	36	88	79	61	32	15	1
188b	Street-car accidents	140	1	4	1		1	3	7	5	15	6	13	22	18	18	13	13	
	Collision with automobiles	65		1				1	6	3	9	4	9	13	9	7	1	2	
	Other street-car accidents	75	1	3	1		1	2	1	2	6	2	4	9	9	11	12	11	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,494	8	8	16	26	40	167	70	111	92	84	88	171	164	190	159	99	1
188d	Airplane and balloon accidents	10						1		1		1	3	1	3				
188e,f	Injuries by other vehicles	83			1	2		6	9	11	9	4	3	8	8	10	7	5	
188g	Landslide, other crushing	28	1					2		1		1	2	10	4	4	1	2	
189	Injuries by animals (not poisoning)	29						1	3		1		2	4	3	2	11	2	
192	Starvation (deprivation of food or water)	1		1															
193	Excessive cold	8												1	4	2	1		
194	Excessive heat	31	2	1				1					3	6	3	8	3	4	
195	Lightning	7							1	2	1		1		1		1		
196	Other accidental electric shocks	65				1			2	7	15	8	11	11	9	1			
201	Fracture (cause not specified)	72							1	2	1	1	1	3	4	11	12	36	
202	Other external violence	271	19	6	6	6	3	14	14	11	9	8	17	35	31	33	32	27	
	XV.—Ill-defined diseases	222	86	11	2	1	1	2	2	1	6	3	5	14	12	19	28	29	
204	Sudden death	20	5							1					4	1	6	3	
205a	Ill-defined	56	5	8	1		1		1					2	1	2	3	10	11	11
205b	Not specified or unknown	146	76	3	1	1		2	1		6	1	4	12	5	8	11	15	
	OREGON																		
	All causes	10,206	695	89	59	46	38	201	175	231	271	284	300	804	1,106	1,557	2,202	2,134	14
	I.—Epidemic, endemic, and infectious diseases	1,182	63	23	19	17	12	75	67	87	84	77	83	152	127	108	103	84	1
1	Typhoid and paratyphoid fever	36						3	5	7	6	3	1	2	6	1	2		
5	Malaria	1															1		
6	Smallpox	5						1		1	1			1	1				
7	Measles	15	1	3	1		2	2		3				1	1		1		
8	Scarlet fever	16	1	1	1	1		3	4	3	1	1							
9	Whooping cough	28	18	5	2		1	2											
10	Diphtheria	37			3	5		14	5	1	2			2	1	3	1		
11a	Influenza (with pulmonary complications)	144	8	5	1	1		3	7	8	5	6	6	14	19	12	25	23	1
11b	Influenza (other and unspecified)	104	11	3	1	1	1	1	6	4		5	4	5	8	11	13	30	
13	Mumps	2	1						1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
16	Dysentery	5	2	1							1						1		
21	Erysipelas	21	4		1							1			2	3	6	4	
22	Acute anterior poliomyelitis	84	2	3	3	6	5	24	20	13	6	1	1						
23	Lethargic encephalitis	18				1		2		1	1	1	1	2	4	2	3		
24	Meningococcus meningitis	32	2		2	1	1	6	4	4	5	1		2	2	1	3		
25	Other epidemic and endemic diseases	10		1												4	3	1	1
29	Tetanus	5						1	3					1					
	Tuberculosis (all forms)	530	5	1	3	1	2	12	9	39	52	52	62	110	68	57	34	23	
31	Of the respiratory system	439	1				1	3	7	32	43	44	48	101	58	50	30	21	
32	Of the meninges, central nervous system	28	4	1	2	1	1	4	1		2	3	1	2	5	1			
33	Of the intestines, peritoneum	25			1					4	4	2	9	1	3		1		
34	Of the vertebral column	8								2	2	1	1	1		1			
35	Of the joints	5						3	1							1			
36	Of other organs	14								1		1	2	3	1	2	3	1	
37a	Disseminated (acute)	7						2					1	2		2			
37b	Disseminated (chronic or unspecified)	4									1	1			1			1	
38	Syphilis	68	6					1	2	1	3	3	4	9	12	11	13	3	
40	Gonococcus infection	8									1	4	1	2					
41	Purulent infection, septicemia	13	2		1				1	2			2	1		2	2		
	II.—General diseases not included in Class I	1,445	23	8		3	1	9	15	9	21	17	27	105	241	344	411	208	3
	Cancer and other malignant tumors	997		2				2	2	3	11	6	17	68	172	245	304	162	3
43	Of the buccal cavity	43												2	8	6	16	11	
44	Of the stomach, liver	358										1	4	13	51	105	125	57	2
45	Of the peritoneum, intestines, rectum	164							1		1	1	2	12	27	41	52	27	
46	Of the female genital organs	133		1						1	1		6	19	37	31	24	13	
47	Of the breast	86									1		2	9	22	21	19	12	
48	Of the skin	16													1	2	5	8	
49	Of other or unspecified organs	197		1				2	1	2	8	4	3	13	26	39	63	34	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6												1	1	3	1		
51	Acute rheumatic fever	12						3	3	1	1			1	1		1	1	
52	Chronic rheumatism, osteoarthritis, gout	16											1		2	5	4	4	
56	Rickets	3	1	1				1											
57	Diabetes mellitus	182		1				1	5	3	3	3	4	10	23	49	55	25	
58a	Pernicious anemia	53									2	2	1	7	9	10	16	6	
58b	Other anemias and chlorosis	7		1			1		1				1	1			1	1	
59	Diseases of the pituitary gland	1												1					
60a	Exophthalmic goiter	63							1	1		1	1	7	17	18	15	2	
60b	Other diseases of the thyroid gland	13	1								1			1	3	3	3	1	
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	9	6	1				1	1										
63	Diseases of the adrenals (Addison's disease)	3												1	1			1	
64	Diseases of the spleen	2													1		1		
65a	Leukemia	25	3	1		2			1		2	1	1	1	3	3	6	1	
65b	Hodgkin's disease	8						1				3		1	1	1		1	
66	Alcoholism (acute or chronic)	21								1		1		5	6	5	3		
67a	Chronic lead poisoning	1													1				
68	Chronic poisoning by organic substances	2											1					1	
69	Other general diseases	18	9	1		1			1		1					2	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,239	18	6	3	3	2	11	8	14	8	7	19	78	116	222	389	335	
70	Encephalitis	12						1			1		1	1	1	4	3		
71a	Simple meningitis	24	4	3	1			2	1	2		1		5	2	3			
71b	Nonepidemic cerebrospinal meningitis	6	1		1		1		1				1	1					
72	Tabes dorsalis (locomotor ataxia)	8														6	2		
73	Other diseases of the spinal cord	44		1						2	3		1	4	6	9	10	8	
74a	Cerebral hemorrhage	842				1				1	3	2	4	33	52	155	300	291	
74b	Cerebral embolism and thrombosis	53	1										2		3	12	23	12	
75	Paralysis without specified cause	44													4	5	22	13	
76	General paralysis of the insane	58									1		3	14	27	12		1	
77	Other forms of mental alienation	22								2		1	1	3	5	3	6	1	
78	Epilepsy	25						1	1	2		2	3	4	5	2	4	1	
79	Convulsions (nonpuerperal; 5 years and over)	1							1										
80	Infantile convulsions (under 5 years)	8	8																
82	Neuralgia and neuritis	5												1	1	3			
83	Softening of the brain	4															1	3	
84	Other diseases of the nervous system	57	1	1	1	2			2	3		1	2	9	9	6	15	5	
86a	Diseases of the ear	19	2	1			1	5	2	1			1	2	1	1	2		
86b	Diseases of the mastoid process	7	1					2		1				1		1	1		
	IV.—Diseases of the circulatory system	2,301	11	1	2		4	9	15	20	17	21	17	103	212	420	676	769	4
87	Pericarditis	7	2				1									2	1	1	
88	Endocarditis and myocarditis (acute)	61	4					2	2	8	2	3	5	8	3	7	8	9	
89	Angina pectoris	162											1	8	14	44	56	38	1
90	Other diseases of the heart	1,712	3	1	2		3	7	12	12	14	16	11	76	156	312	502	583	2
91a	Aneurysm	29										1		3	8	4	11	2	
91b,c	Other diseases of the arteries	245												1	13	28	78	124	1
92	Embolism and thrombosis (not cerebral)	76									1	1		6	17	21	19	11	
93	Diseases of the veins	3												1		2			
94	Diseases of the lymphatic system	5	2						1						1			1	
95	Hemorrhage without specified cause	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	V.—Diseases of the respiratory system	739	77	17	7	6	6	24	16	14	13	18	27	62	71	79	131	171	
97b	Diseases of the nasal fossae annexa	10						2	1	1		1		1	2	2			
98	Diseases of the larynx	2						2											
99a	Acute bronchitis	7	4	1						1						1			
99b	Chronic bronchitis	24										1		1	2	1	11	8	
99c,d	Bronchitis (unspecified)	13	2	1										3		1	2	4	
100a	Broncho-pneumonia	280	56	8	4	1	4	11	6	2	1	5	4	11	17	25	46	79	
100b	Capillary bronchitis	1	1																
101a	Lobar pneumonia	312	12	6	3	4		7	5	8	8	10	20	36	40	42	57	54	
101b	Pneumonia (unspecified)	13	1					1	2		1		1	1	1		3	2	
102	Pleurisy	24	1	1		1	1		1	1	2	1	1	4	2	5	3		
103	Congestion and hemorrhagic infarct of the lung	16						1	1								1	13	
104	Gangrene of the lung	1												1					
105	Asthma	19					1							1	3	2	5	7	
106	Pulmonary emphysema	2													1			1	
107	Other diseases of the respiratory system (tuberculosis excepted)	15								1	1		1	3	3		3	3	
	VI.—Diseases of the digestive system	651	50	15	12	6	2	17	15	23	17	24	18	76	103	102	95	77	2
108	Diseases of the mouth and annexa	10								1		2	1	1	1		3	1	
109b	Other diseases of the pharynx, tonsils	36			2	1		4		1	6	1	5	5	5	3	1	2	
111a	Ulcer of the stomach	47										1	1	6	10	13	9	7	
111b	Ulcer of the duodenum	20										1	1	6	2	6	4		
112	Other diseases of the stomach (cancer excepted)	38	6						2				2	2	4	4	7	11	
113	Diarrhea and enteritis (under 2 years)	42	31	11															
114	Diarrhea and enteritis (2 years and over)	32			6	2	1	1	1		2	1		2	5	1	5	5	
117	Appendicitis and typhlitis	142	1	2	4	3	1	9	11	19	6	11	4	18	25	17	9	2	
118a	Hernia	35												3	7	11	6	8	
118b	Intestinal obstruction	64	9	2							3	1	1	7	9	7	7	16	2
119	Other diseases of the intestines	11	2					1							4	1	1	2	
120	Acute yellow atrophy of the liver	2										1					1		
122	Cirrhosis of the liver	49								1			1	7	8	11	12	9	
123	Biliary calculi	45										1		4	6	11	16	7	
124	Other diseases of the liver	64										2	1	11	13	16	14	7	
125	Diseases of the pancreas	5												4		1			
126	Peritonitis without specified cause	9	1					2	1	1		2	1		1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	879	3			1	1	7	4	4	12	15	11	54	101	145	263	258	
128	Acute nephritis (including unspecified under 10 years)	30	1			1	1	2	3	1	1	1		5	6	5	1	2	
129	Chronic nephritis (including unspecified 10 years and over)	702						5	1	3	9	10	9	32	72	121	233	207	
131	Other diseases of the kidneys and annexa	20	2											3	2	2	6	5	
132	Calculi of the urinary passages	5												1	1	2		1	
133	Diseases of the bladder	6												1		2		3	
135	Diseases of the prostate	75										1		1	2	9	22	40	
137	Cysts, other benign tumors of the ovary	7												2	4	1			
138	Salpingitis and pelvic abscess (female)	10									1	2	1	4	2				
139	Benign tumors of the uterus	15												3	9	2	1		
140	Nonpuerperal uterine hemorrhage	3												1	2				
141	Other diseases of the female genital organs	6									1	1	1	1	1	1			
	VIII.—The puerperal state	93								7	22	24	20	17	3				
143	Accidents of pregnancy	14								1	3	2	3	4	1				
144	Puerperal hemorrhage	14								1	2	2	3	4	2				
145	Other accidents of labor	6								1		1	2	2					
146	Puerperal septicemia	32								2	10	10	8	2					
147	Puerperal phlegmasia alba dolens, embolus, etc	6								1	1	3	1						
148	Puerperal albuminuria and convulsions	21								1	6	6	3	5					
	IX.—Diseases of the skin and of the cellular tissue	27	3					2		1		1		1	1	1	6	11	
151	Gangrene	10												1			4	5	
152	Furuncle	5										1				1		3	
153	Acute abscess	6	1					2		1					1		1		
154	Other diseases of the skin and annexa	6	2														1	3	
	X.—Diseases of the bones and of the organs of locomotion	11	1					1	1			1			3	2		2	
155	Diseases of the bones (tuberculosis excepted)	8	1						1			1			2	2		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3						1							1			1	
	XI.—Malformations	97	83	5	1	2	1	1	1	1	1	1							
159a	Congenital hydrocephalus	13	8		1	1	1	1		1									
159b	Congenital malformations of the heart	54	46	4		1			1		1	1							
159c	Other congenital malformations	30	29	1															
	XII.—Early infancy	339	339																
160	Congenital debility, icterus, sclerema	31	31																
161a	Premature birth	200	200																
161b	Injury at birth	74	74																
162	Other diseases peculiar to early infancy	31	31																
163	Lack of care	3	3																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
164	XIII.—Old age (senility)	137														1	15	121	
	XIV.—External causes	1,029	17	14	15	8	9	45	33	50	76	78	78	154	130	126	107	86	3
	Suicide	164								2	9	13	11	27	37	33	25	6	1
165	By poisons (gas or corrosives excepted)	16									1	2	1	3	3	2	3		1
166	By corrosive substances	16								1	2	2	5	1	2	3			
167	By poisonous gas	24									1	1		4	7	5	3	3	
168	By hanging or strangulation	20										3		3	3	4	7		
169	By drowning	17									1	1	1	5	5	2	1	1	
170	By firearms	50								1	4	4	2	7	8	14	10		
171	By cutting or piercing instruments	13											1	4	4	3		1	
172	By jumping from high places	6											1		3		1	1	
174	By other means	2													2				
	Homicide	34	1					1		1	3	2	9	6	7	3	1		
197	By firearms	23	1					1			3	1	4	5	6	2			
198	By cutting or piercing instruments	3											2	1					
199	By other means	8								1		1	3		1	1	1		
	Accidental, other, or undefined	831	16	14	15	8	9	44	33	47	64	63	58	121	86	90	81	80	2
175	Poisoning by food	5	1					1					1	1				1	
176	Poisoning by venomous animals	1																1	
177	Other acute poisonings (gas excepted)	16	2	2	1		1					1	1	6	2				
178	Conflagration	10	3	1	2								1		1			2	
179	Burns (conflagration excepted)	31	1	3	3		1	7	2		2	3	3	2		1	2	1	
180	Mechanical suffocation	4	2	1							1								
181	Absorption of irrespirable, irritating, or poisonous gas	8									1	1		2		2	1	1	
182	Drowning	97	1	3	5	3	2	11	14	8	16	6	4	9	9		5	1	
183	Traumatism by firearms (except in war)	37		1			1	3	6	2	3	3	3	4	6	3	2		
184	Traumatism by cutting or piercing instruments	10			1		1	1	1							4	1	1	
185	Traumatism by fall	150	2	1	2	1	3	2	2	2	4	11	13	10	16	25	56		
186a	Traumatism in mines	2									1		1						
186b	Traumatism in quarries	1											1						
187	Traumatism by machines	36								4	5	4	3	7	5	7			1
188a	Railroad accidents	49								4	5	3	7	13	7	5	5		
	Collision with automobiles	17								2	3	1	6	2	2		1		
	Other railroad accidents	32								2	2	2	1	11	5	5	4		
188b	Street-car accidents	13									1	1		1		4	4	2	
	Collision with automobiles	7									1	1				3	2		
	Other street-car accidents	6												1		1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	194			2	1	3	16	5	14	14	21	12	28	17	30	20	10	1
188e,f	Injuries by other vehicles	14							1	1	2				1	4	4	1	
188g	Landslide, other crushing	40									5	5	2	20	7	1			
189	Injuries by animals (not poisoning)	10		1				1						1	1	4	2		
193	Excessive cold	4			1		1							1			1		
194	Excessive heat	1															1		
196	Other accidental electric shocks	15								5	2	2	1	1	3		1		
201	Fracture (cause not specified)	6						1					1			2	1	1	
202	Other external violence	77	6	1					1	6	5	8	8	10	17	7	6	2	
	XV.—Ill-defined diseases	37	7							1				2	1	7	6	12	1
204	Sudden death	5														1	1	3	
205a	Ill-defined	17	1							1				2	1	4	2	6	
205b	Not specified or unknown	15	6													2	3	3	1
	PENNSYLVANIA																		
	All causes	111,252	14,486	2,166	1,080	775	602	2,119	1,526	2,321	2,944	3,259	3,719	9,576	12,994	16,509	18,917	18,249	10
	I.—Epidemic, endemic, and infectious diseases	12,821	1,264	628	326	292	201	587	328	731	979	1,012	905	1,679	1,424	1,078	825	560	2
1	Typhoid and paratyphoid fever	262	1	1	1	2	1	14	22	37	35	26	24	40	26	21	8	3	
5	Malaria	4	1									1			1	1			
7	Measles	250	74	84	24	21	11	20	4	4	3	1		2		1		1	
8	Scarlet fever	258	6	27	23	33	15	76	18	17	8	8	7	11	4	3	2		
9	Whooping cough	451	286	96	36	17	5	9					2						
10	Diphtheria	840	63	124	94	125	97	243	44	10	3	5	6	9	6	9	1	1	
11a	Influenza (with pulmonary complications)	1,528	243	90	31	21	11	30	19	37	36	38	41	141	167	192	215	216	
11b	Influenza (other and unspecified)	872	127	37	22	11	11	26	24	30	23	24	32	64	76	80	122	163	
13	Mumps	10	3	1				3	1		1						1		
15	Cholera nostras	6	1			1		1										3	
16	Dysentery	46	16	4	3	3	1	3				1	1	2	2	1	4	5	
19	Spirochetal hemorrhagic jaundice	5		1	1								1	1		1			
21	Erysipelas	253	76	9	2	1	1	2	2	3	2	4	8	21	25	31	39	27	
22	Acute anterior poliomyelitis	100	9	15	4	11	8	26	12	2	5	3		1		2	2		
23	Lethargic encephalitis	94	2	4		3	1	4	3	4	2	4	10	20	20	13	2	2	
24	Meningococcus meningitis	69	18	4	4	2		11	5	3	5	4	2	4	4	3			
25	Other epidemic and endemic diseases	17	8	2	3	1	1	2											
27	Anthrax	2											1			1			
28	Rabies	10			1		1	2				2	2	1	1				
29	Tetanus	103	4		1		1	24	28	8	3	5	3	9	7	6	3	1	
30	Mycoses	9	2								1		1	3		1	1		
	Tuberculosis (all forms)	6,809	145	121	73	37	33	87	138	554	815	840	699	1,197	941	622	379	126	2
31	Of the respiratory system	5,978	48	48	19	14	11	37	95	496	757	786	658	1,111	846	582	348	120	2
32	Of the meninges, central nervous system	351	74	68	40	19	18	30	21	20	11	9	8	15	12	4	1	1	
33	Of the intestines, peritoneum	216	5	2	5	1	3	11	9	21	28	20	17	32	38	12	10	2	
34	Of the vertebral column	85	2		2	1	1	4	5	8	6	7	7	12	16	6	7	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (all forms)—Continued.																		
35	Of the joints	37	5						3	2	2	1	2	7	7	5	2	1	
36	Of other organs	105	5	3	4	1		4	5	6	6	10	5	17	17	11	10	1	
37a	Disseminated (acute)	31	5		2	1		1		1	4	6	2	3	4	1	1		
37b	Disseminated (chronic or unspecified)	6	1		1						1	1			1	1			
38	Syphilis	674	159	7	3	2	2	1	6	7	18	30	45	129	132	85	42	6	
40	Gonococcus infection	92	8							11	19	14	17	16	5	1	1		
41	Purulent infection, septicemia	55	12	1		1	1	2	2	4		2	3	8	6	4	3	6	
42	Other infectious diseases	2						1							1				
	II.—General diseases not included in Class I	13,732	312	57	23	20	35	121	111	140	125	206	341	1,259	2,490	3,426	3,283	1,782	1
	Cancer and other malignant tumors	9,277	2	6	7	6	10	27	13	35	49	95	185	776	1,727	2,442	2,446	1,450	1
43	Of the buccal cavity	300					1	3	2	1		3	3	13	42	89	79	64	
44	Of the stomach, liver	3,391		2				1		3	8	9	28	219	570	920	1,064	567	
45	Of the peritoneum, intestines, rectum	1,349				1	1	5	1	7	11	25	30	98	208	345	391	226	
46	Of the female genital organs	1,347						1		1	5	28	51	210	375	335	240	101	
47	Of the breast	852									1	4	21	93	214	241	168	110	
48	Of the skin	227			1			1		1		1	2	3	18	53	48	99	
49	Of other or unspecified organs	1,811	2	4	6	5	8	16	10	22	24	25	50	140	300	459	456	283	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	55	1	1	1			2	1	3	2	1	2	9	5	8	13	6	
51	Acute rheumatic fever	303	2		2	3	7	44	50	37	22	9	11	26	24	28	26	12	
52	Chronic rheumatism, osteoarthritis, gout	111						1	2	1	1		1	5	15	26	34	25	
53	Scurvy	4	3								1								
54	Pellagra	24								1		3	5	7	5	2	1		
56	Rickets	55	41	9	3	2													
57	Diabetes mellitus	1,841	1	3	2	4	6	12	21	24	15	33	29	104	265	571	542	209	
58a	Pernicious anemia	381	1	3			2	6	2	6	3	6	8	23	71	112	106	32	
58b	Other anemias and chlorosis	62	9	3		1	2	5	6		1	3	3	6	8	4	5	6	
59	Diseases of the pituitary gland	12								2			1	4	5				
60a	Exophthalmic goiter	371							1	10	11	19	27	74	112	64	39	14	
60b	Other diseases of the thyroid gland	49	2	2	1						3	1	2	7	16	8	4	3	
61	Diseases of the parathyroid glands	7	6	1															
62	Diseases of the thymus gland	158	142	5	1	1		6	1	1					1				
63	Diseases of the adrenals (Addison's disease)	31								1	1	1	2	8	7	4	5	2	
64	Diseases of the spleen	15	3	1						1	1			2	3	3	1		
65a	Leukemia	171	6	8	1	3	6	7	6	8	6	11	13	23	30	25	16	2	
65b	Hodgkin's disease	71	1	1				4	4	7	1	6	7	12	10	12	4	2	
66	Alcoholism (acute or chronic)	545								2	4	13	43	168	174	103	32	6	
67a	Chronic lead poisoning	14										1		3	4	4	1	1	
67b	Other chronic mineral poisoning	3													2		1		
68	Chronic poisoning by organic substances	3									1				1		1		
69	Other general diseases	169	92	14	5		2	7	4	1	3	4	2	2	5	10	6	12	
	III.—Diseases of the nervous system and of the organs of special sense	11,429	378	109	67	38	25	126	96	94	88	106	175	683	1,330	2,050	2,944	3,120	
70	Encephalitis	111	15	7	8	2		6	4	3	3	2	5	21	16	14	4	1	
71a	Simple meningitis	228	61	21	22	8	7	28	15	8	4	8	8	14	12	6	6		
71b	Nonepidemic cerebrospinal meningitis	40	11	5	4	1		8	4	2		1	2			2			
72	Tabes dorsalis (locomotor ataxia)	153								1		2	2	20	31	47	34	16	
73	Other diseases of the spinal cord	278	6	3	1		1	8	7	8	4	8	9	26	39	68	53	37	
74a	Cerebral hemorrhage	7,978	16	6	3	4	1	5	2	7	9	13	28	253	834	1,574	2,484	2,739	
74b	Cerebral embolism and thrombosis	441	4	3			1	1	5	8	7	6	8	31	65	82	113	107	
75	Paralysis without specified cause	301	3					1			3		2	6	37	53	92	104	
76	General paralysis of the insane	538							1	1	6	9	49	186	166	77	27	16	
77	Other forms of mental alienation	97								4	4	7	7	20	24	12	14	5	
78	Epilepsy	276	8	2		3	5	7	20	21	29	28	26	40	42	25	13	7	
79	Convulsions (nonpuerperal; 5 years and over)	6						2	1		2			1					
80	Infantile convulsions (under 5 years)	214	172	25	8	8	1												
81	Chorea	5			1			3		1									
82	Neuralgia and neuritis	29	1								1		2	5	2	4	6	8	
83	Softening of the brain	59											1	4	3	7	18	26	
84	Other diseases of the nervous system	342	13	5	3	3	2	13	11	16	6	12	12	31	39	59	71	46	
85	Diseases of the eye and annexa	8	2	1	2				1									2	
86a	Diseases of the ear	175	46	19	8	4	4	17	19	4	5	6	2	14	10	10	3	4	
86b	Diseases of the mastoid process	150	20	12	7	5	3	27	6	10	5	4	12	11	10	10	6	2	
	IV.—Diseases of the circulatory system	22,661	127	27	23	25	26	184	240	253	260	284	379	1,282	2,604	4,303	6,047	6,595	2
87	Pericarditis	98	4		2		2	7	2	2	1	2	5	17	9	13	18	14	
88	Endocarditis and myocarditis (acute)	1,203	68	4	7	8	8	54	48	57	66	64	66	237	134	144	149	89	
89	Angina pectoris	1,215			1						4	6	10	58	163	343	399	231	
90	Other diseases of the heart	17,979	43	19	13	15	14	119	187	191	175	203	286	906	2,158	3,507	4,935	5,206	
91a	Aneurysm	149									3	3	4	16	35	45	30	13	
91b,c	Other diseases of the arteries	1,663											1	11	50	171	444	986	
92	Embolism and thrombosis (not cerebral)	270	3				1	1	2	1	8	4	6	27	41	62	64	50	
93	Diseases of the veins	52				1				1		1		10	12	15	7	5	
94	Diseases of the lymphatic system	26	9	4		1	1	3			2		1		1	2	1	1	
95	Hemorrhage without specified cause	3							1			1			1				
96	Other diseases of the circulatory system	3								1	1					1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	V.—Diseases of the respiratory system	11,101	2,531	689	287	122	71	219	128	179	220	292	357	1,008	1,164	1,271	1,228	1,334	1
97a	Diseases of the nasal fossae	7	2		1							1		1	1		1		
97b	Diseases of the nasal fossae annexa	44	6			1			4	5	2	3	6	8	6	1	2		
98	Diseases of the larynx	53	11	9	7	6	1	7	2	2				2	2	2	1	1	
99a	Acute bronchitis	291	125	17	5	2	4	4	1	1	2	1	1	5	11	19	26	67	
99b	Chronic bronchitis	201	5		1				1		1	2	4	10	22	35	42	78	
99c,d	Bronchitis (unspecified)	159	59	7	2	4		1	1					6	5	12	13	49	
100a	Broncho-pneumonia	3,762	1,503	369	128	51	28	66	33	27	34	42	62	156	212	251	342	458	
100b	Capillary bronchitis	78	29	5	4		1	1	1			1	1		3	5	11	16	
101a	Lobar pneumonia	5,247	673	228	102	49	34	116	70	118	144	208	243	689	722	754	630	466	1
101b	Pneumonia (unspecified)	314	69	20	19	5	2	9	5	4	11	11	13	17	40	25	22	42	
102	Pleurisy	315	21	26	11	4	1	9	7	14	18	9	17	52	32	37	32	25	
103	Congestion and hemorrhagic infarct of the lung	168	20	4	3			2		2	3	1	1	13	5	11	26	77	
104	Gangrene of the lung	21		1					1	3	1		1	3	5	2	1	3	
105	Asthma	216	5	2				1	1		1	5	2	20	43	51	50	35	
106	Pulmonary emphysema	39	1		1					1	1			1	11	10	5	8	
107	Other diseases of the respiratory system (tuberculosis excepted)	186	2	2	2			3	1	2	2	8	6	25	44	56	24	9	
	VI.—Diseases of the digestive system	8,432	2,183	428	155	93	78	235	188	193	194	248	278	813	1,012	977	745	611	1
108	Diseases of the mouth and annexa	76	12	4		1	2	8	1	3	5	2	4	17	8	6	1	2	
109a	Adenoid vegetations	1		1															
109b	Other diseases of the pharynx, tonsils	340	15	9	12	14	13	53	25	21	20	27	14	41	36	20	8	12	
110	Diseases of the esophagus	14		1		1								1	5	3	2	1	
111a	Ulcer of the stomach	346	2			1		1	1	3	5	12	24	59	86	73	52	27	
111b	Ulcer of the duodenum	183					1			7	6	15	10	35	47	39	16	7	
112	Other diseases of the stomach (cancer excepted)	437	84	17	3	4	2	5	2	2	8	3	12	36	50	74	55	80	
113	Diarrhea and enteritis (under 2 years)	2,234	1,877	357															
114	Diarrhea and enteritis (2 years and over)	421			100	33	26	29	8	3	8	12	9	25	37	32	28	71	
115	Ancylostomiasis	1			1														
116	Diseases due to other intestinal parasites	4	1	1	1	1													
117	Appendicitis and typhlitis	1,228	9	4	9	19	20	111	125	118	82	89	100	194	173	114	48	12	1
118a	Hernia	392	8	4	2					3	4	7	5	53	68	84	82	72	
118b	Intestinal obstruction	712	128	21	19	11	6	11	10	8	18	22	27	73	83	96	89	90	
119	Other diseases of the intestines	85	11	3		1		2	3	1	2	4	7	7	12	10	14	8	
120	Acute yellow atrophy of the liver	41	2				1			4	2	3		7	7	7	8		
121	Hydatid tumor of the liver	2												2					
122	Cirrhosis of the liver	886	7	1	2			2	2	2	8	14	19	117	184	199	195	134	
123	Biliary calculi	348								2	4	6	14	52	92	85	64	29	
124	Other diseases of the liver	455	8	1	1	2	2	3	3	8	8	18	20	61	93	102	70	55	
125	Diseases of the pancreas	77	1							1	6	4	9	12	16	19	5	4	
126	Peritonitis without specified cause	148	18	4	5	5	5	10	8	7	8	10	4	21	14	14	8	7	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	10,988	57	18	18	4	7	45	54	84	125	177	260	860	1,451	2,186	2,807	2,834	1
128	Acute nephritis (including unspecified under 10 years)	524	35	13	11	3	6	27	23	20	16	15	27	83	71	79	49	46	
129	Chronic nephritis (including unspecified 10 years and over)	9,197		2	3	1		16	24	49	71	120	165	585	1,208	1,910	2,505	2,538	
131	Other diseases of the kidneys and annexa	191	12	2	4		1	1	4	5	5	2	8	29	24	42	26	26	
132	Calculi of the urinary passages	69							1		1	1	3	13	11	12	18	9	
133	Diseases of the bladder	62		1				1				1	2	3	4	7	15	28	
134	Diseases of the urethra, etc.	26									1	3		2	5	7	6	2	
135	Diseases of the prostate	418									1			4	12	81	156	163	1
136	Nonvenereal diseases of the male genital organs	12	9											2				1	
137	Cysts, other benign tumors of the ovary	92								1		6	11	21	14	18	11	10	
138	Salpingitis and pelvic abscess (female)	155	1						1	6	26	20	26	42	26	4	2	1	
139	Benign tumors of the uterus	177								1	1	6	14	61	58	16	13	7	
140	Nonpuerperal uterine hemorrhage	2							1	1									
141	Other diseases of the female genital organs	61								1	3	3	4	14	17	10	6	3	
142	Nonpuerperal diseases of the breast (cancer excepted)	2												1	1				
	VIII.—The puerperal state	1,345								121	267	301	280	361	14	1			
143	Accidents of pregnancy	129								6	21	33	28	39	2				
144	Puerperal hemorrhage	138								4	16	37	28	49	4				
145	Other accidents of labor	124								9	19	26	31	39					
146	Puerperal septicemia	569								68	131	126	117	125	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	72								5	14	10	18	24		1			
148	Puerperal albuminuria and convulsions	310								28	66	69	58	83	6				
149	Following childbirth (undefined)	3								1				2					
	IX.—Diseases of the skin and of the cellular tissue	341	64	7	2	3	2	5	2	9	5	6	4	25	33	39	42	93	
151	Gangrene	138	3	1	1	1		2		1	1	1		1	12	13	25	76	
152	Furuncle	48	6	1						4	2		2	8	6	6	8	5	
153	Acute abscess	93	28	2	1	2	2	3	2	2		2	1	12	11	15	4	6	
154	Other diseases of the skin and annexa	62	27	3						2	2	3	1	4	4	5	5	6	
	X.—Diseases of the bones and of the organs of locomotion	145	13	4	4	6	3	25	18	11	3	1	9	9	10	13	13	3	
155	Diseases of the bones (tuberculosis excepted)	111	8	2	4	5	3	21	13	11	3	1	6	6	6	9	12	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	32	4	2		1		4	5				3	3	4	3	1	2	
158	Other diseases of the organs of locomotion	2	1													1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	XI.—Malformations	1,660	1,560	38	8	5	8	18	7	5	7			2	2				
159a	Congenital hydrocephalus	146	109	14	4	2	2	6	3	1	4				1				
159b	Congenital malformations of the heart	1,040	992	17	3	1	6	9	4	3	3			1	1				
159c	Other congenital malformations	474	459	7	1	2		3		1				1					
	XII.—Early infancy	5,649	5,649																
160	Congenital debility, icterus, sclerema	592	592																
161a	Premature birth	3,609	3,609																
161b	Injury at birth	995	995																
162	Other diseases peculiar to early infancy	442	442																
163	Lack of care	11	11																
164	XIII.—Old age (senility)	528														8	81	439	
	XIV.—External causes	9,940	190	144	164	163	144	545	351	496	665	619	721	1,562	1,406	1,091	844	833	2
	Suicide	1,182							6	32	65	77	129	231	263	209	123	47	
165	By poisons (gas or corrosives excepted)	31								1	3	4	3	8	7	2	2	1	
166	By corrosive substances	89							1	5	13	13	15	19	9	9	5		
167	By poisonous gas	178								5	8	15	15	36	47	28	21	3	
168	By hanging or strangulation	278							1	4	9	9	21	52	77	63	30	12	
169	By drowning	67							1	3	2	5	5	13	16	13	7	2	
170	By firearms	420							3	14	25	26	57	72	85	71	47	20	
171	By cutting or piercing instruments	63									2	2	4	14	12	18	7	4	
172	By jumping from high places	33										3	3	11	5	3	3	5	
173	By crushing	12									2		3	3	2	1	1		
174	By other means	11									1		3	3	3	1			
	Homicide	557	17	1	2	1	1	5	5	28	67	104	93	138	60	20	14	1	
197	By firearms	361	1			1		2	4	21	52	69	68	88	39	10	6		
198	By cutting or piercing instruments	87								3	10	18	16	29	7	1	3		
199	By other means	109	16	1	2		1	3	1	4	5	17	9	21	14	9	5	1	
	Accidental, other, or undefined	8,201	173	143	162	162	143	540	340	436	533	438	499	1,193	1,083	862	707	785	2
175	Poisoning by food	38	2	2	2	1	2	3	1	3	1		2	7	3	5	1	3	
176	Poisoning by venomous animals	5	1					2	1				1						
177	Other acute poisonings (gas excepted)	144	6	19	10	7	3			2	6	7	11	27	19	20	5	2	
178	Conflagration	126	5	8	6	5	6	15	7	8	5	4	8	18	9	13	6	3	
179	Burns, (conflagration excepted)	680	24	59	83	68	53	90	22	15	26	18	24	57	37	30	31	42	1
180	Mechanical suffocation	59	47	1	1			1	3	1				3		2			
181	Absorption of irrespirable, irritating, or poisonous gas	278	5	3		1	1	4	6	10	14	19	14	57	57	40	30	17	
182	Drowning	431	3	13	6	4	8	48	58	55	64	17	17	52	48	24	9	5	
183	Traumatism by firearms (except in war)	149	1	1	5		3	13	20	36	12	16	6	15	13	5	1	2	
184	Traumatism by cutting or piercing instruments	63	2		1	1		5	3			3	2	10	11	15	8	2	
185	Traumatism by fall	1,588	11	12	7	9	6	37	23	33	28	29	42	133	166	206	262	584	
186a	Traumatism in mines	869								46	82	97	119	264	166	76	18	1	
186b	Traumatism in quarries	32						1		4	1	2	3	6	10	4		1	
187	Traumatism by machines	212			1	3		9	3	10	24	13	19	36	42	34	16	2	
188a	Railroad accidents	724	3	3	2	1	2	22	34	31	50	57	64	156	156	78	49	16	
	Collision with automobiles	92	3	1	1	1	1	4	6	8	12	10	9	18	12	3	2	1	
	Other railroad accidents	632		2	1		1	18	28	23	38	47	55	138	144	75	47	15	
188b	Street-car accidents	156			2	1	3	4	5	6	10	14	12	21	29	26	15	7	1
	Collision with automobiles	34							1	2	9	4	3	4	7	4			
	Other street-car accidents	122			2	1	3	4	4	4	1	10	9	17	22	22	15	7	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,860	10	11	25	51	45	248	110	124	141	96	112	213	223	195	184	72	
188d	Airplane and balloon accidents	14									7	3		3	1				
188e f	Injuries by other vehicles	127	1	2	1	1	5	11	16	13	10	5	3	13	13	13	12	8	
188g	Landslide, other crushing	23	1					2		2	1	3	1	4	4	2	1	2	
189	Injuries by animals (not poisoning)	37	1					3	4		2		2	7	2	13	1	2	
190	Wounds of war	1												1					
192	Starvation (deprivation of food or water)	3															2	1	
193	Excessive cold	22							1			1		4	5	3	5	3	
194	Excessive heat	76	16	2	1			1	1	2			1	14	13	16	7	2	
195	Lightning	11						1	2	1			1	2	2	2			
196	Other accidental electric shocks	97						1	2	13	18	14	17	21	7	3	1		
201	Fracture (cause not specified)	11											1	5	1	2	2		
202	Other external violence	365	34	7	9	9	6	19	18	21	31	20	17	44	46	35	41	8	
	XV.—Ill-defined diseases	480	158	17	3	4	2	9	3	5	6	7	10	33	54	66	58	45	
204	Sudden death	80	11	1				1	2	1		3	2	1	12	17	16	13	
205a	Ill-defined	115	16	10	1	3		2		2	1	2		9	10	21	21	17	
205b	Not specified or unknown	285	131	6	2	1	2	6	1	2	5	2	8	23	32	28	21	15	
	RHODE ISLAND																		
	All causes	7,897	913	138	71	65	53	159	83	107	175	163	231	549	893	1,279	1,606	1,404	8
	I.—Epidemic, endemic, and infectious diseases	827	71	45	22	24	21	48	18	47	63	55	67	98	93	72	52	31	
1	Typhoid and paratyphoid fever	4	1						1	1			1						
7	Measles	1							1										
8	Scarlet fever	15		1	2	1	4	5					1		1				
9	Whooping cough	40	24	11	3	1		1											
10	Diphtheria	61	1	7	5	7	11	27	2							1			
11a	Influenza (with pulmonary complications)	63	8	2	2	3	1	1		1	3	1	5	6	6	2	9	13	
11b	Influenza (other and unspecified)	25	3		1			1					1	3	3	3	4	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
13	Mumps	2							1					1					
15	Cholera nostras	1	1																
16	Dysentery	4		1			1								1			1	
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	19	8	1		1								1	1	2	4	1	
22	Acute anterior poliomyelitis	11			3			3	2	1		1					1		
23	Lethargic encephalitis	7		2							2		1	1	1				
24	Meningococcus meningitis	5	4	1															
25	Other epidemic and endemic diseases	3	2	1															
29	Tetanus	4	1					3											
	Tuberculosis (all forms)	516	12	16	5	11	4	5	11	43	57	52	56	77	70	57	30	10	
31	Of the respiratory system	439		1	2			4	6	40	53	51	52	73	67	53	28	9	
32	Of the meninges, central nervous system	45	8	14	1	8	3	1	2	1	2	1	1	3					
33	Of the intestines, peritoneum	7			2	1	1				1			1				1	
34	Of the vertebral column	5				2			1				1		1				
35	Of the joints	2											1			1			
36	Of other organs	7	1						1		1		1		1	1	1		
37a	Disseminated (acute)	8	3	1						2						1	1		
37b	Disseminated (chronic or unspecified)	3							1						1	1			
38	Syphilis	33	4		1			1		1	1			7	9	5	4		
40	Gonococcus infection	2											2						
41	Purulent infection, septicemia	10	1	2				1				1		2	1	2			
	II.—General diseases not included in Class I	1,101	22	4	2	1	3	15	8	7	4	12	23	89	193	286	289	141	2
	Cancer and other malignant tumors	776			1		1	2	1	1	1	6	11	57	143	220	217	114	1
43	Of the buccal cavity	29												1	6	5	10	7	
44	Of the stomach, liver	252							1			1	2	10	40	83	77	38	
45	Of the peritoneum, intestines, rectum	140										1		8	20	39	40	31	1
46	Of the female genital organs	119										2	1	20	30	29	26	11	
47	Of the breast	88											3	11	21	27	19	7	
48	Of the skin	18											1	1	4	4	2	6	
49	Of other or unspecified organs	130			1		1	2		1	1	1	5	6	22	33	43	14	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6	1									1			1		1	2	
51	Acute rheumatic fever	24						5	4	3	1	1			1	1	7	1	
52	Chronic rheumatism, osteoarthritis, gout	7												1	1		2	3	
54	Pellagra	2													1		1		
56	Rickets	3	2	1															
57	Diabetes mellitus	145						1	2		2	1	6	6	22	45	44	16	
58a	Pernicious anemia	23						1					1	4	4	4	5	4	
58b	Other anemias and chlorosis	5	1														4		
60a	Exophthalmic goiter	13										2	1	5	2	2	1		
60b	Other diseases of the thyroid gland	2											1	1					
62	Diseases of the thymus gland	12	10	1				1											
63	Diseases of the adrenals (Addison's disease)	2												1			1		
65a	Leukemia	12				1	2	3		1				1		3	1		
65b	Hodgkin's disease	6								2			1	1	1		1		
66	Alcoholism (acute or chronic)	48										1	2	12	17	11	3	1	1
67a	Chronic lead poisoning	1															1		
69	Other general diseases	14	8	2	1			2	1										
	III.—Diseases of the nervous system and of the organs of special sense	965	23	7	2	3	6	16	4	5	6	5	12	54	103	180	283	256	
70	Encephalitis	12	2				1	3			2			2	2				
71a	Simple meningitis	23	2	3	1		3	1	1	2		1	3	2	2		1	1	
71b	Nonepidemic cerebrospinal meningitis	5	1	2			1	1											
72	Tabes dorsalis (locomotor ataxia)	10												3		3	3	1	
73	Other diseases of the spinal cord	17				1								3		5	8		
74a	Cerebral hemorrhage	718	1					2		1	2	1	1	21	73	144	247	225	
74b	Cerebral embolism and thrombosis	39											1	2	4	6	11	15	
75	Paralysis without specified cause	13	1												1	1	4	6	
76	General paralysis of the insane	34										1	4	12	7	4	5	1	
77	Other forms of mental alienation	9										1		2	3	3			
78	Epilepsy	13	1				1		1	2		1		2	1	2	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	3						2			1								
80	Infantile convulsions (under 5 years)	10	9		1														
82	Neuralgia and neuritis	1												1					
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	37	2	2		1		1	1				3	4	8	9	1	5	
85	Diseases of the eye and annexa	2															2		
86a	Diseases of the ear	13	3					4	1		1				1	3			
86b	Diseases of the mastoid process	5	1			1		2							1				
	IV.—Diseases of the circulatory system	1,708	15	2	1	1		11	14	10	15	10	27	75	191	328	504	503	1
87	Pericarditis	11									2				2	3	2	2	
88	Endocarditis and myocarditis (acute)	63	10	1	1			3	2	3	5	2	4	13	2	5	10	1	1
89	Angina pectoris	125												6	17	28	49	25	
90	Other diseases of the heart	1,289	4	1		1		8	12	7	7	7	20	55	157	251	391	368	
91a	Aneurysm	9													3	4	2		
91b,c	Other diseases of the arteries	165											2	1	6	22	40	94	
92	Embolism and thrombosis (not cerebral)	39									1	1			4	12	8	13	
93	Diseases of the veins	5	1										1			2	1		
94	Diseases of the lymphatic system	1															1		
95	Hemorrhage without specified cause	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	V.—Diseases of the respiratory system	706	160	46	20	15	7	16	5	6	9	13	15	49	61	91	89	104	
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	2						1						1					
98	Diseases of the larynx	5	1				1	1						1	1				
99a	Acute bronchitis	22	11			3		1			1					1	1	4	
99b	Chronic bronchitis	13												1	1	3	4	4	
99c,d	Bronchitis (unspecified)	15	4	2												1	3	5	
100a	Broncho-pneumonia	228	89	19	9	6	4	3	2			1	7	6	5	15	26	36	
100b	Capillary bronchitis	7	4		1												1	1	
101a	Lobar pneumonia	344	43	24	8	5	2	9	3	6	5	8	8	35	44	58	46	40	
101b	Pneumonia (unspecified)	21	4		1	1									4	2	2	7	
102	Pleurisy	20	2		1			1			1	2		2	2	3	3	3	
103	Congestion and hemorrhagic infarct of the lung	10	1														5	1	3
104	Gangrene of the lung	3									1	1			1				
105	Asthma	8		1								1			2	2	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	7									1			3	1	1		1	
	VI.—Diseases of the digestive system	494	92	18	11	8	7	7	14	8	13	16	22	46	64	73	64	31	
108	Diseases of the mouth and annexa	5			1						1	1	1			1			
109b	Other diseases of the pharynx, tonsils	23	1	1	1	3		2	3	1	2	1	1	2	2	1	2		
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	27										1	3	4	9	8		2	
111b	Ulcer of the duodenum	16										3	1	2	5	1	3	1	
112	Other diseases of the stomach (cancer excepted)	19	4	1		1					1		1		4	2	3	2	
113	Diarrhea and enteritis (under 2 years)	96	82	14															
114	Diarrhea and enteritis (2 years and over)	31			7	3	2	2					2			2	5	8	
117	Appendicitis and typhlitis	90				1	5	2	10	6	5	6	8	15	9	15	7	1	
118a	Hernia	40	2									2	1	1	8	8	10	8	
118b	Intestinal obstruction	29	2	1	1					1		2		3	5	5	7	2	
119	Other diseases of the intestines	5							1		1			3					
120	Acute yellow atrophy of the liver	6											1	2		1	2		
122	Cirrhosis of the liver	39									2		1	4	8	16	6	2	
123	Biliary calculi	32												5	9	6	9	3	
124	Other diseases of the liver	24											1	5	3	5	8	2	
125	Diseases of the pancreas	2									1				1				
126	Peritonitis without specified cause	9	1	1	1			1					1		1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	821	4	1			2	4	5		13	16	20	57	100	161	237	200	1
128	Acute nephritis (including unspecified under 10 years)	30	1	1			2	3	2		5	5		3	2	4	2		
129	Chronic nephritis (including unspecified 10 years and over)	705							3		7	7	14	41	88	147	217	180	1
131	Other diseases of the kidneys and annexa	16	2					1				1	3	1	1	2	4	1	
132	Calculi of the urinary passages	3										1			1			1	
133	Diseases of the bladder	2	1															1	
135	Diseases of the prostate	35														4	14	17	
137	Cysts, other benign tumors of the ovary	3												1	1	1			
138	Salpingitis and pelvic abscess (female)	10										1	1	5	1	2			
139	Benign tumors of the uterus	14									1	1	1	5	5	1			
141	Other diseases of the female genital organs	3											1	1	1				
	VIII.—The puerperal state	88							4	19	21	21	22	1					
143	Accidents of pregnancy	8									1	2	4	1					
144	Puerperal hemorrhage	9									3	2	2	2					
145	Other accidents of labor	8									1	1	2	4					
146	Puerperal septicemia	29							2		10	7	6	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	8									1	2	2	3					
148	Puerperal albuminuria and convulsions	25							2		3	6	5	8	1				
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	27	6					1				1	1		3		3	12	
151	Gangrene	10													1			9	
152	Furuncle	5						1				1			1		1	1	
153	Acute abscess	4	1												1		2		
154	Other diseases of the skin and annexa	8	5										1					2	
	X.—Diseases of the bones and of the organs of locomotion	9						1		1	1		2			1		2	1
155	Diseases of the bones (tuberculosis excepted)	9						1		1	1		2			1		2	1
	XI.—Malformations	112	102	1	1	2	1	1	1	2	1								
159a	Congenital hydrocephalus	8	6			1			1										
159b	Congenital malformations of the heart	51	46	1	1			1		2									
159c	Other congenital malformations	53	50			1	1				1								
	XII.—Early infancy	409	409																
160	Congenital debility, icterus, sclerema	55	55																
161a	Premature birth	212	212																
161b	Injury at birth	112	112																
162	Other diseases peculiar to early infancy	30	30																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
164	XIII.—Old age (senility)	65															8	57	
	XIV.—External causes	519	3	10	12	11	5	39	14	17	31	12	20	54	71	81	72	64	3
	Suicide	65									2	3	5	10	16	14	13	1	1
165	By poisons (gas or corrosives excepted)	6												1	1		4		
166	By corrosive substances	1														1			
167	By poisonous gas	6													3	2	1		
168	By hanging or strangulation	15											1	2	5	4	2		1
169	By drowning	8											1	2	1	2	1	1	
170	By firearms	23									2	3	2	4	5	3	4		
171	By cutting or piercing instruments	3												1		1	1		
172	By jumping from high places	2											1			1			
173	By crushing	1													1				
	Homicide	18								3	2	1	3	3	2	3	1		
197	By firearms	10									2	1	2	2		2	1		
198	By cutting or piercing instruments	4								1				1	1	1			
199	By other means	4								2			1		1				
	Accidental, other, or undefined	436	3	10	12	11	5	39	14	14	27	8	12	41	53	64	58	63	2
175	Poisoning by food	4					1	2										1	
177	Other acute poisonings (gas excepted)	5				1					3	1							
178	Conflagration	4			1										1	1	1		
179	Burns (conflagration excepted)	36	1	5	2	7	1	2	2	1	1		1	3	1	4	3	1	1
180	Mechanical suffocation	5									1			1		2		1	
181	Absorption of irrespirable, irritating, or poisonous gas	19	1							1	1				6	5	3	2	
182	Drowning	43		2	1			9	6	1	5	1	3	4	5	2	3	1	
183	Traumatism by firearms (except in war)	2								1					1				
184	Traumatism by cutting or piercing instruments	1								1									
185	Traumatism by fall	127			3			1		1	4			9	16	18	26	48	1
187	Traumatism by machines	6							1	1	1				1	2			
188a	Railroad accidents	15							1		3	1	1	4	2	3			
188b	Street-car accidents	12										1	1	2	3	4	1		
	Collision with automobiles	3												1	1	1			
	Other street-car accidents	9										1	1	1	2	3	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	131		2	2	3	3	24	4	6	7	3	3	12	15	20	21	6	
188d	Airplane and balloon accidents	1											1						
188e,f	Injuries by other vehicles	2			1					1									
188g	Landslide, other crushing	1												1					
194	Excessive heat	1														1			
196	Other accidental electric shocks	4										1	1	1	1				
201	Fracture (cause not specified)	2	1													1			
202	Other external violence	15		1	2			1			1		1	4	1	1		3	
	XV.—Ill-defined diseases	46	6	4			1					2	1	5	13	6	5	3	
204	Sudden death	13	1	1			1					1	1	2	2	1	1	2	
205a	Ill-defined	19	1	3										2	6	4	2	1	
205b	Not specified or unknown	14	4									1		1	5	1	2		
	SOUTH CAROLINA																		
	All causes—White	8,961	1,521	351	150	109	62	189	112	234	260	265	273	659	844	1,032	1,465	1,425	10
	All causes—Colored	12,779	2,504	533	183	138	75	275	277	581	744	677	604	1,434	1,616	1,164	996	958	20
	I.—Epidemic, endemic, and infectious diseases—White	1,336	193	106	68	56	25	57	36	59	95	64	61	144	90	92	100	89	1
	I.—Epidemic, endemic, and infectious diseases—Colored	2,770	408	159	67	39	20	101	123	276	348	277	183	320	219	115	65	45	5
1	Typhoid and paratyphoid fever—W	149	1	4		3	6	13	11	20	30	11	10	17	13	5	4	1	
	Typhoid and paratyphoid fever—C	283	2	2	2	7	3	22	34	68	42	25	14	28	21	8	3	1	1
2	Typhus fever—W	1													1				
5	Malaria—W	65	5	3	2	3	2	7	4	2	3	3	1	7	5	5	5	8	
	Malaria—C	217	35	13	15	5	3	14	14	10	12	8	10	21	22	13	15	6	1
7	Smallpox—W	1	1																
	Smallpox—C	5	1							1		1				1	1		
6	Measles—W	75	22	24	13	4		5	1	1			1	1	1	1		1	
	Measles—C	28	15	4	2		1	3	1			1			1				
8	Scarlet fever—W	6	1		1	1		2		1									
	Scarlet fever—C	1						1											
9	Whooping cough—W	80	48	16	7	3	2	1	2					1					
	Whooping cough—C	209	122	52	14	6	2	9	3	1									
10	Diphtheria—W	106	10	16	30	28	10	10	1	1									
	Diphtheria—C	45	13	6	6	3	3	9	4						1				
11a	Influenza (with pulmonary complications)—W	196	27	7	9	7	3	3	4	6	10	6	4	16	14	20	27	33	
	Influenza (with pulmonary complications)—C	187	37	18	5	5	1	5	6	12	10	12	12	26	17	10	6	5	
11b	Influenza (other and unspecified)—W	111	22	4	2	2		2	3	3	3	2	2	7	8	9	19	23	
	Influenza (other and unspecified)—C	159	25	13	6	2		4	3	11	12	4	7	17	17	14	11	13	
15	Cholera nostras—W	4		2												1	1		
	Cholera nostras—C	3												1	1	1			
16	Dysentery—W	74	25	16	2			2	1				1	2		4	6	15	
	Dysentery—C	105	48	24	4	2			1	1	3	1	2	2	8	4	3	2	
21	Erysipelas—W	15	4	1		1		1		1			3	1	1		1	1	
	Erysipelas—C	2	1														1		
22	Acute anterior poliomyelitis—W	13	2	2		3		2	2	2									
	Acute anterior poliomyelitis—C	14	2	2	4	2		2	1			1							
23	Lethargic encephalitis—W	10	1				1	2		1	1				1	2	1		
	Lethargic encephalitis—C	3						1							1			1	
24	Meningococcus meningitis—W	11	1	5		1		1			1			1	1				
	Meningococcus meningitis—C	5		2								1	2						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
25	Other epidemic and endemic diseases	W	2	2																
		C	3		1				1	1										
29	Tetanus	W	11	2					1	4		1				1	2			
		C	27	16		1			5			2	1		2					
30	Mycoses	W	2	1											1					
		C	27	23	4															
	Tuberculosis (all forms)	W	349	6	5	2			3	2	20	42	40	35	80	37	38	33	5	1
		C	1,201	11	10	7	7	6	21	51	161	232	197	119	192	104	48	20	13	2
31	Of the respiratory system	W	313						2	2	18	40	39	35	74	36	34	27	5	1
		C	1,099	3	8	3	4	4	17	44	146	212	189	116	180	96	46	16	13	2
32	Of the meninges, central nervous system	W	12	4	4	2			1				1							
		C	14	3	1	3	2	2			1	2								
33	Of the intestines, peritoneum	W	6		1							1			2	1		1		
		C	39				1		2	3	6	10	2	2	7	3	1	2		
34	Of the vertebral column	W	2												1		1			
		C	8						1	1			3		2	1				
35	Of the joints	W	3														1	2		
		C	7	1							2	1				1	1	1		
36	Of other organs	W	6									1			2		1	2		
		C	9	2	1				1	1	1	1				2				
37a	Disseminated (acute)	W	5	2							1				1			1		
		C	23	2		1				2	5	6	2	1	2	1		1		
37b	Disseminated (chronic or unspecified)	W	2								1						1			
		C	2												1					
38	Syphilis	W	35	12				1	1			2	1	4	6	6	1		1	
		C	217	56	7			1	4	3	7	31	23	15	25	22	16	4	2	1
40	Gonococcus infection	W	3								1	1					1			
		C	13	1							3	2	2	2	3					
41	Purulent infection, septicemia	W	17		1				1	1		1	1		4	1	3	3	1	
		C	16		1	1				1	1	2			3	4		1	2	
	II.—General diseases not included in Class I	White	983	24	9	2	5	6	13	15	16	21	30	46	115	188	175	190	127	1
		Colored	974	29	8	2	1	1	21	10	37	49	63	84	181	222	129	88	48	1
	Cancer and other malignant tumors	W	461					1	1	3	3	5	5	13	40	102	93	110	84	1
		C	299			1				1	4	8	10	13	63	92	53	36	17	1
43	Of the buccal cavity	W	26												4	2	3	7	10	
		C	9									1			4	2	1	1		
44	Of the stomach, liver	W	150								1	2	2	3	7	28	35	43	29	
		C	88			1					1	2	1	2	17	26	22	11	5	
45	Of the peritoneum, intestines, rectum	W	47						1	1		1		1	3	11	9	13	7	
		C	19								1		2	1	5	3	5	2		
46	Of the female genital organs	W	93									1	1	4	22	24	18	13	10	
		C	101										4	6	23	36	17	12	3	
47	Of the breast	W	39										1	2	2	14	11	6	3	
		C	30								1	1	2	3	8	10	4		1	
48	Of the skin	W	27											1	1	4	1	8	12	
		C	5									1			1	3				
49	Of other or unspecified organs	W	79					1		2	2	1	1	2	1	19	16	20	13	1
		C	47							1	1	3	1	1	5	12	4	10	8	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	3											1	1		1			
		C	8						2			1				2		1	2	
51	Acute rheumatic fever	W	20						1	4	1		1		3	2	1	3	4	
		C	27						5	1	1	1	1	2	1	7	4	2	2	
52	Chronic rheumatism, osteoarthritis, gout	W	12						1						2	2	2	1	4	
		C	4								1				1	1			1	
53	Scurvy	W	1	1																
54	Pellagra	W	266	1			2		4		5	12	15	19	46	53	44	43	22	
		C	506	2	1			1	9	4	25	34	47	62	103	99	55	43	21	
56	Rickets	W	6	3	1	1			1											
		C	12	10	2															
57	Diabetes mellitus	W	95						1	5	1	2	4	5	5	16	19	26	11	
		C	53		1				4	1	1	1	4	2	2	17	12	6	2	
58a	Pernicious anemia	W	18	1	1			1	1		1		2		2	2	3	3	1	
		C	10							1	2			1	2	1	2		1	
58b	Other anemias and chlorosis	W	4				1					1				2				
		C	1												1					
60a	Exophthalmic goiter	W	11											1	2	3	3	1	1	
		C	3										1		2					
60b	Other diseases of the thyroid gland	W	3										1				2			
		C	6											1	1	2			2	
61	Diseases of the parathyroid glands	W	3	1	1			1												
		C	3	2		1														
62	Diseases of the thymus gland	W	11	8	1			1	1											
		C	7	4	2							1								
63	Diseases of the adrenals (Addison's disease)	W	1												1					
64	Diseases of the spleen	W	2										1		1					
65a	Leukemia	W	9		1			1	1	1	1		1	1	2					
		C	4								1				1	1	1			
65b	Hodgkin's disease	W	8								1				2	3	1	1		
		C	4						1		1	1			1					
66	Alcoholism (acute or chronic)	W	19									1		5	7	2	4			
		C	9									2		3	2		2			
67a	Chronic lead poisoning	W	1												1					
		C	1												1					
67b	Other chronic mineral poisoning	C	1								1									
68	Chronic poisoning by organic substances	W	2														1	1		
69	Other general diseases	W	27	9	4	1	2	1	1	2	3			1		1	1	1		
		C	16	11	2		1			2										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	936	31	8	4	4	2	16	7	10	8	8	11	55	116	193	249	213	1
		Colored	1,152	53	12	3	7	2	5	14	10	27	21	34	149	273	212	203	126	1
70	Encephalitis	W	18	1	2	2			1		1	1	2	1	3	2		2		
		C	16	3	1				1	2				1	2	3	1	2		
71a	Simple meningitis	W	16	4	2				5	2	1		1		1					
		C	13	2	3	1	1	1			1	3					1			
71b	Nonepidemic cerebrospinal meningitis	W	8	6		2														
		C	3			1				1						1				
72	Tabes dorsalis (locomotor ataxia)	W	6									1					2		3	
		C	7									1			1	2		2	1	
73	Other diseases of the spinal cord	W	16		1				1			1			2	2	4	4	1	
		C	11													5	1	4	1	
74a	Cerebral hemorrhage	W	657		1					1		2		5	31	83	160	204	169	1
		C	727							1		3	9	23	99	207	162	142	81	
74b	Cerebral embolism and thrombosis	W	14									1			1	1	5	2	4	
		C	5									1			1		3			
75	Paralysis without specified cause	W	77						1						2	14	11	20	29	
		C	184		1		1		1	2		1	4	3	19	37	34	43	37	1
76	General paralysis of the insane	W	13											1	5	2	3	2		
		C	32								2	4	1	1	9	8	4	2	1	
77	Other forms of mental alienation	W	8										2		2	1	2	1		
		C	28								2	5	2	3	7	3	2	1	3	
78	Epilepsy	W	21	1			2		2	1	6		2	1	5	1				
		C	26	1					1	5	4	5	4		4	1	1			
79	Convulsions (nonpuerperal; 5 years and over)	W	3							1	1					1				
		C	7						1	2		1	1		1			1		
80	Infantile convulsions (under 5 years)	W	17	13	2		1	1												
		C	56	45	6	1	4													
81	Chorea	W	2								1						1			
		C	1									1								
82	Neuralgia and neuritis	W	2													1			1	
		C	2												1		1			
83	Softening of the brain	W	8															6	2	
		C	5														1	3	1	
84	Other diseases of the nervous system	W	29						3		1		2	2	5	5	7	4		
		C	22						1	1	1	2		2	4	5	2	3	1	
85	Diseases of the eye and annexa	W	1															1		
86a	Diseases of the ear	W	12	3			1		3	1		1		1	1	1				
		C	5	2	1		1								1					
86b	Diseases of the mastoid process	W	8	3				1		1			1			2				
		C	2					1						1						
	IV.—Diseases of the circulatory system	White	1,317	12	1	1	1	1	6	5	11	9	22	18	64	131	225	429	378	3
		Colored	1,544	4	4	2	4	1	6	7	28	36	57	83	242	311	299	256	202	2
87	Pericarditis	W	1														1			
		C	5								2				1		2			
88	Endocarditis and myocarditis (acute)	W	29					1	2	1	2		5	2	4	5	1	5	1	
		C	70				1		1	1	3	5	9	12	23	6	3	4	2	
89	Angina pectoris	W	147						1				3	2	7	23	37	57	17	
		C	69		1						2	3	5	6	24	17	5	5	1	
90	Other diseases of the heart	W	1,021	11	1	1	1		2	4	8	9	13	13	50	92	175	328	311	2
		C	1,268	4	3	2	3	1	5	6	19	28	40	60	188	265	262	215	165	2
91a	Aneurysm	W	9													1	4	2	1	1
		C	16										3	2	3	3	3	2		
91b,c	Other diseases of the arteries	W	84												2	4	4	32	42	
		C	81													13	16	19	33	
92	Embolism and thrombosis (not cerebral)	W	12								1				1	3	2	3	2	
		C	3											1	1		1			
93	Diseases of the veins	W	2													1			1	
		C	5											1		2	2			
94	Diseases of the lymphatic system	W	2	1					1											
		C	1								1									
95	Hemorrhage without specified cause	W	1										1							
		C	2								1						1			
96	Other diseases of the circulatory system	W	9											1		2	1	2	3	
		C	24											1	2	5	4	11	1	
	V.—Diseases of the respiratory system	White	623	140	36	24	19	3	25	10	24	13	18	16	42	62	40	69	81	1
		Colored	1,009	323	94	33	29	11	32	29	52	53	42	36	80	80	37	32	44	2
97a	Diseases of the nasal fossae	W	5	5																
		C	67	46	1		1	1	1	1	2	3		1	2	5	3			
98	Diseases of the larynx	W	5	1			1		2									1		
		C	2			1									1					
99a	Acute bronchitis	W	2	1	1															
		C	12	8	2		1									1				
99b	Chronic bronchitis	W	7		1								1					2	3	
		C	7	2			1								3		1			
99c,d	Bronchitis (unspecified)	W	7	1	1														5	
		C	20	9	1	2			1			3		1		1		2		
100a	Broncho-pneumonia	W	170	69	13	14	8		5	1	1	1	1	1	4	9	10	12	21	
		C	198	85	38	14	11	2	7	2	2	4	4	3	4	8	7	2	5	
100b	Capillary bronchitis	C	2	1							1									
101a	Lobar pneumonia	W	323	38	13	7	10	3	13	9	18	10	12	12	33	44	27	38	36	
		C	358	58	31	8	10	6	10	13	31	25	26	20	36	39	15	13	17	
101b	Pneumonia (unspecified)	W	71	23	6	1			2		5	1	3	2	4	3	3	8	9	1
		C	280	110	20	8	5	1	12	10	12	15	8	6	20	19	5	8	20	1
102	Pleurisy	W	10	1	1	1			1							3		3		
		C	11									1	1	1	5	1	1	1		
103	Congestion and hemorrhagic infarct of the lung	W	7	1												1			5	
		C	4												1	1	1		1	
104	Gangrene of the lung	W	1													1				
		C	1								1									
105	Asthma	W	12		1				2			1	1	1		1		4	1	
		C	17	2	1			1					2	1	3	1		5	1	
106	Pulmonary emphysema	W	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	2												1			1		
		C	30	2					1	3	3	2	1	3	5	4	4	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	VI.—Diseases of the digestive system	White	811	256	169	28	10	11	22	16	23	18	22	20	31	47	46	54	38	
		Colored	957	342	154	27	21	11	33	23	15	36	34	20	69	70	56	31	15	
108	Diseases of the mouth and annexa	W	7	1					2		1	1	1	1						
		C	8		1		1				1		1		2	1	1			
109b	Other diseases of the pharynx, tonsils	W	26	3			2	2	3	5	4		2	1	1		1		2	
		C	38	6	1	1	1	3	7	6		3	3	2	4		1			
110	Diseases of the esophagus	C	1															1		
111a	Ulcer of the stomach	W	15								1					5	6	1	2	
		C	26						1		1	1	3	2	8	4	1	5		
111b	Ulcer of the duodenum	W	12									1		2	4	2		2	1	
		C	5											1	2	2				
112	Other diseases of the stomach (cancer excepted)	W	65	15	4	2	2						2	1	3	11	9	10	6	
		C	205	67	18	9	3	1	6	3	2	5	10	4	21	20	22	10	4	
113	Diarrhea and enteritis (under 2 years)	W	386	225	161															
		C	385	259	126															
114	Diarrhea and enteritis (2 years and over)	W	70			23	6	8	6	1		3	1		1		2	5	14	
		C	93			15	13	4	7	3	1	6	3	2	10	16	4	4	5	
115	Ancylostomiasis	W	1						1											
116	Diseases due to other intestinal parasites	C	12	3	1	1		1	6											
117	Appendicitis and typhlitis	W	80		1				5	7	14	6	10	9	7	8	8	5		
		C	47						1	9	5	9	7	1	4	5	5	1		
118a	Hernia	W	12											1	1		3	5	2	
		C	16	1	1							1		1	3	2	2	2	3	
118b	Intestinal obstruction	W	52	10	3	2			2	2	1	1	2	3	3	9	3	6	5	
		C	47	5	4	1	1		3	1	2	3	1	3	7	10	5		1	
119	Other diseases of the intestines	W	5						1		1	1					1	1		
		C	16	1				1		1		3	2	1	3	1	1	1	1	
120	Acute yellow atrophy of the liver	W	4							1			1		1				1	
		C	4									1	1				2			
122	Cirrhosis of the liver	W	26	1					1				1	1	3	6	2	9	2	
		C	22										1	2	4	3	9	3		
123	Biliary calculi	W	16									1	1		2	1	4	5	2	
		C	4								1				1		1	1		
124	Other diseases of the liver	W	24	1				1	1			3		1	3	4	4	5	1	
		C	17		2		1		1		1	2	1	1		3	2	3		
125	Diseases of the pancreas	W	1														1			
		C	2																1	
126	Peritonitis without specified cause	W	9			1					1	1	1		2	1	2			
		C	9				1	1	1		1	2	1			2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,076	4	1	4	1	2	6	2	6	15	18	24	71	127	198	289	307	1
		Colored	1,326	8	7	6	4	5	10	11	18	33	53	49	206	295	223	217	178	3
128	Acute nephritis (including unspecified under 10 years)	W	45	3	1	3	1	1	4	2	1			4	3	6	6	5	5	
		C	84	2	6	4	2	3	7	4	3	5	9	6	11	12	7	2	1	
129	Chronic nephritis (including unspecified 10 years and over)	W	934						1		3	10	12	16	58	111	182	264	276	1
		C	1,067			1		1	2	5	10	16	32	32	162	262	196	193	152	3
131	Other diseases of the kidneys and annexa	W	37	1		1		1	1			2	3	3	4	1	5	8	7	
		C	98	6	1	1	2	1	1	1	3	8	3	6	16	9	10	14	16	
132	Calculi of the urinary passages	W	5									1			1	1	1		1	
		C	1															1		
133	Diseases of the bladder	W	12										1		1		2	2	6	
		C	7							1	1		1	1			1	1	1	
134	Diseases of the urethra, etc	C	9										1	1	1	3	1		2	
135	Diseases of the prostate	W	23													1	2	8	12	
		C	19												1	3	3	6	6	
136	Nonvenereal diseases of the male genital organs	C	1												1					
137	Cysts, other benign tumors of the ovary	W	2									1			1					
		C	1												1					
138	Salpingitis and pelvic abscess (female)	W	5								1	1	1	1		1				
		C	11									1	3		5	1	1			
139	Benign tumors of the uterus	W	7												1	4		2		
		C	13									1	1	2	4	2	3			
140	Nonpuerperal uterine hemorrhage	C	1										1							
141	Other diseases of the female genital organs	W	6								1		1		2	2				
		C	13								1	2	2		4	3	1			
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1											1						
	VIII.—The puerperal state	White	168							1	29	36	33	32	37					
		Colored	237							1	48	57	45	39	47					
143	Accidents of pregnancy	W	12								1	3	3	3	2					
		C	13								2	7		3	1					
144	Puerperal hemorrhage	W	16								1	1	7	1	6					
		C	22								1	1	5	7	8					
145	Other accidents of labor	W	26							1	4	3	6	8	4					
		C	58								13	11	15	9	10					
146	Puerperal septicemia	W	36								5	11	7	7	6					
		C	70							1	15	16	15	7	16					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	6									2		3	1					
		C	3								1			1	1					
148	Puerperal albuminuria and convulsions	W	71								18	16	10	10	17					
		C	67								15	22	8	11	11					
149	Following childbirth (undefined)	W	1												1					
		C	4								1		2	1						
	IX.—Diseases of the skin and of the cellular tissue	White	17	3		1					1	1			2	3	1	1	4	
		Colored	30	7	2						1	1			2	5	5	4	3	
151	Gangrene	W	5			1												1	3	
		C	8												1	3	2	1	1	
152	Furuncle	W	4									1				3				
		C	4		1										1		2			
153	Acute abscess	W	5	1							1				1		1		1	
		C	6	4	1							1								
154	Other diseases of the skin and annexa	W	3	2											1					
		C	12	3							1					2	1	3	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion	White	9					1	3	1	2	1					1			
		Colored	5												2	1		1	1	
155	Diseases of the bones (tuberculosis excepted)	W	8					1	3		2	1					1			
		C	4												1	1		1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1							1										
158	Other diseases of the organs of locomotion	C	1												1					
	XI.—Malformations	White	90	85		2	2				1									
		Colored	33	28			1	1	1		1			1						
159a	Congenital hydrocephalus	W	9	8		1														
		C	9	7			1	1												
159b	Congenital malformations of the heart	W	46	44			2													
		C	9	7							1			1						
159c	Other congenital malformations	W	35	33		1					1									
		C	15	14					1											
	XII.—Early infancy	White	620	620																
		Colored	780	780																
160	Congenital debility, icterus, sclerema	W	78	78																
		C	162	162																
161a	Premature birth	W	445	445																
		C	537	537																
161b	Injury at birth	W	60	60																
		C	37	37																
162	Other diseases peculiar to early infancy	W	37	37																
		C	41	41																
163	Lack of care	C	3	3																
164	XIII.—Old age (senility)	White	102														1	6	95	
		Colored	250													1	6	28	213	2
	XIV.—External causes	White	623	39	14	13	10	9	36	16	50	42	48	43	84	63	47	48	60	1
		Colored	687	23	26	16	20	16	50	43	78	75	55	52	95	62	27	17	30	2
	Suicide	W	73								1	1	10	4	16	18	11	10	2	
		C	15									1	3	4	3	2	2			
165	By poisons (gas or corrosives excepted)	W	4										1		2		1			
		C	1											1						
166	By corrosive substances	W	9											1	3	1	2	2		
		C	3										1		2					
167	By poisonous gas	W	3													2		1		
168	By hanging or strangulation	W	4												1	3				
169	By drowning	W	2										1			1				
170	By firearms	W	42								1	1	6	2	9	8	6	7	2	
		C	9									1	2	2	1	2	1			
171	By cutting or piercing instruments	W	7										1	1		3	2			
		C	1											1						
173	By crushing	C	1														1			
174	By other means	W	2										1		1					
	Homicide	W	56		1			1			5	10	7	11	10	7	1	2	1	
		C	148	3					1	2	26	23	27	21	27	11	3	2	2	
197	By firearms	W	42								4	9	6	7	8	6	1	1		
		C	109	1					1	1	16	16	22	16	21	9	3	2	1	
198	By cutting or piercing instruments	W	10		1			1			1	1		2	1	1		1	1	
		C	24							1	7	7	3	3	2	1				
199	By other means	W	4										1	2	1					
		C	15	2							3		2	2	4	1			1	
	Accidental, other, or undefined	W	494	39	13	13	10	8	36	16	44	31	31	28	58	38	35	36	57	1
		C	524	20	26	16	20	16	49	41	52	51	25	27	65	49	22	15	28	2
175	Poisoning by food	W	3		1	1												1		
		C	10		1				4				1		1	2	1			
176	Poisoning by venomous animals	W	2	1		1														
177	Other acute poisonings (gas excepted)	W	9	1	2	1	2						1		2					
		C	18		6	2	2	1	2	1			2		2					
178	Conflagration	W	2												1			1		
		C	19		3		4	1	2		1	1				2		1	4	
179	Burns (conflagration excepted)	W	62	6	4	6	4	2	12		2	3	4	3	5	4	1	2	4	
		C	101	6	8	11	9	9	20	10	5	3	2	4	4		3		7	
180	Mechanical suffocation	W	26	25			1													
		C	8	4						1	1				1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	W	1											1						
		C	5									1		1	1	1		1		
182	Drowning	W	23		2					2	5	3	3	1	5	1	1			
		C	50	1	5	1			2	8	10	5	1	1	8	4	1	2	1	
183	Traumatism by firearms (except in war)	W	26		1			1	3	1	7	2	1	3	3	3	1			
		C	30		1	1	2		4	5	6	6		3	1				1	
184	Traumatism by cutting or piercing instruments	W	7						2	2		1	1				1			
		C	4									1				1			2	
185	Traumatism by fall	W	78		1				2		1		1	3	4	2	5	11	48	
		C	20	2		1			3	1	1	1			3		4	1	3	
186b	Traumatism in quarries	C	1									1								
187	Traumatism by machines	W	8									1	1	2	1	1	2			
		C	20							2	2	7	2	2	2	2	1			
188a	Railroad accidents	W	32						1		3	2	4	3	4	5	4	4	2	
		C	22		1					1	2	2	2	2	5	3	1		3	
	Collision with automobiles	W	1										1							
		C	2									1			1					
	Other railroad accidents	W	31						1		3	2	3	3	4	5	4	4	2	
		C	20		1					1	2	1	2	2	4	3	1		3	
188b	Street-car accidents	W	2									1			1					
	Collision with automobiles	W	1									1								
	Other street-car accidents	W	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SOUTH CAROLINA—Continued																				
	XIV.—External causes—Continued.																			
	Accidental, other, or undefined—Con.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	154	1	1	2	3	4	12	6	21	16	11	8	26	18	14	8	2	1
		C	125	1			2	5	5	7	13	12	10	8	26	20	5	5	5	1
188d	Airplane and balloon accidents	W	1								1									
188e,f	Injuries by other vehicles	W	8						1	3			1			1		2		
		C	8				1			2		1		1		2		1		
188g	Landslide, other crushing	W	4								1		1				2			
		C	6	1							1	1	2	1						
189	Injuries by animals (not poisoning)	W	3														1	2		
		C	9						2	2	1	1			1	2				
193	Excessive cold	C	5						2							1		1		1
194	Excessive heat	C	1									1								
195	Lightning	W	7							1	1			1	2			2		
		C	12						2	1		1			3	2	2	1		
196	Other accidental electric shocks	W	5								1	1	2	1						
		C	6						1		1	2	1				1			
201	Fracture (cause not specified)	W	1															1		
		C	3												1	1	1			
202	Other external violence	W	30	5	1	2		1	3	1	1	1		2	4	3	3	2	1	
		C	41	5	1						8	4	2	4	6	5	2	2	2	
	XV.—Ill-defined diseases	White	250	114	7	3	1	2	5	3	2	1	2	2	14	17	13	30	33	1
		Colored	1,025	499	67	27	12	7	16	16	17	29	30	23	41	77	55	54	53	2
204	Sudden death	W	31	3	1						1				3	6	2	8	7	
		C	41	8		1				2	4		2	1	4	4	4	8	3	
205a	Ill-defined	W	70	17	3	1			4	2	1			1	6	4	5	14	11	1
		C	395	112	47	15	7	4	12	9	7	12	10	11	15	46	34	25	28	1
205b	Not specified or unknown	W	149	94	3	2	1	2	1	1		1	2	1	5	7	6	8	15	
		C	589	379	20	11	5	3	4	5	6	17	18	11	22	27	17	21	22	1
TENNESSEE																				
	All causes	White	20,549	2,943	677	342	208	157	426	339	564	704	699	672	1,554	1,927	2,341	3,414	3,540	42
		Colored	8,480	942	206	103	74	49	151	161	448	630	551	455	1,086	1,214	960	697	716	37
	I.—Epidemic, endemic, and infectious diseases	White	4,249	390	197	134	94	69	167	114	214	326	290	251	432	419	405	416	321	10
		Colored	2,217	155	82	44	35	20	64	92	219	326	236	178	280	227	122	73	55	9
1	Typhoid and paratyphoid fever	W	364	4	4	2	1	3	17	38	62	63	40	20	40	37	21	10	2	
		C	174	4	2	1	5	2	15	27	34	25	17	6	12	15	3	2	4	
5	Malaria	W	94	17	2	4	5	1	9	2	2	5	4	4	4	9	4	10	10	2
		C	62	5	3	3		1	2	4	4	6	2	1	5	12	4	6	3	1
6	Smallpox	W	2	1	1															
		C	1																1	
7	Measles	W	133	28	23	23	9	4	14	4	5	6	4	4	2	3	3	1		
		C	15	3	4	1	3		1	1		1	1							
8	Scarlet fever	W	49	3	6	5	4	4	16	5	2	2	2							
		C	1			1														
9	Whooping cough	W	263	150	49	27	12	7	15	2						1				
		C	97	46	28	5	9	5	4											
10	Diphtheria	W	166	10	26	26	38	20	37	6	1				1			1		
		C	38	4	1	9	4	4	6	6	2	1			1					
11a	Influenza (with pulmonary complications)	W	373	49	25	3	8	6	4	4	10	7	9	9	23	31	48	70	67	
		C	189	18	5	4	3	1	7	4	10	21	13	6	29	31	13	15	9	
11b	Influenza (other and unspecified)	W	252	15	7	7	3		3	2	7	9	4	5	12	24	21	49	83	1
		C	103	9	8	3	2		3	1	6	6	1	2	11	17	14	7	13	
15	Cholera nostras	W	10	1	4										1		1	2	1	
		C	2											1					1	
16	Dysentery	W	184	28	24	14	4	4	8	1	3		1	3	4	10	18	27	34	1
		C	50	8	11	4		1	2				1	1	2	5	8	4	3	
21	Erysipelas	W	43	15	1			1				3	2	1	4	2	5	4	5	
		C	7	2					1				1			2			1	
22	Acute anterior poliomyelitis	W	32	4	4	5	2	1	10	4	1							1		
		C	7	1		1	1		1	1			1		1					
23	Lethargic encephalitis	W	15			1		1	1	1					2	5	2	1	1	
		C	3			1								1			1			
24	Meningococcus meningitis	W	26	5	1	1	4	2	9	1				3						
		C	6	1						1	1		1		1		1			
25	Other epidemic and endemic diseases	W	7	3		1							2					1		
28	Rabies	W	7					1		4							2			
29	Tetanus	W	33	6		1		1	5	8	3	1	1	2	1	3			1	
		C	21	2			1		5	2		2			5	2	1	1		
30	Mycoses	W	1													1				
		C	1	1																
	Tuberculosis (all forms)	W	2,079	31	19	13	4	11	17	32	116	219	217	192	318	274	262	232	116	6
		C	1,260	12	18	11	7	6	17	45	155	253	180	143	175	118	65	29	19	7
31	Of the respiratory system	W	1,843	13	4	4		2	6	20	110	206	208	184	295	248	232	207	98	6
		C	1,121	11	10	5	6	3	9	40	134	238	164	136	157	110	54	25	14	5
32	Of the meninges, central nervous system	W	71	17	11	6	2	6	6	9	1	3	3		3	2	2			
		C	17	1	6	2	1	2	3				1				1			
33	Of the intestines, peritoneum	W	95		2	2			1	1	2	4	3	2	12	16	15	21	14	
		C	67			2			2	4	9	6	7	3	12	5	9	4	4	
34	Of the vertebral column	W	15	1	2		1		3			3		1	2		1	1		
		C	5								1	1		1	2					
35	Of the joints	W	5					2					1			1	1			
		C	4			1					1	1	1							
36	Of other organs	W	33				1		1	1	3		1	1	5	5	9	3	3	
		C	14			1				1	2	2	2	2	1	2	1			
37a	Disseminated (acute)	W	13			1		1		1		3		2	1	1	2		1	
		C	31		2			1	3		7	5	5	1	3	1			1	2
37b	Disseminated (chronic or unspecified)	W	4										1			1				
		C	1								1			2						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	I.—Epidemic, endemic, and infectious diseases.—Continued.																			
38	Syphilis	W	82	17		1			1			8	2	6	13	13	16	4	1	
		C	167	39	2						3	11	17	17	35	23	11	7	1	1
40	Gonococcus infection	W	8	1				1			1			1	3		1			
		C	7								3		1		1	2				
41	Purulent infection, septicemia	W	24	2				1	1		1	3	2	1	3	6	1	3		
		C	6								1				2		1	2		
42	Other infectious diseases	W	2		1										1					
	II.—General diseases not included in Class I	White	2,169	36	16	11	9	3	19	16	26	33	54	70	250	374	395	508	340	9
		Colored	603	12	4	1	4	2	5	3	17	24	38	28	111	130	105	70	47	2
	Cancer and other malignant tumors	W	1,240	1	4	2	3		6	5	6	3	18	30	122	230	232	327	247	4
		C	294				1		1		4	3	11	10	53	81	64	43	23	
43	Of the buccal cavity	W	40							1	1				2	4	10	8	14	
		C	4								1				1		1	1		
44	Of the stomach, liver	W	377			1			1				1	6	21	48	81	127	91	
		C	87								1		3	1	12	27	20	18	5	
45	Of the peritoneum, intestines, rectum	W	150		1				3	4			7	6	10	30	31	35	22	1
		C	27								1			2	5	7	3	5	4	
46	Of the female genital organs	W	207								1	2	6	8	40	58	42	38	10	2
		C	98									2	5	4	21	31	22	8	5	
47	Of the breast	W	122										1	2	17	38	25	22	16	1
		C	34										1	1	7	10	9	4	2	
48	Of the skin	W	87										1	1	2	7	4	30	42	
		C	5												2			2	1	
49	Of other or unspecified organs	W	257	1	3	1	3		2		4	1	2	7	30	45	39	67	52	
		C	39				1		1		1	1	2	2	5	6	9	5	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10			1	1							1			2	3	2	
		C	6						1						2	1	2			
51	Acute rheumatic fever	W	41						2	4	2	1	7	2		4	2	8	9	
		C	17					1		1	1	1			5	3		3	2	
52	Chronic rheumatism, osteoarthritis, gout	W	28									1	1	1	1	3	5	8	8	
		C	6												3	1			2	
53	Scurvy	W	1				1													
		C	2	2																
54	Pellagra	W	436		1	1		1	1	2	6	16	19	27	88	85	73	78	35	3
		C	168			1		1	1	1	9	17	19	15	29	25	23	15	12	
56	Rickets	W	1		1															
		C	6	5	1															
57	Diabetes mellitus	W	169	1	2	1		1	6	3	3	4	3	3	11	20	44	36	30	1
		C	49				1				1	2	2	1	10	10	11	4	7	
58a	Pernicious anemia	W	55	2			1				2	2	3		4	8	9	21	3	
		C	5				1									2	1	1		
58b	Other anemias and chlorosis	W	20	5	1						1	1	2	1	1		3	3	1	1
59	Diseases of the pituitary gland	C	1											1						
60a	Exophthalmic goiter	W	30											1	5	11	10	3		
		C	9										1	1	3	3		1		
60b	Other diseases of the thyroid gland	W	12				1				1				1	2	3	3	1	
		C	5								1					2	1			1
61	Diseases of the parathyroid glands	W	2		1				1											
62	Diseases of the thymus gland	W	9	7		1			1											
		C	1		1															
63	Diseases of the adrenals (Addison's disease)	W	4												2	1		1		
64	Diseases of the spleen	W	3						1						1		1			
65a	Leukemia	W	20		1		1	1		1	1	1	1		2	2	3	6		
		C	4							1		1	1				1			
65b	Hodgkin's disease	W	9		1	1								2	2		2	1		
		C	3						1				1		1					
66	Alcoholism (acute or chronic)	W	26								1	4		2	8	5	2	4		
		C	9										3		3		1	2		
67a	Chronic lead poisoning	W	3													1	2			
		C	1												1					
67b	Other chronic mineral poisoning	C	1													1				
68	Chronic poisoning by organic substances	W	6												1	1		2	2	
69	Other general diseases	W	44	20	4	4	1		1	1	3				1	1	2	4	2	
		C	16	5	2		1		1		1				1	1	1	1	1	1
	III.—Diseases of the nervous system and of the organs of special sense	White	1,846	64	21	15	6	11	31	23	17	19	32	37	94	192	305	507	471	1
		Colored	692	12	3	2	2	2	3	2	14	16	24	29	79	159	143	109	89	4
70	Encephalitis	W	25	1	5	1				1		2	2		2	2	2	6	1	
		C	5	1		1								2	1					
71a	Simple meningitis	W	64	16	4	8	2	1	7	3	3		3	3	4	5	3		2	
		C	11	1	2		1	1	1		2		1	1			1			
71b	Nonepidemic cerebrospinal meningitis	W	16	7	2	1	2		1	2	1									
		C	1												1					
72	Tabes dorsalis (locomotor ataxia)	W	25										1	2	2	4	6	8	2	
		C	3												1	1			1	
73	Other diseases of the spinal cord	W	59	3	1			1	2	1	1			2	3	3	12	16	14	
		C	37						1		1	1	1	1	4	10	6	9	3	
74a	Cerebral hemorrhage	W	1,083	5	2		1	1	1	1	2	5	4	9	35	123	215	357	321	1
		C	428								3	6	11	13	54	109	102	72	56	2
74b	Cerebral embolism and thrombosis	W	36					1		3		1	2	1	1	3	9	5	10	
		C	5								1			1	1		1	1		
75	Paralysis without specified cause	W	206		1				1	1		1	1		6	12	22	73	88	
		C	95								2	1	2	1	3	24	19	21	21	1
76	General paralysis of the insane	W	45											3	16	12	9	4	1	
		C	25									1	1	4	3	6	5	3	1	1
77	Other forms of mental alienation	W	44										5	4	5	10	6	9	5	
		C	19								1	3		2	4	2	4		3	
78	Epilepsy	W	48	1				1	1	4	4	4	8	6	4	5	1	5	4	
		C	19								2	2	7	2	2	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
79	Convulsions (nonpuerperal; 5 years and over)	W	3						1						1		1			
		C	5						1	1			1		2					
80	Infantile convulsions (under 5 years)	W	27	19	4	3		1												
		C	11	9		1		1												
81	Chorea	W	3						2	1										
82	Neuralgia and neuritis	W	5								1					1	2	1		
		C	3													1			2	
83	Softening of the brain	W	23										1				3	7	12	
84	Other diseases of the nervous system	W	85	4				2	6		2	2	2	4	14	12	12	14	11	
		C	18		1					1	1	2		1	3	2	3	2	2	
85	Diseases of the eye and annexa	W	3				1	1										1		
		C	1														1			
86a	Diseases of the ear	W	27	4	1	1		2	5	2	3	3	1	2	1		2			
		C	6	1			1				1			1		1		1		
86b	Diseases of the mastoid process	W	19	4	1	1			4	4		1	2	1				1		
	IV.—Diseases of the circulatory system	White	2,446	11	6	2	1	2	14	23	25	25	25	33	118	224	444	736	753	4
		Colored	1,032	1			2		4	1	13	17	33	37	149	238	223	164	145	5
87	Pericarditis	W	21	1					2			1			2	2	2	8	3	
		C	2														2			
88	Endocarditis and myocarditis (acute)	W	75	1	1				4	6	5	7	5	9	19	4	7	4	3	
		C	50				1		1		2	1	7	3	20	5	6	3	1	
89	Angina pectoris	W	225												14	30	49	79	53	
		C	16											1	1	6	3	2	3	
90	Other diseases of the heart	W	1,903	8	4	1	1	1	8	16	17	17	19	22	71	178	347	586	603	4
		C	888	1			1		3	1	11	15	24	31	121	211	200	143	121	5
91a	Aneurysm	W	13											1		1	7	2	2	
		C	14									1			3	5	4	1		
91b,c	Other diseases of the arteries	W	140												3	3	16	38	80	
		C	44										1		1	4	7	12	19	
92	Embolism and thrombosis (not cerebral)	W	37			1				1	2			1	5	2	10	10	5	
		C	6											1	3	1			1	
93	Diseases of the veins	W	8												3	1	1	2	1	
		C	6										1			2	1	2		
94	Diseases of the lymphatic system	W	5	1	1								1				2			
95	Hemorrhage without specified cause	W	9					1			1				1	2	1	3		
		C	3													2		1		
96	Other diseases of the circulatory system	W	10													1	2	4	3	
		C	3											1		2				
	V.—Diseases of the respiratory system	White	1,661	268	86	52	26	15	43	31	36	30	52	49	105	124	154	271	317	2
		Colored	732	154	44	19	13	6	20	10	34	47	40	32	74	85	59	53	41	1
97a	Diseases of the nasal fossae	W	10	4	1													1	3	1
97b	Diseases of the nasal fossae annexa	W	5										1	1		1	1		1	
98	Diseases of the larynx	W	9		1	1	2	2									1		2	
		C	1						1											
99a	Acute bronchitis	W	9	1		2	1									1		2	2	
		C	10						1		1		2	2	2	2				
99b	Chronic bronchitis	W	25							1						4	1	8	11	
		C	8	2									1	2	1	1			1	
99c,d	Bronchitis (unspecified)	W	16	3						1							1	2	9	
		C	13	2	1						1	5				2	1		1	
100a	Broncho-pneumonia	W	600	152	45	35	12	7	20	8	8	6	11	9	24	18	31	84	130	
		C	239	77	22	13	8	1	8	1	10	9	6	1	20	23	14	17	9	
100b	Capillary bronchitis	W	11	6	1							1				1	1		1	
		C	2	1					1											
101a	Lobar pneumonia	W	716	68	28	9	7	4	14	16	19	19	32	27	63	76	91	133	110	
		C	355	52	11	2	4	3	8	7	18	31	25	19	41	52	32	26	23	1
101b	Pneumonia (unspecified)	W	138	28	7	2	3	2	7	5	8	3	2	1	8	10	12	16	24	
		C	51	18	7	3	1	2	1	1	3			2	2	1	5	2	3	
102	Pleurisy	W	31	1	3	2					1			5	3	2	6	6	2	
		C	22		2						1	1	4	3	2	1	3	3	2	
103	Congestion and hemorrhagic infarct of the lung	W	25	2			1		1				2	1	1	1	2	4	9	1
		C	1			1														
104	Gangrene of the lung	W	3												1	1		1		
		C	1										1							
105	Asthma	W	33			1						1		3	5	8	2	5	8	
		C	18	1	1									2	4	3	2	3	2	
106	Pulmonary emphysema	W	3						1								1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	27	3									4	2		1	4	8	5	
		C	11	1						1		1	1	1	2		2	2		
	VI.—Diseases of the digestive system	White	1,842	420	258	83	37	16	54	45	45	43	53	33	110	148	144	197	154	2
		Colored	626	108	43	17	8	2	11	17	22	38	30	31	85	109	53	26	22	4
108	Diseases of the mouth and annexa	W	16	3					1			1			2	2	2	3	2	
		C	6											1	2		1	1	1	
109b	Other diseases of the pharynx, tonsils	W	54	4		1	3	2	5	8	4	4	5		6	6	3	3		
		C	28			1	1	1	4	3	3	6	1		2	4		2		
110	Diseases of the esophagus	W	1													1				
111a	Ulcer of the stomach	W	50								3	2	1	2	4	10	10	12	5	1
		C	26										1	1	13	9	2			
111b	Ulcer of the duodenum	W	23									2	2		5	9	1	4		
		C	8								1			2	2	2	1			
112	Other diseases of the stomach (cancer excepted)	W	130	35	9	5	1		2	1	2		2	3	5	10	8	24	23	
		C	110	3		1	1			4	4	6	7	5	21	30	14	5	6	3
113	Diarrhea and enteritis (under 2 years)	W	589	347	242															
		C	140	98	42															
114	Diarrhea and enteritis (2 years and over)	W	295			74	20	9	20	2	5	4	5	7	5	8	18	43	75	
		C	76			13	3		1		2	3	2	6	11	12	8	11	4	
116	Diseases due to other intestinal parasites	W	2				1				1									
		C	2			1	1													
117	Appendicitis and typhlitis	W	245	1	1		6	3	15	30	22	20	21	7	42	25	29	19	4	
		C	84				1	1	4	6	6	15	11	6	15	14	3	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
118a	Hernia	W	34	2						1			1	2	2	7	9	8	2	
		C	17	1								1	1	1	2	9	3			
118b	Intestinal obstruction	W	115	22	4	2	2	2	5	2	5	3	10	3	8	14	7	13	12	1
		C	46	3			1		1	3	1	2	3	6	10	7	3	2	3	1
119	Other diseases of the intestines	W	16	1	1		1		1		1			1	4		2	2	2	
		C	10	2								2		1		2	3			
120	Acute yellow atrophy of the liver	W	10									1				3	3	2	1	
121	Hydatid tumor of the liver	W	1											1						
122	Cirrhosis of the liver	W	71								2			1	6	11	17	21	13	
		C	23			1								1	3	6	8	1	3	
123	Biliary calculi	W	65										1		7	17	16	19	5	
		C	8										2			3	3			
124	Other diseases of the liver	W	84	2	1		2		1			2	4	3	8	18	18	17	8	
		C	24		1						1	2	2		2	8	2	1	5	
125	Diseases of the pancreas	W	8											1	3	1	1	2		
		C	1											1						
126	Peritonitis without specified cause	W	33	3		1	1		4	1		4	1	2	3	6		5	2	
		C	17	1					1	1	4	1	1		2	3	2	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,572	9	2	1	1	3	8	9	10	28	24	29	102	166	237	438	504	1
		Colored	760	3	2				1	4	13	20	22	26	126	142	157	113	126	5
128	Acute nephritis (including unspecified under 10 years)	W	70	6	2			1	6	4	3	1	2	6	4	5	6	15	9	
		C	78	1	1				1	1	3	6	3	3	15	24	11	3	6	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,232					1	1	5	4	11	11	13	62	132	201	374	416	1
		C	532	1						2	10	11	13	13	76	97	115	89	102	3
131	Other diseases of the kidneys and annexa	W	53	2		1	1	1	1			2	4	2	6	5	6	9	13	
		C	12	1											2	3	2	1	3	
132	Calculi of the urinary passages	W	14									1	2	1	1	3	3	2	1	
		C	3												1	1			1	
133	Diseases of the bladder	W	21									1	1		2	2	2	3	10	
		C	23							1			1		3	3	4	4	6	1
134	Diseases of the urethra, etc.	W	1														1			
		C	13									1	1		4	2	2	2	1	
135	Diseases of the prostate	W	102												2	2	13	33	52	
		C	42												1	5	18	11	7	
136	Nonvenereal diseases of the male genital organs	W	1	1																
		C	1															1		
137	Cysts, other benign tumors of the ovary	W	11									1			7	1	2			
		C	4												1	1	2			
138	Salpingitis and pelvic abscess (female)	W	27							2		8	1	3	8	4	1			
		C	21									2	3	5	7	2	2			
139	Benign tumors of the uterus	W	20											3	6	7	2	2		
		C	24										1	4	12	4	1	2		
140	Nonpuerperal uterine hemorrhage	W	3								1	1	1							
141	Other diseases of the female genital organs	W	17									2	2	1	4	5			3	
		C	6											1	4					1
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1		1															
	VIII.—The puerperal state	White	269							2	49	52	42	50	67	6				1
		Colored	119							2	36	25	21	12	22	1				
143	Accidents of pregnancy	W	19								2	2	4	6	5					
		C	8								1	6			1					
144	Puerperal hemorrhage	W	25								2	3	4	7	8	1				
		C	3										1	1	1					
145	Other accidents of labor	W	23								3	3	4	2	10	1				
		C	18								5	4	4	2	2	1				
146	Puerperal septicemia	W	109								23	25	17	22	18	3				1
		C	47								14	12	7	8	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	5								1		1	1	2					
		C	5										2	1	2					
148	Puerperal albuminuria and convulsions	W	87							2	18	19	12	12	23	1				
		C	36							2	16	3	6		9					
149	Following childbirth (undefined)	W	1												1					
		C	1										1							
150	Puerperal diseases of the breast	C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	54	6	2	1		1		3	2	2	2	1	3	4	7	5	15	
		Colored	17	1												5	4	1	6	
151	Gangrene	W	25	1	1	1		1		2					3		3	2	11	
		C	9													1	3		5	
152	Furuncle	W	12	1						1	1	2	1			1	3	2		
		C	2													1	1			
153	Acute abscess	W	7	1	1								1			3			1	
		C	2													2				
154	Other diseases of the skin and annexa	W	10	3							1			1			1	1	3	
		C	4	1												1		1	1	
	X.—Diseases of the bones and of the organs of locomotion	White	21		2	1	1	1	1	2	2	1	1	2	1	1	2	1	2	
		Colored	13			1			2		1		1		2	1	2	3		
155	Diseases of the bones (tuberculosis excepted)	W	13		1	1	1	1	1	1	2		1	1		1	1	1		
		C	7						2						1	1	2	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	4		1									1	1		1			
		C	6			1					1		1		1			2		
157	Amputations	W	2							1		1								
158	Other diseases of the organs of locomotion	W	2																2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	XI.—Malformations	White	163	147	5	1	1	3	3		3									
		Colored	19	16				1	2											
159a	Congenital hydrocephalus	W	11	8	2				1											
		C	5	4				1												
159b	Congenital malformations of the heart	W	75	67	2		1	1	1		3									
		C	7	5					2											
159c	Other congenital malformations	W	77	72	1	1		2	1											
		C	7	7																
	XII.—Early infancy	White	1,029	1,029																
		Colored	228	228																
160	Congenital debility, icterus, sclerema	W	166	166																
		C	35	35																
161a	Premature birth	W	694	694																
		C	155	155																
161b	Injury at birth	W	129	129																
		C	12	12																
162	Other diseases peculiar to early infancy	W	38	38																
		C	22	22																
163	Lack of care	W	2	2																
		C	4	4																
164	XIII.—Old age (senility)	White	330														3	40	286	1
		Colored	119													2	3	18	95	1
	XIV.—External causes	White	1,603	34	42	30	25	23	72	64	119	129	115	103	221	188	152	110	174	2
		Colored	669	17	7	9	6	13	34	21	63	95	81	63	124	59	37	22	15	3
	Suicide	W	178							1	6	17	14	11	33	50	31	7	8	
		C	19								2	3	1	2	3	4	2	1	1	
165	By poisons (gas or corrosives excepted)	W	13								1	3			2	3	1	1	2	
166	By corrosive substances	W	39								3	6	6	2	7	7	6	2		
		C	4									1	1	1		1				
167	By poisonous gas	W	9									2		2		2	3			
168	By hanging or strangulation	W	12												2	5	3		2	
		C	4									1					1	1	1	
169	By drowning	W	3									1				1	1			
		C	2								1					1				
170	By firearms	W	87							1	2	5	7	6	22	21	17	3	3	
		C	7									1		1	2	2	1			
171	By cutting or piercing instruments	W	11											1		8		1	1	
172	By jumping from high places	W	1													1				
		C	2								1				1					
173	By crushing	W	2										1			1				
174	By other means	W	1													1				
	Homicide	W	174					1			12	22	27	20	42	27	13	8	1	1
		C	259	1				1		4	27	54	41	35	70	16	7	1	1	1
197	By firearms	W	126								8	14	23	10	35	22	9	4	1	
		C	186							2	18	37	29	25	56	14	5			
198	By cutting or piercing instruments	W	19								3	4	2	5	3	1		1		
		C	55							2	7	14	9	9	11	2				1
199	By other means	W	29					1			1	4	2	5	4	4	4	3		1
		C	18	1				1			2	3	3	1	3		2	1		
	Accidental, other, or undefined	W	1,251	34	42	30	25	22	72	63	101	90	74	72	146	111	108	95	165	1
		C	391	16	7	9	6	12	34	17	34	38	39	26	51	39	28	20	13	2
175	Poisoning by food	W	20	5	1	3		3						1	3		1		3	
		C	4						1						1	1	1			
176	Poisoning by venomous animals	W	3	2										1						
177	Other acute poisonings (gas excepted)	W	29	1	6	2	1		1	1	1	1	2		4	3	2	3	1	
		C	6		1	3					1			1						
178	Conflagration	W	9	1		1			1	2			2						2	
		C	12	1		1		1	1			1	3		1	1	1	1		
179	Burns (conflagration excepted)	W	102	7	12	10	14	9	12	3	4	3	2	3	4	3	4	3	9	
		C	55	2	5	2	6	7	14	1		1	3	2	1	2	3	3	3	
180	Mechanical suffocation	W	7	4											2		1			
		C	7	7																
181	Absorption of irrespirable, irritating, or poisonous gas	W	11												2	2	4		1	
		C	2			1	1					2								
182	Drowning	W	74	1	3	1		2	8	11	14	10	10	2	6	2	4			
		C	42		1	1			2	4	13	3	6	4	3	2	2			1
183	Traumatism by firearms (except in war)	W	67		2	1		1	5	13	8	7	5	2	10	5	7	1		
		C	45					2	3	4	7	5	6	4	10		3			1
184	Traumatism by cutting or piercing instruments	W	16		2	1				2			2		3	2	2	1	1	
		C	2												1			1		
185	Traumatism by fall	W	221	4	2	2	1		6	2	3	6	1	2	9	12	18	46	106	1
		C	25	3					3	2	1	3	1	1	4	2	1	2	2	
186a	Traumatism in mines	W	20									3	3	5	8	1				
		C	2													2				
186b	Traumatism in quarries	W	2													2				
		C	4										1	2		1				
187	Traumatism by machines	W	30								3	3	4	3	8	1	6	2		
		C	7								2	1	2		1		1			
188a	Railroad accidents	W	106	1	1	1	1	1	5	4	17	14	8	11	13	12	7	7	3	
		C	37	1				1			3	8	4	1	6	6	3	4		
	Collision with automobiles	W	17				1		2		1	4	2	1	1	3	1	1		
		C	3	1				1							1					
	Other railroad accidents	W	89	1	1	1		1	3	4	16	10	6	10	12	9	6	6	3	
		C	34								3	8	4	1	5	6	3	4		
188b	Street-car accidents	W	11		1				1		2		1	2	2	2				
		C	5			1						1				2			1	
	Collision with automobiles	W	5								1		1	1	1	1				
	Other street-car accidents	W	6		1				1		1			1	1	1				
		C	5			1						1				2			1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	271	2	5	2	4	3	17	11	27	23	19	26	42	36	30	13	11	
		C	74						10	2	3	8	8	6	14	12	3	6	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TENNESSEE—Continued																			
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
188d	Airplane and balloon accidents W	4									2		1	1					
188e,f	Injuries by other vehicles W	31				2		3	6	4	1		2	1	4	2	6		
	C	8							3		1					1	2	1	
188g	Landslide, other crushing W	12										1		4	4	2	1		
	C	5								1				1	2	1			
189	Injuries by animals (not poisoning) W	12			1			1	1	2	2			1		3		1	
	C	3												2			1		
193	Excessive cold W	2												1		1			
	C	1																1	
194	Excessive heat W	3					1							1			1		
	C	6										1		2		2		1	
195	Lightning W	16					1		1		2		3	4	2	2	1		
	C	1								1									
196	Other accidental electric shocks W	25								5	4	6	5	2	2			1	
	C	6										2	2	1	1				
201	Fracture (cause not specified) W	29								2				1		3	4	19	
	C	2																2	
202	Other external violence W	118	6	7	4	1	1	12	6	9	8	8	4	14	16	9	6	7	
	C	30	2		1		1		1	2	4	2	3	3	5	6			
	XV.—Ill-defined diseases White	1,295	529	40	11	7	10	14	7	16	16	9	14	51	81	93	185	203	9
	Colored	634	235	21	10	4	3	5	9	16	22	25	19	34	56	52	45	75	3
204	Sudden death W	195	22	2	2		1	1	3	1	3	1	1	14	18	30	57	38	1
	C	47	11				1		1	1	1	2	2	3	5	9	5	6	
205a	Ill-defined W	172	34	10	1	3	2	4	3	4		1	2	8	18	21	36	24	1
	C	71	15	2	1	1		1	2	1	1		9	6	9	10	7	5	1
205b	Not specified or unknown W	928	473	28	8	4	7	9	1	11	13	7	11	29	45	42	92	141	7
	C	516	209	19	9	3	2	4	6	14	20	23	8	25	42	33	33	64	2
UTAH																			
	All causes	4,737	699	132	77	77	30	177	126	139	158	144	144	388	453	525	677	784	7
	I.—Epidemic, endemic, and infectious diseases	613	75	58	33	39	13	67	21	24	37	28	23	49	57	31	35	22	1
1	Typhoid and paratyphoid fever	18			1	2		1		2	2	1	1	1	2	3	2		
6	Smallpox	2							1	1									
7	Measles	114	23	28	17	13	3	22	4	3					1				
8	Scarlet fever	21		1	1	2	1	8	2	3	2	1							
9	Whooping cough	21	16	5															
10	Diphtheria	56		6	6	12	3	17	4	3	2		1	1	1				
11a	Influenza (with pulmonary complications)	54	5	1	2	2		2		2	4	4	1	7	7	4	7	6	
11b	Influenza (other and unspecified)	48	7	4	2	2	2	3	1		1	3	1	2	5	6	5	4	
16	Dysentery	3	3																
19	Spirochetal hemorrhagic jaundice	1										1							
21	Eyrsipelas	31	11		1	1		1		1	2								
22	Acute anterior poliomyelitis	22	3	2	1	2	1	6	2	1	3	1		1	6	1	2	4	
23	Lethargic encephalitis	3	1																
24	Meningococcus meningitis	18		2	1	1		1	2	1	4	3	1		1	1			
25	Other epidemic and endemic diseases	10	2	4				2							1	1			
27	Anthrax	1								1							1		
29	Tetanus	3						1	1	1									
	Tuberculosis (all forms)	143	1	4		2	3	2	2	1	15	11	16	29	24	12	14	6	1
31	Of the respiratory system	122		1		2		1		1	14	10	14	27	23	11	11	6	1
32	Of the meninges, central nervous system	7	1	2			1	1	1					1					
33	Of the intestines, peritoneum	7		1			1		1			1	1		1		1		
34	Of the vertebral column	1					1												
35	Of the joints	1														1			
36	Of other organs	3											1				2		
37a	Disseminated (acute)	2									1			1					
38	Syphilis	21	2	1									1	7	5	1	3	1	
40	Gonococcus infection	10								3		2	1	1	2		1		
41	Purulent infection, septicemia	13	1		1			1	2	1	2	1			2	1		1	
	II.—General diseases not included in Class I	514	11			2	1	12	10	10	4	10	12	56	85	107	119	75	
	Cancer and other malignant tumors	330				1			2	2	1	5	6	31	56	77	88	61	
43	Of the buccal cavity	6													1	2	1	2	
44	Of the stomach, liver	140											1	8	19	33	47	32	
45	Of the peritoneum, intestines, rectum	36								1		2	1	5	5	11	7	4	
46	Of the female genital organs	36										1	1	2	18	6	7	1	
47	Of the breast	23												5	2	9	3	4	
48	Of the skin	9													2	3	3	4	
49	Of other or unspecified organs	80				1			2	1	1	2	3	11	11	14	20	14	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6	1				1					1	1	1			1		
51	Acute rheumatic fever	26				1		7	3	5	1			1	4		2	2	
52	Chronic rheumatism, osteoarthritis, gout	7											1		1	2	2	1	
54	Pellagra	1												1					
56	Rickets	1	1																
57	Diabetes mellitus	52						1		2	1	1	2	4	6	11	14	10	
58a	Pernicious anemia	16												3	4	5	4		
58b	Other anemias and chlorosis	1																1	
59	Diseases of the pituitary gland	1																	
60a	Exophthalmic goiter	22													1				
60b	Other diseases of the thyroid gland	7							1	1		1		5	7	6	3		
																	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	II.—General diseases not included in Class I—Continued.																		
62	Diseases of the thymus gland	2	2																
63	Diseases of the adrenals (Addison's disease)	5									1		1	2	1				
64	Diseases of the spleen	1										1							
65a	Leukemia	12	1					1	4					2	1	1	2		
65b	Hodgkin's disease	5												1	2	2			
66	Alcoholism (acute or chronic)	8											1	4	2		1		
69	Other general diseases	11	6					3						1		1			
	III.—Diseases of the nervous system and of the organs of special sense	427	18	4	1	6	1	7	11	8	6	6	9	18	44	72	115	99	2
70	Encephalitis	8	2						1		1		1			1	2		
71a	Simple meningitis	12	3	3	1	1			2						1	1			
71b	Nonepidemic cerebrospinal meningitis	2				1		1											
72	Tabes dorsalis (locomotor ataxia)	2												2					
73	Other diseases of the spinal cord	8				1		1	1						2	1	2		
74a	Cerebral hemorrhage	273						1	1		2	2	4	4	30	53	94	82	
74b	Cerebral embolism and thrombosis	14										1				2	5	6	
75	Paralysis without specified cause	8											1	1	1	1	1	3	
76	General paralysis of the insane	16												5	4	5		1	1
77	Other forms of mental alienation	11								2			1		1	2	3	1	1
78	Epilepsy	9							1		1	1	2			1	2	1	
80	Infantile convulsions (under 5 years)	7	6			1													
81	Chorea	1									1								
82	Neuralgia and neuritis	1																1	
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	30	2					1	1	3	1	2		3	5	3	6	3	
86a	Diseases of the ear	12	4		2	1			3					1		1			
86b	Diseases of the mastoid process	12	1	1				3	1	3				2		1			
	IV.—Diseases of the circulatory system	769	3	3	1	1	2	13	24	24	15	14	14	57	66	112	183	236	1
87	Pericarditis	2													1			1	
88	Endocarditis and myocarditis (acute)	40			1	1	1	1	4	4	2	4	1	9	2	3	3	4	
89	Angina pectoris	58								1			1	4	9	9	17	12	
90	Other diseases of the heart	620	2	1				11	20	19	13	9	11	37	51	96	151	198	1
91a	Aneurysm	4						1								1	2		
91b,c	Other diseases of the arteries	22											1			1	7	13	
92	Embolism and thrombosis (not cerebral)	20	1									1		5	3	1	3	6	
93	Diseases of the veins	2												1		1			
94	Diseases of the lymphatic system	3		2			1												
96	Other diseases of the circulatory system	3												1				2	
	V.—Diseases of the respiratory system	447	81	28	20	7	3	15	8	9	13	7	11	29	40	44	46	86	
97a	Diseases of the nasal fossae	1									1								
97b	Diseases of the nasal fossae annexa	6	1					1			2		1	1					
98	Diseases of the larynx	6			4	1				1									
99a	Acute bronchitis	3	2														1		
99b	Chronic bronchitis	10									1				1		1	7	
99c,d	Bronchitis (unspecified)	2																2	
100a	Broncho-pneumonia	141	52	16	7	2		2	2	1	1	1		1	5	8	13	30	
100b	Capillary bronchitis	2	1	1															
101a	Lobar pneumonia	205	15	9	8	3	3	9	6	4	5	4	10	23	22	26	24	34	
101b	Pneumonia (unspecified)	26	8	2	1	1		1		2	2	1			1	2		5	
102	Pleurisy	19	2					2		1	1	1		3	3	2	2	2	
103	Congestion and hemorrhagic infarct of the lung	6														2	1	3	
105	Asthma	9													2	2	2	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	11												1	6	2	2		
	VI.—Diseases of the digestive system	411	54	16	4	13	2	28	21	18	19	17	15	39	48	51	42	24	
108	Diseases of the mouth and annexa	5	1						1					1	1	1			
109b	Other diseases of the pharynx, tonsils	36	3	1	3	4		10	1	1	2	3	1	3	2		2		
110	Diseases of the esophagus	1						1											
111a	Ulcer of the stomach	28								1	1	1	3	4	7	7	1	3	
111b	Ulcer of the duodenum	8													3	3	2		
112	Other diseases of the stomach (cancer excepted)	7	3		1											1		2	
113	Diarrhea and enteritis (under 2 years)	45	33	12															
114	Diarrhea and enteritis (2 years and over)	19				5			2		1		1		3	3	1	3	
117	Appendicitis and typhlitis	117				2	2	13	17	12	12	7	6	14	17	11	4		
118a	Hernia	29	2	1								1	1	3	3	6	7	5	
118b	Intestinal obstruction	42	11	2		1		1		2	1		2	7	3	1	7	4	
119	Other diseases of the intestines	4						1							1	1		1	
120	Acute yellow atrophy of the liver	4									1	1	1				1		
122	Cirrhosis of the liver	22								1		1		1	3	6	8	2	
123	Biliary calculi	11										1		2	3	4	1		
124	Other diseases of the liver	23						1		1				2	2	6	7	4	
125	Diseases of the pancreas	2				1								1					
126	Peritonitis without specified cause	8	1					1			1	2		1		1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	383	5	2				3	6	7	9	10	8	26	46	55	90	116	
128	Acute nephritis (including unspecified under 10 years)	15	2	1				2	1					1	2	2	1	3	
129	Chronic nephritis (including unspecified 10 years and over)	286						1	4	6	8	3	8	18	36	45	66	91	
131	Other diseases of the kidneys and annexa	16	2	1					1	1		4			1	1	3	2	
132	Calculi of the urinary passages	3												2			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
133	Diseases of the bladder	5													1			4	
135	Diseases of the prostate	41													2	5	18	16	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	3														2	1		
138	Salpingitis and pelvic abscess (female)	6									1	2		2	1				
139	Benign tumors of the uterus	4												2	2				
141	Other diseases of the female genital organs	3										1		1	1				
	VIII.—The puerperal state	97								12	13	27	13	31	1				
143	Accidents of pregnancy	8								1		4		3					
144	Puerperal hemorrhage	11								2	1	2	3	3					
145	Other accidents of labor	11										3	1	7					
146	Puerperal septicemia	42								5	5	10	8	14					
147	Puerperal phlegmasia alba dolens, embolus, etc	4									2	2							
148	Puerperal albuminuria and convulsions	21								4	5	6	1	4	1				
	IX.—Diseases of the skin and of the cellular tissue	9	2			1		1						1		1	1	2	
151	Gangrene	5				1								1		1		2	
154	Other diseases of the skin and annexa	4	2					1									1		
	X.—Diseases of the bones and of the organs of locomotion	7		1				1	2		1		1				1		
155	Diseases of the bones (tuberculosis excepted)	7		1				1	2		1		1				1		
	XI.—Malformations	70	65	1	1						3								
159a	Congenital hydrocephalus	5	5																
159b	Congenital malformations of the heart	47	42	1	1						3								
159c	Other congenital malformations	18	18																
	XII.—Early infancy	342	342																
160	Congenital debility, icterus, sclerema	17	17																
161a	Premature birth	250	250																
161b	Injury at birth	60	60																
162	Other diseases peculiar to early infancy	15	15																
164	XIII.—Old age (senility)	79														2	4	72	1
	XIV.—External causes	453	6	15	17	8	7	28	23	26	36	24	33	75	55	37	28	34	1
	Suicide	50									3	4	3	14	14	9	3		
165	By poisons (gas or corrosives excepted)	3									1				2				
166	By corrosive substances	6										3		2		1			
167	By poisonous gas	3												1	1	1			
168	By hanging or strangulation	7												1	3	3			
169	By drowning	2												1		1			
170	By firearms	23									2	1	3	7	5	3	2		
171	By cutting or piercing instruments	4												1	3				
172	By jumping from high places	1												1					
174	By other means	1															1		
	Homicide	13								1		1	1	6	2	1	1		
197	By firearms	8										1	1	3	1	1	1		
198	By cutting or piercing instruments	2								1				1					
199	By other means	3												2	1				
	Accidental, other, or undefined	390	6	15	17	8	7	28	23	25	33	19	29	55	39	27	24	34	1
175	Poisoning by food	3	1										1			1			
176	Poisoning by venomous animals	1															1		
177	Other acute poisonings (gas excepted)	10		1	2					1	2	2	2						
178	Conflagration	2														1		1	
179	Burns (conflagration excepted)	22		2	8	3	2	1			2			1	1		2		
180	Mechanical suffocation	6	2						3		1								
181	Absorption of irrespirable, irritating, or poisonous gas	5										1	1		1	1	1		
182	Drowning	25		7	2	3		2	2	1	1	1	1	1	1	2	1		
183	Traumatism by firearms (except in war)	21						2	2	7	2	1	3	2	1	1			
184	Traumatism by cutting or piercing instruments	6	1	1	1						1		1	1					
185	Traumatism by fall	50						3	2	2	1	1	2	4	1	7	7	20	
186a	Traumatism in mines	48								1	7	3	10	22	3	2			
187	Traumatism by machines	4							1					2	1				
188a	Railroad accidents	24			1					2	4	2	2	6	5	1			1
	Collision with automobiles	3								1	2								
	Other railroad accidents	21			1					1	2	2	2	6	5	1			1
188b	Street-car accidents	15						2		3		1	2		2	1	2	2	
	Collision with automobiles	6								2		1	2		1				
	Other street-car accidents	9						2		1					1	1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	79	1			2	3	13	7	6	6	2	3	13	10	3	6	4	
188e,f	Injuries by other vehicles	8										2			1	2	1	2	
188g	Landslide, other crushing	13					1	2	1		2	1	1	1	2	1	1		
189	Injuries by animals (not poisoning)	5						2	2							1			
193	Excessive cold	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	XIV.—External causes—Continued.																		
	Accidental, other, or undefined—Con.																		
194	Excessive heat	1													1				
195	Lightning	3										1		1		1			
196	Other accidental electric shocks	3									2				1				
201	Fracture (cause not specified)	10		1				1				1			3	1	1	2	
202	Other external violence	25	1	3	3		1		3	2	2			1	5	1		3	
	XV.—Ill-defined diseases	116	37	4			1	2		1	2	1	5	7	11	13	13	18	1
204	Sudden death	4														2	2		
205a	Ill-defined	75	17	3			1	1			2		5	5	11	9	9	11	1
205b	Not specified or unknown	37	20	1				1		1		1		2		2	2	7	
	VERMONT																		
	All causes	4,882	490	58	30	23	23	69	50	77	93	91	115	260	425	670	1,075	1,333	
	I.—Epidemic, endemic, and infectious diseases	528	61	19	8	10	8	16	10	21	32	26	29	54	67	60	49	58	
1	Typhoid and paratyphoid fever	11							1	2	2	2	2	2					
5	Malaria	1																1	
7	Measles	35	8	7	2	2	4	4	1	1		1		1	2		2		
8	Scarlet fever	11			1	1		3	1	1		1	1	1	1				
9	Whooping cough	40	33	5	1				1										
10	Diphtheria	9					1	3	1	1	2		1						
11a	Influenza (with pulmonary complications)	75	6	3	1	3		1	1	1	2	1	4	2	8	11	13	18	
11b	Influenza (other and unspecified)	59	7		1		1	1	2		1	1	1	2	4	3	6	29	
13	Mumps	2								1								1	
16	Dysentery	2	1											1					
21	Erysipelas	6	2	1											1	1		1	
22	Acute anterior poliomyelitis	4					1					1	1	1					
23	Lethargic encephalitis	3												1			1	1	
24	Meningococcus meningitis	2		1		1													
25	Other epidemic and endemic diseases	2								1					1				
29	Tetanus	2	1															1	
	Tuberculosis (all forms)	247	3	2	2	1	1	3	2	11	25	19	18	41	43	43	27	6	
31	Of the respiratory system	205			1			1	1	7	21	19	15	35	40	38	22	5	
32	Of the meninges, central nervous system	15	2	1	1	1	1	2		2	3			1		1			
33	Of the intestines, peritoneum	12								1			1	2	1	3	3	1	
34	Of the vertebral column	4							1		1		1				1		
35	Of the joints	1														1			
36	Of other organs	4											1	2			1		
37a	Disseminated (acute)	5	1	1						1				1	1				
37b	Disseminated (chronic or unspecified)	1													1				
38	Syphilis	8											1		6	1			
40	Gonococcus infection	5								2				2	1				
41	Purulent infection, septicemia	4				2		1								1			
	II.—General diseases not included in Class I	631	6		1		1	5	5	7	7	10	4	32	81	133	189	150	
	Cancer and other malignant tumors	464	1		1			1	2	2	2	5	3	22	57	100	144	124	
43	Of the buccal cavity	18													1	4	5	8	
44	Of the stomach, liver	147								1				4	14	38	52	38	
45	Of the peritoneum, intestines, rectum	82									1	1	1	5	12	17	30	15	
46	Of the female genital organs	54										2	1	3	14	16	8	10	
47	Of the breast	47											1	5	6	8	14	13	
48	Of the skin	17														1	7	9	
49	Of other or unspecified organs	99	1		1			1	2	1	1	2		5	10	16	28	31	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1														1			
51	Acute rheumatic fever	5					1		1						2		1		
52	Chronic rheumatism, osteoarthritis, gout	10												1		2	2	5	
54	Pellagra	1												1					
56	Rickets	2	2																
57	Diabetes mellitus	92						2	2	4	5	3		3	11	14	32	16	
58a	Pernicious anemia	15												1	2	3	6	3	
58b	Other anemias and chlorosis	3													1	1		1	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	14												2	2	7	2	1	
60b	Other diseases of the thyroid gland	5						1		1		1			1	1			
65a	Leukemia	3						1								2			
65b	Hodgkin's disease	5	1										1			2	1		
66	Alcoholism (acute or chronic)	8										1		2	4		1		
69	Other general diseases	2	2																
	III.—Diseases of the nervous system and of the organs of special sense	616	12	2	1	1	1	2	2	3	1	4	9	26	39	89	195	229	
70	Encephalitis	4	1							1					1	1			
71a	Simple meningitis	8	2	1	1	1	1									1		1	
71b	Nonepidemic cerebrospinal meningitis	2	1											1					
72	Tabes dorsalis (locomotor ataxia)	5														2	2	1	
73	Other diseases of the spinal cord	20										2		4	1	3	6	4	
74a	Cerebral hemorrhage	465											3	8	26	68	159	201	
74b	Cerebral embolism and thrombosis	25	1										1	1	1	2	7	12	
75	Paralysis without specified cause	8														1	5	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
76	General paralysis of the insane	21											2	7	5	5	2		
77	Other forms of mental alienation	4														3	1		
78	Epilepsy	16	1						1	2	1		3	2	5	1			
79	Convulsions (nonpuerperal; 5 years and over)	1							1										
80	Infantile convulsions (under 5 years)	4	4																
82	Neuralgia and neuritis	3														1	1	1	
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	21	1	1								2		2		1	9	5	
85	Diseases of the eye and annexa	1															1		
86a	Diseases of the ear	3						2						1					
86b	Diseases of the mastoid process	4	1														2	1	
	IV.—Diseases of the circulatory system	1,139	5	1	1	1	1	2	2	7	4	7	5	22	70	183	348	480	
87	Pericarditis	3							1								1	1	
88	Endocarditis and myocarditis (acute)	37	2	1	1	1		1		1	1	2	1	2	5	8	6	5	
89	Angina pectoris	117											1	5	7	31	42	31	
90	Other diseases of the heart	782	3				1	1	1	6	2	5	3	13	53	125	246	323	
91a	Aneurysm	4														1	2	1	
91b,c	Other diseases of the arteries	178												2	2	17	45	112	
92	Embolism and thrombosis (not cerebral)	13													2	1	5	5	
93	Diseases of the veins	4													1		1	2	
96	Other diseases of the circulatory system	1									1								
	V.—Diseases of the respiratory system	381	53	15	5	1	2	6	2	2	4	8	9	17	30	45	76	106	
97a	Diseases of the nasal fossae	1																1	
97b	Diseases of the nasal fossae annexa	2									1					1			
98	Diseases of the larynx	2		1														1	
99a	Acute bronchitis	14	2	1										1				10	
99b	Chronic bronchitis	16													1	2	3	10	
99c,d	Bronchitis (unspecified)	10	5		1												1	3	
100a	Broncho-pneumonia	117	33	7		1	1					1		2	4	10	21	37	
100b	Capillary bronchitis	7	6		1														
101a	Lobar pneumonia	166	5	4	4		1	4	2	2	3	3	8	8	21	24	42	35	
101b	Pneumonia (unspecified)	16	2	1				1				2	1	1		2	5	1	
102	Pleurisy	7		1								1		1	1	2	1		
103	Congestion and hemorrhagic infarct of the lung	7																7	
104	Gangrene of the lung	1													1				
105	Asthma	6												2	1	1	1	1	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	8										1		2	1	3	1		
	VI.—Diseases of the digestive system	299	40	9	6	4	1	10	10	7	9	9	12	29	40	33	43	37	
108	Diseases of the mouth and annexa	3						1							1			1	
109b	Other diseases of the pharynx, tonsils	15		1	1	1	1	1	1		2		3		3		1		
110	Diseases of the esophagus	2													1		1		
111a	Ulcer of the stomach	15										1		3	4	1	3	3	
111b	Ulcer of the duodenum	1																1	
112	Other diseases of the stomach (cancer excepted)	29	9	2	1			1				1		2	2	4	3	4	
113	Diarrhea and enteritis (under 2 years)	33	27	6															
114	Diarrhea and enteritis (2 years and over)	26			2	2					1	2			1	4	5	9	
117	Appendicitis and typhlitis	60			2	1		6	7	6	4	3	5	8	6	5	6	1	
118a	Hernia	14									1			1	3	4	3	2	
118b	Intestinal obstruction	31	4						1	1	1	2	2	5	4	4	3	4	
119	Other diseases of the intestines	5												2	1	1		1	
122	Cirrhosis of the liver	23												3	6	1	9	4	
123	Biliary calculi	17												5	2	4	3	3	
124	Other diseases of the liver	18											2		5	3	5	3	
125	Diseases of the pancreas	2													1	1			
126	Peritonitis without specified cause	5						1	1							1	1	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	429	3	1				1		4	6	5	4	26	44	80	110	145	
128	Acute nephritis (including unspecified under 10 years)	16	1	1							1	1	2		3	2	3	2	
129	Chronic nephritis (including unspecified 10 years and over)	360								3	3	4	1	17	37	70	100	125	
131	Other diseases of the kidneys and annexa	8	2											1	1	1	1	2	
132	Calculi of the urinary passages	3												1	1			1	
133	Diseases of the bladder	3																3	
135	Diseases of the prostate	20														5	5	10	
137	Cysts, other benign tumors of the ovary	2														1		1	
138	Salpingitis and pelvic abscess (female)	8						1		1	2			2	1	1			
139	Benign tumors of the uterus	7											1	4	1		1		
141	Other diseases of the female genital organs	2												1				1	
	VIII.—The puerperal state	51								3	13	5	15	14	1				
143	Accidents of pregnancy	9									2	1	5	1					
144	Puerperal hemorrhage	10									2	2	1	5					
145	Other accidents of labor	3								1			2						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	VIII.—The puerperal state—Contd.																		
146	Puerperal septicemia	15									4	1	3	6	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	1											1						
148	Puerperal albuminuria and convulsions	13								2	5	1	3	2					
	IX.—Diseases of the skin and of the cellular tissue	14	3							1				1	1	2	3	3	
151	Gangrene	5														1	1	3	
152	Furuncle	5	1							1				1			2		
153	Acute abscess	2	2																
154	Other diseases of the skin and annexa	2													1	1			
	X.—Diseases of the bones and of the organs of locomotion	3												1			1	1	
155	Diseases of the bones (tuberculosis excepted)	2															1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1					
	XI.—Malformations	60	52	3	1		2				1				1				
159a	Congenital hydrocephalus	8	5				2								1				
159b	Congenital malformations of the heart	37	33	3	1														
159c	Other congenital malformations	15	14								1								
	XII.—Early infancy	242	242																
160	Congenital debility, icterus, sclerema	19	19																
161a	Premature birth	153	153																
161b	Injury at birth	39	39																
162	Other diseases peculiar to early infancy	31	31																
164	XIII.—Old age (senility)	68														1	5	62	
	XIV.—External causes	410	8	8	7	6	7	27	19	22	16	17	28	38	51	41	56	59	
	Suicide	49								1	1	2	4	8	10	9	10	4	
165	By poisons (gas or corrosives excepted)	7									1		1		1		2	2	
166	By corrosive substances	5								1		1				2	1		
167	By poisonous gas	2												1	1				
168	By hanging or strangulation	12											2	4	1	2	2	1	
169	By drowning	4												1	1	1	1		
170	By firearms	17											1	2	5	4	4	1	
171	By cutting or piercing instruments	1													1				
174	By other means	1										1							
	Homicide	3	1										1		1				
197	By firearms	1											1						
199	By other means	2	1												1				
	Accidental, other, or undefined	358	7	8	7	6	7	27	19	21	15	15	23	30	40	32	46	55	
175	Poisoning by food	4				1		2			1								
177	Other acute poisonings (gas excepted)	3		1	1							1							
178	Conflagration	1								1									
179	Burns (conflagration excepted)	16	1	3	1	2	1	3						1	3			1	
180	Mechanical suffocation	5	3							1			1						
181	Absorption of irrespirable, irritating, or poisonous gas	2									1							1	
182	Drowning	75		4	1		1	13	11	7	2	3	5	3	10	9	5	1	
183	Traumatism by firearms (except in war)	6							1	2		1	1	1					
184	Traumatism by cutting or piercing instruments	2													1			1	
185	Traumatism by fall	93			1	1		1			1		1	2	5	12	24	45	
186b	Traumatism in quarries	9								1			1	3	3		1		
187	Traumatism by machines	8										1	3		1	2		1	
188a	Railroad accidents	28				1	2		2	2	2	3	3	6	2	2	3		
	Collision with automobiles	6				1	2		1	1							1		
	Other railroad accidents	22							1	1	2	3	3	6	2	2	2		
188b	Street-car accidents	1				1													
188c	Automobile accidents (excluding collision with railroad trains and street cars)	60			1		2	7	4	4	4	3	4	9	9	6	5	2	
188d	Airplane and balloon accidents	2										1		1					
188e,f	Injuries by other vehicles	8					1	1		1	1		1		2		1		
188g	Landslide, other crushing	3										1					2		
189	Injuries by animals (not poisoning)	4			1						1				1	1			
193	Excessive cold	3												1	1			1	
194	Excessive heat	1																1	
195	Lightning	1											1						
196	Other accidental electric shocks	6							1	1			2	1	1				
202	Other external violence	17	3		1					1	2	1		2	1		5	1	
	XV.—Ill-defined diseases	11	5													3		3	
204	Sudden death	2														2			
205a	Ill-defined	2	1															1	
205b	Not specified or unknown	7	4													1		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA																			
	All causes	White	17,503	2,551	398	228	149	125	326	251	416	454	446	457	1,152	1,567	2,064	3,230	3,673	16
		Colored	11,269	1,841	307	144	89	48	196	171	426	552	522	485	1,271	1,618	1,514	1,066	974	45
	I.—Epidemic, endemic, and infectious diseases	White	2,849	319	177	98	66	54	104	64	120	167	159	142	319	273	246	307	233	1
		Colored	2,493	309	103	61	28	22	74	75	241	291	261	173	316	226	156	79	73	5
1	Typhoid and paratyphoid fever	W	115	1	1			5	5	13	15	17	8	7	17	16	6	3	1	
		C	59			1		1	8	7	11	11	4	4	3	3	4	2		
2	Typhus fever	W	1							1										
		C	1						1											
5	Malaria	W	9						1		1						3	3	1	
		C	14						1	2	5		1		1	1	1	2		
6	Smallpox	W	4	2	1													1		
		C	1														1			
7	Measles	W	85	17	25	10	8	3	6	2	6	1		4	1	2				
		C	31	11	4	4	2	2	3	2	1	1			1					
8	Scarlet fever	W	27		1	8	1	5	6	2	1	2		1						
		C	2						1				1							
9	Whooping cough	W	244	122	63	32	9	5	11	2										
		C	207	118	47	18	9	4	7	2	2									
10	Diphtheria	W	118	14	14	21	22	18	23	3			1			1			1	
		C	36	6	3	2	2	6	9	5		1	1						1	
11a	Influenza (with pulmonary complications)	W	431	50	19	12	6	2	10	9	22	15	7	12	35	41	46	67	78	
		C	298	45	17	9	2	2	9	5	13	16	14	11	39	42	34	18	22	
11b	Influenza (other and unspecified)	W	209	36	6	3	5	2	9	6	6	3	4	1	9	11	18	37	52	1
		C	172	17	3	2	2	1	6	2	10	3	7	6	18	24	30	16	24	1
13	Mumps	W	1					1												
		C	1							1										
15	Cholera nostras	W	4		1									1				2		
16	Dysentery	W	115	27	26	7	6	4	4			1	2		2	5	2	9	20	
		C	86	33	9	4	2		3		1	4	3	1	3	8	2	6	7	
19	Spirochetal hemorrhagic jaundice	W	2						1						1					
21	Erysipelas	W	39	12								2	1		2	4	4	4	10	
		C	2													2				
22	Acute anterior poliomyelitis	W	24	7	1	3	3	2	4	1		1	1		1					
		C	9	1		2	1	1		1	1	1				1				
23	Lethargic encephalitis	W	23					1	3		2		1	1	4	2	3	6		
		C	3			1			1								1			
24	Meningococcus meningitis	W	15	3	2			1		1	2	1			4	1				
		C	7	2	1					1		1	1		1					
25	Other epidemic and endemic diseases	W	4			1				1					1				1	
		C	2													1	1			
28	Rabies	W	1					1												
29	Tetanus	W	14	2					2	6		1				1	1	1		
		C	16	2	1	1		1	1	3	3	1				2	1			
30	Mycoses	W	2	1														1		
		C	17	14	1								1			1				
	Tuberculosis (all forms)	W	1,251	13	15	1	6	3	17	15	61	120	130	112	216	172	151	158	61	
		C	1,284	14	14	16	6	4	23	43	179	235	208	133	194	110	60	27	16	2
31	Of the respiratory system	W	1,123	5	4		2	2	10	9	57	113	126	103	202	155	137	141	57	
		C	1,151	10	4	9	3	1	20	35	161	218	196	122	178	101	53	25	13	2
32	Of the meninges, central nervous system	W	32	6	8	1	2	1	5	3	1	1	1	1		2				
		C	31	3	6	5	2	2	1	2	2	2	1	1	2	1	1			
33	Of the intestines, peritoneum	W	42		2				1	1	2	2	1	4	4	6	5	11	3	
		C	58	1	2	1	1	1	2	1	4	12	6	6	8	7	3	1	2	
34	Of the vertebral column	W	11	1					1						3	1	2	3		
		C	9									2	2	1	1		2	1		
35	Of the joints	W	4										1				1	1	1	
		C	4							1	1		1					1		
36	Of other organs	W	18		1					1	1			2	3	5	3	2		
		C	9		1					2	3	1		1	1					
37a	Disseminated (acute)	W	13	1			2					4	1	1	2	1	1			
		C	19		1	1				1	8		2	1	3	1	1			
37b	Disseminated (chronic or unspecified)	W	8							1				1	2	2	2			
		C	3							1				1	1					
38	Syphilis	W	79	12	1				2	2	1	1	2		19	14	9	14	2	
		C	219	44	2	1	1			1	8	13	17	17	54	32	16	8	3	2
40	Gonococcus infection	W	9								2	2	2		2	1				
		C	19	1	1						7	4	2		2		2			
41	Purulent infection, septicemia	W	22		1			1			1			3	4	2	3	1	6	
		C	7	1			1		1				1	1			2			
42	Other infectious diseases	W	1												1					
	II.—General diseases not included in Class I	White	1,790	32	11	6	6	2	22	20	17	20	22	52	161	263	379	441	334	2
		Colored	652	10	2	6	2	1	4	7	13	18	17	34	99	154	149	85	51	
	Cancer and other malignant tumors	W	1,187		1	1	3		2	4	3	4	8	21	92	187	258	322	279	2
		C	380		1					1	2	5	5	16	61	97	95	63	34	
43	Of the buccal cavity	W	50											1	5	7	8	16	13	
		C	5												1	3		1		
44	Of the stomach, liver	W	380										2	3	14	45	84	133	99	
		C	136									1		4	14	26	39	33	19	
45	Of the peritoneum, intestines, rectum	W	125		1		1			1	1	1	1	1	11	17	25	37	28	
		C	37									2	3	3	2	4	11	7	5	
46	Of the female genital organs	W	197							1		2	1	8	29	46	50	36	23	1
		C	119									1	2	6	35	34	26	9	6	
47	Of the breast	W	129											2	15	43	34	14	21	
		C	34												5	16	11	2		
48	Of the skin	W	62											3	2	2	11	14	30	
		C	3												1		2			
49	Of other or unspecified organs	W	244			1	2		2	2	2	1	4	3	16	27	46	72	65	1
		C	46		1					1	2	1		3	3	14	6	11	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6												1	1			4	
		C	3								1				1	1				
51	Acute rheumatic fever	W	39				1		8	5				2	1	5	6	5	6	
		C	35						1	2	4	1	3	2	2	5	5	5	5	
52	Chronic rheumatism, osteoarthritis, gout	W	31												3	2	6	8	12	
		C	8												1	3	2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	II.—General diseases not included in Class I—Continued.																			
53	Scurvy	W	2	1					1											
		C	1	1																
54	Pellagra	W	105			1		1		1	4	2	6	10	21	19	14	21	5	
		C	51									6	4	7	10	13	9	2		
56	Rickets	W	4	1	3															
		C	5	2		3														
57	Diabetes mellitus	W	191		1				3	4	5	5	1	4	14	22	57	54	21	
		C	90	1					3		2	2	2	1	12	18	27	12	10	
58a	Pernicious anemia	W	46						1	1		5		1	2	8	13	12	3	
		C	11								1			1	1	3	4	1		
58b	Other anemias and chlorosis	W	12	2	2							1		1	2	2	1		1	
		C	4	1	1	1					1									
59	Diseases of the pituitary gland	W	1												1					
60a	Exophthalmic goiter	W	50								1	2	3	5	10	10	11	6	2	
		C	18							1		2	1	4	4	3	2	1		
60b	Other diseases of the thyroid gland	W	10	1		1				1	1				1			5		
		C	3							1				1					1	
61	Diseases of the parathyroid glands	C	1	1																
62	Diseases of the thymus gland	W	14	13			1													
63	Diseases of the adrenals (Addison's disease)	W	3											1	1		1			
65a	Leukemia	W	19	1	1	2	1	1	4	2	2				1	1		3		
		C	7				1	1		1						4				
65b	Hodgkin's disease	W	15		1					1	1	1	1		2	2	3	3		
		C	3							1			1		1					
66	Alcoholism (acute or chronic)	W	32										3	6	9	3	8	2	1	
		C	16								2	2	1	1	5	3	2			
67a	Chronic lead poisoning	W	1											1						
67b	Other chronic mineral poisoning	W	1														1			
69	Other general diseases	W	21	13	2	1			3	1						1				
		C	16	4		2	1							1	1	4	3			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,775	54	9	11	8	4	22	16	14	15	17	15	77	176	287	514	533	3
		Colored	1,180	55	12	3	4	1	11	9	8	11	16	23	119	279	291	191	138	9
70	Encephalitis	W	18	1		1		1	3	1	1	1	2		1	1	2	1	2	
		C	9			1			1	1			1	1	1	2	1			
71a	Simple meningitis	W	41	12	1	5	2	2	2	4	2	1		1	2		6		1	
		C	14	1	1	1	2		3		2	1				2	1			
71b	Nonepidemic cerebrospinal meningitis	W	15	8	2				2	2					1					
		C	4				1			1		1				1				
72	Tabes dorsalis (locomotor ataxia)	W	19													5	6	5	3	
		C	3											1	1		1			
73	Other diseases of the spinal cord	W	34							1		3			2	7	5	10	6	
		C	21							3					2	2	9	3	2	
74a	Cerebral hemorrhage	W	1,238	1					1		1	2	1	4	36	113	216	428	433	2
		C	888						1	2		2	4	11	87	241	253	163	116	8
74b	Cerebral embolism and thrombosis	W	34								2			1		1	7	10	13	
		C	6											1	2	2		1		
75	Paralysis without specified cause	W	91												3	9	15	31	33	
		C	75						1	1					5	14	19	20	15	
76	General paralysis of the insane	W	41											4	14	10	4	5	3	1
		C	12											1	3	4	2	1	1	
77	Other forms of mental alienation	W	30									2	3		3	6	3	6	7	
		C	24								2	1	4	4	5	3	1	2	2	
78	Epilepsy	W	42	2	1			1		1	6	1	5	4	4	9	2	3	3	
		C	24	2			1		3		3	3	3	2	5			1		1
79	Convulsions (nonpuerperal; 5 years and over)	W	2						2											
		C	3						2						1					
80	Infantile convulsions (under 5 years)	W	24	21	2	1														
		C	62	50	11	1														
81	Chorea	W	1						1											
82	Neuralgia and neuritis	W	8									1	1			1	1	2	2	
		C	1													1				
83	Softening of the brain	W	17													1		4	12	
84	Other diseases of the nervous system	W	70	1	1		1		5	2	1	2	3		10	9	14	7	14	
		C	24	1				1			1	3	4	1	5	4	3		1	
85	Diseases of the eye and annexa	W	3			1	1												1	
86a	Diseases of the ear	W	33	8	2	1	2		5	3	1	2	1			3	3	2		
		C	8	1						1				1	1	3	1			
86b	Diseases of the mastoid process	W	14			2	2		1	2			1	1	1	1	3			
		C	2												1				1	
	IV.—Diseases of the circulatory system	White	2,967	10	4	1	2	4	14	16	29	29	20	32	101	276	480	872	1,076	1
		Colored	1,760	6	4	2	2	1	3	5	22	21	39	58	246	381	390	318	257	5
87	Pericarditis	W	12		1					1	1	1	1				1	1	5	
		C	4												1	2			1	
88	Endocarditis and myocarditis (acute)	W	58	2	1		1		2	1	3	5	5	10	7	5	4	6	6	
		C	68	2		1	1	1	2	1	7	3	8	6	18	10	3	3	2	
89	Angina pectoris	W	270									1			6	40	80	100	43	
		C	77								1	2	1	1	16	27	14	10	5	
90	Other diseases of the heart	W	2,387	7	2	1	1	4	12	14	25	20	10	18	83	209	368	697	915	1
		C	1,457	4	3	1	1		1	4	14	16	28	42	193	310	346	267	222	5
91a	Aneurysm	W	29											1	2	9	10	3	4	
		C	36										1	6	11	13	4	1		
91b,c	Other diseases of the arteries	W	153											1		4	10	51	87	
		C	97												3	15	20	32	27	
92	Embolism and thrombosis (not cerebral)	W	35									2	3	2	3	6	3	8	8	
		C	10											1	4	3	2			
93	Diseases of the veins	W	6														3	2	1	
		C	2													1	1			
94	Diseases of the lymphatic system	W	3	1												1		1		
		C	3		1									2						
95	Hemorrhage without specified cause	W	1																1	
		C	3										1					2		
96	Other diseases of the circulatory system	W	13										1			2	1	3	6	
		C	3															3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	V.—Diseases of the respiratory system	White	1,176	204	48	30	22	13	26	17	29	22	20	22	65	102	106	189	260	1
		Colored	988	269	78	24	13	5	27	13	28	46	34	35	99	127	96	52	38	4
97a	Diseases of the nasal fossae	W	6	3												1			2	
		C	14	9	1	1	1												2	
97b	Diseases of the nasal fossae annexa	W	9					1	1		1			1	2	2	1			
		C	6						1		1	1	1		2					
98	Diseases of the larynx	W	6			2	1		2									1		
		C	3		1		1								1					
99a	Acute bronchitis	W	14	4	1		3											1	5	
		C	14	7	3	1					1					2				
99b	Chronic bronchitis	W	36	1	2							1					6	7	19	
		C	19									3			2	3	6	3	2	
99c,d	Bronchitis (unspecified)	W	17	7														1	9	
		C	19	5	1	1			2					1	3	2	3	1		
100a	Broncho-pneumonia	W	430	117	29	16	11	8	5	5	3	2	5	3	17	19	27	70	93	
		C	331	161	44	12	7	4	11	5	3	9	4	4	18	17	13	9	9	1
100b	Capillary bronchitis	W	4	3															1	
		C	5	1	1											2				1
101a	Lobar pneumonia	W	478	37	13	5	6	2	15	10	17	17	14	13	40	63	55	85	85	1
		C	438	44	19	3	4	1	11	8	18	31	28	27	62	76	58	31	16	1
101b	Pneumonia (unspecified)	W	75	25	1	3	1	1	2		4	2	1		1	4	6	9	15	
		C	67	35	5	5			1		2	1		1	1	7	2	3	3	1
102	Pleurisy	W	24	3		2			1	1	3			2	2	2	1	3	4	
		C	17	1	1				1		2				3	5	4			
103	Congestion and hemorrhagic infarct of the lung	W	29	3	1									1		1	4	4	15	
		C	19	2							1			2	1	6	3		4	
104	Gangrene of the lung	W	1												1					
		C	1													1				
105	Asthma	W	36	1	1	2					1			1	2	7	3	7	11	
		C	18	1		1									2	5	3	4	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	11					1		1				1		3	3	1	1	
		C	17	3	2							1	1		4	1	4	1		
	VI.—Diseases of the digestive system	White	1,204	324	108	39	22	17	37	23	26	14	33	28	80	108	95	119	131	
		Colored	829	298	56	27	13	3	16	18	17	24	20	23	82	98	69	37	24	4
108	Diseases of the mouth and annexa	W	12	3				1			2					3	2	1		
		C	9	4											2	1	2			
109a	Adenoid vegetations	W	1						1											
109b	Other diseases of the pharynx, tonsils	W	56	4	2	1	2	2	6	3	5		6	1	4	7	4	6	3	
		C	31	1	3					4	3	3	3	3	6	3	1		1	
111a	Ulcer of the stomach	W	36								1		2		3	8	11	5	6	
		C	46				1		1	1	1	1	4	2	8	10	13	3	1	
111b	Ulcer of the duodenum	W	28										2	1	9	4	5	6	1	
		C	7												3	1		3		
112	Other diseases of the stomach (cancer excepted)	W	71	12	2	3	2	1		1				3	2	6	7	11	21	
		C	70	13	3	2	1			1	2		2	3	13	14	7	5	4	
113	Diarrhea and enteritis (under 2 years)	W	374	283	91															
		C	318	270	48															
114	Diarrhea and enteritis (2 years and over)	W	123			31	15	9	3		1		1	2	7	5	5	12	32	
		C	97			24	9	1	6	2		3	2	3	11	14	9	8	3	2
116	Diseases due to other intestinal parasites	W	6		3				2	1										
		C	5	2	1		2													
117	Appendicitis and typhlitis	W	168		5	2	2	2	18	13	14	11	15	6	22	25	14	12	7	
		C	64					1	5	3	9	9	6	5	11	9	4	1	1	
118a	Hernia	W	37	1	1									1	6	5	7	5	11	
		C	24	1											2	7	5	2	6	1
118b	Intestinal obstruction	W	70	14	3	1	1	1	4	1	2	2	3	5	4	8	6	6	9	
		C	53	5	1	1			2	5		2	2	4	7	10	6	5	2	1
119	Other diseases of the intestines	W	20	5						2					1	3	1	3	5	
		C	11	1						1		1		1	1	1	1	1	3	
120	Acute yellow atrophy of the liver	W	7						1				2		3	1				
		C	2							1	1									
121	Hydatid tumor of the liver	W	1															1		
122	Cirrhosis of the liver	W	78						1		1			2	4	9	18	25	18	
		C	49									2		1	10	18	13	5		
123	Biliary calculi	W	42											1	7	11	6	11	6	
		C	6												2	1	1	1	1	
124	Other diseases of the liver	W	51	1				1						3	6	11	7	12	10	
		C	21									1	1	1	4	8	6			
125	Diseases of the pancreas	W	5													2		2	1	
126	Peritonitis without specified cause	W	18	1	1	1			1	2		1	2	3	2		2	1	1	
		C	16	1				1	2		1	2			2	1	1	3	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,896	11	4	6	3	3	15	8	14	16	22	15	89	186	306	579	617	2
		Colored	1,169	7	8	1	3	3	8	7	6	14	32	40	148	232	274	209	170	7
128	Acute nephritis (including unspecified under 10 years)	W	67	7	2	2	1	2	11	3	2	3	3	2	8	3	8	4	6	
		C	89	6	6	1	3		6	3	1	2	2	3	15	17	16	6	2	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,602			3	2	1	3	5	10	6	12	6	65	160	273	519	536	1
		C	957		1			1	2	4	2	7	20	30	112	190	237	191	153	7
131	Other diseases of the kidneys and annexa	W	66	4	1	1			1		1	3		2	4	8	8	16	17	
		C	26	1	1			2				1	2		1	7	6	1	4	
132	Calculi of the urinary passages	W	12									1		1	1	3	3	3		
		C	4												1	2	1			
133	Diseases of the bladder	W	16		1											1	2	5	7	
		C	10												1	2	3	1	3	
134	Diseases of the urethra, etc.	W	1																1	
		C	4												2	1	1			
135	Diseases of the prostate	W	86													3	5	30	47	1
		C	31													6	8	9	8	
137	Cysts, other benign tumors of the ovary	W	12										1	3	2	1	2	1	2	
		C	1												1					
138	Salpingitis and pelvic abscess (female)	W	15									3	5		3	3	1			
		C	16								3		4	3	1	1				
139	Benign tumors of the uterus	W	12										1		3	4	2	1	1	
		C	19									2	3	2	6	5		1		
140	Nonpuerperal uterine hemorrhage	C	2									1			1					
141	Other diseases of the female genital organs	W	7								1			1	3		2			
		C	10									1	1	1	5	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	VIII.—The puerperal state	White	196								20	28	35	46	65	2				
		Colored	162							2	23	30	34	33	39	1				
143	Accidents of pregnancy	W	19								1	2	4	6	6					
		C	22								2	7	4	4	5					
144	Puerperal hemorrhage	W	30								1	4	2	6	17					
		C	13									1	4	5	3					
145	Other accidents of labor	W	22								1	2	3	7	9					
		C	14								1	1	1	4	6	1				
146	Puerperal septicemia	W	78								8	11	21	17	20	1				
		C	58							1	8	13	13	14	9					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	2								1			1						
		C	4									2		1	1					
148	Puerperal albuminuria and convulsions	W	45								8	9	5	9	13	1				
		C	50							1	12	6	11	5	15					
149	Following childbirth (undefined)	C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	43	5						3	3	1			2	4	2	6	17	
		Colored	26	4							1		1		3	4	4	3	6	
151	Gangrene	W	23	1						1					1	1	1	4	14	
		C	15	1												3	3	2	6	
152	Furuncle	W	5								1				1	1	1		1	
		C	1												1					
153	Acute abscess	W	4	1							1	1				1				
		C	3								1		1		1					
154	Other diseases of the skin and annexa	W	11	3						2	1					1		2	2	
		C	7	3											1	1	1	1		
	X.—Diseases of the bones and of the organs of locomotion	White	16	1	1				2	3			1		1		2	4	1	
		Colored	10		1							2		1	2	2	1	1		
155	Diseases of the bones (tuberculosis excepted)	W	13	1	1				2	3			1		1		2	1	1	
		C	6									2			1	1	1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1															1		
		C	1											1						
158	Other diseases of the organs of locomotion	W	2															2		
		C	3		1										1	1				
	XI.—Malformations	White	203	184	7	3		2	3	3			1							
		Colored	49	40	1	1		1	4		1		1							
159a	Congenital hydrocephalus	W	19	16	1	1				1										
		C	7	3				1	1		1		1							
159b	Congenital malformations of the heart	W	109	99	2	1		2	3	2										
		C	29	26	1	1			1											
159c	Other congenital malformations	W	75	69	4	1							1							
		C	13	11					2											
	XII.—Early infancy	White	1,160	1,160																
		Colored	626	626																
160	Congenital debility, icterus, sclerema	W	171	171																
		C	181	181																
161a	Premature birth	W	750	750																
		C	340	340																
161b	Injury at birth	W	180	180																
		C	54	54																
162	Other diseases peculiar to early infancy	W	57	57																
		C	47	47																
163	Lack of care	W	2	2																
		C	4	4																
164	XIII.—Old age (senility)	White	299														5	35	259	
		Colored	196													1	3	28	163	1
	XIV.—External causes	White	1,508	37	16	27	19	23	75	75	141	140	113	102	174	155	127	112	166	6
		Colored	729	35	18	12	20	11	42	30	63	87	63	60	97	87	41	25	29	9
	Suicide	W	175							2	6	11	24	16	30	42	27	13	4	
		C	14									1	1	1	5	6				
165	By poisons (gas or corrosives excepted)	W	7									1	1		1	2	1		1	
166	By corrosive substances	W	22								1	3	6	3	3	3	2	1		
		C	2										1		1					
167	By poisonous gas	W	18									1		2	7	3	3	2		
168	By hanging or strangulation	W	18									1	1	2	3	5	4	1	1	
		C	3												1	2				
169	By drowning	W	8												1	3	2	2		
		C	2													2				
170	By firearms	W	89							2	5	5	14	9	11	22	15	5	1	
		C	5									1		1	3					
171	By cutting or piercing instruments	W	7										1		1	3		1	1	
		C	2													2				
172	By jumping from high places	W	2												1			1		
173	By crushing	W	1												1					
174	By other means	W	3										1		1	1				
	Homicide	W	132	4				1	2	1	12	14	17	16	27	18	14	2	3	1
		C	138	1				1	1		14	34	22	21	20	16	3	1		4
197	By firearms	W	99							1	10	9	11	15	24	16	8	2	2	1
		C	100						1		12	21	19	16	13	13	2	1		2
198	By cutting or piercing instruments	W	11								1	3	2	1			4			
		C	27								2	12	1	5	6					1
199	By other means	W	22	4				1	2		1	2	4		3	2	2		1	
		C	11	1				1				1	2		1	3	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
VIRGINIA—Continued																				
	XIV.—External causes—Continued.																			
	Accidental, other, or undefined	W	1,201	33	16	27	19	22	73	72	123	115	72	70	117	95	86	97	159	5
		C	577	34	18	12	20	10	41	30	49	52	40	38	72	65	38	24	29	5
175	Poisoning by food	W	14	2		2		1	2	1	1	1			1	2			1	
		C	10	2		1	1					1			2	2			1	
177	Other acute poisonings (gas excepted)	W	18	1	2	1		1	2			1	1		2	1	4			
		C	19	1	6	3	3		1				1	2	1	1				
178	Conflagration	W	31		1	1		1	4	1	2	6	2	2	2	1	4	4		
		C	37	4	1	2	5		10	2		1					4	2	6	
179	Burns (conflagration excepted)	W	107	9	7	16	11	8	15	7	5	2	1	4	3	5	1	3	10	
		C	73	2	8	5	7	6	8	2	4	4	2	1	3	8	3	5	5	
180	Mechanical suffocation	W	17	16											1					
		C	16	15										1						
181	Absorption of irrespirable, irritating, or poisonous gas	W	8							1			1	1	1	1	1		2	
		C	3											2				1		
182	Drowning	W	92		1		1		9	10	22	11	6	5	11	6	9	1		
		C	50						3	5	14	5	6	5	5	3	3	1		
183	Traumatism by firearms (except in war)	W	63			1	2		2	12	20	6	4	2	5	6	1	1		1
		C	47				2		8	11	9	7		2	5	2		1		
184	Traumatism by cutting or piercing instruments	W	11						2	3	2	1					2	1		
		C	4				1						1	1			1			
185	Traumatism by fall	W	230	1		3		2	2	3	9	4	2	5	7	7	17	40	128	
		C	47	5	1				1	1	3	7	3	1	3	6	6	4	6	
186a	Traumatism in mines	W	45								5	12	5	7	8	6	2			
		C	11										3		5	2	1			
186b	Traumatism in quarries	W	2												1	1				
187	Traumatism by machines	W	23						2		1	2	5	2	4	2	2	3		
		C	14								3	2	1	1	3	3	1			
188a	Railroad accidents	W	105						1	9	21	14	8	8	17	10	4	9	3	1
		C	45								2	5	4	7	8	9	4	1	2	3
	Collision with automobiles	W	24							3	7	2		4	6	1	1			
		C	7										1	2	1	2	1			
	Other railroad accidents	W	81						1	6	14	12	8	4	11	9	3	9	3	1
		C	38								2	5	3	5	7	7	3	1	2	3
188b	Street-car accidents	W	11		2						1	1	1			1	3	2		
		C	3										1		1	1				
	Collision with automobiles	C	1										1							
	Other street-car accidents	W	11		2						1	1	1			1	3	2		
		C	2												1	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	267	1	1	2	4	4	22	17	28	35	25	19	33	28	21	18	8	1
		C	109				1	4	7	5	12	7	14	6	18	17	9	4	4	1
188d	Airplane and balloon accidents	W	13									3	3	3	1	1				2
188e,f	Injuries by other vehicles	W	21					1	3		1	3	1	1	1	2	3	4	1	
		C	6							1					1	2	1		1	
188g	Landslide, other crushing	W	6									2	1		1	1	1			
		C	10						1			2	1	1	3	1		1		
189	Injuries by animals (not poisoning)	W	10							1				1		2	2	4		
		C	6									1			4				1	
193	Excessive cold	W	2					1					1							
		C	5	1									1			1		1		1
194	Excessive heat	W	5									1		1	1	2				
		C	5									1			2		2			
195	Lightning	W	8								1		1	3	1		2			
		C	3							1					1	1				
196	Other accidental electric shocks	W	17						1	2		4	3	1	5	1				
		C	2							1					1					
201	Fracture (cause not specified)	W	10								1	1			2	1	1	2	2	
		C	4									1			1	1			1	
202	Other external violence	W	65	3	2	1	1	3	6	5	3	5	1	3	9	8	6	5	4	
		C	48	4	2	1			2	1	2	8	2	8	5	5	3	3	2	
	XV.—Ill-defined diseases	White	421	210	13	7	1	3	6	3	3	2	3	3	18	22	29	52	46	
		Colored	400	182	24	7	4		7	5	3	8	4	5	21	26	40	38	25	1
204	Sudden death	W	61	10	1						1		1		6	8	7	16	11	
		C	59	11		1	1		1			1	1	1	9	5	13	11	3	1
205a	Ill-defined	W	114	37	8			1	2	2	1		1	1	4	8	13	23	13	
		C	119	36	14	2	1		5	4	1	4	1	1	9	10	17	8	6	
205b	Not specified or unknown	W	246	163	4	7	1	2	4	1	1	2	1	2	8	6	9	13	22	
		C	222	135	10	4	2		1	1	2	3	2	3	3	11	10	19	16	
WASHINGTON																				
	All causes		15,950	1,162	174	103	99	87	327	279	415	536	503	553	1,407	1,798	2,405	3,171	2,897	34
	I.—Epidemic, endemic, and infectious diseases		2,194	112	67	36	38	35	121	98	149	187	158	183	268	252	206	163	120	1
1	Typhoid and paratyphoid fever		32				1		3	5		7	4	4	4	3		1		
6	Smallpox		7	1						1	3		1			1				
7	Measles		56	15	6	8	5	3	8	2	3	1		1	2	2				
8	Scarlet fever		36	1	2	4	3	1	12	4	2	1	3	3						
9	Whooping cough		33	17	8	2		2	4											
10	Diphtheria		50	3	5	2	5	1	13	7	5	3	1	3			1	1		
11a	Influenza (with pulmonary complications)		275	19	9	4	2	10	6	10	13	5	11	18	28	34	28	41	37	
11b	Influenza (other and unspecified)		181	14	6	4	5	5	5	5	5	7	1	7	16	21	18	19	43	
13	Mumps		1	1																
16	Dysentery		9	1					2			1	1		1		1	1	1	
21	Erysipelas		31	11								1	1	1	3	2	3	4	5	
22	Acute anterior poliomyelitis		65	1	2	3	5	2	23	19	4	1	1	2	2					
23	Lethargic encephalitis		58	3	1	2		2		4	2	1	7	3	6	10	10	5	2	
24	Meningococcus meningitis		116	8	2	2	4	5	18	16	24	9	3	4	5	10	3	3		
25	Other epidemic and endemic diseases		4		1		1		2											
29	Tetanus		2												1			1		
30	Mycoses		2								1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (all forms)	1,053	11	25	5	7	4	23	25	83	138	114	123	176	125	105	65	24	
31	Of the respiratory system	877	4	5		3	1	11	18	66	122	104	111	160	110	85	54	23	
32	Of the meninges, central nervous system	56	6	14	3	1	2	6	5	6	3	2	2	3		2	1		
33	Of the intestines, peritoneum	50		2	1	1		2	2	5	6	2	7	7	6	6	3		
34	Of the vertebral column	21		2		1		2		2	2	4		3	2	3			
35	Of the joints	6								1	1					3	1		
36	Of other organs	26	1					1			2	1	2	3	4	5	6	1	
37a	Disseminated (acute)	16		2	1	1	1	1		3	2	1	1		2	1			
37b	Disseminated (chronic or unspecified)	1													1				
38	Syphilis	150	6					1		1	3	4	14	19	41	34	20	6	1
40	Gonococcus infection	22								3	7	5		4	2		1		
41	Purulent infection, septicemia	10						1			1	1		1		3	1	2	
42	Other infectious diseases	1													1				
	II.—General diseases not included in Class I	2,269	46	9	5	2	7	21	18	23	25	35	44	208	351	555	597	323	
	Cancer and other malignant tumors	1,537		1	2			7	5	7	5	18	17	150	250	389	439	247	
43	Of the buccal cavity	45										1		1	6	6	18	13	
44	Of the stomach, liver	630						3			2	4	2	39	91	154	217	118	
45	Of the peritoneum, intestines, rectum	206			1				1	1	1		4	16	23	59	69	31	
46	Of the female genital organs	196		1						1		5	3	39	61	41	35	10	
47	Of the breast	130								1			1	22	32	46	13	15	
48	Of the skin	32							1	2	1		1	2	3	8	6	8	
49	Of other or unspecified organs	298			1			4	3	2	1	8	6	31	34	75	81	52	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12		1				1	1	1					1	3	2	2	
51	Acute rheumatic fever	31						8	2	1	2	1	3	2	2	6	4		
52	Chronic rheumatism, osteoarthritis, gout	20									1		2	1	1	5	6	4	
54	Pellagra	1											1						
56	Rickets	4	3	1															
57	Diabetes mellitus	271		1			1	3	7	6	4	3	2	8	33	67	91	45	
58a	Pernicious anemia	85								1		1		4	13	29	27	10	
58b	Other anemias and chlorosis	8			1		1						1		1		3	1	
59	Diseases of the pituitary gland	2								1	1								
60a	Exophthalmic goiter	90								1	4	1	10	17	21	23	9	4	
60b	Other diseases of the thyroid gland	17							1		2	1	1	2	3	1	4	2	
61	Diseases of the parathyroid glands	2	1		1														
62	Diseases of the thymus gland	35	29	3			2		1										
63	Diseases of the adrenals (Addison's disease)	5										1		1	1	2			
64	Diseases of the spleen	3	1												1	1			
65a	Leukemia	50		1	1	2	2	1		3	4	3	1	10	4	9	4	5	
65b	Hodgkin's disease	17	1					1	1	1	2	3		2	1	3	2		
66	Alcoholism (acute or chronic)	52											3	10	19	14	4	2	
67a	Chronic lead poisoning	2										1				1			
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	2										1					1		
69	Other general diseases	22	11	1			1			1		1	3			2	1	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,843	31	7	3	4	1	16	20	17	25	19	35	101	218	333	511	496	6
70	Encephalitis	14	2						1	1	1	1		1	3	2		2	
71a	Simple meningitis	31	8	2		1		6	1	2	1	3	1	3	1	1	1		
71b	Nonepidemic cerebrospinal meningitis	8	3	2					1	1			1						
72	Tabes dorsalis (locomotor ataxia)	16												1	4	4	3	4	
73	Other diseases of the spinal cord	48					1	1	3		2		1	2	10	12	14	2	
74a	Cerebral hemorrhage	1,259	1						2	1	2		9	28	120	253	423	418	2
74b	Cerebral embolism and thrombosis	51							2				4	2	4	14	12	13	
75	Paralysis without specified cause	43											1	5		8	10	19	
76	General paralysis of the insane	116									1	1	9	37	38	17	7	4	2
77	Other forms of mental alienation	76									3		1	7	12	10	22	19	2
78	Epilepsy	39			1	1		1	3	4	8	5	4	4	3	1	4		
79	Convulsions (nonpuerperal; 5 years and over)	2						1										1	
80	Infantile convulsions (under 5 years)	12	10	2															
81	Chorea	2								2									
82	Neuralgia and neuritis	5												1		1	3		
83	Softening of the brain	5															1	4	
84	Other diseases of the nervous system	68	1		2	1		1		1	4	4	3	5	19	9	11	7	
85	Diseases of the eye and annexa	1							1										
86a	Diseases of the ear	24	4	1				5	1	3	1	3		3	2			1	
86b	Diseases of the mastoid process	23	2			1		1	5	2	2	2	1	2	2	1		2	
	IV.—Diseases of the circulatory system	3,213	5	1		1		16	12	17	30	28	36	155	327	600	996	985	4
87	Pericarditis	4	1										1	1			1		
88	Endocarditis and myocarditis (acute)	94	1			1		4	3	5	10	8	5	21	9	7	13	7	
89	Angina pectoris	271										1	2	7	46	74	86	55	
90	Other diseases of the heart	2,419	2					12	9	12	19	17	25	110	232	468	784	726	3
91a	Aneurysm	34										1	1	7	7	5	9	4	
91b,c	Other diseases of the arteries	317											1	2	13	29	90	181	1
92	Embolism and thrombosis (not cerebral)	58									1	1	1	5	12	15	13	10	
93	Diseases of the veins	9												1	5	2		1	
94	Diseases of the lymphatic system	2		1										1					
95	Hemorrhage without specified cause	3	1												2				
96	Other diseases of the circulatory system	2													1			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	V.—Diseases of the respiratory system	1,099	142	38	21	13	12	19	21	26	24	37	31	80	94	102	180	256	3
97a	Diseases of the nasal fossae	3	2															1	
97b	Diseases of the nasal fossae annexa	19	1								1	1	1	3	3				
98	Diseases of the larynx	2		1	1														
99a	Acute bronchitis	6	1													1	1	3	
99b	Chronic bronchitis	29												2	2	1	6	18	
99c,d	Bronchitis (unspecified)	13	2															11	
100a	Broncho-pneumonia	351	100	18	5	2	10	8	7	2	5	6	7	9	16	18	39	98	1
100b	Capillary bronchitis	2	2																
101a	Lobar pneumonia	555	22	17	14	9	2	7	9	22	17	25	19	49	64	75	110	93	1
101b	Pneumonia (unspecified)	32	9	1					2		1	1	2	6	3		2	5	
102	Pleurisy	29	2	1		1		4	1			3	1	5	2	2	5	2	
103	Congestion and hemorrhagic infarct of the lung	23	1						1						2	1	4	14	
104	Gangrene of the lung	1														1			
105	Asthma	28			1	1							1	3	2	2	7	10	1
107	Other diseases of the respiratory system (tuberculosis excepted)	15							1	2		1		3		1	6	1	
	VI.—Diseases of the digestive system	1,037	86	23	17	17	11	40	31	32	41	46	43	116	150	157	136	90	1
108	Diseases of the mouth and annexa	16	1		1			1		1	1		3	1		2	4	1	
109b	Other diseases of the pharynx, tonsils	68	5			5	6	10	5	2	3	8	1	6	7	4	2	4	
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	75										2	2	17	17	18	11	8	
111b	Ulcer of the duodenum	43									2	2	5	7	13	9	4	1	
112	Other diseases of the stomach (cancer excepted)	44	5						1		1			1	7	5	14	10	
113	Diarrhea and enteritis (under 2 years)	82	62	20															
114	Diarrhea and enteritis (2 years and over)	45			11	4	2	3	1		1	1	1	6	3	2	2	8	
117	Appendicitis and typhlitis	246	2	2	3	6	2	20	23	22	22	26	16	36	31	21	11	3	
118a	Hernia	57	1								2	1		4	11	11	16	11	
118b	Intestinal obstruction	104	8	1	1	1	1	2	1	5	3	3	10	10	16	18	15	9	
119	Other diseases of the intestines	11													4	2		4	1
120	Acute yellow atrophy of the liver	5						1				2			1		1		
122	Cirrhosis of the liver	69						1			2			5	8	25	19	9	
123	Biliary calculi	75								1	1		1	11	20	18	14	9	
124	Other diseases of the liver	72		1						1	1		4	10	12	16	17	10	
125	Diseases of the pancreas	8									1					3	3	1	
126	Peritonitis without specified cause	16	2			1		2			1	1		2		3	3	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,255	7	1			1	5	13	14	20	19	28	106	117	241	343	340	
128	Acute nephritis (including unspecified under 10 years)	42	2					1	5	5	2	3	4	7	3	2	6	2	
129	Chronic nephritis (including unspecified 10 years and over)	947	1				1	3	6	6	10	6	12	61	79	206	276	280	
131	Other diseases of the kidneys and annexa	48	2	1				1	1			1	2	8	5	11	9	7	
132	Calculi of the urinary passages	11											2		4	2	1	2	
133	Diseases of the bladder	14									1		1				6	6	
134	Diseases of the urethra, etc	6												1	1	2	1	1	
135	Diseases of the prostate	97													2	15	39	41	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	10										1	1	3	2		2	1	
138	Salpingitis and pelvic abscess (female)	28							1	2	4	3	4	9	5				
139	Benign tumors of the uterus	34									2	2	2	14	10	3	1		
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	14									1	3		3	5		2		
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1							1									
	VIII.—The puerperal state	155								13	32	31	31	44	4				
143	Accidents of pregnancy	20								3	1	4	5	6	1				
144	Puerperal hemorrhage	13								1	1	2	4	4	1				
145	Other accidents of labor	19									2	7	6	4					
146	Puerperal septicemia	54								6	11	10	9	17	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	8									1	3		4					
148	Puerperal albuminuria and convulsions	39								2	15	5	7	9	1				
149	Following childbirth (undefined)	2								1	1								
	IX.—Diseases of the skin and of the cellular tissue	50	9			1		1		1	3	3	1	3	8	6	3	11	
151	Gangrene	16									1			1	1	2	2	9	
152	Furuncle	10	1									3	1		4			1	
153	Acute abscess	11				1		1		1	2			1	2	2	1		
154	Other diseases of the skin and annexa	13	8											1	1	2		1	
	X.—Diseases of the bones and of the organs of locomotion	27						1	3	1	2		1	6	6	1	3	3	
155	Diseases of the bones (tuberculosis excepted)	22						1	2	1	2		1	5	5	1	2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3							1					1	1				
158	Other diseases of the organs of locomotion	2															1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	XI.—Malformations	160	139	7	4	3	1	2		1	2	1							
159a	Congenital hydrocephalus	19	10	3	3	1				1		1							
159b	Congenital malformations of the heart	92	84	2	1	1		2			2								
159c	Other congenital malformations	49	45	2		1	1												
	XII.—Early infancy	535	535																
160	Congenital debility, icterus, sclerema	57	57																
161a	Premature birth	334	334																
161b	Injury at birth	99	99																
162	Other diseases peculiar to early infancy	41	41																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	149														4	21	124	
	XIV.—External causes	1,861	27	19	17	19	19	83	61	119	144	125	119	315	263	187	194	134	16
	Suicide	310							2	5	18	22	23	71	66	43	42	12	6
165	By poisons (gas or corrosives excepted)	19								1	2	1		7	5	1	1	1	
166	By corrosive substances	22								1	2	6	4	3	2	4			
167	By poisonous gas	64									4	4	5	20	15	5	9	1	1
168	By hanging or strangulation	43							1		2	1	2	16	5	6	7	1	2
169	By drowning	22										3	2	5	3	4	4	1	
170	By firearms	114							1	3	8	6	9	13	29	19	16	7	3
171	By cutting or piercing instruments	16										1		6	4	3	2		
172	By jumping from high places	3											1		1			1	
173	By crushing	3													1		2		
174	By other means	4												1	1	1	1		
	Homicide	65		1				2	4	3	5	8	7	14	13	6	1		1
197	By firearms	41						1	3	2	4	3	7	9	9	2	1		
198	By cutting or piercing instruments	7		1				1	1			2		2					
199	By other means	17								1	1	3		3	4	4			1
	Accidental, other, or undefined	1,486	27	18	17	19	19	81	55	111	121	95	89	230	184	138	151	122	9
175	Poisoning by food	15		1				2	1	1	1	1		2	1	1	3	1	
176	Poisoning by venomous animals	2									1		1						
177	Other acute poisonings (gas excepted)	27	1	2	1					2			1	5	4	5	4	1	1
178	Conflagration	23	1		1	1	2	3	1	3	1	1		1	3	3	1	1	
179	Burns (conflagration excepted)	64	4	2	5	3	4	7	2	4	2	4	2	7	8	4	3	3	
180	Mechanical suffocation	17	14							1		1					1		
181	Absorption of irrespirable, irritating, or poisonous gas	40		1			1		2		3	1	5	8	7	6	4	2	
182	Drowning	177	1	4	4	2	3	15	20	21	22	11	13	33	11	10	3	1	3
183	Traumatism by firearms (except in war)	39				1		1	3	14	3	3	3	5	5	1			
184	Traumatism by cutting or piercing instruments	19					2	1				1		2	3	6	4		
185	Traumatism by fall	210	2		2			4	4	8	3	6	6	20	16	22	43	73	1
186a	Traumatism in mines	20									1	2	4	5	7		1		
187	Traumatism by machines	60						2		3	9	6	6	9	17	6	2		
188a	Railroad accidents	89					1	2		7	10	9	7	20	13	14	3	2	1
	Collision with automobiles	20					1	1		1	4	2	4	1	4			1	1
	Other railroad accidents	69						1		6	6	7	3	19	9	14	3	1	
188b	Street-car accidents	25										2	2	4	7	3	5	2	
	Collision with automobiles	9										1	2	2	1	1	2		
	Other street-car accidents	16										1		2	6	2	3	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	365	2	4	2	10	6	34	13	26	33	19	15	48	45	37	46	24	1
188d	Airplane and balloon accidents	9									3	4		2					
188e,f	Injuries by other vehicles	25				1		1	2	3	4	2	1	2	1	2	4	2	
188g	Landslide, other crushing	61						1	2	6	6	5	5	15	13	5	2	1	
189	Injuries by animals (not poisoning)	6				1		1							1	1	1	1	
192	Starvation (deprivation of food or water)	2													1	1			
193	Excessive cold	4													1		3		
194	Excessive heat	2										1				1			
195	Lightning	1														1			
196	Other accidental electric shocks	20						1		1		2	3	8	2	1	1	1	
201	Fracture (cause not specified)	3															2	1	
202	Other external violence	161	2	4	2			6	5	11	19	14	15	34	18	8	15	6	2
	XV.—Ill-defined diseases	103	23	2		1		2	2	2	1	1	1	5	8	13	24	15	3
204	Sudden death	18	4						1					1	1	3	7	1	
205a	Ill-defined	27	3	1						1				2	5	4	7	4	
205b	Not specified or unknown	58	16	1		1		2	1	1	1	1	1	2	2	6	10	10	3
	WEST VIRGINIA																		
	All causes	16,989	3,227	644	279	202	129	355	290	555	737	716	662	1,395	1,434	1,690	2,160	2,514	
	I.—Epidemic, endemic, and infectious diseases	2,866	405	180	107	65	60	121	98	184	247	233	193	292	210	171	159	141	
1	Typhoid and paratyphoid fever	224		3	1	2	1	8	26	41	40	34	19	26	10	8	4	1	
5	Malaria	1												1					
6	Smallpox	2									1							1	
7	Measles	91	26	25	8	6	5	12	3	3	1			1	1				
8	Scarlet fever	47	4	8	4	4	3	8	6		6	1	3						
9	Whooping cough	332	185	76	34	12	13	10			1						1		
10	Diphtheria	137	20	20	20	18	16	31	6	1	1	2	1	1					
11a	Influenza (with pulmonary complications)	253	39	9	11	5	4	6	3	5	4	7	16	24	15	25	40	40	
11b	Influenza (other and unspecified)	165	21	2	8	5	1	2	5	6	4	7	8	14	10	11	16	45	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
13	Mumps	3	2								1								
16	Dysentery	42	2	2	4	3	2	4	1		1	2	1	2	3	3	8	4	
21	Erysipelas	29	11					1	1	2	1		1	1	3	2	3	3	
22	Acute anterior poliomyelitis	44	5	8	4	3	3	12	7	1		1							
23	Lethargic encephalitis	12							2		2		2	2	3	1			
24	Meningococcus meningitis	25	7	5	1	2		3	2	2		1		2					
25	Other epidemic and endemic diseases	5	3					2											
28	Rabies	3						1	1	1									
29	Tetanus	24	2		1	1	1	2	4	5			1	5	1		1		
30	Mycoses	3												2	1				
	Tuberculosis (all forms)	1,247	20	20	9	4	11	17	31	113	177	165	131	184	139	104	79	43	
31	Of the respiratory system	1,074	5	10	1	1	2	8	20	104	161	147	123	167	121	90	74	40	
32	Of the meninges, central nervous system	57	12	8	6	3	4	6	4	2	3	4	1	2		2			
33	Of the intestines, peritoneum	55	2		1		3	2	2	4	6	7	3	7	9	6	2	1	
34	Of the vertebral column	16					2		2	2	3	2	1		1	1	2		
35	Of the joints	7							2		1			1	1	2			
36	Of other organs	16						1				1	1	4	6	1	1	1	
37a	Disseminated (acute)	20	1	2					1	1	3	4	2	3	1	2			
37b	Disseminated (chronic or unspecified)	2			1													1	
38	Syphilis	142	56	2	1					3	3	9	7	21	18	15	6	1	
40	Gonococcus infection	17	1								2	4	3	4	3				
41	Purulent infection, septicemia	17	1		1			2		1	1			2	3	2	1	3	
42	Other infectious diseases	1									1								
	II.—General diseases not included in Class I	1,485	42	2	4	7	5	13	16	14	24	21	43	151	269	319	355	200	
	Cancer and other malignant tumors	996		1	1	3	1	3	4	2	4	7	22	100	189	229	267	163	
43	Of the buccal cavity	37							1			1	2	2	3	9	12	7	
44	Of the stomach, liver	405											3	24	64	109	143	62	
45	Of the peritoneum, intestines, rectum	103				2	1				1	1	3	10	21	28	19	17	
46	Of the female genital organs	200										3	9	34	54	42	34	24	
47	Of the breast	94							1			1	3	15	21	20	25	8	
48	Of the skin	29												2	4	3	5	15	
49	Of other or unspecified organs	128		1	1	1		3	2	2	3	1	2	13	22	18	29	30	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1	1	1		2				
51	Acute rheumatic fever	35			1			2	7	1	2		2	3	2	7	5	3	
52	Chronic rheumatism, osteoarthritis, gout	12										1		1	3	1	5	1	
53	Scurvy	1	1																
54	Pellagra	5											1		1	2		1	
56	Rickets	5	4			1													
57	Diabetes mellitus	162			1		1	2	2	4	4	3	6	11	22	45	41	20	
58a	Pernicious anemia	59					1		1		2	1	1	6	16	10	17	4	
58b	Other anemias and chlorosis	6	1						2		1			1				1	
59	Diseases of the pituitary gland	1						1											
60a	Exophthalmic goiter	59								1	5	3	2	6	17	12	10	3	
60b	Other diseases of the thyroid gland	4											1	1		2			
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	15	11		1	2	1												
63	Diseases of the adrenals (Addison's disease)	2											1	1					
64	Diseases of the spleen	1								1									
65a	Leukemia	16	2	1		1		1		1	2	1		2	2	1	2		
65b	Hodgkin's disease	16					1	2		1	1	1	1	4	2			3	
66	Alcoholism (acute or chronic)	48									2	3	5	15	13	6	4		
68	Chronic poisoning by organic substances	3														2	1		
69	Other general diseases	33	22					2	1	2						2	3	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,421	67	14	10	8	2	22	14	13	23	20	29	75	132	227	354	411	
70	Encephalitis	17	4	2		1		3					1	1	2		1	2	
71a	Simple meningitis	41	14	4	4	2	1	3		1	2	1	2	2	3		1	1	
71b	Nonepidemic cerebrospinal meningitis	19	10	2	1	1		3		1					1				
72	Tabes dorsalis (locomotor ataxia)	12								1				1	2	3	3	2	
73	Other diseases of the spinal cord	36						1						4	4	8	9	10	
74a	Cerebral hemorrhage	889							1		2	4	8	36	80	163	273	322	
74b	Cerebral embolism and thrombosis	20	1								1	1	2		4	6	2	3	
75	Paralysis without specified cause	118							1		1	1		2	9	16	40	48	
76	General paralysis of the insane	33												7	8	7	6	5	
77	Other forms of mental alienation	29									6	1	4	9	3	1	2	3	
78	Epilepsy	48			1			1	3	3	10	8	6	5	4	3	3	1	
79	Convulsions (nonpuerperal; 5 years and over)	1							1										
80	Infantile convulsions (under 5 years)	32	27	2	1	2													
82	Neuralgia and neuritis	10											1			1	5	3	
83	Softening of the brain	7													1			6	
84	Other diseases of the nervous system	54		1		2		2		4		2	2	7	6	16	7	5	
85	Diseases of the eye and annexa	5			1			1							1	2			
86a	Diseases of the ear	32	9	2	2			4	4	2		2	2		3	1	1		
86b	Diseases of the mastoid process	18	2	1			1	4	4	1	1		1	1	1		1		
	IV.—Diseases of the circulatory system	2,107	7	1	2	2	2	10	19	23	29	35	49	136	249	395	538	610	
87	Pericarditis	10						1		1	1			2		3	2		
88	Endocarditis and myocarditis (acute)	84	3		2		2	8	4	9	7	8	10	19	5		4	3	
89	Angina pectoris	125							1	2	1			6	16	33	47	19	
90	Other diseases of the heart	1,693	4			2		1	14	11	20	27	35	98	210	338	436	502	
91a	Aneurysm	16											1	5	4	4		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	IV.—Diseases of the circulatory system—Continued.																		
91b,c	Other diseases of the arteries	137												2	7	16	35	77	
92	Embolism and thrombosis (not cerebral)	34		1									1	4	7	5	11	5	
93	Diseases of the veins	5											1			1	1	2	
94	Diseases of the lymphatic system	1															1		
96	Other diseases of the circulatory system	2											1				1		
	V.—Diseases of the respiratory system	1,246	314	102	37	27	11	32	11	37	29	33	33	84	74	85	129	208	
97a	Diseases of the nasal fossae	4	2			1												1	
97b	Diseases of the nasal fossae annexa	13						1	1	1	2	1		3		4			
98	Diseases of the larynx	10	3	1		2		2								1		1	
99a	Acute bronchitis	10	4												1	1	1	3	
99b	Chronic bronchitis	11													2		2	7	
99c,d	Bronchitis (unspecified)	17	1	2													4	10	
100a	Broncho-pneumonia	483	193	67	21	13	4	7	2	9	3	6	6	17	12	22	35	66	
100b	Capillary bronchitis	6	5														1		
101a	Lobar pneumonia	466	50	17	7	4	5	14	4	24	19	19	25	52	44	43	65	74	
101b	Pneumonia (unspecified)	145	50	14	7	5	2	4	2	3	2	4	1	9	6	6	13	17	
102	Pleurisy	21	2			2		2	1		3	1			4	2	1	3	
103	Congestion and hemorrhagic infarct of the lung	25	3		1			1				1					3	16	
104	Gangrene of the lung	2													1		1		
105	Asthma	30	1	1	1				1				1	3	4	5	3	10	
106	Pulmonary emphysema	1										1							
107	Other diseases of the respiratory system (tuberculosis excepted)	2						1								1			
	VI.—Diseases of the digestive system	1,917	767	302	70	31	12	44	42	44	42	36	43	110	83	91	102	98	
108	Diseases of the mouth and annexa	18			1			2	1		1	2		2	1	2	4	2	
109b	Other diseases of the pharynx, tonsils	52	3	2	5	4	1	7	5	2	1	5	6	5	4	1		1	
110	Diseases of the esophagus	3		1												1	1		
111a	Ulcer of the stomach	48							1	1	3	2	3	9	6	10	8	5	
111b	Ulcer of the duodenum	19				1				1	2		1	5	3	3		3	
112	Other diseases of the stomach (cancer excepted)	44	2	1				1		2		2		8	2	5	10	11	
113	Diarrhea and enteritis (under 2 years)	1,024	734	290															
114	Diarrhea and enteritis (2 years and over)	152			54	19	6	12	3		2	1		1	5	5	10	34	
116	Diseases due to other intestinal parasites	5			3			1			1								
117	Appendicitis and typhlitis	203	2	1	3	2	2	15	31	31	19	12	15	27	15	16	10	2	
118a	Hernia	34	3								1	2	1	7	5	1	3	11	
118b	Intestinal obstruction	100	20	6	2	3	1	3	1	3	6	6	5	9	7	6	16	6	
119	Other diseases of the intestines	13	1			1							1	1	2	3		4	
120	Acute yellow atrophy of the liver	4									2							2	
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	48	1										3	5	8	7	18	6	
123	Biliary calculi	62						1				3	4	12	13	17	8	4	
124	Other diseases of the liver	61	1	1	1	1	1			1	3	1	3	11	9	12	11	5	
125	Diseases of the pancreas	11								1				4	2	2	2		
126	Peritonitis without specified cause	15			1		1	2		2	1		1	4			1	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,330	4	2	1	3	4	9	13	15	23	21	23	97	164	237	357	357	
128	Acute nephritis (including unspecified under 10 years)	41	1	1	1	3	3	4	5	4	6	3	3	3	1	1		2	
129	Chronic nephritis (including unspecified 10 years and over)	1,136					1	3	8	8	13	11	10	67	145	225	332	313	
131	Other diseases of the kidneys and annexa	24	3	1				2				1	1	5	3	2	4	2	
132	Calculi of the urinary passages	7										1	1	1	2		1	1	
133	Diseases of the bladder	8												1	1		1	5	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	54													1	2	4	17	30
137	Cysts, other benign tumors of the ovary	13								1	2			1	4	2	1	2	
138	Salpingitis and pelvic abscess (female)	20								1	1	4	5	7	2				
139	Benign tumors of the uterus	18											2	9	3	1	1	2	
140	Nonpuerperal uterine hemorrhage	2								1				1					
141	Other diseases of the female genital organs	6									1	1	1	1	1	1			
	VIII.—The puerperal state	276							2	42	52	64	44	65	7				
143	Accidents of pregnancy	16								2	2	6	2	4					
144	Puerperal hemorrhage	31								1	7	4	6	11	2				
145	Other accidents of labor	27								3	5	7	6	5	1				
146	Puerperal septicemia	113								17	24	28	17	24	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	9								1	2	1	3	2					
148	Puerperal albuminuria and convulsions	77							2	18	12	18	10	16	1				
149	Following childbirth (undefined)	3												3					
	IX.—Diseases of the skin and of the cellular tissue	41	4	1	1			1		2	1	2	3		5	2	4	15	
151	Gangrene	25	1	1	1							1	2		2	1	2	14	
152	Furuncle	2													1	1			
153	Acute abscess	10	1					1		2	1	1	1		2			1	
154	Other diseases of the skin and annexa	4	2														2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	19	1					4	6	1		1		2			2	2	
155	Diseases of the bones (tuberculosis excepted)	16	1					2	5	1		1		2			2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3						2	1										
	XI.—Malformations	266	251	3	3	2		4	1	1			1						
159a	Congenital hydrocephalus	17	13		1	2		1											
159b	Congenital malformations of the heart	181	173	1	1			3	1	1			1						
159c	Other congenital malformations	68	65	2	1														
	XII.—Early infancy	1,265	1,265																
160	Congenital debility, icterus, sclerema	78	78																
161a	Premature birth	937	937																
161b	Injury at birth	159	159																
162	Other diseases peculiar to early infancy	77	77																
163	Lack of care	14	14																
164	XIII.—Old age (senility)	423														2	63	358	
	XIV.—External causes	2,304	90	37	44	57	32	95	68	177	267	248	201	379	238	160	97	114	
	Suicide	130								6	17	16	12	23	24	17	9	6	
165	By poisons (gas or corrosives excepted)	13								2	1	1	1	3	2	2		1	
166	By corrosive substances	24								2	7	5	3	1	3	3			
167	By poisonous gas	2													1	1			
168	By hanging or strangulation	12											1	2	2	2	5		
169	By drowning	5									1			2	1	1			
170	By firearms	68								2	7	10	6	14	13	7	4	5	
171	By cutting or piercing instruments	2											1	1					
172	By jumping from high places	1													1				
174	By other means	3									1				1	1			
	Homicide	229	5		1				1	12	32	31	41	56	33	12	4	1	
197	By firearms	189								10	28	28	36	47	27	11	2		
198	By cutting or piercing instruments	16								2	3	2	3	4	2				
199	By other means	24	5		1				1		1	1	2	5	4	1	2	1	
	Accidental, other, or undefined	1,945	85	37	43	57	32	95	67	159	218	201	148	300	181	131	84	107	
175	Poisoning by food	16		1	1		1	3	1	1		1		2	1		2	2	
176	Poisoning by venomous animals	3	3																
177	Other acute poisonings (gas excepted)	22		6	6	4	3	1					1		1				
178	Conflagration	31	1	1		3	1	5		3	2	5		4	2	2	1	1	
179	Burns (conflagration excepted)	167	4	20	20	29	16	17	7	7	6	5	4	4	2	9	6	11	
180	Mechanical suffocation	66	65								1								
181	Absorption of irrespirable, irritating, or poisonous gas	13			1				1	2	1	2		2	1	1	2		
182	Drowning	108	2	5	3	4	2	13	12	21	10	4	7	11	5	6	2	1	
183	Traumatism by firearms (except in war)	51			2	2		6	10	15	6	4		2	2	1		1	
184	Traumatism by cutting or piercing instruments	13		1	3	1		2		1			1			2		2	
185	Traumatism by fall	154	1	1		3	1	9		6	7	4	7	10	3	14	27	61	
186a	Traumatism in mines	661					1			57	111	108	80	174	90	33	7		
186b	Traumatism in quarries	8								1	1	1	1	1	1	2			
187	Traumatism by machines	47				2	1		1	3	8	8	7	5	5	6	1		
188a	Railroad accidents	158		1				5	6	16	16	18	8	27	27	17	12	5	
	Collision with automobiles	9							1	3			2	2			1		
	Other railroad accidents	149		1				5	5	13	16	18	6	25	27	17	11	5	
188b	Street-car accidents	21				1		1	2	2	2	1	1	1	3	3	2	2	
	Collision with automobiles	5							1	2		1	1						
	Other street-car accidents	16				1		1	1		2			1	3	3	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	298	5		5	6	6	28	22	20	38	27	20	44	25	22	15	15	
188e,f	Injuries by other vehicles	12						1	2	2		1		1	2		3		
188g	Landslide, other crushing	12									1	1	4	1	1	2	1	1	
189	Injuries by animals (not poisoning)	6								1			1		1	1	1	1	
193	Excessive cold	5									1				1	1		2	
194	Excessive heat	4									1			1		1		1	
195	Lightning	1									1								
196	Other accidental electric shocks	17							2	1		6	1	3	3	1			
201	Fracture (cause not specified)	1									1								
202	Other external violence	50	4	1	2	2		4	1		4	5	5	7	5	7	2	1	
	XV.—Ill-defined diseases	23	10				1			2		2		4	3	1			
204	Sudden death	4	2							1		1							
205a	Ill-defined	8	2							1		1		3		1			
205b	Not specified or unknown	11	6				1							1	3				
	WISCONSIN																		
	All causes	29,567	3,403	398	220	174	125	547	428	604	752	740	798	2,141	2,770	4,013	5,859	6,590	5
	I.—Epidemic, endemic, and infectious diseases	3,260	306	127	62	61	43	168	110	195	299	252	240	444	327	230	217	176	3
1	Typhoid and paratyphoid fever	40								6	6	7	3	9	5	4			
5	Malaria	1					1												
6	Smallpox	4	1					1	1								1		
7	Measles	106	38	29	9	3	3	13	3	2	1	3		1		1			
8	Scarlet fever	64	4	5	5	6	5	13	9	3	6	1		4	3				
9	Whooping cough	79	58	14	2	3	2												
10	Diphtheria	134	6	13	15	11	10	46	15		6	2	4	2	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
11a	Influenza (with pulmonary complications)	267	52	13	2	4	6	8	7	6	6	5	10	28	19	19	37	45	
11b	Influenza (other and unspecified)	246	27	11	7	4	1	11	7	8	7	11	5	17	15	12	31	72	
13	Mumps	4	1		1	1												1	
15	Cholera nostras	5	1						1							1	1	1	
16	Dysentery	19	10	1	1	1	1	1		1				1		2			
21	Erysipelas	73	24	3						2	1	1	1	4	7	6	9	15	
22	Acute anterior poliomyelitis	41	3	3	1	4	2	4	9	9	2	2		1	1				
23	Lethargic encephalitis	33	1	1	1	1		1	2	2	2		2	5	9	3	2	1	
24	Meningococcus meningitis	139	21	12	6	5	3	17	15	16	14	7	4	10	5	3	1		
25	Other epidemic and endemic diseases	4	3						1										
28	Rabies	1										1							
29	Tetanus	24	1				1	5	1	5	1	1		2	5	2			
30	Mycoses	7	1											2	2		2		
	Tuberculosis (all forms)	1,797	23	20	10	16	6	46	37	132	237	200	203	333	227	146	120	38	3
31	Of the respiratory system	1,543	10	6	3	1		16	26	108	214	190	196	299	206	129	104	32	3
32	Of the meninges, central nervous system	88	9	11	7	10	6	22	3	6	5	1	2	4	1	1			
33	Of the intestines, peritoneum	55				1		5	2	7	5	4	1	12	5	7	3	3	
34	Of the vertebral column	26				1		1	3	1	2	2		4	4	3	5		
35	Of the joints	9							1	2	1	1			1		2	1	
36	Of other organs	35						1		4	5		1	10	6	2	5	1	
37a	Disseminated (acute)	31	4	3		3		1	1	2	2	1	2	4	3	4		1	
37b	Disseminated (chronic or unspecified)	10							1	2	3	1	1		1		1		
38	Syphilis	129	25	2	1	1	1	1	1	1	4	6	5	20	23	26	10	2	
40	Gonococcus infection	13								1	4	2	2	1	1	1		1	
41	Purulent infection, septicemia	30	6		1	1	1	1	1	1	2	3	1	4	2	3	3		
	II.—General diseases not included in Class I	4,578	88	13	7	8	9	38	38	55	41	54	85	331	657	1,047	1,328	779	
	Cancer and other malignant tumors	3,067	1	1	2	3	1	7	2	14	14	13	39	201	451	737	977	604	
43	Of the buccal cavity	92								1		1		2	11	18	34	25	
44	Of the stomach, liver	1,269									1	3	9	47	157	306	462	284	
45	Of the peritoneum, intestines, rectum	441			1			1	1	1	1	3	10	33	50	106	147	87	
46	Of the female genital organs	317								2	1	1	8	51	82	89	55	28	
47	Of the breast	271									1		3	32	81	59	55	40	
48	Of the skin	54								1	2	1			4	5	17	24	
49	Of other or unspecified organs	623	1	1	1	3	1	6	1	9	8	4	9	36	66	154	207	116	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8												3	1		3	1	
51	Acute rheumatic fever	72			1	1	1	10	10	11	1	4	6	5	3	6	5	8	
52	Chronic rheumatism, osteoarthritis, gout	44		1				1		1	1	1	1	1	4	14	10	9	
53	Scurvy	1	1																
54	Pellagra	3													1		2		
56	Rickets	10	9			1													
57	Diabetes mellitus	568	1	1		1	3	9	14	12	9	8	8	22	50	140	185	105	
58a	Pernicious anemia	224		1	1			2	4	3	4	3	5	18	29	51	73	30	
58b	Other anemias and chlorosis	22	5					2	1	1		2		2	1	3	2	3	
59	Diseases of the pituitary gland	6								1				1	2	2			
60a	Exophthalmic goiter	235					2		4	4	8	10	11	35	54	60	40		
60b	Other diseases of the thyroid gland	17								1		1	2		4	3	4	2	
61	Diseases of the parathyroid glands	3	2	1															
62	Diseases of the thymus gland	48	39	4	1			2		1				1					
63	Diseases of the adrenals (Addison's disease)	12									1	1		3	5	2			
64	Diseases of the spleen	3												1			1	1	
65a	Leukemia	56		1			2	2		5	2	1	1	6	7	13	14	2	
65b	Hodgkin's disease	36	2					2			1	5	3	6	5	4	4	4	
66	Alcoholism (acute or chronic)	98								1		4	9	26	38	12	7	1	
67a	Chronic lead poisoning	2													1		1		
68	Chronic poisoning by organic substances	1																1	
69	Other general diseases	42	28	3	2	2		1	3			1			1			1	
	III.—Diseases of the nervous system and of the organs of special sense	3,305	95	21	8	7	5	36	27	24	13	31	25	125	344	549	922	1,072	1
70	Encephalitis	39	4	3	2		1	5	1	1		2	5	5	2	4	4		
71a	Simple meningitis	56	17	7	1	1	1	3	2	4	1	4	3	1	4	4	2		1
71b	Nonepidemic cerebrospinal meningitis	23	6	1	2			8	1			1	1	1	2				
72	Tabes dorsalis (locomotor ataxia)	27												2	9	6	9	1	
73	Other diseases of the spinal cord	81	3			2		1		3	2	2	2	3	8	13	28	14	
74a	Cerebral hemorrhage	2,450	2						4	3	1	3	2	55	220	437	789	934	
74b	Cerebral embolism and thrombosis	95						1		1		2	1	5	9	11	29	36	
75	Paralysis without specified cause	75							2					2	2	9	21	39	
76	General paralysis of the insane	87								1		3		15	41	19	6	2	
77	Other forms of mental alienation	48										1	2	6	10	13	6	10	
78	Epilepsy	59	2	1		2		1	4	5	3	9	1	13	2	8	1	7	
79	Convulsions (nonpuerperal; 5 years and over)	3						1	1									1	
80	Infantile convulsions (under 5 years)	57	50	5	2														
81	Chorea	5				1			2						1		1		
82	Neuralgia and neuritis	4													1			3	
83	Softening of the brain	11												2	1	1	1	6	
84	Other diseases of the nervous system	137	1		1		1	8	4	3	3	4	8	13	27	22	23	19	
86a	Diseases of the ear	32	8	4		1	1	4	5	2	1			1	3	2			
86b	Diseases of the mastoid process	16	2				1	4	1	1	2			1	2		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	IV.—Diseases of the circulatory system	6,144	16	7	3	6	6	31	50	47	43	57	69	249	493	989	1,755	2,322	1
87	Pericarditis	29						2	1		1	2		4	1	3	9	6	
88	Endocarditis and myocarditis (acute)	228	8	4	1		2	9	21	10	10	11	15	33	19	22	28	35	
89	Angina pectoris	340									1	1	1	13	34	75	130	85	
90	Other diseases of the heart	4,904	7	3	2	6	4	19	27	35	29	39	50	183	405	805	1,429	1,860	1
91a	Aneurysm	41								2			1	6	11	2	12	7	
91b,c	Other diseases of the arteries	474											1	2	9	46	115	301	
92	Embolism and thrombosis (not cerebral)	98									1	1		6	10	25	29	26	
93	Diseases of the veins	23						1			1	3	1	2	4	7	2	2	
94	Diseases of the lymphatic system	4	1						1							2			
96	Other diseases of the circulatory system	3														2	1		
	V.—Diseases of the respiratory system	2,331	424	91	49	22	14	44	17	39	42	40	55	159	145	221	355	614	
97a	Diseases of the nasal fossae	8	2	1				1						1			1	2	
97b	Diseases of the nasal fossae annexa	12	1				1				1	1	1	2	3	1	1		
98	Diseases of the larynx	16	1	3		1	1	3			1			3		1		2	
99a	Acute bronchitis	72	24	2		1		1		1			1		1	1	5	35	
99b	Chronic bronchitis	84	2				1						2		3	10	17	49	
99c,d	Bronchitis (unspecified)	44	8	2	1									1			9	23	
100a	Broncho-pneumonia	800	285	54	25	8	3	17	3	9	9	6	13	28	24	51	84	181	
100b	Capillary bronchitis	19	8		1										1		1	8	
101a	Lobar pneumonia	1,001	73	17	12	8	7	14	11	22	26	26	27	107	93	135	197	226	
101b	Pneumonia (unspecified)	81	15	4	4	1		2		4	1	2	4	4	1	4	14	21	
102	Pleurisy	77	4	6	5	2	1	4	2	2	2	4	4	5	10	8	11	7	
103	Congestion and hemorrhagic infarct of the lung	40		1											2	4	1	32	
104	Gangrene of the lung	6						1					1	1	1		1	1	
105	Asthma	44			1	1		1	1			1		1	3	4	9	22	
106	Pulmonary emphysema	2																2	
107	Other diseases of the respiratory system (tuberculosis excepted)	25	1	1						1	2		2	6	3	2	4	3	
	VI.—Diseases of the digestive system	2,332	439	92	45	43	22	87	60	56	67	72	72	211	254	298	280	224	
108	Diseases of the mouth and annexa	18	1				1	2		1	1			1	4	1	5	1	
109b	Other diseases of the pharynx, tonsils	103	5	7	2	7	3	12	7	4	12	9	7	7	6	6	5	4	
110	Diseases of the esophagus	3												1			2		
111a	Ulcer of the stomach	111									6	6	6	18	25	17	21	12	
111b	Ulcer or the duodenum	59									3	1	5	9	12	9	11	9	
112	Other diseases of the stomach (cancer excepted)	92	45	5	2	1	1			1			1	2	5	8	6	15	
113	Diarrhea and enteritis (under 2 years)	415	348	67															
114	Diarrhea and enteritis (2 years and over)	138			28	15	2	17	3	3	4	6	1	8	5	12	14	20	
117	Appendicitis and typhlitis	462	2	1	9	16	12	44	43	38	33	32	29	65	58	45	26	9	
118a	Hernia	118	4	1				1				2	1	10	17	29	31	22	
118b	Intestinal obstruction	176	23	5	2	1	1	6	4	5	3	5	5	24	14	24	26	28	
119	Other diseases of the intestines	31	4		1	1		1		1	1	1	1	2	4	3	2	9	
120	Acute yellow atrophy of the liver	12						1			1	1		2	2	1	4		
122	Cirrhosis of the liver	251						1					7	17	39	60	71	56	
123	Biliary calculi	187								1	1	4	5	29	39	49	43	16	
124	Other diseases of the liver	95		2		1	1		1		1	3	3	10	16	24	15	18	
125	Diseases of the pancreas	22								1		1		3	5	7	5		
126	Peritonitis without specified cause	39	7	4	1	1	1	2	2	1	1	1	1	3	3	3	3	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,400	19	6	2	4		10	12	20	32	37	44	158	236	382	678	760	
128	Acute nephritis (including unspecified under 10 years)	86	9	4		2		7	2	2	6	1	2	11	12	20	6	2	
129	Chronic nephritis (including unspecified 10 years and over)	1,876	1	1	1	2		3	7	11	15	26	28	98	178	310	564	631	
131	Other diseases of the kidneys and annexa	57	7	1	1					2	4	1	3	6	5	9	12	6	
132	Calculi of the urinary passages	25											1	8	8	5	3		
133	Diseases of the bladder	31							1				1			1	8	20	
134	Diseases of the urethra, etc	10											1	2	3	1	2	1	
135	Diseases of the prostate	187											1		1	21	72	92	
136	Nonvenereal diseases of the male genital organs	5	2													2	1		
137	Cysts, other benign tumors of the ovary	25							1		1	1	1	7	2	5	3	4	
138	Salpingitis and pelvic abscess (female)	36								3	2	7	3	12	6	2	1		
139	Benign tumors of the uterus	43								1	1	1	2	12	16	5	2	3	
140	Nonpuerperal uterine hemorrhage	3							1						1		1		
141	Other diseases of the female genital organs	16								1	3		1	2	4	1	3	1	
	VIII.—The puerperal state	304								21	58	56	67	99	3				
143	Accidents of pregnancy	33								2	5	4	2	19	1				
144	Puerperal hemorrhage	40								2	5	7	8	17	1				
145	Other accidents of labor	25								3	4	3	6	9					
146	Puerperal septicemia	101								7	20	23	27	23	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	24								2	4	6	6	6					
148	Puerperal albuminuria and convulsions	81								5	20	13	18	25					
	IX.—Diseases of the skin and of the cellular tissue	89	10		1				1	4		1	2	6	7	9	14	34	
151	Gangrene	46											1		3	4	8	30	
152	Furuncle	19	5		1				1	3		1		2		3	2	1	
153	Acute abscess	12												3	4	1	3	1	
154	Other diseases of the skin and annexa	12	5							1			1	1		1	1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	41	3	1	1	2		6	7	1	3	1		1	2	2	4	7	
155	Diseases of the bones (tuberculosis excepted)	34	3	1	1	1		6	5	1	2			1	1	2	4	6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	7				1			2		1	1			1			1	
	XI.—Malformations	405	377	9	5	1	2	4	4		1			1		1			
159a	Congenital hydrocephalus	63	53	1	4			2	2						1				
159b	Congenital malformations of the heart	208	193	7	1	1	2	2	2										
159c	Other congenital malformations	134	131	1							1					1			
	XII.—Early infancy	1,563	1,563																
160	Congenital debility, icterus, sclerema	148	148																
161a	Premature birth	990	990																
161b	Injury at birth	270	270																
162	Other diseases peculiar to early infancy	149	149																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	350															28	322	
	XIV.—External causes	2,403	34	29	37	20	24	120	101	142	153	139	139	354	296	277	261	277	
	Suicide	393							3	10	19	30	33	68	85	82	41	22	
165	By poisons (gas or corrosives excepted)	19										1	2	7	1	3	2	3	
166	By corrosive substances	31								2	3	6	2	5	9	3	1		
167	By poisonous gas	22								1	1	1	1	7	4	5	2		
168	By hanging or strangulation	143							2	3	5	6	8	19	32	36	21	11	
169	By drowning	25							1	1			4	6	5	5	1	2	
170	By firearms	120								3	8	15	13	19	26	23	9	4	
171	By cutting or piercing instruments	21									2	1	2	3	5	2	5	1	
172	By jumping from high places	4											1			2		1	
173	By crushing	4												2	1	1			
174	By other means	4													2	2			
	Homicide	73	3					2	1	5	5	13	11	16	5	6	4	2	
197	By firearms	47						2	1	3	2	9	7	11	3	5	3	1	
198	By cutting or piercing instruments	8									1	3	1	1	1		1		
199	By other means	18	3							2	2	1	3	4	1	1		1	
	Accidental, other, or undefined	1,937	31	29	37	20	24	118	97	127	129	96	95	270	206	189	216	253	
175	Poisoning by food	8		2						1		1		1		1	1	1	
177	Other acute poisonings (gas excepted)	26	1	3	5	1		1			1	1	1	4	5	1	2		
178	Conflagration	34	1	2	4		2	4	2		1		1	3	3	4	4	3	
179	Burns (conflagration excepted)	94	2	5	16	6	4	10	4	7	3	1	4	9	4	3	7	9	
180	Mechanical suffocation	17	10		1						1	1		1	3				
181	Absorption of irrespirable, irritating, or poisonous gas	42								1	4	1	2	9	8	10	3	4	
182	Drowning	223	2	10	4	2	3	21	35	39	23	15	11	25	15	8	8	2	
183	Traumatism by firearms (except in war)	58				1		6	11	12	2	3	5	12	1	1	4		
184	Traumatism by cutting or piercing instruments	14		1				1			1	2			4	2	2	1	
185	Traumatism by fall	400	4				2	4	6	3	6	7	4	32	28	39	83	182	
186a	Traumatism in mines	5									1			2	2				
186b	Traumatism in quarries	4								1				1	1		1		
187	Traumatism by machines	47						1	3		3	7	3	14	8	5	2	1	
188a	Railroad accidents	152						3	7	10	21	7	13	32	23	17	11	8	
	Collision with automobiles	34							1	6	6	3	2	7	2	4	2	1	
	Other railroad accidents	118						3	6	4	15	4	11	25	21	13	9	7	
188b	Street-car accidents	33						1	1	2	4	1	1	5	5	6	1	6	
	Collision with automobiles	13							1	2	3	1	1	2	2	1			
	Other street-car accidents	20						1			1			3	3	5	1	6	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	511	3	3	3	10	11	55	23	33	44	30	32	70	56	57	57	24	
188d	Airplane and balloon accidents	1								1									
188e,f	Injuries by other vehicles	48			1		1	5		3	3	4	1	6	5	8	7	4	
188g	Landslide, other crushing	28									2	3	5	8	5	5			
189	Injuries by animals (not poisoning)	24			2			2		2		1	1	1	4	3	5	3	
193	Excessive cold	17						1					1	3	3	5	4		
194	Excessive heat	13	1									1		1	5	2	2	1	
195	Lightning	6								2		1	1	1			1		
196	Other accidental electric shocks	19						1	1	2	3	3	5	3	1				
201	Fracture (cause not specified)	3									1			2					
202	Other external violence	110	7	3	1		1	2	4	8	5	6	4	25	17	12	11	4	
	XV.—Ill-defined diseases	62	29	2				3	1					3	6	8	7	3	
204	Sudden death	14	5						1						3	2	2	1	
205a	Ill-defined	15	5					2							2	3	2	1	
205b	Not specified or unknown	33	19	2				1						3	1	3	3	1	
	WYOMING																		
	All causes	1,976	308	50	28	14	11	58	47	48	72	79	88	247	212	237	256	218	3
	I.—Epidemic, endemic, and infectious diseases	245	23	20	7	3	4	17	10	18	11	13	13	43	25	18	11	9	
1	Typhoid and paratyphoid fever	7						1	2	2		1			1				
7	Measles	13		7	3			2						1					
8	Scarlet fever	11	1	1	1	1	1		2	4									
9	Whooping cough	10	3	6				1											
10	Diphtheria	11		1	1		1	4		1	1			1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927.—Continued

WYOMING—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	I.—Epidemic, endemic, and infectious diseases.—Continued.																		
11a	Influenza (with pulmonary complications)	38	4	3				4		2		3	1	10	5	3	2	1	
11b	Influenza (other and unspecified)	27	5	2				2			1	2	1	3	4	3	3	1	
16	Dysentery	4	2		1													1	
21	Erysipelas	5	3						1							1			
22	Acute anterior poliomyelitis	1					1												
23	Lethargic encephalitis	1												1					
24	Meningococcus meningitis	8	2			1		1		1	1		1		1				
25	Other epidemic and endemic diseases	18									1	1	1	4	4	4	1	2	
30	Mycoses	1												1					
	Tuberculosis (all forms)	77	1		1	1	1	2	5	7	7	6	9	15	8	6	5	3	
31	Of the respiratory system	66			1	1		1	5	4	6	6	8	14	7	6	5	2	
32	Of the meninges, central nervous system	2	1				1												
33	Of the intestines, peritoneum	6								1	1		1	1	1			1	
37a	Disseminated (acute)	3						1		2									
38	Syphilis	10	2											7	1				
40	Gonococcus infection	1								1									
41	Purulent infection, septicemia	2														1		1	
	II.—General diseases not included in Class I	191	3		1			2	3	3	1	6	4	20	35	39	46	28	
	Cancer and other malignant tumors	126							1		1	1	1	10	26	28	36	22	
43	Of the buccal cavity	4												1	1		1	1	
44	Of the stomach, liver	47													9	9	21	8	
45	Of the peritoneum, intestines, rectum	21									1		1	1	7	4	4	3	
46	Of the female genital organs	19										1		4	6	4	3	1	
47	Of the breast	11												2	2	3	1	3	
48	Of the skin	4														1	1	2	
49	Of other or unspecified organs	20							1					2	1	7	5	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1											1						
51	Acute rheumatic fever	4						1		1		1			1	1			
52	Chronic rheumatism, osteoarthritis, gout	2															1	1	
56	Rickets	1	1																
57	Diabetes mellitus	28								1		1	1	6	1	7	9	2	
58a	Pernicious anemia	2														1		1	
58b	Other anemias and chlorosis	1	1																
59	Diseases of the pituitary gland	1			1														
60a	Exophthalmic goiter	3												1	1	1			
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	1							1										
65a	Leukemia	3						1							1			1	
65b	Hodgkin's disease	3							2					1					
66	Alcoholism (acute or chronic)	14										3	12	2	5	1		1	
	III.—Diseases of the nervous system and of the organs of special sense	160	3	2			1	3		4	5	3	4	18	16	35	39	27	
70	Encephalitis	1										1							
71a	Simple meningitis	4						2			1								
71b	Nonepidemic cerebrospinal meningitis	4	2				1				1			1					
72	Tabes dorsalis (locomotor ataxia)	2													1		1		
73	Other diseases of the spinal cord	2															1	1	
74a	Cerebral hemorrhage	101									1	1	3	4	10	29	30	23	
74b	Cerebral embolism and thrombosis	1														1			
75	Paralysis without specified cause	7												2			3	2	
76	General paralysis of the insane	15												6	4	3	2		
78	Epilepsy	7		1						2		1	1	2					
82	Neuralgia and neuritis	1								1									
84	Other diseases of the nervous system	11		1							2			3	1	2	2		
86a	Diseases of the ear	4	1					1		1								1	
	IV.—Diseases of the circulatory system	278	2	1	1			5	5	5	4	2	9	29	32	58	66	58	1
87	Pericarditis	2													1	1			
88	Endocarditis and myocarditis (acute)	13	1		1			1					2	3		2		3	
89	Angina pectoris	16												3	2	5	4	2	
90	Other diseases of the heart	213	1	1				4	5	5	4	1	5	19	27	44	55	41	1
91a	Aneurysm	1												1					
91b,c	Other diseases of the arteries	17											1		1	1	5	9	
92	Embolism and thrombosis (not cerebral)	14										1		3		5	2	3	
93	Diseases of the veins	2											1		1				
	V.—Diseases of the respiratory system	161	44	6	4	2		4	2	3	6	5	8	6	15	11	20	25	
97a	Diseases of the nasal fossae	1									1								
97b	Diseases of the nasal fossae annexa	2									2								
98	Diseases of the larynx	1														1			
99a	Acute bronchitis	2	1														1		
99b	Chronic bronchitis	2															1	1	
99c,d	Bronchitis (unspecified)	5	3														1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
100a	Broncho-pneumonia	49	28	4	2	1		1				1		1		2		9	
100b	Capillary bronchitis	2	1		1														
101a	Lobar pneumonia	65	6	1	1	1		3	2	1	2	3	6	5	12	6	11	5	
101b	Pneumonia (unspecified)	15	5	1									1		1		2	5	
102	Pleurisy	4								1		1	1					1	
103	Congestion and hemorrhagic infarct of the lung	4									1					1		2	
105	Asthma	6													2	1	2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	3								1							2		
	VI.—Diseases of the digestive system	192	35	8	6	4	1	14	8	2	7	9	7	32	20	19	14	6	
108	Diseases of the mouth and annexa	3										1			1		1		
109b	Other diseases of the pharynx, tonsils	16	1				1	6	2	1	1	1	1	1			1		
111a	Ulcer of the stomach	12												7	3		1	1	
111b	Ulcer of the duodenum	3												2		1			
112	Other diseases of the stomach (cancer excepted)	5	1								1			1	1		1		
113	Diarrhea and enteritis (under 2 years)	35	29	6															
114	Diarrhea and enteritis (2 years and over)	9			4	1		1				1			1		1		
117	Appendicitis and typhlitis	53	2			3		6	6		3	2	3	10	6	9	1	2	
118a	Hernia	4		1							1			1		1			
118b	Intestinal obstruction	18	2	1	1					1		2	1	3	3		3	1	
119	Other diseases of the intestines	1									1								
120	Acute yellow atrophy of the liver	1														1			
122	Cirrhosis of the liver	11												2	3	2	3	1	
123	Biliary calculi	7											1	3		1	1	1	
124	Other diseases of the liver	8										1		1	1	4	1		
125	Diseases of the pancreas	1										1							
126	Peritonitis without specified cause	5			1			1					1	1	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	137						1	2		4	4	5	13	25	24	28	31	
128	Acute nephritis (including unspecified under 10 years)	11						1			1		1	2	4		1	1	
129	Chronic nephritis (including unspecified 10 years and over)	93							2		1	2	3	7	16	20	19	23	
131	Other diseases of the kidneys and annexa	4													1	2		1	
133	Diseases of the bladder	1																1	
134	Diseases of the urethra, etc	2													1		1		
135	Diseases of the prostate	14													1	2	7	4	
137	Cysts, other benign tumors of the ovary	1													1				
138	Salpingitis and pelvic abscess (female)	2										1		1					
139	Benign tumors of the uterus	5										1		2	1			1	
141	Other diseases of the female genital organs	4									2		1	1					
	VIII.—The puerperal state	39								3	4	10	8	14					
143	Accidents of pregnancy	5										3	1	1					
144	Puerperal hemorrhage	3								1			1	1					
145	Other accidents of labor	4									1	1	1	1					
146	Puerperal septicemia	22								2	3	6	3	8					
147	Puerperal phlegmasia alba dolens, embolus, etc	1												1					
148	Puerperal albuminuria and convulsions	4											2	2					
	IX.—Diseases of the skin and of the cellular tissue	6	1						1		1	1						2	
151	Gangrene	3	1															2	
152	Furuncle	1							1										
154	Other diseases of the skin and annexa	2									1	1							
	XI.—Malformations	25	23	1				1											
159a	Congenital hydrocephalus	4	2	1				1											
159b	Congenital malformations of the heart	13	13																
159c	Other congenital malformations	8	8																
	XII.—Early infancy	151	151																
160	Congenital debility, icterus, sclerema	23	23																
161a	Premature birth	92	92																
161b	Injury at birth	15	15																
162	Other diseases peculiar to early infancy	21	21																
164	XIII.—Old age (senility)	23														1	3	19	
	XIV.—External causes	332	14	10	9	4	5	10	15	10	29	26	30	72	41	25	21	10	1
	Suicide	35									3		2	11	8	5	5	1	
165	By poisons (gas or corrosives excepted)	4									1			1		1	1		
166	By corrosive substances	1													1				
168	By hanging or strangulation	1														1			
170	By firearms	23									1		2	8	4	3	4	1	
171	By cutting or piercing instruments	4									1			2	1				
173	By crushing	1													1				
174	By other means	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	XIV.—External causes—Continued.																		
	Homicide	22								1	2	4	3	8	4				
197	By firearms	20								1	2	4	3	8	2				
198	By cutting or piercing instruments	1													1				
199	By other means	1													1				
	Accidental, other, or undefined	275	14	10	9	4	5	10	15	9	24	22	25	53	29	20	16	9	1
175	Poisoning by food	2	1												1				
177	Other acute poisonings (gas excepted)	4			1								1	1		1			
178	Conflagration	18	1								1	3	4	6	2	1			
179	Burns (conflagration excepted)	18	1	1	1	2	1		2			1	3	3		2	1		
180	Mechanical suffocation	5	5																
181	Absorption of irrespirable, irritating, or poisonous gas	4									1	1			2				
182	Drowning	27		7	4	2		1	1	1	4		1	1	2	2		1	
183	Traumatism by firearms (except in war)	22						3	5		3	3	2	5		1			
184	Traumatism by cutting or piercing instruments	1								1									
185	Traumatism by fall	16		1				1	1		1	2		1			4	5	
186a	Traumatism in mines	23								1	2	1	2	11	4	1	1		
187	Traumatism by machines	8								1	1	1	2	1	1		1		
188a	Railroad accidents	20								1	2	3	3	3	4	3			1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	66	1	1	2		3	2	5	2	3	4	5	16	10	7	4	1	
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	7	1					1	1				1			2	1		
189	Injuries by animals (not poisoning)	4						1			2			1					
193	Excessive cold	16								1	2	3		3	3		3	1	
201	Fracture (cause not specified)	1															1		
202	Other external violence	12	4		1		1	1		1	1		1	1				1	
	XV.—Ill-defined diseases	36	9	2		1		1	1						3	7	8	3	1
204	Sudden death	1														1			
205a	Ill-defined	10	1	2											1	1	4	1	
205b	Not specified or unknown	25	8			1		1	1						2	5	4	2	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on Jan. 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,616	220	39	25	15	14	32	25	46	81	83	70	169	171	187	245	193	1
Typhoid and paratyphoid fever (1)	8							1	1	2	3	1						
Measles (7)	2		1			1												
Scarlet fever (8)	2			1		1												
Whooping cough (9)	5	3	2															
Diphtheria (10)	13	2	3	4	1	2	1											
Influenza (11)	57	9	4	3			3	1	2		2	2	5	5	3	9	9	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	49				1				2	7	7	5	6	5	5	6	5	
Other forms of tuberculosis (32–37)	10	2		2	1						2		1		1	1		
Cancer and other malignant tumors (43–49)	130			1			1				1	3	16	30	32	29	17	
Diabetes mellitus (57)	19								1		2	1	2	5	4	3	1	
Cerebral hemorrhage and softening (74, 83)	77									2	1		5	7	20	25	17	
Other [organic] diseases of the heart (90)	142						1	2	2	1	1	4	2	16	33	42	37	1
Bronchitis (99)	4		1													2	1	
Broncho-pneumonia (100)	43	15	1	3	1	1			1	3		1	5	4	1	2	5	
Pneumonia (101)	93	4	6		3	1	2	4	4	4	9	6	11	6	6	13	14	
Diarrhea and enteritis (113, 114)	42	21	10	4	2	1		1							1		2	
Appendicitis and typhlitis (117)	48		1	1	1	2	1	4	7	5	4	6	4	6	2	3	1	
Hernia, intestinal obstruction (118)	22	4	1			1	1		2	1		3	1	2	4	2		
Cirrhosis of the liver (122)	5												1		3	1		
Nephritis (128, 129)	106			1			1		1	1	3	2	14	13	13	32	25	
Diseases of the female genital organs (137–141)	15									1	3	3	4	1	2	1		
Puerperal septicemia (146)	20								4	3	6	3	4					
Other puerperal causes (143–145, 147–150)	14								2	4	3	2	3					
Suicide (165–174)	38							1	3	10	2	3	6	6	1	6		
Homicide (197–200)	33								3	5	4	5	10	4	2			
Automobile accidents [1] (188c)	37				1		6	4	2	2	7	3	4	4		3	1	
Automobile and railroad-train collision (part 188a)	8									5	2		1					
Automobile and street-car collision (part 188b)	4								1				1	2				
Other external causes (inclusions, see Table 5)	102	2	4	1	3	2	5	2	4	10	7	5	14	12	7	9	15	
All other causes	468	158	5	4	1	2	10	5	4	15	14	12	49	43	47	56	43	
BIRMINGHAM, ALA. (COLORED), all causes	1,830	259	48	23	11	12	29	24	78	121	147	125	286	328	166	102	69	2
Typhoid and paratyphoid fever (1)	22						2	3	2	6	4	2	2	1				
Measles (7)	2		1	1														
Scarlet fever (8)																		
Whooping cough (9)	22	6	7	5		3	1											
Diphtheria (10)	4				1		1			1	1							
Influenza (11)	64	9	3		1		2		5	8	3	4	10	11	4		3	1
Meningococcus meningitis (24)	4	1	1				1			1								
Tuberculosis of the respiratory system (31)	139	2	1		2		2	3	20	21	25	20	18	20	4	1		
Other forms of tuberculosis (32–37)	29	2	2	1	1	3	2	2	2	3	1	4	2	2		1	1	
Cancer and other malignant tumors (43–49)	68					1			1		6	8	13	19	10	10		
Diabetes mellitus (57)	11									1		2	2	2	2	2		
Cerebral hemorrhage and softening (74, 83)	92							1				2	17	31	16	16	8	1
Other [organic] diseases of the heart (90)	167							3		5	8	8	24	57	34	16	12	
Bronchitis (99)	4	1							1	1		1						
Broncho-pneumonia (100)	55	21	6	5	1		1	1	1	4		1	3	4	4	1	2	
Pneumonia (101)	108	18	5	4	1	1	1	1	5	6	9	5	17	14	14	5	2	
Diarrhea and enteritis (113, 114)	29	14	8							1	1		2	1	2			
Appendicitis and typhlitis (117)	17								2	2	2	2	5	4				
Hernia, intestinal obstruction (118)	19	2	1	1		1	1			1		4	4	4				
Cirrhosis of the liver (122)	6												1	4	1			
Nephritis (128, 129)	136						1		2	1	4	4	32	41	22	17	12	
Diseases of the female genital organs (137–141)	22									1	9	3	7	2				
Puerperal septicemia (146)	15								3	7	4	1						
Other puerperal causes (143–145, 147–150)	15							2	3	2	2	4	2					
Suicide (165–174)	2												1	1				
Homicide (197–200)	106								8	18	29	14	27	9	1			
Automobile accidents [1] (188c)	14								1	3		1	3	3	3			
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	75	2	1	3	1	2	5	3	3	7	8	4	15	5	9	1	6	
All other causes	582	181	12	3	3	1	9	5	19	20	31	31	79	93	40	32	23	
LOS ANGELES, CALIF. (WHITE), all causes	12,182	1,131	206	115	76	63	190	154	243	389	465	459	1,161	1,483	1,839	2,248	1,958	2
Typhoid and paratyphoid fever (1)	12							2	3	2		1		1	2	1		
Measles (7)	78	12	23	15	5	4	15		1		1	1					1	
Scarlet fever (8)	9				1		6			1	1							
Whooping cough (9)	36	23	6	3	2	2												
Diphtheria (10)	93	3	10	11	14	8	26	12	3	1	1	1	1	1	1			
Influenza (11)	90	12	6	6	2	1	6	1	2	3	2	2	5	7	10	14	11	
Meningococcus meningitis (24)	26	2	6	2	1			1	3	1	2	5	2	1				
Tuberculosis of the respiratory system (31)	1,042	12	8	8	4	2	8	19	80	134	151	117	189	158	85	54	13	
Other forms of tuberculosis (32–37)	159	19	20	8	10	7	13	4	7	11	12	10	17	10	4	7		
Cancer and other malignant tumors (43–49)	1,340	1			1	1	1	3	1	11	13	34	140	250	377	332	174	1
Diabetes mellitus (57)	221			1		1		5	4	6	2	4	14	31	54	61	38	
Cerebral hemorrhage and softening (74, 83)	794	4		1	1		1	1	2	4	2	4	36	72	152	266	258	
Other [organic] diseases of the heart (90)	1,846	1		1	1	1	3	10	9	13	23	24	98	187	316	551	608	
Bronchitis (99)	51	6	9	1	1	1				1	1		2	4	1	6	18	
Broncho-pneumonia (100)	388	154	30	17	4	5	8	2	6	4	3	5	15	26	26	32	51	
Pneumonia (101)	343	19	12	4	3	1	4	5	8	16	12	14	39	48	56	55	47	
Diarrhea and enteritis (113, 114)	229	163	27	3	4	6	2				2		4	2	4	2	10	
Appendicitis and typhlitis (117)	172	2					6	12	17	10	16	13	33	28	19	10	6	
Hernia, intestinal obstruction (118)	149	10	1	1		2	1	4	1	3	2	9	17	19	21	34	24	
Cirrhosis of the liver (122)	102										1	3	11	23	29	25	10	
Nephritis (128, 129)	945	5	1	1	1	1		6	8	11	10	10	71	128	197	275	220	
Diseases of the female genital organs (137–141)	71								1	4	4	13	25	18	4		2	
Puerperal septicemia (146)	45								5	8	13	15	4					
Other puerperal causes (143–145, 147–150)	65								8	6	19	12	20					
Suicide (165–174)	252							1	6	23	26	31	46	57	37	17	8	
Homicide (197–200)	81	3	3		1	1	2	3	5	8	14	7	20	6	7	1		
Automobile accidents [1] (188c)	335	2	3	4	4	4	12	13	25	33	27	17	35	38	46	41	31	
Automobile and railroad-train collision (part 188a)	11										2	2	2		3	2		
Automobile and street-car collision (part 188b)	10									1		1	2	1	1	3	1	
Other external causes (inclusions, see Table 5)	446	10	7	6	8	1	20	19	8	32	27	28	74	56	38	43	69	
All other causes	2,741	668	34	22	8	14	56	31	30	42	76	76	239	311	349	426	358	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF.[1] (COLORED), all causes	745	84	21	12	3	11	11	17	18	43	37	49	126	126	104	53	30	
Typhoid and paratyphoid fever (1)																		
Measles (7)	9	4	2	2	1													
Scarlet fever (8)																		
Whooping cough (9)	2	2																
Diphtheria (10)	6			1		1	3	1										
Influenza (11)	11	1	1	1				1					1	4	1	1		
Meningococcus meningitis (24)	2										1		1					
Tuberculosis of the respiratory system (31)	142		1		1	1	1	2	8	25	17	19	47	13	4	3		
Other forms of tuberculosis (32–37)	18	2	2			1	2	1		2	2	1	4		1			
Cancer and other malignant tumors (43–49)	51											1	8	22	13	7		
Diabetes mellitus (57)	7										1		2	1	2	1		
Cerebral hemorrhage and softening (74, 83)	37												7	14	7	6	3	
Other [organic] diseases of the heart (90)	83			1		1	1	2		2	1	2	12	15	26	11	9	
Bronchitis (99)	7	4	1	1		1												
Broncho-pneumonia (100)	19	8	3	1			1		1				2	1	2			
Pneumonia (101)	31	1	3	1							1	4	8	6	6		1	
Diarrhea and enteritis (113, 114)	16	7	4	2		1		1						1				
Appendicitis and typhlitis (117)	9					1		1	2	1		2	1	1				
Hernia, intestinal obstruction (118)	8	1	1									1	1	2	1		1	
Cirrhosis of the liver (122)	4												2		1	1		
Nephritis (128, 129)	55							2		2	1	3	3	11	17	8	8	
Diseases of the female genital organs (137–141)	7									1		1	3	2				
Puerperal septicemia (146)	6									3	1	2						
Other puerperal causes (143–145, 147–150)	4								1	1	1		1					
Suicide (165–174)	12								2	3			3	2	1	1		
Homicide (197–200)	11								1	2	2	2	1	2	1			
Automobile accidents [1] (188c)	18		1		1	1	2	1				1	1	4	3	2	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	24	1	2			1		1		1	1	3	3	7	2	1	1	
All other causes	146	53	1	1	1	2	2	3	2		8	7	15	18	16	11	6	
OAKLAND, CALIF., all causes	2,951	254	44	19	15	12	56	32	45	71	62	98	267	374	461	559	582	
Typhoid and paratyphoid fever (1)	6						1					1	2	2				
Measles (7)	10	3	5			1		1										
Scarlet fever (8)	7			1			3	1				1	1					
Whooping cough (9)	17	10	5		1	1												
Diphtheria (10)	27	1	4	1	2	3	11	2					1	2				
Influenza (11)	23	2	1		1		1				4	2	6	2		2	2	
Meningococcus meningitis (24)	11	3	1	2					2	1			1	1				
Tuberculosis of the respiratory system (31)	105		1						9	11	5	19	25	14	12	7	2	
Other forms of tuberculosis (32–37)	37	6	4	4	2		5		1	8	1		3	1	1	1		
Cancer and other malignant tumors (43–49)	326	1			3	1		1	3	2	2	5	31	58	87	78	54	
Diabetes mellitus (57)	58							3				2	3	4	14	20	12	
Cerebral hemorrhage and softening (74, 83)	252		1						1	2	2		13	26	49	71	87	
Other [organic] diseases of the heart (90)	590							3	3	2	4	10	30	76	101	164	197	
Bronchitis (99)	18	4												2	1	1	10	
Broncho-pneumonia (100)	98	29	4	1			2	1	1	1	2		2	7	12	14	22	
Pneumonia (101)	98	8	4	1	1		1	2	3		1	5	14	14	13	15	16	
Diarrhea and enteritis (113, 114)	35	26	3	1							1			3	1			
Appendicitis and typhlitis (117)	36		1			2	2	1	1	2	5	4	5	6	4	3		
Hernia, intestinal obstruction (118)	25	2	1			1		1			1			7	6	3	3	
Cirrhosis of the liver (122)	31												3	6	6	10	6	
Nephritis (128, 129)	221	1					2		4	3	2	8	25	25	45	49	57	
Diseases of the female genital organs (137–141)	23										1	3	7	8	4			
Puerperal septicemia (146)	13								2	5	3	1	2					
Other puerperal causes (143–145, 147–150)	19								3	2	5	6	2	1				
Suicide (165–174)	78								1	8	5	8	14	17	14	6	5	
Homicide (197–200)	18	1			1			1	2	2	1	1	2	5	2			
Automobile accidents [1] (188c)	53	1	1	1			6	3		2	1	6	6	7	10	7	2	
Automobile and railroad-train collision (part 188a)	7									1			4	2				
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	107	3		2	1	2	6	2	1	8	4	5	15	18	13	13	14	
All other causes	601	153	8	5	3	1	16	10	8	11	12	11	49	60	66	95	93	
SAN FRANCISCO, CALIF., all causes	7,826	414	73	39	26	28	99	70	107	215	256	296	857	1,277	1,543	1,442	1,077	7
Typhoid and paratyphoid fever (1)	10							1	1	1	2	2	1		1	1		
Measles (7)	14	5	2	1	1	1	3				1							
Scarlet fever (8)	8			4		1					1	1	1					
Whooping cough (9)	14	9	3	1		1												
Diphtheria (10)	20	1	1	2	4	1	9				1			1				
Influenza (11)	63	4	3	3			3	3	2	3	4	2	10	7	7	10	2	
Meningococcus meningitis (24)	12	1	1			1	1	2		5				1				
Tuberculosis of the respiratory system (31)	500	1	3			1	4	4	21	51	74	58	95	88	70	24	6	
Other forms of tuberculosis (32–37)	93	5	9	6	5	6	9	3	3	15	6	2	11	4	4	4	1	
Cancer and other malignant tumors (43–49)	901	2		1	1	1	3	2	2	5	2	23	94	204	254	217	89	1
Diabetes mellitus (57)	136				1		1				1	2	5	24	46	44	12	
Cerebral hemorrhage and softening (74, 83)	428		1		1		1		2	1	2	6	24	55	105	135	95	
Other [organic] diseases of the heart (90)	1,557						2	4	8	12	12	25	89	222	358	418	407	
Bronchitis (99)	39	8	2					1	2	1			2	5	1	4	13	
Broncho-pneumonia (100)	277	60	15	3	4	3	4	2	2	4	6	5	30	32	26	34	47	
Pneumonia (101)	261	11	8	3	1	1	8	4	2	5	9	5	44	50	46	37	27	
Diarrhea and enteritis (113, 114)	33	14	6	3					1		1	1	1		2	1	3	
Appendicitis and typhlitis (117)	111	1	1	1	3		8	5	9	10	13	7	13	22	10	7	1	
Hernia, intestinal obstruction (118)	77	2							1	2	4	7	9	13	18	14	7	
Cirrhosis of the liver (122)	121								1		4	7	25	29	30	22	3	
Nephritis (128, 129)	699		1			1	3	5	5	6	11	14	67	112	171	164	139	
Diseases of the female genital organs (137–141)	45									3	3	5	17	9	4	2	2	
Puerperal septicemia (146)	18								2	5	4	3	3	1				
Other puerperal causes (143–145, 147–150)	22									3	5	4	5					
Suicide (165–174)	259								4	9	20	22	58	64	57	20	5	
Homicide (197–200)	44	1					1		1	5	9	5	8	10	2	2		
Automobile accidents [1] (188c)	166				1	1	11	5	2	13	9	13	18	26	30	19	18	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)	4								1			3						
Other external causes (inclusions, see Table 5)	349	4	6	2	2	3	2	4	6	15	18	19	67	70	53	31	41	
All other causes	1,544	285	11	9	2	6	26	25	29	36	34	55	160	227	248	232	159	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	4,185	405	66	39	25	27	78	64	104	131	170	174	437	473	659	701	632	
Typhoid and paratyphoid fever (1)	8		1				1	3		1			1		1			
Measles (7)	41	7	9	4	4	5	7	3				1	1					
Scarlet fever (8)	16	1	1	1		3		3	3	2	1	1						
Whooping cough (9)	1	1																
Diphtheria (10)	24	1	1	4	2	3	9	3					1					
Influenza (11)	114	17	9	4	1	2	1	4	3	2	2	3	6	9	15	16	20	
Meningococcus meningitis (24)	21	1		2	1	1	2	2	6	3			3					
Tuberculosis of the respiratory system (31)	426	2							21	51	74	57	109	63	32	15	2	
Other forms of tuberculosis (32–37)	36	3		1	2	1	1	4	2	3	5	2	6	4	1	1		
Cancer and other malignant tumors (43–49)	394					1	1	2	1	2	3	7	36	63	107	116	55	
Diabetes mellitus (57)	41							1	3	1	1			5	16	10	4	
Cerebral hemorrhage and softening (74, 83)	274	1								3	2	2	6	24	60	82	94	
Other [organic] diseases of the heart (90)	487					3	4	5	9	1	4	10	34	55	113	133	116	
Bronchitis (99)	10	1	2						1			1			2	1	2	
Broncho-pneumonia (100)	124	37	13	6	3		2	2		1	4	1	3	3	8	21	20	
Pneumonia (101)	220	17	5	2	2		6	4	3	3	5	5	27	23	31	44	43	
Diarrhea and enteritis (113, 114)	50	39	4	2	1				1				1	2				
Appendicitis and typhlitis (117)	104		1	3	1	1	4	4	11	6	8	10	19	20	12	3	1	
Hernia, intestinal obstruction (118)	68	6	1	1	2		1		1	2	2	3	8	10	12	15	4	
Cirrhosis of the liver (122)	21												2	7	4	6	2	
Nephritis (128, 129)	281	8	1			1	2	3	3	2	3	6	15	31	66	64	76	
Diseases of the female genital organs (137–141)	43								2	4	1	4	15	10	3	4		
Puerperal septicemia (146)	23								1	4	9	5	4					
Other puerperal causes (143–145, 147–150)	28								4	3	9	6	6					
Suicide (165–174)	76							1	3	4	5	7	16	20	11	7	2	
Homicide (197–200)	18						2			3	3	4	3	1	2			
Automobile accidents [1] (188c)	61		2			1	7	5		7	2	3	6	5	10	7	6	
Automobile and railroad-train collision (part 188a)	6				1		2			1					1	1		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	149	7	3	4	1	2	6	2	8	8	4	6	22	17	15	20	24	
All other causes	1,020	256	13	5	4	3	20	13	18	14	23	30	87	101	137	135	161	
BRIDGEPORT, CONN., all causes	1,514	133	23	15	14	11	37	20	24	30	38	47	149	200	267	291	215	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	26	4	3	1	2	3	10	2							1			
Influenza (11)	24		1			2		1		2	1	2	3	4	3	3	2	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	82		1						4	8	11	7	20	13	11	5	2	
Other forms of tuberculosis (32–37)	14			3			3	1		2			2	2		1		
Cancer and other malignant tumors (43–49)	150								1		2	2	22	34	38	36	15	
Diabetes mellitus (57)	32		1							1			2	5	11	11	1	
Cerebral hemorrhage and softening (74, 83)	133						1					1	8	9	31	49	34	
Other [organic] diseases of the heart (90)	284						2	3	1	3	3	2	9	37	60	77	87	
Bronchitis (99)	3															1	2	
Broncho-pneumonia (100)	46	10	4	1	1			1	1		2		2	3	6	8	7	
Pneumonia (101)	79	8	2	1		1	3	2	4		3	6	10	12	12	7	8	
Diarrhea and enteritis (113, 114)	17	8	3	1	1	3	1											
Appendicitis and typhlitis (117)	15							2	3	2	1		2	2	1	1	1	
Hernia, intestinal obstruction (118)	22	2	1				1				1	1	5	3	3	4	1	
Cirrhosis of the liver (122)	9												2	3	2	2		
Nephritis (128, 129)	132						1			2	5	2	15	24	29	34	20	
Diseases of the female genital organs (137–141)	6											2	1	1	2			
Puerperal septicemia (146)	4								1	1		2						
Other puerperal causes (143–145, 147–150)	2									1	1							
Suicide (165–174)	19								1		2	1	3	3	7		2	
Homicide (197–200)	2											1			1			
Automobile accidents [1] (188c)	25				1	1	4	1		2	1	2	1	3	1	6	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	69	2	3	2	4		3	1	3	3	2	3	7	11	11	7	7	
All other causes	316	98	4	6	5	1	7	6	5	3	3	13	34	31	37	39	24	
HARTFORD, CONN., all causes	2,073	310	48	13	17	14	42	28	32	53	40	71	190	272	325	340	278	
Typhoid and paratyphoid fever (1)	5										1	2	2					
Measles (7)	4		1	1	1		1											
Scarlet fever (8)	1							1										
Whooping cough (9)	9	3	5	1														
Diphtheria (10)	10			1	1	3	5											
Influenza (11)	16	7		2			1				1		2	1	2			
Meningococcus meningitis (24)	3	1	1						1									
Tuberculosis of the respiratory system (31)	70						1		4	9	6	11	11	14	10	4		
Other forms of tuberculosis (32–37)	26	3	1	1	1		1		1	3	1	3	4	5	2			
Cancer and other malignant tumors (43–49)	193						2				2		19	37	61	48	24	
Diabetes mellitus (57)	35						1					2	3	1	11	10	7	
Cerebral hemorrhage and softening (74, 83)	131	1							1				10	16	27	33	43	
Other [organic] diseases of the heart (90)	387	1			1		1	5	2	3	3	12	19	53	80	112	95	
Bronchitis (99)	9	2	4											1	1		1	
Broncho-pneumonia (100)	72	29	11	1		2	1	1	1	1	1	1	1	6	5	7	4	
Pneumonia (101)	94	5	4		1		2	1	1	2	4	2	16	19	14	13	10	
Diarrhea and enteritis (113, 114)	75	67	5											1		1	1	
Appendicitis and typhlitis (117)	50					3	5	5	3	3	2	6	9	8	3	2	1	
Hernia, intestinal obstruction (118)	21	4	1						1	1			2	3	4	3	2	
Cirrhosis of the liver (122)	13											1	2	3	4	3		
Nephritis (128, 129)	165							3	1	3	4	5	15	31	25	48	30	
Diseases of the female genital organs (137–141)	14											1	9	2	1		1	
Puerperal septicemia (146)	7									2	3	1	1					
Other puerperal causes (143–145, 147–150)	16								3	3	2	5	2	1				
Suicide (165–174)	19								1	4		4	3	3	3	1		
Homicide (197–200)	5	1						1	1		1		1					
Automobile accidents [1] (188c)	49		1	2	1	2	7	2	2	3	2	3	7	7	5	4	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	84	2	4		5		5	1	4	2	3	3	15	7	7	10	16	
All other causes	489	184	10	4	6	4	9	8	5	14	4	9	36	53	60	41	42	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,070	193	31	11	14	9	28	28	42	48	52	64	185	261	389	397	318	
Typhoid and paratyphoid fever (1)	2						1							1				
Measles (7)	1	1																
Scarlet fever (8)	3		2										1					
Whooping cough (9)	1	1																
Diphtheria (10)	8			1	1	1	3	1			1							
Influenza (11)	44	4	2	1	1		2		1		1	3	1	1	6	10	11	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	74		1						7	10	7	9	10	12	13	4	1	
Other forms of tuberculosis (32–37)	13	1	1		1			2		1	2	2	3					
Cancer and other malignant tumors (43–49)	260										2	1	22	40	70	84	41	
Diabetes mellitus (57)	46					1	1			1			1	6	20	11	5	
Cerebral hemorrhage and softening (74, 83)	179									1		1	5	18	45	61	48	
Other [organic] diseases of the heart (90)	309					1	1	2	2	1	5	7	26	44	61	83	76	
Bronchitis (99)	9	1						1					1		2	3	1	
Broncho-pneumonia (100)	77	16	7	4	4		1						4	4	10	12	15	
Pneumonia (101)	117	9	6		2	1	3	2	3	1	1	4	13	24	21	12	15	
Diarrhea and enteritis (113, 114)	10	6		2				1							1			
Appendicitis and typhlitis (117)	30		1		1		2	1	2	3	2	2	7	4	3	2		
Hernia, intestinal obstruction (118)	24	2								1	3		2	3	5	4	4	
Cirrhosis of the liver (122)	5												1	1	1	1	1	
Nephritis (128, 129)	135	1								1		3	16	21	36	30	27	
Diseases of the female genital organs (137–141)	18										3		6	7	1	1		
Puerperal septicemia (146)	13							1	1	2	2	4	3					
Other puerperal causes (143–145, 147–150)	21								1	3	5	4	7	1				
Suicide (165–174)	21								2	2	1	1	6	3	2	1	3	
Homicide (197–200)	4										1		1	1	1			
Automobile accidents[1] (188c)	48				1	2	5	1	5	2	6	4	5	5	8	3	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	89	2	1	1	1	2		3	4	7	1	4	9	15	12	12	15	
All other causes	508	149	10	2	2	1	9	13	14	12	9	15	34	50	71	63	54	
WILMINGTON, DEL., all causes	1,462	149	40	14	6	8	25	22	27	35	48	60	136	191	207	278	213	3
Typhoid and paratyphoid fever (1)	6					1			1		1	1	2					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	2		2															
Diphtheria (10)	7		3		1	1	1					1						
Influenza (11)	24	5	3	1				2				2	1	3	1	4	2	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	62	1	2						4	6	12	9	10	11	5	2		
Other forms of tuberculosis (32–37)	9	2	1		2				1				1	1	1			
Cancer and other malignant tumors (43–49)	124										1	1	11	30	27	36	18	
Diabetes mellitus (57)	30						1					2	1	8	5	8	5	
Cerebral hemorrhage and softening (74, 83)	140										1	1	8	18	35	41	36	
Other [organic] diseases of the heart (90)	199						2	2	3	4	2	5	16	32	35	57	40	1
Bronchitis (99)	8	3						1						1			3	
Broncho-pneumonia (100)	56	25	2	3	1			2			1	2	3	7	1	5	3	1
Pneumonia (101)	64	3	5	2	1			1		4	4	1	5	10	13	9	6	
Diarrhea and enteritis (113, 114)	37	24	6						1			2	1		1	1	1	
Appendicitis and typhlitis (117)	19	1	1				3	2		2	1	3	1	2	2	1		
Hernia, intestinal obstruction (118)	18	7								1		2			4	4		
Cirrhosis of the liver (122)	6												1	1	1	3		
Nephritis (128, 129)	185						1			2	1	5	14	19	36	56	51	
Diseases of the female genital organs (137–141)	5												3	2				
Puerperal septicemia (146)	7								1	2	2		2					
Other puerperal causes (143–145, 147–150)	11								1	3	5	1	1					
Suicide (165–174)	14									1	1	3	1	4		3	1	
Homicide (197–200)	13			1					1		2	1	6	1	1			
Automobile accidents[1] (188c)	40			1	2	1	5	2	4	2	4	3	5	3	1	7		
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)	2										2							
Other external causes (inclusions, see Table 5)	87	5	3		1	2	1	3	3	1	6	5	13	12	14	7	10	1
All other causes	285	73	12	6		1	10	7	7	6	2	10	30	26	24	34	37	
WASHINGTON, D. C. (WHITE), all causes	4,306	302	27	26	21	18	56	37	55	108	131	137	365	519	722	876	906	
Typhoid and paratyphoid fever (1)	7			2									2	2	1			
Measles (7)																		
Scarlet fever (8)	4						3						1					
Whooping cough (9)	11	6	1	2	2													
Diphtheria (10)	18	2		2	2	4	7	1										
Influenza (11)	50	3		2	1					1	1	2	4	16	8	5	7	
Meningococcus meningitis (24)	5	2				1	1			1								
Tuberculosis of the respiratory system (31)	209			1	1			1	8	25	25	25	39	30	26	17	11	
Other forms of tuberculosis (32–37)	32	3	2	4	1	1	1	2	2	4		4	2	1	1	4		
Cancer and other malignant tumors (43–49)	495				2	1	1	1	1	2	10	6	52	83	129	122	85	
Diabetes mellitus (57)	79								2		1	1	6	10	17	27	15	
Cerebral hemorrhage and softening (74, 83)	289									1	1	1	6	31	52	106	91	
Other [organic] diseases of the heart (90)	869	2	2				2	2	5	7	4	9	40	98	165	237	296	
Bronchitis (99)	13	3	1	1							1			1	1	1	4	
Broncho-pneumonia (100)	107	28	3	2		1	3	1	1	1	3	1	6	5	11	12	29	
Pneumonia (101)	152	5	4	2	2	1	2	4	3	5	3	7	20	26	21	30	17	
Diarrhea and enteritis (113, 114)	30	21	4												2	2	1	
Appendicitis and typhlitis (117)	68			1	2	2	7	4	7	7	4	3	6	8	12	4	1	
Hernia, intestinal obstruction (118)	38	2	1					1	1	1	2	3	4	6	9	7	1	
Cirrhosis of the liver (122)	35							1			1	2	5	5	9	10	2	
Nephritis (128, 129)	450	1					1		1	4	7	9	30	52	78	130	137	
Diseases of the female genital organs (137–141)	18									1	1	1	8	4	1	1	1	
Puerperal septicemia (146)	17								1	5	6	2	3					
Other puerperal causes (143–145, 147–150)	24								3	5	5	7	4					
Suicide (165–174)	94								4	5	11	12	18	23	12	7	2	
Homicide (197–200)	17	1								1	3	4	5	3				
Automobile accidents[1] (188c)	71				1		5	4	4	10	4	2	6	5	13	9	8	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	182	2	2	3	2	3	6	3	5	6	9	9	15	25	28	21	43	
All other causes	920	221	7	4	5	4	17	12	7	16	28	26	83	85	126	124	155	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	4 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,680	309	51	17	19	9	25	38	86	116	174	160	408	484	360	243	181	
Typhoid and paratyphoid fever (1)	4							1		1		1				1		
Measles (7)																		
Scarlet fever (8)	5		1		1		1						2					
Whooping cough (9)	8	5	2	1														
Diphtheria (10)	7		1	2	1	2						1						
Influenza (11)	33	3	1			1			1	2	2	4	2	8	4	4	1	
Meningococcus meningitis (24)	2	1				1												
Tuberculosis of the respiratory system (31)	317	3	1	2	1	1	9	33	51	51	44	68	31	13	7	2		
Other forms of tuberculosis (32–37)	60	5	9	2	2		2	4	9	5	8	5	5	3	1			
Cancer and other malignant tumors (43–49)	125				1	1		1		2	3	2	24	49	19	20	3	
Diabetes mellitus (57)	31											3	4	10	10	1	3	
Cerebral hemorrhage and softening (74, 83)	169									1	2	2	10	45	54	40	15	
Other [organic] diseases of the heart (90)	427	1			1		2	3	3	4	8	11	54	119	102	69	50	
Bronchitis (99)	18	4	1	1			1		1			1	1	2	2	3	1	
Broncho-pneumonia (100)	129	60	20	2	4		2	1		4	3	2	7	10	8	2	4	
Pneumonia (101)	142	10	5	2	1		1		6	8	8	14	30	33	16	3	5	
Diarrhea and enteritis (113, 114)	52	28	3	2	2	1				1	1	2	3	2	4	3		
Appendicitis and typhlitis (117)	21						3	2	3	1	3	1	3	3	1		1	
Hernia, intestinal obstruction (118)	29							1		1		3	5	11	4	3	1	
Cirrhosis of the liver (122)	12									1	1		3	5		1	1	
Nephritis (128, 129)	281				1		2	1	1	3	9	11	44	61	57	48	43	
Diseases of the female genital organs (137–141)	19								2		6	1	7	2	1			
Puerperal septicemia (146)	17								7	2	6	2						
Other puerperal causes (143–145, 147–150)	20							1	2	4	6	4	3					
Suicide (165–174)	16								1		5	4	3	2	1			
Homicide (197–200)	39								4	3	10	8	11	3				
Automobile accidents [1] (188c)	37					1	3	2		1	7		5	7	5	4	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	78	7	3	2	1		2	6	4	6	8	4	15	8	7	2	3	
All other causes	582	182	5	2	2	2	4	6	9	15	27	31	98	70	51	32	46	
ATLANTA, GA. (WHITE), all causes	2,001	224	33	26	12	11	43	30	45	65	68	92	211	262	265	324	289	1
Typhoid and paratyphoid fever (1)	10						1		2	2		1	3		1			
Measles (7)	10	4	2	1			1		1		1							
Scarlet fever (8)	2					1	1											
Whooping cough (9)	18	8	4	2	1	1	2											
Diphtheria (10)	18	2	4	5	3	1	3											
Influenza (11)	50	7	2		1	1	2	1	2	3	2	2	6	6	2	5	8	
Meningococcus meningitis (24)	6	1				1	1	1				1	1					
Tuberculosis of the respiratory system (31)	72						1		2	8	8	13	13	16	6	3	2	
Other forms of tuberculosis (32–37)	13	2	1				1			1	1	1	2		2	1	1	
Cancer and other malignant tumors (43–49)	177	1		2			2		2	3	5	3	24	44	37	36	18	
Diabetes mellitus (57)	23								1		1	1	2	4	4	5	5	
Cerebral hemorrhage and softening (74, 83)	151								1		1	1	8	23	32	50	35	
Other [organic] diseases of the heart (90)	223			1				2	1			3	16	35	50	58	56	1
Bronchitis (99)	7			1									1		1		4	
Broncho-pneumonia (100)	31	10	1	3		1	1	1					3	4	1	1	5	
Pneumonia (101)	73	8	4		1	1	3		5	3	5	4	8	4	10	7	10	
Diarrhea and enteritis (113, 114)	42	25	6		1	1					2		1	4			2	
Appendicitis and typhlitis (117)	48						1	3	2	6	2	7	10	11	5	1		
Hernia, intestinal obstruction (118)	18	1		1			1		2				3	4	2	4		
Cirrhosis of the liver (122)	21											1	4	7	4	4	1	
Nephritis (128, 129)	238		1				1			4	3	3	18	25	42	78	63	
Diseases of the female genital organs (137–141)	12										3	2	3	3	1			
Puerperal septicemia (146)	10								1	3	2	3	1					
Other puerperal causes (143–145, 147–150)	30								5	7	5	4	9					
Suicide (165–174)	34									3	6	5	6	7	3	3	1	
Homicide (197–200)	18		1					1		2	2	3	3	2	1	2	1	
Automobile accidents [1] (188c)	39				1		5	1	3	1	2	3	6	6	5	5	1	
Automobile and railroad-train collision (part 188a)	2												2					
Automobile and street-car collision (part 188b)	3										1		1			1		
Other external causes (inclusions, see Table 5)	113	3	4	4	3	1	4	9	5	8	6	9	10	15	7	8	17	
All other causes	489	152	3	6	1	2	12	11	10	11	10	22	47	42	49	52	59	
ATLANTA, GA. (COLORED), all causes	1,832	276	51	15	14	9	40	39	89	134	138	138	310	287	188	66	37	1
Typhoid and paratyphoid fever (1)	28						5	8	6	6		1	2					
Measles (7)	5	3				1	1											
Scarlet fever (8)																		
Whooping cough (9)	19	11	6				2											
Diphtheria (10)	7	2	1	1	1		1					1						
Influenza (11)	75	5	3	1			1	2	3	5	5	6	8	20	9	2	5	
Meningococcus meningitis (24)	1											1						
Tuberculosis of the respiratory system (31)	110		2	1		2	3	4	16	26	19	12	15	8		2		
Other forms of tuberculosis (32–37)	40	3	3	1	1	1	3	1	5	5	2	4	8	3				
Cancer and other malignant tumors (43–49)	51										3	2	22	11	11	2		
Diabetes mellitus (57)	13							1		1		1	1	5	4			
Cerebral hemorrhage and softening (74, 83)	145							1		6	2	14	31	46	35	6	4	
Other [organic] diseases of the heart (90)	219						2	1	3	6	8	13	53	66	37	21	9	
Bronchitis (99)	16								1	2	4	2	3	1	1	1	1	
Broncho-pneumonia (100)	77	39	12	3	2		2		2	2			5	3	6		1	
Pneumonia (101)	111	9	4	1	1	2	1	1	8	7	18	14	15	13	13	2	2	
Diarrhea and enteritis (113, 114)	54	38	6	1					2		2	1	2	1			1	
Appendicitis and typhlitis (117)	30							6		5	4	4	3	6	2			
Hernia, intestinal obstruction (118)	17	1								1	2		8	2	2	1		
Cirrhosis of the liver (122)	8									1		1	3	1	1	1		
Nephritis (128, 129)	144	1	1				2		3	2	5	5	43	42	27	12	1	
Diseases of the female genital organs (137–141)	18									1	4	3	5	3	2			
Puerperal septicemia (146)	7								1	2	2	1	1					
Other puerperal causes (143–145, 147–150)	19								2	8	2	3	3	1				
Suicide (165–174)																		
Homicide (197–200)	82							1	8	24	22	12	9	2	4			
Automobile accidents [1] (188c)	26			1	1		4	3	3	1	1	1	3	5	2		1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	63	6	3	1	4		4	4	7	7	2	5	4	10	4	1		1
All other causes	447	158	10	4	4	3	9	6	19	16	32	30	63	38	28	15	12	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (WHITE), all causes	31,915	3,414	563	322	308	249	817	443	661	847	1,012	1,244	3,711	4,519	5,446	4,960	3,397	2
Typhoid and paratyphoid fever (1)	16								2	5	3	1	5					
Measles (7)	112	30	35	13	7	8	16	2		1								
Scarlet fever (8)	76		7	12	19	4	20	6		3		1		2	1	1		
Whooping cough (9)	69	45	15	5	2	1	1											
Diphtheria (10)	422	18	29	47	57	59	163	33	3	4		3	4	1		1		
Influenza (11)	207	21	12	10	8	4	6	4	11	5	7	15	23	24	26	19	12	
Meningococcus meningitis (24)	82	11	5	5	4	2	9	6	9	7	4	4	6	8	2			
Tuberculosis of the respiratory system (31)	1,623	3	8	5		3	13	15	153	224	190	211	350	252	139	49	8	
Other forms of tuberculosis (32–37)	253	16	22	20	10	8	32	17	19	13	13	18	32	21	5	6	1	
Cancer and other malignant tumors (43–49)	3,278	1	2	1	6	2	3	6	13	14	34	76	339	661	947	818	355	
Diabetes mellitus (57)	654		1	1		1	3	6	11	3	9	13	51	96	204	190	65	
Cerebral hemorrhage and softening (74, 83)	1,456	3	1	2			1	3	4	7	16	88	186	406	396	343		
Other [organic] diseases of the heart (90)	5,916	6	4	9	4	10	67	74	89	76	103	137	529	982	1,283	1,394	1,148	1
Bronchitis (99)	221	107	15	9	5	2	4	2	1	1	2		8	4	11	20	30	
Broncho-pneumonia (100)	913	409	127	39	26	21	26	5	6	7	6	11	44	44	44	64	34	
Pneumonia (101)	1,479	82	47	16	23	5	38	20	17	37	49	93	291	283	241	153	84	
Diarrhea and enteritis (113, 114)	587	437	62	19	15	2	13		4		5	3	5	5	10	6	1	
Appendicitis and typhlitis (117)	586	3	5	7	13	11	43	28	44	36	50	42	124	92	63	23	2	
Hernia, intestinal obstruction (118)	309	35	12	2	3	2	6	2	2	5	5	7	42	46	58	54	28	
Cirrhosis of the liver (122)	321				1		1		1	2	3	12	58	83	90	45	25	
Nephritis (128, 129)	3,358	22	3	1	2	4	17	20	29	38	66	71	306	481	736	850	711	1
Diseases of the female genital organs (137–141)	223							1	2	13	19	20	90	51	20	7		
Puerperal septicemia (146)	106								4	21	27	26	28					
Other puerperal causes (143–145, 147–150)	195								10	35	53	41	55	1				
Suicide (165–174)	482						1		6	27	27	34	131	104	86	50	16	
Homicide (197–200)	268	14	1	1	1	1	1	1	20	33	43	48	60	30	10	4	1	
Automobile accidents [1] (188c)	727	1	1	5	14	15	103	41	32	40	29	26	83	95	126	77	39	
Automobile and railroad-train collision (part 188a)	10					1			1	1	1		3	3				
Automobile and street-car collision (part 188b)	29								3	3	3	3	7	4	3		3	
Other external causes (inclusions, see Table 5)	1,562	38	38	30	30	27	60	36	49	74	88	105	293	278	199	121	96	
All other causes	6,375	2,112	112	63	58	56	172	116	117	115	166	207	656	682	736	612	395	
CHICAGO, ILL. (COLORED), all causes	3,843	405	116	48	36	24	82	72	129	281	340	292	636	678	401	206	96	1
Typhoid and paratyphoid fever (1)	7			1		1	1	2		2								
Measles (7)	15	1	8		1	1	1	1		1		1						
Scarlet fever (8)	3		1				1	1										
Whooping cough (9)	17	6	7	2	1		1											
Diphtheria (10)	19	2			2	2	11		1					1				
Influenza (11)	24			1					2	4	3	2	6	6				
Meningococcus meningitis (24)	12	2		1			3		3	2				1				
Tuberculosis of the respiratory system (31)	594	8	6	2	6	4	11	17	56	122	101	63	109	64	20	4		1
Other forms of tuberculosis (32–37)	108	9	10	11	2	2	15	7	10	9	6	8	8	11				
Cancer and other malignant tumors (43–49)	156								1		4	4	30	60	36	17	4	
Diabetes mellitus (57)	44									1	3	1	8	12	12	5	2	
Cerebral hemorrhage and softening (74, 83)	120								1		2	5	25	28	37	16	6	
Other [organic] diseases of the heart (90)	677	1	1	1	1	3	10	11	17	33	38	113	197	133	80	38		
Bronchitis (99)	12	9	2											1				
Broncho-pneumonia (100)	186	93	43	8	6	2	2	1		3	4	4	7	4	1	4	4	
Pneumonia (101)	260	10	9	4	2	1	4	7	2	20	39	24	54	54	22	5	3	
Diarrhea and enteritis (113, 114)	64	46	10	3	2	1							1				1	
Appendicitis and typhlitis (117)	50				1	1	2	4	4	7	10	9	9	2	1			
Hernia, intestinal obstruction (118)	25	2		1				1	2	3	1	4	8	3				
Cirrhosis of the liver (122)	20								1		2	3	7	2	4	1		
Nephritis (128, 129)	338			1	1			1	4	3	13	20	74	89	65	44	23	
Diseases of the female genital organs (137–141)	46									3	8	10	20	4		1		
Puerperal septicemia (146)	28								5	6	6	4	7					
Other puerperal causes (143–145, 147–150)	19								1	5	7	4	2					
Suicide (165–174)	20								1	2	5	6	2	3	1			
Homicide (197–200)	175							3	8	34	39	38	32	15	5	1		
Automobile accidents [1] (188c)	60			1	2	3	8	4	2	3	4	2	12	11	1	6	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	143	4	3	7	3	3	10	9	3	10	12	13	29	21	15		1	
All other causes	600	213	16	4	7	2	10	6	14	27	40	32	80	74	45	18	12	
INDIANAPOLIS, IND. (WHITE), all causes	4,100	332	59	25	22	14	61	44	78	107	137	133	370	501	699	826	692	
Typhoid and paratyphoid fever (1)	3								1			1		1				
Measles (7)	4	1	1	2														
Scarlet fever (8)	14	2	3	1		2	1	1	1	1			1	1				
Whooping cough (9)	6	5	1															
Diphtheria (10)	26	1	3	4	4	1	9	1	1			1		1				
Influenza (11)	71	8	5		2		2		3	4	3	2	6	6	6	14	10	
Meningococcus meningitis (24)	4		1			1	1								1			
Tuberculosis of the respiratory system (31)	155		1			1			10	20	28	18	27	21	16	12	1	
Other forms of tuberculosis (32–37)	34	5	1	2	1	2	1		1	4	5	2	2	3	3	1	1	
Cancer and other malignant tumors (43–49)	398					1		1	2	1	4	7	47	75	107	88	65	
Diabetes mellitus (57)	68							1		1	2	3	3	13	18	21	6	
Cerebral hemorrhage and softening (74, 83)	290	1					1			1	1	2	14	20	60	99	91	
Other [organic] diseases of the heart (90)	748	3	1	1	2		7	4	2	7	7	10	35	102	149	226	192	
Bronchitis (99)	11										1			2	4	3	1	
Broncho-pneumonia (100)	115	39	9	2	1		5	1	1	2	1		6	5	9	16	18	
Pneumonia (101)	151	12	3	1			3	2	4	9	7	7	17	19	18	25	24	
Diarrhea and enteritis (113, 114)	85	59	15	1		2			1					1		4	2	
Appendicitis and typhlitis (117)	81				2		3	4	5	2	5	9	24	15	8	4		
Hernia, intestinal obstruction (118)	46	2					1	1			1	2	2	9	14	7	7	
Cirrhosis of the liver (122)	28									1			2	3	6	9	7	
Nephritis (128, 129)	332						1	3	2	3	5	6	22	39	75	97	79	
Diseases of the female genital organs (137–141)	30								1	1	1	6	12	6	2	1		
Puerperal septicemia (146)	30								2	7	9	5	7					
Other puerperal causes (143–145, 147–150)	18								1	3	5	6	3					
Suicide (165–174)	75									4	9	11	14	11	14	8	4	
Homicide (197–200)	18								1	5	5	3	2		2			
Automobile accidents [1] (188c)	76				2		4	3	8	8	3	5	1	17	10	9	6	
Automobile and railroad-train collision (part 188a)	9						2			2			4	1				
Automobile and street-car collision (part 188b)	15									3	2	4	3	1	2			
Other external causes (inclusions, see Table 5)	184	5	3		1	5	6	17	9	8	6	17	19	25	27	36		
All other causes	975	194	10	8	8	3	15	16	15	8	25	17	99	110	150	155	142	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE FO STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	801	85	27	5	7	4	10	13	26	34	49	57	143	133	94	69	45	
Typhoid and paratyphoid fever (1)	2						1	1										
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping cough (9)	10	3	6		1													
Diphtheria (10)	3		1				2											
Influenza (11)	9						1		2				3	2		1		
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	97	2	2		1	1		1	13	11	15	12	21	14	4			
Other forms of tuberculosis (32–37)	14		1	1				1		2	1	3	3	1	1			
Cancer and other malignant tumors (43–49)	39									1	1	4	7	9	9	6	2	
Diabetes mellitus (57)	11										1	1	1	3	3	1	1	
Cerebral hemorrhage and softening (74, 83)	40												6	16	8	8	2	
Other [organic] diseases of the heart (90)	106									2	2	5	22	28	20	14	13	
Bronchitis (99)	2														1	1		
Broncho-pneumonia (100)	39	18	9	2	2	2	1						1	1	1	2		
Pneumonia (101)	51	2	2	1		1		1		2	4	5	10	11	8	4		
Diarrhea and enteritis (113, 114)	22	14	3				1					1	1	1	1			
Appendicitis and typhlitis (117)	7							1	1		2	2		1				
Hernia, intestinal obstruction (118)	7				1				1		1	1	1	1		1		
Cirrhosis of the liver (122)	3											1		1	1			
Nephritis (128, 129)	89		1						1	1	2	3	15	18	18	16	14	
Diseases of the female genital organs (137–141)	8									1	1	1	4		1			
Puerperal septicemia (146)	6								1	1	4							
Other puerperal causes (143–145, 147–150)	6										1	3	2					
Suicide (165–174)	1									1								
Homicide (197–200)	20							1	1	2	1	3	10	2				
Automobile accidents [1] (188c)	8						1		1	1	1	1	1	2				
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2									1			1					
Other external causes (inclusions, see Table 5)	22							3	1	4	3	2	2	5	2			
All other causes	175	45	2	1	2		3	3	4	4	9	8	32	17	17	15	13	
DES MOINES, IOWA, all causes	1,628	176	35	6	12	11	19	17	35	45	53	40	136	189	241	301	312	
Typhoid and paratyphoid fever (1)	5				1				1		2				1			
Measles (7)	16	5	9				1	1										
Scarlet fever (8)	1						1											
Whooping cough (9)	11	7	2	1	1													
Diphtheria (10)	6	1	1		2	1	1											
Influenza (11)	30	8	3			1			1		3		1	3	2	5	3	
Meningococcus meningitis (24)	3	2											1					
Tuberculosis of the respiratory system (31)	72	1							2	13	14	7	12	8	11	1	3	
Other forms of tuberculosis (32–37)	6	1		1	1	1					1				1			
Cancer and other malignant tumors (43–49)	190		1							1	1	2	23	37	40	57	28	
Diabetes mellitus (57)	21						1					1		3	6	6	4	
Cerebral hemorrhage and softening (74, 83)	114	1							1		1	1	3	8	18	33	48	
Other [organic] diseases of the heart (90)	233						1	4	2	2	5	4	9	33	35	60	78	
Bronchitis (99)																		
Broncho-pneumonia (100)	44	15	5	2		1								1	3	5	12	
Pneumonia (101)	57	5						2	1	1	2	3	4	3	11	10	15	
Diarrhea and enteritis (113, 114)	18	8	4	1					1					1			3	
Appendicitis and typhlitis (117)	41			1			5	1	2	1	2	1	13	6	6	2	1	
Hernia, intestinal obstruction (118)	17	1								1		1	3	2	4	3	2	
Cirrhosis of the liver (122)	8													1	6		1	
Nephritis (128, 129)	83						1		1		1		8	12	22	19	19	
Diseases of the female genital organs (137–141)	12								2		1	1	4	2	2			
Puerperal septicemia (146)	14								3	5	2	1	3					
Other puerperal causes (143–145, 147–150)	10								1		2	2	5					
Suicide (165–174)	26								1	3	3	2	3	7	2	4	1	
Homicide (197–200)	7	2											2	2			1	
Automobile accidents [1] (188c)	30				1	1	1	1	1	4	2		1	5	4	5	4	
Automobile and railroad-train collision (part 188a)	3										2	1						
Automobile and street-car collision (part 188b)	2												1		1			
Other external causes (inclusions, see Table 5)	75	5			1	4	2		5	6	3	2	6	7	8	12	14	
All other causes	473	114	10		5	2	5	8	10	8	6	11	34	48	58	79	75	
KANSAS CITY, KANS., all causes	1,556	177	27	20	8	11	29	28	29	63	43	50	165	199	243	243	221	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	3			1	1		1											
Scarlet fever (8)	3		1				2											
Whooping cough (9)	7	4	2	1														
Diphtheria (10)	7		1	1		3	2											
Influenza (11)	35	6	1	1			2		1		1	2	8	3	2	3	5	
Meningococcus meningitis (24)	2	1					1											
Tuberculosis of the respiratory system (31)	89	2				1		2	3	23	9	7	23	9	2	6	2	
Other forms of tuberculosis (32–37)	18					1			2	2	4	3	4	2				
Cancer and other malignant tumors (43–49)	152			1	2	1	1			2	2	1	14	35	42	33	18	
Diabetes mellitus (57)	38			1				1	1	2		2	3	5	11	9	3	
Cerebral hemorrhage and softening (74, 83)	88									1			1	17	15	24	30	
Other [organic] diseases of the heart (90)	189							1	1	4	2	1	11	27	45	43	54	
Bronchitis (99)	7	2	1												2		2	
Broncho-pneumonia (100)	47	20	4	1						1		1	2	3	2	5	8	
Pneumonia (101)	58	9	1	2			2	1	1	3	2	3	7	6	5	9	7	
Diarrhea and enteritis (113, 114)	32	20	4	1		1	1						2		1	1	1	
Appendicitis and typhlitis (117)	30						3	6	2	2	5	1	3	6	1	1		
Hernia, intestinal obstruction (118)	17	2	1									1	2	2	5	3	1	
Cirrhosis of the liver (122)	17							1				1	3	2	2	5	3	
Nephritis (128, 129)	157				1		1				2	2	9	18	47	41	36	
Diseases of the female genital organs (137–141)	14									1	2	1	4	4	2			
Puerperal septicemia (146)	16								3	3	5	2	3					
Other puerperal causes (143–145, 147–150)	5									1		2	2					
Suicide (165–174)	20								1		2	1	5	4	5	2		
Homicide (197–200)	20	1							1	2	1	3	7	3	2			
Automobile accidents [1] (188c)	20			1			2	3	1	2	1		2	3	3	1	1	
Automobile and railroad-train collision (part 188a)	2												2					
Automobile and street-car collision (part 188b)	1											1						
Other external causes (inclusions, see Table 5)	75	4	3				9	4	2	2	2	4	11	9	5	9	11	
All other causes	386	110	7	6	4	4	2	9	10	12	3	11	36	41	44	48	39	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (WHITE), all causes	3,080	358	62	28	24	16	53	37	55	76	75	115	271	357	467	599	487	
Typhoid and paratyphoid fever (1)	8						1	2	1	1		1		2				
Measles (7)	1		1															
Scarlet fever (8)	9		1	1	1		4		1			1						
Whooping cough (9)	21	10	6	2	1	1										1		
Diphtheria (10)	13		5	2	2	1	2					1						
Influenza (11)	31	4	2	1			1			1	2	2	3	3	3	7	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	136						2	3	7	15	17	16	27	17	20	8	4	
Other forms of tuberculosis (32–37)	35	6	2	1	1		3		2	2	1	2	5	5	4	1		
Cancer and other malignant tumors (43–49)	280			2	1	1		3	1	2	3	2	24	55	71	77	38	
Diabetes mellitus (57)	67						1	1		3	1	2	2	8	19	21	9	
Cerebral hemorrhage and softening (74, 83)	243	3				1					2	3	10	35	50	86	53	
Other [organic] diseases of the heart (90)	432		1				1	1	3		6	7	18	49	100	134	112	
Bronchitis (99)	15	1								1		1	1		1	2	8	
Broncho-pneumonia (100)	104	26	10	4	2	2	4			2	2	5	2	10	8	16	11	
Pneumonia (101)	101	8	3	1	2	1	2	2	2	2	2	6	13	12	20	15	10	
Diarrhea and enteritis (113, 114)	101	68	15	3	3		1					1	2	2	1	4	1	
Appendicitis and typhlitis (117)	52			1		1	5	1	6	5	1	4	14	5	5	3	1	
Hernia, intestinal obstruction (118)	29	5	1					1				1	3	6	2	5	5	
Cirrhosis of the liver (122)	16											1	1	2	4	6	2	
Nephritis (128, 129)	251	2					1	1	4	4	1	7	22	33	45	65	66	
Diseases of the female genital organs (137–141)	18									1	2	2	10	2		1		
Puerperal septicemia (146)	12									3	2	4	3					
Other puerperal causes (143–145, 147–150)	16								1	4	1	4	6					
Suicide (165–174)	46								2	3	3	5	9	7	7	10		
Homicide (197–200)	25							1	2	6	3	3	4	1	3	2		
Automobile accidents [1] (188c)	67			1	2	1	8	6	2	5	2	3	7	9	10	6	5	
Automobile and railroad-train collision (part 188a)	2							1						1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	154	4	9	1	4	2	6	7	6	9	7	5	21	16	15	14	28	
All other causes	795	221	6	8	5	5	11	7	15	7	17	26	64	77	79	115	132	
LOUISVILLE, KY. (COLORED), all causes	1,013	66	17	11	4	4	13	18	24	42	63	52	180	189	170	109	51	
Typhoid and paratyphoid fever (1)	2									1				1				
Measles (7)																		
Scarlet fever (8)	1							1										
Whooping cough (9)	7	5	2															
Diphtheria (10)	2			1				1										
Influenza (11)	19	2		1	1	1				1	2		4	4	3			
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	84		2			1	1	6	6	10	16	7	17	10	6	2		
Other forms of tuberculosis (32–37)	17	1		1		1	1	2		1	3		5	1	1			
Cancer and other malignant tumors (43–49)	51						1				2	2	8	17	12	5	4	
Diabetes mellitus (57)	6							1							4	1		
Cerebral hemorrhage and softening (74, 83)	61									1			10	22	14	13	1	
Other [organic] diseases of the heart (90)	164							1	1	3	4	4	25	46	39	28	13	
Bronchitis (99)	6	1	1	2	1											1		
Broncho-pneumonia (100)	42	12	6	3	1		1			1		1	5	7	3	1	1	
Pneumonia (101)	71	1	1						4	3	4	1	19	13	11	10	4	
Diarrhea and enteritis (113, 114)	14	7	3	1						1					2			
Appendicitis and typhlitis (117)	8						3	1		1	1				1		1	
Hernia, intestinal obstruction (118)	9		1				1		1	1			1	1	2	1		
Cirrhosis of the liver (122)	5												1	2	1	1		
Nephritis (128, 129)	101						1			1	4	3	13	17	27	23	12	
Diseases of the female genital organs (137–141)	12										1	1	7	3				
Puerperal septicemia (146)	3											1	2					
Other puerperal causes (143–145, 147–150)	4									1		3						
Suicide (165–174)	4									1	1	1	1					
Homicide (197–200)	61								5	7	12	10	16	5	5		1	
Automobile accidents [1] (188c)	14						1			1	1	1	3	2	4	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	33	2			1		1	1	4	3	4	2	3	4	4	2	2	
All other causes	211	35	1	2		1	1	4	3	4	8	15	40	34	31	20	12	
NEW ORLEANS, LA. (WHITE), all causes	4,693	455	138	72	38	31	79	58	89	144	169	191	451	635	788	772	580	3
Typhoid and paratyphoid fever (1)	24				1		3	2	5	5	2	1	3	1		1		
Measles (7)	75	16	23	17	7	3	7		1						1			
Scarlet fever (8)	5		1				1	1	1			1						
Whooping cough (9)	25	17	5	1	1					1								
Diphtheria (10)	47	9	15	12	4	2	4	1										
Influenza (11)	77	11	6	2	2	3	3	2	2	2	2	1	8	7	7	10	9	
Meningococcus meningitis (24)	6	1	2					1			1			1				
Tuberculosis of the respiratory system (31)	334	1		2	1			1	14	28	32	55	67	64	44	17	8	
Other forms of tuberculosis (32–37)	27	1	4	1	1	2	2			1	1	4	6	1	1	2		
Cancer and other malignant tumors (43–49)	426	1						1	2	2	6	10	35	96	134	96	43	
Diabetes mellitus (57)	69				1			1			1	1	2	10	28	22	3	
Cerebral hemorrhage and softening (74, 83)	308	1			1	1	1	1		2	2	7	15	46	79	76	75	1
Other [organic] diseases of the heart (90)	702			1	1		1	1	3	3	2	7	45	82	154	216	186	
Bronchitis (99)	14	2											1	3	1	4	3	
Broncho-pneumonia (100)	170	48	19	17	3	5	8		4	2	8	4	2	10	9	14	17	
Pneumonia (101)	125	11	7	3	1	2	3	3	1	6	7	6	14	15	17	17	12	
Diarrhea and enteritis (113, 114)	134	91	27			1	2		1		1	1	1	3	1	2	3	
Appendicitis and typhlitis (117)	92		1		1	1	9	8	6	12	5	9	11	14	10	5		
Hernia, intestinal obstruction (118)	60	7	1							3	2	4	6	8	16	7	6	
Cirrhosis of the liver (122)	62		1				1		1		2	2	8	10	18	12	7	
Nephritis (128, 129)	498			2	2	1	5		4	6	7	8	50	82	92	146	93	
Diseases of the female genital organs (137–141)	34									6	4	4	11	7	1		1	
Puerperal septicemia (146)	25								5	4	7	4	5					
Other puerperal causes (143–145, 147–150)	33								3	7	6	7	10					
Suicide (165–174)	65								3	11	9	5	9	12	11	2	3	
Homicide (197–200)	45						1		3	3	6	9	16	3	2	2		
Automobile accidents [1] (188c)	69			1	1		5	2	4	2	6	3	11	14	11	8	1	
Automobile and railroad-train collision (part 188a)	3					1					1		1					
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	220	3	9	6	3	3	8	9	15	14	13	10	18	31	20	27	30	1
All other causes	919	235	17	7	7	6	15	24	11	24	36	28	96	115	131	86	80	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW ORLEANS, LA. (COLORED), all causes	3,249	464	96	40	21	13	42	52	104	203	214	188	523	570	369	198	145	7
Typhoid and paratyphoid fever (1)	12						1	1	2	2	4	1	1					
Measles (7)	26	11	9	3		1	1	1										
Scarlet fever (8)	2	1																
Whooping cough (9)	16	7	7		1		1											
Diphtheria (10)	19	5	3	2		2	5			1			1					
Influenza (11)	107	35	7	7	3	1		6	2	3	5	6	10	6	9	2	5	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	335			1	4		2	10	30	56	50	34	72	56	10	4	4	2
Other forms of tuberculosis (32–37)	48	8	1	2		1	1	1	7	4	5	5	8		4	1		
Cancer and other malignant tumors (43–49)	143									3	7	5	30	47	31	12	8	
Diabetes mellitus (57)	31						1			1		2	4	12	5	3	3	
Cerebral hemorrhage and softening (74, 83)	167										7	2	20	54	39	21	23	1
Other [organic] diseases of the heart (90)	499						1	2	5	10	13	19	90	139	112	68	40	
Bronchitis (99)	8	4	1						1	1			1					
Broncho-pneumonia (100)	179	90	20	7	6	3	4		2	5	3	4	13	9	4	1	8	
Pneumonia (101)	147	18	7	3	2		4	4	9	14	12	10	24	17	16	5	2	
Diarrhea and enteritis (113, 114)	141	99	26	6	1	1	1				1	1	3	1	1			
Appendicitis and typhlitis (117)	41						2	3	3	8	4	5	7	6	2	1		
Hernia, intestinal obstruction (118)	33	4							2	1	2	1	7	9	4	1	2	
Cirrhosis of the liver (122)	28						1			1		2	9	10	2	1	2	
Nephritis (128, 129)	289	3	1		1			1		8	11	14	60	71	56	37	25	1
Diseases of the female genital organs (137–141)	41								3	3	9	6	12	7	1			
Puerperal septicemia (146)	20								3	7	6	3	1					
Other puerperal causes (143–145, 147–150)	17								2	4	5	5	1					
Suicide (165–174)	11									2	2	2	2	3				
Homicide (197–200)	92	1							5	32	27	8	15	3	1			
Automobile accidents [1] (188c)	27					1	1	2	2	4			5	5	3	2	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	132	8	6	2	2	1	4	7	10	10	8	12	19	21	10	5	6	1
All other causes	638	170	8	7	1	2	12	14	15	23	33	41	108	94	59	34	15	2
BALTIMORE, MD. (WHITE), all causes	8,613	905	134	84	53	47	143	81	150	178	201	233	771	1,132	1,482	1,693	1,326	
Typhoid and paratyphoid fever (1)	7								3	1	1	1	1					
Measles (7)	5	2	1		1		1											
Scarlet fever (8)	8	2			2	1	2			1								
Whooping cough (9)	45	28	8	6		1	2											
Diphtheria (10)	75	3	11	11	14	10	19	4				1	2					
Influenza (11)	115	12	9	4	2	3	6	2	4	3	3	3	8	11	15	15	15	
Meningococcus meningitis (24)	10	5		1			1						1	1	1			
Tuberculosis of the respiratory system (31)	405		2			1		2	24	35	36	45	86	95	40	32	7	
Other forms of tuberculosis (32–37)	45	4	2	5			5	2	6	3		5	4	1	4	3	1	
Cancer and other malignant tumors (43–49)	826	1	2	2	1	2	3	5	5	6	12	16	67	173	227	215	89	
Diabetes mellitus (57)	168									3			11	28	65	48	13	
Cerebral hemorrhage and softening (74, 83)	620	1	1	1					3		1	6	23	65	135	219	165	
Other [organic] diseases of the heart (90)	1,426	2		2			6	12	14	10	15	13	75	175	289	418	395	
Bronchitis (99)	38	5	1	1					1				2	1	3	10	14	
Broncho-pneumonia (100)	459	135	26	9	5	4	2	1	2	2	4	5	27	39	39	72	87	
Pneumonia (101)	430	28	17	5	2	3	7	2	5	10	19	17	57	68	79	69	42	
Diarrhea and enteritis (113, 114)	160	119	14	8	4		2				1		2	1	3	2	4	
Appendicitis and typhlitis (117)	105			1	1	2	6	6	7	1	5	7	24	19	12	9	5	
Hernia, intestinal obstruction (118)	108	7							1	6	1	5	14	20	17	19	18	
Cirrhosis of the liver (122)	42						1						7	9	9	14	2	
Nephritis (128, 129)	944					1	1	4	7	7	9	19	75	112	204	271	234	
Diseases of the female genital organs (137–141)	24								1	1	1	2	13	2	2	1	1	
Puerperal septicemia (146)	38								8	8	11	5	6					
Other puerperal causes (143–145, 147–150)	50								6	6	11	11	15	1				
Suicide (165–174)	120								2	5	7	11	19	26	36	11	3	
Homicide (197–200)	25									5	4	5	3	6	1		1	
Automobile accidents [1] (188c)	140		1		2	7	16	9	4	6	7	6	15	16	20	21	10	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1															1		
Other external causes (inclusions, see Table 5)	368	11	8	8	11	3	21	9	18	19	14	11	41	55	56	47	36	
All other causes	1,806	540	31	20	8	9	42	23	29	40	39	39	173	208	225	196	184	
BALTIMORE, MD. (COLORED), all causes	2,965	427	82	31	22	15	55	38	70	138	202	199	507	497	387	196	99	
Typhoid and paratyphoid fever (1)	10	1				1				3	2		3					
Measles (7)	1				1													
Scarlet fever (8)	1										1							
Whooping cough (9)	16	10	5	1														
Diphtheria (10)	18	2		2	2	2	6	13		1								
Influenza (11)	47	3	6	1	1		2	2	1	4	1	5	5	9	5	2		
Meningococcus meningitis (24)	3	1								1	1							
Tuberculosis of the respiratory system (31)	312	5	3			2	1	6	26	51	55	49	64	30	13	3	4	
Other forms of tuberculosis (32–37)	59	7	3	5	3	2	8	7	5	5	7	1	5		1			
Cancer and other malignant tumors (43–49)	134						1		1	1	6	7	30	47	22	17	2	
Diabetes mellitus (57)	25											1	4	9	7	3	1	
Cerebral hemorrhage and softening (74, 83)	174								1			2	31	49	53	24	14	
Other [organic] diseases of the heart (90)	367						4	1		6	12	17	61	98	87	52	29	
Bronchitis (99)	5	1						1							1	1	1	
Broncho-pneumonia (100)	241	96	32	9	2	2	6	2	5	4	6	5	14	18	18	13	9	
Pneumonia (101)	263	24	14	6	2	1	4		9	12	27	21	61	38	29	12	3	
Diarrhea and enteritis (113, 114)	81	53	6						1	3	4	3	4	4		2	1	
Appendicitis and typhlitis (117)	25		1				1	1	1	4	1	3	8	4	1			
Hernia, intestinal obstruction (118)	13		1							3	2	1	1	1	4			
Cirrhosis of the liver (122)	6													1	4	1		
Nephritis (128, 129)	326						1		3		9	15	71	84	78	44	21	
Diseases of the female genital organs (137–141)	10									1	3		3	2		1		
Puerperal septicemia (146)	12							1	2		2	3	4					
Other puerperal causes (143–145, 147–150)	16								1	2	6	4	3					
Suicide (165–174)	10								1		1	1	5	2				
Homicide (197–200)	37									4	8	11	13	1				
Automobile accidents [1] (188c)	31		2	1	1	1	5	5	3	2			4	5	2			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1														1			
Other external causes (inclusions, see Table 5)	117	4	5	3	4	2	4	4	4	11	7	12	18	16	15	5	3	
All other causes	604	220	4	3	6	2	12	5	6	20	41	38	95	79	46	16	11	

[1] Excludes collision with railroad trains and street cars

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BOSTON, MASS., all causes	11,109	1,457	229	94	83	76	251	163	198	260	272	355	938	1,445	1,905	1,837	1,546	
Typhoid and paratyphoid fever (1)	9						1		2	3		1		2				
Measles (7)	43	7	24	7	1	2	2											
Scarlet fever (8)	55	1	7	4	5	10	19	5	1		1		2					
Whooping cough (9)	31	12	7	4	5	2	1											
Diphtheria (10)	63	6	9	6	5	7	23	4		2			1					
Influenza (11)	42	9	3	2		1			4		2	4	3	3	5	1	5	
Meningococcus meningitis (24)	29	15	3	1			1	3	1	2	2	1						
Tuberculosis of the respiratory system (31)	606	7	9	3	3	1	2	9	45	73	72	56	115	94	80	22	15	
Other forms of tuberculosis (32–37)	85	8	15	5	1	1	3	5	8	8	4	3	8	8	7	1		
Cancer and other malignant tumors (43–49)	1,228	1	2	1	1		2	4	6	2	5	20	111	238	366	305	164	
Diabetes mellitus (57)	188		1				1	1	2	1		2	7	27	65	59	22	
Cerebral hemorrhage and softening (74, 83)	647	1	1	1					1		1	5	14	91	150	212	170	
Other [organic] diseases of the heart (90)	1,949					2	25	26	20	16	24	46	105	239	412	507	527	
Bronchitis (99)	36	9		2		1		1			1	1	2	3	3	2	11	
Broncho-pneumonia (100)	555	161	61	6	8	1	11	8	4	4	3	2	23	29	50	81	103	
Pneumonia (101)	525	37	20	7	4	3	11	7	8	16	11	25	64	85	100	79	48	
Diarrhea and enteritis (113, 114)	256	217	18	1	3	1	1				1	1	4	3	2	2	2	
Appendicitis and typhlitis (117)	149	1		5	1	3	10	13	14	13	10	12	19	24	13	9	2	
Hernia, intestinal obstruction (118)	138	18	2	1			2	2	2	5		3	15	26	26	28	8	
Cirrhosis of the liver (122)	64				1					1	1	2	9	20	17	7	6	
Nephritis (128, 129)	682	4		2	2	2	2	1	6	9	6	18	67	106	146	162	149	
Diseases of the female genital organs (137–141)	69									4	6	7	21	14	11	4	2	
Puerperal septicemia (146)	61								4	14	17	12	14					
Other puerperal causes (143–145, 147–150)	84								4	13	19	18	29	1				
Suicide (165–174)	103									7	10	10	19	22	23	10	2	
Homicide (197–200)	31	1			1				1	2	4	4	9	3	4	2		
Automobile accidents [1] (188c)	140			4	6	5	25	7	4	6	5	5	9	16	24	15	9	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1														1			
Other external causes (inclusions, see Table 5)	522	10	12	7	3	10	25	11	15	9	23	24	66	95	79	74	59	
All other causes	2,718	932	35	25	33	24	84	56	46	50	44	73	202	296	321	255	242	
CAMBRIDGE, MASS., all causes	1,393	156	21	7	5	7	25	16	29	43	41	38	99	187	208	259	252	
Typhoid and paratyphoid fever (1)	1													1				
Measles (7)	4	2	1	1														
Scarlet fever (8)	3		1			1	1											
Whooping cough (9)	5	1	2		1	1												
Diphtheria (10)																		
Influenza (11)	6	1									1			3		1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	102		1	1				1	9	21	16	8	18	15	7	4	1	
Other forms of tuberculosis (32–37)	10	1		1			1		1	2	1	2	1					
Cancer and other malignant tumors (43–49)	165						1			2	1	4	12	35	35	50	25	
Diabetes mellitus (57)	16												1	5	4	5	1	
Cerebral hemorrhage and softening (74, 83)	135											2	1	24	27	31	50	
Other [organic] diseases of the heart (90)	265						2	1	4	3	3	5	13	26	54	78	76	
Bronchitis (99)	10	2														2	6	
Broncho-pneumonia (100)	63	20	8	3	1				1		2	1		3	7	5	12	
Pneumonia (101)	59	6	2		1	1	1	3	2	1	2	2	5	13	9	9	2	
Diarrhea and enteritis (113, 114)	16	13					1									2		
Appendicitis and typhlitis (117)	21					2	1	5	3			3		5	1	1		
Hernia, intestinal obstruction (118)	12	1								1			1	3	2	2	2	
Cirrhosis of the liver (122)	7												1	1	2	1	2	
Nephritis (128, 129)	74						2			1	1	2	3	11	17	19	18	
Diseases of the female genital organs (137–141)	4										1		1		1	1		
Puerperal septicemia (146)	5								1	1	1	2						
Other puerperal causes (143–145, 147–150)	11									1	4	2	4					
Suicide (165–174)	19									2	1		5	3	3	4	1	
Homicide (197–200)	2									1					1			
Automobile accidents [1] (188c)	28			1	2	1	6	3	2		1	2	3		3	2	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	52	4				1	4		1	3			8	15	3	5	8	
All other causes	297	105	6				5	3	5	4	5	3	22	24	32	37	46	
FALL RIVER, MASS., all causes	1,442	223	37	15	10	11	35	18	30	33	30	34	102	185	249	240	190	
Typhoid and paratyphoid fever (1)	2										1	1						
Measles (7)	1			1														
Scarlet fever (8)	1							1										
Whooping cough (9)	2	1	1															
Diphtheria (10)	18	1	1	2	3	2	9											
Influenza (11)	15	3	1									1	2	1	4	2	1	
Meningococcus meningitis (24)	2				1		1											
Tuberculosis of the respiratory system (31)	109	1	1					7	16	15	13	6	16	21	8	4	1	
Other forms of tuberculosis (32–37)	18	4	3	1	1		2	1		1	1		2	2				
Cancer and other malignant tumors (43–49)	143										1	3	13	29	51	34	12	
Diabetes mellitus (57)	30													10	10	7	3	
Cerebral hemorrhage and softening (74, 83)	92											1	2	9	26	26	28	
Other [organic] diseases of the heart (90)	158						1	3	1	1	1		8	22	37	36	48	
Bronchitis (99)	12	1	1											1	3	2	4	
Broncho-pneumonia (100)	75	34	11	4	2	1	1					1	3	2	2	4	10	
Pneumonia (101)	57	4	1			2	2					3	7	8	13	13	4	
Diarrhea and enteritis (113, 114)	59	44	6		3	1	1			1						1	2	
Appendicitis and typhlitis (117)	15		1			1	3	1		1			3		4	1		
Hernia, intestinal obstruction (118)	12	4												3	2	3		
Cirrhosis of the liver (122)	9					1						1		2	4	1		
Nephritis (128, 129)	169	1							1	3	2	3	16	23	30	54	36	
Diseases of the female genital organs (137–141)	9								1			1	3	3	1			
Puerperal septicemia (146)	5									3	1	1						
Other puerperal causes (143–145, 147–150)	10										3	2	5					
Suicide (165–174)	13								1				4	3	3	2		
Homicide (197–200)	3									1		1		1				
Automobile accidents [1] (188c)	11						6	1			1	1	1		1			
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	35	1		2		1		1	6	1	1	2	2	4	6	4	4	
All other cuases	356	124	10	5		2	9	3	3	6	5	6	15	41	44	46	37	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOWELL, MASS., all causes	1,392	217	26	20	13	9	28	11	16	24	33	29	92	157	249	256	211	1
Typhoid and paratyphoid fever (1)	3						1				1		1					
Measles (7)	1		1															
Scarlet fever (8)	1						1											
Whooping cough (9)	8	4	2	1		1												
Diphtheria (10)	19	1		7	2		7	1				1						
Influenza (11)	3	1								2								
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	47		1						3	6	7	7	11	5	5	2		
Other forms of tuberculosis (32–37)	16	1		3	2				2	1			2	1	1	2	1	
Cancer and other malignant tumors (43–49)	143									1	1	1	4	38	47	36	15	
Diabetes mellitus (57)	29							1		2			1	7	6	9	3	
Cerebral hemorrhage and softening (74, 83)	83										1		5	9	25	24	19	
Other [organic] diseases of the heart (90)	244	1		1			1	1	4	2	2	4	10	35	63	65	54	1
Bronchitis (99)	31	9	4	1								1	2		1	5	8	
Broncho-pneumonia (100)	68	24	9	1	3	1				1	1	2	2	3	9	5	7	
Pneumonia (101)	31	3	2	1	1	1	1				2	1	2	6	5	5	1	
Diarrhea and enteritis (113,114)	51	45	4	1		1												
Appendicitis and typhlitis (117)	21						1	3	1	1	1	1	4	5	1	2	1	
Hernia, intestinal obstruction (118)	10	2											2			4	2	
Cirrhosis of the liver (122)	6													1	1	3	1	
Nephritis (128, 129)	68				1				1	1			14	11	18	10	12	
Diseases of the female genital organs (137–141)	4										2		1			1		
Puerperal septicemia (146)	1									1								
Other puerperal causes (143–145, 147–150)	19								1	1	6	5	6					
Suicide (165–174)	9										1		1	3	3		1	
Homicide (197–200)	3									1	1		1					
Automobile accidents [1] (188c)	16				1	1	3				2	1	3	1	4			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	52	1	1	3	2	2	5				1	1	6	8	14	2	6	
All other causes	404	124	2	1	1	2	8	5	4	4	4	4	14	24	46	81	80	
NEW BEDFORD, MASS., all causes	1,309	160	26	12	18	9	37	12	31	30	34	42	103	142	212	236	204	1
Typhoid and paratyphoid fever (1)	4							1	1		1		1					
Measles (7)																		
Scarlet fever (8)	2		1				1											
Whooping cough (9)	1	1																
Diphtheria (10)	19		2		7		10											
Influenza (11)	20	4	4										1		6	1	4	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	91					2	1		13	19	15	8	19	7	3	4		
Other forms of tuberculosis (32–37)	18	3	2	3	3		3	1			2	1						
Cancer and other malignant tumors (43–49)	129			1							1	1	14	18	36	33	25	
Diabetes mellitus (57)	20							1		1		1		3	9	4	1	
Cerebral hemorrhage and softening (74, 83)	129								1		1	3	3	9	37	40	35	
Other [organic] diseases of the heart (90)	201	1				1	3	2	2	1	3	12	20	43	58	55		
Bronchitis (99)	8	2												1	3	2		
Broncho-pneumonia (100)	58	22	8		1		3		1		3	1	1		6	3	9	
Pneumonia (101)	32	2	1			1			2		1	3	3	6	5	6	2	
Diarrhea and enteritis (113, 114)	24	16	3	2		1	1									1		
Appendicitis and typhlitis (117)	19						1	1	2		2	1	6	4	2			
Hernia, intestinal obstruction (118)	13	1											1	5		2	4	
Cirrhosis of the liver (122)	9												1	3	3	1	1	
Nephritis (128, 129)	77			1			2	3	1		6	6	6	18	15	18	7	
Diseases of the female genital organs (137–141)	8										1		4	3				
Puerperal septicemia (146)	5									3	1		1					
Other puerperal causes (143–145, 147–150)	9								1	2	1	2	3					
Suicide (165–174)	13											1	1	5	4	2		
Homicide (197–200)	1										1							
Automobile accidents [1] (188c)	16				1	1	7				1	1	1		2		2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	50	1		1	2		3		2		1	1	5	12	7	7	8	
All other causes	331	107	5	3	4	3	7	3	3	1	1	9	20	29	33	53	49	1
SPRINGFIELD, MASS., all causes	1,684	183	26	9	8	14	42	35	25	34	44	47	157	209	263	302	286	
Typhoid and paratyphoid fever (1)																		
Measles (7)	1	1																
Scarlet fever (8)	1						1											
Whooping cough (9)	6	6																
Diphtheria (10)	18		2	3	1	2	8		1	1								
Influenza (11)	15				1				1	1	1		2	7	1		1	
Meningococcus meningitis (24)	2					1	1											
Tuberculosis of the respiratory system (31)	64			1					4	6	12	5	18	9	7	2		
Other forms of tuberculosis (32–27)	17	3		1			1	3		1	2	1		3	2			
Cancer and other malignant tumors (43–49)	168							1				4	18	32	55	36	22	
Diabetes mellitus (57)	35											1	3	6	16	6	3	
Cerebral hemorrhage and softening (74, 83)	142	3											7	10	23	45	54	
Other [organic] diseases of the heart (90)	261						1	10	3	2	3	3	16	34	41	71	77	
Bronchitis (99)	4	2		1										1				
Broncho-pneumonia (100)	62	19	8		1	1	3		1		2	2	3	1	5	6	10	
Pneumonia (101)	64	3	4	2			2	2	2		4	5	10	8	5	8	9	
Diarrhea and enteritis (113, 114)	13	8				1							1	1		1	1	
Appendicitis and typhlitis (117)	34					1	3	4	4		1	1	6	8	2	4		
Hernia, intestinal obstruction (118)	11													2	5	1	3	
Cirrhosis of the liver (122)	7														4	1	2	
Nephritis (128, 129)	192	1	1				2	2	1	1	3	1	20	19	35	53	53	
Diseases of the female genital organs (137–141)	12									1	2		2	6		1		
Puerperal septicemia (146)	11								2	4	1	2	2					
Other puerperal causes (143–145, 147–150)	19								1	5	4	5	4					
Suicide (165–174)	19									1		4	6	6	1	1		
Homicide (197–200)	2									1			1					
Automobile accidents [1] (188c)	24	1			1	2	4	1		1	1		1	3	4	3	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3	2											1					
Other external causes (inclusions, see Table 5)	61				2	1	2	4	3	1	3	2	9	9	7	6	12	
All other causes	416	134	11	1	2	5	14	8	2	8	5	11	27	44	50	57	37	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WORCESTER, MASS., all causes	2,516	250	35	20	13	14	57	37	47	45	61	86	246	315	417	449	424	
Typhoid and paratyphoid fever (1)	6							1				2	2	1				
Measles (7)																		
Scarlet fever (8)	4		1				2					1						
Whooping cough (9)	6	4	1	1														
Diphtheria (10)	14		1	3		2	5	2		1								
Influenza (11)	11	1											1	2	4	2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	135				1				11	12	18	6	37	25	11	9	5	
Other forms of tuberculosis (32–37)	35	6	4		2	2	3	3		1	3	2	3	3		2	1	
Cancer and other malignant tumors (43–49)	293		1		1				1		4	2	30	62	77	73	42	
Diabetes mellitus (57)	49				1			3		1	1	1	3	1	16	14	8	
Cerebral hemorrhage and softening (74, 83)	188						1		1		1		6	23	48	61	47	
Other [organic] diseases of the heart (90)	381				1	1		4	3	5	4	12	31	42	80	91	107	
Bronchitis (99)	10	2												1		3	4	
Broncho-pneumonia (100)	104	29	7				1		2		1	1	4	9	10	18	22	
Pneumonia (101)	115	6	4	2	1		4	2		2	2	6	20	7	28	23	8	
Diarrhea and enteritis (113, 114)	25	14	3	3			2		2				1					
Appendicitis and typhlitis (117)	49			2		4	7	6	4	2		7	7	5	3	1	1	
Hernia, intestinal obstruction (118)	24	3										1	5	2	6	3	4	
Cirrhosis of the liver (122)	12												3	4	4	1		
Nephritis (128, 129)	243						1		1	4	5	9	17	26	50	64	66	
Diseases of the female genital organs (137–141)	15									1			6	5	2	1		
Puerperal septicemia (146)	5								1	2		2						
Other puerperal causes (143–145, 147–150)	11									2	2	2	5					
Suicide (165–174)	29										1	3	7	10	5	3		
Homicide (197–200)	10	1						1	1		1	2		1	2	1		
Automobile accidents [1] (188c)	46		1	1	1	4	5	2	2	3	4	2	5	4	7	3	2	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	108	2	4	4	3		6	5	6	1	4	7	13	18	6	10	19	
All other causes	587	182	8	4	2	1	20	8	12	8	10	18	40	63	58	66	87	
DETROIT, MICH. (WHITE), all causes	12,713	2,119	273	169	132	108	364	191	280	467	539	618	1,598	1,490	1,566	1,629	1,168	2
Typhoid and paratyphoid fever (1)	15		1	1	1			1	3	2	2	1	2	1				
Measles (7)	17	4	7	2	1	1	2											
Scarlet fever (8)	40	5	5	9	5	5	6		1	1	2	1						
Whooping cough (9)	50	31	14	1	2	1	1											
Diphtheria (10)	268	7	18	26	38	30	112	22	2	2	2	3	4	2				
Influenza (11)	121	22	6	3	1	1	3	2	1	3	2	11	17	9	11	19	10	
Meningococcus meningitis (24)	24	6	1	3	2		2	1	1	2	1	1	4					
Tuberculosis of the respiratory system (31)	730	6	5	5	3	1	6	5	62	119	109	101	152	87	46	19	4	
Other forms of tuberculosis (32–37)	135	15	9	13	8	4	15	5	13	10	7	14	12	5	3	2		
Cancer and other malignant tumors (43–49)	1,005		2	1	2		1	2	6	4	20	24	151	198	288	205	101	
Diabetes mellitus (57)	209		1	2	1		2	1	2	2	4	11	20	29	63	46	25	
Cerebral hemorrhage and softening (74, 83)	649	5	1	1			1			1	4	9	42	94	141	201	149	
Other [organic] diseases of the heart (90)	1,620	13	1	2	1	1	17	26	18	15	22	32	133	252	336	408	343	
Bronchitis (99)	81	20	3	1	1		2	1					2	2	4	19	26	
Broncho-pneumonia (100)	501	238	62	16	9	10	12	7	2	6	9	10	18	16	23	45	18	
Pneumonia (101)	606	75	17	15	3	2	9	7	18	29	41	40	115	82	66	65	22	
Diarrhea and enteritis (113, 114)	315	251	29	6	6	2	4		1	2	1		4	2	2	3	2	
Appendicitis and typhlitis (117)	259	2	2	2	6	3	17	22	23	21	26	29	56	31	14	4	1	
Hernia, intestinal obstruction (118)	151	20	3	3	1	1	4	2	2	2	8	6	21	26	21	21	10	
Cirrhosis of the liver (122)	104									2		4	20	26	22	18	12	
Nephritis (128, 129)	672	5	5	2		1	5	8	6	12	10	22	73	106	111	170	136	
Diseases of the female genital organs (137–141)	89								3	7	11	9	31	21	6	1		
Puerperal septicemia (146)	106								7	24	33	22	20					
Other puerperal causes (143–145, 147–150)	125								8	26	28	27	35	1				
Suicide (165–174)	196								7	15	26	18	60	38	21	8	3	
Homicide (197–200)	143								6	21	30	27	47	8	3	1		
Automobile accidents [1] (188c)	383	3	2	8	8	11	42	26	18	22	20	23	54	49	38	45	14	
Automobile and railroad-train collision (part 188a)	3									1		1	1					
Automobile and street-car collision (part 188b)	12					1				2	2	1	4	2				
Other external causes (inclusions, see Table 5)	584	22	19	9	12	12	23	12	19	31	31	36	128	89	49	37	55	
All other causes	3,500	1,369	60	38	21	21	78	41	51	83	88	135	372	314	298	292	237	2
DETROIT, MICH. (COLORED), all causes	1,742	224	54	27	14	12	32	17	76	135	223	197	332	216	111	42	30	
Typhoid and paratyphoid fever (1)	2													1	1			
Measles (7)	1	1																
Scarlet fever (8)	4						3	1										
Whooping cough (9)	8	3	3	2														
Diphtheria (10)	8			3	1		3	1										
Influenza (11)	14	2	1	1					1	3		1		2	1	2		
Meningococcus meningitis (24)	6	2							1	1	2							
Tuberculosis of the respiratory system (31)	305	9	8	3	1	1	3	4	34	57	65	33	60	23	3		1	
Other forms of tuberculosis (32–37)	47	4	5	5	4	3	1		6	5	5	3	3	3				
Cancer and other malignant tumors (43–49)	41										1	3	14	11	8	2	2	
Diabetes mellitus (57)	19								2	1	3	2	4	4	2	1		
Cerebral hemorrhage and softening (74, 83)	47							1	2	1	2	5	9	14	9	1	3	
Other [organic] diseases of the heart (90)	174	1					2		4	3	11	18	36	43	29	17	10	
Bronchitis (99)	8	1	1					1				1		2	1	1		
Broncho-pneumonia (100)	84	46	17	1	2		1		1	2		6	3	3	1		1	
Pneumonia (101)	152	13	6	1		1	1	3	6	14	21	20	32	24	9	1		
Diarrhea and enteritis (113, 114)	27	12	6	1			1			1	1		1	3		1		
Appendicitis and typhlitis (117)	20						2	1	1	1	3	3	7	2				
Hernia, intestinal obstruction (118)	22	1		1		1	1			4	1	2	5	5	1			
Cirrhosis of the liver (122)	12								1			2	3	3	1	1	1	
Nephritis (128, 129)	92								3	2	7	10	25	19	15	7	4	
Diseases of the female genital organs (137–141)	27									3	5	4	15					
Puerperal septicemia (146)	10								1	4	3	1		1				
Other puerperal causes (143–145, 147–150)	18								4	1	7	5	1					
Suicide (165–174)	6								1		3		1		1			
Homicide (197–200)	103								2	13	30	24	28	4	2			
Automobile accidents [1] (188c)	20			1		2	4	1			3	2	4	1	2			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	77	2	1	3	2		2		1	8	9	11	16	12	7	1	2	
All other causes	388	127	6	5	4	4	8	4	6	11	42	39	65	36	19	7	5	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
GRAND RAPIDS, MICH., all causes	1,592	190	20	11	9	6	28	7	28	34	27	36	113	150	241	323	369	
Typhoid and paratyphoid fever (1)	3								1		1			1				
Measles (7)	3	2	1															
Scarlet fever (8)	1				1													
Whooping cough (9)	3	2		1														
Diphtheria (10)	3		1		1		1											
Influenza (11)	19	3	1		1					1		1	3			4	5	
Meningococcus meningitis (24)	2										1					1		
Tuberculosis of the respiratory system (31)	37								3	7	4	1	5	9	2	5	1	
Other forms of tuberculosis (32–37)	10					1	2					4	1	1		1		
Cancer and other malignant tumors (43–49)	147							1	1		1	1	4	26	43	38	32	
Diabetes mellitus (57)	31												3	2	7	13	6	
Cerebral hemorrhage and softening (74, 83)	150												3	8	26	47	66	
Other [organic] diseases of the heart (90)	312						1	2	2	2	2	4	15	30	61	77	116	
Bronchitis (99)	9	2														1	6	
Broncho-pneumonia (100)	39	13	4	1			4			1		1	1			4	10	
Pneumonia (101)	41	1	1		1		1		1	1	2	1	7	4	4	11	6	
Diarrhea and enteritis (113, 114)	26	18	5	1		1										1		
Appendicitis and typhlitis (117)	25				1		2	1		3	1		5	7	4	1		
Hernia, intestinal obstruction (118)	19			2			1						3	3	5	2	3	
Cirrhosis of the liver (122)	13										1		1	3	4	3	1	
Nephritis (128, 129)	102								1			1	7	9	20	33	31	
Diseases of the female genital organs (137–141)	7										1	1	1	1	2		1	
Puerperal septicemia (146)	11								1	4		5	1					
Other puerperal causes (143–145, 147–150)	15								2	4	3	3	3					
Suicide (165–174)	17									2			5	2	3	5		
Homicide (197–200)	6	1									1	2	2					
Automobile accidents [1] (188c)	35			1	2	1	5		4	5			4	1	3	6	3	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	1														1			
Other external causes (inclusions, see Table 5)	63	3	1	1			6	2	2	2		4	9	6	7	5	15	
All other causes	441	145	6	4	2	3	5	1	10	2	9	7	29	37	49	65	67	
MINNEAPOLIS, MINN., all causes	4,719	404	45	32	21	17	78	50	70	111	152	149	473	548	752	980	836	1
Typhoid and paratyphoid fever (1)	3										1		2					
Measles (7)	1			1														
Scarlet fever (8)	13		2	2	1		6		1				1					
Whooping cough (9)	9	7	2															
Diphtheria (10)	27	1	3	1	4		9	1	1		1		3	2	1			
Influenza (11)	55	4	1		3	1	1	2	1	1	2	4	10	3	7	5	10	
Meningococcus meningitis (24)	18	1	1	2	1		1	3	2	3	1	1	1	1				
Tuberculosis of the respiratory system (31)	161						1	2	6	19	21	30	36	17	11	14	4	
Other forms of tuberculosis (32–37)	31	2	3	1		1	1	1	1	4	2	2	4	5	1	3		
Cancer and other malignant tumors (43–49)	605		1			1	2	3	2	1	10	11	61	98	164	176	75	
Diabetes mellitus (57)	106						2	1	2	2	1	3	7	17	31	25	15	
Cerebral hemorrhage and softening (74, 83)	287	1								2	2	3	11	32	51	89	96	
Other [organic] diseases of the heart (90)	745					1	5	6	5	7	9	10	51	71	126	221	233	
Bronchitis (99)	17	2											2	1	1	3	8	
Broncho-pneumonia (100)	193	45	8	3	2	1	1	1	2	2	1	3	7	13	18	23	63	
Pneumonia (101)	237	7	2	2	2		7	1	7	6	12	6	37	31	31	47	39	
Diarrhea and enteritis (113, 114)	24	10	2	4									1	1	1	1	4	
Appendicitis and typhlitis (117)	78			2	2	2	4	3	6	9	3	4	11	14	9	6	3	
Hernia, intestinal obstruction (118)	53	4	1								5		6	6	9	17	5	
Cirrhosis of the liver (122)	24					1							4	6	7	6		
Nephritis (128, 129)	263							3	1	3	5	5	11	30	56	84	65	
Diseases of the female genital organs (137–141)	24									2	4	1	11	3	2		1	
Puerperal septicemia (146)	14									3	6	1	4					
Other puerperal causes (143–145, 147–150)	24								2	5	5	9	3					
Suicide (165–174)	80								2	5	7	6	25	11	13	8	2	1
Homicide (197–200)	14	2							1	2		2	3	4				
Automobile accidents [1] (188c)	64			1		1	9	2		3	3	4	6	7	11	13	4	
Automobile and railroad-train collision (part 188a)	1														1			
Automobile and street-car collision (part 188b)	1											1						
Other external causes (inclusions, see Table 5)	245	5	3	2	1	1	8	7	9	12	10	7	28	33	27	44	48	
All other causes	1,302	313	16	11	5	7	21	14	19	20	41	36	127	142	174	195	161	
ST. PAUL, MINN., all causes	2,950	266	28	21	15	10	38	38	58	97	85	98	257	353	467	615	504	
Typhoid and paratyphoid fever (1)	7								1		1		2	2	1			
Measles (7)	5	2		1	1										1			
Scarlet fever (8)	3			1			2											
Whooping cough (9)	2	2																
Diphtheria (10)	4	2					1						1					
Influenza (11)	59	8	1	3	2		2	1	1	3		1	5	1	7	8	16	
Meningococcus meningitis (24)	7		1					1	1	1	1	1	1					
Tuberculosis of the respiratory system (31)	160		1	1				3	11	29	24	21	18	25	15	11	1	
Other forms of tuberculosis (32–37)	26	2	3	2			2	2		5	3	2	1	2	1		1	
Cancer and other malignant tumors (43–49)	353							1	1	1		4	28	58	91	105	64	
Diabetes mellitus (57)	49							3				1		7	12	19	7	
Cerebral hemorrhage and softening (74, 83)	192								1	1	1		10	20	35	65	59	
Other [organic] diseases of the heart (90)	501					1		3	4	10	5	9	30	50	93	149	147	
Bronchitis (99)	7	2		1												1	3	
Broncho-pneumonia (100)	115	27	4	4	1	1	1	2	2		3		9	9	7	23	22	
Pneumonia (101)	115	6	6		1		3	1	2	3	1	4	14	15	13	21	25	
Diarrhea and enteritis (113, 114)	23	10	2								2	3	2	3	1			
Appendicitis and typhlitis (117)	65			1	1	1	5	2	7	3	6	5	9	10	11	3	1	
Hernia, intestinal obstruction (118)	34	2							1	2	2		3	4	3	11	6	
Cirrhosis of the liver (122)	25							1			2	1	1	8	5	7		
Nephritis (128, 129)	152									3	1	4	9	18	32	49	36	
Diseases of the female genital organs (137–141)	12									2			5	3	2			
Puerperal septicemia (146)	14								3	3	2	3	2	1				
Other puerperal causes (143–145, 147–150)	14								2	3	2	2	5					
Suicide (165–174)	45								1	2	4	3	10	13	8	4		
Homicide (197–200)	16	3								3	2	3	4	1				
Automobile accidents [1] (188c)	57			1	3		5	2	3	5	6	3	7	5	6	8	3	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	4							1	2				1					
Other external causes (inclusions, see Table 5)	167	2	2	2	3	4	6	7	1	7	3	9	22	23	31	23	22	
All other causes	716	198	8	4	3	3	11	8	14	11	14	19	57	75	92	108	91	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,212	389	45	29	27	17	72	49	75	128	144	150	447	520	719	734	664	3
Typhoid and paratyphoid fever (1)	8						1		1	3					2		1	
Measles (7)	18	5	5	2		2	4											
Scarlet fever (8)	10			1	3	1	1			2	1	1						
Whooping cough (9)	21	13	3	1			3	1										
Diphtheria (10)	12		2		3	1	4	2										
Influenza (11)	62	4	2	1		1	1	1	1	3	4	2	8	7	9	12	6	
Meningococcus meningitis (24)	13						1	3		2	1	1	2	2	1			
Tuberculosis of the respiratory system (31)	187	3		1			1	3	8	20	20	24	40	28	24	10	4	1
Other forms of tuberculosis (32–37)	31			2	1		3			4	6	1	6	3	2	2	1	
Cancer and other malignant tumors (43–49)	427			1				1	1	3	5	13	48	86	124	90	54	1
Diabetes mellitus (57)	59						1		1	1	1	1	7	9	19	13	6	
Cerebral hemorrhage and softening (74, 83)	266	1							1	1	1	1	15	27	54	81	84	
Other [organic] diseases of the heart (90)	554				1		1	4	6	8	3	10	37	61	105	144	174	
Bronchitis (99)	15										1				1	5	8	
Broncho-pneumonia (100)	146	38	3	4	3	3	5	2		2	2	2	4	9	18	19	32	
Pneumonia (101)	185	15	5	4	1		2	3	6	3	8	12	22	24	27	25	28	
Diarrhea and enteritis (113, 114)	80	55	6	5	1		1		1			1		1	5	2	2	
Appendicitis and typhlitis (117)	108	1			1		9	4	9	14	12	6	22	10	15	4	1	
Hernia, intestinal obstruction (118)	56	5				1			1	1	2	2	12	8	9	10	5	
Cirrhosis of the liver (122)	51								1		1	2	5	10	14	10	8	
Nephritis (128, 129)	447	1		1		1	3	1	4	2	9	5	25	58	98	121	118	
Diseases of the female genital organs (137–141)	44									1	6	11	13	10	1	2		
Puerperal septicemia (146)	23								1	7	7	5	3					
Other puerperal causes (143–145, 147–150)	31								2	5	9	6	9					
Suicide (165–174)	65								2	4	7	5	15	14	10	6	2	
Homicide (197–200)	52						1		3	6	9	6	16	3	7	1		
Automobile accidents [1] (188c)	72		2		2		7	4	3	2	1	2	13	7	10	19		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3												1	1		1		
Other external causes (inclusions, see Table 5)	194	2	5	1	2	2	5	6	8	12	11	7	31	22	24	25	31	
All other causes	972	246	12	5	9	5	18	14	15	22	17	24	93	120	140	132	99	1
KANSAS CITY, MO. (COLORED), all causes	799	61	10	5		1	7	6	19	43	53	57	155	181	108	55	36	2
Typhoid and paratyphoid fever (1)	3								1				2					
Measles (7)	1		1															
Scarlet fever (8)																		
Whooping cough (9)	1		1															
Diphtheria (10)																		
Influenza (11)	13									1	1	1	3	3	2	1	1	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	99			1			1	2	4	16	16	14	25	12	4	3	1	
Other forms of tuberculosis (32–37)	12			1			1		2		2	1	2	4				
Cancer and other malignant tumors (43–49)	36			1				1					8	12	8	5	1	
Diabetes mellitus (57)	2												1		1			
Cerebral hemorrhage and softening (74, 83)	33											2	2	8	14	2	5	
Other [organic] diseases of the heart (90)	98						1		1		3	6	18	28	19	13	9	
Bronchitis (99)																		
Broncho-pneumonia (100)	33	18	3								1		6	4		1		
Pneumonia (101)	66	2							5	5	3	10	8	13	12	4	3	1
Diarrhea and enteritis (113, 114)	15	9	3						1					1	1			
Appendicitis and typhlitis (117)	9						1	1		2	1		4					
Hernia, intestinal obstruction (118)	15	2		1							2	1	4	3	1	1		
Cirrhosis of the liver (122)	8											1	2	2	1	1	1	
Nephritis (128, 129)	105										2	3	21	32	22	16	9	
Diseases of the female genital organs (137–141)	2											1	1					
Puerperal septicemia (146)	3									1	1	1						
Other puerperal causes (143–145, 147–150)	6								3	1	1	1						
Suicide (165–174)	7								1		1	2	1	1				1
Homicide (197–200)	49									10	7	5	15	8	4			
Automobile accidents [1] (188c)	8							1			3		2		2			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	23	1	1			1	1		1	2	2	2	5	2	2		3	
All other causes	150	29		1			2	1		5	7	6	25	48	15	8	3	
ST. LOUIS, MO. (WHITE), all causes	9,027	716	106	58	47	34	126	115	146	204	227	267	840	1,247	1,714	1,775	1,402	3
Typhoid and paratyphoid fever (1)	13	1					1	2		2	1	1	3	1		1		
Measles (7)	5	1	2	1					1									
Scarlet fever (8)	19		3	2	1		10			1		1	1					
Whooping cough (9)	42	23	16	2	1													
Diphtheria (10)	62	1	6	5	12	12	18	6	1					1				
Influenza (11)	60	8	1					1		2	1		7	5	10	13	12	
Meningococcus meningitis (24)	10	4		1	1		2		1	1								
Tuberculosis of the respiratory system (31)	331	2	2					1	18	33	34	32	66	66	41	30	6	
Other forms of tuberculosis (32–37)	41	2	5	2	1	2	5	2	2	5	5		4	4	1	1		
Cancer and other malignant tumors (43–49)	1,025		1	2	2	2	2	2	6	5	4	17	99	217	315	231	120	
Diabetes mellitus (57)	176						1	1	1		5		12	30	56	50	20	
Cerebral hemorrhage and softening (74, 83)	488	3		1			1	2		2	1	4	21	48	112	159	134	
Other [organic] diseases of the heart (90)	1,654						12	15	16	21	18	28	116	184	353	443	447	1
Bronchitis (99)	60	8	1	1	1					1				1	5	12	30	
Broncho-pneumonia (100)	262	79	15	7	6	1	2	2	1		1	4	15	15	32	42	40	
Pneumonia (101)	416	25	7	3	1	1	11	2	9	11	12	14	46	63	73	84	54	
Diarrhea and enteritis (113, 114)	142	103	16	3	2	2	1		1		1			4	1	3	5	
Appendicitis and typhlitis (117)	155		1	2	3	2	5	15	11	14	16	7	23	20	23	13		
Hernia, intestinal obstruction (118)	93	5	2	2			1	1				2	9	19	16	20	16	
Cirrhosis of the liver (122)	110											4	11	26	29	31	9	
Nephritis (128, 129)	1,103		1	1			3	6	6	7	11	19	68	149	261	319	252	
Diseases of the female genital organs (137–141)	61									4	5	5	29	12	3	3		
Puerperal septicemia (146)	37								3	6	14	8	6					
Other puerperal causes (143–145, 147–150)	38								1	8	8	10	10	1				
Suicide (165–174)	158								7	13	8	12	25	39	32	16	6	
Homicide (197–200)	71	2						1	4	11	12	6	15	13	4	3		
Automobile accidents [1] (188c)	144				1	3	7	15	6	7	5	5	17	20	30	21	7	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	8								1			1	2	2	1		1	
Other external causes (inclusions, see Table 5)	476	7	9	7	5	3	6	11	14	18	21	41	57	61	74	63	79	
All other causes	1,766	442	18	16	10	6	38	30	36	32	44	46	177	246	242	217	164	2

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,833	172	42	12	11	9	20	32	63	92	129	142	357	345	217	115	75	
Typhoid and paratyphoid fever (1)	3								1	2								
Measles (7)	1				1													
Scarlet fever (8)																		
Whooping cough (9)	6	2	3	1														
Diphtheria (10)	6			2	1		1	1					1					
Influenza (11)	19	4		2			1			3	2		3	3	1			
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	212	2	8		1		2	6	27	32	37	31	48	11	5	1	1	
Other forms of tuberculosis (32–37)	29		2	1	1	1		3	3	4	1	4	5	4				
Cancer and other malignant tumors (43–49)	80									1	2	7	17	23	18	10	2	
Diabetes mellitus (57)	14										1		7	3	3			
Cerebral hemorrhage and softening (74, 83)	58										1	1	13	17	13	7	6	
Other [organic] diseases of the heart (90)	295			1				5	1	5	8	17	68	77	58	31	24	
Bronchitis (99)	6	2	1						1						1		1	
Broncho-pneumonia (100)	107	52	15	3	2	2		1	1	1	1	1	7	7	8	4	2	
Pneumonia (101)	135	12	4	1				1	3	7	16	8	30	28	15	6	4	
Diarrhea and enteritis (113, 114)	20	12	4	1	1									2				
Appendicitis and typhlitis (117)	18						2		4	2	3	3	2	2				
Hernia, intestinal obstruction (118)	19	1			1		1				1	2	3	4	3	3		
Cirrhosis of the liver (122)	17										2		5	5	2	2	1	
Nephritis (128, 129)	288		1			1	1	1	3	2	7	17	53	87	57	35	23	
Diseases of the female genital organs (137–141)	19									3	3	6	4	2		1		
Puerperal septicemia (146)	10								2	4	1		3					
Other puerperal causes (143–145, 147–150)	8								1		4	2	1					
Suicide (165–174)	4											1	3					
Homicide (197–200)	66	1						1	4	7	14	15	13	7	3	1		
Automobile accidents [1] (188c)	15						4	2	1		1		3	3			1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	72	1	2		2	3	6	5	5	6	3	6	10	13	7	2	1	
All other causes	305	82	2		1	2	2	6	6	13	21	21	58	47	23	12	9	
OMAHA, NEBR., all causes	2,670	262	30	16	12	17	51	34	57	79	86	109	277	372	446	476	345	1
Typhoid and paratyphoid fever (1)	2							1						1				
Measles (7)	13	1	7		2	1	1			1								
Scarlet fever (8)	2				1		1											
Whooping cough (9)	6	3	2			1												
Diphtheria (10)	14				1	1	7	3			2							
Influenza (11)	40	8	1			1			1	3	2	3	3	4	1	5	8	
Meningococcus meningitis (24)	2	1						1										
Tuberculosis of the respiratory system (31)	100		1				1	2	8	15	8	6	26	14	10	6	3	
Other forms of tuberculosis (32–37)	34	3	1	2				2	2	3	5	5	4	2	1	4		
Cancer and other malignant tumors (43–49)	272								4	1	4	7	25	58	79	61	33	
Diabetes mellitus (57)	45								2	1	1	1	2	9	16	12	1	
Cerebral hemorrhage and softening (74, 83)	191	1					1	2		1	1	1	12	18	43	69	42	
Other [organic] diseases of the heart (90)	416					1		6	7	7	5	9	33	52	92	112	91	1
Bronchitis (99)	9				1					1			1	1	1	1	3	
Broncho-pneumonia (100)	66	19	3	1			1	1	2	1	1		2	1	8	11	15	
Pneumonia (101)	94	3	1	2			3	1		1	1	4	6	16	14	27	15	
Diarrhea and enteritis (113, 114)	29	19	4	3			1			2								
Appendicitis and typhlitis (117)	59					1	7	3	2	6	5	7	8	10	8	1	1	
Hernia, intestinal obstruction (118)	46	6	2				3		1	1		4	3	8	6	7	5	
Cirrhosis of the liver (122)	22			1								1	1	4	8	5	2	
Nephritis (128, 129)	182								1	2	5	6	21	24	42	42	39	
Diseases of the female genital organs (137–141)	30								1		3	4	9	10	2	1		
Puerperal septicemia (146)	22									5	4	9	4					
Other puerperal causes (143–145, 147–150)	20								2	2	3	5	7	1				
Suicide (165–174)	43								2	3	1	4	9	9	9	4	2	
Homicide (197–200)	25			1				1	1	1	2	4	7	7	1			
Automobile accidents [1] (188c)	49					1	6	1		7	4	1	9	7	5	6	2	
Automobile and railroad-train collision (part 188a)	3								1	1				1				
Automobile and street-car collision (part 188b)	3												1		1	1		
Other external causes (inclusions, see Table 5)	108	5	2	1	3	3	5	3	4	3	4	3	11	19	12	15	15	
All other causes	723	193	6	5	4	7	14	7	16	11	25	25	73	96	87	86	68	
CAMDEN, N. J., all causes	1,645	221	37	17	17	15	69	33	38	49	36	59	166	235	238	233	187	
Typhoid and paratyphoid fever (1)	1								1									
Measles (7)																		
Scarlet fever (8)	7	1	2	1		1	2											
Whooping cough (9)	7	2	5															
Diphtheria (10)	35		5	5	6	2	16	1										
Influenza (11)	18	3		1			2			1		2	1	3	1	2	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	63	1	1				2	2	6	9	2	7	11	12	6	3	1	
Other forms of tuberculosis (32–37)	15		1		1		2	2	1	2		1	1	3	1			
Cancer and other malignant tumors (43–49)	121								1		1	3	15	35	25	29	12	
Diabetes mellitus (57)	26												2	6	13	2	3	
Cerebral hemorrhage and softening (74, 83)	109	1								1	2	2	3	22	22	36	20	
Other [organic] diseases of the heart (90)	240	3		1		1	5	1	3		2	4	13	34	56	68	49	
Bronchitis (99)	7	5											1		1			
Broncho-pneumonia (100)	66	34	2	4			1			1			3	3	5	6	7	
Pneumonia (101)	97	9	7	1	1	1	1		5	5	4	6	13	21	12	4	7	
Diarrhea and enteritis (113, 114)	60	43	6	1	1	2	1	1	2					1		1	1	
Appendicitis and typhlitis (117)	31		1		1	1	4	3	2	3	2		10	2	1	1		
Hernia, intestinal obstruction (118)	18	3	1				1							4	5	3	1	
Cirrhosis of the liver (122)	9											1	2	1	4	1		
Nephritis (128, 129)	176	1						2	4	2	2	5	15	27	33	45	40	
Diseases of the female genital organs (137–141)	11									2	1	1	4	1	1		1	
Puerperal septicemia (146)	20								3	3	4	3	7					
Other puerperal causes (143–145, 147–150)	17								1	5	3	3	4	1				
Suicide (165–174)	20										1	2	6	8	1	1	1	
Homicide (197–200)	4										2		2					
Automobile accidents [1] (188c)	65	1			1	2	11	6	3	4	1	8	8	7	6	4	3	
Automobile and railroad-train collision (part 188a)	7							2	1	2	1	1						
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	87	1	2	1	2	2	9	4	1	1	5	3	17	14	7	8	10	
All other causes	308	113	4	2	4	3	12	9	4	8	3	7	28	30	33	19	29	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
JERSEY CITY, N. J., all causes	3,550	427	65	32	33	20	89	59	78	75	104	138	396	514	632	552	336	
Typhoid and paratyphoid fever (1)	4										1			3				
Measles (7)	1			1														
Scarlet fever (8)	5		1	1			2					1						
Whooping cough (9)	17	5	8	2	1	1												
Diphtheria (10)	38	5	7	3	8	3	7	4					1					
Influenza (11)	26	6	1		1		1		2		1	1	4	2	2	3	2	
Meningococcus meningitis (24)	8		2				2	1	1	1				1				
Tuberculosis of the respiratory system (31)	187	1					2	1	26	17	17	15	42	34	23	7	2	
Other forms of tuberculosis (32–37)	36	5	1	3	1	1		2	1	3	3	4	6	3	2	1		
Cancer and other malignant tumors (43–49)	306					1					3	4	27	75	92	70	34	
Diabetes mellitus (57)	95							1		1		1	4	12	44	26	6	
Cerebral hemorrhage and softening (74, 83)	199	1			1				2	1			7	31	56	63	37	
Other [organic] diseases of the heart (90)	719	2		1			10	11	16	4	9	14	72	107	172	175	126	
Bronchitis (99)	22	8	3	1		1							1	1	2	3	2	
Broncho-pneumonia (100)	145	45	13	5	1	2	5	3	2		1	3	17	12	13	11	12	
Pneumonia (101)	184	14	9	3	1	1	3	4	5	1	8	11	29	37	28	23	7	
Diarrhea and enteritis (113, 114)	96	69	4	4	3		4	1		1			4	1	1	2	2	
Appendicitis and typhlitis (117)	54	1	1	1	1		5	7	3	4	4	5	8	5	8		2	
Hernia, intestinal obstruction (118)	41	6			2		1		1			2	4	8	10	5	2	
Cirrhosis of the liver (122)	26										1	1	2	8	9	3	2	
Nephritis (128, 129)	303	1					4	2	1	3	5	7	33	51	75	76	45	
Diseases of the female genital organs (137–141)	30								1	1	1	7	11	6	2	1		
Puerperal septicemia (146)	15								1	6	5	2	1					
Other puerperal causes (143–145, 147–150)	18									4	6	5	3					
Suicide (165–174)	23									1	1	3	10	2	6			
Homicide (197–200)	8									1	1	3	1	1				
Automobile accidents [1] (188c)	65			1	7	3	12	4	1	4	2	3	3	12	7	5	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	183	5	5	1	1	4	7	8	3	7	12	17	35	29	25	15	9	
All other causes	695	254	10	5	5	3	24	10	12	14	23	29	71	73	54	63	45	
NEWARK, N. J., all causes	5,090	611	97	45	29	24	106	75	90	152	161	200	552	815	885	704	544	
Typhoid and paratyphoid fever (1)	6								1	1		1	1		1	1		
Measles (7)	3		3															
Scarlet fever (8)	6		2			1	3											
Whooping cough (9)	24	16	3	2	1	1	1											
Diphtheria (10)	28		2	5	4	5	11								1			
Influenza (11)	34	5	4	1			2		1		2	1	3	7	4	3	1	
Meningococcus meningitis (24)	7	1		1		1	2		1				1					
Tuberculosis of the respiratory system (31)	237		1			1	4	5	16	27	23	14	59	50	26	9	2	
Other forms of tuberculosis (32–37)	46	2	8	3	2	2	2	1	2	4	3	5	6	4	2			
Cancer and other malignant tumors (43–49)	495		1				4	1	1	1	3	9	58	117	149	98	53	
Diabetes mellitus (57)	116	1				1			1	1	1	1	9	26	41	26	8	
Cerebral hemorrhage and softening (74, 83)	324			1			1	1	1	1	1	2	16	47	81	86	86	
Other [organic] diseases of the heart (90)	882	1				1	4	11	10	7	17	18	76	138	216	210	173	
Bronchitis (99)	22	10			1						1			2	2	3	3	
Broncho-pneumonia (100)	139	60	18	6	1	2	2		1	2	1	3	9	5	9	6	14	
Pneumonia (101)	304	31	22	4	3	1	5	6	11	15	13	12	45	61	39	20	16	
Diarrhea and enteritis (113, 114)	91	74	8	3	1					1			1	2			1	
Appendicitis and typhlitis (117)	110		1	1	3		8	9	6	12	5	10	12	28	9	2	4	
Hernia, intestinal obstruction (118)	50	9	1					1		1	2	2	6	9	10	6	3	
Cirrhosis of the liver (122)	47						1					1	4	12	13	11	5	
Nephritis (128, 129)	416	1		1	2		3	2	7	7	9	11	45	86	94	81	67	
Diseases of the female genital organs (137–141)	32								2	3	5	6	8	4	4			
Puerperal septicemia (146)	25								1	6	7	8	3					
Other puerperal causes (143–145, 147–150)	46								3	10	8	8	16	1				
Suicide (165–174)	75							1	3	3	5	8	16	17	17	5		
Homicide (197–200)	37	3							1	6	8	6	7	4	2			
Automobile accidents [1] (188c)	122		1		4		14	8	5	2	4	9	19	16	17	19	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3											1	1	1				
Other external causes (inclusions, see Table 5)	240	4	8	8	3	4	11	8	3	15	9	16	40	46	24	18	23	
All other causes	1,123	393	14	9	4	4	28	21	13	27	34	48	91	132	124	100	81	
PATERSON, N. J., all causes	1,756	166	28	11	11	12	34	35	39	48	50	52	133	231	329	344	233	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	1	1																
Scarlet fever (8)	8		2	1			2	3										
Whooping cough (9)	3	3																
Diphtheria (10)	13		3	2		1	6							1				
Influenza (11)	14	1	1				1			1		2	1	2	2		3	
Meningococcus meningitis (24)	2	1			1													
Tuberculosis of the respiratory system (31)	92							2	7	9	13	6	21	19	11	3	1	
Other forms of tuberculosis (32–37)	15	1	1	2			1	1	1	1			3	1	2	1		
Cancer and other malignant tumors (43–49)	183		2			1		1	2	2	2	1	15	26	67	40	24	
Diabetes mellitus (57)	50							1			1		1	7	17	20	3	
Cerebral hemorrhage and softening (74, 83)	145							1			1		3	14	40	48	38	
Other [organic] diseases of the heart (90)	271	1					3		4	2	4	9	17	42	47	82	60	
Bronchitis (99)	8	1									1					2	4	
Broncho-pneumonia (100)	47	15	7	2		1							1	1	5	9	6	
Pneumonia (101)	86	10	2	1	4	2	1	1	1	3	1	3	11	12	14	11	9	
Diarrhea and enteritis (113, 114)	42	28	4		1	1			1						3	4		
Appendicitis and typhlitis (117)	32			1			4	4	1	3	1	2	4	5	3	2	2	
Hernia, intestinal obstruction (118)	22	2											1	4	4	9	2	
Cirrhosis of the liver (122)	13								1		1	1		3	3	4		
Nephritis (128, 129)	134				1			2	2	1		5	8	23	27	38	27	
Diseases of the female genital organs (137–141)	8										2		2	1	1	2		
Puerperal septicemia (146)	10								1	3	3	2	1					
Other puerperal causes (143–145, 147–150)	14									3	4	5	2					
Suicide (165–174)	22								1	1	2	1	4	8	2	2	1	
Homicide (197–200)	5	1								1	1		1		1			
Automobile accidents [1] (188c)	52				2	1	8	4	4	4	2	1	2	8	8	4	4	
Automobile and railroad-train collision (part 188a)	3							1					1		1			
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	77					2	3	5	4	9		3	8	16	13	10	4	
All other causes	383	101	6	2	2	3	5	9	9	5	11	11	25	38	58	53	45	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TRENTON, N. J., all causes	1,809	226	32	13	13	7	34	22	37	55	50	71	187	227	305	307	223	
Typhoid and paratyphoid fever (1)	4											1			3			
Measles (7)	1						1											
Scarlet fever (8)	2	1						1										
Whooping cough (9)	7	4	1	2														
Diphtheria (10)	1				1													
Influenza (11)	27		1		1			1				2	4	6	5	4	3	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	83								4	9	9	10	22	6	18	3	2	
Other forms of tuberculosis (32–37)	9	1		1	1		1	1	1			1	1			1		
Cancer and other malignant tumors (43–49)	129								1	2	3	3	14	24	38	29	15	
Diabetes mellitus (57)	34											1	2	3	13	12	3	
Cerebral hemorrhage and softening (74, 83)	130								1			3	9	19	26	38	34	
Other [organic] diseases of the heart (90)	294	1					2	3	3	2	4	5	20	36	61	88	69	
Bronchitis (99)	10	2											1	1	1	4	1	
Broncho-pneumonia (100)	66	37	9				1	1			1	1	3	3	6	2	2	
Pneumonia (101)	93	8	4	2	2	1	2	2	2	4	7	3	14	13	14	11	4	
Diarrhea and enteritis (113, 114)	59	31	8	2	1			1	1	1		3	4	5	1	1		
Appendicitis and typhlitis (117)	29			1	1		1	1	4	5	3	2	4	3	4			
Hernia, intestinal obstruction (118)	21	2	1						1	1	1		5	4	4	1	1	
Cirrhosis of the liver (122)	16												2	8	4	1	1	
Nephritis (128, 129)	140						1	1	1		1	3	18	17	37	39	22	
Diseases of the female genital organs (137–141)	20									3	1	1	7	6	2			
Puerperal septicemia (146)	9									3	2	3	1					
Other puerperal causes (143–145, 147–150)	11										2	4	5					
Suicide (165–174)	13								1	2	1		4	3	1		1	
Homicide (197–200)	7									1		2	1	3				
Automobile accidents [1] (188c)	40			1	1	1	14	1	2	2	2		1	4	2	6	3	
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	112	2	2	2	3	3	4	4	8	6	5	7	10	16	13	12	15	
All other causes	440	137	5	2	2	2	7	5	6	14	8	16	35	47	52	55	47	
ALBANY, N. Y., all causes	1,899	170	24	11	10	5	28	15	27	41	39	66	153	260	346	379	323	2
Typhoid and paratyphoid fever (1)	4									1		1	2					
Measles (7)	6			2	1	1	2											
Scarlet fever (8)	3			1	1				1									
Whooping cough (9)	5	3	1		1													
Diphtheria (10)	11	1	1		2	1	4					2						
Influenza (11)	19	6	1	2								1	1	2	5	1		
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	106							1	6	10	12	8	20	25	11	11	2	
Other forms of tuberculosis (32–37)	20	6	1		1		3			1	1	1	1		1	3	1	
Cancer and other malignant tumors (43–49)	218		1						1	1		4	13	52	61	61	24	
Diabetes mellitus (57)	44									2	2	1	3	5	11	14	6	
Cerebral hemorrhage and softening (74, 83)	111		1									1		9	35	28	37	
Other [organic] diseases of the heart (90)	397							3	2	3	3	4	16	57	76	114	118	1
Bronchitis (99)	9	2													1	3	3	
Broncho-pneumonia (100)	53	13	3	1	1		2		1			2	7	3	3	8	9	
Pneumonia (101)	69	3		2			1		1		3	1	10	12	11	10	15	
Diarrhea and enteritis (113, 114)	24	14	4				2					1			1	2		
Appendicitis and typhlitis (117)	26	1			1	1	2			2	2	2	3	7	2	2	1	
Hernia, intestinal obstruction (118)	29		1							1	1	1	2	5	5	7	6	
Cirrhosis of the liver (122)	13												1	2	4	1	1	
Nephritis (128, 129)	185	1							1	1		9	11	21	49	59	32	1
Diseases of the female genital organs (137–141)	8									1		1	3	1	1		1	
Puerperal septicemia (146)	10									4	2	2	2					
Other puerperal causes (143–145, 147–150)	9								1	2	1	3	2					
Suicide (165–174)	11									1	1		4	1	3	1		
Homicide (197–200)	6	2									1		3					
Automobile accidents [1] (188c)	36				1		4	2	1		1	3	7	4	6	4	3	
Automobile and railroad-train collision (part 188a)	3								1	1		1						
Automobile and street-car collision (part 188b)	2	1								1								
Other external causes (inclusions, see Table 5)	81		2			2	3	1	4	5	4	5	11	10	11	14	9	
All other causes	380	117	8	3	1		5	7	7	4	4	12	30	42	49	36	55	
BUFFALO, N. Y., all causes	7,225	865	91	86	53	46	139	70	129	167	236	261	724	977	1,269	1,216	895	1
Typhoid and paratyphoid fever (1)	13		1					1	3	1	3		3	1				
Measles (7)	3	1	1						1									
Scarlet fever (8)	19		1	3	5	1	5	1	1			1		1				
Whooping cough (9)	11	7	1	3														
Diphtheria (10)	62	2	2	10	7	5	26	6	2	1		1						
Influenza (11)	36	10				1				2		1	6	2	6	4	4	
Meningococcus meningitis (24)	2					1				1								
Tuberculosis of the respiratory system (31)	395	2				1	5	8	26	58	55	41	76	69	41	12	1	
Other forms of tuberculosis (32–37)	71	5	5	8	4	1	4	2	5	6	6	5	11	5	1	2	1	
Cancer and other malignant tumors (43–49)	703				1		2	1		1	8	13	60	155	229	172	61	
Diabetes mellitus (57)	142							2	2		4		7	17	44	48	18	
Cerebral hemorrhage and softening (74, 83)	441	2						1			4	5	14	65	111	148	91	
Other [organic] diseases of the heart (90)	1,283	1		1		1	5	8	18	9	20	24	85	161	286	351	313	
Bronchitis (99)	59	16	5	2		1	2					3	3	3	9	4	11	
Broncho-pneumonia (100)	225	73	22	13	7	1	5		2	2	3	2	7	16	25	20	27	
Pneumonia (101)	325	19	3	5	2	1	3	3	6	9	15	15	64	57	65	45	13	
Diarrhea and enteritis (113, 114)	189	131	17	13	5	3	5	1	2			1	4	1	3	2	1	
Appendicitis and typhlitis (117)	89		1		2	1	7	4	9	4	12	10	10	11	12	6		
Hernia, intestinal obstruction (118)	68	7	1				1	2	2	1	2		5	14	13	14	6	
Cirrhosis of the liver (122)	76										3	2	9	23	24	10	5	
Nephritis (128, 129)	650	2		1			2	1	5	6	3	16	42	88	138	186	160	
Diseases of the female genital organs (137–141)	39										4	5	11	10	6	2	1	
Puerperal septicemia (146)	31								3	7	9	4	8					
Other puerperal causes (143–145, 147–150)	61								2	7	9	16	26					1
Suicide (165–174)	72								1	2	4	4	22	21	12	5	1	
Homicide (197–200)	39	1						1	3	6	8	6	10		2	1	1	
Automobile accidents [1] (188c)	137		1	2	6	3	20	3	6	9	6	7	21	12	18	14	9	
Automobile and railroad-train collision (part 188a)	2												1	1				
Automobile and street-car collision (part 188b)	6										2	2	1	1				
Other external causes (inclusions, see Table 5)	332	3	6	10	4	11	12	7	15	12	15	22	61	52	47	25	30	
All other causes	1,644	583	24	15	10	14	35	18	15	23	41	55	157	191	177	145	141	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (WHITE), all causes	65,633	6,430	1,014	652	461	427	1,398	857	1,322	1,846	1,953	2,509	6,834	9,582	12,124	11,043	7,179	2
Typhoid and paratyphoid fever (1)	67					2	5	7	12	6	5	11	9	8		2		
Measles (7)	40	9	14	8	6	3												
Scarlet fever (8)	110	2	14	23	13	16	29	4		1	3		4				1	
Whooping cough (9)	254	158	54	20	9	6	3	3					1					
Diphtheria (10)	698	33	95	101	95	86	221	33	4	5	4	4	8	7	2			
Influenza (11)	476	61	34	17	8	9	13	9	12	14	16	18	52	68	60	52	33	
Meningococcus meningitis (24)	107	30	7	6	7	2	12	9	11	7	4	2	8	1	1			
Tuberculosis of the respiratory system (31)	3,817	12	11	6	2	4	14	46	314	468	408	411	768	669	464	180	40	
Other forms of tuberculosis (32–37)	548	56	73	35	19	9	35	27	36	52	37	34	49	44	29	6	7	
Cancer and other malignant tumors (43–49)	7,275	5	3	8	6	1	11	7	27	35	73	157	743	1,571	2,181	1,712	735	
Diabetes mellitus (57)	1,521			1			4	5	10	13	5	24	73	253	545	475	113	
Cerebral hemorrhage and softening (74, 83)	3,026	7	3	1	4	2	5	5	5	10	20	25	115	458	817	949	600	
Other [organic] diseases of the heart (90)	13,046	13	4	8	5	8	126	161	195	184	191	254	794	1,693	3,074	3,515	2,821	
Bronchitis (99)	220	51	6	5			3	1	1	2	1	2	12	13	25	37	61	
Broncho-pneumonia (100)	2,527	917	234	88	53	28	46	22	23	33	34	36	132	164	230	265	222	
Pneumonia (101)	3,559	207	139	65	32	31	95	46	87	123	153	194	561	618	568	409	231	
Diarrhea and enteritis (113, 114)	854	675	75	20	6	6	11	3	3	4	1	6	6	10	7	9	12	
Appendicitis and typhlitis (117)	996	4	14	18	22	23	73	52	86	82	71	74	166	156	98	45	12	
Hernia, intestinal obstruction (118)	584	51	6	5	3	2	3	4	5	5	13	14	62	108	125	111	67	
Cirrhosis of the liver (122)	576			1			1	2	2	2	4	13	109	142	141	123	36	
Nephritis (128, 129)	5,283	10	2	6	4	5	14	30	35	40	88	134	443	838	1,286	1,346	1,002	
Diseases of the female genital organs (137–141)	284							1	2	12	20	41	103	69	26	6	4	
Puerperal septicemia (146)	273								17	55	66	57	75	3				
Other puerperal causes (143–145, 147–150)	376								10	58	84	117	102	5				
Suicide (165–174)	1,051							2	10	74	82	113	257	234	166	91	21	1
Homicide (197–200)	355	21	2	3	1	3	9	3	20	51	60	50	74	37	12	8	1	
Automobile accidents [1] (188c)	1,062		2	11	25	33	218	74	43	47	52	43	111	114	131	111	47	
Automobile and railroad-train collision (part 188a)	2									1			1					
Automobile and street-car collision (part 188b)	7							1	1			2	3					
Other external causes (inclusions, see Table 5)	3,192	62	55	67	51	47	122	86	109	180	162	212	530	545	452	286	226	
All other causes	13,447	4,046	167	129	90	101	325	214	242	282	296	461	1,463	1,754	1,684	1,305	887	1
NEW YORK, N. Y. (COLORED), all causes	4,763	773	109	60	34	26	87	63	146	289	401	420	808	722	464	241	120	
Typhoid and paratyphoid fever (1)	7						1		2	4								
Measles (7)	3	1	1		1													
Scarlet fever (8)																		
Whooping cough (9)	46	30	9	4	2	1												
Diphtheria (10)	31	4	4	6	4	2	9	1	1									
Influenza (11)	21	4	2	1		1				1	2	2	4	1	1	1	1	
Meningococcus meningitis (24)	16	2					3	3	3		2	2		1				
Tuberculosis of the respiratory system (31)	703	10	8	5	6	3	4	17	61	111	119	91	137	91	27	11	2	
Other forms of tuberculosis (32–37)	116	13	9	6	5	4	11	4	8	10	11	14	13	7	1			
Cancer and other malignant tumors (43–49)	244									4	7	14	50	70	63	26	10	
Diabetes mellitus (57)	60						1	1		1			14	19	16	6	2	
Cerebral hemorrhage and softening (74, 83)	127	3									1	3	21	39	26	25	9	
Other [organic] diseases of the heart (90)	628					1	7	7	12	13	28	38	93	156	131	83	59	
Bronchitis (99)	11	6	2	2											1			
Broncho-pneumonia (100)	290	169	44	15	8	2	4	2			2	9	14	8	5	6	2	
Pneumonia (101)	395	24	10	7	2		9	3	16	41	37	48	88	71	31	3	5	
Diarrhea and enteritis (113, 114)	77	64	7	4			1									1		
Appendicitis and typhlitis (117)	56	1		2	1	2	3	4	1	6	7	7	13	5	3	1		
Hernia, intestinal obstruction (118)	32	4		1				1		1	2	3	3	9	6	2		
Cirrhosis of the liver (122)	16								1	1			3	5	4	2		
Nephritis (128, 129)	300						1	4	2	6	16	18	70	70	56	41	16	
Diseases of the female genital organs (137–141)	66								2	3	11	20	23	3	3	1		
Puerperal septicemia (146)	41								3	12	13	9	3	1				
Other puerperal causes (143–145, 147–150)	51								4	15	15	9	7	1				
Suicide (165–174)	44									6	10	9	13	5	1			
Homicide (197–200)	72	1							3	9	18	20	11	8	2			
Automobile accidents [1] (188c)	37				1	4	7	2	1	3	4	4	5	4		1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	197	5	1	2	1	1	11	8	5	11	29	22	47	27	16	7	4	
All other causes	1,076	432	12	5	3	5	15	6	21	31	67	75	179	121	71	24	9	
NEW YORK, N. Y. (BRONX BOROUGH), all causes	9,103	883	133	87	71	68	196	124	221	309	285	376	965	1,285	1,646	1,527	927	
Typhoid and paratyphoid fever (1)	10						1	1	1	2	1	1	1	2				
Measles (7)	5	2	3															
Scarlet fever (8)	17	1	4	2		4	3	2										
Whooping cough (9)	38	21	12	1	2	2							1					
Diphtheria (10)	85	4	10	14	11	11	26	3				1	3	2				
Influenza (11)	74	11	4	1	2	4	3	2	4	1	4	3	9	9	3	9	5	
Meningococcus meningitis (24)	13	4		1	1		2	1	1		1		1	1				
Tuberculosis of the respiratory system (31)	614	1	1				3	7	57	95	53	65	125	105	64	30	8	
Other forms of tuberculosis (32–37)	87	7	15	3	7		7	5	5	9	8	4	8	3	5		1	
Cancer and other malignant tumors (43–49)	1,049			2	1		3		7	6	12	26	133	218	310	229	102	
Diabetes mellitus (57)	191			1			1	1		1	3	4	12	31	64	58	15	
Cerebral hemorrhage and softening (74, 83)	378	1						2	1			4	19	66	106	121	58	
Other [organic] diseases of the heart (90)	2,038						14	18	31	34	35	47	143	268	489	528	431	
Bronchitis (99)	24	6	2	2				1				1		1	3	4	4	
Broncho-pneumonia (100)	320	97	15	4	5		5	5	7	4	7	6	22	32	39	40	32	
Pneumonia (101)	476	24	20	14	5	3	12	6	18	20	21	30	69	80	69	58	27	
Diarrhea and enteritis (113, 114)	84	63	9	1	2	1	1	2						2	1	1	1	
Appendicitis and typhlitis (117)	152		2	1	4	7	20	3	22	15	12	11	20	17	10	5	3	
Hernia, intestinal obstruction (118)	86	6	1	3					1			1	8	18	21	21	6	
Cirrhosis of the liver (122)	62									1		1	9	17	18	14	2	
Nephritis (128, 129)	583			2		1	2	6	6	9	19	18	37	95	135	157	96	
Diseases of the female genital organs (137–141)	44								1	2	2	9	15	13	2			
Puerperal septicemia (146)	47								6	8	12	6	13	2				
Other puerperal causes (143–145, 147–150)	56									11	15	20	10					
Suicide (165–174)	118							1	1	5	11	14	27	29	22	7	1	
Homicide (197–200)	42	4		1			3	1	1	9	9	6	5	1	2			
Automobile accidents [1] (188c)	156			1	3	6	29	10	4	11	7	9	17	15	20	19	5	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	344	14	13	10	7	13	12	12	17	21	13	15	65	52	32	25	23	
All other causes	1,910	617	22	23	21	16	49	35	30	45	40	74	193	206	231	201	107	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,843	2,664	447	302	200	193	590	355	532	661	695	874	2,240	3,215	4,282	3,975	2,618	
Typhoid and paratyphoid fever (1)	25					2	2	4	6	1	1	4	2	2		1		
Measles (7)	11	4	2	3	2													
Scarlet fever (8)	52		5	13	7	7	17	1		1	1							
Whooping cough (9)	95	60	19	9	1	2	2	1					1					
Diphtheria (10)	341	13	50	49	44	46	112	14	2	3	3		3	2				
Influenza (11)	201	32	18	9	4	3	10	4	1	4	4	6	23	28	28	15	12	
Meningococcus meningitis (24)	45	10	1	2	3	2	6	7	6	3	1	1	3					
Tuberculosis of the respiratory system (31)	1,156	4	1	1			6	18	113	150	139	133	217	195	128	43	8	
Other forms of tuberculosis (32–37)	199	17	28	18	6	1	14	9	17	18	10	15	17	15	8	5	1	
Cancer and other malignant tumors (43–49)	2,522	2	3	5	2		5	5	10	13	33	65	238	528	770	595	248	
Diabetes mellitus (57)	584						1	1	4	5	1	3	30	106	212	182	39	
Cerebral hemorrhage and softening (74, 83)	1,094	4			2		4	1	1	7	11	5	41	173	300	340	205	
Other [organic] diseases of the heart (90)	4,995	10	2	4	4	4	48	71	92	85	77	103	305	597	1,164	1,355	1,074	
Bronchitis (99)	85	20	2	1			2			1			4	7	10	16	22	
Broncho-pneumonia (100)	1,024	410	107	49	27	17	20	10	8	18	12	12	38	59	71	88	78	
Pneumonia (101)	1,159	89	61	27	11	14	43	22	27	39	54	59	148	179	178	129	79	
Diarrhea and enteritis (113, 114)	372	293	31	12	4	2	6	1		3	1		4	4	2	2	7	
Appendicitis and typhlitis (117)	370	4	7	8	11	11	25	25	26	37	26	23	65	52	30	16	4	
Hernia, intestinal obstruction (118)	211	32	4			1	2	3	3	2	3	8	25	33	43	27	26	
Cirrhosis of the liver (122)	189						1	1	2	1		7	29	47	34	45	22	
Nephritis (128, 129)	1,996	5	1	1	1	1	7	15	16	8	30	50	181	307	518	505	350	
Diseases of the female genital organs (137–141)	103							1	1	4	8	16	37	26	6	2	2	
Puerperal septicemia (146)	108								7	26	25	24	25	1				
Other puerperal causes (143–145, 147–150)	167								5	26	37	58	40	1				
Suicide (165–174)	322								4	23	25	37	72	72	40	40	9	
Homicide (197–200)	94		1	1			1		6	11	19	15	25	9	2	4		
Automobile accidents [1] (188c)	343		1	8	11	13	84	35	21	11	14	10	29	37	36	23	10	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	1,010	23	19	26	20	17	36	25	41	54	47	73	157	166	148	85	73	
All other causes	4,968	1,632	84	56	40	50	136	81	113	106	113	147	480	569	555	457	349	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	1,009	205	26	12	10	7	17	19	31	67	71	71	157	142	91	53	30	
Typhoid and paratyphoid fever (1)	1								1									
Measles (7)	1		1															
Scarlet fever (8)																		
Whooping cough (9)	10	6	1	1	1	1												
Diphtheria (10)	13	2	1	3	1		5	1										
Influenza (11)	4									1			1		1	1		
Meningococcus meningitis (24)	8	1					1	1	3			1		1				
Tuberculosis of the respiratory system (31)	115	2	1		2	2		5	9	19	17	18	23	13	3	1		
Other forms of tuberculosis (32–37)	16	1	3		2	1	1	1	1	2		2	1	1				
Cancer and other malignant tumors (43–49)	50									1	2	1	10	13	13	6	4	
Diabetes mellitus (57)	9												2	4	2	1		
Cerebral hemorrhage and softening (74, 83)	23												3	6	4	7	3	
Other [organic] diseases of the heart (90)	142						2	2	3	5	8	5	26	39	24	15	13	
Bronchitis (99)	3	2													1			
Broncho-pneumonia (100)	70	43	10	1	2		1	1			1	3	3		4		1	
Pneumonia (101)	78	2	3	2			2		2	11	3	13	17	15	6		2	
Diarrhea and enteritis (113, 114)	26	21	3	1												1		
Appendicitis and typhlitis (117)	18			2	1	1		1	1	1	3	2	4	1	1			
Hernia, intestinal obstruction (118)	5											1	1	3				
Cirrhosis of the liver (122)	4											1		2	1			
Nephritis (128, 129)	64							2			1	1	14	10	20	14	2	
Diseases of the female genital organs (137–141)	10									3	1	2	4					
Puerperal septicemia (146)	10								1	6	2		1					
Other puerperal causes (143–145, 147–150)	6									2	1		3					
Suicide (165–174)	5								1	1	1		2					
Homicide (197–200)	9									3	1	2	1	2				
Automobile accidents [1] (188c)	6					1		1	1	1	1			1				
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	50	3		1			4	2	2	4	11	5	9	4	2	2	1	
All other causes	253	122	3	1	1	1	1	2	6	7	18	14	32	27	9	5	4	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	23,358	2,020	314	185	133	113	410	249	365	600	699	938	2,712	3,779	4,489	3,880	2,472	
Typhoid and paratyphoid fever (1)	22						2	1	3	2	1	6	4	3				
Measles (7)	24	3	9	5	4	3												
Scarlet fever (8)	24	1	2	5	3	3	6	1			2		1					
Whooping cough (9)	93	59	17	10	5	1		1										
Diphtheria (10)	159	12	27	27	26	18	38	3	1	2	1		1	2	1			
Influenza (11)	139	14	6	5	2	2		3	4	9	7	5	13	23	20	17	9	
Meningococcus meningitis (24)	34	9	5	1	2		3	1	3	3	2	1	3		1			
Tuberculosis of the respiratory system (31)	1,533	5	9	4	2	3	4	13	101	149	152	164	325	287	216	83	16	
Other forms of tuberculosis (32–37)	201	28	24	11	4	5	12	9	9	15	14	11	22	20	13	1	3	
Cancer and other malignant tumors (43–49)	2,614	2		1	2		3	1	8	14	20	51	274	584	769	615	270	
Diabetes mellitus (57)	546						1	3	3	3	1	10	21	97	201	165	41	
Cerebral hemorrhage and softening (74, 83)	996	2			1	1		1	2	1	8	11	32	142	258	312	225	
Other [organic] diseases of the heart (90)	4,265	1	1	2	1	3	45	53	41	48	57	77	263	613	1,044	1,132	884	
Bronchitis (99)	87	20	3	1			1		1		1		7	4	11	15	23	
Broncho-pneumonia (100)	884	301	75	28	15	6	11	7	4	8	11	13	55	68	98	102	82	
Pneumonia (101)	1,420	62	41	18	12	10	26	11	29	46	54	78	259	278	244	167	85	
Diarrhea and enteritis (113, 114)	297	245	29	3		1	3		1	1		5		2	2	3	2	
Appendicitis and typhlitis (117)	312		3	7	6	5	13	17	23	19	19	28	55	60	36	19	2	
Hernia, intestinal obstruction (118)	212	11	1		2	1	1		1	3	8	4	19	42	44	44	31	
Cirrhosis of the liver (122)	223							1			3	5	60	49	62	37	6	
Nephritis (128, 129)	1,748	4	1	3	1	1	3	4	6	14	25	43	147	302	415	431	348	
Diseases of the female genital organs (137–141)	98									4	6	15	39	22	9	3		
Puerperal septicemia (146)	56								2	9	14	12	19					
Other puerperal causes (143–145, 147–150)	97								4	11	21	27	34					
Suicide (165–174)	481								4	33	37	53	127	102	83	34	8	
Homicide (197–200)	179	18	1			2	5	1	11	30	27	21	32	21	7	2	1	
Automobile accidents [1] (188c)	435		1	2	7	11	85	23	8	17	22	16	46	49	58	63	27	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	4							1	1			2						
Other external causes (inclusions, see Table 5)	1,386	19	19	21	19	13	57	31	31	69	72	93	227	263	219	135	98	
All other causes	4,788	1,204	40	31	19	24	91	63	64	90	114	187	626	746	678	500	311	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	3,318	498	72	43	21	15	57	38	97	201	295	305	593	522	336	153	72	
Typhoid and paratyphoid fever (1)	6						1		1	4								
Measles (7)	1				1													
Scarlet fever (8)																		
Whooping cough (9)	31	22	6	3														
Diphtheria (10)	18	2	3	3	3	2	4		1									
Influenza (11)	14	3	1	1							2	2	3	1			1	
Meningococcus meningitis (24)	8	1					2	2			2	1						
Tuberculosis of the respiratory system (31)	542	6	7	5	3	1	3	12	45	85	98	64	109	70	24	8	2	
Other forms of tuberculosis (32–37)	81	9	5	6	2	3	5	3	5	8	9	11	8	6	1			
Cancer and other malignant tumors (43–49)	172									3	4	11	38	53	43	14	6	
Diabetes mellitus (57)	41						1			1			10	11	13	4	1	
Cerebral hemorrhage and softening (74, 83)	94	3									1	1	17	32	21	14	5	
Other [organic] diseases of the heart (90)	423						5	4	8	7	18	27	60	105	94	56	39	
Bronchitis (99)	7	4	1	2														
Broncho-pneumonia (100)	199	115	31	13	6	2	3	1			1	4	9	7	1	5	1	
Pneumonia (101)	285	19	6	3	2		6	3	14	25	31	33	65	51	23	3	1	
Diarrhea and enteritis (113, 114)	46	39	3	3			1											
Appendicitis and typhlitis (117)	33	1				1	2	3		5	3	5	7	3	2	1		
Hernia, intestinal obstruction (118)	23	4		1				1		1	1	1	2	4	6	2		
Cirrhosis of the liver (122)	12								1	1		2		3	3	2		
Nephritis (128, 129)	202							1	1	4	14	16	50	52	31	23	10	
Diseases of the female genital organs (137–141)	49								2		10	14	17	2	3	1		
Puerperal septicemia (146)	26								1	6	10	7	1	1				
Other puerperal causes (143–145, 147–150)	36								2	10	12	7	4	1				
Suicide (165–174)	38									5	9	9	10	4	1			
Homicide (197–200)	55								2	5	15	17	9	5	2			
Automobile accidents [1] (188c)	26				1	3	6	1		2	2	3	3	3		1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collison (part 188b)																		
Other external causes (inclusions, see Table 5)	122	2	1		1		6	6	1	6	13	16	32	22	12	3	1	
All other causes	728	268	8	3	2	3	12	1	13	23	40	54	139	86	56	16	4	
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,978	786	108	77	51	46	187	113	187	244	255	301	794	1,134	1,440	1,364	890	1
Typhoid and paratyphoid fever (1)	7								2	1	2		1	1				
Measles (7)	1	1																
Scarlet fever (8)	15		2	2	3	2	3						2				1	
Whooping cough (9)	21	12	5		1	1	1	1										
Diphtheria (10)	107	4	8	11	13	9	42	13	1			3	1	1	1			
Influenza (11)	51	4	6	2		1			1		2	3	5	7	5	10	5	
Meningococcus meningitis (24)	15	7	1	2	1		1		1	1			1					
Tuberculosis of the respiratory system (31)	444	3			1	1	2	5	40	65	55	48	81	73	46	18	6	
Other forms of tuberculosis (32–37)	66	6	6	3	3	3	7	3	6	9	6	5	3	5			1	
Cancer and other malignant tumors (43–49)	942	1				1		1	2	3	8	14	92	217	284	226	93	
Diabetes mellitus (57)	183						1	1	1	4		6	12	23	58	62	15	
Cerebral hemorrhage and softening (74, 83)	463		2	1	1	1	1	1		2	1	6	18	66	133	148	82	
Other [organic] diseases of the heart (90)	1,443	3	1	2		2	16	17	31	18	20	29	80	179	328	405	312	
Bronchitis (99)	18	3		1						1		1	1	1	1	1	8	
Broncho-pneumonia (100)	259	102	32	6	5	4	10		4	2	4	5	15	4	18	28	20	
Pneumonia (110)	422	30	16	8	3	4	12	7	12	17	22	23	68	66	65	39	30	
Diarrhea and enteritis (113, 114)	88	68	4	4		1			2				2	2	2	1	2	
Appendicitis and typhlitis (117)	144	2	2	1			12	7	11	11	12	11	23	26	18	5	3	
Hernia, intestinal obstruction (118)	62	1		2	1			1			2	1	9	12	14	16	3	
Cirrhosis of the liver (122)	89			1							1		9	25	25	23	5	
Nephritis (128, 129)	800				1	1	3	5	8	9	13	20	64	117	176	210	173	
Diseases of the female genital organs (137–141)	39									1	4	5	12	7	8	1	1	
Puerperal septicemia (146)	57								3	10	15	15	14					
Other puerperal causes (143–145, 147–150)	59								3	10	12	13	18	3				
Suicide (165–174)	113							1	1	11	10	7	25	25	19	10	4	
Homicide (197–200)	41			1	1	1	1	1	4	2	7	8	8	6	1			
Automobile accidents [1] (188c)	108				4	3	21	5	8	5	4	8	16	12	13	6	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2												2					
Other external causes (inclusions, see Table 5)	353	6	4	10	4	4	13	11	15	27	23	22	65	46	44	32	27	
All other causes	1,566	535	19	19	8	7	41	33	31	35	32	48	147	210	181	123	96	1
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,787	147	23	6	9	11	28	22	35	53	54	64	181	227	304	332	290	1
Typhoid and paratyphoid fever (1)	3							1					1			1		
Measles (7)																		
Scarlet fever (8)	2		1	1														
Whooping cough (9)	12	9	2		1													
Diphtheria (10)	6				1	2	3											
Influenza (11)	14	1	1						2			1	2	1	4	1	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	116			1				3	10	18	13	9	25	17	10	8	2	
Other forms of tuberculosis (32–37)	14	2	1					1	1	1			3	1	3		1	
Cancer and other malignant tumors (43–49)	170				1						1	3	8	27	55	54	21	
Diabetes mellitus (57)	27								2			1			11	9	4	
Cerebral hemorrhage and softening (74, 83)	105		1						1			1	6	12	21	32	31	
Other [organic] diseases of the heart (90)	368						3	3	1		4	4	11	48	60	108	126	
Bronchitis (99)	7	2														1	4	
Broncho-pneumonia (100)	61	18	8	2	1	1						2	4	2	5	8	10	
Pneumonia (101)	114	5	1		1		3		1	7	5	6	24	20	14	16	11	
Diarrhea and enteritis (113, 114)	18	10	3			1	1					1				2		
Appendicitis and typhlitis (117)	23						4		4		3	1	5	2	4			
Hernia, intestinal obstruction (118)	17	1									1	1	1	5	4	3	1	
Cirrhosis of the liver (122)	13												2	4	2	4	1	
Nephritis (128, 129)	190	1			1	1		1		2	2	4	20	25	47	47	39	
Diseases of the female genital organs (137–141)	7												3	2	1		1	
Puerperal septicemia (146)	10									2	1	2	5					
Other puerperal causes (143–145, 147–150)	6									3	1	2						
Suicide (165–174)	18									1		2	7	6	2			
Homicide (197–200)	7									2	1	1	2	1				
Automobile accidents [1] (188c)	25							1	1	1	5	1	8	1	4	2	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	124			1	1	1	5	7	6	10	11	10	22	20	11	11	8	
All other causes	310	98	5	1	2	5	9	5	6	6	6	12	22	33	46	25	28	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927.—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ROCHESTER, N. Y., al causes	3,787	408	42	24	20	22	60	52	69	67	76	98	283	414	662	780	710	
Typhoid and paratyphoid fever (1)	4									1			2			1		
Measles (7)																		
Scarlet fever (8)	10			1		2	2	2			2		1					
Whooping cough (9)	7	5	2															
Diphtheria (10)	21	3	3	3	3	2	2		3			1			1			
Influenza (11)	19	3				1	1					1	1	3	4		5	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	126		2					1	15	19	13	10	22	13	18	11	2	
Other forms of tuberculosis (32–37)	30	3	5	2	1	1	1	3	2	3	1	2	1	4		1		
Cancer and other malignant tumors (43–49)	411			1	2		1				3	9	27	66	125	104	73	
Diabetes mellitus (57)	82								1				3	8	29	30	11	
Cerebral hemorrhage and softening (74, 83)	267	1									1		6	22	67	89	81	
Other [organic] diseases of the heart (90)	670	1				1	4	10	10	2	8	7	26	57	127	192	225	
Bronchitis (99)	25	8	1						1					1		5	9	
Broncho-pneumonia (100)	118	33	11	3	1		2		1		1	3	7	10	11	10	25	
Pneumonia (101)	173	15	4	2		3	7	2	4	4	5	5	28	20	24	37	13	
Diarrhea and enteritis (113, 114)	55	38	5	2		2	1					1	2	1	2	1		
Appendicitis and typhlitis (117)	65	1	1	2	2	1	4	4	5	3	3	5	7	9	8	7	3	
Hernia, intestinal obstruction (118)	47	7		1			2		1		1	2	3	7	8	6	9	
Cirrhosis of the liver (122)	36						1				1	1	2	9	12	7	3	
Nephritis (128, 129)	345				1		2	1	3	1	8	5	18	39	72	103	92	
Diseases of the female genital organs (137–141)	20							1		1	1	3	4	7	2	1		
Puerperal septicemia (146)	13								3	3	1	4	2					
Other puerperal causes (143–145, 147–150)	22								2	6	5	5	4					
Suicide (165–174)	33									2	1	1	6	11	5	6	1	
Homicide (197–200)	17	4							1	2		3	5	1	1			
Automobile accidents [1] (188c)	62				2	3	6	6	2	1	3	2	8	6	10	8	5	
Automobile and railroad-train collision (part 188a)	3									1		1			1			
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	141	3	2		4	1	5	7	2	6	2	5	15	20	18	22	29	
All other causes	964	282	6	7	4	5	19	15	13	12	16	22	83	100	117	139	124	
SYRACUSE, N. Y., all causes	2,419	247	38	20	15	11	25	26	31	55	45	79	200	294	413	462	458	
Typhoid and paratyphoid fever (1)	5							1	1	1	1		1					
Measles (7)	17	6	6	1	2	1			1									
Scarlet fever (8)	3				1		1	1										
Whooping cough (9)	1				1													
Diphtheria (10)	4			2	1									1				
Influenza (11)	6	1	2											1			2	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	66							1	5	8	4	8	10	12	11	6	1	
Other forms of tuberculosis (32–37)	22		2	2	2	1	2	1		3	1	1	3	3	1			
Cancer and other malignant tumors (43–49)	247		1	1		1			2	2	4	5	22	49	65	62	33	
Diabetes mellitus (57)	58				1					1	1		4	9	15	18	9	
Cerebral hemorrhage and softening (74, 83)	168	2	1							1			10	18	39	51	46	
Other [organic] diseases of the heart (90)	510						3	2	1	2		8	21	54	93	139	187	
Bronchitis (99)	9	4	1												2	2		
Broncho-pneumonia (100)	75	24	7	3			1		1			3	3	5	8	8	12	
Pneumonia (101)	122	6	2	2		2			1	3	1	11	19	18	20	21	16	
Diarrhea and enteritis (113, 114)	25	19	1					2			1	1			1			
Appendicitis and typhlitis (117)	27							4	3	2	4	1	4	3	4	2		
Hernia, intestinal obstruction (118)	26	2	1				1	1			1	1	3	4	3	5	4	
Cirrhosis of the liver (122)	23										1			4	5	5	8	
Nephritis (128, 129)	188							2	1	3	1	5	17	21	41	53	44	
Diseases of the female genital organs (137–141)	20								1	1		3	3	4	5	3		
Puerperal septicemia (146)	14								1	5	3	3	1	1				
Other puerperal causes (143–145, 147–150)	27								1	7	5	4	10					
Suicide (165–174)	24								1	3	2		2	10	4		2	
Homicide (197–200)	4								1		1	1	1					
Automobile accidents [1] (188c)	43			1		2	6	2	1	1	2	3	7	6	7	1	4	
Automobile and railroad-train collision (part 188a)	5				1					1		1	1	1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	98	2	2	1	1	1	2		2	4	5	8	10	13	15	17	15	
All other causes	581	181	12	6	5	3	9	9	7	7	7	12	48	57	74	69	76	
YONKERS, N. Y., all causes	1,114	140	19	14	14	9	27	14	29	28	38	33	128	151	152	178	140	
Typhoid and paratyphoid fever (1)																		
Measles (7)																		
Scarlet fever (8)	5			1	1		2			1								
Whooping cough (9)	3	2		1														
Diphtheria (10)	25	2	7	4	5	3	3						1					
Influenza (11)	16	1	2				1		1		1		3	4	1		2	
Meningococcus meningitis (24)	2							1					1					
Tuberculosis of the respiratory system (31)	85	1						2	7	9	13	6	26	14	5	2		
Other forms of tuberculosis (32–37)	7		1				1				3		1	1				
Cancer and other malignant tumors (43–49)	100											1	17	20	21	31	10	
Diabetes mellitus (57)	20						1			1			2	4	8	3	1	
Cerebral hemorrhage and softening (74, 83)	73	1											3	11	13	24	21	
Other [organic] diseases of the heart (90)	198					1	1	2	9	2	1	3	11	29	37	54	48	
Bronchitis (99)	5	3		1	1													
Broncho-pneumonia (100)	26	10	1	1	1		1						2	2	1	1	6	
Pneumonia (101)	81	3	3	2			3	2	2	2	3	6	10	9	15	12	9	
Diarrhea and enteritis (113, 114)	16	14	1										1					
Appendicitis and typhlitis (117)	21						3	3	1	2	1	1	3	3	4			
Hernia, intestinal obstruction (118)	11	1							1			1	2	1	2	1	2	
Cirrhosis of the liver (122)	8												1	1	3	3		
Nephritis (128, 129)	64								1	2	1		3	9	15	17	16	
Diseases of the female genital organs (137–141)	4									1	1	1	1					
Puerperal septicemia (146)	1										1							
Other puerperal causes (143–145, 147–150)	4										1		3					
Suicide (165–174)	11										1		4	3	2	1		
Homicide (197–200)	5	1								1	1		1	1				
Automobile accidents [1] (188c)	25	1			1	1	3			1		2	1	7	4	4		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	63		2	1	1	2	3	2	3	4	3	6	11	9	7		9	
All other causes	235	100	2	3	4	2	5	2	4	2	7	6	20	23	14	25	16	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,917	303	46	21	20	15	45	29	48	64	88	111	202	217	217	272	219	
Typhoid and paratyphoid fever (1)	6						1			1	2			1			1	
Measles (7)																		
Scarlet fever (8)	13	2	1	2	2	1	3						1	1				
Whooping cough (9)	8	6	2															
Diphtheria (10)	11		3	1	1	2	2		1		1							
Influenza (11)	26	7			1		1		1		1	3	3	2	1	2	4	
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	82	2	3						8	12	11	11	20	8	4	3		
Other forms of tuberculosis (32–37)	19		5				1	3	3	1	1	1		4				
Cancer and other malignant tumors (43–49)	139			1			1			1	1	3	24	26	29	39	14	
Diabetes mellitus (57)	25										1		2	6	7	6	3	
Cerebral hemorrhage and softening (74, 83)	116										1	1	6	7	21	48	32	
Other [organic] diseases of the heart (90)	293	2	1	1	1		3	5	3		4	8	28	41	41	79	76	
Bronchitis (99)	10	2		1									2		1	1	3	
Broncho-pneumonia (100)	70	34	8	1	1	1	1			1		3	3		3	5	9	
Pneumonia (101)	109	11	6		1	1	1	1	3	8	8	7	13	12	22	13	2	
Diarrhea and enteritis (113, 114)	30	16	7	4	1								1		1			
Appendicitis and typhlitis (117)	49	1	1				3	3	6	3	5	8	4	7	5	1	2	
Hernia, intestinal obstruction (118)	17	3	1				1						1	5	3	1	2	
Cirrhosis of the liver (122)	15										1		4	3	2	5		
Nephritis (128, 129)	83							1	1			1	4	12	21	26	17	
Diseases of the female genital organs (137–141)	24								1	4	2	2	7	5	2		1	
Puerperal septicemia (146)	19								2	4	5	4	4					
Other puerperal causes (143–145, 147–150)	26								2	4	5	12	3					
Suicide (165–174)	25							1	1	3	2	4	6	3	2	1	2	
Homicide (197–200)	33	1							2	3	6	8	7	2	4			
Automobile accidents [1] (188c)	75				4	3	8	1	3	4	6	5	11	14	7	4	5	
Automobile and railroad-train collision (part 188a)	2											1			1			
Automobile and street-car collision (part 188b)	1						1											
Other external causes (inclusions, see Table 5)	98	4	3	4	4	1	5	3	2	7	4	5	16	12	9	9	10	
All other causes	492	212	5	6	4	6	13	11	9	8	20	24	32	46	31	29	36	
CINCINNATI, OHIO (WHITE), all causes	5,830	537	57	36	32	26	78	58	91	119	183	181	495	681	978	1,218	1,060	
Typhoid and paratyphoid fever (1)	11	1						1	2	3	2			1	1			
Measles (7)	1						1											
Scarlet fever (8)	7			1	2	1		1	1	1								
Whooping cough (9)	6	3		1	2													
Diphtheria (10)	24		6	1	3	4	6	3		1								
Influenza (11)	84	10	2		1	1	1	1	2	2	1	4	8	11	9	13	18	
Meningococcus meningitis (24)	9	1	1	1		1	2	1			2							
Tuberculosis of the respiratory system (31)	293	3	1				1	1	21	27	45	35	65	43	30	20	1	
Other forms of tuberculosis (32–37)	52	8	3	4	1	2	3	1	1	5	4	2	2	9	5	2		
Cancer and other malignant tumors (43–49)	614	1				2		1			6	7	42	116	187	164	88	
Diabetes mellitus (57)	132							3	1	2	3	1	6	13	39	48	16	
Cerebral hemorrhage and softening (74, 83)	495	2		1				1	1		1	3	16	52	104	178	136	
Other [organic] diseases of the heart (90)	951		1	2	1	2	3	3	4	6	8	12	49	100	193	286	281	
Bronchitis (99)	19			1			2							1	1	5	9	
Broncho-pneumonia (100)	131	31	9	2	4	1	1	1		1	3		4	6	12	13	43	
Pneumonia (101)	227	35	6	4	2	1	4	2	3	4	8	5	16	23	27	47	40	
Diarrhea and enteritis (13, 114)	99	69	15	3	1	1	1			1		1		4		2	1	
Appendicitis and typhlitis (117)	107			1	1		8	4	12	5	9	9	18	24	7	5	4	
Hernia, intestinal obstruction (118)	67	6	1		1	1	1	1	1		1		4	8	14	20	8	
Cirrhosis of the liver (122)	58							1			2	1	7	12	11	21	3	
Nephritis (128, 129)	606					1	2	3	1	2	7	12	29	54	122	192	181	
Diseases of the female genital organs (137–141)	50								1	1	5	7	20	10	5	1		
Puerperal septicemia (146)	27								2	6	8	2	9					
Other puerperal causes (143–145, 147–150)	40								3	10	4	8	15					
Suicide (165–174)	79									3	5	8	18	15	18	7	5	
Homicide (197–200)	41	1								6	9	6	12	5		2		
Automobile accidents [1] (188c)	108			1	2	1	12	3	7	7	7	9	14	13	14	10	8	
Automobile and railroad-train collision (part 188a)	8								2	1			4	1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	247	7	5	5	3	5	7	6	11	6	16	10	27	37	20	33	49	
All other causes	1,237	359	7	8	8	2	23	20	15	19	27	39	110	123	159	149	169	
CINCINNATI, OHIO (COLORED), all causes	1,048	106	27	7	5	5	19	15	44	70	92	80	188	172	118	55	44	1
Typhoid and paratyphoid fever (1)	3									2			1					
Measles (7)																		
Scarlet fever (8)	1			1														
Whooping cough (9)	6	2	3	1														
Diphtheria (10)																		
Influenza (11)	17	1	1				2	1		2		2	4	4				
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	175	2	1		1	1	4	6	15	30	28	24	34	17	10	2		
Other forms of tuberculosis (32–37)	27	1	1	1	1		3		4	2	5	3	6					
Cancer and other malignant tumors (43–49)	36									1	3	1	6	7	9	5	3	1
Diabetes mellitus (57)	6												2	1	2		1	
Cerebral hemorrhage and softening (74, 83)	66								1		1		10	16	20	9	9	
Other [organic] diseases of the heart (90)	133								4	3	7	6	23	38	31	13	8	
Bronchitis (99)																		
Broncho-pneumonia (100)	34	16	4	1			1	1		1	1	3	4	1		1		
Pneumonia (101)	73	6	7			1	2	2	4	5	5	5	14	12	6	4		
Diarrhea and enteritis (113, 114)	23	16	6											1				
Appendicitis and typhlitis (117)	9								1		4		2	2				
Hernia, intestinal obstruction (118)	5												3	2				
Cirrhosis of the liver (122)	4												1	1	1	1		
Nephritis (128, 129)	99								1		3	5	18	24	22	15	11	
Diseases of the female genital organs (137–141)	13								1				7	5				
Puerperal septicemia (146)	11								2	1	3	2	3					
Other puerperal causes (143–145, 147–150)	8									2		3	3					
Suicide (165–174)	5									1	1		1	1		1		
Homicide (197–200)	49				1				5	11	10	9	8	4			1	
Automobile accidents [1] (188c)	11					1	2	1	1				1	4		1		
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	35	1		2	1		3	1	2	2	3	7	3	6	3		1	
All other causes	197	61	4	1	1	2	2	3	3	6	18	10	33	26	14	3	10	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CLEVELAND, OHIO (WHITE), all causes	8,288	938	103	75	59	74	221	128	176	211	246	337	943	1,193	1,340	1,294	950	
Typhoid and paratyphoid fever (1)	6							1		1			3	1				
Measles (7)	1						1											
Scarlet fever (8)	17		1	1	1		4		3	1	3	2			1			
Whooping cough (9)	9	6	2				1											
Diphtheria (10)	172	10	9	25	19	32	57	14	1	2	1			1	1			
Influenza (11)	46	6	2		2		2		1	2		2	8	3	3	9	6	
Meningococcus meningitis (24)	7	1	1							1	1	1	1		1			
Tuberculosis of the respiratory system (31)	470		1	1				5	33	64	51	66	102	90	36	19	2	
Other forms of tuberculosis (32–37)	72	7	3	4	2	3	5		7	5	5	8	10	6	5	1	1	
Cancer and other malignant tumors (43–49)	813			1	2	2	1	1	4	2	11	16	85	175	241	189	83	
Diabetes mellitus (57)	136						2	3		3	2	1	9	23	46	33	14	
Cerebral hemorrhage and softening (74, 83)	546										1	6	24	62	134	152	167	
Other [organic] diseases of the heart (90)	1,191	1		1		1	14	19	22	17	14	26	89	192	237	303	255	
Bronchitis (99)	42	6					2						1	4	5	10	14	
Broncho-pneumonia (100)	307	105	19	4	6	3	7	1	4	3		9	23	23	41	30	29	
Pneumonia (101)	361	33	10	5	1	2	3	5	7	6	14	19	57	62	51	51	35	
Diarrhea and enteritis (113, 114)	119	77	15	4	4	1	2	1		2			5	3		2	3	
Appendicitis and typhlitis (117)	156	1	1	4	3	2	15	11	14	10	8	15	30	16	13	13		
Hernia, intestinal obstruction (118)	98	7	2	1	1	2	6	1		3	2	4	11	9	15	21	13	
Cirrhosis of the liver (122)	80							1		1	2	3	9	20	23	17	4	
Nephritis (128, 129)	622	4				1	2	5	5	4	8	17	59	99	146	162	110	
Diseases of the female genital organs (137–141)	62									3	9	5	28	8	5	2	2	
Puerperal septicemia (146)	37								4	10	10	9	4					
Other puerperal causes (143–145, 147–150)	62									8	17	13	23	1				
Suicide (165–174)	117							1	3	4	9	7	34	34	10	11	4	
Homicide (197–200)	58	1						1		8	18	6	10	10	3	1		
Automobile accidents [1] (188c)	235			3	6	7	40	13	15	7	6	17	20	24	36	27	14	
Automobile and railroad-train collision (part 188a)	7						1				1	1	3	1				
Automobile and street-car collision (part 188b)	10							2	1	1	1	3	2					
Other external causes (inclusions, see Table 5)	388	3	13	8	3	6	15	11	18	15	14	19	61	71	48	36	47	
All other causes	2,041	670	24	13	9	12	41	32	34	28	38	62	232	255	239	205	147	
CLEVELAND, OHIO (COLORED), all causes	1,215	140	27	11	11	13	23	16	53	87	129	116	231	185	100	45	28	
Typhoid and paratyphoid fever (1)	4						2			1				1				
Measles (7)																		
Scarlet fever (8)	1			1														
Whooping cough (9)	8	6	1			1												
Diphtheria (10)	16		1	3	3	1	3	2	1			1	1					
Influenza (11)	13	1	2	1		1					2	1	3	1			1	
Meningococcus meningitis (24)	3		1								1	1						
Tuberculosis of the respiratory system (31)	239	3	1			3	5	5	30	44	57	32	32	21	5	1		
Other forms of tuberculosis (32–37)	29	3	3	1		2	3		1	3	3	3	6	1				
Cancer and other malignant tumors (43–49)	44										4	2	11	9	11	7		
Diabetes mellitus (57)	9	1										1	1	3	2	1		
Cerebral hemorrhage and softening (74, 83)	49								1	1			10	14	12	5	6	
Other [organic] diseases of the heart (90)	109						1	2	2	3	2	6	21	35	21	8	8	
Bronchitis (99)	4	1	1									1	1					
Broncho-pneumonia (100)	62	24	8	2	3				3			2	6	10	2		2	
Pneumonia (101)	92	4	1				1	1	1	7	14	9	26	16	7	3	2	
Diarrhea and enteritis (113, 114)	11	6	2		1							1			1			
Appendicitis and typhlitis (117)	13						1	1			4	3	1	2	1			
Hernia, intestinal obstruction (118)	13	4	1						1			1	2	4				
Cirrhosis of the liver (122)	5							1					1	3				
Nephritis (128, 129)	60										2	5	18	13	8	9	5	
Diseases of the female genital organs (137–141)	19								1	3	3	4	8					
Puerperal septicemia (146)	3								1	1	1							
Other puerperal causes (143–145, 147–150)	9									2	4	2	1					
Suicide (165–174)	3												1	1	1			
Homicide (197–200)	52							1	4	8	10	12	14	2	1			
Automobile accidents [1] (188c)	15				1	1	1				1	2	2	6	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	45	1	1	3	2	2	2	2	1	4	5	6	10	4	2			
All other causes	285	86	4		1	2	4	1	6	10	16	21	55	39	25	11	4	
COLUMBUS, OHIO, all causes	3,908	358	57	18	24	13	76	47	77	121	139	145	381	504	579	719	650	
Typhoid and paratyphoid fever (1)	6								2		1		1		1	1		
Measles (7)																		
Scarlet fever (8)	8		1	1	1	1	1		1	1			1					
Whooping cough (9)	14	11	2		1													
Diphtheria (10)	21		1	4	2	1	10	3										
Influenza (11)	50	2	4			1	1		1	2	1	3	7	6	8	10	4	
Meningococcus meningitis (24)	3	1		1				1										
Tuberculosis of the respiratory system (31)	195	1	2				2	2	18	31	23	17	38	31	14	14	2	
Other forms of tuberculosis (32–37)	35	1	1	1	2	1	1	2	2	4	3	2	6	6	1	1	1	
Cancer and other malignant tumors (43–49)	387				1		1		3		4	11	36	72	102	110	47	
Diabetes mellitus (57)	48									1		1	4	3	10	18	6	
Cerebral hemorrhage and softening (74, 83)	286							1		2	2	3	10	30	66	94	78	
Other [organic] diseases of the heart (90)	604					1	1	3	1	9	8	12	44	68	103	180	174	
Bronchitis (99)	11	1								1	1			1	1	1	5	
Broncho-pneumonia (100)	122	46	9	3		1	1		1	3	3	3	3	4	8	14	23	
Pneumonia (101)	129	6	5		1		5	2	2	7	4	10	16	12	15	31	13	
Diarrhea and enteritis (113, 114)	45	23	9	2	3		1	1	1		1		1				3	
Appendicitis and typhlitis (117)	82						6	5	8	11	11	6	11	16	5	3		
Hernia, intestinal obstruction (118)	44	1	1	2	1					1	3	5	5	8	9	4	4	
Cirrhosis of the liver (122)	14								1				2	4	3	1	3	
Nephritis (128, 129)	270	1					2	4		1	5	4	29	40	52	66	66	
Diseases of the female genital organs (137–141)	51								1	1	7	10	15	13	3	1		
Puerperal septicemia (146)	19								3	2	6	2	6					
Other puerperal causes (143–145, 147–150)	36								4	4	10	11	7					
Suicide (165–174)	47							1		3	4	4	13	8	12	2		
Homicide (197–200)	27								2	3	4	2	10	3	1	1	1	
Automobile accidents [1] (188c)	72	2	1		1	1	10	3	4	3	2	2	8	8	12	8	7	
Automobile and railroad-train collision (part 188a)	9								1	2	1		4	1				
Automobile and street-car collision (part 188b)	2											1		1				
Other external causes (inclusions, see Table 5)	210	8	4	2	7	6	10	4	7	5	11	16	22	24	18	22	44	
All other causes	1,061	254	17	2	4		24	15	14	24	24	20	82	140	135	137	169	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DAYTON, OHIO, all causes	2,217	235	24	18	10	18	46	27	42	73	66	79	209	262	329	400	379	
Typhoid and paratyphoid fever (1)	4						1	1				1	1					
Measles (7)	2		2															
Scarlet fever (8)	4						2				1				1			
Whooping cough (9)	16	9	3			3			1									
Diphtheria (10)	13	1	2		1	2	6							1				
Influenza (11)	40	3	2	1		1	2		1	1	3	3	5	4	7	2	5	
Meningococcus meningitis (24)	6	1	1	1			2			1								
Tuberculosis of the respiratory system (31)	122	1					1	2	11	24	10	10	19	20	17	6	1	
Other forms of tuberculosis (32–37)	32	2	1	1	3	1	2	1	4	3	3	3	3	2	1	2		
Cancer and other malignant tumors (43–49)	179									1	2		22	30	41	55	28	
Diabetes mellitus (57)	52							2	1	3		1	1	7	10	18	9	
Cerebral hemorrhage and softening (74, 83)	141	1					1		1		2	1	4	10	25	47	49	
Other [organic] diseases of the heart (90)	422						3	2	2	1	1	6	24	49	89	120	125	
Bronchitis (99)	6													1		2	3	
Broncho-pneumonia (100)	51	18	2	2		1	6	1			1		6	1	2	5	6	
Pneumonia (101)	68	7	1	4			2	2	1		4	6	11	7	8	4	11	
Diarrhea and enteritis (113, 114)	31	23	3	1		1						1	1	1				
Appendicitis and typhlitis (117)	26					1	2	3		4	4	3	3	3	2	1		
Hernia, intestinal obstruction (118)	34	4	1				1	1		2	3	2	3	5	4	5	3	
Cirrhosis of the liver (122)	21												1	8	5	7		
Nephritis (128, 129)	160									3		4	14	27	30	35	47	
Diseases of the female genital organs (137–141)	21								2	2	4	3	4	6				
Puerperal septicemia (146)	11								2	1	3	2	3					
Other puerperal causes (143–145, 147–150)	12								2	1	2	5	2					
Suicide (165–174)	20									1	1	1	3	4	6	2	2	
Homicide (197–200)	15									3	2	3	6	1				
Automobile accidents [1] (188c)	44					3	5	3	1	2	4	2	6	7	5	4	2	
Automobile and railroad-train collision (part 188a)	5	1							1		1	1			1			
Automobile and street-car collision (part 188b)	5							3			1		1					
Other external causes (inclusions, see Table 5)	96	1	1	3	1	3	2	1	3	7	1	5	12	7	20	14	15	
All other causes	558	163	5	5	5	2	8	5	9	13	13	16	54	61	55	71	73	
TOLEDO, OHIO, all causes	3,641	338	48	20	14	17	66	43	68	115	144	147	386	490	590	624	531	
Typhoid and paratyphoid fever (1)	9						1	1		3		1		2		1		
Measles (7)	1	1																
Scarlet fever (8)	4						2	1			1							
Whooping cough (9)	8	6	1				1											
Diphtheria (10)	25		2	5	4	4	8	1					1					
Influenza (11)	56	7	4	2		1		2	2	2	2		7	8	6	9	4	
Meningococcus meningitis (24)	4	1	2								1							
Tuberculosis of the respiratory system (31)	269		1			1		3	18	28	47	27	70	29	25	13	7	
Other forms of tuberculosis (32–37)	34		1	3			3	5	2	1	3	4	3	2	4	2	1	
Cancer and other malignant tumors (43–49)	301				1			1			3	5	36	59	94	69	33	
Diabetes mellitus (57)	59			1			1			1		1	5	9	14	24	3	
Cerebral hemorrhage and softening (74, 83)	210											1	4	25	56	65	59	
Other [organic] diseases of the heart (90)	589	2					1	1		3	9	9	34	91	120	168	151	
Bronchitis (99)	9														1	4	4	
Broncho-pneumonia (100)	87	21	9	1	1	3	3			1	1		3	6	8	10	20	
Pneumonia (101)	166	18	6	1	1		4	2	4	8	12	7	30	25	21	17	10	
Diarrhea and enteritis (113, 114)	57	36	7	4	1		1			2	2		1	1	1	1		
Appendicitis and typhlitis (117)	61						2	3	7	10	6	5	10	10	6	2		
Hernia, intestinal obstruction (118)	57	3				1	2		1	2	1	3	6	8	11	13	6	
Cirrhosis of the liver (122)	36										2		4	6	9	11	4	
Nephritis (128, 129)	207	1						2	1	1	3	4	9	30	49	57	50	
Diseases of the female genital organs (137–141)	58									3	4	7	19	20	5			
Puerperal septicemia (146)	21								1	6	4	4	6					
Other puerperal causes (143–145, 147–150)	28								4	6	6	5	7					
Suicide (165–174)	45									2	3	7	14	6	8	5		
Homicide (197–200)	25									3	2	4	6	2	2			
Automobile accidents [1] (188c)	108		1		1	1	12	4	6	7	4	8	17	10	15	15	7	
Automobile and railroad-train collision (part 188a)	3											1		1			1	
Automobile and street-car collision (part 188b)	7									1		2	3	1				
Other external causes (inclusions, see Table 5)	179	2	5	1	1	2	10	7	8	14	9	13	31	23	15	17	21	
All other causes	918	240	9	2	4	4	15	10	13	11	14	29	60	116	120	121	150	
YOUNGSTOWN, OHIO, all causes	1,695	260	32	26	14	17	58	28	32	52	66	90	192	237	218	201	172	
Typhoid and paratyphoid fever (1)	5								1	1	1		1	1				
Measles (7)	1						1											
Scarlet fever (8)	3						1						2					
Whooping cough (9)	3	1	1	1														
Diphtheria (10)	23		2	1	3	4	8	5										
Influenza (11)	32	3		1			1	1			3		6	2	3	5	7	
Meningococcus meningitis (24)	2						1		1									
Tuberculosis of the respiratory system (31)	65	1	1		1	1	1	1	5	5	12	4	10	10	6	6	1	
Other forms of tuberculosis (32–37)	10	1		1	1		2				1	2		2				
Cancer and other malignant tumors (43–49)	125						1				2	4	17	29	27	30	15	
Diabetes mellitus (57)	27									1		1	3	6	10	6		
Cerebral hemorrhage and softening (74, 83)	108										1		4	17	25	29	32	
Other [organic] diseases of the heart (90)	206						2	2	4	1	3	3	17	47	52	35	40	
Bronchitis (99)	7	1		1							1				2		2	
Broncho-pneumonia (100)	114	59	11	5	4	1	5	2					5	4	5	5	8	
Pneumonia (101)	127	9	1	5			6	1	4	6	8	9	17	23	15	15	8	
Diarrhea and enteritis (113, 114)	21	11	4				1	1					1			2	1	
Appendicitis and typhlitis (117)	25	1					2		3	4	2	3	4	3	3			
Hernia, intestinal obstruction (118)	20	6								2	1	2	4	2	1	2		
Cirrhosis of the liver (122)	13												1	6	3	3		
Nephritis (128, 129)	91	1	1			2	1	1		5	3	6	10	11	14	22	14	
Diseases of the female genital organs (137–141)	16									1	3	5	3	2	2			
Puerperal septicemia (146)	14									2	4	2	5	1				
Other puerperal causes (143–145, 147–150)	24								3	4	3	6	8					
Suicide (165–174)	13							1		1		1	4	5		1		
Homicide (197–200)	36	3	1		1		1	1		1	5	11	7	5				
Automobile accidents [1] (188c)	56	2		1	1	3	11	2	5	7	1	6	2	3	8	3	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2											1	1					
Other external causes (inclusions, see Table 5)	86	4	3	5	2	3	3	3	3	4	9	6	13	9	9	4	6	
All other causes	420	157	7	5	1	3	10	7	3	7	3	18	47	49	33	33	37	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PORTLAND, OREG., all causes	3,564	224	31	17	15	18	73	45	60	82	106	122	317	453	597	771	632	1
Typhoid and paratyphoid fever (1)	7						1	1	1					2	1	1		
Measles (7)	5		1	1		2										1		
Scarlet fever (8)	3						1			1	1							
Whooping cough (9)	10	5	3		1	1												
Diphtheria (10)	11				1		6			1						2	1	
Influenza (11)	55	2	1					2	2	2	5	5	6	7	6	7	10	
Meningococcus meningitis (24)	19	1		1	1	1	4	1	3	4			1		2			
Tuberculosis of the respiratory system (31)	121					1	1		5	9	13	11	28	19	18	10	6	
Other forms of tuberculosis (32–37)	54	3	1	1	1	1	7	1	4	2	5	10	5	7	4	1	1	
Cancer and other malignant tumors (43–49)	455						2		1	3	3	12	39	93	120	131	50	1
Diabetes mellitus (57)	73		1					3	3	1	2	2	3	9	18	25	6	
Cerebral hemorrhage and softening (74, 83)	264									1	2	2	12	24	45	92	86	
Other [organic] diseases of the heart (90)	576	1		2			4	5	4	5	8	6	28	58	108	171	176	
Bronchitis (99)	20	3	1										3		1	5	7	
Broncho-pneumonia (100)	106	18	5		1	3	4		1	1	2	1	8	6	8	23	25	
Pneumonia (101)	123	7	3	1	2		3	2	1	2	5	10	17	14	18	17	21	
Diarrhea and enteritis (113, 114)	18	4	2	3	1					2	1		2	2	1			
Appendicitis and typhlitis (117)	47	1	1	1	2			5	6	1	3	1	6	9	8	2	1	
Hernia, intestinal obstruction (118)	35	4								1			7	6	11	4	2	
Cirrhosis of the liver (122)	13												3	1	4	3	2	
Nephritis (128, 129)	255	1				1	2		1	6	4	3	22	41	50	67	57	
Diseases of the female genital organs (137–141)	16										1	1	4	8	1	1		
Puerperal septicemia (146)	8									3	4	1						
Other puerperal causes (143–145, 147–150)	21								2	5	5	5	4					
Suicide (165–174)	67								1	4	6	8	12	14	13	7	2	
Homicide (197–200)	11	1					1			1	1	4	2	1				
Automobile accidents [1] (188c)	62				1	1	5	3	3	3	4	2	5	7	11	11	6	
Automobile and railroad-train collision (part 188a)	2											2						
Automobile and street-car collision (part 188b)	4									1	1				1	1		
Other external causes (inclusions; see Table 5)	159	3	2	2	1		8	7	9	8	7	14	20	14	17	20	27	
All other causes	944	170	10	5	4	7	23	15	13	15	23	22	80	111	129	170	147	
PHILADELPHIA, PA. (WHITE), all causes	21,058	1,939	306	176	131	101	375	244	356	478	547	680	1,876	2,833	3,916	4,015	3,083	2
Typhoid and paratyphoid fever (1)	27					1	1	4	5	5	4	1	5	1				
Measles (7)	4	1	1			1	1											
Scarlet fever (8)	35	2	2	4	5	3	11	1		2	2	1		1		1		
Whooping cough (9)	27	16	6	2	1		2											
Diphtheria (10)	209	14	34	24	39	24	62	7	2		1		1				1	
Influenza (11)	247	25	13	12	5	4	2	6	8	2	7	7	18	29	45	41	33	1
Meningococcus meningitis (24)	16	3	1				2	1	2	1	1	1	1	1	2			
Tuberculosis of the respiratory system (31)	1,017	8	5	3	1	2	2	3	61	101	129	106	199	178	140	60	18	1
Other forms of tuberculosis (32–37)	131	13	12	12	3	5	6	10	11	11	9	6	10	10	7	5	1	
Cancer and other malignant tumors (43–49)	2,233		1	2	1	2	8	5	8	16	20	45	178	453	669	555	269	1
Diabetes mellitus (57)	426		2	1	2	1			2	2	7	2	18	73	147	121	48	
Cerebral hemorrhage and softening (74, 83)	1,300	2	2		2		1	2	5	4	4	8	47	174	321	393	335	
Other [organic] diseases of the heart (90)	4,246	8	4	4	2	2	24	33	40	43	42	68	219	538	951	1,236	1,032	
Bronchitis (99)	89	17	5				1			2	1		5	6	10	13	29	
Broncho-pneumonia (100)	660	185	60	20	7	2	16	5	6	9	11	11	35	61	60	90	82	
Pneumonia (101)	928	75	35	30	16	9	19	10	24	18	36	45	117	150	156	119	69	
Diarrhea and enteritis (113, 114)	326	239	37	7	2	1	9	1	1	2	1	1	6	4	3	3	9	
Appendicitis and typhlitis (117)	275	1	1	2	2		20	29	20	25	13	18	57	45	31	11		
Hernia, intestinal obstruction (118)	231	24	4	2	1	3	1		1	3	5	8	23	32	49	42	33	
Cirrhosis of the liver (122)	173	3								1		5	25	40	47	34	18	
Nephritis (128, 129)	2,397	6	3	4	1		7	12	10	17	23	53	167	301	510	692	591	
Diseases of the female genital organs (137–141)	116								1	6	7	13	39	27	11	8	4	
Puerperal septicemia (146)	105								11	28	23	21	22					
Other puerperal causes (143–145, 147–150)	132								6	25	34	31	36					
Suicide (165–174)	272								6	15	18	30	71	56	42	31	3	
Homicide (197–200)	78	1					2	1	5	10	17	8	18	8	5	2	1	
Automobile accidents [1] (188c)	295		3	7	5	7	50	18	15	18	11	14	30	30	36	41	10	
Automobile and railroad-train collision (part 188a)	3												2	1				
Automobile and street-car collision (part 188b)	7							1			1	1	2	1	1			
Other external causes (inclusions, see Table 5)	855	24	17	20	15	16	39	25	31	38	27	42	118	135	134	85	89	
All other causes	4,198	1,272	58	30	21	18	89	70	75	74	93	134	408	477	539	432	408	
PHILADELPHIA, PA. (COLORED), all causes	3,707	522	107	49	15	21	53	52	141	210	299	277	674	553	385	217	132	
Typhoid and paratyphoid fever (1)	5						1		2	2								
Measles (7)																		
Scarlet fever (8)	1												1					
Whooping cough (9)	10	3	4	3														
Diphtheria (10)	14	2	6	1			2	2						1				
Influenza (11)	69	6	2					1	4	10	7	3	13	13	6	3	1	
Meningococcus meningitis (24)	5	1					1			1	1		1					
Tuberculosis of the respiratory system (31)	520	12	13	7	2	2	7	18	56	81	83	71	97	43	20	4	4	
Other forms of tuberculosis (32–37)	63	2	4	6	1	3	5	7	5	5	9	3	11	1	1			
Cancer and other malignant tumors (43–49)	167						1		1	3	3	13	39	44	37	22	4	
Diabetes mellitus (57)	31									1	1	1	8	9	8	3		
Cerebral hemorrhage and softening (74, 83)	169		2	1					1	2	1	5	22	42	43	37	13	
Other [organic] diseases of the heart (90)	481	2	1			2	3	3	6	11	15	26	74	126	109	58	45	
Bronchitis (99)	21	10	2	3	1								1	1	1		2	
Broncho-pneumonia (100)	230	90	28	14	5	1	5	4	4	3	6	8	19	12	11	8	12	
Pneumonia (101)	344	41	19	4		5	6	2	10	23	43	28	76	49	25	10	3	
Diarrhea and enteritis (113, 114)	97	66	14	3		3				1	3		2	3	1		1	
Appendicitis and typhlitis (117)	39						2	2	6	3	5	3	11	5	2			
Hernia, intestinal obstruction (118)	33	4		1					3	5	2	4	7	4	1	2		
Cirrhosis of the liver (122)	12												3	5	3	1		
Nephritis (128, 129)	299	5	1				1		2	6	12	14	62	74	57	39	26	
Diseases of the female genital organs (137–141)	28								2	2	2	7	8	6	1			
Puerperal septicemia (146)	26								8	2	9	3	4					
Other puerperal causes (143–145, 147–150)	31								2	4	10	3	12					
Suicide (165–174)	16								1	2	4	1	3	3	2			
Homicide (197–200)	94								3	15	24	22	21	7	1	1		
Automobile accidents [1] (188c)	29						4			1	2	4	7	8	3			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	131	11	2	4	4	2	8	3	8	3	12	10	29	20	8	4	3	
All other causes	741	267	9	2	2	3	7	10	17	23	45	48	143	77	45	25	18	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (WHITE), all causes	8,068	969	174	84	82	63	188	138	188	231	280	334	842	1,153	1,249	1,150	943	
Typhoid and paratyphoid fever (1)	10							3	3	1	1	2						
Measles (7)	32	6	18	2	3	1	2											
Scarlet fever (8)	16		3	2	2	1	2	3	1			1	1					
Whooping cough (9)	15	5	5	1	1	1	2											
Diphtheria (10)	102	6	15	13	16	10	33	5	1				2		1			
Influenza (11)	132	10	8	2	3	1	5	4	1	4	8	4	11	15	17	27	12	
Meningococcus meningitis (24)	14	2					3	1		3			1	3	1			
Tuberculosis of the respiratory system (31)	315	3	2			2	1	5	24	38	49	32	57	49	35	14	4	
Other forms of tuberculosis (32–37)	75	8	7	3	5	5	1	6	7	4	7	6	5	7	2	2		
Cancer and other malignant tumors (43–49)	685	2	1				3		4	4	5	21	63	168	193	152	69	
Diabetes mellitus (57)	116	1				1	1	3	3	2	1	1	11	17	34	29	12	
Cerebral hemorrhage and softening (74, 83)	508	5					1			1		3	21	70	130	137	140	
Other [organic] diseases of the heart (90)	1,034		1	1	1	1	8	21	15	16	12	20	66	154	216	246	256	
Bronchitis (99)	49	8		1			1				1	1	2	4	8	7	16	
Broncho-pneumonia (100)	298	95	21	8	2		9	3	2	4	2	4	22	30	22	30	44	
Pneumonia (101)	648	68	17	8	3	6	16	10	8	14	36	35	92	105	108	73	49	
Diarrhea and enteritis (113, 114)	147	91	24	7	6	2	1	2			1		1	5	2	1	4	
Appendicitis and typhlitis (117)	137	1			2	1	13	10	18	8	8	14	22	26	8	4	2	
Hernia, intestinal obstruction (118)	85	6	2	1			1	2	2		3	4	11	18	16	11	8	
Cirrhosis of the liver (122)	69			1			1			3		1	13	11	16	18	5	
Nephritis (128, 129)	581	1		2	1	1	3		6	7	7	16	55	92	127	143	120	
Diseases of the female genital organs (137–141)	53								1	4	5	11	9	16	5	1	1	
Puerperal septicemia (146)	61								7	8	19	13	13	1				
Other puerperal causes (143–145, 147–150)	64								5	9	18	12	18	2				
Suicide (165–174)	81								2	6	6	15	12	18	15	5	2	
Homicide (197–200)	56	1							2	10	3	8	12	14	3	3		
Automobile accidents [1] (188c)	202	1	1	2	5	3	23	10	13	14	8	18	26	23	21	22	12	
Automobile and railroad-train collision (part 188a)	3												2		1			
Automobile and street-car collision (part 188b)	4									2	1				1			
Other external causes (inclusions, see Table 5)	490	5	11	11	10	10	21	14	15	24	37	27	87	65	55	49	49	
All other causes	1,986	644	38	20	21	17	37	36	48	45	42	65	207	240	212	176	138	
PITTSBURGH, PA. (COLORED), all causes	1,024	155	33	15	12	8	21	18	21	55	76	89	173	166	107	45	30	
Typhoid and paratyphoid fever (1)	2								1						1			
Measles (7)	4		2			2												
Scarlet fever (8)																		
Whooping cough (9)	3	2	1															
Diphtheria (10)	18	3	1	2	3	2	3				1	1	1			1		
Influenza (11)	25	5					1			1	1	2	6	5		3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	90	1	1		2	1	3	5	10	10	11	15	15	9	6	1		
Other forms of tuberculosis (32–37)	24	1	1	3		2	1			1	4	3	4	4				
Cancer and other malignant tumors (43–49)	32										1	2	7	10	8	4		
Diabetes mellitus (57)	14							1	1			1	2	5	3		1	
Cerebral hemorrhage and softening (74, 83)	34											1	2	16	9	3	3	
Other [organic] diseases of the heart (90)	94				1			4			3	7	17	26	18	9	9	
Bronchitis (99)																		
Broncho-pneumonia (100)	56	27	12	2				1	1	1	1	1	2	3	1	3	1	
Pneumonia (101)	160	14	5	4			2	1	1	4	17	14	43	25	20	6	4	
Diarrhea and enteritis (113, 114)	19	11	3	1	1	1	1				1							
Appendicitis and typhlitis (117)	9	1						1			1	1	2	2	1			
Hernia, intestinal obstruction (118)	7	1								1	1	1	2	1				
Cirrhosis of the liver (122)	3												2	1				
Nephritis (128, 129)	75	1								4	3	3	11	17	21	10	5	
Diseases of the female genital organs (137–141)	11									2	2	5	2					
Puerperal septicemia (146)	11								1	4	3	2	1					
Other puerperal causes (143–145, 147–150)	4								1		1	2						
Suicide (165–174)	4									2	2							
Homicide (197–200)	36							1	2	8	6	10	7	1	1			
Automobile accidents [1] (188c)	13			1			2			1	2	2	3	1	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	55	1			3		4	1	2	6	4	2	15	8	4	3	2	
All other causes	221	87	7	2	2		4	3	1	10	11	14	29	32	13	2	4	
READING, PA., all causes	1,210	115	20	12	4	2	21	9	24	38	24	44	91	137	174	240	255	
Typhoid and paratyphoid fever (1)	3							2				1						
Measles (7)	4	2	1				1											
Scarlet fever (8)	2			1			1											
Whooping cough (9)	1	1																
Diphtheria (10)	10	3	1	1	1		3					1						
Influenza (11)	22	3		3			1		1	1	1		3	2	2	3	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	58	1					1	1	6	8	5	11	9	5	5	5	1	
Other forms of tuberculosis (32–37)	9		2	1					1				2	2		1		
Cancer and other malignant tumors (43–49)	99										1	1	8	20	24	25	20	
Diabetes mellitus (57)	30								1				2	3	15	5	4	
Cerebral hemorrhage and softening (74, 83)	97												3	11	12	38	33	
Other [organic] diseases of the heart (90)	244	1	1					1	2	2	1	2	9	29	43	81	72	
Bronchitis (99)	7			1									1	1			4	
Broncho-pneumonia (100)	38	9	6	3					1		1	2	5		1	3	7	
Pneumonia (101)	29	2	3		1							1	5	5	5	6	1	
Diarrhea and enteritis (113, 114)	14	13	1															
Appendicitis and typhlitis (117)	11						1		1	2	1	1	1	2		2		
Hernia, intestinal obstruction (118)	21	1		1						1	1		4	1	2	4	6	
Cirrhosis of the liver (122)	14													5	4	5		
Nephritis (128, 129)	135									1	2	1	5	16	27	42	41	
Diseases of the female genital organs (137–141)	5											1	2		1		1	
Puerperal septicemia (146)	8								2	3		2	1					
Other puerperal causes (143–145, 147–150)	16								1	7	3	2	3					
Suicide (165–174)	28								1	3	2	1	5	6	7	2	1	
Homicide (197–200)	7	1										1	1	3	1			
Automobile accidents [1] (188c)	30	1		1			6		4	3	1	3	2	2	5	1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	58	3	2		1	1	2	3	1	3	2	6	2	6	7	5	14	
All other causes	210	74	3		1	1	5	2	2	4	3	7	18	18	13	12	47	

[1] Excludes collision with railroad trains and streetcars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SCRANTON, PA., all causes	1,903	216	20	23	17	12	51	28	54	50	63	71	219	329	295	258	197	
Typhoid and paratyphoid fever (1)	1											1						
Measles (7)	2	2																
Scarlet fever (8)	5					3	1	1										
Whooping cough (9)	6	3	2		1													
Diphtheria (10)	29	2	3	6	6	4	7							1				
Influenza (11)	28	6			1				2	1			3	6	3	3	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	106						1		13	15	13	11	19	25	6	3		
Other forms of tuberculosis (32–37)	9	1	2	3					2						1			
Cancer and other malignant tumors (43–49)	161			1							3	3	12	49	41	35	17	
Diabetes mellitus (57)	40										3	1	3	3	18	9	3	
Cerebral hemorrhage and softening (74, 83)	111										3	1	8	14	22	37	26	
Other [organic] diseases of the heart (90)	301		1				2	3	5	1	7	4	29	59	67	64	59	
Bronchitis (99)	23	4							1	1				4	4	7	2	
Broncho-pneumonia (100)	56	19	4	1			1		2				4	8	5	7	5	
Pneumonia (101)	111	5	1	2	1		2	1	4	3	4	11	21	26	15	9	6	
Diarrhea and enteritis (113, 114)	38	26	3	1	1		1		1				1	2			2	
Appendicitis and typhlitis (117)	37			1		1	5	4	3	3	6	1	3	5	4	1		
Hernia, intestinal obstruction (118)	26	1		1						1	1		3	7	6	5	1	
Cirrhosis of the liver (122)	22										1	2	4	10	2		3	
Nephritis (128, 129)	126						2	1	2			3	20	29	28	22	19	
Diseases of the female genital organs (137–141)	14								1	2		1	5		4		1	
Puerperal septicemia (146)	15								3	2		4	6					
Other puerperal causes (143–145, 147–150)	17									4	2	5	6					
Suicide (165–174)	15									1	1	2	4	5	1		1	
Homicide (197–200)	6								2				3	1				
Automobile accidents [1] (188c)	34			2	1	7	4		2	1	1		6	2	4	3	1	
Automobile and railroad-train collision (part 188a)	5								1	1			1	2				
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	138	4	1	4	3	2	6	6	5	5	7	11	23	26	16	7	12	
All other causes	420	143	3	3	2	1	16	8	8	8	10	9	35	44	48	46	36	
PROVIDENCE, R. I., all causes	3,169	381	58	31	24	24	62	32	41	79	73	94	250	389	497	623	507	4
Typhoid and paratyphoid fever (1)	2	1										1						
Measles (7)																		
Scarlet fever (8)	10		1	2		3	3					1						
Whooping cough (9)	14	10	2	2														
Diphtheria (10)	23	1	5	2		6	9											
Influenza (11)	27	3	1		1		1			2		2	4	4	2	2	5	
Meningococcus meningitis (24)	2	2																
Tuberculosis of the respiratory system (31)	126		1	1			2		10	13	17	13	21	21	18	4	5	
Other forms of tuberculosis (32–37)	33	4	5	1	7	2		2	1	1		4	2	1	1	2		
Cancer and other malignant tumors (43–49)	329					1	1				2	5	28	63	83	98	48	
Diabetes mellitus (57)	57										1	3	4	4	20	17	8	
Cerebral hemorrhage and softening (74, 83)	280	1							1	1	1	1	14	34	53	87	87	
Other [organic] diseases of the heart (90)	488	3	1				4	8	5	6	5	7	25	67	102	138	117	
Bronchitis (99)	19	3	2		1								1	1	3	4	4	
Broncho-pneumonia (100)	101	36	8	4		1		1			1	1	3	3	9	17	17	
Pneumonia (101)	131	13	11	5	1		3	1	1	4	1	1	12	19	23	18	18	
Diarrhea and enteritis (113, 114)	40	30	3	2	1							1				1	2	
Appendicitis and typhlitis (117)	57				1	3		6	4	4	3	6	9	7	10	4		
Hernia, intestinal obstruction (118)	34	2		1					1		1		2	6	9	10	2	
Cirrhosis of the liver (122)	18									2		1	2	3	9	1		
Nephritis (128, 129)	334	1	1			1	2	2		4	5	7	22	44	60	99	85	1
Diseases of the female genital organs (137–141)	18										1	2	8	4	3			
Puerperal septicemia (146)	19								2	5	5	4	3					
Other puerperal causes (143–145, 147–150)	27									6	7	5	9					
Suicide (165–174)	24									1	2	1	3	9	4	3	1	
Homicide (197–200)	11								2	2	1	1	2	2		1		
Automobile accidents [1] (188c)	64		1	1	2	1	16	2	1	3		1	6	5	9	12	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2												1	1				
Other external causes (inclusions, see Table 5)	132	1	2	2	4		2	3	3	9	3	3	11	24	17	16	30	2
All other causes	747	270	14	8	6	6	19	7	10	16	17	23	58	67	62	89	74	1
MEMPHIS, TENN. (WHITE), all causes	1,751	176	32	11	14	16	41	27	40	57	64	83	179	259	267	276	209	
Typhoid and paratyphoid fever (1)	11	1							1	4	2	1	1		1			
Measles (7)	4	1	1				1			1								
Scarlet fever (8)	4		1		1		2											
Whooping cough (9)	14	9	2	1		1	1											
Diphtheria (10)	11	2	2		2	3	2											
Influenza (11)	41	3	2		2				2			2		7	6	8	9	
Meningococcus meningitis (24)	2							1				1						
Tuberculosis of the respiratory system (31)	75	2							2	11	8	7	7	14	17	5	2	
Other forms of tuberculosis (32–37)	12	1	1		1	1	3	1			1	1	1		1			
Cancer and other malignant tumors (43–49)	168			1				1	1		3	6	24	30	41	37	14	
Diabetes mellitus (57)	24						2		1			1	2	1	8	8	1	
Cerebral hemorrhage and softening (74, 83)	111					1		1			1	4	6	20	19	36	23	
Other [organic] diseases of the heart (90)	168					1	1	2	2			3	10	28	30	48	43	
Bronchitis (99)	1																1	
Broncho-pneumonia (100)	50	13	6	3			1	3	2	2	1	1	4	3	1	6	4	
Pneumonia (101)	73	5	2			1	2		4	1	4	4	12	16	11	5	6	
Diarrhea and enteritis (113, 114)	27	13	5		1				1		1		1	1	1	1	2	
Appendicitis and typhlitis (117)	66				1	2	5	6	5	3	6	3	13	10	7	5		
Hernia, intestinal obstruction (118)	26	2									3	1	3	5	4	3	5	
Cirrhosis of the liver (122)	13											1	2	2	4	4		
Nephritis (128, 129)	124						1	1		2	1	1	6	18	29	34	31	
Diseases of the female genital organs (137–141)	23									4	2	4	7	6				
Puerperal septicemia (146)	15								4	4	1	4	1	1				
Other puerperal causes (143–145, 147–150)	11							1	1	1	3	2	3					
Suicide (165–174)	34									6	1	3	7	10	7	1		
Homicide (197–200)	21									1	3	3	8	4	1	1		
Automobile accidents [1] (188c)	41				1		5	1	2	2	5	3	6	8	6	1	1	
Automobile and railroad-train collision (part 188a)	1						1											
Automobile and street-car collision (part 188b)	2								1			1						
Other external causes (inclusions, see Table 5)	97	3	5	1	2	1	6	3	4	5	4	6	7	12	11	9	18	
All other causes	491	121	5	5	3	5	8	6	7	10	14	20	48	63	62	65	49	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MEMPHIS, TENN. (COLORED), all causes	1,697	180	35	16	16	9	20	17	90	139	128	124	286	301	192	92	52	
Typhoid and paratyphoid fever (1)	16	1				1		2	6	4	1	1						
Measles (7)	2		1		1													
Scarlet fever (8)																		
Whooping cough (9)	15	11	4															
Diphtheria (10)	3					1	2											
Influenza (11)	57	5	1	1			2	1	3	8	3	1	6	12	9	2	3	
Meningococcus meningitis (24)	2										1		1					
Tuberculosis of the respiratory system (31)	166	1	2	1		1	1	5	22	37	25	20	25	15	9	1	1	
Other forms of tuberculosis (32–37)	24	1	3	2		2		1	3	2	3	2	2	2	1			
Cancer and other malignant tumors (43–49)	66				1					1	2	5	16	18	16	5	2	
Diabetes mellitus (57)	19								1		1	1	5	7	3		1	
Cerebral hemorrhage and softening (74, 83)	89								2	2	3	4	15	33	17	9	4	
Other [organic] diseases of the heart (90)	188								3	4	8	11	37	57	42	19	7	
Bronchitis (99)	5										1	1	1	1	1			
Broncho-pneumonia (100)	62	21	10	1	4		2		2	2	1	1	8	4	3	2	1	
Pneumonia (101)	100	19	2	2	2	1			6	7	9	7	13	14	6	8	4	
Diarrhea and enteritis (113, 114)	40	15	7	1	1		1		1	1	1	3	3	1	2	2	1	
Appendicitis and typhlitis (117)	38				1		2		3	7	8	3	7	7				
Hernia, intestinal obstruction (118)	18	1			1					1		2	5	6	2			
Cirrhosis of the liver (122)	3												1	1	1			
Nephritis (128, 129)	116						1		2	5	6	5	29	30	17	12	9	
Diseases of the female genital organs (137–141)	27										1	8	13	2	1	2		
Puerperal septicemia (146)	14								5	4	4		1					
Other puerperal causes (143–145, 147–150)	14								6	2	4		2					
Suicide (165–174)	1												1					
Homicide (197–200)	97					1			5	24	19	20	23	3	1		1	
Automobile accidents [1] (188c)	27						3	2	1	4	1	2	4	7	1	2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	58	1	1	1	3	1	3	2	7	8	6	4	9	6	3	1	2	
All other causes	430	104	4	7	2	1	3	4	12	16	20	23	59	75	57	27	16	
NASHVILLE, TENN. (WHITE), all causes	1,432	141	41	18	13	5	32	25	39	50	50	40	106	168	221	250	232	1
Typhoid and paratyphoid fever (1)	9			1					2	3	1	2						
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	8	2	4	1			1											
Diphtheria (10)	5		1		2		2											
Influenza (11)	34	3	4		2				1				1	4	5	7	7	
Meningococcus meningitis (24)	4				1		3											
Tuberculosis of the respiratory system (31)	60						1		3	6	6	3	9	11	6	8	7	
Other forms of tuberculosis (32–37)	20	1	1			1	3	2		3			1	1	3	4		
Cancer and other malignant tumors (43–49)	115		1				1				2	1	4	31	28	27	20	
Diabetes mellitus (57)	17						1							4	6	3	3	
Cerebral hemorrhage and softening (74, 83)	94							1		1	1	1	1	12	26	29	22	
Other [organic] diseases of the heart (90)	170		1					2	1	1	2	2	5	18	29	50	59	
Bronchitis (99)	1																1	
Broncho-pneumonia (100)	52	14	5	1	1		1				2		1	1	4	15	7	
Pneumonia (101)	69	3	4	2	1		1			2	3	6	6	8	12	13	8	
Diarrhea and enteritis (113, 114)	30	8	6	1		1					1				4	2	7	
Appendicitis and typhlitis (117)	26				2		1	4			3	1	8		5	2		
Hernia, intestinal obstruction (118)	15	2	2						1	1			3	2	1	3		
Cirrhosis of the liver (122)	8												1	4	1	2		
Nephritis (128, 129)	105						1				2	2	15	15	17	27	26	
Diseases of the female genital organs (137–141)	8									2		1	2	3				
Puerperal septicemia (146)	13								3	4	2	2	2					
Other puerperal causes (143–145, 147–150)	9								1	2	3	3						
Suicide (165–174)	12								1	2			2	4	1	2		
Homicide (197–200)	15								1	1	3	1	6	1	1	1		
Automobile accidents [1] (188c)	36	1	1		1		2	2	3	3	2		5	7	5	2	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	78	2	2	3	1	1	3	4	12	5	2	6	6	4	9	4	13	1
All other causes	417	105	8	9	2	2	11	10	10	14	15	9	29	40	55	50	48	
NASHVILLE, TENN. (COLORED), all causes	964	83	15	11	9	8	21	18	33	53	63	41	155	177	156	75	46	
Typhoid and paratyphoid fever (1)	14		1				1	4	2	1			3	2				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1				1													
Diphtheria (10)	13			5	2	2	2	1	1									
Influenza (11)	29	1	2		3					3	2		4	8	1	4	1	
Meningococcus meningitis (24)	3							1	1						1			
Tuberculosis of the respiratory system (31)	101		1				1	3	11	18	15	10	17	14	7	4		
Other forms of tuberculosis (32–37)	22		1				3	2	5		2	3	4		2			
Cancer and other malignant tumors (43–49)	32											2	5	10	12	2	1	
Diabetes mellitus (57)	11				1					1			3	2	3	1		
Cerebral hemorrhage and softening (74, 83)	59										1	1	12	14	21	8	2	
Other [organic] diseases of the heart (90)	139						1		1	1	5	3	25	39	36	16	12	
Bronchitis (99)	1													1				
Broncho-pneumonia (100)	29	6	2	3	1		2			1	1		3	4	3	2	1	
Pneumonia (101)	49	4		1	1	1	3	1	1	4	4	3	7	8	7	2	2	
Diarrhea and enteritis (113, 114)	24	15	4	2									2	1				
Appendicitis and typhlitis (117)	15					1	1	3		1	1	1	2	3	1	1		
Hernia, intestinal obstruction (118)	15							1		2	3		2	3	3	1		
Cirrhosis of the liver (122)	3													2	1			
Nephritis (128, 129)	85								1	2	1	1	10	21	22	13	14	
Diseases of the female genital organs (137–141)	9									2			2	2	3			
Puerperal septicemia (146)	6								1	2	2		1					
Other puerperal causes (143–145, 147–150)	3										1		2					
Suicide (165–174)	4									1	1	1	1					
Homicide (197–200)	27								1	3	3	3	10	4	2	1		
Automobile accidents [1] (188c)	10						3				2	1	1	1	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	34	2	1			1	2		2	5	6	2	2	1	6	2	2	
All other causes	226	55	3			3	2	2	6	6	13	10	37	37	24	17	11	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,431	333	67	29	17	17	48	39	63	94	124	125	259	317	310	329	260	
Typhoid and paratyphoid fever (1)	14						1		2	4	3		2	2				
Measles (7)	13	2	3	2	2	1	3											
Scarlet fever (8)	2						2											
Whooping cough (9)	5	3		1			1											
Diphtheria (10)	32	3	6	4	2	7	7	1			1	1						
Influenza (11)	59	14	4		2		1	2	2	3	1	1	3	11	6	6	3	
Meningococcus meningitis (24)	5		1					2			1	1						
Tuberculosis of the respiratory system (31)	118	1	2	1				1	7	12	21	16	16	21	13	4	3	
Other forms of tuberculosis (32–37)	16	4		1			1	1	1	2	1	2	1	1		1		
Cancer and other malignant tumors (43–49)	187							1	1	3	9	8	27	34	37	47	20	
Diabetes mellitus (57)	25	1							1	1		1		5	7	6	3	
Cerebral hemorrhage and softening (74, 83)	198							1	1		2	4	21	40	48	43	38	
Other [organic] diseases of the heart (90)	198	1							1	1	3	2	14	39	44	57	36	
Bronchitis (99)	8	1											3		1		3	
Broncho-pneumonia (100)	64	26	5	2			2	1	1	1	1	1	5	1	7	4	7	
Pneumonia (101)	88	18	6	1		1	1	2	5	7	7	2	14	9	6	4	5	
Diarrhea and enteritis (113, 114)	61	38	8	5			2					2	1	1	4			
Appendicitis and typhlitis (117)	46	1					1	5	5	6	4	8	7	4	3	2		
Hernia, intestinal obstruction (118)	26	4		1						3	1		3	4	4	2	4	
Cirrhosis of the liver (122)	11											1	3	2	2	1	2	
Nephritis (128, 129)	195	1			2	1	1	3		1	6	6	12	38	45	43	36	
Diseases of the female genital organs (137–141)	20								1	4	1	2	9	2	1			
Puerperal septicemia (146)	13								3		6	1	2	1				
Other puerperal causes (143–145, 147–150)	24								1	9	8	2	4					
Suicide (165–174)	25								1	3	1	5	6	6	2	1		
Homicide (197–200)	32								4	5	4	8	6	3	2			
Automobile accidents [1] (188c)	49			1		1	5	4	5	3	7	1	8	5	8	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	116	6	10	3	2	1	3	5	5	7	7	14	14	13	7	11	8	
All other causes	781	209	22	7	7	5	17	10	16	19	29	36	78	75	63	96	92	
FORT WORTH, TEX., all causes	1,520	205	38	19	18	16	37	19	49	61	67	81	153	206	165	210	171	5
Typhoid and paratyphoid fever (1)	12							1	1		3	2	3	1	1			
Measles (7)	21	5	4	3	3	3	1	1	1									
Scarlet fever (8)	4		2		1		1											
Whooping cough (9)	11	8	1	1	1													
Diphtheria (10)	26	1	3		5	6	9		1		1							
Influenza (11)	54	5			1		1	1	1	2	3	3	7	4	8	10	8	
Meningococcus meningitis (24)	2		1								1							
Tuberculosis of the respiratory system (31)	77			1		1			6	8	11	10	15	16	6	3		
Other forms of tuberculosis (32–37)	8			1			1			1		1	3			1		
Cancer and other malignant tumors (43–49)	98								1	2	2	6	6	16	24	29	11	1
Diabetes mellitus (57)	20	1									1	1	1	5	5	6		
Cerebral hemorrhage and softening (74, 83)	123	1					1			1	1	3	9	23	17	34	32	1
Other [organic] diseases of the heart (90)	114	1	1				1	1	2	1		2	2	16	21	34	32	
Bronchitis (99)	6		1								1		1			1	2	
Broncho-pneumonia (100)	45	17	4	3	3	1			2	1			1	5		1	1	
Pneumonia (101)	66	14	4	1		1	2	1	2	5	1	7	7	7	4	8	3	
Diarrhea and enteritis (113, 114)	38	20	11	4			1					1			1			
Appendicitis and typhlitis (117)	18		1					4		2		3	5	2			1	
Hernia, intestinal obstruction (118)	24	5					1				2	1	2	3	5	1	4	
Cirrhosis of the liver (122)	7										1			2	1	2		
Nephritis (128, 129)	95					1	1		2	1	3	3	6	20	17	26	14	1
Diseases of the female genital organs (137–141)	15									1		3	6	2		2	1	
Puerperal septicemia (146)	5								3	1		1						
Other puerperal causes (143–145, 147–150)	18								2	2	5	6	3					
Suicide (165–174)	23								2	7	1		6	4	3			
Homicide (197–200)	32	1							3	6	5	4	5	4	2	2		
Automobile accidents [1] (188c)	31			1	2	1	5	3	2	1	2	4	5	5				
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	49	1	1			1	3	1	5	10	1	1	5	4	5	3	8	
All other causes	476	125	4	4	2	2	9	6	12	8	22	19	55	66	45	55	41	1
HOUSTON, TEX. (WHITE), all causes	1,975	267	36	18	13	17	36	25	53	86	90	75	205	260	239	304	249	2
Typhoid and paratyphoid fever (1)	15						1		3	2	2	1	5		1			
Measles (7)	2		1											1				
Scarlet fever (8)	6	5		1														
Whooping cough (9)	20	1	5	3	4	2	5											
Diphtheria (10)	36	8	3		1	1					2	1	4	7	2	2	5	
Influenza (11)	5	2				1			1			1						
Meningococcus meningitis (24)	118	1						3	8	20	24	9	17	14	9	11	2	
Tuberculosis of the respiratory system (31)	10	2	1	1	1			1					1	1	1	1		
Other forms of tuberculosis (32–37)	144						2	1	1		2	3	15	33	28	37	22	
Cancer and other malignant tumors (43–49)	30						2		1	1	1	1	2	4	6	8	4	
Diabetes mellitus (57)	114					1				1	1		8	19	24	36	24	
Cerebral hemorrhage and softening (74, 83)	197	1					1	1		1		5	9	30	36	62	51	
Other [organic] diseases of the heart (90)	6	5							1									
Bronchitis (99)	35	8	4	1	1		1	1		1			2	3	1	1	11	
Broncho-pneumonia (100)	53	10	2	1	1	1	1	2		5	5	3	5	5	3	5	4	
Pneumonia (101)	59	39	7	2		1							3	1	2	1	3	
Diarrhea and enteritis (113, 114)	42						1	2	7	5	4	3	11	6	3	1		
Appendicitis and typhlitis (117)	31	3	2								5	3	2	7	1	6	2	
Hernia, intestinal obstruction (118)	19							1						4	5	6	3	
Cirrhosis of the liver (122)	128	1		1					1	4	2	1	12	14	19	43	30	
Nephritis (128, 129)	16								1	1	2	1	5	6				
Diseases of the female genital organs (137–141)	11								1	4	2	3	1					
Puerperal septicemia (146)	19								1	6	2	4	6					
Other puerperal causes (143–145, 147–150)	26								3	3		3	8	5	3		1	
Suicide (165–174)	27								2	6	3	6	7	2	1			
Homicide (197–200)	48	1	1	2		1	6	2	3	4	4	1	7	6	7	1	1	1
Automobile accidents [1] (188c)	1											1						
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	111	3		2	1	1	2	3	9	8	10	4	20	11	4	16	17	
Other external causes (inclusions, see Table 5)	646	177	10	5	3	8	14	8	10	14	19	21	55	82	83	67	69	1
All other causes																		

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927.—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	1,015	100	15	9	4	1	10	12	38	66	83	91	202	196	102	45	40	1
Typhoid and paratyphoid fever (1)	6						1	1			3	1						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	3		1	1		1												
Influenza (11)	22	2			1		1		1	2	2	2	3	2	3	1	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	71						1		10	17	14	11	14	3	1			
Other forms of tuberculosis (32–37)	9			1				2		2	1	1	1			1		
Cancer and other malignant tumors (43–49)	53						1				1	3	15	16	10	5	2	
Diabetes mellitus (57)	16								1		2	1	1	3	6	1	1	
Cerebral hemorrhage and softening (74, 83)	56									1		1	13	20	9	4	8	
Other [organic] diseases of the heart (90)	75									1	2	3	14	36	12	4	3	
Bronchitis (99)	3									2				1				
Broncho-pneumonia (100)	24	8	8	1					1		1		1		2	1	1	
Pneumonia (101)	50	10		2	1		1	1		5	5	3	8	7	4	1	2	
Diarrhea and enteritis (113, 114)	9	6	2	1														
Appendicitis and typhlitis (117)	6						1				2	1	2					
Hernia, intestinal obstruction (118)	9											1	6	1	1			
Cirrhosis of the liver (122)	11			1								1	4	2	2		1	
Nephritis (128, 129)	73								1	1	1	8	18	22	11	5	6	
Diseases of the female genital organs (137–141)	15								1	2	5	1	5	1				
Puerperal septicemia (146)	1												1					
Other puerperal causes (143–145, 147–150)	7								2		3	1	1					
Suicide (165–174)	4									2	1		1					
Homicide (197–200)	41								2	6	8	10	7	8				
Automobile accidents [1] (188c)	9							1		2	2	1	2	1				
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collison (part 188b)	1																	
Other external causes (inclusions, see Table 5)	28	1	2	1			1			2	3	3	7	3	4		1	
All other causes	412	72	2	1	2		3	7	19	21	27	38	77	70	37	22	13	1
SAN ANTONIO, TEX., all causes	3,035	523	105	39	25	20	63	37	98	184	155	169	324	380	351	305	254	3
Typhoid and paratyphoid fever (1)	12				1			3	2	4			2					
Measles (7)	4	2	1											1				
Scarlet fever (8)	4			1			3											
Whooping cough (9)	14	8	3	2	1													
Diphtheria (10)	30	1	6	3	3	3	12	1	1									
Influenza (11)	87	23	7	2			3	1	2	6	5	4	5	7	8	7	7	
Meningococcus meningitis (24)	4	1			1		1								1			
Tuberculosis of the respiratory system (31)	372	1	2	1		1	1	5	33	71	60	58	63	47	17	10	2	
Other forms of tuberculosis (32–37)	30	4	1	2		1	1		5	3	6		2	5				
Cancer and other malignant tumors (43–49)	212		1							5	6	4	29	43	68	40	16	
Diabetes mellitus (57)	27						1			1	1		2	3	10	8	1	
Cerebral hemorrhage and softening (74, 83)	128	1					1			2	3	3	11	18	30	32	27	
Other [organic] diseases of the heart (90)	284		1					2	3	6	2	9	28	43	58	67	65	
Bronchitis (99)	20	2	1	2			1				3	2	1	2	1	2	3	
Broncho-pneumonia (100)	95	37	7	6	2		3	2	2	1	1	2	8	4	7	4	9	
Pneumonia (101)	107	16	6	3	2	1	2		6	13	7	2	8	17	10	8	6	
Diarrhea and enteritis (113, 114)	252	168	43	6	3	1	2				1	3	3	7	8	2	5	
Appendicitis and typhlitis (117)	46		1	2			2	2	7	6	2	8	7	7	1	2		
Hernia, intestinal obstruction (118)	48	5	1						1	1	4	3	9	14	5	4	1	
Cirrhosis of the liver (122)	10											1	2		3	1	3	
Nephritis (128, 129)	147	2	1			1	1			3	2	8	20	30	28	28	23	
Diseases of the female genital organs (137–141)	18								3		3	2	6	2	1	1		
Puerperal septicemia (146)	31								6	9	8	6	2					
Other puerperal causes (143–145, 147–150)	23								2	3	5	4	8	1				
Suicide (165–174)	35								1	6	5	5	6	5	3	4		
Homicide (197–200)	37						1		4	10	2	3	9	4	3	1		
Automobile accidents [1] (188c)	48				1		4	6	1	4	6	3	5	7	6	4	1	
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	103	3	3	3	2	4	9	4	5	10	5	8	16	12	6	7	5	1
All other causes	806	249	21	6	9	8	15	11	14	20	18	30	72	101	77	73	80	2
SALT LAKE CITY, UTAH, all causes	1,664	190	40	18	20	9	51	36	45	60	60	67	161	179	220	250	258	
Typhoid and paratyphoid fever (1)	3			1					1						1			
Measles (7)	25	4	8	5	1	3	3	1										
Scarlet fever (8)	3						1			1	1							
Whooping cough (9)	3	2	1															
Diphtheria (10)	21		3	1	7	1	7		1					1				
Influenza (11)	26	4	2		1					1			2	4	4	3	5	
Meningococcus meningitis (24)	9		1					1		2	2	1		1	1			
Tuberculosis of the respiratory system (31)	65				1		1		1	5	9	10	13	11	5	5	4	
Other forms of tuberculosis (32–37)	11	1	1			2	1	1		1			1		1	2		
Cancer and other malignant tumors (43–49)	140							2		1	2	3	14	25	29	34	30	
Diabetes mellitus (57)	19						1			1			3	1	6	3	4	
Cerebral hemorrhage and softening (74, 83)	109											2	2	16	26	30	33	
Other [organic] diseases of the heart (90)	220	1			1		4	9	4	7	5	7	11	11	36	52	72	
Bronchitis (99)	4													1		2	1	
Broncho-pneumonia (100)	51	21	7	2	1						1		1		3	7	8	
Pneumonia (101)	79	6	2	3	1		5		3	2	1	5	13	9	9	10	10	
Diarrhea and enteritis (113, 114)	12	4	3		2									1	2			
Appendicitis and typhlitis (117)	42				1	1	3	5	4	5	1	3	7	7	4	1		
Hernia, intestinal obstruction (118)	26	2	1						1	1	1		7	4	3	4	2	
Cirrhosis of the liver (122)	10								1				1	2	2	3	1	
Nephritis (128, 129)	133	1					2		2	4	3	4	4	19	28	32	34	
Diseases of the female genital organs (137–141)	8										2		4		1	1		
Puerperal septicemia (146)	18								3	1	3	5	6					
Other puerperal causes (143–145, 147–150)	18								2	1	8	2	4	1				
Suicide (165–174)	23									1	3	2	9	4	3	1		
Homicide (197–200)	6								1		1	1	2			1		
Automobile accidents [1] (188c)	30						5	2	4	1	1	1	5	4	1	3	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	5								1		1	2		1				
Other external causes (inclusions, see Table 5)	86	1	2	3	1	2	3	3	5	7	4	8	12	8	10	9	8	
All other causes	459	143	9	3	3		15	12	11	18	11	11	40	48	45	47	43	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORFOLK, VA. (WHITE), all causes	844	75	12	4	6	6	11	6	13	20	33	27	85	110	139	160	136	1
Typhoid and paratyphoid fever (1)	2												2					
Measles (7)	6	2	3		1													
Scarlet fever (8)																		
Whooping cough (9)	4	1	1	1		1												
Diphtheria (10)	3			1			2											
Influenza (11)	9	1		1	1		1							2	1	1	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	46	1							3	5	6	3	11	12	2	3		
Other forms of tuberculosis (32–37)	7		1				1				1	1	1			2		
Cancer and other malignant tumors (43–49)	78		1		1						1		13	15	25	17	5	
Diabetes mellitus (57)	7												1	1	3	2		
Cerebral hemorrhage and softening (74, 83)	62												3	5	9	24	21	
Other [organic] diseases of the heart (90)	151									2	1	1	4	16	32	53	42	
Bronchitis (99)	5	1													1	1	2	
Broncho-pneumonia (100)	18	4	2	1	1								1	1	1	2	5	
Pneumonia (101)	13	2	1							1		1	2	1	2	2	1	
Diarrhea and enteritis (113, 114)	9	6			1		1							1				
Appendicitis and typhlitis (117)	15		1				1				4		3	4	2			
Hernia, intestinal obstruction (118)	10								1	1		1	2		2	1	2	
Cirrhosis of the liver (122)	8												2		3	1	2	
Nephritis (128, 129)	90							1	2		3		2	12	14	25	30	1
Diseases of the female genital organs (137–141)	7										1	1	3	1	1			
Puerperal septicemia (146)	4										2	1	1					
Other puerperal causes (143–145, 147–150)	6								1	2	2		1					
Suicide (165–174)	14									2	1	3	2	4	1		1	
Homicide (197–200)	3											1	2					
Automobile accidents [1] (188c)	19					1	1	2	2	1	4	1	3	2	2			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	54	1			1	3	2	3	2	6	4	10	7	4	7	4		
All other causes	194	56	2			1	4	1	1	4	1	9	16	26	34	19	20	
NORFOLK, VA. (COLORED), all causes	905	141	24	5	2	1	16	8	36	49	48	57	173	171	111	38	24	1
Typhoid and paratyphoid fever (1)	2									2								
Measles (7)	1				1													
Scarlet fever (8)																		
Whooping cough (9)	12	4	6	1			1											
Diphtheria (10)	4						4											
Influenza (11)	21	2			1					3	2	2	5	3	2		1	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	92		1	1			2	2	16	12	20	6	19	9	3	1		
Other forms of tuberculosis (32–37)	11	1		1				1	1	1	1	1	2	1		1		
Cancer and other malignant tumors (43–49)	21									1		2	5	4	7		2	
Diabetes mellitus (57)	10												1	7	2			
Cerebral hemorrhage and softening (74, 83)	88											1	21	31	23	8	4	
Other [organic] diseases of the heart (90)	141						1		1	2	2	11	31	41	31	12	9	
Bronchitis (99)	8									3			2	2	1			
Broncho-pneumonia (100)	57	40	8				1	1		1		3	3					
Pneumonia (101)	41	2		1			2		2	1	2	6	10	6	6	3		
Diarrhea and enteritis (113, 114)	52	41	7										1	2		1		
Appendicitis and typhlitis (117)	10								4	2		1	2	1				
Hernia, intestinal obstruction (118)	11	1					1	1				1	4	2		1		
Cirrhosis of the liver (122)	3											1	1	1				
Nephritis (128, 129)	64										2	5	14	16	14	8	5	
Diseases of the female genital organs (137–141)	6										3		3					
Puerperal septicemia (146)	10								1	2	2	2	3					
Other puerperal causes (143–145, 147–150)	13								4	2	3	3	1					
Suicide (165–174)																		
Homicide (197–200)	14								1	6		2	3	1				1
Automobile accidents [1] (188c)	16					1	2		1		4	1	6	1				
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	43	3	2					2	3	3	2	1	7	12	2	1		
All other causes	153	46		1			2	1	2	3	5	8	29	31	20	2	3	
RICHMOND, VA. (WHITE), all causes	1,572	152	16	11	10	9	38	13	25	32	39	33	113	186	250	329	316	
Typhoid and paratyphoid fever (1)																		
Measles (7)	2	1				1												
Scarlet fever (8)	4			1			1	1		1								
Whooping cough (9)	8	2	4	1			1											
Diphtheria (10)	11		1	2	2	3	3											
Influenza (11)	23	2	1		1		3					3		1	5	4	3	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	66	1	1						2	6	6	3	14	12	12	6	3	
Other forms of tuberculosis (32–37)	12	2	1				2				2			2	2	1		
Cancer and other malignant tumors (43–49)	133							1			2	1	9	29	33	42	16	
Diabetes mellitus (57)	17													2	7	6	2	
Cerebral hemorrhage and softening (74, 83)	102	1											3	8	23	34	33	
Other [organic] diseases of the heart (90)	236								2		2	2	9	26	47	50	98	
Bronchitis (99)	9				1					1					1	6		
Broncho-pneumonia (100)	36	8	4				1				1		2	2	3	10	5	
Pneumonia (101)	58	4			2	1	1		1	4	1	1	9	9	5	11	9	
Diarrhea and enteritis (113, 114)	22	16	1	2		1					1					1		
Appendicitis and typhlitis (117)	32					1	4	1	1		2	1	6	7	4	3	2	
Hernia, intestinal obstruction (118)	18	2					1			1	2	1	3	1	4		3	
Cirrhosis of the liver (122)	7														5	1	1	
Nephritis (128, 129)	204						1		3	2	2	2	12	29	36	65	52	
Diseases of the female genital organs (137–141)	6									2	1		2		1			
Puerperal septicemia (146)	7									1	3	1	2					
Other puerperal causes (143–145, 147–150)	13								3	3	1	3	3					
Suicide (165–174)	21								1	4	2	5	2	4	2	1		
Homicide (197–200)	4								1			1		2				
Automobile accidents [1] (188c)	32						3	3	1	3	3	1	5	6	5	2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	60	3	1	2	2	1	5	2	5	1	2	2	2	2	8	12	10	
All other causes	428	109	2	3	2	1	12	5	6	6	4	9	27	48	44	79	71	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (COLORED), all causes	1,142	152	19	17	10	9	20	13	44	64	53	72	182	204	158	91	34	
Typhoid and paratyphoid fever (1)																		
Measles (7)	3		1	1			1											
Scarlet fever (8)	1										1							
Whooping cough (9)	15	10	1	1		1	2											
Diphtheria (10)																		
Influenza (11)	37			1		1	1			3	3		8	9	6	3	2	
Meningococcus meningitis (24)	1									1								
Tuberculosis of the respiratory system (31)	85	2		2			2		10	22	12	14	12	6	3			
Other forms of tuberculosis (32–37)	27	2	2	2		2	2		4	2	2	3	2	1	3			
Cancer and other malignant tumors (43–49)	37								1		1	3	13	11	5	3		
Diabetes mellitus (57)	8												4	1	3			
Cerebral hemorrhage and softening (74, 83)	106											4	16	38	31	11	6	
Other [organic] diseases of the heart (90)	157	1							2	1	3	5	34	37	33	31	10	
Bronchitis (99)	5	2	1											1	1			
Broncho-pneumonia (100)	39	17	3	3	2	1				2	1	1	2	2	3	2		
Pneumonia (101)	46	2	2		1		1	1	2	4	2	3	10	6	8	2	2	
Diarrhea and enteritis (113, 114)	32	20	2	2	2			1				1	1	3				
Appendicitis and typhlitis (117)	10						2	1		1	2	2		1	1			
Hernia, intestinal obstruction (118)	6						1	1						2	2			
Cirrhosis of the liver (122)	10									1			2	3	4			
Nephritis (128, 129)	111		1				1		2	2		4	22	28	25	22	4	
Diseases of the female genital organs (137–141)	10								1	1	2	3	2	1				
Puerperal septicemia (146)	3								1	2								
Other puerperal causes (143–145, 147–150)	13								1	2	3	4	3					
Suicide (165–174)	1													1				
Homicide (197–200)	25								5	4	7	5	2	2				
Automobile accidents [1] (188c)	14					1	2	1	2	1	1	1	1	2	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	50	3	2	2	3	1	2	2	5	7	1	4	9	4	2	1	2	
All other causes	290	93	4	3	2	2	3	6	8	8	12	15	39	45	27	15	8	
SEATTLE, WASH., all causes	3,570	203	38	17	14	15	59	46	62	85	125	109	360	502	603	698	631	3
Typhoid and paratyphoid fever (1)	4									1	2		1					
Measles (7)	8	2	1	1	1	1	2											
Scarlet fever (8)	4		1	1			1				1							
Whooping cough (9)	10	5	2			1	2											
Diphtheria (10)	4		1		1		1	1										
Influenza (11)	74	2	2	2	1	3		3	3	1	4	3	10	12	7	7	14	
Meningococcus meningitis (24)	19	1	1		1		1	2	6	2	1		1	3				
Tuberculosis of the respiratory system (31)	158				1			1	7	11	24	23	36	23	15	15	2	
Other forms of tuberculosis (32–37)	46	1	7		1		2	4	2	5	3	5	2	4	7	2	1	
Cancer and other malignant tumors (43–49)	410	1					3	1	1		6	1	50	77	103	108	59	
Diabetes mellitus (57)	59					1		1	2	1	1	1	1	7	11	22	11	
Cerebral hemorrhage and softening (74, 83)	297							2				3	4	36	77	79	96	
Other [organic] diseases of the heart (90)	608						3	3	2	3	2	8	38	67	123	172	186	1
Bronchitis (99)	8	1													1		6	
Broncho-pneumonia (100)	76	15	5	2		1	4	1		2	2	2	4	6	5	9	18	
Pneumonia (101)	141	2	3	4	2	1	2	2	6	3	11	3	10	24	18	25	25	
Diarrhea and enteritis (113, 114)	19	8	3			1	1						1	2		1	2	
Appendicitis and typhlitis (117)	51				2		6	1	6	4	5	5	7	8	3	3	1	
Hernia, intestinal obstruction (118)	40	1					1		2	2		5	4	8	6	8	3	
Cirrhosis of the liver (122)	18									1			1	1	9	5	1	
Nephritis (128, 129)	215						2	3	2	3		4	17	23	50	63	48	
Diseases of the female genital organs (137–141)	23										3	2	8	9		1		
Puerperal septicemia (146)	9								1	1	2	2	2	1				
Other puerperal causes (143–145, 147–150)	13								1	4	5	2	1					
Suicide (165–174)	99									7	6	5	32	26	9	11	1	2
Homicide (197–200)	6										2		2	2				
Automobile accidents [1] (188c)	79		2			2	7	1	3	6	3	2	10	11	7	15	10	
Automobile and railroad-train collision (part 188a)	4											1		2			1	
Automobile and street-car collision (part 188b)	2											1		1				
Other external causes (inclusions, see Table 5)	184	3	1	2			9	5	7	8	13	10	33	25	26	16	26	
All other causes	882	161	9	5	4	4	12	15	11	20	29	21	85	124	126	136	120	
SPOKANE, WASH., all causes	1,484	111	13	7	9	8	31	33	34	39	39	50	118	200	251	306	234	1
Typhoid and paratyphoid fever (1)	1										1							
Measles (7)	3	2	1															
Scarlet fever (8)	7			2	1			1	1		1	1						
Whooping cough (9)	2	1					1											
Diphtheria (10)	1										1							
Influenza (11)	46	4					2	1	2	2		3	4	8	7	9	4	
Meningococcus meningitis (24)	33	3				2	1	8	7	2	1	3		3	1	2		
Tuberculosis of the respiratory system (31)	32								2	2	4	7	2	4	7	3	1	
Other forms of tuberculosis (32–37)	18		1			1	1		3	2	1		4	3	1	1		
Cancer and other malignant tumors (43–49)	165									1	2	2	9	32	43	53	23	
Diabetes mellitus (57)	29		1					2				1		6	5	11	3	
Cerebral hemorrhage and softening (74, 83)	91											3	2	8	17	28	33	
Other [organic] diseases of the heart (90)	174						2		1	2	2	2	9	19	39	59	39	
Bronchitis (99)	5												1				4	
Broncho-pneumonia (100)	46	17	4		1			2			1			2	2	3	14	
Pneumonia (101)	76	5	1		1		2	1	1	2	4	2	7	13	13	14	10	
Diarrhea and enteritis (113, 114)	13	8	1	1									2		1			
Appendicitis and typhlitis (117)	46				1		2	2	7	3	5	6	7	8	2	3		
Hernia, intestinal obstruction (118)	22	2		1					1	1		2		3	7	4	1	
Cirrhosis of the liver (122)	9						1						2	1	3	2		
Nephritis (128, 129)	128							2		2	1		9	13	35	35	31	
Diseases of the female genital organs (137–141)	12								1	1		1	5	4				
Puerperal septicemia (146)	7									2	1		4					
Other puerperal causes (143–145, 147–150)	12										4	2	4	2				
Suicide (165–174)	31									2	1	1	8	8	5	5		1
Homicide (197–200)	5						1	1	1			2						
Automobile accidents [1] (188c)	21				2		4			1		2	1	3	2	4	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1											1						
Other external causes (inclusions, see Table 5)	57	3		1	1	1	5	2	4	4	3	1	3	8	2	10	9	
All other causes	391	66	4	2	2	4	9	11	3	10	6	8	35	52	59	60	60	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 286]

CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes	5,753	795	103	45	39	21	122	86	119	164	177	193	557	659	840	948	884	1
Typhoid and paratyphoid fever (1)	5										2		1	1	1			
Measles (7)	9	2	5			1	1											
Scarlet fever (8)	8				1	1	4	1					1					
Whooping cough (9)	17	12	4		1													
Diphtheria (10)	57	5	4	2	4	4	25	6		2		1	2	2				
Influenza (11)	48	7	4	1	2		2	1	1	3	2	2	7	1	5	6	4	
Meningococcus meningitis (24)	84	13	9	4	2	1	11	9	7	10	7		7	3	1			
Tuberculosis of the respiratory system (31)	315	3			1		3	2	21	46	45	48	72	43	20	8	2	1
Other forms of tuberculosis (32–37)	57	3	5	3	5	1	8	3	4	5	3	3	4	3	3	4		
Cancer and other malignant tumors (43–49)	589				1	1	2		3	2	3	15	53	102	171	161	75	
Diabetes mellitus (57)	108					1	1	2	3	2	2	2	4	13	36	28	14	
Cerebral hemorrhage and softening (74, 83)	382	1									1		11	37	87	135	110	
Other [organic] diseases of the heart (90)	973	3		1	2	2	5	8	9	7	11	14	59	98	185	257	312	
Bronchitis (99)	52	9	2	1	1	1			1				1	1	2	8	25	
Broncho-pneumonia (100)	239	103	22	13	3		4	1	3			4	9	12	14	15	36	
Penumonia (101)	203	26	4	2	1		1	3	2	7	10	9	35	26	31	23	23	
Diarrhea and enteritis (113, 114)	140	96	15	3	5	1	1	1	2	1		1	4		4	2	4	
Appendicitis and typhlitis (117)	114	1	1	1	5	1	7	8	13	15	12	5	17	18	8	2		
Hernia, intestinal obstruction (118)	62	6	2				1	2	1	1	1	1	9	7	16	7	8	
Cirrhosis of the liver (122)	67											1	7	15	17	18	9	
Nephritis (128, 129)	350				1			3	5	3	5	4	35	54	69	97	74	
Diseases of the female genital organs (137–141)	36								1	1	2	1	11	15	2	2	1	
Puerperal septicemia (146)	17								2	2	4	5	4					
Other puerperal causes (143–145, 147–150)	43								5	8	6	9	14	1				
Suicide (165–174)	92							1	2	5	10	7	21	23	13	6	4	
Homicide (197–200)	20	2							3	3	4	5	2			1		
Automobile accidents [1] (188c)	121				1	2	15	5	6	6	5	4	16	19	18	17	7	
Automobile and railroad-train collision (part 188a)	4									1		1	1			1		
Automobile and street-car collision (part 188b)	3									2					1			
Other external causes (inclusions, see Table 5)	228	9	1	3		2	8	11	4	9	10	9	52	37	25	21	27	
All other causes	1,310	494	25	11	3	2	23	19	21	23	32	42	98	128	111	129	149	

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, all causes	1,236,949	116,620	101,612	114,760	109,853	107,046	99,381	97,081	92,261	92,506	98,099	98,351	109,379
Typhoid and paratyphoid fever (1)	5,905	358	216	262	268	348	529	729	870	788	686	483	368
Malaria (5)	2,875	110	77	91	112	162	243	311	417	481	468	261	142
Smallpox (6)	145	21	21	23	17	17	12	9	2	2	3	5	13
Measles (7)	4,433	448	592	779	726	560	445	261	109	75	76	131	231
Scarlet fever (8)	2,440	316	321	311	275	244	165	94	95	93	141	162	223
Whooping cough (9)	7,445	612	636	799	818	783	754	729	611	511	428	385	379
Diphtheria (10)	8,426	850	615	666	642	551	511	437	471	618	981	1,029	1,055
Influenza (11)	24,471	3,914	3,311	4,060	3,239	1,871	954	569	543	767	1,153	1,653	2,437
Dysentery (16)	2,605	73	77	98	127	291	419	434	349	286	232	125	94
Erysipelas (21)	2,567	309	301	328	325	271	194	142	98	101	139	173	186
Lethargic encephalitis (23)	1,326	121	107	138	132	126	112	124	98	106	78	89	95
Meningococcus meningitis (24)	1,705	150	162	178	193	169	134	124	108	94	113	124	156
Tuberculosis of the respiratory system (31)	77,195	6,899	6,430	7,576	7,538	7,272	6,503	6,292	5,923	5,492	5,519	5,628	6,123
Other forms of tuberculosis (32–37)	10,372	882	820	970	1,033	1,052	954	870	852	740	753	678	768
Diabetes mellitus (57)	18,937	1,854	1,668	1,665	1,610	1,623	1,468	1,366	1,382	1,370	1,552	1,520	1,859
Cerebral hemorrhage and softening (74, 83)	91,001	8,574	7,491	8,418	7,938	7,739	7,235	6,750	6,574	6,725	7,362	7,504	8,691
Other [organic] diseases of the heart (90)	186,167	17,794	15,250	17,381	16,488	16,525	14,850	13,746	13,589	13,356	14,671	15,087	17,430
Bronchitis (99)	5,851	731	650	696	571	468	349	300	284	316	461	464	561
Broncho-pneumonia (100)	36,574	5,351	4,199	4,487	3,742	2,839	2,075	1,555	1,484	1,746	2,396	2,925	3,775
Pneumonia (101)	50,656	7,617	5,537	6,503	5,664	4,205	2,781	1,833	1,642	2,025	2,962	4,160	5,727
Diarrhea and enteritis [under 2 years] (113)	23,382	1,101	1,043	1,130	1,383	1,965	2,485	2,879	2,865	3,151	2,709	1,475	1,196
Diarrhea and enteritis [2 years and over] (114)	6,517	368	279	335	386	557	733	846	834	801	631	393	354
Nephritis (128, 129)	100,163	9,472	8,392	9,194	8,854	8,751	8,215	7,856	7,302	7,334	7,814	8,019	8,960
Puerperal septicemia (146)	5,715	516	517	592	560	531	501	463	416	407	411	392	409
Other puerperal causes (143–145, 147–150)	9,145	765	749	878	828	854	813	764	749	700	688	660	697
Suicide (165–174)	14,356	1,071	1,079	1,243	1,264	1,351	1,245	1,225	1,173	1,115	1,257	1,198	1,135
Automobile accidents [1] (188c)	21,160	1,265	1,058	1,318	1,468	1,705	1,843	2,022	2,032	2,137	2,335	2,083	1,894
Automobile—railroad-train collision (part of 188a)	1,676	130	90	93	110	141	136	179	146	126	184	154	187
Automobile—street-car collision (part of 188b)	476	37	27	33	27	35	37	47	47	41	58	42	45
Other external causes (175–187, part of 188a, b, 188d–203)	71,138	6,031	5,136	5,608	5,759	6,003	6,154	7,226	5,974	5,723	5,585	5,684	6,255
All other causes	442,125	38,880	34,761	38,907	37,756	38,037	36,532	36,899	35,222	35,279	36,253	35,665	37,934
REGISTRATION STATES, [2] all causes	1,211,627	114,293	99,650	112,513	107,699	104,889	97,339	95,071	90,243	90,604	96,091	96,274	106,961
Typhoid and paratyphoid fever (1)	5,693	351	212	253	259	334	499	702	840	755	669	467	352
Malaria (5)	2,819	107	74	90	111	158	237	304	411	475	458	256	138
Smallpox (6)	138	21	21	21	16	16	11	9	2	2	3	3	13
Measles (7)	4,345	447	586	765	705	546	437	256	106	73	76	125	223
Scarlet fever (8)	2,411	312	317	309	271	243	164	93	93	92	139	159	219
Whooping cough (9)	7,322	603	629	788	798	769	739	714	604	504	423	381	370
Diphtheria (10)	8,235	825	606	653	632	548	510	429	463	593	946	1,000	1,030
Influenza (11)	23,832	3,822	3,232	3,947	3,161	1,829	933	557	521	743	1,133	1,606	2,348
Dysentery (16)	2,530	72	73	94	121	280	402	426	343	285	228	118	88
Erysipelas (21)	2,540	306	299	326	323	268	193	139	95	99	137	171	184
Lethargic encephalitis (23)	1,295	119	107	134	128	122	109	121	95	105	76	87	92
Meningococcus meningitis (24)	1,669	148	161	176	189	165	132	120	103	90	110	123	152
Tuberculosis of the respiratory system (31)	75,049	6,695	6,250	7,380	7,348	7,087	6,318	6,128	5,739	5,341	5,361	5,453	5,949
Other forms of tuberculosis (32–37)	10,145	864	806	948	1,016	1,030	932	853	835	727	728	658	748
Diabetes mellitus (57)	18,680	1,833	1,649	1,648	1,588	1,595	1,453	1,354	1,355	1,347	1,526	1,494	1,838
Cerebral hemorrhage and softening (74, 83)	89,406	8,426	7,335	8,263	7,804	7,619	7,100	6,625	6,453	6,602	7,220	7,380	8,529
Other [organic] diseases of the heart (90)	183,777	17,574	15,073	17,134	16,281	16,324	14,666	13,565	13,398	13,192	14,492	14,891	17,187
Bronchitis (99)	5,740	724	645	686	559	460	343	292	276	309	451	452	543
Broncho-pneumonia (100)	35,917	5,260	4,135	4,409	3,680	2,798	2,045	1,521	1,462	1,717	2,348	2,860	3,682
Pneumonia (101)	49,656	7,444	5,431	6,379	5,583	4,131	2,734	1,791	1,596	1,983	2,899	4,082	5,603
Diarrhea and enteritis [under 2 years] (113)	22,548	1,075	1,019	1,094	1,303	1,846	2,378	2,766	2,772	3,085	2,646	1,415	1,149
Diarrhea and enteritis [2 years and over] (114)	6,316	351	270	315	372	540	710	819	815	789	620	377	338
Nephritis (128, 129)	98,169	9,293	8,238	9,023	8,678	8,574	8,068	7,674	7,178	7,174	7,650	7,860	8,759
Puerperal septicemia (146)	5,557	504	500	575	543	515	482	449	407	400	403	383	396
Other puerperal causes (143–145, 147–150)	8,893	740	734	857	813	827	792	738	718	676	666	650	682
Suicide (165–174)	14,096	1,055	1,063	1,220	1,237	1,327	1,219	1,199	1,147	1,098	1,231	1,181	1,119
Automobile accidents [1] (188c)	20,704	1,221	1,027	1,281	1,439	1,678	1,805	1,983	2,005	2,105	2,288	2,034	1,838
Automobile—railroad-train collision (part of 188a)	1,664	127	90	92	110	141	136	179	144	126	183	152	184
Automobile—street-car collision (part of 188b)	467	36	27	31	27	35	36	46	47	41	56	40	45
Other external causes (175–187, part of 188a, b, 188d–203)	69,570	5,913	5,013	5,501	5,616	5,869	6,027	7,072	5,855	5,592	5,455	5,561	6,096
All other causes	432,444	38,025	33,978	38,121	36,988	37,215	35,729	36,147	34,365	34,484	35,470	34,855	37,067
ALABAMA (WHITE), all causes	14,273	1,261	1,067	1,202	1,114	1,252	1,165	1,177	1,080	1,153	1,166	1,173	1,463
Typhoid and paratyphoid fever (1)	132	4	4	4	6	6	20	25	22	14	10	9	8
Malaria (5)	89	4	1	2	3	5	11	9	15	14	11	11	3
Smallpox (6)	4		3	1									
Measles (7)	90	3	5	11	12	14	12	9	2	4	5	5	8
Scarlet fever (8)	21	4	3	2	1				1	4	1	2	3
Whooping cough (9)	200	22	15	17	22	37	25	26	15	8	5	1	7
Diphtheria (10)	218	11	11	3	6	3	4	7	21	40	50	29	33
Influenza (11)	424	61	36	77	45	23	19	6	9	16	25	37	70
Dysentery (16)	75	2	2	1	6	15	19	9	7	3	5	6	
Erysipelas (21)	40	7	6	2	2	1		1	1	4	4	9	3
Lethargic encephalitis (23)	13	1				1	2	2	1	1	1	2	2
Meningococcus meningitis (24)	4	1					1					1	1
Tuberculosis of the respiratory system (31)	722	78	60	50	64	68	73	63	48	55	47	52	64
Other forms of tuberculosis (32–37)	76	6	8	11	7	7	4	8	8	6	2	3	6
Diabetes mellitus (57)	159	14	9	14	10	14	12	9	12	16	18	10	21
Cerebral hemorrhage and softening (74, 83)	841	87	53	75	57	72	52	64	62	65	89	74	91
Other [organic] diseases of the heart (90)	1,346	125	124	117	123	112	85	99	102	106	104	116	133
Bronchitis (99)	54	6	4	7	2	3	3	4	3		6	5	11
Broncho-pneumonia (100)	351	47	42	30	23	22	15	11	12	23	24	35	67
Pneumonia (101)	593	75	48	72	48	41	11	23	25	26	36	75	113
Diarrhea and enteritis [under 2 years] (113)	513	12	10	13	41	89	102	63	51	46	34	29	23
Diarrhea and enteritis [2 years and over] (114)	145	5	5	7	7	26	26	18	11	13	9	9	9
Nephritis (128, 129)	1,098	89	70	95	83	91	88	102	74	93	105	96	112
Puerperal septicemia (146)	93	1	7	11	7	3	8	12	13	7	6	5	13
Other puerperal causes (143–145, 147–150)	181	24	18	13	14	13	16	24	12	9	13	11	14
Suicide (165–174)	146	12	11	18	17	8	10	10	10	11	19	11	9
Automobile accidents [1] (188c)	247	16	23	12	20	23	13	19	18	26	28	19	30
Automobile—railroad-train collision (part of 188a)	23	1	1	2			4	3	1	5	2	1	3
Automobile-street-car collision (part of 188b)	4	2			1			1					
Other external causes (175–187, part of 188a, b, 188d–203)	921	95	81	70	60	67	74	72	75	77	72	78	100
All other causes	5,450	446	407	465	427	488	456	478	449	461	435	432	506

[1] Excludes collision with railroad trains and street cars.

[2] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA (COLORED), all causes	12,789	1,093	904	1,076	1,088	1,152	1,113	1,102	993	1,044	980	1,033	1,211
Typhoid and paratyphoid fever (1)	186	3	9	5	7	13	28	26	23	26	25	14	7
Malaria (5)	119	3	6	4	5	7	10	11	14	19	22	11	7
Smallpox (6)	2			1				1					
Measles (7)	30	2	2	2	5	10	3	4			1	1	
Scarlet fever (8)	2		1		1								
Whooping cough (9)	145	7	5	6	16	23	18	16	17	17	7	11	2
Diphtheria (10)	46	6	2	3		2	1	2	2	8	5	9	6
Influenza (11)	335	38	34	51	60	25	15	15	6	9	9	22	51
Dysentery (16)	52	1	1	3	3	9	6	9	6	6	4	1	3
Erysipelas (21)	5			1			1		1			1	1
Lethargic encephalitis (23)	4	1			1	1		1					
Meningococcus meningitis (24)	11				1	2	1	2	2	1		2	
Tuberculosis of the respiratory system (31)	1,276	109	95	117	133	132	119	105	109	91	78	86	102
Other forms of tuberculosis (32–37)	146	6	8	20	13	17	9	15	11	17	8	14	8
Diabetes mellitus (57)	55	5	4	4	5	5	9	1	3	6	3	2	8
Cerebral hemorrhage and softening (74, 83)	594	68	35	67	37	43	51	39	32	43	51	62	66
Other [organic] diseases of the heart (90)	1,196	99	88	104	82	121	120	95	105	116	88	93	85
Bronchitis (99)	33	2	3	5	3	4	3	2	4		2	4	1
Broncho-pneumonia (100)	230	29	18	26	25	13	15	8	14	22	16	20	24
Pneumonia (101)	560	69	55	63	53	43	24	15	26	25	39	63	85
Diarrhea and enteritis [under 2 years] (113)	236	7	5	10	20	37	49	36	22	18	9	14	9
Diarrhea and enteritis [2 years and over] (114)	59	4		1	6	6	7	8	11	6	2	4	4
Nephritis (128, 129)	988	89	69	83	87	87	75	75	85	85	83	77	93
Puerperal septicemia (146)	97	9	10	9	11	8	14	10	5	4	6	9	2
Other puerperal causes (143–145, 147–150)	166	10	16	13	26	16	14	12	15	12	9	13	10
Suicide (165–174)	9		2	1	3		2	1					
Automobile accidents [1] (188c)	114	5	8	12	9	6	10	10	10	10	12	16	6
Automobile—railroad-train collision (part of 188a)	3										1	1	1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	973	101	50	80	62	82	64	91	85	81	83	84	110
All other causes	5,117	420	378	385	414	440	445	492	385	422	417	399	520
ARIZONA, all causes	5,881	520	494	517	558	566	530	515	365	414	450	436	516
Typhoid and paratyphoid fever (1)	42	3	2	4	2	2	3	6	5	4	8	2	1
Malaria (5)	2	1										1	
Smallpox (6)													
Measles (7)	83	3	4	7	10	8	8	6	11	7	10	4	5
Scarlet fever (8)	7	1	2	1		1	2						
Whooping cough (9)	44		4	2	6	5	10	6	5	2		4	
Diphtheria (10)	24		1	3		2	1	1	1	1	4	3	7
Influenza (11)	135	28	21	20	17	11	12	2	2		3	7	12
Dysentery (16)	35	1		1	1	1	9	4	1	5	8	2	2
Erysipelas (21)	14	2	2	2	1		3		1	1	1		1
Lethargic encephalitis (23)	2						1	1					
Meningococcus meningitis (24)	6				1	1	1		2				1
Tuberculosis of the respiratory system (31)	1,409	131	135	136	141	134	126	106	75	98	108	94	125
Other forms of tuberculosis (32–37)	82	4	6	9	10	11	5	6	6	4	4	8	9
Diabetes mellitus (57)	22	4	1	1		4	2	1	1		1	5	2
Cerebral hemorrhage and softening (74, 83)	176	16	10	15	17	15	14	8	17	15	15	15	19
Other [organic] diseases of the heart (90)	368	28	30	40	39	31	19	21	16	24	28	31	61
Bronchitis (99)	30	5	10	1	1	1	1			3	1	5	2
Broncho-pneumonia (100)	200	36	34	24	15	19	19	12	1	7	12	9	12
Pneumonia (101)	272	42	40	30	26	26	15	13	5	9	16	15	35
Diarrhea and enteritis [under 2 years] (113)	471	19	11	22	53	59	63	67	39	45	50	23	20
Diarrhea and enteritis [2 years and over] (114)	67	6	3	1	2	7	12	5	10	6	4	7	4
Nephritis (128, 129)	177	14	16	14	19	18	17	18	12	13	12	11	13
Puerperal septicemia (146)	37	2	3	4	3	3	1	7	2	2	1	4	5
Other puerperal causes (143–145, 147–150)	39	1	2	4	4	6	3	1	4	3	3	4	4
Suicide (165–174)	56	5	7	5	4	7	3	5	6	3	2	5	4
Automobile accidents [1] (188c)	140	7	5	13	11	11	9	14	8	8	13	19	22
Automobile—railroad-train collision (part of 188a)	4	2								1	1		
Automobile—street-car collision (part of 188b)	2							1	1				
Other external causes (175–187, part of 188a, b, 188d–203)	388	30	25	25	32	31	45	40	34	38	24	36	23
All other causes	1,552	129	120	133	143	152	126	164	100	115	121	122	127
ARKANSAS (WHITE), all causes	11,926	1,113	911	992	916	996	965	987	1,018	990	985	969	1,084
Typhoid and paratyphoid fever (1)	291	17	9	7	11	26	17	35	50	39	40	21	19
Malaria (5)	446	24	10	16	15	22	31	42	65	69	78	49	25
Smallpox (6)	1			1									
Measles (7)	68	2	10	7	13	9	9	5	2	5	2	3	1
Scarlet fever (8)	17	2		1	1	3			1	1	3	2	3
Whooping cough (9)	129	11	12	21	7	15	9	9	18	9	8	6	4
Diphtheria (10)	153	13	8	3	3	4	2	4	6	21	33	25	31
Influenza (11)	290	66	39	53	27	18	5	3	4	5	12	21	37
Dysentery (16)	122	6	6	1	1	11	24	31	12	15	6	6	3
Erysipelas (21)	27	5	5	1			1	2	2	1	3	3	4
Lethargic encephalitis (23)	8		1			2	1	1			1		2
Meningococcus meningitis (24)	9	1		1		1			1		2	3	
Tuberculosis of the respiratory system (31)	718	81	63	69	55	51	58	55	68	54	49	61	54
Other forms of tuberculosis (32–37)	71	5	6	9	9	6	4	1	7	5	10	3	6
Diabetes mellitus (57)	110	9	8	11	7	8	6	7	10	13	6	10	15
Cerebral hemorrhage and softening (74, 83)	554	56	42	57	39	52	52	49	39	36	37	45	50
Other [organic] diseases of the heart (90)	1,013	113	79	90	66	100	73	72	93	88	75	78	86
Bronchitis (99)	52	5	5	4	3	1	2	4	6	5	2	5	10
Broncho-pneumonia (100)	253	43	24	34	24	15	6	5	14	11	13	35	29
Pneumonia (101)	469	81	58	67	38	22	12	7	16	21	23	45	79
Diarrhea and enteritis [under 2 years] (113)	369	18	7	5	8	30	79	69	47	38	38	18	12
Diarrhea and enteritis [2 years and over] (114)	131	6	2	1	10	14	27	24	18	9	7	7	6
Nephritis (128, 129)	732	55	63	64	67	62	55	51	51	52	59	69	84
Puerperal septicemia (146)	75	3	8	5	8	3	8	3	12	13	4	4	4
Other puerperal causes (143–145, 147–150)	153	13	8	20	12	12	18	11	7	17	9	12	14
Suicide (165–174)	106	11	9	8	9	9	8	9	11	6	9	7	10
Automobile accidents [1] (188c)	146	5	10	6	16	7	13	13	14	12	19	14	17
Automobile—railroad-train collision (part of 188a)	9	5					1	1		2			
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	895	79	63	82	94	110	67	59	73	62	77	57	72
All other causes	4,509	378	356	348	373	383	377	415	371	381	360	360	407

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS (COLORED), all causes	6,385	508	397	546	534	595	616	580	583	527	490	477	532
Typhoid and paratyphoid fever (1)	154	9	3	15	7	11	19	22	23	24	9	9	3
Malaria (5)	364	19	11	10	13	21	32	37	58	62	53	29	19
Smallpox (6)													
Measles (7)	6		1	1			3	1					
Scarlet fever (8)													
Whooping cough (9)	59	3	1	4	10	5	6	10	6	5	3	4	2
Diphtheria (10)	16			1	2	3				4	2	3	1
Influenza (11)	202	27	32	33	27	21	7	3	5	5	4	11	27
Dysentery (16)	41	2		1	1	6	15	3	4	4	3	2	
Erysipelas (21)	3				1			1				1	
Lethargic encephalitis (23)	2				1							1	
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	618	45	50	55	71	59	65	54	53	46	32	42	46
Other forms of tuberculosis (32–37)	70	5	2	6	8	11	11	7	4	4	3	4	5
Diabetes mellitus (57)	26	4	1	2	3	3	1	3	1	2		1	5
Cerebral hemorrhage and softening (74, 83)	218	29	17	15	14	15	19	16	14	19	17	20	23
Other [organic] diseases of the heart (90)	543	46	37	46	40	47	51	57	48	35	43	50	43
Bronchitis (99)	16	1	1	4	1	1	1	1		1	2	1	2
Broncho-pneumonia (100)	99	14	14	16	11	10	3	2	2	3	3	6	15
Pneumonia (101)	219	32	24	38	24	16	6	8	8	6	6	14	37
Diarrhea and enteritis [under 2 years] (113)	126	2	4	3	4	26	28	18	15	12	6	3	5
Diarrhea and enteritis [2 years and over] (114)	47	3	1	2	2	3	9	8	3	6	5	3	2
Nephritis (128, 129)	440	28	24	34	37	37	35	35	44	33	41	48	44
Puerperal septicemia (146)	48	3	3	5	5	5	2	5	4	2	7	6	1
Other puerperal causes (143–145, 147–150)	86	8	5	10	8	9	10	14	5	7	4	2	4
Suicide (165–174)	5			1		1				1	2		
Automobile accidents [1] (188c)	24	1		3			3	2	2	2	5	5	1
Automobile—railroad-train collision (part of 188a)	2		1	1									
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	536	44	30	49	71	52	41	41	44	24	41	33	66
All other causes	2,414	182	135	191	173	233	249	232	240	220	199	179	181
CALIFORNIA, all causes	61,540	5,976	4,925	5,374	5,364	5,444	5,050	4,938	4,509	4,421	4,942	4,778	5,819
Typhoid and paratyphoid fever (1)	109	11	6	10	9	13	11	7	10	9	7	9	7
Malaria (5)	15	2			2	2	2	1	1	2	1	1	1
Smallpox (6)	5	2		1	1	1							
Measles (7)	357	31	52	74	82	55	32	19	2	3	3		4
Scarlet fever (8)	67	15	9	4	7	4	4	6		2	5	6	5
Whooping cough (9)	194	11	11	8	21	28	17	21	14	17	21	13	12
Diphtheria (10)	318	31	27	26	45	28	21	23	17	14	26	23	37
Influenza (11)	728	109	99	113	86	57	35	27	25	26	33	34	84
Dysentery (16)	88	4	6	2	5	9	12	12	9	7	12	6	4
Erysipelas (21)	80	14	8	5	8	12	4	3	4	2	6	5	9
Lethargic encephalitis (23)	59	9	4	7	7	5	4	1	4	7	5	4	2
Meningococcus meningitis (24)	118	11	11	11	14	15	10	13	5	7	7	5	9
Tuberculosis of the respiratory system (31)	5,349	475	423	520	534	521	437	428	382	374	383	431	441
Other forms of tuberculosis (32–37)	647	48	56	57	67	63	58	53	53	50	49	39	54
Diabetes mellitus (57)	927	101	73	82	77	68	61	81	66	69	80	71	98
Cerebral hemorrhage and softening (74, 83)	4,361	439	373	410	396	376	341	307	334	284	318	361	422
Other [organic] diseases of the heart (90)	10,410	1,025	854	968	938	943	856	742	708	693	802	780	1,101
Bronchitis (99)	268	39	29	31	32	14	11	15	13	15	27	20	22
Broncho-pneumonia (100)	1,876	255	198	170	172	140	140	105	96	107	130	145	218
Pneumonia (101)	1,955	294	199	194	173	154	102	103	99	110	142	134	251
Diarrhea and enteritis [under 2 years] (113)	1,028	48	43	43	49	110	134	152	99	102	109	61	78
Diarrhea and enteritis [2 years and over] (114)	238	16	9	15	11	23	35	24	29	17	22	15	22
Nephritis (128, 129)	4,481	452	388	427	407	401	348	316	329	293	363	345	412
Puerperal septicemia (146)	205	18	16	25	20	20	16	19	16	15	17	12	11
Other puerperal causes (143–145, 147–150)	281	27	17	17	24	22	33	18	19	17	28	27	32
Suicide (165–174)	1,272	115	89	84	96	132	120	115	102	96	107	97	119
Automobile accidents [1] (188c)	1,628	147	84	102	111	133	118	144	140	139	178	137	195
Automobile—railroad-train collision (part of 188a)	135	9	10	9	14	11	7	10	11	6	20	11	17
Automobile—street-car collision (part of 188b)	41	4	3	2		4	2	2	6	2	2	8	6
Other external causes (175–187, part of 188a, b, 188d–203)	3,338	286	238	268	265	295	294	372	271	265	249	254	281
All other causes	20,962	1,928	1,590	1,689	1,691	1,785	1,785	1,799	1,645	1,671	1,790	1,724	1,865
COLORADO, all causes	13,082	1,240	1,059	1,175	1,148	1,137	1,004	952	1,103	1,066	998	1,022	1,178
Typhoid and paratyphoid fever (1)	77	6	1	1	4	2	7	5	7	16	12	7	9
Malaria (5)	1								1				
Smallpox (6)	3	2				1							
Measles (7)	136	6	24	30	31	23	14	3	1	1		1	2
Scarlet fever (8)	63	9	7	7	9	9	5	2	3	3	2	2	5
Whooping cough (9)	57	6	2	3	7	7	7	8	3	9	4	1	
Diphtheria (10)	98	6	4	10	7	7	13	4	7	12	8	12	8
Influenza (11)	432	91	59	59	34	38	17	5	10	22	29	31	37
Dysentery (16)	29				2	1	1	7	9	8	1		
Erysipelas (21)	47	8	3	7	5	3	6				3	6	6
Lethargic encephalitis (23)	15	1	2	2	2	1	2	1	1	1			2
Meningococcus meningitis (24)	48	1	2	6	8	4		4		2	8	4	9
Tuberculosis of the respiratory system (31)	1,398	104	106	130	130	132	110	103	133	106	100	106	138
Other forms of tuberculosis (32–37)	94	7	7	6	8	8	9	7	7	8	7	9	11
Diabetes mellitus (57)	132	19	8	10	15	9	9	13	8	10	10	11	10
Cerebral hemorrhage and softening (74, 83)	842	71	68	79	65	69	66	69	66	60	66	70	93
Other [organic] diseases of the heart (90)	1,348	133	139	116	124	105	92	101	106	88	103	103	136
Bronchitis (99)	44	4	7	6	3		1	4	2	3	2	5	7
Broncho-pneumonia (100)	462	83	46	40	49	36	24	15	19	27	36	27	60
Pneumonia (101)	606	95	63	72	56	37	33	23	22	36	52	44	73
Diarrhea and enteritis [under 2 years] (113)	366	7	4	9	12	10	18	36	96	108	40	11	15
Diarrhea and enteritis [2 years and over] (114)	72	5		2	1	4	1	9	16	20	8	5	1
Nephritis (128, 129)	789	78	70	83	66	76	80	51	59	53	54	62	57
Puerperal septicemia (146)	98	11	8	12	10	8	12	6	8	5	4	7	7
Other puerperal causes (143–145, 147–150)	110	5	7	12	7	11	7	7	9	13	8	11	13
Suicide (165–174)	166	10	12	15	10	20	15	16	13	10	9	18	18
Automobile accidents [1] (188c)	234	12	7	8	20	18	20	26	29	25	25	22	22
Automobile—railroad-train collision (part of 188a)	22			5		1		2	1	2	2	1	8
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	729	61	47	43	49	75	73	73	67	61	59	62	59
All other causes	4,564	399	356	402	414	422	362	352	400	357	346	384	370

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT, all causes	16,757	1,642	1,411	1,577	1,573	1,455	1,261	1,305	1,164	1,273	1,311	1,281	1,504
Typhoid and paratyphoid fever (1)	18	2	1	2			2	1		4	4	1	1
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	24	2	4	5	3	2	3	2	2			1	
Scarlet fever (8)	23	2		5	5	2	1		1	1	2	1	3
Whooping cough (9)	40	7	8	4	2	3	2		3	1	5	2	3
Diphtheria (10)	96	8	9	6	6	5	14	7	8	3	9	8	13
Influenza (11)	233	38	22	39	44	20	9	7	2	10	5	14	23
Dysentery (16)	1									1			
Erysipelas (21)	44	3	7	4	8	1	3	4	4	1	1	4	4
Lethargic encephalitis (23)	18	1	2	1	2	1	1		2	1	3	3	1
Meningococcus meningitis (24)	13	2	3		2		1	1	2		1		1
Tuberculosis of the respiratory system (31)	940	94	87	94	91	101	82	68	53	66	63	69	72
Other forms of tuberculosis (32–37)	133	10	10	11	11	16	11	15	12	10	10	9	8
Diabetes mellitus (57)	329	31	30	36	27	33	21	20	20	21	29	28	33
Cerebral hemorrhage and softening (74, 83)	1,463	133	112	137	132	136	120	115	95	102	113	127	141
Other [organic] diseases of the heart (90)	3,123	317	270	298	290	275	231	242	220	235	226	222	297
Bronchitis (99)	84	10	12	11	11	5	3	4	4	3	7	2	12
Broncho-pneumonia (100)	471	59	58	81	45	45	24	16	20	20	29	35	39
Pneumonia (101)	777	125	81	93	107	65	35	29	34	29	47	47	85
Diarrhea and enteritis [under 2 years] (113)	203	17	11	11	13	8	14	18	19	21	34	26	11
Diarrhea and enteritis [2 years and over] (114)	44	4	1	3		3	2	10	6	6	5	4	
Nephritis (128, 129)	1,362	132	115	125	144	109	109	108	95	106	96	90	133
Puerperal septicemia (146)	47	4	7	5	3	8	5	3	3	3	2	2	2
Other puerperal causes (143–145, 147–150)	113	12	12	9	13	5	9	7	9	8	13	9	7
Suicide (165–174)	186	11	17	13	18	18	15	21	20	20	13	8	12
Automobile accidents [1] (188c)	327	19	17	21	24	26	24	31	26	38	35	37	29
Automobile—railroad-train collision (part of 188a)	10	1	1	1			1		3			3	
Automobile—street-car collision (part of 188b)	6				2	1				2	1		
Other external causes (175–187, part of 188a, b, 188d–203)	784	71	66	57	67	68	65	90	63	60	49	64	64
All other causes	5,844	527	448	505	503	499	454	485	438	501	509	465	510
DELAWARE, all causes	3,007	304	237	280	302	247	229	223	204	216	263	248	254
Typhoid and paratyphoid fever (1)	12		1	2		1	2	1		2	2	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	2					1							1
Scarlet fever (8)	3			2			1						
Whooping cough (9)	12	1	3	2	1			1	2			1	1
Diphtheria (10)	14	2	1	2							4	2	3
Influenza (11)	58	9	7	6	8	3	3	1	2	2	3	7	7
Dysentery (16)	10							2	3	2	2		1
Erysipelas (21)	7	1		2			1				3		
Lethargic encephalitis (23)	2				1	1							
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	200	17	17	21	26	13	14	18	10	15	12	15	22
Other forms of tuberculosis (32–37)	27	4	2	3	3	1	3			7	1	1	2
Diabetes mellitus (57)	56		6	8	4	6	1	6	5	5	6	3	6
Cerebral hemorrhage and softening (74, 83)	316	30	28	29	33	26	21	22	21	23	31	26	26
Other [organic] diseases of the heart (90)	443	44	38	35	43	37	42	33	29	32	44	30	36
Bronchitis (99)	17	3	2	1	4	1	1		1	1	2		1
Broncho-pneumonia (100)	92	21	8	10	13	9	3	1	3	5	4	8	7
Pneumonia (101)	121	28	15	17	20	11	4		1	5	5	8	7
Diarrhea and enteritis [under 2 years] (113)	63	2	4	1	2	2	1	10	9	13	11	6	2
Diarrhea and enteritis [2 years and over] (114)	18	2	1			1	1	4	2		3	1	3
Nephritis (128, 129)	379	42	28	34	41	24	31	30	25	26	33	29	36
Puerperal septicemia (146)	12	2			1	1	1		2	2		2	1
Other puerperal causes (143–145, 147–150)	13	2	3	1	1	1	2	1			1		1
Suicide (165–174)	26	1	2		1	4	5	2	1	3		6	1
Automobile accidents [1] (188c)	62	2	2	4	3	5	5	11	6	7	11	2	4
Automobile—railroad-train collision (part of 188a)	7				4					2			1
Automobile—street-car collision (part of 188b)	2										2		
Other external causes (175–187, part of 188a, b, 188d–203)	166	12	9	15	20	19	15	9	12	10	11	18	16
All other causes	866	79	60	85	73	80	72	71	70	54	74	79	69
FLORIDA (WHITE), all causes	10,887	1,158	979	1,122	916	890	752	843	775	761	848	841	1,002
Typhoid and paratyphoid fever (1)	74	7	3	9	7	8	8	7	10	4	3	5	3
Malaria (5)	94	6	5	8	5	7	7	10	12	14	11	7	2
Smallpox (6)	3		2		1								
Measles (7)	15	1	1	2	2	3	3	3					
Scarlet fever (8)	11	2		1	2	2			1	2		1	
Whooping cough (9)	37	2	2	2	5	10	3	6			1	2	4
Diphtheria (10)	85	13	8	5	4	7	4	2	4	3	13	14	8
Influenza (11)	185	19	15	36	20	14	6		1	8	11	23	32
Dysentery (16)	44	4	3	7	7	6	4	3	2	2	2	1	3
Erysipelas (21)	15	5	2	1				1		1	3	1	1
Lethargic encephalitis (23)	5	1				3							1
Meningococcus meningitis (24)	14	2		1	1	3		1	2	1	2	1	
Tuberculosis of the respiratory system (31)	424	42	38	48	36	28	25	45	28	34	21	30	49
Other forms of tuberculosis (32–37)	42	3	5	4	5	4	5	1	2	3	3	3	4
Diabetes mellitus (57)	130	14	17	10	9	10	16	6	8	12	11	6	11
Cerebral hemorrhage and softening (74, 83)	746	78	86	82	59	54	41	59	57	49	55	56	70
Other [organic] diseases of the heart (90)	1,325	157	127	159	121	89	89	83	108	76	107	104	107
Bronchitis (99)	37	2	6	12	1	2		2	2	1	3	2	4
Broncho-pneumonia (100)	208	32	18	21	18	13	11	13	6	11	16	19	30
Pneumonia (101)	305	38	38	33	28	19	15	16	7	12	18	39	42
Diarrhea and enteritis [under 2 years] (113)	276	20	22	32	33	43	22	19	17	10	19	23	16
Diarrhea and enteritis [2 years and over] (114)	104	8	6	6	15	8	10	8	6	6	9	10	12
Nephritis (128, 129)	998	102	98	100	76	92	53	73	67	68	78	87	104
Puerperal septicemia (146)	65	1	7	7	5	6	6	2	7	4	10	5	5
Other puerperal causes (143–145, 147–150)	149	16	12	5	10	12	7	16	19	17	17	9	9
Suicide (165–174)	191	25	16	13	12	21	12	14	18	12	17	17	14
Automobile accidents [1] (188c)	316	35	27	32	22	26	29	28	17	14	20	30	36
Automobile—railroad-train collision (part of 188a)	18	4	3	2	3			1				3	2
Automobile—street-car collision (part of 188b)	2					1	1						
Other external causes (175–187, part of 188a, b, 188d–203)	812	82	62	85	77	66	79	77	67	59	50	46	62
All other causes	4,157	437	350	400	332	335	293	348	310	337	349	296	370

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA (COLORED), all causes	7,264	698	545	678	604	640	575	581	558	573	603	529	680
Typhoid and paratyphoid fever (1)	69	8	2	5	6	7	8	9	10	8	1	1	4
Malaria (5)	118	2	5	7	9	13	10	19	20	7	11	7	8
Smallpox (6)	8	1	2	2		2	1						
Measles (7)	7		2		2	1		1			1		
Scarlet fever (8)	1							1					
Whooping cough (9)	33	1	1	4	5	4	4	2	1	1	3	5	2
Diphtheria (10)	9	1		1		1		1		4			1
Influenza (11)	151	18	22	30	12	8	5	6	2	1	6	15	26
Dysentery (16)	38	2	4	5	3	7	1	2	5	2	3	2	2
Erysipelas (21)	1							1					
Lethargic encephalitis (23)	4			1	2					1			
Meningococcus meningitis (24)	3			1		1				1			
Tuberculosis of the respiratory system (31)	593	49	39	48	51	56	45	56	52	50	47	42	58
Other forms of tuberculosis (32–37)	47	2	4	5	5	5	3		7	2	7	2	5
Diabetes mellitus (57)	44	8	6	7	1	1		4	1	1	5	5	5
Cerebral hemorrhage and softening (74, 83)	450	37	21	38	35	42	32	34	34	33	49	43	52
Other [organic] diseases of the heart (90)	611	48	45	50	48	40	45	49	49	67	65	51	54
Bronchitis (99)	30	5	6	6	1	2	1	1	2	2	1		3
Broncho-pneumonia (100)	128	15	12	20	11	10	7	6	9	3	12	11	12
Pneumonia (101)	250	37	22	34	18	12	22	12	6	20	21	13	33
Diarrhea and enteritis [under 2 years] (113)	208	23	14	18	33	29	17	23	16	10	8	5	12
Diarrhea and enteritis [2 years and over] (114)	63	2	5	2	4	5	6	3	4	11	10	7	4
Nephritis (128, 129)	589	69	41	56	43	58	36	59	40	46	37	55	49
Puerperal septicemia (146)	56	4	3	11	3	5	5	7	4	5	5		4
Other puerperal causes (143–145, 147–150)	105	6	10	14	8	8	9	7	11	10	11	3	8
Suicide (165–174)	12	2	3	1	2						2	1	1
Automobile accidents [1] (188c)	109	15	6	10	7	16	13	3	11	5	5	6	12
Automobile—railroad-train collision (part of 188a)	5	1	1		2								1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	794	98	78	72	77	82	70	56	62	54	50	39	56
All other causes	2,728	244	191	230	216	225	235	219	212	229	243	216	268
IDAHO, all causes	3,787	375	293	316	333	337	292	302	291	288	314	315	331
Typhoid and paratyphoid fever (1)	16	1	3	2	1			2	2	2	2	1	
Malaria (5)	2	1									1		
Smallpox (6)													
Measles (7)	36	4	9	6	9	2	3	1			1		1
Scarlet fever (8)	12	1	1		2	5						2	1
Whooping cough (9)	21	4	6	1	3	4		1		1			1
Diphtheria (10)	23	1		4	4		4	4	2	1	1	1	1
Influenza (11)	103	26	18	17	9	4	3	1	2	2	4	8	9
Dysentery (16)	7			1		1		1	1	2	1		
Erysipelas (21)	19	5	4	2	3		1	1			1	1	1
Lethargic encephalitis (23)	7	1	1	1		1	1		1		1		
Meningococcus meningitis (24)	20	2	3		3	3	1	1			1	2	4
Tuberculosis of the respiratory system (31)	150	17	12	15	12	15	9	9	11	12	11	14	13
Other forms of tuberculosis (32–37)	39	2	4	3		9	2	3	2	7	3	2	2
Diabetes mellitus (57)	49	4	6	2	8	1	3	3	4	5	4	3	6
Cerebral hemorrhage and softening (74, 83)	252	17	21	25	21	25	20	19	22	21	25	16	20
Other [organic] diseases of the heart (90)	482	35	33	43	29	42	42	40	48	38	34	52	46
Bronchitis (99)	13	2			3	1	1			1		2	3
Broncho-pneumonia (100)	100	30	8	7	6	11	3	5	3	2	10	6	9
Pneumonia (101)	151	36	16	13	16	11	10	4	5	10	5	10	15
Diarrhea and enteritis [under 2 years] (113)	32	2	2	4	2	1	2		3	5	4	3	4
Diarrhea and enteritis [2 years and over] (114)	15		2		1	1	1	3	1	2	3	1	
Nephritis (128, 129)	243	19	16	22	14	22	25	26	21	18	23	14	23
Puerperal septicemia (146)	22	2	1	1	2	3	1	1	1	1	1	4	4
Other puerperal causes (143–145, 147–150)	33	3	3	4	3	5	3	5	1		3	1	2
Suicide (165–174)	49	1	5	5	7	3	2	1	7	3	8	4	3
Automobile accidents [1] (188c)	76	4		2	5	11	8	10	7	9	7	11	2
Automobile—railroad-train collision (part of 188a)	9	3	1					1			1	1	2
Automobile—street-car collision (part of 188b)	3								2	1			
Other external causes (175–187, part of 188a, b, 188d–203)	295	25	8	18	30	28	30	30	35	17	22	22	30
All other causes	1,508	129	111	117	142	125	117	131	110	128	137	133	128
ILLINOIS, all causes	82,849	7,840	6,985	7,641	7,267	7,081	6,511	6,171	6,297	6,315	6,828	6,593	7,320
Typhoid and paratyphoid fever (1)	176	10	7	4	6	8	11	16	27	33	22	23	9
Malaria (5)	58	5	3	3	1	4	4	4	10	5	10	7	2
Smallpox (6)	3					1						1	1
Measles (7)	296	43	45	86	49	37	20	6	2	2	2	1	3
Scarlet fever (8)	174	26	29	20	20	20	6	5	6	7	8	11	16
Whooping cough (9)	304	17	30	33	21	26	25	38	30	32	16	16	20
Diphtheria (10)	650	62	44	39	51	49	47	48	45	34	51	81	99
Influenza (11)	1,036	209	154	161	98	81	28	21	34	37	60	63	90
Dysentery (16)	55	2	1		1	1	2	7	16	13	4	4	4
Erysipelas (21)	150	12	26	21	25	27	10	4	2	2	8	6	7
Lethargic encephalitis (23)	66	6	4	9	8	5	4	5	6	8	3	3	5
Meningococcus meningitis (24)	130	11	8	7	16	13	14	12	9	13	10	9	8
Tuberculosis of the respiratory system (31)	4,842	462	401	441	459	469	358	389	391	340	391	340	401
Other forms of tuberculosis (32–37)	655	65	53	53	58	70	64	48	53	59	51	41	40
Diabetes mellitus (57)	1,484	146	128	127	112	147	125	111	109	102	124	113	140
Cerebral hemorrhage and softening (74, 83)	5,314	473	442	484	446	456	389	358	393	428	467	440	538
Other [organic] diseases of the heart (90)	14,268	1,325	1,149	1,280	1,281	1,226	1,147	1,024	1,091	1,070	1,186	1,191	1,298
Bronchitis (99)	504	62	63	67	39	31	31	25	23	27	42	44	50
Broncho-pneumonia (100)	2,235	322	268	271	231	170	145	87	97	98	148	179	219
Pneumonia (101)	3,188	486	321	404	338	260	192	124	90	110	182	269	412
Diarrhea and enteritis [under 2 years] (113)	1,420	102	83	85	99	71	100	123	179	208	195	96	79
Diarrhea and enteritis [2 years and over] (114)	413	20	15	20	25	33	33	53	54	54	49	26	31
Nephritis (128, 129)	8,070	786	717	771	710	690	658	651	565	564	629	664	665
Puerperal septicemia (146)	280	22	28	26	25	34	26	21	16	18	22	19	23
Other puerperal causes (143–145, 147–150)	463	33	47	48	40	40	42	27	36	34	34	40	42
Suicide (165–174)	1,125	95	83	109	109	81	100	86	111	82	92	97	80
Automobile accidents [1] (188c)	1,512	82	96	101	101	136	147	139	153	143	139	140	135
Automobile—railroad-train collision (part of 188a)	148	15	8	3	13	9	14	5	20	8	17	20	16
Automobile—street-car collision (part of 188b)	62	4	10	4	2	4	8	5	8	3	4	2	8
Other external causes (175–187, part of 188a, b, 188d–203)	4,731	365	351	384	373	388	428	478	386	387	388	356	447
All other causes	29,037	2,572	2,371	2,580	2,510	2,494	2,333	2,251	2,335	2,394	2,474	2,291	2,432

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA, all causes	37,677	3,420	3,083	3,346	3,340	3,102	3,082	3,016	2,866	2,914	3,142	3,068	3,298
Typhoid and paratyphoid fever (1)	163	15	9	7	4	6	6	11	17	24	36	17	11
Malaria (5)	9		1				3	1	1	1	1		1
Smallpox (6)	16	3		1	3	2	3	2					2
Measles (7)	73	6	16	12	20	6	6	4	1		2		
Scarlet fever (8)	92	11	17	11	3	9	7	2	2	4	11	8	7
Whooping cough (9)	200	19	24	26	24	14	11	17	16	14	11	13	11
Diphtheria (10)	224	21	19	19	12	12	13	10	13	11	33	30	31
Influenza (11)	915	139	128	133	109	79	43	26	20	38	42	65	93
Dysentery (16)	50	2		1	1	1	3	7	15	7	9	2	2
Erysipelas (21)	75	13	11	9	9	9	6	2	3		4	6	3
Lethargic encephalitis (23)	26	5	1	6	1	1		4	2	1	2	2	1
Meningococcus meningitis (24)	19	3	5	1	3	2		1		1		2	1
Tuberculosis of the respiratory system (31)	1,979	194	165	196	197	151	173	170	155	143	129	138	168
Other forms of tuberculosis (32–37)	376	28	37	38	40	33	39	25	22	24	36	28	26
Diabetes mellitus (57)	628	56	56	52	57	52	57	46	58	53	38	46	57
Cerebral hemorrhage and softening (74, 83)	3,336	262	275	279	315	289	270	256	234	254	292	277	333
Other [organic] diseases of the heart (90)	5,914	547	450	512	504	513	505	442	466	410	514	507	544
Bronchitis (99)	149	25	9	16	7	11	12	13	7	13	11	13	12
Broncho-pneumonia (100)	964	148	112	103	95	67	45	35	40	45	75	84	115
Pneumonia (101)	1,417	206	154	161	164	102	86	45	46	61	95	124	173
Diarrhea and enteritis [under 2 years] (113)	626	25	20	32	26	21	22	61	106	130	119	46	18
Diarrhea and enteritis [2 years and over] (114)	226	13	12	5	11	17	9	25	36	46	24	18	10
Nephritis (128, 129)	3,521	328	291	323	303	275	322	301	303	241	274	271	289
Puerperal septicemia (146)	178	26	12	15	23	15	15	15	11	17	12	8	9
Other puerperal causes (143–145, 147–150)	231	20	24	25	14	15	22	29	16	19	12	19	16
Suicide (165–174)	488	26	27	42	44	39	47	39	43	46	57	42	36
Automobile accidents [1] (188c)	665	26	38	38	44	42	53	69	70	81	86	67	51
Automobile—railroad-train collision (part of 188a)	160	9	8	6	11	15	23	20	10	8	15	14	21
Automobile—street-car collision (part of 188b)	68		1	4	4	8	6	6	5	5	20	6	3
Other external causes (175–187, part of 188a, b, 188d–203)	1,941	145	133	162	154	158	164	210	158	161	163	161	172
All other causes	12,948	1,099	1,028	1,111	1,138	1,138	1,111	1,122	990	1,056	1,019	1,054	1,082
IOWA, all causes	24,532	2,379	2,098	2,359	2,152	2,071	2,016	1,908	1,784	1,881	1,914	1,880	2,090
Typhoid and paratyphoid fever (1)	54	5		2	8		5	2	11	11	3	2	5
Malaria (5)	1							1					
Smallpox (6)	2			1			1						
Measles (7)	225	25	30	66	55	28	15	3	1		1		1
Scarlet fever (8)	41	12	7	4	2	5	1		2		3	1	4
Whooping cough (9)	105	9	8	13	11	10	11	9	14	7	5	3	5
Diphtheria (10)	121	12	16	7	11	6	15	5	7	11	12	11	8
Influenza (11)	648	147	90	70	77	44	27	18	20	26	32	52	45
Dysentery (16)	24	1	1	1	2				4	6	4	2	3
Erysipelas (21)	63	3	10	10	7	4	3	5	2	4	4	9	2
Lethargic encephalitis (23)	16	1	2	3	2			3	1	2			2
Meningococcus meningitis (24)	21	4		4	4	2		1	2	1		2	1
Tuberculosis of the respiratory system (31)	739	69	75	83	75	68	68	56	46	57	37	54	51
Other forms of tuberculosis (32–37)	134	9	8	17	13	17	9	13	8	10	9	11	10
Diabetes mellitus (57)	433	32	38	37	39	40	35	37	26	31	36	28	54
Cerebral hemorrhage and softening (74, 83)	2,490	227	200	219	216	222	226	171	184	190	194	211	230
Other [organic] diseases of the heart (90)	3,469	281	287	338	304	327	305	278	245	246	260	287	311
Bronchitis (99)	110	23	4	15	7	6	7	7	6	8	12	5	10
Broncho-pneumonia (100)	682	132	70	74	66	61	23	27	19	35	58	54	63
Pneumonia (101)	826	125	94	121	81	60	48	30	16	29	63	55	104
Diarrhea and enteritis [under 2 years] (113)	195	7	12	13	18	14	12	14	20	39	21	12	13
Diarrhea and enteritis [2 years and over] (114)	145	5	5	11	10	5	9	9	28	36	16	5	6
Nephritis (128, 129)	1,690	164	163	165	146	143	171	124	117	124	122	119	132
Puerperal septicemia (146)	118	12	8	12	15	7	16	9	9	7	11	4	8
Other puerperal causes (143–145, 147–150)	145	12	19	11	7	15	10	15	10	9	14	12	11
Suicide (165–174)	422	28	30	47	25	44	34	44	38	37	38	30	27
Automobile accidents [1] (188c)	284	21	15	16	12	23	21	38	33	25	38	24	18
Automobile—railroad-train collision (part of 188a)	25	1	2		2	1	2	5	2	4	4	1	1
Automobile—street-car collision (part of 188b)	5	2						2	1				
Other external causes (175–187, part of 188a, b, 188d–203)	1,205	109	95	82	71	102	106	112	107	139	88	98	96
All other causes	10,094	901	809	917	866	817	836	870	805	787	829	788	869
KANSAS, all causes	18,582	1,732	1,411	1,700	1,587	1,536	1,448	1,535	1,441	1,397	1,516	1,511	1,768
Typhoid and paratyphoid fever (1)	66	4	1	1	1	5	1	10	14	9	13	4	3
Malaria (5)	4					2	1			1			
Smallpox (6)	1						1						
Measles (7)	84	7	12	19	19	12	7	4		3		1	1
Scarlet fever (8)	68	11	9	9	7	3	3	2	1	2	3	6	12
Whooping cough (9)	60	7	2	6	3	11	1	13	5	4	1	3	4
Diphtheria (10)	76	5	3	4	3	2	4	1	3	8	11	17	15
Influenza (11)	505	95	56	92	55	31	19	12	14	13	33	36	49
Dysentery (16)	27	1	4	2		1	1	4	5	8	1		
Erysipelas (21)	33	3	5	3	2	5	1	4		1		4	5
Lethargic encephalitis (23)	13	1	1	2	1	1	3	1		3			
Meningococcus meningitis (24)	17	2			4	4		3		1	3		
Tuberculosis of the respiratory system (31)	556	30	41	60	58	54	50	56	49	29	42	40	47
Other forms of tuberculosis (32–37)	89	5	4	13	7	11	6	6	7	7	7	8	8
Diabetes mellitus (57)	334	31	31	19	22	29	30	29	25	20	35	33	30
Cerebral hemorrhage and softening (74, 83)	1,908	161	147	163	167	158	155	148	134	149	152	179	195
Other [organic] diseases of the heart (90)	2,663	264	188	226	233	247	224	195	198	198	232	196	262
Bronchitis (99)	96	15	9	8	12	5	5	6	5	10	7	6	8
Broncho-pneumonia (100)	383	70	41	48	30	27	17	15	13	14	26	33	49
Pneumonia (101)	518	83	54	64	60	39	18	19	8	17	35	41	80
Diarrhea and enteritis [under 2 years] (113)	257	8	17	11	10	11	18	39	52	42	23	19	7
Diarrhea and enteritis [2 years and over] (114)	122	2	2	7	6	3	5	23	30	19	10	8	7
Nephritis (128, 129)	1,503	154	108	133	128	133	109	120	111	113	119	138	137
Puerperal septicemia (146)	95	10	10	11	11	9	7	5	2	5	5	11	9
Other puerperal causes (143–145, 147–150)	124	9	10	14	10	10	5	13	11	12	11	13	6
Suicide (165–174)	272	22	26	33	27	19	20	24	21	20	14	23	23
Automobile accidents [1] (188c)	253	12	17	18	22	10	14	25	31	24	26	28	26
Automobile—railroad-train collision (part of 188a)	57	1	7	5	4	2	2	2	6	3	12	3	10
Automobile—street-car collision (part of 188b)	2								1				1
Other external causes (175–187, part of 188a, b, 188d–203)	1,066	79	72	76	93	88	106	120	101	69	97	81	84
All other causes	7,330	640	534	653	592	604	615	636	594	593	601	577	691

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (WHITE), all causes	22,786	2,140	1,763	1,998	1,830	1,787	1,880	2,067	1,878	1,841	1,867	1,754	1,981
Typhoid and paratyphoid fever (1)	377	23	20	14	11	9	20	62	55	48	48	42	25
Malaria (5)	43	1	1		3	5	8	5	5	9	3	3	
Smallpox (6)	8	1	2	1	2					1	1		
Measles (7)	139	14	14	22	11	15	11	8	7	5	2	7	23
Scarlet fever (8)	46	7	7	4	2	3	3	2	1	2	6	1	8
Whooping cough (9)	294	22	32	36	37	23	32	31	23	10	21	18	9
Diphtheria (10)	227	30	19	13	6	11	6	6	9	21	41	36	29
Influenza (11)	518	86	67	70	61	33	11	16	19	7	29	51	68
Dysentery (16)	183	1	4	8	1	6	40	53	29	23	11	3	4
Erysipelas (21)	45	9	5	4	4	2	3	5	2	2	4	1	4
Lethargic encephalitis (23)	17	1	4	1	2	1	1			1	2	2	2
Meningococcus meningitis (24)	48	9	2	2	3	6	1	6	1	4	3	6	5
Tuberculosis of the respiratory system (31)	1,867	183	161	210	195	152	153	161	117	129	134	129	143
Other forms of tuberculosis (32–37)	308	31	30	27	23	37	33	28	24	17	18	17	23
Diabetes mellitus (57)	273	29	29	26	25	22	18	26	26	16	19	14	23
Cerebral hemorrhage and softening (74, 83)	1,506	142	119	137	130	118	122	152	101	103	130	112	140
Other [organic] diseases of the heart (90)	2,453	216	213	228	211	222	200	181	192	176	191	201	222
Bronchitis (99)	104	14	6	10	11	7	7	3	3	7	12	11	13
Broncho-pneumonia (100)	632	94	72	71	47	28	32	29	34	35	49	65	76
Pneumonia (101)	831	141	97	93	84	49	39	17	23	16	60	88	124
Diarrhea and enteritis [under 2 years] (113)	792	24	13	12	13	34	125	184	147	112	79	37	12
Diarrhea and enteritis [2 years and over] (114)	249	13	10	5	12	12	40	57	36	20	28	11	5
Nephritis (128, 129)	1,758	172	143	150	133	152	142	156	143	144	115	140	168
Puerperal septicemia (146)	108	12	12	9	6	11	16	5	6	9	7	5	10
Other puerperal causes (143–145, 147–150)	156	18	18	14	14	18	13	8	11	12	10	7	13
Suicide (165–174)	254	12	16	22	27	20	21	19	29	19	20	24	25
Automobile accidents [1] (188c)	257	11	11	21	16	17	24	28	24	29	31	18	27
Automobile—railroad-train collision (part of 188a)	24	3	1	1		5		6	1		3		4
Automobile—street-car collision (part of 188b)	1			1									
Other external causes (175–187, part of 188a, b, 188d–203)	1,634	132	110	124	116	134	145	156	182	148	123	120	144
All other causes	7,634	689	525	662	624	635	614	657	628	716	667	585	632
KENTUCKY (COLORED), all causes	4,423	388	361	396	417	371	372	342	332	337	346	345	416
Typhoid and paratyphoid fever (1)	65	3	3	3	5	1	2	7	9	9	12	3	8
Malaria (5)	12	2					1	4		2	2		1
Smallpox (6)													
Measles (7)	9	1	1	1			1	3	1				1
Scarlet fever (8)	2		1						1				
Whooping cough (9)	54	2	5	9	8	3	4	5	8	4	2	4	
Diphtheria (10)	10	1	2					1	1	3		1	1
Influenza (11)	130	17	12	12	20	13	9	7	2	3	8	11	16
Dysentery (16)	12	1				1	3	3	3		1		
Erysipelas (21)	3			2									1
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	5	1		1		1		1		1			
Tuberculosis of the respiratory system (31)	542	30	57	54	53	52	46	46	43	34	37	39	51
Other forms of tuberculosis (32–37)	63	3	5	5	4	11	9	5	4	4	4	5	4
Diabetes mellitus (57)	26	3	1	1	4	1	3	2	2		2	5	2
Cerebral hemorrhage and softening (74, 83)	284	20	19	25	23	17	26	19	26	25	28	29	27
Other [organic] diseases of the heart (90)	588	44	45	57	56	64	44	48	44	43	48	38	57
Bronchitis (99)	34	4	2	5	4	4		3		2	3	2	5
Broncho-pneumonia (100)	127	21	16	17	15	9	7	6	4	5	7	11	9
Pneumonia (101)	227	42	24	29	28	19	9	7	9	10	9	21	20
Diarrhea and enteritis [under 2 years] (113)	79	3	1	1	2	1	11	22	14	8	7	6	3
Diarrhea and enteritis [2 years and over] (114)	22	4		3	1	1	1	3	5	2		1	1
Nephritis (128, 129)	430	31	43	39	44	35	42	26	27	37	28	32	46
Puerperal septicemia (146)	27	1	4	2	2	4	4		4	1	1	2	2
Other puerperal causes (143–145, 147–150)	17		1	2	3	3	1	1	3		2		1
Suicide (165–174)	9		2	2	1		1	1			1	1	
Automobile accidents [1] (188c)	42	5	2	3	4	2	7	5	2	4	5	1	2
Automobile—railroad-train collision (part of 188a)	2											1	1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	360	33	24	21	32	27	25	32	32	32	35	33	34
All other causes	1,241	116	91	102	108	102	116	85	88	108	104	98	123
LOUISIANA (WHITE), all causes	11,878	1,072	915	1,057	867	1,012	912	942	997	941	1,008	995	1,160
Typhoid and paratyphoid fever (1)	131	7	8	9	11	11	12	9	14	13	13	13	11
Malaria (5)	109	6	3	3	4	4	10	12	20	13	22	8	4
Smallpox (6)	2			1			1						
Measles (7)	166	7	22	52	28	16	9	7	9	4	2	4	6
Scarlet fever (8)	9		1	1	1	1		1	1		1	1	1
Whooping cough (9)	99	7	7	10	9	13	13	6	5	4	6	11	8
Diphtheria (10)	141	13	7	14	16	6	8	9	5	6	24	15	18
Influenza (11)	305	48	38	34	27	13	9	10	13	15	18	30	50
Dysentery (16)	81	6	5	6	7	7	13	11	10	3	4	5	4
Erysipelas (21)	17	1		3	1	1	3	2	1	1	1	1	2
Lethargic encephalitis (23)	9		1	1				3	2	1	1		
Meningococcus meningitis (24)	16	1	2	3			1		2	1	1	3	2
Tuberculosis of the respiratory system (31)	653	61	44	62	49	70	61	45	62	56	41	54	48
Other forms of tuberculosis (32–37)	60	5	3	3	6	6	8	2	7	4	6	6	4
Diabetes mellitus (57)	155	16	13	14	9	9	10	11	14	16	12	12	19
Cerebral hemorrhage and softening (74, 83)	693	62	63	76	48	60	46	49	62	55	51	53	68
Other [organic] diseases of the heart (90)	1,427	132	119	138	101	125	100	117	106	107	105	114	163
Bronchitis (99)	54	6	3	1	4	4	3	7	1	4	4	6	11
Broncho-pneumonia (100)	324	36	34	35	25	13	27	12	19	25	33	24	41
Pneumonia (101)	361	57	29	40	22	19	14	14	15	18	32	40	61
Diarrhea and enteritis [under 2 years] (113)	360	18	16	27	24	39	45	44	26	29	39	21	32
Diarrhea and enteritis [2 years and over] (114)	92	9	7	5	6	10	11	10	9	4	10	3	8
Nephritis (128,129)	1,024	103	92	80	66	97	73	68	84	77	94	83	107
Puerperal septicemia (146)	76	3	8	4	8		5	5	8	10	11	4	10
Other puerperal causes (143–145, 147–150)	125	5	7	14	8	11	10	9	22	14	12	9	4
Suicide (165–174)	137	6	11	12	17	18	10	13	15	4	11	8	12
Automobile accidents [1] (188c)	212	29	11	10	15	19	11	14	15	25	15	17	31
Automobile—railroad-train collision (part of 188a)	24	5				4	2	2	2	2		6	1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	750	62	54	52	62	71	59	68	68	54	72	65	63
All other causes	4,266	361	307	347	293	365	338	382	380	376	367	379	371

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (COLORED), all causes	11,997	1,014	842	993	943	1,084	1,089	1,163	1,031	953	927	879	1,079
Typhoid and paratyphoid fever (1)	159	12	8	10	5	11	16	27	23	23	11	8	5
Malaria (5)	160	1	4	7	8	9	11	21	28	27	27	9	8
Smallpox (6)	3		1										2
Measles (7)	100	8	4	13	7	6	6	37	13	1	2	2	1
Scarlet fever (8)	2					2							
Whooping cough (9)	127	6	6	4	14	11	15	14	16	13	8	9	11
Diphtheria (10)	60	1	3	6	3	8	3	6	1	6	6	9	8
Influenza (11)	339	51	43	42	30	22	15	19	18	12	16	30	41
Dysentery (16)	68	2	1	2	4	8	9	16	14	5	3	2	2
Erysipelas (21)	3										2		1
Lethargic encephalitis (23)	3			1			2						
Meningococcus meningitis (24)	8	1	1		1		1		1			2	1
Tuberculosis of the respiratory system (31)	1,067	81	97	126	92	100	93	86	90	74	81	67	80
Other forms of tuberculosis (32–37)	119	9	11	6	11	16	6	13	9	9	10	5	14
Diabetes mellitus (57)	71	7	4	7	8	6	4	3	10	5		5	12
Cerebral hemorrhage and softening (74, 83)	573	48	37	46	37	50	46	51	47	60	53	34	64
Other [organic] diseases of the heart (90)	1,521	139	107	106	133	125	140	137	126	136	124	128	120
Bronchitis (99)	40	7	5	1	1	5	1	3	3	4	2	2	6
Broncho-pneumonia (100)	398	46	36	44	30	41	30	31	21	29	18	36	36
Pneumonia (101)	488	64	55	68	37	35	24	22	16	19	27	46	75
Diarrhea and enteritis [under 2 years] (113)	410	10	15	24	34	46	60	81	31	37	32	21	19
Diarrhea and enteritis [2 years and over] (114)	86	4	4	5	6	18	15	10	2	5	6	4	7
Nephritis (128, 129)	933	92	70	88	74	79	73	79	63	61	87	66	101
Puerperal septicemia (146)	88	7	6	8	8	12	6	9	5	9	6	7	5
Other puerperal causes (143–145, 147–150)	131	15	11	11	16	15	16	5	10	9	8	8	7
Suicide (165–174)	20	4		3	4	4			1	2	1	1	
Automobile accidents [1] (188c)	83	9	2	4	6	9	6	8	11	7	7	7	7
Automobile—railroad-train collision (part of 188a)	8					2		3					3
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	881	69	64	67	73	91	75	93	80	64	56	54	95
All other causes	4,048	321	247	294	301	353	416	389	392	336	334	317	348
MAINE, all causes	10,958	999	942	965	1,015	942	860	815	850	818	853	898	1,001
Typhoid and paratyphoid fever (1)	28	1	1	3			2	2	3	3	1	5	7
Malaria (5)													
Smallpox (6)													
Measles (7)	80	10	12	9	18	12	11	2	2	2		1	1
Scarlet fever (8)	36	4	6	1	2	5	2	4	3	3	3		3
Whooping cough (9)	75	10	9	8	11	5	7	3	2	3	6	2	9
Diphtheria (10)	30		2	4		6			5	4	1	2	6
Influenza (11)	306	40	38	44	51	29	12	10	10	8	8	29	27
Dysentery (16)	5				1			1	1		1		1
Erysipelas (21)	26	4	3	3	3	3		2			2	3	3
Lethargic encephalitis (23)	4		1	1						1	1		
Meningococcus meningitis (24)	9	1	1		4				1			2	
Tuberculosis of the respiratory system (31)	459	48	42	39	50	40	39	42	31	25	36	37	30
Other forms of tuberculosis (32–37)	83	11	6	10	4	9	8	10	6	6	4	4	5
Diabetes mellitus (57)	169	7	10	17	13	13	21	12	16	15	12	13	20
Cerebral hemorrhage and softening (74, 83)	1,113	97	117	83	113	95	99	76	86	79	82	89	97
Other [organic] diseases of the heart (90)	1,690	180	151	154	163	130	143	128	123	114	134	115	155
Bronchitis (99)	77	8	10	8	6	11	2	6	2	1	9	5	9
Broncho-pneumonia (100)	325	48	40	36	31	34	17	9	7	14	25	21	43
Pneumonia (101)	351	36	37	36	48	42	23	8	12	14	18	29	48
Diarrhea and enteritis [under 2 years] (113)	148	6	6	7	6	12	9	6	20	38	21	10	7
Diarrhea and enteritis [2 years and over] (114)	35	3	3	1	3		2	4	3	6	5	4	1
Nephritis (128, 129)	819	75	71	81	67	64	54	70	63	65	60	75	74
Puerperal septicemia (146)	34	1	4	2	6	2	4	3	2	1	2	2	5
Other puerperal causes (143–145, 147–150)	96	2	4	13	9	15	12	11	5	3	4	7	11
Suicide (165–174)	101	8	5	4	11	12	10	12	12	4	11	4	8
Automobile accidents [1] (188c)	112	2		3	7	4	14	12	13	19	17	14	7
Automobile—railroad-train collision (part of 188a)	7				1	2	1	1		1			1
Automobile—street-car collision (part of 188b)	5		1			1					3		
Other external causes (175–187, part of 188a, b, 188d–203)	437	37	27	32	31	29	38	47	42	47	29	39	39
All other causes	4,298	360	335	366	356	367	330	334	380	342	358	386	384
MARYLAND (WHITE), all causes	15,827	1,609	1,340	1,648	1,407	1,293	1,099	1,220	1,114	1,168	1,280	1,260	1,389
Typhoid and paratyphoid fever (1)	58	5	3	6	4	3	2	3	10	10	3	3	6
Malaria (5)	2						1	1					
Smallpox (6)													
Measles (7)	15	1		6	1		1		1	1	1		3
Scarlet fever (8)	16		4		4	2	1		2			1	2
Whooping cough (9)	116	17	9	20	15	10	7	6	16	6	3	5	2
Diphtheria (10)	97	16	8	12	11	10	11	9	4	6	3		7
Influenza (11)	250	40	31	72	35	16	10	5	7	2	7	10	15
Dysentery (16)	41				1	1		3	7	11	14	2	2
Erysipelas (21)	23		6	5	4	3	2				1	1	1
Lethargic encephalitis (23)	21	1	1	1		2	3	2	2	3	3	2	1
Meningococcus meningitis (24)	17	1		1	2	3	2	3	1		2		2
Tuberculosis of the respiratory system (31)	887	89	63	110	96	75	67	72	66	53	76	54	66
Other forms of tuberculosis (32–37)	75	4	4	13	8	6	6	8	3	7	5	4	7
Diabetes mellitus (57)	255	37	26	18	19	23	11	23	20	17	14	23	24
Cerebral hemorrhage and softening (74, 83)	1,269	130	103	115	127	103	86	95	81	116	100	106	107
Other [organic] diseases of the heart (90)	2,526	262	212	254	214	239	168	190	174	166	183	198	266
Bronchitis (99)	89	10	16	21	9	2	1	7	4	1	9	5	4
Broncho-pneumonia (100)	679	102	84	123	74	43	21	24	18	34	45	51	60
Pneumonia (101)	658	112	96	117	68	62	13	10	13	20	31	39	77
Diarrhea and enteritis [under 2 years] (113)	305	15	9	13	9	9	9	32	57	51	66	20	15
Diarrhea and enteritis [2 years and over] (114)	68	8	2	1	4	8	4	5	6	11	15	1	3
Nephritis (128, 129)	1,836	187	156	156	152	153	151	144	124	147	134	178	154
Puerperal septicemia (146)	54	5	5	5	8	6	5	2	2	2	3	3	8
Other puerperal causes (143–145, 147–150)	86	8	4	11	5	10	5	9	9	6	5	9	5
Suicide (165–174)	203	9	22	22	17	14	20	14	18	18	16	15	18
Automobile accidents [1] (188c)	275	20	9	14	26	23	31	29	23	33	24	21	22
Automobile—railroad-train collision (part of 188a)	10	3	4						1			2	
Automobile—street-car collision (part of 188b)	1												1
Other external causes (175–187, part of 188a, b, 188d–203)	767	60	50	54	54	67	58	94	73	68	67	58	64
All other causes	5,128	467	413	478	440	400	403	430	372	379	450	449	447

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (COLORED), all causes	5,275	489	452	527	504	434	402	396	398	393	400	440	440
Typhoid and paratyphoid fever (1)	36	3	2			1	4	4	7	4	3	6	2
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	6		1	2		2	1						
Scarlet fever (8)	2		1		1								
Whooping cough (9)	76	6	6	8	14	6	4	5	4	4	5	7	7
Diphtheria (10)	21	1	2	1	1	1	1			3	2	3	6
Influenza (11)	94	12	15	23	16	4	2	1	2	5	3	5	6
Dysentery (16)	13				1			1	4	3	2	1	1
Erysipelas (21)	1					1							
Lethargic encephalitis (23)	5		2	1									
Meningococcus meningitis (24)	4	1			1			1	1				
Tuberculosis of the respiratory system (31)	574	36	38	53	51	66	54	44	52	41	44	50	45
Other forms of tuberculosis (32–37)	88	5	6	7	7	14	6	4	10	6	5	5	13
Diabetes mellitus (57)	44	9	3	2	5	2	3	2	5	2	3	3	5
Cerebral hemorrhage and softening (74, 83)	320	28	23	46	31	23	32	18	24	18	24	24	29
Other [organic] diseases of the heart (90)	649	59	53	60	62	64	48	47	41	61	38	62	54
Bronchitis (99)	37	7	7	4	3		1	3	4		1	5	2
Broncho-pneumonia (100)	350	60	53	59	37	25	18	6	10	7	21	25	29
Pneumonia (101)	337	41	50	52	40	20	15	9	10	9	17	32	42
Diarrhea and enteritis [under 2 years] (113)	157	2	1	6	6	3	6	23	37	24	25	10	14
Diarrhea and enteritis [2 years and over] (114)	36	2	1	2	3	4		7	7	6	1	2	1
Nephritis (128, 129)	557	53	52	53	51	45	50	47	38	39	51	38	40
Puerperal septicemia (146)	17	1	3	1	4	1		1	2	1	1	1	1
Other puerperal causes (143–145, 147–150)	30	3	2	2	5	2	4	1	1	2	2	4	2
Suicide (165–174)	16			2	1		2	2	1	2	2	4	
Automobile accidents [1] (188c)	55	2	4	6	4		6	8	3	10	6	2	4
Automobile—railroad-train collision (part of 188a)	1				1								
Automobile—street-car collision (part of 188b)	1	1											
Other external causes (175–187, part of 188a, b, 188d–203)	272	24	15	23	20	24	30	28	13	27	23	27	18
All other causes	1,475	133	112	114	139	126	114	134	122	118	120	124	119
MASSACHUSETTS, all causes	49,285	4,748	4,237	4,770	4,551	4,246	3,774	3,673	3,582	3,602	3,855	3,933	4,314
Typhoid and paratyphoid fever (1)	42	3	1	1	4	3	2	7	4	5	6	5	1
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	91	4	9	4	10	8	13	5	2	2	5	10	19
Scarlet fever (8)	145	14	28	18	14	16	12	7	8	4	7	9	8
Whooping cough (9)	155	10	23	24	18	11	11	7	8	8	8	7	20
Diphtheria (10)	275	28	23	28	27	13	21	19	17	15	25	29	30
Influenza (11)	400	74	59	50	50	30	17	8	7	13	23	28	41
Dysentery (16)	16	1		1	2			3	5	2	2		
Erysipelas (21)	127	16	11	20	21	14	12	7	4	2	7	4	9
Lethargic encephalitis (23)	61	6	7	6	2	6	7	7	7	4	1	3	5
Meningococcus meningitis (24)	53	4	3	7	9	1	7	5	3	2	3	4	5
Tuberculosis of the respiratory system (31)	2,787	231	274	276	285	237	230	253	193	194	204	207	203
Other forms of tuberculosis (32–37)	415	39	30	32	43	43	40	26	37	34	28	22	41
Diabetes mellitus (57)	864	81	76	80	85	74	60	53	72	59	67	62	95
Cerebral hemorrhage and softening (74, 83)	4,034	396	329	363	365	372	307	284	257	314	343	351	353
Other [organic] diseases of the heart (90)	9,006	931	767	901	791	816	665	633	608	636	682	718	858
Bronchitis (99)	271	32	29	35	35	37	16	10	9	11	17	14	26
Broncho-pneumonia (100)	2,047	282	261	279	229	154	113	84	98	103	111	167	166
Pneumonia (101)	1,920	296	214	230	221	196	121	70	52	83	97	158	182
Diarrhea and enteritis [under 2 years] (113)	635	42	27	35	32	24	38	63	99	102	84	45	44
Diarrhea and enteritis [2 years and over] (114)	123	15	9	9	10	9	10	10	17	6	12	9	7
Nephritis (128, 129)	3,562	304	301	355	327	317	269	254	276	238	276	277	368
Puerperal septicemia (146)	172	17	13	16	18	17	17	14	10	15	13	9	13
Other puerperal causes (143–145, 147–150)	346	27	41	27	37	29	35	22	22	27	24	25	30
Suicide (165–174)	465	30	36	36	41	40	41	46	36	34	46	39	40
Automobile accidents [1] (188c)	696	36	26	48	49	56	64	80	57	63	90	72	55
Automobile—railroad-train collision (part of 188a)	16	1	3	1	3	4			1		3		
Automobile—street-car collision (part of 188b)	12	1	1	1	2	1	4						2
Other external causes (175–187, part of 188a, b, 188d–203)	2,132	158	157	202	159	148	188	212	181	150	169	199	209
All other causes	18,416	1,669	1,479	1,685	1,662	1,570	1,454	1,484	1,492	1,476	1,501	1,460	1,484
MICHIGAN, all causes	50,643	4,664	4,276	4,741	4,568	4,527	4,137	3,911	3,724	3,819	4,189	3,846	4,241
Typhoid and paratyphoid fever (1)	96	6	4	7	9	4	11	8	12	7	11	8	9
Malaria (5)	2								2				
Smallpox (6)													
Measles (7)	75	12	5	9	8	10	13	4	1		2	1	10
Scarlet fever (8)	175	24	21	24	16	17	19	5	3	10	10	7	19
Whooping cough (9)	203	20	24	13	18	22	15	15	20	27	11	13	5
Diphtheria (10)	515	53	42	67	51	40	34	33	33	33	46	36	47
Influenza (11)	772	129	124	114	92	68	45	12	16	28	43	45	56
Dysentery (16)	31	2	3			1	2	1	1	9	8	4	
Erysipelas (21)	144	20	16	20	18	17	12	4	7	3	6	11	10
Lethargic encephalitis (23)	51	2	6	3	7	1	5	3	6	6	5	4	3
Meningococcus meningitis (24)	74	9	9	10	5	7	6	4	4	2	6	3	9
Tuberculosis of the respiratory system (31)	2,519	219	210	232	236	239	211	204	210	182	188	188	200
Other forms of tuberculosis (32–37)	433	38	30	42	51	43	45	41	41	25	22	26	29
Diabetes mellitus (57)	797	71	68	75	63	69	66	64	48	55	69	73	76
Cerebral hemorrhage and softening (74, 83)	4,190	400	369	401	382	388	320	306	292	309	336	322	365
Other [organic] diseases of the heart (90)	7,665	696	578	714	676	698	650	619	555	529	673	591	686
Bronchitis (99)	361	52	43	44	37	39	26	13	8	25	22	22	30
Broncho-pneumonia (100)	1,501	213	183	205	172	122	97	54	58	81	92	117	107
Pneumonia (101)	2,035	259	233	245	245	197	135	82	56	93	120	171	199
Diarrhea and enteritis [under 2 years] (113)	941	48	71	64	55	52	38	58	79	203	160	52	61
Diarrhea and enteritis [2 years and over] (114)	230	11	15	15	8	10	9	19	34	50	31	14	14
Nephritis (128, 129)	2,970	266	264	298	268	268	247	196	239	192	243	227	262
Puerperal septicemia (146)	295	27	29	46	22	30	21	23	17	18	24	17	21
Other puerperal causes (143–145, 147–150)	386	40	20	42	32	35	27	31	35	33	35	30	26
Suicide (165–174)	597	42	40	53	50	58	58	49	41	62	53	38	53
Automobile accidents [1] (188c)	1,266	48	57	92	84	101	105	123	125	129	138	157	107
Automobile—railroad-train collision (part of 188a)	80	9	4	3	16	11	5	11	8	1	3	7	2
Automobile—street-car collision (part of 188b)	31	1	3	1	5	3	2	8		7		1	
Other external causes (175–187, part of 188a, b, 188d–203)	2,860	234	200	197	212	257	262	375	241	224	251	193	214
All other causes	19,348	1,713	1,605	1,705	1,730	1,720	1,651	1,546	1,532	1,476	1,581	1,468	1,621

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA, all causes	24,688	2,209	1,978	2,273	2,227	2,159	2,121	1,857	1,882	1,772	2,079	2,003	2,128
Typhoid and paratyphoid fever (1)	29		3	4			3	2	4	4	4		5
Malaria (5)	2		1			1							
Smallpox (6)													
Measles (7)	56	16	7	7	8	3	9	1	1			3	1
Scarlet fever (8)	88	11	13	12	7	12	4	1	1		3	10	14
Whooping cough (9)	74	6	9	9	7	7	7	8	9	2	2	5	2
Diphtheria (10)	81	12	5	5	10	5	6	4	7	5	5	13	4
Influenza (11)	487	49	52	85	83	61	26	11	15	21	26	21	37
Dysentery (16)	23	2	3	1		2		4	2	1	6	2	1
Erysipelas (21)	51	7	5	4	9	2	2	2	1	4	3	5	7
Lethargic encephalitis (23)	67	5	4	8	6	7	2	5	3	8	3	6	10
Meningococcus meningitis (24)	59	4	5	10	10	4	6	5	4	2	4	1	4
Tuberculosis of the respiratory system (31)	1,330	118	97	115	135	142	123	99	113	95	102	100	91
Other forms of tuberculosis (32–37)	207	13	22	15	22	25	23	22	19	11	18	4	13
Diabetes mellitus (57)	469	51	34	41	46	41	38	31	33	33	40	37	44
Cerebral hemorrhage and softening (74, 83)	1,839	167	146	166	160	152	161	138	145	135	138	139	192
Other [organic] diseases of the heart (90)	3,839	319	319	359	332	321	341	263	296	278	345	313	353
Bronchitis (99)	125	15	13	9	15	8	9	6	12	6	14	8	10
Broncho-pneumonia (100)	751	129	78	75	77	51	53	25	28	21	67	64	83
Pneumonia (101)	995	146	106	110	111	68	78	38	29	44	64	89	112
Diarrhea and enteritis [under 2 years] (113)	165	18	12	17	12	16	11	14	15	16	10	9	15
Diarrhea and enteritis [2 years and over] (114)	78	8	5	6	3	7	9	7	9	12	4	2	6
Nephritis (128, 129)	1,485	134	135	123	125	155	140	100	110	104	118	130	111
Puerperal septicemia (146)	88	7	8	14	10	11	7	7	4	7	4	6	3
Other puerperal causes (143–145, 147–150)	138	14	12	16	18	12	15	9	9	10	8	5	10
Suicide (165–174)	325	17	25	27	35	25	34	25	29	20	21	36	31
Automobile accidents [1] (188c)	369	20	16	22	9	29	36	45	58	46	52	23	13
Automobile—railroad-train collision (part of 188a)	20	1	1		3		2	3	2		4	4	
Automobile—street-car collision (part of 188b)	7	2					2				2		1
Other external causes (175–187, part of 188a, b, 188d–203)	1,368	85	76	105	112	105	145	165	123	108	120	124	100
All other causes	10,073	833	766	908	862	887	829	817	801	779	891	844	856
MISSISSIPPI (WHITE), all causes	8,847	799	693	752	691	784	732	762	681	651	715	768	819
Typhoid and paratyphoid fever (1)	72	1		5	1	6	9	9	14	11	9	5	2
Malaria (5)	161	5	1	4	2	5	8	22	14	41	34	12	13
Small pox (6)	1											1	
Measles (7)	120	8	15	29	17	11	11	6	2	4	2	3	12
Scarlet fever (8)	17	4	2	1			2	1		1	1	3	2
Whooping cough (9)	79	5	2	5	12	10	21	6	3		2	4	9
Diphtheria (10)	116	8	2	2	3	1	4	4	9	13	21	22	27
Influenza (11)	254	39	30	39	33	21	3	7	4	5	13	29	31
Dysentery (16)	59			2	2	10	9	17	7	1	3	4	4
Erysipelas (21)	24	2	1	2	2	2	1	2	4	2	2	2	2
Lethargic encephalitis (23)	7			1	2		2			1			1
Meningococcus meningitis (24)	7			1		1	1			1		1	2
Tuberculosis of the respiratory system (31)	362	36	33	32	42	30	31	28	23	31	18	27	31
Other forms of tuberculosis (32–37)	34	1	3	4	2	2	3	7	4	2	3	2	1
Diabetes mellitus (57)	98	9	10	6	12	6	6	9	4	11	9	7	9
Cerebral hemorrhage and softening (74, 83)	544	46	36	60	47	45	45	45	41	40	48	42	49
Other [organic] diseases of the heart (90)	862	89	83	76	56	96	63	66	57	45	71	78	82
Bronchitis (99)	34	3	2	4	1	1	1	2	5	2	6	4	3
Broncho-pneumonia (100)	175	20	19	22	13	10	4	7	13	10	14	13	30
Pneumonia (101)	312	67	31	33	29	21	17	9	11	5	14	35	40
Diarrhea and enteritis [under 2 years] (113)	268	9	6	7	14	49	55	26	19	25	24	21	13
Diarrhea and enteritis [2 years and over] (114)	91	5	5	7	4	9	21	17	8	5	2	4	4
Nephritis (128, 129)	865	74	70	69	68	70	87	77	65	67	71	70	77
Puerperal septicemia (146)	55	4	6	5	7	4	4	5	6	6	2	5	1
Other puerperal causes (143–145, 147–150)	93	10	5	6	11	5	18	7	6	9	3	3	10
Suicide (165–174)	69	5	3	4	4	7	3	9	6	9	8	4	7
Automobile accidents [1] (188c)	146	7	12	9	10	11	4	15	16	7	19	17	19
Automobile—railroad-train collision (part of 188a)	27			1				2	12	3	6	1	2
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	548	40	48	52	52	48	36	67	43	33	35	40	54
All other causes	3,347	302	268	264	245	303	263	290	285	261	275	309	282
MISSISSIPPI (COLORED), all causes	14,356	1,167	1,046	1,270	1,175	1,329	1,342	1,339	1,144	1,127	1,111	1,065	1,241
Typhoid and paratyphoid fever (1)	199	9	10	10	14	16	21	29	29	21	16	12	12
Malaria (5)	326	6	9	7	11	18	30	40	42	64	55	31	13
Smallpox (6)	3	3											
Measles (7)	56	1	8	8	8	10	11	6			1	2	1
Scarlet fever (8)													
Whooping cough (9)	198	11	5	8	19	25	24	22	13	16	26	13	16
Diphtheria (10)	77	7	3	3	1	2	1		9	9	22	9	11
Influenza (11)	351	54	51	61	43	25	12	5	6	9	14	20	51
Dysentery (16)	117	3	3	5	9	13	31	22	10	5	6	8	2
Erysipelas (21)	3		1			1			1		1		
Lethargic encephalitis (23)	2				1								1
Meningococcus meningitis (24)	3		1					1		1			
Tuberculosis of the respiratory system (31)	1,311	103	117	150	131	132	129	112	90	78	97	69	103
Other forms of tuberculosis (32–37)	128	9	11	17	15	9	10	13	10	3	10	12	9
Diabetes mellitus (57)	85	6	6	8	6	8	6	5	7	7	12	8	6
Cerebral hemorrhage and softening (74, 83)	582	40	42	52	58	51	52	40	54	51	48	42	52
Other [organic] diseases of the heart (90)	1,157	88	82	88	102	116	97	94	101	98	94	85	112
Bronchitis (99)	15	2	1	1	2	2			1	2	1	1	2
Broncho-pneumonia (100)	196	23	24	20	14	20	14	3	7	6	19	20	26
Pneumonia (101)	608	97	79	80	36	52	33	15	21	28	27	50	90
Diarrhea and enteritis [under 2 years] (113)	321	7	10	12	21	58	61	60	22	13	30	15	12
Diarrhea and enteritis [2 years and over] (114)	127	5	2	5	4	21	27	26	10	12	7	2	6
Nephritis (128, 129)	1,189	94	82	105	82	105	121	107	105	97	98	96	97
Puerperal septicemia (146)	91	7	13	5	4	9	6	13	7	8	6	9	14
Other puerperal causes (143–145, 147–150)	188	16	11	24	16	18	21	16	14	16	15	8	13
Suicide (165–174)	14			1	1	1	2	3		2	1	2	1
Automobile accidents [1] (188c)	97	9	6	7	7	5	9	13	9	7	5	8	12
Automobile—railroad-train collision (part of 188a)	7				2			1					4
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	1,095	100	81	92	111	107	103	121	71	63	63	74	109
All other causes	5,810	467	389	501	457	505	521	572	505	511	437	469	476

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI, all causes	40,753	3,911	3,350	3,823	3,413	3,443	3,203	3,126	3,092	3,233	3,249	3,267	3,643
Typhoid and paratyphoid fever (1)	246	13	9	5	9	8	14	28	40	40	40	28	12
Malaria (5)	136	4	2	6	5	5	9	12	22	19	25	18	9
Smallpox (6)	11	2	2	1				3	1				2
Measles (7)	189	24	48	35	39	17	11	5	2	1	3	1	3
Scarlet fever (8)	89	11	7	12	10	9	7	1	3	6	11	6	6
Whooping cough (9)	243	22	16	20	25	24	20	18	32	23	14	15	14
Diphtheria (10)	220	24	17	19	10	14	2	6	12	14	36	33	33
Influenza (11)	885	173	123	147	91	63	37	24	18	29	43	54	78
Dysentery (16)	116	2	2	4	7	4	9	16	30	23	14	4	1
Erysipelas (21)	79	12	9	4	16	4	3	5	2	9	5	3	7
Lethargic encephalitis (23)	47	4	2	7	3	3	4	4	7	4	3	4	2
Meningococcus meningitis (24)	47	5	1	3	6	7	5	3	5	2	3	3	4
Tuberculosis of the respiratory system (31)	2,512	256	206	240	241	210	209	191	199	195	188	176	201
Other forms of tuberculosis (32–37)	274	24	19	16	19	24	34	21	29	18	31	21	18
Diabetes mellitus (57)	585	55	45	66	48	54	50	38	39	45	51	43	51
Cerebral hemorrhage and softening (74, 83)	2,942	259	258	304	248	228	238	210	223	209	242	230	293
Other [organic] diseases of the heart (90)	5,851	543	479	538	526	506	463	423	437	432	437	512	555
Bronchitis (99)	238	31	24	30	26	18	9	7	12	12	19	28	22
Broncho-pneumonia (100)	1,218	201	136	146	100	90	62	49	57	55	80	102	140
Pneumonia (101)	1,740	293	168	231	163	148	90	60	54	74	106	154	199
Diarrhea and enteritis [under 2 years] (113)	683	23	20	20	22	27	69	94	106	142	88	42	30
Diarrhea and enteritis [2 years and over] (114)	246	7	7	17	12	19	19	32	51	39	19	16	8
Nephritis (128, 129)	4,331	385	360	419	388	348	358	329	333	321	387	331	372
Puerperal septicemia (146)	201	24	22	24	14	9	16	10	17	18	16	16	15
Other puerperal causes (143–145, 147–150)	247	21	20	21	31	23	25	17	22	19	12	14	22
Suicide (165–174)	543	37	42	46	37	61	47	41	34	45	59	50	44
Automobile accidents [1] (188c)	517	38	36	27	25	43	48	48	48	46	58	52	48
Automobile—railroad-train collision (part of 188a)	40	2	1	4	2	3	8	7	2	5		2	4
Automobile—street-car collision (part of 188b)	18	2		2		1		2	1	4	2	1	3
Other external causes (175–187, part of 188a, b, 188d–203)	2,369	190	166	204	158	307	190	202	166	251	168	148	219
All other causes	13,890	1,224	1,103	1,205	1,132	1,166	1,147	1,220	1,088	1,133	1,084	1,160	1,228
MONTANA, all causes	5,342	538	437	491	478	455	464	431	396	366	422	391	473
Typhoid and paratyphoid fever (1)	15	1	1		3	2	1	1	4		2		
Malaria (5)													
Smallpox (6)	1												1
Measles (7)	30	14	8	5		1		1					1
Scarlet fever (8)	32	7	5	7	4	3			4	1		1	
Whooping cough (9)	15	1	3					1	4	1	3	1	1
Diphtheria (10)	20	2	2		2	2	2	1	2	3		3	1
Influenza (11)	147	25	18	23	27	13	11	4		2	10	8	6
Dysentery (16)	6					1	1		2	1	1		
Erysipelas (21)	23	2	2	6	4		2	4				1	2
Lethargic encephalitis (23)	7				1	1	1		3		1		
Meningococcus meningitis (24)	66	7	12	15	6	3	6	4	2	3	3	2	3
Tuberculosis of the respiratory system (31)	320	32	26	28	25	31	26	27	32	23	23	22	25
Other forms of tuberculosis (32–37)	53	3	2	8	8	6	6	4	4	4	1	4	3
Diabetes mellitus (57)	71	6	7	6	4	6	4	5	6	9	2	5	11
Cerebral hemorrhage and softening (74, 83)	313	29	23	29	32	20	27	32	15	20	22	24	40
Other [organic] diseases of the heart (90)	709	62	53	58	68	57	58	50	54	45	66	61	68
Bronchitis (99)	18	1	6	3	1	2				2	1	1	1
Broncho-pneumonia (100)	121	24	14	8	13	7	7	7	1	6	11	6	17
Pneumonia (101)	251	41	31	30	18	15	18	11	7	11	17	18	34
Diarrhea and enteritis [under 2 years] (113)	49	2	7	4	6	2	2	2	8	4	5	5	2
Diarrhea and enteritis [2 years and over] (114)	17	1		3	2	2		1	2	3	2		1
Nephritis (128, 129)	325	29	26	33	29	34	31	36	17	13	24	26	27
Puerperal septicemia (146)	24	4	1	1	3	2	4	1	4		1	1	2
Other puerperal causes (143–145, 147–150)	41	3	3	7	7	6	2	6	3	1	3		
Suicide 165–174)	113	9	9	10	7	11	8	10	6	10	12	12	9
Automobile accidents [1] (188c)	73	2	3	2	2	3	8	7	11	11	14	6	4
Automobile—railroad-train collision (part of 188a)	4						1	1					2
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	466	49	21	26	42	39	59	54	47	31	34	31	33
All other causes	2,021	182	154	179	164	186	179	161	158	162	164	153	179
NEBRASKA, all causes	12,369	1,203	1,084	1,111	1,080	1,027	999	893	896	967	1,043	1,004	1,062
Typhoid and paratyphoid fever (1)	37	3				3	3	2	3	8	9	3	3
Malaria (5)	1										1		
Smallpox (6)	1				1								
Measles (7)	78	8	13	14	11	12	13	4	1			1	1
Scarlet fever (8)	17	3	2	2	1		2	1	3		1	1	1
Whooping cough (9)	50	8	6	6	6	9	2	8	2	2	1		
Diphtheria (10)	45	1	3	3	3	1	5	3	2	5	4	6	9
Influenza (11)	364	74	53	39	45	22	10	13	9	19	28	18	34
Dysentery (16)	11			1		2		3	3		2		
Erysipelas (21)	32	8	6	2	2	3	2	1	2	1	3	1	1
Lethargic encephalitis (23)	5	1	1	1						1		1	
Meningococcus meningitis (24)	9		1		4		2		1		1		
Tuberculosis of the respiratory system (31)	329	36	33	27	28	35	29	21	15	28	34	19	24
Other forms of tuberculosis (32–37)	78	8	6	13	6	1	7	8	3	4	5	6	6
Diabetes mellitus (57)	275	20	32	30	23	27	18	15	15	19	21	27	28
Cerebral hemorrhage and softening (74, 83)	1,133	108	101	98	116	93	83	77	93	72	93	96	103
Other [organic] diseases of the heart (90)	1,829	176	148	158	155	182	156	140	127	145	154	147	141
Bronchitis (99)	39	5	4	2	4	6	2	3	2	1	3	4	3
Broncho-pneumonia (100)	284	45	28	26	29	17	18	8	9	17	26	28	33
Pneumonia (101)	418	72	47	55	34	36	20	12	20	15	29	29	49
Diarrhea and enteritis [under 2 years] (113)	128	7	10	5	7	9	9	5	15	30	11	9	11
Diarrhea and enteritis [2 years and over] (114)	75	4		3	5	1	4	7	12	25	7	6	1
Nephritis (128, 129)	877	91	70	69	70	83	88	66	51	63	73	76	77
Puerperal septicemia (146)	70	4	5	12	8	7	2	4	5	4	8	5	6
Other puerperal causes (143–145, 147–150)	95	12	11	5	12	10	7	8	8	9	6	4	3
Suicide (165–174)	197	14	17	15	21	23	21	13	21	12	18	11	11
Automobile accidents [1] (188c)	198	11	9	9	9	21	18	15	23	25	17	17	24
Automobile—railroad-train collision (part of 188a)	23	2		1			3	2	1	2	1	6	5
Automobile—street-car collision (part of 188b)	4				1				3				
Other external causes (175–187, part of 188a, b, 188d–203)	649	50	40	34	47	36	68	67	65	68	52	65	57
All other causes	5,018	432	438	481	432	388	407	387	377	392	436	417	431

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE, all causes	6,329	615	515	594	610	544	515	444	525	452	464	490	561
Typhoid and paratyphoid fever (1)	3	1		1							1		
Malaria (5)													
Smallpox (6)													
Measles (7)	11	1	1	1	2	1	1	1			2		1
Scarlet fever (8)	20	1	2	2	4	3	1		3			2	2
Whooping cough (9)	28	5	7	3	2	2	1	2		2		1	3
Diphtheria (10)	20	2		2	2		2		1	1		7	3
Influenza (11)	173	29	18	27	26	23	10	5	2	4	7	10	12
Dysentery (16)	1					1							
Erysipelas (21)	15	2		3	2		2				1	3	2
Lethargic encephalitis (23)	4			1			1		1				1
Meningococcus meningitis (24)	7				3	1		1	1				1
Tuberculosis of the respiratory system (31)	232	25	20	21	22	18	14	20	18	17	19	17	21
Other forms of tuberculosis (32–37)	62	5	5	4	8	6	2	8	6	3	4	6	5
Diabetes mellitus (57)	138	9	14	14	10	10	14	13	8	7	12	15	12
Cerebral hemorrhage and softening (74, 83)	728	73	57	65	72	68	63	45	62	44	61	50	68
Other (organic) diseases of the heart (90)	1,071	102	73	87	102	87	88	69	94	86	81	88	114
Bronchitis (99)	37	7	5	3	6	3	2	2	1	1	3	1	3
Broncho-pneumonia (100)	213	27	19	32	25	14	19	8	8	9	13	16	23
Pneumonia (101)	233	48	35	30	35	14	12	7	3	5	9	14	21
Diarrhea and enteritis [under 2 years] (113)	47	6	2	5	3	1	4	3	5	4	6	3	5
Diarrhea and enteritis [2 years and over] (114)	16	1	3	1		1	3	1	2	1		2	1
Nephritis (128, 129)	434	39	41	52	43	39	29	28	37	35	20	31	40
Puerperal septicemia (146)	17	1	1	3	1	3	1	2		1	3		1
Other puerperal causes (143–145, 147–150)	40	1	2	3	2	5	3	6	2	3	7	3	3
Suicide (165–174)	62	3	3	6	4	7	5	6	2	9	5	6	6
Automobile accidents [1] (188c)	71	1	2	1	6	4	6	10	10	9	11	8	3
Automobile—railroad-train collision (part of 188a)	12				1	4	1		2		4		
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	206	14	11	14	17	18	16	24	26	14	18	17	17
All other causes	2,428	212	194	213	212	211	215	183	231	197	177	190	193
NEW JERSEY, all causes	42,128	4,074	3,573	4,076	3,931	3,491	3,297	3,255	3,031	3,085	3,296	3,401	3,618
Typhoid and paratyphoid fever (1)	54	4	3	3	3	2	1	5	7	5	4	12	5
Malaria (5)	2						1				1		
Smallpox (6)													
Measles (7)	25	2	7	3	3	2	2	3		1		1	1
Scarlet fever (8)	99	9	19	18	15	13	10	2	2	2	3	3	3
Whooping cough (9)	199	28	20	17	18	15	10	13	26	13	12	15	12
Diphtheria (10)	422	34	16	40	30	34	33	24	27	27	43	61	53
Influenza (11)	505	83	65	92	89	44	15	4	9	11	23	32	38
Dysentery (16)	17					2		2	6		4	2	1
Erysipelas (21)	117	10	16	17	12	14	11	3	3	7	8	7	9
Lethargic encephalitis (23)	64	6	3	8	7	5	5	7	5	6	4	3	5
Meningococcus meningitis (24)	50	5	7	4	5	8	5	1	3	1	3	3	5
Tuberculosis of the respiratory system (31)	2,517	221	203	252	252	218	194	213	193	163	204	194	210
Other forms of tuberculosis (32–37)	283	22	19	35	27	34	33	21	27	20	13	15	17
Diabetes mellitus (57)	852	76	75	73	81	64	62	53	56	68	89	68	87
Cerebral hemorrhage and softening (74, 83)	3,286	310	293	334	272	262	268	239	221	256	251	269	311
Other [organic] diseases of the heart (90)	7,472	744	659	719	690	646	533	552	498	522	597	651	661
Bronchitis (99)	211	23	28	21	18	30	12	7	10	6	16	23	17
Broncho-pneumonia (100)	1,201	179	137	169	156	77	59	51	40	51	66	96	120
Pneumonia (101)	2,016	315	234	275	256	171	123	73	57	82	99	149	182
Diarrhea and enteritis [under 2 years] (113)	670	56	58	40	43	52	54	70	77	84	57	50	29
Diarrhea and enteritis [2 years and over] (114)	171	18	12	15	16	9	7	25	24	6	20	4	15
Nephritis (128, 129)	3,963	382	329	367	350	344	325	269	308	297	317	320	355
Puerperal septicemia (146)	175	13	18	20	17	14	18	19	14	8	10	16	8
Other puerperal causes (143–145, 147–150)	281	22	17	23	27	28	24	30	26	25	18	19	22
Suicide (165–174)	529	38	41	48	46	47	40	50	40	44	54	48	33
Automobile accidents [1] (188c)	973	56	49	60	71	80	96	84	99	93	98	89	98
Automobile—railroad-train collision (part of 188a)	61	3	5	5	2	8	3	11	2	6	2	4	10
Automobile—street-car collision (part of 188b)	8			1				1	2	2	2		
Other external causes (175–187, part of 188a; b, 188d–203)	2,185	197	133	183	179	175	179	251	200	190	155	165	178
All other causes	13,720	1,218	1,107	1,234	1,246	1,093	1,174	1,172	1,049	1,089	1,123	1,082	1,133
NEW YORK, all causes	140,899	13,417	11,882	13,419	13,049	12,714	11,115	10,725	10,122	10,229	10,796	11,304	12,127
Typhoid and paratyphoid fever (1)	190	22	9	11	12	9	8	14	28	26	18	20	13
Malaria (5)	5			1	1							1	2
Smallpox (6)	1							1					
Measles (7)	197	36	21	21	30	28	25	16	5	6	1	5	3
Scarlet fever (8)	219	21	20	33	39	29	16	14	11	1	8	10	17
Whooping cough (9)	510	38	36	54	44	32	35	57	35	59	40	43	37
Diphtheria (10)	1,002	88	80	86	116	105	107	66	49	42	72	87	104
Influenza (11)	1,310	217	184	207	166	114	59	30	27	46	77	79	104
Dysentery (16)	51	4	4	1	1	4	1	6	10	10	6	3	1
Erysipelas (21)	385	43	37	44	63	52	39	30	15	15	14	8	25
Lethargic encephalitis (23)	221	23	19	19	20	19	15	26	13	25	16	11	15
Meningococcus meningitis (24)	160	10	13	22	18	26	9	10	8	9	6	14	15
Tuberculosis of the respiratory system (31)	8,284	745	657	847	833	827	690	643	634	609	576	610	613
Other forms of tuberculosis (32–37)	1,173	118	99	101	130	108	97	96	108	73	82	81	80
Diabetes mellitus (57)	2,909	294	265	266	226	250	257	227	204	205	215	254	246
Cerebral hemorrhage and softening (74, 83)	9,391	908	769	852	826	799	751	676	675	714	758	777	886
Other [organic] diseases of the heart (90)	27,467	2,631	2,337	2,590	2,463	2,457	2,111	2,026	1,938	1,946	2,143	2,246	2,579
Bronchitis (99)	645	82	71	71	64	68	49	28	28	26	41	53	64
Broncho-pneumonia (100)	4,736	624	541	607	534	443	297	216	206	217	277	342	432
Pneumonia (101)	6,653	907	723	924	917	638	407	242	214	236	343	489	613
Diarrhea and enteritis [under 2 years] (113)	1,586	92	123	115	126	129	115	135	182	182	174	108	105
Diarrhea and enteritis [2 years and over] (114)	393	21	27	22	29	33	27	40	48	49	44	30	23
Nephritis (128, 129)	11,722	1,177	991	1,083	1,110	1,061	958	892	796	842	840	944	1,028
Puerperal septicemia (146)	545	44	38	56	74	60	52	39	36	37	38	37	34
Other puerperal causes (143–145, 147–150)	835	73	73	77	55	64	70	78	74	65	72	73	61
Suicide (165–174)	1,878	139	140	161	169	188	162	157	131	145	144	171	171
Automobile accidents [1] (188c)	2,384	142	116	129	161	210	236	203	211	270	287	250	169
Automobile—railroad-train collision (part of 188a)	144	7	1	7	4	19	9	29	7	13	17	20	11
Automobile—street-car collision (part of 188b)	32	2	1	2	4	2	5	2	5	4	1	2	2
Other external causes (175–187, part of 188a, b, 188d–203)	7,253	646	599	572	562	589	624	707	616	586	563	568	621
All other causes	48,618	4,263	3,888	4,438	4,252	4,351	3,884	4,019	3,808	3,771	3,923	3,968	4,052

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA (WHITE), all causes	19,844	1,867	1,468	1,790	1,781	1,849	1,831	1,650	1,403	1,421	1,529	1,569	1,686
Typhoid and paratyphoid fever (1)	124	1	4	3	2	8	13	33	24	7	11	9	9
Malaria (5)	22	2			1	2	2	1	2	8	3	1	
Smallpox (6)	11	2	1	1	2	2				1	1		1
Measles (7)	191	4	20	14	32	37	42	12	2	2	1	10	15
Scarlet fever (8)	33	4	4	2		2		2	1	1	9	4	4
Whooping cough (9)	328	18	25	46	47	40	55	29	29	8	17	6	8
Diphtheria (10)	231	33	14	11	8	7	2	4	12	24	44	40	32
Influenza (11)	643	88	67	144	98	44	22	9	10	21	30	50	60
Dysentery (16)	113	1	2	5	5	29	29	20	9	3	7	1	2
Erysipelas (21)	31	5	3	5	2		3	2	1	1	1	3	5
Lethargic encephalitis (23)	19	4		2		5	2		1	1	1	3	
Meningococcus meningitis (24)	17	1	1	5	2			2		3		1	2
Tuberculosis of the respiratory system (31)	1,039	104	96	94	95	95	92	80	80	80	73	80	70
Other forms of tuberculosis (32–37)	125	9	11	17	14	15	9	10	8	5	12	8	7
Diabetes mellitus (57)	175	19	15	19	12	21	6	10	13	12	13	20	15
Cerebral hemorrhage and softening (74, 83)	1,411	156	109	122	131	131	107	109	99	107	103	107	130
Other [organic] diseases of the heart (90)	2,190	212	174	184	201	204	206	168	166	147	162	177	189
Bronchitis (99)	49	4	3	5	3	2	5	5	3	3	9	3	4
Broncho-pneumonia (100)	488	76	48	47	51	29	24	22	16	18	40	43	74
Pneumonia (101)	741	131	83	100	77	66	27	19	18	18	36	68	98
Diarrhea and enteritis [under 2 years] (113)	704	14	12	14	20	129	170	120	60	64	53	31	17
Diarrhea and enteritis [2 years and over] (114)	185	12	1	5	11	31	44	30	15	9	13	6	8
Nephritis (128, 129)	1,724	51	134	162	144	146	145	152	121	139	137	142	151
Puerperal septicemia (146)	74	14	5	5	6	5	5	6	9	3	7	7	2
Other puerperal causes (143–145, 147–150)	219	18	23	22	18	19	27	12	19	17	14	13	17
Suicide (165–174)	122	9	6	7	10	12	9	14	8	9	14	15	9
Automobile accidents [1] (188c)	377	25	23	21	33	24	22	37	30	35	46	40	41
Automobile—railroad-train collision (part of 188a)	24		1	1	4	1		1	1	8	1	6	
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	884	81	55	68	79	70	62	102	63	65	71	89	79
All other causes	7,550	669	528	659	673	673	701	639	583	602	600	586	637
NORTH CAROLINA (COLORED), all causes	13,073	1,088	903	1,294	1,224	1,219	1,245	1,198	1,026	958	958	942	1,018
Typhoid and paratyphoid fever (1)	110	5	3	2	2	5	19	24	19	16	8	5	2
Malaria (5)	38				4	4	6	5	6	7	2	4	
Smallpox (6)	4		2	1		1							
Measles (7)	55	1	2	3	6	7	13	8	3		2	3	7
Scarlet fever (8)	1				1								
Whooping cough (9)	296	15	9	34	33	48	57	34	22	14	13	12	5
Diphtheria (10)	46	4	2		1	3		3	3	6	10	10	4
Influenza (11)	445	58	46	121	80	23	13	9	3	11	16	22	43
Dysentery (16)	51			2	2	13	13	10	4	3	1	1	2
Erysipelas (21)	8		1	1			1	2	1			2	
Lethargic encephalitis (23)	7			3	1	1		1	1				
Meningococcus meningitis (24)	11			1	2	1	3	1		2		1	
Tuberculosis of the respiratory system (31)	1,280	105	95	119	138	112	121	123	103	100	75	88	106
Other forms of tuberculosis (32–37)	134	12	11	12	16	12	8	13	11	13	10	11	5
Diabetes mellitus (57)	68	7	4	8	1	8	5	4	2	3	8	10	8
Cerebral hemorrhage and softening (74, 83)	778	61	73	63	66	58	69	63	78	51	61	70	65
Other [organic] diseases of the heart (90)	1,241	90	76	137	123	122	108	112	98	85	116	92	82
Bronchitis (99)	33	3	4	1	3	1	3	4	1	2	5	5	1
Broncho-pneumonia (100)	373	50	41	42	34	36	22	15	17	22	17	33	44
Pneumonia (101)	584	92	67	81	67	55	31	16	22	19	31	37	66
Diarrhea and enteritis [under 2 years] (113)	451	9	6	11	25	82	103	76	41	31	43	20	4
Diarrhea and enteritis [2 years and over] (114)	90	3	2	4	5	12	26	10	8	6	8	2	4
Nephritis (128, 129)	1,011	78	78	97	102	83	77	105	75	81	75	75	85
Puerperal septicemia (146)	80	7	4	6	6	4	9	4	8	11	10	6	5
Other puerperal causes (143–145, 147–150)	174	8	13	16	20	21	15	18	13	13	14	8	15
Suicide (165–174)	10	1		2	1		2	1	1			1	1
Automobile accidents [1] (188c)	126	4	6	11	7	10	8	4	10	19	19	17	11
Automobile—railroad-train collision (part of 188a)	11	2	1				1		2			4	1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	697	56	52	55	77	44	49	69	54	73	42	46	80
All other causes	4,860	417	305	461	401	453	463	464	420	370	372	362	372
NORTH DAKOTA, all causes	5,211	511	481	489	486	420	382	382	389	427	384	437	423
Typhoid and paratyphoid fever (1)	13			2	1	1		2		1	4	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	36	7	4	3	9	2	4	1	1	2			3
Scarlet fever (8)	25	2	1	2	6	2	3	3	1	1	1		3
Whooping cough (9)	32	6	4	7	5	1	3	2	2		2		
Diphtheria (10)	32	3	1	3	2	2			8	2	1	5	5
Influenza (11)	103	14	11	14	16	8	8	2	4	2	3	9	12
Dysentery (16)	8	1				1	1	3				1	1
Erysipelas (21)	21	1	4	3	5		3		1	1		1	2
Lethargic encephalitis (23)	4				2		2						
Meningococcus meningitis (24)	24	1	6	1	3			1	1	1	3		7
Tuberculosis of the respiratory system (31)	253	19	28	25	27	25	18	32	17	14	17	12	19
Other forms of tuberculosis (32–37)	61	7	8	4	9	5	7	3	4	4	1	5	4
Diabetes mellitus (57)	87	11	7	2	9	9	5	5	6	9	7	6	11
Cerebral hemorrhage and softening (74, 83)	401	32	39	40	31	24	36	33	30	32	28	39	37
Other [organic] diseases of the heart (90)	542	52	40	50	47	47	47	45	42	54	42	38	38
Bronchitis (99)	22	1	2	5	1	3		2			3	2	3
Broncho-pneumonia (100)	200	37	29	15	21	20	7	5	5	10	21	10	20
Pneumonia (101)	180	30	27	20	18	15	8	4	5	11	13	16	13
Diarrhea and enteritis [under 2 years] (113)	91	5	10	5	10	7	6	4	8	15	3	8	10
Diarrhea and enteritis [2 years and over] (114)	21	2		1	2		1	3	3	5	2	2	
Nephritis (128, 129)	291	28	20	17	20	28	21	26	27	18	29	34	23
Puerperal septicemia (146)	25	1	5	5	1	1	5	3		1		2	1
Other puerperal causes (143–145, 147–150)	50	5	2	3	9	7	4	6	1	3	5	3	2
Suicide (165–174)	49	2	3	8	3	6	4	3	5	6	2	4	3
Automobile accidents [1] (188c)	72	1	1	4	4	4	6	13	11	13	11	3	1
Automobile—railroad-train collision (part of 188a)	7					1	4	1					1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	295	12	20	23	17	20	27	29	41	29	24	28	25
All other causes	2,266	231	209	227	208	181	152	151	166	193	162	208	178

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO, all causes	73,515	6,946	6,243	6,864	6,632	6,268	5,817	5,625	5,357	5,519	5,832	5,891	6,521
Typhoid and paratyphoid fever (1)	181	17	4	6	11	9	8	14	20	29	22	18	23
Malaria (5)	4				1			1		1		1	
Smallpox (6)	10	1	2	4	1		1						1
Measles (7)	40	1	3	9	8	9	4		1	1	1	2	1
Scarlet fever (8)	162	18	25	26	21	15	12	5	5	2	7	13	13
Whooping cough (9)	278	25	28	35	34	19	34	32	19	22	12	10	8
Diphtheria (10)	507	69	41	39	39	32	27	25	23	39	50	58	65
Influenza (11)	1,484	232	177	216	203	116	84	44	36	41	83	106	146
Dysentery (16)	59	2	2	2	6	3	3	4	6	11	11	4	5
Erysipelas (21)	160	18	12	27	13	18	13	13	9	11	7	12	7
Lethargic encephalitis (23)	118	16	11	8	15	15	6	14	6	7	4	6	10
Meningococcus meningitis (24)	49	5	9	6	2	3	7	4	4	1	4	3	1
Tuberculosis of the respiratory system (31)	4,093	362	339	369	383	396	333	337	314	346	321	285	308
Other forms of tuberculosis (32–37)	619	54	47	45	72	54	44	61	64	52	34	52	40
Diabetes mellitus (57)	1,198	130	122	100	97	97	86	81	92	80	110	81	122
Cerebral hemorrhage and softening (74, 83)	6,780	676	576	669	565	587	530	510	459	477	539	547	645
Other [organic] diseases of the heart (90)	11,678	1,150	968	1,040	1,039	1,081	950	838	804	840	880	960	1,128
Bronchitis (99)	289	30	37	38	32	23	21	19	12	13	19	16	29
Broncho-pneumonia (100)	2,281	325	289	271	256	199	118	101	87	105	130	180	220
Pneumonia (101)	2,822	401	309	402	348	231	166	114	109	111	139	230	262
Diarrhea and enteritis [under 2 years] (113)	915	45	48	51	49	36	51	94	129	151	137	72	52
Diarrhea and enteritis [2 years and over] (114)	303	15	23	15	17	12	28	36	44	33	42	24	14
Nephritis (128, 129)	5,418	493	476	493	479	444	456	378	400	409	421	470	499
Puerperal septicemia (146)	306	24	29	27	26	27	28	19	27	18	27	29	25
Other puerperal causes (143–145, 147–150)	459	40	38	38	44	48	32	39	35	32	32	39	42
Suicide (165–174)	890	64	57	84	82	84	100	67	70	70	90	64	58
Automobile accidents [1] (188c)	1,494	56	78	97	120	139	128	134	143	150	163	157	129
Automobile—railroad-train collision (part of 188a)	239	17	12	18	7	27	22	12	27	17	37	16	27
Automobile—street-car collision (part of 188b)	65	10	3	7	3	2	3	8	5	2	11	6	5
Other external causes (175–187, part of 188a, b, 188d–203)	4,242	348	294	336	347	320	379	454	353	376	332	344	359
All other causes	26,372	2,302	2,184	2,386	2,312	2,222	2,143	2,167	2,054	2,072	2,167	2,086	2,277
OREGON, all causes	10,206	914	1,000	894	888	872	796	829	795	759	795	794	870
Typhoid and paratyphoid fever (1)	36	3	2		6	3	8	2		3	4	4	1
Malaria (5)	1						1						
Smallpox (6)	5		2			1	1		1				
Measles (7)	15			2	2	6	2	3					
Scarlet fever (8)	16		5	6	1	1			2				1
Whooping cough (9)	28		2	5	5	3	4	4	3			2	
Diphtheria (10)	37	3	4	4	3	2	2		2		5	6	6
Influenza (11)	248	28	75	55	23	12	10	5	5	8	10	6	11
Dysentery (16)	5		1				1			2		1	
Erysipelas (21)	21	6	2	1	4	2			2	1		2	1
Lethargic encephalitis (23)	18	1	3		1	1	6	1		2	1	1	1
Meningococcus meningitis (24)	32	3	2	4	4	2	1		8	1		3	4
Tuberculosis of the respiratory system (31)	439	38	47	43	47	43	37	49	29	29	24	26	27
Other forms of tuberculosis (32–37)	91	6	8	8	10	10	8	10	5	4	9	8	5
Diabetes mellitus (57)	182	20	29	13	14	11	9	14	18	15	8	13	18
Cerebral hemorrhage and softening (74, 83)	899	93	87	82	92	66	67	93	58	63	57	60	81
Other [organic] diseases of the heart (90)	1,712	152	156	152	150	147	140	130	150	139	131	120	145
Bronchitis (99)	44	5	10	2	3	4			3	4	4	6	3
Broncho-pneumonia (100)	281	45	46	28	18	16	12	13	12	16	21	21	33
Pneumonia (101)	325	47	49	22	32	21	16	15	12	12	32	32	35
Diarrhea and enteritis [under 2 years] (113)	42	7	7	2	1	4	1	6	3	7	3		1
Diarrhea and enteritis [2 years and over] (114)	32	1	3	3	2	3	4		3	4	8	1	
Nephritis (128, 129)	732	64	65	61	58	65	70	63	51	51	55	66	63
Puerperal septicemia (146)	32	6	4	1	2	4	1	2	4	2	2	2	2
Other puerperal causes (143–145, 147–150)	61	7	9	7	3	6	5	4	5	4	5	4	2
Suicide (165–174)	164	11	15	14	17	20	13	16	11	11	14	11	11
Automobile accidents [1] (188c)	194	8	7	18	23	11	13	22	24	22	20	14	12
Automobile—railroad-train collision (part of 188a)	17		1	2		1	1	3		4	2	2	1
Automobile—street-car collision (part of 188b)	7		2	1	1					2		1	
Other external causes (175–187, part of 188a, b, 188d–203)	647	30	43	37	48	68	55	72	61	65	60	55	53
All other causes	3,843	330	314	321	318	339	308	302	323	288	320	327	353
PENNSYLVANIA, all causes	111,252	11,129	9,571	10,920	10,342	9,605	8,500	8,046	7,796	7,928	8,672	9,090	9,653
Typhoid and paratyphoid fever (1)	262	13	11	18	17	15	18	24	38	25	36	29	18
Malaria (5)	4		1							1	1	1	
Smallpox (6)													
Measles (7)	250	39	45	29	31	25	23	9	7	2	6	11	23
Scarlet fever (8)	258	35	31	36	33	28	17	13	6	9	6	25	19
Whooping cough (9)	451	55	52	63	44	46	32	38	35	32	18	15	21
Diphtheria (10)	340	38	73	80	83	64	64	53	35	33	77	98	92
Influenza (11)	2,400	422	330	382	348	194	85	53	44	75	96	152	219
Dysentery (16)	46	1	2	3	1	1	2	2	4	15	7	3	5
Erysipelas (21)	253	27	34	41	35	33	21	10	5	6	14	14	13
Lethargic encephalitis (23)	94	9	10	9	11	5	9	13	7	3	5	8	5
Meningococcus meningitis (24)	69	5	5	8	5	8	6	2	3	5	8	6	8
Tuberculosis of the respiratory system (31)	5,978	485	513	616	606	565	505	481	473	394	423	459	458
Other forms of tuberculosis (32–37)	831	70	73	88	81	93	82	63	65	61	55	42	58
Diabetes mellitus (57)	1,841	185	147	166	186	157	148	136	123	121	146	151	175
Cerebral hemorrhage and softening (74, 83)	8,478	836	718	745	734	738	691	636	620	594	660	707	799
Other [organic] diseases of the heart (90)	17,979	1,809	1,459	1,805	1,695	1,535	1,358	1,209	1,265	1,228	1,386	1,529	1,701
Bronchitis (99)	651	71	80	81	72	39	46	32	39	37	46	57	51
Broncho-pneumonia (100)	3,840	592	453	519	415	311	233	167	152	174	225	268	331
Pneumonia (101)	5,561	842	595	774	671	493	341	193	178	224	313	443	494
Diarrhea and enteritis [under 2 years] (113)	2,284	159	147	141	130	121	116	154	245	361	345	170	145
Diarrhea and enteritis [2 years and over] (114)	421	37	25	20	29	29	26	39	51	72	48	24	21
Nephritis (128, 129)	9,721	1,010	847	887	894	889	783	696	658	721	700	751	885
Puerperal septicemia (146)	569	62	47	58	59	59	39	63	38	33	43	30	38
Other puerperal causes (143–145, 147–150)	776	59	61	89	71	74	66	63	69	50	65	53	56
Suicide (165–174)	1,182	96	102	97	109	94	85	98	102	87	105	111	96
Automobile accidents [1] (188c)	1,860	124	79	122	134	156	191	177	170	179	187	182	159
Automobile—railroad-train collision (part of 188a)	92	8	9	10	5	4	9	12	5	9	7	6	8
Automobile—street-car collision (part of 188b)	34	1	1	1	1	5		3	5	2	3	7	5
Other external causes (175–187, part of 188a, b, 188d–203)	6,772	667	530	577	530	576	545	663	498	482	532	607	565
All other causes	37,505	3,322	3,091	3,455	3,312	3,248	2,959	2,944	2,856	2,893	3,109	3,131	3,185

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND, all causes	7,897	746	677	799	746	660	586	586	536	552	670	638	701
Typhoid and paratyphoid fever (1)	4							1	1		2		
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	15	1	2	2			2	2	1	1	1		3
Whooping cough (9)	40	9	5	8	4	3	2	3	1	2		2	1
Diphtheria (10)	61	7	2	6	3	10	6	2	1	2	5	11	6
Influenza (11)	88	13	11	20	16	4	7	1	2	1	6		7
Dysentery (16)	4	2			1				1				
Erysipelas (21)	19	2	1	4	3	4	1		2		1	1	
Lethargic encephalitis (23)	7		1	1		2					1	1	1
Meningococcus meningitis (24)	5			1		1			1			1	1
Tuberculosis of the respiratory system (31)	439	36	37	37	47	44	41	37	24	34	34	31	37
Other forms of tuberculosis (32–37)	77	11	5	7	7	8	3	13	4	8	2	7	2
Diabetes mellitus (57)	145	15	14	8	17	13	12	8	9	8	13	14	14
Cerebral hemorrhage and softening (74, 83)	758	79	65	67	77	53	69	53	49	48	72	61	65
Other [organic] diseases of the heart (90)	1,289	119	116	131	141	106	88	88	79	90	93	95	143
Bronchitis (99)	50	5	9	5	5	6	3	1		1	2	7	6
Broncho-pneumonia (100)	235	29	34	44	17	19	12	9	9	12	17	14	19
Pneumonia (101)	365	60	41	47	53	27	19	16	9	12	27	20	34
Diarrhea and enteritis [under 2 years] (113)	96	5	1	5	5	5	12	10	7	11	15	9	11
Diarrhea and enteritis [2 years and over] (114)	31	1	1	1	4	2	4	3	5	4	3	1	2
Nephritis (128, 129)	735	66	50	71	66	59	53	71	62	46	68	57	66
Puerperal septicemia (146)	29	2	4	4	1	4	1	1	2	1	2	5	2
Other puerperal causes (143–135, 147–150)	59	2	6	11	6	8	2	3	4	4	3	8	2
Suicide (165–174)	65	3	9	4	8	5	2	4	5	8	8	5	4
Automobile accidents [1] (188c)	131	5	7	11	5	8	9	8	14	17	13	14	20
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	3				1								2
Other external causes (175–187, part of 188a, b, 188d–203)	320	25	30	25	24	25	27	34	24	26	33	23	24
All other causes	2,826	249	226	279	235	243	211	218	220	216	249	251	229
SOUTH CAROLINA (WHITE), all causes	8,961	758	621	788	777	860	788	723	744	686	692	692	832
Typhoid and paratyphoid fever (1)	149	5	7	5	5	16	25	15	22	18	12	13	6
Malaria (5)	65	1		3	3	2	2	7	9	8	22	7	1
Smallpox (6)	1	1											
Measles (7)	75	6	5	5	6	10	8	6	6	1	1	8	13
Scarlet fever (8)	6	1		1						2	1		1
Whooping cough (9)	80	1	4	2	10	14	9	14	5	7	2	3	9
Diphtheria (10)	106	8	2	1	1	1	1	2	7	12	36	22	13
Influenza (11)	307	36	30	60	55	27	8	2	6	6	12	23	42
Dysentery (16)	74	1	2	1	7	24	15	8	7	3	3	1	2
Erysipelas (21)	15			2		3	2		2	1	2	2	1
Lethargic encephalitis (23)	10		1	1	2	3				1			2
Meningococcus meningitis (24)	11		1	2		1	2	1		1	1	1	1
Tuberculosis of the respiratory system (31)	313	30	16	44	29	33	18	26	30	21	22	21	23
Other forms of tuberculosis (32–37)	36	4	2	1	3	9	1	1	1	4	2	2	6
Diabetes mellitus (57)	95	9	9	13	6	10	7	5	7	7	9	11	2
Cerebral hemorrhage and softening (74, 83)	679	71	43	48	70	52	57	45	56	45	56	66	70
Other [organic] diseases of the heart (90)	1,021	85	85	117	72	85	91	90	71	83	74	71	97
Bronchitis (99)	16	2	1	3	4	2	1		1				2
Broncho-pneumonia (100)	170	24	15	14	12	12	9	7	12	10	16	17	22
Pneumonia (101)	394	66	46	52	32	34	16	17	10	19	17	35	50
Diarrhea and enteritis [under 2 years] (113)	386	7	4	17	31	75	67	49	42	31	23	25	15
Diarrhea and enteritis [2 years and over] (114)	70	4	2	1	8	17	7	9	4	8	3	1	6
Nephritis (128, 129)	979	85	81	92	86	92	81	84	72	81	76	70	79
Puerperal septicemia (146)	36	2	3	2	2	2	4	4	3	3	2	3	6
Other puerperal causes (143–145, 147–150)	132	9	11	7	14	13	14	13	10	12	12	9	8
Suicide (165–174)	73	6	8	9	5	4	4	5	10	6	5	3	8
Automobile accidents [1] (188c)	154	8	5	5	13	14	8	12	15	16	18	18	22
Automobile—railroad-train collision (part of 188a)	1										1		
Automobile—street-car collision (part of 188b)	1							1					
Other external causes (175–187, part of 188a, b, 188d–203)	394	37	29	46	29	27	26	26	30	27	31	38	48
All other causes	3,112	249	209	234	272	278	305	274	306	253	233	222	277
SOUTH CAROLINA (COLORED), all causes	12,779	1,027	814	1,072	1,097	1,227	1,183	1,204	1,077	1,040	979	991	1,068
Typhoid and paratyphoid fever (1)	283	4	4	2	8	25	43	47	48	38	34	19	11
Malaria (5)	217	9	6	5	12	11	24	13	35	40	30	21	11
Smallpox (6)	5			1	1	2		1					
Measles (7)	28	1	1	1	3	4	2	2	1		2	5	6
Scarlet fever (8)	1			1									
Whooping cough (9)	209	3	8	15	25	17	25	27	21	19	19	16	14
Diphtheria (10)	45	5	3	6	2	3			5	8	9	2	2
Influenza (11)	346	49	39	68	54	26	19	5	2	11	10	24	39
Dysentery (16)	105	2	3	2	15	27	19	14	5	6		5	7
Erysipelas (21)	2			1						1			
Lethargic encephalitis (23)	3		1				2						
Meningococcus meningitis (24)	5					3					1		1
Tuberculosis of the respiratory system (31)	1,099	96	81	113	91	122	105	107	85	72	59	81	87
Other forms of tuberculosis (32–37)	102	12	7	12	11	12	6	13	11	5	7	2	4
Diabetes mellitus (57)	53	3	6	6	1	3	4	4	3	3	9	2	9
Cerebral hemorrhage and softening (74, 83)	737	63	53	82	74	60	54	65	66	62	64	41	53
Other [organic] diseases of the heart (90)	1,268	105	102	100	106	129	123	117	95	94	87	107	103
Bronchitis (99)	39	5	2	3	2		4		4	3	3	5	8
Broncho-pneumonia (100)	200	32	18	20	16	17	8	8	14	9	15	16	27
Pneumonia (101)	638	77	64	83	68	55	33	24	31	32	33	62	76
Diarrhea and enteritis [under 2 years] (113)	385	12	9	11	42	84	58	56	37	24	20	17	15
Diarrhea and enteritis [2 years and over] (114)	93	2	1	8	6	17	15	16	8	5	5	8	2
Nephritis (128, 129)	1,151	96	60	85	77	100	106	114	119	111	93	85	105
Puerperal septicemia (146)	70	4	7	4	8	5	9	4	7	12	2	4	4
Other puerperal causes (143–145, 147–150)	167	8	10	13	17	22	22	14	16	8	10	14	13
Suicide (165–174)	15	4				3	1			1	2		4
Automobile accidents [1] (188c)	125	10	4	9	9	8	6	6	10	7	18	24	14
Automobile—railroad-train collision (part of 188a)	2						2						
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	545	52	36	41	39	33	36	53	42	45	54	50	64
All other causes	4,841	373	289	380	410	439	457	494	412	424	393	381	389

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE (WHITE), all causes	20,549	1,907	1,521	1,838	1,731	1,761	1,823	1,810	1,528	1,572	1,551	1,636	1,871
Typhoid and paratyphoid fever (1)	364	27	4	4	8	22	24	56	70	62	53	18	16
Malaria (5)	94	1	2	2	2	4	4	9	16	23	19	7	5
Smallpox (6)	2				2								
Measles (7)	133	8	12	29	15	17	3	1	2	7	6	14	19
Scarlet fever (8)	49	6	5	4	6	2	1	1	2	6	6	4	6
Whooping cough (9)	263	26	27	30	31	23	29	26	15	15	19	15	7
Diphtheria (10)	166	20	9	14	2	2	1	4	8	24	32	29	21
Influenza (11)	625	88	70	105	87	49	14	8	9	10	20	63	102
Dysentery (16)	184	1	1	5	5	25	45	29	23	19	12	16	3
Erysipelas (21)	43	5	5	7	2	6	5		1	1	3	6	2
Lethargic encephalitis (23)	15		1	3		1	2		3			4	1
Meningococcus meningitis (24)	26		6	2	2	3	2	2	1	2	2	4	
Tuberculosis of the respiratory system (31)	1,843	170	157	197	203	171	158	155	132	115	112	126	147
Other forms of tuberculosis (32–37)	236	24	22	14	20	17	20	24	13	20	21	19	22
Diabetes mellitus (57)	169	25	9	16	14	8	10	8	14	17	14	14	20
Cerebral hemorrhage and softening (74, 83)	1,142	107	75	102	99	98	70	76	79	86	110	119	121
Other [organic] diseases of the heart (90)	1,903	176	140	180	156	197	148	168	163	145	117	140	173
Bronchitis (99)	50	7	2	6	5	4	1	3	6	2	3	5	6
Broncho-pneumonia (100)	611	82	70	66	65	35	27	23	20	32	37	63	91
Pneumonia (101)	854	141	90	92	76	62	34	22	26	33	44	90	144
Diarrhea and enteritis [under 2 years] (113)	589	13	4	9	20	56	173	115	67	38	43	33	18
Diarrhea and enteritis [2 years and over] (114)	295	11	10	15	8	25	86	50	32	22	15	14	7
Nephritis (128, 129)	1,302	121	94	106	112	114	97	134	96	103	118	101	106
Puerperal septicemia (146)	109	12	12	15	10	9	7	10	3	11	5	6	9
Other puerperal causes (143–145, 147–150)	160	12	13	8	13	11	18	21	9	15	10	15	15
Suicide (165–174)	178	11	15	14	22	18	10	22	14	16	19	12	5
Automobile accidents [1] (188c)	271	20	10	13	24	21	19	29	26	24		23	27
Automobile—railroad-train collision (part of 188a)	17			1		1	1	4	1	4			1
Automobile—street-car collision (part of 188b)	5	1	1						2	1			
Other external causes (175–187, part of 188a, b, 188d–203)	1,132	114	64	102	82	81	90	119	90	102	83	104	101
All other causes	7,719	678	591	677	640	679	724	691	585	617	589	572	676
TENNESSEE (COLORED), all causes	8,480	712	665	824	736	735	776	776	681	586	654	625	710
Typhoid and paratyphoid fever (1)	174	7	6	8	4	6	20	37	26	26	20	7	7
Malaria (5)	62	3	1	2		3	5	12	10	11	7	7	1
Smallpox (6)	1					1							
Measles (7)	15	3		1	1	1	1	2	1	2	2		1
Scarlet fever (8)	1								1				
Whooping cough (9)	97	7	4	7	11	14	19	15	5	3	7	3	2
Diphtheria (10)	38	1	4	1	2	2		2	2	8	5	7	4
Influenza (11)	292	32	35	66	52	21	6	6	8	10	11	21	24
Dysentery (16)	50	1	1	2	1	5	8	14	5	6	4	1	2
Erysipelas (21)	7	1	2	1			1	1				1	
Lethargic encephalitis (23)	3	1	1		1								
Meningococcus meningitis (24)	6		2	1			2						1
Tuberculosis of the respiratory system (31)	1,121	95	88	101	125	110	125	96	75	64	81	78	83
Other forms of tuberculosis (32–37)	139	11	12	11	22	11	11	7	12	8	11	7	16
Diabetes mellitus (57)	49	4	6	3	4	3	5	4	4	5		3	8
Cerebral hemorrhage and softening (74, 83)	433	36	35	40	35	34	36	30	36	33	32	41	45
Other [organic] diseases of the heart (90)	888	81	67	91	62	74	82	87	85	64	79	42	74
Bronchitis (99)	31	1	1	3	6	2	4	1	3	2	3	3	2
Broncho-pneumonia (100)	241	22	21	35	26	19	20	10	6	15	15	21	31
Pneumonia (101)	406	48	51	65	29	22	18	12	11	18	29	45	58
Diarrhea and enteritis [under 2 years] (113)	140		5	5	8	13	28	29	11	14	10	15	2
Diarrhea and enteritis [2 years and over] (114)	76	2	5	5	8	9	8	6	7	7	7	7	5
Nephritis (128, 129)	610	52	46	61	56	56	56	61	51	37	40	45	49
Puerperal septicemia (146)	47	5	5	8	4	5	1	3	3	4	4	3	2
Other puerperal causes (143–145, 147–150)	72	9	6	10	8	8	6	7	3	4	4	3	4
Suicide (165–174)	19	3		2	3		1	1	3	1	1	1	3
Automobile accidents [1] (188c)	74	5	2	4	5	4	5	9	9	4	9	12	6
Automobile—railroad-train collision (part of 188a)	3			1				2					
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	573	46	45	43	44	61	49	59	58	36	38	36	58
All other causes	2,812	236	214	247	219	251	259	263	246	204	235	216	222
UTAH, all causes	4,737	480	447	452	469	381	337	343	349	310	359	380	430
Typhoid and paratyphoid fever (1)	18		3	1	2	2		2	2	1	3	1	1
Malaria (5)													
Smallpox (6)	2			1							1		
Measles (7)	114	31	29	33	15	4		2					
Scarlet fever (8)	21	6	1	3	4	1	1	1			1	1	2
Whooping cough (9)	21	2	3	1	1	1	6	1	1	1	1	1	2
Diphtheria (10)	56	6	8	9	5	4	1	7	3	2	4	3	4
Influenza (11)	102	16	17	12	11	8	3	1		3	9	10	12
Dysentery (16)	3	1	1									1	
Erysipelas (21)	31	2	3	1	9	2	1	3	2	2		2	4
Lethargic encephalitis (23)	3				1	1							1
Meningococcus meningitis (24)	18	2	2	1		1		1	2	2		5	2
Tuberculosis of the respiratory system (31)	122	8	12	11	12	9	6	10	16	9	6	10	13
Other forms of tuberculosis (32–37)	21		2	2	3	2	6	1	1	2		1	1
Diabetes mellitus (57)	52	5	7	1	9	5		3	3	5	5	1	8
Cerebral hemorrhage and softening (74, 83)	288	30	23	31	26	21	31	13	11	26	32	23	21
Other [organic] diseases of the heart (90)	620	70	44	54	60	69	57	35	44	39	39	55	54
Bronchitis (99)	15	2	1	3	1	1			4	1	2		
Broncho-pneumonia (100)	143	25	19	12	18	6	11	4	5	3	15	9	16
Pneumonia (101)	231	36	23	20	28	14	8	13	6	9	17	26	31
Diarrhea and enteritis [under 2 years] (113)	45	2	4	2	1	2	2	2	6	12	7	3	2
Diarrhea and enteritis [2 years and over] (114)	19	1			2	2	1	1	4	5	1	1	1
Nephritis (128, 129)	301	28	27	28	31	20	21	27	14	19	28	29	29
Puerperal septicemia (146)	42	2	6	5	2	4	4	4	3	4	2	5	1
Other puerperal causes (143–145, 147–150)	55	5	2	7	5	6	5	3	7	3	3	4	5
Suicide (165–174)	50	2	1	7	5	5	4	2	7	1	4	10	2
Automobile accidents [1] (188c)	79	3	3	8	5	11	6	7	8	10	6	8	4
Automobile—railroad-train collision (part of 188a)	3										3		
Automobile—street-car collision (part of 188b)	6						1	1			1	1	2
Other external causes (175–187, part of 188a, b, 188d–203)	315	20	21	30	31	23	33	36	34	15	29	19	24
All other causes	1,941	175	185	169	182	157	129	163	166	136	140	151	188

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued.

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT, all causes	4,882	496	420	456	449	404	414	365	351	342	322	444	419
Typhoid and paratyphoid fever (1)	11	2		3			2		1	2			1
Malaria (5)	1												1
Smallpox (6)													
Measles (7)	35	5	7	3	6	6	3	2	1		1		1
Scarlet fever (8)	11	3	1	1	1	1	1	1		2			
Whooping cough (9)	40	6	6	3	3	3	1	6	3	2	2	3	2
Diphtheria (10)	9	1	1				2		1	1	1		2
Influenza (11)	134	32	22	11	20	11	9	2	3	1	5	9	9
Dysentery (16)	2	1						1					
Erysipelas (21)	6					1		1		1		3	
Lethargic encephalitis (23)	3			1					1				1
Meningococcus meningitis (24)	2				1								1
Tuberculosis of the respiratory system (31)	205	19	19	19	18	17	14	18	27	13	14	12	15
Other forms of tuberculosis (32–37)	42	4	3	2	1	5	5	2	3	3	2	5	7
Diabetes mellitus (57)	92	5	8	7	12	10	10	4	9	6	6	11	4
Cerebral hemorrhage and softening (74, 83)	491	54	39	62	31	38	40	35	28	38	26	41	59
Other [organic] diseases of the heart (90)	782	91	70	62	57	78	66	54	54	44	53	73	80
Bronchitis (99)	40	5	5	6	3	1	2	3	2	2	4	4	3
Broncho-pneumonia (100)	124	18	12	16	15	12	11	3	3	5	6	11	12
Pneumonia (101)	182	25	28	24	20	15	15	9	7	6	6	10	17
Diarrhea and enteritis [under 2 years] (113)	33	3	2	4	2	2		9	3	4	1	1	2
Diarrhea and enteritis [2 years and over] (114)	26		2	1	2	4	1	3	1	3	2	4	3
Nephritis (128, 129)	376	41	27	37	41	35	36	34	18	30	27	25	25
Puerperal septicemia (146)	15	1	1	1	1	2		3	2	2		2	
Other puerperal causes (143–145, 147–150)	36	3		6	6	8			3	4	3	3	
Suicide (165–174)	49	7	3	4	5	2	8	4	2	3	3	3	5
Automobile accidents [1] (188c)	60	1	1	1	3	2	6	10	2	9	13	7	5
Automobile—railroad-train collision (part of 188a)	6								4	1			1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	295	19	17	14	22	17	35	27	23	14	17	73	17
All other causes	1,774	150	146	168	179	134	147	134	150	146	130	144	146
VIRGINIA (WHITE), all causes	17,503	1,724	1,436	1,680	1,554	1,445	1,369	1,421	1,345	1,299	1,368	1,401	1,461
Typhoid and paratyphoid fever (1)	115	10	4	4	4	3	13	11	21	18	11	13	3
Malaria (5)	9					1	1	1	1	2	2		1
Smallpox (6)	4	1	2		1								
Measles (7)	85	4	15	15	21	10	10	4	4			1	1
Scarlet fever (8)	27	6	4		2		3	1		3	6		2
Whooping cough (9)	244	22	30	30	38	31	23	24	19	11	9	2	5
Diphtheria (10)	118	19	18	5	2	5	4	2	2	12	11	21	17
Influenza (11)	640	90	89	156	112	37	15	12	9	9	32	37	42
Dysentery (16)	115	2		2	3	9	32	30	15	13	3	3	3
Erysipelas (21)	39	4	7	3	1	1	2	2		4	3	6	6
Lethargic encephalitis (23)	23	1	2	2	1	7	2	3		2		3	
Meningococcus meningitis (24)	15	1	3	2	2			2	2			2	1
Tuberculosis of the respiratory system (31)	1,123	138	96	100	106	103	80	88	89	85	59	105	74
Other forms of tuberculosis (32–37)	128	9	7	12	14	8	15	13	14	10	9	9	8
Diabetes mellitus (57)	191	15	13	19	17	19	9	15	9	12	19	22	22
Cerebral hemorrhage and softening (74, 83)	1,289	125	96	108	109	114	124	91	116	85	112	103	106
Other [organic] diseases of the heart (90)	2,387	231	194	271	227	194	183	173	166	184	160	183	221
Bronchitis (99)	67	12	4	11	7	5	4	3	3	4	6	3	5
Broncho-pneumonia (100)	434	71	50	51	44	30	12	20	18	27	31	33	47
Pneumonia (101)	553	110	69	77	54	50	14	21	11	15	26	58	48
Diarrhea and enteritis [under 2 years] (113)	374	7	11	10	12	7	52	78	72	54	45	13	13
Diarrhea and enteritis [2 years and over] (114)	123	7	3	4	4	7	12	31	19	10	14	6	6
Nephritis (128, 129)	1,669	171	137	138	158	137	133	137	116	113	139	138	152
Puerperal septicemia (146)	78	10	8	6	7	6	3	10	7	5	4	5	7
Other puerperal causes (143–145, 147–150)	118	13	14	14	7	12	9	7	8	5	8	11	10
Suicide (165–174)	175	16	11	13	11	19	14	22	8	14	11	23	13
Automobile accidents [1] (188c)	267	16	13	15	15	24	28	23	20	38	28	28	19
Automobile—railroad-train collision (part of 188a)	24	4				1	1	3	4	1	3	3	4
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	1,042	84	75	84	82	88	78	91	97	83	97	89	94
All other causes	6,027	525	461	528	493	517	493	503	495	480	520	481	531
VIRGINIA (COLORED), all causes	11,269	1,023	925	1,058	949	983	962	991	837	820	840	868	1,013
Typhoid and paratyphoid fever (1)	59	3	1	3	3	2	8	8	9	8	9	1	4
Malaria (5)	14					1	1	2	2	5	2	1	
Smallpox (6)	1					1							
Measles (7)	31	2	2	4	4	3	6	5				2	3
Scarlet fever (8)	2									2			
Whooping cough (9)	207	5	15	24	14	28	24	19	20	12	13	15	18
Diphtheria (10)	36	1	1	5	2	2	1	2	2	3	3	6	8
Influenza (11)	470	41	95	108	83	34	8	9	9	11	8	24	40
Dysentery (16)	86	2	2	4	1	7	14	26	17	6	4	1	2
Erysipelas (21)	2	1			1								
Lethargic encephalitis (23)	3	1			1			1					
Meningococcus meningitis (24)	7	1	3			1			1		1		
Tuberculosis of the respiratory system (31)	1,151	117	83	123	108	100	109	76	92	78	86	80	99
Other forms of tuberculosis (32–37)	133	11	9	13	9	16	12	17	6	10	11	4	15
Diabetes mellitus (57)	90	12	6	6	14	1	6	6	4	8	10	8	9
Cerebral hemorrhage and softening (74, 83)	894	84	70	88	68	85	78	76	59	58	59	90	79
Other [organic] diseases of the heart (90)	1,457	134	114	123	126	128	131	117	105	118	103	116	142
Bronchitis (99)	52	10	3	4	5	4	8	2		5	6	4	1
Broncho-pneumonia (100)	336	46	36	43	34	30	19	17	18	9	19	26	39
Pneumonia (101)	505	74	51	76	54	46	20	22	14	21	31	36	60
Diarrhea and enteritis [under 2 years] (113)	318	8	5	4	6	21	51	83	44	30	35	22	9
Diarrhea and enteritis [2 years and over] (114)	97		3	4	5	11	13	17	14	11	7	5	7
Nephritis (128, 129)	1,046	82	102	77	67	106	80	116	78	98	74	85	81
Puerperal septicemia (146)	58	4	7	3	6	4	3	4	6	6	5	3	7
Other puerperal causes (143–145, 147–150)	104	8	9	11	11	8	10	6	4	11	8	9	9
Suicide (165–174)	14	1		2	1	2	1		2	2		2	1
Automobile accidents [1] (188c)	109	10	5	3	6	5	8	10	14	10	20	7	11
Automobile—railroad-train collision (part of 188a)	7	4						2					1
Automobile—street-car collision (part of 188b)	1												1
Other external causes (175–187, part of 188a, b, 188d–203)	598	53	49	47	47	39	49	36	61	47	48	48	74
All other causes	3,381	308	254	283	273	298	302	312	256	251	278	273	293

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, all causes	15,950	1,456	1,380	1,446	1,417	1,384	1,236	1,314	1,127	1,185	1,286	1,262	1,457
Typhoid and paratyphoid fever (1)	32	4	1	1	3	3	1	2	2	4	4	1	6
Malaria (5)													
Smallpox (6)	7	1		2			1						3
Measles (7)	56	3		5	8	10	8	8	2	1	2	5	4
Scarlet fever (8)	36	6	5	7	3	3	3	2			2	2	3
Whooping cough (9)	33	1	3	5	2	5	3	2	2	5	2		3
Diphtheria (10)	50	7	6	3	3	4	2	2	4	6	6	4	3
Influenza (11)	456	53	108	87	51	25	17	16	7	18	14	26	34
Dysentery (16)	9		2	2	1		1		1		1		1
Erysipelas (21)	31	2	8	2	4	2	3	4	1	2		2	1
Lethargic encephalitis (23)	58	3	2	7	10	9	6	4	4		6	2	5
Meningococcus meningitis (24)	116	12	20	14	11	9	7	5	6	2	12	7	11
Tuberculosis of the respiratory system (31)	877	71	64	91	96	90	62	68	64	65	66	66	74
Other forms of tuberculosis (32–37)	176	13	15	22	14	19	15	13	12	10	20	12	11
Diabetes mellitus (57)	271	27	29	19	18	30	22	18	20	13	26	18	31
Cerebral hemorrhage and softening (74, 83)	1,315	113	107	117	129	109	90	108	90	104	99	106	143
Other [organic] diseases of the heart (90)	2,419	239	213	181	172	214	229	185	171	194	200	199	222
Bronchitis (99)	48	8	6	5	3	2	4	3	3	4		2	8
Broncho-pneumonia (100)	353	46	43	30	29	34	25	18	15	22	24	32	35
Pneumonia (101)	587	70	61	50	74	43	36	27	25	36	45	56	64
Diarrhea and enteritis [under 2 years] (113)	82	5	6	5	5	10	7	6	6	11	8	8	5
Diarrhea and enteritis [2 years and over] (114)	45	1	1	2	5	4	1	3	4	11	6	6	1
Nephritis (128, 129)	989	85	77	100	89	94	67	75	72	79	84	76	91
Puerperal septicemia (146)	54	6	6	10	4	6	4	3	5	4	2	2	2
Other puerperal causes (143–145, 147–150)	101	13	8	15	7	8	10	9	3	6	7	5	10
Suicide (165–174)	310	27	27	32	27	34	30	31	24	20	22	15	21
Automobile accidents [1] (188c)	365	33	19	22	35	35	20	38	36	33	29	33	32
Automobile—railroad-train collision (part of 188a)	20	3	2	1			1	3	4	2	1	2	1
Automobile—street-car collision (part of 188b)	9	3						2		1		1	2
Other external causes (175–187, part of 188a, b, 188d–203)	1,157	99	93	93	100	83	101	140	100	92	93	86	77
All other causes	5,888	502	448	516	514	499	460	519	444	440	505	488	553
WEST VIRGINIA, all causes	16,989	1,572	1,365	1,434	1,529	1,318	1,231	1,342	1,362	1,431	1,459	1,347	1,599
Typhoid and paratyphoid fever (1)	224	23	12	14	10	13	15	18	28	20	25	25	21
Malaria (5)	1				1								
Smallpox (6)	2				1							1	
Measles (7)	91	14	15	17	14	10	5	6		2		3	5
Scarlet fever (8)	47	6	2	3	1	3	2	1	5	4	4	8	8
Whooping cough (9)	332	36	35	56	41	33	24	22	20	18	21	11	15
Diphtheria (10)	137	19	12	9	14	3	2	2	5	8	21	19	23
Influenza (11)	418	54	58	52	60	30	16	10	9	20	22	37	50
Dysentery (16)	42	2	1	1	1	2		2	3	5	20	5	1
Erysipelas (21)	29	5	5	2	3	4	2	2		1	2	1	2
Lethargic encephalitis (23)	12	1	1	2	2	1	1		2	1		1	
Meningococcus meningitis (24)	25	2	3	2	3	2	1	2		3	1		6
Tuberculosis of the respiratory system (31)	1,074	93	111	96	96	116	98	79	75	72	67	80	91
Other forms of tuberculosis (32–37)	173	14	12	18	19	13	21	10	10	9	19	12	16
Diabetes mellitus (57)	162	13	16	15	13	18	8	10	14	16	8	14	17
Cerebral hemorrhage and softening (74, 83)	916	79	70	87	80	73	64	62	58	78	87	80	98
Other [organic] diseases of the heart (90)	1,693	166	121	131	129	144	136	130	145	137	159	124	171
Bronchitis (99)	38	6	7	10	5	1	1	2		1	1	3	1
Broncho-pneumonia (100)	489	85	40	69	38	38	22	26	12	23	27	49	60
Pneumonia (101)	611	72	64	59	83	51	28	21	25	29	45	59	75
Diarrhea and enteritis [under 2 years] (113)	1,024	27	36	29	36	28	48	161	209	191	167	55	37
Diarrhea and enteritis [2 years and over] (114)	152	3	2	5	8	5	12	31	29	21	20	6	10
Nephritis (128, 129)	1,177	113	122	100	105	87	80	92	82	81	102	92	121
Puerperal septicemia (146)	113	8	9	14	15	10	11	5	9	5	8	9	10
Other puerperal causes (143–145, 147–150)	163	9	11	11	20	20	9	13	13	20	10	13	14
Suicide (165–174)	130	10	11	10	14	11	9	10	10	6	9	17	13
Automobile accidents [1] (188c)	298	8	9	15	18	20	18	37	37	36	40	35	25
Automobile—railroad-train collision (part of 188a)	9				2	3					2		2
Automobile—street-car collision (part of 188b)	5						1				2	2	
Other external causes (175–187, part of 188a, b, 188d–203)	1,862	168	137	119	224	162	158	149	135	146	147	135	182
All other causes	5,540	536	443	488	473	417	439	439	427	478	423	451	526
WISCONSIN, all causes	29,567	2,702	2,395	2,752	2,580	2,592	2,465	2,276	2,230	2,115	2,407	2,344	2,709
Typhoid and paratyphoid fever (1)	40	4	1	4	2	2	2	2	10	6	2		5
Malaria (5)	1										1		
Smallpox (6)	4	1				1	1	1					
Measles (7)	106	14	10	20	10	18	15	3	4	1	1	3	7
Scarlet fever (8)	64	4	5	10	11	5	9	3	4	3	2	3	5
Whooping cough (9)	79	15	7	9	8	6	8	4	5	3	4	4	6
Diphtheria (10)	134	14	10	12	9	10	5	7	9	11	9	16	22
Influenza (11)	513	90	76	69	65	53	19	16	7	25	27	26	40
Dysentery (16)	19			6	3	1	3			3	1		2
Erysipelas (21)	73	9	6	14	8	10	1	3	6	3	1	6	6
Lethargic encephalitis (23)	33	4	3	3	1	3	3	5	2	1	2	5	1
Meningococcus meningitis (24)	139	12	8	15	16	13	16	14	12	8	10	9	6
Tuberculosis of the respiratory system (31)	1,543	118	123	179	118	141	132	129	118	116	124	105	140
Other forms of tuberculosis (32–37)	254	25	10	27	22	26	33	25	19	18	18	13	18
Diabetes mellitus (57)	568	49	54	44	52	46	50	38	51	43	47	38	56
Cerebral hemorrhage and softening (74, 83)	2,556	223	215	226	208	238	199	200	188	178	209	215	257
Other [organic] diseases of the heart (90)	4,904	457	394	456	427	423	423	347	396	309	422	417	433
Bronchitis (99)	200	27	18	21	17	23	10	11	8	13	21	11	20
Broncho-pneumonia (100)	819	99	73	95	94	58	50	48	21	36	61	81	103
Pneumonia (101)	1,082	153	98	130	126	89	69	37	29	40	86	83	142
Diarrhea and enteritis [under 2 years] (113)	415	36	24	41	38	38	25	37	25	60	34	25	32
Diarrhea and enteritis [2 years and over] (114)	138	7	5	8	7	13	13	10	13	29	13	12	8
Nephritis (128, 129)	1,962	156	140	185	206	172	187	159	145	130	142	141	199
Puerperal septicemia (146)	101	15	7	4	9	13	10	8	5	8	6	4	12
Other puerperal causes (143–145, 147–150)	203	18	19	20	22	16	15	12	24	10	12	18	17
Suicide (165–174)	393	34	30	33	32	45	32	34	35	31	35	27	25
Automobile accidents [1] (188c)	511	10	17	30	34	34	58	63	81	59	56	39	30
Automobile—railroad-train collision (part of 188a)	34		1	1	4	1	5	7	1	6	4	1	3
Automobile—street-car collision (part of 188b)	13			4		1	1	1		3	2		1
Other external causes (175–187, part of 188a, b, 188d–203)	1,452	96	95	103	96	105	160	169	138	108	133	133	116
All other causes	11,214	1,012	946	983	935	988	911	883	874	854	922	909	997

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1927—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING, all causes	1,976	197	147	143	157	205	169	147	132	159	151	166	203
Typhoid and paratyphoid fever (1)	7	1				1		1	1	1	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	13	2	3	3	1	1	1	2					
Scarlet fever (8)	11	2	1	3	1	1	1	1				1	
Whooping cough (9)	10					1	1	1	2	4		1	
Diphtheria (10)	11	1	2		1				1	1	4	1	
Influenza (11)	65	12	5	6	7	9	3	1	4	1	6	3	8
Dysentery (16)	4						1			2	1		
Erysipelas (21)	5	1				1					2		1
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	8	2			1								5
Tuberculosis of the respiratory system (31)	66	1	7	9	4	10	5	6	5	6	7	5	1
Other forms of tuberculosis (32–37)	11			1	1	3	1	1	1	1		1	1
Diabetes mellitus (57)	28	4		3	5	1	3	1	2		2	1	6
Cerebral hemorrhage and softening (74, 83)	102	7	9	6	9	13	6	7	9	5	8	12	11
Other [organic] diseases of the heart (90)	213	20	13	16	12	17	23	22	10	13	22	17	28
Bronchitis (99)	9		1	2	1		1	1		3			
Broncho-pneumonia (100)	51	18	7	6	1	4	2	1		1	4	5	2
Pneumonia (101)	80	14	5	11	5	8	3	4	4	1	5	5	15
Diarrhea and enteritis [under 2 years] (113)	35	1	2	2	1		2	3	2	9	5	5	3
Diarrhea and enteritis [2 years and over] (114)	9						1		1	3	4		
Nephritis (128, 129)	104	9	10	6	8	15	6	11	9	6	7	6	11
Puerperal septicemia (146)	22	2	4	2		2	4	1	2	1	1	1	2
Other puerperal causes (143–145, 147–150)	17		2	1		2	1	2	3	2	2		2
Suicide (165–174)	35	2	7	2	1	5	4	1	1	1	5	4	2
Automobile accidents [1] (188c)	66	9	1	3	3	8	8	3	6	12	4	7	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	231	17	10	7	34	28	23	25	20	19	11	21	16
All other causes	762	71	58	54	61	75	69	52	49	67	50	69	87

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I A.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIRMINGHAM, ALA. (WHITE), all causes	1,616	149	113	122	131	142	113	136	127	150	141	130	162
Typhoid and paratyphoid fever (1)	8	1		1			2	3			1		
Malaria (5)	3								1			2	
Smallpox (6)													
Measles (7)	2				1	1							
Scarlet fever (8)	2	1										1	
Whooping cough (9)	5				1	1	1	2					
Diphtheria (10)	13				1	1			1	2	4	3	1
Influenza (11)	57	6	6	8	9	1	3	1	1	1	5	5	11
Dysentery (16)	2						1			1			
Erysipelas (21)	5	1	2						1		1		
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	49	4	4	3	9	2	5	4	4	5	5	1	3
Other forms of tuberculosis (32–37)	10	1	1	2	2		1		1	1			1
Diabetes mellitus (57)	19	2		3	3	2	1	1	1	2	1		3
Cerebral hemorrhage and softening (74, 83)	77	9	6	4	4	10	3	5	9	5	13	4	5
Other [organic] diseases of the heart (90)	142	14	11	8	10	11	9	10	7	19	11	11	21
Bronchitis (99)	4	1						1			1		1
Broncho-pneumonia (100)	43	4	3	2	3	3	4	2	1	3	1	5	12
Pneumonia (101)	93	14	10	11	11	6	1	3	6	1	7	11	12
Diarrhea and enteritis [under 2 years] (113)	31	1	1	2	4	3	6	2	3	5	2	1	1
Diarrhea and enteritis [2 years and over] (114)	11			1	1	1	3	3	1		1		
Nephritis (128, 129)	106	8	3	6	9	8	5	15	10	11	13	6	12
Puerperal septicemia (146)	20			2			3	6	5	2	1		1
Other puerperal causes (143–145, 147–150)	14	2	1	1			2	3			1		3
Suicide (165–174)	38	5	1	3	6	2	2	3	3	5	4	3	1
Automobile accidents [1] (188c)	37	2	4	2	1	3	3	4	1	4	4	7	2
Automobile—railroad-train collision (part of 188a)	8	1	1					1		4	1		
Automobile—street-car collision (part of 188b)	4	2			1			1					
Other external causes (175–187, part of 188a, b, 188d–203)	135	14	15	7	9	11	7	13	6	17	12	11	13
All other causes	677	56	44	56	46	76	51	52	65	62	52	58	59
BIRMINGHAM, ALA. (COLORED), all causes	1,830	165	127	177	152	160	144	148	151	142	122	165	177
Typhoid and paratyphoid fever (1)	22		1	1		2	1	3	6	4	4		
Malaria (5)	2	1					1						
Smallpox (6)													
Measles (7)	2					1	1						
Scarlet fever (8)													
Whooping cough (9)	22	1	1	1	1	3	1	5	5	3	1		
Diphtheria (10)	4	2									2		
Influenza (11)	64	5	9	12	15	4	3	1	2	2		2	9
Dysentery (16)	1	1											
Erysipelas (21)	1			1									
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	4						1	2				1	
Tuberculosis of the respiratory system (31)	139	10	5	18	13	17	15	8	7	8	7	15	16
Other forms of tuberculosis (32–37)	29	3		3	2	3		2	5	4	2	4	1
Diabetes mellitus (57)	11	1			2	1	3			1		1	2
Cerebral hemorrhage and softening (74, 83)	92	13	9	13	4	1	6	6	5	5	7	10	13
Other [organic] diseases of the heart (90)	167	14	8	17	13	18	15	11	13	21	7	17	13
Bronchitis (99)	4			1			2		1				
Broncho-pneumonia (100)	55	5	2	5	7	4	5	4	4	1	5	5	8
Pneumonia (101)	108	10	11	13	8	8	7	7	10	3	8	15	8
Diarrhea and enteritis [under 2 years] (113)	22	1		1	1	4	3	5	2	4			1
Diarrhea and enteritis [2 years and over] (114)	7	1			1		1		1	1		1	1
Nephritis (128, 129)	136	7	5	16	14	12	11	10	16	8	10	16	11
Puerperal septicemia (146)	15	2	1	1	1	2	2	1	1	1	1	1	1
Other puerperal causes (143–145, 147–150)	15		1	1	6	2	1	1		1		1	1
Suicide (165–174)	2		1				1						
Automobile accidents [1] (188c)	14	1	1	1	2	1	2	2	1		1		2
Automobile—railroad-train collision (part of 188a)	1												1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	181	20	9	18	9	15	13	20	12	14	18	16	17
All other causes	710	67	63	54	53	62	49	60	60	61	49	60	72
LOS ANGELES, CALIF. (WHITE), all causes	12,182	1,221	999	1,091	1,071	1,009	1,025	976	878	866	940	940	1,166
Typhoid and paratyphoid fever (1)	12	1		1	3	1	1		1	3	1		
Malaria (5)	2									1			1
Smallpox (6)													
Measles (7)	78	2	5	16	23	17	6	7	1				1
Scarlet fever (8)	9	2	1	1				1		1	1		2
Whooping cough (9)	36	1	4	2	3	4	3	2	3	2	7	3	2
Diphtheria (10)	93	7	11	9	12	9	8	8	4	3	11	1	10
Influenza (11)	90	14	12	11	7	7	2	9	3	2	3	4	16
Dysentery (16)	17	3		2	1	3		3		3	1	1	
Erysipelas (21)	20	4	2	1	2	1	2	2		1	1	1	3
Lethargic encephalitis (23)	9	3	1	1	1					1	1	1	
Meningococcus meningitis (24)	26	2	4	5	3	1		5	1		4	1	
Tuberculosis of the respiratory system (31)	1,042	83	95	96	113	93	92	86	67	74	71	89	83
Other forms of tuberculosis (32–37)	159	9	14	12	19	10	11	11	19	21	13	10	10
Diabetes mellitus (57)	221	20	19	22	19	16	20	18	15	17	16	19	20
Cerebral hemorrhage and softening (74, 83)	794	77	65	78	71	64	67	62	54	54	61	56	85
Other [organic] diseases of the heart (90)	1,846	202	160	181	165	162	148	121	127	125	136	141	178
Bronchitis (99)	51	8	9	5	6	3	3	3	3	3	2	3	3
Broncho-pneumonia (100)	388	37	35	32	39	30	41	27	18	21	29	37	42
Pneumonia (101)	343	61	41	36	21	25	20	19	22	12	24	19	43
Diarrhea and enteritis [under 2 years] (113)	190	4	12	7	8	25	31	33	15	16	11	14	14
Diarrhea and enteritis [2 years and over] (114)	39	3	3	4	1	4	6	4	2	4	1	3	4
Nephritis (128, 129)	945	109	69	87	76	82	75	65	73	59	83	70	97
Puerperal septicemia (146)	45	4	1	4	5	7	1	3	5	2	7	4	2
Other puerperal causes (143–145, 147–150)	65	4	2	5	4	2	6	9	7	3	4	12	7
Suicide (165–174)	252	36	12	18	15	16	25	27	21	17	25	21	19
Automobile accidents [1] (188c)	335	28	28	26	37	18	24	22	22	25	37	26	42
Automobile—railroad-train collision (part of 188a)	11	1	2	2	1						3	2	
Automobile—street-car collision (part of 188b)	10			1					4	1		3	1
Other external causes (175–187, part of 188a, b, 188d–203)	527	50	43	46	49	44	38	46	40	42	42	38	49
All other causes	4,527	446	349	380	367	365	395	383	351	353	345	361	432

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOS ANGELES, CALIF. (COLORED), all causes	745	79	55	74	63	67	59	54	57	55	54	54	74
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	9		2	4		1		1		1			
Scarlet fever (8)													
Whooping cough (9)	2					2							
Diphtheria (10)	6							3	2				1
Influenza (11)	11	2	1	1			2	1	2		1		1
Dysentery (16)													
Erysipelas (21)	2			1							1		
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	2									2			
Tuberculosis of the respiratory system (31)	142	9	11	15	19	10	11	8	13	10	12	10	14
Other forms of tuberculosis (32–37)	18	1	2	3	1	1	1	2	1	2		1	3
Diabetes mellitus (57)	7			2	1	1			1				2
Cerebral hemorrhage and softening (74, 83)	37	2	6	2	5	3	2	2		2	4	6	3
Other [organic] diseases of the heart (90)	83	8	6	6	7	10	9	8	3	7	7	9	3
Bronchitis (99)	7	1	1	1	1		1	2					
Broncho-pneumonia (100)	19	2	1	2	2	2	1	1	2	1	1	2	2
Pneumonia (101)	31	3	2	2	3	2	3	2	1		7	2	4
Diarrhea and enteritis [under 2 years] (113)	11	4				3			2				2
Diarrhea and enteritis [2 years and over] (114)	5	2								1	1	1	
Nephritis (128, 129)	55	4	7	6		7	4	4	4	7	3	6	3
Puerperal septicemia (146)	6			1			1			1		1	2
Other puerperal causes (143–145, 147–150)	4	1				1			1			1	
Suicide (165–174)	12	2					1			2	3		4
Automobile accidents[1] (188c)	18	3		1	2	2	1	1	2	1	2	1	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	35	6	2	6	2	2	2	3	1	3	3	1	4
All other causes	222	29	14	20	20	20	20	16	22	15	9	13	24
OAKLAND, CALIF., all causes	2,951	286	271	261	250	244	216	217	192	239	220	261	294
Typhoid and paratyphoid fever (1)	6	1	2	2					1				
Malaria (5)													
Smallpox (6)													
Measles (7)	10	4	3		2	1							
Scarlet fever (8)	7	2	1		2	1						1	
Whooping cough (9)	17	2			5	3	1	1	3	1	1		
Diphtheria (10)	27		1	2	6	2	1		3	3	2	2	5
Influenza (11)	23	3	2	6	2		2	1		2	1	1	3
Dysentery (16)	1										1		
Erysipelas (21)	3	2									1		
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	11	2	2	1	1	1	1		1				2
Tuberculosis of the respiratory system (31)	105	14	10	13	14	8	5	7	6	8	5	8	7
Other forms of tuberculosis (32–37)	37	3	2	2	5	6	2	4	2	2	6		3
Diabetes mellitus (57)	58	11	7	3	3	3	4	5	2	3	5	6	6
Cerebral hemorrhage and softening (74, 83)	252	20	31	30	17	21	23	13	18	20	18	24	17
Other [organic] diseases of the heart (90)	590	49	60	57	59	48	37	43	33	46	38	52	68
Bronchitis (99)	18	4	1	1	1	1		1	1	2	1	3	2
Broncho-pneumonia (100)	98	18	16	2	7	10	7	10	5	2	4	8	9
Pneumonia (101)	98	11	7	6	13	5	7	6	6	8	3	8	18
Diarrhea and enteritis [under 2 years] (113)	29	4	1	4	2	2		4		4	5	2	1
Diarrhea and enteritis [2 years and over] (114)	6	1				3	1		1				
Nephritis (128, 129)	221	22	20	16	12	19	17	22	18	17	10	26	22
Puerperal septicemia (146)	13	1		4		1	1			3	2	1	
Other puerperal causes (143–145, 147–150)	19	2	1	2	2	3			2	1	4	1	1
Suicide (165–174)	78	8	4	5	6	5	6	7	6	11	5	6	9
Automobile accidents[1] (188c)	53	5	8		1	5	1	5	3	4	7	6	8
Automobile—railroad-train collision (part of 188a)	7	1							1	1	2	1	1
Automobile—street-car collision (part of 188b)	1											1	
Other external causes (175–187, part of 188a, b, 188d–203)	125	13	5	14	13	11	8	14	8	6	10	11	12
All other causes	1,037	83	87	91	76	85	92	74	72	95	89	93	100
SAN FRANCISCO, CALIF., all causes	7,826	824	659	683	665	663	635	598	582	531	669	602	715
Typhoid and paratyphoid fever (1)	10	2		1	1		3					1	2
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	14	1	4	4	4	1							
Scarlet fever (8)	8		1	1	1	1		1			2	1	
Whooping cough (9)	14	1		2	1	3	2	2		1		1	1
Diphtheria (10)	20	4	1	2		1	3	1		1	2	3	2
Influenza (11)	63	5	9	14	2	5	4	1	3	2	7	3	8
Dysentery (16)	4		1		1			1				1	
Erysipelas (21)	13	1	1		1	4			2	1	1	1	1
Lethargic encephalitis (23)	15	1	1	3	2	2	1			2	1	1	1
Meningococcus meningitis (24)	12			4		2	2	2		1			1
Tuberculosis of the respiratory system (31)	500	61	48	49	48	48	41	34	34	26	32	41	38
Other forms of tuberculosis (32–37)	93	11	7	7	8	15	8	10	3	4	6	6	8
Diabetes mellitus (57)	136	19	17	11	17	5	2	12	11	13	8	7	14
Cerebral hemorrhage and softening (74, 83)	428	48	28	32	42	32	44	28	25	37	40	36	36
Other [organic] diseases of the heart (90)	1,557	148	134	145	133	119	127	116	116	110	114	115	180
Bronchitis (99)	39	2		5	6	2	2	2	4	2	4	4	6
Broncho-pneumonia (100)	277	44	23	28	23	13	22	14	21	22	18	23	26
Pneumonia (101)	261	24	34	27	30	20	11	17	16	16	15	22	29
Diarrhea and enteritis [under 2 years] (113)	20	3	3	2	2	1	3	2	1	2			1
Diarrhea and enteritis [2 years and over] (114)	13	1		2	1	1	3	1	1		2		1
Nephritis (128, 129)	699	78	60	61	69	70	61	39	54	43	58	46	60
Puerperal septicemia (146)	18		2	3	3	2	2		2	2		1	1
Other puerperal causes (143–145, 147–150)	22	3	3	2		1	1	2	1	2	5		2
Suicide (165–174)	259	13	20	16	24	33	25	21	18	19	26	20	24
Automobile accidents[1] (188c)	166	17	10	11	6	12	7	11	14	13	21	16	28
Automobile—railroad-train collision (part of 188a)	1		1										
Automobile—street-car collision (part of 188b)	4		1					1					2
Other external causes (175–187, part of 188a, b, 188d–203)	393	42	27	42	30	32	25	47	34	25	37	26	26
All other causes	2,766	295	223	209	210	238	235	233	222	187	270	227	217

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DENVER, COLO., all causes	4,185	401	364	392	367	333	309	295	308	315	340	336	425
Typhoid and paratyphoid fever (1)	8							1		2	2	1	2
Malaria (5)													
Smallpox (6)													
Measles (7)	41	2	13	14	8	1	2						1
Scarlet fever (8)	16	5	2	2	3	2	1	1					
Whooping cough (9)	1										1		
Diphtheria (10)	24	1	1	4		2	2	1	2	4	1	3	3
Influenza (11)	114	25	17	14	9	5	4	1	4	5	8	9	13
Dysentery (16)	3				1			1		1			
Erysipelas (21)	9	2		1	1	1	2						2
Lethargic encephalitis (23)	5			1		1			1	1			1
Meningococcus meningitis (24)	21				4	3		1			6	3	4
Tuberculosis of the respiratory system (31)	426	27	38	34	37	38	35	31	41	30	33	32	50
Other forms of tuberculosis (32–37)	36	3	2	2	5	2	1		4	4	2	6	5
Diabetes mellitus (57)	41	6	3	4	6	2		5	1	5	5	3	1
Cerebral hemorrhage and softening (74, 83)	274	22	29	32	23	19	23	20	20	20	21	15	30
Other [organic] diseases of the heart (90)	487	48	56	47	38	40	27	34	35	27	45	39	51
Bronchitis (99)	10	2	1		2				1			3	1
Broncho-pneumonia (100)	124	17	12	10	16	3	4	4	6	9	9	12	22
Pneumonia (101)	220	36	18	29	19	9	12	5	6	14	19	19	34
Diarrhea and enteritis [under 2 years] (113)	43			1	2		2		9	17	8	2	2
Diarrhea and enteritis [2 years and over] (114)	7	1							1	2	1	2	
Nephritis (128, 129)	281	34	30	20	21	25	20	24	21	23	18	18	27
Puerperal septicemia (146)	23	2	1	6		1	6		1	1		2	3
Other puerperal causes (143–145, 147–150)	28	1	2	4	1	1	3		1	1	4	5	5
Suicide (165–174)	76	4	7	8	7	10	5	6	5	2	4	10	8
Automobile accidents [1] (188c)	61	4	2	3	4	1	8	8	6	7	5	6	7
Automobile—railroad-train collision (part of 188a)	6					1					2		3
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	167	15	12	16	21	19	18	13	8	9	14	11	11
All other causes	1,633	144	118	140	139	148	133	139	135	131	132	135	139
BRIDGEPORT, CONN., all causes	1,514	159	138	155	137	128	96	119	103	119	91	115	154
Typhoid and paratyphoid fever (1)	1							1					
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	1	1											
Diphtheria (10)	26	1	4	3	1	1	1	3	1	1	1	3	6
Influenza (11)	24	7	3	4	1	1		2	1		1		4
Dysentery (16)													
Erysipelas (21)	3	1			1								1
Lethargic encephalitis (23)	3		1				1				1		
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	82	14	15	6	7	9	3	7	1	3	2	6	9
Other forms of tuberculosis (32–37)	14	1		2	1	1	1	2	2	1	2		1
Diabetes mellitus (57)	32	3	2	1	8	3	2	1	4	2	2	3	1
Cerebral hemorrhage and softening (74, 83)	133	11	11	16	14	10	8	11	8	9	12	11	12
Other [organic] diseases of the heart (90)	284	30	32	27	28	25	19	24	23	17	14	15	30
Bronchitis (99)	3	1	1					1					
Broncho-pneumonia (100)	46	4	3	9	3	3	4		2	1	3	4	10
Pneumonia (101)	79	11	10	7	7	6	4	4	3	4	3	5	15
Diarrhea and enteritis [under 2 years] (113)	11	1	1					1	3	1		4	
Diarrhea and enteritis [2 years and over] (114)	6						1	1	2	2			
Nephritis (128, 129)	132	12	9	18	15	10	9	7	6	11	8	13	14
Puerperal septicemia (146)	4			1		3							
Other puerperal causes (143–145, 147–150)	2		1	1									
Suicide (165–174)	19	1	1	2		3	1	1	3	5		1	1
Automobile accidents [1] (188c)	25	2	2	1	3	2		2	1	7	1	3	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	71	5	9	8	5	4	5	3	5	3	6	9	9
All other causes	512	53	32	49	43	47	37	48	38	52	35	38	40
HARTFORD, CONN., all causes	2,073	183	176	187	180	178	163	183	150	164	168	162	179
Typhoid and paratyphoid fever (1)	5	2					1				2		
Malaria (5)													
Smallpox (6)													
Measles (7)	4	1			1		1		1				
Scarlet fever (8)	1			1									
Whooping cough (9)	9	1	1	1		1			2	1	1	1	
Diphtheria (10)	10	1		1			3				2		3
Influenza (11)	16	2		3	1	2	1		1	2		2	2
Dysentery (16)													
Erysipelas (21)	9			1	2	1	1	1	1			1	1
Lethargic encephalitis (23)	3	1			1						1		
Meningococcus meningitis (24)	3		2						1				
Tuberculosis of the respiratory system (31)	70	3	4	8	5	11	5	10	2	3	5	8	6
Other forms of tuberculosis (32–37)	26	3	3	1	3	1	3	4	2	2	1	2	1
Diabetes mellitus (57)	35	1	3	7	3	2	2	2	1	4	5	1	4
Cerebral hemorrhage and softening (74, 83)	131	12	12	16	9	9	12	6	7	14	7	13	14
Other [organic] diseases of the heart (90)	387	35	38	40	29	34	37	38	26	22	18	35	35
Bronchitis (99)	9	1	3			1		2					2
Broncho-pneumonia (100)	72	10	12	10	6	6	5	4	3	6	5	2	3
Pneumonia (101)	94	15	10	11	17	11	5	5	2	2	8	2	6
Diarrhea and enteritis [under 2 years] (113)	72		3	1	4		7	9	11	10	15	6	6
Diarrhea and enteritis [2 years and over] (114)	3	1		1				1					
Nephritis (128, 129)	165	14	10	20	12	17	13	14	12	12	16	11	14
Puerperal septicemia (146)	7		4							2			1
Other puerperal causes (143–145, 147–150)	16	1		3	2	1		4	3	1	1		
Suicide (165–174)	19		4	1	2	2		2	2		1	2	3
Automobile accidents [1] (188c)	49	5	3	3	2	3	3	1	3	6	7	7	6
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1				1								
Other external causes (175–187, part of 188a, b, 188d–203)	89	11	5	5	6	8	10	9	8	9	2	7	9
All other causes	768	63	59	53	74	68	54	71	62	68	71	62	63

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAVEN, CONN., all causes	2,070	214	185	204	200	166	145	162	138	135	165	177	179
Typhoid and paratyphoid fever (1)	2			1			1						
Malaria (5)													
Smallpox (6)													
Measles (7)	1											1	
Scarlet fever (8)	3				1	1			1				
Whooping cough (9)	1												1
Diphtheria (10)	8			1		1	1	2	1			2	
Influenza (11)	44	6	2	8	14	6	2	1				1	4
Dysentery (16)	1									1			
Erysipelas (21)	4		1		1		1						1
Lethargic encephalitis (23)	3		1						1				1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	74	6	2	9	9	9	8	4	9	2	6	3	7
Other forms of tuberculosis (32–37)	13		1	2	2	1		2	1	1	1	1	1
Diabetes mellitus (57)	46	2	5	3	4	5		5	4	3	6	4	5
Cerebral hemorrhage and softening (74, 83)	179	20	14	13	19	17	12	9	12	15	15	16	17
Other [organic] diseases of the heart (90)	309	32	35	29	20	29	21	29	24	20	18	23	29
Bronchitis (99)	9	3		1		1	1		1	1		1	
Broncho-pneumonia (100)	77	11	9	13	9	8	2	2	4	2	4	9	4
Pneumonia (101)	117	28	16	15	13	6	6	4	2	6	8	6	7
Diarrhea and enteritis [under 2 years] (113)	6							1	2	1	2		
Diarrhea and enteritis [2 years and over] (114)	4		1			1	1			1			
Nephritis (128, 129)	135	11	13	12	13	14	11	16	10	7	8	6	14
Puerperal septicemia (146)	13			1	1	4	1	2	2			2	
Other puerperal causes (143–145, 147–150)	21	3	2	1	2	1	2		1	2	3	2	2
Suicide (165–174)	21	3	1	1	3	1	2	2	3		3		2
Automobile accidents [1] (188c)	48	2	3	4	5	2	3	7	1	5	8	3	5
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1										1		
Other external causes (175–187, part of 188a, b, 188d–203)	93	8	10	6	8	9	5	8	10	7	6	8	8
All other causes	837	79	69	84	76	50	65	68	49	61	76	89	71
WILMINGTON, DEL., all causes	1,462	145	116	126	154	105	116	101	93	109	127	130	140
Typhoid and paratyphoid fever (1)	6			1			1			2	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	2		2										
Diphtheria (10)	7			2							2	1	2
Influenza (11)	24	3	3	5	2	2	2	1		1		2	3
Dysentery (16)	5								2	2	1		
Erysipelas (21)													
Lethargic encephalitis (23)	2				1	1							
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	62	6	3	5	5	1	5	9	5	6	4	5	8
Other forms of tuberculosis (32–37)	9		1	1	2		3						2
Diabetes mellitus (57)	30		3	4	3	4		1	1	4	4	2	4
Cerebral hemorrhage and softening (74, 83)	140	13	17	11	13	6	8	10	8	11	18	14	11
Other [organic] diseases of the heart (90)	199	23	22	14	17	15	22	13	9	15	16	15	18
Bronchitis (99)	8	1			4		1			1	1		
Broncho-pneumonia (100)	56	10	5	5	8	5	2	1	2	4	2	7	5
Pneumonia (101)	64	13	8	7	14	1	3			4	3	5	6
Diarrhea and enteritis [under 2 years] (113)	30		4		2	2	1	4	2	4	6	5	
Diarrhea and enteritis [2 years and over] (114)	7	2						1	1		2		1
Nephritis (128, 129)	185	24	13	15	20	8	16	15	11	13	13	19	18
Puerperal septicemia (146)	7	2			1		1		1	1			1
Other puerperal causes (143–145, 147–150)	11	1	2	1	1	1	2	1			1		1
Suicide (165–174)	14	1			1	1	3	1	1	2		4	
Automobile accidents [1] (188c)	40		2	3	3	2	2	6	5	4	9		4
Automobile—railroad-train collision (part of 188a)	1				1								
Automobile—street-car collision (part of 188b)	2											2	
Other external causes (175–187, part of 188a, b, 188d–203)	100	6	6	9	14	11	10	5	8	9	4	7	11
All other causes	450	40	25	43	42	45	34	33	37	26	40	40	45
WASHINGTON, D. C. (WHITE), all causes	4,306	467	409	433	394	343	291	340	283	311	330	351	354
Typhoid and paratyphoid fever (1)	7	1					1		1	3		1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4		1			1							2
Whooping cough (9)	11		2	1	1	3	1				1	1	1
Diphtheria (10)	18	2	3	3	2	2		2				2	2
Influenza (11)	50	11	9	12	5	5	1		2		1	2	2
Dysentery (16)	2					1							1
Erysipelas (21)	3			2	1								
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	5	1		1	1		1				1		
Tuberculosis of the respiratory system (31)	209	19	19	15	25	23	13	18	19	15	13	16	14
Other forms of tuberculosis (32–37)	32	6	4	3	7	1	2	2	2	1	2		2
Diabetes mellitus (57)	79	8	4	8	3	6	7	11	5	6	8	6	7
Cerebral hemorrhage and softening (74, 83)	289	38	30	31	21	17	24	20	13	28	20	25	22
Other [organic] diseases of the heart (90)	869	104	70	98	74	87	47	61	55	62	66	69	76
Bronchitis (99)	13	2	1	2	2		1			2	3		
Broncho-pneumonia (100)	107	12	17	19	11	2	2	4	6	5	13	8	8
Pneumonia (101)	152	37	23	17	17	5	5	3	5	4	11	13	12
Diarrhea and enteritis [under 2 years] (113)	25	1			2		1	2	4	9	2	2	2
Diarrhea and enteritis [2 years and over] (114)	5	1		1			1	1		1			
Nephritis (128, 129)	450	44	43	47	42	38	38	33	17	28	45	36	39
Puerperal septicemia (146)	17	2		1	1	1	2	2		1		6	1
Other puerperal causes (143–145, 147–150)	24	3	1	4	3		2	3	1	2	1	1	3
Suicide (165–174)	94	8	7	5	2	15	4	6	5	13	10	11	8
Automobile accidents [1] (188c)	71	3	8	4	2	5	7	9	4	6	8	8	7
Automobile—railroad-train collision (part of 188a)	1	1											
Automobile—street-car collision (part of 188b)	1					1							
Other external causes (175–187, part of 188a, b, 188d–203)	199	18	24	18	24	6	16	14	13	10	14	20	22
All other causes	1,568	145	142	141	148	124	115	149	131	115	111	124	123

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes	2,680	256	277	282	209	215	216	207	189	197	203	209	220
Typhoid and paratyphoid fever (1)	4		1					1		1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	5								1		1	1	2
Whooping cough (9)	8		1	1			2	1		2		1	
Diphtheria (10)	7	1	1	1	2		1		1				
Influenza (11)	33	3	9	12	2	2		2					3
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)	4						1	1		1		1	
Meningococcus meningitis (24)	2							1	1				
Tuberculosis of the respiratory system (31)	317	24	34	22	26	35	35	25	28	16	26	19	27
Other forms of tuberculosis (32–37)	60	5	7	6	3	2	5	6	4	6	4	8	4
Diabetes mellitus (57)	31	3	4		1	4	2		5	3	3	1	5
Cerebral hemorrhage and softening (74, 83)	169	16	19	21	13	16	17	14	8	13	7	16	9
Other [organic] diseases of the heart (90)	427	31	41	48	39	37	36	33	33	36	24	30	39
Bronchitis (99)	18		3	3	5			1	1	1	1	2	1
Broncho-pneumonia (100)	129	16	28	17	10	5	5	8	8	5	9	10	8
Pneumonia (101)	142	32	16	23	9	9	3	5	3	5	9	11	17
Diarrhea and enteritis [under 2 years] (113)	31	2			1	2	3	2	2	7	9	2	1
Diarrhea and enteritis [2 years and over] (114)	21	1		4		4	4	5		1		2	
Nephritis (128, 129)	281	31	29	24	20	27	25	22	18	26	25	21	13
Puerperal septicemia (146)	17	3		2	1	2	1	3			2	2	1
Other puerperal causes (143–145, 147–150)	20		1	6		1	2	2	2	1	2	3	
Suicide (165–174)	16	1		2	2	1	4	1	1	1		2	1
Automobile accidents [1] (188c)	37	5	3		3	5	2	3	2	5	4	2	3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	117	9	10	11	6	10	8	12	11	10	10	8	12
All other causes	784	73	70	79	66	53	60	59	60	57	67	66	74
ATLANTA, GA. (WHITE), all causes	2,001	210	151	175	164	179	147	155	147	151	155	150	217
Typhoid and paratyphoid fever (1)	10				1	1	1	4		1			2
Malaria (5)	1												1
Smallpox (6)	1			1									
Measles (7)	10		1	2	5	2							
Scarlet fever (8)	2								1		1		
Whooping cough (9)	18	2	1	3	3		2	3	2		1	1	
Diphtheria (10)	18	7	2	1		1				1	3	1	2
Influenza (11)	50	7	8	9	2	2	1		3	3	2	6	7
Dysentery (16)	5	1				1	2				1		
Erysipelas (21)	4			1		1			1				1
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	6	1			1	2			1				1
Tuberculosis of the respiratory system (31)	72	6	4	7	10	2	8	7	3	5	6	6	8
Other forms of tuberculosis (32–37)	13	1		1	1	2	2		1	2	1		2
Diabetes mellitus (57)	23	2	1	1	3	2		2	4	1	2	2	3
Cerebral hemorrhage and softening (74, 83)	151	15	9	17	8	13	15	15	12	13	12	6	16
Other [organic] diseases of the heart (90)	223	21	17	25	21	18	11	9	17	14	20	16	34
Bronchitis (99)	7	1	1	1	1	1			1	1			
Broncho-pneumonia (100)	31	6		6	3	3			1	1	2	5	4
Pneumonia (101)	73	11	9	8	6	5	1	4	2	2	5	6	14
Diarrhea and enteritis [under 2 years] (113)	31	1			2	7	3	7	5	2		3	1
Diarrhea and enteritis [2 years and over] (114)	11		2		2		2	2	1			1	1
Nephritis (128, 129)	238	27	15	16	16	18	20	20	13	25	18	21	29
Puerperal septicemia (146)	10			2		2	2	2				1	1
Other puerperal causes (143–145, 147–150)	30	4	1	2	4	2	1	3	3	3	4		3
Suicide (165–174)	34	1	1	3	2	2	2	2	4	7	2	3	5
Automobile accidents [1] (188c)	39	6		3	2	3	2	3	2	2	7	4	5
Automobile—railroad-train collision (part of 188a)	2	2											
Automobile—street-car collision (part of 188b)	3	1		1								1	
Other external causes (175–187, part of 188a, b, 188d–203)	131	15	10	7	10	13	12	13	7	12	12	7	13
All other causes	753	72	69	58	60	76	60	59	63	56	56	60	64
ATLANTA, GA. (COLORED), all causes	1,832	161	168	193	135	169	136	159	114	149	137	150	161
Typhoid and paratyphoid fever (1)	28	1	1	3		3	4	3	3	4	5		1
Malaria (5)	4	1						2					1
Smallpox (6)	1					1							
Measles (7)	5	1		1	2			1					
Scarlet fever (8)													
Whooping cough (9)	19	2	2	1	1	3	2	2	3	2			1
Diphtheria (10)	7	1	1	1						2		1	1
Influenza (11)	75	6	8	22	6	6	3		5	1	4	6	18
Dysentery (16)	7					1	3	1	1		1		
Erysipelas (21)	1					1							
Lethargic encephalitis (23)	2				2								
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	110	9	13	8	7	19	12	10	4	7	6	7	8
Other forms of tuberculosis (32–37)	40	3	2	4	4	3	3		1	2	7	8	3
Diabetes mellitus (57)	13	2	2		1	1	1				3	2	1
Cerebral hemorrhage and softening (74, 83)	145	18	9	15	14	15	8	14	9	10	8	8	17
Other [organic] diseases of the heart (90)	219	17	20	25	14	14	19	22	14	22	19	14	19
Bronchitis (99)	16			5	1		1	1	1	3		1	3
Broncho-pneumonia (100)	77	14	5	15	4	3	2	8	1	6	2	3	14
Pneumonia (101)	111	16	5	23	5	5	7	4	5	10	6	17	8
Diarrhea and enteritis [under 2 years] (113)	44				1	6	11	16	3	1	1	4	1
Diarrhea and enteritis [2 years and over] (114)	10		1			1	4	2	2				
Nephritis (128, 129)	144	14	15	9	7	16	8	11	9	18	13	14	10
Puerperal septicemia (146)	7		2	1			1			1	2		
Other puerperal causes (143–145, 147–150)	19	5		1		4		1	1	4	2		1
Suicide (165–174)													
Automobile accidents [3] (188c)	26		4	2	4	3	4		2	1	3	2	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	145	11	15	12	12	13	5	20	8	11	7	13	18
All other causes	556	40	63	45	50	51	38	39	42	46	47	50	45

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (WHITE), all causes	31,915	3,034	2,733	2,999	2,836	2,732	2,537	2,326	2,362	2,325	2,597	2,570	2,864
Typhoid and paratyphoid fever (1)	16		2	1	1	2	1	4	1	2		1	1
Malaria (5)	1					1							
Smallpox (6)	1											1	
Measles (7)	112	19	18	26	24	16	4	2	1		2		
Scarlet fever (8)	76	13	9	14	10	7	3	3	3	3	2	6	3
Whooping cough (9)	69	4	7	5	2	3	7	10	7	12	3	5	4
Diphtheria (10)	422	36	33	17	34	34	28	36	34	22	28	55	65
Influenza (11)	207	46	33	37	18	17	5	4	8	2	9	11	17
Dysentery (16)	12	1				1	1	1	1	4	1		2
Erysipelas (21)	54	3	11	8	12	12	1	3			2	1	1
Lethargic encephalitis (23)	14	1		1	4	1		1	3	3			
Meningococcus meningitis (24)	82	7	2	5	12	9	10	9	6	9	5	3	5
Tuberculosis of the respiratory system (31)	1,623	139	148	151	167	156	120	129	127	118	127	113	128
Other forms of tuberculosis (32–37)	253	28	17	18	16	27	25	20	18	24	25	16	19
Diabetes mellitus (57)	654	62	53	58	43	66	72	48	45	42	56	42	67
Cerebral hemorrhage and softening (74, 83)	1,456	131	122	137	115	122	108	95	93	108	132	124	169
Other [organic] diseases of the heart (90)	5,916	586	488	542	538	505	474	426	445	405	473	496	538
Bronchitis (99)	221	24	26	24	15	14	18	14	14	12	18	20	22
Broncho-pneumonia (100)	913	107	103	128	108	64	75	36	48	42	55	66	81
Pneumonia (101)	1,479	206	133	174	159	127	105	47	39	49	105	130	205
Diarrhea and enteritis [under 2 years] (113)	499	45	38	43	51	36	35	32	52	57	50	28	32
Diarrhea and enteritis [2 years and over] (114)	88	3	4	3	8	6	9	12	11	6	12	6	8
Nephritis (128, 129)	3,358	337	272	331	288	301	270	264	223	226	277	285	284
Puerperal septicemia (146)	106	8	13	13	9	12	10	8	5	8	6	6	8
Other puerperal causes (143–145, 147–150)	195	17	21	23	14	15	13	11	19	15	12	16	19
Suicide (165–174)	482	47	36	51	42	37	44	39	37	32	38	47	32
Automobile accidents [1] (188c)	727	51	53	52	54	61	77	61	61	67	62	65	63
Automobile—railroad-train collision (part of 188a)	10	1							1	2	2	3	1
Automobile—street-car collision (part of 188b)	29	3	3	2		2	4	2	2	2	2	1	6
Other external causes (175–187, part of 188a, b, 188d–203)	1,830	128	146	164	149	133	157	173	153	151	152	147	177
All other causes	11,010	981	942	971	943	945	861	836	905	902	941	876	907
CHICAGO, ILL. (COLORED), all causes	3,843	345	272	370	365	374	313	274	315	294	309	288	324
Typhoid and paratyphoid fever (1)	7		1				2		3			1	
Malaria (5)	3			2			1						
Smallpox (6)													
Measles (7)	15	3	1	5	3	1	2						
Scarlet fever (8)	3		1			2							
Whooping cough (9)	17		3	2	1	2	1	1	3		3		1
Diphtheria (10)	19	1		7	3	2	1		2			2	1
Influenza (11)	24	2	6	5	2	5				1	1		2
Dysentery (16)													
Erysipelas (21)	7	1	1	1			2		1		1		
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	12				1	3	2	1	2	1	2		
Tuberculosis of the respiratory system (31)	594	49	43	35	64	60	40	53	56	39	50	45	60
Other forms of tuberculosis (32–37)	108	13	6	7	10	13	10	4	11	10	7	11	6
Diabetes mellitus (57)	44	6		3	4	5	2	4	5		3	4	8
Cerebral hemorrhage and softening (74, 83)	120	9	6	9	13	16	5	6	10	9	10	13	14
Other [organic] diseases of the heart (90)	677	52	37	59	74	61	67	38	52	61	67	56	53
Bronchitis (99)	12	2	1	3	2					1	2		1
Broncho-pneumonia (100)	186	18	13	22	22	26	20	9	8	9	12	12	15
Pneumonia (101)	260	38	28	36	33	23	22	16	16	11	7	14	16
Diarrhea and enteritis [under 2 years] (113)	56	3	6	2	3	3	6	9	9	9	4		2
Diarrhea and enteritis [2 years and over] (114)	8	1		2	1			1	1		2		
Nephritis (128, 129)	338	35	30	43	30	31	29	24	23	22	20	26	25
Puerperal septicemia (146)	28	3	2	2	3	6	3	2	1	1	2	1	2
Other puerperal causes (143–145, 147–150)	19	1	2	1	3	1	3	2	1		1	3	1
Suicide (165–174)	20	1	1	3	1		3	1		1	4	2	3
Automobile accidents [1] (188c)	60	1	5	5	4	7	2	4	8	5	5	8	6
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collisoin (part of 188b)	1							1					
Other external causes (175–187, part of 188a, b, 188d–203)	318	33	27	21	17	26	18	27	23	31	30	28	37
All other causes	887	73	52	95	71	81	72	71	80	83	76	62	71
INDIANAPOLIS, IND. (WHITE), all causes	4,100	363	363	334	367	357	340	320	304	323	328	341	360
Typhoid and paratyphoid fever (1)	3		1						1	1			
Malaria (5)	1										1		
Smallpox (6)	4				1	2	1						
Measles (7)	4		1	1	1						1		
Scarlet fever (8)	14	1	1			3	2			1	3	2	1
Whooping cough (9)	6			1	1			1	2	1			
Diphtheria (10)	26	5	2	1	1		2	2	2	2	6	2	1
Influenza (11)	71	13	8	9	12	6	4	4	2	4	2	2	5
Dysentery (16)													
Erysipelas (21)	15	6		1	3	2	1				2		
Lethargic encephalitis (23)	8	1		2		1		2				2	
Meningococcus meningitis (24)	4		2									1	1
Tuberculosis of the respiratory system (31)	155	15	17	14	18	18	9	11	14	11	6	14	8
Other forms of tuberculosis (32–37)	34	2	5	2	5	4	1	4	2	2	4		3
Diabetes mellitus (57)	68	5	12	5	4	5	3	3	9	3	5	6	8
Cerebral hemorrhage and softening (74, 83)	290	25	25	30	30	25	20	16	15	19	22	30	33
Other [organic] diseases of the heart (90)	748	64	57	61	67	61	70	60	50	61	58	61	78
Bronchitis (99)	11	1	2	1		2	1	2		1			1
Broncho-pneumonia (100)	115	7	8	9	13	11	9	6	13	9	10	11	9
Pneumonia (101)	151	23	20	24	17	14	7	1	2	6	8	10	19
Diarrhea and enteritis [under 2 years] (113)	74	5	2	3	3	1	2	8	24	13	10	3	
Diarrhea and enteritis [2 years and over] (114)	11	1				2	1		3	1	1	1	1
Nephritis (128, 129)	332	32	42	33	27	31	20	32	25	23	20	27	20
Puerperal septicemia (146)	30	3	3	3	2	1	4	3	1	4	2	2	2
Other puerperal causes (143–145, 147–150)	18		2	1		2	2	2	2	3	1		3
Suicide (165–174)	75	5	3	3	6	7	4	10	6	9	10	7	5
Automobile accidents [1] (188c)	76	1	5	2	10	4	7	8	9	5	11	5	9
Automobile—railroad-train collision (part of 188a)	9	3		1		1		4					
Automobile—street-car collision (part of 188b)	15			2	1	1					8	3	
Other external causes (175–187, part of 188a, b, 188d–203)	202	17	13	16	14	22	16	11	12	15	22	26	18
All other causes	1,530	128	132	109	131	131	154	130	110	129	115	126	135

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANAPOLIS, IND. (COLORED), all causes	801	62	49	66	67	64	83	72	49	79	71	70	69
Typhoid and paratyphoid fever (1)	2										1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)													
Whooping cough (9)	10		1	5	2			1			1		
Diphtheria (10)	3				1		1				1		
Influenza (11)	9				1	1	1			1		2	3
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	97	11	2	6	8	6	13	16	4	9	8	6	8
Other forms of tuberculosis (32–37)	14	3		1	2		1	2	2		1		2
Diabetes mellitus (57)	11	3			1	1		3		1			2
Cerebral hemorrhage and softening (74, 83)	40	4	4	3	1	3	2	3	3	3	6	2	6
Other [organic] diseases of the heart (90)	106	5	6	6	9	6	15	13	3	10	12	11	10
Bronchitis (99)	2	1									1		
Broncho-pneumonia (100)	39	7	3	7		5	1	2	1	4	4	4	1
Pneumonia (101)	51	3	3	6	7	5	7	1	2	4	2	7	4
Diarrhea and enteritis [under 2 years] (113)	17			1	2			1	2	6	4	1	
Diarrhea and enteritis [2 years and over] (114)	5			1						2	1	1	
Nephritis (128, 129)	89	5	5	7	6	10	7	6	6	7	12	7	11
Puerperal septicemia (146)	6		1		1			2		1		1	
Other puerperal causes (143–145, 147–150)	6		2		1					2	1		
Suicide (165–174)	1								1				
Automobile accidents [1] (188c)	8		1		1		4				1	1	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	2						1						1
Other external causes (175–187, part of 188a, b, 188d–203)	42	4	1	6	2	4	5	5	1	8	1	3	2
All other causes	238	16	20	17	22	23	25	16	24	20	14	22	19
DES MOINES, IOWA, all causes	1,628	141	130	146	158	149	116	143	116	122	136	132	139
Typhoid and paratyphoid fever (1)	5	1							1	1			2
Malaria (5)													
Smallpox (6)													
Measles (7)	16			1	6	7	1						1
Scarlet fever (8)	1												1
Whooping cough (9)	11	1		1	2	2			4	1			
Diphtheria (10)	6	2	1		2				1				
Influenza (11)	30	5	3	4	4	5		2	1	1		2	3
Dysentery (16)													
Erysipelas (21)	5		1		1	1				1		1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3			1					1				1
Tuberculosis of the respiratory system (31)	72	3	6	10	5	5	7	8	2	7	5	5	9
Other forms of tuberculosis (32–37)	6		1	1				2			2		
Diabetes mellitus (57)	21		1	2	2	2	2	2		1	2	6	1
Cerebral hemorrhage and softening (74, 83)	114	3	9	8	13	12	8	10	7	7	13	11	13
Other [organic] diseases of the heart (90)	233	20	15	17	24	19	23	20	16	21	19	22	17
Bronchitis (99)													
Broncho-pneumonia (100)	44	8	3	3	5	10		3	1	2	3	4	2
Pneumonia (101)	57	6	7	3	12	5	2	2	2	2	4	4	8
Diarrhea and enteritis [under 2 years] (113)	12			1	1	3	1	1	1		2	1	1
Diarrhea and enteritis [2 years and over] (114)	6				1	1			3				1
Nephritis (128, 129)	83	9	13	10	5	9	5	5	6	5	6	5	5
Puerperal septicemia (146)	14	2	1	1	1		2	1	1	2	2	1	
Other puerperal causes (143–145, 147–150)	10		2	2				1			1	4	
Suicide (165–174)	26	2				3	2	4	5	1	5	2	2
Automobile accidents [1] (188c)	30	3	2	1	3		6		2	5	5		3
Automobile—railroad-train collision (part of 188a)	3	1	1										1
Automobile—street-car collision (part of 188b)	2	1						1					
Other external causes (175–187, part of 188a, b, 188d–203)	82	5	7	5	8	4	11	9	9	7	6	4	7
All other causes	736	69	57	75	63	61	46	72	53	58	61	60	61
KANSAS CITY, KANS., all causes	1,556	136	131	145	144	124	129	130	116	109	119	131	142
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)													
Smallpox (6)													
Measles (7)	3		2		1								
Scarlet fever (8)	3			2							1		
Whooping cough (9)	7			1		1		2	1	1			1
Diphtheria (10)	7	1		1								3	2
Influenza (11)	35	3	6	7	2	3	1		1	2	2	4	4
Dysentery (16)	6					1	1	1	1	2			
Erysipelas (21)	1							1					
Lethargic encephalitis (23)	3			1	1					1			
Meningococcus meningitis (24)	2	1						1					
Tuberculosis of the respiratory system (31)	89	2	7	8	7	8	9	14	9	5	8	9	3
Other forms of tuberculosis (32–37)	18	1		3	4	2		1	4		1	2	
Diabetes mellitus (57)	38	3	4	1	4	3	5	3	3		4	3	5
Cerebral hemorrhage and softening (74, 83)	88	11	10	4	10	8	10	4	6	4	5	10	6
Other [organic] diseases of the heart (90)	189	21	10	18	18	18	17	14	16	13	8	15	21
Bronchitis (99)	7		1	1	2	1		1		1			
Broncho-pneumonia (100)	47	9	8	4	3	2	3	3		2	5	4	4
Pneumonia (101)	58	4	9	6	10	1	2	3		2	6	7	8
Diarrhea and enteritis [under 2 years] (113)	24		4	1	2		1	2	7	5		1	1
Diarrhea and enteritis [2 years and over] (114)	8			2			1	1	2	1			1
Nephritis (128, 129)	157	17	10	13	17	7	12	11	14	17	11	11	17
Puerperal septicemia (146)	16		1	4	2	1	1	2	1	3		1	
Other puerperal causes (143–145, 147–150)	5	1					1		1	1		1	
Suicide (165–174)	20	3	1	6	1		1	1	1	1	1	3	1
Automobile accidents [1] (188c)	20		1	4	4	2	1	1	1		2	1	3
Automobile—railroad-train collision (part of 188a)	2				1						1		
Automobile—street-car collision (part of 188b)	1								1				
Other external causes (175–187, part of 188a, b, 188d–203)	95	5	9	5	9	10	8	11	5	5	11	7	10
All other causes	606	54	48	53	46	56	55	53	42	43	52	49	55

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISVILLE, KY. (WHITE), all causes	3,080	274	267	263	256	251	239	268	235	232	274	251	270
Typhoid and paratyphoid fever (1)	8		2	1	1				1	1	1	1	
Malaria (5)													
Smallpox (6)	2	1									1		
Measles (7)	1												1
Scarlet fever (8)	9	1	2				3				1	1	1
Whooping cough (9)	21	3	4	2	3	1	1	4	2		1		
Diphtheria (10)	13	4	2	1		1					4	1	
Influenza (11)	31	1	5		3	3		4	1	1	3	5	5
Dysentery (16)	6			1				2		1	2		
Erysipelas (21)	4		2	1				1					
Lethargic encephalitis (23)	4		1		2						1		
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	136	14	12	14	17	6	11	11	10	10	8	11	12
Other forms of tuberculosis (32–37)	35	3	6	1	1	7	5	3		1	2	3	3
Diabetes mellitus (57)	67	6	7	7	5	5	4	9	5	2	4	5	8
Cerebral hemorrhage and softening (74, 83)	243	16	24	14	27	22	21	24	16	11	18	26	24
Other [organic] diseases of the heart (90)	432	31	49	35	34	33	33	32	34	32	36	45	38
Bronchitis (99)	15	1		3	4	1	1			1	1	2	1
Broncho-pneumonia (100)	104	13	6	17	10	4	9	7	5	8	6	10	9
Pneumonia (101)	101	18	8	14	13	7	4	3	6	5	5	9	9
Diarrhea and enteritis [under 2 years] (113)	83	1	5			2	3	15	26	11	11	6	3
Diarrhea and enteritis [2 years and over] (114)	18	4	1		3	1		4	1	1	2	1	
Nephritis (128, 129)	251	30	23	27	18	21	18	18	10	14	21	24	27
Puerperal septicemia (146)	12	3	2			2	2	1		1			1
Other puerperal causes (143–145, 147–150)	16	1	1	2			3	1		4	1	1	2
Suicide (165–174)	46	2	4	2	3	5	7	1	3	1	4	4	10
Automobile accidents [1] (188c)	67	4	4	6	7	7	7	2	7	4	8	2	9
Automobile—railroad-train collision (part of 188a)	2	1				1							
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	179	10	13	14	10	17	13	18	20	19	14	13	18
All other causes	1,174	106	84	101	95	105	94	108	88	104	119	81	89
LOUISVILLE, KY. (COLORED), all causes	1,013	93	102	91	84	92	75	74	68	74	77	89	94
Typhoid and paratyphoid fever (1)	2						1		1				
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1		1										
Whooping cough (9)	7		1	3	1		1	1					
Diphtheria (10)	2		1										1
Influenza (11)	19	3	1	3	3		1	3		1	1	2	1
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	84	9	14	7	2	7	6	5	5	11	3	7	8
Other forms of tuberculosis (32–37)	17	1	1	1	3	5	1	1		1	1	1	1
Diabetes mellitus (57)	6	1				1		1	1			2	
Cerebral hemorrhage and softening (74, 83)	61	5	5	4	3	6	5	1	5	7	7	8	5
Other [organic] diseases of the heart (90)	164	7	16	15	15	18	12	13	16	10	10	13	19
Bronchitis (99)	6		1	1		2					1		1
Broncho-pneumonia (100)	42	13	3	3	7	3		3	1	1	2	3	3
Pneumonia (101)	71	11	10	10	6	7	3	2	1	6	4	7	4
Diarrhea and enteritis [under 2 years] (113)	10	1		1	1			2	3		1	1	
Diarrhea and enteritis [2 years and over] (114)	4			1	1		1	1					
Nephritis (128, 129)	101	9	7	8	10	14	10	7	6	10	6	4	10
Puerperal septicemia (146)	3		1						1				1
Other puerperal causes (143–145, 147–150)	4			1	1	1							1
Suicide (165–174)	4		2	2									
Automobile accidents [1] (188c)	14	2	2	1	2	1		1			3	1	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	94	7	8	7	4	7	5	8	8	4	12	14	10
All other causes	294	24	28	22	25	20	29	25	20	23	25	25	28
NEW ORLEANS, LA. (WHITE), all causes	4,693	413	386	446	319	420	363	359	365	363	390	396	473
Typhoid and paratyphoid fever (1)	24	2		1	5	4	2	3	2	2		1	2
Malaria (5)	3		2									1	
Smallpox (6)													
Measles (7)	75	6	15	38	11	2	2		1				
Scarlet fever (8)	5				1			1	1		1		1
Whooping cough (9)	25	1	3	3	4	2	4	3	3		1		1
Diphtheria (10)	47	4	3	10	13	3	3	3		2	2	3	1
Influenza (11)	77	9	10	8	7	2	2	1	4	3	2	7	22
Dysentery (16)	13	1	3	1			2	1	2			1	2
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	2							1		1			
Meningococcus meningitis (24)	6		1	1			1					2	1
Tuberculosis of the respiratory system (31)	334	31	24	30	26	34	31	22	28	27	27	33	21
Other forms of tuberculosis (32–37)	27	3	2	1	3	4	3	1	1	4	2	2	1
Diabetes mellitus (57)	69	7	7	5	2	2	6	6	9	9	6	5	5
Cerebral hemorrhage and softening (74, 83)	308	19	25	43	22	25	22	32	27	21	18	20	34
Other [organic] diseases of the heart (90)	702	64	64	58	43	65	51	62	50	51	54	47	93
Bronchitis (99)	14	3		1	2	2		1		2	1		2
Broncho-pneumonia (100)	170	14	21	20	12	8	14	7	11	11	17	10	25
Pneumonia (101)	125	21	10	13	4	8	7	5	6	4	14	12	21
Diarrhea and enteritis [under 2 years] (113)	118	3	5	12	10	18	11	8	8	6	14	9	14
Diarrhea and enteritis [2 years and over] (114)	16	1	3	1	2	3	2	1	1		1		1
Nephritis (128, 129)	498	54	39	41	29	48	44	33	38	34	45	40	53
Puerperal septicemia (146)	25	1		1	2		1	5	3	5	2	3	2
Other puerperal causes (143–145, 147–150)	33	1	1	2	2	2	4	1	5	6	4	3	2
Suicide (165–174)	65	3	9	9	6	12	3	1	4	4	7	2	5
Automobile accidents [1] (188c)	69	8	6	5	5	4	7	4	4	9	4	6	7
Automobile—railroad-train collision (part of 188a)	3											3	
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	265	20	15	23	22	26	23	20	17	24	24	26	25
All other causes	1,574	137	118	118	86	146	118	137	140	138	144	160	132

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	3,249	311	232	285	275	304	250	272	278	254	243	248	297
Typhoid and paratyphoid fever (1)	12	1		1		1	2	2	2		1	2	
Malaria (5)	3									1	1		1
Smallpox (6)													
Measles (7)	26	7	4	7	2	2	1	1	1				1
Scarlet fever (8)	2					2							
Whooping cough (9)	16				1	2	3	4	1	1	1	3	
Diphtheria (10)	19	1	1	4	1	4	1			2	1	1	3
Influenza (11)	107	23	6	9	10	10	3	3	6	5	8	9	15
Dysentery (16)	5					1	1		1	1		1	
Erysipelas (21)	1										1		
Lethargic encephalitis (23)	3			1			2						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	335	23	23	35	29	32	31	22	33	28	31	22	26
Other forms of tuberculosis (32–37)	48	4	3	3	7	3	1	8	3	4	3	2	7
Diabetes mellitus (57)	31	2	2	4	4	3	2	3	3	1		1	6
Cerebral hemorrhage and softening (74, 83)	167	18	14	13	14	20	15	10	13	14	14	12	10
Other [organic] diseases of the heart (90)	499	43	39	34	50	41	40	36	44	51	43	43	35
Bronchitis (99)	8	2					1	2		2			1
Broncho-pneumonia (100)	179	19	22	15	11	18	15	14	12	12	7	16	18
Pneumonia (101)	147	20	22	22	16	14	5	7	3	6	5	13	14
Diarrhea and enteritis [under 2 years] (113)	125	5	5	4	14	14	14	23	13	9	8	7	9
Diarrhea and enteritis [2 years and over] (114)	16	1	2	2	2	5	1		1				2
Nephritis (128, 129)	289	32	19	26	22	19	22	25	18	19	25	24	38
Puerperal septicemia (146)	20		1	2	1	3	2	2	2	1	3	2	1
Other puerperal causes (143–145, 147–150)	17	1		2	3	3	3	1	1	1		1	1
Suicide (165–174)	11	1		3	3	1			1	2			
Automobile accidents [1] (188c)	27	3		2	4	4	1	3	2		4	3	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	224	30	11	19	16	22	11	17	21	20	18	8	31
All other causes	912	75	58	77	65	80	74	88	98	73	69	78	77
BALTIMORE, MD. (WHITE), all causes	8,613	874	726	917	758	709	600	655	568	640	708	715	743
Typhoid and paratyphoid fever (1)	7	2	1	1					1	1			1
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	5								1	1	1		2
Scarlet fever (8)	8		1		1	2			1				2
Whooping cough (9)	45	3	3	11	2	2	3	4	10	4	1	1	1
Diphtheria (10)	75	11	7	9	8	8	10	8	4	5	2		3
Influenza (11)	115	12	12	40	18	7	4	3	4	1	6	4	4
Dysentery (16)	30					1		2	5	8	11	2	1
Erysipelas (21)	14		5	2	3	2					1	1	
Lethargic encephalitis (23)	19	1		1		2	3	2	2	3	3	2	
Meningococcus meningitis (24)	10	1			2		1	2	1		1		2
Tuberculosis of the respiratory system (31)	405	41	34	56	44	28	31	37	32	23	29	23	27
Other forms of tuberculosis (32–37)	45	3	3	8	4	3	4	6		4	3	2	5
Diabetes mellitus (57)	168	25	19	12	9	16	6	17	16	10	10	16	12
Cerebral hemorrhage and softening (74, 83)	620	68	52	54	72	47	42	42	36	52	53	53	49
Other [organic] diseases of the heart (90)	1,426	164	121	153	123	125	85	103	80	99	112	117	144
Bronchitis (99)	38	5	7	7	2	1		4			6	3	3
Broncho-pneumonia (100)	459	64	53	85	49	31	13	20	13	26	30	33	42
Pneumonia (101)	430	63	60	84	45	50	9	6	10	13	19	27	44
Diarrhea and enteritis [under 2 years] (113)	133	8	3	5	4	4	8	13	23	21	29	6	9
Diarrhea and enteritis [2 years and over] (114)	27	4		1		3	1	2	3	6	6	1	
Nephritis (128, 129)	944	87	88	76	78	80	73	71	59	82	73	101	76
Puerperal septicemia (146)	38	5	2	4	3	5	4	1	1	1	2	3	7
Other puerperal causes (143–145, 147–150)	50	6	2	6	1	5	3	7	4	4	2	5	5
Suicide (165–174)	120	6	11	14	9	9	14	7	13	9	12	5	11
Automobile accidents [1] (188c)	140	16	4	6	12	8	18	13	10	21	11	11	10
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1												1
Other external causes (175–187, part of 188a, b, 188d–203)	393	42	27	28	32	33	29	41	34	35	30	29	33
All other causes	2,847	237	211	254	237	237	239	243	205	211	255	269	249
BALTIMORE, MD. (COLORED), all causes	2,965	276	280	290	258	238	221	191	210	224	258	266	253
Typhoid and paratyphoid fever (1)	10	2	1			1			2	3	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	1		1										
Scarlet fever (8)	1		1										
Whooping cough (9)	16		2		2	1	1	2	2	1	1	1	3
Diphtheria (10)	18	1	2		1	1	1			2	2	2	6
Influenza (11)	47	9	9	11	5	2	1		1	3	1	3	2
Dysentery (16)	9							1	2	2	2	1	1
Erysipelas (21)													
Lethargic encephalitis (23)	5		2	1				1	1				
Meningococcus meningitis (24)	3				1					1	1		
Tuberculosis of the respiratory system (31)	312	18	24	25	23	38	34	18	29	22	26	26	29
Other forms of tuberculosis (32–37)	59	4	6	7	5	9	4	2	5	3	2	4	8
Diabetes mellitus (57)	25	7	2		2	1	1	1	2	1	3	2	3
Cerebral hemorrhage and softening (74, 83)	174	15	14	27	13	8	20	7	11	10	18	18	13
Other [organic] diseases of the heart (90)	367	35	32	27	35	34	23	28	24	33	30	38	28
Bronchitis (99)	5					1			3			1	
Broncho-pneumonia (100)	241	33	37	35	24	21	12	5	7	6	20	20	21
Pneumonia (101)	263	31	45	37	31	15	10	4	8	8	14	29	31
Diarrhea and enteritis [under 2 years] (113)	59	1		4	4	1		3	15	7	14	2	8
Diarrhea and enteritis [2 years and over] (114)	22	2			2	2		5	2	6	1	1	1
Nephritis (128, 129)	326	35	30	32	26	29	36	21	20	25	31	21	20
Puerperal septicemia (146)	12		2	1	3	1		1	1	1	1	1	
Other puerperal causes (143–145, 147–150)	16	2	1	1	2	1	2		1	2	1	2	1
Suicide (165–174)	10			2	1			2		1	1	3	
Automobile accidents [1] (188c)	31	2	3	4	1		5	3	1	6	3		3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1	1											
Other external causes (175–187, part of 188a, b, 188d–203)	154	14	6	10	12	12	16	16	10	16	15	17	10
All other causes	778	64	60	66	65	61	54	71	63	65	70	74	65

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BOSTON, MASS. all causes	11,109	1,051	978	1,094	1,023	984	853	773	806	808	896	887	956
Typhoid and paratyphoid fever (1)	9	1			1	1			2	1	3		
Malaria (5)													
Smallpox (6)													
Measles (7)	43	1	1	1	2	5	5	2	2	2	3	6	13
Scarlet fever (8)	55	3	13	4	4	8	7	1	3	2	2	2	6
Whooping cough (9)	31	1	3	3	5	2		3	3	2	2	1	6
Diphtheria (10)	63	4	7	4	8	3	9	8	6	1	6	2	5
Influenza (11)	42	3	5	8	3	5		2	2	2	2	4	6
Dysentery (16)	7							1	4	2			
Erysipelas (21)	45	5	3	5	8	6	7	2	2	1	3	2	1
Lethargic encephalitis (23)	12	1	2	1			1		2	1		2	2
Meningococcus meningitis (24)	29	1	2	5	6		1	3	2	2	1	3	3
Tuberculosis of the respiratory system (31)	606	44	60	67	55	49	52	56	40	33	52	43	55
Other forms of tuberculosis (32–37)	85	8	5	7	9	10	8	2	9	7	9	7	4
Diabetes mellitus (57)	188	24	17	12	19	17	15	15	11	16	12	15	15
Cerebral hemorrhage and softening (74, 83)	647	62	61	64	57	65	58	29	31	49	64	52	55
Other [organic] diseases of the heart (90)	1,949	215	174	211	179	177	128	134	120	133	127	159	192
Bronchitis (99)	36	4	6	4	4	7	1	2	1		3	2	2
Broncho-pneumonia (100)	555	63	65	72	64	46	29	24	33	41	34	50	34
Pneumonia (101)	525	82	57	57	62	63	39	18	14	15	30	34	54
Diarrhea and enteritis [under 2 years] (113)	235	13	4	5	9	5	16	24	42	51	35	16	15
Diarrhea and enteritis [2 years and over] (114)	21	1		1	3	2		1	5	3	2	1	2
Nephritis (128, 129)	682	58	66	79	64	51	55	37	51	48	51	54	68
Puerperal septicemia (146)	61	8	3	7	6	9	6	3	4	3	6	2	4
Other puerperal causes (143–145, 147–150)	84	6	8	8	8	9	9	2	8	6	9	7	4
Suicide (165–174)	103	2	9	8	7	13	7	7	12	7	15	9	7
Automobile accidents [1] (188c)	140	7	7	15	15	6	14	15	8	9	19	13	12
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1		1										
Other external causes (175–187, part of 188a, b, 188d–203)	553	46	43	55	51	42	40	50	40	34	50	52	50
All other causes	4,302	388	356	391	374	383	346	332	349	337	356	349	341
CAMBRIDGE, MASS., all causes	1,393	137	146	128	148	113	85	112	87	91	109	110	127
Typhoid and paratyphoid fever (1)	1		1										
Malaria (5)													
Smallpox (6)													
Measles (7)	4										2	1	1
Scarlet fever (8)	3	1			1						1		
Whooping cough (9)	5	2			2								1
Diphtheria (10)													
Influenza (11)	6		1		2	2				1			
Dysentery (16)													
Erysipelas (21)	2			1		1							
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	102	7	15	12	10	7	3	11	6	6	9	8	8
Other forms of tuberculosis (32–37)	10	1	2	2	3			1			1		
Diabetes mellitus (57)	16	1	2	2	2	1		1	2	1	2	1	1
Cerebral hemorrhage and softening (74, 83)	135	13	9	10	9	9	9	10	7	8	15	16	20
Other [organic] diseases of the heart (90)	265	30	31	23	36	21	20	16	15	11	13	24	25
Bronchitis (99)	10		2	2	1	1			1		2		1
Broncho-pneumonia (100)	63	12	10	6	10	3	4	3	3	1	4	5	2
Pneumonia (101)	59	7	11	12	6	8	1		3	3	2	4	2
Diarrhea and enteritis [under 2 years] (113)	13	1					1	2	4	3	1	1	
Diarrhea and enteritis [2 years and over] (114)	3							1	1		1		
Nephritis (128, 129)	74	6	9	10	7	7	3	8	5	6	7	2	4
Puerperal septicemia (146)	5						2	1		1		1	
Other puerperal causes (143–145, 147–150)	11	1	2		2	1		4					1
Suicide (165–174)	19	1	1	2	1	2	1	2	2		1	3	3
Automobile accidents [1] (188c)	28	1	2	1	4	3	1	5	2	2	2	1	4
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1				1								
Other external causes (175–187, part of 188a, b, 188d–203)	54	7	2	4	3	5	2	8	3	5	8	2	5
All other causes	503	46	46	41	48	42	38	39	33	42	38	41	49
FALL RIVER, MASS., all causes	1,442	123	142	145	127	127	113	116	86	104	116	123	120
Typhoid and paratyphoid fever (1)	2							1		1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	1				1								
Whooping cough (9)	2	1		1									
Diphtheria (10)	18	2	3	2			2	1			2	5	1
Influenza (11)	15	3	1	3	2	1		1	1			1	2
Dysentery (16)													
Erysipelas (21)	1												1
Lethargic encephalitis (23)	5		2			1	1	1					
Meningococcus meningitis (24)	2	1	1										
Tuberculosis of the respiratory system (31)	109	8	9	6	17	8	3	13	8	8	10	9	10
Other forms of tuberculosis (32–37)	18	1	1		3	1	1	2	2	1	2	1	3
Diabetes mellitus (57)	30	2	4	5		2	3	2	3	4	2		3
Cerebral hemorrhage and softening (74, 83)	92	9	15	11	8	7	9	7	5	5	6	6	4
Other [organic] diseases of the heart (90)	158	12	18	16	8	16	14	11	5	18	10	12	18
Bronchitis (99)	12	1	1	2	1	3		1		1		1	1
Broncho-pneumonia (100)	75	11	16	9	8	9	3	1	3		4	7	4
Pneumonia (101)	57	5	6	8	4	5	2	4	2	2	4	13	2
Diarrhea and enteritis [under 2 years] (113)	50	2	3	3	3	1	3	1	6	10	9	4	5
Diarrhea and enteritis [2 years and over] (114)	9	1	1		1		1	1	1		1	1	1
Nephritis (128, 129)	169	13	16	14	12	23	11	11	12	9	14	17	17
Puerperal septicemia (146)	5	1		1		1	1			1			
Other puerperal causes (143–145, 147–150)	10		1		1		1			2	5		
Suicide (165–174)	13	2			2	1	3	1		1	1	1	1
Automobile accidents [1] (188c)	11				2	2	1	1	1	1		3	
Automobile—railroad-train collision (part of 188a)	1	1											
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	38	2	3	4	2	1	5	9	2		2	5	3
All other causes	538	45	41	60	52	45	48	47	35	40	44	37	44

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOWELL, MASS., all causes	1,392	130	119	120	138	121	93	117	105	107	108	116	118
Typhoid and paratyphoid fever (1)	3				2					1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)	1								1				
Whooping cough (9)	8		1	1	3		2		1				
Diphtheria (10)	19	2		1	2			2		2		6	4
Influenza (11)	3	1									1	1	
Dysentery (16)													
Erysipelas (21)	1										1		
Lethargic encephalitis (23)	2			1				1					
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	47	6	4	4	3	5	2	4	4	6	3	2	4
Other forms of tuberculosis (32–37)	16	1	2		2		1	3	2		1		4
Diabetes mellitus (57)	29	4		2	2	4	1	2	4	1	2	2	5
Cerebral hemorrhage and softening (74, 83)	83	11	9	5	6	7	6	4	3	2	10	11	9
Other [organic] diseases of the heart (90)	244	20	27	22	25	20	15	20	18	22	19	16	20
Bronchitis (99)	31	7	2	1	8	2			1	3	4	3	
Broncho-pneumonia (100)	68	6	8	16	6	7	1	3	2	4	6	3	6
Pneumonia (101)	31	7	2	2	7	4	1		1	2	1	2	2
Diarrhea and enteritis [under 2 years] (113)	49	1	3	3	2	1	1	6	17	4	4	4	3
Diarrhea and enteritis [2 years and over] (114)	2										2		
Nephritis (128, 129)	68	7	9	10	5	5	3	3	2	7	7	2	8
Puerperal septicemia (146)	1												1
Other puerperal causes (143–145, 147–150)	19	5	2		1	1		2	1	4		1	2
Suicide (165–174)	9				3		1	3			1	1	
Automobile accidents [1] (188c)	16	1		1		4	2	1	2	1	1	3	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	55	3	6	4	2	5	7	5	3	6	3	5	6
All other causes	585	48	44	46	59	56	50	57	43	42	42	54	44
NEW BEDFORD, MASS., all causes	1,309	152	138	116	118	94	88	94	109	83	81	101	135
Typhoid and paratyphoid fever (1)	4						1	2					1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	2			2									
Whooping cough (9)	1					1							
Diphtheria (10)	19	5		1		2	1			1	3	1	5
Influenza (11)	20	2	4	1		1	1	1		1	4	1	4
Dysentery (16)													
Erysipelas (21)	7	1	3		1			1			1		
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	91	11	8	12	7	10	7	7	5	5	2	8	9
Other forms of tuberculosis (32–37)	18	2		3	1	2	2	1	1	1	1	1	3
Diabetes mellitus (57)	20	1	4	1	3	2	2		1		2	2	2
Cerebral hemorrhage and softening (74, 83)	129	15	12	10	9	8	12	10	11	10	7	16	9
Other [organic] diseases of the heart (90)	201	26	28	16	19	15	15	12	11	10	11	15	23
Bronchitis (99)	8			1	2	1		1			1		2
Broncho-pneumonia (100)	58	11	13	7	1	2	4		5	1	6	3	5
Pneumonia (101)	32	8	5	3	3	1	1	3	1		1	1	5
Diarrhea and enteritis [under 2 years] (113)	19	1	1	1	1	1	2	5	2	2	2	1	
Diarrhea and enteritis [2 years and over] (114)	5	1							1	1		2	
Nephritis (128, 129)	77	7	7	7	13	3	2	4	4	8	8	2	12
Puerperal septicemia (146)	5	1		1	1				1				1
Other puerperal causes (143–145, 147–150)	9	1	1	1	2	2					1		1
Suicide (165–174)	13	2	2		2	2	1	1	1	1			1
Automobile accidents [1] (188c)	16		1	2	1	2	2	1	1	1	1		4
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1	1											
Other external causes (175–187, part of 188a, b, 188d–203)	51	4	7	3	4	4	4	3	5	5	3	8	1
All other causes	501	52	42	44	48	34	31	42	58	36	27	40	47
SPRINGFIELD, MASS., all causes	1,684	169	149	148	172	144	130	126	106	126	136	131	147
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	1				1								
Scarlet fever (8)	1		1										
Whooping cough (9)	6	1		1	1		1			1			1
Diphtheria (10)	18	3		1	3	2	1		2	2	1	2	1
Influenza (11)	15	2	4	1	4	1	1		1		1		
Dysentery (16)													
Erysipelas (21)	6	1	1		1	2							1
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	2				1						1		
Tuberculosis of the respiratory system (31)	64	5	11	9	5	6	5	4	3	2	7	4	3
Other forms of tuberculosis (32–37)	17	1				4	3	3	1	1	1	1	2
Diabetes mellitus (57)	35	2	4	3	3	5		1	5	6	1	1	4
Cerebral hemorrhage and softening (74, 83)	142	17	14	10	16	12	11	9	9	10	14	12	8
Other [organic] diseases of the heart (90)	261	34	24	21	26	21	19	19	21	11	20	13	32
Bronchitis (99)	4	2						1			1		
Broncho-pneumonia (100)	62	8	7	5	6	4	4	1	2	10	3	7	5
Pneumonia (101)	64	9	5	10	14	7	3	5	1	1	2	4	3
Diarrhea and enteritis [under 2 years] (113)	8	1			1		1		1		2		2
Diarrhea and enteritis [2 years and over] (114)	5	1			1			3					
Nephritis (128, 129)	192	19	13	18	17	17	18	18	8	15	20	14	15
Puerperal septicemia (146)	11			1	3		1	3			1		2
Other puerperal causes (143–145, 147–150)	19		5		2	1	2	1	1	3	1	1	2
Suicide (165–174)	19	1	3	2		1	1		2	3		4	2
Automobile accidents [1] (188c)	24	2		2	2	2	2	2		4	5		3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	3				1		2						
Other external causes (175–187, part of 188a, b, 188d–203)	63	5	3	9	4	2	10	5	3	4	6	8	4
All other causes	641	55	54	55	60	57	45	51	46	52	49	60	57

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WORCESTER, MASS., all causes	2,516	230	220	254	230	238	212	184	195	184	175	181	213
Typhoid and paratyphoid fever (1)	6	1			1	1		2				1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4	1		1	1			1					
Whooping cough (9)	6		1	1	1		1	1					1
Diphtheria (10)	14	2	2	2	1		1	1			1	2	2
Influenza (11)	11	3		1	1	3			2				1
Dysentery (16)	1							1					
Erysipelas (21)	2				1		1						
Lethargic encephalitis (23)	3	1				1		1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	135	12	13	15	21	7	12	12	13	9	7	9	5
Other forms of tuberculosis (32–37)	35	3	1	2	3	3	5	3	4	3	5		3
Diabetes mellitus (57)	49	1	8	6	6	3	5	3	11	1	3	1	1
Cerebral hemorrhage and softening (74, 83)	188	18	17	20	9	19	16	11	10	19	8	22	19
Other [organic] diseases of the heart (90)	381	27	26	40	38	52	34	26	32	33	23	14	36
Bronchitis (99)	10	1	1	1	1	2	1				1		2
Broncho-pneumonia (100)	104	23	15	13	11	6	7	3	2		4	7	13
Pneumonia (101)	115	16	17	18	8	12	10	5	3	7	4	7	8
Diarrhea and enteritis [under 2 years] (113)	17	1	2					4	2	3	2	2	1
Diarrhea and enteritis [2 years and over] (114)	8	3		1			2				2		
Nephritis (128, 129)	243	20	24	24	20	18	20	20	14	8	20	25	30
Puerperal septicemia (146)	5	1			1	2					1		
Other puerperal causes (143–145, 147–150)	11			3			2				2	2	2
Suicide (165–174)	29	1	2	4	4	2	3	1	2	5	2	1	2
Automobile accidents [1] (188c)	46	1	2		2	2	4	9	8	4	2	8	4
Automobile—railroad-train collision (part of 188a)	1		1										
Automobile—street-car collision (part 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	118	12	9	14	8	11	15	10	9	7	7	7	9
All other causes	974	82	79	88	92	94	73	70	83	85	81	73	74
DETROIT, MICH. (WHITE), all causes	12,713	1,237	1,099	1,266	1,218	1,133	1,032	939	855	890	1,010	990	1,044
Typhoid and paratyphoid fever (1)	15	2	1	1	1		1	3	2	1	1	2	
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	17	2	1	3	1	1					1		8
Scarlet fever (8)	40	7	4	8	6	3	2			2	4	1	3
Whooping cough (9)	50	4	5	4	3	3	3	4	6	10	3	3	2
Diphtheria (10)	268	28	23	45	33	17	21	14	13	12	17	22	23
Influenza (11)	121	21	19	24	11	12	8	1	3	2	5	3	12
Dysentery (16)	2							1		1			
Erysipelas (21)	48	12	7	4	3	7	5	1	4		2	1	2
Lethargic encephalitis (23)	14		2	1	2	1	3		2	2		1	
Meningococcus meningitis (24)	24	3	3	4	1	4	2	1		2	3	1	
Tuberculosis of the respiratory system (31)	730	79	69	61	77	57	59	69	45	48	54	52	60
Other forms of tuberculosis (32–37)	135	10	13	11	14	16	19	15	7	6	4	7	13
Diabetes mellitus (57)	209	19	18	17	17	22	16	14	11	16	22	17	20
Cerebral hemorrhage and softening (74, 83)	649	61	69	76	60	76	49	44	34	38	44	54	44
Other [organic] diseases of the heart (90)	1,620	137	117	164	157	159	139	121	109	108	150	119	140
Bronchitis (99)	81	9	14	7	15	11	7	1	2	1	4	3	7
Broncho-pneumonia (100)	501	65	62	77	70	39	32	20	22	28	24	33	29
Pneumonia (101)	606	75	58	78	82	57	44	17	18	25	44	55	53
Diarrhea and enteritis [under 2 years] (113)	280	20	32	23	23	16	19	22	21	36	36	10	22
Diarrhea and enteritis [2 years and over] (114)	35	3	4	3	1	2	3	3	5	1	6	2	2
Nephritis (128, 129)	672	73	60	63	72	63	49	36	51	46	48	50	61
Puerperal septicemia (146)	106	6	14	17	12	13	7	9	6	3	6	7	6
Other puerperal causes (143–145, 147–150)	125	10	4	17	14	14	8	9	7	16	9	8	9
Suicide (165–174)	196	19	13	24	14	12	24	9	15	18	14	12	22
Automobile accidents [1] (188c)	383	19	20	34	32	32	26	29	43	34	34	47	33
Automobile—railroad-train collision (part of 188a)	3				1	2							
Automobile—street-car collision (part of 188b)	12		3	1		3	2	3					
Other external causes (175–187, part of 188a, b, 188d–203)	727	74	63	40	61	53	76	85	48	57	60	62	48
All other causes	5,043	479	401	459	435	438	408	408	380	377	415	418	425
DETROIT, MICH. (COLORED), all causes	1,742	136	158	157	158	194	148	117	129	124	146	129	146
Typhoid and paratyphoid fever (1)	2			1			1						
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	1				1								
Scarlet fever (8)	4		1		1				1				1
Whooping cough (9)	8	1	1			1			1	3			1
Diphtheria (10)	8		3	2		1							2
Influenza (11)	14	2	1	4		4				2			1
Dysentery (16)													
Erysipelas (21)	3	1	1	1									
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	6	1	1										4
Tuberculosis of the respiratory system (31)	305	23	24	26	25	29	27	27	29	24	27	22	22
Other forms of tuberculosis (32–37)	47	4	2	5	2	3	6	4	8	4	3	4	2
Diabetes mellitus (57)	19	1	2	1		4	2	2		2	4	1	
Cerebral hemorrhage and softening (74, 83)	47	4	8	6	2	5	5	1		2	9	3	2
Other [organic] diseases of the heart (90)	174	18	17	10	19	16	10	18	13	10	10	17	16
Bronchitis (99)	8				2	1	2				1	1	1
Broncho-pneumonia (100)	84	12	6	10	11	10	7	2	3	4	6	4	9
Pneumonia (101)	152	8	22	20	16	22	17	8	4	4	7	13	11
Diarrhea and enteritis [under 2 years] (113)	18	2	1				4	2	2	2	3	1	1
Diarrhea and enteritis [2 years and over] (114)	9	1	1			1	1	3		2			
Nephritis (128, 129)	92	3	9	11	4	10	9	4	7	7	13	7	8
Puerperal septicemia (146)	10		1	2	1		1	1		2		1	1
Other puerperal causes (143–145, 147–150)	18	3	2	2	1	1	1	1	2	1			4
Suicide (165–174)	6	1	2			1						1	1
Automobile accidents [1] (188c)	20	3	1	1	1	3	2	2	1	1	1	2	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	180	11	17	19	27	22	12	9	14	10	13	13	13
All other causes	505	37	35	36	44	60	41	33	43	44	49	39	44

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES, 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes	1,592	153	131	142	130	146	132	136	100	120	131	126	145
Typhoid and paratyphoid fever (1)	3					1	1						1
Malaria (5)													
Smallpox (6)													
Measles (7)	3	1					2						
Scarlet fever (8)	1		1										
Whooping cough (9)	3		1						1	1			
Diphtheria (10)	3		1						1				
Influenza (11)	19	4	3	4		1	1			11	3		2
Dysentery (16)													
Erysipelas (21)	4			1		1	1				1		
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)	2				1	1							
Tuberculosis of the respiratory system (31)	37	6	1	5	1	3	5	3	4	2	2	2	3
Other forms of tuberculosis (32–37)	10	1	1		3			3				1	1
Diabetes mellitus (57)	31	3	1	5	3	1	2	4	1	2	3	4	2
Cerebral hemorrhage and softening (74, 83)	150	12	11	14	15	11	13	13	9	13	7	19	13
Other [organic] diseases of the heart (90)	312	30	29	27	25	25	19	33	21	22	28	21	32
Bronchitis (99)	9	2		1			2				1		2
Broncho-pneumonia (100)	39	5	3	3	3	5	1		1	5	3	4	6
Pneumonia (101)	41	6	5	2	3	5	3	3	2	2	3	2	5
Diarrhea and enteritis [under 2 years] (113)	23	2	5		2	2		2	1	5	3		1
Diarrhea and enteritis [2 years and over] (114)	3								1	2			
Nephritis (128, 129)	102	10	9	9	10	7	10	9	10	8	7	6	7
Puerperal septicemia (146)	11	2		1	1				1		2	3	1
Other puerperal causes (143–145, 147–150)	15	2		3	1	1	1	2			2	2	1
Suicide (165–174)	17		2	2	2		2	3	1	3		1	1
Automobile accidents [1] (188c)	35	3	3	4		1	4	1	3	5	5	2	4
Automobile—railroad-train collision (part of 188a)	1	1											
Automobile—street-car collision (part of 188b)	1									1			
Other external causes (175–187, part of 188a, b, 188d–203)	69	11	8	6	4	7	4	3	3	5	7	7	4
All other causes	647	52	47	55	55	74	60	56	40	43	54	52	59
MINNEAPOLIS, MINN., all causes	4,719	435	387	418	461	375	412	326	327	308	425	409	436
Typhoid and paratyphoid fever (1)	3		2							1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	13	2	1	2	4						1		3
Whooping cough (9)	9	1		1		1		1	2		1	2	
Diphtheria (10)	27	4	2	3	3	2			2	3	1	6	1
Influenza (11)	55	3	6	11	10	6	3	1	1		6	3	5
Dysentery (16)	4	1		1				1	1				
Erysipelas (21)	11	3	1	1	3						1		2
Lethargic encephalitis (23)	14			1	2			3	1	2	1	2	2
Meningococcus meningitis (24)	18		2	4	2		2		2	1	2	1	2
Tuberculosis of the respiratory system (31)	161	18	13	13	14	17	17	10	9	6	18	14	12
Other forms of tuberculosis (32–37)	31	1	3	3		1	6	4	5	3	2		3
Diabetes mellitus (57)	106	15	8	8	11	6	9	8	6	8	8	11	8
Cerebral hemorrhage and softening (74, 83)	287	25	28	25	24	20	32	20	24	14	17	22	36
Other [organic] diseases of the heart (90)	745	55	58	64	72	71	74	44	47	48	70	73	69
Bronchitis (99)	17	2	3	3	1	2	1		1		2		2
Broncho-pneumonia (100)	193	22	13	19	25	10	17	10	7	11	18	15	26
Pneumonia (101)	237	38	26	21	35	15	18	6	4	9	17	15	33
Diarrhea and enteritis [under 2 years] (113)	12		1	2			1	3	2	1	1		1
Diarrhea and enteritis [2 years and over] (114)	12	3					3	1	2	1	1		1
Nephritis (128, 129)	263	25	24	22	27	22	27	11	12	18	24	27	24
Puerperal septicemia (146)	14	2	2	3		1	2	2	1	1			
Other puerperal causes (143–145, 147–150)	24	4	2	2	5	2	1	2	2	2	2		
Suicide (165–174)	80	5	6	8	7	7	7	7	6	10	8	5	4
Automobile accidents [1] (188c)	64	8	5	4	1	6	5	9	8	6	7	2	3
Automobile—railroad-train collision (part of 188a)	1								1				
Automobile—street-car collision (part of 188b)	1												1
Other external causes (175–187, part of 188a, b, 188d–203)	259	19	14	25	20	17	22	19	22	17	31	28	25
All other causes	2,057	179	167	172	195	168	165	164	159	146	186	183	173
ST. PAUL, MINN., all causes	2,950	247	263	306	272	255	246	214	214	221	233	205	274
Typhoid and paratyphoid fever (1)	7			1						1	3		2
Malaria (5)													
Smallpox (6)													
Measles (7)	5	2		1			1	1					
Scarlet fever (8)	3	1	1										1
Whooping cough (9)	2	1	1										
Diphtheria (10)	4		1		1	1			1				
Influenza (11)	59	5	7	8	9	5	4	1	2	4	4	2	8
Dysentery (16)	4		2			1					1		
Erysipelas (21)	11	1	1	1	2	1				1	1	1	2
Lethargic encephalitis (23)	12	2	1	3	2	1	1		1			1	
Meningococcus meningitis (24)	7	1		3	1		1						1
Tuberculosis of the respiratory system (31)	160	9	14	24	11	16	19	13	14	11	8	10	11
Other forms of tuberculosis (32–37)	26	2	5	1	1	2	2	2	4	1	3	1	2
Diabetes mellitus (57)	49	4	5	6	2	3	5	2	4	6	7	1	4
Cerebral hemorrhage and softening (74, 83)	192	22	15	24	15	14	15	18	13	18	11	11	16
Other [organic] diseases of the heart (90)	501	39	45	54	57	38	49	34	34	37	35	27	52
Bronchitis (99)	7	1	1	1	1				1			1	1
Broncho-pneumonia (100)	115	12	13	12	15	9	5	2	4	2	14	16	11
Pneumonia (101)	115	19	17	15	13	3	5	3	3	4	6	7	20
Diarrhea and enteritis [under 2 years] (113)	12	2	1	3			1		2		1		2
Diarrhea and enteritis [2 years and over] (114)	11		2			3		1	2	2			
Nephritis (128, 129)	152	19	16	12	9	14	9	14	12	6	12	15	14
Puerperal septicemia (146)	14	1	1	3	1	1	2	1	1	3			
Other puerperal causes (143–145, 147–150)	14	1		1	1	2	2	1	1		2	1	2
Suicide (165–174)	45	4	6	4	3	3	7	3	3	1	1	1	9
Automobile accidents [1] (188c)	57	5	4	5	3	4	5	5	10	4	6	3	3
Automobile—railroad-train collision (part of 188a)	1						1						
Automobile—street-car collision (part of 188b)	4	2									2		
Other external causes (175–187, part of 188a, b, 188d–203)	183	14	17	9	19	20	21	19	11	13	12	15	13
All other causes	1,178	78	87	115	106	114	91	94	91	107	103	92	100

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, MO. (WHITE), all causes	4,212	399	351	412	358	377	311	305	314	310	351	355	369
Typhoid and paratyphoid fever (1)	8	1					1			2	3	1	
Malaria (5)	1									1			
Smallpox (6)	1	1											
Measles (7)	18		2	2	3	7	2	1				1	
Scarlet fever (8)	10	2	1	2	1	1	1				2		
Whooping cough (9)	21		1	5	2	3	2	1	2	2	1	1	1
Diphtheria (10)	12	1	1	1		1				2		1	5
Influenza (11)	62	9	8	10	7	8	4	2	1	1	4	5	3
Dysentery (16)	1							1					
Erysipelas (21)	11		1	1	2	1	1	1		1	1	1	1
Lethargic encephalitis (23)	12	2		1		1		1	3	2	1	1	
Meningococcus meningitis (24)	13	1			3	4	1		3		1		
Tuberculosis of the respiratory system (31)	187	17	22	15	22	16	12	24	10	9	14	13	13
Other forms of tuberculosis (32–37)	31	2	4	1	2	2	7			4	5	1	3
Diabetes mellitus (57)	59	7	8	5	5	4	4	4	4	6	5	3	4
Cerebral hemorrhage and softening (74, 83)	266	24	23	31	25	22	20	17	22	18	20	18	26
Other [organic] diseases of the heart (90)	554	57	41	53	51	59	26	41	39	37	42	52	56
Bronchitis (99)	15	2	2	2	2		1		1		2	1	2
Broncho-pneumonia (100)	146	17	16	21	12	15	8	9	12	6	9	9	12
Pneumonia (101)	185	35	15	21	14	16	8	11	11	9	18	10	17
Diarrhea and enteritis [under 2 years] (113)	61	3	5	2	2	3	13	3	5	12	8	5	
Diarrhea and enteritis [2 years and over] (114)	19			3	2	2	1	1	4	4	2		
Nephritis (128, 129)	447	32	40	49	48	31	35	27	30	36	28	47	44
Puerperal septicemia (146)	23	2	3	3			3		1	3	1	3	4
Other puerperal causes (143–145, 147–150)	31	4	2	2	1	4	6	2	4		1	3	2
Suicide (165–174)	65	4	3	1	10	6	9	4	3	6	8	5	6
Automobile accidents [1] (188c)	72	4	9	7	1	5	6	5	7	7	7	8	6
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	3	1									1	1	
Other external causes (175–187, part of 188a, b, 188d–203)	246	27	12	28	25	13	18	11	24	24	24	16	24
All other causes	1,632	144	132	146	118	153	122	139	128	118	143	149	140
KANSAS CITY, MO. (COLORED), all causes	799	84	57	79	68	84	65	64	56	52	65	56	69
Typhoid and paratyphoid fever (1)	3						1		1			1	
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	1								1				
Diphtheria (10)													
Influenza (11)	13	3	3	2		2					2		1
Dysentery (16)	1				1								
Erysipelas (21)	1	1											
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	99	10	7	14	7	14	11	8	6	2	6	4	10
Other forms of tuberculosis (32–37)	13	2	2	1	1	1	1		2	1	1		1
Diabetes mellitus (57)	2				1	1							2
Cerebral hemorrhage and softening (74, 83)	33	3	2	1	2	3	1		5	1	7	4	4
Other [organic] diseases of the heart (90)	98	8	8	5	11	9	10	13	4	7	10	4	9
Bronchitis (99)													
Broncho-pneumonia (100)	33	4	2	6	2	5	4			1	3	3	3
Pneumonia (101)	66	8	7	11	7	8	4	3	3	2	3	4	6
Diarrhea and enteritis [under 2 years] (113)	12			1	1	2			2	2	2	1	1
Diarrhea and enteritis [2 years and over] (114)	3	1							1		1		
Nephritis (129, 129)	105	13	4	14	15	10	10	6	5	7	6	9	6
Puerperal septicemia (146)	3					1			1			1	
Other puerperal causes (143–145, 147–150)	6	1			1		1	1					2
Suicide (165–174)	7					3	1			2	1		
Automobile accidents [1] (188c)	8	1	1		1		1	1	1		1		1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	72	13	3	7	4	7	4	5	7	7	6	3	6
All other causes	216	16	18	17	14	16	16	26	17	20	16	21	19
ST. LOUIS, MO. (WHITE), all causes	9,027	885	705	852	746	737	689	701	611	755	741	784	821
Typhoid and paratyphoid fever (1)	13		1		2	1	1	1	1	2	2	1	1
Malaria (5)	9			1				1	1		5	1	
Smallpox (6)													
Measles (7)	5	1	1		2	1							
Scarlet fever (8)	19	3	3	2	3	1	2		1		1	3	
Whooping cough (9)	42		2	3	8	5	1	4	7	5	4	2	1
Diphtheria (10)	62	10	6	8	5	4	1	2	1	3	5	9	8
Influenza (11)	60	14	8	10	4	5	6			1	1	7	4
Dysentery (16)	6								2	3	1		
Erysipelas (21)	20	5	3	1	3			2	1	1	1	1	2
Lethargic encephalitis (23)	16	1	1	4		1		1	1	2	2	2	1
Meningococcus meningitis (24)	10		1	3	1	1		1		1	1	1	
Tuberculosis of the respiratory system (31)	331	34	26	36	31	22	22	21	35	33	29	18	24
Other forms of tuberculosis (32–37)	41	3		3	7	2	8	2	1	4	4	4	3
Diabetes mellitus (57)	176	16	9	18	15	18	15	8	14	12	17	16	18
Cerebral hemorrhage and softening (74, 83)	488	46	41	49	37	44	42	37	24	44	43	34	47
Other [organic] diseases of the heart (90)	1,654	149	144	160	158	142	115	117	104	126	120	162	157
Bronchitis (99)	60	9	4	5	8	4	3	2	1	5	5	7	7
Broncho-pneumonia (100)	262	45	25	24	19	23	14	15	9	13	12	28	35
Pneumonia (101)	416	70	31	64	39	30	28	19	9	17	33	39	37
Diarrhea and enteritis [under 2 years] (113)	119	5	5	4	5	1		18	12	26	14	14	15
Diarrhea and enteritis [2 years and over] (114)	23		3		3	5		1	5	5	1		
Nephritis (128, 129)	1,103	114	82	84	80	83	85	92	98	87	117	87	94
Puerperal septicemia (146)	37	4	6	3	4	2	1	3	3	3	4	3	1
Other puerperal causes (143–145, 147–150)	38	2	6	2	4	2	3	6	5	2	1	1	4
Suicide (165–174)	158	8	14	12	10	14	17	15	15	13	19	8	13
Automobile accidents [1] (188c)	144	16	9	4	7	14	13	12	8	14	15	14	18
Automobile—railroad-train collision (part of 188a)	1												1
Automobile—street-car collision (part of 188b)	8			1				2	1		1		3
Other external causes (175–187, part of 188a, b, 188d–203)	547	43	38	60	37	53	35	43	33	87	35	33	50
All other causes	3,159	287	236	291	254	259	277	276	219	246	248	289	277

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ST. LOUIS, MO. (COLORED), all causes	1,833	155	142	163	156	164	160	123	132	164	165	165	144
Typhoid and paratyphoid fever (1)	3								1			2	
Malaria (5)													
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)													
Whooping cough (9)	6	1	1		1	1	1	1					
Diphtheria (10)	6	2	1							1		1	1
Influenza (11)	19	2		5	4	2	1	1			1	3	
Dysentery (16)	1									1			
Erysipelas (21)	2									2			
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	212	15	21	15	22	19	15	8	19	18	23	20	17
Other forms of tuberculosis (32–37)	29	2	1	2	2	4	1	4	4	2	1	2	4
Diabetes mellitus (57)	14	2		1	2		2	3	1		2	1	
Cerebral hemorrhage and softening (74, 83)	58	5	4	3	8	5	7	4	2	3	6	4	7
Other [organic] diseases of the heart (90)	295	19	20	25	25	25	21	14	27	25	33	28	33
Bronchitis (99)	6			1	1		1		1	1	1		
Broncho-pneumonia (100)	107	9	6	8	7	7	13	8	6	12	10	14	17
Pneumonia (101)	135	14	7	14	20	19	9	4	4	5	8	18	13
Diarrhea and enteritis [under 2 years] (113)	16	1		2			1	1	4	4	2	1	
Diarrhea and enteritis [2 years and over] (114)	4			2		1							1
Nephritis (128, 129)	288	26	22	33	23	28	29	27	20	23	29	13	15
Puerperal septicemia (146)	10	2	1		1	1	1		1	2	1		
Other puerperal causes (143–145, 147–150)	8	1		1		1	1				2		2
Suicide (165–174)	4		1							1	2		
Automobile accidents [1] (188c)	15		1	3	2	1	1			1	1	3	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	138	15	11	8	10	9	7	7	7	29	8	12	15
All other causes	454	38	45	39	28	41	48	41	35	34	35	43	27
OMAHA, NEBR., all causes	2,670	234	240	254	262	211	206	189	195	205	218	214	242
Typhoid and paratyphoid fever (1)	2								1				1
Malaria (5)													
Smallpox (6)													
Measles (7)	13			4	2	3	3	1					
Scarlet fever (8)	2			1					1				
Whooping cough (9)	6	1		2	1		1	1					
Diphtheria (10)	14		3	1	2	1	1	2	1	1			2
Influenza (11)	40	5	8	6	6	3	2	1		2	3	1	3
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)	4		1		1		1					1	
Meningococcus meningitis (24)	3			1						1		1	
Tuberculosis of the respiratory system (31)	2		1		1								
Other forms of tuberculosis (32–37)	100	11	12	10	6	14	10	8	1	10	5	7	6
Diabetes mellitus (57)	34	5	3	4	2	1	4	3	4	2	3		3
Cerebral hemorrhage and softening (74, 83)	45	3	5	2	5	5	4	2	4	5	1	3	6
Other [organic] diseases of the heart (90)	191	12	16	16	17	20	15	13	13	16	26	10	17
Bronchitis (99)	416	31	43	37	39	48	29	34	27	33	35	28	32
Broncho-pneumonia (100)	9	2			2	1			2			2	
Pneumonia (101)	66	4	8	3	9	4	7	3	3	3	3	9	10
Diarrhea and enteritis [under 2 years] (113)	94	13	13	12	11	5	3	1	5	5	5	10	11
Diarrhea and enteritis [2 years and over] (114)	23	3	1	1	2	1	1	1	1	4	3	3	2
Nephritis (128, 129)	6	1		1	1				1	1	1		
Puerperal septicemia (146)	182	21	13	22	21	13	13	12	9	11	12	18	17
Other puerperal causes (143–145, 147–150)	22		2	5	2	1		1	3	2	3	2	1
Suicide (165–174)	20	3	2	1	1	1	1	3	2	3	1	2	
Automobile accidents [1] (188c)	43	3	6	5	1	5	3	4	5	2	6	3	
Automobile—railroad-train collision (part of 188a)	49	3	1	3	5	3	5	2		8	8	6	5
Automobile—street-car collision (part of 188b)	3	2										1	
Other external causes (175–187, part of 188a, b, 188d–203)	3								3				
All other causes	133	16	11	10	11	8	8	10	15	11	7	8	18
	1,145	95	91	107	114	74	95	87	94	85	96	99	108
CAMDEN, N. J., all causes	1,645	143	146	173	159	146	125	128	103	114	128	136	144
Typhoid and paratyphoid fever (1)	1											1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	7	1	1	1	1	1	1					1	
Whooping cough (9)	7		2							1	1		2
Diphtheria (10)	35	5	1	5	5	6	2	1	2	1	4	1	2
Influenza (11)	18	1	4	5	3	1	1				1	1	1
Dysentery (16)													
Erysipelas (21)	2				1			1					
Lethargic encephalitis (23)	3				1		1		1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	68	5	4	9	7	5	7	2	2	4	7	8	3
Other forms of tuberculosis (32–37)	15	3	1	5	1		1		3				1
Diabetes mellitus (57)	26	3	2	3	2	1		1		3	2	5	4
Cerebral hemorrhage and softening (74, 83)	109	9	13	12	10	5	5	6	7	13	6	7	16
Other [organic] diseases of the heart (90)	240	23	26	27	20	21	13	23	8	20	20	20	19
Bronchitis (99)	7	1	2								1	1	2
Broncho-pneumonia (100)	66	3	6	16	12	4	3	2	2	3	3	5	7
Pneumonia (101)	97	10	11	14	11	3	3	5	6	5	7	11	11
Diarrhea and enteritis [under 2 years] (113)	49	3	3	1	5	5	2	6	7	7	4	5	1
Diarrhea and enteritis [2 years and over] (114)	11	2	1	2	1			2		1			2
Nephritis (128, 129)	176	17	21	14	25	17	9	17	15	6	9	10	16
Puerperal septicemia (146)	20	1	2	2	2	2	2	2	2		2	3	
Other puerperal causes (143–145, 147–150)	17		1	1	2	1	4	2	4	1		1	
Suicide (165–174)	20		1	1	1	3	3	2	1	3	3	1	1
Automobile accidents [1] (188c)	65	5	3	2	1	6	6	7	7	6	7	7	8
Automobile—railroad-train collison (part of 188a)	7									2		2	3
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	91	5	2	8	13	11	6	11	7	6	7	8	7
All other causes	493	46	39	45	35	54	56	38	29	32	44	37	38

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
JERSEY CITY, N. J., all causes	3,550	340	305	345	334	314	266	275	245	234	296	294	302
Typhoid and paratyphoid fever (1)	4	1		1						1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)	5	1				3	1						
Whooping cough (9)	17	2		1	2	2	1	1	3	1		1	3
Diphtheria (10)	38	5	1	1	3	4	2	3	3	2	3	6	5
Influenza (11)	26	4	3	5	3	4	2					3	2
Dysentery (16)													
Erysipelas (21)	13	2	2	2		3	1			1	1	1	
Lethargic encephalitis (23)	3		1		1	1							
Meningococcus meningitis (24)	8		2		2	2	1				1		
Tuberculosis of the respiratory system (31)	187	18	13	24	16	21	11	11	11	14	19	13	16
Other forms of tuberculosis (32–37)	36	4	2	2	6	6	4	1	3	2	1	4	1
Diabetes mellitus (57)	95	11	9	8	9	8	9	1	6	7	10	6	11
Cerebral hemorrhage and softening (74, 83)	199	20	16	24	25	14	17	17	8	11	15	14	18
Other [organic] diseases of the heart (90)	719	63	69	68	59	58	44	48	58	47	66	68	71
Bronchitis (99)	22	1	3	3	3	2	1	1	1	1	3		3
Broncho-pneumonia (100)	145	21	15	14	20	10	8	7	7	6	11	9	17
Pneumonia (101)	184	25	18	32	21	19	15	10	3	5	9	10	17
Diarrhea and enteritis [under 2 years] (113)	73	8	5	3	2	6	8	8	5	10	10	4	4
Diarrhea and enteritis [2 years and over] (114)	23	2	3	4	2	2	1	2	2	1		1	3
Nephritis (128, 129)	303	25	23	29	38	31	20	20	33	17	23	24	20
Puerperal septicemia (146)	15	2	4	1		1	3	2	2				
Other puerperal causes (143–145, 147–150)	18	2	2	2	2			4	4	2			
Suicide (165–174)	23	2	2	4	2	2	1	2		2	3	1	2
Automobile accidents [1] (188c)	65	3	4	5	5	5	5	3	8	8	4	7	8
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1								1				
Other external causes (175–187, part of 188a, b, 188d–203)	191	12	14	17	24	16	18	22	11	13	14	18	12
All other causes	1,136	106	94	95	89	94	93	111	76	83	103	103	89
NEWARK, N. J., all causes	5,090	479	423	534	497	368	383	380	363	374	422	422	445
Typhoid and paratyphoid fever (1)	6		1					1	1		2	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	3					1						1	1
Scarlet fever (8)	6	1	1	2	2								
Whooping cough (9)	24	2	1	3	1	1	1		5	4	2	3	1
Diphtheria (10)	28	2		3		3	1	3		1	3	5	7
Influenza (11)	34	6	5	9	7				2	1		1	3
Dysentery (16)	1							1					
Erysipelas (21)	12	1	1	3	3		2		1	1			
Lethargic encephalitis (23)	4			1			1				2		
Meningococcus meningitis (24)	7	1	1	1	1	1		1					1
Tuberculosis of the respiratory system (31)	237	25	24	28	24	18	19	14	20	8	28	12	17
Other forms of tuberculosis (32–37)	46	4	2	7	1	4	8	6	4	4	3	1	2
Diabetes mellitus (57)	116	13	8	7	10	7	7	6	9	9	14	12	14
Cerebral hemorrhage and softening (74, 83)	324	33	28	37	27	28	25	19	21	24	20	33	29
Other [organic] diseases of the heart (90)	882	85	80	97	78	69	53	61	77	69	64	75	74
Bronchitis (99)	22	3	3	3	2	2	2	1	1		1	3	1
Broncho-pneumonia (100)	139	16	16	26	14	6	6	5	4	10	12	8	16
Pneumonia (101)	304	37	32	38	48	28	19	16	7	20	12	25	22
Diarrhea and enteritis [under 2 years] (113)	82	4	6	5	3	9	7	6	18	7	7	7	3
Diarrhea and enteritis [2 years and over] (114)	9	2	1				1	2	2	1			
Nephritis (128, 129)	416	41	34	41	40	26	38	21	30	29	44	36	36
Puerperal septicemia (146)	25		3	3	2	1	2		2	3	3	3	3
Other puerperal causes (143–145, 147–150)	46	2	2	3	9	3	2	4	3	3	4	5	6
Suicide (165–174)	75	6	8	6	7	8	3	5	8	4	8	6	6
Automobile accidents [1] (188c)	122	7	5	8	14	6	12	11	16	10	12	11	10
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	3			1					1		1		
Other external causes (175–187, part of 188a, b, 188d–203)	277	30	15	28	15	17	19	23	16	26	23	26	39
All other causes	1,840	158	146	174	189	130	155	174	115	140	157	148	154
PATERSON, N. J., all causes	1,756	175	151	172	164	145	130	134	131	116	145	140	153
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	1		1										
Scarlet fever (8)	8		2	3			1				1		1
Whooping cough (9)	3					1						2	
Diphtheria (10)	13			2		1	1	3			1	3	2
Influenza (11)	14	3	2	1	3	1				1	1	1	1
Dysentery (16)	1												1
Erysipelas (21)	3	1	1	1									
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2					1							1
Tuberculosis of the respiratory system (31)	92	9	6	13	7	6	8	10	6	3	10	9	5
Other forms of tuberculosis (32–37)	15	2	1		2		2	2	3	2	1		
Diabetes mellitus (57)	50	5	3	4	5	7	3	2	3	5	4	5	4
Cerebral hemorrhage and softening (74, 83)	145	10	18	10	8	9	13	14	10	10	15	11	17
Other [organic] diseases of the heart (90)	271	29	27	34	34	25	12	12	13	17	21	21	26
Bronchitis (99)	8	2	1			1						1	3
Broncho-pneumonia (100)	47	5	7	8	2	4		5	3	1	3	3	6
Pneumonia (101)	86	20	8	10	7	10	4	3	3	1	8	5	7
Diarrhea and enteritis [under 2 years] (113)	32	1	7	4	2	2	2	3	1	3	2	5	
Diarrhea and enteritis [2 years and over] (114)	10			1	3	2			2		1		1
Nephritis (128, 129)	134	10	8	7	12	14	14	11	16	9	11	7	15
Puerperal septicemia (146)	10	2		1	2	2		1	1			1	
Other puerperal causes (143–145, 147–150)	14	1	1		2	1	1	3		2	2	1	
Suicide (165–174)	22	2	1	6	3	1	1	2		1	1	2	2
Automobile accidents [1] (188c)	52	5	4	3	4	6	5	3	4	2	5	7	4
Automobile—railroad-train collision (part of 188a)	3	1				1	1						
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	82	11	3	8	6	7	3	7	7	5	3	10	12
All other causes	635	56	50	56	61	43	58	53	59	54	54	46	45

[1] Excludes collision with railroad trains and street cars

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes	1,809	174	163	154	170	151	142	117	105	159	147	161	166
Typhoid and paratyphoid fever (1)	4		1			1						2	
Malaria (5)													
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	2					1				1			1
Whooping cough (9)	7		2		1			3			1		
Diphtheria (10)	1					1							
Influenza (11)	27	3	6	4	1	4	2					2	5
Dysentery (16)	3							1	1			1	
Erysipelas (21)	4		1		1	1							1
Lethargic encephalitis (23)	3				1		1					1	
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	83		3	6	10	13	6	9	6	11	6	5	8
Other forms of tuberculosis (32–37)	9			1			3		2	1			2
Diabetes mellitus (57)	34	2		2	3	3	1	5	2	4	5	4	3
Cerebral hemorrhage and softening (74, 83)	130	8	12	16	8	10	11	8	8	10	11	13	15
Other [organic] diseases of the heart (90)	294	28	27	27	28	25	22	21	14	21	18	35	28
Bronchitis (99)	10		2		1	2	2		1			2	
Broncho-pneumonia (100)	66	12	6	6	13	5	2	1	2	5	3	5	6
Pneumonia (101)	93	16	14	7	13	7	4	4	2	4	9	8	5
Diarrhea and enteritis [under 2 years] (113)	39	3	3	4	2	3	1		4	12	4	2	1
Diarrhea and enteritis [2 years and over] (114)	20	2	3	1	2		1	2	3		4	1	1
Nephritis (128, 129)	140	17	14	11	7	10	18	7	9	13	12	10	12
Puerperal septicemia (146)	9	3			1	2		1			1	1	
Other puerperal causes (143–145, 147–150)	11				2	1		3	1	2			2
Suicide (165–174)	13	1			2		1		1	2	3	1	2
Automobile accidents [1] (188c)	40	3		2	2	3	2	4	5	4	6	4	5
Automobile—railroad-train collision (part of 188a)	1						1						
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	119	13	8	12	12	11	10	10	9	11	8	9	6
All other causes	645	63	61	54	60	48	53	38	35	58	56	55	64
ALBANY, N. Y., all causes	1,899	163	163	170	171	168	133	156	121	151	144	146	213
Typhoid and paratyphoid fever (1)	4	1	1		1							1	
Malaria (5)													
Smallpox (6)													
Measles (7)	6	5	1										
Scarlet fever (8)	3				1								2
Whooping cough (9)	5				1				1	1	1		1
Diphtheria (10)	11			1			1	1		1		4	3
Influenza (11)	19	4	2	2	3	1	1			2	3	1	
Dysentery (16)	2	2											
Erysipelas (21)	3	1	1	1									
Lethargic encephalitis (23)	3	1				1		1					
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	106	10	10	11	9	13	5	11	5	8	7	8	9
Other forms of tuberculosis (32–37)	20	1	2		3	2	1	3	1	1	1		5
Diabetes mellitus (57)	44	4	1	6	7	4	2	4	2	4		3	7
Cerebral hemorrhage and softening (74, 83)	111	7	11	9	12	8	8	8	9	8	8	7	16
Other [organic] diseases of the heart (90)	397	27	37	36	28	40	30	31	19	29	41	26	53
Bronchitis (99)	9	1		1		1	2		2				2
Broncho-pneumonia (100)	53	8	2	5	7	3	1	1	1	3	4	9	9
Pneumonia (101)	69	12	4	12	15	4	1	2	3	1	2	5	8
Diarrhea and enteritis [under 2 years] (113)	18	2	1	1	2	1	1	2		2	3	1	2
Diarrhea and enteritis [2 years and over] (114)	6	1	1			2						1	1
Nephritis (128, 129)	185	20	14	14	11	18	11	11	9	19	14	18	26
Puerperal septicemia (146)	10	1	1	1	1	1	2	1				1	1
Other puerperal causes (143–145, 147–150)	9		3	2	1	1						1	1
Suicide (165–174)	11		3		1			1		1		2	3
Automobile accidents [1] (188c)	36	1	2	3		4	1	3	4	4	4	6	4
Automobile—railroad-train collision (part of 188a)	3					1	2						
Automobile—street-car collision (part of 188b)	2								2				
Other external causes (175–187, part of 188a, b, 188d–203)	87	5	2	6	11	7	12	11	9	8	3	4	9
All other causes	666	49	64	59	57	56	52	64	54	59	53	48	51
BUFFALO, N. Y., all causes	7,225	723	627	677	598	687	550	530	510	542	544	607	630
Typhoid and paratyphoid fever (1)	13	5	1		1				3	1	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	3			1			1						1
Scarlet fever (8)	19	1	1	4	1			2	3		2	2	3
Whooping cough (9)	11							2	2	4	1	1	1
Diphtheria (10)	62	3	3	3	5	6	6	3	3	3	2	12	13
Influenza (11)	36	5	6	4	6	3	2				3	1	6
Dysentery (16)	9		1					1	3	3	1		
Erysipelas (21)	17	3	4	2	1	1	2	1		1		1	1
Lethargic encephalitis (23)	4							2				2	
Meningococcus meningitis (24)	2			2									
Tuberculosis of the respiratory system (31)	395	47	31	28	31	50	29	33	35	36	22	36	17
Other forms of tuberculosis (32–37)	71	5	5	3	6	6	7	12	11	2	4	3	7
Diabetes mellitus (57)	142	15	15	15	6	14	9	11	9	9	16	9	14
Cerebral hemorrhage and softening (74, 83)	441	49	42	37	39	35	33	27	27	36	36	48	32
Other [organic] diseases of the heart (90)	1,283	136	127	130	96	104	98	78	104	87	95	104	124
Bronchitis (99)	59	7	4	7	6	7	6	6	2	2	2	1	9
Broncho-pneumonia (100)	225	38	21	23	22	25	15	10	8	7	17	15	24
Pneumonia (101)	325	42	34	52	47	26	27	11	7	15	9	25	30
Diarrhea and enteritis [under 2 years] (113)	148	9	16	10	9	12	5	8	11	21	21	11	15
Diarrhea and enteritis [2 years and over] (114)	41	1	4	1	2	2	4	5	5	7	4	4	2
Nephritis (128, 129)	650	62	50	64	61	66	58	55	36	46	36	71	45
Puerperal septicemia (146)	31	4	3	1	4	1	2		4	5	5		2
Other puerperal causes (143–145, 147–150)	61	7	5	8	3	6	6	5	5	6	3	4	3
Suicide (165–174)	72	11	5	8	6	8	3	5	7	5	3	1	10
Automobile accidents [1] (188c)	137	7	8	10	11	15	8	13	7	16	17	15	10
Automobile—railroad-train collision (part of 188a)	2							1			1		
Automobile—street-car collision (part of 188b)	6	1				2	1					1	1
Other external causes (175–187, part of 188a, b, 188d–203)	371	29	36	41	14	45	20	38	29	23	38	23	35
All other causes	2,589	236	205	223	221	253	208	201	189	207	205	216	225

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (WHITE), all causes	65,633	6,289	5,739	6,506	6,320	5,881	5,018	4,806	4,436	4,620	4,960	5,296	5,762
Typhoid and paratyphoid fever (1)	67	3	1	4	3	3	3	11	9	14	3	10	3
Malaria (5)	3			1								1	1
Smallpox (6)													
Measles (7)	40	1	1	2	8	5	9	6	1	4		2	1
Scarlet fever (8)	110	13	7	20	26	16	7	6	5		3	4	3
Whooping cough (9)	254	8	14	22	18	17	21	29	18	36	25	23	23
Diphtheria (10)	698	60	53	62	86	82	76	45	33	24	54	59	64
Influenza (11)	476	74	77	81	70	45	18	12	8	15	18	26	32
Dysentery (16)	10		1		1	1			3	1		2	1
Erysipelas (21)	217	17	18	30	35	39	26	16	8	5	7	4	12
Lethargic encephalitis (23)	153	16	14	11	19	13	14	17	8	16	8	6	11
Meningococcus meningitis (24)	107	7	10	13	11	16	5	6	4	8	4	12	11
Tuberculosis of the respiratory system (31)	3,817	338	344	418	401	368	292	300	260	260	249	280	307
Other forms of tuberculosis (32–37)	548	60	44	48	61	47	43	45	53	36	41	33	37
Diabetes mellitus (57)	1,521	165	143	144	113	115	139	114	93	112	116	138	129
Cerebral hemorrhage and softening (74, 83)	3,026	298	231	263	274	248	225	214	217	231	238	273	314
Other [organic] diseases of the heart (90)	13,046	1,213	1,158	1,251	1,204	1,177	964	928	839	937	1,023	1,113	1,239
Bronchitis (99)	220	32	23	24	23	19	16	8	9	10	14	24	18
Broncho-pneumonia (100)	2,527	290	287	344	297	242	157	131	111	124	150	170	224
Pneumonia (101)	3,559	496	411	517	495	327	191	127	118	128	173	256	320
Diarrhea and enteritis [under 2 years] (113)	750	40	54	65	62	58	62	63	104	81	75	39	47
Diarrhea and enteritis [2 years and over] (114)	104	4	5	6	10	15	7	10	13	9	11	9	5
Nephritis (128, 129)	5,283	586	477	503	515	466	415	383	325	363	365	409	476
Puerperal septicemia (146)	273	21	19	31	34	32	27	21	16	14	23	18	17
Other puerperal causes (143–145, 147–150)	376	31	34	32	24	26	34	42	28	28	34	31	32
Suicide (165–174)	1,051	75	79	88	97	106	85	88	73	81	84	98	97
Automobile accidents [1] (188c)	1,062	95	64	65	89	96	94	72	78	101	132	98	78
Automobile—railroad-train collision (part of 188a)	2				1				1				
Automobile—street-car collision (part of 188b)	7	1	1	1	3						1		
Other external causes (175–187, part of 188a, b, 188d–203)	3,547	370	336	288	286	288	319	290	277	260	250	269	314
All other causes	22,779	1,975	1,833	2,172	2,054	2,014	1,769	1,822	1,724	1,722	1,859	1,889	1,946
NEW YORK, N. Y. (COLORED), all causes	4,763	426	404	457	444	457	378	395	354	342	345	371	390
Typhoid and paratyphoid fever (1)	7		1								2	1	3
Malaria (5)	1												1
Smallpox (6)													
Measles (7)	3					1	1		1				
Scarlet fever (8)													
Whooping cough (9)	46	2	1	6	2	3	1	6	5	9	4	4	3
Diphtheria (10)	31	2	4	4	7	2	4	3	1	2			2
Influenza (11)	21	4	1	2	2		1		1	1	4	1	4
Dysentery (16)	1										1		
Erysipelas (21)	7	1	1	1	2		2						
Lethargic encephalitis (23)	13	1	1	4					1	1	4		1
Meningococcus meningitis (24)	16	2	2	2	2	3			4			1	
Tuberculosis of the respiratory system (31)	703	58	52	70	66	67	54	63	58	58	50	53	54
Other forms of tuberculosis (32–37)	116	11	14	6	15	13	9	6	11	6	12	12	1
Diabetes mellitus (57)	60	3	7	3	4	5	5	9	5	1	5	6	7
Cerebral hemorrhage and softening (74, 83)	127	9	12	12	13	9	10	10	9	13	8	10	12
Other [organic] diseases of the heart (90)	628	54	46	59	57	60	55	56	50	46	44	47	54
Bronchitis (99)	11	1	1			2		1	1	1	2	2	
Broncho-pneumonia (100)	290	28	44	28	41	38	20	12	12	13	10	21	23
Pneumonia (101)	395	44	41	62	52	55	24	16	15	12	18	24	32
Diarrhea and enteritis [under 2 years] (113)	71	5	5	9	6	9	1	11	7	6	5	5	2
Diarrhea and enteritis [2 years and over] (114)	6							3				2	1
Nephritis (128, 129)	300	22	24	23	36	25	26	24	20	24	20	29	27
Puerperal septicemia (146)	41	7	1	2	4	7	5	2	3	4	3	2	1
Other puerperal causes (143–145, 147–150)	51	7	7	3	5	3	2	4	5	3	6	5	1
Suicide (165–174)	44	3	3	3	5	4	9	3	3	5	3	1	2
Automobile accidents [1] (188c)	37	2	5	4	1	1	1	4	5	5	4	3	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	269	23	14	15	17	24	25	28	17	24	25	19	38
All other causes	1,468	137	117	139	107	126	123	134	120	108	115	123	119
NEW YORK, N. Y. (BRONX BOROUGH), all causes	9,103	833	763	845	882	846	719	697	595	619	727	734	843
Typhoid and paratyphoid fever (1)	10		1	1	1			2	2	1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	5				2	2						1	
Scarlet fever (8)	17	2	1	3	5	2					1	3	
Whooping cough (9)	38	1	2	7	3	1	2	4	2	4	5	2	5
Diphtheria (10)	85	10	7	8	9	9	11	3	2	1	5	10	10
Influenza (11)	74	11	8	11	7	9	5	4			5	5	9
Dysentery (16)													
Erysipelas (21)	41	5		7	2	16	3		1	1		1	5
Lethargic encephalitis (23)	29	3	3	2	1	3	3	3	1	2	4	1	3
Meningococcus meningitis (24)	13	1		1	1	1	1	2	1	1	1	1	2
Tuberculosis of the respiratory system (31)	614	59	51	66	55	63	49	50	35	53	48	43	42
Other forms of tuberculosis (32–37)	87	10	10	12	10	11	6	7	5	5	3	2	6
Diabetes mellitus (57)	191	27	19	13	8	17	20	17	10	15	14	19	12
Cerebral hemorrhage and softening (74, 83)	378	33	25	24	33	37	29	22	24	34	36	34	47
Other [organic] diseases of the heart (90)	2,038	172	194	170	184	178	135	138	134	146	177	197	213
Bronchitis (99)	24	2	4	3		2	1			1	2	5	4
Broncho-pneumonia (100)	320	29	36	44	41	34	20	14	8	20	26	18	30
Pneumonia (101)	476	64	48	69	75	52	22	15	15	17	19	29	51
Diarrhea and enteritis [under 2 years] (113)	72	6	3	8	5	8	4	9	8	6	3	4	8
Diarrhea and enteritis [2 years and over] (114)	12			1	1	1	1	1	4	1	1	1	
Nephritis (128, 129)	583	71	50	52	60	49	47	53	36	43	40	31	51
Puerperal septicemia (146)	47	4	4	5	5	8	5	4	5	1	2	2	2
Other puerperal causes (143–145, 147–150)	56	4	3	6	3	7	6	7	5	3	4	3	5
Suicide (165–174)	118	7	4	11	11	10	9	13	14	7	11	10	11
Automobile accidents [1] (188c)	156	18	9	9	11	11	19	10	15	9	21	10	14
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	386	28	37	31	32	37	45	34	29	30	21	26	36
All other causes	3,233	266	244	281	317	278	276	285	239	218	277	276	276

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,843	2,178	2,129	2,382	2,259	2,162	1,843	1,703	1,685	1,724	1,751	1,956	2,071
Typhoid and paratyphoid fever (1)	25				1		2	4	3	8	2	4	1
Malaria (5)	1			1									
Smallpox (6)													
Measles (7)	11		1		1	1	3	1		3			1
Scarlet fever (8)	52	6	6	8	15	9	2		3		1		2
Whooping cough (9)	95	1	3	9	7	5	7	11	7	14	11	11	9
Diphtheria (10)	341	26	30	31	39	49	39	19	21	13	31	24	19
Influenza (11)	201	34	33	35	33	21	5	4	6	5	6	12	7
Dysentery (16)	1								1				
Erysipelas (21)	93	3	13	16	11	15	10	10	6	1	4	1	3
Lethargic encephalitis (23)	55	2	4	4	9	6	5	8	3	6	3	3	2
Meningococcus meningitis (24)	45	2	3	8	6	8	3	2	1	1	3	3	5
Tuberculosis of the respiratory system (31)	1,156	103	125	133	105	101	85	91	81	74	70	90	98
Other forms of tuberculosis (32–37)	199	20	15	14	21	17	18	15	12	16	25	17	9
Diabetes mellitus (57)	584	51	43	63	47	44	60	45	36	42	42	57	54
Cerebral hemorrhage and softening (74, 83)	1,094	98	69	98	109	95	81	74	80	83	81	97	129
Other [organic] diseases of the heart (90)	4,995	456	474	490	443	455	361	358	335	374	368	425	456
Bronchitis (99)	85	11	5	9	9	8	9	2	3	5	6	10	8
Broncho-pneumonia (100)	1,024	103	131	143	122	102	69	55	42	45	58	75	79
Pneumonia (101)	1,159	163	137	170	155	103	62	39	42	49	54	78	107
Diarrhea and enteritis [under 2 years] (113)	324	17	25	28	19	22	23	31	51	35	33	21	19
Diarrhea and enteritis [2 years and over] (114)	48	1	3	3	5	6	2	5	6	3	8	4	2
Nephritis (128, 129)	1,996	216	180	201	184	164	153	141	124	144	136	160	193
Puerperal septicemia (146)	108	7	7	12	10	13	12	8	6	9	10	8	6
Other puerperal causes (143–145, 147–150)	167	12	15	14	14	12	13	16	13	12	14	19	13
Suicide (165–174)	322	22	20	23	30	42	19	29	29	29	23	27	29
Automobile accidents [1] (188c)	343	22	19	23	38	27	27	21	24	37	46	40	19
Automobile—railroad-train collision (part of 188a)	1								1				
Automobile—street-car collision (part of 188b)	1										1		
Other external causes (175–187, part of 188a, b, 188d–203)	1,104	122	84	91	98	95	93	73	103	81	70	96	98
All other causes	8,213	680	684	755	728	742	680	641	646	635	645	674	703
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	1,009	85	92	102	94	97	80	75	79	80	68	72	85
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)	1												1
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)													
Whooping cough (9)	10		1					3	3	1	1	1	
Diphtheria (10)	13		1	3	2	1	3	1		1			1
Influenza (11)	4	1					1				1		1
Dysentery (16)													
Erysipelas (21)	1				1								
Lethargic encephalitis (23)	2		1	1									
Meningococcus meningitis (24)	8	1	2	2		2		1					
Tuberculosis of the respiratory system (31)	115	9	7	12	12	12	8	12	11	12	7	6	7
Other forms of tuberculosis (32–37)	16	3	1		2	3	2				2	3	
Diabetes mellitus (57)	9		1		1		1	1	1	1	2	1	
Cerebral hemorrhage and softening (74, 83)	23	1	1	4	1	2	3	2	1	1		2	5
Other [organic] diseases of the heart (90)	142	10	15	16	11	17	11	13	9	9	8	11	12
Bronchitis (99)	3				2				1				
Broncho-pneumonia (100)	70	7	14	7	9	10	6	1	5	1	2		
Pneumonia (101)	78	7	11	11	11	10	3	3	6	4	6	2	
Diarrhea and enteritis [under 2 years] (113)	24	2		1	1	2	1	4	5	3	2	2	1
Diarrhea and enteritis [2 years and over] (114)	2							1				1	
Nephritis (128, 129)	64	3	8	4	10	4	7	4	3	2	3	10	6
Puerperal septicemia (146)	10	3		1		1	1			2	1	1	
Other puerperal causes (143–145, 147–150)	6	1	1	1	2					1			
Suicide (165–174)	5			1		1	1				1	1	
Automobile accidents [1] (188c)	6		1	1						2	1	1	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	59	10	1	2	2	4	4	6	2	7	5	3	13
All other causes	336	27	26	35	29	26	27	24	31	32	26	27	26
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	23,358	2,366	2,039	2,379	2,324	2,062	1,699	1,703	1,493	1,635	1,771	1,824	2,063
Typhoid and paratyphoid fever (1)	22	1		2	1	2	1	5	3	4	2	1	1
Malaria (5)	2											1	1
Smallpox (6)													
Measles (7)	24	1		2	5	3	5	5	1	1		1	
Scarlet fever (8)	24	4		5	4	2	2	4	2		1		
Whooping cough (9)	93	5	7	6	8	9	10	9	7	15	8	5	4
Diphtheria (10)	159	14	9	15	26	15	15	12	7	3	11	12	20
Influenza (11)	139	19	24	22	20	13	3	4	2	6	7	9	10
Dysentery (16)	7	1			1	1			1	1		1	1
Erysipelas (21)	62	4	5	5	17	7	11	5	2	2	1		3
Lethargic encephalitis (23)	42	8	1	2	3	3	4	4	4	6	2	2	3
Meningococcus meningitis (24)	34	3	6	1	2	5	1	2	1	4		6	3
Tuberculosis of the respiratory system (31)	1,533	137	122	155	176	167	119	120	102	104	103	104	124
Other forms of tuberculosis (32–37)	201	20	15	18	21	16	15	16	31	13	9	13	14
Diabetes mellitus (57)	546	62	62	49	46	44	39	38	28	36	44	45	53
Cerebral hemorrhage and softening (74, 83)	996	112	98	95	90	77	54	76	72	72	70	94	86
Other [organic] diseases of the heart (90)	4,265	424	344	413	416	378	319	310	260	310	337	331	423
Bronchitis (99)	87	11	13	10	9	7	5	5	5	4	5	8	5
Broncho-pneumonia (100)	884	113	87	121	111	75	47	49	43	44	52	57	85
Pneumonia (101)	1,420	193	178	215	198	118	79	52	39	43	73	118	114
Diarrhea and enteritis [under 2 years] (113)	274	14	20	24	32	21	30	13	37	34	25	9	15
Diarrhea and enteritis [2 years and over] (114)	23		1	1	3	4	1	4	1	3		3	2
Nephritis (128, 129)	1,748	204	152	160	187	166	134	120	101	109	115	138	162
Puerperal septicemia (146)	56	6	6	6	10	7	3	4	3	3	3	1	4
Other puerperal causes (143–145, 147–150)	97	7	10	6	5	4	7	15	9	7	11	5	11
Suicide (165–174)	481	35	45	41	47	43	46	32	23	33	45	46	45
Automobile accidents [1] (188c)	435	47	28	30	26	44	42	26	26	40	47	40	39
Automobile—railroad-train collision (part of 188a)	1				1								
Automobile—street-car collision (part of 188b)	4	1	1	1	1								
Other external causes (175–187, part of 188a, b, 188d–203)	1,565	182	161	134	118	112	131	125	104	113	127	115	143
All other causes	8,134	738	644	840	740	719	576	648	579	625	675	658	692

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	3,318	301	282	308	314	315	267	282	237	228	247	270	267
Typhoid and paratyphoid fever (1)	6		1								1	1	3
Malaria (5)													
Smallpox (6)													
Measles (7)	1								1				
Scarlet fever (8)													
Whooping cough (9)	31	2		5	2	3	1	2	1	6	3	3	3
Diphtheria (10)	18	2	3	1	5	1	1	2	1	1			1
Influenza (11)	14	2	1	2	2				1		2	1	3
Dysentery (16)	1										1		
Erysipelas (21)	6	1	1	1	1		2						
Lethargic encephalitis (23)	8			3					1	1	2		1
Meningococcus meningitis (24)	8	1			2	1			3		1		
Tuberculosis of the respiratory system (31)	542	46	41	51	52	46	42	50	46	41	40	43	44
Other forms of tuberculosis (32–37)	81	5	11	6	11	8	6	5	10	4	8	7	
Diabetes mellitus (57)	41	3	5	1	2	4	4	6	2		3	4	7
Cerebral hemorrhage and softening (74, 83)	94	7	10	7	11	7	7	7	7	11	7	7	6
Other [organic] diseases of the heart (90)	423	41	28	37	41	36	40	40	35	28	30	33	34
Bronchitis (99)	7	1	1					1		1	1	2	
Broncho-pneumonia (100)	199	20	29	19	27	24	13	8	6	11	7	20	15
Pneumonia (101)	285	32	27	45	37	40	20	13	8	7	10	21	25
Diarrhea and enteritis [under 2 years] (113)	42	2	5	7	4	6		7	1	3	3	3	1
Diarrhea and enteritis [2 years and over] (114)	4							2				1	1
Nephritis (128, 129)	202	12	16	16	21	20	15	20	13	20	15	18	16
Puerperal septicemia (146)	26	4		1	4	5	3	2	2	1	2	1	1
Other puerperal causes (143–145, 147–150)	36	4	4	1	3	3	2	3	3	2	6	4	1
Suicide (165–174)	38	3	3	2	6	2	7	2	3	3	2	3	2
Automobile accidents [1] (188c)	26	2	3	3	1	1	1	3	3	3	3	2	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	177	11	11	10	12	20	21	17	13	14	19	11	18
All other causes	1,002	100	82	90	70	88	82	92	77	71	82	84	84
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,978	781	690	782	720	691	641	585	558	543	620	678	689
Typhoid and paratyphoid fever (1)	7	2		1					1			3	
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	15	1		4	2	3	2	2				1	
Whooping cough (9)	21		2	1		2	2	2	1	2	1	4	4
Diphtheria (10)	107	9	7	7	10	9	11	11	3	6	7	13	14
Influenza (11)	51	9	11	11	6	2	4			3			5
Dysentery (16)	2		1									1	
Erysipelas (21)	18	3		1	5	1	2	1		1	1	2	1
Lethargic encephalitis (23)	29	4	6	3	6	1	2	2		2	1		2
Meningococcus meningitis (24)	15	1	1	3	2	2			1	2		2	1
Tuberculosis of the respiratory system (31)	444	34	40	59	54	36	33	34	28	23	24	40	39
Other forms of tuberculosis (32–37)	66	11	5	2	9	3	4	6	6	3	5	3	9
Diabetes mellitus (57)	188	22	17	18	12	9	16	15	20	17	16	14	7
Cerebral hemorrhage and softening (74, 83)	463	46	31	39	35	30	50	34	30	38	45	42	43
Other [organic] diseases of the heart (90)	1,443	139	125	152	136	134	116	92	84	85	120	129	131
Bronchitis (99)	18	5		1	4	2	1	1			2	1	1
Broncho-pneumonia (100)	259	39	30	31	25	24	16	15	16	12	11	15	25
Pneumonia (101)	422	61	39	54	56	48	25	16	18	12	27	23	43
Diarrhea and enteritis [under 2 years] (113)	72	4	6	6	5	8	4	9	6	6	9	5	4
Diarrhea and enteritis [2 years and over] (114)	16	3	1	1	1	1	3		1	2	1	1	1
Nephritis (128, 129)	800	84	72	72	74	74	70	51	57	52	64	68	62
Puerperal septicemia (146)	57	4	2	6	8	3	7	4	3	1	8	6	5
Other puerperal causes (143–145, 147–150)	59	8	5	6	2	3	8	4	4	6	5	5	3
Suicide (165–174)	113	10	9	12	7	10	8	12	4	11	6	14	10
Automobile accidents [1] (188c)	108	6	7	3	9	11	9	11	10	15	14	8	5
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	2				2								
Other external causes (175–187, part of 188a, b, 188d–203)	394	31	41	26	29	32	35	41	39	32	24	28	36
All other causes	2,793	245	232	263	221	243	212	222	226	212	229	250	238
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,787	171	148	165	171	165	147	156	143	133	121	133	134
Typhoid and paratyphoid fever (1)	3					1				1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	2						1						1
Whooping cough (9)	12	1						5	2	2		1	1
Diphtheria (10)	6	1		1	2					1			1
Influenza (11)	14	3	1	2	3		1			2	1		1
Dysentery (16)													
Erysipelas (21)	3	1		1							1		
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	116	10	10	12	13	10	10	6	15	10	7	7	6
Other forms of tuberculosis (32–37)	14	1	1	2	2	2	1	2		2	1		
Diabetes mellitus (57)	27	3	3	3	1	2	4	1	1	2		4	3
Cerebral hemorrhage and softening (74, 83)	105	10	9	8	8	9	11	9	12	5	7	7	10
Other [organic] diseases of the heart (90)	368	26	24	32	31	39	37	33	31	30	27	34	24
Bronchitis (99)	7	3	1	1	1				1				
Broncho-pneumonia (100)	61	7	4	7	3	11	6	1	2	4	4	6	6
Pneumonia (101)	114	20	12	15	15	11	3	5	5	8	2	9	9
Diarrhea and enteritis [under 2 years] (113)	13				2		1	1	3		5		1
Diarrhea and enteritis [2 years and over] (114)	5					3			1		1		
Nephritis (128, 129)	190	18	23	21	15	14	15	18	11	17	12	13	13
Puerperal septicemia (146)	10		1	2	1	2	1	1		1		1	
Other puerperal causes (143–145, 147–150)	6	2	2	1				1					
Suicide (165–174)	18		1	1	3	1	3	2	3	1		1	2
Automobile accidents [1] (188c)	25	1	2		3	3		5	5	1	4		1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	131	10	15	9	12	13	13	23	6	8	9	6	7
All other causes	536	54	39	47	56	44	40	43	45	38	40	43	47

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes	3,787	318	323	376	358	360	307	252	282	273	294	308	336
Typhoid and paratyphoid fever (1)	4	2			1				1				
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	10		1			4	3		1		1		
Whooping cough (9)	7	1	2	1		1					1	1	
Diphtheria (10)	21	2	1	1	3	3	2	1	1		2	2	3
Influenza (11)	19	2	3	6	2	1			1		4		
Dysentery (16)	2			1		1							
Erysipelas (21)	16	1	2		4	2	2	1	1	1	1		1
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	126	9	6	13	14	14	16	10	8	13	11	5	7
Other forms of tuberculosis (32–37)	30	3	2	1	2	1	3	3	4	4	1	4	2
Diabetes mellitus (57)	82	9	8	9	9	6	4	4	6	2	7	11	7
Cerebral hemorrhage and softening (74, 83)	267	23	21	26	27	30	17	21	18	16	20	18	30
Other [organic] diseases of the heart (90)	670	63	53	68	67	54	49	46	48	43	58	60	61
Bronchitis (99)	25	1	3	4	2	2		2	1		2	3	5
Broncho-pneumonia (100)	118	11	7	23	10	10	10	7	6	6	4	7	17
Pneumonia (101)	173	21	16	23	22	13	14	6	5	7	12	14	20
Diarrhea and enteritis [under 2 years] (113)	43	3	3	1	3	1	7	2	10	6	2	2	3
Diarrhea and enteritis [2 years and over] (114)	12	1	2	2	1		1	2	1	1	1		
Nephritis (128, 129)	345	38	32	32	37	35	30	23	27	17	25	23	26
Puerperal septicemia (146)	13	1		1	1			1	1	1	1	3	3
Other puerperal causes (143–145, 147–150)	22	2	1	2	1	3	1		3	3	1	3	2
Suicide (165–174)	33	3	2	1	7	5	1	2	1	6	3	1	1
Automobile accidents [1] (188c)	62	1	3	5	4	8	6	2	7	9	3	7	7
Automobile—railroad-train collision (part of 188a)	3							1	1			1	
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	158	10	19	15	15	14	13	8	8	13	13	11	19
All other causes	1,524	111	136	141	126	152	128	110	121	125	121	132	121
SYRACUSE, N. Y., all causes	2,419	244	234	217	199	207	195	178	199	169	189	173	215
Typhoid and paratyphoid fever (1)	5			1	1		2				1		
Malaria (5)													
Smallpox (6)													
Measles (7)	17		1	1	1	7	5		1		1		
Scarlet fever (8)	3		1				1					1	
Whooping cough (9)	1			1									
Diphtheria (10)	4	1	1								1	1	
Influenza (11)	6	3	1		1	1							
Dysentery (16)	2					1			1				
Erysipelas (21)	3			1	1	1							
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	66	2	8	3	3	6	4	5	8	9	5	8	5
Other forms of tuberculosis (32–37)	22		3	2	3	2		1	3	2		3	3
Diabetes mellitus (57)	58	4	8	8	4	3	4	6	3	5	1	4	9
Cerebral hemorrhage and softening (74, 83)	168	12	15	14	14	18	12	12	16	15	13	8	19
Other [organic] diseases of the heart (90)	510	59	41	44	47	50	36	35	50	32	36	33	47
Bronchitis (99)	9		1		1	1	1	1			1	2	1
Broncho-pneumonia (100)	75	16	9	10	9	3	6	3	1	3	6	2	7
Pneumonia (101)	122	22	9	10	11	13	12	4	4	6	9	5	17
Diarrhea and enteritis [under 2 years] (113)	20	1	3	3	2	1	3			2	2	3	
Diarrhea and enteritis [2 years and over] (114)	5		1	1			2	1					
Nephritis (128, 129)	188	14	21	22	12	21	12	8	16	13	14	20	15
Puerperal septicemia (146)	14	1	1		2	1	3	2	1	2			1
Other puerperal causes (143–145, 147–150)	27	4	2	1	3	2	2	3	2	2	3	2	1
Suicide (165–174)	24	4	4	3	1	1	1	1		1	2	4	2
Automobile accidents [1] (188c)	43	1	1	1	4	3	9	5	2	6	4	3	4
Automobile—railroad-train collision (part of 188a)	5					2				1	1		1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	102	6	2	16	8	11	7	9	8	10	12	6	7
All other causes	919	94	101	75	71	59	73	82	83	60	77	68	76
YONKERS, N. Y., all causes	1,114	97	94	121	105	87	76	85	79	72	99	88	111
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	5		1	1	1				1	1			1
Whooping cough (9)	3	1						1					
Diphtheria (10)	25	2	3	2	2	4	4	2		4		1	1
Influenza (11)	16		4	5	1			2		2	1		1
Dysentery (16)													
Erysipelas (21)	7	1	1			1	1	1	1	1			
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	2			1		1							
Tuberculosis of the respiratory system (31)	85	9	5	14	11	4	10	5	6	4	5	8	4
Other forms of tuberculosis (32–37)	7		2		1	1		1					2
Diabetes mellitus (57)	20		2		2	4	1	2	1	2	3	2	1
Cerebral hemorrhage and softening (74, 83)	73	3	6	3	3	9	7	7	5	6	10	2	12
Other [organic] diseases of the heart (90)	198	12	17	31	16	10	11	7	24	11	21	7	31
Bronchitis (99)	5	2	1	2									
Broncho-pneumonia (100)	26	2	2	3	7	3		3		1	3	1	1
Pneumonia (101)	81	14	7	12	16	14	2		1	5	3	3	4
Diarrhea and enteritis [under 2 years] (113)	15	1				2	1	3		1	2	3	2
Diarrhea and enteritis [2 years and over] (114)	1												1
Nephritis (128, 129)	64	7	6	7	2	4	4	9	8	3	3	4	7
Puerperal septicemia (146)	1								1				
Other puerperal causes (143–145, 147–150)	4	1		1		1						1	
Suicide (165–174)	11	2		2	1			1	1	2	1	1	
Automobile accidents [1] (188c)	25		2	2	2	2	3		1	2	2	4	5
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	68	10	5	3	7	2	6	5	1	6	8	9	6
All other causes	371	30	30	32	33	25	26	36	27	21	37	42	32

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
AKRON, OHIO, all causes	1,917	168	162	162	182	159	162	167	128	133	173	156	165
Typhoid and paratyphoid fever (1)	6				2	1		1	1		1		
Malaria (5)	1											1	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	13		2	2	5	2	1		1				
Whooping cough (9)	8	1		1	3	1		1			1		
Diphtheria (10)	11		1	1	2	1		1		1		2	2
Influenza (11)	26	5	2	2	3	3	2	2	2			3	2
Dysentery (16)	3	1						1			1		
Erysipelas (21)	9	1	2	1		2	1		1			1	
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	82	8	6	12	6	6	6	6	7	7	7	6	5
Other forms of tuberculosis (32–37)	19	5	3	2	1	1		1	1	1		3	1
Diabetes mellitus (57)	25	1	1	2	3	5	2	2	2	1	2	2	2
Cerebral hemorrhage and softening (74, 83)	116	15	16	11	9	6	8	10	7	7	7	10	10
Other [organic] diseases of the heart (90)	293	21	15	15	27	30	36	24	21	22	25	24	33
Bronchitis (99)	10		2	1	1	1	1		1	1			2
Broncho-pneumonia (100)	70	8	10	9	10	4	4	6		5	6	2	6
Pneumonia (101)	109	9	12	18	15	15	9	3	3	5	8	6	6
Diarrhea and enteritis [under 2 years] (113)	23	1	1		1			3	2	5	6	4	
Diarrhea and enteritis [2 years and over] (114)	7	2	1					1	1			1	1
Nephritis (128, 129)	83	4	7	7	9	5	9	6	4	7	6	7	12
Puerperal septicemia (146)	19	1	2	3		2	1	1	3	2	2	1	1
Other puerperal causes (143–145, 147–150)	26	2	2	1	2	4	1	1	2	1	5	4	1
Suicide (165–174)	25	2	1		3	4	2	2	1	4	3		3
Automobile accidents [1] (188c)	75		4	2	3	9	11	4	4	10	12	11	5
Automobile—railroad-train collision (part of 188a)	2				1				1				
Automobile—street-car collision (part of 188b)	1									1			
Other external causes (175–187, part of 188a, b, 188d–203)	131	15	10	12	16	6	8	15	12	11	9	6	11
All other causes	722	66	62	60	59	50	60	76	51	42	72	62	62
CINCINNATI, OHIO (WHITE), all causes	5,830	563	474	519	495	484	434	458	425	424	467	544	543
Typhoid and paratyphoid fever (1)	11				1	1			6		1		2
Malaria (5)													
Smallpox (6)													
Measles (7)	1											1	
Scarlet fever (8)	7	3			1		1	1				1	
Whooping cough (9)	6	1			1		1	2	1				
Diphtheria (10)	24	3	3	1	2	4	1	1		3	1		5
Influenza (11)	84	11	16	4	7	3	3	3	3	2	3	10	19
Dysentery (16)	10				1	1	1	1	1	1	3		1
Erysipelas (21)	15	3		2	1	2	1	1	1	2	1		1
Lethargic encephalitis (23)	5					1	1			1	1	1	
Meningococcus meningitis (24)	9	2	4				3						
Tuberculosis of the respiratory system (31)	293	28	22	29	26	25	25	26	24	16	30	25	17
Other forms of tuberculosis (32–37)	52	1	3	5	10	3	4	6	3	3	3	6	5
Diabetes mellitus (57)	132	11	10	8	14	10	8	10	12	9	13	11	16
Cerebral hemorrhage and softening (74, 83)	495	62	44	41	25	33	38	27	35	32	48	43	67
Other [organic] diseases of the heart (90)	951	107	81	87	91	96	68	69	63	62	53	81	93
Bronchitis (99)	19	2			4	1		1	1	4	1	2	3
Broncho-pneumonia (100)	131	20	13	8	17	10	8	6	3	5	10	18	13
Pneumonia (101)	227	31	21	25	22	16	10	7	8	11	13	36	27
Diarrhea and enteritis [under 2 years] (113)	84	3	2	4	3	3	1	13	12	20	9	6	8
Diarrhea and enteritis [2 years and over] (114)	15	1	1	2		2		2	2	1	2	2	
Nephritis (128, 129)	606	60	58	47	50	66	49	54	44	40	45	53	40
Puerperal septicemia (146)	27	2	2	3	3	2	1	1	3	1	2	7	
Other puerperal causes (143–145, 147–150)	40	4	4	2	2	4	4	5	2	3	1	6	3
Suicide (165–174)	79	8	6	5	6	6	5	7	7	5	7	8	9
Automobile accidents [1] (188c)	108	5	3	11	7	10	9	11	9	15	11	14	3
Automobile—railroad-train collision (part of 188a)	8			2		2			4				
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	288	24	17	24	22	18	22	26	31	20	19	41	24
All other causes	2,103	171	164	209	179	165	170	178	150	168	190	172	187
CINCINNATI, OHIO (COLORED), all causes	1,048	90	94	86	93	75	90	95	76	86	78	89	96
Typhoid and paratyphoid fever (1)	3		1			1				1			
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1			1									
Whooping cough (9)	6	1	1						1	1	1	1	
Diphtheria (10)													
Influenza (11)	17	3		1	3	1	1		1		3	3	1
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	175	13	22	13	13	12	17	18	12	18	8	18	11
Other forms of tuberculosis (32–37)	27	1	1	1	3	5	3	3	4	3	1	1	1
Diabetes mellitus (57)	6	1	1	2		1				1			
Cerebral hemorrhage and softening (74, 83)	66	6	3	5	6	8	3	7	3	4	4	9	8
Other [organic] diseases of the heart (90)	133	10	11	13	5	12	11	15	8	12	11	9	16
Bronchitis (99)													
Broncho-pneumonia (100)	34	2	4	4	6	3	4	2	2		1	3	3
Pneumonia (101)	73	9	8	8	12	3	6	1	7	3	6	2	8
Diarrhea and enteritis [under 2 years] (113)	22			1	1	1	2	1	6	8	1	1	
Diarrhea and enteritis [2 years and over] (114)	1						1						
Nephritis (128, 129)	99	11	11	10	9	5	9	4	6	5	9	10	10
Puerperal septicemia (146)	11	1	3				1	1		1	2	1	1
Other puerperal causes (143–145, 147–150)	8	1			1			2		2		1	1
Suicide (165–174)	5			1					1	1			2
Automobile accidents [1] (188c)	11			2	2	1		1	1	2	2	1	
Automobile—railroad-train collision (part of 188a)	1												1
Automobile—street-car collision (part of 188b)	1									1			
Other external causes (175–187, part of 188a, b, 188d–203)	84	8	7	9	10	5	6	11	5	6	6	5	6
All other causes	264	23	21	15	22	18	26	29	19	17	23	24	27

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CLEVELAND, OHIO (WHITE), all causes	8,288	786	725	748	759	696	698	645	604	576	639	667	745
Typhoid and paratyphoid fever (1)	6							1		1	1		3
Malaria (5)													
Smallpox (6)													
Measles (7)	1									1			
Scarlet fever (8)	17	2	3	2	4	1	1	1	1				2
Whooping cough (9)	9	1	1		1	2	1	2				1	
Diphtheria (10)	172	20	15	11	16	13	10	11	6	12	18	20	20
Influenza (11)	46	10	5	8	5	1	2		1		4	5	5
Dysentery (16)	4		1									2	1
Erysipelas (21)	21	2	3	2	2	1	2	1	2		1	3	2
Lethargic encephalitis (23)	10	1	1	1	3	1			1			1	
Meningococcus meningitis (24)	7			1		1	1	2			1		1
Tuberculosis of the respiratory system (31)	470	34	36	41	44	48	48	39	35	44	37	30	34
Other forms of tuberculosis (32–37)	72	10	4	5	4	9	5	8	8	8	5	5	1
Diabetes mellitus (57)	136	14	12	9	14	7	11	9	10	11	16	8	15
Cerebral hemorrhage and softening (74, 83)	546	45	60	68	52	58	47	40	26	29	32	39	50
Other [organic] diseases of the heart (90)	1,191	107	104	102	109	114	100	82	91	72	92	100	118
Bronchitis (99)	42	4	3	3	8	1	4	2		2	6	3	6
Broncho-pneumonia (100)	307	41	44	29	32	28	17	24	14	15	15	18	30
Pneumonia (101)	361	44	50	47	35	32	30	21	14	11	23	30	24
Diarrhea and enteritis [under 2 years] (113)	92	3	9	9	12	9	4	8	7	11	8	4	8
Diarrhea and enteritis [2 years and over] (114)	27	1	2	1	1	2	3	5	1	1	4	3	3
Nephritis (128, 129)	622	67	52	45	58	38	51	29	53	49	58	56	66
Puerperal septicemia (146)	37	5	3		3	4	4	2	5	4	1	3	3
Other puerperal causes (143–145, 147–150)	62	4	7	4	6	8	3	4	6	4	4	7	5
Suicide (165–174)	117	9	10	15	6	10	11	9	9	10	12	8	8
Automobile accidents [1] (188c)	235	9	15	23	16	17	19	19	20	19	27	26	25
Automobile—railroad-train collision (part of 188a)	7	1	1		1				1		1		2
Automobile—street-car collision (part of 188b)	10		1		1	1					1	3	3
Other external causes (175–187, part of 188a, b, 188d–203)	446	37	29	33	48	31	43	49	32	31	40	36	37
All other causes	3,215	315	254	289	278	260	280	277	261	241	231	256	273
CLEVELAND, OHIO (COLORED), all causes	1,215	113	98	103	108	88	94	103	97	94	98	110	109
Typhoid and paratyphoid fever (1)	4				1	1	1					1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1						1						
Whooping cough (9)	8						1	1	2	2		1	1
Diphtheria (10)	16	3	1	1	3			1		2		2	3
Influenza (11)	13	1		2	1		2				3	1	3
Dysentery (16)	1			1									
Erysipelas (21)	4		1	2									1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3		1	1			1						
Tuberculosis of the respiratory system (31)	239	19	22	12	23	17	16	24	22	23	18	22	21
Other forms of tuberculosis (32–37)	29	4	2	2	2		1	5	6	3	1	3	
Diabetes mellitus (57)	9		1	1				1	3	1	1	1	
Cerebral hemorrhage and softening (74, 83)	49	5	2	6	4	3	3	6	4	3	5	1	7
Other [organic] diseases of the heart (90)	109	12	5	10	9	10	11	9	9	7	10	9	8
Bronchitis (99)	4		1	3									
Broncho-pneumonia (100)	62	4	6	9	5	9	4	5	2	3	1	9	5
Pneumonia (101)	92	9	19	12	10	9	4	6	4	5	5	7	2
Diarrhea and enteritis [under 2 years] (113)	8	1		1					1	2	1		2
Diarrhea and enteritis [2 years and over] (114)	3	1					1			1			
Nephritis (128, 129)	60	4	1	3	4	7	3	8	4	4	8	8	6
Puerperal septicemia (146)	3					1			1		1		
Other puerperal causes (143–145, 147–150)	9		1	2	1					1	1	1	2
Suicide (165–174)	3						1		1				1
Automobile accidents [1] (188c)	15	1		1		3		1	3	2	3	1	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	97	6	6	6	11	2	10	7	9	8	12	7	13
All other causes	374	43	29	28	34	26	34	29	26	27	28	36	34
COLUMBUS, OHIO, all causes	3,908	381	337	345	387	328	323	314	301	284	271	293	344
Typhoid and paratyphoid fever (1)	6									1	1	2	2
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	8	1		1		1	1				2	1	1
Whooping cough (9)	14		1	3	1	1	1	4	2		1		
Diphtheria (10)	21	2	1	3	2	1	3	1				8	
Influenza (11)	50	9	5	7	8	5	3		2	2	3	2	4
Dysentery (16)	1								1				
Erysipelas (21)	6	1		3						1		1	
Lethargic encephalitis (23)	24	1	3	1	2	1	2	6	3	1	1	1	2
Meningococcus meningitis (24)	3	1						1				1	
Tuberculosis of the respiratory system (31)	195	14	11	19	25	22	14	22	15	21	16	6	10
Other forms of tuberculosis (32–37)	35	5	2	1	4	4	1	1	6	2	3	2	4
Diabetes mellitus (57)	48	8	10	5	1	1	4	5	3	4	3	2	2
Cerebral hemorrhage and softening (74, 83)	286	23	25	33	25	24	17	26	26	17	22	15	33
Other [organic] diseases of the heart (90)	604	73	59	53	61	52	46	40	49	39	28	46	58
Bronchitis (99)	11	2	2	1			1	2	2			1	
Broncho-pneumonia (100)	122	12	11	12	13	10	9	5	7	5	7	15	16
Pneumonia (101)	129	22	16	14	23	4	10	6	6	3	5	9	11
Diarrhea and enteritis [under 2 years] (113)	32	1		1	2			5	7	4	6	4	2
Diarrhea and enteritis [2 years and over] (114)	13	1	1	1	1		1	1	2	1	3	1	
Nephritis (128, 129)	270	22	22	22	36	24	21	17	18	17	15	29	27
Puerperal septicemia (146)	19	1	2	1	2		4	2	1	1	3	1	1
Other puerperal causes (143–145, 147–150)	36	3	1	4	2	1	5	4	3	5	3	5	
Suicide (165–174)	47	4		4	2	7	5	6	4	4	3	4	4
Automobile accidents [1] (188c)	72	3	3	3	6	5	7	8	7	8	7	5	10
Automobile—railroad-train collision (part of 188a)	9	2			2						1		4
Automobile—street-car collision (part of 188b)	2			1	1								
Other external causes (175–187, part of 188a, b, 188d–203)	237	35	21	18	16	19	21	20	16	18	17	13	23
All other causes	1,608	135	141	134	152	146	147	132	121	130	121	119	130

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DAYTON, OHIO, all causes	2,217	221	178	202	211	202	179	175	142	169	163	192	183
Typhoid and paratyphoid fever (1)	4	1								1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1								1		
Scarlet fever (8)	4	1			1					1			1
Whooping cough (9)	16			2	5		1	3	1	2	1		1
Diphtheria (10)	13	3	1	1					3	1	1	2	1
Influenza (11)	40	5	3	10	11	3	1	2		1		3	1
Dysentery (16)													
Erysipelas (21)	5					1		2		1		1	
Lethargic encephalitis (23)	3	1	1					1					
Meningococcus meningitis (24)	6		1	2					1		1	1	
Tuberculosis of the respiratory system (31)	122	10	7	8	14	14	8	13	11	9	9	6	13
Other forms of tuberculosis (32–37)	32	3	1	1	2	3	5	3	1	4	3	3	3
Diabetes mellitus (57)	52	2	4	7	2	3	6	3	2	4	7	4	8
Cerebral hemorrhage and softening (74, 83)	141	16	6	4	17	15	9	11	7	14	11	16	15
Other [organic] diseases of the heart (90)	422	41	34	42	39	40	30	26	30	35	29	39	37
Bronchitis (99)	6			2	3					1			
Broncho-pneumonia (100)	51	7	8	5	4	3	2	1	2	7	6	2	4
Pneumonia (101)	68	11	2	15	9	6	2	1	4	3	2	6	7
Diarrhea and enteritis [under 2 years] (113)	26		2	2	1		1	3	3	6	3	5	
Diarrhea and enteritis [2 years and over] (114)	5		1	1		1	1			1			
Nephritis (128, 129)	160	14	16	15	21	15	20	12	5	12	9	9	12
Puerperal septicemia (146)	11	1	1	1			4	1	2			1	
Other puerperal causes (143–145, 147–150)	12		1	3	1	1		1	1	2		1	1
Suicide (165–174)	20	1	1	1	2	3	4			2	2	3	1
Automobile accidents [1] (188c)	44	8	4	3	1	6	3	1	3		2	7	6
Automobile—railroad-train collision (part of 188a)	5	1		1			1						2
Automobile—street-car collision (part of 188b)	5	4									1		
Other external causes (175–187, part of 188a, b, 188d–203)	111	8	6	5	9	12	17	12	5	11	9	12	5
All other causes	831	83	77	71	69	76	64	79	61	51	65	71	64
TOLEDO, OHIO, all causes	3,641	346	306	364	325	336	295	259	232	289	261	275	353
Typhoid and paratyphoid fever (1)	9	2		1				1	1	1	1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	4			1			1						2
Whooping cough (9)	8	1	1	1	1	2					1	1	
Diphtheria (10)	25	8	1	1	1		2	1	1	4	1	1	4
Influenza (11)	56	9	10	6	7		3	1	2	2	8	4	4
Dysentery (16)	4		1	1						1	1		
Erysipelas (21)	12	1		4	1	1	1	2			1	1	
Lethargic encephalitis (23)	3		1			1			1				
Meningococcus meningitis (24)	4	1	2								1		
Tuberculosis of the respiratory system (31)	269	28	19	27	22	33	23	14	16	22	16	15	34
Other forms of tuberculosis (32–37)	34	1	2	3	7		2	3	7	1	2	2	4
Diabetes mellitus (57)	59	6	4	4	6	8	7	5	7	2	2	1	7
Cerebral hemorrhage and softening (74, 83)	210	23	16	19	26	20	20	6	11	15	16	18	20
Other [organic] diseases of the heart (90)	589	55	46	35	43	50	51	39	44	44	52	61	69
Bronchitis (99)	9	2		1		2	1			1			2
Broncho-pneumonia (100)	87	17	5	12	6	11	3	4	4	3	4	8	10
Pneumonia (101)	166	23	25	22	24	15	13	5	4	6	4	11	14
Diarrhea and enteritis [under 2 years] (113)	43	1	1	5	2	3	5	5	2	12	6	1	
Diarrhea and enteritis [2 years and over] (114)	14	1			1	1	1		2	3	1	3	1
Nephritis (128, 129)	207	15	16	21	13	19	11	18	14	12	21	21	26
Puerperal septicemia (146)	21	1	2	3	4	2	2		1	1			5
Other puerperal causes (143–145, 147–150)	28	2	2	3	1	6		4	2	2	2		4
Suicide (165–174)	45	2	4	7	4	1	6	5	5	4	2	3	2
Automobile accidents [1] (188c)	108	6	5	10	11	12	8	5	10	12	12	9	8
Automobile—railroad-train collision (part of 188a)	3									2			1
Automobile—street-car collision (part of 188b)	7	1		2	1			1			2		
Other external causes (175–187, part of 188a, b, 188d–203)	204	11	18	16	18	17	22	29	11	22	14	15	11
All other causes	1,412	129	125	159	126	132	112	111	87	117	91	99	124
YOUNGSTOWN, OHIO, all causes	1,695	160	148	165	171	142	104	141	111	132	143	131	147
Typhoid and paratyphoid fever (1)	5			1	1			1		1			1
Malaria (5)													
Smallpox (6)													
Measles (7)	1			1									
Scarlet fever (8)	3			1	2								
Whooping cough (9)	3	1			1		1						
Diphtheria (10)	23	1	1	3				3	1	4	4	2	4
Influenza (11)	32	6		5	7	4	1	3			2	1	3
Dysentery (16)	3										1		2
Erysipelas (21)	6				1			1	1	2	1		
Lethargic encephalitis (23)	3	1				2							
Meningococcus meningitis (24)	2	1	1										
Tuberculosis of the respiratory system (31)	65	9	8	7	6	8	1	4	7	4	2	7	2
Other forms of tuberculosis (32–37)	10	1		1	1	2		2			1	1	1
Diabetes mellitus (57)	27	1	2	3	4	2	2	2	2	1	3	2	3
Cerebral hemorrhage and softening (74, 83)	108	8	8	10	7	7	9	9	11	10	8	9	12
Other [organic] diseases of the heart (90)	206	19	24	17	18	14	12	22	7	13	17	23	20
Bronchitis (99)	7	1	2	1		1				1		1	
Broncho-pneumonia (100)	114	15	14	12	18	11	6	3	11	7	5	7	5
Pneumonia (101)	127	17	12	15	20	11	7	6	7	2	13	10	7
Diarrhea and enteritis [under 2 years] (113)	15	1	2		1	1		2	1	2	2	1	2
Diarrhea and enteritis [2 years and over] (114)	6	1					1		1	1	1	1	
Nephritis (128, 129)	91	12	7	7	10	4	7	5	5	9	10	6	9
Puerperal septicemia (146)	14			1			1	3	3	3	2	1	
Other puerperal causes (143–145, 147–150)	24	1	2	3	5	3		1	4		1	4	
Suicide (165–174)	13		2	2	1		3			1	2		2
Automobile accidents [1] (188c)	56	1	4	4	8	5	3	5	7	4	8	5	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	2					1					1		
Other external causes (175–187, part of 188a, b, 188d–203)	122	9	8	7	9	9	4	13	9	24	7	5	18
All other causes	607	54	51	64	51	57	46	56	34	43	52	45	54

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PORTLAND, OREG., all causes	3,564	330	375	300	320	298	261	289	246	250	270	313	312
Typhoid and paratyphoid fever (1)	7	1	1		1	1	2						1
Malaria (5)													
Smallpox (6)													
Measles (7)	5			1	1	2		1					
Scarlet fever (8)	3		2	1									
Whooping cough (9)	10				4	1	1	2	1			1	
Diphtheria (10)	11	1	2	4		1					1	1	1
Influenza (11)	55	3	24	8	6	3	2			1	3	4	1
Dysentery (16)													
Erysipelas (21)	10	4		1	3				1				1
Lethargic encephalitis (23)	13	1	3			1	4	1		2	1		
Meningococcus meningitis (24)	19	2	2	3	3	1	1		4	1			2
Tuberculosis of the respiratory system (31)	121	9	9	8	15	16	12	12	8	9	9	7	7
Other forms of tuberculosis (32–37)	54	4	4	3	7	3	6	8	5	1	5	5	3
Diabetes mellitus (57)	73	9	14	7	4	3	5	6	4	8	2	5	6
Cerebral hemorrhage and softening (74, 83)	264	25	26	25	26	17	18	21	18	22	15	17	34
Other [organic] diseases of the heart (90)	576	64	60	55	46	50	49	43	38	48	39	43	41
Bronchitis (99)	20	3	5	1	1	1				2	2	4	1
Broncho-pneumonia (100)	106	13	16	11	9	6	5	7	5	4	7	11	12
Pneumonia (101)	123	21	18	7	12	8	3	8	5	2	13	13	13
Diarrhea and enteritis [under 2 years] (113)	6	1	1	1				2			1		
Diarrhea and enteritis [2 years and over] (114)	12			1	1	2	2			1	4	1	
Nephritis (128, 129)	255	23	30	18	24	26	21	16	18	19	17	22	21
Puerperal septicemia (146)	8	1	2	1					1	1		1	1
Other puerperal causes (143–145, 147–150)	21	2	2	4		3	2	2		2	1	2	1
Suicide (165–174)	67	4	9	8	7	8	7	7		4	9	3	1
Automobile accidents [1] (188c)	62	3	3	5	10	5	3	2	3	8	7	5	8
Automobile—railroad-train collision (part of 188a)	2						1	1					
Automobile—street-car collision (part of 188b)	4		1		1					1		1	
Other external causes (175–187, part of 188a, b, 188d–203)	170	13	13	6	14	18	11	21	14	8	14	23	15
All other causes	1,487	123	128	121	125	122	106	129	121	106	120	144	142
PHILADELPHIA, PA. (WHITE), all causes	21,058	2,182	1,801	2,262	2,048	1,739	1,549	1,448	1,354	1,432	1,652	1,737	1,854
Typhoid and paratyphoid fever (1)	27	2	1	1	2	3	2	2	6	1	2	4	1
Malaria (5)	2		1								1		
Smallpox (6)													
Measles (7)	4					2	1	1					
Scarlet fever (8)	35	6	4	3	5	5	4	3			1	4	
Whooping cough (9)	27	6	3	5		5			2	2	2	2	
Diphtheria (10)	209	29	20	26	23	11	14	15	13	18	11	14	15
Influenza (11)	247	34	38	54	39	14	8	5	5	5	12	18	15
Dysentery (16)	9		2				1		1	1	2		2
Erysipelas (21)	41	4	7	7	2	5	5	2	2	1	1	3	2
Lethargic encephalitis (23)	16		1		3	2	1	5	1	2	1		
Meningococcus meningitis (24)	16		2	1	1	1	3	1		2	2	1	2
Tuberculosis of the respiratory system (31)	1,017	82	88	114	107	97	80	74	72	74	76	79	74
Other forms of tuberculosis (32–37)	131	7	17	15	19	19	10	7	9	8	10	5	5
Diabetes mellitus (57)	426	47	42	28	46	32	28	31	25	23	32	41	51
Cerebral hemorrhage and softening (74, 83)	1,300	138	91	129	111	107	106	90	82	79	122	115	130
Other [organic] diseases of the heart (90)	4,246	439	320	512	411	368	293	263	263	260	338	363	416
Bronchitis (99)	89	12	11	12	10	3	4	5	4	6	5	9	8
Broncho-pneumonia (100)	660	103	79	85	70	38	41	25	27	32	32	63	65
Pneumonia (101)	928	142	89	182	115	58	60	25	23	37	50	64	83
Diarrhea and enteritis [under 2 years] (113)	276	17	22	21	15	13	14	17	39	31	36	29	22
Diarrhea and enteritis [2 years and over] (114)	50	1	4		6	5	5	2	10	10	1	4	2
Nephritis (128, 129)	2,397	265	237	234	238	207	165	152	144	176	185	179	215
Puerperal septicemia (146)	105	7	14	8	9	12	12	14	5	9	5	5	5
Other puerperal causes (143–145, 147–150)	132	4	9	11	11	10	16	12	13	15	12	11	8
Suicide (165–174)	272	22	32	21	22	15	18	22	22	18	24	25	31
Automobile accidents [1] (188c)	295	25	16	17	22	23	29	19	26	27	33	27	31
Automobile—railroad-train collision (part of 188a)	3			2					1				
Automobile—street-car collision (part of 188b)	7		1	1	1				1		2	1	
Other external causes (175–187, part of 188a, b, 188d–203)	933	100	77	97	73	77	72	87	56	58	71	76	89
All other causes	7,158	690	573	676	687	607	557	569	502	537	583	595	582
PHILADELPHIA, PA. (COLORED), all causes	3,707	375	332	391	348	299	258	284	291	251	282	293	303
Typhoid and paratyphoid fever (1)	5			1				2			2		
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1						1						
Whooping cough (9)	10	1	1	1		1	1		1	2	2		
Diphtheria (10)	14	2	3		2	2	1				2	1	1
Influenza (11)	69	6	11	14	9	5	2	2	1	1	2	7	9
Dysentery (16)	1							1					
Erysipelas (21)	3			1		1	1						
Lethargic encephalitis (23)	2				1				1				
Meningococcus meningitis (24)	5				1	1			1		1	1	
Tuberculosis of the respiratory system (31)	520	46	43	49	49	50	43	46	46	39	41	30	38
Other forms of tuberculosis (32–37)	63	4	4	3	7	5	6	9	5	3	4	6	7
Diabetes mellitus (57)	31	1	1	3	4	1	1	7	4	2	1	3	3
Cerebral hemorrhage and softening (74, 83)	169	27	14	18	19	12	12	15	7	9	12	12	12
Other [organic] diseases of the heart (90)	481	51	36	51	50	31	32	34	55	29	37	34	41
Bronchitis (99)	21	3	5	1	1	1	2		1	2	1	1	3
Broncho-pneumonia (100)	230	27	28	27	23	16	14	10	10	11	23	23	18
Pneumonia (101)	344	49	40	68	37	22	21	13	7	18	11	24	34
Diarrhea and enteritis [under 2 years] (113)	80	5	4		6	4	3	3	18	17	9	5	6
Diarrhea and enteritis [2 years and over] (114)	17	1	1	4		1	1	2	2	3	2		
Nephritis (128, 129)	299	31	33	27	17	28	21	26	23	29	23	17	24
Puerperal septicemia (146)	26	5	2	3	5	2	1	2	1	1		2	2
Other puerperal causes (143–145, 147–150)	31	2	4	3		4	2	3		2	7	3	1
Suicide (165–174)	16	1	2	3			1	2		1	3	1	2
Automobile accidents [1] (188c)	29	4	1	4	1	2	2	4	2	2	2	3	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1	1											
Other external causes (175–187, part of 188a, b, 188d–203)	225	21	13	18	23	16	14	25	19	12	21	24	19
All other causes	1,014	87	86	92	93	94	76	78	87	68	76	96	81

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PITTSBURGH, PA. (WHITE), all causes	8,068	848	677	741	691	694	643	566	547	533	663	727	738
Typhoid and paratyphoid fever (1)	10	1			1			2	1	1	3		1
Malaria (5)													
Smallpox (6)													
Measles (7)	32	4	4	3	2	2	2	2	3	1	3	3	3
Scarlet fever (8)	16	1	2		1	1	1		1	1		4	4
Whooping cough (9)	15	2	2	1	1	2			1	4	1		1
Diphtheria (10)	102	6	5	6	6	8	12	8	3		12	24	12
Influenza (11)	132	12	23	17	18	13	3	4	2	4	10	11	15
Dysentery (16)	3			2						1			
Erysipelas (21)	23	3	1	4	4	3	1			1	3	1	2
Lethargic encephalitis (23)	10	1	1			1	2	1				2	1
Meningococcus meningitis (24)	14	1		2	1	2	2		1	2	1		2
Tuberculosis of the respiratory system (31)	315	31	18	26	36	27	23	22	20	22	29	33	28
Other forms of tuberculosis (32–37)	75	7	6	6	10	4	11	1	7	5	5	5	8
Diabetes mellitus (57)	116	13	10	12	7	14	10	9	9	4	10	8	10
Cerebral hemorrhage and softening (74, 83)	508	47	46	39	45	37	43	35	37	32	44	52	51
Other [organic] diseases of the heart (90)	1,034	121	82	116	89	85	74	67	63	64	88	85	100
Bronchitis (99)	49	7	5	4	4	2	5	5	2	1	3	8	3
Broncho-pneumonia (100)	298	46	20	44	30	29	16	13	16	19	27	21	17
Pneumonia (101)	648	89	65	83	62	59	41	29	30	35	49	48	58
Diarrhea and enteritis [under 2 years] (113)	115	11	10	6	7	12	6	12	10	15	15	7	4
Diarrhea and enteritis [2 years and over] (114)	32	4			4	3	1	5	2	5	4	4	
Nephritis (128, 129)	581	65	43	46	51	55	55	42	43	34	40	55	52
Puerperal septicemia (146)	61	4	3	3	4	9	3	8	7	3	5	5	7
Other puerperal causes (143–145, 147–150)	64	8	10	3	5	4	9	3	3	5	6	3	5
Suicide (165–174)	81	8	10	5	6	11	3	5	6	6	8	8	5
Automobile accidents [1] (188c)	202	18	8	14	13	27	19	14	13	16	18	19	23
Automobile—railroad-train collision (part of 188a)	3		1		2								
Automobile—street-car collision (part of 188b)	4					1						2	1
Other external causes (175–187, part of 188a, b, 188d–203)	546	67	44	36	41	42	39	45	36	35	47	73	41
All other causes	2,979	271	258	263	241	241	263	233	230	217	232	246	284
PITTSBURGH, PA. (COLORED), all causes	1,024	99	80	102	100	117	72	70	63	70	77	82	92
Typhoid and paratyphoid fever (1)	2					1			1				
Malaria (5)													
Smallpox (6)													
Measles (7)	4					4							
Scarlet fever (8)													
Whooping cough (9)	3						1					1	1
Diphtheria (10)	18	3	3	3	1	3	2	1	1				1
Influenza (11)	25	2	3	5	3	5		3			2	1	1
Dysentery (16)	1								1				
Erysipelas (21)	1	1											
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	90	5	7	10	8	10	7	4	8	12	5	12	2
Other forms of tuberculosis (32–37)	24	2	5	1		1	3	2	3	4	2		1
Diabetes mellitus (57)	14	2	1	1	2		1		1		3		3
Cerebral hemorrhage and softening (74, 83)	34	1	2	5	2	5	1	2	3	5	5	2	1
Other [organic] diseases of the heart (90)	94	10	13	10	10	9	7	5	6	2	5	9	8
Bronchitis (99)													
Broncho-pneumonia (100)	56	8	7	5	7	5	4	5	3	3	5	2	2
Pneumonia (101)	160	22	3	26	22	21	13	4	7	6	7	17	12
Diarrhea and enteritis [under 2 years] (113)	14	2				1	1	1	3		3	2	1
Diarrhea and enteritis [2 years and over] (114)	5					1		1	1		1	1	
Nephritis (128, 129)	75	8	6	6	10	9	3	7	2	8	5	5	6
Puerperal septicemia (146)	11	1	2	1	1	1		3			1		1
Other puerperal causes (143–145, 147–150)	4				1						2		1
Suicide (165–174)	4		1					1			2		
Automobile accidents [1] (188c)	13	1	1	1				2	1		3	1	3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	91	6	7	10	6	11	8	5	4	5	6	10	13
All other causes	281	25	19	18	27	30	21	24	18	25	20	19	35
READING, PA., all causes	1,210	107	107	90	123	114	98	85	79	90	98	99	120
Typhoid and paratyphoid fever (1)	3									1		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	4				1	2		1					
Scarlet fever (8)	2						1				1		
Whooping cough (9)	1				1								
Diphtheria (10)	10	1	1	1							2	3	2
Influenza (11)	22	8	2	5	4		1				1	1	
Dysentery (16)													
Erysipelas (21)	2		2										
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	58	3	4	12	7	4	4	2	4	2	5	5	6
Other forms of tuberculosis (32–37)	9		1	1		4		1		1	1		
Diabetes mellitus (57)	30	1	5	2	2	2	1	3	1	5	3	4	1
Cerebral hemorrhage and softening (74, 83)	97	8	5	4	9	8	6	8	11	8	8	8	14
Other [organic] diseases of the heart (90)	244	30	26	18	25	20	20	12	14	14	20	21	24
Bronchitis (99)	7	1	1		2		2	1					
Broncho-pneumonia (100)	38	6	4	3	3	3	4	1	1	4	3	2	4
Pneumonia (101)	29	5	2	1	8	7	1	1	1				3
Diarrhea and enteritis [under 2 years] (113)	14	1	2	2	2	1				2	1		3
Diarrhea and enteritis [2 years and over] (114)													
Nephritis (128, 129)	135	11	11	9	14	16	10	8	10	9	10	11	16
Puerperal septicemia (146)	8		1	2		1	1			1	1	1	
Other puerperal causes (143–145, 147–150)	16				2	4	2	1	2	1	1	3	
Suicide (165–174)	28		3	2	2	1	3	1	4	3	3	3	3
Automobile accidents [1] (188c)	30	2	1		2	2	6	3		6	3	3	2
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	65	7	8	2	5	7	4	7	2	4	4	5	10
All other causes	358	23	28	26	34	32	32	35	29	29	31	27	32

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SCRANTON, PA., all causes	1,903	205	160	159	173	165	140	141	134	144	160	157	165
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)													
Smallpox (6)													
Measles (7)	2	1	1										
Scarlet fever (8)	5	1		2	1					1			
Whooping cough (9)	6	1	1	2			1	1					
Diphtheria (10)	29	3	1	2	5	5	1				3	2	7
Influenza (11)	28	8	1	3	2	1	2	1	1	1	1	5	2
Dysentery (16)	1						1						
Erysipelas (21)	9	1	1	2	3		1	1					
Lethargic encephalitis (23)	5		1	2			1					1	
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	106	5	14	13	11	7	12	6	8	5	9	11	5
Other forms of tuberculosis (32–37)	9	2				2	1	2	2				
Diabetes mellitus (57)	40	7	3	2	7	4	1		2	7	3	2	2
Cerebral hemorrhage and softening (74, 83)	111	9	10	10	12	12	7	11	8	4	6	10	12
Other [organic] diseases of the heart (90)	301	31	25	12	31	27	16	20	25	28	25	27	34
Bronchitis (99)	23	1	1	2	2	1	2		3	3	6	1	1
Broncho-pneumonia (100)	56	9	7	8	6	8	2	5	3	2		1	5
Pneumonia (101)	111	14	14	9	10	11	6	2	6	8	10	9	12
Diarrhea and enteritis [under 2 years] (113)	29	3	1	3	2	1	4	5	1	4	2		3
Diarrhea and enteritis [2 years and over] (114)	9	3			1		2		2				1
Nephritis (128, 129)	126	15	9	9	9	13	12	12	6	13	10	6	12
Puerperal septicemia (146)	15		1	1	1	1	1	3	1	2	3	1	
Other puerperal causes (143–145, 147–150)	17	1	3	3	1	2	1		2	1	1	1	1
Suicide (165–174)	15	2	6		2		1		2			1	1
Automobile accidents [1] (188c)	34	3		2	5	2		6	5	1	3	4	3
Automobile—railroad-train collision (part of 188a)	5	2	1				1	1					
Automobile—street-car collision (part of 188b)	1					1							
Other external causes (175–187, part of 188a, b, 188d–203)	144	16	11	15	9	13	11	17	10	14	10	9	9
All other causes	665	67	48	57	53	54	53	48	47	49	68	66	55
PROVIDENCE, R. I., all causes	3,169	303	260	329	286	281	225	229	198	231	280	265	282
Typhoid and paratyphoid fever (1)	2							1	1				
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	10	1	1	2				2	1	1			2
Whooping cough (9)	14	1		4	1			3	1	2		1	1
Diphtheria (10)	23	4	1	4	1	2	1			1	1	6	2
Influenza (11)	27	3	3	7	9	1	1			1			2
Dysentery (16)	1								1				
Erysipelas (21)	8		1	2		3	1					1	
Lethargic encephalitis (23)	2										1		1
Meningococcus meningitis (24)	2					1			1				
Tuberculosis of the respiratory system (31)	126	11	12	11	9	11	14	7	7	7	13	11	13
Other forms of tuberculosis (32–37)	33	3	2	4	2	4	2	5	1	5		5	
Diabetes mellitus (57)	57	11	5	4	5	6	2	2	2	4	3	8	5
Cerebral hemorrhage and softening (74, 83)	280	32	20	24	20	26	29	19	14	22	25	22	27
Other [organic] diseases of the heart (90)	488	50	38	47	51	41	30	38	22	36	39	34	62
Bronchitis (99)	19	2	4	2	2	4					2	2	1
Broncho-pneumonia (100)	101	15	15	19	7	7	7	2	2	4	11	4	8
Pneumonia (101)	131	18	10	15	20	15	7	7	3	6	12	8	10
Diarrhea and enteritis [under 2 years] (113)	33	3		1	2	1	3	5	3	3	5	3	4
Diarrhea and enteritis [2 years and over] (114)	7				1	1	1	1		1	1		1
Nephritis (128, 129)	334	28	23	33	36	29	25	31	21	25	25	26	32
Puerperal septicemia (146)	19	1	2	3		3	1		1	1	2	3	2
Other puerperal causes (143–145, 147–150)	27	1	4	3	4	6		1	1	1	2	4	
Suicide (165–174)	24		3	2	2	1	2	1	1	4	4	2	2
Automobile accidents [1] (188c)	64	3	2	6	2	8	3	3	5	11	6	6	9
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	2				1								1
Other external causes (175–187, part of 188a, b, 188d–203)	143	11	15	12	9	14	10	15	10	10	20	9	8
All other causes	1,192	105	99	124	102	97	86	86	100	86	108	110	89
MEMPHIS, TENN. (WHITE), all causes	1,751	164	130	173	136	135	130	150	146	151	147	134	155
Typhoid and paratyphoid fever (1)	11		1		2		1	1	2	2	1		1
Malaria (5)	6								2	1	3		
Smallpox (6)													
Measles (7)	4					2							2
Scarlet fever (8)	4	1	1	1								1	
Whooping cough (9)	14		1	1	2	1	4	2	1		1	1	
Diphtheria (10)	11	3		1	1	1	1		1		2		1
Influenza (11)	41	2	2	12	10	1		3			2	3	6
Dysentery (16)	12						4	2	1	1	3	1	
Erysipelas (21)	4			1	1	1						1	
Lethargic encephalitis (23)	5			1			1					3	
Meningococcus meningitis (24)	2		1			1							
Tuberculosis of the respiratory system (31)	75	8	5	10	9	6	6	7	7	6	3	4	4
Other forms of tuberculosis (32–37)	12	1			1	2	1	2			2	2	1
Diabetes mellitus (57)	24	2	1	2	2		2	1	3	3	3	3	2
Cerebral hemorrhage and softening (74, 83)	111	12	8	15	6	5	5	3	8	9	10	14	16
Other [organic] diseases of the heart (90)	168	16	13	14	12	13	15	17	20	17	8	10	13
Bronchitis (99)	1	1											
Broncho-pneumonia (100)	50	7	3	9	4	2	5	1		5	7	2	5
Pneumonia (101)	73	6	11	15	2	5	3	1	5	5	4	6	10
Diarrhea and enteritis [under 2 years] (113)	18	1		1	1	1	1	6	3	2	1		1
Diarrhea and enteritis [2 years and over] (114)	9	2	1				3	1		1	1		
Nephritis (128, 129)	124	6	9	5	15	11	6	17	12	15	12	7	9
Puerperal septicemia (146)	15	2	1	2	1	1	1	1		1	1	1	3
Other puerperal causes (143–145, 147–150)	11	1	1	1		1	2	3		2			
Suicide (165–174)	34	3	2	1	2	3	2	2	4	5	7	3	
Automobile accidents [1] (188c)	41	5	3	2		1	4	4	5	3	2	8	4
Automobile—railroad-train collision (part of 188a)	1							1					
Automobile—street-car collision (part of 188b)	2								1	1			
Other external causes (175–187, part of 188a, b, 188d–203)	118	20	10	12	3	7	10	11	9	8	10	11	7
All other causes	750	65	56	67	62	70	53	64	62	64	64	53	70

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.
MEMPHIS, TENN. (COLORED), all causes	1,697	139	124	176	149	149	140	167	141	101	136	122	153
Typhoid and paratyphoid fever (1)	16	2					2	4	5	1	1	1	
Malaria (5)	9					1			1	4	1	2	
Smallpox (6)													
Measles (7)	2	1						1					
Scarlet fever (8)													
Whooping cough (9)	15	2		2	2	2	1	3			1	1	1
Diphtheria (10)	3		1						1	1			
Influenza (11)	57	5	6	17	4	8	1	4	1	1	2	4	4
Dysentery (16)	6							4	1		1		
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	1		1										
Meningococcus meningitis (24)	2						2						
Tuberculosis of the respiratory system (31)	166	13	3	14	19	22	14	21	19	8	9	8	16
Other forms of tuberculosis (32–37)	24	1	2	2	2	2	3	2	2	1	3	2	2
Diabetes mellitus (57)	19	1	1	1	3	1	3	1	1	3		1	3
Cerebral hemorrhage and softening (74, 83)	89	8	3	9	9	6	10	7	8	7	7	8	7
Other [organic] diseases of the heart (90)	188	19	8	22	15	19	17	20	14	14	13	4	23
Bronchitis (99)	5	1			1		3						
Broncho-pneumonia (100)	62	4	4	10	7	6	6		1	6		7	11
Pneumonia (101)	100	12	10	24	7	5	6	3	3	1	11	12	6
Diarrhea and enteritis [under 2 years] (113)	22			1	1	2	3	4	1		3	6	1
Diarrhea and enteritis [2 years and over] (114)	18	1	2	1	3	3		1	1	1	4	1	
Nephritis (128, 129)	116	8	6	13	12	12	8	12	12	5	8	7	13
Puerperal septicemia (146)	14		1	3	1				1	2	4	1	1
Other puerperal causes (143–145, 147–150)	14	2	1	2		1	2	1	2		1	2	
Suicide (165–174)	1												1
Automobile accidents [1] (188c)	27	1	1		2	2	1	5	3	3	4	4	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	155	11	15	12	13	15	12	17	11	9	13	11	16
All other causes	565	47	59	42	48	42	46	57	53	34	50	40	47
NASHVILLE, TENN. (WHITE), all causes	1,432	140	113	126	116	122	115	133	89	111	116	115	136
Typhoid and paratyphoid fever (1)	9					1	2	1	2	2		1	
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1								1		1		
Whooping cough (9)	8	2	1	1	3				1				
Diphtheria (10)	5								1			1	3
Influenza (11)	34	4		7	4	3	2			2	2	2	8
Dysentery (16)	13					1	4	2	2	1	1	2	
Erysipelas (21)	4			2			1					1	
Lethargic encephalitis (23)	3			2					1				
Meningococcus meningitis (24)	4		3						1				
Tuberculosis of the respiratory system (31)	60	8	7	6	5	5	8	5	2	2	3	3	6
Other forms of tuberculosis (32–37)	20	5	2	3	1	1		3		2		1	2
Diabetes mellitus (57)	17	2	2	1	2	2		1	1	1		2	3
Cerebral hemorrhage and softening (74, 83)	94	7	12	8	7	8	8	7	4	6	12	10	5
Other [organic] diseases of the heart (90)	170	14	8	22	10	14	12	15	15	14	18	13	15
Bronchitis (99)	1												1
Broncho-pneumonia (100)	52	9	3	3	3	1	3	2	3	7	4	5	9
Pneumonia (101)	69	12	10	11	2	4	2	2	2		3	4	17
Diarrhea and enteritis [under 2 years] (113)	14	1		1			7	1			1	2	1
Diarrhea and enteritis [2 years and over] (114)	16				1	1	3	6	1	2	1	1	
Nephritis (128, 129)	105	9	5	9	10	13	8	11	5	10	10	7	8
Puerperal septicemia (146)	13	1			2	1	2	5		2			
Other puerperal causes (143–145, 147–150)	9	1	1		2		1	1	1		1		1
Suicide (165–174)	12	3			3	1		2	1		1		1
Automobile accidents [1] (188c)	36	3	1		4	7	3	5		2	6	1	4
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1		1										
Other external causes (175–187, part of 188a, b, 188d–203)	93	7	9	7	8	7	10	9	3	11	7	8	7
All other causes	568	52	48	43	49	52	39	55	42	47	45	51	45
NASHVILLE, TENN. (COLORED), all causes	964	82	78	80	82	83	74	81	85	73	77	73	96
Typhoid and paratyphoid fever (1)	14	2				2		2	6	1		1	
Malaria (5)	1											1	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	1							1					
Diphtheria (10)	13		1			1		1		5	4	1	
Influenza (11)	29	4	4	6	3				3	1		3	5
Dysentery (16)	4			1					1	2			
Erysipelas (21)	1		1										
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3		2	1									
Tuberculosis of the respiratory system (31)	101	4	6	9	9	14	11	6	9	8	6	7	12
Other forms of tuberculosis (32–37)	22	2		3	5	2	1	2	1		1	1	4
Diabetes mellitus (57)	11		2	1			1	2	1			1	3
Cerebral hemorrhage and softening (74, 83)	59	4	3	2	7	4	4	4	5	11	4	4	7
Other [organic] diseases of the heart (90)	139	9	11	17	11	10	9	8	11	11	18	8	16
Bronchitis (99)	1												1
Broncho-pneumonia (100)	29	2	2	3		1	2	3	2	2	4	3	5
Pneumonia (101)	49	6	7	4	3	5	4		1	2	5	5	7
Diarrhea and enteritis [under 2 years] (113)	19		2	1	4		1	4	2	2	1	1	1
Diarrhea and enteritis [2 years and over] (114)	5			1			2	1					1
Nephritis (128, 129)	85	6	7	8	6	8	6	9	11	5	4	8	7
Puerperal septicemia (146)	6		1	2		1		1				1	
Other puerperal causes (143–145, 147–150)	3			1		1	1						
Suicide (165–174)	4	2			1								1
Automobile accidents [1] (188c)	10	2	1			1	2				3	1	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	61	4	5	4	11	7	3	5	8	1	3	2	8
All other causes	294	35	23	16	22	26	27	32	24	22	24	25	18

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes	2,431	221	192	195	188	224	201	190	182	192	207	203	241
Typhoid and paratyphoid fever (1)	14			1	2		1	2		5	2		1
Malaria (5)	5	1					1	2				1	
Smallpox (6)													
Measles (7)	13				7	3	2	1					
Scarlet fever (8)	2										1	1	
Whooping cough (9)	5				2	1			1	1			
Diphtheria (10)	32	3		1	3			1		5	10	4	5
Influenza (11)	59	13	7	5	8	5	1		2	2		5	11
Dysentery (16)	13		1	1		2	3					4	2
Erysipelas (21)	3	2						1					
Lethargic encephalitis (23)	5								2	1	2		
Meningococcus meningitis (24)	5		1		1						1		2
Tuberculosis of the respiratory system (31)	118	9	11	9	12	11	8	10	10	10	7	9	12
Other forms of tuberculosis (32–37)	16	3	3	1	1	1	1	1	1		2	1	1
Diabetes mellitus (57)	25	1	2	1	2	3	4	1	3	2	1	3	2
Cerebral hemorrhage and softening (74, 83)	198	15	16	23	12	13	21	11	18	18	12	18	21
Other [organic] diseases of the heart (90)	198	22	14	13	13	18	17	13	16	14	21	16	21
Bronchitis (99)	8	1	2	2		1						1	1
Broncho-pneumonia (100)	64	7	3	6	4	3	5	7	3	4	5	9	8
Pneumonia (101)	88	14	13	13	8	13	6	2	4	3	2	6	4
Diarrhea and enteritis [under 2 years] (113)	46	1				10	8	8	4	2	3	6	4
Diarrhea and enteritis [2 years and over] (114)	15	2		1	1	1	3	2	1	1	1		2
Nephritis (128, 129)	195	19	15	14	17	16	19	17	10	13	19	16	20
Puerperal septicemia (146)	13		3	2	1	1	1		1		1	2	1
Other puerperal causes (143–145, 147–150)	24		4		1	6	2	3	3	1	2		2
Suicide (165–174)	25	3	4	4		3	3	4	1		2		1
Automobile accidents [1] (188c)	49	2	5	4	2	4	5	2	3	2	5	7	8
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	148	12	13	12	12	21	10	11	9	12	13	10	13
All other causes	1,045	91	75	82	74	88	80	91	90	96	95	84	99
FORT WORTH, TEX., all causes	1,520	161	130	144	132	128	109	112	111	115	127	101	150
Typhoid and paratyphoid fever (1)	12	1		2	1			1	1	3	1	2	
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	21		5	9	4	3							
Scarlet fever (8)	4		2	1	1								
Whooping cough (9)	11				4	3	1	2				1	
Diphtheria (10)	26	3	2	2	1			1	1	6	5	2	3
Influenza (11)	54	7	6	13	7	6		2		1	2	3	7
Dysentery (16)	5				1		1	2	1				
Erysipelas (21)	3		1		1					1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2			1							1		
Tuberculosis of the respiratory system (31)	77	11	5	3	8	9	6	7	6	6	3	5	8
Other forms of tuberculosis (32–37)	8			1	1	1	1	1	1			1	1
Diabetes mellitus (57)	20	3	2	2		2		1	3		1	4	2
Cerebral hemorrhage and softening (74, 83)	123	17	10	13	9	11	11	6	4	11	14	6	11
Other [organic] diseases of the heart (90)	114	12	10	8	12	10	12	10	7	9	8	6	10
Bronchitis (99)	6			1	1			2	1			1	
Broncho-pneumonia (100)	45	6	8	8	3	2	2	1	3		5	2	5
Pneumonia (101)	66	12	12	8	2	8		2	3	2	8	2	7
Diarrhea and enteritis [under 2 years] (113)	31	2		2		5	5	4	3	2	6	1	1
Diarrhea and enteritis [2 years and over] (114)	7	1	1	1		1	1	2					
Nephritis (128, 129)	95	8	5	11	10	3	6	7	6	4	12	13	10
Puerperal septicemia (146)	5				2				1	1	1		
Other puerperal causes (143–145, 147–150)	18	3	2	4	2		1	1	1	4			
Suicide (165–174)	23			2	3	1	2	5	1	2	5		2
Automobile accidents [1] (188c)	31	3		3			2	3	5	1	5	4	5
Automobile—railroad-train collision (part of 188a)	1											1	
Automobile—street-car collision (part of 188b)	1											1	
Other external causes (175–187, part of 188a, b, 188d–203)	81	7	8	1	10	2	11	9	8	6	2	7	10
All other causes	629	65	51	48	49	61	47	43	55	56	47	39	68
HOUSTON, TEX. (WHITE), all causes	1,975	181	147	178	158	145	156	164	189	125	169	166	197
Typhoid and paratyphoid fever (1)	15			1	1	2	1		4	2		1	3
Malaria (5)	3							2					1
Smallpox (6)	1											1	
Measles (7)													
Scarlet fever (8)	2											1	1
Whooping cough (9)	6	1	1	1							1	1	1
Diphtheria (10)	20	6		1	2			1	1		2	4	3
Influenza (11)	36	9	2	5	4	1	2		2	1	2	3	5
Dysentery (16)	1												1
Erysipelas (21)	1											1	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	5							1	2	2			
Tuberculosis of the respiratory system (31)	118	6	18	9	10	6	10	10	16	7	9	8	9
Other forms of tuberculosis (32–37)	10			1			1		2		3		3
Diabetes mellitus (57)	30		3	3	3	3	1	2	5	3	4	2	1
Cerebral hemorrhage and softening (74, 83)	114	9	6	12	10	8	7	10	10	8	12	11	11
Other [organic] diseases of the heart (90)	197	14	12	24	23	13	18	21	25	8	16	10	13
Bronchitis (99)	6				1						1	2	2
Broncho-pneumonia (100)	35	6	4	3		2	1		2	1	4	4	8
Pneumonia (101)	53	9	5	5	4	1	3	3	3	5	3	2	10
Diarrhea and enteritis [under 2 years] (113)	46	6	2	3	3	2	5	5	2	4	4	5	5
Diarrhea and enteritis [2 years and over] (114)	13	1		2	1	2	1	1	2	1	1	1	
Nephritis (128, 129)	128	15	9	12	13	13	4	8	7	10	10	8	19
Puerperal septicemia (146)	11	2	1			1	1	1	1		1		3
Other puerperal causes (143–145, 147–150)	19	1	1	3	1	2	2	2	5		1	1	
Suicide (165–174)	26	1	1	2	2	3	2	3	2	2	4	4	
Automobile accidents [1] (188c)	48	8	5	2	6	1	5	4		5	3	6	3
Automobile—railroad-train collision (part of 188a)	1										1		
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	138	7	8	8	11	8	15	10	10	9	19	12	21
All other causes	892	80	69	81	63	77	77	80	88	57	68	78	74

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec
HOUSTON, TEX. (COLORED), all causes	1,015	78	86	89	85	77	73	71	93	90	84	81	108
Typhoid and paratyphoid fever (1)	6				1			1	2				2
Malaria (5)	7						3				3	1	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	1										1		
Diphtheria (10)	3			1			1	1					
Influenza (11)	22	5	4	4	1	1	1	1	1		1		3
Dysentery (16)	2								1			1	
Erysipelas (21)	1							1					
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	71	12	2	7	4	7	8	6	7	4	4	7	3
Other forms of tuberculosis (32–37)	9	1			1		1	1	1	2	1	1	
Diabetes mellitus (57)	16		2	2	1	2	1	1		1	3	2	1
Cerebral hemorrhage and softening (74, 83)	56	4	3	4	7	3	1	6	6	4	6	2	10
Other [organic] diseases of the heart (90)	75	2	7	6	9	6	4	7	4	8	5	6	11
Bronchitis (99)	3									2			1
Broncho-pneumonia (100)	24	2	5	2	2		1	1	1	1	4	3	2
Pneumonia (101)	50	12	7	7	5	2			2	3	2	2	8
Diarrhea and enteritis [under 2 years] (113)	8			2		2		1		1		1	1
Diarrhea and enteritis [2 years and over] (114)	1			1									
Nephritis (128, 129)	73	6	8	7	9	3	9	6	8	7	3	4	3
Puerperal septicemia (146)	1								1				
Other puerperal causes (143–145, 147–150)	7			1		1		1	1	2	1		
Suicide (165–174)	4	1		1		2							
Automobile accidents [1] (188c)	9					2	2	3		1			1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1						1						
Other external causes (175–187, part of 188a, b, 188d–203)	69	2	6	7	7	4	6	2	8	4	6	10	7
All other causes	496	31	42	37	38	42	34	32	50	50	44	41	55
SAN ANTONIO, TEX., all causes	3,035	298	235	268	300	289	212	250	251	172	235	233	292
Typhoid and paratyphoid fever (1)	12				1	2	1	2	1	1	1	2	1
Malaria (5)	3						1		2				
Smallpox (6)													
Measles (7)	4			1				1	1				1
Scarlet fever (8)	4	1		1					1				1
Whooping cough (9)	14		1	2	5	1	1	4					
Diphtheria (10)	30	2		4	1	1		4	2	5	2	5	4
Influenza (11)	87	10	12	10	14	8	5	4	1	5	1	5	12
Dysentery (16)	17		2	1	2	3	2	1	1		1	2	2
Erysipelas (21)	2			1								1	
Lethargic encephalitis (23)	2			1									1
Meningococcus meningitis (24)	4						1	2	1				
Tuberculosis of the respiratory system (31)	372	43	33	35	41	37	21	24	36	18	26	25	33
Other forms of tuberculosis (32–37)	30	3	3	3	2	2	3	1	3		4	2	4
Diabetes mellitus (57)	27	4		3	3	4	2			1	4	4	2
Cerebral hemorrhage and softening (74, 83)	128	11	9	18	17	11	7	11	7	8	13	12	4
Other [organic] diseases of the heart (90)	284	25	18	33	29	31	9	25	28	14	20	26	26
Bronchitis (99)	20	1	1	1	1	4	2			1	5	1	3
Broncho-pneumonia (100)	95	15	8	10	9	8	4	3	2	4	8	10	14
Pneumonia (101)	107	21	7	12	8	7	5	7	8	2	8	6	16
Diarrhea and enteritis [under 2 years] (113)	211	4	10	11	32	28	27	26	21	7	9	19	17
Diarrhea and enteritis [2 years and over] (114)	41	3		7	1	5	4	6	2	1	2	5	5
Nephritis (128, 129)	147	12	8	15	16	16	11	17	10	9	11	8	14
Puerperal septicemia (146)	31	2	4	1	4	6	2	5	1	1		2	3
Other puerperal causes (143–145, 147–150)	23	3	1	1			2	3	3	4	3	2	1
Suicide (165–174)	35	1	1	3	5	2	1	7	7		2	2	4
Automobile accidents [1] (188c)	48	6	3	3	5	2	5	5	2		4	2	11
Automobile—railroad-train collision (part of 188a)	1												1
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	140	15	9	5	22	14	9	11	12	13	11	8	11
All other causes	1,116	116	105	86	82	97	87	81	99	78	100	84	101
SALT LAKE CITY, UTAH, all causes	1,664	163	167	144	153	129	131	124	117	110	134	124	168
Typhoid and paratyphoid fever (1)	3		1							1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	25	12	7	4	1	1							
Scarlet fever (8)	3	1					1						1
Whooping cough (9)	3				1		1			1			
Diphtheria (10)	21	3	2	2	1	2	1	3	1	1	1	2	2
Influenza (11)	26	2	9	2	1	1		1		1	4	2	3
Dysentery (16)	1										1		
Erysipelas (21)	10				6		1	1					2
Lethargic encephalitis (23)	2				1								1
Meningococcus meningitis (24)	9	1	1	1		1		1				2	1
Tuberculosis of the respiratory system (31)	65	3	6	6	7	7	1	4	9	4	4	5	9
Other forms of tuberculosis (32–37)	11				1	1	5	1	1			1	1
Diabetes mellitus (57)	19	2	3		5	2		2		1	1	1	2
Cerebral hemorrhage and softening (74, 83)	109	9	14	14	2	6	11	6	8	11	10	6	12
Other [organic] diseases of the heart (90)	220	20	13	18	25	29	25	14	13	14	13	18	18
Bronchitis (99)	4		1	1							2		
Broncho-pneumonia (100)	51	7	3	5	8	4	3	4	1	2	9		5
Pneumonia (101)	79	12	8	8	7	1	3	4	4	5	7	9	11
Diarrhea and enteritis [under 2 years] (113)	7	1	1							4	1		
Diarrhea and enteritis [2 years and over] (114)	5	1				1				2	1		
Nephritis (128, 129)	133	15	16	10	13	8	8	12	4	8	11	12	16
Puerperal septicemia (146)	18		2	4	2	1	2	2	1	2	1	1	
Other puerperal causes (143–145, 147–150)	18			3	1	2	1	2	5	1		1	2
Suicide (165–174)	23	2		5	2	2	3		3		3	2	1
Automobile accidents [1] (188c)	30	2		3	3	3	4	2	4	2	3	1	3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	5							1			1	1	2
Other external causes (175–187, part of 188a, b, 188d–203)	92	7	4	7	12	9	7	9	8	4	10	8	6
All other causes	672	63	76	51	54	49	52	55	55	46	50	51	70

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORFOLK, VA. (WHITE), all causes	844	74	66	75	69	73	74	68	57	69	81	70	68
Typhoid and paratyphoid fever (1)	2	1										1	
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	6			2	1	1	2						
Scarlet fever (8)													
Whooping cough (9)	4		1		1					2			
Diphtheria (10)	3	1	1										1
Influenza (11)	9		2	4	1					1			1
Dysentery (16)													
Erysipelas (21)	3		1							1			1
Lethargic encephalitis (23)	3					1		1		1			
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	46	4	5	7	4	3	4	2	1	7	5		4
Other forms of tuberculosis (32–37)	7		1				1				2	3	
Diabetes mellitus (57)	7	1			2	2		2					
Cerebral hemorrhage and softening (74, 83)	62	6	5	3	4	6	7	5	6	4	7	4	5
Other [organic] diseases of the heart (90)	151	11	14	17	12	16	10	18	5	11	13	16	8
Bronchitis (99)	5	2					1	1				1	
Broncho-pneumonia (100)	18	4	2	2	1	1	1		1	1	2		3
Pneumonia (101)	13	3	1	3	1	1		1	1	1			1
Diarrhea and enteritis [under 2 years] (113)	6				1		2			1	1	1	
Diarrhea and enteritis [2 years and over] (114)	3							1			1	1	
Nephritis (128, 129)	90	6	9	9	5	10	8	10	8	3	11	5	6
Puerperal septicemia (146)	4										2	1	1
Other puerperal causes (143–145, 147–150)	6	1				1	2					1	
Suicide (165–174)	14	2	1	2				1		2		4	2
Automobile accidents [1] (188c)	19	1		2	3		1	1	1	2	3	2	3
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	57	3	2	3	8	6	5	4	5	3	7	7	4
All other causes	305	28	21	21	25	25	30	21	29	28	26	23	28
NORFOLK, VA. (COLORED), all causes	905	80	97	66	82	71	71	79	60	66	78	74	81
Typhoid and paratyphoid fever (1)	2							1					1
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)													
Whooping cough (9)	12		1	3	1	2	1	2	2				
Diphtheria (10)	4			2								1	1
Influenza (11)	21		6	3	5	1					1	1	4
Dysentery (16)	2	1						1					
Erysipelas (21)	1				1								
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	92	10	9	7	11	8	9	7	5	7	7	3	9
Other forms of tuberculosis (32–37)	11	3				2	2	1		1		1	1
Diabetes mellitus (57)	10			1	1		1			2	3	1	1
Cerebral hemorrhage and softening (74, 83)	88	3	11	9	6	6	6	6	9	9	7	8	8
Other [organic] diseases of the heart (90)	141	11	17	9	16	11	7	8	10	10	17	15	10
Bronchitis (99)	8	1			1		2			1	3		
Broncho-pneumonia (100)	57	10	6	10	9	3	1	1			7	4	6
Pneumonia (101)	41	9	5	2	2	3	1	2	1	1	4	5	6
Diarrhea and enteritis [under 2 years] (113)	48				2	5	7	14	6	8	2	3	1
Diarrhea and enteritis [2 years and over] (114)	4				1				1	1	1		
Nephritis (128, 129)	64	10	7	3	4	5	6	5	4	6	5	7	2
Puerperal septicemia (146)	10		2		2	1		1	1	2	1		
Other puerperal causes (143–145, 147–150)	13		2	4	2		2		1	1			1
Suicide (165–174)													
Automobile accidents [1] (188c)	16	3	1		1	1			3	1	4	1	1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	57	6	3	1	5	8	9	5	6	4	3	3	4
All other causes	201	13	26	12	12	15	17	24	11	12	13	21	25
RICHMOND, VA. (WHITE), all causes	1,572	159	128	145	148	141	121	117	110	105	135	128	135
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	2		1		1								
Scarlet fever (8)	4	1					1				2		
Whooping cough (9)	8			1	2		2	1	1				1
Diphtheria (10)	11	2					1	1			2	2	3
Influenza (11)	23	3	3	3	5	2	1		1	1	2	1	1
Dysentery (16)	5	1			1	1		1		1			
Erysipelas (21)	2			1			1						
Lethargic encephalitis (23)	3		1			1	1						
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	66	8	3	6	10	3	3	8	4	3	7	7	4
Other forms of tuberculosis (32–37)	12	2			3	1		2	2	1	1		
Diabetes mellitus (57)	17	1	2	2	3	2	1		1	2	2		1
Cerebral hemorrhage and softening (74, 83)	102	6	8	8	9	11	8	8	14	6	10	7	7
Other [organic] diseases of the heart (90)	236	16	26	30	20	21	13	13	9	18	23	21	26
Bronchitis (99)	9	2		1	2	1				1	1	1	
Broncho-pneumonia (100)	36	6	5	2	3	2		4	2		2	6	4
Pneumonia (101)	58	13	5	12	6	5	4	1			1	4	7
Diarrhea and enteritis [under 2 years] (113)	17			1			1	2	6	3	3	1	
Diarrhea and enteritis [2 years and over] (114)	5			1				1		1	2		
Nephritis (128, 129)	204	26	14	17	16	20	21	12	11	11	16	23	17
Puerperal septicemia (146)	7	1						2	1	1	1	1	
Other puerperal causes (143–145, 147–150)	13	2	3		1	1			2		2	2	
Suicide (165–174)	21	4	1	2	3	4	2	1			1	1	2
Automobile accidents [1] (188c)	32	5	1	1	2	2	2	1	3	3	2	5	5
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	64	6	6	6	3	8	2	3	4	7	7	6	6
All other causes	614	54	49	50	58	56	57	56	49	46	48	40	51

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RICHMOND, VA. (COLORED), all causes	1,142	96	82	106	96	99	107	96	79	96	85	89	111
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	3		1	1								1	
Scarlet fever (8)	1									1			
Whooping cough (9)	15		2	3		1	1	2	1	1	2	1	1
Diphtheria (10)													
Influenza (11)	37	2	8	2	5	4	1	2	2	2	1	5	3
Dysentery (16)	2		1										1
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	85	12	3	9	7	10	10	5	4	8	4	5	8
Other forms of tuberculosis (32–37)	27	3	2		3	5	2	7		1	1	1	2
Diabetes mellitus (57)	8	2	2	1	2			1					
Cerebral hemorrhage and softening (74, 83)	106	14	7	10	7	9	11	8	4	7	7	11	11
Other [organic] diseases of the heart (90)	157	12	9	13	8	15	19	11	7	15	13	12	23
Bronchitis (99)	5			1	1		1	1				1	
Broncho-pneumonia (100)	39		5	4	4	2	5	2	4	2	1	3	7
Pneumonia (101)	46	6	5	9	6	5		3	2	2	2	1	5
Diarrhea and enteritis [under 2 years] (113)	22							10	6	3	2		1
Diarrhea and enteritis [2 years and over] (114)	10					2	1	2	2	1	1		1
Nephritis (128, 129)	111	8	10	14	8	9	7	13	10	12	6	7	7
Puerperal septicemia (146)	3						1		1				1
Other puerperal causes (143–145, 147–150)	13	1	1	1				3	3	2	2		
Suicide (165–174)	1								1				
Automobile accidents [1] (188c)	14	1	1		2		1		2	2	3	2	
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)													
Other external causes (175–187, part of 188a, b, 188d–203)	75	3	5	5	8	5	8	3	6	7	11	8	6
All other causes	361	32	19	33	35	32	39	23	24	30	29	31	34
SEATTLE, WASH., all causes	3,570	316	287	320	329	275	273	324	246	275	289	280	356
Typhoid and paratyphoid fever (1)	4	1									1		2
Malaria (5)													
Smallpox (6)													
Measles (7)	8				1	2	1	4					
Scarlet fever (8)	4			1	2			1					
Whooping cough (9)	10		2	1	1	3	1	1	1				
Diphtheria (10)	4						1				2	1	
Influenza (11)	74	7	16	11	4	7	5	5	1	3	3	5	7
Dysentery (16)													
Erysipelas (21)	8	1	3		2							1	1
Lethargic encephalitis (23)	11		1	1	3	2		1			1		2
Meningococcus meningitis (24)	19	1	1	4	4		1	2	3		1		2
Tuberculosis of the respiratory system (31)	158	13	17	19	20	14	11	12	12	15	5	11	9
Other forms of tuberculosis (32–37)	46	8	2	4	4	1	6	2	3	3	8	3	2
Diabetes mellitus (57)	59	5	6	4	3	3	6	3	4	5	6	7	7
Cerebral hemorrhage and softening (74, 83)	297	25	22	30	33	16	24	24	20	21	22	24	36
Other [organic] diseases of the heart (90)	608	59	45	45	46	53	49	57	49	53	45	52	55
Bronchitis (99)	8	1	1	1	1	1	2						1
Broncho-pneumonia (100)	76	6	8	5	6	5	10	6	6	7	5	5	7
Pneumonia (101)	141	12	14	10	17	9	8	9	7	6	18	11	20
Diarrhea and enteritis [under 2 years] (113)	11				2	3	2			1	2		1
Diarrhea and enteritis [2 years and over] (114)	8			1	1	1	1		1		3		
Nephritis (128, 129)	215	16	16	17	21	14	12	25	15	23	17	19	20
Puerperal septicemia (146)	9			1		2		1	2	1	1		1
Other puerperal causes (143–145, 147–150)	13	1	1	1			1	2		1	3	1	2
Suicide (165–174)	99	13	8	12	10	13	6	8	7	3	7	4	8
Automobile accidents [1] (188c)	79	12	2	6	3	5	5	5	9	7	7	4	14
Automobile—railroad-train collision (part of 188a)	4	2										2	
Automobile—street-car collision (part of 188b)	2							1		1			
Other external causes (175–187, part of 188a, b, 188d–203)	190	19	15	13	17	8	21	21	11	20	12	13	20
All other causes	1,405	114	107	133	128	113	100	134	95	105	120	117	139
SPOKANE, WASH., all causes	1,484	143	141	118	125	131	112	122	88	117	113	128	146
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)													
Smallpox (6)													
Measles (7)	3	1		2									
Scarlet fever (8)	7	3		1	1								2
Whooping cough (9)	2									2			
Diphtheria (10)	1								1				
Influenza (11)	46	8	12	3	4	3	3	3		2	1	2	5
Dysentery (16)	2			1					1				
Erysipelas (21)	5		2	1	1		1						
Lethargic encephalitis (23)	18	2		3	2	3	3	2	1		1	1	
Meningococcus meningitis (24)	33	4	9	1	2	3	3		1	1	3	2	4
Tuberculosis of the respiratory system (31)	32	2	1	1	3	5	4	4	1	1	3	1	6
Other forms of tuberculosis (32–37)	18	1	2	3	2	1	2	1	1		1	4	
Diabetes mellitus (57)	29	4	4	1	2	4	3	1	3	1	2	1	3
Cerebral hemorrhage and softening (74, 83)	91	9	4	11	9	6	7	8	4	12	6	9	6
Other [organic] diseases of the heart (90)	174	12	15	14	15	20	13	19	3	7	18	16	22
Bronchitis (99)	5	1			1					2			1
Broncho-pneumonia (100)	46	10	10	5	2	3	3	2			2	3	7
Pneumonia (101)	76	11	9	6	10	7	3	2	2	5	3	11	7
Diarrhea and enteritis [under 2 years] (113)	9	2		1		1	1	1	2	1			
Diarrhea and enteritis [2 years and over] (114)	4					1			1	1	1		
Nephritis (128, 129)	128	9	9	12	10	5	15	12	9	14	15	10	8
Puerperal septicemia (146)	7	1		1		1	1		1	1		1	
Other puerperal causes (143–145, 147–150)	12	1	1	2	1	1	3				1	1	1
Suicide (165–174)	31	2	2	1	3	3	3	1	2	5	3	4	2
Automobile accidents [1] (188c)	21	2	2	1	2	1	1	3		3	5		1
Automobile—railroad-train collision (part of 188a)													
Automobile—street-car collision (part of 188b)	1							1					
Other external causes (175–187, part of 188a, b, 188d–203)	62	8	5	3	2	4	5	7	6	10	4	3	5
All other causes	620	50	54	44	53	59	39	55	49	48	44	59	66

[1] Excludes collision with railroad trains and street cars.

TABLE 10 A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1927—Continued

[See note at head of this table, p. 338]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes	5,752	523	449	571	509	536	467	420	420	417	456	472	513
Typhoid and paratyphoid fever (1)	5	1							1		1		2
Malaria (5)													
Smallpox (6)													
Measles (7)	9			1		3	3	1	1				
Scarlet fever (8)	8		1	2	1	2				1			1
Whooping cough (9)	17	6		2	1	2	2	1	2		1		
Diphtheria (10)	57	9	5	8	5	2	1	1	4	4	4	6	8
Influenza (11)	48	5	5	9	6	5	2	2		2	2	4	6
Dysentery (16)	2				2								
Erysipelas (21)	12	3	1	3		1			1	1		1	1
Lethargic encephalitis (23)	3	1				2							
Meningococcus meningitis (24)	84	6	5	11	9	7	7	11	3	5	8	6	6
Tuberculosis of the respiratory system (31)	315	23	28	36	29	31	30	24	22	24	27	17	24
Other forms of tuberculosis (32–37)	57	5		5	7	5	6	7	4	7	3	2	6
Diabetes mellitus (57)	108	8	13	12	7	6	10	8	7	9	9	8	11
Cerebral hemorrhage and softening (74, 83)	382	24	36	33	29	44	36	25	34	23	29	36	33
Other [organic] diseases of the heart (90)	973	82	70	103	88	93	71	63	86	66	88	76	87
Bronchitis (99)	52	8	3	8	4	6	2	2	4	7	3	2	3
Broncho-pneumonia (100)	239	32	22	34	34	18	16	11	3	11	14	20	24
Pneumonia (101)	203	38	19	31	21	20	10	6	4	7	16	17	14
Diarrhea and enteritis [under 2 years] (113)	111	13	7	15	10	13	5	8	2	11	8	7	12
Diarrhea and enteritis [2 years and over] (114)	29	2	1	3	2	3	3	1	3	3	2	4	2
Nephritis (128, 129)	350	28	24	24	37	30	32	29	22	28	23	27	46
Puerperal septicemia (146)	17	4	1		2	3	3	2		1	1		
Other puerperal causes (143–145, 147–150)	43	1	7	5	3	2		2	3	2	4	10	4
Suicide (165–174)	92	14	6	6	5	7	10	8	8	5	8	7	8
Automobile accidents [1] (188c)	121	4	6	11	11	6	18	13	12	11	14	6	9
Automobile—railroad-train collision (part of 188a)	4		1			1		1				1	
Automobile—street-car collision (part of 188b)	3			1		1				1			
Other external causes (175–187, part of 188a, b, 188d–203)	248	26	9	15	17	20	25	23	23	19	28	27	16
All other causes	2,161	180	179	193	179	203	175	171	171	169	163	188	190

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1927

[Corresponding data for death registration States and cities in birth registration area appear in Part I of Birth, Stillbirth, and Infant Mortality Statistics, 1927. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO, all causes	1,710	341	92	54	118	97	78	62	842	135	122	117	84	96	76	62	52	48	38	38
Measles (7)	31					2	1	3	6		2	3	2	2	5		2	4	1	4
Scarlet fever (8)	2														2					
Whooping cough (9)	34							1	1	4	6	7	5	2	3	2	2	1	1	
Diphtheria (10)	2															1		1		
Influenza (11)	78	1	1		1	2	5	6	16	10	9	9	5	10	4	3	4	2	2	4
Dysentery (16)	17							1	1	2	2	1	3	1	1	3		2		1
Erysipelas (21)	16					2	2		4	3	1	1	2	1	1	1	1			1
Meningococcus meningitis (24)	5									2	1				1			1		
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	5	1							1			1		1				1	1	
Tuberculosis of the meninges, etc. (32)	7										1						2	2	1	1
Other forms of tuberculosis (33–37)	1													1						
Syphilis (38)	15				2	1		1	4	3	2		2	1	2			1		
Convulsions (80)	7	2	1	1	2		1		7											
Bronchitis (99)	6						1	1	2	2	2									
Broncho-pneumonia (100)	187		3	2	3	12	17	6	43	28	17	20	8	11	14	13	4	11	10	8
Pneumonia (101)	73			1		5	5		11	7	7	18	5	7	2	7	4	1	3	1
Diseases of the stomach (111, 112)	12			1				1	2	3	1	2	2		2					
Diarrhea and enteritis (113)	299				1	3	6	13	23	30	34	31	35	39	25	24	20	15	11	12
Congenital malformations (159)	127	26	14	12	28	11	10	2	103	5	6	2	2	4	3	1				1
Congenital debility (160)	69	4	1	3	8	9	5	7	37	8	7	8	2	1	2	2			2	
Premature birth (161a)	402	241	47	17	31	30	13	11	390	8	2	1		1						
Injury at birth (161b)	86	36	14	9	22	4	1		86											
Other diseases of early infancy (162, 163)	63	23	8	4	13	8	3	1	60	3										
External causes (175–203)	29	1			1	1	1	2	6	1	8	3	1	1	1	1	4		3	
Unknown or ill-defined diseases (204,205)	21	4		2	1	1	1		9	1	1	2	2	1	2			1		2
All other causes	116	2	3	2	5	6	6	6	30	15	13	8	8	12	6	4	9	6	2	3
SOUTH CAROLINA (WHITE), all causes	1,521	361	84	80	114	70	40	60	809	135	118	80	66	58	56	34	41	49	36	39
Measles (7)	22	1							1	3	2	1	2	1	2		1	3	2	4
Scarlet fever (8)	1																			1
Whooping cough (9)	48						1	4	5	5	8	4	9	5	2	1	5	2	1	1
Diphtheria (10)	10				1	1			2		1					1		4	1	1
Influenza (11)	49				1		1	1	3	8	8	2	2	4	7	7	2	2	4	
Dysentery (16)	25									6	2	3	3	3	1		2		2	3
Erysipelas (21)	4							1	1	1		1					1			
Meningococcus meningitis (24)	1				1				1											
Tetanus (29)	2				1	1			2											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	4										1					1	1	1		
Other forms of tuberculosis (33–37)	2											1						1		
Syphilis (38)	12	1	2					1	4	4	1	3								
Convulsions (80)	13		1	3	3		1		8	2		2						1		
Bronchitis (99)	2									1	1									
Broncho-pneumonia (100)	69			3	2	8	4	4	21	11	5	6	5	4	4	2	4	4	2	1
Pneumonia (101)	61			2	1	1	1	4	9	13	9	2	3	5	1	2	4	4	3	6
Diseases of the stomach (111, 112)	15					1	1		2	4	4			1	3		1			
Diarrhea and enteritis (113)	225						2	7	9	22	26	29	22	20	19	11	16	17	17	17
Congenital malformations (159)	85	20	6	4	13	9	4	4	60	10	3	4	3	1	1	1		1		1
Congenital debility (160)	78	13	2	7	6	5		7	40	7	13	4	4	1	5			1	1	2
Premature birth (161a)	445	257	43	32	46	25	12	10	425	8	9	1		1				1		
Injury at birth (161b)	60	20	9	10	9	7	3		58	1	1									
Other diseases of early infancy (162, 163)	37	12	7	5	7	2	1	1	35	1	1									
External causes (175–203)	39			4	1	2		2	9	9	8	3	3		1	3			3	
Unknown or ill-defined diseases (204, 205)	114	35	10	8	15	8	5	6	87	8	5		2	5	5			1		1
All other causes	98	2	4	2	7		4	8	27	11	10	14	8	7	5	5	4	6		1
SOUTH CAROLINA (COLORED), all causes	2,504	407	158	80	231	178	95	88	1,237	204	166	159	136	104	115	104	69	94	56	60
Measles (7)	15					2		1	3	2	1	2	1		2	2				2
Scarlet fever (8)																				
Whooping cough (9)	122	1					3	3	7	16	15	16	9	5	14	12	8	7	7	6
Diphtheria (10)	13				1	2			3		1	2			1	1	1	1	2	1
Influenza (11)	62					2	2	2	6	8	2	9	2	8	8	5	2	9	2	1
Dysentery (16)	48					2			2	8	4	6	2	3	6	3	2	5	5	2
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)	16				2	10	3	1	16											
Tuberculosis of the respiratory system (31)	3															2		1		
Tuberculosis of the meninges, etc. (32)	3											1						2		
Other forms of tuberculosis (33–37)	5									1						2	1	1		
Syphilis (38)	56	9	2	1	3	5		2	22	7	5	6	4	3		3	3	2		1
Convulsions (80)	45	1	1	2	7	6	2		19	1	5	6	3	2		2		3	2	2
Bronchitis (99)	19				1		1	2	4	1	1	1	1		2	1	1	2	4	1
Broncho-pneumonia (100)	86				2	1	2	4	9	10	11	7	14	7	9	7	6	2	2	2
Pneumonia (101)	168		2	1	7	10	5	8	33	21	16	17	18	16	11	8	9	9	6	4
Diseases of the stomach (111, 112)	67	2	1	1	2	7	2	2	17	8	8	7	7	3	6	3	5	2		1
Diarrhea and enteritis (113)	259			1	4	3	6	8	22	28	26	25	26	25	24	24	9	21	16	13
Congenital malformations (159)	28	6	3	3	3	2	1	2	20	1	1	2		1		2				1
Congenital debility (160)	162	27	9	7	25	12	8	6	94	23	9	9	8	5	2	4	2	1	1	4
Premature birth (161a)	537	248	79	38	82	35	20	17	519	15				1		1				1
Injury at birth (161b)	37	13	12	2	3	2	3	1	36	1										
Other diseases of early infancy (162, 163)	44	5	6	3	10	12	7		43	1										
External causes (175–203)	23	3							3	4	3	2		1		2	1	6		1
Unknown or ill-defined diseases (204, 205)	499	91	42	21	72	54	23	21	324	31	31	26	25	9	16	7	10	8	5	7
All other causes	186	1	1		7	11	7	8	35	16	27	15	16	15	14	13	9	12	4	10

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1927—Continued

[See note at head of this table, p. 371]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DENVER, COLO., all causes	405	107	29	11	29	13	19	13	221	33	34	18	18	22	16	11	7	8	7	10
Measles (7)	7							1	1		1	2							1	2
Scarlet fever (8)	1														1					
Whooping cough (9)	1											1								
Diphtheria (10)	1																	1		
Influenza (11)	17	1	1			1	1	1	5		4	1		1	2	1	1			2
Dysentery (16)	2															1				
Erysipelas (21)	1												1							
Meningococcus meningitis (24)	1									1										
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2													1				1		
Tuberculosis of the meninges, etc. (32)	2																1			1
Other forms of tuberculosis (33–37)	1													1						
Syphilis (38)	7				1				1	2	1		1	1	1					
Convulsions (80)	2	1	1						2											
Bronchitis (99)	1										1									
Broncho-pneumonia (100)	37		2	1	1		4	2	10	5	4	3	3	1	3	3	1		3	1
Pneumonia (101)	17					1			1	1	1	3	3	2	1	3			1	1
Diseases of the stomach (111, 112)	2									2										
Diarrhea and enteritis (113)	39						2		2	6	5	4	5	3	5	3	1	2	1	2
Congenital malformations (159)	34	6	5	2	7	2	2		24	3	3	1	2	1						
Congenital debility (160)	6					1	3		4	2										
Premature birth (161a)	111	77	10	4	8	2	4	2	107	1	2			1						
Injury at birth (161b)	31	13	6	2	9		1		31											
Other diseases of early infancy (162, 163)	20	8	2	1	2	4	2		19	1										
External causes (175–203)	7							1	1	1	3	1					1			
Unknown or ill-defined diseases (204, 205)	6				1				1	1				1	1				1	1
All other causes	49	1	2	1		2		6	12	7	9	2	3	9	2		2	3		
ATLANTA, GA. (WHITE), all causes	224	67	13	11	15	9	6	7	128	11	15	13	7	9	11	3	7	7	7	6
Measles (7)	4									1				1			1		1	
Scarlet fever (8)																				
Whooping cough (9)	8										4			1			2	1		
Diphtheria (10)	2															1	1			
Influenza (11)	7									1			2		2				1	
Dysentery (16)	1													1						
Erysipelas (21)																				
Meningococcus meningitis (24)	1							1	1											
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2																	2		
Other forms of tuberculosis (33–37)																				
Syphilis (38)	7	1			2		1	1	5	1										1
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	10			1			1		2	1	1				3		2			1
Pneumonia (101)	8										2	1		1	2	1				1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	25					1	1		2		3	3	3	5	4		1	1	2	1
Congenital malformations (159)	19	7		5	2	1	1	2	18			1								
Congenital debility (160)	11				1			1	2	5	1	2				1				
Premature birth (161a)	84	53	9	2	6	5	2	2	79	1	3	1								
Injury at birth (161b)	10	4	2	2	2				10											
Other diseases of early infancy (162, 163)	3	1	1			1			3											
External causes (175–203)	3												1						1	1
Unknown or ill-defined diseases (204, 205)	2	1			1				2											
All other causes	17		1	1	1	1			4	1	1	5	1					2		
ATLANTA, GA. (COLORED), all causes	276	59	15	8	22	14	12	7	137	17	23	13	13	18	6	14	7	9	6	13
Measles (7)	3											1							1	1
Scarlet fever (8)																				
Whooping cough (9)	11					1			1	1	2			1	1			3		2
Diphtheria (10)	2																1			1
Influenza (11)	5					1			1	1		1				1	1			
Dysentery (16)	3												1	1						1
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1															1				
Other forms of tuberculosis (33–37)	2																			
Syphilis (38)	16	2		1	2	1		3	9	1	2			1	1	2		1		
Convulsions (80)	1												1							
Bronchitis (99)																				
Broncho-pneumonia (100)	39					2	3	1	6	4	5	3	2	8	2	3	1	1	1	3
Pneumonia (101)	9			3	1		1		5		1		2			1				
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	38				1	1			2	2	7	1	5	4	2	5	1	3	2	4
Congenital malformations (159)	3	1			2				3											
Congenital debility (160)	7				3		1		4	3										
Premature birth (161a)	85	42	10	3	12	5	5	2	79	3	1	2								
Injury at birth (161b)	13	8	4					1	13											
Other diseases of early infancy (162, 163)	3	1		1		1			3											
External causes (175–203)	6	1							1			1		2			1			1
Unknown or ill-defined diseases (204, 205)	10	4			1	1			6		2					1	1			
All other causes	19		1			1	2		4	2	3	4	2				2		2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1927—Continued

[See note at head of this table, p. 371]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DALLAS, TEX., all causes	333	66	10	9	28	13	11	6	143	33	34	27	18	23	14	9	10	11	4	7
Measles (7)	2													1		1				
Scarlet fever (8)																				
Whooping cough (9)	3											1	1	1						
Diphtheria (10)	3														1			1		1
Influenza (11)	14						1		1	1	1	4	2	1	2			1		1
Dysentery (16)	7									1	1	2		2					1	
Erysipelas (21)	1															1				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1													1						
Tuberculosis of the meninges, etc. (32)	4												1	1	1		1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	4	1	1						2	1	1									
Convulsions (80)																				
Bronchitis (99)	1													1						
Broncho-pneumonia (100)	26			1	1	1	2		5	3	7	6	1		2			1		1
Pneumonia (101)	18				1	1			2	3	3	3	2	2	1	1	1			
Diseases of the stomach (111, 112)	2						1		1					1						
Diarrhea and enteritis (113)	38						1		1	8	8	3	7	3	2	3		1	1	1
Congenital malformations (159)	19	4		1	3	1	2	1	12	1	1	3				1		1		
Congenital debility (160)	15	2			1	1		1	5	4	1			3	1			1		
Premature birth (161a)	81	43	8	3	9	7	2	2	74	2	4		1							
Injury at birth (161b)	17	12	1	1	1	1			16		1									
Other diseases of early infancy (162, 163)	11	1			6		1		8	2	1									
External causes (175–203)	6					1			1					1			2	2		
Unknown or ill-defined diseases (204, 205)	2				1				1				1							
All other causes	58	3		3	5		1	2	14	7	5	5	2	5	4	2	6	3	2	3
FORT WORTH, TEX., all causes	205	50	19	6	18	10	11	3	117	12	10	8	15	8	8	5	9	6	4	3
Measles (7)	5													1	1		1		1	1
Scarlet fever (8)																				
Whooping cough (9)	8							1	1		2			2		1			2	
Diphtheria (10)	1																			1
Influenza (11)	5				1				1			1	1			1		1		
Dysentery (16)	2													1		1				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	5				2				2	1			1				1			
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	17						1	1	2	2	2		3	1	3		3	1		
Pneumonia (101)	14				3				3		1	1	3	1	1	1	1	1		1
Diseases of the stomach (111, 112)	1											1								
Diarrhea and enteritis (113)	20					1	3	1	5	1	1	2	6		2		1	2		
Congenital malformations (159)	15	6			1	1	2		10	2		1		1		1				
Congenital debility (160)	12	2		1	2				5	4	1	1			1					
Premature birth (161a)	60	35	13	4	3	3	2		60											
Injury at birth (161b)	14	3	4	1	3	2			13		1									
Other diseases of early infancy (162, 163)	8	2	1		3	1	1		8											
External causes (175–203)	2	1							1	1										
Unknown or ill-defined diseases (204, 205)	2	1							1		1									
All other causes	14		1			2	2		5	1	1	1	1	1			2	1	1	
HOUSTON, TEX. (WHITE), all causes	267	63	18	14	20	11	9	7	142	31	20	10	12	9	10	4	8	5	10	6
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	5						1		1		2						1			1
Diphtheria (10)	1											1								
Influenza (11)	8		1					1	2	3				1					2	
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)	2													1				1		
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1														1					
Tuberculosis of the meninges, etc. (32)	2											1	1							
Other forms of tuberculosis (33–37)																				
Syphilis (38)	5							1	1	3							1			
Convulsions (80)	2					1			1									1		
Bronchitis (99)	5							2	2	1		1		1						
Broncho-pneumonia (100)	8					1			1	1		1	1	1	1				1	1
Pneumonia (101)	10							1	1	3	1	1	1				1		1	1
Diseases of the stomach (111, 112)	1				1				1											
Diarrhea and enteritis (113)	39				3	1	2		6	3	6	4	4	1	6	2	2	1	3	1
Congenital malformations (159)	19	6	1	1	1	2			11	4	2	1		1						
Congenital debility (160)	12	1	1	1			2		5	5	2									
Premature birth (161a)	65	43	7	6	3	3	1		63	1	1									
Injury at birth (161b)	30	8	8	4	6	2	2		30											
Other diseases of early infancy (162, 163)	5	3			2				5											
External causes (175–203)	4																2		1	1
Unknown or ill-defined diseases (204, 205)	21	2		1	3		1	1	8	2	3		1	1	1	2	1	1	1	
All other causes	22			1	1	1		1	4	5	3		4	3				1	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1927—Continued

[See note at head of this table, p. 371]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
HOUSTON, TEX. (COLORED), all causes	100	15	7	6	9	6	1	3	47	9	5	6	6	13	2	4	3	2	3	
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	1																1			
Diphtheria (10)																				
Influenza (11)	2													2						
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	4	2		1					3							1				
Convulsions (80)	3									1				1					1	
Bronchitis (99)																				
Broncho-pneumonia (100)	8									1		1	3			1	2			
Pneumonia (101)	10					1			1			2	1	5				1		
Diseases of the stomach (111,112)																				
Diarrhea and enteritis (113)	6				1				1		1		1	1		1			1	
Congenital malformations (159)																				
Congenital debility (160)	2									1				1						
Premature birth (161a)	21	10	2	3	3	1		1	20	1										
Injury at birth (161b)	4	1	2	1					4											
Other diseases of early infancy (162, 163)	3	1		1		1			3											
External causes (175-203)	1													1						
Unknown or ill-defined diseases (204, 205)	30	1	3		5	3	1	2	15	4	3	2	1	1	2	1		1		
All other causes	5									1	1	1		1					1	
SAN ANTONIO, TEX., all causes	523	58	38	9	35	27	17	10	194	42	48	44	47	38	21	23	25	15	13	13
Measles (7)	2										1								1	
Scarlet fever (8)																				
Whooping cough (9)	8									1		2	3			1				1
Diphtheria (10)	1											1								
Influenza (11)	23				1	1		1	3	3	3	1	2	3	5	1			1	1
Dysentery (16)	8									1	2	1	1			1		1		1
Erysipelas (21)																				
Meningococcus meningitis (24)	1																1			
Tetanus (29)	5				1	2	1		4									1		
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)	4											1		1				1	1	
Other forms of tuberculosis (33-37)																				
Syphilis (38)	12	2				1	1		4	2	1	1	1			1	1	1		
Convulsions (80)	3		1		1				2	1										
Bronchitis (99)	2							1	1								1			
Broncho-pneumonia (100)	37				1	2	1	1	5	2	3	7	3	4		3	4	2	2	2
Pneumonia (101)	16					1			1	1	1	2	4	3	1			1	1	1
Diseases of the stomach (111, 112)	5					1			1					1		1		1	1	
Diarrhea and enteritis (113)	168		1	1	2	1	3	3	11	15	24	16	26	21	10	12	17	7	6	3
Congenital malformations (159)	19	3	4		6	2	1		16		1			1		1				
Congenital debility (160)	6		2						2	3		1								
Premature birth (161a)	89	37	21	4	11	8	5	1	87	1				1						
Injury at birth (161b)	19	8	4	2	1	2	1		18	1										
Other diseases of early infancy (162, 163)	8	2	2		2	2			8											
External causes (175-203)	3									1		1	1							
Unknown or ill-defined diseases (204, 205)	48	5	3		6	3	4	3	24	7	4	6	1	1	2	1				2
All other causes	35	1		2	3	1			7	3	8	3	5	2	3	1	1			2

SUPPLEMENT

HAWAII AND VIRGIN ISLANDS

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1927

Race	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population July 1, 1927							
Total	4,046	13.2	208	1,698	536	504	47	387	666
Hawaiian	646	29.5	22	308	98	46	20	36	116
Part Hawaiian	378	17.0	15	193	38	27	15	16	74
Caucasian-Hawaiian	239	18.6	10	129	21	18	12	10	39
Asiatic-Hawaiian	139	14.7	5	64	17	9	3	6	35
Caucasian	701	11.1	37	377	77	78	5	46	81
Portuguese	306	10.0	22	144	38	23	4	22	53
Porto Rican	111	18.0	4	43	23	12		11	18
Other Caucasian	284	10.8	11	190	16	43	1	13	10
Chinese	348	14.0	14	226	26	30	2	21	29
Japanese	1,202	9.1	90	424	199	137	1	141	210
Korean	67	12.7	3	38	5	5	1	7	8
Filipino	993	19.5	26	124	93	179	3	120	148
All others	11	32.4	1	8		2			

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1927

AREA AND SEX	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	4,046	388	334	344	350	375	335	334	313	315	320	308	336
Males	2,503	233	200	192	203	240	203	215	207	205	212	193	200
Females	1,543	155	134	152	147	135	132	119	106	110	108	115	130
Hilo city:													
Males	135	18	9	14	10	12	8	9	9	4	14	12	16
Females	73	11	2	5	6	6	8	8	6	4	4	3	10
Honolulu city:													
Males	1,028	84	65	75	80	114	76	97	95	85	84	86	87
Females	670	64	59	61	62	53	54	56	54	57	44	54	52
Hawaii County (exclusive of Hilo city):													
Males	349	42	34	22	27	29	30	29	25	36	27	30	18
Females	187	21	20	17	15	17	22	15	9	13	12	14	12
Honolulu County (exclusive of Honolulu city):													
Males	310	20	26	20	29	24	27	30	27	22	34	26	25
Females	194	22	11	20	16	19	15	17	8	15	21	16	14
Kalawao County:													
Males	37	5	2	3	6	1	2	3	1	4	5	2	3
Females	10	----	1	2	1	----	1	1	1	2	1	----	----
Kauai County:													
Males	252	18	26	26	28	27	18	18	18	18	18	15	22
Females	135	16	18	21	12	10	8	7	5	3	10	11	14
Maui County:													
Males	392	46	38	32	23	33	42	29	32	36	30	22	29
Females	274	21	23	26	35	30	24	15	23	16	16	17	28

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1927

RACE AND SEX	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	4,046	1,152	210	88	64	39	1,553	121	69	91	182	198	148	189	168	210	212	195	199	172	134	85	53	37	13	9	6	2
Males	2,503	642	127	44	32	25	870	59	34	56	109	119	88	110	110	150	146	146	162	119	96	59	33	21	6	5	4	1
Females	1,543	510	83	44	32	14	683	62	35	35	73	79	60	79	58	60	66	49	37	53	38	26	20	16	7	4	2	1
Hawaiian:																												
Males	343	59	13	4	----	2	78	7	2	10	13	16	7	17	14	29	13	15	23	33	31	14	11	4	1	3	2	----
Females	303	57	5	2	2	----	66	8	7	8	19	10	14	16	19	13	25	22	11	24	11	9	8	3	4	3	2	1
Part Hawaiian:																												
Males	208	97	17	5	2	1	122	4	1	7	7	10	7	6	9	9	4	6	4	7	2	1	----	1	----	----	1	----
Females	170	68	14	6	2	2	92	8	5	5	12	8	6	7	6	10	3	1	1	2	3	1	----	----	----	----	----	----
Caucasian-Hawaiian—																												
Males	138	48	15	3	2	1	69	2	1	6	5	8	4	5	6	8	4	5	4	6	2	1	----	1	----	----	1	----
Females	101	36	8	3	----	1	48	4	2	3	9	6	5	7	2	7	3	1	----	2	1	1	----	----	----	----	----	----
Asiatic-Hawaiian—																												
Males	70	49	2	2	----	----	53	2	----	1	2	2	3	1	3	1	----	1	----	1	----	----	----	----	----	----	----	----
Females	69	32	6	3	2	1	44	4	3	2	3	2	1	----	4	3	----	----	1	----	2	----	----	----	----	----	----	----
Caucasian:																												
Males	435	75	15	4	5	2	101	10	12	12	22	20	17	18	27	32	15	29	35	24	13	19	14	10	3	2	----	----
Females	266	59	13	5	8	2	87	13	7	4	7	8	7	11	12	13	8	7	11	16	16	15	8	12	3	1	----	----
Portuguese—																												
Males	175	42	9	2	3	----	56	3	9	5	3	4	5	3	7	12	4	14	10	6	11	7	9	5	1	1	----	----
Females	131	27	9	5	4	1	46	8	2	2	3	4	2	7	5	7	5	4	3	5	5	9	5	7	2	----	----	----
Porto Rican—																												
Males	67	20	2	1	1	----	24	4	2	2	2	2	2	6	5	1	5	4	4	3	----	----	----	----	----	1	----	----
Females	44	20	4	----	3	1	28	2	----	2	----	1	3	1	2	2	1	----	----	----	1	----	1	----	----	----	----	----
Other Caucasian—																												
Males	193	13	4	1	1	2	21	3	1	5	17	14	10	9	15	19	6	11	21	15	2	12	5	5	2	----	----	----
Females	91	12	----	----	1	----	13	3	5	----	4	3	2	3	5	4	2	3	8	11	10	6	2	5	1	1	----	----
Chinese:																												
Males	276	28	7	4	3	2	44	6	4	5	7	7	4	2	7	10	27	27	27	35	34	19	6	4	1	----	----	----
Females	72	17	2	4	3	1	27	3	1	1	6	6	3	5	1	1	4	2	3	3	2	1	3	----	----	----	----	----
Japanese:																												
Males	726	171	52	21	17	14	275	28	13	14	18	10	9	26	33	53	79	64	66	17	14	5	1	1	----	----	----	----
Females	476	150	33	17	14	5	219	25	11	15	19	31	26	32	16	22	24	14	11	6	5	----	----	----	----	----	----	----
Korean:																												
Males	48	5	3	----	----	----	8	1	1	----	----	----	----	4	6	11	3	4	6	3	----	1	----	----	----	----	----	----
Females	19	2	----	3	----	1	6	----	1	1	----	2	1	----	1	----	----	3	----	1	1	----	1	1	----	----	----	----
Filipino:																												
Males	458	207	20	6	5	4	242	3	1	8	41	56	44	37	13	5	3	1	1	----	1	----	----	1	----	----	----	1
Females	235	157	16	7	3	3	186	5	3	----	9	14	3	8	3	1	2	----	----	1	----	----	----	----	----	----	----	----
All others:																												
Males	9	----	----	----	----	----	----	----	----	----	1	----	----	----	1	1	2	----	----	----	1	----	1	----	1	----	1	----
Females	2	----	----	----	----	----	----	----	----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

[1] Exclusive of stillbirths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1927

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA	All causes (exclusive of stillbirths)	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83
Territory of Hawaii	4,046	21	------	------	51	------	26	56	30	8	10	358	21	29	193	5	28	184
Hilo city	208	2	------	------	2	------	------	6	1	1	------	31	1	2	16	1	2	8
Honolulu city	1,698	9	------	------	12	------	1	24	12	4	3	206	10	12	98	3	17	77
Hawaii County (exclusive of Hilo city)	536	5	------	------	4	------	------	5	5	1	1	33	3	6	29	------	4	32
Honolulu County (exclusive of Honolulu city)	504	1	------	------	7	------	3	3	7	1	2	11	5	------	13	1	1	19
Kalawao County	47	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
Kauai County	387	------	------	------	15	------	20	7	2	------	1	34	1	2	23	------	1	19
Maui County	666	4	------	------	11	------	2	11	3	1	3	43	1	7	14	------	3	29
	DEATH RATE PER 100,000 ESTIMATED POPULATION																	
Territory of Hawaii	1,324.8	6.9	------	------	16.7	------	8.5	18.3	9.8	2.6	3.3	117.2	6.9	9.5	63.2	1.6	9.2	60.2

AREA	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188a, b, d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes
Territory of Hawaii	342	58	600	340	34	26	31	224	21	60	305	58	33	51	179	6	658
Hilo city	12	1	23	12	2	1	2	16	1	6	7	3	------	1	9	------	39
Honolulu city	167	18	225	94	12	19	15	136	11	31	109	17	13	22	61	3	257
Hawaii County (exclusive of Hilo city)	49	11	59	55	2	------	4	17	1	11	42	10	4	11	36	2	94
Honolulu County (exclusive of Honolulu city)	43	17	104	66	4	------	5	15	------	3	43	13	6	9	42	------	60
Kalawao County	------	------	1	------	------	1	------	1	------	------	------	------	------	------	------	------	44
Kauai County	24	2	45	32	5	1	3	15	2	2	44	5	4	3	12	1	62
Maui County	47	9	143	81	9	4	2	24	6	7	60	10	6	5	19	------	102
	DEATH RATE PER 100,000 ESTIMATED POPULATION																
Territory of Hawaii	112.0	19.0	196.5	111.3	11.1	8.5	10.2	73.3	6.9	19.6	99.9	19.0	10.8	16.7	58.6	2.0	215.5

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1927

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	All causes	4,046	646	378	239	139	701	306	111	284	348	1,202	67	693	11
	I.—Epidemic, endemic, and infectious diseases	758	148	81	59	22	88	48	19	21	50	251	14	126	------
1	Typhoid and paratyphoid fever	21	7	2	1	1	2	1	1	------	------	8	------	2	------
7	Measles	51	5	6	5	1	9	5	2	2	3	17	------	11	------
9	Whooping cough	26	2	4	1	3	------	------	------	------	------	13	------	7	------
10	Diphtheria	56	2	3	3	------	12	9	2	1	4	31	------	4	------
11a	Influenza (with pulmonary complications)	10	1	1	1	------	2	2	------	------	1	2	------	3	------
11b	Influenza (other and unspecified)	20	5	3	3	------	------	------	------	------	2	5	2	3	------
13	Mumps	2	------	------	------	------	------	------	------	------	------	2	------	------	------
16	Dysentery	6	1	------	------	------	------	------	------	------	2	2	------	1	------
17	Plague	7	------	------	------	------	3	3	------	------	------	1	------	3	------
19	Spirochetal hemorrhagic jaundice	2	------	------	------	------	1	1	------	------	------	1	------	------	------
20	Leprosy	43	20	13	11	2	3	3	------	------	2	1	1	3	------
21	Erysipelas	8	------	------	------	------	------	------	------	------	------	8	------	------	------
24	Meningococcus meningitis	10	------	------	------	------	4	1	------	3	------	4	------	2	------
29	Tetanus	22	------	4	3	1	6	3	2	1	3	7	1	1	------
30	Mycoses	1	------	------	------	------	------	------	------	------	------	------	------	1	------
	Tuberculosis (all forms)	408	80	34	23	11	36	19	9	8	32	136	10	80	------
31	Of the respiratory system	358	74	28	18	10	30	16	8	6	28	114	10	74	------
32	Of the meninges, central nervous system	21	1	3	2	1	5	2	1	2	3	9	------	------	------
33	Of the intestines, peritoneum	17	5	2	2	------	1	1	------	------	1	6	------	2	------
34	Of the vertebral column	8	------	1	1	------	------	------	------	------	------	4	------	3	------
36	Of other organs	3	------	------	------	------	------	------	------	------	------	3	------	------	------
37a	Disseminated (acute)	1	------	------	------	------	------	------	------	------	------	------	------	1	------
38	Syphilis	53	23	10	7	3	8	------	3	5	------	8	------	4	------
40	Gonococcus infection	5	1	------	------	------	2	1	------	1	------	2	------	------	------
41	Purulent infection, septicemia	7	1	1	1	------	------	------	------	------	1	3	------	1	------

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	II.—General diseases not included in Class 1	362	49	23	17	6	48	13	4	31	35	129	11	66	1
	Cancer and other malignant tumors	193	31	12	9	3	30	7	3	20	26	77	8	8	1
43	Of the buccal cavity	3		1	1							1		1	
44	Of the stomach, liver	105	12	7	6	1	11	2	2	7	15	53	3	3	1
45	Of the peritoneum, intestines, rectum	15	2				6	1		5	1	5	1		
46	Of the female genital organs	27	9	2	1	1	4	2		2	2	9	1		
47	Of the breast	4	1				1			1	1		1		
48	Of the skin	5	1	2	1	1	1			1				1	
49	Of other or unspecified organs	34	6				7	2	1	4	7	9	2	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	1	1	1		1	1							
51	Acute rheumatic fever	4	1	1	1		2	1		1					
52	Chronic rheumatism, osteoarthritis, gout	1					1			1					
55	Beriberi	91	2	2		2	2	1		1	1	35		49	
57	Diabetes mellitus	28	6	4	4		8	3	1	4	3	6	1		
58	Anemia, chlorosis	4					1			1		1		2	
60a	Exophthalmic goiter	1	1												
62	Diseases of the thymus gland	15	1	2	2						1	7	1	3	
65a	Leukemia	3	1									1		1	
65b	Hodgkin's disease	1												1	
66	Alcoholism (acute or chronic)	7	3				1			1		2	1		
68	Chronic poisoning by organic substances	5	1				1			1	3				
69	Other general diseases	6	1	1		1	1			1	1			2	
	III.—Diseases of the nervous system and of the organs of special sense	265	48	20	20		61	31	6	24	28	84	3	21	
70	Encephalitis	1										1			
71a	Simple meningitis	12	1	3	3		2	1		1	1	4		1	
71b	Nonepidemic cerebrospinal meningitis	5		1	1		1	1				2		1	
72	Tabes dorsalis (locomotor ataxia)	2									1	1			
73	Other diseases of the spinal cord	4	1	1	1							2			
74a	Cerebral hemorrhage	180	39	8	8		42	22	3	17	23	59	2	7	
74b	Cerebral embolism and thrombosis	4	1				1	1				2			
76	General paralysis of the insane	16	2	1	1		5	1	1	3	1	6	1		
77	Other forms of mental alienation	1												1	
78	Epilepsy	6	2				1	1				2		1	
79	Convulsions (nonpuerperal; 5 years and over)	1	1												
80	Infantile convulsions (under 5 years)	15	1	3	3		4	3		1		2		5	
84	Other diseases of the nervous system	5					2		1	1	1	1		1	
85	Diseases of the eye and annexa	1										1			
86a	Diseases of the ear	9		2	2		2		1	1		1		4	
86b	Diseases of the mastoid process	3		1	1		1	1			1				
	IV.—Diseases of the circulatory system	378	87	22	16	6	110	50	5	55	65	72	3	17	2
87	Pericarditis	3		1		1						1		1	
88	Endocarditis and myocarditis (acute)	25	3	4	2	2	8	5	1	2	2	3		4	1
89	Angina pectoris	21	2	1	1		8			8	1	6		3	
90	Other diseases of the heart	293	70	15	12	3	81	38	3	40	54	61	3	8	1
91a	Aneurysm	4	1				2			2				1	
91b,c	Other diseases of the arteries	29	11				9	5	1	3	8	1			
92	Embolism and thrombosis (not cerebral)	2					2	2							
93	Diseases of the veins	1		1	1										
	V.—Diseases of the respiratory system	692	103	85	52	33	87	45	20	22	39	178	6	193	1
97b	Diseases of the nasal fossae annexa	1										1			
99a	Acute bronchitis	42	9	6	1	5	2		1	1	1	11		13	
99b	Chronic bronchitis	9	1	1	1		2	1		1	3	1		1	
99c,d	Bronchitis (unspecified)	7		1	1									6	
100a	Broncho-pneumonia	359	43	44	26	18	50	27	16	7	20	86		115	1
100b	Capillary bronchitis	5	1	1		1						2		1	
101a	Lobar pneumonia	235	46	29	21	8	29	16	3	10	13	62	5	51	
101b	Pneumonia (unspecified)	1										1			
102	Pleurisy	18		1	1		2			2	2	10		3	
103	Congestion and hemorrhagic infarct of the lung	4		1		1						2	1		
104	Gangrene of the lung	2	1				1			1					
105	Asthma	6	2				1	1				1		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	3		1	1							1		1	
	VI.—Diseases of the digestive system	575	74	59	27	32	84	37	18	29	35	179	10	132	2
108	Diseases of the mouth and annexa	1					1		1						
109b	Other diseases of the pharynx, tonsils	13	1	1	1		5	2		3		5		1	
110	Diseases of the esophagus	1									1				
111a	Ulcer of the stomach	31	6				5			5	5	12	2	1	
111b	Ulcer of the duodenum	5					3		2	1	1	1			
112	Other diseases of the stomach (cancer excepted)	4		1		1	2		1	1				1	
113	Diarrhea and enteritis (under 2 years)	340	42	45	18	27	38	24	12	2	14	85	3	113	
114	Diarrhea and enteritis (2 years and over)	60	5	2	1	1	3			3	3	36	2	9	
115	Ancylostomiasis	1										1			
116	Diseases due to other intestinal parasites	2					2	1		1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	VI.—Diseases of the digestive system—Contd.														
117	Appendicitis and typhlitis	34	5	3	2	1	9	3	1	5	3	8	1	5	
118a	Hernia	9	4				3	2		1		1	1		
118b	Intestinal obstruction	17	3	2	1	1	3	1		2	2	5		1	1
119	Other diseases of the intestines	1									1				
120	Acute yellow atrophy of the liver	4									1	3			
122	Cirrhosis of the liver	31	8	2	2		4	2	1	1	3	13			1
123	Biliary calculi	4		1	1		2			2		1			
124	Other diseases of the liver	13		2	1	1	4	2		2	1	5		1	
125	Diseases of the pancreas	1										1			
126	Peritonitis without specified cause	3										2	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	260	51	13	7	6	56	23	6	27	45	66	5	12	2
128	Acute nephritis (including unspecified under 10 years)	17	2	3	1	2	2	1		1	1	7		2	
129	Chronic nephritis (including unspecified 10 years and over)	207	48	7	4	3	43	19	4	20	40	54	5	8	2
131	Other diseases of the kidneys and annexa	7		1	1		4	1	1	2	1			1	
132	Calculi of the urinary passages	4					3	1		2				1	
133	Diseases of the bladder	2					1			1	1				
134	Diseases of the urethra, etc	1									1				
135	Diseases of the prostate	4	1	1	1		1	1				1			
136	Nonvenereal diseases of the male genital organs	1		1		1									
137	Cysts, other benign tumors of the ovary	3					1			1		2			
138	Salpingitis and pelvic abscess (female)	2					1		1			1			
141	Other diseases of the female genital organs	2									1	1			
	VIII.—The puerperal state	81	13	9	5	4	12	9	3		6	34	1	6	
143	Accidents of pregnancy	7	1	1		1	1	1				3		1	
144	Puerperal hemorrhage	25	3	2	1	1	5	4	1		1	10	1	3	
145	Other accidents of labor	10	2	1		1	2	1	1			5			
146	Puerperal septicemia	21	4	3	2	1	2	1	1		3	7		2	
147	Puerperal phlegmasia alba dolens, embolus, etc	5	1	1	1							3			
148	Puerperal albuminuria and convulsions	13	2	1	1		2	2			2	6			
	IX.—Diseases of the skin and of the cellular tissue	22	4	2	1	1	3	1	1	1	2	5		6	
151	Gangrene	3	1	1	1									1	
152	Furuncle	7	1				1		1		2	1		2	
153	Acute abscess	11	2				2	1		1		4		3	
154	Other diseases of the skin and annexa	1		1		1									
	X.—Diseases of the bones and of the organs of locomotion	14	1	1	1		5	2	1	2		6		1	
155	Diseases of the bones (tuberculosis excepted)	12	1				4	1	1	2		6		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2		1	1		1	1							
	XI.—Malformations	46	3	6	2	4	4		2	2	6	19		8	
159a	Congenital hydrocephalus	4		1		1						2		1	
159b	Congenital malformations of the heart	23	3	3	1	2	1		1		2	10		4	
159c	Other congenital malformations	19		2	1	1	3		1	2	4	7		3	
	XII.—Early infancy	259	27	38	22	16	49	24	11	14	8	76		61	
160	Congenital debility, icterus, sclerema	27	3	4	1	3	1		1		1	5		13	
161a	Premature birth	167	20	21	11	10	33	19	5	9	4	56		33	
161b	Injury at birth	28	1	9	6	3	9	4	1	4	1	6		2	
162	Other diseases peculiar to early infancy	34	3	4	4		6	1	4	1	2	8		11	
163	Lack of care	3										1		2	
164	XIII.—Old age (senility)	17	5				7	5		2	4	1			
	XIV.—External causes	321	31	18	10	8	87	18	15	54	24	102	14	42	3
	Suicide	58	3	1	1		19	2	2	15	1	26	3	5	
165	By poisons (gas or corrosives excepted)	9					5	1	1	3		4			
166	By corrosive substances	3										3			
167	By poisonous gas	1					1			1					
168	By hanging or strangulation	21					3	1	1	1	1	11	3	3	
170	By firearms	18	1	1	1		10			10		4		2	
171	By cutting or piercing instruments	3	1									2			
172	By jumping from high places	1										1			
173	By crushing	1										1			
174	By other means	1	1												
	Homicide	33	4	2	1	1	8		4	4	2	3	1	12	1
197	By firearms	3	1								1			1	
198	By cutting or piercing instruments	23	2				5		3	2	1	3	1	10	1
199	By other means	7	1	2	1	1	3		1	2				1	
	Accidental, other, or undefined	230	24	15	8	7	60	16	9	35	21	73	10	25	2
175	Poisoning by food	5					2			2		2		1	
177	Other acute poisonings (gas excepted)	4		1		1	1		1			2			
178	Conflagration	1									1				
179	Burns (conflagration excepted)	15	2	1		1	3	1	2		2	6	1		
180	Mechanical suffocation	3					1			1		1	1		
182	Drowning	49	6	4	2	2	7	1	1	5	6	13	2	10	1
183	Traumatism by firearms (except in war)	1	1												
184	Traumatism by cutting or piercing instruments	4	1				2	1	1			1			
185	Traumatism by fall	34	4	2	1	1	10	6		4	3	9	1	5	
186b	Traumatism in quarries	4					1			1		1	2		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	Part Hawaiian			Caucasian				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	XIV.—External causes—Continued.														
	Accidental, other, or undefined—Continued.														
187	Traumatism by machines	5		1	1		2			1		2			
188a	Railroad accidents	10					5	3		2	1	2		2	
188b	Street-car accidents	1										1			
188c	Automobile accidents	51	4	2	1	1	14	3	3	8	6	22	1	2	
188d	Airplane and balloon accidents	9		1	1		8			8					
188e,f	Injuries by other vehicles	7	1	1	1						2	2	1		
188g	Landslide, other crushing	2					1		1			1			
196	Other accidental electric shocks	2										1			1
202	Other external violence	23	5	2	1	1	3			3		7	1	5	
	XV.—Ill-defined diseases	6	2	1		1					1			2	
204	Sudden death	1	1												
205b	Not specified or unknown	5	1	1		1					1			2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1927

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes	4,046	1,152	210	88	64	39	121	69	91	182	198	148	357	422	394	306	203	2
	I.—Epidemic, endemic, and infectious diseases	758	87	47	21	22	15	42	22	33	80	75	57	103	73	51	21	9	
1	Typhoid and paratyphoid fever	21						1	2	2	4	4	4	3	1				
7	Measles	51	22	16	6	2	2	2	1										
9	Whooping cough	26	15	8	1	1		1											
10	Diphtheria	56	2	12	7	8	9	16	1					1					
11a	Influenza (with pulmonary complications)	10	2			1					1		2	2	2				
11b	Influenza (other and unspecified)	20	7		1		1	1					1	2	1	2	3	1	
13	Mumps	2				1		1											
16	Dysentery	6								1				2	1	2			
17	Plague	7									2	1	1	1		2			
19	Spirochetal hemorrhagic jaundice	2								1					1				
20	Leprosy	43								3	7	5	5	12	7		4		
21	Erysipelas	8	5	1					1					1					
24	Meningococcus meningitis	10	1	1				1		1	3	1	1		1				
29	Tetanus	22	8	1	1		1	3	2	2			1		2	1			
30	Mycoses	1	1																
	Tuberculosis (all forms)	408	7	8	5	9	1	15	13	23	57	63	40	70	46	38	11	2	
31	Of the respiratory system	358	4	5	2	3		5	7	22	52	60	38	65	45	38	10	2	
32	Of the meninges, central nervous system	21	2	2	2	5		4	4		1			1					
33	Of the intestines, peritoneum	17	1		1	1		4	2	1	2	1		2	1		1		
34	Of the vertebral column	8		1			1	2			1	1	2						
36	Of other organs	3									1			2					
37a	Disseminated (acute)	1										1							
38	Syphilis	53	15						2		3	1	2	6	10	6	3	5	
40	Gonococcus infection	5									1			3	1				
41	Purulent infection, septicemia	7	2				1	1			2							1	
	II.—General diseases not included in Class I	362	80	4	4		1		1	4	4	12	8	41	61	77	49	15	1
	Cancer and other malignant tumors	193								1		2	4	23	45	65	39	14	
43	Of the buccal cavity	3											1		1			1	
44	Of the stomach, liver	105										1		9	25	46	19	5	
45	Of the peritoneum, intestines, rectum	15												1	2	6	4	2	
46	Of the female genital organs	27								1			2	9	5	4	4	2	
47	Of the breast	4													1	1	2		
48	Of the skin	5										1			1		1	2	
49	Of other or unspecified organs	34											1	4	10	8	9	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3					1								1		1		
51	Acute rheumatic fever	4								1		1			1		1		
52	Chronic rheumatism, osteoarthritis, gout	1													1				
55	Beriberi	91	62	3	2					1	3	7	2	8	1	1			1
57	Diabetes mellitus	28								1			1	5	5	10	6		
58	Anemia, chlorosis	4										1		1	1	1			
60a	Exophthalmic goiter	1												1					
62	Diseases of the thymus gland	15	13	1	1														
65a	Leukemia	3							1		1	1							
65b	Hodgkin's disease	1			1														
66	Alcoholism (acute or chronic)	7												3	3			1	
68	Chronic poisoning by organic substances	5											1		2		2		
69	Other general diseases	6	5												1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	III.—Diseases of the nervous system and of the organs of special sense	265	24	7	2	1		4	2	2	4	5	5	25	45	62	42	35	
70	Encephalitis	1		1															
71a	Simple meningitis	12	3	2	2						1	3			1				
71b	Nonepidemic cerebrospinal meningitis	5	3					1					1						
72	Tabes dorsalis (locomotor ataxia)	2														2			
73	Other diseases of the spinal cord	4		1											2		1		
74a	Cerebral hemorrhage	180	1										2	15	32	56	39	35	
74b	Cerebral embolism and thrombosis	4						1			1			1		1	1		
76	General paralysis of the insane	16												5	8	2	1		
77	Other forms of mental alienation	1									1								
78	Epilepsy	6						1	1		1	1	1	1					
79	Convulsions (nonpuerperal; 5 years and over)	1												1					
80	Infantile convulsions (under 5 years)	15	13	2															
84	Other diseases of the nervous system	5		1									1	1		2			
85	Diseases of the eye and annexa	1						1											
86a	Diseases of the ear	9	4						1	1		1		2					
86b	Diseases of the mastoid process	3				1				1					1				
	IV.—Diseases of the circulatory system	378	9		3	1		7	4	6	7	13	8	38	66	67	92	57	
87	Pericarditis	3	1							1				1					
88	Endocarditis and myocarditis (acute)	25	5			1		2		1	1	5	1	3	2	1	3		
89	Angina pectoris	21									1		2	4	3	4	6	1	
90	Other diseases of the heart	293	3		3			5	4	4	5	8	4	29	59	58	72	39	
91a	Aneurysm	4												1		2		1	
91b,c	Other diseases of the arteries	29											1		1	2	11	14	
92	Embolism and thrombosis (not cerebral)	2																2	
93	Diseases of the veins	1													1				
	V.—Diseases of the respiratory system	692	338	81	24	10	5	18	7	15	18	20	15	22	41	32	25	20	1
97b	Diseases of the nasal fossae annexa	1	1																
99a	Acute bronchitis	42	33	3	2											1	1	2	
99b	Chronic bronchitis	9	3											1		2	2	1	
99c,d	Bronchitis (unspecified)	7	7																
100a	Broncho-pneumonia	359	225	47	15	7	3	14	6	2		2	4	4	11	9	3	6	1
100b	Capillary bronchitis	5	4	1															
101a	Lobar pneumonia	235	61	26	5	3	1	4	1	12	14	16	10	15	26	13	19	9	
101b	Pneumonia (unspecified)	1		1															
102	Pleurisy	18	3	3	1		1				2	1		2	1	3		1	
103	Congestion and hemorrhagic infarct of the lung	4	1		1										1			1	
104	Gangrene of the lung	2									1					1			
105	Asthma	6										1	1		2	2			
107	Other diseases of the respiratory system (tuberculosis excepted)	3								1	1					1			
	VI.—Diseases of the digestive system	575	292	57	28	18	10	17	8	6	9	10	9	25	33	25	16	12	
108	Diseases of the mouth and annexa	1															1		
109b	Other diseases of the pharynx, tonsils	13	1		2	2	1	4	1		1			1					
110	Diseases of the esophagus	1															1		
111a	Ulcer of the stomach	31					1				2	1	5	4	11	2	2	3	
111b	Ulcer of the duodenum	5											1	3	1				
112	Other diseases of the stomach (cancer excepted)	4	2									1						1	
113	Diarrhea and enteritis (under 2 years)	340	284	56															
114	Diarrhea and enteritis (2 years and over)	60			24	15	6	6	1		2			1	1	1		3	
115	Ancylostomiasis	1														1			
116	Diseases due to other intestinal parasites	2						1	1										
117	Appendicitis and typhlitis	34				1		5	5	5	1	1	2	7	2	3	1	1	
118a	Hernia	9	1									1		1	1	2	2	1	
118b	Intestinal obstruction	17	3	1	2		1	1			1	2		1	1	3	1		
119	Other diseases of the intestines	1															1		
120	Acute yellow atrophy of the liver	4								1	2					1			
122	Cirrhosis of the liver	31					1					2		5	7	10	5	1	
123	Biliary calculi	4											1		3				
124	Other diseases of the liver	13										1		2	4	2	2	2	
125	Diseases of the pancreas	1										1							
126	Peritonitis without specified cause	3	1												2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	250	3	1	1	2		1	6	1	5	10	9	26	54	48	49	34	
128	Acute nephritis (including unspecified under 10 years)	17	2	1	1				5				1	1	5		1		
129	Chronic nephritis (including unspecified 10 years and over)	207				1			1	1	5	6	6	20	45	46	44	32	
131	Other diseases of the kidneys and annexa	7				1		1				2			1	1	1		
132	Calculi of the urinary passages	4										1	1			1		1	
133	Diseases of the bladder	2											1	1					
134	Diseases of the urethra, etc	1															1		
135	Diseases of the prostate	4													1		2	1	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	3												1	2				
138	Salpingitis and pelvic abscess (female)	2										1		1					
141	Other diseases of the female genital organs	2												2					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIII.—The puerperal state	81								3	13	22	12	31					
143	Accidents of pregnancy	7										3	3	1					
144	Puerperal hemorrhage	25									3	5	2	15					
145	Other accidents of labor	10									2	3	1	4					
146	Puerperal septicemia	21								1	4	7	5	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	5								1		2		2					
148	Puerperal albuminuria and convulsions	13								1	4	2	1	5					
	IX.—Diseases of the skin and of the cellular tissue	22	5	2			1	2			4	2			3	2		1	
151	Gangrene	3					1	1							1				
152	Furuncle	7	1								2	1			1	2			
153	Acute abscess	11	3	2				1			2	1			1			1	
154	Other diseases of the skin and annexa	1	1																
	X.—Diseases of the bones and of the organs of locomotion	14		1		1		4	2	1	2					1	2		
155	Diseases of the bones (tuberculosis excepted)	12		1				4	2		2					1	2		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2				1				1									
	XI.—Malformations	46	42	1				2	1										
159a	Congenital hydrocephalus	4	2					1	1										
159b	Congenital malformations of the heart	23	22					1											
159c	Other congenital malformations	19	18	1															
	XII.—Early infancy	259	259																
160	Congenital debility, icterus, sclerema	27	27																
161a	Premature birth	167	167																
161b	Injury at birth	28	28																
162	Other diseases peculiar to early infancy	34	34																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	17														1	1	15	
	XIV.—External causes	321	8	9	5	9	7	24	16	20	36	28	25	46	46	28	9	5	
	Suicide	58								3	6	6	7	12	14	8	2		
165	By poisons (gas or corrosives excepted)	9								2	4		1		1	1			
166	By corrosive substances	3								1			1	1					
167	By poisonous gas	1													1				
168	By hanging or strangulation	21										1	1	6	6	6	1		
170	By firearms	18										5	4	4	4	1			
171	By cutting or piercing instruments	3												1	1		1		
172	By jumping from high places	1													1				
173	By crushing	1									1								
174	By other means	1									1								
	Homicide	33		1				1	1	2	7	6	4	6	3	1	1		
197	By firearms	3										1			2				
198	By cutting or piercing instruments	23							1	2	5	5	3	5	1		1		
199	By other means	7		1				1			2		1	1		1			
	Accidental, other, or undefined	230	8	8	5	9	7	23	15	15	23	16	14	28	29	19	6	5	
175	Poisoning by food	5				2				2				1					
177	Other acute poisonings (gas excepted)	4		1			1					1			1				
178	Conflagration	1														1			
179	Burns (conflagration excepted)	15	2	2	1	2	1			1	2			2	1	1			
180	Mechanical suffocation	3	2												1				
182	Drowning	49		5	2	2	2	7	6	3	5	3	3	5	3	3			
183	Traumatism by firearms (except in war)	1										1							
184	Traumatism by cutting or piercing instruments	4						1	1					1			1		
185	Traumatism by fall	34					2	2	2	2	1	1	5	5	4	3	2	5	
186b	Traumatism in quarries	4												1	2	1			
187	Traumatism by machines	5									1		1	2		1			
188a	Railroad accidents	10								1	1	2		2	3	1			
188b	Street-car accidents	1						1											
188c	Automobile accidents (excluding collision with railroad trains and street cars)	51			2	2		11	2	4	9	3	1	3	6	7	1		
188d	Airplane and balloon accidents	9							1		1	2	1	4					
188e,f	Injuries by other vehicles	7	1			1	1	1	1			1				1			
188g	Landslide, other crushing	2											1		1				
196	Other accidental electric shocks	2									1				1				
202	Other external violence	23	3						2	2	2	2	2	2	6		2		
	XV.—Ill-defined diseases	6	5									1							
204	Sudden death	1	1																
205b	Not specified or unknown	5	4									1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	4,046	388	334	344	350	375	335	334	313	315	320	308	330
Typhoid and paratyphoid fever (1)	21	1	4	1	1	3	1		2	3	2	2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	51	4	6	6	12	9	5	4	1		4		
Scarlet fever (8)													
Whooping cough (9)	26	1	2	8	3		4	6	1			1	
Diphtheria (10)	56	7	7	7	1	3	4		6	5	8	3	5
Influenza (11)	30	5	4	1	1	3	2	1	1	2	3	3	4
Dysentery (16)	6		2	1					1	2			
Erysipelas (21)	8		2	1			1	2				1	1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	10	1			1	1	1	2	2	1		1	
Tuberculosis of the respiratory system (31)	358	31	35	26	28	36	24	37	27	29	31	23	31
Other forms of tuberculosis (32–37)	50	3	4	4	3	3	7	4	4	1	8	5	4
Diabetes mellitus (57)	28		4	2	1	3	3	4	3	2	3	1	2
Cerebral hemorrhage and softening (74, 83)	184	26	6	16	17	19	13	16	13	18	14	8	18
Other [organic] diseases of the heart (90)	293	18	26	26	25	25	29	21	33	22	20	18	30
Bronchitis (99)	58	7	2	3	5	6	3	5	3	5	5	7	7
Broncho-pneumonia (100)	364	41	29	33	34	29	29	27	31	18	26	30	37
Pneumonia (101)	236	16	26	17	23	26	16	18	14	18	17	25	20
Diarrhea and enteritis [under 2 years] (113)	340	34	37	30	33	38	33	26	20	17	29	31	12
Diarrhea and enteritis [2 years and over] (114)	60	8	7	6		7	3	8	5	4	5	3	4
Nephritis (128, 129)	224	17	13	13	19	21	25	28	13	17	18	15	25
Puerperal septicemia (146)	21	3	3	1		4	2	1		2	2	1	2
Other puerperal causes (143–145, 147–150)	60	6	2	11	5	5	4	5	5	3	3	6	5
Suicide (165–174)	58	2	12	7	1	6	5	5	3	5	4	5	3
Automobile accidents (188c)	51	5	3	3	3	2	4	4	2	9	7	4	5
Other external causes (175–187, 188a, b, d–203)	212	14	9	22	22	17	16	21	20	24	16	17	14
All other causes	1,241	138	89	99	112	109	101	89	103	108	95	98	100

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	1,152	140	39	29	47	44	30	30	359	146	108	93	79	56	54	51	70	43	56	37
Measles (7)	22												1	1	1	2	6	3	4	4
Scarlet fever (8)																				
Whooping cough (9)	15									5	1	2	1	3	1				2	
Diphtheria (10)	2																			2
Influenza (11)	9						1	1	2	1		1		1	2				1	1
Dysentery (16)																				
Erysipelas (21)	5						1	1	2				2		1					
Meningococcus meningitis (24)	1																			1
Tetanus (29)	8		1		2	3		1	7								1			
Tuberculosis of the respiratory system (31)	4															1	1	1	1	
Tuberculosis of the meninges, etc. (32)	2						1		1							1				
Other forms of tuberculosis (33–37)	1														1					
Syphilis (38)	15	1		1		2	2		6	3	3	2	1							
Convulsions (80)	13	1	1		2				4	3	3				2	1				
Bronchitis (99)	43				1	5	2		8	8	6	6	2	2	2	1	4		3	1
Broncho-pneumonia (100)	229			1	2	3	5	5	16	25	30	21	29	16	17	12	20	17	16	10
Pneumonia (101)	61					1	2	1	4	5	4	6	5	10	5	5	7	3	4	3
Diseases of the stomach (111, 112)	2									1		1								
Diarrhea and enteritis (113)	284	1		1	6	4	7	11	30	35	36	38	27	15	14	21	22	13	21	12
Congenital malformations (159)	42	6	4	5	4	3	1		23	7	5	2	1	1	1		1			1
Congenital debility (160)	27	1	5	2	3	1		2	14	9	1	1				1		1		
Premature birth (161a)	167	98	19	11	14	12	1	4	159	5	2	1								
Injury at birth (161b)	28	19	3	1	3	1		1	28											
Other diseases of early infancy (162, 163)	37	13	5	3	9	3	3		36	1										
External causes (175–203)	8									2	1	1	1		2		1			
Unknown or ill-defined diseases (204, 205)	5									2			1	1			1			
All other causes	122		1	4	1	6	4	3	19	34	16	11	8	6	5	6	6	5	4	2

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION [1] BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1917

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands	26,051	1,922	19,523	4,563	43	St. John	959	4	690	264	1
Males	11,999	1,198	8,990	1,778	33	Males	509	4	374	130	1
Females	14,052	724	10,533	2,785	10	Females	450		316	134	
St. Croix	14,901	625	12,238	2,016	22	St. Thomas	10,191	1,293	6,595	2,283	20
Males	7,133	371	5,894	850	18	Males	4,357	823	2,722	798	14
Females	7,768	254	6,344	1,166	4	Females	5,834	470	3,873	1,485	6

[1] The first census of population under the auspices of the United States Government.

NOTE.—Mixed designates persons of mixed white and Negro blood.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1927

AREA, SEX, AND COLOR	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands:													
Males	288	12	20	22	19	26	24	39	36	16	18	21	35
Females	306	25	22	18	24	29	27	33	27	13	26	30	32
White—Males	23	2	2	1	1		1	5		2	2	3	4
White—Females	20	2	1		2	4		1	3	2		2	3
Negro—Males	265	10	18	21	18	26	23	34	36	14	16	18	31
Negro—Females	286	23	21	18	22	25	27	32	24	11	26	28	29
St. Croix:													
Males	175	7	12	12	12	16	19	23	29	7	8	14	16
Females	179	15	15	12	14	18	12	18	20	6	13	17	19
White—Males	6		1	1	1			1		1			1
White—Females	7	1						1	2	1		1	1
Negro—Males	169	7	11	11	11	16	19	22	29	6	8	14	15
Negro—Females	172	14	15	12	14	18	12	17	18	5	13	16	18
St. John:													
Negro—Males	2					1				1			
Negro—Females	2						1				1		
St. Thomas:													
Males	111	5	8	10	7	9	5	16	7	8	10	7	19
Females	125	10	7	6	10	11	14	15	7	7	12	13	13
White—Males	17	2	1				1	4		1	2	3	3
White—Females	13	1	1		2	4			1	1		1	2
Negro—Males	94	3	7	10	7	9	4	12	7	7	8	4	16
Negro—Females	112	9	6	6	8	7	14	15	6	6	12	12	11

[1] Exclusive of stillbirths.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1927

AREA, SEX, AND COLOR	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Virgin Islands:																												
Males	288	73	15	4	1	4	97	3	1	5	9	8	6	11	13	18	16	19	22	27	11	16	4		1	1		
Females	306	42	7	3	1	2	55	3	4	8	12	6	8	14	14	15	22	14	19	20	30	23	19	11	7	2		
White—Males	23	4		1		1	6				2	1	1		1	2	1	1	2	4		2						
White—Females	20		1				1		1			1	1	2	1	1	2			2	3		5					
Negro—Males	265	69	15	3	1	3	91	3	1	5	7	7	5	11	12	16	15	18	20	23	11	14	4		1	1		
Negro—Females	286	42	6	3	1	2	54	3	3	8	12	5	7	12	13	14	20	14	19	18	27	23	14	11	7	2		
St. Croix:																												
Males	175	45	10	1	1	3	60	2		1	2	4	3	5	7	9	11	15	14	17	8	14	1		1	1		
Females	179	31	3	2	1		37	2	3	4	6	2	6	9	9	9	11	7	15	13	12	12	12	6	3	1		
White—Males	6															1	1	1	2	1			3					
White—Females	7								1					1		1				1								
Negro—Males	169	45	10	1	1	3	60	2		1	2	4	3	5	7	8	10	14	12	16	8	14	1		1	1		
Negro—Females	172	31	3	2	1		37	2	2	4	6	2	6	8	9	8	11	7	15	12	12	12	9	6	3	1		
St. John:																												
Negro—Males	2	1					1											1										
Negro—Females	2										1									1								
St. Thomas:																												
Males	111	27	5	3		1	36	1	1	4	7	4	3	6	6	9	5	3	8	10	3	2	3					
Females	125	11	4	1		2	18	1	1	4	5	4	2	5	5	6	11	7	4	6	18	11	7	5	4	1		
White—Males	17	4		1		1	6				2	1	1		1	1				3		2						
White—Females	13		1				1					1	1	1	1		2			1	3		2					
Negro—Males	94	23	5	2			30	1	1	4	5	3	2	6	5	8	5	3	8	7	3		3					
Negro—Females	112	11	3	1		2	17	1	1	4	5	3	1	4	4	6	9	7	4	5	15	11	5	5	4	1		

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1927

List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN (Negro)	ST. THOMAS	
		Total	White	Negro	White	Negro		White	Negro
	All causes	594	43	551	13	341	4	30	206
	I.—Epidemic, endemic, and infectious diseases	82	4	78	2	51	----	2	27
5	Malaria	1	----	1	----	----	----	----	1
10	Diphtheria	1	1	----	----	----	----	1	----
11a	Influenza (with pulmonary complications)	1	1	----	1	----	----	----	----
16	Dysentery	3	----	3	----	3	----	----	----
20	Leprosy	3	----	3	----	3	----	----	----
21	Erysipelas	1	----	1	----	----	----	----	1
23	Lethargic encephalitis	1	----	1	----	1	----	----	----
24	Meningococcus meningitis	1	----	1	----	----	----	----	1
29	Tetanus	6	----	6	----	4	----	----	2
	Tuberculosis (all forms)	31	2	29	1	15	----	1	14
31	Of the respiratory system	30	2	28	1	14	----	1	14
33	Of the intestines, peritoneum	1	----	1	----	1	----	----	----
38	Syphilis	29	----	29	----	21	----	----	8
40	Gonococcus infection	2	----	2	----	2	----	----	----
42	Other infectious diseases	2	----	2	----	2	----	----	----
	II.—General diseases not included in Class I	62	5	57	1	45	----	4	12
	Cancer and other malignant tumors	23	3	20	----	14	----	3	6
43	Of the buccal cavity	3	----	3	----	2	----	----	1
44	Of the stomach, liver	5	2	3	----	2	----	2	1
46	Of the female genital organs	9	----	9	----	6	----	----	3
47	Of the breast	2	1	1	----	1	----	1	----
48	Of the skin	1	----	1	----	1	----	----	----
49	Of other or unspecified organs	3	----	3	----	2	----	----	1
52	Chronic rheumatism, osteoarthritis, gout	1	----	1	----	1	----	----	----
54	Pellagra	34	2	32	1	27	----	1	5
56	Rickets	1	----	1	----	1	----	----	----
57	Diabetes mellitus	1	----	1	----	1	----	----	----
58	Anemia, chlorosis	1	----	1	----	1	----	----	----
69	Other general diseases	1	----	1	----	----	----	----	1
	III.—Diseases of the nervous system and of the organs of special sense	32	3	29	2	13	----	1	16
72	Tabes dorsalis (locomotor ataxia)	1	----	1	----	----	----	----	1
73	Other diseases of the spinal cord	1	----	1	----	----	----	----	1
74a	Cerebral hemorrhage	19	3	16	2	8	----	1	8
74b	Cerebral embolism and thrombosis	1	----	1	----	----	----	----	1
75	Paralysis without specified cause	4	----	4	----	3	----	----	1
76	General paralysis of the insane	1	----	1	----	----	----	----	1
77	Other forms of mental alienation	2	----	2	----	----	----	----	2
80	Infantile convulsions (under 5 years)	1	----	1	----	1	----	----	----
84	Other diseases of the nervous system	1	----	1	----	1	----	----	----
86b	Diseases of the mastoid process	1	----	1	----	----	----	----	1
	IV.—Diseases of the circulatory system	172	9	163	3	98	2	6	63
87	Pericarditis	1	----	1	----	1	----	----	----
88	Endocarditis and myocarditis (acute)	1	----	1	----	----	----	----	1
89	Angina pectoris	2	----	2	----	2	----	----	----
90	Other diseases of the heart	131	8	123	3	64	2	5	57
91a	Aneurysm	3	----	3	----	1	----	----	2
91b,c	Other diseases of the arteries	31	1	30	----	28	----	1	2
92	Embolism and thrombosis (not cerebral)	2	----	2	----	2	----	----	----
93	Diseases of the veins	1	----	1	----	----	----	----	1
	V.—Diseases of the respiratory system	56	4	52	2	28	----	2	24
99a	Acute bronchitis	2	----	2	----	2	----	----	----
99b	Chronic bronchitis	3	----	3	----	3	----	----	----
99c,d	Bronchitis (unspecified)	1	1	----	1	----	----	----	----
100a	Broncho-pneumonia	37	1	36	----	20	----	1	16
101a	Lobar pneumonia	9	1	8	1	1	----	----	7
102	Pleurisy	1	----	1	----	1	----	----	----
107	Other diseases of the respiratory system (tuberculosis excepted)	3	1	2	----	1	----	1	1
	VI.—Diseases of the digestive system	71	7	64	----	42	----	7	22
111a	Ulcer of the stomach	1	----	1	----	----	----	----	1
113	Diarrhea and enteritis (under 2 years)	46	3	43	----	29	----	3	14
	VI.—Diseases of the digestive system—Continued.								
114	Diarrhea and enteritis (2 years and over)	1	----	1	----	1	----	----	----
116	Diseases due to other intestinal parasites	1	----	1	----	1	----	----	----
117	Appendicitis and typhlitis	4	----	4	----	2	----	----	2
118a	Hernia	5	----	5	----	4	----	----	1
118b	Intestinal obstruction	5	2	3	----	2	----	2	1
122	Cirrhosis of the liver	5	1	4	----	2	----	1	2
124	Other diseases of the liver	2	1	1	----	----	----	1	1
126	Peritonitis without specified cause	1	----	1	----	1	----	----	----
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	36	5	31	2	16	----	3	15
128	Acute nephritis (including unspecified under 10 years)	5	----	5	----	4	----	----	1
129	Chronic nephritis (including unspecified 10 years and over)	23	4	19	2	8	----	2	11
131	Other diseases of the kidneys and annexa	1	----	1	----	1	----	----	----
133	Diseases of the bladder	1	----	1	----	----	----	----	1
134	Diseases of the urethra, etc	2	1	1	----	----	----	1	1
135	Diseases of the prostate	2	----	2	----	2	----	----	----
137	Cysts, other benign tumors of the ovary	1	----	1	----	1	----	----	----
139	Benign tumors of the uterus	1	----	1	----	----	----	----	1
	VIII.—The puerperal state	4	----	4	----	1	1	----	2
144	Puerperal hemorrhage	2	----	2	----	----	1	----	1
147	Puerperal phlegmasia alba dolens, embolus, etc	1	----	1	----	1	----	----	----
148	Puerperal albuminuria and convulsions	1	----	1	----	----	----	----	1
	IX.—Diseases of the skin and of the cellular tissue	4	----	4	----	3	----	----	1
151	Gangrene	2	----	2	----	2	----	----	----
152	Furuncle	1	----	1	----	----	----	----	1
153	Acute abscess	1	----	1	----	1	----	----	----
	X.—Diseases of the bones and of the organs of locomotion	1	----	1	----	----	----	----	1
155	Diseases of the bones (tuberculosis excepted)	1	----	1	----	----	----	----	1
	XI.—Malformations	4	----	4	----	----	----	----	4
159a	Congenital hydrocephalus	1	----	1	----	----	----	----	1
159b	Congenital malformations of the heart	1	----	1	----	----	----	----	1
159c	Other congenital malformations	2	----	2	----	----	----	----	2
	XII.—Early infancy	37	1	36	----	24	1	1	11
160	Congenital debility, icterus, sclerema	12	----	12	----	11	----	----	1
161a	Premature birth	16	1	15	----	7	----	1	8
161b	Injury at birth	2	----	2	----	2	----	----	----
162	Other diseases peculiar to early infancy	7	----	7	----	4	1	----	2
164	XIII.—Old age (senility)	5	----	5	----	5	----	----	----
	XIV.—External causes	20	5	15	1	7	----	4	8
	Suicide	2	1	1	----	1	----	1	----
168	By hanging or strangulation	1	----	1	----	1	----	----	----
170	By firearms	1	1	----	----	----	----	1	----
	Homicide	1	----	1	----	----	----	----	1
197	By firearms	1	----	1	----	----	----	----	1
	Accidental, other, undefined	17	4	13	1	6	----	3	7
175	Poisoning by food	2	----	2	----	----	----	----	2
179	Burns (conflagration excepted)	4	----	4	----	----	----	----	4
182	Drowning	2	1	1	----	1	----	1	----
185	Traumatism by fall	4	1	3	----	3	----	1	----
188c	Automobile accidents	3	2	1	1	----	----	1	----
202	Other external violence	2	----	2	----	2	----	----	----
	XV.—Ill-defined diseases	8	----	8	----	8	----	----	----
205a	Ill-defined	8	----	8	----	8	----	----	----

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1927

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes	594	115	22	7	2	6	6	5	13	21	14	14	52	71	74	88	84	
	I.—Epidemic, endemic, and infectious diseases	82	10		1	1	2	1	4	3	15	5	4	11	7	7	6	5	
5	Malaria	1									1								
10	Diphtheria	1					1												
11a	Influenza (with pulmonary complications)	1																1	
16	Dysentery	3	1														1	1	
20	Leprosy	3									1	1						1	
21	Erysipelas	1																1	
23	Lethargic encephalitis	1													1				
24	Meningococcus meningitis	1			1														
29	Tetanus	6	1				1	1	2							1			
	Tuberculosis (all forms)	31				1			2	2	6	4	2	8	3	2	1		
31	Of the respiratory system	30							2	2	6	4	2	8	3	2	1		
33	Of the intestines, peritoneum	1				1													
38	Syphilis	29	8							1	6		1	3	2	4	3	1	
40	Gonococcus infection	2									1		1						
42	Other infectious diseases	2													1		1		
	II.—General diseases not included in Class I	62	1	1	1						1	2	3	9	18	12	9	5	
	Cancer and other malignant tumors	23											2	2	8	3	6	2	
43	Of the buccal cavity	3													2			1	
44	Of the stomach, liver	5											1	2		2			
46	Of the female genital organs	9											1		5		3		
47	Of the breast	2													1		1		
48	Of the skin	1																1	
49	Of other or unspecified organs	3														1	2		
52	Chronic rheumatism, osteoarthritis, gout	1																1	
54	Pellagra	34									1	2	1	7	10	9	3	1	
56	Rickets	1			1														
57	Diabetes mellitus	1																1	
58	Anemia, chlorosis	1		1															
69	Other general diseases	1	1																
	III.—Diseases of the nervous system and of the organs of special sense	32	1				1					2		3	6	9	3	7	
72	Tabes dorsalis (locomotor ataxia)	1													1				
73	Other diseases of the spinal cord	1												1					
74a	Cerebral hemorrhage	19												1	5	6	3	4	
74b	Cerebral embolism and thrombosis	1														1			
75	Paralysis without specified cause	4														1		3	
76	General paralysis of the insane	1														1			
77	Other forms of mental alienation	2										2							
80	Infantile convulsions (under 5 years)	1	1																
81	Chorea																		
82	Neuralgia and neuritis																		
83	Softening of the brain																		
84	Other diseases of the nervous system	1												1					
85	Diseases of the eye and annexa																		
86a	Diseases of the ear																		
86b	Diseases of the mastoid process	1					1												
	IV.—Diseases of the circulatory system	172	3							1			2	9	21	31	52	53	
87	Pericarditis	1												1					
88	Endocarditis and myocarditis (acute)	1	1																
89	Angina pectoris	2												1				1	
90	Other diseases of the heart	131	2										2	6	19	27	41	34	
91a	Aneurysm	3														1	1	1	
91b,c	Other diseases of the arteries	31												1	2	2	9	17	
92	Embolism and thrombosis (not cerebral)	2								1							1		
93	Diseases of the veins	1														1			
94	Diseases of the lymphatic system																		
95	Hemorrhage without specified cause																		
96	Other diseases of the circulatory system																		
	V.—Diseases of the respiratory system	56	16	8	4	1		1		3	2	2		2	5	3	6	3	
97a	Diseases of the nasal fossae																		
97b	Diseases of the nasal fossae annexa																		
98	Diseases of the larynx																		
99a	Acute bronchitis	2	1	1															
99b	Chronic bronchitis	3	1	1											1				
99c,d	Bronchitis (unspecified)	1																1	
100a	Broncho-pneumonia	37	13	5	4	1		1		2	1			1	1	2	5	1	
100b	Capillary bronchitis																		
101a	Lobar pneumonia	9	1	1						1	1				2	1	1	1	
101b	Pneumonia (unspecified)																		
102	Pleurisy	1													1				
103	Congestion and hemorrhagic infarct of the lung																		
104	Gangrene of the lung																		
105	Asthma																		
106	Pulmonary emphysema																		
107	Other diseases of the respiratory system (tuberculosis excepted)	3										2		1					
	VI.—Diseases of the digestive system	71	36	11				1		1		1	1	5	6	5	3	1	
108	Diseases of the mouth and annexa																		
109a	Adenoid vegetations																		
109b	Other diseases of the pharynx, tonsils																		
110	Diseases of the esophagus																		
111a	Ulcer of the stomach	1												1					
111b	Ulcer of the duodenum																		

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1927—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VI.—Diseases of the digestive system—Continued.																		
112	Other diseases of the stomach (cancer excepted)																		
113	Diarrhea and enteritis (under 2 years)	46	35	11															
114	Diarrhea and enteritis (2 years and over)	1													1				
115	Ancylostomiasis																		
116	Diseases due to other intestinal parasites	1						1											
117	Appendicitis and typhlitis	4								1			1	1	1				
118a	Hernia	5												2		2	1		
118b	Intestinal obstruction	5	1									1			1	2			
119	Other diseases of the intestines																		
120	Acute yellow atrophy of the liver																		
121	Hydatid tumor of the liver																		
122	Cirrhosis of the liver	5												1	1	1	2		
123	Biliary calculi																		
124	Other diseases of the liver	2													1			1	
125	Diseases of the pancreas																		
126	Peritonitis without specified cause	1													1				
127	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	36	2				1	1	1	4			1	5	5	4	7	5	
128	Acute nephritis (including unspecified under 10 years)	5	1						1	2				1					
129	Chronic nephritis (including unspecified 10 years and over)	23	1				1	1		1				2	4	3	7	3	
130	Chyluria																		
131	Other diseases of the kidneys and annexa	1								1									
132	Calculi of the urinary passages																		
133	Diseases of the bladder	1													1				
134	Diseases of the urethra, etc	2														1		1	
135	Diseases of the prostate	2											1					1	
136	Nonvenereal diseases of the male genital organs																		
137	Cysts, other benign tumors of the ovary	1												1					
138	Salpingitis and pelvic abscess (female)																		
139	Benign tumors of the uterus	1												1					
140	Nonpuerperal uterine hemorrhage																		
141	Other diseases of the female genital organs																		
142	Nonpuerperal diseases of the breast (cancer excepted)																		
	VIII.—The puerperal state	4								1			1	2					
143	Accidents of pregnancy																		
144	Puerperal hemorrhage	2												2					
145	Other accidents of labor																		
146	Puerperal septicemia																		
147	Puerperal phlegmasia alba dolens, embolus, etc	1											1						
148	Puerperal albuminuria and convulsions	1								1									
149	Following childbirth (undefined)																		
150	Puerperal diseases of the breast																		
	IX.—Diseases of the skin and of the cellular tissue	4					1							1		1	1		
151	Gangrene	2					1										1		
152	Furuncle	1														1			
153	Acute abscess	1												1					
	X.—Diseases of the bones and of the organs of locomotion	1											1						
155	Diseases of the bones (tuberculosis excepted)	1											1						
	XI.—Malformations	4	4																
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	1	1																
159c	Other congenital malformations	2	2																
	XII.—Early infancy	37	37																
160	Congenital debility, icterus, sclerema	12	12																
161a	Premature birth	16	16																
161b	Injury at birth	2	2																
162	Other diseases peculiar to early infancy	7	7																
164	XIII.—Old age (senility)	5															1	4	
	XIV.—External causes	20	2	1	1		1	2			2	2		4	3	1		1	
	Suicide	2										1		1					
168	By hanging or strangulation	1										1							
170	By firearms	1												1					
	Homicide	1												1					
197	By firearms	1												1					
	Accidental, other, or undefined	17	2	1	1		1	2			2	1		2	3	1		1	
175	Poisoning by food	2													2				
179	Burns (conflagration excepted)	4	1	1			1	1											
182	Drowning	2			1			1											
185	Traumatism by fall	4									1	1		1		1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	3									1			1				1	
202	Other external violence	2	1												1				
	XV.—Ill-defined diseases	8	3	1							1		1	1		1			
205a	Ill-defined	8	3	1							1		1	1		1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1927

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	594	37	42	40	43	55	51	72	63	29	44	51	67
Malaria (5)	1							1					
Diphtheria (10)	1										1		
Influenza (11)	1							1					
Dysentery (16)	3		1					1				1	
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	30	2	3	2	5	2	3	3	2	1	3	2	2
Other forms of tuberculosis (32–37)	1		1										
Diabetes mellitus (57)	1											1	
Cerebral hemorrhage and softening (74, 83)	20	3		4	1	4	2	2	2	1	1		
Other [organic] diseases of the heart (90)	131	7	9	9	11	9	15	15	11	6	8	12	19
Bronchitis (99)	6		1					1	2				2
Broncho-pneumonia (100)	37	2	3	6	5	1	2	7	3	2	4		2
Pneumonia (101)	9	1		1		1	2	2					2
Diarrhea and enteritis [under 2 years] (113)	46		3	1	1	4		10	10	4	5	4	4
Diarrhea and enteritis [2 years and over] (114)	1											1	
Nephritis (128, 129)	28	2	2	3		2	2	1	5	4	2	3	2
Other puerperal causes (143–145, 147–150)	4					1					1	2	
Suicide (165–174)	2		1			1							
Automobile accidents [1] (188c)	3					1					1	1	
Other external causes (175–188a, b, 188d–203)	15		1		1	3		2	2	1	2		3
All other causes	251	20	17	13	19	24	25	26	26	10	16	24	31

[1] Excludes collision with railroad trains and street cars.

APPENDIX

CAUSES OF DEATH, BY AGE, SEX, AND COLOR, WITH CRUDE AND ADJUSTED DEATH RATES FOR CERTAIN CAUSES, IN THE REGISTRATION STATES OF 1920

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes	1,107,878	128,441	20,867	10,620	7,687	6,042	173,657	20,728	15,592	25,337	33,304	34,877
	Both sexes—White	969,239	107,834	16,676	8,904	6,526	5,234	145,174	18,118	13,130	19,587	25,077	26,271
	Both sexes—Colored	138,639	20,607	4,191	1,716	1,161	808	28,483	2,610	2,462	5,750	8,227	8,606
	Males—White	526,732	61,780	8,877	4,842	3,612	2,792	81,903	10,190	7,425	10,424	12,582	13,136
	Males—Colored	72,927	11,403	2,261	904	588	442	15,598	1,359	1,221	2,544	3,799	4,148
	Females—White	442,507	46,054	7,799	4,062	2,914	2,442	63,271	7,928	5,705	9,163	12,495	13,135
	Females—Colored	65,712	9,204	1,930	812	573	366	12,885	1,251	1,241	3,206	4,428	4,458
	I.—Epidemic, endemic, and infectious diseases: Males—White	61,518	5,440	2,684	1,654	1,309	988	12,075	3,020	1,606	2,391	3,629	3,818
	I.—Epidemic, endemic, and infectious diseases: Males—Colored	16,007	1,672	692	363	202	182	3,111	536	438	1,095	1,681	1,640
	I.—Epidemic, endemic, and infectious diseases: Females—White	52,453	4,565	2,504	1,510	1,184	962	10,725	2,629	1,628	3,637	5,050	4,529
	I.—Epidemic, endemic, and infectious diseases: Females—Colored	15,164	1,385	623	295	226	142	2,671	502	628	1,685	2,244	1,893
1	Typhoid and paratyphoid fever: Males—White	1,929	12	19	19	16	29	95	99	150	267	284	187
1	Typhoid and paratyphoid fever: Males—Colored	702	8	10	4	7	13	42	65	66	136	114	67
1	Typhoid and paratyphoid fever: Females—White	1,340	7	13	10	12	22	64	101	165	226	165	121
1	Typhoid and paratyphoid fever: Females—Colored	603	5	5	4	10	8	32	64	87	116	103	63
2	Typhus fever: Males—White	4								1			
2	Typhus fever: Males—Colored												
2	Typhus fever: Females—White												
2	Typhus fever: Females—Colored	1							1				
3	Relapsing fever (spirillum obermeieri): Males—White												
3	Relapsing fever (spirillum obermeieri): Males—Colored												
3	Relapsing fever (spirillum obermeieri): Females—White												
3	Relapsing fever (spirillum obermeieri): Females—Colored												
4	Malta fever: Males—White												
4	Malta fever: Males—Colored												
4	Malta fever: Females—White												
4	Malta fever: Females—Colored												
5	Malaria: Males—White	417	42	15	19	8	13	97	43	24	21	17	20
5	Malaria: Males—Colored	495	70	31	25	12	10	148	48	24	25	25	17
5	Malaria: Females—White	395	40	24	15	12	11	102	25	19	18	21	20
5	Malaria: Females—Colored	488	40	22	12	20	15	109	32	39	47	40	25
6	Smallpox: Males—White	56	13		1			14	3	3	3	5	2
6	Smallpox: Males—Colored	19	3	1				4			3	1	
6	Smallpox: Females—White	42	6	4	1		1	12	2	4	4	2	4
6	Smallpox: Females—Colored	10	1					1	1			1	1
7	Measles: Males—White	1,650	405	446	201	105	71	1,228	221	56	52	17	10
7	Measles: Males—Colored	231	61	67	29	10	14	181	17	12	8	5	3
7	Measles: Females—White	1,587	351	423	199	103	61	1,137	173	50	55	25	17
7	Measles: Females—Colored	199	53	45	20	16	6	140	23	14	8	6	2
8	Scarlet fever: Males—White	1,113	59	107	140	124	90	520	321	88	57	31	29
8	Scarlet fever: Males—Colored	24	3	3	6	2		14	6	2	1		
8	Scarlet fever: Females—White	1,061	37	85	106	91	94	413	268	109	72	65	41
8	Scarlet fever: Females—Colored	30	3	2	2	1	1	9	10	5	1		3
9	Whooping cough: Males—White	2,198	1,442	423	155	74	36	2,130	49	10	3		2
9	Whooping cough: Males—Colored	811	444	209	59	31	18	761	40	4	2	1	1
9	Whooping cough: Females—White	2,408	1,394	550	204	92	59	2,299	79	11	3	2	
9	Whooping cough: Females—Colored	828	436	206	81	44	21	788	25	6	4	2	
10	Diphtheria: Males—White	3,546	197	450	486	520	402	2,055	1,066	232	52	35	13
10	Diphtheria: Males—Colored	289	41	34	57	34	29	195	56	23	3	3	1
10	Diphtheria: Females—White	3,374	171	365	396	475	378	1,785	1,036	251	50	45	36
10	Diphtheria: Females—Colored	245	29	25	26	24	27	131	64	25	9	3	5
11a	Influenza (with pulmonary complications): Males—White	5,461	823	290	86	69	42	1,310	110	73	146	141	115
11a	Influenza (with pulmonary complications): Males—Colored	1,076	214	75	40	10	8	347	27	14	50	65	67
11a	Influenza (with pulmonary complications): Females—White	4,968	611	212	112	79	55	1,069	109	67	111	109	133
11a	Influenza (with pulmonary complications): Females—Colored	1,029	156	75	20	20	11	282	33	26	45	71	69
11b	Influenza (other and unspecified): Males—White	3,657	522	151	82	59	46	860	137	73	105	91	72
11b	Influenza (other and unspecified): Males—Colored	626	109	30	21	8	5	173	13	20	19	28	17
11b	Influenza (other and unspecified): Females—White	3,624	389	119	79	53	36	676	120	102	92	83	124
11b	Influenza (other and unspecified): Females—Colored	668	59	29	12	8	6	114	22	15	38	35	31
12	Miliary fever: Males—White												
12	Miliary fever: Males—Colored												
12	Miliary fever: Females—White												
12	Miliary fever: Females—Colored												
13	Mumps: Males—White	45	6	2	3	5	2	18	8	7	1		1
13	Mumps: Males—Colored	9		1	1	2		4	1	2	1	1	
13	Mumps: Females—White	47	6	3	2	2	3	16	6	2	2	1	2
13	Mumps: Females—Colored	6	2	1				3	1			1	1
14	Asiatic cholera: Males—White												
14	Asiatic cholera: Males—Colored												
14	Asiatic cholera: Females—White												
14	Asiatic cholera: Females—Colored												
15	Cholera nostras: Males—White	48	8	8		2	1	19	1	2		1	
15	Cholera nostras: Males—Colored	7	2					2					
15	Cholera nostras: Females—White	35	9	3	1			13	2				
15	Cholera nostras: Females—Colored	5	1	1				2					1
16	Dysentery: Males—White	782	213	131	48	19	16	427	21	4	6	9	7
16	Dysentery: Males—Colored	290	90	62	16	5	2	175	6	1	5	6	2
16	Dysentery: Females—White	756	177	106	35	19	6	343	17	3	7	13	14
16	Dysentery: Females—Colored	292	95	39	11	7	3	155	6	3	3	9	5
17	Plague: Males—White												
17	Plague: Males—Colored												
17	Plague: Females—White												
17	Plague: Females—Colored												

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
37,626	45,165	49,893	56,845	66,227	73,541	84,264	97,200	95,687	85,161	62,281	33,608	11,809	2,693	962	1,421	
29,772	36,101	40,843	47,345	56,729	65,860	77,080	91,278	90,425	81,175	59,248	31,812	10,852	2,243	359	760	
7,854	9,064	9,050	9,500	9,498	7,681	7,184	5,922	5,262	3,986	3,033	1,796	957	450	603	661	
15,533	20,163	23,505	27,286	32,611	37,932	43,622	50,385	48,848	42,004	28,894	14,341	4,409	864	126	499	
3,935	4,673	4,725	5,158	5,260	4,284	3,988	3,317	2,912	2,257	1,573	969	418	193	201	395	
14,239	15,938	17,338	20,059	24,118	27,378	33,458	40,893	41,577	39,171	30,354	17,471	6,443	1,379	233	261	
3,919	4,391	4,325	4,342	4,238	3,397	3,196	2,605	2,350	1,729	1,460	827	539	257	402	266	
4,156	4,628	4,381	4,161	3,885	3,360	2,869	2,666	1,935	1,445	835	424	136	34	5	59	
1,348	1,368	1,161	1,007	840	507	427	296	203	147	62	40	23	11	7	59	
3,864	3,144	2,553	2,223	2,019	1,764	1,808	1,880	1,686	1,482	1,013	532	193	40	12	42	
1,294	1,096	813	634	452	319	263	181	139	103	82	41	35	15	23	51	
131	145	124	114	99	70	61	55	25	13	6	1	2			1	
40	35	30	34	25	13	11	9	5	3	2	2	1			2	1
95	77	70	66	61	39	34	19	23	6	1	5				2	
36	23	23	18	14	8	3	5	3	1		1	1			2	
	1			2												
																2
																3
																4
16	27	11	21	17	14	18	15	12	21	13	6	2			2	
16	17	17	25	40	21	13	16	21	6	4	7	1	1	1	2	5
17	24	10	12	14	25	11	14	25	17	10	4	2	1		4	
14	25	31	24	24	17	17	14	7	5	8	1	2		1	6	
1	1	3		1	4	4	7	1	1	2	1					
			1	4				2	1	1	1	1				6
1	1	2		1			1	2		3	3					
	2		1		1	1	1									
5	8	7	8	6	8	7	4	5	5	1					2	
1	1		2												1	7
31	19	15	16	8	6	6	8	7	9	2	1	1			1	
2	1	1	1					1								
14	19	9	12	4	3	4		2								
		1														8
35	21	13	9	5	4	1	3	1	1							
		2														
1		1				1					1					
		1													1	9
5	1			1	1	1	2				1				2	
		1								1					1	
17	18	14	11	10	10	5	1	4		1					2	
2	1	1	2				1		1							10
40	27	27	19	21	17	9	5	2	2	1	1					
1	3	4														
193	261	294	272	324	327	311	433	375	351	244	127	47	4		3	
58	60	64	71	68	46	35	34	22	20	12	7	3		3	3	11a
181	204	173	209	219	260	302	374	411	422	341	185	65	14	6	4	
40	51	71	67	54	52	46	35	23	22	18	5	7	5	4	3	
92	109	138	133	143	163	192	233	288	321	256	169	57	18	3	4	
26	27	36	42	43	35	30	25	31	26	10	7	9	4		5	11b
99	108	118	104	148	140	177	255	282	353	331	202	88	20	2		
39	36	31	40	38	34	38	24	36	23	25	20	13	4	10	2	
																12
2	1	1				1	1	2	1		1					
																13
2	1	3		2	1	1	3		3	1	1					
																14
	3		2		3		2	2	4	8		1				
	1	2				1						1				15
1	2				1	1	3	4	2	5		1				
1			1													
10	6	10	17	14	23	20	34	36	59	41	20	10	5	1	2	
3	5	7	8	13	9	6	7	10	9	4	3	5	2	2	2	16
9	9	11	17	15	18	24	44	35	71	57	31	12	1	1	4	
6	9	6	11	10	8	12	7	11	8	7	5	5	3	3		
																17

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—Epidemic, endemic and infectious diseases—Continued.												
18	Yellow fever:												
	Males—White												
	Colored												
	Females—White												
	Colored												
19	Spirochetal hemorrhagic jaundice:												
	Males—White	20	3		2			5				1	5
	Colored	1							1				
	Females—White	9		1				1	1				
	Colored												
20	Leprosy:												
	Males—White	16											3
	Colored	1											
	Females—White	10											
	Colored	1											
21	Erysipelas:												
	Males—White	1,211	351	17	6	3	4	381	11	7	14	24	22
	Colored	54	15	1				16	1	2	1	3	1
	Females—White	1,013	328	35	11	10	7	391	6	12	13	23	23
	Colored	36	16					16					2
22	Acute anterior poliomyelitis:												
	Males—White	948	61	82	71	64	61	339	241	166	87	41	26
	Colored	57	13	3	7	5	4	32	10	6	2	3	4
	Females—White	727	49	67	45	46	62	269	180	123	58	30	18
	Colored	58	10	5	8	5	6	34	13	3	2	1	2
23	Lethargic encephalitis:												
	Males—White	600	12	15	13	13	5	58	30	28	34	38	40
	Colored	44	1	3	2	1	1	8	4		4	1	7
	Females—White	544	10	16	18	9	8	61	23	20	36	35	33
	Colored	38	3	1	2	1		7		1	3	6	3
24	Meningococcus meningitis:												
	Males—White	867	143	59	53	38	25	318	113	68	112	69	40
	Colored	101	20	8	4	2	2	36	15	7	10	7	9
	Females—White	521	101	48	29	25	23	226	66	58	28	40	21
	Colored	51	7	4	5			16	8	6	3	4	4
25	Other epidemic and endemic diseases:												
	Males—White	130	41	22	12	5	2	82	8	6	3	1	2
	Colored	13	4	4				8	1				1
	Females—White	91	27	21	11	5	3	67	8	4	5	1	
	Colored	8	1	1				2	2	1			
26	Glanders:												
	Males—White												
	Colored	1											
	Females—White												
	Colored												
27	Anthrax:												
	Males—White	10									1		
	Colored												
	Females—White	3									2		
	Colored												
28	Rabies:												
	Males—White	51			2	1	6	9	9	7	2	3	5
	Colored	9			1			1	6				
	Females—White	18			1		3	4	4	3	3		1
	Colored	3				1		1			1		
29	Tetanus:												
	Males—White	698	53	5	9	7	12	86	121	187	67	26	19
	Colored	200	61	1	2	2	2	68	28	32	19	5	4
	Females—White	195	33	3	3	7	7	53	40	15	6	7	8
	Colored	83	38		1		1	40	13	7	3	5	1
30	Mycoses:												
	Males—White	64	7	1			1	9	1	1	2	1	3
	Colored	42	32	2				34	1		1	1	
	Females—White	47	11			1		12				3	3
	Colored	32	25	4				29					1
	Tuberculosis (all forms):												
	Males—White	32,231	455	403	223	167	116	1,364	367	368	1,302	2,706	3,079
	Colored	8,826	132	115	81	66	63	457	174	216	762	1,303	1,291
	Females—White	27,276	398	383	213	132	113	1,239	330	573	2,736	4,212	3,732
	Colored	8,973	133	133	80	65	33	444	178	371	1,332	1,799	1,479
31	Of the respiratory system—												
	Males—White	28,396	138	103	43	25	30	339	116	185	1,086	2,449	2,865
	Colored	7,762	70	65	34	29	35	233	97	158	671	1,186	1,184
	Females—White	23,879	102	97	39	29	31	298	116	419	2,506	3,912	3,511
	Colored	7,987	65	65	34	43	12	219	106	320	1,204	1,685	1,374
32	Of the meninges, central nervous system—												
	Males—White	1,462	224	239	137	103	60	763	153	103	68	61	57
	Colored	287	39	33	31	24	15	142	33	14	16	16	12
	Females—White	1,222	222	212	128	77	66	705	146	74	59	63	36
	Colored	243	39	41	24	14	15	133	31	12	15	9	14
33	Of the intestines, peritoneum—												
	Males—White	820	25	23	18	11	11	88	32	30	49	59	45
	Colored	312	3	2	3	4	5	17	16	15	35	45	30
	Females—White	965	18	22	11	4	7	62	25	29	73	114	84
	Colored	364	2	2	8	3	2	17	20	19	55	56	54
34	Of the vertebral column—												
	Males—White	372	2	3	5	7	7	24	22	18	25	41	32
	Colored	85		1		3	1	5	4	5	9	12	13
	Females—White	265	3	5	9	6	1	24	12	16	16	16	19
	Colored	50	1			2		3	4	7	2	6	8
35	Of the joints—												
	Males—White	144	3			3	1	7	8	8	15	7	15
	Colored	40	1		1	1	1	4	1	3	2	7	5
	Females—White	103	4	2			1	7	3	7	10	6	7
	Colored	24							3	3	4	4	3
36	Of other organs—												
	Males—White	521	11	5	1	1	2	20	17	10	26	39	28
	Colored	99	2	3	4	1	1	11	7	8	7	13	10
	Females—White	376	5	7	7	2	2	23	6	13	16	43	32
	Colored	78	6	3	1	1		11	3	3	7	7	8

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
																18
2	2	2			2	1										
																19
		1	1		1		2	2								
1	5	2	1	1	1	1			1							
					1											20
	1	1	1	2		1	4									
			1													
35	43	50	51	90	73	97	79	79	64	52	24	9	3	1	2	
2	6	4	3	4	3	3	1		2		1				1	21
29	37	31	36	50	53	60	63	61	56	37	22	8		2		
1	2	2	3	3	2	1	1	2	1							
15	11	9	7	3			1	1	1							
																22
14	10	10	4	2	3	2	1	2	1							
	1					2										
33	49	59	53	44	39	37	34	10	10	3					1	
5	4	4	1	2	2	1		1								23
37	40	46	35	45	43	37	31	12	6	4						
3	4	1	3	2	2			1		1				1		
31	31	23	16	21	10	8	2	4							1	
5	1	5	3	1	1	1										24
12	21	14	11	8	6	8	1								1	
4	4	1		1												
	3		3	4	3	4	6	3			2					
1		1	1													25
	2			1		1			1	1						
		2				1										
							1									26
1	2	3		1		2										
																27
				1												
4	1	2	2	1	1	2	1	1			1					
						2										28
			1	1	1											
	1															
26	25	22	22	24	21	15	16	14	2	3	2					
3	5	10	11	6	4	2	1		1	1						29
12	11	5	7	7	11	2	6	3	1	1						
2	3	3	2		1	2									1	
6	6	4	3	7	8	2	3	7	1							
1	2	1	1													30
2	6	1	2	2	6	3	4	2	1							
	1			1												
3,360	3,539	3,229	3,029	2,641	2,189	1,798	1,505	936	530	190	57	7	2		33	
1,011	950	745	610	463	274	240	134	77	60	19	9	2	4	1	24	
3,037	2,302	1,785	1,502	1,240	1,022	1,032	950	772	500	201	71	15	3		22	
985	771	510	375	241	153	113	74	41	35	20	8	5	2	4	33	
3,110	3,304	3,016	2,830	2,477	2,020	1,669	1,358	848	474	162	50	7	1		30	
924	874	681	566	422	242	217	126	71	53	19	9	2	3	1	23	
2,842	2,097	1,626	1,358	1,094	909	925	852	688	437	187	63	14	3		22	31
914	705	459	340	218	142	105	64	37	33	15	8	3	2	4	30	
67	56	28	31	28	18	13	6	3	3	1	2				1	
16	11	12	8	4		2									1	
29	36	23	13	15	7	6	4	2	3	1						32
9	8	8	1	1	1	1										
62	55	58	71	54	47	41	51	41	23	12	1		1			
34	27	21	14	19	18	9	5	1	6							33
85	84	62	61	56	51	47	49	36	39	6	2					
35	35	31	10	10	6	6	4	2		3		1				
38	28	25	23	18	25	18	19	8	4	4						
9	8	8	4	3	2	3										
17	25	12	17	18	17	17	12	17	5	1	3	1				34
5	3	1	2	4	1	1	2	1								
4	11	5	6	10	8	14	12	7	4	2	1					
1	1	5	4		2	2	1	2								
5	8	6	3	15	7	4	5	4	4	1	1					35
		1	1	1			1	1	1	1						
48	47	57	46	29	36	25	40	22	18	9	2				2	
9	7	8	2	3	5	4	1	2	1				1			
26	27	37	32	29	16	19	22	21	8	4	2					36
8	8	3	11	5	2		2									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—Epidemic, endemic, and infectious diseases—Continued.												
	Tuberculosis (all forms)—Continued.												
37a	Disseminated (acute)—												
	Males—White	407	46	28	19	17	5	115	19	9	27	35	26
	Colored	205	16	10	7	4	4	41	15	11	18	20	30
	Females—White	379	40	36	18	13	5	112	21	11	51	46	35
	Colored	196	20	20	13	2	4	59	10	4	41	28	14
37b	Disseminated (chronic or unspecified)—												
	Males—White	109	6	2				8		5	6	15	11
	Colored	36	1	1	1		1	4	1	2	4	4	7
	Females—White	87	4	2	1	1		8	1	4	5	12	8
	Colored	31		2				2	1	3	4	4	4
38	Syphilis:												
	Males—White	3,236	506	26	8	7	5	552	14	21	21	57	86
	Colored	1,968	342	31	8	4	9	394	13	7	35	102	138
	Females—White	1,458	345	18	8	6	4	381	15	13	34	53	71
	Colored	1,185	265	24	10	3	4	306	6	17	39	113	136
39	Soft chancre:												
	Males—White	1											
	Colored	5										1	1
	Females—White												
	Colored	1										1	
40	Gonococcus infection:												
	Males—White	78	11	1	1			13			3	10	7
	Colored	56	5	1				6			4	3	2
	Females—White	509	12		1	1	2	16		6	60	92	85
	Colored	238	1					1		1	29	37	54
41	Purulent infection, septicemia:												
	Males—White	447	55	11	14	3	3	86	26	24	30	21	22
	Colored	50	2			1	2	5	3		4	3	7
	Females—White	382	52	4	9	4	4	73	17	18	16	22	22
	Colored	50	5	1	1	1		8		1	2	7	4
42	Other infectious diseases:												
	Males—White	4											1
	Colored												
	Females—White	13	1	1	1			3	1			1	
	Colored	3	1					1					1
	II.—General diseases not included in Class I:												
	Males—White	59,076	1,475	218	168	133	123	2,117	571	483	584	560	757
	Colored	3,583	190	41	19	17	12	279	51	38	71	95	115
	Females—White	72,386	992	232	148	111	119	1,602	449	497	559	655	1,046
	Colored	6,468	129	30	12	10	13	194	58	73	162	261	392
	Cancer and other malignant tumors:												
	Males—White	40,129	25	27	40	50	24	166	106	91	180	194	292
	Colored	1,694	1	1		1	2	5	5	4	12	18	26
	Females—White	49,905	11	31	34	34	32	142	71	87	125	183	452
	Colored	3,375	1	1	3	2	3	10	5	5	17	32	111
43	Of the buccal cavity—												
	Males—White	2,323	1				3	4	2	6	5	5	12
	Colored	77											3
	Females—White	486		1	1		1	3	4	2	2	2	5
	Colored	43					1	1			1	1	1
44	Of the stomach, liver—												
	Males—White	17,570	2	6	2	3	2	15	11	5	16	32	60
	Colored	853	1				1	2	1	1	2	4	4
	Females—White	14,723	3	4	2		1	10	4	3	10	19	56
	Colored	753			1			1	1		3	4	11
45	Of the peritoneum, intestines, rectum—												
	Males—White	6,188	2	1	4	8	3	18	19	21	31	37	52
	Colored	209							1		3	4	9
	Females—White	7,419		3	2	6	2	13	12	7	10	25	91
	Colored	304								1	2	4	15
46	Of the female genital organs—												
	Females—White	12,048		2	2	2	1	7	1	16	18	63	161
	Colored	1,491			1			1			3	14	61
47	Of the breast—												
	Males—White	114											1
	Colored	8											
	Females—White	8,270								1	1	9	42
	Colored	463							1		1	2	12
48	Of the skin—												
	Males—White	1,438	1	2		2		5		3	4	4	5
	Colored	34											
	Females—White	970	1	2	2	2	1	8	2		4	2	2
	Colored	27								1		1	
49	Of other or unspecified organs—												
	Males—White	12,496	19	18	34	37	16	124	74	56	124	116	162
	Colored	513		1		1	1	3	3	3	7	10	10
	Females—White	5,989	7	19	25	24	26	101	48	58	80	63	95
	Colored	294	1	1	1	2	2	7	3	3	7	6	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):												
	Males—White	302	8	5	3	3	1	20	5	5	5	6	9
	Colored	30				1		1	5		1	1	1
	Females—White	293	7	4	1	1	2	15	4		4	9	7
	Colored	58							1		2	4	4
51	Acute rheumatic fever:												
	Males—White	1,027	4	6	9	9	21	49	164	147	110	56	32
	Colored	150		1		2	3	6	11	14	11	10	4
	Females—White	1,147	5	5	8	17	19	54	153	158	103	62	57
	Colored	217	1		1	1	1	4	20	18	20	11	9
52	Chronic rheumatism, osteoarthritis, gout:												
	Males—White	440		1	2	1		4	2	4	5	6	11
	Colored	40								1	1	2	2
	Females—White	720			1		1	2	3	1	5	4	5
	Colored	41									1	1	2
53	Scurvy:												
	Males—White	16	10			2		12	1			2	
	Colored	4	2	1				3					
	Females—White	14	7	4				11	1				
	Colored	2	1					1		1			

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
20	32	33	13	19	28	13	13	3	2							
13	20	10	11	10	4	1	1									
24	21	18	12	7	7	8	3	1	1	1						37a
11	8	6	6	2	1		1			1		1			3	
11	6	7	9	6	7	5	6	4	2		1					
5	2		1	2	1	2		1								37b
9	4	1	6	6	8	6	3	3	3							
3	4	1	4						1							
138	287	332	352	402	350	244	208	104	48	7	6		1		6	
164	240	222	180	164	91	82	61	30	16	8	3				18	38
91	119	131	132	127	88	73	78	27	16	7	1				1	
107	121	99	75	56	36	25	20	13	8	2	1	2			3	
1																
			2	1												39
4	5	8	10	3	7	4	2	1			1					
7	10	6	7	3	4		2	1	1							40
90	68	51	23	12	4		1		1							
52	32	18	9	3	2											
16	20	24	22	23	30	30	23	23	12	8	5	1	1			
3	3	4	3	3	3		4	3	1	1						41
23	32	34	15	23	14	21	8	13	13	10	4	1	1	1	1	
	6	7	3	5	3	2		1					1			
1					1		1									
																42
1	1	1	1	3		1										
1																
1,162	1,796	2,660	3,705	5,015	6,650	7,867	8,731	7,303	5,256	2,615	981	178	30	6	49	
150	201	262	360	408	377	355	285	246	142	67	41	14	10	3	13	
1,741	2,784	4,213	5,672	7,326	8,424	9,233	9,654	7,891	5,763	3,014	1,399	360	52	8	44	
445	624	687	769	717	557	486	349	286	155	126	56	21	12	11	27	
473	842	1,478	2,345	3,403	4,778	5,893	6,680	5,768	4,296	2,131	802	152	27	3	29	
48	73	123	202	219	231	215	177	166	85	41	24	8	5	1	6	
991	1,829	3,061	4,199	5,469	6,019	6,467	6,776	5,674	4,443	2,401	1,147	288	45	7	29	
169	325	389	468	476	387	306	241	183	103	77	33	11	6	7	14	
12	33	65	148	211	297	329	395	299	245	174	66	12			3	
2	4	11	12	10	8	10	7	6			3	1				
3	10	18	23	42	48	45	60	67	54	49	39	7	3			43
1	1	7	4	7	4	5	3	2	2	1	1		1			
119	286	606	1,073	1,542	2,246	2,753	3,131	2,713	1,836	794	279	27	9		17	
21	42	56	105	130	136	108	86	88	37	14	9	1	3		3	
138	277	532	793	1,250	1,623	2,119	2,473	2,231	1,802	903	388	74	11	2	5	44
22	57	64	72	108	106	90	66	63	36	22	12	5	1	4	5	
117	174	259	370	539	742	949	972	885	601	279	94	24	2		3	
9	9	13	26	22	28	29	21	12	13	5	4	1	1			45
133	215	323	483	704	790	963	1,177	962	810	450	205	39	4		3	
16	20	40	48	34	36	24	18	21	13	5	3	2		1	1	
394	713	1,205	1,439	1,732	1,632	1,437	1,286	918	595	293	112	15	3		8	46
92	172	202	231	219	144	124	101	56	31	26	8	1		1	4	
1	1	10	4	10	11	17	13	14	15	10	5	2				
				1	2	1	2	1	1							47
170	392	651	987	1,138	1,128	1,051	855	712	559	317	176	65	8	1	7	
18	54	49	72	68	61	35	34	20	11	13	5	1	3	1	2	
14	16	31	55	64	99	169	182	207	243	179	111	38	6	1	2	
1	1	3	4	7	2	3	3	7	2	1						
8	7	20	26	56	54	69	104	132	153	145	114	48	14	2		48
1	2	3	1	4	5		4	4				1				
210	332	507	695	1,037	1,383	1,676	1,987	1,650	1,356	695	247	49	10	2	4	
15	17	40	55	49	55	64	58	52	32	21	8	6	1	1	3	
145	215	312	448	547	744	783	821	652	470	244	113	40	2	2	6	49
19	19	24	40	36	31	28	15	17	10	10	4	1	1		2	
11	19	21	21	18	32	28	40	25	13	14	8	1	1			
1	4	3	3	4	5			1								
16	16	18	27	13	35	18	33	26	24	17	8	2	1			50
4	10	4	5	4	6	3	2	3	2	3	1					
38	46	42	41	51	41	44	43	56	31	18	16	2				
8	6	12	14	14	8	6	3	7	8	3	3		1	1		
51	54	44	41	56	51	50	52	69	47	18	16	9	1		1	51
16	15	10	16	15	14	10	9	11	5	5	3	4	1		1	
11	12	15	20	37	38	49	55	66	45	41	14	3			2	
	2	2	4	6	5	4	6	2	1		2					
9	11	18	27	35	61	85	106	122	103	69	38	15	1			52
1	2	5	4	3	6	6	2	3	1	4						
										1						
		1														53
1			1													

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—General diseases not included in Class I—Continued.												
54	Pellagra:												
	Males—White	633	2	3	4	3		12	8	4	6	11	13
	Colored	490	1	5	3	3	4	16	13	12	16	24	23
	Females—White	1,192	1	2	1	1	2	7	6	6	26	61	74
	Colored	1,550	3	1	2	1	3	10	20	22	93	169	194
55	Beriberi:												
	Males—White	2											
	Colored	5	1					1			1		2
	Females—White	1											
	Colored												
56	Rickets:												
	Males—White	164	121	31	7			159	5				
	Colored	82	51	20	4	4	1	80	2				
	Females—White	133	87	25	13	4		129	1	2			1
	Colored	57	36	15	1	3	1	56	1				
57	Diabetes mellitus:												
	Males—White	6,640	9	9	13	10	11	52	85	95	121	95	103
	Colored	424	1			1		2	9	1	10	13	14
	Females—White	9,863	5	13	16	11	19	64	82	136	106	108	104
	Colored	622	2	1	1			4	6	13	9	12	19
58a	Pernicious anemia:												
	Males—White	1,811	11	11	4	6	3	35	18	14	17	17	25
	Colored	32	2					2		1	3		1
	Females—White	2,222	11	5	6	3	3	28	15	13	21	28	44
	Colored	55	3			3		6		1	5	4	1
58b	Other anemias and chlorosis:												
	Males—White	251	45	12	4	1	5	67	13	8	5	7	7
	Colored	15	5	1	1		1	8					1
	Females—White	315	37	17	5	3	1	63	5	15	3	5	12
	Colored	18	3	1			1	5			3	1	2
59	Diseases of the pituitary gland:												
	Males—White	59	2					2	1	1	6	4	3
	Colored	3								1	1		
	Females—White	46	2		1			3		1	2	4	6
	Colored	3											
60a	Exophthalmic goiter:												
	Males—White	555							1	5	11	21	26
	Colored	20		1				1			1		1
	Females—White	3,174		1			3	4	4	15	77	91	141
	Colored	141								1	2	10	20
60b	Other diseases of the thyroid gland:												
	Males—White	119	12	3	5	1	2	23	4	5	4	3	5
	Colored	9							1	1	1		
	Females—White	420	7	7	3	2		19	5	1	13	13	15
	Colored	40							1	1	1	1	2
61	Diseases of the parathyroid glands:												
	Males—White	42	26	3	6	2	1	38	2			1	
	Colored	8	5	1	1			7					
	Females—White	42	27	9	2		1	39	1			1	1
	Colored												
62	Diseases of the thymus gland:												
	Males—White	717	606	36	13	4	4	663	24	12	6	4	3
	Colored	59	46	5	4	1	1	57					
	Females—White	473	391	33	6	6	3	439	13	4	4	1	7
	Colored	43	33	3	3			39		1	2	1	
63	Diseases of the adrenals (Addison's disease):												
	Males—White	150							1		3	6	4
	Colored	3									1		
	Females—White	166								1		4	13
	Colored	3	1					1					
64	Diseases of the spleen:												
	Males—White	58	3	2	2	1		8	4	2	6	1	3
	Colored	3	1					1					
	Females—White	58	1	3				4	2	3	1	1	4
	Colored	6									2	1	1
65a	Leukemia:												
	Males—White	1,023	27	26	22	24	33	132	71	41	48	49	52
	Colored	33				1		1	2	1	4	5	2
	Females—White	773	10	26	23	22	20	101	44	29	27	36	40
	Colored	25	1				2	3	1	3		1	2
65b	Hodgkin's disease:												
	Males—White	514	10	3	1	5	3	22	21	20	26	15	39
	Colored	28	1	1				2	1	1	2	1	1
	Females—White	300	7	5	1	1	1	15	12	7	15	26	28
	Colored	10		1				1	1	2		1	2
66	Alcoholism (acute or chronic):												
	Males—White	3,314									13	42	105
	Colored	315									6	19	30
	Females—White	353								1	4	2	22
	Colored	104									1	10	19
67a	Chronic lead poisoning:												
	Males—White	111		1	2			3				2	5
	Colored	9											3
	Females—White	7		2	2			4					
	Colored												
67b	Other chronic mineral poisoning:												
	Males—White	23										1	
	Colored												
	Females—White	4										1	2
	Colored	6		1				1			1		1
68	Chronic poisoning by organic substances:												
	Males—White	70									1	7	10
	Colored	15										1	3
	Females—White	38									1		4
	Colored	2										1	
69	Other general diseases:												
	Males—White	906	554	39	31	11	15	650	35	29	11	10	10
	Colored	112	73	4	6	3		86	2	1		1	1
	Females—White	727	376	40	25	6	12	459	27	17	22	15	7
	Colored	90	44	6	1		2	53	2	5	3	1	3

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
27	29	47	53	62	73	64	92	63	42	20	5				2	54
21	28	28	31	59	50	53	39	34	24	9	5		2	1	2	
115	134	131	132	101	89	79	87	61	46	18	7	1			11	
189	175	161	133	100	55	64	40	50	26	18	12	4	5	1	9	
1	1															55
			1													
										1						
																56
120	146	198	299	525	830	1,003	1,129	855	586	273	101	16	1	2	5	57
16	24	24	52	41	52	54	43	25	21	10	5	6			2	
137	219	260	466	792	1,283	1,653	1,738	1,398	811	345	124	32	3	1	1	
24	43	65	81	89	66	81	44	29	14	16	3	2		1	1	
28	42	75	116	139	230	281	305	252	146	53	12	3	1	1	1	58a
2	1	2	2	4	4	6	2	2								
64	85	115	171	207	273	300	355	268	145	64	25	1				
5	5	3	9	3	4	3	2	3						1		
13	3	14	12	12	16	11	6	27	20	6	4					58b
1	1	1	2								1					
14	12	14	23	23	20	17	21	22	18	13	8	5	1		1	
		1	1	1	2		1				1					
5	8	4	15	2	5	2		1								59
1																
4	3	8	5	5	2	1	1				1					
1				1			1									
44	41	51	76	88	65	55	42	21	6		2					60a
2	3	2	5	3				1							1	
172	218	312	364	430	388	374	322	157	75	24	4	2				
13	18	23	25	9	10	4	4	1							1	
7	3	8	11	9	8	11	6	9	1	1	1					60b
	1	2		2							1					
24	26	30	28	42	46	52	56	26	13	6	5					
4	1	5	5	4	2	2	3	1	3	2	1				1	
		1														61
		1														
	3	1			1											62
1			1													
1	1	2		1												
14	18	21	22	13	10	8	16	8	3	2		1				63
	1		1													
11	22	15	17	18	22	20	13	6	1	3						
	1		1													
2	2	7	2	3	3	4	5	1	2	2	1					64
1				1												
3	4	7	2	5	5	4	3	2	1	4	3					
	1		1													
44	44	70	57	90	87	76	81	45	22	12	1				1	65a
	3	2	5	4		1	3									
31	63	64	61	59	61	58	49	31	11	6	2					
1	3	1	2	3	2	3										
42	40	44	38	44	41	45	42	17	7	7	3				1	65b
5	2	7	1	4	1											
25	23	15	21	21	23	23	21	13	5	5	2					
		1			1	1										
260	464	535	536	482	356	257	162	62	20	9	3				8	66
37	43	49	34	40	18	15	9	7	3	4					1	
51	50	80	71	30	23	8	4	2	2	2					1	
16	22	15	13	6	1						1					
3	9	10	16	16	13	17	7	7	2	1						67a
2	3	1														
1								1	1							
2	4	1	3	3	3	2	3			1						67b
					1											
	1	1		1												
10	9	4	7	7	7		3	2	1	2						68
4	3		1	2			1									
5	4	6	4	1	2	4	3	2		1	1					
			1													
7	11	13	15	11	13	17	14	18	13	21	8					69
4	1	1	1	5	3	1	2	1					2		1	
15	10	13	12	18	20	20	14	11	17	17	8	5				
2	2	3	4	2	1	3		2	1	1	1			1		

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—Diseases of the nervous system and of the organs of special sense:												
	Males—White	54,215	1,388	363	225	170	142	2,288	649	460	538	476	545
	Colored	5,657	212	58	24	20	12	326	52	57	89	105	142
	Females—White	48,097	1,061	327	199	154	111	1,852	524	400	342	378	448
	Colored	5,611	177	41	19	21	16	274	53	43	54	99	126
70	Encephalitis:												
	Males—White	541	58	22	15	11	7	113	31	26	30	26	27
	Colored	66	3	5	5	1		14	3	3	5	3	4
	Females—White	447	41	27	18	9	9	104	33	18	12	27	15
	Colored	61	12	4	2	1	2	21	6	4	4	3	8
71a	Simple meningitis:												
	Males—White	1,089	254	87	65	35	27	468	113	66	61	30	42
	Colored	126	29	10	4	6	4	53	7	3	7	6	9
	Females—White	824	223	76	58	34	16	407	87	56	26	31	25
	Colored	96	16	9	4	6	9	44	15	3	4	8	3
71b	Nonepidemic cerebrospinal meningitis:												
	Males—White	274	79	35	18	12	13	157	36	16	12	6	4
	Colored	30	7	4	3	1	2	17		3		4	
	Females—White	212	58	28	19	11	7	123	35	12	6	2	7
	Colored	26	4	1	3	2	2	12	3	5	1		2
72	Tabes dorsalis (locomotor ataxia):												
	Males—White	988									2	2	4
	Colored	74										2	2
	Females—White	287											1
	Colored	19								1		1	
73	Other diseases of the spinal cord:												
	Males—White	1,536	10	11	7	9	8	45	26	28	44	41	27
	Colored	98	1				1	2	2	2	6	2	5
	Females—White	1,212	20	11	8	2	3	44	22	16	16	16	20
	Colored	120	2					2	1	2	1	3	3
74a	Cerebral hemorrhage:												
	Males—White	36,085	71	16	11	12	3	113	16	18	41	49	84
	Colored	3,402	6	3	1			10	6	5	7	16	44
	Females—White	35,024	43	11	6	4	1	65	17	11	27	51	64
	Colored	3,872	5	2	1			8	6	8	8	24	56
74b	Cerebral embolism and thrombosis:												
	Males—White	1,897	10	6	2	3	4	25	11	17	12	25	35
	Colored	77	1			1		2			1	3	1
	Females—White	1,783	11	6	1	4	3	25	13	21	23	15	31
	Colored	90								1	4	3	3
75	Paralysis without specified cause:												
	Males—White	1,604	9	3			1	13	2	4	4	2	4
	Colored	432	2	1		2		5	3	1	4	7	9
	Females—White	1,647	5		1		1	7	4	4	3	8	5
	Colored	524	2		2	1		5	2	2	3		6
76	General paralysis of the insane:												
	Males—White	3,329								4	11	16	46
	Colored	581									5	8	20
	Females—White	876								2	4	9	18
	Colored	221									3	5	11
77	Other forms of mental alienation:												
	Males—White	553									13	39	30
	Colored	94								1	11	11	10
	Females—White	720								1	10	30	55
	Colored	108								1	2	17	16
78	Epilepsy:												
	Males—White	1,313	28	8	9	13	12	70	53	82	131	105	128
	Colored	254	12		1	2	1	16	11	21	34	32	24
	Females—White	990	21	7	3	16	13	60	30	50	90	108	92
	Colored	118	6			3		9	5	7	15	18	13
79	Convulsions (nonpuerperal; 5 years and over):												
	Males—White	31							12	5	2	1	1
	Colored	15							6	4			2
	Females—White	39							12	4	3	2	5
	Colored	16							4	1	2	2	
80	Infantile convulsions (under 5 years):												
	Males—White	563	471	49	20	16	7	563					
	Colored	148	118	21	4	4	1	148					
	Females—White	411	311	57	25	14	4	411					
	Colored	128	106	14	4	4		128					
81	Chorea:												
	Males—White	15			1	1	1	3	4		2	2	
	Colored												
	Females—White	46	1	1		1	2	5	9	7	7	1	
	Colored	3		1				1			1	1	
82	Neuralgia and neuritis:												
	Males—White	110				1		1	3	1	3	2	2
	Colored	14	1				1	2	1	1			1
	Females—White	129	1	1				2		1		1	2
	Colored	12										1	
83	Softening of the brain:												
	Males—White	325											2
	Colored	12											
	Females—White	284									1		
	Colored	11											
84	Other diseases of the nervous system:												
	Males—White	2,209	56	28	22	20	18	144	87	58	59	55	52
	Colored	133	6	3	1	2		12	3	6	5	8	10
	Females—White	1,856	53	23	19	17	13	125	73	48	55	42	73
	Colored	86	1	1		1	1	4	5		5	7	2
85	Diseases of the eye and annexa:												
	Males—White	46	4	3	4	2	1	14	5	2	1	1	1
	Colored	6	3					3	1				
	Females—White	34	6	2	2	2		12	2	2			1
	Colored	2								1			

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
893	1,380	1,911	2,492	3,301	4,594	5,657	7,343	7,582	6,859	4,537	2,039	530	82	14	45	
183	312	441	571	697	566	555	441	416	278	197	121	46	25	11	26	
626	929	1,268	1,938	2,818	3,499	4,603	6,197	6,906	6,640	5,114	2,581	841	144	24	25	
161	294	395	604	640	569	575	494	433	294	232	127	60	21	25	38	
31	38	38	29	36	35	23	22	15	11	4	5				1	
3	6	7	3	7	5	1	2									
34	31	27	29	25	28	23	17	11	7	5	1					70
2	3	5	2	1	1	1										
47	41	43	44	39	31	22	20	9	8	2		1			2	
7	6	5	6	8	6	1			1						1	
28	20	35	20	22	17	12	13	11	9	4					1	71a
5		2	4	3	3	1		1								
11	7	5	5	2	4	6	2	1								
	2	1	2					1								
7	3		5	3	3	3	1		2							71b
	1			2												
10	22	60	80	119	159	172	161	99	68	20	6	1	1		2	
4	8	9	8	11	6	11	3	6		3	1					
4	9	27	27	31	50	46	37	23	15	12	4	1				72
	2	5	3		1	1	1	3				1				
44	53	67	83	111	162	189	191	181	142	68	25	6		1	2	
5	8	5	6	17	10	5	8	6	3	4	2					
35	39	55	70	103	116	137	153	152	112	66	30	9		1		73
4	5	8	14	9	13	16	10	11	5	4	3	3		2	1	
151	335	647	1,138	2,006	3,196	4,299	5,906	6,188	5,766	3,835	1,731	454	73	11	28	
59	140	234	376	469	407	429	342	323	212	146	93	38	19	10	17	
133	334	634	1,228	2,023	2,649	3,676	5,092	5,844	5,657	4,385	2,235	739	121	21	18	74a
87	187	284	441	507	447	462	400	346	219	174	105	45	15	18	25	
36	46	57	77	117	172	205	244	301	235	182	83	16		1		
9	7	6	5	6	6	10	9	5	3	3	1					
42	38	53	73	103	133	189	228	244	232	177	101	32	8	1	1	74b
4	5	8	12	9	14	7	6	7	2	3		1	1			
11	8	20	43	73	113	146	244	306	274	199	105	27	4		2	
5	11	23	31	47	46	47	45	45	39	32	14	8	5		5	
7	22	24	31	65	88	141	248	294	295	243	117	33	8			75
8	20	20	53	46	53	59	62	48	53	41	16	9	5	5	8	
223	491	611	581	422	352	220	166	90	61	26	2	1	1		5	
48	78	109	95	89	55	31	16	13	7	2	2				3	
50	107	120	144	123	89	65	65	30	26	13	9	2				76
17	29	30	46	34	15	13	8	5	3	1	1					
33	41	50	58	42	56	43	60	33	26	14	10	2	1		2	
4	6	12	9	13	2	4	6	1	3	1						
55	73	78	85	76	74	46	47	27	24	24	9	3			3	77
14	15	12	6	5	6	2	2	1	5	3					1	
114	104	79	98	75	57	57	49	54	29	18	9				1	
23	26	13	12	11	9	7	2	4	3	2	3		1			
86	82	66	65	57	52	34	45	35	19	10	8	1				78
5	6	8	8	10	5	3	1	1	1	2					1	
1	2	1	3	1	1				1							
	1				1			1								
	4	1	3		1		1		1	1	1					79
2	1	3													1	
																80
	1						1	1	1							
1	3		1		2	2	2	3	3							81
1	4	11	4	9	13	5	12	16	9	6	6	2				
	1		1	1	1	1		1	1	1	1					
6	8	3	4	8	12	13	12	11	21	14	4	4	3			82
1		1	3	2	1			1	1	1						
2	4	5	6	9	17	32	31	56	65	60	31	5				
			1	2			1	5	2		1					
	2		1	4	13	21	33	41	63	61	33	8	2	1		83
	1					1	3	3	1	1	1					
102	121	146	180	188	169	187	194	195	140	93	24	12	2	1		
10	12	14	10	12	10	6	5	4	2	1	3					
89	106	107	116	141	136	155	166	161	137	89	27	7	2		1	84
6	10	6	8	7	6	8		5	3	1	1	1			1	
	1	2	2	1	2	3	3	2	4	2						
						1				1						
	1	2				1	2	2	4	3	1	1				85
									1							

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
86a	Diseases of the ear:												
	Males—White	962	238	59	26	16	19	358	130	73	64	35	25
	Colored	61	19	6	2		1	28	6	5	4	2	1
	Females—White	748	185	49	25	28	20	307	100	79	32	19	13
	Colored	57	11	4		3		18	5	5	1	4	1
86b	Diseases of the mastoid process:												
	Males—White	745	100	36	25	19	21	201	120	60	46	39	31
	Colored	34	4	5	3	1	1	14	3	2		1	
	Females—White	528	82	28	14	12	19	155	87	68	27	16	21
	Colored	41	12	5	3		2	22	1	2		2	2
	IV.—Diseases of the circulatory system:												
	Males—White	111,336	434	96	65	73	95	763	579	746	932	835	881
	Colored	10,395	41	9	8	14	11	83	49	69	108	149	281
	Females—White	92,238	333	90	84	57	91	655	613	873	917	981	1,072
	Colored	9,149	30	19	11	14	8	82	52	70	131	225	334
87	Pericarditis:												
	Males—White	421	8		2	1	3	14	13	13	5	17	12
	Colored	62	1			1	1	3		1	5	2	4
	Females—White	323	9	7	4		4	24	17	7	7	8	5
	Colored	51				2		2	1		2	3	7
88	Endocarditis and myocarditis (acute):												
	Males—White	3,767	192	34	21	26	27	300	146	136	166	161	169
	Colored	516	15	2	2	7	1	27	14	16	20	18	46
	Females—White	3,289	141	39	25	23	21	249	173	173	209	241	209
	Colored	576	11	7	2		2	22	12	14	22	44	76
89	Angina pectoris:												
	Males—White	9,671	2				1	3	3	1	5	13	34
	Colored	336								1	2	5	9
	Females—White	4,439	1					1	2	1	4	9	18
	Colored	295	1	1	1			3			3	5	12
90	Other diseases of the heart:												
	Males—White	83,059	173	48	39	43	56	359	397	583	741	609	634
	Colored	8,439	21	6	6	6	9	48	34	49	79	114	200
	Females—White	73,910	147	34	48	30	61	320	411	683	686	698	799
	Colored	7,504	18	10	8	12	6	54	38	56	102	168	223
91a	Aneurysm:												
	Males—White	1,204				1		1	2		3	11	9
	Colored	300								1	1	2	15
	Females—White	378								1	5	3	6
	Colored	102										2	6
91b,c	Other diseases of the arteries:												
	Males—White	10,735							1			2	5
	Colored	596										1	2
	Females—White	8,260										3	1
	Colored	496									1		3
92	Embolism and thrombosis (not cerebral):												
	Males—White	2,023	19	1	1	1	2	24	5	9	7	16	11
	Colored	71	1					1				3	3
	Females—White	1,186	11	1	2		1	15	3	4	5	15	21
	Colored	54										3	2
93	Diseases of the veins:												
	Males—White	239	1	1			1	3	1	3	1	3	5
	Colored	19										1	1
	Females—White	277	1		1	2		4	2			3	9
	Colored	19											3
94	Diseases of the lymphatic system:												
	Males—White	95	31	12	2	1	4	50	9	1		1	
	Colored	12	1	1				2	1	1	1	2	1
	Females—White	86	22	9	2	2	2	37	3	3	1	1	2
	Colored	4		1				1	1				
95	Hemorrhage without specified cause:												
	Males—White	48	8				1	9	2		3		2
	Colored	13	2					2					
	Females—White	29	1		2		2	5	2	1			1
	Colored	11									1		2
96	Other diseases of the circulatory system:												
	Males—White	74									1	2	
	Colored	31										1	
	Females—White	61											1
	Colored	37											
	V.—Diseases of the respiratory system:												
	Males—White	44,580	8,272	2,183	986	536	337	12,314	933	474	797	881	1,003
	Colored	7,927	1,968	618	195	120	66	2,967	147	112	231	376	434
	Females—White	34,170	6,324	1,895	780	411	269	9,679	762	456	535	621	696
	Colored	5,758	1,588	531	190	101	44	2,454	130	108	224	280	283
97a	Diseases of the nasal fossae:												
	Males—White	79	26	3		1		30		2	1	3	4
	Colored	70	50	3		2		55	1	1	1	1	
	Females—White	50	20		3	1		24	2		1		
	Colored	55	34	5	2	2	1	44			1	3	
97b	Diseases of the nasal fossae annexa:												
	Males—White	334	10	7	1	1	2	21	14	24	28	25	26
	Colored	19	1					1	3	1	1	2	2
	Females—White	209	9	4	2		4	19	13	20	17	13	18
	Colored	20	3					3		3		4	2
98	Diseases of the larynx:												
	Males—White	224	37	25	29	15	14	120	35	2	2	1	2
	Colored	16	5	3		1		9				1	1
	Females—White	134	22	19	16	11	10	78	12	3	4		
	Colored	9	1	1	1	2		5	1				1
99a	Acute bronchitis:												
	Males—White	874	328	54	29	13	8	432	14	7	7	7	2
	Colored	110	53	13	3	3	2	74	3	1	3	2	3
	Females—White	926	300	43	11	13	8	375	11	3	4	4	5
	Colored	122	63	12	6	2		83	3		2	3	4

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
38	31	36	36	26	31	26	18	19	10	3	2	1				
3		1	4	2	1		1	1	1					1		
27	25	22	21	15	21	26	17	10	6	6	1				1	86a
4	4	2	2	5	3	1		1		1						
38	30	33	25	25	24	22	19	16	9	5		2				
3		2	2	2	1	1	1		1	1						
22	22	14	15	19	15	13	18	7	7	1		1				86b
2	5	1	2		1		1									
1,365	2,294	3,422	5,018	7,309	9,725	12,400	15,501	16,458	14,653	10,817	5,522	1,679	307	38	92	
384	612	855	1,101	1,200	1,122	1,053	924	805	668	446	263	88	40	39	56	
1,358	1,768	2,400	3,430	4,530	6,188	8,467	11,726	13,164	13,408	11,039	6,579	2,443	501	81	45	
466	619	793	932	1,015	847	822	736	641	481	415	194	129	60	69	36	
13	31	28	20	19	37	41	47	37	27	30	11	5			1	
3	9	2	7	6	3	3	4	6	1	1		1			1	
11	8	6	15	16	23	24	36	32	31	31	15	5	2			87
1	6	5	4	2	4	2	1	5	3	2	1					
231	334	469	179	200	216	255	229	212	167	126	48	18	3		2	
56	78	104	31	28	23	19	13	8	7	5	2				1	
222	247	307	127	126	130	143	188	165	175	113	63	24	4	1		88
63	96	94	38	22	25	14	10	7	9	3	3			2		
73	175	354	631	925	1,248	1,420	1,664	1,434	932	532	173	39	3		9	
17	25	37	47	56	38	20	27	25	15	6	4	1			1	
31	56	115	185	265	398	573	771	788	654	361	153	47	5	1	1	89
23	26	38	28	39	33	22	25	10	11	7	4	3		1	2	
979	1,558	2,286	3,725	5,442	7,265	9,431	11,799	12,584	11,166	8,015	4,028	1,168	198	25	67	
263	445	643	929	1,023	975	901	772	663	555	358	207	70	31	33	47	
1,033	1,388	1,829	2,907	3,847	5,205	7,086	9,694	10,759	10,801	8,648	4,967	1,729	337	45	38	90
350	464	610	811	896	739	721	634	543	404	327	140	102	43	49	30	
16	61	78	135	184	172	165	152	110	53	31	16	3		1	1	
33	34	45	54	37	28	19	21	6		2					2	
6	10	27	27	31	45	47	63	51	23	24	8	1				91a
12	17	15	12	9	8	8	3	4	1	2	2		1			
20	35	84	143	268	466	768	1,296	1,790	2,128	1,969	1,200	436	102	11	11	
3	7	10	18	31	44	77	74	87	87	72	49	16	9	6	3	91
9	5	30	75	135	244	419	745	1,187	1,553	1,745	1,315	611	145	33	5	b, c
6	4	14	23	34	27	47	53	65	49	71	41	24	16	17	1	
28	79	100	155	226	283	273	272	245	150	95	36	6	1	1	1	
5	10	10	8	10	8	4	5	2	1	1						
23	32	55	62	75	99	142	179	145	141	94	48	20	6	1	1	92
5	2	8	8	9	9	1	3			2	1				1	
5	16	16	19	27	23	29	22	29	17	12	6	2				
1	2	2	2	3	1	4	1	1								
14	19	23	23	30	38	26	33	18	16	10	5	3	1			93
1		2	2	1		2	1	4	2		1					
	3	1	3	4	4	5	5	6		1	2					
2	1			1												
4		5	2	3	3	4	4	4	4	4	1		1			94
1	1															
	2	3	5	8	2	2	2	2	2	2	1	1				
	1	1	2	1	1	1	2		1		1					
2	3	2	1		2	1	2	2		1	1	3				95
2	2	1		1			2									
		3	3	6	9	11	13	9	11	4	1	1				
1		1	3	4	1	5	5	7	1	1					1	
3		1	6	2	1	2	11	13	10	8	3					96
2	1	6	6	2	2	5	4	3	2	1	1				2	
1,320	1,958	2,275	2,351	2,571	2,581	2,834	2,986	2,914	2,656	2,056	1,136	415	85	15	25	
436	525	473	511	411	326	281	179	184	138	73	53	24	9	11	26	
785	972	950	1,140	1,271	1,488	1,837	2,454	2,768	2,811	2,509	1,574	666	159	18	19	
245	292	267	256	241	201	191	139	113	112	88	48	37	19	14	16	
2	1	5	2	1	1	2	3	3	4	11	3				1	
1			1	3		2			1	1				2		
	1	2	1	1	1	1	3		4	1	6	1	1			97a
	3			2		2										
34	31	41	17	22	16	14	13	6	1			1				
2	2	1			1			2		1						
20	13	14	13	21	9	3	5	6	3	2						97b
1	2	1		2									1		1	
4	4	8	5	8	6	5	7	5	1	5	3	1				
	1		1			1				1	1					
3	5	2	3	1	4	4	6	2	5	2						98
	2															
7	5	10	16	15	19	25	43	38	57	70	66	24	9	1		
1	5		2	4	3	1	1	1	2	2	2					
2	5	8	10	12	31	23	26	59	84	118	76	54	14	2		99a
4	1		2	3	2	4	2	3	2	1	1	1		1		

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	V.—Diseases of the respiratory system—Continued.												
99b	Chronic bronchitis:												
	Males—White	932	15	4	3			22	4	4	2	9	5
	Colored	63	4	1	3	3	1	12			1	2	2
	Females—White	970	17	4	1	1	2	25	2	5	6	11	11
	Colored	66	5	4				9		1	1	3	4
99c,d	Bronchitis (unspecified):												
	Males—White	550	170	27	13	7	2	219	4	3	1	2	1
	Colored	84	38	7	3	4	1	53	1	2	1	5	2
	Females—White	575	129	29	6	6		170	4	4	1	2	
	Colored	91	33	8	4	2		47	3	1	1	5	3
100a	Broncho-pneumonia:												
	Males—White	15,047	5,386	1,228	513	242	158	7,527	330	118	140	122	147
	Colored	2,485	1,137	348	99	59	32	1,675	46	16	38	50	40
	Females—White	12,999	4,062	1,071	400	185	114	5,832	276	125	110	107	133
	Colored	2,052	915	305	104	51	26	1,401	44	24	33	46	44
100b	Capillary bronchitis:												
	Males—White	299	153	35	15	6	3	212	4	1	1	2	1
	Colored	51	30	6	3	1		40	1		1	1	1
	Females—White	273	115	27	9	8	4	163	7	1		1	1
	Colored	56	30	7	2		1	40	1	1	1		2
101a	Lobar pneumonia:												
	Males—White	21,425	1,676	627	280	186	117	2,886	439	257	518	596	695
	Colored	4,002	384	166	63	34	24	671	68	68	154	268	340
	Females—White	14,586	1,284	570	253	145	96	2,348	331	237	310	377	437
	Colored	2,459	300	133	47	28	12	520	53	63	148	174	182
101b	Pneumonia (unspecified):												
	Males—White	1,219	303	70	46	22	16	457	35	18	44	24	25
	Colored	555	220	52	17	7	5	301	20	16	20	23	18
	Females—White	977	240	51	30	13	8	342	33	24	24	31	24
	Colored	472	184	42	18	10	1	255	18	7	17	23	19
102	Pleurisy:												
	Males—White	1,322	89	82	44	28	13	256	32	25	37	54	57
	Colored	171	12	10		3		25	3	2	5	10	14
	Females—White	829	66	60	31	21	16	194	49	22	31	39	30
	Colored	110	6	6	3		2	17	3	2	11	11	4
103	Congestion and hemorrhagic infarct of the lung:												
	Males—White	519	48	5	2	3	2	60	6	3	1	3	2
	Colored	55	14	2				16			1	1	
	Females—White	637	33	4	7		1	45	4	4	5	6	4
	Colored	43	4	1	1			6			1		
104	Gangrene of the lung:												
	Males—White	129		2	1			3	2	2	2	3	2
	Colored	12					1	1			1		1
	Females—White	47		1	1	1		3	2		5	6	3
	Colored	8									1		2
105	Asthma:												
	Males—White	843	12	6	6	7	1	32	9	3	2	11	13
	Colored	110	5	5	3	2		15		1		1	3
	Females—White	637	6	5	5	4	4	24	10	1	6	12	17
	Colored	110	3	2	2	2	1	10	1	1		4	5
106	Pulmonary emphysema:												
	Males—White	94	2	1				3	1		1	1	
	Colored	7	1			1		2					
	Females—White	45	2		2			4	1				
	Colored	6	2					2	1				
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males—White	690	17	7	4	5	1	34	4	5	10	18	21
	Colored	117	14	2	1			17	1	4	4	9	7
	Females—White	276	19	7	3	2	2	33	5	7	11	12	13
	Colored	79	5	5		2		12	2	5	7	4	11
	VI.—Diseases of the digestive system:												
	Males—White	40,840	8,689	2,136	864	565	382	12,636	1,177	919	1,073	1,010	1,198
	Colored	5,376	1,677	504	139	71	44	2,435	134	113	126	193	203
	Females—White	33,197	6,338	1,820	674	416	314	9,562	1,153	780	791	846	1,010
	Colored	4,641	1,259	427	133	54	38	1,911	137	107	148	222	255
108	Diseases of the mouth and annexa:												
	Males—White	369	29	6		4	4	43	24	11	19	8	16
	Colored	60	13	1	1	1		16	1		3	4	3
	Females—White	311	31	6	4	4	5	50	19	7	12	16	14
	Colored	51	6	1				7	2	2	2	1	5
109a	Adenoid vegetations:												
	Males—White	1		1				1					
	Colored												
	Females—White	2		1				1	1				
	Colored	1		1				1					
109b	Other diseases of the pharynx, tonsils:												
	Males—White	1,702	125	77	73	95	71	441	234	115	80	106	101
	Colored	192	24	13	9	7	9	62	16	10	11	16	14
	Females—White	1,640	63	56	72	71	61	323	257	115	110	96	105
	Colored	171	10	5	4	2	3	24	19	18	13	15	20
110	Diseases of the esophagus:												
	Males—White	69	4		1		1	6	2	1		1	
	Colored	4		1				1					
	Females—White	29	1	1		1		3	1	1	1		
	Colored	2											
111a	Ulcer of the stomach:												
	Males—White	2,894	7			1		8	5	3	22	47	105
	Colored	279	1			1		2	2	1	5	7	23
	Females—White	1,042	3		1		2	6	5	5	14	21	39
	Colored	156	1			1		2	1	1	5	4	11
111b	Ulcer of the duodenum:												
	Males—White	1,425	2			1	1	4	1	2	19	38	45
	Colored	60					1	1			1	4	9
	Females—White	365	3			1		4	1	2		12	15
	Colored	29									1		2
112	Other diseases of the stomach (cancer excepted):												
	Males—White	1,849	416	59	29	23	8	535	29	8	14	15	20
	Colored	541	113	31	9	2	4	159	8	11	3	12	21
	Females—White	1,426	302	56	36	13	8	415	18	15	9	20	15
	Colored	554	92	18	10	9	4	133	12	10	15	27	33

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
11	14	29	39	50	62	72	103	133	149	120	69	29	6			
3	4	4	2	4	6	3	5	6	3	3	1		2			
6	7	13	17	22	27	63	96	155	167	175	118	34	9	1		99b
5	5	2	2	1	3	5	3	8	5		3	2	4			
1	7	8	10	12	13	18	17	37	67	72	34	18	5	1		
	1	1	2	5	1		2	4	1		2		1			99
3	6	2	5	10	8	16	24	38	59	85	71	46	19	2		c, d
3	2	4	3		2	4	1	1	1	4	2	2	2			
199	309	346	358	470	500	635	779	840	833	751	425	176	32	3	7	
49	67	66	84	72	54	53	42	48	34	16	18	8	4	2	3	
158	184	186	226	270	365	478	690	929	988	953	641	265	68	7	8	100a
44	46	46	37	42	39	49	40	23	32	28	12	10	2	7	3	
3	1	2	3	7	2	6	7	10	10	11	7	8	1			
1			1	3			2									100b
2	2		4	3	4	5	9	17	17	19	12	6				
1		2	1	3	1			1	1						1	
928	1,362	1,572	1,558	1,662	1,621	1,706	1,673	1,486	1,223	744	356	113	14	5	11	
333	384	355	361	265	210	180	92	97	68	36	18	12	1	5	16	
478	634	612	733	801	891	1,077	1,360	1,309	1,156	860	432	169	25	2	7	101a
158	189	168	168	159	117	104	59	58	49	39	19	16	6	4	6	
21	39	40	46	50	50	54	52	65	62	67	48	12	5	1	4	
13	16	13	17	19	14	15	14	12	12	5	2	3	1		1	
21	25	17	20	29	31	43	40	57	64	68	49	22	9	1	3	101b
10	20	16	12	10	11	2	13	6	10	7	7	2	2	1	4	
64	85	83	100	99	92	85	82	62	60	34	9	4	1		1	
11	21	15	17	9	9	7	9	4	3	2	1				4	
43	38	38	40	30	46	40	55	46	46	28	11	2	1			102
9	9	8	6	3	9	5	8	2	2			1				
5	5	8	19	11	18	17	26	48	69	97	88	21	9	3		
4	2		3	4	4	6	1	3	3	1	3	1		1	1	
2	4	11	7	10	10	18	30	55	103	131	119	53	12	3	1	103
1	1	6	2	1	4	4	1		3	6	2	2	1	1	1	
5	12	17	15	13	14	10	12	8	4	2	3					
3	1	1	1		1	1			1							
1	5	4	3	2	2	2	3	3	1	1		1				104
1			2	1					1							
14	27	50	62	70	81	86	107	110	82	54	20	6	3		1	
5	8	6	11	14	9	8	8	4	9	4	3			1		
22	23	30	41	42	45	40	81	65	88	47	29	13	1			105
5	10	9	13	9	10	7	8	9	5	2	1	1				
	5		18	8	10	9	11	11	6	7	2	1				
1		2			1					1						
	1	2	3	3	2	5	6	4	4	4	6					106
			1	1		1										
22	51	56	83	73	76	90	51	52	28	11	3	1		1		
9	13	9	8	9	13	4	3	3	1		2				1	
24	19	9	14	14	12	19	20	23	22	15	4					107
3	2	5	7	4	3	4	4	2	1	1	1		1			
1,337	1,776	2,185	2,346	2,632	2,625	2,499	2,527	2,005	1,435	869	410	142	21	1	17	
199	282	253	344	289	228	187	125	89	61	42	41	6	8	3	15	
1,187	1,426	1,597	1,836	1,962	1,929	2,095	2,082	1,706	1,437	1,049	514	176	34	11	14	
222	286	263	260	223	140	133	91	73	57	42	30	15	7	6	13	
22	19	23	29	31	37	25	26	13	16	6	1					
4	1	4	2	3	5	4	3	2	2	1	1	1				
15	26	20	16	10	20	15	19	19	14	10	5	2	1		1	108
3	7	6	5	1	2	4	2					1		1		
																109a
83	95	85	73	63	50	47	48	34	22	16	6	3				
10	8	7	8	9	9	2	3	1	2	2	1		1			
88	78	72	63	84	63	50	50	28	24	20	10	2	1		1	109b
11	19	10	5	8	4	2			1	1	1					
1	3		6	4	6	3	15	9	5	4	2	1				
	1		2													
1	2	3	2	1	2	2	2	2	4	1		1				110
		1					1									
166	253	325	309	378	358	282	249	186	117	48	21	9	1	1	1	
27	39	37	39	27	22	22	10	7	2	3	3		1			
36	50	81	99	107	118	98	105	85	86	58	23	4		1	1	111a
13	18	22	23	21	9	7	7	5	4	1	1	1				
101	147	178	186	153	178	128	119	69	35	15	5	2				
7	5	8	7	7	4	1	3	3								
21	28	35	38	43	26	47	42	25	14	9	3					111b
4	7	5	2	2		1		3	1	1						
37	45	71	97	123	135	132	148	140	113	106	51	26	3		1	
23	42	36	59	49	38	22	13	11	14	3	11	1		2	3	
24	20	32	53	51	54	86	111	112	132	140	77	30	6	2	4	112
13	34	54	50	50	35	25	20	11	11	7	5	1	2	3	3	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VI.—Diseases of the digestive system—Continued.												
113	Diarrhea and enteritis (under 2 years):												
	Males—White	9,084	7,303	1,781				9,084					
	Colored	1,861	1,424	437				1,861					
	Females—White	7,032	5,488	1,544				7,032					
	Colored	1,479	1,092	387				1,479					
114	Diarrhea and enteritis (2 years and over):												
	Males—White	2,268			560	231	125	916	189	45	26	30	43
	Colored	413			100	41	19	160	27	9	8	12	16
	Females—White	2,352			445	185	103	733	155	42	24	36	40
	Colored	492			111	36	16	163	33	7	12	21	16
115	Ancylostomiasis:												
	Males—White	3	1		1			2	1				
	Colored	1											
	Females—White	5		1	1		1	3	1			1	
	Colored	1				1		1					
116	Diseases due to other intestinal parasites:												
	Males—White	24	1	9	4	2		16	4	1	2	1	
	Colored	24	4	1	2	3	2	12	9	1			
	Females—White	25	4	5	2	3		14	2	2	2	1	1
	Colored	19	6	1	5	1	2	15	4				
117	Appendicitis and typhlitis:												
	Males—White	7,692	42	61	89	135	115	442	498	627	747	589	598
	Colored	683	3	2	4	8	5	22	41	56	62	75	77
	Females—White	5,365	23	38	58	86	96	301	547	502	497	377	374
	Colored	513		2	1	1	7	11	48	41	60	68	64
118a	Hernia:												
	Males—White	1,958	78	20	7			105	5	4	7	23	27
	Colored	212	20	5	2	1		28	3		4	3	5
	Females—White	1,474	6	2			1	9	2	1		4	12
	Colored	73	3	1			1	5		1		2	1
118b	Intestinal obstruction:												
	Males—White	2,833	529	84	61	39	29	742	92	51	65	58	84
	Colored	340	56	10	8	3	3	80	13	10	16	20	8
	Females—White	2,823	298	76	25	25	15	439	49	32	39	82	110
	Colored	374	31	6	1	2	3	43	7	11	14	33	37
119	Other diseases of the intestines:												
	Males—White	493	42	7	5	7	2	63	18	7	7	16	12
	Colored	66	6	1	1			8	2	4	1	2	2
	Females—White	387	29	6	3	4	3	45	8	7	5	13	13
	Colored	96	6				1	7	2	2	1	12	13
120	Acute yellow atrophy of the liver:												
	Males—White	129	3				1	4		1	2	6	13
	Colored	13							1	1		3	
	Females—White	276	5	2		1	1	9	2	2	8	31	34
	Colored	26	1					1	1	1	5	3	4
121	Hydatid tumor of the liver:												
	Males—White	18											4
	Colored												
	Females—White	12											
	Colored												
122	Cirrhosis of the liver:												
	Males—White	4,508	6	5	2	2	4	19	14	9	16	14	38
	Colored	363	2		2	1		5	3	1	3	6	10
	Females—White	2,407	7	3	2	1	1	14	8	9	10	18	30
	Colored	213								3	2	8	8
123	Biliary calculi:												
	Males—White	1,028									1	4	8
	Colored	22								1		2	1
	Females—White	2,825								1	7	24	63
	Colored	76									1	3	7
124	Other diseases of the liver:												
	Males—White	1,608	20	4	8	8	6	46	18	11	22	23	53
	Colored	143	1	1		2		4	3	4	7	13	9
	Females—White	2,439	14	6	5	6	4	35	14	6	23	44	72
	Colored	173	3	4		1		8	2	2	5	13	11
125	Diseases of the pancreas:												
	Males—White	268	1		1	2	2	6			5	9	8
	Colored	14										1	3
	Females—White	288	1				1	2		1	2	9	21
	Colored	14								1		1	2
126	Peritonitis without specified cause:												
	Males—White	617	80	22	23	15	13	153	43	23	19	22	23
	Colored	85	10	1	1	1	1	14	5	4	2	12	2
	Females—White	671	60	17	20	15	12	124	63	30	28	42	52
	Colored	128	8	1	1		1	11	6	7	12	11	21
127	Other diseases of the digestive system (cancer and tuberculosis excepted):												
	Males—White												
	Colored												
	Females—White	1											
	Colored												
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males—White	49,496	293	72	59	69	42	535	191	224	274	335	463
	Colored	6,852	47	27	11	12	17	114	28	33	63	76	148
	Females—White	43,487	224	92	75	32	39	462	176	232	364	681	899
	Colored	6,498	24	16	6	13	7	66	32	38	109	218	359
128	Acute nephritis (including unspecified under 10 years):												
	Males—White	1,947	147	36	39	44	29	295	92	62	54	66	70
	Colored	529	30	21	5	8	11	75	18	14	18	18	27
	Females—White	1,502	103	44	39	19	24	229	95	58	48	69	64
	Colored	555	16	11	5	8	4	44	21	13	19	38	50
129	Chronic nephritis (including unspecified 10 years and over):												
	Males—White	40,333	5	10	10	18	8	51	79	149	193	230	330
	Colored	5,511	1	2	4	4	3	14	8	18	43	45	99
	Females—White	36,032	6	10	13	4	9	42	57	148	221	327	439
	Colored	4,820	1	1	1	3	1	7	10	18	49	90	142

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
																113
34	48	75	68	60	67	87	85	130	135	122	74	27	6		1	
9	15	18	27	21	18	14	10	13	6	8	14	2	4		2	
58	53	46	65	59	75	105	148	145	182	191	132	48	11	3	1	114
22	23	22	28	16	20	23	19	19	16	10	12	6	2	1	1	
											1					115
	1					1										
	2		1													116
576	591	619	576	550	417	325	247	170	69	32	17	1			1	
63	70	56	56	36	24	21	12	4	3		1				4	
373	382	352	365	338	327	226	181	122	54	27	18	1	1			117
53	55	29	28	32	6	5	3	3		2			1		4	
27	65	100	115	158	175	202	248	255	197	153	71	18	2		1	
9	19	12	21	19	21	18	13	15	10	5	4			1	2	
27	63	80	125	157	161	205	196	179	138	75	30	7	3			118a
5	7	4	9	12	7	9	3	2	4	1		1				
82	92	130	143	183	181	207	236	175	140	96	43	26	4		3	
13	29	19	21	36	22	17	12	8	3	9	2	1			1	
147	160	186	200	180	164	207	196	196	192	150	56	29	3	3	3	118b
43	45	33	26	30	11	13	9	7	7	1	1			1	2	
13	22	29	44	45	44	30	41	41	24	23	8	3	2		1	
7	6	4	9	5		5	5	1	3		1		1			
19	21	17	24	29	22	27	25	30	35	28	15	2	2			119
10	15	7	8	5	5	2		1		4	1	1				
5	14	8	13	4	13	11	15	7	7	5	1					
	1	2		1	2	2										
21	27	23	25	24	13	10	13	21	9	3	1					120
	2	1	1	1		4	1	1								
4	2	1	3	1	2			1								
1	2	1	3	2			3									121
85	177	295	394	531	570	618	667	508	343	136	57	12	1		4	
13	25	34	66	52	37	39	29	17	12	7	1	1	1		1	
55	106	147	191	227	255	309	319	289	222	123	49	20	3	1	2	122
11	17	26	33	19	20	18	13	8	8	8	5	3	1		2	
19	39	59	94	130	158	153	145	97	69	34	17	1				
1		2	2	2	2	5	3				1					
105	186	271	282	350	321	368	361	219	151	72	34	9			1	123
7	7	12	11	5	5	5	3	3	2	3	1				1	
47	99	129	132	158	170	190	171	121	103	64	33	12	2		4	
9	9	9	15	14	16	13	5	3	3	4	1				2	
126	156	165	209	239	242	281	266	204	154	124	58	18	3			124
15	22	16	21	15	12	12	5	9	2	2			1			
12	31	25	35	24	30	27	34	11	7	4						
3	3	1	1	1	1											
18	20	29	42	29	40	26	26	10	7	6						125
		3	2	1	2			1				1				
23	34	33	29	36	34	32	33	38	33	5	3	1				
1	8	4	9	7	7	1	4	4	1							
52	44	37	33	31	26	33	19	20	19	12	2	3				126
12	8	12	8	5	2	3	5		1	1	3			1		
				1												127
696	1,077	1,544	2,156	3,085	4,113	5,399	6,956	7,547	6,986	4,867	2,265	626	117	12	28	
187	344	488	559	822	707	734	724	640	487	342	188	91	21	25	31	
1,281	1,744	2,293	2,595	2,985	3,350	4,105	5,240	5,469	5,140	3,744	1,946	604	128	20	29	
426	582	707	638	692	566	507	412	386	295	204	113	55	31	34	28	
80	129	142	137	118	127	147	124	119	74	63	33	10	3		2	
29	47	43	43	61	36	39	22	14	10	5	7			2	1	
97	81	100	84	84	89	80	89	66	74	50	28	12	2	1	2	128
46	55	60	45	57	27	25	13	14	12	6	6	2		1	1	
534	848	1,244	1,844	2,711	3,528	4,604	5,771	6,202	5,688	3,896	1,810	497	91	9	24	
137	255	401	461	678	595	604	607	553	417	286	149	76	18	21	26	
624	916	1,361	1,740	2,405	2,888	3,732	4,888	5,203	4,894	3,587	1,831	565	122	19	23	129
217	344	475	485	581	503	456	382	357	277	192	96	53	30	33	23	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.												
130	Chyluria:												
	Males—White	2											
	Colored												
	Females—White	1											
	Colored												
131	Other diseases of the kidneys and annexa:												
	Males—White	1,174	92	21	9	6	5	133	17	10	23	23	34
	Colored	185	14	4	2		3	23	2		1	5	10
	Females—White	1,235	110	35	23	8	5	181	23	11	20	36	48
	Colored	150	6	3		2	2	13	1	1	6	13	13
132	Calculi of the urinary passages:												
	Males—White	486			1	1		2	1	1	2	5	12
	Colored	30										2	1
	Females—White	269	1					1		1	1	7	8
	Colored	11											2
133	Diseases of the bladder:												
	Males—White	505	5					5	1	1	1	3	4
	Colored	93	1					1		1			3
	Females—White	165	1	3			1	5		1		1	2
	Colored	28								1	2		1
134	Diseases of the urethra, etc.:												
	Males—White	210	1					1		1	1	5	7
	Colored	99										4	8
	Females—White	13	1					1					1
	Colored	2											1
135	Diseases of the prostate:												
	Males—White	4,753										2	4
	Colored	389										1	
136	Nonvenereal diseases of the male genital organs:												
	Males—White	81	39	5				44	1			1	2
	Colored	16	1					1			1	1	
137	Cysts, other benign tumors of the ovary:												
	Females—White	709								1	2	17	39
	Colored	64									1	7	8
138	Salpingitis and pelvic abscess (female):												
	Females—White	1,268	1					1	1	3	48	162	194
	Colored	348								3	28	50	77
139	Benign tumors of the uterus:												
	Females—White	1,593								1	5	11	46
	Colored	422										8	54
140	Nonpuerperal uterine hemorrhage:												
	Females—White	45								5	4	1	7
	Colored	10									1	2	3
141	Other diseases of the female genital organs:												
	Females—White	645				1		1		3	14	49	51
	Colored	84								2	3	10	8
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males—White	5	4					4					
	Colored												
	Females—White	10	1					1			1	1	
	Colored	4	1	1				2					
	VIII.—The puerperal state:												
	Females—White	10,563								9	933	2,059	2,335
	Colored	2,204								32	432	480	441
143	Accidents of pregnancy:												
	Females—White	1,002									51	150	229
	Colored	186								1	20	45	44
144	Puerperal hemorrhage:												
	Females—White	1,195								1	48	171	241
	Colored	174									9	18	36
145	Other accidents of labor:												
	Females—White	1,155								1	72	195	238
	Colored	296								3	47	59	72
146	Puerperal septicemia:												
	Females—White	4,064								2	397	905	982
	Colored	843								9	183	194	173
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females—White	524									33	76	118
	Colored	53									6	12	11
148	Puerperal albuminuria and convulsions:												
	Females—White	2,586								5	327	553	517
	Colored	636								18	164	151	99
149	Following childbirth (undefined):												
	Females—White	31									5	6	7
	Colored	14								1	3	1	5
150	Puerperal diseases of the breast:												
	Females—White	6										3	3
	Colored	2											1
	IX.—Diseases of the skin and of the cellular tissue:												
	Males—White	1,473	230	13	8	7	6	264	22	20	37	26	22
	Colored	144	15	2		1		18	5		1	7	6
	Females—White	1,102	169	15	10	5	7	206	15	20	39	34	28
	Colored	145	16					16	1		9	1	6
151	Gangrene:												
	Males—White	587	9	2		2	1	14	4	1	1	1	3
	Colored	70	2			1		3				4	2
	Females—White	414	6	8	4	1	3	22	4	4	1	6	1
	Colored	67	1					1	1		2		1
152	Furuncle:												
	Males—White	308	29	1		1	1	32	2	11	17	14	8
	Colored	15		1				1	1			1	1
	Females—White	165	30	2	2		1	35	1	4	14	11	12
	Colored	14	1					1					

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
									1	1						
						1										130
35	49	67	69	86	103	86	112	125	90	77	32	2	1			
10	15	20	9	13	11	16	11	8	11	12	5	3				
60	78	61	86	84	111	90	97	85	72	44	33	13	1		1	131
10	11	13	12	16	11	5	5	7	3	4	5		1			
31	29	41	34	41	55	67	58	48	27	22	9		1			
	3	2	5	5	4	1	3	2			1				1	
30	22	23	28	31	34	22	25	23	7	2	4					132
2	3		2		1					1						
6	4	10	14	9	30	28	50	65	93	85	70	19	5	2		
3	2	1	6	11	12	8	9	11	5	8	9	2			1	
5	5	13	4	11	10	8	12	13	22	18	26	7	1		1	133
1	1	2	3	4	1	4	1	2			4				1	
4	12	16	26	23	33	16	23	19	12	8	3					
6	17	10	16	13	7	6	5	1	4	1					1	
1	1	2		2	1		2		1		1					134
1																
5	5	18	30	97	230	449	811	966	999	713	307	98	16	1	2	
1	4	8	15	41	41	59	65	51	40	30	17	10	3	2	1	135
1	1	6	2		6	2	7	3	2	2	1					
1	1	3	4		1	1	2									136
56	104	105	63	75	56	54	40	36	29	17	10	4			1	
11	9	11	4	3	2	5		1	1		1					137
223	211	178	122	53	29	22	10	5	3		1	1	1			
56	58	40	21	4	7	1			1	1					1	138
109	239	351	380	182	77	63	53	22	23	21	8	2				
65	87	97	56	22	11	8	9	4							1	139
3	7	6	6	4			1				1					
	3						1									140
71	78	93	80	54	55	33	23	16	15	5	2		1		1	
16	10	9	10	5	3	3	1	1	1		1				1	141
					1											
																142
2	2		2								1					
1	1															
2,234	2,001	876	105	2	1										8	
341	312	134	22	2											8	
240	220	101	10												1	
40	23	10	3													143
283	297	137	16	1												
47	38	20	5	1												144
264	253	118	13												1	
50	43	16	5												1	145
841	657	243	31	1											5	
128	97	49	7												3	146
117	116	59	3		1										1	
6	11	6	1													147
486	450	216	32													
68	97	33	1	1											4	148
3	8	2														
2	2															149
	1															150
30	58	54	67	79	78	93	96	116	143	125	96	41	5	1		
4	3	10	7	10	19	7	10	7	8	7	6	4		2	3	
27	27	40	46	58	47	48	88	67	100	96	72	25	13	5	1	
4	4	9	12	13	15	12	12	7	6	7	3	2	1	5		
3	12	10	17	17	16	33	44	83	104	101	79	38	5	1		
2		3	3	6	10	4	7	4	5	6	5	3		1	2	
5	3	6	8	16	11	17	40	45	69	74	53	20	6	3		151
		3	4	4	9	8	7	5	6	6	3	1	1	5		
7	26	21	19	32	24	27	22	14	17	10	4	1				
		2	2	1	5	1										
6	10	10	9	11	14	5	10	4	6	1	1				1	152
2	1	4	1	3	1		1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	IX.—Diseases of the skin and of the cellular tissue—Continued.												
153	Acute abscess:												
	Males—White	314	66	6	4	4	4	84	14	4	16	9	8
	Colored	28	4	1				5	2		1	2	3
	Females—White	233	52	3	3	3	1	62	7	8	15	9	5
	Colored	30	8					8			6	1	1
154	Other diseases of the skin and annexa:												
	Males—White	264	126	4	4			134	2	4	3	2	3
	Colored	31	9					9	2				
	Females—White	290	81	2	1	1	2	87	3	4	9	8	10
	Colored	34	6					6			1		4
	X.—Diseases of the bones and of the organs of locomotion:												
	Males—White	746	42	17	18	18	15	110	86	90	59	24	25
	Colored	73	5	4	1		1	11	5	4	6	4	6
	Females—White	419	18	8	13	10	12	61	76	56	15	13	14
	Colored	36	2	3	1	1		7	1	3	2	3	2
155	Diseases of the bones (tuberculosis excepted):												
	Males—White	614	31	13	17	15	13	89	77	80	52	16	23
	Colored	48	3	2			1	6	4	3	4	3	2
	Females—White	327	13	6	10	9	12	50	69	49	14	11	9
	Colored	21		3	1	1		5	1	1	2	2	1
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males—White	114	9	4	1	3	2	19	9	9	7	6	2
	Colored	20	2	1	1			4		1	1	1	3
	Females—White	70	5	2	3	1		11	7	6		1	5
	Colored	12	2					2		2		1	1
157	Amputations:												
	Males—White	4								1		1	
	Colored	1											1
	Females—White	5										1	
158	Other diseases of the organs of locomotion:												
	Males—White	14	2					2				1	
	Colored	4		1				1	1		1		
	Females—White	17								1	1	1	
	Colored	3											
	XI.—Malformations:												
	Males—White	6,577	6,059	199	54	42	39	6,393	68	39	25	18	13
	Colored	297	263	10	4	3	3	283	7	2	4		1
	Females—White	5,200	4,755	154	53	34	27	5,023	71	39	21	20	7
	Colored	240	209	7	4	4	3	227	9	1	1	1	
159a	Congenital hydrocephalus:												
	Males—White	659	498	65	22	14	15	614	19	11	7	2	2
	Colored	49	31	4	2	3	2	42	2	1	3		1
	Females—White	618	516	39	14	6	4	579	21	11	2	4	
	Colored	30	18	2	3	2	2	27	3				
159b	Congenital malformations of the heart:												
	Males—White	3,808	3,568	85	23	17	13	3,706	38	24	14	10	5
	Colored	160	148	5	2		1	156	3	1			
	Females—White	2,782	2,544	81	24	20	14	2,683	37	21	15	12	4
	Colored	132	117	4	1	2		124	5	1	1		
159c	Other congenital malformations:												
	Males—White	2,110	1,993	49	9	11	11	2,073	11	4	4	6	6
	Colored	88	84	1				85	2		1		
	Females—White	1,800	1,695	34	15	8	9	1,761	13	7	4	4	3
	Colored	78	74	1			1	76	1			1	
	XII.—Early infancy:												
	Males—White	26,968	26,968					26,968					
	Colored	3,506	3,506					3,506					
	Females—White	19,431	19,431					19,431					
	Colored	2,822	2,822					2,822					
160	Congenital debility, icterus, sclerema:												
	Males—White	2,656	2,656					2,656					
	Colored	578	578					578					
	Females—White	1,819	1,819					1,819					
	Colored	461	461					461					
161a	Premature birth:												
	Males—White	16,705	16,705					16,705					
	Colored	2,191	2,191					2,191					
	Females—White	12,655	12,655					12,655					
	Colored	1,859	1,859					1,859					
161b	Injury at birth:												
	Males—White	5,644	5,644					5,644					
	Colored	400	400					400					
	Females—White	3,434	3,434					3,434					
	Colored	247	247					247					
162	Other diseases peculiar to early infancy:												
	Males—White	1,920	1,920					1,920					
	Colored	320	320					320					
	Females—White	1,482	1,482					1,482					
	Colored	235	235					235					
163	Lack of care:												
	Males—White	43	43					43					
	Colored	17	17					17					
	Females—White	41	41					41					
	Colored	20	20					20					
164	XIII.—Old age (senility):												
	Males—White	3,196											
	Colored	777											
	Females—White	4,207											
	Colored	878											

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
10	14	15	22	28	22	26	15	13	10	2		2				
1	2	4	2	3	1	1		1								
7	7	7	15	19	13	12	15	11	7	5	6	1	2			153
1	3	1	1	1	3	2	1	1								
10	6	8	9	2	16	7	15	6	12	12	13					
1	1	1			3	1	3	2	3	1	1	1		1	1	
9	7	17	14	12	9	14	23	7	18	16	12	4	5	2		154
1		1	6	5	2	2	3	1		1		1				
27	30	31	37	35	29	44	32	47	15	17	5	2			1	
4	4	6	6	3	3	3	5	1		2						
17	13	11	12	19	24	11	19	19	18	8	11	2				
2	6	1	1	3	1	1	2	1								
25	24	27	31	24	22	32	22	36	13	15	4	1			1	
1	3	4	5	3	3	2	3			2						
12	7	5	6	12	19	10	10	15	13	6	8	2				155
1	3	1		2		1	1									
2	6	4	6	9	6	9	6	10	1	2		1				
3	1	2				1	2	1								
4	6	5	4	7	3	1	5	2	1	1	1					156
1	1		1	1	1			1								
						2										
																157
			1				1	1	2							
				2	1	1	4	1	1		1					
			1													
1		1	1		2		3	1	2	1	2					158
	2						1									
2	10	5	1	3												
7	2	3	2	2	2		1									
1																
	1	1		2												
	1															159a
	6	4	1													
6	1		1	2												159b
1																
2	3			1												
1		3	1		2		1									159c
																160
																161a
																161b
																162
																163
				3	8	28	76	312	519	887	766	436	133	24	4	
				8	8	20	27	84	114	180	129	81	49	70	7	
				3	8	35	105	344	613	1,088	1,085	670	213	39	4	164
		1		5	6	14	27	95	100	140	126	138	62	157	7	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes:												
	Males—White	62,418	850	773	701	673	607	3,604	2,846	2,333	3,682	4,736	4,375
	Colored	8,642	200	121	94	92	78	585	286	313	694	1,025	1,111
	Females—White	22,632	677	559	484	484	474	2,678	1,415	684	975	1,109	1,007
	Colored	2,629	167	76	79	95	73	490	227	93	163	278	264
	Suicide:												
	Males—White	9,726								30	163	469	551
	Colored	323								2	10	27	52
	Females—White	2,929								20	132	268	298
	Colored	111								1	7	21	20
165	By poisons (gas or corrosives excepted)—												
	Males—White	468									9	24	36
	Colored	6										2	
	Females—White	266								3	16	32	30
	Colored	7										2	
166	By corrosive substances—												
	Males—White	677									15	40	60
	Colored	29									1	1	7
	Females—White	697								2	47	125	121
	Colored	35									2	8	9
167	By poisonous gas—												
	Males—White	1,391									18	57	87
	Colored	29									2	4	5
	Females—White	619									18	44	43
	Colored	15								1	3	1	2
168	By hanging or strangulation—												
	Males—White	1,878								11	27	53	57
	Colored	51								1		4	7
	Females—White	406								1		11	19
	Colored	9										2	1
169	By drowning—												
	Males—White	451									2	20	25
	Colored	24									1	2	4
	Females—White	232								4	9	6	12
	Colored	11									1	2	2
170	By firearms—												
	Males—White	3,852								18	88	246	244
	Colored	129								1	4	12	24
	Females—White	405								9	35	34	49
	Colored	16										4	3
171	By cutting or piercing instruments—												
	Males—White	611									1	7	22
	Colored	22										2	
	Females—White	107									2	5	7
	Colored	4										1	
172	By jumping from high places—												
	Males—White	224										10	11
	Colored	21											5
	Females—White	133									2	7	13
	Colored	9									1	1	1
173	By crushing—												
	Males—White	101								1	3	6	5
	Colored	7									2		
	Females—White	21										3	2
	Colored												
174	By other means—												
	Males—White	73										6	4
	Colored	5											
	Females—White	43								1	3	1	2
	Colored	5											2
	Homicide:												
	Males—White	3,460	76	8	6	6	7	103	33	37	163	390	548
	Colored	2,671	9	2	1	1	3	16	2	17	156	446	540
	Females—White	989	67	5	3	9	5	89	30	28	92	130	145
	Colored	652	8	1	1		1	11	2	12	66	165	141
197	By firearms—												
	Males—White	2,432	1	1		2	1	5	6	12	129	309	435
	Colored	1,836			1	1		2	2	11	114	313	387
	Females—White	440	5	2		4	1	12	8	10	45	52	60
	Colored	370	1					1	1	6	38	96	93
198	By cutting or piercing instruments—												
	Males—White	374	3	3	1		1	8	3	2	18	44	67
	Colored	584								5	30	116	125
	Females—White	86	2		1	1		4	1	2	3	7	13
	Colored	185							1	4	19	52	31
199	By other means—												
	Males—White	654	72	4	5	4	5	90	24	23	16	37	46
	Colored	251	9	2			3	14		1	12	17	28
	Females—White	463	60	3	2	4	4	73	21	16	44	71	72
	Colored	97	7	1	1		1	10		2	9	17	17
	Accidental, other, or undefined:												
	Males—White	49,232	774	765	695	667	600	3,501	2,813	2,266	3,356	3,877	3,276
	Colored	5,648	191	119	93	91	75	569	284	294	528	552	519
	Females—White	18,714	610	554	481	475	469	2,589	1,385	636	751	711	564
	Colored	1,866	159	75	78	95	72	479	225	80	90	92	103
175	Poisoning by food—												
	Males—White	267	23	15	22	13	10	83	18	14	5	5	9
	Colored	64	5	4	4			13	8	1	3	4	3
	Females—White	236	20	13	19	8	8	68	16	8	11	10	8
	Colored	61	6	3	5	1	1	16	8	3	2	5	
176	Poisoning by venomous animals—												
	Males—White	41	6	3	2	1	2	14	2	4	1	1	1
	Colored	3	2					2	1				
	Females—White	25	4	5			1	10	1	1	3	3	
	Colored	1											1
177	Other acute poisonings (gas excepted)—												
	Males—White	804	33	101	46	29	11	220	23	4	14	24	49
	Colored	121	4	26	8	11	6	55	6	1	5	4	7
	Females—White	463	15	62	40	27	12	156	7		14	47	28
	Colored	74	5	19	13	4	1	42	5		2	7	5

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
4,489	5,088	4,910	4,789	4,511	3,991	3,692	3,132	2,310	1,779	1,127	619	201	41	9	154	
969	950	676	574	419	277	215	149	94	75	58	25	12	5	9	121	
1,054	1,067	1,070	997	1,047	1,047	1,094	1,257	1,397	1,582	1,525	1,094	419	90	10	14	
214	170	151	110	89	74	67	45	54	39	33	25	11	6	13	13	
765	960	980	1,126	1,090	991	911	731	466	287	123	47	11	1	1	23	
48	43	35	25	28	19	12	10	8	2	1					1	
330	321	332	288	287	215	168	128	65	46	16	9	1			5	
19	17	8	10	3	3	2										
47	42	52	45	56	33	48	25	20	21	7	1				2	
1		1	1			1										
39	35	32	20	16	8	14	13	1	5	1	1					165
3	2															
77	83	66	72	63	62	62	40	27	6	3	1					
4	10	2	2	2												
98	71	70	46	39	30	25	11	8	2	2						166
7	7	1	1													
85	140	139	172	181	151	137	114	60	31	11	5				3	
4	2	3		2	2	2	3									
54	77	85	74	65	53	36	38	17	9	4	2					167
2	1	1	1	1	1	1										
103	169	210	243	208	202	199	160	114	62	30	19	3		1	7	
9	2	5	7	4	4	3	3	1		1						
31	31	42	60	70	43	32	32	16	11	2	4				1	168
		2	3			1										
29	48	46	49	46	53	36	38	34	15	6	3				1	
1	4	4	3	3			1	1								
19	24	26	21	27	17	23	15	13	9	3	2				2	169
3			1	2												
335	346	362	430	421	395	338	286	171	103	43	11	5	1		9	
22	15	13	9	10	8	4	2	4							1	
53	52	39	37	38	26	18	6	5	2						2	170
2	1	1	3		2											
41	72	65	75	71	66	62	47	25	40	12	2	2			1	
3	5	3	1	3	3			1	1							
6	8	18	11	15	17	6	5	2	3	2						171
1	1	1														
29	36	23	19	23	16	18	12	6	8	9	4					
3	3	2	1	3	1	1	1	1								
20	17	15	11	12	14	10	3	2	4	2		1				172
1	3	1	1													
13	16	8	10	10	8	7	6	6	1	1						
1	1	1		1		1										
5	1	2	2	2		2	2									173
6	8	9	11	11	5	4	3	3		1	1	1				
	1	1	1		1				1							
5	5	3	6	3	7	2	3	1	1							174
	2	1														
463	486	355	274	215	147	100	66	41	19	6	3	1			10	
454	397	244	158	86	48	45	18	4	7	3	2	1			27	
129	117	71	54	29	25	18	13	10	2	3	3	1				
107	60	42	23	5	4	6		1	1	1				1	4	
365	370	246	192	138	91	64	29	22	9	3		1			6	
299	276	172	102	59	33	31	9	1	3		1	1			20	
63	69	42	38	15	10	6	6	3				1				197
59	30	20	14	4	2	3		1							2	
45	61	41	21	20	13	7	11	7	2	2	1				1	
112	86	49	35	8	3	4	3		2	1					5	
13	11	12	5	2	5	3		3	1		1					198
37	20	10	4		2	3			1						1	
53	55	68	61	57	43	29	26	12	8	1	2				3	
43	35	23	21	19	12	10	6	3	2	2	1				2	
53	37	17	11	12	10	9	7	4	1	3	2					199
11	10	12	5	1						1				1	1	
3,261	3,642	3,575	3,389	3,206	2,853	2,681	2,335	1,803	1,473	998	569	189	40	8	121	
467	510	397	391	305	210	158	121	82	66	54	23	11	5	9	93	
595	629	667	655	731	807	908	1,116	1,322	1,534	1,506	1,082	417	90	10	9	
88	93	101	77	81	67	59	45	53	38	32	25	11	6	12	9	
7	14	12	17	13	19	15	8	12	7	6	2	1				
1	3	4	8	5	4	2	1		1	1				1	1	
12	15	14	7	9	9	9	11	13	8	6	2					175
4	5	5	4	3	1	3	1	1								
2	3	1	2	1		1	3	1	2	2						
1		1	1	1				1	1	1						176
51	52	90	75	58	49	37	30	10	9	5	3				1	
9	9	6	3	6	5	1	3	1								
39	46	32	31	18	11	13	8	6	5	1	1					177
4	2	3	1	1	1		1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued.												
	Accidental, other, or undefined—Con.												
178	Conflagration—												
	Males—White	705	20	29	28	25	24	126	56	27	23	29	38
	Colored	149	9	8	4	16	8	45	18	3	2	6	7
	Females—White	395	24	22	21	17	21	105	39	27	21	20	17
	Colored	114	9	6	9	12	4	40	19	4	2	9	7
179	Burns (conflagration excepted)—												
	Males—White	2,043	88	231	222	151	106	798	160	77	74	95	92
	Colored	405	36	42	37	28	24	167	25	11	16	17	28
	Females—White	2,332	54	160	198	191	205	808	334	76	62	87	66
	Colored	519	15	25	33	62	44	179	96	27	20	18	14
180	Mechanical suffocation—												
	Males—White	488	268	3	5	2	2	280	10	21	11	17	25
	Colored	98	69		1			70	2	3	3	1	1
	Females—White	270	240	5		1	1	247	3	3		1	1
	Colored	71	68	2	1			71					
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males—White	1,679	9	4	4		4	21	14	19	47	89	91
	Colored	94	1					1		1	4	11	9
	Females—White	631	7	5	4	7	2	25	7	8	22	33	35
	Colored	20	1					1				1	5
182	Drowning—												
	Males—White	4,889	17	120	86	52	55	330	460	579	689	541	321
	Colored	862	2	11	7	4	2	26	53	95	183	107	70
	Females—White	711	8	62	37	19	8	134	81	102	112	55	45
	Colored	101	4	8	5	1	2	20	7	14	13	6	7
183	Traumatism by firearms (except in war)—												
	Males—White	1,579	1	5	12	13	16	47	74	239	352	168	132
	Colored	405	1	4	6	6	1	18	18	47	71	70	50
	Females—White	186	2	6	4	5	7	24	35	23	18	8	15
	Colored	110			1	2	3	6	16	13	22	9	14
184	Traumatism by cutting or piercing instruments—												
	Males—White	378	9	7	5	8	1	30	25	22	17	17	16
	Colored	49							4	1	3	8	1
	Females—White	153	2	6	7	1	2	18	14	6	4	5	5
	Colored	22	2			1		3	1				2
185	Traumatism by fall—												
	Males—White	7,032	49	54	56	54	40	253	194	136	182	241	238
	Colored	409	18	5	5	1	1	30	19	16	14	20	33
	Females—White	6,224	47	53	31	31	21	183	62	44	29	26	33
	Colored	188	17	5	3	1	1	27	6	3	7	6	8
186a	Traumatism in mines—												
	Males—White	1,676								2	97	200	201
	Colored	99									3	7	18
	Females—White												
	Colored												
186b	Traumatism in quarries—												
	Males—White	109		1				1	2	3	9	8	8
	Colored	18									3	1	3
	Females—White	2							1				
	Colored												
187	Traumatism by machines—												
	Males—White	1,604		4	4	5	3	16	33	29	113	167	157
	Colored	175								8	20	26	21
	Females—White	67		1	4	4	4	13	7	2	4	6	4
	Colored	3											1
188a	Railroad accidents—												
	Males—White	4,812	9	18	12	10	14	63	99	141	303	439	418
	Colored	531	1	2	3	1	3	10	6	10	46	78	66
	Females—White	745	8	13	10	5	7	43	47	49	81	69	43
	Colored	54				1	1	2	3		3	7	7
	Collision with automobiles—												
	Males—White	1,081	8	8	3	9	8	36	38	31	100	139	105
	Colored	63	1				1	2	1		7	4	11
	Females—White	409	6	5	4	5	3	23	23	29	64	50	28
	Colored	20					1	1			2	3	4
	Other railroad accidents—												
	Males—White	3,731	1	10	9	1	6	27	61	110	203	300	313
	Colored	468		2	3	1	2	8	5	10	39	74	55
	Females—White	336	2	8	6		4	20	24	20	17	19	15
	Colored	34				1		1	3		1	4	3
188b	Street-car accidents—												
	Males—White	962	4	3	7	7	4	25	26	16	44	61	64
	Colored	87			1			1	1	3	3	10	11
	Females—White	318	2	8	9	5	6	30	13	9	16	19	16
	Colored	13				1		1	1			1	2
	Collision with automobiles—												
	Males—White	324	3	1		1	1	6	3	8	27	32	29
	Colored	17								1		3	4
	Females—White	102	1	1	1	1	2	6	2	3	10	13	12
	Colored	5										1	2
	Other street-car accidents—												
	Males—White	638	1	2	7	6	3	19	23	8	17	29	35
	Colored	70			1			1	1	2	3	7	7
	Females—White	216	1	7	8	4	4	24	11	6	6	6	4
	Colored	8				1		1	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)—												
	Males—White	13,135	47	62	113	232	257	711	1,353	669	934	1,167	886
	Colored	1,122	4	5	8	15	22	54	95	57	83	86	108
	Females—White	4,654	37	65	51	119	134	406	627	212	309	277	213
	Colored	326	3		4	8	12	27	52	7	12	16	28
188d	Airplane and balloon accidents—												
	Males—White	181							2	1	14	36	59
	Colored												
	Females—White	13									1	8	2
	Colored												

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
40	55	38	41	49	34	38	28	28	26	12	9	2			6	
11	11	1	7	4	9	5	3	4	4	4	2	1		1	1	178
24	23	16	17	17	10	12	13	8	13	7	6					
3	4	2	2	2	2		2	5	3	3	2		2	1		
96	104	87	90	57	55	56	63	33	38	35	23	5	2		3	
14	24	18	14	7	9	13	7	8	5	10	4	4	1	1	2	179
85	72	94	84	74	62	77	85	79	80	61	33	9	1	1	2	
13	12	20	13	16	9	14	14	15	9	11	11	2	1	4	1	
17	25	18	20	13	16	5	5	3		1	1					
3	4	3	4	1	2	1										180
	5	3		2	2	1		1		1						
100	167	156	168	179	186	166	98	80	53	33	8	2	2			
14	11	7	9	8	8	4	5			1			1			
25	40	35	37	50	49	62	56	41	44	37	18	6	1			181
1	2	2	2	1		1	1	1	1	1						
288	277	317	288	255	192	131	80	52	28	13	8		1		39	
65	58	43	38	26	18	12	10	6	7	7	2				36	182
28	33	25	17	14	19	13	11	8	6	4	1				3	
5	6	2	2	3	3	2		3						1	7	
97	100	90	73	60	52	36	25	17	7	3	3				4	
38	33	22	17	5	6	3	1		1	1					4	183
15	14	11	5	8	4	1	2	3								
9	11	2	2	2	2		1			1						
11	22	24	37	22	25	46	21	19	15	7	2					
5	2	6	5	4	1	2		2	2	2	1					184
5	9	11	11	8	17	7	12	9	6	3	3					
1	3	2	3	1	3	3										
318	387	451	452	492	469	493	522	519	578	536	369	154	34	5	9	
34	47	39	36	32	27	13	16	9	8	7	3	2		2	2	185
36	53	89	97	113	182	305	488	768	1,088	1,217	928	386	87	9	1	
6	5	10	7	12	15	12	9	12	13	11	7	6	1	5		
205	256	215	179	128	92	51	31	13	3						3	
13	17	17	11	6	3	3	1									186a
10	18	9	19	10	3	4	3	1	1							
4	1		2	1	2										1	186b
	1															
167	169	161	135	128	120	108	60	26	14		1					
17	14	23	11	16	8	6		1	1						3	187
3	2	5	3	4	3	3	2	3	1	1		1				
1		1														
413	508	462	445	397	292	280	235	141	91	33	18	3			31	
53	62	47	40	31	16	20	11	7	6	3	2		1		16	188a
49	52	41	56	47	46	40	29	26	15	9	3					
5	4	5	4	4	3	2	1	1	2	1						
100	115	83	81	73	60	39	39	22	12	4	2				2	
5	7	5	9	8	1		2			1						
25	34	30	24	25	22	13	11	4	1	3						
3	2		2	2	1											
313	393	379	364	324	232	241	196	119	79	29	16	3			29	
48	55	42	31	23	15	20	9	7	6	2	2		1		16	
24	18	11	32	22	24	27	18	22	14	6	3					
2	2	5	2	2	2	2	1	1	2	1						
85	77	78	81	85	82	68	53	44	37	22	9	4			1	
6	12	4	7	9	6	3	2	4	3		1	1				188b
13	15	17	18	21	27	28	26	15	26	6	3					
1	1	1	1	1	1				1		1					
49	34	30	25	20	23	15	8	7	4	2	2					
2	3	1	2			1										
10	9	8	7	3	7	4	4	2	1		1					
1				1												
36	43	48	56	65	59	53	45	37	33	20	7	4			1	
4	9	3	5	9	6	2	2	4	3		1	1				
3	6	9	11	18	20	24	22	13	25	6	2					
	1	1	1		1				1		1					
800	817	855	763	767	759	768	689	546	360	193	72	12		2	12	
87	109	86	91	77	45	40	39	20	20	8	4	3	1	2	7	188c
210	204	223	218	293	306	292	304	269	176	80	31	3			1	
26	25	31	24	26	9	15	11	10	3	1	1	1	1			
30	21	5	8	3											2	
		2														188

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued.												
	Accidental, other, or undefined—Con.												
188e, f	Injuries by other vehicles—												
	Males—White	990	4	4	8	15	11	42	78	58	88	90	47
	Colored	94	1	1	1	2		5	6	8	6	6	1
	Females—White	102	3	1	1	3	9	17	13	6	7	3	5
	Colored	11	1	1	3			5	1			1	
188g	Landslide, other crushing—												
	Males—White	551	1		2		1	4	19	7	31	44	63
	Colored	75	2					2	2	1	7	9	10
	Females—White	44	2	1	1		1	5	4	4	5		
	Colored	13							1	1			
189	Injuries by animals (not poisoning)—												
	Males—White	375	3	3	7	5	3	21	23	33	11	18	7
	Colored	44		1		2	1	4	3	6	5	2	
	Females—White	39	3	2	5	1	1	12	3				
	Colored	6	1					1	1				
190	Wounds of war—												
	Males—White	4											
	Colored	1											
192	Starvation (deprivation of food or water)—												
	Males—White	9		1				1					
	Colored	2											
	Females—White	4	1					1					
	Colored	1											
193	Excessive cold—												
	Males—White	164	1				1	2	2	1	5	2	2
	Colored	36	1					1	3		1		3
	Females—White	11	1			1		2					1
	Colored	10		1				1					
194	Excessive heat—												
	Males—White	309	21	1	2		1	25	1	2	6	11	7
	Colored	50	2			1		3			1	1	2
	Females—White	80	26	4	2			32	2	1		3	
	Colored	21	3					3		1		2	
195	Lightning—												
	Males—White	202	1					1	4	17	28	23	14
	Colored	31							1	6	5	2	
	Females—White	34					1	1	5	6	2	5	1
	Colored	18					1	1	2	2	3	1	
196	Other accidental electric shocks—												
	Males—White	817				1	2	3	12	15	75	153	135
	Colored	48		1				1	1	1	5	9	9
	Females—White	26				1	1	2		2		4	7
	Colored	1							1				
201	Fracture (cause not specified)—												
	Males—White	341	1	1	1			3	6	2	9	9	17
	Colored	53	2					2		1	2	3	1
	Females—White	198	1	1	1	1		4	3	1	3	4	1
	Colored	12	1					1					1
202	Other external violence—												
	Males—White	3,086	159	95	51	44	32	381	117	128	174	222	179
	Colored	523	31	9	8	4	7	59	12	14	34	64	57
	Females—White	751	103	59	36	28	17	243	61	46	27	18	18
	Colored	96	23	5	1	1	2	32	5	5	4	3	1
203	Violent deaths of unknown causation—												
	Males—White												
	Colored												
	Females—White												
	Colored												
	XV.—Ill-defined diseases:												
	Males—White	4,293	1,640	123	40	17	16	1,836	48	31	32	52	36
	Colored	3,691	1,607	175	46	36	16	1,880	59	42	56	88	61
	Females—White	2,925	1,167	103	32	16	17	1,335	45	31	35	48	44
	Colored	3,469	1,396	157	62	34	22	1,671	49	45	86	116	103
204	Sudden death:												
	Males—White	649	91	2	2		1	96	1	9	6	9	6
	Colored	297	59	4	1	3		67	2		6	9	7
	Females—White	362	72	7	1	1	1	82	1	4	6	8	3
	Colored	264	51	3	2		2	58	2	3	6	7	9
205a	Ill-defined:												
	Males—White	1,163	206	65	16	7	6	300	18	11	11	11	12
	Colored	647	164	58	11	8	3	244	14	12	5	12	11
	Females—White	733	164	52	13	5	5	239	15	11	12	10	14
	Colored	560	125	56	14	8	7	210	14	10	10	17	17
205b	Not specified or unknown:												
	Males—White	2,481	1,343	56	22	10	9	1,440	29	11	15	32	18
	Colored	2,747	1,384	113	34	25	13	1,569	43	30	45	67	43
	Females—White	1,830	931	44	18	10	11	1,014	29	16	17	30	27
	Colored	2,645	1,220	98	46	26	13	1,403	33	32	70	92	77

NOTE.—For States included see Table A, Part II.

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
40	46	49	55	64	61	70	67	60	51	20	4					188
7	8	2	9	15	5	5	3	4	1	1				1	1	
3	3	2	7	5	8	3	5	8	1	3	2				1	e, f
	1				2	1										
58	61	68	45	45	31	30	19	9	15	2						188g
10	8	8	6	4	5	1	1	1								
5	3	3	1	4	2	3	3	1	1							
	1	1	3	1	2	1	1				1					
19	16	21	21	30	31	33	39	25	19	4	4					189
2	4	4	2	3	4	2	2		1							
3		2	3	1	3	2	3	2	3		1	1				
	1			1			2									
2	2															190
1																
		1	1		1	1	1	1	1	1						192
		1	1													
						1		1		1						
							1									
2	14	10	18	15	16	11	20	19	14	7	3				1	193
	3	2	5	1		4	3	3	2	2				1	2	
1				1	1		3		1						1	
					2			2	2	2				1		
16	31	32	35	27	28	27	20	12	12	12	3	1		1		194
5	4	8	6	6	6	4	1	1	2							
3	2	3	4	2	3	4	5	3	4	5	4					
1	2		2	3	4	2						1				
19	18	19	11	15	16	3	5	4	1	3					1	195
2	3	2	1	2	2	2		2	1							
5	1	3	3		1						1					
2	1	2	2	2												
131	93	77	53	37	13	7	6	3	2			1			1	196
7	7	1	4	1	1										1	
1	1	3	2	1	2	1										
22	29	32	25	34	32	26	30	15	20	15	11	1	1		2	201
7	8	6	8	6	1		1			1	2				4	
3		2	2	6	7	6	19	27	30	44	29	6	1			
1	3				1			1	3		1					
215	260	197	232	222	179	170	174	110	69	33	16	3			5	202
52	48	37	46	29	17	12	11	9	1	6	2		1		12	
26	35	30	31	32	33	25	31	30	25	19	16	5				
5	4	12	5	2	7	3		2	1	1	1	1	1		1	
																203
56	68	127	163	182	228	240	339	319	258	142	78	23	9	1	25	
71	72	100	118	153	144	151	152	143	139	97	62	29	15	21	38	
58	61	64	63	76	107	122	190	160	177	155	84	44	5	5	16	
98	106	104	104	146	102	125	117	122	87	91	64	36	23	45	29	
7	8	22	33	39	57	58	83	99	60	40	12	2	1	1		204
7	8	16	24	20	23	30	22	19	19	7	5	3	2	1		
8	15	10	9	24	24	27	36	27	40	25	5	4	1		3	
12	15	17	12	19	15	20	19	20	7	7	5	2	2	1	6	
15	19	44	70	64	86	99	142	105	85	44	20	2	1		4	205a
24	16	26	30	46	44	41	31	32	22	21	10	2			4	
15	17	25	24	20	39	49	75	48	49	35	23	9	2	1	1	
21	17	23	29	27	23	40	22	26	16	18	3	9	1	3	4	
34	41	61	60	79	85	83	114	115	113	58	46	19	7		21	205b
40	48	58	64	87	77	80	99	92	98	69	47	24	13	20	34	
35	29	29	30	32	44	46	79	85	88	95	56	31	2	4	12	
65	74	64	63	100	64	65	76	76	64	66	56	25	20	41	19	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)						
BOTH SEXES						
All ages	1,107,878	969,239	138,639			
Adjusted rate				1,106.6	1,036.2	1,953.8
Crude rate				1,153.5	1,098.5	1,774.9
Under 1 year	128,441	107,834	20,607	6,468.1	5,937.2	12,155.4
1 to 4 years	45,216	37,340	7,876	547.7	492.6	1,165.9
Under 5 years	173,657	145,174	28,483	1,695.6	1,545.0	3,370.6
5 to 9 years	20,728	18,118	2,610	207.6	199.5	289.0
10 to 14 years	15,592	13,130	2,462	167.5	155.7	281.4
15 to 19 years	25,337	19,587	5,750	304.8	259.9	740.1
20 to 24 years	33,304	25,077	8,227	399.1	331.7	1,047.0
25 to 34 years	72,503	56,043	16,460	458.1	384.2	1,324.7
35 to 44 years	95,058	76,944	18,114	723.2	636.7	1,708.9
45 to 54 years	123,072	104,074	18,998	1,248.5	1,139.0	2,639.0
55 to 64 years	157,805	142,940	14,865	2,543.0	2,433.2	4,492.8
65 to 74 years	192,837	181,703	11,184	5,885.6	5,855.6	6,421.7
75 years and over	196,514	185,689	10,825	13,989.6	14,004.4	13,741.8
Unknown	1,421	760	661			
MALES						
All ages	599,659	526,732	72,927			
Adjusted rate				1,188.9	1,121.9	1,974.7
Crude rate				1,226.5	1,172.6	1,837.5
Under 1 year	73,183	61,780	11,403	7,283.1	6,714.7	13,453.0
1 to 4 years	24,318	20,123	4,195	581.7	523.8	1,238.5
Under 5 years	97,501	81,903	15,598	1,880.4	1,720.0	3,683.3
5 to 9 years	11,549	10,190	1,359	229.1	222.1	299.7
10 to 14 years	8,646	7,425	1,221	184.1	174.4	278.6
15 to 19 years	12,968	10,424	2,544	314.5	278.0	680.1
20 to 24 years	16,381	12,582	3,799	402.9	340.4	1,028.3
25 to 34 years	36,752	28,669	8,083	459.2	387.3	1,342.5
35 to 44 years	53,066	43,668	9,398	774.5	693.1	1,702.7
45 to 54 years	70,315	59,897	10,418	1,337.8	1,238.8	2,476.2
55 to 64 years	89,876	81,604	8,272	2,760.2	2,661.8	4,345.5
65 to 74 years	105,462	99,233	6,229	6,318.3	6,306.5	6,512.9
75 years and over	96,249	90,638	5,611	14,585.0	14,579.6	14,672.3
Unknown	894	499	395			
FEMALES						
All ages	508,219	442,507	65,712			
Adjusted rate				1,033.3	959.7	1,935.3
Crude rate				1,077.8	1,021.7	1,710.2
Under 1 year	55,258	46,054	9,204	5,633.2	5,139.0	10,857.9
1 to 4 years	20,898	17,217	3,681	512.8	460.5	1,093.0
Under 5 years	76,156	63,271	12,885	1,506.1	1,365.1	3,056.6
5 to 9 years	9,179	7,928	1,251	185.6	176.4	278.1
10 to 14 years	6,946	5,705	1,241	150.5	136.6	284.2
15 to 19 years	12,369	9,163	3,206	295.3	242.0	795.8
20 to 24 years	16,923	12,495	4,428	395.4	323.4	1,063.7
25 to 34 years	35,751	27,374	8,377	457.0	381.1	1,308.0
35 to 44 years	41,992	33,276	8,716	667.3	575.3	1,715.7
45 to 54 years	52,757	44,177	8,580	1,146.5	1,026.8	2,867.9
55 to 64 years	67,929	61,336	6,593	2,303.3	2,183.8	4,692.3
65 to 74 years	87,425	82,470	4,955	5,436.6	5,391.7	6,310.6
75 years and over	100,265	95,051	5,214	13,462.1	13,496.6	12,863.9
Unknown	527	261	266			
TYPHOID AND PARATYPHOID FEVER						
BOTH SEXES						
All ages	4,574	3,269	1,305			
Adjusted rate				4.8	3.7	16.5
Crude rate				4.8	3.7	16.7
Under 1 year	32	19	13	1.6	1.0	7.7
1 to 4 years	201	140	61	2.4	1.8	9.0
Under 5 years	233	159	74	2.3	1.7	8.8
5 to 9 years	329	200	129	3.3	2.2	14.3
10 to 14 years	468	315	153	5.0	3.7	17.5
15 to 19 years	745	493	252	9.0	6.5	32.4
20 to 24 years	666	449	217	8.0	5.9	27.6
25 to 34 years	740	534	206	4.7	3.7	16.6
35 to 44 years	527	416	111	4.0	3.4	10.5
45 to 54 years	431	340	91	4.4	3.7	12.6
55 to 64 years	239	204	35	3.9	3.5	10.6
65 to 74 years	144	122	22	4.4	3.9	12.6
75 years and over	45	34	11	3.2	2.6	14.0
Unknown	7	3	4			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TYPHOID AND PARATYPHOID FEVER—continued						
MALES						
All ages	2,631	1,929	702			
Adjusted rate				5.5	4.3	17.9
Crude rate				5.4	4.3	17.7
Under 1 year	20	12	8	2.0	1.3	9.4
1 to 4 years	117	83	34	2.8	2.2	10.0
Under 5 years	137	95	42	2.6	2.0	9.9
5 to 9 years	164	99	65	3.3	2.2	14.3
10 to 14 years	216	150	66	4.6	3.5	15.1
15 to 19 years	403	267	136	9.8	7.1	36.4
20 to 24 years	398	284	114	9.8	7.7	30.9
25 to 34 years	425	318	107	5.3	4.3	17.8
35 to 44 years	334	269	65	4.9	4.3	11.8
45 to 54 years	272	213	59	5.2	4.4	14.0
55 to 64 years	155	131	24	4.8	4.3	12.6
65 to 74 years	94	80	14	5.6	5.1	14.6
75 years and over	30	22	8	4.5	3.5	20.9
Unknown	3	1	2			
FEMALES						
All ages	1,943	1,340	603			
Adjusted rate				4.2	3.1	15.2
Crude rate				4.1	3.1	15.7
Under 1 year	12	7	5	1.2	0.8	5.9
1 to 4 years	84	57	27	2.1	1.5	8.0
Under 5 years	96	64	32	1.9	1.4	7.6
5 to 9 years	165	101	64	3.3	2.2	14.2
10 to 14 years	252	165	87	5.5	3.9	19.9
15 to 19 years	342	226	116	8.2	6.0	28.8
20 to 24 years	268	165	103	6.3	4.3	24.7
25 to 34 years	315	216	99	4.0	3.0	15.5
35 to 44 years	193	147	46	3.1	2.5	9.1
45 to 54 years	159	127	32	3.5	3.0	10.7
55 to 64 years	84	73	11	2.8	2.6	7.8
65 to 74 years	50	42	8	3.1	2.7	10.2
75 years and over	15	12	3	2.0	1.7	7.4
Unknown	4	2	2			
MEASLES						
BOTH SEXES						
All ages	3,667	3,237	430			
Adjusted rate				4.0	3.9	5.7
Crude rate				3.8	3.7	5.5
Under 1 year	870	756	114	43.8	41.6	67.2
1 to 4 years	1,816	1,609	207	22.0	21.2	30.6
Under 5 years	2,686	2,365	321	26.2	25.2	38.0
5 to 9 years	434	394	40	4.3	4.3	4.4
10 to 14 years	132	106	26	1.4	1.3	3.0
15 to 19 years	123	107	16	1.5	1.4	2.1
20 to 24 years	53	42	11	0.6	0.6	1.4
25 to 34 years	71	63	8	0.4	0.4	0.6
35 to 44 years	52	49	3	0.4	0.4	0.3
45 to 54 years	41	38	3	0.4	0.4	0.4
55 to 64 years	27	27		0.4	0.5	
65 to 74 years	25	24	1	0.8	0.8	0.6
75 years and over	19	19		1.4	1.4	
Unknown	4	3	1			
MALES						
All ages	1,881	1,650	231			
Adjusted rate				4.1	3.9	6.1
Crude rate				3.8	3.7	5.8
Under 1 year	466	405	61	46.4	44.0	72.0
1 to 4 years	943	823	120	22.6	21.4	35.4
Under 5 years	1,409	1,228	181	27.2	25.8	42.7
5 to 9 years	238	221	17	4.7	4.8	3.7
10 to 14 years	68	56	12	1.4	1.3	2.7
15 to 19 years	60	52	8	1.5	1.4	2.1
20 to 24 years	22	17	5	0.5	0.5	1.4
25 to 34 years	19	15	4	0.2	0.2	0.7
35 to 44 years	16	15	1	0.2	0.2	0.2
45 to 54 years	16	14	2	0.3	0.3	0.5
55 to 64 years	15	15		0.5	0.5	
65 to 74 years	9	9		0.5	0.6	
75 years and over	6	6		0.9	1.0	
Unknown	3	2	1			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
MEASLES—continued						
FEMALES						
All ages	1,786	1,587	199			
Adjusted rate				4.0	3.9	5.2
Crude rate				3.8	3.7	5.2
Under 1 year	404	351	53	41.2	39.2	62.5
1 to 4 years	873	786	87	21.4	21.0	25.8
Under 5 years	1,277	1,137	140	25.3	24.5	33.2
5 to 9 years	196	173	23	4.0	3.8	5.1
10 to 14 years	64	50	14	1.4	1.2	3.2
15 to 19 years	63	55	8	1.5	1.5	2.0
20 to 24 years	31	25	6	0.7	0.6	1.4
25 to 34 years	52	48	4	0.7	0.7	0.6
35 to 44 years	36	34	2	0.6	0.6	0.4
45 to 54 years	25	24	1	0.5	0.6	0.3
55 to 64 years	12	12		0.4	0.4	
65 to 74 years	16	15	1	1.0	1.0	1.3
75 years and over	13	13		1.7	1.8	
Unknown	1	1				
SCARLET FEVER						
BOTH SEXES						
All ages	2,228	2,174	54			
Adjusted rate				2.4	2.6	0.7
Crude rate				2.3	2.5	0.7
Under 1 year	102	96	6	5.1	5.3	3.5
1 to 4 years	854	837	17	10.3	11.0	2.5
Under 5 years	956	933	23	9.3	9.9	2.7
5 to 9 years	605	589	16	6.1	6.5	1.8
10 to 14 years	204	197	7	2.2	2.3	0.8
15 to 19 years	131	129	2	1.6	1.7	0.3
20 to 24 years	96	96		1.2	1.3	
25 to 34 years	122	119	3	0.8	0.8	0.2
35 to 44 years	65	62	3	0.5	0.5	0.3
45 to 54 years	30	30		0.3	0.3	
55 to 64 years	12	12		0.2	0.2	
65 to 74 years	6	6		0.2	0.2	
75 years and over	1	1		0.1	0.1	
Unknown						
MALES						
All ages	1,137	1,113	24			
Adjusted rate				2.5	2.6	0.6
Crude rate				2.3	2.5	0.6
Under 1 year	62	59	3	6.2	6.4	3.5
1 to 4 years	472	461	11	11.3	12.0	3.2
Under 5 years	534	520	14	10.3	10.9	3.3
5 to 9 years	327	321	6	6.5	7.0	1.3
10 to 14 years	90	88	2	1.9	2.1	0.5
15 to 19 years	58	57	1	1.4	1.5	0.3
20 to 24 years	31	31		0.8	0.8	
25 to 34 years	43	43		0.5	0.6	
35 to 44 years	29	28	1	0.4	0.4	0.2
45 to 54 years	16	16		0.3	0.3	
55 to 64 years	7	7		0.2	0.2	
65 to 74 years	2	2		0.1	0.1	
75 years and over						
Unknown						
FEMALES						
All ages	1,091	1,061	30			
Adjusted rate				2.4	2.6	0.7
Crude rate				2.3	2.4	0.8
Under 1 year	40	37	3	4.1	4.1	3.5
1 to 4 years	382	376	6	9.4	10.1	1.8
Under 5 years	422	413	9	8.3	8.9	2.1
5 to 9 years	278	268	10	5.6	6.0	2.2
10 to 14 years	114	109	5	2.5	2.6	1.1
15 to 19 years	73	72	1	1.7	1.9	0.2
20 to 24 years	65	65		1.5	1.7	
25 to 34 years	79	76	3	1.0	1.1	0.5
35 to 44 years	36	34	2	0.6	0.6	0.4
45 to 54 years	14	14		0.3	0.3	
55 to 64 years	5	5		0.2	0.2	
65 to 74 years	4	4		0.2	0.3	
75 years and over	1	1		0.1	0.1	
Unknown						

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
WHOOPING COUGH						
BOTH SEXES						
All ages	6,245	4,606	1,639			
Adjusted rate				7.0	5.6	22.0
Crude rate				6.5	5.2	21.0
Under 1 year	3,716	2,836	880	187.1	156.1	519.1
1 to 4 years	2,262	1,593	669	27.4	21.0	99.0
Under 5 years	5,978	4,429	1,549	58.4	47.1	183.3
5 to 9 years	193	128	65	1.9	1.4	7.2
10 to 14 years	31	21	10	0.3	0.2	1.1
15 to 19 years	12	6	6	0.1	0.1	0.8
20 to 24 years	5	2	3	0.1	(1)	0.4
25 to 34 years	9	8	1	0.1	0.1	0.1
35 to 44 years	4	2	2	(1)	(1)	0.2
45 to 54 years	1	1		(1)	(1)	
55 to 64 years	3	3		(1)	0.1	
65 to 74 years	2	2		0.1	0.1	
75 years and over	3	2	1	0.2	0.2	1.3
Unknown	4	2	2			
MALES						
All ages	3,009	2,198	811			
Adjusted rate				6.6	5.3	21.7
Crude rate				6.2	4.9	20.4
Under 1 year	1,886	1,442	444	187.7	156.7	523.8
1 to 4 years	1,005	688	317	24.0	17.9	93.6
Under 5 years	2,891	2,130	761	55.8	44.7	179.7
5 to 9 years	89	49	40	1.8	1.1	8.8
10 to 14 years	14	10	4	0.3	0.2	0.9
15 to 19 years	5	3	2	0.1	0.1	0.5
20 to 24 years	1		1	(1)		0.3
25 to 34 years	4	3	1	(1)	(1)	0.2
35 to 44 years	2	1	1	(1)	(1)	0.2
45 to 54 years						
55 to 64 years	1	1		(1)	(1)	
65 to 74 years						
75 years and over	1	1		0.2	0.2	
Unknown	1		1			
FEMALES						
All ages	3,236	2,408	828			
Adjusted rate				7.3	5.9	22.3
Crude rate				6.9	5.6	21.5
Under 1 year	1,830	1,394	436	186.6	155.6	514.3
1 to 4 years	1,257	905	352	30.8	24.2	104.5
Under 5 years	3,087	2,299	788	61.1	49.6	186.9
5 to 9 years	104	79	25	2.1	1.8	5.6
10 to 14 years	17	11	6	0.4	0.3	1.4
15 to 19 years	7	3	4	0.2	0.1	1.0
20 to 24 years	4	2	2	0.1	0.1	0.5
25 to 34 years	5	5		0.1	0.1	
35 to 44 years	2	1	1	(1)	(1)	0.2
45 to 54 years	1	1		(1)	(1)	
55 to 64 years	2	2		0.1	0.1	
65 to 74 years	2	2		0.1	0.1	
75 years and over	2	1	1	0.3	0.1	2.5
Unknown	3	2	1			
DIPHTHERIA						
BOTH SEXES						
All ages	7,454	6,920	534			
Adjusted rate				8.2	8.3	6.9
Crude rate				7.8	7.8	6.8
Under 1 year	438	368	70	22.1	20.3	41.3
1 to 4 years	3,728	3,472	256	45.2	45.8	37.9
Under 5 years	4,166	3,840	326	40.7	40.9	38.6
5 to 9 years	2,222	2,102	120	22.3	23.1	13.3
10 to 14 years	531	483	48	5.7	5.7	5.5
15 to 19 years	114	102	12	1.4	1.4	1.5
20 to 24 years	86	80	6	1.0	1.1	0.8
25 to 34 years	115	106	9	0.7	0.7	0.7
35 to 44 years	95	86	9	0.7	0.7	0.8
45 to 54 years	63	61	2	0.6	0.7	0.3
55 to 64 years	41	41		0.7	0.7	
65 to 74 years	13	12	1	0.4	0.4	0.6
75 years and over	6	5	1	0.4	0.4	1.3
Unknown	2	2				

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIPHTHERIA—continued						
MALES						
All ages	3,835	3,546	289			
Adjusted rate				8.3	8.4	7.5
Crude rate				7.8	7.9	7.3
Under 1 year	238	197	41	23.7	21.4	48.4
1 to 4 years	2,012	1,858	154	48.1	48.4	45.5
Under 5 years	2,250	2,055	195	43.4	43.2	46.0
5 to 9 years	1,122	1,066	56	22.3	23.2	12.4
10 to 14 years	255	232	23	5.4	5.4	5.2
15 to 19 years	55	52	3	1.3	1.4	0.8
20 to 24 years	38	35	3	0.9	0.9	0.8
25 to 34 years	33	30	3	0.4	0.4	0.5
35 to 44 years	34	32	2	0.5	0.5	0.4
45 to 54 years	23	21	2	0.4	0.4	0.5
55 to 64 years	15	15		0.5	0.5	
65 to 74 years	6	5	1	0.4	0.3	1.0
75 years and over	2	1	1	0.3	0.2	2.6
Unknown	2	2				
FEMALES						
All ages	3,619	3,374	245			
Adjusted rate				8.0	8.2	6.3
Crude rate				7.7	7.8	6.4
Under 1 year	200	171	29	20.4	19.1	34.2
1 to 4 years	1,716	1,614	102	42.1	43.2	30.3
Under 5 years	1,916	1,785	131	37.9	38.5	31.1
5 to 9 years	1,100	1,036	64	22.2	23.1	14.2
10 to 14 years	276	251	25	6.0	6.0	5.7
15 to 19 years	59	50	9	1.4	1.3	2.2
20 to 24 years	48	45	3	1.1	1.2	0.7
25 to 34 years	82	76	6	1.0	1.1	0.9
35 to 44 years	61	54	7	1.0	0.9	1.4
45 to 54 years	40	40		0.9	0.9	
55 to 64 years	26	26		0.9	0.9	
65 to 74 years	7	7		0.4	0.5	
75 years and over	4	4		0.5	0.6	
Unknown						
TUBERCULOSIS (ALL FORMS)						
BOTH SEXES						
All ages	77,306	59,507	17,799			
Adjusted rate				78.2	64.7	227.1
Crude rate				80.5	67.4	227.9
Under 1 year	1,118	853	265	56.3	47.0	156.3
1 to 4 years	2,386	1,750	636	28.9	23.1	94.2
Under 5 years	3,504	2,603	901	34.2	27.7	106.6
5 to 9 years	1,049	697	352	10.5	7.7	39.0
10 to 14 years	1,528	941	587	16.4	11.2	67.1
15 to 19 years	6,132	4,038	2,094	73.8	53.6	269.5
20 to 24 years	10,020	6,918	3,102	120.1	91.5	394.8
25 to 34 years	17,974	13,208	4,766	113.6	90.6	383.6
35 to 44 years	13,831	10,855	2,976	105.2	89.8	280.8
45 to 54 years	10,101	8,412	1,689	102.5	92.1	234.6
55 to 64 years	6,821	6,041	780	109.9	102.8	235.7
65 to 74 years	4,489	4,163	326	137.0	134.2	187.2
75 years and over	1,745	1,576	169	124.2	118.9	214.5
Unknown	112	55	57			
MALES						
All ages	41,057	32,231	8,826			
Adjusted rate				80.5	67.8	224.7
Crude rate				84.0	71.8	222.4
Under 1 year	587	455	132	58.4	49.5	155.7
1 to 4 years	1,234	909	325	29.5	23.7	95.9
Under 5 years	1,821	1,364	457	35.1	28.6	107.9
5 to 9 years	541	367	174	10.7	8.0	38.4
10 to 14 years	584	368	216	12.4	8.6	49.3
15 to 19 years	2,064	1,302	762	50.1	34.7	203.7
20 to 24 years	4,009	2,706	1,303	98.6	73.2	352.7
25 to 34 years	8,741	6,439	2,302	109.2	87.0	382.3
35 to 44 years	8,463	6,768	1,695	123.5	107.4	307.1
45 to 54 years	6,743	5,670	1,073	128.3	117.3	255.0
55 to 64 years	4,501	3,987	514	138.2	130.0	270.0
65 to 74 years	2,652	2,441	211	158.9	155.1	220.6
75 years and over	881	786	95	133.5	126.4	248.4
Unknown	57	33	24			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TUBERCULOSIS (ALL FORMS)—continued						
FEMALES						
All ages	36,249	27,276	8,973			
Adjusted rate				76.3	62.1	230.0
Crude rate				76.9	63.0	233.5
Under 1 year	531	398	133	54.1	44.4	156.9
1 to 4 years	1,152	841	311	28.3	22.5	92.3
Under 5 years	1,683	1,239	444	33.3	26.7	105.3
5 to 9 years	508	330	178	10.3	7.3	39.6
10 to 14 years	944	573	371	20.5	13.7	85.0
15 to 19 years	4,068	2,736	1,332	97.1	72.3	330.6
20 to 24 years	6,011	4,212	1,799	140.4	109.0	432.1
25 to 34 years	9,233	6,769	2,464	118.0	94.2	384.7
35 to 44 years	5,368	4,087	1,281	85.3	70.7	252.2
45 to 54 years	3,358	2,742	616	73.0	63.7	205.9
55 to 64 years	2,320	2,054	266	78.7	73.1	189.3
65 to 74 years	1,837	1,722	115	114.2	112.6	146.5
75 years and over	864	790	74	116.0	112.2	182.6
Unknown	55	22	33			
CANCER AND OTHER MALIGNANT TUMORS						
BOTH SEXES						
All ages	95,103	90,034	5,069			
Adjusted rate				93.2	93.8	80.6
Crude rate				99.0	102.0	64.9
Under 1 year	38	36	2	1.9	2.0	1.2
1 to 4 years	285	272	13	3.5	3.6	1.9
Under 5 years	323	308	15	3.2	3.3	1.8
5 to 9 years	187	177	10	1.9	1.9	1.1
10 to 14 years	187	178	9	2.0	2.1	1.0
15 to 19 years	334	305	29	4.0	4.0	3.7
20 to 24 years	427	377	50	5.1	5.0	6.4
25 to 34 years	2,562	2,208	354	16.2	16.1	28.5
35 to 44 years	8,120	7,210	910	61.8	59.7	85.9
45 to 54 years	16,781	15,416	1,365	170.2	168.7	189.6
55 to 64 years	24,296	23,157	1,139	391.5	394.2	344.2
65 to 74 years	25,665	24,898	767	783.1	802.4	440.4
75 years and over	16,143	15,742	401	1,149.2	1,187.2	509.1
Unknown	78	58	20			
MALES						
All ages	41,823	40,129	1,694			
Adjusted rate				79.7	81.7	48.1
Crude rate				85.5	89.3	42.7
Under 1 year	26	25	1	2.6	2.7	1.2
1 to 4 years	145	141	4	3.5	3.7	1.2
Under 5 years	171	166	5	3.3	3.5	1.2
5 to 9 years	111	106	5	2.2	2.3	1.1
10 to 14 years	95	91	4	2.0	2.1	0.9
15 to 19 years	192	180	12	4.7	4.8	3.2
20 to 24 years	212	194	18	5.2	5.2	4.9
25 to 34 years	839	765	74	10.5	10.3	12.3
35 to 44 years	2,516	2,320	196	36.7	36.8	35.5
45 to 54 years	6,169	5,748	421	117.4	118.9	100.1
55 to 64 years	11,117	10,671	446	341.4	348.1	234.3
65 to 74 years	12,791	12,448	343	766.3	791.1	358.6
75 years and over	7,575	7,411	164	1,147.9	1,192.1	428.8
Unknown	35	29	6			
FEMALES						
All ages	53,280	49,905	3,375			
Adjusted rate				105.4	104.7	109.6
Crude rate				113.0	115.2	87.8
Under 1 year	12	11	1	1.2	1.2	1.2
1 to 4 years	140	131	9	3.4	3.5	2.7
Under 5 years	152	142	10	3.0	3.1	2.4
5 to 9 years	76	71	5	1.5	1.6	1.1
10 to 14 years	92	87	5	2.0	2.1	1.1
15 to 19 years	142	125	17	3.4	3.3	4.2
20 to 24 years	215	183	32	5.0	4.7	7.7
25 to 34 years	1,723	1,443	280	22.0	20.1	43.7
35 to 44 years	5,604	4,890	714	89.1	84.5	140.5
45 to 54 years	10,612	9,668	944	230.6	224.7	315.5
55 to 64 years	13,179	12,486	693	446.9	444.5	493.2
65 to 74 years	12,874	12,450	424	800.6	814.0	540.0
75 years and over	8,568	8,331	237	1,150.4	1,182.9	584.7
Unknown	43	29	14			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIABETES MELLITUS						
BOTH SEXES						
All ages	17,549	16,503	1,046			
Adjusted rate				17.6	17.6	16.3
Crude rate				18.3	18.7	13.4
Under 1 year	17	14	3	0.9	0.8	1.8
1 to 4 years	105	102	3	1.3	1.3	0.4
Under 5 years	122	116	6	1.2	1.2	0.7
5 to 9 years	182	167	15	1.8	1.8	1.7
10 to 14 years	245	231	14	2.6	2.7	1.6
15 to 19 years	246	227	19	3.0	3.0	2.4
20 to 24 years	228	203	25	2.7	2.7	3.2
25 to 34 years	537	464	73	3.4	3.2	5.9
35 to 44 years	979	823	156	7.4	6.8	14.7
45 to 54 years	2,345	2,082	263	23.8	22.8	36.5
55 to 64 years	5,022	4,769	253	80.9	81.2	76.5
65 to 74 years	5,261	5,120	141	160.5	165.0	81.0
75 years and over	2,373	2,295	78	168.9	173.1	99.0
Unknown	9	6	3			
MALES						
All ages	7,064	6,640	424			
Adjusted rate				13.6	13.7	11.9
Crude rate				14.4	14.8	10.7
Under 1 year	10	9	1	1.0	1.0	1.2
1 to 4 years	44	43	1	1.1	1.1	0.3
Under 5 years	54	52	2	1.0	1.1	0.5
5 to 9 years	94	85	9	1.9	1.9	2.0
10 to 14 years	96	95	1	2.0	2.2	0.2
15 to 19 years	131	121	10	3.2	3.2	2.7
20 to 24 years	108	95	13	2.7	2.6	3.5
25 to 34 years	253	223	30	3.2	3.0	5.0
35 to 44 years	392	344	48	5.7	5.5	8.7
45 to 54 years	917	824	93	17.4	17.0	22.1
55 to 64 years	1,939	1,833	106	59.5	59.8	55.7
65 to 74 years	2,052	1,984	68	122.9	126.1	71.1
75 years and over	1,021	979	42	154.7	157.5	109.8
Unknown	7	5	2			
FEMALES						
All ages	10,485	9,863	622			
Adjusted rate				21.0	21.0	20.3
Crude rate				22.2	22.8	16.2
Under 1 year	7	5	2	0.7	0.6	2.4
1 to 4 years	61	59	2	1.5	1.6	0.6
Under 5 years	68	64	4	1.3	1.4	0.9
5 to 9 years	88	82	6	1.8	1.8	1.3
10 to 14 years	149	136	13	3.2	3.3	3.0
25 to 19 years	115	106	9	2.7	2.8	2.2
10 to 24 years	120	108	12	2.8	2.8	2.9
25 to 34 years	284	241	43	3.6	3.4	6.7
35 to 44 years	587	479	108	9.3	8.3	21.3
45 to 54 years	1,428	1,258	170	31.0	29.2	56.8
55 to 64 years	3,083	2,936	147	104.5	104.5	104.6
65 to 74 years	3,209	3,136	73	199.6	205.0	93.0
75 years and over	1,352	1,316	36	181.5	186.9	88.8
Unknown	2	1	1			
DIARRHEA AND ENTERITIS						
BOTH SEXES						
All ages	24,981	20,736	4,245			
Adjusted rate				27.4	24.7	58.0
Crude rate				26.0	23.5	54.3
Under 1 year	15,307	12,791	2,516	770.8	704.3	1,484.1
1 year	4,149	3,325	824	203.1	176.3	523.9
Under 2 years	19,456	16,116	3,340	482.9	435.3	1,022.0
2 to 4 years	1,972	1,649	323	31.7	29.0	62.3
5 to 9 years	404	344	60	4.0	3.8	6.6
10 to 14 years	103	87	16	1.1	1.0	1.8
15 to 44 years	707	513	194	1.5	1.2	5.0
45 to 64 years	753	586	167	4.7	3.9	15.9
65 years and over	1,581	1,439	142	33.8	32.5	56.1
Unknown	5	2	3			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIARRHEA AND ENTERITIS—continued						
MALES						
All ages	13,626	11,352	2,274			
Adjusted rate				29.6	26.8	61.2
Crude rate				27.9	25.3	57.3
Under 1 year	8,727	7,303	1,424	868.5	793.7	1,680.0
1 year	2,218	1,781	437	214.1	186.1	554.5
Under 2 years	10,945	9,084	1,861	536.3	483.9	1,137.7
2 to 4 years	1,076	916	160	34.2	31.8	61.6
5 to 9 years	216	189	27	4.3	4.1	6.0
10 to 14 years	54	45	9	1.1	1.1	2.1
15 to 44 years	334	256	78	1.4	1.2	4.1
45 to 64 years	362	282	80	4.3	3.6	13.1
65 years and over	636	579	57	27.3	26.4	42.6
Unknown	3	1	2			
FEMALES						
All ages	11,355	9,384	1,971			
Adjusted rate				25.1	22.5	54.5
Crude rate				24.1	21.7	51.3
Under 1 year	6,580	5,488	1,092	670.8	612.4	1,288.2
1 year	1,931	1,544	387	191.7	166.2	493.2
Under 2 years	8,511	7,032	1,479	428.1	385.3	906.1
2 to 4 years	896	733	163	29.2	26.1	63.1
5 to 9 years	188	155	33	3.8	3.4	7.3
10 to 14 years	49	42	7	1.1	1.0	1.6
15 to 44 years	373	257	116	1.7	1.2	5.9
45 to 64 years	391	304	87	5.2	4.3	19.8
65 years and over	945	860	85	40.2	38.5	71.4
Unknown	2	1	1			
ACUTE AND CHRONIC NEPHRITIS						
BOTH SEXES						
All ages	91,229	79,814	11,415			
Adjusted rate				88.2	82.2	174.2
Crude rate				95.0	90.5	146.1
Under 1 year	309	261	48	15.6	14.4	28.3
1 to 4 years	448	356	92	5.4	4.7	13.6
Under 5 years	757	617	140	7.4	6.6	16.6
5 to 9 years	380	323	57	3.8	3.6	6.3
10 to 14 years	480	417	63	5.2	4.9	7.2
15 to 19 years	645	516	129	7.8	6.8	16.6
20 to 24 years	883	692	191	10.6	9.2	24.3
25 to 34 years	2,985	2,238	747	18.9	15.3	60.1
35 to 44 years	6,501	4,821	1,680	49.5	39.9	158.5
45 to 54 years	11,534	9,123	2,411	117.0	99.8	334.9
55 to 64 years	17,480	15,195	2,285	281.7	258.7	690.6
65 to 74 years	24,424	22,462	1,962	745.3	723.9	1,126.6
75 years and over	25,058	23,359	1,699	1,783.9	1,761.7	2,156.8
Unknown	102	51	51			
MALES						
All ages	48,320	42,280	6,040			
Adjusted rate				93.4	87.4	174.7
Crude rate				98.8	94.1	152.2
Under 1 year	183	152	31	18.2	16.5	36.6
1 to 4 years	252	194	58	6.0	5.0	17.1
Under 5 years	435	346	89	8.4	7.3	21.0
5 to 9 years	197	171	26	3.9	3.7	5.7
10 to 14 years	243	211	32	5.2	5.0	7.3
15 to 19 years	308	247	61	7.5	6.6	16.3
20 to 24 years	359	296	63	8.8	8.0	17.1
25 to 34 years	1,306	1,014	292	16.3	13.7	48.5
35 to 44 years	3,109	2,363	746	45.4	37.5	135.2
45 to 54 years	6,053	4,810	1,243	115.2	99.5	295.4
55 to 64 years	9,680	8,406	1,274	297.3	274.2	669.3
65 to 74 years	13,412	12,216	1,196	803.5	776.4	1,250.5
75 years and over	13,165	12,174	991	1,994.9	1,958.3	2,591.4
Unknown	53	26	27			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	ACUTE AND CHRONIC NEPHRITIS—continued					
FEMALES						
All ages	42,909	37,534	5,375			
Adjusted rate				84.5	78.3	175.8
Crude rate				91.0	86.7	139.9
Under 1 year	126	109	17	12.8	12.2	20.1
1 to 4 years	196	162	34	4.8	4.3	10.1
Under 5 years	322	271	51	6.4	5.8	12.1
5 to 9 years	183	152	31	3.7	3.4	6.9
10 to 14 years	237	206	31	5.1	4.9	7.1
15 to 19 years	337	269	68	8.0	7.1	16.9
20 to 24 years	524	396	128	12.2	10.2	30.7
25 to 34 years	1,679	1,224	455	21.5	17.0	71.0
35 to 44 years	3,392	2,458	934	53.9	42.5	183.9
45 to 54 years	5,481	4,313	1,168	119.1	100.3	390.4
55 to 64 years	7,800	6,789	1,011	264.5	241.7	719.5
65 to 74 years	11,012	10,246	766	684.8	669.9	975.6
75 years and over	11,893	11,185	708	1,596.8	1,588.2	1,746.8
Unknown	49	25	24			
	PUERPERAL SEPTICEMIA [1]					
FEMALES						
All ages	4,907	4,064	843			
Adjusted rate				10.4	9.4	20.6
Crude rate				10.4	9.4	21.9
Under 15 years	11	2	9	0.1	(2)	0.7
15 to 19 years	580	397	183	13.8	10.5	45.4
20 to 24 years	1,099	905	194	25.7	23.4	46.6
25 to 29 years	1,155	982	173	27.7	25.8	47.7
30 to 34 years	969	841	128	26.5	24.9	46.1
35 to 39 years	754	657	97	22.0	21.0	33.1
40 to 44 years	292	243	49	10.2	9.2	22.8
45 years and over	39	32	7	0.4	0.3	1.3
Unknown	8	5	3			
	OTHER PUERPERAL CAUSES [1]					
FEMALES						
All ages	7,860	6,499	1,361			
Adjusted rate				16.5	14.8	33.3
Crude rate				16.7	15.0	35.4
Under 15 years	30	7	23	0.2	0.1	1.8
15 to 19 years	785	536	249	18.7	14.2	61.8
20 to 24 years	1,440	1,154	286	33.6	29.9	68.7
25 to 29 years	1,621	1,353	268	38.9	35.5	73.8
30 to 34 years	1,606	1,393	213	44.0	41.3	76.8
35 to 39 years	1,559	1,344	215	45.5	42.9	73.3
40 to 44 years	718	633	85	25.1	23.9	39.6
45 years and over	93	76	17	0.9	0.8	3.0
Unknown	8	3	5			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1927					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
	VIOLENT DEATHS (SUICIDE EXCEPTED)					
BOTH SEXES						
All ages	83,232	72,395	10,837			
Adjusted rate				82.3	77.4	137.5
Crude rate				86.7	82.1	138.7
Under 1 year	1,894	1,527	367	95.4	84.1	216.5
1 to 4 years	5,463	4,755	708	66.2	62.7	104.8
Under 5 years	7,357	6,282	1,075	71.8	66.9	127.2
5 to 9 years	4,774	4,261	513	47.8	46.9	56.8
10 to 14 years	3,370	2,967	403	36.2	35.2	46.1
15 to 19 years	5,202	4,362	840	62.6	57.9	108.1
20 to 24 years	6,363	5,108	1,255	76.2	67.6	159.7
25 to 34 years	11,400	8,981	2,419	72.0	61.6	194.7
35 to 44 years	11,386	9,542	1,844	86.6	79.0	174.0
45 to 54 years	9,679	8,553	1,126	98.2	93.6	156.4
55 to 64 years	8,136	7,539	597	131.1	128.3	180.4
65 to 74 years	7,030	6,706	324	214.5	216.1	186.0
75 years and over	8,262	7,954	308	588.2	599.9	391.0
Unknown	273	140	133			
MALES						
All ages	61,011	52,692	8,319			
Adjusted rate				122.1	114.1	212.7
Crude rate				124.8	117.3	209.6
Under 1 year	1,050	850	200	104.5	92.4	236.0
1 to 4 years	3,139	2,754	385	75.1	71.7	113.7
Under 5 years	4,189	3,604	585	80.8	75.7	138.1
5 to 9 years	3,132	2,846	286	62.1	62.0	63.1
10 to 14 years	2,614	2,303	311	55.7	54.1	71.0
15 to 19 years	4,203	3,519	684	101.9	93.8	182.9
20 to 24 years	5,265	4,267	998	129.5	115.4	270.1
25 to 34 years	9,528	7,548	1,980	119.0	102.0	328.9
35 to 44 years	9,606	8,058	1,548	140.2	127.9	280.5
45 to 54 years	8,024	7,084	940	152.7	146.5	223.4
55 to 64 years	6,242	5,781	461	191.7	188.6	242.2
65 to 74 years	4,470	4,245	225	267.8	269.8	235.3
75 years and over	3,487	3,306	181	528.4	531.8	473.3
Unknown	251	131	120			
FEMALES						
All ages	22,221	19,703	2,518			
Adjusted rate				45.6	43.3	68.8
Crude rate				47.1	45.5	65.5
Under 1 year	844	677	167	86.0	75.5	197.0
1 to 4 years	2,324	2,001	323	57.0	53.5	95.9
Under 5 years	3,168	2,678	490	62.7	57.8	116.2
5 to 9 years	1,642	1,415	227	33.2	31.5	50.5
10 to 14 years	756	664	92	16.4	15.9	21.1
15 to 19 years	999	843	156	23.8	22.3	38.7
20 to 24 years	1,098	841	257	25.7	21.8	61.7
25 to 34 years	1,872	1,433	439	23.9	19.9	68.5
35 to 44 years	1,780	1,484	296	28.3	25.7	58.3
45 to 54 years	1,655	1,469	186	36.0	34.1	62.2
55 to 64 years	1,894	1,758	136	64.2	62.6	96.8
65 to 74 years	2,360	2,461	99	159.2	160.9	126.1
75 years and over	4,775	4,648	127	641.1	660.0	313.3
Unknown	22	9	13			

[1] Rates computed on female population.

[2] Less than one-tenth of 1 per 100,000 population.

NOTE.—For States, see Table A, Part II.

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1927

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA																										
	Total	Registration States			Registration cities in nonregistration States	All registration cities	Alabama	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
		Total	Urban	Rural																							
	Page																										
Population, deaths, and rates by color; urban and rural	2	2	2	2	2	2	2	2	2	2	2	2	2	-----	2	2	2	2	2	2	2	2	2	2	2	2	2
Population, deaths, and rates for total and residents of large cities	-----	-----	-----	-----	-----	-----	4	-----	4	4	4	4	4	4	4	-----	4	4	4	4	4	4	4	4	4	4	4
Deaths for total and residents: Minor cities	-----	-----	-----	-----	-----	-----	6	6	6	6	6	6	-----	-----	6	6	6	6	6	6	6	6	6	6	6	6	6
Deaths for total and residents: Counties	-----	-----	-----	-----	-----	-----	8	8	8	9	9	9	9	-----	9	9	10	10	10	11	11	11	12	12	12	12	12
Deaths by cause in full detail	19	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by months; urban and rural	24	24	24	24	24	24	24	24	24	24	24	24	24	-----	24	24	24	24	24	24	24	24	24	24	24	24	24
Deaths by race and nativity of white; urban and rural	26	26	26	26	26	26	26	26	26	26	26	26	26	-----	26	26	26	26	26	26	26	26	26	26	26	26	26
Deaths by age and color; urban and rural	28	28	28	28	28	28	28	28	28	28	28	28	28	-----	28	28	28	28	28	30	30	30	30	30	30	30	30
Deaths by age, sex, race, and nativity of white	34	34	35	35	35	36	36	36	37	37	37	38	38	38	39	39	39	40	40	40	41	41	41	42	42	42	42
Deaths from important causes: Urban and rural	52	52	52	52	52	52	52	52	52	52	52	52	52	-----	52	52	52	52	54	54	54	54	54	54	54	54	54
Deaths from important causes: Cities	-----	-----	-----	-----	-----	-----	58	58	58	58	60	60	60	60	60	62	62	62	64	64	64	64	66	66	66	66	66
Deaths by cause; urban and rural	82	82	82	82	82	82	82	82	83	83	83	83	83	83	88	88	88	88	88	89	89	89	89	89	89	89	89
Deaths by cause; age, sex, and color	-----	106	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause for colored, by race and sex	-----	130	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause and age	133	-----	-----	-----	-----	-----	136	141	144	149	152	155	157	160	164	169	172	175	178	181	184	189	194	197	202	-----	-----
Deaths from important causes by age; large cities	-----	-----	-----	-----	-----	-----	286	-----	-----	286	288	288	289	289	-----	-----	291	291	292	292	293	293	-----	294	295	-----	-----
Deaths from important causes by months: Area and States	319	319	-----	-----	-----	-----	319	320	320	321	321	322	322	-----	322	323	323	324	324	324	325	325	326	326	327	-----	-----
Deaths from important causes by months: Large cities	-----	-----	-----	-----	-----	-----	338	-----	-----	338	340	340	341	341	-----	-----	343	343	344	344	345	345	-----	346	347	-----	-----
Death of infants from important cause: States	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	371	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Death of infants from important cause: Large cities	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	372	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SUBJECTS PRESENTED IN TABLES	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	New Hampshire	New Jersey	New York	North Carolina	North Dakota	Ohio	Oregon	Pennsylvania	Rhode Island	South Carolina	Tennessee	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
	Page																							
Population, deaths, and rates by color; urban and rural	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Population, deaths, and rates for total and residents of large cities	4	4	4	4	4	4	4	4	5	5	-----	5	5	5	5	5	5	5	-----	5	5	5	5	-----
Deaths for total and residents: Minor cities	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	8	8	8	8	8	8	8	8
Deaths for total and residents: Counties	12	12	13	13	14	14	14	14	14	14	15	15	16	16	16	16	16	17	17	17	17	18	18	18
Deaths by months; urban and rural	24	24	24	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
Deaths by race and nativity of white; urban and rural	26	26	26	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
Deaths by age and color; urban and rural	30	30	30	30	30	30	30	30	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
Deaths by age, sex, race, and nativity of white	42	43	43	43	44	44	44	45	45	45	46	46	46	47	47	47	48	48	48	49	49	49	50	50
Deaths from important causes: Urban and rural	54	54	54	54	54	54	54	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	58	58
Deaths from important causes: Cities	68	68	68	68	70	70	70	70	72	72	74	74	76	76	78	78	78	78	80	80	80	80	80	80
Deaths by cause; urban and rural	94	94	94	94	94	95	95	95	95	95	95	95	95	100	100	100	100	101	101	101	101	101	101	101
Deaths by cause and age	205	208	211	216	219	222	225	228	231	234	239	241	244	247	250	253	258	263	266	269	273	276	279	282
Deaths from important causes by age; large cities	297	298	-----	299	-----	300	-----	300	302	-----	-----	307	310	310	312	-----	312	315	-----	316	317	-----	318	-----
Deaths from important causes by months: Area and States	327	328	328	329	329	329	330	330	330	331	331	332	332	332	333	333	334	334	335	335	336	336	336	337
Deaths from important causes by months: Large cities	349	350	-----	351	-----	352	-----	352	354	-----	-----	359	362	362	364	-----	364	367	-----	368	369	-----	370	-----
Deaths of infants from important causes: States	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	371	-----	-----	-----	-----	-----	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Abscess, acute, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Absorption of irrespirable, irritating, or poisonous gas (accidental or suicidal), deaths from, 21, 86; by age, 124, 126, 135, 412, 414; by color, 124, 126, 132, 412, 414; by sex, 124, 126, 132, 412, 414; in urban and rural districts, 86.
—— death rate, 21.
Accidental or undefined (total), deaths from, 21, 86; by age, 126, 135, 412; by color, 126, 132, 412; by sex, 126, 132, 412; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Acute anterior poliomyelitis, deaths from, 19, 82; by age, 106, 133, 394; by color, 106, 130, 394; by sex, 106, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Acute yellow atrophy of the liver, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 84.
—— death rate, 20.
Addison's disease. *See* Adrenals.
Adenoid vegetations, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Adjusted death rates. *See* Death rates.
Adrenals (Addison's disease), diseases of, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Airplane and balloon accidents, deaths from, 21, 86; by age, 128, 136, 414; by color, 128, 132, 414; by sex, 128, 132, 414; in urban and rural districts, 86.
—— death rate, 21.
Alcoholism (acute or chronic), deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Amputations, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Ancylostomiasis, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 131, 406; by sex 118, 131, 406; in urban and rural districts, 84.
—— death rate, 20.
Anemia, chlorosis, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Aneurysm, deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Angina pectoris, deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Animals (not poisoning), injuries by, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Anthrax, deaths from, 19, 82; by age, 108, 133, 394; by color, 108, 130, 394; by sex, 108, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Apoplexy. *See* Cerebral hemorrhage.
Appendicitis and typhlitis, deaths from, 20, 53, 84; by age, 118, 134, 406; by color, 53, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 53, 84.
—— death rate, 20.
Arsenic poisoning (suicidal), deaths from, 21.
—— death rate, 21.
Arteries, diseases of, deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Arteriosclerosis, deaths from, 20.
—— death rate, 20.
Asiatic cholera, no deaths in 1927.
Asthma, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Automobile accidents (excluding collision with railroad trains and street cars), deaths from, 21, 53, 86; by age, 128, 136, 414; by color, 53, 128, 132, 414; by sex, 128, 132, 414; by month of death, 319; in urban and rural districts, 53, 86.
—— death rate, 21.
Automobile collisions contributory to railroad accidents or to street-car accidents. *See* Railroad train and automobile collisions or street-car and automobile collisions.

Balloon accidents. *See* Airplane and balloon accidents.
Beriberi, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Biliary calculi, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 84.
—— death rate, 20.
Birth, injury at. *See* Injury at birth.
Bladder, diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; by sex, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Bones (tuberculosis excepted), diseases of, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86; in detail, 20.
—— death rate, 20.
Botulism, deaths from, 21.
—— death rate, 21.
Breast (cancer excepted), nonpuerperal diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; by sex, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Bronchitis (all forms), deaths from, 20, 53, 84; by age, 116, 134, 402; by color, 53, 116, 131, 402; by sex, 116, 131, 402; by month of death, 319; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20.
Broncho-pneumonia, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; by month of death, 319; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Bubonic plague, no deaths in 1927.
—— death rate, 19.
Burns (conflagration excepted), deaths from, 21, 86; by age, 126, 135, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.

Calculi of the urinary passages, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; by sex, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Cancer or its principal forms, deaths from, 19, 52, 82; by age, 110, 133, 396, 420; by color, 52, 110, 130, 396, 420; by sex, 110, 130, 396, 420; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19, 420.
Capillary bronchitis, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Carbolic acid poisoning (accidental or suicidal), deaths from, 21.
—— death rate, 21.
Causes of death, 19, 52, 82; by age, 106, 133, 392, 418; by color, 52, 106, 130, 392, 418; by sex, 106, 130, 392, 418; by month of death, 319; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19, 418.
Cerebral embolism and thrombosis, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 131, 400; by sex, 112, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Cerebral hemorrhage, apoplexy, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Cerebral hemorrhage and softening, deaths from, 53; by color, 53; by month of death, 319; in urban and rural districts, 53.
Cerebrospinal meningitis (nonepidemic), deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82.
—— death rate, 19.
Cestodes, deaths from, 20.
—— death rate, 20.
Chicken pox, deaths from, 19.
—— death rate, 19.
Childbirth. *See* Puerperal state, the.
Children under 1 year of age, deaths of, 28, 34, 106, 133, 371, 392; by cause, 106, 133, 286, 371, 392, 418; by color, 28, 34, 106, 392, 418; by sex, 34, 106, 392, 418; in urban and rural districts, 28.
—— death rate, 418.
Chinese population, deaths of, 26, 34, 130; by age, 34; by cause, 130; by sex, 34, 130; in urban and rural districts, 26.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, deaths from, 19, 82; by age, 106, 133, 392; by color, 106, 130, 392; by sex, 106, 130, 392; in urban and rural districts, 82.
—— death rate, 19.
Chorea, deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Chyluria, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; by sex, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.

Circulatory system, diseases of, deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Cirrhosis of the liver, deaths from, 20, 53, 84; by age, 118, 134, 406; by color, 53, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 53, 84; in detail, 20; alcoholic, 20.
—— death rate, 20; alcoholic death rate, 20.
Coccidia, deaths from, 20.
—— death rate, 20.
Cold, excessive, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Colored population, 2; deaths of, 2, 26, 34, 52, 130; by age, 28, 34, 106, 392, 418; by cause, 52, 106, 130, 392, 418; by sex, 34, 106, 130, 392, 418; in urban and rural districts, 2, 26, 28, 52.
—— death rate, 2, 418.
Conflagration, deaths from, 21, 86; by age, 126, 135, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86.
—— death rate, 21.
Congenital debility, icterus, sclerema, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Congenital malformations and diseases of early infancy, deaths from, 20, 53, 86; by age, 122, 135, 410; by color, 53, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 53, 86; in detail, 20.
—— death rate, 20.
Congenital malformations of the heart, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Congestion and hemorrhagic infarct of the lung, deaths from 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Convulsions (nonpuerperal), deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Corrosive sublimate poisoning (suicidal), deaths from, 21.
—— death rate, 21.
Corrosive substances (suicide), deaths from, 21, 86; by age, 124, 135, 412; by color, 124, 132, 412; by sex, 124, 132, 412; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Crushing (accidental or suicidal), deaths from, 21, 86; by age, 124, 128, 135, 136, 412, 416; by color, 124, 128, 132, 412, 416; by sex, 124, 128, 132, 412, 416; in urban and rural districts, 86.
—— death rate, 21.
Cutting or piercing instruments (accidental, homicidal, or suicidal), traumatism by, deaths from, 21, 86; by age, 124, 126, 135, 136, 412, 414; by color, 124, 126, 132, 412, 414; by sex, 124, 126, 132, 412, 414; in urban and rural districts, 86.
—— death rate, 21.
Cysts and other benign tumors of the ovary, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.

Death rates, 2, 19; by cause, 19, 418; specific and adjusted death rates, causes, 418.
Debility, congenital. *See* Congenital debility, etc.
Diabetes mellitus, deaths from, 19, 53, 82; by age, 110, 133, 398, 421; by color, 53, 110, 130, 398, 421; by sex, 110, 130, 398, 421; by month of death, 319; in urban and rural districts, 53, 82.
—— death rate, 19, 421.
Diarrhea and enteritis, deaths from, 20, 53, 84; by age, 118, 134, 406, 421; by color, 53, 118, 131, 406, 421; by sex, 118, 131, 406, 421; by month of death, 319; in urban and rural districts, 53, 84.
—— death rate, 20, 421.
Digestive system, diseases of, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Diphtheria, deaths from, 19, 52, 82; by age, 106, 133, 392, 419; by color, 52, 106, 130, 392, 419; by sex, 106, 130, 392, 419; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19, 419.
Drowning (accidental or suicidal), deaths from, 21, 86; by age, 124, 126, 135, 136, 412, 414; by color, 124, 126, 132, 412, 414; by sex, 124, 126, 132, 412, 414; in urban and rural districts, 86.
—— death rate, 21.
Duodenum. *See* Stomach and duodenum, diseases of.
Dysentery, deaths from, 19, 82; by age, 106, 133, 392; by color, 106, 130, 392; by sex, 106, 130, 392; by month of death, 319; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.

Ear, diseases of, deaths from, 19, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 19.
Early infancy, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86; in detail, 20.
—— death rate, 20.
Electric shocks (accidental), deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Embolism and thrombosis (not cerebral), deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Embolism, cerebral. *See* Cerebral embolism and thrombosis.
Emphysema, pulmonary, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Encephalitis, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82.
—— death rate, 19.
Encephalitis, lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute), deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Erysipelas, deaths from, 19, 52, 82; by age, 106, 133, 394; by color, 52, 106, 130, 394; by sex, 106, 130, 394; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19.
Esophagus, diseases of, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Eye and annexa, diseases of, deaths from, 19, 84; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 84.
—— death rate, 19.

Fall, traumatism by, deaths from, 21,86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Female genital organs, diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Firearms (wounds of war excepted) (accidental, homicidal, or suicidal), traumatism by, deaths from, 21, 86; by age, 124, 126, 135, 136, 412, 414; by color, 124, 126, 132, 412, 414; by sex, 124, 126, 132, 412, 414; in urban and rural districts, 86.
—— death rate, 21.
Foreign-born white population, deaths of, 26; by age and sex, 34; in urban and rural districts, 26.
Fracture (cause not specified), deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Furuncle, deaths from, 20, 86; by age, 122, 135, 408; by color, 122, 132, 408; by sex, 122, 132, 408; in urban and rural districts, 86.
—— death rate, 20.

Gangrene, deaths from, 20, 86; by age, 122, 135, 408; by color, 122, 132, 408; by sex, 122, 132, 408; in urban and rural districts, 86.
—— death rate, 20.
Gangrene of the lung, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
General paralysis of the insane, deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 20, 84; by age, 120, 135, 406; by color, 120, 131, 406; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
German measles, deaths from, 19.
—— death rate, 19.

Glanders, deaths from, 19, 82; by age, 108, 133, 394; by color, 108, 130, 394; by sex, 108, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Goiter, exophthalmic, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Gonococcus infection, deaths from, 19, 82; by age, 108, 133, 396; by color, 108, 130, 396; by sex, 108, 130, 396; in urban and rural districts, 82.
—— death rate, 19.
Gout. *See* Rheumatism.

Hanging or strangulation (suicidal), deaths from, 21, 86; by age, 124, 135, 412; by color, 124, 132, 412; by sex, 124, 132, 412; in urban and rural districts, 86.
——death rate, 21.
Hawaii, statistics of, 376.
Heart, diseases of, deaths from, 20, 53, 84; by age, 114, 134, 402; by color, 53, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20.
Heat, excessive, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Hemiplegia, deaths from, 19.
—— death rate, 19.
Hemorrhage without specified cause, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Hernia, intestinal obstruction, deaths from, 20, 53, 84; by age, 118, 134, 406; by color, 53, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20.
Hodgkin's disease, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Homicide, or its principal forms, deaths from, 21, 53, 86; by age, 124, 135, 412; by color, 53, 124, 132, 412; by sex, 124, 132, 412; in urban and rural districts, 53, 86; in detail, 21.
—— death rate, 21.
Hydatid tumor of the liver, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 406; by sex, 118, 406; in urban and rural districts, 84.
—— death rate, 20.
Hydrocephalus (congenital), deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Hydrocyanic acid poisoning (suicidal), deaths from, 21.
—— death rate, 21.

Icterus (congenital). *See* Congenital debility, etc.
Ill-defined or unknown diseases, deaths from, 21, 53, 86; by age, 128, 136, 416; by color, 53, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 53, 86; in detail, 21.
—— death rate, 21.
Indian population, deaths of, 26, 34, 130; by age, 34; by cause, 130; by sex, 34, 130; in urban and rural districts, 26.
Infanticide. (Murder of infants less than 1 year of age), deaths from, 21.
—— death rate, 21.
Influenza, deaths from, 19, 52, 82; by age, 106, 133, 392; by color, 52, 106, 130, 392; by sex, 106, 130, 392; by month of death, 319; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19.
Injuries by vehicles, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Injury at birth, deaths from, 20, 86; by age, 124, 135, 410; by color, 124, 132, 410; by sex, 124, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Intestinal obstruction. *See* Hernia, etc.
Intestinal parasites, diseases due to, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Intestines, diseases of, deaths from, 20, 84; by age, 118, 134, 406; by color, 118, 131, 406; by sex, 118, 131, 406; in urban and rural districts, 84; in detail, 20.
——death rate, 20.

Japanese population, deaths of, 26, 34, 130; by age, 34; by cause, 130; by sex, 34, 130; in urban and rural districts, 26.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints (tuberculosis and rheumatism excepted), diseases of, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Jumping from high places (suicidal), deaths from, 21, 86; by age, 124, 135, 412; by color, 124, 132, 412; by sex, 124, 132, 412; in urban and rural districts, 86.
——death rate, 21.

Kidneys and annexa, diseases of, deaths from, 20, 84; by age, 120, 134, 406; by color, 120, 131, 406; by sex, 120, 131, 406; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.

Lack of care, deaths from, 20, 84; by age, 124, 135, 410; by color, 124, 132, 410; by sex, 124, 132, 410; in urban and rural districts, 86.
——death rate, 20.
Landslide, crushing, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Larynx, diseases of, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Laudanum poisoning (accidental or suicidal), deaths from, 21.
—— death rate, 21.
Lead poisoning, chronic, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Leprosy, deaths from, 19, 82; by age, 106, 133, 394; by color, 106, 130, 394; by sex, 106, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Lethargic encephalitis, deaths from, 19, 82; by age, 106, 133, 394; by color, 106, 130, 394; by sex, 106, 130, 394; by month of death, 319; in urban and rural districts, 82.
—— death rate, 19.
Leukemia, deaths from, 19, 82; by age 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Lightning, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Liver, diseases of, deaths from, 20, 84; by age, 120, 134, 406; by color, 120, 131, 406; by sex, 120, 131, 406; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Lysol poisoning (suicidal), deaths from, 21.
—— death rate, 21.
Machines, traumatism by, deaths from, 21, 86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Malaria, deaths from, 19, 52, 82; by age, 106, 133, 392; by color, 52, 106, 130, 392; by sex, 106, 130, 392; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19.
Male genital organs, nonvenereal diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Malformations. *See* Congenital malformations, etc.
Malta fever, deaths from, 19, 82; by age, 106, 133, 392; by color, 106, 392; by sex, 106, 392; in urban and rural districts, 82.
—— death rate, 19.
Mastoid process, diseases of, deaths from, 19, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 19.
Measles, deaths from, 19, 52, 82; by age, 106, 133, 392, 418; by color, 52, 106, 130, 392, 418; by sex, 106, 130, 392, 418; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19, 418.
Mechanical suffocation, deaths from, 21, 86; by age, 126, 135, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86.
—— death rate, 21.
Mediastinum, diseases of, deaths from, 20.
—— death rate, 20.
Meningitis, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Meningococcus meningitis, deaths from, 19, 52, 82; by age, 108, 133, 394; by color, 52, 108, 130, 394; by sex, 108, 130, 394; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19.
Mental alienation, deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.

Miliary fever, no deaths in 1927.
Mineral poisoning, chronic, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Mines, traumatism in, deaths from, 21, 86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86.
—— death rate, 21.
Month of death, deaths by, 24; by cause, 319.
Morphin poisoning (accidental or suicidal), deaths from, 21.
—— death rate, 21.
Motor-cycle accidents, deaths from, 21.
—— death rate, 21.
Mouth and annexa, diseases of, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Mumps, deaths from, 19, 82; by age, 106, 133, 392; by color, 106, 130, 392; by sex, 106, 130, 392; in urban and rural districts, 82.
—— death rate, 19.
Mycoses, deaths from, 19, 82; by age, 108, 133, 394; by color, 108, 130, 394; by sex, 108, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Myocarditis. *See* Endocarditis and myocarditis (acute).

Nasal fossae and annexa, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Native white population, deaths of, 26, 34; by age and sex, 34; in urban and rural districts, 26.
Nativity, deaths by, 26, 34.
Negro population, deaths of, 26, 34, 130; by age, 34; by cause, 130; by sex, 34, 130; in urban and rural districts, 26.
Nematodes (other than ancylostoma), deaths from, 20.
—— death rate, 20.
Nephritis, deaths from, 20, 53, 84; by age, 120, 135, 406, 421; by color, 53, 120, 131, 406, 421; by sex, 120, 131, 406, 421; by month of death, 319; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20, 421.
Nervous system and the organs of special sense, diseases of, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Neuralgia and neuritis, deaths from, 19, 82; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 82.
—— death rate, 19.
Neuritis. *See* Neuralgia and neuritis.

Old age (senility), deaths from, 20, 86; by age, 124, 135, 410; by color, 124, 132, 410; by sex, 124, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Opium poisoning (accidental or suicidal), deaths from, 21.
—— death rate, 21.
Osteoarthritis. *See* Rheumatism.
Pancreas, diseases of, deaths from, 20, 84; by age, 120, 134, 406; by color, 120, 131, 406; by sex, 120, 131, 406; in urban and rural districts, 84.
—— death rate, 20.
Paralysis without specified cause, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 131, 400; by sex, 112, 131, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Parathyroid glands, diseases of, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 26.
Pellagra, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 20, 84; by age, 114, 134, 402; by color, 114, 131, 402; by sex, 114, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Peritonitis without specified cause, deaths from, 20, 84; by age, 120, 134, 406; by color, 120, 131, 406; by sex, 120, 131, 406; in urban and rural districts, 84.
—— death rate, 20.
Pernicious anemia, deaths from, 19.
—— death rate, 19.
Pharynx, tonsils, diseases of, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Pituitary gland, diseases of, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Plague, no deaths in 1927.
Pleurisy, deaths from, 20, 84; by age, 116, 134, 404; by color, 116, 131, 404; by sex, 116, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Pneumonia or its principal forms, deaths from, 20, 53, 84; by age, 116, 134, 404; by color, 53, 116, 131, 404; by sex, 116, 131, 404; by month of death, 319; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20.
Pneumonic plague, no deaths in 1927.
Poisoning by food, deaths from, 21, 86; by age, 126, 135, 412; by color, 126, 132, 412; by sex, 126, 132, 412; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Poisoning by organic substances, chronic, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Poisoning by venomous animals, deaths from, 21, 86; by age, 126, 135, 412; by color, 126, 132, 412; by sex, 126, 132, 412; in urban and rural districts, 86.
—— death rate, 21.
Poisonings, acute (gas excepted) (accidental or suicidal), deaths from, 21, 86; by age, 124, 126, 135, 412; by color, 124, 126, 132, 412; by sex, 124, 126, 132, 412; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 2, and subdivisions, 2, 4.
Premature birth, deaths from, 20, 86; by age, 122, 135, 410; by color, 122, 132, 410; by sex, 122, 132, 410; in urban and rural districts, 86.
—— death rate, 20.
Prostate, diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Puerperal state, the, or its principal forms, deaths from, 20, 53, 84; by age, 120, 135, 408, 422; by color, 53, 120, 132, 408, 422; by month of death, 319; in urban and rural districts, 53, 84; in detail, 20.
—— death rate, 20, 422.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 19, 82; by age, 108, 133, 396; by color, 108, 130, 396; by sex, 108, 130, 396; in urban and rural districts, 82.
—— death rate, 19.

Quarries, traumatism in, deaths from, 21, 86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86.
—— death rate, 21.

Rabies, deaths from, 19, 82; by age, 108, 133, 394; by color, 108, 130, 394; by sex, 108, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Race, deaths by, 26, 34, 130; by age, 34; by cause, 130; by sex, 34, 130; in urban and rural districts, 26.
Railroad accidents, deaths from, 21, 86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Railroad train and automobile collisions, deaths from, 21, 53, 86; by age, 126, 136, 414; by color, 53, 126, 132, 414; by sex, 126, 132, 414; by month of death, 319; in urban and rural districts, 53, 86.
—— death rate, 21.
Registration States of 1920, deaths in, 34, 392, 418; by age, 34, 392, 418; by cause, 392, 418; by color, 34, 392, 418; by race, 34; by sex, 34, 392, 418.
—— death rate, 418.
Relapsing fever (spirillum obermeieri), no deaths in 1927.
Residents, deaths of and rates, Tables IB and IC, 4–18.
Respiratory system, diseases of, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Rheumatic fever, acute, deaths from, 19, 52, 82; by age, 110, 133, 396; by color, 110, 130, 396; by sex, 110, 130, 396; in urban and rural districts, 52, 82.
—— death rate, 19.
Rheumatism, deaths from, 19, 52, 82; by age, 110, 133, 137, 396; by color, 52, 110, 130, 396; by sex, 110, 130, 396; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19.
Rickets, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82.
—— death rate, 19.

Salpingitis and pelvic abscess (female), deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
——death rate, 20.
Scarlet fever, deaths from, 19, 52, 82; by age, 106, 133, 392, 419; by color, 52, 106, 130, 392, 419; by sex, 106, 130, 392, 419; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19, 419.
Sclerema, congenital. *See* Congenital debility, etc.
Scurvy, deaths from, 19, 82; by age, 110, 133, 396; by color, 110, 130, 396; by sex, 110, 130, 396; in urban and rural districts, 82.
—— death rate, 19.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Septicemic plague, no deaths in 1927.
Sex, deaths by, 34, 106, 130, 392, 418.
—— death rate, 418.
Skin and cellular tissue, diseases of, deaths from, 20, 86; by age, 122, 135, 408; by color, 122, 132, 408; by sex, 122, 132, 408; in urban and rural districts, 86; in detail, 20.
—— death rate, 20.
Smallpox, deaths from, 19, 52, 82; by age, 106, 133, 392; by color, 52, 106, 130, 392; by sex, 106, 130, 392; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19.
Soft chancre, deaths from, 19, 82; by age, 108, 133, 396; by color, 108, 130, 396; by sex, 108, 130, 396; in urban and rural districts, 82.
—— death rate, 19.
Softening of the brain, deaths from, 19, 84; by age, 114, 134, 400; by color, 114, 131, 400; by sex, 114, 131, 400; in urban and rural districts, 84.
—— death rate, 19.
Specific rates. *See* Table 2, Appendix.
Spinal cord, diseases of, deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Spirochetal hemorrhagic jaundice, deaths from, 19, 82; by age, 106, 133, 394; by color, 106, 130, 394; by sex, 106, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Spleen, diesases of, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Starvation (deprivation of food or water), deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Stomach and duodenum (cancer excepted), diseases of, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Strangulation. *See* Hanging.
Street-car accidents, deaths from, 21, 86; by age, 126, 136, 414; by color, 126, 132, 414; by sex, 126, 132, 414; in urban and rural districts, 86; in detail, 21.
—— death rate, 21.
Street-car and automobile collisions, deaths from, 21, 53, 86; by age, 126, 136, 414; by color, 53, 126, 132, 414; by sex, 126, 132, 414; by month of death, 319, in urban and rural districts, 53, 86.
—— death rate, 21.
Strychnin poisoning (accidental or suicidal), deaths from, 21.
—— death rate, 21.
Sudden death, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.
Suicide or its principal forms, deaths by, 21, 53, 86; by age, 124, 135, 412; by color, 53, 124, 132, 412; by sex, 124, 132, 412; by month of death, 319; in urban and rural districts, 53, 86; in detail, 21.
—— death rate, 21.
Syphilis, deaths from, 19, 82; by age, 108, 133, 396; by color, 108, 130, 396; by sex, 108, 130, 396; in urban and rural districts, 82.
—— death rate, 19.

Tabes dorsalis (locomotor ataxia), deaths from, 19, 82; by age, 112, 134, 400; by color, 112, 130, 400; by sex, 112, 130, 400; in urban and rural districts, 82.
—— death rate, 19.
Tetanus, deaths from, 19, 82; by age, 108, 133, 394; by color, 108, 130, 394; by sex, 108, 130, 394; in urban and rural districts, 82.
—— death rate, 19.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Cerebral embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 19, 82; by age, 112, 133, 398; by color, 112, 130, 398; by sex, 112, 130, 398; in urban and rural districts, 82.
—— death rate, 19.
Thyroid gland, diseases of, deaths from, 19, 82; by age, 110, 133, 398; by color, 110, 130, 398; by sex, 110, 130, 398; in urban and rural districts, 82; in detail, 19.
—— death rate, 19.
Tonsils. *See* Pharynx, etc.
Trematodes, deaths from, 20.
—— death rate, 20.
Tuberculosis or its principal forms, deaths from, 19, 52, 82; by age, 108, 133, 394, 420; by color, 52, 108, 130, 394, 420; by sex, 108, 130, 394, 420; by month of death, 319; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19, 420.
Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 19, 82; by age, 110, 133, 396; by color, 110, 130, 396; by sex, 110, 130, 396; in urban and rural districts, 82.
—— death rate, 19.
Tumors of the uterus, benign, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Typhlitis. *See* Appendicitis and typhlitis.
Typhoid and paratyphoid fever, deaths from, 19, 52, 82; by age, 106, 133, 392, 418; by color, 52, 106, 130, 392, 418; by sex, 106, 130, 392, 418; by month of death, 319; in urban and rural districts, 52, 82; in detail, 19.
—— death rate, 19, 418.
Typhus fever, deaths from, 19, 82; by age, 106, 133, 392; by color, 106, 130, 392; by sex, 106, 130, 392; in urban and rural districts, 82.
—— death rate, 19.

Ulcer of the duodenum, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Ulcer of the stomach, deaths from, 20, 84; by age, 118, 134, 404; by color, 118, 131, 404; by sex, 118, 131, 404; in urban and rural districts, 84.
—— death rate, 20.
Unknown or ill-defined diseases. *See* Ill-defined, etc.
Urethra, etc., diseases of, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; by sex, 120, 131, 408; in urban and rural districts, 84; in detail, 20.
—— death rate, 20.
Uterine hemorrhage, nonpuerperal, deaths from, 20, 84; by age, 120, 135, 408; by color, 120, 131, 408; in urban and rural districts, 84.
—— death rate, 20.
Uterus, benign tumors of. *See* Tumors of the uterus, benign.

Veins, diseases of, deaths from, 20, 84; by age, 116, 134, 402; by color, 116, 131, 402; by sex, 116, 131, 402; in urban and rural districts, 84.
—— death rate, 20.
Virgin Islands, statistics of, 385.

White population, 2; deaths of, 2, 26, 34, 52; by age, 28, 34, 106, 392, 418; by cause, 52, 106, 392, 418; by nativity, 26, 34; by sex, 34, 106, 392, 418; in urban and rural districts, 2, 26, 28, 52.
—— death rate, 2, 418.
Whooping cough, deaths from, 19, 52, 82; by age, 106, 133, 392, 419; by color, 52, 106, 130, 392, 419; by sex, 106, 130, 392, 419; by month of death, 319; in urban and rural districts, 52, 82.
—— death rate, 19, 419.
Wood or denatured alcohol poisoning (accidental), deaths from, 21.
—— death rate, 21.
Wounds of war, deaths from, 21, 86; by age, 128, 136, 416; by color, 128, 132, 416; by sex, 128, 132, 416; in urban and rural districts, 86.
—— death rate, 21.

Yellow fever, no deaths in 1927.

O