U. S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, *Director*

MORTALITY STATISTICS

1932

THIRTY-THIRD ANNUAL REPORT

RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL STATISTICS FOR HAWAII, PUERTO RICO AND THE VIRGIN ISLANDS

PREPARED UNDER THE SUPERVISION OF
DR. T. F. MURPHY
Chief Statistician for Vital Statistics

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1935

For sale by the Superintendent of Documents, Washington, D. C. - - -- - - - - Price $2.00 (Buckram)

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the birth registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the death registration area in continental United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

INDEX

Index of subjects presented in the detailed tables for the registration area and for the States ..... Page V

TEXT

	Page
INTRODUCTION	3
Extent of the registration area in 1932	3
Growth of the registration area, 1880 to 1932	3
Deaths and crude death rates	4
Deaths by color, nativity, parent nativity, age, and sex	5
Death rates by months	6
Death rates of the registration area	7
Death rates of registration States	7
Death rates of large cities	7
Deaths by race	8
Classification by race	8
Death rates of foreign countries	9
CAUSES OF DEATH	11
Detailed, intermediate, and abridged international lists	11
Death rates from certain important causes of death in the registration area and in the registration States of 1900, of 1910, and of 1920	11
Deaths and death rates in registration States of 1920	15
Typhoid and paratyphoid fever	16
Smallpox	17
Measles	17
Scarlet fever	17
Whooping cough	18
Diphtheria	19
Influenza and pneumonia (all forms)	20
Acute poliomyelitis and acute polioencephalitis	21
Lethargic or epidemic encephalitis	22
Rare infectious and parasitic diseases	23
CAUSES OF DEATH—Continued.	
Tuberculosis (all forms)	25
Tuberculosis of the respiratory system	26
Syphilis	27
Malaria	28
Cancers and other malignant tumors	29
Pellagra	31
Diabetes mellitus	31
Pernicious anemia	32
Alcoholism and cirrhosis of the liver	33
Diseases of the heart	34
Pneumonia (all forms)	35
Diarrhea and enteritis (under 2 years)	36
Nephritis	37
Puerperal causes	38
Senility	45
Suicide	45
Homicide	46
Legal executions	48
Accidental, other, or undefined external causes	48
Supplemental list of accidental causes of death	48
Accidental deaths, by months	48
Airplane and balloon accidents	49
Motor-vehicle accidents	49
Ill-defined causes of death	58
Deaths of children under 1 year of age	59
ACCURACY OF STATISTICS OF CAUSES OF DEATH	60
HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS	62

RATE TABLES

TABLE I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in cities and rural districts: 1932 64

TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1931 and 1932 67

NOTE.—In the 1922 and earlier annual reports on Mortality Statistics are tables which contain death rates per 100,000 population from important causes in each registration State and city, and from each cause in cities and rural districts. Beginning with 1923 these statistics are in manuscript only.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1932 72
Deaths in the registration area and in cities and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1932 75
Deaths of white, Negroes, Indians, Chinese, Japanese, and other races, in the registration area, and in cities and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1932 78
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in cities and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1932 88
Deaths of white, Negroes, Indians, Chinese, Japanese, and other races, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1932 106
Deaths from 33 causes, in the registration area, and each registration city of 25,000 or more, and by color for cities and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1932 130
Causes of death by single years under 5 and by 5-year age periods.

TABLE 7.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, Mexicans, and other races, from each cause, by sex, in the registration States (including District of Columbia): 1932 162

TABLE 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration State: 1932 165
Causes of death by single years under 5, and by 5- and 10-year age periods.

CONTENTS

Page

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1932 388
Deaths by single years under 5, and by 5- and 10-year age periods, in cities of 100,000 population or more on Apr. 1, 1930.
TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1932 433
TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in large cities not in the birth registration area: 1932 454
Deaths in cities of 100,000 population or more on Apr. 1, 1930.

MAP

Growth of the registration area for deaths: 1880 to 1932 2

DIAGRAMS

1.—Percentages which the population and land area of the registration area in continental United States formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1932 4
2.—Percent of deaths in the registration area in continental United States, by color, by nativity of white persons, and by parent nativity of the native white: 1932 5
3.—Number of deaths in the registration area in continental United States, at all ages, under 1 year of age, and from 1 to 4 years of age, for each year from 1900 to 1932 6
4.—Percent of deaths in the registration area in continental United States, under 1 year of age, from 1 to 4 years, and 5 years and over, for each year from 1900 to 1932 6
5.—General death rates of the United States (registration area) and certain foreign countries for each year from 1900 to 1932 10
6.—Death rates from certain important causes of death in the registration area of continental United States for the years 1900, and 1910 to 1932 14
7.—Adjusted death rates from puerperal causes per 1,000 live births, by country of birth of mother for white, and also for total white and for total colored in the United States in the birth registration area: 1932 38

SUPPLEMENT

HAWAII 458
PUERTO RICO 470
VIRGIN ISLANDS 479

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1932 484

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1932

[For text, see contents, p. III]

AREA	Population, deaths, and rates by color; cities and rural	DEATHS BY—											
		Cause, in full detail, with rates	Months, cities and rural	Race, nativity of white; cities and rural	Age and color; cities and rural	Nativity of white, race, age, and sex	Important causes: White and colored; cities and rural	Important causes: Cities of 25,000 or more population	Cause, age, sex, and color	Cause, colored races, and sex	Cause; cities and rural, and by age	Important causes by age; large cities	Important causes by months; area and States
	PAGE												
The registration area	65	67	72	75	78	88	106				165		433
Registration States [1]	65		72	75	78	88	106		130	162			433
Cities in registration States [1]	65		72	75	78	89	106						
Rural part of registration States	65		72	75	78	89	106						
Registration cities in nonregistration State [2]	65		72	75	78	89	106	126				426	
Registration States of 1920						88			484				
Alabama	64		72	75	78	90	106	114			169	388	433
Arizona	64		72	75	78	90	106	114			175		434
Arkansas	64		72	75	78	91	106	114			179		434
California	64		72	75	78	91	106	114			185	388	435
Colorado	64		72	75	78	91	106	116			191	391	436
Connecticut	64		72	75	78	92	106	116			195	391	436
Delaware	64		72	75	78	92	106	116			199	392	436
District of Columbia	64		72	75	78	92		116			202	392	
Florida	64		72	75	78	93	108	116			208	393	437
Georgia	64		72	75	78	93	108	116			214	395	437
Idaho	64		72	75	80	93	108				220		438
Illinois	64		72	75	80	94	108	116			224	395	438
Indiana	64		72	75	80	94	108	118			228	396	439
Iowa	64		72	75	80	94	108	118			232	398	439
Kansas	64		72	75	80	95	108	118			236	399	439
Kentucky	64		72	75	80	95	108	118			240	399	440
Louisiana	65		73	76	80	95	108	118			247	400	440
Maine	65		73	76	80	96	108	118			253		441
Maryland	65		73	76	80	96	108	120			257	401	441
Massachusetts	65		73	76	80	96	110	120			263	401	442
Michigan	65		73	76	80	97	110	120			267	404	442
Minnesota	65		73	76	82	97	110	120			271	406	443
Mississippi	65		73	76	82	97	110	120			274		443
Missouri	65		73	76	82	98	110	120			281	407	444
Montana	65		73	76	82	98	110	120			285		444
Nebraska	65		73	76	82	98	110	120			288	408	444
Nevada	65		73	76	82	99	110				292		445
New Hampshire	65		73	76	82	99	110	122			295		445
New Jersey	65		73	76	82	99	110	122			299	408	445
New Mexico	65		73	76	82	100	110	122			303		446
New York	65		73	76	82	100	112	122			307	411	446
North Carolina	65		73	76	82	100	112	124			311		446
North Dakota	65		73	76	84	101	112	124			317		447
Ohio	65		73	77	84	101	112	124			321	417	447
Oklahoma	65		73	77	84	101	112	124			325	420	448
Oregon	66		74	77	84	102	112	124			331	421	448
Pennsylvania	66		74	77	84	102	112	124			335	421	449
Rhode Island	66		74	77	84	102	112	126			339	424	449
South Carolina	66		74	77	84	103	112	126			343		449
South Dakota	66		74	77	84	103	112	126			349		450
Tennessee	66		74	77	84	103	112	126			353	424	450
Texas [2]								126				426	
Utah	66		74	77	84	104	114	126			359	430	451
Vermont	66		74	77	84	104	114	126			363		451
Virginia	66		74	77	86	104	114	126			366	430	452
Washington	66		74	77	86	105	114	128			372	431	452
West Virginia	66		74	77	86	105	114	128			376		453
Wisconsin	66		74	77	86	105	114	128			380	432	453
Wyoming	66		74	77	86	105	114				384		453
Outlying possessions:													
Hawaii	458		458	458		459	459	459		460	465		469
Puerto Rico			470		470		471	471	473				478
Virgin Islands	479		479		479				480		481		482

[1] Including District of Columbia.
[2] Represented by Beaumont, Dallas, El Paso, Fort Worth, Galveston, Houston, San Antonio, and Waco, Tex.

MORTALITY STATISTICS

1932

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1932

NOTE.—In addition to the registration States, the registration area for each year included certain cities in nonregistration States



MORTALITY STATISTICS: 1932

INTRODUCTION

This report for the calendar year 1932 is the thirty-third annual report on Mortality Statistics published by the Bureau of the Census. It relates to the registration area of continental United States, the Territory of Hawaii, Puerto Rico, and the Virgin Islands, and the data were compiled from transcripts of certificates of death received from the registration authorities of the States and other areas. It makes available detailed figures concerning deaths in individual States and in cities of 100,000 population or more, including classifications by sex, color, and age, and by cause of death according to the International Classification of Causes of Death. The report was prepared under the direction of Dr. T. F. Murphy, Chief Statistician for Vital Statistics, assisted by Willard C. Smith, Assistant Chief Statistician for Vital Statistics.

The publication of this report was delayed by the lack of funds for printing; and in order to keep within the limits of the amount since made available it has been necessary to reduce the size of the volume considerably as compared with the report for 1930. This necessitated some rearrangements in the tabular presentation together with the elimination of certain detail, most of which is available in manuscript tables on file in the Bureau of the Census.

EXTENT OF THE REGISTRATION AREA IN 1932

In 1932 the death registration area of continental United States included 120,122,200 population, or 96.3 percent of the estimated total population on July 1. In this population there were 1,308,529 deaths, corresponding to a rate of 10.9 per 1,000 estimated population. Puerto Rico was added to the area in 1932.

The registration area in 1932 included 47 States (Texas being the only nonregistration State), the District of Columbia, 8 cities in Texas, the Territory of Hawaii, Puerto Rico, and the Virgin Islands. These areas were admitted on the basis of approximately complete registration of deaths (at least 90 percent of all deaths) and when the data at hand showed that the deaths were recorded properly under adequate registration laws.

The registration cities in the nonregistration State of Texas are:

Beaumont	Fort Worth	San Antonio
Dallas	Galveston	Waco
El Paso	Houston	

GROWTH OF THE REGISTRATION AREA, 1880 TO 1932

The first mortality statistics published by the Federal Government related to 1850, and were for the entire United States; these statistics were based on data collected at the decennial census of that year, and decennial collections of similar statistics by census enumerators were continued through 1900. In 1880, however, there was established a registration area for deaths, and for that year, as well as for 1890 and 1900, mortality returns were received from the States and cities included in the area, as well as from enumerators' returns.

The annual collection of mortality statistics for the registration area in the United States began with the calendar year 1900.

Table A shows the States which were included in the area from 1880 to 1932. In each year there were also included a number of registration cities in nonregistration States. The Territory of Hawaii was added in 1917, the Virgin Islands in 1924, and Puerto Rico in 1932.

Table A

STATE	Year	STATE	Year	STATE	Year
Massachusetts	1880 [1]	Ohio	1909	Nebraska	1920
New Jersey	1880 [1]	Minnesota	1910	Georgia [7]	1922
Dist. of Columbia [2]	1880 [1]	Montana	1910	Idaho	1922
Connecticut	1890 [1]	North Carolina [5]	1910	Wyoming	1923
Delaware [3]	1890 [1]	Utah	1910	Iowa	1924
New Hampshire	1890 [1]	Kentucky	1911	North Dakota	1925
New York	1890 [1]	Missouri	1911	Alabama	1926
Rhode Island	1890 [1]	Virginia	1913	West Virginia	1927
Vermont	1890 [1]	Kansas	1914	Arizona	1928
Maine	1900 [1]	North Carolina [6]	1916	Arkansas	1929
Michigan	1900 [1]	South Carolina [6]	1916	Georgia [8]	1930
Indiana	1900	Tennessee	1917	Oklahoma	
California	1906	Illinois	1918	Nevada	
Colorado	1906	Louisiana	1918	New Mexico	
Maryland	1906	Oregon	1918	South Dakota [4]	
Pennsylvania	1906	Delaware [3]	1919		
South Dakota [4]	1908	Florida	1919		
Washington	1908	Mississippi	1919		
Wisconsin	1908				

[1] Census year ending May 31.
[2] Included in States.
[3] Dropped from the area in the census year 1900, readmitted in 1919.
[4] Dropped from the area in 1910, readmitted in 1930.
[5] Included only municipalities having a population of 1,000 or more in 1900; these represented only about 16 percent of the total population.
[6] The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)
[7] Dropped from the area in 1925 when the State registration law was declared unconstitutional.
[8] The State was readmitted to the area in 1928 under a new State registration law. (See note 7.)

Table B shows the growth of the registration area in population and land area from 1880 to 1932.

Table B

CALENDAR YEAR	CONTINENTAL UNITED STATES		REGISTRATION AREA IN CONTINENTAL UNITED STATES			
			Estimated population, July 1		Land area	
	Estimated population, July 1	Land area (square miles)	Number	Percent of total	Square miles	Percent of total
1932	124,822,000	2,973,776	120,122,200	96.3	2,711,617	91.2
1931	124,070,000	2,973,776	119,421,000	96.3	2,711,619	91.2
1930 [1]	123,191,000	2,973,776	118,560,800	96.2	2,711,615	91.2
1929	121,526,429	2,973,776	116,317,515	95.7	2,634,743	88.6
1928	119,861,607	2,973,776	114,258,516	95.3	2,402,433	80.8
1927	118,196,785	2,973,776	108,177,568	91.5	2,274,398	76.5
1926	116,531,963	2,973,776	104,938,301	90.1	2,221,892	74.7
1925	114,867,141	2,973,776	102,951,999	89.6	2,108,072	70.9
1924	113,202,319	2,973,776	100,082,062	88.4	2,091,456	70.3
1923	111,537,497	2,973,776	97,816,104	87.7	2,021,237	68.0
1922	109,872,675	2,973,776	93,866,240	85.4	1,965,589	66.1
1921	108,207,853	2,973,776	89,102,434	82.3	1,726,012	58.0
1920 [2]	106,543,031	[3] 2,973,776	87,632,592	82.3	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3

[1] Census year; enumerated population in United States, 122,775,046, Apr. 1.
[2] Census year; enumerated population in United States, 105,710,620, Jan. 1.
[3] The net reduction of 114 square miles, as compared with area stated by census of 1910, was due to irrigation projects.

69301—35——2

Table B—Con.

CALENDAR YEAR	CONTINENTAL UNITED STATES		REGISTRATION AREA IN CONTINENTAL UNITED STATES			
			Estimated population, July 1		Land area	
	Estimated population, July 1	Land area (square miles)	Number	Percent of total	Square miles	Percent of total
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63.2	1,106,734	37.2
1910 [4]	92,267,080	[5] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[7] 2,974,159	30,765,618	40.5	212,621	7.1
1900 [6]			28,807,269	37.9	176,878	5.9
1890 [6]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [6]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[4] Census year; enumerated population in United States, 91,972,266, Apr. 15.
[5] The net reduction of 269 square miles, as compared with area stated by census of 1900, was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[6] Census year ending May 31, enumerated population in United States.
[7] The increase of 194 square miles, as compared with area stated by census of 1890, was due to the reclamation of part of Potomac River Flats in the District of Columbia and a part of Lake Tulare in California.

Table C gives the populations of the registration States of 1900, of 1910, and of 1920, with the percentages that each group forms of the population of continental United States.

Table C

CALENDAR YEAR	ESTIMATED POPULATION, JULY 1, IN THE REGISTRATION STATES OF—			PERCENT OF POPULATION IN CONTINENTAL UNITED STATES INCLUDED IN THE REGISTRATION STATES OF—		
	1900	1910	1920	1900	1910	1920
1932	34,009,000	67,352,000	101,686,000	27.2	54.0	81.5
1931	33,774,000	66,892,000	101,049,000	27.2	53.9	81.4
1930	33,496,000	66,353,000	100,304,000	27.2	53.9	81.4
1929	32,969,412	65,333,243	98,891,372	27.1	53.8	81.4
1928	32,444,044	64,313,750	97,478,973	27.1	53.7	81.3
1927	31,918,674	63,294,258	96,066,572	27.0	53.5	81.3
1926	31,393,306	62,274,768	94,654,174	26.9	53.4	81.2
1925	30,867,938	61,255,276	93,241,774	26.9	53.3	81.2
1924	30,342,569	60,235,785	91,829,374	26.8	53.2	81.1
1923	29,817,199	59,216,293	90,416,974	26.7	53.1	81.1
1922	29,291,830	58,196,801	89,004,577	26.7	53.0	81.0
1921	28,766,462	57,177,309	87,592,175	26.6	52.8	80.9
1920	28,241,094	56,157,816	86,179,774	26.5	52.7	80.9
1919	27,775,859	55,215,586		26.5	52.6	
1918	27,370,760	54,350,619		26.4	52.5	
1917	26,965,661	53,485,656		26.4	52.3	
1916	26,560,563	52,620,689		26.4	52.2	
1915	26,155,465	51,755,724		26.3	52.1	
1914	25,750,367	50,890,758		26.3	52.0	
1913	25,345,269	50,025,794		26.3	51.8	
1912	24,940,171	49,160,826		26.2	51.7	
1911	24,535,073	48,295,860		26.2	51.6	
1910	24,129,976	47,430,895		26.2	51.4	
1909	23,664,144			26.1		
1908	23,182,330			26.0		
1907	22,700,521			26.0		
1906	22,218,713			25.3		
1905	21,736,908			25.8		
1904	[1] 21,336,715			25.8		
1903	[1] 20,990,841			25.9		
1902	[1] 20,648,941			26.0		
1901	[1] 20,307,043			26.1		
1900	[2] 19,960,742			26.3		

[1] Consolidation of estimates of population as of June 1 and of July 1.
[2] Population by census May 31; this is used as basis of rates.

NOTE.—For the States included in these groups, see table A. Estimates of population are based on Federal censuses of 1900 and 1910, 1910 and 1920, and 1920 and 1930. Estimates from 1900 to 1909 from Mortality Statistics, 1909. The estimated population of the registration States of 1930 is 117,338,209, which comprises 95.2 percent of the estimated total population of continental United States.

DIAGRAM 1.—PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA IN CONTINENTAL UNITED STATES FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1932



COMPARISON WITH EARLIER REPORTS

In this report certain changes have been initiated:

The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 inhabitants or more. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural". This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification, the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the mortality reports, and the latter, when combined with the rural population as now defined, corresponds to the population previously designated as rural.

In the text tables only two classes are shown, "cities" and "rural", the class "incorporated places" (minor cities with populations from 2,500 to 10,000) being included in "rural."

Also the term "other races" has been substituted for other colored which heretofore has included those races not specified as Negro, Indian, Chinese, and Japanese. This change has been made to conform with the practice established at the 1930 Census of Population.

Classification of "accidental" causes. In following the requirements established by the International Commission on the International List of Causes of Death at the 1929 conference in Paris a dual method of classifying accidental causes of death has been employed, as a means of making available statistics comparable with the classification of earlier years. The supplemental figures with appropriate explanation are shown under the heading "Supplemental" at the end of Rate Table II and General Tables 6, 7, and 8.

DEATHS AND CRUDE DEATH RATES

Death rates are computed on the basis of number per 1,000 estimated population on July 1, 1932, except in dealing with the causes of deaths, for which the computations are per 100,000 estimated population.

Table D shows the number of deaths and the death rates from 1880 to 1932.

Table D — CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2] Number	Rate per 1,000 population [3]	Table D—Con. CALENDAR YEAR	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA [2] Number	Rate per 1,000 population [3]
1932	1,308,529	10.9	1914	898,059	13.6
1931	1,322,587	11.1	1913	890,848	14.1
1930	1,343,356	11.3	1912	838,251	13.9
1929	1,386,363	11.9	1911	839,284	14.2
1928	1,378,675	12.1	1910	805,412	15.0
1927	1,236,949	11.4	1909	732,538	14.4
1926	1,285,927	12.3	1908	691,574	14.8
1925	1,219,019	11.8	1907	687,034	16.0
1924	1,173,990	11.7	1906	658,105	15.7
1923	1,193,017	12.2	1905	545,533	16.0
1922	1,101,863	11.7	1904	551,354	16.5
1921	1,032,009	11.6	1903	524,415	16.0
1920	1,142,558	13.0	1902	508,640	15.9
1919	1,096,436	12.9	1901	518,207	16.5
1918	1,471,367	18.1	1900	539,939	17.6
1917	1,068,932	14.3	1900	512,669	17.8
1916	1,001,921	14.0	1890 [4]	386,212	19.6
1915	909,155	13.6	1880 [4]	169,453	19.8

[1] Exclusive of stillbirths.
[2] In continental United States.
[3] Estimated as of July 1.
[4] Census year ending May 31.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX

Table E shows deaths by sex, color, nativity, and parent nativity.

Table E — COLOR, NATIVITY, AND PARENT NATIVITY	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932					
	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
Aggregate	1,308,529	712,931	595,598	1,000.0	1,000.0	1,000.0
White	1,126,226	616,386	509,840	860.7	864.6	856.0
Native	859,931	464,370	395,561	657.2	651.4	664.1
Both parents native	518,155	278,309	239,846	396.0	390.4	402.7
One or both parents foreign born	217,784	115,277	102,507	166.4	161.7	172.1
Parentage unknown	123,992	70,784	53,208	94.8	99.3	89.3
Foreign born	249,695	139,515	110,180	190.8	195.7	185.0
Unknown	16,600	12,501	4,099	12.7	17.5	6.9
Other races	182,303	96,545	85,758	139.3	135.4	144.0
Negro	166,664	87,363	79,301	127.4	122.5	133.1
Indian	4,633	2,386	2,247	3.5	3.3	3.8
Chinese	1,250	1,116	134	1.0	1.6	0.2
Japanese	1,019	743	276	0.8	1.0	0.5
Other	8,737	4,937	3,800	6.7	6.9	6.4

The 1,308,529 deaths in 1932 were distributed as follows: Males, 54.5 percent; females, 45.5 percent; white, 86.1 percent; colored, 13.9 percent. Of the colored, the great majority, 91.4 percent (equivalent to 12.7 percent of the total for all races), were Negroes.

DIAGRAM 2.—PERCENT OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1932



Table F shows the age and sex distribution of decedents in 1932.

Table F — AGE	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932					
	Number			Distribution per 1,000		
	Total	Male	Female	Total	Male	Female
All ages	1,308,529	712,931	595,598	1,000.0	1,000.0	1,000.0
Under 1 year	121,267	68,871	52,396	92.7	96.6	88.0
1 year	17,864	9,627	8,237	13.7	13.5	13.8
2 years	9,274	4,933	4,341	7.1	6.9	7.3
3 years	6,607	3,482	3,125	5.0	4.9	5.2
4 years	5,496	2,950	2,546	4.2	4.1	4.3
Under 5 years	160,508	89,863	70,645	122.7	126.0	118.6
5 to 9 years	19,804	10,831	8,973	15.1	15.2	15.1
10 to 14 years	16,552	9,327	7,225	12.6	13.1	12.1
15 to 19 years	27,054	14,382	12,672	20.7	20.2	21.3
20 to 24 years	36,614	18,568	18,046	28.0	26.0	30.3
25 to 29 years	37,795	19,094	18,701	28.9	26.8	31.4
30 to 34 years	40,730	21,212	19,518	31.1	29.8	32.8
35 to 39 years	50,203	27,319	22,884	38.4	38.3	38.4
40 to 44 years	58,456	33,158	25,298	44.7	46.5	42.5
45 to 49 years	69,797	40,396	29,401	53.3	56.7	49.4
50 to 54 years	82,513	48,034	34,479	63.1	67.4	57.9
55 to 59 years	92,844	54,251	38,593	71.0	76.1	64.8
60 to 64 years	108,563	61,889	46,674	83.0	86.8	78.4
65 to 69 years	116,378	64,845	51,533	88.9	91.0	86.5
70 to 74 years	129,032	69,849	59,183	98.6	98.0	99.4
75 to 79 years	112,324	58,982	53,342	85.8	82.7	89.6
80 to 84 years	82,094	40,724	41,370	62.7	57.1	69.5
85 to 89 years	44,945	20,781	24,164	34.3	29.1	40.6
90 to 94 years	16,023	6,670	9,353	12.2	9.4	15.7
95 to 99 years	3,585	1,398	2,187	2.7	2.0	3.7
100 years and over	1,132	403	729	0.9	0.6	1.2
Unknown	1,583	955	628	1.2	1.3	1.1

Table G and diagrams 3 and 4 show, for each year from 1900 to 1932, the number of deaths at all ages, under 1 year of age, and under 5 years of age, and the

DIAGRAM 3.—NUMBER OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH YEAR FROM 1900 TO 1932



percentages which the deaths under 1 and under 5 form of the total.

In 1900 the deaths under 1 year of age formed 20.7 percent and those under 5 years 30.4 percent of the deaths at all ages, but in 1932 the corresponding percentages were 9.3 and 12.3.

Table G — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES

CALENDAR YEAR	All ages	Under 1 year		Under 5 years	
		Number	Percent of total	Number	Percent of total
1932	1,308,529	121,267	9.3	160,508	12.3
1931	1,322,587	132,874	10.0	178,537	13.5
1930	1,343,356	145,374	10.8	195,200	14.5
1929	1,386,363	148,886	10.7	206,028	14.9
1928	1,378,675	155,858	11.3	216,090	15.7
1927	1,236,949	147,134	11.9	199,507	16.1
1926	1,285,927	163,343	12.7	226,824	17.6
1925	1,219,019	161,961	13.3	218,294	17.9
1924	1,173,990	161,404	13.7	220,122	18.7
1923	1,193,017	166,274	13.9	233,918	19.6
1922	1,101,863	158,560	14.4	218,201	19.8
1921	1,032,009	160,011	15.5	220,688	21.4
1920	1,142,558	174,710	15.3	248,432	21.7
1919	1,096,436	161,621	14.7	229,813	21.0
1918	1,471,367	193,855	13.2	306,143	20.8
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0

Table G—Continued — DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES

CALENDAR YEAR	All ages	Under 1 year		Under 5 years	
		Number	Percent of total	Number	Percent of total
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,989	111,687	20.7	164,137	30.4

DIAGRAM 4.—PERCENT OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH YEAR FROM 1900 TO 1932



DEATH RATES BY MONTHS

Table H shows annual death rates from all causes per 1,000 population, by months.

Table H — ANNUAL DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED MIDYEAR POPULATION

MONTH	Registration area in continental United States						Registration States of 1900 [1]					
	1932	1931	1930	1920	1910	1900	1932	1931	1930	1920	1910	1900
Total	10.9	11.1	11.3	13.0	15.0	17.6	11.3	11.4	11.5	13.8	15.6	17.2
January	11.1	12.9	12.3	15.1	15.5	17.9	11.6	13.5	12.3	16.5	16.2	17.0
February	12.2	13.0	12.7	24.8	15.9	19.1	12.8	13.6	13.2	26.5	16.6	18.4
March	13.0	12.7	12.5	15.7	16.7	21.3	14.3	13.0	13.1	15.9	17.7	21.0
April	11.6	11.9	12.4	13.0	15.4	21.2	12.4	12.3	13.2	14.1	16.5	20.8
May	10.7	11.0	11.3	12.3	14.1	17.6	11.5	11.5	11.9	13.4	14.7	17.0
June	10.1	10.8	11.1	11.1	13.8	15.0	10.4	10.5	11.0	11.5	14.2	14.4
July	10.0	10.3	10.9	10.4	15.3	18.2	9.8	10.1	10.4	10.6	16.3	18.0
August	9.4	9.6	10.0	10.5	15.3	17.8	9.6	9.9	10.0	11.0	15.9	18.1
September	9.3	9.8	10.0	10.7	14.5	16.7	9.5	10.0	10.0	11.3	15.1	17.2
October	10.0	10.1	10.6	10.8	13.7	15.4	10.3	10.6	10.8	11.2	14.2	15.3
November	10.6	10.4	11.0	11.4	14.3	15.0	10.7	10.6	11.1	11.8	14.5	14.4
December	13.0	10.7	11.5	11.8	15.4	15.8	12.8	11.1	11.5	12.5	16.0	15.2

[1] See table A.

DEATH RATES OF THE REGISTRATION AREA

Death rates from all causes are shown in table I.

Table I

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION						
	1932	1931	1930	1929	1928	1927	1920
The registration area in continental United States	10.9	11.1	11.3	11.9	12.1	11.4	13.0
Registration States [1]	10.9	11.1	11.3	11.9	12.0	11.4	13.0
Cities of 10,000 or over [1]	11.6	11.9	12.2	13.0	13.3	12.5	14.1
Smaller cities and rural areas	10.2	10.2	10.4	10.9	11.0	10.4	11.9
Registration cities in nonregistration State	12.1	12.1	13.2	13.6	13.8	13.6	16.9
All registration cities [1]	11.7	11.9	12.3	13.1	13.3	12.5	14.2

[1] Including District of Columbia.

The death rates in 1932 were the lowest since 1920 for every subdivision of the registration area shown in table I. The rates for cities of 10,000 population or more were higher than those for smaller cities and rural areas.

In view of the many changes which have taken place in the extent of the registration area since 1900, rates for the area usually are not strictly comparable year after year; therefore, in table J, rates are presented, for the registration States of 1900—the "original registration States": Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia.

Table J

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) PER 1,000 ESTIMATED POPULATION					
	1932	1931	1930	1929	1928	1920
The registration States of 1900 [1]	11.3	11.4	11.5	12.3	12.3	13.8
Cities of 10,000 or over [2]	10.9	11.1	11.3	12.3	12.4	13.7
Smaller cities and rural areas	12.1	12.0	12.0	12.3	12.2	13.9

[1] See table A. [2] Including District of Columbia.

DEATH RATES OF REGISTRATION STATES

Table K shows death rates from all causes in the registration States.

Caution should be exercised in drawing conclusions from crude death rates as to the health conditions in the different localities. Race stock, occupations of the inhabitants, the sex and age distribution of the population, and the relative number of deaths of nonresidents are among the factors which must be considered.

Of the 47 States in the area in both 1932 and 1931, 25 had decreases in 1932 compared with 1931. In Colorado, Florida, Iowa, Kentucky, Michigan, Minnesota, Montana, Nebraska, North Dakota, Ohio, Oregon, Tennessee, and Wisconsin the rates were the same for the 2 years. The highest rates per 1,000 population in 1932 were for Nevada (14.4), New Mexico (13.8), New Hampshire (13.5), Maine (13.4), and Vermont and Delaware (13.2). North Dakota had the lowest rate (7.5), followed by Oklahoma (7.9), South Dakota (8.2), and Utah (8.6).

In 13 of the 14 States shown by color the rates for the colored populations were higher than those for the white. The most conspicuous difference was in Kentucky, where the rate for the colored was 18.8 as against 10.3 for the white.

Table K

STATE	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION		
	1932	1931	1920
Registration States [2]	10.9	11.1	13.0
Alabama	10.3	10.7	[3]
White	8.6	8.8	[3]
Colored	13.5	14.0	[3]
Arizona	12.1	13.7	[3]
Arkansas	8.7	9.6	[3]
White	8.1	8.8	[3]
Colored	10.5	11.9	[3]
California	11.4	11.5	13.3
White	11.4	11.4	[4]
Colored	11.3	12.2	[4]
Colorado	12.0	12.0	14.5
Connecticut	10.4	10.6	13.6
Delaware	13.2	13.8	14.6
Florida	12.0	12.0	12.8
White	10.4	10.4	11.5
Colored	15.7	16.0	15.3
Georgia	11.0	11.3	[3]
White	9.1	9.2	[3]
Colored	14.5	15.1	[3]
Idaho	8.8	9.0	[3]
Illinois	10.7	11.1	12.6
Indiana	11.8	11.9	13.4
Iowa	10.4	10.4	[3]
Kansas	10.3	9.9	11.4
Kentucky	11.0	11.0	11.8
White	10.3	10.1	11.0
Colored	18.8	20.1	19.4
Louisiana	10.9	11.1	11.9
White	9.3	9.2	9.8
Colored	13.6	14.3	15.2
Maine	13.4	13.1	15.4
Maryland	12.7	13.2	14.6
White	11.6	12.0	13.3
Colored	18.1	19.3	21.1
Massachusetts	11.5	11.3	13.8
Michigan	10.0	10.0	13.8
Minnesota	9.9	9.9	10.7
Mississippi	10.0	10.9	12.2
White	8.2	8.6	9.2
Colored	11.7	13.1	15.0
Missouri	12.0	12.1	12.5
Montana	9.8	9.8	9.6
Nebraska	9.3	9.3	10.0
Nevada	14.4	14.6	[3]
New Hampshire	13.5	12.7	15.2
New Jersey	10.3	10.8	12.9
New Mexico	13.8	14.4	[3]
New York	11.5	11.7	13.8
North Carolina	9.6	10.3	12.6
White	8.5	8.9	11.2
Colored	12.1	13.7	15.9
North Dakota	7.5	7.5	[3]
Ohio	11.3	11.3	12.8
Oklahoma	7.9	7.8	[3]
White	7.7	7.4	[3]
Colored	9.4	10.8	[3]
Oregon	10.6	10.6	11.7
Pennsylvania	11.2	11.5	13.8
Rhode Island	11.6	11.5	14.3
South Carolina	11.4	12.1	14.1
White	9.0	9.1	11.4
Colored	14.4	15.7	16.6
South Dakota	8.2	8.4	[3]
Tennessee	10.8	10.8	12.1
White	9.6	9.5	10.7
Colored	16.2	16.7	18.0
Utah	8.6	8.7	11.5
Vermont	13.2	12.5	15.7
Virginia	11.9	12.4	13.2
White	10.2	10.4	11.3
Colored	16.5	17.8	17.6
Washington	10.4	10.5	11.1
West Virginia	10.2	10.1	[3]
Wisconsin	10.2	10.2	11.2
Wyoming	9.0	8.9	[3]

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

DEATH RATES OF LARGE CITIES

Table L shows death rates from all causes for cities of 100,000 population or more in 1930.

Table L

CITY	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	7.5	7.7	11.7
Albany	13.7	14.1	15.7
Atlanta	14.0	14.9	17.1
White	11.1	11.6	14.6
Colored	19.7	21.6	22.8
Baltimore	13.2	14.2	15.4
White	12.1	12.9	14.0
Colored	18.5	19.9	23.3
Birmingham	11.9	13.0	16.3
White	9.3	10.2	12.3
Colored	16.2	17.7	22.6
Boston	13.9	14.0	15.5
Bridgeport	10.4	11.1	13.0
Buffalo	12.5	12.7	14.7
Cambridge	12.1	11.9	14.9
Camden	14.4	14.1	14.9
Canton	9.4	9.9	12.6
Chattanooga	12.7	13.6	19.4
White	10.2	11.1	15.5
Colored	19.3	20.1	27.6
Chicago	9.9	10.4	12.7
Cincinnati	14.8	15.7	15.0
White	14.2	14.7	14.3
Colored	19.9	23.7	23.8
Cleveland	10.7	11.0	12.5
Columbus	13.9	13.4	14.8
White	13.6	13.1	14.2
Colored	16.0	15.7	21.1
Dallas	11.1	11.1	13.3
White	9.7	9.2	12.0
Colored	17.9	20.1	20.4
Dayton	11.8	11.8	12.3
Denver	14.8	14.1	17.4
Des Moines	12.4	11.4	[2]
Detroit	7.9	8.1	13.5
Duluth	11.3	11.2	10.2
Elizabeth	10.4	10.6	12.7
El Paso	14.0	14.8	28.1
White	12.8	13.4	[3]
Colored	14.7	15.8	[3]
Erie	11.1	10.8	13.7
Evansville	10.7	11.3	13.0
Fall River	11.4	11.0	14.7
Flint	7.5	6.9	11.8
Fort Wayne	10.1	10.9	13.2
Fort Worth	10.5	10.5	[2]
White	9.7	9.7	[2]
Colored	15.2	14.7	[2]
Gary	8.0	9.6	13.8
White	7.1	8.9	[2]
Colored	10.9	12.2	[2]

See footnotes at end of table.

Table L—Contd.

CITY	DEATH RATE FROM ALL CAUSES [1] PER 1,000 ESTIMATED POPULATION		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—contd.			
Grand Rapids	9.0	9.0	13.2
Hartford	12.2	13.2	16.5
Houston	11.2	10.9	13.5
White	9.4	9.1	12.1
Colored	16.1	15.6	18.2
Indianapolis	12.9	13.6	14.6
White	12.4	13.1	13.8
Colored	16.6	17.3	21.1
Jacksonville, Fla	14.4	14.7	16.9
White	10.5	11.5	14.1
Colored	21.5	20.4	20.3
Jersey City	11.1	11.2	14.1
Kansas City, Kans	12.9	12.8	14.5
White	12.7	12.3	13.5
Colored	13.9	14.8	20.6
Kansas City, Mo	12.6	12.8	16.1
White	11.7	11.8	15.2
Colored	19.8	20.5	24.9
Knoxville	12.3	12.7	17.0
White	11.4	11.9	16.2
Colored	16.7	16.9	21.7
Long Beach	10.1	9.8	12.8
Los Angeles	11.1	10.8	13.6
White	11.2	10.8	13.4
Colored	10.7	11.1	17.1
Louisville	13.7	14.0	15.0
White	12.5	12.6	13.6
Colored	20.3	21.8	21.9
Lowell	12.9	12.9	15.8
Lynn	10.1	9.3	12.8
Memphis	16.8	16.6	19.8
White	13.6	13.6	15.6
Colored	22.0	21.5	26.8
Miami	11.6	11.4	15.0
White	10.4	10.5	12.5
Colored	15.6	14.7	20.7
Milwaukee	8.8	9.0	11.7
Minneapolis	10.9	10.9	12.3
Nashville	15.5	16.7	18.1
White	13.9	14.6	15.5
Colored	19.8	22.4	24.0
Newark, N.J	10.5	11.4	12.9
New Bedford	11.0	12.0	14.4
New Haven	12.5	13.1	14.6
New Orleans	16.6	16.4	17.6
White	14.1	13.5	14.5
Colored	22.8	23.5	26.2
New York	10.5	10.9	12.9
Bronx Borough	8.0	8.1	10.4
Brooklyn Boro	9.7	10.1	12.5
Manhattan Boro	15.5	16.4	14.4
White	15.7	16.6	14.2
Colored	14.0	15.1	18.3
Queens Borough	6.9	7.1	11.0
Richmond Boro	14.1	13.4	15.0
Norfolk	12.9	13.2	15.5
White	10.2	10.1	12.1
Colored	18.0	19.1	21.1
Oakland	10.7	10.8	11.8
Oklahoma City	10.6	10.5	11.9
Omaha	12.6	13.2	14.4
Paterson	12.4	13.2	12.8
Peoria	11.1	12.3	15.1
Philadelphia	12.1	12.8	14.5
White	11.7	12.4	14.0
Colored	14.7	15.9	20.9
Pittsburgh	12.8	14.1	16.4
Portland, Oreg	11.2	11.6	12.2
Providence	13.0	12.7	15.5
Reading	11.9	11.4	14.4
Richmond, Va	14.2	15.5	16.5
White	11.8	13.1	13.4
Colored	20.2	21.4	23.3
Rochester, N.Y	11.7	11.7	12.7
St. Louis	13.3	14.6	14.1
White	12.4	13.7	13.5
Colored	20.4	21.7	19.9
St. Paul	10.8	10.8	12.5
Salt Lake City	11.1	11.6	14.3
San Antonio	14.4	14.6	16.2
White	[3]	[3]	16.1
Colored	[3]	[3]	16.8
San Diego	14.4	13.7	17.0
San Francisco	12.7	12.9	14.2
Scranton	12.9	12.8	14.9
Seattle	11.2	11.3	10.7
Somerville	8.8	8.9	12.0
South Bend	7.7	8.1	12.7
Spokane	11.5	12.2	14.1
Springfield, Mass	11.1	11.0	13.1
Syracuse	11.8	11.4	15.2
Tacoma	12.8	12.7	12.9
Tampa	11.3	11.2	13.4
White	10.6	10.1	11.2
Colored	13.8	15.4	20.8
Toledo	11.6	11.8	13.9
Trenton	14.2	14.7	15.8
Tulsa	8.3	8.0	[2]
White	8.0	7.5	[2]
Colored	10.6	11.2	[2]
Utica	14.9	15.0	14.7
Washington, D.C	16.1	15.8	14.7
White	14.0	13.4	12.7
Colored	21.6	22.0	20.6
Wichita	9.9	9.7	15.0
Wilmington, Del	14.0	13.9	14.2
White	13.3	13.0	13.2
Colored	19.2	20.9	23.0
Worcester	12.1	12.0	14.8
Yonkers	8.6	8.6	11.3
Youngstown	9.6	9.7	13.0

[1] Exclusive of stillbirths.
[2] Not in registration area.
[3] Death rates by color not available.

Of the 93 cities for which rates are shown in both 1932 and 1931, 53 had lower rates in 1932 than in 1931 and 9 had the same rates in the 2 years.

In the year 1932, the lowest rates were for Akron and Flint (7.5 each) and South Bend (7.7). Memphis (16.8), New Orleans (16.6), and Washington, D.C. (16.1) had the highest rates.

Among the cities shown by color, the rates for colored ranged from 10.6 for Tulsa, to 22.8 for New Orleans.

DEATHS BY RACE

The total deaths in the registration States in 1932 included 1,115,555 whites; 163,442 Negroes; 4,632 Indians; 1,236 Chinese; 1,017 Japanese; and 7,387 other races.

Table M shows the distribution in cities and rural districts.

CLASSIFICATION BY RACE

The classification of births and deaths by race distinguishes white, Negro, Indian, Chinese, Japanese, and "other races." (See tables 2 and 4.) "Other races" includes Mexicans so far as reported as such. The Mexican element in the population has increased very rapidly in recent years; and for that reason it was given a separate classification in the population census of 1930, having in prior censuses not been distinguished from the white population. It is evident, however, that very many Mexican deaths are designated as white on the death certificates. The total number of deaths reported as Mexican in 1932 was 8,264, as compared with 9,310 in 1931, and 5,314 in 1930.

Table M DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE: 1932

AREA	Total	White	Negro	Indian [2]	Chinese	Japanese	Other races
Registration States [1]	1,293,269	1,115,555	163,442	4,632	1,236	1,017	7,387
Cities [1]	673,342	591,022	77,155	424	909	594	3,238
Rural	619,927	524,533	86,287	4,208	327	423	4,149
Alabama:							
Cities	8,273	4,248	4,022	-------	-------	-------	3
Rural	19,407	10,623	8,780	4	-------	-------	------
Arizona:							
Cities	2,132	1,426	124	60	4	8	510
Rural	3,288	1,590	87	566	10	6	1,029
Arkansas:							
Cities	3,766	2,645	1,120	-------	1	-------	------
Rural	12,549	8,606	3,937	1	3	-------	2
California:							
Cities	42,946	38,876	973	38	405	403	2,251
Rural	24,734	21,161	344	306	234	287	2,402
Colorado:							
Cities	6,171	5,857	176	2	6	9	121
Rural	6,428	5,914	74	25	4	16	395
Connecticut:							
Cities	11,915	11,518	388	2	7	-------	------
Rural	5,047	4,976	71	-------	-------	-------	------
Delaware:							
Cities	1,490	1,257	233	-------	-------	-------	------
Rural	1,688	1,313	374	1	-------	-------	------
Florida:							
Cities	7,974	5,021	2,944	5	2	-------	2
Rural	10,314	6,266	4,044	2	1	1	------
Georgia:							
Cities	10,638	5,289	5,347	-------	-------	1	1
Rural	21,490	11,529	9,960	-------	1	-------	------
Idaho:							
Cities	590	573	10	3	1	2	1
Rural	3,352	3,240	9	87	1	10	5
Illinois:							
Cities	52,912	48,037	4,761	1	65	6	42
Rural	30,268	29,211	1,024	-------	7	2	24
Indiana:							
Cities	17,328	15,735	1,540	3	-------	-------	50
Rural	21,428	21,104	319	-------	1	-------	4
Iowa:							
Cities	9,650	9,408	223	3	3	-------	13
Rural	16,136	16,035	77	15	1	-------	8
Kansas:							
Cities	6,857	6,094	759	4	-------	-------	------
Rural	12,655	12,234	406	14	1	-------	------
Kentucky:							
Cities	8,712	6,826	1,885	1	-------	-------	------
Rural	20,347	18,003	2,344	-------	-------	-------	------
Louisiana:							
Cities	11,002	6,418	4,571	-------	8	1	4
Rural	12,309	6,086	6,193	17	1	-------	12
Maine:							
Cities	3,498	3,486	9	1	1	-------	1
Rural	7,221	7,204	6	11	-------	-------	------
Maryland:							
Cities	12,367	9,454	2,903	-------	8	-------	2
Rural	8,671	6,501	2,169	-------	-------	1	------
Massachusetts:							
Cities	40,383	39,644	694	2	42	1	------
Rural	9,063	8,924	127	8	4	-------	------
Michigan:							
Cities	27,205	25,114	2,033	11	13	-------	34
Rural	22,380	21,838	436	92	1	-------	13
Minnesota:							
Cities	11,634	11,483	139	6	5	-------	1
Rural	13,957	13,706	29	218	1	-------	3
Mississippi:							
Cities	3,885	1,868	2,011	3	3	-------	------
Rural	16,426	6,435	9,961	19	3	-------	8

See footnotes at end of table.

Table M—Contd. DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE: 1932

AREA	Total	White	Negro	Indian [2]	Chinese	Japanese	Other races
Missouri:							
Cities	21,068	17,809	3,214	1	11	-------	33
Rural	22,670	21,308	1,353	1	1	1	6
Montana:							
Cities	1,656	1,621	10	13	5	-------	7
Rural	3,638	3,257	12	323	11	2	33
Nebraska:							
Cities	4,675	4,455	205	1	1	1	12
Rural	8,247	8,103	16	67	1	2	58
Nevada:							
Cities	350	333	5	7	4	-------	1
Rural	992	856	3	111	6	7	9
New Hampshire:							
Cities	3,013	3,007	6	-------	-------	-------	-------
Rural	3,316	3,313	3	-------	-------	-------	-------
New Jersey:							
Cities	28,882	26,454	2,413	1	12	1	1
Rural	14,032	13,009	1,014	-------	5	3	1
New Mexico:							
Cities	997	956	27	14	-------	-------	-------
Rural	4,971	4,664	37	264	-------	5	1
New York:							
Cities	112,303	105,934	6,133	27	147	31	31
Rural	35,521	34,714	717	83	4	3	------
North Carolina:							
Cities	8,274	4,752	3,517	2	2	-------	1
Rural	22,777	14,761	7,877	138	-------	1	------
North Dakota:							
Cities	993	982	2	7	-------	2	------
Rural	4,160	4,022	6	132	-------	-------	------
Ohio:							
Cities	44,956	40,575	4,359	2	14	2	4
Rural	31,330	30,286	1,036	3	-------	1	4
Oklahoma:							
Cities	6,461	5,476	839	124	2	-------	20
Rural	12,824	11,187	1,007	596	-------	-------	34
Oregon:							
Cities	4,746	4,627	30	12	35	33	9
Rural	5,531	5,399	14	87	7	13	11
Pennsylvania:							
Cities	62,793	57,124	5,630	1	28	3	7
Rural	46,411	45,070	1,332	-------	4	-------	5
Rhode Island:							
Cities	7,135	6,945	184	1	3	-------	2
Rural	945	924	19	1	1	-------	------
South Carolina:							
Cities	4,387	2,054	2,331	-------	2	-------	------
Rural	15,497	6,545	8,952	-------	-------	-------	------
South Dakota:							
Cities	1,185	1,176	4	5	-------	-------	------
Rural	4,540	4,040	7	493	-------	-------	------
Tennessee:							
Cities	10,423	6,285	4,132	-------	2	-------	4
Rural	18,205	14,536	3,667	-------	1	-------	1
Utah:							
Cities	2,202	2,144	17	1	10	16	14
Rural	2,218	2,145	2	55	1	10	5
Vermont:							
Cities	897	896	1	-------	-------	-------	-------
Rural	3,856	3,853	3	-------	-------	-------	-------
Virginia:							
Cities	8,950	5,314	3,631	-------	3	-------	2
Rural	19,948	12,956	6,977	10	2	-------	3
Washington:							
Cities	9,318	9,020	121	40	39	71	27
Rural	7,263	6,939	29	231	7	47	10
West Virginia:							
Cities	4,749	4,300	447	-------	2	-------	-------
Rural	13,163	11,825	1,337	-------	1	-------	-------
Wisconsin:							
Cities	13,269	13,142	101	20	3	-------	3
Rural	17,052	16,806	81	163	-------	-------	2
Wyoming:							
Cities	395	363	7	-------	-------	2	23
Rural	1,662	1,516	15	64	1	5	61
District of Columbia	7,937	5,001	2,924	-------	10	1	1

[1] Including District of Columbia.
[2] Transcripts of death certificates for 52 Indians received too late for inclusion.

NOTE.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population classed as "rural."

DEATH RATES OF FOREIGN COUNTRIES

Table N presents death rates for certain foreign countries.

Table O presents death rates for 1900 and from 1914 to 1932 for the registration area of continental United States and for certain countries. These rates are shown in diagram 5.

Table N ANNUAL CRUDE DEATH RATE PER 1,000 POPULATION

COUNTRY	1932	1931	1926 to 1930	1921 to 1925	1916 to 1920	1911 to 1915	1906 to 1910	1901 to 1905	1881 to 1885	Percent decrease between 1881 to 1885 and 1926 to 1930
United States (registration area)	10.9	11.1	11.8	11.8	14.5	13.9	15.2	16.2	(1)	(1)
Australia	8.7	8.7	9.3	9.5	10.8	10.7	10.7	11.8	15.7	40.8
Austria	13.9	14.0	14.4	15.8	21.9	20.0	22.4	24.3	30.1	52.2
Belgium	13.2	13.2	13.7	13.4	15.8	14.6	15.9	17.0	20.6	33.5
Ceylon	20.5	22.1	25.1	27.8	30.1	30.6	30.8	26.7	(1)	(1)
Chile	22.8	22.0	25.7	30.2	30.6	28.9	31.2	30.8	26.9	4.5
Denmark	11.0	11.4	11.1	11.2	13.1	12.8	13.7	14.8	18.4	39.7
England and Wales	12.0	12.3	12.1	12.2	14.4	14.3	14.7	16.1	19.4	37.6
Finland	12.6	13.3	13.9	14.2	19.5	16.1	17.4	18.6	22.2	37.4
France	[2] 15.8	16.4	16.8	17.2	20.2	19.3	19.2	19.6	22.2	24.3
Germany	[2] 10.8	11.2	11.8	13.3	19.1	17.7	17.5	19.9	25.3	53.4
Italy	14.7	14.8	15.7	17.0	21.8	19.3	21.2	22.0	27.3	42.5
Jamaica	17.2	18.6	19.3	23.4	26.0	22.4	24.4	22.6	(1)	(1)
Japan	17.8	19.0	19.4	21.9	23.6	20.0	20.9	20.5	(1)	(1)
Netherlands	9.0	9.6	9.9	10.4	13.7	12.8	14.3	16.1	21.4	53.7
New Zealand	8.0	8.3	8.6	8.6	10.7	9.2	9.8	9.9	10.9	21.1
Norway	[2] 10.7	10.9	11.0	11.5	14.2	13.4	13.9	14.6	17.2	36.0
Ontario, Province of	10.5	10.4	11.4	11.3	13.2	12.3	14.0	13.0	11.4	1.8
Scotland	13.5	13.3	13.6	13.9	15.0	15.7	16.1	17.1	19.6	30.6
Spain	[2] 16.4	17.8	18.3	20.4	24.8	22.1	24.0	25.9	32.6	43.9
Sweden	[2] 11.6	12.5	12.1	12.1	14.6	14.0	14.3	15.5	17.5	30.9
Switzerland	12.1	12.1	12.1	12.5	14.9	14.3	16.0	17.5	21.3	43.2
Uruguay	10.1	11.0	10.8	11.5	13.5	13.0	14.0	12.9	18.8	42.6

[1] Figures not available. [2] The figures are provisional.

Table O DEATH RATE PER 1,000 POPULATION

COUNTRY	1900	1914	1915	1916	1917	1918	1919	1920	1921	1922
United States (registration area)	17.6	13.6	13.6	14.0	14.3	18.1	12.9	13.0	11.6	11.7
Australia	11.8	10.5	10.6	11.0	9.7	10.0	12.7	10.5	9.9	9.2
Austria	25.4	18.1	21.3	20.9	22.9	26.4	20.3	19.0	16.9	17.3
Chile	35.6	27.8	26.0	26.3	29.5	29.5	37.0	30.7	32.7	28.4
England and Wales	18.2	14.0	[1] 15.7	[1] 14.3	[1] 14.2	[1] 17.3	[1] 14.0	[1] 12.4	12.1	12.8
France	21.9	[2] 20.7	[2] 21.0	[2] 19.8	[2] 20.2	[2] 24.6	[2] 19.3	17.2	17.7	17.5
Germany	22.1	19.0	21.4	19.2	20.6	24.8	15.6	15.1	13.9	14.4
Italy	23.8	17.9	20.4	19.7	19.2	32.3	19.0	18.8	17.3	17.7
Japan	20.3	20.5	20.1	21.5	21.4	26.8	22.8	25.4	22.7	22.3
New Zealand	9.4	9.3	9.1	9.6	9.6	14.8	9.5	10.2	8.7	8.8
Scotland	18.5	15.5	17.1	14.7	14.4	16.3	15.6	14.0	13.6	14.9
Spain	28.9	22.0	22.0	21.3	22.3	33.1	23.3	23.8	21.3	20.5
Sweden	16.8	13.8	14.7	13.6	13.4	18.0	14.5	13.3	12.4	12.8

Table O—Contd. DEATH RATE PER 1,000 POPULATION

COUNTRY	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
United States (registration area)	12.2	11.7	11.8	12.3	11.4	12.1	11.9	11.3	11.1	10.9
Australia	9.9	9.5	9.2	9.4	9.5	9.5	9.6	8.6	8.7	8.7
Austria	15.3	15.0	14.4	14.9	14.9	14.4	14.5	13.5	14.0	13.9
Chile	32.8	29.2	27.8	27.2	25.8	24.4	26.2	24.7	22.0	22.8
England and Wales	11.6	12.2	12.2	11.6	12.3	11.7	13.4	11.4	12.3	12.0
France	16.7	16.9	17.4	17.5	16.5	16.4	18.0	15.6	16.4	[3] 15.8
Germany	13.9	12.3	11.9	11.7	12.0	11.6	12.6	11.1	11.2	[3] 10.8
Italy	16.6	16.8	16.8	16.9	15.7	15.8	16.1	13.8	14.8	14.7
Japan	22.8	21.2	20.3	19.2	19.8	19.9	20.0	18.2	19.0	17.8
New Zealand	9.0	8.3	8.3	8.7	8.5	8.5	8.8	8.6	8.3	8.0
Scotland	13.0	14.4	13.5	13.1	13.6	13.4	14.6	13.3	13.3	13.5
Spain	20.8	19.8	19.7	19.0	18.9	18.4	18.0	17.3	17.8	[3] 16.4
Sweden	11.4	12.0	11.7	11.8	12.7	12.0	12.2	11.7	12.5	[3] 11.6

[1] Based upon civilian deaths and estimated civilian population.
[2] Based upon the civil population of 77 "departements" not invaded.
[3] The figures are provisional.

DIAGRAM 5.—GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH YEAR FROM 1900 TO 1932



CAUSES OF DEATH

DETAILED, INTERMEDIATE, AND ABRIDGED INTERNATIONAL LISTS

In classifying causes of death, the mortality reports of the Bureau of the Census conform to the list in the fourth revision of the Manual of the International List of Causes of Death, which is based upon the proceedings of the International Commission in Paris in 1929 and was prepared and published by the Bureau of the Census.[1]

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths from disease or violence, (2) an intermediate list in which many of the titles are consolidations of the headings of the detailed list, and (3) an abridged list in still more consolidated form.

Table P shows the distribution of deaths in 1931 and 1932 by the causes of the abridged list, with the corresponding rates and percentages. After each title of the abridged list appears the number or numbers corresponding to the included title or titles of the detailed International List.

Table P

Abridged Int. List no.	CAUSE OF DEATH[1]	DEATHS IN REGISTRATION AREA IN CONTINENTAL UNITED STATES					
		Number		Rate per 100,000 estimated population		Percent	
		1932	1931	1932	1931	1932	1931
	All causes (exclusive of stillbirths)	1,308,529	1,322,587	1,089.3	1,107.5	100.0	100.0
1	Typhoid and paratyphoid fever (1, 2)	4,441	5,382	3.7	4.5	0.3	0.4
2	Typhus fever (3)	36	27	[2]	[2]	[3]	[3]
3	Smallpox (6)	38	95	[2]	0.1	[3]	[3]
4	Measles (7)	1,941	3,576	1.6	3.0	0.1	0.3
5	Scarlet fever (8)	2,577	2,650	2.1	2.2	0.2	0.2
6	Whooping cough (9)	5,364	4,619	4.5	3.9	0.4	0.3
7	Diphtheria (10)	5,418	5,738	4.5	4.8	0.4	0.4
8	Influenza (11)	37,066	31,701	30.9	26.5	2.8	2.4
9	Plague (14)						
10	Tuberculosis of respiratory system (23)	67,789	72,515	56.4	60.7	5.2	5.5
11	Other forms of tuberculosis (24–32)	7,720	8,880	6.4	7.4	0.6	0.7
12	Syphilis (34)	10,684	10,592	8.9	8.9	0.8	0.8
13	Malaria (38)	2,568	2,536	2.1	2.1	0.2	0.2
14	Other infectious and parasitic diseases (4, 5, 12, 13, 15–22, 33, 35, 36, 37, 39–44)	11,337	14,855	9.4	12.4	0.9	1.1
15	Cancer and other malignant tumors (45–53)	122,739	118,141	102.2	98.9	9.4	8.9
16	Tumors, nonmalignant, or of which the nature is not specified (54, 55)	5,858	5,885	4.9	4.9	0.4	0.4
17	Chronic rheumatism and gout (57, 58)	1,502	1,513	1.3	1.3	0.1	0.1
18	Diabetes mellitus (59)	26,368	24,331	22.0	20.4	2.0	1.8
19	Alcoholism (acute or chronic) (75)	3,049	3,933	2.5	3.3	0.2	0.3
20	Other general diseases and chronic poisoning (56, 60–74, 76, 77)	23,230	24,756	19.3	20.7	1.8	1.9
21	Progressive locomotor ataxia and general paralysis of the insane (80, 83)	5,761	5,862	4.8	4.9	0.4	0.4
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	104,897	103,411	87.3	86.6	8.0	7.8
23	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84–89)	19,007	20,661	15.8	17.3	1.5	1.6
24	Diseases of the heart (90–95)	268,696	253,985	223.7	212.7	20.5	19.2
25	Other diseases of the circulatory system (96–103)	26,813	27,270	22.3	22.8	2.0	2.1
26	Bronchitis (106)	4,338	4,586	3.6	3.8	0.3	0.3
27	Pneumonia (107, 108, 109)	92,474	96,974	77.0	81.2	7.1	7.3
28	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110–114)	9,123	9,415	7.6	7.9	0.7	0.7
29	Diarrhea and enteritis (119, 120)	19,619	24,723	16.3	20.7	1.5	1.9
30	Appendicitis (121)	17,111	18,113	14.2	15.2	1.3	1.4
31	Diseases of the liver and biliary passages (124–127)	18,739	19,349	15.6	16.2	1.4	1.5
32	Other diseases of the digestive system (115–118, 122, 123, 128, 129)	31,831	33,098	26.5	27.7	2.4	2.5
33	Nephritis (130, 131, 132)	104,751	104,119	87.2	87.2	8.0	7.9
34	Other diseases of the genitourinary system (133–139)	15,880	15,890	13.2	13.3	1.2	1.2
35	Puerperal septicemia (140, 142a, 145)	4,939	5,445	4.1	4.6	0.4	0.4
36	Other diseases of pregnancy, childbirth, and the puerperal state (141, 142b–144, 146–150)	8,354	8,794	7.0	7.4	0.6	0.7
37	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151–156)	3,501	3,730	2.9	3.1	0.3	0.3
38	Congenital debility and malformations, premature birth, and other diseases of early infancy (157–161)	63,934	67,426	53.2	56.5	4.9	5.1
39	Senility (162)	10,207	10,435	8.5	8.7	0.8	0.8
40	Suicide (163–171)	20,927	20,088	17.4	16.8	1.6	1.5
41	Homicide (172–175)	11,035	11,160	9.2	9.3	0.8	0.8
42	Violent and accidental deaths (suicide and homicide excepted) (176–198)	85,868	93,811	71.5	78.6	6.6	7.1
43	Cause of death not specified or ill-defined (199, 200)	20,999	22,517	17.5	18.9	1.6	1.7

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers in parentheses.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Less than one-tenth of 1 percent.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900, OF 1910, AND OF 1920

Rates from 32 important causes of death or groups of causes of death for the registration areas of continental United States for 1900, 1910, 1920, and 1922 to 1932, inclusive, are shown in table Q and graphically for 13 of these most important causes in diagram 6.

Table R shows for the registration States of 1900, rates for 1900, 1910, 1920, and 1922 to 1932, inclusive. Table S shows for the registration States of 1910 corresponding rates for 1910, and from 1920 to 1932, inclusive.

Table T shows for the registration States of 1920 the rates from 1920 to 1932.

For the populations used in obtaining the rates see table C.

[1] A pamphlet, Physicians' Pocket Reference to the International List of Causes of Death, may be obtained without charge upon application to the Bureau of the Census, Department of Commerce, Washington, D.C.

Table Q

Detailed Int. List no.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES													
		1900	1910	1920	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1,755.0	1,496.2	1,303.8	1,173.9	1,219.7	1,173.0	1,184.1	1,225.4	1,143.4	1,206.6	1,191.9	1,133.1	1,107.5	1,089.3
1, 2	Typhoid and paratyphoid fever	35.9	23.5	7.8	7.4	6.8	6.7	8.0	6.5	5.5	4.9	4.2	4.8	4.5	3.7
6	Smallpox	1.9	0.4	0.6	0.7	0.1	0.9	0.7	0.4	0.1	0.1	0.1	0.1	0.1	(1)
7	Measles	12.5	12.3	8.8	4.3	10.7	8.5	2.3	8.2	4.1	5.4	2.5	3.2	3.0	1.6
8	Scarlet fever	10.2	11.6	4.6	3.5	3.5	3.1	2.7	2.5	2.3	2.0	2.1	1.9	2.2	2.1
9	Whooping cough	12.1	11.4	12.5	5.6	9.7	8.2	6.7	8.9	6.9	5.5	6.3	4.8	3.9	4.5
10	Diphtheria	43.3	21.4	15.3	14.6	12.0	9.3	7.8	7.5	7.8	7.2	6.6	4.9	4.8	4.5
	Influenza and pneumonia (all forms)	203.4	162.1	208.0	132.6	152.4	116.7	123.4	143.5	103.2	143.5	147.2	102.7	107.7	107.8
11	Influenza	22.9	14.4	70.9	31.2	44.3	19.4	29.7	40.8	22.6	45.3	55.5	19.5	26.5	30.9
107	Bronchopneumonia [2]	21.9	47.1	54.5	44.9	47.3	40.6	38.7	44.0	33.8	39.6	37.6	34.3	33.6	32.6
108	Lobar pneumonia	158.6	46.4	73.0	50.1	53.7	50.6	49.9	54.0	43.2	53.4	49.5	45.4	44.5	41.2
109	Unspecified pneumonia		54.3	9.5	6.4	7.1	6.1	5.1	4.7	3.7	5.1	4.6	3.5	3.2	3.1
15	Erysipelas	5.1	4.5	3.1	2.5	2.7	2.5	2.4	2.6	2.4	2.4	2.5	2.1	1.9	1.6
18	Epidemic cerebrospinal meningitis	(3)	0.4	1.6	1.0	1.0	1.0	1.1	1.3	1.6	2.6	4.5	3.6	2.4	1.4
23	Tuberculosis of the respiratory system	180.5	136.0	97.0	84.3	81.3	78.0	75.9	76.6	71.4	70.3	67.6	63.4	60.7	56.4
24–32	Other forms of tuberculosis	21.4	24.3	17.0	12.1	11.5	11.7	10.8	10.7	9.5	9.0	8.4	8.1	7.5	6.4
38	Malaria	7.9	2.2	3.6	3.6	2.8	2.4	2.1	1.9	2.7	3.6	3.5	2.9	2.1	2.1
45–53	Cancer and other malignant tumors	63.0	76.2	83.2	86.2	88.7	91.1	92.8	95.1	95.7	96.1	95.9	97.2	98.9	102.2
59	Diabetes mellitus	9.7	14.9	16.0	18.3	17.7	16.4	16.9	18.0	17.5	19.0	18.8	19.0	20.4	22.0
82 a, c	Cerebral hemorrhage and softening	71.5	75.7	81.7	82.9	86.9	88.9	81.0	82.8	80.4	83.4	82.1	81.0	79.1	79.4
90–94a, 95	Diseases of the heart [4]	132.1	158.8	159.1	164.6	173.8	176.5	185.7	199.5	196.0	208.2	210.8	205.5	201.9	209.2
106	Bronchitis	45.7	23.4	13.2	9.3	9.0	7.2	6.5	6.6	5.4	5.2	4.7	4.2	3.8	3.6
119, 120	Diarrhea and enteritis [5]	133.2	117.4	54.3	39.3	39.6	34.5	39.4	33.6	27.6	26.9	23.5	26.3	20.7	16.3
121	Appendicitis	9.7	11.4	13.4	14.1	14.7	14.8	15.2	15.0	15.0	15.3	15.2	15.3	15.2	14.2
122	Hernia, intestinal obstruction [6]	12.2	12.4	10.6	10.5	10.4	10.5	10.8	11.2	10.5	10.5	10.6	10.3	10.5	10.2
124	Cirrhosis of the liver	12.9	13.9	7.1	7.4	7.2	7.3	7.3	7.2	7.5	7.6	7.2	7.2	7.4	7.2
130–132	Nephritis	89.0	99.1	89.2	87.9	89.3	88.8	96.5	98.5	92.6	95.2	91.2	90.8	87.2	87.2
140, 142a, 145	Puerperal septicemia	5.7	7.2	6.6	5.7	5.8	5.7	5.5	5.3	5.3	5.0	5.0	4.6	4.6	4.1
141, 142b–144, 146–150	Other puerperal causes	7.6	8.5	12.5	9.9	9.7	9.6	9.3	9.1	8.5	8.8	8.2	8.2	7.3	7.0
157–161	Congenital malformations and diseases of early infancy	91.8	88.1	84.7	77.7	77.3	77.6	74.0	71.7	67.8	65.8	62.4	60.9	56.5	53.2
163–171	Suicide	11.5	16.0	10.2	11.8	11.5	12.1	12.1	12.8	13.3	13.6	14.0	15.6	16.8	17.4
172–175	Homicide	2.1	5.9	7.1	8.3	8.1	8.4	8.6	8.8	8.8	8.8	8.5	9.0	9.3	9.2
	Automobile accidents [7]	(2)	1.8	10.4	12.4	14.7	15.5	17.1	18.0	19.6	20.8	23.3	24.5	25.2	21.9
176–198	Automobile and railroad train collisions	(2)	(2)	(2)	(2)	(2)	1.0	1.2	1.5	1.5	1.8	1.7	1.5	1.4	1.2
	Automobile and street car collisions	(2)	(2)	(2)	(2)	(2)	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.4	0.3
	Other external causes	79.0	82.6	60.9	57.1	61.1	58.8	59.7	58.9	57.0	56.3	55.5	54.2	51.7	48.1
199–200	Ill-defined causes of death	73.8	23.1	17.7	17.6	17.0	17.5	17.4	17.8	17.6	20.6	20.9	21.0	18.9	17.5

[1] Less than 1/10 of 1 per 100,000 population.
[2] Includes capillary bronchitis.
[3] Not separately tabulated.
[4] Excludes diseases of coronary arteries.
[5] From 1900 to 1920 includes ulcer of the duodenum.
[6] From 1900 to 1920 includes adhesions of intestines.
[7] Excludes deaths from collision with railroad trains and street cars.

Table R

Detailed Int. List no.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1900 [1]													
		1900	1910	1920	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1,719.5	1,562.4	1,376.0	1,245.9	1,275.0	1,215.3	1,230.7	1,276.5	1,173.1	1,229.3	1,234.3	1,152.3	1,136.5	1,127.1
1, 2	Typhoid and paratyphoid fever	31.3	18.0	4.9	3.9	3.6	3.5	3.8	2.8	1.9	1.9	1.6	1.6	1.4	1.1
6	Smallpox	0.3	0.5	0.1	0.1	0.1	0.9	0.3	(2)	0.1	0.1	0.1	0.1	(2)	(2)
7	Measles	13.4	12.6	10.3	7.9	8.6	5.8	3.4	11.1	1.9	5.5	2.5	2.6	2.2	2.0
8	Scarlet fever	9.6	12.2	5.2	4.0	3.5	3.3	2.6	2.8	2.6	2.1	1.9	1.8	2.2	2.6
9	Whooping cough	12.3	10.7	11.9	5.7	8.2	6.5	5.8	7.7	4.7	5.1	4.2	3.4	3.4	3.2
10	Diphtheria	40.4	22.5	17.3	14.7	12.2	10.1	8.1	7.6	8.4	7.4	6.7	4.3	2.9	2.5
	Influenza and pneumonia (all forms)	202.2	174.4	209.2	138.4	150.3	115.2	122.4	148.0	104.1	130.8	140.5	97.9	101.1	99.3
11	Influenza	26.7	15.5	54.9	23.0	31.9	12.8	20.1	30.2	15.4	24.3	35.2	11.1	16.1	17.6
107	Bronchopneumonia [3]	22.8	52.6	64.8	53.4	53.4	44.8	43.7	52.4	37.8	44.5	43.7	36.7	36.2	35.8
108	Lobar pneumonia	152.7	52.4	82.4	57.8	60.3	54.1	55.6	62.9	48.8	59.9	59.5	48.6	47.6	44.7
109	Pneumonia unspecified	(4)	58.9	7.0	4.3	4.6	3.5	3.0	2.5	2.1	2.1	2.0	1.5	1.2	1.2
15	Erysipelas	5.4	4.9	3.6	2.9	3.0	2.9	2.9	3.2	3.0	2.8	3.1	2.7	2.3	1.9
18	Epidemic cerebrospinal meningitis	(4)	0.3	1.8	1.2	1.2	1.2	1.1	1.3	1.3	3.2	5.5	3.6	2.2	1.4
23	Tuberculosis of the respiratory system	173.3	138.1	93.1	78.7	77.5	73.2	70.9	71.2	65.4	65.3	63.1	59.1	55.9	52.0
24–32	Other forms of tuberculosis	21.9	26.6	18.6	12.6	12.1	12.4	11.2	11.2	9.9	9.6	8.8	8.6	7.4	6.8
38	Malaria	6.3	1.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
45–53	Cancer and other malignant tumors	64.0	83.0	98.7	103.9	105.1	108.2	110.7	112.6	114.7	115.8	117.3	117.6	119.7	123.1
59	Diabetes mellitus	11.0	17.6	20.4	23.2	22.1	20.3	21.0	22.0	22.0	23.6	24.1	24.0	25.6	27.8
82a, c	Cerebral hemorrhage and softening	76.5	88.0	96.4	97.3	99.3	100.5	90.2	91.3	86.7	89.4	87.4	82.7	81.6	81.6
90–94a, 95	Diseases of the heart [5]	137.4	180.9	197.6	208.5	220.4	218.3	232.5	249.2	238.7	259.2	266.4	253.2	249.6	258.9
106	Bronchitis	45.2	26.6	17.1	11.8	11.2	8.1	7.6	8.2	6.1	5.8	5.8	4.9	4.1	4.0
119, 120	Diarrhea and enteritis [6]	139.9	119.4	55.6	36.2	33.8	27.6	31.2	24.9	19.9	19.0	17.7	17.4	13.0	10.2
121	Appendicitis	8.8	11.1	13.2	13.7	14.4	14.9	15.1	14.8	15.0	15.2	15.9	15.8	15.6	14.6
122	Hernia, intestinal obstruction [7]	11.9	12.6	11.1	10.6	10.8	10.9	10.9	11.4	10.6	10.5	10.6	10.3	10.2	10.1
124	Cirrhosis of the liver	12.6	14.4	7.7	8.1	7.6	7.9	8.2	8.0	8.0	8.4	8.1	7.8	8.3	8.0
130–132	Nephritis	88.7	107.3	97.4	94.3	94.9	91.8	100.7	102.7	94.6	94.6	90.8	91.0	88.3	89.5
140, 142a, 145	Puerperal septicemia	5.8	6.7	6.0	5.1	5.0	5.2	4.9	4.6	4.8	4.3	4.2	3.9	3.9	3.6
141, 142b–144, 146–150	Other puerperal causes	7.6	8.4	11.5	8.8	8.4	8.4	7.9	7.6	7.7	7.4	7.0	6.7	6.2	5.9
157–161	Congenital malformations and diseases of early infancy	88.2	94.6	90.8	81.4	81.0	80.1	75.4	72.6	68.7	66.1	62.6	60.6	55.5	51.5
163–171	Suicide	10.2	15.4	10.9	12.7	12.7	12.8	13.0	13.3	14.2	14.9	15.6	16.9	18.3	19.3
172–175	Homicide	1.2	3.9	4.2	4.3	4.5	5.0	5.0	5.0	5.0	4.8	5.0	5.1	5.3	5.2
	Automobile accidents [8]	(4)	2.0	12.1	14.5	16.8	18.0	19.0	19.3	21.3	22.4	25.1	25.0	25.5	22.5
176–198	Automobile and railroad train collisions	(4)	(4)	(4)	(4)	(4)	1.0	1.1	1.4	1.6	1.7	1.6	1.3	1.3	1.3
	Automobile and street car collisions	(4)	(4)	(4)	(4)	(4)	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.3	0.2
	Other external causes	72.3	75.8	58.5	55.9	60.7	56.6	58.2	56.4	53.7	54.2	53.6	51.3	49.3	45.5
199–200	Ill-defined causes of death	67.4	19.0	3.4	3.3	3.2	3.4	2.8	2.5	2.3	2.2	2.3	1.9	1.8	1.8

[1] See table A.
[2] Less than 1/10 of 1 per 100,000 population.
[3] Includes capillary bronchitis.
[4] Not separately tabulated.
[5] Excludes diseases of coronary arteries.
[6] From 1900 to 1920, includes ulcer of duodenum.
[7] From 1900 to 1920, includes adhesions of intestines.
[8] Excludes deaths from collison with railroad trains and street cars.

Table S

Detailed Int. List no.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1910 [1]													
		1910	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1,469.2	1,330.5	1,183.5	1,210.3	1,254.2	1,194.9	1,208.0	1,246.1	1,161.6	1,222.0	1,209.2	1,142.8	1,128.6	1,117.0
1, 2	Typhoid and paratyphoid fever	22.5	5.3	6.0	4.3	4.1	3.7	4.0	3.2	2.3	2.0	1.9	2.1	1.8	1.5
6	Smallpox	0.4	0.2	0.3	0.6	0.1	1.2	0.9	0.5	0.1	0.1	0.1	0.1	(2)	(2)
7	Measles	12.4	10.2	4.1	6.1	10.0	5.6	2.9	9.9	2.8	4.2	2.7	2.9	2.5	1.9
8	Scarlet fever	11.4	5.3	6.3	4.1	4.3	3.8	3.0	2.7	2.6	2.1	2.1	1.9	2.1	2.4
9	Whooping cough	11.6	12.6	8.4	5.7	8.6	6.4	6.5	8.2	4.6	5.2	5.0	3.6	3.3	3.4
10	Diphtheria	21.1	15.8	17.6	14.4	12.8	10.3	8.1	7.5	7.7	6.7	5.6	3.9	2.9	2.8
	Influenza and pneumonia (all forms)	156.2	208.2	105.8	137.1	152.9	118.6	125.1	144.7	106.0	138.8	139.2	99.8	104.6	103.4
11	Influenza	14.4	61.9	10.7	27.2	35.8	15.8	24.1	33.6	19.0	35.5	40.9	14.3	20.3	23.7
107	Bronchopneumonia [3]	46.0	61.0	43.8	51.0	53.4	44.7	43.2	49.8	37.5	44.0	42.0	37.0	36.6	35.3
108	Lobar pneumonia	44.9	78.4	46.4	54.7	59.2	54.5	54.6	58.6	47.2	57.2	54.2	47.0	46.3	43.2
109	Unspecified	50.9	7.0	4.9	4.2	4.5	3.6	3.1	2.7	2.3	2.1	2.0	1.5	1.3	1.2
15	Erysipelas	4.6	3.3	3.0	2.6	2.9	2.9	2.7	2.9	2.7	2.6	2.8	2.3	2.1	1.7
18	Epidemic cerebrospinal meningitis	0.3	1.6	1.5	1.0	1.1	1.0	1.1	1.4	1.7	3.1	5.2	3.2	2.2	1.4
23	Tuberculosis of the respiratory system	131.6	93.9	82.5	81.3	79.5	76.1	73.4	73.3	68.5	67.8	64.8	60.4	57.2	53.7
24–32	Other forms of tuberculosis	24.4	18.1	14.2	12.9	12.5	12.4	11.4	11.3	9.8	9.5	8.7	8.5	7.5	6.6
38	Malaria	1.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
45–53	Cancer and other malignant tumors	76.3	93.5	96.0	98.3	100.5	103.3	105.6	108.2	109.2	112.2	112.5	113.5	115.5	119.0
59	Diabetes mellitus	15.3	18.5	19.1	21.1	20.4	18.8	19.4	20.4	20.3	22.4	22.0	22.2	23.8	25.7
82a, c	Cerebral hemorrhage and softening	78.0	90.6	89.3	92.4	95.9	96.8	88.5	89.6	86.5	89.9	87.4	84.7	83.3	83.5
90–94a, 95	Diseases of the heart [4]	159.0	177.0	174.3	187.9	199.0	199.0	211.3	226.5	223.2	240.4	244.7	236.3	233.8	242.8
106	Bronchitis	23.9	14.7	9.9	10.5	10.0	7.8	7.2	7.4	5.9	5.8	5.3	4.6	4.1	4.0
119, 120	Diarrhea and enteritis [5]	114.4	53.7	48.7	37.7	36.9	29.9	34.5	27.0	21.4	20.3	18.9	20.3	15.7	11.9
121	Appendicitis	10.8	13.4	14.4	14.3	14.5	14.8	14.9	14.9	15.0	15.2	15.4	15.4	15.2	14.2
122	Hernia, intestinal obstruction [6]	12.1	11.0	11.0	10.9	10.9	10.9	11.0	11.6	11.1	10.9	11.1	10.7	10.8	10.7
124	Cirrhosis of the liver	13.3	7.6	7.9	7.9	7.8	8.0	8.0	8.0	8.3	8.6	8.2	8.1	8.5	8.4
130–132	Nephritis	94.9	91.3	85.7	89.5	90.6	88.3	95.7	97.7	91.7	93.1	89.0	88.0	85.1	86.6
140, 142a, 145	Puerperal septicemia	7.0	6.2	6.5	5.1	5.5	5.3	5.1	4.8	4.9	4.5	4.4	4.0	4.1	3.6
141, 142b–144, 146–150	Other puerperal causes	8.4	11.5	9.0	8.8	8.4	8.4	7.9	7.7	7.5	7.3	6.7	6.5	6.1	5.7
157–161	Congenital malformations and diseases of early infancy	88.5	88.1	87.1	81.0	80.4	79.4	75.0	72.0	68.4	65.8	62.2	60.0	55.7	51.7
163–171	Suicide	15.4	11.3	13.9	13.4	13.1	13.5	13.8	14.3	14.9	15.6	16.2	17.7	18.9	19.8
172–175	Homicide	4.6	4.9	5.8	5.3	5.4	5.6	5.7	5.5	5.5	5.4	5.4	5.7	5.7	5.6
	Automobile accidents [7]	1.8	12.1	13.1	14.6	17.4	18.0	19.1	19.7	21.7	23.2	26.0	26.6	27.3	24.0
176–198	Automobile and railroad train collisions	(8)	(8)	(8)	(8)	(8)	1.1	1.2	1.5	1.7	2.0	1.8	1.5	1.4	1.3
	Automobile and street car collisions	(8)	(8)	(8)	(8)	(8)	0.5	0.6	0.5	0.5	0.6	0.6	0.5	0.4	0.3
	Other external causes	82.8	62.9	58.3	58.8	63.8	60.6	60.5	59.2	57.0	57.6	56.7	55.0	52.4	48.3
199, 200	Ill-defined causes of death	22.0	5.2	4.4	4.5	4.2	4.1	3.8	3.9	3.4	3.4	3.4	3.0	3.0	2.7

[1] Excludes North Carolina; see table A.
[2] Less than 1/10 of 1 per 100,000 population.
[3] Includes capillary bronchitis.
[4] Excludes diseases of coronary arteries.
[5] From 1910 to 1920, includes ulcer of the duodenum.
[6] From 1910 to 1920, includes adhesions of intestines.
[7] Excludes deaths from collision with railroad trains and street cars.
[8] Not separately tabulated.

Table T

Detailed Int. List no.	CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920 [1]												
		1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1,297.4	1,152.7	1,176.8	1,227.0	1,178.1	1,180.7	1,233.2	1,153.2	1,222.9	1,204.7	1,143.2	1,123.5	1,105.9
1, 2	Typhoid and paratyphoid fever	7.6	8.9	6.8	6.4	6.2	7.6	6.1	4.8	4.0	3.4	3.9	3.6	3.0
6	Smallpox	0.6	0.7	0.7	0.1	0.9	0.7	0.4	0.1	0.1	0.1	0.1	0.1	(2)
7	Measles	8.8	4.2	4.5	10.8	7.8	2.4	8.5	3.8	5.0	2.6	2.9	2.9	1.6
8	Scarlet fever	4.6	5.3	3.6	3.6	3.2	2.7	2.5	2.3	2.0	2.2	2.0	2.3	2.3
9	Whooping cough	12.5	9.1	5.6	9.7	8.0	6.6	8.7	6.5	5.4	5.7	4.4	3.7	4.3
10	Diphtheria	15.3	17.7	14.7	12.2	9.5	7.9	7.5	7.8	7.1	6.4	4.8	4.3	3.9
	Influenza and pneumonia (all forms)	207.1	98.9	132.9	153.3	116.8	123.6	143.6	104.2	142.6	144.5	101.4	107.2	106.1
11	Influenza	70.4	11.3	30.6	43.8	18.9	29.0	39.4	22.0	42.4	51.1	17.9	25.2	28.4
107	Bronchopneumonia [3]	54.5	39.2	45.7	48.5	41.4	39.4	44.9	34.6	41.1	38.6	34.8	34.4	33.3
108	Lobar pneumonia	72.8	42.4	50.8	54.9	51.4	51.0	55.2	44.2	55.4	51.3	46.0	45.1	41.9
109	Pneumonia unspecified	9.3	6.0	5.8	6.1	5.1	4.2	4.1	3.4	3.7	3.4	2.7	2.5	2.5
15	Erysipelas	3.1	2.8	2.5	2.7	2.5	2.4	2.6	2.4	2.4	2.6	2.1	2.0	1.6
18	Epidemic cerebrospinal meningitis	1.6	1.4	0.9	1.1	1.0	1.1	1.4	1.6	2.7	4.6	3.5	2.3	1.4
23	Tuberculosis of the respiratory system	96.0	84.7	83.8	82.0	78.6	76.1	76.0	70.8	70.0	66.9	62.6	60.1	55.9
24–32	Other forms of tuberculosis	17.0	13.2	12.2	11.7	11.8	11.0	10.8	9.7	9.4	8.6	8.3	7.5	6.5
38	Malaria	3.4	3.5	3.1	2.4	2.1	2.0	1.8	1.9	2.3	2.1	1.8	1.4	1.4
45–53	Cancer and other malignant tumors	83.3	85.8	88.0	90.1	92.8	95.0	97.7	99.0	101.6	101.6	103.0	104.8	108.2
59	Diabetes mellitus	16.1	16.8	18.7	18.1	16.8	17.4	18.5	18.3	20.2	20.1	20.2	21.6	23.4
82a, c	Cerebral hemorrhage and softening	81.8	80.7	84.2	88.0	89.9	82.5	84.4	82.2	86.1	84.7	83.1	81.0	81.4
90–94a, 95	Diseases of the heart [4]	159.4	156.6	168.1	178.5	181.5	192.1	206.5	204.7	221.7	224.6	218.3	215.6	223.2
106	Bronchitis	13.2	9.0	9.5	9.3	7.3	6.7	6.9	5.6	5.5	5.0	4.4	4.0	3.8
119, 120	Diarrhea and enteritis [5]	53.5	50.6	38.9	39.6	34.2	38.3	32.1	26.0	24.9	21.6	23.8	19.0	14.7
121	Appendicitis	13.1	14.1	14.0	14.5	14.5	14.9	14.8	14.8	15.2	15.2	15.2	15.1	14.1
122	Hernia, intestinal obstruction [6]	10.5	10.6	10.4	10.4	10.4	10.8	11.1	10.5	10.6	10.7	10.4	10.6	10.3
124	Cirrhosis of the liver	7.1	7.4	7.6	7.4	7.5	7.6	7.5	7.8	8.1	7.7	7.7	7.9	7.8
130–132	Nephritis	88.7	84.5	88.1	90.0	89.4	98.1	100.6	95.0	98.2	94.0	93.4	90.0	90.2
140, 142a, 145	Puerperal septicemia	6.5	6.7	5.5	5.7	5.6	5.4	5.1	5.1	4.8	4.8	4.4	4.3	3.9
141, 142b–144, 146–150	Other puerperal causes	12.4	9.9	9.7	9.5	9.4	9.1	8.9	8.2	8.4	7.8	7.6	7.1	6.6
157–161	Congenital malformations and diseases of early infancy	84.5	83.5	78.0	77.5	77.8	73.9	71.5	67.7	65.6	61.9	60.0	55.7	52.7
163–171	Suicide	10.2	12.5	11.9	11.6	12.2	12.3	12.9	13.6	14.3	14.6	16.3	17.4	18.1
172–175	Homicide	6.7	8.1	7.6	7.7	8.0	8.2	8.3	8.1	8.0	7.7	8.2	8.5	8.4
	Automobile accidents [7]	10.3	11.3	12.6	15.0	15.8	17.4	18.3	20.0	21.6	23.9	25.1	25.9	22.6
176–198	Automobile and railroad train collisions	(8)	(8)	(8)	(8)	1.0	1.3	1.5	1.6	1.9	1.8	1.5	1.4	1.3
	Automobile and street car collisions	(8)	(8)	(8)	(8)	0.4	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.3
	Other external causes	60.6	56.6	57.0	61.1	59.0	59.2	58.5	56.4	56.4	55.3	54.1	51.7	47.9
199–200	Ill-defined causes of death	17.5	15.8	16.0	15.9	16.2	15.2	15.8	15.0	16.4	15.7	15.2	13.4	11.9

[1] See table A.
[2] Less than 1/10 of 1 per 100,000 population.
[3] Includes capillary bronchitis.
[4] Excludes diseases of coronary arteries.
[5] 1920 includes ulcer of the duodenum.
[6] 1920 includes adhesions of intestines.
[7] Excludes deaths from collision with railroad trains and street cars.
[8] Not separately tabulated.

DIAGRAM 6.—DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF CONTINENTAL UNITED STATES FOR THE YEARS 1900, AND 1910 TO 1932



For the registration area in continental United States in 1932, and also for the registration States of 1900, record low rates were reached; that is, lower for 1932 than for any year since the publication of the first annual report in 1900.

In the registration States of 1900 a new record low rate for diarrhea and enteritis (10.2) was shown in 1932. Diseases of the heart had the highest rate (258.9) in this group of States. The trend of mortality from cancer and other malignant tumors has been decidedly upward. There has been a steady increase, without variation, and the rates have ranged from 64 per 100,000 estimated population in 1900 to 123.1 in 1932 in the registration States of 1900. Allowance, of course, must be made for the fact that in this group of States there is a larger proportion of the population of older ages than in other groups.

The most striking of all increases has taken place in death rates from automobile accidents in the expanding registration area. These rates increased from 1.8 in 1910 to 25.2 in 1931 and then decreased in 1932 to 21.9.

Typhoid and paratyphoid fever, measles, diphtheria, and diarrhea and enteritis showed decreases in 1932 compared with 1931 in each group, while the rates from diabetes mellitus, diseases of the heart, and cancer increased in all groups.

Table U gives death rates for the 18 class groups of the International List of Causes of Death, for the registration States of 1920.

Table U

CAUSE OF DEATH	DEATH RATE PER 100,000 ESTIMATED POPULATION IN THE REGISTRATION STATES OF 1920: [1]					
	Total		White		Colored	
	1932	1931	1932	1931	1932	1931
Total deaths (all causes)	1,105.9	1,123.5	1,070.8	1,078.7	1,453.0	1,566.9
I.—Infectious and parasitic diseases	125.1	132.1	105.5	109.9	318.6	351.6
Tuberculosis (all forms)	62.4	67.6	50.1	54.1	184.0	202.0
II.—Cancers and other tumors	113.3	109.9	117.5	114.0	71.7	68.9
Cancer and other malignant tumors	108.2	104.8	112.6	109.1	64.5	61.7
III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	35.1	34.5	34.8	33.5	37.7	44.5
IV.—Diseases of the blood and blood-making organs	8.5	8.4	9.0	8.8	4.0	4.2
V.—Chronic poisonings and intoxications	2.9	3.7	2.8	3.7	3.7	4.5
VI.—Diseases of the nervous system and of the organs of special sense	110.3	111.1	108.8	109.4	125.2	128.0
VII.—Diseases of the circulatory system	262.5	251.6	265.3	252.7	235.3	240.4
VIII.—Diseases of the respiratory system	89.3	94.0	83.8	87.1	143.0	161.6
IX.—Diseases of the digestive system	71.6	78.7	69.8	75.8	89.6	106.7
X.—Diseases of the genitourinary system	103.6	103.4	100.7	99.4	132.1	143.2
XI.—Diseases of pregnancy, childbirth, and the puerperal state	10.5	11.4	9.5	10.3	20.1	22.5
XII.—Diseases of the skin and cellular tissue	1.5	1.8	1.5	1.8	1.8	2.0
XIII.—Diseases of the bones and organs of locomotion	1.4	1.3	1.4	1.3	1.3	1.7
XIV.—Congenital malformations	10.6	11.2	11.0	11.7	6.5	7.0
XV.—Diseases of early infancy	42.1	44.5	39.9	42.5	63.7	64.3
XVI.—Senility	7.1	7.2	6.3	6.4	15.0	14.6
XVII.—Violent and accidental deaths	98.6	105.3	96.6	103.2	119.0	126.1
Suicide	18.1	17.4	19.3	18.6	6.3	5.9
Homicide	8.4	8.5	5.4	5.5	37.4	38.1
Accidental, other, or undefined	72.1	79.5	71.8	79.2	75.2	82.1
XVIII.—Ill-defined causes of death	11.9	13.4	6.6	7.2	64.4	75.0

[1] See table A.

Table V gives the number of deaths by age groups, sex, color, and race in the registration States of 1920.

Table V

AGE AND SEX	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES OF 1920: [1] 1932							
	Total	White	Colored	Negro	Indian	Chinese	Japanese	Other races
All ages	1,124,556	988,647	135,909	126,003	2,076	1,195	969	5,666
Male	611,389	538,878	72,511	66,405	1,078	1,065	703	3,260
Female	513,167	449,769	63,398	59,598	998	130	266	2,406
Under 1 year:								
Male	55,976	46,256	9,720	8,586	220	40	55	819
Female	42,469	34,630	7,839	6,912	169	33	44	681
1 to 4 years:								
Male	16,715	13,955	2,760	2,352	82	19	39	268
Female	14,342	11,815	2,527	2,144	73	16	33	261
Under 5 years:								
Male	72,691	60,211	12,480	10,938	302	59	94	1,087
Female	56,811	46,445	10,366	9,056	242	49	77	942
5 to 9 years:								
Male	8,899	7,737	1,162	1,000	33	7	27	95
Female	7,311	6,256	1,055	901	34	9	22	89
10 to 14 years:								
Male	7,665	6,501	1,164	1,037	42	7	14	64
Female	5,905	4,834	1,071	949	47	5	15	55
15 to 19 years:								
Male	11,755	9,488	2,267	2,064	52	9	22	120
Female	10,059	7,375	2,684	2,469	67	6	19	123
20 to 24 years:								
Male	15,094	11,519	3,575	3,260	59	30	17	209
Female	14,429	10,616	3,813	3,595	58	3	7	150
25 to 34 years:								
Male	33,469	25,383	8,086	7,369	75	90	55	497
Female	31,375	23,656	7,719	7,376	76	15	33	219
35 to 44 years:								
Male	51,726	41,851	9,875	9,183	68	147	82	395
Female	40,656	32,052	8,604	8,247	77	11	41	228
45 to 54 years:								
Male	76,949	65,484	11,465	10,728	83	159	191	304
Female	55,277	45,789	9,488	9,176	69	9	26	208
55 to 64 years:								
Male	102,039	92,299	9,740	9,113	80	181	150	216
Female	75,702	67,943	7,759	7,503	73	12	18	153
65 to 74 years:								
Male	118,512	111,776	6,736	6,214	118	205	46	153
Female	99,248	93,713	5,535	5,305	93	7	7	123
75 years and over:								
Male	111,918	106,178	5,740	5,284	163	170	5	118
Female	115,991	110,831	5,160	4,878	161	4	1	116
Unknown age:								
Male	672	451	221	215	3	1	------	2
Female	403	259	144	143	1	------	------	------

[1] See table A.

TYPHOID AND PARATYPHOID FEVER

The number of deaths from typhoid and paratyphoid fever in the registration area in 1932 was 4,441, corresponding to a rate of 3.7 per 100,000 population, as compared with 4.5 in 1931.

Thirty-six of the States in the registration area showed decreases in 1932. Arkansas and Georgia led with decreases of 5.9 and 5.3, respectively. Rates for 5 States did not change when compared with those for 1931 and 7 States had less than 1 death per 100,000 population. The highest rates were for South Carolina (14.6), Kentucky (13.0), Georgia (12.5), and Arkansas and West Virginia (12.4 each).

Among cities of 100,000 population or more there were 10—Bridgeport, Elizabeth, Fall River, Grand Rapids, Kansas City, Kans., Lynn, Milwaukee, New Bedford, Somerville, and South Bend—that had no deaths from typhoid or paratyphoid fever in 1932. The highest rates were for Chattanooga (13.1), Memphis (10.8), Knoxville (10.1), Atlanta (9.7), and New Orleans (9.0).

In every State shown by color, rates were higher for the colored populations. The same statement cannot be made for the large cities, as Columbus, Gary, Indianapolis, Kansas City, Kans., and Kansas City, Mo., had no deaths from these causes among their colored populations, and Louisville, Nashville, and Washington, D.C., had lower rates for the colored than for the white.

Table W shows rates for States and large cities.

Table W

AREA	DEATH RATE FROM TYPHOID AND PARATYPHOID FEVER PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	3.7	4.5	7.8
Registration States [2]	3.7	4.5	7.6
Cities of 10,000 or over	2.1	2.6	5.5
Smaller cities and rural areas	5.2	6.4	9.6
Registration cities in nonregistration State	5.7	5.2	**15.3**
All registration cities [2]	2.1	2.6	5.9
Alabama	5.0	7.0	(3)
White	3.7	5.9	(3)
Colored	7.4	9.0	(3)
Arizona	4.7	6.1	(3)
Arkansas	**12.4**	**18.3**	(3)
White	**10.4**	**15.8**	(3)
Colored	**18.3**	**25.6**	(3)
California	1.4	1.8	4.7
White	1.1	1.3	(4)
Colored	3.8	5.6	(4)
Colorado	3.6	6.3	9.2
Connecticut	0.6	1.2	4.1
Delaware	1.3	4.6	**11.2**
Florida	5.4	5.6	**14.4**
White	3.2	4.1	**13.1**
Colored	**10.8**	9.3	**17.0**
Georgia	**12.5**	**17.8**	(3)
White	7.2	**10.8**	(3)
Colored	**21.8**	**30.1**	(3)
Idaho	3.4	4.0	(3)
Illinois	1.7	1.7	5.8
Indiana	2.6	3.0	9.6
Iowa	1.6	1.5	(3)
Kansas	1.6	2.2	7.9
Kentucky	**13.0**	**14.8**	**20.2**
White	**12.7**	**13.7**	**19.1**
Colored	**16.9**	**25.7**	**30.1**
Louisiana	**11.0**	**14.7**	**15.4**
White	7.8	**10.3**	**11.6**
Colored	**16.5**	**22.2**	**21.4**
Maine	2.5	3.1	9.0
Maryland	3.2	5.3	6.9
White	2.6	4.0	5.6
Colored	6.0	**12.2**	**13.0**
Massachusetts	0.6	0.7	2.5
Michigan	1.1	1.6	7.9
Minnesota	0.7	0.7	3.0
Mississippi	7.9	**11.1**	**18.5**
White	4.5	6.5	**11.5**
Colored	**11.3**	**15.5**	**24.9**
Missouri	5.6	7.0	**10.0**
Montana	2.6	2.2	4.9
Nebraska	1.4	1.7	4.5
Nevada	8.6	1.1	(3)
New Hampshire	1.7	2.1	6.8
New Jersey	0.7	1.1	3.3
New Mexico	6.3	9.8	(3)
New York	1.0	1.1	3.6
North Carolina	5.0	5.0	**12.4**
White	3.5	3.9	9.2
Colored	8.7	7.7	**19.8**
North Dakota	2.2	2.2	(3)
Ohio	2.1	2.6	7.5
Oklahoma	9.3	**10.6**	(3)
White	8.2	9.1	(3)
Colored	**18.3**	**22.7**	(3)
Oregon	1.6	2.2	4.9
Pennsylvania	1.9	2.1	5.7
Rhode Island	0.3	1.0	2.8
South Carolina	**14.6**	**16.6**	**22.5**
White	5.8	8.0	**15.9**
Colored	**25.3**	**27.1**	**28.8**
South Dakota	1.4	2.4	(3)
Tennessee	**11.6**	**10.6**	**18.5**
White	9.8	9.3	**16.4**
Colored	**19.8**	**16.5**	**27.1**
Utah	1.4	2.9	6.9
Vermont	0.6	1.7	**10.5**
Virginia	5.5	8.3	**11.2**
White	4.9	6.7	9.7
Colored	7.3	**12.7**	**14.9**
Washington	1.9	1.6	5.6
West Virginia	**12.4**	**12.7**	(3)
Wisconsin	0.7	0.7	2.5
Wyoming	3.5	2.2	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	0.8	1.5	3.8
Albany	1.5	2.3	4.4
Atlanta	9.7	**12.6**	1.8
White	2.7	9.8	**16.5**
Colored	**23.7**	**18.2**	7.8
Baltimore	0.7	3.1	4.7
White	0.6	2.4	3.7
Colored	1.4	6.1	**10.9**
Birmingham	2.6	3.0	**14.8**
White	0.6	3.0	4.5
Colored	5.8	2.9	**30.7**
Boston	0.5	0.9	1.5
Bridgeport	----	0.7	2.1
Buffalo	1.4	0.7	4.9
Cambridge	1.8	----	2.7
Camden	2.5	3.4	7.7
Canton	0.9	2.8	4.6
Chattanooga	**13.1**	1.6	**12.0**
White	5.6	1.1	5.1
Colored	**32.6**	3.0	**26.3**
Chicago	0.5	0.4	1.1
Cincinnati	3.3	0.4	3.2
White	3.2	0.2	2.1
Colored	4.0	2.0	**16.1**
Cleveland	0.2	3.5	3.0
Columbus	1.7	2.0	2.9
White	1.9	1.9	3.2
Colored	----	2.9	----
Dallas	7.7	7.3	**14.1**
White	4.0	4.4	**10.8**
Colored	**25.5**	**21.3**	**32.4**
Dayton	1.0	0.5	7.2
Denver	0.7	3.4	5.4
Des Moines	0.7	0.7	(3)
Detroit	0.5	0.7	5.4
Duluth	1.0	2.0	6.1
Elizabeth	----	5.1	5.2
El Paso	5.7	5.7	**21.6**
White	----	2.4	(4)
Colored	9.6	7.9	(4)
Erie	1.7	1.7	5.8
Evansville	1.9	1.0	**10.5**
Fall River	----	----	5.0
Flint	1.8	----	**16.1**
Fort Wayne	2.5	2.5	**13.7**
Fort Worth	3.0	5.4	(3)
White	1.4	2.8	(3)
Colored	**11.3**	**18.9**	(3)
Gary	0.9	1.9	**10.4**
White	1.2	2.4	(4)
Colored	----	----	(4)
Grand Rapids	----	1.2	2.2
Hartford	1.2	3.6	7.2
Houston	5.2	3.9	**13.2**
White	4.4	4.0	**10.1**
Colored	7.3	3.6	**22.8**
Indianapolis	1.9	2.2	5.7
White	2.2	2.5	4.3
Colored	----	----	**17.0**
Jacksonville, Fla	2.9	3.0	7.6
White	2.2	----	3.9
Colored	4.1	8.3	**12.0**
Jersey City	0.6	0.3	4.0
Kansas City, Kans	----	1.6	6.9
White	----	1.0	5.8
Colored	----	4.3	**13.6**
Kansas City, Mo	1.5	1.5	7.9
White	1.6	1.4	7.4
Colored	----	2.3	**12.8**
Knoxville	**10.1**	8.2	**26.5**
White	8.8	8.8	**22.2**
Colored	**16.9**	5.6	**51.8**
Long Beach	0.7	----	1.7
Los Angeles	0.9	0.9	2.5
White	0.9	0.6	2.1
Colored	1.1	2.8	9.5
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Louisville	2.5	4.5	5.4
White	2.6	5.4	5.0
Colored	2.1	----	7.4
Lowell	2.0	1.0	2.7
Lynn	----	----	----
Memphis	**10.8**	7.7	8.5
White	8.1	5.6	3.9
Colored	**15.2**	**11.1**	**16.1**
Miami	1.9	1.8	3.1
White	1.2	2.3	4.4
Colored	4.1	----	----
Milwaukee	----	0.3	2.2
Minneapolis	0.8	0.6	2.6
Nashville	7.7	3.2	**10.1**
White	8.9	1.8	7.2
Colored	4.7	7.0	**10.8**
Newark, N.J	0.7	0.2	1.9
New Bedford	----	1.8	6.6
New Haven	1.2	1.8	6.8
New Orleans	9.0	**13.9**	6.9
White	8.4	**11.7**	6.6
Colored	**10.4**	**19.3**	7.8
New York	0.9	1.1	2.5
Bronx Borough	0.5	1.0	1.5
Brooklyn Borough	1.1	1.0	2.5
Manhattan Borough	1.3	1.7	2.6
White	1.1	1.7	2.5
Colored	2.4	1.2	3.3
Queens Borough	0.2	0.4	3.0
Richmond Borough	1.2	1.8	6.7
Norfolk	0.8	3.9	**14.8**
White	----	1.2	**12.5**
Colored	2.3	9.1	**18.5**
Oakland	1.4	1.0	5.9
Oklahoma City	6.1	8.1	**27.2**
Omaha	1.8	1.4	7.8
Paterson	0.7	2.9	0.7
Peoria	1.8	1.8	3.9
Philadelphia	1.3	0.9	3.4
White	1.2	0.9	2.9
Colored	2.1	0.9	9.3
Pittsburgh	1.3	1.2	5.6
Portland, Oreg	0.7	1.0	3.5
Providence	0.8	1.6	3.8
Reading	0.9	----	6.5
Richmond, Va	2.7	2.2	6.4
White	1.5	2.3	5.9
Colored	5.7	1.9	7.4
Rochester, N.Y	0.3	0.9	1.0
St. Louis	1.4	2.1	2.6
White	1.2	2.2	1.8
Colored	3.1	1.0	9.8
St. Paul	0.7	1.1	2.1
Salt Lake City	0.7	1.4	7.6
San Antonio	3.8	3.7	9.7
White	(4)	(4)	8.7
Colored	(4)	(4)	**20.3**
San Diego	0.6	0.6	3.9
San Francisco	1.5	1.4	2.9
Scranton	1.4	2.1	1.4
Seattle	0.8	0.5	2.2
Somerville	----	----	3.2
South Bend	----	----	2.8
Spokane	1.7	0.9	6.7
Springfield, Mass	2.0	2.6	4.6
Syracuse	0.5	0.5	4.0
Tacoma	3.7	0.9	2.1
Tampa	2.9	3.8	**22.6**
White	2.4	4.8	**21.8**
Colored	4.5	----	**25.2**
Toledo	0.7	2.0	7.8
Trenton	0.8	2.4	8.4
Tulsa	4.8	6.9	(3)
White	4.7	4.7	(3)
Colored	5.6	**22.5**	(3)
Utica	2.0	2.0	1.1
Washington, D.C	1.6	4.1	6.6
White	1.7	2.2	5.5
Colored	1.5	8.9	9.8
Wichita	1.7	0.9	9.4
Wilmington, Del	0.9	1.9	**14.5**
White	----	2.1	**10.1**
Colored	8.2	----	**55.3**
Worcester	1.5	0.5	1.7
Yonkers	0.7	2.2	----
Youngstown	1.2	1.7	**11.2**

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

See footnotes at end of table.

SMALLPOX

Not for many years has smallpox been an important cause of death in this country.

In only 4 years since the publication of the annual report was begun in 1900 has the death rate from this cause exceeded 2.0 per 100,000 population. The highest rate was 6.6 in 1902; in 1903 it was 4.2; in 1901, 3.5; and in 1904, 2.1. In 1900 it was 1.9. For each of the years 1927 to 1931 inclusive it was only 0.1, and in 1932 it was below 0.1. (See table Q.)

MEASLES

A total of 1,941 persons died from measles in 1932. The death rate (1.6) was less than the rate for 1931 (3.0). Twenty-seven States had decreases, two of these being very sharp: Arizona, from 31.6, in 1931 to 0.2 in 1932, and Delaware from 8.3 in 1931 to no deaths in 1932; West Virginia reached high at 10.6. Of the 93 cities of 100,000 population or more, 34 cities had no deaths; 8 of these—Dallas, Des Moines, Duluth, Fort Worth, Long Beach, Miami, St. Paul, and Salt Lake City—had no deaths in the 2 years, 1932 and 1931; Miami is outstanding in showing no deaths for the last 4 consecutive years. Flint (12.2) and Wichita (10.4) had the highest rates.

Table X

AREA	DEATH RATE FROM MEASLES PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type]		
	1932	1931	1920
The registration area[1]	1.6	3.0	8.8
Registration States [2]	1.6	3.0	8.8
Cities of 10,000 or over	1.6	2.9	10.3
Smaller cities and rural areas	1.7	3.0	7.4
Registration cities in nonregistration State	1.2	4.2	7.7
All registration cities [2]	1.6	2.9	10.3
Alabama	0.2	6.4	(3)
White	0.1	7.8	(3)
Colored	0.5	3.9	(3)
Arizona	0.2	**31.6**	(3)
Arkansas	0.2	1.5	(3)
White	0.2	1.7	(3)
Colored	-----	0.6	(3)
California	0.9	2.1	6.2
White	0.9	1.7	(4)
Colored	1.3	5.7	(4)
Colorado	1.4	4.8	4.4
Connecticut	1.2	2.3	8.7
Delaware	-----	8.3	16.1
Florida	0.7	2.3	1.3
White	0.6	2.7	1.7
Colored	0.9	1.4	0.6
Georgia	0.4	2.3	(3)
White	0.3	2.2	(3)
Colored	0.8	2.5	(3)
Idaho	0.4	2.2	(3)
Illinois	0.7	4.6	7.6
Indiana	0.6	5.6	11.8
Iowa	0.4	0.3	(3)
Kansas	1.4	0.5	4.5
Kentucky	1.6	7.3	11.1
White	1.6	7.2	11.8
Colored	0.9	7.5	5.1
Louisiana	2.1	0.6	2.4
White	2.5	0.5	3.1
Colored	1.4	0.8	1.3
Maine	6.6	2.8	3.9
Maryland	1.0	5.9	6.4
White	1.2	5.5	6.8
Colored	-----	7.9	4.9
Massachusetts	1.5	1.5	9.2
Michigan	3.9	0.6	11.8
Minnesota	0.5	0.3	6.6
Mississippi	0.2	0.4	1.0
White	0.2	0.5	0.6
Colored	0.2	0.4	1.4
Missouri	0.9	7.5	8.4
Montana	2.2	0.6	4.9
Nebraska	0.6	0.4	9.3
Nevada	2.2	5.4	(3)
New Hampshire	1.3	4.3	9.0
New Jersey	1.1	2.5	9.6
New Mexico	2.3	9.6	(3)
New York	1.7	2.0	11.2
North Carolina	1.9	3.5	2.4
White	1.7	4.4	2.8
Colored	2.2	1.4	1.4
North Dakota	1.6	1.3	(3)
Ohio	2.7	2.3	12.9
Oklahoma	0.5	1.3	(3)
White	0.5	1.2	(3)
Colored	0.4	2.5	(3)
Oregon	1.7	0.8	3.8
Pennsylvania	2.3	4.6	13.2
Rhode Island	6.0	1.4	11.3
South Carolina	2.5	2.4	3.3
White	2.6	2.1	4.2
Colored	2.3	2.7	2.4
South Dakota	0.1	0.3	(3)
Tennessee	0.3	4.2	10.6
White	0.3	4.6	12.3
Colored	-----	2.3	3.5
Utah	0.2	0.2	3.5
Vermont	8.1	1.4	5.1
Virginia	1.1	3.6	4.1
White	1.0	3.9	4.2
Colored	1.2	2.6	3.6
Washington	2.3	2.2	5.5
West Virginia	10.6	2.5	(3)
Wisconsin	1.4	1.4	8.8
Wyoming	0.9	0.4	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	-----	3.8	17.2
Albany	0.8	0.8	1.8
Atlanta	0.4	2.5	9.3
White	-----	2.2	8.6
Colored	1.1	3.2	10.9
Baltimore	0.1	7.6	6.5
White	0.2	7.4	6.7
Colored	-----	8.8	5.4
Birmingham	-----	11.9	0.5
White	-----	9.0	0.9
Colored	-----	16.6	-----
Boston	1.3	2.0	9.5
Bridgeport	2.0	1.4	7.7
Buffalo	0.5	4.6	8.4
Cambridge	2.6	0.9	12.7
Camden	-----	12.6	15.5
Canton	1.9	3.7	12.5
Chattanooga	-----	1.6	3.4
White	-----	1.1	2.5
Colored	-----	3.0	5.3
Chicago	1.0	2.0	3.5
Cincinnati	-----	3.9	18.8
White	-----	3.9	18.8
Colored	-----	4.0	19.3
Cleveland	4.7	1.5	10.0
Columbus	2.0	1.0	12.1
White	1.9	1.1	12.5
Colored	2.9	-----	8.8
Dallas	-----	-----	2.4
White	-----	-----	2.9
Dayton	-----	5.4	12.4
Denver	2.1	1.0	9.7
Des Moines	-----	-----	(3)
Detroit	3.1	0.1	8.7
Duluth	-----	-----	1.0
Elizabeth	2.6	-----	13.4
El Paso	-----	19.0	**59.9**
White	-----	4.8	(4)
Colored	-----	**28.6**	(4)
Erie	0.9	0.8	6.8
Evansville	-----	7.7	7.0
Fall River	6.9	1.7	15.0
Flint	12.2	1.2	15.1
Fort Wayne	-----	9.3	14.8
Fort Worth	-----	-----	(3)
White	-----	-----	(3)
Colored	-----	-----	(3)
Gary	-----	6.6	5.2
White	-----	6.1	(4)
Colored	-----	8.5	(4)
Grand Rapids	5.8	-----	17.3
Hartford	1.2	6.0	4.3
Houston	2.3	0.3	4.9
White	0.9	0.4	6.4
Colored	6.1	-----	-----
Indianapolis	-----	7.6	8.8
White	-----	8.6	8.9
Colored	-----	-----	8.5
Jacksonville, Fla	0.7	-----	-----
Colored	2.1	-----	-----
Jersey City	6.6	1.3	16.1
Kansas City, Kans	-----	2.4	15.7
White	-----	3.0	15.0
Colored	-----	-----	**20.4**
Kansas City, Mo	1.5	2.4	9.1
White	1.1	2.7	9.1
Colored	4.6	-----	9.6
Knoxville	-----	6.4	**93.5**
White	-----	7.7	**108.0**
Colored	-----	-----	8.6
Long Beach	-----	-----	3.4
Los Angeles	0.2	1.0	5.9
White	0.1	0.9	6.1
Colored	0.6	1.7	3.2
Louisville	-----	14.3	2.9
White	-----	15.7	3.0
Colored	-----	6.3	2.5
Lowell	1.0	8.0	**39.2**
Lynn	1.0	-----	2.0
Memphis	-----	1.5	0.6
White	-----	1.3	1.0
Colored	-----	2.0	-----
Milwaukee	3.7	1.9	11.9
Minneapolis	-----	0.6	5.7
Nashville	-----	8.4	4.2
White	-----	8.0	6.0
Colored	-----	9.3	-----
Newark, N.J	0.2	0.4	13.5
New Bedford	1.8	6.2	19.0
New Haven	-----	2.5	**20.9**
New Orleans	-----	0.4	3.6
White	-----	0.3	4.9
Colored	-----	0.7	-----
New York	0.9	2.1	14.2
Bronx Borough	0.9	0.7	8.7
Brooklyn Borough	0.2	2.9	12.4
Manhattan Borough	2.0	2.2	19.6
White	2.2	2.0	**20.4**
Colored	0.8	3.2	4.1
Queens Borough	0.1	1.6	5.8
Richmond Borough	4.3	3.1	11.8
Norfolk	0.8	2.3	4.3
White	-----	3.5	2.8
Colored	2.3	-----	7.0
Oakland	1.4	1.7	10.0
Oklahoma City	1.5	3.0	7.3
Omaha	0.5	0.5	7.8
Paterson	0.7	2.9	11.8
Peoria	-----	10.1	6.4
Philadelphia	0.1	5.8	9.7
White	0.1	5.8	9.6
Colored	-----	6.0	10.7
Pittsburgh	2.5	2.2	17.8
Portland, Oreg	3.6	-----	5.0
Providence	7.1	1.6	10.9
Reading	0.9	8.1	0.9
Richmond, Va	0.5	6.0	5.8
White	-----	7.6	5.9
Colored	1.9	1.9	5.6
Rochester, N.Y	7.8	3.6	10.1
St. Louis	0.1	12.6	11.9
White	0.1	13.8	12.5
Colored	-----	3.1	5.6
St. Paul	-----	-----	7.2
Salt Lake City	-----	-----	5.0
San Antonio	1.7	11.7	1.2
White	(4)	(4)	1.3
Colored	(4)	(4)	-----
San Diego	-----	3.8	1.3
San Francisco	0.2	0.5	5.8
Scranton	0.7	11.1	15.9
Seattle	4.3	0.3	5.4
Somerville	1.9	2.9	4.3
South Bend	-----	0.9	1.4
Spokane	0.9	-----	12.4
Springfield, Mass	2.6	-----	8.4
Syracuse	5.2	-----	13.3
Tacoma	1.9	-----	3.1
Tampa	-----	1.9	1.9
White	-----	2.4	2.4
Toledo	0.7	0.7	14.7
Trenton	-----	0.8	1.7
Tulsa	-----	2.1	(3)
White	-----	2.3	(3)
Colored	-----	-----	(3)
Utica	2.9	1.0	4.2
Washington, D.C	0.2	2.6	0.7
White	0.3	2.5	0.9
Colored	-----	3.0	-----
Wichita	10.4	0.9	4.0
Wilmington, Del	-----	9.4	12.7
White	-----	10.6	11.1
Colored	-----	-----	**27.6**
Worcester	0.5	-----	1.7
Yonkers	4.3	2.9	8.8
Youngstown	7.5	2.9	3.7

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

SCARLET FEVER

The number of deaths from scarlet fever in the registration area in 1932 was 2,577, corresponding to a rate of 2.1 per 100,000 population as compared with 2.2 in 1931. Two States had the same rates for the 2

years and 23 had decreases. Nine of the 93 cities of 100,000 population or more had no deaths from scarlet fever. The highest rates were shown for Rochester (13.3), Buffalo (9.5), Fall River (8.7), and Lowell (8.0).

Table Y

AREA	DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold-faced type]		
	1932	1931	1920
The registration area [1]	2.1	2.2	4.6
Registration States [2]	2.2	2.2	4.6
Cities of 10,000 or over [2]	2.5	2.3	5.4
Smaller cities and rural areas	1.8	2.1	3.9
Registration cities in nonregistration State	1.3	0.9	1.9
All registration cities [2]	2.5	2.3	5.2
Alabama	1.3	1.1	(3)
White	2.0	1.5	(3)
Colored	0.1	0.4	(3)
Arizona	2.2	0.7	(3)
Arkansas	1.2	1.8	(3)
White	1.5	2.3	(3)
Colored	0.2	0.2	(3)
California	0.9	1.0	2.6
White	0.9	0.9	(4)
Colored	0.9	1.4	(4)
Colorado	3.4	3.0	4.4
Connecticut	1.4	0.7	5.4
Delaware	2.5	1.3	**14.7**
Florida	0.4	0.5	0.9
White	0.5	0.7	1.4
Colored	0.2	----	----
Georgia	0.7	1.6	(3)
White	0.9	2.1	(3)
Colored	0.2	0.8	(3)
Idaho	2.7	2.9	(3)
Illinois	3.4	4.7	5.7
Indiana	2.8	4.0	7.2
Iowa	1.4	2.0	(3)
Kansas	1.7	1.2	6.3
Kentucky	2.9	3.1	2.6
White	3.1	3.2	2.7
Colored	0.9	2.7	0.8
Louisiana	0.4	0.8	0.8
White	0.4	1.1	1.3
Colored	0.3	0.1	0.1
Maine	2.1	2.0	3.0
Maryland	1.9	1.9	2.5
White	2.3	2.2	3.0
Colored	0.4	0.4	----
Massachusetts	3.5	2.5	5.6
Michigan	2.3	2.6	8.1
Minnesota	1.6	0.9	4.8
Mississippi	0.6	0.6	1.3
White	1.0	1.2	1.9
Colored	0.2	0.1	0.9
Missouri	3.3	5.3	4.6
Montana	1.3	2.0	4.0
Nebraska	1.9	1.4	4.6
Nevada	2.2	1.1	(3)
New Hamsphire	2.4	0.2	2.0
New Jersey	1.8	2.0	3.4
New Mexico	3.7	2.1	(3)
New York	2.8	1.8	4.5
North Carolina	1.0	2.0	1.5
White	1.5	2.7	2.0
Colored	----	0.2	0.3
North Dakota	0.7	2.5	(3)
Ohio	3.3	3.4	6.6
Oklahoma	2.0	2.3	(3)
White	2.1	2.6	(3)
Colored	1.1	----	(3)
Oregon	0.7	1.0	1.8
Pennsylvania	2.7	2.3	5.7
Rhode Island	3.6	1.7	4.4
South Carolina	0.6	1.1	0.7
White	0.7	1.7	0.8
Colored	0.5	0.4	0.5
South Dakota	1.3	0.9	(3)
Tennessee	1.1	2.4	2.3
White	1.3	2.8	2.5
Colored	0.4	0.8	1.3
Utah	3.3	2.1	1.5
Vermont	1.9	1.4	4.3
Virginia	1.3	1.6	1.4
White	1.6	2.0	1.7
Colored	0.3	0.5	0.7
Washington	1.1	0.9	4.3
West Virginia	2.4	1.8	(3)
Wisconsin	1.7	2.2	9.7
Wyoming	5.2	1.8	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	3.0	2.7	**27.7**
Albany	2.3	2.3	1.8
Atlanta	0.4	6.8	3.0
White	0.5	7.6	4.3
Colored	----	5.4	----
Baltimore	2.3	2.0	1.9
White	2.7	2.3	2.2
Colored	0.7	0.7	----
Birmingham	0.7	1.5	3.3
White	1.2	1.8	5.4
Colored	----	1.0	----
Boston	5.2	4.2	9.5
Bridgeport	1.4	0.7	4.9
Buffalo	9.5	4.0	4.3
Cambridge	1.8	1.8	3.6
Camden	2.5	8.4	1.7
Canton	2.8	----	9.1
Chattanooga	2.5	0.8	----
White	3.4	1.1	----
Chicago	4.0	5.1	7.0
Cincinnati	6.8	8.3	7.7
White	7.4	8.4	8.3
Colored	2.0	8.0	----
Cleveland	4.6	4.2	8.6
Columbus	2.4	0.3	5.9
White	1.9	0.4	6.5
Colored	5.8	----	----
Dallas	1.1	1.1	1.2
White	1.3	1.3	1.4
Dayton	1.9	1.5	6.5
Denver	4.5	3.1	2.7
Des Moines	0.7	2.1	(3)
Detroit	2.6	2.0	**10.1**
Duluth	----	----	4.0
Elizabeth	3.4	3.4	9.3
El Paso	2.9	1.9	----
White	2.4	----	----
Colored	3.2	3.2	----
Erie	0.9	----	7.8
Evansville	4.8	2.9	3.5
Fall River	8.7	5.2	3.3
Flint	2.4	1.8	9.0
Fort Wayne	----	0.8	**15.9**
Fort Worth	4.2	2.4	(3)
White	5.0	2.8	(3)
Colored	----	----	(3)
Gary	2.8	3.8	**12.2**
White	2.4	4.8	(4)
Colored	4.3	----	(4)
Grand Rapids	1.2	0.6	2.9
Hartford	3.0	0.6	2.9
Houston	0.3	0.6	----
White	----	0.9	----
Colored	1.2	----	----
Indianapolis	1.6	4.3	4.1
White	1.8	4.9	4.6
Jacksonville, Fla	0.7	1.5	----
White	1.1	2.4	----
Jersey City	1.9	0.9	2.7
Kansas City, Kans	6.5	1.6	3.9
White	8.0	2.0	4.6
Kansas City, Mo	2.0	1.7	5.2
White	2.2	1.6	5.4
Colored	----	2.3	3.2
Knoxville	----	0.9	5.1
White	----	1.1	5.9
Long Beach	----	0.7	1.7
Los Angeles	1.5	1.1	0.8
White	1.5	1.3	0.9
Colored	1.7	----	----
Louisville	3.5	1.9	2.1
White	3.8	2.3	2.5
Colored	2.1	----	----
Lowell	8.0	1.0	1.8
Lynn	3.9	1.0	6.0
Memphis	0.8	2.7	1.8
White	1.3	4.4	2.0
Colored	----	----	1.6
Miami	----	0.9	----
White	----	1.1	----
Milwaukee	2.7	1.2	6.3
Minneapolis	3.2	1.5	6.8
Nashville	1.9	0.6	0.8
White	2.7	0.9	1.2
Newark, N.J	0.2	0.4	2.6
New Bedford	2.7	1.8	2.5
New Haven	5.5	----	4.3
New Orleans	0.9	1.1	2.0
White	0.6	1.2	2.4
Colored	1.5	0.7	1.0
New York	1.9	1.2	4.3
Bronx Borough	0.8	1.0	2.1
Brooklyn Borough	2.1	0.8	3.5
Manhattan Borough	2.2	1.9	5.9
White	2.4	2.2	6.0
Colored	0.8	----	3.3
Queens Borough	2.2	1.4	3.2
Richmond Borough	1.2	1.8	4.2
Norfolk	0.8	1.5	----
White	1.2	2.3	----
Oakland	0.3	0.3	2.7
Oklahoma City	4.6	3.6	2.1
Omaha	2.3	0.9	6.2
Paterson	0.7	0.7	2.2
Peoria	1.8	5.5	9.0
Philadelphia	2.5	3.4	6.7
White	2.6	3.5	7.0
Colored	2.1	2.6	2.1
Pittsburgh	5.0	2.8	3.6
Portland, Oreg	0.3	----	1.2
Providence	4.3	2.4	5.9
Reading	0.9	----	----
Richmond, Va	0.5	1.6	----
White	----	1.5	----
Colored	1.9	1.9	----
Rochester, N.Y	**13.3**	**11.1**	9.4
St. Louis	2.3	8.8	3.2
White	2.3	9.5	3.6
Colored	2.0	4.1	----
St. Paul	1.8	0.4	6.3
Salt Lake City	3.5	1.4	1.7
San Antonio	----	----	0.6
White	----	----	0.7
San Diego	1.3	0.6	----
San Francisco	0.8	0.3	1.8
Scranton	5.6	1.4	9.4
Seattle	0.3	0.3	4.1
Somerville	1.0	3.8	3.2
South Bend	----	----	2.8
Spokane	1.7	1.7	2.9
Springfield, Mass	3.9	1.3	**16.8**
Syracuse	4.7	0.9	9.2
Tacoma	2.8	----	3.1
Toledo	2.0	2.4	9.8
Trenton	----	3.2	2.5
Tulsa	1.4	2.7	(3)
White	1.6	3.1	(3)
Colored	----	----	(3)
Utica	2.9	4.9	1.1
Washington, D. C	2.6	1.0	2.0
White	3.4	1.4	2.4
Colored	0.7	----	0.9
Wichita	0.9	----	5.4
Wilmington, Del	2.8	2.8	**24.5**
White	2.1	3.2	**27.2**
Colored	8.2	----	----
Worcester	5.6	6.1	**12.2**
Yonkers	2.2	0.7	2.9
Youngstown	6.9	4.0	**16.5**

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

WHOOPING COUGH

Whooping cough was responsible for 5,364 deaths in 1932, with a rate of 4.5 per 100,000 population compared with 4,619 deaths with a rate of 3.9 in 1931. It is decidedly a disease of very young children. Of the total deaths in 1932 from this cause 82 percent were of children under 2 years of age and 60 percent were of children under 1 year.

The rate in general is higher for female than for male children.

Increases in rates compared with those of 1931 were shown by 25 States, the greatest increase being for Virginia. Virginia had the highest rate (14.0) and Washington the lowest (0.9).

In all States showing deaths by color, and in all but five of such cities, the rates for the colored were much higher than the rates for the white. Among the States the highest rate was shown for Virginia (22.0), and among cities, for Indianapolis (17.7). Two cities (Louisville and Tulsa) had no deaths from whooping cough in the colored population, and two (Miami and Tampa) had no deaths at all from this cause.

Table Z

DEATH RATE FROM WHOOPING COUGH PER 100,000 ESTIMATED POPULATION

[Rates of 20 or more in boldfaced type]

AREA	1932	1931	1920
The registration area [1]	4.5	3.9	12.5
Registration States [2]	4.5	3.9	12.5
Cities of 10,000 or over [2]	3.4	3.3	11.7
Smaller cities and rural areas	5.5	4.4	13.2
Registration cities in nonregistration State	3.6	3.4	15.6
All registration cities [2]	3.4	3.3	11.8
Alabama	7.6	3.6	(3)
White	6.9	3.4	(3)
Colored	8.9	3.9	(3)
Arizona	6.9	10.2	(3)
Arkansas	5.2	3.4	(3)
White	4.6	4.1	(3)
Colored	7.1	1.5	(3)
California	3.0	2.5	11.6
White	1.9	1.6	(4)
Colored	12.1	9.6	(4)
Colorado	3.8	8.0	26.5
Connecticut	2.7	2.7	15.7
Delaware	6.7	6.3	13.4
Florida	2.0	1.7	6.9
White	1.6	1.5	6.7
Colored	3.1	2.0	7.5
Georgia	3.8	3.9	(3)
White	2.6	3.2	(3)
Colored	5.8	5.0	(3)
Idaho	1.1	11.4	(3)
Illinois	3.0	3.0	8.5
Indiana	6.1	4.7	10.6
Iowa	3.0	2.8	(3)
Kansas	2.5	1.3	12.0
Kentucky	11.0	7.6	15.9
White	10.5	7.4	14.7
Colored	16.0	10.2	26.7
Louisiana	4.3	5.9	10.1
White	3.1	5.5	8.4
Colored	6.3	6.7	12.9
Maine	2.0	7.0	16.4
Maryland	5.5	7.4	9.9
White	4.3	4.2	6.9
Colored	11.4	22.9	24.7
Massachusetts	2.6	2.1	13.8
Michigan	4.1	4.1	13.8
Minnesota	1.6	2.3	12.5
Mississippi	5.8	3.8	8.7
White	4.9	2.9	5.8
Colored	6.7	4.7	11.4
Missouri	6.6	3.8	9.0
Montana	4.1	8.6	9.3
Nebraska	2.0	4.7	18.9
Nevada	5.4	-----	(3)
New Hampshire	2.8	2.4	8.1
New Jersey	3.1	3.6	12.9
New Mexico	7.0	11.7	(3)
New York	2.4	3.0	10.1
North Carolina	7.5	6.2	13.8
White	5.9	4.7	11.4
Colored	11.1	9.7	19.4
North Dakota	3.4	5.1	(3)
Ohio	5.0	2.3	14.6
Oklahoma	4.1	3.2	(3)
White	4.0	2.7	(3)
Colored	5.0	7.2	(3)
Oregon	2.1	1.1	5.9
Pennsylvania	4.6	3.2	13.6
Rhode Island	1.6	2.3	15.1
South Carolina	7.9	6.4	22.1
White	4.2	2.5	18.1
Colored	12.5	11.0	26.0
South Dakota	7.6	6.0	(3)
Tennessee	8.9	6.9	12.5
White	8.0	5.7	11.4
Colored	13.3	12.1	17.2
Utah	1.0	5.5	24.8
Vermont	3.9	6.9	7.7
Virginia	14.0	6.8	20.0
White	11.1	4.8	16.3
Colored	22.0	12.5	28.7
Washington	0.9	3.2	7.5
West Virginia	10.8	7.9	(3)
Wisconsin	2.3	2.0	11.3
Wyoming	1.7	5.7	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	1.5	1.9	9.5
Albany	2.3	3.9	7.0
Atlanta	3.6	2.2	28.5
White	2.2	2.7	32.3
Colored	6.5	1.1	20.3
Baltimore	5.7	8.6	7.6
White	4.5	5.1	5.3
Colored	10.9	24.5	20.8
Birmingham	7.4	2.6	15.9
White	3.0	1.8	10.8
Colored	14.6	3.9	23.7
Boston	3.8	2.7	20.1
Bridgeport	4.8	2.7	16.7
Buffalo	3.6	2.6	8.8
Cambridge	3.5	3.5	21.8
Camden	8.4	7.6	12.0
Canton	5.6	2.8	14.8
Chattanooga	4.9	9.0	12.0
White	3.4	5.6	2.5
Colored	8.9	17.9	31.6
Chicago	2.0	2.3	5.7
Cincinnati	4.6	5.5	5.9
White	3.2	3.9	4.6
Colored	15.9	17.9	22.6
Cleveland	4.4	2.4	9.7
Columbus	6.1	2.0	11.3
White	5.4	1.9	7.9
Colored	11.7	2.9	43.9
Dallas	2.9	5.5	4.9
White	0.9	4.4	5.8
Colored	12.8	10.6	-----
Dayton	4.9	-----	16.3
Denver	1.4	3.8	19.8
Des Moines	4.2	3.5	(3)
Detroit	4.5	4.1	13.3
Duluth	2.0	-----	17.2
Elizabeth	3.4	2.6	15.5
El Paso	5.7	-----	7.6
White	-----	-----	(4)
Colored	9.6	-----	(4)
Erie	5.1	2.5	19.5
Evansville	3.8	3.8	12.8
Fall River	2.6	3.5	11.6
Flint	3.7	2.4	9.0
Fort Wayne	3.4	1.7	5.7
Fort Worth	1.8	3.0	(3)
White	1.4	1.4	(3)
Colored	3.8	11.3	(3)
Gary	0.9	5.7	7.0
White	-----	3.6	(4)
Colored	4.3	12.8	(4)
Grand Rapids	2.9	1.7	17.3
Hartford	6.6	2.4	8.6
Houston	2.6	2.9	4.2
White	1.3	1.8	4.6
Colored	6.1	6.1	2.8
Indianapolis	5.1	5.9	8.8
White	3.4	5.9	7.8
Colored	17.7	6.6	17.0
Jacksonville, Fla	2.9	2.3	10.8
White	2.2	3.6	5.9
Colored	4.1	-----	16.9
Jersey City	3.1	5.0	19.1
Kansas City, Kans	4.1	2.4	23.6
White	4.0	2.0	21.9
Colored	4.3	4.3	34.0
Kansas City, Mo	4.4	2.9	11.6
White	4.6	1.6	10.4
Colored	2.3	13.9	22.4
Knoxville	10.1	3.7	26.5
White	10.9	3.3	31.1
Colored	5.6	5.6	-----
Long Beach	-----	-----	16.9
Los Angeles	3.3	1.8	8.7
White	2.0	1.5	7.8
Colored	11.8	3.9	25.4
Louisville	2.5	6.2	10.0
White	3.0	4.6	7.0
Colored	-----	14.7	24.6
Lowell	7.0	2.0	18.7
Lynn	5.8	1.9	12.1
Memphis	7.7	10.0	6.7
White	6.9	6.9	5.9
Colored	9.1	15.2	8.1
Miami	-----	0.9	9.3
White	-----	-----	8.9
Colored	-----	4.0	10.4
Milwaukee	2.4	2.4	13.2
Minneapolis	1.1	1.3	12.5
Nashville	7.1	11.6	26.1
White	8.9	5.3	22.8
Colored	2.3	28.0	33.7
Newark, N.J.	0.9	2.5	14.2
New Bedford	1.8	6.2	10.8
New Haven	1.2	0.6	18.5
New Orleans	2.1	4.5	5.4
White	1.5	3.9	4.9
Colored	3.7	5.9	6.8
New York	2.2	3.1	11.4
Bronx Borough	2.3	2.6	9.1
Brooklyn Borough	2.6	3.2	9.8
Manhattan Borough	2.3	3.7	13.6
White	2.0	3.5	12.8
Colored	4.0	5.2	28.1
Queens Borough	1.4	2.7	10.4
Richmond Borough	-----	2.4	14.3
Norfolk	6.2	0.8	6.1
White	1.2	-----	4.2
Colored	15.8	2.3	9.3
Oakland	2.1	2.4	5.0
Oklahoma City	3.1	3.6	18.8
Omaha	1.4	5.1	22.8
Paterson	1.4	2.9	3.7
Peoria	2.8	3.7	9.0
Philadelphia	2.9	3.4	5.5
White	2.4	2.5	4.7
Colored	6.9	9.4	14.3
Pittsburgh	3.6	4.7	14.2
Portland, Oreg	1.3	0.3	8.1
Providence	2.4	2.0	14.3
Reading	3.6	-----	10.2
Richmond, Va	4.3	4.3	23.2
White	1.5	3.8	6.8
Colored	11.3	5.7	59.2
Rochester, N.Y.	0.6	3.3	7.4
St. Louis	5.6	3.5	4.4
White	4.0	3.6	2.7
Colored	17.3	3.1	21.0
St. Paul	1.8	1.1	11.0
Salt Lake City	0.7	2.8	13.4
San Antonio	3.3	2.5	11.5
White	(4)	(4)	12.0
Colored	(4)	(4)	6.8
San Diego	5.8	-----	24.4
San Francisco	0.8	2.0	5.8
Scranton	7.6	2.8	12.3
Seattle	0.3	2.2	6.3
Somerville	1.9	2.9	19.2
South Bend	1.9	2.8	13.8
Spokane	-----	0.9	9.5
Springfield, Mass	1.3	1.3	13.8
Syracuse	5.2	3.3	5.8
Tacoma	0.9	0.9	4.1
Tampa	-----	2.9	5.6
White	-----	2.4	7.3
Colored	-----	4.5	-----
Toledo	5.4	1.3	10.6
Trenton	3.2	4.8	7.5
Tulsa	1.4	0.7	(3)
White	1.6	0.8	(3)
Colored	-----	-----	(3)
Utica	-----	2.9	4.2
Washington, D. C.	4.1	6.1	4.1
White	2.8	2.0	3.7
Colored	7.4	17.0	5.4
Wichita	-----	1.7	8.1
Wilmington, Del.	5.6	9.4	5.5
White	4.2	10.6	6.1
Colored	16.5	-----	-----
Worcester	2.5	-----	6.1
Yonkers	2.9	6.5	13.7
Youngstown	3.5	2.3	12.0

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

DIPHTHERIA

Diphtheria is primarily a disease of childhood; of the deaths from this cause in 1932 nearly 58 percent were of children under 5 years of age. In any study of crude rates, therefore, the age constitution of populations must be considered.

The total number of deaths in 1932 from diphtheria was 5,418, corresponding to a rate of 4.5 per 100,000 population. In 1900 the death rate in the registration area from this cause was 43.3. If the actual number of deaths in 1932 be compared with the number that would have occurred under the prevailing death rate in 1900, there would be shown a saving in round numbers of 47,000 lives in 1932 to be credited to the advancement made in the treatment and prevention of this disease.

Nineteen States had higher rates in 1932 than in 1931. New Mexico had the largest increase (19.5 in 1932 compared with 10.7 in 1931) and it also had the highest rate. Ten States had rates of less than 2 per 100,000 population; of these, Montana had the lowest (0.4).

Rates for cities of 100,000 population or more offer contrasts still more striking than the rates for States. In 1920, 32 cities had rates of 20 or more per 100,000 population; while in 1931 the highest rate was 18.5 for Tulsa, and in 1932 the highest rate was 17.4 for Knoxville.

Among States showing figures for the colored population the rates for every State, except California and

Maryland, were lower for the colored than for the white. These favorable rates for the colored do not prevail to the same extent in cities of 100,000 population or more, although 9 cities had no deaths from diphtheria in the colored population in 1932.

Table AA

AREA	DEATH RATE FROM DIPHTHERIA PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	4.5	4.8	15.3
Registration States [2]	4.4	4.8	15.3
Cities of 10,000 or over [2]	3.4	3.9	18.9
Smaller cities and rural areas	5.5	5.6	12.0
Registration cities in nonregistration State	11.1	7.4	12.7
All registration cities [2]	3.5	4.0	18.7
Alabama	7.8	7.6	(3)
White	10.6	9.0	(3)
Colored	2.7	5.2	(3)
Arizona	4.5	6.1	(3)
Arkansas	9.9	14.3	(3)
White	12.0	16.1	(3)
Colored	4.0	9.2	(3)
California	3.5	3.1	13.0
White	3.0	2.5	(4)
Colored	7.5	7.7	(4)
Colorado	3.9	3.0	14.6
Connecticut	1.0	0.9	17.0
Delaware	5.0	7.5	12.1
Florida	5.2	4.8	7.1
White	6.4	5.5	8.2
Colored	2.5	3.2	4.8
Georgia	6.3	5.7	(3)
White	7.9	6.6	(3)
Colored	3.5	4.1	(3)
Idaho	3.1	3.4	(3)
Illinois	3.1	4.9	17.2
Indiana	5.4	4.2	12.3
Iowa	2.5	2.0	(3)
Kansas	4.0	3.8	13.9
Kentucky	13.8	13.3	17.5
White	14.8	13.9	18.4
Colored	3.1	6.2	9.8
Louisiana	6.7	6.4	6.1
White	7.2	7.6	6.7
Colored	5.9	4.3	5.2
Maine	2.1	2.5	8.3
Maryland	3.0	4.0	13.2
White	2.6	3.0	14.9
Colored	5.3	9.0	4.5
Massachusetts	2.5	3.1	15.1
Michigan	2.1	3.5	**23.8**
Minnesota	1.0	1.5	10.3
Mississippi	7.5	11.7	15.3
White	9.3	11.9	19.6
Colored	5.8	11.6	12.2
Missouri	7.4	6.9	18.9
Montana	0.4	1.3	5.8
Nebraska	3.2	4.5	8.6
Nevada	6.5	-----	(3)
New Hampshire	0.9	3.0	11.7
New Jersey	2.4	3.0	17.7
New Mexico	19.5	10.7	(3)
New York	2.1	2.2	18.4
North Carolina	5.1	7.6	11.5
White	6.1	8.9	13.6
Colored	2.8	4.4	6.9
North Dakota	2.0	2.8	(3)
Ohio	3.3	2.8	11.2
Oklahoma	13.2	12.1	(3)
White	14.3	12.9	(3)
Colored	4.7	5.4	(3)
Oregon	0.9	1.8	5.7
Pennsylvania	4.1	3.8	19.8
Rhode Island	4.2	4.8	**21.2**
South Carolina	5.2	5.3	11.9
White	6.2	6.1	15.6
Colored	3.9	4.4	8.4
South Dakota	3.1	2.6	(3)
Tennessee	9.2	10.5	16.5
White	10.3	11.5	18.2
Colored	4.2	5.8	9.7
Utah	1.7	2.9	7.3
Vermont	1.7	1.1	6.8
Virginia	6.0	9.3	14.4
White	6.6	9.1	17.3
Colored	4.5	9.9	7.7
Washington	1.2	2.2	9.2
West Virginia	13.4	9.5	(3)
Wisconsin	1.9	1.9	14.5
Wyoming	1.3	1.3	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	2.3	1.9	17.7
Albany	-----	4.6	10.5
Atlanta	4.7	4.7	11.3
White	5.4	5.4	12.9
Colored	3.2	3.2	7.8
Baltimore	1.8	2.8	13.7
White	1.2	2.0	15.5
Colored	4.8	6.8	3.6
Birmingham	4.1	3.7	6.6
White	4.8	5.4	9.9
Colored	2.9	1.0	1.4
Boston	4.3	4.8	19.7
Bridgeport	0.7	1.4	**30.6**
Buffalo	3.6	6.2	**60.2**
Cambridge	2.6	0.9	6.4
Camden	8.4	8.4	15.5
Canton	2.8	0.9	19.4
Chattanooga	7.4	9.0	1.7
White	9.0	9.0	2.5
Colored	3.0	8.9	-----
Chicago	1.9	6.2	**23.6**
Cincinnati	2.8	2.2	13.1
White	2.5	2.2	13.7
Colored	6.0	2.0	6.4
Cleveland	1.4	1.2	16.3
Columbus	3.4	3.4	7.1
White	3.8	3.4	6.5
Colored	-----	2.9	13.2
Dallas	17.2	7.7	14.7
White	14.2	7.1	15.9
Colored	**31.9**	10.6	8.1
Dayton	7.8	2.9	10.4
Denver	6.5	3.8	**23.3**
Des Moines	7.6	1.4	(3)
Detroit	4.0	6.0	**37.1**
Duluth	1.0	-----	15.1
Elizabeth	1.7	4.3	12.4
El Paso	5.7	5.7	**47.1**
White	2.4	2.4	(4)
Colored	8.0	7.9	(4)
Erie	6.8	5.1	**31.1**
Evansville	4.8	1.9	**29.0**
Fall River	2.6	6.9	**32.4**
Flint	3.0	3.0	**22.1**
Fort Wayne	6.7	5.9	12.5
Fort Worth	13.7	7.2	(3)
White	14.2	8.5	(3)
Colored	11.3	-----	(3)
Gary	2.8	-----	**20.9**
White	3.6	-----	(4)
Colored	-----	-----	(4)
Grand Rapids	-----	-----	**28.1**
Hartford	1.2	2.4	**20.1**
Houston	7.4	5.2	9.7
White	8.3	5.7	11.9
Colored	4.8	3.6	2.8
Indianapolis	1.9	1.6	8.5
White	2.2	1.8	9.6
Jacksonville, Fla	6.5	2.3	10.8
White	10.1	3.6	17.7
Colored	-----	-----	2.4
Jersey City	3.8	4.1	**23.7**
Kansas City, Kans	2.4	5.7	16.7
White	3.0	7.0	17.3
Colored	-----	-----	13.6
Kansas City, Mo	3.4	4.4	14.0
White	3.8	4.9	15.5
Knoxville	17.4	11.0	**27.8**
White	18.6	8.8	**31.1**
Colored	11.2	**22.5**	8.6
Long Beach	1.3	1.3	10.1
Los Angeles	7.2	6.2	11.9
White	6.2	5.3	12.0
Colored	13.5	12.4	9.5
Louisville	3.8	4.5	13.4
White	4.1	4.2	12.6
Colored	2.1	6.3	17.2
Lowell	11.0	6.0	18.7
Lynn	2.9	3.9	**28.2**
Memphis	7.7	12.0	12.2
White	11.3	16.3	11.7
Colored	2.0	5.1	12.9
Miami	7.4	0.9	-----
White	7.2	1.1	-----
Colored	8.3	-----	-----
Milwaukee	2.5	1.7	**26.8**
Minneapolis	0.8	3.0	11.4
Nashville	7.1	6.4	10.1
White	8.0	8.9	13.2
Colored	4.7	-----	2.8
Newark, N.J	0.4	1.3	11.3
New Bedford	2.7	8.9	**26.5**
New Haven	1.2	0.6	11.7
New Orleans	6.0	3.9	5.4
White	7.2	3.9	6.3
Colored	3.0	3.7	2.9
New York	2.9	2.7	18.8
Bronx Borough	0.4	0.5	12.9
Brooklyn Borough	3.8	3.3	18.7
Manhattan Borough	3.4	3.9	19.6
White	3.6	4.0	**20.3**
Colored	1.6	3.2	8.3
Queens Borough	2.8	1.4	**22.3**
Richmond Borough	4.3	6.1	**26.1**
Norfolk	2.3	10.8	7.8
White	1.2	12.9	11.1
Colored	4.5	6.8	2.3
Oakland	2.4	0.3	11.8
Oklahoma City	10.7	5.1	15.7
Omaha	6.0	8.3	**25.4**
Paterson	5.8	6.5	**21.3**
Peoria	13.9	2.8	**24.4**
Philadelphia	0.9	1.5	**22.7**
White	0.9	1.4	**23.8**
Colored	1.3	1.7	10.0
Pittsburgh	4.4	4.3	**20.1**
Portland, Oreg	1.0	-----	5.8
Providence	6.3	9.8	**28.9**
Reading	2.7	0.9	16.7
Richmond, Va	1.1	5.4	11.6
White	1.5	6.8	13.5
Colored	-----	1.9	7.4
Rochester, N.Y	0.9	0.6	**27.9**
St. Louis	3.6	5.1	**31.1**
White	3.6	4.5	**34.0**
Colored	4.1	9.2	2.8
St. Paul	0.4	1.1	**24.5**
Salt Lake City	0.7	0.7	9.2
San Antonio	7.1	7.1	14.6
White	(4)	(4)	16.0
Colored	(4)	(4)	-----
San Diego	3.2	2.6	14.1
San Francisco	1.4	0.8	17.7
Scranton	0.7	2.1	16.7
Seattle	0.3	0.3	10.7
Somerville	2.9	6.7	**23.5**
South Bend	-----	0.9	15.2
Spokane	1.7	0.9	12.4
Springfield, Mass	2.6	2.6	12.3
Syracuse	0.5	0.5	17.3
Tacoma	0.9	8.3	18.5
Tampa	4.8	3.8	11.3
White	6.0	4.8	9.7
Colored	-----	-----	16.8
Toledo	1.7	5.0	**20.8**
Trenton	-----	0.8	6.7
Tulsa	6.8	18.5	(3)
White	7.8	**20.3**	(3)
Colored	-----	5.6	(3)
Utica	-----	2.0	**22.2**
Washington, D.C	3.4	7.3	14.3
White	3.1	5.6	14.9
Colored	4.4	11.9	12.5
Wichita	8.6	10.4	**20.2**
Wilmington, Del	2.8	7.5	14.5
White	3.2	7.4	15.1
Colored	-----	8.2	9.2
Worcester	6.1	4.1	7.8
Yonkers	-----	0.7	**22.6**
Youngstown	4.6	2.9	8.2

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

See footnotes at end of table.

INFLUENZA AND PNEUMONIA (ALL FORMS)

Deaths from influenza and pneumonia (all forms) in 1932 numbered 129,540. The rate of 107.8 per 100,000 population is slightly higher than that for the previous year.

Among the States the highest rates were shown for Nevada (179.6), Colorado (163.9), Arizona (158.3), and New Mexico (148.7); and the lowest for South Dakota (73.8), Oregon (76.3), and North Dakota (77.1). Among the cities Pittsburgh and El Paso had the highest rates (209.3 and 203.3, respectively); Long Beach had the lowest (61.6).

In every State for which figures are shown by color the differences in the rates for the white and those for the colored are pronounced. For example, the death rate among the white population of Maryland was 98.7 per 100,000 while that among the colored was 226.0. The difference was also marked in the rates for Kentucky: For the white, 118.6; for the colored, 238.7. Among the cities showing deaths by color, all had higher rates for the colored. In 22 out of 30 cities the rates for the colored were 200 or more per 100,000, with Chattanooga and Dallas leading, each having a rate of 338.3.

For figures for pneumonia (all forms) alone see table AT.

Table AB — AREA	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION		
	1932	1931	1920
The registration area [1]	107.8	107.7	208.3
Registration States [2]	107.4	107.5	207.3
Cities of 10,000 or over [2]	109.6	115.4	229.7
Smaller cities and rural areas	105.3	100.0	186.3
Registration cities in nonregistration State	151.4	129.9	261.0
All registration cities [2]	110.5	115.7	230.7
Alabama	115.1	122.9	(3)
White	102.0	109.9	(3)
Colored	138.9	146.5	(3)
Arizona	158.3	139.1	(3)
Arkansas	119.0	114.3	(3)
White	112.4	113.1	(3)
Colored	138.1	117.7	(3)
California	88.4	83.4	161.9
White	79.0	73.8	(4)
Colored	160.7	158.7	(4)
Colorado	163.9	140.1	287.8
Connecticut	83.6	90.8	222.0
Delaware	126.2	137.9	207.4
Florida	89.8	96.8	162.3
White	69.0	76.9	153.5
Colored	140.2	145.2	185.9
Georgia	124.0	129.4	(3)
White	102.1	106.1	(3)
Colored	162.2	170.0	(3)
Idaho	90.8	76.5	(3)
Illinois	91.0	92.9	212.8
Indiana	121.1	113.5	211.5
Iowa	111.2	87.6	(3)
Kansas	94.1	79.2	180.4
Kentucky	128.8	123.4	197.3
White	118.6	111.6	185.1
Colored	238.7	248.2	313.6
Louisiana	130.5	124.9	158.2
White	108.7	103.7	137.8
Colored	167.5	160.5	192.1
Maine	106.0	93.3	228.6
Maryland	120.4	143.4	200.5
White	98.7	113.8	175.6
Colored	226.0	238.6	324.6
Massachusetts	95.5	93.7	197.2
Michigan	88.6	75.9	232.8
Minnesota	104.6	97.0	149.2
Mississippi	96.3	105.1	160.3
White	87.7	100.9	130.8
Colored	104.8	109.1	189.3
Missouri	138.0	136.9	260.8
Montana	100.0	99.7	160.5
Nebraska	96.8	79.4	143.2
Nevada	179.6	206.6	(3)
New Hampshire	115.1	95.7	193.8
New Jersey	84.1	95.5	191.2
New Mexico	148.7	156.1	(3)
New York	102.2	111.3	204.5
North Carolina	103.7	113.5	217.1
White	88.4	95.1	195.2
Colored	140.5	157.7	271.0
North Dakota	77.1	73.8	(3)
Ohio	110.6	105.3	201.7
Oklahoma	109.6	95.0	(3)
White	103.9	87.3	(3)
Colored	152.7	154.5	(3)
Oregon	76.3	69.4	168.2
Pennsylvania	117.3	131.9	251.7
Rhode Island	106.5	112.3	222.7
South Carolina	137.4	160.7	248.2
White	111.4	130.0	197.4
Colored	169.1	197.8	294.8
South Dakota	73.8	81.2	(3)
Tennessee	140.7	124.8	219.5
White	124.9	109.0	194.3
Colored	212.1	195.8	328.1
Utah	111.9	77.3	253.0
Vermont	122.2	101.9	236.6
Virginia	122.8	139.3	203.6
White	99.8	108.9	169.8
Colored	186.7	223.1	281.7
Washington	80.6	81.5	175.1
West Virginia	121.6	111.5	(3)
Wisconsin	98.1	85.3	178.8
Wyoming	106.1	93.5	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	62.1	76.0	326.8
Albany	107.7	99.2	181.5
Atlanta	171.3	183.0	310.7
White	96.5	119.3	223.2
Colored	319.3	309.0	501.5
Baltimore	137.6	177.2	229.4
White	108.4	138.2	198.4
Colored	270.5	354.0	405.0
Birmingham	127.4	151.5	302.2
White	98.4	101.4	198.2
Colored	174.4	233.0	463.3
Boston	148.6	138.5	247.6
Bridgeport	99.9	127.8	244.2
Buffalo	99.3	98.3	184.3
Cambridge	124.4	98.2	201.1
Camden	139.4	194.1	253.4
Canton	90.0	102.0	266.4
Chattanooga	176.4	167.8	306.0
White	115.0	123.0	230.3
Colored	338.3	285.7	463.6
Chicago	75.3	85.8	223.4
Cincinnati	153.7	135.8	188.3
White	145.9	117.2	162.4
Colored	217.1	286.8	499.7
Cleveland	113.6	119.1	204.9
Columbus	114.3	107.6	244.0
White	102.9	96.1	211.5
Colored	201.2	195.4	552.5
Dallas	148.3	136.2	196.6
White	108.8	88.0	170.3
Colored	338.3	368.1	343.9
Dayton	96.0	87.6	177.0
Denver	197.9	147.4	349.2
Des Moines	145.4	91.4	(3)
Detroit	73.7	75.7	317.8
Duluth	79.6	87.4	132.3
Elizabeth	112.1	99.2	248.2
El Paso	203.3	214.3	439.3
White	133.0	116.4	(4)
Colored	250.4	279.9	(4)
Erie	102.1	102.7	242.3
Evansville	113.1	82.5	174.2
Fall River	80.7	88.4	187.1
Flint	92.0	70.1	296.4
Fort Wayne	96.1	110.4	206.0
Fort Worth	122.4	104.0	(3)
White	94.4	77.4	(3)
Colored	270.7	245.3	(3)
Gary	86.0	156.7	422.2
White	71.6	122.4	(4)
Colored	136.8	277.8	(4)
Grand Rapids	69.9	54.7	146.9
Hartford	82.6	107.7	273.5
Houston	119.2	90.7	189.2
White	76.4	63.2	139.3
Colored	237.6	166.7	344.2
Indianapolis	119.0	127.1	242.1
White	106.9	111.2	219.1
Colored	205.7	241.2	425.7
Jacksonville, Fla	105.3	127.3	226.0
White	70.5	78.7	186.3
Colored	169.0	212.1	274.7
Jersey City	125.7	133.5	234.4
Kansas City, Kans	138.4	125.3	290.3
White	132.4	114.4	278.4
Colored	163.8	172.4	360.8
Kansas City, Mo	134.8	131.1	353.9
White	120.6	120.0	333.6
Colored	255.3	225.0	546.5
Knoxville	175.8	142.0	262.7
White	159.7	121.4	247.0
Colored	258.4	247.2	353.8
Long Beach	61.6	52.5	64.2
Los Angeles	75.4	68.8	115.2
White	68.0	59.9	110.9
Colored	123.8	125.6	193.5
Louisville	129.4	159.0	194.0
White	106.6	120.4	158.6
Colored	255.2	369.0	367.1
Lowell	96.8	74.8	226.5
Lynn	65.2	75.9	188.3
Memphis	164.9	190.9	310.1
White	117.6	141.4	216.3
Colored	241.5	271.0	464.9
Miami	66.1	73.8	196.0
White	45.6	52.8	155.3
Colored	136.9	146.2	291.2
Milwaukee	78.5	74.4	215.3
Minneapolis	141.0	119.2	191.5
Nashville	192.3	196.8	304.4
White	159.9	177.6	237.8
Colored	277.4	247.0	460.0
Newark, N.J.	90.6	110.1	215.5
New Bedford	80.8	114.5	247.5
New Haven	102.1	127.2	273.2
New Orleans	159.4	162.4	221.4
White	114.2	118.0	159.0
Colored	271.3	271.9	396.3
New York	106.3	129.2	224.2
Bronx Borough	75.1	88.9	175.1
Brooklyn Borough	107.2	127.5	216.3
Manhattan Borough	152.8	192.7	259.7
White	154.4	191.6	249.8
Colored	142.9	199.4	434.7
Queens Borough	67.3	78.3	176.2
Richmond Borough	102.8	139.5	197.4
Norfolk	107.2	134.2	255.6
White	51.4	72.5	165.6
Colored	214.9	253.4	405.5
Oakland	84.9	81.4	182.2
Oklahoma City	129.7	142.8	163.0
Omaha	148.6	118.1	226.8
Paterson	103.0	100.9	189.0
Peoria	95.1	94.1	227.7
Philadelphia	96.0	130.0	240.3
White	85.7	116.7	222.0
Colored	172.6	229.5	462.1
Pittsburgh	209.3	278.7	437.3
Portland, Oreg	76.9	77.2	162.9
Providence	114.6	136.6	252.2
Reading	103.0	91.4	212.1
Richmond, Va	119.4	134.6	239.8
White	73.9	86.7	143.9
Colored	232.1	253.3	449.6
Rochester, N.Y.	77.7	77.4	126.8
St. Louis	126.1	161.4	263.6
White	110.3	139.3	245.8
Colored	243.8	325.5	439.5
St. Paul	94.2	84.0	176.3
Salt Lake City	120.2	76.2	271.0
San Antonio	199.7	161.2	194.2
White	(4)	(4)	190.6
Colored	(4)	(4)	230.2
San Diego	99.7	86.3	173.7
San Francisco	90.2	89.7	195.0
Scranton	144.3	133.2	312.2
Seattle	82.1	79.4	150.3
Somerville	78.9	93.2	175.2
South Bend	64.8	76.3	242.7
Spokane	98.9	128.1	251.0
Springfield, Mass	70.9	97.1	173.8
Syracuse	93.9	63.8	246.7
Tacoma	85.4	104.8	255.8
Tampa	75.4	91.4	178.8
White	64.0	65.2	143.0
Colored	117.6	189.2	303.0
Toledo	104.1	107.4	167.8
Trenton	134.0	115.4	232.7
Tulsa	113.0	102.2	(3)
White	100.6	81.3	(3)
Colored	202.3	252.8	(3)
Utica	132.0	90.9	200.2
Washington, D.C.	148.7	155.8	235.7
White	108.6	108.2	177.9
Colored	253.6	286.7	405.2
Wichita	94.2	77.7	221.4
Wilmington, Del.	139.8	149.1	238.2
White	119.6	126.0	209.8
Colored	296.6	329.6	497.6
Worcester	103.9	115.1	243.2
Yonkers	94.4	85.0	162.0
Youngstown	117.4	121.5	332.8

See footnotes at end of table.

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS

In 1932 there were 828 deaths due to acute poliomyelitis and acute polioencephalitis compared with 2,096 in 1931. The death rate dropped to 0.7 from 1.8 per 100,000 population in 1931. All States in the registration area but 7 had lower rates in 1932; the rates for 2 States did not change. The largest decreases (5.4 and 4.8) were for Connecticut and New York, respectively. The highest rate (2.1) was for New Mexico, while in Vermont and Wyoming no deaths were reported from these causes in 1932.

Among the larger cities rates were higher for only 18. The largest decrease (10.5) was for New Haven. There were no deaths from these causes in 38 of the cities listed.

No significant differences in the death rates for the white and colored populations are shown either for States or for large cities.

Table AC

AREA	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS PER 100,000 ESTIMATED POPULATION [Rates of 2 or more in bold-faced type]		
	1932	1931	1920
The registration area [1]	0.7	1.8	0.9
Registration States [2]	0.7	1.8	0.9
Cities of 10,000 or over [2]	0.7	**2.2**	0.9
Smaller cities and rural areas	0.7	1.3	0.9
Registration cities in nonregistration State	0.8	0.4	0.5
All registration cities [2]	0.7	**2.2**	0.9
Alabama	0.3	0.9	(3)
White	0.5	0.6	(3)
Colored	0.1	1.5	(3)
Arizona	1.3	1.4	(3)
Arkansas	0.9	1.4	(3)
White	0.9	1.4	(3)
Colored	0.6	1.5	(3)
California	0.6	0.9	0.8
White	0.6	0.7	(4)
Colored	0.6	**2.4**	(4)
Colorado	1.1	0.3	0.6
Connecticut	0.6	**6.0**	1.2
Delaware	0.8	0.8	-----
Florida	0.4	0.5	0.6
White	0.5	0.4	0.5
Colored	0.2	0.9	0.9
Georgia	0.9	1.0	(3)
White	1.1	1.1	(3)
Colored	0.7	0.8	(3)
Idaho	0.9	0.7	(3)
Illinois	0.5	1.3	0.9
Indiana	0.2	0.6	0.5
Iowa	0.7	1.6	(3)
Kansas	0.6	0.7	0.6
Kentucky	1.6	1.1	0.8
White	1.7	1.0	0.7
Colored	-----	1.3	1.7
Louisiana	0.5	0.8	0.8
White	0.5	1.1	0.7
Colored	0.5	0.4	0.9
Maine	0.9	1.4	1.2
Maryland	0.4	0.7	0.9
White	0.4	0.5	0.6
Colored	0.7	1.4	**2.4**
Massachusetts	0.3	**2.7**	**3.9**
Michigan	0.5	**2.4**	0.9
Minnesota	0.4	**2.7**	0.8
Mississippi	1.2	0.7	0.9
White	1.4	0.9	1.4
Colored	1.0	0.6	0.5
Missouri	0.3	0.7	0.9
Montana	0.7	**2.8**	0.9
Nebraska	0.7	0.9	0.8
Nevada	1.1	-----	(3)
New Hampshire	0.4	**2.1**	**2.5**
New Jersey	1.1	**3.5**	0.6
New Mexico	**2.1**	1.2	(3)
New York	0.5	**5.3**	0.6
North Carolina	0.7	1.2	0.8
White	1.0	1.3	1.1
Colored	0.2	0.7	0.4
North Dakota	0.4	1.2	(3)
Ohio	0.4	0.7	0.8
Oklahoma	0.8	0.8	(3)
White	0.8	0.7	(3)
Colored	0.7	1.1	(3)
Oregon	0.3	0.8	0.6
Pennsylvania	1.5	1.0	0.6
Rhode Island	0.4	1.4	-----
South Carolina	0.7	0.8	0.7
White	0.8	0.7	0.7
Colored	0.6	0.9	0.7
South Dakota	1.1	1.9	(3)
Tennessee	0.7	0.8	0.8
White	0.8	0.8	0.7
Colored	0.4	1.0	1.1
Utah	0.8	1.2	0.2
Vermont	-----	**2.8**	0.9
Virginia	0.7	0.8	1.1
White	0.9	0.7	1.2
Colored	0.3	1.2	0.9
Washington	0.7	1.0	0.3
West Virginia	0.8	1.3	(3)
Wisconsin	0.4	1.7	0.7
Wyoming	-----	1.3	(3)

Table AC—Contd.

AREA	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS PER 100,000 ESTIMATED POPULATION [Rates of 2 or more in bold-faced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	0.4	0.4	-----
Albany	0.8	**2.3**	-----
Atlanta	0.4	**2.9**	-----
White	0.5	**3.3**	-----
Colored	-----	**2.1**	-----
Baltimore	0.4	0.7	0.7
White	0.3	0.8	0.3
Colored	0.7	0.7	**2.7**
Birmingham	-----	0.4	0.5
Colored	-----	1.0	1.4
Boston	0.5	**6.9**	**6.5**
Bridgeport	-----	**6.1**	0.7
Buffalo	-----	0.5	-----
Cambridge	-----	0.9	**6.4**
Camden	1.7	**4.2**	-----
Chattanooga	1.6	**2.5**	-----
White	1.1	**2.3**	-----
Colored	**3.0**	**3.0**	-----
Chicago	0.3	0.9	0.7
Cincinnati	-----	0.7	0.5
White	-----	0.7	0.5
Cleveland	0.3	0.8	0.4
Columbus	1.4	0.3	-----
White	1.5	0.4	-----
Dayton	1.9	1.0	0.7
Denver	0.7	-----	0.8
Des Moines	1.4	0.7	(3)
Detroit	0.4	1.0	0.6
Duluth	-----	**7.9**	-----
Elizabeth	-----	**7.7**	-----
El Paso	-----	1.0	-----
White	-----	**2.4**	-----
Fall River	0.9	1.7	-----
Flint	-----	-----	**4.0**
Fort Wayne	-----	1.7	1.1
Fort Worth	-----	-----	(3)
White	-----	-----	(3)
Colored	-----	-----	(3)
Gary	-----	0.9	-----
White	-----	1.2	-----
Grand Rapids	-----	**3.5**	0.7
Hartford	-----	**10.8**	**2.2**
Houston	0.6	0.6	0.7
White	0.9	0.9	-----
Colored	-----	-----	**2.8**
Indianapolis	0.5	0.8	0.3
White	0 6	0.6	0.4
Colored	-----	**2.2**	-----
Jacksonville, Fla	-----	1.5	1.1
White	-----	1.2	-----
Colored	-----	**2.1**	**2.4**
Jersey City	0.9	**5.3**	0.7
Kansas City, Kans	-----	**2.4**	-----
White	-----	**2.0**	-----
Colored	-----	**4.3**	-----
Kansas City, Mo	0.5	0.2	0.9
White	0.5	0.3	1.0
Knoxville	0.9	0.9	1.3
White	1.1	-----	1.5
Colored	-----	**5.6**	-----
Long Beach	-----	0.7	1.7
Los Angeles	0.8	0.6	0.8
White	1.0	0.4	0.9
Colored	-----	1.7	-----
Louisville	-----	0.3	1.3
White	-----	0.4	1.0
Colored	-----	-----	**2.5**
Lowell	-----	**3.0**	**5.4**
Lynn	-----	-----	**6.0**
Memphis	0.4	0.4	0.6
White	0.6	0.6	-----
Colored	-----	-----	1.6
Miami	0.9	-----	-----
White	1.2	-----	-----
Milwaukee	-----	0.8	0.2
Minneapolis	0.4	**3.4**	0.8
Nashville	1.3	-----	-----
White	1.8	-----	-----
Newark, N.J	0.2	0.7	1.4
New Bedford	-----	**2.7**	-----
New Haven	0.6	**11.1**	0.6
New Orleans	0.4	0.6	0.5
White	0.3	0.6	0.7
Colored	0.7	0.7	-----

Table AC—Contd.

AREA	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS PER 100,000 ESTIMATED POPULATION [Rates of 2 or more in bold-faced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
New York	0.5	**7.1**	0.7
Bronx Borough	0.2	**2.9**	0.8
Brooklyn Borough	0.3	**7.6**	0.8
Manhattan Borough	1.0	**10.9**	0.4
White	1.1	**12.1**	0.5
Colored	0.4	**3.6**	-----
Queens Borough	0.4	**4.2**	1.2
Richmond Borough	-----	**10.4**	0.8
Norfolk	0.8	**3.9**	-----
White	1.2	**5.8**	-----
Oakland	0.7	0.7	-----
Oklahoma City	1.5	-----	-----
Omaha	1.4	0.5	0.5
Paterson	-----	**3.6**	-----
Peoria	1.8	1.8	1.3
Philadelphia	**4.3**	0.8	0.3
White	**4.2**	0.8	0.4
Colored	**5.2**	0.4	-----
Pittsburgh	0.1	1.0	0.2
Portland, Oreg	0.3	1.0	0.4
Providence	0.8	**3.1**	-----
Reading	1.8	-----	1.9
Rochester, N.Y	0.3	0.3	0.3
St. Louis	-----	0.2	1.0
White	-----	0.3	1.1
St. Paul	0.4	**7.2**	-----
Salt Lake City	-----	1.4	0.8

Table AC—Contd.

AREA	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS PER 100,000 ESTIMATED POPULATION [Rates of 2 or more in bold-faced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
San Antonio	**2.5**	0.4	-----
White	(4)	(4)	-----
San Diego	-----	-----	1.3
San Francisco	0.9	1.7	0.2
Scranton	0.7	**2.1**	1.4
Seattle	**0.8**	0.5	-----
Somerville	1.0	-----	**6.4**
South Bend	0.9	-----	-----
Spokane	-----	1.7	1.0
Springfield, Mass	0.7	**5.2**	0.8
Syracuse	0.5	0.9	0.6
Tacoma	-----	0.9	-----
Tampa	-----	-----	1.9
White	-----	-----	**2.4**
Toledo	-----	0.7	1.2
Trenton	1.6	1.6	-----
Tulsa	-----	0.7	(3)
White	-----	0.8	(3)
Utica	1.0	**2.9**	-----
Washington, D.C	1.2	0.6	0.2
White	1.4	0.6	0.3
Colored	0.7	0.7	-----
Wichita	0.9	-----	-----
Wilmington, Del	0.9	-----	-----
Colored	**8.2**	-----	-----
Worcester	0.5	**3.5**	-----
Yonkers	-----	1.4	1.0

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

LETHARGIC OR EPIDEMIC ENCEPHALITIS

The menace of this comparatively new cause has not justified the fears created by the sudden increase in rates in the early twenties. The numbers have varied little in the past few years until 1932, when there was a decrease in deaths compared with the deaths in 1931. The actual figures for the 2 years were 888 with a rate of 0.7 per 100,000 population in 1932, compared with 983 in 1931 with a rate of 0.8.

As in 1931, New York, Pennsylvania, Illinois, and Ohio had the largest number of deaths from this cause in 1932. Arizona had one death and Delaware had no deaths in 1932.

Table AD

AREA	DEATHS FROM LETHARGIC OR EPIDEMIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE					
	Total		Primary cause		Contributory cause	
	1932	1931	1932	1931	1932	1931
The registration area [1]	888	983	874	972	14	11
Registration States [2]	883	977	869	966	14	11
Cities of 10,000 or over [2]	483	595	475	588	8	7
Smaller cities and rural areas	400	382	394	378	6	4
Registration cities in nonregistration State	5	6	5	6	-----	-----
All registration cities [2]	488	601	480	594	8	7
Alabama:						
Cities	8	13	8	13	-----	-----
Rural	9	9	9	9	-----	-----

See footnotes at end of table.
See footnotes at end of table.

Table AD—Continued

DEATHS FROM LETHARGIC OR EPIDEMIC ENCEPHALITIS AS EITHER A PRIMARY OR CONTRIBUTORY CAUSE

AREA	Total		Primary cause		Contributory cause	
	1932	1931	1932	1931	1932	1931
Arizona:						
Cities	1	2	1	2	------	------
Rural	------	5	------	5	------	------
Arkansas:						
Cities	1	1	1	1	------	------
Rural	6	3	6	3	------	------
California:						
Cities	20	26	20	26	------	------
Rural	25	19	25	19	------	------
Colorado:						
Cities	3	3	3	3	------	------
Rural	10	3	9	3	1	------
Connecticut:						
Cities	11	12	11	12	------	------
Rural	3	5	3	5	------	------
Delaware: Cities	------	1	------	1	------	------
Florida:						
Cities	2	6	2	6	------	------
Rural	2	3	2	3	------	------
Georgia:						
Cities	8	7	7	7	1	------
Rural	5	7	5	7	------	------
Idaho:						
Cities	1	1	1	1	------	------
Rural	1	6	1	6	------	------
Illinois:						
Cities	21	22	19	21	2	1
Rural	33	24	33	24	------	------
Indiana:						
Cities	14	18	14	18	------	------
Rural	13	14	12	14	1	------
Iowa:						
Cities	14	12	14	12	------	------
Rural	12	19	12	19	------	------
Kansas:						
Cities	8	3	7	3	1	------
Rural	6	11	6	11	------	------
Kentucky:						
Cities	7	3	7	3	------	------
Rural	9	11	9	11	------	------
Louisiana:						
Cities	4	7	4	6	------	1
Rural	4	4	4	4	------	------
Maine:						
Cities	2	2	2	2	------	------
Rural	3	6	3	6	------	------
Maryland:						
Cities	10	18	10	18	------	------
Rural	2	5	2	5	------	------
Massachusetts:						
Cities	15	27	15	26	------	1
Rural	3	4	3	4	------	------
Michigan:						
Cities	12	27	11	27	1	------
Rural	18	8	18	8	------	------
Minnesota:						
Cities	9	13	8	13	1	------
Rural	20	15	20	15	------	------
Mississippi:						
Cities	2	2	2	1	------	1
Rural	1	6	1	6	------	------
Missouri:						
Cities	20	16	20	16	------	------
Rural	15	12	15	12	------	------
Montana:						
Cities	4	3	4	3	------	------
Rural	5	4	5	4	------	------
Nebraska:						
Cities	5	7	5	7	------	------
Rural	4	3	4	3	------	------
Nevada: Rural	2	------	2	------	------	------
New Hampshire:						
Cities	------	1	------	1	------	------
Rural	4	------	4	------	------	------
New Jersey:						
Cities	26	26	26	26	------	------
Rural	13	13	13	13	------	------
New Mexico: Rural	2	3	2	3	------	------
New York:						
Cities	82	104	82	104	------	------
Rural	22	27	22	25	------	2
North Carolina:						
Cities	13	9	13	9	------	------
Rural	9	7	9	7	------	------
North Dakota:						
Cities	1	1	1	1	------	------
Rural	5	6	5	6	------	------
Ohio:						
Cities	37	45	36	45	1	------
Rural	19	23	19	22	------	1
Oklahoma:						
Cities	6	4	6	4	------	------
Rural	9	4	9	4	------	------
Oregon:						
Cities	4	3	4	3	------	------
Rural	6	9	5	9	1	------
Pennsylvania:						
Cities	46	70	45	69	1	1
Rural	34	32	32	31	2	1
Rhode Island:						
Cities	4	4	4	4	------	------
Rural	1	------	1	------	------	------
South Carolina:						
Cities	3	4	3	4	------	------
Rural	7	3	7	3	------	------
South Dakota: Rural	5	5	5	5	------	------
Tennessee:						
Cities	6	11	6	11	------	------
Rural	7	7	7	7	------	------
Utah:						
Cities	5	2	5	2	------	------
Rural	2	2	2	2	------	------
Vermont:						
Cities	------	1	------	1	------	------
Rural	2	1	2	1	------	------
Virginia:						
Cities	1	9	1	9	------	------
Rural	15	8	15	8	------	------
Washington:						
Cities	16	22	16	22	------	------
Rural	14	10	13	10	1	------
West Virginia:						
Cities	4	4	4	4	------	------
Rural	4	2	4	2	------	------
Wisconsin:						
Cities	18	20	18	19	------	1
Rural	7	12	7	12	------	------
Wyoming: Rural	2	2	2	2	------	------
District of Columbia	9	3	9	2	------	1

[1] In continental United States. [2] Including District of Columbia.

NOTE.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population is classed as "rural".

Deaths and death rates for encephalitis and lethargic or epidemic encephalitis in the registration area are shown in table AE.

Table AE

DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES

CAUSE OF DEATH	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920
	NUMBER										
Total	2,181	2,398	2,473	2,774	2,863	2,646	2,845	2,901	2,603	3,233	2,602
Encephalitis	1,293	1,415	1,396	1,449	1,478	1,300	1,316	1,239	1,131	1,245	1,097
Lethargic or epidemic encephalitis [1]	888	983	1,077	1,325	1,385	1,346	1,529	1,662	1,472	1,988	1,505
Primary cause	874	972	1,062	1,313	1,373	1,326	1,499	1,630	1,441	1,966	1,070
Contributory cause	14	11	15	12	12	20	30	32	31	22	435
	RATE PER 100,000 ESTIMATED POPULATION										
Total	1.8	2.0	2.1	2.4	2.5	2.4	2.7	2.8	2.6	3.3	3.0
Encephalitis	1.1	1.2	1.2	1.2	1.3	1.2	1.3	1.2	1.1	1.3	1.3
Lethargic or epidemic encephalitis [1]	0.7	0.8	0.9	1.1	1.2	1.2	1.5	1.6	1.5	2.0	1.7
Primary cause	0.7	0.8	0.9	1.1	1.2	1.2	1.4	1.6	1.4	2.0	1.2
Contributory cause	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	0.5

[1] Includes all deaths when lethargic encephalitis was given as either a primary or contributory cause.
[2] Less than one-tenth of 1 per 100,000 population.

RARE INFECTIOUS AND PARASITIC DISEASES

In the detailed International List of Causes of Death, titles 1 to 44 are assigned to infectious and parasitic diseases, of which 9 have been discussed. Returns for certain rare diseases included under this heading, and discussed in the following paragraphs, have not been accepted until every effort has been made to authenticate them. Each case has been made the subject of special inquiry, and either the existence of the disease has been verified or no reply has been received; in the

latter case there is no alternative but to classify the death as reported.

In the tabulation of these rare diseases no deaths were reported in 1932 for relapsing fever, glanders, cholera, plague, and yellow fever.

Typhus fever.—In 1932 in the registration area in continental United States typhus fever caused 36 deaths in the following States: Alabama, 11—1 each in Birmingham, Dothan, and Selma, and in Barbour, Covington, Henry, and Pike Counties, and 2 each in Coffee and Geneva Counties; Delaware, 1 in Wilmington; District of Columbia, 1; Florida, 5—4 in Tampa and 1 in Jackson County; Georgia, 7—1 each in Savannah and Thomasville, and in Brantley, Lowndes, and Sumter Counties, and 2 in Turner County; Illinois, 1 in St. Clair County; Maryland, 2—1 each in Baltimore City and in Somerset County; New York, 1 in Suffolk County; Pennsylvania, 1 in York County; South Carolina, 1 in Orangeburg County; Texas, 2—1 each in Dallas and Fort Worth; and Virginia, 3—1 each in Green, Princess Anne, and Richmond Counties.

Undulant fever.—Undulant fever caused 62 deaths in 1932: Arizona, 1 in Mohave County; California, 2—1 each in Los Angeles city and Stockton; Georgia, 2—1 each in Savannah and in Irwin County; Idaho, 2—1 each in Bingham and Kootenai Counties; Illinois, 3—1 each in Galesburg, and in Lake and McHenry Counties; Indiana, 2—1 each in Allen and Benton Counties; Iowa, 2—1 each in Buena Vista and Poweshiek Counties; Kansas, 3—1 each in Topeka, and in McPherson and Smith Counties; Kentucky, 1 in Scott County; Louisiana, 3—1 each in Shreveport, and in Rapides and Vermilion Parishes; Maine, 1 in Franklin County; Maryland, 3—1 each in Baltimore city, and in Frederick and Garrett Counties; Michigan, 3—1 in Saginaw city, and in Allegan and Oakland Counties; Minnesota, 2—1 each in Cass and Traverse Counties; Missouri, 5—1 each in St. Louis city and Sedalia, and in Jefferson, Pemiscot, and St. Louis Counties; Montana, 1 in Missoula city; New Jersey, 1 in Monmouth County; New Mexico, 1 in Otero County; New York, 4—1 each in Buffalo and Watertown, and in Monroe and Oswego Counties; North Carolina, 2 in Wilson city; Ohio, 10—1 each in Cleveland, Dayton, Mansfield, and Marion city, 2 in Massillon, and 1 each in Ross, Sandusky, Seneca, and Stark Counties; Oklahoma, 1 in Oklahoma City; Oregon, 1 in Clackamas County; Pennsylvania, 1 in Clarion County; Texas, 1 in El Paso city; Virginia, 2—1 each in Norfolk and Northampton Counties; Washington, 1 in Seattle; and West Virginia, 1 in Wheeling.

Anthrax (bacillus anthracis), malignant pustule.—Anthrax caused 12 deaths in 1932, reported from 4 cities and 8 rural districts: Connecticut, 1 in Hartford County; Delaware, 1 in Wilmington; Georgia, 1 in Henry County; Illinois, 1 in Marion County; Mississippi, 1 in Choctaw County; Montana, 1 in Great Falls; Nebraska, 1 in Buffalo County; New Jersey, 1 in Paterson; New York, 1 in Orange County; Oregon, 1 in Malheur County; South Dakota, 1 in Charles Mix County; and Texas, 1 in San Antonio.

Rabies.—Rabies was responsible for 55 deaths in 1932, the same number as in 1931; the distribution is shown in the following statement: Alabama, 2—1 each in Cullman and Perry Counties; Arkansas, 2—1 each in Greene and Lee Counties; California, 2—1 each in Burbank city and in Merced County; Connecticut, 1 in Hartford city; Delaware, 1 in Sussex County; Florida, 4—1 each in Jacksonville and Lakeland, and in Marion and Polk Counties; Georgia, 3—1 each in Hall, Polk, and Putnam Counties; Illinois, 3—1 each in Galesburg and Rockford, and in Jefferson County; Indiana, 4—1 each in Indianapolis, and in Elkhart, Greene, and Jackson Counties; Kansas, 2—1 each in Kansas City and Crawford County; Kentucky, 1 in Middlesboro city; Michigan, 1 in Detroit; Mississippi, 2—1 each in Lowndes and Yalobusha Counties; New Jersey, 3—2 in Elizabeth and 1 in Cumberland County; North Carolina, 1 in Halifax County; Ohio, 1 in Lawrence County; Oklahoma, 4—1 each in Muskogee city, and in Bryan, Cherokee, and Wagoner Counties; Pennsylvania, 2—1 each in Uniontown and in Allegheny County; South Carolina, 3—1 each in Greenville city, and in Greenville and Kershaw Counties; Tennessee, 10—1 each in Knoxville and Memphis, and in Carroll, Greene, Haywood, Knox, Montgomery, Roane, Warren, and Washington Counties; Texas, 1 in San Antonio; West Virginia, 1 in Kanawha County; and Wisconsin, 1 in Madison.

Leprosy.—Leprosy caused 25 deaths in 1932, distributed among the following States: California, 2—1 each in Los Angeles city and in Tulare County; Louisiana, 21 in Iberville Parish (the Federal leprosarium is situated at Carville within this parish); Rhode Island, 1 in Washington County; and Texas, 1 in Galveston city.

Weil's disease.—Accounted for 34 deaths: One each in California, Connecticut, Georgia, and Idaho, 3 in Illinois, 1 in Indiana, 2 in Iowa, 1 in Kentucky, 3 in Louisiana, 1 in Massachusetts, 2 in Michigan, 1 each in Minnesota and Nebraska, 4 in New York, 1 in Ohio, 2 in Pennsylvania, 1 in South Carolina, 3 in Virginia, 2 in West Virginia, and 3 in Wisconsin.

Rat-bite fever.—This disease was responsible for 2 deaths: Ohio, 1 in Hamilton city; and Pennsylvania, 1 in Lycoming County.

Other diseases due to protozoal parasites.—Leishmaniasis caused 1 death, trypanosomiasis caused 3 deaths, and Vincent's infection caused 12 deaths.

Filariasis.—One death, occurring in Los Angeles city, Calif., was caused by filariasis.

Other diseases caused by helminths.—Two deaths were charged to chyluria and lipuria, and 19 to trichinosis.

Mycoses.—The number of deaths from mycoses in 1932 was 249, of which 94, or 37.8 percent, were due to thrush. Of these 94 deaths, 79 were in rural districts. Colored children under 1 year of age were credited with 48 deaths from thrush.

Chicken-pox and German measles.—One hundred and forty-eight deaths were caused by chicken-pox and 9 deaths by German measles.

Acrodynia.—This disease was responsible for 6 deaths: Massachusetts, 1 in Boston; Michigan, 2—1 each in Detroit and in Saginaw County; Ohio, 1 in Cleveland; Oklahoma, 1 in Tulsa city; and Pennsylvania, 1 in Montour County.

Dengue fever.—Two deaths were caused by dengue fever, both occurring in Georgia—1 each in Atlanta and in Telfair County.

Glandular fever.—Responsible for 6 deaths: California, 1 in San Diego city; Georgia, 1 in Sumter County; Illinois, 1 in Lincoln city; Pennsylvania, 2—1 each in New Kensington and West Chester; and Virginia, 1 in Winchester.

Psittacosis.—Psittacosis caused 12 deaths in 1932. The distribution among the States was as follows: California, 4—1 in Los Angeles city, 2 in Pasadena, and 1 in Madera County; Illinois, 2 in Chicago; Kentucky, 3 in Louisville; Massachusetts, 1 in Malden; Michigan, 1 in Berrien County; and Minnesota, 1 in Renville County.

Roseola.—Caused 1 death in Coffee County, Ga.

Rocky Mountain spotted fever.—Caused 86 deaths in 1932 compared with 34 deaths in 1931, in the following States: California, 2—1 each in Lassen and Modoc Counties; Colorado, 5—1 each in Boulder city, and in Garfield, Mesa, Rio Blanco, and San Miguel Counties; District of Columbia, 3; Idaho, 19—4 in Boise, and 1 each in Bear Lake, Butte, Camas, Gooding, Minidoka, Payette, Shoshone, and Twin Falls Counties; 2 each in Bingham and Washington Counties, and 3 in Kootenai County; Maryland, 2—1 each in Baltimore city and in Worcester County; Montana, 18—1 in Billings, 3 in Missoula city, and 1 each in Beaverhead, Carbon, Dawson, Fallon, Lake, and McCone Counties, and 2 each in Custer, Fergus, Ravalli, and Rosebud Counties; New Mexico, 2 in Colfax County; Nevada, 3—1 each in Elko, Humboldt, and White Pine Counties; North Carolina, 2—1 each in Gates and Orange Counties; Oregon, 8—1 each in Klamath Falls and in Baker, Deschutes, and Wheeler Counties, and 2 each in Harney and Malheur Counties; Utah, 4—1 each in Cache and Duchesne Counties, and 2 in Juab County; Virginia, 2—1 each in Dinwiddie and Fairfax Counties; and Wyoming, 16—1 each in Casper and in Big Horn, Converse, Fremont, Niobrara, Park, Washakie, and Weston Counties, 2 each in Carbon and Natrona Counties, and 4 in Sheridan County.

Tularemia.—Accounted for 54 deaths: One in Alabama, 1 in Arkansas, 2 in Colorado, 6 in Illinois, 5 in Indiana, 1 in Kansas, 3 in Kentucky, 6 in Maryland, 3 in Michigan, 2 in Minnesota, 4 in Missouri, 1 in New York, 2 in North Carolina, 3 in Ohio, 2 in South Carolina, 2 in Tennessee, 1 in Texas, 1 in Utah, 3 in Virginia, 1 in West Virginia, and 4 in Wisconsin.

Vaccination.—Was responsible for 4 deaths: One each in Indiana, Louisiana, Maryland, and Pennsylvania.

Trench mouth.—This disease was credited with 45 deaths in the following States: 3 in Alabama, 2 each in California and Colorado, 1 in Idaho, 2 each in Illinois, Indiana, Kansas, Kentucky, and Louisiana, 1 in Maryland, 2 in Michigan, 3 in Mississippi, 4 in Missouri, 1 in New York, 2 in North Carolina, 4 in Oklahoma, 1 each in South Carolina, Tennessee, Texas, and Utah, 3 in Virginia, 2 in West Virginia, and 1 in Wisconsin.

TUBERCULOSIS (ALL FORMS)

The steady decrease in the death rate from tuberculosis (all forms) in recent years is one of the most satisfactory of all triumphs in public-health work. A new low rate was reached in 1932, when the number of deaths was 75,509, with a rate of 62.8 per 100,000 population compared with 81,395 deaths and a rate of 68.2 in 1931.

Extreme variations were shown in the rates for the different States, from 264.3 for Arizona to 20 for Nebraska. It must be noted, however, that States and cities with high death rates from tuberculosis are not necessarily those which have conditions tending to develop the disease, but rather are localities, which, because of favorable climatic conditions or hospital facilities, attract persons afflicted with tuberculosis. As examples, Arizona and New Mexico are the 2 outstanding States, and El Paso and San Antonio the 2 cities of the 93 having 100,000 population and over in 1930. Only 4 of the 47 States included in the area had higher rates in 1932 than in 1931, namely, Colorado, Florida, North Dakota, and South Dakota, and only 21 of the 93 cities.

Higher rates for the colored than for the white population were found in every State and every city, except El Paso, for which the data were shown by color.

Table AF

AREA	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 175 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	62.8	68.2	114.0
Registration States [2]	62.5	67.8	113.0
Cities of 10,000 or over [2]	60.6	66.5	118.6
Smaller cities and rural areas	64.3	69.1	107.7
Registration cities in non-registration State	98.2	100.1	175.5
All registration cities [2]	61.4	67.2	120.5
Alabama	79.1	87.2	(3)
White	43.5	47.7	(3)
Colored	143.9	158.7	(3)
Arizona	264.3	291.2	(3)
Arkansas	63.2	73.3	(3)
White	45.5	51.8	(3)
Colored	114.5	135.2	(3)
California	85.0	90.8	157.1
White	66.5	70.6	(4)
Colored	228.6	247.8	(4)
Colorado	104.8	103.3	226.0
Connecticut	51.0	55.5	119.7
Delaware	71.3	90.8	146.1
Florida	71.5	71.3	102.8
White	36.9	40.2	66.2
Colored	155.3	146.6	174.8
Georgia	67.1	75.1	(3)
White	36.4	37.9	(3)
Colored	120.8	139.8	(3)
Idaho	32.2	34.3	(3)
Illinois	55.5	62.6	100.4
Indiana	60.9	62.5	108.7
Iowa	29.6	30.5	(3)
Kansas	32.3	36.8	48.2
Kentucky	86.4	96.3	152.7
White	76.2	83.0	130.1
Colored	196.4	238.1	362.5
Louisiana	74.7	82.9	140.6
White	44.0	48.6	80.7
Colored	126.8	140.8	234.7
Maine	48.0	49.1	103.8
Maryland	91.1	96.2	146.7
White	60.8	65.3	110.3
Colored	239.5	247.7	325.4
Massachusetts	53.5	59.6	114.0
Michigan	50.1	55.0	83.2
Minnesota	40.6	41.4	89.8
Mississippi	73.1	83.1	127.0
White	36.2	36.6	47.6
Colored	109.7	129.1	199.6
Missouri	66.6	72.9	106.7
Montana	57.0	61.2	76.4
Nebraska	20.0	25.9	43.1
Nevada	101.2	109.8	(3)
New Hampshire	44.9	52.7	96.8
New Jersey	61.0	64.5	113.6
New Mexico	142.7	150.5	(3)
New York	62.8	67.6	120.4
North Carolina	68.6	73.0	116.0
White	41.4	44.9	82.6
Colored	133.6	140.4	193.2

Table AF—Contd.

AREA	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 175 or more in boldfaced type]		
	1932	1931	1920
North Dakota	29.2	27.8	(3)
Ohio	56.0	63.3	103.0
Oklahoma	47.8	54.2	(3)
White	35.6	38.8	(3)
Colored	142.0	174.4	(3)
Oregon	37.2	42.9	88.8
Pennsylvania	55.5	59.2	105.1
Rhode Island	53.1	62.4	131.2
South Carolina	68.5	74.1	120.4
White	29.3	31.6	65.5
Colored	116.2	125.5	173.0
South Dakota	48.1	44.9	(3)
Tennessee	102.5	112.3	164.2
White	78.7	85.2	129.1
Colored	209.7	234.0	310.9
Utah	21.6	22.5	39.1
Vermont	58.3	66.4	81.6
Virginia	89.2	92.9	143.4
White	57.8	57.4	95.1
Colored	175.9	190.6	257.4
Washington	53.3	60.2	98.5
West Virginia	57.4	62.1	(3)
Wisconsin	46.3	49.2	85.6
Wyoming	23.5	27.2	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	32.2	33.1	59.2
Albany	67.3	72.0	142.1
Atlanta	76.8	100.1	108.2
White	28.2	39.6	84.7
Colored	173.2	220.0	159.4
Baltimore	86.5	96.9	149.9
White	51.2	59.3	113.9
Colored	247.3	267.5	354.3
Birmingham	78.7	96.2	159.8
White	30.6	33.0	65.7
Colored	156.8	198.8	305.6
Boston	65.5	72.2	129.4
Bridgeport	44.2	53.7	106.5
Buffalo	68.0	76.9	112.0
Cambridge	65.7	64.0	132.9
Camden	50.4	44.5	81.6
Canton	23.4	32.8	75.1
Chattanooga	111.1	109.7	206.9
White	59.8	72.2	124.1
Colored	246.3	208.3	379.3
Chicago	58.5	66.7	97.2
Cincinnati	91.0	112.2	161.3
White	53.6	67.8	133.9
Colored	394.4	472.1	490.1
Cleveland	78.2	88.2	110.2
Columbus	66.3	69.4	116.8
White	52.8	54.7	98.0
Colored	169.1	180.8	293.8
Dallas	51.6	54.2	110.2
White	30.9	34.1	70.0
Colored	151.1	151.1	335.9
Dayton	59.5	71.0	93.7
Denver	116.3	109.7	319.0
Des Moines	43.0	40.8	(3)
Detroit	65.1	68.5	100.0
Duluth	37.4	54.0	79.8

See footnotes at end of table.

Table AF—Contd. AREA	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 175 or more in boldfaced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Elizabeth	36.8	44.5	83.8
El Paso	**246.2**	**262.9**	**650.7**
White	**287.4**	**311.2**	(4)
Colored	**218.5**	**230.6**	(4)
Erie	57.9	40.7	100.2
Evansville	46.0	60.4	120.8
Fall River	55.5	76.3	104.8
Flint	36.6	40.2	54.3
Fort Wayne	47.2	43.0	100.2
Fort Worth	56.7	63.9	(3)
White	44.0	48.9	(3)
Colored	124.1	143.3	(3)
Gary	71.0	73.7	93.8
White	31.6	44.8	(4)
Colored	**209.4**	**175.2**	(4)
Grand Rapids	16.3	21.0	72.0
Hartford	37.1	61.6	101.2
Houston	79.5	73.9	107.4
White	45.6	43.8	78.8
Colored	173.3	157.0	**196.2**
Indianapolis	68.4	76.0	131.1
White	51.2	52.1	102.4
Colored	**192.4**	**247.8**	**360.5**
Jacksonville, Fla	136.4	137.2	155.7
White	35.8	40.6	66.6
Colored	**321.7**	**305.6**	**265.0**
Jersey City	69.3	66.1	115.0
Kansas City, Kans	67.5	83.0	109.2
White	42.1	59.2	88.7
Colored	**176.7**	**185.3**	**231.4**
Kansas City, Mo	78.5	80.7	112.5
White	54.6	54.7	80.2
Colored	**280.7**	**301.6**	**418.7**
Knoxville	60.4	57.7	161.7
White	51.4	50.3	153.9
Colored	106.7	95.5	**207.1**
Long Beach	24.9	28.2	50.7
Los Angeles	87.4	86.6	**178.8**
White	68.1	64.0	167.7
Colored	**212.1**	**231.5**	**380.7**
Louisville	54.1	64.9	139.2
White	36.5	43.7	113.9
Colored	151.4	**180.3**	**263.7**
Lowell	47.9	52.9	107.0
Lynn	21.5	17.5	108.8
Memphis	123.2	134.9	**205.9**
White	53.8	64.4	108.6
Colored	**235.4**	**248.7**	**366.4**
Miami	95.8	73.8	124.4
White	54.0	42.4	62.1
Colored	**240.6**	**181.8**	**270.5**
Milwaukee	48.2	46.7	86.7
Minneapolis	22.6	23.4	108.0
Nashville	90.0	111.3	**208.5**
White	59.5	63.9	130.9
Colored	170.2	**235.4**	**389.8**
Newark, N.J.	57.9	59.7	96.9
New Bedford	68.4	76.4	136.6
New Haven	33.8	40.0	89.2
New Orleans	126.0	142.5	**208.1**
White	78.4	87.1	157.0
Colored	**243.9**	**279.3**	**351.5**
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
New York	64.7	69.9	127.3
Bronx Borough	63.9	79.1	106.9
Brooklyn Borough	33.4	36.7	110.4
Manhattan Borough	103.1	107.3	151.8
White	82.1	85.8	140.2
Colored	**234.5**	**241.8**	**357.9**
Queens Borough	37.0	47.2	108.7
Richmond Borough [5]	**343.9**	**274.8**	160.2
Norfolk	84.9	82.5	**175.7**
White	37.5	33.9	96.0
Colored	**176.5**	**176.5**	**308.2**
Oakland	42.5	39.3	99.7
Oklahoma City	53.9	57.4	78.4
Omaha	34.2	54.0	85.6
Paterson	36.1	46.1	119.1
Peoria	22.1	37.8	77.2
Philadelphia	70.9	82.3	137.9
White	50.9	60.1	119.4
Colored	**219.4**	**247.1**	**361.8**
Pittsburgh	55.8	65.8	120.0
Portland, Oreg	32.3	39.1	82.2
Providence	48.3	52.6	113.7
Reading	50.2	52.9	83.4
Richmond, Va	93.3	106.9	157.4
White	47.2	57.1	115.1
Colored	**207.6**	**230.6**	**249.8**
Rochester, N.Y	33.1	34.0	80.4
St. Louis	67.1	86.1	98.9
White	39.9	53.8	79.5
Colored	**269.4**	**326.5**	**289.7**
St. Paul	43.8	44.2	112.9
Salt Lake City	39.2	47.6	73.8
San Antonio	146.7	156.6	**274.9**
White	(4)	(4)	**268.6**
Colored	(4)	(4)	**338.6**
San Diego	98.4	89.5	**227.7**
San Francisco	82.0	85.4	133.0
Scranton	67.3	67.3	74.6
Seattle	57.4	71.8	90.6
Somerville	17.1	24.7	80.1
South Bend	45.4	37.9	129.6
Spokane	24.1	32.7	70.6
Springfield, Mass	36.1	44.6	80.4
Syracuse	20.7	29.6	72.1
Tacoma	35.3	44.5	87.3
Tampa	53.4	61.9	129.9
White	36.2	47.1	97.0
Colored	117.6	117.1	**244.0**
Toledo	70.4	82.8	136.7
Trenton	58.9	63.8	128.0
Tulsa	39.8	37.7	(3)
White	32.8	32.0	(3)
Colored	89.9	78.7	(3)
Utica	42.0	52.8	95.4
Washington, D.C	122.1	120.8	134.3
White	61.3	57.6	85.9
Colored	**281.6**	**287.4**	**276.4**
Wichita	20.8	33.7	66.1
Wilmington, Del	58.2	61.0	111.8
White	50.8	48.7	92.8
Colored	115.3	156.5	**285.7**
Worcester	49.2	58.8	114.7
Yonkers	48.2	57.6	140.4
Youngstown	41.7	34.7	84.7

[1] In continental United States.
[2] Including District of Columbia.
[3] *Not in registration area.*
[4] Death rates by color not available.
[5] High rates in 1932 and 1931 due to presence of a large tuberculosis hospital.

TUBERCULOSIS OF THE RESPIRATORY SYSTEM

Among deaths from tuberculosis of the respiratory system, rates for the rural areas in recent years have tended to exceed those for the urban. In 1930, for the first time, this tendency is also seen, in a small degree, in the rates for tuberculosis of all forms. These rates probably reflect the operation of modern methods in the care and prevention of tuberculosis which have been developed in a more intensive way in the cities than in rural districts.

As in all forms of tuberculosis, Arizona is at the top of the list, with a rate of 251.1. This high rate, however, is explained by the fact that Arizona is a health resort. Nebraska, with a rate of 17.4 and Utah, 17.7, have the lowest rates among the States. Rates for some of the cities are very low: Grand Rapids (12.2), Somerville (15.2), Canton (15.9), Syracuse (16.0), and Lynn (16.6).

As was to be expected, the figures show high mortality for the colored population as compared with the white. This is true in every State and city for which figures for the colored are shown. Some especially striking examples are: Dallas, where rates for the colored are over 5 times as high as those for the white; St. Louis, over 6 times as high, and Jacksonville and Cincinnati over 7 times as high.

Table AG AREA	DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM PER 100,000 ESTIMATED POPULATION [Rates of 150 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	56.4	60.7	97.0
Registration States [2]	56.1	60.4	96.0
Cities of 10,000 or over [2]	52.7	57.5	97.5
Smaller cities and rural areas	59.3	63.2	94.6
Registration cities in nonregistration State	88.4	89.9	**153.4**
All registration cities [2]	53.5	58.2	99.4
Alabama	72.7	78.3	(3)
White	39.6	42.7	(3)
Colored	133.1	143.0	(3)
Arizona	**251.1**	**278.3**	(3)
Arkansas	59.3	68.2	(3)
White	42.1	48.0	(3)
Colored	109.1	126.0	(3)
California	76.4	81.5	135.3
White	60.7	64.5	(4)
Colored	**198.5**	**214.2**	(4)
Colorado	98.4	96.3	**210.2**
Connecticut	45.2	49.6	100.0
Delaware	62.9	80.0	126.5
Florida	66.2	65.3	91.2
White	33.3	36.3	56.9
Colored	146.1	135.5	**158.4**
Georgia	61.7	68.5	(3)
White	33.9	34.1	(3)
Colored	110.5	128.6	(3)
Idaho	28.4	28.5	(3)
Illinois	49.0	55.0	85.4
Indiana	52.2	52.4	88.6
Iowa	25.1	25.8	(3)
Kansas	28.7	32.4	39.4
Kentucky	76.6	83.1	130.7
White	67.6	71.6	111.5
Colored	**173.3**	**205.8**	**309.9**
Louisiana	69.2	77.1	126.8
White	40.5	44.9	72.6
Colored	117.8	131.5	**211.9**
Maine	38.7	41.6	80.6
Maryland	82.9	86.3	126.1
White	55.1	59.2	96.5
Colored	**218.9**	**218.6**	**271.4**
Massachusetts	47.8	54.0	93.8
Michigan	43.1	47.0	69.3
Minnesota	34.5	34.9	74.0
Mississippi	69.0	77.7	119.6
White	33.9	33.8	43.8
Colored	103.7	121.2	**189.0**
Missouri	60.2	65.4	95.5
Montana	47.6	54.9	64.6
Nebraska	17.4	21.7	33.9
Nevada	92.5	96.7	(3)
New Hampshire	37.8	44.3	79.2
New Jersey	55.0	57.5	97.5
New Mexico	130.4	140.9	(3)
New York	56.4	60.7	101.4
North Carolina	62.6	66.6	102.7
White	37.8	40.9	73.0
Colored	121.9	128.2	**171.4**
North Dakota	24.4	24.0	(3)
Ohio	50.5	54.7	85.4
Oklahoma	43.2	48.8	(3)
White	32.1	34.4	(3)
Colored	**128.7**	**159.9**	(3)
Oregon	30.9	37.5	70.4
Pennsylvania	49.8	52.7	87.3
Rhode Island	43.8	53.2	105.5
South Carolina	64.6	69.3	107.9
White	27.6	28.8	57.7
Colored	109.7	118.3	**155.8**
South Dakota	41.1	40.2	(3)
Tennessee	91.9	98.1	139.1
White	70.8	74.2	110.2
Colored	**187.1**	**205.6**	**260.4**
Utah	17.7	19.9	29.4
Vermont	50.3	57.2	65.2
Virginia	80.3	83.3	124.8
White	52.0	52.2	82.0
Colored	**158.7**	**168.7**	**225.6**
Washington	47.5	52.6	78.9
West Virginia	51.1	54.0	(3)
Wisconsin	41.6	43.2	71.2
Wyoming	20.5	22.8	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	27.3	29.6	48.2
Albany	59.6	62.0	109.6
Atlanta	63.4	77.8	85.6
White	22.2	29.3	67.4
Colored	145.2	**173.8**	125.0
Baltimore	77.0	83.7	126.0
White	44.9	51.6	97.9
Colored	**222.8**	**229.4**	**285.4**
Birmingham	69.1	76.9	130.3
White	27.0	27.0	46.8
Colored	137.4	**157.9**	**259.6**
Boston	59.3	65.1	106.4
Bridgeport	40.1	45.5	81.4
Buffalo	60.9	68.0	94.9
Cambridge	58.7	61.3	115.6
Camden	37.0	37.8	71.3
Canton	15.9	26.2	64.9
Chattanooga	93.1	93.3	**162.4**
White	47.4	62.1	96.2
Colored	**213.6**	**175.6**	**300.3**
Chicago	50.5	57.4	81.4
Cincinnati	80.5	92.9	133.3
White	47.4	59.4	112.7
Colored	**348.6**	**364.5**	**380.3**
Cleveland	73.2	79.0	91.3
Columbus	56.5	56.8	90.8
White	45.5	45.9	73.1
Colored	139.9	139.9	**258.7**
Dallas	42.8	48.0	90.6
White	24.3	31.4	55.6
Colored	131.9	127.7	**287.3**
Dayton	54.6	53.4	73.5
Denver	107.7	99.4	**202.2**
Des Moines	36.7	34.6	(3)
Detroit	55.2	58.9	82.5
Duluth	27.5	39.3	63.6
Elizabeth	28.3	35.9	60.0
El Paso	**224.2**	**239.0**	**611.2**
White	**275.5**	**308.8**	(4)
Colored	**189.8**	**192.4**	(4)

See footnotes at end of table.

Table AG—Contd.

AREA	DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM PER 100,000 ESTIMATED POPULATION [Rates of 150 or more in boldfaced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Erie	48.5	37.4	74.0
Evansville	36.4	52.7	105.7
Fall River	48.6	69.4	85.7
Flint	26.8	32.3	38.2
Fort Wayne	35.4	34.6	75.1
Fort Worth	54.3	59.7	(3)
White	41.9	45.4	(3)
Colored	120.3	135.8	(3)
Gary	55.8	58.5	73.0
White	23.1	32.7	(4)
Colored	**170.9**	149.6	(4)
Grand Rapids	12.2	18.1	61.2
Hartford	28.1	52.0	71.8
Houston	75.7	66.8	92.9
White	44.3	38.6	66.0
Colored	**162.4**	144.8	**176.4**
Indianapolis	53.8	54.6	104.9
White	38.8	37.6	81.1
Colored	**161.5**	**177.0**	**295.2**
Jacksonville, Fla	121.9	119.8	140.6
White	31.4	34.6	58.8
Colored	**288.7**	**268.2**	**240.9**
Jersey City	59.9	60.5	94.6
Kansas City, Kans	56.1	70.0	85.6
White	34.1	51.2	75.9
Colored	**150.9**	**150.9**	143.0
Kansas City, Mo	68.7	73.1	96.6
White	48.9	49.2	68.7
Colored	**236.7**	**276.1**	**361.1**
Knoxville	49.5	39.4	123.8
White	39.4	32.8	119.8
Colored	101.1	73.0	146.7
Long Beach	21.0	26.2	37.1
Los Angeles	78.0	75.4	**156.4**
White	61.7	57.0	147.6
Colored	**182.9**	**193.8**	**317.3**
Louisville	45.5	52.9	112.1
White	29.7	35.7	90.1
Colored	132.8	146.8	**219.3**
Lowell	37.9	48.9	74.0
Lynn	16.6	14.6	90.6
Memphis	96.9	109.4	**152.3**
White	40.0	48.2	87.1
Colored	**188.9**	**208.3**	**259.9**
Miami	84.7	64.9	108.9
White	45.6	37.8	53.2
Colored	**219.9**	**158.1**	**239.3**
Milwaukee	44.3	40.5	68.7
Minneapolis	17.9	18.8	90.0
Nashville	72.7	87.5	**166.5**
White	46.2	50.6	105.7
Colored	142.2	**184.1**	**308.5**
Newark, N.J	51.6	50.5	76.7
New Bedford	60.4	64.8	104.3
New Haven	30.1	32.6	65.2
New Orleans	116.8	132.2	**189.7**
White	72.1	81.4	144.4
Colored	**227.5**	**257.8**	**316.4**
New York	57.7	62.5	106.8
Bronx Borough	59.0	75.8	91.0
Brooklyn Borough	28.9	31.4	91.7

Table AG—Contd.

AREA	DEATH RATE FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM PER 100,000 ESTIMATED POPULATION [Rates of 150 or more in boldfaced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
New York—Contd.			
Manhattan Borough	88.3	91.4	126.8
White	71.4	74.0	117.0
Colored	**194.1**	**200.2**	**300.0**
Queens Borough	34.8	43.5	93.2
Richmond Borough [5]	**332.9**	**266.8**	145.9
Norfolk	72.5	72.5	148.7
White	31.6	29.2	80.7
Colored	**151.6**	**156.1**	**261.9**
Oakland	37.3	32.2	80.2
Oklahoma City	41.2	44.2	70.0
Omaha	30.9	45.7	63.3
Paterson	31.0	33.9	102.9
Peoria	20.3	29.5	64.3
Philadelphia	64.0	73.7	114.9
White	46.3	53.9	100.3
Colored	**196.2**	**220.9**	**291.1**
Pittsburgh	47.5	55.6	92.8
Portland, Oreg	25.1	31.3	58.4
Providence	38.5	45.1	84.8
Reading	44.8	49.3	68.6
Richmond, Va	78.7	89.0	128.9
White	39.6	47.9	94.8
Colored	**175.5**	**190.9**	**203.5**
Rochester, N.Y	28.9	27.1	65.6
St. Louis	59.1	75.0	85.4
White	35.4	47.0	68.8
Colored	**235.7**	**283.7**	**249.1**
St. Paul	37.3	34.4	89.6
Salt Lake City	28.7	42.7	57.1
San Antonio	127.1	135.8	**260.9**
White	(4)	(4)	**253.3**
Colored	(4)	(4)	**338.6**
San Diego	86.3	76.7	**190.4**
San Francisco	69.9	76.0	108.2
Scranton	58.3	56.9	60.1
Seattle	49.5	61.6	61.7
Somerville	15.2	20.9	67.3
South Bend	38.0	31.5	107.5
Spokane	17.2	19.8	54.4
Springfield, Mass	30.9	37.4	61.3
Syracuse	16.0	25.3	47.8
Tacoma	28.8	35.3	57.5
Tampa	51.5	54.3	116.7
White	33.8	38.6	84.9
Colored	117.6	112.6	**227.2**
Toledo	62.0	74.4	121.2
Trenton	54.9	52.5	108.8
Tulsa	32.2	32.2	(3)
White	28.1	28.1	(3)
Colored	61.8	61.8	(3)
Utica	31.3	45.0	68.9
Washington, D.C	107.3	107.1	110.2
White	56.3	50.6	74.3
Colored	**241.2**	**256.3**	**215.6**
Wichita	19.0	26.8	58.0
Wilmington, Del	46.0	48.8	88.2
White	41.3	39.2	74.6
Colored	82.4	123.6	**212.0**
Worcester	39.0	53.2	89.7
Yonkers	43.2	53.3	118.8
Youngstown	35.9	23.1	58.5

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.
[5] High rate in 1932 and 1931 due to presence of a large tuberculosis hospital.

SYPHILIS

The number of deaths credited to syphilis in 1932 was 10,684 against 10,592 deaths in 1931, with a rate of 8.9 per 100,000 population for each year. Death rates from syphilis, tabes dorsalis, and general paralysis of the insane are given in table AH for the registration area and the registration States of 1900, 1910, and 1920.

Table AH

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES							
1932	16,445	10,684	1,188	4,573	13.7	8.9	1.0	3.8
1931	16,454	10,592	1,200	4,662	13.8	8.9	1.0	3.9
1930	16,676	10,554	1,306	4,816	14.1	8.9	1.1	4.1
1929	16,188	9,750	1,411	5,027	13.9	8.4	1.2	4.3
1928	16,826	10,013	1,500	5,313	14.7	8.8	1.3	4.6
1927	15,976	9,139	1,474	5,363	14.8	8.4	1.4	5.0
1926	16,466	8,965	1,601	5,900	15.7	8.5	1.5	5.6
1925	16,332	8,647	1,656	6,029	15.9	8.4	1.6	5.9
1924	16,248	8,195	1,674	6,379	16.2	8.2	1.7	6.4
1923	15,811	7,695	1,695	6,421	16.2	7.9	1.7	6.6
1922	15,360	7,462	1,708	6,190	16.4	7.9	1.8	6.6
1921	14,252	6,962	1,694	5,596	16.0	7.8	1.9	6.3
1920	14,610	7,969	1,611	5,030	16.7	9.1	1.8	5.7
1919	13,861	7,347	1,691	4,823	16.3	8.6	2.0	5.7
1918	15,351	7,604	1,857	5,890	18.9	9.3	2.3	7.2
1917	14,834	7,811	1,772	5,251	19.8	10.4	2.4	7.0
1916	13,769	6,902	1,717	5,150	19.3	9.7	2.4	7.2
1915	12,590	5,819	1,757	5,014	18.8	8.7	2.6	7.5
1914	11,584	5,195	1,699	4,690	17.6	7.9	2.6	7.1
1913	10,634	4,589	1,674	4,371	16.8	7.3	2.6	6.9
1912	9,582	3,941	1,588	4,053	15.9	6.5	2.6	6.7
1911	9,433	3,821	1,624	3,988	15.9	6.5	2.7	6.7
1910	7,600	3,221	1,435	2,944	14.1	6.0	2.7	5.5
1909	6,828	2,858	1,386	2,584	13.4	5.6	2.7	5.1
1908	6,017	2,432	1,198	2,387	12.9	5.2	2.6	5.1
1907	5,478	2,235	1,127	2,116	12.7	5.2	2.6	4.9
1906	6,012	2,006	1,097	2,909	14.3	4.8	2.6	6.9
1905	4,867	1,534	883	2,450	14.3	4.5	2.6	7.2
1904	4,590	1,507	820	2,263	13.8	4.5	2.5	6.8
1903	4,333	1,368	813	2,152	13.3	4.2	2.5	6.6
1902	4,060	1,131	691	2,238	12.7	3.5	2.2	7.0
1901	3,928	1,137	722	2,069	12.5	3.6	2.3	6.6
1900	3,577	1,029	593	1,955	11.6	3.3	1.9	6.3
	REGISTRATION STATES OF 1900 [1]							
1932	4,234	2,509	357	1,368	12.4	7.4	1.0	4.0
1931	4,272	2,435	402	1,435	12.6	7.2	1.2	4.2
1930	4,263	2,401	426	1,436	12.7	7.2	1.3	4.3
1929	4,159	2,203	449	1,507	12.6	6.7	1.4	4.6
1928	4,222	2,180	455	1,587	13.0	6.7	1.4	4.9
1927	4,223	2,034	489	1,700	13.2	6.4	1.5	5.3
1926	4,504	2,025	547	1,932	14.3	6.5	1.7	6.2
1925	4,630	1,978	565	2,087	15.0	6.4	1.8	6.8
1924	4,618	1,848	633	2,137	15.2	6.1	2.1	7.0
1923	4,595	1,846	565	2,184	15.4	6.2	1.9	7.3
1922	4,627	1,824	620	2,183	15.8	6.2	2.1	7.5
1921	4,434	1,845	580	2,009	15.4	6.4	2.0	7.0
1920	4,788	2,345	623	1,820	17.0	8.3	2.2	6.4
1919	4,705	2,165	664	1,876	16.9	7.8	2.4	6.8
1918	5,406	2,500	691	2,215	19.8	9.1	2.5	8.1
1917	5,592	2,596	699	2,297	20.7	9.6	2.6	8.5
1916	5,580	2,479	728	2,373	21.0	9.3	2.7	8.9
1915	5,125	2,130	741	2,254	19.6	8.1	2.8	8.6
1914	4,756	1,905	716	2,135	18.5	7.4	2.8	8.3
1913	4,508	1,665	766	2,077	17.8	6.6	3.0	8.2
1912	4,064	1,410	707	1,947	16.3	5.7	2.8	7.8
1911	4,068	1,394	734	1,940	16.6	5.7	3.0	7.9
1910	3,618	1,307	686	1,625	15.0	5.4	2.8	6.7
1909	3,241	1,232	612	1,397	13.7	5.2	2.6	5.9
1908	3,150	1,121	594	1,435	13.6	4.8	2.6	6.2
1907	2,976	1,069	612	1,295	13.1	4.7	2.7	5.7
1906	3,282	873	619	1,790	14.8	3.9	2.8	8.1
1905	3,012	711	550	1,751	13.9	3.3	2.5	8.1
1904	2,962	747	545	1,670	13.9	3.5	2.6	7.8
1903	2,768	715	511	1,542	13.2	3.4	2.4	7.3
1902	2,652	611	432	1,609	12.8	3.0	2.1	7.8
1901	2,532	599	456	1,477	12.5	2.9	2.2	7.3
1900	2,403	534	393	1,476	12.0	2.7	2.0	7.4

See footnotes at end of table.

Table AH—Con.

YEAR	DEATHS				DEATH RATE PER 100,000 ESTIMATED POPULATION			
	Total	Syphilis	Tabes dorsalis	General paralysis of the insane	Total	Syphilis	Tabes dorsalis	General paralysis of the insane
	REGISTRATION STATES OF 1910 [2]							
1932	8,811	5,209	782	2,820	13.1	7.7	1.2	4.2
1931	8,712	5,030	775	2,907	13.0	7.5	1.2	4.3
1930	8,719	4,991	855	2,873	13.1	7.5	1.3	4.3
1929	8,745	4,720	901	3,124	13.4	7.2	1.4	4.8
1928	9,093	4,787	970	3,336	14.1	7.4	1.5	5.2
1927	9,033	4,538	971	3,524	14.3	7.2	1.5	5.6
1926	9,523	4,442	1,097	3,984	15.3	7.1	1.8	6.4
1925	9,636	4,384	1,111	4,141	15.7	7.2	1.8	6.8
1924	9,779	4,258	1,176	4,345	16.2	7.1	2.0	7.2
1923	9,787	4,148	1,156	4,483	16.5	7.0	2.0	7.6
1922	9,554	3,993	1,224	4,337	16.4	6.9	2.1	7.5
1921	9,124	3,914	1,198	4,012	16.0	6.8	2.1	7.0
1920	9,551	4,855	1,156	3,540	17.0	8.6	2.1	6.3
1919	9,195	4,473	1,218	3,504	16.7	8.1	2.2	6.3
1918	10,366	4,736	1,373	4,257	19.1	8.7	2.5	7.8
1917	10,726	4,994	1,386	4,346	20.1	9.3	2.6	8.1
1916	10,250	4,645	1,369	4,236	19.5	8.8	2.6	8.1
1915	9,455	3,976	1,415	4,064	18.3	7.7	2.7	7.9
1914	8,783	3,584	1,348	3,851	17.3	7.0	2.6	7.6
1913	8,217	3,190	1,347	3,680	16.4	6.4	2.7	7.4
1912	7,504	2,787	1,278	3,439	15.3	5.7	2.6	7.0
1911	7,426	2,719	1,322	3,385	15.4	5.6	2.7	7.0
1910	6,407	2,498	1,263	2,646	13.5	5.3	2.7	5.6
	REGISTRATION STATES OF 1920							
1932	14,080	8,925	1,082	4,073	13.8	8.8	1.1	4.0
1931	14,154	8,846	1,085	4,223	14.0	8.8	1.1	4.2
1930	14,227	8,727	1,191	4,309	14.2	8.7	1.2	4.3
1929	13,858	8,081	1,273	4,504	14.1	8.2	1.3	4.6
1928	14,514	8,295	1,388	4,831	14.9	8.5	1.4	5.0
1927	14,222	7,847	1,368	5,007	14.8	8.2	1.4	5.2
1926	14,832	7,812	1,503	5,517	15.7	8.3	1.6	5.8
1925	14,859	7,594	1,563	5,702	15.9	8.1	1.7	6.1
1924	14,851	7,250	1,586	6,015	16.2	7.9	1.7	6.6
1923	14,633	6,891	1,595	6,147	16.2	7.6	1.8	6.8
1922	14,473	6,792	1,655	6,026	16.3	7.6	1.9	6.8
1921	13,868	6,631	1,668	5,569	15.9	7.6	1.9	6.4
1920	14,222	7,635	1,584	5,003	16.5	8.9	1.8	5.8

[1] See table A.
[2] Excludes North Carolina; see table A.

NOTE.—Prior to 1921, when syphilis was returned jointly with tabes dorsalis or with general paralysis of the insane, the assignment was to syphilis; in subsequent years the assignment is either to tabes dorsalis or to general paralysis of the insane.

For comparison, a few rates for England and Wales are given in table AI.

Table AI [1]

YEAR	DEATH RATE PER 100,000 ESTIMATED POPULATION IN ENGLAND AND WALES [1]		
	Syphilis	Tabes dorsalis	General paralysis of the insane
1932	3.2	1.9	2.7
1931	3.6	1.7	3.0
1930	3.6	1.8	2.9
1929	3.5	2.2	3.2
1928	3.9	2.0	3.6
1927	3.6	2.0	3.9
1926	3.2	1.9	3.7
1925	3.0	1.9	4.0
1924	3.3	1.9	4.0
1923	3.6	1.9	4.4
1922	3.9	2.1	4.4
1921	4.7	1.8	4.1

Table AI—Continued

YEAR	DEATH RATE PER 100,000 ESTIMATED POPULATION IN ENGLAND AND WALES [1]		
	Syphilis	Tabes dorsalis	General paralysis of the insane
1920	5.4	1.6	3.8
1919	5.2	1.9	4.1
1918	5.7	2.0	5.5
1917	6.0	2.2	6.4
1916	5.5	2.3	5.8
1915	5.3	2.1	6.3
1914	5.8	1.9	6.1
1913	5.7	2.0	5.8
1912	5.1	1.8	6.2
1911	5.1	1.8	6.1
1910	4.6	1.6	6.2

[1] From the Registrar-General's Statistical Review of England and Wales, 1930.

MALARIA

The fact that the term "malaria" is used somewhat loosely in some sections of the country undoubtedly has much to do with some of the higher rates recorded, especially in those sections where certification is not always made by physicians. But accepting the certification as reported, the number of deaths from malaria in 1932 was 2,568, corresponding to a rate of 2.1 per 100,000 population, the same rate as 1931. The mortality rate from malaria in the registration area has fluctuated with a downward tendency from 3.6 per 100,000 in 1920 to 2.1 in 1932.

Only 5 States had rates above 10, namely, Arkansas (24.4), Mississippi (19.4), Florida (16.1), South Carolina (13.4), and Georgia (10.8). All of these are Southern States, and the showing is in striking contrast to the 13 States which had no deaths from this cause—Connecticut, Delaware, Idaho, Maine, Minnesota, Montana, North Dakota, Rhode Island, South Dakota, Vermont, West Virginia, Wisconsin, and Wyoming—all Northern or Western States. Memphis has the highest rate (13.9) among the cities of 100,000 population or more (higher than the rate 10.4 for Memphis in 1931); but it is to be noted that the history of the disease in this city, considering the high rates of the early years of the century, has been a continual triumph for the State and city health departments in their efforts to eradicate the disease.

Of the 93 cities of 100,000 population or more in 1930, 66 had no deaths from malaria.

Table AJ

AREA	DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	2.1	2.1	3.6
Registration States [2]	2.1	2.1	3.4
Cities of 10,000 or over [2]	0.5	0.5	0.9
Smaller cities and rural areas	3.7	3.7	5.9
Registration cities in nonregistration State	2.2	2.1	**12.1**
All registration cities [2]	0.6	0.6	1.2
Alabama	6.7	8.0	(3)
White	4.8	5.3	(3)
Colored	**10.1**	**12.8**	(3)
Arizona	0.2	0.2	(3)
Arkansas	**24.4**	**25.8**	(3)
White	**19.1**	**20.3**	(3)
Colored	**39.7**	**41.7**	(3)
California	0.2	0.2	0.7
White	0.1	0.1	(5)
Colored	0.3	0.5	(5)
Colorado	0.1	----	0.2
Connecticut	----	0.1	0.4
Delaware	----	----	0.4
Florida	**16.1**	**14.8**	**34.6**
White	**12.2**	**11.7**	**29.7**
Colored	**25.6**	**22.3**	**44.4**
Georgia	**10.8**	**10.5**	(3)
White	7.1	6.6	(3)
Colored	**17.3**	**17.2**	(3)
Idaho	----	----	(3)
Illinois	0.5	0.8	1.2
Indiana	0.3	0.2	0.7

Table AJ—Contd.

AREA	DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in boldfaced type]		
	1932	1931	1920
Iowa	(4)	0.1	(3)
Kansas	0.4	0.3	0.7
Kentucky	1.3	1.8	2.5
White	1.3	1.6	2.2
Colored	1.8	4.0	5.1
Louisiana	7.3	7.0	**32.3**
White	6.8	5.8	**28.3**
Colored	8.1	9.1	**38.5**
Maine	----	----	0.3
Maryland	0.1	0.1	0.3
White	0.1	0.1	0.1
Colored	----	0.4	1.2
Massachusetts	(4)	0.1	0.1
Michigan	(4)	0.1	0.2
Mississippi	**19.4**	**12.4**	**37.9**
White	**12.9**	9.2	**22.1**
Colored	**25.8**	**15.6**	**52.4**
Missouri	3.2	4.1	4.0
Nebraska	0.1	0.2	0.1
Nevada	1.1	2.2	(3)
New Hampshire	0.6	----	----
New Jersey	0.1	----	0.2
New Mexico	1.4	0.7	(3)
New York	(4)	0.1	0.2
North Carolina	1.6	1.4	8.1
White	0.7	0.7	4.7
Colored	4.0	3.1	**16.1**
North Dakota	----	----	(3)
Ohio	0.1	0.1	0.2
Oklahoma	4.5	4.2	(3)
White	3.9	3.4	(3)
Colored	8.6	**10.5**	(3)
Oregon	0.1	0.1	0.1
Pennsylvania	0.1	0.1	0.2
Rhode Island	----	0.1	0.3

See footnotes at end of table.

Table AJ—Contd.

AREA	DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in boldfaced type]		
	1932	1931	1920
South Carolina	**13.4**	**14.5**	**28.9**
White	6.4	5.8	**11.8**
Colored	**22.0**	**25.0**	**45.3**
South Dakota	-----	-----	(5)
Tennessee	5.0	5.5	7.8
White	3.8	3.9	5.5
Colored	**10.2**	**12.3**	**17.4**
Utah	0.2	-----	-----
Virginia	0.2	0.5	2.2
White	-----	0.4	1.0
Colored	0.9	0.9	5.1
Washington	0.1	0.1	0.1
West Virginia	-----	0.1	(3)
Wyoming	-----	-----	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Atlanta	1.1	1.1	3.0
White	1.6	1.1	3.6
Colored	-----	1.1	1.6
Baltimore	0.1	-----	0.1
White	0.2	-----	0.2
Birmingham	1.9	4.5	2.7
White	1.8	2.4	-----
Colored	1.9	7.8	7.0
Boston	-----	0.3	-----
Chattanooga	1.6	2.5	**13.7**
White	1.1	1.1	2.5
Colored	3.0	6.0	**36.9**
Chicago	0.1	-----	0.2
Cincinnati	-----	0.2	0.2
White	-----	0.2	-----
Colored	-----	-----	3.2
Columbus	-----	-----	0.4
White	-----	-----	0.5
Dallas	2.2	3.3	**13.5**
White	0.4	1.8	**13.7**
Colored	**10.6**	**10.6**	**12.1**
Dayton	0.5	-----	-----
Denver	-----	-----	0.4
Detroit	-----	0.1	0.2
Elizabeth	-----	-----	1.0
El Paso	-----	1.0	2.5
White	-----	2.4	(5)
Colored	-----	-----	(5)
Evansville	-----	1.9	2.3
Flint	-----	-----	1.0
Fort Wayne	-----	0.8	-----
Fort Worth	0.6	1.2	(3)
White	0.7	0.7	(3)
Colored	-----	3.8	(3)
Gary	0.9	-----	1.7
White	-----	-----	(5)
Colored	4.3	-----	(5)
Houston	4.2	2.3	**22.2**
White	1.3	0.9	**14.7**
Colored	**12.1**	6.1	**45.5**
Indianapolis	0.5	-----	0.3
White	0.6	-----	-----
Colored	-----	-----	2.8
Jacksonville, Fla	1.5	3.8	8.7
White	-----	4.8	5.9
Colored	4.1	2.1	**12.0**
Jersey City	-----	-----	0.7
Kansas City, Kans	0.8	-----	-----
White	1.0	-----	-----
Kansas City, Mo	-----	0.2	0.3
White	-----	0.3	0.3
Colored	-----	-----	-----

Table AJ—Contd.

AREA	DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in boldfaced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Knoxville	-----	-----	3.8
White	-----	-----	4.4
Los Angeles	-----	0.2	-----
White	-----	0.2	-----
Louisville	0.3	-----	1.3
White	0.4	-----	0.5
Colored	-----	-----	4.9
Lowell	-----	-----	0.9
Lynn	-----	-----	1.0
Memphis	**13.9**	**10.4**	**21.9**
White	**11.3**	8.1	6.9
Colored	**18.2**	**14.2**	**46.8**
Miami	0.9	-----	9.3
White	1.2	-----	-----
Colored	-----	-----	**31.2**
Nashville	-----	0.6	0.8
White	-----	0.9	-----
Colored	-----	-----	2.8
New Haven	-----	1.2	-----
New Orleans	1.1	0.6	1.0
White	1.5	0.9	1.4
New York	(4)	(4)	0.2
Bronx Borough	0.2	-----	-----
Brooklyn Borough	-----	-----	0.2
Manhattan Borough	-----	0.1	0.2
White	-----	0.1	0.2
Richmond Borough	-----	-----	0.8
Norfolk	0.8	0.8	3.5
White	-----	-----	4.2
Colored	2.3	2.3	2.3
Oakland	-----	-----	0.9
Oklahoma City	1.0	1.0	4.2
Omaha	0.5	0.5	-----
Peoria	2.8	0.9	2.6
Philadelphia	0.1	0.2	0.1
White	0.1	0.1	0.1
Colored	0.4	0.9	0.7
Pittsburgh	-----	-----	0.2
Portland, Oreg	-----	-----	0.4
Providence	-----	-----	0.4
Richmond, Va	-----	1.1	1.7
White	-----	1.5	1.7
Colored	-----	-----	1.9
Rochester, N.Y	-----	-----	0.3
St. Louis	0.5	0.1	1.7
White	0.3	0.1	1.6
Colored	2.0	-----	2.8
San Antonio	1.3	1.2	**12.1**
White	(5)	(5)	**12.0**
Colored	(5)	(5)	**13.5**
San Francisco	-----	-----	0.8
Seattle	0.3	0.3	-----
Syracuse	-----	-----	0.6
Tampa	3.8	1.0	**15.1**
White	2.4	-----	**12.1**
Colored	9.0	4.5	**25.2**
Tulsa	1.4	0.7	(3)
White	1.6	-----	(3)
Colored	-----	5.6	(3)
Washington, D.C	-----	0.2	0.2
Colored	-----	0.7	0.9
Yonkers	-----	-----	1.0

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Death rates by color not available.

NOTE.—37 of the 93 cities in the area in 1930 had no deaths from malaria in the years shown.

CANCERS AND OTHER MALIGNANT TUMORS

Cancer was second among diseases in number of deaths in 1932. There were 122,739 deaths from cancer in that year, representing a rate of 102.2 per 100,000 population, compared with 118,141 deaths with a rate of 98.9 in 1931.

In judging the increase in deaths from cancer, which since 1900 has been almost continuous, except for slight decreases in certain years, it is not easy to distinguish the actual from the apparent increase. Cancer being largely an old-age disease, no accurate measure of rates can be made without making allowance for the age constitution of the population, and there are other factors equally important in their effect on the rates. Improvement in diagnosis accounts for some of the apparent increase. But going outside the field of debatable conclusions, convincing figures are available showing a recorded increase in cancer of accessible sites,[1] the argument being that here an actual increase can scarcely be questioned.

The five highest rates in 1932 were found in the New England States: New Hampshire (160.5 per 100,000 population), Maine (147.3), Massachusetts (143), Rhode Island (142.3), and Vermont (140). Minnesota was next in order, with a rate of 127.7. Among the cities, the highest rates were shown for New Haven (182.5), San Francisco (173.8), Boston (173.3), San Diego (170.6), and Providence (162.9). South Carolina had the lowest rate among States (42.6), and Chattanooga among cities (58).

Table AK shows the rates for States and for large cities.

Table AK

AREA	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION [Rates of 100 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	**102.2**	98.9	83.2
Registration States [2]	**102.3**	99.0	83.3
Cities of 10,000 or over [2]	**122.7**	**119.6**	99.8
Smaller cities and rural areas	83.0	79.3	67.7
Registration cities in nonregistration State	89.7	89.8	80.9
All registration cities [2]	**122.0**	**118.9**	99.2
Alabama	57.1	54.4	(3)
White	64.0	56.2	(3)
Colored	44.5	51.3	(3)
Arizona	60.5	60.9	(3)
Arkansas	44.4	45.1	(3)
White	48.8	49.3	(3)
Colored	31.8	32.9	(3)
California	**124.6**	**126.4**	**107.4**
White	**132.9**	**134.8**	(4)
Colored	60.4	61.1	(4)
Colorado	**105.4**	98.1	73.2
Connecticut	**124.4**	**117.4**	**100.8**
Delaware	**121.3**	**110.8**	88.5
Florida	80.8	71.1	51.4
White	95.2	82.9	58.4
Colored	45.6	42.5	37.6
Georgia	53.0	54.9	(3)
White	57.1	60.3	(3)
Colored	45.8	45.4	(3)
Idaho	77.2	69.7	(3)
Illinois	**116.8**	**112.7**	91.6
Indiana	**113.6**	**108.4**	89.8
Iowa	**121.1**	**118.7**	(3)
Kansas	**104.3**	96.8	72.3
Kentucky	76.6	71.9	56.2
White	75.3	70.5	55.8
Colored	91.6	87.2	60.3
Louisiana	73.6	69.8	49.0
White	77.6	73.9	52.2
Colored	66.8	62.9	43.9
Maine	**147.3**	**139.8**	**122.4**
Maryland	**116.9**	**110.9**	94.1
White	**122.0**	**117.0**	99.0
Colored	92.2	81.4	69.8
Massachusetts	**143.0**	**136.3**	**115.4**
Michigan	96.6	94.5	83.2
Minnesota	**127.7**	**123.4**	95.7

Table AK—Contd.

AREA	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION [Rates of 100 or more in boldfaced type]		
	1932	1931	1920
Mississippi	55.7	55.4	38.1
White	64.7	64.7	40.4
Colored	46.9	46.2	35.9
Missouri	**114.7**	**110.5**	77.0
Montana	95.4	78.1	51.4
Nebraska	**102.7**	**102.6**	76.8
Nevada	91.4	70.7	(3)
New Hampshire	**160.5**	**144.3**	**117.3**
New Jersey	**111.0**	**112.2**	86.3
New Mexico	51.3	45.8	(3)
New York	**127.5**	**125.9**	**100.6**
North Carolina	50.5	48.2	39.3
White	54.7	51.9	42.5
Colored	40.5	39.1	31.9
North Dakota	76.4	68.5	(3)
Ohio	**113.6**	**106.6**	89.1
Oklahoma	55.9	51.6	(3)
White	59.1	54.2	(3)
Colored	31.5	31.4	(3)
Oregon	**117.5**	**121.1**	92.7
Pennsylvania	**108.8**	**104.7**	83.5
Rhode Island	**142.3**	**132.7**	99.6
South Carolina	42.6	46.1	33.0
White	47.0	50.4	41.0
Colored	37.2	40.8	25.4
South Dakota	82.0	80.2	(3)
Tennessee	60.5	60.5	46.5
White	61.2	61.0	47.7
Colored	57.2	58.5	41.7
Utah	77.7	68.6	55.3
Vermont	**140.0**	**119.4**	**125.9**
Virginia	74.6	69.4	56.1
White	78.9	73.9	58.3
Colored	62.5	56.9	50.9
Washington	**113.4**	**116.1**	82.2
West Virginia	63.7	58.9	(3)
Wisconsin	**120.2**	**118.4**	88.2
Wyoming	69.0	65.8	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	79.6	68.0	42.0
Albany	**153.4**	**150.3**	**143.6**
Atlanta	80.7	93.7	85.6
White	88.9	**105.2**	96.1
Colored	64.5	70.8	62.5
Baltimore	**140.2**	**133.7**	**111.8**
White	**147.5**	**142.7**	**115.2**
Colored	**106.9**	93.3	92.4

See footnotes at end of table.

[1] Report of Registrar-General of England and Wales, 1917.

Table AK—Contd.

AREA	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTIMATED POPULATION [Rates of 100 or more in boldfaced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Birmingham	69.1	76.5	58.6
White	80.4	84.0	64.0
Colored	50.7	64.3	50.2
Boston	**173.3**	**165.3**	**130.1**
Bridgeport	**133.9**	**106.7**	93.9
Buffalo	**138.9**	**132.3**	97.4
Cambridge	**155.1**	**140.2**	**104.7**
Camden	**137.0**	**120.2**	89.3
Canton	**111.5**	92.7	71.7
Chattanooga	58.0	75.3	88.9
White	62.0	90.3	**103.8**
Colored	47.5	35.7	57.9
Chicago	**113.8**	**112.5**	95.1
Cincinnati	**153.1**	**151.8**	**132.0**
White	**158.5**	**157.0**	**135.5**
Colored	**109.6**	**109.6**	90.3
Cleveland	**112.2**	**103.3**	83.4
Columbus	**148.8**	**126.5**	**103.0**
White	**155.1**	**135.5**	**106.0**
Colored	78.7	58.3	74.5
Dallas	78.7	80.2	77.8
White	80.9	84.0	83.7
Colored	68.1	61.7	44.5
Dayton	**126.7**	**123.4**	**107.4**
Denver	**150.2**	**143.3**	**109.7**
Des Moines	**140.5**	**130.8**	(3)
Detroit	74.0	70.1	63.0
Duluth	**152.3**	**150.3**	73.7
Elizabeth	**111.3**	**100.9**	87.9
El Paso	82.1	97.1	54.8
White	97.4	**123.5**	(4)
Colored	71.8	79.5	(4)
Erie	**131.0**	**103.6**	90.5
Evansville	**101.6**	**104.5**	87.1
Fall River	**134.5**	**126.7**	**103.1**
Flint	65.9	54.2	33.2
Fort Wayne	**118.9**	**105.4**	**101.3**
Fort Worth	84.2	83.6	(3)
White	88.7	83.7	(3)
Colored	60.2	83.0	(3)
Gary	66.2	54.8	43.4
White	81.3	63.0	(4)
Colored	12.8	25.6	(4)
Grand Rapids	**103.8**	**122.3**	**100.1**
Hartford	**158.5**	**161.5**	**142.1**
Houston	92.2	86.5	63.8
White	**106.7**	97.5	70.6
Colored	52.1	56.0	42.7
Indianapolis	**124.2**	**123.0**	98.6
White	**129.4**	**126.9**	**101.7**
Colored	86.3	95.1	73.8
Jacksonville, Fla	87.8	89.5	89.7
White	99.7	**111.0**	**111.8**
Colored	66.0	52.0	62.6
Jersey City	**119.8**	**118.8**	92.0
Kansas City, Kans	**128.6**	**131.0**	79.7
White	**145.4**	**142.4**	80.5
Colored	56.0	81.9	74.9
Kansas City, Mo	**129.9**	**131.1**	**102.4**
White	**131.5**	**134.2**	**105.1**
Colored	**116.0**	**104.4**	76.7
Knoxville	68.7	83.3	79.6
White	66.7	89.7	85.8
Colored	78.7	50.6	43.1
Long Beach	**136.3**	**132.5**	**135.1**
Los Angeles	**134.4**	**136.6**	**131.2**
White	**142.7**	**146.1**	**134.2**
Colored	81.6	75.5	76.2
Louisville	**135.7**	**118.7**	**106.2**
White	**140.4**	**119.7**	**109.3**
Colored	**119.0**	**113.2**	91.2
Lowell	**140.7**	**125.7**	89.2
Lynn	**100.3**	80.8	**103.7**
Memphis	**113.1**	98.1	80.4
White	**128.1**	**111.3**	92.0
Colored	88.9	76.8	61.3
Miami	**105.2**	96.9	49.8
White	**120.0**	**114.7**	62.1
Colored	53.9	35.6	20.8
Milwaukee	**110.1**	**109.3**	93.6
Minneapolis	**153.9**	**150.6**	**115.3**
Nashville	**113.2**	97.1	**100.1**
White	**119.0**	95.0	**109.3**
Colored	97.9	**102.6**	78.5
Newark, N.J	**118.3**	**116.9**	90.7
New Bedford	**109.2**	**113.7**	78.6
New Haven	**182.5**	**166.6**	**123.0**
New Orleans	**148.3**	**138.2**	**105.7**
White	**148.7**	**143.0**	**109.4**
Colored	**147.2**	**126.3**	95.4
New York	**121.6**	**118.6**	93.9
Bronx Borough	**113.8**	**102.9**	90.2
Brooklyn Borough	99.7	99.5	84.9
Manhattan Borough	**187.6**	**187.6**	**105.3**
White	**203.6**	**202.8**	**107.9**
Colored	87.2	91.9	58.7
Queens Borough	77.4	76.0	83.8
Richmond Borough	**113.8**	86.9	97.8
Norfolk	95.6	85.6	73.0
White	**112.3**	**101.7**	87.8
Colored	63.4	54.3	48.7
Oakland	**118.4**	**115.3**	99.7
Oklahoma City	99.7	74.2	**103.4**
Omaha	**134.3**	**159.7**	**126.1**
Paterson	**160.7**	**155.6**	**103.7**
Peoria	**119.1**	**138.4**	**132.5**
Philadelphia	**141.9**	**137.4**	99.0
White	**148.2**	**143.0**	**101.6**
Colored	95.7	95.7	67.2
Pittsburgh	**113.0**	**118.2**	88.5
Portland, Oreg	**152.2**	**159.6**	**122.9**
Providence	**162.9**	**146.7**	**117.5**
Reading	**135.3**	**126.3**	**101.0**
Richmond, Va	**126.4**	**116.7**	83.0
White	**132.5**	**129.4**	80.4
Colored	**111.3**	85.1	88.8
Rochester, N.Y	**150.6**	**153.9**	**115.0**
St. Louis	**147.9**	**139.6**	**109.9**
White	**150.9**	**146.0**	**113.5**
Colored	**125.5**	91.8	74.2
St. Paul	**153.6**	**139.4**	**121.4**
Salt Lake City	**135.6**	**111.2**	85.6
San Antonio	**101.7**	94.5	98.3
White	(4)	(4)	**102.0**
Colored	(4)	(4)	60.9
San Diego	**170.6**	**168.8**	**155.6**
San Francisco	**173.8**	**191.2**	**150.7**
Scranton	**115.9**	**122.1**	94.2
Seattle	**143.2**	**156.8**	**107.3**
Somerville	**104.6**	**99.8**	99.3
South Bend	87.0	93.4	74.5
Spokane	**143.6**	**162.5**	**120.3**
Springfield, Mass	**145.1**	**126.6**	**100.3**
Syracuse	**135.7**	**137.5**	94.5
Tacoma	**141.0**	**144.7**	**119.2**
Tampa	**106.8**	81.9	71.5
White	**123.2**	94.2	72.7
Colored	45.2	36.0	67.3
Toledo	**117.5**	**107.7**	91.4
Trenton	**113.9**	**146.1**	77.0
Tulsa	67.1	65.2	(3)
White	72.5	70.3	(3)
Colored	28.1	28.1	(3)
Utica	**140.8**	**149.6**	90.1
Washington, D.C	**148.9**	**135.8**	98.0
White	**159.7**	**145.8**	**107.0**
Colored	**120.6**	**109.6**	71.6
Wichita	**128.8**	**107.1**	**118.8**
Wilmington, Del	**125.7**	**133.2**	92.7
White	**128.1**	**142.9**	92.8
Colored	**107.1**	57.7	92.2
Worcester	**128.3**	**139.5**	**121.9**
Yonkers	96.5	95.8	86.4
Youngstown	98.9	87.3	61.5

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

There are increasing differences in the rates for cities and those for rural districts. In 1932 rates for registration cities were higher than those for the rural districts by 47.8 percent. A partial explanation may lie in the fact that hospital and other facilities for diagnosis of the disease are greater in the cities than in the rural districts.[1]

Among States showing deaths by color, all except Kentucky had markedly lower rates for the colored than for the white population.

Deaths and death rates from cancer, by seat of disease, are shown in table AL.

Table AL

SEAT OF DISEASE	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES					
	Number		Rate per 100,000 estimated population		Percent	
	1932	1931	1932	1931	1932	1931
Cancers and other malignant tumors	122,739	118,141	102.2	98.9	100.0	100.0
Cancer of the buccal cavity and pharynx	4,596	4,567	3.8	3.8	3.7	3.9
Lip	670	630	0.6	0.5	0.5	0.5
Tongue	946	919	0.8	0.8	0.8	0.8
Mouth	441	462	0.4	0.4	0.4	0.4
Jaw	1,034	1,013	0.9	0.8	0.8	0.9
Others of this class	585	539	0.5	0.5	0.5	0.5
Pharynx	920	1,004	0.8	0.8	0.7	0.8
Cancer of the digestive tract and peritoneum	60,810	58,783	50.6	49.2	49.5	49.8
Esophagus	2,063	2,038	1.7	1.7	1.7	1.7
Stomach and duodenum	25,909	25,397	21.6	21.3	21.1	21.5
Intestines (except rectum and anus)	12,137	11,495	10.1	9.6	9.9	9.7
Rectum and anus	5,890	5,451	4.9	4.6	4.8	4.6
Liver and biliary passages	10,452	10,290	8.7	8.6	8.5	8.7
Pancreas	3,371	3,139	2.8	2.6	2.7	2.7
Peritoneum	927	911	0.8	0.8	0.8	0.8
Others of this class	61	62	0.1	0.1	(1)	0.1
Cancer of the respiratory system	4,549	4,039	3.8	3.4	3.7	3.4
Larynx	1,048	925	0.9	0.8	0.9	0.8
Lungs and pleura	3,166	2,846	2.6	2.4	2.6	2.4
Other respiratory organs	335	268	0.3	0.2	0.3	0.2
Cancer of the uterus	14,908	14,464	12.4	12.1	12.1	12.2
Cancer of other female genital organs	2,684	2,565	2.2	2.1	2.2	2.2
Ovary and Fallopian tube	2,167	2,051	1.8	1.7	1.8	1.7
Vagina and vulva	478	478	0.4	0.4	0.4	0.4
Other female genital organs	39	36	(2)	(2)	(1)	(1)
Cancer of the breast	11,889	11,444	9.9	9.6	9.7	9.7
Cancer of the male genitourinary organs	9,594	9,184	8.0	7.7	7.8	7.8
Kidneys and suprarenals (male)	945	960	0.8	0.8	0.8	0.8
Bladder (male)	2,493	2,661	2.1	2.2	2.0	2.3
Prostate	5,466	4,924	4.6	4.1	4.5	4.2
Testes	352	345	0.3	0.3	0.3	0.3
Scrotum	44	37	(2)	(2)	(1)	(1)
Other male genitourinary organs	294	257	0.2	0.2	0.2	0.2
Cancer of the skin	3,137	2,986	2.6	2.5	2.6	2.5
Cancer of other or unspecified organs	10,572	10,109	8.8	8.5	8.6	8.6
Kidneys and suprarenals (female)	762	691	0.6	0.6	0.6	0.6
Bladder (female)	1,266	1,213	1.1	1.0	1.0	1.0
Brain	932	844	0.8	0.7	0.8	0.7
Bones (except jaw)	1,639	1,644	1.4	1.4	1.3	1.4
Other or unspecified	5,973	5,717	5.0	4.8	4.9	4.8

[1] Less than one-tenth of 1 percent. [2] Less than one-tenth of 1 per 100,000 population.

Cancers and other malignant tumors include 9 titles of the detailed International List of Causes of Death. The group "Cancer of the digestive tract and peritoneum" was credited with 49.5 percent of the total deaths from cancer in 1932, and among these cancer of the stomach and duodenum had the greatest number of deaths of any type of cancer (25,909, or 21.1 percent of all deaths from cancer). Rates for cancer of the uterus (12.4 per 100,000 population) and for cancer of the breast (9.9) were high.

Table AM shows age and sex for deaths from carcinoma, sarcoma, and hypernephroma.

[1] Registrar-General's Statistical Review of England and Wales, 1929, p. 55.

Table AM — DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AGE	Carcinoma		Sarcoma		Hypernephroma	
	Male	Female	Male	Female	Male	Female
All ages	51,869	64,488	3,152	2,597	374	259
Under 1 year	15	7	20	13	-------	1
1 year	11	17	20	18	2	2
2 years	14	19	44	23	1	-------
3 years	17	9	26	37	1	2
4 years	13	10	26	19	4	3
Under 5 years	70	62	136	110	8	8
5 to 9 years	49	32	109	80	1	3
10 to 14 years	41	33	93	75	2	1
15 to 19 years	85	87	155	90	-------	1
20 to 24 years	156	238	126	84	5	1
25 to 29 years	263	540	128	72	5	3
30 to 34 years	446	1,254	134	98	6	9
35 to 39 years	946	2,528	163	155	12	5
40 to 44 years	1,719	4,053	233	165	28	14
45 to 49 years	2,984	5,799	263	211	40	28
50 to 54 years	4,445	7,069	281	273	59	33
55 to 59 years	6,091	7,783	314	251	53	42
60 to 64 years	7,675	8,271	281	251	56	39
65 to 69 years	8,093	8,100	242	235	47	29
70 to 74 years	8,219	7,796	226	179	25	24
75 to 79 years	5,909	5,656	140	144	18	13
80 to 84 years	3,108	3,221	89	75	8	4
85 to 89 years	1,223	1,414	32	36	1	2
90 to 94 years	262	413	5	11	-------	-------
95 to 99 years	41	76	1	-------	-------	-------
100 years and over	7	8	-------	-------	-------	-------
Unknown	37	55	1	2	-------	-------

PELLAGRA

There were 3,694 deaths from pellagra in the registration area in 1932, corresponding to a rate of 3.1 per 100,000 population, as compared with 5,091 in 1931 with a rate of 4.3. The decrease in 1932 is largely accounted for by fewer deaths in North Carolina, Mississippi, Arkansas, and South Carolina.

No deaths from pellagra were reported for Idaho, Montana, Nebraska, Oregon, Utah, Vermont, Washington, and Wyoming. On the other hand, Delaware, which had no deaths in 1931, reported 1 death in 1932.

Nearly two-thirds of all deaths from pellagra in 1932 were reported from six States: North Carolina, South Carolina, Georgia, Alabama, Mississippi, and Arkansas. Of the 2,334 deaths in these States, 518 occurred in cities and 1,816 in rural districts.

Table AN shows the distribution of these deaths by States.

Table AN — NUMBER OF DEATHS FROM PELLAGRA

AREA	1932	1931	1920
The registration area [1]	3,694	5,091	2,322
Registration States [2]	3,589	4,948	2,122
Cities of 10,000 or over [2]	946	1,315	594
Smaller cities and rural areas	2,643	3,633	1,528
Registration cities in nonregistration States [3]	105	143	200
All registration cities [2]	1,051	1,458	794
Alabama:			
Cities	79	106	(3)
Rural	275	344	(4)
Arizona:			
Cities	1	1	(4)
Rural	1	4	(4)
Arkansas:			
Cities	49	107	(4)
Rural	171	322	(4)
California:			
Cities	18	29	5
Rural	8	14	7
Colorado:			
Cities	2	1	-------
Rural	4	2	1
Connecticut:			
Cities	2	3	1
Rural	1	-------	-------
Delaware:			
Cities	1	-------	-------
Florida:			
Cities	59	85	30
Rural	141	133	84
Georgia:			
Cities	129	170	(3)
Rural	366	396	(4)
Illinois:			
Cities	4	12	3
Rural	10	9	8
Indiana:			
Cities	5	1	1
Rural	6	3	2
Iowa:			
Cities	-------	1	(4)
Rural	1	1	(4)
Kansas:			
Cities	1	7	2
Rural	5	9	6
Kentucky:			
Cities	14	20	10
Rural	55	90	55
Louisiana:			
Cities	79	88	61
Rural	99	154	142
Maine:			
Cities	2	2	-------
Rural	3	2	4
Maryland:			
Cities	8	14	4
Rural	3	3	4
Massachusetts:			
Cities	8	15	9
Rural	-------	1	2
Michigan:			
Cities	1	3	4
Rural	2	-------	1
Minnesota:			
Cities	2	3	-------
Rural	-------	2	1
Mississippi:			
Cities	44	73	153
Rural	308	491	405
Missouri:			
Cities	18	14	11
Rural	12	21	14
Nebraska:			
Cities	-------	2	-------
Rural	-------	1	1
Nevada:			
Cities	-------	1	(4)
New Hampshire:			
Cities	1	1	-------
Rural	1	-------	1
New Jersey:			
Cities	4	4	1
Rural	1	2	-------
New Mexico:			
Cities	3	5	(4)
Rural	16	36	(4)
New York:			
Cities	25	22	8
Rural	3	12	4
North Carolina:			
Cities	115	149	76
Rural	364	546	242
North Dakota:			
Rural	1	-------	(4)
Ohio:			
Cities	17	21	2
Rural	4	3	1
Oklahoma:			
Cities	35	51	(3)
Rural	114	189	(4)
Oregon:			
Cities	-------	3	-------
Rural	-------	1	-------
Pennsylvania:			
Cities	7	20	2
Rural	4	4	2
Rhode Island:			
Cities	3	1	3
South Carolina:			
Cities	102	161	102
Rural	332	427	204
South Dakota:			
Cities	-------	1	(4)
Rural	1	-------	(4)
Tennessee:			
Cities	71	63	62
Rural	217	237	240
Utah:			
Cities	-------	1	-------
Vermont:			
Rural	-------	3	1
Virginia:			
Cities	26	41	39
Rural	102	161	95
Washington:			
Cities	-------	1	-------
West Virginia:			
Cities	3	1	(3)
Rural	10	8	(4)
Wisconsin:			
Cities	1	4	-------
Rural	2	2	1
Washington, D.C.	7	7	5

[1] In continental United States.
[2] Including District of Columbia.
[3] Certain registration cities.
[4] Not in registration area.

NOTE.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population is classed as "rural".

DIABETES MELLITUS

Deaths from diabetes mellitus increased in number in 1932, when there were 26,368 deaths, with a rate of 22 per 100,000 population, over 1931, with 24,331 deaths and a rate of 20.4. The rate was higher for cities than for the rural part of the registration States.

In making any detailed analysis of death rates for diabetes mellitus it should be remembered that it is mainly an old-age disease and that consideration should be given to the age composition in any specified area.

Thirty-eight of the States had increases from 1931 to 1932. Rhode Island with a rate of 32.5, New Hampshire (31.6), and New York (30.9) had the highest rates; Arizona with 7.4 and New Mexico with 9 had the lowest. Of the large cities, Reading had the highest rate (48.4) and Tulsa the lowest (8.2).

Of the 14 States showing rates for the colored populations, 3 (Kentucky, Tennessee, and Virginia) had higher rates for the colored than for the white population.

Table AO — AREA	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type] 1932	1931	1930
The registration area [1]	**22.0**	**20.4**	16.0
Registration States [2]	**22.0**	**20.4**	16.1
Cities of 10,000 or over [2]	**27.5**	**25.7**	19.4
Smaller cities and rural areas	16.8	15.4	13.0
Registration cities in nonregistration State	17.4	14.8	11.3
All registration cities [2]	**27.3**	**25.4**	19.1
Alabama	11.0	11.0	(3)
White	12.1	12.0	(3)
Colored	8.8	9.1	(3)
Arizona	7.4	9.0	(3)
Arkansas	9.6	9.2	(3)
White	11.3	9.6	(3)
Colored	5.0	7.9	(3)
California	**21.4**	19.3	16.9
White	**22.9**	**20.5**	(4)
Colored	9.7	9.9	(4)
Colorado	15.9	16.6	14.5
Connecticut	**27.7**	**23.5**	**21.1**
Delaware	**22.5**	**22.1**	10.7
Florida	16.7	14.2	8.7
White	18.2	15.8	11.3
Colored	13.0	10.5	3.6
Georgia	11.8	11.4	(3)
White	13.9	12.6	(3)
Colored	8.0	9.3	(3)
Idaho	17.7	16.8	(3)
Illinois	**26.5**	**25.6**	17.9
Indiana	**22.7**	**21.9**	16.5
Iowa	**24.1**	**23.3**	(3)
Kansas	**23.2**	**21.8**	16.6
Kentucky	14.6	12.9	7.5
White	14.0	12.9	7.2
Colored	**20.4**	12.8	10.2
Louisiana	13.9	12.6	7.8
White	15.1	14.6	9.5
Colored	12.0	9.2	5.1
Maine	**29.8**	**25.0**	**21.8**
Maryland	**25.5**	**22.8**	17.0
White	**26.7**	**23.9**	18.2
Colored	19.9	17.6	11.4
Massachusetts	**27.9**	**24.8**	**20.9**
Michigan	**22.5**	19.5	16.2
Minnesota	**23.2**	**20.3**	17.3
Mississippi	10.8	10.4	5.7
White	13.4	12.6	7.5
Colored	8.2	8.3	4.0
Missouri	**23.9**	**20.8**	12.1
Montana	16.2	15.4	10.9
Nebraska	**23.9**	**21.8**	**20.7**
Nevada	17.2	9.8	(3)
New Hampshire	**31.6**	**22.9**	**23.4**
New Jersey	**27.0**	**24.6**	18.6
New Mexico	9.0	7.9	(3)
New York	**30.9**	**29.6**	**23.2**
North Carolina	12.2	10.6	7.6
White	12.8	10.8	8.5
Colored	10.8	10.2	5.6
North Dakota	17.2	17.7	(3)
Ohio	**24.4**	**21.5**	17.7
Oklahoma	11.7	9.9	(3)
White	12.6	10.2	(3)
Colored	4.3	8.3	(3)
Oregon	**21.6**	**20.5**	17.4
Pennsylvania	**26.1**	**25.4**	16.3
Rhode Island	**32.5**	**29.5**	**20.2**
South Carolina	12.1	11.8	6.2
White	15.5	13.4	9.0
Colored	7.9	9.9	3.6
South Dakota	18.7	19.7	(3)
Tennessee	11.2	11.3	6.2
White	10.7	11.3	6.1
Colored	13.3	11.2	6.4
Utah	13.6	18.6	13.3
Vermont	**25.0**	**27.2**	19.6
Virginia	17.0	15.7	9.4
White	16.3	14.9	10.5
Colored	18.9	17.7	6.8
Washington	**22.2**	19.9	13.9
West Virginia	14.2	12.8	(3)
Wisconsin	**23.1**	**22.4**	18.7
Wyoming	16.2	13.2	(3)

Table AO—Contd. — CITIES OF 100,000 POPULATION OR MORE IN 1930	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type] 1932	1931	1930
Akron	17.4	13.7	11.0
Albany	**44.2**	**41.1**	**28.9**
Atlanta	**25.2**	**22.3**	12.8
White	**28.7**	**22.2**	15.1
Colored	18.3	**22.5**	7.8
Baltimore	**32.9**	**29.5**	**20.6**
White	**34.8**	**31.7**	**21.5**
Colored	**24.5**	19.7	15.4
Birmingham	14.5	15.2	6.6
White	16.8	16.8	9.9
Colored	10.7	12.7	1.4
Boston	**32.3**	**30.2**	**24.3**
Bridgeport	**24.5**	19.0	**20.2**
Buffalo	**36.8**	**36.5**	**23.5**
Cambridge	**20.2**	15.8	**25.5**
Camden	**41.2**	**31.9**	14.6
Canton	19.7	17.8	11.4
Chattanooga	9.8	9.8	10.3
White	11.3	7.9	12.7
Colored	5.9	14.9	5.3
Chicago	**27.7**	**27.1**	**20.4**
Cincinnati	**31.5**	**26.7**	**22.8**
White	**31.9**	**27.3**	**23.9**
Colored	**27.9**	**21.9**	9.7
Cleveland	**25.6**	**22.8**	17.3
Columbus	**31.5**	**31.8**	**22.2**
White	**31.8**	**32.9**	**23.1**
Colored	**29.2**	**23.3**	13.2
Dallas	17.2	11.0	9.8
White	17.7	9.7	10.8
Colored	14.9	17.0	4.0
Dayton	**22.9**	**25.5**	16.9
Denver	19.2	**20.6**	19.8
Des Moines	**26.3**	**28.4**	(3)
Detroit	17.8	15.3	13.5
Duluth	**27.5**	17.7	**20.2**
Elizabeth	**34.2**	**22.2**	15.5
El Paso	12.4	8.6	1.3
White	**23.8**	11.9	(4)
Colored	4.8	6.4	(4)
Erie	**32.3**	**25.5**	11.7
Evansville	**24.0**	**20.1**	9.3
Fall River	**34.7**	**33.0**	15.0
Flint	15.2	9.1	10.0
Fort Wayne	13.5	16.9	11.4
Fort Worth	14.9	6.6	(3)
White	13.5	6.4	(3)
Colored	**22.6**	7.5	(3)
Gary	12.3	13.2	7.0
White	13.3	10.9	(4)
Colored	8.5	**21.4**	(4)
Grand Rapids	19.8	**20.4**	18.7
Hartford	**35.9**	**28.1**	**23.7**
Houston	18.4	16.8	9.7
White	**20.2**	18.0	11.9
Colored	13.3	13.4	2.8
Indianapolis	**24.1**	**20.1**	19.6
White	**24.7**	**26.8**	**20.3**
Colored	19.9	13.3	14.2
Jacksonville, Fla	18.9	19.0	6.5
White	**23.5**	17.9	9.8
Colored	10.3	**20.8**	2.4
Jersey City	**30.1**	**26.3**	16.4
Kansas City, Kans	**26.0**	**22.8**	17.7
White	**28.1**	**23.1**	16.1
Colored	17.2	**21.6**	**27.2**
Kansas City, Mo	**23.7**	**21.3**	13.4
White	**24.9**	**20.2**	14.2
Colored	13.9	**30.2**	6.4
Knoxville	14.7	13.7	7.6
White	13.1	13.1	5.9
Colored	**22.5**	16.9	17.3
Long Beach	**23.6**	15.7	**22.0**
Los Angeles	**22.6**	**20.1**	16.3
White	**24.2**	**21.7**	16.3
Colored	12.4	10.1	15.9
Louisville	**31.5**	**25.9**	**21.3**
White	**31.2**	**25.3**	**21.1**
Colored	**33.2**	**29.4**	**22.2**
Lowell	**27.9**	**31.9**	11.6
Lynn	**23.4**	**27.3**	**23.2**
Memphis	**24.3**	**20.1**	12.8
White	**25.0**	**23.1**	17.6
Colored	**23.2**	15.2	4.8

Table AO—Contd. — CITIES OF 100,000 POPULATION OR MORE IN 1930—continued	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type] 1932	1931	1930
Miami	19.6	11.6	6.2
White	13.2	13.8	8.9
Colored	**41.5**	4.0	----
Milwaukee	**26.4**	**24.0**	19.7
Minneapolis	**23.9**	**20.1**	**23.2**
Nashville	18.6	**28.3**	15.1
White	17.8	**31.1**	13.2
Colored	**21.0**	**21.0**	19.6
Newark, N.J	**32.5**	**29.6**	**22.8**
New Bedford	**35.5**	**30.2**	14.9
New Haven	**46.1**	**38.7**	**27.7**
New Orleans	**30.0**	**25.5**	15.6
White	**31.3**	**27.3**	17.0
Colored	**26.8**	**20.8**	11.7
New York	**31.4**	**29.7**	**23.4**
Bronx Borough	**28.5**	**25.6**	**24.3**
Brooklyn Borough	**32.3**	**30.6**	**20.4**
Manhattan Borough	**39.5**	**38.0**	**27.0**
White	**41.9**	**40.7**	**27.5**
Colored	**24.8**	**21.2**	18.2
Queens Borough	**20.4**	**21.0**	18.8
Richmond Borough	**26.9**	17.7	17.7
Norfolk	**21.6**	**29.3**	12.2
White	17.5	**32.7**	16.7
Colored	**29.4**	**22.6**	4.3
Oakland	**25.7**	**27.0**	18.2
Oklahoma City	14.2	13.2	9.4
Omaha	**29.5**	**23.1**	19.7
Paterson	**45.4**	**44.7**	**20.6**
Peoria	**25.9**	**28.6**	**37.3**
Philadelphia	**30.6**	**29.9**	18.2
White	**31.2**	**31.8**	18.9
Colored	**25.8**	15.4	9.3
Pittsburgh	**25.3**	**26.3**	18.8
Portland, Oreg	**22.2**	**26.7**	19.6
Providence	**40.8**	**30.2**	**24.8**
Reading	**48.4**	**28.7**	**25.9**
Richmond, Va	**28.8**	**29.3**	16.3
White	**25.1**	**31.2**	17.8
Colored	**37.7**	**24.6**	13.0

Table AO—Contd. — CITIES OF 100,000 POPULATION OR MORE IN 1930—continued	DEATH RATE FROM DIABETES MELLITUS PER 100,000 ESTIMATED POPULATION [Rates of 20 or more in bold-faced type] 1932	1931	1930
Rochester, N.Y	**37.4**	**26.5**	**23.5**
St. Louis	**31.0**	**33.6**	16.1
White	**33.0**	**35.3**	16.9
Colored	16.3	**20.4**	8.4
St. Paul	**28.3**	**26.1**	**20.3**
Salt Lake City	16.1	**22.4**	**21.0**
San Antonio	**20.4**	**23.7**	10.9
White	(4)	(4)	11.3
Colored	(4)	(4)	6.8
San Diego	**26.2**	**21.7**	16.7
San Francisco	**26.8**	**22.3**	**21.8**
Scranton	**33.3**	**33.3**	**21.0**
Seattle	**25.8**	**20.7**	15.1
Somerville	**27.6**	**20.0**	**21.4**
South Bend	**22.2**	**21.3**	19.3
Spokane	**24.9**	19.8	**22.0**
Springfield, Mass	**34.1**	17.7	**24.5**
Syracuse	**32.4**	**42.2**	**24.8**
Tacoma	**30.6**	**31.5**	7.2
Tampa	**29.6**	**22.9**	5.6
White	**32.6**	**24.2**	4.8
Colored	18.1	18.0	8.4
Toledo	**23.9**	19.9	18.0
Trenton	**42.0**	**28.2**	18.4
Tulsa	8.2	8.2	(3)
White	9.4	7.8	(3)
Colored	----	11.2	(3)
Utica	**44.0**	**46.9**	**24.4**
Washington, D.C	**27.8**	**26.3**	15.2
White	**26.9**	**24.2**	14.9
Colored	**30.1**	**31.9**	16.1
Wichita	17.3	19.9	8.1
Wilmington, Del	**25.3**	**28.1**	12.7
White	**26.5**	**31.8**	13.1
Colored	16.5	----	9.2
Worcester	**31.4**	**31.4**	**21.1**
Yonkers	**22.3**	18.7	**22.6**
Youngstown	19.1	**22.0**	12.7

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

PERNICIOUS ANEMIA

Although there was an increase in deaths from this disease in 1932 compared with deaths in 1931, the general tendency is in the direction of a reduced death rate and of confidence in the new methods of treatment.

Table AP — AREA	DEATHS FROM PERNICIOUS ANEMIA — Number 1932	1931	1930	1929	1928	1927	Rate per 100,000 estimated population 1932	1931	1930	1929	1928	1927
Registration States [1]	3,865	3,710	3,875	3,578	3,576	4,480	3.3	3.1	3.3	3.1	3.2	4.2
Alabama	37	36	48	31	33	37	1.4	1.3	1.8	1.2	1.3	1.4
Arizona	6	10	11	13	14	4	1.3	2.3	2.5	3.0	3.3	1.0
Arkansas	18	22	31	20	19	21	1.0	1.2	1.7	1.1	1.0	1.1
California	204	178	182	161	155	224	3.4	3.0	3.2	2.9	2.9	4.4
Colorado	34	32	44	44	34	50	3.2	3.1	4.2	4.3	3.3	5.0
Connecticut	38	40	45	53	44	39	2.3	2.5	2.8	3.3	2.8	2.5
Delaware	4	10	7	11	9	6	1.7	4.2	2.9	4.6	3.8	2.6
Dist. of Columbia	19	16	12	5	5	17	3.9	3.3	2.5	1.0	1.0	3.6
Florida	36	33	35	34	28	38	2.4	2.2	2.4	2.4	2.0	2.8
Georgia	41	32	50	49	36	(2)	1.4	1.1	1.7	1.7	1.2	(2)

See footnotes at end of table.
See footnotes at end of table.

Table AP—Contd. DEATHS FROM PERNICIOUS ANEMIA

AREA	Number						Rate per 100,000 estimated population					
	1932	1931	1930	1929	1928	1927	1932	1931	1930	1929	1928	1927
Idaho	8	10	9	14	14	11	1.8	2.2	2.0	3.2	3.2	2.5
Illinois	295	277	294	283	268	360	3.8	3.6	3.8	3.7	3.6	4.9
Indiana	146	147	145	122	130	179	4.5	4.5	4.5	3.8	4.1	5.7
Iowa	157	160	159	143	117	185	6.3	6.5	6.4	5.8	4.8	7.5
Kansas	104	117	88	94	81	113	5.5	6.2	4.7	5.0	4.4	6.1
Kentucky	87	84	75	64	72	78	3.3	3.2	2.9	2.5	2.8	3.0
Louisiana	18	27	33	17	32	23	0.8	1.3	1.6	0.8	1.6	1.1
Maine	32	32	46	31	44	40	4.0	4.0	5.8	3.9	5.6	5.1
Maryland	38	34	26	25	31	28	2.3	2.1	1.6	1.5	1.9	1.8
Massachusetts	152	110	136	156	148	192	3.5	2.6	3.2	3.7	3.5	4.6
Michigan	206	198	257	251	219	300	4.1	4.0	5.3	5.3	4.7	6.6
Minnesota	144	144	130	127	116	195	5.6	5.6	5.1	5.0	4.6	7.7
Mississippi	29	31	20	18	23	12	1.4	1.5	1.0	0.9	1.2	0.6
Missouri	149	130	150	112	140	138	4.1	3.6	4.1	3.1	3.9	3.9
Montana	15	15	24	14	18	17	2.8	2.8	4.5	2.6	3.3	3.1
Nebraska	53	54	61	73	55	65	3.8	3.9	4.4	5.3	4.0	4.8
Nevada	1	5	2	4	(2)	(2)	1.1	5.4	2.2	4.4	(2)	(2)
New Hampshire	25	24	17	33	26	36	5.3	5.1	3.6	7.1	5.6	7.8
New Jersey	119	97	89	93	101	126	2.9	2.4	2.2	2.3	2.6	3.3
New Mexico	9	6	8	6	(2)	(2)	2.1	1.4	1.9	1.4	(2)	(2)
New York	406	354	377	364	398	500	3.2	2.8	3.0	2.9	3.3	4.2
North Carolina	47	54	52	43	43	59	1.4	1.7	1.6	1.4	1.4	2.0
North Dakota	30	31	36	25	23	41	4.4	4.5	5.3	3.7	3.4	6.1
Ohio	249	234	289	248	281	343	3.7	3.5	4.3	3.8	4.3	5.4
Oklahoma	56	56	45	45	48	(2)	2.3	2.3	1.9	1.9	2.1	(2)
Oregon	39	39	46	36	45	53	4.0	4.0	4.8	3.8	4.9	5.8
Pennsylvania	310	309	300	303	299	381	3.2	3.2	3.1	3.2	3.2	4.1
Rhode Island	21	33	29	19	26	23	3.0	4.8	4.2	2.8	3.9	3.5
South Carolina	21	19	35	20	28	28	1.2	1.1	2.0	1.2	1.6	1.6
South Dakota	31	25	22	(2)	(2)	(2)	4.4	3.6	3.2	(2)	(2)	(2)
Tennessee	55	58	59	40	45	60	2.1	2.2	2.2	1.5	1.8	2.4
Utah	12	16	23	11	8	16	2.3	3.1	4.5	2.2	1.6	3.3
Vermont	23	22	17	9	23	15	6.4	6.1	4.7	2.5	6.4	4.2
Virginia	45	45	39	44	51	57	1.8	1.9	1.6	1.8	2.1	2.4
Washington	71	67	55	49	51	85	4.5	4.2	3.5	3.2	3.3	5.6
West Virginia	76	76	68	69	47	59	4.3	4.3	3.9	4.0	2.8	3.6
Wisconsin	143	157	144	151	145	224	4.8	5.3	4.9	5.2	5.0	7.8
Wyoming	6	4	5	1	3	2	2.6	1.8	2.2	0.4	1.4	0.9

[1] Including District of Columbia. [2] Not in registration area.

ALCOHOLISM AND CIRRHOSIS OF THE LIVER

Death rates from alcoholism and cirrhosis of the liver in recent years are of particular interest in view of war-time prohibition measures and, later, national prohibition.

In the registration States of 1910 there was a declining rate from alcoholism from 5.5 per 100,000 population in 1910 to 1.2 in 1920, with an increase to 3.1 in 1932; the corresponding rates for the States of 1900 were 5.6, 1.2, and 3.4; for the States of 1910 there was a declining rate from cirrhosis of the liver from 13.3 in 1910 to 7.6 in 1920, with an increase to 8.4 in 1932; the corresponding rates for the States of 1900 were 14.4, 7.7, and 8.0.

For the 47 States in the death registration area in 1932, the death rate from alcoholism was 2.5 per 100,000 population, but of these States only 18 had rates in excess of the total rate. Nevada decreased from 12.0 to 5.4 (1931 to 1932) per 100,000 population from this cause. Cirrhosis of the liver shows a rate of 7.2 per 100,000 population.

Deaths from wood- and denatured-alcohol poisoning.—Table AR shows deaths and death rates from wood- and denatured-alcohol poisoning in the registration area. Prior to 1927 these deaths were not separately tabulated. In 1927 there were 230 deaths from wood-alcohol poisoning and 59 from denatured-alcohol poisoning; in 1928 the corresponding numbers were 236 and 72; in 1929, 204 and 47; in 1930, 316 and 137; in 1931, 294 and 150; and in 1932, 237 and 81.

Table AQ DEATH RATE PER 100,000 ESTIMATED POPULATION FROM ALCOHOLISM

[Rates in *italics* are based on less than 5 deaths]

AREA	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920	1910
The registration area [1]	2.5	3.3	3.5	3.7	4.0	4.0	3.9	3.6	3.2	3.2	1.0	5.4
Registration States of 1910 [2]	3.1	4.2	4.4	4.7	5.0	5.0	4.8	4.5	3.9	3.9	1.2	5.5
Registration States of 1900 [3]	3.4	4.7	4.8	5.2	5.3	5.4	5.3	5.1	4.5	4.3	1.2	5.6
Registration States [4]	2.5	3.3	3.5	3.7	4.1	4.0	3.9	3.6	3.1	3.2	1.0	5.5
Cities of 10,000 or over [4]	3.3	4.5	4.9	5.4	5.8	5.9	5.6	5.3	4.6	4.6	1.3	6.7
Smaller cities and rural areas	1.8	2.2	2.2	2.3	2.6	2.4	2.4	2.1	1.9	2.0	0.7	4.1
Registration cities in non-registration State	2.0	1.9	2.7	3.0	2.5	4.2	4.0	3.6	3.6	2.6	1.9	4.7
All registration cities [4]	3.3	4.4	4.8	5.4	5.7	5.8	5.6	5.2	4.5	4.5	1.4	6.3
Alabama	1.6	0.9	1.9	1.8	2.1	1.1	1.8	0.9	(5)	(5)	(5)	(5)
White	1.4	1.0	2.2	1.7	1.6	1.2	1.6	1.1	(5)	(5)	(5)	(5)
Colored	1.9	0.6	1.3	1.9	2.9	1.0	2.2	0.5	(5)	(5)	(5)	(5)
Arizona	2.7	5.9	3.2	6.5	5.3	3.9	2.8	(5)	(5)	(5)	(5)	(5)
Arkansas	1.6	1.7	1.3	1.8	1.7	1.9	(5)	(5)	(5)	(5)	(5)	(5)
White	1.9	1.7	1.2	1.8	1.7	2.0	(5)	(5)	(5)	(5)	(5)	(5)
Colored	*0.8*	1.7	1.7	1.7	1.7	1.5	(5)	(5)	(5)	(5)	(5)	(5)
California	2.3	3.0	3.3	3.3	3.3	3.3	2.9	2.6	3.0	2.6	1.0	8.7
White	2.4	3.0	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colored	1.6	2.7	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colorado	2.7	4.1	3.6	2.8	2.6	2.6	2.4	1.8	3.0	3.8	0.7	7.4
Connecticut	3.4	5.1	5.9	5.5	5.8	5.3	4.4	3.9	4.3	3.9	1.0	7.7
Delaware	3.8	7.1	4.6	7.6	12.3	4.7	5.2	5.6	5.7	5.3	*0.9*	(5)
District of Columbia	3.0	3.5	4.3	2.9	2.1	3.0	3.0	5.0	5.0	4.0	1.1	6.6
Florida	3.1	3.2	4.9	3.1	4.6	5.0	6.9	5.0	4.0	3.3	1.9	(5)
White	3.0	2.8	5.2	2.7	4.5	4.5	6.6	5.3	3.4	3.1	2.3	(5)
Colored	3.4	4.1	4.4	4.2	4.6	6.2	7.6	4.4	5.1	3.8	*1.2*	(5)
Georgia	1.7	2.0	2.2	2.0	2.1	(5)	(5)	(5)	1.8	1.9	(5)	(5)
White	2.2	1.7	2.2	1.9	2.1	(5)	(5)	(5)	1.9	1.8	(5)	(5)
Colored	0.9	2.5	2.2	2.3	2.1	(5)	(5)	(5)	1.7	2.0	(5)	(5)
Idaho	2.2	1.8	2.5	1.8	2.3	2.3	4.5	3.4	1.8	3.0	(5)	(5)
Illinois	1.7	2.3	2.5	3.2	4.9	5.6	4.7	4.2	3.4	4.1	0.7	(5)
Indiana	1.6	2.3	2.2	2.5	2.4	2.1	1.8	1.6	1.5	1.6	0.5	3.3
Iowa	2.1	2.4	2.4	2.6	2.5	2.2	2.1	1.4	1.2	1.6	(5)	(5)
Kansas	1.3	1.1	1.2	1.1	1.3	1.4	1.7	1.3	0.9	0.9	0.7	(5)
Kentucky	2.0	1.7	2.3	2.3	2.3	2.2	1.5	1.8	1.6	1.6	0.4	(5)
White	1.8	1.6	2.2	2.1	1.9	1.9	1.3	1.5	1.5	1.5	0.3	(5)
Colored	4.9	3.5	3.1	4.4	6.6	5.2	3.5	4.8	2.6	3.0	*1.3*	(5)
Louisiana	1.2	0.7	1.3	1.9	2.5	2.0	1.7	1.5	1.2	1.2	0.5	(5)
White	1.3	0.5	1.3	1.8	2.6	2.4	1.9	1.7	1.2	1.4	0.6	(5)
Colored	1.0	1.0	1.3	1.9	2.2	1.3	1.5	1.2	1.4	0.8	*0.3*	(5)
Maine	2.6	4.1	3.5	3.0	3.5	2.2	2.5	2.8	2.3	1.7	1.3	2.8
Maryland	3.7	5.9	6.8	6.8	7.9	11.1	7.7	6.1	5.2	5.7	0.7	4.5
White	2.8	4.8	6.0	5.6	7.5	8.4	5.8	4.8	4.6	5.3	0.7	4.7
Colored	7.8	11.5	10.8	12.7	9.6	24.6	16.6	12.6	8.5	7.8	*0.8*	3.4
Massachusetts	5.0	5.8	5.5	7.1	6.1	6.3	6.6	7.5	6.7	6.7	1.8	6.4
Michigan	1.5	2.0	2.0	3.1	3.4	4.4	4.8	4.2	3.7	5.2	1.5	3.6
Minnesota	2.3	3.9	2.9	3.0	3.9	3.3	4.2	3.5	2.5	3.3	0.8	5.1
Mississippi	0.9	1.2	1.5	1.5	1.4	1.3	0.9	0.8	0.4	1.0	0.3	(5)
White	0.9	1.4	1.6	1.3	0.9	1.4	1.0	1.0	*0.4*	1.2	*0.5*	(5)
Colored	1.0	1.1	1.5	1.6	1.8	1.2	0.8	0.7	*0.4*	0.7	*0.8*	(5)
Missouri	2.0	2.5	3.2	3.0	3.9	3.1	3.2	2.6	2.9	2.8	0.4	(5)
Montana	2.8	6.1	6.7	6.7	8.9	10.7	5.0	7.6	2.8	4.6	1.8	14.7
Nebraska	1.3	2.3	2.5	2.1	2.7	1.5	1.4	1.9	1.5	1.8	0.5	(5)
Nevada	5.4	12.0	14.3	26.6	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
New Hampshire	*0.9*	3.9	1.9	3.2	3.5	4.1	3.1	4.2	3.8	5.5	1.8	5.8
New Jersey	2.7	3.2	4.4	3.8	4.1	4.3	4.6	4.5	3.8	3.9	0.9	6.0
New Mexico	1.2	3.5	2.6	3.3	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
New York	4.5	6.4	6.4	6.6	7.1	7.0	6.7	6.2	5.0	4.2	1.2	6.6
North Carolina	2.0	2.5	2.3	1.7	1.9	1.2	1.7	1.6	1.5	0.9	1.0	2.8
White	1.6	2.3	2.0	1.6	1.8	1.0	1.5	1.6	1.5	0.8	1.1	3.8
Colored	3.1	3.2	2.9	2.1	2.0	1.8	2.3	1.5	1.3	1.0	1.0	*0.8*
North Dakota	1.2	0.9	2.2	3.2	2.1	0.9	1.8	1.1	1.1	(5)	(5)	(5)
Ohio	2.9	3.8	3.9	4.2	4.6	3.4	3.6	2.3	2.1	2.3	1.2	4.0
Oklahoma	1.8	2.4	1.9	1.6	2.4	(5)	(5)	(5)	(5)	(5)	(5)	(5)
White	1.6	2.0	1.8	1.6	2.2	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colored	3.9	5.4	2.9	2.3	3.9	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Oregon	2.3	2.1	3.3	4.4	2.6	2.3	2.8	2.4	2.4	1.8	1.6	(5)
Pennsylvania	2.9	3.5	4.2	4.9	5.6	5.8	5.2	5.4	4.3	4.3	1.2	4.1
Rhode Island	3.4	5.9	8.3	7.2	6.8	7.2	7.5	6.0	8.1	6.6	1.3	5.9
South Carolina	2.7	2.1	3.3	1.5	2.2	1.6	1.2	1.5	1.3	0.9	0.5	(5)
White	2.8	2.6	3.8	1.8	2.4	2.1	1.4	1.7	1.4	0.9	0.8	(5)
Colored	2.5	1.5	2.8	1.1	2.0	1.0	0.9	1.2	1.2	1.0	*0.1*	(5)
South Dakota	1.4	1.1	1.0	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Tennessee	1.5	1.9	1.6	1.8	1.6	1.4	1.5	1.4	1.0	1.3	0.9	(5)
White	1.6	1.7	1.4	1.7	1.6	1.3	1.3	1.3	1.0	1.1	0.8	(5)
Colored	1.2	2.9	2.5	2.5	1.9	2.1	2.3	1.5	1.1	2.2	1.3	(5)
Utah	*0.8*	1.4	2.0	4.2	*0.8*	1.6	2.7	2.3	2.3	2.1	1.1	4.8
Vermont	1.9	3.6	5.0	3.9	3.6	2.2	3.1	2.5	2.8	3.7	1.4	3.9
Virginia	2.3	2.8	3.5	2.8	2.8	2.0	1.6	1.9	1.6	2.2	0.8	(5)
White	2.5	2.7	3.4	2.6	2.2	1.9	1.5	1.8	1.1	2.2	1.0	(5)
Colored	2.0	2.9	3.7	3.2	4.4	2.4	2.0	2.1	2.7	2.1	*0.1*	(5)
Washington	1.8	2.8	3.5	4.1	4.1	3.4	4.2	4.0	2.9	3.2	2.6	12.8
West Virginia	3.0	4.6	3.6	3.3	3.9	2.9	3.1	2.1	(5)	(5)	(5)	(5)
Wisconsin	2.9	3.3	3.6	4.0	3.4	3.4	3.2	2.7	2.9	2.8	0.8	4.4
Wyoming	*1.7*	4.4	4.0	3.1	5.4	6.4	9.8	6.2	9.6	8.3	(5)	(5)

See footnotes at end of table.

Table AQ—Continued

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM CIRRHOSIS OF THE LIVER

AREA	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920	1910
The registration area [1]	7.2	7.4	7.2	7.2	7.6	7.5	7.2	7.3	7.3	7.2	7.1	13.9
Registration States of 1910 [2]	8.4	8.5	8.1	8.2	8.6	8.3	8.0	8.0	8.0	7.8	7.6	13.3
Registration States of 1900 [3]	8.0	8.3	7.8	8.1	8.4	8.0	8.0	8.2	7.9	7.6	7.7	14.4
Registration States [4]	7.2	7.4	7.2	7.2	7.5	7.5	7.2	7.3	7.3	7.2	7.1	13.3
Cities of 10,000 or over [4]	9.2	9.6	9.5	9.5	10.0	9.5	9.0	9.0	9.1	8.7	8.2	16.1
Smaller cities and rural areas	5.3	5.3	5.1	5.2	5.4	5.7	5.6	5.8	5.9	5.9	6.1	10.2
Registration cities in non-registration State	8.9	8.1	10.2	8.5	9.9	8.2	8.0	8.5	8.1	8.1	9.6	18.8
All registration cities [4]	9.2	9.6	9.5	9.5	10.0	9.4	8.9	9.0	9.0	8.7	8.2	16.6
Alabama	4.2	4.3	4.3	4.2	3.9	4.2	3.3	3.9	(5)	(5)	(5)	(5)
White	4.1	3.8	3.5	3.7	3.9	3.9	3.0	3.4	(5)	(5)	(5)	(5)
Colored	4.4	5.2	5.8	5.0	4.1	4.9	3.8	4.8	(5)	(5)	(5)	(5)
Arizona	2.9	6.5	6.2	4.4	4.1	5.4	5.5	(5)	(5)	(5)	(5)	(5)
Arkansas	3.1	3.4	4.1	3.7	3.1	4.3	(5)	(5)	(5)	(5)	(5)	(5)
White	3.2	3.3	3.6	3.3	3.4	4.2	(5)	(5)	(5)	(5)	(5)	(5)
Colored	2.7	3.7	5.8	5.0	2.3	4.4	(5)	(5)	(5)	(5)	(5)	(5)
California	11.3	10.8	10.7	10.5	10.9	10.6	10.5	9.2	9.8	9.1	9.4	18.4
White	11.8	11.2	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)
Colored	7.5	7.8	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(6)
Colorado	5.9	4.4	5.7	5.6	4.9	6.7	5.1	4.9	6.3	5.5	4.1	9.5
Connecticut	8.1	8.4	8.0	8.7	7.1	7.2	6.4	6.5	5.9	7.5	6.8	14.4
Delaware	8.8	7.9	5.9	5.1	5.1	4.3	6.0	9.1	11.3	5.3	5.4	(5)
District of Columbia	9.5	10.6	9.6	8.7	6.9	9.9	8.5	9.7	6.3	7.7	4.8	10.5
Florida	9.0	8.8	7.6	9.1	10.8	9.2	6.5	8.2	8.2	9.5	7.1	(5)
White	8.6	8.5	6.4	8.7	10.4	7.4	6.4	6.7	6.8	8.1	6.4	(5)
Colored	9.9	9.3	10.6	9.9	11.8	13.3	6.8	11.4	11.2	12.3	8.4	(5)
Georgia	3.5	4.6	5.1	4.8	4.2	(5)	(5)	(5)	4.1	3.6	(5)	(5)
White	3.7	5.0	5.1	4.7	4.2	(5)	(5)	(5)	4.8	3.5	(5)	(5)
Colored	3.3	3.9	5.1	5.2	4.2	(5)	(5)	(5)	3.1	3.8	(5)	(5)
Idaho	6.3	2.7	4.5	3.2	4.3	4.8	5.0	3.9	3.2	3.9	(5)	(5)
Illinois	9.6	9.7	10.1	9.2	10.0	10.0	9.2	9.9	8.9	10.0	8.6	(5)
Indiana	7.1	7.7	7.3	8.1	9.3	8.2	8.8	8.5	9.4	8.3	9.7	11.3
Iowa	4.9	5.1	4.9	5.0	5.7	5.9	5.6	5.5	5.1	4.9	(5)	(5)
Kansas	4.5	5.8	5.1	4.4	6.6	7.4	6.1	6.4	6.7	5.9	6.3	(5)
Kentucky	4.6	4.9	5.0	5.6	4.9	5.0	4.8	5.2	5.4	4.2	4.1	(5)
White	4.5	4.8	4.7	5.4	4.7	5.0	4.8	5.0	4.9	3.8	3.7	(5)
Colored	5.8	6.2	7.5	7.5	7.0	5.2	4.8	6.9	9.9	7.7	8.1	(5)
Louisiana	7.7	10.4	9.3	10.1	10.0	8.8	9.5	9.0	8.6	8.6	8.8	(5)
White	7.7	9.6	7.9	9.7	9.4	8.6	9.0	7.6	7.5	7.9	9.1	(5)
Colored	7.6	11.8	11.8	10.6	11.0	9.1	10.4	11.2	10.3	9.6	8.4	(5)
Maine	3.7	5.4	4.9	5.0	6.6	7.1	5.1	5.5	4.1	6.0	4.4	8.3
Maryland	6.4	6.2	7.3	5.0	6.2	5.6	6.1	6.7	6.8	6.7	6.2	9.6
White	6.7	6.7	8.0	5.4	6.9	5.8	6.5	7.2	7.5	7.1	6.3	10.0
Colored	4.6	3.6	4.0	3.3	2.9	4.8	4.1	4.6	3.5	5.1	6.1	7.7
Massachusetts	6.3	7.4	6.6	6.2	6.6	5.5	5.8	5.6	5.5	5.2	5.4	10.1
Michigan	7.7	7.2	6.8	7.4	8.3	7.4	7.8	8.3	6.8	7.6	8.3	12.2
Minnesota	6.9	7.2	6.2	6.8	6.4	5.8	6.6	5.0	5.6	5.8	4.8	6.6
Mississippi	3.5	4.7	4.9	4.3	5.0	6.5	5.3	3.8	5.5	4.7	4.9	(5)
White	3.8	4.7	5.4	4.3	4.5	7.7	4.5	4.2	5.8	4.2	4.1	(5)
Colored	3.2	4.7	4.3	4.3	5.5	5.2	6.0	3.5	5.3	5.2	5.7	(5)
Missouri	9.7	10.3	8.7	9.1	10.0	9.6	9.6	9.4	9.3	9.0	8.0	(5)
Montana	8.2	8.0	7.1	5.6	7.0	8.3	7.9	7.0	7.7	5.3	6.7	9.7
Nebraska	5.7	6.6	6.3	6.3	6.8	4.9	5.2	5.7	6.5	6.4	4.5	(5)
Nevada	8.6	12.0	5.5	11.1	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
New Hampshire	7.7	6.0	5.2	6.7	4.3	6.3	9.2	6.6	6.8	5.3	7.4	6.7
New Jersey	8.7	9.4	8.4	8.5	9.6	8.4	8.8	8.8	10.0	8.8	7.8	17.2
New Mexico	4.4	4.7	7.5	5.0	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
New York	8.9	9.2	8.9	9.0	9.2	9.2	8.8	9.3	9.1	8.2	8.3	18.2
North Carolina	2.8	2.2	3.1	3.1	3.9	3.6	3.2	3.5	3.3	3.6	3.7	7 9.9
White	2.9	1.9	2.7	3.0	3.5	3.2	3.1	2.9	3.2	3.7	3.3	11.5
Colored	2.5	2.8	3.9	3.4	4.8	4.5	3.3	4.8	3.5	3.5	4.7	7.0
North Dakota	3.9	3.1	3.7	3.1	3.4	3.7	2.7	2.9	3.0	(5)	(5)	(5)
Ohio	8.8	8.8	8.5	8.5	9.0	8.6	7.8	8.2	8.2	8.0	9.1	13.9
Oklahoma	3.8	4.0	4.3	3.8	2.8	(5)	(5)	(5)	(5)	(5)	(5)	(5)
White	3.7	3.9	4.3	3.7	2.8	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colored	3.9	4.7	4.4	4.6	2.7	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Oregon	5.4	5.9	7.6	6.4	5.2	5.4	5.5	4.9	6.5	6.1	6.3	(5)
Pennsylvania	9.4	9.0	9.5	9.4	10.0	9.4	9.2	9.2	9.1	9.5	8.0	12.9
Rhode Island	7.4	8.4	4.8	7.0	5.5	5.9	7.2	5.4	7.3	8.1	6.2	14.0
South Carolina	2.6	3.2	3.3	3.7	2.5	2.8	2.6	2.5	3.6	2.3	2.7	(5)
White	2.6	3.2	3.2	4.0	2.2	2.9	2.2	2.5	3.5	2.1	1.9	(5)
Colored	2.5	3.2	3.5	3.4	2.9	2.5	3.0	2.5	3.6	2.5	3.4	(5)
South Dakota	3.9	4.9	3.3	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Tennessee	3.9	4.6	4.3	3.9	4.2	3.7	4.0	3.8	2.7	2.9	4.0	(5)
White	4.0	4.0	3.8	3.4	3.7	3.5	2.9	3.0	2.3	2.8	3.5	(5)
Colored	3.7	7.5	6.3	6.1	6.8	5.3	9.0	7.5	4.5	3.3	6.0	(5)
Utah	3.5	5.7	3.1	4.0	3.8	4.5	3.5	2.5	3.8	6.0	3.5	4.8
Vermont	7.5	7.2	5.0	8.4	8.9	6.4	5.6	7.6	3.1	5.1	6.2	9.0
Virginia	5.8	5.1	4.9	4.8	4.2	5.3	4.1	5.6	5.5	5.3	4.4	(5)
White	4.8	3.9	4.2	3.8	3.4	4.5	2.7	4.4	4.8	4.1	3.6	(5)
Colored	8.5	8.2	6.9	7.8	6.2	7.4	7.7	8.7	7.3	8.4	6.4	(5)
Washington	5.1	5.3	5.1	5.3	4.6	4.6	4.5	6.0	5.8	4.4	4.2	6.5
West Virginia	3.4	3.7	3.7	3.5	4.0	2.9	3.4	3.1	(5)	(5)	(5)	(5)
Wisconsin	9.1	8.7	7.5	7.9	9.2	8.8	7.1	7.0	7.7	7.4	7.1	11.0
Wyoming	7.4	6.1	3.5	4.5	6.4	5.1	6.1	5.7	5.8	4.4	(5)	(5)

See footnotes at end of table.

[1] In continental United States.
[2] Excludes North Carolina; see table A.
[3] See table A.
[4] Including District of Columbia.
[5] Not in registration area.
[6] Death rates by color not available.
[7] Includes only municipalities having a population of 1,000 or more in 1900.

Table AR

YEAR	DEATHS FROM WOOD AND DENATURED ALCOHOL POISONING IN THE REGISTRATION AREA [1]	
	Number	Rate per 100,000 estimated population
1932	318	0.3
1931	444	0.4
1930	453	0.4
1929	251	0.2
1928	308	0.3
1927	289	0.3
1926	221	0.2

Table AR—Con.

YEAR	DEATHS FROM WOOD AND DENATURED ALCOHOL POISONING IN THE REGISTRATION AREA [1]	
	Number	Rate per 100,000 estimated population
1925	182	0.2
1924	180	0.2
1923	143	0.1
1922	201	0.2
1921	194	0.2
1920	359	0.4

[1] In continental United States.

DISEASES OF THE HEART

The number of deaths from diseases of the heart in the registration area in 1932 was 268,696, representing a death rate of 223.7 per 100,000 population. In 1931 such deaths numbered 253,985, with a rate of 212.7.

In making any comparisons among the death rates from diseases of the heart it should be noted that the disease mainly attacks people in "middle life" and old age. The rates, therefore, should be used with caution and considered only in connection with the age distribution of the population. Other factors—for example, the unquestionably improved accuracy in certification—account in some measure for the increase shown in recent years. With all allowances, however, diseases of the heart lead all other diseases as a cause of death; they were, in fact, responsible in 1932 for 20.5 percent of the total deaths.

Twenty-four States had death rates from diseases of the heart of over 200 per 100,000 population in 1932, New Hampshire coming first with a rate of 323.1. The lowest rates were shown by Arkansas (99.6), Oklahoma (102.7), New Mexico (105.3), and Mississippi (110.1).

Of the cities of 100,000 population and over, not a single city had a rate lower than 100; 72 had rates of over 200, and of these, 19 had rates higher than 300. At the head of the list of cities having high rates were:

Lowell (371.1), Albany (358.6), New Orleans (353.5), Trenton (348.9), Boston (346.8), and Washington, D. C. (344.4). Flint had the lowest rate among the large cities (112.2).

The rate for the rural part of the registration States (194.5) was considerably lower than that for the total of the cities (255.6).

In the 14 States for which figures for deaths among the colored population are presented, in 10 the colored had higher death rates for diseases of the heart than the white. This was also the case in all except 8 of the cities of 100,000 population and over. Baltimore, Fort Worth, Kansas City, Kans., El Paso, Los Angeles, Miami, Philadelphia, and Tulsa were the exceptions. Rates for the colored populations in Kansas City, Mo., Louisville, New Orleans, and St. Louis were over 400 per 100,000 population.

Table AS AREA	DEATH RATE FROM DISEASES OF THE HEART PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]		
	1932	1931	1920
The registration area [1]	223.7	212.7	159.3
Registration States [2]	224.2	213.3	159.7
Cities of 10,000 or over [2]	255.6	244.5	177.9
Smaller cities and rural areas	194.5	183.5	142.5
Registration cities in nonregistration State	171.9	150.8	141.1
All registration cities [2]	253.8	242.4	176.6
Alabama	123.8	122.5	(3)
White	114.0	108.9	(3)
Colored	141.5	147.2	(3)
Arizona	125.7	123.9	(3)
Arkansas	99.6	111.2	(3)
White	101.4	104.3	(3)
Colored	94.6	130.8	(3)
California	275.0	266.6	199.5
White	294.3	284.6	(4)
Colored	124.6	125.6	(4)
Colorado	201.2	187.0	122.3
Connecticut	264.3	258.7	171.5
Delaware	279.6	277.5	174.7
Florida	196.8	188.5	113.3
White	194.6	189.1	119.6
Colored	202.2	187.0	105.6
Georgia	146.3	142.6	(3)
White	128.1	119.6	(3)
Colored	178.4	182.6	(3)
Idaho	164.9	152.7	(3)
Illinois	247.0	232.1	161.9
Indiana	247.6	233.8	166.6
Iowa	209.0	189.6	(3)
Kansas	190.1	176.0	128.7
Kentucky	165.5	159.3	99.6
White	150.0	143.4	87.9
Colored	341.1	328.8	210.0
Louisiana	193.0	185.5	119.6
White	174.0	160.4	103.4
Colored	225.2	227.8	146.3
Maine	296.5	268.9	213.4
Maryland	265.8	259.8	181.7
White	263.7	252.3	171.5
Colored	275.8	296.1	232.5
Massachusetts	307.3	287.4	215.9
Michigan	228.3	211.3	176.1
Minnesota	198.3	185.9	124.6
Mississippi	110.1	123.5	93.2
White	116.3	119.2	75.9
Colored	104.0	127.7	110.1
Missouri	235.3	218.7	136.0
Montana	198.1	170.2	94.6
Nebraska	182.0	171.5	107.6
Nevada	234.4	252.2	(3)
New Hampshire	323.1	295.5	240.2
New Jersey	256.2	253.0	178.5
New Mexico	105.3	95.8	(3)
New York	302.1	287.8	211.9
North Carolina	141.6	140.5	101.7
White	137.0	130.3	94.1
Colored	152.7	164.9	120.8
North Dakota	125.1	111.0	(3)
Ohio	235.0	221.5	160.6
Oklahoma	102.7	97.8	(3)
White	104.7	96.2	(3)
Colored	87.8	110.1	(3)
Oregon	240.0	228.3	168.1
Pennsylvania	249.4	247.6	160.8
Rhode Island	269.1	251.4	182.1
South Carolina	168.0	164.7	109.0
White	153.8	143.9	104.0
Colored	185.4	189.9	113.0
South Dakota	156.9	132.4	(3)
Tennessee	133.6	128.1	96.1
White	119.2	110.7	82.5
Colored	198.5	206.7	154.4
Utah	167.0	155.5	118.3
Vermont	310.8	281.4	259.1
Virginia	200.7	202.6	138.1
White	183.5	175.4	121.1
Colored	248.3	277.3	176.7
Washington	222.7	204.7	132.8
West Virginia	124.6	116.8	(3)
Wisconsin	223.5	203.1	131.6
Wyoming	169.0	129.4	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	145.2	139.8	109.3
Albany	358.6	357.9	256.9
Atlanta	212.3	194.2	147.5
White	191.4	159.4	125.6
Colored	253.8	262.9	195.3
Baltimore	276.0	281.4	194.0
White	277.7	274.1	177.5
Colored	268.4	314.5	287.3
Birmingham	137.4	146.7	153.8
White	126.1	138.0	118.0
Colored	155.9	160.8	209.3
Boston	346.8	332.1	249.4
Bridgeport	277.4	279.4	139.9
Buffalo	294.5	283.9	195.3
Cambridge	320.8	314.6	223.0
Camden	262.2	247.9	187.2
Canton	182.8	166.7	146.9
Chattanooga	153.6	130.1	162.4
White	130.8	116.3	131.6
Colored	213.6	166.7	226.5
Chicago	243.8	223.6	176.4
Cincinnati	288.7	284.3	210.3
White	283.5	283.2	206.4
Colored	330.7	292.8	257.9
Cleveland	206.0	195.7	120.8
Columbus	263.5	239.5	161.1
White	260.2	235.7	154.1
Colored	288.6	268.2	228.0
Dallas	154.9	160.4	110.2
White	153.0	151.3	101.8
Colored	163.8	204.3	157.8
Dayton	284.6	240.5	150.3
Denver	273.3	252.0	161.6
Des Moines	239.4	194.5	(3)
Detroit	168.7	162.0	126.8
Duluth	260.3	214.1	98.9
Elizabeth	208.0	244.7	144.8
El Paso	152.7	126.7	(5)
White	166.3	161.5	(5)
Colored	143.5	103.3	(5)
Erie	240.6	220.7	161.5
Evansville	200.4	199.4	156.8
Fall River	274.1	255.9	145.6
Flint	112.2	114.0	119.6
Fort Wayne	198.1	188.0	117.2
Fort Worth	156.4	137.4	(3)
White	160.4	139.1	(3)
Colored	135.3	128.3	(3)
Gary	118.1	124.6	71.2
White	103.2	128.5	(4)
Colored	170.9	111.1	(4)
Grand Rapids	247.8	230.1	175.0
Hartford	284.1	266.7	199.6
Houston	185.0	130.3	110.2
White	176.9	125.1	104.5
Colored	207.3	144.8	128.0
Indianapolis	258.9	282.6	190.5
White	248.4	272.0	181.0
Colored	334.1	358.4	266.8
Jacksonville, Fla	253.3	238.8	140.6
White	202.7	200.5	137.3
Colored	346.4	305.6	144.6
Jersey City	267.2	253.6	184.9
Kansas City, Kans	219.7	208.3	134.8
White	220.7	210.6	120.8
Colored	215.5	198.3	217.9
Kansas City, Mo	255.4	236.2	199.3
White	235.7	216.0	178.6
Colored	422.3	408.4	396.3
Knoxville	153.8	161.2	141.4
White	131.3	145.5	113.9
Colored	269.7	241.6	302.0
Long Beach	292.9	260.5	255.0
Los Angeles	258.8	244.7	200.1
White	282.6	263.6	200.8
Colored	105.8	123.4	187.2
Louisville	298.8	287.1	183.1
White	280.0	265.2	158.1
Colored	402.5	406.7	305.5
Lowell	371.1	335.2	173.0
Lynn	293.1	266.8	208.5
Memphis	213.9	217.9	138.3
White	191.9	187.6	131.1
Colored	249.5	266.9	150.1
Miami	177.8	175.1	127.5
White	190.9	189.2	128.7
Colored	132.8	126.5	124.8
Milwaukee	199.8	191.0	132.7
Minneapolis	209.6	203.2	142.8
Nashville	247.6	249.5	201.0
White	224.7	206.9	152.5
Colored	307.7	361.3	314.1
Newark, N.J	235.0	250.4	183.0
New Bedford	310.0	286.9	162.3
New Haven	277.8	276.6	186.4
New Orleans	353.5	324.5	226.8
White	318.5	282.4	200.0
Colored	440.1	428.7	301.8
New York	275.5	264.6	186.4
Bronx Borough	222.8	206.2	149.6
Brooklyn Borough	273.5	260.5	199.1
Manhattan Borough	358.5	357.3	191.4
White	377.0	375.8	193.3
Colored	242.9	241.8	156.2
New York—Contd.			
Queens Borough	201.4	185.3	155.0
Richmond Borough	336.6	336.6	241.2
Norfolk	310.7	292.2	163.5
White	266.6	223.4	135.0
Colored	396.0	425.4	210.9
Oakland	299.8	300.7	213.6
Oklahoma City	130.7	126.0	(3)
Omaha	250.6	234.0	152.6
Paterson	251.4	250.0	176.5
Peoria	236.4	231.5	192.9
Philadelphia	317.4	316.6	206.0
White	322.5	322.3	205.4
Colored	279.5	274.6	213.1
Pittsburgh	242.6	230.0	146.6
Portland, Oreg	247.3	247.2	177.4
Providence	274.3	243.2	203.1
Reading	310.0	254.5	173.2
Richmond, Va	243.6	263.7	177.7
White	237.6	243.5	174.3
Colored	258.5	313.8	185.0
Rochester, N.Y	322.7	302.4	195.1
St. Louis	325.1	318.3	177.5
White	306.4	305.4	169.9
Colored	464.3	414.3	251.9
St. Paul	234.4	234.7	121.8
Salt Lake City	213.8	232.9	140.1
San Antonio	165.9	145.8	107.4
White	(4)	(4)	102.6
Colored	(4)	(4)	155.7
San Diego	315.0	297.3	279.1
San Francisco	325.7	319.1	231.4
Scranton	313.7	299.1	138.3
Seattle	257.3	226.8	141.3
Somerville	268.1	245.2	226.4
South Bend	141.7	146.2	146.1
Spokane	217.5	217.5	159.4
Springfield, Mass	256.1	234.9	178.4
Syracuse	326.8	284.4	248.5
Tacoma	272.7	275.5	169.5
Tampa	204.0	202.9	111.1
White	178.7	182.4	106.7
Colored	298.6	279.3	126.2
Toledo	254.9	217.1	160.0
Trenton	348.9	352.7	211.7
Tulsa	126.0	109.7	(3)
White	129.5	118.8	(3)
Colored	101.1	44.9	(3)
Utica	331.4	361.7	281.8
Washington, D.C	344.4	331.0	210.0
White	332.8	314.9	202.3
Colored	375.0	373.3	232.6
Wichita	145.2	142.5	139.0
Wilmington, Del	303.0	261.7	140.9
White	291.1	247.7	136.2
Colored	395.5	370.7	184.3
Worcester	263.7	265.2	248.7
Yonkers	224.8	199.6	139.4
Youngstown	174.7	155.6	92.2

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.
[5] Rates not available.

See footnotes at end of table.

PNEUMONIA (ALL FORMS)

Deaths from pneumonia (all forms) combined with influenza are discussed in table AB. The following discussion and table refer to pneumonia (all forms) alone.

There were 92,474 deaths from pneumonia (all forms) in the registration area in 1932, representing a rate of 77 per 100,000 population. Of these deaths 49,524 were due to lobar pneumonia, 39,174 to bronchopneumonia, and 3,776 from pneumonia unspecified.

Rates per 100,000 population for the registration area and for cities in the registration States, showed marked decreases in 1932 compared with 1931. This lowering of rates was found in many individual States; in fact, all except 13 States had decreases. The large cities showed similar decreases. In making the comparison with 1920 the decrease was still more marked.

The colored population suffers heavily from this disease. In all of the States for which white and colored rates are shown, the rates were higher for the colored, as high as 198.6 in Maryland. The same tendency appeared in the large cities, Wilmington, Del., showing the high rate of 271.9 for the colored.

The States having highest rates in 1932 were: Nevada (122.6), and Delaware (107.9); the States with lowest rates were: South Dakota (44.4), Oregon (52.3), and Kansas (54.1).

Of the cities of 100,000 population and over Pittsburgh had a rate of 172.8, Boston of 143.4 Denver of 135.8, and Washington, D.C., of 134.1. Cities with low rates were: Long Beach (42.6), Tampa (43.9), and Akron (44.7).

Table AT

AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]		
	1932	1931	1920
The registration area [1]	77.0	81.2	137.3
Registration States [2]	76.8	81.0	136.8
Cities of 10,000 or over [2]	87.1	94.7	168.5
Smaller cities and rural areas	67.0	68.0	107.0
Registration cities in nonregistration State	96.8	95.9	163.7
All registration cities [2]	87.3	94.7	168.3
Alabama	66.7	83.4	(3)
White	59.3	73.1	(3)
Colored	80.2	102.1	(3)
Arizona	102.0	107.0	(3)
Arkansas	69.3	74.4	(3)
White	67.2	75.9	(3)
Colored	75.5	70.0	(3)
California	70.1	69.6	100.1
White	61.8	61.0	(4)
Colored	134.3	137.3	(4)
Colorado	99.6	102.5	176.7
Connecticut	70.3	74.8	156.0
Delaware	107.9	108.3	178.8
Florida	54.8	56.4	79.0
White	44.0	46.2	71.6
Colored	80.9	81.1	96.6
Georgia	83.2	83.9	(3)
White	64.6	67.5	(3)
Colored	115.8	112.4	(3)
Idaho	55.9	54.3	(3)
Illinois	67.2	71.5	133.5
Indiana	75.4	76.5	133.6
Iowa	68.5	63.0	(3)
Kansas	54.1	51.4	97.4
Kentucky	82.1	87.7	121.5
White	74.5	79.0	110.3
Colored	164.0	179.6	**227.5**
Louisiana	76.7	81.2	107.7
White	62.4	65.8	92.8
Colored	100.9	107.1	132.3
Maine	80.3	65.4	151.8
Maryland	101.5	123.2	153.2
White	81.6	96.9	133.2
Colored	198.6	**252.0**	**252.5**
Massachusetts	86.9	83.9	156.3
Michigan	65.9	59.4	151.8
Minnesota	74.0	75.7	79.2
Mississippi	54.5	66.8	102.2
White	46.8	62.8	81.5
Colored	62.1	70.7	122.4
Missouri	96.4	98.7	163.9
Montana	64.7	71.4	105.1
Nebraska	57.6	56.3	85.7
Nevada	122.6	144.6	(3)
New Hampshire	83.3	69.6	130.6
New Jersey	69.9	81.6	153.7
New Mexico	92.8	121.3	(3)
New York	90.0	99.1	159.5
North Carolina	78.5	77.8	101.4
White	65.7	64.6	87.4
Colored	109.1	109.5	135.4
North Dakota	56.5	56.7	(3)
Ohio	75.7	76.5	136.0
Oklahoma	64.1	68.1	(3)
White	60.3	62.9	(3)
Colored	92.8	107.9	(3)

Table AT—Contd.

AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]		
	1932	1931	1920
Oregon	52.3	52.9	107.5
Pennsylvania	86.5	102.2	181.9
Rhode Island	94.8	98.6	162.9
South Carolina	86.6	94.9	110 5
White	69.7	75.8	87.6
Colored	107.3	118.0	131.5
South Dakota	44.4	54.7	(3)
Tennessee	84.9	85.6	116.9
White	72.9	73.9	100.5
Colored	138.9	138.3	187.5
Utah	63.7	56.8	126.3
Vermont	92.8	73.6	152.2
Virginia	81.5	89.3	103.8
White	63.6	69.5	81.7
Colored	131.1	143.8	154.7
Washington	54.3	55.2	93.7
West Virginia	76.9	78.5	(3)
Wisconsin	67.9	65.9	112.9
Wyoming	62.4	66.7	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	44.7	61.9	**239.5**
Albany	98.4	89.1	143.8
Atlanta	129.8	130.8	191.3
White	70.5	83.0	114.1
Colored	**247.3**	**225.5**	**359.3**
Baltimore	122.2	159.7	185.4
White	94.7	122.9	160.8
Colored	**247.3**	**326.8**	**325.3**
Birmingham	89.5	116.6	186.1
White	64.8	71.4	119.8
Colored	129.6	190.1	**288.9**
Boston	143.4	131.4	198.2
Bridgeport	84.3	102.0	162.1
Buffalo	91.0	91.4	147.8
Cambridge	117.4	89.4	169.3
Camden	117.6	162.2	**218.2**
Canton	62.8	75.8	182.2
Chattanooga	116.8	110.5	160.7
White	73.3	76.7	124.0
Colored	**231.5**	199.4	**237.1**
Chicago	65.1	75.0	160.3
Cincinnati	117.0	114.8	130.6
White	107.6	99.0	111.1
Colored	193.2	**243.0**	**364.3**
Cleveland	99.2	104.1	154.7
Columbus	79.8	79.5	146.9
White	72.7	70.8	125.4
Colored	134.1	145.8	**350.8**
Dallas	91.9	101.8	117.6
White	58.8	60.6	101.0
Colored	**251.1**	**300.0**	**210.4**
Dayton	71.6	69.0	123.0
Denver	135.8	112.4	**264.7**
Des Moines	108.0	79.6	(3)
Detroit	67.9	65.5	**233.2**
Duluth	50.1	60.9	73.7
Elizabeth	96.7	80.4	**205.8**
El Paso	115.5	151.4	**271.2**
White	87.9	87.9	(4)
Colored	134.0	194.0	(4)
Erie	72.3	85.7	157.6
Evansville	93.0	68.1	147.5
Fall River	70.3	81.5	159.7
Flint	76.8	55.5	195 9
Fort Wayne	63.2	84.3	152.5

See footnotes at end of table.

Table AT—Contd.

AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Fort Worth	75.8	73.5	(3)
White	51.1	55.4	(3)
Colored	**206.8**	169.8	(3)
Gary	71.8	115.2	**286.7**
White	59.5	93.3	(4)
Colored	115.4	192.3	(4)
Grand Rapids	46.6	39.6	119.6
Hartford	76.6	97.5	**220.4**
Houston	82.5	71.0	114.4
White	47.4	49.6	89.8
Colored	179.4	130.2	190.6
Indianapolis	87.6	99.8	179.5
White	77.3	84.4	158.6
Colored	161.5	**210.2**	**346.2**
Jacksonville, Fla	75.5	81.1	144.9
White	52.6	51.3	102.0
Colored	117.5	133.1	197.6
Jersey City	111.9	121.0	193.0
Kansas City, Kans	105.0	95.2	185.0
White	97.3	91.3	174.9
Colored	137.9	112.1	**245.1**
Kansas City, Mo	128.7	124.5	**247.5**
White	114.6	114.5	**225.4**
Colored	**248.3**	**208.8**	**457.0**
Knoxville	106.2	103.5	161.7
White	88.6	88.6	147.9
Colored	196.6	179.8	**241.6**
Long Beach	42.6	42.0	55.7
Los Angeles	63.7	59.7	81.6
White	56.5	51.6	78.4
Colored	110.3	111.5	139.6
Louisville	103.3	130.1	151.8
White	84.5	95.5	120.3
Colored	**207.0**	**318.7**	**305.5**
Lowell	93.8	66.8	194.4
Lynn	61.3	66.2	146.0
Memphis	125.9	146.1	**221.1**
White	88.8	112.6	146.8
Colored	185.9	**200.2**	**343.8**
Miami	53.1	57.8	105.8
White	42.0	43.6	79.9
Colored	91.3	106.7	166.4
Milwaukee	62.8	60.4	170.3
Minneapolis	119.5	106.3	106.1
Nashville	124.1	146.6	181.6
White	100.4	132.3	138.1
Colored	186.5	184.1	**283.3**
Newark, N.J	79.4	100.5	177.7
New Bedford	74.6	101.2	191.2
New Haven	90.4	109.4	181.5
New Orleans	108.7	127.1	185.0
White	78.4	92.5	127.1
Colored	183.6	**212.5**	**347.6**
New York	97.1	118.7	183.8
Bronx Borough	66.7	79.8	136.7
Brooklyn Borough	96.8	116.3	180.4
Manhattan Borough	144.1	182.3	**212.4**
White	145.3	180.6	**202.2**
Colored	136.5	192.6	**393.4**

Table AT—Contd.

AREA	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION [Rates of 200 or more in bold-faced type]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
New York—Contd.			
Queens Borough	59.1	67.5	145.5
Richmond Borough	95.5	129.7	157.7
Norfolk	90.2	104.1	140.9
White	40.9	58.5	86.3
Colored	185.5	192.3	**231.7**
Oakland	63.3	67.4	109.3
Oklahoma City	79.9	100.6	98.2
Omaha	106.1	99.2	167.6
Paterson	84.3	87.2	154.4
Peoria	66.5	70.1	147.9
Philadelphia	83.8	110.9	192.6
White	75.7	99.7	176.4
Colored	144.3	194.3	**388.4**
Pittsburgh	172.8	**243.3**	**341.5**
Portland, Oreg	67.1	64.8	125.2
Providence	106.4	124.8	196.4
Reading	83.3	80.6	150.1
Richmond, Va	90.6	100.4	183.5
White	55.6	63.9	100.7
Colored	177.4	190.9	**364.5**
Rochester, N.Y	73.2	72.3	104.6
St. Louis	113.7	144.7	**212.6**
White	99.1	124.5	193.5
Colored	**222.4**	**294.9**	**400.3**
St. Paul	74.3	68.8	105.7
Salt Lake City	79.0	62.2	153.5
San Antonio	130.5	115.4	118.9
White	(4)	(4)	117.3
Colored	(4)	(4)	135.4
San Diego	85.0	73.5	127.3
San Francisco	77.6	77.4	119.5
Scranton	122.8	110.3	**206.4**
Seattle	64.9	54.9	97.2
Somerville	71.3	82.7	141.0
South Bend	50.9	68.5	157.2
Spokane	64.5	91.1	148.0
Springfield, Mass	63.0	82.0	130.2
Syracuse	82.2	57.7	**216.8**
Tacoma	66.8	73.3	155.1
Tampa	43.9	59.0	97.9
White	41.1	48.3	82.4
Colored	54.3	99.1	151.5
Toledo	75.8	89.2	126.1
Trenton	118.7	103.3	190.8
Tulsa	69.2	74.8	(3)
White	57.7	60.2	(3)
Colored	151.7	179.8	(3)
Utica	122.2	85.0	147.3
Washington, D.C	134.1	140.5	185.9
White	95.2	94.1	129.5
Colored	**236.0**	**263.0**	**351.5**
Wichita	63.1	62.2	125.5
Wilmington, Del	117.3	121.0	**215.5**
White	97.4	99.5	191.6
Colored	**271.9**	**288.4**	**433.1**
Worcester	100.4	107.0	196.1
Yonkers	84.3	74.2	134.5
Youngstown	102.4	101.8	**267.6**

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

NOTE.—Capillary bronchitis is excluded for 1920.

DIARRHEA AND ENTERITIS (UNDER 2 YEARS)

In the registration area in 1932, diarrhea and enteritis was the cause of death of 14,375 children under 2 years of age, corresponding to a rate of 12.0 per 100,000 population of all ages, as compared with 15.7 in 1931. All States except 2 had lower rates in 1932 than in 1931, although the great differences in rates in the various States show that many rates are too high; for example among the States the rates ranged from 62.4 for New Mexico to 2.7 for Oregon, and among cities of 100,000 population or more in 1930, from 82.1 for El Paso to 1.3 for Portland, Oreg.

Beginning with 1925 the rates for the rural part of the registration area have been higher than those for the cities.

Among States and cities for which figures for the colored populations are available, 11 out of 14 States and 23 out of 30 cities had higher rates for the colored than for the white.

Table AU

AREA	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 ESTIMATED POPULATION AT ALL AGES [Rates of 50 or more in boldfaced type]		
	1932	1931	1920
The registration area [1]	12.0	15.7	43.9
Registration States [2]	11.8	15.5	43.3
Cities of 10,000 or over [2]	9.0	12.2	**52.2**
Smaller cities and rural areas	14.4	18.7	35.0
Registration cities in nonregistration State	29.8	32.8	**80.5**
All registration cities [2]	9.5	12.6	**53.2**
Alabama	15.5	20.5	(3)
White	15.1	20.9	(3)
Colored	16.4	19.8	(3)
Arizona	49.6	**66.1**	(3)
Arkansas	17.0	22.2	(3)
White	16.8	21.5	(3)
Colored	17.7	24.4	(3)
California	8.6	12.2	33.8
White	3.5	4.4	(4)
Colored	48.2	**72.7**	(4)
Colorado	19.1	28.8	44.7
Connecticut	4.8	7.7	**52.5**
Delaware	17.1	26.7	**69.7**
Florida	12.8	13.5	40.8
White	10.1	10.5	38.6
Colored	19.3	20.9	45.0
Georgia	13.7	19.7	(3)
White	14.3	16.6	(3)
Colored	12.7	25.2	(3)
Idaho	4.5	7.6	(3)
Illinois	7.3	11.4	**54.0**
Indiana	12.8	14.8	39.5
Iowa	4.5	7.6	(3)
Kansas	7.6	8.6	30.6
Kentucky	30.6	34.9	36.0
White	30.9	34.4	35.7
Colored	27.6	39.8	38.6
Louisiana	14.5	22.1	38.2
White	11.2	18.9	34.9
Colored	20.3	27.6	43.2
Maine	10.1	14.3	**52.6**
Maryland	18.2	29.1	**81.2**
White	14.1	22.7	**73.3**
Colored	38.4	**60.2**	**120.1**
Massachusetts	5.4	7.0	47.5
Michigan	7.0	9.7	47.2
Minnesota	5.1	5.6	21.0
Mississippi	14.4	17.3	32.1
White	14.1	13.7	31.7
Colored	14.7	20.9	32.4
Missouri	14.7	15.8	31.4
Montana	7.4	11.0	22.4
Nebraska	5.5	7.9	20.7
Nevada	16.1	9.8	(3)
New Hampshire	6.0	7.1	43.9
New Jersey	5.8	9.4	**52.8**
New Mexico	**62.4**	**77.8**	(3)
New York	7.2	9.5	45.6
North Carolina	20.0	25.8	**54.0**
White	16.1	21.7	**50.8**
Colored	29.5	35.8	**61.4**
North Dakota	14.2	13.8	(3)
Ohio	9.7	12.3	31.9
Oklahoma	10.7	11.8	(3)
White	9.7	10.9	(3)
Colored	18.6	18.4	(3)
Oregon	2.7	4.3	10.6
Pennsylvania	12.8	17.8	**63.1**
Rhode Island	8.0	8.6	**44.7**
South Carolina	20.0	33.2	**67.0**
White	16.8	23.3	**59.3**
Colored	23.9	45.1	**74.4**
South Dakota	7.6	12.3	(3)
Tennessee	21.9	25.7	30.6
White	22.8	25.9	29.8
Colored	17.9	24.8	33.8
Utah	4.3	7.2	26.1
Vermont	7.2	9.4	35.4
Virginia	17.5	24.1	41.0
White	15.1	20.1	32.5
Colored	24.1	35.0	**60.9**
Washington	3.0	4.9	12.1
West Virginia	**51.0**	**55.9**	(3)
Wisconsin	7.4	11.1	28.2
Wyoming	7.4	13.6	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	2.7	7.2	21.9
Albany	13.2	5.4	18.4
Atlanta	11.9	22.3	44.3
White	14.6	13.0	40.2
Colored	6.5	40.8	**53.1**
Baltimore	12.0	17.0	**39.7**
White	9.3	14.1	**84.4**
Colored	24.5	30.0	**119.6**
Birmingham	8.2	14.9	47.1
White	6.6	16.8	43.2
Colored	10.7	11.7	**53.0**
Boston	8.2	11.0	**51.5**
Bridgeport	2.7	6.1	**60.5**
Buffalo	14.6	18.4	**91.8**
Cambridge	7.0	4.4	**60.1**
Camden	11.8	23.5	**72.1**
Canton	7.5	10.3	37.5
Chattanooga	26.1	36.0	32.5
White	25.9	31.6	25.3
Colored	26.7	47.6	47.4
Chicago	5.0	9.1	**84.7**
Cincinnati	11.8	25.6	31.5
White	11.8	21.4	30.6
Colored	12.0	**59.8**	41.9
Cleveland	3.7	6.1	**53.3**
Columbus	14.9	11.8	25.1
White	13.0	11.9	24.1
Colored	29.2	11.7	35.1
Dallas	23.8	15.0	38.6
White	18.6	11.1	35.4
Colored	48.9	34.0	**56.7**
Dayton	15.1	14.7	25.4
Denver	15.8	16.1	22.1
Des Moines	4.8	6.9	(3)
Detroit	4.8	6.7	**65.6**
Duluth	5.9	3.9	27.3
Elizabeth	3.4	6.8	**58.9**
El Paso	**82.1**	**98.1**	**373.1**
White	11.9	9.5	(4)
Colored	**129.2**	**157.4**	(4)
Erie	13.6	5.9	**53.5**
Evansville	11.5	22.1	**54.6**
Fall River	13.9	11.3	**153.0**
Flint	11.0	13.4	**98.3**
Fort Wayne	2.5	4.2	20.5
Fort Worth	13.7	5.4	(3)
White	14.2	2.1	(3)
Colored	11.3	22.6	(3)
Gary	10.4	20.8	**83.4**
White	10.9	21.8	(4)
Colored	8.5	17.1	(4)
Grand Rapids	2.3	4.7	**64.1**
Hartford	9.0	29.9	**64.6**
Houston	8.4	15.5	33.3
White	4.8	8.8	33.9
Colored	18.2	34.1	31.3
Indianapolis	17.0	8.9	**53.1**
White	16.9	8.9	**51.6**
Colored	17.7	8.8	**65.3**
Jacksonville, Fla	5.1	9.1	34.6
White	4.5	7.2	19.6
Colored	6.2	12.5	**53.0**
Jersey City	16.3	20.7	**88.0**
Kansas City, Kans	9.8	13.8	**63.0**
White	7.0	13.0	**57.5**
Colored	21.6	17.2	**95.3**
Kansas City, Mo	5.4	8.3	**68.6**
White	4.6	7.7	**71.1**
Colored	11.6	13.9	44.7
Knoxville	17.4	44.0	49.3
White	18.6	47.0	**56.2**
Colored	11.2	28.1	8.6
Long Beach	3.9	2.6	10.1
Los Angeles	5.9	7.6	43.0
White	3.1	3.6	40.5
Colored	24.2	33.2	**88.8**
Providence	9.0	9.0	42.4
Reading	10.8	13.4	**75.0**
Richmond, Va	6.5	14.1	39.5
White	3.0	6.1	28.8
Colored	15.1	34.0	**62.9**
Rochester, N. Y	4.5	4.5	48.8
St. Louis	9.4	10.8	27.6
White	8.1	11.2	27.1
Colored	19.4	7.1	32.2
St. Paul	3.6	2.2	17.3
Salt Lake City	5.6	4.2	35.2
San Antonio	**70.4**	**80.8**	**160.2**
White	(4)	(4)	**174.9**
Colored	(4)	(4)	20.3
San Diego	3.8	3.2	10.3
San Francisco	2.3	1.1	14.8
Scranton	14.6	13.2	**70.3**
Seattle	1.6	0.3	8.8
Somerville	6.7	4.8	26.7
South Bend	3.7	10.2	49.6
Spokane	2.6	3.4	16.2
Springfield, Mass	6.6	5.5	41.3
Syracuse	6.6	10.8	**77.2**
Tacoma	2.8	4.6	17.5
Tampa	8.6	11.4	**84.7**
White	7.2	9.7	**63.0**
Colored	13.6	18.0	**159.9**
Toledo	7.1	4.4	46.5
Trenton	12.1	8.1	**71.1**
Tulsa	21.2	14.4	(3)
White	21.1	13.3	(3)
Colored	22.5	22.5	(3)
Utica	4.9	4.9	**59.3**
Washington, D.C	16.4	14.3	32.7
White	14.6	9.0	22.9
Colored	21.3	28.1	**61.7**
Wichita	6.9	7.8	47.2
Wilmington, Del	11.3	21.6	**79.1**
White	11.6	19.1	**78.7**
Colored	8.2	41.2	**82.9**
Worcester	4.1	2.5	48.2
Yonkers	2.2	9.4	**52.0**
Youngstown	2.9	6.4	**67.5**

See footnotes at end of table.

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

NOTE.—Includes ulcer of duodenum for 1920.

NEPHRITIS

The death rate for nephritis in 1932 (87.2) was the same as that for 1931. From one 10-year period to another in the past 30 years there has been little variation in rates, except for the generally high rates in the decade 1910 to 1920. The peak was reached in 1917, when the rate was 107.9. The place of nephritis is generally about fourth among diseases as a cause of death.

The highest rates among States were for Delaware (152.9), Maryland (134.7), and South Carolina (111.9). Low rates were shown by South Dakota (38.4), Wyoming (41.5), and Oklahoma (47.7).

The mortality rate from nephritis is considerably lower in the rural part of the registration States (82.1) than in the cities (93.1).

In every State except California and in 24 out of 30 cities showing distinction of color, the rates for the colored were much higher than those for the white. Of the 14 States, 10 had rates of 100 and over for the colored; and 21 of the cities had such rates.

Table AV — AREA	DEATH RATE FROM NEPHRITIS PER 100,000 ESTIMATED POPULATION [Rates of 150 or more in bold-faced type] 1932	1931	1920
The registration area [1]	87.2	87.2	89.2
Registration States [2]	87.4	87.4	88.6
Cities of 10,000 or over [2]	93.1	93.2	100.3
Smaller cities and rural areas	82.1	81.8	77.7
Registration cities in nonregistration State	65.6	71.7	122.7
All registration cities [2]	92.5	92.7	101.0
Alabama	85.4	87.0	(3)
White	71.2	70.6	(3)
Colored	111.1	116.9	(3)
Arizona	55.1	55.3	(3)
Arkansas	62.7	71.5	(3)
White	59.4	64.0	(3)
Colored	72.3	93.3	(3)
California	80.0	79.1	92.8
White	84.6	83.3	(4)
Colored	44.0	45.9	(4)
Colorado	80.8	76.9	76.8
Connecticut	84.8	80.7	88.3
Delaware	**152.9**	147.1	126.0
Florida	110.0	112.9	94.9
White	102.7	100.9	93.9
Colored	127.9	142.0	96.9
Georgia	102.9	105.6	(3)
White	88.6	92.5	(3)
Colored	128.2	128.5	(3)
Idaho	64.9	63.2	(3)
Illinois	105.1	107.2	90.6
Indiana	112.7	109.1	105.5
Iowa	65.3	64.4	(3)
Kansas	93.8	87.3	82.2
Kentucky	82.4	85.2	78.8
White	73.6	75.2	71.2
Colored	**176.8**	**191.2**	149.8
Louisiana	103.9	108.3	86.6
White	90.8	88.0	75.2
Colored	126.2	142.7	104.5
Maine	103.5	99.4	111.6
Maryland	134.7	135.1	139.7
White	125.4	125.0	129.7
Colored	**180.4**	**184.9**	**189.1**
Massachusetts	85.4	80.2	75.7
Michigan	58.5	58.6	69.2
Minnesota	53.8	51.7	66.2
Mississippi	86.7	104.6	82.8
White	78.1	81.6	69.3
Colored	95.3	127.3	95.1
Missouri	110.6	113.4	98.2
Montana	64.7	62.5	49.8
Nebraska	66.3	62.3	52.1
Nevada	98.9	87.0	(3)
New Hampshire	111.5	99.6	100.6
New Jersey	92.8	94.7	105.0
New Mexico	55.2	58.9	(3)
New York	91.2	91.0	110.0
North Carolina	92.7	93.4	74.4
White	84.4	85.1	68.7
Colored	112.6	113.2	87.6
North Dakota	51.1	42.3	(3)
Ohio	80.7	76.0	76.3
Oklahoma	47.7	45.2	(3)
White	46.6	43.4	(3)
Colored	56.6	59.2	(3)
Oregon	91.1	84.7	65.2
Pennsylvania	96.5	95.5	98.9
Rhode Island	117.2	113.8	96.6
South Carolina	111.9	116.8	84.1
White	100.5	98.3	78.7
Colored	125.7	139.2	89.2
South Dakota	38.4	39.9	(3)
Tennessee	69.0	69.9	65.4
White	61.0	61.6	54.5
Colored	104.8	107.1	111.4
Utah	51.3	60.4	67.0
Vermont	102.8	111.9	110.8
Virginia	107.1	110.9	90.8
White	94.4	91.2	82.9
Colored	142.1	**165.3**	109.5
Washington	79.8	68.7	61.8
West Virginia	76.7	76.3	(3)
Wisconsin	66.5	67.7	61.8
Wyoming	41.5	43.0	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	57.2	50.9	35.3
Albany	141.0	134.8	**163.1**
Atlanta	135.9	144.8	**158.8**
White	124.7	123.6	147.8
Colored	**158.1**	**186.7**	**182.8**
Baltimore	134.7	136.6	144.7
White	125.4	125.4	134.1
Colored	**177.1**	**187.2**	**204.8**
Birmingham	106.2	88.0	96.3
White	81.6	63.6	76.6
Colored	146.2	127.7	127.0
Boston	76.8	77.4	61.1
Bridgeport	63.2	70.0	78.6
Buffalo	125.1	112.9	113.9
Cambridge	67.5	56.1	80.1
Camden	**161.3**	121.0	136.6
Canton	47.8	44.0	44.4
Chattanooga	81.7	90.0	138.5
White	82.3	64.3	119.0
Colored	80.1	**157.7**	**179.1**
Chicago	102.6	110.1	96.7
Cincinnati	108.7	118.7	121.6
White	114.3	121.6	121.8
Colored	63.7	95.6	119.3
Cleveland	61.1	60.1	73.6
Columbus	95.4	91.0	79.1
White	93.0	88.0	79.1
Colored	113.7	113.7	78.9
Dallas	59.3	63.7	96.2
White	52.2	49.5	77.2
Colored	93.6	131.9	**202.3**
Dayton	75.0	83.7	74.2
Denver	107.0	101.5	95.7
Des Moines	61.6	59.5	(3)
Detroit	43.6	42.0	50.8
Duluth	48.1	37.3	45.4
Elizabeth	63.4	59.9	65.2
El Paso	47.7	62.9	86.6
White	33.3	64.1	(4)
Colored	57.4	62.0	(4)
Erie	75.7	73.9	74.9
Evansville	104.5	102.6	122.0
Fall River	121.4	112.8	99.8
Flint	34.8	35.3	33.2
Fort Wayne	101.2	111.3	102.4
Fort Worth	56.1	68.7	(3)
White	41.2	57.5	(3)
Colored	135.3	128.3	(3)
Gary	62.4	51.9	55.6
White	53.4	47.3	(4)
Colored	94.0	68.4	(4)
Grand Rapids	54.8	50.1	99.4
Hartford	86.7	92.7	135.7
Houston	79.5	78.8	103.3
White	66.3	66.3	98.1
Colored	115.2	113.1	119.5
Indianapolis	132.5	115.5	112.8
White	123.0	108.4	109.9
Colored	**201.3**	**165.9**	136.2
Jacksonville, Fla	124.8	138.7	134.1
White	101.9	114.6	119.7
Colored	**167.0**	**180.9**	**151.8**
Jersey City	62.1	76.2	101.7
Kansas City, Kans	**152.2**	135.9	125.0
White	139.4	120.4	95.5
Colored	**206.9**	**202.6**	**239.6**
Kansas City, Mo	103.0	108.6	110.3
White	97.6	101.1	102.4
Colored	148.5	**171.7**	**185.4**
Knoxville	93.4	77.8	87.1
White	81.0	58.0	78.4
Colored	**157.3**	**179.8**	138.1
Long Beach	83.9	89.9	101.3
Los Angeles	76.8	73.2	100.5
White	80.3	76.2	100.8
Colored	54.6	54.1	95.2
Louisville	113.2	113.9	127.1
White	95.0	97.5	119.3
Colored	**213.7**	**203.4**	**165.1**
Lowell	40.9	50.9	74.0
Lynn	78.9	64.3	58.4
Memphis	104.2	94.7	**165.1**
White	89.4	80.1	135.0
Colored	128.3	118.3	**214.7**
Miami	77.3	88.0	130.6
White	76.8	86.0	**155.3**
Colored	78.8	94.9	72.8
Milwaukee	57.2	53.3	68.5
Minneapolis	49.6	48.3	68.2
Nashville	101.0	97.1	131.2
White	78.2	73.7	96.1
Colored	**160.8**	**158.5**	**213.1**
Newark, N.J	84.2	83.2	102.7
New Bedford	67.5	63.1	68.7
New Haven	73.1	90.4	90.4
New Orleans	**181.7**	**179.3**	**172.0**
White	**163.2**	**156.5**	146.5
Colored	**227.5**	**235.5**	**243.4**
New York	68.5	70.6	106.4
Bronx Borough	50.0	46.0	86.5
Brooklyn Borough	72.4	71.9	119.8
Manhattan Borough	78.6	91.0	99.6
White	79.1	92.1	100.8
Colored	75.2	83.9	79.3
Queens Borough	61.8	62.1	102.2
Richmond Borough	91.8	83.2	**151.0**
Norfolk	70.9	94.1	99.1
White	66.7	88.9	103.0
Colored	79.2	104.1	92.7
Oakland	71.5	70.1	89.3
Oklahoma City	62.6	54.4	52.2
Omaha	68.3	72.0	61.2
Paterson	100.1	101.6	92.6
Peoria	104.3	102.4	78.5
Philadelphia	123.5	120.3	142.0
White	124.6	121.8	141.8
Colored	115.5	109.4	145.2
Pittsburgh	90.1	88.3	80.4
Portland, Oreg	101.3	104.6	72.6
Providence	133.8	132.2	104.1
Reading	98.6	118.3	141.7
Richmond, Va	147.6	161.2	139.4
White	138.6	137.0	144.7
Colored	**169.8**	**221.2**	127.7
Rochester, N.Y	106.1	106.0	122.1
St. Louis	138.2	**155.1**	136.1
White	132.0	144.8	131.1
Colored	**184.7**	**231.6**	**184.7**
St. Paul	49.6	52.9	106.1
Salt Lake City	72.7	86.0	92.3
San Antonio	57.5	66.2	81.3
White	(4)	(4)	71.3
Colored	(4)	(4)	**182.8**
San Diego	144.4	133.0	109.3
San Francisco	90.5	98.9	106.6
Scranton	73.6	63.8	76.1
Seattle	71.0	68.9	67.0
Somerville	79.8	65.6	62.0
South Bend	60.2	76.8	88.2
Spokane	109.2	104.9	85.0
Springfield, Mass	105.7	114.2	132.5
Syracuse	101.9	97.1	97.4
Tacoma	131.7	114.1	90.4
Tampa	110.6	118.1	107.3
White	109.9	111.1	94.6
Colored	113.1	144.1	**151.5**
Toledo	61.3	57.9	78.8
Trenton	110.7	116.2	138.1
Tulsa	46.6	38.4	(3)
White	43.7	32.8	(3)
Colored	67.4	78.7	(3)
Utica	**228.7**	**173.0**	100.6
Washington, D.C	132.9	138.7	110.5
White	115.4	112.6	92.3
Colored	**178.7**	**207.4**	**163.7**
Wichita	92.5	72.5	103.9
Wilmington, Del	**156.7**	**153.9**	109.1
White	**163.0**	**153.5**	103.9
Colored	107.1	**156.5**	**156.7**
Worcester	144.0	126.3	61.5
Yonkers	54.0	66.3	82.5
Youngstown	56.1	54.9	39.0

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

See footnotes at end of table.

PUERPERAL CAUSES

In 1932 the death rate from puerperal causes per 1,000 live births was 6.3, or three-tenths lower than the rate (6.6) in 1931. This change is so slight that it has little weight in settling the question as to whether

DIAGRAM 7.—ADJUSTED DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS, BY COUNTRY OF BIRTH OF MOTHER FOR WHITE, AND ALSO FOR TOTAL WHITE AND FOR TOTAL COLORED IN THE UNITED STATES IN THE BIRTH REGISTRATION AREA: 1932

[Rates are shown in table AY]



puerperal causes of death are an increasing or decreasing danger to the women of the United States.

In 1932 there were 7 States in the birth registration area with rates of 8 or more from all puerperal causes per 1,000 live births. Florida had a rate of 10.1; and the other States were Arizona, Delaware, Georgia, Louisiana, New Mexico, and South Carolina. The lowest rates appeared for South Dakota (3.7), and Utah (4.3).

Among the cities of 100,000 population or more in 1930 in the birth registration area, the following had the highest rates in 1932: Memphis (13.3), Oklahoma City (12.7), Columbus and Richmond, Va. (12.1 each). The lowest rates were for Bridgeport (1.5), Fall River (3.3), and Grand Rapids (3.4).

Table AW gives death rates from puerperal causes per 1,000 live births, for the States and large cities in the birth registration area.

Table AW — DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes			Puerperal septicemia			Other puerperal causes		
	1932	1931	1920	1932	1931	1920	1932	1931	1920
The birth registration area [1]	6.3	6.6	8.0	2.3	2.5	2.7	4.0	4.1	5.3
White	5.8	6.0	7.6	2.2	2.3	2.6	3.6	3.7	5.0
Colored	9.8	10.8	12.8	3.4	4.0	4.0	6.3	6.8	8.8
Cities of 10,000 or over [2]	7.4	7.6	8.6	3.0	3.2	3.2	4.4	4.4	5.4
White	6.9	7.1	8.2	2.8	3.0	3.0	4.1	4.1	5.2
Colored	12.1	13.1	15.1	5.0	5.9	6.2	7.1	7.1	8.9
Smaller cities and rural areas	5.4	5.7	7.4	1.8	1.9	2.2	3.6	3.8	5.2
White	4.8	5.0	6.9	1.6	1.7	2.1	3.2	3.3	4.8
Colored	8.5	9.6	11.7	2.6	2.9	2.9	5.9	6.7	8.8
Alabama	7.6	8.1	(3)	2.5	2.7	(3)	5.1	5.4	(3)
White	6.3	7.0	(3)	1.8	2.5	(3)	4.5	4.5	(3)
Colored	9.8	10.1	(3)	3.7	3.1	(3)	6.1	7.0	(3)
Arizona	8.1	8.2	(3)	3.1	3.6	(3)	5.0	4.6	(3)
Arkansas	6.6	7.1	(3)	2.5	2.7	(3)	4.1	4.5	(3)
White	6.0	6.2	(3)	2.4	2.4	(3)	3.6	3.8	(3)
Colored	8.6	10.1	(3)	2.7	3.5	(3)	5.8	6.7	(3)
California	5.6	6.2	7.7	2.2	2.5	2.6	3.4	3.8	5.1
White	5.4	6.1	(5)	2.2	2.4	(5)	3.2	3.6	(5)
Colored	6.7	7.0	(5)	2.1	2.7	(5)	4.5	4.3	(5)
Colorado	7.4	7.0	(4)	3.4	2.9	(4)	4.0	4.2	(4)
Connecticut	4.8	4.3	6.8	1.9	1.3	2.2	2.9	3.0	4.6
Delaware	8.2	7.1	(4)	3.0	1.7	(4)	5.1	5.4	(4)
Florida	10.1	10.4	(4)	3.3	3.4	(4)	6.8	7.0	(4)
White	8.3	8.1	(4)	2.9	2.3	(4)	5.4	5.8	(4)
Colored	14.3	15.4	(4)	4.3	6.0	(4)	10.0	9.4	(4)
Georgia	9.2	9.9	(3)	2.9	3.0	(3)	6.3	6.9	(3)
White	7.5	8.4	(3)	2.1	2.6	(3)	5.4	5.9	(3)
Colored	11.8	12.2	(3)	4.2	3.7	(3)	7.7	8.5	(3)
Idaho	5.3	5.1	(3)	1.6	1.8	(3)	3.7	3.3	(3)
Illinois	5.6	5.5	(4)	2.1	2.1	(4)	3.5	3.4	(4)
Indiana	5.7	6.1	8.7	2.5	2.6	4.0	3.1	3.5	4.7
Iowa	5.4	5.0	(3)	2.0	2.3	(3)	3.5	2.7	(3)
Kansas	6.2	6.2	8.4	2.8	2.6	3.5	3.3	3.6	5.0
Kentucky	5.7	6.4	6.4	2.0	2.5	2.8	3.7	3.9	3.7
White	5.3	6.0	6.0	1.9	2.3	2.5	3.4	3.7	3.5
Colored	13.3	13.5	13.0	4.5	5.5	7.0	8.8	8.0	6.0
Louisiana	8.1	8.6	(4)	3.3	3.3	(4)	4.8	5.3	(4)
White	7.0	7.3	(4)	2.6	2.4	(4)	4.5	4.9	(4)
Colored	9.6	10.6	(4)	4.2	4.6	(4)	5.4	6.0	(4)
Maine	6.4	7.9	8.5	2.5	2.3	1.6	3.9	5.6	6.9
Maryland	5.1	6.1	7.6	2.3	2.3	2.4	2.8	3.8	5.2
White	4.7	5.5	6.6	2.1	2.1	1.8	2.6	3.5	4.8
Colored	6.5	8.3	11.8	3.2	3.2	5.0	3.3	5.1	6.8
Massachusetts	6.0	6.5	7.5	1.9	2.4	2.4	4.1	4.1	5.1
Michigan	6.0	6.0	9.3	2.1	2.4	3.4	3.9	3.6	5.9
Minnesota	4.8	4.9	7.9	1.7	2.1	2.9	3.1	2.8	5.0
Mississippi	6.3	8.0	(4)	2.2	2.5	(4)	4.0	5.5	(4)
White	5.0	6.5	(4)	1.6	1.9	(4)	3.5	4.6	(4)
Colored	7.4	9.4	(4)	2.8	3.1	(4)	4.5	6.3	(4)
Missouri	6.7	7.3	(4)	3.3	3.5	(4)	3.5	3.9	(4)
Montana	6.6	7.3	(4)	2.4	3.2	(4)	4.2	4.0	(4)
Nebraska	5.2	5.4	7.1	2.3	1.9	2.5	2.9	3.5	4.7
Nevada	6.3	9.8	(3)	*3.2*	4.9	(3)	*3.2*	4.9	(3)
New Hampshire	5.9	6.8	7.1	1.2	2.1	1.3	4.7	4.8	5.8
New Jersey	5.7	5.7	(4)	2.2	2.3	(4)	3.5	3.4	(4)
New Mexico	9.1	7.2	(3)	3.9	3.6	(3)	5.2	3.7	(3)
New York	5.9	5.9	6.9	2.3	2.2	2.3	3.6	3.7	4.6
North Carolina	6.8	8.0	10.0	1.6	2.2	2.1	5.2	5.8	7.9
White	5.4	6.4	8.6	1.2	1.5	1.7	4.2	4.9	6.9
Colored	9.8	11.6	13.2	2.6	3.7	3.1	7.3	7.9	10.1
North Dakota	4.4	4.9	(3)	1.4	1.7	(3)	3.1	3.1	(3)
Ohio	6.3	6.5	8.0	2.5	2.9	3.4	3.8	3.6	4.5
Oklahoma	7.2	6.2	(3)	3.4	2.8	(3)	3.8	3.4	(3)
White	6.7	5.4	(3)	3.1	2.4	(3)	3.6	3.0	(3)
Colored	13.2	15.4	(3)	6.6	7.1	(3)	6.6	8.2	(3)
Oregon	4.7	4.5	9.4	2.4	1.4	3.3	2.3	3.1	6.1
Pennsylvania	6.1	6.5	7.8	2.5	2.7	2.7	3.6	3.8	5.0
Rhode Island	6.0	5.5	(4)	2.1	2.0	(4)	3.9	3.4	(4)
South Carolina	9.4	10.2	12.2	2.3	2.5	2.8	7.1	7.8	9.4
White	8.1	7.6	9.0	2.3	1.7	1.8	5.8	5.9	7.1
Colored	10.6	12.7	15.4	2.2	3.2	3.7	8.4	9.6	11.7
South Dakota	3.7	(4)	(4)	1.0	(4)	(4)	2.7	(4)	(4)
Tennessee	7.2	7.4	(4)	2.3	3.2	(4)	4.9	4.3	(4)
White	6.4	6.3	(4)	1.9	2.7	(4)	4.5	3.7	(4)
Colored	12.1	13.7	(4)	4.8	6.0	(4)	7.3	7.7	(4)
Utah	4.3	4.2	7.9	1.5	1.4	2.0	2.8	2.8	5.9
Vermont	7.1	7.6	7.0	2.2	2.8	1.9	5.0	4.8	5.1
Virginia	7.1	7.5	8.6	2.4	2.4	2.3	4.7	5.1	6.4
White	5.5	5.9	7.5	1.8	1.9	1.9	3.6	4.0	5.6
Colored	10.9	11.5	11.1	3.6	3.8	3.1	7.3	7.7	8.0
Washington	6.0	6.4	9.2	2.5	2.2	2.3	3.6	4.1	6.9
West Virginia	5.7	5.8	(3)	2.4	2.5	(3)	3.3	3.4	(3)
Wisconsin	4.4	4.5	6.7	1.5	1.7	2.1	2.9	2.7	4.6
Wyoming	6.6	8.4	(3)	2.4	2.9	(3)	4.2	5.6	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930									
Akron	6.3	7.8	12.6	3.3	4.0	7.0	3.0	3.8	5.6
Albany	3.7	6.1	3.1	*1.7*	*1.2*	*0.4*	2.1	4.8	2.6
Atlanta	9.2	9.5	(4)	4.4	4.6	(4)	4.8	5.0	(4)
White	7.8	6.9	(4)	2.0	2.6	(4)	5.8	4.3	(4)
Colored	11.7	14.8	(4)	8.6	8.5	(4)	3.1	6.3	(4)
Baltimore	5.9	7.7	7.6	2.8	3.0	2.8	3.1	4.8	4.8
White	5.7	7.2	6.8	2.7	2.8	2.1	3.0	4.4	4.7
Colored	6.6	9.5	11.5	3.5	3.5	6.3	3.1	6.0	5.2
Birmingham	10.7	12.5	(4)	4.2	5.3	(4)	6.5	7.2	(4)
White	7.6	8.1	(4)	2.4	4.0	(4)	5.2	4.0	(4)
Colored	15.1	19.8	(4)	6.8	7.3	(4)	8.3	12.5	(4)
Boston	7.3	8.2	9.5	2.6	3.5	3.6	4.7	4.7	5.8
Bridgeport	*1.5*	4.8	7.2	*1.2*	*1.4*	2.4	*0.4*	3.4	4.8
Buffalo	7.8	9.3	7.1	3.1	3.1	2.3	4.7	6.2	4.8
Cambridge	4.1	6.5	7.4	*0.8*	2.8	2.1	3.2	3.6	5.3
Camden	8.1	5.9	(4)	3.6	3.3	(4)	4.6	2.6	(4)
Canton	10.1	13.3	8.7	6.3	6.4	2.9	3.8	6.9	5.8
Chattanooga	10.5	10.3	(4)	5.5	3.8	(4)	5.0	6.6	(4)
White	8.3	8.4	(4)	4.8	3.0	(4)	3.6	5.4	(4)
Colored	17.4	17.5	(4)	*7.7*	*6.6*	(4)	9.7	11.0	(4)
Chicago	5.2	4.9	(4)	1.8	1.8	(4)	3.4	3.1	(4)
Cincinnati	7.5	7.4	9.6	2.9	3.4	4.4	4.6	4.0	5.2
White	7.6	7.4	8.4	2.9	3.3	4.0	4.7	4.1	4.4
Colored	6.8	7.4	22.6	*2.7*	*4.2*	8.1	*4.1*	*3.2*	14.5
Cleveland	5.7	7.2	6.8	2.5	3.1	3.4	3.2	4.1	3.5
Columbus	12.1	10.1	10.0	3.8	5.0	3.6	8.3	5.0	6.4
White	11.4	9.7	10.6	3.6	5.0	3.5	7.8	4.8	7.1
Colored	17.2	12.5	4.4	*5.2*	*5.4*	4.4	12.0	*7.2*	----
Dayton	5.4	5.1	8.9	3.6	1.7	3.7	1.8	3.4	5.2
Denver	10.1	9.2	(4)	4.3	4.6	(4)	5.8	4.6	(4)
Des Moines	10.7	4.1	(3)	5.3	*1.4*	(3)	5.3	2.8	(3)
Detroit	6.9	6.2	9.4	2.5	2.9	3.6	4.4	3.2	5.9
Duluth	8.0	4.6	9.0	3.1	*1.7*	3.3	4.9	2.9	5.7
Elizabeth	4.5	5.1	(4)	*0.8*	3.2	(4)	3.7	2.0	(4)
Erie	7.8	8.4	8.9	3.2	2.9	3.1	4.6	5.5	5.8
Evansville	9.7	8.9	9.6	6.3	4.5	6.2	3.5	4.5	3.4
Fall River	3.3	2.4	7.4	*1.9*	*1.0*	1.7	*1.4*	*1.4*	5.7
Flint	10.4	5.8	8.3	5.2	1.7	3.1	5.2	4.1	5.2
Fort Wayne	5.0	4.4	11.8	3.3	2.5	4.5	*1.7*	*2.0*	7.3
Gary	4.7	9.1	10.8	*1.8*	3.3	4.8	3.0	5.7	6.0
White	4.2	8.5	(5)	*2.1*	3.4	(5)	*2.1*	5.1	(5)
Colored	*7.8*	*11.8*	(5)	----	*3.0*	(5)	*7.8*	*8.9*	(5)
Grand Rapids	3.4	6.9	8.0	*1.4*	2.3	2.2	2.1	4.6	5.8
Hartford	5.4	5.1	10.4	2.4	1.3	3.8	3.0	3.8	6.6
Indianapolis	7.0	9.7	9.6	2.7	4.9	5.3	4.4	4.9	4.4
White	7.1	9.9	8.7	2.7	4.8	4.6	4.4	5.0	4.1
Colored	6.3	8.7	17.2	*2.5*	*5.0*	10.6	*3.8*	*3.7*	6.6
Jacksonville, Fla	12.0	9.3	(4)	5.2	5.2	(4)	6.8	4.0	(4)
White	11.4	5.9	(4)	4.8	*1.8*	(4)	6.6	4.2	(4)
Colored	13.1	16.4	(4)	6.0	12.6	(4)	7.2	*3.8*	(4)
Jersey City	6.2	6.9	(4)	2.4	3.8	(4)	3.9	3.1	(4)
Kansas City, Kans	7.5	10.4	8.9	4.4	4.3	4.0	3.1	6.1	4.9
White	7.4	8.4	7.4	3.7	4.2	3.4	3.7	4.2	3.9
Colored	*8.6*	20.7	23.1	*8.6*	*5.2*	*9.3*	----	15.5	*15.9*
Kansas City, Mo	10.1	10.3	(4)	6.0	4.7	(4)	4.1	5.6	(4)
White	10.3	10.8	(4)	6.3	4.9	(4)	4.0	6.0	(4)
Colored	8.5	*5.3*	(4)	*3.4*	*3.5*	(4)	*5.1*	*1.8*	(4)
Knoxville	8.5	14.0	(4)	2.4	3.8	(4)	6.1	10.1	(4)
White	8.4	13.8	(4)	*2.1*	3.7	(4)	6.3	10.1	(4)
Colored	*9.0*	*15.0*	(4)	*4.5*	*5.0*	(4)	*4.5*	*10.0*	(4)

See footnotes at end of table.

Table AW—Continued — DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

See footnotes at end of table.

Table AW—Continued

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

AREA	All puerperal causes			Puerperal septicemia			Other puerperal causes		
	1932	1931	1920	1932	1931	1920	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued									
Long Beach	4.5	5.8	5.8	*1.5*	*1.6*	1.9	3.0	4.2	3.9
Los Angeles	6.8	9.2	8.1	3.1	3.8	3.3	3.7	5.4	4.8
White	6.3	9.2	7.6	3.0	3.7	3.0	3.3	5.6	4.6
Colored	8.3	9.0	12.8	3.5	4.0	6.0	4.8	5.0	6.8
Louisville	8.5	8.2	9.3	4.2	3.9	4.4	4.4	4.3	4.9
White	8.4	7.8	7.9	3.8	3.7	3.1	4.6	4.1	4.8
Colored	9.2	10.8	20.1	6.6	*5.4*	14.6	*2.6*	*5.4*	*5.5*
Lowell	7.8	6.6	8.2	3.1	*1.7*	1.6	4.7	5.0	6.7
Lynn	7.7	8.2	5.5	4.5	3.8	2.5	3.2	4.4	3.0
Memphis	13.3	10.8	(4)	4.8	7.2	(4)	8.5	3.6	(4)
White	11.1	9.2	(4)	3.6	7.9	(4)	7.5	*1.3*	(4)
Colored	16.6	13.6	(4)	6.6	5.9	(4)	10.0	7.7	(4)
Miami	8.5	8.8	(4)	3.4	4.4	(4)	5.1	4.4	(4)
White	7.0	9.1	(4)	*2.3*	4.6	(4)	4.7	4.6	(4)
Colored	12.4	*7.9*	(4)	*6.2*	*4.0*	(4)	*6.2*	*4.0*	(4)
Milwaukee	3.8	4.9	8.1	0.5	1.3	3.4	3.2	3.6	4.7
Minneapolis	6.1	5.6	8.1	2.7	3.0	3.7	3.4	2.6	4.4
Nashville	11.7	10.5	(4)	4.8	6.6	(4)	6.9	3.9	(4)
White	11.2	9.7	(4)	4.8	6.1	(4)	6.4	3.6	(4)
Colored	13.0	12.8	(4)	*4.7*	8.1	(4)	8.3	*4.7*	(4)
Newark, N.J	4.3	4.4	(4)	1.6	1.5	(4)	2.7	2.9	(4)
New Bedford	9.3	9.7	5.1	*2.3*	5.4	2.9	6.9	4.3	2.3
New Haven	4.5	5.5	5.2	1.6	2.7	2.6	2.9	2.7	2.6
New Orleans	10.7	12.2	(4)	5.1	5.5	(4)	5.6	6.6	(4)
White	8.9	9.8	(4)	3.8	3.7	(4)	5.2	6.1	(4)
Colored	13.8	16.7	(4)	7.5	9.1	(4)	6.3	7.6	(4)
New York	5.6	5.8	6.5	2.2	2.3	2.3	3.4	3.5	4.2
Bronx Borough	5.6	4.9	6.8	2.0	1.7	2.1	3.6	3.2	4.7
Brooklyn Borough	5.3	5.3	6.7	2.4	2.2	2.2	3.0	3.1	4.5
Manhattan Borough	6.5	7.4	6.1	2.4	3.0	2.5	4.2	4.3	3.6
White	5.8	6.4	5.7	2.0	2.4	2.2	3.8	4.0	3.5
Colored	11.7	14.3	12.4	4.7	7.5	7.5	7.0	6.8	4.9
Queens Borough	4.4	5.1	7.9	1.6	2.2	2.2	2.8	2.9	5.7
Richmond Borough	3.8	1.9	6.5	1.9	*0.4*	2.2	1.9	*1.5*	4.3
Norfolk	7.9	8.7	10.8	2.6	4.1	3.1	5.3	4.6	7.7
White	5.9	6.3	7.6	*1.3*	*1.4*	*1.6*	4.6	4.9	6.0
Colored	12.2	13.6	16.6	*5.4*	9.5	5.8	6.8	*4.1*	10 7
Oakland	4.8	5.7	6.8	1.8	2.1	1.4	3.0	3.6	5.3
Oklahoma City	12.7	9.4	(4)	6.7	4.6	(4)	6.1	4.9	(4)
Omaha	7.1	9.2	9.3	3.5	3.0	2.9	3.5	6.2	6.4
Paterson	6.4	8.0	(4)	2 1	3.5	(4)	4.3	4.5	(4)
Peoria	4.8	14.2	(4)	*1.8*	3.8	(4)	3.0	10.4	(4)
Philadelphia	6.6	6.8	7.6	2.2	2.8	2.7	4.4	4.1	4.9
White	6.1	6.6	7.4	2.0	2.6	2.7	4.1	4.0	4.7
Colored	9.5	8.2	11.1	3.5	3.6	3.2	6.0	4.6	7.9
Pittsburgh	8.7	8.6	12.0	4.1	4.3	5.9	4.7	4.3	6.1
Portland, Oreg	4.1	3.7	7.1	2.3	*1.0*	2.5	1.8	2.7	4.6
Providence	5.7	5.9	(4)	2.9	2.6	(4)	2.9	3.3	(4)
Reading	4.5	10.4	9.3	*0.6*	4.3	3.5	3.8	6.1	5.8
Richmond, Va	12.1	12.1	13.3	5.0	5.5	4 8	7.1	6.6	8.6
White	7.7	9.1	10.0	3.2	4.8	3.6	4.5	4.3	6.4
Colored	20.2	18.1	20.0	8.4	6.9	7.2	11.8	11.2	12.9
Rochester, N.Y	4.5	3.9	6.4	1.7	1.5	1.9	2.8	2.4	4.5
St. Louis	5.7	7.0	(4)	3.2	3.9	(4)	2.5	3.2	(4)
White	5.0	6.6	(4)	2.7	3.3	(4)	2.3	3.3	(4)
Colored	10.2	10.1	(4)	6.2	7.9	(4)	4.0	*2.2*	(4)
St. Paul	6.0	5.3	8.7	2.6	2.9	2.7	3.4	2.5	6.0
Salt Lake City	7.1	6.1	11.4	2.8	2.1	2.4	4.3	4.0	9.0
San Diego	4.6	5.4	6.0	*1.2*	2.9	2.4	3.5	2.5	3.6
San Francisco	4.5	5.1	9.3	1.9	3.3	3.0	2.7	1.8	6.3
Scranton	7.1	5.2	12.5	*1.4*	1.9	3.0	5.7	3.3	9.5
Seattle	5.1	6.3	9.2	1.0	2.5	3.6	4.1	3.8	5.7
Somerville	6.7	5.6	6.3	3.7	*2.1*	1.6	*3.0*	3.5	4.7
South Bend	7.9	4.6	7.2	3.3	2.9	3.9	4.6	*1.7*	3.3
Spokane	10.3	7.0	11.9	5.1	2.5	3.3	5.1	4.5	8.6
Springfield, Mass	4.9	7.1	4.4	1.9	3.1	1.8	3.0	4.1	2.6
Syracuse	7.6	6.0	9.3	2.9	2.5	1.7	4.7	3.5	7.6
Tacoma	4.0	8.2	9.9	2.8	*1.1*	1.8	*1.1*	7.1	8.1
Tampa	11.1	7.3	(4)	4.7	2.8	(4)	6.4	4.5	(4)
White	8.9	6.2	(4)	*2.2*	*2.8*	(4)	6.7	3.5	(4)
Colored	19.5	*12.1*	(4)	13.9	*3.0*	(4)	*5.6*	*0.1*	(4)
Toledo	5.7	8.5	10.5	2.7	4.5	4.9	3.0	3.9	5.6
Trenton	8.7	8.6	(4)	3.2	*1.6*	(4)	5.5	7.1	(4)
Tulsa	10.9	6.5	(3)	5.7	4.4	(3)	5.2	2.2	(3)
White	8.2	4.7	(3)	4.1	3.8	(3)	4.1	*1.0*	(3)
Colored	41.9	27.6	(3)	*24.0*	*11.0*	(3)	*18.0*	*16.6*	(3)
Utica	4.4	5.5	6.9	*0.5*	3.3	1.2	3.8	*2.2*	5.7
Washington, D.C	9.0	7.1	8.8	3.5	4.1	2.8	5.4	3.0	6.0
White	8.1	5.7	6.6	3.4	3.5	1.9	4.7	2.3	4.7
Colored	10.8	10.1	14.4	3.9	5.4	5.2	6.9	4.7	9.2
Wichita	11.0	9.8	10.7	3.1	4.4	6.5	7.9	5.4	4.2
Wilmington, Del	8.7	6.4	(4)	5.0	*1.4*	(4)	3.7	5.0	(4)
White	7.3	6.1	(4)	3.7	*1.5*	(4)	3.7	4.6	(4)
Colored	18.5	*8.8*	(4)	*14.8*	------	(4)	*3.7*	*8.8*	(4)
Worcester	6.1	5.8	10.6	1.7	2.2	2.7	4.4	3.6	7.9
Yonkers	3.6	5.9	6.3	*1.5*	*1.5*	*0.8*	*2.0*	4.4	5.4
Youngstown	11.7	10.0	9.4	4.6	3.2	5.6	7.1	6.8	3.8

[1] In continental United States; see table A, Birth Report.
[2] Including District of Columbia.
[3] Not in either birth or death registration area.
[4] Not in birth area.
[5] Death rates by color not available.

The rates for mothers under 20 years of age were considerably higher than the rates for mothers 20 to 29. A partial explanation, perhaps, is the comparatively large number of illegitimate children involved in the younger age group and the lack of care so common in such cases.

For each year from 1917 to 1932, the rates from puerperal causes were higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for mothers aged 40 years and over than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older. As would be expected the higher rates for older mothers were more marked in the deaths from "Other puerperal causes" than from puerperal septicemia.

Tables AX and AY throw considerable light on these questions and are well worth careful study.

Table AX DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS, IN THE BIRTH REGISTRATION AREA [1]

CAUSE OF DEATH, AND YEAR	All ages		10 to 19 years	20 to 29 years	30 to 39 years	40 years and over
	Adjusted rate [2]	Crude rate				
All puerperal causes:						
1932	6.4	6.3	6.0	4.8	8.5	13.4
1931	6.7	6.6	6.2	5.1	8.8	14.1
1930	6.8	6.7	6.9	5.1	8.8	14.3
1929	7.0	7.0	6.8	5.3	9.1	14.4
1928	6.9	6.9	7.2	5.3	8.7	14.7
1927	6.5	6.5	6.4	5.0	8.1	14.0
1926	6.5	6.6	6.4	5.0	8.3	13.6
1925	6.4	6.5	6.5	5.0	8.1	13.1
1924	6.5	6.6	6.9	5.0	8.3	13.5
1923	6.6	6.7	6.6	5.2	8.2	13.9
1922	6.6	6.6	6.8	5.2	8.3	13.3
1921	6.8	6.8	6.9	5.3	8.5	13.7
1920	8.0	8.0	7.7	6.4	9.9	14.8
1919	7.3	7.4	8.0	5.9	8.9	13.7
1918	9.1	9.2	9.4	7.9	10.7	14.1
1917	6.6	6.6	6.9	5.2	8.3	12.3
Puerperal septicemia:						
1932	2.4	2.3	2.3	2.0	2.9	3.4
1931	2.5	2.5	2.6	2.2	2.9	3.8
1930	2.4	2.4	2.6	2.1	2.8	3.8
1929	2.6	2.6	2.8	2.2	3.1	4.1
1928	2.5	2.5	2.7	2.1	2.9	3.9
1927	2.5	2.5	2.8	2.1	2.9	4.1
1926	2.4	2.4	2.6	2.1	2.8	3.6
1925	2.4	2.4	2.5	2.2	2.7	3.5

Table AX—Continued. DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS, IN THE BIRTH REGISTRATION AREA [1]

CAUSE OF DEATH, AND YEAR	All ages		10 to 19 years	20 to 29 years	30 to 39 years	40 years and over
	Adjusted rate [2]	Crude rate				
Puerperal septicemia—Contd.						
1924	2.4	2.4	2.7	2.0	2.9	3.9
1923	2.5	2.5	2.7	2.2	2.8	3.9
1922	2.4	2.4	2.4	2.1	2.7	3.8
1921	2.7	2.7	2.8	2.3	3.2	4.5
1920	2.7	2.7	2.8	2.3	3.1	4.2
1919	2.4	2.5	2.9	2.1	2.7	4.0
1918	2.6	2.5	2.8	2.2	3.0	3.7
1917	2.7	2.7	3.0	2.4	3.2	4.0
Other puerperal causes:						
1932	4.0	4.0	3.7	2.8	5.6	10.0
1931	4.2	4.1	3.5	2.9	5.8	10.3
1930	4.4	4.3	4.4	3.0	6.0	10.6
1929	4.4	4.3	4.0	3.1	6.0	10.3
1928	4.4	4.4	4.6	3.2	5.8	10.8
1927	4.0	4.0	3.7	2.9	5.3	9.9
1926	4.1	4.1	3.8	3.0	5.5	9.9
1925	4.0	4.0	4.0	2.9	5.3	9.5
1924	4.1	4.1	4.1	3.0	5.4	9.6
1923	4.1	4.1	3.9	3.0	5.4	9.9
1922	4.2	4.2	4.4	3.1	5.6	9.5
1921	4.1	4.1	4.1	3.0	5.4	9.2
1920	5.3	5.3	5.0	4.1	6.9	10.6
1919	4.9	4.9	5.1	3.8	6.2	9.7
1918	6.6	6.6	6.7	5.7	7.7	10.3
1917	3.9	3.9	4.0	2.8	5.1	8.3

[1] In continental United States; see table A, Birth Report.
[2] The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the mothers of the standard million live births of 1917. (See table AZ.) The rates for specified ages are based on deaths per 1,000 live births to mothers at corresponding ages.

Table AY DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH	All ages				Under 15 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	Adjusted rate [1]		Crude rate																	
	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931
The birth registration area [2]—																				
All puerperal causes	6.4	6.7	6.3	6.6	17.9	20.5	5.9	6.0	4.4	4.8	5.3	5.4	7.4	7.6	10.2	10.6	13.1	13.5	17.4	20.5
Puerperal septicemia	2.4	2.5	2.3	2.5	6.5	7.1	2.3	2.6	1.9	2.1	2.1	2.3	2.7	2.6	3.1	3.4	3.3	3.6	4.9	5.4
Other puerperal causes	4.0	4.2	4.0	4.1	11.4	13.4	3.6	3.5	2.4	2.7	3.2	3.1	4.7	5.0	7.1	7.2	9.8	9.8	12.5	15.0
Total whites: [3]																				
All puerperal causes	5.9	6.1	5.8	6.0	16.4	13.1	5.0	5.0	4.0	4.3	5.0	4.9	6.8	7.0	9.5	9.7	12.3	12.4	15.2	18.0
Puerperal septicemia	2.2	2.3	2.2	2.3	5.8	6.1	2.0	2.2	1.8	1.9	2.0	2.1	2.5	2.4	2.9	3.2	3.1	3.4	4.2	4.8
Other puerperal causes	3.7	3.8	3.6	3.7	10.6	7.0	2.9	2.8	2.1	2.4	3.0	2.8	4.3	4.6	6.6	6.6	9.1	9.0	11.0	13.2
United States—																				
All puerperal causes	5.9	6.2	5.8	6.0	16.6	13.3	4.9	5.0	4.0	4.4	5.1	5.0	6.9	7.1	9.5	9.9	12.5	13.1	16.1	17.6
Puerperal septicemia	2.2	2.3	2.2	2.3	5.9	6.2	2.0	2.2	1.8	1.9	2.1	2.1	2.5	2.5	2.9	3.3	3.4	3.7	4.9	4.4
Other puerperal causes	3.7	3.8	3.6	3.7	10.8	7.1	2.9	2.8	2.2	2.5	3.0	2.9	4.4	4.7	6.6	6.6	9.2	9.4	11.1	13.2
Total foreign—																				
All puerperal causes	5.1	5.4	6.0	6.1	------	(4)	3.5	4.7	3.2	3.8	4.1	4.4	6.1	6.0	9.5	9.1	11.1	9.8	12.6	18.1
Puerperal septicemia	1.7	2.1	1.9	2.2	------	(4)	*0.9*	2.4	1.3	1.7	1.3	2.0	2.5	2.1	2.6	2.7	2.3	2.6	*2.0*	5.4
Other puerperal causes	3.4	3.3	4.1	3.9	------	(4)	2.6	2.3	2.0	2.1	2.8	2.4	3.6	3.9	6.9	6.4	8.8	7.2	10.6	12.7
Austria, Hungary—																				
All puerperal causes	5.7	4.9	7.9	5.5	------	------	*6.7*	*3.4*	*2.1*	5.5	3.3	3.4	8.1	4.7	12.9	8.6	12.8	4.2	*11.7*	*15.3*
Puerperal septicemia	1.9	2.1	2.4	2.1	------	------	------	*3.4*	*1.6*	2.5	1.5	1.4	2.9	1.4	4.0	2.7	*1.3*	*2.4*	------	*5.1*
Other puerperal causes	3.7	2.8	5.4	3.4	------	------	*6.7*	(4)	*0.5*	3.0	1.8	1.9	5.2	3.3	8.9	5.9	11.4	*1.8*	*11.7*	*10.2*
Canada—																				
All puerperal causes	4.9	5.2	5.2	5.3	------	(4)	3.4	5.9	1.9	4.6	4.4	3.4	6.7	5.0	8.9	9.5	12.6	10.2	*18.7*	*9.4*
Puerperal septicemia	1.4	1.9	1.5	1.9	------	(4)	*0.7*	*2.4*	*0.7*	2.0	1.5	1.5	2.6	1.6	*1.4*	3.0	*1.9*	*0.9*	------	(4)
Other puerperal causes	3.5	3.3	3.7	3.4	------	(4)	*2.7*	3.5	1.2	2.5	2.9	1.8	4.0	3.4	7.5	6.4	10.7	9.2	*18.7*	*9.4*
Denmark, Norway, and Sweden—																				
All puerperal causes	4.1	7.0	5.0	7.0	------	------	------	*20.8*	*3.3*	*2.8*	4.2	4.9	4.8	7.2	6.3	12.8	8.4	6.0	------	(4)
Puerperal septicemia	1.6	3.3	1.6	2.2	------	------	------	*20.8*	*2.2*	*0.9*	*2.1*	*1.8*	*0.5*	*1.4*	*1.6*	4.7	*2.8*	(4)	------	(4)
Other puerperal causes	2.5	3.7	3.4	4.8	------	------	------	(4)	*1.1*	*1.9*	*2.1*	3.1	4.3	5.8	4.7	8.1	*5.6*	6.0	------	(4)
England, Scotland, and Wales—																				
All puerperal causes	5.5	4.5	6.1	5.6	------	------	*3.6*	(4)	3.7	*1.4*	3.7	4.6	7.1	8.4	9.3	7.7	15.0	9.6	*16.1*	(4)
Puerperal septicemia	1.5	1.9	1.8	2.2	------	------	------	(4)	*1.2*	*1.1*	1.2	2.3	2.5	2.8	*1.9*	*1.8*	*4.1*	*5.5*	------	(4)
Other puerperal causes	3.9	2.6	4.4	3.4	------	------	*3.6*	(4)	2.5	*0.3*	2.5	2.3	4.6	5.6	7.3	5.9	10.9	*4.1*	*16.1*	(4)
Ireland—																				
All puerperal causes	6.2	6.1	7.1	6.8	------	------	------	*6.7*	5.7	2.8	4.9	6.0	8.4	8.4	7.5	9.2	16.7	6.6	*20.4*	*29.9*
Puerperal septicemia	1.9	2.5	2.3	2.9	------	------	------	(4)	*1.3*	*1.6*	1.2	3.3	4.7	3.8	1.9	2.7	*2.4*	*1.1*	------	(4)
Other puerperal causes	4.3	3.6	4.8	4.0	------	------	------	*6.7*	4.4	*1.2*	3.6	2.7	3.7	4.6	5.6	6.4	14.3	5.5	*20.4*	*29.9*
Germany—																				
All puerperal causes	5.4	5.2	5.6	5.7	------	------	*4.3*	(4)	4.5	3.7	5.0	4.3	5.5	5.5	7.1	12.5	11.1	10.1	*13.5*	(4)
Puerperal septicemia	2.3	2.3	2.4	2.5	------	------	------	(4)	2.8	1.7	1.7	2.8	3.3	3.3	3.2	3.1	*1.6*	*1.3*	------	(4)
Other puerperal causes	3.1	2.9	3.2	3.1	------	------	*4.3*	(4)	*1.6*	2.0	3.3	1.5	2.3	2.3	3.9	9.4	9.5	8.8	*13.5*	(4)
Italy—																				
All puerperal causes	4.0	5.1	5.1	6.1	------	(4)	*4.1*	4.6	2.3	3.8	3.2	4.0	3.7	5.2	8.4	8.5	10.4	12.3	13.1	16.6
Puerperal septicemia	1.1	1.9	1.4	2.0	------	(4)	*1.0*	1.5	*0.6*	1.7	1.0	1.9	1.4	1.7	2.4	2.3	1.9	3.1	*2.6*	*4.8*
Other puerperal causes	2.9	3.3	3.7	4.1	------	(4)	*3.1*	*3.0*	1.7	2.2	2.3	2.1	2.4	3.5	6.1	6.2	8.5	9.3	*10.5*	*11.9*

See footnotes at end of table.

Table AY—Continued

DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS

[Rates in *italics* are based on less than 5 deaths]

CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH	All ages				Under 15 years		15 to 19 years		20 to 24 years		25 to 29 years		30 to 34 years		35 to 39 years		40 to 44 years		45 years and over	
	Adjusted rate [1]		Crude rate																	
	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931
Total whites—Continued																				
Total foreign—Continued																				
Poland—																				
All puerperal causes	5.3	5.2	6.9	7.1	------	------	*4.7*	*5.4*	3.0	2.2	4.1	4.3	7.4	6.8	10.8	9.8	5.3	9.5	*18.9*	27.0
Puerperal septicemia	1.2	2.0	1.6	2.3	------	------	------	*2.7*	*0.9*	*1.5*	*0.3*	1.8	2.5	2.1	2.6	2.6	*1.0*	3.2	*4.7*	*9.0*
Other puerperal causes	4.2	3.2	5.3	4.8	------	------	*4.7*	*2.7*	2.1	*0.7*	3.8	2.5	4.9	4.7	8.2	7.1	4.3	6.4	*14.2*	*18.0*
Russia—																				
All puerperal causes	4.4	4.7	4.9	4.8	------	------	------	*4.2*	4.6	5.0	2.0	3.4	5.4	4.0	8.5	6.2	12.5	10.8	------	*25.6*
Puerperal septicemia	1.9	1.5	1.9	1.3	------	------	------	*4.2*	2.5	*1.2*	1.0	1.0	2.9	1.6	1.8	*0.7*	*2.3*	*2.9*	------	*8.5*
Other puerperal causes	2.5	3.2	2.9	3.5	------	------	------	(4)	2.1	3.8	1.0	2.4	2.5	2.4	6.6	5.6	10.2	7.8	------	*17.1*
Other foreign countries—																				
All puerperal causes	5.9	6.0	6.9	6.8	------	(4)	*3.1*	4.4	3.6	3.8	5.5	5.6	6.8	6.9	11.1	9.7	12.8	11.6	*11.4*	29.5
Puerperal septicemia	2.2	2.4	2.5	2.6	------	(4)	*2.1*	*2.9*	1.2	1.6	1.8	2.4	2.8	2.2	3.5	4.0	4.7	3.1	*3.8*	*11.1*
Other puerperal causes	3.8	3.6	4.5	4.2	------	(4)	*1.0*	*1.5*	2.3	2.2	3.7	3.2	4.0	4.7	7.6	5.7	8.1	8.5	*7.6*	18.5
Total colored:																				
All puerperal causes	10.2	11.3	9.8	10.8	19.0	26.6	9.1	9.8	7.1	7.8	8.0	9.4	12.8	13.0	15.5	17.9	20.2	23.8	29.5	34.7
Puerperal septicemia	3.5	4.0	3.4	4.0	7.0	7.9	3.2	4.0	2.7	3.1	2.8	3.7	4.7	4.4	5.1	5.8	4.4	5.6	8.7	9.1
Other puerperal causes	6.7	7.3	6.3	6.8	12.0	18.7	5.9	5.8	4.3	4.7	5.3	5.6	8.1	8.6	10.4	12.1	15.8	18.2	20.9	25.5

[1] The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the mothers of the standard million live births of 1917. (See table AZ.) Unknown age is distributed in each nationality; for numbers, see Birth Report. The rates for specified ages are based on deaths per 1,000 live births to mothers at corresponding ages.
[2] In continental United States, see table A, Birth Report.
[3] Includes data for country not stated; see Birth Report.
[4] Births reported, but no deaths.

Table AZ shows the distribution in the birth registration area of 1917 of live births, by age of mother according to the standard million on which the adjusted rates are based.

Table BB shows death rates from puerperal causes per 1,000 live births for several foreign countries and for the United States (birth registration area of 1915).

The classification of deaths from puerperal causes differs greatly in different countries. Higher rates in one country than in another therefore do not necessarily mean higher mortality from these causes. However, as classification in a given country presumably differs but little from year to year, the rates serve as useful measures of mortality from these causes within the country itself.

Comparing the rates for puerperal septicemia in 1932 with those in 1915 for the United States birth registration area of 1915, a decrease of 8.3 percent is apparent, and for foreign countries percentage decreases are shown for the following: Japan [1] (53.3), Spain [1] (25.8), Ireland (22.2), and Switzerland (30.4). Countries with high percentage increases are Chile (107.1), New Zealand (100), Uruguay [2] (92.3), and Jamaica (75).

Analyzing other puerperal causes in the same way it is found that three countries, Australia, Netherlands, and Sweden [1] had rate increases, while all the other countries had decreases, except the United States, which had the same rate in 1932 that it had in 1915.

Table AZ

AGE OF MOTHER	Distribution per 1,000,000 live births in the birth registration area of 1917 [1]
All ages	1,000,000
10 to 14 years	542
15 to 19 years	83,085
20 to 24 years	293,050
25 to 29 years	276,767
30 to 34 years	186,666
35 to 39 years	116,152
40 to 44 years	39,684
45 years and over	4,054

[1] See table A, Birth Report.

[1] The comparison is between 1915 and 1931.
[2] The comparison is between 1915 and 1930.

Table BB

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

COUNTRY AND YEAR	All puerperal causes	Puerperal septicemia	Other puerperal causes
United States (birth registration area of 1915): [1]			
1932	5.9	2.2	3.7
1931	6.1	2.4	3.7
1930	5.9	2.2	3.7
1929	6.1	2.3	3.8
1928	6.1	2.2	3.9
1927	6.2	2.5	3.8
1926	6.2	2.4	3.8
1925	6.2	2.4	3.8
1924	6.2	2.4	3.9
1923	6.4	2.4	3.9
1922	6.2	2.2	4.0
1921	6.5	2.6	3.9
1920	7.6	2.6	5.1
1919	6.8	2.3	4.5
1918	8.9	2.3	6.6
1917	6.3	2.6	3.7
1916	6.2	2.5	3.7
1915	6.1	2.4	3.7
England and Wales:			
1932	4.2	1.6	2.6
1931	4.1	1.7	2.5
1930	4.4	1.9	2.5
1929	4.3	1.8	2.5
1928	4.4	1.8	2.6
1927	4.1	1.6	2.5
1926	4.1	1.6	2.5
1925	4.1	1.6	2.5
1924	3.9	1.4	2.5
1923	3.8	1.3	2.5
1922	3.8	1.4	2.4
1921	3.9	1.4	2.5
1920	4.3	1.8	2.5
1919	4.4	1.7	2.7
1918	3.8	1.3	2.5
1917	3.9	1.3	2.6
1916	4.1	1.4	2.7
1915	4.2	1.5	2.7
Australia:			
1932	5.6	1.4	4.2
1931	5.5	1.5	4.0
1930	5.3	1.9	3.4
1929	5.1	1.7	3.4
1928	6.0	2.1	3.9
1927	5.9	2.2	3.8
1926	5.3	1.6	3.7
1925	5.6	1.7	3.9
1924	5.5	2.0	3.5

Table BB—Con.

DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

COUNTRY AND YEAR	All puerperal causes	Puerperal septicemia	Other puerperal causes
Australia—Con.			
1923	5.1	1.7	3.4
1922	4.5	1.4	3.1
1921	4.7	1.5	3.2
1920	5.0	1.8	3.2
1919	4.7	1.4	3.3
1918	4.7	1.5	3.3
1917	5.6	1.9	3.7
1916	5.3	2.1	3.1
1915	4.3	1.3	2.9
Chile:			
1932	7.1	2.9	4.2
1931	(3)	(3)	(3)
1930	6.8	2.8	4.0
1929	7.8	3.4	4.4
1928	5.9	2.1	3.8
1927	5.8	2.0	3.8
1926	5.8	1.6	4.3
1925	6.1	1.5	4.6
1924	6.1	1.3	4.7
1923	7.4	1.9	5.5
1922	8.0	2.2	5.8
1921	7.9	2.4	5.5
1920	7.5	2.1	5.4
1919	8.8	2.1	6.7
1918	8.2	2.0	6.2
1917	7.2	2.1	5.2
1916	7.3	1.6	5.7
1915	6.6	1.4	5.3
Ireland:			
1932 [2]	4.6	1.4	3.2
1931 [2]	4.3	1.2	3.2
1930 [2]	4.8	1.4	3.4
1929 [2]	4.1	1.4	2.7
1928 [2]	4.9	1.7	3.2
1927 [2]	4.5	1.3	3.2
1926 [2]	4.9	1.9	3.0
1925 [2]	4.7	1.7	3.0
1924 [2]	4.8	1.6	3.2
1923 [2]	4.8	1.9	2.9
1922 [2]	5.7	2.0	3.7
1921	5.0	1.7	3.3
1920	5.5	2.3	3.3
1919	4.7	1.5	3.2
1918	4.8	1.6	3.2
1917	4.9	1.5	3.4
1916	5.5	1.9	3.7
1915	5.4	1.8	3.6
Jamaica:			
1932	5.5	1.4	4.1
1931	5.3	1.2	4.1
1930	5.3	0.9	4.4

See footnotes at end of table.

Table BB—Con. DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

COUNTRY AND YEAR	All puerperal causes	Puerperal septicemia	Other puerperal causes
Jamaica—Con.			
1929	4.9	0.8	4.1
1928	5.2	0.9	4.3
1927	4.6	0.9	3.7
1926	4.4	1.0	3.4
1925	4.8	1.2	3.5
1924	5.4	1.3	4.1
1923	5.1	0.9	4.2
1922	4.8	0.9	3.9
1921	5.9	1.1	4.8
1920	4.7	1.3	3.5
1919	5.0	1.0	4.0
1918	4.8	1.2	3.7
1917	5.4	1.0	4.4
1916	5.2	0.9	4.3
1915	5.1	0.8	4.3
Japan:			
1931	2.7	0.7	2.0
1930	2.7	0.8	1.9
1929	2.8	0.8	2.0
1928	2.8	0.9	1.9
1927	2.8	0.9	1.9
1926	2.7	1.0	1.8
1925	3.0	1.0	2.0
1924	3.1	1.3	1.9
1923	3.4	1.3	2.1
1922	3.3	1.2	2.2
1921	3.6	1.3	2.3
1920	3.5	1.3	2.2
1919	3.3	1.2	2.1
1918	3.8	1.4	2.4
1917	3.5	1.4	2.1
1916	3.5	1.4	2.1
1915	3.6	1.5	2.1
Netherlands:			
1932	3.0	0.9	2.1
1931	3.2	1.0	2.2
1930	3.3	1.1	2.2
1929	3.4	1.3	2.0
1928	3.4	0.9	2.4
1927	2.9	0.9	2.0
1926	2.9	0.9	1.9
1925	2.6	0.9	1.8
1924	2.4	0.7	1.7
1923	2.3	0.6	1.7
1922	2.5	0.7	1.8
1921	2.3	0.7	1.6
1920	2.4	0.8	1.6
1919	3.4	1.2	2.1
1918	3.0	1.0	2.0
1917	2.5	0.8	1.7
1916	2.6	1.0	1.6
1915	2.5	0.8	1.7
New Zealand:			
1932	4.1	1.6	2.5
1931	4.8	1.8	3.0
1930	5.1	2.1	2.9
1929	4.8	1.8	3.0
1928	4.9	2.1	2.9
1927	4.9	2.5	2.4
1926	4.2	1.4	2.9
1925	4.7	1.5	3.2
1924	5.0	1.9	3.1
1923	5.1	1.9	3.3
1922	5.1	1.8	3.3
1921	5.1	1.7	3.4
1920	6.5	2.2	4.2
1919	5.1	2.1	2.9
1918	5.2	1.9	3.3
1917	6.0	2.1	3.9
1916	5.9	2.1	3.8
1915	4.7	0.8	3.9
Norway:			
1931	2.7	1.1	1.6
1930	3.0	1.4	1.6
1929	3.6	1.9	1.7
1928	3.0	1.6	1.4
1927	2.5	1.0	1.4
1926	3.2	1.0	2.2
1925	2.7	0.8	1.9
1924	2.9	0.6	2.3
1923	2.8	0.8	2.0
1922	2.5	0.7	1.8
1921	2.2	0.8	1.5
1920	2.6	0.8	1.8
1919	3.4	1.3	2.1
1918	2.4	0.8	1.6
1917	3.0	1.3	1.7
1916	2.8	1.0	1.8
1915	2.7	0.9	1.7

Table BB—Con. DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS

COUNTRY AND YEAR	All puerperal causes	Puerperal septicemia	Other puerperal causes
Scotland:			
1932	6.3	2.7	3.7
1931	5.9	2.3	3.7
1930	6.9	2.3	4.6
1929	6.9	2.4	4.5
1928	7.0	2.4	4.6
1927	6.4	1.9	4.5
1926	6.4	1.7	4.7
1925	6.2	1.6	4.5
1924	5.8	1.7	4.1
1923	6.4	1.9	4.5
1922	6.6	2.0	4.6
1921	6.4	2.0	4.4
1920	6.2	1.8	4.4
1919	6.2	1.4	4.8
1918	7.0	1.2	5.8
1917	5.9	1.7	4.2
1916	5.7	1.7	4.0
1915	6.1	1.9	4.2
Spain:			
1931	3.8	2.3	1.5
1930	3.6	2.1	1.5
1929	3.6	2.1	1.5
1928	4.0	2.3	1.7
1927	3.9	2.2	1.6
1926	3.8	2.1	1.6
1925	4.0	2.4	1.6
1924	4.4	2.7	1.7
1923	4.6	2.8	1.8
1922	4.9	3.2	1.8
1921	5.1	3.2	1.9
1920	5.0	3.1	1.9
1919	5.3	3.3	2.0
1918	6.4	4.1	2.3
1917	5.0	3.1	1.9
1916	5.1	3.1	2.1
1915	5.2	3.1	2.1
Sweden:			
1931	3.7	1.8	1.9
1930	3.5	1.9	1.6
1929	3.8	2.1	1.7
1928	3.3	1.8	1.5
1927	2.8	1.3	1.5
1926	2.9	1.6	1.3
1925	2.6	1.2	1.4
1924	2.4	0.9	1.5
1923	2.3	1.2	1.2
1922	2.5	1.1	1.4
1921	2.7	1.3	1.4
1920	2.7	1.3	1.4
1919	3.2	1.6	1.6
1918	2.6	1.3	1.3
1917	2.5	1.1	1.3
1916	2.7	1.2	1.4
1915	2.9	1.2	1.7
Switzerland:			
1932	4.4	1.6	2.8
1931	4.4	1.7	2.7
1930	4.3	1.9	2.4
1929	4.6	1.9	2.7
1928	4.4	1.8	2.6
1927	3.7	1.7	2.1
1926	4.4	2.0	2.4
1925	4.3	2.0	2.3
1924	4.8	1.6	3.1
1923	4.6	2.2	2.4
1922	5.1	2.5	2.6
1921	5.5	3.1	2.4
1920	5.6	2.9	2.7
1919	5.7	2.7	3.0
1918	5.1	2.9	2.3
1917	5.6	2.8	2.7
1916	5.4	2.4	3.0
1915	5.5	2.3	3.2
Uruguay:			
1930	3.1	2.5	0.6
1929	2.4	2.0	0.4
1928	2.4	1.5	0.9
1927	2.2	1.3	0.9
1926	3.0	1.9	1.0
1925	2.5	1.5	1.0
1924	2.5	1.6	0.9
1923	2.7	1.7	1.0
1922	2.7	1.6	1.1
1921	3.3	1.9	1.3
1920	3.4	2.1	1.3
1919	2.3	1.5	0.8
1918	3.0	1.8	1.2
1917	3.2	1.6	1.5
1916	2.9	1.9	1.0
1915	2.2	1.3	0.9

[1] Exclusive of Rhode Island; see table A, Birth Report.
[2] Rates are for the Irish Free State.
[3] Rates not available.

NOTE.—The data are from annual reports on vital statistics of the various countries.

Table BC shows rates per 100,000 estimated population for States and large cities.

Table BC

AREA	DEATH RATE PER 100,000 ESTIMATED TOTAL POPULATION FROM— Puerperal septicemia			Other puerperal causes		
	1932	1931	1920	1932	1931	1920
Alabama	5.9	6.4	(1)	12.0	12.7	(1)
White	4.1	5.9	(1)	10.2	10.3	(1)
Colored	9.1	7.5	(1)	15.1	16.9	(1)
Arizona	5.8	7.7	(1)	9.6	9.7	(1)
Arkansas	5.0	5.9	(1)	8.2	9.8	(1)
White	5.0	5.6	(1)	7.4	8.7	(1)
Colored	5.0	6.9	(1)	10.6	13.1	(1)
California	2.9	3.4	5.0	4.5	5.2	9.6
White	2.6	3.0	(2)	3.8	4.6	(2)
Colored	4.7	6.6	(2)	10.2	10.7	(2)
Colorado	5.7	5.1	8.4	6.8	7.4	14.1
Connecticut	2.8	2.1	5.5	4.2	4.7	11.2
Delaware	5.4	2.9	8.0	9.2	9.6	12.5
Florida	6.0	6.2	6.8	12.2	12.5	18.1
White	5.0	4.0	4.6	9.4	10.2	16.4
Colored	8.3	11.4	11.3	19.1	18.0	21.5
Georgia	6.4	6.4	(1)	13.8	14.7	(1)
White	4.3	5.2	(1)	11.2	11.9	(1)
Colored	10.0	8.4	(1)	18.5	19.5	(1)
Idaho	3.1	3.6	(1)	7.2	6.7	(1)
Illinois	3.0	3.3	6.5	5.0	5.3	10.9
Indiana	4.1	4.5	8.8	5.1	5.9	10.4
Iowa	3.2	3.9	(1)	5.6	4.5	(1)
Kansas	4.7	4.6	7.7	5.6	6.2	11.1
Kentucky	4.6	5.4	7.2	8.3	8.5	9.5
White	4.4	5.2	6.7	7.9	8.2	9.3
Colored	6.7	8.0	12.3	12.9	11.5	10.6
Louisiana	6.6	6.7	7.4	9.8	10.8	17.0
White	4.9	4.7	5.5	8.5	9.6	14.4
Colored	9.5	10.0	10.5	12.0	12.9	21.1
Maine	5.0	4.6	3.5	7.9	11.5	15.6
Maryland	4.1	4.1	6.0	4.8	6.7	12.8
White	3.4	3.4	4.4	4.3	5.7	11.6
Colored	7.1	7.2	13.8	7.5	11.5	18.7
Massachusetts	3.1	3.9	5.7	6.5	6.6	12.0
Michigan	3.7	4.5	8.4	6.7	6.6	14.8
Minnesota	3.1	3.8	6.7	5.5	5.0	11.6
Mississippi	5.1	5.6	9.2	9.2	12.2	17.4
White	3.4	4.1	4.6	7.5	9.9	15.5
Colored	6.8	7.1	13.3	10.9	14.5	19.2
Missouri	5.4	5.8	7.1	5.7	6.4	6.9
Montana	4.1	5.8	7.7	7.1	7.3	11.3
Nebraska	4.2	3.7	5.8	5.3	6.8	11.2
Nevada	4.3	6.5	(1)	4.3	6.5	(1)
New Hampshire	1.9	3.4	2.9	7.9	7.9	13.1
New Jersey	3.3	3.6	6.0	5.2	5.3	10.0
New Mexico	11.1	10.3	(1)	15.1	10.5	(1)
New York	3.5	3.6	5.1	5.6	5.9	10.4
North Carolina	3.9	5.0	6.6	12.5	13.5	24.8
White	2.8	3.4	5.4	10.0	11.1	21.8
Colored	6.5	8.9	9.6	18.4	19.2	31.5
North Dakota	2.8	3.7	(1)	6.3	6.6	(1)
Ohio	3.8	4.7	7.3	5.7	5.8	9.6
Oklahoma	5.7	5.0	(1)	6.5	6.1	(1)
White	5.3	4.4	(1)	6.2	5.5	(1)
Colored	8.2	9.4	(1)	8.2	10.8	(1)
Oregon	3.2	2.0	6.3	3.0	4.2	11.5
Pennsylvania	4.3	4.9	6.9	6.2	7.0	12.6
Rhode Island	3.3	3.3	5.6	6.3	5.6	14.1
South Carolina	5.4	5.6	7.9	17.0	17.6	26.7
White	4.9	3.5	5.3	12.1	11.8	20.7
Colored	6.0	8.1	10.3	22.9	24.6	32.5
South Dakota	1.9	4.0	(1)	5.1	4.9	(1)
Tennessee	4.6	6.3	7.6	9.7	8.5	12.8
White	3.9	5.5	5.9	9.1	7.5	11.4
Colored	8.1	9.8	14.6	12.3	12.7	18.5
Utah	3.5	3.3	6.2	6.6	6.6	18.6
Vermont	3.6	5.3	4.0	8.3	8.9	10.8
Virginia	5.3	5.2	6.4	10.6	11.0	18.1
White	4.0	3.9	5.3	7.8	8.5	15.7
Colored	9.0	8.8	9.1	18.1	17.9	24.0
Washington	3.3	3.1	4.5	4.8	5.8	13.7
West Virginia	5.3	5.5	(1)	7.3	7.5	(1)
Wisconsin	2.7	3.2	4.6	5.2	5.0	10.3
Wyoming	4.4	5.7	(1)	7.9	11.0	(1)
CITIES OF 100,000 POPULATION OR MORE IN 1930						
Akron	4.9	6.8	18.1	4.5	6.5	14.3
Albany	3.1	2.3	0.9	3.9	9.3	5.3
Atlanta	8.7	8.6	15.7	9.4	9.4	22.1
White	3.8	4.9	14.4	10.8	8.1	21.5
Colored	18.3	16.1	18.7	6.5	11.8	23.4

See footnotes at end of table.

Table BC—Continued

AREA	Puerperal septicemia			Other puerperal causes		
	1932	1931	1920	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued						
Baltimore	4.9	5.2	6.9	5.3	8.4	12.1
White	4.4	4.7	5.3	5.0	7.4	11.8
Colored	7.5	7.5	16.3	6.8	12.9	13.6
Birmingham	7.8	10.0	9.9	11.9	13.7	26.3
White	4.2	7.8	9.9	9.0	7.8	26.1
Colored	13.6	13.6	9.8	16.6	23.4	26.5
Boston	5.7	7.6	9.5	10.3	10.3	15.2
Bridgeport	2.0	2.7	7.0	0.7	6.8	13.9
Buffalo	5.5	5.8	5.9	8.4	11.5	12.5
Cambridge	1.8	6.1	5.5	7.0	7.9	13.7
Camden	9 2	8.4	9.4	11.8	6.7	18.9
Canton	9.4	11.2	6.8	5.6	12.2	13.7
Chattanooga	9.8	6.5	13.7	9.0	11.5	23.9
White	9.0	5.6	10.1	6.8	10.2	22.8
Colored	11.9	8.9	21.1	14.8	14.9	26.3
Chicago	2.6	2.8	6.5	4.9	4.7	9.4
Cincinnati	4.8	6.1	8.4	7.7	7.2	10.2
White	4.9	5.9	7.8	7.9	7.4	8.6
Colored	4.0	8.0	16.1	6.0	6.0	29.0
Cleveland	4.2	5.5	8.1	5.3	7.2	8.4
Columbus	6.1	8.1	7.1	13.2	8.1	12.6
White	5.7	8.0	6.9	12.2	7.7	13.9
Colored	8.7	8.7	8.8	20.4	11.7	-------
Dallas	7.0	7.7	6.1	4.4	9.5	14.7
White	5.7	5.7	5.8	3.5	7.5	12.3
Colored	12.8	17.0	8.1	8.5	19.1	28.3
Dayton	5.8	2.9	7.8	2.9	5.9	11.1
Denver	7.2	7.9	9.7	9.6	7.9	12.4
Des Moines	9.7	2.8	(1)	9.7	5.5	(1)
Detroit	4.0	5.1	9.7	7.0	5.6	16.0
Duluth	4.9	2.9	8.1	7.9	4.9	14.1
Elizabeth	1.7	6.8	9.3	7.7	4.3	3.1
El Paso	7.6	9.5	17.8	11.5	7.6	7.6
White	4.8	9.5	(2)	9.5	2.4	(2)
Colored	9.6	9.5	(2)	12.8	11.1	(2)
Erie	6.0	5.9	7.8	8.5	11.0	14.6
Evansville	8.6	6.7	10.5	4.8	6.7	5.8
Fall River	3.5	1.7	5.0	2.6	2.6	16.6
Flint	10.4	3.7	9.0	10.4	9.1	15.1
Fort Wayne	5.1	4.2	9.1	2.5	3.4	14.8
Fort Worth	5.4	7.8	(1)	4.8	5.4	(1)
White	5.0	9.2	(1)	5.0	3.5	(1)
Colored	7.5	-------	(1)	3.8	15.1	(1)
Gary	2.8	6.6	13.9	4.7	11.3	17.4
White	3.6	7.3	(2)	3.6	10.9	(2)
Colored	-------	4.3	(2)	8.5	12.8	(2)
Grand Rapids	2.3	4.1	5.0	3.5	8.2	13.0
Hartford	5.4	3.0	11.5	6.6	9.0	20.1
Houston	4.2	10.3	7.6	8.4	7.4	16.6
White	3.1	7.0	8.2	8.3	5.3	16.5
Colored	7.3	19.5	5.7	8.5	13.4	17.1
Indianapolis	4.3	8.7	11.4	7.0	8.7	9.5
White	4.3	8.6	10.0	7.1	8.9	8.9
Colored	4.4	8.8	22.7	6.6	6.6	14.2
Jacksonville, Fla	9.4	9.9	9.7	12.3	7.6	22.7
White	9.0	3.6	5.9	12.3	8.4	9.8
Colored	10.3	20.8	14.5	12.4	6.2	38.5
Jersey City	5.0	6.9	8.0	8.2	5.6	14.0
Kansas City, Kans	8.1	8.1	8.9	5.7	11.4	10.8
White	7.0	8.0	8.1	7.0	8.0	9.2
Colored	12.9	8.6	13.6	-------	25.9	20.4
Kansas City, Mo	8.6	7.1	10.4	5.9	8.3	6.7
White	9.0	7.4	8.8	5.7	9.0	6.4
Colored	4.6	4.6	25.6	7.0	2.3	9.4
Knoxville	4.6	7.3	13.9	11.9	19.2	8.8
White	4.4	7.7	11.8	13.1	20.8	7.4
Colored	5.6	5.6	25.9	5.6	11.2	17.3
Long Beach	2.0	2.0	3.4	3.9	5.2	6.8
Los Angeles	3.9	5.0	6.3	4.7	7.2	9.2
White	3.3	4.3	5.4	3.8	6.5	8.3
Colored	7.9	9.6	22.2	10.7	11.8	25.4
Louisville	7.0	6.8	8.8	7.3	7.5	9.6
White	6.4	6.5	6.5	7.9	7.3	10.1
Colored	10.4	8.4	19.7	4.1	8.4	7.4
Lowell	6.0	3.0	4.5	9.0	9.0	18.7
Lynn	6.8	5.8	5.0	4.9	6.8	6.0
Memphis	8.5	13.1	12.8	15.1	6.6	25.0
White	6.3	15.0	4.9	13.1	2.5	21.5
Colored	12.1	10.1	25.8	18.2	13.1	30.7
Miami	5.6	7.1	3.1	8.4	7.1	15.6
White	3.6	6.9	4.4	7.2	6.9	8.9
Colored	12.4	7.9	-------	12.4	7.9	31.2
Milwaukee	0.8	2.4	7.8	5.0	6.2	10.6
Minneapolis	4.4	5.1	8.8	5.7	4.4	10.4
Nashville	10.3	14.1	12.6	14.8	8.4	16.0
White	10.7	13.3	10.8	14.2	8.0	16.8
Colored	9.3	16.3	16.8	16.3	9.3	14.0
Newark, N.J	3.1	3.1	8.9	5.4	6.3	10.6
New Bedford	3.6	8.9	8.3	10.7	7.1	6.6
New Haven	3.1	5.5	6.8	5.5	5.5	6.8
New Orleans	10.1	10.9	12.3	10.9	13.0	16.1
White	6.6	6.6	6.6	9.0	11.1	14.2
Colored	18.6	21.5	28.2	15.6	17.8	21.4

See footnotes at end of table.

Table BC—Continued

AREA	Puerperal septicemia			Other puerperal causes		
	1932	1931	1920	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued						
New York	3.4	3.8	5.4	5.3	5.6	9.8
Bronx Borough	2.5	2.3	4.0	4.5	4.3	9.0
Brooklyn Borough	4.0	3.8	5.2	5.0	5.5	10.7
Manhattan Borough	4.5	6.1	6.3	7.9	8.6	9.1
White	4.0	4.9	5.6	7.3	8.0	8.9
Colored	8.0	13.2	19.0	12.0	12.0	12.4
Queens Borough	1.6	2.3	4.2	3.0	3.1	10.8
Richmond Borough	3.1	0.6	5.1	3.1	2.4	10.1
Norfolk	4.6	6.9	7.8	9.3	7.7	19.1
White	2.3	2.3	4.2	8.2	8.2	15.3
Colored	9.1	15.8	13.9	11.3	6.8	25.5
Oakland	2.4	3.1	2.7	4.1	5.1	10.0
Oklahoma City	11.2	8.6	7.3	10.2	9.1	11.5
Omaha	6.9	6.0	6.7	6.9	12.5	15.1
Paterson	4.3	7.2	8.1	8.6	9.4	5.9
Peoria	2.8	6.5	10.3	4.6	17.5	15.4
Philadelphia	3.6	4.7	6.4	7.2	7.0	11.7
White	3.2	4.4	6.4	6.6	6.7	11.2
Colored	6.9	7.3	7.2	11.6	9.4	17.9
Pittsburgh	7.8	9.0	14.7	9.0	9.0	15.2
Portland, Oreg	2.9	1.3	5.0	2.3	3.6	9.2
Providence	5.9	5.5	9.2	5.9	7.1	22.7
Reading	0.9	6.3	8.3	5.4	9.0	13.9
Richmond, Va	9.2	10.3	11.6	13.0	12.5	20.9
White	5.3	8.4	8.5	7.6	7.6	15.2
Colored	18.9	15.1	18.5	26.4	24.6	33.3
Rochester, N.Y	2.7	2.4	4.4	4.5	3.9	10.1
St. Louis	5.0	6.4	7.2	3.9	5.2	7.5
White	4.1	5.3	7.1	3.4	5.3	7.8
Colored	11.2	14.3	8.4	7.1	4.1	4.2
St. Paul	4.7	5.1	5.9	6.2	4.3	13.1
Salt Lake City	6.3	4.9	6.7	9.8	9.1	25.2
San Antonio	7.5	10.8	14.0	7.5	8.3	14.0
White	(2)	(2)	14.0	(2)	(2)	13.3
Colored	(2)	(2)	13.5	(2)	(2)	20.3
San Diego	1.9	4.5	5.1	5.8	3.8	7.7
San Francisco	2.2	3.8	5.3	3.1	2.2	11.1
Scranton	2.8	3.5	6.5	11.1	6.2	20.3
Seattle	1.3	3.2	6.9	5.4	4.8	11.0
Somerville	4.8	2.9	3.2	3.8	4.8	9.6
South Bend	4.6	4.6	9.7	6.5	2.8	8.3
Spokane	8.6	4.3	7.6	8.6	7.7	20.6
Springfield, Mass	3.3	5.9	4.6	5.3	7.9	6.9
Syracuse	5.2	4.7	4.0	8.5	6.6	18.4
Tacoma	4.6	1.9	4.1	1.9	12.1	18.5
Tampa	7.6	4.8	1.9	10.5	7.6	15.1
White	3.6	4.8	-------	10.9	6.0	9.7
Colored	22.6	4.5	8.4	9.0	13.5	33.7
Toledo	4.0	7.4	10.6	4.4	6.4	12.2
Trenton	6.5	3.2	7.5	11.3	14.5	23.4
Tulsa	8.2	6.9	(1)	7.5	3.4	(1)
White	6.2	6.3	(1)	6.2	1.6	(1)
Colored	22.5	11.2	(1)	16.9	16.9	(1)
Utica	1.0	5.9	3.2	6.8	3.9	14.8
Washington, D.C	7.3	7.7	5.7	11.2	5.7	12.0
White	6.4	6.2	3.7	9.0	3.9	9.1
Colored	9.6	11.9	11.6	16.9	10.4	20.6
Wichita	5.2	7.8	14.8	13.0	9.5	9.4
Wilmington, Del	10.3	2.8	11.8	7.5	10.3	10.9
White	7.4	3.2	12.1	7.4	9.5	9.1
Colored	33.0	-------	9.2	8.2	16.5	27.6
Worcester	3.0	4.1	7.2	7.6	6.6	21.1
Yonkers	2.2	2.2	2.0	2.9	6.5	12.8
Youngstown	7.5	6.4	16.5	11.6	13.3	11.2

(1) Not in registration area. (2) Death rates by color not available.

The highest State death rate in 1932 from puerperal septicemia (11.1 per 100,000 population) was for New Mexico, and the lowest (1.9) each for New Hampshire and South Dakota; the highest rate from other puerperal causes (17.0) was for South Carolina and the lowest for Oregon (3.0).

Among the cities Oklahoma City had the highest rate (11.2) from puerperal septicemia, and Reading the lowest (0.9); Memphis had the highest rate from other puerperal causes (15.1) and Bridgeport the lowest (0.7).

The 14 States which show death rates by color had higher rates for the colored than for the white from puerperal septicemia and from other puerperal causes, except Arkansas, which was the same (5) for the white and the colored for puerperal septicemia. All the

cities shown by color except Cincinnati, Kansas City, Mo., and Nashville had higher rates for the colored than for the white in deaths from puerperal septicemia, while Gary had no colored deaths; in other puerperal causes seven cities had higher rates for the white, all the others being higher for the colored except Kansas City, Kans., which had no deaths from other puerperal causes among the colored.

It must be remembered that crude rates may be misleading, owing to the many nonresident women confined in some hospitals and to higher births rates in some places than in others. The rates per 1,000 live births (shown in preceding pages) are, therefore, much better for comparison.

SENILITY

In table BD death rates from senility (old age) are given to enable one to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also on p. 59 death rates from unknown or ill-defined diseases.)

Table BD — STATE AND YEAR ADMITTED	DEATH RATE FROM SENILITY PER 100,000 ESTIMATED POPULATION IN— 1932	1931	Year admitted [1]
Registration area [2]	8.5	8.7	50.4
Alabama, 1925	18.5	17.5	28.8
Arizona, 1926	12.7	19.4	16.6
Arkansas, 1927	12.7	16.4	23.2
California, 1906	3.3	4.4	29.1
Colorado, 1906	8.5	11.5	24.9
Connecticut, 1890	2.8	4.4	41.4
Delaware, 1919	10.4	7.5	17.6
Florida, 1919	14.2	13.1	31.1
Georgia, 1922	18.2	18.5	24.5
Idaho, 1922	12.3	10.3	19.3
Illinois, 1918	3.3	4.1	12.2
Indiana, 1900	4.3	4.7	45.8
Iowa, 1923	16.4	17.4	30.7
Kansas, 1914	17.5	16.6	37.1
Kentucky, 1911	14.3	11.7	22.8
Louisiana, 1918	15.2	12.8	34.9
Maine, 1900	23.7	19.5	88.6
Maryland, 1906	3.2	2.7	35.2
Massachusetts, 1880	1.3	1.8	56.0
Michigan, 1900	8.1	8.3	48.8
Minnesota, 1910	5.4	5.7	41.7
Mississippi, 1919	16.7	17.4	27.7
Missouri, 1911	6.9	6.6	17.6

Table BD—Con. — STATE AND YEAR ADMITTED	DEATH RATE FROM SENILITY PER 100,000 ESTIMATED POPULATION IN— 1932	1931	Year admitted [1]
Montana, 1910	9.5	8.0	11.8
Nebraska, 1920	11.0	11.8	29.1
Nevada, 1929	21.5	12.0	33.3
New Hampshire, 1890	13.7	10.1	90.6
New Jersey, 1880	3.2	3.2	27.1
New Mexico, 1929	12.3	19.4	19.6
New York, 1890	2.2	2.4	48.3
North Carolina, [3] 1916	10.9	13.6	26.0
North Dakota, 1924	13.1	12.7	21.6
Ohio, 1909	8.2	7.7	19.0
Oklahoma, 1928	19.1	18.2	34.3
Oregon, 1918	7.7	7.5	28.7
Pennsylvania, 1906	3.4	3.3	20.3
Rhode Island, 1890	3.3	5.9	55.1
South Carolina, 1916	16.8	17.9	29.5
South Dakota, [4] 1906	17.4	21.7	40.9
Tennessee, 1917	14.5	12.6	24.9
Utah, 1910	12.0	11.7	38.1
Vermont, 1890	22.2	16.9	95.4
Virginia, 1913	16.3	16.9	32.4
Washington, 1908	10.5	14.6	20.7
West Virginia, 1925	20.1	20.5	27.6
Wisconsin, 1908	10.6	9.5	47.0
Wyoming, 1922	7.4	7.5	17.8

[1] For States admitted prior to 1900, and for the registration area, the rate is shown for 1900, the first year of the annual reports.
[2] In continental United States. The area was established in 1880.
[3] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[4] Dropped from registration area in 1910; readmitted in 1930.

SUICIDE

The number of deaths from suicide in 1932 was 20,927, an increase of 839 or 4.2 percent over the 1931 figure. Nevada has the highest rate (46.2), with Washington next (28.3). Mississippi's rate (6.1) was lowest. There were increases in the cities and in the rural districts of the registration States and, as in earlier years, the rates for cities were higher than those for rural districts.

Fifty-three of the 93 cities of 100,000 population and over had more suicides in 1932 than in 1931. Highest rates were shown by cities in the Pacific States: Seattle (42.5), San Francisco (41.1), and San Diego (40.3). Contrasting rates were: 7.9 for Cambridge, 8 for Lowell, 8.4 for Canton, and 8.6 for Evansville.

Figures for deaths from suicide make a favorable showing for the colored population, not only for the registration States as a whole but for individual States. In every State having figures for the colored the rates were lower for the colored than for the white, and in no State were the rates high, California with a rate of only 15.9 showing the highest rate and Alabama, with only 1.9, the lowest.

The low rates for the colored were emphasized in the cities having figures for the colored; in fact, two cities, Gary and Wilmington, had no deaths from suicide among the colored.

Table BE shows death rates per 100,000 population from suicide in the registration States and large cities.

Table BE — AREA	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths] 1932	1931	1920
The registration area [1]	17.4	16.8	10.2
Registration States [2]	17.4	16.8	10.2
Cities of 10,000 or over [2]	20.3	19.6	12.0
Smaller cities and rural areas	14.6	14.1	8.5
Registration cities in nonregistration State	22.2	22.2	11.6
All registration cities [2]	20.4	19.6	12.0
Alabama	8.1	8.1	(3)
White	11.4	11.3	(3)
Colored	1.9	2.2	(3)
Arizona	19.2	15.1	(3)
Arkansas	8.0	8.7	(3)
White	10.0	11.3	(3)
Colored	2.3	1.2	(3)
California	29.0	27.1	19.7
White	30.7	28.9	(4)
Colored	15.9	13.3	(4)
Colorado	24.5	19.3	15.8
Connecticut	20.5	17.5	11.1
Delaware	25.0	18.3	7.6
Florida	18.5	14.3	5.3
White	24.1	18.4	6.8
Colored	4.9	4.3	2.4
Georgia	10.4	11.0	(3)
White	15.0	15.4	(3)
Colored	2.4	3.3	(3)
Idaho	18.1	19.3	(3)
Illinois	18.3	18.3	11.6
Indiana	19.6	20.7	11.3
Iowa	22.7	22.2	(3)
Kansas	18.3	15.8	10.6
Kentucky	11.9	13.3	7.4
White	12.4	13.6	7.9
Colored	7.1	9.7	2.5
Louisiana	10.6	8.8	4.7
White	15.4	12.1	7.1
Colored	2.4	3.3	0.9
Maine	17.9	15.0	10.4
Maryland	18.8	18.9	9.5
White	21.2	21.7	11.1
Colored	6.8	5.4	*1.6*
Massachusetts	14.9	13.9	10.2
Michigan	18.7	18.9	9.6
Minnesota	17.8	17.0	11.2
Mississippi	6.1	5.5	3.2
White	9.7	9.4	5.2
Colored	2.5	1.6	1.3
Missouri	20.1	18.7	11.9
Montana	23.3	23.4	15.7
Nebraska	20.0	19.8	12.0
Nevada	46.2	43.5	(3)
New Hampshire	20.5	16.9	11.3
New Jersey	17.8	17.4	11.6
New Mexico	13.7	17.3	(3)
New York	21.1	19.6	11.4
North Carolina	3.8	9.9	3.9
White	11.5	12.8	4.8
Colored	2.3	3.0	1.7
North Dakota	11.5	13.8	(3)
Ohio	19.5	19.0	10.4
Oklahoma	11.3	10.9	(3)
White	12.4	11.7	(3)
Colored	2.5	5.1	(3)
Oregon	25.2	25.1	13.8
Pennsylvania	15.6	15.4	9.1

Table BE—Con. — AREA	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths] 1932	1931	1920
Rhode Island	13.5	13.3	9.7
South Carolina	7.1	7.2	3.5
White	10.5	12.2	5.9
Colored	2.9	1.1	1.2
South Dakota	11.9	12.3	(3)
Tennessee	11.4	13.2	5.4
White	13.1	15.3	6.1
Colored	3.7	3.5	2.4
Utah	9.1	11.3	7.7
Vermont	20.0	15.8	12.5
Virginia	14.7	12.8	5.5
White	18.4	16.4	6.9
Colored	4.2	2.9	2.3
Washington	28.3	26.0	18.0
West Virginia	12.5	12.6	(3)
Wisconsin	18.9	19.5	10.0
Wyoming	24.0	23.7	(3)
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	15.2	19.8	9.5
Albany	13.9	13.2	11.4
Atlanta	20.9	15.1	10.3
White	29.3	20.1	14.4
Colored	*4.3*	5.4	*1.6*
Baltimore	21.4	21.4	12.1
White	24.0	24.9	13.9
Colored	9.5	5.4	*1.8*
Birmingham	18.6	18.2	7.1
White	27.0	27.6	9.9
Colored	4.9	*2.9*	*2.8*
Boston	16.9	14.0	13.3
Bridgeport	28.6	21.1	13.9
Buffalo	11.7	14.3	9.6
Cambridge	7.9	14.9	8.2
Camden	16.8	26.9	12.0
Canton	8.4	17.8	8.0
Chattanooga	10.6	19.6	8.5
White	13.5	26.0	12.7
Colored	*3.0*	*3.0*	----
Chicago	17.4	17.9	13.3
Cincinnati	27.3	23.4	11.6
White	29.5	25.3	12.3
Colored	10.0	*8.0*	*3.2*
Cleveland	21.5	21.6	12.9
Columbus	20.0	17.9	5.4
White	21.0	18.0	6.0
Colored	*11.7*	17.5	----
Dallas	22.3	20.1	12.2
White	25.2	22.1	10.8
Colored	*8.5*	10.6	*20.2*
Dayton	21.0	16.7	13.0
Denver	36.7	23.3	20.9
Des Moines	32.5	22.1	(3)
Detroit	18.9	18.0	8.8
Duluth	27.5	23.6	16.2
Elizabeth	11.1	12.8	8.3
El Paso	27.7	21.9	33.1
White	49.9	40.4	(4)
Colored	12.8	9.5	(4)
Erie	22.1	16.1	10.7
Evansville	8.6	18.2	9.3
Fall River	11.3	4.3	8.3
Flint	17.7	15.8	5.0
Fort Wayne	23.6	36.3	8.0
Fort Worth	18.5	29.3	(3)
White	21.3	33.4	(3)
Colored	*5.8*	*7.6*	(3)
Gary	13.2	9.4	15.6
White	17.0	12.1	(4)

See footnotes at end of table.

Table BE—Contd.

AREA	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]		
	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Grand Rapids	10.5	16.3	14.4
Hartford	17.3	22.1	11.5
Houston	22.9	24.2	9.7
White	27.2	29.9	11.9
Colored	10.9	8.5	*2.8*
Indianapolis	23.3	23.3	15.8
White	24.7	24.3	17.4
Colored	13.3	15.5	*2.8*
Jacksonville, Fla	25.4	19.7	6.5
White	37.0	28.6	9.8
Colored	*4.1*	*2.1*	*2.4*
Jersey City	12.5	12.9	7.7
Kansas City, Kans	17.1	11.4	14.8
White	18.1	13.0	13.8
Colored	*12.9*	*4.8*	*20.4*
Kansas City, Mo	22.7	17.9	18.0
White	24.9	18.9	18.9
Colored	*4.6*	*9.8*	*9.6*
Knoxville	14.7	17.4	5.1
White	16.4	18.6	4.4
Colored	*5.6*	*11.2*	*8.6*
Long Beach	25.6	19.0	25.3
Los Angeles	30.5	26.2	19.1
White	32.7	28.2	19.3
Colored	16.3	13.0	15.9
Louisville	16.8	21.7	19.2
White	18.8	23.4	22.2
Colored	*6.2*	12.6	*4.9*
Lowell	8.0	7.0	8.9
Lynn	18.5	12.7	9.1
Memphis	22.8	22.0	9.1
White	30.6	32.5	11.7
Colored	10.1	5.1	*4.8*
Miami	35.4	21.3	*12.4*
White	44.4	26.4	*13.8*
Colored	*4.1*	*4.0*	*10.4*
Milwaukee	19.4	21.3	11.9
Minneapolis	23.4	26.2	18.5
Nashville	17.4	28.3	8.4
White	23.1	34.6	10.8
Colored	*2.3*	11.7	*2.8*
Newark, N.J	20.4	18.2	11.8
New Bedford	18.7	26.6	10.8
New Haven	16.6	13.5	11.1
New Orleans	19.5	13.3	10.5
White	25.2	15.9	13.5
Colored	5.2	6.7	*1.9*
New York	22.5	21.2	11.9
Bronx Borough	17.1	14.6	10.3
Brooklyn Borough	14.8	14.6	9.6
Manhattan Borough	41.7	40.8	14.7
White	46.0	44.9	15.0
Colored	14.8	15.2	9.1
Queens Borough	15.7	13.9	10.8
Richmond Borough	25.1	14.7	11.8
Norfolk	35.5	17.0	5.2
White	49.1	23.4	*5.6*
Colored	*9.1*	*4.6*	*4.6*
Oakland	24.3	28.1	19.1
Oklahoma City	19.3	24.4	17.8
Omaha	34.1	34.1	21.8
Paterson	29.5	28.1	10.3
Peoria	18.5	24.9	19.3
Philadelphia	17.9	16.4	10.9
White	19.2	17.9	11.4
Colored	7.7	4.7	5.7
Pittsburgh	14.9	13.8	8.8
Portland, Oreg	33.9	33.9	17.3
Providence	17.3	14.9	12.6
Reading	20.6	19.7	23.2
Richmond, Va	19.5	20.1	7.5
White	25.9	27.4	11.0
Colored	*3.8*	*1.9*	----
Rochester, N.Y	20.2	20.8	10.8
St. Louis	27.1	23.7	16.3
White	30.0	26.3	17.6
Colored	5.1	*4.1*	*2.8*
St. Paul	12.7	15.2	9.3
Salt Lake City	16.8	13.3	10.9
San Antonio	24.2	20.8	7.9
White	(4)	(4)	8.7
Colored	(4)	(4)	----
San Diego	40.3	44.1	27.0
San Francisco	41.1	35.8	25.5
Scranton	13.9	17.3	8.7
Seattle	42.5	37.7	23.0
Somerville	13.3	11.4	6.4
South Bend	18.5	33.3	12.4
Spokane	27.5	24.9	22.0
Springfield, Mass	14.4	21.7	8.4
Syracuse	19.2	14.1	13.3
Tacoma	34.3	35.3	16.4
Tampa	31.5	26.7	20.7
White	38.6	31.4	24.2
Colored	*4.5*	*9.0*	*8.4*
Toledo	20.5	19.9	13.5
Trenton	17.8	22.6	14.2
Tulsa	21.2	14.4	(3)
White	22.6	13.3	(3)
Colored	*11.2*	*22.5*	(3)
Utica	21.5	13.7	5.3
Washington, D.C	30.6	25.5	9.8
White	36.1	31.2	11.3
Colored	16.2	10.4	5.4
Wichita	19.0	12.1	22.9
Wilmington, Del	28.1	21.6	10.0
White	31.8	22.2	11.1
Colored	----	*16.6*	----
Worcester	16.7	11.2	6.6
Yonkers	13.0	16.6	*2.0*
Youngstown	14.5	16.8	9.7

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.

Table BF presents deaths and death rates from suicide for the registration area in continental United States and for certain foreign countries.

Table BF

COUNTRY	DEATHS FROM SUICIDE: Number			Rate for 100,000 estimated population		
	1932	1931	1930	1932	1931	1930
United States (registration area)	20,927	20,088	18,551	17.4	16.8	15.6
Australia	754	827	943	11.5	12.7	14.6
Austria	2,972	2,775	2,605	44.1	41.2	38.8
Belgium	1,450	1,446	1,356	17.7	17.7	16.8
British Guiana	(1)	12	6	(1)	3.8	1.9
Canada [2]	[3] 1,021	1,004	1,010	[3] 9.7	9.7	9.9
Ceylon	355	311	275	6.6	5.8	5.2
Chile	360	(1)	254	8.2	(1)	5.9
Colombia	(1)	80	189	(1)	0.9	2.3
Czechoslovakia	4,443	4,399	4,394	29.8	29.8	29.9
Denmark	689	609	624	19.2	17.1	17.6
England and Wales	5,743	5,147	5,051	14.3	12.9	12.7
Estonia	326	325	321	29.1	29.1	28.8
Finland	(1)	813	795	(1)	22.1	21.8
France [4]	(1)	7,947	7,915	(1)	19.0	19.0
Germany	18,934	18,625	17,880	29.2	28.8	27.8
Hungary	3,083	3,000	2,680	35.2	34.4	31.0
Irish Free State	110	108	83	3.7	3.7	2.8
Northern Ireland	71	63	61	5.6	5.0	4.9
Italy	4,058	4,141	3,915	9.7	10.0	9.6
Jamaica	20	23	11	1.9	2.2	1.1
Japan	(1)	14,353	13,942	(1)	22.0	21.6
Lithuania	246	240	214	10.3	10.1	9.1
New Zealand	240	226	193	16.5	15.6	13.5
Netherlands	728	674	640	9.0	8.4	8.1
Norway	(1)	195	203	(1)	6.9	7.2
Scotland	500	493	495	10.2	10.2	10.3
Spain	(1)	1,598	1,598	(1)	6.7	6.8
Sweden	[3] 1,012	1,015	970	[3] 16.4	16.5	15.8
Switzerland	1,218	1,010	1,057	29.7	24.8	26.1
Union of South Africa (Europeans)	(1)	226	212	(1)	12.4	11.8
Uruguay	(1)	(1)	227	(1)	(1)	12.1

[1] Not available.
[2] Exclusive of Yukon and Northwest Territories.
[3] Provisional figures.
[4] Figures relate to 90 departments.

HOMICIDE

The term "homicide", as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

Table BG shows rates for States and large cities.

Table BG

AREA	DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION [Rates in *italics* are based on less than 5 deaths]		
	1932	1931	1920
The registration area [1]	9.2	9.3	7.1
White	5.8	5.8	5.0
Colored	37.3	38.5	29.5
Registration States [2]	9.0	9.2	6.7
Cities of 10,000 or over [2]	10.3	10.7	8.2
Smaller cities and rural areas	7.8	7.8	5.4
Registration cities in nonregistration State	24.8	23.6	26.8
All registration cities [2]	10.6	10.9	8.9
Alabama	21.7	22.5	(3)
White	11.0	11.6	(3)
Colored	41.1	42.3	(3)
Arizona	14.1	12.2	(3)
Arkansas	15.3	17.6	(3)
White	8.7	9.5	(3)
Colored	34.3	40.8	(3)
California	7.7	6.9	8.1
White	6.0	5.7	(4)
Colored	20.8	16.9	(4)
Colorado	8.1	8.3	9.2
Connecticut	2.9	2.8	3.9
Delaware	8.3	10.4	4.0
Florida	27.7	29.4	19.9
White	13.8	14.3	8.7
Colored	61.8	66.1	42.0
Georgia	19.3	20.7	(3)
White	9.5	9.6	(3)
Colored	36.6	40.0	(3)
Idaho	2.7	2.9	(3)
Illinois	9.8	10.5	7.3
Indiana	6.8	6.6	4.7
Iowa	2.9	2.5	(3)
Kansas	6.7	6.9	4.7
Kentucky	20.2	17.3	9.0
White	15.0	12.7	6.6
Colored	75.1	65.9	31.4
Louisiana	18.8	19.8	14.0
White	10.2	9.4	6.9
Colored	33.3	37.5	25.2
Maine	2.0	1.4	1.4
Maryland	7.9	9.7	4.8
White	4.5	5.0	2.4
Colored	24.2	33.0	16.6
Massachusetts	2.1	2.0	2.1
Michigan	5.4	6.0	5.5
Minnesota	2.9	2.9	3.1
Mississippi	22.9	23.8	19.7
White	9.9	12.5	6.7
Colored	35.9	35.1	31.5
Missouri	11.2	11.1	7.8
Montana	8.4	7.3	8.4
Nebraska	3.7	3.6	4.2
Nevada	38.7	21.7	(3)
New Hampshire	*0.2*	2.1	1.8
New Jersey	5.3	5.0	4.2
New Mexico	14.6	14.7	(3)
New York	5.9	6.4	4.6
North Carolina	12.1	10.5	9.7
White	6.6	5.8	4.8
Colored	25.5	21.9	21.1
North Dakota	1.2	2.0	(3)
Ohio	8.0	9.0	6.9
Oklahoma	10.7	11.1	(3)
White	7.5	7.8	(3)
Colored	35.1	36.1	(3)
Oregon	5.7	4.2	4.0
Pennsylvania	4.8	4.9	5.6
Rhode Island	1.6	2.2	1.8
South Carolina	14.8	15.5	15.3
White	8.8	8.8	9.5
Colored	22.1	23.6	20.9
South Dakota	1.6	2.3	(3)
Tennessee	19.8	20.1	13.8
White	10.8	10.5	7.0
Colored	60.1	63.1	42.1
Utah	3.7	5.1	5.1
Vermont	*1.1*	*1.1*	2.3

See footnotes at end of table.

Table BG—Contd. DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1932	1931	1920
Virginia	14.5	13.4	11.2
White	7.6	7.9	7.5
Colored	33.6	28.7	20.0
Washington	5.2	4.5	5.1
West Virginia	12.5	13.7	[3]
Wisconsin	2.8	3.5	1.7
Wyoming	9.6	8.3	[3]
CITIES OF 100,000 POPULATION OR MORE IN 1930			
Akron	9.5	9.5	20.0
Albany	3.9	6.2	*0.9*
Atlanta	38.2	46.8	39.8
White	12.5	13.0	9.3
Colored	89.2	113.7	106.2
Baltimore	10.0	10.9	6.4
White	4.7	5.3	3.3
Colored	34.1	36.8	23.6
Birmingham	40.5	54.2	46.5
White	12.6	22.8	17.1
Colored	85.8	105.3	92.1
Boston	3.4	3.7	4.5
Bridgeport	*2.7*	*2.7*	7.0
Buffalo	4.3	3.6	4.9
Cambridge	*1.8*	*1.8*	*2.7*
Camden	16.0	20.2	6.0
Canton	11.2	9.4	12.5
Chattanooga	35.1	55.6	56.4
White	13.5	15.8	25.3
Colored	92.0	160.7	121.2
Chicago	13.1	14.5	9.7
Cincinnati	17.5	16.4	5.9
White	7.4	8.4	4.0
Colored	99.6	81.7	29.0
Cleveland	13.8	13.6	13.1
Columbus	11.5	9.5	6.7
White	5.0	4.2	3.2
Colored	61.2	49.6	39.5
Dallas	29.7	24.5	20.8
White	13.3	11.9	10.8
Colored	108.5	85.1	76.9
Dayton	10.7	8.8	5.2
Denver	9.9	6.2	12.0
Des Moines	4.8	3.3	[3]
Detroit	9.8	10.5	13.8
Duluth	*2.9*	5.9	6.1
Elizabeth	5.1	6.8	9.3
El Paso	16.2	19.0	[5]
White	21.4	14.3	[5]
Colored	12.8	22.3	[5]
Erie	7.7	5.1	6.8
Evansville	9.6	8.6	5.8
Fall River	*0.9*	*0.9*	-----
Flint	5.5	4.3	*4.0*
Fort Wayne	8.4	7.6	*2.3*
Fort Worth	28.1	26.3	[3]
White	17.0	14.9	[3]
Colored	86.5	86.8	[3]
Gary	22.7	28.3	34.8
White	13.3	15.8	[4]
Colored	55.6	72.6	[4]
Grand Rapids	-----	*1.7*	*2.2*
Hartford	3.0	3.0	5.0
Houston	27.4	26.1	14.6
White	12.3	12.7	4.6
Colored	69.1	63.3	45.5
Indianapolis	12.7	11.1	5.7
White	8.0	7.7	2.8
Colored	46.5	35.4	28.4
Jacksonville, Fla	51.5	47.8	33.5
White	15.7	15.5	13.7
Colored	117.5	104.0	57.8
Jersey City	3.8	2.5	3.3
Kansas City, Kans	26.9	21.2	10.8
White	14.0	14.0	*5.5*
Colored	81.9	51.7	54.5
Kansas City, Mo	21.0	23.7	27.1
White	10.9	9.3	21.9
Colored	106.7	146.2	76.7
Knoxville	25.6	19.2	21.5
White	14.2	12.0	14.8
Colored	84.3	56.2	60.4
Long Beach	8.5	*2.6*	-----
Los Angeles	9.1	7.7	10.1
White	6.3	6.2	8.5
Colored	27.0	16.9	38.1
Louisville	19.7	18.8	12.1
White	5.6	7.7	6.5
Colored	97.5	79.7	39.4

Table BG—Contd. DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION

[Rates in *italics* are based on less than 5 deaths]

AREA	1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued			
Lowell	*1.0*	*3.0*	*1.8*
Lynn	*1.0*	-----	-----
Memphis	56.8	54.5	62.8
White	18.8	18.8	20.6
Colored	118.2	112.2	132.4
Miami	39.1	36.4	31.1
White	18.0	12.6	22.2
Colored	112.0	118.6	52.0
Milwaukee	3.5	3.5	3.0
Minneapolis	4.4	5.9	6.5
Nashville	32.2	36.7	13.5
White	13.3	16.0	*4.8*
Colored	81.6	90.9	33.7
Newark, N.J	8.5	10.8	4.1
New Bedford	*1.8*	-----	*0.8*
New Haven	4.3	3.7	*2.5*
New Orleans	23.3	26.1	16.1
White	9.0	11.7	9.0
Colored	58.7	61.7	36.0
New York	8.3	8.8	6.2
Bronx Borough	3.4	5.9	1.8
Brooklyn Borough	5.7	5.4	5.1
Manhattan Borough	18.5	19.7	8.8
White	14.5	15.1	8.0
Colored	43.2	48.8	24.0
Queens Borough	3.5	3.7	5.6
Richmond Borough	9.2	0.6	*3.4*
Norfolk	23.1	21.6	38.3
White	5.8	5.8	25.1
Colored	56.6	52.0	60.3
Oakland	6.2	5.8	2.7
Oklahoma City	14.2	22.4	[5]
Omaha	10.6	11.1	11.4
Paterson	5.0	*2.9*	*2.9*
Peoria	11.1	5.5	11.6
Philadelphia	7.6	6.7	6.4
White	4.6	3.0	5.0
Colored	30.5	34.3	24.3
Pittsburgh	9.2	8.3	10.3
Portland, Oreg	6.2	4.6	4.2
Providence	*1.2*	*1.2*	2.9
Reading	-----	4.5	*2.8*
Richmond, Va	19.0	15.7	7.5
White	4.6	6.1	*2.5*
Colored	54.7	39.7	18.5
Rochester, N.Y	3.3	4.2	1.7
St. Louis	15.2	15.9	12.6
White	7.4	9.2	11.2
Colored	73.5	66.3	26.6
St. Paul	4.7	4.3	5.5
Salt Lake City	4.9	11.2	4.2
San Antonio	23.3	23.7	9.7
White	[4]	[4]	7.3
Colored	[4]	[4]	33.9
San Diego	7.0	6.4	11.6
San Francisco	7.2	7.5	7.6
Scranton	4.9	*2.1*	5.1
Seattle	6.5	5.1	5.0
Somerville	-----	*2.9*	*1.1*
South Bend	*1.9*	6.5	8.3
Spokane	6.9	*3.4*	*2.9*
Springfield, Mass	*0.7*	*1.3*	6.9
Syracuse	*1.9*	4.2	4.0
Tacoma	7.4	5.6	6.2
Tampa	23.8	21.9	18.8
White	16.9	12.1	14.5
Colored	49.8	58.6	*33.7*
Toledo	8.1	17.2	11.8
Trenton	11.3	9.7	*2.5*
Tulsa	13.0	17.1	[3]
White	5.5	9.4	[3]
Colored	67.4	73.0	[3]
Utica	*2.9*	*3.9*	-----
Washington, D.C	23.1	15.9	10.5
White	6.7	7.9	5.8
Colored	66.2	37.0	24.2
Wichita	8.6	12.1	16.2
Wilmington, Del	10.3	15.0	4.5
White	*4.2*	9.5	*3.0*
Colored	57.7	57.7	*18.4*
Worcester	2.5	*1.5*	*2.2*
Yonkers	5.8	5.8	*2.9*
Youngstown	15.0	13.3	18.7

[1] In continental United States.
[2] Including District of Columbia.
[3] Not in registration area.
[4] Death rates by color not available.
[5] Rates not available.

In 1932 the number of deaths from homicide in the registration area was 11,035, representing a rate of 9.2 per 100,000 population against 9.3 in 1931. The higher rates in recent years were partly due to the addition to the registration area of States with large colored populations.

The rate for the white population was 5.8 in 1932 and 5.0 in 1920, but the rate for the colored was 37.3 against 29.5. Of the 47 States shown for 1931 and 1932, 18 had higher rates in 1932. The highest were for Nevada (38.7) and Florida (27.7); the lowest was for New Hampshire (0.2).

For cities of 100,000 population or more, in 1932 the highest rates were for Memphis (56.8), Jacksonville (51.5), and Birmingham (40.5). The extremely high rates for these cities were due to the large number of deaths among the colored population. Three cities—Grand Rapids, Reading, and Somerville—had no homicides in 1932.

Among these 93 cities 45 had higher rates in 1932 than in 1931.

From the standpoint of prevention, it is interesting to note that homicide by firearms caused 67.6 percent of all homicides in 1932, 67.5 percent in 1931, and 72.2 percent in 1920.

Rates for the colored far exceeded those for the white in every State for which figures for the colored were shown, with Kentucky showing the highest rate (75.1). Among the cities of 100,000 population or more the following had rates for the colored of over 100 per 100,000 population: Memphis (118.2), Jacksonville, Fla. (117.5), Miami (112.0), Dallas (108.5), and Kansas City, Mo. (106.7).

Table BH shows for the group of 36 registration cities of 100,000 population or more in 1900, deaths and rates from suicide and homicide for 1900 to 1932.

Table BH

DEATHS IN 36 REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1900 FROM—

CALENDAR YEAR	Estimated population, July 1	Suicide		Homicide	
		Number	Rate per 100,000 population	Number	Rate per 100,000 population
1932	28,250,974	6,059	21.4	2,868	10.2
1931	28,259,474	5,668	20.1	2,924	10.3
1930	27,789,074	5,587	20.1	2,866	10.3
1929	27,282,708	4,996	18.3	2,674	9.8
1928	26,815,069	4,799	17.9	2,748	10.2
1927	26,337,938	4,492	17.1	2,771	10.5
1926	25,830,606	4,264	16.5	2,715	10.5
1925	25,339,416	4,000	15.8	2,808	11.1
1924	24,866,783	3,855	15.5	2,682	10.8
1923	24,410,880	3,692	15.1	2,435	10.0
1922	23,935,903	3,626	15.1	2,211	9.2
1921	23,462,846	3,731	15.9	2,168	9.2
1920	23,009,576	2,910	12.6	1,930	8.4
1919	22,563,206	3,229	14.3	2,006	8.9
1918	22,038,899	3,351	15.2	1,865	8.5
1917	21,616,460	3,816	17.7	2,061	9.5
1916 [1]	21,021,720	3,892	18.5	1,786	8.5
1915	20,729,640	4,455	21.5	1,698	8.2
1914	20,273,425	4,351	21.5	1,715	8.5
1913	19,847,428	3,957	19.9	1,702	8.6
1912	19,413,308	3,868	19.9	1,504	7.7
1911	18,958,147	3,880	20.5	1,505	7.9
1910	18,522,956	3,743	20.2	1,479	8.0
1909	18,018,210	3,772	20.9	1,252	6.9
1908	17,541,214	3,957	22.6	1,401	8.0
1907	17,072,832	3,319	19.4	1,455	8.5
1906	16,594,107	2,984	18.0	1,189	7.2
1905	16,104,214	3,126	19.4	983	6.1
1904	15,670,701	2,998	19.1	723	4.6
1903	15,286,581	2,758	18.0	636	4.2
1902	14,899,699	2,487	16.7	567	3.8
1901	14,513,283	2,247	15.5	520	3.6
1900	14,133,877	2,099	14.9	481	3.4

[1] Excludes Memphis, Tenn.; transcripts of death certificates not received.

The rate for suicide (22.6) in 1908 was the highest for the series of years and climaxed a steady increase; from 1909 to 1923, the rates fluctuated between 20.9 and 15.1, since when they continuously increased.

Although the mortality from homicide fluctuated during the period 1900 to 1932, the increase was striking—from 3.4 in 1900 to 10.2 in 1932.

Table BI shows for the group of 66 registration cities of 100,000 population or more in 1920, deaths and rates from suicide and homicide for 1920 to 1932. These rates from suicide are practically the same, for corresponding years, as those for the group of 36 cities shown in table BH but the homicide rates are higher in each corresponding year.

Table BI

CALENDAR YEAR	Estimated population, July 1	DEATHS IN 66 REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920 FROM—			
		Suicide		Homicide	
		Number	Rate per 100,000 population	Number	Rate per 100,000 population
1932	33,779,212	7,264	21.5	3,674	10.9
1931	33,786,912	6,873	20.3	3,773	11.2
1930	33,530,512	6,710	20.0	3,746	11.2
1929	32,621,286	5,950	18.2	3,380	10.4
1928	32,042,630	5,699	17.8	3,460	10.8
1927	31,456,154	5,296	16.8	3,448	11.0
1926	30,851,406	5,077	16.5	3,375	10.9
1925	30,276,143	4,802	15.9	3,447	11.4
1924	29,695,947	4,617	15.5	3,355	11.3
1923	29,155,184	4,365	15.0	3,019	10.4
1922	28,562,159	4,299	15.1	2,833	9.9
1921	27,994,811	4,466	16.0	2,761	9.9
1920	27,460,313	3,465	12.6	2,424	8.8

LEGAL EXECUTIONS

For the third consecutive year a report of legal executions is shown. In the following table the figures are interesting when studied in connection with the figures for deaths by homicide.

Table BJ

AREA	Total			Hanged			Electrocuted			Hydrocyanic-acid gas	
	Total	White	Colored	Total	White	Colored	Total	White	Colored	Total	White
Registration area	131	59	72	38	17	21	92	41	51	1	1
Alabama	4	----	4	----	----	----	4	----	4	----	----
Arkansas	2	----	2	----	----	----	2	----	2	----	----
California	6	4	2	6	4	2	----	----	----	----	----
Colorado	2	1	1	2	1	1	----	----	----	----	----
District of Columbia	4	----	4	----	----	----	4	----	4	----	----
Florida	1	----	1	----	----	----	1	----	1	----	----
Georgia	12	4	8	----	----	----	12	4	8	----	----
Illinois	5	2	3	----	----	----	5	2	3	----	----
Indiana	2	1	1	----	----	----	2	1	1	----	----
Kentucky	4	----	4	----	----	----	4	----	4	----	----
Louisiana	13	5	8	13	5	8	----	----	----	----	----
Maryland	2	----	2	2	----	2	----	----	----	----	----
Massachusetts	1	----	1	----	----	----	1	----	1	----	----
Mississippi	8	2	6	8	2	6	----	----	----	----	----
Missouri	3	2	1	3	2	1	----	----	----	----	----
Nevada	1	1	----	----	----	----	----	----	----	1	1
New Jersey	4	3	1	----	----	----	4	3	1	----	----
New York	20	18	2	----	----	----	20	18	2	----	----
North Carolina	8	1	7	----	----	----	8	1	7	----	----
Ohio	7	4	3	----	----	----	7	4	3	----	----
Oklahoma	4	3	1	----	----	----	4	3	1	----	----
Pennsylvania	5	3	2	----	----	----	5	3	2	----	----
South Carolina	6	1	5	----	----	----	6	1	5	----	----
Vermont	1	1	----	----	----	----	1	1	----	----	----
Virginia	2	----	2	----	----	----	2	----	2	----	----
Washington	2	2	----	2	2	----	----	----	----	----	----
West Virginia	2	1	1	2	1	1	----	----	----	----	----

ACCIDENTAL, OTHER, OR UNDEFINED EXTERNAL CAUSES

In 1932 the number of deaths due to accidental, other, or undefined external causes were 85,868, representing a rate of 71.5 per 100,000 population.

SUPPLEMENTAL LIST OF ACCIDENTAL CAUSES OF DEATH

In order to conform to the requirements of the International Conference of 1929 for the Revision of the International Classification of Causes of Death, and at the same time to make possible a comparison between the statistics of this volume and those of previous years, a dual method of classifying accidental causes of death is employed. In explanation of this method reference may be made to the section marked "Supplemental" at the end of any table which shows detailed causes of death (for example, see table II, p. 70). This "supplemental list" presents a distribution of deaths according to the type of industry or machinery involved. Thus, in the main portion of the table, on page 70 the title, no. 178, "Absorption of Poisonous Gas" accounts for 1,988 deaths. Immediately under this title appears, "Supplemental", 64 deaths. These 64 deaths are distributed in the supplemental list, nos. 201 to 214, as follows: Accidents in mines and quarries, 42; agricultural machinery, 2; other machinery accidents, 2; other railroad accidents, 2; automobile accidents, 11; and water transportation accidents, 5. To obtain the total number of deaths due to any one of the accidental causes, the figure shown opposite the International List number in the main table should be added to the supplemental figure on the next line. In the example cited above, the total number of accidental deaths from absorption of poisonous gas (no. 178) is 1,988 plus 64, or 2,052.

Among deaths from causes shown in the supplemental list the greatest number are charged to automobile accidents (excluding collisions with railroad trains and street cars), 26,350. Second in number of deaths are those due to railroad accidents (other than railroad and automobile collisions), 3,502; accidents in mines and quarries caused 1,520 deaths; and collisions between railroad trains and automobiles accounted for 1,466 deaths.

ACCIDENTAL DEATHS, BY MONTHS

Of the 85,868 deaths from accidents in the registration area in 1932, the largest number reported for any month was 8,475 for July, and the smallest, 6,323 for April.

Four causes accounted for more than two-thirds of all the deaths in July: Automobile accidents, including collisions with railroad trains and street cars (2,355), falls (1,809), drowning (1,639), and excessive heat (403); for each of the last three, by far the greatest number was reported in July, but all automobile accidents caused the heaviest fatalities in October (2,838) and September (2,665).

Of the 5,919 deaths from burns (conflagration excepted), nearly one-third (1,953) occurred in March, December, and February; deaths from railroad accidents, excluding collisions with automobiles (3,502), reached their maximum numbers in July, August, and

June; of the 2,928 deaths from firearms, more than one-fourth (772) occurred in November and December; accidents in mines and quarries caused 1,520 deaths, the greatest number reported in any month being 239 in December, and the fewest (79) in June; absorption of poisonous gas caused 2,052 deaths, 586 of which occurred in garages as a result of carbon-monoxide gas. Of the total deaths from poisonous gas, the greatest number occurred in December. Accidents due to machinery caused 1,395 deaths, with the largest number reported in August (141), and the smallest in February (97) and November (97); and of the 386 deaths from air transportation accidents the largest number was shown for May (45) and the lowest for December (14).

Table BK shows deaths from accidental causes, by months.

Table BK

Detailed Int. List no.	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932											
		Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	Accidental, other, or undefined causes	85,868	6,618	6,361	6,827	6,323	6,956	7,453	8,475	7,826	7,054	7,180	7,110	7,685
176	Attack by venomous animals	127	2	2	3	6	12	13	23	29	21	11	5	
177	Poisoning by food	638	46	40	41	35	42	68	69	81	66	63	39	48
178	Absorption of poisonous gas [1]	1,988	235	233	228	192	142	111	79	83	78	144	189	274
	Supplemental	64	5	5	3	1	4	1	2	2	3	9	7	22
179	Other acute accidental poisonings (gas excepted)	1,605	136	125	116	100	145	151	164	138	175	115	115	125
180	Conflagration	1,555	149	143	215	167	116	77	73	103	88	131	107	186
181	Burns (conflagration excepted)	5,358	507	508	671	467	408	313	292	317	289	397	554	635
	Supplemental	561	41	49	38	42	41	50	60	74	33	49	32	52
182	Mechanical suffocation	904	84	82	99	79	73	63	55	61	53	80	77	98
	Supplemental	40	2	4	5	6	5	4	1	2	2	4	3	2
183	Drowning	6,199	190	233	237	323	620	1,146	1,452	936	449	244	178	191
	Supplemental	1,228	56	69	83	85	154	141	187	93	129	92	73	66
	Traumatism:													
184	By firearms (wounds of war excepted)	2,928	288	189	185	162	181	174	201	245	218	313	409	363
185	By cutting or piercing instruments (wounds of war excepted)	757	55	39	60	79	57	72	80	68	65	53	66	63
	Supplemental	230	18	23	12	15	16	19	21	19	22	23	23	19
186a	By fall	17,834	1,454	1,504	1,563	1,394	1,445	1,474	1,504	1,516	1,375	1,462	1,500	1,643
	Supplemental	2,606	169	174	138	177	230	240	305	278	294	259	185	157
186b	By crushing, landslide	502	39	56	42	45	32	36	38	56	36	38	43	41
	Supplemental	5,735	398	361	382	440	470	481	570	546	541	568	469	509
187	Cataclysm	404	19	3	308	13	14	7	13	10	9	5	3	
188	Injuries by animals	571	35	24	38	52	45	46	72	71	59	52	45	32
189	Hunger and thirst	27	2	4		1	1	2	5	1	2	6	1	2
190	Excessive cold	287	39	40	70	5	3	2		1	2	4	24	97
191	Excessive heat	689	2		2	1	18	88	403	119	51	2		3
192	Lightning	362	2	1	6	9	44	114	106	50	23	3	3	1
193	Due to electric currents	589	32	33	38	41	50	75	72	93	59	41	27	28
	Supplemental	86	10	4	3	4	8	13	11	10	9	6	4	4
194	Other accidents	4,468	375	382	378	354	386	351	357	374	367	355	383	406
	Supplemental	27,390	2,207	2,023	1,849	2,015	2,186	2,101	2,243	2,441	2,533	2,645	2,538	2,609
195	Violent deaths of unknown nature	5	3		1			1						
196	Wounds of war													
197	Execution of civilians by belligerent armies													
198	Legal executions	131	18	8	13	13	8	19	17	9	3	6	8	9
Punch symbol	SUPPLEMENTAL [2]													
201	Accidents in mines and quarries	1,520	124	178	137	96	81	79	113	110	104	130	129	239
202	Accidents from agricultural machinery	285	8	6	14	32	45	33	39	41	21	21	18	7
203	Elevator accidents	218	24	23	21	23	13	19	19	15	14	18	12	17
204	Accidents from machinery used for recreation	14				2	1		5	4		1	1	
205	Other machinery accidents	878	74	68	72	67	77	66	69	81	71	89	66	78
206	Railroad and automobile collisions	1,466	136	102	116	124	126	95	112	85	125	139	152	154
207	Other railroad accidents	3,502	213	250	250	269	292	335	375	348	330	306	269	265
208	Street car and automobile collisions	304	27	24	33	24	21	27	26	19	17	23	35	28
209	Other street car accidents	523	55	48	39	45	53	44	39	39	33	31	41	56
210	Automobile accidents (primary)	26,350	2,101	1,829	1,679	1,897	2,071	2,049	2,217	2,425	2,523	2,676	2,425	2,458
211	Motorcycle accidents	241	9	9	18	12	36	29	30	22	22	25	19	10
212	Other land transportation accidents	1,131	66	80	55	74	106	114	120	143	113	95	88	77
213	Water transportation accidents	1,122	36	71	57	80	147	124	192	98	154	71	55	37
214	Air transportation accidents	386	33	24	22	40	45	36	44	35	39	30	24	14

[1] The 1,988 deaths in list no. 178 include the 586 deaths from carbon-monoxide gas from automobiles.

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

AIRPLANE AND BALLOON ACCIDENTS

Table BL gives the number of deaths from airplane, balloon, and parachute accidents in the registration area.

Table BL

CAUSE OF DEATH	NUMBER OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
	1932	1931	1930	1929
Airplane and balloon accidents	386	490	596	575
Airplane accidents (unqualified)	376	483	576	553
Balloon accidents (unqualified)	1	1		
Parachute accidents	9	6	20	22
From airplanes	5	5	18	15
From balloons			2	3
Unqualified	4	1		4

MOTOR-VEHICLE ACCIDENTS

"Motor-vehicle accidents" are all accidents in which automobiles, motor trucks, motor busses, and motorcycles are involved.

When one considers that automobile fatalities should be practically preventable, it is a deplorable fact that in 1932 these fatalities held ninth place among causes of death per 100,000 population as compared with eighteenth place in 1920, and that there were 72 deaths a day from these accidents in 1932 against 25 a day in 1920.

It is encouraging to note a decrease in the death rate from motor-vehicle accidents in the registration area, a rate of 23.6 per 100,000 population in 1932 compared with 27.2 in 1931. This decrease is also shown in the registration States of 1900, the rates ranging from 24.2

in 1932, to 27.4 in 1931; in the States of 1910, from 25.8 in 1932 to 29.4 in 1931; and in States of 1920, from 24.4 in 1932 to 28 in 1931. The District of Columbia is always included in the groups "States of 1900, 1910, and 1920."

Of the 47 registration States in 1932, all except Arizona, Idaho, and Oklahoma showed decreases from the rates of 1931. In most States the decrease in rates was slight, the greatest being shown for Wyoming, 34.1 in 1932 against 44.3 in 1931; Utah, 23.5 in 1932 against 32.2 in 1931; and New Hampshire, 15.4 in 1932 against 23.8 in 1931. In 1932 only 7 States showed rates above 30 per 100,000 population, the most striking being for Nevada (64.5), California (39.6), and Arizona (37.1).

In 1932, of the 93 major cities 64 had lower rates than those shown in 1931. The greatest decreases were shown for Gary, 30.2 in 1932 against 58.5 in 1931; Bridgeport, 19 in 1932 against 43.5 in 1931; and Chattanooga, 24.5 in 1932 against 48.3 in 1931. Only 8 cities had rates above 40, the outstanding rates being 70.6 for Camden and 48.6 for San Diego. The lowest rates were shown for Somerville (11.4), Lynn (11.7), and Yonkers (12.2).

In England and Wales for 1931 and 1932 the death rates from automobile accidents, excluding collisions with railroad trains and street cars, were only 11.8 and 11.5, respectively. These are in striking contrast to the respective rates of 25.2 and 21.9 for the registration area in continental United States. The rates, however, decreased in both countries with a higher percentage in the United States.

Table BM shows number of deaths from all motor-vehicle accidents for cities and rural districts in the registration area.

Table BM

AREA	NUMBER OF DEATHS FROM—																								
	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
The registration area in continental United States	28,361	32,429	31,678	29,873	26,680	26,350	30,042	29,080	27,066	23,765	1,466	1,651	1,760	1,958	2,041	304	419	463	507	542	241	317	375	342	332
Registration States [1]	28,029	32,020	31,256	29,439	26,311	26,033	29,658	28,684	26,662	23,427	1,460	1,640	1,753	1,944	2,030	300	416	454	500	534	236	306	365	333	320
Cities of 10,000 or over [1]	15,590	18,010	17,710	16,003	14,680	14,729	16,956	16,491	14,865	13,430	460	512	605	579	694	246	328	375	354	355	155	214	239	205	201
Smaller cities and rural areas	12,439	14,010	13,546	13,436	11,631	11,304	12,702	12,193	11,797	9,997	1,000	1,128	1,148	1,355	1,336	54	88	79	146	179	81	92	126	128	119
Registration cities in nonregistration State	332	409	422	434	369	317	384	396	404	338	6	11	7	14	11	4	3	9	7	8	5	11	10	9	12
All registration cities [1]	15,922	18,419	18,132	16,437	15,049	15,046	17,340	16,887	15,269	13,768	466	523	612	593	705	250	331	384	361	363	160	225	249	214	213
The registration States of—																									
1900 [2]	8,238	9,243	9,071	9,046	8,103	7,661	8,613	8,388	8,284	7,269	436	441	449	521	561	75	97	119	134	164	66	92	115	107	109
Cities	5,450	6,268	6,179	6,115	5,503	5,193	5,977	5,840	5,786	5,119	155	150	163	166	212	59	72	92	91	103	43	69	84	72	69
Rural	2,788	2,975	2,892	2,931	2,600	2,468	2,636	2,548	2,498	2,150	281	291	286	355	349	16	25	27	43	61	23	23	31	35	40
1910 [2]	17,380	19,667	19,262	18,786	16,797	16,152	18,236	17,658	16,978	14,898	867	931	1,005	1,184	1,282	205	296	339	388	391	156	204	260	236	226
Cities	10,649	12,204	12,155	11,462	10,261	10,082	11,521	11,333	10,690	9,409	300	312	378	352	457	162	225	273	269	255	105	146	171	151	140
Rural	6,731	7,463	7,107	7,324	6,536	6,070	6,715	6,325	6,288	5,489	567	619	627	832	825	43	71	66	119	136	51	58	89	85	86
1920 [2]	24,787	28,282	27,484	26,183	23,734	22,996	26,151	25,180	23,662	21,080	1,294	1,445	1,539	1,748	1,847	283	408	438	477	514	214	278	327	296	293
Cities	14,325	16,575	16,250	14,899	13,738	13,542	15,587	15,124	13,858	12,581	412	471	545	519	633	231	322	364	336	340	140	195	217	186	184
Rural	10,462	11,707	11,234	11,284	9,996	9,454	10,564	10,056	9,804	8,499	882	974	994	1,229	1,214	52	86	74	141	174	74	83	110	110	109
Alabama—Cities	216	222	212	194	167	206	213	197	170	151	8	6	9	17	11	1	2	5	6	4	1	1	1	1	1
Alabama—Rural	208	274	281	293	240	199	259	262	275	224	8	15	18	17	13	—	—	—	—	—	1	—	1	1	3
Arizona—Cities	68	65	62	46	38	66	63	58	43	35	1	1	2	1	3	—	—	—	—	—	1	1	2	1	—
Arizona—Rural	98	94	128	112	92	96	86	123	110	88	2	8	2	1	3	—	—	—	—	—	—	—	3	1	1
Arkansas—Cities	85	118	99	61	57	74	115	95	56	54	8	1	2	3	2	2	—	1	1	1	1	2	1	1	—
Arkansas—Rural	197	225	221	242	170	186	198	211	226	157	11	27	8	16	11	—	—	—	—	1	—	—	2	—	1
California—Cities	1,295	1,387	1,364	1,145	966	1,211	1,289	1,247	1,048	876	20	30	42	31	47	40	46	50	45	24	24	22	25	21	19
California—Rural	1,060	1,181	1,037	1,158	972	987	1,078	946	1,052	879	54	79	66	86	68	8	17	9	9	13	11	7	16	11	12
Colorado—Cities	140	140	130	117	90	134	132	127	107	87	2	4	1	2	1	2	2	1	7	—	2	2	1	1	2
Colorado—Rural	162	200	156	172	149	150	187	144	151	134	8	12	8	20	14	2	—	—	—	—	2	1	4	1	1
Connecticut—Cities	302	343	282	375	361	292	327	272	353	329	5	1	1	3	15	3	9	4	7	8	2	6	5	12	9
Connecticut—Rural	122	133	138	86	85	117	130	135	80	78	1	—	—	3	4	—	—	1	2	—	4	3	2	1	3
Delaware—Cities	36	41	41	33	51	36	38	40	33	49	—	—	—	—	1	—	—	1	—	1	—	3	—	—	—
Delaware—Rural	46	41	39	31	27	43	38	34	24	26	2	3	5	7	—	—	—	—	—	—	1	—	—	—	1
Florida—Cities	241	264	272	169	123	228	248	255	161	110	5	12	7	3	7	3	1	3	2	3	5	3	7	3	3
Florida—Rural	270	290	319	345	317	257	270	308	327	294	8	16	9	15	18	—	—	—	—	—	5	4	2	3	5
Georgia—Cities	285	268	265	254	216	269	252	247	228	197	8	11	12	13	13	2	1	2	3	2	6	4	4	10	4
Georgia—Rural	304	379	349	327	294	272	356	315	299	271	30	23	34	25	21	—	—	—	—	2	2	—	—	3	—
Idaho—Cities	18	15	22	12	14	18	15	22	10	14	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Idaho—Rural	71	73	90	81	83	68	73	87	71	76	2	—	1	9	7	—	—	—	—	—	1	—	2	1	—
Illinois—Cities	1,383	1,607	1,536	1,327	1,429	1,297	1,451	1,404	1,191	1,288	42	83	62	82	94	37	62	55	45	33	7	11	15	9	14
Illinois—Rural	654	763	668	657	628	534	598	541	494	455	114	155	119	139	139	5	8	4	17	31	1	2	4	7	3
Indiana—Cities	515	676	625	592	553	456	597	542	513	445	45	56	58	56	76	11	20	17	21	21	3	3	8	2	11
Indiana—Rural	502	540	533	504	466	389	426	423	384	339	95	94	92	102	93	14	17	13	18	29	4	3	5	—	5
Iowa—Cities	199	271	301	200	171	177	253	281	183	142	14	12	15	11	21	7	3	1	3	6	1	3	4	3	2
Iowa—Rural	283	353	343	260	214	245	311	320	221	187	36	39	22	35	26	—	1	—	2	1	2	2	1	2	—
Kansas—Cities	161	147	170	144	115	147	132	151	126	106	8	13	13	15	6	3	2	4	1	2	3	—	2	2	1
Kansas—Rural	282	313	326	295	251	239	270	288	247	198	39	37	34	45	51	2	2	2	2	1	2	4	2	1	1
Kentucky—Cities	191	225	192	174	168	183	210	182	159	152	4	8	7	8	5	3	3	2	5	7	1	4	1	2	4
Kentucky—Rural	282	319	307	246	207	258	304	295	230	190	22	13	12	13	9	—	2	—	1	5	2	—	—	2	3
Louisiana—Cities	165	233	212	188	201	159	229	199	186	189	4	2	11	1	10	1	1	1	—	—	1	1	1	1	2
Louisiana—Rural	191	188	187	194	167	182	183	172	187	159	7	5	14	6	8	1	—	—	—	—	1	—	1	1	—
Maine—Cities	48	57	70	72	52	41	52	67	68	49	5	2	1	2	2	—	—	—	—	1	2	3	2	2	—
Maine—Rural	112	123	107	92	76	108	107	92	83	66	4	12	9	8	10	—	2	1	—	—	—	2	5	1	—
Maryland—Cities	262	311	278	253	241	252	284	260	239	228	4	7	5	6	4	5	14	9	3	3	1	6	4	5	6
Maryland—Rural	167	192	199	172	140	158	182	189	143	115	9	7	3	25	20	—	—	1	—	2	—	3	6	4	3

See footnotes at end of table.

Table BM—Continued

AREA		NUMBER OF DEATHS FROM—																								
		All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
												Railroad trains					Street cars									
		1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Massachusetts	Cities	654	697	684	679	631	633	678	655	661	609	8	8	11	4	9	4	3	6	5	3	9	8	12	9	10
	Rural	153	151	137	138	128	144	135	124	120	115	9	14	10	14	8			1				2	2	4	5
Michigan	Cities	734	925	925	913	838	688	877	864	864	754	38	29	28	29	48	6	8	21	14	30	2	11	12	6	6
	Rural	511	596	580	626	593	455	530	520	547	493	52	65	57	67	74			3	6	19	4	1		6	7
Minnesota	Cities	263	299	293	254	233	237	285	268	242	200	20	7	14	6	22	6	6	10	4	10		1	1	2	1
	Rural	268	358	316	291	276	249	337	293	263	235	19	20	19	25	36					3		1	4	3	2
Mississippi	Cities	88	115	122	79	88	86	111	119	76	74	2	3	3	2	11				1	1		1			2
	Rural	153	180	225	241	201	148	173	213	208	179	5	7	11	33	25								1		
Missouri	Cities	374	487	441	387	424	351	460	406	366	380	8	9	21	12	13	11	12	8	6	26	4	6	6	3	5
	Rural	377	417	369	321	276	339	384	333	285	245	37	31	31	34	30	1	2	2	2	1			3		
Montana	Cities	31	41	40	33	41	31	38	40	30	38		1		3	1		1			2		1			
	Rural	67	87	67	90	100	65	80	60	84	80	2	7	6	6	20								1		
Nebraska	Cities	82	127	110	101	75	78	121	99	91	71	3	4	5	5	2	1	1	5	4	1		1	1	1	1
	Rural	142	189	219	204	167	134	170	187	174	146	7	18	32	30	21						1	1			
Nevada	Cities	15	18	13	17	(4)	15	18	11	16	(4)			2	1	(4)					(4)					(4)
	Rural	45	45	24	30	(4)	44	45	23	29	(4)	1		1		(4)					(4)				1	(4)
New Hampshire	Cities	41	58	59	53	40	41	55	58	50	38		1		2								2	1	1	2
	Rural	31	53	49	59	45	29	45	45	48	38	2	8	4	10	4									1	3
New Jersey	Cities	784	850	895	834	707	758	816	862	801	679	18	18	17	12	16	3	6	4	4	3	5	10	12	17	9
	Rural	378	446	386	459	385	347	413	349	408	336	27	28	35	40	45		1		2	1	4	4	2	9	3
New Mexico	Cities	22	16	29	2	(3)	22	15	21	2	(3)			6		(3)					(3)		1	2		(3)
	Rural	76	83	110	101	(4)	75	80	90	95	(4)	1	3	19	5	(4)					(4)			1	1	(4)
New York	Cities	2,070	2,375	2,368	2,333	2,029	1,994	2,294	2,260	2,222	1,944	36	34	47	54	43	24	24	33	38	27	16	23	28	19	15
	Rural	916	862	886	888	741	819	783	788	755	610	88	66	76	108	108	2	5	8	15	12	7	8	14	10	11
North Carolina	Cities	229	268	248	201	191	210	248	230	184	181	15	13	17	14	7		2			1	4	5	1	3	2
	Rural	369	428	434	440	435	348	402	399	427	396	19	21	35	11	35						2	5		2	4
North Dakota	Cities	21	27	33	16	14	20	27	29	14	14	1		2	2				1					1		
	Rural	38	88	64	82	75	37	83	50	74	65	1	5	13	7	10								1	1	
Ohio	Cities	1,279	1,500	1,562	1,509	1,347	1,190	1,366	1,413	1,380	1,195	60	83	76	63	95	21	34	56	50	50	8	17	17	16	7
	Rural	733	747	746	838	694	632	604	606	610	513	92	116	118	164	145	5	20	15	53	32	4	7	7	11	4
Oklahoma	Cities	188	200	232	187	139	178	188	222	173	130	6	7	8	9	5	2			4	1	2	5	2	1	3
	Rural	276	242	280	328	222	259	216	261	314	200	14	23	12	10	20	2		5	1		1	3	2	3	2
Oregon	Cities	109	138	118	84	101	100	129	107	78	91	5	1	3	5	2	4	6	7		4		2	1	1	4
	Rural	138	169	163	154	173	123	163	146	143	158	12	5	15	9	12		1				3		2	2	3
Pennsylvania	Cities	1,306	1,529	1,608	1,380	1,192	1,240	1,460	1,494	1,272	1,085	18	19	34	45	41	24	28	48	42	42	24	22	32	21	24
	Rural	855	1,009	1,004	988	924	803	952	928	887	797	38	40	52	76	99	8	4	10	9	16	6	13	14	16	12
Rhode Island	Cities	96	104	120	129	142	91	102	114	125	133		1			2	2	1	5	1	6	3		1	3	1
	Rural	10	15	9	22	22	10	14	9	21	21		1												1	1
South Carolina	Cities	122	133	136	109	83	120	130	130	104	83	1	2	5	5							1	1	1		
	Rural	215	264	255	262	176	209	250	240	246	168	5	12	14	16	7						1	2	1		1
South Dakota	Cities	22	42	29	(3)	(3)	22	41	28	(3)	(3)		1	1	(3)	(3)				(3)	(3)				(3)	(3)
	Rural	88	82	88	(4)	(4)	79	75	84	(4)	(4)	9	6	3	(4)	(4)				(4)	(4)		1	1	(4)	(4)
Tennessee	Cities	264	312	264	255	234	247	299	255	237	213	10	3	6	11	14	2	3	1	1	4	5	7	2	6	3
	Rural	234	264	284	257	177	227	248	271	243	169	6	13	12	12	8						1	3	1	2	
Utah	Cities	75	85	74	84	63	72	82	71	75	57	1	1	2	2	4	2		1	5	1		2		2	1
	Rural	46	80	67	60	75	43	75	59	58	66	3	5	5	2	9			2					1		
Vermont	Cities	13	18	8	13	17	13	18	8	12	15				1											2
	Rural	53	56	67	57	59	50	53	63	52	54	3	3	3	3	3								1	2	2
Virginia	Cities	231	274	233	186	194	218	260	214	176	185	5	6	7	4	4	4	4	4	2	2	4	4	8	4	3
	Rural	378	419	332	313	255	343	396	304	281	227	32	19	24	27	26						3	4	4	5	2
Washington	Cities	231	288	237	241	243	223	273	223	226	221	7	3	9	3	3		12	3	5	12	1		2	7	7
	Rural	210	198	206	234	239	190	188	190	215	203	17	8	14	16	27	2	1		1	4	1	1	2	2	5
West Virginia	Cities	116	159	153	100	116	110	155	146	96	103	2	2	1	1	5	1		1	1	1	3	2	5	2	7
	Rural	225	278	265	237	194	222	272	249	222	180	3	2	14	9	11		1		2	1		3	2	4	2
Wisconsin	Cities	317	356	390	331	342	299	335	350	285	303	13	7	32	25	27	3	10	3	17	8	2	4	5	4	4
	Rural	375	436	417	390	367	325	396	362	327	317	44	34	50	57	38	2	4	2	4	5	4	2	3	2	7
Wyoming	Cities	10	14	10	16	10	10	14	10	16	9					1										
	Rural	68	87	69	59	51	68	84	62	57	50		3	7	2											1
CITIES OF 100,000 POPULATION OR MORE IN 1930		9,090	10,420	10,204	9,973	9,064	8,660	9,875	9,599	9,387	8,444	161	187	211	224	258	174	232	266	248	257	95	126	128	114	105
Akron		90	84	104	96	85	80	77	100	90	83	9	6	2	2		1		1	4	2		1	1		
Albany		39	47	49	35	43	35	45	48	35	39	2				1	2	1	1		2		1			1
Atlanta		103	105	93	100	75	99	95	87	89	71	2	7	3	4	3	1		1		1	1	3	2	7	
Baltimore		209	248	222	208	195	201	226	206	198	185	2	5	5	4	2	5	14	9	3	1	3	3	2	3	5
Birmingham		76	89	79	88	75	75	82	70	76	63		5	5	9	7	1	2	4	2	4				1	1
Boston		153	150	123	146	139	151	148	120	145	138	2	1		1			1						3		1
Bridgeport		28	64	42	40	47	27	59	40	39	44			1				5	1	1	2	1				1
Buffalo		139	164	185	196	161	132	153	175	184	151	2	4	2	3	6	2	6	8	8	4	3	1		1	
Cambridge		22	28	31	32	27	22	28	30	31	26									1	1			1		
Camden		84	110	94	97	81	78	104	92	94	77	6	5	1	2	4			1	1			1			
Canton		32	31	26	53	36	32	28	23	43	28		2	3	8	7				1	1		1		1	
Chattanooga		30	59	46	31	48	26	59	46	30	45	2			1	3						2				
Chicago		880	1,023	900	831	926	846	953	841	768	884	5	23	15	26	10	24	41	36	30	21	5	6	8	7	11
Cincinnati		134	165	190	163	148	124	149	167	150	132	4	6	12	3	8	6	8	9	9	8		2	2	1	
Cleveland		273	303	326	330	291	262	286	303	312	273	2	3	3	4	6	6	11	17	11	11	3	3	3	3	1
Columbus		105	129	141	125	113	99	121	135	117	100	4	3	1	5	11	1	2	3	2	2	1	3	2	1	
Dallas		74	88	84	72	70	71	81	78	67	66	1	2		3		2	1	4	1	2		4	2	1	2
Dayton		61	84	84	86	72	58	75	71	75	64	1	7	10	7	7	1	1	3	2	1	1	1		2	
Denver		91	92	81	77	57	86	86	80	69	55	2	2		1	1	2	2	1	6		1	2		1	1
Des Moines		53	47	50	38	35	45	43	46	33	25	5	2	2	2	6	3	2		3	3			2		1
Detroit		334	386	404	405	379	321	372	384	392	360	9	4	7	4	10	4	8	9	7	8		2	4	2	1
Duluth		23	31	36	34	14	22	29	29	34	13			1		1	1	2	5					1		
Elizabeth		39	37	43	42	36	39	37	42	42	33					2			1		1					
El Paso		32	24	51	33	37	30	23	48	29	36	1	1		2				1	1	1	1		2	1	
Erie		36	50	52	47	34	36	45	46	38	31		4	1	4	3			4	4			1	1	1	

See footnotes at end of table.

Table BM—Continued

AREA	NUMBER OF DEATHS FROM—																								
	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Evansville	26	31	36	32	21	25	30	35	30	19	1	1	1	2	1					1					
Fall River	20	17	17	21	24	20	17	17	21	24												2	1	1	
Flint	42	56	54	53	43	38	53	50	49	42	3	1	2	2		1		1	1	1					
Fort Wayne	30	36	34	38	28	30	35	30	38	27			2				1	1		1				1	
Fort Worth	57	57	60	57	47	56	55	56	55	44			1		1			3	1	2	1	2		1	
Gary	32	62	56	63	49	28	45	38	47	35	3	14	11	14	11		1	5	2	2	1	2	2		1
Grand Rapids	33	38	54	46	39	29	36	47	44	33	4		3	1	3			2		2		2	1	1	1
Hartford	51	55	39	52	60	50	55	37	49	51	1				4			1	2	2			1	1	3
Houston	67	110	111	123	83	64	101	101	115	71	2	6	5	4	7				1	2	1	3	5	3	3
Indianapolis	108	168	142	142	134	99	156	134	129	120	5	3	5	10	10	3	8	2	3	4	1	1	1		
Jacksonville, Fla	61	57	51	55	40	58	56	45	53	38	1	1	1		2	1		2	1		1		3	1	
Jersey City	58	45	56	74	50	58	43	55	73	48					1			1		1		2		1	
Kansas City, Kans	38	24	39	14	18	36	24	36	14	18								2			2		1		
Kansas City, Mo	92	144	123	84	112	89	137	118	82	96	1	2	1		4	1	5	2	2	9	1		2		3
Knoxville	33	46	40	52	36	28	41	40	47	32	2			5	3	1	2				2	3			1
Long Beach	56	64	52	59	32	55	60	48	57	27		2	1		4	1		1	1			2	2	1	1
Los Angeles	521	518	451	463	361	486	488	417	430	337	4	4	7	9	9	23	20	20	19	9	8	6	7	5	6
Louisville	91	119	88	92	91	85	109	87	86	80	3	7	1	2	2	3	1		4	7		2			2
Lowell	24	23	23	18	18	22	22	23	18	17	1										1	1			1
Lynn	12	14	19	16	18	12	14	19	15	16					1									1	1
Memphis	107	103	94	91	92	101	100	87	82	80	5	2	5	3	8	1			1	4		1	2	5	
Miami	43	59	54	47	39	40	59	54	44	34	1			2	1	1			1	1	1				3
Milwaukee	102	114	113	129	143	97	108	110	112	127	2	2	1	5	9	2	3	2	12	5	1	1			2
Minneapolis	97	119	121	112	104	91	114	110	108	89	2	1	7	1	5	4	3	4	2	9		1		1	1
Nashville	73	75	66	66	45	72	71	64	64	43		1	1	1			1	1			1	2		1	2
Newark, N.J	99	112	140	129	117	98	106	139	126	117		1		1			3				1	2	1	2	
New Bedford	20	16	18	13	20	20	16	18	11	20				1					1						
New Haven	54	52	48	67	53	53	51	45	62	49				1		1		2	2	3		1	1	2	1
New Orleans	93	128	127	125	120	91	126	120	124	114	1	1	7		5		1				1			1	1
New York	1,192	1,323	1,342	1,375	1,137	1,163	1,299	1,310	1,342	1,120	7	1	6	4	3	12	9	8	17	7	10	14	18	12	7
Bronx Borough	169	167	175	196	176	166	164	167	193	172						2	2	2	1	2	1	1	6	2	2
Brooklyn Borough	396	418	429	442	374	389	411	421	428	369				1	1	5	5	3	9	2	2	2	5	4	2
Manhattan Borough	462	528	529	508	423	454	517	520	501	418	1		2	1	1	3	1	3	4	2	4	10	4	2	2
Queens Borough	142	177	170	198	129	137	174	165	191	128		1	4	1	1	2	1		3		3	1	1	3	
Richmond Borough	23	33	39	31	35	17	33	37	29	33	6			1						1			2	1	1
Norfolk	38	48	27	29	27	36	44	24	28	25				1		2	2	1		1		2	2		1
Oakland	70	114	122	96	82	64	101	111	85	72		3	8	2	8	3	6	1	8	1	3	4	2	1	1
Oklahoma City	72	64	78	65	35	66	55	76	59	34	2	4	2	4		2			1		2	5		1	1
Omaha	45	68	66	65	47	44	66	58	60	45		1	3	1		1	1	5	4	1					1
Paterson	58	55	52	64	60	56	52	50	59	57	2	2		3					1			1	2	1	3
Peoria	23	34	34	32	39	21	33	30	30	34	1		3	1	4	1		1	1	1		1			
Philadelphia	341	362	395	406	335	321	354	377	381	318	6	1	2	4		9	5	14	17	17	5	2	2	4	
Pittsburgh	172	229	253	207	179	159	218	228	197	160	1	2	2	2	3	8	6	18	5	11	4	3	5	3	5
Portland, Oreg	80	103	81	60	70	74	95	71	56	64	2	1	2	3		4	6	7		4		1	1	1	2
Providence	55	53	78	70	83	51	52	72	69	77					1	2	1	5		5	2		1	1	
Reading	36	28	31	33	33	35	28	28	32	30				1	2					1	1		3		
Richmond	71	92	66	53	54	67	90	59	51	52	1	2	2		1	1		2		1	2		3	2	
Rochester	65	77	82	62	72	62	76	80	58	68	3		2	2	4		1		2						
St. Louis	165	191	183	185	222	156	180	175	172	205	2	1	1	7	1	5	6	5	4	14	2	4	2	2	2
St. Paul	91	93	80	74	65	84	87	76	69	58	6	5	3	2	6	1	1	1	2	1				1	
Salt Lake City	59	51	47	66	47	58	50	44	58	45	1		2	2	1			1	4	1		1		2	
San Antonio	54	67	67	76	69	50	63	66	72	64	1	1		1		1	1	1	1		2	2	1	2	5
San Diego	76	70	83	69	68	68	66	77	62	63		1		1		2	1	1	2	1	6	2	5	4	4
San Francisco	138	133	142	131	148	132	126	133	119	138	1	1	2	1	1	2	3	5	7	6	3	3	2	4	3
Scranton	33	37	49	50	35	32	36	44	49	33			2	1				1		2	1	1	2		
Seattle	82	122	88	109	100	80	116	83	104	90	2		2		1		6	2	2	8			1	3	1
Somerville	12	8	9	18	18	11	7	9	18	18						1					1				
South Bend	37	37	40	36	39	32	34	35	34	34	4	3	2		2	1		2	1	2			1	1	1
Spokane	26	43	26	36	29	25	42	23	34	26	1		3	1	2		1		1	1					
Springfield, Mass	29	34	47	41	26	28	33	46	40	26			1				1		1		1				
Syracuse	41	71	63	62	64	39	70	61	59	59	1	1	1	3	2			1		3	1				
Tacoma	48	39	44	29	43	45	32	42	26	38	2	2	2				5		2	3	1			1	2
Tampa	31	47	36	38	28	28	43	30	36	22	1	1	5		4	1	1	1		2	1	2		2	
Toledo	118	133	118	118	109	109	120	107	106	85	8	9	9	6	15		4	1	6	9	1		1		
Trenton	44	57	60	61	53	41	56	57	58	50	1		2	1	2	1	1	1		1	1			2	
Tulsa	34	33	51	40	34	34	33	50	37	31				3	2					1			1		
Utica	29	38	28	27	25	29	35	26	25	24				1	1		3	2	1						
Washington, D.C	193	165	143	122	133	186	161	138	117	124				3	1	6	1	2	1	4	1	3	3	1	4
Wichita	25	24	46	43	20	21	22	40	39	19	2	2	5	2		2		1	1	1				1	
Wilmington, Del	36	41	41	33	51	36	38	40	33	49					1			1		1		3			
Worcester	33	38	55	36	36	31	37	53	33	35			1	1		2		1	1			1		1	1
Yonkers	17	25	21	27	19	17	24	19	27	19							1						2		
Youngstown	41	73	68	91	69	41	69	64	88	63		2		1	1		2	4	2	3					2

[1] Including District of Columbia.
[2] See table A. The States of 1910 exclude North Carolina.
[3] Certain cities included in "Cities in nonregistration States."
[4] Not in registration area.

NOTE.—"Cities" include municipalities of 10,000 population or more in 1930 and in some States certain towns and townships having populations of 10,000 or more with a population density of 1,000 or more per square mile.

Table BN

AREA	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—																								
	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
The registration area in continental United States	23.6	27.2	26.7	25.7	23.4	21.9	25.2	24.5	23.3	20.8	1.2	1.4	1.5	1.7	1.8	0.3	0.4	0.4	0.4	0.5	0.2	0.3	0.3	0.3	0.3
Registration States [1]	23.6	27.1	26.6	25.6	23.3	21.9	25.1	24.4	23.2	20.7	1.2	1.4	1.5	1.7	1.8	0.3	0.4	0.4	0.4	0.5	0.2	0.3	0.3	0.3	0.3
Cities of 10,000 or over [1]	27.0	31.1	31.2	30.4	28.4	25.5	29.3	29.0	28.2	26.0	0.8	0.9	1.1	1.1	1.3	0.4	0.6	0.7	0.7	0.7	0.3	0.4	0.4	0.4	0.4
Smaller cities and rural areas	20.4	23.2	22.4	21.5	19.0	18.5	21.1	20.1	18.9	16.3	1.6	1.9	1.9	2.2	2.2	0.1	0.1	0.1	0.2	0.3	0.1	0.2	0.2	0.2	0.2
Registration cities in nonregistration State	26.3	32.4	34.5	35.6	30.6	25.1	30.4	32.4	33.1	28.0	0.5	0.9	0.6	1.1	0.9	0.3	0.2	0.7	0.6	0.7	0.4	0.9	0.8	0.7	1.0
All registration cities [1]	26.9	31.2	31.3	30.5	28.4	25.5	29.3	29.1	28.3	26.0	0.8	0.9	1.1	1.1	1.3	0.4	0.6	0.7	0.7	0.7	0.3	0.4	0.4	0.4	0.4
The registration States of—																									
1900 [2]	24.2	27.4	27.1	27.4	25.0	22.5	25.5	25.0	25.1	22.4	1.3	1.3	1.3	1.6	1.7	0.2	0.3	0.4	0.4	0.5	0.2	0.3	0.3	0.3	0.3
Cities	22.8	26.3	26.3	27.6	25.2	21.8	25.0	24.9	26.1	23.4	0.6	0.6	0.7	0.7	1.0	0.2	0.3	0.4	0.4	0.5	0.2	0.3	0.4	0.3	0.3
Rural	27.5	30.1	28.8	27.2	24.5	24.3	26.6	25.4	23.2	20.3	2.8	2.9	2.8	3.3	3.3	0.2	0.3	0.3	0.4	0.6	0.2	0.2	0.3	0.3	0.4
1910 [2]	25.8	29.4	29.0	28.8	26.1	24.0	27.3	26.6	26.0	23.2	1.3	1.4	1.5	1.8	2.0	0.3	0.4	0.5	0.6	0.6	0.2	0.3	0.4	0.4	0.4
Cities	25.5	29.2	29.6	29.9	27.2	24.1	27.5	27.6	27.8	24.9	0.7	0.7	0.9	0.9	1.2	0.4	0.5	0.7	0.7	0.7	0.3	0.3	0.4	0.4	0.4
Rural	26.3	29.8	28.1	27.2	24.6	23.8	26.8	25.0	23.3	20.7	2.2	2.5	2.5	3.1	3.1	0.2	0.3	0.3	0.4	0.5	0.2	0.2	0.4	0.3	0.3
1920 [2]	24.4	28.0	27.4	26.5	24.3	22.6	25.9	25.1	23.9	21.6	1.3	1.4	1.5	1.7	1.8	0.3	0.4	0.4	0.4	0.5	0.2	0.3	0.3	0.3	0.3
Cities	26.4	30.5	30.5	30.0	28.2	25.0	28.7	28.4	27.9	25.8	0.8	0.9	1.0	1.0	1.3	0.4	0.6	0.7	0.7	0.7	0.3	0.4	0.4	0.4	0.4
Rural	22.1	25.0	23.9	22.9	20.5	19.9	22.6	21.4	19.9	17.4	1.9	2.1	2.1	2.5	2.5	0.1	0.2	0.2	0.3	0.4	0.2	0.2	0.2	0.2	0.2
Alabama	15.8	18.6	18.6	18.6	15.7	15.1	17.7	17.3	17.0	14.4	0.6	0.8	1.0	1.3	0.9	(4)	0.1	0.2	0.2	0.2	0.1	(4)	0.1	0.1	0.2
Cities	36.1	37.1	36.3	37.4	32.9	34.4	35.6	33.8	32.8	29.8	1.3	1.0	1.5	3.3	2.2	0.2	0.3	0.9	1.2	0.8	0.2	0.2	0.2	0.2	0.2
Rural	10.0	13.2	13.6	13.9	11.5	9.6	12.5	12.7	13.1	10.7	0.4	0.7	0.9	0.8	0.6						(4)			(4)	0.1
Arizona	37.1	35.9	43.4	36.7	31.1	36.2	33.6	41.3	35.7	29.4	0.7	2.0	0.9	0.5	1.4						0.2	0.2	1.1	0.5	0.2
Cities	81.3	77.6	76.4	57.0	49.6	78.9	75.2	71.4	54.5	45.7	1.2	1.2	2.5	1.3	3.9						1.2	1.2	2.5	1.3	
Rural	26.9	26.2	35.9	32.1	26.9	26.3	23.9	34.5	31.5	25.8	0.5	2.2	0.6	0.3	0.9								0.8	0.3	0.3
Arkansas	15.1	18.4	17.2	16.4	12.4	13.9	16.8	16.5	15.3	11.5	1.0	1.5	0.5	1.0	0.7	0.1		0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Cities	37.4	51.9	44.5	35.5	35.2	32.6	50.6	42.7	32.6	33.4	3.5	0.4	0.9	1.7	1.2	0.9		0.4	0.6	0.6	0.4	0.9	0.4	0.6	
Rural	12.0	13.8	13.5	14.4	10.1	11.3	12.1	12.9	13.5	9.4	0.7	1.7	0.5	1.0	0.7						0.1		0.1		0.1
California	39.6	43.9	41.9	41.8	36.6	37.0	40.5	38.3	38.1	33.2	1.2	1.9	1.9	2.1	2.2	0.8	1.1	1.0	1.0	0.7	0.6	0.5	0.7	0.6	0.6
Cities	34.1	36.5	37.3	36.4	31.9	31.8	33.9	34.1	33.3	28.9	0.5	0.8	1.1	1.0	1.6	1.1	1.2	1.4	1.4	0.8	0.6	0.6	0.7	0.7	0.6
Rural	49.4	57.6	49.9	48.9	42.9	46.0	52.6	45.5	44.5	38.8	2.5	3.9	3.2	3.6	3.0	0.4	0.8	0.4	0.4	0.6	0.5	0.3	0.8	0.5	0.5
Colorado	28.8	32.6	27.6	28.1	23.4	27.1	30.6	26.1	25.1	21.7	1.0	1.5	0.9	2.1	1.5	0.4	0.2	0.1	0.7		0.4	0.3	0.5	0.2	0.3
Cities	32.3	32.3	30.3	29.0	22.6	30.9	30.4	29.6	26.5	21.8	0.5	0.9	0.2	0.5	0.3	0.5	0.5	0.2	1.7		0.5	0.5	0.2	0.2	0.5
Rural	26.4	32.8	25.6	27.5	24.0	24.4	30.7	23.7	24.1	21.6	1.3	2.0	1.3	3.2	2.3	0.3					0.3	0.2	0.7	0.2	0.2
Connecticut	25.9	29.3	26.1	29.0	28.4	25.0	28.1	25.2	27.2	26.0	0.4	0.1	0.1	0.4	1.2	0.2	0.6	0.3	0.6	0.5	0.4	0.6	0.4	0.8	0.8
Cities	27.5	31.3	26.0	31.9	31.1	26.6	29.8	25.1	30.0	28.3	0.5	0.1	0.1	0.3	1.3	0.3	0.8	0.4	0.6	0.7	0.2	0.5	0.5	1.0	0.8
Rural	22.7	25.2	26.2	20.7	20.9	21.8	24.7	25.6	19.3	19.2	0.2			0.7	1.0			0.2	0.5		0.7	0.6	0.4	0.2	0.7
Delaware	34.2	34.2	33.5	27.0	33.1	32.9	31.7	31.0	24.0	31.8	0.8	1.3	2.1	3.0	0.4			0.4		0.4	0.4	1.3			0.4
Cities	33.8	38.5	38.5	30.9	47.6	33.8	35.6	37.5	30.9	45.7					0.9			0.9		0.9		2.8			
Rural	34.5	30.7	29.5	23.8	21.0	32.2	28.5	25.7	18.4	20.2	1.5	2.2	3.8	5.4							0.7				0.8
Florida	33.4	36.8	39.9	35.9	31.8	31.7	34.4	38.0	34.1	29.2	0.9	1.9	1.1	1.3	1.8	0.2	0.1	0.2	0.1	0.2	0.7	0.5	0.6	0.4	0.6
Cities	41.7	45.8	48.4	39.4	28.4	39.5	43.0	45.4	37.5	25.4	0.9	2.1	1.2	0.7	1.6	0.5	0.2	0.5	0.5	0.7	0.9	0.5	1.2	0.7	0.7
Rural	28.4	31.2	34.8	34.4	33.4	27.0	29.1	33.6	32.6	31.0	0.8	1.7	1.0	1.5	1.9						0.5	0.4	0.2	0.3	0.5
Georgia	20.2	22.2	21.1	20.0	17.5	18.6	20.9	19.3	18.1	16.1	1.3	1.2	1.6	1.3	1.2	0.1	(4)	0.1	0.1	0.1	0.3	0.1	0.1	0.4	0.1
Cities	42.1	39.5	39.7	40.7	35.1	39.8	37.2	37.0	36.5	32.0	1.2	1.6	1.8	2.1	2.1	0.3	0.1	0.3	0.5	0.3	0.9	0.6	0.6	1.6	0.7
Rural	13.6	17.0	15.6	14.3	12.8	12.2	16.0	14.1	13.1	11.8	1.3	1.0	1.5	1.1	0.9					0.1	0.1			0.1	
Idaho	19.9	19.7	25.2	20.9	21.9	19.2	19.7	24.5	18.2	20.3	0.4		0.2	2.5	1.6						0.2		0.4	0.2	
Cities	46.9	39.4	57.9	31.6	37.1	46.9	39.4	57.9	26.3	37.1				5.3											
Rural	17.4	17.9	22.1	19.9	20.5	16.6	17.9	21.4	17.5	18.8	0.5		0.2	2.2	1.7						0.2		0.5	0.2	
Illinois	26.2	30.7	28.8	26.3	27.7	23.6	26.5	25.4	22.3	23.4	2.0	3.1	2.4	2.9	3.1	0.5	0.9	0.8	0.8	0.9	0.1	0.2	0.2	0.2	0.2
Cities	27.1	31.5	30.8	28.1	30.9	25.4	28.5	28.1	25.2	27.8	0.8	1.6	1.2	1.7	2.0	0.7	1.2	1.1	1.0	0.7	0.1	0.2	0.3	0.2	0.3
Rural	24.5	29.1	25.1	23.2	22.4	20.0	22.8	20.3	17.5	16.2	4.3	5.9	4.5	4.9	4.9	0.2	0.3	0.2	0.6	1.1	(4)	0.1	0.2	0.2	0.1
Indiana	31.1	37.3	35.7	34.1	32.0	25.8	31.4	29.7	27.9	24.6	4.3	4.6	4.6	4.9	5.3	0.8	1.1	0.9	1.2	1.6	0.2	0.2	0.4	0.1	0.5
Cities	33.6	44.1	41.5	41.3	39.3	29.8	38.9	36.0	35.7	31.6	2.9	3.7	3.9	3.9	5.4	0.7	1.3	1.1	1.5	1.5	0.2	0.2	0.5	0.1	0.8
Rural	28.8	31.2	30.6	28.3	26.2	22.3	24.6	24.3	21.6	19.1	5.5	5.4	5.3	5.7	5.2	0.8	1.0	0.7	1.0	1.6	0.2	0.2	0.3		0.3
Iowa	19.4	25.2	26.0	18.7	15.7	17.0	22.8	24.3	16.4	13.4	2.0	2.1	1.5	1.9	1.9	0.3	0.2	(4)	0.2	0.3	0.1	0.2	0.2	0.2	0.1
Cities	27.4	37.3	41.9	29.5	25.4	24.4	34.8	39.1	27.0	21.1	1.9	1.7	2.1	1.6	3.1	1.0	0.4	0.1	0.4	0.9	0.1	0.4	0.6	0.4	0.3
Rural	16.2	20.2	19.6	14.5	12.0	14.0	17.8	18.2	12.4	10.5	2.1	2.2	1.2	2.0	1.5		0.1		0.1	0.1	0.1	0.1	0.1	0.1	
Kansas	23.4	24.4	26.3	23.4	19.7	20.4	21.3	23.3	19.9	16.3	2.5	2.6	2.5	3.2	3.1	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.1
Cities	29.2	26.7	31.3	28.5	23.1	26.7	23.9	27.8	25.0	21.3	1.5	2.4	2.4	3.0	1.2	0.5	0.4	0.7	0.2	0.4	0.5		0.4	0.4	0.2
Rural	21.0	23.4	24.3	21.6	18.4	17.8	20.2	21.5	18.1	14.5	2.9	2.8	2.5	3.3	3.7	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1
Kentucky	17.9	20.7	19.1	16.2	14.5	16.7	19.5	18.2	15.0	13.3	1.0	0.8	0.7	0.8	0.5	0.1	0.2	0.1	0.2	0.5	0.1	0.2	(4)	0.2	0.3
Cities	31.2	37.1	31.9	32.0	31.1	29.9	34.6	30.2	29.3	28.2	0.7	1.3	1.2	1.5	0.9	0.5	0.5	0.3	0.9	1.3	0.2	0.7	0.2	0.4	0.7
Rural	13.9	15.8	15.2	12.0	10.1	12.7	15.0	14.6	11.2	9.3	1.1	0.6	0.6	0.6	0.4		0.1		(4)	0.2	0.1			0.1	0.1
Louisiana	16.7	19.8	18.9	18.4	18.0	15.9	19.4	17.6	17.9	17.0	0.5	0.3	1.2	0.3	0.9	0.1	(4)	(4)			0.1	(4)	0.1	0.1	0.1
Cities	24.4	34.5	32.0	30.2	32.9	23.5	33.9	30.0	29.9	31.0	0.6	0.3	1.7	0.2	1.6	0.1	0.1	0.1	0.2		0.1	0.1	0.2	0.2	0.3
Rural	13.1	13.0	12.9	13.3	11.6	12.4	12.6	11.9	12.8	11.0	0.5	0.3	1.0	0.4	0.6	0.1					0.1		0.1	0.1	
Maine	20.0	22.5	22.2	20.6	16.2	18.6	19.9	19.9	19.0	14.5	1.1	1.8	1.3	1.3	1.5		0.3	0.1		0.1	0.2	0.6	0.9	0.4	
Cities	20.8	24.7	30.6	32.0	23.2	17.8	22.6	29.3	30.2	21.9	2.2	0.9	0.4	0.9	0.9					0.4	0.9	1.3	0.9	0.9	
Rural	19.6	21.6	18.8	16.1	13.4	18.9	18.8	16.2	14.6	11.6	0.7	2.1	1.6	1.4	1.3		0.4	0.2				0.4	0.9	0.2	
Maryland	26.0	30.6	29.2	26.3	23.8	24.8	28.3	27.4	23.6	21.4	0.8	0.9	0.5	1.9	1.5	0.3	0.9	0.6	0.2	0.3	0.1	0.5	0.6	0.6	0.6
Cities	28.4	33.7	30.4	28.3	27.2	27.3	30.8	28.5	26.7	25.7	0.4	0.8	0.5	0.7	0.5	0.5	1.5	1.5	1.0	0.3	0.3	0.1	0.7	0.4	0.6	0.7
Rural	22.9	26.6	27.5	23.8	19.6	21.6	25.2	26.2	19.8	16.1	1.2	1.0	0.4	3.5	2.8			0.1		0.3		0.4	0.8	0.6	0.4
Massachusetts	18.8	19.8	19.3	19.4	18.2	18.1	19.0	18.3	18.5	17.3	0.4	0.5	0.5	0.4	0.4	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.3	0.3	0.4
Cities	18.4	19.6	19.5	20.0	18.7	17.8	19.1	18.6	19.4	18.0	0.2	0.2	0.3	0.1	0.3	0.1	0.1	0.2	0.1	0.1	0.3	0.2	0.3	0.3	0.3
Rural	20.4	20.6	18.4	16.9	15.9	19.2	18.4	16.6	14.7	14.3	1.2	1.9	1.3	1.7	1.0				0.1			0.3	0.3	0.5	0.6
Michigan	25.0	30.8	30.9	32.4	30.8	22.9	28.5	28.4	29.7	26.9	1.8	1.9	1.7	2.0	2.6	0.1	0.2	0.5	0.4	1.1	0.1	0.2	0.2	0.3	0.3
Cities	24.1	30.2	31.3	34.4	32.7	22.5	28.6	29.2	32.5	29.4	1.2	0.9	0.9	1.1	1.9	0.2	0.3	0.7	0.5	1.2	0.1	0.4	0.4	0.2	0.2
Rural	26.5	32.0	30.3	29.8	28.6	23.6	28.4	27.2	26.0	23.7	2.7	3.5	3.0	3.2	3.6			0.2	0.3	0.9	0.2	0.1		0.3	0.3
Minnesota	20.5	25.5	23.7	21.4	20.1	18.8	24.1	21.8	19.8	17.2	1.5	1.0	1.3	1.2	2.3	0.2	0.2	0.4	0.2	0.5		0.1	0.2	0.2	0.1
Cities	25.9	29.5	29.3	26.5	24.7	23.4	28.1	26.8	25.3	21.2	2.0	0.7	1.4	0.6	2.3	0.6	0.6	1.0	0.4	1.1		0.1	0.1	0.2	0.1
Rural	17.1	22.9	20.2	18.3	17.4	15.9	21.6	18.7	16.5	14.8	1.2	1.3	1.2	1.6	2.3					0.2		0.1	0.3	0.2	0.1
Mississippi	11.8	14.6	17.2	16.0	14.8	11.5	14.0	16.5	14.2	12.8	0.3	0.5	0.7	1.8	1.8				0.1	0.1		(4)	(4)		0.1
Cities	36.0	47.1	51.1	41.4	47.2	35.2	45.4	49.9	39.9	39.7	0.8	1.2	1.3	1.0	5.9				0.5	0.5		0.4			1.1
Rural	8.5	10.1	12.7	13.4	11.4	8.3	9.7	12.0	11.5	10.0	0.3	0.4	0.6	1.8	1.4								0.1		

See footnotes at end of table.

Table BN—Continued

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—

AREA	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Missouri	20.5	24.8	22.3	19.6	19.5	18.9	23.1	20.3	18.0	17.4	1.2	1.1	1.4	1.3	1.2	0.3	0.4	0.3	0.2	0.8	0.1	0.2	0.2	0.1	0.1
Cities	23.3	30.3	27.7	25.5	28.3	21.8	28.6	25.5	24.1	25.3	0.5	0.6	1.3	0.8	0.9	0.7	0.7	0.5	0.4	1.7	0.2	0.4	0.4	0.2	0.3
Rural	18.4	20.5	18.0	15.3	13.2	16.6	18.8	16.3	13.6	11.7	1.8	1.5	1.5	1.6	1.4	(4)	0.1	0.1	0.1	(4)	----	----	0.1	----	----
Montana	18.2	23.8	19.9	22.8	26.1	17.9	21.9	18.6	21.2	21.9	0.4	1.5	1.1	1.7	3.9	----	0.2	----	----	0.4	----	0.2	0.2	----	----
Cities	24.8	32.9	32.3	26.8	33.4	24.8	30.5	32.3	24.3	31.0	----	0.8	----	2.4	0.8	----	0.8	----	----	1.6	----	0.8	----	----	----
Rural	16.2	21.1	16.2	21.7	24.0	15.7	19.4	14.5	20.2	19.2	0.5	1.7	1.4	1.4	4.8	----	----	----	----	----	----	----	0.2	----	----
Nebraska	16.1	22.8	23.8	22.2	17.7	15.3	21.0	20.7	19.3	15.9	0.7	1.6	2.7	2.6	1.7	0.1	0.1	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1
Cities	21.7	33.6	29.8	30.4	23.1	20.7	32.0	26.8	27.4	21.8	0.8	1.1	1.4	1.5	0.6	0.3	0.3	1.4	1.2	0.3	----	0.3	0.3	0.3	0.3
Rural	14.1	18.8	21.7	19.6	16.1	13.3	16.9	18.5	16.7	14.1	0.7	1.8	3.2	2.9	2.0	----	----	----	----	----	0.1	0.1	----	----	----
Nevada	64.5	68.5	40.7	52.2	(3)	63.4	68.5	37.4	50.0	(3)	1.1	----	3.3	1.1	(3)	----	----	----	----	(3)	----	----	----	1.1	(3)
Cities	77.7	93.3	69.5	94.2	(3)	77.7	93.3	58.8	88.6	(3)	----	----	10.7	5.5	(3)	----	----	----	----	(3)	----	----	----	----	(3)
Rural	61.1	61.9	33.2	41.7	(3)	59.7	61.9	31.8	40.3	(3)	1.4	----	1.4	----	(3)	----	----	----	----	(3)	----	----	----	1.4	(3)
New Hampshire	15.4	23.8	23.2	24.2	18.4	15.0	21.4	22.1	21.1	16.5	0.4	1.9	0.9	2.6	0.9	----	----	----	----	----	----	0.4	0.2	0.4	1.1
Cities	17.6	24.9	25.6	25.6	19.5	17.6	23.6	25.1	24.2	18.5	----	0.4	----	1.0	----	----	----	----	----	----	----	0.9	0.4	0.5	1.0
Rural	13.2	22.6	20.8	23.0	17.6	12.3	19.2	19.1	18.7	14.8	0.8	3.4	1.7	3.9	1.6	----	----	----	----	----	----	----	----	0.4	1.2
New Jersey	28.0	31.5	31.5	32.5	28.1	26.6	29.9	29.8	30.4	26.1	1.1	1.1	1.3	1.3	1.6	0.1	0.2	0.1	0.2	0.1	0.2	0.3	0.3	0.7	0.3
Cities	27.4	29.7	31.8	35.6	30.6	26.5	28.5	30.7	34.2	29.4	0.6	0.6	0.6	0.5	0.7	0.1	0.2	0.1	0.2	0.1	0.2	0.3	0.4	0.7	0.4
Rural	29.3	35.7	30.9	28.1	24.4	26.9	33.1	27.9	25.0	21.3	2.1	2.2	2.8	2.4	2.9	----	0.1	----	0.1	0.1	0.3	0.3	0.2	0.6	0.2
New Mexico	22.7	23.1	32.7	24.6	(3)	22.5	22.2	26.1	23.2	(3)	0.2	0.7	5.9	1.2	(3)	----	----	----	----	(3)	----	0.2	0.7	0.2	(3)
Cities	43.7	31.7	58.9	7.6	(3)	43.7	29.7	42.7	7.6	(3)	----	----	12.2	----	(3)	----	----	----	----	(3)	----	2.0	4.1	----	(3)
Rural	20.0	22.0	29.3	25.7	(3)	19.7	21.2	23.9	24.2	(3)	0.3	0.8	5.1	1.3	(3)	----	----	----	----	(3)	----	----	0.3	0.3	(3)
New York	23.2	25.4	25.7	25.9	22.7	21.9	24.1	24.1	24.0	20.9	1.0	0.8	1.0	1.3	1.2	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.2	0.2
Cities	20.4	23.4	23.7	24.2	21.4	19.6	22.6	22.7	23.0	20.5	0.4	0.3	0.5	0.6	0.5	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.2	0.2
Rural	33.9	33.1	33.2	32.0	27.2	30.3	30.0	29.6	27.2	22.4	3.3	2.5	2.9	3.9	4.0	0.1	0.2	0.3	0.5	0.4	0.3	0.3	0.5	0.4	0.4
North Carolina	18.4	21.6	21.4	20.5	20.4	17.2	20.2	19.7	19.5	18.8	1.0	1.1	1.6	0.8	1.4	----	0.1	----	----	(4)	0.2	0.3	(4)	0.2	0.2
Cities	37.2	43.8	41.6	39.7	39.7	34.1	40.5	38.6	36.4	37.6	2.4	2.1	2.8	2.8	1.5	----	0.3	----	----	0.2	0.6	0.8	0.2	0.6	0.4
Rural	14.0	16.4	16.8	16.8	16.8	13.2	15.4	15.4	16.3	15.3	0.7	0.8	1.4	0.4	1.4	----	----	----	----	----	0.1	0.2	----	0.1	0.2
North Dakota	8.6	16.8	14.2	14.4	13.2	8.3	16.1	11.6	13.0	11.7	0.3	0.7	2.2	1.3	1.5	----	----	0.1	----	----	----	----	0.3	0.1	----
Cities	27.9	35.9	45.0	26.4	23.6	26.6	35.9	39.5	23.1	23.6	1.3	----	2.7	3.3	----	----	----	1.4	----	----	----	----	1.4	----	----
Rural	6.2	14.5	10.5	13.3	12.2	6.1	13.7	8.2	12.0	10.6	0.2	0.8	2.1	1.1	1.6	----	----	----	----	----	----	----	0.2	0.2	----
Ohio	29.8	33.5	34.6	35.7	31.4	27.0	29.3	30.3	30.2	26.3	2.3	3.0	2.9	3.4	3.7	0.4	0.8	1.1	1.6	1.3	0.2	0.4	0.4	0.4	0.2
Cities	32.0	37.6	39.8	40.4	36.6	29.8	34.2	36.0	37.0	32.5	1.5	2.1	1.9	1.7	2.6	0.5	0.9	1.4	1.3	1.4	0.2	0.4	0.4	0.4	0.2
Rural	26.6	27.7	27.2	29.4	24.6	22.9	22.2	22.1	21.4	18.2	3.3	4.3	4.3	5.8	5.1	0.2	0.7	0.5	1.9	1.1	0.1	0.3	0.3	0.4	0.1
Oklahoma	19.0	18.2	21.3	21.7	15.5	17.9	16.7	20.1	20.6	14.1	0.8	1.2	0.8	0.8	1.1	0.2	----	0.2	(4)	(4)	0.1	0.3	0.2	0.2	0.2
Cities	32.6	34.6	41.6	38.2	30.3	30.8	32.6	39.8	35.4	28.3	1.0	1.2	1.4	1.8	1.1	0.3	----	----	0.8	0.2	0.3	0.9	0.4	0.2	0.7
Rural	14.8	13.1	15.2	17.4	11.8	13.9	11.7	14.1	16.7	10.7	0.8	1.2	0.6	0.5	1.1	0.1	----	0.3	0.1	----	0.1	0.2	0.1	0.2	0.1
Oregon	25.4	31.7	29.3	25.3	29.6	22.9	30.2	26.4	23.5	26.9	1.7	0.6	1.9	1.5	1.5	0.4	0.7	0.7	----	0.4	0.3	0.2	0.3	0.3	0.8
Cities	27.7	35.1	30.5	23.8	29.1	25.4	32.8	27.7	22.1	26.2	1.3	0.3	0.8	1.4	0.6	1.0	1.5	1.8	----	1.2	----	0.5	0.3	0.3	1.2
Rural	23.9	29.5	28.5	26.2	29.9	21.2	28.4	25.5	24.3	27.3	2.1	0.9	2.6	1.5	2.1	----	0.2	----	----	----	0.5	----	0.3	0.3	0.5
Pennsylvania	22.2	26.2	27.1	24.8	22.3	21.0	24.9	25.1	22.6	19.9	0.6	0.6	0.9	1.3	1.5	0.3	0.3	0.6	0.5	0.6	0.3	0.4	0.5	0.4	0.4
Cities	24.5	28.7	30.5	28.6	24.9	23.3	27.4	28.3	26.3	22.7	0.3	0.4	0.6	0.9	0.9	0.5	0.5	0.9	0.9	0.9	0.5	0.4	0.6	0.4	0.5
Rural	19.4	23.1	22.9	20.9	19.7	18.2	21.8	21.2	18.7	17.0	0.9	0.9	1.2	1.6	2.1	0.2	0.1	0.2	0.2	0.3	0.1	0.3	0.3	0.3	0.3
Rhode Island	15.2	17.1	18.7	22.2	24.4	14.5	16.7	17.8	21.4	22.9	----	0.3	----	----	0.3	0.3	0.1	0.7	0.1	0.9	0.4	----	0.1	0.6	0.3
Cities	15.7	17.0	19.9	22.9	25.5	14.9	16.7	18.9	22.2	23.9	----	0.2	----	----	0.4	0.3	0.2	0.8	0.2	1.1	0.5	----	0.2	0.5	0.2
Rural	11.4	18.0	10.4	18.8	19.0	11.4	16.8	10.4	17.9	18.1	----	1.2	----	----	----	----	----	----	----	----	----	----	----	0.9	0.9
South Carolina	19.3	22.8	22.5	21.4	15.0	18.9	21.8	21.3	20.2	14.5	0.3	0.8	1.1	1.2	0.4	----	----	----	----	----	0.1	0.2	0.1	----	0.1
Cities	51.1	55.6	58.0	55.0	42.4	50.3	54.3	55.4	52.5	42.4	0.4	0.8	2.1	2.5	----	----	----	----	----	----	0.4	0.4	0.4	----	----
Rural	14.3	17.5	16.9	17.1	11.5	13.9	16.6	15.9	16.0	11.0	0.3	0.8	0.9	1.0	0.5	----	----	----	----	----	0.1	0.1	0.1	----	0.1
South Dakota	15.7	17.8	16.9	(3)	(3)	14.4	16.6	16.1	(3)	(3)	1.3	1.0	0.6	(3)	(3)	----	----	----	(3)	(3)	----	0.1	0.1	(3)	(3)
Cities	23.2	44.3	31.2	(3)	(3)	23.2	43.2	30.2	(3)	(3)	----	1.1	1.1	(3)	(3)	----	----	----	(3)	(3)	----	----	----	(3)	(3)
Rural	14.5	13.6	14.6	(3)	(3)	13.1	12.5	14.0	(3)	(3)	1.5	1.0	0.5	(3)	(3)	----	----	----	(3)	(3)	----	0.2	0.2	(3)	(3)
Tennessee	18.8	21.8	20.9	19.7	16.0	17.9	20.7	20.1	18.5	14.9	0.6	0.6	0.7	0.9	0.9	0.1	0.1	(4)	(4)	0.2	0.2	0.4	0.1	0.3	0.1
Cities	36.7	43.3	37.4	43.4	41.3	34.3	41.5	36.1	40.4	37.6	1.4	0.4	0.8	1.9	2.5	0.3	0.4	0.1	0.2	0.7	0.7	1.0	0.3	1.0	0.5
Rural	12.1	13.8	14.8	12.8	8.8	11.8	12.9	14.1	12.1	8.4	0.3	0.7	0.6	0.6	0.4	----	----	----	----	----	0.1	0.2	0.1	0.1	----
Utah	23.5	32.2	27.7	28.6	27.7	22.3	30.7	25.5	26.4	24.7	0.8	1.2	1.4	0.8	2.6	0.4	----	0.6	1.0	0.2	----	0.4	0.2	0.4	0.2
Cities	37.6	42.6	37.7	43.6	33.2	36.1	41.1	36.2	38.9	30.1	0.5	0.5	1.0	1.0	2.1	1.0	----	0.5	2.6	0.5	----	1.0	----	1.0	0.5
Rural	14.6	25.6	21.4	19.3	24.3	13.6	24.0	18.9	18.7	21.4	1.0	1.6	1.6	0.6	2.9	----	----	0.6	----	----	----	----	0.3	----	----
Vermont	18.3	20.6	20.8	19.5	21.2	17.5	19.7	19.7	17.8	19.3	0.8	0.8	0.8	1.1	0.8	----	----	----	----	----	----	----	0.3	0.6	1.1
Cities	24.0	33.3	15.0	24.5	32.4	24.0	33.3	15.0	22.6	28.6	----	----	----	1.9	----	----	----	----	----	----	----	----	----	----	3.8
Rural	17.3	18.3	21.9	18.6	19.3	16.3	17.3	20.6	17.0	17.7	1.0	1.0	1.0	1.0	1.0	----	----	----	----	----	----	----	0.3	0.7	0.7
Virginia	25.0	28.5	23.3	20.7	18.7	23.0	27.0	21.4	18.9	17.1	1.5	1.0	1.3	1.3	1.2	0.2	0.2	0.2	0.1	0.1	0.3	0.3	0.5	0.4	0.2
Cities	35.9	42.6	36.5	31.0	32.4	33.9	40.4	33.5	29.4	30.9	0.8	0.9	1.1	0.7	0.7	0.6	0.6	0.6	0.3	0.3	0.6	0.6	1.3	0.7	0.5
Rural	21.1	23.5	18.6	17.2	14.1	19.1	22.2	17.0	15.5	12.6	1.8	1.1	1.3	1.5	1.4	----	----	----	----	----	0.2	0.2	0.2	0.3	0.1
Washington	27.8	30.8	28.3	30.7	31.5	26.0	29.2	26.3	28.5	27.7	1.5	0.7	1.5	1.2	2.0	0.1	0.8	0.2	0.4	1.0	0.1	0.1	0.3	0.6	0.8
Cities	28.7	35.8	29.8	33.0	33.6	27.7	33.9	28.1	30.9	30.6	0.9	0.4	1.1	0.4	0.4	----	1.5	0.4	0.7	1.7	0.1	----	0.3	1.0	1.0
Rural	26.8	25.6	26.6	28.6	29.7	24.3	24.3	24.6	26.3	25.2	2.2	1.0	1.8	2.0	3.4	0.3	0.1	----	0.1	0.5	0.1	0.1	0.3	0.2	0.6
West Virginia	19.4	25.0	24.1	19.7	18.4	18.9	24.4	22.8	18.6	16.8	0.3	0.2	0.9	0.6	1.0	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.4	0.4	0.5
Cities	32.9	45.1	44.3	29.9	35.8	31.2	44.0	42.2	28.7	31.7	0.6	0.6	0.3	0.3	1.5	0.3	----	0.3	0.3	0.3	0.9	0.6	1.4	0.6	2.2
Rural	16.0	19.9	19.1	17.2	14.3	15.8	19.5	17.9	16.1	13.2	0.2	0.1	1.0	0.7	0.8	----	0.1	----	0.1	0.1	----	0.2	0.1	0.3	0.1
Wisconsin	23.3	26.7	27.4	24.7	24.6	21.0	24.7	24.2	21.0	21.5	1.9	1.4	2.8	2.8	2.3	0.2	0.5	0.2	0.7	0.5	0.2	0.2	0.3	0.2	0.4
Cities	24.0	27.0	30.3	27.9	29.4	22.6	25.4	27.2	24.0	26.1	1.0	0.5	2.5	2.1	2.3	0.2	0.8	0.2	1.4	0.7	0.2	0.3	0.4	0.3	0.3
Rural	22.6	26.5	25.2	22.6	21.3	19.6	24.1	21.8	18.9	18.4	2.7	2.1	3.0	3.3	2.2	0.1	0.2	0.1	0.2	0.3	0.2	0.1	0.2	0.1	0.4
Wyoming	34.1	44.3	35.0	33.6	27.7	34.1	43.0	31.9	32.7	26.8	----	1.3	3.1	0.9	0.5	----	----	----	----	----	----	----	----	----	0.5
Cities	28.8	40.3	29.3	47.8	30.4	28.8	40.3	29.3	47.8	27.4	----	----	----	----	3.0	----	----	----	----	----	----	----	----	----	----
Rural	35.0	45.0	36.0	31.1	27.2	35.0	43.5	32.3	30.0	26.7	----	1.6	3.6	1.1	----	----	----	----	----	----	----	----	----	----	0.5
CITIES OF 100,000 POPULATION OR MORE IN 1930	24.5	28.1	28.0	27.9	25.8	23.3	26.6	26.3	26.3	24.1	0.4	0.5	0.6	0.6	0.7	0.5	0.6	0.7	0.7	0.7	0.3	0.3	0.4	0.3	0.3
Akron	34.1	31.9	40.7	37.9	36.6	30.3	29.3	39.1	35.5	35.7	3.4	2.3	0.8	0.8	----	0.4	----	0.4	1.6	0.9	----	0.4	0.4	----	----
Albany	30.2	36.4	38.3	27.7	34.4	27.1	34.9	37.6	27.7	31.2	1.5	----	----	----	0.8	1.5	0.8	0.8	----	1.6	----	0.8	----	----	0.8
Atlanta	37.1	37.8	34.2	37.6	28.8	35.7	34.2	32.0	33.4	27.2	0.7	2.5	1.1	1.5	1.2	0.4	----	0.4	----	0.4	0.4	1.1	0.7	2.6	----
Baltimore	25.7	30.5	27.5	26.0	24.6	24.7	27.8	25.5	24.8	23.3	0.2	0.6	0.6	0.5	0.3	0.6	1.7	1.1	0.4	0.4	0.1	0.4	0.2	0.4	0.6
Birmingham	28.2	33.0	30.2	34.7	30.5	27.9	30.4	26.8	29.9	25.6	----	1.9	1.9	3.5	2.8	0.4	0.7	1.5	0.8	1.6	----	----	----	0.4	0.4

See footnotes at end of table.

Table BN—Continued

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—

AREA	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Boston	19.5	19.1	15.7	18.7	17.9	19.2	18.8	15.3	18.6	17.8	0.3	0.1	----	0.1	----	----	0.1	----	----	----	----	----	0.4	----	0.1
Bridgeport	19.0	43.5	28.6	27.3	32.2	18.4	40.1	27.2	26.6	30.1	----	----	0.7	----	----	----	3.4	0.7	0.7	1.4	0.7	----	----	----	0.7
Buffalo	23.9	28.2	32.2	34.5	28.7	22.7	26.3	30.5	32.4	26.9	0.3	0.7	0.3	0.5	1.1	0.3	1.0	1.4	1.4	0.7	0.5	0.2	----	0.2	----
Cambridge	19.3	24.5	27.3	28.2	23.9	19.3	24.5	26.4	27.3	23.0	----	----	----	----	----	----	----	----	0.9	0.9	----	----	0.9	----	----
Camden	70.6	92.4	79.1	81.8	68.5	65.5	87.4	77.4	79.3	65.1	5.0	4.2	0.8	1.7	3.4	----	----	0.8	0.8	----	----	----	0.8	----	----
Canton	30.0	29.0	24.7	51.1	36.1	30.0	26.2	21.8	41.4	28.1	----	1.9	2.8	7.7	7.0	----	----	----	1.0	1.0	----	0.9	----	1.0	----
Chattanooga	24.5	48.3	38.3	39.3	61.8	21.2	48.3	38.3	38.0	57.9	1.6	----	----	1.3	3.9	----	----	----	----	----	1.6	----	----	----	----
Chicago	25.5	29.6	26.5	25.0	28.4	24.5	27.6	24.8	23.1	27.1	0.1	0.7	0.4	0.8	0.3	0.7	1.2	1.1	0.9	0.6	0.1	0.2	0.2	0.2	0.3
Cincinnati	29.3	36.1	42.0	36.4	33.4	27.1	32.6	36.9	33.5	29.8	0.9	1.3	2.7	0.7	1.8	1.3	1.7	2.0	2.0	1.8	----	0.4	0.4	0.2	----
Cleveland	29.9	33.2	36.1	36.9	32.9	28.7	31.4	33.6	34.9	30.9	0.2	0.3	0.3	0.4	0.7	0.7	1.2	1.9	1.2	1.2	0.3	0.3	0.3	0.3	0.1
Columbus	35.5	43.6	48.4	43.4	39.9	33.5	40.9	46.3	40.7	35.3	1.4	1.0	0.3	1.7	3.9	0.3	0.7	1.0	0.7	0.7	0.3	1.0	0.7	0.3	----
Dallas	27.1	32.2	32.0	28.3	28.6	26.0	29.7	29.7	26.4	27.0	0.4	0.7	----	1.2	----	0.7	0.4	1.5	0.4	0.8	----	1.5	0.8	0.4	0.8
Dayton	29.7	41.1	41.7	49.5	42.0	28.3	36.7	35.2	43.2	37.3	0.5	3.4	5.0	4.0	4.1	0.5	0.5	1.5	1.2	0.6	0.5	0.5	----	1.2	----
Denver	31.2	31.5	28.1	27.0	20.2	29.5	29.5	27.7	24.2	19.5	0.7	0.7	----	0.4	0.4	0.7	0.7	0.3	2.1	----	0.3	0.7	----	0.4	0.4
Des Moines	36.7	32.5	35.0	26.9	25.0	31.1	29.8	32.2	23.3	17.9	3.5	1.4	1.4	1.4	4.3	2.1	1.4	----	2.1	2.1	----	----	1.4	----	0.7
Detroit	20.4	23.4	25.5	26.7	26.1	19.6	22.5	24.2	25.8	24.8	0.5	0.2	0.4	0.3	0.7	0.2	0.5	0.6	0.5	0.6	----	0.1	0.3	0.1	0.1
Duluth	22.6	30.5	35.5	33.6	13.9	21.6	28.5	28.6	33.6	12.9	----	----	1.0	----	1.0	1.0	2.0	4.9	----	----	----	----	1.0	----	----
Elizabeth	33.4	31.7	37.4	37.1	32.3	33.4	31.7	36.5	37.1	29.6	----	----	----	----	1.8	----	----	0.9	----	0.9	----	----	----	----	----
El Paso	30.5	22.9	49.6	32.7	37.4	28.6	21.9	46.6	28.7	36.4	1.0	1.0	----	2.0	----	----	----	1.0	1.0	1.0	1.0	----	1.9	1.0	----
Erie	30.6	42.4	44.7	40.9	29.9	30.6	38.2	39.6	33.1	27.3	----	3.4	0.9	3.5	2.6	----	----	3.4	3.5	----	----	0.8	0.9	0.9	(5)
Evansville	24.9	29.7	35.1	31.7	21.1	24.0	28.8	34.1	29.7	19.1	1.0	1.0	1.0	2.0	1.0	----	----	----	----	1.0	----	----	----	----	----
Fall River	17.3	14.7	14.7	18.2	20.7	17.3	14.7	14.7	18.2	20.7	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Flint	25.6	34.1	34.2	34.8	29.4	23.2	32.3	31.6	32.2	28.7	1.8	0.6	1.3	1.3	----	0.6	----	0.6	0.7	0.7	----	1.2	0.6	0.7	(5)
Fort Wayne	25.3	30.4	29.4	33.6	25.4	25.3	29.5	26.0	33.6	24.5	----	----	1.7	----	----	----	0.8	0.9	----	0.9	----	----	0.9	----	----
Fort Worth	34.0	34.1	36.6	35.3	29.6	33.4	32.9	34.1	34.1	27.7	----	----	0.6	----	0.6	----	----	1.8	0.6	1.3	0.6	1.2	----	0.6	----
Gary	30.2	58.5	55.2	64.8	52.8	26.5	42.5	37.4	48.4	37.7	2.8	13.2	10.8	14.4	11.9	----	0.9	4.9	2.1	2.2	0.9	1.9	2.0	----	1.1
Grand Rapids	19.2	22.1	31.9	27.6	23.7	16.9	21.0	27.8	26.4	20.1	2.3	----	1.8	0.6	1.8	----	----	1.2	----	1.2	----	1.2	1.2	0.6	0.6
Hartford	30.5	32.9	23.7	32.1	37.6	29.9	32.9	22.5	30.2	31.9	0.6	----	----	----	2.5	----	----	0.6	1.2	1.3	----	----	0.6	0.6	1.9
Houston	21.6	35.5	37.6	43.4	30.6	20.6	32.6	34.2	40.6	26.2	0.6	1.9	1.7	1.4	2.6	----	----	----	0.4	0.7	0.3	1.0	1.7	1.1	1.1
Indianapolis	29.2	45.4	38.9	39.4	37.8	26.8	42.2	36.7	35.8	33.8	1.4	0.8	1.4	2.8	2.8	0.8	2.2	0.5	0.8	1.1	0.3	0.3	0.3	----	----
Jacksonville, Fla	44.3	43.2	39.2	42.9	31.7	42.1	42.5	34.6	41.4	30.1	0.7	0.8	0.8	----	1.6	0.7	----	1.5	0.8	----	0.7	----	2.3	0.8	----
Jersey City	18.2	14.1	17.7	23.5	15.9	18.2	13.5	17.3	23.1	15.3	----	----	----	----	0.3	----	----	0.3	----	0.3	----	0.6	----	0.3	----
Kansas City, Kans	30.9	19.5	31.9	11.6	15.0	29.3	19.5	29.5	11.6	15.0	----	----	----	----	----	----	----	1.6	----	----	1.6	----	0.8	----	----
Kansas City, Mo	22.5	35.2	30.6	21.3	28.9	21.8	33.5	29.4	20.8	24.8	0.2	0.5	0.2	----	1.0	0.2	1.2	0.5	0.5	2.3	0.2	----	0.5	----	0.8
Knoxville	30.2	42.1	37.6	50.1	35.6	25.6	37.5	37.6	45.3	31.7	1.8	----	----	4.8	3.0	0.9	1.8	----	----	----	1.8	2.7	----	----	1.0
Long Beach	36.7	42.0	36.2	43.2	24.8	36.0	39.4	33.4	41.7	20.9	----	1.3	0.7	----	3.1	0.7	----	0.7	0.7	----	----	1.3	1.4	0.7	0.8
Los Angeles	39.5	39.3	36.0	38.8	31.9	36.8	37.0	33.3	36.0	29.7	0.3	0.3	0.6	0.8	0.8	1.7	1.5	1.6	1.6	0.8	0.6	0.5	0.6	0.4	0.5
Louisville	28.9	38.6	28.6	29.9	29.6	27.0	35.4	28.3	28.0	26.1	1.0	2.3	0.3	0.7	0.7	1.0	0.3	----	1.3	2.3	----	0.6	----	----	0.7
Lowell	23.9	22.9	22.9	17.8	17.6	21.9	21.9	22.9	17.8	16.6	1.0	----	----	----	----	----	----	----	----	----	1.0	1.0	----	----	1.0
Lynn	11.7	13.6	18.6	15.7	17.7	11.7	13.6	18.6	14.7	15.7	----	----	----	----	1.0	----	----	----	----	----	----	----	----	1.0	1.0
Memphis	41.3	39.8	37.0	44.3	45.6	39.0	38.6	34.3	39.9	39.6	1.9	0.8	2.0	1.5	4.0	0.4	----	----	0.5	2.0	----	0.4	0.8	2.4	----
Miami	40.0	52.4	48.6	40.8	32.1	37.2	52.4	48.6	38.2	28.0	0.9	----	----	----	1.7	0.8	0.9	----	0.9	0.8	0.9	----	----	----	2.5
Milwaukee	17.2	19.2	19.5	22.6	25.8	16.3	18.2	19.0	19.6	22.9	0.3	0.3	0.2	0.9	1.6	0.3	0.5	0.3	2.1	0.9	0.2	0.2	----	----	0.4
Minneapolis	20.5	25.1	25.9	24.4	23.1	19.2	24.1	23.6	23.5	19.7	0.4	0.2	1.5	0.2	1.1	0.8	0.6	0.9	0.4	2.0	----	0.2	----	0.2	0.2
Nashville	46.9	48.2	42.8	43.1	31.5	46.3	45.7	41.5	41.8	30.1	----	0.6	0.6	0.7	----	----	0.6	0.6	----	----	0.6	1.3	----	0.7	1.4
Newark, N.J.	22.2	25.1	31.6	29.3	26.7	22.0	23.8	31.4	28.6	26.7	----	0.2	----	0.2	----	----	0.7	----	----	----	0.2	0.4	0.2	0.5	----
New Bedford	17.8	14.2	16.0	11.5	17.5	17.8	14.2	16.0	9.7	17.5	----	----	----	0.9	----	----	----	----	0.9	----	----	----	----	----	----
New Haven	33.2	32.0	29.5	41.2	32.6	32.6	31.3	27.7	38.1	30.1	----	----	----	0.6	----	0.6	----	1.2	1.2	1.8	----	0.6	0.6	1.2	0.6
New Orleans	19.9	27.4	27.6	27.6	26.9	19.5	27.0	26.1	27.3	25.5	0.2	0.2	1.5	----	1.1	----	0.2	----	----	----	0.2	----	----	0.2	0.2
New York	16.8	18.7	19.3	20.1	17.0	16.4	18.3	18.8	19.6	16.7	0.1	(4)	0.1	0.1	(4)	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.1
Bronx Borough	12.7	12.6	13.7	16.0	15.0	12.5	12.3	13.1	15.7	14.6	----	----	----	----	----	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.5	0.2	0.2
Brooklyn Borough	15.1	15.9	16.7	17.5	15.2	14.8	15.6	16.4	17.0	15.0	----	----	----	(4)	(4)	0.2	0.2	0.1	0.4	0.1	0.1	0.1	0.2	0.2	0.1
Manhattan Borough	25.4	29.1	28.5	26.8	21.8	25.0	28.5	28.0	26.4	21.6	0.1	----	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.6	0.2	0.1	0.1
Queens Borough	12.3	15.3	15.5	19.1	13.2	11.9	15.1	15.1	18.5	13.1	----	0.1	0.4	0.1	0.1	0.2	0.1	----	0.3	----	0.3	0.1	0.1	0.3	----
Richmond Borough	14.1	20.2	24.5	20.0	23.1	10.4	20.2	23.2	18.7	21.8	3.7	----	----	0.6	----	----	----	----	0.7	----	----	----	1.3	0.6	0.7
Norfolk	29.3	37.0	20.8	22.2	20.4	27.8	33.9	18.5	21.4	18.9	----	----	----	0.8	----	1.5	1.5	0.8	----	0.8	----	1.5	1.5	----	0.8
Oakland	24.0	39.0	42.7	34.4	30.1	21.9	34.6	38.9	30.5	26.4	----	1.0	2.8	0.7	2.9	1.0	2.1	0.4	2.9	0.4	1.0	1.4	0.7	0.4	0.4
Oklahoma City	36.6	32.5	41.6	36.4	20.8	33.6	27.9	40.5	33.0	20.2	1.0	2.0	1.1	2.2	----	1.0	----	----	0.6	----	1.0	2.5	----	0.6	0.6
Omaha	20.8	31.4	30.8	30.6	22.4	20.3	30.5	27.0	28.3	21.4	----	0.5	1.4	0.5	----	0.5	0.5	2.3	1.9	0.5	----	----	----	----	0.5
Paterson	41.8	39.6	37.5	46.3	43.5	40.3	37.5	36.1	42.7	41.3	1.4	1.4	----	2.2	----	----	----	----	0.7	----	----	0.7	1.4	0.7	2.2
Peoria	21.2	31.4	32.2	31.1	39.1	19.4	30.4	28.4	29.2	34.0	0.9	----	2.8	1.0	4.0	0.9	----	0.9	1.0	1.0	----	0.9	----	----	----
Philadelphia	17.3	18.4	20.2	20.9	17.4	16.3	18.0	19.3	19.6	16.5	0.3	0.1	0.1	0.2	----	0.5	0.3	0.7	0.9	0.9	0.3	0.1	0.1	0.2	----
Pittsburgh	25.4	33.9	37.7	31.1	27.1	23.5	32.2	34.0	29.6	24.2	0.1	0.3	0.3	0.3	0.5	1.2	0.9	2.7	0.8	1.7	0.6	0.4	0.7	0.5	0.8
Portland, Oreg	26.1	33.6	26.7	20.1	23.8	24.1	30.9	23.4	18.7	21.8	0.7	0.3	0.7	1.0	----	1.3	2.0	2.3	----	1.4	----	0.3	0.3	0.3	0.7
Providence	21.6	20.8	30.8	27.8	33.2	20.0	20.4	28.4	27.4	30.8	----	----	----	----	0.4	0.8	0.4	2.0	----	2.0	0.8	----	0.4	0.4	----
Reading	32.3	25.1	27.9	29.8	29.8	31.4	25.1	25.2	28.8	27.1	----	----	----	0.9	1.8	----	----	----	----	0.9	0.9	----	2.7	----	----
Richmond	38.5	49.9	36.0	29.1	29.8	36.4	48.8	32.2	28.0	28.7	0.5	1.1	1.1	----	0.6	0.5	----	1.1	----	0.6	1.1	----	1.6	1.1	----
Rochester	19.6	23.2	24.9	19.0	22.3	18.7	22.9	24.3	17.8	21.1	0.9	----	0.6	0.6	1.2	----	0.3	----	0.6	----	----	----	----	----	----
St. Louis	19.9	23.1	22.2	22.6	27.3	18.8	21.7	21.3	21.0	25.2	0.2	0.1	0.1	0.9	0.1	0.6	0.7	0.6	0.5	1.7	0.2	0.5	0.2	0.2	0.2
St. Paul	33.0	33.7	29.4	27.5	24.5	30.4	31.5	27.9	25.7	21.9	2.2	1.8	1.1	0.7	2.3	0.4	0.4	0.4	0.7	0.4	----	----	----	0.4	----
Salt Lake City	41.2	35.7	33.4	47.6	34.4	40.5	35.0	31.3	41.8	33.0	0.7	----	1.4	1.4	0.7	----	----	0.7	2.9	0.7	----	0.7	----	1.4	----
San Antonio	22.5	27.9	28.7	33.6	31.4	20.8	26.2	28.3	31.8	29.1	0.4	0.4	----	0.4	----	0.4	0.4	----	0.4	----	0.8	0.8	0.4	0.9	2.3
San Diego	48.6	44.8	55.5	48.2	49.6	43.5	42.2	51.5	43.3	46.0	----	0.6	----	0.7	----	1.3	0.6	0.7	1.4	0.7	3.8	1.3	3.3	2.8	2.9
San Francisco	21.2	20.5	22.3	21.0	24.2	20.3	19.4	20.9	19.0	22.5	0.2	0.2	0.3	0.2	0.2	0.3	0.5	0.8	1.1	1.0	0.5	0.5	0.3	0.6	0.5
Scranton	22.9	25.7	34.1	35.0	24.6	22.2	25.0	30.6	34.3	23.2	----	----	1.4	0.7	----	----	----	0.7	----	1.4	0.7	0.7	1.4	----	----
Seattle	22.1	32.8	24.0	30.1	28.0	21.5	31.2	22.6	28.7	25.2	0.5	----	0.5	----	0.3	----	1.6	0.5	0.6	2.2	----	----	0.3	0.8	0.3
Somerville	11.4	7.6	8.6	17.5	17.6	10.5	6.7	8.6	17.5	17.6	----	----	----	----	----	----	1.0	----	----	----	1.0	----	----	----	----
South Bend	34.3	34.2	38.0	35.3	39.5	29.6	31.5	33.3	33.4	34.4	3.7	2.8	1.9	----	2.0	0.9	----	1.9	1.0	2.0	----	----	1.0	1.0	1.0
Spokane	22.4	37.0	22.5	31.3	25.4	21.5	36.1	19.9	29.6	22.8	0.9	----	2.6	0.9	1.8	----	0.9	----	0.9	0.9	----	----	----	----	----
Springfield, Mass	19.0	22.3	31.2	27.6	17.8	18.4	21.7	30.6	27.0	17.8	----	----	0.7	----	----	----	0.7	----	0.7	----	0.7	----	----	----	----

See footnotes at end of table.

Table BN—Continued

DEATH RATE PER 100,000 ESTIMATED POPULATION FROM—

AREA	All motor-vehicle accidents					Automobile accidents (excluding collisions with railroad trains and street cars)					Automobile accidents in collision with—										Motorcycle accidents				
											Railroad trains					Street cars									
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Syracuse	19.2	33.3	30.0	29.9	31.3	18.3	32.8	29.0	28.5	28.9	0.5	0.5	0.5	1.4	1.0	----	----	0.5	----	1.5	0.5	----	----	----	----
Tacoma	44.5	36.2	41.1	27.3	40.8	41.7	29.7	39.3	24.5	36.0	1.9	1.9	1.9	----	----	----	4.6	----	1.9	2.8	0.9	----	----	0.9	1.9
Tampa	29.6	44.8	35.3	38.4	29.2	26.7	41.0	29.4	36.4	23.0	1.0	1.0	4.9	----	4.2	1.0	1.0	1.0	----	2.1	1.0	1.9	----	2.0	----
Toledo	39.7	44.8	40.5	41.0	38.3	36.7	40.4	36.7	36.8	29.9	2.7	3.0	3.1	2.1	5.3	----	1.3	0.3	2.1	3.2	0.3	----	0.3	----	----
Trenton	35.5	46.0	48.6	49.6	43.2	33.1	45.2	46.2	47.1	40.8	0.8	----	1.6	0.8	1.6	0.8	0.8	0.8	----	0.8	0.8	----	----	1.6	----
Tulsa	23.3	22.6	35.9	29.3	28.6	23.3	22.6	35.2	27.1	26.1	----	----	----	2.2	1.7	----	----	----	----	0.8	----	----	----	0.7	----
Utica	28.3	37.1	27.5	26.6	24.8	28.3	34.2	25.5	24.7	23.8	----	----	----	1.0	1.0	----	2.9	2.0	1.0	----	----	----	----	----	----
Washington, D.C	39.1	33.6	29.3	25.2	27.8	37.7	32.8	28.3	24.2	25.9	----	----	----	0.6	0.2	1.2	0.2	0.4	0.2	0.8	0.2	0.6	0.6	0.2	0.8
Wichita	21.6	20.7	41.1	39.7	19.1	18.2	19.0	35.7	36.0	18.2	1.7	1.7	4.5	1.8	----	1.7	----	0.9	0.9	1.0	----	----	----	0.9	----
Wilmington, Del	33.8	38.5	38.5	30.9	47.6	33.8	35.6	37.5	30.9	45.7	----	----	----	----	0.9	----	----	0.9	----	0.9	----	2.8	----	----	----
Worcester	16.7	19.3	28.1	18.5	18.7	15.7	18.8	27.1	17.0	18.2	----	----	0.5	0.5	----	1.0	----	0.5	0.5	----	----	0.5	----	0.5	0.5
Yonkers	12.2	18.0	15.5	20.4	14.8	12.2	17.3	14.0	20.4	14.8	----	----	----	----	----	----	0.7	----	----	----	----	----	1.5	----	----
Youngstown	23.7	42.2	39.9	59.3	45.6	23.7	39.9	37.5	57.4	41.6	----	1.2	----	0.7	0.7	----	1.2	2.3	1.3	2.0	----	----	----	----	1.3

[1] Including District of Columbia.
[2] See table A. The States of 1910 exclude North Carolina.
[3] Not in registration area.
[4] Less than one-tenth of 1 per 100,000 estimated population.
[5] Not available.

NOTE.—"Cities" include municipalities of 10,000 population or more in 1930 and in some States certain towns and townships having populations of 10,000 or more with a population density of 1,000 or more per square mile.

Table BO shows for automobile accidents (excluding collisions with railroad trains and street cars) the number of deaths and the death rate per 100,000 population, and the same information for accidents which occurred within specified areas. It is interesting to note the influence on total deaths of deaths from accidents outside of the specified area. While the States are only slightly affected by such accidents occurring outside of State limits, the cities are much affected, due to the fact that so many cases are brought to city institutions for treatment. Camden is a good illustration. In 1932 there were 78 deaths from automobile accidents, of which 51 were the result of accidents outside of the city limits, which consequently increased the rate of 22.7 for accidents within the city to 65.5 for total automobile accidents. Likewise the rates for Nashville and Trenton were increased from 22.9 to 46.3 and 9.7 to 33.1, respectively.

Among 14 of the 93 major cities, the death rates for all automobile accidents in 1932 more than doubled the rates for automobile accidents within city limits, the cities being Albany, Camden, Chattanooga, Evansville, Grand Rapids, Norfolk, Peoria, Reading, Richmond, Tampa, Trenton, Utica, Wichita, and Wilmington, Del. For 16 other cities the rates were at least higher per 100,000 population, but on the other hand the rates for 7 cities were higher by less than 2.

Table BO

AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH RAILROAD TRAINS AND STREET CARS)

AREA	Total deaths					Deaths from accidents which occurred in specified area					Total death rate per 100,000 estimated population					Death rate from accidents which occurred in specified area				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Alabama	405	472	459	445	375	401	466	456	441	365	15.1	17.7	17.3	17.0	14.4	15.0	17.5	17.2	16.8	14.1
Arizona	162	149	181	153	123	161	149	181	150	123	36.2	33.6	41.3	35.7	29.4	35.9	33.6	41.3	35.0	29.4
Arkansas	260	313	306	282	211	249	302	299	279	207	13.9	16.8	16.5	15.3	11.5	13.3	16.2	16.1	15.1	11.3
California	2,198	2,367	2,193	2,100	1,755	2,193	2,364	2,191	2,098	1,753	37.0	40.5	38.3	38.1	33.2	36.9	40.4	38.2	38.1	33.1
Colorado	284	319	271	258	221	283	317	270	256	217	27.1	30.6	26.1	25.1	21.7	27.0	30.4	26.0	24.9	21.3
Connecticut	409	457	407	433	407	404	453	402	428	401	25.0	28.1	25.2	27.2	26.0	24.7	27.9	24.9	26.9	25.6
Delaware	79	76	74	57	75	78	74	74	57	75	32.9	31.7	31.0	24.0	31.8	32.5	30.8	31.0	24.0	31.8
Florida	485	518	563	488	404	483	514	559	485	404	31.7	34.4	38.0	34.1	29.2	31.6	34.1	37.8	33.9	29.2
Georgia	541	608	562	527	468	531	594	551	518	466	18.6	20.9	19.3	18.1	16.1	18.2	20.4	18.9	17.8	16.0
Idaho	86	88	109	81	90	81	86	107	79	89	19.2	19.7	24.5	18.2	20.3	18.1	19.3	24.0	17.8	20.1
Illinois	1,831	2,049	1,945	1,685	1,743	1,824	2,033	1,926	1,676	1,730	23.6	26.5	25.4	22.3	23.4	23.5	26.3	25.1	22.2	23.3
Indiana	845	1,023	965	897	784	834	1,008	953	888	776	25.8	31.4	29.7	27.9	24.6	25.5	30.9	29.4	27.6	24.4
Iowa	422	564	601	404	329	415	556	582	399	320	17.0	22.8	24.3	16.4	13.4	16.7	22.5	23.5	16.2	13.0
Kansas	386	402	439	373	304	373	395	436	367	298	20.4	21.3	23.3	19.9	16.3	19.7	20.9	23.1	19.6	16.0
Kentucky	441	514	477	389	342	434	507	471	385	335	16.7	19.5	18.2	15.0	13.3	16.5	19.3	18.0	14.8	13.0
Louisiana	341	412	371	373	348	339	408	368	371	347	15.9	19.4	17.6	17.9	17.0	15.9	19.2	17.4	17.8	16.9
Maine	149	159	159	151	115	148	159	158	151	115	18.6	19.9	19.9	19.0	14.5	18.5	19.9	19.8	19.0	14.5
Maryland	410	466	449	382	343	403	459	444	379	340	24.8	28.3	27.4	23.6	21.4	24.4	27.9	27.1	23.4	21.2
Massachusetts	777	813	779	781	724	771	796	771	771	715	18.1	19.0	18.3	18.5	17.3	17.9	18.6	18.1	18.3	17.1
Michigan	1,143	1,407	1,384	1,411	1,247	1,139	1,399	1,380	1,406	1,245	22.9	28.5	28.4	29.7	26.9	22.9	28.4	28.3	29.6	26.8
Minnesota	486	622	561	505	435	482	617	548	502	434	18.8	24.1	21.8	19.8	17.2	18.6	23.9	21.3	19.7	17.1
Mississippi	234	284	332	284	253	233	278	328	281	247	11.5	14.0	16.5	14.2	12.8	11.4	13.7	16.3	14.1	12.5
Missouri	690	844	739	651	625	676	826	727	639	614	18.9	23.1	20.3	18.0	17.4	18.5	22.7	20.0	17.7	17.1
Montana	96	118	100	114	118	96	117	100	114	118	17.9	21.9	18.6	21.2	21.9	17.9	21.8	18.6	21.2	21.9
Nebraska	212	291	286	265	217	208	287	279	261	214	15.3	21.0	20.7	19.3	15.9	15.0	20.7	20.2	19.0	15.7

See footnotes at end of table.

Table BO—Continued

AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH RAILROAD TRAINS AND STREET CARS)

AREA	Total deaths					Deaths from accidents which occurred in specified area					Total death rate per 100,000 estimated population					Death rate from accidents which occurred in specified area				
	1932	1931	1930	1929	1928	1932	1931	1920	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Nevada	59	63	34	45	(1)	55	61	30	43	(1)	63.4	68.5	37.4	50.0	(1)	59.1	66.3	33.0	47.7	(1)
New Hampshire	70	100	103	98	76	68	92	97	86	67	15.0	21.4	22.1	21.1	16.5	14.5	19.7	20.8	18.5	14.5
New Jersey	1,105	1,229	1,211	1,209	1,015	1,096	1,220	1,200	1,195	1,012	26.6	29.9	29.8	30.4	26.1	26.4	29.7	29.5	30.1	26.0
New Mexico	97	95	111	97	(1)	96	94	108	96	(1)	22.5	22.2	26.1	23.2	(1)	22.3	22.0	25.4	22.9	(1)
New York	2,813	3,077	3,048	2,977	2,554	2,799	3,067	3,023	2,951	2,537	21.9	24.1	24.1	24.0	20.9	21.8	24.0	23.9	23.7	20.8
North Carolina	558	650	629	611	577	553	644	623	611	575	17.2	20.2	19.7	19.5	18.8	17.0	20.0	19.6	19.5	18.8
North Dakota	57	110	79	88	79	53	107	77	88	78	8.3	16.1	11.6	13.0	11.7	7.7	15.7	11.3	13.0	11.6
Ohio	1,822	1,970	2,019	1,990	1,708	1,795	1,949	1,994	1,980	1,694	27.0	29.3	30.3	30.2	26.3	26.6	29.0	29.9	30.1	26.1
Oklahoma	437	404	483	487	330	436	404	482	486	329	17.9	16.7	20.1	20.6	14.1	17.9	16.7	20.0	20.5	14.1
Oregon	223	292	253	221	249	221	285	248	220	246	22.9	30.2	26.4	23.5	26.9	22.7	29.5	25.9	23.4	26.6
Pennsylvania	2,043	2,412	2,422	2,159	1,882	2,022	2,401	2,407	2,136	1,862	21.0	24.9	25.1	22.6	19.9	20.8	24.8	24.9	22.3	19.7
Rhode Island	101	116	123	146	154	93	110	114	144	148	14.5	16.7	17.8	21.4	22.9	13.3	15.9	16.5	21.1	22.0
South Carolina	329	380	370	350	251	328	380	365	346	251	18.9	21.8	21.3	20.2	14.5	18.8	21.8	21.0	19.9	14.5
South Dakota	101	116	112	(1)	(1)	99	116	110	(1)	(1)	14.4	16.6	16.1	(1)	(1)	14.1	16.6	15.9	(1)	(1)
Tennessee	474	547	526	480	382	439	518	520	463	360	17.9	20.7	20.1	18.5	14.9	16.6	19.6	19.8	17.8	14.0
Utah	115	157	130	133	123	114	110	129	133	120	22.3	30.7	25.5	26.4	24.7	22.1	21.5	25.3	26.4	24.1
Vermont	63	71	71	64	69	62	70	68	64	68	17.5	19.7	19.7	17.8	19.3	17.2	19.4	18.9	17.8	19.0
Virginia	561	656	518	457	412	551	645	505	449	406	23.0	27.0	21.4	18.9	17.1	22.6	26.5	20.8	18.6	16.9
Washington	413	461	413	441	424	413	460	412	441	423	26.0	29.2	26.3	28.5	27.7	26.0	29.1	26.3	28.5	27.7
West Virginia	332	427	395	318	283	319	413	392	311	275	18.9	24.4	22.8	18.6	16.8	18.1	23.6	22.6	18.2	16.3
Wisconsin	624	731	712	612	620	616	725	707	609	620	21.0	24.7	24.2	21.0	21.5	20.7	24.5	24.0	20.9	21.5
Wyoming	78	98	72	73	59	78	96	72	73	58	34.1	43.0	31.9	32.7	26.8	34.1	42.1	31.9	32.7	26.3
CITIES OF 100,000 POPULATION OR MORE IN 1930																				
Akron	80	77	100	90	83	56	55	80	65	62	30.3	29.3	39.1	35.5	35.7	21.2	20.9	31.3	25.7	26.7
Albany	35	45	48	35	39	13	17	22	16	17	27.1	34.9	37.6	27.7	31.2	10.1	13.2	17.2	12.7	13.6
Atlanta	99	95	87	89	71	79	74	76	73	64	35.7	34.2	32.0	33.4	27.2	28.5	26.7	28.0	27.4	24.6
Baltimore	201	226	206	198	185	137	156	135	143	128	24.7	27.8	25.5	24.8	23.3	16.8	19.2	16.7	17.9	16.1
Birmingham	75	82	70	76	63	53	57	44	49	34	27.9	30.4	26.8	29.9	25.6	19.7	21.2	16.8	19.3	13.8
Boston	151	148	120	145	138	131	119	109	133	127	19.2	18.8	15.3	18.6	17.8	16.7	15.2	13.9	17.1	16.4
Bridgeport	27	59	40	39	44	21	42	26	26	32	18.4	40.1	27.2	26.6	30.1	14.3	28.6	17.7	17.7	21.9
Buffalo	132	153	175	184	151	99	107	135	136	129	22.7	26.3	30.5	32.4	26.9	17.0	18.4	23.5	23.9	23.0
Cambridge	22	28	30	31	26	15	23	20	20	21	19.3	24.5	26.4	27.3	23.0	13.1	20.2	17.6	17.6	18.6
Camden	78	104	92	94	77	27	37	27	44	30	65.5	87.4	77.4	79.3	65.1	22.7	31.1	22.7	37.1	25.4
Canton	32	28	23	43	28	23	16	12	34	(2)	30.0	26.2	21.8	41.4	28.1	21.6	15.0	11.4	32.8	(2)
Chattanooga	26	59	46	30	45	11	30	30	20	30	21.2	48.3	38.3	38.0	57.9	9.0	24.5	25.0	25.3	38.6
Chicago	846	953	841	768	884	800	920	802	729	846	24.5	27.6	24.8	23.1	27.1	23.1	26.6	23.6	21.9	25.9
Cincinnati	124	149	167	150	132	87	114	128	121	111	27.1	32.6	36.9	33.5	29.8	19.0	24.9	28.3	27.0	25.1
Cleveland	262	286	303	312	273	244	266	266	294	259	28.7	31.4	33.6	34.9	30.9	26.7	29.2	29.5	32.9	29.3
Columbus	99	121	135	117	100	69	83	109	87	69	33.5	40.9	46.3	40.7	35.3	23.3	28.1	37.4	30.2	24.4
Dallas	71	81	78	67	66	49	65	64	51	47	26.0	29.7	29.7	26.4	27.0	17.9	23.8	24.4	20.1	19.2
Dayton	58	75	71	75	64	39	49	46	54	46	28.3	36.7	35.2	38.0	33.2	19.0	24.0	22.8	27.3	23.9
Denver	86	86	80	69	55	67	63	58	51	39	29.5	29.5	27.7	24.2	19.5	23.0	21.6	20.1	17.9	13.8
Des Moines	45	43	46	33	25	33	29	35	27	22	31.1	29.8	32.2	23.3	17.9	22.8	20.1	24.5	19.1	15.7
Detroit	321	372	384	392	360	284	321	346	369	332	19.6	22.5	24.2	25.8	24.8	17.3	19.4	21.8	24.3	22.9
Duluth	22	29	29	34	13	17	18	21	27	(2)	21.6	28.5	28.6	33.6	12.9	16.7	17.7	20.7	26.7	(2)
Elizabeth	39	37	42	42	33	25	23	30	28	(2)	33.4	31.7	36.5	37.1	29.6	21.4	19.7	26.1	24.7	(2)
El Paso	30	23	48	29	36	19	15	35	25	24	28.6	21.9	46.6	28.7	36.4	18.1	14.3	34.0	24.8	24.2
Erie	36	45	46	38	31	28	33	31	24	(2)	30.6	38.2	39.6	33.1	27.3	23.8	28.0	26.7	20.9	(2)
Evansville	25	30	35	30	19	12	21	22	18	10	24.0	28.8	34.1	29.7	19.1	11.5	20.1	21.4	17.8	10.1
Fall River	20	17	17	21	24	11	7	9	14	14	17.3	14.7	14.7	18.2	20.7	9.5	6.1	7.8	12.1	12.1
Flint	38	53	50	49	42	21	33	26	29	(2)	23.2	32.3	31.6	32.2	28.7	12.8	20.1	16.5	19.1	(2)
Fort Wayne	30	35	30	38	27	24	18	19	19	15	25.3	29.5	26.0	33.6	24.5	20.2	15.2	16.4	16.8	13.6
Fort Worth	56	55	56	55	44	42	42	42	45	31	33.4	32.9	34.1	34.1	27.7	25.1	25.1	27.4	27.9	19.5
Gary	28	45	38	47	35	18	36	25	39	27	26.5	42.5	37.4	48.4	37.7	17.0	34.0	24.6	40.1	29.1
Grand Rapids	29	36	47	44	33	14	17	28	17	22	16.9	21.0	27.8	26.4	20.1	8.2	9.9	16.5	10.2	13.4
Hartford	50	55	37	49	51	25	25	15	21	26	29.9	32.9	22.5	30.2	31.9	15.0	15.0	9.1	12.9	16.3
Houston	64	101	101	115	71	46	60	74	67	42	20.6	32.6	34.2	40.6	26.2	14.8	19.4	25.1	23.6	15.5
Indianapolis	99	156	134	129	120	68	118	98	107	92	26.8	42.2	36.7	35.8	33.8	18.4	31.9	26.8	29.7	25.9
Jacksonville, Fla	58	56	45	53	38	37	39	32	36	(2)	42.1	42.5	34.6	41.4	30.1	26.9	29.6	24.6	28.1	(2)
Jersey City	58	43	55	73	48	51	39	49	65	45	18.2	13.5	17.3	23.1	15.3	16.0	12.2	15.4	20.6	14.4
Kansas City, Kans	36	24	36	14	18	22	16	24	11	13	29.3	19.5	29.5	11.6	15.0	17.9	13.0	19.7	9.1	10.8
Kansas City, Mo	89	137	118	82	96	74	105	87	67	71	21.8	33.5	29.4	20.8	24.8	18.1	25.7	21.7	17.0	18.4
Knoxville	28	41	40	47	32	15	25	19	24	20	25.6	37.5	37.6	45.3	31.7	13.7	22.9	17.8	23.1	19.8
Long Beach	55	60	48	57	27	41	50	40	50	(2)	36.0	39.4	33.4	41.7	20.9	26.9	32.8	27.8	36.6	(2)
Los Angeles	486	488	417	430	337	423	464	401	390	299	36.8	37.0	33.3	36.0	29.7	32.0	35.2	32.0	32.7	26.4
Louisville	85	109	87	86	80	55	83	60	62	59	27.0	35.4	28.3	28.0	26.1	17.5	26.9	19.5	20.2	19.2
Lowell	22	22	23	18	17	13	17	16	15	13	21.9	21.9	22.9	17.7	16.5	13.0	17.0	16.0	14.8	12.6
Lynn	12	14	19	15	16	9	10	14	9	12	11.7	13.6	18.6	14.7	15.7	8.8	9.7	13.7	8.8	11.8
Memphis	101	100	87	82	80	54	49	43	47	43	39.0	38.6	34.3	39.9	39.6	20.8	18.9	16.9	22.9	21.3
Miami	40	59	54	44	34	32	49	45	41	(2)	37.2	52.4	48.6	38.2	28.0	29.8	43.6	40.5	35.6	(2)
Milwaukee	97	108	110	112	127	79	88	92	98	110	16.3	18.2	19.0	19.6	22.9	13.3	14.8	15.9	17.2	19.8
Minneapolis	91	114	110	108	89	70	89	88	98	82	19.2	24.1	23.6	23.5	19.7	14.8	18.8	18.9	21.4	18.2
Nashville	72	71	64	64	43	36	44	41	35	23	46.3	45.7	41.5	41.8	30.1	23.2	28.3	26.6	22.9	16.1
Newark, N.J	98	106	139	126	117	88	93	121	121	112	22.0	23.8	31.4	28.6	26.7	19.7	20.9	27.3	27.5	25.6
New Bedford	20	16	18	11	20	14	8	10	9	11	17.8	14.2	16.0	9.7	17.5	12.4	7.1	8.9	7.9	9.6
New Haven	53	51	45	62	49	31	26	25	40	23	32.6	31.3	27.7	38.1	30.1	19.1	16.0	15.4	24.6	14.1
New Orleans	91	126	120	124	114	63	89	91	103	94	19.5	27.0	26.1	27.3	25.5	13.5	19.0	19.8	22.7	21.1
New York	1,163	1,299	1,310	1,342	1,120	1,145	1,284	1,291	1,328	1,110	16.4	18.3	18.8	19.6	16.7	16.2	18.1	18.5	19.4	16.6

See footnotes at end of table.

Table BO—Continued

AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH RAILROAD TRAINS AND STREET CARS)

AREA	Total deaths					Deaths from accidents which occurred in specified area					Total death rate per 100,000 estimated population					Death rate from accidents which occurred in specified area				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—contd.																				
Norfolk	36	44	24	28	25	14	35	17	19	15	27.8	33.9	18.5	21.4	18.9	10.8	27.0	13.1	14.5	11.3
Oakland	64	101	111	85	72	57	91	103	81	63	21.9	34.6	38.9	30.5	26.4	19.5	31.1	36.1	29.0	23.1
Oklahoma City	66	55	76	59	34	36	30	62	47	(2)	33.6	27.9	40.5	33.0	20.2	18.3	15.2	33.0	26.3	(2)
Omaha	44	66	58	60	45	42	53	45	46	35	20.3	30.5	27.0	28.3	21.4	19.4	24.5	21.0	21.7	16.6
Paterson	56	52	50	59	57	32	37	26	34	41	40.3	37.5	36.1	42.6	41.3	23.1	26.7	18.8	24.6	29.7
Peoria	21	33	30	30	34	8	21	21	18	24	19.4	30.4	28.4	29.2	34.0	7.4	19.4	19.9	17.5	24.0
Philadelphia	321	354	377	381	318	307	343	356	356	299	16.3	18.0	19.3	19.6	16.5	15.6	17.4	18.2	18.3	15.5
Pittsburgh	159	218	228	197	160	116	170	181	150	120	23.5	32.2	34.0	29.6	24.2	17.2	25.1	27.0	22.5	18.1
Portland, Oreg	74	95	71	56	64	56	72	57	39	48	24.1	30.9	23.4	18.7	21.8	18.2	23.5	18.8	13.1	16.4
Providence	51	52	72	69	77	34	33	42	40	46	20.0	20.4	28.4	27.4	30.8	13.3	12.9	16.6	15.9	18.4
Reading	35	28	28	32	30	13	13	14	20	15	31.4	25.1	25.2	28.8	27.0	11.6	11.6	12.6	18.0	13.6
Richmond	67	90	59	51	52	32	41	33	30	34	36.4	48.8	32.2	28.0	28.7	17.4	22.2	18.0	16.5	18.8
Rochester	62	76	80	58	68	33	42	55	40	56	18.7	22.9	24.3	17.8	21.1	9.9	12.7	16.7	12.3	17.3
St. Louis	156	180	175	172	205	143	159	154	152	188	18.8	21.7	21.3	21.0	25.2	17.3	19.2	18.7	18.6	23.1
St. Paul	84	87	76	69	58	68	69	56	51	47	30.4	31.5	27.9	25.7	21.9	24.6	25.0	20.6	19.0	17.7
Salt Lake City	58	50	44	58	45	32	34	31	36	33	40.5	35.0	31.3	41.8	33.0	22.4	23.8	22.0	26.0	24.2
San Antonio	50	63	66	72	64	38	40	43	53	46	20.8	26.2	28.3	31.8	29.1	15.8	16.7	18.4	23.4	21.0
San Diego	68	66	77	62	63	57	60	72	60	(2)	43.5	42.2	51.5	43.3	46.0	36.4	38.4	48.2	41.9	(2)
San Francisco	132	126	133	119	138	114	123	133	107	129	20.3	19.4	20.9	19.0	22.5	17.5	18.9	20.9	17.1	21.1
Scranton	32	36	44	49	33	27	30	29	30	21	22.2	25.0	30.6	34.3	23.2	18.7	20.8	20.2	21.0	14.7
Seattle	80	116	83	104	90	68	89	70	84	69	21.5	31.2	22.6	28.7	25.2	18.3	23.9	19.1	23.2	19.3
Somerville	11	7	9	18	18	10	7	9	15	17	10.5	6.7	8.6	17.5	17.6	9.5	6.7	8.6	14.5	16.7
South Bend	32	34	35	34	34	20	24	26	27	24	29.6	31.5	33.3	33.4	34.4	18.5	22.2	24.8	26.5	24.3
Spokane	25	42	23	34	26	21	27	17	20	17	21.5	36.1	19.9	29.6	22.8	18.1	23.2	14.7	17.4	14.9
Springfield, Mass	28	33	46	40	26	19	22	33	18	17	18.4	21.7	30.6	27.0	17.8	12.5	14.4	21.9	12.1	11.6
Syracuse	39	70	61	59	59	20	41	31	40	38	18.3	32.8	29.0	28.5	28.9	9.4	19.2	14.8	19.3	18.6
Tacoma	45	32	42	26	38	37	21	27	20	31	41.7	29.7	39.3	24.5	36.0	34.3	19.5	25.2	18.8	29.4
Tampa	28	43	30	36	22	14	22	24	28	(2)	26.7	41.0	29.4	36.4	23.0	13.3	21.0	23.6	28.3	(2)
Toledo	109	120	107	106	85	60	77	68	65	55	36.7	40.4	36.7	36.8	29.9	20.2	25.9	23.3	22.6	19.3
Trenton	41	56	57	58	50	12	12	15	18	21	33.1	45.2	46.2	47.1	40.8	9.7	9.7	12.1	14.6	17.1
Tulsa	34	33	50	37	31	26	26	38	25	(2)	23.3	22.6	35.2	27.1	26.1	17.8	17.8	26.8	18.3	(2)
Utica	29	35	26	25	24	13	16	11	19	14	28.3	34.2	25.5	24.7	23.8	12.7	15.6	10.8	18.7	13.9
Washington, D.C	186	161	138	117	124	115	89	79	81	79	37.7	32.8	28.3	24.2	25.9	23.3	18.1	16.2	16.8	16.5
Wichita	21	22	40	39	19	8	13	24	22	10	18.2	19.0	35.7	36.0	18.2	6.9	11.2	21.4	20.3	9.6
Wilmington, Del	36	38	40	33	49	15	18	19	17	28	33.8	35.6	37.5	30.9	45.7	14.1	16.9	17.8	15.9	26.1
Worcester	31	37	53	33	35	26	27	35	22	22	15.7	18.8	27.1	17.0	18.2	13.2	13.7	17.9	11.3	11.4
Yonkers	17	24	19	27	19	15	23	17	25	17	12.2	17.3	14.0	20.4	14.8	10.8	16.6	12.5	18.9	13.2
Youngstown	41	69	64	88	63	28	50	47	65	48	23.7	39.9	37.5	57.4	41.6	16.2	28.9	27.6	42.4	31.7

[1] Not in registration area.

[2] Not available.

Although there has been a marked reduction between 1920 and 1932 in the percentage of deaths from automobile accidents among children, the increase in the mortality from this cause among aged persons has been notable.

Table BP gives the percent of deaths of children and of persons at old ages, to deaths at all ages from automobile accidents in the registration States of 1920.

Table BP

PERCENT OF DEATHS FROM AUTOMOBILE ACCIDENTS [1] IN THE REGISTRATION STATES OF 1920,[2] AT AGES—

YEAR	Under 5 years	5 to 9 years	10 to 14 years	Under 15 years	65 to 74 years	75 years and over
1932	4.4	6.3	3.9	14.6	10.5	5.8
1931	4.6	7.2	3.8	15.6	10.1	5.5
1930	4.7	7.5	3.9	16.1	10.5	5.5
1929	5.4	8.5	4.5	18.3	10.1	5.5
1928	5.6	9.5	4.9	20.1	9.9	5.5
1927	6.2	11.1	4.9	22.2	9.8	5.1
1926	6.0	12.1	5.3	23.4	9.4	5.1
1925	6.5	12.3	5.6	24.5	9.4	4.9
1924	7.0	13.4	6.2	26.5	8.8	4.4
1923	6.5	13.8	6.2	26.5	8.4	4.3
1922	7.3	15.5	6.9	29.7	8.2	4.3
1921	7.8	16.0	7.5	31.2	8.1	3.8
1920	7.9	16.8	8.5	33.1	7.3	3.9

[1] Excludes deaths in collisions with railroad trains and street cars. [2] See table A.

For the registration States of 1920 the percent of deaths of children under 5 years of age decreased from 7.9 in 1920 to 4.4 in 1932, for those from 10 to 14 years, from 8.5 to 3.9; and for children from 5 to 9 years of age the percent steadily decreased from 16.8 to 6.3. For all children under 15 the percent of deaths fell from 33.1 in 1920 to 14.6 in 1932. In contrast to this, the percent of deaths among persons 75 years of age and over increased from 3.9 in 1920 to 5.8 in 1932, and among those from 65 to 74 years of age the increase was almost continuous from 7.3 to 10.5.

ILL-DEFINED CAUSES OF DEATH

The marked improvement since 1900 in the certification of causes of death is shown in table BQ.

Although the percent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The percent of transcripts of death certificates showing unknown or ill-defined diseases in the registration area fell from 4.2 in 1900 to 1.6 in 1932, and the death rate fell from 73.8 per 100,000 population in 1900 to 17.5 in 1932.

Death rates from these causes are given to enable one to estimate more easily the probable effects of these declining rates on rates for other causes. (See also on p. 45 death rates from old age.)

Table BQ

STATE AND YEAR ADMITTED	PERCENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES IN—			DEATH RATE FROM UNKNOWN OR ILL-DEFINED DISEASES PER 100,000 ESTIMATED POPULATION IN—		
	Year admitted [1]	1932	1931	Year admitted [1]	1932	1931
Registration area [2]	4.2	1.6	1.7	73.8	17.5	18.9
Alabama, 1925	9.6	8.8	8.5	111.2	91.2	90.7
Arizona, 1926	3.5	4.2	4.6	48.4	51.1	63.7
Arkansas, 1927	6.1	7.6	5.9	61.0	66.0	56.9
California, 1906	2.1	0.1	0.2	29.3	1.7	1.8
Colorado, 1906	1.3	0.4	0.5	17.6	4.7	6.0
Connecticut, 1890	1.5	0.3	0.3	27.6	3.2	3.4
Delaware, 1919	0.3	0.2	0.2	5.0	2.5	2.9
Florida, 1919	5.5	3.0	3.3	68.3	35.5	39.6
Georgia, 1922	5.1	6.9	5.8	54.5	76.6	65.6
Idaho, 1922	2.2	1.0	1.5	18.6	8.5	13.5
Illinois, 1918	0.5	0.2	0.5	8.0	2.1	5.2
Indiana, 1900	6.1	0.1	0.1	86.5	0.8	0.8
Iowa, 1923	0.6	0.4	0.6	6.3	4.3	5.8
Kansas, 1914	1.8	0.5	0.5	18.7	5.2	5.2
Kentucky, 1911	3.8	1.5	1.5	49.7	16.8	16.8
Louisiana, 1918	3.4	1.8	1.8	62.4	19.3	19.5
Maine, 1900	5.5	1.0	0.9	93.4	14.0	12.0
Maryland, 1906	4.2	0.3	0.3	68.0	3.3	4.5
Massachusetts, 1880	3.6	0.1	0.2	65.6	1.3	1.8
Michigan, 1900	4.7	0.3	0.3	66.6	3.1	3.0
Minnesota, 1910	2.1	0.3	0.3	22.7	2.8	3.4
Mississippi, 1919	11.1	13.7	12.2	140.1	136.6	132.1
Missouri, 1911	1.7	0.6	0.7	23.0	7.4	8.0
Montana, 1910	1.9	0.9	1.3	20.3	8.6	12.8
Nebraska, 1920	1.3	0.6	0.7	13.3	5.3	6.3
Nevada, 1929	2.7	1.8	2.4	35.5	25.8	34.8
New Hampshire, 1890	6.0	0.3	0.3	111.1	3.8	3.4
New Jersey, 1880	4.2	0.2	0.2	75.1	1.6	1.6
New Mexico, 1929	21.0	25.5	24.2	322.2	353.4	348.6
New York, 1890	3.1	0.1	0.1	56.5	0.6	0.7
North Carolina, 1916 [3]	8.5	4.5	7.2	110.0	43.3	74.0
North Dakota, 1924	3.1	1.7	1.9	23.0	12.7	14.1
Ohio, 1909	1.1	0.3	0.3	14.4	3.3	3.9
Oklahoma, 1928	3.4	1.5	2.4	30.9	12.0	18.2
Oregon, 1918	0.5	0.3	0.2	6.0	3.6	2.3
Pennsylvania, 1906	2.8	0.4	0.4	44.1	4.4	4.5
Rhode Island, 1890	2.0	0.3	0.2	40.3	3.4	2.2
South Carolina, 1916	4.8	6.8	6.4	66.2	78.1	78.0
South Dakota, 1906 [4]	10.1	2.8	2.4	85.2	22.9	19.8
Tennessee, 1917	6.6	7.0	7.1	88.4	75.6	76.5
Utah, 1910	3.4	2.1	2.5	36.8	17.7	21.5
Vermont, 1890	5.4	0.4	0.5	89.6	5.0	6.4
Virginia, 1913	8.8	2.4	2.5	121.2	28.7	31.3
Washington, 1908	2.2	0.6	0.6	20.4	5.9	6.1
West Virginia, 1925	0.2	0.4	0.3	1.7	4.1	3.4
Wisconsin, 1908	2.9	0.2	0.3	34.0	2.4	2.7
Wyoming, 1922	2.1	1.3	1.2	19.8	11.4	10.5
District of Columbia, 1880	2.0	[5]	[5]	44.8	0.6	0.4

[1] For States admitted prior to 1900, and for the registration area, the figure shown is for 1900, the first year of the annual reports.
[2] In continental United States. The area was established in 1880.
[3] From 1910 to 1916 returns were received only from municipalities of 1,000 population or more.
[4] Dropped from the registration area in 1910, readmitted in 1930.
[5] Less than one-tenth of 1 per 100,000 population.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 live births is commonly spoken of as the infant mortality rate.

Therefore, in the text and tables of the census report on Births, Stillbirths, and Infant Mortality Statistics, 1930, infant mortality tables are shown for the birth registration area, which is identical with the death registration area, except that it does not include the eight cities in Texas.

Table BR gives mortality rates per 1,000 estimated population under 1 year of age, for the registration States of 1900 and 1910, and shows the improvement which has taken place in the rates for the first year of life in the various States.

Table BR

AREA	DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS), FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE			
	1930	1920	1910	1900
Registration States of 1900 [1]	68.1	105.7	141.5	162.2
Registration States of 1910 [1] (exclusive of North Carolina)	68.6	100.8	132.0	----
REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA)				
California	64.3	91.5	91.6	[2]
Colorado	91.5	101.9	104.2	[2]
Connecticut	63.0	103.1	142.9	177.7
Indiana	62.8	95.8	106.9	114.1
Maine	85.2	119.9	140.5	154.4
Maryland	85.7	125.6	151.9	[2]
Massachusetts	68.3	111.0	160.6	189.6
Michigan	69.5	108.9	126.8	133.1
Minnesota	56.7	75.4	92.3	[2]
Montana	59.5	66.3	89.2	[2]
New Hampshire	68.3	110.8	165.1	176.0
New Jersey	63.0	102.4	148.3	180.5
New York	68.4	104.7	143.5	167.4
Ohio	65.9	91.0	115.5	[2]
Pennsylvania	77.3	109.2	149.6	[2]
Rhode Island	68.5	108.3	181.2	215.
Utah	64.1	83.4	82.1	[2]
Vermont	69.1	109.0	109.6	126.5
Washington	51.9	72.5	84.1	[2]
Wisconsin	60.2	84.5	108.0	[2]
District of Columbia	108.9	120.9	193.7	284.6

See table A.

[2] Not in registration area.

ACCURACY OF STATISTICS OF CAUSES OF DEATH

It is obvious that the cause of death cannot be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the cause of death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would result in an incorrect classification of the cause of death, not only with reference to the title of the International List of Causes of Death, but also with reference to the class or group of causes into which the list is divided.

Practically all systems of classification in present use are based on the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause of death, one of them must be selected as the cause under which the death shall be classified. One of the principal difficulties in classifying causes of death according to the International List is the fact that every year the names of two or more diseases appear on each of several hundred thousand transcripts of death certificates received by the Bureau of the Census. In many cases no dependence can be placed upon the order in which the terms are written, nor can the compiler rely on the statements "cause of death" or "contributory cause", since these terms are sometimes used with diametrically opposed meanings by physicians.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet, "Relation of Physicians to Mortality Statistics", which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." The purposes of these pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death; and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

Tables BS, BT, and BU show the results obtained in 1932 by sending queries to physicians.

Table BS — DEATHS IN 1932

AREA	All causes	Causes queried: Number	Causes queried: Percent
The registration area [1]	1 308 529	21, 871	1. 7
Alabama	27, 680	417	1. 5
Arizona	5, 420	141	2. 6
Arkansas	16, 315	869	5. 3
California	67, 680	437	0. 6
Colorado	12, 599	312	2. 5
Connecticut	16, 962	107	0. 6
Delaware	3, 178	126	4. 0
District of Columbia	7, 937	167	2. 1
Florida	18, 288	529	2. 9
Georgia	32, 128	1, 045	3. 3
Idaho	3, 942	105	2. 7
Illinois	83, 180	614	0. 7
Indiana	38, 756	912	2. 4
Iowa	25, 786	477	1. 8
Kansas	19, 512	166	0. 9
Kentucky	29, 059	1, 163	4. 0
Louisiana	23, 311	709	3. 0
Maine	10, 719	105	1. 0
Maryland	21, 038	338	1. 6
Massachusetts	49, 446	378	0. 8
Michigan	49, 585	1, 013	2. 0
Minnesota	25, 591	101	0. 4
Mississippi	20, 311	519	2. 6

Table BS—Con. — DEATHS IN 1932

AREA	All causes	Causes queried: Number	Causes queried: Percent
Missouri	43, 738	413	0. 9
Montana	5, 294	102	1. 9
Nebraska	12, 922	181	1. 4
Nevada	1, 342	51	3. 8
New Hampshire	6, 329	181	2. 9
New Jersey	42, 914	540	1. 3
New Mexico	5, 968	148	2. 5
New York	147, 824	1, 215	0. 8
North Carolina	31, 051	881	2. 8
North Dakota	5, 153	91	1. 8
Ohio	76, 286	565	0. 7
Oklahoma	19, 285	1, 207	6. 3
Oregon	10, 277	137	1. 3
Pennsylvania	109, 204	1, 620	1. 5
Rhode Island	8, 080	22	0. 3
South Carolina	19, 884	624	3. 1
South Dakota	5, 725	203	3. 5
Tennessee	28, 628	1, 076	3. 8
Texas [2]	15, 260	453	3. 0
Utah	4, 420	[3]	[3]
Vermont	4, 753	98	2. 1
Virginia	28, 898	265	0. 9
Washington	16, 581	100	0. 6
West Virginia	17, 912	577	3. 2
Wisconsin	30, 321	318	1. 0
Wyoming	2, 057	53	2. 6

[1] In continental United States.
[2] Nonregistration State. Cities with satisfactory registration of deaths are listed on p. 3.
[3] Deaths received too late to query.

Table BT

Detailed List no.	International no.	UNSATISFACTORY TERMS	REPLIES RECEIVED FROM PHYSICIANS: 1932: Total number	Number of changes in classification	Percent changed	International titles and subtitles (detailed list) under which the number of deaths increased most as a result of queries
		Total	14, 505	9, 743	67. 2	7, 9, 11a, b, 18, 24, 34, 79a, b, 82a, d, 92, 93, 94, 95, 97, 115a, 119, 120, 131, 145a, 146, 159.
10		Croup, membranous laryngitis.	30	22	73. 3	105, 107a.
23		Hemorrhage of lungs (1 mo. +).	125	58	46. 4	106b, 108, 114b.
36		Septicemia, sepsis, blood poisoning.	231	159	68. 8	115a, 140, 145a, 154, 185, 194b.
69		Autointoxication, toxemia	77	47	61. 0	119, 120.
78		Cerebral abscess	147	89	60. 5	11b, 24, 55d, 89a, 104b, 194b.
79a		Meningitis, cerebral and undefined.	224	157	70. 1	11b, 18, 24, 34, 89a.
79b		Cerebrospinal meningitis (undefined).	238	199	83. 6	18, 24, 89a.
81		Sclerosis	63	61	96. 8	82a, 93c, 94a, 97, 131.
82a		Cerebral congestion	21	12	57. 1	119.
82c		Cerebral softening	42	18	42. 9	82a, 97.
82d		Hemiplegia, paralysis, general paralysis.	1, 888	1, 583	83. 8	59, 81, 82a, 83, 87b, 92a, 131, 132, 186a.
83		Paresis	460	281	61. 1	82a, 82d, 93c, d, 95b, 97, 131, 132.
86		Convulsions (under 5 years)	177	124	70. 1	119, 120.
87b		Convulsions (5 years and over) general sclerosis, acute hydrocephalus.	33	28	84. 8	97, 146.

Table BT—Continued

Detailed International List no.	UNSATISFACTORY TERMS	REPLIES RECEIVED FROM PHYSICIANS: 1932 — Total number	Number of changes in classification	Percent changes	International titles and subtitles (detailed list) under which the number of deaths increased most as a result of queries
91b	Endocarditis (under 45 years).	133	121	91.0	91a, 92a.
95b	Acute cardiac dilatation, cardiac insufficiency.	1,167	913	78.2	34, 91a, 92a, b, 93a, b, c, d, 94a, b, 97, 118, 131.
103	Hemorrhage	14	12	85.7	82a.
105	Edema of glottis	5	1	20.0	115a.
107a	Bronchopneumonia	1,907	496	26.0	7, 9, 11a, 108, 110, 119, 157c
109	Pneumonia (undefined), typhoid pneumonia.	2,663	2,506	94.1	9, 11a, 23, 107a, 108, 110, 111b, 119.
110	Pleurisy	164	87	53.0	11a, 23, 108.
111b	Pulmonary congestion, edema of lungs.	201	152	75.6	10, 92a, 93c, d, 107a, 108, 109, 131.
114b	Pulmonary abscess	224	138	61.6	11a, 23, 106b, 107a, 108, 109, 115a.
116	Stricture of esophagus	29	18	62.1	46a, 181.
118	Gastritis, indigestion, acute indigestion.	710	429	60.4	46b, 75, 92a, 93c, 94a, 95b, 117a, 119, 120.
123	Intestinal hemorrhage	7	4	57.1	25.
125b	Liver trouble	26	14	53.8	46e, 126.
127	Jaundice	5	2	40.0	126.
129	Peritonitis, septic peritonitis.	186	137	73.7	117a, 121, 122b, 139b, 140, 145a.
130	Acute Bright's disease, acute nephritis.	944	289	30.6	8, 11b, 34, 92a, 97, 115a, 131, 146.
132	Bright's disease, nephritis, uremia.	508	404	79.5	93c, 130, 131, 137, 146.
133	Renal congestion, disease of kidneys.	5	4	80.0	131.
136b	Extravasation of urine	15	13	86.7	34, 35.
139b	Salpingitis, pyosalpinx, pus tubes.	418	306	73.2	34, 35, 121, 140, 145a.
152	Abscess, cellulitis	9	6	66.7	186a, 194b.
157a	Hydrocephalus	168	49	29.2	24, 87b, 107a.
158	Inanition, debility, etc. (under 1 year).	683	367	53.7	23, 34, 119, 157d, 159, 160b.
162	Senility, old age	28	16	57.1	93c, 97.
200a	Dropsy, heart failure, natural causes.	530	421	79.4	59, 75, 82a, 91a, 92a, 93a, b, c, d, 95b, 124b, 131.

Table BU

Detailed International List no.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	1932 — Total deaths (including net changes by queries)	Net changes by queries	Percent changed by queries
7	Measles	1,941	+51	+2.7
9	Whooping cough	5,364	+105	+2.0
11a	Influenza (with respiratory complications specified)	24,120	+393	+1.7
11b	Influenza (without respiratory complications specified)	12,946	+84	+0.7
18	Epidemic cerebrospinal meningitis	1,677	+199	+13.5
24	Tuberculosis of the meninges and central nervous system	2,317	+90	+4.0
34	Syphilis	10,684	+142	+1.3
35	Gonococcus infection and other venereal diseases	916	+236	+34.7
36	Purulent infection, septicemia (nonpuerperal)[1]	869	−155	−15.1
69	Other general diseases [1]	422	−43	−9.2
78	Encephalitis (nonepidemic)[1]	1,293	−84	−6.1
79	Meningitis and nonepidemic cerebrospinal meningitis [1]	2,359	−339	−12.6
82a	Cerebral hemorrhage [1]	94,694	+1,308	+1.4
82d	Hemiplegia and other paralysis, cause unspecified [1]	4,118	−1,566	−27.6
83	General paralysis of the insane [1]	4,573	−251	−5.2
86	Convulsions (under 5 years of age)[1]	841	−121	−12.6
87b	Other diseases of the nervous system [1]	3,176	+102	+3.3
91a	Endocarditis, acute	2,953	+71	+2.5
91b	Endocarditis unspecified (under 45 years of age)[1]	606	−109	−15.2
92a	Endocarditis specified as chronic and other valvular diseases	57,358	+371	+0.7

[1] Title under which 1 or more unsatisfactory terms were queried.

Table BU—Continued

Detailed International List no.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	1932 — Total deaths (including net changes by queries)	Net changes by queries	Percent changed by queries
93c	Chronic myocarditis and myocardial degeneration	91,181	+554	+0.6
95b	Other and unspecified diseases of the heart [1]	39,307	−832	−2.1
97	Arteriosclerosis (diseases of the coronary arteries excepted)	20,534	+99	+0.5
107a	Bronchopneumonia [1]	38,708	+702	+1.8
108	Lobar pneumonia	49,524	+1,162	+2.4
109	Pneumonia, unspecified [1]	3,776	−2,472	−39.6
110	Pleurisy [1]	2,618	−43	−1.6
111b	Congestion and edema of lungs, others under this title [1]	1,356	−133	−8.9
114b	Other diseases of the respiratory system [1]	904	−120	−11.7
115a	Diseases of the pharynx and tonsils	4,350	+85	+2.0
118	Other diseases of the stomach (cancer excepted)	3,670	−411	−10.1
119, 120	Diarrhea, and enteritis [1]	19,619	+486	+2.5
121	Appendicitis	17,111	+64	+0.4
129	Peritonitis, cause not specified [1]	1,507	−129	−7.9
130	Acute nephritis (including unspecified under 10 years of age) [1]	4,323	−268	−5.8
131	Chronic nephritis	92,051	+493	+0.5
132	Nephritis unspecified (10 years and over) [1]	8,377	−377	−4.3
139b	Other diseases of ovaries, diseases of tubes and parametrium [1]	1,723	−297	−14.7
145a	Puerperal septicemia and pyemia	2,761	+59	+2.2
146	Puerperal albuminuria and eclampsia	2,692	+69	+2.6
158	Congenital debility [1]	3,860	−358	−8.5
159	Premature birth	33,143	+225	+0.7
162	Senility [1]	10,207	+82	+0.8
194b	Other accidents	3,835	+45	+1.2
200a	Cause of death ill-defined [1]	4,804	−420	−8.0

[1] Title under which 1 or more unsatisfactory terms were queried.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis", "paralysis", "convulsions", "pneumonia", and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death", the paragraph therein referring to the unsatisfactory nature of the term being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the Bureau to improve the classifications in 57 percent of the cases covered by replies. The percent of changes in classification, based on replies received from physicians, increased to 67.2 in 1932.

In 1932, besides approximately 22,000 queries sent out from the Bureau of the Census directly to physicians, there were some 14,500 queries sent to State registrars for additional information regarding causes of death, and thousands of other queries regarding causes of death were sent to physicians by 45 State special agents and the agents in Hawaii, Puerto Rico, and the Virgin Islands.

HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS

HAWAII

(See tables, pp. 458 to 469)

The number of deaths from all causes in Hawaii in 1932 was 3,670, and the estimated population was 393,000, giving a rate of 9.3 per 1,000 population against 9.8 in 1931.

The highest death rates per 100,000 population in 1932 were from pneumonia (all forms), 99.7; diseases of the heart, 98.2; tuberculosis (all forms), 91.6; congenital malformations and diseases of early infancy, 77.6; cancer, 68.7; nephritis, 59.3; cerebral hemorrhage and softening, 48.1; and diarrhea and enteritis, under 2 years, 44.5. These eight causes account for 58.8 percent of all deaths. The death rate from nephritis decreased from 68.8 in 1931 to 59.3 in 1932; tuberculosis (all forms) from 99.2 to 91.6; diseases of the heart from 105.0 to 98.2; and congenital malformations and diseases of early infancy from 83.2 to 77.6. In fact, there was a general trend of decrease except in cancer, which increased from 57.6 in 1931 to 68.7 in 1932.

The death rate for infants under 1 year of age was 81.5 per 1,000 population in 1932 against 82.1 in 1931. In 1932 the deaths of infants under 1 year of age numbered 799, and a little more than half of these were due to diarrhea and enteritis (148), premature birth (136), and bronchopneumonia (130).

PUERTO RICO

(See tables, pp. 470 to 478)

The number of deaths from all causes in Puerto Rico in 1932 was 35,601, and the estimated population was 1,597,500, giving a rate of 22.3 per 1,000.

The white population was 1,190,200 with a rate of 22.2. The colored population numbered 407,300 with a rate of 22.6.

The highest death rates per 100,000 population in 1932, when Puerto Rico was admitted to the registration area, were for tuberculosis, all forms (283.4); diarrhea and enteritis, under 2 years (256.3); pneumonia, all forms (230.3); malaria (170.4); nephritis (156.6); and congenital malformations and diseases of early infancy (151.3). These six causes account for 56 percent of all deaths. With the exception of diarrhea and enteritis under 2 years, the above causes show higher rates for the colored than for the white population.

VIRGIN ISLANDS

(See tables, pp. 479 to 482)

A special census of the population of the Virgin Islands, which was taken by the Bureau of the Census in 1930, numbered 22,012, and Negroes constituted 78.3 percent of the total. Because of the continuous decrease of the population from 1860 to 1930, rates have not been computed.

There were 454 deaths in 1932: 23 of whites, 423 of Negroes, 6 of mixed, and 2 of other colored. The largest number of deaths resulted from diseases of the heart, nephritis, tuberculosis (all forms), cerebral hemorrhage, cancer, syphilis, and malaria; and these accounted for 56.4 percent of all deaths. Deaths from diseases of the heart declined from 137 in 1931 to 72 in 1932, syphilis from 41 to 21, cerebral hemorrhage. Cancer, malaria, and tuberculosis (all forms) showed increases. The deaths of infants under 1 year of age numbered 74, of which 59.5 percent were due to diarrhea and enteritis, premature birth, bronchitis, and pneumonia (all forms). Deaths of infants under 1 year of age from diarrhea and enteritis decreased from 19 in 1931 to 15 in 1932.

RATE TABLES

MORTALITY STATISTICS

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932

AREA AND COLOR	Estimated population July 1, 1932	DEATHS: 1932	
		Number	Rate per 1,000 population
The registration area in continental United States	120,122,200	1,308,529	10.9
White	107,150,600	1,126,226	10.5
Colored	12,971,600	182,303	14.1
Registration States [1]	118,858,000	1,293,269	10.9
White	106,259,000	1,115,555	10.5
Colored	12,599,000	177,714	14.1
Cities of 10,000 or more [1]	57,824,600	673,342	11.6
White	52,951,100	591,022	11.2
Colored	4,873,500	82,320	16.9
Smaller cities and rural areas [1]	61,033,400	619,927	10.2
White	53,307,900	524,533	9.8
Colored	7,725,500	95,394	12.3
Registration cities in non-registration State [2]	1,264,200	15,260	12.1
White	891,600	10,671	12.0
Colored	372,600	4,589	12.3
All registration cities [1]	59,088,800	688,602	11.7
White	53,842,700	601,693	11.2
Colored	5,246,100	86,909	16.6
ALABAMA			
Total	2,682,000	27,680	10.3
White	1,731,000	14,871	8.6
Colored	951,000	12,809	13.5
Cities of 10,000 or more	598,800	8,273	13.8
White	369,200	4,248	11.5
Colored	229,600	4,025	17.5
Cities of 2,500 to 10,000	172,700	2,309	13.4
White	124,100	1,400	11.3
Colored	48,600	909	18.7
Rural	1,910,500	17,098	8.9
White	1,237,700	9,223	7.5
Colored	672,800	7,875	11.7
ARIZONA			
Total	448,000	5,420	12.1
White	272,000	3,016	11.1
Colored	176,000	2,404	13.7
Cities of 10,000 or more	83,600	2,132	25.5
White	60,600	1,426	23.5
Colored	23,000	706	30.7
Cities of 2,500 to 10,000	69,600	1,312	18.9
White	43,500	782	18.0
Colored	26,100	530	20.3
Rural	294,800	1,976	6.7
White	167,900	808	4.8
Colored	126,900	1,168	9.2
ARKANSAS			
Total	1,867,000	16,315	8.7
White	1,386,000	11,251	8.1
Colored	481,000	5,064	10.5
Cities of 10,000 or more	227,200	3,766	16.6
White	175,300	2,645	15.1
Colored	51,900	1,121	21.6
Cities of 2,500 to 10,000	165,800	2,083	12.6
White	126,100	1,367	10.8
Colored	39,700	716	18.0
Rural	1,474,000	10,466	7.1
White	1,084,600	7,239	6.7
Colored	389,400	3,227	8.3
CALIFORNIA			
Total	5,947,000	67,680	11.4
White	5,268,000	60,037	11.4
Colored	679,000	7,643	11.3
Cities of 10,000 or more	3,803,000	42,946	11.3
White	3,429,600	38,876	11.3
Colored	373,400	4,070	10.9
Cities of 2,500 to 10,000	577,600	6,521	11.3
White	506,500	5,708	11.3
Colored	71,100	813	11.4
Rural	1,566,400	18,213	11.6
White	1,331,900	15,453	11.6
Colored	234,500	2,760	11.8
COLORADO			
Total	1,047,000	12,599	12.0
White	967,000	11,771	12.2
Colored	80,000	828	10.4
Cities of 10,000 or more	433,400	6,171	14.2
White	408,600	5,857	14.3
Colored	24,800	314	12.7
Cities of 2,500 to 10,000	94,500	1,620	17.1
White	88,200	1,480	16.8
Colored	6,300	140	22.2
Rural	519,100	4,808	9.3
White	470,200	4,434	9.4
Colored	48,900	374	7.6
CONNECTICUT			
Total	1,634,000	16,962	10.4
White	1,603,000	16,494	10.3
Colored	31,000	468	15.1
Cities of 10,000 or more	1,096,700	11,915	10.9
White	1,071,000	11,518	10.8
Colored	25,700	397	15.4
Cities of 2,500 to 10,000	50,200	394	7.8
White	49,800	388	7.8
Colored	400	6	15.0
Rural	487,100	4,653	9.6
White	482,200	4,588	9.5
Colored	4,900	65	13.3
DELAWARE			
Total	240,000	3,178	13.2
White	207,000	2,570	12.4
Colored	33,000	608	18.4
Cities of 10,000 or more	[3] 106,597	1,490	14.0
White	[3] 94,459	1,257	13.3
Colored	[3] 12,138	233	19.2
Cities of 2,500 to 10,000	17,200	255	14.8
White	14,100	202	14.3
Colored	3,100	53	17.1
Rural	116,200	1,433	12.3
White	98,400	1,111	11.3
Colored	17,800	322	18.1
DISTRICT OF COLUMBIA			
Total	493,000	7,937	16.1
White	357,000	5,001	14.0
Colored	136,000	2,936	21.6
FLORIDA			
Total	1,528,000	18,288	12.0
White	1,083,000	11,287	10.4
Colored	445,000	7,001	15.7
Cities of 10,000 or more	577,300	7,974	13.8
White	417,800	5,021	12.0
Colored	159,500	2,953	18.5
Cities of 2,500 to 10,000	219,300	3,418	15.6
White	160,500	2,234	13.9
Colored	58,800	1,184	20.1
Rural	731,400	6,896	9.4
White	504,700	4,032	8.0
Colored	226,700	2,864	12.6
GEORGIA			
Total	2,910,000	32,128	11.0
White	1,855,000	16,818	9.1
Colored	1,055,000	15,310	14.5
Cities of 10,000 or more	676,600	10,638	15.7
White	427,500	5,289	12.4
Colored	249,100	5,349	21.5
Smaller cities and rural areas	2,233,400	21,490	9.6
White	1,427,500	11,529	8.1
Colored	805,900	9,961	12.4
IDAHO			
Total	447,000	3,942	8.8
White	439,000	3,813	8.7
Colored	8,000	129	16.1
Cities of 10,000 or more	38,400	590	15.4
White	37,500	573	15.3
Colored	900	17	18.9
Cities of 2,500 to 10,000	92,700	1,551	16.7
White	92,000	1,532	16.7
Colored	700	19	27.1
Rural	315,900	1,801	5.7
White	309,500	1,708	5.5
Colored	6,400	93	14.5
ILLINOIS			
Total	7,768,000	83,180	10.7
White	7,383,000	77,248	10.5
Colored	385,000	5,932	15.4
Cities of 10,000 or more	5,096,700	52,912	10.4
White	4,756,800	48,037	10.1
Colored	339,900	4,875	14.3
Cities of 2,500 to 10,000	689,000	7,794	11.3
White	672,800	7,574	11.3
Colored	16,200	220	13.6
Rural	1,982,300	22,474	11.3
White	1,953,400	21,637	11.1
Colored	28,900	837	29.0
INDIANA			
Total	3,275,000	38,756	11.8
White	3,148,000	36,839	11.7
Colored	127,000	1,917	15.1
Cities of 10,000 or more	1,532,500	17,328	11.3
White	1,418,300	15,735	11.1
Colored	114,200	1,593	13.9
Cities of 2,500 to 10,000	299,700	4,625	15.4
White	295,800	4,540	15.3
Colored	3,900	85	21.8
Rural	1,442,800	16,803	11.6
White	1,433,900	15,564	10.9
Colored	8,900	239	26.9
IOWA			
Total	2,479,000	25,786	10.4
White	2,456,000	25,443	10.4
Colored	23,000	343	15.0
Cities of 10,000 or more	726,800	9,650	13.3
White	710,000	9,408	13.3
Colored	16,800	242	14.4
Cities of 2,500 to 10,000	265,300	4,680	17.6
White	262,900	4,636	17.6
Colored	2,400	44	18.3
Rural	1,486,900	11,456	7.7
White	1,483,100	11,399	7.7
Colored	3,800	57	15.0
KANSAS			
Total	1,894,000	19,512	10.3
White	1,805,000	18,328	10.2
Colored	89,000	1,184	13.3
Cities of 10,000 or more	551,100	6,857	12.4
White	494,200	6,094	12.3
Colored	56,900	763	13.4
Cities of 2,500 to 10,000	192,000	2,775	14.5
White	184,300	2,665	14.5
Colored	7,700	110	14.3
Rural	1,150,900	9,880	8.6
White	1,126,500	9,569	8.5
Colored	24,400	311	12.7
KENTUCKY			
Total	2,638,000	29,059	11.0
White	2,413,000	24,829	10.3
Colored	225,000	4,230	18.8
Cities of 10,000 or more	612,800	8,712	14.2
White	524,800	6,826	13.0
Colored	88,000	1,886	21.4

See footnotes at end of table.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932—Continued

AREA AND COLOR	Estimated population July 1, 1932	DEATHS: 1932	
		Number	Rate per 1,000 population
KENTUCKY—continued			
Smaller cities and rural areas	2,025,200	20,347	10.0
White	1,888,200	18,003	9.5
Colored	137,000	2,344	17.1
LOUISIANA			
Total	2,138,000	23,311	10.9
White	1,345,000	12,504	9.3
Colored	793,000	10,807	13.6
Cities of 10,000 or more	676,000	11,002	16.3
White	465,800	6,418	13.8
Colored	210,200	4,584	21.8
Cities of 2,500 to 10,000	181,700	2,404	13.2
White	124,500	1,239	10.0
Colored	57,200	1,165	20.4
Rural	1,280,300	9,905	7.7
White	754,700	4,847	6.4
Colored	525,600	5,058	9.6
MAINE			
Total	801,000	10,719	13.4
White	799,000	10,690	13.4
Colored	2,000	29	14.5
Cities of 10,000 or more	230,500	3,498	15.2
White	229,700	3,486	15.2
Colored	800	12	15.0
Cities of 2,500 to 10,000	93,500	1,322	14.1
White	93,000	1,314	14.1
Colored	500	8	16.0
Rural	477,000	5,899	12.4
White	476,300	5,890	12.4
Colored	700	9	12.9
MARYLAND			
Total	1,653,000	21,038	12.7
White	1,372,000	15,955	11.6
Colored	281,000	5,083	18.1
Cities of 10,000 or more	922,200	12,367	13.4
White	765,800	9,454	12.3
Colored	156,400	2,913	18.6
Cities of 2,500 to 10,000	64,800	1,090	16.8
White	56,400	821	14.6
Colored	8,400	269	32.0
Rural	666,000	7,581	11.4
White	549,800	5,680	10.3
Colored	116,200	1,901	16.4
MASSACHUSETTS			
Total	4,297,000	49,446	11.5
White	4,240,000	48,568	11.5
Colored	57,000	878	15.4
Cities of 10,000 or more	3,547,700	40,383	11.4
White	3,498,600	39,644	11.3
Colored	49,100	739	15.1
Cities of 2,500 to 10,000	332,800	3,253	9.8
White	330,500	3,225	9.8
Colored	2,300	28	12.2
Rural	416,500	5,810	13.9
White	410,900	5,699	13.9
Colored	5,600	111	19.8
MICHIGAN			
Total	4,983,000	49,585	10.0
White	4,776,000	46,952	9.8
Colored	207,000	2,633	12.7
Cities of 10,000 or more	3,051,300	27,205	8.9
White	2,867,000	25,114	8.8
Colored	184,300	2,091	11.3
Cities of 2,500 to 10,000	380,600	4,425	11.6
White	375,900	4,364	11.6
Colored	4,700	61	13.0
Rural	1,551,100	17,955	11.6
White	1,533,100	17,474	11.4
Colored	18,000	481	26.7
MINNESOTA			
Total	2,585,000	25,591	9.9
White	2,559,000	25,189	9.8
Colored	26,000	402	15.5
Cities of 10,000 or more	1,014,200	11,634	11.5
White	1,002,700	11,483	11.5
Colored	11,500	151	13.1
Cities of 2,500 to 10,000	265,600	3,488	13.1
White	264,400	3,467	13.1
Colored	1,200	21	17.5
MINNESOTA—continued			
Rural	1,305,200	10,469	8.0
White	1,291,900	10,239	7.9
Colored	13,300	230	17.3
MISSISSIPPI			
Total	2,036,000	20,311	10.0
White	1,014,000	8,303	8.2
Colored	1,022,000	12,008	11.7
Cities of 10,000 or more	244,400	3,885	15.9
White	147,200	1,868	12.7
Colored	97,200	2,017	20.8
Cities of 2,500 to 10,000	104,500	1,456	13.9
White	64,000	728	11.4
Colored	40,500	728	18.0
Rural	1,687,100	14,970	8.9
White	802,800	5,707	7.1
Colored	884,300	9,263	10.5
MISSOURI			
Total	3,656,000	43,738	12.0
White	3,420,000	39,117	11.4
Colored	236,000	4,621	19.6
Cities of 10,000 or more	1,607,700	21,068	13.1
White	1,445,800	17,809	12.3
Colored	161,900	3,259	20.1
Cities of 2,500 to 10,000	282,800	4,363	15.4
White	264,100	3,887	14.7
Colored	18,700	476	25.5
Rural	1,765,500	18,307	10.4
White	1,710,100	17,421	10.2
Colored	55,400	886	16.0
MONTANA			
Total	[3] 537,606	5,294	9.8
White	[3] 517,327	4,878	9.4
Colored	[3] 20,279	416	20.5
Cities of 10,000 or more	124,800	1,656	13.3
White	122,800	1,621	13.2
Colored	2,000	35	17.5
Cities of 2,500 to 10,000	57,400	862	15.0
White	56,800	850	15.0
Colored	600	12	20.0
Rural	355,400	2,776	7.8
White	337,700	2,407	7.1
Colored	17,700	369	20.8
NEBRASKA			
Total	1,388,000	12,922	9.3
White	1,363,000	12,558	9.2
Colored	25,000	364	14.6
Cities of 10,000 or more	377,700	4,675	12.4
White	362,700	4,455	12.3
Colored	15,000	220	14.7
Cities of 2,500 to 10,000	120,700	1,808	15.0
White	119,000	1,780	15.0
Colored	1,700	28	16.5
Rural	889,600	6,439	7.2
White	881,300	6,323	7.2
Colored	8,300	116	14.0
NEVADA			
Total	93,000	1,342	14.4
White	83,000	1,189	14.3
Colored	10,000	153	15.3
Cities of 10,000 or more	19,300	350	18.1
White	18,800	333	17.7
Colored	500	17	34.0
Cities of 2,500 to 10,000	17,000	361	21.2
White	15,600	337	21.6
Colored	1,400	24	17.1
Rural	56,700	631	11.1
White	48,600	519	10.7
Colored	8,100	112	13.8
NEW HAMPSHIRE			
Total	468,000	6,329	13.5
White	467,000	6,320	13.5
Colored	1,000	9	9.0
Cities of 10,000 or more	232,700	3,013	12.9
White	232,100	3,007	13.0
Colored	600	6	10.0
Cities of 2,500 to 10,000	42,800	516	12.1
White	42,800	516	12.1
Colored			
Rural	192,500	2,800	14.5
White	192,100	2,797	14.6
Colored	400	3	7.5
NEW JERSEY			
Total	4,148,000	42,914	10.3
White	3,925,000	39,463	10.1
Colored	223,000	3,451	15.5
Cities of 10,000 or more	2,859,000	28,882	10.1
White	2,689,700	26,454	9.8
Colored	169,300	2,428	14.3
Cities of 2,500 to 10,000	571,900	5,615	9.8
White	553,700	5,188	9.7
Colored	18,200	427	23.5
Rural	717,100	8,417	11.7
White	681,600	7,821	11.5
Colored	35,500	596	16.8
NEW MEXICO			
Total	431,000	5,968	13.8
Cities of 10,000 or more	50,400	997	19.8
Cities of 2,500 to 10,000	60,300	1,196	19.8
Rural	320,300	3,775	11.8
NEW YORK			
Total	12,852,000	147,824	11.5
White	12,388,000	140,648	11.4
Colored	464,000	7,176	15.5
Cities of 10,000 or more	10,147,700	112,303	11.1
White	9,721,800	105,934	10.9
Colored	425,900	6,369	15.0
Cities of 2,500 to 10,000	607,500	7,810	12.9
White	597,900	7,646	12.8
Colored	9,600	164	17.1
Rural	2,096,800	27,711	13.2
White	2,068,300	27,068	13.1
Colored	28,500	643	22.6
NORTH CAROLINA			
Total	3,244,000	31,051	9.6
White	2,289,000	19,513	8.5
Colored	955,000	11,538	12.1
Cities of 10,000 or more	615,400	8,274	13.4
White	413,700	4,752	11.5
Colored	201,700	3,522	17.5
Cities of 2,500 to 10,000	228,400	2,642	11.6
White	173,900	1,745	10.0
Colored	54,500	897	16.5
Rural	2,400,200	20,135	8.4
White	1,701,400	13,016	7.7
Colored	698,800	7,119	10.2
NORTH DAKOTA			
Total	685,000	5,153	7.5
White	675,000	5,004	7.4
Colored	10,000	149	14.9
Cities of 10,000 or more	75,300	993	13.2
White	74,600	982	13.2
Colored	700	11	15.7
Cities of 2,500 to 10,000	41,400	625	15.1
White	41,000	619	15.1
Colored	400	6	15.0
Rural	568,300	3,535	6.2
White	559,400	3,403	6.1
Colored	8,900	132	14.8
OHIO			
Total	6,753,000	76,286	11.3
White	6,423,000	70,861	11.0
Colored	330,000	5,425	16.4
Cities of 10,000 or more	3,996,200	44,956	11.2
White	3,720,000	40,575	10.9
Colored	276,200	4,381	15.9
Cities of 2,500 to 10,000	607,600	6,914	11.4
White	591,300	6,654	11.3
Colored	16,300	260	16.0
Rural	2,149,200	24,416	11.4
White	2,111,700	23,632	11.2
Colored	37,500	784	20.9
OKLAHOMA			
Total	2,440,000	19,285	7.9
White	2,161,000	16,663	7.7
Colored	279,000	2,622	9.4
Cities of 10,000 or more	577,400	6,461	11.2
White	513,000	5,476	10.7
Colored	64,400	985	15.3
Cities of 2,500 to 10,000	278,000	4,684	16.8
White	254,300	4,124	16.2
Colored	23,700	560	23.6

See footnotes at end of table.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932—Continued

AREA AND COLOR	Estimated population July 1, 1932	DEATHS: 1932	
		Number	Rate per 1,000 population
OKLAHOMA—continued			
Rural	1,584,600	8,140	5.1
White	1,393,700	7,063	5.1
Colored	190,900	1,077	5.6
OREGON			
Total	974,000	10,277	10.6
White	957,000	10,026	10.5
Colored	17,000	251	14.8
Cities of 10,000 or more	393,600	4,746	12.1
White	387,100	4,627	12.0
Colored	6,500	119	18.3
Cities of 2,500 to 10,000	108,100	2,028	18.8
White	107,300	1,999	18.6
Colored	800	29	36.3
Rural	472,300	3,503	7.4
White	462,600	3,400	7.3
Colored	9,700	103	10.6
PENNSYLVANIA			
Total	9,741,000	109,204	11.2
White	9,284,000	102,194	11.0
Colored	457,000	7,010	15.3
Cities of 10,000 or more	5,333,100	62,793	11.8
White	4,957,200	57,124	11.5
Colored	375,900	5,669	15.1
Cities of 2,500 to 10,000	1,303,200	13,347	10.2
White	1,282,800	13,110	10.2
Colored	20,400	237	11.6
Rural	3,104,700	33,064	10.6
White	3,044,000	31,960	10.5
Colored	60,700	1,104	18 2
RHODE ISLAND			
Total	698,000	8,080	11.6
White	687,000	7,869	11.5
Colored	11,000	211	19.2
Cities of 10,000 or more	610,600	7,135	11.7
White	601,300	6,945	11.5
Colored	9,300	190	20.4
Cities of 2,500 to 10,000	34,400	352	10.2
White	34,300	344	10.0
Colored	100	8	80.0
Rural	53,000	593	11.2
White	51,400	580	11.3
Colored	1,600	13	8.1
SOUTH CAROLINA			
Total	1,745,000	19,884	11.4
White	959,000	8,599	9.0
Colored	786,000	11,285	14.4
Cities of 10,000 or more	238,800	4,387	18.4
White	148,200	2,054	13.9
Colored	90,600	2,333	25.8
Cities of 2,500 to 10,000	140,300	1,742	12.4
White	89,700	910	10.1
Colored	50,600	832	16.4
Rural	1,365,900	13,755	10.1
White	721,100	5,635	7.8
Colored	644,800	8,120	12.6
SOUTH DAKOTA			
Total	700,000	5,725	8.2
White	675,000	5,216	7.7
Colored	25,000	509	20.4
Cities of 10,000 or more	94,800	1,185	12.5
White	94,300	1,176	12.5
Colored	500	9	18.0
Cities of 2,500 to 10,000	39,300	828	21.1
White	39,000	810	20.8
Colored	300	18	60.0
Rural	565,900	3,712	6.6
White	541,700	3,230	6.0
Colored	24,200	482	19.9
TENNESSEE			
Total	2,650,000	28,628	10.8
White	2,169,000	20,821	9.6
Colored	481,000	7,807	16.2
Cities of 10,000 or more	720,300	10,423	14.5
White	515,100	6,285	12.2
Colored	205,200	4,138	20.2
Cities of 2,500 to 10,000	200,700	2,907	14.5
White	160,200	2,097	13.1
Colored	40,500	810	20.0
Rural	1,729,000	15,298	8.8
White	1,493,700	12,439	8.3
Colored	235,300	2,859	12.2
UTAH			
Total	515,000	4,420	8.6
White	503,000	4,289	8.5
Colored	12,000	131	10.9
Cities of 10,000 or more	199,600	2,202	11.0
White	196,100	2,144	10.9
Colored	3,500	58	16.6
Cities of 2,500 to 10,000	72,300	654	9.0
White	71,700	647	9.0
Colored	600	7	11.7
Rural	243,100	1,564	6.4
White	235,200	1,498	6.4
Colored	7,900	66	8.4
VERMONT			
Total	360,000	4,753	13.2
White	359,000	4,749	13.2
Colored	1,000	4	4.0
Cities of 10,000 or more	54,100	897	16.6
White	53,800	896	16.7
Colored	300	1	3.3
Smaller cities and rural areas	305,900	3,856	12.6
White	305,200	3,853	12.6
Colored	700	3	4.3
VIRGINIA			
Total	2,435,000	28,898	11.9
White	1,789,000	18,270	10.2
Colored	646,000	10.628	16.5
Cities of 10,000 or more	643,400	8,950	13.9
White	456,300	5,314	11.6
Colored	187,100	3,636	19.4
VIRGINIA—continued			
Cities of 2,500 to 10,000	140,200	2,413	17.2
White	113,500	1,780	15.7
Colored	26,700	633	23.7
Rural	1,651,400	17,535	10.0
White	1,219,200	11,176	9.2
Colored	432,200	6,359	14.7
WASHINGTON			
Total	1,588,000	16,581	10.4
White	1,545,000	15,959	10.3
Colored	43,000	622	14.5
Cities of 10,000 or more	804,800	9,318	11.6
White	783,600	9,020	11.5
Colored	21,200	298	14.1
Cities of 2,500 to 10,000	95,500	1,686	17.7
White	94,200	1,619	17.2
Colored	1,300	67	51.5
Rural	687,700	5,577	8.1
White	667,200	5,320	8.0
Colored	20,500	257	12.5
WEST VIRGINIA			
Total	1,761,000	17,912	10.2
White	1,642,000	16,125	9.8
Colored	119,000	1,787	15.0
Cities of 10,000 or more	352,100	4,749	13.5
White	328,200	4,300	13.1
Colored	23,900	449	18.8
Cities of 2,500 to 10,000	153,500	2,566	16.7
White	145,000	2,280	15.7
Colored	8,500	286	33.6
Rural	1,255,400	10,597	8.4
White	1,168,800	9,545	8.2
Colored	86,600	1,052	12.1
WISCONSIN			
Total	2,976,000	30,321	10.2
White	2,949,000	29,948	10.2
Colored	27,000	373	13.8
Cities of 10,000 or more	1,320,300	13,269	10.0
White	1,306,500	13,142	10.1
Colored	13,800	127	9.2
Cities of 2,500 to 10,000	275,900	3,691	13.4
White	275,300	3,678	13.4
Colored	600	13	21.7
Rural	1,379,800	13,361	9.7
White	1,367,200	13,128	9.6
Colored	12,600	233	18.5
WYOMING			
Total	229,000	2,057	9.0
White	217,000	1,879	8.7
Colored	12,000	178	14.8
Cities of 10,000 or more	34,700	395	11.4
White	33,000	363	11.0
Colored	1,700	32	18.8
Cities of 2,500 to 10,000	36,900	550	14.9
White	35,000	521	14.9
Colored	1,900	29	15.3
Rural	157,400	1,112	7.1
White	149,000	995	6.7
Colored	8,400	117	13.9

[1] Including District of Columbia.

[2] Includes 8 cities in Texas.

[3] Enumerated population Apr. 1, 1930, no estimate made.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932

List no. 1929	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	Total deaths (all causes)	1,308,529	1,322,587	1,089.0	1,107.5
	I.—Infectious and parasitic diseases	156,979	163,166	130.6	136.6
1	Typhoid fever	4,363	5,298	3.6	4.4
2	Paratyphoid fever	78	84	0.1	0.1
3	Typhus fever	36	27	(1)	(1)
4	Relapsing fever		1		(1)
5	Undulant fever	62	66	0.1	0.1
6	Smallpox	38	95	(1)	0.1
7	Measles	1,941	3,576	1.6	3.0
8	Scarlet fever	2,577	2,650	2.1	2.2
9	Whooping cough	5,364	4,619	4.5	3.9
10	Diphtheria	5,418	5,738	4.5	4.8
11	Influenza	37,066	31,701	30.8	26.5
	Respiratory complications specified	24,120	20,187	20.1	16.9
	Respiratory complications not specified	12,946	11,514	10.8	9.6
13	Dysentery	2,083	2,441	1.7	2.0
	Amebic	185	206	0.2	0.2
	Bacillary	435	484	0.4	0.4
	Unspecified or due to other causes	1,463	1,751	1.2	1.5
15	Erysipelas	1,934	2,275	1.6	1.9
16	Acute poliomyelitis, acute polioencephalitis	828	2,096	0.7	1.8
17	Lethargic or epidemic encephalitis	874	972	0.7	0.8
18	Epidemic cerebrospinal meningitis	1,677	2,832	1.4	2.4
19	Glanders		1		(1)
20	Anthrax (bacillus anthracis) malignant pustule	12	12	(1)	(1)
21	Rabies	55	55	(1)	(1)
22	Tetanus	1,119	1,116	0.9	0.9
	Tuberculosis (all forms)	75,509	81,395	62.8	68.2
23	Respiratory system	67,789	72,515	56.4	60.7
24	Meninges and central nervous system	2,317	2,709	1.9	2.3
25	Intestines and peritoneum	1,942	2,203	1.6	1.8
26	Vertebral column	809	883	0.7	0.7
27	Bones and joints (vertebral column excepted)	426	500	0.4	0.4
	Bones	169	188	0.1	0.2
	Joints	257	312	0.2	0.3
28	Skin and subcutaneous cellular tissue	59	37	(1)	(1)
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	164	187	0.1	0.2
30	Genitourinary system	520	612	0.4	0.5
31	Other organs	119	142	0.1	0.1
32	Disseminated tuberculosis	1,364	1,602	1.1	1.3
	Acute	1,193	1,364	1.0	1.1
	Chronic	14	45	(1)	(1)
	Unspecified	157	193	0.1	0.2
33	Leprosy	25	22	(1)	(1)
34	Syphilis	10,684	10,592	8.9	8.9
35	Gonococcus infection and other venereal diseases	916	1,127	0.8	0.9
36	Purulent infection, septicemia (nonpuerperal)	869	913	0.7	0.8
38	Malaria	2,568	2,536	2.1	2.1
39	Other diseases due to protozoal parasites	52	73	(1)	0.1
40	Ankylostomiasis	24	20	(1)	(1)
41	Hydatid cysts	36	34	(1)	(1)
	Liver	24	28	(1)	(1)
	Other organs	12	6	(1)	(1)
42	Other diseases caused by helminths	114	112	0.1	0.1
43	Mycoses	249	268	0.2	0.2
44	Other infectious and parastic diseases	408	419	0.3	0.4
	Chicken-pox	148	185	0.1	0.2
	German measles	9	24	(1)	(1)
	Others under this title	251	210	0.2	0.2
	II.—Cancers and other tumors	128,597	124,026	107.0	103.9
	Cancer and other malignant tumors	122,739	118,141	102.1	98.9
45	Of the buccal cavity and pharynx	4,596	4,567	3.8	3.8
	Lip	670	630	0.6	0.5
	Tongue	946	919	0.8	0.8
	Mouth	441	462	0.4	0.4
	Jaw	1,034	1,013	0.9	0.8
	Other and unspecified parts of the buccal cavity	585	539	0.5	0.5
	Pharynx	920	1,004	0.8	0.8
46	Of the digestive tract and peritoneum	60,810	58,783	50.6	49.2
	Esophagus	2,063	2,038	1.7	1.7
	Stomach and duodenum	25,909	25,397	21.6	21.3
	Intestines (except duodenum, rectum, anus)	12,137	11,495	10.1	9.6
	Rectum and anus	5,890	5,451	4.9	4.6
	Liver and biliary passages	10,452	10,290	8.7	8.6
	Pancreas	3,371	3,139	2.8	2.6
	Mesentery and peritoneum	927	911	0.8	0.8
	Others under this title	61	62	0.1	0.1
47	Of the respiratory system	4,549	4,039	3.8	3.4
	Larynx	1,048	925	0.9	0.8
	Lungs and pleura	3,166	2,846	2.6	2.4
	Other respiratory organs	335	268	0.3	0.2

List no. 1929	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	II.—Cancers and other tumors—Contd.				
	Cancer and other malignant tumors—Con.				
48	Of the uterus	14,908	14,464	12.4	12.1
49	Of other female genital organs	2,684	2,565	2.2	2.1
	Ovary and Fallopian tube	2,167	2,051	1.8	1.7
	Vagina and vulva	478	478	0.4	0.4
	Other female genital organs	39	36	(1)	(1)
50	Of the breast	11,889	11,444	9.9	9.6
51	Of the male genitourinary organs	9,594	9,184	8.0	7.7
	Kidneys and suprarenals (male)	945	960	0.8	0.8
	Bladder (male)	2,493	2,661	2.1	2.2
	Prostate	5,466	4,924	4.5	4.1
	Testes	352	345	0.3	0.3
	Scrotum	44	37	(1)	(1)
	Other male genitourinary organs	294	257	0.2	0.2
52	Of the skin	3,137	2,986	2.6	2.5
53	Of other or unspecified organs	10,572	10,109	8.8	8.5
	Kidneys and suprarenals (female)	762	691	0.6	0.6
	Bladder (female)	1,266	1,213	1.1	1.0
	Brain	932	844	0.8	0.7
	Bones (except jaw)	1,639	1,644	1.4	1.4
	Other or unspecified organs	5,973	5,717	5.0	4.8
54	Nonmalignant tumors	3,897	3,839	3.2	3.2
	Ovary	167	142	0.1	0.1
	Uterus	2,432	2,539	2.0	2.1
	Other female genital organs	12	4	(1)	(1)
	Brain	743	648	0.6	0.5
	Other organs	543	506	0.5	0.4
55	Tumors of which the nature is not specified	1,961	2,046	1.6	1.7
	Ovary	22	40	(1)	(1)
	Uterus	18	21	(1)	(1)
	Other female genital organs	1	3	(1)	(1)
	Brain	1,463	1,539	1.2	1.3
	Other organs	457	443	0.4	0.4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	40,983	40,626	34.1	34.0
56	Acute rheumatic fever	2,601	2,620	2.2	2.2
57	Chronic rheumatism, osteoarthritis	1,501	1,511	1.2	1.3
58	Gout	1	2	(1)	(1)
59	Diabetes mellitus	26,368	24,331	21.9	20.4
60	Scurvy	33	38	(1)	(1)
61	Beriberi	5	3	(1)	(1)
62	Pellagra	3,694	5,091	3.1	4.3
63	Rickets	354	455	0.3	0.4
64	Osteomalacia	13	22	(1)	(1)
65	Diseases of the pituitary body	60	42	(1)	(1)
66	Diseases of thyroid and parathyroid glands	4,344	4,449	3.6	3.7
	Simple goiter	290	300	0.2	0.3
	Exophthalmic goiter	3,666	3,791	3.1	3.2
	Myxedema and cretinism	207	203	0.2	0.2
	Tetany	99	85	0.1	0.1
	Others under this title	82	70	0.1	0.1
67	Diseases of the thymus gland	1,230	1,239	1.0	1.0
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	357	343	0.3	0.3
69	Other general diseases	422	480	0.4	0.4
	IV.—Diseases of the blood and blood-making organs	9,866	9,668	8.2	8.1
70	Hemorrhagic conditions	791	918	0.7	0.8
	Primary purpuras	503	584	0.4	0.5
	Hemophilia	288	334	0.2	0.3
71	Anemias	4,390	4,195	3.7	3.5
	Pernicious anemia	3,890	3,734	3.2	3.1
	Other anemias	500	461	0.4	0.4
72	Leukemias and pseudoleukemias	4,142	4,002	3.4	3.4
	True leukemias	2,802	2,730	2.3	2.3
	Pseudoleukemias (Hodgkin's disease)	1,340	1,272	1.1	1.1
73	Diseases of the spleen	431	436	0.4	0.4
74	Other diseases of blood and blood-making organs	112	117	0.1	0.1
	V.—Chronic poisonings and intoxications	3,300	4,239	2.7	3.5
75	Alcoholism (acute or chronic)	3,049	3,933	2.5	3.3
76	Chronic poisoning by other organic substances	146	155	0.1	0.1
	Occupational	5	18	(1)	(1)
	Others under this title	141	137	0.1	0.1
77	Chronic poisoning by mineral substances	105	151	0.1	0.1
	Lead	78	111	0.1	0.1
	Occupational (except lead)	8	14	(1)	(1)
	Others under this title	19	26	(1)	(1)
	VI.—Diseases of the nervous system and of the organs of special sense	129,665	129,934	107.9	108.8
78	Encephalitis (nonepidemic)	1,293	1,415	1.1	1.2
79	Meningitis	2,359	2,782	2.0	2.3
	Simple meningitis	2,037	2,355	1.7	2.0
	Nonepidemic cerebrospinal meningitis	322	427	0.3	0.4

See footnotes at end of table.

69301—35——6

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

List no. 1929	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	VI.—Diseases of the nervous system and of the organs of special sense—Con.				
80	Progressive locomotor ataxia (tabes dorsalis)	1,188	1,200	1.0	1.0
81	Other diseases of the spinal cord	3,026	3,282	2.5	2.7
82	Cerebral hemorrhage, cerebral embolism, and thrombosis	104,897	103,411	87.3	86.6
	Cerebral hemorrhage	94,694	93,819	78.8	78.6
	Cerebral embolism and thrombosis	5,397	4,956	4.5	4.2
	Softening of brain	688	601	0.6	0.5
	Hemiplegia and other paralysis, cause unspecified	4,118	4,035	3.4	3.4
83	General paralysis of the insane	4,573	4,662	3.8	3.9
84	Dementia praecox and other psychoses	1,342	1,517	1.1	1.3
85	Epilepsy	2,842	2,962	2.4	2.5
86	Convulsions (under 5 years of age)	841	931	0.7	0.8
87	Other diseases of the nervous system	3,367	3,547	2.8	3.0
	Neuralgia and neuritis	191	284	0.2	0.2
	Others under this title	3,176	3,263	2.6	2.7
88	Diseases of the organs of vision	77	93	0.1	0.1
89	Diseases of the ear and mastoid process	3,860	4,132	3.2	3.5
	Diseases of ear	2,322	2,414	1.9	2.0
	Diseases of mastoid process	1,538	1,718	1.3	1.4
	VII.—Diseases of the circulatory system	295,509	281,255	245.9	235.5
90	Pericarditis	907	973	0.8	0.8
91	Acute endocarditis	3,559	3,686	3.0	3.1
	Specified as acute	2,953	3,067	2.5	2.6
	Unspecified (under 45 years of age)	606	619	0.5	0.5
92	Chronic endocarditis, valvular diseases	61,335	62,473	51.0	52.3
	Endocarditis, specified as chronic, and other valvular diseases	57,358	58,568	47.7	49.0
	Endocarditis, unspecified (45 years and over)	3,977	3,905	3.3	3.3
93	Diseases of the myocardium	125,526	117,904	104.5	98.7
	Acute myocarditis	4,375	4,195	3.6	3.5
	Myocarditis, unspecified (under 45 years)	1,457	1,611	1.2	1.3
	Chronic myocarditis, myocardial degeneration	91,181	84,989	75.9	71.2
	Unspecified	28,513	27,109	23.7	22.7
94	Diseases of coronary arteries, angina pectoris	37,346	32,080	31.1	26.9
	Angina pectoris	19,893	19,218	16.6	16.1
	Diseases of coronary arteries	17,453	12,862	14.5	10.8
95	Other diseases of the heart	40,023	36,869	33.3	30.9
	Functional diseases of heart	716	666	0.6	0.6
	Other and unspecified	39,307	36,203	32.7	30.3
96	Aneurysm (except of heart)	2,181	2,042	1.8	1.7
97	Arteriosclerosis (coronary arteries excepted)	20,534	21,027	17.1	17.6
98	Gangrene	924	1,008	0.8	0.8
99	Other diseases of the arteries	1,526	1,429	1.3	1.2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	698	789	0.6	0.7
101	Diseases of lymphatic system (lymphangitis, etc.)	172	193	0.1	0.2
102	Idiopathic anomalies of the blood-pressure	529	547	0.4	0.5
103	Other diseases of the circulatory system	249	235	0.2	0.2
	VIII.—Diseases of the respiratory system	105,935	110,975	88.2	92.9
104	Diseases of the nasal fossae and annexae	1,089	1,194	0.9	1.0
	Diseases of nasal fossae	381	385	0.3	0.3
	Others under this title	708	809	0.6	0.7
105	Diseases of the larynx	488	455	0.4	0.4
106	Bronchitis	4,338	4,586	3.6	3.8
	Acute	1,597	1,667	1.3	1.4
	Chronic	1,840	1,881	1.5	1.6
	Unspecified (under 5 years of age)	245	323	0.2	0.3
	Unspecified (5 years and over)	656	715	0.5	0.6
107	Bronchopneumonia (including capillary bronchitis)	39,174	40,108	32.6	33.6
	Bronchopneumonia	38,708	39,615	32.2	33.2
	Capillary bronchitis	466	493	0.4	0.4
108	Lobar pneumonia	49,524	53,093	41.2	44.5
109	Pneumonia, unspecified	3,776	3,773	3.1	3.2
110	Pleurisy	2,618	2,739	2.2	2.3
111	Congestion, edema, embolism, hemorrhagic infarct, thrombosis of lungs	1,798	1,789	1.5	1.5
	Pulmonary embolism and thrombosis	442	475	0.4	0.4
	Others under this title	1,356	1,314	1.1	1.1
112	Asthma	1,804	1,880	1.5	1.6
113	Pulmonary emphysema	114	114	0.1	0.1
114	Other diseases of the respiratory system (tuberculosis excepted)	1,212	1,244	1.0	1.0
	Chronic interstitial pneumonia, including occupational diseases of respiratory system	308	294	0.3	0.2
	Others, including gangrene of lung	904	950	0.8	0.8
	IX.—Diseases of the digestive system	87,300	95,283	72.7	79.8
115	Diseases of buccal cavity and annexa and of pharynx, tonsils	5,191	5,713	4.3	4.8
	Diseases of pharynx and tonsils	4,350	4,814	3.6	4.0
	Others under this title	841	899	0.7	0.8
116	Diseases of esophagus	140	144	0.1	0.1
117	Ulcer of stomach and duodenum	7,192	7,259	6.0	6.1
	Ulcer of stomach	4,909	4,978	4.1	4.2
	Ulcer of duodenum	2,283	2,281	1.9	1.9
118	Other diseases of stomach (cancer excepted)	3,670	3,917	3.1	3.3
119	Diarrhea and enteritis (under 2 years of age)	14,375	18,704	12.0	15.7
120	Diarrhea and enteritis (2 years and over)	5,244	6,019	4.4	5.0
121	Appendicitis	17,111	18,113	14.2	15.2
122	Hernia, intestinal obstruction	12,269	12,539	10.2	10.5
	Hernia	4,863	4,794	4.0	4.0
	Intestinal obstruction	7,406	7,745	6.2	6.5
123	Other diseases of intestines	1,185	1,242	1.0	1.0
124	Cirrhosis of liver	8,681	8,851	7.2	7.4
	Specified as alcoholic	482	511	0.4	0.4
	Not specified as alcoholic	8,199	8,340	6.8	7.0
125	Other diseases of liver (including yellow atrophy of liver)	1,615	1,665	1.3	1.4
	Yellow atrophy of liver	491	519	0.4	0.4
	Others under this title	1,124	1,146	0.9	1.0
126	Biliary calculi	4,577	4,745	3.8	4.0
127	Other diseases of gall-bladder, biliary passages	3,866	4,088	3.2	3.4
128	Diseases of pancreas	677	676	0.6	0.6
129	Peritonitis, cause not specified	1,507	1,608	1.3	1.3
	X.—Diseases of the genitourinary system	120,631	120,009	100.4	100.5
130	Acute nephritis (including unspecified under 10 years of age)	4,323	4,562	3.6	3.8
131	Chronic nephritis	92,051	90,985	76.6	76.2
132	Nephritis, unspecified (10 years and over)	8,377	8,572	7.0	7.2
133	Other diseases of kidneys and ureters (puerperal diseases excepted)	3,382	3,373	2.8	2.8
134	Calculi of urinary passages	1,183	1,095	1.0	0.9
135	Diseases of bladder (tumor excepted)	751	723	0.6	0.6
136	Diseases of urethra, urinary abscess, etc	410	437	0.3	0.4
	Stricture of urethra	268	303	0.2	0.3
	Others under this title	142	134	0.1	0.1
137	Disease of prostate	6,730	6,541	5.6	5.5
138	Diseases of male genital organs, not specified as venereal	125	108	0.1	0.1
139	Diseases of female genital organs, not specified as venereal	3,299	3,613	2.7	3.0
	Cysts of ovary	700	725	0.6	0.6
	Other diseases of ovaries, diseases of tubes and parametrium	1,723	1,959	1.4	1.6
	Diseases of uterus	787	827	0.7	0.7
	Nonpuerperal diseases of breast (cancer excepted)	18	26	(1)	(1)
	Others under this title	71	76	0.1	0.1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	13,293	14,239	11.1	11.9
140	Abortion with septic conditions	2,057	2,105	1.7	1.8
141	Abortion without mention of septic conditions (to include hemorrhages)	717	666	0.6	0.6
142	Ectopic gestation	571	598	0.5	0.5
	Septic conditions specified	108	110	0.1	0.1
	Septic conditions not mentioned	463	488	0.4	0.4
143	Other accidents of pregnancy (not to include hemorrhages)	86	91	0.1	0.1
144	Puerperal hemorrhage	1,392	1,464	1.2	1.2
	Placenta praevia	422	482	0.4	0.4
	Other puerperal hemorrhages	970	982	0.8	0.8
145	Puerperal septicemia (not specified as due to abortion)	2,774	3,230	2.3	2.7
	Puerperal septicemia and pyemia	2,761	3,218	2.3	2.7
	Puerperal tetanus	13	12	(1)	(1)
146	Puerperal albuminuria and eclampsia	2,692	3,068	2.2	2.6
147	Other toxemias of pregnancy	499	539	0.4	0.5
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	628	640	0.5	0.5
149	Other accidents of childbirth	1,827	1,782	1.5	1.5
	Cesarean operation	442	436	0.4	0.4
	Others under this title	1,385	1,346	1.2	1.1
150	Other and unspecified conditions of puerperal state	50	56	(1)	(1)
	XII.—Diseases of the skin and cellular tissue	1,895	2,158	1.6	1.8
151	Furuncle, carbuncle	538	613	0.4	0.5
152	Phlegmon, acute abscess	654	790	0.5	0.7
153	Other diseases of skin and annexa, and of cellular tissue	703	755	0.6	0.6

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

List no. 1929	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	XIII.—Diseases of the bones and organs of locomotion	1,606	1,572	1.3	1.3
154	Osteomyelitis	1,070	1,059	0.9	0.9
155	Other diseases of the bones (tuberculosis excepted)	179	177	0.1	0.1
156	Diseases of joints and other organs of locomotion	357	336	0.3	0.3
	Diseases of joints (tuberculosis and rheumatism excepted)	256	263	0.2	0.2
	Diseases of other organs of locomotion	101	73	0.1	0.1
	XIV.—Congenital malformations	12,363	13,103	10.3	11.0
157	Congenital malformations	12,363	13,103	10.3	11.0
	Congenital hydrocephalus	1,642	1,639	1.4	1.4
	Spina bifida and meningocele	1,400	1,418	1.2	1.2
	Congenital malformations of the heart	6,294	6,873	5.2	5.8
	Others under this title	3,027	3,173	2.5	2.7
	XV.—Diseases of early infancy	51,571	54,323	42.9	45.5
158	Congenital debility	3,860	4,402	3.2	3.7
159	Premature birth	33,143	34,477	27.6	28.9
160	Injury at birth	9,681	10,217	8.1	8.6
	Cesarean operation	279	238	0.2	0.2
	Without Cesarean operation	9,402	9,979	7.8	8.4
161	Other diseases peculiar to early infancy	4,887	5,227	4.1	4.4
	Atelectasis	1,924	2,068	1.6	1.7
	Icterus of new-born	932	972	0.8	0.8
	Sclerema	14	15	(1)	(1)
	Others under this title	2,017	2,172	1.7	1.8
162	XVI.—Senility	10,207	10,435	8.5	8.7
	XVII.—Violent and accidental deaths	117,830	125,059	98.1	104.7
	Suicide	20,927	20,088	17.4	16.8
163	By solid or liquid poisons or by absorption of corrosive substances	3,320	3,260	2.8	2.7
	Arsenic	216	229	0.2	0.2
	Hydrocyanic acid	358	241	0.3	0.2
	Opium, morphin, laudanum	33	26	(1)	(1)
	Strychnin	397	404	0.3	0.3
	Corrosive sublimate	433	463	0.4	0.4
	Carbolic acid	673	787	0.6	0.7
	Lysol	411	376	0.3	0.3
	Other poisons or kind not stated	799	734	0.7	0.6
164	By poisonous gas	3,001	2,834	2.5	2.4
165	By hanging or strangulation	3,632	3,572	3.0	3.0
166	By drowning	996	952	0.8	0.8
167	By firearms	8,075	7,543	6.7	6.3
168	By cutting or piercing instruments	874	973	0.7	0.8
169	By jumping from high places	702	622	0.6	0.5
170	By crushing	156	163	0.1	0.1
171	By other means	171	169	0.1	0.1
	Homicide	11,035	11,160	9.2	9.3
172	(Infanticied—murder of infants under 1 year)	(140)	(132)	(0.1)	(0.1)
173	By firearms	7,458	7,532	6.2	6.3
174	By cutting or piercing instruments	1,650	1,735	1.4	1.5
175	By other means	1,927	1,893	1.6	1.6
	Accidental, other, or undefined	85,868	93,811	71.5	78.6
176	Attack by venomous animals	127	116	0.1	0.1
177	Poisoning by food	638	774	0.5	0.6
178	Absorption of poisonous gas	1,988	2,062	1.7	1.7
	Supplemental	64	33	0.1	(1)
179	Other acute accidental poisonings (gas excepted)	1,605	1,813	1.3	1.5
	Wood alcohol	237	294	0.2	0.2
	Denatured alcohol	81	150	0.1	0.1
	Carbolic acid	43	54	(1)	(1)
	Opium, morphin, laudanum	19	25	(1)	(1)
	Strychnin	132	156	0.1	0.1
	Other poisons or kind not stated	1,093	1,134	0.9	0.9
180	Conflagration	1,555	1,497	1.3	1.3
181	Burns (conflagration excepted)	5,358	5,374	4.5	4.5
	Supplemental	561	519	0.5	0.4
182	Mechanical suffocation	904	972	0.8	0.8
	Supplemental	40	56	(1)	(1)
183	Drowning	6,199	6,635	5.2	5.6
	Supplemental	1,228	910	1.0	0.8
	Traumatism:				
184	By firearms (wounds of war excepted)	2,928	3,041	2.4	2.5
185	By cutting or piercing instruments (wounds of war excepted)	757	842	0.6	0.7
	Supplemental	230	334	0.2	0.3
186	By fall, crushing, landslide	26,677	27,105	22.2	22.7
	By fall	17,834	17,467	14.8	14.6
	Supplemental	2,606	2,889	2.2	2.4
	By crushing, landslide	502	572	0.4	0.5
	Supplemental	5,735	6,177	4.8	5.2
187	Cataclysm	404	61	0.3	0.1

List no. 1929	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	XVII.—Violent and accidental deaths—Continued				
	Accidental, other, or undefined—Contd.				
188	Injuries by animals	571	585	0.5	0.5
189	Hunger and thirst	27	33	(1)	(1)
190	Excessive cold	287	161	0.2	0.1
191	Excessive heat	689	2,768	0.6	2.3
192	Lightning	362	444	0.3	0.4
193	Due to electric currents	589	692	0.5	0.6
	Supplemental	86	97	0.1	0.1
194	Other accidents	31,858	36,732	26.5	30.8
	Foreign bodies	633	692	0.5	0.6
	Others under this title	3,835	4,393	3.2	3.7
	Supplemental	27,390	31,647	22.8	26.5
195	Violent deaths of unknown nature	5	6	(1)	(1)
196	Wounds of war		7		(2)
198	Legal executions	131	142	0.1	0.1
	XVIII.—Ill-defined causes of death	20,999	22,517	17.5	18.9
199	Sudden death	1,951	1,968	1.6	1.6
200	Cause of death not specified or ill-defined	19,048	20,549	15.9	17.2
	Ill-defined	4,804	5,352	4.0	4.5
	Not specified or unknown	14,244	15,197	11.9	12.7
Punch symbol	SUPPLEMENTAL[2]				
201	Accidents in mines and quarries	1,520	1,849	1.3	1.5
	(178) Absorption of poisonous gas	42	28	(1)	(1)
	(181) Burns (conflagration excepted)	26	21	(1)	(1)
	(182) Mechanical suffocation	20	28	(1)	(1)
	(183) Drowning	14	8	(1)	(1)
	(185) Cutting or piercing instruments	6	2	(1)	(1)
	(186a) Fall	38	68	(1)	0.1
	(186b) Crushing, landslide	237	294	0.2	0.2
	(193) Due to electric currents	43	57	(1)	(1)
	(194b) Other accidents	1,094	1,343	0.9	1.1
202	Accidents from agricultural machinery	285	312	0.2	0.3
	(178) Absorption of poisonous gas	2		(1)	
	(181) Burns (conflagration excepted)	10	9	(1)	(1)
	(182) Mechanical suffocation	1	1	(1)	(1)
	(185) Cutting or piercing instruments	12	28	(1)	(1)
	(186a) Fall	48	60	(1)	0.1
	(186b) Crushing, landslide	74	79	0.1	0.1
	(194b) Other accidents	138	135	0.1	0.1
203	Elevator accidents	218	286	0.2	0.2
	(182) Mechanical suffocation	1	1	(1)	(1)
	(185) Cutting or piercing instruments		1		(1)
	(186a) Fall	122	156	0.1	0.1
	(186b) Crushing, landslide	61	68	0.1	0.1
	(193) Due to electric currents	1		(1)	
	(194b) Other accidents	33	60	(1)	0.1
204	Accidents from machinery used for recreation	14	16	(1)	(1)
	(186a) Fall	9	10	(1)	(1)
	(186b) Crushing, landslide		2		(1)
	(193) Due to electric currents	1		(1)	
	(194b) Other accidents	4	4	(1)	(1)
205	Other machinery accidents	878	1,016	0.7	0.9
	(178) Absorption of poisonous gas	2		(1)	
	(181) Burns (conflagration excepted)	45	42	(1)	(1)
	(182) Mechanical suffocation	4		(1)	
	(183) Drowning	4	1	(1)	(1)
	(185) Cutting or piercing instruments	79	74	0.1	0.1
	(186a) Fall	60	73	(1)	0.1
	(186b) Crushing, landslide	184	248	0.2	0.2
	(193) Due to electric currents	14	15	(1)	(1)
	(194b) Other accidents	486	563	0.4	0.5
206	Railroad and automobile collisions	1,466	1,651	1.2	1.4
	(178) Absorption of poisonous gas		1		(1)
	(181) Burns (conflagration excepted)	20	31	(1)	(1)
	(182) Mechanical suffocation	1		(1)	
	(185) Cutting or piercing instruments	2	10	(1)	(1)
	(186a) Fall	4	17	(1)	(1)
	(186b) Crushing, landslide	277	298	0.2	0.2
	(193) Due to electric currents		1		(1)
	(194b) Other accidents	1,162	1,293	1.0	1.1
207	Other railroad accidents	3,502	3,592	2.9	3.0
	(178) Absorption of poisonous gas	2		(1)	
	(181) Burns (conflagration excepted)	21	29	(1)	(1)
	(183) Drowning	10	5	(1)	(1)
	(185) Cutting or piercing instruments	3	17	(1)	(1)
	(186a) Fall	365	374	0.3	0.3
	(186b) Crushing, landslide	1,443	1,242	1.2	1.0
	(193) Due to electric currents	12	9	(1)	(1)
	(194b) Other accidents	1,646	1,916	1.4	1.6

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

Punch symbol	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rates per 100,000 estimated population	
		1932	1931	1932	1931
	SUPPLEMENTAL [2]—continued				
208	Street car and automobile collisions	304	419	0.3	0.4
	(178) Absorption of poisonous gas		1		(1)
	(181) Burns (conflagration excepted)	4	2	(1)	(1)
	(185) Cutting or piercing instruments	1	3	(1)	(1)
	(186a) Fall	3	7	(1)	(1)
	(186b) Crushing, landslide	61	61	0.1	0.1
	(194b) Other accidents	235	345	0.2	0.3
209	Other street car accidents	523	675	0.4	0.6
	(181) Burns (conflagration excepted)		1		(1)
	(185) Cutting or piercing instruments	2		(1)	
	(186a) Fall	60	53	(1)	(1)
	(186b) Crushing, landslide	92	146	0.1	0.1
	(193) Due to electric currents	7	7	(1)	(1)
	(194b) Other accidents	362	468	0.3	0.4
210	Automobile accidents (primary)	26,350	30,042	21.9	25.2
	(178) Absorption of poisonous gas	11	1	(1)	(1)
	(181) Burns (conflagration excepted)	336	297	0.3	0.2
	(182) Mechanical suffocation	13	20	(1)	(1)
	(183) Drowning	214	243	0.2	0.2
	(185) Cutting or piercing instruments	116	195	0.1	0.2
	(186a) Fall	1,028	1,089	0.9	0.9
	(186b) Crushing, landslide	3,130	3,536	2.6	3.0
	(193) Due to electric currents	7	3	(1)	(1)
	(194b) Other accidents	21,495	24,658	17.9	20.6
211	Motorcycle accidents	241	317	0.2	0.3
	(181) Burns (conflagration excepted)	2	3	(1)	(1)
	(186a) Fall	51	39	(1)	(1)
	(186b) Crushing, landslide	8	18	(1)	(1)
	(194b) Other accidents	180	257	0.1	0.2
212	Other land transportation accidents	1,131	1,184	0.9	1.0
	(181) Burns (conflagration excepted)		2		(1)
	(182) Mechanical suffocation		6		(1)
	(183) Drowning	31	11	(1)	(1)
	(185) Cutting or piercing instruments	5	2	(1)	(1)
	(186a) Fall	664	710	0.6	0.6
	(186b) Crushing, landslide	107	118	0.1	0.1
	(194b) Other accidents	324	335	0.3	0.3
213	Water transportation accidents	1,122	813	0.9	0.7
	(178) Absorption of poisonous gas	5	2	(1)	(1)
	(181) Burns (conflagration excepted)	54	29	(1)	(1)
	(183) Drowning	940	634	0.8	0.5
	(185) Cutting or piercing instruments	1	1	(1)	(1)
	(186a) Fall	56	86	(1)	0.1
	(186b) Crushing, landslide	4	9	(1)	(1)
	(193) Due to electric currents	1	3	(1)	(1)
	(194b) Other accidents	61	49	0.1	(1)
214	Air transportation accidents	386	490	0.3	0.4
	(181) Burns (conflagration excepted)	43	53	(1)	(1)
	(183) Drowning	15	8	(1)	(1)
	(185) Cutting or piercing instruments	3	1	(1)	(1)
	(186a) Fall	98	147	0.1	0.1
	(186b) Crushing, landslide	57	58	(1)	(1)
	(193) Due to electric currents		2		(1)
	(194b) Other accidents	170	221	0.1	0.2

[1] Less than one-tenth of 1 per 100,000 population.

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths due in 1932 to any of the accidental causes, the supplemental figures should be added to those reported opposite the international list numbers in the regular table.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932

REGISTRATION AREA	All deaths	MONTH OF DEATH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES													
Total	1,308,529	112,676	113,100	132,278	114,351	108,923	99,657	101,769	96,009	91,481	101,601	104,791	131,893
Registration States [1]	1,293,269	111,330	111,804	130,855	113,117	107,722	98,448	100,501	94,830	90,424	100,482	103,519	130,237
Cities of 10,000 or more [1]	673,342	59,603	59,354	68,663	59,042	56,507	50,572	50,852	48,310	46,449	52,351	53,747	67,892
Smaller cities and rural areas	619,927	51,727	52,450	62,192	54,075	51,215	47,876	49,649	46,520	43,975	48,131	49,772	62,345
Registration cities in nonregistration State [2]	15,260	1,346	1,296	1,423	1,234	1,201	1,209	1,268	1,179	1,057	1,119	1,272	1,656
All registration cities [1]	688,602	60,949	60,650	70,086	60,276	57,708	51,781	52,120	49,489	47,506	53,470	55,019	69,548
Alabama	27,680	2,430	2,170	2,759	2,309	2,175	2,258	2,253	2,073	1,928	2,214	2,197	2,914
Cities of 10,000 or more	8,273	710	663	748	691	626	627	707	648	575	680	683	915
Cities of 2,500 to 10,000	2,309	200	178	242	197	177	188	191	181	160	194	166	235
Rural	17,098	1,520	1,329	1,769	1,421	1,372	1,443	1,355	1,244	1,193	1,340	1,348	1,764
Arizona	5,420	497	526	473	462	465	406	402	420	353	369	499	548
Cities of 10,000 or more	2,132	192	201	191	163	184	173	159	152	128	141	219	229
Cities of 2,500 to 10,000	1,312	124	131	101	111	116	94	102	113	94	99	105	122
Rural	1,976	181	194	181	188	165	139	141	155	131	129	175	197
Arkansas	16,315	1,240	1,373	1,720	1,361	1,337	1,295	1,354	1,304	1,252	1,169	1,193	1,717
Cities of 10,000 or more	3,766	291	323	403	294	308	289	309	286	298	289	289	387
Cities of 2,500 to 10,000	2,083	160	198	217	153	161	150	190	174	170	133	155	222
Rural	10,466	789	852	1,100	914	868	856	855	844	784	747	749	1,108
California	67,680	6,607	6,081	5,851	5,349	5,441	5,093	5,080	5,036	4,853	5,405	5,860	7,024
Cities of 10,000 or more	42,946	4,323	3,913	3,808	3,354	3,468	3,121	3,128	3,132	3,037	3,441	3,684	4,537
Cities of 2,500 to 10,000	6,521	637	527	567	510	549	510	512	484	481	517	569	658
Rural	18,213	1,647	1,641	1,476	1,485	1,424	1,462	1,440	1,420	1,335	1,447	1,607	1,829
Colorado	12,599	1,223	1,098	1,146	976	1,027	893	923	931	958	978	1,027	1,419
Cities of 10,000 or more	6,171	615	531	579	493	498	417	424	426	471	518	511	688
Cities of 2,500 to 10,000	1,620	156	153	126	128	126	110	141	120	129	104	137	190
Rural	4,808	452	414	441	355	403	366	358	385	358	356	379	541
Connecticut	16,962	1,492	1,539	1,908	1,459	1,438	1,281	1,221	1,165	1,142	1,409	1,362	1,546
Cities of 10,000 or more	11,915	1,075	1,066	1,341	1,026	995	898	875	801	797	976	977	1,088
Cities of 2,500 to 10,000	394	35	29	62	17	40	35	30	28	20	31	40	27
Rural	4,653	382	444	505	416	403	348	316	336	325	402	345	431
Delaware	3,178	277	259	360	290	253	215	265	230	219	259	252	299
Cities of 10,000 or more	1,490	130	121	187	138	108	103	125	116	90	115	124	133
Cities of 2,500 to 10,000	255	23	23	27	25	20	12	18	17	21	25	17	27
Rural	1,433	124	115	146	127	125	100	122	97	108	119	111	139
District of Columbia	7,937	659	658	820	727	701	642	603	619	527	613	608	760
Florida	18,288	1,643	1,495	1,795	1,576	1,430	1,376	1,491	1,360	1,371	1,448	1,565	1,738
Cities of 10,000 or more	7,974	762	666	799	715	633	581	638	584	600	581	696	719
Cities of 2,500 to 10,000	3,418	307	293	337	276	247	281	298	253	272	272	263	319
Rural	6,896	574	536	659	585	550	514	555	523	499	595	606	700
Georgia	32,128	2,677	2,483	3,205	2,794	2,685	2,654	2,797	2,443	2,225	2,544	2,583	3,038
Cities of 10,000 or more	10,638	970	809	1,022	884	884	821	952	786	718	859	848	1,085
Cities of 2,500 to 10,000 and rural	21,490	1,707	1,674	2,183	1,910	1,801	1,833	1,845	1,657	1,507	1,685	1,735	1,953
Idaho	3,942	339	329	353	348	318	306	292	300	279	322	335	421
Cities of 10,000 or more	590	62	54	53	56	53	45	44	44	37	53	38	51
Cities of 2,500 to 10,000	1,551	136	126	146	127	128	103	119	110	125	114	143	174
Rural	1,801	141	149	154	165	137	158	129	146	117	155	154	196
Illinois	83,180	7,168	7,646	8,191	7,241	6,885	6,121	6,572	5,977	5,647	6,435	6,747	8,550
Cities of 10,000 or more	52,912	4,708	5,025	5,127	4,493	4,414	3,947	4,101	3,762	3,598	4,068	4,239	5,430
Cities of 2,500 to 10,000	7,794	625	707	761	732	593	550	642	601	507	606	661	809
Rural	22,474	1,835	1,914	2,303	2,016	1,878	1,624	1,829	1,614	1,542	1,761	1,847	2,311
Indiana	38,756	3,380	3,404	4,001	3,297	3,172	2,913	2,990	2,870	2,720	2,916	3,075	4,018
Cities of 10,000 or more	17,328	1,540	1,543	1,694	1,427	1,413	1,326	1,375	1,280	1,196	1,297	1,399	1,838
Cities of 2,500 to 10,000	4,625	382	388	499	410	366	342	357	330	324	368	360	499
Rural	16,803	1,458	1,473	1,808	1,460	1,393	1,245	1,258	1,260	1,200	1,251	1,316	1,681
Iowa	25,786	2,212	2,554	2,539	2,130	2,084	1,830	1,897	1,804	1,764	2,056	2,135	2,781
Cities of 10,000 or more	9,650	823	914	923	785	742	724	689	720	668	781	807	1,074
Cities of 2,500 to 10,000	4,680	412	437	475	370	378	327	363	350	343	373	369	483
Rural	11,456	977	1,203	1,141	975	964	779	845	734	753	902	959	1,224
Kansas	19,512	1,639	1,744	1,836	1,638	1,593	1,439	1,593	1,422	1,366	1,539	1,545	2,158
Cities of 10,000 or more	6,857	585	593	645	542	586	505	541	484	482	553	581	760
Cities of 2,500 to 10,000	2,775	242	241	247	220	216	180	256	206	207	227	213	320
Rural	9,880	812	910	944	876	791	754	796	732	677	759	751	1,078
Kentucky	29,059	2,413	2,358	2,875	2,427	2,230	2,292	2,623	2,204	1,982	2,308	2,298	3,049
Cities of 10,000 or more	8,712	763	713	914	722	685	632	769	626	574	689	704	921
Cities of 2,500 to 10,000 and rural	20,347	1,650	1,645	1,961	1,705	1,545	1,660	1,854	1,578	1,408	1,619	1,594	2,128

[1] Including District of Columbia.

[2] Includes 8 cities in Texas.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932—Continued

REGISTRATION AREA	All deaths	MONTH OF DEATH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued													
Louisiana	23,311	1,872	1,743	2,058	1,839	1,749	1,849	1,981	1,742	1,716	1,787	2,130	2,845
Cities of 10,000 or more	11,002	887	822	964	885	825	890	1,002	825	779	840	993	1,290
Cities of 2,500 to 10,000	2,404	193	187	208	185	194	192	189	173	172	184	204	323
Rural	9,905	792	734	886	769	730	767	790	744	765	763	933	1,232
Maine	10,719	955	976	1,061	922	938	837	769	757	852	814	836	1,002
Cities of 10,000 or more	3,498	331	343	342	306	289	257	233	240	289	287	275	306
Cities of 2,500 to 10,000	1,322	89	114	117	107	120	125	116	85	92	97	110	150
Rural	5,899	535	519	602	509	529	455	420	432	471	430	451	546
Maryland	21,038	1,852	1,800	2,178	1,913	1,709	1,626	1,538	1,531	1,495	1,636	1,672	2,088
Cities of 10,000 or more	12,367	1,097	1,089	1,276	1,077	1,013	966	898	866	881	961	1,007	1,236
Cities of 2,500 to 10,000	1,090	98	75	99	105	100	94	88	72	75	87	91	106
Rural	7,581	657	636	803	731	596	566	552	593	539	588	574	746
Massachusetts	49,446	4,415	4,539	5,092	4,613	4,239	3,812	3,591	3,415	3,338	3,916	3,955	4,521
Cities of 10,000 or more	40,383	3,621	3,669	4,179	3,836	3,474	3,099	2,898	2,743	2,685	3,224	3,223	3,732
Cities or 2,500 to 10,000	3,253	306	330	379	281	274	238	209	225	215	239	272	285
Rural	5,810	488	540	534	496	491	475	484	447	438	453	460	504
Michigan	49,585	4,167	4,413	5,322	4,254	4,345	3,810	3,753	3,665	3,376	3,855	3,805	4,820
Cities of 10,000 or more	27,205	2,405	2,484	2,892	2,308	2,398	2,136	1,979	2,008	1,813	2,110	2,041	2,631
Cities of 2,500 to 10,000	4,425	356	381	473	389	382	352	343	328	283	346	335	457
Rural	17,955	1,406	1,548	1,957	1,557	1,565	1,322	1,431	1,329	1,280	1,399	1,429	1,732
Minnesota	25,591	1,998	2,275	2,505	2,130	2,113	1,903	1,990	1,809	1,868	2,156	2,146	2,698
Cities of 10,000 or more	11,634	864	1,091	1,134	990	933	853	873	811	825	989	971	1,300
Cities of 2,500 to 10,000	3,488	290	288	334	300	273	278	283	249	257	295	280	361
Rural	10,469	844	896	1,037	840	907	772	834	749	786	872	895	1,037
Mississippi	20,311	1,741	1,564	1,835	1,637	1,578	1,607	1,800	1,583	1,547	1,651	1,617	2,151
Cities of 10,000 or more	3,885	363	336	371	289	264	319	347	248	265	323	340	420
Cities of 2,500 to 10,000	1,456	128	103	128	140	123	90	116	124	101	126	158	119
Rural	14,970	1,250	1,125	1,336	1,208	1,191	1,198	1,337	1,211	1,181	1,202	1,119	1,612
Missouri	43,738	3,668	3,685	4,285	3,783	3,432	3,334	3,522	3,171	3,004	3,357	3,613	4,884
Cities of 10,000 or more	21,068	1,793	1,789	2,077	1,836	1,707	1,569	1,684	1,493	1,445	1,605	1,758	2,312
Cities of 2,500 to 10,000	4,363	369	356	404	369	332	317	337	320	311	378	388	482
Rural	18,307	1,506	1,540	1,804	1,578	1,393	1,448	1,501	1,358	1,248	1,374	1,467	2,090
Montana	5,294	414	500	543	437	452	380	380	456	414	399	412	507
Cities of 10,000 or more	1,656	150	174	166	124	149	127	120	122	127	131	112	154
Cities of 2,500 to 10,000	862	56	80	91	72	77	58	50	83	59	68	79	89
Rural	2,776	208	246	286	241	226	195	210	251	228	200	221	264
Nebraska	12,922	1,099	1,231	1,227	1,093	1,034	902	955	945	937	1,094	989	1,416
Cities of 10,000 or more	4,675	404	490	437	373	357	305	353	347	338	388	367	516
Cities of 2,500 to 10,000	1,808	161	165	166	161	129	141	131	125	137	148	137	207
Rural	6,439	534	576	624	559	548	456	471	473	462	558	485	693
Nevada	1,342	130	130	112	120	122	85	108	107	80	107	102	139
Cities of 10,000 or more	350	36	35	24	29	35	19	25	34	26	28	30	29
Cities of 2,500 to 10,000	361	36	42	30	35	29	26	26	21	21	26	31	38
Rural	631	58	53	58	56	58	40	57	52	33	53	41	72
New Hampshire	6,329	588	563	594	590	528	485	540	501	454	455	476	555
Cities of 10,000 or more	3,013	279	263	250	287	268	236	260	230	207	220	233	280
Cities of 2,500 to 10,000	516	66	50	45	47	40	43	41	38	39	40	38	29
Rural	2,800	243	250	299	256	220	208	239	233	208	195	205	246
New Jersey	42,914	3,643	3,587	4,813	3,884	3,605	3,246	3,116	3,159	3,072	3,253	3,420	4,116
Cities of 10,000 or more	28,882	2,485	2,404	3,236	2,648	2,413	2,160	2,048	2,135	2,031	2,238	2,303	2,781
Cities of 2,500 to 10,000	5,615	501	512	610	477	488	432	376	395	430	397	449	548
Rural	8,417	657	671	967	759	704	654	692	629	611	618	668	787
New Mexico	5,968	499	492	515	503	494	419	486	595	460	446	515	544
Cities of 10,000 or more	997	92	88	86	78	74	81	74	92	75	87	81	89
Cities of 2,500 to 10,000	1,196	86	107	103	107	115	101	89	108	80	87	105	108
Rural	3,775	321	297	326	318	305	237	323	395	305	272	329	347
New York	147,824	12,919	12,640	16,045	13,673	13,062	11,206	10,774	10,460	10,091	11,346	11,355	14,253
Cities of 10,000 or more	112,303	9,956	9,799	12,377	10,386	9,921	8,428	8,060	7,749	7,631	8,553	8,572	10,871
Cities of 2,500 to 10,000	7,810	691	636	791	726	643	599	591	603	548	604	611	767
Rural	27,711	2,272	2,205	2,877	2,561	2,498	2,179	2,123	2,108	1,912	2,189	2,172	2,615
North Carolina	31,051	2,569	2,580	3,032	2,778	2,690	2,656	2,566	2,296	2,209	2,346	2,555	2,774
Cities of 10,000 or more	8,274	660	732	829	725	656	659	709	653	588	633	695	735
Cities of 2,500 to 10,000	2,642	203	201	223	234	253	219	225	201	180	217	225	261
Rural	20,135	1,706	1,647	1,980	1,819	1,781	1,778	1,632	1,442	1,441	1,496	1,635	1,778
North Dakota	5,153	367	429	538	456	414	376	432	364	403	465	451	458
Cities of 10,000 or more	993	76	82	91	84	94	75	74	68	83	89	75	102
Cities of 2,500 to 10,000	625	36	56	54	61	56	45	50	50	46	57	63	51
Rural	3,535	255	291	393	311	264	256	308	246	274	319	313	305
Ohio	76,286	6,546	6,637	8,040	6,699	6,408	5,627	5,940	5,564	5,126	5,855	6,003	7,841
Cities of 10,000 or more	44,956	3,964	3,863	4,697	3,945	3,838	3,341	3,473	3,190	3,021	3,414	3,494	4,716
Cities of 2,500 to 10,000	6,914	586	611	701	580	585	506	523	510	470	571	555	716
Rural	24,416	1,996	2,163	2,642	2,174	1,985	1,780	1,944	1,864	1,635	1,870	1,954	2,409
Oklahoma	19,235	1,555	1,704	1,992	1,636	1,389	1,283	1,654	1,448	1,388	1,542	1,539	2,155
Cities of 10,000 or more	6,461	532	559	617	525	475	457	543	499	470	522	495	767
Cities of 2,500 to 10,000	4,684	404	444	508	413	329	329	425	316	311	379	353	473
Rural	8,140	619	701	867	698	585	497	686	633	607	641	691	915

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932—Continued

REGISTRATION AREA	All deaths	MONTH OF DEATH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued													
Oregon	10,277	933	913	921	885	903	802	788	688	782	732	781	1,149
Cities of 10,000 or more	4,746	446	431	447	411	416	329	347	324	352	333	374	536
Cities of 2,500 to 10,000	2,028	163	185	199	171	163	183	157	121	152	159	156	219
Rural	3,503	324	297	275	303	324	290	284	243	278	240	251	394
Pennsylvania	109,204	9,490	9,532	11,890	10,109	9,179	8,212	7,842	7,899	7,518	8,302	8,515	10,716
Cities of 10,000 or more	62,793	5,551	5,582	6,770	5,829	5,356	4,775	4,420	4,510	4,251	4,768	4,819	6,162
Cities of 2,500 to 10,000	13,347	1,159	1,178	1,458	1,214	1,116	976	984	943	923	992	1,058	1,346
Rural	33,064	2,780	2,772	3,662	3,066	2,707	2,461	2,438	2,446	2,344	2,542	2,638	3,208
Rhode Island	8,080	714	764	907	827	637	537	567	584	581	654	591	717
Cities of 10,000 or more	7,135	640	673	802	725	560	474	501	521	512	568	521	638
Cities of 2,500 to 10,000	352	31	29	36	39	20	24	26	28	31	27	27	34
Rural	593	43	62	69	63	57	39	40	35	38	59	43	45
South Carolina	19,884	1,631	1,542	1,905	1,868	1,782	1,688	1,760	1,479	1,426	1,538	1,569	1,696
Cities of 10,000 or more	4,387	378	327	420	422	376	330	403	332	320	331	354	394
Cities of 2,500 to 10,000	1,742	121	147	185	156	143	160	173	110	123	140	138	146
Rural	13,755	1,132	1,068	1,300	1,290	1,263	1,198	1,184	1,037	983	1,067	1,077	1,156
South Dakota	5,725	487	508	586	460	448	426	457	446	434	459	454	560
Cities of 10,000 or more	1,185	93	111	113	103	94	78	88	89	106	107	97	106
Cities of 2,500 to 10,000	828	76	78	96	70	59	61	79	52	71	50	58	78
Rural	3,712	318	319	377	287	295	287	290	305	257	302	299	376
Tennessee	28,628	2,274	2,257	2,816	2,454	2,372	2,242	2,441	2,147	1,897	2,310	2,362	3,056
Cities of 10,000 or more	10,423	846	804	1,019	858	829	793	928	781	720	882	863	1,100
Cities of 2,500 to 10,000	2,907	250	241	274	251	236	219	258	220	201	230	238	289
Rural	15,298	1,178	1,212	1,523	1,345	1,307	1,230	1,255	1,146	976	1,198	1,261	1,667
Utah	4,420	406	411	363	370	340	324	326	299	297	356	415	513
Cities of 10,000 or more	2,202	202	201	182	181	164	159	165	172	153	162	224	237
Cities of 2,500 to 10,000	654	61	69	55	49	53	45	49	37	46	54	65	71
Rural	1,564	143	141	126	140	123	120	112	90	98	140	126	205
Vermont	4,753	438	396	509	437	427	346	350	377	313	332	364	464
Cities of 10,000 or more	897	90	99	89	85	70	62	58	74	54	64	66	86
Cities of 2,500 to 10,000 and rural	3,856	348	297	420	352	357	284	292	303	259	268	298	378
Virginia	28,898	2,458	2,383	2,826	2,665	2,502	2,322	2,381	2,125	1,990	2,139	2,215	2,892
Cities of 10,000 or more	8,950	791	702	855	803	751	685	745	662	632	690	707	927
Cities of 2,500 to 10,000	2,413	204	205	246	220	198	200	186	170	165	183	183	253
Rural	17,535	1,463	1,476	1,725	1,642	1,553	1,437	1,450	1,293	1,193	1,266	1,325	1,712
Washington	16,581	1,489	1,546	1,492	1,427	1,485	1,304	1,231	1,208	1,176	1,299	1,345	1,579
Cities of 10,000 or more	9,318	845	880	866	804	855	699	707	654	657	708	747	896
Cities of 2,500 to 10,000	1,686	148	156	136	160	161	142	107	131	97	155	135	158
Rural	5,577	496	510	490	463	469	463	417	423	422	436	463	525
West Virginia	17,912	1,473	1,494	1,823	1,458	1,292	1,353	1,612	1,452	1,294	1,398	1,442	1,821
Cities of 10,000 or more	4,749	377	395	492	378	330	331	382	388	333	413	412	518
Cities of 2,500 to 10,000	2,566	211	239	258	204	182	186	217	218	191	193	212	255
Rural	10,597	885	860	1,073	876	780	836	1,013	846	770	792	818	1,048
Wisconsin	30,321	2,479	2,673	3,018	2,641	2,631	2,273	2,329	2,247	2,154	2,343	2,439	3,094
Cities of 10,000 or more	13,269	1,110	1,216	1,265	1,166	1,188	997	988	954	952	1,008	1,056	1,369
Cities of 2,500 to 10,000	3,691	292	301	353	327	301	265	291	279	253	287	325	417
Rural	13,361	1,077	1,156	1,400	1,148	1,142	1,011	1,050	1,014	949	1,048	1,058	1,308
Wyoming	2,057	165	180	180	172	189	162	166	153	146	156	155	233
Cities of 10,000 or more	395	31	28	44	36	37	32	28	30	32	21	35	41
Cities of 2,500 to 10,000	550	44	54	48	39	48	40	35	46	42	40	40	74
Rural	1,112	90	98	88	97	104	90	103	77	72	95	80	118

NOTE.—Data for individual cities held in manuscript.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932

AREA	All deaths	WHITE							OTHER RACES					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES														
Total	1,308,529	1,126,226	859,931	518,155	217,784	123,992	249,695	16,600	182,303	166,664	[1] 4,633	1,250	1,019	8,737
Registration States [2]	1,293,269	1,115,555	851,130	513,250	216,231	121,649	248,185	16,240	177,714	163,442	4,632	1,236	1,017	7,387
Cities of 10,000 or more [2]	673,342	591,022	411,533	217,034	141,679	52,820	171,670	7,819	82,320	77,155	424	909	594	3,238
Smaller cities and rural areas	619,927	524,533	439,597	296,216	74,552	68,829	76,515	8,421	95,394	86,287	4,208	327	423	4,149
Registration cities in nonregistration State [3]	15,260	10,671	8,801	4,905	1,553	2,343	1,510	360	4,589	3,222	1	14	2	1,350
All registration cities [2]	688,602	601,693	420,334	221,939	143,232	55,163	173,180	8,179	86,909	80,377	425	923	596	4,588
Alabama	27,680	14,871	14,309	11,945	462	1,902	362	200	12,809	12,802	4			3
Cities of 10,000 or more	8,273	4,248	3,982	3,301	276	405	231	35	4,025	4,022				3
Cities of 2,500 to 10,000	2,309	1,400	1,368	1,160	27	181	21	11	909	909				
Rural	17,098	9,223	8,959	7,484	159	1,316	110	154	7,875	7,871	4			
Arizona	5,420	3,016	2,422	1,368	382	672	394	200	2,404	211	626	14	14	1,539
Cities of 10,000 or more	2,132	1,426	1,175	664	193	318	158	93	706	124	60	4	8	510
Cities of 2,500 to 10,000	1,312	782	597	334	93	170	132	53	530	42	6	9	2	471
Rural	1,976	808	650	370	96	184	104	54	1,168	45	560	1	4	558
Arkansas	16,315	11,251	10,262	6,368	342	3,552	240	749	5,064	5,057	1	4		2
Cities of 10,000 or more	3,766	2,645	2,270	1,212	132	926	111	264	1,121	1,120		1		
Cities of 2,500 to 10,000	2,083	1,367	1,292	868	50	374	32	43	716	716				
Rural	10,466	7,239	6,700	4,288	160	2,252	97	442	3,227	3,221	1	3		2
California	67,680	60,037	43,069	20,538	12,216	10,315	15,821	1,147	7,643	1,317	344	639	690	4,653
Cities of 10,000 or more	42,946	38,876	27,586	12,961	8,439	6,166	10,627	683	4,070	973	38	405	403	2,251
Cities of 2,500 to 10,000	6,521	5,708	4,233	2,161	1,095	1,027	1,341	84	813	48	29	45	69	622
Rural	18,213	15,453	11,220	5,416	2,682	3,122	3,853	380	2,760	296	277	189	218	1,780
Colorado	12,599	11,771	9,238	4,872	1,814	2,552	2,144	389	828	250	27	10	25	516
Cities of 10,000 or more	6,171	5,857	4,498	2,178	946	1,374	1,138	221	314	176	2	6	9	121
Cities of 2,500 to 10,000	1,620	1,480	1,182	652	221	309	243	55	140	14	1	1	5	119
Rural	4,808	4,434	3,558	2,042	647	869	763	113	374	60	24	3	11	276
Connecticut	16,962	16,494	10,295	4,826	4,343	1,126	6,057	142	468	459	2	7		
Cities of 10,000 or more	11,915	11,513	6,915	3,020	3,219	676	4,517	86	397	388	2	7		
Cities of 2,500 to 10,000	394	388	247	126	95	26	137	4	6	6				
Rural	4,653	4,588	3,133	1,680	1,029	424	1,403	52	65	65				
Delaware	3,178	2,570	2,189	1,628	342	219	355	26	608	607	1			
Cities of 10,000 or more	1,490	1,257	977	650	247	80	275	5	233	233				
Cities of 2,500 to 10,000	255	202	189	151	20	18	12	1	53	52	1			
Rural	1,433	1,111	1,023	827	75	121	68	20	322	322				
District of Columbia	7,937	5,001	4,256	2,615	800	841	619	126	2,936	2,924		10	1	1
Florida	18,288	11,287	9,707	6,124	1,029	2,554	1,235	345	7,001	6,988	7	3	1	2
Cities of 10,000 or more	7,974	5,021	4,145	2,533	622	990	767	109	2,953	2,944	5	2		2
Cities of 2,500 to 10,000	3,418	2,234	1,921	1,127	187	607	196	117	1,184	1,183		1		
Rural	6,896	4,032	3,641	2,464	220	957	272	119	2,864	2,861	2		1	
Georgia	32,128	16,818	16,215	12,929	383	2,903	303	300	15,310	15,307		1	1	1
Cities of 10,000 or more	10,638	5,289	4,976	3,900	264	812	237	76	5,349	5,347			1	1
Cities of 2,500 to 10,000 and rural	21,490	11,529	11,239	9,029	119	2,091	66	224	9,961	9,960		1		
Idaho	3,942	3,813	3,033	1,705	641	687	647	133	129	19	90	2	12	6
Cities of 10,000 or more	590	573	464	265	100	99	89	20	17	10	3	1	2	1
Cities of 2,500 to 10,000	1,551	1,532	1,214	667	284	263	263	55	19	7	3		7	2
Rural	1,801	1,708	1,355	773	257	325	295	58	93	2	84	1	3	3
Illinois	83,180	77,248	53,028	25,707	18,666	8,655	23,169	1,051	5,932	5,785	1	72	8	66
Cities of 10,000 or more	52,912	48,037	29,357	12,024	12,962	4,371	17,909	771	4,875	4,761	1	65	6	42
Cities of 2,500 to 10,000	7,794	7,574	6,104	3,557	1,522	1,025	1,426	44	220	210				10
Rural	22,474	21,637	17,567	10,126	4,182	3,259	3,834	236	837	814		7	2	14
Indiana	38,756	36,839	33,391	22,846	4,930	5,615	3,059	389	1,917	1,859	3	1		54
Cities of 10,000 or more	17,328	15,735	13,664	8,657	2,582	2,425	1,915	156	1,593	1,540	3			50
Cities of 2,500 to 10,000	4,625	4,540	4,217	3,030	554	633	278	45	85	85				
Rural	16,803	16,564	15,510	11,159	1,794	2,557	866	188	239	234		1		4
Iowa	25,786	25,443	20,143	10,808	5,703	3,632	4,867	433	343	300	18	4		21
Cities of 10,000 or more	9,650	9,408	7,590	3,906	2,216	1,468	1,652	166	242	223	3	5		13
Cities of 2,500 to 10,000	4,680	4,636	3,832	2,136	1,031	665	742	62	44	40				4
Rural	11,456	11,399	8,721	4,766	2,456	1,499	2,473	205	57	37	15	1		4
Kansas	19,512	18,328	15,751	8,910	2,590	4,251	2,249	328	1,184	1,165	18	1		
Cities of 10,000 or more	6,857	6,094	5,352	3,027	845	1,480	659	83	763	759	4			
Cities of 2,500 to 10,000	2,775	2,665	2,374	1,434	354	586	255	36	110	108	2			
Rural	9,880	9,569	8,025	4,449	1,391	2,185	1,335	209	311	298	12	1		
Kentucky	29,059	24,829	23,813	20,268	1,627	1,918	762	254	4,230	4,229	1			
Cities of 10,000 or more	8,712	6,826	6,227	4,308	1,153	766	532	67	1,886	1,885	1			
Cities of 2,500 to 10,000 and rural	20,347	18,003	17,586	15,960	474	1,152	230	187	2,344	2,344				

[1] Transcripts of death certificates for 52 Indians too late for inclusion. [2] Including District of Columbia. [3] Includes 8 cities in Texas.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All deaths	WHITE						OTHER RACES					
		Total	Native					Total	Negro	Indian	Chinese	Japanese	Other
			Total	Both parents native	One or both parents foreign born	Parentage unknown	Foreign born	Nativity unknown						
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Con.													
Louisiana	23,311	12,504	11,236	7,437	1,724	2,075	996	272	10,807	10,764	17	9	1	16
Cities of 10,000 or more	11,002	6,418	5,567	3,348	1,414	805	747	104	4,584	4,571		8	1	4
Cities of 2,500 to 10,000	2,404	1,239	1,137	793	103	241	74	28	1,165	1,165				
Rural	9,905	4,847	4,532	3,296	207	1,029	175	140	5,058	5,028	17	1		12
Maine	10,719	10,690	8,809	6,631	1,742	436	1,829	52	29	15	12	1		1
Cities of 10,000 or more	3,498	3,486	2,615	1,750	743	122	856	15	12	9	1	1		1
Cities of 2,500 to 10,000	1,322	1,314	1,061	780	229	52	246	7	8	2	6			
Rural	5,899	5,890	5,133	4,101	770	262	727	30	9	4	5			
Maryland	21,038	15,955	13,713	9,450	2,907	1,356	2,098	144	5,083	5,072		8	1	2
Cities of 10,000 or more	12,367	9,454	7,704	4,700	2,162	842	1,665	85	2,913	2,903		8		2
Cities of 2,500 to 10,000	1,090	821	750	596	97	57	63	8	269	269				
Rural	7,581	5,680	5,259	4,154	648	457	370	51	1,901	1,900			1	
Massachusetts	49,446	48,568	30,172	14,571	13,264	2,337	18,227	169	878	821	10	46	1	
Cities of 10,000 or more	40,383	39,644	23,828	10,923	11,144	1,761	15,676	140	739	694	2	42	1	
Cities of 2,500 to 10,000	3,253	3,225	2,289	1,284	800	205	927	9	28	26	2			
Rural	5,810	5,699	4,055	2,364	1,320	371	1,624	20	111	101	6	4		
Michigan	49,585	46,952	32,210	15,702	11,119	5,389	13,945	797	2,633	2,469	103	14		47
Cities of 10,000 or more	27,205	25,114	16,533	7,518	6,477	2,538	8,182	399	2,091	2,033	11	13		34
Cities of 2,500 to 10,000	4,425	4,364	3,227	1,647	995	585	1,094	43	61	52	9			
Rural	17,955	17,474	12,450	6,537	3,647	2,266	4,669	355	481	384	83	1		13
Minnesota	25,591	25,189	14,781	6,320	7,171	1,290	10,233	175	402	168	224	6		4
Cities of 10,000 or more	11,634	11,483	7,066	3,070	3,419	577	4,333	84	151	139	6	5		1
Cities of 2,500 to 10,000	3,488	3,467	2,053	861	961	231	1,372	42	21	12	9			
Rural	10,469	10,239	5,662	2,389	2,791	482	4,528	49	230	17	209	1		3
Mississippi	20,311	8,303	7,880	5,915	291	1,674	170	253	12,008	11,972	22	6		8
Cities of 10,000 or more	3,885	1,868	1,731	1,306	135	290	81	56	2,017	2,011	3	3		
Cities of 2,500 to 10,000	1,456	728	704	551	31	122	14	10	728	718	9			1
Rural	14,970	5,707	5,445	4,058	125	1,262	75	187	9,263	9,243	10	3		7
Missouri	43,738	39,117	33,979	20,125	6,255	7,599	4,187	951	4,621	4,567	2	12	1	39
Cities of 10,000 or more	21,068	17,809	14,367	7,409	3,998	2,960	3,031	411	3,259	3,214	1	11		33
Cities of 2,500 to 10,000	4,363	3,887	3,550	2,181	535	834	207	130	476	476				
Rural	18,307	17,421	16,062	10,535	1,722	3,805	949	410	886	877	1	1	1	6
Montana	5,294	4,878	3,304	1,460	1,078	766	1,409	165	416	22	336	16	2	40
Cities of 10,000 or more	1,656	1,621	1,079	450	397	232	495	47	35	10	13	5		7
Cities of 2,500 to 10,000	862	850	610	278	192	140	215	25	12	3	7	1	1	
Rural	2,776	2,407	1,615	732	489	394	699	93	369	9	316	10	1	33
Nebraska	12,922	12,558	9,272	5,219	2,554	1,499	3,109	177	364	221	68	2	3	70
Cities of 10,000 or more	4,675	4,455	3,268	1,771	978	519	1,102	85	220	205	1	1	1	12
Cities of 2,500 to 10,000	1,808	1,780	1,421	846	348	227	338	21	28	6	1	1		20
Rural	6,439	6,323	4,583	2,602	1,228	753	1,669	71	116	10	66		2	38
Nevada	1,342	1,189	834	343	185	306	261	94	153	8	118	10	7	10
Cities of 10,000 or more	350	333	248	85	49	114	68	17	17	5	7	4		1
Cities of 2,500 to 10,000	361	337	224	106	45	73	65	48	24	2	13	4	1	4
Rural	631	519	362	152	91	119	128	29	112	1	98	2	6	5
New Hampshire	6,329	6,320	4,643	2,673	1,017	953	1,530	147	9	9				
Cities of 10,000 or more	3,013	3,007	2,036	1,069	612	355	929	42	6	6				
Cities of 2,500 to 10,000	516	516	383	237	76	70	122	11						
Rural	2,800	2,797	2,224	1,367	329	528	479	94	3	3				
New Jersey	42,914	39,463	25,772	14,299	10,137	1,336	13,429	262	3,451	3,427	1	17	4	2
Cities of 10,000 or more	28,882	26,454	16,215	8,150	7,335	730	10,066	173	2,428	2,413	1	12	1	1
Cities of 2,500 to 10,000	5,615	5,188	3,603	2,116	1,289	198	1,564	21	427	422		2	2	1
Rural	8,417	7,821	5,954	4,033	1,513	408	1,799	68	596	592		3	1	
New Mexico	5,968	5,620	5,090	3,798	547	745	436	94	348	64	278		5	1
Cities of 10,000 or more	997	956	877	648	104	125	65	14	41	27	14			
Cities of 2,500 to 10,000	1,196	1,171	985	658	133	194	150	36	25	20	2		3	
Rural	3,775	3,493	3,228	2,492	310	426	221	44	282	17	262		2	1
New York	147,824	140,648	88,048	42,333	39,594	6,121	51,385	1,215	7,176	6,850	110	151	34	31
Cities of 10,000 or more	112,303	105,934	60,542	26,108	31,528	2,906	44,447	945	6,369	6,133	27	147	31	31
Cities of 2,500 to 10,000	7,810	7,646	5,976	3,443	1,949	584	1,615	55	164	153	10		1	
Rural	27,711	27,068	21,530	12,782	6,117	2,631	5,323	215	643	564	73	4	2	
North Carolina	31,051	19,513	19,189	16,728	211	2,250	163	161	11,538	11,394	140	2	1	1
Cities of 10,000 or more	8,274	4,752	4,623	3,925	107	591	92	37	3,522	3,517	2	2		1
Cities of 2,500 to 10,000	2,642	1,745	1,716	1,532	21	163	18	11	897	892	5			
Rural	20,135	13,016	12,850	11,271	83	1,496	53	113	7,119	6,985	133		1	
North Dakota	5,153	5,004	2,902	1,424	1,347	131	2,064	38	149	8	139		2	
Cities of 10,000 or more	993	982	635	314	289	32	331	16	11	2	7		2	
Cities of 2,500 to 10,000	625	619	383	190	174	19	232	4	6	3	3			
Rural	3,535	3,403	1,884	920	884	80	1,501	18	132	3	129			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All deaths	WHITE							OTHER RACES					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Con.														
Ohio	76,286	70,861	57,936	35,439	14,362	8,135	11,716	1,209	5,425	5,395	5	14	3	8
Cities of 10,000 or more	44,956	40,575	30,891	17,256	9,766	3,869	9,087	597	4,381	4,359	2	14	2	4
Cities of 2,500 to 10,000	6,914	6,654	5,932	3,789	1,290	853	686	36	260	257	1		1	1
Rural	24,416	23,632	21,113	14,394	3,306	3,413	1,943	576	784	779	2			3
Oklahoma	19,285	16,663	15,310	9,535	856	4,919	609	744	2,622	1,846	720	2		54
Cities of 10,000 or more	6,461	5,476	4,972	3,041	332	1,599	216	288	985	839	124	2		20
Cities of 2,500 to 10,000	4,684	4,124	3,819	2,416	213	1,190	144	161	560	383	155			22
Rural	8,140	7,063	6,519	4,078	311	2,130	249	295	1,077	624	441			12
Oregon	10,277	10,026	7,647	4,071	1,572	2,004	2,140	239	251	44	99	42	46	20
Cities of 10,000 or more	4,746	4,627	3,338	1,713	863	762	1,193	96	119	30	12	35	33	9
Cities of 2,500 to 10,000	2,028	1,999	1,633	904	244	485	312	54	29	4	16	1	4	4
Rural	3,503	3,400	2,676	1,454	465	757	635	89	103	10	71	6	9	7
Pennsylvania	109,204	102,194	78,416	50,396	21,114	6,906	22,794	984	7,010	6,962	1	32	3	12
Cities of 10,000 or more	62,793	57,124	40,999	23,468	13,981	3,550	15,574	551	5,669	5,630	1	28	3	7
Cities of 2,500 to 10,000	13,347	13,110	10,651	7,310	2,541	800	2,366	93	237	236				1
Rural	33,064	31,960	26,766	19,618	4,592	2,556	4,854	340	1,104	1,096		4		4
Rhode Island	8,080	7,869	4,775	2,346	2,175	254	3,064	30	211	203	2	4		2
Cities of 10,000 or more	7,135	6,945	4,140	1,933	1,995	212	2,779	26	190	184	1	3		2
Cities of 2,500 to 10,000	352	344	199	98	93	8	144	1	8	7		1		
Rural	593	580	436	315	87	34	141	3	13	12	1			
South Carolina	19,884	8,599	8,448	7,697	188	563	94	57	11,285	11,283		2		
Cities of 10,000 or more	4,387	2,054	1,960	1,684	112	164	60	34	2,333	2,331		2		
Cities of 2,500 to 10,000	1,742	910	894	815	23	56	15	1	832	832				
Rural	13,755	5,635	5,594	5,198	53	343	19	22	8,120	8,120				
South Dakota	5,725	5,216	3,593	1,700	1,262	631	1,528	95	509	11	498			
Cities of 10,000 or more	1,185	1,176	870	429	297	144	283	23	9	4	5			
Cities of 2,500 to 10,000	828	810	586	264	182	140	198	26	18	6	12			
Rural	3,712	3,230	2,137	1,007	783	347	1,047	46	482	1	481			
Tennessee	28,628	20,821	20,115	16,488	538	3,089	352	354	7,807	7,799		3		5
Cities of 10,000 or more	10,423	6,285	5,873	4,422	376	1,075	276	136	4,138	4,132		2		4
Cities of 2,500 to 10,000	2,907	2,097	2,066	1,784	32	250	11	20	810	810				
Rural	15,298	12,439	12,176	10,282	130	1,764	65	198	2,859	2,857		1		1
Utah	4,420	4,289	3,095	1,705	1,136	254	1,056	138	131	19	56	11	26	19
Cities of 10,000 or more	2,202	2,144	1,522	763	598	161	578	44	58	17	1	10	16	14
Cities of 2,500 to 10,000	654	647	495	283	188	24	146	6	7		1		4	2
Rural	1,564	1,498	1,078	659	350	69	332	88	66	2	54	1	6	3
Vermont	4,753	4,749	3,859	2,494	884	481	841	49	4	4				
Cities of 10,000 or more	897	896	690	417	222	51	197	9	1	1				
Cities of 2,500 to 10,000 and rural	3,856	3,853	3,169	2,077	662	430	644	40	3	3				
Virginia	28,898	18,270	17,635	14,810	670	2,155	477	158	10,628	10,608	10	5		5
Cities of 10,000 or more	8,950	5,314	5,002	4,014	391	597	264	48	3,636	3,631		3		2
Cities of 2,500 to 10,000	2,413	1,780	1,734	1,473	50	211	32	14	633	632	1			
Rural	17,535	11,176	10,899	9,323	229	1,347	181	96	6,359	6,345	9	2		3
Washington	16,581	15,959	11,004	5,810	2,957	2,237	4,626	329	622	150	271	46	118	37
Cities of 10,000 or more	9,318	9,020	6,157	3,251	1,827	1,079	2,694	169	298	121	40	39	71	27
Cities of 2,500 to 10,000	1,686	1,619	1,168	612	258	298	403	48	67	8	36	3	18	2
Rural	5,577	5,320	3,679	1,947	872	860	1,529	112	257	21	195	4	29	8
West Virginia	17,912	16,125	15,329	14,354	975		777	19	1,787	1,784		3		
Cities of 10,000 or more	4,749	4,300	3,972	3,488	484		316	12	449	447		2		
Cities of 2,500 to 10,000	2,566	2,280	2,139	2,000	139		138	3	286	286				
Rural	10,597	9,545	9,218	8,866	352		323	4	1,052	1,051		1		
Wisconsin	30,321	29,948	19,567	7,772	9,852	1,943	10,025	356	373	182	183	3		5
Cities of 10,000 or more	13,269	13,142	8,518	3,243	4,491	784	4,487	137	127	101	20	3		3
Cities of 2,500 to 10,000	3,691	3,678	2,543	1,115	1,178	250	1,091	44	13	4	9			
Rural	13,361	13,128	8,506	3,414	4,183	909	4,447	175	233	77	154			2
Wyoming	2,057	1,879	1,446	748	277	421	332	101	178	22	64	1	7	84
Cities of 10,000 or more	395	363	281	147	57	77	64	18	32	7			2	23
Cities of 2,500 to 10,000	550	521	359	169	93	97	124	38	29	9	1	1	2	16
Rural	1,112	995	806	432	127	247	144	45	117	6	63		3	45

NOTE.—Data for individual cities held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

	AREA AND COLOR	All ages	DEATHS AT AGE OF—										
			Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	The registration area in continental United States—White	1,126,226	97,423	14,195	7,543	5,471	4,590	129,222	16,777	13,474	20,143	26,251	27,411
	Colored	182,303	23,844	3,669	1,731	1,136	906	31,286	3,027	3,078	6,911	10,363	10,384
2	Registration States [1]—White	1,115,555	96,250	13,999	7,440	5,387	4,532	127,608	16,573	13,317	19,871	25,851	26,977
	Colored	177,714	23,181	3,569	1,669	1,095	874	30,388	2,951	2,997	6,747	10,106	10,051
3	Cities of 10,000 or more [1]—White	591,022	45,894	6,250	3,555	2,772	2,366	60,837	8,987	7,115	10,036	13,547	15,196
	Colored	82,320	8,894	1,412	682	436	349	11,773	1,195	1,162	2,759	4,684	5,329
4	Cities of 2,500 to 10,000 and rural areas—White	524,533	50,356	7,749	3,885	2,615	2,166	66,771	7,586	6,202	9,835	12,304	11,781
	Colored	95,394	14,287	2,157	987	659	525	18,615	1,756	1,835	3,988	5,422	4,722
5	Registration cities in nonregistration State [2]—White	10,671	1,173	196	103	84	58	1,614	204	157	272	400	434
	Colored	4,589	663	100	62	41	32	898	76	81	164	257	333
6	All registration cities [1]—White	601,693	47,067	6,446	3,658	2,856	2,424	62,451	9,191	7,272	10,308	13,947	15,630
	Colored	86,909	9,557	1,512	744	477	381	12,671	1,271	1,243	2,923	4,941	5,662
7	Alabama—White	14,871	2,042	375	160	135	83	2,795	344	228	378	497	428
	Colored	12,809	1,793	215	110	65	52	2,235	207	208	519	822	726
8	Cities of 10,000 or more—White	4,248	397	87	31	29	19	563	92	69	124	166	158
	Colored	4,025	471	67	39	18	12	607	66	58	143	303	285
9	Cities of 2,500 to 10,000—White	1,400	194	38	11	12	5	260	41	22	40	57	48
	Colored	909	98	10	6	5	2	121	13	21	40	61	68
10	Rural—White	9,223	1,451	250	118	94	59	1,972	211	137	214	274	222
	Colored	7,875	1,224	138	65	42	38	1,507	128	129	336	458	373
11	Arizona—White	3,016	243	45	20	16	11	335	49	35	71	112	144
	Colored	2,404	574	165	69	35	19	862	64	68	90	117	109
12	Cities of 10,000 or more—White	1,426	93	17	6	6	3	125	18	15	42	58	93
	Colored	706	169	45	20	4	5	243	14	14	26	32	41
13	Cities of 2,500 to 10,000—White	782	68	9	6	5	7	95	12	14	17	33	23
	Colored	530	138	33	14	5	4	194	14	10	13	19	15
14	Rural—White	808	82	19	8	5	1	115	19	6	12	21	28
	Colored	1,168	267	87	35	26	10	425	36	44	51	66	53
15	Arkansas—White	11,251	1,244	311	146	104	92	1,897	293	195	339	409	369
	Colored	5,064	453	120	57	46	25	701	100	99	228	336	283
16	Cities of 10,000 or more—White	2,645	158	38	24	20	16	256	51	49	83	104	93
	Colored	1,121	56	13	9	5	2	85	11	22	37	66	69
17	Cities of 2,500 to 10,000—White	1,367	96	33	7	7	10	153	35	24	44	54	46
	Colored	716	42	14	5	4	2	67	14	9	19	63	49
18	Rural—White	7,239	990	240	115	77	66	1,488	207	122	212	251	230
	Colored	3,227	355	93	43	37	21	549	75	68	172	207	165
19	California—White	60,037	2,657	318	184	153	110	3,422	573	513	824	1,260	1,502
	Colored	7,643	1,459	283	126	81	58	2,007	232	152	287	408	431
20	Cities of 10,000 or more—White	38,876	1,721	192	116	99	66	2,194	359	318	495	758	959
	Colored	4,070	623	131	68	51	33	906	120	72	147	206	235
21	Cities of 2,500 to 10,000—White	5,708	327	38	21	21	11	418	54	45	83	135	143
	Colored	813	231	42	18	5	4	300	30	16	37	46	50
22	Rural—White	15,453	609	88	47	33	33	810	160	150	246	367	400
	Colored	2,760	605	110	40	25	21	801	82	64	103	156	146
23	Colorado—White	11,771	1,050	140	85	64	40	1,379	190	143	294	358	368
	Colored	828	209	30	10	9	4	262	17	18	30	43	31
24	Cities of 10,000 or more—White	5,857	445	51	34	26	29	585	103	62	130	158	181
	Colored	314	49	9	2	3	1	64	6	8	4	16	14
25	Cities of 2,500 to 10,000—White	1,480	131	26	16	8	5	186	24	17	36	48	44
	Colored	140	37	6	2		1	46	2	3	12	8	6
26	Rural—White	4,434	474	63	35	30	6	608	63	64	128	152	143
	Colored	374	123	15	6	6	2	152	9	7	14	19	11
27	Connecticut—White	16,494	1,115	141	58	52	39	1,405	195	160	267	319	345
	Colored	468	58	4	4	2	1	69	5	6	8	17	18
28	Cities of 10,000 or more—White	11,518	868	111	41	40	34	1,094	160	122	192	222	246
	Colored	397	52	4	4	2	1	63	5	5	7	14	18
29	Cities of 2,500 to 10,000—White	388	30	2	2			34	4	4	3	4	10
	Colored	6	1					1					
30	Rural—White	4,588	217	28	15	12	5	277	31	34	72	93	89
	Colored	65	5					5		1	1	3	
31	Delaware—White	2,570	224	24	9	10	11	278	35	28	32	45	50
	Colored	608	64	9	5	4	2	84	3	7	10	30	18
32	Cities of 10,000 or more—White	1,257	116	14	3	6	5	144	18	12	15	26	27
	Colored	233	20	3	1	1	1	26		3	5	6	8
33	Cities of 2,500 to 10,000—White	202	11					11	2	4	2	6	4
	Colored	53	4	2		1		7			1	3	1
34	Rural—White	1,111	97	10	6	4	6	123	15	12	15	13	19
	Colored	322	40	4	4	2	1	51	3	4	4	21	9
35	District of Columbia—White	5,001	380	34	22	21	20	477	68	57	73	96	142
	Colored	2,936	360	49	23	12	11	455	25	43	95	163	187
36	Florida—White	11,287	933	130	71	56	68	1,258	173	134	223	321	321
	Colored	7,001	741	80	43	30	25	919	84	121	243	426	484
37	Cities of 10,00 or more—White	5,021	318	43	26	25	21	433	65	51	95	123	161
	Colored	2,953	258	26	16	11	9	320	37	47	108	189	239
38	Cities of 2,500 to 10,000—White	2,234	161	22	14	7	19	223	36	23	40	68	58
	Colored	1,184	110	13	7	3	2	135	10	19	38	62	87
39	Rural—White	4,032	454	65	31	24	28	602	72	60	88	130	102
	Colored	2,864	373	41	20	16	14	464	37	55	97	175	158
40	Georgia—White	16,818	2,121	338	152	112	113	2,836	300	234	416	563	509
	Colored	15,310	1,980	270	137	71	66	2,524	210	246	665	1,064	898
41	Cities of 10,000 or more—White	5,289	535	81	33	29	27	705	80	69	135	177	192
	Colored	5,349	546	85	34	22	16	703	62	78	229	400	427
42	Citiesof 2,500 to 10,000 and rural—White	11,529	1,586	257	119	83	86	2,131	220	165	281	386	317
	Colored	9,961	1,434	185	103	49	50	1,821	148	168	436	664	471

[1] Including District of Columbia.
[2] Includes 8 cities in Texas.

BIRTHS), BY AGE AND COLOR: 1932

DEATHS AT AGE OF—															Deaths at unknown age	
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over		
30,059	37,994	46,169	56,589	68,138	81,090	97,513	107,420	121,819	106,850	77,812	42,406	14,621	2,985	473	1,010	1
10,671	12,209	12,287	13,208	14,375	11,754	11,050	8,958	7,213	5,474	4,282	2,539	1,402	600	659	573	
29,617	37,464	45,593	56,003	67,453	80,278	96,663	106,617	121,052	106,187	77,323	42,149	14,540	2,961	466	992	2
10,363	11,856	11,928	12,822	14,006	11,485	10,826	8,795	7,110	5,377	4,209	2,500	1,388	593	646	570	
17,200	22,385	28,008	35,097	41,451	48,138	56,281	58,983	60,811	48,735	33,374	17,232	5,938	1,222	169	280	3
5,911	6,634	6,776	7,239	7,438	5,750	5,130	3,692	2,723	1,746	1,064	612	343	122	113	125	
12,417	15,079	17,585	20,906	26,002	32,140	40,382	47,634	60,241	57,452	43,949	24,917	8,602	1,739	297	712	4
4,452	5,222	5,152	5,583	6,568	5,735	5,696	5,103	4,387	3,631	3,145	1,888	1,045	471	533	445	
442	530	576	586	685	812	850	803	767	663	489	257	81	24	7	18	5
308	353	359	386	369	269	224	163	103	97	73	39	14	7	13	3	
17,642	22,915	28,584	35,683	42,136	48,950	57,131	59,786	61,578	49,398	33,863	17,489	6,019	1,246	176	298	6
6,219	6,987	7,135	7,625	7,807	6,019	5,354	3,855	2,826	1,843	1,137	651	357	129	126	128	
460	495	535	659	794	923	1,034	1,029	1,387	1,299	947	435	134	39	8	23	7
681	865	789	836	903	735	748	642	522	412	397	242	144	59	87	30	
173	183	188	257	296	316	344	302	380	326	204	74	26	3	1	3	8
274	311	307	338	350	250	253	157	93	76	67	35	27	6	11	8	
52	51	58	78	57	84	95	97	121	111	71	37	12	2	2	4	9
50	60	48	64	78	57	50	36	44	22	30	26	9	5	4	2	
235	261	289	324	441	523	595	630	886	862	672	324	96	34	5	16	10
357	494	434	434	475	428	445	449	385	314	300	181	108	48	72	20	
200	232	239	193	209	211	202	186	227	159	123	58	14	6	----------	11	11
102	138	112	107	91	89	84	74	75	71	59	35	18	12	9	18	
127	147	141	89	105	85	94	76	76	61	38	19	7	3	----------	7	12
31	55	33	36	35	28	23	22	17	20	12	8	3	4	5	4	
27	29	41	53	60	57	50	53	96	39	48	28	4	2	----------	1	13
30	31	31	28	20	19	24	14	20	17	15	9	2	2	1	2	
46	56	57	51	44	69	58	57	55	59	37	11	3	1	----------	3	14
41	52	48	43	36	42	37	38	38	34	32	18	13	6	3	12	
365	370	433	465	575	681	800	740	1,012	940	658	365	144	30	7	164	15
289	310	317	348	370	337	307	275	193	157	131	68	49	19	25	122	
95	109	144	162	172	191	242	209	249	175	151	52	27	9	----------	22	16
81	82	90	97	107	101	90	56	40	28	18	10	7	2	2	20	
62	51	57	68	76	91	102	90	123	122	83	40	27	5	1	13	17
39	60	49	59	55	56	52	34	25	18	11	8	5	2	3	19	
208	210	232	235	327	399	456	441	640	643	424	273	90	16	6	129	18
169	168	178	192	208	180	165	185	128	111	102	50	37	15	20	83	
1,711	2,184	2,885	3,521	4,219	4,830	5,711	6,188	7,114	5,897	4,348	2,269	826	195	34	11	19
427	459	440	474	451	399	356	325	281	216	137	68	39	32	21	1	
1,075	1,407	1,821	2,354	2,815	3,167	3,781	4,130	4,601	3,767	2,777	1,422	523	125	25	3	20
248	261	250	301	278	252	220	196	147	100	58	33	19	14	7	----------	
161	162	224	315	372	435	505	585	684	602	447	223	82	25	4	4	21
22	37	35	36	26	41	27	27	26	24	19	5	3	5	1	----------	
475	615	840	852	1,032	1,228	1,425	1,473	1,829	1,528	1,124	624	221	45	5	4	22
157	161	155	137	147	106	109	102	108	92	60	30	17	13	13	1	
442	491	548	581	656	747	933	1,065	1,250	1,019	741	367	152	25	4	18	23
37	51	52	46	39	38	33	40	34	18	18	9	4	3	3	2	
210	220	281	305	341	419	492	568	662	485	368	185	79	8	1	14	24
19	24	25	23	17	20	21	15	12	8	11	2	3	1	----------	1	
57	44	59	90	101	92	113	151	140	130	80	47	18	1	1	1	25
4	9	4	6	4	5	2	8	7	5	1	3	----------	2	2	1	
175	227	208	186	214	236	328	346	448	404	293	135	55	16	2	3	26
14	18	23	17	18	13	10	17	15	5	6	4	1	----------	1	----------	
357	521	677	896	1,100	1,333	1,656	1,788	1,845	1,526	1,097	682	252	50	10	13	27
30	31	35	34	43	37	42	22	28	18	9	9	4	1	1	1	
255	367	499	668	872	964	1,199	1,265	1,262	915	664	376	139	27	7	3	28
25	27	32	27	32	32	40	16	24	13	8	5	2	1	----------	1	
9	14	18	15	16	41	44	44	36	38	30	15	5	2	1	1	29
----------	----------	1	----------	2	1	----------	----------	----------	----------	1	----------	----------	----------	----------	----------	
93	140	160	213	212	328	413	479	547	573	403	291	108	21	2	9	30
5	4	2	7	9	4	2	6	4	5	----------	4	2	----------	1	----------	
64	87	81	107	143	189	220	256	319	291	195	103	38	5	2	2	31
25	41	23	41	44	63	71	35	48	30	23	6	2	2	1	1	
35	45	47	59	84	105	112	131	150	111	82	34	15	4	1	----------	32
11	23	9	23	26	21	27	13	17	8	5	----------	1	----------	1	----------	
7	8	7	12	9	19	17	14	26	25	18	8	3	----------	----------	----------	33
3	4	4	4	3	5	8	4	1	1	3	1	----------	----------	----------	----------	
22	34	27	36	50	65	91	111	143	155	95	61	20	1	1	2	34
11	14	10	14	15	37	36	18	30	21	15	5	1	2	----------	1	
151	214	244	252	314	396	491	456	529	446	344	175	62	11	3	----------	35
175	215	215	247	250	208	213	159	138	65	43	23	13	3	1	----------	
394	416	459	549	679	812	988	1,043	1,201	973	735	399	139	32	6	32	36
519	564	584	594	607	465	407	296	216	163	115	76	32	21	22	43	
192	216	224	270	327	386	464	511	512	424	316	176	55	15	1	4	37
264	296	285	272	265	197	158	93	72	39	30	20	4	4	6	8	
82	93	102	120	144	178	184	202	241	195	149	68	20	6	----------	2	38
97	95	113	98	126	87	76	52	29	27	14	7	1	2	3	6	
120	107	133	159	208	248	340	330	448	354	270	155	64	11	5	26	39
158	173	186	224	216	181	173	151	115	97	71	49	27	15	13	29	
568	628	755	768	930	1,101	1,220	1,162	1,682	1,403	977	555	162	28	4	17	40
823	963	1,053	1,058	1,361	1,003	860	709	586	402	379	231	133	53	71	18	
210	241	279	303	357	411	448	371	493	391	255	121	40	8	2	1	41
393	465	486	443	519	374	269	214	130	61	39	25	17	6	8	1	
358	387	476	465	573	690	772	791	1,189	1,012	722	434	122	20	2	16	42
430	498	567	615	842	629	591	495	456	341	340	206	116	47	63	17	

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

	AREA AND COLOR		All ages	DEATHS AT AGE OF—										
				Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Idaho	White	3,813	354	41	25	24	16	460	91	72	87	89	98
		Colored	129	25	3	2	4		34	6	4	12	3	
2	Cities of 10,000 or more	White	573	41	7	2	1	2	53	14	11	13	13	14
		Colored	17	3					3			1		
3	Cities of 2,500 to 10,000	White	1,532	129	13	10	13	11	176	36	31	40	47	41
		Colored	19	3			1		4			1	1	
4	Rural	White	1,708	184	21	13	10	3	231	41	30	34	29	43
		Colored	93	19	3	2	3		27	6	4	10	2	
5	Illinois	White	77,248	5,436	738	456	337	297	7,264	1,111	861	1,271	1,711	1,883
		Colored	5,932	448	98	42	33	30	651	77	75	165	292	417
6	Cities of 10,000 or more	White	48,037	3,407	455	317	244	200	4,623	789	605	812	1,130	1,272
		Colored	4,875	377	79	41	33	27	557	68	64	140	239	369
7	Cities of 2,500 to 10,000	White	7,574	564	72	39	26	30	731	111	84	139	171	178
		Colored	220	27	6	1			34	4		7	18	7
8	Rural	White	21,637	1,465	211	100	67	67	1,910	211	172	320	410	433
		Colored	837	44	13			3	60	5	11	18	35	41
9	Indiana	White	36,839	2,739	405	220	152	136	3,652	479	409	590	763	785
		Colored	1,917	164	23	17	11	4	219	29	18	41	81	111
10	Cities of 10,000 or more	White	15,735	1,275	178	116	75	76	1,720	241	216	250	333	405
		Colored	1,593	147	20	17	8	4	196	25	13	36	65	93
11	Cities of 2,500 to 10,000	White	4,540	303	53	25	14	8	403	64	33	75	103	98
		Colored	85	2	2		1		5	2		3	3	5
12	Rural	White	16,564	1,161	174	79	63	52	1,529	174	160	265	327	282
		Colored	239	15	1		2		18	2	5	2	13	13
13	Iowa	White	25,443	1,905	209	123	86	85	2,408	302	289	347	489	495
		Colored	343	33	5	2	2	1	43	4	3	9	19	11
14	Cities of 10,000 or more	White	9,408	756	80	62	40	36	974	141	126	143	204	222
		Colored	242	26	5	2	2		35	2	3	4	10	6
15	Cities of 2,500 to 10,000	White	4,636	290	32	16	12	12	362	47	60	78	102	105
		Colored	44	1					1				3	4
16	Rural	White	11,399	859	97	45	34	37	1,072	114	103	126	183	168
		Colored	57	6				1	7	2		5	6	1
17	Kansas	White	18,328	1,420	202	114	80	63	1,879	277	236	322	415	404
		Colored	1,184	105	15	8	2	7	137	13	13	34	41	52
18	Cities of 10,000 or more	White	6,094	433	85	33	27	26	604	116	84	120	160	178
		Colored	763	78	13	5	2	6	104	10	5	20	26	31
19	Cities of 2,500 to 10,000	White	2,665	248	25	26	12	8	319	42	50	49	64	68
		Colored	110	12	1	1		1	15	2	4	3	3	4
20	Rural	White	9,569	739	92	55	41	29	956	119	102	153	191	158
		Colored	311	15	1	2			18	1	4	11	12	17
21	Kentucky	White	24,829	3,409	685	362	202	187	4,845	519	372	598	816	718
		Colored	4,230	358	66	23	12	18	477	50	58	134	180	177
22	Cities of 10,000 or more	White	6,826	634	81	44	39	32	830	130	80	137	199	210
		Colored	1,886	138	24	9	6	7	184	21	19	50	82	80
23	Cities of 2,500 to 10,000 and rural	White	18,003	2,775	604	318	163	155	4,015	389	292	461	617	508
		Colored	2,344	220	42	14	6	11	293	29	39	84	98	97
24	Louisiana	White	12,504	1,353	188	109	91	81	1,822	238	191	298	382	394
		Colored	10,807	1,451	145	102	64	46	1,808	183	158	397	618	572
25	Cities of 10,000 or more	White	6,418	516	84	44	41	39	724	124	98	140	198	225
		Colored	4,584	488	59	36	19	14	616	55	69	177	276	288
26	Cities of 2,500 to 10,000	White	1,239	149	15	8	6	3	181	28	16	23	32	41
		Colored	1,165	168	15	8	6	4	201	19	13	38	66	61
27	Rural	White	4,847	688	89	57	44	39	917	86	77	135	152	128
		Colored	5,058	795	71	58	39	28	991	109	76	182	276	223
28	Maine	White	10,690	1,013	117	52	38	30	1,250	125	111	154	188	176
		Colored	29	4					4			1	2	
29	Cities of 10,000 or more	White	3,486	324	40	17	19	11	411	51	38	57	61	65
		Colored	12	2					2					
30	Cities of 2,500 to 10,000	White	1,314	113	12	7	3	3	138	18	10	26	31	22
		Colored	8	1					1			1	1	
31	Rural	White	5,890	576	65	28	16	16	701	56	63	71	96	89
		Colored	9	1					1				1	
32	Maryland	White	15,955	1,289	180	87	53	46	1,655	197	160	252	344	370
		Colored	5,083	700	87	32	25	15	859	68	76	175	266	238
33	Cities of 10,000 or more	White	9,454	727	96	50	31	26	930	129	103	144	198	226
		Colored	2,913	321	52	19	13	7	412	40	38	98	166	160
34	Cities of 2,500 to 10,000	White	821	61	12	5	3	1	82	11	10	13	19	14
		Colored	269	46	7	1	3		57	4		9	15	10
35	Rural	White	5,680	501	72	32	19	19	643	57	47	95	127	130
		Colored	1,901	333	28	12	9	8	390	24	38	68	85	68
36	Massachusetts	White	48,568	3,542	482	256	195	188	4,663	566	492	645	818	956
		Colored	878	82	11	8	5	1	107	8	11	17	29	42
37	Cities of 10,000 or more	White	39,644	3,141	420	221	175	169	4,126	482	405	495	651	781
		Colored	739	70	10	6	4		90	7	6	13	23	35
38	Cities of 2,500 to 10,000	White	3,225	194	26	14	6	7	247	35	30	37	35	60
		Colored	28	3					3	1				1
39	Rural	White	5,699	207	36	21	14	12	290	49	57	113	132	115
		Colored	111	9	1	2	1	1	14		5	4	6	6
40	Michigan	White	46,952	4,401	588	310	193	194	5,686	701	559	856	1,040	1,140
		Colored	2,633	227	45	25	18	14	329	36	42	91	135	192
41	Cities of 10,000 or more	White	25,114	2,620	364	193	135	129	3,441	469	352	497	618	708
		Colored	2,091	204	41	22	16	13	296	31	31	78	109	155
42	Cities of 2,500 to 10,000	White	4,364	369	47	22	12	14	464	54	55	83	93	90
		Colored	61	6					6	1	2		4	8
43	Rural	White	17,474	1,412	177	95	46	51	1,781	178	152	276	329	342
		Colored	481	17	4	3	2	1	27	4	9	13	22	29

BIRTHS), BY AGE AND COLOR: 1932—Continued

DEATHS AT AGE OF—																
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Deaths at unknown age	
87	121	138	173	232	294	289	353	410	344	265	141	46	9	5	9	1
6	3	3	7	8	11	7	9	7	3	1	3	1			1	
11	26	32	30	47	52	47	45	54	47	30	25	6	1	1	1	
2		1	2		4		1	2	1							2
32	51	60	76	76	111	115	163	156	131	106	53	19	7	1	4	
	1	1	3	3	1	3					1					3
44	44	46	67	109	131	127	145	200	166	129	63	21	1	3	4	
4	2	1	2	5	6	4	8	5	2	1	2	1			1	4
2,088	2,920	3,588	4,499	5,043	5,811	6,918	7,709	8,360	7,072	5,020	2,702	1,022	218	33	144	
502	522	506	581	553	414	352	303	190	156	68	52	28	5	7	16	5
1,458	1,969	2,554	3,255	3,538	4,023	4,534	4,821	4,740	3,613	2,431	1,227	439	96	10	98	
450	422	421	498	464	340	270	226	138	104	36	32	16	4	4	13	6
190	214	238	349	401	509	649	756	864	823	637	339	145	28	5	13	
10	9	9	20	14	11	22	22	8	10	8	2	3			2	7
440	737	796	895	1,104	1,279	1,735	2,132	2,756	2,636	1,952	1,136	438	94	18	33	
42	91	76	63	75	63	60	55	44	42	24	18	9	1	3	1	8
871	993	1,291	1,606	1,943	2,323	3,009	3,719	4,516	4,223	3,190	1,748	594	98	12	25	
119	140	156	185	182	145	140	98	93	61	43	26	18	3	1	8	9
466	552	722	850	1,011	1,133	1,337	1,578	1,657	1,450	1,043	534	193	36	2	6	
111	125	137	156	152	126	118	82	60	39	22	16	14	1	1	5	10
109	110	134	178	258	286	356	464	562	571	398	239	82	12	2	3	
1	4	5	9	7	3	7	3	9	8	5	3	1	1		1	11
296	331	435	578	674	904	1,316	1,677	2,297	2,202	1,749	975	319	50	8	16	
7	11	14	20	23	16	15	13	24	14	16	7	3	1		2	12
540	678	760	1,049	1,226	1,577	2,013	2,548	3,096	3,075	2,458	1,463	521	97	8	4	
17	17	20	33	17	22	25	33	22	21	19	3	4			1	13
240	316	379	474	552	664	769	904	1,080	977	664	398	143	34	2	2	
11	12	14	28	14	19	14	28	13	14	10	1	3			1	14
114	135	131	192	225	292	377	471	558	538	482	259	88	16	3	1	
5	2	2	4	2	1	8	1	2	4	4		1				15
186	227	250	383	449	621	867	1,173	1,458	1,560	1,312	806	290	47	3	1	
1	3	4	1	1	2	3	4	7	3	5	2					16
404	461	588	749	848	1,145	1,338	1,672	2,154	2,112	1,717	1,147	375	71	8	6	
54	69	84	89	90	75	93	87	87	55	45	42	12	4	8		17
152	179	235	290	321	412	466	566	688	620	474	319	89	18	3		
30	50	47	63	67	49	65	60	50	34	21	17	9	1	4		18
67	76	91	86	130	162	187	234	279	287	229	168	68	9			
4	5	10	7	10	8	8	6	5	3	7	3	1	1	1		19
185	206	262	373	397	571	685	872	1,187	1,205	1,014	660	218	44	5	6	
20	14	27	19	13	18	20	21	32	18	17	22	2	2	3		20
721	814	819	896	1,120	1,368	1,640	1,991	2,397	2,234	1,606	966	303	50	11	25	
219	244	256	326	361	341	328	277	249	204	153	107	42	25	15	7	21
210	245	284	321	385	484	582	673	709	620	401	245	74	6	1		
113	133	133	185	200	158	159	122	101	60	42	19	15	7	2	1	22
511	569	535	575	735	884	1,058	1,318	1,688	1,614	1,205	721	229	44	10	25	
106	111	123	141	161	183	169	155	148	144	111	88	27	18	13	6	23
442	486	612	629	780	902	1,045	993	1,081	993	679	356	121	26	9	25	
568	726	684	823	854	708	669	543	406	338	310	197	115	42	62	26	24
252	261	347	362	449	535	610	534	568	468	315	141	48	7	3	9	
301	360	368	449	439	329	273	198	144	95	66	35	20	9	8	9	25
42	46	64	68	74	96	102	100	92	86	86	42	14	2	1	3	
60	82	68	87	82	70	76	67	43	42	29	35	11	5	7	3	26
148	179	201	199	257	271	333	359	421	439	278	173	59	17	5	13	
207	284	248	287	333	309	320	278	219	201	215	127	84	28	47	14	27
202	209	297	355	521	635	870	1,136	1,324	1,306	956	587	230	53	4	1	
	5	1	4			3	3	2	3	1						28
77	100	117	157	196	234	272	394	399	378	260	153	52	13	1		
	4		3			2			1							29
33	20	41	39	65	64	130	141	164	151	117	65	34	5			
	1		1			1	1	1								30
92	89	139	159	260	337	468	601	761	777	579	369	144	35	3	1	
		1					2	1	2	1						31
439	479	625	776	963	1,205	1,498	1,672	1,865	1,589	1,060	545	206	33	10	12	
266	295	362	382	455	365	394	283	238	138	119	54	23	10	6	11	32
281	313	412	527	634	784	951	1,009	1,084	866	504	239	96	16	4	4	
180	202	259	267	309	201	220	142	102	49	40	19	7	2			33
15	28	22	30	47	52	82	84	119	79	62	37	12	2	1		
11	20	14	14	16	21	23	18	12	10	6	6	1	1			34
143	138	191	219	282	369	465	579	662	644	494	269	98	15	5	8	
75	73	89	101	130	143	151	123	124	79	73	29	15	7	6	10	35
1,076	1,477	1,776	2,309	3,117	3,908	4,836	5,347	5,599	4,777	3,405	1,916	682	178	19	6	
35	57	64	64	81	73	83	73	43	38	24	14	8	5	1	1	36
893	1,232	1,505	1,973	2,613	3,316	4,063	4,348	4,443	3,678	2,581	1,418	493	129	16	3	
32	47	55	55	72	60	71	66	37	33	21	8	3	3	1	1	37
52	70	104	116	181	207	264	356	466	400	318	177	58	8	2	2	
1	1	3	3	1	2	2	2		2	1	3	2				38
131	175	167	220	323	385	509	643	690	699	506	321	131	41	1	1	
2	9	6	6	8	11	10	5	6	3	2	3	3	2			39
1,225	1,692	2,003	2,430	2,676	3,109	3,739	4,269	5,159	4,661	3,376	1,863	603	122	14	29	
269	303	247	207	208	125	122	107	71	56	43	23	12	2	5	8	40
847	1,167	1,318	1,592	1,646	1,794	1,933	2,164	2,299	1,937	1,307	737	232	45	8	3	
232	254	200	172	167	98	84	64	42	32	22	10	7	1	4	2	41
88	128	151	181	221	258	366	430	546	514	365	197	59	16	1	4	
2	5	5	2	4	2	5	7	1	1	3	2	1				42
290	397	534	657	809	1,057	1,440	1,675	2,314	2,210	1,704	929	312	61	5	22	
35	44	42	33	37	25	33	36	28	23	18	11	4	1	1	6	43

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

	AREA AND COLOR		All ages	DEATHS AT AGE OF—										
				Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Minnesota	White	25,189	2,130	193	119	81	79	2,602	319	284	465	576	561
		Colored	402	59	7	7	1	3	77	9	13	19	12	23
2	Cities of 10,000 or more	White	11,483	885	79	54	42	29	1,089	157	138	204	237	287
		Colored	151	7		1			8	3	2	1	2	7
3	Cities of 2,500 to 10,000	White	3,467	287	33	19	9	11	359	53	40	61	81	67
		Colored	21										1	2
4	Rural	White	10,239	958	81	46	30	39	1,154	109	106	200	258	207
		Colored	230	52	7	6	1	3	69	6	11	18	9	14
5	Mississippi	White	8,303	967	195	102	80	42	1,386	183	142	206	250	226
		Colored	12,008	1,513	234	121	95	79	2,042	244	232	529	745	678
6	Cities of 10,000 or more	White	1,868	157	41	17	17	9	241	52	39	55	65	60
		Colored	2,017	158	27	16	14	8	223	21	43	94	159	154
7	Cities of 2,500 to 10,000	White	728	77	19	7	8	7	118	18	15	23	17	24
		Colored	728	68	11	6	4	4	93	13	8	25	48	47
8	Rural	White	5,707	733	135	78	55	26	1,027	113	88	128	168	142
		Colored	9,263	1,287	196	99	77	67	1,726	210	181	410	538	477
9	Missouri	White	39,117	3,015	512	306	219	162	4,214	598	443	629	902	889
		Colored	4,621	415	107	32	22	19	595	46	61	143	185	238
10	Cities of 10,000 or more	White	17,809	1,155	168	100	79	68	1,570	233	194	255	451	444
		Colored	3,259	244	64	22	16	11	357	32	33	83	129	182
11	Cities of 2,500 to 10,000	White	3,887	304	47	36	19	11	417	92	58	89	103	105
		Colored	476	44	10	2	3	3	62	5	8	20	20	16
12	Rural	White	17,421	1,556	297	170	121	83	2,227	273	191	285	348	340
		Colored	886	127	33	8	3	5	176	9	20	40	36	35
13	Montana	White	4,878	382	47	19	27	16	491	75	74	120	138	110
		Colored	416	85	17	12	6	5	125	19	11	18	22	14
14	Cities of 10,000 or more	White	1,621	112	9	7	9	7	144	31	23	42	44	34
		Colored	35	7				1	8	1	1	3	2	2
15	Cities of 2,500 to 10,000	White	850	77	13	3	9	4	106	12	12	20	30	18
		Colored	12							1				2
16	Rural	White	2,407	193	25	9	9	5	241	32	39	58	64	58
		Colored	369	78	17	12	6	4	117	17	10	15	20	10
17	Nebraska	White	12,558	1,038	141	83	40	46	1,348	171	148	225	256	221
		Colored	364	53	15	6	2	3	79	1	10	12	11	14
18	Cities of 10,000 or more	White	4,455	303	44	34	14	14	409	68	53	89	96	99
		Colored	220	20	5	1	1		27	1	2	5	7	10
19	Cities of 2,500 to 10,000	White	1,780	159	31	16	8	5	219	28	28	38	52	39
		Colored	28	5	2	2			9			2	1	1
20	Rural	White	6,323	576	66	33	18	27	720	75	67	98	108	83
		Colored	116	28	8	3	1	3	43	8	5	3	3	
21	Nevada	White	1,189	70	9	8	6	6	99	13	16	20	39	56
		Colored	153	18	3	2	2	1	26	9	8	8	12	9
22	Cities of 10,000 or more	White	333	10	3		2	1	16	5	3	5	13	12
		Colored	17	2					2				2	1
23	Cities of 2,500 to 10,000	White	337	24	2	3	1	2	32	3	4	6	15	21
		Colored	24	1	2				3	1		1		2
24	Rural	White	519	36	4	5	3	3	51	5	9	9	11	23
		Colored	112	15	1	2	2	1	21	8	8	7	10	6
25	New Hampshire	White	6,320	460	49	27	11	13	560	60	56	80	95	104
		Colored	9											
26	Cities of 10,000 or more	White	3,007	266	29	10	5	7	317	33	31	38	53	55
		Colored	6											
27	Cities of 2,500 to 10,000	White	516	50	3	4	2	1	60	4	6	6	6	12
		Colored												
28	Rural	White	2,797	144	17	13	4	5	183	23	19	38	36	37
		Colored	3											
29	New Jersey	White	39,463	2,651	341	204	152	129	3,477	536	488	672	852	868
		Colored	3,451	424	70	19	18	15	546	47	51	99	165	203
30	Cities of 10,000 or more	White	26,454	2,064	259	162	114	98	2,697	405	366	466	548	573
		Colored	2,428	344	56	15	16	10	441	29	35	57	101	127
31	Cities of 2,500 to 10,000	White	5,188	224	37	14	15	15	305	53	37	80	135	134
		Colored	427	32	2	2	2	2	40	8	4	23	30	34
32	Rural	White	7,821	363	45	28	23	16	475	78	85	126	169	161
		Colored	596	48	12	2		3	65	10	12	19	34	42
33	New Mexico	White	5,620	1,390	212	81	49	45	1,777	139	118	170	195	216
		Colored	348	89	24	5	3	6	127	11	13	15	21	17
34	Cities of 10,000 or more	White	956	141	21	11	6	4	183	22	16	33	48	54
		Colored	41	3	1			2	6	2	3	1	3	3
35	Cities of 2,500 to 10,000	White	1,171	223	40	10	6	10	289	26	33	37	34	50
		Colored	25	2	2				4		1	1	2	1
36	Rural	White	3,493	1,026	151	60	37	31	1,305	91	69	100	113	112
		Colored	282	84	21	5	3	4	117	9	9	13	16	13
37	New York	White	140,648	9,628	1,194	689	547	480	12,538	1,904	1,496	2,041	2,860	3,356
		Colored	7,176	841	105	61	34	37	1,078	132	93	211	386	494
38	Cities of 10,000 or more	White	105,934	7,795	990	583	451	401	10,220	1,570	1,204	1,589	2,245	2,688
		Colored	6,369	753	90	55	31	31	960	121	83	188	345	452
39	Cities of 2,500 to 10,000	White	7,646	518	55	27	29	34	663	96	73	118	142	164
		Colored	164	33	3	1		1	38	5	3	4	8	5
40	Rural	White	27,068	1,315	149	79	67	45	1,655	238	219	334	473	504
		Colored	643	55	12	5	3	5	80	6	7	19	33	37
41	North Carolina	White	19,513	3,073	443	235	119	84	3,954	360	264	443	580	532
		Colored	11,538	2,110	275	124	81	56	2,646	205	217	516	765	628
42	Cities of 10,000 or more	White	4,752	616	82	55	30	23	806	108	92	130	185	175
		Colored	3,522	525	72	35	24	14	670	61	58	150	279	253
43	Cities of 2,500 to 10,000	White	1,745	262	36	19	8	7	332	44	30	57	77	58
		Colored	897	125	18	1	4	1	149	16	21	42	61	51
44	Rural	White	13,016	2,195	325	161	81	54	2,816	208	142	256	318	299
		Colored	7,119	1,460	185	88	53	41	1,827	128	138	324	425	324

BIRTHS), BY AGE AND COLOR: 1932—Continued

DEATHS AT AGE OF—																
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Deaths at unknown age	
626	775	938	1,193	1,408	1,633	2,044	2,490	3,042	2,632	1,977	1,093	427	84	15	5	1
20	24	23	14	31	24	25	27	20	16	11	8	1	2	3		
326	376	495	685	772	869	1,025	1,160	1,331	1,077	728	361	132	28	4	2	2
7	11	16	7	19	16	15	15	11	6	2	2	1				
86	120	126	151	176	233	273	359	429	346	287	147	64	8	1		3
2	1	1	1	2	2	2	4			2	1					
214	279	317	357	460	531	746	971	1,282	1,209	962	585	231	48	10	3	4
11	12	6	6	10	6	8	8	9	10	7	5	2	3			
232	258	322	361	424	546	579	583	791	773	572	321	103	21	6	18	5
583	633	612	711	825	680	700	666	585	500	402	273	149	69	86	64	
75	77	100	119	112	154	148	146	148	127	76	48	23	2		1	6
142	139	163	175	186	129	109	94	70	49	18	18	10	5	10	6	
21	26	32	34	38	54	52	53	71	68	36	24	4				7
32	53	46	55	60	45	51	35	38	27	22	7	6	7	5	5	
136	155	190	208	274	338	379	384	572	578	460	249	76	19	6	17	8
409	441	403	481	579	506	540	537	477	424	362	248	133	57	71	53	
956	1,100	1,432	1,733	2,134	2,739	3,356	3,828	4,434	4,010	3,141	1,740	625	125	20	69	9
273	344	349	397	456	343	325	232	233	183	95	49	26	16	5	32	
486	590	800	1,040	1,211	1,485	1,826	1,907	1,854	1,544	1,088	574	195	47	7	8	10
217	260	280	315	366	255	248	149	139	113	41	27	12	9	2	10	
95	113	156	145	190	255	297	370	426	376	306	195	64	20	1	14	11
21	36	25	32	41	41	33	29	32	16	19	5	5	2	1	7	
375	397	476	548	733	999	1,233	1,551	2,154	2,090	1,747	971	366	58	12	47	12
35	48	44	50	49	47	44	54	62	54	35	17	9	5	2	15	
128	169	231	315	345	393	427	490	493	449	244	118	56	10		2	13
19	12	6	9	19	23	17	19	20	24	21	8	4	3	2	1	
57	55	68	126	114	165	148	169	157	129	67	32	11	4		1	14
3	1	1	2	3	2	1	2	2						1		
23	29	45	53	63	59	78	83	76	69	50	12	9	3			15
2					3				3			1				
48	85	118	136	168	169	201	238	260	251	127	74	36	3		1	16
14	11	5	7	16	18	16	17	18	21	21	8	3	3	1	1	
306	341	438	525	687	764	968	1,208	1,507	1,355	1,129	648	245	48	5	15	17
14	15	30	27	34	21	19	23	18	13	9	5	3	2	3	1	
127	145	200	257	305	297	375	440	505	415	329	167	58	12	4	5	18
9	11	22	16	26	17	17	17	14	9	3	3	2	1		1	
50	61	49	71	87	94	113	170	198	188	146	101	34	10	1	3	19
2		3	4	2			2			1	1					
129	135	189	197	295	373	480	598	804	752	654	380	153	26		7	20
3	4	5	7	6	4	2	4	4	4	5	1	1	1	3		
53	74	59	80	104	102	125	78	100	73	62	28	6		1	1	21
4	11	4	9	10	7	9	6	4	8	6	2	1				
17	21	16	27	31	36	37	17	32	21	14	8	1			1	22
		1	3	2	1		2		1	1		1				
15	22	15	32	36	33	28	18	25	14	15	2			1		23
4	4	3	2	1	2	1	2		2							
21	31	28	21	37	33	60	43	43	38	33	18	5				24
4	7		4	7	4	8	2	4	5	5	2					
104	142	184	234	340	415	540	681	831	784	562	336	154	26	2	30	25
1		2	2		1		1	2								
58	90	107	124	178	208	264	312	371	322	238	119	73	8		10	26
1		1	2				1	1								
8	8	8	26	20	28	51	56	61	68	42	33	12			1	27
38	44	69	84	142	179	225	313	399	394	282	184	69	18	2	19	28
		1			1			1								
1,039	1,485	1,793	2,288	2,793	3,385	3,936	4,148	4,154	3,508	2,384	1,160	411	73	12	1	29
236	232	256	264	318	260	247	182	123	100	64	29	18	2	8	1	
713	1,035	1,271	1,639	2,029	2,407	2,728	2,763	2,535	2,052	1,330	628	229	33	7		30
173	178	188	187	240	179	175	121	76	58	32	15	8	2	5	1	
126	190	245	274	321	383	493	537	657	534	415	190	61	16	2		31
28	25	33	32	33	37	25	18	17	14	16	5	3		2		
200	260	277	375	443	595	715	848	962	922	639	342	121	24	3	1	32
35	29	35	45	45	44	47	43	30	28	16	9	7		1		
202	259	253	207	202	273	310	292	277	288	206	126	51	17	19	23	33
17	15	13	7	19	10	18	11	9	6	9	3	3		3	1	
63	73	72	44	44	41	56	57	54	38	27	17	9	1	2	2	34
3	1	2	2	4	3	2	2			4						
50	48	55	53	51	72	84	62	60	64	50	29	12		2	10	35
1	3	3	2	2		2	2			1						
89	138	126	110	107	160	170	173	163	186	129	80	30	16	15	11	36
13	11	8	3	13	7	14	7	9	6	4	3	3		3	1	
3,857	5,220	6,520	8,320	10,190	11,995	14,309	14,926	15,105	11,819	8,165	4,168	1,483	311	36	29	37
612	674	672	648	577	408	370	270	231	147	86	55	22	4	3	3	
3,076	4,214	5,373	6,880	8,329	9,626	11,222	11,224	10,644	7,567	4,883	2,355	816	170	20	19	38
553	604	592	590	518	367	318	234	199	109	64	47	17	4	2	2	
173	257	283	332	432	549	716	786	922	845	607	336	119	30	1	2	39
10	9	21	9	11	7	9	11	3	4	3	1	2			1	
608	749	864	1,108	1,429	1,820	2,371	2,916	3,539	3,407	2,675	1,477	548	111	15	8	40
49	61	59	49	48	34	43	25	29	34	19	7	3		1		
596	711	791	817	1,052	1,141	1,369	1,383	1,827	1,648	1,177	620	175	35	11	27	41
605	633	616	635	741	653	620	504	473	348	298	173	108	54	45	55	
198	215	263	287	328	296	338	311	361	327	178	114	31	2	2	5	42
238	255	222	215	278	224	202	134	106	73	48	27	11	5	3	10	
68	59	69	77	111	125	126	124	138	126	69	40	9	2	1	3	43
59	51	56	61	77	49	38	52	42	24	19	13	4	2	2	8	
330	437	459	453	613	720	905	948	1,328	1,195	930	466	135	31	8	19	44
308	327	338	359	386	380	380	318	325	251	231	133	93	47	40	37	

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

	AREA AND COLOR	All ages	DEATHS AT AGE OF—										
			Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	North Dakota—White	5,004	751	74	37	28	24	914	85	81	109	116	117
	Colored	149	28	13	5	3	2	51	8	4	6	10	4
2	Cities of 10,000 or more—White	982	111	19	10	5	7	152	17	16	22	31	32
	Colored	11	2	3				5	1				
3	Cities of 2,500 to 10,000—White	619	80	8	4	5	4	101	23	17	17	14	9
	Colored	6							2		1		1
4	Rural—White	3,403	560	47	23	18	13	661	45	48	70	71	76
	Colored	132	26	10	5	3	2	46	5	4	5	10	3
5	Ohio—White	70,861	5,485	774	377	313	258	7,207	998	717	1,157	1,468	1,542
	Colored	5,425	466	73	39	28	19	625	85	73	150	301	340
6	Cities of 10,000 or more—White	40,575	3,161	434	228	202	168	4,193	644	438	693	932	1,027
	Colored	4,381	391	63	35	25	17	531	73	58	107	250	293
7	Cities of 2,500 to 10,000—White	6,654	434	73	30	22	16	575	85	77	85	142	126
	Colored	260	24	5	1			30	4	5	10	8	8
8	Rural—White	23,632	1,890	267	119	89	74	2,439	269	202	379	394	389
	Colored	784	51	5	3	3	2	64	8	10	33	43	39
9	Oklahoma—White	16,663	1,770	308	242	155	130	2,605	430	321	499	527	570
	Colored	2,622	282	76	23	17	13	411	57	58	135	189	170
10	Cities of 10,000 or more—White	5,476	525	90	70	50	39	774	151	112	183	199	227
	Colored	985	98	24	6	4	7	139	22	14	47	80	68
11	Cities of 2,500 to 10,000—White	4,124	364	78	58	27	34	561	97	55	116	129	160
	Colored	560	64	20	5	4	2	95	13	15	24	38	37
12	Rural—White	7,063	881	140	114	78	57	1,270	182	154	200	199	183
	Colored	1,077	120	32	12	9	4	177	22	29	64	71	65
13	Oregon—White	10,026	504	70	34	30	18	656	108	126	183	214	217
	Colored	251	27	4	6	3		40	7	4	11	4	7
14	Cities of 10,000 or more—White	4,627	198	26	15	15	7	261	57	46	63	90	93
	Colored	119	5		1	1		7	3	1	3	3	2
15	Cities of 2,500 to 10,000—White	1,999	129	16	6	5	5	161	21	27	40	51	54
	Colored	29		1	2	1		4	1				2
16	Rural—White	3,400	177	28	13	10	6	234	30	53	80	73	70
	Colored	103	22	3	3	1		29	3	3	8	1	3
17	Pennsylvania—White	102,194	9,312	1,350	674	516	430	12,282	1,570	1,266	1,804	2,269	2,319
	Colored	7,010	801	119	48	37	33	1,038	100	99	177	313	406
18	Cities of 10,000 or more—White	57,124	4,809	716	381	305	248	6,459	885	743	997	1,376	1,409
	Colored	5,669	686	93	42	29	29	879	87	86	141	257	323
19	Cities of 2,500 to 10,000—White	13,110	1,228	176	86	68	55	1,613	263	176	230	266	286
	Colored	237	36	5	1	2	2	46	2	2	4	8	4
20	Rural—White	31,960	3,275	458	207	143	127	4,210	422	347	577	627	624
	Colored	1,104	79	21	5	6	2	113	11	11	32	48	79
21	Rhode Island—White	7,869	621	96	51	41	45	854	116	73	103	123	134
	Colored	211	18	3	2	3	2	28	3	2	3	1	4
22	Cities of 10,000 or more—White	6,945	577	91	46	38	40	792	107	65	80	105	118
	Colored	190	17	3	2	3	2	27	2	2	3	1	3
23	Cities of 2,500 to 10,000—White	344	15	2	2	2		21	4	1	12	11	6
	Colored	8							1				1
24	Rural—White	580	29	3	3	1	5	41	5	7	11	7	10
	Colored	13	1					1					
25	South Carolina—White	8,599	1,234	165	81	65	41	1,586	147	137	198	257	23 8
	Colored	11,285	1,970	253	113	71	68	2,475	202	220	515	689	628
26	Cities of 10,000 or more—White	2,054	230	30	27	14	15	316	46	44	57	87	60
	Colored	2,333	299	35	18	6	9	367	28	29	109	173	158
27	Cities of 2,500 to 10,000—White	910	105	11	3	9	8	136	14	13	24	31	36
	Colored	832	111	12	6	4	5	138	3	17	38	54	46
28	Rural—White	5,635	899	124	51	42	18	1,134	87	80	117	139	142
	Colored	8,120	1,560	206	89	61	54	1,970	171	174	368	462	424
29	South Dakota—White	5,216	588	45	44	17	22	716	94	69	100	116	116
	Colored	509	80	40	9	10	9	148	24	23	40	26	26
30	Cities of 10,000 or more—White	1,176	122	14	11	3	7	157	21	15	24	26	29
	Colored	9	3					3		1	1		1
31	Cities of 2,500 to 10,000—White	810	66	3	8	2	2	81	27	9	10	22	25
	Colored	18	1		1			2				2	2
32	Rural—White	?,230	400	28	25	12	13	478	46	45	66	68	62
	Colored	482	76	40	8	10	9	143	24	22	39	24	23
33	Tennessee—White	20,821	2,783	589	265	190	138	3,965	359	278	491	713	699
	Colored	7,807	767	122	57	41	41	1,028	106	111	350	460	504
34	Cities of 10,000 or more—White	6,285	752	150	73	63	47	1,085	101	95	163	217	225
	Colored	4,138	393	46	28	13	19	499	49	42	175	250	296
35	Cities of 2,500 to 10,000—White	2,097	240	51	28	19	13	351	41	39	53	85	87
	Colored	810	70	18	5	5	6	104	9	16	37	33	49
36	Rural—White	12,439	1,791	388	164	108	78	2,529	217	144	275	411	387
	Colored	2,859	304	58	24	23	16	425	48	53	138	177	159
37	Utah—White	4,289	507	76	50	36	37	706	95	106	128	115	117
	Colored	131	22	6	5	1	3	37	2	8	4	2	6
38	Cities of 10,000 or more—White	2,144	193	29	21	11	14	268	37	51	72	60	61
	Colored	58	9	3		1	1	14	1	1	2		2
39	Cities of 2,500 to 10,000—White	647	93	12	8	9	9	131	22	16	19	15	23
	Colored	7	1	1				2		1			
40	Rural—White	1,498	221	35	21	16	14	307	36	39	37	40	33
	Colored	66	12	2	5		2	21	1	6	2	2	4
41	Vermont—White	4,749	381	40	20	19	12	472	70	38	53	79	85
	Colored	4											
42	Cities of 10,000 or more—White	896	89	8	3	6	2	108	16	6	13	26	19
	Colored	1											
43	Cities of 2,500 to 10,000 and rural—White	3,853	292	32	17	13	10	364	54	32	40	53	66
	Colored	3											

BIRTHS), BY AGE AND COLOR: 1932—Continued

DEATHS AT AGE OF—															Deaths at unknown age	
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over		
119	125	174	228	282	289	343	457	524	452	324	185	63	13	2	2	1
5	3	3	4	3	5	10	9	6	11	4	3					
36	28	46	68	73	64	82	83	85	68	41	27	8	2		1	2
	1		1		1	1		1								
21	19	30	25	36	44	41	59	49	51	36	20	7				3
	1			1												
62	78	98	135	173	181	220	315	390	333	247	138	48	11	2	1	4
5	1	3	3	2	4	9	9	5	11	4	3					
1,679	2,227	2,878	3,433	4,066	4,973	6,043	6,752	8,213	7,479	5,656	3,173	972	175	25	28	5
394	468	489	490	462	375	338	244	208	149	96	87	30	10	8	3	
1,127	1,540	1,997	2,402	2,734	3,195	3,685	3,889	4,288	3,501	2,543	1,238	415	83	9	2	6
350	384	428	424	391	297	254	178	148	86	53	45	20	4	5	2	
146	188	208	269	325	436	595	603	808	845	633	377	106	21	4	5	7
11	13	6	15	15	21	27	23	18	17	11	11	3	2	1	1	
406	504	673	762	1,007	1,342	1,763	2,260	3,117	3,133	2,480	1,558	451	71	12	21	8
33	71	55	51	56	57	57	43	42	46	32	31	7	4	2		
559	648	640	737	930	1,006	1,163	1,242	1,542	1,401	1,045	583	161	41	2	11	9
162	169	143	180	165	150	128	120	110	92	66	45	32	11	18	11	
240	265	270	286	383	372	401	377	424	341	282	137	40	10		2	10
78	77	68	87	58	57	49	35	44	25	15	10	5	2	3	2	
154	180	154	185	225	233	281	338	411	363	269	154	39	17	1	2	11
33	36	31	40	38	38	27	22	21	21	9	8	7	1	1	5	
165	203	216	266	322	401	481	527	707	697	494	292	82	14	1	7	12
51	56	44	53	69	55	52	63	45	46	42	27	20	8	14	4	
248	270	373	499	610	744	858	1,068	1,280	1,122	838	420	140	34	4	14	13
14	12	12	19	14	24	16	21	13	8	14	3	4	2	2		
109	157	204	269	327	387	415	505	575	482	346	175	55	11			14
6	8	8	13	10	14	11	12	9	3	4	1	1				
60	49	71	78	108	146	164	209	254	218	153	81	38	9	1	6	15
3			2	1	3	2	2	1	2	5				1		
79	64	98	152	175	211	279	354	451	422	339	164	47	14	3	8	16
5	4	4	4	3	7	3	7	3	3	5	2	3	2	1		
2,496	3,404	4,289	5,431	6,513	7,899	9,540	9,987	10,355	9,279	6,642	3,503	1,066	226	26	28	17
481	577	583	630	625	582	454	335	224	193	94	51	30	10	4	4	
1,567	2,143	2,685	3,440	4,085	4,789	5,803	5,658	5,378	4,533	3,012	1,562	478	100	9	13	18
386	481	469	522	516	475	362	251	173	129	62	36	20	8	2	4	
269	415	484	655	808	1,001	1,155	1,244	1,408	1,245	911	478	161	37	3	2	19
18	21	13	19	16	20	18	13	5	12	8	2	5	1			
660	846	1,120	1,336	1,620	2,109	2,582	3,085	3,569	3,501	2,719	1,463	427	89	14	13	20
77	75	101	89	93	87	74	71	46	52	24	13	5	1	2		
181	210	295	406	520	670	849	906	918	702	455	257	86	7	1	3	21
12	10	18	12	12	18	17	14	21	12	16	4	3		1		
162	186	267	375	464	600	749	820	796	581	383	214	71	6	1	3	22
10	7	17	11	12	17	16	12	18	12	14	2	3		1		
12	12	11	15	25	26	35	28	40	41	26	14	4				23
2	2						1				1					
7	12	17	16	31	44	65	58	82	80	46	29	11	1			24
	1	1	1		1	1	1	3		2	1					
274	345	342	434	520	618	637	588	777	705	473	242	65	11	2	3	25
558	695	704	754	889	668	633	489	374	305	219	121	71	34	32	10	
78	107	99	128	141	169	162	132	160	128	84	49	5	1		1	26
165	212	226	213	210	134	112	85	44	25	16	13	7	2	3	2	
34	38	37	48	55	65	73	67	84	71	52	24	7			1	27
44	56	52	62	83	69	51	36	30	21	19	7	3	3			
162	200	206	258	324	384	402	389	533	506	337	169	53	10	2	1	28
349	427	426	479	596	465	470	368	300	259	184	101	61	29	29	8	
126	141	166	206	262	300	385	504	653	569	388	201	73	17	3	11	29
16	26	13	10	19	19	16	19	22	20	20	13	4	1	1	3	
37	49	42	59	56	86	98	121	124	104	63	46	14	2		3	30
	1		1						1							
27	24	40	35	54	48	64	78	91	75	58	33	8			1	31
3			3	1	1	1	2	1								
62	68	84	112	152	166	223	305	438	390	267	122	51	15	3	7	32
13	25	13	6	18	18	15	17	21	19	20	13	4	1	1	3	
666	757	770	924	1,103	1,224	1,452	1,535	1,829	1,732	1,301	729	212	45	9	28	33
486	514	528	547	639	532	552	428	311	217	216	115	75	27	31	30	
227	284	294	359	412	443	483	446	493	416	294	185	47	11	1	4	34
304	335	346	345	361	312	283	195	135	83	67	24	21	6	6	4	
84	71	75	85	131	153	141	157	169	173	109	60	27	4		2	35
37	42	40	50	83	56	78	44	47	24	24	14	6	5	4	8	
355	402	401	480	560	628	828	932	1,167	1,143	898	484	138	30	8	22	36
145	137	142	152	195	164	191	189	129	110	125	77	48	16	21	18	
124	142	187	212	208	271	324	323	384	373	252	151	53	10	1	7	37
6	1	4	9	11	10	8	8	6	4	3	2					
71	73	108	121	119	166	180	161	187	184	123	74	21	4		3	38
2		2	5	6	5	4	6	4		2	2					
25	26	28	36	29	29	39	50	50	45	31	22	8	2		1	39
1	1		1		1											
28	43	51	55	60	76	105	112	147	144	98	55	24	4	1	3	40
3		2	3	5	4	4	2	2	4	1						
77	94	132	168	242	302	421	484	565	587	454	279	102	26	6	13	41
1						1	1	1								
21	20	40	49	71	72	91	84	97	78	42	29	10	3	1		42
						1										
56	74	92	119	171	230	330	400	468	509	412	250	92	23	5	13	43
1							1	1								

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

	AREA AND COLOR		All ages	DEATHS AT AGE OF—										
				Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Virginia	White	18,270	2,222	364	177	101	82	2,946	263	226	389	533	501
		Colored	10,628	1,448	202	90	57	42	1,839	142	184	419	538	469
2	Cities of 10,000 or more	White	5,314	480	65	30	25	22	622	68	51	103	145	161
		Colored	3,636	393	67	25	13	11	509	34	57	148	198	189
3	Cities of 2,500 to 10,000	White	1,780	200	41	17	11	4	273	27	27	35	66	64
		Colored	633	69	11	4	3	6	93	13	16	24	33	29
4	Rural	White	11,176	1,542	258	130	65	56	2,051	168	148	251	322	276
		Colored	6,359	986	124	61	41	25	1,237	95	111	247	307	251
5	Washington	White	15,959	903	102	74	59	35	1,173	191	215	282	356	355
		Colored	622	64	13	5	10	5	97	29	35	34	36	32
6	Cities of 10,000 or more	White	9,020	532	51	38	36	21	678	119	114	137	200	229
		Colored	298	13	5	2	5	2	27	10	5	10	19	20
7	Cities of 2,500 to 10,000	White	1,619	111	20	4	6	4	145	17	20	43	35	21
		Colored	67	14	3	1		1	19	3	4	6	1	2
8	Rural	White	5,320	260	31	32	17	10	350	55	81	102	121	105
		Colored	257	37	5	2	5	2	51	16	26	18	16	10
9	West Virginia	White	16,125	2,683	617	254	172	136	3,862	413	279	425	513	511
		Colored	1,787	228	46	23	12	9	318	29	23	62	93	110
10	Cities of 10,000 or more	White	4,300	532	105	50	37	28	752	88	77	105	145	137
		Colored	449	42	12	3	2	4	63	4	4	9	27	32
11	Cities of 2,500 to 10,000	White	2,280	284	75	27	17	13	416	75	49	59	114	102
		Colored	286	21	4	3	2	3	33	7	6	14	17	21
12	Rural	White	9,545	1,867	437	177	118	95	2,694	250	153	261	254	272
		Colored	1,052	165	30	17	8	2	222	18	13	39	49	57
13	Wisconsin	White	29,948	2,629	282	155	132	106	3,304	423	332	495	623	643
		Colored	373	46	6	6	4	2	64	8	13	13	22	23
14	Cities of 10,000 or more	White	13,142	1,139	134	81	65	52	1,471	242	134	217	260	314
		Colored	127	14	3	2		1	20	4	3	4	4	8
15	Cities of 2,500 to 10,000	White	3,678	314	36	26	18	15	409	46	56	54	79	64
		Colored	13	1			1		2		1		1	
16	Rural	White	13,128	1,176	112	48	49	39	1,424	135	142	224	284	265
		Colored	233	31	3	4	3	1	42	4	9	9	17	15
17	Wyoming	White	1,879	203	20	11	8	6	248	27	45	47	51	77
		Colored	178	39	13	4	3	3	62	5	5	7	6	12
18	Cities of 10,000 or more	White	363	35	5	3		2	45	4	7	11	10	16
		Colored	32	8	5			1	14	1	1		2	3
19	Cities of 2,500 to 10,000	White	521	45	4	2	2		53	7	8	11	15	25
		Colored	29	9				1	10					3
20	Rural	White	995	123	11	6	6	4	150	16	30	25	26	36
		Colored	117	22	8	4	3	1	38	4	4	7	4	6

NOTE.—Data for individual cities held in manuscript.

BIRTHS), BY AGE AND COLOR: 1932—Continued

DEATHS AT AGE OF—																
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Deaths at unknown age	
506	590	624	790	936	1,119	1,451	1,434	1,899	1,759	1,297	677	254	50	17	9	1
518	573	621	737	952	840	820	628	464	295	272	136	77	34	40	30	
173	182	229	290	337	406	506	488	538	465	332	143	59	13	2	1	2
227	243	281	331	400	307	296	176	115	55	35	18	7	4	3	3	
50	67	71	82	97	136	143	134	186	148	88	57	21	4	3	1	3
24	38	39	49	67	53	48	40	31	12	11	4	2	3	3	1	
283	341	324	418	502	577	802	812	1,175	1,146	877	477	174	33	12	7	4
267	292	301	357	485	480	476	412	318	228	226	114	68	27	34	26	
389	513	676	864	998	1,144	1,360	1,701	1,950	1,689	1,206	625	205	37	7	23	5
20	25	37	39	39	43	37	23	21	35	12	9	8	5	2	4	
229	298	407	550	609	710	790	942	1,091	881	617	288	107	14	2	8	6
16	13	25	27	31	27	29	9	9	8	4	2	4		1	2	
37	49	66	73	86	116	150	178	175	163	137	73	19	5	3	8	7
	2	2	5	3	2	3	6	3	2		1	2	1			
123	166	203	241	303	318	420	581	684	645	452	264	79	18	2	7	8
4	10	10	7	5	14	5	8	9	25	8	6	2	4	1	2	
490	515	536	673	756	835	969	1,104	1,258	1,245	958	555	183	38	7		9
104	142	161	154	143	108	85	98	57	48	24	12	11	3	2		
155	180	188	225	252	268	291	348	387	316	216	129	30	10	1		10
25	30	40	48	30	33	29	28	19	18	5	2	1	1	1		
99	80	85	110	111	137	157	147	178	147	115	75	17	5	2		11
24	28	32	25	21	18	11	11	6	6	2	1	3				
236	255	263	338	393	430	521	609	693	782	627	351	136	23	4		12
55	84	89	81	92	57	45	59	32	24	17	9	7	2	1		
697	914	1,084	1,351	1,609	1,868	2,331	2,951	3,652	3,263	2,428	1,325	530	100	16	9	13
31	23	21	19	31	16	17	14	19	13	11	5	5	2	1	2	
349	460	565	675	832	928	1,120	1,341	1,537	1,255	810	433	161	31	5	2	14
13	13	11	9	8	9	5	4	6	1	3		1			1	
76	99	102	130	173	222	293	364	454	471	315	181	75	13	1	1	15
2		2		1	1				1	1			1			
272	355	417	546	604	718	918	1,246	1,661	1,537	1,303	711	294	56	10	6	16
16	10	8	10	22	6	12	10	13	11	7	5	4	1	1	1	
80	67	113	112	131	130	124	152	165	152	90	44	13	5		6	17
8	7	5	9	4	12	7	10	6	5	4	1	2	1			
13	13	29	23	28	28	27	27	24	28	19	10	1				18
	1		3		2	1		1	2			1				
19	22	40	41	40	37	31	45	54	42	22	6	3				19
1	2	1	2		4	1	2	2	1							
48	32	44	48	63	65	66	80	87	82	49	28	9	5		6	20
7	4	4	4	4	6	5	8	3	2	4	1	1	1			

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932

[Native white includes native born of both parents native, of 1 or both foreign, and of both unknown or 1 unknown and 1 native.

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
All ages	712,931	595,598	464,370	395,561	139,515	110,180	12,501	4,099	87,363	79,301	2,386	2,247	1,116	134	743	276	4,937	3,800
Under 1 year	68,871	52,396	55,628	41,695	14	12	49	25	11,314	9,148	473	390	43	35	60	47	1,290	1,044
1 to 4 years	20,992	18,249	17,029	14,575	31	29	76	59	3,134	2,869	236	235	19	18	39	36	428	428
5 to 9 years	10,831	8,973	9,126	7,450	79	51	39	32	1,323	1,208	87	81	7	9	28	22	142	120
10 to 14 years	9,327	7,225	7,541	5,596	156	122	37	22	1,389	1,267	86	111	7	5	14	15	97	87
15 to 19 years	14,382	12,672	10,799	8,590	347	228	111	68	2,797	3,431	133	156	11	6	24	19	160	174
20 to 24 years	18,568	18,046	12,630	11,798	769	744	223	87	4,490	5,040	137	143	31	3	17	7	271	224
25 to 29 years	19,094	18,701	12,230	11,964	1,435	1,373	288	121	4,628	4,957	107	94	39	10	23	13	344	169
30 to 34 years	21,212	19,518	13,104	12,341	2,269	1,880	362	103	4,989	4,911	94	74	53	5	33	21	308	183
35 to 39 years	27,319	22,884	15,780	13,887	4,423	3,136	623	145	6,005	5,400	76	93	81	5	34	25	297	193
40 to 44 years	33,158	25,298	18,646	15,097	7,364	4,151	734	177	5,946	5,614	71	73	72	6	51	18	274	162
45 to 49 years	40,396	29,401	22,229	17,356	10,135	5,757	935	177	6,592	5,852	69	66	81	6	98	21	257	166
50 to 54 years	48,034	34,479	26,927	20,169	12,026	7,540	1,261	215	7,321	6,310	96	87	88	3	110	6	205	149
55 to 59 years	54,251	38,593	32,892	23,959	13,622	9,207	1,134	276	6,146	4,921	94	73	88	10	92	9	183	138
60 to 64 years	61,889	46,674	38,228	29,070	16,164	12,278	1,414	359	5,634	4,751	97	81	103	2	66	9	183	124
65 to 69 years	64,845	51,533	40,000	32,417	18,551	14,723	1,336	393	4,566	3,788	105	86	102	3	39	2	146	121
70 to 74 years	69,849	59,183	46,513	40,587	18,026	14,874	1,338	481	3,628	3,041	112	106	106	4	10	5	116	85
75 to 79 years	58,982	53,342	40,135	37,532	14,712	12,908	1,070	493	2,767	2,244	115	90	91	3	4	------	88	72
80 to 84 years	40,724	41,370	26,743	27,874	10,962	11,059	730	444	2,077	1,844	84	91	58	1	1	1	69	56
85 to 89 years	20,781	24,164	13,255	16,064	5,903	6,688	303	193	1,212	1,134	53	45	26	------	------	------	29	40
90 to 94 years	6,670	9,353	3,897	5,918	1,993	2,614	100	99	625	675	25	27	7	------	------	------	23	20
95 to 99 years	1,398	2,187	707	1,206	385	638	20	29	259	277	14	13	------	------	------	------	13	24
100 years and over	403	729	82	189	79	109	7	7	213	387	14	21	------	------	------	------	8	16
Unknown	955	628	249	227	70	59	311	94	308	232	8	11	3	------	------	------	6	5
REGISTRATION STATES OF 1920 [1]																		
All ages	611,389	513,167	397,929	342,313	130,979	104,386	9,970	3,070	66,405	59,598	1,078	998	1,065	130	703	266	3,260	2,406
Under 1 year	55,976	42,469	46,206	34,598	12	11	38	21	8,586	6,912	220	169	40	33	55	44	819	681
1 to 4 years	16,715	14,342	13,875	11,751	30	27	50	37	2,352	2,144	82	73	19	16	39	33	268	261
5 to 9 years	8,899	7,311	7,634	6,192	76	46	27	18	1,000	901	33	34	7	9	27	22	95	89
10 to 14 years	7,665	5,905	6,329	4,706	148	111	24	17	1,037	949	42	47	7	5	14	15	64	55
15 to 19 years	11,755	10,059	9,093	7,123	316	210	79	42	2,064	2,469	52	67	9	6	22	19	120	123
20 to 24 years	15,094	14,429	10,636	9,858	720	700	163	58	3,260	3,595	59	58	30	3	17	7	209	150
25 to 29 years	15,733	15,214	10,325	9,993	1,355	1,310	209	79	3,475	3,660	46	40	38	10	22	13	263	109
30 to 34 years	17,736	16,161	11,073	10,398	2,143	1,803	278	73	3,894	3,716	29	36	52	5	33	20	234	110
35 to 39 years	23,066	19,232	13,389	11,831	4,222	3,035	536	98	4,566	4,077	28	43	75	5	32	23	218	120
40 to 44 years	28,660	21,424	16,045	12,950	7,037	4,002	622	136	4,617	4,170	40	34	72	6	50	18	177	108
45 to 49 years	35,175	25,338	19,198	15,065	9,722	5,540	797	131	5,096	4,434	30	30	74	6	93	20	165	112
50 to 54 years	41,774	29,939	23,186	17,632	11,519	7,246	1,062	175	5,632	4,742	53	39	85	3	98	6	139	96
55 to 59 years	47,489	34,044	28,505	21,057	13,003	8,849	929	213	4,733	3,788	39	36	82	10	89	9	109	82
60 to 64 years	54,550	41,658	33,366	25,733	15,356	11,807	1,140	284	4,380	3,715	41	37	99	2	61	9	107	71
65 to 69 years	57,273	46,277	35,008	28,942	17,462	14,007	1,053	298	3,475	2,910	53	41	101	3	36	2	85	74
70 to 74 years	61,239	52,971	40,442	36,021	16,776	14,067	1,035	378	2,739	2,395	65	52	104	4	10	5	68	49
75 to 79 years	51,504	47,404	34,862	33,138	13,537	12,072	812	366	2,096	1,738	66	48	83	3	4	------	44	39
80 to 84 years	35,369	36,543	23,162	24,533	9,986	10,237	560	344	1,527	1,351	44	48	55	1	1	1	34	28
85 to 89 years	17,881	21,368	11,371	14,182	5,295	6,163	248	151	904	827	22	28	26	------	------	------	15	17
90 to 94 years	5,712	8,243	3,373	5,252	1,798	2,402	76	68	436	495	11	15	6	------	------	------	12	11
95 to 99 years	1,169	1,886	604	1,052	342	585	14	24	188	202	12	9	------	------	------	------	9	14
100 years and over	283	547	68	157	65	99	5	6	133	265	8	13	------	------	------	------	4	7
Unknown	672	403	179	149	59	57	213	53	215	143	3	1	1	------	------	------	2	------
REGISTRATION STATES [2]																		
All ages	704,506	588,763	459,404	391,726	138,658	109,527	12,222	4,018	85,752	77,690	2,385	2,247	1,103	133	741	276	4,241	3,146
Under 1 year	67,839	51,592	54,972	41,178	14	12	49	25	11,150	9,021	473	390	41	35	60	47	1,080	884
1 to 4 years	20,641	17,924	16,782	14,382	31	29	75	59	3,088	2,809	236	235	19	17	39	36	371	357
5 to 9 years	10,676	8,848	9,017	7,357	78	51	38	32	1,302	1,189	87	81	7	9	28	22	119	107
10 to 14 years	9,197	7,117	7,456	5,535	153	116	35	22	1,361	1,242	86	111	7	5	14	15	85	71
15 to 19 years	14,167	12,451	10,665	8,476	334	219	110	67	2,754	3,357	133	156	11	6	24	19	136	151
20 to 24 years	18,268	17,689	12,466	11,616	744	722	218	85	4,410	4,923	137	143	30	3	17	7	246	190
25 to 29 years	18,722	18,306	12,043	11,773	1,415	1,354	277	115	4,508	4,806	107	94	39	10	23	13	310	141
30 to 34 years	20,831	19,149	12,917	12,159	2,237	1,854	350	100	4,871	4,791	94	74	53	5	33	21	276	145
35 to 39 years	26,822	22,498	15,517	13,698	4,391	3,111	609	138	5,848	5,270	76	93	80	5	34	25	267	158
40 to 44 years	32,658	24,863	18,376	14,893	7,322	4,107	721	174	5,811	5,454	71	73	72	6	51	18	234	138
45 to 49 years	39,847	28,978	21,951	17,169	10,083	5,708	924	168	6,427	5,701	69	66	80	6	96	21	217	139
50 to 54 years	47,418	34,041	26,599	19,967	11,952	7,489	1,233	213	7,159	6,158	96	87	87	3	110	6	182	118
55 to 59 years	53,592	38,171	32,492	23,736	13,532	9,144	1,106	268	6,040	4,828	94	73	84	10	92	9	152	103
60 to 64 years	61,234	46,255	37,832	28,820	16,067	12,214	1,375	355	5,549	4,679	97	81	101	2	66	9	147	95
65 to 69 years	64,280	51,132	39,662	32,167	18,446	14,658	1,297	387	4,506	3,737	105	86	102	3	39	2	123	92
70 to 74 years	69,345	58,817	46,184	40,329	17,929	14,823	1,316	471	3,590	3,012	112	106	105	4	10	5	99	67
75 to 79 years	58,543	53,021	39,836	37,317	14,645	12,852	1,048	489	2,731	2,211	115	90	91	3	4	------	73	59
80 to 84 years	40,434	41,098	26,550	27,689	10,920	11,013	713	438	2,051	1,821	83	91	58	1	1	1	58	44
85 to 89 years	20,640	24,009	13,180	15,976	5,857	6,650	296	190	1,204	1,117	53	45	26	------	------	------	24	31
90 to 94 years	6,631	9,297	3,880	5,881	1,982	2,601	99	97	619	674	25	27	7	------	------	------	19	17
95 to 99 years	1,383	2,171	702	1,197	379	636	19	28	257	275	14	13	------	------	------	------	12	22
100 years and over	394	718	82	187	77	106	7	7	208	385	14	21	------	------	------	------	6	12
Unknown	944	618	243	224	70	58	307	90	308	230	8	11	3	------	------	------	5	5

[1] These States are shown in table A.
[2] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	360,293	313,049	217,387	194,146	93,277	78,393	6,065	1,754	40,261	36,894	235	189	801	108	429	165	1,838	1,400
Under 1 year	31,091	23,697	26,073	19,774	11	7	21	8	4,470	3,507	38	27	35	27	30	22	413	325
1 to 4 years	9,648	8,174	8,084	6,772	27	20	22	18	1,297	1,153	16	13	18	15	21	21	163	162
5 to 9 years	5,609	4,573	4,907	3,955	64	37	12	12	546	493	7	9	6	7	18	11	49	49
10 to 14 years	4,681	3,596	3,941	2,961	110	86	12	5	564	498	12	9	6	4	8	7	28	26
15 to 19 years	6,718	6,077	5,193	4,379	244	155	42	23	1,143	1,425	12	15	8	4	13	9	63	67
20 to 24 years	8,893	9,338	6,017	6,313	534	549	95	39	2,088	2,321	15	20	17	2	11	4	116	90
25 to 29 years	10,178	10,347	6,317	6,556	1,048	1,079	137	59	2,462	2,551	17	13	33	10	12	12	152	67
30 to 34 years	11,926	11,185	7,026	6,827	1,644	1,484	175	44	2,860	2,728	15	11	40	5	25	16	141	70
35 to 39 years	15,615	13,404	8,429	7,816	3,234	2,497	335	74	3,393	2,916	8	12	64	4	20	14	132	71
40 to 44 years	19,813	14,971	10,308	8,421	5,441	3,313	433	92	3,423	3,051	13	10	60	5	34	14	101	65
45 to 49 years	24,784	17,552	12,590	9,661	7,603	4,553	608	82	3,740	3,151	12	11	67	5	56	12	108	77
50 to 54 years	28,487	20,402	14,694	11,010	8,921	5,921	780	125	3,852	3,263	16	11	76	3	65	5	83	64
55 to 59 years	31,133	22,755	17,290	12,915	10,040	7,143	606	144	2,995	2,482	10	5	71	10	47	7	74	49
60 to 64 years	34,224	27,187	19,036	15,156	11,643	9,469	797	180	2,559	2,307	9	5	78	2	43	7	59	61
65 to 69 years	33,806	28,869	18,543	16,198	12,660	10,745	659	178	1,799	1,693	3	5	77	1	15	1	50	48
70 to 74 years	32,715	30,819	19,339	18,897	11,441	10,361	560	213	1,249	1,307	13	4	67	2	8	2	38	33
75 to 79 years	24,854	25,627	14,965	16,194	8,623	8,413	359	181	838	813	6	2	36	2	3	------	24	22
80 to 84 years	15,586	18,852	8,969	11,357	5,874	6,783	228	163	459	532	8	3	25	------	------	1	23	13
85 to 89 years	7,465	10,379	4,155	6,149	2,958	3,833	76	61	253	320	1	2	13	------	------	------	9	14
90 to 94 years	2,293	3,988	1,221	2,292	909	1,465	21	30	131	190	3	1	3	------	------	------	5	10
95 to 99 years	431	913	210	450	174	377	5	6	38	71	------	------	------	------	------	------	4	9
100 years and over	95	187	26	46	34	60	2	1	31	72	1	1	------	------	------	------	1	7
Unknown	248	157	54	47	40	43	80	16	71	50	------	------	1	------	------	------	2	1
RURAL PART OF REGISTRATION STATES [2]																		
All ages	344,213	275,714	242,017	197,580	45,381	31,134	6,157	2,264	45,491	40,796	2,150	2,058	302	25	312	111	2,403	1,746
Under 1 year	36,748	27,895	28,899	21,404	3	5	28	17	6,680	5,514	435	363	6	8	30	25	667	559
1 to 4 years	10,993	9,750	8,698	7,610	4	9	53	41	1,791	1,656	220	222	1	2	18	15	208	195
5 to 9 years	5,067	4,275	4,110	3,402	14	14	26	20	756	696	80	72	1	2	10	11	70	58
10 to 14 years	4,516	3,521	3,515	2,574	43	30	23	17	797	744	74	102	1	1	6	8	57	45
15 to 19 years	7,449	6,374	5,472	4,097	90	64	68	44	1,611	1,932	121	141	3	2	11	10	73	84
20 to 24 years	9,375	8,351	6,449	5,303	210	173	123	46	2,322	2,602	122	123	13	1	6	3	130	100
25 to 29 years	8,544	7,959	5,726	5,217	367	275	140	56	2,046	2,255	90	81	6	------	11	1	158	74
30 to 34 years	8,905	7,964	5,891	5,332	593	370	175	56	2,011	2,063	79	63	13	------	8	5	135	75
35 to 39 years	11,207	9,094	7,088	5,882	1,157	614	274	64	2,455	2,354	68	81	16	1	14	11	135	87
40 to 44 years	12,845	9,892	8,068	6,472	1,881	794	288	82	2,388	2,403	58	63	12	1	17	4	133	73
45 to 49 years	15,063	11,426	9,361	7,508	2,480	1,155	316	86	2,687	2,550	57	55	13	1	40	9	109	62
50 to 54 years	18,931	13,639	11,905	8,957	3,031	1,568	453	88	3,307	2,895	80	76	11	------	45	1	99	54
55 to 59 years	22,459	15,416	15,202	10,821	3,492	2,001	500	124	3,045	2,346	84	68	13	------	45	2	78	54
60 to 64 years	27,010	19,068	18,796	13,664	4,424	2,745	578	175	2,990	2,372	88	76	23	------	23	2	88	34
65 to 69 years	30,474	22,263	21,119	15,969	5,786	3,913	638	209	2,707	2,044	102	81	25	2	24	1	73	44
70 to 74 years	36,630	27,998	26,845	21,432	6,488	4,462	756	258	2,341	1,705	99	102	38	2	2	3	61	34
75 to 79 years	33,689	27,394	24,871	21,123	6,022	4,439	689	308	1,893	1,398	109	88	55	1	1	------	49	37
80 to 84 years	24,848	22,246	17,581	16,332	5,046	4,230	485	275	1,592	1,289	75	88	33	1	1	------	35	31
85 to 89 years	13,175	13,630	9,025	9,827	2,899	2,817	220	129	951	797	52	43	13	------	------	------	15	17
90 to 94 years	4,338	5,309	2,659	3,589	1,073	1,136	78	67	488	484	22	26	4	------	------	------	14	7
95 to 99 years	952	1,258	492	747	205	259	14	22	219	204	14	13	------	------	------	------	8	13
100 years and over	299	531	56	141	43	46	5	6	177	313	13	20	------	------	------	------	5	5
Unknown	696	461	189	177	30	15	227	74	237	180	8	11	2	------	------	------	3	4
REGISTRATION CITIES IN NON-REGISTRATION STATE [3]																		
All ages	8,425	6,835	4,966	3,835	857	653	279	81	1,611	1,611	1	------	13	1	2	------	696	654
Under 1 year	1,032	804	656	517	------	------	------	------	164	127	------	------	2	------	------	------	210	160
1 to 4 years	351	325	247	193	------	------	1	------	46	60	------	------	------	1	------	------	57	71
5 to 9 years	155	125	109	93	1	------	1	------	21	19	------	------	------	------	------	------	23	13
10 to 14 years	130	108	85	61	3	6	2	------	28	25	------	------	------	------	------	------	12	16
15 to 19 years	215	221	134	114	13	9	1	1	43	74	------	------	------	------	------	------	24	23
20 to 24 years	300	357	164	182	25	22	5	2	80	117	------	------	1	------	------	------	25	34
25 to 29 years	372	395	187	191	20	19	11	6	120	151	------	------	------	------	------	------	34	28
30 to 34 years	381	369	187	182	32	26	12	3	118	120	------	------	------	------	------	------	32	38
35 to 39 years	497	386	263	189	32	25	14	7	157	130	------	------	1	------	------	------	30	35
40 to 44 years	500	435	270	204	42	44	13	3	135	160	------	------	------	------	------	------	40	24
45 to 49 years	549	423	278	187	52	49	11	9	165	151	------	------	1	------	2	------	40	27
50 to 54 years	616	438	328	202	74	51	28	2	162	152	------	------	1	------	------	------	23	31
55 to 59 years	659	422	400	223	90	63	28	8	106	93	------	------	4	------	------	------	31	35
60 to 64 years	655	419	396	250	97	64	39	4	85	72	------	------	2	------	------	------	36	29
65 to 69 years	565	401	338	250	105	65	39	6	60	51	------	------	------	------	------	------	23	29
70 to 74 years	504	366	329	258	97	51	22	10	38	29	------	------	1	------	------	------	17	18
75 to 79 years	439	321	299	215	67	56	22	4	36	33	------	------	------	------	------	------	15	13
80 to 84 years	290	272	193	185	42	46	17	6	26	23	1	------	------	------	------	------	11	12
85 to 89 years	141	155	75	88	46	38	7	3	8	17	------	------	------	------	------	------	5	9
90 to 94 years	39	56	17	37	11	13	1	2	6	1	------	------	------	------	------	------	4	3
95 to 99 years	15	16	5	9	6	2	1	1	2	2	------	------	------	------	------	------	1	2
100 years and over	9	11	------	2	2	3	------	------	5	2	------	------	------	------	------	------	2	4
Unknown	11	10	6	3	------	1	4	4	------	2	------	------	------	------	------	------	1	------

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1930.
[2] "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1930.
[3] Includes 8 cities in Texas.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES [1]																		
All ages	368,718	319,884	222,353	197,981	94,134	79,046	6,344	1,835	41,872	38,505	236	189	814	109	431	165	2,534	2,054
Under 1 year	32,123	24,501	26,729	20,291	11	7	21	8	4,634	3,634	38	27	37	27	30	22	623	485
1 to 4 years	9,999	8,499	8,331	6,965	27	20	23	18	1,343	1,213	16	13	18	16	21	21	220	233
5 to 9 years	5,764	4,698	5,016	4,048	65	37	13	12	567	512	7	9	6	7	18	11	72	62
10 to 14 years	4,811	3,704	4,026	3,022	113	92	14	5	592	523	12	9	6	4	8	7	40	42
15 to 19 years	6,933	6,298	5,327	4,493	257	164	43	24	1,186	1,499	12	15	8	4	13	9	87	90
20 to 24 years	9,193	9,695	6,181	6,495	559	571	100	41	2,168	2,438	15	20	18	2	11	4	141	124
25 to 29 years	10,550	10,742	6,504	6,747	1,068	1,098	148	65	2,582	2,702	17	13	33	10	12	12	186	95
30 to 34 years	12,307	11,554	7,213	7,009	1,676	1,510	187	47	2,978	2,848	15	11	40	5	25	16	173	108
35 to 39 years	16,112	13,790	8,692	8,005	3,266	2,522	349	81	3,550	3,046	8	12	65	4	20	14	162	106
40 to 44 years	20,313	15,406	10,578	8,625	5,483	3,357	446	95	3,558	3,211	13	10	60	5	34	14	141	89
45 to 49 years	25,333	17,975	12,868	9,348	7,655	4,602	619	91	3,905	3,302	12	11	68	5	58	12	148	104
50 to 54 years	29,103	20,840	15,022	11,212	8,995	5,972	808	127	4,014	3,415	16	11	77	3	65	5	106	95
55 to 59 years	31,792	23,177	17,690	13,138	10,130	7,206	634	152	3,101	2,575	10	5	75	10	47	7	105	84
60 to 64 years	34,879	27,606	19,432	15,406	11,740	9,533	836	184	2,644	2,379	9	5	80	2	43	7	95	90
65 to 69 years	34,371	29,270	18,881	16,448	12,765	10,810	698	184	1,859	1,744	3	5	77	1	15	1	73	77
70 to 74 years	33,219	31,185	19,668	19,155	11,538	10,412	582	223	1,287	1,336	13	4	68	2	8	2	55	51
75 to 79 years	25,293	25,948	15,264	16,409	8,690	8,469	381	185	874	846	6	2	36	2	3	------	39	35
80 to 84 years	15,876	19,124	9,162	11,542	5,916	6,829	245	169	485	555	9	3	25	------	------	1	34	25
85 to 89 years	7,606	10,534	4,230	6,237	3,004	3,871	83	64	261	337	1	2	13	------	------	------	14	23
90 to 94 years	2,332	4,044	1,238	2,329	920	1,478	22	32	137	191	3	1	3	------	------	------	9	13
95 to 99 years	446	929	215	459	180	379	6	7	40	73	------	------	------	------	------	------	5	11
100 years and over	104	198	26	48	36	63	2	1	36	74	1	1	------	------	------	------	3	11
Unknown	259	167	60	50	40	44	84	20	71	52	------	------	1	------	------	------	3	1
ALABAMA																		
All ages	14,435	13,245	7,641	6,668	234	128	124	76	6,433	6,369	1	3	------	------	------	------	2	1
Under 1 year	2,142	1,693	1,166	872	------	------	3	1	972	820	1	------	------	------	------	------	------	------
1 to 4 years	637	558	389	358	------	------	4	2	244	198	------	------	------	------	------	------	------	------
5 to 9 years	290	261	188	155	------	------	1	------	101	106	------	------	------	------	------	------	------	------
10 to 14 years	240	196	127	100	------	------	1	------	112	96	------	------	------	------	------	------	------	------
15 to 19 years	435	462	203	170	1	------	2	2	229	289	------	1	------	------	------	------	------	------
20 to 24 years	621	698	251	239	------	------	4	3	366	455	------	1	------	------	------	------	------	------
25 to 29 years	547	607	198	217	4	2	7	------	338	388	------	------	------	------	------	------	------	------
30 to 34 years	538	603	206	245	4	3	2	------	325	354	------	------	------	------	------	------	1	1
35 to 39 years	693	667	231	244	11	2	5	2	446	419	------	------	------	------	------	------	------	------
40 to 44 years	639	685	254	255	11	4	8	3	366	422	------	1	------	------	------	------	------	------
45 to 49 years	790	705	356	281	11	5	5	1	418	418	------	------	------	------	------	------	------	------
50 to 54 years	921	776	453	307	15	7	10	2	443	460	------	------	------	------	------	------	------	------
55 to 59 years	922	736	508	378	13	12	7	5	394	341	------	------	------	------	------	------	------	------
60 to 64 years	972	810	539	435	30	14	10	6	393	355	------	------	------	------	------	------	------	------
65 to 69 years	917	754	547	423	32	15	7	5	331	311	------	------	------	------	------	------	------	------
70 to 74 years	1,056	853	712	598	35	16	19	7	289	232	------	------	------	------	------	------	1	------
75 to 79 years	905	806	646	576	27	20	12	18	220	192	------	------	------	------	------	------	------	------
80 to 84 years	653	691	419	475	25	9	8	11	201	196	------	------	------	------	------	------	------	------
85 to 89 years	306	371	185	220	12	12	1	5	108	134	------	------	------	------	------	------	------	------
90 to 94 years	122	156	48	76	2	5	1	2	71	73	------	------	------	------	------	------	------	------
95 to 99 years	30	68	8	30	------	1	------	------	22	37	------	------	------	------	------	------	------	------
100 years and over	33	62	2	4	1	1	------	------	30	57	------	------	------	------	------	------	------	------
Unknown	26	27	5	10	------	------	7	1	14	16	------	------	------	------	------	------	------	------
ARIZONA																		
All ages	3,351	2,069	1,529	893	272	122	175	25	133	78	352	274	13	1	12	2	865	674
Under 1 year	453	364	138	105	------	------	------	------	13	12	67	58	------	1	1	1	234	187
1 to 4 years	215	165	56	35	1	------	------	------	3	5	63	38	------	------	------	1	92	86
5 to 9 years	59	54	26	22	------	1	------	------	------	1	12	14	------	------	------	------	21	16
10 to 14 years	50	53	14	20	------	1	------	------	1	------	18	17	------	------	------	------	17	15
15 to 19 years	84	77	34	32	3	------	2	------	4	5	27	18	------	------	1	------	13	22
20 to 24 years	119	110	52	45	2	5	6	2	9	3	19	20	------	------	------	------	31	35
25 to 29 years	144	109	67	56	5	3	8	5	10	5	15	11	------	------	------	------	39	29
30 to 34 years	175	127	100	73	11	4	10	2	6	11	13	11	------	------	------	------	35	26
35 to 39 years	248	122	130	63	22	7	8	2	34	5	8	12	1	------	1	------	44	33
40 to 44 years	236	115	130	61	27	8	10	3	8	9	8	6	------	------	------	------	53	28
45 to 49 years	194	108	94	51	27	12	9	------	8	5	8	13	2	------	1	------	45	25
50 to 54 years	216	84	113	37	23	18	18	------	10	4	10	4	1	------	4	------	37	21
55 to 59 years	217	83	111	42	31	9	17	1	9	4	10	6	1	------	1	------	37	21
60 to 64 years	187	99	86	57	25	9	24	1	4	2	11	8	1	------	1	------	35	22
65 to 69 years	189	71	94	41	26	6	19	------	4	------	10	6	------	------	2	------	34	18
70 to 74 years	203	99	115	54	24	13	20	1	3	4	12	9	1	------	------	------	28	18
75 to 79 years	148	82	73	41	20	13	9	3	4	------	12	6	4	------	------	------	26	19
80 to 84 years	117	65	60	32	15	7	7	2	1	1	11	7	2	------	------	------	21	16
85 to 89 years	53	40	25	19	7	4	2	1	------	1	10	1	------	------	------	------	9	14
90 to 94 years	20	12	6	4	1	2	1	------	------	------	5	1	------	------	------	------	7	5
95 to 99 years	7	11	3	1	1	------	1	------	------	------	------	2	------	------	------	------	2	8
100 years and over	2	7	------	------	------	------	------	------	------	------	------	2	------	------	------	------	2	5
Unknown	15	14	2	2	1	------	4	2	2	1	3	4	------	------	------	------	3	5

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ARKANSAS																		
All ages	9,101	7,214	5,796	4,466	146	94	480	269	2,674	2,383	-------	1	4	-------	-------	-------	1	1
Under 1 year	993	704	733	505	-------	-------	4	2	256	196	-------	-------	-------	-------	-------	-------	-------	1
1 to 4 years	472	429	335	294	-------	-------	14	10	123	124	-------	1	-------	-------	-------	-------	-------	-------
5 to 9 years	212	181	155	127	-------	-------	4	7	53	47	-------	-------	-------	-------	-------	-------	-------	-------
10 to 14 years	164	130	110	80	-------	-------	3	2	51	48	-------	-------	-------	-------	-------	-------	-------	-------
15 to 19 years	292	275	175	150	-------	-------	7	7	109	118	-------	-------	1	-------	-------	-------	-------	-------
20 to 24 years	376	369	198	189	-------	1	13	8	165	171	-------	-------	-------	-------	-------	-------	-------	-------
25 to 29 years	329	323	170	169	1	3	19	7	139	144	-------	-------	-------	-------	-------	-------	-------	-------
30 to 34 years	331	323	170	176	-------	1	12	6	149	140	-------	-------	-------	-------	-------	-------	-------	-------
35 to 39 years	361	319	183	166	4	-------	8	9	166	144	-------	-------	-------	-------	-------	-------	-------	-------
40 to 44 years	409	341	225	168	7	2	21	10	156	161	-------	-------	-------	-------	-------	-------	-------	-------
45 to 49 years	476	337	275	153	3	1	23	10	173	173	-------	-------	2	-------	-------	-------	-------	-------
50 to 54 years	537	408	317	223	4	4	17	10	199	171	-------	-------	-------	-------	-------	-------	-------	-------
55 to 59 years	592	426	361	263	11	5	31	10	189	148	-------	-------	-------	-------	-------	-------	-------	-------
60 to 64 years	660	447	430	276	19	7	46	22	165	142	-------	-------	-------	-------	-------	-------	-------	-------
65 to 69 years	600	415	380	263	13	8	55	21	152	123	-------	-------	-------	-------	-------	-------	-------	-------
70 to 74 years	730	475	535	349	24	20	58	26	113	80	-------	-------	-------	-------	-------	-------	-------	-------
75 to 79 years	620	477	457	370	24	17	48	24	91	66	-------	-------	-------	-------	-------	-------	-------	-------
80 to 84 years	417	372	293	287	15	8	33	22	75	55	-------	-------	-------	-------	-------	-------	1	-------
85 to 89 years	236	197	178	139	13	10	10	15	35	33	-------	-------	-------	-------	-------	-------	-------	-------
90 to 94 years	96	97	56	59	5	5	9	10	26	23	-------	-------	-------	-------	-------	-------	-------	-------
95 to 99 years	29	20	14	10	-------	2	2	2	13	6	-------	-------	-------	-------	-------	-------	-------	-------
100 years and over	17	15	3	2	-------	-------	1	1	13	12	-------	-------	-------	-------	-------	-------	-------	-------
Unknown	152	134	43	48	3	-------	42	28	63	58	-------	-------	1	-------	-------	-------	-------	-------
CALIFORNIA																		
All ages	39,651	28,029	24,388	18,683	9,696	6,125	972	175	727	590	177	167	553	86	486	204	2,654	1,999
Under 1 year	2,307	1,809	1,493	1,164	-------	-------	-------	-------	36	37	32	17	31	18	42	36	673	537
1 to 4 years	696	617	418	343	-------	2	1	1	10	11	9	13	11	11	30	23	217	213
5 to 9 years	426	379	306	262	3	1	-------	1	7	10	7	4	4	5	19	16	80	80
10 to 14 years	400	265	303	189	13	8	-------	-------	12	2	6	2	5	4	7	12	54	48
15 to 19 years	617	494	441	322	34	21	3	3	9	11	12	14	5	4	14	15	99	104
20 to 24 years	938	730	626	518	56	44	14	2	35	21	15	12	12	3	12	5	168	125
25 to 29 years	1,106	827	684	575	119	91	25	8	39	32	4	5	18	7	19	11	198	98
30 to 34 years	1,225	913	758	631	167	121	30	4	42	46	6	5	20	2	20	15	182	89
35 to 39 years	1,618	1,025	973	712	311	139	45	4	65	46	4	7	27	3	16	18	177	96
40 to 44 years	2,113	1,212	1,276	834	495	205	64	11	58	52	7	8	31	3	36	10	146	89
45 to 49 years	2,542	1,453	1,462	944	693	326	84	12	66	53	4	5	33	5	66	16	134	92
50 to 54 years	2,994	1,676	1,750	1,148	805	379	124	13	80	42	9	4	34	2	73	5	119	83
55 to 59 years	3,314	1,915	2,075	1,293	863	468	118	13	71	51	2	7	36	8	58	7	91	68
60 to 64 years	3,771	2,296	2,366	1,588	1,052	564	130	11	52	42	5	12	41	2	35	8	90	69
65 to 69 years	3,922	2,591	2,316	1,667	1,280	780	116	29	50	41	10	4	55	3	27	2	68	65
70 to 74 years	4,298	3,097	2,686	2,113	1,331	866	101	17	31	40	15	10	68	3	9	4	57	44
75 to 79 years	3,355	2,758	2,055	1,886	1,090	783	63	20	34	25	10	7	64	2	2	-------	37	35
80 to 84 years	2,362	2,123	1,417	1,375	819	693	30	14	19	9	10	7	36	1	1	1	30	23
85 to 89 years	1,142	1,195	696	753	396	407	12	5	4	6	3	11	18	-------	-------	-------	13	13
90 to 94 years	386	479	233	287	134	168	1	3	4	4	-------	6	4	-------	-------	-------	10	11
95 to 99 years	90	137	45	66	30	50	1	3	3	4	3	2	-------	-------	-------	-------	8	12
100 years and over	18	37	7	13	4	9	1	-------	-------	5	3	5	-------	-------	-------	-------	3	5
Unknown	11	1	-------	-------	1	-------	9	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------
COLORADO																		
All ages	7,286	5,313	5,203	4,035	1,315	829	301	88	143	107	16	11	9	1	19	6	280	236
Under 1 year	725	534	611	438	-------	-------	1	-------	9	8	2	3	-------	-------	2	1	100	84
1 to 4 years	209	173	178	149	-------	-------	2	-------	1	1	1	-------	-------	-------	1	1	26	22
5 to 9 years	114	93	102	88	-------	-------	-------	-------	2	1	1	-------	-------	-------	-------	-------	9	4
10 to 14 years	87	74	77	63	1	1	-------	1	1	4	2	-------	-------	-------	1	-------	5	5
15 to 19 years	196	128	169	114	3	2	4	2	1	2	3	-------	-------	-------	2	-------	14	8
20 to 24 years	209	192	175	160	5	8	8	2	5	7	1	3	1	-------	-------	-------	14	12
25 to 29 years	213	186	168	160	16	12	10	2	2	7	-------	-------	-------	-------	-------	-------	17	5
30 to 34 years	278	201	215	167	35	14	9	2	10	5	-------	2	-------	-------	-------	1	9	10
35 to 39 years	322	220	235	168	40	22	19	7	15	6	-------	-------	1	-------	1	1	11	16
40 to 44 years	357	243	248	188	67	24	16	5	14	11	-------	-------	1	-------	2	1	9	14
45 to 49 years	357	270	232	201	77	47	22	2	13	8	-------	-------	-------	-------	2	-------	11	12
50 to 54 years	396	299	257	225	86	51	29	8	15	7	1	-------	-------	-------	1	-------	7	8
55 to 59 years	470	315	338	233	93	55	20	8	8	6	1	1	-------	-------	3	-------	7	12
60 to 64 years	591	375	396	283	134	79	36	5	11	7	-------	-------	1	-------	2	-------	11	1
65 to 69 years	673	432	423	307	196	99	30	10	12	7	-------	2	-------	-------	1	-------	11	7
70 to 74 years	775	509	521	366	194	117	38	14	12	7	1	-------	-------	-------	1	1	8	4
75 to 79 years	596	441	408	309	161	114	17	10	5	4	1	-------	-------	1	-------	-------	4	3
80 to 84 years	417	342	260	229	121	103	25	3	3	3	2	-------	3	-------	-------	-------	3	4
85 to 89 years	191	185	126	127	55	48	7	4	-------	3	-------	-------	2	-------	-------	-------	1	3
90 to 94 years	78	78	53	51	22	25	-------	1	3	1	-------	-------	-------	-------	-------	-------	-------	-------
95 to 99 years	13	15	6	8	5	5	1	-------	-------	1	-------	-------	-------	-------	-------	-------	1	1
100 years and over	3	4	1	-------	1	2	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	1	1
Unknown	16	4	4	1	3	1	7	2	1	-------	-------	-------	-------	-------	-------	-------	1	-------

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CONNECTICUT																		
All ages	8,846	8,116	5,291	5,004	3,207	2,850	91	51	249	210	2		6	1				
Under 1 year	657	516	617	498					40	18								
1 to 4 years	165	136	159	129	1			1	5	6								
5 to 9 years	108	92	107	87		1			1	4								
10 to 14 years	89	77	83	73	2	2			4	2								
15 to 19 years	162	113	149	103	9	5		1	4	4								
20 to 24 years	163	173	140	143	15	19	2		4	11			2					
25 to 29 years	169	194	129	145	32	37	1	1	7	11								
30 to 34 years	212	175	138	116	55	46	1	1	18	12								
35 to 39 years	296	256	160	144	121	94	1	1	14	17								
40 to 44 years	417	295	192	153	203	123	6		16	18				1				
45 to 49 years	547	383	238	188	279	180	8	3	22	12								
50 to 54 years	652	491	308	247	310	223	9	3	24	18	1							
55 to 59 years	772	598	378	305	365	274	8	3	21	16								
60 to 64 years	904	794	460	385	414	383	5	9	23	17			2					
65 to 69 years	927	883	448	433	454	439	13	1	10	10			2					
70 to 74 years	961	912	558	565	372	326	14	10	16	11	1							
75 to 79 years	756	788	482	493	255	278	9	9	10	8								
80 to 84 years	490	616	297	388	181	220	8	3	4	5								
85 to 89 years	283	408	179	268	100	132	2	1	2	7								
90 to 94 years	93	163	56	110	33	51	1	1	3	1								
95 to 99 years	15	36	10	25	5	10				1								
100 years and over	1	10		5		5			1									
Unknown	7	7	3	1	1	2	3	3		1								
DELAWARE																		
All ages	1,682	1,496	1,144	1,045	200	155	22	4	315	292	1							
Under 1 year	156	132	124	100					32	32								
1 to 4 years	38	36	28	26					10	10								
5 to 9 years	24	14	22	12			1		1	2								
10 to 14 years	19	16	16	12					3	4								
15 to 19 years	23	19	16	14	2				5	5								
20 to 24 years	39	36	22	22		1			17	13								
25 to 29 years	29	39	22	27		1			7	11								
30 to 34 years	41	48	27	32	3	2			11	14								
35 to 39 years	75	53	38	32	12	4	1		24	17								
40 to 44 years	62	42	42	20	10	8	1		8	14	1							
45 to 49 years	81	67	42	36	16	11	2		21	20								
50 to 54 years	115	72	63	43	20	14	3		29	15								
55 to 59 years	138	114	84	71	21	10	1	2	32	31								
60 to 64 years	162	129	95	81	24	18	2		41	30								
65 to 69 years	158	133	108	95	30	19	4		16	19								
70 to 74 years	200	167	146	119	24	27	3		27	21								
75 to 79 years	170	151	137	119	18	16	1		14	16								
80 to 84 years	91	127	71	96	9	17		2	11	12								
85 to 89 years	45	64	35	57	6	5			4	2								
90 to 94 years	10	30	6	27	3	1	1			2								
95 to 99 years	1	6		4		1			1	1								
100 years and over	2	1			2					1								
Unknown	3						2		1									
DISTRICT OF COLUMBIA																		
All ages	4,294	3,643	2,316	1,940	366	253	82	44	1,522	1,402			7	3		1	1	
Under 1 year	434	306	219	161					215	145								
1 to 4 years	121	71	59	32			3	3	59	36								
5 to 9 years	56	37	38	26	1		1	2	16	9								
10 to 14 years	68	42	33	24					25	18								
15 to 19 years	79	89	41	30	1			1	37	58								
20 to 24 years	121	138	42	47	2	1	2	2	75	88								
25 to 29 years	185	144	78	52	4	1	7		96	88				2		1		
30 to 34 years	189	137	87	54	8	1		1	93	80			1	1				
35 to 39 years	269	160	118	61	17	6	11	1	121	92			1				1	
40 to 44 years	278	181	130	72	23	13	4	2	121	94								
45 to 49 years	295	204	124	80	28	12	7	1	134	111			2					
50 to 54 years	340	224	171	99	24	11	8	1	137	113								
55 to 59 years	329	275	194	140	23	23	10	6	101	106			1					
60 to 64 years	385	319	229	171	46	37	6	2	103	109			1					
65 to 69 years	314	301	184	184	49	28	8	3	72	86			1					
70 to 74 years	330	337	203	224	59	34	6	3	62	76								
75 to 79 years	246	265	178	193	35	32	4	4	29	36								
80 to 84 years	153	234	107	172	31	26	1	7	14	29								
85 to 89 years	76	122	58	81	9	21	3	3	6	17								
90 to 94 years	31	44	20	29	5	6	1	1	5	8								
95 to 99 years	4	10	2	7	1			1	1	2								
100 years and over	1	3	1	1		1				1								
Unknown																		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
FLORIDA																		
All ages	10,547	7,741	5,636	4,071	747	488	235	110	3,920	3,068	3	4	3		1		2	
Under 1 year	977	697	561	372					416	323		2						
1 to 4 years	259	244	169	153			2	1	88	89		1						
5 to 9 years	131	126	89	81		1	2		40	43		1						
10 to 14 years	153	102	77	53	1	1	1	1	74	47								
15 to 19 years	214	252	113	106	1		1	2	99	144								
20 to 24 years	380	367	158	147	4	4	7	1	210	215	1							
25 to 29 years	419	386	150	145	10	4	5	7	254	230								
30 to 34 years	498	415	190	165	9	14	11	5	287	231							1	
35 to 39 years	532	448	207	167	15	17	8	2	301	262			1					
40 to 44 years	587	456	233	164	30	17	9	6	315	269								
45 to 49 years	683	460	291	181	38	21	14	4	340	254								
50 to 54 years	798	488	357	203	55	37	19	8	365	240	1						1	
55 to 59 years	778	499	412	273	65	35	18	9	281	182	1				1			
60 to 64 years	882	513	526	277	94	54	22	15	239	167			1					
65 to 69 years	820	519	487	321	116	82	30	7	187	109								
70 to 74 years	878	539	606	396	112	50	28	9	132	84								
75 to 79 years	665	471	441	348	94	59	23	8	107	56								
80 to 84 years	470	380	325	265	65	48	16	16	64	51								
85 to 89 years	255	220	172	157	28	31	4	7	50	25			1					
90 to 94 years	74	97	49	73	7	9	1		17	15								
95 to 99 years	30	23	14	13	1	3	1		14	7								
100 years and over	11	17		4	1	1			10	12								
Unknown	53	22	9	7	1		13	2	30	13								
GEORGIA																		
All ages	17,170	14,958	8,988	7,227	203	100	170	130	7,806	7,501			1		1		1	
Under 1 year	2,301	1,800	1,210	907			3	1	1,088	892								
1 to 4 years	662	597	374	339			1	1	287	257								
5 to 9 years	285	225	173	126				1	112	98								
10 to 14 years	259	221	138	96					121	125								
15 to 19 years	501	580	229	185	1			1	271	394								
20 to 24 years	770	857	279	275		1	4	4	487	577								
25 to 29 years	663	744	238	261			7	3	418	480								
30 to 34 years	665	726	288	262	1	2	12	3	364	459								
35 to 39 years	812	779	332	272	8	4	10	2	462	501								
40 to 44 years	920	888	395	328	14	3	9	6	500	551					1		1	
45 to 49 years	999	827	436	294	17	3	11	7	534	523			1					
50 to 54 years	1,276	1,015	535	341	20	6	19	9	702	659								
55 to 59 years	1,237	867	652	395	23	6	14	11	548	455								
60 to 64 years	1,225	855	716	449	21	11	14	9	474	386								
65 to 69 years	1,086	785	631	457	32	9	14	19	409	300								
70 to 74 years	1,262	1,006	871	731	31	14	21	14	339	247								
75 to 79 years	974	831	710	628	14	14	17	20	233	169								
80 to 84 years	690	666	475	458	8	18	9	9	198	181								
85 to 89 years	384	402	242	294	11	4		4	131	100								
90 to 94 years	117	178	48	102	2	4	1	5	66	67								
95 to 99 years	38	43	9	18		1			29	24								
100 years and over	27	48	1	3					26	45								
Unknown	17	18	6	6			4	1	7	11								
IDAHO																		
All ages	2,416	1,526	1,816	1,217	418	229	121	12	8	11	38	52	2		10	2	3	3
Under 1 year	225	154	214	140						1	8	11			3	1		1
1 to 4 years	72	43	66	40					1		5	3						
5 to 9 years	54	43	52	37		2					2	4						
10 to 14 years	45	31	45	27								4						
15 to 19 years	56	43	46	35	2	2	2				4	6			1		1	
20 to 24 years	52	40	47	38	2	1	1				2	1						
25 to 29 years	44	54	41	52	3	2												
30 to 34 years	47	46	34	40	7	2	2	2	1		2	1	1			1		
35 to 39 years	64	60	58	52	2	5	3	1	1			1						1
40 to 44 years	76	65	53	56	19	5	4	1		2		1						
45 to 49 years	111	69	82	59	16	5	11			3	1	1			1			1
50 to 54 years	152	88	112	68	27	14	9	2	1	1	1	3			2			
55 to 59 years	200	105	147	79	34	21	11	2	1	2	4	1			2		1	
60 to 64 years	191	105	140	89	33	14	13		1	2	2				1		1	
65 to 69 years	229	133	151	103	59	23	15	2			4	5						
70 to 74 years	291	126	202	85	73	36	14		1		1	5						
75 to 79 years	218	129	150	98	50	29	16	1	1		1	1						
80 to 84 years	165	101	104	61	49	39	12					1						
85 to 89 years	79	65	55	42	23	20	1					3						
90 to 94 years	28	19	12	13	14	6	1				1							
95 to 99 years	5	4	2	1	3	3												
100 years and over	3	2	2	2	1													
Unknown	9	1	1		1		6	1					1					

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ILLINOIS																		
All ages	45,754	37,426	28,654	24,374	13,012	10,157	837	214	3,140	2,645	1		70	2	8		32	34
Under 1 year	3,314	2,570	3,067	2,366		1	2		239	191							6	12
1 to 4 years	1,108	923	993	830		2		3	115	85				1				2
5 to 9 years	681	507	627	471	8	2	3		42	31	1							3
10 to 14 years	538	398	485	354	15	6	1		37	38								
15 to 19 years	805	631	692	523	28	22	5	1	78	83							2	2
20 to 24 years	1,031	972	788	773	78	55	13	4	144	135			2				6	5
25 to 29 years	1,217	1,083	830	763	142	121	20	7	213	192			4				8	
30 to 34 years	1,339	1,251	853	821	212	180	19	3	251	246					1		3	1
35 to 39 years	1,921	1,521	1,125	983	448	297	56	11	282	227			7	1	1		2	2
40 to 44 years	2,401	1,693	1,270	1,056	778	417	56	11	284	208			8		1		4	1
45 to 49 years	3,067	2,013	1,589	1,214	1,046	554	91	5	338	237			2		1			3
50 to 54 years	3,303	2,293	1,732	1,310	1,182	710	96	13	281	259			11		1			1
55 to 59 years	3,674	2,551	2,030	1,525	1,320	834	81	21	237	171			6					
60 to 64 years	4,217	3,053	2,421	1,829	1,483	1,040	116	29	186	155			9		2			
65 to 69 years	4,490	3,522	2,556	2,027	1,674	1,341	88	23	161	131			9		1		1	
70 to 74 years	4,512	4,038	2,738	2,514	1,602	1,402	73	31	92	90			7					1
75 to 79 years	3,834	3,394	2,392	2,145	1,305	1,146	60	24	75	79			2					
80 to 84 years	2,433	2,655	1,444	1,555	923	1,054	30	14	34	32			2					
85 to 89 years	1,225	1,529	699	864	479	634	17	9	29	22			1					
90 to 94 years	456	594	222	336	218	239	4	3	12	16								
95 to 99 years	94	129	49	64	42	62	1		2	2								1
100 years and over	15	25	7	11	6	8		1	2	5								
Unknown	79	81	45	40	23	30	5	1	6	10								
INDIANA																		
All ages	20,881	17,875	17,782	15,609	1,772	1,287	279	110	1,010	849	3		1				34	20
Under 1 year	1,714	1,189	1,616	1,122			1		92	58							5	9
1 to 4 years	562	406	530	381	1		1		26	23							4	2
5 to 9 years	293	216	275	201	1	1		1	16	11							1	1
10 to 14 years	262	165	248	151	4	3	1	2	8	8							1	1
15 to 19 years	349	282	325	252	3	5	4	1	17	23								1
20 to 24 years	432	412	375	370	10	3	4	1	41	38							2	
25 to 29 years	456	440	375	370	17	12	8	3	49	53							7	2
30 to 34 years	482	508	395	429	18	23	4	2	62	52							3	2
35 to 39 years	578	555	448	455	45	35	7	3	74	62			1				3	
40 to 44 years	731	716	543	589	106	38	11	4	71	85								
45 to 49 years	975	816	747	682	109	55	12	1	102	78							5	
50 to 54 years	1,177	948	907	802	139	70	23	2	107	74	1							
55 to 59 years	1,369	1,099	1,136	932	136	85	25	9	70	72							2	1
60 to 64 years	1,781	1,368	1,540	1,191	144	108	21	5	76	63								1
65 to 69 years	2,107	1,710	1,836	1,474	192	171	30	16	49	49								
70 to 74 years	2,483	2,126	2,151	1,930	227	152	41	15	62	29	2							
75 to 79 years	2,260	2,024	1,952	1,825	231	152	42	21	35	26								
80 to 84 years	1,657	1,576	1,424	1,354	190	185	23	14	20	23								
85 to 89 years	870	904	702	765	143	126	8	4	16	9							1	
90 to 94 years	277	335	218	274	46	50	3	3	10	8								
95 to 99 years	43	58	34	44	8	12			1	2								
100 years and over	4	9	3	7	1	1				1								
Unknown	19	14	2	9	1		10	3	6	2								
IOWA																		
All ages	13,986	11,800	10,792	9,351	2,693	2,174	303	130	170	130	8	10	3	1			17	4
Under 1 year	1,098	840	1,075	830					16	6	2	3					5	1
1 to 4 years	271	242	266	230			3	4	2	4		1		1				2
5 to 9 years	174	132	173	127			1	1		2		2						
10 to 14 years	169	123	164	120		2	3		2	1								
15 to 19 years	214	142	203	137	3	2	2		3	2	3	1						
20 to 24 years	284	224	263	215	4	1	6		8	8	1						2	
25 to 29 years	241	265	225	247	6	9	4	4	4	4							2	1
30 to 34 years	258	299	226	277	13	13	8	3	10	6							1	
35 to 39 years	334	361	290	333	30	18	5	2	6	8			1				2	
40 to 44 years	414	366	361	328	39	22	7	3	7	13								
45 to 49 years	583	499	465	435	79	49	16	5	20	10	1		1				1	
50 to 54 years	686	557	567	482	86	66	21	4	12	5								
55 to 59 years	905	694	740	576	130	105	21	5	13	8							1	
60 to 64 years	1,206	832	936	676	226	140	30	5	13	11							1	
65 to 69 years	1,466	1,115	1,068	800	348	282	34	16	14	16		1	1				1	
70 to 74 years	1,749	1,369	1,272	1,032	419	309	45	19	13	8		1						
75 to 79 years	1,679	1,417	1,144	1,018	475	367	47	24	12	8	1							
80 to 84 years	1,260	1,217	758	807	458	380	34	21	9	8		1					1	
85 to 89 years	707	759	426	483	268	268	11	7	2	1								
90 to 94 years	239	286	145	164	88	115	3	6	3	1								
95 to 99 years	42	55	24	31	17	24	1											
100 years and over	4	4	1	2	3	2												
Unknown	3	2		1	1		1	1	1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KANSAS																		
All ages	10,977	8,535	8,830	6,921	1,298	951	234	94	605	560	9	9	1					
Under 1 year	873	652	819	596	1	1	3		49	54	1	1						
1 to 4 years	273	218	256	202			1		15	16	1							
5 to 9 years	160	130	151	125			1		8	5								
10 to 14 years	133	116	125	109	1	1			7	5		1						
15 to 19 years	214	142	194	124	3		1		15	17	1	1						
20 to 24 years	233	223	200	190	11	6	7	1	14	24	1	2						
25 to 29 years	226	230	177	201	13	7	6		30	22								
30 to 34 years	253	205	196	175	15	9	8	1	34	20								
35 to 39 years	279	251	224	199	17	12	5	4	32	35		1	1					
40 to 44 years	355	317	284	257	17	16	11	3	41	41	2							
45 to 49 years	437	401	349	326	43	21	7	3	38	50		1						
50 to 54 years	537	401	434	327	39	23	15	10	49	40		1						
55 to 59 years	734	486	592	386	83	60	17	7	42	33								
60 to 64 years	876	555	713	441	94	65	20	5	48	44	1							
65 to 69 years	1,028	731	809	589	146	94	26	8	47	40								
70 to 74 years	1,275	966	1,012	744	179	167	38	14	44	41	2							
75 to 79 years	1,283	884	995	713	225	142	25	12	38	16		1						
80 to 84 years	980	782	713	591	218	151	28	16	21	24								
85 to 89 years	596	593	430	447	133	124	8	5	25	17								
90 to 94 years	184	203	133	149	42	44	5	2	4	8								
95 to 99 years	40	35	22	26	16	7			2	2								
100 years and over	5	11	1	3	2	1		1	2	6								
Unknown	3	3	1	1			2	2										
KENTUCKY																		
All ages	15,746	13,313	12,900	10,913	407	355	179	75	2,260	1,969		1						
Under 1 year	2,161	1,606	1,955	1,452			1	1	205	153								
1 to 4 years	825	730	762	671	1		2		60	59								
5 to 9 years	290	279	267	251				1	23	27								
10 to 14 years	234	196	202	167	1		2		29	29								
15 to 19 years	394	338	330	262	1	1	4		59	75								
20 to 24 years	531	465	431	381		1	3		97	83								
25 to 29 years	487	408	386	325		2	4	1	97	80								
30 to 34 years	494	446	370	343	4		3	1	117	102								
35 to 39 years	586	472	440	354	6	3	11		129	115								
40 to 44 years	579	496	431	364	9	5	9	1	130	126								
45 to 49 years	652	570	459	415	13	3	3	3	177	149								
50 to 54 years	814	667	577	494	27	8	9	5	201	160								
55 to 59 years	994	715	760	542	28	22	15	1	191	150								
60 to 64 years	1,089	879	870	691	29	31	14	5	176	151		1						
65 to 69 years	1,263	1,005	1,047	816	59	48	16	5	141	136								
70 to 74 years	1,467	1,179	1,239	1,006	66	44	28	14	134	115								
75 to 79 years	1,277	1,161	1,084	1,016	61	50	16	7	116	88								
80 to 84 years	857	902	716	750	46	60	21	13	74	79								
85 to 89 years	539	534	423	429	41	54	11	8	64	43								
90 to 94 years	156	189	120	147	14	18	1	3	21	21								
95 to 99 years	30	45	19	21	1	5	1	3	9	16								
100 years and over	10	16	1	7			2	1	7	8								
Unknown	17	15	11	9			3	2	3	4								
LOUISIANA																		
All ages	12,580	10,731	6,216	5,020	554	442	192	80	5,584	5,180	11	6	9		1		13	3
Under 1 year	1,589	1,215	784	568			1		799	643	5	4						
1 to 4 years	451	375	264	200		1	2	2	185	172								
5 to 9 years	230	191	133	104				1	97	86								
10 to 14 years	204	145	118	71			2		83	74	1							
15 to 19 years	344	351	165	128	1	1	1	2	177	218								2
20 to 24 years	496	504	135	176	11	2	5	3	293	323	1						1	
25 to 29 years	488	478	213	167	2	2	3	7	269	301							1	1
30 to 34 years	521	489	239	176	12	2	8	5	260	306							2	
35 to 39 years	634	578	241	205	15	6	19		355	367			2		1		1	
40 to 44 years	732	564	341	215	32	11	9	4	350	333		1						
45 to 49 years	828	624	363	208	26	20	7	5	431	391			1					
50 to 54 years	948	686	424	281	39	17	16	3	466	385			2				1	
55 to 59 years	971	639	504	306	54	25	12	1	398	307							3	
60 to 64 years	1,025	689	538	342	82	47	31	5	370	295	1		2				1	
65 to 69 years	837	699	445	406	65	57	16	4	308	232	1		1				1	
70 to 74 years	766	721	471	453	69	59	17	12	207	197	1		1					
75 to 79 years	650	681	393	451	60	64	18	7	178	159							1	
80 to 84 years	462	527	234	310	54	66	7	8	166	143	1							
85 to 89 years	230	323	120	173	21	33	4	5	85	111		1						
90 to 94 years	83	153	26	55	8	25	3	4	45	69							1	
95 to 99 years	30	38	7	13	1	3	1	1	21	21								
100 years and over	22	49		7	1	1			21	41								
Unknown	39	12	8	5	1		10	1	20	6								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MAINE																		
All ages	5,664	5,055	4,676	4,133	936	893	37	15	6	9	7	5	1				1	
Under 1 year	583	434	582	430	1					3		1						
1 to 4 years	135	102	135	101		1												
5 to 9 years	68	57	66	57	2													
10 to 14 years	67	44	64	40	3	4												
15 to 19 years	89	66	82	63	5	2	2					1						
20 to 24 years	103	87	96	82	4	5	1		2									
25 to 29 years	71	105	62	94	8	11	1											
30 to 34 years	95	107	81	90	13	17	1											
35 to 39 years	95	119	77	93	16	22	1			2		2					1	
40 to 44 years	181	117	136	98	43	19	1				1							
45 to 49 years	173	186	129	135	41	48	1	1		2	1		1					
50 to 54 years	275	246	205	180	67	66	3											
55 to 59 years	366	269	270	195	94	71	2	3										
60 to 64 years	493	380	376	284	112	95	3		2	1								
65 to 69 years	628	511	471	376	151	133	4	1		1	2							
70 to 74 years	720	606	586	454	129	148	4	3			1	1						
75 to 79 years	718	591	589	500	120	89	6	2	2		1							
80 to 84 years	444	513	371	422	66	88	6	3			1							
85 to 89 years	250	337	211	292	39	43		2										
90 to 94 years	94	136	77	112	17	24												
95 to 99 years	12	41	10	34	2	7												
100 years and over	3	1		1	3													
Unknown	1						1											
MARYLAND																		
All ages	11,218	9,820	7,221	6,492	1,150	948	112	32	2,724	2,348			8		1		2	
Under 1 year	1,120	869	732	554			1	2	385	313			1				1	
1 to 4 years	273	252	196	168			1	1	74	83			2					
5 to 9 years	154	111	119	78					35	33								
10 to 14 years	134	102	92	65	1	1	1		40	36								
15 to 19 years	202	225	137	112	1	1	1		63	112								
20 to 24 years	315	295	176	158	6	3	1		131	134							1	
25 to 29 years	327	281	178	163	16	12	1		132	106								
30 to 34 years	406	299	249	161	14	11	4		138	127			1					
35 to 39 years	433	341	215	196	37	22	6	3	174	120					1			
40 to 44 years	578	409	298	237	56	27	7		216	145			1					
45 to 49 years	643	515	379	275	76	42	4		183	198			1					
50 to 54 years	822	596	446	339	92	68	17	1	266	188			1					
55 to 59 years	904	666	556	418	136	80	12	3	200	165								
60 to 64 years	1,041	851	671	541	137	128	17	4	216	178								
65 to 69 years	1,023	932	701	671	153	132	12	3	157	126								
70 to 74 years	1,096	1,007	800	775	144	130	13	3	139	99								
75 to 79 years	828	899	644	726	106	101	7	5	71	67								
80 to 84 years	542	637	388	487	92	89	1	3	60	58			1					
85 to 89 years	255	344	176	240	54	70	3	2	22	32								
90 to 94 years	86	143	55	109	22	20			9	14								
95 to 99 years	14	29	5	13	5	8		2	4	6								
100 years and over	5	11	4	4		2			1	5								
Unknown	17	6	4	2	2	1	3		8	3								
MASSACHUSETTS																		
All ages	25,270	24,176	15,646	14,526	9,047	9,180	118	51	413	408	6	4	39	7	1			
Under 1 year	2,053	1,571	2,013	1,524	3	2			37	42				3				
1 to 4 years	627	519	610	507	2	1	1		13	11	1							
5 to 9 years	312	262	305	252	3	5		1	2	4	1		1					
10 to 14 years	294	209	283	189	8	12			2	8			1					
15 to 19 years	371	291	343	263	21	17		1	6	9			1	1				
20 to 24 years	415	432	359	348	39	72			14	12			3					
25 to 29 years	466	532	353	382	88	129	4		21	21								
30 to 34 years	563	548	422	376	120	155	3		14	17			4					
35 to 39 years	811	723	521	465	255	234	2		29	23	1		3	1				
40 to 44 years	1,010	830	545	465	428	330	6	2	26	31	1		3	2	1			
45 to 49 years	1,350	1,023	627	539	664	467	12		43	16		1	4					
50 to 54 years	1,773	1,425	913	703	810	678	10	3	36	41			4					
55 to 59 years	2,244	1,737	1,163	819	1,027	885	12	2	38	31			4					
60 to 64 years	2,651	2,268	1,310	1,091	1,274	1,134	23	4	40	39			4					
65 to 69 years	2,760	2,660	1,382	1,238	1,329	1,375	15	8	30	39			4					
70 to 74 yea 2	2,816	2,826	1,599	1,534	1,180	1,264	12	10	23	18	1		1					
75 to 79 years	2,227	2,588	1,370	1,492	831	1,071	7	6	16	19	1		2					
80 to 84 years	1,505	1,924	934	1,170	557	731	6	7	8	16								
85 to 89 years	720	1,210	413	794	296	407	2	4	9	3		2						
90 to 94 years	242	448	146	280	91	162	1	2	4	4								
95 to 99 years	49	134	31	87	17	43			1	3		1						
100 years and over	5	15	1	8	4	6				1								
Unknown	6	1	3				2	1	1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MICHIGAN																		
All ages	27,230	22,355	17,440	14,770	7,713	6,232	614	183	1,368	1,101	56	47	14				25	22
Under 1 year	2,581	2,047	2,468	1,930	1	2			104	99	4	10	1				3	6
1 to 4 years	729	658	664	608	1	3	8	1	47	40	3	1					6	5
5 to 9 years	398	339	368	318	7	6	1	1	20	13		1					2	
10 to 14 years	333	268	299	235	11	10	2	2	21	17		4						
15 to 19 years	532	415	458	349	23	18	5	3	38	44	7	1					1	
20 to 24 years	593	582	475	444	48	60	9	4	59	72	2							2
25 to 29 years	696	636	486	456	93	90	12	3	98	86	1	1	1				5	
30 to 34 years	780	714	479	465	135	126	16	4	148	115	2							4
35 to 39 years	1,078	917	607	567	262	216	32	8	173	120	1	5	1				2	1
40 to 44 years	1,352	898	714	552	439	236	51	11	142	93	4	4					2	2
45 to 49 years	1,568	1,069	818	660	582	316	44	10	121	80	2	3					1	
50 to 54 years	1,726	1,158	976	712	560	347	72	9	112	90	3		2				1	
55 to 59 years	1,872	1,362	1,120	885	630	410	51	13	69	52		1	1				1	1
60 to 64 years	2,209	1,652	1,317	1,022	764	571	55	10	66	46	5	3	2					
65 to 69 years	2,376	2,000	1,346	1,111	907	824	62	19	56	40	4	5	1					1
70 to 74 years	2,838	2,392	1,685	1,479	1,044	864	65	22	36	24	3	3	5					
75 to 79 years	2,596	2,121	1,524	1,242	987	832	54	22	27	22	4	3						
80 to 84 years	1,751	1,668	1,001	945	689	673	44	24	12	24	4	2					1	
85 to 89 years	862	1,024	462	566	372	437	17	9	5	12	6							
90 to 94 years	271	344	134	180	127	156	3	3	6	5	1							
95 to 99 years	57	67	29	40	25	25	2	1	1	1								
100 years and over	8	11	2	3	3	5	1		2	3								
Unknown	24	13	8	1	3	5	8	4	5	3								
MINNESOTA																		
All ages	14,440	11,151	8,188	6,593	5,897	4,336	142	33	90	78	118	106	4	2			1	3
Under 1 year	1,223	966	1,190	939			1		2	4	30	20		2				1
1 to 4 years	285	205	274	198						1	11	5						1
5 to 9 years	180	148	176	140	1	2				3	3	3						
10 to 14 years	170	127	162	118	3	1			1	2	4	6						
15 to 19 years	269	215	256	201	5	2	1		1	3	6	9						
20 to 24 years	290	298	275	275	11	11	2	2	1	1	1	9						
25 to 29 years	289	295	255	262	24	19	1		1	6	8	7						1
30 to 34 years	364	282	309	252	36	19	9	1	8	6	2	4						
35 to 39 years	438	361	358	303	63	45	5	1	8	7	4	5						
40 to 44 years	561	400	415	320	128	69	6		11	6	1	5						
45 to 49 years	714	493	460	346	239	139	9		1	7	5	1						
50 to 54 years	846	593	479	361	340	215	12	1	10	10	5	6						
55 to 59 years	986	671	542	406	409	256	17	3	14	3	3	3	1					
60 to 64 years	1,231	838	618	480	575	350	19	2	12	3	6	3	1					
65 to 69 years	1,492	1,025	664	467	791	541	20	7	9	6	6	4	2					
70 to 74 years	1,753	1,309	713	564	1,013	730	17	5	5	6	5	4						
75 to 79 years	1,504	1,144	544	459	939	672	12	6	2	3	7	4						
80 to 84 years	1,061	927	289	289	758	632	7	2	2		5	4						
85 to 89 years	546	555	151	137	389	412	2	2	2	1	2	3						
90 to 94 years	188	240	48	60	138	179	1	1									1	
95 to 99 years	35	51	7	16	27	34					1	1						
100 years and over	10	8	1		6	8					3							
Unknown	5		2		2		1											
MISSISSIPPI																		
All ages	10,773	9,538	4,347	3,533	120	50	153	100	6,128	5,844	13	9	6				6	2
Under 1 year	1,391	1,089	545	417			4	1	838	668	3	2					1	1
1 to 4 years	489	459	211	200			4	4	273	254		1					1	
5 to 9 years	213	214	90	88			4	1	119	125								
10 to 14 years	219	155	96	44			2		121	111								
15 to 19 years	376	359	114	87			3	2	259	270								
20 to 24 years	494	501	124	114		1	8	3	361	381	1	2						
25 to 29 years	434	470	104	114		1	3	4	326	351			1					
30 to 34 years	387	428	102	119			7	4	278	305								
35 to 39 years	427	464	142	102	4		6	4	273	358	1						1	
40 to 44 years	450	484	176	135	3	1	2	5	266	343	2						1	
45 to 49 years	530	542	193	146	4	1	15	2	318	393								
50 to 54 years	680	569	255	154	6	2	5	2	411	409	1	1	1				1	1
55 to 59 years	682	544	295	219	13	4	11	4	360	317	1		2					
60 to 64 years	730	549	312	220	18	4	17	8	381	317	1		1					
65 to 69 years	724	525	298	247	19	4	11	4	393	270	2		1					
70 to 74 years	787	589	438	309	11	7	17	9	321	264								
75 to 79 years	676	597	381	334	13	13	13	19	267	230	1	1					1	
80 to 84 years	528	446	278	257	9	5	10	13	231	169		2						
85 to 89 years	323	271	146	144	15	3	7	6	155	118								
90 to 94 years	113	139	32	59	4	3	1	4	76	73								
95 to 99 years	43	47	8	12	1				34	35								
100 years and over	27	65	1	4		1			26	60								
Unknown	50	32	6	8			3	1	41	23								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MISSOURI																		
All ages	24,148	19,590	18,450	15,529	2,487	1,700	714	237	2,460	2,107	2	------	10	2	1	------	24	15
Under 1 year	1,925	1,505	1,700	1,314	------	------	------	1	220	184	------	------	------	1	------	------	5	5
1 to 4 years	727	652	632	555	------	------	6	6	85	90	------	------	1	1	------	------	3	------
5 to 9 years	323	321	297	297	------	------	3	1	22	23	------	------	------	------	------	------	1	------
10 to 14 years	271	233	239	198	2	------	1	3	29	32	------	------	------	------	------	------	------	------
15 to 19 years	425	347	351	269	------	1	4	4	69	72	------	------	------	------	------	------	1	1
20 to 24 years	540	547	430	438	9	10	11	4	87	94	------	------	2	------	------	------	1	1
25 to 29 years	557	565	413	445	14	6	10	1	120	112	------	------	------	------	------	------	------	1
30 to 34 years	663	566	462	425	35	14	17	3	147	123	1	------	------	------	------	------	1	1
35 to 39 years	785	659	543	476	33	20	19	9	185	151	------	------	------	------	1	------	4	3
40 to 44 years	1,021	760	718	573	69	32	30	10	200	145	1	------	1	------	------	------	2	------
45 to 49 years	1,212	918	855	655	110	61	40	12	207	188	------	------	------	------	------	------	------	2
50 to 54 years	1,527	1,063	1,062	784	161	75	43	9	258	195	------	------	1	------	------	------	2	------
55 to 59 years	1,838	1,244	1,402	957	194	119	48	19	193	149	------	------	------	------	------	------	1	------
60 to 64 years	2,117	1,564	1,685	1,234	277	159	82	19	168	152	------	------	2	------	------	------	3	------
65 to 69 years	2,363	1,697	1,771	1,368	383	206	76	24	132	99	------	------	1	------	------	------	------	------
70 to 74 years	2,603	2,064	2,036	1,706	332	221	110	29	123	108	------	------	2	------	------	------	------	------
75 to 79 years	2,245	1,948	1,747	1,593	325	246	72	27	101	81	------	------	------	------	------	------	------	1
80 to 84 years	1,685	1,551	1,267	1,215	304	258	64	33	50	45	------	------	------	------	------	------	------	------
85 to 89 years	887	902	656	690	172	176	35	11	24	25	------	------	------	------	------	------	------	------
90 to 94 years	300	351	226	264	51	72	10	2	13	13	------	------	------	------	------	------	------	------
95 to 99 years	59	82	39	49	13	20	1	3	6	10	------	------	------	------	------	------	------	------
100 years and over	8	17	4	10	2	4	------	------	2	3	------	------	------	------	------	------	------	------
Unknown	67	34	15	14	1	------	32	7	19	13	------	------	------	------	------	------	------	------
MONTANA																		
All ages	3,398	1,896	2,085	1,219	943	466	136	29	16	6	175	161	16	------	2	------	25	15
Under 1 year	292	175	244	138	------	------	------	------	1	1	41	30	1	------	------	------	5	6
1 to 4 years	82	67	60	46	1	1	1	------	------	------	18	15	------	------	------	------	2	5
5 to 9 years	49	45	39	35	1	------	------	------	------	------	7	9	------	------	1	------	1	1
10 to 14 years	46	39	40	29	2	1	1	1	------	------	3	8	------	------	------	------	------	------
15 to 19 years	82	56	72	43	1	3	1	------	------	1	7	9	------	------	------	------	1	------
20 to 24 years	102	58	79	46	7	2	3	1	------	------	10	7	------	------	------	------	3	2
25 to 29 years	67	57	52	46	5	3	3	1	------	1	6	6	------	------	------	------	1	------
30 to 34 years	69	78	47	63	7	8	3	------	------	------	6	7	------	------	------	------	6	------
35 to 39 years	112	69	79	53	21	10	5	1	------	2	6	3	------	------	------	------	1	------
40 to 44 years	150	87	95	67	47	17	4	1	1	------	3	2	------	------	------	------	------	------
45 to 49 years	221	103	125	69	76	28	15	2	1	------	2	3	2	------	------	------	------	1
50 to 54 years	255	109	148	67	84	31	13	2	1	1	6	8	------	------	------	------	3	------
55 to 59 years	276	140	156	82	89	47	15	4	3	------	11	7	1	------	------	------	1	------
60 to 64 years	302	142	164	77	105	57	20	4	4	------	8	4	------	------	1	------	------	------
65 to 69 years	359	150	191	79	145	60	11	4	1	------	7	7	3	------	------	------	1	------
70 to 74 years	342	171	179	92	141	66	13	2	2	------	6	11	1	------	------	------	------	------
75 to 79 years	314	159	175	98	106	49	17	4	1	------	11	8	4	------	------	------	------	------
80 to 84 years	156	109	77	51	60	45	9	2	1	------	6	11	3	------	------	------	------	------
85 to 89 years	73	53	36	24	30	27	1	------	------	------	5	2	1	------	------	------	------	------
90 to 94 years	38	22	21	11	12	11	1	------	------	------	4	------	------	------	------	------	------	------
95 to 99 years	8	5	4	3	3	------	------	------	------	------	1	2	------	------	------	------	------	------
100 years and over	1	1	------	------	------	------	------	------	------	------	1	1	------	------	------	------	------	------
Unknown	2	1	2	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
NEBRASKA																		
All ages	7,219	5,703	5,139	4,133	1,749	1,360	132	45	126	95	34	34	2	------	1	2	36	34
Under 1 year	646	445	616	422	------	------	------	------	9	8	6	2	------	------	------	1	15	12
1 to 4 years	192	144	179	131	------	------	------	------	1	4	5	3	------	------	------	------	7	6
5 to 9 years	96	76	94	76	------	------	1	------	1	------	------	------	------	------	------	------	------	------
10 to 14 years	93	65	87	61	------	------	------	------	2	2	1	1	------	------	------	------	3	1
15 to 19 years	131	106	122	97	2	1	2	1	4	1	------	3	------	------	------	------	1	3
20 to 24 years	139	128	131	116	3	4	1	1	3	3	------	2	------	------	------	------	1	2
25 to 29 years	127	108	116	94	1	7	2	1	6	5	2	1	------	------	------	------	------	------
30 to 34 years	157	163	144	146	5	8	2	1	4	5	1	1	------	------	------	------	1	2
35 to 39 years	187	169	166	143	13	14	3	2	4	7	1	2	------	------	------	------	------	1
40 to 44 years	245	223	184	185	35	23	8	3	14	8	1	3	1	------	------	1	2	------
45 to 49 years	317	235	232	208	53	15	14	3	11	5	2	2	------	------	------	------	5	2
50 to 54 years	415	306	306	243	76	50	9	3	19	7	4	1	------	------	------	------	1	2
55 to 59 years	464	321	350	241	94	72	6	1	11	6	1	1	1	------	1	------	------	------
60 to 64 years	570	417	399	294	148	111	15	1	8	10	------	1	------	------	------	------	------	------
65 to 69 years	694	537	418	325	251	196	13	5	10	8	2	3	------	------	------	------	------	------
70 to 74 years	920	605	584	378	307	212	19	7	8	6	2	2	------	------	------	------	------	------
75 to 79 years	768	600	454	375	288	216	17	5	7	3	2	1	------	------	------	------	------	------
80 to 84 years	595	543	325	322	259	213	7	3	2	2	2	2	------	------	------	------	------	1
85 to 89 years	315	338	166	189	147	141	2	3	------	3	------	1	------	------	------	------	------	1
90 to 94 years	111	137	51	73	58	60	1	2	------	2	1	------	------	------	------	------	------	------
95 to 99 years	21	29	11	13	8	16	------	------	1	------	1	------	------	------	------	------	------	------
100 years and over	3	5	3	1	------	1	------	------	------	------	------	2	------	------	------	------	------	1
Unknown	13	3	1	------	1	------	10	3	1	------	------	------	------	------	------	------	------	------

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEVADA																		
All ages	950	392	567	267	209	52	87	7	4	4	63	55	9	1	5	2	6	4
Under 1 year	47	41	38	32							7	8	1	1			1	
1 to 4 years	19	18	14	15							4	2					1	1
5 to 9 years	12	10	7	6							4	4			1			
10 to 14 years	9	15	6	9	1						2	6						
15 to 19 years	18	10	13	4	2		1				2	5						1
20 to 24 years	31	20	23	13	1	1		1			7	5						
25 to 29 years	50	15	30	11	10	2	3				5	2	1				1	
30 to 34 years	38	19	23	17	6	1	6				3							1
35 to 39 years	59	26	36	19	12	3	4				5	3	2			1		
40 to 44 years	52	11	31	10	14		4		1		1	1					1	
45 to 49 years	64	25	35	18	18	2	6	1	1	2	3	1				1	1	
50 to 54 years	99	15	60	7	22	5	9	1	1		2	2	1		4			
55 to 59 years	86	23	54	19	16	1	12				4	3						
60 to 64 years	104	30	62	16	23	8	15	1			4	4						1
65 to 69 years	65	19	33	10	20	5	8	2	1	1	2	1					1	
70 to 74 years	75	29	46	20	16	7	11				2	2						
75 to 79 years	52	29	26	18	20	6	2	1			2	4	2					
80 to 84 years	41	27	19	16	14	9	4			1	3	1	1					
85 to 89 years	22	8	9	5	11	2	1				1	1						
90 to 94 years	5	2	1	2	3								1					
95 to 99 years																		
100 years and over	1		1															
Unknown	1						1											
NEW HAMPSHIRE																		
All ages	3,291	3,038	2,419	2,224	772	758	95	52	5	4								
Under 1 year	276	184	275	183		1	1											
1 to 4 years	54	46	54	44		1		1										
5 to 9 years	38	22	37	21		1	1											
10 to 14 years	28	28	26	27	1	1	1											
15 to 19 years	46	34	44	32	1	2	1											
20 to 24 years	49	46	44	40	3	6	2											
25 to 29 years	46	58	40	48	6	9		1										
30 to 34 years	47	58	39	48	7	8	1	1		1								
35 to 39 years	64	78	41	57	19	21	4											
40 to 44 years	87	99	53	71	31	24	2	3	1	1								
45 to 49 years	124	112	77	77	41	35	4		2									
50 to 54 years	186	154	119	100	61	52	6	2										
55 to 59 years	258	158	178	101	70	57	9		1									
60 to 64 years	302	238	197	155	100	75	5	8										
65 to 69 years	375	307	242	192	124	112	8	3	1									
70 to 74 years	436	397	320	281	105	104	11	10		2								
75 to 79 years	371	413	277	293	85	112	9	8										
80 to 84 years	294	268	217	201	65	64	12	3										
85 to 89 years	124	212	87	159	30	48	7	5										
90 to 94 years	57	97	40	77	15	18	2	2										
95 to 99 years	9	17	5	14	3	2	1	1										
100 years and over		2		1		1												
Unknown	20	10	7	2	5	4	8	4										
NEW JERSEY																		
All ages	22,385	20,529	13,259	12,513	7,109	6,320	222	40	1,775	1,652		1	14	3	4		2	
Under 1 year	1,730	1,345	1,503	1,142			5	1	222	200				2				
1 to 4 years	511	437	439	382	2	2	1		69	53								
5 to 9 years	307	276	275	252	9				22	24					1			
10 to 14 years	318	221	280	193	8	7			30	21								
15 to 19 years	422	349	368	280	11	11	1	1	42	57								
20 to 24 years	501	516	371	372	51	53	3	2	74	89			1		1			
25 to 29 years	530	541	356	367	75	67	2	1	96	105		1	1					
30 to 34 years	662	613	388	375	134	133	7	2	130	103			3					
35 to 39 years	923	794	471	459	312	228	14	1	124	106			1				1	
40 to 44 years	1,190	859	590	427	447	313	15	1	136	118			2					
45 to 49 years	1,475	1,077	679	562	637	383	26	1	130	131			1		1		1	
50 to 54 years	1,832	1,279	881	632	749	493	36	2	164	151			2	1				
55 to 59 years	2,046	1,599	1,053	859	824	611	32	6	136	123			1					
60 to 64 years	2,264	1,919	1,167	1,002	933	805	26	3	135	109			2		1			
65 to 69 years	2,234	2,096	1,148	1,139	972	864	21	4	93	89								
70 to 74 years	2,069	2,208	1,216	1,308	778	838	13	1	62	61								
75 to 79 years	1,676	1,932	1,064	1,217	550	661	12	4	50	50								
80 to 84 years	1,064	1,384	635	858	396	483	6	6	27	37								
85 to 89 years	471	718	287	463	166	241	2	1	16	13								
90 to 94 years	134	295	73	190	48	97		3	13	5								
95 to 99 years	22	53	15	29	6	23			1	1								
100 years and over	2	18		5		7			2	6								
Unknown	2				1				1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEW MEXICO																		
All ages	3,317	2,651	2,781	2,309	278	158	73	21	39	25	142	136			3	2	1	
Under 1 year	860	619	806	584					3	1	50	33				1	1	
1 to 4 years	191	234	177	210					1	2	13	21				1		
5 to 9 years	77	73	72	66		1					5	6						
10 to 14 years	67	64	59	56	1	2				1	7	5						
15 to 19 years	77	108	66	101	1	1	1		1		8	6						
20 to 24 years	97	119	78	103	7	5	1	1	3	2	8	8						
25 to 29 years	113	120	98	103	8	6		1	2	2	5	8						
30 to 34 years	118	101	93	88	14	4	1	2		2	10	5						
35 to 39 years	158	116	127	104	19	6	3		7	1	2	5						
40 to 44 years	152	114	118	94	27	12	1	1	4	3	2	4						
45 to 49 years	122	92	94	73	22	14	4		1	3	1	2						
50 to 54 years	138	83	110	65	17	7	3		3	3	4	8			1			
55 to 59 years	169	114	136	92	19	17	8	1	4		2	4						
60 to 64 years	204	124	158	101	30	12	8	1		3	6	7			2			
65 to 69 years	186	117	145	97	23	15	10	2	5		3	3						
70 to 74 years	171	115	141	94	19	18	5				6	3						
75 to 79 years	163	131	127	115	25	9	8	4			3	3						
80 to 84 years	125	90	89	70	21	14	10	2	3	2	2	2						
85 to 89 years	76	53	62	46	9	5	3	1			2	1						
90 to 94 years	20	34	12	26	6	5		2	1		1	1						
95 to 99 years	9	8	7	4	2	3		1										
100 years and over	11	11	2	10	5	1	1		1		2							
Unknown	13	11	4	7	3	1	6	2				1						
NEW YORK																		
All ages	79,016	68,808	46,427	41,621	27,702	23,683	987	228	3,635	3,215	63	47	143	8	31	3	28	3
Under 1 year	6,019	4,450	5,527	4,090	2	3	5	1	470	338	9	13	4	3	1	1	1	1
1 to 4 years	1,723	1,424	1,584	1,309	11	4	2		123	104	1	3	2	3				1
5 to 9 years	1,170	866	1,069	796	23	15		1	76	54	2							
10 to 14 years	889	700	794	630	38	30	3	1	53	37	1	2						
15 to 19 years	1,208	1,044	1,010	878	92	51	8	2	93	109	2	4	3					
20 to 24 years	1,648	1,598	1,264	1,184	194	204	9	5	174	201	3	4	3				1	
25 to 29 years	1,980	1,890	1,278	1,205	430	416	21	6	207	263	4		9				11	
30 to 34 years	2,386	2,083	1,371	1,296	624	532	27	7	334	244	2	3	15	1	5		8	
35 to 39 years	3,298	2,596	1,735	1,457	1,085	867	65	11	381	257		4	22		7		3	
40 to 44 years	4,236	2,956	1,995	1,587	1,762	1,077	86	13	367	278	4		18		3	1	1	
45 to 49 years	5,318	3,650	2,511	1,886	2,337	1,463	105	18	342	280	3	2	14	1	4		2	
50 to 54 years	6,344	4,423	2,977	2,245	2,871	1,905	170	22	299	249	6	1	15		5		1	1
55 to 59 years	7,163	5,240	3,629	2,720	3,208	2,312	110	16	200	187	4	4	11		1	1		
60 to 64 years	7,919	6,760	3,972	3,429	3,599	3,137	145	27	187	166	2	1	11		3			
65 to 69 years	8,083	7,113	4,138	3,693	3,736	3,257	81	21	115	142	3		9		1			
70 to 74 years	7,753	7,583	4,404	4,444	3,172	2,990	71	24	98	123	6	2	2					
75 to 79 years	5,701	6,265	3,487	3,903	2,110	2,265	38	16	55	80	8	1	2		1			
80 to 84 years	3,755	4,496	2,266	2,703	1,435	1,723	14	24	36	45	2	1	2					
85 to 89 years	1,767	2,456	1,037	1,462	705	947	9	8	14	38	1	1	1					
90 to 94 years	541	964	318	577	213	369	2	4	8	14								
95 to 99 years	101	214	57	112	43	98		1	1	3								
100 years and over	12	27	2	11	10	13				2		1						
Unknown	22	10	2	4	2	5	16		2	1								
NORTH CAROLINA																		
All ages	16,504	14,547	10,488	8,701	107	56	76	85	5,756	5,638	73	67	2		1		1	
Under 1 year	2,976	2,207	1,803	1,267			2	1	1,152	920	19	19						
1 to 4 years	757	660	495	381			1	4	257	268	4	7						
5 to 9 years	311	254	196	160			2	2	110	91	3	1						
10 to 14 years	261	220	151	110				3	109	105	1	2						
15 to 19 years	480	479	251	188	1		1	2	227	288		1						
20 to 24 years	659	686	308	264	2		6		338	419	4	3			1			
25 to 29 years	534	626	255	268	2	4	1	2	270	349	6	3						
30 to 34 years	562	639	289	301	1	1	2	2	268	330	2	5						
35 to 39 years	685	659	359	338	4	1	6	3	311	315	4	2					1	
40 to 44 years	691	716	412	361	5	4	6	3	265	345	3	3						
45 to 49 years	747	705	435	367	7	2	3	3	302	332		1						
50 to 54 years	986	807	607	427	12	3	2	1	361	374	4	2						
55 to 59 years	1,025	769	657	467	10	2	3	2	352	296	2	2	1					
60 to 64 years	1,124	865	776	561	15	5	9	3	318	295	5	1	1					
65 to 69 years	1,027	860	729	621	16	5	3	9	277	219	2	6						
70 to 74 years	1,257	1,043	971	815	12	6	14	9	255	208	5	5						
75 to 79 years	1,083	913	863	751	7	8	4	15	207	138	2	1						
80 to 84 years	749	726	574	570	8	8	7	10	157	137	3	1						
85 to 89 years	365	428	273	332	3	6	1	5	87	84	1	1						
90 to 94 years	127	156	65	102	2	1	1	4	56	49	3							
95 to 99 years	32	57	7	28					25	28		1						
100 years and over	22	34	3	8					19	26								
Unknown	44	38	9	14			2	2	33	22								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH DAKOTA																		
All ages	2,961	2,192	1,643	1,259	1,201	863	35	3	5	3	76	63			1	1		
Under 1 year	442	337	424	324	2	1					16	12						
1 to 4 years	101	85	90	73							11	11				1		
5 to 9 years	51	42	45	39		1					6	2						
10 to 14 years	52	33	48	31	2						2	2						
15 to 19 years	49	66	47	59	1	2					1	5						
20 to 24 years	65	61	57	53	2	3	1				5	5						
25 to 29 years	56	65	50	60	5	2				1	1	2						
30 to 34 years	60	64	51	52	8	8					1	4						
35 to 39 years	68	60	52	47	14	10	1	1	1			2						
40 to 44 years	105	72	57	54	40	18	5				3							
45 to 49 years	127	105	81	69	42	34	2				1	2			1			
50 to 54 years	175	110	97	69	69	41	6		1		2							
55 to 59 years	185	109	88	56	91	51	3		1	1	2	1						
60 to 64 years	221	132	85	53	121	77	6	1	1		8	1						
65 to 69 years	285	181	104	50	173	127	3		1	1	4	3						
70 to 74 years	325	205	105	58	214	143	4				2	4						
75 to 79 years	271	192	87	55	178	131		1			6	5						
80 to 84 years	173	155	47	30	120	124	3				3	1						
85 to 89 years	108	80	20	18	86	61					2	1						
90 to 94 years	32	31	8	8	24	23												
95 to 99 years	7	6		1	7	5												
100 years and over	1	1			1	1												
Unknown	2				1		1											
OHIO																		
All ages	40,939	35,347	30,371	27,565	6,501	5,215	996	213	3,045	2,350	3	2	14		3		6	2
Under 1 year	3,359	2,592	3,107	2,376				2	251	214	1							
1 to 4 years	1,039	842	945	773		1	2	1	91	67	1							
5 to 9 years	615	468	568	422	2	3	2	1	43	42								
10 to 14 years	437	353	397	310	7	2	1		32	40		1						
15 to 19 years	736	571	648	483	15	4	5	2	68	81								1
20 to 24 years	911	858	713	677	30	32	9	7	159	142								
25 to 29 years	955	927	701	689	55	72	21	4	176	161			1				1	1
30 to 34 years	1,106	967	751	703	97	84	37	7	219	173			1				1	
35 to 39 years	1,477	1,218	863	876	223	162	99	4	289	176			3					
40 to 44 years	1,927	1,440	1,150	998	412	228	86	4	279	210								
45 to 49 years	2,247	1,676	1,362	1,185	497	284	97	8	287	198		1	3				1	
50 to 54 years	2,620	1,908	1,668	1,386	575	321	101	15	272	186	1		2				1	
55 to 59 years	3,065	2,283	2,137	1,719	601	413	93	10	230	141			1		3			
60 to 64 years	3,573	2,808	2,564	2,124	720	531	84	20	203	133			2					
65 to 69 years	3,834	3,162	2,801	2,398	803	632	97	21	131	111			1				1	
70 to 74 years	4,407	4,014	3,425	3,171	807	718	67	25	107	100							1	
75 to 79 years	3,932	3,696	3,075	3,031	700	567	73	33	84	65								
80 to 84 years	2,784	2,968	2,130	2,300	553	596	50	27	51	45								
85 to 89 years	1,460	1,800	1,058	1,366	308	384	44	13	50	37								
90 to 94 years	349	653	255	487	69	141	13	7	12	18								
95 to 99 years	70	115	41	77	23	33		1	6	4								
100 years and over	14	19	7	9	3	5		1	4	4								
Unknown	22	9	5	5	1	2	15		1	2								
OKLAHOMA																		
All ages	10,954	8,331	8,676	6,634	394	215	501	243	976	870	374	346	2				31	23
Under 1 year	1,170	882	1,008	762					93	73	62	43					7	4
1 to 4 years	501	463	439	390			2	4	30	30	26	37					4	2
5 to 9 years	264	223	234	188			3	5	18	23	9	6						1
10 to 14 years	224	155	191	123			4	3	20	16	7	13					2	
15 to 19 years	322	312	253	217	1	1	12	15	39	53	16	24					1	2
20 to 24 years	320	396	230	276	1	2	11	7	53	78	22	32					3	1
25 to 29 years	339	401	241	297	4	2	11	15	59	71	23	16					1	
30 to 34 years	379	342	286	246	2	2	14	9	52	69	24	12					1	4
35 to 39 years	477	340	353	249	5	2	19	20	78	53	20	13					2	3
40 to 44 years	439	344	339	264	10	3	18	6	59	53	12	17					1	1
45 to 49 years	519	398	384	295	14	6	28	10	70	75	21	11					2	1
50 to 54 years	656	439	501	333	27	11	48	10	61	64	16	20					3	1
55 to 59 years	719	437	554	356	29	12	38	17	78	40	20	12						
60 to 64 years	769	522	603	433	31	22	52	22	60	34	20	10	1				2	1
65 to 69 years	864	498	674	404	53	26	65	20	54	34	18	14						
70 to 74 years	996	656	806	552	65	34	60	25	48	31	16	14					1	
75 to 79 years	873	620	692	533	65	27	61	23	38	25	15	11	1				1	1
80 to 84 years	615	496	511	409	47	31	26	21	23	16	8	19						
85 to 89 years	360	268	291	220	28	23	15	6	18	15	8	4						
90 to 94 years	100	93	67	67	11	8	5	3	11	7	6	7						1
95 to 99 years	24	28	17	18	1	3	1	1	4	4	1	2						
100 years and over	8	12		2					4	5	4	5						
Unknown	16	6	2				8	1	6	1		4						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
OREGON																		
All ages	6,164	4,113	4,403	3,244	1,403	737	196	43	22	22	49	50	39	3	33	13	19	1
Under 1 year	301	230	287	217					1	1	11	9	1	1	1	2		
1 to 4 years	89	76	81	70	1						6	3			1	2		1
5 to 9 years	66	49	64	44								1	1	1	1	3		
10 to 14 years	73	57	66	56	3		1		1		1	1			1			
15 to 19 years	120	74	114	59	4	5		1		2	2	6		1				
20 to 24 years	116	102	98	96	10	3	5	2		1			1		1		1	
25 to 29 years	119	105	102	101	11	3			1		1	1			1		3	
30 to 34 years	158	104	127	89	19	12		1			2		1		1	2	8	
35 to 39 years	164	118	128	105	26	7	2	2	2	1	1	2	1		2	1	2	
40 to 44 years	251	134	174	114	61	13	8	3		3	3	1	1		2		2	
45 to 49 years	345	173	238	140	76	26	17	2	2	3	3		1		6	2	2	
50 to 54 years	388	238	258	190	95	45	22		3	2	2	1	1		5			
55 to 59 years	460	308	328	246	95	53	20	2	2	3	5	3	7		3	1		
60 to 64 years	555	319	380	237	134	72	29	6	2	2	1	2	4		4		1	
65 to 69 years	692	397	443	292	202	99	30	2	3	1	4	3	6		4			
70 to 74 years	785	508	530	372	227	126	19	6	2	1	1	3	6					
75 to 79 years	677	453	449	341	199	103	24	6	1	1	2	2	2					
80 to 84 years	482	370	315	259	151	98	10	5		1	1	7	5					
85 to 89 years	235	188	165	137	62	48	5	3	2		1							
90 to 94 years	67	77	45	58	20	16		1			1	2	1					
95 to 99 years	11	25	5	17	4	7	1				1	1						
100 years and over	3	3	1	1	2							2						
Unknown	9	5	5	3	1	1	3	1										
PENNSYLVANIA																		
All ages	58,326	50,878	40,720	37,696	13,054	9,740	723	261	3,785	3,177	1		30	2	3		10	2
Under 1 year	5,780	4,333	5,333	3,969	2	1	1	6	444	356				1				
1 to 4 years	1,680	1,527	1,547	1,407	6	3	4	3	122	114							1	
5 to 9 years	914	756	855	703	5	6	1		52	47							1	
10 to 14 years	759	606	698	546	10	8	1	3	50	49								
15 to 19 years	1,055	926	942	805	26	23	4	4	83	94								
20 to 24 years	1,276	1,306	1,052	1,079	69	57	7	5	147	165			1					
25 to 29 years	1,362	1,363	1,039	1,046	106	108	15	7	199	203			1	1			2	
30 to 34 years	1,557	1,420	1,037	1,022	239	173	20	5	257	220			3				1	
35 to 39 years	2,122	1,859	1,209	1,202	559	393	34	7	317	256			2				1	1
40 to 44 years	2,791	2,081	1,520	1,303	904	508	47	7	313	263			4				3	
45 to 49 years	3,556	2,505	1,808	1,545	1,307	703	56	12	382	245			3					
50 to 54 years	4,134	3,004	2,205	1,868	1,467	860	93	20	363	256			5		1			
55 to 59 years	4,877	3,604	2,896	2,368	1,563	982	66	24	345	230	1		3		2		1	
60 to 64 years	5,503	4,491	3,494	2,936	1,676	1,318	86	30	244	207			3					
65 to 69 years	5,542	4,780	3,628	3,354	1,645	1,246	94	20	173	159			2					1
70 to 74 years	5,463	5,116	3,971	3,880	1,320	1,087	59	38	112	111			1					
75 to 79 years	4,778	4,694	3,586	3,664	1,030	907	63	29	97	94			2					
80 to 84 years	3,167	3,569	2,420	2,758	655	740	45	24	47	47								
85 to 89 years	1,501	2,053	1,131	1,603	336	413	12	8	22	29								
90 to 94 years	401	695	279	517	106	152	8	4	8	22								
95 to 99 years	77	159	59	108	13	45		1	5	5								
100 years and over	13	17	5	8	6	6		1	2	2								
Unknown	18	14	6	5	4	3	7	3	1	3								
RHODE ISLAND																		
All ages	4,137	3,943	2,438	2,337	1,563	1,501	22	8	109	94		2	4				1	1
Under 1 year	353	286	343	278					10	8								
1 to 4 years	122	121	117	115		1			5	5								
5 to 9 years	65	54	63	52	1				1	2								
10 to 14 years	35	40	33	38	1	1			1	1								
15 to 19 years	52	54	50	50	1	2			1	2								
20 to 24 years	54	70	47	62	6	7		1	1									
25 to 29 years	61	77	51	62	9	12			1	3								
30 to 34 years	95	98	59	65	27	30			7	3			1				1	
35 to 39 years	122	98	78	56	37	37	2		5	5								
40 to 44 years	181	132	98	76	72	48	1		10	7								1
45 to 49 years	239	179	128	102	105	71			6	6								
50 to 54 years	279	253	130	122	142	125	1		6	6								
55 to 59 years	380	308	196	165	167	137	5		12	6								
60 to 64 years	480	386	238	173	232	201	3	2	7	10								
65 to 69 years	491	429	223	190	254	231	5	3	9	5								
70 to 74 years	456	483	216	230	229	243			10	9		1	1					
75 to 79 years	335	379	182	209	145	164	1	1	6	5			1					
80 to 84 years	195	276	108	163	76	107	1		9	6			1					
85 to 89 years	106	155	55	97	49	53	2	1		3		1						
90 to 94 years	29	60	20	31	7	28			2	1								
95 to 99 years	4	3	1	1	3	2												
100 years and over	1	1	1							1								
Unknown	2	1	1			1	1											

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
SOUTH CAROLINA																		
All ages	10,462	9,422	4,662	3,786	61	33	34	23	5,703	5,580			2					
Under 1 year	1,824	1,380	721	513					1,103	867								
1 to 4 years	457	400	186	166					271	234								
5 to 9 years	207	142	91	56					116	86								
10 to 14 years	190	167	75	60	1	1			114	106								
15 to 19 years	338	375	106	89			2	1	230	285								
20 to 24 years	434	512	142	114				1	292	397								
25 to 29 years	362	504	112	122	2			2	248	380								
30 to 34 years	365	467	114	157		1	1	1	250	308								
35 to 39 years	497	543	184	156	1		4		308	387								
40 to 44 years	542	504	192	137	1	4	5	3	344	360								
45 to 49 years	634	554	259	173	1			1	374	380								
50 to 54 years	747	662	300	207	7	1	4	1	436	453								
55 to 59 years	755	531	390	215	7	1	3	2	355	313								
60 to 64 years	732	538	376	245	10	2	3	1	342	290			1					
65 to 69 years	581	496	305	264	9	4	2	4	265	224								
70 to 74 years	622	529	397	363	5	6	5	1	214	159			1					
75 to 79 years	555	455	366	324	7	4	2	2	180	125								
80 to 84 years	350	342	216	243	5	7	1	1	128	91								
85 to 89 years	183	180	106	129	4	2		1	73	48								
90 to 94 years	53	83	18	44	1		2		32	39								
95 to 99 years	20	25	4	7					16	18								
100 years and over	10	24	1	1					9	23								
Unknown	4	9	1	1				1	3	7								
SOUTH DAKOTA																		
All ages	3,229	2,496	2,042	1,551	883	645	78	17	6	5	220	278						
Under 1 year	369	299	338	250							31	49						
1 to 4 years	94	102	67	58		1	1	1			26	42						
5 to 9 years	68	50	51	42			1				16	8						
10 to 14 years	46	46	39	30							7	16						
15 to 19 years	73	67	53	46			1				19	21						
20 to 24 years	79	63	62	50			3	1			14	12						
25 to 29 years	72	70	51	53	5	3	3	1	2		11	13						
30 to 34 years	80	62	62	53	6	4	1				11	5						
35 to 39 years	81	86	60	64	6	8	3			1	12	13						
40 to 44 years	90	89	74	73	11	7	1			1	4	8						
45 to 49 years	112	104	82	76	25	20	1	2	2	1	2	5						
50 to 54 years	153	128	108	91	32	26	5				8	11						
55 to 59 years	205	114	133	71	56	33	5	2		1	11	7						
60 to 64 years	227	174	137	98	78	62	8	2			4	12						
65 to 69 years	322	201	175	100	130	89	8	2	1	1	8	9						
70 to 74 years	405	270	219	152	165	102	14	1			7	15						
75 to 79 years	341	248	169	127	155	108	9	1	1		7	12						
80 to 84 years	233	175	104	61	116	101	3	3			10	10						
85 to 89 years	120	94	42	34	68	55	2				8	5						
90 to 94 years	39	38	14	17	23	17	1	1			1	3						
95 to 99 years	6	12		4	5	8					1							
100 years and over	2	2	1		1	1						1						
Unknown	12	2	1	1	1		8				2	1						
TENNESSEE																		
All ages	15,421	13,207	10,897	9,218	214	138	230	124	4,072	3,727			3				5	
Under 1 year	2,028	1,522	1,593	1,188			1	1	434	333								
1 to 4 years	775	668	636	540	1		3	2	135	126								
5 to 9 years	239	226	188	166			1	4	49	56			1					
10 to 14 years	218	171	162	116					56	55								
15 to 19 years	408	433	243	240			6	2	159	191								
20 to 24 years	600	573	376	326			9	2	214	245			1					
25 to 29 years	616	587	340	343	1	1	11	3	263	240							1	
30 to 34 years	565	587	312	340	5	1	5	3	242	243							1	
35 to 39 years	657	614	376	356	8	3	11	3	261	252			1					
40 to 44 years	707	591	398	345	4	4	9	10	295	232							1	
45 to 49 years	830	641	505	375	12	4	18	10	294	252							1	
50 to 54 years	953	789	603	451	13	12	19	5	318	321								
55 to 59 years	1,012	744	696	483	16	9	16	4	284	248								
60 to 64 years	1,110	894	796	589	22	14	17	14	275	277								
65 to 69 years	1,094	869	791	653	33	18	29	11	241	187								
70 to 74 years	1,149	991	938	821	22	19	21	8	167	143							1	
75 to 79 years	1,033	916	856	795	36	15	20	10	121	96								
80 to 84 years	798	719	641	584	21	19	18	18	118	98								
85 to 89 years	432	412	341	347	16	12	6	7	69	46								
90 to 94 years	116	171	79	120	3	5	2	3	32	43								
95 to 99 years	35	37	17	25	1	2			17	10								
100 years and over	13	27	1	7			1		11	20								
Unknown	33	25	9	8			7	4	17	13								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
UTAH																		
All ages	2,527	1,893	1,757	1,338	586	470	100	38	12	7	30	26	9	2	20	6	13	6
Under 1 year	302	227	282	215			7	3	1		6	3	1	1	3	2	2	3
1 to 4 years	103	111	94	101		1		3	1		6	3			2	1		2
5 to 9 years	56	41	51	41			3				1				1			
10 to 14 years	69	45	62	40	1	2	1				4	3			1			
15 to 19 years	72	60	69	55			2	2		1	1	2						
20 to 24 years	73	44	68	43	1		3				1	1						
25 to 29 years	73	50	65	43	4	3	1	1			2	2			1	1		
30 to 34 years	53	77	45	67	5	5		2				2			1	1	2	
35 to 39 years	80	63	62	57	11	5	6	1									1	
40 to 44 years	108	83	64	74	33	8	8				1				1		1	1
45 to 49 years	141	80	103	64	24	12	8	1	2	1		2			2		2	
50 to 54 years	135	84	95	64	29	16	4		3		2	3			2	1		
55 to 59 years	182	99	125	70	45	23	7	1		2	1	2		1	2		2	
60 to 64 years	208	124	131	80	62	37	9	5	1	2	2				3			
65 to 69 years	200	131	132	81	51	48	9	2	2		1		2		1		2	
70 to 74 years	218	172	126	99	73	66	13	7	1		1		3				1	
75 to 79 years	209	168	96	71	102	89	10	5				3	1					
80 to 84 years	141	114	54	44	78	67	6	3	1		1		1					
85 to 89 years	72	81	21	15	48	64	2	1		1			1					
90 to 94 years	22	31	8	9	14	22												
95 to 99 years	5	5	2	3	3	2												
100 years and over	1		1															
Unknown	4	3	1	2	2		1	1										
VERMONT																		
All ages	2,492	2,261	1,998	1,861	459	382	33	16	2	2								
Under 1 year	219	162	217	162	2													
1 to 4 years	60	31	59	30	1	1												
5 to 9 years	44	26	41	25	3	1												
10 to 14 years	18	20	16	19	2	1												
15 to 19 years	32	21	29	18	3	3												
20 to 24 years	37	42	33	41	4	1												
25 to 29 years	44	41	38	34	6	7												
30 to 34 years	34	44	28	40	5	4			1									
35 to 39 years	41	53	32	46	8	7	1											
40 to 44 years	66	66	46	56	20	9		1										
45 to 49 years	91	77	57	61	33	16	1											
50 to 54 years	128	114	97	84	29	29	2	1										
55 to 59 years	171	131	131	106	38	22	2	3										
60 to 64 years	243	179	194	140	46	38	3			1								
65 to 69 years	274	211	217	157	53	52	4	1		1								
70 to 74 years	296	270	224	216	64	52	7	2	1									
75 to 79 years	306	281	248	231	55	49	3	1										
80 to 84 years	202	252	156	202	41	47	5	3										
85 to 89 years	126	153	94	123	31	28	1	2										
90 to 94 years	39	63	28	54	11	8		1										
95 to 99 years	8	18	7	12	1	6												
100 years and over	4	2	3	2	1													
Unknown	9	4	3	2	2	1	4	1										
VIRGINIA																		
All ages	15,578	13,320	9,672	7,963	299	178	110	48	5,480	5,128	7	3	5				5	
Under 1 year	2,014	1,656	1,249	971			1	1	762	682	1	2					1	
1 to 4 years	585	530	371	351			2		209	179	2						1	
5 to 9 years	210	195	134	129					76	66								
10 to 14 years	222	188	130	96					91	92			1					
15 to 19 years	446	362	229	156			4		213	206								
20 to 24 years	606	465	335	191	1		6		264	274								
25 to 29 years	510	460	263	226	4	3	4	1	239	230								
30 to 34 years	527	497	266	226	2	3	8	1	249	267			1				1	
35 to 39 years	646	517	335	233	12	5	5		290	278	2	1					2	
40 to 44 years	670	575	348	252	12	4	6	2	304	317								
45 to 49 years	837	690	420	330	20	11	9		387	349			1					
50 to 54 years	1,050	838	499	385	29	12	6	5	516	436								
55 to 59 years	1,111	848	616	450	26	16	10	1	459	381								
60 to 64 years	1,274	997	795	581	36	24	10	5	432	387			1					
65 to 69 years	1,159	903	803	561	36	21	10	3	309	318	1							
70 to 74 years	1,247	1,116	960	866	47	10	12	4	226	236	1		1					
75 to 79 years	1,076	978	889	805	28	26	5	6	154	141								
80 to 84 years	823	746	640	603	23	18	5	8	155	117								
85 to 89 years	369	444	283	358	18	15	2	1	66	70								
90 to 94 years	134	197	88	151	5	5	2	3	39	38								
95 to 99 years	31	53	14	26		4	2	4	15	19								
100 years and over	15	42	3	12		1		1	12	28								
Unknown	16	23	2	4			1	2	13	17								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

AREA AND AGE	ALL DEATHS		WHITE						OTHER RACES									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WASHINGTON																		
All ages	9,965	6,616	6,309	4,695	2,994	1,632	286	43	84	66	135	136	38	8	87	31	32	5
Under 1 year	560	407	524	379						2	30	22		1	6	1		2
1 to 4 years	168	135	152	117		1			1	1	7	9	3		5	6		1
5 to 9 years	119	101	105	82	3	1			1	1	6	11		3	4	3		
10 to 14 years	143	107	118	83	7	6	1			2	12	12		1	4	3	1	
15 to 19 years	179	137	146	118	11	4	2	1	3	1	10	8			6	4	1	1
20 to 24 years	222	170	179	146	18	10	3		1	4	8	7	1		2	2	10	1
25 to 29 years	209	178	163	153	22	15	1	1	4	3	9	6	2		1		7	
30 to 34 years	223	186	168	155	38	21	4	3	1	2	3	3	1	1	5	1	3	
35 to 39 years	294	244	211	206	58	26	11	1	6	2	3	6			2	3	3	
40 to 44 years	414	299	282	227	102	48	12	5	8	10	2	4	1		4	5	3	
45 to 49 years	568	335	344	257	174	66	21	2	8	2	5	6	5		11	2		
50 to 54 years	649	388	377	255	213	119	30	4	13	8	2	2	3		10		1	
55 to 59 years	734	453	434	303	240	136	28	3	10	6	4	4	3	1	15			
60 to 64 years	892	505	527	326	306	166	32	3	7	8	2	1	7		10	1	1	
65 to 69 years	1,096	628	601	394	445	225	33	3	10	3	5	3	1		1			
70 to 74 years	1,216	755	687	524	480	215	37	7	3	3	5	5	4	1				
75 to 79 years	1,058	666	631	412	377	235	30	4	4	3	11	12	3		1		1	
80 to 84 years	712	506	397	309	291	186	19	4	1	1	3	6	1					
85 to 89 years	350	284	183	172	161	105	2	2	1	2	2	3	1					
90 to 94 years	111	102	69	59	39	38			1	2	1	3	1					
95 to 99 years	18	24	8	15	5	8	1				4	1						
100 years and over	4	5	1	2	3	1						2						
Unknown	26	1	2	1	1		19		1		1		1				1	
WEST VIRGINIA																		
All ages	9,991	7,921	8,362	6,967	527	250	18	1	1,081	703			3					
Under 1 year	1,627	1,284	1,504	1,178			1		122	106								
1 to 4 years	657	612	612	566		1			45	45								
5 to 9 years	220	222	201	211	1				18	11								
10 to 14 years	173	129	156	123					17	6								
15 to 19 years	264	223	226	196	3				34	27			1					
20 to 24 years	329	277	264	241	5	2	1		59	34								
25 to 29 years	331	290	264	232	7	8			60	50								
30 to 34 years	356	238	266	198	19	6	1		70	34								
35 to 39 years	358	299	247	229	27	8	3	1	80	61			1					
40 to 44 years	395	302	246	219	54	15	2		93	68								
45 to 49 years	491	336	317	270	69	14	3		102	52								
50 to 54 years	548	351	388	277	64	25	2		94	49								
55 to 59 years	577	366	451	316	55	12	1		69	38			1					
60 to 64 years	634	420	526	368	50	23	2		56	29								
65 to 69 years	693	509	576	438	58	31	1		58	40								
70 to 74 years	731	584	654	544	33	26	1		43	14								
75 to 79 years	700	593	635	555	30	25			35	13								
80 to 84 years	520	462	477	426	29	26			14	10								
85 to 89 years	282	285	255	261	21	18			6	6								
90 to 94 years	92	102	86	87	2	8			4	7								
95 to 99 years	11	30	10	27		1			1	2								
100 years and over	2	7	1	5		1			1	1								
Unknown																		
WISCONSIN																		
All ages	16,578	13,743	10,559	9,008	5,539	4,486	278	78	114	68	83	100	3				2	3
Under 1 year	1,614	1,161	1,486	1,143					8	7	19	9					1	2
1 to 4 years	346	347	338	335	1	1			1	2	6	9						
5 to 9 years	232	199	226	194	3				2	2	1	3						
10 to 14 years	201	144	192	137	1	1	1		1	2	6	4						
15 to 19 years	287	221	274	210	7	3	1		4		1	8						
20 to 24 years	344	301	319	275	12	15		2	3	3	10	6						
25 to 29 years	323	343	291	300	18	24	6	4	4	8	3	7					1	
30 to 34 years	380	348	316	308	37	25	11		14	10	2	4						1
35 to 39 years	520	417	388	349	108	55	10	4	14	6		3						
40 to 44 years	639	466	452	378	153	79	20	2	11	4	3	3						
45 to 49 years	831	539	558	433	238	97	21	4	11	3	3	2						
50 to 54 years	952	688	600	494	305	178	31	1	11	6	4	9	1					
55 to 59 years	1,075	809	682	557	356	240	26	7	7	4	2	1	2					
60 to 64 years	1,344	1,004	853	633	459	347	25	14	5	2	2	8						
65 to 69 years	1,633	1,332	906	752	693	564	26	10	5	2	3	4						
70 to 74 years	2,045	1,626	1,106	910	899	701	29	7	5	3	6	5						
75 to 79 years	1,746	1,530	848	774	856	742	35	8	2	2	5	4						
80 to 84 years	1,214	1,225	455	493	737	717	18	8	1	2	3	5						
85 to 89 years	637	693	193	222	433	466	8	3	2		1	2						
90 to 94 years	261	274	62	90	193	179	5	1	1			4						
95 to 99 years	38	64	10	20	26	42		2	1		1							
100 years and over	7	10	2	1	4	9					1							
Unknown	9	2	2			1	5	1	1		1							
WYOMING																		
All ages	1,256	801	842	604	221	111	87	14	12	10	33	31	1		6	1	54	30
Under 1 year	136	106	112	91					1	2	9	4			1		13	9
1 to 4 years	34	34	22	23							6	6					6	5
5 to 9 years	11	21	6	19	1		1					1					3	1
10 to 14 years	34	16	30	14	1						1	1					2	1
15 to 19 years	27	27	24	21		1	1				1	2					1	3
20 to 24 years	31	26	26	21			4					1					1	4
25 to 29 years	60	29	45	22	2	2	6		1	1	1	2			1		4	2
30 to 34 years	50	38	39	34	3	1	3				1						4	3
35 to 39 years	43	31	29	25	9	3	1		1		1	1			1	1	1	1
40 to 44 years	71	47	48	33	12	6	9	5		1	1	1					1	1
45 to 49 years	84	37	52	30	18	3	8	1	2	2	1	1					3	
50 to 54 years	87	48	52	35	27	13	4								1		3	
55 to 59 years	89	53	52	36	21	11	9	1	1	2	2	3					4	
60 to 64 years	84	47	48	36	24	8	7	1	2		1	2			1		1	
65 to 69 years	105	57	76	39	17	15	5		1		3	3			1		2	
70 to 74 years	112	59	64	39	35	18	9		2	1	1	1					1	
75 to 79 years	95	62	58	45	25	14	7	3			2		1				2	
80 to 84 years	56	38	32	24	17	10	4	3			2	1					1	
85 to 89 years	26	19	19	13	5	5	2					1						
90 to 94 years	9	6	4	4	3	1	1		1	1								
95 to 99 years	6		4		1												1	
100 years and over																		
Unknown	6						6											

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, 25,000 OR MORE

[Data for individual cities from 10,000 to 25,000 inhabitants are held in manuscript. Minor areas designated by asterisks (*) contain State

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
1	The registration area in continental United States	White	1,126,226	3,030	21	1,783	2,496	4,054	4,902	30,960	1,836	1,443	47,708	1,728	3,771	5,710	1,308	115,165
		Colored	182,303	1,411	17	158	81	1,310	516	6,106	98	234	20,081	589	1,632	4,974	1,260	7,574
2	Registration States [2]	White	1,115,555	2,991	21	1,775	2,482	4,034	4,795	30,511	1,817	1,427	47,031	1,708	3,721	5,625	1,300	114,219
		Colored	177,714	1,378	17	151	78	1,284	483	5,865	95	224	19,640	574	1,593	4,857	1,240	7,386
3	Cities of 10,000 or more [2]	White	591,022	861	5	855	1,396	1,512	1,784	10,932	966	966	21,450	1,144	2,014	3,621	168	66,913
		Colored	82,320	334	3	61	50	450	167	2,085	53	161	9,033	404	985	2,773	139	4,050
4	Smaller cities and rural areas	White	524,533	2,130	16	920	1,086	2,522	3,011	19,579	851	461	25,581	564	1,707	2,004	1,132	47,306
		Colored	95,394	1,044	14	90	28	834	316	3,780	42	63	10,607	170	608	2,084	1,101	3,336
5	Registration cities in non-registration States [3]	White	10,671	39		8	14	20	107	449	19	16	677	20	50	85	8	946
		Colored	4,589	33		7	3	26	33	241	3	10	441	15	39	117	20	188
6	Alabama	White	14,871	64	1	1	34	119	184	739	35	15	685	14	54	65	83	1,108
		Colored	12,809	70	1	5	1	85	26	558	3	7	1,266	12	90	328	96	423
7	Cities of 10,000 or more	White	4,248	11			5	25	24	189	9	3	132	5	15	29	8	345
		Colored	4,025	17		1		32	8	172		7	310	7	37	97	15	140
8	Cities of 2,500 to 10,000	White	1,400	3			3	16	12	76		2	60	2	8	8	3	97
		Colored	909	4	1			6	2	42			104		5	19	8	29
9	Rural	White	9,223	50	1	1	26	78	148	474	26	10	493	7	31	28	72	666
		Colored	7,875	49		4	1	47	16	344	3		852	5	48	212	73	254
10	Arizona	White	3,016	6			7	8	14	116	6	7	726	13	8	8	1	183
		Colored	2,404	15		1	3	23	6	136	4	7	399	20	18	32		88
11	Cities of 10,000 or more	White	1,426	2			4	4	6	41	2	3	498	9	5	6		80
		Colored	706	5			1	5	2	33		1	136	6	7	12		27
12	Cities of 2,500 to 10,000	White	782	3			2	1	2	35	3		81	4	1	2		63
		Colored	530	2				6	1	28	3	3	82	3	3	5		30
13	Rural	White	808	1			1	3	6	40	1	4	147		2		1	40
		Colored	1,168	8		1	2	12	3	75	1	3	181	11	8	15		31
14	Arkansas	White	11,251	144	2	3	21	64	166	627	26	13	583	12	35	51	265	676
		Colored	5,064	88	3		1	34	19	301	2	4	525	2	24	95	191	153
15	Cities of 10,000 or more	White	2,645	18	2	1	1	4	20	118	5	5	117	3	5	26	14	203
		Colored	1,121	8	1			5	1	52	1		120		5	47	20	36
16	Cities of 2,500 to 10,000	White	1,367	15			1	11	19	70	4		58	3	3	4	21	104
		Colored	716	17				3	2	54			83		8	8	25	29
17	Rural	White	7,239	111		2	19	49	127	439	17	8	408	6	27	21	230	369
		Colored	3,227	63	2		1	26	16	195	1	4	322	2	11	40	146	88
18	California	White	60,037	58		46	45	98	160	907	47	78	3,197	89	217	497	7	7,001
		Colored	7,643	26	1	9	6	82	51	179	6	4	1,348	76	128	174	2	410
19	Cities of 10,000 or more	White	38,876	35		14	31	58	116	515	37	53	1,766	69	155	334		4,962
		Colored	4,070	12		1	5	38	37	67	3	3	677	51	78	104		271
20	Cities of 2,500 to 10,000	White	5,708	5		7	3	9	13	135	4	9	219	4	18	32	5	617
		Colored	813	3	1	3		15	4	31			122	6	12	10		32
21	Rural	White	15,453	18		25	11	31	31	257	6	16	1,212	16	44	131	2	1,422
		Colored	2,760	11		5	1	29	10	81	3	1	549	19	38	60	2	107
22	Colorado	White	11,771	34		10	33	32	37	612	15	18	937	15	41	68	1	1,074
		Colored	828	4		5	3	8	4	61			93	3	8	9		30
23	Cities of 10,000 or more	White	5,857	7		5	20	7	16	266	4	6	437	7	23	44		590
		Colored	314			1	3	3	4	15			33	1	4	5		11
24	Cities of 2,500 to 10,000	White	1,480	13			5	5	7	97	3	4	90	1	5	8		138
		Colored	140	2				1		17			10	1	1	1		6
25	Rural	White	4,434	14		5	8	20	14	249	8	8	410	7	13	16	1	346
		Colored	374	2		4		4		29			50	1	3	3		13
26	Connecticut	White	16,494	10		19	23	42	17	212	21	14	690	31	55	91		1,997
		Colored	468			1		2		5	1		49	3	6	38		35
27	Cities of 10,000 or more	White	11,518	6		8	21	30	16	153	15	14	414	25	39	73		1,426
		Colored	397			1		1		3	1		39	3	5	34		29
28	Cities of 2,500 to 10,000	White	388							10			18	1				34
		Colored	6															2
29	Rural	White	4,588	4		11	2	12	1	49	6		258	5	16	18		537
		Colored	65					1		2			10		1	4		4
30	Delaware	White	2,570	2			5	9	10	36	3	2	97	3	11	8		261
		Colored	608	1			1	7	2	8			54	2	4	11		30
31	Cities of 10,000 or more	White	1,257				2	4	3	21	2	2	39	2	7	6		121
		Colored	233	1			1	2		3			10	1	3	5		13
32	Cities of 2,500 to 10,000	White	202	1				2		2			7					22
		Colored	53						1	1			3			2		2
33	Rural	White	1,111	1			3	3	7	13	1		51	1	4	2		118
		Colored	322					5	1	4			41	1	1	4		15

[1] Excluding collision with railroad trains and street cars.
[2] Including District of Columbia.
[3] Includes 8 cities in Texas.

BY GROUPS OF CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING INHABITANTS: 1932

or other large institutions. Numbers under cause of death correspond to those in the 1929 revision of the detailed International List]

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes	
3,595	24,705	84,598	243,608	3,901	76,685	11,366	4,270	15,544	10,719	7,976	90,451	3,999	6,616	55,294	20,213	6,202	23,919	1,688	50,747	10,469	143,746	
508	1,663	10,784	25,088	437	15,789	3,009	974	1,567	1,550	705	14,300	940	1,738	8,640	714	4,833	2,431	82	7,001	10,530	22,979	1
3,572	24,523	84,017	241,962	3,856	75,959	11,122	4,189	15,283	10,574	7,893	89,918	3,946	6,550	54,727	19,957	6,060	23,660	1,678	50,258	10,205	142,189	
496	1,625	10,544	24,561	422	15,291	2,876	938	1,483	1,491	675	14,004	917	1,707	8,419	689	4,662	2,373	82	6,852	10,390	22,352	2
1,838	14,959	38,279	134,706	1,836	42,148	4,222	1,526	10,741	7,022	4,918	47,087	2,458	3,568	28,306	11,330	3,178	13,410	669	25,591	1,454	77,189	
227	957	4,893	13,098	205	8,235	993	351	962	901	399	6,740	464	665	4,058	421	2,764	1,319	37	2,805	1,389	9,689	3
1,734	9,564	45,738	107,256	2,020	33,811	6,900	2,663	4,542	3,552	2,975	42,831	1,488	2,982	26,421	8,627	2,882	10,250	1,009	24,667	8,751	65,000	
269	668	5,651	11,463	217	7,056	1,883	587	521	590	276	7,264	453	1,042	4,361	268	1,898	1,054	45	4,047	9,001	12,663	4
23	182	581	1,646	45	726	244	81	261	145	83	533	53	66	567	256	142	259	10	489	264	1,557	
12	38	240	527	15	498	133	36	84	59	30	296	23	31	221	25	171	58	-------	149	140	627	5
47	210	1,007	1,973	40	1,027	261	122	194	150	71	1,233	71	177	1,026	198	190	291	16	804	702	1,860	
32	84	675	1,346	19	763	156	51	104	110	42	1,057	87	144	631	18	391	114	1	582	1,743	1,688	6
8	73	232	617	9	253	51	28	110	73	17	359	30	43	258	82	68	153	8	234	92	650	
9	31	242	490	6	313	48	17	56	64	21	407	27	45	216	9	189	53	1	127	362	449	7
-------	28	101	177	1	98	20	6	46	15	5	125	10	18	90	13	24	32	-------	86	29	186	
3	12	71	102	2	47	8	2	12	7	-------	89	5	8	37	1	28	10	-------	50	72	123	8
39	109	674	1,179	30	676	190	88	38	62	49	749	31	116	678	103	98	106	8	484	581	1,024	
20	41	362	754	11	403	100	32	36	39	21	561	55	91	378	8	174	51	-------	405	1,309	1,116	9
4	20	147	417	9	172	30	11	32	24	8	156	14	12	135	68	31	120	2	163	29	309	
3	13	42	146	10	285	192	31	17	21	5	91	12	31	163	18	32	42	1	100	200	197	10
1	6	54	198	5	77	9	7	9	8	1	58	4	4	54	31	15	47	-------	44	4	130	
1	5	18	55	4	80	62	11	5	8	1	26	2	11	45	7	13	19	1	16	22	59	11
2	10	44	117	1	46	13	2	19	9	4	62	6	3	39	19	5	41	2	54	2	85	
-------	5	12	33	2	77	48	7	6	5	2	22	7	2	46	2	10	7	-------	21	8	42	12
1	4	49	102	3	49	8	2	4	7	3	36	4	5	42	18	11	32	-------	65	23	94	
2	3	12	58	4	128	82	13	6	8	2	43	3	18	72	9	9	16	-------	63	170	96	13
32	156	656	1,405	42	931	233	119	218	89	44	823	69	103	525	139	121	212	17	519	612	1,498	
13	24	250	455	11	363	85	39	46	34	13	348	24	51	101	11	165	48	4	228	620	689	14
7	56	153	409	7	186	23	15	95	33	18	253	18	21	87	42	29	63	7	142	27	412	
4	5	79	154	3	77	7	8	10	9	3	119	2	7	16	4	48	11	3	46	33	177	15
4	30	100	175	3	102	22	13	54	15	4	91	14	15	41	15	22	44	1	64	34	191	
1	5	36	64	-------	44	8	9	9	5	2	58	4	9	9	4	17	10	-------	28	65	100	16
21	70	403	821	32	643	188	91	69	41	22	479	37	67	397	82	70	105	9	313	551	895	
8	14	135	237	8	242	70	22	27	20	8	171	18	35	76	3	100	27	1	154	522	412	17
123	1,207	4,221	15,506	186	3,258	182	128	693	599	623	4,457	139	200	1,786	1,617	315	1,948	110	2,571	76	7,645	
14	66	209	846	30	912	327	49	60	60	51	299	32	69	524	108	141	250	12	284	24	774	18
78	843	2,622	10,167	121	2,132	89	68	433	438	462	2,918	100	131	1,198	1,071	189	1,085	53	1,431	35	5,017	
7	44	135	474	20	471	116	15	38	37	35	192	22	30	247	60	74	126	7	106	13	454	19
10	113	436	1,430	16	288	28	17	70	61	44	494	17	29	221	134	26	244	19	284	10	637	
2	6	14	73	3	109	58	11	6	3	4	30	1	11	73	15	12	31	1	33	3	75	20
35	251	1,163	3,909	49	838	65	43	140	100	117	1,045	22	40	367	412	100	619	38	856	31	1,991	
5	16	60	299	7	332	153	23	16	20	12	77	9	28	204	33	55	93	4	145	8	245	21
40	163	748	2,019	24	924	147	36	256	162	59	811	55	64	564	251	70	267	13	608	43	1,520	
1	3	27	88	1	119	53	3	14	7	3	35	5	7	58	6	15	17	1	45	6	86	22
19	83	358	1,061	15	491	58	11	134	93	28	419	29	32	247	132	37	125	4	245	27	777	
1	2	15	45	1	30	9	1	4	3	3	19	2	3	19	4	8	9	-------	12	4	40	23
3	22	103	225	2	127	24	7	47	22	7	124	10	6	69	23	6	25	2	86	1	163	
-------	-------	7	12	-------	15	18	1	7	2	-------	6	-------	2	7	-------	4	2	-------	9	-------	9	24
18	58	287	733	7	306	65	18	75	47	24	268	16	26	248	96	27	117	7	277	15	580	
-------	1	5	31	-------	74	26	1	3	2	-------	10	3	2	32	2	3	6	1	24	2	37	25
33	443	1,238	4,229	61	1,104	75	31	194	143	132	1,348	44	66	757	328	42	400	9	661	51	1,833	
1	9	20	90	2	44	3	-------	4	3	-------	37	2	2	24	7	6	9	-------	20	1	44	26
23	338	821	2,826	33	806	52	24	169	117	93	867	37	51	606	212	28	284	8	470	32	1,381	
1	9	14	77	1	40	3	-------	4	2	-------	29	2	2	22	7	6	8	-------	17	1	36	27
1	8	32	103	1	20	3	-------	6	3	5	38	2	4	23	8	1	13	-------	14	1	39	
-------	-------	1	1	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	28
9	97	385	1,300	27	278	20	7	19	23	34	443	5	11	128	108	13	103	1	177	18	463	
-------	-------	5	12	1	4	-------	-------	-------	1	-------	7	-------	-------	1	-------	-------	1	-------	3	-------	8	29
8	44	224	552	6	185	29	13	22	20	20	315	8	18	126	59	9	69	2	105	3	286	
1	10	60	119	3	74	12	2	8	8	1	52	5	4	19	1	11	10	-------	20	3	65	30
2	25	94	275	2	92	11	8	13	15	11	154	7	7	76	30	4	31	-------	52	2	137	
1	2	23	48	2	33	1	-------	7	4	-------	13	4	1	5	-------	7	5	-------	4	-------	34	31
-------	4	19	32	-------	12	-------	-------	5	2	2	27	1	4	7	3	-------	9	1	13	-------	27	
-------	1	3	10	-------	7	-------	-------	1	1	-------	5	1	2	2	1	-------	-------	-------	4	-------	6	32
6	15	111	245	4	81	18	5	4	3	7	134	-------	7	43	26	5	29	1	40	1	122	
-------	7	34	61	1	34	11	2	-------	3	1	34	-------	1	12	-------	4	5	-------	12	3	25	33

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
1	Florida—White	11,287	35		7	5	17	69	271	15	6	361	10	29	89	132	1,031
	Colored	7,001	48		4	1	14	11	264	3	2	650	8	33	292	114	203
2	Cities of 10,000 or more—White	5,021	17		1	2	3	31	96	9	2	152	9	17	44	16	536
	Colored	2,953	18		1	1	4	5	110	3	2	307	5	22	132	18	98
3	Cities of 2,500 to 10,000—White	2,234	7		1	1	5	14	52	2	3	63		6	30	30	192
	Colored	1,184	7		3		3	2	37			114		4	88	16	30
4	Rural—White	4,032	11		5	2	9	24	123	4	1	146	1	6	15	86	303
	Colored	2,864	23				7	4	117			229	3	7	72	80	75
5	Georgia—White	16,818	133		5	17	49	146	696	51	16	629	13	34	69	132	1,060
	Colored	15,310	230	1	8	2	61	37	490	6	15	1,166	15	94	346	183	483
6	Cities of 10,000 or more—White	5,289	18		1	3	9	23	153	10	6	157	7	12	43	16	376
	Colored	5,349	55		6		13	8	166	2	10	431	11	53	200	14	186
7	Rest of State [2]—White	11,529	115		4	14	40	123	543	41	10	472	6	22	26	116	684
	Colored	9,961	175	1	2	2	48	29	324	4	5	735	4	41	146	169	297
8	Idaho—White	3,813	15		1	12	5	14	142	7	12	97	1	14	16		341
	Colored	129			1				14			30		2	1		4
9	Cities of 10,000 or more—White	573	2		1	1		2	10	2	1	21		4	4		61
	Colored	17										2		1			2
10	Cities of 2,500 to 10,000—White	1,532	11			3	2	10	60	2	11	33		7	5		151
	Colored	19							1			1			1		
11	Rural—White	1,708	2			8	3	2	72	3		43	1	3	7		129
	Colored	93			1				13			27		1			2
12	Illinois—White	77,248	118	1	51	254	201	228	1,755	128	148	2,983	107	258	343	32	8,737
	Colored	5,932	11	1	5	10	29	10	94	4	9	820	29	104	160	5	333
13	Cities of 10,000 or more—White	48,037	47		37	179	99	130	764	73	121	1,578	83	155	229	11	5,678
	Colored	4,875	6	1	5	10	24	9	66	3	8	663	28	91	133		277
14	Cities of 2,500 to 10,000—White	7,574	21		2	22	24	30	229	17	10	241	11	27	25	6	838
	Colored	220					1		8			25		2	5	2	10
15	Rural—White	21,637	50	1	12	53	78	68	762	38	17	1,164	13	76	89	15	2,221
	Colored	837	5				4	1	20	1	1	132	1	11	22	3	46
16	Indiana—White	36,839	83	1	19	90	182	173	1,437	61	101	1,508	64	182	191	9	3,632
	Colored	1,917	3	1	1	2	18	5	60	2	27	203	7	31	31	1	89
17	Cities of 10,000 or more—White	15,735	26		6	33	57	65	500	22	73	531	39	84	105	2	1,634
	Colored	1,593	2			1	16	3	49	2	25	154	7	28	28	1	73
18	Cities of 2,500 to 10,000—White	4,540	5		2	13	23	15	197	10	5	188	7	20	20		419
	Colored	85				1		2	3			6					8
19	Rural—White	16,564	52	1	11	44	102	93	740	29	23	789	18	78	66	7	1,579
	Colored	239	1	1	1		2		8		2	43		3	3		8
20	Iowa—White	25,443	39	4	9	35	72	62	1,035	36	24	588	30	77	114	1	2,985
	Colored	343	1				3		23		1	35	2	2	7		16
21	Cities of 10,000 or more—White	9,408	14	1	3	11	26	30	318	10	12	220	16	30	78		1,151
	Colored	242	1						19		1	19	2	1	7		11
22	Cities of 2,500 to 10,000—White	4,636	10			6	9	7	174	7	6	109	3	23	13		502
	Colored	44							3			3					2
23	Rural—White	11,399	15	3	6	18	37	25	543	19	6	259	11	24	23	1	1,332
	Colored	57					3		1			13		1			3
24	Kansas—White	18,328	29		26	32	44	76	716	26	23	451	10	47	90	8	1,905
	Colored	1,184	2				4		42			93	3	8	40		70
25	Cities of 10,000 or more—White	6,094	9		14	11	17	32	211	6	9	134	3	17	32	4	671
	Colored	763	1				4		23			55	3	4	19		47
26	Cities of 2,500 to 10,000—White	2,665	7		2	9	9	12	102	2	3	58	1	10	8		287
	Colored	110	1						5			5			3		4
27	Rural—White	9,569	13		10	12	18	32	403	18	11	259	6	20	50	4	947
	Colored	311							14			33		4	18		19
28	Kentucky—White	24,829	306		39	75	254	357	1,063	29	47	1,630	65	142	105	31	1,816
	Colored	4,230	38		2	2	36	7	168	4	10	390	11	41	91	4	206
29	Cities of 10,000 or more—White	6,826	36		2	25	25	25	197	11	9	277	17	28	44	3	660
	Colored	1,886	8			2	11	2	55	3	8	144	7	21	54		96
30	Rest of State [2]—White	18,003	270		37	50	229	332	866	18	38	1,353	48	114	61	28	1,156
	Colored	2,344	30		2		25	5	113	1	2	246	4	20	37	4	110
31	Louisiana—White	12,504	105		33	6	42	97	623	9	21	545	16	31	97	92	1,044
	Colored	10,807	131		11	2	50	47	528	2	9	934	7	64	480	64	530
32	Cities of 10,000 or more—White	6,418	48		5	3	12	43	197	2	15	292	14	12	65	18	638
	Colored	4,584	41		1	2	10	6	176	1	7	405	5	37	250	8	263
33	Cities of 2,500 to 10,000—White	1,239	5		1	1	4	8	77	1	2	53		3	10	7	72
	Colored	1,165	6				4	5	78			101		8	60	7	45
34	Rural—White	4,847	52		27	2	26	46	349	6	4	200	2	16	22	67	334
	Colored	5,058	84		10		36	36	274	1	2	428	2	19	170	49	222
35	Maine—White	10,690	19		53	17	15	17	205	12	10	308	21	53	38		1,179
	Colored	29	1				1		1			2		1	1		1
36	Cities of 10,000 or more—White	3,486	5		21	10	10	8	51	4	3	98	4	21	21		375
	Colored	12												1	1		
37	Cities of 2,500 to 10,000—White	1,314	3		5		1	1	28	1		59	5	12	6		150
	Colored	8	1						1			1					1
38	Rural—White	5,890	11		27	7	4	8	126	7	7	151	12	20	11		654
	Colored	9					1					1					
39	Maryland—White	15,955	36		17	31	59	35	235	24	11	756	31	46	71	1	1,674
	Colored	5,083	17			1	32	15	77	7	6	615	15	43	184		259
40	Cities of 10,000 or more—White	9,454	10		10	19	32	13	113	14	10	336	20	32	55	1	1,108
	Colored	2,913	4			1	18	8	36	4	5	335	12	25	144		170
41	Cities of 2,500 to 10,000—White	821	4		2		2	2	21	1		22	1	1	2		79
	Colored	269	3				4		7			17	2	5	8		11
42	Rural—White	5,680	22		5	12	25	20	101	9	1	398	10	13	14		487
	Colored	1,901	10				10	7	34	3	1	263	1	13	32		78

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
34	197	889	2,107	26	477	109	66	153	117	93	1,112	54	102	565	261	149	364	11	533	209	1,582	1
17	58	558	900	15	360	86	38	60	71	44	569	37	85	326	22	275	121	5	279	334	1,094	
13	109	377	957	11	197	27	28	93	70	47	498	25	46	223	151	61	177	6	219	32	719	2
4	34	244	423	5	163	22	10	37	34	23	237	19	32	128	12	150	51	2	102	48	447	
14	35	166	463	3	80	15	8	43	28	18	216	9	16	105	45	17	89	4	112	13	339	3
2	8	90	152	2	68	20	9	5	15	6	118	10	10	41	5	36	22	1	40	34	186	
7	53	346	697	12	200	67	30	17	19	28	398	20	40	237	65	71	98	1	202	164	524	4
11	16	224	325	8	129	44	19	18	22	15	214	8	43	157	5	89	48	2	137	252	461	
40	258	1,293	2,376	46	1,199	266	102	254	142	68	1,643	80	207	1,087	278	177	389	36	769	707	2,351	5
51	84	1,136	1,882	35	1,222	134	91	100	125	35	1,352	106	195	674	25	386	152	4	575	1,522	2,287	
6	111	365	847	12	363	74	25	150	72	33	544	27	58	332	122	59	186	9	254	53	753	6
14	36	433	763	16	521	45	32	57	52	11	549	47	42	248	6	185	83	1	182	184	687	
34	147	928	1,529	34	836	192	77	104	70	35	1,099	53	149	755	156	118	203	27	515	654	1,598	7
37	48	703	1,119	19	701	89	59	43	73	24	803	59	153	426	19	201	69	3	393	1,338	1,600	
17	78	330	731	9	230	19	9	89	50	27	286	14	30	210	80	10	85	2	223	36	571	8
2	1	5	6		20	1	1	1	1	1	4		2	10	1	2	1		6	2	10	
	12	51	94	2	40		3	20	13	3	36	2	4	28	16	1	18		21	3	97	9
	1		1		1					1	1			1	1				2		3	
9	32	121	285	2	93	11	4	44	21	4	128	4	17	73	23	1	37		83	9	236	10
		1	1		1	1					1			1		1	1		3		5	
8	34	158	352	5	97	8	2	25	16	20	122	8	9	109	41	8	30	2	119	24	238	11
2		4	4		18		1	1	1		2		2	8		1			1	2	2	
232	1,982	5,036	18,058	305	4,633	525	278	1,138	775	716	7,662	213	371	3,368	1,387	529	1,725	198	3,190	155	9,428	12
23	76	274	1,127	10	587	45	15	57	66	32	505	22	19	202	37	230	106		202	11	662	
152	1,352	2,586	11,398	190	2,929	271	131	895	569	491	4,813	141	259	2,180	894	384	1,203	79	2,020	52	5,864	13
21	63	218	933	6	520	28	12	52	60	27	420	19	17	177	30	219	94		165	5	465	
24	160	626	1,574	33	408	64	36	146	88	70	773	37	43	338	135	42	180	45	286	21	942	14
1	3	13	32	1	18	3	2		1	1	26	2		11	5	4	3		9	5	27	
56	470	1,824	5,086	82	1,296	190	111	97	118	155	2,076	35	69	850	358	103	342	74	884	82	2,622	15
1	10	43	162	3	49	14	1	5	5	4	59	1	2	14	2	7	9		28	1	170	
118	725	3,322	7,725	93	2,287	398	168	430	346	223	3,499	132	158	1,517	629	169	811	161	1,473	21	4,701	16
7	18	105	385	9	182	22	15	24	20	10	191	3	9	69	12	54	34	4	59	4	200	
55	333	1,225	3,071	32	1,011	181	63	319	206	112	1,438	82	85	734	276	100	425	56	626	6	2,122	17
6	16	87	311	6	160	20	12	24	20	9	166	3	8	63	10	47	31		49	2	154	
12	89	440	941	11	238	50	21	65	49	29	456	21	27	178	64	22	92	19	209	4	579	18
1		5	16	3	3					1	13		1	1	1	2	1	4			13	
51	303	1,657	3,713	50	1,033	167	84	46	91	82	1,605	29	46	605	289	47	294	86	638	11	2,000	19
	2	13	58		19	2	3				12			5	1	5	2		10	2	33	
83	590	2,399	5,121	85	1,659	108	84	394	300	120	1,595	79	139	1,175	559	65	418	57	1,247	104	3,951	20
1	7	22	60		40	3	1	2	3	2	24		1	13	4	7	4		15	2	42	
28	233	733	1,784	24	675	37	30	218	154	50	567	42	57	461	188	24	175	21	478	20	1,489	21
1	6	13	41		30	3		2	3	1	20		1	9	2	7	2		10	2	28	
11	106	433	907	15	262	20	17	109	75	19	268	19	31	191	91	10	77	9	242	22	833	22
	1	3	10		5						3			1	1		1		3		8	
44	251	1,233	2,430	46	722	51	37	67	71	51	760	18	51	523	280	31	166	27	527	62	1,629	23
		6	9		5		1			1	1			3	1		1		2		6	
51	423	1,801	3,411	82	937	123	71	324	173	83	1,624	83	103	907	339	87	370	50	952	91	2,760	24
4	16	76	190	1	87	20	15	10	13	3	153	6	3	44	8	39	16	2	37	8	171	
8	137	523	1,090	26	343	29	21	143	76	30	556	40	49	279	117	39	140	10	349	13	906	25
3	10	46	123	1	62	15	12	4	6	1	114	5	2	30	7	29	7	1	23	3	103	
3	52	253	433	15	119	36	11	84	30	14	244	22	19	149	38	15	57	10	140	8	403	26
	4	13	12		4	4	1	3	4		13	1		4		4			3	2	20	
40	234	1,025	1,888	41	475	58	39	97	67	39	824	21	35	479	184	33	173	30	463	70	1,451	27
1	2	17	55		21	1	2	3	3	2	26		1	10	1	6	9	1	11	3	48	
95	339	1,642	3,620	93	1,797	746	211	341	174	109	1,777	106	190	1,521	299	363	403	29	1,303	398	3,314	28
19	46	254	745	25	389	62	23	31	32	13	396	15	29	137	16	169	38		181	44	576	
25	144	489	1,334	29	453	106	30	153	64	43	534	30	52	359	101	54	164	7	343	11	942	29
7	23	105	370	15	174	19	9	20	13	10	186	12	12	67	9	88	19		65	6	246	
70	195	1,158	2,286	64	1,344	640	181	188	110	66	1,243	76	138	1,162	198	309	239	22	960	387	2,372	30
12	23	149	375	10	195	43	14	11	19	3	210	3	17	70	7	81	19		116	38	330	
23	203	709	2,340	38	839	150	59	204	152	104	1,221	66	114	717	207	137	229	11	614	133	1,473	31
14	95	578	1,786	20	800	161	62	82	93	60	1,001	75	95	573	19	264	112	2	410	279	1,367	
13	129	334	1,333	16	373	31	17	152	96	60	664	39	47	340	120	52	110	4	307	14	803	32
2	52	208	810	5	366	47	11	60	55	30	447	37	39	247	8	139	49	1	153	19	587	
2	16	85	225	6	97	18	7	25	11	5	118	7	17	68	24	9	32	4	57	16	146	33
4	7	68	214	2	81	15	6	4	6	3	88	6	6	53		26	13	1	42	37	169	
8	58	290	782	16	369	101	35	27	45	39	439	20	50	309	63	76	87	3	250	103	524	34
8	36	302	762	13	353	99	45	18	32	27	466	32	50	273	11	99	50		215	223	611	
27	238	1,087	2,369	66	640	81	34	128	108	30	826	40	62	637	143	16	148	9	418	111	1,525	35
	1		6		3						3		1	1			1			1	4	
6	90	299	770	7	216	27	10	79	52	11	241	24	23	198	35	3	41	5	136	30	552	36
			1		2						2		1	1							3	
1	32	112	271	7	70	3	2	13	12	4	131	4	7	70	18	2	28		56	13	187	37
			2																	1	1	
20	116	676	1,328	52	354	51	22	36	44	15	454	12	32	369	90	11	79	4	226	68	786	38
	1		3		1						1						1					
60	366	1,277	3,618	71	1,119	193	37	149	179	92	1,720	47	59	723	291	62	329	14	714	29	1,779	39
18	56	379	775	18	558	108	23	34	40	13	507	20	21	309	19	68	81	4	184	26	551	
38	262	696	2,131	29	710	104	16	128	136	58	982	36	45	431	179	36	202	9	391	1	1,061	40
11	38	229	421	9	375	39	6	24	28	10	295	14	10	155	14	53	50		89	1	280	
3	15	78	169	3	39	6	3	12	20	6	100	3	4	40	12	2	29		42	2	96	
	7	9	49		23	5	1	3	5		25	2	1	18	1	5	7		13	2	36	41
19	89	503	1,318	39	370	83	18	9	23	28	638	8	10	252	100	24	98	5	281	26	622	
7	11	141	305	9	160	64	16	7	7	3	187	4	10	136	4	10	24	4	82	23	235	42

[1] Cities of 2,500 to 10,000 not available.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
1	Massachusetts—White	48,568	25		66	149	110	107	369	65	42	1,948	84	144	138	2	6,072
	Colored	878				1		1	2		1	106	8	9	29		74
2	Cities of 10,000 or more—White	39,044	23		53	129	94	98	291	52	40	1,405	79	111	113	1	4,842
	Colored	739				1		1			1	82	7	7	25		67
3	Cities of 2,500 to 10,000—White	3,225	2		7	9	5	5	37	1		69	3	9	7		388
	Colored	28										1			1		1
4	Rural—White	5,699			6	11	11	4	41	12	2	474	2	24	18	1	842
	Colored	111							2			23	1	2	3		6
5	Michigan—White	46,952	53	1	187	116	184	105	1,101	77	71	1,716	114	153	297	1	4,686
	Colored	2,633	2		8		20	2	29	3	1	430	27	58	96		128
6	Cities of 10,000 or more—White	25,114	28		113	65	109	88	485	50	57	910	87	93	189		2,561
	Colored	2,091	1		8		20	2	22	3	1	340	25	51	64		82
7	Cities of 2,500 to 10,000—White	4,364	4	1	20	6	12	1	136	5	2	84	8	11	13		464
	Colored	61							1			1		1	3		6
8	Rural—White	17,474	21		54	45	63	16	480	22	12	722	19	49	95	1	1,661
	Colored	481	1						6			89	2	6	29		40
9	Minnesota—White	25,189	17		13	40	35	26	782	40	26	829	37	109	141		3,280
	Colored	402				1	7		8		1	62	5	6	15		22
10	Cities of 10,000 or more—White	11,483	9		1	20	13	9	262	28	17	265	17	48	100		1,700
	Colored	151							1		1	11		1	5		16
11	Cities of 2,500 to 10,000—White	3,467	5		5	5	4	6	129	4	5	103	12	25	13		386
	Colored	21							1			3			2		
12	Rural—White	10,239	3		7	15	18	11	391	8	4	461	8	36	28		1,194
	Colored	230				1	7		6			48	5	5	8		6
13	Mississippi—White	8,303	46	1	2	10	50	94	415	23	6	344	5	18	22	131	656
	Colored	12,008	115	4	2	2	68	59	436	4	16	1,060	3	58	334	264	479
14	Cities of 10,000 or more—White	1,868	6		2	1	8	15	77	5	3	46	2	8	9	18	154
	Colored	2,017	5				11	4	88		4	135	1	12	52	19	88
15	Cities of 2,500 to 10,000—White	728	4			1	2	10	26	2		16		1	3	6	64
	Colored	728	5				1	3	38		1	71		3	19	7	38
16	Rural—White	5,707	36	1		8	40	69	312	16	3	282	3	9	10	107	438
	Colored	9,263	105	4	2	2	56	52	310	4	11	854	2	43	263	238	353
17	Missouri—White	39,117	187		30	113	199	261	1,414	52	37	1,689	41	125	217	96	3,939
	Colored	4,621	18	2	3	6	41	9	107	3	7	513	17	51	95	20	256
18	Cities of 10,000 or more—White	17,809	35		10	30	64	65	297	24	29	595	22	55	141	7	1,997
	Colored	3,259	4	1	2	2	19	5	46	1	6	370	14	42	66	2	198
19	Cities of 2,500 to 10,000—White	3,887	23		6	18	11	22	167	4	4	158	9	12	20	11	386
	Colored	476	4				3	2	18		1	43	1	2	18	2	23
20	Rural—White	17,421	129		14	65	124	174	950	24	4	936	10	58	56	78	1,556
	Colored	886	10	1	1	4	19	2	43	2		100	2	7	11	16	35
21	Montana—White	4,878	11		9	7	15	2	166	8	5	181	12	20	27		495
	Colored	416	3		3		7		24	2		75	6	13	16		18
22	Cities of 10,000 or more—White	1,621	4		6	1			54	3	3	43	8	5	13		190
	Colored	35	1						2			3		2	1		2
23	Cities of 2,500 to 10,000—White	850	4		1	2	3		30			13	3	5	5		81
	Colored	12												1			2
24	Rural—White	2,407	3		2	4	12	2	82	5	2	125	1	10	9		224
	Colored	369	2		3		7		22	2		72	6	10	15		14
25	Nebraska—White	12,558	18	1	8	26	23	45	523	17	15	208	4	28	43	1	1,400
	Colored	364	1		1		5		21			34	2	3	15		25
26	Cities of 10,000 or more—White	4,455	8	1	1	10	5	15	151	6	10	83	2	9	26	1	515
	Colored	220					1		11			15		1	7		18
27	Cities of 2,500 to 10,000—White	1,780	2		4	2	5	6	98	1	1	32		5	4		174
	Colored	28			1				1			3			1		
28	Rural—White	6,323	8		3	14	13	24	274	10	4	93	2	14	13		711
	Colored	116	1				4		9			16	2	2	7		7
29	Nevada—White	1,189	4			2	4	6	44	1	7	54		6	8		79
	Colored	153	4		2		1		9			32	2		7	1	6
30	Cities of 10,000 or more—White	333	1					2	11	1		9			1		31
	Colored	17							1			1			2		1
31	Cities of 2,500 to 10,000—White	337	1				2	2	7		6	17		4	4		14
	Colored	24			1				1			4			1		
32	Rural—White	519	2			2	2	2	26		1	28		2	3		34
	Colored	112	4		1		1		7			27	2		4	1	5
33	New Hampshire—White	6,320	8		6	11	13	4	149	8	3	176	11	22	16	3	750
	Colored	9										1					1
34	Cities of 10,000 or more—White	3,007	4		2	6	8	3	61	3	2	73	8	12	6	3	359
	Colored	6															1
35	Cities of 2,500 to 10,000—White	516	2		2	1	1		16	1	1	10	1	2	4		60
	Colored																
36	Rural—White	2,797	2		2	4	4	1	72	4		93	2	8	6		331
	Colored	3										1					
37	New Jersey—White	39,463	23		44	72	102	95	541	53	33	1,797	62	121	156	2	4,427
	Colored	3,451	7		2	1	27	3	46	1	5	486	18	49	120	2	178
38	Cities of 10,000 or more—White	26,454	18		36	42	61	68	333	37	29	784	54	88	112		3,008
	Colored	2,428	6		2	1	17	1	31	1	5	236	14	38	93	2	126
39	Cities of 2,500 to 10,000—White	5,188			2	11	18	20	59	5	3	461	6	10	15	1	625
	Colored	427					2	1	4			120	3	6	5		15
40	Rural—White	7,821	5		6	19	23	7	149	11	1	552	2	23	29	1	794
	Colored	596	1				8	1	11			130	1	5	22		37
41	New Mexico—White	5,620	26		10	16	29	83	229	9	6	511	14	28	44	6	208
	Colored	348	1				1	1	12		1	51	4	7	10		13
42	Cities of 10,000 or more—White	956	1		1	4	1	10	39	1	2	198	7	10	10	1	46
	Colored	41									1	3			1		4
43	Cities of 2,500 to 10,000—White	1,171	5		4	3	14	9	62	5	2	87	4	7	16	3	65
	Colored	25					1	1	1			2		1	2		2
44	Rural—White	3,493	20		5	9	14	64	128	3	2	226	3	11	18	2	97
	Colored	282	1						11			46	4	6	7		

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes	
130	1,178	3,804	13,009	162	3,647	225	89	615	400	266	3,610	130	271	2,315	635	81	766	21	1,914	54	5,925	
	19	45	196	4	89	7	1	11	8	5	60	2	9	45	4	11	11		26	2	92	1
109	989	2,962	10,478	120	3,145	191	69	576	370	223	2,985	124	244	2,064	500	69	626	12	1,578	43	4,836	
	15	38	165	2	82	5		11	7	5	51	2	9	36	3	9	7		24	2	75	2
9	86	332	965	21	198	13	5	27	14	17	260	3	17	122	59	5	67	1	116	4	342	
	2	2	8		2						3			3	1		1				3	3
12	103	510	1,566	21	304	21	15	12	16	26	365	3	10	129	76	7	73	8	220	7	747	
	2	5	23	2	5	2	1		1		6			6		2	3		2		14	4
176	1,094	3,932	10,881	229	3,021	338	180	669	470	370	2,774	174	313	2,654	919	193	1,097	95	1,944	152	6,365	
7	28	140	495	6	261	13	14	34	26	13	140	8	21	98	12	78	46	1	88	3	297	5
101	598	1,759	5,440	131	1,799	184	69	517	315	203	1,403	140	223	1,600	532	141	651	43	949	24	3,457	
5	23	102	390	4	227	11	12	31	19	9	118	7	21	87	11	73	37	1	60	1	223	6
19	116	404	1,024	17	227	25	18	73	46	26	270	17	29	242	76	9	118	4	206	21	610	
		3	11	1	5			2	4	1	4	1		4		4	2		2		5	7
56	380	1,819	4,417	81	995	129	93	79	109	141	1,101	17	61	812	311	43	328	48	789	107	2,298	
2	5	35	94	1	29	2	2	1	3	3	18			7	1	1	7		26	2	69	8
107	592	1,952	5,078	116	1,847	127	63	396	247	176	1,377	76	139	1,478	458	69	481	45	1,287	68	3,635	
1	9	19	48		66	4	3	1	4	2	13	4	3	24	1	7	5		11	4	46	9
45	271	734	2,264	44	922	52	26	224	143	92	515	46	63	647	205	36	235	26	540	7	1,857	
1	5	9	31		30		2	1	4	1	5	1	2	5		2	2		1		14	10
13	81	287	641	12	238	13	6	84	48	23	244	12	28	201	50	10	65	8	171	8	522	
		2	2		4						2										5	11
49	240	931	2,173	60	687	62	31	88	56	61	618	18	48	630	203	23	181	11	576	53	1,256	
	4	8	15		32	4	1			1	6	3	1	19	1	5	3		10	4	27	12
20	136	547	1,179	25	475	143	57	121	87	39	792	34	76	442	98	100	138	7	416	471	1,077	
22	84	633	1,063	13	635	150	74	91	120	33	974	69	111	302	26	367	96		502	2,311	1,428	13
7	36	112	292	4	91	23	11	66	36	4	156	9	17	86	26	28	50	2	117	55	286	
2	13	124	230	2	136	17	10	42	43	9	154	10	22	51	8	109	36		106	225	249	14
4	10	39	110	4	39	11	2	23	12	3	84	6	5	42	13	11	13	1	41	17	103	
	8	41	88		35	8	5	7	15	4	71	8	4	16	3	23	6		36	73	91	15
9	90	396	777	17	345	109	44	32	39	32	552	19	54	314	59	61	75	4	258	399	688	
20	63	468	745	11	464	125	59	42	62	20	749	51	85	235	15	235	54		360	2,013	1,088	16
113	836	2,839	7,673	158	3,027	455	216	560	353	328	3,639	178	186	1,664	724	250	638	55	1,776	242	4,807	
14	36	246	931	12	497	81	21	57	33	25	404	18	22	148	11	160	52	2	177	27	499	17
43	442	982	3,894	56	1,507	107	58	359	208	199	1,695	94	72	690	372	122	318	19	841	18	2,342	
10	27	162	710	7	378	28	8	46	30	19	283	15	11	95	10	127	33		113	2	367	18
12	71	277	659	9	304	51	26	108	53	20	308	27	34	172	65	30	102	8	207	13	480	
1	3	33	82		52	8	4	9		2	33	2	2	16	1	20	5	1	19	5	61	19
58	323	1,580	3,120	93	1,216	297	132	93	92	109	1,636	57	80	802	287	98	218	28	728	211	1,985	
3	6	51	139	5	67	45	9	2	3	4	88	1	9	37		13	14	1	45	20	71	20
21	87	333	1,030	12	301	29	15	105	63	43	337	20	37	251	119	39	92	2	327	33	624	
1		7	35	2	47	11	1	3	1	1	11	2	1	25	6	6	4		17	13	55	21
6	34	87	359	4	107	11	3	45	23	14	109	8	8	72	40	9	30		86	8	228	
			6		2	1		2			1			4	1	3	1				3	22
2	13	61	151	3	54	5	4	28	21	13	60	8	12	60	18	4	19	2	50	2	113	
			4		1					1							2				1	23
13	40	185	520	5	140	13	8	32	19	16	168	4	17	119	61	26	43		191	23	283	
1		7	25	2	44	10	1	1	1		10	2	1	21	5	3	1		17	13	51	24
53	327	1,130	2,479	36	762	72	54	243	151	78	898	56	70	698	276	41	209	10	669	72	1,814	
	5	24	47	4	37	5	3	3	4	1	22	2	4	19	1	10	3	1	17	2	43	25
21	107	316	864	7	304	13	14	121	72	34	292	30	27	213	106	22	76	4	245	5	719	
	4	18	40	3	19	1	1	2	3		16	1	2	10	1	7	2		5	2	30	26
7	42	157	333	7	110	13	18	53	29	7	122	12	11	104	35	4	43	2	91	9	237	
	1	2	1		5					1	2		1	2		1	1		4		1	27
25	178	657	1,282	22	348	46	22	69	50	37	484	14	32	381	135	15	90	4	333	58	858	
		4	6	1	13	4	2	1	1		4	1	1	7		2		1	8		12	28
2	16	64	208	1	98	9	6	26	13	8	89	3	2	34	40	29	56	1	96	18	155	
1		5	10		16	6		1	1		3	1	2	2	3	7	3		10	6	12	29
	6	13	62		30	1		8	9	4	30	1	1	5	12	6	12		21		56	
			1								1					2	3		2		3	30
1	4	15	69	1	37	3	2	7	3	2	23	1		11	15	12	15	1	20	2	36	
		1	4		1	1			1							2			3		4	31
1	6	36	77		31	5	4	11	1	2	38	1	1	18	13	11	29		55	16	63	
1		4	5		15	5		1			2	1	2	2	3	3			5	6	5	32
26	148	646	1,512	31	390	28	10	71	47	35	521	9	37	316	96	1	70	2	246	18	880	
		2								1	1										3	33
11	66	286	715	9	180	18	5	47	35	19	227	5	26	185	41	1	41		120	4	416	
		1									1										3	34
3	10	59	117	3	48	4	1	6	2	3	28		4	25	8		11		17	2	64	
																						35
12	72	301	680	19	162	6	4	18	10	13	266	4	7	106	47		18	2	109	12	400	
		1								1												36
145	1,075	2,949	10,019	129	2,545	204	93	498	349	347	3,578	128	194	1,579	726	171	1,035	45	1,645	57	4,424	
10	47	203	608	11	354	36	15	32	28	15	272	7	23	204	13	47	70	3	114	8	386	37
113	818	1,832	6,487	83	1,878	154	56	441	302	260	2,217	112	151	1,261	507	126	712	19	1,128	38	3,089	
8	33	142	428	8	287	26	13	29	27	11	188	6	20	163	8	37	46	2	88	6	279	38
13	106	439	1,368	17	229	15	14	28	21	42	565	7	22	144	83	16	131	3	172	7	510	
	5	28	75		27	3	1	2		1	40	1		20	1	5	9	1	8	1	43	39
19	151	678	2,164	29	438	35	23	29	26	45	796	9	21	174	136	29	192	23	345	12	825	
2	9	33	105	3	40	7	1	1	1	3	44		3	21	4	5	15		18	1	64	40
16	38	141	438	14	367	249	22	75	38	18	230	45	59	303	57	60	96	1	217	1,443	474	
2	1	6	16	2	33	20	1	4	2	1	8	3	6	16	2	3	1		15	80	25	41
3	4	24	100	3	57	31	3	24	10	6	47	13	10	41	15	9	22		32	71	100	
	1		4	1	2	2		2			3		1	1	2	1			2	3	7	42
4	17	48	121	3	60	57	4	34	14	5	54	11	17	76	14	14	29		60	104	139	
		2	2		2	2					2			1		2			1	1		43
9	17	69	217	8	250	161	15	17	14	7	129	21	32	186	28	37	45	1	125	1,268	235	
2		4	10	1	29	16	1	2	2	1	3	3	5	14			1		12	76	18	44

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
1	New York—White	140,648	120		212	359	281	259	1,528	310	148	6,130	219	443	765	2	15,999
	Colored	7,176	11		7	7	31	7	41	12	18	1,124	53	104	348		385
2	Cities of 10,000 or more—White	105,934	94		153	287	205	242	988	261	141	4,248	190	348	632	2	12,512
	Colored	6,369	9		4	6	27	7	36	11	18	1,003	51	95	311		351
3	Cities of 2,500 to 10,000—White	7,646	9		9	13	14	3	106	10	2	340	7	19	31		797
	Colored	164			1	1			2			14	1	1	10		4
4	Rural—White	27,068	17		50	59	62	14	434	39	5	1,542	22	76	102		2,690
	Colored	643	2		2		4		3	1		107	1	8	27		30
5	North Carolina—White	19,513	80		40	34	136	139	519	33	17	866	20	62	45	15	1,252
	Colored	11,538	83		21		106	27	300	1	9	1,164	25	87	177	38	387
6	Cities of 10,000 or more—White	4,752	12		13	9	19	20	108	6	11	159	8	19	23	1	362
	Colored	3,522	16		7		28	8	99		7	315	14	38	79	5	116
7	Cities of 2,500 to 10,000—White	1,745	7		3	1	7	12	47	1	1	49	1	2	5	1	114
	Colored	897	7		2		2		18			75	3	7	21	3	42
8	Rural—White	13,016	61		24	24	110	107	364	26	5	658	11	41	17	13	776
	Colored	7,119	60		12		76	19	183	1	2	774	8	42	77	30	229
9	North Dakota—White	5,004	14		8	5	20	12	139	6	13	142	12	13	12		522
	Colored	149	1		3		3	2	2	1	2	25	5	3	4		1
10	Cities of 10,000 or more—White	982	1		5		4	3	25	2	4	19	4	6	3		128
	Colored	11						1					2				
11	Cities of 2,500 to 10,000—White	619	7			2	1	1	13	2	4	13	3		1		61
	Colored	6									1	2		1			1
12	Rural—White	3,403	6		3	3	15	8	101	2	5	110	5	7	8		333
	Colored	132	1		3		3	1	2	1	1	23	3	2	4		
13	Ohio—White	70,861	131	2	171	216	293	214	2,221	94	60	2,590	92	204	372	6	7,395
	Colored	5,425	9		9	6	43	8	133	2	10	822	24	54	152	1	279
14	Cities of 10,000 or more—White	40,575	50		97	140	158	109	995	59	46	1,412	67	119	243	4	4,498
	Colored	4,381	6		9	4	38	6	107	2	10	616	24	44	123	1	228
15	Cities of 2,500 to 10,000—White	6,654	15		10	20	19	19	241	7	7	190	9	24	27		699
	Colored	260	1			1	1		7			22			3		10
16	Rural—White	23,632	66	2	64	56	116	86	985	28	7	988	16	61	102	2	2,198
	Colored	784	2			1	4	2	19			184		10	26		41
17	Oklahoma—White	16,663	177	1	11	45	86	308	942	34	24	694	21	53	92	85	1,277
	Colored	2,622	51		1	3	14	13	167		5	359	8	29	55	24	88
18	Cities of 10,000 or more—White	5,476	37		4	19	16	68	272	12	6	159	14	22	53	6	462
	Colored	985	12				5	4	65		1	112	7	16	23	5	34
19	Cities of 2,500 to 10,000—White	4,124	48		2	10	19	63	186	6	5	221	1	11	14	16	288
	Colored	560	15			2	3	4	28		3	78	1	7	15	6	25
20	Rural—White	7,063	92	1	5	16	51	177	484	16	13	314	6	20	25	63	527
	Colored	1,077	24		1	1	6	5	74		1	169		6	17	13	29
21	Oregon—White	10,026	14	1	17	6	19	9	222	9	11	276	14	39	87	1	1,128
	Colored	251	2			1	1		12			25	3	6	11		16
22	Cities of 10,000 or more—White	4,627	3		12	2	9	5	62	4	5	97	8	21	57		580
	Colored	119	1				1		2			10	1	3	7		12
23	Cities of 2,500 to 10,000—White	1,999	4		4	2	3		59	3	4	59	5	6	13	1	229
	Colored	29							4			1		1			1
24	Rural—White	3,400	7	1	1	2	7	4	101	2	2	120	1	12	17		319
	Colored	103	1			1			6			14	2	2	4		3
25	Pennsylvania—White	102,194	165		218	256	394	390	2,837	164	136	3,927	169	279	405	8	10,212
	Colored	7,010	16		3	6	55	8	161	4	13	928	44	64	235	2	383
26	Cities of 10,000 or more—White	57,124	83		85	134	165	167	1,157	79	108	1,922	119	156	252	3	6,116
	Colored	5,669	9		2	6	38	5	133	4	12	653	40	51	198	2	330
27	Cities of 2,500 to 10,000—White	13,110	28		27	36	59	70	423	21	13	355	22	34	51	2	1,351
	Colored	237	4		1		7	2	5			16	3	2	7		14
28	Rural—White	31,960	54		106	86	170	153	1,257	64	15	1,650	28	89	102	3	2,745
	Colored	1,104	3				10	1	23		1	259	1	11	30		39
29	Rhode Island—White	7,869	2		42	25	11	29	79	11	3	286	25	37	39		975
	Colored	211							3			20	2	1	8		18
30	Cities of 10,000 or more—White	6,945	2		39	23	9	26	57	10	3	203	24	33	36		882
	Colored	190							3			13	2	1	8		17
31	Cities of 2,500 to 10,000—White	344			1	1	2	1	5			68	1	2	2		33
	Colored	8										7					
32	Rural—White	580			2	1		2	17	1		15		2	1		60
	Colored	13															1
33	South Carolina—White	8,599	56		25	7	40	59	400	25	6	265	7	10	38	61	451
	Colored	11,285	199		18	4	98	31	486	1	5	862	11	40	208	173	292
34	Cities of 10,000 or more—White	2 054	7		2	1	5	15	74	7	2	58	3	2	24	7	125
	Colored	2,333	27		4	1	4	2	87		3	178	2	16	82	6	87
35	Cities of 2,500 to 10,000—White	910	6		2	1	7	4	37	3	1	18	1	4	6	1	49
	Colored	832	8		2		1	1	50			69		7	12	7	26
36	Rural—White	5,635	43		21	5	28	40	289	15	3	189	3	4	8	53	277
	Colored	8,120	164		12	3	93	28	349	1	2	615	9	17	114	160	179
37	South Dakota—White	5,216	10	1	1	9	22	20	198	7	8	157	6	24	9		569
	Colored	509					31	2	8			131	10	9	2		5
38	Cities of 10,000 or more—White	1,176	4			1	3	5	43	3	3	27	3	5	1		146
	Colored	9					2							1			
39	Cities of 2,500 to 10,000—White	810	1					4	15	1	3	43	1	7	5		81
	Colored	18										3		1	1		1
40	Rural—White	3,230	5	1	1	8	19	11	140	3	2	87	2	12	3		342
	Colored	482					29	2	8			128	10	7	1		4
41	Tennessee—White	20,821	213		7	28	173	223	1,128	37	40	1,535	60	111	106	83	1,327
	Colored	7,807	95	1		2	64	20	352	4	9	900	17	92	197	49	275
42	Cities of 10,000 or more—White	6,285	37			11	36	55	243	6	21	232	27	37	55	20	497
	Colored	4,138	33				15	9	158	2	9	353	12	61	152	19	167
43	Cities of 2,500 to 10,000—White	2,097	21		1	1	12	16	112	5	4	160	4	4	5	8	133
	Colored	810	18			1	16	3	52	1		96	1	5	7	4	24
44	Rural—White	12,439	155		6	16	125	152	773	26	15	1,143	29	70	46	55	697
	Colored	2,859	44	1		1	33	8	142	1		451	4	26	38	26	84

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
476	3,855	8,376	37,573	450	10,825	844	239	1,925	1,221	1,120	11,297	412	667	5,837	2,654	590	2,704	148	5,854	79	16,727	1
19	122	251	1,254	12	741	87	9	71	63	27	427	43	52	429	59	173	109	2	294	2	782	
372	3,200	5,289	27,834	292	8,753	702	173	1,724	1,015	913	8,134	351	553	4,692	2,050	526	1,905	58	4,313	39	12,743	2
18	109	223	1,121	10	671	72	6	64	55	22	389	39	45	391	51	163	89	2	256	2	642	
22	183	598	1,911	20	469	37	12	108	68	64	707	33	51	347	121	8	227	18	360	7	915	3
1	3	6	34		14	5		3	4	2	8	2	1	14	1	2	6		10		14	
82	472	2,489	7,828	138	1,603	105	54	93	138	143	2,456	28	63	798	483	56	572	72	1,181	33	3,069	4
	10	22	99	2	56	10	3	4	4	3	30	2	6	24	7	8	14		28		126	
72	293	1,655	3,135	62	1,503	368	113	227	138	66	1,931	63	228	1,598	264	150	430	27	743	661	2,528	5
41	103	799	1,458	36	1,042	282	59	75	84	24	1,075	62	176	758	22	244	128	7	424	745	1,469	
15	90	300	717	13	282	67	13	145	65	19	404	27	72	384	106	40	160	12	208	54	789	6
12	31	258	510	12	340	56	17	36	34	7	343	20	54	233	8	130	50	3	122	107	407	
4	34	129	292	4	119	25	9	33	20	11	161	9	26	159	33	20	77	5	86	27	211	7
3	14	67	100	2	73	21	6	18	10	3	93	8	9	45	2	23	17		41	38	124	
53	169	1,226	2,126	45	1,102	276	91	49	53	36	1,366	27	130	1,055	125	90	193	10	449	580	1,528	8
26	58	474	848	22	629	205	36	21	40	14	639	34	113	480	12	91	61	4	261	600	938	
19	116	430	844	30	364	96	21	106	65	26	340	19	41	405	79	8	57	2	215	77	726	9
	2	3	13		23	1	1	1	1	1	10		2	9					3	10	17	
4	24	60	150	5	76	7	5	36	20	4	49	9	12	65	12	2	20	1	47	2	168	10
			2		1					1				2							2	
3	13	45	80	2	53	5	2	28	13	5	47	1	2	56	11	1	9		28	3	104	11
																			1			
12	79	325	614	23	235	84	14	42	32	17	244	9	27	284	56	5	28	1	140	72	454	12
	2	3	11		22	1	1	1	1		10		2	7					2	10	15	
240	1,583	6,747	14,983	248	4,558	611	203	933	721	564	5,120	234	351	3,211	1,286	352	1,724	175	3,351	199	9,406	13
17	65	388	888	6	551	43	19	38	49	33	330	24	31	231	30	191	98	3	194	22	622	
135	975	3,300	8,204	132	2,722	316	98	762	544	367	2,689	179	244	1,941	760	253	1,114	78	1,954	78	5,733	14
15	54	293	699	3	473	34	16	36	47	28	262	22	27	197	24	178	76	3	154	16	506	
21	151	727	1,435	21	337	54	14	104	67	38	569	25	29	262	97	19	175	24	334	16	848	15
1	3	22	62	2	25	4	1		1	1	18	1		12	3	6	4		11	3	35	
84	457	2,720	5,344	95	1,499	241	91	67	110	159	1,862	30	78	1,008	429	80	435	73	1,063	105	2,825	16
1	8	73	127	1	53	5	2	2	1	4	50	1	4	22	3	7	18		29	3	81	
67	273	1,267	2,262	21	1,304	210	104	356	186	81	1,007	115	135	922	269	163	399	23	818	234	2,597	17
6	12	137	245	8	259	52	16	40	27	11	158	23	23	80	7	98	38	1	131	58	375	
15	86	340	764	9	402	90	32	193	96	32	335	54	48	269	110	57	163	7	302	68	854	18
3	4	48	99	4	107	14	7	22	12	6	59	9	7	32	3	49	15	1	44	16	140	
21	61	346	599	3	340	34	30	102	43	18	217	30	34	183	64	35	119	5	180	46	724	19
2	4	37	56	1	43	12	2	9	2	2	26	3	3	18	1	22	7		36	7	80	
31	126	581	899	9	562	86	42	61	47	31	455	31	53	470	95	71	117	11	536	120	1,019	20
1	4	52	90	3	109	26	7	9	13	3	73	11	13	30	3	27	16		51	35	155	
29	208	917	2,303	27	488	24	28	157	85	52	875	31	28	323	243	49	214	19	547	31	1,495	21
1	2	14	35	1	21	2	1	3	2	1	12		1	9	2	7	9	2	19	4	26	
10	92	363	1,005	17	244	6	9	76	49	37	401	12	13	128	121	19	99	9	216	8	828	22
	2	4	23	1	12		1	3	1		10			1	2	5	1		4	1	11	
7	44	173	447		94	7	7	61	13	4	160	14	10	89	39	12	34	1	102	5	284	23
		2	2		4											1	3		5	1	4	
12	72	381	851	10	150	11	12	20	23	11	314	5	5	106	83	18	81	9	229	18	383	24
1		8	10		5	2			1	1	2		1	8		1	5	2	10	2	11	
354	2,445	7,661	23,989	409	7,626	1,171	386	1,109	1,001	878	8,843	390	562	5,074	1,486	337	1,952	87	4,653	376	11,845	25
23	100	357	1,276	18	800	74	37	54	70	38	555	28	45	365	34	132	91	1	219	50	721	
189	1,493	3,543	13,529	182	4,557	537	159	841	698	529	5,095	262	365	2,679	855	217	1,171	41	2,560	177	6,899	26
19	92	285	984	12	695	57	21	51	61	32	453	26	42	323	28	118	69	1	180	42	595	
41	314	1,055	2,990	58	902	157	43	163	145	140	1,144	64	77	674	163	37	257	9	649	41	1,495	27
3	1	12	43	1	24	3	2	3	3	1	21	1	1	11	4	3	4		6	1	28	
124	638	3,063	7,470	169	2,167	477	184	105	158	209	2,604	64	120	1,721	468	83	524	37	1,444	158	3,451	28
1	7	60	249	5	81	14	14		6	5	81	1	2	31	2	11	18		33	7	98	
22	225	659	1,828	34	650	52	24	105	72	51	799	19	44	393	93	10	98	2	262	19	844	29
	2	20	50		12	4	1	3		1	19	4		7	1	1	3		9	5	17	
21	199	563	1,602	24	577	48	20	103	69	46	700	18	42	368	87	8	89	2	231	17	764	30
	2	18	44		10	4	1	2		1	19	4		7	1	1	2		9	5	16	
	13	30	56	4	29	3		1	1	3	44			8	4		1		7		24	31
			1																			
1	13	66	170	6	44	1	4	1	2	2	55	1	2	17	2	2	8		24	2	56	32
	2	5			2			1									1				1	
20	149	701	1,475	14	668	161	42	69	55	25	964	47	116	600	101	84	210	4	334	241	1,069	33
22	62	780	1,457	9	843	188	45	68	51	20	988	47	180	560	23	174	119	2	344	1,121	1,754	
1	43	134	334	3	145	24	10	38	38	5	190	24	21	143	28	32	82	1	99	12	315	34
5	18	209	359	5	183	57	14	24	18	6	220	19	29	152	6	62	38		72	15	323	
2	19	70	160	1	55	20	3	12	6	3	108	8	18	55	18	6	32	1	43	7	123	35
	4	76	129		59	12	6	9	7	1	102	5	20	48	5	12	8		24	29	93	
17	87	497	981	10	468	117	29	19	11	17	666	15	77	402	55	46	96	2	192	222	631	36
17	40	495	969	4	601	119	25	35	26	13	666	23	131	360	12	100	73	2	248	1,077	1,338	
15	129	420	1,068	20	268	40	28	125	51	27	255	12	33	384	82	9	96	9	262	63	779	37
1	2	9	30	2	43	13	7	4	4		14	1	3	18	1	2	5		5	97	50	
2	31	97	193	7	56	5	3	55	16	10	46	4	13	90	15	4	21		55	9	200	38
			2			1		1									1				1	
4	16	52	178	2	41	4	4	32	12	6	45		3	44	11		17		49	3	126	39
	1	1	3		1			2			1			1			1				1	
9	82	271	697	11	171	31	21	38	23	11	164	8	17	250	56	5	58	9	158	51	453	40
1	1	8	25	2	42	12	7	1	4		13	1	3	17	1	2	3		5	97	48	
65	233	1,264	2,585	56	1,582	494	178	261	163	86	1,324	84	198	1,139	284	235	377	16	912	1,387	2,827	41
29	64	518	955	19	668	86	49	84	78	18	504	39	59	252	18	289	97	2	276	616	1,010	
17	90	343	877	12	446	108	28	159	89	48	422	34	65	415	116	79	183	11	338	167	961	42
16	38	290	511	8	387	39	21	68	57	11	271	25	33	182	13	201	64	1	146	193	573	
8	28	157	249	1	154	53	18	44	25	6	137	13	28	102	33	19	61	1	107	86	281	43
3	9	55	127	4	61	9	4	5	10	3	53	4	10	14	1	25	17	1	24	65	78	
40	115	764	1,459	43	982	333	132	58	49	32	765	37	105	622	135	137	133	4	467	1,134	1,585	44
10	17	173	317	7	220	38	24	11	11	4	180	10	16	56	4	63	16		106	358	359	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
1	Utah	White	4,289	5		1	17	5	9	245	17	22	78	2	16	18	1	395
		Colored	131	2						3			13		2	2		5
2	Cities of 10,000 or more	White	2,144	2			7	1	1	98	8	14	45	1	15	12		237
		Colored	58							1			4		2	1		4
3	Cities of 2,500 to 10,000	White	647				4	2	2	39	2	4	14			3		41
		Colored	7							1			2					
4	Rural	White	1,498	3		1	6	2	6	108	7	4	19	1	1	3	1	117
		Colored	66	2						1			7			1		1
5	Vermont	White	4,749	2	2	29	7	14	6	106	10	1	181	12	17	10		504
		Colored	4															
6	Cities of 10,000 or more	White	896			4	3	1	2	9	4	1	48	3	3	5		103
		Colored	1															
7	Rest of State [2]	White	3,853	2	2	25	4	13	4	97	6		133	9	14	5		401
		Colored	3															
8	Virginia	White	18,270	88		18	29	198	118	647	36	24	931	38	66	77		1,412
		Colored	10,628	47		8	2	142	29	359	5	13	1,025	32	79	238	6	404
9	Cities of 10,000 or more	White	5,314	15		2	9	24	21	125	5	3	172	10	18	22		494
		Colored	3,636	14		2	1	28	6	94	1	2	292	15	29	99	2	143
10	Cities of 2,500 to 10,000	White	1,780	13		3	2	14	14	74	8	6	66	5	5	14		120
		Colored	633	8				4		32	1	1	43	1	5	16	1	29
11	Rural	White	11,176	60		13	18	160	83	448	23	15	693	23	43	41		798
		Colored	6,359	25		6	1	110	23	233	3	10	690	16	45	123	3	232
12	Washington	White	15,959	27	1	34	17	13	18	400	14	22	637	12	63	149	1	1,768
		Colored	622	3	1	3		1	1	17	1	1	118	8	9	20		32
13	Cities of 10,000 or more	White	9,020	13	1	22	9	3	6	210	11	17	262	11	40	94	1	1,086
		Colored	298	2		1				2	1	1	44	5	5	11		19
14	Cities of 2,500 to 10,000	White	1,619	7		3	1	3	1	42		2	75		5	12		162
		Colored	67			1				2			8	1		2		2
15	Rural	White	5,320	7		9	7	7	11	148	3	3	300	1	18	43		520
		Colored	257	1	1	1		1	1	13			66	2	4	7		11
16	West Virginia	White	16,125	200		182	43	175	228	709	39	26	716	29	66	110		1,048
		Colored	1,787	18	1	4		16	8	78	3	4	183	3	13	62		74
17	Cities of 10,000 or more	White	4,300	38		27	11	29	24	162	13	7	128	10	14	40		348
		Colored	449	7		3			4	24	1		48		5	18		19
18	Cities of 2,500 to 10,000	White	2,280	37		15	8	27	18	90	9	9	83	5	6	27		132
		Colored	286	2				3	2	9	1	3	18	2	2	9		6
19	Rural	White	9,545	125		140	24	119	186	457	17	10	505	14	46	43		568
		Colored	1,052	9	1	1		13	2	45	1	1	117	1	6	35		49
20	Wisconsin	White	29,948	21	1	42	51	66	50	891	57	31	1,169	36	93	131		3,564
		Colored	373					1	6	8			70	3	7	14		12
21	Cities of 10,000 or more	White	13,142	9		33	27	30	28	270	21	21	444	21	41	76		1,716
		Colored	127						3	3			26	1	4	7		6
22	Cities of 2,500 to 10,000	White	3,678	4	1	2	4	7	5	141	7	6	83	3	10	10		457
		Colored	13										3		1			
23	Rural	White	13,128	8		7	20	29	17	480	29	4	642	12	42	45		1,391
		Colored	233					1	3	5			41	2	2	7		6
24	Wyoming	White	1,879	6		2	12	2	3	92	2	6	26	2	2	9		155
		Colored	178	2				2		8	1		21	1	2	1		3
25	Cities of 10,000 or more	White	363			2	2			12		2	4			4		33
		Colored	32										2					
26	Cities of 2,500 to 10,000	White	521	1			2			40		2	7		1	3		57
		Colored	29							4			2					2
27	Rural	White	995	5			8	2	3	40	2	2	15	2	1	2		65
		Colored	117	2				2		4	1		17	1	2	1		1
	ALABAMA																	
28	Birmingham	White	1,553	1			2	5	8	56	3	1	45	1	5	16	3	134
		Colored	1,658	6				15	3	46		4	141	2	18	43	2	52
29	Mobile	White	592	4				1	3	20			13		3	7	1	61
		Colored	525	3		1			1	12		1	27	1		15	3	18
30	Montgomery	White	441	1			1	1	1	29	1		10		1	1		49
		Colored	577	3				5	2	45		1	27	1	5	8	3	25
	ARIZONA																	
31	Phoenix *	White	883	2			4	4	6	32	1	3	233	6	4	4		55
		Colored	346	2			1	1	1	17		1	76	4	5	7		10
32	Tucson *	White	543							9	1		265	3	1	2		25
		Colored	360	3				4	1	16			60	2	2	5		17
	ARKANSAS																	
33	Fort Smith	White	433	4					3	30	1		24	1		2		36
		Colored	74					2		8			5			1	3	6
34	Little Rock *	White	1,098	5	1		1	1	3	34	2		61	1	3	15	2	75
		Colored	565	4				1		9			65		1	37	3	15
	CALIFORNIA																	
35	Alameda		316							2			5	1		2		38
36	Alhambra		240						1	5			12		1	3		39
37	Bakersfield	White	157				1			4			6	1				13
		Colored	42										4		1			3
38	Berkeley		591							4			13	1	2	2		87
39	Fresno	White	348							9			17	2	4	2		52
		Colored	54							3			5	1				1
40	Glendale *		709						1	17	4		22	1	3	1		107
41	Huntington Park		185						1	8			6		1	1		17
42	Long Beach		1,534	1					2	29			32		6	8		208
43	Los Angeles	White	12,814	10		1	17	23	71	131	10	27	705	25	48	132		1,630
		Colored	1,898	2		1	3	21	24	24		2	325	15	37	63		145
44	Oakland	White	2,965	3		4	1	6	6	58	6	3	96	7	5	18		337
		Colored	165	1					1	5			13	2	1	2		9

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
21	70	242	843	10	307	22	12	130	73	18	259	17	34	301	46	17	113	6	266	81	570	1
		2	17	1	21		2	3			5	1		10	1	2	2		7	10	20	
7	28	102	400	5	140	10	3	86	45	9	139	10	18	120	31	9	70	3	98	29	341	2
		1	8		10			2			2	1		4		1	2		1	4	10	
4	12	41	132	2	51	3	2	23	14	2	28	2	7	60	5	2	11	3	47	12	73	3
			1											1		1			1			
10	30	99	311	3	116	9	7	21	14	7	92	5	9	121	10	6	32		121	40	156	4
		1	8	1	11		2	1			3			5	1				5	6	10	
16	90	441	1,117	24	334	26	10	59	44	27	370	13	30	240	72	4	63	3	206	18	641	5
			2																1		1	
1	28	50	179	4	53	5	2	22	13	7	70	8	13	59	9		13		46	1	127	6
			1																			
15	62	391	938	20	281	21	8	37	31	20	300	5	17	181	63	4	50	3	160	17	514	7
			1														1		1		1	
63	292	1,435	3,283	46	1,138	271	91	227	124	86	1,689	71	140	1,200	330	136	433	32	831	385	2,285	8
42	122	967	1,604	26	847	156	72	84	80	55	918	58	117	575	27	217	128	9	438	313	1,384	
10	110	376	1,052	10	287	32	26	115	61	31	528	21	38	341	138	27	167	8	253	22	741	9
10	56	362	560	7	367	43	33	39	45	26	326	26	43	174	12	108	51	1	130	37	452	
7	28	143	287	1	103	31	7	48	17	8	160	10	18	103	33	18	60	3	80	21	250	10
4	7	56	90	1	48	4	3	14	9	3	50	6	9	35	1	11	18	1	35	10	77	
46	154	916	1,944	35	748	208	58	64	46	47	1,001	40	84	756	159	91	206	21	498	342	1,294	11
28	59	549	954	18	432	109	36	31	26	26	542	26	65	366	14	98	59	7	273	266	855	
52	348	1,384	3,460	37	811	47	31	208	155	78	1,240	52	73	612	432	64	400	26	881	68	2,324	12
1	5	24	76		52	1	4	9	5	3	28	1	3	22	18	18	13		36	26	62	
27	212	708	1,923	17	503	21	16	155	110	44	738	42	47	372	272	44	215	7	444	18	1,299	13
	2	15	48		21	1		6	3	3	17	1	3	5	12	11	8		17	1	33	
8	36	125	313	3	92	8	1	27	18	8	135	2	7	70	33	8	42	8	89	15	258	14
1	2	1	4		8		1	1	1		4			5	3	1	2		6	7	4	
17	100	551	1,224	17	216	18	14	26	27	26	367	8	19	170	127	12	143	11	348	35	767	15
	1	8	24		23		3	2	1		7			12	3	6	3		13	18	25	
52	231	1,082	1,986	36	1,194	852	181	160	109	58	1,180	88	113	1,349	214	156	317	4	1,061	59	2,072	16
6	19	104	208	1	161	46	10	25	12	2	171	5	16	115	7	64	15	2	144	13	174	
15	87	299	568	11	309	130	33	37	54	21	312	41	34	302	84	43	105	1	257	10	646	17
3	6	28	50		42	8	2	10	7	1	57		7	18	2	8	5	2	21	2	41	
7	42	139	277	7	170	96	15	46	19	11	172	25	16	141	22	35	69	1	196	5	303	18
1	3	17	26		31	6		10	2		27	3	5	8	1	18	3		38	2	28	
30	102	644	1,141	18	715	626	133	27	36	26	696	22	63	906	108	78	143	2	608	44	1,123	19
2	10	59	132	1	88	32	8	5	3	1	87	2	4	89	4	38	7		85	9	105	
88	682	2,480	6,594	116	1,975	215	99	414	301	271	1,967	79	150	1,676	559	77	619	61	1,342	72	3,908	20
2	5	17	58	2	46	4	2	1		1	13	1	4	25	4	6	5	1	15		40	
35	362	954	2,804	43	863	94	38	272	163	132	829	42	78	723	241	35	296	16	542	15	1,828	21
	4	3	18	1	10	2					6		1	7	1	5	3		3		13	
12	77	346	721	5	226	24	13	81	53	26	246	17	26	193	53	5	86	6	185	4	533	22
			2		1						1		1	1					2		1	
41	243	1,180	3,069	68	886	97	48	61	85	113	892	20	46	760	265	37	237	39	615	53	1,547	23
2	1	14	38	1	35	2	2	1		1	6	1	2	17	3	1	2	1	10		26	
5	36	126	363	3	126	12	7	50	27	15	93	10	16	149	53	19	71		137	16	226	24
	1	3	24	3	17	5	3	2	1	2	2		2	13	2	3	7		13	10	24	
1	6	22	66	1	26	3	1	11	7	4	17	2	4	26	11	7	8		30		51	25
			4		4	1	1	1		2				2	2	2	2		1		8	
1	15	37	88		45	1	2	20	7	4	14	3	3	32	13	6	22		25	1	69	26
			5		3	3	1		1		1		1	4		1					1	
3	15	67	209	2	55	8	4	19	13	7	62	5	9	91	29	6	41		82	15	106	27
	1	3	15	3	10	1	1	1			1		1	7			5		12	10	15	
1	28	80	210	5	108	11	6	32	29	7	136	7	15	102	45	21	53	1	93	56	227	28
4	11	101	160	2	133	11	4	23	20	7	150	14	17	99	5	88	22		43	247	165	
4	12	31	112		36	7	5	12	11	1	88	1	3	31	10	6	12	3	34	2	58	29
	2	32	105		50	2	2	5	8	8	92	1	6	29		17	6		17	5	56	
	4	41	70		10	4		11	7		34	5	5	32	12	7	15		20	2	67	30
3	7	40	76		54	13	3	7	13	3	40	4	6	29	3	27	11	1	18	18	76	
1	6	33	147	4	55	4	5	5	7	1	38	3	2	38	22	12	30		31	1	84	31
1	2	9	34		35	19	3	1	3	1	5	1	6	25	6	10	10	1	11	4	34	
		21	51	1	22	5	2	4	1		20	1	2	16	9	3	17		13	3	46	32
	3	9	21	4	45	43	8	4	5		21	1	5	20	1	3	9		5	18	25	
	16	22	69	1	28	4		22	3		39	3	8	12	10	4	13		31		47	33
	1	6	10		5		1		1		7	1		2	1	4			4	1	5	
3	14	62	177	5	92	5	6	38	13	4	109	8	3	28	18	11	24	4	49	15	206	34
1	1	45	84		38	3	3	2	2	1	61		3	5	1	22	8		25	11	114	
2	10	31	100	2	13			4		3	25		1	9	7		7		15		39	35
2	10	22	72		9			2	2	1	17			4	3		8	2	6		19	36
	1	12	28	2	7		1	2		2	16	1		10	5		10	2	7	3	23	37
		2	3		4	6					4			5		1	1		3	1	4	
	10	70	176	3	25		1	6	4	7	54	1	1	10	13	2	15	2	16		66	38
2	5	28	77	1	19	1		10	4	2	28		1	14	5	1	7	1	14		42	39
	1	2	8		7	3	1	2			2		1	5	1	1	2		2		6	
2	15	56	180	2	30		1	14	4	7	57	2	5	25	8	2	23	1	24		95	40
1	5	12	51	1	14			1	2	3	22	1		8	2		4		3		21	41
3	36	126	447	4	65	6	1	15	23	9	128	3	6	51	39	13	55	1	68	1	148	42
17	277	756	3,229	38	645	35	27	162	158	117	917	38	43	428	374	72	417	26	424	19	1,765	43
3	22	55	188	8	196	43	5	18	21	13	97	14	19	105	29	48	69	1	38	7	237	
7	71	227	840	11	174	6	5	41	38	40	201	6	11	102	68	15	57	3	112		380	44
	4	13	36		11	1		2	2	2	8	1	1	10	3	3	7		9		18	

[1] Cities of 2,500 to 10,000 not available.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	CALIFORNIA—continued																	
1	Pasadena		986				1		1	15	1		25		3	5		152
2	Riverside	White	436					2		5	1	1	24	1		3		44
		Colored	100	1				1	1	1			21	9	1	2		3
3	Sacramento	White	1,446	4		3		1	3	8		2	66	5	6	19		144
		Colored	244	2					1	2			54	3	6	5		6
4	San Bernardino *	White	444				1		3	2	1	3	34		2	6		41
		Colored	141	2				6	1	3	1		33	3	4	2		3
5	San Diego	White	2,047				2	6	4	19	1		109		9	17		252
		Colored	205	1				3	1	4	2		26	3	7	3		15
6	San Francisco	White	7,763	10		1	4	5	9	78	7	15	361	16	45	93		1,091
		Colored	461				1			4			93	9	9	13		38
7	San Jose		563	2				1	1	7		1	18		4			66
8	Santa Ana	White	267					3		9			4		2	1		35
		Colored	24					2					4			1		1
9	Santa Barbara	White	304					1		6			6	1		1		41
		Colored	31							3			3	1				3
10	Santa Monica		524				1	2	3	8			12		1	5		59
11	Stockton	White	400	1		1		1		14			12		2	1		47
		Colored	82					1		1			11	2	1			4
12	Belvedere township	White	99						1				11					14
		Colored	111							2			20		3	1		6
	COLORADO																	
13	Colorado Springs *		619				4	1		29	1		98	2	2			50
14	Denver	White	4,125	2		5	10	2	15	172	3	4	295	5	17	41		431
		Colored	201			1	3	2	4	9			19	1	2	2		7
15	Pueblo		467					3		17			19		2	3		54
	CONNECTICUT																	
16	Bridgeport		1,530			3	2	7	1	23		2	59	2	4	24		197
17	Bristol		239					1		5			7		1	1		15
18	Hartford		2,034	2		2	5	11	2	10	2	6	47	4	11	30		265
19	Meriden		400				1			6	1		32		3	2		50
20	New Britain		498					3	2	4			21	5	3			72
21	New Haven		2,039	2			9	2	2	19	7	2	49	2	4	23		297
22	New London		431	1		1	2		1	5	2		9	2	2	1		59
23	Norwalk		372							7			13	1	1			46
24	Stamford		546	1			1	1	1	23		1	26	3	2	3		73
25	Torrington		217					1		2			7		1	2		31
26	Waterbury		1,040						3	12	1	1	37	4	3	12		94
27	West Hartford town		165										5			1		26
28	West Haven town		211							3			24					30
	DELAWARE																	
29	Wilmington	White	1,257				2	4	3	21	2	2	39	2	7	6		121
		Colored	233	1			1	2		3			10	1	3	5		13
	DISTRICT OF COLUMBIA																	
30	Washington	White	5,001	6		1	12	10	11	48	8	12	201	3	15	31		570
		Colored	2,936	2			1	10	6	24	3	2	328	18	37	66		164
	FLORIDA																	
31	Jacksonville	White	937	2			1	2	9	16			28	2	2	6		89
		Colored	1,041	2		1		2		25			140	3	13	63	2	32
32	Miami	White	866	1					6	3	2		38	2	5	9	1	100
		Colored	376	1					2	11			53	2	3	18		13
33	Orlando	White	331	5						4	2		5		1			49
		Colored	138							6			12			7	2	6
34	Pensacola	White	314	2			1		5	26	1		6		2	1	1	29
		Colored	191	2						20			14		1	4	4	3
35	St. Petersburg	White	568						1	6	1	1	11	1	2	3		62
		Colored	109	3						5	2		7		1	5	2	4
36	Tampa	White	878	2					5	19	2		28	2		13	2	102
		Colored	304	1						14	1		26			8	2	10
37	West Palm Beach	White	213	2					1	3			5			4	1	28
		Colored	181	2									18			7		2
	GEORGIA																	
38	Atlanta	White	2,049	5			1	4	10	48	3	3	41	4	7	20	3	164
		Colored	1,830	22		1		6	3	67	1	7	135	2	24	59		60
39	Augusta*	White	553	3		1	1		3	19			34	1	1	6	4	37
		Colored	562	6		2		1		17		1	47	4	5	43		19
40	Columbus	White	395	2					1	18	1	1	16			4	1	25
		Colored	303	4		1			1	5		1	28	2	1	11	3	16
41	Macon	White	412	2					1	15	1		11			2	1	31
		Colored	526	3				1	1	4		1	46	1	8	10	3	26
42	Savannah*	White	628	3			1	3	4	11	3	1	12	1	1	5	2	47
		Colored	969	7				1	1	20			96	2	10	51	1	25
	ILLINOIS																	
43	Alton		362	1			2		5	10		4	10		2	3		37
44	Aurora		574					2	2	17	1		10	1	1	4		95
45	Belleville		338	2				4		9		1	8	1		1		30
46	Berwyn		282				5	2		4	1		9		3			31
7	Bloomington		492	1				1		6	2	1	6		1	5		50

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
2	18	67	299	7	44	1	3	7	13	2	85	1	2	29	19	2	18		36	1	127	1
1	11	41	108	3	23	5	2	4	1	4	29	1	3	19	10		9	1	18	1	61	
1		7	8	1	9	6	1	2		1	7		1	4				1	5		6	2
1	28	78	351		210	4	3	8	14	21	73	5	3	50	40	7	33		63		193	
1	3	2	30	1	59	5		2	1	3	7	2	1	8	3	4	6		2	1	24	3
	11	22	97	2	17	2		8	4	8	42	2	5	20	9	4	16		25	1	56	
	2	1	9	2	16	3	2	2	2	1	1	2	2	8	1	1	4		1		23	4
4	36	145	478	6	108	3	3	37	19	30	213	2	6	57	61	9	64	1	81		265	
	5	8	15	1	25	3	2	4	1	3	13	1	3	17	2	2	4	1	5		25	5
23	170	456	2,037	19	466	13	6	85	99	147	559	13	20	173	262	40	128	2	304	5	1,001	
	4	23	79	3	38	2	1	2	5	5	29	1		23	5	7	4	1	14	1	47	6
1	14	36	153	5	20		1	4	7	7	65	2	1	18	10	4	25	1	15	1	73	7
1	7	27	65		20		1	4	3	3	20	1	1	8	7	1	5		6		33	
		1	1		2	5		1			1			4							1	8
	9	29	84		9		1	3	5	2	16	2	2	12	5		9		14		46	
		2	8		2	1		1			2				1		1		1		2	9
1	11	41	159	1	25		3	9	2	4	46	3	1	17	17	3	22		16		52	10
2	9	25	105		24	3	1	5	4	4	19		3	14	16	4	11		21	2	49	
		4	10		24	4		1		2	1			3	2	1	1		1	1	7	11
	2	5	28		1					2	20	1		3	3		1		1		6	
		1	17	3	14	5	1		1	1	3		1	12	3	1	2		1		13	12
1	6	37	111	1	37	3	2	12	4	4	36	1	4	33	10	8	15		27		80	13
10	54	225	771	9	374	41	6	101	73	21	301	20	25	162	103	23	80	4	155	24	541	
1	2	11	26		22	5	1	2	2	2	11	1	3	12	4	6	6		6	3	25	14
2	9	44	75	1	33	7		6	5	2	44	3		16	4	8	13		16		81	15
5	36	98	408	3	124	4	1	17	16	10	93	3	1	78	42	4	27		66	16	154	16
	13	13	48	2	13			6	7	2	18	1	2	18	8	2	8	3	13	2	30	17
1	60	110	475	4	128	15	7	35	27	10	145	9	11	133	29	5	50	1	71	2	309	18
	10	28	94	3	23	1		7	1	4	26	3	2	15	9		18		17		44	19
3	13	41	110	1	39	4	1	8	9	3	40	3	3	32	7	1	9		16		45	20
3	75	144	452	6	147	6	8	31	18	19	119	5	9	102	27	7	53	1	79	6	304	21
	15	38	101		27	3	1	9	1	3	33	1	2	24	6		11		27		44	22
3	11	34	67	1	21		1	3	4	1	46		1	20	16		17	1	20		37	23
1	23	44	123	1	23	3		5	4	6	51	4	3	31	12	1	10		22		44	24
1	6	18	43	1	13			4	2	5	22			17	2	1	7		11		20	25
1	32	60	267	3	97	6	1	19	9	13	91	2	8	59	9	5	31	1	47	2	110	26
1	3	11	59	1	9	6				1	15			3	3	1	3		4		13	27
	8	17	71	1	14		1	1	1	2	9		1	5	3		4		7		9	28
2	25	94	275	2	92	11	8	13	15	11	154	7	7	76	30	4	31		52	2	137	
1	2	23	48	2	33	1		7	4		13	4	1	5		7	5		4		34	29
20	96	317	1,188	18	340	52	8	70	62	34	412	23	32	234	129	24	127	5	177	1	704	
7	41	151	510	15	321	29	9	27	30	13	243	13	23	180	22	90	59	1	78	2	411	30
3	21	61	181	1	47	4	3	17	10	15	91	8	11	36	33	14	39	2	34	4	145	
3	5	91	168	2	57	3	2	11	14	9	81	5	6	32	2	57	19		36	9	146	31
3	11	56	159		35	2	6	26	9	4	64	3	6	48	37	15	35	2	29	1	148	
1	10	26	32		22	5	2	6	4	3	19	3	3	21	1	27	5		15	6	62	32
	6	20	59	3	16	1	1	10	7	3	26		7	14	6	2	12		14	2	56	
	2	3	16		13	1			2		13	2	4	8	3	7	1		5	2	23	33
1	6	28	50	1	9	1	3	5	5	1	28	2	3	23	6	4	9		19		36	
		25	31		18	1	4	2	2	2	18		1	4	3	4	1		5		22	34
1	12	66	143		29		5	8	6	4	66	1	2	12	9	1	16		21	2	76	
	4	4	3	1	4			4	2	1	10		2	3		6	3		9	3	21	35
2	27	59	148	5	34	6	4	14	16	11	91	3	9	42	32	14	24	2	41	9	110	
	4	21	66		12	3		5	3	1	25	5	2	24	1	11	4		7	5	43	36
2	5	18	28		4	3	1	3	7	2	19	2	1	11	7	1	10		8	2	35	
		16	22	1	12	1		3	2	3	20	2	6	11	1	7	4		4		37	37
3	53	125	353	6	130	27	11	48	32	13	230	7	20	119	54	23	64	2	96	26	294	
6	17	150	236	1	230	6	9	18	21		147	17	6	102	4	83	35	1	78	40	236	38
	8	36	74		61	12	2	12	1	3	65	2	6	28	6	12	21	1	19		74	
	2	49	90	2	52	5	2	5	7	1	60	5	2	22		12	8		13	3	77	39
2	4	28	56	2	30	6	4	11	10	1	43	4	2	35	10	3	13		15	3	44	
	2	17	31	4	22	3	1	2		1	46	5	8	9		12	5		5	20	37	40
	6	31	71		28	3	3	10	3	2	38	2	1	28	9	2	12	1	29	7	62	
2	3	43	87	2	50	2	4	8	7	2	51	3	4	20		16	5		17	45	51	41
1	16	56	130	1	36	8	2	18	12	8	52	3	7	25	14	5	17	1	30		92	
4	6	82	181	5	83	10	4	11	8	5	102	7	10	41		27	14		29		126	42
1	7	37	70	1	15	5	2	4	6	2	37		2	19	15	4	9	1	14		37	43
2	16	44	120	1	32	2	5	18	8	6	42	2	1	28	8	2	16	3	17		68	44
	13	35	62	5	9	6	1	8	7	7	35			14	7	3	10		14		46	45
2	6	16	78	3	14		1	2	1	1	41		2	11	9	2	8	1	8		21	46
2	12	45	138		37		1	9	5	3	36	2	3	18	7	2	13	2	15	1	68	47

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	ILLINOIS—continued																
1	Chicago—White	30,383	13		31	127	49	61	314	41	92	1,153	61	107	142	4	3,707
	Colored	3,977	3	1	4	10	20	5	38	3	8	592	28	81	97		227
2	Cicero	305				1	1		3			12					51
3	Danville	621	2				5		21			30	2	7	4		61
4	Decatur	727	1			6	1	12	13	2	3	23	2	3	4	1	94
5	East St. Louis—White	655	1				1	2	18	6	2	22		2	4	3	42
	Colored	159	2		1		2	2	6			9		1	3		4
6	Elgin*	798					3		6			39	3	3	7		73
7	Evanston	642			1		1		6			12		1	2		99
8	Galesburg	410	4			3	1	5	16			8		1	5		46
9	Granite City	244	2			1	1	2	9			4		1	2		22
10	Joliet	576	1			3	1	3	30			18	2	2	4		57
11	Maywood	146				1	1		2		1	7			1		21
12	Moline	406	2			1		1	9	1		5	1	2	1		48
13	Oak Park	759				3			9		3	9	1	1			102
14	Peoria	1,199	2			2	3	15	31	1	2	22		2	8	3	129
15	Quincy	635	1				2	9	13	1		6	1		6		84
16	Rockford	757	1		1	3	2		31	1	1	10		1	4		88
17	Rock Island	386				1			10		2	8		1	2		24
18	Springfield	1,085	2			3	4	3	38	1		21	1	3	9		119
19	Waukegan	209						1	3			14			1		30
	INDIANA																
20	Anderson	454	3		2	2	3	1	27		2	22	3		2		42
21	East Chicago—White	319				4	1	3	13		1	18		2	2		22
	Colored	113					3		5		1	11		4	7		2
22	Elkhart	349							10			10	2	1	4		40
23	Evansville	1,114	2			5	4	5	21	3	2	38	3	7	5		106
24	Fort Wayne	1,199	3				4	8	39	1	3	42	5	9	11		141
25	Gary—White	589	1			2		3	10	2	5	19	4	3	2		67
	Colored	256				1	1		5	1	2	40	4	5	2	1	3
26	Hammond	489			1	1	3	2	16	2		14		2	1		53
27	Indianapolis—White	4,011	7			6	11	7	96	6	45	126	8	32	38	2	420
	Colored	749					8		20	1	22	73	3	11	11		39
28	Kokomo	382	1				1	3	16		1	24	3	3	1		41
29	Lafayette	515	1			1	3	2	9	1		9		5	2		54
30	Michigan City	299			2		1		6			12	1	1	2		36
31	Mishawaka	271				1	2		14			6		1	2		37
32	Muncie	559				1	7	11	24	2	3	21	1	5	4		46
33	New Albany	341					3		13			9		1			28
34	Richmond	351	3				2	3	22			15		1			40
35	South Bend	836					2		15	1	3	41	3	5	9		94
36	Terre Haute	964	2				1	6	32	2	3	30		6	7		102
	IOWA																
37	Burlington	380				3	1		12			8	1		5		43
38	Cedar Rapids	632				1	1	1	23			15	1	1	2		86
39	Clinton	393	2		1	1			12	1		3	2	1	7		36
30	Council Bluffs	589		1		2	1	8	18			8	2	1	7		68
41	Davenport	757	1			1			15			37	1	2	3		85
42	Des Moines	1,798	1			1	6	11	54	2	7	53	3	6	16		203
43	Dubuque	612	2				1	1	10	1		30	1	1			84
44	Ottumwa	348					3		18	1		9		1	3		37
45	Sioux City	998				1	1	8	66		2	19		2	16		107
46	Waterloo	438	1				3		10	1	2	7	1	1	5		50
	KANSAS																
47	Hutchinson	307	2				2		15	1	1	8			5		36
48	Kansas City—White	1,264				8	4	3	35	1	1	34	2	6	10	1	145
	Colored	323					1		6			35	2	4	7		13
49	Topeka—White	763					5	5	20	2	3	13		3	2		94
	Colored	103					1		3			3			2		9
50	Wichita	1,146	2		12	1		10	36	2	1	22	1	1	6		149
	KENTUCKY																
51	Ashland	311	9		1		4	3	24	1	1	18	1	2	2		28
52	Covington	967	4			4	5		25	1	2	43	3	4	4		103
53	Lexington*—White	664	5				2		11		1	53	2	4	10		41
	Colored	316	2						7		3	22	1	4	8		18
54	Louisville—White	3,317	7			10	8	11	59	8	5	79	6	12	17	1	374
	Colored	978	1			1		1	23	2	2	64	3	6	40		53
55	Newport	299				1			13		1	25			3		20
56	Paducah—White	355	3		1	3	2	3	12			23	2	3	3		27
	Colored	114					2	1	6		1	9	1	1	1		6
	LOUISIANA																
57	Baton Rouge—White	152	3				1	1	13			1			2		13
	Colored	123	1				2		4			7		2	1	2	6
58	Monroe—White	225	1		1				16		1	6			2	4	8
	Colored	218	2						15	1		15		1	9	2	7
59	New Orleans—White	4,685	28			2	5	24	119	2	12	240	12	9	53	5	495
	Colored	3,065	14			2	5	4	118		6	306	2	20	195		198
60	Shreveport*—White	870	14		3	1	5	13	24		2	34	1	3	4	7	84
	Colored	809	23		1		1	2	19		1	53	3	10	31	3	32
	MAINE																
61	Bangor*	563	1		1		4	1	5		1	27	1	5	2		59
62	Lewiston	595	1		1	1	3	3	12		1	9		2	3		73
63	Portland	1,169	2		11	6	3		12	2	1	26	1	8	14		135

* Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
106	901	1,448	7,638	115	1,828	157	65	488	366	337	3,214	72	155	1,354	573	267	766	28	1,239	28	3,336	1
16	56	166	788	2	421	15	8	41	50	20	331	17	13	145	27	187	80	1	126	2	348	
1	5	12	102		22				1	4	41	1		4	5	2	3	1	7		26	2
1	11	26	117		32	4	5	25	12	9	52	2	10	25	9	4	16	3	33	1	92	3
4	11	50	134	1	39	4	3	18	9	5	60	3	2	39	18	5	11	3	28	3	112	4
	15	41	155	4	45	3	4	7	10	12	37	3	2	36	16	9	27	4	39		83	5
1		10	28		23	2	1	5	3		17	1	1	5	1	12	1		8		10	
	12	40	133	2	102	7	3	14	8	6	51	2		21	8	4	10		26		215	6
3	14	26	158		39	1	1	10	4	8	52	4	5	35	16	7	21		27		89	7
1	12	29	90	2	21		3	18	5	2	29	3		21	4	2	6		12	1	60	8
	5	17	27	2	22	4		5	2		22	3	1	17	2	6	9	1	16	7	32	9
2	26	24	111	2	44	8	1	14	3	2	65	2	7	25	7	2	19		21		70	10
	3	7	45		9			1			17	1			7	1	2		5		14	11
2	18	21	78	2	16	3	1	13	8	3	31	1	3	27	5		6	1	26		70	12
	31	30	162	5	39	4	2	28	6	7	108	2	10	46	12	5	19	3	21		91	13
3	28	65	256	8	72	5	5	19	9	8	113	3	5	53	20	12	21	2	62		210	14
5	14	49	144	7	37	6	1	15	4	5	64		7	31	7	1	11		31		73	15
	20	64	181	5	61	1	1	19	8	5	49	3	2	34	19	4	15	2	31		90	16
	9	51	93	6	25	4	3	3	6	3	34	3	1	15	12	2	7		10		51	17
4	36	78	194	5	74	8	1	23	7	14	97	10	7	61	17	10	25	3	56	5	146	18
1	1	11	44		13	4		2	2	2	27		2	6	8	2	8	1	13		13	19
3	6	50	80		24	7	3	12	6	1	21	5	5	33	6	2	9	1	11	1	59	20
1	2	17	45	2	27	7	3	7	5	7	20	1	4	29	6	2	13	1	23		31	21
		1	14	2	17	6		2	3	1	9		1	5			1		6		12	
1	13	25	75	1	17	3	1	7	3	6	31	1	1	16	6	2	12		17		44	22
8	24	94	209	4	97	12	8	25	8	13	109	9	5	40	9	10	25	1	42		161	23
4	16	94	235	1	75	3	4	29	22	8	120	6	3	52	28	10	30		42		151	24
2	11	33	85	1	49	9	3	20	10	2	44	3	3	41	14	11	24	3	27		76	25
2	2	13	40	2	27	2	5	6	6		22		2	17		13	4		7		21	
5	11	23	87	1	35	10	2	11	4	4	31	1	5	28	8	5	41	6	24		52	26
11	80	297	806	7	251	55	12	53	45	25	399	14	23	176	80	26	83	8	129		627	27
2	9	39	151	2	73	8	5	5	8	6	91	2	3	23	6	21	16		18	1	72	
1	9	30	95	1	20	3	2	5	4	4	28	1	2	19	7	2	3		8		44	28
2	12	38	100		41	7	2	13	14	3	34	2	3	16	10	1	10	2	31		87	29
	9	26	51		19	4	1	6	3	2	35	1		5	1	2	12	3	15		43	30
2	8	25	52		19	5		6	3	3	13	1	3	18	8		4	1	13		24	31
3	9	39	111		45	7	4	7	6		50	9	2	27	9	5	13	1	17		70	32
	6	29	73	1	13	3	2	9	3	4	37	6	1	13	2	3	9	2	27		46	33
2	5	39	82		19	5	1		3	1	52		1	10	7	2	4		8		24	34
3	24	61	153	2	55	4	1	19	12	7	65	5	7	56	20	2	32	5	38	1	91	35
6	30	63	198		64	10	2	17	15	9	101	4	2	35	16	9	25	3	53	1	110	36
1	12	42	76	3	19	1	3	10	7	3	23	2	1	12	5		3		16		68	37
1	12	54	128	2	31	2	2	14	11	3	43	4	5	36	23		13	1	31		85	38
	11	31	102	1	40	2	3	4	4	1	21			23	2	1	7	1	19	1	53	39
1	12	49	114		59	1	2	14	17	2	30	4	2	31	7	1	10		35	1	81	40
2	17	68	162	3	69	5	2	10	8	4	57		1	31	28	3	14	2	36		90	41
6	38	118	346	2	156	7	3	40	18	7	89	14	14	87	47	7	45	8	85	1	297	42
1	20	55	105	3	30	3		12	14	7	41	1	2	34	10		9		39	11	84	43
	9	19	69		19	2	1	7	9	2	36	4	1	14	4	3	3		21	1	52	44
4	25	49	169	5	75	7	4	34	17	12	55	5	12	61	15	7	18	3	56		143	45
3	15	44	91		25	2		9	9	4	30		2	19	10		5	2	28	2	57	46
1	10	30	43	1	14	3		10	2	1	28	1	2	16	5	3	5	2	19	1	40	47
2	28	95	220	5	97	7	7	30	14	11	139	7	7	59	18	14	34		57	1	162	48
3	4	17	50		32	5	4	1	4		48	3		11	3	19	2		9	1	39	
	16	65	150	3	42	1	3	11	6	6	65	4	2	30	16	5	19		50	2	120	49
	3	6	24		7	1	1		1		15	1		7			1		5		13	
	20	116	168	3	73	8	2	32	15	4	107	6	15	58	22	10	21	4	46	1	172	50
	1	26	41		21	11		5	1		21	2	1	32	2	1	4		17	1	30	51
5	28	78	169	2	71	7	6	26	11	10	84	1	9	62	8	10	21		50		111	52
1	9	38	106		49	9	4	16	6	3	56	2	4	30	13	9	19		40	3	118	53
	2	28	69		25	3	1	2	3	1	24	2	3	4	1	16	1		14	1	51	
12	83	215	746	17	225	48	7	78	32	22	253	17	21	153	50	15	73	6	148	5	494	54
4	16	46	194	12	100	6	3	14	5	7	103	5	2	48	3	47	12		29	1	125	
3	5	32	81	3	23		1	2		4	28	1	2	11	9	2	4		5		20	55
1	8	26	62	2	25	4	2	5	2		21	2	4	21	9	3	8		24		44	56
1	1	6	22		7	1	2	1	1		5			3	1	8	1		3	3	20	
1	5	6	38	1	8			3	1		12			8		2	6		9	1	17	57
	3	12	36	1	9	1			1		14	2		8		3	1		3		4	
1	4	7	36		16			14	5		15	2	2	14	4	5	9		17	4	31	58
	1	13	29		24	3	1	10	2		22	1		5		8	1		9	4	33	
8	104	251	1,060	9	261	28	13	87	69	51	543	22	30	225	84	30	57		202	1	544	59
2	36	136	592	2	247	33	7	27	28	23	306	25	21	165	7	79	34	1	90	1	333	
3	9	49	114	3	65	2	2	28	15	6	52	9	10	58	18	7	23	4	53	2	143	
	8	25	109		57	4	2	21	20	3	62	8	14	46	1	36	13		35	5	161	60
3	14	52	114	2	39	1	1	13	10	1	31	5	2	21	5		7	1	22	15	97	61
1	15	37	103		35	7	3	18	6	3	57	4	5	46	5		11	3	29	8	90	62
	31	87	292	1	70	11	3	27	18	3	60	5	7	64	12	1	7	1	40	3	205	63

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	MARYLAND																
1	Baltimore—White	8,063	4		1	18	30	8	91	11	7	299	16	26	43	1	983
	Colored	2,712	2			1	16	7	34	4	4	327	12	24	141		157
2	Cumberland	560	2		4		3	1	11			23	1	4	6		56
3	Hagerstown	426	1		5	1		2	10	2	3	8	1	1	7		32
	MASSACHUSETTS																
4	Beverly	338					1		2			1	1				52
5	Boston—White	10,528	4		10	41	30	34	41	17	21	421	18	26	39		1,324
	Colored	396									1	45	4	1	14		37
6	Brockton	775			3	2			5	1		15	2	3	3		72
7	Cambridge	1,384	2		3	2	4	3	8	1	1	67	1	7	4		177
8	Chelsea	516					1	1	8			36		4	7		64
9	Chicopee	267			2	1	1		7	1		23		1			36
10	Everett	363				1	1		8			8		4			59
11	Fall River	1,312			8	10	3	3	12	2	1	56	5	3	3		155
12	Fitchburg	428				3			5	1		30		1	3		54
13	Haverhill	562				1		2	7	1		10	1	3			65
14	Holyoke	639				3	6		2	3		25	1		5		65
15	Lawrence	892	2			2	3		11	1	3	18	3	1			92
16	Lowell	1,298	2		1	8	7	11	3	1		38	8	2			141
17	Lynn	1,039			1	4	6	3	4			17	1	4	6		103
18	Malden	556				5		4	3		1	22	2	4			70
19	Medford	513						1	8	1		6		2	1		72
20	New Bedford	1,244			2	3	2	3	7	1		68	3	6	9		123
21	Newton	582			2	1		1	11	1	2	12	1	2			75
22	Pittsfield	598	2				1		6	1		16	2	1	6		63
23	Quincy	686				2	2		6	1	1	24		2	1		93
24	Revere	200				1			4			3		1			30
25	Salem	549	2			3	3	2	3			9	1	1			64
26	Somerville	930			2	1	2	3	8			16	2		2		110
27	Springfield	1,683	3		4	6	2	4	12	6	2	47	6	2	4		221
28	Taunton	582	1		4	3	1	1	4			25	4	4	4		45
29	Waltham	475				1		3	7			77	1		2		48
30	Worcester	2,379	3		1	11	5	12	7	1	1	77	9	11	11		253
31	Arlington town	297					1	1	1			8					49
32	Brookline town	499								1		7					95
33	Watertown town	217			1				4			2		1			36
	MICHIGAN																
34	Ann Arbor*	967			1	1	1	1	9	3	3	34	9	8	16		165
35	Battle Creek	558	1		1		1	1	11		1	6		1	2		51
36	Bay City	606	1		1	1	2		21		1	11		3	2		61
37	Dearborn	222				1		1	2	1	1	4			5		17
38	Detroit—White	11,314	8		46	43	57	65	167	24	33	599	50	42	76		1,152
	Colored	1,676	1		5		17	1	9	2	1	305	23	47	48		59
39	Flint	1,227	3		20	4	6	5	25	1	5	44	8	8	16		108
40	Grand Rapids	1,545			10	2	5		40	2	1	21	2	5	13		178
41	Hamtramck	265			2	1		1	8			12	2				13
42	Highland Park	482			2		1	2	9	2	1	7	1		1		45
43	Jackson	727	1			1	1		25		2	32	2	5	11		66
44	Kalamazoo*	988	1		8	3	3	1	12	5		33	2	2	4		80
45	Lansing	722	2		9		13		15			12		1	10		78
46	Muskegon	555	1		2	2	3		19		1	5		4	6		58
47	Pontiac	508			1	2	1		4			9		2	9		40
48	Port Huron	377							16	2		6		1	1		28
49	Royal Oak	155					1		1			1			2		18
50	Saginaw	872	2		3	2	2	1	20	1		21	3	1	11		92
51	Wyandotte	222	1						7		4	3	2	1	2		23
	MINNESOTA																
52	Duluth	1,149	1				2	1	30	3	1	28	2	8	14		155
53	Minneapolis	5,187	4			15	5	4	102	12	6	85	6	16	48		729
54	St. Paul	2,983	2			5	5	1	55	7		103	4	14	29		424
	MISSISSIPPI																
55	Jackson—White	333	2			1	1	3	13	1	1	5		2	3	1	31
	Colored	361	1				5	2	7		1	22		2	12	2	18
56	Meridian*—White	349	1					3	13	2		12		2	1	1	19
	Colored	233					1	1	9		1	15		2	5	2	13
	MISSOURI																
57	Joplin	507	4		3	1	3	5	31		1	29			6	3	32
58	Kansas City—White	4,277	6		4	8	17	14	22	12	10	179	6	15	27		481
	Colored	854			2		1		3		2	102	7	12	13		50
59	St. Joseph*	1,279	3				3	5	33	6	3	48	1	2	9		121
60	St. Louis—White	9,040	9		1	17	29	26	82	4	12	258	9	24	84	2	1,101
	Colored	1,995	3			2	17	4	21	1	4	231	6	27	42	2	123
61	Springfield	817	8		2	2	2		49			29	2	3	8	1	72
62	University City	126							3			4			1		14
	MONTANA																
63	Butte*	507	3		1				16	2		30	4	3	3		51
64	Great Falls	333			4				15			4		1	4		43
	NEBRASKA																
65	Lincoln	870	1			1	1	1	28			14	1	3	2		122
66	Omaha—White	2,530	4	1	1	5	3	13	82	3	7	53	1	5	19	1	277
	Colored	190							10			14		1	6		14

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
35	232	601	1,851	24	631	62	10	103	115	49	836	29	33	347	160	31	159	7	325		885	1
11	36	213	394	6	363	36	6	21	25	9	260	11	10	146	14	50	42		75		255	
2	11	23	99	4	33	19	1	14	9	5	64	4	3	33	5		17	1	31	2	69	2
	7	37	92		21	15	1	6	3	1	48	1		23	9	2	7		15		65	3
	14	21	100		29	1		8	4	2	33		3	11	5		2		15		33	4
27	247	575	2,632	17	1,080	61	21	151	100	85	580	44	75	621	132	20	148	2	459	9	1,416	5
	7	14	91	1	46	3		8	5	3	23	1	6	18	1	7	3		9	1	47	
1	29	65	215	4	43	2		16	10	1	58	2	4	31	7		33		34	1	113	6
7	23	120	366	2	134	8	1	24	9	3	77	2	8	83	9	2	22		46		158	7
	10	21	128		46	2	2	3	5	8	34	1	7	28	4		8		20		68	8
	3	22	65	1	19	5	1	1	2	3	33			11	3		3		4		19	9
	6	20	107		39	2	1	3	3	1	30	2	1	20	6	1	2	1	12		25	10
5	40	91	316	5	81	16	5	23	13	11	140	4	3	69	13	1	20		48		147	11
	14	32	107		31	1		10	2	3	42	3	2	20	4	1	7		19		33	12
2	14	41	166		38	2	1	10	8		40	1	3	24	12		10		27	1	72	13
2	25	50	137	3	44	3	1	9	8	7	90	1	7	37	3	2	6		28		66	14
4	29	80	213	6	73	4		21	7	5	70	1	14	51	10	2	20	1	30		115	15
4	28	105	372	13	94	11	1	24	19	8	41	6	9	87	8	1	22	1	45	3	174	16
3	24	102	301	4	63	5	4	23	9	6	81	7	5	46	19	1	12		50		125	17
2	15	46	164		40	2		13	2	2	45		2	17	6		6		18		65	18
1	14	48	138	1	30			3	7	1	40	2	4	26	13	2	2		24	1	65	19
5	40	97	349	2	84	5	2	13	5	11	76	4	12	53	21	2	20		54	16	146	20
3	14	47	175	1	35			8	9	1	30	3	2	23	6	2	7		24	2	82	21
	15	49	128		34		3	14	13	3	71	2	6	40	6	3	18		29		66	22
2	13	43	194	4	48	5		7	6	1	66	2	5	42	9	3	8		33	1	62	23
	4	18	70	1	18						21			6	4	1	3		5	1	9	24
	16	51	171	6	40	2	1	2	8	1	22	1	4	30	7		4		9		86	25
1	29	73	282		75	7		17	6	5	84	5	4	44	14		11		30		97	26
4	52	126	390	5	96	10	5	26	15	6	161	5	8	102	22	1	28		89		213	27
2	9	56	183	2	58	6	1	3	3	4	26	1	5	20	5	1	7		25		69	28
	8	42	104	5	24		1	2	3		22		2	21	4	2	17		19		60	29
8	62	158	520	5	198	8	3	45	26	10	284	6	15	122	33	5	31	2	99		337	30
	8	25	91	1	20	2	1		1	1	24	1	1	14	3		5		14		25	31
2	18	40	160	2	30		1	6	3	2	48	1	2	5	7	1			12		56	32
	4	22	76	2	14	1					15			6	1		3		5		24	33
5	19	32	135	2	77	6	5	15	12	5	39	7	6	47	9	1	18		28	1	247	34
	7	55	113	5	40	1		10	14	4	52	5	7	45	7		8	3	23		83	35
2	16	58	131	2	37	11	2	27	13		33	3	9	32	6	2	14	1	15		88	36
	7	16	63	1	14	2		1			10		3	21	4	2	3	1	17	2	23	37
61	273	647	2,435	84	934	70	36	221	119	105	617	61	97	717	301	95	292	13	392	1	1,381	
4	18	67	327	4	178	8	9	25	12	8	97	5	17	62	9	65	29		39	1	174	38
6	25	76	184	2	126	18	4	22	19	5	57	17	17	109	29	9	38	4	32	2	173	39
4	34	155	425	1	80	4	2	24	21	8	94	4	6	92	18		29	4	53	2	206	40
	4	14	64	5	17	6	1	6	8	8	15	1	3	15	8	5	9		14		23	41
2	14	34	95	2	30	2	1	18	3	2	27	3	11	35	9	5	30		21	1	66	42
2	24	71	155		33	6	3	17	12	4	52	4	5	33	10	1	14	2	29	2	102	43
	22	76	224	5	71	3	2	16	17	4	46	2	2	41	15	1	9	2	63	7	206	44
2	8	75	152	3	41	8	1	19	5	4	44	3	6	42	27	2	16	4	29		91	45
3	14	40	118	1	35	3	1	10	8	1	34	2	4	46	10	3	7		22	2	90	46
2	9	36	99	2	36	4	3	9	3		29	7	10	47	16	5	33	1	25		64	47
1	8	43	68	4	22	5	3	9	5	5	23	8	2	17	3		6	1	21	1	68	48
	2	18	27		7	1		1	2		16		1	10	1		9		8		29	49
1	25	77	176	2	51	14		16	15	11	56	3	5	62	17	5	20		32		125	50
1	2	11	40	1	20	3		3	3	2	13	3	2	25	3	1	7	1	12		26	51
11	28	68	265	6	51	6	3	24	11	7	49	5	8	55	28	3	22	1	44		209	52
17	113	327	993	20	566	20	8	111	64	37	235	21	27	307	111	21	91	6	274	4	782	53
11	78	229	647	12	205	10	8	42	37	28	137	13	17	148	35	13	34	7	129	1	443	54
3	6	21	51		11	3	1	6	9	2	21	1	5	19	6	3	10		18	21	52	
	2	11	28		23	3	1	13	16	3	34	2	3	12	3	18	1		20	53	43	55
2	5	18	52	1	11	8	4	16	3	2	27	4	3	17	7	5	8		22	5	75	
	1	17	28	1	15	2		5	2	2	22	1	1	5		10	2		10	22	38	56
2	11	39	82		37	3	8	15	5	5	50	2	4	20	6	3	7		22	2	66	57
6	91	218	862	18	419	17	14	93	38	48	357	33	21	161	91	40	79	2	205	1	662	
1	6	35	182	3	107	3	3	11	8	6	64	2	3	21	2	46	10		34	1	112	58
2	28	101	240		121	12	5	37	27	7	95	11	6	38	11	8	28	4	60		204	59
26	241	462	2,236	30	723	59	16	131	108	122	963	30	25	339	219	54	136	7	413	4	1,038	
8	16	100	455	4	218	19	4	30	18	10	181	11	7	68	5	72	20		63		203	60
2	25	41	123	1	64	3	3	27	12	6	61	7	3	46	15	9	22		36	4	129	61
	5	9	44		7				1		21			2	3	1			1		10	62
2	4	27	133	3	43	1	1	4	5	5	42	2	2	20	6	1	15		26		52	63
	9	14	59		22	2		7	5	3	22	3	3	23	15	4	3		14	1	53	64
6	22	61	184	2	33		3	26	18	7	88	6	3	38	17	3	14	3	39		123	65
10	60	155	505	4	214	6	6	55	34	21	137	15	13	116	73	16	42	1	150	5	417	
	4	15	38	3	16	1	1	2	2		11		2	10	1	7	2		3	1	26	66

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45–53
	NEW HAMPSHIRE																
1	Concord*	524				3			4	2		15	1	3	3	1	58
2	Manchester	911	1			2	3	1	21		1	27	4	7	1		121
3	Nashua	337					1	1	7			10					30
	NEW JERSEY																
4	Atlantic City*—White	869	2			3	3		14			13	1	3	9		87
	Colored	281					1		8		1	16	1	2	11		12
5	Bayonne	604			2	1	1	2	18	2		30	5	3	1	1	58
6	Belleville	223	1		2	12	11	6	1	7	7	4	4	4	2		22
7	Bloomfield	213							5			5					30
8	Camden—White	1,490	2			3	7	10	25	2	1	26	2	11	10		152
	Colored	224	1				3		1		1	18	1	2	6		11
9	Clifton	242	1					3	3			8	1	1	1		32
10	East Orange	526	1						5	1		10	1	1			88
11	Elizabeth	1,217			3	4	4	2	18	1	3	33	4	6	9		130
12	Garfield	96					1	1				9	1	1			8
13	Hackensack*—White	443	1				1		1	1		6	1	3	5		39
	Colored	47										3	1		1		4
14	Hoboken	659			1		1	6	4	2		34	2	1	5		60
15	Irvington	394					2		9			10			1		55
16	Jersey City—White	3,328	2		19	6	8	12	44	7	5	167	10	14	16		372
	Colored	209			2		2					24	2	4	6		10
17	Kearny	271					1	2	7			11	2				32
18	Montclair—White	296					1		2			4			1		55
	Colored	29										2		1			3
19	Newark—White	4,016	3		1	1	3	2	40	3		127	3	9	16		502
	Colored	654					1		10			103	4	12	28	1	25
20	New Brunswick	503					1		9		1	7	1	1	8		49
21	Orange*—White	514							1			9	1	2	2		51
	Colored	75										10		1	3		5
22	Passaic	677			1	2	3		4	2	1	13	2	2	4		77
23	Paterson	1,721	1		1	1	2	8	26	3	3	43	3	4	14		223
24	Perth Amboy	399	1				2		2	1	1	10	3	3	3		26
25	Plainfield—White	419					1	1	9	1		12		2	1		55
	Colored	73				1		1	1			3		1	2		9
26	Trenton	1,754	1				4		19	2	4	68	1	4	12		141
27	Union City	324					1		3			10		1			31
28	West New York	163							1			8			1		22
29	West Orange	141							3			4					23
30	North Bergen township	237						1	2			8		2			38
31	Woodbridge township	152			2				6			8		2			12
	NEW MEXICO																
32	Albuquerque*	558	1		1	2		5	8	1	1	159	5	4	4	1	25
	NEW YORK																
33	Albany	1,765	2		1	3	3		12	1	1	77	3	7	25		198
34	Amsterdam	402	2		1	2	1		5		1	13	1	1			52
35	Auburn	512	2		3			1	10	2		15	1	4	1		58
36	Binghamton	1,103	1		1	7	4	2	12	3		24	2	7	6		101
37	Buffalo—White	7,014	6		3	54	21	21	48	11	12	303	14	19	34		791
	Colored	244	2			1				1		51	5	3	8		16
38	Elmira	703	2			1	3		3			5		1	6		75
39	Jamestown	576				1	2	1	10		2	13		1			61
40	Kingston*	574					3					34	2	3	3		74
41	Mount Vernon*	566				1		2	4	1		14			4		59
42	Newburgh	410				1	1		2			29		1	7		36
43	New Rochelle	440				2			5			8	1	2	8		55
44	New York—White	68,973	56		60	130	131	198	619	207	105	3,186	130	235	401	2	8,312
	Colored	5,528	7		3	4	24	7	31	10	18	905	45	84	273		307
45	Bronx Borough—White	10,233	7		11	11	27	5	108	17	13	670	24	33	33	2	1,488
	Colored	386			1		3		3	1	2	114	2	5	20		25
46	Brooklyn Borough—White	24,212	28		6	54	58	99	265	73	50	646	37	66	142		2,573
	Colored	1,216	1			2	10	1	9	1	3	112	4	11	70		45
47	Manhattan Borough—White	24,683	17		35	38	31	57	142	103	32	1,119	49	119	200		3,192
	Colored	3,499	6		2	2	10	4	16	8	13	485	35	66	178		218
48	Queens Borough—White	7,755	2		1	25	15	31	92	12	10	362	13	11	18		879
	Colored	209					1	1	3			39	1		3		13
49	Richmond Borough—White	2,090	2		7	2		6	12	2		389	7	6	8		180
	Colored	218						1				155	3	2	2		6
50	Niagara Falls	659	2		2	1	1		22	1	2	13	2	4	4		60
51	Poughkeepsie	553							4			11	1	2			75
52	Rochester	3,888	1		26	44	2	3	15	6	2	96	3	11	32		500
53	Rome*	530	1		15	4		3	4	1		29		3	9		45
54	Schenectady	981	1		3		4	1	11	1	1	21		4	6		103
55	Syracuse	2,521	1		11	10	11	1	25	5	2	34	4	6	37		289
56	Troy	1,228				2	1	1	5	1	1	27	3	3	7		163
57	Utica	1,526	2		3	3			10			32	7	4	12		144
58	Watertown	558	2			1		1	20	2		19	1	3	3		65
59	White Plains	324							3			10		2	2		35
60	Yonkers	1,194	1		6	3	4		14	3		60		7	8		134

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
2	10	51	152	2	39	------	1	6	3	2	35	------	1	21	7	------	10	------	18	------	74	1
5	21	66	207	------	43	11	1	20	13	9	63	2	10	66	17	1	10	------	25	------	132	2
1	9	26	86	1	21	2	------	7	4	1	38	1	5	23	4	------	3	------	15	2	39	3
2	33	62	258	------	43	2	------	18	12	4	55	3	3	47	23	3	32	2	39	------	93	4
1	6	16	69	2	24	2	3	3	3	1	19	2	1	21	------	2	5	1	9	------	39	
5	10	41	150	3	44	4	2	4	7	2	45	2	2	34	10	9	13	------	35	------	58	5
1	7	9	37	1	13	1	1	------	1	2	20	------	------	1	4	1	2	------	6	------	33	6
3	9	21	69	------	9	------	2	------	------	1	27	------	1	5	6	------	1	------	------	------	19	7
3	43	65	280	5	109	12	4	31	15	11	162	10	13	104	18	11	71	6	72	------	194	8
1	6	6	32	------	31	2	------	2	1	2	30	1	1	11	2	8	7	------	14	------	23	
------	9	22	48	1	20	------	------	------	2	2	26	------	------	10	11	1	4	------	10	2	24	9
2	7	45	165	------	22	2	1	6	4	1	56	------	3	20	15	1	6	------	14	------	49	10
10	40	112	243	5	113	4	3	11	14	11	74	2	9	69	13	6	39	------	55	17	150	11
------	1	4	20	------	12	2	------	------	1	4	8	------	------	10	2	2	------	------	4	------	5	12
1	17	29	77	2	40	3	1	17	8	5	33	5	7	28	4	5	15	------	20	2	66	13
------	------	4	7	------	7	------	------	2	------	------	3	------	1	6	------	------	1	------	------	------	7	
3	22	34	214	3	47	11	2	15	12	5	32	2	4	23	11	6	8	------	31	------	58	14
------	13	13	118	3	16	1	------	11	5	8	44	------	1	12	7	------	18	------	13	------	34	15
17	96	206	812	5	314	49	7	63	48	22	191	16	24	177	39	11	56	------	147	2	344	16
------	------	13	40	1	43	3	------	1	1	------	7	------	2	11	1	1	2	------	10	------	23	
2	8	14	63	1	14	2	------	2	2	1	37	2	3	8	5	1	8	1	20	------	22	17
2	8	24	91	------	11	------	------	3	2	2	25	2	------	10	11	2	3	------	10	------	27	18
------	------	1	7	------	4	------	------	------	------	------	4	------	------	1	------	------	------	------	1	------	5	
16	139	256	948	15	276	13	7	100	37	57	331	13	18	190	87	20	90	------	176	2	515	19
2	6	35	99	1	78	7	4	13	8	2	44	1	6	44	4	18	8	------	19	1	70	
------	14	39	104	1	37	2	------	12	4	10	28	5	5	23	11	2	32	------	27	2	68	20
1	17	43	101	3	36	------	------	18	18	12	35	4	2	40	15	------	16	------	25	1	61	21
------	2	5	12	1	6	------	------	1	------	1	5	1	------	9	------	------	2	------	1	------	10	
4	18	44	127	5	64	2	4	17	6	7	49	4	11	38	21	3	20	------	30	2	90	22
9	63	130	349	7	117	6	5	23	10	12	139	6	12	89	41	7	56	2	64	3	239	23
1	7	35	90	------	35	3	1	8	5	3	26	1	3	28	3	1	20	------	25	------	52	24
1	11	30	91	1	22	4	1	6	5	4	36	1	------	23	7	1	16	------	12	------	65	25
1	1	7	18	------	5	1	------	1	------	------	5	------	2	6	------	------	1	------	1	------	6	
6	52	101	432	4	147	15	6	25	40	12	137	8	14	84	22	14	41	2	81	2	253	26
2	11	30	102	5	28	1	1	1	------	9	36	------	2	8	19	1	------	------	6	------	16	27
3	6	9	61	------	14	------	------	------	1	------	20	------	------	2	4	------	------	------	3	------	8	28
------	2	10	52	------	6	------	------	------	1	------	18	------	------	3	4	------	------	------	4	------	11	29
------	12	19	72	1	11	2	------	------	------	1	35	------	------	6	5	1	2	------	3	------	16	30
1	2	8	46	------	9	2	1	1	1	1	8	------	1	9	5	2	6	------	1	------	18	31
------	5	12	58	1	33	15	3	11	7	3	25	11	4	19	11	5	12	------	19	24	63	32
3	57	103	463	4	127	17	5	33	24	18	182	4	5	71	18	5	35	4	49	------	205	33
------	16	34	100	------	22	------	3	6	6	2	45	3	3	17	7	------	7	1	20	------	31	34
1	9	53	127	4	26	3	5	11	8	5	35	2	5	21	13	------	9	------	21	------	57	35
2	16	72	271	4	84	2	2	24	15	11	112	5	3	38	14	2	23	------	53	2	178	36
27	212	353	1,665	33	511	85	11	127	60	66	709	28	49	404	67	17	125	3	260	1	864	37
------	2	2	46	------	18	------	1	4	------	------	17	4	------	14	1	8	7	1	9	------	23	
1	13	44	172	1	56	------	4	13	13	10	95	4	1	49	13	------	14	------	29	------	75	38
2	14	47	135	3	30	3	------	12	3	3	34	5	2	41	16	------	11	3	26	1	94	39
1	18	43	132	2	29	1	1	15	10	3	48	2	5	25	3	------	16	------	28	1	72	40
2	18	36	157	------	45	------	2	8	6	7	56	------	4	26	5	7	10	------	26	------	66	41
1	10	32	106	4	17	3	1	3	5	6	53	------	3	15	7	------	10	------	21	------	36	42
------	14	23	113	2	35	------	1	6	6	4	34	1	3	20	13	4	12	------	20	------	48	
278	2,130	2,912	18,572	159	6,288	471	84	1,058	633	578	4,544	211	334	2,841	1,551	436	1,097	18	2,816	19	8,171	43
17	94	186	957	8	595	66	5	55	51	21	312	33	40	334	44	149	66	1	209	1	566	
40	374	453	2,903	15	852	23	4	132	64	72	647	30	57	408	224	43	164	2	366	1	910	44
------	5	9	59	------	35	------	------	7	4	1	17	3	3	23	3	2	2	------	7	1	29	
135	825	916	6,942	56	2,351	171	31	427	218	192	1,821	95	124	1,064	386	117	376	5	855	7	3,001	45
5	23	37	239	2	189	22	3	9	10	3	81	10	7	81	2	32	13	------	43	------	136	
71	656	928	5,909	70	2,278	243	43	369	291	227	1,240	62	114	959	721	228	408	3	1,287	2	3,440	46
10	62	123	607	6	341	43	2	37	31	17	188	20	30	218	37	108	46	1	149	------	380	
27	231	520	2,287	17	657	24	6	99	44	78	690	19	34	318	180	35	132	2	226	4	654	47
2	4	13	33	------	24	1	------	2	6	------	22	------	------	8	1	5	5	------	8	------	14	
5	44	95	531	1	150	10	------	31	16	9	146	5	5	92	40	13	17	6	82	5	166	48
------	------	4	19	------	6	------	------	------	------	------	4	------	------	4	1	2	------	------	2	------	7	49
4	18	31	137	3	48	1	------	14	7	4	59	1	13	46	12	5	24	6	41	------	71	50
2	12	60	123	2	49	4	------	13	11	2	42	2	2	22	14	1	15	1	29	2	52	51
8	124	217	1,071	10	243	15	2	53	38	34	352	9	15	167	67	11	62	3	146	------	500	52
------	18	14	110	1	47	3	7	6	6	2	79	------	4	22	4	------	9	------	22	------	62	53
1	28	83	245	2	34	2	2	30	5	13	84	5	8	64	16	------	22	------	43	2	136	54
5	69	185	696	5	175	14	3	30	21	24	217	11	18	120	41	4	39	1	85	1	321	55
4	35	98	359	2	66	5	2	28	7	17	113	4	5	37	7	------	24	3	59	------	139	56
3	45	81	339	7	125	5	5	24	13	11	234	1	7	72	22	3	29	------	56	------	227	57
2	16	35	135	2	34	3	2	14	6	4	37	4	1	27	4	2	11	------	23	1	78	58
1	6	17	70	------	21	------	1	10	1	1	35	1	2	23	11	1	18	------	15	------	38	59
4	31	80	312	2	117	3	2	16	8	17	75	3	4	58	18	8	17	------	41	2	136	60

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	NORTH CAROLINA																
1	Asheville * White	462							13		2	60		1	4		35
	Colored	223			3				11		1	23	1	1	5		10
2	Charlotte White	534	1			3		1	8			8	3	1			47
	Colored	405	2		1				12		1	29	4	5	8	1	7
3	Durham White	453	1		1	1	1	2	11	2		10	3	3	3	1	44
	Colored	392					2		14			41	2	10	13		22
4	Greensboro White	406	3		2	1	2	2	9	1	1	9	1	3	2		32
	Colored	230	1		1		2	1	5		1	13		5	9		13
5	High Point White	270			6	1	2	6	10	1		8	1	1	4		25
	Colored	85			1				1			7	2		4		2
6	Raleigh * White	435			1			2	11			13		1			29
	Colored	265	5					2	8		1	24		1	4		9
7	Wilmington White	263	1				3	1	2			5		2	1		24
	Colored	269	2									9			9		6
8	Winston-Salem White	370	1			2	4		4	1	3	7			2		26
	Colored	502					9	1	12			58	4	6	7	1	7
	NORTH DAKOTA																
9	Fargo	337	1		2		1	1	6			7	2	3	2		43
	OHIO																
10	Akron White	1,846	1			8	4	5	46	3	1	52	3	7	19		204
	Colored	139	1					1				20	2	1	3		6
11	Canton	1,004	1		2	3	6	3	29	4		17	2	6	9		119
12	Cincinnati White	5,780	13			30	13	10	156	6	4	193	10	15	35		645
	Colored	1,001	2			1	8	3	12		5	175	10	13	22		55
13	Cleveland White	8,546	2		39	41	30	13	114	14	15	450	14	15	45		963
	Colored	1,275			4	1	10		18	1	3	219	4	12	51		62
14	Cleveland Heights	309			1	3	1	2	5			4		1			52
15	Columbus White	3,547	5		5	5	14	10	79	2	2	119	6	13	21		413
	Colored	549			1	2	4		23		1	48	5	5	13		27
16	Dayton White	2,150	1			4	7	15	40	1	2	82	2	4	34		241
	Colored	278	1				3	1	10		1	30		4	14	1	19
17	East Cleveland	227	1						5		1	2		1	1		34
18	Elyria	289	1		1		1		5			8	1		1		33
19	Hamilton	595			2	1	8	11	18	1		26	1	2	4		62
20	Lakewood	527			3		1		13	1		11	1	2	2		70
21	Lima	565				1		2	13		1	11	3		2		66
22	Lorain	347			4	2	1	1	12			12		2	1		35
23	Mansfield	414			1		3		8	1		15	2	1	6		53
24	Marion	351	2			1	2	1	23	1		17		1	1		27
25	Massillon	274							14		2	3			3		26
26	Middletown	286	3			1	7	1	13		1	15	5	4	2		13
27	Newark	403					1	1	22	2		10		1	2		36
28	Norwood	205							6			5			3		29
29	Portsmouth	562	2		3	7	4	6	25	4	1	23		1	4	2	48
30	Springfield White	695	2				4	1	24	2		15	1	1	4		76
	Colored	120					3		8			10					13
31	Steubenville	448					2		17	4		6		3	1	1	37
32	Toledo White	3,216	2		2	6	12	5	77	2	5	148	6	15	17		337
	Colored	228					4		7			36		4	4		12
33	Warren	467	2		2	1	6		11	1	1	11		3	2		45
34	Youngstown White	1,449	2		12	12	6	8	20	5	4	35	7	1	2		168
	Colored	210			1				6			27	1	1	4		3
35	Zanesville	551	2			1	2	3	16			18		3	4		47
	OKLAHOMA																
36	Enid	376	1					5	20			3	1	2	2		32
37	Muskogee White	398	1		1	2			12	2		7	2	5	8		36
	Colored	162	2				3	1	5			14	1	2	4	2	6
38	Oklahoma City White	1,831	11		3	9	6	20	72	6	5	55	7	8	27	1	179
	Colored	260	1					1	26			26	3	7	9	1	17
39	Tulsa White	1,023	6			2	2	10	55	2		36	2	4	8	2	93
	Colored	188	1						9			11		5	3		5
	OREGON																
40	Portland	3,422	2		11	1	4	3	30	2	5	77	6	16	48		467
41	Salem *	628					2	1	11			14	1	2	11		51
	PENNSYLVANIA																
42	Alliquippa	142			3		1		5			14	1		1	1	16
43	Allentown	1,254	1		1	4	10	1	11	2		60	4	5	12		116
44	Altoona	964	4		2	1		8	19	3		17	1	3	11		92
45	Bethlehem	383					3		8			16		1			43
46	Chester White	528	1			1	4	2	13	1	1	14	2	1	4		52
	Colored	164				1	5		3	1		13	1	2	5		9
47	Easton	320				1		1	4			11		2	3		32
48	Erie	1,311	2		1	1	6	8	35	1	1	57	5	6	13		154
49	Harrisburg *	1,229			3	1			24	4	3	41	5		9		109
50	Hazelton	524			1		1	4	4		1	11	1	5	3		44
51	Johnstown *	946	3		7	3	3	10	35	1	3	33	2	5	11		87
52	Lancaster *	929	3				2	1	21	1	5	11	2	4	7		125
53	Lebanon *	407	1					1	8	1		6		1			38
54	McKeesport	604					3	1	19	1	1	21		2	6		56
55	Nanticoke	332			1		1	3	9	2		6	1	1			19
56	New Castle	589	2		1		4	1	23	2		12		3	8		43
57	Norristown *	773	2			1	2		7		3	39	3	1			48
58	Philadelphia White	20,318	21		1	45	42	15	173	28	44	802	30	51	73	1	2,568
	Colored	3,425	5			5	16	3	66	1	5	457	21	33	133	1	223

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary[1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes	
------	9	38	73	1	31	3	------	11	10	2	20	------	4	35	9	6	14	2	19	2	58	1
2	2	22	40	1	22	3	2	1	2	------	26	2	------	9	3	7	2	------	4	2	16	
1	11	43	88	4	26	7	1	11	2	2	38	1	1	49	15	3	21	3	31	2	102	2
1	4	40	71	------	60	8	3	5	3	1	16	1	6	32	------	18	4	------	13	3	46	
2	9	23	54	2	25	3	2	9	4	3	34	8	11	37	5	5	11	------	11	9	103	3
2	4	10	46	------	22	1	1	5	7	------	33	2	5	27	------	20	8	------	19	16	60	
2	12	23	51	1	21	4	1	17	6	1	38	5	8	34	14	3	13	------	20	------	64	4
------	2	24	33	------	17	4	1	2	1	------	18	2	6	20	------	7	6	1	5	1	29	
2	10	13	35	1	19	3	------	10	2	------	12	------	3	38	6	1	10	------	8	3	29	5
3	------	9	13	------	9	------	1	------	------	------	8	------	4	9	------	1	------	------	2	2	7	
------	8	23	90	------	19	4	1	12	8	------	55	2	5	24	9	3	7	------	14	1	93	6
------	1	19	52	------	14	------	1	2	4	1	24	3	4	11	1	11	7	------	16	8	32	
1	4	13	33	------	24	15	1	6	3	------	27	1	4	20	6	1	12	------	13	2	38	7
------	2	22	35	------	27	3	1	2	1	------	45	2	7	24	------	11	3	------	6	10	42	
2	9	20	59	------	26	6	3	10	4	2	27	5	6	42	15	2	10	------	12	3	57	8
2	3	39	71	1	69	10	2	3	4	------	35	3	6	35	------	18	5	1	12	33	45	
2	5	22	54	1	27	3	1	12	6	2	6	1	3	28	8	------	6	------	14	1	67	9
9	44	162	357	7	107	7	2	26	28	8	136	11	11	110	40	19	79	10	76	1	243	10
------	2	11	26	------	11	------	2	1	2	------	15	2	1	3	------	6	1	------	6	------	16	
4	21	104	195	2	67	8	3	20	12	6	51	10	6	70	9	12	32	------	35	------	136	11
15	130	466	1,154	27	438	48	18	129	84	73	465	20	32	197	120	30	108	9	262	3	822	12
3	14	70	166	1	97	6	4	5	5	9	32	2	3	44	5	50	16	1	26	1	135	
40	220	613	1,706	30	737	27	15	123	92	89	473	30	41	469	188	81	239	8	370	30	1,170	13
4	14	85	176	------	169	7	------	10	15	3	85	8	7	55	8	45	23	------	30	8	138	
1	16	27	95	1	18	------	1	------	------	------	23	1	1	------	10	2	1	------	8	2	33	14
6	83	283	680	9	190	34	5	74	55	27	243	15	32	138	55	13	91	5	172	1	642	15
------	10	30	99	1	46	10	3	1	7	3	39	3	7	20	4	21	8	------	25	------	83	
7	43	155	536	4	128	27	7	38	32	14	138	11	5	73	42	6	54	2	96	1	298	16
1	4	10	48	------	19	4	3	3	3	4	16	1	1	12	1	16	4	------	11	------	33	
2	7	36	63	1	17	------	1	------	2	1	14	------	1	4	3	1	------	------	4	------	25	17
------	7	22	64	------	14	1	2	7	3	1	36	------	3	15	3	------	11	------	11	3	35	18
1	15	52	92	------	26	9	2	5	7	6	44	4	3	42	8	5	14	3	36	7	78	19
------	20	53	135	6	39	------	------	9	5	3	29	1	1	13	9	------	13	2	20	1	64	20
4	11	37	92	------	21	2	------	24	14	4	34	6	7	42	6	2	14	1	31	------	114	21
1	8	16	66	------	26	2	1	7	2	4	27	------	3	22	14	8	12	2	16	7	33	22
------	10	41	85	------	21	1	1	7	3	7	33	1	------	22	11	------	13	------	19	------	49	23
2	8	22	76	------	16	4	1	2	3	1	26	1	4	18	10	2	6	1	22	1	49	24
5	6	22	56	1	13	2	1	7	2	2	19	2	1	16	3	2	11	3	15	------	37	25
------	6	21	40	1	19	9	------	3	10	3	18	1	4	21	4	2	5	1	17	4	32	26
1	8	42	77	1	18	6	------	6	9	3	38	1	6	13	3	2	12	------	31	1	50	27
------	9	26	57	------	5	1	1	------	1	1	15	1	------	5	5	------	1	------	11	------	23	28
1	12	41	71	3	42	20	2	13	6	4	41	5	7	31	11	6	18	------	38	1	59	29
------	16	101	105	------	39	8	------	15	11	8	65	2	3	29	10	1	20	4	29	3	96	30
1	1	10	18	------	13	1	------	2	2	1	14	------	------	3	------	3	2	------	6	2	7	
3	16	35	77	1	28	8	------	11	11	5	18	3	5	29	3	7	11	2	34	------	70	31
5	70	212	710	8	197	19	13	60	43	44	173	11	13	165	59	18	105	8	136	2	511	32
1	1	11	47	1	28	2	------	2	4	1	9	1	------	10	2	6	4	------	5	------	26	
2	6	46	92	1	28	1	1	19	2	3	15	4	3	32	3	7	21	1	28	2	65	33
9	31	96	273	3	137	5	6	34	19	10	80	11	16	91	24	16	34	------	81	2	189	34
------	2	14	29	------	40	------	------	3	2	2	17	2	4	10	1	10	7	------	10	------	14	
1	15	47	103	2	32	6	2	15	6	1	40	5	7	26	7	2	16	2	39	------	81	35
3	11	30	51	------	25	2	3	13	7	3	27	5	1	19	5	------	5	1	22	3	74	36
1	2	29	51	------	29	5	2	11	7	------	25	2	1	16	5	7	10	1	23	10	85	37
1	1	5	27	2	12	2	2	2	2	2	14	------	------	1	------	6	2	------	4	5	32	
3	27	90	236	4	131	37	6	63	31	17	112	20	19	88	38	14	60	3	101	29	293	38
------	1	17	21	------	26	3	2	4	2	------	11	2	1	10	------	14	6	1	9	5	34	
2	12	78	166	3	74	27	8	36	19	4	56	8	8	48	29	7	30	------	37	7	142	39
------	------	11	18	------	27	4	3	10	5	------	12	4	3	5	2	12	4	------	7	1	26	
7	68	253	759	17	206	4	6	53	31	33	311	9	7	83	104	19	74	6	159	3	538	40
1	9	49	141	1	26	------	1	8	7	------	44	1	3	15	10	3	13	2	12	4	185	41
------	1	5	24	------	19	8	1	------	------	------	6	------	------	11	4	1	------	------	2	------	18	42
2	58	87	262	3	88	12	2	28	16	14	96	6	11	57	17	4	36	1	49	------	178	43
3	32	70	217	2	86	5	4	10	7	9	81	5	9	64	9	1	30	------	42	9	108	44
------	13	60	87	4	24	7	3	------	2	4	29	1	2	15	9	------	2	------	9	------	41	45
1	9	39	106	1	38	1	------	15	7	6	47	1	2	41	12	2	14	------	30	------	60	46
------	2	6	13	------	21	3	------	1	4	1	24	1	------	10	------	6	4	------	6	------	22	
4	16	33	84	4	10	1	------	4	2	1	31	1	3	11	4	1	3	------	15	------	38	47
2	38	84	283	6	85	16	3	27	19	12	89	7	10	66	26	9	36	------	56	------	147	48
6	43	77	278	4	101	5	3	32	13	9	155	9	6	41	14	3	35	2	57	1	136	49
------	25	18	114	3	36	8	2	26	8	6	44	6	6	32	2	3	22	------	33	------	55	50
6	28	32	132	4	73	25	10	23	19	7	82	6	11	69	9	4	25	------	60	------	118	51
3	24	59	212	1	69	4	------	13	16	10	62	7	13	48	19	2	26	------	36	------	123	52
3	12	38	83	2	29	4	4	8	8	2	60	4	5	17	6	------	9	------	14	------	43	53
4	14	52	109	1	46	10	2	18	5	5	52	6	5	38	11	7	14	1	38	7	49	54
1	4	16	53	1	48	3	------	4	6	4	24	3	2	23	2	2	9	------	37	------	47	55
3	8	46	135	2	48	6	1	7	7	6	38	5	7	34	7	5	20	------	27	1	77	56
1	12	59	216	------	48	4	------	6	9	5	53	6	5	26	11	1	14	2	27	1	161	57
73	541	1,088	5,590	65	1,312	141	55	203	202	203	2,160	55	114	739	333	79	292	14	724	6	2,435	58
13	60	166	651	5	336	39	15	26	38	26	269	16	27	182	18	71	29	1	95	------	383	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	PENNSYLVANIA—continued																	
1	Pittsburgh	White	7,735	9		16	34	19	28	217	7	22	263	22	20	30		734
		Colored	912			1		5	2	30	1	5	58	9	5	17		30
2	Reading		1,325	1		1	1	4	3	22	3	1	50	1	5	10		151
3	Scranton		1,855	2		1	8	11	1	31	4	5	84	10	3	7		167
4	Sharon		327			4		4		17	1	1	12	2	1			29
5	Wilkes-Barre		1,244	3		16	5	10	25	29			27	3	5	7		97
6	Wilkinsburg		332	1		1			1	8			12	3	1	1		30
7	Williamsport		653	1			2	1	1	12			9		1	4		67
8	York		751			2			1	14	2		17		2	6		87
9	Lower Marion township		375							2		1	4	1	3	1		52
10	Upper Darby township		395					2	3	5			8			1		48
	RHODE ISLAND																	
11	Central Falls		189						1	1			7					26
12	Cranston		795			5	3		1	5	2		27	1	3	20		102
13	Newport		382					1	1	6		1	13		3	1		44
14	Pawtucket		805			8	2		4	9	1		10	7	6	1		95
15	Providence		3,312	2		18	11	6	16	21	6	2	98	11	14	15		415
16	Woonsocket		486			2	1	2	2	4			13	4	4	3		61
17	East Providence town		250				2			2			9	1		1		42
	SOUTH CAROLINA																	
18	Charleston	White	443							14			12	1	1	3	4	32
		Colored	845	7					1	24		1	85		9	51	2	34
19	Columbia *	White	525	2		2			3	11			16		1	6	2	29
		Colored	477	1		4	1			23		2	26		1	6	4	17
20	Greenville	White	289					3	1	11	3	1	5	1		4		20
		Colored	244	2				2		10			15	1	2	13		6
21	Spartanburg	White	264	1				2	5	16			11			5		17
		Colored	227	5					1	12			24		2	2		12
	SOUTH DAKOTA																	
22	Sioux Falls		395	2						9			12	1	1	1		59
	TENNESSEE																	
23	Chattanooga	White	903	5			3	3	8	37	1	1	42	2	9	7	1	55
		Colored	651	11				3	1	36	1		72	1	10	7	1	16
24	Johnson City		235	1			1	2		16			20			1		16
25	Knoxville	White	1,046	8				10	17	65	3	10	36	9	2	8		61
		Colored	297	3				1	2	11		5	18		1	5		14
26	Memphis	White	2,169	13			2	11	18	46		6	64	8	14	27	18	205
		Colored	2,175	15				9	2	55	1	4	187	9	37	118	18	88
27	Nashville	White	1,564	10			3	10	9	67	2	3	52	8	7	12		134
		Colored	848	2				1	2	39			61	2	10	20		42
	TEXAS																	
28	Beaumont	White	328	1			1	1	5	12	1		7			2		35
		Colored	289			1		3	3	35			16		4	7	3	12
29	Dallas	White	2,204	9			3	2	32	113	3	1	55	3	12	11	1	183
		Colored	840	12				6	15	41	1	1	62	3	6	16	5	32
30	El Paso	White	540				1		1	19	1		116	1	4	3		41
		Colored	922	6			2	6	5	73	2	2	119	6	12	11		45
31	Fort Worth	White	1,361	2			7	2	20	61	1	2	59	1	2	7	1	125
		Colored	404	3				1	3	17		1	32	1		12		16
32	Galveston	White	478	2			1	2		5		1	34	1	1	5		47
		Colored	255					1		3			23		3	14	1	16
33	Houston	White	2,149	10		2		3	19	66	5	5	101		3	19	3	243
		Colored	1,330	6		5	1	5	4	48		5	134	2	7	38	10	43
34	San Antonio	White	3,123	8		4		6	15	152	7	7	277	13	27	37	3	229
		Colored	331	1				2	2	14		1	28	1	6	17		15
35	Waco	White	488	7		2	1	4	15	21	1		28	1	1	1		43
		Colored	218	5		1		2	1	10			27	2	1	2	1	9
	UTAH																	
36	Ogden		435				1			18	2	3	6		3	1		35
37	Salt Lake City		1,594	1			5	1	1	59	6	10	41	1	14	12		194
	VERMONT																	
38	Burlington		462			4	2	1	1	4	4	1	4	1	3	3		54
	VIRGINIA																	
39	Lynchburg	White	390	1			1	7		22			7		1	2		25
		Colored	240	2				1		10			11		1	13		6
40	Newport News	White	211	2				3	2	3			8					16
		Colored	261	2				2		3			24	2		11		7
41	Norfolk	White	874				1	1	1	9			27	1	4	2		98
		Colored	795	1		1		7	2	13	1		67	3	8	17	1	28
42	Petersburg *	White	200	1					1	4			9	1	1			18
		Colored	288	2				2		18			21		3	7		8
43	Portsmouth	White	258				1		1	4			11					19
		Colored	349	2				4	3	11			36	2	1	11	1	10
44	Richmond	White	1,544	2				2	2	24	1	2	52	5	5	7		174
		Colored	1,072	3		1	1	6		29		1	93	7	10	25		59
45	Roanoke	White	587	1		1	5	7	3	23	1		16	3	2	3		56
		Colored	203	2				1		6		1	9	1	3	4		7

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
24	156	500	1,508	21	974	85	16	118	96	93	532	48	53	414	98	42	148	9	347	87	945	
-------	15	56	132	2	194	7	2	12	7	-------	77	5	8	56	3	20	11	-------	30	27	85	1
1	54	77	346	3	93	12	4	27	15	12	110	1	6	58	23	-------	35	-------	53	-------	142	2
9	48	103	452	12	177	21	5	31	21	12	106	4	16	100	20	7	32	-------	127	1	217	3
1	4	25	55	1	21	1	1	11	4	-------	17	2	4	17	4	1	9	-------	20	-------	58	4
4	33	53	224	4	138	6	3	39	21	12	106	10	10	65	22	5	34	-------	67	7	154	5
1	5	30	78	-------	27	2	-------	4	4	1	34	2	1	12	6	-------	12	-------	14	-------	41	6
3	28	48	176	3	48	3	1	7	11	1	55	2	1	35	9	1	18	1	33	-------	71	7
1	17	68	173	2	56	11	2	6	16	2	49	8	3	55	15	5	10	1	27	-------	93	8
4	8	30	99	-------	20	-------	2	8	6	1	21	2	5	11	5	1	22	-------	20	1	45	9
2	8	23	95	2	19	1	2	3	4	6	57	1	1	12	13	1	24	1	14	-------	39	10
-------	6	12	42	2	16	1	-------	4	2	2	17	2	1	18	1	-------	5	-------	6	1	16	11
2	13	85	250	2	77	2	3	3	3	3	69	-------	-------	4	6	3	2	-------	22	-------	77	12
-------	10	33	111	1	24	2	1	5	2	2	32	-------	-------	14	8	-------	4	-------	10	1	52	13
4	29	65	163	1	62	10	1	13	9	11	91	3	10	63	7	2	11	-------	33	-------	74	14
11	104	221	699	8	271	23	8	71	43	17	341	15	15	196	44	3	51	2	122	17	395	15
2	7	32	89	3	46	7	1	7	5	5	62	1	7	26	6	-------	8	-------	18	1	57	16
-------	5	39	62	-------	18	2	1	-------	-------	-------	23	-------	-------	11	2	-------	-------	-------	6	1	23	17
1	12	26	107	2	36	6	1	4	8	2	39	3	4	29	5	8	10	-------	19	-------	54	
3	6	55	138	1	70	26	6	1	4	4	68	2	8	91	2	17	12	-------	23	2	92	18
-------	10	45	78	-------	46	3	5	2	7	2	54	6	3	38	11	4	19	1	21	1	97	
-------	6	58	54	1	39	12	2	10	1	1	50	2	7	20	1	10	8	-------	20	1	89	19
-------	3	10	34	-------	15	4	2	8	7	-------	28	5	6	29	4	8	14	-------	12	-------	51	
2	3	23	41	-------	16	5	1	3	2	1	28	5	1	12	2	7	3	-------	4	3	31	20
-------	2	14	34	-------	16	2	1	7	5	-------	14	4	1	19	3	7	9	-------	17	2	50	
-------	1	19	36	2	14	1	-------	3	5	-------	28	5	2	6	1	8	6	-------	5	1	26	21
1	12	29	64	1	21	3	2	20	7	3	16	-------	4	27	4	1	7	-------	22	3	63	22
1	10	57	116	3	65	23	4	17	15	7	73	8	6	72	12	12	19	2	51	43	113	
6	2	46	72	2	78	9	2	7	10	2	27	4	5	13	1	31	7	-------	27	70	71	23
3	2	22	32	-------	11	7	3	4	1	-------	15	1	3	17	2	1	6	-------	12	3	33	24
3	12	52	120	2	81	17	4	21	21	5	74	4	12	76	15	13	25	2	65	48	145	
1	4	15	48	2	35	2	4	4	3	-------	28	1	1	10	1	15	3	1	14	10	35	
5	40	106	307	3	142	24	8	61	28	20	143	10	21	131	49	30	67	6	114	34	388	
5	23	136	247	4	184	12	11	43	31	7	127	12	18	131	10	117	34	-------	69	66	345	26
3	20	95	253	3	113	31	7	46	17	14	88	12	16	107	26	15	52	-------	75	13	241	
4	9	78	132	-------	80	15	3	13	11	2	69	4	7	26	1	35	20	-------	27	33	100	27
2	7	15	45	2	21	1	4	12	3	4	25	-------	4	29	9	2	8	1	16	-------	53	
2	2	9	40	-------	29	2	2	2	3	-------	20	2	4	21	1	5	6	-------	15	2	38	28
5	40	147	346	8	133	42	7	66	31	19	118	13	8	164	57	30	63	3	104	-------	372	
1	7	81	77	3	118	23	6	13	9	3	44	6	4	46	4	51	8	-------	27	1	108	29
-------	10	18	70	6	37	5	4	19	7	2	14	2	4	22	21	9	12	1	19	1	70	
5	3	21	90	6	84	81	18	18	10	7	36	6	8	64	8	8	18	-------	26	2	114	30
4	19	102	226	4	72	20	6	31	14	8	58	7	7	91	30	24	47	-------	91	2	208	
-------	6	32	36	-------	55	3	1	8	5	4	36	2	1	20	1	23	9	-------	11	2	63	31
-------	10	35	123	1	36	-------	2	7	9	6	27	1	2	13	8	4	14	-------	21	1	59	
1	3	17	44	-------	20	1	1	3	3	2	25	1	4	7	1	7	1	-------	9	1	43	32
4	46	118	403	8	108	11	8	52	33	23	151	7	19	83	62	28	53	2	102	48	301	
1	11	53	171	2	148	15	7	25	20	12	95	6	7	42	9	57	11	-------	46	116	168	33
6	45	128	362	14	287	163	48	54	42	18	111	18	17	144	57	43	46	2	109	212	412	
2	4	14	36	2	26	6	1	10	5	2	27	-------	1	11	1	13	4	-------	6	10	63	34
2	5	18	71	2	32	2	2	20	6	3	29	5	5	21	12	2	16	1	27	-------	82	
-------	2	13	33	2	18	2	-------	5	4	-------	13	-------	2	10	-------	7	1	-------	9	6	30	35
-------	5	23	81	2	33	1	-------	20	12	6	19	1	3	34	5	2	13	2	23	12	69	36
5	23	64	306	3	113	8	2	65	31	3	104	9	14	85	24	7	58	1	67	19	238	37
-------	13	28	94	2	28	4	2	17	9	3	36	5	5	33	5	-------	5	-------	23	-------	68	38
-------	5	22	66	-------	19	1	-------	8	1	-------	27	-------	6	43	9	3	12	-------	17	1	84	
-------	3	18	30	-------	15	1	1	4	-------	3	26	1	5	8	2	5	8	1	18	3	44	39
-------	3	13	44	1	10	1	4	3	2	1	21	1	1	20	4	2	7	-------	8	-------	31	
2	5	20	44	-------	42	4	4	1	3	2	25	4	4	6	-------	7	1	-------	11	-------	25	40
-------	15	71	228	1	35	8	4	18	11	6	57	2	7	37	42	5	26	2	50	-------	107	
5	13	104	175	1	82	8	7	11	15	1	35	4	5	35	4	25	10	-------	23	-------	83	41
1	8	8	44	-------	3	2	-------	3	2	2	43	-------	-------	14	6	-------	5	-------	6	-------	18	
1	3	27	29	-------	37	4	5	1	2	6	45	1	3	19	2	10	3	-------	4	-------	25	42
-------	11	23	50	1	15	-------	1	5	1	1	27	-------	2	18	9	2	6	2	19	-------	29	
1	3	45	36	1	41	6	3	1	1	5	37	1	3	15	1	6	4	-------	12	3	43	43
5	33	108	312	5	73	4	6	30	20	11	182	7	10	77	34	6	55	2	60	10	218	
1	20	101	137	2	94	8	9	16	11	6	90	10	14	58	2	29	12	-------	28	21	168	44
1	14	53	90	-------	31	3	1	22	11	3	42	4	2	40	11	6	14	1	24	5	88	
-------	4	8	27	1	15	7	3	-------	3	2	25	2	5	17	1	5	3	-------	16	6	19	45

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1, 2	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 15	Epidemic cerebrospinal meningitis 18	Tuberculosis of the respiratory system 23	Tuberculosis of the meninges, etc. 24	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53
	WASHINGTON																
1	Bellingham	347			1			1	16	2	5	8		2	2		41
2	Everett	368	1						8		2	9		2	6		40
3	Seattle—White	3,943	2	1	15	1	1	1	63	5	5	148	4	18	42	1	517
	Colored	210	1		1				1	1	1	36	4	3	8		15
4	Spokane	1,342	2		1	2		2	40	2	1	20	2	6	11		167
5	Tacoma	1,380	4		2	3	1	1	20	1	2	31	2	5	18		152
	WEST VIRGINIA																
6	Charleston—White	749	4		8	2	12	7	32	5	1	27	4	5	9		48
	Colored	138	5		1				8	1		11		2	2		5
7	Clarksburg	339	4		1	1		2	17	1		9	1				26
8	Huntington	905	10		3	2	5	7	29	2		40	1	3	13		63
9	Parkersburg	440	4		4	2	3	5	18	1		7	2	2	5		37
10	Wheeling *	910	3		4		6	1	22	4	1	25	1	6	5		89
	WISCONSIN																
11	Appleton	338					1		11	5	1	3	1	4	3		40
12	Eau Claire *	421				1			5	3	1	23		1	4		48
13	Fond du Lac	400	1						4		1	8		1	1		70
14	Green Bay *	564	1		1		3	5	31		4	8	1	4	1		60
15	Kenosha	371			3	3		1	6	2	1	7			1		43
16	La Crosse *	617	1		1	1			9	1	1	12		1	6		76
17	Madison *	958	2			1	1	4	12	1		27	2	9	13		186
18	Milwaukee	5,210			22	16	14	15	93	3	7	263	11	12	36		654
19	Oshkosh	479					2		7		1	10	2	1	3		57
20	Racine	550	1		3		2	2	8		2	16	2	1	4		86
21	Sheboygan	389				1		1	17	2	1	7		6	3		44
22	Superior	387					1	1	11	1		9			6		63
23	West Allis	148							10			11	1				12

[1] Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis: Under 2 years	Diarrhea and enteritis: 2 years and over	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases	All other causes	
56–58	59	82a, 82c	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171	172–175				199, 200		
1	6	44	74	------	10	1	2	1	6	------	34	2	2	7	6	1	10	------	17	------	45	1
1	14	29	81	1	26	------	------	3	3	3	40	2	3	14	9	------	12	------	22	1	34	2
8	94	315	926	11	229	6	4	45	36	24	253	5	18	150	148	16	74	2	155	3	597	3
------	2	11	30	------	12	------	------	3	2	2	11	------	2	2	10	8	6	------	14	------	24	3
7	29	113	253	4	75	3	5	40	20	4	127	10	10	56	32	8	25	1	55	2	207	4
6	33	89	294	------	72	3	------	28	13	6	142	5	2	67	37	8	45	2	89	2	195	5
1	19	25	80	2	34	46	9	9	10	1	50	11	9	65	15	13	26	------	55	3	102	6
------	2	10	15	------	18	4	1	------	2	1	19	------	2	4	1	1	------	1	5	1	16	6
2	6	27	62	1	23	2	------	6	5	4	21	2	5	21	8	4	6	------	19	------	53	7
2	18	83	114	2	76	25	8	18	8	1	54	7	3	71	20	14	12	1	41	1	148	8
1	6	36	48	2	20	7	1	14	6	3	34	4	2	32	10	3	14	------	27	2	78	9
5	22	50	147	1	101	18	7	22	12	9	75	6	3	49	15	3	20	1	53	------	124	10
1	6	27	50	------	23	4	3	13	4	1	35	2	4	27	3	------	13	------	5	1	47	11
1	14	32	83	------	34	1	------	12	8	2	26	1	3	22	5	2	6	------	25	1	57	12
1	7	40	75	1	17	3	2	6	8	2	36	2	------	11	6	1	8	------	27	------	61	13
2	12	24	88	1	29	3	5	28	12	6	26	3	5	40	11	4	19	1	26	1	99	14
1	7	24	82	1	25	2	------	6	5	2	32	3	2	30	4	1	13	2	21	------	41	15
1	26	33	142	2	41	4	2	22	9	7	35	1	6	39	7	3	15	------	29	2	82	16
1	27	56	157	3	62	1	1	21	9	9	38	5	6	49	17	------	22	------	35	------	181	17
12	157	371	1,187	16	373	40	11	80	58	62	340	5	30	245	115	21	97	4	178	2	660	18
------	8	49	103	2	19	2	------	12	11	12	19	1	3	33	4	------	13	------	21	1	83	19
------	12	37	114	2	37	6	1	10	3	6	55	2	4	23	14	3	11	1	15	------	67	20
2	21	28	93	2	23	3	2	12	1	5	17	4	1	13	6	------	3	------	18	------	53	21
1	9	19	77	2	19	2	2	6	5	1	21	3	1	28	5	3	7	2	19	1	62	22
------	------	9	43	------	11	1	2	------	1	2	9	------	------	6	12	------	1	1	3	------	13	23

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes)		1,293,269	119,431	17,568	9,109	6,482	5,406	157,996	19,524	16,314	26,618	35,957
	Both sexes	White	1,115,555	96,250	13,999	7,440	5,387	4,532	127,608	16,573	13,317	19,871	25,851
		Colored	177,714	23,181	3,569	1,669	1,095	874	30,388	2,951	2,997	6,747	10,106
	Males	White	610,284	55,035	7,597	3,981	2,848	2,462	71,923	9,133	7,644	11,109	13,428
		Colored	94,222	12,804	1,880	868	563	442	16,557	1,543	1,553	3,058	4,840
	Females	White	505,271	41,215	6,402	3,459	2,539	2,070	55,685	7,440	5,673	8,762	12,423
		Colored	83,492	10,377	1,689	801	532	432	13,831	1,408	1,444	3,689	5,266
	I.—Infectious and parasitic diseases:												
	Males	White	62,766	4,885	2,180	1,277	941	811	10,094	2,530	1,323	2,025	2,947
		Colored	20,424	1,684	630	274	227	168	2,983	579	525	1,273	2,022
	Females	White	52,486	4,179	2,004	1,250	940	766	9,139	2,345	1,393	2,634	4,120
		Colored	18,644	1,509	581	310	217	175	2,792	590	704	1,896	2,654
1	Typhoid fever:												
	Males	White	1,790	12	21	16	15	22	86	87	125	250	284
		Colored	745	10	3	8	9	11	41	69	74	125	134
	Females	White	1,138	6	13	9	18	17	63	95	143	167	150
		Colored	618	8	6	7	8	6	35	64	80	123	93
2	Paratyphoid fever:												
	Males	White	36	1				1	2	3	1	1	4
		Colored	5								1	1	
	Females	White	27	1	1	1			3	1	2	5	3
		Colored	10	2		1			3	2	1		
3	Typhus fever:												
	Males	White	26							4		2	
		Colored	2									1	
	Females	White	4								1		
		Colored	2							1			
5	Undulant fever:												
	Males	White	34								2		4
		Colored	4							1			1
	Females	White	21							2	4		1
		Colored	2	1					1				
6	Smallpox:												
	Males	White	14	1					1		1		2
		Colored	9		1			1	2	1		1	
	Females	White	7	5					5				
		Colored	8	1	1				2	1		1	1
7	Measles:												
	Males	White	948	215	260	102	59	45	681	161	39	21	10
		Colored	86	27	19	7	6	4	63	8	6	5	1
	Females	White	827	174	183	79	48	44	528	140	50	19	6
		Colored	65	14	14	6	5	3	42	11	1	3	1
8	Scarlet fever:												
	Males	White	1,186	45	121	141	114	95	516	354	92	69	27
		Colored	27	2	3	1	2	2	10	6	1	1	2
	Females	White	1,296	36	96	98	110	108	448	394	121	68	73
		Colored	51	1	4	3	3	4	15	15	6	8	3
9	Whooping cough:												
	Males	White	1,819	1,177	365	118	45	33	1,738	62	7	3	1
		Colored	573	335	147	34	25	9	550	20	1	1	1
	Females	White	2,215	1,281	484	199	81	54	2,099	78	10	1	1
		Colored	711	412	173	61	23	18	687	17	1	3	
10	Diphtheria:												
	Males	White	2,401	197	316	329	295	301	1,438	689	138	36	14
		Colored	248	40	43	32	40	22	177	45	10	3	4
	Females	White	2,394	138	260	331	303	250	1,282	674	161	56	25
		Colored	235	26	37	30	30	26	149	53	11	6	5
11a	Influenza, respiratory complications specified:												
	Males	White	9,914	995	365	166	121	60	1,707	222	165	339	281
		Colored	1,927	277	106	49	34	14	480	53	35	94	100
	Females	White	9,925	808	305	139	95	54	1,401	186	193	268	285
		Colored	1,850	207	92	33	23	18	373	53	37	98	113
11b	Influenza, respiratory complications not specified:												
	Males	White	5,298	639	174	103	55	50	1,021	151	122	131	97
		Colored	976	184	39	20	12	9	264	19	24	43	43
	Females	White	5,374	478	155	98	57	60	848	144	126	133	126
		Colored	1,112	154	26	26	9	6	221	32	36	41	47
13	Dysentery:												
	Males	White	862	212	120	52	30	19	433	35	11	13	7
		Colored	233	76	38	5	8	2	129	4	2	3	2
	Females	White	696	137	108	40	26	10	321	21	7	7	8
		Colored	244	54	32	12	4	1	103	9	2	5	6
15	Erysipelas:												
	Males	White	953	270	13	9	4	2	298	8	12	12	13
		Colored	56	13	1				14	1	1	4	1
	Females	White	864	231	32	7	7	3	280	13	15	16	17
		Colored	39	15		1	1		17	2			
16	Acute poliomyelitis, acute polioencephalitis:												
	Males	White	409	50	39	28	24	25	166	96	65	31	21
		Colored	44	3	6	3	7	3	22	10	4	1	2
	Females	White	319	32	35	28	25	21	141	68	41	27	22
		Colored	46	7	7	8		5	27	8	2	3	1
17	Lethargic or epidemic encephalitis:												
	Males	White	433	6	12	4	7	4	33	17	17	21	19
		Colored	35		1	3		1	5	3	3	2	4
	Females	White	365	3	6	6	9	4	28	13	11	28	22
		Colored	36	4	3		3	1	11	2	3	1	3
18	Epidemic cerebrospinal meningitis:												
	Males	White	867	123	63	33	29	31	279	111	85	79	50
		Colored	138	18	7	7	3	3	38	13	10	18	11
	Females	White	560	105	42	27	19	18	211	87	63	44	29
		Colored	86	15	8	3	6	3	35	12	6	2	4
20	Anthrax (bacillus anthracis) malignant pustule:												
	Males	White	9										3
	Females	White	2										
21	Rabies:												
	Males	White	33		1	1	2	2	6	7	4	1	1
		Colored	6				1		1	1			
	Females	White	13				2		2	1	2		
		Colored	2								1		

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
37,028	39,980	49,320	57,521	68,825	81,459	91,763	107,489	115,412	128,162	111,564	81,532	44,649	15,928	3,554	1,112	1,562	
26,977	29,617	37,464	45,593	56,003	67,453	80,278	96,663	106,617	121,052	106,187	77,323	42,149	14,540	2,961	466	992	
10,051	10,363	11,856	11,928	12,822	14,006	11,485	10,826	8,795	7,110	5,377	4,209	2,500	1,388	593	646	570	
13,735	15,504	20,517	26,419	32,958	39,784	47,130	55,274	59,405	65,429	55,529	38,183	19,333	5,961	1,100	166	620	
4,987	5,327	6,305	6,239	6,889	7,634	6,462	5,960	4,875	3,916	3,014	2,251	1,307	670	283	228	324	
13,242	14,113	16,947	19,174	23,045	27,669	33,148	41,389	47,212	55,623	50,658	39,140	22,816	8,579	1,861	300	372	
5,064	5,036	5,551	5,689	5,933	6,372	5,023	4,866	3,920	3,194	2,363	1,958	1,193	718	310	418	246	
3,261	3,638	4,316	4,746	4,809	4,454	4,192	3,475	2,925	2,866	2,274	1,617	853	299	69	6	47	
1,964	1,889	1,969	1,563	1,498	1,314	850	656	491	325	220	125	75	28	9	13	53	
4,045	3,420	3,191	2,788	2,416	2,254	2,175	2,126	2,201	2,484	2,274	1,770	1,160	394	98	15	44	
2,130	1,652	1,407	1,160	895	798	541	403	306	214	162	122	84	46	18	22	48	
210	162	95	102	98	90	72	50	32	29	11	2	2				3	
87	55	34	33	26	21	18	12	11		3	1					1	
99	64	73	49	49	48	46	35	20	19	9	5	2				2	1
59	49	26	26	15	18	12	11	2	1		1	1				2	
1	2	1	2	3	3	3	4	5	1								
1				1	1												
2		3	1	1	4	1					1						2
	1					2		1									
2	2	1	1	1	3	1	3	2	2	2							
	1																3
1						1				1							
1																	
3	1	8	3	4	1	2	3	2			1						
	1	1															5
		5	2	1		2		2	1		1						
1																	
1	1		1		2		1			3	1						
	1			1	1		1								1		6
1	1																
				1	1				1								
5		9	2	3		3	5	4	3	2							
1	1						1										
8	8	13	13	13	5	3	4	5	4	5	1	2					7
3	1	1				1				1							
24	36	25	14	12	8	2	2	1	2	1						1	
3	1	1		1	1												
68	45	32	15	10	8	2	4	4	3							1	8
2		1				1				1							
1		2			1	1			2							1	
1	1	1		2	1	1	5	3	5	1	2	2				1	9
		1		1												1	
13	6	12	14	6	8	9	7	2	1	1	4					3	
2	2	1		2		1	1										
28	28	22	32	21	16	13	18	8	2	4	1					3	10
2	2		2		4			1									
225	320	436	503	573	554	625	595	628	739	790	680	377	123	25	1	6	
103	116	108	116	141	143	96	93	72	49	53	31	21	7	4	3	9	
363	400	504	484	400	432	472	547	617	868	920	845	521	164	46	4	5	11a
114	96	123	115	120	112	109	98	78	70	49	43	22	10	5	8	4	
104	102	138	167	188	203	226	251	294	466	545	540	357	152	35	5	3	
27	41	34	56	52	51	47	50	54	55	35	30	27	11	3	7	3	
116	147	151	165	136	189	221	250	321	474	567	538	476	195	40	8	3	11b
49	57	63	64	64	78	50	60	50	41	42	41	31	22	9	9	5	
6	10	21	20	19	19	30	21	40	39	57	45	25	4	5		2	
2	9	7	6	9	13	7	7	6	12	3	8	3	1				
8	6	10	10	11	15	13	31	40	39	52	53	31	9	2	1	1	13
12	13	3	8	5	18	11	8	5	10	7	8	6	2	2	1		
10	22	33	32	39	50	63	67	69	82	67	50	17	7	1		1	
6	2	1	3	6	2	5	2	4	1	1	2						
12	24	22	36	40	44	42	59	62	65	52	33	22	4	2	1	3	15
2			3	1	2	5	1	2			2	2					
7	3	6	4	2	2	2		2	1	1							
3				2													
5	1	7	2	2		1			2								16
2	1	1	1														
30	35	29	34	36	42	32	37	20	18	4	7	2					
4	3	3	2	5		1											
28	28	20	40	20	32	28	14	19	20	8	3	1	1			1	17
	1	2	4	1	3	2	1	1								1	
45	39	37	27	35	26	23	14	7	6	3	1						
7	9	8	5	8	6	4	1										
21	20	17	15	14	13	8	4	9	4			1					18
4	7	1	4	1	5		1	2	2								
		2			2		1		1								
	1							1									20
	1		2	3	2	3	1		2								
1	3																
1	2			2		2	1										21
								1									

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
22	Tetanus:											
	Males—White	583	43	7	8	9	20	87	107	110	42	17
	Colored	189	40	3		5	3	51	28	34	15	9
	Females—White	228	19	2	8	1	16	46	66	24	12	13
	Colored	81	25	1		2	2	30	10	13	3	5
	Tuberculosis (all forms):											
	Males—White	29,587	311	225	123	90	69	818	292	244	871	1,982
	Colored	11,259	131	161	73	48	62	475	216	265	871	1,499
	Females—White	22,873	257	205	135	92	73	762	243	338	1,650	3,128
	Colored	10,548	117	117	80	66	59	439	224	456	1,435	2,073
23	Respiratory system:											
	Males—White	26,715	97	57	29	26	15	224	109	128	727	1,813
	Colored	10,111	71	75	27	24	27	224	124	190	772	1,401
	Females—White	20,316	80	55	35	24	13	207	95	228	1,472	2,939
	Colored	9,529	62	46	33	36	32	209	142	395	1,326	1,949
24	Meninges and central nervous system:											
	Males—White	892	142	130	69	45	33	419	119	54	37	37
	Colored	309	24	44	32	14	21	135	51	24	17	17
	Females—White	816	128	112	80	54	37	411	94	45	67	52
	Colored	265	24	34	29	15	17	119	47	13	16	19
25	Intestines and peritoneum:											
	Males—White	577	19	8	6	5	5	43	17	16	29	42
	Colored	282	5	4	1	2	5	17	14	24	36	22
	Females—White	710	13	6	4	3	8	34	15	27	34	50
	Colored	334	6	9	1	4	4	24	15	18	37	57
26	Vertebral column:											
	Males—White	376	2	1	4	1	4	12	19	18	22	33
	Colored	114	3	2		1	1	7	4	9	10	16
	Females—White	255	2	3	1	2	4	12	9	12	16	15
	Colored	58		2	2	1	1	6	2	5	4	9
27a	Bones (vertebral column excepted):											
	Males—White	79					1	1	2	3	7	6
	Colored	26	1					1		3	3	5
	Females—White	47		1				1	4	2	1	2
	Colored	16		1				1		3	1	
27b	Joints:											
	Males—White	129	2	1			3	6	2	7	13	7
	Colored	42					1	1		1	7	9
	Females—White	64	1			1	1	3	3	3	8	3
	Colored	19	2					2		1	2	3
28	Skin and subcutaneous cellular tissue:											
	Males—White	25	1					1			3	1
	Colored	4								1	1	
	Females—White	21									1	1
	Colored	9			1			1		1		2
29	Lymphatic system (bronchial, mesenteric, retroperitoneal glands excepted):											
	Males—White	60	3	2	1	4	1	11	4	2	3	4
	Colored	21	1	2			1	4	1	1	1	3
	Females—White	56	6		1		1	8		2	2	2
	Colored	26		2	1	2		5	1	3	6	1
30	Genitourinary system:											
	Males—White	265	1			1		2	1	2	12	10
	Colored	25	1					1		1	2	1
	Females—White	196							1	1	12	17
	Colored	28			1			1			4	3
31	Other organs:											
	Males—White	61	1		1			2		2	1	2
	Colored	12										2
	Females—White	33							1	1		1
	Colored	12									2	1
32a	Acute disseminated tuberculosis:											
	Males—White	348	40	26	13	8	7	94	19	11	13	22
	Colored	277	22	34	13	6	6	81	19	9	19	21
	Females—White	314	24	28	14	8	9	83	18	17	36	45
	Colored	226	22	21	12	8	5	68	16	16	32	23
32b,c	Other disseminated tuberculosis:											
	Males—White	60	3					3		1	4	5
	Colored	36	3			1		4	3	2	3	2
	Females—White	45	3					3	3		1	1
	Colored	26	1	2				3	1	1	5	6
33	Leprosy:											
	Males—White	12								1		2
	Colored	5										1
	Females—White	4										
	Colored	3										
34	Syphilis:											
	Males—White	3,969	446	30	7	8	5	496	14	12	29	29
	Colored	3,008	440	25	10	5	2	482	16	21	32	142
	Females—White	1,656	337	19	4	7	3	370	8	18	41	52
	Colored	1,849	381	27	15	4	5	432	15	9	79	169
35	Gonococcus infection and other venereal diseases:											
	Males—White	91	7	1				8			2	5
	Colored	75	4					4			3	7
	Females—White	456	7		1		1	9	2	1	40	86
	Colored	262	6					6	1		29	54
36	Purulent infection, septicemia (nonpuerperal):											
	Males—White	404	42	9	6	3	5	65	17	23	31	23
	Colored	57	6	1		1		8	3	2	4	2
	Females—White	318	28	11	4	4	5	52	17	21	12	26
	Colored	73	3	2	1		1	7	3	1	7	12
38	Malaria:											
	Males—White	696	43	17	22	18	15	115	64	38	27	38
	Colored	613	48	14	17	19	16	114	53	26	40	53
	Females—White	604	48	27	21	23	18	137	59	33	31	37
	Colored	627	25	23	21	23	15	107	47	34	46	58
39	Other diseases due to protozoal parasites:											
	Males—White	28	2					2	3		1	
	Colored	5	1					1				1
	Females—White	15	2					2	1		2	
	Colored	4							1	1		

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
22	21	20	28	19	39	20	16	15	7	11	2						
7	5	5	8	6	5	6	4	3	1	1							
7	8	2	13	7	10	8	5	4	1	2						1	22
6	4		3	3	2	1	1										
2,378	2,670	3,091	3,308	3,169	2,780	2,483	1,906	1,432	1,206	639	228	54	11	2		23	
1,496	1,384	1,363	980	822	689	415	299	216	131	74	28	10	3	1		22	
3,026	2,415	2,064	1,655	1,422	1,247	1,103	1,002	968	877	591	254	87	16	5	1	19	
1,607	1,168	923	696	501	357	238	143	114	68	44	16	11	4	2	1	28	
2,201	2,501	2,923	3,106	2,997	2,615	2,332	1,758	1,315	1,099	579	207	48	10	1		22	
1,377	1,285	1,270	914	773	647	393	277	206	122	73	27	10	3	1		22	23
2,857	2,260	1,894	1,510	1,310	1,137	994	891	873	780	526	233	79	13	3		15	
1,505	1,088	855	641	476	333	213	129	110	64	39	14	10	3	1	1	26	
37	31	34	33	27	16	17	10	9	6	6							
15	16	15	7	4	2	2	1		3								
31	24	23	13	15	13	8	5	4	4	4	1			1		1	24
20	6	11	4	2	6	1										1	
38	37	42	45	37	47	41	36	44	35	17	8	2	1				
35	33	27	18	16	22	4	8	3	3								
58	61	71	61	48	41	44	49	41	37	24	7	3	3			2	25
46	37	30	30	11	10	10	3	3		2	1						
33	29	23	37	27	22	32	23	18	15	10	3						
22	7	11	8	7	8	3		1	1								
22	14	18	14	20	23	16	17	13	17	11	5	1					6
9	4	5	6	1	1	2	2	1								1	
4	3	5	7	3	8	3	6	6	13	1	1						
3	3	2	2	1		1	1	1									
1	6	4	2	2	2	4	4		7	4		1					27a
1	2	1		2	1		2		1	1							
6	6	7	11	8	11	9	12	12	7	5							
6	1	3	3	5		2	2	1			1						
5	2	4	4	2	4	4	2	7	5	2	3						27b
3	2	1	1		1	1	1		1								
1	2	1					1	2	3	5	3	1		1			
1			1														
3		1	1	2	1	3		3	1	2				1	1		28
		1	1		1	1	1										
	4	1	3	3	4	3	7	5	3	2	1						
4	1		2	1	1		1		1								
2			3	3		4	5	4	11	8	1	1					29
	2	1	1	1	1	3	1										
28	22	27	35	27	24	16	25	11	13	8	1	1					
1	3	7	2	1	1	3	1		1								
16	25	23	23	11	9	17	17	11	7	3	3						30
4	5	3	3	2		1	1		1								
6	3	5	5	8	8	5	6	2	2	2	1	1					
1	2		2	2	1		1	1									
2	3	1	5	2	3	1	4	4		4		1					31
1	1	1		1	1	1			1	1		1					
21	26	18	23	30	20	19	17	5	6	2	1					1	
26	28	22	21	9	6	7	6	3									
24	15	19	15	4	8	8	8	7	4	1		1				1	32a
15	20	13	7	4	2	5	1			1	1		1	1			
3	6	5	3	2	5	6	5	3	4	2	2	1					
5	5	6		3	1		1			1							
5	5	6	4	3	6			1	4	2	1						32 b, c
3	1	1	2	1			2										
	2	1	2	1	1		1	1									
		2				2											
1			2	1													33
					1	2											
103	143	267	397	502	507	489	406	273	183	83	28	5	1			2	
185	222	358	310	359	318	207	147	89	56	29	13	7	2		1	12	34
39	82	124	162	169	136	141	107	79	54	19	3	1	1				
170	175	180	178	130	134	62	45	34	9	13	5	1	3		1	5	
6	7	4	3	8	14	12	8	8	1	2	1	2					
5	7	4	9	9	10	5	5	3	1	2	1						35
104	65	69	37	30	9	1	3										
49	43	44	12	15	3	3	1	1					1				
15	11	21	22	23	24	29	19	32	22	13	7	6		1			
1	2	2	5	7	7	4	2	2	1	1		1	1			2	
22	31	19	10	24	12	16	12	11	8	12	4	5	2	2			36
4	5	6	4	3	4	4	4	6		2		1					
37	25	33	36	41	50	34	32	31	39	29	19	5	1			2	
19	19	30	28	37	45	31	31	29	17	17	11	6	3	1	1	2	
19	29	24	28	26	26	28	15	21	30	25	21	9	2	1		3	38
41	29	28	40	32	54	36	28	8	12	4	6	9	4		2	2	
1	1	3	5	2	2	2	2	2	1	1							
		2						1									
1	2	1	1	1	1	2		1									39
1		1															

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
40	Ankylostomiasis:											
	Males—White	12			1	1		2	2	2	3	
	Females—White	9				1		1	4	1		1
	Colored	3							1	1		
41a	Hydatid cysts of liver:											
	Males—White	16	1					1			1	
	Females—White	7										
	Colored	1	1					1				
41b	Hydatid cysts of other organs:											
	Males—White	2										
	Females—White	9										2
	Colored	1										
42	Other diseases caused by helminths:											
	Males—White	32	3	4		5	3	15	4	2		4
	Colored	23	2	5	5	1	2	15	7		1	
	Females—White	41		7	7	6	1	21	6	1	1	2
	Colored	17		3	2	5	1	11	4	1		1
43	Mycoses:											
	Males—White	100	13		1			14		1	4	5
	Colored	47	23	5				28				2
	Females—White	60	10					10	1	1	2	3
	Colored	41	25	3				28	1		2	4
44	Other infectious and parasitic diseases:											
	Males—White	202	31	17	7	7	4	66	20	4	5	4
	Colored	29	4	2		1	2	9	2	5	4	
	Females—White	159	36	13	8	6	6	69	21	5	4	2
	Colored	17	5	2		2	1	10	1	1	1	1
	II.—Cancers and other tumors:											
	Males—White	53,786	56	38	66	55	57	272	206	180	274	306
	Colored	2,786	1	4	6	2	5	18	13	11	31	37
	Females—White	65,360	35	46	48	53	39	221	170	144	211	301
	Colored	5,447	2	5	9	5	9	30	10	19	23	88
	Cancer and other malignant tumors:											
	Males—White	52,213	33	27	52	42	38	192	146	125	207	251
	Colored	2,680	1	3	5	2	5	16	9	7	25	28
	Females—White	62,006	18	33	34	40	26	151	106	99	161	247
	Colored	4,706	2	3	7	5	6	23	8	9	16	66
45	Of the buccal cavity and pharynx:											
	Males—White	3,536			2			2	5	4	8	7
	Colored	170		1		1		2	3	1		1
	Females—White	780	1		2	1		4	1	5	5	5
	Colored	71										2
	Lip:											
	Males—White	604										
	Colored	7										
	Females—White	51								1		
	Colored	3										
	Tongue:											
	Males—White	729										2
	Colored	46										
	Females—White	150	1					1				
	Colored	12										
	Mouth:											
	Males—White	342							1			
	Colored	15										
	Females—White	75										
	Colored	5										
	Jaw:											
	Males—White	756			2			2	4	2	4	2
	Colored	50		1		1		2	1	1		
	Females—White	200			1			1		1	2	3
	Colored	23										1
	Other and unspecified parts of the buccal cavity:											
	Males—White	427								1	2	1
	Colored	20							1			1
	Females—White	119			1	1		2	1	1	1	
	Colored	11										1
	Pharynx:											
	Males—White	678								1	2	2
	Colored	32							1			
	Females—White	185								2	2	2
	Colored	17										
46	Of the digestive tract and peritoneum:											
	Males—White	30,174	8	4	5	8	10	35	35	18	41	66
	Colored	1,571	1		1		1	3	1	2	4	12
	Females—White	27,230	5	6	4	6	5	26	15	13	13	42
	Colored	1,373			1		1	2	1	1	4	22
	Esophagus:											
	Males—White	1,525		1				1			1	1
	Colored	64										
	Females—White	437										
	Colored	24										
	Stomach and duodenum:											
	Males—White	14,214							1	1	5	15
	Colored	856							1		1	4
	Females—White	9,965				2		2	1		1	11
	Colored	666			1			1			3	9
	Intestines (except duodenum, rectum, anus):											
	Males—White	5,159	2	2		3	1	8	12	6	13	18
	Colored	194	1					1			1	4
	Females—White	6,512			3	3	2	8	4	6	5	13
	Colored	183										3
	Rectum and anus:											
	Males—White	3,056							2	1	3	7
	Colored	126										
	Females—White	2,495							1		3	10
	Colored	169										6
	Liver and biliary passages:											
	Males—White	4,113	5	1	3	1	1	11	8	6	5	10
	Colored	230			1		1	2		1	1	4
	Females—White	5,778	3	4	1	1		9	4	3	1	6
	Colored	260									1	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
2								1									
								1								1	40
					1												
	2	1	1	3		2	1	1	1	1	1						
	1	1				2	2	1									41a
		1				1											
2	1		2	2													41b
						1											
1	1	1			1	3											
1	3	1	1			2			1		1						42
7	4	8	9	8	10	8	10	7	1	4							
2	5	4	1	3	1				1								
5	3	3	6	5	1	8		1	6	1	3					1	43
1		2		1		1	1										
2	9	10	7	11	10	12	12	14	11	4		1					
2	1		1	1		1		1		1						1	
6	4	3	7	7	5	8	8	3	1	5	1						44
		1		1	1												
415	605	1,093	1,913	3,119	4,519	6,158	7,698	8,094	8,300	5,960	3,131	1,214	255	36	7	31	
58	65	136	204	291	402	412	367	314	191	105	65	41	14	4		7	
600	1,333	2,648	4,164	5,846	6,974	7,705	8,167	8,083	7,851	5,731	3,261	1,421	411	71	5	42	
170	352	610	701	785	759	561	463	338	223	132	87	46	21	6	3	20	
342	515	976	1,756	2,966	4,345	6,006	7,587	8,008	8,223	5,921	3,112	1,207	254	36	7	31	
45	59	124	194	287	388	398	365	313	188	104	65	41	13	4		7	
485	1,095	2,218	3,589	5,287	6,599	7,467	8,026	7,964	7,742	5,650	3,201	1,402	402	70	5	40	
119	248	437	569	684	710	525	450	333	213	128	82	43	19	5	3	16	
16	21	47	89	186	299	407	520	513	585	422	252	115	30	4	2	2	
5	2	4	10	18	32	21	24	25	7	7	3	4	1				
4	12	21	24	44	48	65	103	91	94	110	71	52	17	4			
	3	7	6	8	2	10	9	9	9	3	1	1	1				
	7	8	12	30	40	37	75	81	113	93	62	35	7	3		1	
		1			1		3	1					1				
		1		3	2	3	2	8	5	11	4	5	6				
		1					1				1						
2	1	9	15	52	94	109	130	100	96	71	30	14	3			1	
		1	2	7	9	10	5	7	1	2		2					
1	1	4	6	9	11	16	18	21	19	20	11	9	3				
		2		3		3	1	1	1	1							
	1	4	12	17	20	30	43	56	69	39	32	14	4				
	1			2	2	2	1	3	2	1		1					
	1		3	9	6	4	8	6	18	6	8	5	1				45
							1	1	2				1				
8	7	9	24	26	67	90	97	115	127	87	55	17	10	1	2		
5			2	6	8	5	9	5	2	2	1	1					
2	3	9	7	6	16	21	27	21	23	24	17	14	3				
	2	3	2	1	2	4	2	2	3	1							
3	2	8	14	29	32	53	61	61	61	44	35	17	3				
			3	3	3	4		2		2	1						
1	2	2	4	6	4	2	17	18	13	20	13	6	2	4			
			3	2		1	1	1	2								
3	3	9	12	32	46	88	114	100	119	88	38	18	3				
	1	2	3		9		6	7	2		1						
	5	5	4	11	9	19	31	17	16a	29	18	13	2				
	1	1	1	2		2	3	4	1	1		1					
134	229	521	999	1,782	2,685	3,761	4,684	4,890	4,765	3,310	1,576	535	78	11	1	18	
22	31	71	117	165	244	262	225	185	117	55	32	11	6	2		4	
116	274	568	967	1,530	2,285	3,100	3,658	4,191	4,311	3,318	1,851	733	172	21	3	23	
23	55	82	128	178	192	188	161	126	80	57	40	16	8	3		6	
2	2	7	33	103	153	221	271	269	226	141	69	20	4	1			
1		1	6	11	13	10	13	6	3								
	1	6	19	28	44	68	60	69	58	40	31	10	3				
	1	2	2	5	3	3	3	3		2							
40	71	225	441	827	1,265	1,723	2,187	2,360	2,337	1,637	779	249	38	1	1	11	
9	13	33	51	90	117	167	140	112	62	30	16	5	4			1	
32	88	168	317	507	699	1,015	1,287	1,649	1,709	1,348	744	309	62	7	1	8	
10	25	35	51	81	93	95	86	65	51	29	17	8	4	1		2	
39	64	118	199	308	423	623	761	764	793	599	279	111	13	5		3	46
4	6	12	20	17	35	23	26	17	12	11	3	1				1	
32	83	161	278	378	595	729	841	912	935	792	499	175	52	8	2	4	
1	11	8	23	30	19	27	17	16	13	3	9	1		1		1	
20	41	57	98	176	290	387	508	494	454	301	155	52	7	1		2	
6	4	8	10	6	22	14	14	17	13	4	5	3					
21	36	93	125	146	230	322	344	343	363	242	136	65	11	1		3	
6	9	17	18	24	26	19	20	11	4	5	1	1	1			1	
11	24	53	114	208	342	531	641	681	686	464	230	74	10	2		2	
1	4	12	18	29	40	33	24	21	16	10	7	2	2	1		2	
15	49	100	158	311	507	663	813	912	967	724	343	145	36	4		8	
4	8	13	24	27	38	38	29	28	8	18	10	5	3	1		2	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued											
	Cancer and other malignant tumors—Continued											
46	Of the digestive tract and peritoneum—Continued											
	Pancreas:											
	Males—White	1,693					1	1	1	1	2	1
	Colored	77										
	Females—White	1,527							1			1
	Colored	43										1
	Mesentery and peritoneum:											
	Males—White	395	1		2	4	7	14	11	3	11	14
	Colored	22								1		
	Females—White	479	2	2			2	6	4	4	3	1
	Colored	27					1	1	1	1		
	Others under this title:											
	Males—White	19									1	
	Colored	2									1	
	Females—White	37					1	1				
	Colored	1										
47	Of the respiratory system:											
	Males—White	3,108					2	2	10	10	19	28
	Colored	135								1	2	2
	Females—White	1,213	1	2	3		2	8	3	9	4	16
	Colored	53									2	1
	Larynx:											
	Males—White	875										
	Colored	32										
	Females—White	128										1
	Colored	3										
	Lungs and pleura:											
	Males—White	1,992					2	2	10	10	14	27
	Colored	93								1	1	2
	Females—White	1,009	1	2	3		1	7	3	9	4	13
	Colored	43									2	1
	Other respiratory organs:											
	Males—White	241									5	1
	Colored	10									1	
	Females—White	76					1	1				2
	Colored	7										
48	Of the uterus:											
	Females—White	12,704		1				1		3	5	53
	Colored	1,984			1			1			3	24
49	Of other female genital organs:											
	Females—White	2,533		1	3	1		5	5	6	20	33
	Colored	131			1			1			2	2
	Ovary and Fallopian tube:											
	Females—White	2,050							4	5	19	30
	Colored	98			1			1			2	2
	Vagina and vulva:											
	Females—White	449		1	2			3	1	1	1	2
	Colored	28										
	Other female genital organs:											
	Females—White	34			1	1		2				1
	Colored	5										
50	Of the breast:											
	Males—White	171									2	2
	Colored	17										
	Females—White	10,905								1	5	15
	Colored	710									1	6
51	Of the male genitourinary organs:											
	Males—White	9,033	9	11	19	15	10	64	18	7	19	45
	Colored	472				1	3	4	1		2	2
	Kidneys and suprarenals:											
	Males—White	893	5	9	17	11	9	51	14	4	3	9
	Colored	38					3	3	1			
	Bladder:											
	Males—White	2,372	3	1	1	2		7		1	1	1
	Colored	99									1	
	Prostate:											
	Males—White	5,142				1	1	2			2	1
	Colored	277									1	
	Testes:											
	Males—White	342	1	1		1		3	4	2	12	32
	Colored	6				1		1				
	Scrotum:											
	Males—White	36			1			1				2
	Colored	8										
	Other male genital organs:											
	Males—White	248									1	
	Colored	44										2
52	Of the skin:											
	Males—White	1,944	1	1	1			3	1		9	4
	Colored	39			1			1		1		
	Females—White	1,079	1	1	1		1	4	4	2	1	7
	Colored	38										
53	Of other or unspecified organs:											
	Males—White	4,247	15	11	25	19	16	86	77	86	109	99
	Colored	276		2	3		1	6	4	2	17	11
	Females—White	5,562	10	22	21	32	18	103	78	60	108	76
	Colored	346	2	3	4	5	5	19	7	8	4	9
	Kidneys and suprarenals:											
	Females—White	722	7	10	8	13	8	46	18	4	6	5
	Colored	33		2	1	3	1	7	3		1	1
	Bladder:											
	Females—White	1,186		1				1			1	2
	Colored	71	1					1				
	Brain:											
	Males—White	515	3	2	5	4	5	19	25	29	16	27
	Colored	19		1	1			2			2	3
	Females—White	369		1	3	5	2	11	17	9	17	14
	Colored	13			1		1	2	2	3		1

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
7	14	40	79	118	168	238	266	282	242	146	55	26	5	1			
1	2	2	9	11	12	11	6	12	10					1			
5	8	26	42	104	155	224	261	227	230	134	81	20	8				
1		1	5	6	12	4	5	3	2		3						
14	13	21	34	41	43	36	46	39	27	17	8	2	1				
	2	3	3	1	4	4	2		1		1						
10	9	13	28	50	52	76	44	76	46	31	16	9		1			46
1	1	6	4	5	1	2	1		2			1					
1			1	1	1	2	4	1		5	1	1					
					1												
1		1		6	3	3	8	3	3	7	1						
			1														
32	46	99	206	323	426	474	493	378	307	166	58	22	5		1	3	
2	6	9	18	27	21	16	13	7	7	3		1					
11	25	54	78	98	144	163	180	172	141	62	27	14	4				
1	1	4	9	7	12	7	6	2		1							
2	3	9	37	69	106	138	135	130	134	66	30	11	3		1	1	
	1	2	3	8	5	4		2	5	2							
1	1	7	6	9	13	20	19	17	15	9	5	3	2				
				1		1	1										
30	41	76	140	228	283	297	320	222	162	89	27	11	1			2	47
2	5	6	11	16	16	12	13	4	2	1		1					
8	21	44	63	81	123	132	150	149	117	51	21	11	2				
1	1	3	8	5	12	5	4	1									
	2	14	29	26	37	39	38	26	11	11	1		1				
		1	4	3				1									
2	3	3	9	8	8	11	11	6	9	2	1						
		1	1	1		1	1	1		1							
172	382	753	1,198	1,559	1,752	1,589	1,600	1,318	1,127	697	334	126	23	4		8	
64	135	231	277	307	311	194	166	109	72	41	21	11	6	1	2	8	48
33	62	129	225	329	308	373	322	250	220	127	59	20	7				
6	11	13	23	21	19	12	13	3	2	3							
30	54	116	198	302	276	317	262	178	147	71	29	8	4				
4	6	9	17	18	15	7	11	3	2	1							
1	7	12	24	25	28	54	58	67	70	53	28	11	3				49
2	4	4	4	3	4	4	2			1							
2	1	1	3	2	4	2	2	5	3	3	2	1					
	1		2			1				1							
1	3	3	4	13	13	26	21	25	23	18	8	8	1				
1				3	3	4	1	3		1		1					
57	195	489	814	1,292	1,493	1,529	1,399	1,162	1,059	696	403	203	71	17	1	4	50
15	29	74	87	118	131	70	60	50	31	15	9	8	3	1	1	1	
58	84	107	183	276	473	750	1,216	1,534	1,777	1,355	730	277	48	7	2	3	
4	7	17	17	37	58	59	77	76	38	26	21	17	4	2		3	
9	13	33	58	79	118	113	133	104	82	49	16	3	2				
1		2	4	6	4	8	3	1	1		2	1				1	
	9	17	55	108	162	265	328	393	458	319	168	58	18	3	1		
	3		5	7	11	11	16	15	10	9	6	3	1	1			
2	6	9	31	51	146	332	700	994	1,183	929	521	199	27	4		3	51
1	1	4	5	21	36	34	52	55	26	15	11	10	3	1		1	
46	49	38	32	26	30	12	14	9	12	10	6	5					
1		1			1	2											
	3		2	1	5	3	5	4	1	3	1						
1		2				1	2			1	1						
1	4	10	5	11	12	20	36	30	41	45	18	12	1		1		
	3	8	3	3	6	3	4	5	1	1	1	3				1	
6	15	25	38	60	83	149	161	198	323	333	298	158	65	12		3	
	2	1	5	2	4	9	2	3	2	3	1	2	1				52
5	10	19	23	40	51	46	73	96	156	154	175	126	66	18	1	2	
	1	3	6	5	3	4	3	6	4		1	2					
95	117	174	237	326	366	439	492	470	443	317	190	92	27	2	1	2	
11	11	22	27	35	26	27	23	14	17	9	8	5	1				
87	135	185	260	395	518	602	691	684	634	486	281	128	42	6		3	
10	13	23	33	40	40	40	32	28	15	8	10	5	1			1	
7	18	12	33	55	75	99	104	93	74	46	18	8	1				
2	2	3	4	1	1	1	5	1	1								
3	6	14	37	59	77	120	175	184	210	159	87	43	8				53
1	2	1	4	9	14	13	7	11	4	1	2					1	
21	34	44	55	71	68	38	33	17	9	4	3	1				11	
4			4	1		2	1										
21	26	39	40	37	48	33	25	14	8	5		4	1				
	2		2		1												

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued											
	Cancer and other malignant tumors—Continued											
53	Of other or unspecified organs—Continued											
	Bones (except jaw):											
	Males—White	829	1	4	6	2	3	16	14	34	42	30
	Colored	67		1	1			2			8	4
	Females—White	685	2		2	2		6	14	23	36	21
	Colored	33		1	1			2	1	2	1	2
	Other or unspecified organs:											
	Males—White	2,903	11	5	14	13	8	51	38	23	51	42
	Colored	190			1		1	2	4	2	7	4
	Females—White	2,600	1	10	8	12	8	39	29	24	48	34
	Colored	196	1		1	2	3	7	1	3	2	5
54a	Nonmalignant tumors, ovary:											
	Females—White	146								2	1	8
	Colored	18										1
54b	Nonmalignant tumors, uterus:											
	Females—White	1,805									1	5
	Colored	589										11
54c	Nonmalignant tumors, other female genital organs:											
	Females—White	10										
	Colored	2										
54d,e	Nonmalignant tumors, other organs:											
	Males—White	630	9	4	5	2	8	28	25	25	40	20
	Colored	36		1	1			2			3	1
	Females—White	564	10	6	8	6	9	39	22	19	23	21
	Colored	42								4	2	6
55a	Tumors, ovary (nature unspecified):											
	Females—White	20									2	
	Colored	2										
55b	Tumors, uterus (nature unspecified):											
	Females—White	13										
	Colored	5										
55c	Tumors, other female genital organs (nature unspecified):											
	Females—White	1										
55d,e	Tumors, other organs (nature unspecified):											
	Males—White	943	14	7	9	11	11	52	35	30	27	35
	Colored	70							4	4	3	8
	Females—White	795	7	7	6	7	4	31	42	24	23	20
	Colored	83		2	2		3	7	2	6	5	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases:											
	Males—White	13,941	737	111	60	47	53	1,008	262	329	292	242
	Colored	1,632	125	24	16	8	6	179	32	39	35	63
	Females—White	21,939	509	70	57	39	57	732	266	338	333	356
	Colored	3,035	79	24	11	4	6	124	32	47	86	159
56	Acute rheumatic fever:											
	Males—White	1,080	5	2	11	13	22	53	149	164	104	60
	Colored	170	2	2	1	4	1	10	13	16	7	16
	Females—White	1,092	2	2	10	17	25	56	138	156	75	87
	Colored	233		2			2	4	18	21	17	13
57	Chronic rheumatism, osteoarthritis:											
	Males—White	558							3	4	6	8
	Colored	37								2		1
	Females—White	841				1		1	3	5	6	6
	Colored	56									2	2
58	Gout:											
	Females—White	1										
59	Diabetes mellitus:											
	Males—White	9,740	7	19	5	9	19	59	76	142	148	136
	Colored	628	2	1			1	4	7	9	14	20
	Females—White	14,783	5	10	8	3	16	42	88	148	170	139
	Colored	997	3				1	4	4	11	6	18
60	Scurvy:											
	Males—White	11	8	2				10	1			
	Colored	5	3					3				
	Females—White	11	5			1	1	7				
	Colored	6	2	1	1			4			1	
61	Beriberi:											
	Males—White	2										
	Colored	1					1	1				
	Females—White	2										
62	Pellagra:											
	Males—White	647		1	1	1		3		2	4	7
	Colored	549		3			1	4	5	8	11	19
	Females—White	1,036	1	2	3		1	7	2	2	15	35
	Colored	1,357		1	3			4	5	13	55	112
63	Rickets:											
	Males—White	133	85	20	11	4	2	122	2	1	3	1
	Colored	60	42	5	8	3	1	59			1	
	Females—White	109	62	22	10	3	2	99	4	1	1	
	Colored	50	31	11	4	2		48	2			
64	Osteomalacia:											
	Males—White	3										1
	Females—White	8	1					1				
	Colored	1	1					1				
65	Diseases of the pituitary body:											
	Males—White	24	1		1			2	1	1		1
	Females—White	33	1					1	1		7	2
	Colored	3					1	1				
66a	Simple goiter:											
	Males—White	45	1		1			2			2	1
	Colored	6									1	
	Females—White	205								1	2	3
	Colored	32									1	1

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
29	26	28	45	64	66	80	99	98	89	41	21	5	2				
2	3	6	4	10	8	6	4	4	3		2	1					
11	26	29	40	51	69	68	79	71	48	45	27	13	6	1		1	
2	2	1	1	7	4	5	2	1									
45	57	102	137	191	232	321	360	355	345	272	166	86	25	2	1	1	53
5	8	16	19	24	18	19	18	10	14	9	6	4	1				
45	59	91	110	193	249	282	308	322	294	231	149	60	26	5		2	
5	5	18	22	23	20	21	18	15	10	7	8	5	1				
9	13	15	13	15	24	13	10	4	8	6	3	2					54a
	4	5	1	1	1	4										1	
33	129	286	440	421	214	94	45	42	35	24	22	10	2			2	54b
38	97	152	118	86	35	24	9	3	5	2	3	2	1			3	
		1		3	1	3	2										54c
		1		1													
30	35	39	54	61	65	63	38	42	45	12	6	2					54d,e
5	3	4	4		7	4	2		1								
30	27	58	39	45	53	55	37	31	21	23	14	3	4				
4		3	8	2	5	3		1	2				1	1			
2	3	1	3		3		3	3									55a
		2															
	1	3		1	1	2	2			1	1	1					55b
1		1		1	1					1							
			1														55c
43	55	78	103	92	109	89	73	44	32	27	13	5	1				55d,e
8	3	8	6	4	7	10		1	2	1			1				
41	65	66	79	74	79	71	42	39	45	27	20	3	3	1			
8	3	9	5	10	7	5	4	1	3	1	2	1					
264	296	351	506	664	969	1,286	1,741	1,831	1,806	1,201	620	212	43	7		11	
35	73	93	105	135	174	165	135	130	99	63	31	19	10	4	2	11	
372	436	567	835	1,169	1,721	2,455	3,163	3,269	2,883	1,824	800	319	69	16		16	
202	225	273	256	331	310	262	260	161	118	72	51	29	20	4	2	11	
51	40	52	36	48	44	51	48	41	53	40	31	11	3			1	
2	10	8	13	17	15	9	7	8	6	5	2	2		1		3	56
64	58	45	49	44	50	43	54	48	42	38	30	10	3			2	
21	16	11	12	25	14	10	16	13	4	7	5	3	2			1	
17	13	17	19	26	30	36	56	73	80	83	48	32	5	1		1	
1	1	3	2	1	1	4	5	4	5	3		3		1			57
5	12	16	12	25	42	56	85	108	131	140	98	66	17	6		1	
	1	2	1	3	3	9	7	9	5	3	4	1	3			1	
		1															58
141	164	169	295	458	691	1,035	1,447	1,564	1,537	990	487	158	33	5		5	
17	24	36	43	70	86	77	61	64	44	26	14	3	5	1	1	2	59
131	141	211	379	627	1,083	1,826	2,496	2,657	2,345	1,440	599	204	45	7		5	
22	38	61	79	144	149	138	131	76	56	26	15	11	4	2	1	1	
				1				1									60
1	1	1					1										
									1								
1	1																61
		1										1					
11	27	39	49	42	74	61	85	74	71	58	31	6				3	
12	36	37	40	36	63	65	59	48	44	26	14	11	5	1	1	4	62
47	75	79	99	119	93	105	106	74	72	62	31	8		1		4	
142	140	169	126	126	114	87	89	53	37	32	22	11	9	2	1	8	
		1			1		1		1								63
2			1							1							
							1	1									64
		1	1	1		1	1	1		1							
1		3	4	1	3	2	1	2		1	1						65
1	2	2	4	2	2	4	2	1	1	1							
		1	1														
1	2	3	3	8	2	5	3	6	4	2	1						66a
		1				1	1	2									
5	5	7	16	21	25	29	29	29	20	7	3	1		1		1	
1	3	1	2	4	4	4	2	2	4	1	1		1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued											
66b	Exophthalmic goiter:											
	Males—White	565	1					1	2	2	8	12
	Colored	40								1		3
	Females—White	2,828							1	13	42	63
	Colored	205									3	11
66c,d,e	Other diseases of thyroid and parathyroid glands:											
	Males—White	135	41	13	8	11	1	74	5	3	2	4
	Colored	12	8	1	1			10				
	Females—White	217	42	9	5	5	3	64	11	5	3	5
	Colored	21	11			1		12				
67	Diseases of thymus gland:											
	Males—White	655	541	39	15	6	6	607	19	6	10	4
	Colored	80	54	9	5	1		69	7	2		
	Females—White	427	355	22	9	5	6	397	12	4	4	6
	Colored	40	28	5	2	1		36	1			2
68	Diseases of adrenals (Addison's disease, not specified as tuberculous):											
	Males—White	146									3	5
	Colored	7										1
	Females—White	194								1	3	7
	Colored	8								1	1	
69	Other general diseases:											
	Males—White	197	47	15	7	3	3	75	4	4	2	2
	Colored	37	14	3	1		1	19		1	1	3
	Females—White	152	35	3	12	4	3	57	6	2	5	3
	Colored	26	3	4	1		2	10	2	1		
	IV.—Diseases of the blood and blood-making organs:											
	Males—White	4,988	269	77	62	58	47	513	186	133	164	156
	Colored	255	36	3	1	1	5	46	11	10	9	12
	Females—White	4,309	197	58	43	42	28	368	108	89	106	131
	Colored	215	29	5		1	1	36	6	11	13	16
70	Hemorrhagic conditions:											
	Males—White	378	188	13	10	12	6	229	18	21	12	9
	Colored	39	23				1	24	2	2	2	1
	Females—White	332	120	12	6	12	7	157	16	15	15	13
	Colored	30	14					14	1	2	2	2
71a	Pernicious anemia:											
	Males—White	1,811	12	9	6	6	6	39	20	9	15	20
	Colored	67	1				1	2	2	2		1
	Females—White	1,901	12	11	5	1	2	31	6	11	19	21
	Colored	86		1				1	1	3	6	9
71b	Other anemias:											
	Males—White	220	40	17	7	1		65	7	3	1	3
	Colored	21	6	1		1		8		1	1	1
	Females—White	217	42	10	4	1		57	9	3	5	3
	Colored	33	11	3			1	15	2	2	1	2
72a	True leukemias:											
	Males—White	1,509	20	29	35	36	25	145	96	51	96	58
	Colored	63	3				2	5	4	3	3	2
	Females—White	1,160	19	18	22	24	16	99	56	40	43	51
	Colored	38	3					3	2	2		3
72b	Pseudoleukemias (Hodgkin's disease):											
	Males—White	812	2	1	2	1	7	13	33	35	30	51
	Colored	48		1	1		1	3	3	2	2	5
	Females—White	445	1	2	2	1	2	8	9	9	13	32
	Colored	22	1					1		2	3	
73	Diseases of spleen:											
	Males—White	222	7	8	1	2	3	21	11	13	9	14
	Colored	15	3	1				4			1	2
	Females—White	184	2	4	3	3		12	12	8	9	7
	Colored	4		1		1		2				
74	Other diseases of blood and blood-making organs:											
	Males—White	36			1			1	1	1	1	1
	Colored	2										
	Females—White	70	1	1	1		1	4		3	2	4
	Colored	2									1	
	V.—Chronic poisonings and intoxications:											
	Males—White	2,518		4	3			7		1	15	35
	Colored	328							1	1	6	12
	Females—White	329		2	1	1		4	1		4	7
	Colored	89		1		1		2	2	1	3	10
75	Alcoholism (acute or chronic):											
	Males—White	2,374								1	15	32
	Colored	315								1	6	12
	Females—White	263									2	5
	Colored	72									3	7
76	Chronic poisoning by other organic substances:											
	Males—White	75										2
	Colored	8										
	Females—White	53									1	2
	Colored	4										1
77a	Chronic lead poisoning:											
	Males—White	58		4	3			7				
	Colored	3										
	Females—White	10		2	1	1		4	1		1	
	Colored	4		1		1		2		1		
77b,c	Other chronic poisoning by mineral substances:											
	Males—White	11										1
	Colored	2							1			
	Females—White	3										
	Colored	9							2			2

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
25	34	44	77	53	87	70	63	45	32	9	1						
2	1	3	7	7	6	6	1	2								1	
97	110	163	237	297	377	354	348	309	248	114	31	19	2			3	66b
14	23	27	29	26	23	14	13	7	8	2	3	2					
3	6	1	3	9	8	4	6	4	1	2							
		1			1												
6	9	13	5	14	10	11	21	20	12	7		1					66c,d
	1		3		2		2	1									
3	2	2				1	1										
		1		1													
2		1				1											67
1																	
8	4	17	16	14	18	10	20	14	9	4	3					1	
		1			1	1	1	1								1	
9	19	24	26	16	30	18	15	14	2	7	1	2					68
	2		1	1	1						1						
2	3	3	4	5	11	11	9	7	18	12	17	5	2	1			
1	1	2		2	1	2				3	1						
2	4	2	6	3	9	7	5	8	10	6	7	7	2	1			69
1	1	1	2	2					3	1		1	1				
148	165	193	229	286	356	442	586	497	491	282	126	18	11			6	
15	13	24	20	22	16	22	12	11	3	4	4		1				
148	155	194	221	254	330	392	470	471	413	263	134	44	9	5	1	3	
29	10	16	19	18	15	9	9	4	2				1	1			
8	8	6	5	11	10	4	10	8	8	6	5						
3	1		1	1	1		1										
16	15	6	11	10	11	8	6	9	12	3	6	2		1			70
6		2		1													
16	28	26	43	83	127	204	297	290	318	171	85	11	5			4	
1	5	7	7	9	6	8	4	8	1	2	2						
26	21	61	81	97	147	211	268	306	281	188	86	29	4	3	1	3	71a
13	6	10	8	7	10	3	6	1					1	1			
2	3	1	4	12	5	4	22	16	34	20	10	4	4				
1	1		1		1	2	1		1	1	1						
3	5	6	5	4	11	5	19	14	22	14	23	6	2	1			71b
3			1	1		1	3	1	1								
54	58	79	92	99	112	129	156	117	93	57	11	3	1			2	
5	2	9	5	7	3	8	4	1	1				1				
48	69	71	69	86	113	109	110	80	68	32	10	4	2				72a
4	3	2	7	5	4	2			1								
61	52	60	68	66	80	78	77	55	24	18	10		1				
4	3	8	4	4	3	2	1	2		1	1						
36	31	36	34	37	30	33	49	37	22	21	5	2	1				72b
3		2	3	2	1	3		2									
7	15	19	12	14	17	19	17	9	12	8	5						
1			2	1	2	1	1										
16	11	10	14	15	10	17	13	17	3	5	4	1					73
				2													
	1	2	5	1	5	4	7	2	2	2							
	1					1											
3	3	4	7	5	8	9	5	8	5								74
	1																
97	206	312	371	420	329	261	242	118	57	31	11		1			4	
31	42	42	44	43	39	25	17	10	5	4	1	2				3	
19	26	58	60	42	38	28	18	10	7	3	3					1	
14	14	8	15	8	7		1	3	1								
91	191	293	358	404	311	248	226	107	54	27	11		1			4	
30	40	42	42	41	37	24	17	10	4	4		2				3	
14	23	47	51	37	35	23	12	8	2	1	2					1	75
13	12	6	13	8	5		1	3	1								
3	12	16	9	7	10	5	4	4		3							
1	2		2		2						1						
4	2	11	8	5	3	3	4	2	5	2	1						76
1	1	1															
1	2	1	3	8	6	7	12	7	3	1							
				2		1											
1			1			1	1										77a
			1														
2	1	2	1	1	2	1											
	1					1	1		1								77b,c
	1	1	1		2												

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense:											
	Males—White	59,677	1,061	321	177	128	108	1,795	589	528	549	546
	Colored	7,758	222	37	32	10	22	323	55	61	95	145
	Females—White	53,669	734	249	160	97	102	1,342	529	384	375	428
	Colored	7,414	204	37	13	15	13	282	51	56	71	108
78	Encephalitis (nonepidemic):											
	Males—White	642	41	35	22	14	9	121	45	41	28	25
	Colored	75	6	1	3			10	8	7	3	6
	Females—White	484	34	28	16	9	4	91	42	24	27	28
	Colored	66	8	1	1	1	3	14	7	5	5	9
79a	Simple meningitis:											
	Males—White	995	217	62	54	22	26	381	86	82	60	44
	Colored	179	36	12	10	2	3	63	14	9	14	9
	Females—White	711	155	62	35	24	19	295	83	44	29	43
	Colored	118	37	10	3	5	2	57	5	6	11	5
79b	Nonepidemic cerebrospinal meningitis:											
	Males—White	146	32	21	8	5	1	67	14	10	9	6
	Colored	31	5		1	1		7	3	6	3	2
	Females—White	117	25	5	10	5	4	49	17	11	8	4
	Colored	24	4	1		1	2	8	3	2	3	1
80	Progressive locomotor ataxia (tabes dorsalis):											
	Males—White	843								1		
	Colored	77									1	
	Females—White	224								1		1
	Colored	29									1	1
81	Other diseases of spinal cord:											
	Males—White	1,547	9	11	5	4	4	33	21	38	56	36
	Colored	119					2	2	3	1	1	6
	Females—White	1,214	5	7	4	4	6	26	12	13	22	26
	Colored	118		1				1	3	4	4	6
82a	Cerebral hemorrhage:											
	Males—White	42,362	53	10	6	6	3	78	17	26	35	67
	Colored	5,047	4	1	1	2	1	9		7	11	36
	Females—White	41,014	43	13	6	6	6	74	19	21	38	68
	Colored	5,455	7	3	1	2		13	8	8	13	32
82b	Cerebral embolism and thrombosis:											
	Males—White	2,542	5	7	4	2	2	20	13	16	16	26
	Colored	161	1					1			1	4
	Females—White	2,504	3	3	3	2		11	12	21	21	29
	Colored	149					1	1	1	2	1	2
82c	Softening of brain:											
	Males—White	339										
	Colored	27										
	Females—White	302										
	Colored	15										
82d	Hemiplegia and other paralysis, cause unspecified:											
	Males—White	1,492	7	5	2		2	16	6	6	8	8
	Colored	510	2		2		3	7	1	2	4	6
	Females—White	1,488	3		3	1	1	8	8	2	3	5
	Colored	576	1		2		1	4	2	2	2	2
83	General paralysis of insane:											
	Males—White	2,809								3	4	17
	Colored	744							1		8	11
	Females—White	755	1					1		1	4	5
	Colored	237								1	2	7
84	Dementia præcox and other psychoses:											
	Males—White	478								1	10	37
	Colored	102									5	9
	Females—White	637								2	17	25
	Colored	112								1	5	16
85	Epilepsy:											
	Males—White	1,346	21	11	8	13	8	61	43	94	144	149
	Colored	295	5	3		1	5	14	12	16	31	42
	Females—White	1,027	19	9	9	4	7	48	42	68	93	100
	Colored	166	7	1	2	3	1	14	5	15	18	16
86	Convulsions (under 5 years):											
	Males—White	372	305	41	12	9	5	372				
	Colored	124	102	12	6	1	3	124				
	Females—White	225	171	26	23	3	2	225				
	Colored	117	100	13	3		1	117				
87	Other diseases of nervous system:											
	Males—White	1,718	60	29	20	20	10	139	37	34	36	25
	Colored	101	3	1	3	1	2	10	3	6	3	7
	Females—White	1,422	43	24	14	10	8	99	30	35	26	25
	Colored	104	4	1			2	7	8	7	4	2
88	Diseases of organs of vision:											
	Males—White	34	2			1	1	4	2		3	3
	Colored	9			1			1		1	3	
	Females—White	32	6			1	1	8	2	1	2	1
	Colored	2										
89a	Diseases of ear:											
	Males—White	1,200	236	62	21	21	24	364	168	87	74	61
	Colored	112	47	6	5	1	3	62	7	4	5	7
	Females—White	892	177	54	21	17	21	290	137	74	40	31
	Colored	84	28	2	1	3		34	6	2	1	6
89b	Diseases of mastoid process:											
	Males—White	812	73	27	15	11	13	139	137	89	66	42
	Colored	45	11	1		1		13	3	2	2	
	Females—White	621	49	18	16	11	23	117	125	66	45	37
	Colored	42	8	4				12	3	1	1	3
	VII.—Diseases of the circulatory system:											
	Males—White	149,063	191	80	56	55	63	445	427	617	829	873
	Colored	14,150	23	11	12	4	13	63	48	93	99	193
	Females—White	117,192	181	72	46	58	53	410	429	663	771	946
	Colored	12,732	30	9	3	7	13	62	63	93	148	281
90	Pericarditis:											
	Males—White	431	8	1	2	4	1	16	3	9	12	14
	Colored	115	1	1				2	1	4	1	4
	Females—White	267	7	1	1	3	1	13	9	7	8	11
	Colored	81	1					1	2	2	3	7

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
517	764	1,230	1,810	2,493	3,568	5,003	6,689	7,799	9,165	8,052	5,361	2,397	654	106	10	52	
148	278	434	566	739	1,044	851	855	681	505	414	273	148	72	30	14	27	
439	586	890	1,349	2,143	2,982	3,915	5,370	6,724	8,406	7,791	5,752	3,010	1,008	187	25	34	
155	205	397	566	755	999	811	804	675	514	350	301	148	75	30	32	29	
32	36	44	33	48	40	36	33	29	26	15	5	5					
4	6	3	11	4	5	4	1	1	2								
24	39	16	33	32	26	22	26	16	19	12	2	4					78
4	3	6	4	3	2	2			1			1				1	
30	32	39	40	55	44	27	30	18	9	9	6	1				2	
10	10	10	10	8	14	3	1	3	1								
28	16	25	25	27	18	20	23	16	13	1	2	3					79a
9	4	3	7	3	1	2	3	2									
10	4	3	4	3	4	8	2	1								1	
	2		3	1		1	1			1	1						
7	4	2	1	2	5	3	2		1	1							79b
	2		1	1	2		1										
4	5	23	32	61	103	158	155	135	92	51	15	7	1				
3	2	7	9	7	13	8	13	5	3	5						1	
2	4	9	12	20	34	26	37	22	27	17	8	4					80
3	2	1	5	2	4	2	3	2		2		1					
28	32	62	75	86	126	159	187	195	182	131	69	24	4	1		2	
3	6	11	9	10	17	10	7	15	6	8	2	1			1		
18	26	38	53	69	97	133	149	157	163	109	72	22	6	1		2	81
3	4	7		2	25	20	11	7	8	5	6					2	
107	177	374	746	1,340	2,323	3,635	5,179	6,303	7,691	6,857	4,634	2,066	573	90	9	35	
48	107	224	313	504	767	629	676	541	412	312	210	118	64	25	10	24	
83	179	385	769	1,497	2,276	3,102	4,410	5,613	7,139	6,676	4,978	2,596	891	160	19	21	82a
56	113	272	425	622	815	665	659	540	426	292	246	118	61	23	25	23	
22	33	47	83	99	150	203	361	361	396	345	225	85	31	6	1	3	
7	12	8	12	15	15	20	18	21	7	11	3	3	1	2			
26	41	58	77	83	131	170	240	352	403	378	242	153	42	10	2	2	82b
7	7	11	14	17	25	17	16	12	6	1	6	1	1		1		
	2	1	2	6	17	9	28	47	73	57	58	33	5	1			
		2	1	4	5	3	3	2	4	2		1					
				1	6	11	19	43	65	55	53	37	9	2	1		82c
			1	1	1		3	2	3	3					1		
7	10	11	19	30	60	99	154	194	269	263	186	111	28	4		3	
5	6	10	25	35	70	55	63	52	43	59	37	18	6	3	3		
9	10	15	22	35	54	82	122	190	239	275	246	117	36	6	2	2	82d
14	13	20	25	39	73	49	69	87	56	40	32	25	11	6	4	1	
34	170	332	472	471	373	349	240	175	96	44	19	5	1	1		3	
25	73	113	129	117	92	84	46	20	12	6	5	1				1	
23	47	83	83	116	95	101	65	50	36	29	11	3				2	83
10	14	33	45	30	28	29	20	13	3		2						
32	38	30	44	48	57	34	41	35	30	25	8	7	1				
9	10	15	9	10	7	6	7	4	2	5	3		1				
34	37	69	62	80	63	57	41	40	43	25	24	11	5	1		1	84
17	18	16	14	5	4	6	5		2			1	2				
110	112	118	98	76	78	62	49	50	39	38	16	6	1			2	
26	27	18	21	16	21	10	11	12	6	2	6	4					
98	91	78	82	57	52	44	43	34	34	38	11	9	2	1		2	85
23	12	16	13	7	7	4	4	4	4	2	2						
																	86
32	36	57	70	73	102	144	165	207	216	191	103	41	8	2			
2	7	5	4	6	11	14	5	4	5	2	5	1				1	
29	35	46	63	65	73	87	150	156	198	149	91	45	15	5			87
5	4	3	4	9	7	10	8	6	4	4	6	1		1	1	3	
3		2		1	2	2	3	2	3	3	1						
	2	1			1												
1		1				2	1	1	2	2	5	2			1		88
		1				1											
36	50	45	38	63	45	44	41	26	26	13	13	3	1	1		1	
4	4	4	4	1	2	4	2		1			1					
28	32	35	33	32	37	38	25	22	15	12	6	2	1	1		1	89a
1	5	6	4	10	2	2	2		1	1	1						
30	27	42	54	33	44	34	21	21	17	10	3	3					
2	4	3	6	1	4		1	1	1	1	1						
29	25	30	34	27	15	17	17	12	9	12	1	2	1				89b
3	4	2	4	4	3	2											
1,002	1,436	2,601	4,492	7,016	10,140	13,393	17,254	19,926	23,110	20,494	14,542	7,596	2,303	398	59	110	
308	507	880	1,108	1,383	1,767	1,629	1,603	1,297	1,094	873	592	317	169	53	41	33	
1,151	1,334	1,913	2,645	3,928	5,441	7,508	11,111	14,207	18,484	18,194	14,854	8,908	3,409	714	107	65	
417	564	736	1,040	1,273	1,517	1,219	1,399	1,095	953	680	508	338	170	75	67	34	
10	16	20	24	32	39	38	40	38	45	39	21	9	6				
5	10	12	16	14	19	6	7	4	3	4		1	1		1		
8	9	13	4	9	16	15	14	17	29	42	28	9	5	1			90
5	12	10	4	5	7	5	6	3	2	3	1	1		1		1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Continued											
91a	Acute endocarditis, specified:											
	Males—White	1,298	10	8	10	9	11	48	58	69	93	93
	Colored	156	1	4			2	7	8	6	12	9
	Females—White	1,287	14	11	7	14	10	56	65	97	125	126
	Colored	183	3	1		1	3	8	11	8	12	16
91b	Endocarditis, unspecified (under 45 years):											
	Males—White	237	7	4	1	1	4	17	25	14	36	27
	Colored	51	1	1				2	2	4	3	5
	Females—White	234	8	4	1	2	2	17	30	17	21	29
	Colored	77	1	1			1	3		2	6	12
92a	Endocarditis, specified as chronic, and other valvular diseases:											
	Males—White	25,781	24	19	11	19	20	93	189	338	408	397
	Colored	3,549	3	2	1	1	5	12	20	36	33	57
	Females—White	24,266	33	16	13	21	17	100	185	346	379	461
	Colored	3,430	3		1	2	6	12	25	40	59	99
92b	Endocarditis, unspecified (45 years and over):											
	Males—White	1,823										
	Colored	237										
	Females—White	1,650										
	Colored	229										
93a	Acute myocarditis:											
	Males—White	2,145	15	6	3	2	5	31	17	11	20	22
	Colored	267	2		2		1	5		2	5	13
	Females—White	1,612	18	5	4		5	32	10	12	19	35
	Colored	325		1				1	1	2	3	13
93b	Myocarditis, unspecified (under 45 years):											
	Males—White	554	16	4	5	3	3	31	15	14	26	24
	Colored	202	1			2		3	2	3	7	10
	Females—White	434	20	4	3	2	1	30	7	14	14	29
	Colored	254	3	1		1		5	4	4	6	16
93c	Chronic myocarditis and myocardial degeneration:											
	Males—White	45,756	5	7	3	1	5	21	30	39	58	82
	Colored	2,909			1			1	3	7	6	16
	Females—White	39,607	3	4		2	1	10	24	39	62	92
	Colored	2,491	1			1	1	3	2	4	11	21
93d	Other diseases of myocardium:											
	Males—White	13,542	4				1	5	1	5	3	9
	Colored	1,166								1	3	5
	Females—White	12,327	2	3		2	1	8	5		6	11
	Colored	1,225	1					1	1			6
94a	Angina pectoris:											
	Males—White	13,007								1		17
	Colored	506							1	1	3	4
	Females—White	5,718	1					1		2	4	8
	Colored	431									2	5
94b	Diseases of coronary arteries:											
	Males—White	11,754	3					3		1	7	16
	Colored	364			1			1			2	8
	Females—White	4,889			1			1		2	5	13
	Colored	213				1		1				3
95a	Functional diseases of heart:											
	Males—White	371	1					1	1	1	2	4
	Colored	22	1					1				
	Females—White	292	2					2			2	3
	Colored	18										
95b	Other and unspecified diseases of heart:											
	Males—White	18,657	57	15	15	10	10	107	76	102	135	134
	Colored	3,261	10	2	7		4	23	10	27	19	51
	Females—White	14,023	41	13	11	9	11	85	81	116	111	102
	Colored	2,799	9	3	1	1	2	16	15	27	43	71
96	Aneurysm (except of heart):											
	Males—White	1,296	1		1		1	3		3	10	5
	Colored	309									1	4
	Females—White	419					1	1		2	2	5
	Colored	108	1					1				3
97	Arteriosclerosis (coronary arteries excepted):											
	Males—White	10,477										
	Colored	734										
	Females—White	8,620										2
	Colored	591										1
98	Gangrene:											
	Males—White	429	9	1	1		1	12	3	4	1	5
	Colored	84	1				1	2			2	1
	Females—White	324	8	4	1		1	14	3	1	1	1
	Colored	80			1			1	1	1		
99	Other diseases of arteries:											
	Males—White	833	6	1		2		9	5	2	12	13
	Colored	58		1				1				
	Females—White	578	4	1			1	6	2	4	6	8
	Colored	47									1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.):											
	Males—White	299	5	1		1		7			5	8
	Colored	20										
	Females—White	345		1	1		1	3	1	2	3	5
	Colored	27								1	1	2
101	Diseases of lymphatic system (lymphangitis, etc.):											
	Males—White	72	14	13	4	3	1	35	3	3	1	1
	Colored	17	2			1		3	1	1		4
	Females—White	65	16	5	3	2		26	5	1	2	
	Colored	15	3	1				4	1	1		1
102	Idiopathic anomalies of blood-pressure:											
	Males—White	193										
	Colored	93										
	Females—White	146										
	Colored	90										1
103	Other diseases of circulatory system:											
	Males—White	108	6					6	1	1		2
	Colored	30								1	2	2
	Females—White	89	4			1		5	2	1	1	5
	Colored	18	4	1				5		1	1	2

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
98	89	87	103	90	88	100	91	68	49	36	19	11	8				
10	20	15	10	17	8	16	7	3	3	3	2						
140	95	82	78	65	56	53	57	62	48	40	22	15	4	1			91a
22	19	11	16	17	10	12	9	5	3	2	1			1			
16	19	31	52														
7	4	10	14														91b
30	25	41	24														
11	9	13	21														
419	476	732	931	1,213	1,534	2,020	2,615	3,111	3,926	3,499	2,350	1,177	291	36	4	22	
80	129	248	319	332	450	422	386	321	242	203	131	62	33	15	7	11	92a
541	566	705	843	1,046	1,204	1,489	2,156	2,687	3,544	3,325	2,652	1,458	475	81	10	13	
131	153	235	291	343	395	313	379	271	243	168	113	79	30	23	15	13	
				120	141	167	224	261	312	302	186	85	21	2	2		
				42	35	45	38	18	19	18	11	3	5	1	1	1	92b
				103	109	142	170	217	302	253	205	110	28	8	2	1	
				33	41	43	38	19	20	11	10	6	1	3	3	1	
15	49	71	112	155	207	222	271	278	259	189	114	72	22	4	1	3	
9	16	19	24	33	38	37	29	11	10	7	2	2	1		1	3	93a
24	32	63	57	100	113	139	145	207	203	199	124	62	26	7	1	2	
12	19	33	39	35	48	28	32	23	11	7	6	7	3	1	1		
39	64	124	217														
18	32	52	75														93b
39	64	98	139														
39	48	51	81														
123	239	521	996	1,755	2,818	3,911	5,352	6,506	7,734	6,836	5,018	2,675	841	158	16	27	
41	85	136	244	269	367	312	371	286	262	207	139	87	43	11	12	4	93c
141	217	387	696	1,132	1,738	2,503	3,839	5,033	6,682	6,664	5,474	3,273	1,280	260	37	24	
40	87	119	188	236	273	250	308	247	228	176	137	74	48	14	20	5	
11	10	34	67	632	883	1,199	1,592	1,875	2,326	2,123	1,569	853	266	59	12	8	
3	8	14	11	135	204	173	175	118	126	77	52	32	17	5	4	3	93d
13	18	24	36	381	568	776	1,278	1,586	2,006	2,143	1,836	1,096	411	103	17	5	
3	6	9	16	175	202	167	174	138	114	72	62	38	22	9	7	3	
28	86	262	532	868	1,265	1,747	1,971	2,007	1,908	1,361	620	261	60	6		7	
16	28	41	60	57	71	62	50	53	20	26	3	8	2				94a
14	30	63	110	187	287	501	771	952	1,076	876	539	213	69	10	2	3	
14	28	32	51	70	62	44	43	32	17	12	9	5	4			1	
48	90	252	601	937	1,349	1,510	1,806	1,706	1,449	1,065	594	258	47	8		7	
15	16	38	49	41	36	53	37	29	15	13	3	2	2	2		2	94b
18	29	52	129	185	292	473	654	789	909	666	406	191	65	7	1	2	
11	11	19	18	27	36	28	23	13	11	5	2	1	3			1	
7	2	7	17	16	31	30	44	44	60	44	42	12	5	1			
1	1	5	2	2	2	1	2		1	1		3					95a
2	5	13	11	12	14	23	24	27	53	40	35	15	7	4			
2	1	1	1	3	1	1	3	1		2	2						
157	233	350	618	897	1,279	1,699	2,231	2,573	2,857	2,489	1,669	798	194	31	4	24	
71	122	210	207	312	428	365	352	311	266	206	156	66	33	9	9	8	95b
152	202	307	412	561	783	1,004	1,386	1,667	2,154	2,066	1,567	882	313	48	12	12	
107	147	178	266	257	355	254	271	243	197	133	94	70	30	10	7	8	
12	19	42	92	123	181	218	162	178	108	82	43	9	6				
15	22	48	46	58	33	38	17	13	7	3	3		1				96
3	8	8	19	32	39	42	46	51	63	49	25	15	9				
8	3	9	12	22	11	6	15	6	8	1	2	1					
1	8	14	36	69	192	369	681	1,081	1,858	2,200	2,104	1,263	495	81	16	9	
5	2	8	12	38	48	69	100	101	102	89	78	39	29	8	6		97
1	5	6	28	38	127	229	427	757	1,238	1,658	1,782	1,463	658	175	24	2	
2	5	5	18	27	50	43	71	74	74	70	56	47	25	13	10		
	5	5	4	5	8	20	27	32	47	73	78	56	32	6	4	2	
5	1	4	4	5	2	9	7	9	5	9	8	8	2			1	
3	4	8	5	5	7	13	14	28	28	35	63	53	29	7	1	1	98
2	1			4	7	7	7	9	11	13	6	3	2		4	1	
7	19	25	45	56	70	81	84	81	103	100	73	37	5	5		1	
1	3	8	6	10	11	5	5	3	2		1	2					99
9	11	21	23	29	36	39	59	52	81	70	60	40	22				
4	6	4	5	6	3	5	1	2	3	2	1	2					
7	8	14	26	28	34	31	26	38	32	17	11	6	1				
	1	1	2	7	1	2	2	2	1	1							100
6	10	17	19	27	33	44	50	46	32	27	10	6	3	1			
2	3	3	3	1		2	5	2	1				1				
1	2	2	2	1	2	1	4	2	4	3	4	1					
3	1			1		2		1									101
5		1	2	3	3	3	1	4	1	4	1	1	1	1			
1	2			1		1	3										
2	1	8	11	13	11	20	21	33	22	27	15	7	1	1			
1	3	8	6	8	10	10	13	13	10	5	2	2		2			102
1	1	3	7	7	11	17	15	19	24	20	16	3	2				
1	2	4	9	10	15	9	10	7	9	2	6	4	1				
1	1		6	6	8	10	12	14	11	9	12	6	2				
2	3	3	1	2	4	2	5	1		1	1						103
1	3	1	3	6	5	3	5	6	11	17	9	3	2				
	2		1	1	1	1	1		1	1							

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system:											
	Males—White	48,131	7,806	1,842	767	444	306	11,165	948	621	1,031	1,038
	Colored	9,614	2,207	487	219	125	69	3,107	183	130	299	450
	Females—White	39,422	5,856	1,530	699	373	255	8,713	782	657	725	807
	Colored	7,348	1,755	437	209	90	48	2,539	167	141	280	359
104a	Diseases of nasal fossae:											
	Males—White	117	52	2	8	1	2	65	2	5	1	2
	Colored	87	61	6	2	2	1	72	1	1	1	2
	Females—White	95	30	4	2	3	2	41	2	3	2	1
	Colored	80	54	5	2		1	62	2	1		2
104b	Diseases of nasal fossae and annexae:											
	Males—White	405	17	3		1	1	22	20	32	50	42
	Colored	30	1	1			1	3	3	2	6	1
	Females—White	240	8	2	3	3	1	17	17	36	16	20
	Colored	23		1				1		6	2	2
105	Diseases of larynx:											
	Males—White	246	42	41	19	24	12	138	38	5	5	2
	Colored	37	12	5	1	4	1	23	2			
	Females—White	174	37	16	15	11	15	94	21	2	2	3
	Colored	28	9	4	1	3		17	1	2	1	
106a	Acute bronchitis:											
	Males—White	672	190	36	16	10	3	255	9	6	1	8
	Colored	89	44	5	5	3		57	1	2		2
	Females—White	703	136	30	14	2	1	183	9	2	3	2
	Colored	108	49	9	3			61	3		1	2
106b	Chronic bronchitis:											
	Males—White	892	8	3	2	2		15	1	3	6	11
	Colored	38	1					1				2
	Females—White	837	7	2	1			10	5	1	9	7
	Colored	45	2	1				3	1	2	1	2
106c,d	Bronchitis, unspecified:											
	Males—White	370	81	11	3	4	3	102	5	4	1	2
	Colored	64	25	2	2	1		30				2
	Females—White	382	65	4	5	1	1	76	5	3	2	2
	Colored	78	29	5	3			37	1			3
107a	Bronchopneumonia:											
	Males—White	17,295	5,292	1,018	376	200	125	7,011	315	155	168	172
	Colored	3,015	1,329	283	114	58	31	1,815	66	29	39	63
	Females—White	15,413	3,951	890	364	176	115	5,496	276	175	158	154
	Colored	2,499	1,032	263	113	43	20	1,471	63	32	57	58
107b	Capillary bronchitis:											
	Males—White	201	97	16	6	4	1	124	2	1		1
	Colored	45	24	6		1		31	1			1
	Females—White	172	73	12	2	1	2	90	6		1	
	Colored	40	20	4	1		1	26	1	1		2
108	Lobar pneumonia:											
	Males—White	22,844	1,586	550	255	164	131	2,686	459	351	691	687
	Colored	4,851	384	122	62	36	25	629	80	76	217	320
	Females—White	17,747	1,199	436	229	133	100	2,097	368	372	448	506
	Colored	3,424	304	99	62	31	19	515	75	72	175	229
109	Pneumonia, unspecified:											
	Males—White	1,206	274	64	27	8	12	385	35	21	30	31
	Colored	775	290	51	24	17	7	389	18	16	17	25
	Females—White	1,081	237	66	26	20	4	353	27	24	29	29
	Colored	642	236	38	19	11	4	308	18	16	35	32
110	Pleurisy:											
	Males—White	1,372	85	69	41	18	13	226	38	28	53	51
	Colored	214	17	5	5	3	2	32	4	2	10	17
	Females—White	858	64	58	27	17	10	176	32	28	31	41
	Colored	134	8	4	1			13	1	3	6	14
111a	Pulmonary embolism and thrombosis:											
	Males—White	219	6		1			7		1	3	4
	Colored	22										
	Females—White	183	4					4			6	2
	Colored	12										2
111b	Pulmonary congestion, edema, hemorrhagic infarct:											
	Males—White	558	23	8	2	2	1	36	2		4	2
	Colored	46	8					8	1		3	2
	Females—White	671	22	2	2	1	2	29	2	3	4	2
	Colored	42	4		1	1		6		1		1
112	Asthma:											
	Males—White	844	13	12	3	5	1	34	6	3	2	5
	Colored	161	3	1	2			6	3	1	2	
	Females—White	639	8	5	6	4	2	25	9	3	5	22
	Colored	140	2	2	2	1	2	9	1	4	1	4
113	Pulmonary emphysema:											
	Males—White	73	7		1			8	1	1	1	
	Colored	6										
	Females—White	30	2					2		1	1	
	Colored	3	1					1				1
114	Other diseases of respiratory system (tuberculosis excepted):											
	Males—White	817	33	9	7	1	1	51	15	5	15	18
	Colored	134	8		2		1	11	3	1	4	13
	Females—White	197	13	3	3	1		20	3	4	8	16
	Colored	50	5	2	1		1	9		1	1	5
	IX.—Diseases of the digestive system:											
	Males—White	42,046	5,849	1,721	697	439	343	9,049	1,214	1,017	1,244	1,192
	Colored	5,921	1,426	389	124	55	39	2,033	140	157	156	234
	Females—White	32,526	4,312	1,428	554	374	280	6,948	1,063	832	851	964
	Colored	5,165	1,216	315	95	63	43	1,732	137	106	173	252
115a	Diseases of pharynx and tonsils:											
	Males—White	1,888	102	95	77	83	73	430	255	126	111	136
	Colored	216	16	9	7	6	3	41	21	22	13	16
	Females—White	1,927	71	57	55	71	50	304	217	109	121	129
	Colored	251	9	1	8	8	7	33	26	19	25	23

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
1,033	1,305	1,779	2,334	2,583	2,839	2,879	3,052	3,335	3,618	3,419	2,703	1,653	607	133	20	36	
483	539	614	607	658	614	492	384	318	248	177	132	84	46	12	13	24	
952	1,127	1,266	1,403	1,378	1,516	1,829	2,383	2,606	3,406	3,492	3,167	2,077	867	215	29	25	
382	394	405	400	369	421	306	306	229	207	168	104	71	44	14	24	18	
5	3	5	3	3	1	1	2	1	3	5	2	5	2	1			
3			1	1		2				1	1	1					
1	2	2	3			4		1	3	4	8	7	9	1	1		104a
	1	2			2		1		4	2	1						
33	33	25	27	27	22	23	17	8	13	4	5	2					
3		1	1	1	4	2	2	1									
14	14	9	16	14	18	13	8	10	6	7	5						104b
	2	3		1	2	1	2	1									
1	6	5	7	11	8	2	7	2	3	4	2						
2	1		2	1	2	2	1	1									
2	4	6	2	4	5	4	3	5	2	1	7	3	2	1		1	105
1	1	2	2	1													
4	6	7	10	9	14	25	23	26	45	57	69	62	24	11	1		
3	2	4	3	1	3	2	3	2	1	1	1		1				
6	3	4	7	9	9	16	32	28	51	76	111	101	39	12			106a
1	3	1	5	5	3	7	3	4		4	4	1					
8	12	14	36	45	41	59	77	81	120	125	123	79	30	3	2	1	
2	1	2	3	2	1	4	2	7	2	1	5	1		1	1		
13	16	8	17	21	20	32	49	75	136	145	141	92	27	10	2	1	106b
2	1	1	5	3	3	3	4	3	5	3	1			1	1		
1	2	7	6	7	9	6	15	16	28	41	51	45	19	2	1		
1	5	1	5	2	3	3	5	2	1		1	1		2			
1	4	4	3	3	4	5	12	18	35	43	57	64	34	7			106c,d
3	2		2	7	2	3	4	4	4	1	1	2	2				
185	245	342	465	543	620	703	761	996	1,166	1,279	1,108	728	254	64	10	5	
66	79	89	90	110	110	94	93	70	69	48	34	26	11	3	5	6	
197	218	284	283	319	407	474	719	866	1,196	1,383	1,372	925	402	91	14	4	107a
60	65	76	74	67	76	75	79	68	61	39	27	25	13	4	5	4	
			3	1	5	4	9	8	11	12	7	7	5			1	
2		1	1	2	2	1	2		1								
1	1	2		1		3	3	5	5	15	15	15	5	3	1		107b
	1	1		1	1	1		1	2	1				1			
666	863	1,162	1,493	1,603	1,711	1,666	1,764	1,829	1,825	1,557	1,044	538	190	33	2	24	
328	392	446	426	456	401	308	221	180	128	100	58	37	21	6	6	15	
600	752	826	928	863	902	1,117	1,355	1,378	1,690	1,531	1,130	619	210	41	4	10	108
259	264	269	246	244	277	181	172	116	100	97	56	31	20	6	10	10	
25	21	41	33	42	56	63	51	60	89	85	71	40	22	4		1	
26	23	21	25	34	38	27	27	25	21	9	17	8	6		1	2	
33	37	30	34	26	23	28	46	51	63	59	78	59	30	13	2	7	109
30	25	20	30	12	24	14	18	11	13	14	8	4	4		3	3	
56	52	86	120	111	105	98	84	89	72	57	29	11	3	2		1	
27	16	13	20	14	14	15	6	7	8	3	4	1				1	
46	40	27	39	38	39	52	54	55	51	50	31	17	7	4			110
10	15	9	15	13	6	7	8	7	1	1	2	1	2				
7	7	8	12	11	29	22	32	19	25	14	10	5	3				
3	2	2	1	1	1	2	4	3	2	1							
3	4	12	12	14	20	13	20	22	25	9	7	5	2	3			111a
	1	2	2	1		1	2	1									
3	7	4	8	9	17	19	18	34	52	78	109	94	45	13	3	1	
1	1	3	1	1	5	2		3	5	2	4	1	3				
4	2	4	6	8	6	13	23	25	58	91	136	135	86	29	5		111b
1	2	1	2	2	3	1	2	2	6	3	2	2	2	1	2		
6	14	28	26	59	90	87	106	101	103	75	64	28	6			1	
6	8	14	12	18	17	14	13	14	8	9	7	6	3				
17	23	33	41	38	50	43	52	53	67	61	58	29	9			1	112
9	6	14	11	9	18	10	8	11	11	3	2	4	1	1	2	1	
1		2	5	4	4	6	9	10	7	7	4	2	1				
			2	3	1												
	1	1		1	3	1	2	3	1	5	3	4	1				113
	1																
32	34	43	80	98	107	95	77	55	56	19	5	7	3		1	1	
10	9	17	14	11	12	14	5	3	2	2		2	1				
14	6	14	12	19	10	11	5	11	17	12	8	2	4			1	114
6	4	4	6	3	4	2	3					1			1		
1,234	1,439	1,946	2,450	2,990	3,111	3,221	3,069	2,792	2,514	1,780	1,061	493	136	32	7	55	
235	299	362	377	406	387	333	264	192	133	91	58	29	17	2	4	12	
985	1,154	1,474	1,586	1,933	2,191	2,257	2,311	2,183	2,146	1,643	1,150	558	215	46	11	25	
261	270	325	355	345	305	247	210	157	100	70	55	25	14	5	7	14	
115	98	68	97	89	80	83	47	50	41	25	18	9	8	1		1	
16	18	13	18	12	9	7	4	3	1	1					1		
108	113	140	96	101	110	112	81	59	65	25	25	8	1	1	1	1	115a
29	8	21	24	9	13	9	4	2	6								

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Continued											
115b	Diseases of buccal cavity and annexa:											
	Males—White	403	24	6	4	3	2	39	20	7	17	26
	Colored	68	3	3	1			7	1	1	1	5
	Females—White	269	18	7	4	2	1	32	12	10	14	23
	Colored	83	8	1	1	2	1	13	2		2	10
116	Diseases of esophagus:											
	Males—White	76	3			3	1	7				1
	Colored	7					1	1				
	Females—White	51	5	1				6	1	1		
	Colored	4										1
117a	Ulcer of stomach:											
	Males—White	3,384	3	1	1			5	4	10	20	72
	Colored	377			1			1	1	2	5	21
	Females—White	918	2					2	4	6	15	15
	Colored	182		2				2		3	4	12
117b	Ulcer of duodenum:											
	Males—White	1,686	4		1	1		6	2	2	13	23
	Colored	118				1		1				4
	Females—White	412	4					4				7
	Colored	33					2	2			1	2
118	Other diseases of stomach (cancer excepted):											
	Males—White	1,390	175	32	26	11	5	249	18	9	19	22
	Colored	583	96	25	10	4	1	136	11	6		16
	Females—White	969	154	28	15	11	7	215	16	10	14	11
	Colored	622	75	20	5	3	5	108	15	7	16	35
119	Diarrhea and enteritis (under 2 years):											
	Males—White	6,262	4,876	1,386				6,262				
	Colored	1,539	1,209	330				1,539				
	Females—White	4,860	3,643	1,217				4,860				
	Colored	1,337	1,063	274				1,337				
120	Diarrhea and enteritis (2 years and over):											
	Males—White	2,052			407	168	100	675	130	38	30	36
	Colored	437			87	30	25	142	25	10	13	8
	Females—White	2,137			328	166	96	590	121	39	31	51
	Colored	501			70	45	15	130	35	13	10	15
121	Appendicitis:											
	Males—White	9,379	28	79	89	120	115	431	632	699	875	691
	Colored	888	4	3	5	6	5	23	49	96	84	95
	Females—White	5,904	12	42	76	86	93	309	559	556	524	430
	Colored	595	1	1	2	1	5	10	39	53	53	60
122a	Hernia:											
	Males—White	2,546	50	11	1	1	4	67	5	6	15	22
	Colored	305	17	3	1			21	1		8	10
	Females—White	1,848	8	1	1		1	11		1	1	5
	Colored	104	2	1				3				1
122b	Intestinal obstruction:											
	Males—White	2,990	451	72	55	27	24	629	86	73	85	63
	Colored	517	59	12	8	4	1	84	13	13	13	30
	Females—White	3,190	295	43	34	23	16	411	54	45	51	113
	Colored	565	42	7	7	1	5	62	4	5	19	37
123	Other diseases of intestines:											
	Males—White	555	26	6	4		1	37	11	5	7	8
	Colored	78	2		2	1		5			2	4
	Females—White	417	13	4	3	2	1	23	10	2	14	10
	Colored	102	2	3			1	6	2	1	2	9
124	Cirrhosis of liver:											
	Males—White	5,174	5		1		1	7	3	8	11	16
	Colored	403	1		1	1	1	4		2	5	3
	Females—White	2,719	9				1	10	7	15	6	12
	Colored	272			1	1	1	3		1	10	7
125a	Yellow atrophy of liver:											
	Males—White	162	4	1	1		2	8	1	3	2	7
	Colored	21										7
	Females—White	262	2	1			1	4	1	4	8	27
	Colored	34							1		8	6
125b	Other diseases of liver:											
	Males—White	508	22	3	3	2	2	32	9	5	9	20
	Colored	121	6	3		2	1	12	3	2	2	6
	Females—White	379	11	7	3	3	1	25	6	10	8	6
	Colored	81	5	1		1		7	2		1	7
126	Biliary calculi:											
	Males—White	1,261									1	3
	Colored	39							1		2	2
	Females—White	3,117									7	38
	Colored	120									3	1
127	Other diseases of gall-bladder, biliary passages:											
	Males—White	1,376	13	2	4	6	2	27	8	3	8	13
	Colored	85		1				1	3		4	2
	Females—White	2,217	9	2	5	1	1	18	6	3	8	25
	Colored	136	1	1	1			3	3	3	3	5
128	Diseases of pancreas:											
	Males—White	346			2	1		3	1		2	7
	Colored	26										1
	Females—White	280			1	1		2		1	4	8
	Colored	17									1	2
129	Peritonitis, cause not specified:											
	Males—White	608	63	27	21	13	11	135	29	23	19	26
	Colored	93	13		1		1	15	6	3	4	4
	Females—White	650	56	18	29	8	11	122	49	20	25	54
	Colored	126	8	3		1	1	13	8	1	15	19
	X.—Diseases of the genitourinary system:											
	Males—White	56,439	227	69	53	32	51	432	181	188	304	387
	Colored	8,702	46	9	11	9	12	87	43	36	57	96
	Females—White	46,994	153	59	48	33	37	330	165	264	397	625
	Colored	7,375	31	18	12	10	7	78	25	32	122	215
130	Acute nephritis (including unspecified, under 10 years):											
	Males—White	1,824	89	37	33	15	31	205	90	57	65	68
	Colored	521	24	6	7	9	6	52	25	7	19	27
	Females—White	1,372	62	30	22	18	18	150	65	54	53	50
	Colored	535	15	15	9	6	5	50	14	15	22	28

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
26	16	31	27	36	28	28	26	25	23	12	9	3	2			2	
5	4	10	8	8	4	4	4	4	2								
16	19	18	21	16	19	14	12	11	9	7	7	5	3			1	115b
9	9	8	4	7	1	7	6	2	2	1							
1	2	2	3	7	5	7	4	3	10	11	8	3	1	1			
1			1	2	1	1											
1	2	5		1	1	2	5	4	5	5	6	6					116
			1				1	1									
110	161	252	321	389	440	387	361	293	264	162	94	29	5	2		3	
31	31	34	31	57	50	40	33	18	10	6	5		1				
24	36	45	47	73	91	101	89	105	91	89	51	25	9				117a
13	10	21	26	25	13	15	12	14	5	3	2	1	1				
58	99	130	198	213	221	205	165	135	127	56	25	4	4				
10	12	16	17	18	15	14	6	2	3								
15	23	21	38	37	50	50	37	37	35	32	16	4	4	1		1	117b
1	4	5	3	3	5	3	1		2			1					
18	29	36	53	101	113	103	113	114	117	97	77	49	21	2	1	29	
23	34	50	48	44	71	35	28	30	11	17	6	8	4		1	4	
17	12	19	28	33	22	51	54	63	93	107	97	57	33	11	1	5	118
28	28	40	65	50	59	41	43	35	18	11	7	2	5	2	3	4	
																	119
39	40	46	60	88	79	82	87	98	135	130	144	75	29	9	1	1	
11	12	19	19	26	27	22	26	19	20	19	7	6	5		1		
40	51	58	52	69	70	69	108	106	155	182	180	107	42	10	5	1	120
13	20	22	28	25	31	32	33	14	20	21	17	9	6	3	2	2	
624	614	723	771	777	661	626	462	362	235	117	49	19	4			7	
67	91	88	75	76	48	40	19	17	12	5	2	1					
347	346	338	360	401	406	356	347	239	197	109	51	18	7		1	3	121
70	54	47	46	49	41	23	28	11	7	2	1	1					
29	42	76	124	186	192	249	271	328	332	287	193	89	20	8	4	1	
11	9	17	32	26	29	37	31	18	24	11	10	7				3	
16	27	50	88	145	196	225	252	261	248	158	95	45	18	5		1	122a
4	4	15	13	11	10	18	4	10	5		3	2				1	
70	71	107	122	179	192	215	251	225	241	175	118	64	18	4		2	
28	32	37	43	45	38	31	33	28	13	13	7	3	4	2		2	
137	149	204	196	199	196	210	215	244	247	193	185	86	39	8	2	6	122b
42	55	69	52	65	39	37	15	22	16	9	8	3			1	5	
12	21	24	43	58	39	56	58	52	50	36	22	12	4				
5	4	12	6	13	5	7	3	4	3	1	3					1	
22	16	28	24	34	33	36	32	27	37	27	21	11	8	1		1	123
7	12	11	12	11	10	7	3	4		2	1	1				1	
39	80	204	329	492	631	703	750	676	594	391	165	55	10	2	1	7	
8	20	30	46	51	59	51	48	32	19	11	9	3	1		1		
29	65	119	176	243	284	294	329	311	340	241	152	63	17	4	1	1	124
6	17	21	35	35	30	24	25	27	10	12	6	2			1		
6	11	12	14	13	16	13	13	15	11	9	4	4					
2	1	3		2	3	2			1								
27	18	27	23	28	17	15	16	15	13	12	4	3					125a
6	4		4	2	1		1	1									
26	15	40	42	42	52	46	45	28	36	34	19	6	2				
7	6	6	13	8	10	16	11	7	3	4	4		1				
9	12	15	27	15	37	40	36	24	32	33	30	10	2	1		1	125b
5	12	8	4	5	9	4	4	7	1	1	3		1				
9	29	54	95	119	154	170	167	159	126	92	48	32	1	2			
3	3	4		4	2	5	5	3	3	1	1						
64	116	187	214	292	376	391	406	370	316	185	105	41	9				126
7	11	11	15	20	15	8	15	3	3	3	3	1	1				
23	53	78	78	125	128	172	151	180	120	116	50	35	6	1		1	
2	9	10	8	6	8	12	6	3	2	2	3	1	1			2	
43	94	131	141	178	214	236	240	261	224	203	107	63	17	4		1	127
9	11	14	11	17	13	14	14	3	3	4	3	2				1	
15	25	31	36	36	34	45	45	25	21	14	3	2				1	
3	4	4	4	2	3	4	1										
13	16	18	25	31	38	33	34	22	17	12	4	2					128
	1	3	1	5	2	1			1								
14	33	32	37	40	46	31	53	24	31	16	15	3	1				
2	9	9	8	6	5	5	6	4	6		1						
57	39	51	30	37	31	22	18	24	22	23	14	4	6			2	129
12	10	9	11	6	13	4	1	1	1	1	1						
464	638	1,027	1,533	2,285	3,283	4,322	6,049	7,441	9,226	8,545	6,056	3,067	821	124	24	42	
163	240	370	559	746	1,022	961	1,079	898	814	591	478	246	103	55	31	27	
788	1,061	1,462	1,941	2,394	2,765	3,347	4,524	5,480	6,817	6,380	4,752	2,499	803	131	21	48	
318	393	538	639	753	833	737	642	599	496	340	274	151	90	36	34	30	
77	84	113	135	136	115	99	139	115	105	92	63	42	21	2		1	
32	32	36	43	46	53	42	40	16	20	14	7	3	4	1	1	1	
50	79	84	87	107	85	81	96	79	93	55	47	37	15	3		2	130
37	32	66	65	47	45	40	23	17	13	6	3	4	4	1	1	2	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the genitourinary system—Con.											
131	Chronic nephritis:											
	Males—White	42,173	4	8	7	11	7	37	62	89	172	244
	Colored	5,878	1	2	4		2	9	13	14	17	38
	Females—White	38,211	4	5	6	7	5	27	70	141	191	287
	Colored	5,164					2	2	7	9	36	64
132	Nephritis, unspecified (10 years and over):											
	Males—White	3,566								26	34	36
	Colored	1,074								14	12	11
	Females—White	2,772								25	32	35
	Colored	832								4	13	18
133	Other diseases of kidneys, ureters (puerperal diseases excepted):											
	Males—White	1,394	99	21	11	5	11	147	27	15	25	26
	Colored	275	12	1			4	17	4	1	6	7
	Females—White	1,432	85	23	20	8	13	149	28	31	28	38
	Colored	210	14	3	3	4		24	4	1	5	5
134	Calculi of urinary passages:											
	Males—White	723				1		1			5	6
	Colored	35										2
	Females—White	370					1	1		2	4	9
	Colored	32	1					1			1	
135	Diseases of bladder (tumors excepted):											
	Males—White	423	5					5	1		2	4
	Colored	112	2					2	1		1	2
	Females—White	176	1	1				2	1			2
	Colored	27	1					1			1	
136	Diseases of urethra, urinary abscess, etc.:											
	Males—White	211	1					1			1	3
	Colored	170	1					1				6
	Females—White	14	1					1				
	Colored	3										
137	Diseases of prostate:											
	Males—White	6,041										
	Colored	596									1	1
138	Diseases of male genital organs, not specified as venereal:											
	Males—White	84	29	3	2		2	36	1	1		
	Colored	41	6					6			1	2
139a	Cysts of ovary:											
	Females—White	621								3	10	27
	Colored	69									3	8
139b	Other diseases of ovaries, diseases of tubes and parametrium:											
	Females—White	1,298							1	3	60	151
	Colored	376								1	34	72
139c	Diseases of uterus:											
	Females—White	679								4	16	26
	Colored	88								1	6	11
139d	Nonpuerperal diseases of breast (cancer excepted):											
	Females—White	15										
	Colored	3										
139e	Other diseases of female genital organs:											
	Females—White	34								1	3	
	Colored	36								1	1	9
	XI.—Diseases of pregnancy, childbirth, and the puerperal state:											
	Females—White	10,496								17	962	2,122
	Colored	2,624								27	515	594
140	Abortion with septic conditions:											
	Females—White	1,742								2	141	453
	Colored	284								3	40	66
141	Abortion without mention of septic conditions (includes hemorrhages):											
	Females—White	590									32	93
	Colored	116									16	26
142a	Ectopic gestation, septic conditions specified:											
	Females—White	83									1	9
	Colored	20										6
142b	Ectopic gestation, septic conditions not mentioned:											
	Females—White	391									9	54
	Colored	68									4	17
143	Other accidents of pregnancy (hemorrhages not included):											
	Females—White	65									5	10
	Colored	19								1	3	3
144a	Placenta praevia:											
	Females—White	349									10	25
	Colored	68									3	10
144b	Other puerperal hemorrhages:											
	Females—White	793									51	126
	Colored	167									16	33
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded):											
	Females—White	2,110								4	251	508
	Colored	611								7	141	156
145b	Puerperal tetanus (abortion and ectopic gestation excluded):											
	Females—White	11									2	3
	Colored	2										1
146	Puerperal albuminuria and eclampsia:											
	Females—White	1,936								7	285	426
	Colored	723								12	195	158
147	Other toxemias of pregnancy:											
	Females—White	416									44	99
	Colored	73								1	15	17

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
292	422	703	1,098	1,778	2,652	3,467	4,731	5,606	7,019	6,339	4,489	2,275	552	92	19	35	131
74	140	223	382	533	727	693	772	613	582	399	332	165	74	38	23	17	
329	512	814	1,241	1,690	2,208	2,768	3,854	4,829	6,084	5,754	4,276	2,249	715	117	19	36	
136	211	312	426	543	625	567	535	483	419	283	228	123	73	31	30	21	
39	42	68	113	130	204	291	353	429	532	559	409	220	61	16		4	132
21	28	51	69	82	119	106	131	119	102	80	58	43	13	8	4	3	
42	55	63	127	141	158	200	243	322	410	401	295	154	50	10	2	7	
28	36	54	71	87	112	91	65	75	48	46	34	24	13	4	2	7	
24	49	77	81	81	98	100	108	128	129	129	88	46	12	3		1	133
8	15	17	19	19	31	30	29	26	13	15	7	4	2	1	1	3	
48	65	76	96	81	105	105	128	113	117	99	77	32	14	1		1	
8	20	21	16	22	22	21	8	15	8	3	6				1		
24	24	42	50	74	67	68	89	92	80	59	26	9	5	1		1	134
	1	1		3	8	6	4	3	3	2	1	1					
20	19	29	41	40	42	34	53	24	21	19	6	5	1				
3	3	3	5	4	3	4	1	3	1								
1	2	4	10	12	12	19	25	51	54	72	79	46	21	2	1		135
2	3	4	8	6	9	17	7	11	7	13	10	4	3	2			
	3	5	10	8	9	13	11	22	22	18	26	17	7				
1	1		1	2	5	3	5	2	2	2	1						
2	9	8	17	27	24	22	24	29	18	15	6	4	1				136
21	12	23	23	21	20	12	13	7	7		2	1	1				
	1	3	1	3		1		1	2	1							
	1	1						1									
3	6	8	24	42	108	253	574	985	1,283	1,276	896	423	148	8	4		137
2	7	14	13	27	49	53	82	102	77	67	61	24	6	5	2	3	
2		4	5	5	3	3	6	6	6	4		2					138
3	2	1	2	9	6	2	1	1	3	1		1					
49	54	96	71	71	41	48	54	32	32	17	13	3					139a
8	13	12	7	5	9	1	1	1	1								
189	205	222	169	155	54	31	26	14	5	8	3	1				1	139b
77	55	63	34	24	6	5	2	1	1		1						
58	65	64	96	92	56	62	52	41	29	8	7	1	1			1	139c
14	17	3	10	14	3	4	2	1	1		1						
2		4		3	2	1	1		1		1						139d
	1		1		1												
1	3	2	2	3	5	3	6	3	1		1						139e
6	3	3	3	5	2	1			2								
2,369	2,170	1,899	847	91	3											16	
455	462	377	152	29	5											8	
422	380	244	87	10	1											2	140
55	69	41	6	2	1											1	
133	135	133	58	5												1	141
16	32	17	8	1													
17	29	18	8	1													142a
8	3	2	1														
87	122	82	36	1													142b
15	20	10	2														
15	10	7	14	4													143
5	4	3															
79	76	93	55	9												2	144a
14	15	15	10	1													
172	177	162	92	13													144b
37	32	30	15	3	1												
502	397	312	121	13	1											1	145a
94	96	81	26	7												3	
4		1	1														145b
	1																
381	318	333	162	17	1											6	146
119	104	89	37	8												1	
93	75	75	27	2												1	147
11	12	11	4	1	1												

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued											
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):											
	Females—White	575								1	31	82
	Colored	51									4	12
149	Other accidents of childbirth:											
	Females—White	1,401								3	98	227
	Colored	406								3	75	87
150	Other and unspecified conditions of puerperal state:											
	Females—White	34									2	7
	Colored	16									3	2
	XII.—Diseases of the skin and cellular tissue:											
	Males—White	932	169	13	7	3	4	196	21	23	49	32
	Colored	118	20	2	3			25	1	3	2	7
	Females—White	703	115	18	5	7	4	149	19	33	38	37
	Colored	100	11		1	1	1	14	1	2	3	3
151	Furuncle, carbuncle:											
	Males—White	313	7	2	1		3	13	6	7	25	17
	Colored	21	4					4			1	1
	Females—White	173	5	1			1	7	4	9	13	15
	Colored	20	1		1			2		1	1	
152	Phlegmon, acute abscess:											
	Males—White	316	53	6	4	1	1	65	11	14	16	12
	Colored	54	7	2	1			10		3	1	3
	Females—White	226	33	12	1	5		51	8	13	17	7
	Colored	35	5			1		6	1	1	1	2
153	Other diseases of skin and annexa, and of cellular tissue:											
	Males—White	303	109	5	2	2		118	4	2	8	3
	Colored	43	9		2			11	1			3
	Females—White	304	77	5	4	2	3	91	7	11	8	15
	Colored	45	5				1	6			1	1
	XIII.—Diseases of the bones and organs of locomotion:											
	Males—White	921	35	11	22	21	22	111	85	137	67	41
	Colored	90	5	2	1		2	10	8	14	9	9
	Females—White	521	25	17	16	14	14	86	83	63	26	20
	Colored	53	4		1	2		7	6	3	3	1
154	Osteomyelitis:											
	Males—White	637	22	8	20	15	19	84	75	115	46	26
	Colored	63	4	2	1		2	9	6	11	5	9
	Females—White	327	21	15	12	11	11	70	63	56	17	11
	Colored	26	3		1	2		6	3	3	2	1
155	Other diseases of bones (tuberculosis excepted):											
	Males—White	96	5	1	1	2	3	12	7	5	6	4
	Colored	6								1	1	
	Females—White	67	1	2	1	1	3	8	7	1	3	3
	Colored	10	1					1	1			
156	Diseases of joints, other organs of locomotion:											
	Males—White	188	8	2	1	4		15	3	17	15	11
	Colored	21	1					1	2	2	3	
	Females—White	127	3		3	2		8	13	6	6	6
	Colored	17							2		1	
	XIV.—Congenital malformations:											
	Males—White	6,309	5,651	188	79	51	44	6,013	98	72	56	19
	Colored	428	364	16	7	3	5	395	11	11	4	2
	Females—White	5,166	4,597	174	62	40	27	4,900	101	69	27	27
	Colored	328	280	18	10	1	4	313	4	6	2	1
157a	Congenital hydrocephalus:											
	Males—White	773	587	65	23	16	15	706	30	16	9	4
	Colored	73	44	7	2	1	3	57	8	6	1	
	Females—White	736	595	48	19	15	6	683	27	9	6	3
	Colored	47	29	9	4	1		43	1	3		
157b	Spina bifida meningocele:											
	Males—White	591	562	9	4	4	4	583	2	1		2
	Colored	19	19					19				
	Females—White	751	720	15	1	2	1	739	7	3		2
	Colored	27	24	2				26			1	
157c	Congenital malformations of heart:											
	Males—White	3,327	3,008	85	29	18	17	3,157	49	44	40	10
	Colored	205	181	5	4	2	2	194	3	3	3	1
	Females—White	2,550	2,257	82	29	16	16	2,400	52	44	19	14
	Colored	151	131	6	4		2	143	1	3	1	1
157d	Other congenital malformations:											
	Males—White	1,618	1,494	29	23	13	8	1,567	17	11	7	3
	Colored	131	120	4	1			125		2		1
	Females—White	1,129	1,025	29	13	7	4	1,078	15	13	2	8
	Colored	103	96	1	2		2	101	2			
	XV.—Diseases of early infancy:											
	Males—White	25,172	25,172					25,172				
	Colored	4,308	4,308					4,308				
	Females—White	18,080	18,080					18,080				
	Colored	3,355	3,355					3,355				
158	Congenital debility:											
	Males—White	1,623	1,623					1,623				
	Colored	557	557					557				
	Females—White	1,171	1,171					1,171				
	Colored	463	463					463				
159	Premature birth:											
	Males—White	15,770	15,770					15,770				
	Colored	2,754	2,754					2,754				
	Females—White	11,912	11,912					11,912				
	Colored	2,276	2,276					2,276				

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
126	134	155	42	3												1	148
11	9	10	4	1													
329	308	279	142	13												2	149
68	64	63	37	5	2											2	
9	9	5	2														150
2	1	5	2													1	
35	30	43	51	58	53	61	60	55	64	35	30	26	6	4			
5	7	7	9	14	13	5	2	7	4	3	2	1				1	
31	29	40	36	35	31	27	46	34	36	25	30	14	6	5	2		
7	5	8	12	9	9	8	6	2	2	3	2	2		1		1	
12	12	19	18	26	27	23	28	28	22	14	5	9	1	1			
1	4	2	4	2	1			1									
14	11	9	12	15	12	8	9	9	7	8	5	3	1		2		151
	1	1	5	2	3	2	1		1								
20	12	14	19	23	17	26	23	11	15	8	6	3		1			
3	3	4	4	6	9	3	1	1	1	1						1	
10	10	19	12	8	9	7	16	9	11	6	8	2		3			152
5	2	3	3	4	4		1		1		1						
							4										
3	6	10	14	9	9	12	9	16	27	13	19	14	5	2			
1		1	1	6	3	2	1	5	3	2	2	1					
7	8	12	12	12	10	12	21	16	18	11	17	9	5	2			153
2	2	4	4	3	2	6	4	2		3	1	2		1		1	
32	46	41	45	47	42	49	42	45	48	21	13	7	2				
5	4	8	4	4	2	2	4	3	2	2							
12	18	18	27	14	24	19	16	24	20	23	11	13	2	1		1	
2	5	2	3	8	3	1	3	1	1	1	3						
26	30	32	30	30	28	28	18	24	25	12	3	5					
5	2	6	2	2		1	2	1	1	1							
5	10	9	17	7	6	8	9	15	10	6	3	5					154
1	2	1		3	2		1				1						
2	6	4	4	3	4	7	6	9	7	6	3	1					
	1	1				1		1									
	2	1		2	10	1	4	4	4	6	4	3	2	1		1	155
1			1	2			1		1	1	1						
4	10	5	11	14	10	14	18	12	16	3	7	1	2				
	1	1	2	2	2		2	1	1	1							
7	6	8	10	5	8	10	3	5	6	11	4	5					156
	3	1	2	3	1	1	1	1			1						
13	13	8	8	6	1	1	1										
1	2	2															
14	12	8	1	4	1	2											
		2															
4	3		1														
	1																
3	4	1															157a
	2			1													
																	157b
8	6	4	6	2		1											
1																	
8	6	5		1		1											157c
		2															
1	2	4	1	3	1		1										
	1	2															
3	2	2	1	3	1	1											157d
																	158
																	159

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XV.—Diseases of early infancy—Continued											
160	Injury at birth:											
	Males—White	5,404	5,404					5,404				
	Colored	509	509					509				
	Females—White	3,335	3,335					3,335				
	Colored	306	306					306				
161	Other diseases peculiar to early infancy:											
	Males—White	2,375	2,375					2,375				
	Colored	488	488					488				
	Females—White	1,662	1,662					1,662				
	Colored	310	310					310				
162	XVI.—Senility:											
	Males—White	3,524										
	Colored	1,079										
	Females—White	4,332										
	Colored	1,149										
	XVII.—Violent and accidental deaths:											
	Males—White	74,031	853	786	600	547	530	3,316	2,307	2,441	4,161	5,549
	Colored	11,177	227	124	98	86	68	603	319	406	897	1,428
	Females—White	27,582	662	539	414	440	383	2,438	1,317	689	1,250	1,460
	Colored	3,481	202	96	77	88	86	549	242	120	231	361
	Suicide:											
	Males—White	15,922							1	32	265	635
	Colored	531								3	15	53
	Females—White	4,035								12	206	367
	Colored	158								2	17	30
163	By solid or liquid poisons or by absorption of corrosive substances:											
	Males—White	1,816								1	33	87
	Colored	67								1	3	7
	Females—White	1,293								3	104	186
	Colored	64								1	7	17
164	By poisonous gas:											
	Males—White	2,143								1	8	55
	Colored	32										2
	Females—White	800								2	22	39
	Colored	10									2	1
165	By hanging or strangulation:											
	Males—White	3,019								15	43	62
	Colored	71									1	3
	Females—White	511									6	16
	Colored	14									1	2
166	By drowning:											
	Males—White	616								1	4	13
	Colored	29										1
	Females—White	333								1	8	20
	Colored	14										
167	By firearms:											
	Males—White	6,968							1	13	163	384
	Colored	254								2	10	34
	Females—White	683								6	57	80
	Colored	35								1	4	8
168	By cutting or piercing instruments:											
	Males—White	706									2	10
	Colored	45										4
	Females—White	106									1	1
	Colored	5									1	
169	By jumping from high places:											
	Males—White	428								1	5	16
	Colored	22									1	2
	Females—White	229									6	20
	Colored	10									1	2
170	By crushing:											
	Males—White	130									3	5
	Colored	5										
	Females—White	21										3
171	By other means:											
	Males—White	96									4	3
	Colored	6										
	Females—White	59									2	2
	Colored	6									1	
	Homicide:											
	Males—White	4,885	64	9	7	3	11	94	35	36	250	577
	Colored	3,761	13		2		3	18	4	26	260	657
	Females—White	1,175	55	4	6	5	9	79	34	22	95	160
	Colored	901	8	1		1	2	12	5	12	91	203
173	By firearms:											
	Males—White	3,555	3	4	2		2	11	17	21	199	461
	Colored	2,576					1	1	2	19	183	477
	Females—White	620	1	2	2	2	3	10	9	10	46	82
	Colored	501				1		1	3	10	51	112
174	By cutting or piercing instruments:											
	Males—White	445	2	1			1	4	2	3	21	62
	Colored	777	2				2	4	2	4	57	141
	Females—White	96	3		1		1	5	6	2	8	9
	Colored	260					1	1		1	25	70
175	By other means:											
	Males—White	885	59	4	5	3	8	79	16	12	30	54
	Colored	408	11		2			13		3	20	39
	Females—White	459	51	2	3	3	5	64	19	10	41	69
	Colored	140	8	1			1	10	2	1	15	21
	Accidental, other, or undefined:											
	Males—White	53,224	789	777	593	544	519	3,222	2,271	2,373	3,646	4,337
	Colored	6,885	214	124	96	86	65	585	315	377	622	718
	Females—White	22,372	607	535	408	435	374	2,359	1,283	655	949	933
	Colored	2,422	194	95	77	87	84	537	237	106	123	128
176	Attack by venomous animals:											
	Males—White	55	6	1	2	3	1	13	4	5	2	4
	Colored	17			1	1	1	3		3	1	1
	Females—White	44	7	1		2	3	13	7	3	3	2
	Colored	9	1	1			2	4	1			

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
																	160
																	161
					2	14	29	73	311	616	983	861	478	129	22	6	162
					2	8	24	36	109	166	246	187	135	81	81	4	
				1	4	4	37	89	332	644	1,135	1,117	689	225	52	3	
			1		3	8	19	28	111	143	240	194	158	76	165	3	
5,163	4,848	5,471	5,766	5,977	5,833	5,497	4,859	4,014	3,411	2,412	1,666	810	303	49	7	171	
1,419	1,230	1,202	910	773	555	455	300	206	149	105	64	50	13	6	4	83	
1,249	1,177	1,237	1,183	1,283	1,261	1,337	1,461	1,607	2,074	2,084	2,124	1,538	639	130	16	28	
355	326	248	178	147	149	114	98	94	72	70	50	27	18	11	11	10	
900	987	1,274	1,580	1,851	1,971	1,889	1,620	1,247	895	468	214	52	10	1		30	
53	59	73	53	56	46	47	33	14	10	8	4	1				3	
416	405	423	405	432	363	308	271	202	132	51	23	10	3			6	
21	24	19	19	7	7	5	5	2									
128	149	169	209	214	220	206	153	106	84	35	16	2	2			2	163
8	9	10	8	9	3	4	1		1	2						1	
180	178	133	120	98	79	67	56	42	23	11	9	2				2	
12	10	8	3		2	3	1										
113	158	176	265	253	306	275	232	145	91	47	12	5				1	164
4	6	6	2	6		2	1	2		1							
68	71	85	84	91	84	76	68	54	37	11	5	2				1	
1	1	1	3		1												
118	128	199	245	358	422	396	330	289	198	116	78	14	3			5	165
4	5	11	5	5	8	12	4	3	5	3	1					1	
25	32	37	54	78	62	65	53	41	28	10	2					2	
1	1	2	3	2			1	1									
15	27	56	56	68	65	74	75	61	51	29	12	5	1			3	166
2	2	4	6	3	5	3	2		1								
13	22	34	32	39	36	33	30	30	21	9	2	2	1				
1	2	2	3	1	1	1	2	1									
456	442	556	677	784	769	813	686	546	380	189	73	20	2			14	167
28	29	33	22	18	23	19	21	6	3	2	2	1				1	
93	69	85	59	80	54	37	25	23	10	4						1	
4	4	3	6	2	2	1											
18	34	58	63	73	100	65	92	60	62	42	17	4	2	1		3	168
2	6	4	4	12	4	5	2	1			1						
6	4	9	14	21	14	7	13	5	8	1	1	1					
	1		1	1	1												
31	39	38	42	68	52	39	31	31	19	9	5	2					169
5	1	3	3	2	2	1	1	1									
26	23	27	32	20	23	17	15	5	3	3	4	3	2				
1	2	3		1													
11	7	12	16	17	19	11	15	7	5	1						1	170
		1	2			1	1										
2	2	2	3	3	3		3										
10	3	10	7	16	18	10	6	2	5		1					1	171
	1	1	1	1	1			1									
3	4	11	7	2	8	6	8	2	2	2							
1	3						1										
673	650	655	476	427	310	267	170	116	75	36	15	7				16	
725	570	540	337	260	126	80	69	30	10	11	5	3		1		29	
157	128	129	102	72	49	46	43	23	16	5	10	4				1	
200	164	101	37	26	18	17	4	4	1		2					4	
532	510	510	357	302	208	175	115	66	42	18	4	1				6	173
507	392	367	225	170	85	51	39	22	3	6	2	2		1		22	
81	79	83	66	49	35	25	23	9	4	2	4	2				1	
111	96	55	18	13	11	11	2	4	1							2	
65	65	64	37	42	27	19	11	10	2	4	1	1				5	174
161	132	111	72	49	20	9	7	2	3							3	
10	5	11	10	7	5	3	6	5	2	2							
63	43	27	13	5	4	6	1									1	
76	75	81	82	83	75	73	44	40	31	14	10	5				5	175
57	46	62	40	41	21	20	23	6	4	5	3	1				4	
66	44	35	26	16	9	18	14	9	10	1	6	2					
26	25	19	6	8	3		1				2					1	
3,590	3,211	3,542	3,710	3,699	3,552	3,341	3,069	2,651	2,441	1,908	1,437	751	293	48	7	125	
641	601	589	520	457	383	328	198	162	129	86	55	46	13	5	4	51	
676	644	685	676	779	849	983	1,147	1,382	1,926	2,028	2,091	1,524	636	130	16	21	
134	138	128	122	114	124	92	89	88	71	70	48	27	18	11	11	6	
3		3	6	5	2	3		3	1	1							176
3		2				2		1		1							
2	1		1	3	2	3	2			2							
1				1			1			1							

TABLE 6.—DEATHS, (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
	Accidental, other, or undefined—Continued											
177	Poisoning by food:											
	Males—White	280	24	19	12	10	7	72	16	10	7	5
	Colored	80	7	4	3	2		16	5	2	5	6
	Females—White	185	10	10	11	7		38	17	5	8	6
	Colored	73	7	4	4	1	1	17	7	4	2	2
178	Absorption of poisonous gas:											
	Males—White	1,494	5	9	3	2	1	20	6	15	24	62
	Colored	50	1	1				2		2	1	
	Females—White	422	6	3	2	1	1	13	11	4	15	18
	Colored	13	1	1				2		1		1
	Supplemental:											
	Males—White	58			1			1				6
	Colored	4										
	Females—White	2		1				1				
179	Other acute accidental poisonings (gas excepted):											
	Males—White	892	22	81	39	20	12	174	20	7	16	27
	Colored	152	6	18	14	9	4	51	4	4	4	8
	Females—White	446	16	55	22	12	12	117	15	5	19	42
	Colored	84	5	13	10	5	1	34	6	2	6	3
180	Conflagration:											
	Males—White	786	18	27	22	25	22	114	52	23	24	38
	Colored	170	6	7	2	10	3	28	20	5	5	10
	Females—White	442	24	14	20	25	19	102	56	25	18	25
	Colored	128	6	7	6	5	6	30	16	5	7	7
181	Burns (conflagration excepted):											
	Males—White	1,899	78	203	170	95	72	618	90	69	51	95
	Colored	426	24	46	35	26	18	149	27	13	10	17
	Females—White	2,357	61	164	164	174	143	706	285	71	80	92
	Colored	561	16	27	39	45	47	174	91	17	16	23
	Supplemental:											
	Males—White	439		1	2	1		4	3	8	39	71
	Colored	36							3		3	5
	Females—White	77		1		1	2	4	6	2	9	17
	Colored	8				1		1			2	
182	Mechanical suffocation:											
	Males—White	459	295	7	2	2	2	308	21	7	16	6
	Colored	90	78					78	2	1	2	
	Females—White	276	240	9	2	1		252	3		3	4
	Colored	73	70	2				72				
	Supplemental:											
	Males—White	34							1		4	3
	Females—White	6		1				1			1	
183	Drowning:											
	Males—White	4,536	17	140	80	64	46	347	437	550	641	473
	Colored	874	1	17	12	4	4	38	56	119	181	149
	Females—White	679	8	72	38	23	10	151	74	92	113	50
	Colored	74	2	8	5	2	3	20	6	11	8	10
	Supplemental:											
	Males—White	906	1	1	3	3	6	14	27	60	100	143
	Colored	167	1	2				3	4	10	17	29
	Females—White	113	1	2	3	2	3	11	7	7	18	14
	Colored	36							3	4	6	6
	Traumatism:											
184	By firearms (wounds of war excepted):											
	Males—White	2,132	3	7	5	6	22	43	85	249	352	248
	Colored	418			1	6	4	11	25	47	77	80
	Females—White	232	1	1	5	4	4	15	32	29	30	32
	Colored	95	1		1	3	2	7	10	12	18	14
185	By cutting or piercing instruments (wounds of war excepted):											
	Males—White	442	8	11	5	3	3	30	24	34	18	19
	Colored	81	2		1			3	3	4	3	14
	Females—White	178	3	2	1	8	3	17	13	12	2	7
	Colored	44	1		1			2	2	1	3	2
	Supplemental:											
	Males—White	172	1	1		1		3	2	4	10	17
	Colored	13								1	1	2
	Females—White	39		1	1			2	5	8	3	3
	Colored	3								1		
186a	By fall:											
	Males—White	7,910	54	63	43	28	23	211	150	164	224	202
	Colored	504	18	13	6	3	5	45	23	14	21	26
	Females—White	8,972	43	38	33	33	23	170	87	41	33	35
	Colored	285	14	8	1	5	3	31	14	6	4	8
	Supplemental:											
	Males—White	1,922	4	7	13	19	9	52	56	93	176	213
	Colored	306	1	2			1	4	5	11	34	29
	Females—White	325	4	3	4	5	7	23	19	19	33	45
	Colored	28							2	2	3	2
186b	By crushing, landslide:											
	Males—White	427			1	2		3	13	17	30	42
	Colored	46							1	4	9	2
	Females—White	22	3	1	1	3		8	4			1
	Colored	6	2			1		3				
	Supplemental:											
	Males—White	4,211	5	16	26	22	30	99	129	141	264	415
	Colored	553	1		3	5	3	12	11	14	60	69
	Females—White	831	6	20	11	13	12	62	63	29	66	67
	Colored	84		2	1	1		4	11	5	5	10
187	Cataclysm:											
	Males—White	129	5	2	2	3	3	15	15	7	9	6
	Colored	60	4				1	5	6	7	4	4
	Females—White	130	5	3	3	4	3	18	13	13	5	11
	Colored	83	4				1	5	11	8	6	6

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	8	7	24	19	21	15	19	17	14	11	5	4	1				
3	2	5	6	7	8	5	2	2	2		3	1					
12	7	13	3	7	12	12	7	4	16	9	7	2					177
4	2	8	6	4	5	3	3	2	1	2	1						
74	97	132	154	200	178	153	137	95	67	39	26	12	1			2	
3	4	6	6	2	9	4	3	2	3	1		1				1	
21	25	30	27	30	28	29	38	41	23	40	14	13	2				
	2	1		2	1	1				2							178
8	7	7	11	7	8	1		1	1								
	1	1	1			1											
		1															
30	52	67	102	104	101	77	40	30	22	9	6	4			1	3	
11	14	14	7	12	9	5	2	1	3	1	1		1				
35	28	38	33	35	25	16	9	13	11	4	1						179
9	6	4	5	2	1		3	1	1							1	
38	37	55	61	44	46	56	41	42	53	32	17	8	2			3	
11	6	10	11	10	10	6	5	6	9	5	6	4		1		2	
21	19	21	23	24	20	16	13	14	18	15	7	2		2	1		180
3	3	8	7	5	5	3	5	7	6	3	4	2	1		1		
84	104	95	105	89	70	76	81	64	72	62	51	14	6	1		2	
17	21	18	15	22	21	17	21	14	13	13	6	6	2	1		3	
71	69	92	82	81	81	97	97	87	120	89	88	50	14	3		2	
25	17	13	22	22	23	24	21	15	8	23	9	5	7	1	4	1	
71	58	55	47	25	15	18	5	8	9	1						2	181
8	3	5	4	3				1								1	
5	12	6	5	5		2	2		1	1							
1	2	1					1										
11	14	17	15	12	5	8	10	3	4	1	1						
2			1		2	2											
1	2	5		1	2			2			1						182
					1												
4	5	4		7	4	1	1										
	1			1	1			1									
309	230	236	247	246	244	180	146	94	79	36	9	5				27	
79	61	59	40	27	19	18	5	4	1	3	4	3				8	
31	28	22	13	20	20	17	16	13	9	5	3	2					
3	5	4	1	2	1			3									183
106	98	75	85	48	52	39	27	16	7	7						2	
18	21	21	8	12	8	5	3	2	2							4	
17	6	9	10	5	4		2	2		1							
8	3		2	1		1		1								1	
168	151	147	142	142	117	109	74	50	35	9	3					8	
56	30	28	26	15	10	4	5	3								1	
19	16	11	15	7	10	5	3	6	1	1							184
7	12	6	1	1	3		1	2								1	
20	25	32	30	34	35	32	32	21	29	11	9	7					
6	1	9	10	8	5	2	4	1	2	2	2	1	1				
4	7	10	13	18	11	19	15	10	7	9	3	1					
1	1	3	4	4	6	6	5		3			1					
19	15	11	12	21	11	20	7	6	8	1	4	1					185
4		2	3														
7	1	1		1		2	3		1	1	1						
				1	1												
188	247	329	411	459	481	524	585	603	709	765	834	532	242	44	6		
32	47	54	42	45	34	36	23	16	10	10	9	10	1	2	2	2	
37	44	59	80	138	166	266	471	717	1,219	1,543	1,774	1,355	594	123	15	5	
7	9	13	11	8	24	10	20	25	20	21	17	13	10	9	5		
152	129	156	122	134	146	122	116	90	82	51	23	4	2			3	186a
33	38	26	25	24	22	22	7	11	6	5	1	1				2	
30	29	14	11	11	18	14	11	9	19	12	5	1	1			1	
3	4	2	1	1	4	1			3								
42	32	38	45	43	30	28	27	17	11	4	5						
5	3	6	3	2	2	5	1		1							2	
	2	1			1		1	2		1			1				
						1				1						1	
377	338	359	384	361	337	280	228	210	138	82	38	8	2			21	186b
77	62	58	54	40	34	19	12	11	6	5		1				8	
46	51	43	44	58	55	57	59	36	51	29	8	4				3	
7	10	5	5	9	3	2		2	2	3		1					
8	6	5	10	8	12	4	4	6	5	5	4						
5	3	2	4	3	3	1	1	4	1	2	1	2	1	1			
9	7	8	7	6	5	6	6	5	2	2	4	2					187
8	8	5	5	3	3	2	3	2	1	2	4	1				1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
	Accidental, other, or undefined—Continued											
188	Injuries by animals:											
	Males—White	451		5	11	4	7	27	34	26	21	10
	Colored	55	1			1		2	3	10	2	3
	Females—White	51	1	2	2	1	1	7	5	4	2	
	Colored	8								1		1
189	Hunger and thirst:											
	Males—White	18	2					2	1			
	Colored	3										
	Females—White	6	2	1				3				
190	Excessive cold:											
	Males—White	180	3		1		1	5		1	6	5
	Colored	71			1			1			4	6
	Females—White	23	1					1	2		1	
	Colored	13	2					2	1		1	
191	Excessive heat:											
	Males—White	395	11	2	1			14	1	2	3	13
	Colored	132	8	1	1	1	1	12	1		4	7
	Females—White	109	9	1	1	1		12	1	1		4
	Colored	42	10	1				11	1		1	2
192	Lightning:											
	Males—White	243		1				1	7	23	35	34
	Colored	56							1	3	9	10
	Females—White	37							3	11	5	2
	Colored	23							3	4	6	1
193	Due to electric currents:											
	Males—White	510		2	2	1	1	6	14	37	39	58
	Colored	40							1	5	6	5
	Females—White	28	1		1			2	4	3	2	2
	Colored	3										1
	Supplemental:											
	Males—White	70			1			1	2	2	4	13
	Colored	11								1	1	2
	Females—White	5							1		1	1
194a	Foreign bodies:											
	Males—White	356	86	76	36	12	7	217	11	10	4	3
	Colored	36	12	6	7	1		26	4	1		1
	Females—White	191	53	53	15	5	6	132	11		3	1
	Colored	42	17	14	1	2	1	35		1		1
194b	Other accidents:											
	Males—White	2,670	101	32	11	21	27	192	106	152	184	159
	Colored	387	36	3		3	2	44	10	17	34	20
	Females—White	625	76	25	10	14	17	142	56	32	22	21
	Colored	116	34	3	1	2	3	43	1	3	1	3
	Supplemental:											
	Males—White	19,086	39	63	99	197	217	615	944	657	1,341	1,934
	Colored	1,974	7	4	9	14	18	52	100	79	117	195
	Females—White	5,518	26	51	58	96	105	336	483	239	454	431
	Colored	488	1	4	7	14	14	40	51	18	28	25
195	Violent deaths of unknown nature:											
	Males—White	3	1					1			1	
	Colored	1										1
	Females—White	1										
198	Legal executions:											
	Males—White	59									1	13
	Colored	72									7	17
	XVIII.—Ill-defined causes of death:											
	Males—White	6,040	2,074	156	55	27	23	2,335	79	34	49	65
	Colored	5,452	2,110	142	64	33	28	2,377	99	56	86	130
	Females—White	4,165	1,580	136	56	28	25	1,825	62	38	52	72
	Colored	4,938	1,670	143	50	27	26	1,916	72	76	120	164
199	Sudden death:											
	Males—White	804	90	8	4	2		104	4	1	6	6
	Colored	401	58	3	3		1	65	2	2	5	16
	Females—White	405	59	2	3		1	65	4		5	7
	Colored	338	45	3	2		1	51		4	11	11
200a	Cause of death ill-defined:											
	Males—White	1,595	238	53	15	1	8	315	24	5	19	18
	Colored	1,107	216	44	22	3	5	290	27	8	16	21
	Females—White	905	204	52	10	7	2	275	11	10	13	19
	Colored	908	179	44	13	4	3	243	16	13	23	32
200b	Cause of death not specified or unknown:											
	Males—White	3,641	1,746	95	36	24	15	1,916	51	28	24	41
	Colored	3,944	1,836	95	39	30	22	2,022	70	46	65	93
	Females—White	2,855	1,317	82	43	21	22	1,485	47	28	34	46
	Colored	3,692	1,446	96	35	23	22	1,622	56	59	86	121
Punch symbol	SUPPLEMENTAL[1]											
201	Accidents in mines and quarries:											
	Males—White	1,358				1		1	4	5	49	154
	Colored	157									7	16
	Females—White	5									2	
202	Accidents from agricultural machinery:											
	Males—White	258			1	4	2	7	7	8	15	24
	Colored	18							1		2	1
	Females—White	8			2		2	4		1		
203	Elevator accidents:											
	Males—White	190		1	1		2	4	3	6	11	19
	Colored	16								1	1	1
	Females—White	7									1	2
	Colored	3									1	
204	Accidents from machinery used for recreation:											
	Males—White	8							1	3	1	1
	Colored	1										
	Females—White	4		1				1	1	2		

[1] See footnote at end of table.

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
14	14	19	31	40	39	36	30	44	33	20	8	4	1				
4	1	1	2	6	4	3	4	2	4	2	1				1		
1	1		3		2	4	3	6	6	3	2	1				1	188
					2		1			2						1	
	1	1		1	1		4	2	2	1		1				1	
		1							1		1						189
				1	1	1											
6	5	7	11	24	13	19	21	15	19	13	5	2				3	
4	8	7	10	4	2	7	3	3	2	5	3	1	1				
1	2		2	1	2	2	1	2	2	1	1	2					190
		1		1		2	1	2				1			1		
14	14	27	28	39	40	28	38	47	31	25	20	6	5				
8	10	6	12	16	12	18	6	7	5	4	2	1				1	
	1	1	5	4	7	7	6	11	15	9	11	7	7				191
2	1	3	5	2	4		2	4	2		2						
23	21	19	22	10	10	9	13	9	4	1	1					1	
8	5	3	4	4	3	4		1	1								
	3	2	3	1	3	1	1		1			1					192
1	2	2	1		1			2									
90	81	42	44	26	29	19	10	6	2	6	1						
3	6	5	4			2	2					1					
4	2	4		1	2	1		1									
		1						1									193
11	10	6	4	4	7	2	2		1							1	
	3		1	2			1										
	1					1											
8	4	7	13	17	12	7	13	10	7	7	4	1	1				
	1		1		1					1							
	3	4	3	7	6	8	2	4	3	3		1					194a
1		2	2														
136	150	192	189	206	210	186	181	145	110	86	42	30	8			6	
38	32	27	31	30	31	20	14	13	10	6	4	2	2			2	
11	21	19	17	18	20	18	26	38	45	43	39	27	7	2		1	
2	12	7	4	5	5	6	6	2	8	1	6			1			
1,563	1,248	1,384	1,348	1,320	1,270	1,286	1,177	997	886	622	321	108	22	3		40	194b
185	205	204	184	161	134	119	74	57	47	20	11	11	4		1	14	
290	255	271	276	295	345	379	353	358	356	205	122	53	10			7	
41	39	39	40	40	31	30	16	17	16	9	5	3					
			1														195
1																	
8	10	8	6	4	6	3											198
18	13	9	5	2		1											
57	75	106	165	205	285	351	428	460	442	407	263	126	42	13	4	49	
117	139	162	163	177	283	252	258	281	235	196	180	108	62	27	25	39	
68	75	82	88	114	133	148	186	224	264	287	197	138	58	17	16	21	
167	159	199	192	208	239	199	243	228	180	172	161	78	61	33	51	20	
8	9	19	23	34	63	63	102	104	94	83	55	13	10			3	
11	14	25	27	24	31	35	35	38	24	13	17	6	4	3		4	
11	6	9	14	18	28	22	27	48	51	41	28	15	3	1	1	1	199
10	19	21	23	23	29	21	28	29	12	18	12	6	2	3	3	2	
15	21	34	59	81	102	143	157	167	175	122	77	34	16	1	1	9	
25	32	52	53	48	92	88	80	78	58	49	38	25	9	2	7	9	
18	18	23	14	31	38	52	70	61	84	69	51	28	15	2	2	1	200a
37	32	46	54	55	67	46	59	52	28	32	36	15	7	6	7	2	
34	45	53	83	90	120	145	169	189	173	202	131	79	16	12	3	37	
81	93	85	83	105	160	129	143	165	153	134	125	77	49	22	18	26	
39	51	50	60	65	67	74	89	115	129	177	118	95	40	14	13	19	200b
120	108	132	115	130	143	132	156	147	140	122	113	57	52	24	41	16	
																	Punch symbol
152	178	173	176	160	115	89	53	24	13	5	2					5	
15	31	30	18	12	13	9	3	2	1								201
		1			1			1									
23	11	22	27	18	22	23	24	9	12	6							
1	3	3		1	1	4		1									202
	1				1			1									
13	8	9	17	20	19	18	10	12	12	8	1						
3	4	1	2	1		1		1									
2	1								1								203
2																	
	1		1														
			1														204

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

Punch symbol	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	SUPPLEMENTAL [1]—continued											
205	Other machinery accidents:											
	Males—White	766		2	6	2	5	15	13	7	34	77
	Colored	76							4	2	6	10
	Females—White	30		2	1	1	1	5	1	1	2	
	Colored	1										
206	Railroad and automobile collisions:											
	Males—White	1,014	1	3	3	6	2	15	15	18	79	111
	Colored	52							1		3	7
	Females—White	376	3	3	2	4	3	15	16	19	39	57
	Colored	18							2		3	2
207	Other railroad accidents:											
	Males—White	2,630		7	4	5	4	20	54	66	231	235
	Colored	579			1			1	7	13	57	77
	Females—White	202		2	6	2	3	13	21	6	16	5
	Colored	44		2	2			4	3	3	4	3
208	Street car and automobile collisions:											
	Males—White	226							3	2	15	29
	Colored	11							1			1
	Females—White	62			1			1	5	1	4	10
	Colored	1										
209	Other street car accidents:											
	Males—White	358		1	4	1	4	10	8	6	8	15
	Colored	30									2	2
	Females—White	128		3	5	1	2	11	3	4		1
	Colored	4							1			1
210	Automobile accidents (primary):											
	Males—White	17,814	43	70	115	207	232	667	976	686	1,256	1,839
	Colored	1,835	8	4	10	19	19	60	104	77	126	182
	Females—White	5,846	30	66	57	102	108	368	521	248	487	472
	Colored	538	1	4	6	15	14	40	57	21	32	31
211	Motor-cycle accidents:											
	Males—White	201		1		1		2	5	3	43	66
	Colored	13									4	2
	Females—White	20	1			2	1	4			2	3
	Colored	2										
212	Other land transportation accidents:											
	Males—White	860	6	4	9	16	6	41	51	94	72	45
	Colored	114	1	2	1		3	7	2	12	7	7
	Females—White	127	3	2	1	4	7	17	14	16	9	10
	Colored	19				1		1	2	2		3
213	Water transportation accidents:											
	Males—White	878			2		4	6	24	57	101	125
	Colored	158	1	2				3	3	11	18	25
	Females—White	62		1	1	1	2	5	2	5	15	9
	Colored	17							2	4	4	3
214	Air transportation accidents:											
	Males—White	337					1	1		4	23	75
	Colored	4										
	Females—White	39			1			1		1	8	9

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supple obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	*Punch symbol*
77	84	89	71	71	83	55	32	29	15	7	6					1	205
13	11	9	8	6	5		2										
	1	2		1	3	3		3	6	1	1						
	1																
105	89	95	89	79	81	72	71	37	30	15	6	4	1			2	206
7	6	7	9	6	3	2	1										
31	23	29	22	37	26	22	12	8	10	4	4					2	
1	3	3	1	2		1											
189	189	228	239	239	217	207	165	158	72	61	27	6	4			23	207
79	72	60	63	41	29	21	17	11	9	6		1				15	
7	11	9	12	13	8	14	17	14	17	8	8	2	1				
3	3	1	3	4	2	2			5	2	1	1					
31	30	24	25	23	12	11	11	4	4	2							208
2		1	4	1		1											
8	6	1	8	6	2	5	1	4									
						1											
21	18	17	23	35	27	32	31	31	26	28	15	5	2				209
3	2	2	2	3	1	3	4	3		2		1					
3	2	3	3	6	7	15	23	10	23	11	2	1					
			1		1												
1,447	1,097	1,235	1,198	1,163	1,165	1,156	1,071	946	869	579	311	102	18	2		31	210
179	168	182	153	150	132	110	60	54	45	18	9	11	4		1	10	
317	295	284	291	304	367	392	372	361	360	220	118	55	10			9	
51	48	43	42	44	33	29	17	19	14	10	4	3					
26	16	9	6	6	4	1	1	3	5	4	1						211
1	2		1	2			1										
2		2	1		1			2	1	1	1						
				1		1											
40	28	36	36	48	53	55	69	59	65	42	17	4	1	1		3	212
7	7	4	10	8	8	11	6	7	4	4	3						
7	6	8	5	4	6	4	4	1	10	4	2						
	3		1	1	3			1	2								
101	109	71	75	57	45	49	25	16	8	6						3	213
14	25	17	9	11	6	4	3	3	2							4	
8	3	5	3	4	1		1	1									
3																1	
86	50	49	30	8	7	1			1	1						1	214
1	2	1															
10	7	1	1	1													

mental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To numbers in the regular table.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	Total deaths (all causes) Male	85,752	2,385	1,103	741	3,809	432
	Total deaths (all causes) Female	77,690	2,247	133	276	3,106	40
	I.—Infectious and parasitic diseases Male	17,923	760	243	189	1,122	187
	I.—Infectious and parasitic diseases Female	16,827	758	34	83	924	18
1	Typhoid fever M	702	22	------	1	16	4
	Typhoid fever F	589	17	------	1	11	------
2	Paratyphoid fever M	3	------	------	------	2	------
	Paratyphoid fever F	7	------	------	1	2	------
3	Typhus fever M	2	------	------	------	------	------
	Typhus fever F	2	------	------	------	------	------
5	Undulant fever M	3	1	------	------	------	------
	Undulant fever F	2	------	------	------	------	------
6	Smallpox M	9	------	------	------	------	------
	Smallpox F	6	1	------	------	1	------
7	Measles M	70	8	------	1	7	------
	Measles F	51	7	------	1	6	------
8	Scarlet fever M	23	1	1	------	2	------
	Scarlet fever F	43	1	------	3	4	------
9	Whooping cough M	501	31	------	3	38	------
	Whooping cough F	597	43	3	3	64	1
10	Diphtheria M	207	9	------	2	29	1
	Diphtheria F	208	4	1	------	21	1
11a	Influenza, respiratory complications specified M	1,717	60	13	14	119	4
	Influenza, respiratory complications specified F	1,664	69	2	4	111	------
11b	Influenza, respiratory complications not specified M	900	34	1	5	34	2
	Influenza, respiratory complications not specified F	1,028	44	------	1	38	1
13	Dysentery M	194	9	------	------	30	------
	Dysentery F	220	12	1	2	9	------
15	Erysipelas M	47	3	1	1	4	------
	Erysipelas F	32	3	------	------	4	------
16	Acute poliomyelitis, acute polioencephalitis M	41	1	------	------	2	------
	Acute poliomyelitis, acute polioencephalitis F	35	4	------	------	7	------
17	Lethargic or epidemic encephalitis M	28	3	1	2	1	------
	Lethargic or epidemic encephalitis F	29	5	------	------	2	------
18	Epidemic cerebrospinal meningitis M	123	8	------	------	6	1
	Epidemic cerebrospinal meningitis F	81	3	------	2	------	------
21	Rabies M	6	------	------	------	------	------
	Rabies F	2	------	------	------	------	------
22	Tetanus M	179	1	------	1	8	------
	Tetanus F	70	5	------	------	6	------
	Tuberculosis (all forms) M	9,517	506	203	147	729	157
	Tuberculosis (all forms) F	9,370	490	25	61	587	15
23	Respiratory system M	8,561	442	191	130	643	144
	Respiratory system F	8,538	425	17	46	490	13
24	Meninges and central nervous system M	230	35	2	6	33	3
	Meninges and central nervous system F	191	28	6	7	32	1
25	Intestines and peritoneum M	241	10	2	6	18	5
	Intestines and peritoneum F	290	16	------	2	26	------
26	Vertebral column M	107	1	1	3	2	------
	Vertebral column F	50	3	------	1	4	------
27a	Bones (vertebral column excepted) M	23	2	------	------	------	1
	Bones (vertebral column excepted) F	13	2	------	------	1	------
27b	Joints M	37	2	------	------	3	------
	Joints F	18	------	------	1	------	------
28	Skin and subcutaneous cellular tissue M	3	------	------	------	------	1
	Skin and subcutaneous cellular tissue F	8	1	------	------	------	------
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) M	16	1	1	------	3	------
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) F	23	1	------	------	2	------
30	Genitourinary system M	21	2	1	------	1	------
	Genitourinary system F	22	2	1	------	3	------
31	Other organs M	12	------	------	------	------	------
	Other organs F	11	1	------	------	------	------
32a	Acute disseminated tuberculosis M	237	9	4	1	24	2
	Acute disseminated tuberculosis F	183	9	1	4	28	1
32b,c	Other disseminated tuberculosis M	29	2	1	1	2	1
	Other disseminated tuberculosis F	23	2	------	------	1	------
33	Leprosy M	2	------	1	------	------	2
	Leprosy F	2	------	------	------	1	------
34	Syphilis M	2,837	44	16	11	86	14
	Syphilis F	1,773	36	1	2	37	------
35	Gonococcus infection, other venereal diseases M	71	2	1	------	1	------
	Gonococcus infection, other venereal diseases F	251	4	1	------	6	------
36	Purulent infection, septicemia (nonpuerperal) M	48	4	------	1	4	------
	Purulent infection, septicemia (nonpuerperal) F	69	2	------	------	2	------
38	Malaria M	604	6	3	------	------	------
	Malaria F	622	3	------	------	2	------
39	Other diseases due to protozoal parasites M	3	------	1	------	1	------
	Other diseases due to protozoal parasites F	4	------	------	------	------	------
40	Ankylostomiasis F	2	1	------	------	------	------
41a	Hydatid cysts of liver F	------	------	------	1	------	------
41b	Hydatid cysts of other organs F	1	------	------	------	------	------
42	Other diseases caused by helminths M	21	2	------	------	------	------
	Other diseases caused by helminths F	17	------	------	------	------	------
43	Mycoses M	40	1	1	------	3	2
	Mycoses F	39	1	------	------	1	------
44	Other infectious and parasitic diseases M	25	4	------	------	------	------
	Other infectious and parasitic diseases F	11	3	------	1	2	------
	II.—Cancers and other tumors Male	2,475	47	76	71	109	8
	II.—Cancers and other tumors Female	5,154	82	8	18	185	------
	Cancer and other malignant tumors M	2,376	46	76	70	104	8
	Cancer and other malignant tumors F	4,426	78	7	17	178	------
(45)	Buccal cavity M	132	1	2	------	2	1
	Buccal cavity F	54	------	------	------	------	------
(45)	Pharynx M	31	------	------	1	------	------
	Pharynx F	17	------	------	------	------	------
(46)	Esophagus M	57	------	1	6	------	------
	Esophagus F	23	------	------	------	1	------
	II.—Cancers and other tumors—Continued						
	Cancer and other malignant tumors—Continued[a]						
(46)	Stomach and duodenum M	741	14	24	35	41	1
	Stomach and duodenum F	608	18	------	5	35	------
(46)	Liver and biliary passages M	201	2	6	7	13	1
	Liver and biliary passages F	228	11	1	1	19	------
(46)	Pancreas M	68	1	3	------	4	1
	Pancreas F	40	2	------	------	1	------
(46)	Other digestive tract and peritoneum M	301	6	12	13	12	------
	Other digestive tract and peritoneum F	357	8	1	------	14	------
47	Respiratory system M	111	2	6	5	11	------
	Respiratory system F	48	------	------	1	4	------
48	Uterus F	1,877	26	1	4	76	------
49	Other female genital organs F	124	2	1	------	4	------
50	Breast M	16	1	------	------	------	------
	Breast F	688	7	2	1	12	------
51	Male genitourinary organs M	442	11	7	------	12	------
52	Skin M	35	1	3	------	------	------
	Skin F	36	1	------	------	1	------
53	Other or unspecified organs M	241	7	12	3	9	4
	Other or unspecified organs F	326	3	1	5	11	------
54a	Nonmalignant tumors, ovary F	17	------	------	------	1	------
54b	Nonmalignant tumors, uterus F	583	1	------	1	4	------
54c	Nonmalignant tumors, other female genital organs F	2	------	------	------	------	------
54d,e	Nonmalignant tumors, other organs M	32	1	------	1	2	------
	Nonmalignant tumors, other organs F	40	1	------	------	1	------
55a	Tumors, ovary (nature unspecified) F	2	------	------	------	------	------
55b	Tumors, uterus (nature unspecified) F	5	------	------	------	------	------
55d,e	Tumors, other organs (nature unspecified) M	67	------	------	------	3	------
	Tumors, other organs (nature unspecified) F	79	2	1	------	1	------
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Male	1,514	36	27	10	42	3
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases Female	2,929	43	4	4	55	------
56	Acute rheumatic fever M	158	6	------	1	4	1
	Acute rheumatic fever F	223	4	1	------	5	------
57	Chronic rheumatism, osteoarthritis M	37	------	------	------	------	------
	Chronic rheumatism, osteoarthritis F	51	5	------	------	------	------
59	Diabetes mellitus M	571	13	23	5	14	2
	Diabetes mellitus F	952	17	1	2	25	------
60	Scurvy M	5	------	------	------	------	------
	Scurvy F	4	1	------	------	1	------
61	Beriberi M	1	------	------	------	------	------
62	Pellagra M	542	3	1	1	2	------
	Pellagra F	1,354	3	------	------	------	------
63	Rickets M	54	3	------	------	3	------
	Rickets F	42	2	------	------	6	------
64	Osteomalacia F	1	------	------	------	------	------
65	Diseases of pituitary body F	3	------	------	------	------	------
66a	Simple goiter M	5	------	------	------	1	------
	Simple goiter F	30	2	------	------	------	------
66b	Exophthalmic goiter M	34	3	1	------	2	------
	Exophthalmic goiter F	193	6	------	1	5	------
(66)	Other diseases of thyroid and parathyroid glands M	10	2	------	------	------	------
	Other diseases of thyroid and parathyroid glands F	15	1	------	------	5	------
67	Diseases of thymus gland M	54	6	2	3	15	------
	Diseases of thymus gland F	31	1	1	1	6	------
68	Diseases of adrenals (Addison's disease not specified as tuberculous) M	6	------	------	------	1	------
	Diseases of adrenals (Addison's disease not specified as tuberculous) F	6	------	1	------	1	------
69	Other general diseases M	37	------	------	------	------	------
	Other general diseases F	24	1	------	------	1	------
	IV.—Diseases of the blood and blood-making organs Male	225	9	7	3	11	------
	IV.—Diseases of the blood and blood-making organs Female	194	5	1	2	13	------
70	Hemorrhagic conditions M	29	5	1	------	4	------
	Hemorrhagic conditions F	27	1	------	------	2	------
71a	Pernicious anemia M	61	1	2	------	3	------
	Pernicious anemia F	76	2	1	1	6	------
71b	Other anemias M	20	1	------	------	------	------
	Other anemias F	32	------	------	------	1	------
72a	True leukemias M	58	------	1	3	1	------
	True leukemias F	34	1	------	1	2	------
72b	Pseudoleukemias (Hodgkin's disease) M	43	2	1	------	2	------
	Pseudoleukemias (Hodgkin's disease) F	20	1	------	------	1	------
73	Diseases of spleen M	13	------	1	------	1	------
	Diseases of spleen F	4	------	------	------	------	------
74	Other diseases of blood and blood-making organs M	1	------	1	------	------	------
	Other diseases of blood and blood-making organs F	1	------	------	------	1	------
	V.—Chronic poisonings and intoxications Male	296	12	3	1	13	3
	V.—Chronic poisonings and intoxications Female	84	3	------	------	2	------
75	Alcoholism (acute or chronic) M	286	12	1	1	12	3
	Alcoholism (acute or chronic) F	68	3	------	------	1	------
76	Chronic poisoning by other organic substances M	5	------	2	------	1	------
	Chronic poisoning by other organic substances F	4	------	------	------	------	------
77a	Chronic lead poisoning M	3	------	------	------	------	------
	Chronic lead poisoning F	3	------	------	------	1	------
77b,c	Other chronic poisoning by mineral substances M	2	------	------	------	------	------
	Other chronic poisoning by mineral substances F	9	------	------	------	------	------

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	VI.—Diseases of the nervous system and of the organs of special sense						
	Male	7,373	121	73	48	133	10
	Female	7,190	92	6	11	111	4
78	Encephalitis (nonepidemic) M	65	2	1	3	4	----
	F	59	1	1	----	4	1
79a	Simple meningitis M	163	3	----	3	9	1
	F	103	6	----	----	9	----
79b	Nonepidemic cerebrospinal meningitis M	25	4	----	1	1	----
	F	22	1	----	----	1	----
80	Progressive locomotor ataxia (tabes dorsalis) M	72	----	1	1	3	----
	F	28	1	----	----	----	----
81	Other diseases of spinal cord M	116	1	2	----	----	----
	F	115	1	----	----	1	1
82a	Cerebral hemorrhage M	4,845	68	45	30	56	3
	F	5,325	57	5	9	58	1
82b	Cerebral embolism and thrombosis M	145	2	7	3	4	----
	F	140	3	----	----	6	----
82c	Softening of brain M	26	----	----	----	1	----
	F	13	1	----	----	1	----
82d	Hemiplegia and other paralysis, cause unspecified M	497	7	2	----	4	----
	F	565	8	----	----	3	----
83	General paralysis of insane M	709	2	10	5	14	4
	F	229	----	----	----	8	----
84	Dementia praecox and other psychoses M	92	----	4	1	3	2
	F	109	----	----	----	3	----
85	Epilepsy M	279	8	----	1	7	----
	F	158	4	----	1	3	----
86	Convulsions (under 5 years of age) M	117	5	----	----	2	----
	F	114	----	----	----	2	1
87	Other diseases of nervous system M	92	5	1	----	3	----
	F	103	1	----	----	----	----
88	Diseases of organs of vision M	8	1	----	----	----	----
	F	2	----	----	----	----	----
89a	Diseases of ear M	82	12	----	----	18	----
	F	65	7	----	1	11	----
89b	Diseases of mastoid process M	40	1	----	----	4	----
	F	40	1	----	----	1	----
	VII.—Diseases of the circulatory system						
	Male	13,264	191	256	72	331	36
	Female	12,272	164	15	20	260	1
90	Pericarditis M	105	1	----	2	7	----
	F	76	3	----	----	2	----
91a	Acute endocarditis M	144	----	2	2	8	----
	F	167	1	2	4	9	----
91b	Endocarditis, unspecified (under 45 years) M	51	----	----	----	----	----
	F	75	2	----	----	----	----
92a	Endocarditis, specified as chronic, and other valvular diseases M	3,352	52	47	17	72	9
	F	3,334	31	1	4	60	----
92b	Endocarditis, unspecified (45 years and over) M	228	2	2	1	4	----
	F	226	----	----	----	3	----
93a	Acute myocarditis M	248	2	2	2	12	1
	F	314	1	----	2	8	----
93b	Myocarditis, unspecified (under 45 years) M	191	2	1	----	7	1
	F	243	1	1	1	8	----
93c	Chronic myocarditis and myocardial degeneration M	2,608	50	119	27	93	12
	F	2,352	42	5	3	89	----
93d	Other diseases of myocardium M	1,106	12	17	7	22	2
	F	1,189	11	1	2	22	----
94a	Angina pectoris M	472	14	4	3	12	1
	F	418	7	----	----	6	----
94b	Diseases of coronary arteries M	317	7	11	4	21	4
	F	205	2	1	1	4	----
95a	Functional diseases of heart M	21	1	----	----	----	----
	F	15	2	----	----	1	----
95b	Other and unspecified diseases of heart M	3,152	27	30	5	43	4
	F	2,736	33	4	2	23	1
96	Aneurysm (except of heart) M	299	1	5	1	3	----
	F	101	1	----	----	6	----
97	Arteriosclerosis (coronary arteries excepted) M	683	15	15	----	19	2
	F	557	19	----	----	15	----
98	Gangrene M	80	1	1	----	2	----
	F	75	3	----	----	2	----
99	Other diseases of the arteries M	51	2	----	----	5	----
	F	46	----	----	----	1	----
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) M	19	----	----	1	----	----
	F	26	1	----	----	----	----
101	Diseases of lymphatic system (lymphangitis, etc.) M	16	1	----	----	----	----
	F	11	3	----	1	----	----
102	Idiopathic anomalies of blood-pressure M	93	----	----	----	----	----
	F	90	----	----	----	----	----
103	Other diseases of circulatory system M	28	1	----	----	1	----
	F	16	1	----	----	1	----
	VIII.—Diseases of the respiratory system						
	Male	8,514	302	100	59	579	60
	Female	6,550	274	23	29	468	4
104a	Diseases of nasal fossae M	85	1	1	----	----	----
	F	79	1	----	----	----	----
104b	Diseases of nasal fossae and annexae M	30	----	----	----	----	----
	F	22	----	----	----	1	----
105	Diseases of larynx M	31	1	----	1	4	----
	F	26	----	----	----	2	----
106a	Acute bronchitis M	67	7	2	----	11	2
	F	93	3	----	2	10	----
106b	Chronic bronchitis M	30	5	1	----	2	----
	F	41	2	----	----	2	----
106c, d	Bronchitis, unspecified M	61	1	1	----	----	1
	F	74	1	----	----	----	3
107a	Bronchopneumonia M	2,541	128	31	18	286	11
	F	2,121	91	15	13	256	3
107b	Capillary bronchitis M	36	1	1	2	5	----
	F	32	----	----	----	8	----
108	Lobar pneumonia M	4,402	108	49	28	224	40
	F	3,121	120	8	12	163	----
109	Pneumonia, unspecified M	713	43	2	1	15	1
	F	580	49	----	1	12	----
110	Pleurisy M	184	3	6	5	13	3
	F	127	4	----	1	1	1
111a	Pulmonary embolism and thrombosis M	18	----	1	----	2	1
	F	11	----	----	----	1	----
111b	Pulmonary congestion, edema, hemorrhagic infarct M	42	2	1	----	1	----
	F	38	2	----	----	2	----
112	Asthma M	149	2	2	1	6	1
	F	134	1	----	----	5	----
113	Pulmonary emphysema M	6	----	----	----	----	----
	F	3	----	----	----	----	----
114	Other diseases of respiratory system (tuberculosis excepted) M	119	----	2	3	9	1
	F	48	----	----	----	2	----
	IX.—Diseases of the digestive system						
	Male	5,138	187	64	74	436	22
	Female	4,524	188	9	33	406	5
115a	Diseases of pharynx, tonsils M	200	5	1	4	5	1
	F	239	4	1	3	4	----
115b	Diseases of buccal cavity and annexa M	65	----	1	1	1	----
	F	79	1	----	----	3	----
116	Diseases of esophagus M	7	----	----	----	----	----
	F	3	----	----	1	----	----
117a	Ulcer of stomach M	350	3	9	11	4	----
	F	173	3	----	----	5	1
117b	Ulcer of duodenum M	105	1	4	1	3	4
	F	31	2	----	----	----	----
118	Other diseases of stomach (cancer excepted) M	553	9	2	1	17	1
	F	597	10	----	2	11	2
119	Diarrhea, enteritis (under 2 years of age) M	1,170	80	3	9	272	5
	F	1,012	79	5	10	231	----
120	Diarrhea, enteritis (2 years and over) M	385	19	3	3	26	1
	F	440	14	----	7	40	----
121	Appendicitis M	792	26	7	12	45	6
	F	557	14	1	2	20	1
122a	Hernia M	292	1	7	----	5	----
	F	89	6	----	----	9	----
122b	Intestinal obstruction M	467	18	3	14	15	----
	F	525	14	1	2	22	1
123	Other diseases of intestines M	70	2	1	----	5	----
	F	95	2	----	----	5	----
124	Cirrhosis of liver M	351	5	16	12	19	----
	F	253	6	----	2	11	----
125a	Yellow atrophy of liver M	20	----	1	----	----	----
	F	33	1	----	----	----	----
125b	Other diseases of liver M	109	3	3	1	2	3
	F	78	----	----	----	3	----
126	Biliary calculi M	28	2	1	----	7	1
	F	83	14	----	1	22	----
127	Other diseases of gall bladder, biliary passages M	72	7	2	----	4	----
	F	110	14	----	----	12	----
128	Diseases of pancreas M	20	2	----	1	3	----
	F	16	----	----	1	----	----
129	Peritonitis, cause not specified M	82	4	----	4	3	----
	F	111	4	1	2	8	----
	X.—Diseases of the genitourinary system						
	Male	8,369	93	83	15	129	13
	Female	7,179	75	8	12	101	----
130	Acute nephritis (including unspecified under 10 years) M	495	4	5	1	14	2
	F	517	7	1	2	8	----
131	Chronic nephritis M	5,645	59	71	13	84	6
	F	5,026	49	5	9	75	----
132	Nephritis, unspecified (10 years and over) M	1,055	13	2	----	2	2
	F	821	9	----	----	2	----
133	Other diseases of kidneys, ureters (puerperal diseases excepted) M	263	4	1	----	6	1
	F	202	1	1	1	5	----
134	Calculi of urinary passages M	33	1	----	1	----	----
	F	29	2	1	----	----	----
135	Diseases of bladder (tumors excepted) M	106	4	----	----	2	----
	F	26	1	----	----	----	----
136	Diseases of urethra, urinary abscess, etc M	168	1	----	----	1	----
	F	3	----	----	----	----	----
137	Diseases of prostate M	565	6	4	----	20	1
138	Diseases of male genital organs, not specified as venereal M	39	1	----	----	----	1
139a	Cysts of ovary F	67	----	----	----	2	----
139b	Other diseases of ovaries, diseases of tubes and parametrium F	365	4	----	----	7	----
139c	Diseases of uterus F	85	2	----	----	1	----
139d	Nonpuerperal diseases of breast (cancer excepted) F	3	----	----	----	----	----
139e	Other diseases of female genital organs F	35	----	----	----	1	----

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Mexican	Other races
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Female	2,409	82	5	9	116	3
140	Abortion with septic conditions—F	265	4	1	2	12	------
141	Abortion without mention of septic conditions (includes hemorrhages)—F	101	6	------	1	6	2
142a	Ectopic gestation, septic conditions specified—F	19	------	------	------	1	------
142b	Ectopic gestation, septic conditions not mentioned—F	66	------	------	1	------	1
143	Other accidents of pregnancy (hemorrhage not included)—F	18	------	------	------	1	------
144a	Placenta praevia—F	62	2	------	------	4	------
144b	Other puerperal hemorrhages—F	143	10	1	1	12	------
145a	Puerperal septicemia and pyemia (abortion excluded)—F	563	21	1	------	26	------
145b	Puerperal tetanus (abortion excluded)—F	2	------	------	------	------	------
146	Puerperal albuminuria and eclampsia—F	688	14	1	------	20	------
147	Other toxemias of pregnancy—F	66	4	------	------	3	------
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—F	36	6	------	------	9	------
149	Other accidents of childbirth—F	365	15	1	4	21	------
150	Other and unspecified conditions of puerperal state—F	15	------	------	------	1	------
	XII.—Diseases of the skin and cellular tissue—Male	99	3	4	1	11	------
	XII.—Diseases of the skin and cellular tissue—Female	92	2	------	1	5	------
151	Furuncle, carbuncle—M	13	1	------	1	6	------
	Furuncle, carbuncle—F	17	------	------	1	2	------
152	Phlegmon, acute abscess—M	52	1	------	------	1	------
	Phlegmon, acute abscess—F	32	1	------	------	2	------
153	Other diseases of skin and annexa, and of cellular tissue—M	34	1	4	------	4	------
	Other diseases of skin and annexa, and of cellular tissue—F	43	1	------	------	1	------
	XIII.—Diseases of the bones and organs of locomotion—Male	82	4	1	1	1	1
	XIII.—Diseases of the bones and organs of locomotion—Female	52	------	------	------	1	------
54	Osteomyelitis—M	60	2	1	------	------	------
	Osteomyelitis—F	26	------	------	------	------	------
155	Other diseases of bones (tuberculosis excepted)—M	5	------	------	------	------	1
	Other diseases of bones (tuberculosis excepted)—F	10	------	------	------	------	------
156	Diseases of joints, other organs of locomotion—M	17	2	------	1	1	------
	Diseases of joints, other organs of locomotion—F	16	------	------	------	1	------
	XIV.—Congenital malformations—Male	351	14	4	4	55	------
	XIV.—Congenital malformations—Female	258	22	4	6	38	------
157a	Congenital hydrocephalus—M	65	3	------	------	5	------
	Congenital hydrocephalus—F	35	5	------	1	6	------
157b	Spina bifida and meningocele—M	13	------	------	------	6	------
	Spina bifida and meningocele—F	12	3	------	------	12	------
157c	Congenital malformations of heart—M	167	5	4	1	28	------
	Congenital malformations of heart—F	127	7	3	5	9	------
157d	Other congenital malformations—M	106	6	------	3	16	------
	Other congenital malformations—F	84	7	1	------	11	------
	XV.—Diseases of early infancy—Male	3,856	104	15	26	300	7
	XV.—Diseases of early infancy—Female	3,019	82	10	18	224	2
158	Congenital debility—M	487	18	1	2	49	------
	Congenital debility—F	403	21	------	1	38	------
159	Premature birth—M	2,492	49	11	17	178	7
	Premature birth—F	2,089	34	6	11	135	1
160	Injury at birth—M	444	21	------	3	41	------
	Injury at birth—F	266	12	3	2	23	------
161	Other diseases peculiar to early infancy—M	433	16	3	4	32	------
	Other diseases peculiar to early infancy—F	261	15	1	4	28	1
162	XVI.—Senility—Male	1,004	46	9	------	19	1
	XVI.—Senility—Female	1,080	51	------	------	18	------
	XVII.—Violent and accidental deaths—Male	10,081	246	129	164	479	78
	XVII.—Violent and accidental deaths—Female	3,205	94	6	30	143	3
	Suicide—M	392	15	33	51	28	12
	Suicide—F	131	6	1	8	12	------
163	By solid or liquid poisons or by absorption of corrosive substances—M	49	------	6	7	3	2
	By solid or liquid poisons or by absorption of corrosive substances—F	51	1	------	4	8	------
164	By poisonous gas—M	26	------	4	2	------	------
	By poisonous gas—F	10	------	------	------	------	------
165	By hanging or strangulation—M	36	1	7	20	5	2
	By hanging or strangulation—F	10	------	1	2	1	------
166	By drowning—M	21	------	5	2	1	------
	By drowning—F	13	1	------	------	------	------
167	By firearms—M	209	9	10	9	12	5
	By firearms—F	27	4	------	2	2	------
168	By cutting or piercing instruments—M	26	4	1	7	6	1
	By cutting or piercing instruments—F	5	------	------	------	------	------
169	By jumping from high places—M	18	1	------	2	------	1
	By jumping from high places—F	9	------	------	------	1	------
170	By crushing—M	2	------	------	2	------	1
171	By other means—M	5	------	------	------	1	------
	By other means—F	6	------	------	------	------	------
	Homicide—M	3,562	47	29	16	82	25
	Homicide—F	866	16	3	5	11	------
173	By firearms—M	2,455	29	13	11	57	11
	By firearms—F	483	9	1	3	5	------
174	By cutting or piercing instruments—M	735	6	9	3	13	11
	By cutting or piercing instruments—F	252	2	1	1	4	------
175	By other means—M	372	12	7	2	12	3
	By other means—F	131	5	1	1	2	------
	XVII.—Violent and accidental deaths—Continued						
	Accidental, other, or undefined—M	6,127	184	67	97	369	41
	Accidental, other, or undefined—F	2,208	72	2	17	120	3
176	Attack by venomous animals—M	14	2	------	------	1	------
	Attack by venomous animals—F	5	2	------	------	2	------
177	Poisoning by food—M	75	2	------	------	3	------
	Poisoning by food—F	65	6	1	------	1	------
178	Absorption of poisonous gas—M	39	1	3	2	5	------
	Absorption of poisonous gas—F	12	1	------	------	------	------
	Supplemental—M	4	------	------	------	------	------
179	Other acute accidental poisonings (gas excepted)—M	124	12	------	------	15	1
	Other acute accidental poisonings (gas excepted)—F	69	7	------	------	8	------
180	Conflagration—M	143	4	9	------	12	2
	Conflagration—F	116	2	------	------	10	------
181	Burns (conflagration excepted)—M	398	8	3	4	13	------
	Burns (conflagration excepted)—F	529	9	------	2	21	------
	Supplemental—M	30	2	------	------	3	1
	Supplemental—F	8	------	------	------	------	------
182	Mechanical suffocation—M	83	1	------	------	6	------
	Mechanical suffocation—F	64	1	------	1	7	------
183	Drowning—M	799	20	9	13	31	2
	Drowning—F	62	4	------	1	7	------
	Supplemental—M	145	2	8	1	9	2
	Supplemental—F	34	2	------	------	------	------
	Traumatism:						
184	By firearms (wounds of war excepted)—M	395	12	------	3	7	1
	By firearms (wounds of war excepted)—F	90	2	------	------	3	------
185	By cutting or piercing instruments (wounds of war excepted)—M	75	2	------	------	4	------
	By cutting or piercing instruments (wounds of war excepted)—F	43	1	------	------	------	------
	Supplemental—M	11	------	------	1	1	------
	Supplemental—F	3	------	------	------	------	------
186a	By fall—M	459	14	5	4	22	------
	By fall—F	271	4	------	1	8	1
	Supplemental—M	288	14	5	7	11	1
	Supplemental—F	22	3	------	------	3	------
186b	By crushing, landslide—M	43	1	------	------	2	------
	By crushing, landslide—F	5	1	------	------	------	------
	Supplemental—M	460	16	3	20	43	11
	Supplemental—F	77	------	------	1	6	------
187	Cataclysm—M	60	------	------	------	------	------
	Cataclysm—F	83	------	------	------	------	------
188	Injuries by animals—M	52	1	------	------	2	------
	Injuries by animals—F	7	1	------	------	------	------
189	Hunger and thirst—M	3	------	------	------	------	------
190	Excessive cold—M	63	3	------	2	3	------
	Excessive cold—F	12	1	------	------	------	------
191	Excessive heat—M	117	2	1	1	10	1
	Excessive heat—F	30	2	------	------	10	------
192	Lightning—M	50	5	------	------	1	------
	Lightning—F	21	2	------	------	------	------
193	Due to electric currents—M	33	1	1	1	4	------
	Due to electric currents—F	2	1	------	------	------	------
	Supplemental—M	9	------	------	1	1	------
194a	Foreign bodies—M	28	------	------	1	7	------
	Foreign bodies—F	40	------	------	------	2	------
194b	Other accidents—M	357	9	3	3	13	2
	Other accidents—F	108	5	------	1	2	------
	Supplemental—M	1,722	50	17	33	138	14
	Supplemental—F	430	15	1	10	30	2
195	Violent deaths of unknown nature—M	------	------	------	------	1	------
198	Legal executions—M	68	------	------	------	1	3
	XVIII.—Ill-defined causes of death—Male	5,188	210	9	3	39	3
	XVIII.—Ill-defined causes of death—Female	4,672	230	------	------	36	------
199	Sudden death—M	393	8	------	------	------	------
	Sudden death—F	335	2	------	------	1	------
200a	Cause of death ill-defined—M	1,053	21	6	2	24	1
	Cause of death ill-defined—F	869	20	------	------	19	------
200b	Cause of death not specified or unknown—M	3,742	181	3	1	15	2
	Cause of death not specified or unknown—F	3,468	208	------	------	16	------
Punch symbol	SUPPLEMENTAL [1]						
201	Accidents in mines and quarries—M	149	------	------	1	6	1
202	Accidents from agricultural machinery—M	12	------	------	4	2	------
203	Elevator accidents—M	14	------	1	1	------	------
	Elevator accidents—F	3	------	------	------	------	------
204	Accidents from machinery used for recreation—M	1	------	------	------	------	------
205	Other machinery accidents—M	72	------	------	1	2	1
	Other machinery accidents—F	1	------	------	------	------	------
206	Railroad and automobile collisions—M	40	------	1	3	2	6
	Railroad and automobile collisions—F	15	------	------	2	1	------
207	Other railroad accidents—M	528	21	2	4	24	------
	Other railroad accidents—F	35	2	------	------	7	------
208	Street car and automobile collisions—M	9	------	------	------	2	------
	Street car and automobile collisions—F	------	------	------	------	1	------
209	Other street car accidents—M	29	1	------	------	------	------
	Other street car accidents—F	3	1	------	------	------	------
210	Automobile accidents (primary)—M	1,550	49	17	44	168	17
	Automobile accidents (primary)—F	484	12	1	9	30	2
211	Motorcycle accidents—M	11	------	------	------	2	------
	Motorcycle accidents—F	2	------	------	------	------	------
212	Other land transportation accidents—M	99	12	1	------	2	------
	Other land transportation accidents—F	15	4	------	------	------	------
213	Water transportation accidents—M	134	1	9	4	6	4
	Water transportation accidents—F	16	1	------	------	------	------
214	Air transportation accidents—M	1	------	2	1	------	------

[1] See explanatory footnote (2) p. 171.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE [1]													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																	
	Total deaths (all causes)	1,308,529	688,602	619,927	121,267	17,864	9,274	6,607	5,496	19,804	16,552	27,054	36,614	78,525	108,659	152,310	201,407	565,513
	I.—Infectious and parasitic diseases	156,979	70,499	86,480	12,470	5,475	3,165	2,368	1,956	6,160	4,018	7,960	11,978	22,447	21,545	18,749	14,670	23,826
1	Typhoid fever	4,363	1,230	3,133	37	44	40	50	56	324	432	675	670	800	447	369	259	152
2	Paratyphoid fever	78	37	41	4	1	2		1	6	5	7	7	7	7	13	10	8
3	Typhus fever	36	14	22						5	1	3		7	2	5	6	7
5	Undulant fever	62	25	37	1					3	6	1	6	6	19	6	7	7
6	Smallpox	38	8	30	7	2			1	2	1	2	3	5	1	6	2	6
7	Measles	1,941	931	1,010	436	479	196	118	96	323	97	48	18	26	39	21	17	27
8	Scarlet fever	2,577	1,463	1,114	84	224	248	231	211	775	220	146	105	180	89	40	11	11
9	Whooping cough	5,364	2,008	3,356	3,232	1,176	416	174	119	180	19	8	3	3	4	5	7	15
10	Diphtheria	5,418	2,091	3,327	410	671	742	694	618	1,492	332	104	52	83	84	57	49	24
11a	Influenza, respiratory complications specified	24,120	9,689	14,431	2,340	883	398	274	150	524	437	820	803	1,792	2,466	2,538	2,696	7,975
11b	Influenza, respiratory complications not specified	12,946	4,018	8,928	1,473	401	247	134	126	355	311	353	317	658	854	986	1,178	5,539
13	Dysentery	2,083	567	1,516	493	305	110	69	32	69	24	28	23	67	88	118	131	523
15	Erysipelas	1,934	1,041	893	537	47	17	12	5	24	28	32	32	81	133	185	247	550
16	Acute poliomyelitis, acute polioencephalitis	828	389	439	93	88	67	56	55	188	112	62	46	22	22	8	3	6
17	Lethargic or epidemic encephalitis	874	480	394	13	22	13	19	10	36	34	52	48	131	134	139	117	104
18	Epidemic cerebrospinal meningitis	1,677	1,153	524	266	121	70	59	55	226	165	145	98	154	117	110	56	35
20	Anthrax (bacillus anthracis) malignant pustule	12	4	8									3	1	2	2	2	2
21	Rabies	55	19	36		1	1	5	2	9	7	1	1	8	2	3	7	3
22	Tetanus	1,119	656	463	133	13	16	18	43	224	185	72	46	81	82	93	62	50
	Tuberculosis (all forms)	75,509	36,272	39,237	834	727	421	305	265	989	1,332	4,912	8,853	16,453	14,312	11,157	7,699	7,158
23	Respiratory system	67,789	31,601	36,188	317	239	129	115	88	475	963	4,375	8,256	15,363	13,330	10,449	7,093	6,512
24	Meninges and central nervous system	2,317	1,583	734	325	330	213	131	109	316	137	137	126	181	141	87	44	38
25	Intestines and peritoneum	1,942	1,020	922	46	27	14	14	22	62	88	139	178	355	329	234	197	235
26	Vertebral column	809	459	350	7	8	7	5	10	34	44	52	73	141	124	111	96	96
27a	Bones (vertebral column excepted)	169	58	111	1	2			1	6	11	12	13	23	23	19	22	36
27b	Joints	257	116	141	5	1		2	5	6	13	30	22	31	34	31	33	44
28	Skin and subcutaneous cellular tissue	59	25	34	1		1				2	5	4	7	6	4	6	23
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	164	73	91	10	6	3	6	3	6	8	13	10	13	11	14	24	37
30	Genitourinary system	520	317	203	2		1	1		2	4	30	33	105	125	76	81	60
31	Other organs	119	70	49	1		1			1	3	3	6	20	19	26	18	21
32a	Acute disseminated tuberculosis	1,193	868	325	109	112	52	30	27	73	55	103	117	181	142	85	71	34
32b,c	Other disseminated tuberculosis	171	82	89	10	2		1		8	4	13	15	33	28	21	14	22
33	Leprosy	25	2	23							1		3	3	8	4	5	1
34	Syphilis	10,684	6,596	4,088	1,647	102	36	24	15	53	62	181	398	1,199	2,016	2,285	1,637	1,010
35	Gonococcus infection and other venereal diseases	916	653	263	25	1	1		1	3	1	77	160	294	190	98	42	23
36	Purulent infection, septicemia (non-puerperal)	869	434	435	80	25	11	8	11	44	48	54	64	93	92	104	91	142
38	Malaria	2,568	335	2,233	165	81	82	83	64	227	132	145	187	222	251	313	240	367
39	Other diseases due to protozoal parasites	52	31	21	5					5	1	3	1	6	13	6	6	6
40	Ankylostomiasis	24	8	16			1	2		7	4	3	1	2		1		2
41a	Hydatid cysts of liver	24	19	5	2							1		3	3	3	7	5
41b	Hydatid cysts of other organs	12	6	6									2	3	3	2	2	
42	Other diseases caused by helminths	114	30	84	5	19	14	17	7	21	4	2	7	6	3	2	5	2
43	Mycoses	249	120	129	72	8	1			2	2	8	14	27	33	29	28	24
44	Other infectious and parasitic diseases	408	170	238	76	34	15	16	13	44	15	15	7	24	29	36	41	42
	II.—Cancers and other tumors	128,597	76,268	52,329	96	97	132	118	110	406	361	551	755	3,666	11,653	22,936	31,816	55,799
	Cancer and other malignant tumors	122,739	72,097	50,642	56	70	101	92	75	274	245	418	610	2,958	10,021	21,485	31,107	55,132
(45)	Buccal cavity	3,676	2,017	1,659	1	1	4	2		8	7	9	11	50	174	532	903	1,972
(45)	Pharynx	920	474	446						1	3	4	4	13	37	110	267	481
(46)	Esophagus	2,063	1,556	507		1						1	1	8	78	362	653	959
(46)	Stomach and duodenum	25,909	14,031	11,878			1	2		3	2	10	41	292	1,334	3,713	6,753	13,735
(46)	Liver and biliary passages	10,452	5,236	5,216	8	5	5	2	2	12	11	8	23	117	499	1,517	2,793	5,436
(46)	Pancreas	3,371	2,320	1,051					1	2	1	2	3	39	208	593	1,024	1,498
(46)	Other digestive tract and peritoneum	19,015	12,064	6,951	6	4	6	10	14	36	23	43	80	440	1,381	2,962	4,930	9,065
47	Respiratory system	4,549	3,300	1,249	1	2	3		4	14	20	27	49	126	483	1,068	1,363	1,386
48	Uterus	14,908	8,745	6,163		1	1				3	8	80	771	2,502	3,987	3,612	3,927
49	Other female genital organs	2,684	1,936	748		1	4	1		5	7	23	35	113	395	684	722	694
50	Breast	11,889	7,131	4,758							1	8	25	304	1,494	3,084	3,132	3,836
51	Male genitourinary organs	9,594	5,742	3,852	9	13	20	16	13	20	7	22	47	155	332	854	2,124	5,956
52	Skin	3,137	1,229	1,908	2	2	3	1	1	5	3	10	11	40	123	256	455	2,220
53	Other or unspecified organs	10,572	6,316	4,256	29	40	54	58	40	168	157	243	200	490	981	1,763	2,376	3,967
54a	Nonmalignant tumors, ovary	167	124	43							2	1	9	27	34	41	29	23
54b	Nonmalignant tumors, uterus	2,432	1,866	566								1	18	306	1,014	765	172	151
54c	Nonmalignant tumors, other female genital organs	12	9	3											2	5	5	
54d,e	Nonmalignant tumors, other organs	1,286	978	308	19	11	14	8	17	47	48	70	48	136	214	242	202	210
55a	Tumors, ovary (nature unspecified)	22	10	12								2		5	6	3	3	3
55b	Tumors, uterus (nature unspecified)	18	9	9										2	4	4	4	4
55c	Tumors, other female genital organs (nature unspecified)	1		1											1			
55d,e	Tumors, other organs (nature unspecified)	1,920	1,175	745	21	16	17	18	18	85	66	59	70	232	357	391	294	276

[1] In this table, deaths at "age unknown" (numbering in all 1,583 for the registration area) are not shown separately but are, of course, included in the total number of deaths.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	40,983	23,377	17,606	1,475	234	146	101	124	599	757	751	836	1,943	3,038	5,548	9,559	15,822
56	Acute rheumatic fever	2,601	1,482	1,119	9	8	22	34	51	321	359	204	176	263	229	261	245	412
57	Chronic rheumatism, osteoarthritis	1,501	617	884				1		6	11	14	17	51	74	132	260	932
58	Gout	1	1												1			
59	Diabetes mellitus	26,368	16,136	10,232	17	30	13	12	37	177	311	340	319	690	1,294	3,350	7,275	12,490
60	Scurvy	33	14	19	18	3	1	1	1	1		1		2	1	1	1	2
61	Beriberi	5	1	4					1					2	1			1
62	Pellagra	3,694	1,051	2,643	1	7	7	1	2	13	25	87	180	511	655	683	672	830
63	Rickets	354	138	216	221	59	33	12	5	8	2	5	1	2	2	1	1	2
64	Osteomalacia	13	8	5	3								1		2	1	3	3
65	Diseases of pituitary body	60	34	26	2		1		1	2	1	7	3	4	15	8	9	7
66a	Simple goiter	290	167	123	1		1				1	6	5	17	34	64	74	86
66b	Exophthalmic goiter	3,666	2,358	1,308	1					3	16	53	90	310	594	886	873	836
(66)	Other diseases of thyroid and parathyroid glands	388	209	179	103	23	14	17	4	16	8	5	11	25	26	44	44	48
67	Diseases of thymus gland	1,230	757	473	998	77	32	16	12	40	13	14	12	8	4	1	3	
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	357	210	147							2	7	13	43	85	82	65	58
69	Other general diseases	422	194	228	101	27	22	7	10	12	8	8	8	15	21	34	34	115
	IV.—Diseases of the blood and blood-making organs	9,866	5,726	4,140	544	146	108	105	81	317	243	296	317	689	931	1,305	1,957	2,818
70	Hemorrhagic conditions	791	430	361	351	25	16	25	14	38	40	31	25	57	32	46	30	61
71a	Pernicious anemia	3,890	1,846	2,044	26	22	11	8	9	32	25	41	51	117	245	486	1,006	1,804
71b	Other anemias	500	252	248	103	32	11	3	1	18	9	9	9	18	18	34	59	176
72a	True leukemias	2,802	1,938	864	46	48	59	61	43	160	96	143	115	246	341	433	521	488
72b	Pseudoleukemias (Hodgkin's disease)	1,340	883	457	4	4	5	2	10	45	48	48	88	192	218	225	246	205
73	Diseases of the spleen	431	279	152	13	14	4	6	3	23	21	20	24	50	58	62	69	64
74	Other diseases of blood and blood-making organs	112	98	14	1	1	2		1	1	4	4	5	9	19	19	26	20
	V.—Chronic poisonings and intoxications	3,300	2,105	1,195	1	7	4	2		4	3	28	67	457	919	930	598	272
75	Alcoholism (acute or chronic)	3,049	1,922	1,127							2	26	56	418	859	882	557	241
76	Chronic poisoning by other organic substances	146	104	42								1	7	30	47	27	16	18
77a	Chronic lead poisoning	78	60	18		7	4	2		1	1	1	1	4	8	16	22	11
77b,c	Other chronic poisoning by mineral substances	27	19	8	1					3			3	5	5	5	3	2
	VI.—Diseases of the nervous system and of the organs of special sense	129,665	60,909	68,756	2,258	661	392	251	248	1,231	1,042	1,099	1,244	3,128	7,337	14,921	24,521	71,188
78	Encephalitis (nonepidemic)	1,293	713	580	90	68	43	24	17	103	78	64	69	151	154	160	130	141
79a	Simple meningitis	2,037	1,353	684	455	152	106	53	51	188	142	116	103	140	160	174	111	84
79b	Nonepidemic cerebrospinal meningitis	322	143	179	67	28	20	12	7	37	29	23	14	29	14	18	18	5
80	Progressive locomotor ataxia (tabes dorsalis)	1,188	645	543							2	2	2	25	100	245	407	404
81	Other diseases of spinal cord	3,026	1,486	1,540	14	19	9	8	12	39	56	84	74	124	261	434	682	1,204
82a	Cerebral hemorrhage	94,694	43,658	51,036	110	28	15	16	10	46	65	99	207	886	3,573	10,293	19,129	60,112
82b	Cerebral embolism and thrombosis	5,397	3,365	2,032	9	10	7	4	3	26	41	39	64	156	313	542	1,057	3,121
82c	Softening of brain	688	335	353										2	7	41	76	562
82d	Hemiplegia and other paralysis, cause unspecified	4,118	1,206	2,912	13	6	9	1	7	19	12	17	21	75	147	409	701	2,675
83	General paralysis of insane	4,573	1,858	2,715	1					1	5	18	40	399	1,294	1,331	937	541
84	Dementia praecox and other psychoses	1,342	422	920							4	37	87	197	261	277	202	276
85	Epilepsy	2,842	895	1,947	52	24	19	21	21	102	195	286	308	503	445	314	227	321
86	Convulsions (under 5 years of age)	841	202	639	678	93	46	13	11									
87	Other diseases of nervous system	3,367	1,620	1,747	111	56	37	31	22	79	84	69	60	150	254	350	584	1,476
88	Diseases of organs of vision	77	55	22	8		1	2	2	4	2	8	4	6	5	4	9	22
89a	Diseases of ear	2,322	1,693	629	504	125	49	43	49	319	168	122	106	160	172	196	159	148
89b	Diseases of mastoid process	1,538	1,260	278	146	52	31	23	36	268	159	115	85	125	177	133	92	96
	VII.—Diseases of the circulatory system	295,509	163,073	132,436	431	173	118	125	143	974	1,475	1,867	2,311	6,816	15,628	32,890	55,649	176,664
90	Pericarditis	907	508	399	17	3	3	7	2	15	22	24	37	76	105	144	136	315
91a	Acute endocarditis	2,953	1,967	986	28	24	17	24	26	143	181	244	248	495	411	355	350	407
91b	Endocarditis, unspecified (under 45 years)	606	328	278	17	10	2	3	7	57	38	67	73	124	208			
92a	Endocarditis, specified as chronic, and other valvular diseases	57,358	27,561	29,797	64	38	26	43	48	422	762	887	1,020	2,516	4,348	6,587	9,842	30,696
92b	Endocarditis, unspecified (45 years and over)	3,977	1,919	2,058												633	878	2,463
93a	Acute myocarditis	4,375	2,535	1,840	36	12	9	2	11	29	27	48	84	178	422	735	907	1,867
93b	Myocarditis, unspecified (under 45 years)	1,457	853	604	40	9	8	8	4	28	35	53	79	351	842			
93c	Chronic myocarditis and myocardial degeneration	91,181	56,442	34,739	10	11	4	5	7	59	92	137	211	980	3,314	8,638	16,948	60,704
93d	Other diseases of myocardium	28,513	15,936	12,577	7	3		2	2	8	6	13	31	72	212	3,226	5,588	19,324
94a	Angina pectoris	19,893	10,191	9,702	1					1	5	9	35	253	1,169	2,912	5,251	10,246
94b	Diseases of coronary arteries	17,453	11,781	5,672	3		2	1			3	14	41	247	1,179	2,950	4,640	8,361
95a	Functional diseases of heart	716	297	419	4					1	1	4	7	21	58	82	130	408
95b	Other and unspecified diseases of heart	39,307	19,659	19,648	119	33	34	20	28	183	273	315	362	1,214	2,616	4,985	7,688	21,383
96	Aneurysm (except of heart)	2,181	1,498	683	2		1		2		5	13	17	98	283	513	556	691
97	Arteriosclerosis (coronary arteries excepted)	20,534	9,568	10,966									3	30	127	597	2,010	17,756
98	Gangrene	924	334	590	19	5	4		3	7	6	4	7	21	30	43	105	665
99	Other diseases of arteries	1,526	911	615	10	3		2	1	7	6	19	23	60	138	223	282	751

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																	
	VII.—Diseases of the circulatory system—Continued																	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	698	434	264	5	2	1	1	1	1	3	9	15	39	85	132	165	239
101	Diseases of lymphatic system (lymphangitis, etc.)	172	86	86	35	19	7	6	1	10	6	3	6	16	7	12	16	28
102	Idiopathic anomalies of blood-pressure	529	166	363	------	------	------	------	------	------	------	------	1	12	56	89	118	253
103	Other diseases of circulatory system	249	99	150	14	1	------	1	------	3	4	4	11	13	18	34	39	107
	VIII.—Diseases of the respiratory system	105,935	58,851	47,084	17,898	4,367	1,927	1,056	686	2,106	1,585	2,386	2,708	6,354	8,967	10,515	11,754	33,522
104a	Diseases of nasal fossae	381	123	258	198	18	14	6	6	7	10	4	7	15	16	7	10	63
104b	Diseases of nasal fossae and annexae	708	505	203	26	7	3	4	3	40	77	76	66	101	83	91	68	63
105	Diseases of larynx	488	222	266	100	66	37	42	28	63	9	8	5	18	27	32	19	33
106a	Acute bronchitis	1,597	808	789	425	81	41	16	4	23	11	5	14	29	42	53	114	739
106b	Chronic bronchitis	1,840	915	925	19	6	3	2	------	7	6	16	22	58	88	140	234	1,237
106c,d	Bronchitis, unspecified	901	378	523	201	22	13	6	5	11	7	3	9	19	29	38	53	485
107a	Bronchopneumonia	38,708	22,152	16,556	11,764	2,486	984	488	295	730	404	435	457	1,140	1,725	2,280	3,039	12,462
107b	Capillary bronchitis	466	206	260	216	39	10	6	4	10	2	1	5	5	8	13	23	123
108	Lobar pneumonia	49,524	28,356	21,168	3,549	1,236	616	374	276	995	890	1,562	1,776	4,212	5,902	6,540	6,844	14,692
109	Pneumonia, unspecified	3,776	893	2,883	1,061	223	98	58	28	99	78	114	119	228	240	262	274	881
110	Pleurisy	2,618	1,802	816	175	139	75	38	26	75	61	101	125	269	338	345	328	521
111a	Pulmonary embolism and thrombosis	442	262	180	10	------	1	------	------	------	2	9	8	28	52	79	96	157
111b	Pulmonary congestion, edema, hemorrhagic infarct	1,356	639	717	59	10	5	4	3	5	4	11	7	22	31	52	82	1,060
112	Asthma	1,804	832	972	26	20	13	10	5	19	11	10	31	90	183	301	337	745
113	Pulmonary emphysema	114	66	48	10	------	1	------	------	1	2	3	1	3	10	16	19	48
114	Other diseases of respiratory system (tuberculosis excepted)	1,212	692	520	59	14	13	2	3	21	11	28	56	117	193	266	214	213
	IX.—Diseases of the digestive system	87,300	51,495	35,805	13,155	3,925	1,500	947	724	2,601	2,150	2,469	2,713	6,043	9,093	11,870	12,092	17,911
115a	Diseases of pharynx and tonsils	4,350	2,702	1,648	201	167	149	170	138	527	284	273	310	516	480	428	350	355
115b	Diseases of buccal cavity and annexa	841	470	371	55	17	10	7	5	36	19	34	64	107	133	120	103	128
116	Diseases of esophagus	140	96	44	9	1	------	3	2	1	1	------	3	7	12	17	20	64
117a	Ulcer of stomach	4,909	3,048	1,861	5	3	2	------	------	9	21	44	120	423	784	1,153	1,050	1,292
117b	Ulcer of duodenum	2,283	1,711	572	9	------	1	2	2	2	2	14	37	228	437	569	485	494
118	Other diseases of stomach (cancer excepted)	3,670	1,218	2,452	510	105	56	30	19	60	33	51	87	199	360	516	489	1,113
119	Diarrhea, enteritis (under 2 years of age)	14,375	5,592	8,783	11,105	3,270	------	------	------	------	------	------	------	------	------	------	------	------
120	Diarrhea, enteritis (2 years and over)	5,244	1,994	3,250	------	------	914	417	244	318	102	86	115	232	311	431	474	1,596
121	Appendicitis	17,111	12,048	5,063	46	126	174	215	220	1,301	1,426	1,568	1,316	2,270	2,516	2,496	1,935	1,491
122a	Hernia	4,863	3,483	1,380	78	16	3	3	5	6	7	24	38	146	423	806	1,102	2,200
122b	Intestinal obstruction	7,406	4,644	2,762	861	136	106	55	46	167	138	170	251	608	856	972	1,024	2,001
123	Other diseases of intestines	1,185	771	414	45	13	10	4	3	23	8	26	31	104	172	206	205	332
124	Cirrhosis of liver	8,681	5,430	3,251	15	------	3	2	4	10	27	32	38	272	984	1,851	2,253	3,182
125a	Yellow atrophy of liver	491	332	159	6	2	1	------	3	3	7	20	47	78	85	83	64	92
125b	Other diseases of liver	1,124	638	486	45	15	6	8	4	20	17	20	40	97	164	187	206	294
126	Biliary calculi	4,577	3,327	1,250	------	------	------	------	------	1	------	13	45	246	586	989	1,177	1,520
127	Other diseases of gall-bladder, biliary passages	3,866	2,484	1,382	24	6	10	7	4	21	9	23	48	247	477	704	850	1,431
127	Diseases of pancreas	677	525	152	------	------	3	2	------	1	1	7	19	78	122	154	164	125
129	Peritonitis, cause not specified	1,507	982	525	141	48	52	22	25	95	48	64	104	185	191	188	141	201
	X.—Diseases of the genitourinary system	120,631	65,017	55,614	465	160	124	89	112	418	524	887	1,348	4,154	8,189	14,259	21,894	67,859
130	Acute nephritis (including unspecified under 10 years)	4,323	2,197	2,126	193	88	71	50	62	197	134	161	179	433	640	646	572	891
131	Chronic nephritis	92,051	49,396	42,655	9	16	17	19	16	153	256	417	638	2,144	5,255	10,873	17,542	54,586
132	Nephritis, unspecified (10 years and over)	8,377	3,063	5,314	------	------	------	------	------	------	69	92	100	294	637	1,057	1,509	4,598
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	3,382	2,080	1,302	215	52	34	19	31	63	48	65	78	247	413	464	537	1,111
134	Calculi of urinary passages	1,183	910	273	1	------	------	1	1	------	2	10	18	99	172	244	267	367
135	Diseases of bladder (tumors excepted)	751	324	427	9	1	------	------	------	3	------	4	8	13	43	65	104	501
136	Diseases of urethra, urinary abscess, etc.	410	312	98	3	------	------	------	------	------	------	1	9	46	77	99	73	102
137	Diseases of prostate	6,730	4,213	2,517	------	------	------	------	------	------	------	1	1	18	59	228	976	5,444
138	Diseases of male genital organs, not specified as venereal	125	80	45	35	3	2	------	2	1	1	1	2	7	12	23	12	24
139a	Cysts of ovary	700	529	171	------	------	------	------	------	------	3	13	36	126	187	127	106	102
139b	Other diseases of ovaries, diseases of tubes and parametrium	1,723	1,336	387	------	------	------	------	------	1	4	95	232	550	500	241	64	34
139c	Diseases of uterus	787	531	256	------	------	------	------	------	------	5	23	238	160	179	171	120	90
139d	Nonpuerperal diseases of breast (cancer excepted)	18	11	7	------	------	------	------	------	------	------	------	------	3	5	6	2	2
139e	Other diseases of female genital organs	71	35	36	------	------	------	------	------	------	2	4	9	14	10	15	10	7
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	13,293	7,328	5,965	------	------	------	------	------	------	45	1,506	2,750	5,529	3,309	128	------	------
140	Abortion with septic conditions	2,057	1,383	674	------	------	------	------	------	------	5	189	523	938	384	14	------	------
141	Abortion without mention of septic conditions (includes hemorrhages)	717	376	341	------	------	------	------	------	------	------	49	121	322	218	6	------	------
142a	Ectopic gestation, septic conditions specified	108	81	27	------	------	------	------	------	------	------	1	16	60	30	1	------	------
142b	Ectopic gestation, septic conditions not mentioned	463	340	123	------	------	------	------	------	------	------	13	73	245	131	1	------	------
143	Other accidents of pregnancy (hemorrhage not included)	86	51	35	------	------	------	------	------	------	1	8	15	34	24	4	------	------
144a	Placenta praevia	422	217	205	------	------	------	------	------	------	------	13	36	187	174	10	------	------
144b	Other puerperal hemorrhages	970	539	431	------	------	------	------	------	------	------	68	160	422	303	17	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																	
145a	Puerperal septicemia and pyemia (abortion excluded)	2,761	1,524	1,237							11	399	675	1,104	546	21		
145b	Puerperal tetanus (abortion excluded)	13	10	3								2	4	5	2			
146	Puerperal albuminuria and eclampsia	2,692	1,171	1,521							19	489	591	932	628	26		
147	Other toxemias of pregnancy	499	317	182							2	61	117	196	118	4		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	628	333	295							1	35	94	280	213	4		
149	Other accidents of childbirth	1,827	965	862							6	174	316	783	524	20		
150	Other and unspecified conditions of puerperal state	50	21	29								5	9	21	14			
	XII.—Diseases of the skin and cellular tissue	1,895	1,078	817	320	35	17	11	10	46	61	94	80	155	214	226	220	404
151	Furuncle, carbuncle	538	309	229	18	3	2		4	11	17	41	33	56	72	89	74	118
152	Phlegmon, acute abscess	654	426	228	101	20	7	7	1	23	31	36	25	70	82	83	78	89
153	Other diseases of skin and annexa, and of cellular tissue	703	343	360	201	12	8	4	5	12	13	17	22	29	60	54	68	197
	XIII.—Diseases of the bones and organs of locomotion	1,606	1,128	478	70	31	41	37	39	184	222	105	71	126	150	148	138	243
154	Osteomyelitis	1,070	782	288	50	26	35	28	33	149	189	70	47	83	98	81	69	112
155	Other diseases of bones (tuberculosis excepted)	179	103	76	7	3	2	3	6	15	7	10	7	12	11	21	20	54
156	Diseases of joints, other organs of locomotion	357	243	114	13	2	4	6		20	26	25	17	31	41	46	49	77
	XIV.—Congenital malformations	12,363	6,531	5,832	11,012	399	161	96	80	215	161	89	50	55	29	12	4	
157a	Congenital hydrocephalus	1,642	1,000	642	1,267	129	48	33	24	66	34	16	8	15	2			
157b	Spina bifida and meningocele	1,400	727	673	1,337	26	5	6	5	9	4	1	4	2		1		
157c	Congenital malformations of heart	6,294	3,026	3,268	5,632	180	67	36	37	105	97	63	26	29	17	3	2	
157d	Other congenital malformations	3,027	1,778	1,249	2,776	64	41	21	14	35	26	9	12	9	10	8	2	
	XV.—Diseases of early infancy	51,571	26,621	24,950	51,571													
158	Congenital debility	3,860	1,160	2,700	3,860													
159	Premature birth	33,143	16,901	16,242	33,143													
160	Injury at birth	9,681	5,937	3,744	9,681													
161	Other diseases peculiar to early infancy	4,887	2,623	2,264	4,887													
162	XVI.—Senility	10,207	2,266	7,941											1	12	147	10,031
	XVII.—Violent and accidental deaths	117,830	63,083	54,747	1,963	1,568	1,210	1,182	1,080	4,228	3,693	6,640	8,939	16,082	16,455	16,177	14,268	24,048
	Suicide	20,927	12,032	8,895						1	49	517	1,109	2,937	3,900	4,783	4,219	3,371
163	By solid or liquid poisons or by absorption of corrosive substances	3,320	2,241	1,079							6	154	304	699	675	641	498	338
164	By poisonous gas	3,001	2,506	495							3	32	102	426	624	741	656	415
165	By hanging or strangulation	3,632	1,746	1,886							15	51	83	317	559	940	863	796
166	By drowning	996	505	491							2	12	34	85	193	219	221	227
167	By firearms	8,075	3,733	4,342						1	22	238	512	1,159	1,469	1,757	1,626	1,273
168	By cutting or piercing instruments	874	509	365								4	16	74	155	228	187	207
169	By jumping from high places	702	639	63							1	15	44	129	151	169	106	87
170	By crushing	156	79	77								3	8	22	36	42	31	13
171	By other means	171	74	97								8	6	26	38	46	31	15
	Homicide	11,035	6,255	4,780	140	14	15	9	25	78	98	716	1,646	3,382	2,457	1,322	704	379
173	By firearms	7,458	3,923	3,535	4	6	4	3	6	31	60	495	1,161	2,385	1,729	900	447	196
174	By cutting or piercing instruments	1,650	1,121	529	7	1	1		5	10	10	115	296	571	366	164	63	32
175	By other means	1,927	1,211	716	129	7	10	6	14	37	28	106	189	426	362	258	194	151
	Accidental, other, or undefined	85,868	44,796	41,072	1,823	1,554	1,195	1,173	1,055	4,149	3,546	5,407	6,184	9,763	10,098	10,072	9,345	20,298
176	Attack by venomous animals	127	37	90	14	3	3	6	7	12	11	6	7	10	12	14	11	10
177	Poisoning by food	638	221	417	48	37	32	20	8	45	23	22	20	46	75	87	68	107
178	Absorption of poisonous gas	1,988	1,508	480	13	14	5	3	2	17	22	40	82	229	357	452	366	383
	Supplemental	64	7	57		1	1						6	16	21	15	2	2
179	Other acute accidental poisonings (gas excepted)	1,605	953	652	51	173	87	46	29	45	19	45	82	192	275	291	155	111
180	Conflagration	1,555	667	888	54	56	52	65	50	144	58	54	83	139	204	169	151	271
181	Burns (conflagration excepted)	5,358	3,059	2,299	184	447	416	350	286	500	174	159	229	423	454	419	447	862
	Supplemental	561	223	338		2	2	3	2	12	10	53	93	161	123	48	28	21
182	Mechanical suffocation	904	330	574	687	18	4	3	2	26	8	21	10	30	38	25	20	12
	Supplemental	40	2	38		1				1		5	3	10	4	13	2	1
183	Drowning	6,199	2,134	4,065	28	238	136	95	63	578	777	950	684	750	623	582	383	276
	Supplemental	1,228	361	867	3	5	6	6	9	41	81	142	193	278	212	130	77	38
	Traumatism:																	
184	By firearms (wounds of war excepted)	2,928	1,038	1,890	5	8	12	19	32	155	341	483	382	466	386	314	204	111
185	By cutting or piercing instruments (wounds of war excepted)	757	444	313	14	13	8	12	7	42	51	27	42	68	113	122	116	122
	Supplemental	230	78	152	1	2	1	1		7	14	14	23	46	30	35	32	24
186a	By fall	17,834	10,860	6,974	129	123	84	70	54	279	228	288	275	617	1,007	1,369	1,955	11,349
	Supplemental	2,606	1,289	1,317	9	12	17	24	17	83	126	251	291	424	362	362	295	327
186b	By crushing, landslide	502	181	321	5	1	2	6		18	21	39	45	84	94	78	63	43
	Supplemental	5,735	2,773	2,962	12	39	41	41	46	215	193	403	566	984	962	901	661	639
187	Cataclysm	404	58	346	18	5	5	7	8	45	35	24	27	56	46	43	27	57
188	Injuries by animals	571	174	397	2	8	13	6	8	42	41	25	14	35	56	96	83	140

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																	
	XVII.—Violent and accidental deaths—Continued																	
	Accidental, other, or undefined—Con.																	
189	Hunger and thirst	27	12	15	4	1				1				1	2	4	5	8
190	Excessive cold	287	73	214	6		2		1	3	1	12	11	26	38	47	56	81
191	Excessive heat	689	292	397	38	5	3	2	1	4	3	8	27	51	89	127	107	223
192	Lightning	362	32	330		1				14	41	56	47	64	56	33	28	21
193	Due to electric currents	589	278	311	1	3	3	1	1	19	46	47	66	188	103	59	34	18
	Supplemental	86	25	61			1			3	3	6	16	25	11	13	6	1
194a	Foreign bodies	633	345	288	170	151	62	20	14	26	12	7	6	17	33	43	30	42
194b	Other accidents	3,835	2,004	1,831	253	63	22	40	49	174	206	244	204	408	493	529	460	681
	Supplemental	27,390	15,257	12,133	73	124	175	327	359	1,598	1,001	1,967	2,619	3,869	3,790	3,640	3,469	4,317
195	Violent deaths of unknown nature	5	2	3	1							1	1	1	1			
198	Legal executions	131	79	52								8	30	49	28	12	4	
	XVIII.—Ill-defined causes of death	20,999	3,247	17,752	7,538	586	229	119	103	315	212	326	447	881	1,201	1,684	2,120	5,106
199	Sudden death	1,951	250	1,701	253	16	12	2	3	10	7	27	40	88	161	250	335	737
200a	Cause of death ill-defined	4,804	1,394	3,410	906	200	63	18	19	81	42	87	103	212	365	543	738	1,405
200b	Cause of death not specified or unknown	14,244	1,603	12,641	6,379	370	154	99	81	224	163	212	304	581	675	891	1,047	2,964
Punch symbol	SUPPLEMENTAL[2]																	
201	Accidents in mines and quarries	1,520	353	1,167				1		4	5	58	170	376	398	301	154	48
202	Accidents from agricultural machinery	285	62	223			3	4	4	8	9	17	25	39	53	43	51	29
203	Elevator accidents	218	197	21		1	1		2	3	7	14	22	33	29	41	29	36
204	Accidents from machinery used for recreation	14	11	3		1				2	5	1	1	2	2			
205	Other machinery accidents	878	420	458		4	7	3	6	18	10	42	89	188	181	169	92	68
206	Railroad and automobile collisions	1,466	466	1,000	4	6	5	10	5	34	37	125	179	265	256	236	181	119
207	Other railroad accidents	3,502	1,651	1,851		11	13	7	7	85	88	320	326	565	621	556	447	418
208	Street car and automobile collisions	304	250	54			1			9	4	20	41	77	63	44	31	14
209	Other street car accidents	523	469	54		4	9	2	6	12	10	10	19	49	52	81	108	161
210	Automobile accidents (primary)	26,350	15,046	11,304	82	147	189	348	379	1,679	1,044	1,924	2,553	3,646	3,475	3,400	3,243	4,190
211	Motorcycle accidents	241	160	81	1	1		3	1	5	3	51	72	48	19	14	4	19
212	Other land transportation accidents	1,131	391	740	10	8	12	22	16	70	124	88	66	100	102	131	149	230
213	Water transportation accidents	1,122	413	709	1	3	3	2	6	31	77	140	163	264	181	125	82	36
214	Air transportation accidents	386	126	260			1		1		5	31	84	161	83	16	1	2

List no.	CAUSE OF DEATH	All deaths	IN CITIES—10,000 or over	IN CITIES—2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA																		
	Total deaths (all causes)	White	14,871	4,248	1,400	9,223	2,042	375	160	135	83	344	228	378	497	888	1,030	1,453	1,957	5,278
		Colored	12,809	4,025	909	7,875	1,793	215	110	65	52	207	208	519	822	1,407	1,654	1,739	1,483	2,505
	I.—Infectious and parasitic diseases	White	2,227	500	211	1,516	242	131	61	55	47	107	57	76	118	235	206	245	199	445
		Colored	2,664	747	201	1,716	214	67	39	24	11	53	60	214	364	517	434	295	176	194
1	Typhoid fever	W	63	11	3	49	1		1		4	9	8	8	8	9	5	1	4	5
		C	70	17	4	49				1		6	8	12	13	21	1	4	4	
2	Paratyphoid fever	W	1			1												1		
3	Typhus fever	W	11	3	3	5						1	1	1		1	1	1	1	4
	Smallpox	W	1			1														1
		C	1		1							1								
7	Measles	W	1			1	1													
		C	5	1		4	3		1											1
8	Scarlet fever	W	34	5	3	26	3	7	6	5	4	6	1		2					
		C	1			1					1									
9	Whooping cough	W	119	25	16	78	72	28	7	3	3	2	1	1		1				
		C	85	32	6	47	49	21	8	3		3			1					
10	Diphtheria	W	184	24	12	148	19	33	26	28	23	46	8						1	
		C	26	8	2	16	7	4	3	3	2	4	2		1					
11a	Influenza, respiratory complications specified	W	512	134	54	324	60	33	12	8	7	10	6	18	19	48	46	53	47	145
		C	363	118	24	221	32	22	12	5		10	9	21	28	44	43	53	36	48
11b	Influenza, respiratory complications not specified	W	227	55	22	150	30	10	1	3	3	5	5	4	10	7	10	15	18	106
		C	195	54	18	123	33	5	6		1	2	7	12	11	14	12	22	18	51
13	Dysentery	W	29	4	10	15	5	2	1				1	1		1	4	4	2	8
		C	28	7	5	16	4	2				1		2	2	1	2	4	5	5
15	Erysipelas	W	35	9		26	12	2					1			1	2	1	3	13
		C	3			3						1								2
16	Acute poliomyelitis, acute polioencephalitis	W	8	1		7	2	2	1			1	1							1
		C	1	1				1												
17	Lethargic or epidemic encephalitis	W	13	6		7		1						2		2	3			5
		C	4	2	1	1						1		1		1	1			

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
18	Epidemic cerebrospinal meningitis	W	15	3	2	10	2	2	2		1	5	1			1	1			
		C	7	7						1		2	1			2	1			
21	Rabies	W	1			1				1										
		C	1			1														1
22	Tetanus	W	34	16	3	15	5				1	6	5	5	3	3	1	1	3	1
		C	27	12	2	13	11	1					3		5	1	3	1	2	
	Tuberculosis (all forms)	W	753	152	70	531	6	6	2	2	1	7	6	26	66	143	115	140	106	126
		C	1,368	354	109	905	6	6	4	5	2	13	25	142	256	354	291	136	77	51
23	Respiratory system	W	685	132	60	493	1	3	1	1		4	4	18	61	136	107	129	100	119
		C	1,266	310	104	852	3	2	1	3	2	9	22	131	239	331	271	131	72	49
24	Meninges and central nervous system	W	14	5	2	7	4	3		1		1		1			2		1	1
		C	12	7		5	1	3	1	1		1			3	1	1			
25	Intestines and peritoneum	W	19	5	1	13					1	1		2		4	3	4	2	2
		C	33	11	3	19	1			1		2	1	3	5	7	6	4	2	1
26	Vertebral column	W	13	6	3	4	1						2	2	2		1	2	1	2
		C	3	1		2								1	1					1
27a	Bones (vertebral column excepted)	W	4			4						1		1					1	1
		C	6	1		5									1	2	2		1	
27b	Joints	W	1			1								1						
		C	8	2		6									1	3	2		2	
28	Skin and subcutaneous cellular tissue	W	1		1										1					
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	1		1															1
		C	4	2		2								1		2	1			
30	Genito urinary system	W	2		1	1										1	1			
		C	3	1		2	1									1	1			
31	Other organs	C	1	1													1			
32a	Acute disseminated tuberculosis	W	11	3	1	7				1				1	2	1	1	4	1	
		C	28	15	2	11		1	2			1	2	5	4	6	6	1		
32b,c	Other disseminated tuberculosis	W	2	1		1										1		1		
		C	4	3		1								1	2	1				
34	Syphilis	W	65	29	8	28	13	2					2	3	1	6	9	12	6	11
		C	328	97	19	212	62	1	3		1	2	2	10	29	59	59	54	24	21
35	Gonococcus infection, other venereal diseases	W	8	3	2	3									2	2	1	2		1
		C	28	14	1	13								3	4	9	6	4	1	1
36	Purulent infection, septicemia (nonpuerperal)	W	19	10		9	3	1				1			1	4	4	2	1	2
		C	15	4	1	10									2	3	3	2	2	3
38	Malaria	W	83	8	3	72	8	1	2	3		7	9	7	5	6	3	11	6	14
		C	96	15	8	73	4	1	2	5	4	7	3	10	12	7	11	13	7	10
39	Other diseases due to protozoal parasites	C	1	1													1			
40	Ankylostomiasis	W	2	1		1						1								1
42	Other diseases caused by helminths	W	1			1		1												
		C	3	1		2		2		1										
43	Mycoses	W	4			4									1			1	1	1
		C	8	2		6	3	1						1		1		2		
44	Other infectious and parasitic diseases	W	4	1		3				2			1			1				
	II.—Cancers and other tumors	White	1,153	372	101	680	1	3	4	3	2	9	3	6	7	50	110	192	275	487
		Colored	477	172	34	271					1	3	6	4	10	41	97	129	89	93
	Cancer and other malignant tumors	W	1,108	345	97	666	1	2	3	3	1	8	3	5	5	41	98	184	271	482
		C	423	140	29	254					1	2	3	2	7	31	76	122	86	89
(45)	Buccal cavity	W	39	5	4	30							1			2	2	5	4	25
		C	10	5		5						1	1			1	1	1		5
(45)	Pharynx	W	12	4	2	6													7	5
		C	4	1		3												1	1	2
(46)	Esophagus	W	7	4	1	2												1	1	5
		C	1			1										1				
(46)	Stomach and duodenum	W	199	54	14	131										4	11	37	63	84
		C	73	26	4	43									3	4	7	20	22	17
(46)	Liver and biliary passages	W	88	25	10	53	1		2						1		1	9	24	50
		C	24	5	2	17											5	5	5	9
(46)	Pancreas	W	26	11	1	14											3	3	9	11
		C	3	2		1										1	1	1		
(46)	Other digestive tract and peritoneum	W	113	41	14	58		1				4		2		6	7	17	25	50
		C	35	13	4	18							1			3	8	13	6	3
47	Respiratory system	W	27	17	1	9									1	1	2	5	7	11
		C	4	1		3										1	1	1	1	
48	Uterus	W	185	66	21	98									1	12	41	49	39	43
		C	155	48	10	97									4	14	34	49	29	23
49	Other female genital organs	W	23	10	2	11							1			2	3	6	5	6
		C	7	3		4										1	2	2	2	
50	Breast	W	117	34	5	78										3	15	27	35	37
		C	43	20		23								1		3	11	18	5	5
51	Male genitourinary organs	W	70	23	9	38			1	1	1				1	2	2	5	14	43
		C	26	6	3	17										1		7	6	11
52	Skin	W	79	12	5	62		1				1				1	1	5	10	60
		C	3	1	1	1											3			
53	Other or unspecified organs	W	123	39	8	76				2		3	1	3	1	8	10	15	28	52
		C	35	9	5	21					1	1	1	1		1	3	4	9	14
54b	Nonmalignant tumors, uterus	W	16	15		1										4	8	1	2	1
		C	40	26	4	10									1	9	21	5	2	2
54d,e	Nonmalignant tumors, other organs	W	13	6		7					1	1		1	1	3	2	2		2
		C	3	2	1								1	1		1				
55d,e	Tumors, other organs (nature unspecified)	W	16	6	4	6		1	1						1	2	2	5	2	2
		C	11	4		7						1	2	1	2			2	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White 467	132	48	287	16	2	4	2	1	7	11	12	12	32	32	57	95	182
		Colored 349	97	32	220	7	3	1	1	1	6	5	10	15	35	57	60	71	73
56	Acute rheumatic fever	W 22	4		18						2	2	3	2		2	2	1	8
		C 26	8	2	16		1				2	1	2		3	3	5	3	5
57	Chronic rheumatism, osteoarthritis	W 25	4		21							3		1		1	1	4	14
		C 6	1	1	4										1	1		2	2
59	Diabetes mellitus	W 210	73	28	109	1		1		1	5	4	7	7	14	8	22	50	90
		C 84	31	12	41						2	2		4	1	12	18	25	20
61	Beriberi	W 2			2										1				1
62	Pellagra	W 150	34	11	105		1					1	2	14	16	25	33	57	
		C 204	45	15	144						2	2	8	10	28	39	35	37	40
63	Rickets	W 6	1	2	3	5													1
		C 2	1		1	2													
65	Diseases of pituitary body	W 1		1											1				
		C 1			1					1									
66a	Simple goiter	W 2		1	1			1											
		C 5		1	4										1		1		3
66b	Exophthalmic goiter	W 23	12	2	9							1			1	5	5	6	5
		C 8	3		5									1		1	1	3	2
(66)	Other diseases of thyroid and parathyroid glands	W 4		1	3	1	1						1		1				
67	Diseases of thymus gland	W 4	1		3	3													
		C 8	5	1	2	5	1	1	1									1	
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 1			1														1
69	Other general diseases	W 17	3	2	12	6		2	2			1					1		5
		C 5	3		2		1								1	1	1		1
	IV.—Diseases of the blood and blood-making organs	White 76	33	4	39	4	2	2	2	2	5	3	3	3	6	10	11	6	16
		Colored 33	18	4	11	4	1	1			1	2	1	2	4	7	5	2	3
70	Hemorrhagic conditions	W 10	4		6	3	1	1	2			1			1		1		
		C 6	5	1		2					1		1		1	1			
71a	Pernicious anemia	W 24	7	4	13						1			1	1	4	3	4	9
		C 13	6		7										1	2	3	4	2
71b	Other anemias	C 4	1	2	1	1	1					1							1
72a	True leukemias	W 26	11		15	1	1	1		2	2	2	1	1	1	3	5	2	4
		C 3	2		1	1											1		1
72b	Pseudoleukemias (Hodgkin's disease)	W 7	5		2						1		1		1		2		2
		C 7	4	1	2			1				1		1	1	3			
73	Diseases of spleen	W 7	4		3						1		1		2	2			1
74	Other diseases of blood and blood-making organs	W 2	2											1		1			
	V.—Chronic poisonings and intoxications	White 27	14	3	10								2		5	4	10	6	
		Colored 23	7	6	10									3	4	6	7	1	2
75	Alcoholism (acute or chronic)	W 25	12	3	10								2		4	3	10	6	
		C 18	4	6	8									2	3	4	6	1	2
76	Chronic poisoning by other organic substances	W 1	1													1			
		C 1			1										1				
77a	Chronic lead poisoning	C 1	1													1			
77b,c	Other chronic poisoning by mineral substances	W 1	1												1				
		C 3	2		1									1		1	1		
	VI.—Diseases of the nervous system and of the organs of special sense	White 1,365	350	124	891	47	10	7	4	2	14	11	13	17	28	63	146	277	723
		Colored 975	298	95	582	46	8	3		4	9	10	14	27	43	124	213	179	294
78	Encephalitis (nonepidemic)	W 23	5	1	17	1	1				1	2	1	1	5	2	3	3	3
		C 4		1	3	2									1			1	
79a	Simple meningitis	W 28	14	4	10	9	3	5	2		2	2	1	2			2		
		C 19	11	1	7	4	1	1			2	1	2		6	1	1		
79b	Nonepidemic cerebrospinal meningitis	W 8	1		7	1	2	2				1		1	1				
		C 5	2		3	1						1	1	1			1		
80	Progressive locomotor ataxia (tabes dorsalis)	W 6			6												1	4	1
		C 2	1		1									1			1		
81	Other diseases of spinal cord	W 32	15	1	16							2	1			1	4	8	16
		C 8	2	3	3							1			1	3	2		1
82a	Cerebral hemorrhage	W 998	225	101	672	4					1	1	2	3	9	37	109	232	597
		C 674	242	71	361						1	3	5	8	18	82	176	156	225
82b	Cerebral embolism and thrombosis	W 9	2	2	5							1					2	1	5
		C 7	2	2	3								1		2		2		2
82c	Softening of brain	W 9	7		2													1	8
		C 1			1													1	
82d	Hemiplegia and other paralysis, cause unspecified	W 82	10	5	67										1	1	7	14	59
		C 94	8	9	77					1	1			2	1	4	11	15	58
83	General paralysis of insane	W 24	18	1	5									1	4	5	7	1	6
		C 36	5		31									2	1	19	9	2	3
84	Dementia praecox and other psychoses	W 23	14	2	7									2	3	6	5	4	3
		C 25	3	1	21							1	1	3	3	9	3	3	2
85	Epilepsy	W 29	10		19	1			1		2		3	6	3	7	1	1	4
		C 36	5	2	29	2				1	1	2	4	7	7	5	6		1
86	Convulsions (under 5 years of age)	W 22	1	2	19	21	1												
		C 41	2	4	35	32	7	1		1									
87	Other diseases of nervous system	W 41	14	4	23	3	2			1	2		1		2	1	5	7	17
		C 5	5								2			1				1	1
88	Diseases of organs of vision	W 3	3								1								2
		C 1			1			1											
89a	Diseases of ear	W 22	8		14	7	1		1	1	3	1	2	1		2		1	2
		C 14	8	1	5	4				1	2	1		2	1	1	1		1
89b	Diseases of mastoid process	W 6	3	1	2						2	1	2			1			
		C 3	2		1	1									2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	VII.—Diseases of the circulatory system—White	2,148	684	187	1,277	2	4	2	2		12	17	20	18	45	82	230	419	1,293
	VII.—Diseases of the circulatory system—Colored	1,473	523	119	831	3	1	1	1	2	9	3	12	27	106	211	304	315	473
90	Pericarditis—W	6	1		5													3	3
	Pericarditis—C	5	3		2									1	1	1	1		1
91a	Acute endocarditis—W	14	4		10				1		1	2	3	2	1	1			3
	Acute endocarditis—C	17	7	2	8		1				2		1	2	3	2	1	3	2
91b	Endocarditis, unspecified (under 45 years)—W	5	3	1	1						1		1	1	2				
	Endocarditis, unspecified (under 45 years)—C	3	1		2									1	2				
92a	Endocarditis, specified as chronic, and other valvular diseases—W	603	112	37	454	1					6	8	6	8	21	24	58	96	373
	Endocarditis, specified as chronic, and other valvular diseases—C	434	126	25	283				1	2	4	1	9	9	32	71	77	82	145
92b	Endocarditis, unspecified (45 years and over)—W	40	10	5	25												9	6	25
	Endocarditis, unspecified (45 years and over)—C	25	9	1	15												5	8	11
93a	Acute myocarditis—W	29	9	3	17								1	1	1	4	4	4	14
	Acute myocarditis—C	27	12	3	12									3	3	8	6	4	3
93b	Myocarditis, unspecified (under 45 years)—W	7		1	6									2	2	3			
	Myocarditis, unspecified (under 45 years)—C	40	19	6	15							1	1	1	13	24			
93c	Chronic myocarditis and myocardial degeneration—W	307	141	29	137							2			5	15	24	67	194
	Chronic myocarditis and myocardial degeneration—C	160	72	14	74			1			2				11	17	46	38	43
93d	Other diseases of myocardium—W	286	104	31	151											3	32	58	193
	Other diseases of myocardium—C	182	88	13	81									1	1	2	55	51	71
94a	Angina pectoris—W	196	68	26	102								1	1	1	6	28	57	102
	Angina pectoris—C	49	16	5	28										9	10	9	14	7
94b	Diseases of coronary arteries—W	98	65	6	27								1		1	4	19	31	42
	Diseases of coronary arteries—C	29	18	2	9										6	6	5	11	1
95a	Functional diseases of heart—W	8	1		7											1			7
95b	Other and unspecified diseases of heart—W	374	99	38	237	1	4	2			4	4	7	2	8	17	37	69	219
	Other and unspecified diseases of heart—C	375	119	31	225	2					1	1		8	20	52	77	84	130
96	Aneurysm (except of heart)—W	18	5	1	12										2		7	3	6
	Aneurysm (except of heart)—C	22	9	2	11										3	8	6	4	1
97	Arteriosclerosis (coronary arteries excepted)—W	115	47	5	63												7	17	91
	Arteriosclerosis (coronary arteries excepted)—C	52	12	5	35										1	1	8	14	28
98	Gangrene—W	10	2	1	7									1	1		1	2	5
	Gangrene—C	17	4	4	9												1		16
99	Other diseases of the arteries—W	11	5	1	5				1								4	2	4
	Other diseases of the arteries—C	8	4	1	3								1			2	3	1	1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—W	5	4		1											2		1	2
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—C	4	1	1	2											2	1		1
101	Diseases of lymphatic system (lymphangitis, etc.)—C	5	1		4	1								1	1			1	1
102	Idiopathic anomalies of blood-pressure—W	13	3	2	8											2		2	9
	Idiopathic anomalies of blood-pressure—C	16	2	4	10											4	3		9
103	Other diseases of circulatory system—W	3	1		2							1						1	1
	Other diseases of circulatory system—C	3			3											1			2
	VIII.—Diseases of the respiratory system—White	1,145	295	108	742	217	59	16	15	4	40	21	36	35	69	87	82	105	357
	VIII.—Diseases of the respiratory system—Colored	853	343	52	458	181	36	23	10	5	23	22	43	54	92	98	95	71	98
104a	Diseases of nasal fossae—W	2	1		1	1								1					
	Diseases of nasal fossae—C	12	2		10	7	1					1					1		2
104b	Diseases of nasal fossae and annexae—W	5	3		2						1	1		2	1				
	Diseases of nasal fossae and annexae—C	3	2		1											1	2		
105	Diseases of larynx—W	4	1	1	2				1		1						1		1
	Diseases of larynx—C	2	1		1	1			1										
106a	Acute bronchitis—W	8	3		5	1										1	1	1	4
	Acute bronchitis—C	3	2		1	2	1												
106b	Chronic bronchitis—W	18	3	1	14											1	2	4	11
	Chronic bronchitis—C	4	1	1	2										1	1	1	1	
106c,d	Bronchitis, unspecified—W	14	3		11	2													12
	Bronchitis, unspecified—C	12	3	1	8	4								1		1	1	3	2
107a	Bronchopneumonia—W	382	101	40	241	122	30	8	9	1	13	5	4	3	14	9	15	19	130
	Bronchopneumonia—C	214	86	14	114	92	15	9	4	2	6	4	8	8	11	9	13	15	18
107b	Capillary bronchitis—W	9		1	8	7	1												1
108	Lobar pneumonia—W	587	148	51	388	59	21	5	5	3	23	14	29	24	53	64	53	68	164
	Lobar pneumonia—C	469	224	30	215	42	15	11	2	1	13	12	31	38	71	76	61	42	54
109	Pneumonia, unspecified—W	49	4	6	39	21	4	2			1			1		2	3	5	10
	Pneumonia, unspecified—C	80	3	3	74	31	3	2	2	2	3	5	2	2	1	3	5	6	11
110	Pleurisy—W	19	10	1	8	1	3				1		2	2		2	1	2	5
	Pleurisy—C	12	9	2	1				1		1		2	2	2	2	2		
111a	Pulmonary embolism and thrombosis—W	3	2	1										1			1	1	
	Pulmonary embolism and thrombosis—C	2	1		1										1	1			
111b	Pulmonary congestion, edema, hemorrhagic infarct—W	13	6	3	4	1										1			11
	Pulmonary congestion, edema, hemorrhagic infarct—C	5	2		3												1	1	3
112	Asthma—W	22	5	3	14	1						1		1		6	3	3	7
	Asthma—C	24	5	1	18	1		1							3	3	8	1	7
113	Pulmonary emphysema—W	1	1			1													
	Pulmonary emphysema—C	1			1									1					
114	Other diseases of respiratory system (tuberculosis excepted)—W	9	4		5			1					1		1	1	2	2	1
	Other diseases of respiratory system (tuberculosis excepted)—C	10	2		8	1	1							2	2	1		2	1
	IX.—Diseases of the digestive system—White	1,121	410	129	582	186	117	40	20	6	38	33	31	48	63	83	125	110	219
	IX.—Diseases of the digestive system—Colored	720	294	43	383	141	46	18	6	5	22	20	26	33	62	97	105	64	73
115a	Diseases of pharynx, tonsils—W	61	24	8	29	3	6	3	4		11	4	3	5	6	4	4	4	4
	Diseases of pharynx, tonsils—C	31	7	3	21	3	2			1	1	4	3	2	3	5	3	1	3
115b	Diseases of buccal cavity and annexa—W	14	4	3	7	1							2	3	1	1	3	2	1
	Diseases of buccal cavity and annexa—C	17	8		9	1					1		2	1	3	3	2	2	2
117a	Ulcer of stomach—W	63	21	9	33							1	1	2	5	9	17	9	18
	Ulcer of stomach—C	39	14	3	22									1	5	8	7	12	6
117b	Ulcer of duodenum—W	17	12	1	4									1	3	5	3	1	4
	Ulcer of duodenum—C	9	6	1	2									1	2	4	2		
118	Other diseases of stomach (cancer excepted)—W	45	9	5	31	3	1	3		1	1	1				4	8	7	16
	Other diseases of stomach (cancer excepted)—C	107	30	3	74	11	3	5			3		1	2	8	15	27	13	19
119	Diarrhea, enteritis (under 2 years of age)—W	261	51	20	190	155	106												
	Diarrhea, enteritis (under 2 years of age)—C	156	48	8	100	118	38												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																			
	IX.—Diseases of the digestive system—Continued																			
120	Diarrhea, enteritis (2 years and over)	W	122	28	6	88			30	11	3	4	3	1	3	1	1	10	7	48
		C	51	17	2	32			11	5	2	2			1	3	2	5	9	11
121	Appendicitis	W	194	110	46	38				2	1	15	20	19	24	20	31	28	17	17
		C	104	56	12	36					1	12	13	13	10	15	16	18	3	3
122a	Hernia	W	42	27	3	12								1		4	2	10	7	18
		C	22	12	1	9	1	1						1	1	2	5	2	3	6
122b	Intestinal obstruction	W	108	46	12	50	16	2	2	2		7	2	3	5	8	11	13	9	27
		C	88	52	6	30	5		2	1		1	2	4	7	9	21	16	7	11
123	Other diseases of intestines	W	14	5	1	8	3	1		1								3	1	5
		C	12	6		6	1	1			1				2		2	4		1
124	Cirrhosis of liver	W	71	17	5	49										4	6	7	20	34
		C	42	21		21							1	1	2	4	11	9	7	7
125a	Yellow atrophy of liver	W	1	1												1				
		C	2		1	1										1			1	
125b	Other diseases of liver	W	11	5		6	1		1					1		1	2	1	3	1
		C	8	4		4									2	1	1	2		2
126	Biliary calculi	W	35	17	4	14											3	7	13	12
		C	10	3		7						1				1		2	4	2
127	Other diseases of gall-bladder, biliary passages	W	40	23	5	12		1	1							6	2	9	9	12
		C	12	5	1	6		1				1		1		2	3	4		
128	Diseases of pancreas	W	3	3											2		1			
		C	1	1															1	
129	Peritonitis, cause not specified	W	19	7	1	11	4				1		2		3	3	1	2	1	2
		C	9	4	2	3	1								1	3	1	2	1	
	X.—Diseases of the genito-urinary system	White	1,405	446	151	808	7	2	1	1	1	8	6	16	24	37	64	125	236	877
		Colored	1,217	470	98	649	4		2	1	2	9	6	15	22	90	176	255	250	382
130	Acute nephritis (including unspecified under 10 years)	W	47	11	4	32	2			1	1	4	1	1	3	3	11	4	4	12
		C	68	26	6	36	3			1	1	6	2	4	3	11	14	13	4	6
131	Chronic nephritis	W	1,024	326	100	598						1	3	5	9	20	37	100	184	665
		C	830	346	69	415			1		1	3	3	4	8	53	127	178	190	259
132	Nephritis, unspecified (10 years and over)	W	162	22	21	119								1	3	5	3	10	26	114
		C	159	35	14	110							1	3	2	5	15	37	28	68
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	50	27	7	16	5	2	1			3		4	3		4	4	11	13
		C	51	16	3	32	1		1							5	7	10	10	17
134	Calculi of urinary passages	W	13	9	1	3									1	1	2	3	3	3
		C	3	3											1			1	1	
135	Diseases of bladder (tumors excepted)	W	8	1	2	5											1			7
		C	15	4		11											2	3	6	4
136	Diseases of urethra, urinary abscess, etc.	W	3	3											1			1		1
		C	13	5	1	7										2	3	3	1	4
137	Diseases of prostate	W	69	26	13	30										1	1		6	62
		C	38	10	3	25										2		3	10	23
138	Diseases of male genital organs, not specified as venereal	C	3	2		1										1		2		
139a	Cysts of ovary	W	3	3										1					2	
		C	3	2		1									1		1	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	14	8	3	3							1	3	4	4	1	1		
		C	21	16	2	3								2	6	7	4	2		
139c	Diseases of uterus	W	12	10		2							1	1		4	4	2		
		C	11	4		7								2		4	3	2		
139e	Other diseases of female genital organs	C	2	1		1									1					1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	248	73	28	147								40	55	86	66	1		
		Colored	231	72	13	146							6	45	51	73	53	3		
140	Abortion with septic conditions	W	28	14	5	9								5	6	11	6			
		C	21	9	1	11								1	6	9	5			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	12	2	3	7								2	1	6	3			
		C	9	5		4								1	2	3	3			
142a	Ectopic gestation, septic conditions specified	W	2		2										1	1				
		C	2	1		1									2					
142b	Ectopic gestation, septic conditions not mentioned	W	4	2	1	1									2	1	1			
		C	4	3	1										1	1	2			
143	Other accidents of pregnancy (hemorrhage not included)	W	1			1										1				
		C	3	2	1									1	1	1				
144a	Placenta praevia	W	8	3	1	4									2	2	4			
		C	7	4	1	2									1	4	2			
144b	Other puerperal hemorrhages	W	17	4		13								1	4	4	8			
		C	17	6		11								3	4	4	5	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	W	40	16	3	21								7	11	14	8			
		C	63	17	4	42							2	16	14	16	14	1		
145b	Puerperal tetanus (abortion excluded)	W	1			1									1					
		C	1			1										1				
146	Puerperal albuminuria and eclampsia	W	89	17	10	62								21	18	25	25			
		C	66	18	4	44							3	16	11	24	11	1		
147	Other toxemias of pregnancy	W	7	3		4									3	3	1			
		C	2	1		1											2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	11	3	1	7								1		7	3			
		C	4			4									2	2				
149	Other accidents of childbirth	W	28	9	2	17								3	6	11	7	1		
		C	31	6	1	24							1	7	6	8	9			
150	Other and unspecified conditions of puerperal state	C	1			1									1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	XII.—Diseases of the skin and cellular tissue—White	35	15	5	15	7			2			1	2	1	7	1	2	3	9
	XII.—Diseases of the skin and cellular tissue—Colored	13	6	1	6	1		1							3	5	2	1	
151	Furuncle, carbuncle—W	13	7	1	5								1		4	1	2	3	2
151	Furuncle, carbuncle—C	3	2	1											1	2			
152	Phlegmon, acute abscess—W	11	6	2	3	2			2			1	1	1	1				3
152	Phlegmon, acute abscess—C	6	3		3	1		1							2	2			
153	Other diseases of skin and annexa, and of cellular tissue—W	11	2	2	7	5									2				4
153	Other diseases of skin and annexa, and of cellular tissue—C	4	1		3											1	2	1	
	XIII.—Diseases of the bones and organs of locomotion—White	26	14	4	8			1	2	2	6	4	2		1	4		1	3
	XIII.—Diseases of the bones and organs of locomotion—Colored	5	4		1						2	1				1		1	
154	Osteomyelitis—W	18	10	3	5			1	2	1	4	3	1			3		1	2
154	Osteomyelitis—C	3	3								1	1				1			
155	Other diseases of bones (tuberculosis excepted)—W	5	3	1	1					1	1	1			1				1
155	Other diseases of bones (tuberculosis excepted)—C	1	1								1								
156	Diseases of joints, other organs of locomotion—W	3	1		2						1		1			1			
156	Diseases of joints, other organs of locomotion—C	1			1													1	
	XIV.—Congenital malformations—White	155	40	9	106	142	4	2	1	1	2	2				1			
	XIV.—Congenital malformations—Colored	36	11	1	24	25	2	2			2	4				1			
157a	Congenital hydrocephalus—W	19	3	1	15	15	1	1		1	1								
157a	Congenital hydrocephalus—C	12	1	1	10	5	1	2			1	3							
157b	Spina bifida and meningocele—W	7	2	1	4	7													
157b	Spina bifida and meningocele—C	3	1		2	3													
157c	Congenital malformations of heart—W	86	23	4	59	79	2	1			1	2				1			
157c	Congenital malformations of heart—C	9	5		4	7	1					1							
157d	Other congenital malformations—W	43	12	3	28	41	1		1										
157d	Other congenital malformations—C	12	4		8	10					1					1			
	XV.—Diseases of early infancy—White	871	218	81	572	871													
	XV.—Diseases of early infancy—Colored	595	205	36	354	595													
158	Congenital debility—W	55	2	9	44	55													
158	Congenital debility—C	92	21	10	61	92													
159	Premature birth—W	625	143	55	427	625													
159	Premature birth—C	417	144	20	253	417													
160	Injury at birth—W	145	63	10	72	145													
160	Injury at birth—C	44	28	3	13	44													
161	Other diseases peculiar to early infancy—W	46	10	7	29	46													
161	Other diseases peculiar to early infancy—C	42	12	3	27	42													
162	XVI.—Senility—White	201	15	23	163													1	199
162	XVI.—Senility—Colored	296	17	13	266												1	5	290
	XVII.—Violent and accidental deaths—White	1,499	545	155	799	40	23	15	21	12	85	56	110	152	214	184	175	148	261
	XVII.—Violent and accidental deaths—Colored	1,106	379	89	638	37	16	8	16	14	44	52	111	160	227	160	95	65	96
	Suicide—W	198	82	13	103							1	13	15	40	32	38	36	23
	Suicide—C	18	9	1	8								1	4	5	5	1	2	
163	By solid or liquid poisons or by absorption of corrosive substances—W	32	15	3	14								3	6	6	9	4	2	2
163	By solid or liquid poisons or by absorption of corrosive substances—C	2	2													1		1	
164	By poisonous gas—W	3	2		1										2	1			
165	By hanging or strangulation—W	11	3	2	6								1	1	1	1	2	2	3
165	By hanging or strangulation—C	1	1											1					
166	By drowning—W	7		1	6								1		3	1		1	1
167	By firearms—W	137	58	7	72							1	7	8	27	19	30	30	15
167	By firearms—C	14	5	1	8								1	3	5	4		1	
168	By cutting or piercing instruments—W	5	2		3										1		2		2
168	By cutting or piercing instruments—C	1	1														1		
169	By jumping from high places—W	2	2										1					1	
171	By other means—W	1			1											1			
	Homicide—W	190	68	24	98	1	1				2		14	24	44	44	26	21	12
	Homicide—C	391	189	28	174					1		10	34	82	128	78	32	15	10
173	By firearms—W	141	50	17	74		1						10	20	33	34	21	14	7
173	By firearms—C	282	139	18	125							9	19	54	96	59	27	12	5
174	By cutting or piercing instruments—W	21	8	1	12								3	4	5	5	1	2	1
174	By cutting or piercing instruments—C	80	41	7	32								14	22	26	12	3	1	2
175	By other means—W	28	10	6	12	1					2		1		6	5	4	5	4
175	By other means—C	29	9	3	17					1		1	1	6	6	7	2	2	3
	Accidental, other, or undefined—W	1,111	395	118	598	39	22	15	21	12	83	55	83	113	130	108	111	91	226
	Accidental, other, or undefined—C	697	181	60	456	37	16	8	16	13	44	42	76	74	94	77	62	48	86
176	Attack by venomous animals—W	2			2							1	1						
176	Attack by venomous animals—C	2	1		1										1	1			
177	Poisoning by food—W	18	7	2	9	4	2	1	2		2					1		4	2
177	Poisoning by food—C	8	4	1	3	2	2				1						2	1	
178	Absorption of poisonous gas—W	2	1		1												1		1
179	Other acute accidental poisonings (gas excepted)—W	20	8	4	8		4	1		1	1				3	1	4	3	2
179	Other acute accidental poisonings (gas excepted)—C	15	10	1	4	2	4	2	2	1					1	1		1	
180	Conflagration—W	10	4	2	4		2				1			2	1		2		2
180	Conflagration—C	15	1		14				3	2	3		1			2	1		2
181	Burns (conflagration excepted)—W	80	27	11	42	6	6	4	11	3	16	4	3	5	6	2	3	5	6
181	Burns (conflagration excepted)—C	65	18	2	45	4	5	5	5	4	8	2	2	2	5	4	2	7	10
	Supplemental—W	7	5		2						1			2	1	2	1		
	Supplemental—C	4	1		3				1						2	1			
182	Mechanical suffocation—W	14	3	1	10	10					4								
182	Mechanical suffocation—C	14	1		13	11					2					1			
183	Drowning—W	53	3	4	46			1	2	1	5	5	12	11	5	5	2		4
183	Drowning—C	51	5		46		1			1	1	8	10	12	8	5		3	2
	Supplemental—W	24	5	2	17						2	2	2	6	7	1	2	1	1
	Supplemental—C	19			19		1					1		8	3	2		1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ALABAMA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 56	18	9	29			1			6	8	9	6	6	8	5	4	3
		C 36	8	3	25					1	1	3	12	11	4	2	1		1
185	By cutting or piercing instruments (wounds of war excepted)	W 14	6	3	5						3	2	1		3	1	1	2	1
		C 15	3	2	10	1							1	2	2	4	2	1	2
	Supplemental	W 2		2								1						1	
186a	By fall	W 171	66	19	86	1			1		2	1	4	4	5	2	11	15	125
		C 44	11	6	27	2	1				3	2	5	1	2	3	8	2	15
	Supplemental	W 38	19	5	14	1		1	1		2	5	4	2	4	5	6	2	5
		C 38	11	1	26							1	8	4	8	5	6	3	3
186b	By crushing, landslide	W 8	1		7									5		1		2	
		C 6	2		4							2	2					1	1
	Supplemental	W 82	31	7	44			1		2	3	3	11	8	15	20	10	4	5
		C 42	18	3	21				1		2	1	7	6	9	10	1	3	1
187	Cataclysm	W 140	16	9	115	7	1	2	2	2	8	13	10	13	10	16	19	13	24
		C 124	20	18	86	6				2	16	14	9	6	18	16	11	6	20
188	Injuries by animals	W 5	1	1	3						2		1			1		1	
		C 4			4							1							3
190	Excessive cold	W 3			3										1	1		1	
		C 7	1		6	1									1	1		1	3
191	Excessive heat	W 6	3		3										1		2	2	1
		C 15	3	2	10	1		1				1	1	2	2	3	1	3	
192	Lightning	W 9			9						1	2	1		2	2			1
		C 11			11							1	4		1		2	3	
193	Due to electric currents	W 6	1	1	4									1	2	3			
		C 4	1	1	2								1	2		1			
	Supplemental	W 1			1									1					
		C 4			4								1	1	2				
194a	Foreign bodies	W 15	7	1	7	6	6	1		1	1								
		C 6	2		4	4	1									1			
194b	Other accidents	W 49	19	3	27	2	1			2	2	3	3	4	6	3	4	6	13
		C 34	9	5	20	3			1		1	3	3	1	5	3	5	2	7
	Supplemental	W 276	144	32	100	2		2	2		21	5	21	43	52	33	38	25	30
		C 110	51	15	44		1		3	2	6	3	9	16	18	11	18	12	10
198	Legal executions	C 4			4									1	2	1			
	XVIII.—Ill-defined causes of death	White 702	92	29	581	260	18	5	5	3	11	3	9	7	10	33	52	76	207
		Colored 1,743	362	72	1,309	535	35	11	6	7	24	11	24	54	110	127	170	193	434
199	Sudden death	W 76	3	4	69	7		1	1		1		3	1	1	2	10	13	36
		C 91	8	5	78	11	1						2	2	5	6	16	15	33
200a	Cause of death ill-defined	W 181	62	7	112	34	5		1		1	2	2	2	3	10	25	34	62
		C 538	289	15	234	86	9	4	1	1	6	2	9	21	39	68	85	69	138
200b	Cause of death not specified or unknown	W 445	27	18	400	219	13	4	3	3	9	1	4	4	6	21	17	29	109
		C 1,114	65	52	997	438	25	7	5	6	18	9	13	31	66	53	69	109	263
	SUPPLEMENTAL [1]																		
Punch symbol																			
201	Accidents in mines and quarries	W 15	3	2	10								1	5	5	4			
		C 13	7	1	5								1	3	5	1	2	1	
202	Accidents from agricultural machinery	W 1	1						1										
203	Elevator accidents	W 5	4		1											1	3		1
		C 1		1											1				
205	Other machinery accidents	W 5	3		2						1		1		2			1	
		C 5			5						1		2		2				
206	Railroad and automobile collisions	W 15	7		8						1		2	3	7		1		1
		C 1	1													1			
207	Other railroad accidents	W 57	21	9	27							1	8	7	11	10	8	3	7
		C 55	18	6	31							2	8	8	9	12	7	5	2
208	Street car and automobile collisions	W 1	1											1					
209	Other street car accidents	C 1	1												1				
210	Automobile accidents (primary)	W 291	153	32	106	3		4	2	2	24	9	22	40	45	42	42	28	28
		C 114	53	10	51		1		5	2	7	1	14	17	20	13	12	10	12
211	Motorcycle accidents	W 2	1		1							1				1			
212	Other land transportation accidents	W 14	4	3	7						1	3	2	1	2	1	1		3
		C 15	1	1	13							2		3	2	1	4	2	1
213	Water-transportation accidents	W 23	5	2	16						2	2	2	5	7	1	2	1	1
		C 12			12		1					1		4	2	1		1	2
214	Air transportation accidents	W 1	1													1			
	ARIZONA																		
	Total deaths (all causes)	5,420	2,132	1,312	1,976	817	210	89	51	30	113	103	161	229	555	721	600	586	1,126
	I.—Infectious and parasitic diseases	1,635	810	281	544	105	62	27	19	14	41	37	63	115	319	379	197	129	118
1	Typhoid fever	18	4	5	9	1		2			2	1	3	2	3	1	2	1	
2	Paratyphoid fever	3	3			1		1				1							
5	Undulant fever	1			1						1								
7	Measles	1			1		1												
8	Scarlet fever	10	5	2	3	1			1		5	2			1				
9	Whooping cough	31	9	7	15	18	5	4	1	2									
10	Diphtheria	20	8	3	9	1	2	3	3	3	5	1	1				1		

[1] See explanatory footnote (2) p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
11a	Influenza, respiratory complications specified	187	57	55	75	28	23	7	6	3	3	2	5	3	11	17	19	15	45
11b	Influenza, respiratory complications not specified	65	17	8	40	15	6	2	2		1	2	2	1	3	5	5	4	16
13	Dysentery	26	9	6	11	10	5				2				1	1	2	4	1
15	Erysipelas	10	2	6	2	1									1	1	1	3	3
16	Acute poliomyelitis, acute polioencephalitis	6	3	1	2		4	1			1								
17	Lethargic or epidemic encephalitis	1	1											1					
18	Epidemic cerebrospinal meningitis	14	4	3	7	1	1	1		1	3	4			1		2		
22	Tetanus	8	4	3	1	1				1	2	1					2		1
	Tuberculosis (all forms)	1,184	661	174	349	13	12	5	4	4	15	23	52	102	296	346	159	96	49
23	Respiratory system	1,125	634	163	328	5	5	5	1	3	8	14	50	98	288	343	154	94	49
24	Meninges and central nervous system	33	15	7	11	8	6		3		4	4	1	3	2	1	1		
25	Intestines and peritoneum	11	4	1	6							3		1	4	1	2		
26	Vertebral column	3	2		1						2	1							
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2	2														2		
30	Genitourinary system	3	1	1	1										2			1	
31	Other organs	1	1															1	
32a	Acute disseminated tuberculosis	6	2	2	2		1			1	1	1	1			1			
34	Syphilis	40	18	7	15	14	2	1	1					4	2	7	3	3	3
35	Gonococcus infection and other venereal diseases	1	1													1			
36	Purulent infection, septicemia (nonpuerperal)	6	4	1	1				1		1			2				2	
38	Malaria	1			1												1		
43	Mycoses	1			1													1	
44	Other infectious and parasitic diseases	1			1		1												
	II.—Cancers and other tumors	286	115	98	73			2			1	3		4	9	34	56	77	99
	Cancer and other malignant tumors	271	107	93	71			2			1	2		2	6	32	53	75	97
(45)	Buccal cavity	9	3	3	3													6	3
(45)	Pharynx	1			1													1	
(46)	Esophagus	2		2															2
(46)	Stomach and duodenum	74	23	28	23											12	9	22	30
(46)	Liver and biliary passages	28	9	7	12			1				1				4	7	7	8
(46)	Pancreas	4	3	1													1	1	2
(46)	Other digestive tract and peritoneum	30	10	12	8							1			1	3	7	8	10
47	Respiratory system	14	8	4	2												2	4	8
48	Uterus	39	20	15	4			1							4	4	12	12	6
49	Other female genital organs	4	3	1													3		1
50	Breast	18	7	7	4									1		4	6	6	1
51	Male genitourinary organs	20	7	6	7						1					1		4	14
52	Skin	9	4	1	4											1		2	6
53	Other or unspecified organs	19	10	6	3									1	1	3	6	2	6
54a	Nonmalignant tumors, ovary	1	1												1				
54b	Nonmalignant tumors, uterus	4	1	3											1		2	1	
54d,e	Nonmalignant tumors, other organs	2	2											1					1
55d,e	Tumors, other organs (nature unspecified)	8	4	2	2							1		1	1	2	1	1	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	63	23	23	17	8		1			1	1	2	2	7	8	11	8	13
56	Acute rheumatic fever	5	1	1	3												2		3
57	Chronic rheumatism, osteoarthritis	2	1	1									1		1				
59	Diabetes mellitus	33	11	15	7							1			3	5	7	7	9
62	Pellagra	2	1		1										1			1	
66a	Simple goiter	1		1													1		
66b	Exophthalmic goiter	7	5	1	1								1	2		3	1		
(66)	Other diseases of thyroid and parathyroid glands	6	3	2	1	2		1			1				2				
67	Diseases of thymus gland	6	1	1	4	6													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1		1															1
	IV.—Diseases of the blood and blood-making organs	21	5	9	7	2			1		1	2		1	3		5	4	2
70	Hemorrhagic conditions	4	2	2		1						1		1				1	
71a	Pernicious anemia	6	1	2	3										1		1	2	2
71b	Other anemias	2		1	1	1			1										
72a	True leukemias	4	1	2	1												3	1	
72b	Pseudoleukemias (Hodgkin's disease)	5	1	2	2						1	1			2		1		
	V.—Chronic poisonings and intoxications	12	6	2	4										2	3	5	2	
75	Alcoholism (acute or chronic)	12	6	2	4										2	3	5	2	
	VI.—Diseases of the nervous system and of the organs of special sense	262	101	73	88	6	4	2			3	2	2	4	4	19	40	48	127
78	Encephalitis (nonepidemic)	4	1	2	1						1			1		1			1
79a	Simple meningitis	3	2		1	2	1												
79b	Nonepidemic cerebrospinal meningitis	4	2	1	1	1	2				1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
80	Progressive locomotor ataxia (tabes dorsalis)	2		1	1										1				1
81	Other diseases of spinal cord	3	3										1	1				1	
82a	Cerebral hemorrhage	189	72	56	61									1		8	30	40	109
82b	Cerebral embolism and thrombosis	9	5	3	1								1			2	2	2	2
82d	Hemiplegia and other paralysis, cause unspecified	9	3	3	3												2	1	6
83	General paralysis of insane	10	3	1	6										1	2	4	2	1
84	Dementia praecox and other psychoses	7	3		4										1	2		2	2
85	Epilepsy	6	3	2	1	1					1	1			1	1	1		
86	Convulsions (under 5 years of age)	1	1				1												
87	Other diseases of nervous system	5	1	2	2											1	1		3
89a	Diseases of ear	7	2	1	4	2		1				1		1		1			1
89b	Diseases of mastoid process	3		1	2			1								1			1
	VII.—Diseases of the circulatory system	603	263	164	176	7	1			1	2	11	7	3	22	60	88	113	284
90	Pericarditis	1	1														1		
91a	Acute endocarditis	9	6		3										2	2	2	1	2
91b	Endocarditis, unspecified (under 45 years)	3	3			1						1			1				
92a	Endocarditis, specified as chronic, and other valvular diseases	108	45	24	39	3					2	5	4	1	1	15	13	23	41
92b	Endocarditis, unspecified (45 years and over)	11	6	1	4												3		8
93a	Acute myocarditis	15	11	3	1					1					4	2	3	1	3
93b	Myocarditis, unspecified (under 45 years)	18	14	2	2	1								1	5	11			
93c	Chronic myocarditis and myocardial degeneration	135	58	41	36							2	1		4	10	10	34	73
93d	Other diseases of myocardium	81	44	24	13											2	17	13	48
94a	Angina pectoris	44	19	10	15											2	13	10	19
94b	Diseases of coronary arteries	26	15	6	5									1	1	3	5	3	13
95a	Functional diseases of heart	5	2		3	1							1			1	1		1
95b	Other and unspecified diseases of heart	107	29	39	39	1						3	1		3	11	16	20	51
96	Aneurysm (except of heart)	4	2	1	1												1	2	1
97	Arteriosclerosis (coronary arteries excepted)	29	6	12	11												3	6	20
98	Gangrene	2		1	1														2
99	Other diseases of arteries	1			1														1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1	1												1				
101	Diseases of lymphatic system (lymphangitis, etc.)	2	1		1		1									1			
103	Other diseases of circulatory system	1			1														1
	VIII.—Diseases of the respiratory system	539	191	141	207	142	47	17	11	7	14	9	10	11	32	42	47	45	101
104b	Diseases of nasal fossae and annexae	2	1		1										1			1	
106a	Acute bronchitis	8	2		6	6											1		1
106b	Chronic bronchitis	5	4	1										1			2		2
106c,d	Bronchitis, unspecified	6	3	2	1	3		1								1	1		
107a	Bronchopneumonia	194	59	54	81	81	22	11	7	3	5	1	1	2	3	7	6	11	33
107b	Capillary bronchitis	5	4	1		2	3												
108	Lobar pneumonia	209	79	63	67	30	15	5	2	3	8	3	9	5	22	20	27	15	43
109	Pneumonia, unspecified	49	15	5	29	17	7		1	1	1	5			4	2		3	7
110	Pleurisy	11	4	2	5	1			1							3	3	1	2
111a	Pulmonary embolism and thrombosis	1	1												1				
111b	Pulmonary congestion, edema, hemorrhagic infarct	9	6	2	1									1			1	1	6
112	Asthma	19	9	4	6	1								1		4		9	4
113	Pulmonary emphysema	1	1														1		
114	Other diseases of respiratory system (tuberculosis excepted)	20	3	7	10	1								1	1	5	5	4	3
	IX.—Diseases of the digestive system	463	153	140	170	183	55	13	9	2	13	11	16	8	19	29	34	32	39
115a	Diseases of pharynx and tonsils	18	6	7	5			2	1		4	4	1	1	2	1	1	1	
115b	Diseases of buccal cavity and annexa	2	2															1	1
117a	Ulcer of stomach	9	6	2	1										4	1	2	1	1
117b	Ulcer of duodenum	7	3	3	1										2	2	1	1	1
118	Other diseases of stomach (cancer excepted)	25	8	2	15	8	2	2	1						1	1	4	2	4
119	Diarrhea, enteritis (under 2 years of age)	222	71	61	90	171	51												
120	Diarrhea, enteritis (2 years and over)	42	18	9	15			9	7	1	5	2	1		1		3	4	9
121	Appendicitis	49	14	25	10					1	1	5	11	6	4	9	5	2	5
122a	Hernia	6	1		5													3	3
122b	Intestinal obstruction	39	15	14	10	4	1				2		3	1	2	5	7	11	3
123	Other diseases of intestines	9	1	3	5						1				2	1	2	1	2
124	Cirrhosis of liver	13	2	6	5											3	3	3	4
125b	Other diseases of liver	3	2		1		1								1				1
126	Biliary calculi	9	2	3	4											3	2	1	3
127	Other diseases of gall-bladder, biliary passages	5	1	2	2												2	1	2
128	Diseases of pancreas	1	1														1		
129	Peritonitis, cause not specified	4		3	1												1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	X.—Diseases of the genitourinary system	296	105	98	93	4	1	2		1	4	2	4	4	14	26	30	40	163
130	Acute nephritis (including unspecified under 10 years)	26	9	7	10	3		1		1	2	2	1	1	3	1	4	4	3
131	Chronic nephritis	205	70	73	62			1					2	2	6	20	21	31	121
132	Nephritis, unspecified (10 years and over)	16	5	4	7											1	2	3	10
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	10	7	1	2		1				2				2	2			3
134	Calculi of urinary passages	2	1	1													1		1
135	Diseases of bladder (tumors excepted)	3			3														3
136	Diseases of urethra, urinary abscess, etc.	2	2												1				1
137	Diseases of prostate	24	5	12	7												2	2	20
138	Diseases of male genital organs, not specified as venereal	2			2	1									1				
139a	Cysts of ovary	1	1																1
139b	Other diseases of ovaries, diseases of tubes and parametrium	4	4										1	1		2			
139c	Diseases of uterus	1	1												1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	69	21	18	30								13	18	22	15	1		
140	Abortion with septic conditions	12	4	7	1								2	4	4	1	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	3			3									2	1				
144a	Placenta praevia	4	2		2									1	2	1			
144b	Other puerperal hemorrhages	6		1	5								1	1	2	2			
145a	Puerperal septicemia and pyemia (abortion excluded)	14	2	6	6								5	4	5				
146	Puerperal albuminuria and eclampsia	16	8	2	6								5	3	3	5			
147	Other toxemias of pregnancy	2	1		1										2				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	3	2	1									1	3	2			
149	Other accidents of childbirth	6	1		5									2		4			
	XII.—Diseases of the skin and cellular tissue	6	4	2		1							1		1	2		1	
151	Furuncle, carbuncle	1	1													1			
152	Phlegmon, acute abscess	1	1															1	
153	Other diseases of skin and annexa, and of cellular tissue	4	2	2		1							1		1	1			
	XIII.—Diseases of the bones and organs of locomotion	4	2	1	1											2		1	1
154	Osteomyelitis	3	2	1												1		1	1
156	Diseases of joints, other organs of locomotion	1			1											1			
	XIV.—Congenital malformations	47	21	15	11	44	1				2								
157a	Congenital hydrocephalus	4	1	2	1	3					1								
157b	Spina bifida and meningocele	4	4			4													
157c	Congenital malformations of heart	25	13	6	6	24					1								
157d	Other congenital malformations	14	3	7	4	13	1												
	XV.—Diseases of early infancy	251	78	70	103	251													
158	Congenital debility	36	12	5	19	36													
159	Premature birth	153	46	44	63	153													
160	Injury at birth	32	14	11	7	32													
161	Other diseases peculiar to early infancy	30	6	10	14	30													
162	XVI.—Senility	57	15	6	36													2	55
	XVII.—Violent and accidental deaths	577	193	161	223	21	20	13	4	5	21	17	29	50	89	86	70	65	81
	Suicide	86	38	21	27								2	5	12	19	14	18	16
163	By solid or liquid poisons or by absorption of corrosive substances	14	8	3	3									2	3	6	1	1	1
164	By poisonous gas	7	6	1									1		1	1	1		3
165	By hanging or strangulation	6	2	1	3									1	1	2			2
167	By firearms	55	22	13	20								1	2	6	9	12	17	8
168	By cutting or piercing instruments	3		3												1			2
169	By jumping from high places	1			1										1				
	Homicide	63	28	15	20		1				1		2	8	15	17	11	6	2
173	By firearms	45	21	8	16						1		1	7	11	11	8	5	1
174	By cutting or piercing instruments	5		3	2										1	2	1	1	
175	By other means	13	7	4	2		1						1	1	3	4	2		1
	Accidental, other, or undefined	428	127	125	176	21	19	13	4	5	20	17	25	37	62	50	45	41	63
176	Attack by venomous animals	5		2	3		1	1	1	1	1								
177	Poisoning by food	6	3	1	2		2								1	1	1	1	
178	Absorption of poisonous gas	3		2	1										1		1	1	
	Supplemental	2			2										1		1		
179	Other acute accidental poisonings (gas excepted)	11	2	4	5	3		1			1				1		2		3
180	Conflagration	11	2	4	5	1	1	1		1	2			1					4
181	Burns (conflagration excepted)	28	9	12	7	2	4	1	1	1		1	1	1	1	3	2	2	6
	Supplemental	5	1	1	3						1				1	3			
182	Mechanical suffocation	3			3	2												1	
183	Drowning	37	8	10	19		7	7			3	4	2		5	2	3		4
	Supplemental	3	1	2											2				
	Traumatism:																		
184	By firearms (wounds of war excepted)	15	4	3	8	1					2	1	2		3	3		2	1
185	By cutting or piercing instruments (wounds of war excepted)	3	2	1												1	1		1
	Supplemental	5	1	2	2									2			2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARIZONA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other or undefined—Con. Traumatism—Continued																		
186a	By fall	27	8	6	13			1			1	2		1	4	5	1	3	9
	Supplemental	15	3	6	6		2					1		1	6	1	2		2
186b	By crushing, landslide	4		2	2											1	2		
	Supplemental	42	6	13	23			1			2	2	2	12	6	2	6	7	2
187	Cataclysm	1			1														1
188	Injuries by animals	5		1	4				1		1	1					1		1
191	Excessive heat	26	8	9	9	8	1								2		2	4	9
192	Lightning	6			6							1	1	1	2	1			
193	Due to electric currents	4	1	2	1									2	2				
194a	Foreign bodies	5	2	1	2	1	1							1				1	1
194b	Other accidents	20	5	3	12	3					1		3	3	1	1	1	1	6
	Supplemental	134	60	37	37				1	2	5	4	14	11	23	25	17	17	13
195	Violent deaths of unknown nature	2	1	1										1		1			
	XVIII.—Ill-defined causes of death	229	26	10	193	43	19	12	7		10	8	14	9	12	16	16	19	43
199	Sudden death	8	1		7	2										2	1		3
200a	Cause of death ill-defined	66	25	7	34	14	9	3			2	2	2	1	3	6	3	7	14
200b	Cause of death not specified or unknown	155		3	152	27	10	9	7		8	6	12	8	9	8	12	12	26
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	8		1	7									1	2		3	1	1
202	Accidents from agricultural machinery	1			1												1		
205	Other machinery accidents	3		2	1											1	1	1	
206	Railroad and automobile collisions	3	1	2									2					1	
207	Other railroad accidents	15	2	2	11								2	3	4		2	2	1
210	Automobile accidents (primary)	162	66	48	48		1		1	2	8	6	11	21	28	28	21	19	15
211	Motorcycle accidents	1	1										1						
212	Other land transportation accidents	7	1	3	3		1	1				1			2	1		1	
213	Water transportation accidents	2		2											1				
214	Air transportation accidents	4	1	1	2									1	2	1			
	ARKANSAS																		
	Total deaths (all causes)—White	11,251	2,645	1,367	7,239	1,244	311	146	104	92	293	195	339	409	734	803	1,040	1,481	3,896
	Total deaths (all causes)—Colored	5,064	1,121	716	3,227	453	120	57	46	25	100	99	228	336	572	627	718	644	917
	I.—Infectious and parasitic diseases—White	2,134	358	231	1,545	166	104	49	54	46	125	61	84	114	261	196	214	214	421
	I.—Infectious and parasitic diseases—Colored	1,349	272	218	859	82	41	21	22	8	53	47	104	168	222	183	161	102	109
1	Typhoid fever—W	143	18	14	111	2	1		1	2	11	13	22	19	32	12	13	10	4
	Typhoid fever—C	88	8	17	63			1			11	8	14	14	17	12	3	3	3
2	Paratyphoid fever—W	1		1															1
6	Smallpox—W	2	2			1												1	
	Smallpox—C	3	1		2		1										2		
7	Measles—W	3	1		2	1	1				1								
8	Scarlet fever—W	21	1	1	19		3	1	5	4	4	1	3						
	Scarlet fever—C	1			1						1								
9	Whooping cough—W	64	4	11	49	43	14	1	2		4								
	Whooping cough—C	34	5	3	26	19	10	4	1										
10	Diphtheria—W	166	20	19	127	13	37	20	23	21	43	3	2		1				
	Diphtheria—C	19	1	2	16		3	2	5	3	6								
11a	Influenza, respiratory complications specified—W	367	73	38	256	32	8	4	6	3	12	7	11	14	37	32	43	39	117
	Influenza, respiratory complications specified—C	185	32	28	125	13	8	1	3	1	5	4	12	11	24	24	34	18	22
11b	Influenza, respiratory complications not specified—W	260	45	32	183	19	5	4	3	2	7	7	4	6	12	18	18	29	124
	Influenza, respiratory complications not specified—C	116	20	26	70	13	1	1			4	4	3	4	8	13	12	25	27
13	Dysentery—W	55	3	10	42	9	10	2	3	2		1	1	1	2	1	3	5	13
	Dysentery—C	23	3	6	14	6	4	1							1	1	2	3	5
15	Erysipelas—W	26	5	4	17	9	2					2			2	1	2	2	5
	Erysipelas—C	2	1		1	1			1										
16	Acute poliomyelitis, acute polioencephalitis—W	13	1	1	11	3	4	2	1		2	1							
	Acute poliomyelitis, acute polioencephalitis—C	3	2		1	1		1			1								
17	Lethargic or epidemic encephalitis—W	5	1	3	1								1			1	1	1	
	Lethargic or epidemic encephalitis—C	2			2											1	1		
18	Epidemic cerebrospinal meningitis—W	13	5		8	1	1		2		2	1	1	1	3			1	
	Epidemic cerebrospinal meningitis—C	4			4	2					1				1				
21	Rabies—W	2		1	1							1						1	
22	Tetanus—W	15	4	3	8	3					2	4	1		2		1		2
	Tetanus—C	12	3	6	3	4					2	1	1		1	2	1		
	Tuberculosis (all forms)—W	630	125	64	441	5	4	3			4	6	24	52	140	99	90	91	102
	Tuberculosis (all forms)—C	551	125	91	335	3	5	2	3	1	7	17	62	116	130	90	57	26	21
23	Respiratory system—W	583	117	58	408	3	2	1			2	4	17	51	131	97	83	87	95
	Respiratory system—C	525	120	83	322	2	4	2	3	1	6	14	60	113	125	84	55	25	20
24	Meninges and central nervous system—W	12	3	3	6	2	2	1				2	3		1		1		
	Meninges and central nervous system—C	2			2	1										1			
25	Intestines and peritoneum—W	11	1	1	9								2		1		3	1	4
	Intestines and peritoneum—C	8	3	3	2						1	1			1	4			1
26	Vertebral column—W	7			7						1			1	2	1	1	1	
	Vertebral column—C	2		1	1									1		1			
27a	Bones (vertebral column excepted)—W	2		1	1													1	1
	Bones (vertebral column excepted)—C	1			1								1						
27b	Joints—W	2	1		1								1		1				
	Joints—C	1			1										1				
28	Skin and subcutaneous cellular tissue—W	1			1										1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—W	2			2											1			1
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—C	2		1	1		1					1							
30	Genitourinary system—W	5	1	1	3										3		1		1
	Genitourinary system—C	1		1										1					
31	Other organs—W	2			2			1									1		

[1] See explanatory footnote (2), p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
	Tuberculosis (all forms)—Continued																			
32a	Acute disseminated tuberculosis	W	2	2								1		1						
		C	7	1	2	4							1		1	3		1	1	
32b,c	Other disseminated tuberculosis	W	1			1													1	
		C	2	1		1								1				1		
34	Syphilis	W	51	26	4	21	9	2				1			2	7	7	5	11	7
		C	95	47	8	40	7	1	2	2		2		2	10	16	15	18	6	11
35	Gonococcus infection, other venereal diseases	W	6	3	2	1								2		2		2		
		C	9	2	5	2									2	4	2		1	
36	Purulent infection, septicemia (nonpuerperal)	W	20	6	2	12	1	2				2			2	1	3	4		5
		C	8	2	1	5								1		1	1	1	2	2
38	Malaria	W	265	14	21	230	15	9	12	8	12	30	14	12	16	19	22	30	23	40
		C	191	20	25	146	13	8	6	7	3	13	12	9	11	19	21	30	17	18
41a	Hydatid cysts of liver	W	1			1														1
41b	Hydatid cysts of other organs	C	1			1													1	
42	Other diseases caused by helminths	W	1			1									1					
43	Mycoses	W	2	1		1										1		1		
		C	1			1											1			
44	Other infectious and parasitic diseases	W	2			2		1										1		
		C	1			1							1							
	II.—Cancers and other tumors	White	699	213	109	377	1		1	1		1	4	2	11	19	53	120	192	287
		Colored	178	49	34	95			1				1		3	20	34	44	39	33
	Cancer and other malignant tumors	W	676	203	104	369	1		1			1	3	2	11	15	51	107	192	285
		C	153	36	29	88			1						2	13	25	40	36	33
(45)	Buccal cavity	W	26	7	5	14											1	3	10	12
		C	4	2		2											1	1	2	
(45)	Pharynx	W	7	1	2	4													2	5
(46)	Esophagus	W	4	2		2												1	1	2
(46)	Stomach and duodenum	W	119	28	13	78									1	1	5	20	33	57
		C	30	4	7	19										2	4	6	8	10
(46)	Liver and biliary passages	W	76	20	10	46							1			2	4	10	27	31
		C	11	3	1	7										1	1	3	2	4
(46)	Pancreas	W	16	10	4	2											1	2	5	8
		C	2	1	1										1			1		
(46)	Other digestive tract and peritoneum	W	73	29	13	31							1	1	1		6	10	28	25
		C	10	5	1	4											2	1	3	3
47	Respiratory system	W	14	5	2	7								1	2		2	2	3	4
		C	1			1														1
48	Uterus	W	99	30	16	53							1		1	4	15	32	29	16
		C	63	11	14	38									1	6	12	21	14	7
49	Other female genital organs	W	12	4	3	5									1	1	2	1	4	3
		C	1			1														1
50	Breast	W	53	21	9	23									1	1	9	13	16	13
		C	16	7	1	8										2	4	4	4	2
51	Male genitourinary organs	W	41	13	9	19									1		2	2	10	26
		C	6	2	3	1										1	1	1	2	1
52	Skin	W	55	11	9	35									1		1	4	9	39
		C	1			1			1											
53	Other or unspecified organs	W	81	22	9	50	1		1			1			2	6	3	7	15	44
		C	8	1	1	6										1		2	1	4
54a	Nonmalignant tumors, ovary	W	1	1														1		
		C	1			1											1			
54b	Nonmalignant tumors, uterus	W	10	5	2	3										2	2	6		
		C	16	11	4	1										6	7	2	1	
54d,e	Nonmalignant tumors, other organs	W	3	1	1	1				1								2		
		C	1			1											1			
55b	Tumors, uterus (nature unspecified)	C	1			1												1		
55d,e	Tumors, other organs (nature unspecified)	W	9	3	2	4							1			2		4		2
		C	6	2	1	3							1		1	1		1	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	312	97	48	167	10	2				1	4	5	14	21	29	41	70	111
		Colored	170	41	24	105		3			1	1	7	4	7	21	26	33	32	28
56	Acute rheumatic fever	W	15	1	2	12										1	2	1	4	7
		C	10	4	1	5							4			1	2	2		1
57	Chronic rheumatism, osteoarthritis	W	17	6	2	9									1		2	1	5	8
		C	3			3							1				1			1
59	Diabetes mellitus	W	156	56	30	70						1	4	4	9	9	7	19	38	62
		C	24	5	5	14									1	2	3	5	10	3
62	Pellagra	W	95	20	11	64									4	8	14	19	20	29
		C	125	29	18	78		1			1	1	1	4	6	17	19	24	22	23
63	Rickets	C	2	1		1		2												
66a	Simple goiter	W	2	1		1													1	1
66b	Exophthalmic goiter	W	6	1	2	3										2	2		2	
		C	5	2		3										1	1	2		
(66)	Other diseases of thyroid and parathyroid glands	W	3	1		2	2										1			
67	Diseases of thymus gland	W	9	8	1		7	2												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	3	2		1								1		1		1		
69	Other general diseases	W	6	1		5	1						1				1			4
		C	1			1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	IV.—Diseases of the blood and blood-making organs	White	58	26	9	23	1		2	1	2	2	2	1	6	7	6	7	11	10
		Colored	9	3	1	5									1	1	5	2		
70	Hemorrhagic conditions	W	2		1	1					1									1
71a	Pernicious anemia	W	13	4		9						1	1		1	1	1	2	3	3
		C	5	1	1	3											4	1		
71b	Other anemias	W	3	1	1	1										1				2
72a	True leukemias	W	24	15	2	7	1		2	1	1		1	1	2	3	2	2	7	1
		C	1	1												1				
72b	Pseudoleukemias (Hodgkin's disease)	W	11	6	3	2						1			1	1	2	2	1	3
		C	2	1		1									1			1		
73	Diseases of spleen	W	5		2	3									2	1	1	1		
		C	1			1											1			
	V.—Chronic poisonings and intoxications	White	27	9	3	15									4	3	6	5	6	2
		Colored	4	1		3											3		1	
75	Alcoholism (acute and chronic)	W	26	8	3	15									4	3	6	4	6	2
		C	4	1		3											3		1	
77a	Chronic lead poisoning	W	1	1														1		
	VI.—Diseases of the nervous sytem and of the organs of special sense	White	974	250	122	602	21	5	4	1	3	10	8	13	11	40	54	79	182	522
		Colored	370	125	52	193	6	2	2		2	2	4	7	6	19	41	80	86	103
78	Encephalitis (nonepidemic)	W	23	7	1	15	1	2	2			2	1	2		2	3	3	1	3
		C	4	2		2	1				1	1				1				
79a	Simple meningitis	W	16	7	4	5	3	1	1		2	1	1	1	3	1		2		
		C	4	2	1	1			2				1					1		
79b	Nonepidemic cerebrospinal meningitis	W	2			2										1		1		
		C	1			1						1								
80	Progressive locomotor ataxia (tabes dorsalis)	W	2		2															2
		C	3	1	1	1											1		1	1
81	Other diseases of spinal cord	W	30	7	2	21								1	1	1	2	1	4	17
		C	2			2												1		1
82a	Cerebral hemorrhage	W	650	152	100	398	4		1			1		3	1	10	18	53	139	404
		C	249	79	36	134									2	6	29	62	65	77
82b	Cerebral embolism and thrombosis	W	15	4	2	9									1		2		2	10
		C	3	2		1									1		1		1	
82c	Softening of brain	W	6	1		5													1	5
		C	1			1														1
82d	Hemiplegia and other paralysis, cause unspecified	W	75	7	1	67										3		6	13	53
		C	35	6	5	24					1			1			3	6	10	14
83	General paralysis of insane	W	39	20	1	18								1		4	16	6	7	4
		C	24	21	2	1										4	3	6	6	4
84	Dementia praecox and other psychoses	W	7	2	1	4							1		2	1			1	2
		C	7	5		2								1		2	2			2
85	Epilepsy	W	39	23	3	13	1	1			1	2	2	2	3	12	9	2	2	2
		C	16	5	2	9	1	1					1	4	3	4	2			
86	Convulsions (under 5 years of age)	W	5			5	5													
		C	4			4	3	1												
87	Other diseases of nervous system	W	37	10	4	23	1					1				2	2	4	10	17
		C	11	2	2	7							2	1		1		2	1	3
88	Diseases of organs of vision	W	1	1																1
89a	Diseases of ear	W	20	6	1	13	5	1				2	2	2		2	2	1	1	2
		C	6		3	3	1									1		2	2	
89b	Diseases of mastoid process	W	7	3		4	1			1		1	1	1		1			1	
	VII.—Diseases of the circulatory system	White	1,548	456	191	901	5		1		2	10	6	12	19	28	73	154	287	933
		Colored	496	165	67	264		1				2	6	7	11	26	55	102	118	153
90	Pericarditis	W	6	1	1	4						1	1					1	1	2
		C	5	1	1	3										1		1	1	2
91a	Acute endocarditis	W	6	5		1									1		1	2	1	1
		C	9	3	3	3						1		2	1	2		1	1	1
91b	Endocarditis, unspecified (under 45 years)	W	8	4	2	2							1	1	3	3				
		C	5	2	1	2		1							1		3			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	411	63	43	305	2				1	3	3	5	6	4	26	38	61	260
		C	133	44	18	71							3	1	2	3	21	39	30	30
92b	Endocarditis, unspecified (45 years and over)	W	24	4	4	16												1	3	20
		C	20	5	3	12												7	7	6
93a	Acute myocarditis	W	7	2		5												3	1	3
		C	7	2	1	4						1			1		1	2	1	
93b	Myocarditis, unspecified (under 45 years)	W	8	4		4										1	7			
		C	5	2	1	2										2	3			
93c	Chronic myocarditis and myocardial degeneration	W	190	104	13	73								1		2	7	12	40	124
		C	36	22	4	10								1		1	7	3	8	16
93d	Other diseases of myocardium	W	126	43	19	64								1	1			15	42	67
		C	42	14	5	23											2	6	15	19
94a	Angina pectoris	W	120	41	26	53									1	1	5	25	33	53
		C	13	5	2	6										2	2	4	3	2
94b	Diseases of coronary arteries	W	33	18	7	8										1	3	6	8	15
		C	2	1	1													1	1	
95a	Functional diseases of heart	W	9	5		4											2	1		6
		C	2	1		1										1		1		
95b	Other and unspecified diseases of heart	W	457	115	60	282	1		1			4	1	3	6	13	20	44	75	281
		C	176	52	24	100							3	2	5	12	15	29	44	58
96	Aneurysm (except of heart)	W	5	4		1										1			1	3
		C	2	2														2		
97	Arteriosclerosis (coronary arteries excepted)	W	97	35	11	51												2	12	81
		C	20	7	2	11										1		3	4	11
98	Gangrene	W	13	4	3	6					1	1				1		1	3	6
		C	6			6													1	4
99	Other diseases of the arteries	W	7		2	5											1		1	5
		C	1	1														1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	VII.—Diseases of the circulatory system—Continued																			
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	3	2		1											1	1		1
		C	1			1														1
101	Diseases of lymphatic system (lymphangitis, etc.)	W	2			2	2													
		C	1	1												1				
102	Idiopathic anomalies of blood-pressure	W	9	2		7												1	4	4
		C	6			6											1	1	2	2
103	Other diseases of circulatory system	W	7			7						1		1	1	1		1	1	1
		C	4		1	3								1	1			1		1
	VIII.—Diseases of the respiratory system	White	1,040	206	119	715	149	36	24	7	2	32	19	42	38	48	76	94	105	349
		Colored	412	89	52	271	44	14	11	4	4	7	7	18	18	43	50	56	49	75
104a	Diseases of nasal fossae	W	2			2	1													1
		C	6		1	5	4	1										1		
104b	Diseases of nasal fossae and annexae	W	6	1	1	4	1						1	2				1	1	
		C	1			1							1							
105	Diseases of larynx	W	2			2	1	1												
		C	2	2				1		1										
106a	Acute bronchitis	W	10	2		8	4	1							1				2	2
		C	4	1		3							1				1	2		
106b	Chronic bronchitis	W	16	5	2	9											1		1	14
		C	1			1														1
106c,d	Bronchitis, unspecified	W	16		1	15	4		2			1								9
		C	6	2		4	1									1	2			2
107a	Bronchopneumonia	W	335	86	39	210	88	17	13	4	2	9	2	6	6	7	12	21	23	124
		C	97	26	9	62	21	3	6	2		2	2	3	2	4	7	12	11	18
107b	Capillary bronchitis	W	4			4	1	1				1								
		C	2	1		1	1												1	
108	Lobar pneumonia	W	467	92	57	318	21	10	4	2		19	13	26	21	31	50	60	57	142
		C	196	43	30	123	3	4			4	3	1	10	13	28	30	34	25	35
109	Pneumonia, unspecified	W	125	8	6	111	26	4	4	1		2	2	5	8	8	9	8	12	31
		C	68	7	5	56	14	5	4	1		1	1	3	2	9	3	7	7	9
110	Pleurisy	W	11	1		10		1					1	1	1		1		3	3
		C	7	3	2	2			1				1	1	1		2			1
111a	Pulmonary embolism and thrombosis	W	1	1															1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	14	4	6	4											1		2	11
		C	1			1														1
112	Asthma	W	15	2	2	11		1								1	2	3	1	7
		C	17	4	5	8						1		1		1	3	1	3	7
113	Pulmonary emphysema	W	3	1	1	1	1													2
114	Other diseases of respiratory system (tuberculosis excepted)	W	13	3	4	6	1		1					2	1	1		1	2	3
		C	4			4											2	1		1
	IX.—Diseases of the digestive system	White	1,003	264	145	594	163	109	38	21	15	42	33	46	53	65	72	75	87	178
		Colored	330	66	47	217	59	36	8	6	3	2	10	12	11	27	48	38	32	33
115a	Diseases of pharynx, tonsils	W	51	20	2	29	1		1	6	4	7	5	2	5	8	5	2	3	2
		C	13	5	2	6			1				2	3	2	1	2	1	1	
115b	Diseases of buccal cavity and annexa	W	13	5	1	7	5					1		1			2		2	1
		C	2			2											1			1
116	Diseases of esophagus	W	1			1														1
117a	Ulcer of stomach	W	31	7	4	20							1	2	1	2	2	7	6	10
		C	6	2		4							1				2	1	2	
117b	Ulcer of duodenum	W	14	9		5										1	3	3	1	5
		C	1			1														1
118	Other diseases of stomach (cancer excepted)	W	76	4	9	63	16		2	1		1	4			2	5	5	7	33
		C	54	16	6	32	5	3		1			1		1	6	12	9	7	7
119	Diarrhea, enteritis (under 2 years of age)	W	233	23	22	188	129	104												
		C	85	7	8	70	52	33												
120	Diarrhea, enteritis (2 years and over)	W	119	15	13	91			35	11	8	10	1	1	1	7	3	4	3	35
		C	39	8	9	22			7	4	2		1	1	1	3	4	2	5	8
121	Appendicitis	W	218	95	54	69	2			1	2	20	18	34	36	31	25	18	20	10
		C	46	10	9	27						2	4	4	4	11	10	6	4	1
122a	Hernia	W	11	6	1	4											1	1	4	5
		C	6	4		2									1		2	1	1	1
122b	Intestinal obstruction	W	78	27	14	37	9	4		2	1	1	2	2	5	8	7	10	10	16
		C	28	5	5	18	1			1	1		1	2	1	2	1	11	2	4
123	Other diseases of intestines	W	8	2	2	4	1								1			1	2	3
		C	9		2	7										1	3	1		3
124	Cirrhosis of liver	W	44	18	4	22							1		1		7	8	7	20
		C	13	3	2	8											6	2	3	2
125a	Yellow atrophy of liver	W	3	1	1	1										1	1		1	
		C	1			1													1	
125b	Other diseases of liver	W	16	4	3	9		1								1	1	4	4	4
		C	7		1	6	1							1					3	2
126	Biliary calculi	W	32	12	4	16											6	7	7	12
		C	5	1		4								1		1	1		1	1
127	Other diseases of gall-bladder, biliary passages	W	30	10	6	14									1	2	1	4	6	16
		C	7	4	1	2										1	2	2	1	1
128	Diseases of pancreas	W	3	1	1	1											1	1	1	
129	Peritonitis, cause not specified	W	22	5	4	13						2	1	4	2	2	2		3	5
		C	8	1	2	5									1	1	2	2	1	1
	X.—Diseases of the genitourinary system	White	944	297	112	535	4	2	2		2	10	4	10	7	27	42	100	161	561
		Colored	409	136	64	209	2		2	2	1	5	1	8	8	22	43	83	92	125
130	Acute nephritis (including unspecified under 10 years)	W	37	8	5	24	1				1	7	1		1		3	6	5	11
		C	36	7	8	21			2	1		3		2	1	3	9	5	9	
131	Chronic nephritis	W	577	205	68	304		1	1		1	1		5	4	10	24	59	103	361
		C	226	93	32	101					1	1		4	3	6	28	46	53	74
132	Nephritis, unspecified (10 years and over)	W	209	40	18	151							2	2		6	3	24	42	127
		C	86	19	18	49							1	2	2	7	4	19	21	28

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																			
	X.—Diseases of the genitourinary system—Continued																			
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	36	13	3	20	3	1	1			2	1			1	3	3	2	19
		C	15	3		12	1			1		1				1	1	3	1	5
134	Calculi of urinary passages	W	6	5		1										3	1	1	1	
		C	1			1														1
135	Diseases of bladder (tumors excepted)	W	8	2	1	5										1				7
		C	5		1	4	1												1	3
136	Diseases of urethra, urinary abscess, etc	C	6	2	1	3										2		3	1	
137	Diseases of prostate	W	43	12	9	22												2	6	35
		C	25	8	4	13											1	4	6	13
138	Diseases of male genital organs, not specified as venereal	W	1	1													1			
139a	Cysts of ovary	W	4	1	3												2	1		1
		C	2	2												2				
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	13	7	3	3								2	2	4	1	2	1	
		C	3	2		1									2			1		
139c	Diseases of uterus	W	8	2	2	4								1		2	3	1	1	
		C	3			3												2		1
139e	Other diseases of female genital organs	W	2	1		1											1	1		
		C	1			1										1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	172	39	29	104								26	36	59	43	3		
		Colored	75	9	13	53								13	15	29	12	1		
140	Abortion with septic conditions	W	27	5	7	15								1	7	11	7			
		C	7	1	1	5								2	2	1	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	10	1	3	6									2	5	2			
		C	4			4								1		3				
142b	Ectopic gestation, septic conditions not mentioned	W	2		2											1	1			
143	Other accidents of pregnancy (hemorrhage not included)	W	1	1												1				
144a	Placenta praevia	W	2			2										1		1		
		C	2		1	1									1	1				
144b	Other puerperal hemorrhages	W	9	3	1	5									1	5	3			
		C	3	1		2								1	1	1				
145a	Puerperal septicemia and pyemia (abortion excluded)	W	42	13	7	22								8	10	12	12			
		C	17	1	3	13								3	4	4	4			
146	Puerperal albuminuria and eclampsia	W	41	7	4	30								12	8	12	7	1		
		C	28	5	7	16								6	4	13	4			
147	Other toxemias of pregnancy	W	5		2	3								1		2	1			
		C	2			2										1		1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	5		2	3										4	1			
		C	1			1										1				
149	Other accidents of childbirth	W	28	9	1	18								4	8	5	9	1		
		C	9	1	1	7									3	3	2			
150	Other and unspecified conditions of puerperal state	C	2			2										1				
	XII.—Diseases of the skin and cellular tissue	White	23	7	4	12	4						2	1		1	1	2	4	8
		Colored	3	1		2			1									1		1
151	Furuncle, carbuncle	W	8	1	2	5												2	3	3
152	Phlegmon, acute abscess	W	7	3	1	3							2	1		1	1		1	1
153	Other diseases of skin and annexa, and of cellular tissue	W	8	3	1	4	4													4
		C	3	1		2			1									1		1
	XIII.—Diseases of the bones and organs of locomotion	White	17	7	3	7	1	1	1			5		4			1		1	3
154	Osteomyelitis	W	10	5	2	3	1	1				4		1			1		1	1
155	Other diseases of bones (tuberculosis excepted)	W	1			1														1
156	Diseases of joints, other organs of locomotion	W	6	2	1	3			1			1		3						1
	XIV.—Congenital malformations	White	83	26	8	49	74	4		1	1	2	1							
		Colored	8	3		5	8													
157a	Congenital hydrocephalus	W	12	2	1	9	8	2		1		1								
		C	1	1			1													
157b	Spina bifida and meningocele	W	12	5	2	5	12													
157c	Congenital malformations of heart	W	40	9	5	26	37	1			1		1							
		C	1	1			1													
157d	Other congenital malformations	W	19	10		9	17	1				1								
		C	6	1		5	6													
	XV.—Diseases of early infancy	White	442	61	33	348	442													
		Colored	93	13	9	71	93													
158	Congenital debility	W	55	4	4	47	55													
		C	20	3	1	16	20													
159	Premature birth	W	295	37	20	238	295													
		C	61	7	8	46	61													
160	Injury at birth	W	60	16	6	38	60													
		C	5	2		3	5													
161	Other diseases peculiar to early infancy	W	32	4	3	25	32													
		C	7	1		6	7													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																		
162	XVI.—Senility (White)	155	19	21	115													2	151
	XVI.—Senility (Colored)	82	3	11	68													3	78
	XVII.—Violent and accidental deaths (White)	1,008	283	146	579	19	30	14	12	14	37	42	81	88	136	130	112	105	169
	XVII.—Violent and accidental deaths (Colored)	456	112	59	285	15	5	5	5	3	17	9	37	64	101	79	51	30	26
	Suicide (W)	139	42	15	82								8	8	15	33	20	28	25
	Suicide (C)	11	4	4	3								1		5	3		2	
163	By solid or liquid poisons or by absorption of corrosive substances (W)	41	17	5	19								5	2	5	7	6	12	4
	By solid or liquid poisons or by absorption of corrosive substances (C)	2	1	1												1		1	
164	By poisonous gas (W)	3	2	1												2			1
165	By hanging or strangulation (W)	5		1	4										2		1		2
166	By drowning (W)	6			6										1	2		1	2
167	By firearms (W)	72	21	7	44								2	5	7	20	10	14	13
	By firearms (C)	9	3	3	3								1		5	2		1	
168	By cutting or piercing instruments (W)	8	2	1	5											1	2	1	3
171	By other means (W)	4			4								1	1		1	1		
	Homicide (W)	121	29	22	70			1			1		6	13	30	33	10	14	11
	Homicide (C)	165	48	17	100							1	12	32	45	41	24	5	3
173	By firearms (W)	84	21	12	51						1		4	9	23	27	7	8	5
	By firearms (C)	128	33	12	83								9	21	33	35	20	5	3
174	By cutting or piercing instruments (W)	11	3	1	7								2	2	1	1		2	1
	By cutting or piercing instruments (C)	22	9	1	12								2	6	9	4	1		
175	By other means (W)	26	5	9	12			1						2	6	5	3	4	5
	By other means (C)	15	6	4	5							1	1	5	3	2	3		
	Accidental, other, or undefined (W)	748	212	109	427	19	30	13	12	14	36	42	67	67	91	64	82	63	133
	Accidental, other, or undefined (C)	280	60	38	182	15	5	5	5	3	17	8	24	32	51	35	27	23	23
176	Attack by venomous animals (W)	5	2		3				1		2			1		1			
	Attack by venomous animals (C)	1			1													1	
177	Poisoning by food (W)	9	2	1	6					2	1		1		1		1		3
	Poisoning by food (C)	5	3		2			1							1	2	1		
178	Absorption of poisonous gas (C)	2		1	1												1		1
179	Other acute accidental poisonings (gas excepted) (W)	22	6	3	13		1	1			1		2	3	2	4	3	2	2
	Other acute accidental poisonings (gas excepted) (C)	6	3	1	2		1	1	1					2				1	
180	Conflagration (W)	12	5	1	6						1	1				3		2	5
	Conflagration (C)	7	1		6		1				1				2		2		1
181	Burns (conflagration excepted) (W)	54	18	8	28	4	7	4	3	4	2	8	4	2	3	1	5		6
	Burns (conflagration excepted) (C)	29	2	4	23	2	2	3	3	1	6			2	2	1	1	3	3
	Supplemental (W)	13	5	4	4						1		2	4		2	2	2	
	Supplemental (C)	2	1		1						1						1		
182	Mechanical suffocation (W)	8			8	7										1			
	Mechanical suffocation (C)	1			1	1													
	Supplemental (W)	1			1								1						
183	Drowning (W)	65	5	6	54		7	1	2	1	4	8	17	3	10	4	3	4	
	Drowning (C)	38		4	34				1		2	2	10	8	6	5	1		
	Supplemental (W)	13			13				1		1	2		1	2	1	4	1	
	Supplemental (C)	12			12								3		3	3	3		
	Traumatism:																		
184	By firearms (wounds of war excepted) (W)	43	10	8	25						2	6	8	7	7	3	5	3	1
	By firearms (wounds of war excepted) (C)	33	10	7	16						1	3	3	8	9	5	3		
185	By cutting or piercing instruments (wounds of war excepted) (W)	7	4	2	1			1			1		1			2	2		
	By cutting or piercing instruments (wounds of war excepted) (C)	2	1		1									1		1			
	Supplemental (W)	3		1	2							1				1		1	
	Supplemental (C)	1			1							1							
186a	By fall (W)	108	39	13	56	2	1	1		1	1	1	4	1	2	1	7	9	76
	By fall (C)	13	4	1	8		1				1				1	2	1	2	5
	Supplemental (W)	29	9	4	16				1	1	1		4	9	3	2	2	2	2
	Supplemental (C)	12		2	10	1					1			1	1	4	1	2	1
186b	By crushing, landslide (W)	4			4								1	2			1		
	Supplemental (W)	62	27	13	22		1				1	1	7	7	17	8	11	5	3
	Supplemental (C)	22	7	7	8						1	1	2	5	9	1	1		1
187	Cataclysm (W)	2			2		1									1			
188	Injuries by animals (W)	9	1	2	6			1		1	1	1		1			2	2	
	Injuries by animals (C)	4			4										1		1		2
190	Excessive cold (W)	1			1														
	Excessive cold (C)	4			4	1							1		1			1	
191	Excessive heat (W)	4			4												2	2	
	Excessive heat (C)	13	6		7									1	2		3	4	3
192	Lightning (W)	8			8									1	3	1	2	1	
	Lightning (C)	1			1								1						
193	Due to electric currents (W)	6	1	1	4								1	2	2			1	
194a	Foreign bodies (W)	8	2		6		5	3											
194b	Other accidents (W)	54	13	6	35	4	3	1		1	3	2	1	5	6	4	6	8	8
	Other accidents (C)	22	12	1	9	10					1	1	2	1	3		2	1	1
	Supplemental (W)	198	63	36	99	2	4		4	3	13	11	13	18	33	24	24	18	27
	Supplemental (C)	48	10	10	28					2	2		2	3	9	10	5	8	5
198	Legal executions (C)	2			2										1	1			
	XVIII.—Ill-defined causes of death (White)	612	27	34	551	184	18	10	6	5	16	9	12	8	19	21	34	54	191
	XVIII.—Ill-defined causes of death (Colored)	620	33	65	522	144	18	6	7	3	11	7	18	24	41	48	66	60	153
199	Sudden death (W)	46	3	4	39	4		1			1					1	6	7	23
	Sudden death (C)	30	1	3	26									1	2	7	6	6	6
200a	Cause of death ill-defined (W)	95	13	6	76	14	4				4		2		2	3	7	18	39
	Cause of death ill-defined (C)	101	23	8	70	12	3	1	1	1	2		2	2	7	7	14	17	28
200b	Cause of death not specified or unknown (W)	471	11	24	436	166	14	9	6	5	11	9	10	8	17	17	21	29	129
	Cause of death not specified or unknown (C)	489	9	54	426	132	15	5	6	2	9	7	16	21	32	34	46	37	119

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ARKANSAS—Continued																		
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	W	10	4	4	2						1			1		4	2	1	
		C	1			1													1	
202	Accidents from agricultural machinery	W	2	2									1						1	
		C	1			1										1				
203	Elevator accidents	W	2	2										1			1			
		C	1	1																1
205	Other machinery accidents	W	10	2		8								1	2	2	3	1	1	
		C	1			1						1								
206	Railroad and automobile collisions	W	15	5	1	9		1		1		1			1	5	1	4	1	
		C	4	3	1	1									2	2				
207	Other railroad accidents	W	47	18	7	22		1					1	8	5	11	6	7	2	4
		C	21	3	6	12								3		9	3	3		1
208	Street car and automobile collisions	W	2	2											1	1				
210	Automobile accidents (primary)	W	212	63	44	105	2	3		5	4	13	12	16	25	33	20	26	22	27
		C	48	11	10	27					2	4	1	1	6	7	11	5	6	4
211	Motorcycle accidents	W	1	1												1				
212	Other land transportation accidents	W	13	5	2	6						2	1	1	2	2	1	2	1	1
		C	10		3	7	1					1			1		3		3	1
213	Water transportation accidents	W	2			2											1	1		
		C	10			10								3		3	1	3		
214	Air transportation accidents	W	3			3									2		1			
	CALIFORNIA																			
	Total deaths (all causes)	White	60,037	38,876	5,708	15,453	2,657	318	184	153	110	573	513	824	1,260	3,213	5,069	7,740	10,541	26,871
		Colored	7,643	4,070	813	2,760	1,459	283	126	81	58	232	152	287	408	858	899	925	755	1,119
	I.—Infectious and parasitic diseases	White	5,709	3,345	493	1,871	196	107	57	43	38	195	106	185	334	865	1,027	914	733	908
		Colored	2,169	1,123	218	828	176	111	55	36	31	105	81	175	228	383	314	226	125	123
1	Typhoid fever	W	56	35	5	16		1		1		3	5	5	7	10	6	11	5	2
		C	23	10	2	11	1				2	6	4	1	5	3	1			
2	Paratyphoid fever	W	2			2													1	1
		C	3	2	1							1						1	1	
5	Undulant fever	W	2	2									1				1			
6	Smallpox	C	1		1			1												
7	Measles	W	46	14	7	25	8	9	3	2	3	10	6	2	1			1	1	
		C	9	1	3	5	2	3	2		1	1								
8	Scarlet fever	W	45	31	3	11		1	1	3	3	16	5		3	8	2	1		2
		C	6	5		1		2				1		2				1		
9	Whooping cough	W	98	58	9	31	63	14	7	1	2	9								2
		C	82	38	15	29	46	26	6	2	1	1								
10	Diphtheria	W	160	116	13	31	6	20	12	14	16	51	14	2	2	7	5	2	8	1
		C	51	37	4	10	7	11	6	9	3	10	2		2	1				
11a	Influenza, respiratory complications specified	W	658	390	87	181	21	9	5	4	2	18	3	18	25	60	86	82	85	240
		C	136	50	25	61	34	7	7	1	1	9		5	1	12	16	17	11	15
11b	Influenza, respiratory complications not specified	W	249	125	48	76	14	4	4	1		10	9	7	6	13	30	17	30	104
		C	43	17	6	20	9	6	3	1			1	3	2	3	6	4	1	4
13	Dysentery	W	47	24	9	14	4	7	3	3	1	4			2	2	3	2	6	10
		C	27	13	6	8	12	6		2		1		1		2		3		
15	Erysipelas	W	47	37	4	6	10	1				1	2	2		3	4	2	5	17
		C	6	3		3	3						1					1	1	
16	Acute poliomyelitis, acute polioencephalitis	W	31	23	1	7	2	1	1	1		9	4	4	3	2	1	2		1
		C	4			4	1	1	1				1							
17	Lethargic or epidemic encephalitis	W	40	18	5	17		1		2		1		2		8	10	5	6	5
		C	5	2	1	2		2			1						1		1	
18	Epidemic cerebrospinal meningitis	W	78	53	9	16	9	9	2	1	4	11	7	9	4	4	9	5	2	2
		C	4	3		1					1			1					1	1
21	Rabies	W	2	1	1											1			1	
22	Tetanus	W	44	33	5	6		1	3	1	2	13	8	3	1	4	2	4	1	1
		C	12	7	1	4	2	1		2		5	2							
	Tuberculosis (all forms)	W	3,503	1,990	241	1,272	36	26	16	8	4	35	38	127	267	689	763	646	432	415
		C	1,552	806	140	606	33	42	28	19	21	64	70	158	210	335	244	164	76	88
23	Respiratory system	W	3,197	1,766	219	1,212	15	7	7	3		12	23	116	251	651	723	609	399	380
		C	1,348	677	122	549	18	13	9	10	9	38	56	146	202	310	227	157	69	84
24	Meninges and central nervous system	W	89	69	4	16	9	11	5	3	1	19	5	5	5	7	8	5	4	2
		C	76	51	6	19	6	13	12	4	8	14	6	3		4	5	1		
25	Intestines and peritoneum	W	50	31	4	15	1		1			1	2		3	13	8	6	7	8
		C	40	25	6	9	2	2				5	3	3	4	8	7	3	2	1
26	Vertebral column	W	26	15	3	8							2	1		2	6	6	3	6
		C	5	3	1	1				1	2					2				
27a	Bones (vertebral column excepted)	W	5	2		3										1	1	1		2
		C	3	1		2									1	1			1	
27b	Joints	W	8	5	2	1											4	1	2	1
		C	4	3		1							1	1		1				1
28	Skin and subcutaneous cellular tissue	W	3	3																3
		C	1		1											1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	7	7			1									1	1	1	1	2
		C	5	3	1	1		1			1		1						2	
30	Genitourinary system	W	39	29	4	6							2	1	2	6	7	8	9	4
		C	4	2	1	1									1	1		1	1	
31	Other organs	W	7	4	2	1												3	1	3
32a	Acute disseminated tuberculosis	W	66	56	3	7	9	8	3	2	3	3	4	3	6	8	5	6	4	2
		C	61	39	2	20	6	13	7	4	1	7	3	5	2	5	4	2	1	1
32b,c	Other disseminated tuberculosis	W	6	3		3	1							1					2	2
		C	5	2		3	1									2	1			1

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
33	Leprosy	W	1	1												1			1	
		C	1			1														
34	Syphilis	W	497	334	32	131	20	1				1	1	3	1	33	87	116	137	97
		C	174	104	10	60	22	1	2			2		1	6	20	40	35	31	14
35	Gonococcus infection, other venereal diseases	W	39	26	3	10								1	7	16	5	6	2	2
		C	11	10	1		2								1	4	4			
36	Purulent infection, septicemia (nonpuerperal)	W	22	10	4	8	1	2			1	1	3		3	1	3	3	1	3
		C	6	5	1			1				3		2						
38	Malaria	W	7		5	2	1					1							2	1
		C	2			2									1					1
39	Other diseases due to protozoal parasites	W	2	2												1		1		
41a	Hydatid cysts of liver	W	1	1																1
42	Other diseases caused by helminths	W	6	5		1									2	1	2		1	
		C	1		1			1												
43	Mycoses[a]	W	12	12												1	3	3	5	
		C	8	8			1								1	3	2		1	
44	Other infectious and parasitic diseases	W	14	4	2	8	1			1		1					5	3	3	
		C	2	2			1					1								
	II.—Cancers and other tumors	White	7,274	5,175	638	1,461	1	5	3	7	5	14	19	23	32	181	655	1,352	1,808	3,169
		Colored	430	287	33	110	1		2	2	2	1	1	1	6	30	76	114	96	98
	Cancer and other malignant tumors	W	7,001	4,962	617	1,422	1	4	3	4	4	11	14	14	29	161	577	1,277	1,779	3,123
		C	410	271	32	107	1			2	2	1	1	1	5	28	68	111	93	97
(45)	Buccal cavity	W	206	127	21	58									1	5	9	37	52	102
		C	4	2		2									1					3
(45)	Pharynx	W	51	37	5	9											2	6	20	23
		C	1	1															1	
(46)	Esophagus	W	124	100	5	19										1	4	21	38	60
		C	7	6		1												2	3	2
(46)	Stomach and duodenum	W	1,393	894	155	344										18	80	211	355	729
		C	104	68	8	28										1	14	34	29	26
(46)	Liver and biliary passages	W	442	297	53	92									2	5	26	73	99	237
		C	30	17	4	9									1	2	3	9	9	6
(46)	Pancreas	W	242	182	18	42							1			1	14	47	71	108
		C	7	3	1	3												1	2	4
(46)	Other digestive tract and peritoneum	W	1,113	823	84	206				1		1		4	2	32	88	173	288	524
		C	55	38	5	12										7	8	16	9	15
47	Respiratory system	W	300	220	19	61							1		4	5	20	61	104	105
		C	24	18		6										2	5	10	4	3
48	Uterus	W	785	565	79	141									3	32	110	200	211	229
		C	86	59	9	18									1	12	21	22	15	15
49	Other female genital organs	W	208	168	15	25						1		1	2	4	31	55	53	61
		C	4	4												1		1	1	1
50	Breast	W	761	568	69	124									2	17	103	201	200	238
		C	26	16	2	8										1	6	7	5	7
51	Male genitourinary organs	W	569	393	39	137			1	2	1	1			2	8	16	40	120	378
		C	23	18	1	4					1						3	4	8	7
52	Skin	W	168	105	17	46		1					1			1	9	16	28	112
		C	2			2														2
53	Other or unspecified organs	W	639	483	38	118	1	3	2	1	3	8	11	9	11	32	65	136	140	217
		C	37	21	2	14	1			2	1	1	1	1	2	2	8	5	7	6
54a	Nonmalignant tumors, ovary	W	14	12	2								1			3	3	3	2	2
		C	1	1													1			
54b	Nonmalignant tumors, uterus	W	116	92	9	15										6	54	37	5	14
		C	13	10	1	2										1	6	2	3	1
54c	Nonmalignant tumors, other female genital organs	W	1	1															1	
54d,e	Nonmalignant tumors, other organs	W	75	64	4	7				1	1	1	1	6	3	8	6	17	16	15
		C	3	2		1			1						1		1			
55b	Tumors, uterus (nature unspecified)	W	1	1																1
55d,e	Tumors, other organs (nature unspecified)	W	66	43	6	17		1		2		2	3	3		3	15	18	5	14
		C	3	3					1							1		1		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	1,629	1,140	153	336	45	8	4	3		17	19	18	20	49	99	200	379	768
		Colored	134	82	14	38	26	4			1	5	4	3	5	7	16	24	22	17
56	Acute rheumatic fever	W	48	25	5	18	1					3	10		2	6	2	7	5	12
		C	12	5	2	5					1	2	1	2	3	1		2		
57	Chronic rheumatism, osteoarthritis	W	75	53	5	17							1		1		3	7	9	54
		C	2	2														1		1
59	Diabetes mellitus	W	1,207	843	113	251		1	1			6	6	10	12	23	53	130	308	657
		C	66	44	6	16						1			2	3	9	15	21	15
62	Pellagra	W	24	17		7										1	8	6	3	6
		C	2	1		1										1		1		
63	Rickets	W	5	2	2	1	1		1			1		1			1			
		C	5	1	1	3	3	2												
64	Osteomalacia	W	1	1															1	
65	Diseases of pituitary body	W	4	3		1											3		1	
66a	Simple goiter	W	12	10		2											1	2	4	5
		C	2	2														2		
66b	Exophthalmic goiter	W	142	107	13	22								2	3	13	20	40	38	26
		C	10	8		2							1			1	6	1		1
(66)	Other diseases of thyroid and parathyroid glands	W	18	12	5	1		1		1		1		1		3	1	2	4	4
		C	2	1	1		1											1		
67	Diseases of thymus gland	W	64	44	7	13	41	6	2	2		6	1	4	1		1			
		C	28	16	2	10	22	2				2	2							
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	14	11	2	1											4	3	5	2
		C	5	2	2	1								1		1	1	1	1	
69	Other general diseases	W	15	12	1	2	2						1		1	3	2	3	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																			
	IV.—Diseases of the blood and blood-making organs	White	506	349	38	119	11	6	4	5	3	11	10	14	13	34	51	60	121	163
		Colored	31	24	1	6	2					3	1	1		4	5	4	8	3
70	Hemorrhagic conditions	W	25	16	1	8	6		1		1		2			2	6	1	1	5
		C	2	2			1						1							
71a	Pernicious anemia	W	191	112	18	61		1	1	1			1		2	5	4	27	60	89
		C	13	11		2								1		2	3	1	4	2
71b	Other anemias	W	18	13	1	4	5	3				1	1	1			2		2	3
		C	1			1	1													
72a	True leukemias	W	183	148	11	24		2	2	4	1	7	4	11	8	15	23	16	40	50
		C	11	8		3						3				1		3	3	1
72b	Pseudoleukemias (Hodgkin's disease)	W	59	36	5	18					1			1	2	8	12	14	13	8
		C	2	1	1												2			
73	Diseases of spleen	W	24	18	2	4						3	2		1	3	4	2	3	6
		C	1	1															1	
74	Other diseases of blood and blood-making organs	W	6	6										1		1			2	2
		C	1	1												1				
	V.—Chronic poisonings and intoxications	White	137	79	24	34									2	20	38	34	28	15
		Colored	14	10	1	3		1								4	5	1		3
75	Alcoholism (acute or chronic)	W	127	73	22	32									1	20	36	31	26	13
		C	11	7	1	3										3	5	1		2
76	Chronic poisoning by other organic substances	W	6	4	1	1											2	3	1	
		C	2	2												1				1
77a	Chronic lead poisoning	W	3	2		1													1	2
		C	1	1				1												
77b,c	Other chronic poisoning by mineral substances	W	1		1										1					
	VI.—Diseases of the nervous system and of the organs of special sense	White	5,847	3,554	543	1,750	64	18	14	5	9	44	33	44	40	129	272	608	1,122	3,444
		Colored	378	210	30	138	25	3	3	3		10	4	6	7	32	37	67	74	107
78	Encephalitis (nonepidemic)	W	40	21	5	14	4			1	2	3	1	3	1	7	4	4	6	4
		C	9	6	2	1	1					2			1	2	1	2		
79a	Simple meningitis	W	78	51	6	21	13	2	4		2	7	3	7	4	6	11	10	5	4
		C	16	7	3	6	3			2		2	1		2	2	3	1		
79b	Nonepidemic cerebrospinal meningitis	W	1	1			1													
		C	1			1	1													
80	Progressive locomotor ataxia (tabes dorsalis)	W	77	50	3	24										2	6	13	24	32
		C	7	5		2											2	2	2	1
81	Other diseases of spinal cord	W	168	111	14	43	2					1	4	2	2	5	10	35	42	65
		C	4	3		1						1		1	1				1	
82a	Cerebral hemorrhage	W	4,178	2,587	435	1,156	5	1						5	4	28	95	380	821	2,839
		C	207	133	14	60						1	3	1	2	6	11	45	54	84
82b	Cerebral embolism and thrombosis	W	344	263	24	57	1	1					3		2	7	16	22	69	222
		C	23	15	2	6						1			1	1		4	7	9
82c	Softening of brain	W	43	35	1	7												3	3	37
		C	2	2																2
82d	Hemiplegia and other paralysis, cause unspecified	W	139	77	17	45						1		1		2	3	7	29	96
		C	9	3	2	4													3	6
83	General paralysis of insane	W	263	31	5	227									3	26	72	75	57	30
		C	37	2		35										8	14	9	5	1
84	Dementia praecox and other psychoses	W	61	9	4	48							1		4	6	13	13	10	14
		C	10	3		7										5	1	2	2	
85	Epilepsy	W	83	29	8	46			1			4	6	6	7	20	8	11	12	8
		C	9	4	3	2			1					2		4	2			
86	Convulsions (under 5 years of age)	W	5	2		3	5													
		C	1			1	1													
87	Other diseases of nervous system	W	157	107	12	38	3	3	3	1	1	2	2		3	6	12	18	29	74
		C	6	3	2	1										2		1		3
88	Diseases of organs of vision	W	5	5														1	1	3
		C	2			2								1			1			
89a	Diseases of ear	W	120	100	5	15	24	9	5	1	4	10	8	10	5	6	10	12	5	11
		C	27	18	2	7	17	3	2	1		2		1			1			
89b	Diseases of mastoid process	W	85	75	4	6	6	2	1	2		16	5	10	5	8	12	4	9	5
		C	8	6		2	2					1				2	1	1		1
	VII.—Diseases of the circulatory system	White	17,202	11,182	1,575	4,445	4	3	2	3	2	21	32	67	79	235	693	1,783	3,303	10,974
		Colored	952	529	86	337	3	2			1	7	11	9	16	50	92	158	189	414
90	Pericarditis	W	40	27	3	10				1			1			6	2	8	10	12
		C	9	5		4								1		2	3			3
91a	Acute endocarditis	W	131	105	10	16			1			5	8	12	8	24	23	10	24	16
		C	21	16	2	3						2	3		2	3	5	4	2	
91b	Endocarditis, unspecified (under 45 years)	W	15	9	1	5							1		1	6	7			
		C	1	1													1			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	2,603	1,638	276	689		1	1		2	8	14	29	48	99	184	329	465	1,423
		C	192	112	20	60					1	2	4	2	7	19	25	40	35	57
92b	Endocarditis, unspecified (45 years and over)	W	130	96	15	19												17	29	84
		C	8	8														2	4	2
93a	Acute myocarditis	W	168	95	21	52								1	1	2	9	25	37	93
		C	25	14	3	8		1						1	3	2	6	4	5	3
93b	Myocarditis, unspecified (under 45 years)	W	29	19		10							1	1	1	7	19			
		C	9	5		4										2	7			
93c	Chronic myocarditis and myocardial degeneration	W	7,130	4,447	631	2,052						1	4	9	11	43	220	647	1,305	4,889
		C	353	171	34	148	1						2	1	2	9	24	49	75	190
93d	Other diseases of myocardium	W	1,390	975	124	291						1			2	3	4	120	279	981
		C	78	42	7	29	1											16	15	46
94a	Angina pectoris	W	1,050	670	132	248									1	4	39	123	269	614
		C	18	9	3	6										1	4	2	6	5
94b	Diseases of coronary arteries	W	1,429	1,119	100	210								1		12	78	256	367	715
		C	43	32	3	8										2	4	7	16	14
95a	Functional diseases of heart	W	22	11	5	6											1	4	2	15

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
95b	Other and unspecified diseases of heart	W 1,369	956	112	301	3	1		1		5	3	14	5	20	73	140	274	830
		C 89	59	1	29	1	1				2	2	3	2	8	6	16	15	33
96	Aneurysm (except of heart)	W 230	179	18	33										4	21	49	63	93
		C 21	17	2	2										2	5	3	6	5
97	Arteriosclerosis (coronary arteries excepted)	W 1,324	749	110	465										1	2	36	143	1,142
		C 71	30	10	31											2	7	8	54
98	Gangrene	W 24	14	2	8											1	1	2	20
		C 4	1		3										1		1		2
99	Other diseases of arteries	W 62	35	7	20									1	2	7	10	15	27
		C 5	3	1	1										1	1	3		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 30	25	2	3										1	2	6	13	8
		C 2	2															2	
101	Diseases of lymphatic system (lymphangitis, etc.)	W 8	3	2	3	1	1		1		1					1		1	2
		C 1	1								1								
102	Idiopathic anomalies of blood-pressure	W 8	1	3	4												1	1	6
		C 1			1												1		
103	Other diseases of circulatory system	W 10	9	1											1		1	4	4
		C 1	1										1						
	VIII.—Diseases of the respiratory system	White 3,918	2,584	332	1,002	323	72	40	16	8	44	61	59	71	230	417	473	503	1,601
		Colored 1,007	537	117	353	353	83	35	18	7	28	14	17	33	72	91	86	62	108
104	Diseases of nasal fossae	W 9	6		3	4						1				1			3
104b	Diseases of nasal fossae and annexae	W 40	31	5	4						1	7	3	5	5	8	5	4	2
		C 3	2	1								1			1	1			
105	Diseases of larynx	W 19	11		8	4	7	1								3	2		2
		C 5	4		1	2			1		1				1				
106a	Acute bronchitis	W 63	42	4	17	6		1							2	3	1	5	45
		C 23	14	3	6	14	1		1		2					1	2	1	1
106b	Chronic bronchitis	W 101	68	10	23	1					1		1		6	5	9	15	63
		C 4	4														1	1	2
106c,d	Bronchitis, unspecified	W 22	11	2	9	3									1	2		2	14
		C 3	2		1	2		1											
107a	Bronchopneumonia	W 1,508	973	132	403	239	39	20	7	7	19	23	14	22	62	108	130	139	679
		C 507	241	64	202	252	58	24	8	2	12	6	6	8	20	20	24	24	43
107b	Capillary bronchitis	W 12	9		3		1										2	2	7
		C 9	3	3	3	7				1								1	
108	Lobar pneumonia	W 1,699	1,128	152	419	55	20	14	7	3	17	19	33	34	132	232	273	269	593
		C 383	224	41	118	71	22	6	7	3	12	6	10	22	37	63	50	27	47
109	Pneumonia, unspecified	W 39	22	4	13	3	1	1			2	1	2			5	2	6	16
		C 13	3	1	9	4		2	1			1			1	1			3
110	Pleurisy	W 152	120	5	27	6	3	2			3	7	4	5	5	28	21	19	49
		C 26	20	2	4		2	1					1	2	7	3	6	2	2
111a	Pulmonary embolism and thrombosis	W 19	13	1	5								1		1	1	1	5	10
		C 5	3	1	1									1	1			1	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 68	47	7	14	1		1									4	7	55
		C 3	2		1											1			2
112	Asthma	W 99	62	7	30	1	1		2		1			3	6	8	13	15	49
		C 11	9		2			1			1				1		1	3	4
113	Pulmonary emphysema	W 4	2	1	1											1		1	2
114	Other diseases of respiratory system (tuberculosis excepted)	W 64	39	2	23							3	1	2	10	12	10	14	12
		C 12	6	1	5	1				1					3	1	2	2	2
	IX.—Diseases of the digestive system	White 3,489	2,489	333	667	201	35	20	20	15	71	63	54	96	241	408	622	641	1,002
		Colored 691	328	98	265	313	46	15	7	6	28	11	11	6	43	59	59	46	41
115a	Diseases of pharynx, tonsils	W 155	110	17	28	2	3	2	2	6	14	6	5	11	24	25	19	18	18
		C 17	11	1	5	1		2		2	3	2	2		1	1	2		1
115b	Diseases of buccal cavity and annexa	W 30	21	3	6							1	1	4	3	4	4	6	7
		C 4	3	1		1									1	1			1
116	Diseases of esophagus	W 15	12	1	2	3									1		2	3	6
		C 1	1															1	
117a	Ulcer of stomach	W 269	183	20	66							1		5	9	25	66	57	106
		C 18	7	3	8		1							1	1	4	7		4
117b	Ulcer of duodenum	W 183	148	13	22	1			1						10	22	48	47	54
		C 13	6	3	4										3	4	3	2	1
118	Other diseases of stomach (cancer excepted)	W 74	44	10	20	3						2	1	2	5	6	9	16	30
		C 19	9	4	6	12	1		1						1	1	1		2
119	Diarrhea, enteritis (under 2 years of age)	W 182	89	28	65	160	22												
		C 327	116	58	153	287	40												
120	Diarrhea, enteritis (2 years and over)	W 128	68	17	43			10	6	2	2	5	1	4	11	14	18	19	36
		C 49	15	11	23			10	5	2	9	1	1		3	4	4	2	8
121	Appendicitis	W 693	483	70	140	1	6	6	9	5	45	37	35	46	91	115	107	101	89
		C 60	38	6	16			1			7	7	5	2	14	10	6	4	4
122a	Hernia	W 232	173	19	40	3	1			1		1	1	1	5	16	26	49	128
		C 23	15		8	2									1	7	4	3	6
122b	Intestinal obstruction	W 367	265	42	60	25	2	2	1	1	8	7	3	15	38	49	51	47	118
		C 37	22	3	12	5	4	1			3			1	5	5	7	4	2
123	Other diseases of intestines	W 47	39	3	5								1	1	3	7	9	13	13
		C 9	4	2	3	1		1			1				1	2	2		1
124	Cirrhosis of liver	W 623	462	44	117	1							2	1	17	65	162	170	205
		C 51	35	4	12	1				1		1	2		1	6	15	18	6
125a	Yellow atrophy of liver	W 18	16		2							1	1			4	6	1	5
		C 1	1																1
125b	Other diseases of liver	W 47	40	4	3						1			1	2	8	8	9	18
		C 6	4		2				1	1					1	2	1		
126	Biliary calculi	W 192	155	21	16										7	12	42	46	85
		C 24	19		5									1	3	7	5	5	3
127	Other diseases of gall-bladder, biliary passages	W 142	108	15	19								1	1	6	16	28	25	65
		C 17	10	2	5	1					1				5	2	2	5	1
128	Diseases of pancreas	W 37	29	3	5									1	2	9	7	9	9
		C 4	4													2		2	
129	Peritonitis, cause not specified	W 55	44	3	8	2	1		1		1	2	2	3	7	11	10	5	10
		C 11	8		3	2					4		1	1	2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	X.—Diseases of the genitourinary system—White	5,245	3,511	560	1,174	10	3	7	2	1	8	16	27	37	141	303	586	972	3,132
	X.—Diseases of the genitourinary system—Colored	354	234	32	88	6	1		1		3	2	4	6	29	38	73	67	123
130	Acute nephritis (including unspecified under 10 years)—W	88	56	8	24	2	1	4	1		3	2	5	5	8	9	13	15	20
	Acute nephritis (including unspecified under 10 years)—C	22	14	3	5	3	1		1		1	1	2	1	4	2	3	3	
131	Chronic nephritis—W	4,201	2,751	464	986			1			5	9	15	19	80	212	467	796	2,597
	Chronic nephritis—C	270	175	26	69						2	1		2	19	29	59	54	104
132	Nephritis, unspecified (10 years and over)—W	168	111	22	35							2	2	2	5	13	19	38	87
	Nephritis, unspecified (10 years and over)—C	7	3	1	3										2	1	2	1	
133	Other diseases of kidneys, ureters (puerperal diseases excepted)—W	172	123	17	32	7	1	2		1		2	3	5	11	23	18	39	60
	Other diseases of kidneys, ureters (puerperal diseases excepted)—C	14	10	1	3	3							1	2		2	3	3	
134	Calculi of urinary passages—W	75	62	4	9				1						4	8	13	19	30
	Calculi of urinary passages—C	1	1													1			
135	Diseases of bladder (tumors excepted)—W	26	19	2	5											1	3	4	18
	Diseases of bladder (tumors excepted)—C	2	2															1	1
136	Diseases of urethra, urinary abscess, etc—W	8	7		1													3	5
	Diseases of urethra, urinary abscess, etc—C	2	1		1												1		1
137	Diseases of prostate—W	364	273	30	61											2	16	41	305
	Diseases of prostate—C	22	16	1	5												2	5	15
138	Diseases of male genital organs not specified as venereal—W	4	1	1	2	1	1									1	1		
139a	Cysts of ovary—W	39	30	4	5									1	10	9	6	8	5
	Cysts of ovary—C	3	3											1	1				1
139b	Other diseases of ovaries, diseases of tubes and parametrium—W	66	55	3	8								2	5	16	19	22	2	
	Other diseases of ovaries, diseases of tubes and parametrium—C	8	6		2								1		2	3	1		1
139c	Diseases of uterus—W	33	23	5	5										7	6	8	7	5
	Diseases of uterus—C	2	2												1		1		
139e	Other diseases of female genital organs—W	1			1							1							
	Other diseases of female genital organs—C	1	1														1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—White	339	231	46	62							1	31	78	154	74	1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Colored	101	52	12	37								13	23	34	30	1		
140	Abortion with septic conditions—W	75	55	7	13								5	22	36	12			
	Abortion with septic conditions—C	12	10		2								2	3	7				
141	Abortion without mention of septic conditions (includes hemorrhages)—W	32	19	2	11									12	17	3			
	Abortion without mention of septic conditions (includes hemorrhages)—C	9	4		5								1	1	3	4			
142a	Ectopic gestation, septic conditions specified—W	7	3	2	2								1		3	3			
	Ectopic gestation, septic conditions specified—C	2	1		1									1		1			
142b	Ectopic gestation, septic conditions not mentioned—W	21	15	3	3								1	2	10	8			
	Ectopic gestation, septic conditions not mentioned—C	4	3	1										2	1	1			
143	Other accidents of pregnancy (hemorrhage not included)—W	2	1	1										1	1				
144a	Placenta praevia—W	4	3		1									1	3				
	Placenta praevia—C	3	1	1	1									1	1	1			
144b	Other puerperal hemorrhages—W	25	20	1	4								3	4	12	6			
	Other puerperal hemorrhages—C	11	3	2	6								1	3	3	4			
145a	Puerperal septicemia and pyemia (abortion excluded)—W	57	42	8	7								7	15	24	11			
	Puerperal septicemia and pyemia (abortion excluded)—C	18	11	1	6								5	3	5	4	1		
146	Puerperal albuminuria and eclampsia—W	40	25	7	8								8	8	14	9	1		
	Puerperal albuminuria and eclampsia—C	14	6	3	5								2	4	4	4			
147	Other toxemias of pregnancy—W	9	7	1	1								2	3	3	1			
	Other toxemias of pregnancy—C	3	2		1									1	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	13	7	3	3								1	4	6	2			
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—C	5	1		4									1	2	2			
149	Other accidents of childbirth—W	51	32	10	9							1	3	6	22	19			
	Other accidents of childbirth—C	19	9	4	6								2	3	7	7			
150	Other and unspecified conditions of puerperal state—W	3	2	1											3				
	Other and unspecified conditions of puerperal state—C	1	1													1			
	XII.—Diseases of the skin and cellular tissue—White	75	48	10	17	10					1	5	2		12	12	9	5	19
	XII.—Diseases of the skin and cellular tissue—Colored	20	14	1	5	6							2	1	1	4	2	1	3
151	Furuncle, carbuncle—W	28	14	6	8							3			7	4	6	3	5
	Furuncle, carbuncle—C	9	7		2	3							2			3		1	
152	Phlegmon, acute abscess—W	21	13	2	6	5						1	1		2	6	2	1	3
	Phlegmon, acute abscess—C	4	1	1	2	1								1	1		1		
153	Other diseases of skin and annexa and of cellular tissue—W	26	21	2	3	5					1	1	1		3	2	1	1	11
	Other diseases of skin and annexa and of cellular tissue—C	7	6		1	2										1	1		3
	XIII.—Diseases of the bones and organs of locomotion—White	66	43	7	16	1	2	1	5	1	6	12	2	4	8	4	5	4	11
	XIII.—Diseases of the bones and organs of locomotion—Colored	3	2		1								2			1			
154	Osteomyelitis—W	49	30	4	15	1	1	1	4	1	6	12	2	2	3	3	3	3	7
	Osteomyelitis—C	1			1								1						
155	Other diseases of bones (tuberculosis excepted)—W	5	5						1								1		3
	Other diseases of bones (tuberculosis excepted)—C	1	1													1			
156	Diseases of joints, other organs of locomotion—W	12	8	3	1		1							2	5	1	1	1	1
	Diseases of joints, other organs of locomotion—C	1	1										1						
	XIV.—Congenital malformations—White	390	250	49	91	333	4	4	5	1	15	14	7	1	2	3	1		
	XIV.—Congenital malformations—Colored	95	56	5	34	85	4			1	1	4							
157a	Congenital hydrocephalus—W	45	33	5	7	31	1	2	2		3	2	2	1	1				
	Congenital hydrocephalus—C	10	8	1	1	7	2					1							
157b	Spina bifida and meningocele—W	18	10	3	5	17					1								
	Spina bifida and meningocele—C	12	7		5	11	1												
157c	Congenital malformations of heart—W	235	145	34	56	200	3		3	1	9	11	5			2	1		
	Congenital malformations of heart—C	47	29	3	15	42	1			1	1	2							
157d	Other congenital malformations—W	92	62	7	23	85		2			2	1			1	1			
	Other congenital malformations—C	26	12	1	13	25						1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	XV.—Diseases of early infancy—White	1,396	948	172	276	1,396													
	XV.—Diseases of early infancy—Colored	429	191	68	170	429													
158	Congenital debility—W	45	20	7	18	45													
	Congenital debility—C	57	14	14	29	57													
159	Premature birth—W	966	655	119	192	966													
	Premature birth—C	262	117	40	105	262													
160	Injury at birth—W	260	187	33	40	260													
	Injury at birth—C	60	30	9	21	60													
161	Other diseases peculiar to early infancy—W	125	86	13	26	125													
	Other diseases peculiar to early infancy—C	50	30	5	15	50													
162	XVI.—Senility—White	178	84	18	76												1	2	175
	XVI.—Senility—Colored	16	5	2	9														16
	XVII—Violent and accidental deaths—White	6,561	3,829	707	2,025	57	53	28	39	27	126	122	291	452	908	1,002	1,078	904	1,471
	XVII—Violent and accidental deaths—Colored	795	373	92	330	31	23	16	14	9	40	19	43	77	167	130	108	59	59
	Suicide—W	1,617	1,071	134	412							3	27	67	226	328	398	317	251
	Suicide—C	108	60	15	33							2	7	11	23	19	18	16	12
163	By solid or liquid poisons or by absorption of corrosive substances—W	336	264	18	54								10	19	72	72	75	57	31
	By solid or liquid poisons or by absorption of corrosive substances—C	25	18	1	6							1	5	3	8	4		2	2
164	By poisonous gas—W	172	120	18	34									2	18	36	57	34	25
165	By hanging or strangulation—W	167	97	12	58							1	1	7	15	32	42	42	27
	By hanging or strangulation—C	25	12	6	7									1	2	4	5	7	6
166	By drowning—W	71	49	6	16									3	5	14	17	12	20
	By drowning—C	6	4		2											1	3	1	1
167	By firearms—W	682	409	71	202							2	14	31	87	140	156	140	112
	By firearms—C	33	17	5	11							1	2	7	7	4	7	2	3
168	By cutting or piercing instruments—W	83	46	7	30									1	5	14	28	17	18
	By cutting or piercing instruments—C	11	6	2	3										3	2	3	3	
169	By jumping from high places—W	72	67		5									4	17	11	14	10	16
	By jumping from high places—C	3	2		1										2	1			
170	By crushing—W	20	11	1	8										4	6	5	5	
	By crushing—C	3			3											2		1	
171	By other means—W	14	8	1	5								2		3	3	4		2
	By other means—C	2	1	1											1	1			
	Homicide—W	315	189	26	100	7			1	1	7	3	10	37	87	69	50	18	25
	Homicide—C	141	74	12	55	1				2		3	4	20	43	35	23	7	3
173	By firearms—W	221	134	18	69				1	1	6	3	6	28	61	56	36	9	14
	By firearms—C	90	46	7	37							2	1	14	30	23	14	5	1
174	By cutting or piercing instruments—W	21	12	1	8									3	8	4	3	1	2
	By cutting or piercing instruments—C	27	16	3	8	1				2			2	4	6	7	4	1	
175	By other means—W	73	43	7	23	7					1		4	6	18	9	11	8	9
	By other means—C	24	12	2	10							1	1	2	7	5	5	1	2
	Accidental, other, or undefined—W	4,629	2,569	547	1,513	50	53	28	38	26	119	116	254	348	595	605	630	569	1,195
	Accidental, other, or undefined—C	546	239	65	242	30	23	16	14	7	40	14	32	46	101	76	67	36	44
176	Attack by venomous animals—W	8	5		3				1		1		1		1		1	1	2
	Attack by venomous animals—C	2		1	1	1									1				
177	Poisoning by food—W	19	6	3	10	2	1	1						1	1	4	4	3	2
	Poisoning by food—C	2			2										1				1
178	Absorption of poisonous gas—W	99	77	7	15							1	1	5	12	19	23	16	22
	Absorption of poisonous gas—C	7	5		2		1								3	1			2
	Supplemental—W	5	1		4										2	1	2		
179	Other acute accidental poisonings (gas excepted)—W	90	67	4	19	3	3	1	3		1	2	4	1	14	12	28	12	6
	Other acute accidental poisonings (gas excepted)—C	20	6	3	11		6	2	1		4			1	2	3	1		
180	Conflagration—W	45	12	7	26	4	4	1		1				3	2	9	3	10	8
	Conflagration—C	27	5	4	18		1	1			10	1	1	1	3	3	1	2	4
181	Burns (conflagration excepted)—W	187	126	21	40	2	13	7	4	5	12	4	6	5	14	25	25	21	44
	Burns (conflagration excepted)—C	27	17	2	8	1	3	4	4	5	1	1		1	1	2	1	2	1
	Supplemental—W	34	11	13	10								2	5	10	12	3	1	1
	Supplemental—C	2	1	1										2					
182	Mechanical suffocation—W	25	9	5	11	14	2	1					1		1	3	1		2
	Mechanical suffocation—C	7	1	2	4	7													
	Supplemental—W	3			3										2		1		
183	Drowning—W	301	98	26	177	1	13	6	6	6	16	23	28	30	40	28	52	29	21
	Drowning—C	37	9	2	26		7	4	1		2	1	4	6	2	5	4		1
	Supplemental—W	75	29	2	44						3	3	8	9	21	12	10	2	7
	Supplemental—C	17	2		15							1	1	2	2	4	5	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)—W	89	33	14	42						6	10	11	3	13	18	13	9	6
	By firearms (wounds of war excepted)—C	13	4	1	8				1		2	1	1	4	2		1	1	
185	By cutting or piercing instruments (wounds of war excepted)—W	29	22	5	2						1	1	1		2	7	7	5	5
	By cutting or piercing instruments (wounds of war excepted)—C	5	3		2							2				1	2		
	Supplemental—W	6	2	1	3							1		1	3		1		
	Supplemental—C	1			1										1				
186a	By fall—W	876	617	86	173	7	3	1		1	11	14	13	21	32	54	58	100	561
	By fall—C	31	19	5	7	2			1		1	1	2	3	3	3	2	2	11
	Supplemental—W	168	80	24	64			1	1	1	1	7	15	26	31	26	23	19	17
	Supplemental—C	21	11	2	8						1		3	1	6	5	2		3
186b	By crushing, landslide—W	36	15	4	17									2	3	12	10	6	3
	By crushing, landslide—C	2	1		1							1			1				
	Supplemental—W	543	255	67	221	2	3	1	4	2	9	5	24	49	95	101	87	69	92
	Supplemental—C	66	32	7	27	1	1	1	2	1	3		2	3	18	9	15	6	4
187	Cataclysm—W	9	1		8										3	3	2	1	
188	Injuries by animals—W	14	3	5	6			1			1	1			4	1	2	1	3
189	Hunger and thirst—W	2			2												1	1	
190	Excessive cold—W	6			6									2		1	1		2
	Excessive cold—C	1			1													1	
191	Excessive heat—W	18	4	6	8	2								1	1	4	3	3	4
	Excessive heat—C	12	2	5	5	7	1				1				2		1		
192	Lightning—W	1			1													1	
193	Due to electric currents—W	34	15	4	15							2	2	2	14	4	5	2	3
	Due to electric currents—C	4	1		3							2			1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CALIFORNIA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Supplemental W	1			1												1		
	Supplemental C	1		1													1		
194a	Foreign bodies W	15	9	1	5	5	1			1	1				2	1		1	3
	Foreign bodies C	7	2	1	4	2	1	2			1	1							
194b	Other accidents W	179	101	21	57	7	2		2		6	7	15	7	19	23	29	30	31
	Other accidents C	20	8	4	8	5	1		1		1		3	1	2	3	1	1	1
	Supplemental W	1,708	971	221	516	1	8	7	17	9	50	35	122	175	251	225	232	226	350
	Supplemental C	212	110	24	78	4	1	2	3	1	13	3	15	21	49	36	29	19	16
198	Legal executions W	4			4										2		2		
	Legal executions C	2			2										1		1		
	XVIII.—Ill-defined causes of death White	76	35	10	31	5	2							1	4	11	13	16	19
	XVIII.—Ill-defined causes of death Colored	24	13	3	8	3	5				1				2	1	2	6	4
200a	Cause of death ill-defined W	27	8	2	17		2								1		3	9	12
	Cause of death ill-defined C	12	5	1	6		4				1					1	1	2	3
200b	Cause of death not specified or unknown W	49	27	8	14	5								1	3	11	10	7	7
	Cause of death not specified or unknown C	12	8	2	2	3	1								2		1	4	1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	39		7	32									2	14	7	10	5	1
	Accidents in mines and quarries C	2			2										1	1			
202	Accidents from agricultural machinery W	23	5	6	12			1			1		2	3	2	5	4	4	1
	Accidents from agricultural machinery C	4		1	3						1			1		1		1	
203	Elevator accidents W	8	8									1		1	2	1	1	1	1
	Elevator accidents C	2	2												2				
204	Accidents from machinery used for recreation W	2	1	1										1	1				
205	Other machinery accidents W	33	15	4	14								1	2	6	10	6	3	5
	Other machinery accidents C	4		1	3						1		1	1	1				
206	Railroad and automobile collisions W	65	16	17	32					1	1	2	2	2	15	15	9	9	9
	Railroad and automobile collisions C	9	4	1	4						1				4	1	2	1	
207	Other railroad accidents W	115	46	20	49		1			1		2	8	4	14	36	21	14	14
	Other railroad accidents C	22	10	1	11		1						4	1	5	2	7	1	1
208	Street car and automobile collisions W	45	37	2	6			1			2	1	3	6	10	7	5	6	4
	Street car and automobile collisions C	3	3												1	1		1	
209	Other street car accidents W	59	51	3	5						1	1		2	5	4	8	9	29
210	Automobile accidents (primary) W	1,948	1,085	244	619	3	10	7	20	10	54	36	139	203	290	258	277	257	384
	Automobile accidents (primary) C	250	126	31	93	5	1	3	5	2	14	3	14	25	58	41	38	21	20
211	Motorcycle accidents W	33	22	4	7				2		1		3	16	5	2	2		2
	Motorcycle accidents C	2	2												1		1		
212	Other land transportation accidents W	42	15	6	21						1	5	2	2	5	4	6	6	11
	Other land transportation accidents C	2			2														2
213	Water transportation accidents W	56	23	3	30						2	3	7	8	14	10	5	3	4
	Water transportation accidents C	19	8		11							1	2	1	2	7	4	2	
214	Air transportation accidents W	75	25	11	39								4	13	32	18	6		2
	Air transportation accidents C	1	1												1				
	COLORADO																		
	Total deaths (all causes)	12,599	6,171	1,620	4,808	1,259	170	95	73	44	207	161	324	401	878	1,142	1,322	1,751	4,752
	I.—Infectious and parasitic diseases	2,119	939	279	901	157	51	36	22	16	44	48	76	136	367	378	222	203	362
1	Typhoid fever	38	7	15	16		1	1	3	1		7	8	6	5	1	1	1	3
7	Measles	15	6		9	5	3	3	1			3							
8	Scarlet fever	36	23	5	8	1	2	5	1	5	10		4	2	5	1			
9	Whooping cough	40	10	6	24	25	6	5	3	1									
10	Diphtheria	41	20	7	14	5	1	6	7	2	9	2	2	1	3	1	1	1	
11a	Influenza, respiratory complications specified	444	206	73	165	55	22	7	5	3	6	8	19	16	27	33	47	58	138
11b	Influenza, respiratory complications not specified	229	75	41	113	34	7	4	1	2	5	8	6	9	16	11	16	13	97
13	Dysentery	10	1	3	6	5		1										1	3
15	Erysipelas	15	4	3	8	1	1								2		3	1	7
16	Acute poliomyelitis, acute polioencephalitis	11	5	1	5	1	1	1		1	3	2		1	1				
17	Lethargic or epidemic encephalitis	12	3		9					1		1		2	2	3		2	1
18	Epidemic cerebrospinal meningitis	18	6	4	8	1		1			3	4	3	1	2		1	1	1
22	Tetanus	3	2		1						1	1				1			
	Tuberculosis (all forms)	1,097	505	108	484	8	7	2	1		6	11	30	94	291	308	141	99	98
23	Respiratory system	1,030	470	100	460	3			1		6	6	24	88	285	295	134	95	92
24	Meninges and central nervous system	18	8	2	8	2	6	2				2		1	1	4			
25	Intestines and peritoneum	12	7	1	4							1		1	1	2	2	1	4
26	Vertebral column	14	8	2	4		1					2	3	1	3	1	1	2	
27a	Bones (vertebral column excepted)	1	1																
27b	Joints	2			2								1			1			
28	Skin and subcutaneous cellular tissue	2	1		1									1			1		
30	Genitourinary system	6	2	1	3								1	1		1	1		2
31	Other organs	3	2	1												1	1	1	
32a	Acute disseminated tuberculosis	8	6	1	1	3							1		1	2	1		
32b,c	Other disseminated tuberculosis	1			1											1			
34	Syphilis	77	49	9	19	11					1		4	1	8	9	11	20	1

[1] See explanatory footnote [2], p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
35	Gonococcus infection and other venereal diseases	13	11	1	1	1								1	5	6			
36	Purulent infection, septicemia (non-puerperal)	9	3	2	4	3						1		2		1			2
38	Malaria	1			1												1		
43	Mycoses	2	1		1											1		1	
44	Other infectious and parasitic diseases	8	2	1	5	1										2		5	
	II.—Cancers and other tumors	1,165	643	151	371		2	1			6	2	8	9	35	98	206	268	528
	Cancer and other malignant tumors	1,104	601	144	359		2	1			1	1	6	7	26	88	193	258	519
(45)	Buccal cavity	32	13	6	13										2		1	8	21
(45)	Pharynx	6	2		4													3	3
(46)	Esophagus	15	8	1	6										1		1		13
(46)	Stomach and duodenum	260	120	31	109										4	6	36	65	149
(46)	Liver and biliary passages	91	51	13	27										1	5	12	23	49
(46)	Pancreas	34	16	6	12									1	2	1	6	11	13
(46)	Other digestive tract and peritoneum	163	94	18	51								2	2	4	14	27	30	84
47	Respiratory system	51	32	3	16								1	1	3	7	10	9	19
48	Uterus	115	66	16	33									1	3	17	35	33	26
49	Other female genital organs	21	17		4											4	8	5	4
50	Breast	120	73	16	31										1	23	38	27	31
51	Male genitourinary organs	91	50	20	21								1		1	4	4	21	60
52	Skin	29	13	5	11								1		2			6	20
53	Other or unspecified organs	76	46	9	21		2	1			1	1	1	2	2	7	15	17	27
54a	Nonmalignant tumors, ovary	3	2	1											1			2	
54b	Nonmalignant tumors, uterus	15	11	2	2										3	4	4	2	2
54d,e	Nonmalignant tumors, other organs	8	4	1	3								1			1	2	2	2
55a	Tumors, ovary (nature unspecified)	1		1												1			
55c	Tumors, other female genital organs (nature unspecified)	1			1											1			
55d,e	Tumors, other organs (nature unspecified)	33	25	2	6						5	1	1	2	5	3	7	4	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	283	141	38	104	15	4		1	1	10	5	5	4	17	21	33	74	93
56	Acute rheumatic fever	26	16	1	9						5	3	1	2	1	5	1	3	5
57	Chronic rheumatism, osteoarthritis	15	4	2	9									1	1	1	2	3	7
59	Diabetes mellitus	166	85	22	59		2				4	1	2	1	9	5	20	55	67
60	Scurvy	1		1									1						
62	Pellagra	6	2	1	3										3		1	2	
63	Rickets	6	4		2	6													
66a	Simple goiter	6	3	2	1								1					3	2
66b	Exophthalmic goiter	37	19	7	11										3	9	8	7	10
(66)	Other diseases of thyroid and parathyroid glands	6	2	2	2	2						1				1	1	1	
67	Diseases of thymus gland	12	4		8	7	2		1	1	1								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1	1																1
69	Other general diseases	1	1																1
	IV.—Diseases of the blood and blood-making organs	95	46	5	44	7	2			1	4	2	3	3	8	7	11	16	31
70	Hemorrhagic conditions	10	4		6	5	1						1		1		1	1	
71a	Pernicious anemia	34	16	2	16	1				1							4	5	23
71b	Other anemias	3	2		1						1				1				1
72a	True leukemias	18	10		8	1	1				1		2		1	2	3	4	3
72b	Pseudoleukemias (Hodgkin's disease)	20	9	2	9						1	1		3	3	3	2	4	3
73	Diseases of the spleen	6	3		3						1	1			2	1		1	
74	Other diseases of blood and blood-making organs	4	2	1	1											1	1	1	1
	V.—Chronic poisonings and intoxications	29	15		14								1		4	4	6	9	5
75	Alcoholism (acute or chronic)	28	14		14								1		4	4	6	9	4
76	Chronic poisoning by other organic substances	1	1																1
	VI.—Diseases of the nervous system and of the organs of special sense	1,062	504	141	417	10	7	1	3		7	9	8	17	17	46	102	179	655
78	Encephalitis (nonepidemic)	10	5	3	2	1						2			1	2	2	2	
79a	Simple meningitis	13	8	1	4	1					1		1	2		1	6	1	
80	Progressive locomotor ataxia (tabes dorsalis)	14	9	2	3											1	6	4	3
81	Other diseases of spinal cord	34	16	6	12								2	6	1	3	5	8	9
82a	Cerebral hemorrhage	774	372	110	292								1	1	2	14	57	135	564
82b	Cerebral embolism and thrombosis	54	21	3	30							2			1	4	3	13	30
82c	Softening of brain	1	1																1
82d	Hemiplegia and other paralysis, cause unspecified	24	11	2	11							1					1	3	19
83	General paralysis of insane	31	9	1	21								1		1	9	9	4	7
84	Dementia praecox and other psychoses	4	2		2											2			2
85	Epilepsy	32	7	3	22		1				1	1	1	4	6	2	5	3	8
86	Convulsions (under 5 years of age)	3		1	2	2	1												
87	Other diseases of nervous system	28	14	6	8		1		1					1	2	5	2	6	10
89a	Diseases of ear	26	19	3	4	3	4		1		3	2	2	2	3		5		1
89b	Diseases of mastoid process	14	10		4	3		1	1		2	1		1		3	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	VII.—Diseases of the circulatory system	2,355	1,230	256	869	5	2	2	2	3	12	19	22	21	55	110	229	426	1,443
90	Pericarditis	7	2	1	4							1	1	2			2		1
91a	Acute endocarditis	42	25	4	13	1	1				4	2	6	1	5	4	6	5	7
91b	Endocarditis, unspecified (under 45 years)	3	1	1	1								1		1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	456	222	62	172			1	2	2	4	11	11	12	22	47	52	74	218
92b	Endocarditis, unspecified (45 years and over)	42	10	6	26												8	5	29
93a	Acute myocarditis	35	12	7	16					1					3	2	4	6	19
93b	Myocarditis, unspecified (under 45 years)	10	2	3	5	1		1				1			1	6			
93c	Chronic myocarditis and myocardial degeneration	675	377	61	237						1	1	1	3	11	19	49	132	456
93d	Other diseases of myocardium	269	167	21	81											1	30	57	181
94a	Angina pectoris	198	100	31	67										2	9	29	47	111
94b	Diseases of coronary arteries	130	78	12	40										1	5	15	31	78
95a	Functional diseases of heart	4	3		1											1			3
95b	Other and unspecified diseases of heart	236	107	28	101	3					3	3	2	3	6	9	24	41	140
96	Aneurysm (except of heart)	25	13	2	10										2	3	4	6	10
97	Arteriosclerosis (coronary arteries excepted)	182	93	12	77											1	4	18	159
98	Gangrene	8	3	1	4										1			1	6
99	Other diseases of arteries	16	8	2	6												2	2	12
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	6	3	1	2											1			5
101	Diseases of lymphatic system (lymphangitis, etc.)	1			1		1												
102	Idiopathic anomalies of blood-pressure	5	2		3														5
103	Other diseases of circulatory system	5	2	1	2											1		1	3
	VIII.—Diseases of the respiratory system	1,187	593	156	438	200	31	17	14	4	28	14	30	33	50	106	90	118	451
104a	Diseases of nasal fossae	1			1							1							
104b	Diseases of nasal fossae and annexae	19	12	3	4	1		1			1		2	2	5	2	3		2
105	Diseases of larynx	5	1		4	1	1	1			1							1	
106a	Acute bronchitis	14	9	1	4	4	1				1					1			7
106b	Chronic bronchitis	5	3	1	1											1			4
106c,d	Bronchitis, unspecified	6	4		2													1	5
107a	Bronchopneumonia	409	184	64	161	132	21	10	6	1	8	7	3	5	7	12	15	30	152
107b	Capillary bronchitis	6			6	3					1								2
108	Lobar pneumonia	610	331	76	203	57	8	3	6	2	13	6	24	23	32	78	61	71	226
109	Pneumonia, unspecified	18	6	2	10	2			1						3	1	1		10
110	Pleurisy	24	17	2	5			2	1	1	2		1	2	1	4	2	5	3
111a	Pulmonary embolism and thrombosis	1	1																1
111b	Pulmonary congestion, edema, hemorrhagic infarct	18	10	2	6						1								17
112	Asthma	25	12	3	10									1	1	3	2	4	13
114	Other diseases of respiratory system (tuberculosis excepted)	26	3	2	21										1	4	6	6	9
	IX.—Diseases of the digestive system	1,102	537	185	380	198	35	15	11	10	44	21	37	34	73	118	146	143	217
115a	Diseases of pharynx and tonsils	52	30	6	16	2	2	1	1	2	11	2	4	2	10	6	1	5	3
115b	Diseases of buccal cavity and annexa	12	6	1	5			1							2	4	1	2	2
116	Diseases of esophagus	3	3			1			1										1
117a	Ulcer of stomach	62	31	9	22						1			2	4	9	11	13	22
117b	Ulcer of duodenum	28	18	6	4										3	7	4	9	5
118	Other diseases of stomach (cancer excepted)	28	8		20	4	1								2	1	3	3	14
119	Diarrhea, enteritis (under 2 years of age)	200	67	42	91	173	27												
120	Diarrhea, enteritis (2 years and over)	39	12	8	19			10	4	2		1		1	2		5	1	13
121	Appendicitis	270	138	54	78	3	3	1	3	4	28	17	23	20	29	39	47	30	23
122a	Hernia	62	36	11	15	1									2	9	11	10	29
122b	Intestinal obstruction	107	60	13	34	11	1	2	2		3		5	6	7	15	15	23	17
123	Other diseases of intestines	13	7	1	5	1						1		1	1		2		7
124	Cirrhosis of liver	62	31	7	24								1			3	11	17	30
125a	Yellow atrophy of liver	5	3	1	1										1	3			1
125b	Other diseases of liver	8	3	2	3										2	1	1	1	3
126	Biliary calculi	61	34	8	19								1		3	5	20	10	22
127	Other diseases of gall-bladder, biliary passages	67	35	11	21								1	2	5	13	10	14	22
128	Diseases of pancreas	6	4	2													2	2	2
129	Peritonitis, cause not specified	17	11	3	3	2	1			2	1		2			3	2	3	1
	X.—Diseases of the genitourinary system	978	522	143	313	1	3				4	6	16	18	32	48	100	154	591
130	Acute nephritis (including unspecified under 10 years)	43	20	9	14		1				2	4	2		3	3	5	6	17
131	Chronic nephritis	741	390	109	242						2	2	11	12	15	35	77	118	464
132	Nephritis, unspecified (10 years and over)	62	28	12	22								1	2	3	3	7	8	38
133	Other diseases of kindeys, ureters (puerperal diseases excepted)	29	18	2	9	1	2							1	3	3	2	6	11
134	Calculi of urinary passages	5	3		2									1		1	3		
135	Diseases of bladder (tumors excepted)	4	1	1	2												1		3
136	Diseases of urethra, urinary abscess, etc.	2			2												1		1
137	Diseases of prostate	67	43	10	14												1	14	52
138	Diseases of male genital organs, not specified as venereal	2	1		1												1		1
139a	Cysts of ovary	4	4										1		1		1		1
139b	Other diseases of ovaries, diseases of tubes and parametrium	11	9		2								1	2	5	2		1	
139c	Diseases of uterus	8	5		3										2	1	1	1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	131	66	18	47								15	28	49	38	1		
140	Abortion with septic conditions	30	19	6	5								3	8	13	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	11	5	3	3									1	4	6			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	4	3		1									1	2	1			
143	Other accidents of pregnancy (hemorrhage not included)	2	2										1		1				
144a	Placenta praevia	2			2											2			
144b	Other puerperal hemorrhages	9	6		3								1	3	3	2			
145a	Puerperal septicemia and pyemia (abortion excluded)	29	11	4	14								2	8	12	7			
146	Puerperal albuminuria and eclampsia	21	5	5	11								5	5	5	6			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	2		2								1	1	2				
149	Other accidents of childbirth	18	12		6								2	1	6	8	1		
	XII.—Diseases of the skin and cellular tissue	20	14	4	2	3	2					1			2	3	1	5	3
151	Furuncle, carbuncle	2	2			1												1	
152	Phlegmon, acute abscess	12	9	3		2	2					1			2	2		2	1
153	Other diseases of skin and annexa, and of cellular tissue	6	3	1	2											1	1	2	2
	XIII.—Diseases of the bones and organs of locomotion	20	9	5	6	2		1		1		2		2	3		4	2	3
154	Osteomyelitis	16	8	5	3	2		1		1		2		1	3		1	2	3
155	Other diseases of bones (tuberculosis excepted)	2			2									1			1		
156	Diseases of joints, other organs of locomotion	2	1		1												2		
	XIV.—Congenital malformations	108	49	12	47	100	5	1	1					1					
157a	Congenital hydrocephalus	13	5	4	4	9	4												
157b	Spina bifida and meningocele	7	6		1	7													
157c	Congenital malformations of heart	61	23	7	31	60		1											
157d	Other congenital malformations	27	15	1	11	24	1		1					1					
	XV.—Diseases of early infancy	514	217	64	233	514													
158	Congenital debility	29	12	4	13	29													
159	Premature birth	334	132	48	154	334													
160	Injury at birth	80	39	7	34	80													
161	Other diseases peculiar to early infancy	71	34	5	32	71													
162	XVI.—Senility	89	39	5	45														89
	XVII.—Violent and accidental deaths	1,293	576	157	560	32	25	19	19	8	46	32	103	94	164	159	164	151	271
	Suicide	257	136	23	98							1	5	22	35	49	53	53	38
163	By solid or liquid posions or by absorption of corrosive substances	54	36	4	14								1	9	9	14	6	11	4
164	By poisonous gas	23	14	1	8									1	2	7	6	4	3
165	By hanging or strangulation	34	16	4	14										3	5	8	10	8
166	By drowning	1			1											1			
167	By firearms	129	60	14	55							1	4	12	17	19	28	27	20
168	By cutting or piercing instruments	8	5		3										3		3		2
169	By jumping from high places	4	4												1	1	1		1
170	By crushing	1			1											1			
171	By other means	3	1		2											1	1	1	
	Homicide	85	45	10	30						1	1	4	12	23	17	12	11	4
173	By firearms	56	33	5	18							1	4	4	17	13	7	8	2
174	By cutting or piercing instruments	12	5	2	5									3	2	3	3	1	
175	By other means	17	7	3	7						1			5	4	1	2	2	2
	Accidental, other, or undefined	951	395	124	432	32	25	19	19	8	45	30	94	60	106	93	99	87	229
176	Attack by venomous animals	3	2	1								1				2			
177	Poisoning by food	8	1	1	6						1	1		1			1	3	1
178	Absorption of poisonous gas	21	10	6	5						1			1	1	4	3	4	5
	Supplemental	3		1	2										1	1	1		
179	Other acute accidental poisonings (gas excepted)	17	9		8	1	2	2	2				1	2	1	1	2	2	1
180	Conflagration	26	5	5	16	1	4	2	6	1	3		1	1	2	2	3		
181	Burns (conflagration excepted)	55	29	10	16	1	3	4	3	4	3	2	4	3	7	7	5	2	7
	Supplemental	1			1												1		
182	Mechanical suffocation	21	8	5	8	17					1		1				1		1
	Supplemental	1			1												1		
183	Drowning	62	7	9	46	1	9	5	2		8	5	11	4	4	5	4	1	3
	Supplemental	1			1												1		
	Traumatism:																		
184	By firearms (wounds of war excepted)	34	10	5	19						3	4	6	2	7	7	4	1	
185	By cutting or piercing instruments (wounds of war excepted)	12	5	3	4	1		1			2		1			1	4	1	1
186a	By fall	183	117	14	52	1	1	1			4	2	7	1	6	4	9	16	131
	Supplemental	37	12	5	20	1					3	5	3	2	2	1	5	7	8
186b	By crushing landslide	6	2	1	3								2		1	1	2		
	Supplemental	64	23	9	32		1				1	1	9	7	12	9	7	6	10

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	COLORADO—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
188	Injuries by animals	9	1	3	5		1	1				1	1				1	2	2
190	Excessive cold	7	2		5										1		2		4
192	Lightning	10			10								3	2	2	1	1		1
193	Due to electric currents	9	4	2	3						2	1	3			1	2		
	Supplemental	3			3										1	1	1		
194a	Foreign bodies	8	4	1	3	1	3	1	1		1								1
194b	Other accidents	34	9	9	16	5					2	2	4	2	3	4	3	2	7
	Supplemental	314	135	32	147	2	1	2	5	1	11	6	36	31	55	42	34	40	46
198	Legal executions	2		2											1		1		
	XVIII.—Ill-defined causes of death	49	31	1	17	15	1	2			2			1	2	6	7	3	10
199	Sudden death	1			1	1													
200a	Cause of death ill-defined	5	1		4	1									1				3
200b	Cause of death not specified or unknown	43	30	1	12	13	1	2			2			1	1	6	7	3	7
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	41	4	5	32								1	1	14	10	11	3	1
202	Accidents from agricultural machinery	3	1		2											1		2	
205	Other machinery accidents	7	3	1	3								1		2	2	1		1
206	Railroad and automobile collisions	10	2	2	6								2	1	3	1		3	
207	Other railroad accidents	36	9	5	22						1		7	4	4	4	5	5	5
208	Street car and automobile collisions	4	2		2										1	2	1		
209	Other street car accidents	6	5		1							1		1				2	2
210	Automobile accidents (primary)	284	134	27	123	2	2	2	4	1	11	7	31	30	46	31	29	36	50
211	Motorcycle accidents	4	2		2	1							2			1			
212	Other land transportation accidents	26	6	6	14				1		3	4	4	2		1	4	2	5
214	Air transportation accidents	3	2	1										2	1				
	CONNECTICUT																		
	Total deaths (all causes)	16,962	11,915	394	4,653	1,173	145	62	54	40	200	166	275	336	750	1,264	2,073	3,068	7,342
	I.—Infectious and parasitic diseases	1,385	946	29	410	89	37	14	13	7	41	36	73	115	188	213	193	172	194
1	Typhoid fever	9	6		3	1	1						1		2	4			
2	Paratyphoid fever	1			1												1		
7	Measles	20	9		11	7	7	2	1		1	1				1			
8	Scarlet fever	23	21		2			1	2	1	7	4		2	1	3	1	1	
9	Whooping cough	44	31		13	31	8	1	1		2	1							
10	Diphtheria	17	16		1	1	1	2	1	3	5		1		1	1		1	
11a	Influenza, respiratory complications specified	150	109	5	36	14	6	2	1	1	1	5	2	2	7	13	14	23	59
11b	Influenza, respiratory complications not specified	67	47	5	15	7	2		1		5	1	3	1	3	4	3	13	24
13	Dysentery	2	1		1													1	1
15	Erysipelas	22	16		6	1								1	1	1	4	3	11
16	Acute poliomyelitis, acute polioencephalitis	9	7		2				1		3	5							
17	Lethargic or epidemic encephalitis	14	11		3		3	1	1		2	2				1	3		1
18	Epidemic cerebrospinal meningitis	14	14			4	1	1				1	3	1	1	2			
20	Anthrax (bacillus anthracis) malignant pustule	1			1											1			
21	Rabies	1	1							1									
22	Tetanus	6	5		1									1	1	1	1	2	
	Tuberculosis (all forms)	834	525	19	290	15	7	4	4		11	16	61	103	155	148	137	94	79
23	Respiratory system	739	453	18	268	3	2		1		4	10	54	98	142	140	128	87	70
24	Meninges and central nervous system	34	28	1	5	9	3	2	2		6	2	2	1	3	1		1	2
25	Intestines and peritoneum	20	17		3	1	1	1				2	1	2	3	3	3		3
26	Vertebral column	5	3		2									1				1	3
27b	Joints	7	3		4							1	2		1		1	1	1
28	Skin and subcutaneous cellular tissue	1	1			1													
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1				1												
30	Genitourinary system	7	5		2									1	1	3	1	1	
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	15	13		2	1		1	1		1	1	1		2	1	3	3	
32b,c	Other disseminated tuberculosis	4			4								1		3				
34	Syphilis	129	107		22	7					1		1	3	12	29	27	31	18
35	Gonococcus infection and other venereal diseases	5	5													3	2		
36	Purulent infection, septicemia (nonpuerperal)	8	8			1	1				1			1	1	1		2	
39	Other diseases due to protozoal parasites	1			1														1
42	Other diseases caused by helminths	1	1															1	
43	Mycoses	3	2		1								1		2				
44	Other infectious and parasitic diseases	4	4							1	2				1				

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	II.—Cancers and other tumors	2,118	1,524	40	554		1	1			4	4	15	9	40	152	374	561	954
	Cancer and other malignant tumors	2,032	1,455	36	541			1			2	1	11	7	33	138	346	549	942
(45)	Buccal cavity	63	46	3	14											2	5	17	39
(45)	Pharynx	19	16		3													6	13
(46)	Esophagus	41	31		10												2	7	12	20
(46)	Stomach and duodenum	380	283	4	93								1		5	22	60	98	193
(46)	Liver and biliary passages	120	75	8	37										1	4	18	36	61
(46)	Pancreas	66	49		17											4	11	21	30
(46)	Other digestive tract and peritoneum	361	259	4	98								2		4	19	43	98	195
47	Respiratory system	92	70	1	21									1		11	15	32	33
48	Uterus	219	159	7	53							1		1	3	30	63	55	66
49	Other female genital organs	54	45	2	7			1					1		4	6	13	23	6
50	Breast	231	159		72										6	22	61	66	76
51	Male genitourinary organs	144	97	5	42									1	2	5	13	29	94
52	Skin	47	26		21								1	1		1	4	5	35
53	Other or unspecified organs	195	140	2	53						2		6	3	8	10	33	51	81
54a	Nonmalignant tumors, ovary	5	4		1										1		3		
54b	Nonmalignant tumors, uterus	22	19	2	1										1	7	11	3	
54d,e	Nonmalignant tumors, other organs	32	25	1	6		1				1	3	3	1	2	4	4	8	5
55b	Tumors, uterus (nature unspecified)	1	1																1
55d,e	Tumors, other organs (nature unspecified)	26	20	1	5						1		1	1	3	3	10	1	6
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	560	430	11	119	16	1	1	1		9	8	8	11	14	34	62	141	254
56	Acute rheumatic fever	24	17	1	6				1		5	5	2	1	1	4		3	2
57	Chronic rheumatism, osteoarthritis	10	7		3										1		1		8
59	Diabetes mellitus	452	347	8	97						4	2	3	5	4	15	52	129	238
62	Pellagra	3	2		1										1	1		1	
63	Rickets	1			1	1													
65	Diseases of pituitary body	1	1														1		
66a	Simple goiter	3	3													1			1
66b	Exophthalmic goiter	32	29	1	2								1	1	7	10	5	5	3
(66)	Other diseases of thyroid and parathyroid glands	5	3		2	1								1			2	1	
67	Diseases of thymus gland	18	15		3	13	1	1				1	2						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	9	4	1	4									2		3		2	2
69	Other general diseases	2	2			1											1		
	IV.—Diseases of the blood and blood-making organs	143	104	5	34	5	1		1	3	6	4	4	9	7	14	20	39	30
70	Hemorrhagic conditions	10	10			2			1	1				2			1	3	
71a	Pernicious anemia	38	22	3	13								1		1	2	5	14	15
71b	Other anemias	6	4	1	1	3												2	1
72a	True leukemias	49	37	1	11					2	5	2	3	5	1	8	6	7	10
72b	Pseudoleukemias (Hodgkin's disease)	30	21		9						1			2	4	4	6	10	3
73	Diseases of the spleen	5	5				1					1					1	1	1
74	Other diseases of blood and blood-making organs	5	5									1			1		1	2	
	V.—Chronic poisonings and intoxications	60	44	2	14										5	14	22	11	7
75	Alcoholism (acute or chronic)	56	41	2	13										4	14	20	11	6
77a	Chronic lead poisoning	4	3		1										1		2		1
	VI.—Diseases of the nervous system and of the organs of special sense	1,625	1,086	41	498	17	14	4	6	1	14	10	13	10	33	78	174	329	922
78	Encephalitis (nonepidemic)	8	8				1	1			1	1	1		1	1	1		
79a	Simple meningitis	22	19	1	2	4	5	1	3		1	1	1	1		1	1	1	2
79b	Nonepidemic cerebrospinal meningitis	2	1		1		1									1			
80	Progressive locomotor ataxia (tabes dorsalis)	16	11		5											1	4	6	5
81	Other diseases of spinal cord	32	19		13						1		2	1	1	4	3	9	11
82a	Cerebral hemorrhage	1,255	835	33	387	1	1							2	10	34	128	267	812
82b	Cerebral embolism and thrombosis	86	51	4	31		1							1		3	7	18	56
82c	Softening of brain	3			3														3
82d	Hemiplegia and other paralysis, cause unspecified	12	8	1	3											1	1	3	7
83	General paralysis of insane	45	28		17										4	15	15	6	5
84	Dementia praecox and other psychoses	8	5		3										2	3		3	
85	Epilepsy	31	16		15	2					1	1	5	4	7	4	4	1	2
86	Convulsions (under 5 years of age)	9	6	1	2	5	3	1											
87	Other diseases of nervous system	44	30	1	13		1				1	1	1	1	2	5	6	8	18
88	Diseases of organs of vision	2	2						1		1								
89a	Diseases of ear	28	25		3	4	1	1	2	1	4	2			4	2	2	5	
89b	Diseases of mastoid process	22	22			1					4	4	3		2	3	2	2	1
	VII.—Diseases of the circulatory system	4,676	3,124	107	1,445	2	1			3	11	19	30	32	67	207	480	911	2,909
90	Pericarditis	5	5													1		1	3
91a	Acute endocarditis	40	32	1	7					1	1	2	5	6	5	5	4	3	8
91b	Endocarditis, unspecified (under 45 years)	8	5	1	2					1		1	1	1	1	3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
92a	Endocarditis, specified as chronic, and other valvular diseases	683	431	8	244						3	11	15	14	28	56	65	114	376
92b	Endocarditis, unspecified (45 years and over)	71	50	4	17												8	14	49
93a	Acute myocarditis	112	61	10	41	1							1			6	14	26	64
93b	Myocarditis, unspecified (under 45 years)	20	12	1	7	1				1			1	1	4	12			
93c	Chronic myocarditis and myocardial degeneration	1,410	925	31	454						2	1		5	12	49	126	242	971
93d	Other diseases of myocardium	683	460	22	201											2	69	116	496
94a	Angina pectoris	262	151	13	98										2	15	35	75	135
94b	Diseases of coronary arteries	387	286	4	97										2	22	66	113	184
95a	Functional diseases of heart	9	5		4											2	1	2	4
95b	Other and unspecified diseases of heart	629	480	9	140						5	4	7	5	9	31	73	150	345
96	Aneurysm (except of heart)	25	18		7										1	1	4	9	10
97	Arteriosclerosis (coronary arteries excepted)	281	160	3	118											1	5	29	246
98	Gangrene	9	6		3										1			3	5
99	Other diseases of arteries	23	19		4										2		6	7	7
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	13	12		1												4	6	3
101	Diseases of lymphatic system (lymphangitis, etc.)	2	2				1												1
102	Idiopathic anomalies of blood-pressure	3	3													1		1	1
103	Other diseases of circulatory system	1	1																1
	VIII.—Diseases of the respiratory system	1,321	963	22	336	173	44	17	8	10	20	20	20	21	68	113	149	214	443
104a	Diseases of nasal fossae	3	2	1		2										1			
104b	Diseases of nasal fossae and annexae	7	7			1						1			1	1	2		1
105	Diseases of larynx	4	4			2	1				1								
106a	Acute bronchitis	26	15		11	7						1	1		1			3	13
106b	Chronic bronchitis	22	14	1	7		1	1									1	3	16
106c,d	Bronchitis, unspecified	15	5		10	4											1		10
107a	Bronchopneumonia	421	312	5	104	109	25	6	3	5	7	4	2	4	10	24	33	41	147
107b	Capillary bronchitis	4	3		1	2												1	1
108	Lobar pneumonia	709	524	15	170	38	15	8	4	3	12	12	17	17	45	71	99	153	215
109	Pneumonia, unspecified	14	7		7	2	1			1						2			8
110	Pleurisy	42	32		10	4	1	2		1					8	5	3	5	13
111a	Pulmonary embolism and thrombosis	10	7		3											3	3	1	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	17	13		4	2											1	3	11
112	Asthma	15	7		8							1			2	4	3	3	2
114	Other diseases of respiratory system (tuberculosis excepted)	12	11		1				1			1			1	2	3	1	3
	IX.—Diseases of the digestive system	986	780	28	178	78	21	7	11	4	29	15	28	17	59	106	164	197	248
115a	Diseases of pharynx and tonsils	40	36		4	3			3	1	4	1		1	3	6	10	4	4
115b	Diseases of buccal cavity and annexa	17	16	1			1						3		5	4	1	2	1
116	Diseases of esophagus	1	1														1		
117a	Ulcer of stomach	63	47	1	15						1			1	2	8	17	19	15
117b	Ulcer of duodenum	27	19	2	6									1	4	6	2	6	8
118	Other diseases of stomach (cancer excepted)	20	12	2	6	2									1	5	2	4	6
119	Diarrhea, enteritis (under 2 years of age)	78	55	3	20	64	14												
120	Diarrhea, enteritis (2 years and over)	31	24		7			2	4	1			4	1	4	2	4	4	5
121	Appendicitis	198	173	6	19			4	1	1	21	13	16	6	18	24	29	30	35
122a	Hernia	76	61		15	1	1						1			5	11	21	34
122b	Intestinal obstruction	70	58	3	9	5			1			1	2	4	3	7	10	15	22
123	Other diseases of intestines	26	24		2		1				2			1	1	2	5	4	10
124	Cirrhosis of liver	132	93	5	34								1		4	17	25	34	51
125a	Yellow atrophy of liver	11	5	1	5	1								1	1	3	1	3	1
125b	Other diseases of liver	10	8		2	1	1								1		2	3	2
126	Biliary calculi	92	73	3	16										6	5	24	27	30
127	Other diseases of gall-bladder, biliary passages	53	41	1	11									1	4	5	9	15	19
128	Diseases of pancreas	20	16		4										2	5	6	4	3
129	Peritonitis, cause not specified	21	18		3	1	3	1	2	1	1		1			2	5	2	2
	X.—Diseases of the genitourinary system	1,561	1,050	41	470	7	2	2	1	2	6	1	6	16	36	89	188	262	943
130	Acute nephritis (including unspecified under 10 years)	34	24	2	8	3			1		2		2	2	3	5	3		13
131	Chronic nephritis	1,306	840	35	431			1			3	1	4	11	24	63	153	228	818
132	Nephritis, unspecified (10 years and over)	45	32	2	11										1	5	6	5	28
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	37	30		7	2	2	1		2	1				1	7	6	3	12
134	Calculi of urinary passages	18	17		1										2	2	4	8	2
135	Diseases of bladder (tumors excepted)	12	11		1											1	1		10
136	Diseases of urethra, urinary abscess, etc	2	2														1	1	
137	Diseases of prostate	72	61	1	10												2	14	56
138	Diseases of male genital organs, not specified as venereal	2	2			2													
139a	Cysts of ovary	10	10												2	2	2	3	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	13	12	1										2	3	3	5		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	X.—Diseases of the genitourinary system—Continued.																		
139c	Diseases of uterus	8	7		1									1		1	4		2
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1														1		
139e	Other diseases of female genital organs	1	1																1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	114	92	6	16								4	14	56	39	1		
140	Abortion with septic conditions	23	22	1									2	3	13	5			
141	Abortion without mention of septic conditions (includes hemorrhages)	7	4		3										3	4			
142b	Ectopic gestation, septic conditions not mentioned	4	4											2		2			
143	Other accidents of pregnancy (hemorrhage not included)	1	1												1				
144a	Placenta praevia	5	5												2	3			
144b	Other puerperal hemorrhages	8	8												4	4			
145a	Puerperal septicemia and pyemia (abortion excluded)	23	17	1	5									3	11	8	1		
146	Puerperal albuminuria and eclampsia	16	11	1	4								1	2	8	5			
147	Other toxemias of pregnancy	5	3		2									1	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	3	2	1										3	3			
149	Other accidents of childbirth	15	13	1	1								1	3	7	4			
150	Other and unspecified conditions of puerperal state	1	1												1				
	XII.—Diseases of the skin and cellular tissue	25	20		5	1		1			1	1		2	2	7	2	2	6
151	Furuncle, carbuncle	10	8		2									1	2	1	1	1	4
152	Phlegmon, acute abscess	10	8		2	1					1	1		1		4		1	1
153	Other diseases of skin and annexa, and of cellular tissue	5	4		1			1								2	1		1
	XIII.—Diseases of the bones and organs of locomotion	27	24	1	2	3	3	2		1	1	3	1		4	3	1	1	4
154	Osteomyelitis	21	19	1	1	3	2	2		1		2	1		3	3	1	1	2
155	Other diseases of bones (tuberculosis excepted)	2	1		1						1								1
156	Diseases of joints, other organs of locomotion	4	4				1					1			1				1
	XIV.—Congenital malformations	184	137	4	43	166	2	2	3	1	2		1	1	2	2	2		
157a	Congenital hydrocephalus	29	25		4	26	1		1	1									
157b	Spina bifida and meningocele	25	14	1	10	23			1					1					
157c	Congenital malformations of heart	85	59	3	23	76	1	2			2		1		2	1			
157d	Other congenital malformations	45	39		6	41			1							1	2		
	XV.—Diseases of early infancy	597	491	20	86	597													
158	Congenital debility	30	22	1	7	30													
159	Premature birth	341	283	11	47	341													
160	Injury at birth	156	128	5	23	156													
161	Other diseases peculiar to early infancy	70	58	3	9	70													
162	XVI.—Senility	46	27		19													1	45
	XVII.—Violent and accidental deaths	1,482	1,040	36	406	10	16	11	10	6	56	45	72	78	169	187	233	220	367
	Suicide	335	219	8	108							2	10	12	46	58	83	69	54
163	By solid or liquid poisons or by absorption of corrosive substances	51	38	3	10									3	10	11	9	9	9
164	By poisonous gas	82	61	4	17								1	2	13	12	23	22	9
165	By hanging or strangulation	78	50		28							1	2	1	11	14	19	15	15
166	By drowning	29	12	1	16								2	1	2	6	6	6	6
167	By firearms	63	31		32							1	5	4	7	10	15	11	9
168	By cutting or piercing instruments	17	13		4											1	7	5	4
169	By jumping from high places	6	6											1	2	2	1		
170	By crushing	7	6		1										1	1	3	1	1
171	By other means	2	2													1			1
	Homicide	48	34	1	13	3						1	2	3	12	13	10	4	
173	By firearms	24	15		9							1	1	1	6	5	8	2	
174	By cutting or piercing instruments	9	7		2									1	3	3	2		
175	By other means	15	12	1	2	3							1	1	3	5		2	
	Accidental, other, or undefined	1,099	787	27	285	7	16	11	10	6	56	42	60	63	111	116	140	147	313
177	Poisoning by food	6	5		1							2			1	1		1	1
178	Absorption of poisonous gas	47	37		10		1					1		1	4	12	13	7	8
179	Other acute accidental poisonings (gas excepted)	23	18		5		2	1	1					1	1	4	4	6	3
180	Conflagration	24	16	1	7						2	1			1	4	3	5	8
181	Burns (conflagration excepted)	37	29		8		3	5	1	1	1			1	4	4	3	5	9
	Supplemental	5	5												2	1	2		
182	Mechanical suffocation	2	2			2													
183	Drowning	80	41	1	38		1	1	4		11	9	13	8	7	9	6	6	4
	Supplemental	21	7		14							1	5	2	5	4	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	CONNECTICUT—Continued																		
	XVII.—Violent and accidental deaths—Continued.																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	10	8		2					1		4	1		2		2		
185	By cutting or piercing instruments (wounds of war excepted)	3	3								1						1		1
186a	By fall	283	226	9	48	1	2	1		1	3		8	3	11	6	24	26	197
	Supplemental	40	31		9						2	1	2	9	8	6	6	5	1
186b	By crushing, landslide	7	4	1	2							1		1	2	1	1		1
	Supplemental	84	63	1	20		2	1			7	1	6	4	8	17	17	16	5
188	Injuries by animals	1	1								1								
190	Excessive cold	3	1		2										1			1	1
191	Excessive heat	1	1																1
192	Lightning	2			2							1					1		
193	Due to electric currents	11	5	1	5			1				3		2	4	1			
194a	Foreign bodies	5	3		2		2				1						1	1	
194b	Other accidents	48	30		18	4					2	2	2	3	2	9	7	3	14
	Supplemental	356	251	13	92		3	1	4	3	25	15	23	28	48	37	45	65	59
	XVIII.—Ill-defined causes of death	52	33	1	18	9	2			2				1		6	8	7	16
199	Sudden death	12	7		5	3										1	4	1	3
200a	Cause of death ill-defined	21	16		5	3	2			1						2	3	4	6
200b	Cause of death not specified or unknown	19	10	1	8	3				1				1		3	1	2	7
Punch symbol	SUPPLEMENTAL[1]																		
202	Accidents from agricultural machinery	1			1											1			
203	Elevator accidents	5	5									1			1			2	1
205	Other machinery accidents	9	6		3								1	2	2		3		1
206	Railroad and automobile collisions	6	5		1									1		1	1	1	2
207	Other railroad accidents	28	22	1	5			1	1		5	1			4	4	6	4	2
208	Street car and automobile collisions	3	3								1					1	1		
209	Other street car accidents	6	6										1		1	1	3		
210	Automobile accidents (primary)	409	292	13	104		5	1	3	3	27	15	27	34	51	54	53	78	58
211	Motorcycle accidents	6	2		4								1	2	1	1	1		
212	Other land transportation accidents	7	6		1						1		1	1	1		1	1	1
213	Water transportation accidents	21	9		12							1	5	2	6	2	5		
214	Air transportation accidents	5	1		4									1	4				
	DELAWARE																		
	Total deaths (all causes)	3,178	1,490	255	1,433	288	33	14	14	13	38	35	42	75	157	232	335	543	1,356
	I.—Infectious and parasitic diseases	293	122	20	151	22	10	6	7	6	6	6	12	28	36	33	44	32	45
1	Typhoid fever	3	1	1	1									1		2			
3	Typhus fever	1	1																1
8	Scarlet fever	6	3		3			2		2	1								1
9	Whooping cough	16	6	2	8	7	5	1	1		2								
10	Diphtheria	12	3	1	8		3	2	3	2	2								
11a	Influenza, respiratory complications specified	27	14	3	10	2	2		1			2	4	2	1	4		1	8
11b	Influenza, respiratory complications not specified	17	10		7	1			1					1		1	2	3	8
13	Dysentery	2	1		1							1						1	
15	Erysipelas	3	2		1	1										1			1
16	Acute poliomyelitis, acute polioencephalitis	2	1		1									1			1		
18	Epidemic cerebrospinal meningitis	2	2								1					1			
20	Anthrax (bacillus anthracis) malignant pustule	1	1											1					
21	Rabies	1			1												1		
22	Tetanus	4	3		1					1		1			1		1		
	Tuberculosis (all forms)	171	62	10	99	6		1	1	1		2	7	20	30	22	33	24	24
23	Respiratory system	151	49	10	92	2						2	7	19	26	22	32	21	20
24	Meninges and central nervous system	5	3		2	3				1					1				
25	Intestines and peritoneum	11	7		4				1					1	2			3	4
26	Vertebral column	1	1					1											
32a	Acute disseminated tuberculosis	1			1	1													
32b,c	Other disseminated tuberculosis	2	2												1		1		
34	Syphilis	19	11	2	6	3							1	1	3	2	4	3	2
35	Gonococcus infection and other venereal diseases	1	1												1				
36	Purulent infection, septicemia (nonpuerperal)	2		1	1									1			1		
43	Mycoses	2			2	2													
44	Other infectious and parasitic diseases	1			1												1		
	II.—Cancers and other tumors	303	144	24	135				1						13	23	40	85	141
	Cancer and other malignant tumors	291	134	24	133				1						10	20	36	85	139
(45)	Buccal cavity	13	7		6												1	5	7
(45)	Pharynx	3	1		2													1	2
(46)	Esophagus	7	4	1	2												1	2	4

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued																		
(46)	Stomach and duodenum	58	24	3	31											1	6	21	30
(46)	Liver and biliary passages	30	12	6	12										1	1	4	8	16
(46)	Pancreas	7	3	1	3													1	6
(46)	Other digestive tract and peritoneum	33	20		13										2	3	2	7	19
47	Respiratory system	14	10		4											1	3	4	6
48	Uterus	40	17	1	22										6	6	6	12	10
49	Other female genital organs	5	2		3										1	1		3	
50	Breast	37	16	7	14											3	6	14	14
51	Male genitourinary organs	22	12	1	9											3	3	2	14
52	Skin	9		1	8											1		2	6
53	Other or unspecified organs	13	6	3	4				1								4	3	5
54b	Nonmalignant tumors, uterus	7	6		1										1	3	3		
54d,e	Nonmalignant tumors, other organs	1	1																1
55d,e	Tumors, other organs (nature unspecified)	4	3		1										2		1		1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	79	40	8	31	8	1			1	2	1		1	4	4	8	24	25
56	Acute rheumatic fever	7	3		4					1	2	1		1			1		1
57	Chronic rheumatism, osteoarthritis	2			2														2
59	Diabetes mellitus	54	27	5	22										2	3	5	22	22
60	Scurvy	1	1			1													
62	Pellagra	1	1												1				
63	Rickets	1	1				1												
66b	Exophthalmic goiter	6	2	1	3										1	1	2	2	
67	Diseases of thymus gland	7	5	2		7													
	IV.—Diseases of the blood and blood-making organs	14	12		2	2					2					1	1	1	7
70	Hemorrhagic conditions	3	3			2					1								
71a	Pernicious anemia	4	2		2											1			3
72a	True leukemias	5	5								1								4
72b	Pseudoleukemias (Hodgkin's disease)	1	1														1		
73	Diseases of the spleen	1	1															1	
	V.—Chronic poisonings and intoxications	9	4		5											1	6	2	
75	Alcoholism (acute or chronic)	9	4		5											1	6	2	
	VI.—Diseases of the nervous system and of the organs of special sense	348	140	25	183	4	1	1			3	1	2	1	5	18	31	59	222
78	Encephalitis (nonepidemic)	1	1											1					
79a	Simple meningitis	2			2	1					1								
80	Progressive locomotor ataxia (tabes dorsalis)	1	1																1
81	Other diseases of spinal cord	2	1		1													1	1
82a	Cerebral hemorrhage	284	117	22	145								1			11	24	51	197
82b	Cerebral embolism and thrombosis	13	6	1	6											1	1	4	7
82d	Hemiplegia and other paralysis, cause unspecified	10		1	9										1				9
83	General paralysis of insane	9	2		7								1			2	3	3	
85	Epilepsy	8	1		7										1	4	2		1
86	Convulsions (under 5 years of age)	1	1					1											
87	Other diseases of nervous system	8	4		4						1	1			1				5
89a	Diseases of ear	8	5	1	2	3	1				1				2				1
89b	Diseases of mastoid process	1	1														1		
	VII.—Diseases of the circulatory system	732	347	47	338	5				1	3	7	4	2	17	41	68	137	447
90	Pericarditis	4	4								1	1			1				1
91a	Acute endocarditis	10	6		4						1		3		3	2	1		
91b	Endocarditis, unspecified (under 45 years)	4	3		1	2									1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	174	83	10	81					1	1	4	1	1	6	15	15	35	95
92b	Endocarditis, unspecified (45 years and over)	10	2		8												2	2	6
93a	Acute myocarditis	9	4	1	4										1	1	1	1	5
93b	Myocarditis, unspecified (under 45 years)	1			1											1			
93c	Chronic myocarditis and myocardial degeneration	236	120	16	100							1		1	2	8	19	43	162
93d	Other diseases of myocardium	75	32	4	39											1	7	15	52
94a	Angina pectoris	30	4	2	24											1	3	12	14
94b	Diseases of coronary arteries	29	20	2	7											2	3	2	22
95a	Functional diseases of heart	1			1													1	
95b	Other and unspecified diseases of heart	88	45	7	36	1						1			2	7	13	19	45
96	Aneurysm (except of heart)	4	4												1	1	1		1
97	Arteriosclerosis (coronary arteries excepted)	48	16	5	27												3	7	38
98	Gangrene	7	3		4	1										1			5
99	Other diseases of arteries	1	1																1
101	Diseases of lymphatic system (lymphangitis, etc.)	1			1	1													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	VIII.—Diseases of the respiratory system	289	144	20	125	60	12	5	2	3	5	2	3	4	11	23	20	37	102
106a	Acute bronchitis	2	1		1	1													1
106b	Chronic bronchitis	4	1		3														4
106c,d	Bronchitis, unspecified	3	2		1	2													1
107a	Bronchopneumonia	129	55	6	68	45	9	4	1	2	1	2		2	2	4	12	10	35
107b	Capillary bronchitis	1			1														1
108	Lobar pneumonia	125	69	12	44	12	3	1	1		2		3	1	9	16	5	23	49
109	Pneumonia, unspecified	4	1	1	2					1	2								1
110	Pleurisy	3	3											1			1		1
111a	Pulmonary embolism and thrombosis	5	4		1											1		2	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	7	5		2											1	1	1	4
112	Asthma	4	2	1	1											1	1		2
114	Other diseases of respiratory system (tuberculosis excepted)	2	1		1													1	1
	IX.—Diseases of the digestive system	211	107	25	79	36	6		1		5	7	1	5	8	25	36	34	47
115a	Diseases of pharynx and tonsils	5	3	1	1						1			1			1		2
115b	Diseases of buccal cavity and annexa	2	1		1												1	1	
117a	Ulcer of stomach	11	6	2	3										1	5	3	1	1
117b	Ulcer of duodenum	6	3	1	2											2		3	1
118	Other diseases of stomach (cancer excepted)	11	5		6												3		8
119	Diarrhea, enteritis (under 2 years of age)	41	12		29	35	6												
120	Diarrhea, enteritis (2 years and over)	15	8		7				1			2			1	2	1	1	7
121	Appendicitis	30	20	6	4						3	4	1	1	4	4	5	7	1
122a	Hernia	14	10	1	3											1	1	5	7
122b	Intestinal obstruction	14	9	2	3									1		2	3	4	4
123	Other diseases of intestines	2		1	1											1			1
124	Cirrhosis of liver	21	11	2	8											3	8	3	7
125a	Yellow atrophy of liver	1		1										1					
125b	Other diseases of liver	3	2		1						1						1		1
126	Biliary calculi	11	7	3	1									1	1	2	4	1	2
127	Other diseases of gall-bladder, biliary passages	18	10	4	4											3	4	8	3
128	Diseases of pancreas	1			1														1
129	Peritonitis, cause not specified	5		1	4	1						1			1		1		1
	X.—Diseases of the genitourinary system	393	180	36	177	1					1	1	3	5	7	6	38	82	249
130	Acute nephritis (including unspecified under 10 years)	7	6		1	1									1	1	2	1	1
131	Chronic nephritis	334	145	31	158								1	1	2	5	29	72	224
132	Nephritis, unspecified (10 years and over)	26	16	1	9										1		5	6	14
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	6	1	2	3						1	1		1				2	1
134	Calculi of urinary passages	2	1		1										1				1
135	Diseases of bladder (tumors excepted)	1			1												1		
136	Diseases of urethra, urinary abscess, etc.	1	1																1
137	Diseases of prostate	8	5	1	2													1	7
139a	Cysts of ovary	2	1	1											1		1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	4		2								2	3	1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	35	19	8	8								3	5	17	9	1		
140	Abortion with septic conditions	7	6	1									1	1	3	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	2	2												1	1			
142a	Ectopic gestation, septic conditions specified	2	2												1	1			
144a	Placenta praevia	2		1	1								1		1				
144b	Other puerperal hemorrhages	2	1		1									1	1				
145a	Puerperal septicemia and pyemia (abortion excluded)	4	3	1											3	1			
146	Puerperal albuminuria and eclampsia	10	4	3	3								1	2	3	3	1		
147	Other toxemias of pregnancy	1			1									1					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	1	1	2										3	1			
149	Other accidents of childbirth	1		1											1				
	XII.—Diseases of the skin and cellular tissue	6	2	1	3											1	2	2	1
151	Furuncle, carbuncle	2			2												2		
152	Phlegmon, acute abscess	2	2															1	1
153	Other diseases of skin and annexa, and of cellular tissue	2		1	1											1		1	
	XIII.—Diseases of the bones and organs of locomotion	4	3		1												2	1	1
154	Osteomyelitis	3	2		1												2		1
155	Other diseases of bones (tuberculosis excepted)	1	1															1	
	XIV.—Congenital malformations	25	17	1	7	24						1							
157a	Congenital hydrocephalus	2	2			2													
157c	Congenital malformations of heart	19	13		6	18						1							
157d	Other congenital malformations	4	2	1	1	4													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DELAWARE—Continued																		
	XV.—Diseases of early infancy	120	64	8	48	120													
158	Congenital debility	11	5		6	11													
159	Premature birth	83	44	7	32	83													
160	Injury at birth	13	8	1	4	13													
161	Other diseases peculiar to early infancy	13	7		6	13													
162	XVI.—Senility	25	10	1	14														25
	XVII.—Violent and accidental deaths	286	133	31	122	3	3	2	3	2	11	9	14	23	39	47	36	47	44
	Suicide	60	30	4	26								1	2	9	10	11	19	8
163	By solid or liquid poisons or by absorption of corrosive substances	8	6	1	1									1	2	2	1	2	
164	By poisonous gas	16	12		4										4	4	3	4	1
165	By hanging or strangulation	7	1	1	5								1	1	1		1	3	
166	By drowning	1			1													1	
167	By firearms	22	7	1	14										2	3	5	6	6
168	By cutting or piercing instruments	2	1		1												1	1	
169	By jumping from high places	4	3	1												1		2	1
	Homicide	20	11		9							1	2	4	3	5	2	2	1
173	By firearms	12	4		8							1	1	2		4	2	1	1
174	By cutting or piercing instruments	4	3		1									1	3				
175	By other means	4	4										1	1		1		1	
	Accidental, other, or undefined	206	92	27	87	3	3	2	3	2	11	8	11	17	27	32	23	26	35
177	Poisoning by food	1			1						1								
178	Absorption of poisonous gas	7	4		3											7			
179	Other acute accidental poisonings (gas excepted)	2		2												1		1	
180	Conflagration	3	2		1										1	1	1		
181	Burns (conflagration excepted)	11	7	2	2	1		1	2		1	1			3		1		1
	Supplemental	5			5								1		2				1
182	Mechanical suffocation	3	1		2	1	1									1			
183	Drowning	26	6	4	16					1	5		2	4	1	6	4	2	
	Supplemental	1			1											1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	8	4	2	2						1	1	1	3	2				
186a	By fall	28	16	2	10										2	1	4	2	19
	Supplemental	6	1	2	3							1			2	1			
186b	By crushing, landslide																	1	1
	Supplemental	9	4		5								1	1	1	2	1	2	1
188	Injuries by animals	3	2		1													1	2
190	Excessive cold	1			1													1	
191	Excessive heat	4	3	1			1											2	1
193	Due to electric currents	1	1											1					
194a	Foreign bodies	1			1														1
194b	Other accidents	8	3	2	3	1		1			1	1		1	1		2		
	Supplemental	78	38	10	30		1		1	1	2	4	6	7	12	11	10	14	8
	XVIII —Ill-defined causes of death	6	2		4	3								1			2		
199	Sudden death	1			1	1													
200a	Cause of death ill-defined	3	2		1									1			2		
200b	Cause of death not specified or unknown	2			2	2													
Punch symbol	SUPPLEMENTAL [1]																		
206	Railroad and automobile collisions	2		1	1											1		1	
207	Other railroad accidents	12	7	1	4								1	2	4	1		3	1
210	Automobile accidents (primary)	79	36	9	34		1		1	1	2	4	6	6	11	12	11	13	9
211	Motorcycle accidents	1			1								1						
212	Other land transportation accidents	2		1	1							1							1
213	Water transportation accidents	1			1											1			
214	Air transportation accidents	2			2										2				

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA															
	Total deaths (all causes) {White	5,001	380	34	22	21	20	68	57	73	96	293	458	566	887	2,026
	{Colored	2,936	360	49	23	12	11	25	43	95	163	362	430	497	421	445
	I.—Infectious and parasitic diseases {White	390	22	8	11	3	4	17	7	13	15	51	63	74	50	52
	{Colored	509	37	16	9	5	4	6	19	44	57	129	84	55	30	14
1	Typhoid fever {W	4										2	1	1		
	{C	2									2					
2	Paratyphoid fever W	2			1											1
3	Typhus fever W	1													1	
7	Measles W	1				1										
8	Scarlet fever {W	12		1	1		1	5	1	1		2				
	{C	1										1				

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	DEATHS BY AGE													
				Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued																
	I.—Infectious and parasitic diseases—Continued																
9	Whooping cough	W	10	5	4	1											
		C	10	6	2	2											
10	Diphtheria	W	11	1	1	3			3	1			1				
		C	6	1	2	1	2										
11a	Influenza, respiratory complications specified	W	37	4						1		1	3	1	7	5	15
		C	15	1	1							1	3		1	5	3
11b	Influenza, respiratory complications not specified	W	11	2		1							1			2	5
		C	9	3	1	1							1		2	1	
13	Dysentery	W	5	1		1							1			1	1
		C	1	1													
15	Erysipelas	W	8											1	1	2	4
		C	3	2												1	
16	Acute poliomyelitis, acute polioencephalitis	W	5		1		1	1	2								
		C	1								1						
17	Lethargic or epidemic encephalitis	W	7								1	1	1		2	1	1
		C	2	1									1				
18	Epidemic cerebrospinal meningitis	W	12	3		3	1	1		2		1	1				
		C	2				1								1		
22	Tetanus	W	5						2					2	1		
		C	7							3	2		1	1			
	Tuberculosis (all forms)	W	219	2	1				1	1	9	12	35	48	56	31	23
		C	383	9	10	5	2	4	6	15	40	49	110	69	40	14	10
23	Respiratory system	W	201	2	1						6	11	34	44	54	28	21
		C	328	3	2		1	3	2	10	37	46	99	64	37	14	10
24	Meninges and central nervous system	W	3						1		2						
		C	18	2	3	3		1	2	2	1	1	3				
25	Intestines and peritoneum	W	3											1	1	1	
		C	11						2	1	2	1	3		2		
26	Vertebral column	W	3											1		2	
		C	3							1			2				
27b	Joints	W	2											1			1
		C	1	1													
28	Skin and subcutaneous cellular tissue	C	1											1			
30	Genitourinary system	W	1											1			
		C	1											1			
32a	Acute disseminated tuberculosis	W	5							1	1	1	1		1		
		C	19	3	5	2	1			1		1	3	2	1		
32b,c	Other disseminated tuberculosis	W	1														1
		C	1											1			
34	Syphilis	W	31	4							2		2	9	6	6	2
		C	66	13						1	1	5	12	14	11	8	1
35	Gonococcus infection, other venereal diseases	W	1										1				
36	Purulent infection, septicemia (nonpuerperal)	W	4						1				1	1		1	
		C	1													1	
44	Other infectious and parasitic diseases	W	4						3	1							
	II.—Cancers and other tumors	White	595				2		1		3	1	18	72	99	165	234
		Colored	178					1	1			1	11	40	47	46	31
	Cancer and other malignant tumors	W	570				2		1		2	1	14	62	94	162	232
		C	164						1			1	8	35	42	46	31
(45)	Buccal cavity	W	22											1	4	6	11
		C	5													3	2
(45)	Pharynx	W	8											1		3	4
		C	1						1								
(46)	Esophagus	W	6											1		1	4
		C	3												1		2
(46)	Stomach and duodenum	W	82										1	5	16	21	39
		C	32											7	7	12	6
(46)	Liver and biliary passages	W	39										2	2	1	13	21
		C	8											3		4	1
(46)	Pancreas	W	20											2	3	8	7
		C	6											1	3	2	
(46)	Other digestive tract and peritoneum	W	107										3	9	13	35	47
		C	17										1	5	1	5	5
47	Respiratory system	W	21										1	2	7	5	6
		C	5											2		2	1
48	Uterus	W	61										3	10	18	17	13
		C	34										3	8	13	7	3
49	Other female genital organs	W	14											3	4	7	
		C	4											1	1	1	1
50	Breast	W	55										3	6	19	11	16
		C	13											3	4	3	3
51	Male genitourinary organs	W	62				1							3	5	18	35
		C	11												4	4	3
52	Skin	W	12												1		11
		C	5											1	1	1	2
53	Other or unspecified organs	W	61				1		1		2	1	1	17	3	17	18
		C	20									1	4	4	7	2	
54b	Nonmalignant tumors, uterus	W	6										1	3	1		1
		C	5										1	3	1		
54d,e	Nonmalignant tumors, other organs	W	3										1	1		1	
		C	2												2		
55d,e	Tumors, other organs (nature unspecified)	W	16								1		2	6	4	2	1
		C	7					1					2	2	2		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	136	1			2		4	3	3	4	6	11	11	43	48
		Colored	68	4	1				1	3		3	9	12	14	11	10
56	Acute rheumatic fever	W	16				2		4	3	1		2	2		1	1
		C	7						1	3			2			1	
57	Chronic rheumatism, osteoarthritis	W	4													1	3
59	Diabetes mellitus	W	96								2	4	3	6	6	34	41
		C	41									2	4	5	12	10	8

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE													
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued															
62	Pellagra	W 1														1
		C 6										2	4			
66a	Simple goiter	W 1													1	
66b	Exophthalmic goiter	W 13										1	3	2	5	2
		C 7									1	1	2	2		1
(66)	Other diseases of thyroid and parathyroid glands	W 1												1		
		C 2	1										1			
67	Diseases of thymus gland	C 2	1	1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 1												1		
69	Other general diseases	W 3	1											1	1	
		C 3	2													1
	IV.—Diseases of the blood and blood-making organs	White 47	3		1	1	1	1	1	1		4	9	7	8	10
		Colored 16	4				1		2	2		1	3		2	1
70	Hemorrhagic conditions	W 2	2													
		C 3	1							2						
71a	Pernicious anemia	W 17					1					1	1	2	6	6
		C 2							1			1				
71b	Other anemias	W 1	1													
		C 3	1				1									1
72a	True leukemias	W 19			1	1		1	1	1		1	6	2	1	4
		C 3											1		2	
72b	Pseudoleukemias (Hodgkin's disease)	W 6										1	2	3		
		C 2							1				1			
73	Diseases of spleen	W 2										1			1	
		C 3	2										1			
	V.—Chronic poisonings and intoxications	White 10										1	4	2	1	2
		Colored 7								1	1		3	1		1
75	Alcoholism (acute or chronic)	W 8										1	3	2	1	1
		C 7								1	1		3	1		1
76	Chronic poisoning by other organic substances	W 2											1			1
	VI.—Diseases of the nervous system and of the organs of special sense	White 475	9	4	1	1	1	9	12	4		10	23	54	94	253
		Colored 247	5					2		2	6	14	31	60	71	56
78	Encephalitis (nonepidemic)	W 5		2					1			1		1		
		C 5								1	2	1			1	
79a	Simple meningitis	W 19	3					3	6	1		2		2	1	1
		C 5	2									1		2		
79b	Nonepidemic cerebrospinal meningitis	W 1							1							
80	Progressive locomotor ataxia (tabes dorsalis)	W 6												1	4	1
		C 3													2	1
81	Other diseases of spinal cord	W 5											2	1	1	1
		C 10									2		1	1	1	5
82a	Cerebral hemorrhage	W 311						1	1				10	29	69	201
		C 151										4	13	37	52	45
82b	Cerebral embolism and thrombosis	W 39										1	1	5	10	22
		C 13									1		3	5	2	2
82c	Softening of brain	W 6													1	5
82d	Hemiplegia and other paralysis, cause unspecified	W 12											1		2	9
		C 5											1	2	1	1
83	General paralysis of insane	W 16										2	3	7	1	3
		C 36								1		5	11	8	9	2
85	Epilepsy	W 9								1		1	2	3	1	1
		C 5									1	2		1	1	
86	Convulsions (under 5 years of age)	W 1	1													
87	Other diseases of nervous system	W 16	1	1			1	1						2	4	6
		C 5						1					1	2	1	
88	Diseases of organs of vision	C 1												1		
89a	Diseases of ear	W 14	4		1			2	3				2	1		1
		C 3	2										1			
89b	Diseases of mastoid process	W 15		1		1		2		2		3	2	2		2
		C 5	1					1				1		1	1	
	VII.—Diseases of the circulatory system	White 1,331	3			1	2	6	8	4	9	38	71	130	263	796
		Colored 587					3	1	4	2	9	44	83	141	130	170
90	Pericarditis	W 4						1				2				1
		C 7							1			1	3	2		
91a	Acute endocarditis	W 17						1	2	1	1	3	5	1	2	1
		C 12					2		1	1		2	2	2	1	1
91b	Endocarditis, unspecified (under 45 years)	W 2						1				1				
		C 4										3	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	W 211	1					2	4	3	1	20	11	20	43	106
		C 82							1		1	13	15	20	11	21
92b	Endocarditis, unspecified (45 years and over)	W 19												2	5	12
		C 5												3		2
93a	Acute myocarditis	W 12				1							3	1	2	5
		C 14										3	2	3	4	2
93b	Myocarditis, unspecified (under 45 years)	W 30									4	6	20			
		C 39								1	2	11	25			
93c	Chronic myocarditis and myocardial degeneration	W 307					1		1		1		9	28	51	216
		C 131									3	3	20	35	37	33
93d	Other diseases of myocardium	W 286												35	81	170
		C 95												31	31	33
94a	Angina pectoris	W 66										1	4	7	22	32
		C 5											2	1		2
94b	Diseases of coronary arteries	W 99										1	4	19	21	54
		C 10										1	2	4	1	2
95a	Functional diseases of heart	W 4											1			3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE													
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	VII.—Diseases of the circulatory system—Continued															
95b	Other and unspecified diseases of heart	W 131	1				1	1			2	4	10	11	23	78
		C 106					1	1	1		3	6	7	30	23	34
96	Aneurysm (except of heart)	W 6												1		5
		C 14										1	3	6	1	3
97	Arteriosclerosis (coronary arteries excepted)	W 114											1	3	11	99
		C 62											1	4	21	36
98	Gangrene	W 3	1													2
99	Other diseases of the arteries	W 11												1	1	9
		C 1														1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 2												1	1	
101	Diseases of lymphatic system (lymphangitis, etc.)	W 2							1				1			
102	Idiopathic anomalies of blood-pressure	W 3											2			1
103	Other diseases of circulatory system	W 2														2
	VIII.—Diseases of the respiratory system	White 412	52	10	5	5	3	5	5	9	8	32	47	40	50	141
		Colored 369	90	23	9	3	1	4	2	7	24	51	42	46	33	34
104b	Diseases of nasal fossae and annexae	W 9	1								1	3		2	1	1
105	Diseases of larynx	W 2							1							1
		C 1										1				
106a	Acute bronchitis	W 10	2													8
		C 9	2		1							1			4	1
106b	Chronic bronchitis	W 8											2			6
		C 2											1		1	
106c,d	Bronchitis, unspecified	C 4	2											1		1
107a	Bronchopneumonia	W 162	37	6	4	3	2	4	1	3	2	9	12	12	17	50
		C 177	73	20	7	2	1	1	1	2	11	14	10	13	8	14
107b	Capillary bronchitis	C 1	1													
108	Lobar pneumonia	W 172	10	3	1	1	1		3	5	4	15	25	21	27	56
		C 135	7	2	1	1		3	1	4	8	31	25	21	17	14
109	Pneumonia, unspecified	W 6	1					1					1	2		1
		C 8	1								1		2	4		
110	Pleurisy	W 12	1	1		1				1	1		4		2	1
		C 13	3	1							3		2	3		1
111a	Pulmonary embolism and thrombosis	W 3										1			1	1
		C 3												1	1	1
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 9														9
		C 1														1
112	Asthma	W 13											3	1	2	7
		C 4										1		1	1	1
114	Other diseases of respiratory system (tuberculosis excepted)	W 6										4		2		
		C 11	1							1	1	3	2	2	1	
	IX.—Diseases of the digestive system	White 338	52	7	2	2	2	8	10	6	11	25	32	43	58	80
		Colored 173	34	4	2	2		1	3	7	12	13	25	38	17	15
115a	Diseases of pharynx, tonsils	W 20		1				1		1	2	4		3	4	4
		C 3	1										1	1		
115b	Diseases of buccal cavity and annexa	W 6						1			2			1	2	
		C 3									1	1		1		
117a	Ulcer of stomach	W 11										1	1	4	3	2
		C 17									1	2	4	8	1	1
117b	Ulcer of duodenum	W 14										2	4	2	4	2
		C 12				1						3	2	2	3	1
118	Other diseases of stomach (cancer excepted)	W 6								1		2	1			2
		C 8	1										2	2	2	1
119	Diarrhea, enteritis (under 2 years of age)	W 52	48	4												
		C 29	27	2												
120	Diarrhea, enteritis (2 years and over)	W 8										1		1	1	5
		C 9			1	1				1			1	3	1	1
121	Appendicitis	W 70			1	2	2	5	8	3	5	9	9	8	8	10
		C 27			1				1	3	3	3	4	5	4	3
122a	Hernia	W 21										1	4	3	2	11
		C 10		1									1	3	2	3
122b	Intestinal obstruction	W 41	3	2	1				2	1	1	3	1	3	12	12
		C 20	5	1					2	1	2	2	2	2	2	1
123	Other diseases of intestines	W 2												1	1	
		C 4										1	2	1		
124	Cirrhosis of liver	W 34											4	8	8	14
		C 13								2	1	1	4	3		2
125a	Yellow atrophy of liver	W 3											1		2	
		C 2										1	1			
125b	Other diseases of liver	W 5												3		2
		C 3						1			1			1		
126	Biliary calculi	W 21											4	2	6	9
		C 7											1	3	1	2
127	Other diseases of gall-bladder, biliary passages	W 16						1				1	2	2	4	6
		C 2												1	1	
128	Diseases of pancreas	W 3											1	2		
		C 3												2		
129	Peritonitis, cause not specified	W 5	1								1	1			1	1
		C 1									1					
	X.—Diseases of the genitourinary system	White 482	1					1	1	2	4	16	36	39	91	291
		Colored 299	2	1		1		1	1	4	13	22	51	57	63	83
130	Acute nephritis (including unspecified under 10 years)	W 18										1	3	2	4	8
		C 29		1		1						4	12	6	3	2
131	Chronic nephritis	W 365								1	4	9	21	26	77	227
		C 187						1	1	1	2	7	20	37	48	70
132	Nephritis, unspecified (10 years and over)	W 29										2	3	7	3	14
		C 27								1		3	6	6	7	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE													
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	X.—Diseases of the genitourinary system—Continued.															
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 21	1					1	1	1		1	5	1		10
		C 10	2								1	1	2	2	1	1
134	Calculi of urinary passages	W 3										1	1			1
		C 1														1
135	Diseases of bladder (tumors excepted)	W 3											1			2
		C 3											1	1		1
136	Diseases of urethra, urinary abscess, etc	W 3													1	2
		C 1												1		
137	Diseases of prostate	W 34										1			6	27
		C 7											2		3	2
138	Diseases of male genital organs, not specified as venereal	W 1												1		
		C 6										1		3		2
139a	Cysts of ovary	W 2											2			
		C 4										2	1		1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	W 1										1				
		C 23								2	10	4	6	1		
139c	Diseases of uterus	W 2												2		
		C 1											1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 55								5	12	26	12			
		Colored 36								8	13	12	3			
140	Abortion with septic conditions	W 10								1	3	5	1			
		C 6								2	2	2				
141	Abortion without mention of septic conditions (includes hemorrhages)	W 3										2	1			
142b	Ectopic gestation, septic conditions not mentioned	W 2									1		1			
		C 2									2					
144a	Placenta praevia	W 1											1			
		C 2									1	1				
144b	Other puerperal hemorrhages	W 8								1	2	4	1			
		C 4								1		1	2			
145a	Puerperal septicemia and pyemia (abortion excluded)	W 13								2	2	5	4			
		C 7								2	1	3	1			
146	Puerperal albuminuria and eclampsia	W 6										5	1			
		C 9									5	4				
147	Other toxemias of pregnancy	W 4									2	2				
		C 4								2	1	1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 3								1		2				
149	Other accidents of childbirth	W 5									2	1	2			
		C 2								1	1					
	XII.—Diseases of the skin and cellular tissue	White 12	2							2	1	1	3	2		1
		Colored 5										1	1	1	2	
151	Furuncle, carbuncle	W 3									1		1			1
152	Phlegmon, acute abscess	W 8	1							2		1	2	2		
		C 3											1	1	1	
153	Other diseases of skin and annexa, and of cellular tissue	W 1	1													
		C 2										1			1	
	XIII.—Diseases of the bones and organs of locomotion	White 7	1						1		1		1		3	
		Colored 3						1					1			1
154	Osteomyelitis	W 3	1						1				1			
		C 1											1			
155	Other diseases of bones (tuberculosis excepted)	W 1									1					
156	Diseases of joints, other organs of locomotion	W 3													3	
		C 2						1								1
	XIV.—Congenital malformations	White 42	39	1					1	1						
		Colored 8	8													
157a	Congenital hydrocephalus	W 8	7						1							
		C 1	1													
157b	Spina bifida and meningocele	W 7	7													
157c	Congenital malformations of heart	W 16	14	1						1						
		C 5	5													
157d	Other congenital malformations	W 11	11													
		C 2	2													
	XV.—Diseases of early infancy	White 192	192													
		Colored 172	172													
158	Congenital debility	W 6	6													
		C 11	11													
159	Premature birth	W 130	130													
		C 124	124													
160	Injury at birth	W 45	45													
		C 22	22													
161	Other diseases peculiar to early infancy	W 11	11													
		C 15	15													
162	XVI.—Senility	White 14														14
		Colored 7														7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	DEATHS BY AGE													
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTRICT OF COLUMBIA—Continued															
	XVII.—Violent and accidental deaths—White	462	3	4	2	4	7	16	8	20	30	65	74	65	61	103
	XVII.—Violent and accidental deaths—Colored	250	4	3	3	1	1	7		18	24	55	51	37	16	21
	Suicide—W	129								2	13	25	24	28	24	13
	Suicide—C	22								1	4	1	6	4	3	3
163	By solid or liquid poisons or by absorption of corrosive substances—W	22								1	4	6	6	3	1	1
	By solid or liquid poisons or by absorption of corrosive substances—C	8									2	1	2	1	1	1
164	By poisonous gas—W	42									3	5	9	11	9	5
	By poisonous gas—C	3								1			1			1
165	By hanging or strangulation—W	13									1	4	3	2	2	1
166	By drowning—W	8								1		2	2	1	1	1
	By drowning—C	1												1		
167	By firearms—W	28									4	4	2	7	8	3
	By firearms—C	9									2		2	2	2	1
168	By cutting or piercing instruments—W	6											2	2	1	1
169	By jumping from high places—W	9									1	4		2	1	1
	By jumping from high places—C	1											1			
170	By crushing—W	1													1	
	Homicide—W	24								1	2	9	8	3	1	
	Homicide—C	90	1		1			1		10	13	37	16	8	2	1
173	By firearms—W	13										4	6	2	1	
	By firearms—C	50								7	6	22	10	4	1	
174	By cutting or piercing instruments—W	2										1	1			
	By cutting or piercing instruments—C	17	1							2	6	3	4	1		
175	By other means—W	9								1	2	4	1	1		
	By other means—C	23			1			1		1	1	12	2	3	1	1
	Accidental, other, or undefined—W	309	3	4	2	4	7	16	8	17	15	31	42	34	36	90
	Accidental, other, or undefined—C	138	3	3	2	1	1	6	9	7	7	17	29	25	11	17
178	Absorption of poisonous gas—W	15		1				1				1	7	1	2	2
	Absorption of poisonous gas—C	3							1					1		1
179	Other acute accidental poisonings (gas excepted)—W	6										1	3		2	
	Other acute accidental poisonings (gas excepted)—C	1		1												
180	Conflagration—W	2											1	1		
	Conflagration—C	3											1	1		1
181	Burns (conflagration excepted)—W	21			2		2	3	1	2		1	1		3	6
	Burns (conflagration excepted)—C	13		1	1			1	1		1	1	3	1	1	2
	Supplemental—C	2										2				
182	Mechanical suffocation—W	3	2	1												
	Mechanical suffocation—C	1	1													
183	Drowning—W	10					1	1			1	3	2	1		1
	Drowning—C	15							1	3	2	2	5	1	1	
	Supplemental—W	3									1	1			1	
	Supplemental—C	3										2	1			
	Traumatism:															
184	By firearms (wounds of war excepted)—C	1							1							
185	By cutting or piercing instruments (wounds of war excepted)—W	1												1		
	By cutting or piercing instruments (wounds of war excepted)—C	2												2		
	Supplemental—W	1											1			
186a	By fall—W	84					1	2	2	2	1	3	8	5	12	48
	By fall—C	16		1							1	2	2	4	4	2
	Supplemental—W	3									1		1			1
	Supplemental—C	2							1					1		
186b	By crushing, landslide—W	1												1		
	By crushing, landslide—C	1											1			
	Supplemental—W	32				2		4			4	7	3	3	4	5
	Supplemental—C	13						1	1	1		2	3	1	2	2
188	Injuries by animals—C	2												1	1	
190	Excessive cold—C	1											1			
191	Excessive heat—W	1											1			
	Excessive heat—C	1													1	
192	Lightning—C	1												1		
193	Due to electric currents—W	3		1					1			1				
194a	Foreign bodies—W	5		1									1		1	2
	Foreign bodies—C	1												1		
194b	Other accidents—W	13						1	2	3		2		2	1	2
	Other accidents—C	5	2									1	1	1		
	Supplemental—W	105	1			2	3	4	2	10	7	11	13	19	10	23
	Supplemental—C	47			1	1	1	4	3	3	2	3	10	9	1	9
198	Legal executions—C	4									1	2	1			
	XVIII.—Ill-defined causes of death—White	1														1
	XVIII.—Ill-defined causes of death—Colored	2		1												1
200a	Cause of death ill-defined—W	1														1
	Cause of death ill-defined—C	2		1												1
Punch symbol	SUPPLEMENTAL [1]															
205	Other machinery accidents—W	1										1				
	Other machinery accidents—C	1										1				
207	Other railroad accidents—W	1												1		
	Other railroad accidents—C	2											1	1		
208	Street car and automobile collisions—W	5									1	1	2	1		
	Street car and automobile collisions—C	1											1			
209	Other street car accidents—W	2													1	1
	Other street car accidents—C	1														1
210	Automobile accidents (primary)—W	127	1			4	3	8	2	9	10	15	15	20	12	28
	Automobile accidents (primary)—C	59			1	1	1	5	5	4	2	6	11	10	3	10
211	Motorcycle accidents—W	1										1				
212	Other land transportation accidents—W	4								1	1		1		1	
213	Water transportation accidents—W	3									1	1			1	
	Water transportation accidents—C	3										2	1			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA																			
	Total deaths (all causes)	White	11,287	5,021	2,234	4,032	933	130	71	56	68	173	134	223	321	715	875	1,228	1,800	4,528
		Colored	7,001	2,953	1,184	2,864	741	80	43	30	25	84	121	243	426	1,003	1,148	1,201	872	941
	I.—Infectious and parasitic diseases	White	1,140	439	236	465	66	36	21	23	26	51	28	29	61	127	165	139	152	215
		Colored	1,528	669	290	569	107	24	18	7	6	31	48	96	184	349	257	202	113	81
1	Typhoid fever	W	35	17	7	11						2	1	4	5	12	4	5		2
		C	48	18	7	23			1			5	5	6	9	12	4	6		
3	Typhus fever	W	5	4		1						1				1		1	1	1
7	Measles	W	7	1	1	5		2			1	2	1			1				
		C	4	1	3		1		1				2							
8	Scarlet fever	W	5	2	1	2	1	1				1	1			1				
		C	1	1												1				
9	Whooping cough	W	17	3	5	9	15	1	1											
		C	14	4	3	7	10	2	1	1										
10	Diphtheria	W	69	31	14	24	5	11	14	8	10	16	1		1	2		1		
		C	11	5	2	4	1	3	1	2	1	2					1			
11a	Influenza, respiratory complications specified	W	173	60	36	77	11	5	1	2	2	4		5	6	13	26	16	30	52
		C	157	62	20	75	11	6	5	1	2	3	10	13	14	30	22	17	11	12
11b	Influenza, respiratory complications not specified	W	98	36	16	46	5	2	1	2	1		1	3	3	6	10	7	9	48
		C	107	48	17	42	13	2	2			2	3	5	5	12	18	10	17	18
13	Dysentery	W	20	5	6	9	2	1		2			1			1	1	3		9
		C	22	9	7	6	5	1							2	3	1	3	2	5
15	Erysipelas	W	15	9	2	4	3	1		1			1	1	1			3	1	3
		C	3	3												1			2	
16	Acute poliomyelitis, acute polioencephalitis	W	5	2	2	1	1	1	1				2							
		C	1			1	1													
17	Lethargic or epidemic encephalitis	W	4	2	1	1				1						1			2	
18	Epidemic cerebrospinal meningitis	W	6	2	3	1	1					3	1						1	
		C	2	2							1	1								
21	Rabies	W	4	2	1	1						2	1					1		
22	Tetanus	W	18	10	3	5	3	1	1		1	2	5	1		1	1	1		1
		C	30	19	7	4	9	1		1		2	8	1		5	1	1	1	
	Tuberculosis (all forms)	W	400	178	69	153	2	4			4	2	4	10	31	57	83	67	76	60
		C	691	334	118	239	5	3	2		1	5	10	57	122	225	132	83	29	15
23	Respiratory system	W	361	152	63	145					1	1	4	9	28	53	79	63	70	53
		C	650	307	114	229	4	2			1	2	9	51	118	220	124	78	25	14
24	Meninges and central nervous system	W	10	9		1	2	3			3			1		1				
		C	8	5		3	1		2			3			1				1	
25	Intestines and peritoneum	W	13	9	2	2						1				3	1	2	3	3
		C	14	8	3	3		1						2	1	3	4	1	2	
26	Vertebral column	W	2	2				1												1
		C	1	1														1		
27a	Bones (vertebral column excepted)	W	2		2										1					1
		C	1	1										1						
27b	Joints	C	2	2													1	1		
28	Skin and subcutaneous cellular tissue	C	2	1		1								1				1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	1			1														1
30	Genitourinary system	W	5	3	1	1									1		1		2	1
		C	1	1												1				
31	Other organs	W	1		1												1			1
		C	1			1														
32a	Acute disseminated tuberculosis	W	5	3		2									1		1	2	1	
		C	10	7	1	2							1	1	2	1	3	1	1	
32b,c	Other disseminated tuberculosis	C	1	1										1						
34	Syphilis	W	89	44	30	15	8			1				2	4	10	20	19	16	9
		C	292	132	88	72	39	2	1			1	2	6	19	48	62	61	34	15
35	Gonococcus infection, other venereal diseases	W	6	5		1	1									1	3	1		
		C	11	8	1	2						1		2	3	2	2			1
36	Purulent infection, septicemia (nonpuerperal)	W	15	5	5	5		1			1		1			5	2	1	1	3
		C	6	2	1	3	1						1	1		1				1
38	Malaria	W	132	16	30	86	8	3		5	5	13	4	3	10	13	15	13	14	26
		C	114	18	16	80	6	1	2	1	1	7	7	4	10	9	14	21	17	14
40	Ankylostomiasis	W	3		2	1						1	1			1				
42	Other diseases caused by helminths	W	9	1	2	6		2	2	1	1	2	1							
		C	7	2		5		2	2	1		2								
43	Mycoses	W	4	4									1						1	1
		C	5			5	5													
44	Other infectious and parasitic diseases	W	1			1										1				
		C	2	1		1		1						1						
	II.—Cancers and other tumors	White	1,077	565	201	311		2	1	2	1	2	2	4	4	35	87	167	275	495
		Colored	236	121	37	78							2	2	8	24	54	69	44	32
	Cancer and other malignant tumors	W	1,031	536	192	303		2	1	2	1	1	2	4	4	27	73	152	271	491
		C	203	98	30	75							2	2	4	18	40	64	40	32
(45)	Buccal cavity	W	33	16	4	13			1								2	6	8	16
		C	6	2	2	2											2	2		2
(45)	Pharynx	W	13	7	5	1							1					1	2	9
		C	4	3		1										1		1	2	
(46)	Esophagus	W	8	4	3	1												1	3	4
		C	1	1															1	
(46)	Stomach and duodenum	W	178	86	34	58									1	2	8	20	52	95
		C	47	25	2	20									2	3	6	12	18	6
(46)	Liver and biliary passages	W	84	36	17	31										2	2	13	22	45
		C	8		2	6												3	2	3
(46)	Pancreas	W	25	17	3	5										1	1	3	9	11
		C	2		1	1												1		1
(46)	Other digestive tract and peritoneum	W	142	91	18	33				1						4	7	14	32	84
		C	21	14	2	5										1	6	9	3	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																			
	II.—Cancers and other tumors—Continued																			
	Cancer and other malignant tumors—Continued																			
47	Respiratory system	W	37	25	6	6								1			3	4	15	15
		C	2		1	1												1		
48	Uterus	W	167	90	29	48										11	25	43	42	46
		C	49	24	10	15									1	7	15	16	5	5
49	Other female genital organs	W	17	10	4	3		1									6	3	4	3
		C	1	1														1		
50	Breast	W	83	45	22	16										3	11	19	23	27
		C	16	11	2	3										3	2	6	4	1
51	Male genitourinary organs	W	96	54	17	25		1					1				2	7	26	59
		C	15	4	3	8											2	3	2	8
52	Skin	W	56	15	12	29											2	6	10	38
		C	3	1		2											1		1	1
53	Other or unspecified organs	W	92	40	18	34				1	1	1		4	3	4	4	12	23	39
		C	28	12	5	11							2	1	1	3	6	9	2	3
54a	Nonmalignant tumors, ovary	W	1	1																1
54b	Nonmalignant tumors, uterus	W	22	16	5	1										5	10	6	1	
		C	28	19	6	3									4	6	12	4	2	
54d,e	Nonmalignant tumors, other organs	W	8	3	1	4											1	3	2	2
55d,e	Tumors, other organs (nature unspecified)	W	15	9	3	3						1				3	3	6	1	1
		C	5	4	1												2	1	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	359	159	81	119	12			2	1	7	6	13	11	15	24	48	67	150
		Colored	231	96	52	83	9	1			1	2	1	5	14	37	46	41	43	30
56	Acute rheumatic fever	W	15	8	6	1						4	1	2	2		2	1	1	2
		C	13	3	2	8						1	1		2	1	1	2	2	3
57	Chronic rheumatism, osteoarthritis	W	19	5	8	6									1		2	1	2	13
		C	4	1		3													2	2
59	Diabetes mellitus	W	197	109	35	53	1			1		1	4	7	1	4	8	23	43	104
		C	58	34	8	16								2		5	11	16	15	9
60	Scurvy	C	1			1	1													
62	Pellagra	W	68	14	22	32								2	6	8	6	16	13	14
		C	132	45	40	47						1		3	12	27	31	21	22	14
63	Rickets	W	1			1	1													
		C	6	2		4	5	1												
64	Osteomalacia	W	1	1													1			
66a	Simple goiter	W	4		1	3							1				2		1	
		C	2			2											1		1	
66b	Exophthalmic goiter	W	21	14	3	4									1	3	2	5	4	6
		C	11	9	1	1										4	2	2	1	2
(66)	Other diseases of thyroid and parathyroid glands	W	3	1		2	2													1
		C	1		1		1													
67	Diseases of thymus gland	W	5	3	1	1	4					1								
		C	1	1			1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	5	1	1	3													2	3
69	Other general diseases	W	20	3	4	13	4			1	1	1		2			1	2	1	7
		C	2	1		1	1				1									
	IV.—Diseases of the blood and blood-making organs	White	79	40	17	22	5	1	1		2	2	1	1	3	2	5	10	15	31
		Colored	11	5	1	5		1			1	1			1	1	2	2	1	1
70	Hemorrhagic conditions	W	7	5	1	1	3											1		3
		C	1			1						1								
71a	Pernicious anemia	W	33	14	8	11	1				1				2		3	3	8	15
		C	3	2		1											1	1	1	
71b	Other anemias	W	8	2		6	1	1							1	1				4
		C	3	1	1	1		1							1	1				
72a	True leukemias	W	18	12	4	2					1	1	1	1		1	2	5	2	4
		C	1	1													1			
72b	Pseudoleukemias (Hodgkin's disease)	W	9	5	3	1			1										4	4
		C	3	1		2					1							1		1
73	Diseases of spleen	W	2	1		1												1	1	
74	Other diseases of blood and blood-making organs	W	2	1	1							1								1
	V.—Chronic poisonings and intoxications	White	36	15	12	9							1		1	5	13	7	8	2
		Colored	18	11	3	4						1			1	5	6	3	1	1
75	Alcoholism (acute or chronic)	W	33	12	12	9									1	4	12	7	8	1
		C	15	9	2	4										5	6	2	1	1
76	Chronic poisoning by other organic substances	W	3	3												1	1			1
77b,c	Other chronic poisoning by mineral substances	C	3	2	1							1			1			1		
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,169	483	240	446	17	8	6	1	2	4	6	12	14	23	56	139	248	632
		Colored	756	325	121	310	22	2				5	7	5	9	37	125	204	176	161
78	Encephalitis (nonepidemic)	W	16	10	2	4	2					1		1		2	1	3	4	2
		C	5	3		2	2										1	1		1
79a	Simple meningitis	W	14	4	5	5	6	1	1		1		1	1	2			1		
		C	9	6		3	2	1				1		1		1	3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
79b	Nonepidemic cerebrospinal meningitis	W 7	3	1	3	2	1					1					1	2	
		C 2	1	1								1						1	
80	Progressive locomotor ataxia (tabes dorsalis)	W 8	4	2	2								1			1	4	2	2
		C 5	3	1	1													2	1
81	Other diseases of spinal cord	W 26	8	8	10									1		3	5	4	13
		C 13	8		5							1		1		1	3	4	3
82a	Cerebral hemorrhage	W 883	376	162	345	1					2	1	1	5	13	34	106	209	514
		C 556	243	89	224									4	26	93	166	142	120
82b	Cerebral embolism and thrombosis	W 49	34	8	7						2			1		4	3	12	27
		C 13	8	2	3	1									2	4	3	2	1
82c	Softening of brain	W 6	1	4	1												1	2	3
		C 2	1	1												1			1
82d	Hemiplegia and other paralysis, cause unspecified	W 55	11	7	37								1			2	3	7	42
		C 85	27	9	49						1			1	4	11	24	18	26
83	General paralysis of insane	W 18	1	15	2										1	4	7	4	2
		C 13	2	9	2								1	2	1	4	1	4	
84	Dementia praecox and other psychoses	W 12	2	8	2									3	1	3	2		3
		C 5	2		3											2			3
85	Epilepsy	W 16	6	3	7			1				2	2		4	2	1	1	2
		C 14	5	4	5							2	2	1	2	3	1	1	2
86	Convulsions (under 5 years of age)	W 6	3		3	4	1		1										
		C 17	8	2	7	16	1												
87	Other diseases of nervous system	W 33	11	11	11	1	3					2		1	2		2	1	21
		C 13	6	2	5	1					1	2				1	2	2	3
88	Diseases of organs of vision	W 1	1													1			
89a	Diseases of ear	W 12	5	1	6	1	2	2		1			3	1		1			1
		C 2	1		1												2		
89b	Diseases of mastoid process	W 7	3	3	1			2			1		3			1			
		C 2	1	1											1		1		
	VII.—Diseases of the circulatory system—White	2,287	1,044	481	762	2		2		1	5	10	9	12	60	110	232	456	1,385
	VII.—Diseases of the circulatory system—Colored	977	452	162	363	3		1	1	1	4	9	7	28	119	180	252	185	179
90	Pericarditis	W 5	1	1	3							1			1				3
		C 9	3	1	5	1								1	2	1	3	1	
91a	Acute endocarditis	W 33	10	13	10							2	1		5	4	2	7	12
		C 22	14	1	7						2	2	1	2	3	2	4	6	
91b	Endocarditis, unspecified (under 45 years)	W 3	1	1	1							1	1		1				
		C 9	4	3	2							2		1	3	3			
92a	Endocarditis, specified as chronic, and other valvular diseases	W 433	186	71	176	1				1	2	3	2	5	14	22	40	91	250
		C 263	129	40	94	1				1	1	4	3	10	34	62	58	44	41
92b	Endocarditis, unspecified (45 years and over)	W 43	21	6	16												8	7	28
		C 23	13	1	9												10	6	7
93a	Acute myocarditis	W 50	23	13	14			2							3	4	6	7	27
		C 32	9	11	12									2	5	4	7	11	3
93b	Myocarditis, unspecified (under 45 years)	W 15	8	3	4						1		1	2	6	5			
		C 31	25		6										10	21			
93c	Chronic myocarditis and myocardial degeneration	W 443	220	121	102							2		2	6	21	44	87	281
		C 109	43	24	42									1	11	17	33	23	23
93d	Other diseases of myocardium	W 252	132	42	78									1	1	3	28	45	174
		C 89	49	15	25									2	1	1	35	30	20
94a	Angina pectoris	W 278	127	63	88										4	19	37	75	143
		C 42	23	8	11								1		6	9	16	6	4
94b	Diseases of coronary arteries	W 128	70	30	28											10	17	29	72
		C 14	9		5									2	2	4	4		2
95a	Functional diseases of heart	W 7	2	2	3										2			2	3
		C 2	1	1												1	1		
95b	Other and unspecified diseases of heart	W 417	156	87	174						1	1	2	2	16	16	36	80	263
		C 255	101	47	107			1			1	1	1	8	30	44	66	39	61
96	Aneurysm (except of heart)	W 23	9	4	10											1	3	8	11
		C 13	4	4	5										5	4	4		
97	Arteriosclerosis (coronary arteries excepted)	W 110	59	19	32											2	3	10	95
		C 26	13	6	7										2	1	5	8	10
98	Gangrene	W 7	3		4	1												1	5
		C 10	7		3										2	1	1	4	2
99	Other diseases of the arteries	W 17	9	3	5										1	2	4	1	9
		C 4	1		3										1			3	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 6	4	1	1								1				3		2
		C 3	1		2										1	1	1		
101	Diseases of lymphatic system (lymphangitis, etc.)	W 1			1								1					1	
		C 2			2				1										
102	Idiopathic anomalies of blood-pressure	W 13	1	1	11												1	6	6
		C 16	1		15											3	4	3	6
103	Other diseases of circulatory system	W 3	2		1						1					1			1
		C 3	2		1	1									1	1			
	VIII.—Diseases of the respiratory system—White	573	236	103	234	95	22	8	8	5	18	7	12	18	37	34	51	71	184
	VIII.—Diseases of the respiratory system—Colored	433	190	76	167	72	16	9	4	3	12	6	17	24	69	61	59	41	40
104a	Diseases of nasal fossae	W 6		1	5	4													2
		C 10		1	9	8					1								1
104b	Diseases of nasal fossae and annexae	W 4	2	1	1									1			2	1	
105	Diseases of larynx	W 3	1	1	1	1			1		1								
		C 1			1	1													
106a	Acute bronchitis	W 4	1	1	2	1		1										1	1
		C 6	1	1	4			1										3	2
106b	Chronic bronchitis	W 15	7	2	6								1		1	1		2	10
		C 5	2		3										1	2		2	
106c,d	Bronchitis, unspecified	W 7	3		4	1			1					1				1	3
		C 4	2	1	1	2									1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																			
	VIII.—Diseases of the respiratory system—Continued																			
107a	Bronchopneumonia	W	192	94	36	62	48	14	5	1	4	6	3	2		8	5	9	22	64
		C	113	56	24	33	34	11	1	1		7	3	2	3	13	9	10	11	8
107b	Capillary bronchitis	W	2		1	1	1												1	
		C	4	3		1	1		1								1	1		
108	Lobar pneumonia	W	237	99	40	98	23	2	2	4	1	5	3	6	10	21	24	27	34	74
		C	189	96	40	53	15	3	5	1	2	3	2	11	16	38	39	27	15	12
109	Pneumonia, unspecified	W	46	4	3	39	14	5				4	1	1	2	3	3	3	3	6
		C	54	8	4	42	10	1	1	2		1	1	3	3	7	4	8	5	8
110	Pleurisy	W	16	8	4	4	1	1				1		1	3	2	1	2		4
		C	17	12	1	4		1						1		6	2	1	3	3
111a	Pulmonary embolism and thrombosis	W	3	1	1	1	1												2	
		C	1			1										1				
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	10	2	5	3														10
		C	4	1	1	2	1								1		1	1		
112	Asthma	W	20	8	5	7				1		1			1	2		5	4	6
		C	22	8	3	11									1	2	3	8	2	6
113	Pulmonary emphysema	W	1	1																1
114	Other diseases of respiratory system (tuberculosis excepted)	W	7	5	2									1				3		3
		C	3	1		2					1							2		
	IX.—Diseases of the digestive system	White	869	440	174	255	102	36	15	6	13	22	16	20	37	64	73	119	117	222
		Colored	539	242	98	199	86	21	6	5	5	3	7	15	24	76	109	85	53	36
115a	Diseases of pharynx, tonsils	W	49	25	8	16	2	3	3	2	4	8	1	3	6	5	4	4	3	1
		C	22	11	6	5				2	1		1	1	2	8	3	1	3	
115b	Diseases of buccal cavity and annexa	W	6	3	1	2	1					1						2		2
		C	9	2	2	5	1		1							2	2	2	1	
116	Diseases of esophagus	W	1			1														1
		C	1		1											1				
117a	Ulcer of stomach	W	55	30	16	9								1	2	12	4	6	15	15
		C	30	17	5	8										5	8	5	6	5
117b	Ulcer of duodenum	W	26	18	6	2								2		1	5	5	7	6
		C	6	2	3	1										2	3	1		
118	Other diseases of stomach (cancer excepted)	W	73	24	6	43	7	2							3	5	4	13	8	25
		C	117	53	15	49	7	1				1	1	2	7	11	33	31	7	12
119	Diarrhea, enteritis (under 2 years of age)	W	109	27	15	67	79	30												
		C	86	22	20	44	67	19												
120	Diarrhea, enteritis (2 years and over)	W	66	28	8	30			11	1	8	2	3	2		6	2	7	5	19
		C	38	10	9	19			4	1	2	1	1	1		2	4	9	7	5
121	Appendicitis	W	153	93	43	17	2	1		1	1	7	8	8	14	18	23	30	22	18
		C	60	37	5	18	2		1			1	4	5	8	12	15	7	2	3
122a	Hernia	W	35	26	6	3							1		1	2		4	6	21
		C	22	14	3	5									1	1	7	4	5	2
122b	Intestinal obstruction	W	82	44	22	16	9					3	2	3	2	6	7	11	9	29
		C	49	20	12	17	7			1	2			1	3	13	9	6	4	3
123	Other diseases of intestines	W	12	9	2	1	1								1	1	2		3	4
		C	8	4	3	1									1	2	2	1	2	
124	Cirrhosis of liver	W	93	47	18	28										2	12	14	23	42
		C	44	23	6	15				1						7	12	10	11	3
125a	Yellow atrophy of liver	W	4	2	1	1									3	1				
		C	2	2												1		1		
125b	Other diseases of liver	W	10	4	2	4	1									1		2	3	3
		C	11	5	1	5										1	2	3	3	2
126	Biliary calculi	W	26	16	5	5										2	1	6	6	11
		C	4	2	2											2	1	1		
127	Other diseases of gall-bladder, biliary passages	W	44	25	12	7								1	4	1	6	6	5	21
		C	12	8		4								2		2	5	2		1
128	Diseases of pancreas	W	8	6	1	1												6		2
		C	3	3										1			1	1		
129	Peritonitis, cause not specified	W	17	13	2	2			1	2		1	1		1	1	3	3	2	2
		C	15	7	5	3	2	1						2	2	4	2		2	
	X.—Diseases of the genito-urinary system	White	1,298	606	255	437	5	3	1	1	2	9	2	5	7	45	70	150	233	764
		Colored	673	283	133	257	3	3	2	1			4	8	20	54	110	142	141	182
130	Acute nephritis (including unspecified under 10 years)	W	67	27	16	24	2	2			2	4	1			7	3	14	11	21
		C	64	32	16	16	2	2	1	1			1	1	5	10	13	13	9	6
131	Chronic nephritis	W	921	436	183	302						3	1	2	3	10	45	107	175	575
		C	402	173	87	142		1	1				2	2	5	26	59	86	95	122
132	Nephritis, unspecified (10 years and over)	W	124	35	17	72								2	1	1	5	15	23	76
		C	103	32	15	56								3		8	19	23	16	34
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	40	21	7	12	3		1	1		1			1	6	5	1	8	13
		C	27	4	4	19							1			3	5	4	5	9
134	Calculi of urinary passages	W	19	14	4	1										3	3	2	7	4
		C	5	3	1	1												2	2	1
135	Diseases of bladder (tumors excepted)	W	5	1	1	3		1				1								3
		C	8	2	1	5														
136	Diseases of urethra, urinary abscess, etc	W	4	4													1	2	1	4
		C	17	12	3	2												2		2
137	Diseases of prostate	W	77	46	15	16									3	1	2	2	8	1
		C	13	5	4	4											1	2	8	66
138	Diseases of male genital organs, not specified as venereal	C	2	1		1	1										1	4	4	4
139a	Cysts of ovary	W	4	2	1	1								1						
		C	4	3		1										1	2			1
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	25	16	8	1										2	1	1		
		C	17	15	1	1								1	2	13	4	4	1	
139c	Diseases of uterus	W	10	4	2	4									4	4	6	1		1
		C	6		1	5										2	3			1
139d	Nonpuerperal diseases of breast (cancer excepted)	W	1		1										1					
139e	Other diseases of female genital organs	W	1			1														1
		C	5	1		4									2		1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	156	71	25	60							2	29	29	63	31	1		
		Colored	122	51	20	51							1	35	25	35	22	4		
140	Abortion with septic conditions	W	20	11	3	6							1	5	6	6	2			
		C	12	8	3	1								2	5	2	2	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	W	11	7		4									2	7	2			
		C	2		1	1											2			
142a	Ectopic gestation, septic conditions specified	C	3	1	1	1									1	2				
142b	Ectopic gestation, septic conditions not mentioned	W	3	3											2	1				
		C	2	1	1									1		1				
143	Other accidents of pregnancy (hemorrhage not included)	W	1			1										1				
144a	Placenta praevia	W	3		1	2										1	2			
		C	3	1	1	1										1	2			
144b	Other puerperal hemorrhages	W	13	7	6									1	3	6	3			
		C	5	2	1	2									1	3	1			
145a	Puerperal septicemia and pyemia (abortion excluded)	W	33	13	6	14								6	3	16	8			
		C	21	9	6	6								11	3	7				
145b	Puerperal tetanus (abortion excluded)	W	1	1											1					
		C	1	1											1					
146	Puerperal albuminuria and eclampsia	W	39	15	5	19							1	10	9	10	9			
		C	48	19	6	23							1	15	7	13	9	3		
147	Other toxemias of pregnancy	W	13	9	1	3								3	1	6	2	1		
		C	1	1										1						
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	4	1	1	2								1		2				
		C	1	1												1				
149	Other accidents of childbirth	W	15	4	2	9								3	2	7	3			
		C	22	7		15								5	7	5	5			
150	Other and unspecified conditions of puerperal state	C	1			1											1			
	XII.—Diseases of the skin and cellular tissue	White	31	13	4	14	2	1				1	1	2	3	4	2	6	3	5
		Colored	7	4	1	2	1						1			1	1	2		1
151	Furuncle, carbuncle	W	10	5	1	4						1			2		1	4	1	1
		C	2	2									1					1		
152	Phlegmon, acute abscess	W	13	8	1	4	1	1					1	2		4		1	2	
		C	2	1		1	1										1			
153	Other diseases of skin and annexa, and of cellular tissue	W	8		2	6	1								1		1	1		4
		C	3	1	1	1										1		1		1
	XIII.—Diseases of the bones and organs of locomotion	White	12	9	2	1				1	1	3	1				1	3	1	1
154	Osteomyelitis	W	8	7		1				1	1	3	1					1	1	
155	Other diseases of bones (tuberculosis excepted)	W	2		2													1		1
156	Diseases of joints, other organs of locomotion	W	2	2													1	1		
	XIV.—Congenital malformations	White	100	37	19	44	88	5	2	1			3					1		
		Colored	18	10	3	5	15	2	1											
157a	Congenital hydrocephalus	W	8	3	1	4	7	1												
		C	5	4		1	4		1											
157b	Spina bifida and meningocele	W	9	1	4	4	9													
157c	Congenital malformations of heart	W	56	20	12	24	47	3	2	1			3							
		C	4	3		1	3	1												
157d	Other congenital malformations	W	27	13	2	12	25	1										1		
		C	9	3	3	3	8	1												
	XV.—Diseases of early infancy	White	465	186	86	193	465													
		Colored	308	118	38	152	308													
158	Congenital debility	W	38	11	8	19	38													
		C	63	17	7	39	63													
159	Premature birth	W	316	126	58	132	316													
		C	197	78	24	95	197													
160	Injury at birth	W	88	38	19	31	88													
		C	23	9	3	11	23													
161	Other diseases peculiar to early infancy	W	23	11	1	11	23													
		C	25	14	4	7	25													
162	XVI.—Senility	White	109	32	18	59														109
		Colored	108	11	11	86													5	103
	XVII.—Violent and accidental deaths	White	1,318	614	267	437	19	13	12	10	13	46	45	84	118	225	193	144	131	256
		Colored	702	317	104	281	12	4	6	11	6	18	34	48	80	178	143	88	39	26
	Suicide	W	261	151	45	65							1	10	26	54	58	38	50	23
		C	22	12	5	5								2	3	6	6	3	2	
163	By solid or liquid poisons or by absorption of corrosive substances	W	58	38	9	11							1	4	10	12	15	5	8	3
		C	6	4	2									1		3	1	1		
164	By poisonous gas	W	32	25	3	4								1	1	6	8	6	6	4
165	By hanging or strangulation	W	14	7	2	5									1	1	3	1	5	3
		C	1			1											1			
166	By drowning	W	5		3	2									1		1		2	
		C	1			1													1	
167	By firearms	W	138	72	27	39								5	12	31	28	24	27	11
		C	11	6	2	3									3	2	4	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
168	By cutting or piercing instruments W	5	2		3										1	2	1	1	
	C	1	1														1		
169	By jumping from high places W	5	5												1	1	1		2
170	By crushing W	1		1														1	
171	By other means W	3	2		1									1	2				
	C	2	1	1									1		1				
	Homicide W	149	61	17	71						1		8	18	57	33	16	8	6
	C	275	150	36	89	2						4	18	45	97	67	25	9	3
173	By firearms W	105	42	14	49						1		5	14	40	24	11	6	4
	C	158	83	24	51							4	6	23	66	37	11	5	3
174	By cutting or piercing instruments W	24	12	1	11								1	3	12	4	1	1	
	C	92	55	10	27								12	21	27	24	5	2	
175	By other means W	20	7	2	11								2	1	5	5	4	1	2
	C	25	12	2	11	2								1	4	6	9	2	
	Accidental, other, or undefined W	908	402	205	301	19	13	12	10	13	45	44	66	74	114	102	90	73	227
	C	405	155	63	187	10	4	6	11	6	18	30	28	32	75	70	60	28	23
176	Attack by venomous animals W	4	1	3							1	1		2					
	C	3		1	2					1		1			1				
177	Poisoning by food W	15	5	4	6				1		2	1				1	2	2	6
	C	12	10	1	1	1		1			1					2	3	1	3
178	Absorption of poisonous gas W	9	9										1	1	2	2	1	1	1
179	Other acute accidental poisonings (gas excepted) W	24	14	3	7	2	2					1		3	6	3	4	2	1
	C	10	3	2	5	2	1	1		1		1				2	2		
180	Conflagration W	14	5		9					1	2	1			3	1	1		5
	C	8	4	1	3		1		2							1	1	1	2
181	Burns (conflagration excepted) W	42	19	8	15	2	3	3		4	2	1	2	2	4	3	5	3	8
	C	46	17	9	20	2	1	2	5	2	4		2	2	9	5	3	5	4
	Supplemental W	6	1	3	2									3		2			1
	C	2	1	1											2				
182	Mechanical suffocation W	6	1	1	4	4		1					1						
	C	3			3	3													
183	Drowning W	81	10	20	51		2	2	3	1	7	12	11	7	6	9	9	6	6
	C	56	16	5	35						2	13	12	8	4	5	6	2	2
	Supplemental W	10	2		8		1					2	1	2	2	1	1		
	C	6	1	1	4						1		1	1	1	2			
	Traumatism:																		
184	By firearms (wounds of war excepted) W	38	14	6	18			2		1	4	1	7	6	5	3	7		2
	C	26	10	4	12						2	4	3	3	7	4	3		
185	By cutting or piercing instruments (wounds of war excepted) W	6	3	1	2							1			1	1	1	1	1
	C	1		1												1			
	Supplemental W	4		3	1										1	1		1	1
186a	By fall W	170	91	45	34	2		1	2		4	4	4	3	3	9	7	9	121
	C	20	12	2	6	1				1		1		1	4	3	6	2	1
	Supplemental W	30	9	6	15			1		1	1	2	2	3	6	3	2	5	3
	C	23	7	2	14							1	1	1	7	5	5	1	1
186b	By crushing, landslide W	2	1		1												1		1
	C	5	1		4								1		1		2	1	
	Supplemental W	71	28	18	25		1		1	1	5	2	5	10	15	11	6	9	5
	C	17	7	3	7							1		2	8	3	3		
187	Cataclysm W	1	1															1	
188	Injuries by animals W	1			1											1			
	C	2	1	1								1					1		
191	Excessive heat W	1		1												1			
	C	7	1	2	4										3	1	2	1	
192	Lightning W	5			5							2		2				1	
	C	6		2	4						1		1	2		1	1		
193	Due to electric currents W	10	6	2	2							2	1	1	3	1		1	1
	C	1		1							1								
	Supplemental W	1			1												1		
194a	Foreign bodies W	4	1	2	1	1		1											2
	C	4	2		2			1	1		1					1			
194b	Other accidents W	33	14	7	12	5				1	2	1	3	2	6	3	2	3	5
	C	27	9	4	14	1			1		1	2			5	4	5	4	4
	Supplemental W	320	167	72	81	3	4	1	3	3	15	10	28	27	51	46	40	28	57
198	Legal executions C	119	53	20	46		1	1	2	1	4	5	7	11	23	30	17	10	6
	XVIII.—Ill-defined causes of death White	1			1									1					
	Colored	209	32	13	164	55	3	2	1	1	3	4	3	3	10	11	11	23	77
		334	48	34	252	103	6		1	2	7	1	5	8	18	32	48	30	68
199	Sudden death W	28	6	2	20	3	1				1		1	1			4	4	13
	C	33	3	5	25	4								2	1	6	8	7	5
200a	Cause of death ill-defined W	51	13	8	30	2	2	1		1		2	1	1	2	3	2	8	25
	C	111	15	8	88	23	4		1	1	2	1	2	2	7	13	15	11	27
200b	Cause of death not specified or unknown W	130	13	3	114	50		1	1		2	2	1	1	8	8	5	11	39
	C	190	30	21	139	76	2			1	5		3	4	10	13	25	12	36
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	1			1												1		
202	Accidents from agricultural machinery W	1			1									1					
	C	2			2													2	
205	Other machinery accidents W	10	2	3	5					1				1		4	3		
	C	7	4		3									1	2	3	1		
206	Railroad and automobile collisions W	8	3	4	1								1	2			1	1	3
	C	5	2	1	2									1	1	2	1		
207	Other railroad accidents W	24	10	1	13					1				3	5	4	3	3	5
	C	22	7	3	12								2	2	7	5	4	2	

[1] See explanatory footnote [2], p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

Punch symbol	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	FLORIDA—Continued																		
	SUPPLEMENTAL [1]—continued																		
208	Street car and automobile collisions—W	3	3												3				
209	Other street car accidents—W	1	1																1
	Other street car accidents—C	1	1													1			
210	Automobile accidents (primary)—W	364	177	89	98	3	6	2	4	3	20	11	31	31	58	55	41	38	57
	Automobile accidents (primary)—C	121	51	22	48		1	1	2	1	5	7	5	11	28	26	18	7	7
211	Motorcycle accidents—W	10	5	2	3						1	1	3	3	1		1		
212	Other land transportation accidents—W	3	1	1	1							2							1
	Other land transportation accidents—C	3	1		2								1		1		1		
213	Water transportation accidents—W	7	1		6							2		2	1	1		1	
	Water transportation accidents—C	6	3	1	2								1		2	3			
214	Air transportation accidents—W	10	4	2	4								1	2	7				

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA																	
	Total deaths (all causes)—White	16,818	5,289	11,529	2,121	338	152	112	113	300	234	416	563	1,077	1,383	1,698	2,321	5,973
	Total deaths (all causes)—Colored	15,310	5,349	9,961	1,980	270	137	71	66	210	246	665	1,064	1,721	2,016	2,419	1,863	2,564
	I.—Infectious and parasitic diseases—White	2,177	503	1,674	183	105	43	46	50	96	44	96	111	273	261	235	212	420
	I.—Infectious and parasitic diseases—Colored	2,820	1,021	1,799	238	67	36	34	22	64	82	244	409	560	422	322	164	155
1	Typhoid fever—W	132	18	114		1	3	4	2	7	10	23	17	26	13	10	9	6
	Typhoid fever—C	229	55	174	8	1	1	2	2	18	27	40	49	38	17	11	9	6
2	Paratyphoid—W	1		1												1		
	Paratyphoid—C	1		1								1						
3	Typhus fever—W	3	1	2										1		1		1
	Typhus fever—C	4	1	3						1		1		2				
5	Undulant fever—W	2	1	1											1			1
6	Smallpox—C	1		1										1				
7	Measles—W	5	1	4	1					2		1						1
	Measles—C	8	6	2	4	1		2					1					
8	Scarlet fever—W	17	3	14	2	3	2	2	3	2	2					1		
	Scarlet fever—C	2		2		1					1							
9	Whooping cough—W	49	9	40	33	11	1		1	3								
	Whooping cough—C	61	13	48	40	10	5	1	2	3								
10	Diphtheria—W	146	23	123	19	27	20	20	24	32	3			1				
	Diphtheria—C	37	8	29	9	7	4	6	4	1	2	1	2		1			
11a	Influenza, respiratory complications specified—W	491	114	377	30	15	5	5	3	13	5	25	16	43	56	44	64	167
	Influenza, respiratory complications specified—C	276	112	164	27	13	5	8		7	3	22	22	36	25	39	38	31
11b	Influenza, respiratory complications not specified—W	205	39	166	27	7	5	3	2	4	4	6	2	9	11	14	19	92
	Influenza, respiratory complications not specified—C	214	54	160	31	8	2	1	2	3	5	6	11	21	29	37	23	35
13	Dysentery—W	89	13	76	15	22	2	4	1	2			1	2	6	3	2	29
	Dysentery—C	59	9	50	13	8	3				1		2	3	4	6	6	13
15	Erysipelas—W	51	10	41	17	3			1	1		2		2	1	4	10	9
	Erysipelas—C	6	2	4	1		1			1		1		1			1	
16	Acute poliomyelitis, acute polioencephalitis—W	20	3	17	6	4			3	4	2				1			
	Acute poliomyelitis, acute polioencephalitis—C	7	3	4		1	1	1	2	1			1					
17	Lethargic or epidemic encephalitis—W	10	7	3			1							2	3	1	2	1
	Lethargic or epidemic encephalitis—C	2		2		2												
18	Epidemic cerebrospinal meningitis—W	16	6	10	2	1		1	1	5	1	2		1	1		1	
	Epidemic cerebrospinal meningitis—C	15	10	5	2		1			2			5	2	2	1		
20	Anthrax (bacillus anthracis) malignant pustule—W	1		1									1					
21	Rabies—W	1		1						1								
	Rabies—C	2		2							1			1				
22	Tetanus—W	12	3	9	1	3			1	2	2			1		1	1	
	Tetanus—C	20	12	8	3				1	5	3	1	2	1		3	1	
	Tuberculosis (all forms)—W	676	176	500	8	4			1	4	7	25	61	152	130	123	85	76
	Tuberculosis (all forms)—C	1,275	495	780	13	7	6	2	2	11	32	139	241	355	251	136	46	33
23	Respiratory system—W	629	157	472	4	1				3	3	21	55	149	124	116	78	75
	Respiratory system—C	1,166	431	735	11	2	2		1	7	28	134	223	328	226	128	43	32
24	Meninges and central nervous system—W	13	7	6	2	2				1	1	1	2	1		3		
	Meninges and central nervous system—C	15	11	4		4		1	1	2	1		2	3	1			
25	Intestines and peritoneum—W	13	5	8		1					1	1	1		6		3	
	Intestines and peritoneum—C	35	21	14			2				1	2	7	11	9	2	1	
26	Vertebral column—W	5		5	1							1		1			1	1
	Vertebral column—C	13	8	5				1			1	1	3	1	4	1	1	
27a	Bones (vertebral column excepted)—W	2	1	1										1		1		
	Bones (vertebral column excepted)—C	2	1	1										2				
27b	Joints—W	4	2	2					1		2	1						
	Joints—C	5	3	2								2	1			2		
28	Skin and subcutaneous cellular tissue—C	1		1			1											
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—C	1		1											1			
30	Genitourinary system—W	1		1									1					
	Genitourinary system—C	1	1												1			
31	Other organs—W	3		3												2	1	
	Other organs—C	3	1	2									1	1		1		
32a	Acute disseminated tuberculosis—W	5	3	2	1								2			1	1	
	Acute disseminated tuberculosis—C	28	16	12	2	1	1			2	1		4	8	5	2	1	1
32b,c	Other disseminated tuberculosis—W	1	1														1	
	Other disseminated tuberculosis—C	5	2	3										1	4			

See footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
34	Syphilis	W	69	43	26	11	2		1			1	1		7	17	13	8	8
		C	346	200	146	64	5		1	1		1	13	39	74	66	55	14	13
35	Gonococcus infection, other venereal diseases	W	11	3	8									1	5	4			1
		C	35	21	14	1							6	6	9	5	6	1	1
36	Purulent infection, septicemia (non-puerperal)	W	23	8	15						1	1	4	3	6	4		2	2
		C	18	5	13	2			1		1		1	2	3	3	2	1	2
38	Malaria	W	132	16	116	9	2	4	6	7	10	6	5	6	13	13	19	8	24
		C	183	14	169	13	4	4	7	6	8	4	12	24	13	1	25	23	21
39	Other diseases due to protozoal parasites	C	1	1								1							
40	Ankylostomiasis	W	2	2							1		1						
		C	1		1						1								
41b	Hydatid cysts of other organs	W	1		1														
42	Other diseases caused by helminths	C	4		4			1	1		1			1					
43	Mycoses	W	5	2	3	1								2					2
		C	8		8	6	1											1	
44	Other infectious and parasitic diseases	W	7	2	5	1					2		1		2			1	
		C	5		5	1			1			1		1			1		
	II.—Cancers and other tumors	White	1,113	404	709	2	5	2	3		11	2	8	11	52	118	171	270	458
		Colored	540	219	321		1				3	5	5	14	42	130	162	109	68
	Cancer and other malignant tumors	W	1,060	376	684		4	2	3		8	2	7	7	43	108	159	264	453
		C	483	186	297						2	1	5	12	28	105	157	107	66
(45)	Buccal cavity	W	29	6	23										1	6	2	7	13
		C	10	2	8										1	1	2	5	1
(45)	Pharynx	W	20	5	15								1			2	3	3	11
		C	3	2	1												1	1	1
(46)	Esophagus	W	9	6	3													6	3
		C	2	2													2		
(46)	Stomach and duodenum	W	183	47	136									1	6	12	20	49	95
		C	101	32	69								1	1	7	16	36	31	9
(46)	Liver and biliary passages	W	73	27	46			1					1		1	7	10	21	32
		C	25	5	20								1			6	5	5	8
(46)	Pancreas	W	37	27	10						1					1	2	17	16
		C	11	9	2											3	6	1	1
(46)	Other digestive tract and peritoneum	W	113	42	71						1				5	9	19	29	50
		C	38	21	17								1	3		12	7	9	6
47	Respiratory system	W	24	10	14									1	2	5		6	10
		C	9	4	5											4	4		1
48	Uterus	W	171	61	110									1	8	34	38	46	44
		C	150	51	99									5	18	36	45	29	17
49	Other female genital organs	W	19	12	7										3	7	5	2	2
		C	8	3	5								1			3	3	1	
50	Breast	W	110	42	68										6	16	25	28	35
		C	55	26	29									1	1	14	25	6	8
51	Male genitourinary organs	W	74	25	49		1				1		1		2		7	15	47
		C	20	8	12												6	6	8
52	Skin	W	61	18	43									1	2		7	8	43
		C	9	3	6							1				1	1	4	2
53	Other or unspecified organs	W	137	48	89		3	1	3		5	2	4	3	7	9	21	27	52
		C	42	18	24						2		1	2	1	7	16	9	4
54a	Nonmalignant tumors, ovary	W	2	1	1									1	1				
		C	2	2												1			
54b	Nonmalignant tumors, uterus	W	15	10	5									1	2	6	4	2	
		C	39	25	14									1	13	19	4		1
54d,e	Nonmalignant tumors, other organs	W	14	10	4						1				2	2	6	1	2
		C	7	4	3		1					2		1		3			
55a	Tumors, ovary (nature unspecified)	W	1	1											1				
55b	Tumors, uterus (nature unspecified)	C	1		1											1			
55d,e	Tumors, other organs (nature unspecified)	W	21	6	15	2	1				2		1	2	3	2	2	3	3
		C	8	2	6						1	2				1	1	2	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	559	185	374	10	2	3		2	4	6	18	11	27	57	91	116	211
		Colored	457	147	310	9	1	2	1		3	6	15	25	72	76	103	71	73
56	Acute rheumatic fever	W	25	4	21							2	4	2	1	1	4	3	8
		C	39	13	26						2	2	4		5	8	8	3	7
57	Chronic rheumatism, osteoarthritis	W	15	2	13								2			2	2	1	8
		C	12	1	11									1	1	1	4	3	2
59	Diabetes mellitus	W	258	111	147					1	1	4	10	1	7	22	33	68	110
		C	84	36	48						1	1	2	1	9	8	22	17	23
60	Scurvy	W	1		1					1									
		C	1		1	1													
62	Pellagra	W	206	45	161								1	7	13	29	42	39	75
		C	289	84	205							3	7	22	56	56	63	45	37
63	Rickets	W	4		4	2		1			1								
		C	6	1	5	2	1	2	1										
64	Osteomalacia	W	1		1									1					
65	Diseases of pituitary body	W	1	1													1		
66a	Simple goiter	W	1	1														1	
		C	6		6								1			1	3	1	
66b	Exophthalmic goiter	W	16	13	3						1				3	2	7	2	1
		C	9	4	5								1	1		3	4		
(66)	Other diseases of thyroid and parathyroid glands	W	4	2	2	1	1						1					1	
		C	2	2		2													
67	Diseases of thymus gland	W	8	5	3	6	1	1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous	W	2		2										1			1	
69	Other general diseases	W	17	1	16	1		1			1				2	1	2		9
		C	9	6	3	4									1		1		3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	IV.—Diseases of the blood and blood-making organs	White	97	36	61	3	3	4	1	------	3	6	2	6	11	7	17	16	18
		Colored	28	15	13	4	------	------	------	------	2	------	6	1	2	5	3	5	------
70	Hemorrhagic conditions	W	6	3	3	1	2	1	------	------	------	------	------	------	1	------	1	------	------
		C	4	------	4	3	------	------	------	------	------	------	------	------	1	------	------	------	------
71a	Pernicious anemia	W	35	11	24	1	1	1	1	------	------	1	1	3	1	3	3	10	9
		C	6	2	4	------	------	------	------	------	------	------	1	------	------	1	1	3	------
71b	Other anemias	W	11	4	7	1	------	1	------	------	------	1	------	------	------	1	1	2	4
		C	6	4	2	1	------	------	------	------	1	------	1	------	1	1	1	------	------
72a	True leukemias	W	27	12	15	------	------	1	------	------	1	2	1	2	7	2	5	2	4
		C	6	5	1	------	------	------	------	------	1	------	1	1	------	1	1	1	------
72b	Pseudoleukemias (Hodgkin's disease)	W	13	5	8	------	------	------	------	------	2	1	------	------	2	1	5	2	------
		C	5	3	2	------	------	------	------	------	------	------	2	------	------	2	------	1	------
73	Diseases of spleen	W	4	1	3	------	------	------	------	------	------	1	------	1	------	------	1	------	1
74	Other diseases of blood and blood-making organs	W	1	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------
		C	1	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
	V.—Chronic poisonings and intoxications	White	43	15	28	------	------	------	------	------	------	1	2	1	8	14	8	5	4
		Colored	12	4	8	------	------	------	------	------	------	------	------	2	4	2	2	1	1
75	Alcoholism (acute or chronic)	W	40	12	28	------	------	------	------	------	------	1	2	1	8	13	8	5	2
		C	10	3	7	------	------	------	------	------	------	------	------	2	3	1	2	1	1
76	Chronic poisoning by other organic substances	W	3	3	------	------	------	------	------	------	------	------	------	------	------	1	------	------	2
77b,c	Other chronic poisoning by mineral substances	C	2	1	1	------	------	------	------	------	------	------	------	------	1	1	------	------	------
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,819	518	1,301	39	16	3	3	6	3	15	12	24	44	132	202	379	937
		Colored	1,609	547	1,062	42	6	5	2	4	9	14	15	28	90	214	439	308	430
78	Encephalitis (nonepidemic)	W	22	7	15	5	2	1	------	------	------	------	3	1	2	4	2	1	1
		C	11	6	5	1	1	1	------	------	1	------	1	------	2	2	------	1	1
79a	Simple meningitis	W	29	14	15	8	3	------	2	2	2	3	1	2	2	1	2	------	1
		C	30	25	5	7	3	2	------	1	1	2	3	3	4	------	2	1	1
79b	Nonepidemic cerebrospinal meningitis	W	6	1	5	1	1	------	------	------	------	------	1	1	------	1	1	------	------
		C	4	3	1	------	------	------	1	------	1	------	1	------	1	------	------	------	------
80	Progressive locomotor ataxia (tabes dorsalis)	W	14	6	8	------	------	------	------	------	------	------	------	------	------	------	2	6	6
		C	4	3	1	------	------	------	------	------	------	------	------	------	1	2	------	1	------
81	Other diseases of spinal cord	W	41	18	23	------	1	------	------	------	------	------	------	3	------	4	5	7	21
		C	23	6	17	------	------	------	------	------	------	------	------	------	2	3	8	4	6
82a	Cerebral hemorrhage	W	1,284	362	922	1	2	1	------	------	------	2	2	8	21	69	153	303	720
		C	1,134	431	703	3	------	------	1	------	2	3	4	13	49	164	344	238	310
82b	Cerebral embolism and thrombosis	W	38	26	12	------	------	------	------	------	------	1	1	------	------	7	7	7	15
		C	10	4	6	------	------	------	------	------	------	------	------	------	3	2	3	------	2
82c	Softening of brain	W	9	3	6	------	------	------	------	------	------	------	------	------	------	------	------	1	8
		C	2	2	------	------	------	------	------	------	------	------	------	------	------	------	1	------	1
82d	Hemiplegia and other paralysis, cause unspecified	W	184	26	158	------	1	------	------	------	------	1	1	------	------	8	11	24	136
		C	220	30	190	------	------	------	------	1	------	3	------	2	8	15	59	44	88
83	General paralysis of insane	W	38	15	23	1	------	------	------	------	------	------	------	------	4	14	5	10	4
		C	50	13	37	------	------	------	------	------	------	------	------	------	7	16	15	7	5
84	Dementia praecox and other psychoses	W	14	4	10	------	------	------	------	------	------	------	------	------	------	4	5	4	1
		C	17	7	10	------	------	------	------	------	------	------	------	1	4	2	2	4	4
85	Epilepsy	W	42	5	37	1	2	------	------	1	1	4	1	5	8	9	4	4	2
		C	52	5	47	2	1	1	------	1	1	5	5	7	7	8	3	3	8
86	Convulsions (under 5 years of age)	W	17	1	16	14	2	------	------	1	------	------	------	------	------	------	------	------	------
		C	29	5	24	27	1	1	------	------	------	------	------	------	------	------	------	------	------
87	Other diseases of nervous system	W	48	13	35	1	1	------	------	------	------	2	------	1	2	6	4	10	21
		C	18	4	14	------	------	------	------	1	3	1	1	2	1	------	1	4	4
88	Diseases of organs of vision	W	2	------	2	------	------	------	------	------	------	------	1	------	------	1	------	------	------
89a	Diseases of ear	W	20	9	11	5	1	1	1	------	------	1	1	3	3	2	------	2	------
		C	2	2	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------
89b	Diseases of mastoid process	W	11	8	3	2	------	------	------	2	------	1	------	------	2	2	1	------	1
		C	3	1	2	1	------	------	------	------	------	------	------	------	1	------	1	------	------
	VII.—Diseases of the circulatory system	White	2,596	918	1,678	11	2	2	------	2	12	10	15	27	62	145	301	513	1,493
		Colored	2,079	850	1,229	9	1	2	1	1	6	13	20	55	162	328	529	450	500
90	Pericarditis	W	20	4	16	------	------	------	------	------	------	------	------	1	------	2	3	1	13
		C	18	7	11	------	------	------	------	------	1	------	------	2	------	3	5	5	2
91a	Acute endocarditis	W	17	6	11	1	------	------	------	------	1	------	1	3	3	2	1	2	3
		C	23	11	12	2	------	------	------	------	1	------	2	1	7	5	2	------	3
91b	Endocarditis, unspecified (under 45 years)	W	8	4	4	------	------	------	------	------	1	------	------	2	------	5	------	------	------
		C	16	10	6	------	------	------	------	------	------	1	------	3	5	7	------	------	------
92a	Endocarditis, specified as chronic, and other valvular diseases	W	498	126	372	1	------	------	------	1	2	4	2	9	16	22	55	71	315
		C	467	159	308	3	1	------	1	------	2	4	6	13	34	88	115	99	100
92b	Endocarditis, unspecified (45 years and over)	W	61	16	45	------	------	------	------	------	------	------	------	------	------	------	5	13	43
		C	67	25	42	------	------	------	------	------	------	------	------	------	------	------	23	26	18
93a	Acute myocarditis	W	24	11	13	------	------	------	------	------	------	------	1	1	------	1	5	8	8
		C	60	34	26	------	------	------	------	------	------	------	------	3	4	12	13	19	9
93b	Myocarditis, unspecified (under 45 years)	W	15	7	8	1	------	2	------	------	1	------	1	1	5	4	------	------	------
		C	54	35	19	------	------	------	------	------	------	1	1	4	17	31	------	------	------
93c	Chronic myocarditis and myocardial degeneration	W	295	150	145	------	1	------	------	------	------	1	2	------	1	10	29	64	187
		C	130	48	82	------	------	------	------	------	------	------	1	1	5	15	42	25	41
93d	Other diseases of myocardium	W	354	154	200	------	------	------	------	------	------	------	------	1	1	3	37	71	241
		C	265	114	151	------	------	------	------	------	------	------	------	3	4	6	98	82	72
94a	Angina pectoris	W	237	84	153	------	------	------	------	------	------	------	------	1	5	16	50	61	104
		C	82	42	40	------	------	------	------	------	------	1	1	3	8	21	14	23	11
94b	Diseases of coronary arteries	W	108	60	48	------	------	------	------	------	------	------	1	------	3	2	22	34	46
		C	23	17	6	------	------	------	------	------	------	------	------	------	2	8	7	5	1
95a	Functional diseases of heart	W	13	3	10	------	------	------	------	------	------	------	------	------	1	2	1	2	7
		C	5	2	3	------	------	------	------	------	------	------	------	------	1	1	1	1	1
95b	Other and unspecified diseases of heart	W	726	222	504	7	1	------	------	1	6	5	6	6	25	62	74	150	383
		C	672	259	413	2	------	2	------	1	2	5	8	18	58	100	169	119	187

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
96	Aneurysm (except of heart)	W	18	7	11								1		1	2	5	5	4
		C	25	17	8	1								1	5	10	4	3	1
97	Arteriosclerosis (coronary arteries excepted)	W	145	48	97									1		3	9	21	111
		C	90	35	55										3	11	20	18	38
98	Gangrene	W	11	3	8											2	1	2	5
		C	15	6	9								1		2	1	2	7	2
99	Other diseases of the arteries	W	12	6	6						1				1	1	1	2	6
		C	8	7	1									1	1	2	2	2	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	9	3	6	1								1		4	2	1	
		C	4	2	2									1	1		1	1	
101	Diseases of lymphatic system (lymphangitis, etc.)	W	1	1														1	
		C	1	1											1				
102	Idiopathic anomalies of blood-pressure	W	18	1	17											2		3	13
		C	47	16	31										3	7	8	15	14
103	Other diseases of circulatory system	W	6	2	4												1	1	4
		C	7	3	4	1						1		1	1		3		
	VIII.—Diseases of the respiratory system	White	1,346	413	933	246	48	27	16	13	40	17	42	39	96	104	123	116	418
		Colored	1,338	560	778	268	70	36	9	8	30	31	75	105	171	171	151	106	106
104a	Diseases of nasal fossae	W	2		2														2
		C	14		14	11	1							1					1
104b	Diseases of nasal fossae and annexae	W	12	8	4						1	1	3			1	4	2	
		C	1		1							1							
105	Diseases of larynx	W	6	1	5	1		1	1	1	2								
		C	4		4	2	1					1							
106a	Acute bronchitis	W	16	6	10	7	1										1	2	5
		C	15	9	6	4	1	1			1		1	1	1	2	1	1	1
106b	Chronic bronchitis	W	17	2	15									1			2	2	12
		C	7	3	4									1	1	2	2	1	
106c,d	Bronchitis, unspecified	W	13	4	9	1		1	1			1					1		8
		C	13	4	9		1	2							2	1	1	6	
107a	Bronchopneumonia	W	453	134	319	155	25	8	8	5	11	2	5	3	8	14	25	33	151
		C	315	158	157	129	30	16	5	4	5	3	10	10	20	24	23	16	19
107b	Capillary bronchitis	W	5	2	3	2												1	2
		C	1	1											1				
108	Lobar pneumonia	W	586	197	389	46	16	11	4	4	24	10	29	27	68	68	63	60	156
		C	644	321	323	42	13	9	2	3	17	19	50	75	112	97	97	54	54
109	Pneumonia, unspecified	W	155	30	125	31	6	5	2		2	2	3	6	12	12	13	12	48
		C	262	41	221	77	23	8	2	1	5	6	10	10	20	35	18	21	26
110	Pleurisy	W	18	7	11	1				3			2		4	2	2	1	3
		C	21	9	12						1		2	3	6	4	3	1	1
111a	Pulmonary embolism and thrombosis	W	2	2												1	1		
		C	1	1												1			
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	20	6	14	1		1									1	1	16
		C	12	7	5	1							2		4		2	1	2
112	Asthma	W	27	9	18									2	3	4	5		13
		C	16	4	12						1	1		1	2	4	1	4	2
113	Pulmonary emphysema	C	3	1	2	1									1		1		
114	Other diseases of respiratory system (tuberculosis excepted)	W	14	5	9	1						1			1	2	5	2	2
		C	9	1	8	1								3	1	1	2	1	
	IX.—Diseases of the digestive system	White	1,225	511	714	211	96	29	17	11	31	43	41	48	80	113	114	159	230
		Colored	876	335	541	129	51	19	8	9	24	22	43	55	94	115	125	95	85
115a	Diseases of pharynx, tonsils	W	40	15	25	1	1	2	3	1	4	4		3	2	6	3	5	5
		C	43	16	27	4	1	1	1	1	5	2	5	6	2	7	5	3	
115b	Diseases of buccal cavity and annexa	W	21	5	16						1	1	2	1	2	3	2	4	5
		C	18	7	11	2					1			2	3	2	1	5	2
116	Diseases of esophagus	W	3	1	2									1					2
		C	2	2													2		
117a	Ulcer of stomach	W	65	25	40								3	1	6	15	9	14	17
		C	56	31	25		1					1	1	5	10	8	19	6	5
117b	Ulcer of duodenum	W	29	19	10									1	2	9	7	7	3
		C	9	5	4									1		4	3	1	
118	Other diseases of stomach (cancer excepted)	W	84	15	69	9	5	2	1	1	2	2	1	2	2	7	7	14	29
		C	168	32	136	17	5	4		4	2	4	5	13	20	27	28	21	17
119	Diarrhea, enteritis (under 2 years of age)	W	266	74	192	180	86												
		C	134	45	89	93	41												
120	Diarrhea, enteritis (2 years and over)	W	102	25	77			18	8	5	5	2	2	1	1	7	8	6	39
		C	91	32	59			14	4	3	6	3	2	3	7	11	13	11	14
121	Appendicitis	W	254	150	104			3		1	14	28	26	25	43	34	30	27	22
		C	100	57	43				1		4	10	11	13	17	17	12	6	9
122a	Hernia	W	33	20	13	1									2	2	4	10	14
		C	36	14	22	3					1		2		2	5	7	9	6
122b	Intestinal obstruction	W	109	52	57	18	1	4	2	1	3	5	3	6	6	10	11	13	25
		C	89	38	51	8	1			1	2		6	6	11	17	9	15	13
123	Other diseases of intestines	W	17	10	7						1		2		3	1		5	5
		C	14	10	4								1		3	2	6	2	
124	Cirrhosis of liver	W	68	33	35	1				1				1	1	5	14	22	23
		C	35	11	24								2		3	4	8	7	11
125a	Yellow atrophy of liver	W	3	2	1											2	1		
		C	6	4	2						1		1	1	3				
125b	Other diseases of liver	W	15	3	12				1		1		1			1	2	4	5
		C	29	11	18	2	2		1					1	4	5	5	4	5
126	Biliary calculi	W	25	18	7										2	2	6	8	7
		C	9	4	5								1		3		4	1	
127	Other diseases of gall-bladder, biliary passages	W	52	25	27		1		2	1				1	1	2	6	15	23
		C	11	4	7						1			1	3	2		4	
128	Diseases of pancreas	W	13	9	4										4	1	1	3	4
		C	2	2											1	1			
129	Peritonitis, cause not specified	W	26	10	16	1	2					1	1	5	3	6	3	2	2
		C	24	10	14				1		1	2	6	3	2	3	3		3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																		
	X.—Diseases of the genito-urinary system	White	1,857	638	1,219	9	5	4	1	7	4	15	8	29	55	123	190	294	1,112
		Colored	1,544	634	910	3	5	2	2		9	7	18	39	109	211	344	315	475
130	Acute nephritis (including unspecified under 10 years)	W	108	28	80	2	4	4		4	4	7	1	5	5	11	15	16	30
		C	152	70	82	2	3	2	2		6	2	6	13	13	26	34	23	19
131	Chronic nephritis	W	1,134	431	703				1	3		3	2	8	21	63	110	199	724
		C	805	334	471						1	2	3	11	43	105	185	177	277
132	Nephritis, unspecified (10 years and over)	W	401	85	316							5	2	7	11	31	37	56	251
		C	395	145	250							2	5	5	26	47	90	88	130
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	62	19	43	6	1						3	6	2	9	10	5	20
		C	44	16	28		2				1		1	2	2	6	10	9	10
134	Calculi of urinary passages	W	22	17	5										3	3	5	4	7
		C	5	5												3	1	1	
135	Diseases of bladder (tumors excepted)	W	10	3	7													2	8
		C	13	3	10	1					1			1		2		2	6
136	Diseases of urethra, urinary abscess, etc	W	8	6	2										2		4		2
		C	20	11	9										5	6	5		4
137	Diseases of prostate	W	75	27	48											2	2	6	65
		C	59	19	40										2	6	10	13	28
138	Diseases of male genital organs, not specified as venereal	W	2	1	1	1										1			
		C	6	4	2										2		2	1	1
139a	Cysts of ovary	W	4	2	2										1		1	1	2
		C	4	3	1										1	2	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	19	12	7									2	8	2	2	3	2
		C	21	15	6								3	4	7	4	3		
139c	Diseases of uterus	W	11	6	5									1	1	1	5	2	1
		C	13	6	7										6	3	3	1	
139e	Other diseases of female genital organs	W	1	1											1				
		C	7	3	4							1		3	2	1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	287	85	202							1	42	70	110	62	2		
		Colored	301	89	212							8	67	84	74	65	3		
140	Abortion with septic conditions	W	23	12	11								2	4	15	2			
		C	23	10	13							1	5	5	5	6	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	W	15	4	11								1	2	7	5			
		C	15	2	13								1	6	4	4			
142a	Ectopic gestation, septic conditions specified	C	1	1												1			
142b	Ectopic gestation, septic conditions not mentioned	W	4	3	1										2	2			
		C	3	3										1	2				
143	Other accidents of pregnancy (hemorrhage not included)	W	2	2										2					
		C	2		2										2				
144a	Placenta praevia	W	10	3	7										6	3	1		
		C	4	3	1								1		1	2			
144b	Other puerperal hemorrhages	W	18	3	15									6	5	7			
		C	10	3	7									4	3	3			
145a	Puerperal septicemia and pyemia (abortion excluded)	W	57	15	42								12	15	28	6	1		
		C	82	36	46							3	18	27	16	17	1		
146	Puerperal albuminuria and eclampsia	W	104	23	81								16	26	38	24			
		C	104	24	80							3	30	31	26	14			
147	Other toxemias of pregnancy	W	14	8	6								5	3	3	3			
		C	3	2	1								1		1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	6	1	5								1		2	3			
		C	3		3									2	1				
149	Other accidents of childbirth	W	33	10	23							1	5	12	8	7			
		C	49	5	44							1	11	8	13	15	1		
150	Other and unspecified conditions of puerperal state	W	1	1											1				
		C	2		2											2			
	XII.—Diseases of the skin and cellular tissue	White	40	15	25	5	2		1	1		3		2	4	6	5	4	7
		Colored	29	11	18	4						2	1	3	4	3	6	2	4
151	Furuncle, carbuncle	W	14	4	10					1		2			1	2	3	1	4
		C	2		2										1		1		
152	Phlegmon, acute abscess	W	15	8	7	2	2								3	3	2	2	1
		C	14	7	7	2						2	1	2	2	1	2	1	1
153	Other diseases of skin and annexa, and of cellular tissue	W	11	3	8	3			1			1		2		1		1	2
		C	13	4	9	2								1	1	2	3	1	3
	XIII.—Diseases of the bones and organs of locomotion	White	16	8	8	1		1			3	1	2	1		1	1	2	3
		Colored	9	7	2	1	1					1			3	1			2
154	Osteomyelitis	W	12	7	5	1		1			2	1	2	1		1	1	1	1
		W	4	4			1								2				1
155	Other diseases of bones (tuberculosis excepted)	W	2	1	1						1								1
		C	3	2	1	1									1	1			
156	Diseases of joints, other organs of locomotion	W	2		2													1	1
		C	2	1	1							1							1
	XIV.—Congenital malformations	White	142	37	105	121	8	2		3	1	6	1						
		Colored	38	13	25	26	6	2		1	1		1			1			
157a	Congenital hydrocephalus	W	12	3	9	10	1					1							
		C	10	2	8	5	3	1			1								
157b	Spina bifida and meningocele	W	19	4	15	16	1			1		1							
		C	1		1	1													
157c	Congenital malformations of heart	W	66	18	48	57	3			1	1	3	1						
		C	14	8	6	8	3			1			1			1			
157d	Other congenital malformations	W	45	12	33	38	3	2		1		1							
		C	13	3	10	12		1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																	
	XV.—Diseases of early infancy—White	945	295	650	945													
	XV.—Diseases of early infancy—Colored	636	235	401	636													
158	Congenital debility—W	73	11	62	73													
	Congenital debility—C	100	12	88	100													
159	Premature birth—W	669	215	454	669													
	Premature birth—C	425	173	252	425													
160	Injury at birth—W	139	56	83	139													
	Injury at birth—C	48	31	17	48													
161	Other diseases peculiar to early infancy—W	64	13	51	64													
	Other diseases peculiar to early infancy—C	63	19	44	63													
162	XVI.—Senility—White	200	25	175												1	2	196
	XVI.—Senility—Colored	330	21	309											1	2	8	319
	XVII.—Violent and accidental deaths—White	1,649	630	1,019	34	32	24	17	16	70	57	119	180	241	211	198	160	287
	XVII.—Violent and accidental deaths—Colored	1,142	457	685	40	25	12	8	13	39	40	124	187	244	150	100	83	75
	Suicide—W	278	122	156							1	13	15	56	50	65	46	32
	Suicide—C	25	6	19								3	4	8	6	1	3	
163	By solid or liquid poisons or by absorption of corrosive substances—W	62	34	28								4	4	25	8	11	7	3
	By solid or liquid poisons or by absorption of corrosive substances—C	5	2	3									1	3	1			
164	By poisonous gas—W	10	9	1										2	3	4	1	
165	By hanging or strangulation—W	11	4	7										1	2	3	2	3
166	By drowning—W	9	3	6										3	2	2	1	1
	By drowning—C	1		1													1	
167	By firearms—W	170	65	105							1	9	10	24	32	39	34	21
	By firearms—C	16	4	12								1	3	4	5	1	2	
168	By cutting or piercing instruments—W	11	5	6										1	2	4	1	3
169	By jumping from high places—W	3	2	1											1	1		1
	By jumping from high places—C	2		2								2						
170	By crushing—W	2		2									1			1		
171	By other means—C	1		1										1				
	Homicide—W	177	59	118	6	1	1		1	1	2	6	40	37	37	25	13	7
	Homicide—C	386	185	201	1						1	42	94	124	58	38	20	7
173	By firearms—W	136	42	94		1	1		1	1	1	4	31	30	33	18	11	4
	By firearms—C	261	114	147							1	25	73	76	43	26	12	5
174	By cutting or piercing instruments—W	9	3	6								1	4	1	2		1	
	By cutting or piercing instruments—C	82	52	30								10	17	36	10	7	1	
175	By other means—W	32	14	18	6						1	1	5	6	2	7	1	3
	By other means—C	43	19	24	1							7	4	12	5	5	7	2
	Accidental, other, or undefined—W	1,194	449	745	28	31	23	17	15	69	54	100	125	148	124	108	101	248
	Accidental, other, or undefined—C	731	266	465	39	25	12	8	13	39	39	79	89	112	86	61	60	68
176	Attack by venomous animals—W	5	1	4						1				1	1	1	1	
	Attack by venomous animals—C	3		3					1						1			1
177	Poisoning by food—W	14	1	13		3	1			2				1		2	3	2
	Poisoning by food—C	14	3	11	1					3	2		1		4	2		1
178	Absorption of poisonous gas—W	4	3	1							1					2	1	
	Absorption of poisonous gas—C	1		1													1	
179	Other acute accidental poisonings (gas excepted)—W	15	5	10	2	3	1	1				1	2		1	1	2	1
	Other acute accidental poisonings (gas excepted)—C	17	7	10		5		1		1	1	1	1	4	2	1		
180	Conflagration—W	13	5	8						1		2		3	1	3	2	1
	Conflagration—C	28	4	24	2	1	1	1	1	6	3	4	1	1	1	3	2	1
181	Burns (conflagration excepted)—W	87	26	61	4	10	11	5	2	9	5		4	6	9	4	6	12
	Burns (conflagration excepted)—C	86	31	55	2	7	5	4	4	6	2	4	3	3	5	10	12	18
	Supplemental—W	17	8	9							1		4	5	5		1	1
	Supplemental—C	3		3								1		1	1			
182	Mechanical suffocation—W	20	4	16	10		1		2	5	1		1					
	Mechanical suffocation—C	19	1	18	18											1		
183	Drowning—W	52	12	40		2	2		1	3	4	10	9	7	6	2	3	3
	Drowning—C	59	12	47		2				3	10	14	12	12	2	3	1	
	Supplemental—W	7	4	3							1		2	1	2	1		
	Supplemental—C	7	3	4							1	2	3		1			
	Traumatism:																	
184	By firearms (wounds of war excepted)—W	62	20	42						4	6	10	6	10	7	9	7	2
	By firearms (wounds of war excepted)—C	70	30	40			1		2	3	8	12	14	19	8	1	2	
185	By cutting or piercing instruments (wounds of war excepted)—W	10	4	6					1	1		1	1		3	1	2	
	By cutting or piercing instruments (wounds of war excepted)—C	26	15	11	1						1	3	7	1	4	3	4	2
	Supplemental—W	7	3	4							1		2	3				1
186a	By fall—W	215	88	127	4	1	1	1		4	3	7	9	8	7	8	12	150
	By fall—C	47	17	30	3	1	2	2		3		2	2	4	6	6	4	12
	Supplemental—W	41	15	26				1		3	2	4	3	8	9	5	3	3
	Supplemental—C	25	11	14					1	1		3	3	9	3	2	2	1
186b	By crushing, landslide—W	11	1	10						2			2	4	1	1	1	
	By crushing, landslide—C	7	3	4	2									1	2		1	1
	Supplemental—W	71	30	41			1		1	5	3	6	8	15	12	11	6	3
	Supplemental—C	40	16	24		1						8	8	9	5	6	1	2
187	Cataclysm—W	34	4	30	1	3	2	2	1	5	1		2	9	2	3		2
	Cataclysm—C	9	4	5	1								3	3			1	1
188	Injuries by animals—W	10	2	8							1	2		1		1	1	4
	Injuries by animals—C	8	2	6							1	1	2	2	1			1
190	Excessive cold—C	6		6			1						1		2		1	1
191	Excessive heat—W	19	4	15									4	2		6	2	5
	Excessive heat—C	24	4	20								2	2	3	4	2	5	6
192	Lightning—W	20		20							4	5	3	3	3	1		1
	Lightning—C	13		13						2		3	3	1	2		1	1
193	Due to electric currents—W	11	6	5						1	1	2	2	1	1		2	1
	Due to electric currents—C	5	2	3							1			1	2		1	
194a	Foreign bodies—W	8	3	5	2	4					1							1
	Foreign bodies—C	10	3	7	1	7	1			1								
194b	Other accidents—W	57	24	33	2	2		2		1	2	5	8	6	7	7	5	10
	Other accidents—C	46	18	28	8	1			1	3		5	3	10	4	2	4	5
	Supplemental—W	378	175	203	3	3	3	5	7	22	16	44	53	52	45	39	40	45
	Supplemental—C	150	80	70			1		3	7	9	13	16	25	26	19	17	14
195	Violent deaths of unknown nature—W	2	1	1								1		1				
198	Legal executions—W	4		4										1	2		1	
	Legal executions—C	8		8								1	4	3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	GEORGIA—Continued																	
	XVIII.—Ill-defined causes of death—White	707	53	654	301	14	8	7	2	22	7	8	3	14	29	39	73	179
	XVIII.—Ill-defined causes of death—Colored	1,522	184	1,338	571	36	21	6	8	20	15	31	57	90	121	128	146	271
199	Sudden death—W	100	5	95	12		1			1			1	5	7	8	26	39
	Sudden death—C	129	6	123	11	1			1	1	1	3	5	11	22	19	17	37
200a	Cause of death ill-defined—W	124	11	113	36	3	3	1		5		1		3	6	8	23	35
	Cause of death ill-defined—C	323	33	290	67	12	7			7	2	5	9	17	29	40	55	73
200b	Cause of death not specified or unknown—W	483	37	446	253	11	4	6	2	16	7	7	2	6	16	23	24	105
	Cause of death not specified or unknown—C	1,070	145	925	493	23	14	6	7	12	12	23	43	62	70	69	74	161
Punch symbol	SUPPLEMENTAL [1]																	
201	Accidents in mines and quarries—C	2		2									2					
202	Accidents from agricultural machinery—W	1		1													1	
	Accidents from agricultural machinery—C	1		1														1
203	Elevator accidents—W	5	4	1												2	1	2
	Elevator accidents—C	2	2											1	1			
205	Other machinery accidents—W	18	7	11							2		3	4	3	3	1	2
	Other machinery accidents—C	3		3									1	1	1			
206	Railroad and automobile collisions—W	35	8	27					2	3	3	5	2	6	7	4	2	1
	Railroad and automobile collisions—C	3		3											3			
207	Other railroad accidents—W	42	18	24		1				1		9	6	7	5	5	6	2
	Other railroad accidents—C	39	15	24		1						6	4	12	8	6	1	1
208	Street car and automobile collisions—W	1	1											1				
	Street car and automobile collisions—C	1	1											1				
209	Other street car accidents—W	4	3	1			1			1							1	1
	Other street car accidents—C	1	1													1		
210	Automobile accidents (primary)—W	389	186	203	2	2	3	5	6	24	16	37	59	60	51	41	36	46
	Automobile accidents (primary)—C	152	83	69			1		2	8	9	18	17	26	21	19	17	14
211	Motorcycle accidents—W	6	5	1								1		3	1	1		
	Motorcycle accidents—C	2	1	1									1				1	
212	Other land transportation accidents—W	12		12	1			1		1	2	1		1	3		1	1
	Other land transportation accidents—C	8	1	7					2				1	2	1		1	1
213	Water transportation accidents—W	4	3	1							1		1	1	1			
	Water transportation accidents—C	11	6	5							1	3	4	1	1	1		
214	Air transportation accidents—W	4		4								1	1	1		1		

List no.	CAUSE OF DEATH	All deaths	IN CITIES—10,000 or over	IN CITIES—2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO																		
	Total deaths (all causes)	3,942	590	1,551	1,801	379	44	27	28	16	97	76	99	92	191	265	420	601	1,597
	I.—Infectious and parasitic diseases	438	61	172	205	45	9	9	12	5	35	20	29	19	36	48	44	52	75
1	Typhoid fever	15	2	11	2				1			1	1	5	2		1	4	
5	Undulant fever	2		2								1				1			
7	Measles	2	1		1				1		1								
8	Scarlet fever	12	1	3	8	1		2	1		6	2							
9	Whooping cough	5		2	3	4		1											
10	Diphtheria	14	2	10	2	2		1	1	1	5		3		1				
11a	Influenza, respiratory complications specified	92	7	33	52	14	3	1	2	1	4	5	3	1	6	9	6	9	28
11b	Influenza, respiratory complications not specified	64	3	28	33	8	3	2	1	1	5	3	3	2	1	4	4	8	19
13	Dysentery	6		3	3			1	2	1									2
15	Erysipelas	7	2	2	3	4						1			1				1
16	Acute poliomyelitis, acute polioencephalitis	4	1	1	2	1					2								1
17	Lethargic or epidemic encephalitis	2	1	1								1	1						
18	Epidemic cerebrospinal meningitis	12	1	11			1				7			2			1	1	
22	Tetanus	1		1										1					
	Tuberculosis (all forms)	144	28	41	75	6	2		1	1	4	3	14	7	21	27	24	20	14
23	Respiratory system	127	23	34	70	5	1			1	4	3	14	7	18	25	22	16	11
24	Meninges and central nervous system	1			1												1		
25	Intestines and peritoneum	9	2	4	3	1			1						2	1		2	2
27a	Bones (vertebral column excepted)	2		1	1													1	1
27b	Joints	1		1													1		
28	Skin and subcutaneous cellular tissue	1		1												1			
31	Other organs	1	1												1				
32a	Acute disseminated tuberculosis	2	2				1											1	
34	Syphilis	17	4	6	7	2							3		1	2	3	4	2
35	Gonococcus infection and other venereal diseases	3	1	2									1		1		1		
36	Purulent infection, septicemia (non-puerperal)	12	2	7	3	2						2		1	1	1	1		4
39	Other diseases due to protozoal parasites	1		1		1													
40	Ankylostomiasis	1	1								1								
43	Mycoses	1			1											1			
44	Other infectious and parasitic diseases	21	4	7	10			1	2			1			1	3	3	6	4

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	II.—Cancers and other tumors	361	67	156	138			1			2		1	1	4	14	55	113	168
	Cancer and other malignant tumors	345	63	151	131								1	1	3	11	52	109	166
(45)	Buccal cavity	7	1	3	3													3	4
(45)	Pharynx	2		1	1												1	1	
(46)	Esophagus	2	1	1														1	1
(46)	Stomach and duodenum	97	17	37	43											2	14	31	49
(46)	Liver and biliary passages	33	7	15	11											1	5	6	21
(46)	Pancreas	4		1	3											2		2	
(46)	Other digestive tract and peritoneum	44	7	22	15								1			1	5	13	24
47	Respiratory system	8	3	1	4										1		1	3	3
48	Uterus	37	7	18	12									1	2	3	5	14	12
49	Other female genital organs	4	1	2	1											1		1	2
50	Breast	28	6	14	8												9	13	6
51	Male genitourinary organs	31	7	13	11												1	10	19
52	Skin	11	1	5	5												3	3	5
53	Other or unspecified organs	37	5	18	14											1	8	8	20
54b	Nonmalignant tumors, uterus	5	3	1	1											2	3		
54d,e	Nonmalignant tumors, other organs	1			1														1
55d,e	Tumors, other organs (nature unspecified)	10	1	4	5			1			2				1	1		4	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	133	20	55	58	8					5	6	2	2	4	9	12	36	49
56	Acute rheumatic fever	11		6	5							2	2	1	1		1	3	1
57	Chronic rheumatism, osteoarthritis	8		3	5												2	2	4
59	Diabetes mellitus	79	13	32	34						3	3		1	2	5	4	25	36
65	Diseases of pituitary body	2		2							1							1	
66a	Simple goiter	4	1	1	2											1			3
66b	Exophthalmic goiter	18	4	6	8						1	1			1	3	4	3	5
(66)	Other diseases of thyroid and parathyroid glands	2	2														1	1	
67	Diseases of thymus gland	6		5	1	6													
69	Other general diseases	3			3	2												1	
	IV.—Diseases of the blood and blood-making organs	22	8	6	8						2				1	2	2	7	8
70	Hemorrhagic conditions	1	1								1								
71a	Pernicious anemia	8	4	3	1													3	5
71b	Other anemias	2			2						1							1	
72a	True leukemias	4	1	1	2											1	2		1
72b	Pseudoleukemias (Hodgkin's disease)	6	2	2	2										1	1		3	1
73	Diseases of the spleen	1			1														1
	V.—Chronic poisonings and intoxications	10		5	5								1				3	3	3
75	Alcoholism (acute or chronic)	10		5	5								1				3	3	3
	VI.—Diseases of the nervous system and of the organs of special sense	428	64	167	197	9	1	2	1	1	6	4	2	7	11	24	39	65	254
78	Encephalitis (nonepidemic)	6		3	3						1			1	1	1	1	1	
79a	Simple meningitis	4	1		3	1		1				1		1					
79b	Nonepidemic cerebrospinal meningitis	1	1								1								
80	Progressive locomotor ataxia (tabes dorsalis)	3	1		2														3
81	Other diseases of spinal cord	6	1	1	4											2	2	1	1
82a	Cerebral hemorrhage	333	51	121	161			1				1	1		4	13	26	58	227
82b	Cerebral embolism and thrombosis	8	2	3	3										1	1		1	5
82c	Softening of brain	2		1	1														2
82d	Hemiplegia and other paralysis, cause unspecified	9		5	4					1							1	2	5
83	General paralysis of insane	8		7	1										2	1	2		3
84	Dementia praecox and other psychoses	5		2	3											1	3		1
85	Epilepsy	17		14	3				1		1	2	1	3	2	3	3		1
86	Convulsions (under 5 years of age)	5		2	3	5													
87	Other diseases of nervous system	11	3	5	3	2								1			1	2	5
89a	Diseases of ear	5	4		1	1					2			1		1			
89b	Diseases of mastoid process	5		3	2		1				1				1	1			1
	VII.—Diseases of the circulatory system	821	102	321	398	2	2			1	7	8	13	7	19	41	76	149	496
91a	Acute endocarditis	6		3	3					1		3	1				1		
91b	Endocarditis, unspecified (under 45 years)	2		2									2						
92a	Endocarditis, specified as chronic, and other valvular diseases	200	22	75	103		1				4	3	6	2	14	19	26	37	88
92b	Endocarditis, unspecified (45 years and over)	13		6	7												4	4	5
93a	Acute myocarditis	13	1	7	5								1			1		3	8
93b	Myrocarditis, unspecified (under 45 years)	7		4	3						1	1		2		3			
93c	Chronic myocarditis and myocardial degeneration	162	18	77	67							1	1	2	1	6	10	21	120
93d	Other diseases of myocardium	122	17	50	55												10	23	89
94a	Angina pectoris	79	18	21	40										1	3	11	20	44
94b	Diseases of coronary arteries	44	6	19	19											4	5	13	22
95a	Functional diseases of heart	2	1		1														2
95b	Other and unspecified diseases of heart	87	12	22	53	1	1				2		1	1	2	4	7	17	51
96	Aneurysm (except heart)	9	2	4	3													4	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
97	Arteriosclerosis (coronary arteries excepted)	51	3	22	26													5	46
98	Gangrene	6	1		5														6
99	Other diseases of arteries	5		3	2	1										1		1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	4	1	2	1								1		1			1	1
102	Idiopathic anomalies of blood-pressure	5		1	4												1		4
103	Other diseases of circulatory system	4		3	1												1		3
	VIII.—Diseases of the respiratory system	290	50	109	131	47	10	4	2	2	8	8	6	6	11	16	26	33	111
104b	Diseases of nasal fossae and annexae	3	2		1									1				2	
105	Diseases of larynx	3		2	1		1			1	1								
106b	Chronic bronchitis	7	2	2	3											1	1	1	4
106c,d	Bronchitis, unspecified	2			2														2
107a	Bronchopneumonia	96	17	30	49	31	4	4				3	1		2	5	3	7	36
107b	Capillary bronchitis	1		1		1													
108	Lobar pneumonia	134	21	58	55	10	5		2	1	6	5	5	4	6	10	14	16	50
109	Pneumonia, unspecified	19	3	5	11	5					1			1			2	5	5
110	Pleurisy	5		3	2										2		2		1
111a	Pulmonary embolism and thrombosis	3	2	1													1	1	1
111b	Pulmonary congestion, edema, hemorrhagic infarct	5		3	2												1		4
112	Asthma	5	1	2	2												1		4
113	Pulmonary emphysema	1			1														1
114	Other diseases of respiratory system (tuberculosis excepted)	6	2	2	2										1		1	1	3
	IX.—Diseases of the digestive system	315	66	125	124	23	8	5	4	2	10	8	10	11	29	24	55	42	83
115a	Diseases of pharynx and tonsils	14	3	4	7		2		1		2	2			3		1	1	2
115b	Diseases of buccal cavity and annexa	6	1	2	3	1		1								2	2		
117a	Ulcer of stomach	30	3	14	13						1				2	3	9	6	9
117b	Ulcer of duodenum	2	1		1												2		
118	Other diseases of stomach (cancer excepted)	12	1	4	7	3		1	1									3	4
119	Diarrhea, enteritis (under 2 years of age)	20		12	8	15	5												
120	Diarrhea, enteritis (2 years and over)	10	3	4	3			1		1			1				2		5
121	Appendicitis	90	20	44	26	1	1	1		1	5	5	9	9	18	10	16	8	6
122a	Hernia	17	4	8	5												4	3	10
122b	Intestinal obstruction	34	9	13	12	3		1	1					2	1	2	3	10	11
123	Other diseases of intestines	4	3		1										1	1			2
124	Cirrhosis of liver	28	4	4	20						1					2	3	5	17
125a	Yellow atrophy of liver	1			1										1				
125b	Other diseases of liver	3	1	1	1						1								2
126	Biliary calculi	21	8	9	4										1	1	8	3	8
127	Other diseases of gall-bladder, biliary passages	15	4	5	6				1							3	2	3	5
128	Diseases of pancreas	3			3										1		2		
129	Peritonitis, cause not specified	5	1	1	3							1			1		1		2
	X.—Diseases of the genitourinary system	341	46	153	142	4			1	1			5	3	10	20	35	56	205
130	Acute nephritis (including unspecified under 10 years)	14	2	8	4	2				1			1	1	1	2	2	1	3
131	Chronic nephritis	253	32	113	108				1				3	1	5	12	29	43	158
132	Nephritis, unspecified (10 years and over)	23	3	8	12											1	4	5	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	9	3	4	2	2									1			2	4
134	Calculi of urinary passages	3	1	1	1											1		1	1
135	Diseases of bladder (tumors excepted)	3			3														3
137	Diseases of prostate	22	4	9	9													1	21
138	Diseases of male genital organs, not specified as venereal	1			1														1
139a	Cysts of ovary	3	1	2										1		1		1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	4		4									1		2			1	
139c	Diseases of uterus	6		4	2										1	3		1	1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	46	6	21	19								4	8	17	17			
140	Abortion with septic conditions	4	1	1	2										4				
141	Abortion without mention of septic conditions (includes hemorrhages)	4	1	2	1											4			
142b	Ectopic gestation, septic conditions not mentioned	1		1												1			
144a	Placenta praevia	3		3											1	2			
144b	Other puerperal hemorrhages	3	1	2											1	2			
145a	Puerperal septicemia and pyemia (abortion excluded)	10	1	3	6								1	1	6	2			
146	Puerperal albuminuria and eclampsia	12	2	5	5								2	6	3	1			
147	Other toxemias of pregnancy	3		2	1								1		1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	1		1										1					
149	Other accidents of childbirth	5		1	4										1	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IDAHO—Continued																		
	XII.—Diseases of the skin and cellular tissue	8	1	6	1	3					1					1	1		2
151	Furuncle, carbuncle	1		1							1								
152	Phlegmon, acute abscess	2	1	1												1			1
153	Other diseases of skin and annexa, and of cellular tissue	5		4	1	3											1		1
	XIII.—Diseases of the bones and organs of locomotion	6	1	4	1					1	1						1		3
154	Osteomyelitis	2		1	1						1								1
155	Other diseases of bones (tuberculosis excepted)	3		3						1							1		1
156	Diseases of joints, other organs of locomotion	1	1																1
	XIV.—Congenital malformations	41	10	10	21	38	1					2							
157a	Congenital hydrocephalus	4	2	1	1	4													
157b	Spina bifida and meningocele	5		2	3	5													
157c	Congenital malformations of heart	26	6	6	14	23	1					2							
157d	Other congenital malformations	6	2	1	3	6													
	XV.—Diseases of early infancy	179	19	64	96	179													
158	Congenital debility	12	1	4	7	12													
159	Premature birth	109	10	40	59	109													
160	Injury at birth	38	6	14	18	38													
161	Other diseases peculiar to early infancy	20	2	6	12	20													
162	XVI.—Senility	55	7	19	29														55
	XVII.—Violent and accidental deaths	410	59	149	202	8	13	6	8	3	20	20	26	28	47	48	67	42	71
	Suicide	81	17	23	41								4	3	12	14	20	15	12
163	By solid or liquid poisons or by absorption of corrosive substances	14	3	6	5									1	4	5	1	1	2
164	By poisonous gas	5		2	3										1	2	2		
165	By hanging or strangulation	6	1	2	3										1	1	2	1	1
166	By drowning	5	1		4											1	2		2
167	By firearms	47	10	12	25								4	2	5	4	12	12	7
168	By cutting or piercing instruments	2	1		1										1			1	
169	By jumping from high places	1	1													1			
171	By other means	1		1													1		
	Homicide	12	1	2	9										2		4	1	4
173	By firearms	7	1	2	4										2		4		1
174	By cutting or piercing instruments	1			1														1
175	By other means	4			4													1	2
	Accidental, other, or undefined	317	41	124	152	8	13	6	8	3	20	20	22	25	33	34	43	26	55
176	Attack by venomous animals	2		1	1			1										1	
177	Poisoning by food	4		2	2											2		1	1
178	Absorption of poisonous gas	4	1	1	2											2	2		
179	Other acute accidental poisonings (gas excepted)	5		4	1								1	1	1		1	1	
180	Conflagration	7		3	4					2	1	1				1	1		1
181	Burns (conflagration excepted)	13	3	3	7		2	2	2		1	1			1		2		1
	Supplemental	2		2											1	1			
182	Mechanical suffocation	8	1	6	1	5					1				1	1			
183	Drowning	43	2	12	29	2	8	2	2	1	2	3	4	7	3	3	1		5
	Supplemental	5		1	4								1		1	2	1		
	Traumatism:																		
184	By firearms (wounds of war excepted)	22		9	13				1		4	4	2	1	3	3	2	2	
185	By cutting or piercing instruments (wounds of war excepted)	2		2											1			1	
	Supplemental	2		2													1		1
186a	By fall	29	6	12	11		1						1				3	1	23
	Supplemental	17	2	4	11				1			2	1	1	2	1	5	1	3
186b	By crushing, landslide	6		2	4											1	4		1
	Supplemental	44	5	14	25	1	2				4	1	3	5	6	6	7	7	2
187	Cataclysm	1			1							1							
188	Injuries by animals	8	1	3	4						1	1	1		1	1	2		1
189	Hunger and thirst	1		1															
192	Lightning	3			3						1	1		1					
193	Due to electric currents—supplemental	1			1								1						
194a	Foreign bodies	2	1		1			1	1										
194b	Other accidents	16	5	6	5				1			2	1		2	1	3		6
	Supplemental	70	14	34	22						5	3	6	7	10	10	8	11	10
	XVIII.—Ill-defined causes of death	38	3	9	26	13									2	1	4	3	14
199	Sudden death	3		1	2												1		2
200a	Cause of death ill-defined	18	3	4	11	6									2	1	2		6
200b	Cause of death not specified or unknown	17		4	13	7											1	3	6
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries	9		4	5									1	2	4	1		1
202	Accidents from agricultural machinery	3		2	1									1		1			1
205	Other machinery accidents	4		2	2								1				3		

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural area	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
IDAHO—Continued																			
Punch symbol	SUPPLEMENTAL [1]—continued																		
206	Railroad and automobile collisions	2			2						1					1			
207	Other railroad accidents	11		5	6		1				1		1	2	2	1	2		1
210	Automobile accidents (primary)	86	18	38	30	1	1		1		6	3	8	7	12	10	13	13	11
211	Motorcycle accidents	1		1													1		
212	Other land transportation accidents	22	2	4	16						1	3	1	3	3	2	1	6	2
213	Water transportation accidents	2		1	1								1				1		
214	Air transportation accidents	1	1												1				
ILLINOIS																			
	Total deaths (all causes)	83,180	52,912	7,794	22,474	5,884	836	498	370	327	1,188	936	1,436	2,003	4,890	7,536	10,676	13,495	32,945
	I.—Infectious and parasitic diseases	8,260	4,760	760	2,740	467	251	167	122	122	355	204	356	607	1,301	1,259	1,122	780	1,136
1	Typhoid fever	124	49	21	54		2	1	1		4	12	16	19	24	14	12	12	7
2	Paratyphoid fever	5	4		1					1		1			1	1	1		
3	Typhus fever	1			1						1								
5	Undulant fever	3	1		2										1		1	1	
6	Smallpox	2	1		1								1		1				
7	Measles	56	42	2	12	7	9	9	10	7	13			1					
8	Scarlet fever	264	189	22	53	5	26	25	24	25	90	23	10	9	14	10	1		2
9	Whooping cough	230	123	25	82	125	57	25	12	5	4	1							1
10	Diphtheria	238	139	30	69	5	17	27	25	30	86	29	5		6	3	2	1	2
11a	Influenza, respiratory complications specified	1,246	610	148	488	82	38	19	14	7	27	22	32	35	110	156	152	148	401
11b	Influenza, respiratory complications not specified	603	220	89	294	53	20	14	5	8	20	17	14	15	36	42	59	58	241
13	Dysentery	87	43	11	33	15	12	5	4	2	6		1	2	3	1	5	3	28
15	Erysipelas	132	76	17	39	38	1	3	1			1	2	2	9	8	12	19	36
16	Acute poliomyelitis, acute polioencephalitis	39	22	8	9	4	2	4	3	3	5	10	3	2	1	1			1
17	Lethargic or epidemic encephalitis	52	19	14	19	2	1				1	1	4		9	8	7	7	12
18	Epidemic cerebrospinal meningitis	157	129	10	18	10	8	9	2	4	24	13	15	13	15	18	13	8	5
20	Anthrax (bacillus anthracis) malignant pustule	1			1														1
21	Rabies	3	2		1											1		2	
22	Tetanus	49	30	10	9	2	1	1		5	8	6	3	2	2	6	4	6	3
	Tuberculosis (all forms)	4,301	2,598	306	1,397	43	50	21	18	22	58	62	233	483	999	871	691	411	332
23	Respiratory system	3,803	2,241	266	1,296	17	8	6	7	2	22	46	203	451	913	801	633	379	308
24	Meninges and central nervous system	136	111	11	14	10	19	10	7	11	17	6	8	7	14	13	10	3	1
25	Intestines and peritoneum	115	72	11	32	1	1	1	2	6	4	1	5	8	26	25	19	12	4
26	Vertebral column	72	44	6	22			1	1	1	3	4	4	6	17	11	13	5	6
27a	Bones (vertebral column excepted)	15	10	1	4		1				2		1		1	2	4	1	3
27b	Joints	10	4	3	3		1							2	2	1	2	1	1
28	Skin and subcutaneous cellular tissue	2			2								1						1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	9	4	1	4	1							2	1				3	2
30	Genitourinary system	32	18	2	12						1	1	2	1	8	10	5	2	2
31	Other organs	6	3	2	1							1			3	1			1
32a	Acute disseminated tuberculosis	90	83	2	5	14	20	3	1	2	9	2	7	4	12	7	3	5	1
32b,c	Other disseminated tuberculosis	11	8	1	2							1		3	3		2		2
34	Syphilis	503	362	30	111	67	1		1		4	5	8	10	38	94	145	84	46
35	Gonococcus infection and other venereal diseases	53	43	5	5	2							5	11	19	10	4	2	
36.	Purulent infection, septicemia (non-puerperal)	37	24	3	10	3	1	1		2	3		2	1	4	4	5	8	3
38	Malaria	37	11	8	18		2	2		1	1	1	1	1	4	7	3	5	9
39	Other diseases due to protozoal parasites	4	2		2										1		2	1	
41a	Hydatid cysts of liver	2	1		1													1	1
41b	Hydatid cysts of other organs	2	1		1										1	1			
42	Other diseases caused by helminths	1	1												1				
43	Mycoses	8	2	1	5								1		1	1	2	2	1
44	Other infectious and parasitic diseases	20	16		4	4	3	1	2					1	1	2	1	1	4
	II.—Cancers and other tumors	9,482	6,288	871	2,323	6	7	4	7	7	25	17	31	42	263	935	1,797	2,328	3,990
	Cancer and other malignant tumors	9,070	5,955	848	2,267	3	5	3	6	5	14	10	21	35	215	800	1,697	2,286	3,950
(45)	Buccal cavity	282	154	25	103								1	1	2	19	32	62	164
(45)	Pharynx	81	39	8	34								1			9	13	20	38
(46)	Esophagus	222	180	12	30											10	36	68	108
(46)	Stomach and duodenum	1,909	1,241	174	494				1			1		1	16	107	317	465	995
(46)	Liver and biliary passages	794	480	79	235				1			1	2	4	3	38	128	202	411
(46)	Pancreas	261	180	28	53										7	21	47	64	122
(46)	Other digestive tract and peritoneum	1,401	928	148	325					2				5	35	104	256	389	608
47	Respiratory system	416	318	17	81							1	1	4	17	51	99	122	120
48	Uterus	1,031	697	108	226									4	66	183	280	236	261
49	Other female genital organs	188	137	15	36						1	3		3	10	38	40	47	46
50	Breast	833	570	84	179								1		20	104	207	244	254
51	Male genitourinary organs	778	503	73	202	1	1		1		1		2	1	11	33	98	183	445
52	Skin	177	71	25	81						1			2	2	6	19	21	126
53	Other or unspecified organs	697	457	52	188	2	4	3	3	3	11	4	13	10	26	77	125	163	252
54a	Nonmalignant tumors, ovary	6	6											1	4		1		
54b	Nonmalignant tumors, uterus	178	158	12	8									1	16	81	62	8	7

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	II.—Cancers and other tumors—Continued																		
54d,e	Nonmalignant tumors, other organs	80	59	5	16	3					6	1	5	1	9	16	13	12	14
55a	Tumors, ovary (nature unspecified)	2	2															2	
55b	Tumors, uterus (nature unspecified)	1	1															1	
55d,e	Tumors, other organs (nature unspecified)	145	107	6	32		2	1	1	2	5	6	5	4	19	38	24	19	19
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	2,934	2,046	247	641	85	7	9	6	11	48	42	45	33	145	224	410	679	1,183
56	Acute rheumatic fever	190	143	16	31	1		4	4	5	26	23	17	8	24	12	25	19	21
57	Chronic rheumatism, osteoarthritis	64	29	9	26						1				6	2	5	7	43
58	Gout	1	1													1			
59	Diabetes mellitus	2,058	1,415	163	480	2		1		5	14	15	20	17	65	109	265	550	992
60	Scurvy	1	1			1													
62	Pellagra	14	4	1	9		1								2	6	1	2	2
63	Rickets	20	15	1	4	12	4			1	1		1						1
65	Diseases of pituitary body	3	2	1		1										1			1
66a	Simple goiter	13	8	1	4									1	2	1	1	2	6
66b	Exophthalmic goiter	439	336	37	66							1	6	5	39	80	107	93	105
(66)	Other diseases of thyroid and parathyroid glands	18	11	4	3	9	1		1		2	1				1	1	1	1
67	Diseases of thymus gland	64	43	12	9	54	1	2	1		4	1		1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	33	28		5								1	1	7	11	4	4	5
69	Other general diseases	16	10	2	4	5		2				1					1	1	6
	IV.—Diseases of the blood and blood-making organs	734	460	93	181	30	8	11	7	9	20	22	23	22	39	76	98	146	221
70	Hemorrhagic conditions	42	29	6	7	19	2	1			2	4	3	1	3		3	1	3
71a	Pernicious anemia	295	152	48	95	2	2	1		1	1	2	4	3	7	19	34	69	148
71b	Other anemias	33	18	6	9	7	2	3	1			1			1	1	1	3	13
72a	True leukemias	221	164	20	37	1	1	6	6	7	10	9	11	8	13	32	32	46	39
72b	Pseudoleukemias (Hodgkin's disease)	110	77	6	27					1	3	3	3	8	13	24	23	19	13
73	Diseases of the spleen	22	11	5	6	1	1				4	3	2		1		3	4	3
74	Other diseases of blood and blood-making organs	11	9	2										2	1		2	4	2
	V.—Chronic poisonings and intoxications	145	90	14	41									2	22	35	42	28	16
75	Alcoholism (acute or chronic)	130	78	13	39									2	21	32	39	21	15
76	Chronic poisoning by other organic substances	7	5	1	1										1	2	2	2	
77a	Chronic lead poisoning	8	7		1											1	1	5	1
	VI.—Diseases of the nervous system and of the organs of special sense	7,605	4,091	833	2,681	80	31	22	20	17	83	59	58	71	221	499	869	1,428	4,133
78	Encephalitis (nonepidemic)	59	46	5	8		2	3	3	1	11	3	5	1	1	5	11	7	6
79a	Simple meningitis	82	63	8	11	20	3	5	2	5	5	5	3	2	9	3	9	7	4
79b	Nonepidemic cerebrospinal meningitis	17	10	1	6	6		1				2	1		3	1	2		1
80	Progressive locomotor ataxia (tabes dorsalis)	91	47	7	37										1	5	19	34	32
81	Other diseases of spinal cord	237	119	31	87				2		2	4	5	3	7	26	30	47	111
82a	Cerebral hemorrhage	5,258	2,774	633	1,851	9	4	1			1	2	4	13	52	199	550	1,060	3,354
82b	Cerebral embolism and thrombosis	454	290	47	117		2	1				3	3	4	16	20	49	84	271
82c	Softening of brain	52	30	6	16												2	9	41
82d	Hemiplegia and other paralysis, cause unspecified	154	78	19	57	2							1		2	5	8	19	115
83	General paralysis of insane	424	174	12	238								3	3	45	135	108	82	48
84	Dementia praecox and other psychoses	94	19	5	70								5	7	18	21	22	7	14
85	Epilepsy	163	74	12	77	3	2		5	1	8	11	10	12	28	28	23	13	19
86	Convulsions (under 5 years of age)	17	8	1	8	9	3	3	2										
87	Other diseases of nervous system	217	115	26	76	6	3	2	1	4	1	10	3	5	13	21	17	35	96
88	Diseases of organs of vision	4	3		1	1								1	1			1	
89a	Diseases of ear	199	169	15	15	22	9	4	3	5	39	13	10	13	18	15	11	20	15
89b	Diseases of mastoid process	83	72	5	6	2	3	2	2	1	16	6	5	7	7	15	8	3	6
	VII.—Diseases of the circulatory system	20,654	13,042	1,743	5,869	31	15	9	13	10	82	109	119	148	496	1,238	2,442	3,825	12,074
90	Pericarditis	55	29	4	22	1		2	1			1	3	4	5	7	7	4	20
91a	Acute endocarditis	212	158	25	29	1	3		3	1	9	15	17	15	32	42	21	23	30
91b	Endocarditis, unspecified (under 45 years)	38	30	2	6	1			1		9		2	4	8	13			
92a	Endocarditis, specified as chronic, and other valvular diseases	3,429	1,888	354	1,187	4	4	2	5		30	55	60	70	170	301	397	554	1,772
92b	Endocarditis, unspecified (45 years and over)	280	156	31	93												52	58	170
93a	Acute myocarditis	359	237	19	103	6	4			1	3	5	5	3	8	37	55	75	155
93b	Myocarditis, unspecified (under 45 years)	92	63	9	20	4	1			1	4	4	5	6	16	51			
93c	Chronic myocarditis and myocardial degeneration	8,056	5,366	530	2,160	2	1		2		9	7	12	20	112	382	787	1,442	5,259
93d	Other diseases of myocardium	2,123	1,262	265	596									1	4	4	236	408	1,467
94a	Angina pectoris	1,149	693	141	315										7	47	147	316	632
94b	Diseases of coronary arteries	977	716	81	180								1	4	10	66	172	257	462
95a	Functional diseases of heart	26	7	9	10	1										3	4	1	17
95b	Other and unspecified diseases of heart	2,389	1,726	136	527	4	2	3	1	3	16	21	11	19	108	236	450	494	1,015

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
96	Aneurysm (except of heart)	173	123	13	37					2		1			9	25	40	44	52
97	Arteriosclerosis (coronary arteries excepted)	1,057	441	98	518										1	4	40	104	908
98	Gangrene	47	24	4	19	1					1			1		1	3	8	31
99	Other diseases of arteries	102	63	11	28	2							2		4	7	18	20	49
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	51	37	5	9					1			1	1	1	9	6	13	19
101	Diseases of lymphatic system (lymphangitis, etc.)	13	12		1	3		2		1	1				1		4	1	
102	Idiopathic anomalies of blood-pressure	16	8	3	5											3	1	2	10
103	Other diseases of circulatory system	10	3	3	4	1											2	1	6
	VIII.—Diseases of the respiratory system	6,152	4,039	519	1,594	964	244	120	73	43	129	68	116	150	384	571	675	725	1,882
104a	Diseases of nasal fossae	15	11	2	2	4		1			1		1		1	4		1	2
104b	Diseases of nasal fossae and annexae	51	40	4	7				1		7	8	5	3	6	9	5	6	1
105	Diseases of larynx	39	25	7	7	6	6	3	2	3	10				2		3	1	3
106a	Acute bronchitis	136	93	14	29	35	11	7	1		5			2	3	3	8	12	49
106b	Chronic bronchitis	119	69	15	35	2						1	1		8	4	5	21	76
106c,d	Bronchitis, unspecified	60	34	5	21	14	2		2	1	2		3			3	1	4	28
107a	Bronchopneumonia	2,221	1,508	162	551	708	139	76	43	16	43	16	27	26	73	126	144	179	604
107b	Capillary bronchitis	41	19	5	17	19	5	1			2				1			1	12
108	Lobar pneumonia	2,920	1,902	254	764	139	63	26	22	18	48	40	70	96	255	370	435	421	912
109	Pneumonia, unspecified	38	20	5	13	11	2							2	2	6	3	1	11
110	Pleurisy	186	142	11	33	18	11	2	2	4	7	3	6	11	21	22	23	28	28
111a	Pulmonary embolism and thrombosis	32	16	2	14	1									1	4	7	7	12
111b	Pulmonary congestion, edema, hemorrhagic infarct	93	34	13	46	2	1	1			1		1	2		2	2	3	77
112	Asthma	117	72	12	33	1	2	2		1	1		1	3	3	7	19	22	55
113	Pulmonary emphysema	7	3	1	3	2										1	1		3
114	Other diseases of respiratory system (tuberculosis excepted)	77	51	7	19	2	2	1			2		1	5	8	10	19	18	9
	IX.—Diseases of the digestive system	5,615	3,974	582	1,059	566	161	69	57	35	176	158	154	197	433	681	877	844	1,193
115a	Diseases of pharynx and tonsils	300	218	25	57	15	13	6	13	9	42	22	14	20	40	33	27	27	19
115b	Diseases of buccal cavity and annexa	57	37	7	13	1	1					1	2	6	7	13	11	8	7
116	Diseases of esophagus	5	4		1												1	3	1
117a	Ulcer of stomach	400	303	27	70							1	5	4	35	73	106	82	94
117b	Ulcer of duodenum	131	104	10	17						1	1		1	16	32	29	27	24
118	Other diseases of stomach (cancer excepted)	110	49	13	48	20	8	2			2			3	4	4	9	11	41
119	Diarrhea, enteritis (under 2 years of age)	570	299	67	204	453	117												
120	Diarrhea, enteritis (2 years and over)	293	143	38	112			38	20	12	18	12	4	10	14	18	20	20	107
121	Appendicitis	1,195	947	146	102	2	11	10	20	11	94	105	107	107	167	176	172	120	92
122a	Hernia	348	271	32	45	5	1			1		1	1	5	9	36	66	74	148
122b	Intestinal obstruction	493	358	57	78	44	6	8	3	2	12	3	13	20	37	83	65	63	130
123	Other diseases of intestines	69	47	6	16	2		2				1	1	2	7	6	16	9	23
124	Cirrhosis of the liver	748	518	71	159	1					1	3	1	1	23	88	159	195	275
125a	Yellow atrophy of liver	40	33	3	4							1		1	4	8	14	5	7
125b	Other diseases of liver	67	46	5	16	4							1	2	5	13	11	15	16
126	Biliary calculi	371	292	37	42								1	5	31	45	86	95	108
127	Other diseases of gall-bladder, biliary passages	277	193	30	54	4	1					3	1	3	18	34	63	64	85
128	Diseases of pancreas	54	48	3	3						1		2	1	7	8	13	15	7
129	Peritonitis, cause not specified	87	64	5	18	15	3	3	1		5	4	1	6	9	11	9	11	9
	X.—Diseases of the genitourinary system	9,179	5,987	898	2,294	30	10	8	6	6	31	35	60	77	277	618	1,077	1,611	5,312
130	Acute nephritis (including unspecified under 10 years)	266	167	29	70	8	5	4	2	3	8	7	10	6	20	41	42	37	73
131	Chronic nephritis	7,448	4,848	708	1,892	1		1	1		17	21	35	45	167	432	886	1,331	4,493
132	Nephritis, unspecified (10 years and over)	453	218	62	173							4	7	8	14	35	41	71	268
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	212	154	19	39	18	5	3	3	3	4	3	2	5	16	21	27	31	71
134	Calculi of urinary passages	79	64	7	8								1	1	8	10	20	17	22
135	Diseases of bladder (tumors excepted)	35	19	3	13	1					1			1		3	2	3	24
136	Diseases of urethra, urinary abscess, etc.	29	26	2	1										3	6	6	9	5
137	Diseases of prostate	435	305	45	85								1			2	12	81	339
138	Diseases of male genital organs, not specified as venereal	10	4	2	4	2					1					2	1	2	2
139a	Cysts of ovary	60	54	6									3	1	12	18	12	10	4
139b	Other diseases of ovaries, diseases of tubes and parametrium	101	84	11	6								1	8	26	35	20	9	2
139c	Diseases of uterus	48	41	4	3									2	11	10	7	9	9
139d	Nonpuerperal diseases of breast (cancer excepted)	3	3													1	1	1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	625	436	82	107								53	126	276	166	3		
140	Abortion with septic conditions	107	76	16	15								9	28	47	21	2		
141	Abortion without mention of septic conditions (includes hemorrhages)	36	24	3	9								5	7	15	9			
142a	Ectopic gestation, septic conditions specified	11	10		1										8	3			
142b	Ectopic gestation, septic conditions not mentioned	47	36	5	6								1	11	23	12			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																		
143	Other accidents of pregnancy (hemorrhage not included)	1			1										1				
144a	Placenta praevia	18	12	4	2									3	3	12			
144b	Other puerperal hemorrhages	54	37	9	8								3	9	25	16	1		
145a	Puerperal septicemia, and pyemia (abortion excluded)	116	73	23	20								17	29	46	24			
145b	Puerperal tetanus (abortion excluded)	1	1										1						
146	Puerperal albuminuria and eclampsia	99	63	12	24								13	18	41	27			
147	Other toxemias of pregnancy	21	18	1	2									8	9	4			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	30	23	1	6									4	13	13			
149	Other accidents of childbirth	81	60	8	13								3	9	45	23			
150	Other and unspecified conditions of puerperal state	3	3										1			2			
	XII.—Diseases of the skin and cellular tissue	85	57	5	23	17	1				2	1	4	5	7	10	10	10	18
151	Furuncle, carbuncle	29	21	1	7	2	1						4	2	3	4	3	3	7
152	Phlegmon, acute abscess	24	18	1	5	4					1	1		1	2	3	4	3	5
153	Other diseases of skin and annexa, and of cellular tissue	32	18	3	11	11					1			2	2	3	3	4	6
	XIII.—Diseases of the bones and organs of locomotion	116	91	10	15	2	1	4	3	6	8	14	13	5	14	11	11	9	15
154	Osteomyelitis	87	73	8	6	2	1	4	3	6	6	12	7	4	9	9	10	5	9
155	Other diseases of bones (tuberculosis excepted)	10	3	2	5								2		1	1		2	4
156	Diseases of joints, other organs of locomotion	19	15		4						2	2	4	1	4	1	1	2	2
	XIV.—Congenital malformations	797	513	73	211	725	26	9	5	4	10	4	4	4	6				
157a	Congenital hydrocephalus	90	70	4	16	75	5	3	1		4		1	1					
157b	Spina bifida and meningocele	97	54	9	34	95	1				1								
157c	Congenital malformations of heart	400	238	43	119	362	13	6	3	2	2	3	2	3	4				
157d	Other congenital malformations	210	151	17	42	193	7		1	2	3	1	1		2				
	XV.—Diseases of early infancy	2,773	1,844	276	653	2,773													
158	Congenital debility	128	63	25	40	128													
159	Premature birth	1,660	1,074	163	423	1,660													
160	Injury at birth	686	494	68	124	686													
161	Other diseases peculiar to early infancy	299	213	20	66	299													
162	XVI.—Senility	254	49	53	152													5	249
	XVII.—Violent and accidental deaths	7,604	5,088	709	1,807	78	72	64	51	57	216	201	400	509	1,001	1,208	1,224	1,037	1,473
	Suicide	1,424	924	140	360								20	79	180	248	337	293	260
163	By solid or liquid poisons or by absorption of corrosive substances	236	172	27	37								8	21	49	37	56	32	32
164	By poisonous gas	138	112	12	14								1	6	14	25	39	31	21
165	By hanging or strangulation	307	198	24	85								4	8	29	50	71	75	68
166	By drowning	69	29	6	34									4	4	12	10	18	21
167	By firearms	559	330	65	164								7	33	72	102	126	118	98
168	By cutting or piercing instruments	55	39	2	14									4		11	13	14	13
169	By jumping from high places	36	33	1	2									2	8	9	10	2	5
170	By crushing	12	4	2	6										2		8	1	1
171	By other means	12	7	1	4									1	2	2	4	2	1
	Homicide	759	603	46	110	8	1	1	2	1	2	6	49	78	235	187	112	54	21
173	By firearms	543	431	28	84		1					4	41	61	185	139	77	29	5
174	By cutting or piercing instruments	92	80	2	10	1							2	8	33	25	13	7	3
175	By other means	124	92	16	16	7		1	2	1	2	2	6	9	17	23	22	18	13
	Accidental, other, or undefined	5,421	3,561	523	1,337	70	71	63	49	56	214	195	331	352	586	773	775	690	1,192
176	Attack by venomous animals	4	3		1						1	1					2		
177	Poisoning by food	20	11	3	6	2	2				1	1	1	1	2	1	3		6
178	Absorption of poisonous gas	146	119	10	17	1		1				1	1	5	19	34	34	30	19
	Supplemental	3			3										2	1			
179	Other acute accidental poisonings (gas excepted)	105	76	12	17	2	4	3	1	2	1		3	9	14	17	29	10	10
180	Conflagration	99	78	6	15	1	4	2	3	4	6	1	3	7	16	13	12	5	22
181	Burns (conflagration excepted)	253	183	32	38	4	18	20	11	15	20	6	8	7	21	40	24	22	37
	Supplemental	33	9	11	13								5	5	11	7	4	1	
182	Mechanical suffocation	36	21	1	14	28	1	1			1	1		1		1	2		
183	Drowning	357	176	23	158	3	10	6	5	2	28	36	55	39	37	43	46	27	20
	Supplemental	43	8	4	31					1	1	2	6	5	7	10	9	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)	164	89	17	58				1	1	5	18	23	15	21	31	23	14	12
185	By cutting or piercing instruments (wounds of war excepted)	40	31	6	3	1			1		2	4	1	3	4	3	10	5	6
	Supplemental	8	3	3	2								1		1	1	4	1	
186a	By fall	1,030	738	85	207	6	8	6	5	3	16	14	12	19	44	85	91	144	576
	Supplemental	206	132	20	54	1	1	1	3	3	3	7	25	26	36	28	25	20	27
186b	By crushing, landslide	22	14	2	6						1	2		1		4	4	7	3
	Supplemental	371	218	38	115			3		6	18	17	22	30	54	82	56	46	37

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	ILLINOIS—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Continued																		
188	Injuries by animals	38	16	7	15		1				2	3	4		2	5	7	6	8
189	Hunger and thirst	1	1															1	
190	Excessive cold	11	9		2											3	6		2
191	Excessive heat	36	20	5	11	1								2	2	7	7	5	12
192	Lightning	18	5	1	12						1	1	5	3	2	4	1		
193	Due to electric currents	44	26	3	15						2		5	5	11	14	5	1	1
	Supplemental	3	1	1	1			1							2				
194a	Foreign bodies	38	25	6	7	8	10	3	1			3	1		1	5	3	2	1
194b	Other accidents	231	172	18	41	6	7		2	2	4	10	9	5	21	42	48	42	33
	Supplemental	2,055	1,374	209	472	5	5	16	16	17	101	67	139	164	254	291	320	299	360
195	Violent deaths of unknown nature	1			1	1													
198	Legal executions	5	3		2								2		2	1			
	XVIII.—Ill-defined causes of death	166	57	26	83	30	2	2			3	2		5	5	7	19	40	50
199	Sudden death	6	3		3										1		1	2	2
200a	Cause of death ill-defined	67	16	12	39	6	2	2			1			2	2	3	6	17	26
200b	Cause of death not specified or unknown	93	38	14	41	24					2	2		3	2	4	12	21	22
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	133	30	12	91								9	10	24	32	29	22	7
202	Accidents from agricultural machinery	23	6	2	15					2			1	6	6	2	2	1	3
203	Elevator accidents	14	14									1	1	3	1	4	1	2	1
204	Accidents from machinery used for recreation	3	3								1	1				1			
205	Other machinery accidents	50	32	5	13					1	3		3	2	13	10	12	4	2
206	Railroad and automobile collisions	156	42	42	72	1		1			3	4	7	18	27	30	24	28	13
207	Other railroad accidents	284	178	23	83				2		11	11	23	16	34	60	50	39	37
208	Street car and automobile collisions	42	37	3	2						1		2	7	10	11	4	5	2
209	Other street car accidents	63	59	1	3			2		3	3				4	7	10	18	16
210	Automobile accidents (primary)	1,831	1,297	183	351	4	6	18	14	18	97	70	133	152	236	237	276	239	331
211	Motorcycle accidents	8	7	1							1		1	3	1	2			
212	Other land transportation accidents	54	29	5	20	1			3	2	2	4	6	2		9	4	9	12
213	Water transportation accidents	36	7	4	25					1	1	2	7	5	4	9	6	1	
214	Air transportation accidents	25	4	5	16								5	6	7	6		1	
	INDIANA																		
	Total deaths (all causes)	38,756	17,328	4,625	16,803	2,903	428	237	163	140	508	427	631	844	1,886	2,580	3,916	5,617	18,443
	I.—Infectious and parasitic diseases	4,688	1,953	544	2,191	381	140	82	65	64	186	92	188	265	557	521	510	454	1,182
1	Typhoid fever	82	27	5	50	1	1				7	8	12	11	16	10	8	4	4
2	Paratyphoid fever	4	1		3							1	1	1				1	
5	Undulant fever	2			2												2		
6	Smallpox	2			2	1												1	
7	Measles	20	6	2	12	2	6	4			3	2	1					2	
8	Scarlet fever	92	34	14	44	7	9	5	8	10	28	8	3	5	8		1		
9	Whooping cough	200	73	23	104	133	29	16	5	6	8						1	1	1
10	Diphtheria	178	68	17	93	5	14	16	23	20	64	6	6	4	6	6	5	2	1
11a	Influenza, respiratory complications specified	913	353	112	448	68	36	13	12	4	19	7	18	18	52	74	87	102	402
11b	Influenza, respiratory complications not specified	584	196	88	300	50	12	8	4	9	11	7	12	11	22	27	55	49	307
13	Dysentery	42	12	8	22	5	4	2	1	2	1	1	1				2	4	19
15	Erysipelas	63	24	10	29	16	1	2	1			1	3	2	2	4	4	7	20
16	Acute poliomyelitis, acute polioencephalitis	6	4	1	1	1	1			1		2				1			
17	Lethargic or epidemic encephalitis	26	14	1	11						2	1	1	1	5	5	3	5	3
18	Epidemic cerebrospinal meningitis	128	98	5	25	19	10	3	2	5	11	10	6	6	15	13	10	10	8
21	Rabies	4	1	1	2		1		1						2				
22	Tetanus	32	20	5	7	1				2	7	7	3	1	2	2	1	2	4
	Tuberculosis (all forms)	1,995	843	221	931	21	15	12	6	5	21	26	112	200	387	324	276	219	371
23	Respiratory system	1,711	685	194	832	9	5	2	2		10	19	94	178	345	289	247	191	320
24	Meninges and central nervous system	71	46	7	18	10	7	7	2	2	8	1	4	7	5	6	6	2	4
25	Intestines and peritoneum	98	51	12	35	2			1			3	9	7	20	10	13	10	23
26	Vertebral column	34	12	4	18			1		1			2	6	5	4	1	7	7
27a	Bones (vertebral column excepted)	4	1		3											1	1		2
27b	Joints	4	1		3							1			1	2			
28	Skin and subcutaneous cellular tissue	3		1	2														3
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	1		2													1	2
30	Genitourinary system	16	9	2	5									1	3	3	1	4	4
31	Other organs	5	3	1	1										2			1	2
32a	Acute disseminated tuberculosis	34	29		5		3	2	1	2	3	2	2	1	4	7	2	3	2
32b,c	Other disseminated tuberculosis	12	5		7								1		2	2	5		2
34	Syphilis	222	133	20	69	47	1		1		3	1	2	2	20	44	43	37	21
35	Gonococcus infection and other venereal diseases	25	19	4	2	1		1					4	1	11	7			
36	Purulent infection, septicemia (non-puerperal)	34	12	5	17							4	2	1	7	3	4	6	7

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
38	Malaria	10	3	----	7	----	----	----	----	----	----	----	----	1	1	----	4	1	3
39	Other diseases due to protozoal parasites	1	----	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
40	Ankylostomiasis	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1
41a	Hydatid cysts of liver	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----
42	Other diseases caused by helminths	1	----	----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----
43	Mycoses	10	5	1	4	2	----	----	----	----	----	----	1	----	----	----	3	----	4
44	Other infectious and parasitic diseases	10	5	----	5	1	----	----	----	----	1	----	----	----	1	----	1	----	6
	II.—Cancers and other tumors	3,895	1,810	443	1,642	2	3	4	2	3	7	6	12	22	85	275	628	891	1,954
	Cancer and other malignant tumors	3,721	1,707	427	1,587	----	3	3	1	3	6	4	9	17	68	227	587	864	1,928
(45)	Buccal cavity	111	53	13	45	----	----	----	----	----	1	----	----	----	----	3	13	21	73
(45)	Pharynx	28	14	4	10	----	----	----	----	----	----	----	----	----	----	----	1	4	7	16
(46)	Esophagus	27	21	1	5	----	----	----	----	----	----	----	----	----	----	----	2	3	8	14
(46)	Stomach and duodenum	788	330	93	365	----	----	----	----	----	----	----	----	----	2	6	23	114	176	467
(46)	Liver and biliary passages	442	156	62	224	----	----	1	----	----	----	----	----	----	1	9	6	64	113	248
(46)	Pancreas	90	48	11	31	----	----	----	----	----	----	----	----	----	----	----	5	20	24	41
(46)	Other digestive tract and peritoneum	557	273	61	223	----	----	----	----	1	1	----	1	2	9	25	80	131	307
47	Respiratory system	87	50	8	29	----	----	----	----	----	----	----	1	3	----	5	18	27	33
48	Uterus	469	248	64	157	----	----	----	----	----	----	----	----	3	22	76	121	116	131
49	Other female genital organs	61	37	7	17	----	----	----	----	----	----	----	1	1	2	6	10	16	25
50	Breast	359	168	32	159	----	----	----	----	----	----	----	1	----	7	39	76	96	140
51	Male genitourinary organs	302	152	27	123	----	----	1	----	1	----	----	----	----	3	13	26	55	203
52	Skin	134	33	15	86	----	----	----	----	----	----	----	----	----	1	2	8	13	109
53	Other or unspecified organs	266	124	29	113	----	3	1	1	1	4	4	5	5	9	21	30	61	121
54a	Nonmalignant tumors, ovary	5	3	1	1	----	----	----	----	----	----	----	----	----	1	2	1	----	1
54b	Nonmalignant tumors, uterus	61	44	8	9	----	----	----	----	----	----	----	----	----	8	26	17	6	4
54c	Nonmalignant tumors, other female genital organs	2	1	----	1	----	----	----	----	----	----	----	----	----	----	----	2	----	----
54d,e	Nonmalignant tumors, other organs	24	19	----	5	2	----	----	----	----	----	1	----	1	3	2	5	8	2
55a	Tumors, ovary (nature unspecified)	1	----	----	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----
55b	Tumors, uterus (nature unspecified)	2	----	1	1	----	----	----	----	----	----	----	----	----	1	----	----	1	----
55d,e	Tumors, other organs (nature unspecified)	79	36	6	37	----	----	1	1	----	1	1	3	4	4	17	16	12	19
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,124	542	126	456	24	8	1	3	2	11	22	22	20	39	72	142	236	522
56	Acute rheumatic fever	68	43	3	22	----	1	1	1	2	8	8	5	3	4	5	9	7	14
57	Chronic rheumatism, osteoarthritis	57	18	10	29	----	----	----	----	----	----	----	2	----	3	3	5	5	44
59	Diabetes mellitus	743	349	89	305	----	3	----	2	----	2	13	12	14	23	34	76	171	393
60	Scurvy	1	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----
62	Pellagra	11	5	1	5	----	----	----	----	----	----	----	----	----	2	----	4	2	3
63	Rickets	4	4	----	----	3	1	----	----	----	----	----	----	----	----	----	----	----	----
65	Diseases of pituitary body	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
66a	Simple goiter	12	8	----	4	----	----	----	----	----	----	----	1	----	----	1	3	2	5
66b	Exophthalmic goiter	179	90	20	69	----	----	----	----	----	----	1	1	3	7	27	41	44	55
(66)	Other diseases of thyroid and parathyroid glands	12	7	1	4	3	1	----	----	----	----	----	----	----	1	----	3	----	4
67	Diseases of thymus gland	21	10	2	9	17	2	----	----	----	----	----	1	----	----	----	----	1	----
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	10	4	----	6	----	----	----	----	----	----	----	----	----	2	2	1	3	2
69	Other general diseases	5	2	----	3	----	----	----	----	----	1	----	----	----	----	----	1	1	2
	IV.—Diseases of the blood and blood-making organs	303	138	31	134	25	7	2	6	2	10	5	8	10	21	18	34	47	108
70	Hemorrhagic conditions	30	14	2	14	15	----	1	3	----	1	1	----	1	1	2	3	----	2
71a	Pernicious anemia	146	57	18	71	2	2	----	----	1	2	----	1	2	4	5	19	33	75
71b	Other anemias	18	9	1	8	6	----	----	1	----	----	----	1	----	1	2	1	1	5
72a	True leukemias	66	39	7	20	2	4	1	1	----	4	2	6	4	10	5	5	6	16
72b	Pseudoleukemias (Hodgkin's disease)	27	12	3	12	----	----	----	----	----	1	2	----	2	3	2	3	6	8
73	Diseases of the spleen	14	5	----	9	----	1	----	1	1	2	----	----	1	2	2	2	----	2
74	Other diseases of blood and blood-making organs	2	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----
	V.—Chronic poisonings and intoxications	56	34	5	17	----	----	----	----	----	----	----	----	----	6	22	15	9	4
75	Alcoholism (acute or chronic)	54	32	5	17	----	----	----	----	----	----	----	----	----	6	21	14	9	4
76	Chronic poisoning by other organic substances	1	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
77a	Chronic lead poisoning	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----
	VI.—Diseases of the nervous system and of the organs of special sense	4,466	1,726	571	2,169	32	10	13	6	5	36	27	36	21	90	198	404	746	2,838
78	Encephalitis (nonepidemic)	61	35	6	20	2	2	1	1	----	3	1	2	5	5	10	10	6	13
79a	Simple meningitis	68	43	8	17	11	5	3	2	3	5	6	2	2	8	10	3	6	2
79b	Nonepidemic cerebrospinal meningitis	7	3	----	4	2	----	----	----	1	3	1	----	----	----	----	----	----	----
80	Progressive locomotor ataxia (tabes dorsalis)	56	24	9	23	----	----	----	----	----	----	----	----	----	1	5	14	13	23
81	Other diseases of spinal cord	113	34	17	62	----	----	----	1	----	2	1	3	1	4	8	18	26	49
82a	Cerebral hemorrhage	3,399	1,309	438	1,652	----	----	1	----	----	3	3	4	5	31	80	253	580	2,436
82b	Cerebral embolism and thrombosis	117	51	15	51	----	1	----	----	----	2	----	2	1	1	3	9	18	80
82c	Softening of brain	28	3	7	18	----	----	----	----	----	----	----	----	----	----	----	----	5	23
82d	Hemiplegia and other paralysis, cause unspecified	128	39	19	70	----	----	----	----	----	----	1	1	2	2	1	3	24	94
83	General paralysis of insane	176	47	20	109	----	----	----	----	----	----	1	1	----	17	47	57	32	21

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
84	Dementia praecox and other psychoses	29	4	6	19								2		1	2	7	5	12
85	Epilepsy	74	23	6	45	1		2			1	4	5	4	8	13	12	9	14
86	Convulsions (under 5 years of age)	6	3		3	5	1												
87	Other diseases of nervous system	109	38	13	58			1	2	1		1	3	1	4	13	10	15	58
88	Diseases of organs of vision	2	1		1													1	1
89a	Diseases of ear	52	35	5	12	7		4			10	1	7		3	4	3	4	9
89b	Diseases of mastoid process	41	34	2	5	4	1	1			7	7	4		5	2	5	2	3
	VII.—Diseases of the circulatory system	9,185	3,777	1,107	4,301	11	4	5	2	3	14	36	38	55	141	350	817	1,475	6,225
90	Pericarditis	35	16	4	15				1			1		1	1		5	3	23
91a	Acute endocarditis	75	38	9	28			1			2	3	5	8	14	9	8	11	14
91b	Endocarditis, unspecified (under 45 years)	26	16	1	9	2					2	2	4	5	4	7			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,767	680	183	904		1		1		6	15	11	21	48	109	196	304	1,052
92b	Endocarditis, unspecified (45 years and over)	104	45	15	44												20	20	64
93a	Acute myocarditis	240	135	30	75	1				1	1	1	1	3	6	23	40	50	113
93b	Myocarditis, unspecified (under 45 years)	53	34	3	16	2		1		1		3	3	2	12	29			
93c	Chronic myocarditis and myocardial degeneration	2,741	1,259	297	1,185	1	1				2	4	7	5	25	76	212	400	2,007
93d	Other diseases of myocardium	730	321	71	338	1	1								1	2	69	143	511
94a	Angina pectoris	694	264	109	321									1	4	13	86	176	414
94b	Diseases of coronary arteries	397	211	50	136									1	5	20	56	94	220
95a	Functional diseases of heart	23	9	2	12								1	1	1		3	5	12
95b	Other and unspecified diseases of heart	1,225	354	183	688	3		3		1	1	4	5	6	14	47	90	188	862
96	Aneurysm (except of heart)	43	25	8	10							1			2	5	10	11	14
97	Arteriosclerosis (coronary arteries excepted)	909	323	120	466										1	4	7	55	841
98	Gangrene	27	7	2	18	1						1					1		24
99	Other diseases of arteries	56	24	14	18								1		3	2	7	9	34
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	22	10	1	11							1		1		2	6	4	8
101	Diseases of lymphatic system (lymphangitis, etc.)	3		2	1		1											1	1
102	Idiopathic anomalies of blood-pressure	8	4	1	3											2	1		5
103	Other diseases of circulatory system	7	2	2	3													1	6
	VIII.—Diseases of the respiratory system	2,800	1,338	275	1,187	409	104	47	21	17	64	39	42	57	123	169	215	269	1,223
104a	Diseases of nasal fossae	6	5		1	2	1	1	1									1	
104b	Diseases of nasal fossae and annexae	25	13	3	9							4	3	3	3	5	1	3	3
105	Diseases of larynx	13	6	1	6	4	1	1		1	1				1		2		2
106a	Acute bronchitis	24	9	4	11	8			1							2	1	2	10
106b	Chronic bronchitis	55	20	5	30						1					1	1	4	48
106c,d	Bronchitis, unspecified	23	9	5	9	1	1							1		1	2	3	14
107a	Bronchopneumonia	1,017	512	95	410	283	56	21	9	7	21	11	6	10	27	33	38	63	432
107b	Capillary bronchitis	7	1	1	5	2	1	1			1					1			1
108	Lobar pneumonia	1,388	639	139	610	97	36	15	10	7	33	22	28	37	81	105	150	173	593
109	Pneumonia, unspecified	57	19	6	32	5	1	2			1	1	3		4	4	1	8	27
110	Pleurisy	67	52	5	10	3	6	5		2	4		1	3	3	8	9	5	18
111a	Pulmonary embolism and thrombosis	19	13	2	4							1			2	4	4	3	5
111b	Pulmonary congestion, edema, hemorrhagic infarct	41	20	6	15	2					1						1		37
112	Asthma	39	13	2	24		1	1			1			1	2	2	3	3	25
113	Pulmonary emphysema	3	1		2	1							1						1
114	Other diseases of respiratory system (tuberculosis excepted)	16	6	1	9	1								2		3	2	1	7
	IX.—Diseases of the digestive system	2,540	1,458	319	763	387	102	46	26	18	74	69	68	65	152	228	340	340	625
115a	Diseases of pharynx and tonsils	153	72	23	58	4	7	6	7	5	17	10	13	7	17	16	11	16	17
115b	Diseases of buccal cavity and annexa	29	16	2	11	3		1				1	1	4	4	1	4	5	5
116	Diseases of esophagus	6	3		3												1	1	4
117a	Ulcer of stomach	135	86	15	34							2		4	8	22	28	33	38
117b	Ulcer of duodenum	56	36	6	14									2	5	9	9	12	19
118	Other diseases of stomach (cancer excepted)	92	31	11	50	11	1	2			1		1		2	3	12	14	45
119	Diarrhea, enteritis (under 2 years of age)	420	201	50	169	333	87												
120	Diarrhea, enteritis (2 years and over)	183	75	21	87			30	12	7	8	3	3	2	7	9	11	17	74
121	Appendicitis	454	343	65	46		1	1	6	5	42	44	42	32	60	59	73	50	39
122a	Hernia	130	81	25	24	5							1		1	12	22	25	64
122b	Intestinal obstruction	236	145	24	67	28	4	3			4	5	3	4	17	36	31	31	70
123	Other diseases of intestines	25	17	2	6										4	4	7	2	8
124	Cirrhosis of liver	233	121	30	82							1		1	3	15	47	52	114
125a	Yellow atrophy of liver	16	9	2	5							1		1	1	1	4	2	6
125b	Other diseases of liver	42	28	5	9	3		1					1	2	3	6	5	6	15
126	Biliary calculi	135	82	13	40										6	15	33	35	46
127	Other diseases of gall-bladder, biliary passages	128	69	16	43				1	1				2	3	13	27	31	50
128	Diseases of pancreas	18	11	4	3									2	3	5	3	2	3
129	Peritonitis, cause not specified	49	32	5	12		2	2			2	2	3	2	8	2	12	6	8

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	X.—Diseases of the genitourinary system	4,161	1,868	528	1,765	13	4	2	3	3	9	5	21	41	103	212	363	667	2,711
130	Acute nephritis (including unspecified under 10 years)	143	70	13	60	9	1	1	3	2	2	1	3	9	18	19	14	22	39
131	Chronic nephritis	3,303	1,436	426	1,441		1				4	4	9	13	50	138	281	551	2,249
132	Nephritis, unspecified (10 years and over)	244	98	30	116								2		7	13	22	38	162
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	96	60	7	29	4	2	1		1	3		1	1	5	12	13	13	40
134	Calculi of urinary passages	20	10	6	4								1			1	2	7	8
135	Diseases of bladder (tumors excepted)	22	6	1	15									1				4	17
136	Diseases of urethra, urinary abscess, etc	4	1	2	1												1	2	1
137	Diseases of prostate	220	110	30	80										1	1	9	22	187
138	Diseases of male genital organs, not specified as venereal	2	1		1												1		1
139a	Cysts of ovary	14	11	1	2									1	3	5	3	2	
139b	Other diseases of ovaries, diseases of tubes and parametrium	64	48	6	10								5	12	15	16	13	1	2
139c	Diseases of uterus	29	17	6	6									4	4	7	4	5	5
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	302	178	49	75								16	67	128	85	5		
140	Abortion with septic conditions	66	42	10	14								2	18	29	16	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	13	7	1	5								1	1	6	5			
142b	Ectopic gestation, septic conditions not mentioned	10	6	1	3									1	5	4			
143	Other accidents of pregnancy (hemorrhage not included)	1	1											1					
144a	Placenta praevia	12	8		4									2	5	5			
144b	Other puerperal hemorrhages	17	10	3	4								1	2	6	6	2		
145a	Puerperal septicemia and pyemia (abortion excluded)	69	43	11	15								5	16	29	18	1		
146	Puerperal albuminuria and eclampsia	60	30	13	17								6	16	18	19			
147	Other toxemias of pregnancy	9	5	3	1									3	5	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	11	10		1									1	7	3			
149	Other accidents of childbirth	34	16	7	11								1	6	18	8	1		
	XII.—Diseases of the skin and cellular tissue	49	24	9	16	8							1		4	4	6	13	12
151	Furuncle, carbuncle	15	8	2	5								1				4	8	2
152	Phlegmon, acute abscess	14	9	2	3	3									3	2	1	3	2
153	Other diseases of skin and annexa, and of cellular tissue	20	7	5	8	5									1	2	1	2	8
	XIII.—Diseases of the bones and organs of locomotion	30	23	1	6	1	1		2	1	2	4	1		2	3	1	3	9
154	Osteomyelitis	10	7		3		1		1	1		2				1		1	3
155	Other diseases of bones (tuberculosis excepted)	6	4	1	1				1		1	1	1			1			1
156	Diseases of joints, other organs of locomotion	14	12		2	1					1	1			2	1	1	2	5
	XIV.—Congenital malformations	367	160	40	167	339	12	3	3	3		3	3	1					
157a	Congenital hydrocephalus	37	23	5	9	30	3		1	1		1	1						
157b	Spina bifida and meningocele	42	22	4	16	40	1			1									
157c	Congenital malformations of heart	218	78	21	119	203	7	2	1	1		1	2	1					
157d	Other congenital malformations	70	37	10	23	66	1	1	1			1							
	XV.—Diseases of early infancy	1,219	637	139	443	1,219													
158	Congenital debility	67	32	7	28	67													
159	Premature birth	767	397	93	277	767													
160	Injury at birth	254	139	28	87	254													
161	Other diseases peculiar to early infancy	131	69	11	51	131													
162	XVI.—Senility	140	34	20	86													3	137
	XVII.—Violent and accidental deaths	3,406	1,620	414	1,372	45	31	30	24	19	95	118	175	220	435	422	432	463	887
	Suicide	641	286	65	290								13	15	84	95	149	144	140
163	By solid or liquid poisons or by absorption of corrosive substances	136	78	11	47								9	5	26	14	32	27	22
164	By poisonous gas	53	40	4	9									1	6	11	17	12	6
165	By hanging or strangulation	113	33	12	68									3	14	14	32	25	25
166	By drowning	29	17	2	10									1	3	6	6	5	8
167	By firearms	262	90	29	143								4	5	26	44	53	63	67
168	By cutting or piercing instruments	29	18	4	7										7	3	7	6	6
169	By jumping from high places	7	4	1	2										1	1		3	2
170	By crushing	6	2	2	2											1	1	1	3
171	By other means	6	4		2										1	1	1	2	1
	Homicide	223	147	24	52	4	1	1			1	2	8	23	69	46	30	23	14
173	By firearms	145	93	16	36	1					1		6	18	48	33	16	15	7
174	By cutting or piercing instruments	31	24	3	4									1	9	9	9	3	
75	By other means	47	30	5	12	3	1	1				2	2	4	12	4	5	5	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	INDIANA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined	2,542	1,187	325	1,030	41	30	29	24	19	94	116	154	182	282	281	253	296	733
176	Attack by venomous animals	1			1													1	
177	Poisoning by food	19	5	4	10		2	2	1		2	1		1		2	1	3	4
178	Absorption of poisonous gas	39	34	2	3	1					1	1	2	4	3	7	3	15	2
	Supplemental	1		1													1		
179	Other acute accidental poisonings (gas excepted)	25	14	1	10		2	3	1				2	3	1	4	3	3	3
180	Conflagration	20	6	3	11				1	2	2			1		5	3	2	4
181	Burns (conflagration excepted)	124	46	36	42	4	4	9	2	7	6	1	7	8	10	14	12	16	24
	Supplemental	26	13	4	9							1	1	5	10	4	3	2	
182	Mechanical suffocation	22	9	1	12	19							1		1			1	
183	Drowning	154	37	9	108		5		4	3	14	39	21	9	24	14	7	8	6
	Supplemental	9	1		8									3	2	1	1		2
	Traumatism:																		
184	By firearms (wounds of war excepted)	76	34	7	35					1	4	7	10	12	11	7	11	9	4
185	By cutting or piercing instruments (wounds of war excepted)	10	6	1	3	1	2					3		1	1			1	1
	Supplemental	7	1	2	4										3		2	1	1
186a	By fall	591	272	88	231	2	3	3	1		5	7	6	8	8	22	23	45	458
	Supplemental	57	28	8	21		2		1		2	1	4	3	8	11	6	8	11
186b	By crushing, landslide	7	1		6										1		1	3	2
	Supplemental	264	96	37	131		2	2	3		3	10	21	31	42	45	41	27	33
188	Injuries by animals	15	3	1	11				1		1	2				3	2	3	2
189	Hunger and thirst	1			1														1
190	Excessive cold	7	2	1	4												1	3	3
191	Excessive heat	18	10		8										2	3	3	4	6
192	Lightning	8	2		6							1			1	3	1	1	1
193	Due to electric currents	24	9	4	11						1	2	2	1	5	6	3	3	1
	Supplemental	3			3										3				
194a	Foreign bodies	19	12	2	5	6	4	4			1				1			1	2
194b	Other accidents	85	43	13	29	5	2				2	10	6	6	11	4	6	15	18
	Supplemental	908	501	100	307	3	2	6	9	6	50	30	71	86	132	126	119	121	144
198	Legal executions	2	2												2				
	XVIII.—Ill-defined causes of death	25	8	4	13	7	2	2				1				1	4	1	6
200a	Cause of death ill-defined	13	5	1	7	2	2	2				1					1		5
200b	Cause of death not specified or unknown	12	3	3	6	5										1	3	1	1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	36	9	12	15									3	11	6	9	4	3
202	Accidents from agricultural machinery	3	1		2											1	2		
203	Elevator accidents	7	4	2	1									1		1	1	3	1
205	Other machinery accidents	28	15	4	9		1						1	4	4	6	3	4	5
206	Railroad and automobile collisions	140	45	21	74	1	1				3	2	6	14	23	24	30	20	15
207	Other railroad accidents	135	71	15	49		1	2			3	4	15	12	24	21	19	14	18
208	Street car and automobile collisions	25	11	2	12							2	1	2	7	5	4	3	1
209	Other street car accidents	12	10		2			1				1				1	3	3	3
210	Automobile accidents (primary)	845	456	93	296	2	3	5	13	6	48	31	67	83	123	117	99	108	136
211	Motorcycle accidents	7	3		4						1		3	2					1
212	Other land transportation accidents	18	9	2	7							2	2	2	2		3		7
213	Water transportation accidents	4			4									1	1	1			1
214	Air transportation accidents	15	6	1	8								2	4	5	4			
	IOWA																		
	Total deaths (all causes)	25,786	9,650	4,680	11,456	1,938	214	125	88	86	306	292	356	508	1,063	1,475	2,325	3,637	13,368
	I.—Infectious and parasitic diseases	2,363	901	402	1,060	230	60	43	26	30	80	59	74	130	220	257	226	217	711
1	Typhoid fever	40	15	10	15					1	2	3	6	4	5	2	13	3	1
5	Undulant fever	2		1	1													2	
6	Smallpox	4	1		3	2								1					1
7	Measles	9	3		6	2	2	1			2			1		1			
8	Scarlet fever	35	11	6	18	3	3	3	1	5	8	4	1	1	3	3			
9	Whooping cough	75	26	9	40	59	10	2		2	2								
10	Diphtheria	62	30	7	25	4	2	8	10	5	17	6	3	1		4		1	1
11a	Influenza, respiratory complications specified	558	206	85	267	43	14	9	7	3	18	9	12	17	34	47	33	48	264
11b	Influenza, respiratory complications not specified	500	131	92	277	59	14	9	4	2	5	13	10	11	14	27	29	31	272
13	Dysentery	18	5	2	11	6	1	2		1	1							1	6
15	Erysipelas	36	10	7	19	6	1	1				1			1	2	5	3	16
16	Acute poliomyelitis, acute polioencephalitis	17	6	3	8		3		1	1	1	4	1	2	2	2			
17	Lethargic or epidemic encephalitis	26	14	6	6		1			2	1	2	1	2	2	2	2	3	8
18	Epidemic cerebrospinal meningitis	25	13	6	6	5	2	1	1	3	2	3	1		1	2	1	2	1
22	Tetanus	39	23	6	10	1		2		3	10	6	2	2	2	1	6	2	2
	Tuberculosis (all forms)	734	288	138	308	13	6	3	1	2	8	6	28	83	141	140	105	87	111
23	Respiratory system	623	239	112	272	2		1			3	4	26	77	126	122	94	74	94
24	Meninges and central nervous system	32	18	3	11	11	5	2	1	1	3			1	2	2	3		1
25	Intestines and peritoneum	33	12	13	8		1					1		3	7	7	2	3	9
26	Vertebral column	13	5	4	4						1		1		2	2	1	4	2

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	I.—Infectious and parasitic disease—Continued																		
	Tuberculosis (all forms)—Continued																		
27a	Bones (vertebral column excepted)	7	1	2	4							1		1	1	1		2	1
27b	Joints	4	1	1	2					1					1		1		1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1						1								
30	Genitourinary system	14	7	3	4								1		1	5	2	3	2
32a	Acute disseminated tuberculosis	7	5		2									1	1	1	2	1	1
34	Syphilis	121	85	13	23	21						1	3		6	13	26	32	19
35	Gonococcus infection and other venereal diseases	19	15	4							1		3	3	3	6	1		2
36	Purulent infection, septicemia (non-puerperal)	28	13	6	9	4	1		1		1	1	3	1	3	2	4	1	6
38	Malaria	1			1										1				
39	Other diseases due to protozoal parasites	2	1		1										1	1			
42	Other diseases caused by helminths	1	1												1				
43	Mycoses	4	2		2											1	1	1	1
44	Other infectious and parasitic diseases	7	2	1	4	2		2			1			1		1			
	II.—Cancers and other tumors	3,108	1,211	516	1,381	2	3	1		6	8	5	6	14	63	205	413	681	1,699
	Cancer and other malignant tumors	3,001	1,162	504	1,335	1	2	1		6	5	2	5	11	60	179	390	660	1,677
(45)	Buccal cavity	90	35	15	40						1				2	2	11	17	57
(45)	Pharynx	25	8	6	11											1	1	6	17
(46)	Esophagus	33	17	1	15											1	7	4	21
(46)	Stomach and duodenum	656	210	105	341								1		3	17	57	139	439
(46)	Liver and biliary passages	289	86	55	148	1	1									7	32	69	179
(46)	Pancreas	78	35	6	37					1					1	4	11	23	38
(46)	Other digestive tract and peritoneum	502	221	82	199					1	2	1		4	7	26	66	106	288
47	Respiratory system	80	40	12	28							1		1	4	5	10	24	35
48	Uterus	284	150	48	86									2	17	44	70	56	94
49	Other female genital organs	55	29	6	20									2	2	6	14	19	12
50	Breast	266	100	57	109										7	29	60	67	103
51	Male genitourinary organs	272	97	49	126					1			1		4	5	19	49	193
52	Skin	84	26	16	42			1								2	3	11	67
53	Other or unspecified organs	287	108	46	133		1			3	2		3	2	13	30	29	70	134
54a	Nonmalignant tumors, ovary	1		1													1		
54b	Nonmalignant tumors, uterus	33	19	6	8										1	14	11	3	4
54d,e	Nonmalignant tumors, other organs	15	10		5								1	1		3	3	1	6
55b	Tumors, uterus (nature unspecified)	1		1													1		
55d,e	Tumors, other organs (nature unspecified)	57	20	4	33	1	1				3	3		2	2	9	7	17	12
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	837	337	141	359	21	4	3	3		13	19	10	14	23	33	89	188	417
56	Acute rheumatic fever	41	13	7	21	1			1		2	6	3	3	3	1	4	7	10
57	Chronic rheumatism, osteoarthritis	43	16	4	23										1	3	1	8	30
59	Diabetes mellitus	597	239	107	251		1	1			7	12	5	9	13	20	51	144	334
62	Pellagra	1		1													1		
64	Osteomalacia	2	1		1														2
65	Diseases of pituitary body	1			1						1								
65a	Simple goiter	8	4		4								1		1	1	2	1	2
66b	Exophthalmic goiter	94	43	14	37	1						1		2	3	6	26	27	28
(66)	Other diseases of thyroid and parathyroid glands	6	3		3	1		1	2							1			1
67	Diseases of thymus gland	22	11	2	9	17	2	1			2								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	9	2	4	3								1		1		3	1	3
69	Other general diseases	13	5	2	6	1	1				1				1	1	1		7
	IV.—Diseases of the blood and blood-making organs	311	127	40	144	9	2	2	1	1	7	10	6	9	20	23	26	68	127
70	Hemorrhagic conditions	18	5	3	10	5						3	1	2	1		1	2	3
71a	Pernicious anemia	157	46	23	88	2					2		1		2	5	12	43	90
71b	Other anemias	10	1	4	5	1									2			2	5
72a	True leukemias	73	44	6	23	1	1	2	1	1	3	5	2	3	5	9	10	11	19
72b	Pseudoleukemias (Hodgkin's disease)	38	20	2	16						1	1	2	3	8	6	2	8	7
73	Diseases of the spleen	11	7	2	2						1	1		1		2	1	2	3
74	Other diseases of blood and blood-making organs	4	4				1								2	1			
	V.—Chronic poisonings and intoxications	53	22	12	19									1	8	15	13	13	3
75	Alcoholism (acute or chronic)	53	22	12	19									1	8	15	13	13	3
	VI.—Diseases of the nervous system and of the organs of special sense	3,226	1,000	667	1,559	38	12	11	5	5	24	15	21	22	57	117	251	524	2,124
78	Encephalitis (nonepidemic)	47	13	11	23	2		3			1	2		1	9	3	6	4	16
79a	Simple meningitis	39	18	10	11	6	2	2		1	5	1	1	3	4	6	2	4	2
79b	Nonepidemic cerebrospinal meningitis	5	3	1	1				2		1				1			1	
80	Progressive locomotor ataxia (tabes dorsalis)	24	14	2	8											1	6	10	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
81	Other diseases of spinal cord	82	26	16	40							1	5	1	1	9	11	20	34
82a	Cerebral hemorrhage	2,412	744	434	1,234	1	2	1	1			1		3	8	39	149	394	1,813
82b	Cerebral embolism and thrombosis	121	32	16	73								2		2	8	12	19	78
82c	Softening of brain	9	2	2	5										1				8
82d	Hemiplegia and other paralysis, cause unspecified	69	17	15	37									1		2	2	10	54
83	General paralysis of insane	92	13	69	10										7	20	26	23	16
84	Dementia praecox and other psychoses	48	4	32	12									1	2	9	12	5	19
85	Epilepsy	67	9	27	31			1	1	1	3		6	6	14	7	7	7	14
86	Convulsions (under 5 years of age)	13	4	2	7	10	2	1											
87	Other diseases of nervous system	108	34	19	55	4		2		1	1	1	2	1	3	6	9	21	57
88	Diseases of organs of vision	1	1														1		
89a	Diseases of ear	58	41	9	8	13	6	1	1		7	7	3	3	4	4	4	2	3
89b	Diseases of mastoid process	31	25	2	4	2				2	6	2	2	2	1	3	4	4	3
	VII.—Diseases of the circulatory system	5,886	2,012	1,099	2,775	12	5	1	1	2	11	23	27	36	89	180	470	881	4,146
90	Pericarditis	17	6	4	7						1		1	1		1	2	2	9
91a	Acute endocarditis	59	30	13	16		1				2	4	5	5	11	8	6	3	14
91b	Endocarditis, unspecified (under 45 years)	11	2	2	7	1					1	3	1	2	1	2			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,035	315	166	554						4	7	12	13	32	43	87	154	682
92b	Endocarditis, unspecified (45 years and over)	112	41	18	53												14	22	76
93a	Acute myocarditis	44	16	4	24	1								1		3	10	11	18
93b	Myocarditis, unspecified (under 45 years)	18	9	7	2	1						1	1	3	2	10			
93c	Chronic myocarditis and myocardial degeneration	1,157	418	212	527		1					3	2	2	9	27	72	158	883
93d	Other diseases of myocardium	760	313	120	327									1		2	65	98	594
94a	Angina pectoris	490	161	89	240										4	16	44	100	326
94b	Diseases of coronary arteries	546	210	110	226	1						1	1		6	24	51	118	344
95a	Functional diseases of heart	33	11	5	17											3	2	10	18
95b	Other and unspecified diseases of heart	899	293	167	439	5	1	1	1	2	3	3	3	5	22	31	82	146	594
96	Aneurysm (except of heart)	33	15	8	10											3	4	10	16
97	Arteriosclerosis (coronary arteries excepted)	547	134	143	270											1	11	38	496
98	Gangrene	34	6	7	21											1	3	1	29
99	Other diseases of arteries	51	15	18	18	1	1					1	1	2	1	5	11	5	23
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	18	6	5	7									1			3	2	12
101	Diseases of lymphatic system (lymphangitis, etc.)	4	3		1	2	1												1
102	Idiopathic anomalies of blood-pressure	14	6		8										1		3	3	7
103	Other diseases of circulatory system	4	2	1	1														4
	VIII.—Diseases of the respiratory system	1,968	801	308	859	269	48	12	10	9	25	17	20	31	79	88	143	158	1,059
104a	Diseases of nasal fossae	7	2	1	4	6		1											
104b	Diseases of nasal fossae and annexae	11	5	2	4			1					1		3	1	3		2
105	Diseases of larynx	9	5		4		2			2	3			1					1
106a	Acute bronchitis	28	7	4	17	5	2								1		1	3	16
106b	Chronic bronchitis	38	13	8	17										2	2	2	5	27
106c,d	Bronchitis, unspecified	19	4	3	12	2	1				1	1							14
107a	Bronchopneumonia	766	332	121	313	197	29	4	5	7	8	3	3	2	15	19	20	32	422
107b	Capillary bronchitis	8	3	1	4	4													4
108	Lobar pneumonia	897	361	139	397	47	12	4	4		9	13	15	25	47	54	93	109	465
109	Pneumonia, unspecified	28	9	6	13	7	2	1	1		2				3		2		10
110	Pleurisy	29	14	2	13						1		1	2	2	4	4	2	13
111a	Pulmonary embolism and thrombosis	9	4	1	4											1	3	2	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	59	15	7	37	1									1	2	2		53
112	Asthma	37	16	9	12			1						1	2	2	9	3	19
113	Pulmonary emphysema	8	4	1	3												1	2	5
114	Other diseases of respiratory system (tuberculosis excepted)	15	7	3	5						1				3	3	3		5
	IX.—Diseases of the digestive system	1,677	840	349	488	131	30	18	24	15	57	53	52	52	123	141	218	227	535
115a	Diseases of pharynx and tonsils	93	51	12	30	3	1	2	1	4	14	8	4	3	12	7	11	4	19
115b	Diseases of buccal cavity and annexa	15	5	4	6	1					1		1		2	1	2	3	4
116	Diseases of esophagus	1			1														1
117a	Ulcer of stomach	93	51	17	25									1	10	13	28	14	27
117b	Ulcer of duodenum	56	36	9	11									2	5	6	15	13	15
118	Other diseases of stomach (cancer excepted)	45	8	8	29	6					1	2		1	2	3		4	26
119	Diarrhea, enteritis (under 2 years of age)	111	40	20	51	87	24												
120	Diarrhea, enteritis (2 years and over)	85	30	17	38			9	7	7	5	1	2	2		3	7	8	34
121	Appendicitis	396	220	109	67	1		4	14	4	30	35	31	29	54	49	51	36	57
122a	Hernia	108	58	27	23	3								2	3	1	13	22	64
122b	Intestinal obstruction	195	99	48	48	25	3	2	1		4	3	5	6	10	13	18	21	84
123	Other diseases of intestines	23	15	4	4						1		1			5	5	4	7
124	Cirrhosis of liver	122	51	19	52							1			4	6	16	33	62
125a	Yellow atrophy of liver	10	3	4	3								1	1	2	1		2	3
125b	Other diseases of liver	23	8	6	9	1						1		1	2	1	4	2	11
126	Biliary calculi	119	75	14	30								1	1	7	12	24	26	48

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
127	Other diseases of gall-bladder, biliary passages	132	73	17	42	1			1				1		7	11	18	27	66
128	Diseases of pancreas	12	5	3	4											4	3	2	3
129	Peritonitis, cause not specified	38	12	11	15	3	2	1			1	2	5	3	3	5	3	6	4
	X.—Diseases of the genitourinary system	1,995	791	329	875	6	3	4	3	2	5	7	8	17	44	81	143	342	1,330
130	Acute nephritis (including unspecified under 10 years)	62	24	8	30	2	3	3	1	2	1		1	3	10	3	3	11	19
131	Chronic nephritis	1,340	493	219	628				1		2	4	3	9	22	50	95	237	917
132	Nephritis, unspecified (10 years and over)	217	70	44	103							3	2		4	6	18	43	141
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	65	34	10	21	3			1		1		2	3	3	3	9	16	24
134	Calculi of urinary passages	19	10	2	7												3	5	8
135	Diseases of bladder (tumors excepted)	19	7	5	7	1											2	2	14
136	Diseases of urethra, urinary abscess, etc	2	2													1			1
137	Diseases of prostate	221	117	35	69											1	3	21	196
138	Diseases of male genital organs, not specified as venereal	2	2					1											1
139a	Cysts of ovary	12	9		3										1	2	1	4	4
139b	Other diseases of ovaries, diseases of tubes and parametrium	14	10	1	3						1			2	1	2	3	3	2
139c	Diseases of uterus	22	13	5	4										3	10	6		3
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	219	100	50	69								18	43	96	61	1		
140	Abortion with septic conditions	42	22	11	9								4	10	19	9			
141	Abortion without mention of septic conditions (includes hemorrhages)	15	5	3	7								2	1	8	4			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	10	6	2	2								1	1	6	2			
144a	Placenta praevia	8	1	2	5								1		3	4			
144b	Other puerperal hemorrhages	14	7	3	4									2	7	4	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	36	19	8	9								3	13	14	6			
146	Puerperal albuminuria and eclampsia	31	17	5	9								3	7	11	10			
147	Other toxemias of pregnancy	10	5	1	4									2	5	3			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	21	6	6	9								1	5	9	6			
149	Other accidents of childbirth	31	11	9	11								3	2	13	13			
	XII.—Diseases of the skin and cellular tissue	42	12	12	18	5		1			1		2		2	2	6	6	17
151	Furuncle, carbuncle	12	4	2	6			1					2			1	3	1	4
152	Phlegmon, acute abscess	13	7	4	2	1									1	1	2	4	4
153	Other diseases of skin and annexa, and of cellular tissue	17	1	6	10	4					1				1		1	1	9
	XIII.—Diseases of the bones and organs of locomotion	25	15	5	5						3	2	2	2	3	1	1	2	9
154	Osteomyelitis	14	10	2	2						3	1	2	2	2				4
155	Other diseases of bones (tuberculosis excepted)	5	1	3	1										1	1		2	1
156	Diseases of joints, other organs of locomotion	6	4		2							1					1		4
	XIV.—Congenital malformations	278	106	32	140	250	5	4		2	6	6	2		1		1	1	
157a	Congenital hydrocephalus	35	12	4	19	30	2	1		1	1								
157b	Spina bifida and meningocele	21	3		18	20									1				
157c	Congenital malformations of heart	151	56	16	79	135	2	1		1	5	4	2					1	
157d	Other congenital malformations	71	35	12	24	65	1	2				2					1		
	XV.—Diseases of early infancy	910	364	160	386	910													
158	Congenital debility	49	15	10	24	49													
159	Premature birth	548	211	98	239	548													
160	Injury at birth	207	89	42	76	207													
161	Other diseases peculiar to early infancy	106	49	10	47	106													
162	XVI.—Senility	406	82	102	222													3	403
	XVII.—Violent and accidental deaths	2,376	907	434	1,035	43	41	25	15	14	64	76	106	137	231	265	311	305	743
	Suicide	563	190	92	281							2	12	24	55	87	108	129	146
163	By solid or liquid poisons or by absorption of corrosive substances	68	22	18	28								3	4	16	10	8	16	11
164	By poisonous gas	58	43	6	9									3	7	8	14	18	8
165	By hanging or strangulation	149	28	23	98							1	3	2	5	14	33	32	59
166	By drowning	30	17	5	8									1		5	7	9	8
167	By firearms	230	66	35	129							1	6	13	26	46	41	46	51

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	IOWA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
168	By cutting or piercing instruments	18	9	3	6											3	3	4	8
169	By jumping from high places	4	2	1	1									1			2		1
170	By crushing	4	2	1	1											1		3	
171	By other means	2	1		1										1			1	
	Homicide	72	31	10	31	2					1	1	6	10	8	12	15	7	10
173	By firearms	49	19	5	25						1	1	5	6	5	10	11	6	4
174	By cutting or piercing instruments	6	2	2	2										1	2			3
175	By other means	17	10	3	4	2							1	4	2		4	1	3
	Accidental, other, or undefined	1,741	686	332	723	41	41	25	15	14	63	73	88	103	168	166	188	169	587
176	Attack by venomous animals	1	1										1						
177	Poisoning by food	13	4	4	5		1	2	2		3					1	2	1	1
178	Absorption of poisonous gas	49	28	8	13						1		1	5	5	8	10	5	14
179	Other acute accidental poisonings (gas excepted)	29	15	6	8	1	7	2	1					2	3	3	5	2	3
180	Conflagration	21	9	3	9	1	2	2	2	1	1			1	1	4	4	1	1
181	Burns (conflagration excepted)	91	43	20	28	5	8	5	3	2	9	2	2	4	9	12	8	6	16
	Supplemental	5	2		3				1					1	2	1			
182	Mechanical suffocation	19	6	2	11	17									1	1			
	Supplemental	1			1									1					
183	Drowning	112	37	15	60		9	2			9	19	20	11	15	5	9	5	8
	Supplemental	12	7	1	4							3	1	1	4	1	1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	71	17	18	36						1	3	10	12	11	12	11	7	4
185	By cutting or piercing instruments (wounds of war excepted)	13	5	1	7				1			2	2			4	1		3
	Supplemental	5	3		2									1			2	1	1
186a	By fall	449	176	96	177	1	1				2	2	3	5	9	7	16	39	364
	Supplemental	76	34	16	26		1	2			3	2	8	6	8	6	19	9	12
186b	By crushing, landslide	13	5	2	6	1						1	1	2		3	3	1	1
	Supplemental	159	58	34	67	1	2	3	1	2	6	7	9	12	27	26	20	23	20
187	Cataclysm	2			2						2								
188	Injuries by animals	24	10	3	11			1		1	4	2	1		2	2	5	1	5
190	Excessive cold	7	1	3	3														7
191	Excessive heat	12	4	1	7								1		1	1	2		7
192	Lightning	11	1	1	9							1		1	5	1	2		1
193	Due to electric currents	22	7	4	11							1	1	2	7	4	4	2	1
194a	Foreign bodies	17	12	3	2	7	4	1		1	1					2		1	
194b	Other accidents	77	29	10	38	6	3	2	1		2	7	1	3	9	6	12	9	16
	Supplemental	430	172	81	177	1	3	3	3	7	19	21	26	33	49	56	52	55	102
	XVIII.—Ill-defined causes of death	106	22	22	62	12	1				2		2		4	6	13	21	45
199	Sudden death	19	6	3	10	3							1		1	1	2	2	9
200a	Cause of death ill-defined	57	13	13	31	1	1				1		1		2	2	11	12	26
200b	Cause of death not specified or unknown	30	3	6	21	8					1				1	3		7	10
Punch symbol	SUPPLEMENTAL[1]																		
201	Accidents in mines and quarries	20	10	4	6									1	2	5	5	5	2
202	Accidents from agricultural machinery	20	7	6	7			1	1			2		1	4	2	2	5	2
203	Elevator accidents	5	2	1	2		1								1	1	1	1	
205	Other machinery accidents	13	4	2	7		1						1	3			5	2	1
206	Railroad and automobile collisions	50	14	9	27			1					3	8	5	11	5	7	10
207	Other railroad accidents	75	31	17	27								5	3	9	15	10	13	20
208	Street car and automobile collisions	7	7										1	1		5			
209	Other street car accidents	2	2												1				1
210	Automobile accidents (primary)	422	177	78	167	2	4	5	2	8	25	23	25	36	57	45	59	46	85
211	Motorcycle accidents	3	1	1	1								1		2				
212	Other land transportation accidents	52	11	12	29			1	2	1	3	5	4		2	4	7	9	14
213	Water transportation accidents	11	7	1	3							3	2	1	3	1		1	
214	Air transportation accidents	8	3	1	4								2	1	4	1			
	KANSAS																		
	Total deaths (all causes)	19,512	6,857	2,775	9,880	1,525	217	122	82	70	290	249	356	456	914	1,202	1,776	2,651	9,596
	I.—Infectious and parasitic diseases	1,874	652	258	964	145	53	28	28	24	96	45	78	108	197	201	196	177	497
1	Typhoid fever	26	8	7	11		1				3	4	2	5	4	3	2	2	
2	Paratyphoid fever	5	2	1	2									1		1	1	1	1
5	Undulant fever	3	1		2										1	1			1
7	Measles	26	14	2	10	7	6	5	2		3	1				1			1
8	Scarlet fever	32	11	9	12	1	1	4	3	3	9	4		1	5	1			
9	Whooping cough	48	21	9	18	33	9	2		1	2							1	
10	Diphtheria	76	32	12	32	1	7	5	9	8	28	8	5	1	1	1		1	1
11a	Influenza, respiratory complications not specified	426	141	67	218	42	12	4	6	3	10	6	11	16	20	32	37	33	194
11b	Influenza, respiratory complications not specified	332	93	40	199	29	12	4	2	3	16	8	15	8	11	20	15	29	160
13	Dysentery	22	5	4	13	4	2	1					1		2			1	11
15	Erysipelas	26	6	2	18	5						2	1	1	1	2	1	4	9
16	Acute poliomyelitis, acute polioencephalitis	11	7	3	1			2			3	2	3					1	

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
17	Lethargic or epidemic encephalitis	13	7	1	5				1				1		2	1	3	3	2
18	Epidemic cerebrospinal meningitis	23	9	3	11	1	2	1	3	2	6	1	1	1	2	1	1	1	
21	Rabies	2	1		1											1	1		
22	Tetanus	18	5	7	6	1					8	2	1		1	1	2	2	
	Tuberculosis (all forms)	612	216	74	322	6			1	3	5	6	33	66	127	103	96	78	88
23	Respiratory system	544	189	63	292	1			1	2	2	3	29	60	115	93	87	71	80
24	Meninges and central nervous system	13	6	1	6	4				1	2	1	2		2	1			
25	Intestines and peritoneum	25	10	7	8						1	2		3	5	3	6	2	3
26	Vertebral column	8	2	1	5									1	1	1	1	1	3
27a	Bones (vertebral column excepted)	2	1		1									1	1				
27b	Joints	2			2													1	1
30	Genitourinary system	6	2	2	2								1		1	1	1	2	
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	6	2		4									1	2	3			
32b,c	Other disseminated tuberculosis	5	3		2	1							1			1		1	1
34	Syphilis	130	51	11	68	13	1		1		1		3	4	12	26	32	17	19
35	Gonococcus infection and other venereal diseases	16	9	3	4	1								1	6	3	3	1	1
36	Purulent infection, septicemia (non-puerperal)	10	5	1	4						2	1		1	1	1		2	2
38	Malaria	8	4		4									1		2			5
41a	Hydatid cysts of liver	1	1			1													
43	Mycoses	3	1		2									1			1		1
44	Other infectious and parasitic diseases	5	2	2	1					1			1		1		1		1
	II.—Cancers and other tumors	2,062	754	306	1,002		1	2	1	1	4	7	11	11	50	156	312	418	1,088
	Cancer and other malignant tumors	1,975	718	291	966		1	2	1		3	4	10	10	42	127	296	411	1,068
(45)	Buccal cavity	82	20	11	51								1	1		4	6	15	55
(45)	Pharynx	11	3	3	5												2		9
(46)	Esophagus	20	9	2	9											1	1	2	16
(46)	Stomach and duodenum	416	139	72	205								1		1	16	48	96	254
(46)	Liver and biliary passages	211	54	34	123										3	6	25	50	127
(46)	Pancreas	38	12	7	19											2	9	4	23
(46)	Other digestive tract and peritoneum	267	96	46	125									1	9	10	37	63	147
47	Respiratory system	39	15	7	17						1	2	1	1	1		8	15	10
48	Uterus	232	107	29	96									2	5	43	57	52	73
49	Other female genital organs	32	16	3	13										3	5	6	9	9
50	Breast	177	71	21	85									1	2	24	54	30	66
51	Male genitourinary organs	179	78	18	83		1	1	1				1		5	3	9	33	125
52	Skin	64	19	8	37											1	4	4	55
53	Other or unspecified organs	207	79	30	98			1			2	2	6	4	13	12	30	38	99
54a	Nonmalignant tumors, ovary	3		1	2											1	1		1
54b	Nonmalignant tumors, uterus	43	22	8	13									1	4	23	7	2	6
54d,e	Nonmalignant tumors, other organs	20	7	2	11						1	3			3	3	4	3	3
55a	Tumors, ovary (nature unspecified)	1			1														1
55d,e	Tumors, other organs (nature unspecified)	20	7	4	9					1			1		1	2	4	2	9
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	639	203	79	357	22	3	3	2	1	10	18	13	12	27	34	76	133	285
56	Acute rheumatic fever	29	9	2	18						4	10	1	1	1		2	3	7
57	Chronic rheumatism, osteoarthritis	26	2	1	23										4		3	4	15
59	Diabetes mellitus	439	147	56	236	2	1	1		1	6	6	7	8	15	17	45	96	234
60	Scurvy	1		1					1										
62	Pellagra	6	1	1	4								1			2		2	1
63	Rickets	5		1	4	3	1								1				
65	Diseases of pituitary body	1	1										1						
66a	Simple goiter	3	1		2											1	2		
66b	Exophthalmic goiter	85	28	9	48								3	1	4	13	22	20	22
(66)	Other diseases of thyroid and parathyroid glands	11		5	6	3		2	1			2					1	1	1
67	Diseases of thymus gland	18	10		8	14	1							2	1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	11	4	2	5										1	1	1	5	3
69	Other general diseases	4		1	3													2	2
	IV.—Diseases of the blood and blood-making organs	230	82	40	108	14	3	3	2	1	5	5	3	5	9	8	28	54	89
70	Hemorrhagic conditions	17	8		9	11			1		1				1		2		1
71a	Pernicious anemia	104	30	15	59			1			1	2		1	1	3	8	26	60
71b	Other anemias	9	1	3	5	1	1								1			1	5
72a	True leukemias	61	26	12	23	2	1	2	1	1	3	1	2	2	3	2	11	16	14
72b	Pseudoleukemias (Hodgkin's disease)	26	10	8	8		1					2	1	2	1	3	3	7	6
73	Diseases of the spleen	8	4	2	2										2		2	3	1
74	Other diseases of blood and blood-making organs	5	3		2												2	1	2
	V.—Chronic poisonings and intoxications	26	8	6	12										8	9	3	4	2
75	Alcoholism (acute or chronic)	24	7	5	12										8	7	3	4	2
76	Chronic poisoning by other organic substances	1		1												1			
77a	Chronic lead poisoning	1	1													1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	2,400	724	331	1,345	23	11	6	1	2	15	20	15	15	37	90	195	401	1,569
78	Encephalitis (nonepidemic)	28	10	7	11	1	1	1			1	1	1		1	4	8	3	6
79a	Simple meningitis	24	11	2	11	2	2	3			1	4	3	1	2	3		2	1
79b	Nonepidemic cerebrospinal meningitis	3			3	1	1						1						
80	Progressive locomotor ataxia (tabes dorsalis)	31	11	4	16										1	4	2	11	13
81	Other diseases of spinal cord	64	17	14	33	1						3	1	1	1	4	5	16	32
82a	Cerebral hemorrhage	1,853	563	260	1,030	2							2	1	8	35	133	320	1,352
82b	Cerebral embolism and thrombosis	83	30	8	45	1	1			1					6	5	7	9	53
82c	Softening of brain	24	6	6	12													1	23
82d	Hemiplegia and other paralysis, cause unspecified	40	13	1	26						2		2		1	2		5	28
83	General paralysis of insane	59	6	1	52										5	17	14	8	15
84	Dementia praecox and other psychoses	37	3	1	33									2	4	3	9	9	10
85	Epilepsy	36	11	2	23							5	3	6	6	5	3	4	4
86	Convulsions (under 5 years of age)	9	1	4	4	6	2		1										
87	Other diseases of nervous system	60	16	14	30	1	2	1			3	2				4	9	9	29
89a	Diseases of ear	34	17	5	12	7	2			1	5	3	1	4	1	3	4	2	1
89b	Diseases of mastoid process	15	9	2	4	1		1			3	2	1		1	1	1	2	2
	VII.—Diseases of the circulatory system	4,080	1,353	503	2,224	5		1	2		7	15	21	18	62	130	322	648	2,847
90	Pericarditis	19	6	2	11								1			1	2	1	14
91a	Acute endocarditis	29	14	3	12						1	2		2	4	4	5	4	7
91b	Endocarditis, unspecified (under 45 years)	5	3	2									1	1		3			
92a	Endocarditis, specified as chronic, and other valvular diseases	999	306	123	570	1		1	1		2	8	7	8	28	42	78	153	670
92b	Endocarditis, unspecified (45 years and over)	86	29	12	45												8	15	63
93a	Acute myocarditis	40	14	5	21	1					1	1	1			4	9	5	18
93b	Myocarditis, unspecified (under 45 years)	15	5	1	9						1			2	5	7			
93c	Chronic myocarditis and myocardial degeneration	852	295	102	455								1	1	9	17	58	135	631
93d	Other diseases of myocardium	480	170	76	234											1	34	70	375
94a	Angina pectoris	310	105	42	163								1			14	31	70	194
94b	Diseases of coronary arteries	240	95	25	120										3	10	30	61	136
95a	Functional diseases of heart	36	13	5	18										1	3	4	7	21
95b	Other and unspecified diseases of heart	490	158	47	285	2					1	3	6	3	9	16	41	83	325
96	Aneurysm (except of heart)	29	16	1	12								1		2	1	5	6	14
97	Arteriosclerosis (coronary arteries excepted)	365	94	47	224									1		1	8	26	329
98	Gangrene	17	6	2	9													2	14
99	Other diseases of arteries	36	14	4	18							1	1		1	3	4	6	20
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	20	5	3	12	1							1			2	2	1	13
101	Diseases of lymphatic system (lymphangitis, etc.)	4	1	1	2				1		1						1		1
102	Idiopathic anomalies of blood-pressure	2	2														1	1	
103	Other diseases of circulatory system	6	2		4											1	1	2	2
	VIII.—Diseases of the respiratory system	1,255	487	162	606	180	46	21	6	10	24	19	23	24	57	74	87	107	576
104a	Diseases of nasal fossae	9	3	3	3	1						1			1	1			5
104b	Diseases of nasal fossae and annexae	7	4		3		1							1		2	3		
105	Diseases of larynx	7	1		6	1		1		1	1					2	1		
106a	Acute bronchitis	19	7	5	7	2	1				1				1			1	13
106b	Chronic bronchitis	48	15	7	26	1									1	1	3	3	39
106c,d	Bronchitis, unspecified	16	5	3	8	1		1											14
107a	Bronchopneumonia	463	186	55	222	126	32	8	1	3	6	4	2	5	9	21	28	25	193
107b	Capillary bronchitis	6	1		5			1	1						1			1	2
108	Lobar pneumonia	534	209	63	262	42	10	7	4	4	12	13	19	15	37	37	41	61	231
109	Pneumonia, unspecified	21	9	5	7	5	1	1		1	1	1			1	1		4	5
110	Pleurisy	31	12	10	9		1	1			3		2	2	3	4	3	2	10
111a	Pulmonary embolism and thrombosis	9	2	3	4												1	3	5
111b	Pulmonary congestion, edema, hemorrhagic infarct	35	17		18					1							1		33
112	Asthma	40	12	3	25			1							1	3	5	7	23
113	Pulmonary emphysema	1			1														1
114	Other diseases of respiratory system (tuberculosis excepted)	9	4	5		1								1	2	2	1		2
	IX.—Diseases of the digestive system	1,350	549	276	525	138	47	33	19	7	52	42	53	44	87	113	134	170	411
115a	Diseases of pharynx and tonsils	75	34	15	26	4	3	4	3	1	11	5	4	6	11	6	3	3	11
115b	Diseases of buccal cavity and annexa	16	9	2	5							1	1	1	2	4		3	4
116	Diseases of esophagus	1	1															1	
117a	Ulcer of stomach	99	37	24	38							1		1	5	12	10	25	45
117b	Ulcer of duodenum	31	18	3	10								1		2	4	6	6	12
118	Other diseases of stomach (cancer excepted)	61	17	7	37	5		3	1				1		2	5	5	10	29
119	Diarrhea, enteritis (under 2 years of age)	143	44	40	59	108	35												
120	Diarrhea, enteritis (2 years and over)	86	33	12	41			16	3	1	6	1	2		4	2	5	5	41
121	Appendicitis	334	147	87	100		4	5	7	3	33	31	40	23	41	41	36	31	39
122a	Hernia	75	38	13	24		1								2	5	15	14	38
122b	Intestinal obstruction	111	44	21	46	17	3	5	2	1	1	1	3	5	7	8	7	9	42
123	Other diseases of intestines	23	4	3	16	2									1		3	5	12
124	Cirrhosis of liver	86	31	14	41	1								1	1	5	15	17	46
125a	Yellow atrophy of liver	3			3		1											1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	IX.—Diseases of the digestive system—Continued																		
125b	Other diseases of liver	21	11	2	8	1					1	1	1			2	4	5	6
126	Biliary calculi	88	40	19	29									1	4	14	9	20	40
127	Other diseases of gall bladder, biliary passages	67	25	12	30									1	2	3	12	14	35
128	Diseases of pancreas	9	5		4				1						1	1	1	1	4
129	Peritonitis, cause not specified	21	11	2	8				2	1		1		5	2	1	3		6
	X.—Diseases of the genitourinary system	2,061	800	298	963	8	1	1	1	5	6	7	11	19	54	104	188	306	1,350
130	Acute nephritis (including unspecified under 10 years)	61	27	10	24	4			1	2	2		3	3	10	9	7	9	11
131	Chronic nephritis	1,513	575	215	723		1	1			3	6	5	10	19	56	133	244	1,035
132	Nephritis, unspecified (10 years and over)	203	68	32	103								1	1	3	17	20	25	136
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	60	23	11	26	4				2	1			1	1	9	13	5	24
134	Calculi of urinary passages	11	3		8									1		2	1		7
135	Diseases of bladder (tumors excepted)	15	4		11												1		14
136	Diseases of urethra, urinary abscess, etc.	3	1		2												1		2
137	Diseases of prostate	135	62	21	52												1	17	117
138	Diseases of male genital organs, not specified as venereal	3	2		1					1		1							1
139a	Cysts of ovary	12	7	2	3										3	3	2	2	2
139b	Other diseases of ovaries, diseases of tubes and parametrium	34	23	6	5								2	3	16	5	6	1	1
139c	Diseases of uterus	9	5	1	3										2	2	3	2	
139e	Other diseases of female genital organs	2			2											1		1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	195	96	42	57							1	15	47	86	46			
140	Abortion with septic conditions	48	27	11	10								3	20	20	5			
141	Abortion without mention of septic conditions (includes hemorrhages)	6	3		3								1	1	3	1			
142a	Ectopic gestation, septic conditions specified	1	1													1			
142b	Ectopic gestation, septic conditions not mentioned	10	8		2									1	6	3			
144a	Placenta praevia	9	3	3	3									2	3	4			
144b	Other puerperal hemorrhages	12	3	4	5								1	1	6	4			
145a	Puerperal septicemia and pyemia (abortion excluded)	39	16	12	11								5	7	18	9			
145b	Puerperal tetanus (abortion excluded)	1	1												1				
146	Puerperal albuminuria and eclampsia	21	9	4	8							1	1	4	9	6			
147	Other toxemias of pregnancy	5	3	1	1									2	1	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	16	7	2	7								3	2	6	5			
149	Other accidents of childbirth	27	15	5	7								1	7	13	6			
	XII.—Diseases of the skin and cellular tissue	36	16	5	15	3	3	1			1			5	1	2	2	5	13
151	Furuncle, carbuncle	11	5	2	4										1	1	2	2	5
152	Phlegmon, acute abscess	7	3	2	2		2				1			1				1	2
153	Other diseases of skin and annexa and of cellular tissue	18	8	1	9	3	1	1						4		1		2	6
	XIII.—Diseases of the bones and organs of locomotion	23	9	2	12	2				1	2	4	1		3	3	1		6
154	Osteomyelitis	14	7	2	5	2				1	2	3	1		2	2	1		
155	Other diseases of bones (tuberculosis excepted)	3			3														3
156	Diseases of joints, other organs of locomotion	6	2		4							1			1	1			3
	XIV.—Congenital malformations	188	55	31	102	166	10		4	2	3	2			1				
157a	Congenital hydrocephalus	15	5	1	9	11	1		2		1								
157b	Spina bifida and meningocele	19	6	4	9	18						1							
157c	Congenital malformation of the heart	106	26	18	62	96	6			1	1	1			1				
157d	Other congenital malformations	48	18	8	22	41	3		2	1	1								
	XV.—Diseases of early infancy	763	254	122	387	763													
158	Congenital debility	48	13	10	25	48													
159	Premature birth	499	173	73	253	499													
160	Injury at birth	158	51	33	74	158													
161	Other diseases peculiar to early infancy	58	17	6	35	58													
162	XVI.—Senility	331	77	37	217													5	326
	XVII.—Violent and accidental deaths	1,900	722	267	911	28	38	22	16	16	64	64	111	146	233	229	224	215	493
	Suicide	347	124	38	185							1	9	24	48	48	86	58	72
163	By solid or liquid poisons or by absorption of corrosive substances	71	34	11	26								5	7	16	12	7	11	12
164	By poisonous gas	11	6		5											4	2	3	2
165	By hanging or strangulation	65	17	8	40								2	3	6	5	20	12	17
166	By drowning	11	2		9									1	1	3	1		5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KANSAS—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
167	By firearms	171	57	19	95							1	2	13	23	19	51	29	33
168	By cutting or piercing instruments	12	5		7										1	4	2	2	3
169	By jumping from high places	4	3		1										1	1	2		
171	By other means	2			2												1	1	
	Homicide	126	68	19	39	1	1				1		3	20	40	30	11	11	8
173	By firearms	89	52	14	23								3	12	33	23	7	7	4
174	By cutting or piercing instruments	11	5	2	4		1							2	3	3	1	1	
175	By other means	26	11	3	12	1					1			6	4	4	3	3	4
	Accidental, other, or undefined	1,427	530	210	687	27	37	22	16	16	63	63	99	102	145	151	127	146	413
176	Attack by venomous animals	3	1	1	1	1				1	1								
177	Poisoning by food	15	3	4	8			1	1		1	2	1		3	1	1	1	3
178	Absorption of poisonous gas	24	12	2	10	1		1			1	1	1	3	5	4	2	2	3
	Supplemental	2		1	1										2				
179	Other acute accidental poisonings (gas excepted)	25	12	2	11	1	3	2	1				2	1	4	4	3	2	2
180	Conflagration	13	3	3	7				1	2		2	1		2	1		2	2
181	Burns (conflagration excepted)	105	49	13	43	1	2	5	6	3	6	6	7	8	11	7	8	14	21
	Supplemental	13	4	1	8						1			1	4	6		1	
182	Mechanical suffocation	16	4	2	10	16													
183	Drowning	81	18	3	60		12	4		1	9	19	11	11	3	5	4		2
	Supplemental	7		1	6	1							2	1	2	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	49	20	5	24					1		4	8	7	7	8	8	4	2
185	By cutting or piercing instruments (wounds of war excepted)	7	3	2	2	1	2	1			1	1							1
	Supplemental	8	1		7		1				2	1	1	1		1			1
186a	By fall	319	135	51	133		5	1	1	3	6	1	5	3	10	14	16	15	239
	Supplemental	56	18	6	32		1			1	3	6	1	2	10	9	8	8	7
186b	By crushing, landslide	11	2	3	6				1		2			2	2	2		1	1
	Supplemental	119	28	24	67			3	1	1	7	4	10	19	16	16	17	14	11
187	Cataclysm	3	1	2									1		1		1		
188	Injuries by animals	27	12	7	8						5	2	1	1	1	5	2	3	7
190	Excessive cold	9	1	1	7	1												2	6
191	Excessive heat	16	3		13										2		2	4	8
192	Lightning	10			10		1				1		1	1	1	4	1		
193	Due to electric currents	13	7	3	3								1		6	2	1	3	
	Supplemental	1			1											1			
194a	Foreign bodies	10	5	1	4	2	6	1											1
194b	Other accidents	56	30	9	17	1	1	3	1	1	4	6	2	1	10	1	8	8	9
	Supplemental	409	158	63	188	1	3		3	2	13	8	43	40	43	59	45	62	87
	XVIII.—Ill-defined causes of death	99	16	10	73	28	1	1			1		1	2	2	3	8	8	44
199	Sudden death	13	3		10	4											2	1	6
200a	Cause of death ill-defined	42	8	5	29	3	1	1						2	2	1	5	6	21
200b	Cause of death not specified or unknown	44	5	5	34	21					1		1			2	1	1	17
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	21	5	3	13								2	4	5	3	5	1	1
202	Accidents from agricultural machinery	24	7	3	14					1	1		2	3	4	4	2	3	4
203	Elevator accidents	2	1		1													1	1
204	Accidents from machinery used for recreation	2		1	1							2							
205	Other machinery accidents	15	5	3	7						1		1		4	6	1	1	1
206	Railroad and automobile collisions	47	8	10	29	1			1			2	9	4	3	6	5	9	7
207	Other railroad accidents	69	22	12	35			1	1		2		8	8	11	9	5	14	10
208	Street-car and automobile collisions	5	3		2									3				1	1
209	Other street-car accidents	1			1												1		
210	Automobile accidents (primary)	386	147	57	182	1	5	2	2	3	20	10	31	37	48	59	46	48	74
211	Motorcycle accidents	5	3	2									2	1		1			1
212	Other land-transportation accidents	31	5	5	21						2	4	1	2	1	4	4	7	6
213	Water-transportation accidents	2			2								1	1					
214	Air-transportation accidents	5	3		2							1		1	1	1	1		

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY																	
	Total deaths (all causes)—White	24,829	6,826	18,003	3,409	685	362	202	187	519	372	598	816	1,439	1,633	2,016	3,008	9,558
	Total deaths (all causes)—Colored	4,230	1,886	2,344	358	66	23	12	18	50	58	134	180	396	500	687	669	1,072
	I.—Infectious and parasitic diseases—White	4,487	740	3,747	473	250	154	102	98	235	115	185	286	483	431	365	408	899
	I.—Infectious and parasitic diseases—Colored	825	325	500	59	22	6	3	11	30	24	72	79	119	109	126	76	87
1	Typhoid fever—W	303	36	267	2	4	2	3	5	26	27	46	45	57	24	29	18	15
	Typhoid fever—C	38	8	30					1	8	2	8	5	4	3	3	3	1
2	Paratyphoid fever—W	3		3						2			1					
5	Undulant fever—W	1		1											1			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
7	Measles	W	39	2	37	2	10	5	4	2	2	3	2	1	2	3	2	1	
		C	2		2	1					1								
8	Scarlet fever	W	75	25	50	4	8	6	6	4	25	4	4	2	10	1	1		
		C	2	2							1			1					
9	Whooping cough	W	254	25	229	145	57	24	11	5	7	1		1		1			2
		C	36	11	25	26	4	2		1	3								
10	Diphtheria	W	357	25	332	45	36	64	48	53	90	14	2	2	1	1			
		C	7	2	5		1			3	3								
11a	Influenza, respiratory complications specified	W	693	135	558	85	37	14	11	6	13	13	12	21	43	50	52	78	257
		C	109	36	73	6	5	1	1	3	1	1	8	4	6	11	19	12	31
11b	Influenza, respiratory complications not specified	W	370	62	308	41	10	7		5	8	5	8	8	16	21	21	48	171
		C	59	19	40	6	1					1	3	1	7	4	8	10	18
13	Dysentery	W	219	14	205	45	49	15	6	6	6	4	3	1	1	5	5	10	63
		C	6	1	5	2	3												1
15	Erysipelas	W	29	11	18	10	1				4		1	1	2		2	3	5
		C	4	3	1	1											2	1	
16	Acute poliomyelitis, acute polioencephalitis	W	42	1	41	12	9	5		3	6	1	1	1	1	1		1	1
17	Lethargic or epidemic encephalitis	W	15	6	9	2						2	1			3	3	3	1
		C	1	1												1			
18	Epidemic cerebrospinal meningitis	W	47	9	38	10	4		2	2	12	6	6	1	1	2	1		
		C	10	8	2	2	1				1	2	1	1	1		1		
21	Rabies	W	1	1								1							
22	Tetanus	W	23	7	16	2		1		1	5	5			1	2	2		4
		C	6	2	4	1			1			1		1	1	1			
	Tuberculosis (all forms)	W	1,837	322	1,515	31	21	6	7	4	19	26	99	193	326	292	226	225	362
		C	442	172	270	2	4	3		3	10	16	51	64	88	65	69	39	26
23	Respiratory system	W	1,630	277	1,353	10	7	1	3	2	11	19	86	180	305	278	204	208	316
		C	390	144	246		4			2	7	7	47	59	79	58	65	37	23
24	Meninges and central nervous system	W	65	17	48	17	10	4	3	1	2	1	3	2	9	2	5	1	5
		C	11	7	4	1		3		1	2	1			1	1	1		
25	Intestines and peritoneum	W	60	8	52	3					1	1	2	3	7	3	10	6	24
		C	16	5	11						1	3	2	3	3	2			2
26	Vertebral column	W	14	2	12		1				2	1		2	2	2	3		1
		C	5	4	1							1			1	1	2		
27a	Bones (vertebral column excepted)	W	14	2	12						1	2	3			2		2	4
		C	2	1	1							1		1					
27b	Joints	W	10	2	8							2	3		1			1	3
		C	1	1											1				
28	Skin and subcutaneous cellular tissue	W	1		1								1						
		C	1		1							1							
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	3		3					1								1	1
		W	7	2	5								1			2	1	2	1
30	Genitourinary system	C	2	1	1											1			1
31	Other organs	W	4	1	3														4
		C	3	3										1	1	1			
32a	Acute disseminated tuberculosis	W	25	10	15	1	3	1	1		2			6	1	2	3	4	1
		C	9	6	3	1						2	2		2		1	1	
32b,c	Other disseminated tuberculosis	W	4	1	3										1	1			2
		C	2		2											1		1	
34	Syphilis	W	105	44	61	29		1	1	2				3	14	19	17	14	5
		C	91	54	37	12	2		1		1		1	2	10	23	22	10	7
35	Gonococcus infection, other venereal diseases	W	6	3	3									2	4				
		C	2	2											1			1	
36	Purulent infection, septicemia (nonpuerperal)	W	12	2	10	3						1		2	2	1		2	1
		C	1	1															1
38	Malaria	W	31	3	28	1	1	2	1		6	2			2	2	4	2	8
		C	4		4										1	1			2
39	Other diseases due to protozoal parasites	W	1	1															1
40	Ankylostomiasis	C	1		1							1							
42	Other diseases caused by helminths	W	9		9	1	3	1	1		2			1					
43	Mycoses	W	4	2	2	2										1		1	
		C	2	2													2		
44	Other infectious and parasitic diseases	W	11	4	7	1		1	1		2					1		2	3
		C	2	1	1		1				1								
	II.—Cancers and other tumors	White	1,890	703	1,187	1		2	2	4	9	9	11	10	53	153	291	476	867
		Colored	226	110	116			1			1		2	2	16	31	55	56	62
	Cancer and other malignant tumors	W	1,816	660	1,156	1		2	1	4	4	5	9	8	41	139	275	465	860
		C	206	96	110			1					1	2	12	27	48	55	60
(45)	Buccal cavity	W	52	19	33								1			4	6	13	28
		C	9	6	3												3	3	3
(45)	Pharynx	W	21	5	16								1		2		2	6	10
		C	2	1	1														2
(46)	Esophagus	W	20	12	8												5	6	9
		C	2	2													1		1
(46)	Stomach and duodenum	W	370	108	262								2	1	4	18	56	100	189
		C	57	26	31										1	4	8	21	23
(46)	Liver and biliary passages	W	209	64	145							2			3	12	25	56	110
		C	26	7	19											3	5	11	7
(46)	Pancreas	W	36	16	20										1	8	9	18	
		C	1		1											1			
(46)	Other digestive tract and peritoneum	W	274	114	160					1	1	1			10	21	29	73	137
		C	24	17	7										3	5	7	4	5
47	Respiratory system	W	40	22	18								1	1	1	5	6	14	12
		C	2	1	1									1				1	
48	Uterus	W	260	101	159									2	8	43	64	74	69
		C	47	20	27									1	4	11	17	7	7
49	Other female genital organs	W	29	17	12								1		3	4	6	8	7
		C	4	2	2										1	1		1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	II.—Cancers and other t mors—Continued																		
	Cancer and other malignant tumors—Continued																		
50	Breast	W	173	64	109								1	1	5	18	33	44	71
		C	9	3	6										3	1	4		1
51	Male genitourinary organs	W	103	42	61			1			1				1	5	6	23	66
		C	9	5	4													3	6
52	Skin	W	90	19	71										1	2	5	8	74
		C	3	1	2											1		1	1
53	Other or unspecified organs	W	139	57	82	1		1	1	3	2	2	2	3	3	6	24	31	60
		C	11	5	6			1					1			1	2	3	3
54a	Nonmalignant tumors, ovary	W	1	1											1				
		C	1	1											1				
54b	Nonmalignant tumors, uterus	W	27	16	11										3	9	10	1	4
		C	14	10	4										3	4	6		1
54c	Nonmalignant tumors, other female genital organs	W	1	1														1	
54d,e	Nonmalignant tumors, other organs	W	9	5	4							2			1		1	3	2
		C	2	1	1								1						1
55a	Tumors, ovary (nature unspecified)	W	1		1											1			
55d,e	Tumors, other organs (nature unspecified)	W	35	20	15				1		5	2	2	2	7	4	5	6	1
		C	3	2	1						1						1	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	589	219	370	17	2	7	1	2	13	10	10	18	27	36	62	134	250
		Colored	83	37	46		1	1				1	6	3	6	10	11	15	29
56	Acute rheumatic fever	W	54	15	39					1	7	4	1	5	5	2	5	8	16
		C	15	6	9								3	1	1		1	2	7
57	Chronic rheumatism, osteoarthritis	W	41	10	31						1	1				1	4	5	29
		C	4	1	3												1	1	2
59	Diabetes mellitus	W	339	144	195		1	1		1	5	3	8	11	8	16	26	87	172
		C	46	23	23							1	1	1	4	7	7	9	16
62	Pellagra	W	65	12	53							1	1	1	9	8	16	16	13
		C	4	2	2								1			1		2	
63	Rickets	W	12	4	8	7		4	1										
		C	2		2		1	1											
66a	Simple goiter	W	7	2	5											1	1	2	3
		C	3	1	2										1			1	1
66b	Exophthalmic goiter	W	42	24	18							1			2	5	9	13	12
		C	8	3	5									1		2	2		3
(66)	Other diseases of thyroid and parathyroid glands	W	2	1	1	2													
67	Diseases of thymus gland	W	8	1	7	7		1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous	W	8	3	5									1	2	3	1	1	
69	Other general diseases	W	11	3	8	1	1	1							1			2	5
		C	1	1									1						
	IV.—Diseases of the blood and blood-making organs	White	173	59	114	13	2		1	1	3	6	5	6	8	17	18	33	59
		Colored	14	7	7	1							1	1	2	4	2	2	1
70	Hemorrhagic conditions	W	15	2	13	9										1		1	4
		C	2	2									1		1				
71a	Pernicious anemia	W	80	22	58	1	1						1	2	1	7	10	21	35
		C	7	3	4									1		3	1	2	
71b	Other anemias	W	9	5	4	2					1	1			1	1			3
		C	3	1	2	1									1				1
72a	True leukemias	W	42	16	26	1	1		1	1	2	3	2	1	4	7	4	5	10
72b	Pseudoleukemias (Hodgkin's disease)	W	12	3	9							1		3	1		3	2	2
		C	1		1											1			
73	Diseases of spleen	W	12	8	4							1	2		1	1		3	4
		C	1	1													1		
74	Other diseases of blood and blood-making organs	W	3	3													1	1	1
	V.—Chronic poisonings and intoxications	White	47	20	27								1		8	15	10	8	5
		Colored	11	7	4										1	6	2	1	1
75	Alcoholism (acute or chronic)	W	43	19	24								1		7	15	10	8	2
		C	11	7	4										1	6	2	1	1
76	Chronic poisoning by other organic substances	W	3	1	2										1				2
77a	Chronic lead poisoning	W	1		1														1
	VI.—Diseases of the nervous system and of the organs of special sense	White	2,322	653	1,669	61	13	12	4	8	21	23	15	32	52	113	215	391	1,360
		Colored	396	155	241	9		1	2			3	3	5	19	44	89	87	134
78	Encephalitis (nonepidemic)	W	32	8	24	5	3	3		1	1	2		2	3	3	3	4	2
		C	3		3											1	2		
79a	Simple meningitis	W	50	14	36	15	5	3		2	6	6	1	3	2	3		1	3
		C	8	1	7			1					1	1	2	1	1	1	
79b	Nonepidemic cerebrospinal meningitis	W	17		17	7	1	2	1		1		1			1	2		1
		C	3	1	2				1					1				1	
80	Progressive locomotor ataxia (tabes dorsalis)	W	13	4	9											1	2	8	2
		C	3	2	1										1			1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
81	Other diseases of spinal cord	W	53	15	38	1						3	3		1	5	6	11	23
		C	8	2	6											1	2		5
82a	Cerebral hemorrhage	W	1,625	484	1,141	5	2	1		1	4	1	2	6	20	51	127	298	1,106
		C	254	105	149	1			1			1		1	7	22	61	59	101
82b	Cerebral embolism and thrombosis	W	34	17	17									2	2	4	4	5	17
		C	2	2												1		1	
82c	Softening of brain	W	17	5	12											1	1		15
82d	Hemiplegia and other paralysis, cause unspecified	W	171	17	154	1			1						2	3	13	22	128
		C	32	13	19										2	2	7	7	14
83	General paralysis of insane	W	78	20	58										4	21	29	12	12
		C	43	13	30								1		4	13	10	10	5
84	Dementia praecox and other psychoses	W	32	13	19									3	5	7	6	7	4
		C	4	1	3											1	1	2	
85	Epilepsy	W	59	15	44	5			1	1		7	2	8	7	6	3	8	11
		C	18	8	10							2	1	2	2		3	3	5
86	Convulsions (under 5 years of age)	W	14		14	11	1	2											
		C	6	1	5	6													
87	Other diseases of nervous system	W	63	12	51		1	1			1		1	1	4	5	9	9	31
		C	8	2	6											1	2	2	3
88	Diseases of organs of vision	W	1		1	1													
89a	Diseases of ear	W	46	24	22	9				3	5	4	4	5	1	1	8	2	4
		C	4	4		2									1	1			
89b	Diseases of mastoid process	W	17	5	12	1			1		3		1	2	1	1	2	4	1
	VII.—Diseases of the circulatory system	White	4,072	1,473	2,599	24	5	3	2	1	16	15	30	34	89	168	339	690	2,651
		Colored	855	410	445		1	2			1	2	6	9	33	88	156	229	327
90	Pericarditis	W	14	3	11						1	1	2		1	1		1	7
		C	5	3	2												1	1	3
91a	Acute endocarditis	W	25	7	18	2					2	2		1	2	2	4	4	6
		C	6	3	3						1						2	1	2
91b	Endocarditis, unspecified (under 45 years)	W	9	4	5		1			1	1		1	1		4			
		C	2	1	1		1								1				
92a	Endocarditis, specified as chronic, and other valvular diseases	W	925	258	667	6	3				4	6	15	18	39	49	84	156	543
		C	187	100	87							1	3	3	11	28	26	61	54
92b	Endocarditis, unspecified (45 years and over)	W	78	31	47												9	13	56
		C	25	11	14												9	6	10
93a	Acute myocarditis	W	71	23	48			1				1		2	3	6	7	20	31
		C	42	24	18			1						1	3	9	9	7	12
93b	Myocarditis, unspecified (under 45 years)	W	28	11	17	1			1			1	2	1	5	17			
		C	15	7	8								1	2	3	9			
93c	Chronic myocarditis and myocardial degeneration	W	626	311	315						2		2	2	8	20	59	103	429
		C	103	62	41									1	8	9	21	26	38
93d	Other diseases of myocardium	W	532	243	289								1		3		50	89	389
		C	87	32	55												18	35	34
94a	Angina pectoris	W	282	117	165	1						2	1	2	3	14	34	71	154
		C	40	19	21								1	1	1	9	15	8	5
94b	Diseases of coronary arteries	W	136	65	71											9	19	35	73
		C	7	2	5											1		3	3
95a	Functional diseases of heart	W	11	3	8									1		1	1	1	7
		C	1		1														1
95b	Other and unspecified diseases of heart	W	883	258	625	11		2	1		6	2	4	6	24	38	64	153	570
		C	225	106	119							1	1	1	6	16	43	62	94
96	Aneurysm (except of heart)	W	18	6	12								2			4	2	4	6
		C	12	8	4											3	6	2	1
97	Arteriosclerosis (coronary arteries excepted)	W	384	121	263											1	3	30	350
		C	92	30	62											2	6	16	68
98	Gangrene	W	15	3	12	2												1	12
		C	3	1	2			1										1	1
99	Other diseases of the arteries	W	13	6	7	1											1	3	8
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	5		5											2		1	2
		C	2	1	1											2			
101	Diseases of lymphatic system (lymphangitis, etc.)	W	3	2	1		1										1		1
102	Idiopathic anomalies of blood-pressure	W	9		9										1		1	3	4
		C	1		1														1
103	Other diseases of circulatory system	W	5	1	4													2	3
	VIII.—Diseases of the respiratory system	White	2,089	544	1,545	443	105	59	26	14	46	26	51	42	89	110	103	147	826
		Colored	418	203	215	72	17	6	3	3	6	11	10	9	34	41	62	45	99
104a	Diseases of nasal fossae	W	7	2	5	2	1						1					1	2
104b	Diseases of nasal fossae and annexae	W	8	2	6	1							1	3	2				1
105	Diseases of larynx	W	29	2	27	11	3	2	4	1	1				1			1	4
		C	2	2			2												
106a	Acute bronchitis	W	19	5	14	6	1					1			1	1			9
		C	11	7	4	1		1								2	2	2	3
106b	Chronic bronchitis	W	43	11	32									1	1		1	4	36
		C	5	4	1	1													4
106c,d	Bronchitis, unspecified	W	31	13	18	6	2												23
		C	9	4	5										3		2	1	3
107a	Bronchopneumonia	W	745	223	522	276	50	34	11	4	19	6	10	6	12	26	20	31	240
		C	130	60	70	49	10	3	1	1	3	4		2	2	7	10	10	28
107b	Capillary bronchitis	W	12	3	9	5	1	1	1										5
		C	1		1														
108	Lobar pneumonia	W	834	210	624	80	24	15	6	6	14	14	32	28	56	56	66	81	355
		C	216	108	108	17	4	2	2	1	2	6	8	6	26	30	41	22	49
109	Pneumonia, unspecified	W	206	17	189	48	18	6	4	3	6	3	5	4	6	10	5	13	75
		C	22	6	16	3				1	1	1	1		1		3	7	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	VIII.—Diseases of the respiratory system—Continued																		
110	Pleurisy	W	50	21	29	5	3	1			3	1	2		5	11	4	3	12
		C	5	3	2									1		1	1		2
111a	Pulmonary embolism and thrombosis	W	4		4											2	1		1
		C	1	1											1				
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	47	16	31	2	2								1	1	1	4	36
		C	3	1	2	1													2
112	Asthma	W	39	13	26						2	1			1	1	5	6	23
		C	10	6	4												3	3	4
114	Other diseases of respiratory system (tuberculosis excepted)	W	15	6	9	1	1				1				3	2		3	4
		C	3	1	2								1		1	1			
	IX.—Diseases of the digestive system	White	2,114	594	1,520	577	235	70	23	23	63	57	68	59	116	119	168	158	375
		Colored	270	129	141	53	16	1	2	1	3	5		16	20	33	37	36	46
115a	Diseases of pharynx, tonsils	W	74	31	43	4	1	1	4	5	12	8	5	7	6	1	6	5	9
		C	9	5	4							1		3	1	2		1	1
115b	Diseases of buccal cavity and annexa	W	17	7	10	1					1			2	6	1	1	3	2
		C	3	1	2											1	1		1
116	Diseases of esophagus	W	1		1														1
117a	Ulcer of stomach	W	57	20	37									2	5	8	7	15	20
		C	13	7	6									1	1	2	3	3	3
117b	Ulcer of duodenum	W	33	20	13								1		5	8	7	5	7
		C	9	5	4										2	4	2	1	
118	Other diseases of stomach (cancer excepted)	W	124	21	103	27	5	1		3	1	4	1	1	3	2	13	12	50
		C	41	24	17	3									3	5	9	12	9
119	Diarrhea, enteritis (under 2 years of age)	W	746	106	640	521	225												
		C	62	19	43	47	15												
120	Diarrhea, enteritis (2 years and over)	W	211	30	181			62	12	8	17	1	4	1	1	8	5	15	76
		C	23	9	14			1		1		1		1		1	1	5	12
121	Appendicitis	W	341	153	188	1		3	1	3	27	41	52	29	50	44	48	15	26
		C	31	20	11		1		1		1	2		6	6	5	4	4	1
122a	Hernia	W	59	32	27	1									1	8	9	12	28
		C	7	3	4											1	3	2	1
122b	Intestinal obstruction	W	115	32	83	16	3	3	5	1	4	1	2	6	12	16	5	6	35
		C	25	10	15	1						1		1	4	6	3	2	7
123	Other diseases of intestines	W	19	8	11		1					1		2	4	2	2	2	5
		C	4	1	3												2		2
124	Cirrhosis of liver	W	109	43	66	1						1			3	10	20	24	50
		C	13	10	3				1							3	4	1	4
125a	Yellow atrophy of liver	W	9	5	4	1								2	2		2		2
		C	2	2										1			1		
125b	Other diseases of liver	W	32	11	21	2				1			3	2	3	2	1	7	11
		C	5	4	1									1		1	1	1	1
126	Biliary calculi	W	74	36	38									2	4	3	23	16	26
		C	6	1	5											1	1	2	2
127	Other diseases of gall-bladder, biliary passages	W	62	23	39				1						6	6	11	15	23
		C	6	3	3						1				2			2	
128	Diseases of pancreas	W	7	5	2												5		2
129	Peritonitis, cause not specified	W	24	11	13	2				2	1			3	5		3	6	2
		C	11	5	6	2					1			2	1	1	2		2
	X.—Diseases of the genitourinary system	White	2,033	630	1,403	7	8	8	1	3	9	11	23	27	55	79	159	293	1,348
		Colored	456	219	237	5				1	2		3	4	19	49	84	91	197
130	Acute nephritis (including unspecified under 10 years)	W	109	28	81	6	7	7		3	4	1	2	7	9	6	14	12	30
		C	35	14	21	2				1	1				3	8	5	7	8
131	Chronic nephritis	W	1,369	444	925	1	1	1			4	6	11	10	27	45	107	204	951
		C	279	139	140	1					1		1	2	8	21	59	62	124
132	Nephritis, unspecified (10 years and over)	W	299	62	237							3	2	2	4	7	18	46	217
		C	82	33	49								1		3	8	13	16	40
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	63	25	38				1		1	1	1		3	8	10	13	25
		C	9	6	3	1									1	3	1	2	1
134	Calculi of urinary passages	W	19	13	6										1	1	1	3	13
		C	1		1											1			
135	Diseases of bladder (tumors excepted)	W	26	3	23									1	1			2	22
		C	9	3	6										1	1	3		4
136	Diseases of urethra, urinary abscess, etc.	W	2	2														1	1
		C	7	6	1									1	1	4			1
137	Diseases of prostate	W	95	35	60										1		1	8	85
		C	22	9	13											2		2	18
138	Diseases of male genital organs, not specified as venereal	W	2	1	1														2
		C	2	2		1										1			
139a	Cysts of ovary	W	9	5	4										2		3	3	1
		C	2	1	1									1			1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	28	10	18								5	5	7	9	2		
		C	7	5	2								1		2		2	2	
139c	Diseases of uterus	W	11	2	9								2	2		3	2	1	1
		C	1	1															1
139d	Nonpuerperal diseases of breast (cancer excepted)	W	1		1												1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	296	82	214							2	37	75	101	78	3		
		Colored	44	24	20								8	7	17	11	1		
140	Abortion with septic conditions	W	29	11	18									10	12	7			
		C	4	3	1									1	3				
141	Abortion without mention of septic conditions (includes hemorrhages)	W	23	5	18								2	2	11	8			
		C	2	1	1									1			1		
142a	Ectopic gestation, septic conditions specified	W	2	1	1									1	1				
142b	Ectopic gestation, septic conditions not mentioned	W	4	1	3									1	3				
		C	1		1											1			
143	Other accidents of pregnancy (hemorrhage not included)	W	2		2										2				
		C	1		1									1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																		
144a	Placenta praevia	W	9	2	7										4	4	1		
		C	1	1											1				
144b	Other puerperal hemorrhages	W	15	3	12								3	1	2	8	1		
		C	3	2	1										2	1			
145a	Puerperal septicemia and pyemia (abortion excluded)	W	75	18	57							1	11	23	20	19	1		
		C	11	9	2								4	1	5	1			
146	Puerperal albuminuria and eclampsia	W	70	23	47								17	25	14	14			
		C	10	3	7								3	1	1	5			
147	Other toxemias of pregnancy	W	10	3	7								1	3	5	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	5	1	4									2	2	1			
		C	2	1	1										1	1			
149	Other accidents of childbirth	W	50	13	37							1	3	7	24	15			
		C	9	4	5								1	2	4	2			
150	Other and unspecified conditions of puerperal state	W	2	1	1										1	1			
	XII.—Diseases of the skin and cellular tissue	White	42	12	30	6	3	1			3	1		2	3	1	2	3	17
		Colored	1		1											1			
151	Furuncle, carbuncle	W	18	4	14						1			2	1	1	2	1	10
		C	1		1											1			
152	Phlegmon, acute abscess	W	12	4	8	3	2	1			1				2			1	2
153	Other diseases of skin and annexa, and of cellular tissue	W	12	4	8	3	1				1	1						1	5
	XIII.—Diseases of the bones and organs of locomotion	White	26	12	14	1	2	1		1	3	3	3	1	2	2	1	2	4
		Colored	2		2									1			1		
154	Osteomyelitis	W	18	9	9	1	2	1		1	2	3	1		1	1	1	2	2
		C	2		2									1			1		
155	Other diseases of bones (tuberculosis excepted)	W	5	2	3						1		1	1		1			1
156	Diseases of joints, other organs of locomotion	W	3	1	2								1		1				1
	XIV.—Congenital malformations	White	223	56	167	207	8	2	1	2		3							
		Colored	11	8	3	10		1											
157a	Congenital hydrocephalus	W	20	8	12	18	1		1										
		C	1	1		1													
157b	Spina bifida and meningocele	W	17	3	14	15	2												
157c	Congenital malformations of heart	W	122	30	92	115	4	1		1		1							
		C	4	3	1	4													
157d	Other congenital malformations	W	64	15	49	59	1	1		1		2							
		C	6	4	2	5		1											
	XV.—Diseases of early infancy	White	1,298	303	995	1,298													
		Colored	126	59	67	126													
158	Congenital debility	W	162	23	139	162													
		C	19	5	14	19													
159	Premature birth	W	873	210	663	873													
		C	84	42	42	84													
160	Injury at birth	W	173	51	122	173													
		C	16	9	7	16													
161	Other diseases peculiar to early infancy	W	90	19	71	90													
		C	7	3	4	7													
162	XVI.—Senility	White	333	46	287													4	329
		Colored	44	6	38												1	1	41
	XVII.—Violent and accidental deaths	White	2,397	669	1,728	84	40	36	36	27	94	90	152	220	345	302	260	230	478
		Colored	404	181	223	7	6	4	1	2	7	11	23	44	108	70	56	27	37
	Suicide	W	299	101	198							3	9	17	39	49	73	62	47
		C	16	9	7								2	1	4	3	3	2	1
163	By solid or liquid poisons or by absorption of corrosive substances	W	44	15	29								2	3	9	3	14	9	4
		C	1	1									1						
164	By poisonous gas	W	4	3	1											2	1		1
		C	1	1											1				
165	By hanging or strangulation	W	44	10	34							1	1		3	4	9	15	11
		C	1		1											1			
166	By drowning	W	22	8	14							1		1	3	3	7	5	2
		C	2	2											1	1			
167	By firearms	W	162	52	110							1	6	11	23	35	32	31	23
		C	8	2	6								1	1	1	1	1	2	1
168	By cutting or piercing instruments	W	14	7	7										1	1	7	1	4
		C	1	1													1		
169	By jumping from high places	W	7	6	1									1			3	1	2
		C	1	1													1		
171	By other means	W	2		2									1		1			
		C	1	1											1				
	Homicide	W	363	54	309	2					1	4	31	62	98	81	50	20	14
		C	169	88	81			1				1	9	34	58	33	24	7	2
173	By firearms	W	315	39	276							2	26	57	86	71	43	19	11
		C	129	60	69							1	7	29	49	22	15	6	
174	By cutting or piercing instruments	W	21	7	14								3	2	6	4	4	1	1
		C	29	21	8								2	5	8	9	5		
175	By other means	W	27	8	19	2					1	2	2	3	6	6	3		2
		C	11	7	4			1							1	2	4	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
						Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	KENTUCKY—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined	W	1,735	514	1,221	82	40	36	36	27	93	83	112	141	208	172	137	148	417
		C	219	84	135	7	6	3	1	2	7	10	12	9	46	34	29	18	34
176	Attack by venomous animals	W	2		2											1		1	
177	Poisoning by food	W	15	2	13	4	1	2			1	1				2			4
		C	4	1	3								1			1			2
178	Absorption of poisonous gas	W	9	4	5										3	4		1	1
	Supplemental	W	1		1												1		
179	Other acute accidental poisonings (gas excepted)	W	48	17	31	2	3	4	1	3	6		1	1	8	7	8	3	1
		C	7	3	4			2				1			1	2			1
180	Conflagration	W	34	1	33	7	2	2	2	2	5	1		2	1	2	3	2	3
		C	6	1	5										2	1			3
181	Burns (conflagration excepted)	W	159	41	118	8	17	16	16	11	21	9	1	4	7	7	11	7	23
		C	31	17	14	2	1	1	1	1	1	2			2	4	2	4	10
	Supplemental	W	6	1	5								1	3	1	1			
182	Mechanical suffocation	W	34	4	30	34													
		C	5	2	3	3	2												
183	Drowning	W	97	19	78	2	4	1			8	17	16	14	15	7	5	2	6
		C	13	2	11		1				1		4	4		3			
	Supplemental	W	10	2	8						1	1	1	2	1	1	1		2
		C	2	2							1							1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	W	117	26	91	1			2	2	8	8	23	18	21	15	8	7	3
		C	11	7	4								4		6				
185	By cutting or piercing instruments (wounds of war excepted)	W	25	7	18		1		1		3	2		1	5		4	3	5
		C	1	1										1					
	Supplemental	W	3	1	2										1		1	1	
186a	By fall	W	359	135	224	5	2	3	1	1	6	5	8	7	10	20	15	27	249
		C	25	11	14		1					2	1		2	2	2	4	11
	Supplemental	W	42	11	31					1	1	4	2	4	5	5	8	4	8
		C	6	2	4							1			1	1	2	1	
186b	By crushing, landslide	W	8	2	6									1	5	1	1		
		C	1	1												1			
	Supplemental	W	138	41	97	3	1				3	4	10	19	33	22	14	12	17
		C	20	6	14						2	2		1	6	3	5		1
187	Cataclysm	W	10		10			1		1	2	1		1		1			3
188	Injuries by animals	W	12	2	10					1			1		1	2		3	4
190	Excessive cold	W	3		3												1	1	1
		C	1		1														1
191	Excessive heat	W	17	5	12			1	1					1	1	2	2	4	5
		C	3	1	2					1							2		
192	Lightning	W	9	1	8							1	1	1		1	1	2	2
		C	3		3										3				
193	Due to electric currents	W	11	8	3						1		2		3	3	1		1
		C	1		1														1
	Supplemental	W	4		4									3			1		
194a	Foreign bodies	W	15	6	9	4	5	1	1		2	1				1			
		C	2	1	1	1	1												
194b	Other accidents	W	90	20	70	10	3		1	2	4	9	2	3	5	11	13	9	18
		C	10	7	3	1										2	4	2	1
	Supplemental	W	457	158	299	2	1	5	10	3	21	19	43	56	82	56	38	59	61
		C	63	19	44						2	2	2	2	20	14	12	6	3
198	Legal executions	C	4		4									1	3				
	XVIII.—Ill-defined causes of death	White	398	11	387	197	12	7	3	3	4	1	7	4	8	9	20	31	90
		Colored	44	6	38	16	3		1			1			2	3	4	3	11
199	Sudden death	W	29		29	7									1	2	5	2	12
		C	3		3	1									1			1	
200a	Cause of death ill-defined	W	197	5	192	64	9	2	1	2	4		5	2	6	5	10	23	63
		C	20	4	16		3		1			1					4	2	9
200b	Cause of death not specified or unknown	W	172	6	166	126	3	5	2	1		1	2	2	1	2	5	6	15
		C	21	2	19	15									1	3			2
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	W	68	3	65							1	3	15	26	9	8	5	
		C	29	1	28								1	1	10	10	7		
202	Accidents from agricultural machinery	W	5	1	4				1		1					1	1	1	
203	Elevator accidents	W	2	1	1													1	1
205	Other machinery accidents	W	11	2	9		1						2	1	3	1		3	
		C	1		1										1				
206	Railroad and automobile collisions	W	26	4	22				1		1	1	4	7	4	5	2	1	
207	Other railroad accidents	W	101	24	77						1	3	8	15	16	21	7	13	17
		C	19	5	14							3		2	6	3	3	1	1
208	Street car and automobile collisions	W	3	3											1	1			1
209	Other street car accidents	W	4	4														3	1
210	Automobile accidents (primary)	W	403	164	239	3	1	5	8	4	21	18	33	46	72	46	41	46	59
		C	38	19	19						4	2	1		10	5	8	5	3
211	Motorcycle accidents	W	3	1	2								2						1
212	Other land transportation accidents	W	24	3	21	2					1	4	3	1		1	3	3	6
		C	2	2													1	1	
213	Water transportation accidents	W	8	3	5						1	1	1	1			2		2
		C	2	2							1							1	
214	Air transportation accidents	W	3	1	2								1	1	1				

[1] See explanatory footnotes 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA																		
	Total deaths (all causes) White	12,504	6,418	1,239	4,847	1,353	188	109	91	81	238	191	298	382	836	1,098	1,409	1,947	4,258
	Total deaths (all causes) Colored	10,807	4,584	1,165	5,058	1,451	145	102	64	46	183	158	397	618	1,140	1,410	1,677	1,377	2,013
	I.—Infectious and parasitic diseases White	1,854	782	180	892	172	54	37	40	34	73	60	79	111	238	238	208	200	307
	I.—Infectious and parasitic diseases Colored	2,465	1,004	287	1,174	277	51	32	31	18	80	59	168	278	427	403	291	180	163
1	Typhoid fever W	104	47	5	52	2	1	1	1	1	7	7	15	20	24	9	5	7	4
1	Typhoid fever C	130	40	6	84	2	2	2	1		13	12	26	23	25	12	8	4	
2	Paratyphoid fever W	1	1														1		
2	Paratyphoid fever C	1	1																
5	Undulant fever W	2	1		1										1	1			
5	Undulant fever C	1			1									1					
7	Measles W	33	5	1	27	8	7	2	2	1	4	3	1		1	3		1	
7	Measles C	11	1		10	4	2				1		3		1				
8	Scarlet fever W	6	3	1	2				2	1	2	1							
8	Scarlet fever C	2	2											2					
9	Whooping cough W	42	12	4	26	25	6	4	1	2	2	2							
9	Whooping cough C	50	10	4	36	35	7	3	3	1	1								
10	Diphtheria W	97	43	8	46	11	13	14	18	14	23	4							
10	Diphtheria C	47	6	5	36	1	6	6	8	6	17	1		1			1		
11a	Influenza, respiratory complications specified W	465	161	53	251	56	10	6	5	3	8	12	16	27	47	46	53	55	120
11a	Influenza, respiratory complications specified C	362	153	50	159	65	14	4	8	2	15	7	13	20	41	49	41	36	46
11b	Influenza, respiratory complications not specified W	158	36	24	98	17	5	3		3	2	2	4	3	7	14	9	20	69
11b	Influenza, respiratory complications not specified C	166	23	28	115	22	2	7	4	1	6	6	2	6	10	18	17	18	47
13	Dysentery W	39	9	4	26	8		1					1		1	3	5	3	16
13	Dysentery C	37	11	7	19	7						1	2	2	7	5	3	2	8
15	Erysipelas W	9	2	1	6	3									1			1	4
15	Erysipelas C	2	1		1												1		1
16	Acute poliomyelitis, acute polioencephalitis W	7	1	1	5	1	1			1	2		1			1			
16	Acute poliomyelitis, acute polioencephalitis C	4	1	1	2					1		1			2				
17	Lethargic or epidemic encephalitis W	4	2		2									1			2	1	
17	Lethargic or epidemic encephalitis C	4	2		2	1								1		1		1	
18	Epidemic cerebrospinal meningitis W	21	15	2	4	3	2		2	1	2	5	1		1	3	1		
18	Epidemic cerebrospinal meningitis C	9	7		2	1		1			2		2		1	2			
22	Tetanus W	37	24	2	11	11		1	2	1	7	9		1	2			3	
22	Tetanus C	46	21	7	18	22					5	7	3	2	2	1	2		2
	Tuberculosis (all forms) W	592	318	56	218	5	4	1		2	2	5	31	47	134	127	98	76	60
	Tuberculosis (all forms) C	1,005	447	109	449	11	7	2	2	3	10	17	97	188	266	194	119	64	23
23	Respiratory system W	545	292	53	200	2						3	28	42	126	121	95	70	58
23	Respiratory system C	934	405	101	428	7	4		1	3	8	16	91	178	251	181	110	60	22
24	Meninges and central nervous system W	16	14		2	3	3			2	1	1	1	1	2	1		1	
24	Meninges and central nervous system C	7	5		2	1	1		1		1				2		1		
25	Intestines and peritoneum W	12	6		6							1		1	2	1	2	3	2
25	Intestines and peritoneum C	25	14	6	5		1						2	4	6	7	3	1	1
26	Vertebral column W	4	2		2		1				1					2			
26	Vertebral column C	3	2		1	1										1	1		
27a	Bones (vertebral column excepted) W	1	1													1			
27a	Bones (vertebral column excepted) C	1			1													1	
27b	Joints W	2		1	1								1					1	
27b	Joints C	3	2		1									2		1			
28	Skin and subcutaneous cellular tissue C	1			1									1					
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	5	1	1	3			1			1			1		1	1		
30	Genitourinary system W	1			1											1			
31	Other organs W	1			1									1					
31	Other organs C	1			1										1				
32a	Acute disseminated tuberculosis W	9	3	2	4			1					1	2	2	1	1	1	
32a	Acute disseminated tuberculosis C	19	12	1	6	2	1	1					2	2	4	3	2	2	
32b,c	Other disseminated tuberculosis W	1			1										1				
32b,c	Other disseminated tuberculosis C	6	6									1	2		2		1		
33	Leprosy W	14			14							1		2	2	5	2	1	1
33	Leprosy C	7			7									1		2	1	3	
34	Syphilis W	97	65	10	22	12	2			1		1	1	2	5	17	18	22	15
34	Syphilis C	480	250	60	170	100	8	4	1	1	3	1	9	21	56	108	91	46	27
35	Gonococcus infection, other venereal diseases W	9	7		2									1	2	4	1		1
35	Gonococcus infection, other venereal diseases C	16	11	3	2	1							1	3	5	6			
36	Purulent infection, septicemia (nonpuerperal) W	11	7		4	2					1	1		2	1		2		2
36	Purulent infection, septicemia (nonpuerperal) C	5	2		3									1	1		1		2
38	Malaria W	92	18	7	67	7	3	3	4	3	8	7	6	4	6	7	10	10	14
38	Malaria C	64	8	7	49	5	2	1	3	1	6	3	7	6	9	2	6	6	7
39	Other diseases due to protozoal parasites W	1	1														1		
39	Other diseases due to protozoal parasites C	2	1		1									1		1			
40	Ankylostomiasis W	2			2			1					1						
42	Other diseases caused by helminths W	5	1	1	3				3		2								
42	Other diseases caused by helminths C	8	1		7		1	2		2	1	1	1						
43	Mycoses W	4	2		2										1	1	1		1
43	Mycoses C	3	3											1		2			
44	Other infectious and parasitic diseases W	2	1		1	1					1								
44	Other infectious and parasitic diseases C	3	2		1				1			1			1				
	II.—Cancers and other tumors White	1,091	672	74	345	1	1	1	1	1	7	8	7	4	41	107	214	274	422
	II.—Cancers and other tumors Colored	575	302	48	225		1	1		2		2	4	12	43	107	160	127	116
	Cancer and other malignant tumors W	1,044	638	72	334	1	1	1	1	1	5	4	6	2	32	99	207	264	418
	Cancer and other malignant tumors C	530	263	45	222		1	1		2		1	4	9	31	90	153	123	115
(45)	Buccal cavity W	45	34	3	8								1		1		6	12	25
(45)	Buccal cavity C	17	9		8											2	4	3	8
(45)	Pharynx W	17	6	2	9											1	2	8	6
(45)	Pharynx C	5	1	1	3												1	1	3
(46)	Esophagus W	5	4		1											1	1	1	2
(46)	Esophagus C	5	5														2	2	1
(46)	Stomach and duodenum W	188	111	11	66										5	11	35	45	91
(46)	Stomach and duodenum C	115	70	9	36			1					1	3	3	14	29	39	25

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																			
	II.—Cancers and other tumors—Con.																			
	Cancer and other malignant tumors—Continued																			
(46)	Liver and biliary passages	W	87	45	7	35										1	9	11	22	44
		C	25	7	5	13										1	2	4	7	11
(46)	Pancreas	W	31	23		8										1	1	6	13	10
		C	7	6		1												1	3	3
(46)	Other digestive tract and peritoneum	W	116	78	10	28						2				4	7	27	30	46
		C	40	22	5	13											5	16	10	9
47	Respiratory system	W	56	46	4	6										1	5	13	18	19
		C	12	10	1	1											3	4	2	3
48	Uterus	W	144	82	9	53									1	4	32	38	28	40
		C	152	62	13	77								1	1	14	39	53	25	19
49	Other female genital organs	W	28	23	1	4							1				3	7	9	8
		C	10	8		2									1	3	2	2	2	
50	Breast	W	80	43	4	33										2	10	31	16	21
		C	54	20	7	27										5	12	19	9	9
51	Male genitourinary organs	W	88	64	4	20	1			1						4	6	12	26	38
		C	43	22	1	20								1		2	6	10	8	16
52	Skin	W	48	21	2	25										2	3	4	11	28
		C	6	2	1	3											1	1		4
53	Other or unspecified organs	W	111	58	15	38		1	1		1	3	3	5	1	7	10	14	25	40
		C	39	19	2	18		1			2		1	1	4	3	4	7	12	4
54a	Nonmalignant tumors, ovary	W	2	2											1		1			
		C	1	1													1			
54b	Nonmalignant tumors, uterus	W	7	4		3										1	1	3		2
		C	30	26	3	1									1	8	13	5	3	
54d,e	Nonmalignant tumors, other organs	W	9	4	1	4										2	1	1	4	1
		C	4	3		1									1			2	1	
55d,e	Tumors, other organs (nature unspecified)	W	29	24	1	4						2	4	1	1	6	5	3	6	1
		C	10	9		1							1		1	4	3			1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	319	192	27	100	16	1		3		4	4	5	9	11	20	43	84	118
		Colored	287	136	29	122	15	2	2		1	4	5	6	17	35	54	60	44	42
56	Acute rheumatic fever	W	13	5	2	6				1		1	3		1	1		3	1	1
		C	11	1	3	7						1	2		1	1	2	1	1	2
57	Chronic rheumatism, osteoarthritis	W	10	8		2										1	1		4	4
		C	3	1	1	1											1		2	
59	Diabetes mellitus	W	203	129	16	58						1	1	3	2	2	6	33	63	92
		C	95	52	7	36	1						1	2	2	6	11	28	28	16
60	Scurvy	W	1			1						1								
61	Beriberi	W	1			1										1				
62	Pellagra	W	42	19	7	16								2	4	3	3	3	12	15
		C	136	60	16	60				1			2	4	12	22	35	26	12	22
63	Rickets	C	7	3		4	3	2	1			1								
66a	Simple goiter	W	2	1		1										1		1		
66b	Exophthalmic goiter	W	24	18		6									2	2	9	3	3	5
		C	17	13	1	3									2	5	3	5	1	1
(66)	Other diseases of thyroid and parathyroid glands	W	3	1		2	1			1							1			
		C	4	1	1	2	3									1				
67	Diseases of thymus gland	W	13	7	1	5	12	1												
		C	8	3		5	7					1								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	1	1															1	
		C	1			1											1			
69	Other general diseases	W	6	3	1	2	3			1		1								1
		C	5	2		3	1				1	1					1			1
	IV.—Diseases of the blood and blood-making organs	White	73	45	5	23	7	1	3	1	1	3	3	7	2	10	9	6	11	8
		Colored	25	17	1	7	3				1			2	2	1	6	6	3	1
70	Hemorrhagic conditions	W	8	4	1	3	4			1		1		1		1				
		C	4	4			3								1					
71a	Pernicious anemia	W	13	4	2	7		1						1			2	1	4	4
		C	5	4		1								1			1	1	1	1
71b	Other anemias	W	1			1			1											
72a	True leukemias	W	25	18	2	5	3		1			1	2	3	1	2	4	2	4	1
		C	9	3	1	5					1					1	4	2	1	
72b	Pseudoleukemias (Hodgkin's disease)	W	12	9		3								2	1	4	1	2	1	1
		C	5	4		1								1	1		1	2		
73	Diseases of spleen	W	12	8		4			1			1	1			3	1	1	2	2
		C	2	2														1	1	
74	Other diseases of blood and blood-making organs	W	2	2							1						1			
	V.—Chronic poisonings and intoxications	White	20	11	4	5									2	6	4	4	4	
		Colored	10	4	3	3						1		2		1	1	4		1
75	Alcoholism (acute or chronic)	W	17	8	4	5									2	5	3	4	3	
		C	8	2	3	3								2		1	1	3		1
76	Chronic poisoning by other organic substances	W	2	2												1			1	
77a	Chronic lead poisoning	C	1	1														1		
77b,c	Other chronic poisoning by mineral substances	W	1	1													1			
		C	1	1								1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	White 966	468	130	368	14	9	6	4	4	9	11	11	10	33	80	104	196	475
		Colored 799	288	118	393	22	7	4	1	1	6	6	6	19	43	93	193	166	231
78	Encephalitis (nonepidemic)	W 29	16	3	10	2	1	1	------	1	2	1	1	------	4	7	3	3	3
		C 11	7	1	3	------	------	1	------	------	1	1	------	1	------	4	2	------	1
79a	Simple meningitis	W 19	13	1	5	3	3	3	------	------	1	------	2	1	1	2	1	------	2
		C 19	15	1	3	6	2	3	1	------	1	2	1	------	3	------	------	------	------
79b	Nonepidemic cerebrospinal meningitis	W 4	1	------	3	------	1	------	2	------	------	1	------	------	------	------	------	------	------
		C 3	------	------	3	1	------	------	------	------	1	------	------	------	1	------	------	------	------
80	Progressive locomotor ataxia (tabes dorsalis)	W 8	7	1	------	------	------	------	------	------	------	------	------	------	------	------	2	3	3
		C 5	------	------	5	------	------	------	------	------	------	------	------	------	1	------	2	1	1
81	Other diseases of spinal cord	W 16	9	4	3	1	------	------	------	------	------	------	1	------	1	2	1	2	8
		C 10	5	1	4	------	------	------	------	------	------	1	------	2	3	------	2	2	------
82a	Cerebral hemorrhage	W 703	328	85	290	------	------	------	1	1	------	4	------	------	8	50	75	157	407
		C 574	205	68	301	1	1	------	------	------	------	------	3	5	19	62	147	133	202
82b	Cerebral embolism and thrombosis	W 30	21	3	6	------	------	------	------	------	------	1	1	1	2	6	4	5	10
		C 23	15	------	8	------	------	------	------	------	------	------	------	------	1	2	5	8	7
82c	Softening of brain	W 6	6	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	4
		C 4	3	------	1	------	------	------	------	------	------	------	------	------	------	1	1	1	1
82d	Hemiplegia and other paralysis, cause unspecified	W 30	12	2	16	------	------	------	------	------	1	1	------	------	2	------	------	4	22
		C 36	14	4	18	------	------	------	------	------	------	------	------	1	2	4	9	8	12
83	General paralysis of insane	W 30	10	15	5	------	------	------	------	------	------	------	------	------	3	5	7	9	6
		C 54	11	29	14	------	------	------	------	------	------	------	------	5	5	15	19	9	1
84	Dementia praecox and other psychoses	W 7	2	1	4	------	------	------	------	------	------	------	1	------	2	2	1	1	------
		C 7	------	2	5	------	------	------	------	------	------	------	------	1	2	1	2	------	1
85	Epilepsy	W 31	9	9	13	------	------	------	------	------	2	1	4	4	8	4	5	2	1
		C 22	4	6	12	------	------	------	------	------	1	1	2	3	4	4	3	2	2
86	Convulsions (under 5 years of age)	W 1	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------
		C 12	------	3	9	10	2	------	------	------	------	------	------	------	------	------	------	------	------
87	Other diseases of nervous system	W 16	5	3	8	------	1	------	------	------	------	------	1	------	------	1	2	7	4
		C 9	3	2	4	------	------	------	------	1	1	1	------	------	2	------	1	2	1
88	Diseases of organs of vision	W 1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
89a	Diseases of ear	W 23	19	2	2	8	3	2	------	1	2	1	------	------	2	------	1	1	2
		C 9	5	1	3	4	2	------	------	------	1	------	------	1	------	------	------	------	1
89b	Diseases of mastoid process	W 12	8	1	3	------	------	------	------	1	1	1	------	4	------	1	1	1	2
		C 1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
	VII.—Diseases of the circulatory system	White 2,485	1,408	247	830	7	3	4	1	------	6	11	9	8	43	131	297	546	1,416
		Colored 1,932	870	235	827	1	------	------	1	1	6	9	12	29	141	226	432	401	670
90	Pericarditis	W 6	3	------	3	1	------	------	------	------	------	------	------	------	1	------	1	1	2
		C 5	3	------	2	------	------	------	------	------	------	------	------	------	------	1	2	------	2
91a	Acute endocarditis	W 36	26	------	10	1	------	------	------	------	2	1	1	2	3	6	7	7	6
		C 26	16	2	8	------	------	------	------	------	2	------	2	1	5	6	5	5	------
91b	Endocarditis, unspecified (under 45 years)	W 3	------	1	2	------	------	------	------	------	1	1	------	------	1	------	------	------	------
		C 15	8	3	4	------	------	------	------	------	------	------	1	2	5	7	------	------	------
92a	Endocarditis, specified as chronic, and other valvular diseases	W 512	246	52	214	1	------	------	1	------	1	4	4	3	4	21	45	90	338
		C 620	196	72	352	------	------	------	------	------	------	4	3	13	32	72	131	131	231
92b	Endocarditis, unspecified (45 years and over)	W 63	27	7	29	------	------	------	------	------	------	------	------	------	------	------	5	21	37
		C 52	20	7	25	------	------	------	------	------	------	------	------	------	------	------	16	17	19
93a	Acute myocarditis	W 28	12	3	13	1	------	------	------	------	1	------	------	------	1	2	2	9	12
		C 44	33	4	7	------	------	------	------	1	------	------	2	2	5	5	14	7	8
93b	Myocarditis, unspecified (under 45 years)	W 18	10	5	3	------	------	------	------	------	------	1	------	------	5	12	------	------	------
		C 22	12	5	5	------	------	------	1	------	------	------	------	2	10	9	------	------	------
93c	Chronic myocarditis and myocardial degeneration	W 547	360	58	129	------	2	------	------	------	------	------	1	------	13	18	46	128	339
		C 311	166	42	103	------	------	------	------	------	1	------	------	2	14	32	75	62	125
93d	Other diseases of myocardium	W 296	165	24	107	------	------	------	------	------	------	------	------	------	------	1	41	68	186
		C 153	68	22	63	------	------	------	------	------	------	------	------	1	3	38	41	70	------
94a	Angina pectoris	W 260	151	26	83	------	------	------	------	------	------	------	------	1	2	23	56	72	105
		C 108	60	14	34	------	------	------	------	------	------	------	------	------	13	16	27	29	23
94b	Diseases of coronary arteries	W 99	66	10	23	------	------	------	------	------	------	------	------	------	------	13	18	24	44
		C 22	12	6	4	------	------	------	------	------	------	------	------	------	4	4	7	5	2
95a	Functional diseases of heart	W 8	6	1	1	------	------	------	------	------	------	------	------	------	------	------	1	1	6
		C 3	1	1	1	------	------	------	------	------	------	------	------	------	1	------	------	1	1
95b	Other and unspecified diseases of heart	W 464	261	38	165	1	1	2	------	------	1	3	3	1	10	31	64	95	250
		C 405	215	36	154	1	------	------	------	------	1	4	4	4	44	60	91	76	120
96	Aneurysm (except of heart)	W 20	14	2	4	------	------	1	------	------	------	------	------	------	1	4	3	6	5
		C 31	23	2	6	------	------	------	------	------	------	------	------	1	5	8	11	4	2
97	Arteriosclerosis (coronary arteries excepted)	W 90	40	16	34	------	------	------	------	------	------	------	------	------	1	------	1	16	72
		C 66	18	16	32	------	------	------	------	------	------	------	------	1	1	------	4	12	48
98	Gangrene	W 7	3	------	4	1	------	------	------	------	------	1	------	------	------	------	1	1	3
		C 15	5	1	9	------	------	------	------	------	1	------	------	------	------	------	1	3	10
99	Other diseases of the arteries	W 10	9	1	------	------	------	------	------	------	------	------	------	------	------	------	2	3	5
		C 8	7	------	1	------	------	------	------	------	------	------	------	------	1	1	2	2	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 6	6	------	------	------	------	------	------	------	------	------	------	1	1	------	2	1	1
		C 4	3	------	1	------	------	------	------	------	------	1	------	------	------	------	1	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	W 2	1	------	1	------	------	1	------	------	------	------	------	------	------	------	------	------	1
		C 4	2	2	------	------	------	------	------	------	1	------	------	1	1	------	------	1	------
102	Idiopathic anomalies of blood-pressure	W 8	1	2	5	------	------	------	------	------	------	------	------	------	------	------	1	3	4
		C 16	1	------	15	------	------	------	------	------	------	------	------	------	------	1	7	2	6
103	Other diseases of circulatory system	W 2	1	1	------	1	------	------	------	------	------	------	------	------	------	------	1	------	------
		C 2	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	2	------
	VIII.—Diseases of the respiratory system	White 976	455	108	413	215	40	18	11	9	33	12	13	34	76	88	88	94	244
		Colored 886	408	88	390	222	39	32	13	7	14	13	34	49	84	114	104	76	85
104a	Diseases of nasal fossae	C 4	------	------	4	4	------	------	------	------	------	------	------	------	------	------	------	------	------
104b	Diseases of nasal fossae and annexae	W 4	4	------	------	------	------	------	------	------	------	------	1	1	2	------	------	------	------
		C 6	3	------	3	------	------	------	------	1	------	1	------	1	1	------	------	2	------
105	Diseases of larynx	W 3	1	1	1	------	------	------	------	------	1	------	------	------	------	------	2	------	------
		C 2	------	------	2	1	------	------	------	------	------	------	1	------	------	------	------	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																			
	VIII.—Diseases of the respiratory system—Continued																			
106a	Acute bronchitis	W	9	4	1	4	3												2	4
		C	12	3	1	8	8	1								1	1			1
106b	Chronic bronchitis	W	20	7	3	10	2										1		2	15
		C	2			2												1	1	
106c,d	Bronchitis, unspecified	W	9	5	2	2	3										1			5
		C	6	2	1	3	3	1								1		1		
107a	Bronchopneumonia	W	382	198	46	138	136	26	11	5	7	8		4	8	24	24	24	19	86
		C	333	175	29	129	140	25	17	6	4	6	5	7	12	20	29	20	15	27
107b	Capillary bronchitis	W	4	1		3	1	1			1								1	
		C	11	1	4	6	8	1					1					1		
108	Lobar pneumonia	W	403	165	45	193	52	10	5	4	1	16	7	6	23	40	44	52	46	96
		C	393	181	41	171	28	8	11	3	1	6	5	23	33	52	72	64	45	42
109	Pneumonia, unspecified	W	50	9	6	35	8	1	1	1		2	4	1	1	3	7	5	7	9
		C	63	9	7	47	25	2	2	4	1	2		3		1	5	9	3	6
110	Pleurisy	W	36	25	1	10	5	1		1		4	1		1	5	5	2	8	3
		C	27	14	4	9	3						1		3	4	3	1	6	6
111a	Pulmonary embolism and thrombosis	W	4	3		1			1					1			2			
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	21	12	3	6	1										1		1	18
		C	4	3		1	1											1	1	1
112	Asthma	W	19	13		6	2	1								1	1	2	5	7
		C	15	10	1	4		1								3	2	5	2	2
113	Pulmonary emphysema	W	3	1		2												1	1	1
114	Other diseases of respiratory system (tuberculosis excepted)	W	9	7		2	2					2				1	2		2	
		C	8	7		1	1		2							1	2	1	1	
	IX.—Diseases of the digestive system	White	907	498	79	330	156	35	13	5	7	39	27	37	33	67	74	140	124	149
		Colored	640	282	59	299	158	29	13	6	6	21	12	21	27	64	90	78	67	48
115a	Diseases of pharynx, tonsils	W	35	21	2	12	2	1	1	1	2	7	2	3	5	2	1	3	3	2
		C	22	11	3	8	1	1		1	1	2	2	1	2	5	4	2		
115b	Diseases of buccal cavity and annexa	W	8	6		2	1					1			1	2				3
		C	9	4	1	4	1									2	3	2		1
117a	Ulcer of stomach	W	47	29	4	14									1	4	8	19	8	7
		C	37	18	4	15			1					1	6	2	8	11	6	2
117b	Ulcer of duodenum	W	19	17	1	1								1		2	1	9	5	1
		C	5	5												1	2		2	
118	Other diseases of stomach (cancer excepted)	W	37	6	3	28	9	1						1	2	2	3	4	6	9
		C	54	12	11	31	8	4			1	3	1		3	5	10	5	10	4
119	Diarrhea, enteritis (under 2 years of age)	W	150	31	18	101	121	29												
		C	161	47	15	99	137	24												
120	Diarrhea, enteritis (2 years and over)	W	59	17	7	35			10	3		5	1		1	3	3	3	6	24
		C	62	11	6	45			9	3	3	5	2	1	2	4	7	7	10	9
121	Appendicitis	W	204	152	25	27		1	1		4	20	21	27	16	26	24	30	23	11
		C	82	60	4	18	1		1	1		5	4	8	9	17	16	14	4	.2
122a	Hernia	W	48	35	2	11										2	4	7	17	18
		C	25	15		10	3							1		3	2	4	6	6
122b	Intestinal obstruction	W	104	61	9	34	21	3			1	4	1	3	1	8	8	16	17	21
		C	68	40	6	22	7		2	1		5	1	2	1	8	12	13	9	7
123	Other diseases of intestines	W	6	3	1	2								1			2		1	2
		C	13	5	1	7									1	2	2	1	5	2
124	Cirrhosis of liver	W	104	60	5	39						2	1		3	7	12	30	20	28
		C	60	30	3	27					1		1	2		8	17	10	9	12
125a	Yellow atrophy of liver	W	2	1		1												1	1	
		C	5	4		1								1	1	2	1			
125b	Other diseases of liver	W	12	8		4	1			1			1		1	1		1	3	3
		C	17	9	2	6						1		2		1	1	6	4	2
126	Biliary calculi	W	23	18	1	4										3	3	7	3	7
		C	1	1													1			
127	Other diseases of gall-bladder, biliary passages	W	36	21	1	14	1									5	5	8	8	9
		C	7	4	2	1							1	1	2	1	2			
128	Diseases of pancreas	W	7	7											1			1	2	3
		C	2	1		1												1	1	
129	Peritonitis, cause not specified	W	6	5		1				1				1	1			1	1	1
		C	10	5	1	4								1		3	2	2	1	1
	X.—Diseases of the genitourinary system	White	1,395	783	129	483	1	3	2	1	2	5	2	13	18	52	96	164	269	765
		Colored	1,149	539	97	513	9		1	4		4	5	13	15	83	139	230	250	392
130	Acute nephritis (including unspecified under 10 years)	W	49	19	6	24		2	1	1	1	2		2	1	5	7	5	10	12
		C	70	35	4	31	5		1	3		3	2	7	3	7	9	12	13	5
131	Chronic nephritis	W	1,053	604	96	353		1			1	1	1	6	10	19	60	127	215	610
		C	806	372	76	358						1	1	2	9	44	89	175	185	298
132	Nephritis, unspecified (10 years and over)	W	119	41	16	62								1	4	3	11	18	23	59
		C	125	40	8	77							2	1		9	14	23	26	49
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	48	33	4	11	1		1			2	1	1		8	8	5	7	14
		C	27	16	1	10	2			1				1	1	3	6	3	4	6
134	Calculi of urinary passages	W	16	13		3										2		1	2	11
		C	6	4		2											1		5	
135	Diseases of bladder (tumors excepted)	W	9	7		2											1	2	1	5
		C	12	5	1	6	1									3	1		4	3
136	Diseases of urethra, urinary abscess; etc	W	3	2		1											1	1		1
		C	22	19	1	2									1	5	8	4	1	3
137	Diseases of prostate	W	60	36	5	19												1	9	50
		C	48	27	4	17										1	1	6	12	27
138	Diseases of male genital organs, not specified as venereal	C	3	3			1											2		
139a	Cysts of ovary	W	6	5		1										1	1	2		2
		C	4	3		1										3	1			
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	22	16	1	5								2	2	10	6	1	1	
		C	21	12	2	7								2	1	7	8	3		
139c	Diseases of uterus	W	10	7	1	2								1	1	4	1	1	1	2
		C	5	3		2										1	1	2		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—White	180	86	24	70							1	28	35	69	46	1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Colored	170	76	12	82							1	42	42	50	32	3		
140	Abortion with septic conditions—W	22	13	1	8								1	5	9	7			
	Abortion with septic conditions—C	21	8	2	11								3	4	12	2			
141	Abortion without mention of septic conditions (includes hemorrhages)—W	11	3	4	4									2	6	3			
	Abortion without mention of septic conditions (includes hemorrhages)—C	5	1	1	3								1	1	3				
142a	Ectopic gestation, septic conditions specified—W	1			1										1				
	Ectopic gestation, septic conditions specified—C	3	1	1	1									1	2				
142b	Ectopic gestation, septic conditions not mentioned—W	4	3	1										1	3				
	Ectopic gestation, septic conditions not mentioned—C	2	2													2			
143	Other accidents of pregnancy (hemorrhage not included)—C	2	1		1											2			
144a	Placenta praevia—W	7	3	1	3										3	4			
	Placenta praevia—C	4	2		2									1		3			
144b	Other puerperal hemorrhages—W	20	9	3	8								2	2	10	6			
	Other puerperal hemorrhages—C	12	7	1	4								1	2	4	4	1		
145a	Puerperal septicemia and pyemia (abortion excluded)—W	43	26	6	11								9	10	12	11	1		
	Puerperal septicemia and pyemia (abortion excluded)—C	51	28	3	20								12	15	14	9	1		
146	Puerperal albuminuria and eclampsia—W	41	18	2	21							1	10	7	17	6			
	Puerperal albuminuria and eclampsia—C	45	18	3	24								17	13	10	5			
147	Other toxemias of pregnancy—W	9	7		2								3	1	2	3			
	Other toxemias of pregnancy—C	8	7	1								1	2	3	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	4		2	2									2		2			
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—C	1			1												1		
149	Other accidents of childbirth—W	16	4	3	9								3	5	5	3			
	Other accidents of childbirth—C	15	1		14								5	2	4	4			
150	Other and unspecified conditions of puerperal state—W	2		1	1										1	1			
	Other and unspecified conditions of puerperal state—C	1			1								1						
	XII.—Diseases of the skin and cellular tissue—White	29	20	3	6	4		1			1	2	2	5	1	1	3	6	3
	XII.—Diseases of the skin and cellular tissue—Colored	15	9	1	5										3	4	3	2	3
151	Furuncle, carbuncle—W	14	9	1	4	1					1	1		3			3	4	1
	Furuncle, carbuncle—C	5	3		2										2		2	1	
152	Phlegmon, acute abscess—W	7	6	1		1		1					1	2		1		1	
	Phlegmon, acute abscess—C	4	4												1	3			
153	Other diseases of skin and annexa, and of cellular tissue—W	8	5	1	2	2						1	1		1			1	2
	Other diseases of skin and annexa, and of cellular tissue—C	6	2	1	3											1	1	1	3
	XIII.—Diseases of the bones and organs of locomotion—White	18	13	1	4		2	1	2	1	2	2	1	2	1	1	1	1	1
	XIII.—Diseases of the bones and organs of locomotion—Colored	12	8		4	1					2	2	2	2			2		1
154	Osteomyelitis—W	13	10	1	2		2	1	2	1	1	1	1	1	1	1	1		
	Osteomyelitis—C	8	5		3	1					1	2	1	2			1		
155	Other diseases of bones (tuberculosis excepted)—W	1			1							1							
	Other diseases of bones (tuberculosis excepted)—C	2	1		1								1						1
156	Diseases of joints, other organs of locomotion—W	4	3		1						1			1				1	1
	Diseases of joints, other organs of locomotion—C	2	2								1						1		
	XIV.—Congenital malformations—White	129	59	11	59	105	10	1	2		5	4	2						
	XIV.—Congenital malformations—Colored	55	15	6	34	48		2		2	1		1	1					
157a	Congenital hydrocephalus—W	14	7		7	8	3		2			1							
	Congenital hydrocephalus—C	9	4	1	4	6				2	1								
157b	Spina bifida and meningocele—W	17	11	3	3	16	1												
	Spina bifida and meningocele—C	3	2		1	3													
157c	Congenital malformations of heart—W	59	20	6	33	45	5	1			3	3	2						
	Congenital malformations of heart—C	25	6	4	15	21		2					1	1					
157d	Other congenital malformations—W	39	21	2	16	36	1				2								
	Other congenital malformations—C	18	3	1	14	18													
	XV.—Diseases of early infancy—White	588	281	57	250	588													
	XV.—Diseases of early infancy—Colored	518	232	47	239	518													
158	Congenital debility—W	32	9	4	19	32													
	Congenital debility—C	67	20	6	41	67													
159	Premature birth—W	367	164	39	164	367													
	Premature birth—C	322	151	27	144	322													
160	Injury at birth—W	137	79	11	47	137													
	Injury at birth—C	70	33	9	28	70													
161	Other diseases peculiar to early infancy—W	52	29	3	20	52													
	Other diseases peculiar to early infancy—C	59	28	5	26	59													
162	XVI.—Senility—White	143	38	18	87													1	142
	XVI.—Senility—Colored	183	25	15	143													2	179
	XVII.—Violent and accidental deaths—White	1,198	593	126	479	17	26	22	19	21	49	44	84	106	187	197	126	119	170
	XVII.—Violent and accidental deaths—Colored	807	350	82	375	31	11	12	8	6	37	42	78	119	149	124	89	41	54
	Suicide—W	207	120	24	63								12	18	43	48	38	28	20
	Suicide—C	19	8		11									1	4	4	8	2	
163	By solid or liquid poisons or by absorption of corrosive substances—W	50	36	3	11								3	9	13	9	5	8	3
	By solid or liquid poisons or by absorption of corrosive substances—C	4	4												2		1	1	
164	By poisonous gas—W	2	1	1													1		1
165	By hanging or strangulation—W	8	3	1	4										2	1		3	2
166	By drowning—W	10	5	1	4									1	1	2		3	3
	By drowning—C	3	1		2										1	1	1		
167	By firearms—W	127	67	18	42								9	7	25	34	29	12	11
	By firearms—C	10	1		9									1	1	2	5	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																			
	XVII.—Violent and accidental deaths—Continued																			
	Suicide—Continued																			
168	By cutting or piercing instruments	W	6	5		1									1	1	1	2	1	
		C	2	2													1	1		
169	By jumping from high places	W	2	2														1	1	
171	By other means	W	2	1		1										1	1			
	Homicide	W	137	52	9	76						1	2	5	18	27	42	23	13	4
		C	264	139	26	99	1						2	24	61	83	56	23	8	3
173	By firearms	W	106	38	4	64								4	14	19	33	23	9	2
		C	184	93	20	71							1	17	42	57	41	17	4	3
174	By cutting or piercing instruments	W	10	6	3	1								1	1	2	4		1	1
		C	53	28	4	21							1	4	16	15	10	6	1	
175	By other means	W	21	8	2	11						1	2		3	6	5		3	1
		C	27	18	2	7	1							3	3	11	5		3	
	Accidental, other, or undefined	W	854	421	93	340	17	26	22	19	21	48	42	67	70	117	107	65	78	146
		C	524	203	56	265	30	11	12	8	6	37	40	54	57	62	64	58	31	51
176	Attack by venomous animals	W	2		1	1				1		1								
		C	1			1							1							
177	Poisoning by food	W	14	4		10	4	2	1	1		1				1	2			2
		C	15	2	3	10	3		1					1			2	4	2	2
178	Absorption of poisonous gas	W	5		2	3								1	1		1	2		
		C	2	2			1										1			
	Supplemental	W	1	1												1				
179	Other acute accidental poisonings (gas excepted)	W	15	8	4	3		3	3		1					4	2			2
		C	8	4		4		3	2	2						1				
180	Conflagration	W	20	4	3	13	1	1	2	2	1	1	2	1	2		4			2
		C	15	6	1	8		1	1			1		1		1	2	4	1	3
181	Burns (conflagration excepted)	W	74	50	5	19	3	9	6	4	3	7	4	2	5	12	7	3	4	5
		C	62	36	4	22	2	6	6	2	3	10	4	5	1	5	2	5	5	6
	Supplemental	W	20	9	3	8								2	5	5	3	3	1	
		C	2			2										1	1			
182	Mechanical suffocation	W	2			2	1											1		
		C	10	1	1	8	10													
183	Drowning	W	68	28	4	36		3	2	2	1	7	8	7	7	8	10	5	3	2
		C	82	31	6	45			1			5	16	19	15	9	10	2	5	
	Supplemental	W	57	6	8	43			2		1	4	2	5	8	12	11	4	8	
		C	34	3	5	26	1					3	4	2	9	7	3	3	2	
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	43	21	3	19				1	2	1	7	6	6	4	7	3	4	2
		C	29	10	4	15						3	2	7	6	5	5	1		
185	By cutting or piercing instruments (wounds of war excepted)	W	4	2		2						1	1					1	1	
		C	6	2		4									1		4			1
	Supplemental	W	1			1									1					
		C	1	1														1		
186a	By fall	W	120	79	13	28	1					4	3	5		3	8	6	14	76
		C	29	13	6	10	7					3			2	2	3	3	1	8
	Supplemental	W	22	11	2	9						1	1	3	2	4	4	3	3	1
		C	13	2	4	7						1		1	2	3	3	2	1	
186b	By crushing, landslide	W	7	6		1						1	1	2		1	1			1
		C	1		1									1						
	Supplemental	W	99	54	13	32			2	1	1	2	2	11	8	22	14	13	10	11
		C	51	21	5	25					1		5	6	6	7	11	9	1	4
187	Catacylsm	C	1	1												1				
188	Injuries by animals	W	6	2		4		1	1		1				1				1	1
		C	8	1	1	6						1		1		1		2	2	1
189	Hunger and thirst	W	2	2				1												1
		C	1	1																1
190	Excessive cold	W	3		1	2										1			1	1
		C	5			5										1	1			3
191	Excessive heat	W	20	14	2	4			1						1	3	3	1	2	9
		C	11	4		7	1			1							1	3	2	3
192	Lightning	W	7	1		6							1	2		2	1		1	
		C	6		1	5								2	1	3				
193	Due to electric currents	W	12	6	1	5									1	6	3	1	1	
		C	3	1	1	1									1		2			
194a	Foreign bodies	W	12	8	1	3	3	4		1	2	1								1
		C	4	3		1	1	1	1	1										
194b	Other accidents	W	29	12	3	14	4				1	2	1	3	2	1	6	4	2	2
		C	29	11	2	16	3				2		1	1	1	6	3	5	1	5
	Supplemental	W	184	88	24	72		2	2	6	7	14	9	17	18	26	19	15	21	27
		C	87	43	8	36	1			2		10	7	7	9	6	8	14	8	14
198	Legal executions	W	5	5											2	1	1		1	
		C	8	4	3	1									3	3	2			
	XVIII.—Ill-defined causes of death	White	133	14	16	103	50	3		1	1	2			3	1	6	10	18	38
		Colored	279	19	37	223	146	5	3		1	7	2	6	6	16	17	22	18	27
199	Sudden death	W	35	4	7	24	5										3	5	10	12
		C	44	9	4	31	13	2	1						2	5	5	8	3	5
200a	Cause of death ill-defined	W	33	7	4	22	6	1							2		2	5	6	11
		C	54	8	4	42	19	2	1			1	1	2		7	3	3	7	7
200b	Cause of death not specified or unknown	W	65	3	5	57	39	2		1	1	2			1	1	1		2	15
		C	181	2	29	150	114	1	1		1	6	1	4	4	4	9	11	8	15
Punch symbol	SUPPLEMENTAL[1]																			
202	Accidents from agricultural machinery	W	2			2								1		1				
203	Elevator accidents	W	2	2									1		1					
204	Accidents from machinery used for recreation	W	1	1									1							

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	LOUISIANA—Continued																		
Punch symbol	SUPPLEMENTAL [1]—continued																		
205	Other machinery accidents W	16	9	2	5						2			1	7	3	1	2	
	C	2	1	1											1	1			
206	Railroad and automobile collisions W	9	3	4	2								1	1	1	1	2	3	
	C	2	1	1													2		
207	Other railroad accidents W	40	19	6	15							1	8	1	7	7	5	4	6
	C	28	14	3	11							1	4	3	2	6	5	2	5
208	Street car and automobile collisions W	2	1		1												2		
09	Other street car accidents W	4	4					1							1	1		1	
210	Automobile accidents (primary) W	229	110	32	87		2	3	7	8	13	7	22	24	38	27	23	22	32
	C	112	49	13	50	1			2	1	11	9	10	13	13	16	18	6	10
211	Motorcycle accidents W	1	1											1					
	C	1			1												1		
212	Other land transportation accidents W	12	5		7						2	2		1	1		2	2	1
	C	13	2	2	9						1	2		1	1	2	2	1	3
213	Water transportation accidents W	62	13	6	43			2		1	4	2	6	11	11	12	3	9	
	C	30	3	2	25	1					2	4	2	9	7	1	2	2	
214	Air transportation accidents W	4	1		3									1	3				
	MAINE																		
	Total deaths (all causes)	10,719	3,498	1,322	5,899	1,017	117	52	38	30	125	111	155	190	378	512	880	1,508	5,605
	I.—Infectious and parasitic diseases	812	272	128	412	61	33	21	10	5	33	28	49	58	101	95	88	75	155
1	Typhoid fever	20	5	4	11			1			1	2	2	1	3	3	3	3	1
5	Undulant fever	1			1														1
7	Measles	53	21	5	27	16	10	1	1	3	8	1	2		1	2	5		3
8	Scarlet fever	17	10		7		1	1	2	1	10	1	1						
9	Whooping cough	16	10	1	5	12	2		1						1				
10	Diphtheria	17	8	1	8		2	4	2	1	2	4			1		1		
11a	Influenza, respiratory complications specified	124	29	17	78	12	8	1			1	3	3	1	4	8	9	19	55
11b	Influenza, respiratory complications not specified	82	22	12	48	8	6	4	1		1	2	4	2	2	4	1	7	40
13	Dysentery	6	2	1	3	2		1											3
15	Erysipelas	12	4	1	7			1				1			1	1			8
16	Acute poliomyelitis, acute polioencephalitis	7			7	1			1		2	2		1					
17	Lethargic or epidemic encephalitis	5	2		3								1	1		2	1		
18	Epidemic cerebrospinal meningitis	10	3		7	2		3	1			1			2	1			
22	Tetanus	1			1								1						
	Tuberculosis (all forms)	385	124	77	184	5	3	4	1		7	9	34	49	76	63	56	39	39
23	Respiratory system	310	98	60	152		1				3	4	24	39	70	53	45	35	36
24	Meninges and central nervous system	21	4	5	12	4	2	3	1		3	2	1	1	2	1	1		
25	Intestines and peritoneum	19	9	4	6								4	3	1	3	7	1	
26	Vertebral column	9	3	2	4			1				2	2			1	1	1	1
27a	Bones (vertebral column excepted)	3	1	1	1									1		1	1		
27b	Joints	4	1	1	2						1			2					1
28	Skin and subcutaneous cellular tissue	1			1														1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1							1							
30	Genitourinary system	6	3		3								1	1	2	1		1	
31	Other organs	1		1												1			
32a	Acute disseminated tuberculosis	8	4	2	2	1							2	1	1	2	1		
32b,c	Other disseminated tuberculosis	2	1	1										1				1	
34	Syphilis	39	22	6	11	3	1				1	1			6	8	11	6	2
35	Gonococcus infection and other venereal diseases	11	6	3	2								1	2	4	3			1
36	Purulent infection, septicemia (non-puerperal)	6	4		2							1		1			1	1	2
	II.—Cancers and other tumors	1,218	397	153	668						1	3	2	5	21	64	182	261	679
	Cancer and other malignant tumors	1,180	375	151	654						1	2	1	4	18	58	168	255	673
(45)	Buccal cavity	35	9	6	20											1	4	5	25
(45)	Pharynx	6	2	1	3													1	5
(46)	Esophagus	17	4	4	9											1	1	4	11
(46)	Stomach and duodenum	240	62	30	148										3	4	25	46	162
(46)	Liver and biliary passages	112	25	15	72											3	13	29	67
(46)	Pancreas	17	9	1	7										1	1	1	5	9
(46)	Other digestive tract and peritoneum	249	92	32	125										5	16	28	55	145
47	Respiratory system	31	12	6	13										1	5	5	5	15
48	Uterus	139	48	16	75									1	4	14	40	31	49
49	Other female genital organs	20	9	6	5											2	3	6	9
50	Breast	116	28	12	76										2	3	27	36	48
51	Male genitourinary organs	84	34	10	40									1	1	3	7	11	61
52	Skin	27	9		18								1				1	5	20
53	Other or unspecified organs	87	32	12	43						1	2		2	1	5	13	16	47
54a	Nonmalignant tumors, ovary	3	2		1									1	1		1		
54b	Nonmalignant tumors, uterus	21	14	2	5										1	4	9	4	3
54d,e	Nonmalignant tumors, other organs	5	2		3								1				3		1
55d,e	Tumors, other organs (nature unspecified)	9	4		5							1			1	2	1	2	2

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	317	116	38	163	17	3	------	1	------	2	5	6	1	13	16	21	75	157
56	Acute rheumatic fever	7	2	------	5	------	------	------	------	------	------	2	1	------	1	------	1	------	2
57	Chronic rheumatism, osteoarthritis	20	4	1	15	------	------	------	------	------	------	------	------	------	1	1	1	6	11
59	Diabetes mellitus	239	90	32	117	------	------	------	------	------	------	3	4	1	8	9	15	63	136
60	Scurvy	1	------	------	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------
62	Pellagra	5	2	------	3	------	------	------	------	------	------	------	------	------	------	2	1	2	------
63	Rickets	2	------	------	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------
65	Diseases of pituitary body	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
66a	Simple goiter	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------
66b	Exophthalmic goiter	8	5	------	3	------	------	------	------	------	------	------	------	------	1	3	1	2	1
(66)	Other diseases of thyroid and parathyroid glands	5	3	------	2	------	------	------	------	------	2	------	------	------	------	------	1	------	2
67	Diseases of thymus gland	17	5	5	7	15	1	------	1	------	------	------	------	------	------	------	------	------	------
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	7	2	------	5	------	------	------	------	------	------	------	1	------	2	1	------	1	2
69	Other general diseases	4	2	------	2	1	------	------	------	------	------	------	------	------	------	------	------	1	2
	IV.—Diseases of the blood and blood-making organs	97	41	8	48	13	------	------	1	2	5	3	1	3	3	6	11	22	27
70	Hemorrhagic conditions	15	8	2	5	10	------	------	------	1	1	------	------	------	------	------	1	------	2
71a	Pernicious anemia	32	12	4	16	------	------	------	------	------	2	------	------	1	------	1	3	11	14
71b	Other anemias	8	1	------	7	3	------	------	------	------	------	------	------	------	------	------	1	3	1
72a	True leukemias	20	9	------	11	------	------	------	1	1	1	------	1	------	1	2	3	4	6
72b	Pseudoleukemias (Hodgkin's disease)	16	7	1	8	------	------	------	------	------	1	3	------	1	1	2	3	3	2
73	Diseases of the spleen	6	4	1	1	------	------	------	------	------	------	------	------	1	1	1	------	1	2
	V.—Chronic poisonings and intoxications	25	10	1	14	------	------	------	------	------	------	------	------	------	1	10	8	4	2
75	Alcoholism (acute or chronic)	21	8	1	12	------	------	------	------	------	------	------	------	------	1	9	7	3	1
76	Chronic poisoning by other organic substances	3	1	------	2	------	------	------	------	------	------	------	------	------	------	1	1	1	------
77a	Chronic lead poisoning	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
	VI.—Diseases of the nervous system and of the organs of special sense	1,347	415	143	789	27	5	1	1	1	8	4	8	4	16	31	94	232	915
78	Encephalitis (nonepidemic)	6	4	------	2	1	------	------	------	1	------	------	------	1	1	------	------	1	1
79a	Simple meningitis	10	4	2	4	4	------	------	------	------	------	------	------	------	------	1	3	1	1
79b	Nonepidemic cerebrospinal meningitis	3	2	------	1	------	------	------	------	------	------	------	------	------	1	------	------	1	1
80	Progressive locomotor ataxia (tabes dorsalis)	18	9	2	7	------	------	------	------	------	------	------	------	------	------	2	3	8	5
81	Other diseases of spinal cord	24	6	3	15	------	------	------	------	------	------	------	2	------	1	1	2	6	12
82a	Cerebral hemorrhage	1,080	298	111	671	------	------	------	------	------	------	------	------	------	1	14	66	189	810
82b	Cerebral embolism and thrombosis	47	12	9	26	------	------	------	------	------	------	------	------	------	1	------	2	7	37
82c	Softening of brain	7	1	1	5	------	------	------	------	------	------	------	------	------	------	------	1	------	6
82d	Hemiplegia and other paralysis, cause unspecified	23	8	4	11	------	------	------	------	------	------	------	------	------	------	------	2	4	17
83	General paralysis of insane	31	27	1	3	------	------	------	------	------	------	------	------	------	4	9	7	7	4
84	Dementia praecox and other psychoses	6	3	1	2	------	------	------	------	------	------	------	------	------	1	1	2	------	2
85	Epilepsy	23	8	2	13	------	1	------	------	------	1	1	4	3	3	2	3	2	3
86	Convulsions (under 5 years of age)	22	2	5	15	18	2	1	1	------	------	------	------	------	------	------	------	------	------
87	Other diseases of nervous system	21	10	1	10	------	------	------	------	------	1	------	------	------	------	1	2	4	13
88	Diseases of organs of vision	1	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
89a	Diseases of ear	11	9	1	1	2	1	------	------	------	3	2	1	------	1	------	1	------	------
89b	Diseases of mastoid process	14	12	------	2	1	1	------	------	------	3	1	1	------	2	------	------	2	3
	VII.—Diseases of the circulatory system	2,755	886	326	1,543	8	1	------	1	------	2	8	5	13	26	62	167	419	2,042
90	Pericarditis	7	------	------	7	------	------	------	------	------	------	------	------	------	1	------	------	------	6
91a	Acute endocarditis	19	10	1	8	------	1	------	------	------	------	1	2	2	5	1	3	------	4
92a	Endocarditis, specified as chronic, and other valvular diseases	634	159	82	393	1	------	------	------	------	1	5	1	1	5	21	44	90	464
92b	Endocarditis, unspecified (45 years and over)	30	9	4	17	------	------	------	------	------	------	------	------	------	------	------	1	4	25
93a	Acute myocarditis	37	18	2	17	1	------	------	------	------	------	1	------	1	1	1	2	11	19
93b	Myocarditis, unspecified (under 45 years)	7	2	1	4	2	------	------	------	------	------	------	2	------	1	2	------	------	------
93c	Chronic myocarditis and myocardial degeneration	568	197	74	297	------	------	------	------	------	------	------	------	2	1	8	26	69	462
93d	Other diseases of myocardium	164	59	14	91	------	------	------	------	------	------	------	------	1	1	------	13	22	127
94a	Angina pectoris	352	109	40	203	------	------	------	------	------	------	------	------	2	3	13	36	85	213
94b	Diseases of coronary arteries	149	70	16	63	------	------	------	------	------	------	------	------	2	------	6	9	44	88
95a	Functional diseases of heart	12	5	2	5	------	------	------	------	------	------	------	------	------	------	------	2	1	9
95b	Other and unspecified diseases of heart	396	133	37	226	2	------	------	1	------	1	1	------	1	7	6	22	70	285
96	Aneurysm (except of heart)	9	3	1	5	------	------	------	------	------	------	------	------	------	------	2	3	2	2
97	Arteriosclerosis (coronary arteries excepted)	329	97	46	186	------	------	------	------	------	------	------	------	------	1	1	4	18	305
98	Gangrene	14	1	1	12	------	------	------	------	------	------	------	------	------	------	------	------	------	14
99	Other diseases of arteries	14	6	2	6	1	------	------	------	------	------	------	------	------	------	------	------	1	12
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	7	4	1	2	------	------	------	------	------	------	------	------	1	------	1	2	1	2
101	Diseases of lymphatic system (lymphangitis, etc.)	1	------	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------
102	Idiopathic anomalies of blood-pressure	4	3	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	4
103	Other diseases of circulatory system	2	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	VIII.—Diseases of the respiratory system	773	244	85	444	121	37	9	7	4	6	9	7	12	23	33	64	92	349
104b	Diseases of nasal fossae and annexae	5	2	1	2						1	2	1		1				
105	Diseases of larynx	3	2		1									1	1	1			
106a	Acute bronchitis	26	1	2	23	10	4					1			1		1		9
106b	Chronic bronchitis	29	5	4	20										1		2	4	22
106c,d	Bronchitis, unspecified	11	1	1	9	2												1	8
107a	Bronchopneumonia	287	98	39	150	70	16	5	3	1	2	2		4	6	7	16	26	129
107b	Capillary bronchitis	7	1	2	4	3	3												1
108	Lobar pneumonia	323	112	29	182	25	13	3	3	2	1	3	5	6	11	22	33	54	142
109	Pneumonia, unspecified	26	7		19	10	1	1	1								2	1	10
110	Pleurisy	19	9	4	6					1	1	1	1	1	1	2	4	4	3
111a	Pulmonary embolism and thrombosis	4	2		2														4
111b	Pulmonary congestion, edema, hemorrhagic infarct	16	2	1	13	1											1	1	13
112	Asthma	9		2	7											1	2		6
113	Pulmonary emphysema	1			1												1		
114	Other diseases of respiratory system (tuberculosis excepted)	7	2		5						1				1		2	1	2
	IX.—Diseases of the digestive system	601	266	67	268	94	17	11	6	4	25	13	25	15	23	50	59	85	174
115a	Diseases of pharynx and tonsils	21	9	4	8	1	1		1		5			2	2	2	2	4	1
116	Diseases of esophagus	1			1														1
117a	Ulcer of stomach	38	18	4	16	1								2	1	6	11	8	9
117b	Ulcer of duodenum	13	4	3	6										2	1	4	1	5
118	Other diseases of stomach (cancer excepted)	37	7	6	24	7		2		1						2	1	2	22
119	Diarrhea, enteritis (under 2 years of age)	81	27	3	51	72	9												
120	Diarrhea, enteritis (2 years and over)	34	10	2	22			5	2	1	3	1	1	1	2	3	3	1	11
121	Appendicitis	128	79	13	36		3	1	3	1	16	11	19	8	9	16	11	16	14
122a	Hernia	41	21	4	16	1	1				1					2	6	6	24
122b	Intestinal obstruction	67	31	8	28	9	2	2		1		1	4	1		5	5	13	24
123	Other diseases of intestines	8	3	3	2	2										1		3	2
124	Cirrhosis of liver	30	11	4	15										3	1	4	4	18
125a	Yellow atrophy of liver	3	1		2											1			2
125b	Other diseases of liver	8	4	1	3										1	1	1	2	3
126	Biliary calculi	49	24	8	17											7	8	13	21
127	Other diseases of gall-bladder, biliary passages	30	9	3	18	1									2	2	3	7	15
128	Diseases of pancreas	4	4										1					3	
129	Peritonitis, cause not specified	8	4	1	3		1	1						1	1			2	2
	X.—Diseases of the genitourinary system	966	304	148	514	3	1	1		1	4		4	10	30	42	84	141	645
130	Acute nephritis (including unspecified under 10 years)	28	16	8	4	2	1				2		2		3	5	3	3	7
131	Chronic nephritis	740	207	116	417						2			5	19	28	57	117	512
132	Nephritis, unspecified (10 years and over)	61	20	7	34								1	1	1	3	6	10	39
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	23	8	3	12	1		1		1					4	2	3	3	8
134	Calculi of urinary passages	5	1	1	3												1		4
135	Diseases of bladder (tumors excepted)	4	2		2												1		3
136	Diseases of urethra, urinary abscess, etc.	4	3		1											1	2		1
137	Diseases of prostate	68	28	10	30												1	3	64
139a	Cysts of ovary	10	7	2	1									2			4	1	3
139b	Other diseases of ovaries; diseases of tubes and parametrium	15	9		6								1	2	3	2	5	2	
139c	Diseases of uterus	7	3	1	3											1	1	1	4
139e	Other diseases of female genital organs	1			1													1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	103	48	11	44								5	19	50	26	3		
140	Abortion with septic conditions	18	11	1	6									2	11	3	2		
141	Abortion without mention of septic conditions (including hemorrhages)	6	1		5									1	4	1			
142b	Ectopic gestation, septic conditions not mentioned	1	1													1			
143	Other accidents of pregnancy (hemorrhage not included)	1			1											1			
144a	Placenta praevia	2	1		1										2				
144b	Other puerperal hemorrhages	7	2	2	3									1	3	3			
145a	Puerperal septicemia and pyemia (abortion excluded)	22	13	3	6								3	5	7	7			
146	Puerperal albuminuria and eclampsia	22	6	2	14								2	4	11	4	1		
147	Other toxemias of pregnancy	6	2	2	2									2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	2		2									1	2	1			
149	Other accidents of childbirth	14	9	1	4									3	7	4			
	XII.—Diseases of the skin and cellular tissue	15	8		7	3							2	2	1		2	1	4
151	Furuncle, carbuncle	5	3		2								2		1			1	1
152	Phlegmon, acute abscess	6	4		2	1								2			2		1
153	Other diseases of skin and annexa, and of cellular tissue	4	1		3	2													2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MAINE—Continued																		
	XIII.—Diseases of the bones and organs of locomotion	15	6		9		1					1	1		1	2		4	5
154	Osteomyelitis	5	2		3								1			1		1	2
155	Other diseases of bones (tuberculosis excepted)	4	1		3		1											1	2
156	Diseases of joints, other organs of locomotion	6	3		3							1			1	1		2	1
	XIV.—Congenital malformations	102	38	13	51	89	5	1		2	3	1		1					
157a	Congenital hydrocephalus	14	8	1	5	10	2			1	1								
157b	Spina bifida and meningocele	13	4	1	8	13													
157c	Congenital malformations of heart	55	18	6	31	47	2	1		1	2	1		1					
157d	Other congenital malformations	20	8	5	7	19	1												
	XV.—Diseases of early infancy	536	161	57	318	536													
158	Congenital debility	84	16	9	59	84													
159	Premature birth	306	82	38	186	306													
160	Injury at birth	97	49	6	42	97													
161	Other diseases peculiar to early infancy	49	14	4	31	49													
162	XVI.—Senility	190	36	26	128													1	189
	XVII.—Violent and accidental deaths	735	220	104	411	9	11	6	11	10	36	36	40	45	67	72	84	85	223
	Suicide	143	35	18	90								5	9	13	14	27	31	44
163	By solid or liquid posions or by absorption of corrosive substances	6	5		1								1	1	1	1			2
164	By poisonous gas	12	6	2	4										1		4	3	4
165	By hanging or strangulation	39	7	8	24										5	4	9	7	14
166	By drowning	13	3	2	8											2	3		8
167	By firearms	68	12	5	51								4	8	5	5	10	20	16
168	By cutting or piercing instruments	4	1	1	2										1	1	1	1	
169	By jumping from high places	1	1													1			
	Homicide	16	3	2	11	1	1								3	2	2	4	3
173	By firearms	11	1	2	8		1								2	1	1	4	2
174	By cutting or piercing instruments	1			1										1				
175	By other means	4	2		2	1										1	1		1
	Accidental, other, or undefined	576	182	84	310	8	10	6	11	10	36	36	35	36	51	56	55	50	176
177	Poisoning by food	4			4	1											1		2
178	Absorption of poisonous gas	5	3	1	1										1		1	1	2
179	Other acute accidental poisonings (gas excepted)	9	2	3	4		3	1	1					1	1	1	1		
180	Conflagration	20	5	3	12				1	3	2	2			2		2	2	6
181	Burns (conflagration excepted)	18	5	7	6				2	2	1				1	3	2	1	6
	Supplemental	5	2		3									1	3		1		
182	Mechanical suffocation	7	3		4	5	1												1
183	Drowning	80	12	12	56		1	2		2	12	13	14	5	8	7	8	4	4
	Supplemental	17	1	1	15						2	3	4	1	2		2	3	
	Traumatism:																		
184	By firearms (wounds of war excepted)	29	5	3	21				1			1	6	4	4	7	4	2	
185	By cutting or piercing instruments (wounds of war excepted)	2			2								1			1			
	Supplemental	3	1	1	1									1				1	1
186a	By fall	139	70	14	55					1	1	1	2	2	2	4	9	8	109
	Supplemental	16	2	3	11							1		1	3	4	2	2	3
186b	By crushing, landslide	2	1		1									1		1			
	Supplemental	12	4	2	6			1						2	4		1	1	3
188	Injuries by animals	3		1	2											1			2
189	Hunger and thirst	1			1														1
191	Excessive heat	1			1												1		
192	Lightning	1			1													1	
193	Due to electric currents	5	1		4							1	1	1		2			
194a	Foreign bodies	7	3		4	1	3	1	1							1			
194b	Other accidents	32	12	6	14	1	2				1	3	2	3	1	4	2	5	8
	Supplemental	158	50	27	81			1	5	2	17	11	5	13	19	20	18	19	28
	XVIII.—Ill-defined causes of death	112	30	14	68	36	3	2		1				2	2	3	13	11	39
199	Sudden death	37	13	3	21	5	1								1	1	8	3	18
200a	Cause of death ill-defined	29	4	4	21	8	2							1	1		3	3	11
200b	Cause of death not specified or unknown	46	13	7	26	23		2		1				1		2	2	5	10
Punch symbol	SUPPLEMENTAL [1]																		
205	Other machinery accidents	11	3	1	7									2	2	1	1	1	4
206	Railroad and automobile collisions	9	5		4										2	4	1		2
207	Other railroad accidents	11	5	1	5						1				2	1	1	3	3
210	Automobile accidents (primary)	149	41	28	80			2	5	2	16	11	5	13	17	17	19	18	24
211	Motorcycle accidents	2	2											2					
212	Other land transportation accidents	7			7							1					2	2	2
213	Water transportation accidents	15	1	2	12						2	3	4	1	3			2	
214	Air transportation accidents	7	3	2	2									1	5	1			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND																			
	Total deaths (all causes)	White	15,955	9,454	821	5,680	1,289	180	87	53	46	197	160	252	344	809	1,104	1,739	2,703	6,980
		Colored	5,083	2,913	269	1,901	700	87	32	25	15	68	76	175	266	504	657	837	759	871
	I.—Infectious and parasitic diseases	White	1,428	715	61	652	100	43	24	17	15	41	25	60	112	209	192	203	171	215
		Colored	1,061	625	50	386	73	35	10	9	4	29	39	108	151	201	169	142	54	36
1	Typhoid fever	W	34	10	4	20						2	2	4	6	4	8	4		4
		C	16	4	3	9						4	2	2	3	2	1	2		
2	Paratyphoid fever	W	2			2												1	1	
		C	1			1										1				
3	Typhus fever	W	2	1		1											1		1	
5	Undulant fever	W	3	1		2									1		2			
7	Measles	W	17	10	2	5	5	6			1	3	2							
8	Scarlet fever	W	31	19		12		4	3	3	3	9	2	3	1	2		1		
		C	1	1							1									
9	Whooping cough	W	59	32	2	25	35	10	6	3	3	1	1							
		C	32	18	4	10	20	8	2	1	1									
10	Diphtheria	W	35	13	2	20	3	5	5	4	1	7	2	2			3		3	
		C	15	8		7	1	4	1	4	1	4								
11a	Influenza, respiratory complications specified	W	175	80	14	81	12	4	2	1	1	2	3	4	6	14	13	20	25	68
		C	48	23	3	22	5	3	1					3	2	6	6	9	7	6
11b	Influenza, respiratory complications not specified	W	60	33	7	20	5	3	1	2	2	3	2		3	4	3	4	4	24
		C	29	13	4	12	4	1	1			1	1		1	3	2	3	3	9
13	Dysentery	W	15	10		5	9	1		1	1							1		2
		C	12	6		6	2	4	1			2					1			2
15	Erysipelas	W	24	14	1	9	2		1							2		1	2	5	11
		C	7	4		3	1					1					1	1			3
16	Acute poliomyelitis, acute polioencephalitis	W	5	2	2	1		1				3		1						
		C	2	1		1		1								1				
17	Lethargic or epidemic encephalitis	W	11	10		1				1		1		1	1		2	3	1	1
		C	1			1							1							
18	Epidemic cerebrospinal meningitis	W	11	10		1	3	1	1	1		1	1	1				2		
		C	6	5		1							1	1	3	1				
22	Tetanus	W	9	6		3					1	3	1	1		1	1			1
		C	7	6	1		1					1	1	1				1	2	
	Tuberculosis (all forms)	W	833	388	24	421	12	8	5	1	2	4	7	39	85	179	142	140	116	92
		C	673	372	24	277	6	13	4	4	1	15	32	95	125	145	123	71	27	11
23	Respiratory system	W	756	336	22	398	4	1	4			2	4	38	80	166	134	130	107	85
		C	615	335	17	263	3	8	2	4		8	27	87	123	133	116	68	26	9
24	Meninges and central nervous system	W	31	20	1	10	6	7	1	1	2	2	2		3	4	3			
		C	15	12	2	1	1	3			1	5	1	1		1	2			
25	Intestines and peritoneum	W	10	7		3										1		2	3	4
		C	15	5	1	9	1	1					1	1	1	7	1	1	1	
26	Vertebral column	W	9	7		2							1			1	1	3	1	2
		C	6	5	1								2	1	1		2			
27a	Bones (vertebral column excepted)	W	3	2		1										1			1	1
		C	1	1																1
27b	Joints	W	3	2		1									1			1	1	
		C	3	1	2												1	1		1
28	Skin and subcutaneous cellular tissue	W	1	1														1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	1			1								1						
		C	2	2										1		1				
30	Genitourinary system	W	7	5		2										3		2	2	
		C	1	1										1						
31	Other organs	W	2	1	1												2			
32a	Acute disseminated tuberculosis	W	10	7		3	2								1	3	2	1	1	
		C	13	8	1	4	1		2			1	1	3		3	1	1		
32b,c	Other disseminated tuberculosis	C	2	2				1				1								
34	Syphilis	W	71	55	2	14	9							2	2	4	14	19	11	10
		C	184	144	8	32	29	1						4	16	37	32	48	13	4
35	Gonococcus infection, other venereal diseases	W	9	7	1	1	1							1	4	1	2			
		C	14	14										2	1	4	1	5	1	
36	Purulent infection, septicemia (nonpuerperal)	W	10	8		2	2						1	1				2	2	2
		C	3	1	2													2		1
38	Malaria	W	1	1														1		
39	Other diseases due to protozoal parasites	C	1			1						1								
42	Other diseases caused by helminths	W	1			1							1							
43	Mycoses	W	1	1															1	
		C	5	2		3	3										2			
44	Other infectious and parasitic diseases	W	9	4		5	2					2			1			3	1	
		C	4	3	1		1						1					1	1	
	II.—Cancers and other tumors	White	1,732	1,154	82	496	3	2	3	1		7	9	8	16	38	133	292	448	771
		Colored	278	187	11	80		1	1			2		2		16	38	80	68	70
	Cancer and other malignant tumors	W	1,674	1,108	79	487	2	2	2	1		7	6	6	13	32	119	280	439	764
		C	259	170	11	78		1	1			2		2		13	31	73	66	70
(45)	Buccal cavity	W	47	31	1	15										1	2	7	18	19
		C	11	9		2						1				1	1	2	4	2
(45)	Pharynx	W	9	4	1	4											1	1	2	5
		C	2	2														1	1	
(46)	Esophagus	W	37	31	1	5												7	11	19
		C	3	3														2	1	
(46)	Stomach and duodenum	W	323	184	11	128									2	2	11	41	76	191
		C	63	31	3	29										1	5	15	25	17
(46)	Liver and biliary passages	W	132	78	5	49										1		13	31	87
		C	16	10		6											3	5	3	5
(46)	Pancreas	W	76	57	7	12											7	9	26	34
		C	6	5		1											1	3		2
(46)	Other digestive tract and peritoneum	W	224	156	16	52									3	3	11	41	49	117
		C	30	22	2	6						1				1	1	12	6	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																			
	II.—Cancers and other tumors—Con.																			
	Cancer and other malignant tumors—Continued																			
47	Respiratory system	W	80	61	3	16		1					1			3	5	25	27	18
		C	9	7	1	1								1		2	2		2	2
48	Uterus	W	184	123	6	55									1	9	27	40	58	49
		C	45	27	1	17										7	6	13	9	10
49	Other female genital organs	W	48	37	2	9										2	11	11	13	11
		C	7	7													2	4	1	
50	Breast	W	176	120	8	48										2	20	41	53	60
		C	20	15		5											5	8	2	5
51	Male genitourinary organs	W	113	75	8	30			1						1	1	4	13	29	64
		C	20	11	2	7												3	7	10
52	Skin	W	42	20	2	20										1	1	2	6	32
		C	4	3		1											1	1		2
53	Other or unspecified organs	W	183	131	8	44	2	1	1	1		7	5	6	6	7	19	29	40	58
		C	23	18	2	3		1	1					1		1	4	4	5	6
54a	Nonmalignant tumors, ovary	W	2			2												1		1
54b	Nonmalignant tumors, uterus	W	15	11	2	2										3	3	5	1	3
		C	15	14		1										2	7	5	1	
54d,e	Nonmalignant tumors, other organs	W	33	32		1	1		1				3	2	3	2	10	5	5	1
		C	4	3		1										1		2	1	
55d,e	Tumors, other organs (nature unspecified)	W	8	3	1	4										1	1	1	3	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	513	352	24	137	14	2	3	2		11	7	3	6	14	27	63	141	220
		Colored	107	76	7	24	8	1		1		5		1	8	12	14	28	14	14
56	Acute rheumatic fever	W	34	26	1	7			1	1		10	5	1	2	1	4	2	4	3
		C	13	11		2						5			2		3	2		1
57	Chronic rheumatism, osteoarthritis	W	26	12	2	12										2	1	2	2	19
		C	5			5								1					2	2
59	Diabetes mellitus	W	366	262	15	89		2				1	2	1	3	5	10	44	119	179
		C	56	38	7	11									3	5	5	23	9	11
60	Scurvy	W	1	1			1													
		C	1			1												1		
62	Pellagra	W	5	2	1	2											2		1	2
		C	6	6												4	1		1	
63	Rickets	W	3	1		2	2			1										
		C	8	8			6	1		1										
65	Diseases of pituitary body	W	2	2					1								1			
66a	Simple goiter	W	9	5	1	3										1		2	2	4
		C	1			1									1					
66b	Exophthalmic goiter	W	48	34	2	12									1	5	7	12	13	10
		C	12	11		1									1	3	4	2	2	
(66)	Other diseases of thyroid and parathyroid glands	W	4	2	1	1	2							1				1		
		C	2	2			1										1			
67	Diseases of thymus gland	W	9	4	1	4	9													
		C	1			1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	2	1		1											2			
		C	1			1														
69	Other general diseases	W	4			4			1											3
		C	1			1									1					
	IV.—Diseases of the blood and blood-making organs	White	99	66	2	31	8	1	2		1	2	1	3	2	12	13	13	18	23
		Colored	18	11	2	5	4	1				1		2		3	1	3	3	
70	Hemorrhagic conditions	W	8	3		5	6									1				1
		C	1	1														1		
71a	Pernicious anemia	W	34	18	2	14	1										3	6	8	16
		C	4	2	1	1								1		2		1		
71b	Other anemias	W	3	1		2			1											2
		C	7	3	1	3	3	1				1		1					1	
72a	True leukemias	W	38	33		5	1	1	1		1	2		3		5	7	6	7	4
		C	5	4		1	1										1	1	2	
72b	Pseudoleukemias (Hodgkin's disease)	W	12	9		3							1		2	4	2		3	
		C	1	1												1				
73	Diseases of spleen	W	4	2		2										2	1	1		
	V.—Chronic poisonings and intoxications	White	41	29	2	10		1						1		5	8	12	12	2
		Colored	23	11	2	10							1		2	4	5	4	5	2
75	Alcoholism (acute or chronic)	W	39	27	2	10								1		4	8	12	12	2
		C	22	10	2	10									2	4	5	4	5	2
77a	Chronic lead poisoning	W	2	2				1								1				
		C	1	1									1							
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,709	909	102	698	26	6	4	5	1	19	11	11	13	35	67	179	301	1,031
		Colored	512	275	16	221	17	2			2	3	3	2	9	18	76	117	123	138
78	Encephalitis (nonepidemic)	W	14	7	3	4	1			1		2				2	2	4	1	1
		C	2	1		1						1						1		
79a	Simple meningitis	W	25	19		6	5	1	1	1		4	1	1		3	2	1	4	1
		C	12	10	2		5					1	2		2		1	1		
79b	Nonepidemic cerebrospinal meningitis	W	1	1								1								
		C	2	1	1									1			1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
80	Progressive locomotor ataxia (tabes dorsalis) W	15	10	1	4										1	1	4	5	4
	C	3	1		2											1		1	
81	Other diseases of spinal cord W	26	16		10		1	1			1			1	2	1	3	7	9
	C	10	3	1	6						1			1	1	2	2	2	1
82a	Cerebral hemorrhage W	1,266	690	75	501	2					2			1	4	34	126	235	862
	C	377	227	9	141									2	6	47	92	106	123
82b	Cerebral embolism and thrombosis W	112	57	8	47			1			1	1		3	2	8	12	17	67
	C	12	9		3											4	4		4
82c	Softening of brain W	11	6	3	2													2	9
	C	2	2															1	1
82d	Hemiplegia and other paralysis, cause unspecified W	73	27	5	41										1	1	4	10	57
	C	11	2	1	8										1	1	2	1	6
83	General paralysis of insane W	45	10	2	33										4	11	16	8	6
	C	40	9		31										4	16	12	7	1
84	Dementia praecox and other psychoses W	7	4		3									1	3		1	1	1
	C	6			6									2	3			1	
85	Epilepsy W	27	8	1	18				1	1	2	3	4	3	6	2	2	3	
	C	12	3	1	8	1				1		1	1	2		3	2	1	
86	Convulsions (under 5 years of age) W	11	2		9	9	1	1											
	C	12	2		10	10	1			1									
87	Other diseases of nervous system W	27	10	3	14				1			1	2		1	2	4	6	10
	C	4	2		2										1		1	2	
88	Diseases of organs of vision W	1			1														1
89a	Diseases of ear W	26	22		4	6	2		1		3	2	1	2	4	2		1	2
	C	5	3	1	1	1									2			1	1
89b	Diseases of mastoid process W	22	20	1	1	3	1				3	3	3	2	2	1	2	1	1
	C	2			2		1												1
	VII.—Diseases of the circulatory system. White	3,947	2,279	186	1,482	8	4	1		2	15	17	20	24	90	149	392	763	2,458
	Colored	852	444	53	355		2	1		1	3	3	4	14	36	98	195	211	281
90	Pericarditis W	9	2		7									1		1	1	3	3
91a	Acute endocarditis W	38	27	1	10	1					1	3	4	5	5	6	3	7	3
	C	11	6	1	4		1							1	2	3	1	1	2
91b	Endocarditis, unspecified (under 45 years) W	6	3	1	2							1		2		3			
92a	Endocarditis, specified as chronic, and other valvular diseases W	921	513	40	368	1		1		1	4	8	10	7	39	45	94	148	562
	C	274	115	22	137					1	1	2	1	7	14	42	56	70	78
92b	Endocarditis, unspecified (45 years and over) W	26	12	1	13												5	8	13
	C	6	3		3												2	2	2
93a	Acute myocarditis W	118	82	5	31						1				6	12	22	26	51
	C	36	21	7	8								1	1	1	5	13	12	3
93b	Myocarditis, unspecified (under 45 years) W	14	8	1	5	2	1				1				5	5			
	C	6	2	1	3		1							1	3	1			
93c	Chronic myocarditis and myocardial degeneration W	1,170	717	48	405								4	2	13	24	94	214	818
	C	212	143	8	61						1		1		1	21	45	59	84
93d	Other diseases of myocardium W	448	281	22	145						2	1		2	2	6	47	92	296
	C	81	52		29									2	4	9	30	12	24
94a	Angina pectoris W	282	169	10	103										3	15	45	98	120
	C	21	12	2	7										3	4	6	5	3
94b	Diseases of coronary arteries W	172	110	10	52									1	3	7	27	47	87
	C	13	2	4	7			1								3	1	4	4
95a	Functional diseases of heart W	7	4	1	2													2	5
95b	Other and unspecified diseases of heart W	407	203	29	175	4	1			1	6	4	2	2	13	21	45	84	223
	C	115	65	4	46						1	1	1	1	6	7	28	31	38
96	Aneurysm (except of heart) W	11	4	1	6												1	2	8
	C	3	1	1	1											1	1		1
97	Arteriosclerosis (coronary arteries excepted) W	273	119	14	140												4	25	244
	C	64	17	2	45										1	1	7	15	40
98	Gangrene W	12	4		8													2	10
	C	4	1	1	2									1		1			2
99	Other diseases of the arteries W	15	11	1	3									1		2	2	5	5
	C	3	1		2										1		2		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	7	6	1											1	1	2		3
	C	3	3														3		
101	Diseases of lymphatic system (lymphangitis, etc.) W	3	2		1		2							1					
102	Idiopathic anomalies of blood-pressure W	4	2		2											1			3
103	Other diseases of circulatory system W	4			4														4
	VIII.—Diseases of the respiratory system. White	1,299	802	44	453	200	55	28	13	6	20	12	29	22	58	96	108	155	497
	Colored	619	401	26	192	153	26	12	6	3	10	7	19	23	58	83	87	72	60
104a	Diseases of nasal fossae W	3	2		1	1				1									1
	C	10	1		9	9				1									
104b	Diseases of nasal fossae and annexae W	12	10		2	2				1		1	1	2	2		2	1	
	C	3	3										1			1	1		
105	Diseases of larynx W	4	2		2	1					1		1	1					
	C	3			3	2			1										
106a	Acute bronchitis W	28	6	2	20	7	1	1			1					1	1	2	14
	C	13	8		5	7									1	1	2	1	1
106b	Chronic bronchitis W	33	18	1	14	1												4	28
	C	5	1		4											1		1	3
106c,d	Bronchitis, unspecified W	10	5		5	1	1												8
107a	Bronchopneumonia W	550	365	15	170	137	37	17	9	1	8	5	8	3	7	22	28	56	212
	C	228	139	16	73	88	20	7	2	1	6	1	3	4	16	17	18	23	22
107b	Capillary bronchitis W	5			5	2													3
	C	4	2	1	1	4													
108	Lobar pneumonia W	549	340	22	187	36	14	6	3	3	10	4	17	13	41	64	65	78	195
	C	313	233	6	74	33	6	3	3	1	4	5	15	18	39	55	59	43	29

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	VIII.—Diseases of the respiratory system—Continued																		
109	Pneumonia, unspecified W	15	5	2	8	8		3								1		1	2
	Pneumonia, unspecified C	13	1		12	8		1				1			1		1		1
110	Pleurisy W	36	21	2	13	2	2	1				1	2	2	5	3	4	3	11
	Pleurisy C	11	6		5			1							1		2	4	2	1
111a	Pulmonary embolism and thrombosis W	10	5		5	1										1	3	3	2
111b	Pulmonary congestion, edema, hemorrhagic infarct W	12	4		8	1						1				1		1	8
	Pulmonary congestion, edema, hemorrhagic infarct C	1			1														1
112	Asthma W	17	9		8										1	1	1	4	10
	Asthma C	5	1	1	3	1										3			1
113	Pulmonary emphysema W	1	1														1		
114	Other diseases of respiratory system (tuberculosis excepted) W	14	9		5				1					1	2	2	3	2	3
	Other diseases of respiratory system (tuberculosis excepted) C	10	6	2	2	1									1	3	2	2	1
	IX.—Diseases of the digestive system White	953	651	65	237	181	46	10	7	7	28	20	22	19	61	81	125	132	214
	IX.—Diseases of the digestive system Colored	302	163	18	121	110	10	4	4	2	3	8	10	11	25	31	31	28	25
115a	Diseases of pharynx, tonsils W	60	35	8	17	4	5	5	1	5	2	4	6	4	7	3	4	6	4
	Diseases of pharynx, tonsils C	12	7	1	4	1		1			1		3		2	2	2		
115b	Diseases of buccal cavity and annexa W	7	4		3	1					2				1		1		2
	Diseases of buccal cavity and annexa C	3			3	2	1												
116	Diseases of esophagus W	2	1		1										1				1
117a	Ulcer of stomach W	47	35		12										5	8	8	11	15
	Ulcer of stomach C	14	12	1	1									1	6	2	2	2	1
117b	Ulcer of duodenum W	22	18	1	3										1	5	7	2	7
	Ulcer of duodenum C	5	4		1										1	1	2	1	
118	Other diseases of stomach (cancer excepted) W	27	6	2	19	3					1			2	2		1	6	12
	Other diseases of stomach (cancer excepted) C	24	13		11	4			1			1	1	1	1	5	5	2	3
119	Diarrhea, enteritis (under 2 years of age) W	193	104	6	83	156	37												
	Diarrhea, enteritis (under 2 years of age) C	108	39	5	64	100	8												
120	Diarrhea, enteritis (2 years and over) W	37	16	3	18			4	3	1	2			1	3	4	5	3	11
	Diarrhea, enteritis (2 years and over) C	23	6	1	16			2	3	1		2		1	2		4	3	5
121	Appendicitis W	149	128	12	9		2	1	1	1	16	14	13	5	18	21	23	22	12
	Appendicitis C	34	24	3	7			1		1	1	5	1	5	3	6	5	5	1
122a	Hernia W	72	58	8	6										2	6	15	12	37
	Hernia C	11	7	2	2									1	1	1	1	3	4
122b	Intestinal obstruction W	107	78	12	17	15	2		1		3	2	1	5	10	8	16	19	25
	Intestinal obstruction C	29	21	3	5	2	1				1		1	1	2	7	4	6	4
123	Other diseases of intestines W	11	7	1	3	1					1		1		1	1		2	4
	Other diseases of intestines C	5	2	1	2										1	1		1	2
124	Cirrhosis of liver W	92	58	6	28										2	10	23	20	37
	Cirrhosis of liver C	13	10		3										3	3	3	2	2
125a	Yellow atrophy of liver W	2	1	1									1			1			
	Yellow atrophy of liver C	4	4										2	1	1				
125b	Other diseases of liver W	3	1	1	1	1										1		1	
	Other diseases of liver C	3	3													1		1	1
126	Biliary calculi W	58	53		5									1	4	6	12	10	25
	Biliary calculi C	1			1														1
127	Other diseases of gall-bladder, biliary passages W	48	37	2	9									1	2	2	6	16	21
	Other diseases of gall-bladder, biliary passages C	3	3												1		1	1	
128	Diseases of pancreas W	10	7	1	2				1							4	3	1	1
	Diseases of pancreas C	3	3												1		2		
129	Peritonitis, cause not specified W	6	4	1	1						1				2	1	1	1	
	Peritonitis, cause not specified C	7	5	1	1	1							2			2		1	1
	X.—Diseases of the genitourinary system White	1,890	1,122	109	659	5			1		3	6	9	13	47	105	172	343	1,183
	X.—Diseases of the genitourinary system Colored	550	323	34	193	4	2	1	1		1	2	3	7	28	61	102	141	193
130	Acute nephritis (including unspecified under 10 years) W	37	23		14	2			1		1		1	1	5	7	7	1	10
	Acute nephritis (including unspecified under 10 years) C	34	14	3	17	3	2	1	1		1	2			3	7	3	7	4
131	Chronic nephritis W	1,649	946	99	604							5	7	9	27	84	146	310	1,059
	Chronic nephritis C	460	277	22	161								2	3	23	46	89	119	174
132	Nephritis, unspecified (10 years and over) W	34	13	1	20											2	4	8	20
	Nephritis, unspecified (10 years and over) C	13	4		9											2	2	5	4
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	36	29	1	6	1					2	1		2	4	3	6	6	11
	Other diseases of kidneys, ureters (puerperal diseases excepted) C	8	6		2	1									1	1	3	1	1
134	Calculi of urinary passages W	13	10	1	2											3	4	1	5
	Calculi of urinary passages C	3	2	1													1	1	1
135	Diseases of bladder (tumors excepted) W	4	3		1														4
	Diseases of bladder (tumors excepted) C	3	1	1	1													1	2
136	Diseases of urethra, urinary abscess, etc W	1		1															1
	Diseases of urethra, urinary abscess, etc C	1		1												1			
137	Diseases of prostate W	87	74	4	9												1	14	72
	Diseases of prostate C	20	15	2	3											2	4	7	7
138	Diseases of male genital organs, not specified as venereal W	2	2			2													
139a	Cysts of ovary W	5	4		1										1	1	1	1	1
	Cysts of ovary C	2	1	1										1		1			
139b	Other diseases of ovaries, diseases of tubes and parametrium W	17	15	1	1								1	1	9	4	1	1	
	Other diseases of ovaries, diseases of tubes and parametrium C	6	3	3									1	3	1	1			
139c	Diseases of uterus W	4	3		1										1	1	2		
139e	Other diseases of female genital organs W	1		1														1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state White	106	81	7	18								11	18	39	37	1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state Colored	41	24	3	14								7	4	20	8	2		
140	Abortion with septic conditions W	23	20	1	2									5	10	8			
	Abortion with septic conditions C	5	3	1	1										5				
141	Abortion without mention of septic conditions (includes hemorrhages) W	5	5												3	2			
	Abortion without mention of septic conditions (includes hemorrhages) C	2		1	1										1	1			
142a	Ectopic gestation, septic conditions specified W	2	2											1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																		
142b	Ectopic gestation, septic conditions not mentioned—W	3	3												1	2			
	C	2	1		1								1		1				
143	Other accidents of pregnancy (hemorrhage not included)—W	2	1	1										1		1			
144a	Placenta praevia—W	3	1	1	1											3			
	C	2	1		1										1		1		
144b	Other puerperal hemorrhages—W	7	5	1	1								1	1	2	3			
	C	2	1		1									1	1				
145a	Puerperal septicemia and pyemia (abortion excluded)—W	22	14	2	6								4	6	7	5			
	C	15	11	1	3								5	1	5	3	1		
146	Puerperal albuminuria and eclampsia—W	19	18		1								4	2	3	9	1		
	C	7	3		4									2	2	3			
147	Other toxemias of pregnancy—W	1	1												1				
	C	1	1												1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	6	1		5										2	4			
	C	1	1										1						
149	Other accidents of childbirth—W	13	10	1	2								2	2	9				
	C	4	2		2										3	1			
	XII.—Diseases of the skin and cellular tissue—White	19	13	2	4	4						1	1	2		3	1	1	6
	Colored	6	4	1	1									1		2		2	1
151	Furuncle, carbuncle—W	6	3	1	2									1		1	1		3
	C	1		1														1	
152	Phlegmon, acute abscess—W	5	3		2	1						1		1					2
	C	2	2													1		1	
153	Other diseases of skin and annexa, and of cellular tissue—W	8	7	1		3							1			2		1	1
	C	3	2		1									1		1			1
	XIII.—Diseases of the bones and organs of locomotion—White	20	14	3	3	2					1	2	1		1	2	4	5	2
	Colored	7	6		1	1				1		2		1				2	
154	Osteomyelitis—W	10	7	1	2						1	2	1		1		2	2	1
	C	6	5		1	1				1		2		1				1	
155	Other diseases of bones (tuberculosis excepted)—W	1		1													1		
	C	1	1															1	
156	Diseases of joints, other organs of locomotion—W	9	7	1	1	2										2	1	3	1
	XIV.—Congenital malformations—White	177	108	6	63	163	6	1	1	2	2	1		1					
	Colored	42	19	1	22	38	1	2				1							
157a	Congenital hydrocephalus—W	25	15	1	9	20	2	1	1	1									
	C	4	3		1	2	1					1							
157b	Spina bifida and meningocele—W	11	8		3	10								1					
	C	2	1		1	2													
157c	Congenital malformations of heart—W	114	62	4	48	106	4			1	2	1							
	C	26	9	1	16	24		2											
157d	Other congenital malformations—W	27	23	1	3	27													
	C	10	6		4	10													
	XV.—Diseases of early infancy—White	546	323	34	189	546													
	Colored	267	136	17	114	267													
158	Congenital debility—W	28	7	1	20	28													
	C	30	4	2	24	30													
159	Premature birth—W	355	212	23	120	355													
	C	172	101	9	62	172													
160	Injury at birth—W	98	60	8	30	98													
	C	28	13	5	10	28													
161	Other diseases peculiar to early infancy—W	65	44	2	19	65													
	C	37	18	1	18	37													
162	XVI.—Senility—White	37	18	5	14														37
	Colored	16	1		15													1	15
	XVII.—Violent and accidental deaths—White	1,410	817	85	508	22	14	11	6	12	47	48	73	96	198	189	171	209	311
	Colored	356	206	26	124	11	6	1	4	2	11	10	17	34	82	68	44	31	35
	Suicide—W	291	179	12	100								10	16	50	56	52	67	40
	C	19	14	1	4							1		2	3	4	4	3	2
163	By solid or liquid poisons or by absorption of corrosive substances—W	52	46	1	5								5	7	13	10	5	9	3
	C	1	1											1					
164	By poisonous gas—W	67	55	1	11								1	4	11	13	12	21	5
	C	4	4												1	1	2		
165	By hanging or strangulation—W	30	13	1	16										2	8	5	6	9
	C	3	1		2													3	
166	By drowning—W	9	1	1	7									1	2	1	1	1	3
	C	4	2	1	1										1		2		1
167	By firearms—W	112	52	6	54								4	2	19	20	24	25	18
	C	5	4		1							1		1	1	2			
168	By cutting or piercing instruments—W	5	3		2										1		2	2	
	C	1	1													1			
169	By jumping from high places—W	14	9	1	4									2	2	3	2	3	2
170	By crushing—W	1			1											1			
171	By other means—W	1		1													1		
	C	1	1																1
	Homicide—W	62	36	2	24	4						1	3	8	18	13	10	3	2
	C	68	53	5	10	1							3	14	30	15	1	3	1
173	By firearms—W	38	21	2	15								1	6	11	9	7	3	1
	C	36	30	2	4								3	10	16	6	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All-deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MARYLAND—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Homicide—Continued																		
174	By cutting or piercing instruments	W 6	5		1	1								1	1	1	2		
		C 20	17	2	1									3	11	4		2	
175	By other means	W 18	10		8	3						1	2	1	6	3	1		1
		C 12	6	1	5	1								1	3	5		1	1
	Accidental, other, or undefined	W 1,057	602	71	384	18	14	11	6	12	47	47	60	72	130	120	109	139	269
		C 269	139	20	110	10	6	1	4	2	11	9	14	18	49	49	39	25	32
176	Attack by venomous animals	W 1	1																1
177	Poisoning by food	W 3		2	1	1					1							1	
		C 3	3											1		1	1		
178	Absorption of poisonous gas	W 43	35		8							1		1	3	9	8	12	9
		C 4	4									1		1			1	1	
	Supplemental	W 1			1		1												
179	Other acute accidental poisonings (gas excepted)	W 12	7	1	4		2	1				1		1		4	2	1	
		C 5	3		2	1	1		1		1				1				
180	Conflagration	W 11	8	1	2					1	2				1	3	2	2	
		C 16	1	4	11	2	1	1	1							1	1	3	6
181	Burns (conflagration excepted)	W 57	46	4	7	2	3	5	1	3	5	2	2		7	5	4	7	11
		C 26	16	2	8		2			2	2		2	2	2	3	3	3	5
	Supplemental	W 8	3	1	4							1	1	2	2	1	1		
		C 1	1												1				
182	Mechanical suffocation	W 10	2		8	7					1					1	1		
		C 4	1		3	4													
	Supplemental	W 1			1													1	
183	Drowning	W 109	29	5	75		1	2	1	2	12	9	13	7	23	20	8	8	3
		C 23	13		10						1	2	2	2	8	6	1	1	
	Supplemental	W 23	7	1	15							1	2	6	6	5		3	
		C 7	1	1	5									1	2	2	1		1
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 33	11	3	19						3	8	7	4	3	1	4	2	1
		C 11	3	1	7						1	2	3		3		2		
185	By cutting or piercing instruments (wounds of war excepted)	W 9	7		2		1				1	2		1		1		2	1
		C 3	2	1												1	2		
	Supplemental	W 4	4												1		1		2
		C 1			1											1			
186a	By fall	W 246	160	16	70	2	1		1		4	2	5	5	13	13	11	37	151
		C 27	19	2	6		1							1	6	5	4	2	8
	Supplemental	W 22	13		9				1		1	1		1	9	1	3	2	3
		C 10	8	1	1										2	1	3	2	2
186b	By crushing, landslide	W 5	1		4										1	2		1	1
		C 1			1													1	
	Supplemental	W 47	24	3	20					1	3	2	3	8	6	6	7	4	5
		C 15	9		6							1	2	1	3	3	4	1	
187	Cataclysm	W 2	2												1	1			
188	Injuries by animals	W 5	1	2	2												2	1	2
		C 2	1		1										1	1			
190	Excessive cold	W 5	1		4								1			1	2		1
		C 12			12								1	2	1	4	1		3
191	Excessive heat	W 11	5		6									1		2	1	4	3
		C 6	6			1					1				1	2	1		
193	Due to electric currents	W 10	3	1	6		1				1		2	1	3		1	1	
		C 1			1													1	
194a	Foreign bodies	W 11	4		7	4	1	1	2						1		2		
		C 1			1		1												
194b	Other accidents	W 34	18	2	14	2		1			1	3	2	3	3	5	5	6	3
		C 9	3		6	2								1		2	1	2	1
	Supplemental	W 334	210	29	95		3	1		5	12	14	22	31	47	39	44	44	72
		C 79	43	8	28				2		5	3	4	6	17	15	13	8	6
198	Legal executions	C 2	2												1	1			
	XVIII.—Ill-defined causes of death	White 29	1	2	26	7					1				2	2	3	4	10
		Colored 26	1	2	23	14								1	1	3	2	4	1
199	Sudden death	W 6			6										1		2		3
		C 1			1	1													
200a	Cause of death ill-defined	W 13	1	2	10	1					1				1	2	1	2	5
		C 11		2	9	2								1	1	2	2	2	1
200b	Cause of death not specified or unknown	W 10			10	6												2	2
		C 14	1		13	11										1		2	
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	W 3	1		2								1		1			1	
202	Accidents from agricultural machinery	W 3		1	2							1						1	1
203	Elevator accidents	W 2	2										1		1				
205	Other machinery accidents	W 4	4												1	1	1		1
		C 4	2		2									1	1	1		1	
206	Railroad and automobile collisions	W 9	4		5						1			1	3	1	2	1	
		C 4			4								2	1	1				
207	Other railroad accidents	W 36	21	2	13						2		3	3	4	7	10	5	2
		C 6	2		4										4	2			
208	Street car and automobile collisions	W 5	5										1	1	1	1	1		
209	Other street car accidents	W 12	9		3								1		1		2	2	6
		C 5	3		2										1	2	1		1
210	Automobile accidents (primary)	W 329	202	29	98		4	1	1	6	13	15	19	37	48	36	38	39	70
		C 81	50	7	24				2		5	4	4	5	14	15	17	9	6
211	Motorcycle accidents	W 1	1																1
212	Other land transportation accidents	W 5	2	1	2										1		2	2	
		C 3	1	2											1		2		
213	Water transportation accidents	W 26	10	1	15							3	2	6	6	5		3	1
		C 10	4	1	5									1	3	2	1	1	2
214	Air transportation accidents	W 5			5										4	1			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS																		
	Total deaths (all causes)	49,446	40,383	3,253	5,810	3,624	493	264	200	189	574	503	662	847	2,109	3,374	5,571	8,900	22,129
	I.—Infectious and parasitic diseases	3,509	2,702	158	649	207	126	79	55	43	140	80	160	254	580	506	514	376	389
1	Typhoid fever	25	23	2			1					1	7	2	5	3	3	2	1
7	Measles	66	53	7	6	21	13	6	4	7	11	3		1					
8	Scarlet fever	150	130	9	11	3	14	17	13	11	51	13	3	6	11	5	1	1	1
9	Whooping cough	110	94	5	11	63	32	6	2	2	4								1
10	Diphtheria	108	99	5	4	4	7	18	16	10	35	7	4		1	2	1	1	2
11a	Influenza, respiratory complications specified	273	213	29	31	19	15	4	2	1	4	6	7	3	16	21	33	44	98
11b	Influenza, respiratory complications not specified	98	78	8	12	7	7	2	4	1	2	3	4	4	7	9	4	13	31
13	Dysentery	10	9		1	3		1	1							1	2		2
15	Erysipelas	65	52	1	12	21	2	1			2	3	2	1		4	4	6	19
16	Acute poliomyelitis, acute polioencephalitis	13	12		1	1		2	1	2	2	3		1		1			
17	Lethargic or epidemic encephalitis	18	15	1	2						1	1	2	1	3	3	3	4	
18	Epidemic cerebrospinal meningitis	43	41		2	7	2	1	1	1	1	3	4	1	9	3	6	2	2
22	Tetanus	19	15	1	3		1	1			2	4	1	1	2		6		1
	Tuberculosis (all forms)	2,299	1,691	82	526	35	27	19	10	8	22	29	121	227	508	423	400	261	209
23	Respiratory system	2,054	1,487	70	497	10	8	6	1	2	12	19	109	213	474	391	377	239	193
24	Meninges and central nervous system	92	86	3	3	18	15	12	8	3	6	4	3	5	8	6	1	3	
25	Intestines and peritoneum	67	57	2	8	3	2	1		1	2	3	4	4	13	10	13	4	7
26	Vertebral column	30	19		11					1		2	5	2	5	6	2	5	2
27a	Bones (vertebral column excepted)	1	1																1
27b	Joints	7	2	4	1									1	2		1		3
28	Skin and subcutaneous cellular tissue	1		1														1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted	4	4													1		1	2
30	Genitourinary system	24	19	1	4									1	5	7	4	7	
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	17	14	1	2	3	2		1	1	2	1		1	1	2	1	1	1
32b,c	Other disseminated tuberculosis	1	1			1													
34	Syphilis	167	138	8	21	18	2		1		1	2	3	2	10	26	48	38	16
35	Gonococcus infection and other venereal diseases	10	10										1	2	6	1			
36	Purulent infection, septicemia (non-puerperal)	13	11		2	1					1		1	1	1	1		3	4
38	Malaria	2	1		1											1			1
39	Other diseases due to protozoal parasites	1			1						1								
41a	Hydatid cysts of liver	2	2														2		
42	Other diseases caused by helminths	2	1		1		1										1		
43	Mycoses	3	2		1									1	1			1	
44	Other infectious and parasitic diseases	12	12			4	2	1				2				2			1
	II.—Cancers and other tumors	6,396	5,127	406	863	3		7	7	4	20	17	20	33	89	492	1,057	1,690	2,955
	Cancer and other malignant tumors	6,146	4,909	389	848	1		4	6	2	12	11	13	26	76	435	988	1,645	2,925
(45)	Buccal cavity	220	134	16	70							1				8	31	52	128
(45)	Pharynx	42	33	2	7									1		2	2	13	24
(46)	Esophagus	126	100	2	24										2	1	18	54	51
(46)	Stomach and duodenum	1,104	879	78	147								1	3	10	59	147	316	568
(46)	Liver and biliary passages	389	298	31	60						2	1		1	2	17	53	97	216
(46)	Pancreas	193	162	11	20								1			8	32	59	93
(46)	Other digestive tract and peritoneum	1,246	1,010	93	143							2	1	4	13	75	176	330	644
47	Respiratory system	224	185	10	29									1	4	17	52	67	83
48	Uterus	640	508	41	91									1	10	100	162	150	216
49	Other female genital organs	155	126	10	19			1					1	1	4	13	28	55	52
50	Breast	686	547	48	91									2	10	73	159	185	257
51	Male genitourinary organs	477	393	22	62	1		2	2					4	3	11	30	121	303
52	Skin	85	60	3	22							1			3	2	5	10	64
53	Other or unspecified organs	559	474	22	63			1	4	2	10	6	9	8	15	49	93	136	226
54a	Nonmalignant tumors, ovary	10	7	2	1											3	2	4	1
54b	Nonmalignant tumors, uterus	94	86	5	3										5	32	36	12	9
54d,e	Nonmalignant tumors, other organs	63	55	3	5			1	1		4	2	4	4	4	11	11	14	7
55b	Tumors, uterus (nature unspecified)	2	2															2	
55d,e	Tumors, other organs (nature unspecified)	81	68	7	6	2		2		2	4	4	3	3	4	11	20	13	13
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,526	1,282	113	131	70	10	7	3	4	19	22	17	14	29	76	158	398	699
56	Acute rheumatic fever	74	68	5	1	1		1	2	3	12	12	9	4	9	7	4	3	7
57	Chronic rheumatism, osteoarthritis	56	41	4	11						1				2	1	6	7	39
59	Diabetes mellitus	1,197	1,004	88	105						2	6	4	6	10	42	126	363	638
60	Scurvy	1	1					1											
62	Pellagra	8	8													5	1	1	1
63	Rickets	7	5	1	1	5	1	1											
64	Osteomalacia	1	1													1			
65	Diseases of pituitary body	3	2		1													1	2
66a	Simple goiter	6	6													1		3	2
66b	Exophthalmic goiter	51	47	1	3								2	1	4	9	16	13	6
(66)	Other diseases of thyroid and parathyroid glands	14	11	2	1	2	1					1		1	2	1	2	3	1
67	Diseases of thymus gland	81	66	8	7	62	5	2	1	1	4	1	1	1	2	1			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	17	14	2	1											8	2	4	3
69	Other general diseases	10	8	2			3	2				2	1	1			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																		
	IV.—Diseases of the blood and blood-making organs	447	378	29	40	18	5	6	5	5	11	7	15	10	31	35	77	95	127
70	Hemorrhagic conditions	28	23	3	2	11		1	3	1			2	1	1	2	1	1	4
71a	Pernicious anemia	152	118	16	18		1				1	1			5	9	21	37	77
71b	Other anemias	17	14	2	1	6	2				1						3		5
72a	True leukemias	131	113	7	11	1	1	4	2	3	8	3	10	5	10	12	22	29	21
72b	Pseudoleukemias (Hodgkin's disease)	99	91		8			1		1	1	3	2	4	12	9	23	25	18
73	Diseases of the spleen	17	16	1			1						1		3	2	6	3	1
74	Other diseases of blood and blood-making organs	3	3													1	1		1
	V.—Chronic poisonings and intoxications	235	218	7	10		2	2					2	1	28	67	60	51	22
75	Alcoholism (acute or chronic)	215	199	7	9								1		27	61	56	48	22
76	Chronic poisoning by other organic substances	10	10										1	1		5	2	1	
77a	Chronic lead poisoning	8	7		1		2	2									2	2	
77b,c	Other chronic poisoning by mineral substances	2	2												1	1			
	VI.—Diseases of the nervous system and of the organs of special sense	4,986	3,874	400	712	57	23	21	10	15	56	41	33	30	82	201	508	1,002	2,907
78	Encephalitis (nonepidemic)	28	24	1	3	2	1	3	3		2	3	3	1	3	2	4	1	
79a	Simple meningitis	53	48	1	4	14	5	3	1	1	6	2	2	1	1	4	9	2	2
79b	Nonepidemic cerebrospinal meningitis	10	9	1		2	1			1	1				3	1		1	
80	Progressive locomotor ataxia (tabes dorsalis)	32	29	1	2											3	5	15	9
81	Other diseases of spinal cord	123	100	10	13	1	1		1	1	4	3	2	1	9	10	18	25	47
82a	Cerebral hemorrhage	3,819	2,973	334	512			1	1		3			4	20	79	353	813	2,545
82b	Cerebral embolism and thrombosis	205	171	21	13	2	1				1	2	1		2	13	17	40	126
82c	Softening of brain	30	27		3											1	3	5	21
82d	Hemiplegia and other paralysis, cause unspecified	75	52	4	19			1					1			3	4	12	54
83	General paralysis of insane	154	107	2	45									1	5	35	50	42	21
84	Dementia praecox and other psychoses	13	12		1										4	3	1	2	3
85	Epilepsy	107	36	4	67	2	2		1	3	6	7	13	8	22	17	12	6	8
86	Convulsions (under 5 years of age)	17	13	1	3	11	2	4											
87	Other diseases of nervous system	141	107	14	20	3	3	4	1	1	4	4	2	3	5	13	12	26	60
88	Diseases of organs of vision	3	3			2										1			
89a	Diseases of ear	107	100	5	2	15	3	2	1	3	16	10	3	6	7	12	11	10	8
89b	Diseases of mastoid process	69	63	1	5	3	4	3	1	5	13	10	6	5	1	4	9	2	3
	VII.—Diseases of the circulatory system	14,761	11,742	1,086	1,933	12	3	5	6	5	36	59	82	75	223	552	1,355	2,838	9,509
90	Pericarditis	21	17	2	2	3					1			2	3	2	2	3	5
91a	Acute endocarditis	148	139	3	6	1	1	2	2	1	8	9	10	8	33	20	17	19	17
91b	Endocarditis, unspecified (under 45 years)	18	13	2	3					1	1	2	3	1	1	9			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,349	1,793	221	335	2		1		3	16	26	46	33	100	147	234	408	1,333
92b	Endocarditis, unspecified (45 years and over)	120	97	9	14												16	19	85
93a	Acute myocarditis	117	94	9	14	1					1	2		1	4	14	16	19	59
93b	Myocarditis, unspecified (under 45 years)	23	20	3		1						1	1	1	3	16			
93c	Chronic myocarditis and myocardial degeneration	4,231	3,409	289	533		1				1	4	4	6	12	88	277	752	3,086
93d	Other diseases of myocardium	1,313	1,091	97	125							1		1	2	5	107	237	960
94a	Angina pectoris	1,058	803	120	135									1	8	42	147	281	579
94b	Diseases of coronary arteries	1,292	1,076	82	134									2	11	64	202	381	632
95a	Functional diseases of heart	13	6	3	4									1		1	2	2	7
95b	Other and unspecified diseases of heart	2,502	2,085	133	284	2		2	4		6	14	15	15	41	117	290	561	1,434
96	Aneurysm (except of heart)	57	48	7	2									1	2	8	8	15	23
97	Arteriosclerosis (coronary arteries excepted)	1,367	947	93	327											6	20	110	1,231
98	Gangrene	18	12	1	5	2									1		1	2	12
99	Other diseases of arteries	67	50	10	7						2		3	1	1	6	7	13	34
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	35	32	1	2									1	1	4	8	14	7
101	Diseases of lymphatic system (lymphangitis, etc.)	1	1				1												
102	Idiopathic anomalies of blood-pressure	9	7	1	1											3	1	1	4
103	Other diseases of circulatory system	2	2															1	1
	VIII.—Diseases of the respiratory system	4,160	3,576	236	348	629	206	59	34	31	73	51	68	72	210	309	442	539	1,436
104a	Diseases of nasal fossae	5	5			1	1								1		1		1
104b	Diseases of nasal fossae and annexae	23	22		1				1		2	2	1	3	1	5	2	3	3
105	Diseases of larynx	13	11	1	1	1	1	1		2	1	1			1		1	1	3
106a	Acute bronchitis	70	52	10	8	11	2				1			1		3	2	6	44
106b	Chronic bronchitis	63	48	6	9	2		1			1	1	2	2	2	1	3	10	38
106c,d	Bronchitis, unspecified	33	22	5	6	2	1				1					2	1		26
107a	Bronchopneumonia	1,975	1,730	100	145	498	142	36	14	13	37	15	19	18	48	83	118	190	743
107b	Capillary bronchitis	14	10		4	8										1	1		4
108	Lobar pneumonia	1,719	1,468	97	154	81	49	19	12	14	27	26	42	43	137	196	272	289	512
109	Pneumonia, unspecified	28	19	3	6	5		1		1		1			3		4	7	6
110	Pleurisy	116	102	8	6	12	10	1	5	1	1	4	3	4	11	9	15	16	24

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																		
	VIII.—Diseases of the respiratory system—Continued																		
111a	Pulmonary embolism and thrombosis	13	10		3											1	4	1	7
111b	Pulmonary congestion, edema, hemorrhagic infarct	24	21	1	2	2					1		1		1	2	3	1	13
112	Asthma	32	28	3	1	1			2		1	1			3	2	10	7	5
113	Pulmonary emphysema	2	1	1															2
114	Other diseases of respiratory system (tuberculosis excepted)	30	27	1	2	5								1	2	4	5	8	5
	IX.—Diseases of the digestive system	2,693	2,416	123	154	248	52	35	30	33	71	55	60	70	181	301	415	535	607
115a	Diseases of pharynx and tonsils	151	129	10	12	8	8	4	8	8	12	6	6	8	14	29	13	9	18
115b	Diseases of buccal cavity and annexa	16	15	1		1		1				1		2	2	3	2		4
116	Diseases of esophagus	9	7	1	1	1			1			1			1	1			4
117a	Ulcer of stomach	174	156	7	11							1	1	3	18	24	28	47	52
117b	Ulcer of duodenum	135	127	3	5									3	11	18	44	28	31
118	Other diseases of stomach (cancer excepted)	24	19	3	2	1		1		1	1				2	1	6	4	7
119	Diarrhea, enteritis (under 2 years of age)	232	196	13	23	201	31												
120	Diarrhea, enteritis (2 years and over)	90	69	5	16			6	6	1	3	2	1	4	9	3	13	18	24
121	Appendicitis	626	587	27	12	1	4	14	12	19	47	38	45	39	69	82	91	102	63
122a	Hernia	217	205	5	7	2					1		1		4	13	28	62	106
122b	Intestinal obstruction	191	172	9	10	20	8	4	2	2	6	3	1	1	10	19	20	32	63
123	Other diseases of intestines	42	41	1		4							1		4	5	10	5	13
124	Cirrhosis of liver	271	228	17	26					1			2		9	24	61	105	69
125a	Yellow atrophy of liver	23	18	1	4	1							1	2		4	6	6	3
125b	Other diseases of liver	32	28	1	3	1		1				1			3	4	8	6	8
126	Biliary calculi	227	209	10	8								1	1	6	36	46	65	72
127	Other diseases of gall-bladder, biliary passages	157	141	7	9	1								3	7	22	27	40	57
128	Diseases of pancreas	23	20	1	2									1	4	3	6	4	5
129	Peritonitis, cause not specified	53	49	1	3	6	1	4	1	1	1	2		3	8	10	6	2	8
	X.—Diseases of the genitourinary system	4,263	3,570	287	406	15	2	2		2	8	18	22	49	126	309	509	830	2,371
130	Acute nephritis (including unspecified under 10 years)	92	79	3	10	1	1	1			3	4	3	7	6	24	19	9	14
131	Chronic nephritis	3,467	2,864	249	354	1				1	4	11	14	31	76	219	426	696	1,988
132	Nephritis, unspecified (10 years and over)	111	93	11	7								1	2	6	10	13	23	56
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	115	103	7	5	11	1			1	1	3	1	1	9	13	13	21	40
134	Calculi of urinary passages	59	56		3								1	2	8	10	6	14	18
135	Diseases of bladder (tumors excepted)	12	7	1	4											2	2	1	7
136	Diseases of urethra, urinary abscess, etc.	16	14		2										1	6	5	1	3
137	Diseases of prostate	292	265	11	16										2		10	47	233
138	Diseases of male genital organs, not specified as venereal	5	5			2		1								1			1
139a	Cysts of ovary	20	16	1	3								2	1	1	7	3	3	3
139b	Other diseases of ovaries, diseases of tubes and parametrium	37	34	2	1									3	12	13	5	3	1
139c	Diseases of uterus	36	33	2	1									2	4	4	7	12	7
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1												1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	412	379	20	13							1	12	62	205	127	5		
140	Abortion with septic conditions	49	46		3								1	15	25	8			
141	Abortion without mention of septic conditions (includes hemorrhages)	19	17	1	1									2	5	11	1		
142a	Ectopic gestation, septic conditions specified	2	2												1	1			
142b	Ectopic gestation, septic conditions not mentioned	13	13											1	10	2			
143	Other accidents of pregnancy (hemorrhage not included)	6	6												2	3	1		
144a	Placenta praevia	16	14	1	1									1	4	10	1		
144b	Other puerperal hemorrhages	33	32	1									1	1	19	11	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	80	77	3									3	13	42	22			
145b	Puerperal tetanus (abortion excluded)	1	1											1					
146	Puerperal albuminuria and eclampsia	55	49	4	2							1	2	12	28	12			
147	Other toxemias of pregnancy	23	18	2	3								1	7	7	8			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	37	32	4	1								2	3	21	11			
149	Other accidents of childbirth	78	72	4	2								2	6	41	28	1		
	XII.—Diseaes of the skin and cellular tissue	54	47	2	5	11	1	1		1		1	2	4	5	9	5	7	7
151	Furuncle, carbuncle	17	14	1	2							1		2	1	6	1	3	3
152	Phlegmon, acute abscess	17	14	1	2	2		1					1	2	2	2	2	2	3
153	Other diseases of skin and annexa, and of cellular tissue	20	19		1	9	1			1			1		2	1	2	2	1
	XIII.—Diseases of the bones and organs of locomotion	65	60	3	2	3		1	1		6	10	4	5	4	7	8	6	10
154	Osteomyelitis	38	37		1	2		1	1		5	9	3	4	3	2	2	2	4
155	Other diseases of bones (tuberculosis excepted)	8	7	1		1							1				3	1	2
156	Diseases of joints, other organs of locomotion	19	16	2	1						1	1		1	1	5	3	3	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MASSACHUSETTS—Continued																		
	XIV.—Congenital malformations	571	500	33	38	507	17	10	5	7	10	10		2	2		1		
157a	Congenital hydrocephalus	102	92	2	8	81	5	3	4	1	4	4							
157b	Spina bifida and meningocele	74	63	4	7	70	2	1	1										
157c	Congenital malformations of heart	256	217	21	18	228	5	4		4	5	6		1	2		1		
157d	Other congenital malformations	139	128	6	5	128	5	2		2	1			1					
	XV.—Diseases of early infancy	1,789	1,600	92	97	1,789													
158	Congenital debility	41	32	3	6	41													
159	Premature birth	1,107	990	57	60	1,107													
160	Injury at birth	432	395	22	15	432													
161	Other diseases peculiar to early infancy	209	183	10	16	209													
162	XVI.—Senility	54	39	4	11													1	53
	XVII.—Violent and accidental deaths	3,469	2,828	250	391	44	44	28	44	39	124	131	165	165	312	380	452	524	1,014
	Suicide	639	503	60	76							3	12	26	72	118	146	141	121
163	By solid or liquid poisons or by absorption of corrosive substances	67	60	3	4							1	2	7	9	14	11	12	11
164	By poisonous gas	171	146	12	13								1	3	22	30	37	41	37
165	By hanging or strangulation	143	112	14	17							1	2	3	16	26	39	36	20
166	By drowning	65	48	7	10								1	2	4	14	19	9	16
167	By firearms	122	82	16	24								5	6	12	20	26	32	21
168	By cutting or piercing instruments	38	28	5	5									1	2	9	7	7	12
169	By jumping from high places	24	21		3							1	1	3	4	3	6	4	2
170	By crushing	4	2	2											1	1	1		1
171	By other means	5	4	1										1	2	1			1
	Homicide	92	78	5	9	8			1	1	1	1	5	14	20	14	7	13	7
173	By firearms	37	29	3	5							1	2	7	8	9	5	4	1
174	By cutting or piercing instruments	10	9		1									1	3	2	2	2	
175	By other means	45	40	2	3	8			1	1	1		3	6	9	3		7	6
	Accidental, other, or undefined	2,738	2,247	185	306	36	44	28	43	38	123	127	148	125	220	248	299	370	886
176	Attack by venomous animals	3	3			1					1							1	
177	Poisoning by food	7	4	1	2		1					1				1	1		3
178	Absorption of poisonous gas	98	86	8	4						2		3	3	9	12	29	14	26
179	Other acute accidental poisonings (gas excepted)	43	35	4	4		3			2			1	2	7	11	6	8	2
180	Conflagration	51	37	4	10		2	2	2	1	3	2		2	2	3	7	12	12
181	Burns (conflagration excepted)	161	146	3	12	3	13	10	13	8	16	5	1	1	7	8	10	26	40
	Supplemental	21	15	2	4								6	1	5	4	2	1	2
182	Mechanical suffocation	44	42		2	15	3		1					1	3	6	6	6	3
	Supplemental	1			1												1		
183	Drowning	215	134	22	59	1	2	4	6	3	22	39	37	19	27	16	13	11	15
	Supplemental	45	28	2	15					1	1	1	9	9	6	8	4	3	3
	Traumatism:																		
184	By firearms (wounds of war excepted)	39	22	6	11		1			1		7	15	3	3	6	2	1	
185	By cutting or piercing instruments (wounds of war excepted)	19	17	1	1							1	1		1	6	3	4	3
	Supplemental	8	6	1	1				1			1		2	2	1			1
186a	By fall	882	768	43	71	5	3	4	5	2	4	9	12	3	20	57	60	119	579
	Supplemental	60	49	7	4			1			3	6	9	3	11	6	7	9	5
186b	By crushing, landslide	8	5	1	2							3		1	1	1		1	1
	Supplemental	117	100	5	12		3	1	2		6	7	2	11	18	16	18	18	15
188	Injuries by animals	5	5					1									3	1	
189	Hunger and thirst	1	1																
190	Excessive cold	3	3														1		
191	Excessive heat	3	2		1										1		1	1	
192	Lightning	5	2		3							1	1			1	1	1	
193	Due to electric currents	16	11	3	2								1	1	9	3	2		
	Supplemental	1	1													1			
194a	Foreign bodies	30	26	1	3	5	2	1			1		1	1		3	10	4	2
194b	Other accidents	119	104	6	9	4	5		2	2	4	8	5		11	13	21	18	26
	Supplemental	732	594	65	73	2	6	4	11	18	60	36	44	62	76	64	89	111	148
198	Legal executions	1	1												1				
	XVIII.—Ill-defined causes of death	56	45	4	7	11	2	1						1	2	3	5	8	23
199	Sudden death	11	8	3		1										1	2		7
200a	Cause of death ill-defined	39	32		7	6	2							1	2	2	3	8	15
200b	Cause of death not specified or unknown	6	5	1		4		1											1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	1	1														1		
203	Elevator accidents	11	10		1						1			1	3	1	4		1
205	Other machinery accidents	21	17	3	1							1		2	4	3	3	7	1
206	Railroad and automobile collisions	17	8	1	8							1	4	3	2	2	3	1	1
207	Other railroad accidents	50	39	5	6						5		3	3	7	9	7	11	5
208	Street car and automobile collisions	4	4												3	1			
209	Other street car accidents	16	15		1							1				1	2	3	9
210	Automobile accidents (primary)	777	633	68	76	2	9	6	14	19	62	39	48	65	86	71	92	111	152
211	Motorcycle accidents	9	9										4	2		2			1
212	Other land transportation accidents	27	24	1	2						1	8	2	2	4	1	3	5	1
213	Water transportation accidents	42	27	2	13						1	1	8	7	7	6	5	4	3
214	Air transportation accidents	10	6	2	2								1	3	2	3	1		

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN																		
	Total deaths (all causes)	49,585	27,205	4,425	17,955	4,628	633	335	211	208	737	601	947	1,175	2,826	4,245	5,521	7,095	20,386
	I.—Infectious and parasitic diseases	5,068	2,939	333	1,796	413	209	108	61	65	214	128	262	353	716	778	586	396	774
1	Typhoid fever	55	29	4	22			1			4	2	7	7	6	7	10	9	2
5	Undulant fever	3	1	1	1											2		1	
6	Smallpox	1		1												1			
7	Measles	195	121	20	54	47	67	18	9	10	28	7	1	1	2	2	1	1	1
8	Scarlet fever	116	65	6	45	4	8	11	9	6	39	18	7	4	3	5	2		
9	Whooping cough	204	129	12	63	129	41	16	6	4	5	1				1			1
10	Diphtheria	107	90	1	16	8	5	9	8	12	38	13	2	4	2	1	2		3
11a	Influenza, respiratory complications specified	688	339	77	272	59	19	10	6	4	13	11	25	17	48	79	72	68	257
11b	Influenza, respiratory complications not specified	442	168	60	214	45	15	10	5	3	11	8	12	7	27	32	21	27	219
13	Dysentery	32	17	2	13	12	3	1					1			2	4	1	8
15	Erysipelas	80	53	5	22	19	1	2			2	1	3		2	6	8	12	24
16	Acute poliomyelitis, acute polioencephalitis	26	13	5	8	2	1	1	3	4	4	3	4	1	2	1			
17	Lethargic or epidmic encephalitis	29	11	2	16			1			3		2	5	3	4	3	5	3
18	Epidemic cerebrospinal meningitis	72	58	2	12	15	5	7	1	3	8	4	5	4	9	3	5	2	1
21	Rabies	1	1							1									
22	Tetanus	36	25	3	8	1					11	6	3	1	1	5	3	4	1
	Tuberculosis (all forms)	2,498	1,506	105	887	32	34	19	13	17	44	48	184	288	553	513	349	208	192
23	Respiratory system	2,146	1,250	85	811	7	9	3	1	4	15	32	155	262	509	462	314	193	176
24	Meninges and central nervous system	141	112	8	21	13	18	15	9	8	23	8	12	8	12	7	6	1	1
25	Intestines and peritoneum	54	40	2	12	2	1					3	4	5	8	16	10	3	2
26	Vertebral column	40	27	2	11					2	2	2	3	3	10	7	7	1	3
27a	Bones (vertebral column excepted)	3	2		1										1		1		1
27b	Joints	10	5		5									1		1	1	3	4
28	Skin and subcutaneous cellular tissue	2	1		1											2			
29	Lymphatic system, (bronchial, mesenteric, and retroperitoneal glands excepted)	6	2	1	3										1			1	4
30	Genitourinary system	23	11	5	7								3	3	3	9	2	3	
31	Other organs	4	3		1										1	1		1	1
32a	Acute disseminated tuberculosis	57	45	1	11	7	6	1	2	3	4	2	6	3	8	6	7	2	
32b,c	Other disseminated tuberculosis	12	8	1	3	3			1			1	1	3		2	1		
34	Syphilis	393	253	16	124	34	4	1	1		1	2	1	7	39	104	94	52	52
35	Gonococcus infection and other venereal diseases	22	17	3	2								3	4	9	3	3		
36	Purulent infection, septicemia (nonpuerperal)	37	22	7	8		2	1		1		3	2	3	3	3	6	5	8
38	Malaria	1			1													1	
39	Other diseases due to protozoal parasites	4	4			1										1	1		1
41a	Hydatid cysts of liver	1	1												1				
42	Other diseases caused by helminths	2	2				1									1			
43	Mycoses	6	4		2	1						1			2	1	1		
44	Other infectious and parasitic diseases	17	10	1	6	4	3				3				3	2	1		1
	II.—Cancers and other tumors	5,056	2,803	499	1,754	7	2	8	6	4	14	19	23	37	141	470	900	1,212	2,210
	Cancer and other malignant tumors	4,814	2,643	470	1,701	2	1	6	5	4	8	15	15	29	119	403	841	1,181	2,182
(45)	Buccal cavity	144	76	12	56							2		2	2	8	21	32	77
(45)	Pharynx	37	18	6	13							1				1	3	12	20
(46)	Esophagus	85	55	5	25											4	12	28	41
(46)	Stomach and duodenum	1,114	543	107	464						1				13	55	154	284	605
(46)	Liver and biliary passages	381	187	39	155	1					1				3	14	55	112	195
(46)	Pancreas	127	87	9	31										2	6	22	38	59
(46)	Other digestive tract and peritoneum	665	409	65	191					1		1	1	2	13	40	113	182	312
47	Respiratory system	186	126	15	45					1	4		1	1	5	29	56	44	45
48	Uterus	603	348	67	188								1	3	30	124	136	135	173
49	Other female genital organs	123	71	15	37			1						4	5	17	33	29	34
50	Breast	457	269	40	148									1	12	54	125	120	145
51	Male genitourinary organs	374	206	37	131			1	2			1		7	12	15	34	68	234
52	Skin	112	44	8	60										2	3	6	20	81
53	Other or unspecified organs	406	204	45	157	1	1	4	3	2	2	10	12	9	20	33	71	77	161
54a	Nonmalignant tumors, ovary	4	1		3											2			2
54b	Nonmalignant tumors, uterus	86	59	17	10										1	8	33	35	8	6
54d,e	Nonmalignant tumors, other organs	35	27	4	4	2		1				1	2	2	1	9	6	5	6
55d,e	Tumors, other organs (nature unspecified)	117	73	8	36	3	1	1	1		6	3	6	5	13	23	18	23	14
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,678	967	166	545	95	12	2	3	8	17	33	31	26	54	117	215	388	676
56	Acute rheumatic fever	92	55	11	26	1	1		1	2	9	17	8	9	8	6	6	10	14
57	Chronic rheumatism, osteoarthritis	91	51	8	32								1		4	3	6	13	63
59	Diabetes mellitus	1,122	621	116	385		1		1	3	6	16	17	10	24	70	137	304	533
62	Pellagra	3	1		2										1		1	1	
63	Rickets	9	4		5	5	4												
65	Diseases of pituitary body	4	2		2	1							1	1		1			
66a	Simple goiter	22	16	1	5	1							1		1	1	6	6	6
66b	Exophthalmic goiter	200	129	23	48								1	4	12	31	53	49	50
(66)	Other diseases of thryoid and parathyroid glands	12	9	2	1	4	1			1					2		1	2	1
67	Diseases of thymus gland	88	56	4	28	76	5	2	1	1	1		1		1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	15	7	1	7									2	1	4	4		4
69	Other general diseases	20	16		4	7				1	1		1			1	1	3	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	IV.—Diseases of the blood and blood-making organs	444	239	38	167	16	8	8	5	3	8	7	14	7	30	40	49	88	160
70	Hemorrhagic conditions	21	9	3	9	12	1	1			1	1	1		2			1	1
71a	Pernicious anemia	206	94	19	93		2	1					2		6	11	22	54	108
71b	Other anemias	31	12		19	3	1	2					2		1	1	4	4	13
72a	True leukemias	105	73	7	25	1	3	4	5	3	5	2	7	2	5	14	14	17	22
72b	Pseudoleukemias (Hodgkin's disease)	58	34	5	19						2	2	1	4	15	10	7	6	11
73	Diseases of the spleen	16	12	2	2		1					2	1		1	2	1	4	4
74	Other diseases of blood and blood-making organs	7	5	2										1		2	1	2	1
	V.—Chronic poisonings and intoxications	79	46	8	25								1		9	24	23	15	7
75	Alcoholism (acute or chronic)	73	40	8	25								1		8	21	21	15	7
76	Chronic poisoning by other organic substances	5	5												1	2	2		
77a	Chronic lead poisoning	1	1													1			
	VI.—Diseases of the nervous system and of the organs of special sense	5,508	2,555	512	2,441	108	33	20	10	9	57	40	54	49	118	277	512	955	3,262
78	Encephalitis (nonepidemic)	74	50	5	19	8	5	1	3		4	6	5	4	9	10	7	7	5
79a	Simple meningitis	108	83	8	17	22	5	8	1	2	14	5	8	8	7	7	10	5	6
79b	Nonepidemic cerebrospinal meningitis	8	6	1	1	2	1				1				2	1		1	
80	Progressive locomotor ataxia (tabes dorsalis)	41	19	3	19											3	9	17	12
81	Other diseases of spinal cord	112	49	13	50		1	1			1	1	5	3	8	8	14	19	51
82a	Cerebral hemorrhage	4,107	1,855	405	1,847	3		2				3	3	5	29	133	348	763	2,815
82b	Cerebral embolism and thrombosis	222	109	17	96		2		1		1	3	2	3	6	8	17	40	139
82c	Softening of brain	15	6	2	7													1	14
82d	Hemiplegia and other paralysis, cause unspecified	118	45	13	60								1		1	1	4	21	90
83	General paralysis of insane	171	65	5	101								1	2	17	53	55	22	20
84	Dementia praecox and other psychoses	41	14	3	24									3	4	10	8	4	12
85	Epilepsy	139	40	8	91			3		1	6	12	17	13	24	17	10	13	23
86	Convulsions (under 5 years of age)	35	11	3	21	29	6												
87	Other diseases of nervous system	149	66	13	70	7	3	3	2		4	2	1	2	4	11	23	24	63
88	Diseases of organs of vision	4	3		1							1	1		1				1
89a	Diseases of ear	105	80	10	15	31	5	1	1	1	16	4	6	4	3	7	6	11	9
89b	Diseases of mastoid process	59	54	3	2	6	5	1	2	5	10	3	4	2	3	8	1	7	2
	VII.—Diseases of the circulatory system	12,573	6,323	1,159	5,091	14	8	5	5	10	35	44	67	89	294	677	1,270	2,055	7,992
90	Pericarditis	40	27		13		1			1	1		1		3	7	5	8	13
91a	Acute endocarditis	126	87	9	30	1	1	1	4		3	6	10	9	18	12	24	15	22
91b	Endocarditis, unspecified (under 45 years)	30	21	1	8	1	2			1	1	2	3	3	6	11			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,652	1,069	277	1,306	1	1	2	1	4	11	20	32	35	99	166	255	404	1,618
92b	Endocarditis, unspecified (45 years and over)	186	95	16	75												23	39	124
93a	Acute myocarditis	192	121	8	63	3		1		1	1		3	7	10	28	24	37	77
93b	Myocarditis, unspecified (under 45 years)	66	48	3	15	3	1			1	1		2	4	10	44			
93c	Chronic myocarditis and myocardial degeneration	4,088	2,310	300	1,478					1	3	3	4	12	77	193	429	661	2,704
93d	Other diseases of myocardium	1,163	623	120	420					1		1				7	112	201	841
94a	Angina pectoris	764	325	109	330									2	7	37	96	199	422
94b	Diseases of coronary arteries	730	466	60	204							1		2	13	66	119	157	372
95a	Functional diseases of heart	21	12	1	8											1		6	14
95b	Other and unspecified diseases of heart	1,318	626	131	561	1	1				13	10	12	11	39	77	138	213	802
96	Aneurysm (except of heart)	74	48	3	23									3	1	15	12	20	23
97	Arteriosclerosis (coronary arteries excepted)	947	363	102	482										3	1	14	69	858
98	Gangrene	48	12	9	27	1										1	3	4	39
99	Other diseases of arteries	74	37	9	28										6	10	8	8	42
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	28	17		11	1	1					1			2		5	8	10
101	Diseases of lymphatic system (lymphangitis, etc.)	4	2	1	1	1		1											2
102	Idiopathic anomalies of blood-pressure	9	8		1											1		4	4
103	Other diseases of circulatory system	13	6		7	1					1			1			3	2	5
	VIII.—Diseases of the respiratory system	3,899	2,407	284	1,208	749	190	57	38	27	64	59	82	83	257	348	399	363	1,180
104a	Diseases of nasal fossae	5	4	1		2									2				1
104b	Diseases of nasal fossae and annexae	22	15	2	5						2	3	4	4	1	1		3	4
105	Diseases of larynx	12	8		4	3	1		3		1	1	1			1	1		
106a	Acute bronchitis	111	60	7	44	19	5				2	1			1		5	5	73
106b	Chronic bronchitis	82	51	5	26	1					1		1	5	1	4	10	7	52
106c,d	Bronchitis, unspecified	42	24	6	12	11	2				1	1				2	1	1	23
107a	Bronchopneumonia	1,439	851	83	505	529	99	35	16	14	27	15	19	12	43	59	80	98	392
107b	Capillary bronchitis	14	5	3	6	8			1	1								1	3
108	Lobar pneumonia	1,743	1,130	136	477	144	67	19	13	10	26	33	44	55	179	234	242	196	480
109	Pneumonia, unspecified	86	40	10	36	14	2		3		1	1	2	2	4	10	9	6	32
110	Pleurisy	134	94	12	28	12	10	3	2	1	2	4	7	4	13	18	16	17	24
111a	Pulmonary embolism and thrombosis	28	15	1	12										3	1	9	5	10
111b	Pulmonary congestion, edema, hemorrhagic infarct	57	33	6	18	2	2			1			1		1		2	3	45
112	Asthma	69	37	9	23	2	1								2	10	12	13	29
113	Pulmonary emphysema	5	3		2										1			1	3
114	Other diseases of respiratory system (tuberculosis excepted)	50	37	3	10	2	1				1		3	1	6	8	12	7	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	IX.—Diseases of the digestive system	3,315	2,175	307	833	375	77	57	37	34	106	92	100	104	237	397	488	437	774
115a	Diseases of pharynx and tonsils	189	124	23	42	6	10	3	11	3	19	12	10	18	24	23	23	15	12
115b	Diseases of buccal cavity and annexa	25	14	3	8	1		1			2			2	4	2	4	2	7
116	Diseases of esophagus	6	5		1											2	1	2	1
117a	Ulcer of stomach	207	131	16	60						2	1	2	4	23	22	60	39	54
117b	Ulcer of duodenum	100	84	5	11	1							1	2	7	22	24	16	27
118	Other diseases of stomach (cancer excepted)	101	48	13	40	17	6				1		2	2	5	8	6	16	38
119	Diarrhea, enteritis (under 2 years of age)	351	195	25	131	298	53												
120	Diarrhea, enteritis (2 years and over)	194	81	18	95			30	18	16	15	2	2	5	4	13	19	9	61
121	Appendicitis	703	548	75	80		3	10	7	10	56	68	70	49	95	115	105	58	57
122a	Hernia	208	140	24	44	3	1							3	4	21	34	40	102
122b	Intestinal obstruction	288	194	26	68	41	4	8	1	3	1	4	7	6	20	31	42	39	81
123	Other diseases of intestines	49	34	6	9	3		1			1		1	1	2	8	13	9	10
124	Cirrhosis of liver	383	212	27	144	1							1	1	8	48	72	99	153
125a	Yellow atrophy of liver	21	14	1	6							2		1	6	2	2	3	5
125b	Other diseases of liver	53	39	5	9	1					3	2	1	5	5	10	7	5	14
126	Biliary calculi	192	141	20	31								1	3	10	31	41	42	64
127	Other diseases of gall-bladder, biliary passages	169	113	13	43					1	3				12	23	28	30	72
128	Diseases of pancreas	25	21	3	1								1	1	4	5	2	7	5
129	Peritonitis, cause not specified	51	37	4	10	3		4		1	3	1	1	1	4	11	5	6	11
	X.—Diseases of the genitourinary system	3,537	1,924	344	1,269	20	3	2	2	4	18	26	26	40	143	279	415	614	1,943
130	Acute nephritis (including unspecified under 10 years)	121	80	6	35	5	1	1	1	1	6	6	4	2	7	22	22	16	27
131	Chronic nephritis	2,553	1,348	238	967		1			2	9	12	13	24	64	160	310	473	1,484
132	Nephritis, unspecified (10 years and over)	240	93	30	117							6	2	1	15	22	20	41	133
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	130	81	14	35	10	1	1	1	1	3	2	3	2	10	16	20	18	41
134	Calculi of urinary passages	46	35	1	10									1	4	5	4	12	20
135	Diseases of bladder (tumors excepted)	32	18	4	10											1	5	7	19
136	Diseases of urethra, urinary abscess, etc.	13	11		2	1									3		2	3	4
137	Diseases of prostate	250	137	33	80											2	9	32	207
138	Diseases of male genital organs, not specified as venereal	9	7	2		4											1	1	3
139a	Cysts of ovary	25	18	5	2									2	6	7	6	2	2
139b	Other diseases of ovaries, diseases of tubes and parametrium	84	75	4	5								3	6	28	34	9	3	1
139c	Diseases of uterus	32	20	7	5								1	2	6	9	7	6	1
139d	Nonpuerperal diseases of breast (cancer excepted)	1	1													1			
139e	Other diseases of female genital organs	1			1														1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	516	391	47	78							2	41	96	224	145	6		
140	Abortion with septic conditions	94	79	5	10								12	25	37	18	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	33	27	2	4								1	5	13	14			
142a	Ectopic gestation, septic conditions specified	5	5												2	3			
142b	Ectopic gestation, septic conditions not mentioned	33	28	2	3								3	8	14	8			
143	Other accidents of pregnancy (hemorrhage not included)	2	1		1										1		1		
144a	Placenta praevia	18	10	2	6									1	6	9	1		
144b	Other puerperal hemorrhages	37	26	3	8								1	7	23	5	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	82	62	13	7							1	8	17	33	23			
145b	Puerperal tetanus (abortion excluded)	1	1												1				
146	Puerperal albuminuria and eclampsia	79	58	9	12							1	6	14	33	25			
147	Other toxemias of pregnancy	22	15	3	4								2	5	9	6			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	40	24	6	10								3	3	16	17	1		
149	Other accidents of childbirth	68	54	2	12								4	11	35	17	1		
150	Other and unspecified conditions of puerperal state	2	1		1								1		1				
	XII.—Diseases of the skin and cellular tissue	68	41	4	23	17	4		1		3	2	6		3	8	6	5	13
151	Furuncle, carbuncle	13	5		8	2							3			1	1	3	3
152	Phlegmon, acute abscess	26	20	1	5	6	3		1		2	2	2		2	3	3		2
153	Other diseases of skin and annexa, and of cellular tissue	29	16	3	10	9	1				1		1		1	4	2	2	8
	XIII.—Diseases of the bones and organs of locomotion	62	47	6	9	2	1	1	1		6	8	5	3	1	7	10	6	11
154	Osteomyelitis	41	33	4	4	2	1				4	8	4	2	1	5	5	4	5
155	Other diseases of bones (tuberculosis excepted)	5	5						1		1						1	2	
156	Diseases of joints, other organs of locomotion	16	9	2	5			1			1		1	1		2	4		6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MICHIGAN—Continued																		
	XIV.—Congenital malformations	643	375	59	209	580	19	8	4	4	11	7	2	2	5	1			
157a	Congenital hydrocephalus	72	53	6	13	57	6	4	1	2	1				1				
157b	Spina bifida and meningocele	109	56	11	42	106	1			1					1				
157c	Congenital malformations of heart	313	169	29	115	276	11	1	3	1	8	6	1	2	3	1			
157d	Other congenital malformations	149	97	13	39	141	1	3			2	1	1						
	XV.—Diseases of early infancy	2,109	1,312	187	610	2,109													
158	Congenital debility	124	47	14	63	124													
159	Premature birth	1,364	876	110	378	1,364													
160	Injury at birth	422	268	45	109	422													
161	Other diseases peculiar to early infancy	199	121	18	60	199													
162	XVI.—Senility	402	138	30	234													3	398
	XVII.—Violent and accidental deaths	4,473	2,498	421	1,554	85	63	58	33	39	183	134	230	285	586	672	627	532	934
	Suicide	931	543	76	312								17	46	120	200	212	176	159
163	By solid or liquid poisons or by absorption of corrosive substances	160	109	14	37								2	11	30	43	33	25	16
164	By poisonous gas	187	155	11	21								2	6	27	45	35	38	33
165	By hanging or strangulation	167	73	13	81								2	3	13	24	51	35	39
166	By drowning	51	26	6	19									1	6	11	15	9	9
167	By firearms	298	136	25	137								9	24	40	65	60	55	45
168	By cutting or piercing instruments	41	23	4	14										2	5	13	10	11
169	By jumping from high places	14	13	1										1	1	4	3		5
170	By crushing	4	1	2	1								1			2			1
171	By other means	9	7		2								1		1	1	2	4	
	Homicide	271	214	13	44	6				4	9	6	18	33	90	58	26	16	5
173	By firearms	165	131	8	26						2	6	11	25	63	36	14	6	2
174	By cutting or piercing instruments	40	35	2	3	1							6	4	16	9	3		1
175	By other means	66	48	3	15	5				4	7		1	4	11	13	9	10	2
	Accidental, other, or undefined	3,271	1,741	332	1,198	79	63	58	38	35	174	128	195	206	376	414	389	340	770
176	Attack by venomous animals	2	1		1	1											1		
177	Poisoning by food	13	11		2	1		1			1		1		1	2	3	1	2
178	Absorption of poisonous gas	86	66	5	15	1	1		1		2	5	2	1	10	20	18	16	9
179	Other acute accidental poisonings (gas excepted)	60	34	6	20	1	9	3		2		1	2	4	7	9	10	5	7
180	Conflagration	53	26		27	4	1	3		1	7	2	1	3	6	6	2	8	9
181	Burns (conflagration excepted)	193	125	25	43	6	22	21	7	9	14	3	5	8	20	22	11	19	26
	Supplemental	32	14	6	12					1	1	3	2	7	9	8			1
182	Mechanical suffocation	48	22	3	23	41					1	1			1	2		1	1
183	Drowning	310	88	31	191	2	6	7	7	1	29	36	57	31	45	23	28	23	15
	Supplemental	39	5	6	28							3	5	6	12	4	4	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)	93	29	10	54		1			2	6	9	12	6	17	13	14	9	4
185	By cutting or piercing instruments (wounds of war excepted)	22	17	2	3						1	2	2	1	2	5	3	2	4
	Supplemental	9	3	3	3		1							1	3	2		1	1
186a	By fall	647	344	77	226	4	3	4	4	4	7	10	7	9	17	48	50	47	433
	Supplemental	68	30	8	30			2	2		2	1	7	5	12	8	15	6	8
186b	By crushing, landslide	19	6	3	10						2		1		8	3	1	3	1
	Supplemental	273	182	18	73		1	2	2		14	8	17	18	40	55	50	38	28
188	Injuries by animals	23	8	2	13			2		1						5	3	4	8
190	Excessive cold	2	1		1											1			1
191	Excessive heat	17	11	1	5						1	1		1	1	2	1	2	8
192	Lightning	4			4							1		2		1			
193	Due to electric currents	19	6	1	12							1	2	1	7	2	3	3	
	Supplemental	4		2	2									1		1	1		
194a	Foreign bodies	29	21	3	5	9	4	2	1	1	4	1			3	1	2	1	
194b	Other accidents	145	77	13	55	3	3	1	1	2	13	5	7	5	13	20	19	11	42
	Supplemental	1,061	614	107	340	6	11	10	13	11	69	35	65	96	145	149	151	137	161
	XVIII.—Ill-defined causes of death	155	25	21	109	38	4	1		1	1		3	1	8	5	15	26	52
199	Sudden death	30	4	7	19	4	1	1							1	2	3	7	11
200a	Cause of death ill-defined	75	9	10	56	14	3			1	1		1	1	5		7	14	28
200b	Cause of death not specified or unknown	50	12	4	34	20							2		2	3	5	5	13
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	8	1		7										1	4	3		
202	Accidents from agricultural machinery	6			6							1				1	2	1	1
203	Elevator accidents	7	7										1	1	1	1	3		
204	Accidents from machinery used for recreation	1	1				1												
205	Other machinery accidents	38	25	4	9								1	4	10	14	6	2	1
206	Railroad and automobile collisions	90	38	4	48		1		1		4	3	5	11	18	16	16	10	5
207	Other railroad accidents	83	47	8	28			1			1	3	8	6	8	18	11	13	14
208	Street car and automobile collisions	6	6										1		4	1			
209	Other street-car accidents	17	17				1								2	2	3	2	7
210	Automobile accidents (primary)	1,143	688	120	335	6	9	13	15	12	78	39	71	101	154	160	167	151	165
211	Motorcycle accidents	6	2	1	3						1		1		3	1			
212	Other land transportation accidents	27	5	4	18		1		1		2	1	1	2	2	2	6	3	6
213	Water transportation accidents	37	6	4	27							3	5	5	12	3	4	2	
214	Air transportation accidents	17	5	5	7								2	4	6	4			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA																		
	Total deaths (all causes)	25,591	11,634	3,488	10,469	2,189	200	126	82	82	328	297	484	588	1,230	1,760	2,646	3,726	11,848
	I.—Infectious and parasitic diseases	2,328	870	345	1,113	151	40	33	17	25	69	49	112	170	307	331	286	223	515
1	Typhoid fever	17	9	5	3							1	2	4	3	4	2		1
5	Undulant fever	2			2									1					1
7	Measles	13	1	5	7	3		1	2		5	1	1						
8	Scarlet fever	41	20	5	16		3	4	1	2	8	7	3	8	3	2			
9	Whooping cough	42	13	4	25	28	7	3	1	2	1								
10	Diphtheria	26	9	6	11		1	1	2	5	7	1	3		2	3	1		
11a	Influenza, respiratory complications specified	536	196	87	253	46	10	9	2	1	11	10	21	20	39	56	46	47	218
11b	Influenza, respiratory complications not specified	254	67	43	144	30	6	3	1	4	8	3	10	4	16	14	14	17	124
13	Dysentery	18	6	3	9	5			1	1	2				1	2	1	2	3
15	Erysipelas	40	28	4	8	8	2	1	1				1	2		3	6	3	13
16	Acute poliomyelitis, acute polioencephalitis	10	7		3			2			2	2		3	1				
17	Lethargic or epidemic encephalitis	28	8	8	12		1			2	1		5	1	3	4	7	3	1
18	Epidemic cerebrospinal meningitis	27	18	5	4	4	2		1	1	3	4	4	1		3	1	2	1
22	Tetanus	23	13	6	4	1				2	2	2	1		4	4	2	2	3
	Tuberculosis (all forms)	1,048	342	143	563	9	7	7	5	5	14	18	54	119	217	201	155	111	126
23	Respiratory system	891	276	106	509	3	4		1	2	3	13	43	111	184	177	142	98	110
24	Meninges and central nervous system	42	17	12	13	5	3	6	2	2	3	1	2	3	2	5	2		1
25	Intestines and peritoneum	30	11	7	12	1						1	5	1	3	4	3	5	2
26	Vertebral column	28	11	4	13							1	2	1	9	3	5	1	6
27a	Bones (vertebral column excepted)	3	1		2						1				1	1			
27b	Joints	5	3	1	1								1	1		1		1	1
28	Skin and subcutaneous cellular tissue	1			1							1							
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1																1
30	Genitourinary system	15	9	2	4			1					1		6	3	1	3	
31	Other organs	6	3	1	2							1			1			3	1
32a	Acute disseminated tuberculosis	16	10	1	5				2	1	2			1	3	3	2		2
32b,c	Other disseminated tuberculosis	10	9	1										1	3	4			2
34	Syphilis	156	105	15	36	11					3		3	3	9	26	47	33	21
35	Gonococcus infection and other venereal diseases	18	14	1	3								1	2	6	5	2	1	1
36	Purulent infection, septicemia (nonpuerperal)	13	9	3	1	3		1			1		3		1	3	1		
39	Other diseases due to protozoal parasites	3			3						1				1				1
42	Other diseases caused by helminths	1			1														1
43	Mycoses	5	3	1	1			1						2	1		1		
44	Other infectious and parasitic diseases	7	2	1	4	3	1									1		2	
	II.—Cancers and other tumors	3,411	1,789	398	1,224	3	5	6	1		14	9	15	25	89	241	534	777	1,691
	Cancer and other malignant tumors	3,302	1,716	386	1,200	1	4	6	1		13	9	13	23	78	210	503	761	1,679
(45)	Buccal cavity	65	26	5	34			1			1			1	1		2	10	49
(45)	Pharynx	18	9		9												1	4	13
(46)	Esophagus	56	31	6	19										1	2	4	15	34
(46)	Stomach and duodenum	929	393	112	424									1	7	33	96	217	575
(46)	Liver and biliary passages	230	103	32	95		1							1	2	7	28	60	131
(46)	Pancreas	107	65	12	30										1	4	23	33	46
(46)	Other digestive tract and peritoneum	476	275	58	143									2	12	24	78	112	248
47	Respiratory system	109	65	19	25						1		2	2	3	9	29	31	32
48	Uterus	224	141	31	52									1	9	34	57	61	62
49	Other female genital organs	84	63	3	18								1	2	3	14	18	19	27
50	Breast	299	159	39	101							1		2	5	39	85	68	99
51	Male genitourinary organs	304	156	33	115		1	1			3		1		7	5	20	55	210
52	Skin	50	26	1	23										1	3	3	6	37
53	Other or unspecified organs	351	204	35	112	1	2	4	1		8	8	9	11	26	36	59	70	116
54a	Nonmalignant tumors, ovary	4	3		1								1			1	1		1
54b	Nonmalignant tumors, uterus	47	37	4	6										4	21	17	2	3
54d,e	Nonmalignant tumors, other organs	27	16	4	7	2					1		1	2	1	4	7	5	4
55b	Tumors, uterus (nature unspecified)	1	1													1			
55d,e	Tumors, other organs (nature unspecified)	30	16	4	10		1								6	4	6	9	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	889	417	119	353	25	5	3	1	3	10	22	25	10	40	40	109	177	419
56	Acute rheumatic fever	53	23	6	24			2		1	4	7	9	3	9	1	4	6	7
57	Chronic rheumatism, osteoarthritis	55	23	7	25									2	1	4	3	9	36
59	Diabetes mellitus	601	276	81	244		2			2	5	13	13	2	19	17	64	129	335
62	Pellagra	2	2											1	1				
63	Rickets	4	1		3	3						1							
65	Diseases of pituitary body	2	1		1										1			1	
66a	Simple goiter	4	3		1										1			3	
66b	Exophthalmic goiter	119	67	17	35							1	2		5	15	31	27	38
(66)	Other diseases of thyroid and parathyroid glands	14	8	2	4	3	2		1					1	1		2	1	3
67	Diseases of thymus gland	20	4	4	12	18	1	1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	11	7	1	3								1	1	2	3	4		
69	Other general diseases	4	2	1	1	1					1						1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																		
	IV.—Diseases of the blood and blood-making organs	342	173	33	136	15	3	2	1	1	9	7	11	6	13	38	46	76	114
70	Hemorrhagic conditions	22	11	2	9	10	1					1	1		1	2	1	1	4
71a	Pernicious anemia	144	55	19	70	1			1		1		1	1	1	10	15	38	75
71b	Other anemias	16	5	2	9	2					1		1			1		2	9
72a	True leukemias	94	61	6	27	2	1	1		1	7	4	4	3	6	10	18	22	15
72b	Pseudoleukemias (Hodgkin's disease)	54	32	4	18		1	1				2	4	2	4	13	10	8	9
73	Diseases of the spleen	10	7		3										1	2	2	4	1
74	Other diseases of blood and blood-making organs	2	2															1	1
	V.—Chronic poisonings and intoxications	63	44	4	15									1	7	13	29	12	1
75	Alcoholism (acute or chronic)	60	42	3	15									1	7	12	28	11	1
76	Chronic poisoning by other organic substances	3	2	1												1	1	1	
	VI.—Diseases of the nervous system and of the organs of special sense	2,720	1,093	413	1,214	60	9	6	8	2	33	20	25	30	47	112	255	462	1,651
78	Encephalitis (nonepidemic)	22	9	6	7		1			1	3	2	1	2	1	1	3	5	2
79a	Simple meningitis	42	26	5	11	8	1	2	2		4	4	1	3	3	3	1	6	4
79b	Nonepidemic cerebrospinal meningitis	5			5	2		1					1			1			
80	Progressive locomotor ataxia (tabes dorsalis)	25	18	3	4											4	4	8	9
81	Other diseases of spinal cord	69	30	6	33						1	1	5	2	2	9	9	16	24
82a	Cerebral hemorrhage	1,950	726	289	935	2	1					1	2	8	8	42	162	336	1,388
82b	Cerebral embolism and thrombosis	140	72	14	54	1						2	1		3	9	9	24	91
82c	Softening of brain	21	17		4												2	5	14
82d	Hemiplegia and other paralysis, cause unspecified	46	13	3	30			1							1		2	5	37
83	General paralysis of insane	74	27	36	11										2	17	25	22	8
84	Dementia praecox and other psychoses	23	11	8	4								1	2	1	3	7	2	7
85	Epilepsy	69	18	12	39	2	1		1		1	5	7	7	12	7	9	7	10
86	Convulsions (under 5 years of age)	20	1	3	16	19		1											
87	Other diseases of nervous system	126	63	16	47	10	1		2	1	9	1	2	4	4	9	14	18	51
88	Diseases of organs of vision	1	1														1		
89a	Diseases of ear	61	40	8	13	11	2	1	2		9	2	2	2	9	4	6	7	4
89b	Diseases of mastoid process	26	21	4	1	5	2		1		6	2	2		1	3	1	1	2
	VII.—Diseases of the circulatory system	5,708	2,556	745	2,407	5	3	1		1	18	28	30	42	103	216	467	877	3,917
90	Pericarditis	10	3	1	6	1							1		1		3	2	2
91a	Acute endocarditis	63	41	6	16	1	1	1		1	6	5	3	5	12	11	8	2	7
91b	Endocarditis, unspecified (under 45 years)	9	4	2	3	1										8			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,211	490	130	591		1				9	18	19	21	61	81	114	178	709
92b	Endocarditis, unspecified (45 years and over)	45	13	6	26												8	11	26
93a	Acute myocarditis	41	15	6	20									2	3	2	6	6	22
93b	Myocarditis, unspecified (under 45 years)	12	5	1	6										4	8			
93c	Chronic myocarditis and myocardial degeneration	1,538	644	235	659						2	2	2	5	8	33	87	189	1,210
93d	Other diseases of myocardium	464	193	57	214						1					1	39	65	358
94a	Angina pectoris	328	126	44	158										2	13	39	74	200
94b	Diseases of coronary arteries	684	433	66	185							1			3	22	85	157	416
95a	Functional diseases of heart	25	8	4	13										1	1	3	1	19
95b	Other and unspecified diseases of heart	696	320	85	291	1						2	3	6	6	27	55	134	462
96	Aneurysm (except of heart)	37	28	2	7								1		1	3	9	8	15
97	Arteriosclerosis (coronary arteries excepted)	463	196	91	176											2	5	30	426
98	Gangrene	4		1	3													1	3
99	Other diseases of arteries	43	17	7	19								1	3	1	3	3	8	24
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	17	9	1	7											1	2	4	10
101	Diseases of lymphatic system (lymphangitis, etc.)	2	2			1	1												
102	Idiopathic anomalies of blood-pressure	13	7		6												1	5	7
103	Other diseases of circulatory system	3	2		1													2	1
	VIII.—Diseases of the respiratory system	2,253	1,113	287	853	254	51	33	7	5	35	33	44	44	79	141	193	241	1,092
104a	Diseases of nasal fossae	7	2	1	4	3										1	1		2
104b	Diseases of nasal fossae and annexae	20	14		6	1		1				4	2	2	2	1	2	3	2
105	Diseases of larynx	5	3	2			2	1			1					1			
106a	Acute bronchitis	27	10	3	14	5	2							1				1	18
106b	Chronic bronchitis	71	26	8	37							1	2			2	9	7	50
106c,d	Bronchitis, unspecified	18	8	1	9	1				1						2	1	1	12
107a	Bronchopneumonia	998	519	145	334	177	29	15	4	2	13	10	11	10	14	40	64	87	522
107b	Capillary bronchitis	5	1	4		2	1												2
108	Lobar pneumonia	876	427	94	355	52	12	15	3	1	18	11	22	27	54	77	89	115	379
109	Pneumonia, unspecified	34	6	2	26	7				1	1	1	1	1	2		1	3	16
110	Pleurisy	75	42	10	23	6	4	1			2	3	4	3	3	10	14	11	14
111a	Pulmonary embolism and thrombosis	23	14	1	8											1	6	6	10
111b	Pulmonary congestion, edema, hemorrhagic infarct	47	19	10	18		1									1	1	1	43
112	Asthma	28	13	4	11							2			2		2	5	17
113	Pulmonary emphysema	2	2													1			1
114	Other diseases of respiratory system (tuberculosis excepted)	17	8	5	4							1	2		2	4	3	1	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																		
	IX.—Diseases of the digestive system	1,693	950	262	481	143	33	15	20	13	52	42	57	42	103	186	244	274	469
115a	Diseases of pharynx and tonsils	86	45	13	28	5	1	1	2	2	8	2	12	4	7	14	12	7	9
115b	Diseases of buccal cavity and annexa	12	8	2	2	1							2	1	1		4	2	1
116	Diseases of esophagus	6	5	1					1							1	1	1	2
117a	Ulcer of stomach	116	68	11	37	1		1						4	9	19	23	24	35
117b	Ulcer of duodenum	79	56	10	13								1		5	15	16	23	19
118	Other diseases of stomach (cancer excepted)	22	4	4	14	3			1							1	1	1	15
119	Diarrhea, enteritis (under 2 years of age)	131	52	13	66	108	23												
120	Diarrhea, enteritis (2 years and over)	66	28	6	32			5	4	3	4	2		2	2	3	5	6	30
121	Appendicitis	397	225	84	88	1	6	5	9	6	32	35	38	21	42	61	63	48	30
122a	Hernia	124	72	25	27	2			1						2	4	15	27	73
122b	Intestinal obstruction	127	75	23	29	13	2	2	1		3		3	3	9	15	18	22	36
123	Other diseases of intestines	20	8	3	9	1					1	1			3	2	1	1	10
124	Cirrhosis of liver	178	93	23	62							1		1	6	15	33	39	83
125a	Yellow atrophy of liver	7	5	1	1											2	2	1	2
125b	Other diseases of liver	22	10	7	5	2	1		1						2	2	1	5	8
126	Biliary calculi	183	129	18	36									3	6	16	31	51	76
127	Other diseases of gall-bladder, biliary passages	68	37	11	20						1		1	1	2	10	14	8	31
128	Diseases of pancreas	12	8	2	2										2	3	2	3	2
129	Peritonitis, cause not specified	37	22	5	10	6		1		2	3	1		2	5	3	2	5	7
	X.—Diseases of the genitourinary system	1,814	757	298	759	11	3	2	1		9	8	15	22	64	95	143	270	1,170
130	Acute nephritis (including unspecified under 10 years)	41	18	8	15	2	1				1	1	3	1	5	6	3	8	10
131	Chronic nephritis	1,271	472	226	573		1	1	1		6	4	9	16	33	60	107	191	841
132	Nephritis, unspecified (10 years and over)	78	30	12	36							1			5	4	8	15	45
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	77	45	7	25	8		1			2			1	4	7	7	8	39
134	Calculi of urinary passages	46	40	2	4							1	1		2	3	5	13	21
135	Diseases of bladder (tumors excepted)	15	5	2	8												1	3	11
136	Diseases of urethra, urinary abscess, etc	3	2		1												1	1	1
137	Diseases of prostate	225	109	29	87												4	26	195
138	Diseases of male genital organs, not specified as venereal	2	1		1	1	1												
139a	Cysts of ovary	14	7	4	3								1	1	2	4	3		3
139b	Other diseases of ovaries, diseases of tubes and parametrium	21	17	4										2	9	7	2		1
139c	Diseases of uterus	17	9	2	6							1	1	1	3	4	1	3	3
139e	Other diseases of female genital organs	4	2	2											1		1	2	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	222	112	40	70								11	42	103	63	3		
140	Abortion with septic conditions	39	28	4	7								4	12	17	6			
141	Abortion without mention of septic conditions (includes hemorrhages)	17	6	4	7								1	1	10	5			
142a	Ectopic gestation, septic conditions specified	2		2											1	1			
142b	Ectopic gestation, septic conditions not mentioned	11	8	1	2										5	6			
143	Other accidents of pregnancy (hemorrhage not included)	2		2										1		1			
144a	Placenta praevia	10	4	1	5										3	7			
144b	Other puerperal hemorrhages	16	6	1	9								1	3	6	6			
145a	Puerperal septicemia and pyemia (abortion excluded)	39	19	6	14								3	12	15	9			
145b	Puerperal tetanus (abortion excluded)																		
146	Puerperal albuminuria and eclampsia	37	16	11	10								1	3	18	13	2		
147	Other toxemias of pregnancy	12	9		3									4	7	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	8	3	2	3									1	3	4			
149	Other accidents of childbirth	28	13	6	9								1	5	17	4	1		
150	Other and unspecified conditions of puerperal state	1			1										1				
	XII.—Diseases of the skin and cellular tissue	39	18	9	12	8							2	3	4	3	5	3	11
151	Furuncle, carbuncle	12	7	2	3								1	2	2	2	2	1	2
152	Phlegmon, acute abscess	9	5	3	1	1							1		2		1		4
153	Other diseases of skin and annexa, and of cellular tissue	18	6	4	8	7								1		1	2	2	5
	XIII.—Diseases of the bones and organs of locomotion	32	15	7	10			1		1	6	5	2	3	1	2	2	7	2
154	Osteomyelitis	20	8	5	7			1		1	4	5	1	1	1	2	1	2	1
155	Other diseases of bones (tuberculosis excepted)	2	2								1							1	
156	Diseases of joints, other organs of locomotion	10	5	2	3						1		1	2			1	4	1
	XIV.—Congenital malformations	334	132	48	154	283	11	5	1	4	11	7	5	5		1		1	
157a	Congenital hydrocephalus	61	26	8	27	50	4	1			4	1	1						
157b	Spina bifida and meningocele	60	22	4	34	57	2				1								
157c	Congenital malformations of heart	119	40	19	60	94	3	3	1	3	4	3	3	4		1			
157d	Other congenital malformations	94	44	17	33	82	2	1		1	2	3	1	1				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MINNESOTA—Continued																		
	XV.—Diseases of early infancy	1,168	520	153	495	1,168													
158	Congenital debility	56	19	5	32	56													
159	Premature birth	753	343	104	306	753													
160	Injury at birth	251	112	27	112	251													
161	Other diseases peculiar to early infancy	108	46	17	45	108													
162	XVI.—Senility	139	21	15	103														139
	XVII.—Violent and accidental deaths	2,364	1,047	304	1,013	35	36	19	25	27	62	67	129	143	269	271	322	316	641
	Suicide	459	205	50	204							1	14	18	60	86	93	98	88
163	By solid or liquid poisons or by absorption of corrosive substances	62	22	7	33								5	2	11	9	11	11	13
164	By poisonous gas	66	60	4	2									3	14	15	12	14	8
165	By hanging or strangulation	118	31	13	74								1	2	9	18	24	32	31
166	By drowning	36	18	6	12							1	1		3	4	5	12	10
167	By firearms	145	55	17	73								6	11	18	33	34	23	20
168	By cutting or piercing instruments	11	8		3											4	1	2	4
169	By jumping from high places	10	9		1										4	1	4	1	
170	By crushing	6	1	2	3								1		1	2		1	1
171	By other means	5	1	1	3												2	2	1
	Homicide	76	38	10	28	5		1		1		1	2	8	20	13	16	6	3
173	By firearms	46	20	6	20	1							1	6	12	9	10	4	3
174	By cutting or piercing instruments	4	3		1							1			1	1	1		
175	By other means	26	15	4	7	4		1		1			1	2	7	3	5	2	
	Accidental, other, or undefined	1,829	804	244	781	30	36	18	25	26	62	65	113	117	189	172	213	212	550
177	Poisoning by food	1	1					1											
178	Absorption of poisonous gas	67	46	5	16	1							2	4	4	12	17	9	18
	Supplemental	1			1											1			
179	Other acute accidental poisonings (gas excepted)	28	14	4	10	1	4	2	1	1			2	2		4	6	3	2
180	Conflagration	26	8	3	15	2	1	1	2	3	1		3		2	2	5	2	2
181	Burns (conflagration excepted)	73	39	8	26	4	9	8	7	2	3		4	1	4	6	3	5	17
	Supplemental	15	3	2	10							1	2	5	4	2			1
182	Mechanical suffocation	18	5	1	12	12	1						1	1	1	2			
	Supplemental	6			6								2				4		
183	Drowning	144	29	12	103	1	11	1	2	3	13	23	12	21	14	13	9	6	15
	Supplemental	46	3		43							4	4	7	16	4	5	3	3
	Traumatism:																		
184	By firearms (wounds of war excepted)	72	15	11	46					1	3	6	7	5	13	10	14	6	6
185	By cutting or piercing instruments (wounds of war excepted)	24	9	3	12				1	1	1	1			2	2	5	5	6
	Supplemental	7	2	1	4								1	1	2	1		1	1
186a	By fall	463	254	69	140	2	3	1	1	2	4	5	3	5	15	14	31	49	328
	Supplemental	44	21	5	18				1			3	3	2	2	7	5	13	8
186b	By crushing, landslide	17	5	3	9		1					1		3	2	2	4	1	3
	Supplemental	143	59	19	65			1	3	2	4	2	12	13	28	20	21	16	21
187	Cataclysm	2		1	1					1									1
188	Injuries by animals	30	7	5	18		1			1	1	2	1		3	3	5	6	7
190	Excessive cold	21	6	4	11								1		1	3	4	3	9
191	Excessive heat	23	5	3	15	1										1	1	3	17
192	Lightning	4	1		3									3	1				
193	Due to electric currents	8	1		7							1	1	1	4		1		
194a	Foreign bodies	12	8		4	5	1		1		1					1	1		2
194b	Other accidents	74	26	17	31	1	2		2	1	3	2	8	3	9	12	10	9	12
	Supplemental	460	237	68	155		2	3	4	8	28	14	44	40	62	50	62	72	71
	XVIII.—Ill-defined causes of death	72	7	8	57	28	1						1		1	7	8	10	16
199	Sudden death	14	1	1	12	6										2		4	2
200a	Cause of death ill-defined	23	1	6	16	3							1		1	4	4	2	8
200b	Cause of death not specified or unknown	35	5	1	29	19	1									1	4	4	6
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	2			2												1	1	
202	Accidents from agricultural machinery	18	3	4	11			1	1				2	2	3	2	3	4	
203	Elevator accidents	1	1														1		
205	Other machinery accidents	20	7	4	9				2	1					6	3	3	3	2
206	Railroad and automobile collisions	39	20	8	11						2		5	6	8	7	5	3	3
207	Other railroad accidents	64	29	9	26						1		6	1	10	10	11	9	16
208	Street car and automobile collisions	6	6											2			2	2	
209	Other street car accidents	7	7							1	1					1		2	2
210	Automobile accidents (primary)	486	237	65	184			3	5	8	28	18	45	47	64	52	66	75	75
212	Other land transportation accidents	25	7	5	13		2					3	4		2	3	2	4	5
213	Water transportation accidents	39	3		36							3	3	7	16	3	3	2	2
214	Air transportation accidents	15	5		10								3	3	5	4			
	MISSISSIPPI																		
	Total deaths (all causes) White	8,303	1,868	728	5,707	967	195	102	80	42	183	142	206	250	458	580	785	1,125	3,170
	Total deaths (all causes) Colored	12,008	2,017	728	9,263	1,513	234	121	95	79	244	232	529	745	1,261	1,245	1,536	1,380	2,730
	I.—Infectious and parasitic diseases White	1,238	216	78	944	143	56	38	35	18	71	34	40	62	113	126	119	122	259
	I.—Infectious and parasitic diseases Colored	2,525	355	152	2,018	198	87	40	34	34	88	72	224	323	454	323	280	155	203
1	Typhoid fever W	46	6	4	36		1				6	5	6	11	7	4	1	2	3
1	Typhoid fever C	115	5	5	105		1	2	2	4	6	8	21	19	17	14	10	7	4
6	Smallpox W	1			1							1							
6	Smallpox C	4			4						1		1				1		1
7	Measles W	2	2					1				1							
7	Measles C	2			2						2								

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
8	Scarlet fever	W	10	1	1	8					2	4	1	1	1					
		C	2			2								1	1					
9	Whooping cough	W	50	8	2	40	35	10	3	1		1								
		C	68	11	1	56	36	16	6	4	1	5								
10	Diphtheria	W	94	15	10	69	12	16	16	16	12	17	3		1					
		C	59	4	3	52	4	15	8	6	5	12	6	2			1			
11a	Influenza, respiratory complications specified	W	273	56	18	199	49	9	6	6		6	7	10	9	13	29	23	36	70
		C	270	63	26	181	48	14	4	4	7	4	3	16	17	30	36	27	18	39
11b	Influenza, respiratory complications not specified	W	142	21	8	113	21	5	2	3		4			5	6	11	6	8	71
		C	166	25	12	129	32	3	3	3	1	6	4	5	7	18	11	14	10	49
13	Dysentery	W	22	3	2	17		5			1					1		1	2	12
		C	40	4	1	35	3	6	2	2				1		3	1	4	6	12
15	Erysipelas	W	23	5	2	16	6		1			2	3		2	1		2	2	4
		C	4			4								1	1	1		1		
16	Acute poliomyelitis, acute polioencephalitis	W	14	2		12	3	2	1	4	1	2			1					
		C	10	1	2	7	1	1	2	1	1	2		2						
17	Lethargic or epidemic encephalitis	W	3	2		1											1	2		
18	Epidemic cerebrospinal meningitis	W	6	3		3	1					2						2		1
		C	16	4	1	11	3		1				2	3	1	1	1	3		1
20	Anthrax (bacillus anthracis) malignant pustule	W	1			1														1
21	Rabies	W	2		1	1			1										1	
22	Tetanus	W	12	3	4	5	3		1		1	3	1	1				2		
		C	17	5	1	11				2		4	2	4	2	1	1	1		
	Tuberculosis (all forms)	W	367	56	17	294	1	1				5	2	14	23	62	63	65	59	72
		C	1,121	148	74	899	7	8			2	9	29	133	221	310	171	120	66	40
23	Respiratory system	W	344	46	16	282						3	2	14	21	60	59	63	58	64
		C	1,060	135	71	854	4	4			1	6	27	120	211	299	164	118	63	38
24	Meninges and central nervous system	W	5	2		3	1	1							1		1			1
		C	3	1		2	1	1			1									
25	Intestines and peritoneum	W	7	3		4						1				2	1		1	2
		C	17	3	1	13						1		4	2	5	3	2		
26	Vertebral column	W	6	4	1	1									1		2	1		2
		C	14	4	1	9	1					2	1	2	3	3	1	1		
27a	Bones (vertebral column excepted)	C	7	2		5		1					1	2		1		1		1
27b	Joints	W	1			1												1		
		C	4	1		3								1	2				1	
28	Skin and subcutaneous cellular tissue	W	2			2														2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	C	7			7	1	1						2	1	1	1			
30	Genitourinary system	W	1			1														1
		C	2	1	1										1		1			
31	Other organs	C	1			1														1
32a	Acute disseminated tuberculosis	W	1	1								1								
		C	5	1		4								2	1	1	1			
32b, c	Other disseminated tuberculosis	C	1			1		1												
34	Syphilis	W	22	9	3	10	2	1					1			4	4	3	4	3
		C	334	52	19	263	41	9	3	2	3	6	2	10	28	55	61	63	25	24
35	Gonococcus infection, other venereal diseases	W	2	2											1				1	
		C	20	10		10	1							3	3	4	3	4	1	1
36	Purulent infection, septicemia (nonpuerperal)	W	9	3		6									1	2	2	1		3
		C	8	4		4	1								1			5		1
38	Malaria	W	131	18	6	107	10	6	6	4	1	18	8	7	8	14	12	11	7	19
		C	264	19	7	238	19	13	9	8	10	30	16	21	22	14	24	25	22	31
40	Ankylostomiasis	W	5	1		4				1		1	1	1		1				
		C	1			1												1		
42	Other diseases caused by helminths	C	2			2		1				1								
43	Mycoses	W	1			1										1				
		C	1			1	1													
44	Other infectious and parasitic diseases	C	1			1	1													
	II—Cancers and other tumors	White	689	166	70	453	2	4	1		1	3	5	2	1	25	71	105	157	310
		Colored	514	97	42	375		1		1	1	1	1	4	10	31	84	151	108	117
	Cancer and other malignant tumors	W	656	154	64	438	1	3	1		1	3	2	2	1	21	62	101	153	303
		C	479	88	38	353				1	1	1	1	3	7	25	73	143	107	114
(45)	Buccal cavity	W	21	3	3	15						1				1	2	2	4	11
		C	10	2	1	7										1	2	1	2	4
(45)	Pharynx	W	9	2	5	2												1	3	5
		C	6			6											1	1	1	3
(46)	Esophagus	W	3	2	1														1	2
(46)	Stomach and duodenum	W	120	22	9	89									1		4	14	43	58
		C	70	13	4	53										4	4	12	24	25
(46)	Liver and biliary passages	W	83	18	8	57							1			1	7	15	18	40
		C	42	7	3	32					1				1	2	4	16	11	6
(46)	Pancreas	W	16	7	2	7										1	2	1	7	5
		C	1	1														1		
(46)	Other digestive tract and peritoneum	W	67	15	6	46												5	9	22	31
		C	42	8	4	30									2	1	6	10	13	10
47	Respiratory system	W	16	5	2	9											1	3	3	9
		C	3	1		2												2		1
48	Uterus	W	100	30	11	59										9	24	30	17	20
		C	179	30	16	133								1	3	12	36	67	32	27
49	Other female genital organs	W	9	5	2	2											1	3	3	2
		C	4	1		3										1		1	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	II—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued																		
50	Breast	W 58	9	5	44										3	6	14	12	23
		C 47	10	4	33										3	9	16	7	12
51	Male genitourinary organs	W 56	16	4	36		1								1	3	1	7	42
		C 26	6	2	18											3	6	6	11
52	Skin	W 37	5	3	29										2	1	3	3	28
		C 6	1	1	4											1	2	2	1
53	Other or unspecified organs	W 61	15	3	43	1	2	1		1	2	1	2		3	6	5	10	27
		C 43	8	3	32				1		1	1	2	1	1	7	8	8	13
54a	Nonmalignant tumors, ovary	W 2	2														1		1
		C 1	1											1					
54b	Nonmalignant tumors, uterus	W 8	2	4	2										2	4	1		1
		C 21	8	3	10									1	2	10	7		
54d,e	Nonmalignant tumors, other organs	W 4	1	1	2		1											2	1
		C 1			1														1
55d,e	Tumors, other organs (nature unspecified)	W 19	7	1	11	1						3			2	5	2	2	4
		C 12		1	11		1						1	1	4	1	1	1	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White 251	62	21	168	8	1	2		1	1	4	8	9	13	14	40	69	80
		Colored 408	55	24	329	4	3	1	2	1	4	6	11	20	50	58	71	73	101
56	Acute rheumatic fever	W 10	4	3	3							1	2		2		1	1	3
		C 18	1		17		1	1	2			1	1	1	1	1	1	3	5
57	Chronic rheumatism, osteoarthritis	W 10	3	1	6									1		1	2	2	4
		C 4	1		3													2	2
59	Diabetes mellitus	W 136	36	10	90			1			1	2	4	4	3	7	16	47	50
		C 84	13	8	63					1	1	2	4	3	4	5	22	20	21
62	Pellagra	W 68	8	5	55							1	1	3	6	4	17	17	19
		C 284	36	12	236						3	2	6	16	43	47	47	46	72
63	Rickets	W 3	1		2	3													
		C 1	1			1													
66a	Simple goiter	C 2			2										1			1	
66b	Exophthalmic goiter	W 10	4	1	5									1	2	1	3	1	2
		C 7	2	2	3										1	4	1	1	
(66)	Other diseases of thyroid and parathyroid glands	C 1		1		1													
67	Diseases of thymus gland	W 3	2	1		3													
		C 1			1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W 2	1		1											1			1
69	Other general diseases	W 9	3		6	2	1	1		1				1			1	1	1
		C 6	1	1	4	1	2					1				1			1
	IV.—Diseases of the blood and blood-making organs	White 47	16	7	24	4			1		2			1	5	6	7	10	11
		Colored 26	3	3	20	5				1		1	1	1	4	4	4	4	1
70	Hemorrhagic conditions	W 3	1		2	2					1								
		C 7	1	2	4	5				1		1							
71a	Pernicious anemia	W 18	5	5	8						1				2	3	2	5	5
		C 11	2		9									1	3	2	2	3	
71b	Other anemias	W 4	2		2	1											1		2
72a	True leukemias	W 13	5	1	7									1	2	3	2	4	1
		C 6			6								1			2	2	1	
72b	Pseudoleukemias (Hodgkin's disease)	W 4	1		3										1		1		2
		C 2		1	1										1				1
73	Diseases of spleen	W 4	1	1	2				1								1	1	1
74	Other diseases of blood and blood-making organs	W 1	1			1													
	V.—Chronic poisonings and intoxications	White 10	2	1	7									2	1	2	3	2	
		Colored 11	4	3	4									1	3	3	1	1	1
75	Alcoholism (acute or chronic)	W 9	2	1	6									2	1	1	3	2	
		C 10	3	3	4										3	3	1	1	1
76	Chronic poisoning by other organic substances	W 1			1											1			
		C 1	1											1					
	VI.—Diseases of the nervous system and of the organs of special sense	White 740	165	48	527	19	3	3		1	6	4	7	5	18	42	79	136	417
		Colored 830	148	57	625	21	2	4	2	1	4	5	7	15	30	67	176	172	322
78	Encephalitis (nonepidemic)	W 8	2	1	5	2		1					1			1			3
		C 6	2		4	2									2	1	1		
79a	Simple meningitis	W 6	1	1	4	6													
		C 13	4	1	8	3	1	1	1		1	1	1	1		2	1		
79b	Nonepidemic cerebrospinal meningitis	W 2			2	1					1								
		C 1		1														1	
80	Progressive locomotor ataxia (tabes dorsalis)	W 4	1	1	2												1	2	1
		C 5	1		4											1	3		1
81	Other diseases of spinal cord	W 15	5	2	8		1								1	1	1	1	10
		C 11	1	1	9						1			2	1	1	1	3	2
82a	Cerebral hemorrhage	W 542	111	38	393	2		1			1		2		4	19	55	116	342
		C 632	124	41	467								2	3	14	47	147	150	268
82b	Cerebral embolism and thrombosis	W 12	3	2	7											1	2	4	5
		C 3	2	1												1			2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																			
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																			
82c	Softening of brain	W	5	1	1	3														5
		C	1			1											1			
82d	Hemiplegia and other paralysis, cause unspecified	W	45	7	1	37									1			4	9	31
		C	74	7	6	61			1							2	4	11	10	46
83	General paralysis of insane	W	20	14		6										5	9	5		1
		C	21	1	1	19									1	4	5	3	6	2
84	Dementia praecox and other psychoses	W	10	6		4									1	1	4	3		1
		C	10	1	1	8									2	2	1	3	1	1
85	Epilepsy	W	24	3		21	1					1	1	3	3	5	2	3	1	4
		C	19			19	1				1		2	3	5	5	1	1		
86	Convulsions (under 5 years of age)	W	3	1		2	1	1	1											
		C	14	1	1	12	12	1	1											
87	Other diseases of nervous system	W	25	4		21	2						1			1	4	3	2	12
		C	10	1	1	8			1	1		1		1	1		2	2		
88	Diseases of organs of vision	W	1			1													1	
		C	1			1							1							
89a	Diseases of ear	W	14	5		9	3	1			1	3	1	1		1	1	1		1
		C	8	3	2	3	2					1	1				1	2	1	
89b	Diseases of mastoid process	W	4	1	1	2	1						1					1		1
		C	1			1	1													
	VII.—Diseases of the circulatory system	White	1,300	327	121	852	3	3	1		2	6	8	5	10	23	49	130	225	834
		Colored	1,161	247	96	818	1		1	3		8	16	17	22	74	146	198	251	420
90	Pericarditis	W	7			7												2	1	4
		C	9	3	1	5							3	1	1		3		1	
91a	Acute endocarditis	W	11	3	2	6		1							1	4	2		1	2
		C	10	3	1	6				1				2	1	2	2		1	1
91b	Endocarditis, unspecified (under 45 years)	W	1	1										1						
		C	2		1	1								1	1					
92a	Endocarditis, specified as chronic, and other valvular diseases	W	342	59	24	259	1	1			1	3	6	2	5	6	7	22	56	232
		C	444	92	24	328						4	8	4	11	25	62	84	97	147
92b	Endocarditis, unspecified (45 years and over)	W	23	7	3	13												5	5	13
		C	9	1	1	7												2	5	2
93a	Acute myocarditis	W	9	3		6									2		1	4		1
		C	11	5	1	5										1	4	3	2	1
93b	Myocarditis, unspecified (under 45 years)	W	4			4			1							1	2			
		C	13	8		5				1		1		2	1	4	4			
93c	Chronic myocarditis and myocardial degeneration	W	256	85	29	142						2				3	7	14	50	180
		C	137	31	14	92								4		10	14	24	32	52
93d	Other diseases of myocardium	W	98	18	15	65											3	9	12	74
		C	56	10	11	35						1		1		1	1	10	20	22
94a	Angina pectoris	W	124	26	15	83											6	19	33	66
		C	31	6	1	24										2	7	6	4	12
94b	Diseases of coronary arteries	W	59	23	7	29								1	1	2	9	15	13	18
		C	17	8	1	8				1						2	4	4	4	2
95a	Functional diseases of heart	W	7	1	1	5	1											1	3	2
		C	5	1		4										2			2	1
95b	Other and unspecified diseases of heart	W	238	66	14	158	1				1	1	2		1	7	11	31	35	148
		C	319	62	32	225	1		1			2	5	2	6	22	37	57	65	120
96	Aneurysm (except of heart)	W	5	1	1	3											1	1	1	2
		C	7	2	1	4									1	1		1	1	3
97	Arteriosclerosis (coronary arteries excepted)	W	95	30	7	58												5	10	80
		C	59	7	6	46											3	1	9	46
98	Gangrene	W	3	2		1		1											1	1
		C	11	4		7												3	3	5
99	Other diseases of the arteries	W	6	1	3	2								1				1	2	2
		C	5	3		2											1	1	3	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	C	1			1										1				
101	Diseases of lymphatic system (lymphangitis, etc.)	C	1			1										1				
102	Idiopathic anomalies of blood-pressure	W	10	1		9												1	2	7
		C	13	1	1	11											3	2	2	6
103	Other diseases of circulatory system	W	2			2														2
		C	1			1											1			
	VIII.—Diseases of the respiratory system	White	566	116	49	401	77	25	14	11	5	19	12	16	19	34	36	44	59	193
		Colored	682	147	38	497	133	23	21	7	6	26	16	40	40	73	70	69	68	83
104a	Diseases of nasal fossae	W	1			1														1
		C	2			2													2	
104b	Diseases of nasal fossae and annexae	W	5	2		3						2	2					1		
		C	4	3		1								2					1	1
105	Diseases of larynx	W	5		1	4		1		1		1					1			1
106a	Acute bronchitis	W	2	1		1	1		1											
		C	5	1		4	1		1			1					1			1
106b	Chronic bronchitis	W	18	2	3	13	1											1	5	11
		C	2			2													1	1
106c,d	Bronchitis, unspecified	W	5	1	1	3	1										1			3
		C	6	1		5	3			1					1					1
107a	Bronchopneumonia	W	159	34	10	115	42	9	8	7	2	3		2	2	4	10	4	10	55
		C	135	27	14	94	62	12	5	2	2	9	3	5	3	4	5	9	7	7
107b	Capillary bronchitis	W	5			5	2	2												1
		C	1	1				1												
108	Lobar pneumonia	W	279	54	29	196	25	5	2	2	3	9	10	10	14	26	19	31	38	84
		C	408	99	19	290	32	5	11	3	2	10	10	30	25	64	57	51	48	59
109	Pneumonia, unspecified	W	32	3		29	5	2	1			1			2	1	1	1	3	15
		C	91	9	2	80	33	5	3	2	1	6	2	1	7	4	3	7	7	10

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	VIII.—Diseases of the respiratory system—Continued																		
110	Pleurisy W	19	8	3	8		3	1			2		1	1		1	4	2	4
	Pleurisy C	6	2	2	2									1		2		1	1
111a	Pulmonary embolism and thrombosis W	1			1								1						
111b	Pulmonary congestion, edema, hemorrhagic infarct W	16	8	1	7		1		1		1				1				12
	Pulmonary congestion, edema, hemorrhagic infarct C	4	3		1	1							1	1			1		
112	Asthma W	16	2	1	13		2	1					2		1	2	2	1	5
	Asthma C	14		1	13	1				1		1			1	1	1	1	7
114	Other diseases of respiratory system (tuberculosis excepted) W	3	1		2										1	1			1
	Other diseases of respiratory system (tuberculosis excepted) C	4	1		3								1	2		1			
	IX.—Diseases of the digestive system White	652	197	75	380	95	68	18	15	4	30	17	27	24	40	58	65	62	128
	IX.—Diseases of the digestive system Colored	704	182	51	471	109	63	16	10	5	32	23	16	44	71	79	79	62	91
115a	Diseases of pharynx, tonsils W	34	15	2	17	3	1		2	1	9	2	2	2	6	2	2		2
	Diseases of pharynx, tonsils C	31	3		28	1		2	1		9	4	2	2	3		2	2	2
115b	Diseases of buccal cavity and annexa W	7	3	1	3									1	1	1	2	2	
	Diseases of buccal cavity and annexa C	9	3	1	5				1					2	1	1	1	1	2
116	Diseases of esophagus C	1			1														1
117a	Ulcer of stomach W	38	9	5	24								2		4	6	5	12	9
	Ulcer of stomach C	39	9	1	29									2	5	6	9	9	8
117b	Ulcer of duodenum W	16	4	2	10									2	1	4	4	2	3
	Ulcer of duodenum C	8	2	1	5					1					2		3	1	1
118	Other diseases of stomach (cancer excepted) W	35	4	2	29	4			3		1			1	2	2	2	5	15
	Other diseases of stomach (cancer excepted) C	73	17	4	52	2	3				5			5	6	16	10	9	16
119	Diarrhea, enteritis (under 2 years of age) W	143	23	11	109	80	63												
	Diarrhea, enteritis (under 2 years of age) C	150	17	8	125	96	54												
120	Diarrhea, enteritis (2 years and over) W	57	11	2	44			13	9	1	4			1	3	1	2	3	20
	Diarrhea, enteritis (2 years and over) C	74	10	5	59			13	8	4	10	2	4	1	3	7	5	3	14
121	Appendicitis W	121	66	23	32	1	1		1		10	12	18	10	12	24	16	12	4
	Appendicitis C	91	42	7	42						5	14	5	16	19	13	8	5	6
122a	Hernia W	20	10	5	5											1	8	1	10
	Hernia C	23	10	4	9								1	2	1	4	5	3	7
122b	Intestinal obstruction W	67	26	7	34	7	2	4		1	3	2	3	5	8	4	4	5	19
	Intestinal obstruction C	97	33	11	53	9	3	1			1	2	2	9	16	18	12	6	18
123	Other diseases of intestines W	6		2	4						1		1			1	1		2
	Other diseases of intestines C	12	5	1	6		1									2	3	3	2
124	Cirrhosis of liver W	39	4	3	32											3	8	8	20
	Cirrhosis of liver C	33	9	4	20										3	4	11	7	7
125a	Yellow atrophy of liver W	1			1														1
	Yellow atrophy of liver C	4	1		3								1	1	1	1			
125b	Other diseases of liver W	6	3		3		1							1		1	2		1
	Other diseases of liver C	16	5		11						1			1	4	2	1	4	3
126	Biliary calculi W	13	9	2	2											4	1	2	6
	Biliary calculi C	8	4		4									1	2		1	4	
127	Other diseases of gall-bladder, biliary passages W	36	9	7	20						1	1			1	3	8	8	14
	Other diseases of gall-bladder, biliary passages C	21	7	4	10		1					1	1		3	3	7	2	3
128	Diseases of pancreas W	2			2													2	
	Diseases of pancreas C	1			1									1					
129	Peritonitis, cause not specified W	11	1	1	9			1		1	1		1	1	2	1			2
	Peritonitis, cause not specified C	13	5		8	1	1				1			1	2	2	1	3	1
	X.—Diseases of the genitourinary system White	892	185	101	606	6	4	2	4	1	7	6	7	10	16	41	70	165	549
	X.—Diseases of the genitourinary system Colored	1,102	186	86	830		2			3	8	3	21	23	71	103	211	195	456
130	Acute nephritis (including unspecified under 10 years) W	61	18	8	35	5		2	4	1	4	2	2	1	3	4	5	12	16
	Acute nephritis (including unspecified under 10 years) C	73	20	7	46		2			3	6		6	1	5	9	18	11	12
131	Chronic nephritis W	658	120	68	461						2	1	2	5	12	27	50	129	426
	Chronic nephritis C	792	115	58	619						2	2	10	8	41	68	150	147	360
132	Nephritis, unspecified (10 years and over) W	73	9	8	56								1	1		4	11	14	42
	Nephritis, unspecified (10 years and over) C	109	19	6	84							1	2	5	3	12	24	24	37
133	Other diseases of kidneys, ureters (puerperal diseases excepted) W	26	6	5	15	1	4				1	3	1	2	1	2	1	2	8
	Other diseases of kidneys, ureters (puerperal diseases excepted) C	22	3	1	18								1	1	2	2	8	2	6
134	Calculi of urinary passages W	5	1		4													1	4
	Calculi of urinary passages C	1		1											1				
135	Diseases of bladder (tumors excepted) W	7	2		5									1					6
	Diseases of bladder (tumors excepted) C	13		2	11								1	1	1	1	3	3	3
136	Diseases of urethra, urinary abscess, etc C	8	4	3	1										1	3	1	2	1
137	Diseases of prostate W	51	12	11	28												1	6	44
	Diseases of prostate C	45	14	1	30										1		3	5	35
138	Diseases of male genital organs, not specified as venereal C	4	1		3									1			2		1
139a	Cysts of ovary W	5	4		1											3			2
	Cysts of ovary C	6	2	1	3										3	2	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium W	5	3	1	1								1			1	1	1	1
	Other diseases of ovaries, diseases of tubes and parametrium C	25	8	6	11									5	12	6		1	1
139c	Diseases of uterus W	1	1														1		
	Diseases of uterus C	3			3									1	1		1		
139e	Other diseases of female genital organs C	1			1								1						
	XI.—Diseases of pregnancy, childbirth, and the puerperal state White	110	26	11	73							1	16	25	46	20	2		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state Colored	180	32	12	136								44	41	61	32	2		
140	Abortion with septic conditions W	10	3	3	4								1	4	2	3			
	Abortion with septic conditions C	19	5	3	11								6	2	8	3			
141	Abortion without mention of septic conditions (includes hemorrhages) W	8		1	7									3	1	4			
	Abortion without mention of septic conditions (includes hemorrhages) C	6	2		4								1	1	2	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued																		
142a	Ectopic gestation, septic conditions specified—C	1			1										1				
142b	Ectopic gestation, septic conditions not mentioned—W	2	1		1										1	1			
	C	7	1	1	5									2	5				
144a	Placenta praevia—W	3			3								1		1		1		
	C	5	1		4									2	1	2			
144b	Other puerperal hemorrhages—W	10		1	9								2		6	1			
	C	7	1	1	5									2	3		1		
145a	Puerperal septicemia and pyemia (abortion excluded)—W	24	6	3	15							1	1	5	12	2			
	C	49	5	5	39								10	8	19	12			
146	Puerperal albuminuria and eclampsia—W	29	8	3	18								6	8	10	4	1		
	C	55	10	2	43								19	16	11	8	1		
147	Other toxemias of pregnancy—W	10	4		6								3	2	5				
	C	6	3		3								2		3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	2			2								1		1				
	C	3	1		2								1	1	1				
149	Other accidents of childbirth—W	12	4		8								1	3	4	4			
	C	22	3		19								5	7	7	3			
	XII.—Diseases of the skin and cellular tissue—White	20	6	1	13	2	2					1	5	1	2	2	2	1	2
	Colored	13	7		6	3									2	2		2	4
151	Furuncle, carbuncle—W	9	1	1	7								4		1	1	2		1
	C	6	3		3	1									2	1			2
152	Phlegmon, acute abscess—W	4	2		2		1						1			1		1	
	C	1	1													1			
153	Other diseases of skin and annexa, and of cellular tissue—W	7	3		4	2	1					1		1	1				1
	C	6	3		3	2												2	2
	XIII.—Diseases of the bones and organs of locomotion—White	12	7	1	4					1	4	2	3		1		1		
	Colored	13	5		8	1		1	2	1	2	5					1		
154	Osteomyelitis—W	11	7	1	3					1	4	2	3		1				
	C	11	3		8	1		1	2	1	2	4							
155	Other diseases of bones (tuberculosis excepted)—C	1	1									1							
156	Diseases of joints, other organs of locomotion—W	1			1												1		
	C	1	1														1		
	XIV.—Congenital malformations—White	66	14	6	46	56	2	1	1		1	4		1					
	Colored	16	1	1	14	13	1				2								
157a	Congenital hydrocephalus—W	7	2	1	4	4		1				2							
	C	3		1	2	1	1				1								
157b	Spina bifida and meningocele—W	8	2	1	5	8													
	C	1			1	1													
157c	Congenital malformations of heart—W	41	9	3	29	35	2		1			2		1					
	C	5			5	4					1								
157d	Other congenital malformations—W	10	1	1	8	9					1								
	C	7	1		6	7													
	XV.—Diseases of early infancy—White	376	72	36	268	376													
	Colored	286	50	15	221	286													
158	Congenital debility—W	24	4	2	18	24													
	C	40	5	1	34	40													
159	Premature birth—W	263	48	28	187	263													
	C	183	34	12	137	183													
160	Injury at birth—W	61	14	4	43	61													
	C	25	3	1	21	25													
161	Other diseases peculiar to early infancy—W	28	6	2	20	28													
	C	38	8	1	29	38													
162	XVI.—Senility—White	104	13	6	85														103
	Colored	235	14	7	214													5	229
	XVII.—Violent and accidental deaths—White	759	223	79	457	19	18	16	13	5	27	40	65	69	110	98	78	57	143
	Colored	991	259	68	664	27	13	17	21	13	41	48	98	140	222	128	89	59	61
	Suicide—W	98	26	13	59							1	8	8	18	16	16	19	12
	C	26	8	3	15								1	1	7	7	5	4	1
163	By solid or liquid poisons or by absorption of corrosive substances—W	24	8	2	14								5	4	5	3	1	3	3
	C	1	1												1				
165	By hanging or strangulation—W	6	2	1	3							1					4	1	
166	By drowning—W	3		1	2										1		1		1
	C	3			3										1	2			
167	By firearms—W	57	15	6	36								3	4	11	12	7	12	8
	C	20	7	2	11								1	1	5	4	4	4	1
168	By cutting or piercing instruments—W	6	1	3	2										1	1	3	1	
	C	1			1											1			
169	By jumping from high places—W	1			1													1	
171	By other means—W	1			1													1	
	C	1		1													1		
	Homicide—W	100	28	11	61	2					2	1	8	11	25	23	16	9	3
	C	367	109	23	235					1	1	3	31	68	128	65	36	17	9
173	By firearms—W	79	19	9	51						2	1	6	6	23	18	14	7	2
	C	287	79	13	195					1		3	22	55	101	55	26	10	8

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSISSIPPI—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Homicide—Continued																		
174	By cutting or piercing instruments	W 7	4	1	2									1	1	2	2	1	
		C 38	18	6	14								3	8	16	5	4	1	
175	By other means	W 14	5	1	8	2							2	4	1	3		1	1
		C 42	12	4	26		1				1		6	5	11	5	6	6	1
	Accidental, other, or undefined	W 561	169	55	337	17	18	16	13	5	25	38	49	50	67	59	46	29	128
		C 598	142	42	414	27	13	17	21	12	40	45	66	71	87	56	48	38	51
176	Attack by venomous animals	W 1			1									1					
		C 2			2							1					1		
177	Poisoning by food	W 10	4	2	4	2	1				1				1		4	1	
		C 8	3	1	4			1		1				2	1	1	1		1
178	Absorption of poisonous gas	W 1			1												1		
179	Other acute accidental poisonings (gas excepted)	W 13	3	3	7		2	1				1		4	1	2	1	1	
		C 14	2	3	9			1	3			1	1		1	3	2		2
180	Conflagration	W 4	3		1									1					3
		C 11	3	2	6	1	1	1			1			2	2		1		2
181	Burns (conflagration excepted)	W 64	26	9	29	4	9	6	8	1	3	4	2	3	4	8	6		6
		C 99	25	4	70	7	8	8	12	6	16	4	3	6	4	5	7	5	7
	Supplemental	W 2		1	1										1	1			
		C 3	1		2								1					1	1
182	Mechanical suffocation	W 6	1		5	4							1	1					
		C 7		1	6	7													
183	Drowning	W 45	3		42	2		1	1		2	12	7	8	3	4	1	2	1
		C 73	6	2	65	1	3	1	2	1	3	7	15	18	10	6	2		2
	Supplemental	W 15	2		13								5	2	5	3			
		C 35	15		20						1	2	9	3	9	4	4	3	
	Traumatism:																		
184	By firearms (wounds of war excepted)	W 28	7	1	20			1		4		4	2	3	5	3	1	4	1
		C 55	14	6	35			1	3	1	5	9	13	6	10	2	2	1	2
185	By cutting or piercing instruments (wounds of war excepted)	W 8		1	7		1	1				1				1	2		2
		C 15	5		10						1	1	1	2	1	1	2	5	1
	Supplemental	W 3		2	1												1	2	
		C 2			2											2			
186a	By fall	W 100	34	10	56		2				3	1	2	3	5	4	1	2	77
		C 28	5	3	20	3				1	4	1		1		3	5	4	6
	Supplemental	W 29	10	3	16				1		1	4	3	5	5	6	2		2
		C 15	4		11							2	2	1	4	1	2	1	2
186b	By crushing, landslide	W 4	1	1	2								1			1			2
		C 12	5	1	6				1		1		2	2	3	1		2	
	Supplemental	W 31	11	5	15			1			1	2	4	4	6	5	5		3
		C 30	13	2	15			1			1	2	8	3	8	4	1		2
187	Cataclysm	W 1			1											1			
		C 3			3						1		1		1				
188	Injuries by animals	W 7	1	2	4			1			1	1	1			1		1	1
		C 5	1		4						1	2					1	1	
190	Excessive cold	W 1			1											1			
		C 5	1	1	3												3	1	1
191	Excessive heat	W 6	1		5											1	1	1	3
		C 12	1	1	10								1	1	1	1	2	2	3
192	Lightning	W 10	1		9						1	1		2	1		1		4
		C 16		2	14							5	1	1	3	3	2		1
193	Due to electric currents	W 3	1		2								1		1	1			
		C 3			3									2					1
194a	Foreign bodies	W 9	3	1	5	3	2	3			1								
		C 2	1		1	2													
194b	Other accidents	W 33	9	2	22	2			1		2		4	3	3	4	3	5	6
		C 37	9	3	25	6	1				1	2		4	6	4	3	5	5
	Supplemental	W 125	48	12	65		1	1	2		9	7	16	10	26	11	15	10	17
		C 100	25	8	67			3		2	4	6	7	16	21	14	6	7	12
198	Legal executions	W 2			2											1	1		
		C 6	3	2	1								1	1	2	1	1		
	XVIII.—Ill-defined causes of death	White 471	55	17	399	157	9	6		3	6	4	5	11	11	15	40	60	141
		Colored 2,311	225	73	2,013	712	39	20	13	13	28	36	46	65	115	146	204	225	636
199	Sudden death	W 73	7	2	64	5	1			1	1			3	3	4	9	20	26
		C 172	10	6	156	15	2	1		1		3	7	8	10	18	19	31	57
200a	Cause of death ill-defined	W 53	18	5	30	5		1				1	1	2	1	3	5	16	17
		C 107	15	7	85	8	1	1				1		3	8	13	16	18	35
200b	Cause of death not specified or unknown	W 345	30	10	305	147	8	5		2	5	3	4	6	7	8	26	24	98
		C 2,032	200	60	1,772	689	36	18	13	12	28	32	39	54	97	115	169	176	544
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	C 3	1		2										1	2			
205	Other machinery accidents	W 8	3	2	3									1	1	3	3		
		C 15	7		8							1	1	2	5	4	2		
206	Railroad and automobile collisions	W 7	2	1	4							1		1	1	1	2	1	
207	Other railroad accidents	W 29	9	7	13								6	3	7	3	3	1	6
		C 44	11	4	29			2			1	1	6	7	12	3	2	1	8
209	Other street car accidents	W 1	1																1
210	Automobile accidents (primary)	W 138	50	13	75		1	1	2		10	9	19	16	28	16	15	9	12
		C 96	36	6	54			2		2	4	6	13	11	21	12	5	11	8
212	Other land transportation accidents	W 14	4		10			1	1		1	3			3	1		1	3
		C 6	1		5							2			1	1	1		1
213	Water transportation accidents	W 4	1		3								3		1				
		C 21	2		19						1	2	7	3	2	3	3		
214	Air transportation accidents	W 4	1		3										2	2			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI																		
	Total deaths (all causes)	43,738	21,068	4,363	18,307	3,430	619	338	241	181	644	504	772	1,087	2,351	3,225	4,720	6,763	18,762
	I.—Infectious and parasitic diseases	5,639	2,081	591	2,967	446	192	132	90	80	243	143	225	348	704	643	586	549	1,243
1	Typhoid fever	203	38	27	138	1	4	6	2	3	19	19	28	27	46	17	9	10	11
2	Paratyphoid fever	2	1		1											2			
5	Undulant fever	5	2		3									1	1	2			1
6	Smallpox	2	1		1					1							1		
7	Measles	33	12	6	15	6	7	2	2		7	3		1		1	1		3
8	Scarlet fever	119	32	18	69	6	12	15	12	8	32	8	5	5	7	3	3	2	1
9	Whooping cough	240	83	14	143	146	51	17	11	8	5							1	
10	Diphtheria	270	70	24	176	13	21	38	24	32	91	23	7	4	8	3	4	2	
11a	Influenza, respiratory complications specified	912	237	114	561	74	25	15	10	9	15	22	20	17	49	72	74	89	420
11b	Influenza, respiratory complications not specified	609	106	71	432	49	12	11	3	7	13	12	13	16	15	30	34	43	347
13	Dysentery	108	24	13	71	32	19	8	3	2	4	1	2		1	2	2	5	27
15	Erysipelas	55	25	4	26	17	2				1		2			5	5	6	17
16	Acute poliomyelitis, acute polioencephalitis	10	2		8	1		1	2		2	2			1	1			
17	Lethargic or epidemic encephalitis	35	20	3	12		1		3			1	1	1	5	7	7	6	3
18	Epidemic cerebrospinal meningitis	44	35	5	4	5	4		2	1	4	5	6	2	5	3	3	1	3
22	Tetanus	35	17	4	14	3			2		6	3	3	1	5	7		2	2
	Tuberculosis (all forms)	2,436	1,098	225	1,113	26	22	13	7	4	27	31	125	248	505	430	347	308	338
23	Respiratory system	2,202	965	201	1,036	9	9	6	3		12	20	110	235	474	406	330	280	305
24	Meninges and central nervous system	58	36	10	12	7	12	7	3	3	3	3	3	3	4	4	2	1	2
25	Intestines and peritoneum	55	22	5	28	2						2	5	4	10	6	6	9	11
26	Vertebral column	26	15	2	9				1		4	2	3	1	3	4	1	3	3
27a	Bones (vertebral column excepted)	8	2		6							2			2		1	1	2
27b	Joints	16	8	3	5	1				1	1		1		3	1	2	3	3
28	Skin and subcutaneous cellular tissue	1	1																1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	9	5	1	3						1				1	1	1	3	2
30	Genitourinary system	11	8		3							1		1	2	1		4	2
31	Other organs	3	2		1												2		1
32a	Acute disseminated tuberculosis	39	32	3	4	6	1				6	1	3	4	5	6	2	2	3
32b,c	Other disseminated tuberculosis	8	2		6	1									1	1		2	3
34	Syphilis	312	207	38	67	55	3	1	2			5	1	8	24	37	79	61	35
35	Gonococcus infection and other venereal diseases	32	29	1	2						1		4	6	14	2	4		1
36	Purulent infection, septicemia (non-puerperal)	44	23	10	11	4	1	1		2	3	3	2	3	4	3	5	3	10
38	Malaria	116	9	13	94	6	7	3	5	2	13	5	6	8	11	14	6	7	22
39	Other diseases due to protozoal parasites	2	2													2			
41a	Hydatid cysts of liver	1			1													1	
41b	Hydatid cysts of other organs	1		1											1				
43	Mycoses	5	4		1	1									2		1	1	
44	Other infectious and parasitic diseases	8	4		4	1	1	1		1							1	1	2
	II.—Cancers and other tumors	4,398	2,331	428	1,639	4	4	3	1	3	13	14	18	25	115	385	713	1,051	2,041
	Cancer and other malignant tumors	4,195	2,195	409	1,591	2	3	3		1	7	9	10	21	96	326	664	1,031	2,014
(45)	Buccal cavity	162	84	16	62										2	8	25	37	90
(45)	Pharynx	41	18	6	17											1	6	14	20
(46)	Esophagus	74	58	3	13										1	4	13	26	30
(46)	Stomach and duodenum	354	181	87	186								1	1	10	43	89	207	500
(46)	Liver and biliary passages	500	212	55	233					1				1	7	16	68	136	269
(46)	Pancreas	96	64	8	24										1	7	20	25	43
(46)	Other digestive tract and peritoneum	526	287	51	188										9	37	65	135	279
47	Respiratory system	143	107	10	26						1		1	2	4	15	32	39	49
48	Uterus	500	290	48	162									4	26	90	133	114	132
49	Other female genital organs	96	67	10	19								3	2	4	9	26	27	25
50	Breast	382	218	37	127									1	8	49	103	105	116
51	Male genitourinary organs	306	171	27	108		1	1			1			1	5	6	22	67	202
52	Skin	152	39	17	96	1					1				2	5	8	22	112
53	Other or unspecified organs	363	199	34	130	1	2	2			4	9	5	9	17	36	54	77	147
54a	Nonmalignant tumors, ovary	3	2	1										1			2		
54b	Nonmalignant tumors, uterus	90	69	8	13								1		6	36	31	7	9
54c	Nonmalignant tumors, other female genital organs	2	1	1												1		1	
54d,e	Nonmalignant tumors, other organs	58	47	3	8	1			1	2	3	3	5	2	11	11	5	6	8
55a	Tumors, ovary (nature unspecified)	1			1														1
55d,e	Tumors, other organs (nature unspecified)	49	17	6	26	1	1				3	2	2	1	2	11	11	6	9
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,255	662	107	486	30	11	3	2	7	17	16	25	27	45	81	148	290	552
56	Acute rheumatic fever	74	39	8	27	1		1	2	3	5	7	6	6	2	8	5	10	18
57	Chronic rheumatism, osteoarthritis	53	14	5	34								1	1	1	2	3	11	33
59	Diabetes mellitus	872	469	74	329	1	1			3	6	8	14	13	22	43	98	218	445
60	Scurvy	1			1	1													
62	Pellagra	30	18	1	11								1	2	3	7	7	6	4
63	Rickets	15	7	3	5	7	5	1		1	1								
66a	Simple goiter	5	3		2											1		1	3
66b	Exophthalmic goiter	132	76	14	42							1	1	4	12	14	27	36	37
(66)	Other diseases of thyroid and parathyroid glands	14	6		8	2		1			2		1			2	2	3	1
67	Diseases of thymus gland	26	16	1	9	17	4				2		1	1		1			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	16	10		6										5	3	4	4	
69	Other general diseases	17	4	1	12	1	1				1						2	1	11

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	IV.—Diseases of the blood and blood-making organs	346	179	31	136	17	2	2	3	3	11	7	3	8	20	31	49	85	105
70	Hemorrhagic conditions	31	11	6	14	11		2	1		5	1		2	4	1	2	1	1
71a	Pernicious anemia	149	55	13	81				1	1	1	3	1		4	12	24	38	64
71b	Other anemias	15	7	2	6	4						1					1	3	6
72a	True leukemias	102	72	8	22	1	2		1	1	5	2	2	4	8	8	16	28	24
72b	Pseudoleukemias (Hodgkin's disease)	32	23	1	8									1	3	6	4	12	6
73	Diseases of the spleen	14	8	1	5	1				1				1	1	3	2	1	4
74	Other diseases of blood and blood-making organs	3	3													1		2	
	V.—Chronic poisonings and intoxications	81	40	8	33								1	1	12	24	25	9	9
75	Alcoholism (acute or chronic)	74	37	5	32								1	1	10	22	24	9	7
76	Chronic poisoning by other organic substances	6	2	3	1										2	2	1		1
77a	Chronic lead poisoning	1	1																1
	VI.—Diseases of the nervous system and of the organs of special sense	4,152	1,676	415	2,061	53	22	11	9	6	37	39	23	31	77	214	429	798	2,392
78	Encephalitis (nonepidemic)	48	20	3	25	2	2	2	1		6	4	1		6	7	7	6	4
79a	Simple meningitis	65	43	8	14	10	3	2	3	1	6	5	3	3	4	10	6	4	5
79b	Nonepidemic cerebrospinal meningitis	11	2	1	8	1	1			1	2	3	1	1		1			
80	Progressive locomotor ataxia (tabes dorsalis)	51	27	4	20										1	6	4	15	25
81	Other diseases of spinal cord	114	50	7	57	1				1	4	1		2	1	8	11	32	53
82a	Cerebral hemorrhage	3,055	1,125	308	1,622		1			2	1	1	3	6	28	88	284	612	2,019
82b	Cerebral embolism and thrombosis	119	62	10	47						1	2	2	1	4	8	9	21	71
82c	Softening of brain	30	19	2	9												4	5	21
82d	Hemiplegia and other paralysis, cause unspecified	121	28	13	80		1					1			1	6	8	13	91
83	General paralysis of insane	181	124	24	33							1			11	53	50	45	20
84	Dementia praecox and other psychoses	25	7	3	15								1	2	2	4	6	4	6
85	Epilepsy	87	30	7	50	1		1	1		3	7	6	6	16	15	11	8	12
86	Convulsions (under 5 years of age)	16	1	4	11	11	2	2	1										
87	Other diseases of nervous system	104	48	12	44	4	2	1			1	2	1	2	1	4	11	17	58
88	Diseases of organs of vision	4	2		2								1					2	1
89a	Diseases of ear	78	54	5	19	18	7	1	3		5	10	2	6	2	2	12	8	2
89b	Diseases of mastoid process	43	34	4	5	5	3	2		1	8	2	2	2		2	6	6	4
	VII.—Diseases of the circulatory system	9,504	5,040	820	3,644	8	4	4	5	2	33	26	46	71	207	469	966	1,724	5,923
90	Pericarditis	78	40	5	33	1						1	1	3	8	5	6	13	40
91a	Acute endocarditis	100	56	12	32		1	2	1	2	3	2	10	7	11	7	17	9	28
91b	Endocarditis, unspecified (under 45 years)	18	4	7	7	1	1				2	2		2	8	2			
92a	Endocarditis, specified as chronic, and other valvular diseases	2,308	888	199	1,221	1		1	2		19	11	22	32	73	146	241	389	1,367
92b	Endocarditis, unspecified (45 years and over)	92	19	15	58												8	27	57
93a	Acute myocarditis	150	102	11	37									5	6	13	24	30	71
93b	Myocarditis, unspecified (under 45 years)	19	4	4	11	2	1		1			1		2	1	11			
93c	Chronic myocarditis and myocardial degeneration	3,674	2,698	209	767			1			4	4	7	13	63	152	356	675	2,395
93d	Other diseases of myocardium	547	145	91	311	1								1		5	51	97	389
94a	Angina pectoris	530	193	67	270									1	5	28	65	121	309
94b	Diseases of coronary arteries	350	221	31	98									1	5	24	56	105	159
95a	Functional diseases of heart	34	8	6	20										1	2	4	8	19
95b	Other and unspecified diseases of heart	704	226	84	394	2	1				2	4	5	1	13	35	64	126	448
96	Aneurysm (except of heart)	133	106	5	22									1	5	16	38	42	31
97	Arteriosclerosis (coronary arteries excepted)	587	211	63	313										1	3	9	40	534
98	Gangrene	35	17	5	13						2	1		1		4		2	25
99	Other diseases of arteries	107	88	3	16								1		3	12	23	34	34
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	15	7		8									1	3	2	2		7
101	Diseases of lymphatic system (lymphangitis, etc.)	4	3		1				1		1				1		1		
102	Idiopathic anomalies of blood-pressure	12	1	2	9											1	1	4	6
103	Other diseases of circulatory system	7	3	1	3											1		2	4
	VIII.—Diseases of the respiratory system	3,992	2,107	396	1,489	507	122	68	45	24	70	51	67	75	218	278	382	440	1,640
104a	Diseases of nasal fossae	8	4	1	3	2		1					1						4
104b	Diseases of nasal fossae and annexae	21	16	1	4	1	1				1		1	2	6	1	3	2	3
105	Diseases of larynx	21	8		13	4	1	2	4		6				1		2		1
106a	Acute bronchitis	53	24	3	26	8	5	1			1				2		4	3	29
106b	Chronic bronchitis	86	34	4	48										1	4	5	5	71
106c,d	Bronchitis, unspecified	31	5	2	24	11											1	1	18
107a	Bronchopneumonia	1,440	783	144	513	352	79	48	20	13	23	9	19	13	45	55	80	104	578
107b	Capillary bronchitis	14	2	4	8	5	1			1			1				1	1	4
108	Lobar pneumonia	2,027	1,092	203	732	100	31	14	16	10	35	35	37	56	141	197	256	273	823
109	Pneumonia, unspecified	43	8	5	30	16	1		2		1		1	2	2	3	2	3	10
110	Pleurisy	72	54	4	14	3	3	2	1		2	7	2		6	6	11	11	18
111a	Pulmonary embolism and thrombosis	23	12	3	8	2							2		3	1	2	7	6
111b	Pulmonary congestion, edema, hemorrhagic infarct	44	19	8	17	1									1		1	5	36
112	Asthma	66	21	10	35	1			2		1				1	5	7	16	33
113	Pulmonary emphysema	4	2		2											1		2	1
114	Other diseases of respiratory system (tuberculosis excepted)	39	23	4	12	1							3	2	9	5	7	7	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	IX.—Diseases of the digestive system	3,122	1,606	400	1,116	437	182	66	37	20	82	83	92	85	198	250	394	449	746
115a	Diseases of pharynx and tonsils	128	73	13	42	6	9	4	5	2	13	12	6	13	15	12	11	11	9
115b	Diseases of buccal cavity and annexa	34	17	6	11		1		1		6	2	1	3	3	2	2	6	7
116	Diseases of esophagus	4	1		3						1				1				2
117a	Ulcer of stomach	172	78	25	69						1		3	1	14	24	31	38	60
117b	Ulcer of duodenum	65	52	5	8			1					1		6	8	13	16	20
118	Other diseases of stomach (cancer excepted)	145	34	17	94	24	3		2	1	1	1	2		1	10	24	14	62
119	Diarrhea, enteritis (under 2 years of age)	536	135	59	342	374	162												
120	Diarrhea, enteritis (2 years and over)	237	66	30	141			53	20	8	13	1	2	7	4	7	14	22	86
121	Appendicitis	617	405	117	95	2	1	6	4	6	38	58	60	46	95	69	85	75	72
122a	Hernia	158	111	21	26	1									4	15	25	37	76
122b	Intestinal obstruction	228	127	32	69	22	5	1	4	3	3	6	12	4	19	20	30	36	63
123	Other diseases of intestines	32	23	1	8						1	1		2	2	3	7	5	11
124	Cirrhosis of liver	353	218	22	113	1						1		1	8	30	84	98	129
125a	Yellow atrophy of liver	11	6	4	1							1		1	1	2	1	1	4
125b	Other diseases of liver	42	21	3	18	1					1		1	1	5	8	3	6	16
126	Biliary calculi	167	104	26	37									3	3	17	35	43	66
127	Other diseases of gall-bladder, biliary passages	130	90	14	26	1		1					2		6	14	20	31	55
128	Diseases of pancreas	19	16		3									1	1	5	5	5	2
129	Peritonitis, cause not specified	44	29	5	10	5	1		1		4		2	2	10	4	4	5	6
	X.—Diseases of the genitourinary system	4,561	2,286	401	1,874	8	3	6	6	3	10	14	16	43	103	234	475	802	2,829
130	Acute nephritis (including unspecified under 10 years)	141	78	6	57	2	2	3	3		3	3	3	5	11	16	23	27	40
131	Chronic nephritis	3,614	1,841	297	1,476	1			3		5	9	9	21	48	163	372	658	2,316
132	Nephritis, unspecified (10 years and over)	288	59	38	191							2	2		7	12	33	43	189
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	95	61	10	24	5	1	3		2	2		1	4	4	10	16	11	36
134	Calculi of urinary passages	30	20	2	8										1	1	7	10	11
135	Diseases of bladder (tumors excepted)	36	17	1	18											2	2	7	25
136	Diseases of urethra, urinary abscess, etc.	7	6	1											1	2		1	3
137	Diseases of prostate	244	127	32	85										2	4	7	28	203
138	Diseases of male genital organs, not specified as venereal	5	2	1	2					1							1	2	1
139a	Cysts of ovary	25	22	2	1									3	3	5	4	8	2
139b	Other diseases of ovaries, diseases of tubes and parametrium	52	38	6	8									9	23	14	6		
139c	Diseases of uterus	23	15	4	4								1	1	3	5	4	6	3
139e	Other diseases of female genital organs	1		1														1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	404	192	65	147							1	46	94	177	84	2		
140	Abortion with septic conditions	94	58	17	19								8	26	49	11			
141	Abortion without mention of septic conditions (includes hemorrhages)	21	11	2	8									5	8	8			
142a	Ectopic gestation, septic conditions specified	5	3	2										1	2	1	1		
142b	Ectopic gestation, septic conditions not mentioned	26	19	5	2									6	12	8			
143	Other accidents of pregnancy (hemorrhage not included)	1		1											1				
144a	Placenta praevia	14	5	3	6									2	10	2			
144b	Other puerperal hemorrhages	19	5	5	9								2	2	8	6	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	97	48	10	39								18	25	36	18			
146	Puerperal albuminuria and eclampsia	67	18	13	36								10	14	25	18			
147	Other toxemias of pregnancy	13	7	2	4								1	5	5	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	10	2	2	6							1	1	2	4	2			
149	Other accidents of childbirth	37	16	3	18								6	6	17	8			
	XII.—Diseases of the skin and cellular tissue	54	28	7	19	8					4	5	3	2	2	3	4	7	16
151	Furuncle, carbuncle	13	8		5						1	2			1	1		1	7
152	Phlegmon, acute abscess	20	11	5	4	5					2	2	2		1	1	3	3	1
153	Other diseases of skin and annexa, and of cellular tissue	21	9	2	10	3					1	1	1	2		1	1	3	8
	XIII.—Diseases of the bones and organs of locomotion	51	40	5	6			1	2	1	6	7	2	3	3	9	4	3	10
154	Osteomyelitis	40	31	4	5			1	2	1	6	6	1	2	2	6	2	2	9
155	Other diseases of bones (tuberculosis excepted)	4	3	1									1	1	1				1
156	Diseases of joints, other organs of locomotion	7	6		1							1				3	2	1	
	XIV.—Congenital malformations	377	162	38	177	327	17	4	3	3	10	3	4	2	2			2	
157a	Congenital hydrocephalus	53	27	7	19	39	7		1	2	1	1	2						
157b	Spina bifida and meningocele	29	10		19	25		3			1								
157c	Congenital malformations of heart	213	87	23	103	189	9	1	2	1	6		2	1	1			1	
157d	Other congenital malformations	82	38	8	36	74	1				2	2		1	1			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MISSOURI—Continued																		
	XV.—Diseases of early infancy	1,435	623	150	662	1,435													
158	Congenital debility	129	28	15	86	129													
159	Premature birth	955	444	90	421	955													
160	Injury at birth	224	104	34	86	224													
161	Other diseases peculiar to early infancy	127	47	11	69	127													
162	XVI.—Senility	253	40	25	188													4	248
	XVII.—Violent and accidental deaths	3,845	1,955	458	1,432	53	48	36	38	28	107	92	200	266	463	510	530	517	928
	Suicide	735	382	66	287							1	12	38	92	127	158	162	143
163	By solid or liquid poisons or by absorption of corrosive substances	152	87	15	50								4	11	30	36	33	16	22
164	By poisonous gas	73	66	2	5								1	1	14	12	17	15	13
165	By hanging or strangulation	106	32	12	62								1		4	13	25	30	33
166	By drowning	32	12	1	19								1	1		3	6	12	9
167	By firearms	319	150	32	137							1	5	23	42	51	68	77	51
168	By cutting or piercing instruments	28	15	4	9									1		7	5	4	11
169	By jumping from high places	19	17		2									1	2	4	4	5	3
170	By crushing	3	1		2													1	1
171	By other means	3	2		1											1		2	
	Homicide	410	249	50	111	2		1	2		2	2	27	47	108	100	54	35	25
173	By firearms	278	165	41	72			1	1			1	21	35	75	74	34	22	11
174	By cutting or piercing instruments	55	39	5	11								3	8	15	13	9	5	2
175	By other means	77	45	4	28	2			1		2	1	3	4	18	13	11	8	12
	Accidental, other, or undefined	2,700	1,324	342	1,034	51	48	35	36	28	105	89	161	181	263	283	318	320	760
176	Attack by venomous animals	3		1	2					1			1					1	
177	Poisoning by food	21	3	6	12	1	1	2	4		1	1	1	1	3		2		4
178	Absorption of poisonous gas	42	32	3	7		1					1	1	1	3	6	12	9	8
	Supplemental	1		1										1					
179	Other acute accidental poisonings (gas excepted)	50	33	4	13	2	3	1		2	1			2	7	9	11	9	3
180	Conflagration	65	29	9	27	4	2	3	3		5	2	3	2	5	11	7	7	11
181	Burns (conflagration excepted)	188	105	21	62	6	19	14	9	7	15	7	4	14	15	21	12	10	35
	Supplemental	11	5	2	4								1	1		4	1	1	2
182	Mechanical suffocation	20	5	5	10	18					1		1						
183	Drowning	148	34	7	107	1	2	2	2		11	16	25	20	13	12	17	13	10
	Supplemental	37	4	3	30			1		1	1	3	3	6	7	3	8	3	
	Traumatism:																		
184	By firearms (wounds of war excepted)	113	34	21	58				2	1	3	12	20	8	20	17	10	13	7
185	By cutting or piercing instruments (wounds of war excepted)	28	13	2	13			1	1			1			3	4	5	4	9
	Supplemental	8	3	1	4							1			4		1	1	1
186a	By fall	650	383	69	198	3	9	3	3	3	9	4	8	5	17	29	35	65	457
	Supplemental	104	52	11	41				2	1	2	2	13	18	15	12	16	12	10
186b	By crushing, landslide	13	4	1	8								5	1	2	1	3	1	
	Supplemental	176	75	27	74	1					4	7	13	21	20	36	27	24	17
188	Injuries by animals	19	5	3	11						2	2	1	1	1		5	5	2
189	Hunger and thirst	1			1														1
190	Excessive cold	13	3		10					1					2		2	4	3
191	Excessive heat	62	38	7	17	2						1		2	1	10	18	11	17
192	Lightning	17			17							1	2	1	6	1		5	1
193	Due to electric currents	17	7	4	6			1						2	6	4	3	1	
194a	Foreign bodies	29	15	1	13	7	6	3	2	1			1	1	1			3	4
194b	Other accidents	135	73	14	48	6		1	1	2	7	6	13	9	18	15	22	15	19
	Supplemental	726	367	118	241		5	3	7	8	43	22	45	64	91	88	101	103	139
198	Legal executions	3	2	1											3				
	XVIII.—Ill-defined causes of death	269	20	18	231	97	12	2		1	1	3	1	6	5	10	13	33	80
199	Sudden death	23	2		21	6								1	1			3	12
200a	Cause of death ill-defined	73	8	5	60	11	8	1		1	1	1		2	1	4	4	16	22
200b	Cause of death not specified or unknown	173	10	13	150	80	4	1				2	1	3	3	6	9	14	46
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	23	12	5	6								3	3	4	6	3	3	1
202	Accidents from agricultural machinery	10	2	2	6					1				1		4	2	1	1
203	Elevator accidents	8	8												2	2	2		2
205	Other machinery accidents	22	10	4	8								2	1	6	3	6	1	3
206	Railroad and automobile collisions	45	8	8	29						2	2	2	7	7	3	10	4	5
207	Other railroad accidents	146	64	20	62						2	3	19	12	21	29	16	21	14
208	Street-car and automobile collisions	12	11	1							2		1	2	4	1	2		
209	Other street-car accidents	24	20	4			1	1					1	1	2	1	3	6	8
210	Automobile accidents (primary)	690	351	107	232		4	1	8	7	38	27	39	75	79	85	98	99	128
211	Motorcycle accidents	4	4										1	2	1				
212	Other land-transportation accidents	42	11	9	22	1		1	1	2	6		3	2	2	4	6	6	7
213	Water-transportation accidents	34	5	3	26			1				3	4	4	8	4	6	3	
214	Air-transportation accidents	3			3									1	1	1			

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA																		
	Total deaths (all causes)	5,294	1,656	862	2,776	467	64	31	33	21	94	85	138	160	271	418	688	860	1,961
	I.—Infectious and parasitic diseases	658	166	76	416	55	18	16	10	8	23	16	36	38	66	89	101	78	104
1	Typhoid fever	13	5	3	5		1						4	1	3	1	1	2	
2	Paratyphoid fever	1		1										1					
5	Undulant fever	1	1													1			
7	Measles	12	6	1	5	5	1	3	1		1							1	
8	Scarlet fever	7	1	2	4		1		1	1	1		2	1					
9	Whooping cough	22		3	19	12	3	2	3	1									1
10	Diphtheria	2			2		1								1				
11a	Influenza, respiratory complications specified	112	35	16	61	11	3	2	1	2	2	1	5	7	8	19	12	14	25
11b	Influenza, respiratory complications not specified	78	21	14	43	6	4	1		3	4	5	2	2	3	3	9	2	34
13	Dysentery	2	1		1	2													
15	Erysipelas	10	3		7	7											1	2	
16	Acute poliomyelitis, acute polioencephalitis	4	2		2			2			1		1						
17	Lethargic or epidemic encephalitis	9	4	1	4								1	2	1	2	1	1	1
18	Epidemic cerebrospinal meningitis	5	3		2	1					1	1	1			1			
20	Anthrax (bacillus anthracis) malignant pustule	1	1															1	
	Tuberculosis (all forms)	307	61	22	224	5	4	4	4		12	9	16	24	43	51	63	37	35
23	Respiratory system	256	46	13	197	2	1	1	2		4	7	14	19	37	45	59	36	29
24	Meninges and central nervous system	18	8	3	7	2	2	3	2		5		1	1		2			
25	Intestines and peritoneum	10	3		7						2		1	3	1		3		
26	Vertebral column	1	1												1				
27a	Bones (vertebral column excepted)	2	1	1		1									1				
27b	Joints	1			1							1							
28	Skin and subcutaneous cellular tissue	1			1														1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1														1
30	Genitourinary system	6		3	3										1	3			2
32a	Acute disseminated tuberculosis	10	2	2	6		1				1	1			2	1	1	1	2
32b,c	Other disseminated tuberculosis	1			1									1					
34	Syphilis	43	14	5	24	5		2			1		2		2	8	8	10	5
35	Gonococcus infection and other venereal diseases	4	2	1	1										2	1	1		
36	Purulent infection, septicemia (nonpuerperal)	5		2	3	1										1	1	2	
42	Other diseases caused by helminths	1	1															1	
44	Other infectious and parasitic diseases	19	5	5	9					1			2		3	1	4	5	3
	II.—Cancers and other tumors	532	204	85	243	1			2		1		2	3	8	49	84	153	229
	Cancer and other malignant tumors	513	192	83	238	1			1		1		2	2	6	44	79	150	227
(45)	Buccal cavity	7	5		2														7
(45)	Pharynx	8	1	3	4													6	2
(46)	Esophagus	5	3		2													2	3
(46)	Stomach and duodenum	153	50	24	79											9	20	41	83
(46)	Liver and biliary passages	37	12	8	17	1										3	5	13	15
(46)	Pancreas	18	7	2	9												5	7	6
(46)	Other digestive tract and peritoneum	64	28	15	21										1	5	8	23	27
47	Respiratory system	16	6	1	9											5	1	7	3
48	Uterus	55	22	9	24										2	11	14	17	11
49	Other female genital organs	7	5		2												1	5	1
50	Breast	42	16	9	17											8	9	10	15
51	Male genitourinary organs	39	16	5	18									1	1		1	7	29
52	Skin	18	5		13											1	2	4	11
53	Other or unspecified organs	44	16	7	21				1		1		2	1	2	2	13	8	14
54b	Nonmalignant tumors, uterus	10	7	2	1										2	3	4		1
54d,e	Nonmalignant tumors, other organs	2	1		1													1	1
55a	Tumors, ovary (nature unspecified)	1			1											1			
55d,e	Tumors, other organs (nature unspecified)	6	4		2				1					1		1	1	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	130	48	19	63	3	2			1	3	4	5	3	8	6	17	31	47
56	Acute rheumatic fever	16	5	1	10					1	1		1	3	2	2	2		4
57	Chronic rheumatism, osteoarthritis	6	1	1	4												2		4
59	Diabetes mellitus	87	34	13	40						2	4	4		6	2	9	24	36
63	Rickets	2			2	2													
66a	Simple goiter	1			1														1
66b	Exophthalmic goiter	12	6	3	3											2	3	5	2
(66)	Other diseases of thyroid and parathyroid glands	1			1		1												
67	Diseases of thymus gland	2			2	1	1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3	2	1													1	2	
	IV.—Diseases of the blood and blood-making organs	40	13	9	18	4			1		1	2		2	3	3	4	8	12
70	Hemorrhagic conditions	7		1	6	4						1		1	1				
71a	Pernicious anemia	15	6	3	6				1						1			6	7
71b	Other anemias	1			1							1							
72a	True leukemias	14	6	5	3						1				1	3	4	2	3
72b	Pseudoleukemias (Hodgkin's disease)	1			1														1
74	Other diseases of blood and blood-making organs	2	1		1									1					1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	V.—Chronic poisonings and intoxications	16	6	2	8									1	3	2	3	3	4
75	Alcoholism (acute or chronic)	15	5	2	8									1	2	2	3	3	4
76	Chronic poisoning by other organic substances	1	1												1				
	VI.—Diseases of the nervous system and of the organs of special sense	469	112	81	276	11	2			2	11	2	6	4	12	19	50	86	264
79a	Simple meningitis	8	3	2	3	1				2	2		1		1				1
79b	Nonepidemic cerebrospinal meningitis	1		1											1				
80	Progressive locomotor ataxia (tabes dorsalis)	10	2	2	6											2	3	3	2
81	Other diseases of spinal cord	15	2	5	8							1			1	2	6	1	4
82a	Cerebral hemorrhage	339	87	61	191						1					9	27	67	235
82b	Cerebral embolism and thrombosis	13	4	1	8										1	2	1	5	4
82c	Softening of brain	1			1														1
82d	Hemiplegia and other paralysis, cause unspecified	5	2	1	2													3	2
83	General paralysis of insane	16		2	14										2	2	7	2	3
84	Dementia praecox and other psychoses	9			9										3		2	2	2
85	Epilepsy	14	1		13	1					1		2	4	2	1	1	1	1
86	Convulsions (under 5 years of age)	8	1	1	6	6	2												
87	Other diseases of nervous system	18	5	1	12							1	2		1	1	2	2	9
89a	Diseases of ear	7	3	1	3	3					3						1		
89b	Diseases of mastoid process	5	2	3							4		1						
	VII.—Diseases of the circulatory system	1,156	398	164	594	5				1	4	6	6	8	35	55	118	224	694
90	Pericarditis	1		1															1
91a	Acute endocarditis	13	6	1	6					1			1		2	1	2	2	4
91b	Endocarditis, unspecified (under 45 years)	4	2	1	1						1		1	1		1			
92a	Endocarditis, specified as chronic, and other valvular diseases	216	69	24	123	1					2	2	3	2	11	17	18	38	122
92b	Endocarditis, unspecified (45 years and over)	14	5	1	8												2	4	8
93a	Acute myocarditis	24	11	1	12									1	2	3	6	4	8
93b	Myocarditis, unspecified (under 45 years)	15	11	2	2						1	1			5	8			
93c	Chronic myocarditis and myocardial degeneration	291	108	37	146								1		5	9	21	51	204
93d	Other diseases of myocardium	207	55	51	101										1		14	53	139
94a	Angina pectoris	75	28	12	35										1	5	18	17	34
94b	Diseases of coronary arteries	57	22	5	30										1		16	14	26
95a	Functional diseases of heart	2	1	1													1		1
95b	Other and unspecified diseases of heart	146	47	18	81							3		3	7	7	16	29	81
96	Aneurysm (except of heart)	8	5		3									1		2		3	2
97	Arteriosclerosis (coronary arteries excepted)	64	22	5	37											1	2	5	56
98	Gangrene	1			1														1
99	Other diseases of arteries	8	3	3	2											1	1	1	5
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	3	3														1	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	3			3	3													
102	Idiopathic anomalies of blood-pressure	2		1	1													1	1
103	Other diseases of circulatory system	2			2	1												1	
	VIII.—Diseases of the respiratory system	415	129	65	221	49	11	7	7	2	12	5	12	9	19	29	62	51	139
104a	Diseases of nasal fossae	2	2			1								1					
105	Diseases of larynx	4	1	2	1	1		1	1		1								
106a	Acute bronchitis	3			3														3
106b	Chronic bronchitis	8	3	2	3											1	2		5
106c,d	Bronchitis, unspecified	3	1	1	1						1							1	1
107a	Bronchopneumonia	110	36	15	59	30	7		3	1	2	4	2	2	7	4	9	7	32
108	Lobar pneumonia	215	71	38	106	8	2	6	2	1	6	1	8	6	12	19	40	33	70
109	Pneumonia, unspecified	23	2	2	19	6	1		1		1		1			2	1	2	8
110	Pleurisy	8	4	1	3		1				1		1				1	3	1
111a	Pulmonary embolism and thrombosis	2	1		1	1											1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	9	3	1	5	2													7
112	Asthma	4	1	1	2											1			3
114	Other diseases of respiratory system (tuberculosis excepted)	24	4	2	18											2	8	5	9
	IX.—Diseases of the digestive system	408	152	104	152	36	14	3	4	3	17	16	14	19	24	34	78	60	84
115a	Diseases of pharynx and tonsils	21	7	4	10			1		1	5	1	6	2	1	2		1	1
115b	Diseases of buccal cavity and annexa	5	3	2									1			1	2		1
117a	Ulcer of stomach	22	14	2	6									2	3	2	7	3	5
117b	Ulcer of duodenum	12	5	2	5										2	2	3	2	3
118	Other diseases of stomach (cancer excepted)	12		2	10	4					1						1		6
119	Diarrhea, enteritis (under 2 years of age)	40	12	5	23	28	12												
120	Diarrhea, enteritis (2 years and over)	16	3	4	9				2	1	1	1				1	4		6
121	Appendicitis	108	47	28	33		1	2	2	1	8	13	7	12	11	14	20	13	3
122a	Hernia	24	9	7	8											1	9	3	11
122b	Intestinal obstruction	40	14	14	12	3	1				2	1		1	6	4	6	5	11
123	Other diseases of intestines	6	2	2	2											1		3	2
124	Cirrhosis of liver	44	14	14	16									1	1		12	13	17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
125a	Yellow atrophy of liver	1	1														1		
125b	Other diseases of liver	2	1		1												1		1
126	Biliary calculi	25	10	5	10											1	8	8	8
127	Other diseases of gall-bladder, biliary passages	28	10	12	6	1										5	4	9	8
129	Peritonitis, cause not specified	2		1	1									1					1
	X.—Diseases of the genitourinary system	415	144	74	197	3		1			2	4	4	7	14	30	53	70	227
130	Acute nephritis (including unspecified under 10 years)	14	3	2	9	3		1			1	1		1		4	2	1	
131	Chronic nephritis	302	99	50	153						1	1	1	5	9	18	37	54	176
132	Nephritis, unspecified (10 years and over)	32	8	8	16								2		1	4	6	6	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	13	9	2	2							1	1	1	2		3	1	4
134	Calculi of urinary passages	1		1													1		
135	Diseases of bladder (tumors excepted)	3		1	2														3
136	Diseases of urethra, urinary abscess, etc.	1	1															1	
137	Diseases of prostate	38	18	7	13											1	2	4	31
138	Diseases of male genital organs, not specified as venereal	1	1															1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	8	5	3											2	2	2	2	
139c	Diseases of uterus	2			2							1				1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	60	16	20	24								6	20	20	12	2		
140	Abortion with septic conditions	12	4	6	2								1	5	5	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	2		2										1	1				
142b	Ectopic gestation, septic conditions not mentioned	5	1	2	2										2	3			
143	Other accidents of pregnancy (hemorrhage not included)	2	1		1											2			
144a	Placenta praevia	1			1											1			
144b	Other puerperal hemorrhages	4		1	3								1	3					
145a	Puerperal septicemia and pyemia (abortion excluded)	10	4	2	4								1	3	3	2	1		
146	Puerperal albuminuria and eclampsia	5	1	1	3								2		1	2			
147	Other toxemias of pregnancy	3	1	2										2	1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	8	3	1	4								1	3	3		1		
149	Other accidents of childbirth	8	1	3	4									3	4	1			
	XII.—Diseases of the skin and cellular tissue	2	2			1												1	
152	Phlegmon, acute abscess	1	1															1	
153	Other diseases of skin and annexa, and of cellular tissue	1	1			1													
	XIII.—Diseases of the bones and organs of locomotion	8	3	2	3										1	3	2	2	
154	Osteomyelitis	5	2	1	2											2	1	2	
155	Other diseases of bones (tuberculosis excepted)	3	1	1	1										1	1	1		
	XIV.—Congenital malformations	43	10	7	26	37	1				3	1			1				
157a	Congenital hydrocephalus	5	2		3	4					1								
157b	Spina bifida and meningocele	5	2	1	2	5													
157c	Congenital malformations of heart	21	2	5	14	16	1				2	1			1				
157d	Other congenital malformations	12	4	1	7	12													
	XV.—Diseases of early infancy	233	66	53	114	233													
158	Congenital debility	12	2		10	12													
159	Premature birth	156	45	39	72	156													
160	Injury at birth	44	16	9	19	44													
161	Other diseases peculiar to early infancy	21	3	5	13	21													
162	XVI.—Senility	51	9	4	38													1	50
	XVII.—Violent and accidental deaths	612	170	95	347	15	13	4	9	3	17	26	47	46	56	86	109	86	95
	Suicide	125	41	18	66								2	5	16	21	33	26	22
163	By solid or liquid poisons or by absorption of corrosive substances	31	11	7	13									2	7	4	7	6	5
164	By poisonous gas	2			2										1	1			
165	By hanging or strangulation	10	2	2	6										1	2	1	3	3
166	By drowning	3	1		2											1	1		1
167	By firearms	71	27	9	35								2	1	7	12	21	17	11
168	By cutting or piercing instruments	7			7									2		1	3		1
169	By jumping from high places	1			1														1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	MONTANA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Homicide	45	12	4	29									4	5	15	11	7	3
173	By firearms	37	9	2	26									3	5	13	8	6	2
174	By cutting or piercing instruments	2			2												1	1	
175	By other means	6	3	2	1									1		2	2		1
	Accidental, other, or undefined	442	117	73	252	15	13	4	9	3	17	26	45	37	35	50	65	53	70
176	Attack by venomous animals	1			1		1												
177	Poisoning by food	3			3								1			1			1
178	Absorption of poisonous gas	8	3	2	3								1	1	1	1	2	1	1
	Supplemental	1			1														1
179	Other acute accidental poisonings (gas excepted)	8	2		6		3	1			1			1	1				1
180	Conflagration	11	6	1	4	1			3	1			1		2	1			2
181	Burns (conflagration excepted)	33	13	9	11		3		1	1	3	2	6		3	6	3	3	2
	Supplemental	1	1																1
182	Mechanical suffocation	15	9		6	9									1	3	1		1
	Supplemental	1			1												1		
183	Drowning	35	2	3	30		1	1	1	1	5	6	4	5	3	3	2	1	2
	Supplemental	14	4		10		1					1	5	3		2	1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	32	12	8	12							6	3	8	2	5	5	2	1
185	By cutting or piercing instruments (wounds of war excepted)	4	2	1	1							1	2				1		
186a	By fall	62	17	10	35	1					1		1	3	2	5	6	10	33
	Supplemental	20	5	4	11				2		2	2	4	2		1	1	3	3
186b	By crushing, landslide																		
	Supplemental	38	5	6	27	1			1			1	3	1	6	7	9	6	3
188	Injuries by animals	8	1		7				1		1					2	3	1	
190	Excessive cold	8	1	2	5						1		1				1	2	3
191	Excessive heat	3		1	2											1			2
192	Lighting	4			4									1		1	1	1	
193	Due to electric currents	5			5							1	1	1	2				
194a	Foreign bodies	5	2		3	1	2	1											1
194b	Other accidents	24	5	4	15		2					1	7	1	1	1	7	3	1
	Supplemental	98	27	22	49	2		1			3	5	5	10	11	10	21	19	11
	XVIII.—Ill-defined causes of death	46	8	2	36	14	3			1		3			1	1	5	6	12
199	Sudden death	2			2													1	1
200a	Cause of death ill-defined	18	5	1	12	1	2									1	4	3	7
200b	Cause of death not specified or unknown	26	3	1	22	13	1			1		3			1		1	2	4
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	16	3	3	10								1	2	3	2	6	1	1
202	Accidents from agricultural machinery	6	1	1	4						1	1		1	1		1	1	
203	Elevator accidents	1	1											1					
205	Other machinery accidents	2			2											1			1
206	Railroad and automobile collisions	2		2								1		1					
207	Other railroad accidents	19	2	2	15							1	1		2	1	7	4	3
209	Other street car accidents	1	1																1
210	Automobile accidents (primary)	96	31	21	44	3	1	1	2		2	2	8	8	9	13	15	20	12
212	Other land transportation accidents	20	3	3	14				1		2	3	5	1	2	1	2	2	1
213	Water transportation accidents	8			8							1	2	1		2	1	1	
214	Air transportation accidents	2			2									1			1		
	NEBRASKA																		
	Total deaths (all causes)	12,922	4,675	1,808	6,439	1,091	156	89	42	49	172	158	237	267	555	824	1,273	1,772	6,221
	I.—Infectious and parasitic diseases	1,106	393	173	540	98	43	18	17	12	54	31	43	49	111	98	111	103	317
1	Typhoid fever	18	7	2	9							2	2		4	2	2	4	2
2	Paratyphoid fever	1	1															1	
6	Smallpox	1	1														1		
7	Measles	9	1	5	3		2	2			2	2				1			
8	Scarlet fever	26	10	2	14	2	3		1	2	8	4	1	2		3			
9	Whooping cough	28	6	5	17	14	7	3	1	1	2								
10	Diphtheria	45	15	6	24	7	3	2	3	5	14	4	2	4				1	
11a	Influenza, respiratory complications specified	313	115	58	140	27	10	5	4		6	6	15	5	24	24	29	22	135
11b	Influenza, respiratory complications not specified	231	47	41	143	18	6	3	3	3	9	6	6	4	8	10	11	22	122
13	Dysentery	9	2	2	5	1	1		2									1	4
15	Erysipelas	17	6	1	10	5	1									2	3	1	5
16	Acute poliomyelitis, acute polioencephalitis	10	4	3	3	1	3		1		1		1	2		1			
17	Lethargic or epidemic encephalitis	9	5		4			1							2		3	1	2
18	Epidemic cerebrospinal meningitis	15	10	1	4	2			1	1	3	1	1	2	2	1	1		
20	Anthrax (bacillus anthracis) malignant pustule	1			1										1				
22	Tetanus	11	5	1	5	1			1		3	2	1	1				2	
	Tuberculosis (all forms)	279	110	40	129	4	5	1			4	4	10	28	59	47	41	36	40
23	Respiratory system	242	98	35	109	2	3	1			1	4	9	27	52	45	34	29	35
24	Meninges and central nervous system	6	2		4						1		1	1			1	1	1

[1] See explanatory footnote 2 p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
	Tuberculosis (all forms)—Continued																		
25	Intestines and peritoneum	13	5	2	6	1	1				2				2	1	3	2	1
26	Vertebral column	6	2	1	3										2		1	2	1
27b	Joints	1			1													1	
28	Skin and subcutaneous cellular tissue	2		2															2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2	1		1		1										1		
30	Genitourinary system	2	1		1										1			1	
32a	Acute disseminated tuberculosis	5	1		4	1									2	1	1		
34	Syphilis	58	33	5	20	10	2	1					2	1	6	3	16	11	6
35	Gonococcus infection and other venereal diseases	7	5		2	1									3	2	1		
36	Purulent infection, septicemia (nonpuerperal)	7	6	1		1					2		1		1		1	1	
38	Malaria	1	1														1		
39	Other diseases due to protozoal parasites	1	1			1													
41a	Hydatid cysts of liver	1			1	1													
42	Other diseases caused by helminths	2			2										1			1	
43	Mycoses	4	2		2								1			2			1
44	Other infectious and parasitic diseases	2			2	2													
	II.—Cancers and other tumors	1,476	562	184	730	1		4		1	3	5	15	4	34	98	234	315	761
	Cancer and other malignant tumors	1,425	533	174	718	1		4		1	2	4	13	3	30	83	221	310	752
(45)	Buccal cavity	40	14	9	17									1		2	6	9	22
(45)	Pharynx	11	3	2	6											1		3	7
(46)	Esophagus	31	16	3	12											1	3	9	18
(46)	Stomach and duodenum	346	110	42	194										5	8	37	78	218
(46)	Liver and biliary passages	159	44	18	97										1	3	19	38	98
(46)	Pancreas	49	26	6	17										1	4	6	10	28
(46)	Other digestive tract and peritoneum	207	81	27	99	1		1		1			2		3	14	33	44	108
47	Respiratory system	39	23	1	15			2				1	1		2		7	13	13
48	Uterus	140	60	18	62									1	9	16	34	33	47
49	Other female genital organs	33	14	5	14						1		1		1	4	5	10	11
50	Breast	134	42	18	74										2	17	41	30	44
51	Male genitourinary organs	104	48	10	46										2		9	9	34
52	Skin	25	7	3	15								2		2	2	3	3	12
53	Other or unspecified organs	107	45	12	50			1			1	3	7	1	2	11	18	21	42
54b	Nonmalignant tumors, uterus	18	13	2	3										1	9	7		1
54d,e	Nonmalignant tumors, other organs	14	8	2	4							1	1	1	2		2	2	5
55d,e	Tumors, other organs (nature unspecified)	19	8	6	5						1		1		1	6	4	3	3
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	464	166	56	242	9		2	1	3	3	11	8	13	21	28	52	91	221
56	Acute rheumatic fever	36	16	6	14			1		1	2	3	1	3	2	5	2	4	12
57	Chronic rheumatism, osteoarthritis	17	5	1	11												4	1	12
59	Diabetes mellitus	332	111	43	178				1	2	1	8	6	8	11	14	28	71	181
63	Rickets	4		1	3	2		1									1		
64	Osteomalacia	1			1	1													
65	Diseases of pituitary body	2	1		1										1			1	
66a	Simple goiter	4	2		2												1		3
66b	Exophthalmic goiter	50	27	4	19								1	1	5	7	13	13	10
(66)	Other diseases of thyroid and parathyroid glands	6	2		4	3									1	1		1	
67	Diseases of thymus gland	4	1	1	2	3											1		
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3	1		2									1		1			1
69	Other general diseases	5			5										1		2		2
	IV.—Diseases of the blood and blood-making organs	133	52	19	62	12		2	1	2	5	1	3	2	9	4	13	39	40
70	Hemorrhagic conditions	17	6	3	8	8		1	1		2		2		1		1	1	
71a	Pernicious anemia	53	16	5	32					1				1		1	3	20	27
71b	Other anemias	8	5	1	2	2								1		1		1	3
72a	True leukemias	33	13	4	16	1		1			2		1		3		6	12	7
72b	Pseudoleukemias (Hodgkin's disease)	11	6	4	1					1	1	1			2	1	2	2	1
73	Diseases of the spleen	7	2	2	3	1									3	1	1	1	
74	Other diseases of blood and blood-making organs	4	4															2	2
	V.—Chronic poisonings and intoxications	22	14	1	7								1	1	2	10	2	3	3
75	Alcoholism (acute or chronic)	18	11	1	6								1	1	2	9	2	2	1
76	Chronic poisoning by other organic substances	3	2		1											1			2
77a	Chronic lead poisoning	1	1															1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	1,509	471	188	850	23	7	4	4	1	13	12	9	15	25	63	105	238	985
78	Encephalitis (nonepidemic)	12	7	1	4	2	1	2		1		1	1			1	1	1	1
79a	Simple meningitis	16	9	2	5	4	2				1	1	1	1	1	2	1	1	1
79b	Nonepidemic cerebrospinal meningitis	2	1	1					1						1				
80	Progressive locomotor ataxia (tabes dorsalis)	12	6		6											1	5	3	3
81	Other diseases of spinal cord	32	13	5	14		1				1		1		2	2		9	16
82a	Cerebral hemorrhage	1,146	332	157	657	2					1	1	1		4	29	75	178	851
82b	Cerebral embolism and thrombosis	69	29	3	37	1		1					1	1	2	6	3	10	43
82c	Softening of brain	8	2	2	4														8
82d	Hemiplegia and other paralysis, cause unspecified	33	9	2	22									1	1	1	2	8	20
83	General paralysis of insane	30	8	3	19										2	6	10	7	5
84	Dementia praecox and other psychoses	16	7		9										3	2		6	5
85	Epilepsy	33	7	1	25						2	3	3	7	4	4	1	3	6
86	Convulsions (under 5 years of age)	7	2	1	4	6			1										
87	Other diseases of nervous system	50	10	6	34	1	1	1	1		2			3	3	1	3	11	23
89a	Diseases of ear	18	10	3	5	5	1		1		2			1		3	3		2
89b	Diseases of mastoid process	25	19	1	5	2	1				4	6	1	1	2	5	1	1	1
	VII.—Diseases of the circulatory system	2,823	990	366	1,467	7	3	1		1	8	10	19	15	33	93	238	453	1,937
90	Pericarditis	11	5	3	3							1	1			1	1		7
91a	Acute endocarditis	29	12	4	13	1					1	2		2	4	3	5	5	6
91b	Endocarditis, unspecified (under 45 years)	6	3		3	1					1		1	1	1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	552	186	70	296		1			1	4	6	11	8	11	31	55	100	323
92b	Endocarditis, unspecified (45 years and over)	46	13	11	22												6	8	32
93a	Acute myocarditis	52	17	3	32	3		1						2			4	13	29
93b	Myocarditis, unspecified (under 45 years)	10	3	1	6	1	1				1		1		1	5			
93c	Chronic myocarditis and myocardial degeneration	691	271	69	351								1		4	12	46	111	516
93d	Other diseases of myocardium	367	127	58	182											2	22	48	294
94a	Angina pectoris	228	61	48	119										2	12	30	55	129
94b	Diseases of coronary arteries	183	84	23	76										2	9	25	39	107
95a	Functional diseases of heart	9		2	7												2	1	6
95b	Other and unspecified diseases of heart	342	122	42	178						1	1	3	1	4	13	25	55	238
96	Aneurysm (except of heart)	23	13	2	8										2		5	2	14
97	Arteriosclerosis (coronary arteries excepted)	219	52	29	138												6	9	204
98	Gangrene	9	2	1	6								1				1		7
99	Other diseases of arteries	30	10		20									1	1	2	3	5	18
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	11	5		6		1								1	2	1	1	5
101	Diseases of lymphatic system (lymphangitis, etc.)	1	1			1													
102	Idiopathic anomalies of blood-pressure	1			1													1	
103	Other diseases of circulatory system	3	3														1		2
	VIII.—Diseases of the respiratory system	955	379	142	434	106	37	11	3	6	18	16	16	17	39	56	73	93	464
104a	Diseases of nasal fossae	4	1	1	2							2							2
104b	Diseases of nasal fossae and annexae	8	6	1	1							1	1	1	2			1	2
105	Diseases of larynx	9	1	1	7	1	1	1	1		1		1					1	2
106a	Acute bronchitis	16	5	4	7	4	1									1			10
106b	Chronic bronchitis	20	4	3	13										1		1	4	14
106c,d	Bronchitis, unspecified	4	1		3														4
107a	Bronchopneumonia	309	124	47	138	69	26	3	2		5	6	6		5	11	14	18	144
107b	Capillary bronchitis	1			1	1													
108	Lobar pneumonia	466	191	65	210	24	6	4		6	8	6	7	16	24	34	51	56	224
109	Pneumonia, unspecified	23	8	3	12	3	1				2		1		3	4			9
110	Pleurisy	20	9	4	7	1	2	2			2	1			2	2		2	6
111a	Pulmonary embolism and thrombosis	8	3	3	2	1									1		1	2	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	38	13	7	18	1									1			2	34
112	Asthma	12	2	1	9	1										1		6	4
113	Pulmonary emphysema	4	2		2											1	1	1	1
114	Other diseases of respiratory system (tuberculosis excepted)	13	9	2	2			1								2	5		5
	IX.—Diseases of the digestive system	990	444	185	361	79	30	22	10	16	30	30	37	37	71	116	131	124	257
115a	Diseases of pharynx and tonsils	70	37	11	22	3	1	5	3	2	8	2	5	6	4	5	5	10	11
115b	Diseases of buccal cavity and annexa	5	4		1								1		1		1		2
116	Diseases of esophagus	1			1														1
117a	Ulcer of stomach	49	31	8	10										4	13	13	6	13
117b	Ulcer of duodenum	25	16	4	5									1	4	8	3	3	6
118	Other diseases of stomach (cancer excepted)	26	4	3	19	6					1					2	4	2	11
119	Diarrhea, enteritis (under 2 years of age)	77	14	13	50	50	27												
120	Diarrhea, enteritis (2 years and over)	57	15	18	24			12	3	8	3	2	3		3	7	6	2	8
121	Appendicitis	246	123	53	70		1	2	3	5	14	23	24	24	34	30	32	32	22
122a	Hernia	53	26	9	18	2										4	12	9	26
122b	Intestinal obstruction	102	49	20	33	15	1	2	1	1	4	1	3	1	7	8	6	17	35
123	Other diseases of intestines	18	9	3	6										1	2	1	6	8
124	Cirrhosis of liver	79	34	8	37										2	8	13	8	48
125a	Yellow atrophy of liver	7	2	1	4									1	2	1	1	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
125b	Other diseases of liver	12	3	1	8	1								1		2	1	3	4
126	Biliary calculi	65	33	12	20									1	1	10	14	13	26
127	Other diseases of gall-bladder, biliary passages	71	32	14	25									2	5	13	12	10	29
128	Diseases of pancreas	5	3		2											1	4		
129	Peritonitis, cause not specified	22	9	7	6	2		1				2	1		3	2	3	2	6
	X.—Diseases of the genitourinary system	1,100	401	149	550	8	2	4		1	4	3	5	10	31	54	107	152	719
130	Acute nephritis (including unspecified under 10 years)	35	10	9	16	4	2	3		1	2	1		2	1		3	3	13
131	Chronic nephritis	798	274	107	417						2	2	2	6	14	32	79	114	547
132	Nephritis, unspecified (10 years and over)	87	24	8	55									1	7	2	9	10	58
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	36	20	4	12	4		1							1	9	6	4	11
134	Calculi of urinary passages	10	5	2	3											2	2	3	3
135	Diseases of bladder (tumors excepted)	7	2	1	4											1			6
136	Diseases of urethra, urinary abscess, etc.	2	2														1	1	
137	Diseases of prostate	96	44	15	37										1		3	15	77
138	Diseases of male genital organs, not specified as venereal	1			1														1
139a	Cysts of ovary	6	3	1	2								1			3			2
139b	Other diseases of ovaries, diseases of tubes and parametrium	13	10	2	1								1	1	6	3	2		
139c	Diseases of uterus	7	5		2								1		1	2	1	1	1
139e	Other diseases of female genital organs	2	2														1	1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	132	60	24	48								14	27	53	36	2		
140	Abortion with septic conditions	28	20	4	4								5	9	9	5			
141	Abortion without mention of septic conditions (includes hemorrhages)	7	4	1	2								1	1	3	2			
142a	Ectopic gestation, septic conditions specified	1	1											1					
142b	Ectopic gestation, septic conditions not mentioned	4	1		3										3	1			
143	Other accidents of pregnancy (hemorrhage not included)	3	2		1										2	1			
144a	Placenta praevia	2		1	1											2			
144b	Other puerperal hemorrhages	10	8		2									3	3	4			
145a	Puerperal septicemia and pyemia (abortion excluded)	29	10	8	11								3	3	15	7	1		
146	Puerperal albuminuria and eclampsia	20	6	5	9								4	2	6	7	1		
147	Other toxemias of pregnancy	7	2	3	2									2	3	2			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	1		5									1	2	3			
149	Other accidents of childbirth	15	5	2	8								1	5	7	2			
	XII.—Diseases of the skin and cellular tissue	18	7	2	9	4									2	4	2	2	4
151	Furuncle, carbuncle	5	2	1	2										1	3			1
152	Phlegmon, acute abscess	6	1	1	4	2									1		2	1	
153	Other diseases of skin and annexa, and of cellular tissue	7	4		3	2										1		1	3
	XIII.—Diseases of the bones and organs of locomotion	13	6	1	6	1		1				1	1	2		1	2	3	1
154	Osteomyelitis	8	4		4			1				1	1	2		1	1	1	
155	Other diseases of bones (tuberculosis excepted)	2	1	1		1												1	
156	Diseases of joints, other organs of locomotion	3	1		2												1	1	1
	XIV.—Congenital malformations	152	45	24	83	138	5	2			1	2	2	1		1			
157a	Congenital hydrocephalus	24	8		16	17	2	1				2	1	1					
157b	Spina bifida and meningocele	18	3	4	11	18													
157c	Congenital malformations of heart	73	21	13	39	70	1				1		1						
157d	Other congenital malformations	37	13	7	17	33	2	1								1			
	XV.—Diseases of early infancy	565	178	82	305	565													
158	Congenital debility	35	2	7	26	35													
159	Premature birth	362	116	51	195	362													
160	Injury at birth	122	48	19	55	122													
161	Other diseases peculiar to early infancy	46	12	5	29	46													
162	XVI.—Senility	153	32	22	99													1	152
	XVII.—Violent and accidental deaths	1,237	468	181	588	22	28	18	6	6	32	36	64	72	124	157	189	142	339
	Suicide	277	107	35	135								6	16	30	49	66	50	59
163	By solid or liquid poisons or by absorption of corrosive substances	48	27	7	14							1	1	6	8	13	8	8	4
164	By poisonous gas	26	23	1	2									3	2	5	6	4	6
165	By hanging or strangulation	53	8	5	40								2		4	4	14	10	19
166	By drowning	7	1	3	3											3		1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEBRASKA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
167	By firearms	120	39	16	65								3	7	12	19	31	22	25
168	By cutting or piercing instruments	12	4	1	7										1	2	4	4	1
169	By jumping from high places	4	4													2	2		
170	By crushing	3	1		2										1		1	1	
171	By other means	4		2	2										2	1			1
	Homicide	51	29	5	17	1					1	1	4		16	13	5	7	2
173	By firearms	35	20	2	13							1	3		13	10	3	4	
174	By cutting or piercing instruments	8	5	1	2						1				2	2	1	2	
175	By other means	8	4	2	2	1							1		1	1	1	1	2
	Accidental, other, or undefined	909	332	141	436	21	28	18	6	6	31	35	54	56	78	95	118	85	278
177	Poisoning by food	11	2	1	8							2	2		1	2	2	1	1
178	Absorption of poisonous gas	29	20	1	8		1						1	1	3	3	9	7	4
	Supplemental	1			1											1			
179	Other acute accidental poisonings (gas excepted)	11	2	3	6	1	2			1				1	2		2	2	
180	Conflagration	12	3	1	8	1	1	1			1	2				1	1	1	3
181	Burns (conflagration excepted)	72	22	10	40		5	6		1	8	2	3	4	7	7	9	7	13
	Supplemental	3	1		2								1		1	1			
182	Mechanical suffocation	8	3	1	4	7									1				
183	Drowning	47	5	11	31		8	4	1		5	2	8	4	5	6	3		1
	Supplemental	5	1	3	1									2		3			
	Traumatism:																		
184	By firearms (wounds of war excepted)	45	10	5	30		1			1	1	3	7	5	6	7	6	5	3
185	By cutting or piercing instruments (wounds of war excepted)	8	3	2	3								1			1	3	1	2
	Supplemental	6	2		4			1				1					2	2	
186a	By fall	239	109	34	96	3	1		1		4	1	1	2	6	8	14	21	177
	Supplemental	30	11	5	14			2				4	3	4	3	2	4	4	4
186b	By crushing, landslide	6	2	2	2							1			1	2	1		1
	Supplemental	76	22	17	37		2				1	2	6	10	9	13	16	4	13
187	Cataclysm	8			8											4		2	2
188	Injuries by animals	11	1	2	8		1					2		1	2	1	1	2	1
190	Excessive cold	5	1		4			1									1		3
191	Excessive heat	10	4		6	2										1	5		2
192	Lightning	6			6							1	1	1		1		1	1
193	Due to electric currents	5	3		2							1	1	1	1				1
194a	Foreign bodies	8	5		3	2	4	1	1										
194b	Other accidents	47	18	4	25	5	1	1	1			2	3	4	7	4	6	2	11
	Supplemental	200	82	39	79		1	1	2	3	11	9	16	16	23	27	33	23	35
	XVIII.—Ill-defined causes of death	74	7	9	58	18	1				1			2		5	12	13	21
199	Sudden death	13		1	12	2								1		2	2	4	2
200a	Cause of death ill-defined	35	5	1	29	3	1									1	8	6	16
200b	Cause of death not specified or unknown	26	2	7	17	13					1			1		2	2	3	3
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	12			12									1	3	4	3	1	
203	Elevator accidents	4	4											1			2		1
205	Other machinery accidents	7	1		6			1	1		1	1					2	1	
206	Railroad and automobile collisions	10	3	2	5									1	3		3	3	
207	Other railroad accidents	37	18	9	10								3	3	4	4	12	5	6
208	Street-car and automobile collisions	1	1													1			
209	Other street-car accidents	2	2								1							1	
210	Automobile accidents (primary)	212	78	44	90		3	2	1	2	10	7	20	21	24	33	29	20	40
211	Motorcycle accidents	1		1										1					
212	Other land-transportation accidents	29	10	5	14			1		1		8	2	1	2	3	4	2	5
213	Water-transportation accidents	4		3	1									2		2			
214	Air-transportation accidents	2	2										1	1					
	NEVADA																		
	Total deaths (all causes)	1,342	350	361	631	88	12	10	8	7	22	24	28	51	122	148	203	243	375
	I.—Infectious and parasitic diseases	205	32	54	119	8	5	5	4		12	10	11	18	26	29	27	21	29
1	Typhoid fever	8	1	1	6						1	1	3	1		1	1		
7	Measles	2		1	1		1											1	
8	Scarlet fever	2			2						1				1				
9	Whooping cough	5		2	3	2	1	1			1								
10	Diphtheria	6	2	2	2			2	1						1	2			
11a	Influenza, respiratory complications specified	35	7	4	24	1	1	1			2				7	9	4	3	7
11b	Influenza, respiratory complications not specified	18	5	4	9	4						2	2	2	1		1	2	4
13	Dysentery	1	1																1
15	Erysipelas	1	1																1
16	Acute poliomyelitis, acute polioencephalitis	1			1		1												
17	Lethargic or epidemic encephalitis	2			2							1				1			
18	Epidemic cerebrospinal meningitis	7		6	1						1	2		1	3				

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
	I.—Infectious and parasitic diseases—Continued.																		
	Tuberculosis (all forms)	94	10	25	59	1		1	2		4	4	5	12	10	14	16	12	13
23	Respiratory system	86	10	21	55	1			2		4	4	5	11	8	13	16	10	12
24	Meninges and central nervous system	2			2			1							1				
25	Intestines and peritoneum	2		1	1									1				1	
26	Vertebral column	2		1	1													1	1
30	Genitourinary system	1		1											1				
32a	Acute disseminated tuberculosis	1		1												1			
34	Syphilis	15	3	5	7						1			1	2	2	4	3	2
35	Gonococcus infection and other venereal diseases	2	1	1										1	1				
36	Purulent infection, septicemia (non-puerperal)	2	1	1					1				1						
38	Malaria	1			1		1												
44	Other infectious and parasitic diseases	3		2	1						1						1		1
	II.—Cancers and other tumors	90	35	15	40					1					2	5	17	25	40
	Cancer and other malignant tumors	85	32	14	39					1						4	15	25	40
(45)	Buccal cavity	1	1																1
(45)	Pharynx	3	3																3
(46)	Stomach and duodenum	23	4	8	11											2	3	8	10
(46)	Liver and biliary passages	11	3	1	7												1	4	6
(46)	Pancreas	1			1														1
(46)	Other digestive tract and peritoneum	12	5		7												2	6	4
47	Respiratory system	1		1															1
48	Uterus	5	4		1											1	4		
50	Breast	9	6		3											1	2	4	2
51	Male genitourinary organs	11	3	4	4					1								2	8
52	Skin	2			2												1		1
53	Other or unspecified organs	6	3		3												2	1	3
54b	Nonmalignant tumors, uterus	2	1	1											1		1		
54d,e	Nonmalignant tumors, other organs	1	1														1		
55a	Tumors, ovary (nature unspecified)	1			1										1				
55d,e	Tumors, other organs (nature unspecified)	1	1													1			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	25	7	7	11	2							1	2		3	2	11	4
57	Chronic rheumatism, osteoarthritis	3		1	2								1	1					1
59	Diabetes mellitus	16	6	4	6	1										2	1	9	3
60	Scurvy	1			1													1	
66b	Exophthalmic goiter	4	1	1	2									1		1	1	1	
67	Diseases of thymus gland	1		1		1													
	IV.—Diseases of the blood and blood-making organs	3		2	1	1										1			1
70	Hemorrhagic conditions	1		1		1													
71a	Pernicious anemia	1			1														1
72a	True leukemias	1		1												1			
	V.—Chronic poisonings and intoxications	8	4	2	2										2		1	4	1
75	Alcoholism (acute or chronic)	5	1	2	2										1			3	1
76	Chronic poisoning by other organic substances	3	3												1		1	1	
	VI.—Diseases of the nervous system and of the organs of special sense	99	24	25	50	1						2	1			7	8	29	51
78	Encephalitis (nonepidemic)	1			1													1	
79a	Simple meningitis	4	2	1	1							1				2			1
80	Progressive locomotor ataxia (tabes dorsalis)	1	1														1		
81	Other diseases of spinal cord	5	1		4							1				1		1	2
82a	Cerebral hemorrhage	69	13	16	40											2	4	22	41
82b	Cerebral embolism and thrombosis	5	3	1	1											1		2	2
82d	Hemiplegia and other paralysis, cause unspecified	3	1	1	1												1	1	1
83	General paralysis of insane	6	2	4													1	2	3
84	Dementia praecox and other psychoses	1		1													1		
85	Epilepsy	2	1	1									1			1			
87	Other diseases of nervous system	1			1														1
89a	Diseases of ear	1			1	1													
	VII.—Diseases of the circulatory system	234	67	76	91						1	1	2	1	5	17	44	59	104
91a	Acute endocarditis	1	1								1								
91b	Endocarditis, unspecified (under 45 years)	1	1										1						
92a	Endocarditis, specified as chronic, and other valvular diseases	57	16	19	22									1	2	7	12	11	24
92b	Endocarditis, unspecified (45 years and over)	2	1	1														2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
93a	Acute myocarditis	5	2	3												1	1	1	2
93b	Myocarditis, unspecified (under 45 years)	2		1	1										1	1			
93c	Chronic myocarditis and myocardial degeneration	68	23	25	20											3	13	17	35
93d	Other diseases of myocardium	30	5	12	13											1	6	9	14
94a	Angina pectoris	18	6	3	9										1	1	4	5	7
94b	Diseases of coronary arteries	13	4	6	3										1		4	3	5
95b	Other and unspecified diseases of heart	21	4	3	14							1				3	2	8	7
96	Aneurysm (except of heart)	2	1	1									1				1		
97	Arteriosclerosis (coronary arteries excepted)	11	1	2	8													2	9
98	Gangrene	1			1														1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2	2														1	1	
	VIII.—Diseases of the respiratory system	135	37	44	54	18	2	2	1	2	3		4	3	16	10	27	19	28
104b	Diseases of nasal fossae and annexae	1			1												1		
105	Diseases of larynx	1		1				1										1	
106b	Chronic bronchitis	1		1															
107a	Bronchopneumonia	38	8	8	22	12	1		1	2		1	2	2	2	3	3	1	9
108	Lobar pneumonia	69	21	27	21	4	1				2		2	1	14	8	14	11	12
109	Pneumonia, unspecified	7	1	3	3	1		1			1		1				1	1	1
110	Pleurisy	4		2	2	1											2		1
111a	Pulmonary embolism and thrombosis	3	2	1													2	1	
111b	Pulmonary congestion, edema, hemorrhagic infarct	4	2		2													2	2
112	Asthma	2			2														2
114	Other diseases of respiratory system (tuberculosis excepted)	5	3	1	1												4		1
	IX.—Diseases of the digestive system	104	38	25	41	16	1	1	3	1	2	1	1	1	9	17	20	16	15
115a	Diseases of pharynx and tonsils	5	3	2									1		2	1			1
117a	Ulcer of stomach	13	5	1	7										1	3	4	3	2
117b	Ulcer of duodenum	1	1														1		
118	Other diseases of stomach (cancer excepted)	3	1	1	1	1											1	1	
119	Diarrhea, enteritis (under 2 years of age)	15	1	4	10	14	1												
120	Diarrhea, enteritis (2 years and over)	6		2	4				3								1		2
121	Appendicitis	27	8	7	12			1			2	1		1	4	4	7	5	2
122a	Hernia	3	2	1													1		2
122b	Intestinal obstruction	11	7	3	1	1				1						2	2	2	3
123	Other diseases of intestines	4	3		1											2	1		1
124	Cirrhosis of liver	8	4	2	2											3	2	3	
125a	Yellow atrophy of liver	1	1													1			
125b	Other diseases of liver	2		1	1											1			1
126	Biliary calculi	2	2												1			1	
127	Other diseases of gall-bladder, biliary passages	3		1	2										1			1	1
	X.—Diseases of the genitourinary system	106	37	28	41	2				1	1	3	1	1	5	4	12	21	55
130	Acute nephritis (including unspecified under 10 years)	7	6		1	1				1	1				1	2		1	
131	Chronic nephritis	79	24	20	35							2	1			1	10	14	51
132	Nephritis, unspecified (10 years and over)	6	1	3	2							1					1	2	2
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	1			1	1													
134	Calculi of urinary passages	4	1	2	1												1	3	
135	Diseases of bladder (tumors excepted)	2	1		1													1	1
137	Diseases of prostate	1		1															1
139b	Other diseases of ovaries, diseases of tubes and parametrium	5	3	2										1	3	1			
139c	Diseases of uterus	1	1												1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	8	2	1	5									3	4	1			
140	Abortion with septic conditions	1		1											1				
142b	Ectopic gestation, septic conditions not mentioned	1			1										1				
144b	Other puerperal hemorrhages	1			1										1				
145a	Puerperal septicemia and pyemia (abortion excluded)	3	1		2									2	1				
146	Puerperal albuminuria and eclampsia	1	1											1					
149	Other accidents of childbirth	1			1											1			
	XIV.—Congenital malformations	3			3	2	1												
157c	Congenital malformations of heart	1			1	1													
157d	Other congenital malformations	2			2	1	1												
	XV.—Diseases of early infancy	33	5	11	17	33													
158	Congenital debility	1			1	1													
159	Premature birth	21	2	8	11	21													
160	Injury at birth	7	2	3	2	7													
161	Other diseases peculiar to early infancy	4	1		3	4													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEVADA—Continued																		
162	XVI.—Senility	20	4	1	15													1	19
	XVII.—Violent and accidental deaths	245	58	68	119	3	3	1		2	3	7	7	22	52	51	41	30	22
	Suicide	43	12	15	16								1	2	13	5	10	5	6
163	By solid or liquid poisons or by absorption of corrosive substances	7	2	3	2										4	1		1	1
164	By poisonous gas	2	1	1											1	1			
165	By hanging or strangulation	2			2											1	1		
166	By drowning	1	1															1	
167	By firearms	28	6	10	12									2	8	2	8	3	5
168	By cutting or piercing instruments	2	2														1		
170	By crushing	1		1									1						
	Homicide	36	8	14	14						1	1	2	4	11	7	5	4	1
173	By firearms	28	5	10	13						1	1	2	3	7	5	4	4	1
174	By cutting or piercing instruments	4	1	3										1	2	1			
175	By other means	4	2	1	1										2	1	1		
	Accidental, other, or undefined	166	38	39	89	3	3	1		2	2	6	4	16	28	39	26	21	15
178	Absorption of poisonous gas	3	2	1											1		1	1	
179	Other acute accidental poisonings (gas excepted)	8	4		4		1	1				1			1	1	3		
180	Conflagration	3			3					1								1	1
181	Burns (conflagration excepted)	5	1	2	2		1					1				3			
182	Mechanical suffocation	1			1									1					
183	Drowning	6	1		5		1								1	1	1	2	
	Supplemental	3			3										1	1			1
	Traumatism:																		
184	By firearms (wounds of war excepted)	8	2	2	4										2	3	1	2	
185	By cutting or piercing instruments (wounds of war excepted)	1			1						1								
186a	By fall	16	4	2	10										4	3	2		7
	Supplemental	13	2	4	7								1	2	5	1	2	1	1
186b	By crushing, landslide	8		4	4									3	2	2	1		
	Supplemental	17	4	5	8							1	2	3	1	7	1	1	1
188	Injuries by animals	1			1														1
190	Excessive cold	1			1													1	
191	Excessive heat	2			2	1										1			
193	Due to electric currents	1		1										1					
	Supplemental	1			1										1				
194b	Other accidents	12	4	4	4						1				2	3	2	4	
	Supplemental	55	14	14	27	2				1		3	1	6	7	13	11	8	3
198	Legal executions	1			1												1		
	XVIII.—Ill-defined causes of death	24		2	22	2		1							1	3	4	7	6
199	Sudden death	2			2			1										1	
200a	Cause of death ill-defined	15		1	14	1									1	3	3	4	3
200b	Cause of death not specified or unknown	7		1	6	1											1	2	3
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	5			5										1	3	1		
202	Accidents from agricultural machinery	1		1													1		
205	Other machinery accidents	10	2	3	5									1	4	4	1		
206	Railroad and automobile collisions	1		1													1		
207	Other railroad accidents	9	3	2	4									3	1		3	1	1
210	Automobile accidents (primary)	59	15	15	29	2				1		4	4	7	8	14	6	9	4
212	Other land transportation accidents	1		1													1		
213	Water transportation accidents	3			3										1	1			1
	NEW HAMPSHIRE																		
	Total deaths (all causes)	6,329	3,013	516	2,800	460	49	27	11	13	60	56	80	95	209	328	576	956	3,379
	I.—Infectious and parasitic diseases	449	198	43	208	41	14	9	2	2	8	14	20	21	47	53	57	48	113
1	Typhoid fever	8	4	2	2							1	2	1	2	1	1		
7	Measles	6	2	2	2	1	2					1					1		1
8	Scarlet fever	11	6	1	4		1	1			1	3	1		1	3			
9	Whooping cough	13	8	1	4	10		3											
10	Diphtheria	4	3		1	1			1		2								
11a	Influenza, respiratory complications specified	96	44	8	44	10	5	1			1	1	1	1	3	6	12	11	44
11b	Influenza, respiratory complications not specified	53	17	8	28	6	4	1			1	2	2	1		3	2	3	28
13	Dysentery	1	1								1								
15	Erysipelas	8	3	1	4	3										1		2	2
16	Acute poliomyelitis, acute polioencephalitis	2	1		1		1							1					
17	Lethargic or epidemic encephalitis	4		1	3								1			1			2
18	Epidemic cerebrospinal meningitis	3	2	1		1				1							1		
22	Tetanus	3	2		1	1						1	1						
	Tuberculosis (all forms)	210	93	13	104	1	1	3		1	2	5	11	17	36	34	35	30	34
23	Respiratory system	177	73	10	94							2	11	14	31	31	31	27	30
24	Meninges and central nervous system	11	8	1	2	1	1	3		1	2	2					1		

[1] See explanatory footnote 2, p. 163.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES—		In rural areas	DEATHS BY AGE												
			10,000 or over	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
	Tuberculosis (all forms)—Continued																		
25	Intestines and peritoneum	7	4	1	2									2	1	1		1	2
26	Vertebral column	4	2		2							1					1	1	1
27b	Joints	1	1														1		
28	Skin and subcutaneous cellular tissue	3	1		2										2				1
30	Genitourinary system	5	2	1	2										1	2	1	1	
32a	Acute disseminated tuberculosis	2	2											1	1				
34	Syphilis	16	6	4	6	3									3	3	5	2	
35	Gonococcus infection and other venereal diseases	2	2												2				
36	Purulent infection, septicemia (nonpuerperal)	4	1		3	1			1				1			1			
38	Malaria	3	3			2													1
43	Mycoses	1		1															1
44	Other infectious and parasitic diseases	1			1	1													
	II.—Cancers and other tumors	771	370	61	340		1			1	1	3		1	10	34	118	176	422
	Cancer and other malignant tumors	751	360	60	331		1				1	2		1	7	30	112	174	419
(45)	Buccal cavity	17	6	1	10												1	6	10
(45)	Pharynx	10	5		5													2	8
(46)	Esophagus	5	2	1	2													3	2
(46)	Stomach and duodenum	145	66	8	71											2	17	44	81
(46)	Liver and biliary passages	84	41	5	38											1	10	19	54
(46)	Pancreas	18	11	1	6											2	4	4	8
(46)	Other digestive tract and peritoneum	151	68	18	65							1		1	3	5	20	31	88
47	Respiratory system	22	12	1	9											1	8	6	7
48	Uterus	84	44	5	35										2	8	21	15	38
49	Other female genital organs	7	2	2	3											1		2	4
50	Breast	64	28	8	28											6	12	15	30
51	Male genitourinary organs	65	33	5	27		1									2	4	11	47
52	Skin	19	12		7												3	3	13
53	Other or unspecified organs	60	30	5	25						1	1			2	2	12	13	29
54a	Nonmalignant tumors, ovary	1			1							1							
54b	Nonmalignant tumors, uterus	6	3		3											4	1		1
55b	Tumors, uterus (nature unspecified)	1	1																1
55d,e	Tumors, other organs (nature unspecified)	12	6	1	5					1					3		5	2	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	201	94	15	92	5	1	1		1	2	4	4	5	5	9	17	51	96
56	Acute rheumatic fever	13	6	2	5						2		2			1	4	1	3
57	Chronic rheumatism, osteoarthritis	13	5	1	7											2	2	3	6
59	Diabetes mellitus	148	66	10	72							1	2	1	5	5	11	44	79
62	Pellagra	2	1	1														1	1
63	Rickets	2	2			1		1											
65	Diseases of pituitary body	1	1									1							
66b	Exophthalmic goiter	7	5		2							1				1		1	4
(66)	Other diseases of thyroid and parathyroid glands	4	2	1	1					1				1				1	1
67	Diseases of thymus gland	6	3		3	3	1					1		1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	2	2											1					1
69	Other general diseases	3	1		2	1								1					1
	IV.—Diseases of the blood and blood-making organs	62	29	4	29	5	1	1			3		2	2	1	2	9	15	21
70	Hemorrhagic conditions	5	2		3	2		1			1						1		
71	Pernicious anemia	25	8	3	14												3	11	11
71	Other anemias	5	2		3	1					1								3
72a	True leukemias	16	10	1	5	2					1		1	1	1		3	2	5
72b	Pseudoleukemias (Hogkin's disease)	6	3		3								1	1			1	2	1
73	Diseases of the spleen	5	4		1		1									2	1		1
	V.—Chronic poisonings and intoxications	8	2	1	5										2	1	3	2	
75	Alcoholism (acute or chronic)	4	1	1	2										1	1	2		
76	Chronic poisoning by other organic substances	1			1												1		
77a	Chronic lead poisoning	3	1		2										1			2	
	VI.—Diseases of the nervous system and of the organs of special sense	813	368	67	378	8	1				5	4	5	2	7	24	60	138	555
78	Encephalitis (nonepidemic)	5	2		3		1				1			1	1	1			
79a	Simple meningitis	8	6		2	2					2				1	1			2
79b	Nonepidemic cerebrospinal meningitis	1	1												1				
80	Progressive locomotor ataxia (tabes dorsalis)	11	5		6											1	1	2	7
81	Other diseases of spinal cord	18	8	2	8								1			1	4	3	8
82a	Cerebral hemorrhage	644	285	59	300	1					1	1	1		1	12	45	111	468
82b	Cerebral embolism and thrombosis	51	26	2	23											3	3	8	37
82c	Softening of brain	4	2		2												1		3
82d	Hemiplegia and other paralysis, cause unspecified	11	5		6													2	9
83	General paralysis of insane	9	7		2											3	3	2	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
84	Dementia praecox and other psychoses	4	2		2							2			1			2	1
85	Epilepsy	11	4	1	6							2	1	1	1		3	1	2
86	Convulsions (under 5 years of age)	4	1	1	2	4													
87	Other diseases of nervous system	26	11	1	14	1									1	1		7	16
89a	Diseases of ear	2	1		1								1						1
89b	Diseases of mastoid process	4	2	1	1						1	1	1			1			
	VII.—Diseases of the circulatory system	1,775	815	140	820	1	1				4	7	5	6	16	62	125	274	1,265
90	Pericarditis	3	1		2													1	2
91a	Acute endocarditis	12	6	4	2							2	1	1	1	1	1	3	2
91b	Endocarditis, unspecified (under 45 years)	2	2											1		1			
92a	Endocarditis, specified as chronic, and other valvular diseases	359	161	33	165						2	5	2	2	7	24	32	51	234
92b	Endocarditis, unspecified (45 years and over)	25	14	1	10												2	4	19
93a	Acute myocarditis	19	9	1	9										1	2	2	5	8
93b	Myocarditis, unspecified (under 45 years)	3	3													3			
93c	Chronic myocarditis and myocardial degeneration	394	205	26	163										1	4	25	59	301
93d	Other diseases of myocardium	145	67	10	68												6	29	108
94a	Angina pectoris	215	109	14	92										1	6	17	56	135
94b	Diseases of coronary arteries	97	50	6	41										1	6	5	19	65
95a	Functional diseases of heart	1			1														1
95b	Other and unspecified diseases of heart	237	88	22	127		1				1		2	1	2	12	25	34	159
96	Aneurysm (except of heart)	6	5		1										1		3		2
97	Arteriosclerosis (coronary arteries excepted)	232	82	20	130											1	5	9	216
98	Gangrene	6	3		3														6
99	Other diseases of arteries	12	5	2	5						1				1	1	2	3	4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	5	3	1	1									1		1		1	2
103	Other diseases of circulatory system	2	2			1													1
	VIII.—Diseases of the respiratory system	461	208	54	199	60	14	6	2	3	10	4	5	4	13	26	37	45	230
104a	Diseases of nasal fossae	1			1														1
104b	Diseases of nasal fossae and annexae	2	1		1	1									1				
105	Diseases of larynx	2			2		1				1								
106a	Acute bronchitis	12	4	1	7	1					1								10
106b	Chronic bronchitis	12	5		7						1					1	1	2	7
106c,d	Bronchitis, unspecified	7		2	5	1													6
107a	Bronchopneumonia	173	77	21	75	43	10	4	1	1		3		1	2	2	12	12	82
107b	Capillary bronchitis	3			3		1												2
108	Lobar pneumonia	180	92	21	67	9	1	1	1	1	4	1	5	2	9	19	19	22	85
109	Pneumonia, unspecified	34	11	6	17	5	1			1	1						2	2	21
110	Pleurisy	7	4		3			1			1				1		1	2	1
111a	Pulmonary embolism and thrombosis	11	7		4											2		2	7
111b	Pulmonary congestion, edema, hemorrhagic infarct	7	4	1	2														7
112	Asthma	4	1		3											2		2	
113	Pulmonary emphysema	1			1														1
114	Other diseases of respiratory system (tuberculosis excepted)	5	2	2	1						1			1			2	1	
	IX.—Diseases of the digestive system	336	213	29	94	30	7		3	3	14	7	6	9	22	32	45	56	100
115a	Diseases of pharynx and tonsils	16	10	1	5	1				1	3	1	3	2		1	2	2	
115b	Diseases of buccal cavity and annexa	5	2		3						1						2	1	1
116	Diseases of esophagus	2	2													1		1	
117a	Ulcer of stomach	25	13	3	9									1		5	2	9	7
117b	Ulcer of duodenum	10	8		2										1	2		4	3
118	Other diseases of stomach (cancer excepted)	13	2	3	8	1					1						1	1	9
119	Diarrhea, enteritis (under 2 years of age)	28	18	4	6	25	3												
120	Diarrhea, enteritis (2 years and over)	10	5	1	4						1							3	6
121	Appendicitis	71	47	6	18		1		3	2	8	6	3	4	7	7	13	7	9
122a	Hernia	18	13	1	4									1	1	2		3	11
122b	Intestinal obstruction	29	22	1	6	1	1							1	4	1	3	4	14
123	Other diseases of intestines	6	6													1	2	3	
124	Cirrhosis of liver	36	19	3	14										1	2	6	6	21
125a	Yellow atrophy of liver	2	1		1											1	1		
125b	Other diseases of liver	4	1	1	2	1	1										1		1
126	Biliary calculi	32	26	3	3										5	4	5	8	10
127	Other diseases of gall-bladder, biliary passages	22	14	1	7	1									1	3	6	3	8
128	Diseases of pancreas	2			2											1		1	
129	Peritonitis, cause not specified	5	4	1			1								2	1	1		
	X.—Diseases of the genitourinary system	581	263	33	285	2	1				1		3	5	19	34	58	95	359
130	Acute nephritis (including unspecified under 10 years)	13	9	1	3	1	1				1		1			3	1	1	4
131	Chronic nephritis	468	203	25	240								1	3	12	21	47	77	303

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																		
	X.—Diseases of the genitourinary system—Continued																		
132	Nephritis, unspecified (10 years and over)	41	16	2	23										1	3	6	7	24
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	8	4	1	3	1										2	1	1	3
134	Calculi of urinary passages	1	1															1	
135	Diseases of bladder (tumors excepted)	5	3	1	1													1	4
136	Diseases of urethra, urinary abscess, etc.	3	2		1												1	2	
137	Diseases of prostate	24	11	3	10													4	20
139a	Cysts of ovary	5	4		1									1	1		1	1	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	9	8		1									1	5	2	1		
139c	Diseases of uterus	4	2		2								1			3			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	46	31	4	11								1	10	24	10	1		
140	Abortion with septic conditions	4	3		1										4				
141	Abortion without mention of septic conditions (includes hemorrhages)	2	1		1								1		1				
142b	Ectopic gestation, septic conditions not mentioned	2	1		1										1	1			
143	Other accidents of pregnancy (hemorrhage not included)	1	1														1		
144b	Other puerperal hemorrhages	1	1												1				
145a	Puerperal septicemia and pyemia (abortion excluded)	5	2		3									2	2	1			
146	Puerperal albuminuria and eclampsia	18	15	2	1									5	8	5			
147	Other toxemias of pregnancy	1	1												1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	4	1	1									3	2	1			
149	Other accidents of childbirth	6	2	1	3										4	2			
	XII.—Diseases of the skin and cellular tissue	6	4		2									2			2		2
151	Furuncle, carbuncle	2	1		1									1			1		
152	Phlegmon, acute abscess	2	2											1			1		
153	Other diseases of skin and annexa, and of cellular tissue	2	1		1														2
	XIII.—Diseases of the bones and organs of locomotion	7	4		3		1	1										1	4
154	Osteomyelitis	5	3		2		1	1										1	2
155	Other diseases of bones (tuberculosis excepted)	1			1														1
156	Diseases of joints, other organs of locomotion	1	1																1
	XIV.—Congenital malformations	75	43	4	28	63	6	3		1			1	1					
157a	Congenital hydrocephalus	13	8	2	3	12		1											
157b	Spina bifida and meningocele	15	9		6	14	1												
157c	Congenital malformations of heart	34	17	1	16	28	2	1		1			1	1					
157d	Other congenital malformations	13	9	1	3	9	3	1											
	XV.—Diseases of early infancy	241	142	21	78	241													
158	Congenital debility	25	12	4	9	25													
159	Premature birth	148	84	12	52	148													
160	Injury at birth	45	31	5	9	45													
161	Other diseases peculiar to early infancy	23	15		8	23													
162	XVI.—Senility	64	22	2	40													1	63
	XVII.—Violent and accidental deaths	415	203	36	176	4	1	6	4	2	11	13	28	26	43	41	43	51	139
	Suicide	96	41	8	47							2	2	5	15	12	17	21	21
163	By solid or liquid poisons or by absorption of corrosive substances	4	2		2								1	1		1	1		
164	By poisonous gas	15	12		3							1			3	2		3	6
165	By hanging or strangulation	25	12	4	9									1	3	4	7	4	5
166	By drowning	8			8										2			5	1
167	By firearms	40	11	4	25							1	1	3	7	4	9	7	8
168	By cutting or piercing instruments	3	3													1		1	1
171	By other means	1	1															1	
	Homicide	1	1													1			
173	By firearms	1	1													1			
	Accidental, other, or undefined	318	161	28	129	4	1	6	4	2	11	11	26	21	28	28	26	30	118
177	Poisoning by food	1	1														1		
178	Absorption of poisonous gas	11	11											1	2	4	2	1	1
179	Other acute accidental poisonings (gas excepted)	4	1	1	2											2	1		1
180	Conflagration	6	1		5										3			1	2
181	Burns (conflagration excepted)	15	13		2			1	3		1			1	2		2	2	3
182	Mechanical suffocation	1	1			1													
	Supplemental	1			1														1
183	Drowning	35	11		24		1	1			2	6	11	5	6			2	1
	Supplemental	1	1																1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW HAMPSHIRE—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted)	10	4	-------	6	------	------	------	------	------	------	1	3	------	3	1	1	------	1
185	By cutting or piercing instruments (wounds of war excepted)	1	-------	-------	1	------	------	------	------	------	------	1	------	------	------	------	------	------	------
	Supplemental	1	-------	-------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------
186a	By fall	109	59	11	39	1	------	1	------	------	1	1	1	------	------	4	6	9	85
	Supplemental	5	2	1	2	------	------	1	------	------	------	------	------	------	2	1	------	------	1
186b	By crushing landslide—Supplemental	3	-------	1	2	------	------	------	------	------	------	------	------	------	------	1	1	------	1
188	Injuries by animals	2	-------	-------	2	------	------	------	------	------	------	------	------	------	------	------	------	1	1
190	Excessive cold	3	-------	-------	3	------	------	------	------	------	------	------	------	2	------	------	------	1	------
191	Excessive heat	1	1	-------	-------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
192	Lightning	1	-------	-------	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------
193	Due to electric currents	2	1	-------	1	1	------	------	------	------	------	------	------	------	------	1	------	------	------
194b	Other accidents	15	4	1	10	1	------	------	------	------	4	------	------	------	------	4	------	1	5
	Supplemental	90	50	13	27	------	------	2	1	2	3	2	11	12	10	9	11	11	14
	XVIII.—Ill-defined causes of death	18	4	2	12	------	------	------	------	------	1	------	------	1	------	------	1	3	10
199	Sudden death	2	1	-------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	8
200a	Cause of death ill-defined	12	3	1	8	------	------	------	------	------	------	------	------	1	------	------	------	2	2
200b	Cause of death not specified or unknown	4	-------	1	3	------	------	------	------	------	1	------	------	------	------	------	1	1	------
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	2	-------	-------	2	------	------	------	------	------	------	------	------	------	------	------	2	------	------
205	Other machinery accidents	6	1	1	4	------	------	------	------	------	------	------	------	------	------	1	2	------	3
206	Railroad and automobile collisions	2	-------	-------	2	------	------	------	------	------	------	------	2	------	------	------	------	------	------
207	Other railroad accidents	10	4	2	4	------	------	1	------	------	1	------	1	1	1	------	3	1	1
210	Automobile accidents (primary)	70	41	11	18	------	------	1	1	2	2	2	8	11	9	9	4	8	11
212	Other land-transportation accidents	10	6	1	3	------	------	1	------	------	------	------	------	------	2	1	2	2	2
213	Water-transportation accidents	1	1	-------	-------	------	------	------	------	------	------	------	------	------	------	------	------	------	1
	NEW JERSEY																		
	Total deaths (all causes)	42,914	28,882	5,615	8,417	3,075	411	223	170	144	583	539	771	1,017	2,346	3,766	5,663	7,828	16,376
	I.—Infectious and parasitic diseases	4,050	2,236	765	1,049	231	117	69	39	42	143	93	198	340	620	635	605	454	464
1	Typhoid fever	28	23	-------	5	------	------	------	------	1	3	1	2	3	5	9	1	1	2
2	Paratyphoid fever	2	1	-------	1	------	------	------	------	------	------	------	------	------	------	------	------	2	------
5	Undulant fever	1	-------	-------	1	------	------	------	------	------	------	1	------	------	------	------	------	------	------
7	Measles	46	38	2	6	12	14	6	2	2	9	------	1	------	------	------	------	------	------
8	Scarlet fever	73	43	11	19	5	3	6	5	8	15	7	8	4	8	4	------	------	------
9	Whooping cough	129	78	20	31	74	35	10	2	2	4	------	------	------	------	------	2	------	------
10	Diphtheria	98	69	21	8	8	11	13	11	8	28	7	3	------	------	6	2	1	------
11a	Influenza, respiratory complications specified	438	269	45	124	25	16	3	4	1	8	8	13	10	22	64	52	57	155
11b	Influenza, respiratory complications not specified	149	95	18	36	5	3	5	2	4	8	4	7	3	3	9	13	22	61
13	Dysentery	5	5	-------	-------	2	1	------	------	------	------	------	------	------	------	------	------	1	1
15	Erysipelas	54	38	5	11	13	3	------	1	------	------	------	------	1	3	2	9	8	14
16	Acute poliomyelitis, acute polioencephalitis	47	24	5	18	1	1	6	3	3	15	8	2	8	------	------	------	------	------
17	Lethargic or epidemic encephalitis	39	26	-------	13	------	1	1	1	------	2	1	------	6	3	7	4	6	7
18	Epidemic cerebrospinal meningitis	38	34	3	1	8	4	2	1	------	4	4	2	3	2	3	3	------	2
20	Anthrax (bacillus anthracis) malignant pustule	1	1	-------	-------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
21	Rabies	3	2	-------	1	------	------	------	------	------	1	2	------	------	------	------	------	------	------
22	Tetanus	23	21	2	-------	1	------	------	------	1	4	5	3	1	2	1	4	------	1
	Tuberculosis (all forms)	2,533	1,214	606	713	27	22	15	6	8	37	38	152	286	532	473	447	297	193
23	Respiratory system	2,283	1,020	581	682	10	4	4	3	3	10	28	136	264	495	443	423	279	181
24	Meninges and central nervous system	80	68	9	3	7	13	8	2	3	12	4	3	6	10	5	4	------	3
25	Intestines and peritoneum	49	36	7	6	4	------	1	------	1	2	1	3	5	9	10	9	4	------
26	Vertebral column	24	19	2	3	1	------	------	------	------	4	2	------	1	5	2	4	3	2
27a	Bones (vertebral column excepted)	5	3	-------	2	------	------	------	------	------	------	------	------	1	1	1	1	------	1
27b	Joints	10	7	1	2	------	------	------	------	------	------	1	3	------	2	------	2	1	1
28	Skin and subcutaneous cellular tissue	1	-------	-------	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	4	3	-------	1	------	------	1	------	------	------	------	------	1	------	------	------	1	1
30	Genitourinary system	13	7	3	3	------	------	------	------	------	------	------	1	------	3	2	3	3	1
31	Other organs	2	1	-------	1	------	------	------	------	------	1	------	------	------	------	1	------	------	------
32a	Acute disseminated tuberculosis	57	49	3	5	5	5	1	1	1	6	2	6	8	5	8	1	5	3
32b,c	Other disseminated tuberculosis	5	1	-------	4	------	------	------	------	------	2	------	------	------	1	1	------	1	------
34	Syphilis	276	205	20	51	43	3	1	------	------	2	5	2	8	29	48	60	50	25
35	Gonococcus infection and other venereal diseases	34	28	4	2	1	------	------	------	1	------	------	1	6	11	5	4	4	1
36	Purulent infection, septicemia (non-puerperal)	17	14	-------	3	------	------	1	1	1	1	2	1	1	------	1	3	3	2
38	Malaria	4	2	1	1	------	------	------	------	------	------	------	------	------	------	2	1	1	------
42	Other diseases caused by helminths	3	1	1	1	1	------	------	------	------	1	------	------	------	------	------	------	1	------
43	Mycoses	5	3	-------	2	4	------	------	------	------	1	------	------	------	------	------	------	------	------
44	Other infectious and parasitic diseases	4	2	1	1	1	------	------	------	2	------	------	1	------	------	------	------	------	------

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	II.—Cancers and other tumors	4,780	3,279	653	848	3	2	3	4	1	13	10	16	30	130	423	864	1,270	2,011
	Cancer and other malignant tumors	4,605	3,134	640	831	1	2	2	3	1	10	6	10	26	103	383	815	1,253	1,990
(45)	Buccal cavity	116	70	19	27										2	5	21	27	61
(45)	Pharynx	31	16	8	7											1	8	12	10
(46)	Esophagus	110	92	6	12											5	17	47	41
(46)	Stomach and duodenum	950	637	121	192										11	54	158	259	468
(46)	Liver and biliary passages	329	200	46	83							1		1	5	17	44	104	157
(46)	Pancreas	142	115	14	13											9	28	38	67
(46)	Other digestive tract and peritoneum	870	610	122	138			1				2		4	17	51	117	252	426
47	Respiratory system	204	156	24	24							1	1	2	8	25	46	65	56
48	Uterus	527	350	78	99									3	28	88	124	126	158
49	Other female genital organs	100	79	9	12									3	3	9	29	32	24
50	Breast	498	322	84	92								1		10	69	138	130	150
51	Male genitourinary organs	298	203	43	52		1			1				2	3	18	28	64	181
52	Skin	75	35	17	23						1			1	1	3	8	13	48
53	Other or unspecified organs	355	249	49	57	1	1	1	3		9	2	8	10	15	29	49	84	143
54a	Nonmalignant tumors, ovary	4	4												1	1	1	1	
54b	Nonmalignant tumors, uterus	71	63	5	3									1	10	26	27	4	3
54d,e	Nonmalignant tumors, other organs	35	28	3	4	1						1	3	2	4	4	5	6	9
55a	Tumors, ovary (nature unspecified)	2	1		1								1				1		
55d,e	Tumors, other organs (nature unspecified)	63	49	5	9	1		1	1		3	3	2	1	12	9	15	6	9
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,506	1,141	140	225	53	9	3	3	4	28	24	21	21	50	87	203	410	590
56	Acute rheumatic fever	115	97	8	10	1	1		1	2	20	14	9	11	19	6	11	8	12
57	Chronic rheumatism, osteoarthritis	40	24	5	11							1				1	5	8	25
59	Diabetes mellitus	1,122	851	111	160	2	2			1	6	5	9	5	20	50	141	356	525
61	Beriberi	1	1													1			
62	Pellagra	5	4		1											3	1	1	
63	Rickets	10	8		2	6	1	1	1					1					
65	Diseases of pituitary body	2		1	1								1			1			
66a	Simple goiter	1	1																1
66b	Exophthalmic goiter	122	87	11	24							3	1	4	11	18	38	29	18
(66)	Other diseases of thyroid and parathyroid glands	9	7		2	2		1	1								1	1	3
67	Diseases of thymus gland	48	38	1	9	39	4	1			2	1	1						
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	16	11	2	3											6	6	1	3
69	Other general diseases	15	12	1	2	3	1			1						1		6	3
	IV.—Diseases of the blood and blood-making organs	311	236	33	42	16	8	6	1	2	12	12	11	7	28	31	41	65	71
70	Hemorrhagic conditions	24	22		2	10	1				4	2	1	1	2		1	2	
71a	Pernicious anemia	119	83	13	23		2					3	2		8	10	14	32	48
71b	Other anemias	7	6	1		3	1						1				1	1	
72a	True leukemias	101	79	11	11		3	4	1	1	5	5	7	3	11	12	16	21	12
72b	Pseudoleukemias (Hodgkin's disease)	35	26	5	4	1					3	2		2	6	5	6	5	5
73	Diseases of the spleen	20	15	3	2	2	1	1		1				1	1	3	2	3	5
74	Other diseases of blood and blood-making organs	5	5					1								1	1	1	1
	V.—Chronic poisonings and intoxications	121	83	10	28									1	15	43	38	20	4
75	Alcoholism (acute or chronic)	113	76	9	28									1	14	42	35	17	4
76	Chronic poisoning by other organic substances	3	3												1	1	1		
77a	Chronic lead poisoning	3	3														1	2	
77b,c	Other chronic poisoning by mineral substances	2	1	1													1	1	
	VI.—Diseases of the nervous system and of the organs of special sense	4,254	2,635	629	990	66	25	13	8	5	49	41	48	45	104	235	533	905	2,177
78	Encephalitis (nonepidemic)	40	34	5	1	2	1				2	4	3	3	6	6	9	2	2
79a	Simple meningitis	77	67	5	5	12	5	2	4	1	12	7	6	4	6	4	6	5	3
79b	Nonepidemic cerebrospinal meningitis	7	6		1	2	1				1		1				2		
80	Progressive locomotor ataxia (tabes dorsalis)	35	18	10	7										1	4	9	8	13
81	Other diseases of spinal cord	120	65	24	31	2	2	1			2	3	1	4	3	8	24	32	38
82a	Cerebral hemorrhage	3,136	1,960	467	709	5	2		1	2	1	3	1	7	28	104	376	719	1,887
82b	Cerebral embolism and thrombosis	219	147	28	44			1			2	2	5	6	10	13	30	38	112
82c	Softening of brain	16	14		2													3	13
82d	Hemiplegia and other paralysis, cause unspecified	69	38	18	13	2					2	1	2	1	2	3	4	9	43
83	General paralysis of insane	147	51	29	67							1	2	3	12	36	32	45	16
84	Dementia praecox and other psychoses	53	7	13	33								2	3	13	17	12	5	1
85	Epilepsy	67	19	7	41	1	1	1			3	4	7	2	11	17	9	7	4
86	Convulsions (under 5 years of age)	15	9	2	4	11	3	1											
87	Other diseases of nervous system	105	73	9	23	6	4	2	2		1	3	2	3	3	9	6	27	37
88	Diseases of organs of vision	1	1			1													
89a	Diseases of ear	70	57	7	6	14	3	3		1	14	5	4	4	3	5	8	3	3
89b	Diseases of mastoid process	77	69	5	3	8	3	2	1	1	9	8	12	5	6	9	6	2	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	VII.—Diseases of the circulatory system	11,426	7,401	1,551	2,474	13	5	5	3	7	34	80	89	94	277	699	1,435	2,376	6,308
90	Pericarditis	16	14	1	1				1			1	1	1	1	3		8	
91a	Acute endocarditis	131	103	7	21		1	1		3	6	11	12	14	24	21	13	8	17
91b	Endocarditis, unspecified (under 45 years)	17	14	2	1	1			1		2		3	3	4	3			
92a	Endocarditis, specified as chronic, and other valvular diseases	1,779	1,138	223	418	4	2	1	1	2	13	45	33	40	96	158	250	332	802
92b	Endocarditis, unspecified (45 years and over)	159	103	23	33												23	39	97
93a	Acute myocarditis	227	145	35	47			1		1	1	2	2	2	10	14	37	52	105
93b	Myocarditis, unspecified (under 45 years)	61	41	11	9	3					2	1	3	2	12	38			
93c	Chronic myocarditis and myocardial degeneration	4,020	2,401	638	981			1		1	3	4	11	13	44	159	397	820	2,566
93d	Other diseases of myocardium	1,520	1,168	137	215						1	1		1	14	51	224	342	886
94a	Angina pectoris	671	426	105	140									1	4	47	114	174	331
94b	Diseases of coronary arteries	733	516	86	131								1	1	11	58	138	221	303
95a	Functional diseases of heart	28	18	3	7	1									3	3	5	5	11
95b	Other and unspecified diseases of heart	1,265	828	172	265	2		1			5	14	22	10	40	112	185	273	601
96	Aneurysm (except of heart)	87	67	7	13							1	1	2	5	10	23	21	24
97	Arteriosclerosis (coronary arteries excepted)	585	322	94	169										1	6	14	63	501
98	Gangrene	27	15	3	9	1									1	3		3	19
99	Other diseases of arteries	65	57	1	7		1				1			1	4	10	9	7	32
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	14	14											1	1	2	2	1	7
101	Diseases of lymphatic system (lymphangitis, etc.)	5	2	1	2	1	1								1			2	
102	Idiopathic anomalies of blood-pressure	6	3	1	2										1			2	3
103	Other diseases of circulatory system	10	6	1	3									2		1	1	3	3
	VIII.—Diseases of the respiratory system	3,320	2,465	307	548	567	149	52	32	21	63	43	79	76	193	328	372	443	902
104a	Diseases of nasal fossae	6	5		1	1		1	1								1		2
104b	Diseases of nasal fossae and annexae	22	21	1								3	5		4	1	3	1	5
105	Diseases of larynx	17	12	3	2	2		1		1	1	2		1	1	3	2		3
106a	Acute bronchitis	66	40	10	16	21	3	1	1	1	1			1	1	1		3	32
106b	Chronic bronchitis	53	38	4	11	1			1				1	1	1	4	7	5	32
106c,d	Bronchitis, unspecified	21	13	3	5	9											3	1	8
107a	Bronchopneumonia	1,167	832	111	224	378	88	20	12	7	22	8	10	22	38	53	66	118	325
107b	Capillary bronchitis	14	7	4	3	8	1				1						1		3
108	Lobar pneumonia	1,682	1,293	139	250	129	52	25	17	10	35	26	54	43	139	233	245	268	406
109	Pneumonia, unspecified	36	33	2	1	7	2			1			2	3	2	3	5	1	10
110	Pleurisy	95	76	10	9	6	2	4			3	2	7	5	5	14	13	16	18
111a	Pulmonary embolism and thrombosis	10	8	1	1											1	1	2	6
111b	Pulmonary congestion, edema, hemorrhagic infarct	34	21	4	9	2						1						7	24
112	Asthma	51	33	9	9	2	1			1					1	5	12	13	16
113	Pulmonary emphysema	8	8									1						3	4
114	Other diseases of respiratory system (tuberculosis excepted)	38	25	6	7	1									1	10	13	5	8
	IX.—Diseases of the digestive system	2,506	2,013	219	274	265	46	23	17	18	69	54	71	57	188	319	396	444	539
115a	Diseases of pharynx and tonsils	132	107	13	12	4	1	10	5	3	12	5	8	7	16	19	14	9	19
115b	Diseases of buccal cavity and annexa	17	14	2	1	2	1			1		1	1	2	2	4	1		2
116	Diseases of esophagus	3	3														1		2
117a	Ulcer of stomach	160	121	22	17									2	13	35	47	36	27
117b	Ulcer of duodenum	84	66	11	7	2							2	2	13	14	22	11	18
118	Other diseases of stomach (cancer excepted)	65	27	15	23	6		2			1		1		2	5	6	12	30
119	Diarrhea, enteritis (under 2 years of age)	240	180	18	42	204	36												
120	Diarrhea, enteritis (2 years and over)	108	69	15	24			2	4	6	8	1	3	6	7	17	10	15	29
121	Appendicitis	530	470	30	30	3	3	5	5	6	41	37	42	24	73	76	97	68	50
122a	Hernia	181	161	8	12	2						1	3		6	15	30	54	70
122b	Intestinal obstruction	196	168	13	15	32	3	1	2	1	2	4	2	4	14	24	17	33	57
123	Other diseases of intestines	37	28	2	7	1	1				1		2	2	1	6	7	10	6
124	Cirrhosis of liver	362	271	43	48	1					1	2	2	3	9	45	70	105	124
125a	Yellow atrophy of liver	18	15	2	1								2	1	2	4	4	2	3
125b	Other diseases of liver	33	26	5	2	2					1	1		2	7	4	7	3	6
126	Biliary calculi	171	147	11	13										9	23	31	49	59
127	Other diseases of gall-bladder, biliary passages	103	83	9	16	2		1					2		9	14	20	32	28
128	Diseases of pancreas	18	17		1									1	1	7	5	2	2
129	Peritonitis, cause not specified	43	40		3	4	1	2	1	1	2	2	1	1	4	7	7	3	7
	X.—Diseases of the genitourinary system	4,326	2,799	642	885	23	2	1	5	3	10	20	27	38	128	297	541	859	2,372
130	Acute nephritis (including unspecified under 10 years)	134	96	14	24	11		1	2	2	4	7	2	6	13	25	16	23	22
131	Chronic nephritis	3,561	2,198	572	791		1		1	1	5	7	16	25	74	198	452	729	2,052
132	Nephritis, unspecified (10 years and over)	155	111	19	25							4	3		4	15	20	29	80
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	93	74	10	9	9	1		2		1	1	1	2	5	13	15	15	28
134	Calculi of urinary passages	49	40	2	7								1	1	3	10	14	10	10
135	Diseases of bladder (tumors excepted)	21	14	2	5											2	2	2	15
136	Diseases of urethra, urinary abscess, etc.	14	12	1	1	1							1		1		1	3	7
137	Diseases of prostate	192	157	19	16											2	6	34	150

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	X.—Diseases of the genitourinary system—Continued																		
138	Diseases of male genital organs, not specified as venereal	5	4		1	2										2		1	
139a	Cysts of ovary	22	20	1	1										4	6	3	6	3
139b	Other diseases of ovaries, diseases of tubes and parametrium	50	47	2	1							1	2	4	17	15	9	1	1
139c	Diseases of uterus	29	25		4								1		7	9	2	6	4
139e	Other diseases of female genital organs	1	1														1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	352	289	30	33							1	27	67	159	97	1		
140	Abortion with septic conditions	56	49	2	5								2	11	27	15	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	12	10	1	1									3	7	2			
142a	Ectopic gestation, septic conditions specified	5	4		1									1	3	1			
142b	Ectopic gestation, septic conditions not mentioned	15	13	1	1									3	6	6			
143	Other accidents of pregnancy (hemorrhage not included)	2	2										2						
144a	Placenta praevia	18	16		2								1		11	6			
144b	Other puerperal hemorrhages	25	20	1	4								1	3	11	10			
145a	Puerperal septicemia and pyemia (abortion excluded)	74	65	6	3							1	7	21	32	13			
146	Puerperal albuminuria and eclampsia	54	39	12	3								9	10	21	14			
147	Other toxemias of pregnancy	16	10	3	3								3	1	8	4			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	20	15	2	3									3	7	10			
149	Other accidents of childbirth	54	45	2	7								2	10	26	16			
150	Other and unspecified conditions of puerperal state	1	1											1					
	XII.—Diseases of the skin and cellular tissue	49	35	8	6	11			1			3	3	1	3	7	7	4	9
151	Furuncle, carbuncle	9	6	2	1								1		1	1	4		2
152	Phlegmon, acute abscess	19	14	3	2	1			1			3	1	1	2	2	2	3	3
153	Other diseases of skin and annexa, and of cellular tissue	21	15	3	3	10							1			4	1	1	4
	XIII.—Diseases of the bones and organs of locomotion	65	51	4	10	5	1	4		1	4	11	4	1	5	3	7	6	13
154	Osteomyelitis	46	36	1	9	3	1	3		1	4	10	3	1	2	2	5	5	6
155	Other diseases of bones (tuberculosis excepted)	8	7		1	1		1				1						1	4
156	Diseases of joints, other organs of locomotion	11	8	3		1							1		3	1	2		3
	XIV.—Congenital malformations	355	265	39	51	316	9	5	4	4	5	3	4	3		1	1		
157a	Congenital hydrocephalus	42	31	6	5	34	2	1	2	1	1			1					
157b	Spina bifida and meningocele	53	41	6	6	52					1								
157c	Congenital malformations of heart	166	116	19	31	150	5	1	1	3	1	2	3						
157d	Other congenital malformations	94	77	8	9	80	2	3	1		2	1	1	2		1	1		
	XV.—Diseases of early infancy	1,428	1,159	125	144	1,428													
158	Congenital debility	75	57	6	12	75													
159	Premature birth	890	720	75	95	890													
160	Injury at birth	304	253	27	24	304													
161	Other diseases peculiar to early infancy	159	129	17	13	159													
162	XVI.—Senility	131	78	23	30													2	129
	XVII.—Violent and accidental deaths	3,869	2,673	429	767	51	36	38	53	36	152	143	173	236	443	556	612	561	778
	Suicide	739	515	84	140							4	9	32	101	137	204	149	103
163	By solid or liquid poisons or by absorption of corrosive substances	100	81	5	14							1	2	9	18	22	21	19	8
164	By poisonous gas	224	173	30	21								2	5	32	38	61	54	32
165	By hanging or strangulation	157	99	18	40							2	3	4	14	22	52	31	29
166	By drowning	29	16	1	12								1	1	4	5	9	4	5
167	By firearms	170	101	24	45							1		12	22	37	41	35	22
168	By cutting or piercing instruments	23	17	2	4										5	3	10	2	3
169	By jumping from high places	29	25	2	2								1		6	8	8	3	3
170	By crushing	5	3	1	1									1		1	1	1	1
171	By other means	2		1	1											1	1		
	Homicide	218	163	21	34	7	2	1		1	7	4	15	39	60	44	23	13	2
173	By firearms	121	91	13	17	1		1			3	1	11	19	38	26	13	8	
174	By cutting or piercing instruments	19	15		4									8	7	1	3		
175	By other means	78	57	8	13	6	2			1	4	3	4	12	15	17	7	5	2
	Accidental, other, or undefined	2,912	1,995	324	593	44	34	37	53	35	145	135	149	165	282	375	385	399	673
177	Poisoning by food	7	5	1	1								2			1	1	2	1
178	Absorption of poisonous gas	111	80	16	15	1	1						2	2	14	21	31	21	18
	Supplemental	2			2										1	1			
179	Other acute accidental poisonings (gas excepted)	51	35	8	8	2	1	2	1	1	1	1	1	1	6	13	14	7	
180	Conflagration	42	19	4	19	1			3		4	3	1	2	4	7	6	3	8
181	Burns (conflagration excepted)	163	138	7	18	1	15	10	14	4	11	5	2	10	17	25	19	12	18

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW JERSEY—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Supplemental	18	6	5	7								3	3	6	3	1	1	1
182	Mechanical suffocation	25	12	2	11	14						1	3	1	1	3	1	1	
	Supplemental	1			1										1				
183	Drowning	208	84	25	99		3	4	6	3	16	20	31	26	29	20	16	24	9
	Supplemental	45	20	7	18				2	1		5	5	7	7	10	3	4	1
	Traumatism:																		
184	By firearms (wounds of war excepted)	29	18	6	5						2	7	4	4		5	5	2	
185	By cutting or piercing instruments (wounds of war excepted)	19	15	4					1	1			2	3	1	1	1	6	3
	Supplemental	7	5		2								1			2	1	3	
186a	By fall	689	530	65	94	6	7	6	3		13	13	18	7	23	44	74	95	380
	Supplemental	63	38	8	17		1				3	5	5	7	12	9	8	7	6
186b	By crushing, landslide	8	5	1	2				2		1			1	1	1	1	1	
	Supplemental	84	50	11	23		1		1		5	7	4	3	10	14	19	12	8
188	Injuries by animals	7	4	1	2				1							1	1	2	2
189	Hunger and thirst	2	1		1	1										1			
190	Excessive cold	4	4													2			2
191	Excessive heat	7	2	1	4	1									1		2	1	2
192	Lightning	5	1		4									1	2	2			
193	Due to electric currents	20	17		3								1	1	10	4	2	2	
	Supplemental	2	2								1	1							
194a	Foreign bodies	15	9	2	4	5	1	1						1		3		3	1
194b	Other accidents	118	82	13	23	9		1	4	2	3	3	5	7	17	15	21	6	25
	Supplemental	1,156	809	137	210	3	4	13	15	23	85	64	59	76	118	166	158	184	188
198	Legal executions	4	4											2	1	1			
	XVIII.—Ill-defined causes of death	65	44	8	13	27	2	1			1	1			3	5	7	9	9
199	Sudden death	8	5	2	1										1	1		2	4
200a	Cause of death ill-defined	44	30	6	8	18	2	1			1	1			1	3	6	7	4
200b	Cause of death not specified or unknown	13	9		4	9									1	1	1		1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	3	1		2				1					1		1			
202	Accidents from agricultural machinery	1			1									1					
203	Elevator accidents	4	4													1	1		2
205	Other machinery accidents	19	16		3								1	1	1	5	6	5	
206	Railroad and automobile collisions	45	18	4	23		1					1	7	7	8	7	9	3	2
207	Other railroad accidents	112	89	11	12				1		5	11	2	8	9	19	26	14	17
208	Street-car and automobile collisions	3	3														2	1	
209	Other street-car accidents	5	4	1				1			1						2	1	
210	Automobile accidents (primary)	1,105	758	140	207	3	4	12	15	23	87	63	60	67	116	158	140	179	178
211	Motorcycle accidents	9	5	1	3							1		2	2	1		2	1
212	Other land-transportation accidents	15	10	1	4		1				1	2	2	1	2	1	1	2	2
213	Water-transportation accidents	47	20	8	19				1	1		4	5	6	11	10	3	4	2
214	Air-transportation accidents	10	2	2	6									2	6	2			
	NEW MEXICO																		
	Total deaths (all causes)	5,968	997	1,196	3,775	1,479	236	86	52	51	150	131	185	216	452	540	435	611	1,320
	I.—Infectious and parasitic diseases	1,155	298	242	615	123	49	22	16	25	51	42	64	75	194	201	110	85	96
1	Typhoid fever	27	1	5	21	1	1	1		2	3	4	3	2	3	2	2	2	1
5	Undulant fever	1			1						1								
7	Measles	10	1	4	5	5	3		1			1							
8	Scarlet fever	16	4	3	9		2	3		3	3	1	1		1	1			1
9	Whooping cough	30	1	15	14	16	7	1	3	1	1								1
10	Diphtheria	84	10	10	64	2	9	6	7	8	26	14	6	1	2	1	2		
11a	Influenza, respiratory complications specified	147	25	31	91	22	8	3	1	1	7	2	5	9	12	15	16	14	32
11b	Influenza, respiratory complications not specified	94	14	32	48	17	5	4		3	1	5	2	2	3	7	5	11	29
13	Dysentery	24	5	1	18	12	2	2		2					1		1	2	2
15	Erysipelas	9	1	5	3	2												3	3
16	Acute poliomyelitis, acute polioencephalitis	9		4	5	1	3			1	1		1	1	1				
17	Lethargic or epidemic encephalitis	2			2	1						1							
18	Epidemic cerebrospinal meningitis	7	3	2	2	1				1	3	1	1						
22	Tetanus	3	2	1								1	1				1		
	Tuberculosis (all forms)	615	218	101	296	13	6	2	3	3	5	10	42	55	164	169	73	48	21
23	Respiratory system	562	201	89	272	5	4		2		3	8	37	55	157	162	68	41	19
24	Meninges and central nervous system	18	7	4	7	5	1	1	1		1	1	3		3	1			1
25	Intestines and peritoneum	13	2	6	5	2				1		1	1		2	2		4	
26	Vertebral column	4	1		3		1			1							1	1	
27a	Bones (vertebral column excepted)	1			1												1		
27b	Joints	1			1											1			
28	Skin and subcutaneous cellular tissue	1	1																1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	1		2			1									1	1	

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
	Tuberculosis (all forms)—Continued																		
30	Genitourinary system	3	1	1	1								1			1		1	
32a	Acute disseminated tuberculosis	6	2	1	3	1				1					1	1	2		
32b,c	Other disseminated tuberculosis	3	2		1						1				1	1			
34	Syphilis	54	11	18	25	27	2					1		3	4	3	8	4	2
35	Gonococcus infection and other venereal diseases	2		1	1								1			1			
36	Purulent infection, septicemia (non-puerperal)	9	1	3	5	2						1	1	1	3				1
38	Malaria	6	1	3	2									1		1	1	1	2
44	Other infectious and parasitic diseases	6		3	3	1	1		1							1	1		1
	II.—Cancers and other tumors	230	52	73	105						1		1	3	6	32	37	57	93
	Cancer and other malignant tumors	221	50	67	104								1	2	5	30	34	57	92
(45)	Buccal cavity	8	3	2	3													3	5
(45)	Pharynx	5	1		4														5
(46)	Esophagus	1			1													1	
(46)	Stomach and duodenum	67	13	20	34									1		3	8	25	30
(46)	Liver and biliary passages	21	4	7	10										1	2	1	4	13
(46)	Pancreas	3	1		2												1	1	1
(46)	Other digestive tract and peritoneum	25	8	8	9											6	2	7	10
47	Respiratory system	3	1	2													1	1	1
48	Uterus	32	6	10	16										1	10	11	2	8
49	Other female genital organs	4	3		1										1	1	2		
50	Breast	20	6	5	9											3	7	5	5
51	Male genitourinary organs	9	1	5	3													3	6
52	Skin	8	1	3	4													2	6
53	Other or unspecified organs	15	2	5	8								1	1	2	5	1	3	2
54b	Nonmalignant tumors, uterus	3		2	1											1	2		
54d,e	Nonmalignant tumors, other organs	3	1	2							1				1				1
55d,e	Tumors, other organs (nature unspecified)	3	1	2										1		1	1		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	92	15	28	49	3			2		2	2	8	3	2	12	9	19	30
56	Acute rheumatic fever	11	3	2	6							2	2			1		2	4
57	Chronic rheumatism, osteoarthritis	7		2	5											1	1		5
59	Diabetes mellitus	39	5	17	17						2		3	1	2	6	3	9	13
62	Pellagra	19	3	3	13								2			3	2	5	7
63	Rickets	2			2				2										
66b	Exophthalmic goiter	8	4	1	3								1			1	3	3	
(66)	Other diseases of thyroid and parathyroid glands	1			1									1					
67	Diseases of thymus gland	2		1	1	1								1					
69	Other general diseases	3		2	1	2													1
	IV.—Diseases of the blood and blood-making organs	21	4	9	8	2		1	1					2	2	1	1	7	4
70	Hemorrhagic conditions	2			2	1									1				
71a	Pernicious anemia	9	2	5	2									1				5	3
71b	Other anemias	3	1	1	1	1		1										1	
72a	True leukemias	6	1	3	2				1					1		1	1	1	1
72b	Pseudoleukemias (Hodgkin's disease)	1			1										1				
	V.—Chronic poisonings and intoxications	6	1	1	4									1	1		1		3
75	Alcoholism (acute or chronic)	5	1	1	3									1	1		1		2
76	Chronic poisoning by other organic substances	1			1														1
	VI.—Diseases of the nervous system and of the organs of special sense	243	43	83	117	19			1	2	5	9	3	3	8	17	26	51	99
78	Encephalitis (nonepidemic)	4	1	1	2	2									1	1			
79a	Simple meningitis	11	4	4	3	4			1	1	1			1	2			1	
79b	Nonepidemic cerebrospinal meningitis	4	3		1						2	2							
80	Progressive locomotor ataxia (tabes dorsalis)	3		2	1										1			1	1
81	Other diseases of spinal cord	3		2	1													2	1
82a	Cerebral hemorrhage	146	24	49	73								1		1	7	21	37	79
82b	Cerebral embolism and thrombosis	7	1	2	4					1		1						2	3
82c	Softening of brain	1		1															1
82d	Hemiplegia and other paralysis, cause unspecified	17	1	3	13							1		1	1	1	4	1	8
83	General paralysis of insane	9		7	2											5		2	2
84	Dementia praecox and other psychoses	2		2														2	
85	Epilepsy	6	1	2	3	2					1		1	1				1	
86	Convulsions (under 5 years of age)	6	2	1	3	6													
87	Other diseases of nervous system	7		2	5										1	1	1		4
88	Diseases of organs of vision	1	1												1				
89a	Diseases of ear	12	5	3	4	5						4				1		2	
89b	Diseases of mastoid process	4		2	2						1	1	1			1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	VII.—Diseases of the circulatory system	495	111	139	245	1	2	1	2	1	3	9	12	12	17	46	50	100	236
91a	Acute endocarditis	11	2	2	7	1					1		1	2	2	2		1	1
91b	Endocarditis, unspecified (under 45 years)	2	1		1											2			
92a	Endocarditis, specified as chronic, and other valvular diseases	120	22	25	73					1	1	8	4	8	4	12	14	25	42
92b	Endocarditis, unspecified (45 years and over)	20	8	4	8												3	3	14
93a	Acute myocarditis	10	1	2	7								2		3	1	1		3
93b	Myocarditis, unspecified (under 45 years)	6		3	3							1				5			
93c	Chronic myocarditis and myocardial degeneration	96	18	29	49		1								2	2	8	23	60
93d	Other diseases of myocardium	63	20	25	18										1	1	6	10	45
94a	Angina pectoris	32	15	9	8											4	6	10	11
94b	Diseases of coronary arteries	13	5	3	5										1		1	5	6
95a	Functional diseases of heart	1	1													1			
95b	Other and unspecified diseases of heart	80	11	21	48		1	1	1		1		5	2	3	13	9	15	29
96	Aneurysm (except of heart)	3		1	2												2	1	
97	Arteriosclerosis (coronary arteries excepted)	26	4	12	10													4	22
98	Gangrene	4	1	1	2													1	2
99	Other diseases of arteries	3	2		1											1		2	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1			1											1			
101	Diseases of lymphatic system (lymphangitis, etc.)	2		1	1				1						1				
102	Idiopathic anomalies of blood-pressure	1		1															1
103	Other diseases of circulatory system	1			1											1			
	VIII.—Diseases of the respiratory system	442	68	70	304	118	34	12	11	1	14	10	13	6	22	33	30	39	98
105	Diseases of larynx	3		2	1			1			1						1		
106a	Acute bronchitis	6	1	1	4	3	1												2
106b	Chronic bronchitis	7	2	2	3											1		1	5
106c,d	Bronchitis, unspecified	3	1		2	2													1
107a	Bronchopneumonia	174	26	28	120	73	21	5	6		6	4	3	2	5	7	6	11	25
107b	Capillary bronchitis	1		1		1													
108	Lobar pneumonia	178	33	28	117	14	8	3	5	1	7	6	8	3	13	24	18	21	47
109	Pneumonia, unspecified	47		5	42	24	4	3					2		1	1	1	4	7
110	Pleurisy	8	3	2	3									1	1		2	2	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	3	1		2	1									1				1
112	Asthma	8			8														7
114	Other diseases of respiratory system (tuberculosis excepted)	4	1	1	2										1		2		1
	IX.—Diseases of the digestive system	532	107	141	284	233	60	13		4	20	14	18	14	22	30	26	30	48
115a	Diseases of pharynx and tonsils	24	11	8	5	1	3	5		2	3	2	1	2	4				1
115b	Diseases of buccal cavity and annexa	4	3		1										2		1	1	
116	Diseases of esophagus	1	1													1			
117a	Ulcer of stomach	17	8	5	4										3		4	5	5
118	Other diseases of stomach (cancer excepted)	23	3	3	17	5					1					5	2	5	5
119	Diarrhea, enteritis (under 2 years of age)	269	33	59	177	213	56												
120	Diarrhea, enteritis (2 years and over)	23	3	4	16			6			3			2			1	4	7
121	Appendicitis	79	26	34	19					1	8	11	14	8	6	15	6	4	6
122a	Hernia	8	3	1	4	1									1	1	2		3
122b	Intestinal obstruction	32	7	13	12	10		1			3	1		1	3	3	4	1	5
123	Other diseases of intestines	5			5		1							1				2	1
124	Cirrhosis of liver	19	6	5	8						1		3			2	3	5	5
125a	Yellow atrophy of liver	3		1	2			1		1									1
125b	Other diseases of liver	4			4											1		1	2
126	Biliary calculi	5	1	2	2											1	1	1	2
127	Other diseases of gall-bladder, biliary passages	9	2	3	4	1					1					1	1	1	4
128	Diseases of pancreas	1			1														1
129	Peritonitis, cause not specified	6		3	3	2									3		1		
	X.—Diseases of the genitourinary system	279	61	69	149	4	1			1		3	2	7	13	19	32	56	140
130	Acute nephritis (including unspecified under 10 years)	9	1	3	5	2				1		1			1		2	1	1
131	Chronic nephritis	188	43	44	101	1	1					2	1	3	8	14	22	40	95
132	Nephritis, unspecified (10 years and over)	41	6	9	26									1	1	2	4	11	22
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	11	1	1	9								1		2	1	1	1	5
134	Calculi of urinary passages	4	2	1	1												2	1	1
136	Diseases of urethra, urinary abscess, etc.	2	1		1										1	1			
137	Diseases of prostate	18	5	8	5												1	1	16
138	Diseases of male genital organs, not specified as venereal	1		1		1													
139b	Other diseases of ovaries, diseases of tubes and parametrium	4	2	1	1									3				1	
139c	Diseases of uterus	1		1												1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	113	24	28	61								15	22	45	26	2		
140	Abortion with septic conditions	15	6	4	5								2	5	5	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	8	1	2	5								2		5	1			
142b	Ectopic gestation, septic conditions not mentioned	2	1	1											1	1			
144a	Placenta praevia	6	1	2	3										2	3			
144b	Other puerperal hemorrhages	7	2		5										3	3	1		
145a	Puerperal septicemia and pyemia (abortion excluded)	32	7	6	19								5	10	12	5			
145b	Puerperal tetanus (abortion excluded)	1		1									1						
146	Puerperal albuminuria and eclampsia	21	4	8	9								2	4	8	4	1		
147	Other toxemias of pregnancy	1		1											1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	1		3									2		2			
149	Other accidents of childbirth	16	1	3	12								3	1	8	4			
	XII.—Diseases of the skin and cellular tissue	9	2		7	7										1			1
151	Furuncle, carbuncle	2			2	1													1
152	Phlegmon, acute abscess	3	1		2	2										1			
153	Other diseases of skin and annexa, and of cellular tissue	4	1		3	4													
	XIII.—Diseases of the bones and organs of locomotion	4	2	1	1							2		1			1		
154	Osteomyelitis	2	1	1								2							
156	Diseases of joints, other organs of locomotion	2	1		1									1			1		
	XIV.—Congenital malformations	48	10	9	29	43	3			1	1								
157a	Congenital hydrocephalus	8	2	2	4	7				1									
157b	Spina bifida and meningocele	4			4	4													
157c	Congenital malformations of heart	21	7	2	12	18	2				1								
157d	Other congenital malformations	15	1	5	9	14	1												
	XV.—Diseases of early infancy	271	32	68	171	271													
158	Congenital debility	43	2	10	31	43													
159	Premature birth	171	17	48	106	171													
160	Injury at birth	30	7	4	19	30													
161	Other diseases peculiar to early infancy	27	6	6	15	27													
162	XVI.—Senility	53	10	10	33														53
	XVII.—Violent and accidental deaths	452	83	120	249	6	9	11	7	5	23	25	26	41	61	78	48	52	54
	Suicide	59	17	14	28								9	6	9	11	10	9	5
163	By solid or liquid poisons or by absorption of corrosive substances	19	6	7	6								4	4	3	3	1	3	1
164	By poisonous gas	3		1	2											1	2		
165	By hanging or strangulation	1	1													1			
166	By drowning	2	1	1											1		1		
167	By firearms	33	9	5	19								5	2	5	6	6	5	4
168	By cutting or piercing instruments	1			1													1	
	Homicide	63	10	16	37	1					1	1	4	10	13	17	7	5	3
173	By firearms	49	5	11	33						1	1	2	8	9	15	7	3	2
174	By cutting or piercing instruments	5	1	2	2									2	1	2			
175	By other means	9	4	3	2	1							2		3			2	1
	Accidental, other, or undefined	330	56	90	184	5	9	11	7	5	22	24	13	25	39	50	31	38	46
177	Poisoning by food	10	1	2	7								1	1	1	1	1	4	1
178	Absorption of poisonous gas	5	2	2	1				1					1		2	1		
	Supplemental	15		1	14									4	2	7	2		
179	Other acute accidental poisonings (gas excepted)	10	5	1	4						1					2		1	6
180	Conflagration	6		2	4	1		1					1	1			1		1
181	Burns (conflagration excepted)	29	6	9	14	1	3	2	4	1	4		2	4	4		1		3
	Supplemental	2			2								1						1
182	Mechanical suffocation	2		1	1		1										1		
183	Drowning	23	3	3	17		2	4	2		3	7		1		3	1		
	Supplemental	1		1											1				
	Traumatism:																		
184	By firearms (wounds of war excepted)	21	3	9	9			2		1	1	3		2	3	3	3	2	
185	By cutting or piercing instruments (wounds of war excepted)	4	2	1	1						1				1	2			
186a	By fall	34	5	11	18	1	1				1	2			2	2	1	2	22
	Supplemental	24	2	8	14					1	1	2	2	2	4	7	1	3	1
186b	By crushing, landslide	3		1	2							1		1				1	
	Supplemental	31	9	9	13			1		1	2	2	2		4	7	5	3	2
187	Cataclysm	2		2								1			1				
188	Injuries by animals	1			1														1
189	Hunger and thirst	2			2	1					1								
190	Excessive cold	4		1	3	1								1		1			
192	Lightning	4			4										1	1		1	1
193	Due to electric currents—Supplemental	2			2									1				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW MEXICO—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
194a	Foreign bodies	1			1						1								
194b	Other accidents	14	1	5	8							3		2	2	1	2	3	1
	Supplemental	80	17	21	42		2	1		1	6	3	4	4	13	11	11	17	6
	XVIII.—Ill-defined causes of death	1,523	74	105	1,344	649	78	26	12	11	30	15	23	26	59	44	62	115	365
199	Sudden death	7	2		5	1					1			1					3
200a	Cause of death ill-defined	52	5	10	37	10	3	1		1				1	2	4	1	10	19
200b	Cause of death not specified or unknown	1,464	67	95	1,302	638	75	25	12	10	29	15	23	24	57	40	61	105	343
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	23		2	21									5	2	9	2	5	
202	Accidents from agricultural machinery	2		1	1											1		1	
205	Other machinery accidents	3	1		2			1		1							1		
206	Railroad and automobile collisions	1			1											1			
207	Other railroad accidents	13	3	2	8						1				2	1	3	3	3
210	Automobile accidents (primary)	97	22	29	46		2	1		1	7	6	7	3	18	16	12	14	7
212	Other land transportation accidents	13	2	3	8					1	1	1	2	2	1	3	1	1	
213	Water transportation accidents	1		1											1				
214	Air transportation accidents	2		2										1		1			
	NEW YORK																		
	Total deaths (all causes)	147,824	112,303	7,810	27,711	10,469	1,299	750	581	517	2,036	1,589	2,252	3,246	8,319	13,086	19,735	27,082	56,831
	I.—Infectious and parasitic diseases	12,998	9,717	620	2,661	768	353	225	193	128	451	231	545	1,006	2,108	2,211	1,969	1,471	1,338
1	Typhoid fever	123	97	8	18		2				6	9	14	17	15	24	20	10	6
2	Paratyphoid fever	8	6	1	1								1		1	1	2	1	2
3	Typhus fever	1		1											1				
5	Undulant fever	4	2		2									1		2			1
7	Measles	219	157	10	52	47	47	16	18	9	43	11	7	1	4	6	3	4	3
8	Scarlet fever	366	293	14	59	8	28	42	35	23	91	36	26	14	24	18	14	5	2
9	Whooping cough	312	232	14	66	190	54	31	6	9	14	2	2		2			1	1
10	Diphtheria	266	249	3	14	12	27	33	35	27	93	10	3		5	6	7	5	3
11a	Influenza, respiratory complications specified	1,091	759	71	261	65	31	17	13	3	18	28	42	28	71	145	146	156	328
11b	Influenza, respiratory complications not specified	478	265	37	176	43	30	9	5	9	16	7	11	8	32	31	56	51	170
13	Dysentery	45	30	3	12	10	1	3	4	1	3			1	2	5	3	4	8
15	Erysipelas	322	272	10	40	101	8	1	2	1	2	2	2	1	10	26	47	43	76
16	Acute poliomyelitis, acute polioencephalitis	67	45	3	19	5	3	3	7	2	23	9	11	1	1	2			
17	Lethargic or epidemic encephalitis	104	82	5	17		1	1	1		6	4	9	5	28	11	20	8	10
18	Epidemic cerebrospinal meningitis	166	159	2	5	36	14	8	7	4	19	12	11	8	17	11	13	5	1
20	Anthrax (bacillus anthracis) malignant pustule	1			1												1		
22	Tetanus	54	39	7	8	1	1			2	13	11	3	2	5	6	2	5	3
	Tuberculosis (all forms)	8,073	5,935	382	1,756	78	88	56	57	37	96	85	388	881	1,763	1,625	1,354	959	605
23	Respiratory system	7,254	5,251	354	1,649	24	28	12	13	12	40	44	340	814	1,652	1,529	1,301	891	553
24	Meninges and central nervous system	272	241	8	23	29	35	30	33	15	39	20	14	15	14	13	6	6	3
25	Intestines and peritoneum	135	104	5	26	5	3	2	3	2	3	8	9	10	26	27	12	14	11
26	Vertebral column	87	65	5	17						5	2	5	10	15	12	8	21	9
27a	Bones (vertebral column excepted)	2	1		1										1			1	
27b	Joints	20	14	1	5				1		2		2	1	2	4	1	3	4
28	Skin and subcutaneous cellular tissue	9	6	1	2								2		2	2			3
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	15	9		6	1	1		1		1		1	3	1		1	2	3
30	Genitourinary system	76	62	3	11								3	6	18	18	11	9	11
31	Other organs	13	10		3								1		3	2	4	2	1
32a	Acute disseminated tuberculosis	183	167	4	12	19	21	12	6	8	5	11	10	21	27	16	10	10	7
32b,c	Other disseminated tuberculosis	7	5	1	1						1		1	1	2	2			
34	Syphilis	1,113	943	41	129	153	7	3			1	2	7	23	99	258	263	197	100
35	Gonococcus infection and other venereal diseases	70	63	4	3	4							2	8	21	20	9	5	1
36	Purulent infection, septicemia (nonpuerperal)	49	37	3	9	9	3		1		1	1	2	2	3	5	6	4	12
38	Malaria	2	2													1			1
39	Other diseases due to protozoal parasites	5	4		1						1		1			1	1	1	
41a	Hydatid cysts of liver	9	8		1										2	2	1	2	2
41b	Hydatid cysts of other organs	3	2		1									1		1		1	
42	Other diseases caused by helminths	3	2		1								1	1	1				
43	Mycoses	12	11		1								1	1	1	3	1	3	2
44	Other infectious and parasitic diseases	32	23	1	8	6	8	2	2	1	5	2	1	2		1		1	1
	II.—Cancers and other tumors	17,251	13,636	826	2,789	4	7	13	6	13	58	40	63	66	474	1,622	3,315	4,682	6,888
	Cancer and other malignant tumors	16,384	12,863	801	2,720	3	6	9	4	4	31	23	49	53	369	1,353	3,085	4,589	6,806
(45)	Buccal cavity	438	342	12	84								2		7	29	91	126	183
(45)	Pharynx	88	71	4	13									1	4	2	18	26	37
(46)	Esophagus	396	352	14	30											14	83	133	166

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancers and other malignant tumors—Continued																		
(46)	Stomach and duodenum	3,330	2,573	156	601									3	38	185	545	927	1,632
(46)	Liver and biliary passages	1,211	891	73	247		2				3	1	2	1	12	58	191	353	588
(46)	Pancreas	497	425	17	55									1	5	28	88	170	205
(46)	Other digestive tract and peritoneum	3,034	2,408	159	467		1			1	6	2	4	6	69	226	502	868	1,349
47	Respiratory system	887	795	24	68		1	1			2	3	6	5	17	98	230	285	239
48	Uterus	1,631	1,230	88	313								1	2	61	241	415	464	447
49	Other female genital organs	423	356	21	46			1	1		1		2	6	18	68	112	111	103
50	Breast	1,646	1,259	86	301									2	55	217	418	433	521
51	Male genitourinary organs	1,275	990	62	223			1			1	2	7	4	25	55	131	330	719
52	Skin	276	171	17	88					1			1	2	4	10	37	45	176
53	Other or unspecified organs	1,252	1,000	68	184	3	2	6	3	2	18	15	24	20	54	122	224	318	441
54a	Nonmalignant tumors, ovary	16	12	1	3										2	2	6	5	1
54b	Nonmalignant tumors, uterus	327	299	11	17										37	148	110	16	16
54c	Nonmalignant tumors, other female genital organs	1	1														1		
54d,e	Nonmalignant tumors, other organs	221	206	4	11		1	2	2	6	13	9	9	6	17	44	49	31	32
55a	Tumors, ovary (nature unspecified)	2	2															1	1
55b	Tumors, uterus (nature unspecified)	1	1													1			
55d,e	Tumors, other organs (nature unspecified)	299	252	9	38	1		2		3	14	8	5	7	49	74	64	40	32
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	5,218	4,267	258	693	144	23	11	11	19	87	83	66	67	195	309	748	1,442	2,013
56	Acute rheumatic fever	364	315	13	36			3	6	13	65	59	29	34	49	36	28	22	20
57	Chronic rheumatism, osteoarthritis	131	75	10	46						1			1	5	6	9	26	83
59	Diabetes mellitus	3,977	3,309	186	482	2	5		2	2	14	22	24	21	60	160	569	1,278	1,818
60	Scurvy	5	4		1	3	2												
62	Pellagra	28	25		3										7	9	4	5	3
63	Rickets	29	17	1	11	24	2	1			1		1						
65	Diseases of pituitary body	9	6		3								2			3	2	2	
66a	Simple goiter	32	28	1	3										1	7	9	9	6
66b	Exophthalmic goiter	410	319	30	61							1	6	10	65	75	101	81	71
(66)	Other diseases of thyroid and parathyroid glands	37	24	2	11	6	3	1		1	1				3	5	6	5	6
67	Diseases of thymus gland	135	101	9	25	105	10	5	2	3	5	1	2		2				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	45	31	4	10									1	3	8	18	12	3
69	Other general diseases	16	13	2	1	4	1	1	1				2				2	2	3
	IV.—Diseases of the blood and blood-making organs	1,190	907	75	208	52	15	7	19	9	47	37	42	42	91	111	176	251	291
70	Hemorrhagic conditions	84	61	4	19	29	2	2	4	2	3	4	5	2	10	4	7	4	6
71a	Pernicious anemia	406	255	36	115	2	1	1	1		2	1	2	4	14	18	51	117	192
71b	Other anemias	36	26	3	7	9	4				4			1	1	2	2	5	8
72a	True leukemias	434	372	23	39	9	6	4	14	4	31	19	20	21	35	46	76	86	63
72b	Pseudoleukemias (Hodgkin's disease)	190	163	7	20					3	6	8	10	13	27	36	35	32	20
73	Diseases of the spleen	36	27	2	7	3	2				1	4	4	1	4	4	5	6	2
74	Other diseases of blood and blood-making organs	4	3		1							1	1			1		1	
	V.—Chronic poisonings and intoxications	609	540	18	51		1	1	1					10	69	209	177	96	43
75	Alcoholism (acute or chronic)	579	515	15	49									8	61	199	172	95	42
76	Chronic poisoning by other organic substances	22	20	1	1									2	7	10	2	1	
77a	Chronic lead poisoning	6	3	2	1		1	1	1								2		1
77b,c	Other chronic poisoning by mineral substances	2	2												1		1		
	VI.—Diseases of the nervous system and of the organs of special sense	12,519	8,348	793	3,378	222	65	42	24	29	175	124	113	118	329	755	1,483	2,525	6,511
78	Encephalitis (nonepidemic)	86	77	3	6	4	5	3			8	8	3	4	19	14	11	3	4
79a	Simple meningitis	218	194	4	20	48	13	13	4	1	18	19	8	9	15	19	26	14	10
79b	Nonepidemic cerebrospinal meningitis	36	31	1	4	5	2	2	1		1	3	2	3	4	4	5	4	
80	Progressive locomotor ataxia (tabes dorsalis)	127	88	7	32											10	27	42	48
81	Other diseases of spinal cord	302	191	26	85	2	2	4	2	6	3	7	12	9	13	23	46	75	98
82a	Cerebral hemorrhage	8,570	5,480	600	2,490	13	2			1	5	4	6	20	64	309	921	1,857	5,366
82b	Cerebral embolism and thrombosis	931	724	59	148	1		1	3	1	7	4	4	7	22	36	96	212	537
82c	Softening of brain	57	32	4	21												2	6	49
82d	Hemiplegia and other paralysis, cause unspecified	203	148	13	42	2		1		1	1	1				3	20	44	130
83	General paralysis of insane	555	278	11	266									2	41	158	183	119	51
84	Dementia praecox and other psychoses	134	93	7	34								9	10	34	32	26	11	12
85	Epilepsy	240	143	12	85	1	2	4	2	1	11	8	26	23	45	45	28	18	26
86	Convulsions (under 5 years of age)	41	19	4	18	30	7	2	2										
87	Other diseases of nervous system	360	244	24	92	9	11	5	4	1	6	11	8	5	13	31	35	75	146
88	Diseases of organs of vision	8	8			2				1			1					1	3
89a	Diseases of ear	341	308	12	21	74	17	5	4	8	54	27	14	9	26	31	31	25	16
89b	Diseases of mastoid process	310	290	6	14	31	4	2	2	8	61	32	20	17	33	40	26	19	15

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																		
	VII.—Diseases of the circulatory system	42,053	31,023	2,158	8,872	30	14	14	22	23	152	237	298	316	934	2,196	5,057	8,721	24,036
90	Pericarditis	46	31	3	12	2							2	1	5	5	10	4	17
91a	Acute endocarditis	337	280	18	39		1	4	3	6	7	17	34	31	59	45	52	49	29
91b	Endocarditis, unspecified (under 45 years)	42	29	3	10		2				5	1	6	4	8	16			
92a	Endocarditis, specified as chronic, and other valvular diseases	7,499	5,257	463	1,779	5	2	3	11	7	95	154	176	189	451	636	894	1,291	3,585
92b	Endocarditis, unspecified (45 years and over)	371	282	24	65												57	76	238
93a	Acute myocarditis	379	255	25	99	2	2			2	4	1	5	6	17	31	71	66	172
93b	Myocarditis, unspecified (under 45 years)	106	80	5	21	2	1	1	1		2	4	5	5	25	60			
93c	Chronic myocarditis and myocardial degeneration	17,654	13,542	757	3,355	1	1		1	3	7	9	16	26	148	611	1,878	3,699	11,252
93d	Other diseases of myocardium	3,033	2,289	151	593	3			2		1		1	1	6	14	304	685	2,016
94a	Angina pectoris	2,589	1,789	164	636									3	38	227	475	728	1,118
94b	Diseases of coronary arteries	2,942	2,382	138	422			1						4	42	252	634	847	1,162
95a	Functional diseases of heart	42	21	2	19								1			6	3	10	
95b	Other and unspecified diseases of heart	3,787	2,718	192	877	7	3	4	3	5	28	46	45	41	106	201	491	800	2,006
96	Aneurysm (except of heart)	270	212	13	45	1						2	5	2	8	30	68	67	87
97	Arteriosclerosis (coronary arteries excepted)	2,632	1,630	174	828										3	23	75	333	2,198
98	Gangrene	57	30	4	23	2	1				2				2	5	5	9	31
99	Other diseases of arteries	125	86	13	26	2	1					1	1		5	11	18	30	56
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	100	78	4	18	1							1	2	6	16	18	24	32
101	Diseases of lymphatic system (lymphangitis, etc.)	12	9	1	2	2		1			1	2			3				3
102	Idiopathic anomalies of blood pressure	16	16												1	6	2	3	4
103	Other diseases of circulatory system	14	7	4	3				1					1	1	1	2		8
	VIII.—Diseases of the respiratory system	12,934	10,445	543	1,946	1,881	478	202	109	84	255	210	288	292	788	1,325	1,554	1,829	3,636
104a	Diseases of nasal fossae	23	20	1	2	9		3	1	1		2	1		1		1	2	2
104b	Diseases of nasal fossae and annexae	107	98	3	6	8	1		1		3	13	9	8	18	14	15	10	7
105	Diseases of larynx	47	33	2	12	10	9	1	6	2	5		2		1	1	4	2	4
106a	Acute bronchitis	184	112	8	64	49	7	8	5	1		1	2	2	3	2	4	12	88
106b	Chronic bronchitis	202	144	7	51		1				1	2	1	3	7	20	19	29	118
106c,d	Bronchitis, unspecified	76	46	5	25	23	4		1			2			3	1	3	3	36
107a	Bronchopneumonia	4,823	3,889	187	747	1,286	260	84	54	32	105	52	56	52	127	278	377	538	1,521
107b	Capillary bronchitis	80	68	1	11	55	3		2		3	1		1				3	12
108	Lobar pneumonia	6,551	5,370	290	891	372	160	82	34	41	121	126	191	199	545	911	999	1,107	1,662
109	Pneumonia, unspecified	112	97	5	10	10	4	1		1	3	2	6	2	19	11	11	12	30
110	Pleurisy	365	299	16	50	38	24	17	5	5	8	7	15	17	44	42	50	40	53
111a	Pulmonary embolism and thrombosis	46	28	3	15	2							1	1	6	3	5	16	12
111b	Pulmonary congestion, edema, hemorrhagic infarct	59	38	4	17	5	1	1					1	1	2	1	1		46
112	Asthma	119	89	5	25	2	1			1	2			1	3	19	29	29	32
113	Pulmonary emphysema	7	6		1	1		1								1	1	1	2
114	Other diseases of respiratory system (tuberculosis excepted)	133	108	6	19	11	3	4			4	2	3	5	9	21	35	25	11
	IX.—Diseases of the digestive system	8,826	7,459	469	898	1,007	183	103	72	65	224	204	193	239	634	1,163	1,507	1,510	1,720
115a	Diseases of pharynx and tonsils	550	466	25	59	33	22	18	16	16	46	39	27	32	67	67	76	51	39
115b	Diseases of buccal cavity and annexa	84	77	2	5	4	1	2			1	2	2	8	11	16	18	6	13
116	Diseases of esophagus	15	12	2	1	2	1									1	1	3	7
117a	Ulcer of stomach	614	504	40	70	2						1	6	20	45	126	157	133	124
117b	Ulcer of duodenum	304	262	11	31	1				1			1	3	32	64	78	76	48
118	Other diseases of stomach (cancer excepted)	128	52	10	66	10	4	6		1	1	3	2	1	6	8	16	19	50
119	Diarrhea, enteritis (under 2 years of age)	931	774	42	115	826	105												
120	Diarrhea, enteritis (2 years and over)	248	179	12	57			22	19	5	22	7	11	8	29	24	25	18	58
121	Appendicitis	1,996	1,788	111	97	5	23	33	32	37	126	130	112	116	239	343	338	274	188
122a	Hernia	665	571	29	65	5	2	2		1	2		5	7	17	43	128	160	293
122b	Intestinal obstruction	619	499	43	77	78	10	3	2		11	13	9	12	44	72	93	95	177
123	Other diseases of intestines	101	87	5	9	3					2	1	1	1	9	19	19	27	19
124	Cirrhosis of liver	1,147	935	66	146	2		2			1	2	2	4	30	138	274	322	370
125a	Yellow atrophy of liver	70	62	6	2					1	1	1	3	8	10	18	13	6	9
125b	Other diseases of liver	81	71	1	9	1	3	2				1	2		5	18	20	16	13
126	Biliary calculi	589	538	27	24								2	7	36	103	131	158	152
127	Other diseases of gall-bladder, biliary passages	409	338	30	41	4		1	1				2	5	27	66	74	104	125
128	Diseases of pancreas	103	93	2	8								1	1	15	19	23	24	20
129	Peritonitis, cause not specified	172	151	5	16	31	12	12	2	3	11	4	5	6	12	18	23	18	15
	X.—Diseases of the genitourinary system	13,426	9,970	800	2,656	44	10	7	5	9	30	57	80	135	450	887	1,636	2,634	7,440
130	Acute nephritis (including unspecified under 10 years)	260	186	20	54	22	5	3	2	4	15	10	11	11	27	45	45	25	35
131	Chronic nephritis	11,171	8,137	671	2,363			3	1	1	12	33	46	75	265	618	1,340	2,281	6,495
132	Nephritis, unspecified (10 years and over)	293	200	24	69							3	6	3	15	25	36	53	152
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	331	277	17	37	17	4	1	2	3	3	9	6	7	22	40	53	66	97
134	Calculi of urinary passages	185	163	9	13	1				1				1	14	37	54	35	42
135	Diseases of bladder (tumors excepted)	50	33	8	9	1										4	4	10	31
136	Diseases of urethra, urinary abscess, etc.	40	35	4	1									1	3	3	10	6	17
137	Diseases of prostate	694	581	33	80											5	28	124	537
138	Diseases of male genital organs, not specified as venereal	9	9			3	1								1		1	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																		
	X.—Diseases of the genitourinary system—Continued																		
139a	Cysts of ovary	112	97	2	13	------	------	------	------	------	------	2	1	6	17	27	22	17	20
139b	Other diseases of ovaries, diseases of tubes and parametrium	208	189	10	9	------	------	------	------	------	------	------	9	31	68	68	24	5	3
139c	Diseases of uterus	68	58	2	8	------	------	------	------	------	------	------	1	------	17	13	17	11	9
139d	Nonpuerperal diseases of breast (cancer excepted)	2	2	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------
139e	Other diseases of female genital organs	3	3	------	------	------	------	------	------	------	------	------	------	------	1	1	1	------	------
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	1,174	988	87	99	------	------	------	------	------	------	1	71	220	578	298	6	------	------
140	Abortion with septic conditions	197	170	10	17	------	------	------	------	------	------	------	12	44	90	50	1	------	------
141	Abortion without mention of septic conditions (includes hemorrhages)	51	40	7	4	------	------	------	------	------	------	------	1	8	23	19	------	------	------
142a	Ectopic gestation, septic conditions specified	19	17	1	1	------	------	------	------	------	------	------	------	2	15	2	------	------	------
142b	Ectopic gestation, septic conditions not mentioned	45	38	4	3	------	------	------	------	------	------	------	1	6	25	13	------	------	------
143	Other accidents of pregnancy (hemorrhage not included)	10	8	1	1	------	------	------	------	------	------	------	1	------	4	5	------	------	------
144a	Placenta praevia	43	37	2	4	------	------	------	------	------	------	------	------	3	24	16	------	------	------
144b	Other puerperal hemorrhages	118	103	7	8	------	------	------	------	------	------	------	5	23	53	36	1	------	------
145a	Puerperal septicemia and pyemia (abortion excluded)	239	203	24	12	------	------	------	------	------	------	1	25	57	116	40	------	------	------
146	Puerperal albuminuria and eclampsia	142	110	19	13	------	------	------	------	------	------	------	12	2[illegible]	68	32	2	------	------
147	Other toxemias of pregnancy	43	39	2	2	------	------	------	------	------	------	------	1	7	19	16	------	------	------
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	74	59	3	12	------	------	------	------	------	------	------	2	12	40	20	------	------	------
149	Other accidents of childbirth	187	160	6	21	------	------	------	------	------	------	------	11	28	98	48	2	------	------
150	Other and unspecified conditions of puerperal state	6	4	1	1	------	------	------	------	------	------	------	------	2	3	1	------	------	------
	XII.—Diseases of the skin and cellular tissue	198	152	18	28	33	------	1	------	------	1	8	15	9	13	29	31	19	39
151	Furuncle, carbuncle	55	43	5	7	1	------	------	------	------	1	2	7	5	6	9	11	4	9
152	Phlegmon, acute abscess	77	62	7	8	15	------	1	------	------	------	3	5	2	5	10	14	9	[illegible]
153	Other diseases of skin and annexa, and of cellular tissue	66	47	6	13	17	------	------	------	------	------	3	3	2	2	10	6	6	17
	XIII.—Diseases of the bones and organs of locomotion	206	178	7	21	15	3	3	5	2	21	20	9	16	20	18	26	15	33
154	Osteomyelitis	133	118	6	9	13	3	2	2	2	18	13	6	9	14	12	15	7	17
155	Other diseases of bones (tuberculosis excepted)	20	17	------	3	1	------	------	------	------	------	------	------	1	2	1	2	2	11
156	Diseases of joints, other organs of locomotion	53	43	1	9	1	------	1	3	------	3	7	3	6	4	5	9	6	5
	XIV.—Congenital malformations	1,339	1,015	89	235	1,167	51	27	15	7	31	13	5	4	11	6	2	------	------
157a	Congenital hydrocephalus	236	190	16	30	183	23	9	6	2	5	1	1	------	5	1	------	------	------
157b	Spina bifida and meningocele	149	109	8	32	141	5	------	1	------	2	------	------	------	------	------	------	------	------
157c	Congenital malformations of heart	605	427	42	136	522	18	11	5	4	20	10	3	3	5	3	1	------	------
157d	Other congenital malformations	349	289	23	37	321	5	7	3	1	4	2	1	1	1	2	1	------	------
	XV.—Diseases of early infancy	4,927	4,068	272	587	4,927	------	------	------	------	------	------	------	------	------	------	------	------	------
158	Congenital debility	211	125	14	72	211	------	------	------	------	------	------	------	------	------	------	------	------	------
159	Premature birth	2,913	2,416	148	349	2,913	------	------	------	------	------	------	------	------	------	------	------	------	------
160	Injury at birth	1,301	1,098	91	112	1,301	------	------	------	------	------	------	------	------	------	------	------	------	------
161	Other diseases peculiar to early infancy	502	429	19	54	502	------	------	------	------	------	------	------	------	------	------	------	------	------
162	XVI.—Senility	288	136	17	135	------	------	------	------	------	------	------	------	------	------	------	2	4	282
	XVII.—Violent and accidental deaths	12,587	9,413	753	2,421	157	92	93	99	129	504	322	462	703	1,624	1,934	2,041	1,870	2,544
	Suicide	2,713	2,101	122	490	------	------	------	------	------	------	5	41	115	409	553	654	577	357
163	By solid or liquid poisons or by absorption of corrosive substances	299	247	16	36	------	------	------	------	------	------	------	7	24	60	71	59	48	30
164	By poisonous gas	857	784	26	47	------	------	------	------	------	------	2	14	37	142	190	198	177	97
165	By hanging or strangulation	552	364	25	163	------	------	------	------	------	------	3	8	11	55	88	144	150	92
166	By drowning	100	58	6	36	------	------	------	------	------	------	------	------	1	10	30	23	21	14
167	By firearms	509	293	41	175	------	------	------	------	------	------	------	7	19	81	85	131	109	77
168	By cutting or piercing instruments	102	75	4	23	------	------	------	------	------	------	------	------	2	6	24	27	23	20
169	By jumping from high places	252	248	2	2	------	------	------	------	------	------	------	5	17	47	54	63	42	24
170	By crushing	38	29	1	8	------	------	------	------	------	------	------	------	4	7	10	9	5	3
171	By other means	4	3	1	------	------	------	------	------	------	------	------	------	------	1	1	------	2	------
	Homicide	763	689	10	64	28	1	2	2	3	4	4	36	87	256	178	90	52	20
173	By firearms	386	345	4	37	1	------	------	1	------	------	------	19	52	154	82	45	26	6
174	By cutting or piercing instruments	158	149	2	7	1	------	------	------	------	------	------	6	23	55	49	16	4	4
175	By other means	219	195	4	20	26	1	2	1	3	4	4	11	12	47	47	29	22	10
	Accidental, other, or undefined	9,111	6,623	621	1,867	129	91	91	97	126	500	313	385	501	959	1,203	1,297	1,241	2,167
176	Attack by venomous animals	7	5	------	2	3	------	------	------	------	------	1	------	------	------	1	1	------	1
177	Poisoning by food	21	7	6	8	1	------	------	------	1	2	------	1	1	1	3	2	7	2
178	Absorption of poisonous gas	475	410	18	47	2	4	1	------	1	5	3	9	13	62	69	102	97	107
	Supplemental	5	1	------	4	------	------	1	------	------	------	------	------	------	1	2	1	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NEW YORK—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
179	Other acute accidental poisonings (gas excepted)	184	154	7	23	6	7	1	3	2	4	1	1	8	18	57	51	16	9
180	Conflagration	195	130	16	49	1	1	4	5	5	22	10	6	10	15	39	36	17	24
181	Burns (conflagration excepted)	402	343	29	30	10	25	30	15	22	39	8	8	16	31	44	40	40	74
	Supplemental	51	34	4	13		1	1		1			4	5	21	10	6	2	
182	Mechanical suffocation	75	51	9	15	50			1		3		2	2	8	4	2	2	1
	Supplemental	2		1	1										2				
183	Drowning	738	476	24	238	1	6	12	9	5	71	60	76	59	81	109	136	81	27
	Supplemental	183	88	5	90		2	1		1	10	12	11	25	39	38	23	14	7
184	Traumatism: By firearms (wounds of war excepted)	98	46	15	37		1	1			5	10	18	12	21	12	9	5	4
185	By cutting or piercing instruments (wounds of war excepted)	104	88	10	6	4	1		2		4	5		4	11	17	14	23	19
	Supplemental	16	8	3	5							1		1	5	2	2	3	2
186a	By fall	2,346	1,811	157	378	7	14	15	21	10	59	34	33	35	124	201	276	321	1,196
	Supplemental	281	198	16	67	1	2	2	1	1	12	8	23	33	48	35	45	41	29
186b	By crushing, landslide	26	18	1	7								1		6	8	3	6	2
	Supplemental	458	312	19	127	1	3	3	5	10	24	20	18	31	60	70	74	64	72
188	Injuries by animals	29	16	2	11		1	1		1	2	2	1		1	3	6	3	8
189	Hunger and thirst	3	1		2										1				2
190	Excessive cold	13	5	1	7	1									1	1	3	4	3
191	Excessive heat	14	9	1	4	1									1	3	3	2	4
192	Lightning	9	2		7								3	2	1		2		1
193	Due to electric currents	43	28	3	12							7	2	5	16	7	5	1	
	Supplemental	11	11								2	1	2	2	1		1	1	1
194a	Foreign bodies	44	27	2	15	13	8			2	1		3		1	2	8	3	3
194b	Other accidents	471	362	23	86	23	5	2	1	7	21	18	14	15	47	96	65	66	91
	Supplemental	2,787	1,962	249	576	4	10	16	34	57	214	112	149	213	328	366	381	422	478
198	Legal executions	20	20											9	7	4			
	XVIII.—Ill-defined causes of death	81	41	7	33	18	4	1				2	2	3	1	13	5	13	17
199	Sudden death	7	4	1	2	2										1		1	3
200a	Cause of death ill-defined	37	19	4	14	5	4					2	1	1		5	4	4	11
200b	Cause of death not specified or unknown	37	18	2	17	11		1					1	2	1	7	1	8	3
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	2	1		1											1			1
202	Accidents from agricultural machinery	7	2	1	4								1			1	3		2
203	Elevator accidents	48	48							2	2	1	1	7	3	8	10	7	7
205	Other machinery accidents	69	42	7	20					1			1	6	10	12	20	13	6
206	Railroad and automobile collisions	124	36	18	70		1	1	1	1	3	4	11	13	24	29	14	15	7
207	Other railroad accidents	221	125	20	76		1				5	5	10	15	34	33	40	46	29
208	Street car and automobile collisions	26	24		2						1		2	2	11	3	4	2	1
209	Other street car accidents	129	126	1	2					1	3	3	2	6	15	19	23	24	33
210	Automobile accidents (primary)	2,813	1,994	233	586	5	14	22	38	63	233	123	158	212	336	354	374	401	478
211	Motorcycle accidents	23	16	3	4								4	12	4		1		2
212	Other land transportation accidents	81	55	6	20	1		1	1	1	9	7	5	4	8	10	7	12	14
213	Water transportation accidents	213	129	5	79		2			1	6	11	12	25	43	41	39	24	9
214	Air transportation accidents	38	16	3	19									8	17	13			
	NORTH CAROLINA																		
	Total deaths (all causes) White	19,513	4,752	1,745	13,016	3,073	443	235	119	84	360	264	443	580	1,128	1,502	1,869	2,510	6,876
	Total deaths (all causes) Colored	11,538	3,522	897	7,119	2,110	275	124	81	56	205	217	516	765	1,233	1,249	1,376	1,273	2,003
	I.—Infectious and parasitic diseases White	2,170	448	161	1,561	255	121	71	42	29	97	35	86	117	292	310	208	177	324
	I.—Infectious and parasitic diseases Colored	2,142	650	148	1,344	218	60	35	29	16	64	76	220	331	418	293	182	105	85
1	Typhoid fever W	78	12	7	59				1	1	4	5	9	10	14	14	10	5	3
	Typhoid fever C	83	16	7	60				4	1	15	8	18	6	15	7	7	1	1
2	Paratyphoid fever W	2			2										1		1		
5	Undulant fever W	1	1													1			
	Undulant fever C	1	1												1				
7	Measles W	40	13	3	24	8	12	2	1		5	2	1	2	1		2		4
	Measles C	21	7	2	12	2	4	2	3	2	3	2			2			1	
8	Scarlet fever W	34	9	1	24	2	6	4	4	2	7	4	2		2		1		
9	Whooping cough W	136	19	7	110	85	32	7	4	2	6								
	Whooping cough C	106	28	2	76	73	22	5	2	1	2					1			
10	Diphtheria W	139	20	12	107	26	31	26	12	13	24	1	2	1		2		1	
	Diphtheria C	27	8		19	8	4	6	3	4	2								
11a	Influenza, respiratory complications specified W	360	69	36	255	39	17	6	8	5	6	7	16	12	22	35	31	39	116
	Influenza, respiratory complications specified C	195	67	14	114	25	8	9	2		7	5	11	13	22	29	25	20	19
11b	Influenza, respiratory complications not specified W	159	39	11	109	22	6	11	6	1	6	4	10	3	3	9	11	7	60
	Influenza, respiratory complications not specified C	105	32	4	69	32	3	1	1	1	4	4	6	6	5	9	9	7	15
13	Dysentery W	60	5	7	48	17	7	8	1		2			1	2	3	2	3	14
	Dysentery C	24	6	1	17	10	2		1	1	1				2		2	1	4
15	Erysipelas W	33	6	1	26	13		1					2	1		4	3	1	7
	Erysipelas C	1			1	1													
16	Acute poliomyelitis, acute polioencephalitis W	22	4	1	17	5	2		2	2	6	2				1	2		
	Acute poliomyelitis, acute polioencephalitis C	2		1	1						1						1		
17	Lethargic or epidemic encephalitis W	20	12	2	6	1					2				6	2	2	4	3
	Lethargic or epidemic encephalitis C	2	1		1							1		1					

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
18	Epidemic cerebrospinal meningitis	W	17	11	1	5	5	1	1	1		3	2	1		2			1	
		C	9	7		2	1		1					4		1	1	1		
21	Rabies	C	1			1										1				
22	Tetanus	W	16	10	4	2	1				1	5	3		1	2	1	2		
		C	14	7	3	4	3				2	3	1	2	2				1	
	Tuberculosis (all forms)	W	948	186	52	710	8	4	3	2	2	8	4	38	85	222	226	127	104	113
		C	1,276	367	85	824	11	9	7	11	4	16	50	162	260	330	206	103	62	39
23	Respiratory system	W	866	159	49	658			1	1		3	3	36	81	213	212	119	91	105
		C	1,164	315	75	774	5	6	2	5	1	9	41	148	243	306	200	96	60	36
24	Meninges and central nervous system	W	20	8	1	11	5	4	1		1	3	1	1	1	1	1		1	
		C	25	14	3	8	3	2	4	4	1	3	2		2	2		1		1
25	Intestines and peritoneum	W	20	7		13	1					1			1	2	6	1	7	1
		C	45	18	5	22		1			2	1	4	11	8	13	1	1	2	1
26	Vertebral column	W	13	5		8					1				1	2	2	2	2	3
		C	9	4		5							1		2	3	2	1		
27a	Bones (vertebral column excepted)	W	3		1	2								1	1			1		
		C	1			1											1			
27b	Joints	W	2		1	1													1	1
		C	4	1		3								1	1	1		1		
28	Skin and subcutaneous cellular tissue	W	1			1													1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	2			2												1		1
		C	2			2				1			1							
30	Genitourinary system	W	6	2		4										1	2	1		2
		C	2			2	1													1
31	Other organs	C	1	1														1		
32a	Acute disseminated tuberculosis	W	14	4		10	2		1	1		1				3	3	2		
		C	22	13	2	7	2		1	1		3	1	2	4	4	2	2		
32b,c	Other disseminated tuberculosis	W	1	1															1	
		C	1	1												1				
34	Syphilis	W	45	23	5	17	17					1		1	4	7	9	5	1	
		C	177	79	21	77	40	3	1			3	3	7	31	23	29	24	7	4
35	Gonococcus infection, other venereal diseases	W	4	2	1	1										3	1			
		C	31	14	3	14								5	9	10	3	4		
36	Purulent infection, septicemia (nonpuerperal)	W	23	3	7	13	1					5		2		5	2	3	4	1
		C	10	2		8		1						2			3	1	3	
38	Malaria	W	15	1	1	13	1	2	1			1	1	2		1	1	2	1	2
		C	38	5	3	30	1	1	3	1		5	2	3	2	5	5	5	2	3
42	Other diseases caused by helminths	W	3			3			1			2								
		C	4			4	1			1		2								
43	Mycoses	W	5	1	1	3	2									1	1		1	
		C	12	2	2	8	8	3							1					
44	Other infectious and parasitic diseases	W	10	2	1	7	2	1				4		1		1			1	
		C	3	1		2	2									1				
	II.—Cancers and other tumors	White	1,327	391	125	811	5	3	3	2	5	16	7	9	12	50	149	226	279	558
		Colored	439	149	48	242	1		2	2	2	5		5	7	38	87	107	86	96
	Cancer and other malignant tumors	W	1,252	362	114	776	3	2	2	2	3	12	4	6	9	37	135	212	271	551
		C	387	116	42	229	1		2	2	1	3		4	7	25	67	101	81	92
(45)	Buccal cavity	W	46	14	4	28										1	4	5	9	27
		C	9	3	1	5				1					1	1		2	2	2
(45)	Pharynx	W	7	1		6										1	3	1		2
		C	2		1	1											1			1
(46)	Esophagus	W	9	3	1	5												2	4	3
		C	3	3													1		1	1
(46)	Stomach and duodenum	W	242	50	23	169										5	18	25	55	138
		C	82	23	7	52								1	2	6	10	17	16	30
(46)	Liver and biliary passages	W	115	27	12	76	1									3	8	14	29	60
		C	20	7	1	12										1	5	4	8	1
(46)	Pancreas	W	21	10	1	10												6	7	8
		C	10	6	2	2										1	1	2	2	4
(46)	Other digestive tract and peritoneum	W	137	57	8	72			1	1	1	2				5	18	18	32	58
		C	38	12	5	21										1	12	10	8	7
47	Respiratory system	W	35	12	4	19					1		1	1		2	2	9	11	8
		C	11	4		7									1		2	5	2	1
48	Uterus	W	195	70	14	111									2	11	41	47	40	53
		C	93	23	12	58										9	21	34	17	12
49	Other female genital organs	W	21	13	2	6								1		2	3	7	4	4
		C	6	3	1	2									1	2		1	2	
50	Breast	W	116	27	11	78									1	2	17	37	21	38
		C	42	11	6	25										1	11	15	6	9
51	Male genitourinary organs	W	84	25	15	44	1								1		2	7	18	55
		C	26	5	3	18												4	7	15
52	Skin	W	61	9	1	51											5	4	9	43
		C	3		1	2												2	1	
53	Other or unspecified organs	W	163	44	18	101	1	2	1	1	1	10	3	4	5	5	14	30	32	54
		C	42	16	2	24	1		2	1	1	3		3	2	3	3	5	9	9
54a	Nonmalignant tumors, ovary	W	1	1											1					
		C	2			2													2	
54b	Nonmalignant tumors, uterus	W	23	10	5	8										5	7	8	2	1
		C	36	28	4	4										11	18	3	2	2
54d,e	Nonmalignant tumors, other organs	W	19	9	1	9						2	2	1		4	3	2	1	4
		C	3	2		1										1	1			1
55b	Tumors, uterus (nature unspecified)	W	1			1											1			
		C	1			1														1
55d,e	Tumors, other organs (nature unspecified)	W	31	9	5	17	2	1	1		2	2	1	2	2	4	3	4	5	2
		C	10	3	2	5					1	2		1		1	1	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	696	184	59	453	32	10	6	3	2	12	12	16	7	44	79	98	151	224
		Colored	419	122	40	257	12	5	3		1	5	11	13	37	56	67	78	57	71
56	Acute rheumatic fever	W	43	10	3	30			1	1		4	7	5	3	5	3	4	3	7
		C	37	12	3	22						3	4	3	5	5	5	1		4
57	Chronic rheumatism, osteoarthritis	W	29	5	1	23						1				3	3	2	4	16
		C	4			4									1		1	1		1
59	Diabetes mellitus	W	293	90	34	169				1	1	6	5	9	2	13	22	33	80	121
		C	103	31	14	58						1	2	1	4	7	11	21	22	33
60	Scurvy	C	2	2			1													1
61	Beriberi	C	1			1					1									
62	Pellagra	W	248	49	14	185				1		1		2	2	22	40	53	52	75
		C	231	66	19	146		2	1			1	4	8	24	42	46	43	32	28
63	Rickets	W	8			8	2	6												
		C	10	2		8	8	1	1											
65	Diseases of pituitary body	W	1			1													1	
66a	Simple goiter	W	6	4		2										1	1	2	2	
		C	4		3	1										1		2		1
66b	Exophthalmic goiter	W	23	14	2	7											7	4	8	4
		C	15	6	1	8								1	2	1	3	6	1	1
(66)	Other diseases of thyroid and parathyroid glands	W	5		1	4	3		1	1										
		C	1			1													1	
67	Diseases of thymus gland	W	15	4	2	9	14		1											
		C	3	1		2	1	1							1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	1	1													1			
		C	1			1							1							
69	Other general diseases	W	24	7	2	15	13	4	2		1						2		1	1
		C	7	2		5	2	1	1								1			2
	IV.—Diseases of the blood and blood-making organs	White	108	35	14	59	6	4			2	4	1	7	7	10	9	13	14	30
		Colored	34	14	1	19	3	2				2	2		4	8	4	4	3	2
70	Hemorrhagic conditions	W	11	2		9	3	3				1	1	1					1	1
		C	4	1		3	2					1				1				
71a	Pernicious anemia	W	35	10	3	22		1						2	3	2	2	7	5	12
		C	12	5	1	6									1	5	2	2	1	1
71b	Other anemias	W	7	3		4	2											1	1	3
		C	5	2		3	1						1		1	1			1	
72a	True leukemias	W	38	13	8	17	1				2	1		3	4	5	5	2	5	10
		C	6	2		4							1		1	1	1	2		
72b	Pseudoleukemias (Hodgkin's disease)	W	12	5	2	5						2				3	1	3	1	2
		C	5	2		3		1				1					1		1	1
73	Diseases of spleen	W	5	2	1	2								1			1		1	2
		C	2	2				1							1					
	V.—Chronic poisonings and intoxications	White	36	10	5	21									4	8	9	10	4	1
		Colored	30	10	4	16								2	3	7	3	8	5	
75	Alcoholism (acute or chronic)	W	36	10	5	21									4	8	9	10	4	1
		C	30	10	4	16								2	3	7	3	8	5	
	VI.—Diseases of the nervous system and of the organs of special sense	White	2,195	475	163	1,557	69	23	6	4	2	27	25	24	24	48	119	267	420	1,136
		Colored	1,091	319	83	689	36	7	3	4	3	8	7	17	22	60	109	237	235	336
78	Encephalitis (nonepidemic)	W	33	13	4	16	5	3		1		2	3	1	2	3	4	2	4	3
		C	11	4		7	1		1			1	2	2	1		2		1	
79a	Simple meningitis	W	34	15	2	17	8	7	2	1	1	5		2	1	2	2	2	1	
		C	16	7	2	7	4	4		1		1	1	2	1		1	1		
79b	Nonepidemic cerebrospinal meningitis	W	6	2		4	2					1	1	1			1			
		C	7	1		6	2				1			1		2				1
80	Progressive locomotor ataxia (tabes dorsalis)	W	10	2	1	7											1		6	3
		C	1		1									1						
81	Other diseases of spinal cord	W	39	13	6	20		1				1	1	3	1	3	3	3	9	14
		C	16	5	4	7							1	1			2	5	3	4
82a	Cerebral hemorrhage	W	1,651	300	129	1,222	3	2					3	1	2	16	77	215	362	970
		C	797	258	67	472	1	1						1	5	27	85	195	203	272
82b	Cerebral embolism and thrombosis	W	34	18	2	14							2		1	1	6	5	3	16
		C	5	2	2	1										1	1	1	1	1
82c	Softening of brain	W	4			4														4
		C	2			2														2
82d	Hemiplegia and other paralysis, cause unspecified	W	110	12	4	94		1				2			1	1	1	9	16	79
		C	88	15	3	70								1	1	7	5	11	15	48
83	General paralysis of insane	W	20	7		13									1	1	6	7	2	3
		C	27	4		23										4	5	11	6	1
84	Dementia praecox and other psychoses	W	30	11		19										7	4	7	5	7
		C	14	1		13								2	3	5	1	1	1	1
85	Epilepsy	W	76	26	1	49	3	2				1	9	11	12	7	8	6	6	10
		C	48	5	1	42	2	1		1	1	4	1	4	9	10	5	6	2	2
86	Convulsions (under 5 years of age)	W	25	2	2	21	23	1	1											
		C	25	3	2	20	20	1	2	1	1									
87	Other diseases of nervous system	W	53	16	2	35	3	3		1		2	3	2	1	3	1	6	3	25
		C	19	7		12	1					1	2	1	2	1		5	2	4
88	Diseases of organs of vision	C	3	2	1									1		1				
89a	Diseases of ear	W	44	21	5	18	17	3	1	1	1	7	1		2	2	2	3	3	1
		C	7	2		5	2		1							1	2	1		
89b	Diseases of mastoid process	W	26	17	5	4	5		2			6	2	3		2	3	2		1
		C	5	3		2	3					1				1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	VII.—Diseases of the circulatory system—White	3,382	788	304	2,290	23	7	2	----	2	13	12	21	34	64	160	365	641	2,035
	VII.—Diseases of the circulatory system—Colored	1,562	539	109	914	4	4	----	1	2	11	20	24	38	116	195	309	327	507
90	Pericarditis—W	2	1	----	1	----	----	----	----	----	----	----	1	----	1	----	----	----	----
	Pericarditis—C	6	2	----	4	----	1	----	----	----	----	----	----	1	1	----	1	----	2
91a	Acute endocarditis—W	25	12	3	10	3	1	----	----	----	----	----	2	3	5	2	3	3	3
	Acute endocarditis—C	20	12	1	7	----	1	----	----	----	2	3	----	----	5	4	3	1	1
91b	Endocarditis, unspecified (under 45 years)—W	10	5	----	5	----	----	1	----	----	2	1	1	2	----	3	----	----	----
	Endocarditis, unspecified (under 45 years)—C	7	----	2	5	----	----	----	----	1	1	----	----	----	2	3	----	----	----
92a	Endocarditis, specified as chronic, and other valvular diseases—W	702	101	55	546	2	----	----	----	----	6	6	8	11	16	38	52	127	435
	Endocarditis, specified as chronic, and other valvular diseases—C	445	161	22	262	----	----	----	1	1	3	7	10	8	40	55	89	94	135
92b	Endocarditis, unspecified (45 years and over)—W	60	12	8	40	----	----	----	----	----	----	----	----	----	----	----	8	15	37
	Endocarditis, unspecified (45 years and over)—C	35	12	6	17	----	----	----	----	----	----	----	----	----	----	----	11	13	10
93a	Acute myocarditis—W	31	8	6	17	2	1	----	----	1	----	1	1	1	3	2	1	6	12
	Acute myocarditis—C	22	10	3	9	----	----	----	----	----	----	----	1	3	3	5	5	1	4
93b	Myocarditis, unspecified (under 45 years)—W	23	10	3	10	----	1	----	----	----	1	----	1	3	6	11	----	----	----
	Myocarditis, unspecified (under 45 years)—C	28	10	4	14	----	----	----	----	----	----	----	2	1	7	18	----	----	----
93c	Chronic myocarditis and myocardial degeneration—W	546	139	58	349	3	----	----	----	----	----	----	2	3	6	16	55	99	362
	Chronic myocarditis and myocardial degeneration—C	165	61	21	83	----	----	----	----	----	----	3	1	3	7	15	30	30	76
93d	Other diseases of myocardium—W	419	96	39	284	----	----	----	----	----	----	----	----	----	1	1	40	63	314
	Other diseases of myocardium—C	166	57	17	92	----	----	----	----	----	----	----	----	1	----	5	48	50	61
94a	Angina pectoris—W	318	98	41	179	----	----	----	----	----	----	----	----	1	3	15	56	90	152
	Angina pectoris—C	54	22	8	24	----	----	----	----	----	1	----	1	2	4	11	12	8	15
94b	Diseases of coronary arteries—W	122	48	19	55	----	----	----	----	----	----	----	----	3	1	13	22	34	49
	Diseases of coronary arteries—C	18	9	----	9	----	----	----	----	----	----	----	1	----	5	1	3	4	4
95a	Functional diseases of heart—W	9	3	----	6	----	----	----	----	----	----	----	----	----	----	2	----	2	5
	Functional diseases of heart—C	4	----	----	4	----	----	----	----	----	----	----	----	----	----	1	1	2	----
95b	Other and unspecified diseases of heart—W	868	184	60	624	12	3	1	----	1	4	4	5	6	21	48	108	156	498
	Other and unspecified diseases of heart—C	488	154	16	318	4	2	----	----	----	4	6	8	16	36	68	89	105	150
96	Aneurysm (except of heart)—W	18	7	1	10	----	----	----	----	----	----	----	----	----	----	2	5	8	3
	Aneurysm (except of heart)—C	9	6	2	1	----	----	----	----	----	----	----	----	1	----	3	4	----	1
97	Arteriosclerosis (coronary arteries excepted)—W	161	45	8	108	----	----	----	----	----	----	----	----	----	----	----	11	26	124
	Arteriosclerosis (coronary arteries excepted)—C	61	12	3	46	----	----	----	----	----	----	----	----	----	----	1	11	12	37
98	Gangrene—W	16	2	----	14	----	1	----	----	----	----	----	----	----	----	1	----	----	14
	Gangrene—C	4	1	1	2	----	----	----	----	----	----	----	----	----	1	1	----	----	2
99	Other diseases of the arteries—W	20	13	2	5	----	----	----	----	----	----	----	----	1	----	4	3	4	8
	Other diseases of the arteries—C	6	4	1	1	----	----	----	----	----	----	----	----	1	2	----	----	1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—W	4	2	----	2	----	----	----	----	----	----	----	----	----	1	1	1	----	1
	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)—C	1	----	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----
101	Diseases of lymphatic system (lymphangitis, etc.)—W	4	----	----	4	1	----	----	----	----	----	----	----	----	----	----	----	1	2
102	Idiopathic anomalies of blood-pressure—W	24	2	1	21	----	----	----	----	----	----	----	----	----	----	1	----	7	16
	Idiopathic anomalies of blood-pressure—C	18	5	1	12	----	----	----	----	----	----	----	----	1	1	2	2	5	7
103	Other diseases of circulatory system—C	5	1	----	4	----	----	----	----	----	----	1	----	----	2	1	----	1	----
	VIII.—Diseases of the respiratory system—White	1,717	340	138	1,239	438	95	48	28	10	47	32	41	39	82	131	93	146	485
	VIII.—Diseases of the respiratory system—Colored	1,156	373	85	698	381	73	38	17	7	32	24	48	64	106	93	92	69	110
104a	Diseases of nasal fossae—W	17	3	2	12	11	1	----	----	----	----	----	----	----	----	----	----	----	5
	Diseases of nasal fossae—C	21	----	3	18	17	----	1	1	----	----	1	----	----	----	----	----	----	1
104b	Diseases of nasal fossae and annexae—W	14	8	2	4	----	----	----	1	----	1	----	2	2	3	3	1	1	----
	Diseases of nasal fossae and annexae—C	7	2	2	3	----	----	----	----	----	1	1	3	----	----	----	1	1	----
105	Diseases of larynx—W	13	5	----	8	4	2	2	1	----	2	----	----	----	----	1	----	----	1
	Diseases of larynx—C	2	----	----	2	----	----	----	1	----	----	1	----	----	----	----	----	----	----
106a	Acute bronchitis—W	20	4	----	16	6	1	1	----	----	----	----	----	----	1	----	1	----	10
	Acute bronchitis—C	19	7	----	12	13	2	1	----	----	----	----	----	1	1	----	----	----	1
106b	Chronic bronchitis—W	29	8	3	18	----	----	----	1	----	----	----	----	----	1	1	1	3	22
	Chronic bronchitis—C	5	2	----	3	----	----	----	----	----	----	1	1	1	----	----	----	----	2
106c,d	Bronchitis, unspecified—W	13	1	1	11	8	----	----	----	----	1	----	----	1	----	1	----	1	1
	Bronchitis, unspecified—C	12	3	2	7	7	1	----	1	----	----	----	----	1	----	1	1	----	----
107a	Bronchopneumonia—W	593	102	46	445	271	43	15	13	3	12	9	3	6	8	11	17	28	154
	Bronchopneumonia—C	352	131	19	202	174	38	21	6	4	11	5	10	11	10	11	11	14	26
107b	Capillary bronchitis—W	2	----	1	1	1	----	----	----	----	----	----	----	----	----	----	----	----	1
	Capillary bronchitis—C	4	----	2	2	2	----	----	----	----	----	----	----	----	1	----	----	----	1
108	Lobar pneumonia—W	801	168	68	565	82	35	27	9	6	25	19	30	25	60	97	63	91	230
	Lobar pneumonia—C	510	184	50	276	52	19	8	4	3	14	12	30	40	78	76	68	47	57
109	Pneumonia, unspecified—W	107	12	4	91	48	10	1	1	----	5	3	4	----	1	5	1	8	20
	Pneumonia, unspecified—C	176	25	2	149	112	12	7	3	----	5	1	2	6	7	3	6	3	9
110	Pleurisy—W	31	12	3	16	1	2	2	2	----	1	1	1	3	2	3	1	3	9
	Pleurisy—C	13	6	1	6	----	----	----	----	----	----	----	1	3	3	1	----	1	4
111a	Pulmonary embolism and thrombosis—W	3	1	1	1	----	----	----	----	----	----	----	----	----	----	3	----	----	----
	Pulmonary embolism and thrombosis—C	2	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	1
111b	Pulmonary congestion, edema, hemorrhagic infarct—W	21	4	2	15	2	----	----	----	----	----	----	----	----	----	----	1	1	17
	Pulmonary congestion, edema, hemorrhagic infarct—C	6	1	2	3	2	----	----	1	----	----	1	----	----	----	----	----	----	2
112	Asthma—W	33	6	3	24	1	1	----	----	----	----	----	1	----	4	3	5	8	10
	Asthma—C	18	5	2	11	----	1	----	----	----	1	----	----	1	4	1	4	2	4
113	Pulmonary emphysema—W	3	1	----	2	----	----	----	----	----	----	----	----	----	----	----	1	----	2
114	Other diseases of respiratory system (tuberculosis excepted)—W	17	5	2	10	3	----	----	----	1	----	----	----	2	2	3	1	2	3
	Other diseases of respiratory system (tuberculosis excepted)—C	9	5	----	4	2	----	----	----	----	----	1	1	----	2	----	----	1	2
	IX.—Diseases of the digestive system—White	1,298	448	142	708	310	111	49	9	8	45	36	53	49	77	100	124	116	210
	IX.—Diseases of the digestive system—Colored	699	213	80	406	246	73	15	10	4	12	21	18	44	47	62	60	40	41
115a	Diseases of pharynx, tonsils—W	78	28	8	42	8	3	6	2	1	10	4	3	11	5	3	12	7	3
	Diseases of pharynx, tonsils—C	32	15	1	16	5	----	1	2	----	2	4	2	4	5	3	3	----	1
115b	Diseases of buccal cavity and annexa—W	15	3	----	12	1	1	----	----	----	1	----	1	1	1	----	4	4	1
	Diseases of buccal cavity and annexa—C	10	6	2	2	----	----	----	----	----	1	----	----	1	2	3	1	1	----
117a	Ulcer of stomach—W	47	14	4	29	----	1	----	----	----	----	----	----	5	5	7	10	11	8
	Ulcer of stomach—C	27	10	3	14	----	----	----	----	----	----	----	1	2	3	6	8	4	3
117b	Ulcer of duodenum—W	15	6	4	5	----	----	----	----	----	----	----	----	----	2	3	6	2	2
	Ulcer of duodenum—C	7	4	2	1	----	----	----	----	----	----	----	----	----	1	2	3	1	----
118	Other diseases of stomach (cancer excepted)—W	70	10	4	56	13	1	2	3	----	3	----	1	1	1	8	8	11	18
	Other diseases of stomach (cancer excepted)—C	51	10	7	34	11	1	1	1	----	----	1	1	3	4	8	6	6	8
119	Diarrhea, enteritis (under 2 years of age)—W	368	67	25	276	269	99	----	----	----	----	----	----	----	----	----	----	----	----
	Diarrhea, enteritis (under 2 years of age)—C	282	56	21	205	214	68	----	----	----	----	----	----	----	----	----	----	----	----

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
120	Diarrhea, enteritis (2 years and over)	W 113	13	9	91			33	4	5	4	1	1	2	8	2	4	7	42
		C 59	17	6	36			10	7	2	3	1		4	6	7	3	9	7
121	Appendicitis	W 227	145	33	49	1	2			2	18	23	41	16	34	35	30	14	10
		C 75	36	18	21	1				1	3	10	6	12	9	12	10	7	4
122a	Hernia	W 41	13	8	20	2					1			1		2	3	8	24
		C 14	6	2	6	2								2	1	2	3	2	2
122b	Intestinal obstruction	W 97	52	12	33	13	3	5			3	3	3	4	7	10	9	12	25
		C 70	28	8	34	10	3	1		1	3	2	1	6	9	10	11	3	8
123	Other diseases of intestines	W 24	9	5	10	2	1				1		1	1	2	2	5	3	6
		C 6	4		2								1	3	1	1			
124	Cirrhosis of liver	W 66	19	11	36						1		1	2	1	7	11	14	29
		C 24	7	3	14			1					1	1	2	4	6	3	3
125a	Yellow atrophy of liver	W 8	4	2	2									2	4				2
		C 3	2	1									1	2					
125b	Other diseases of liver	W 12	3	3	6							1		1	1	3	2	1	3
		C 12	3	1	8	2	1					2		1	3	1	2		
126	Biliary calculi	W 37	24	7	6										1	6	8	8	14
		C 5	1	2	2												2		3
127	Other diseases of gall-bladder, biliary passages	W 54	23	4	27							1		1	1	10	9	11	21
		C 12	4	1	7			1					1			2	2	4	2
128	Diseases of pancreas	W 6	2	1	3			1				1			3		1		
129	Peritonitis, cause not specified	W 20	13	2	5	1		2			3	2	1	1	1	2	2	3	2
		C 10	4	2	4	1						1	3	3	1	1			
	X.—Diseases of the genitourinary system	White 2,170	520	176	1,474	9	5	8	1	2	8	19	16	24	81	131	246	377	1,241
		Colored 1,204	389	107	708	5	2	2	2	3	6	6	15	23	92	142	201	251	446
130	Acute nephritis (including unspecified under 10 years)	W 99	24	20	55	1	1	2	1	1	5	10	5	5	13	9	10	13	23
		C 82	28	9	45	2	2	2	2	2	1	2	3	3	15	21	10	11	5
131	Chronic nephritis	W 1,602	322	123	1,157		1	1			1	7	4	9	33	85	183	291	985
		C 816	250	70	496						3	1	6	9	40	81	154	185	330
132	Nephritis, unspecified (10 years and over)	W 230	58	18	154							2	2	3	8	11	26	45	133
		C 177	65	14	98							1	1	2	7	32	28	40	66
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 84	34	8	42	7	3	5		1	2		2	3	8	10	10	12	21
		C 38	9	3	26	3				1	2	1	1		8	2	4	7	9
134	Calculi of urinary passages	W 22	15		7									1	5	3	4	3	6
		C 4	3		1									1			1		2
135	Diseases of bladder (tumors excepted)	W 13	4		9	1											2		10
		C 10	1	4	5										2				8
136	Diseases of urethra, urinary abscess, etc	W 3	2		1												1	2	
		C 4	2		2										1	1	1	1	
137	Diseases of prostate	W 72	35	4	33											1		9	62
		C 32	13	5	14										1	1	1	3	26
138	Diseases of male genital organs, not specified as venereal	C 1			1													1	
139a	Cysts of ovary	W 4	2	1	1										1	1	1		1
		C 3	1	1	1										1		1	1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	W 26	15	2	9								3	2	7	8	6		
		C 21	13	1	7								3	4	10	2	1	1	
139c	Diseases of uterus	W 14	9		5									1	5	3	3	2	
		C 13	4		9							1	1	4	5	1		1	
139d	Nonpuerperal diseases of breast (cancer excepted)	W 1			1										1				
139e	Other diseases of female genital organs	C 3			3										2	1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 291	99	35	157								35	63	118	72	2		
		Colored 238	74	17	147							4	44	50	85	52	2		
140	Abortion with septic conditions	W 18	11	1	6								2	10	4	2			
		C 16	8		8								2	3	6	4			
141	Abortion without mention of septic conditions (includes hemorrhages)	W 7	5	1	1								1	1	2	3			
		C 14	4		10								1	2	8	3			
142a	Ectopic gestation, septic conditions specified	C 1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	W 3	2		1									1	2				
		C 5	3	1	1								1	1	2	1			
143	Other accidents of pregnancy (hemorrhage not included)	W 5	1	1	3								1		3	1			
		C 3	1		2							1			2				
144a	Placenta praevia	W 12		3	9									2	6	4			
		C 7	3		4									2	3	2			
144b	Other puerperal hemorrhages	W 26	7	4	15								1	3	12	10			
		C 16	4		12								2	2	7	5			
145a	Puerperal septicemia and pyemia (abortion excluded)	W 44	15	8	21								4	10	20	9			
		C 45	11	8	26								11	12	14	7	1		
145b	Puerperal tetanus (abortion excluded)	W 1	1													1			
146	Puerperal albuminuria and eclampsia	W 93	32	6	55								18	26	37	12			
		C 82	24	6	52							3	19	13	27	19	1		
147	Other toxemias of pregnancy	W 20	11	4	5								4	2	8	6			
		C 8	3	1	4								2	2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 14	3	2	9									3	6	5			
		C 6	1		5									3	1	2			
149	Other accidents of childbirth	W 48	11	5	32								4	5	18	19	2		
		C 34	11	1	22								6	10	10	8			
150	Other and unspecified conditions of puerperal state	C 1			1										1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	XII.—Diseases of the skin and cellular tissue	White 33	15	2	16	10	1			1	1	2	1	2	4		4	2	5
		Colored 17	3	2	12	5	1						1		1		2	2	5
151	Furuncle, carbuncle	W 8	3	1	4					1				2	2		1	1	1
		C 1			1	1													
152	Phlegmon, acute abscess	W 11	9		2	4						2	1		2				2
		C 7	1		6	1	1						1		1		1		2
153	Other diseases of skin and annexa, and of cellular tissue	W 14	3	1	10	6	1				1						3	1	2
		C 9	2	2	5	3											1	2	3
	XIII.—Diseases of the bones and organs of locomotion	White 30	18	3	9		1	4	1		5	5	5		2	2	3	1	1
		Colored 11	3	2	6						2	1	3		1				4
154	Osteomyelitis	W 23	17	2	4		1	4	1		5	4	3		1	1	3		
		C 8	2	2	4						2	1	3		1				1
155	Other diseases of bones (tuberculosis excepted)	W 2	1		1							1	1						
		C 1			1														1
156	Diseases of joints, other organs of locomotion	W 5		1	4										1		1	1	1
		C 2	1		1														2
	XIV.—Congenital malformations	White 276	63	26	187	242	11	5	1	1	5	5	4	1	1				
		Colored 39	8	6	25	32	4				1		1		1				
157a	Congenital hydrocephalus	W 29	9	1	19	25					1		2		1				
		C 8	1	2	5	4	2				1				1				
157b	Spina bifida and meningocele	W 22	5	3	14	22													
		C 1	1										1						
157c	Congenital malformations of heart	W 139	25	12	102	117	9	4			4	4	1						
		C 17	3	4	10	16	1												
157d	Other congenital malformations	W 86	24	10	52	78	2	1	1	1		1	1	1					
		C 13	3		10	12	1												
	XV.—Diseases of early infancy	White 1,322	321	133	868	1,322													
		Colored 719	225	39	455	719													
158	Congenital debility	W 105	7	11	87	105													
		C 136	25	8	103	136													
159	Premature birth	W 921	219	103	599	921													
		C 474	152	29	293	474													
160	Injury at birth	W 214	76	11	127	214													
		C 44	18		26	44													
161	Other diseases peculiar to early infancy	W 82	19	8	55	82													
		C 65	30	2	33	65													
162	XVI.—Senility	White 187	17	11	159														187
		Colored 168	11	5	152													8	160
	XVII.—Violent and accidental deaths	White 1,614	526	221	867	54	36	26	26	19	75	69	120	190	225	209	172	125	262
		Colored 825	313	83	429	47	15	16	13	15	43	36	93	129	159	109	61	37	46
	Suicide	W 264	106	33	125							1	17	25	40	55	55	43	28
		C 22	8	2	12								4		6	3	3	4	1
163	By solid or liquid poisons or by absorption of corrosive substances	W 43	22	8	13								5	8	9	8	9	4	
		C 1		1													1		
164	By poisonous gas	W 11	8	2	1											2	5	3	1
165	By hanging or strangulation	W 25	12	1	12							1		3	1	4	5	6	5
		C 1			1														1
166	By drowning	W 9	2	1	6											1	2	3	3
		C 2			2											1		1	
167	By firearms	W 161	53	19	89								10	14	28	33	32	26	18
		C 14	7		7								3		5	2	2	1	
168	By cutting or piercing instruments	W 11	7	2	2								1		1	5	2	1	1
		C 3	1	1	1								1					2	
169	By jumping from high places	W 1	1													1			
		C 1			1										1				
170	By crushing	W 1			1										1				
171	By other means	W 2	1		1								1			1			
	Homicide	W 150	40	20	90	2		1		1	2	2	10	22	41	35	15	9	9
		C 244	130	23	91	2						2	23	61	89	37	19	7	2
173	By firearms	W 109	27	16	66						2	2	6	16	35	26	8	7	6
		C 167	80	18	69							2	19	42	59	27	11	4	2
174	By cutting or piercing instruments	W 21	4	4	13	1		1		1			2	5	3	5	2	1	
		C 49	36	3	10								2	12	23	5	5	2	
175	By other means	W 20	9		11	1							2	1	3	4	5	1	3
		C 28	14	2	12	2							2	7	7	5	3	1	
	Accidental, other, or undefined	W 1,200	380	168	652	52	36	25	26	18	73	66	93	143	144	119	102	73	225
		C 559	175	58	326	45	15	16	13	15	43	34	66	68	64	69	39	26	43
176	Attack by venomous animals	W 5		1	4		1						2	1		1			
177	Poisoning by food	W 18	4	1	13	4	1	1	1		2			1	1	1	4	1	1
		C 18	3	3	12	4	1	1	1		2	1				1	4	2	1
178	Absorption of poisonous gas	W 2	2												1		1		
179	Other acute accidental poisonings (gas excepted)	W 22	8	3	11	1	7	2			2		1	1	2	2	2	1	1
		C 16	5	1	10		2	3	1	1	1	1	2	2		1	1		1
180	Conflagration	W 23	2	2	19	3		1	3		1		2	4	3		2		4
		C 17	5	1	11		2	1	2	2	2	1			1	1	2		3
181	Burns (conflagration excepted)	W 97	26	9	62	7	12	10	15	9	10	3	3	2	5	4	2	3	11
		C 74	25	6	43	4	7	8	7	10	13	1	1	3	5	2	3	3	6
	Supplemental	W 8	3	1	4									2	2	1	2	1	
		C 3			3										2	1			
182	Mechanical suffocation	W 18	4	1	13	16					1					1			
		C 19	1	2	16	17							1		1				
	Supplemental	W 1			1								1						
183	Drowning	W 80	2	3	75		4		2	1	6	10	11	19	10	11	2	1	3
		C 58	3	2	53	1		1			5	8	22	9	5	6			1
	Supplemental	W 8	3		5							1		1		3	1	1	1
		C 10		1	9						1	2	2		4				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH CAROLINA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Traumatism:																		
184	By firearms (wounds of war excepted) W	62	18	9	35	1					7	7	13	8	9	6	4	4	2
	C	52	17	10	25				1	1	4	11	9	14	6	5		1	
185	By cutting or piercing instruments (wounds of war excepted) W	12	2	1	9		1				1	2		1	3	1			3
	C	6	2	1	3											1	1	1	3
	Supplemental W	8	2	3	3									2	5		1		
	C	3	1	1	1									2		1			
186a	By fall W	201	71	25	105	2		3			5	4	6	2	5	7	15	15	137
	C	33	13	2	18	2	3				1	2	1	1	2	3	3	6	9
	Supplemental W	39	17	8	14	1				2		1	7	11	5	2	5		5
	C	17	8	2	7								7	1	1	1	4	1	2
186b	By crushing, landslide W	2			2	1											1		
	C	4	1	1	2								1			3			
	Supplemental W	69	24	15	30		1	2		1	5	6	7	9	14	8	9	3	4
	C	32	13	2	17						2			10	8	8	1	2	1
188	Injuries by animals W	9	3	1	5			1				1	1		1			2	3
	C	2			2												1		1
189	Hunger and thirst W	1			1	1													
190	Excessive cold C	2	1		1											1	1		
191	Excessive heat W	2			2	1	1												
	C	8	3	2	3									2		2	2		2
192	Lightning W	4			4										1	2	1		
	C	2			2								1		1				
193	Due to electric currents W	8	4	1	3			1				1		2	3			1	
	C	1			1								1						
	Supplemental W	1		1													1		
194a	Foreign bodies W	10	2	1	7	3	4				1				1			1	
	C	12	3		9	8		1								3			
194b	Other accidents W	51	15	11	25	10	1	1	1	1	4	3	3	7	8	2	1	4	4
	C	27	8	2	17	9						1	7	2	3	3		1	1
	Supplemental W	438	167	71	200	1	3	3	4	4	28	25	37	71	64	67	48	35	46
	C	136	56	19	61			1	1	1	12	6	10	19	23	26	16	8	11
198	Legal executions W	1	1												1				
	C	7	7										1	3	2			1	
	XVIII.—Ill-defined causes of death White	661	54	27	580	298	15	7	2	1	5	4	5	7	22	22	38	57	177
	Colored	745	107	38	600	401	29	10	3	3	14	9	12	13	38	33	33	48	94
199	Sudden death W	126	9	6	111	16							1	1	8	8	16	19	57
	C	97	16	6	75	23						1	2	3	9	11	12	16	19
200a	Cause of death ill-defined W	171	15	9	147	50	6	2	1	1	3	3	3	3	4	9	16	21	49
	C	131	23	4	104	43	10	8	1	1	5	1	4		5	6	6	18	22
200b	Cause of death not specified or unknown W	364	30	12	322	232	9	5	1		2	1	1	3	10	5	6	17	71
	C	517	68	28	421	335	19	2	2	2	9	7	6	10	24	16	15	14	53
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	1			1								1						
202	Accidents from agricultural machinery C	2			2										1			1	
203	Elevator accidents W	1	1															1	
	C	1	1										1						
204	Accidents from machinery used for recreation W	1	1									1							
205	Other machinery accidents W	16	5	3	8								1	4	3	1	5	1	1
	C	4	1	2	1								1	1		2			
206	Railroad and automobile collisions W	27	12	5	10								4	8	2	4	6	1	2
	C	7	3		4								1	2	1	1	2		
207	Other railroad accidents W	55	22	10	23							3	8	10	10	8	10	4	2
	C	39	19	4	16						1	1	2	6	11	10	4	2	
209	Other street car accidents W	2	2				1								1				
210	Automobile accidents (primary) W	430	160	77	193	2	3	5	4	7	33	26	33	68	66	62	44	32	43
	C	128	50	17	61			1	1	1	13	5	10	22	20	24	14	7	10
211	Motorcycle accidents W	5	4		1								1	1	1				2
	C	1			1								1						
212	Other land transportation accidents W	19	3	4	12							2	3	3	4		2		5
	C	10	4	2	4								2	1	1		1	1	4
213	Water transportation accidents W	8	4		4							1			1	4		1	1
	C	9			9						1	2	1		4				1
214	Air transportation accidents W	7	2		5								1	2	2	2			
	NORTH DAKOTA																		
	Total deaths (all causes)	5,153	993	625	3,535	779	87	42	31	26	93	85	115	126	245	305	517	647	2,053
	I.—Infectious and parasitic diseases	474	86	57	331	60	21	10	9	9	22	18	36	41	50	46	45	31	76
1	Typhoid fever	14	1	6	7			1					2		3	2	4		2
2	Paratyphoid fever	1	1									1							
7	Measles	11	5		6	3	1	1	1	2	2		1						
8	Scarlet fever	5		2	3		1	1			2	1							
9	Whooping cough	23	4	1	18	15	3	2	2		1								
10	Diphtheria	14	4	1	9	1	4	1		2	1	3				1		1	
11a	Influenza, respiratory complications specified	77	12	9	56	12		1	3	2	2	4	4	3	4	6	9	7	20
11b	Influenza, respiratory complications not specified	64	13	4	47	13		2	1		1	3	3	1	2	2	4		32

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
13	Dysentery	5	1		4	1		1										1	2
15	Erysipelas	7	2	2	3	3									1				3
16	Acute poliomyelitis, acute polioencephalitis	3	2		1	1	1							1					
17	Lethargic or epidemic encephalitis	6	1	2	3		1								1	2	1		1
18	Epidemic cerebrospinal meningitis	15	4	5	6		4			2	4	2	1	1					1
22	Tetanus	4		3	1	1										2	1		
	Tuberculosis (all forms)	200	31	19	150	4	6		2	1	8	4	25	35	33	29	20	19	14
23	Respiratory system	167	19	15	133	1	1				3	2	23	31	32	26	18	18	12
24	Meninges and central nervous system	17	6	3	8	2	5		1		4	1	2	1	1				
25	Intestines and peritoneum	8	2	1	5	1				1	1	1		1		2			1
26	Vertebral column	3	1		2									1			2		
27a	Bones (vertebral column excepted)	1	1																1
30	Genitourinary system	1	1															1	
31	Other organs	1	1											1					
32a	Acute disseminated tuberculosis	2			2				1							1			
34	Syphilis	16	3	1	12	5					1				2	1	4	2	1
35	Gonococcus infection and other venereal diseases	3		1	2										2			1	
36	Purulent infection, septicemia (non-puerperal)	3	2		1										1		2		
41b	Hydatid cysts of other organs	1	1													1			
43	Mycoses	1			1										1				
44	Other infectious and parasitic diseases	1			1	1													
	II.—Cancers and other tumors	541	134	66	341		1		1		2	1	2	2	13	36	91	129	263
	Cancer and other malignant tumors	523	128	62	333		1		1		2		2	1	10	31	84	128	263
(45)	Buccal cavity	12	4		8												1	5	6
(45)	Pharynx	2			2										1				1
(46)	Esophagus	10	1	3	6													3	7
(46)	Stomach and duodenum	182	39	17	126										2	9	24	41	106
(46)	Liver and biliary passages	32	6	7	19										1		9	5	17
(46)	Pancreas	13	5	2	6											1		5	7
(46)	Other digestive tract and peritoneum	70	23	7	40				1		2					5	5	24	33
47	Respiratory system	17	7	1	9								1				6	2	8
48	Uterus	36	8	3	25										1	4	10	12	9
49	Other female genital organs	6	2	3	1												3		3
50	Breast	44	8	4	32										1	8	13	13	9
51	Male genitourinary organs	56	16	8	32										1	2	6	10	37
52	Skin	6	1		5												2		4
53	Other or unspecified organs	37	8	7	22		1						1	1	3	2	5	8	16
54a	Nonmalignant tumors, ovary	1			1										1				
54b	Nonmalignant tumors, uterus	8	5	2	1											4	4		
55d,e	Tumors, other organs (nature unspecified)	9	1	2	6							1		1	2	1	3	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	166	35	16	115	9	1	1	2		2	5	10	5	6	7	20	32	66
56	Acute rheumatic fever	8	3		5			1				2	1	2	1	1			
57	Chronic rheumatism, osteoarthritis	11	1	3	7										1	1	1	1	7
59	Diabetes mellitus	118	24	13	81		1				2	3	8	3	2	3	13	28	55
62	Pellagra	1			1														1
63	Rickets	1			1	1													
66b	Exophthalmic goiter	14	5		9								1		1	2	6	2	2
(66)	Other diseases of thyroid and parathyroid glands	4	1		3	1			2									1	
67	Diseases of thymus gland	8	1		7	7									1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1			1														1
	IV.—Diseases of the blood and blood-making organs	68	17	7	44	2	1	3	1		5	1	1	3	3	9	11	17	11
70	Hemorrhagic conditions	4	1		3		1		1			1					1		
71a	Pernicious anemia	30	6	3	21											4	6	12	8
72a	True leukemias	22	5	2	15	2		3			4		1		2	2	3	3	2
72b	Pseudoleukemias (Hodgkin's disease)	8	2	2	4						1			2	1	2		1	1
73	Diseases of the spleen	2	1		1									1			1		
74	Other diseases of blood and blood-making organs	2	2													1		1	
	V.—Chronic poisonings and intoxications	8	1	2	5										1	2	2	3	
75	Alcoholism (acute or chronic)	8	1	2	5										1	2	2	3	
	VI.—Diseases of the nervous system and of the organs of special sense	581	95	65	421	41	4	2		2	4	6	2	3	11	21	48	88	348
78	Encephalitis (nonepidemic)	7	2	2	3		1			1	2	1				1			1
79a	Simple meningitis	9	5	2	2	3	1	1			1	1					1	1	
79b	Nonepidemic cerebrospinal meningitis	3			3	1						1		1					
80	Progressive locomotor ataxia (tabes dorsalis)	2		1	1										1			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
81	Other diseases of spinal cord	13	6	3	4										3	4	1	2	3
82a	Cerebral hemorrhage	432	59	45	328										1	10	35	73	312
82b	Cerebral embolism and thrombosis	28	10	5	13							1				1	6	4	16
82c	Softening of brain	1	1																1
82d	Hemiplegia and other paralysis, cause unspecified	7	2		5													1	6
83	General paralysis of insane	10	1	1	8									1		4	2	1	2
84	Dementia praecox and other psychoses	4			4										1		1	1	1
85	Epilepsy	11	2	2	7							1	1		3	1	2		3
86	Convulsions (under 5 years of age)	33			33	32		1											
87	Other diseases of nervous system	10	2	2	6	2						1			2			2	3
89a	Diseases of ear	8	2	2	4	3	1				1		1	1				1	
89b	Diseases of mastoid process	3	3				1			1								1	
	VII.—Diseases of the circulatory system	966	169	91	706	2	2				2	12	3	8	29	36	113	138	620
90	Pericarditis	1			1														1
91a	Acute endocarditis	15	4		11							1			6	4	1	1	2
91b	Endocarditis, unspecified (under 45 years)	2			2							1	1						
92a	Endocarditis, specified as chronic, and other valvular diseases	180	34	19	127		2					4	1	5	9	11	28	24	96
92b	Endocarditis, unspecified (45 years and over)	11	1	1	9												3	1	7
93a	Acute myocarditis	6	2	1	3						2	1					1		2
93b	Myocarditis, unspecified (under 45 years)	1			1											1			
93c	Chronic myocarditis and myocardial degeneration	306	46	35	225							1	1		4	9	28	39	223
93d	Other diseases of myocardium	36	10	2	24												4	10	22
94a	Angina pectoris	71	13	3	55										1	1	9	17	43
94b	Diseases of coronary arteries	68	21	8	39										3	5	11	10	39
95a	Functional diseases of heart	10	1	1	8										1			2	7
95b	Other and unspecified diseases of heart	150	20	10	120							4		3	4	4	19	23	93
96	Aneurysm (except of heart)	7	1	1	5										1		1	3	2
97	Arteriosclerosis (coronary arteries excepted)	80	10	6	64											1	3	4	72
98	Gangrene	5	1		4														5
99	Other diseases of arteries	4		1	3												1	1	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	4	1	1	2												3	1	
101	Diseases of lymphatic system (lymphangitis, etc.)	2			2	2													
102	Idopathic anomalies of blood-pressure	6	3	2	1												1	2	3
103	Other diseases of circulatory system	1	1																1
	VIII.—Diseases of the respiratory system	456	92	60	304	101	25	11	5	3	10	9	8	9	25	18	32	44	156
104b	Diseases of nasal fossae and annexae	4	1	1	2								1			2	1		
105	Diseases of larynx	4			4	1	1		1		1								
106a	Acute bronchitis	11	1		10	4												1	6
106b	Chronic bronchitis	14	2	2	10										1		1	1	11
106c,d	Bronchitis, unspecified	5	2		3		2											1	2
107a	Bronchopneumonia	169	42	20	107	81	17	6	2		4	1			2	2	2	8	44
108	Lobar pneumonia	216	35	33	148	13	3	5	2	2	5	8	7	7	20	13	25	31	75
109	Pneumonia, unspecified	2			2		1												1
110	Pleurisy	7	6		1	1	1			1					1	1	1		1
111a	Pulmonary embolism and thrombosis	5	1	1	3									2	1			1	1
111b	Pulmonary congestion, edema, hemorrhagic infarct	7	1	2	4														7
112	Asthma	10	1	1	8	1											1	1	7
114	Other diseases of respiratory system (tuberculosis excepted)	2			2												1		1
	IX.—Diseases of the digestive system	449	115	80	254	96	14	4	9	6	21	16	14	10	31	45	48	54	81
115a	Diseases of pharynx and tonsils	17	4	2	11	1	1		2	1	1	3	2	2	1	2			1
117a	Ulcer of stomach	15	4	3	8										2	3	1	5	4
117b	Ulcer of duodenum	8	3	2	3										1	2	4	1	
118	Other diseases of stomach (cancer excepted)	11			11	4					1					1	2		3
119	Diarrhea, enteritis (under 2 years of age)	97	7	5	85	86	11												
120	Diarrhea, enteritis (2 years and over)	22	5	2	15			3	3	1	1	1					2	3	8
121	Appendicitis	107	36	28	43	1		1	2	2	13	12	10	6	21	9	9	11	10
122a	Hernia	31	12	3	16		1								1	3	4	10	12
122b	Intestinal obstruction	35	8	10	17	2			2	1				1	1	9	3	6	10
123	Other diseases of intestines	6	1	1	4	2	1			1									2
124	Cirrhosis of liver	27	5	5	17											3	7	5	12
125a	Yellow atrophy of liver	4	1		3												2	1	1
125b	Other diseases of liver	2	1		1								1			1			
126	Biliary calculi	45	15	15	15									1	1	10	7	11	15
127	Other diseases of gall-bladder, biliary passages	11	9		2						1				3		3	1	3
128	Diseases of pancreas	4	1	1	2											2	2		
129	Peritonitis, cause not specified	7	3	3	1						4		1				2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	X.—Diseases of the genitourinary system	410	71	56	283	3	------	1	------	2	2	2	8	4	12	21	46	58	251
130	Acute nephritis (including unspecified under 10 years)	12	2	------	10	------	------	1	------	1	------	------	3	1	------	1	1	1	3
131	Chronic nephritis	320	42	46	232	------	------	------	------	------	1	2	3	3	9	15	38	52	197
132	Nephritis, unspecified (10 years and over)	18	5	1	12	------	------	------	------	------	------	------	------	------	1	3	2	1	11
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	14	8	4	2	3	------	------	------	1	1	------	------	------	------	1	2	1	5
134	Calculi of urinary passages	4	1	------	3	------	------	------	------	------	------	------	1	------	------	------	------	1	2
135	Diseases of bladder (tumors excepted)	6	2	------	4	------	------	------	------	------	------	------	------	------	------	------	------	------	6
136	Diseases of urethra, urinary abscess, etc	2	------	------	2	------	------	------	------	------	------	------	------	------	------	------	1	------	1
137	Diseases of prostate	27	7	5	15	------	------	------	------	------	------	------	------	------	------	------	------	1	26
139a	Cysts of ovary	4	2	------	2	------	------	------	------	------	------	------	------	------	------	1	2	1	------
139b	Other diseases of ovaries, diseases of tubes and parametrium	2	2	------	------	------	------	------	------	------	------	------	------	------	2	------	------	------	------
139c	Diseases of uterus	1	------	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	62	21	3	38	------	------	------	------	------	------	------	6	12	25	19	------	------	------
140	Abortion with septic conditions	8	5	------	3	------	------	------	------	------	------	------	------	2	5	1	------	------	------
141	Abortion without mention of septic conditions (including hemorrhages)	8	2	1	5	------	------	------	------	------	------	------	1	------	3	4	------	------	------
142a	Ectopic gestation, septic conditions specified	1	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
142b	Ectopic gestation, septic conditions not mentioned	4	2	------	2	------	------	------	------	------	------	------	------	------	3	1	------	------	------
144a	Placenta praevia	2	------	------	2	------	------	------	------	------	------	------	------	------	2	------	------	------	------
144b	Other puerperal hemorrhages	6	1	1	4	------	------	------	------	------	------	------	1	3	1	1	------	------	------
145a	Puerperal septicemia and pyemia (abortion excluded)	10	4	------	6	------	------	------	------	------	------	------	1	4	2	3	------	------	------
146	Puerperal albuminuria and eclampsia	9	3	------	6	------	------	------	------	------	------	------	------	1	5	3	------	------	------
147	Other toxemias of pregnancy	1	------	------	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	------	------	3	------	------	------	------	------	------	------	1	------	1	1	------	------	------
149	Other accidents of childbirth	9	4	------	5	------	------	------	------	------	------	------	2	------	3	4	------	------	------
150	Other and unspecified conditions of puerperal state	1	------	------	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------
	XII.—Diseases of the skin and cellular tissue	10	2	3	5	2	------	------	------	------	------	------	------	------	2	1	1	1	3
151	Furuncle, carbuncle	3	2	------	1	------	------	------	------	------	------	------	------	------	------	1	1	1	------
152	Phlegmon, acute abscess	1	------	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
153	Other diseases of skin and annexa, and of cellular tissue	6	------	2	4	2	------	------	------	------	------	------	------	------	1	------	------	------	3
	XIII.—Diseases of the bones and organs of locomotion	7	3	1	3	1	1	1	------	------	------	1	------	1	------	1	1	------	------
154	Osteomyelitis	6	2	1	3	------	1	1	------	------	------	1	------	1	------	1	1	------	------
156	Diseases of joints, other organs of locomotion	1	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------
	XIV.—Congenital malformations	86	11	16	59	74	5	2	1	1	3	------	------	------	------	------	------	------	------
157a	Congenital hydrocephalus	16	3	4	9	9	3	------	1	------	3	------	------	------	------	------	------	------	------
157b	Spina bifida and meningocele	15	3	1	11	15	------	------	------	------	------	------	------	------	------	------	------	------	------
157c	Congenital malformations of heart	43	3	10	30	38	2	2	------	1	------	------	------	------	------	------	------	------	------
157d	Other congenital malformations	12	2	1	9	12	------	------	------	------	------	------	------	------	------	------	------	------	------
	XV.—Diseases of early infancy	328	56	40	232	328	------	------	------	------	------	------	------	------	------	------	------	------	------
158	Congenital debility	19	------	1	18	19	------	------	------	------	------	------	------	------	------	------	------	------	------
159	Premature birth	209	38	27	144	209	------	------	------	------	------	------	------	------	------	------	------	------	------
160	Injury at birth	68	18	10	40	68	------	------	------	------	------	------	------	------	------	------	------	------	------
161	Other diseases peculiar to early infancy	32	------	2	30	32	------	------	------	------	------	------	------	------	------	------	------	------	------
162	XVI.—Senility	90	1	9	80	------	------	------	------	------	------	------	------	------	------	------	------	------	90
	XVII.—Violent and accidental deaths	364	82	50	232	10	10	5	3	3	20	14	24	28	37	41	58	41	70
	Suicide	79	12	11	56	------	------	------	------	------	------	------	1	3	15	12	20	17	11
163	By solid or liquid poisons or by absorption of corrosive substances	7	3	------	4	------	------	------	------	------	------	------	------	2	1	1	------	3	------
164	By poisonous gas	4	4	------	------	------	------	------	------	------	------	------	------	------	1	1	2	------	------
165	By hanging or strangulation	20	1	1	18	------	------	------	------	------	------	------	------	------	4	8	2	1	5
166	By drowning	4	------	1	3	------	------	------	------	------	------	------	------	------	1	------	2	------	1
167	By firearms	34	2	9	23	------	------	------	------	------	------	------	1	1	7	2	9	10	4
168	By cutting or piercing instruments	5	------	------	5	------	------	------	------	------	------	------	------	------	1	------	2	1	1
169	By jumping from high places	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
170	By crushing	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------
171	By other means	3	1	------	2	------	------	------	------	------	------	------	------	------	------	------	2	1	------
	Homicide	8	2	1	5	------	------	------	------	------	------	------	2	------	1	2	1	2	------
173	By firearms	3	------	1	2	------	------	------	------	------	------	------	1	------	------	1	1	------	------
174	By cutting or piercing instruments	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
175	By other means	4	1	------	3	------	------	------	------	------	------	------	1	------	------	1	------	2	------
	Accidental, other, or undefined	277	68	38	171	10	10	5	3	3	20	14	21	25	21	27	37	22	59
177	Poisoning by food	2	------	1	1	------	------	------	------	------	------	------	------	------	------	1	1	------	------
178	Absorption of poisonous gas	4	------	------	4	------	------	------	------	------	------	------	------	1	------	------	------	2	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	NORTH DAKOTA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Supplemental	1		1												1			
179	Other acute accidental poisonings (gas excepted)	7	4		3	1								1			5	1	
180	Conflagration	8	4		4	1	1		1		1			1				2	1
181	Burns (conflagration excepted)	13	6	2	5		3	1		2			2	2		1			2
182	Mechanical suffocation	4	1		3	4													
	Supplemental	1			1											1			
183	Drowning	22		4	18		1	1	1		6	3	3	3	2		2		
	Supplemental	3			3									2			1		
	Traumatism:																		
184	By firearms (wounds of war excepted)	16	1	3	12			1			3	1	1	2		2	2	2	2
185	By cutting or piercing instruments (wounds of war excepted)	5	1	2	2						1	2			1		1		
	Supplemental	1			1														1
186a	By fall	43	12	8	23		1	1			3	1	3				1	2	31
	Supplemental	12	5		7						1	1	1	1	2	2	2	1	1
186b	By crushing, landslide	3	1		2								1		1		1		
	Supplemental	40	9	5	26		1			1	2	1	3	7	3	3	7	6	6
188	Injuries by animals	13	2	2	9		1	1			1	1	2	1	2	2		1	1
190	Excessive cold	1			1														1
191	Excessive heat	4		1	3												1		3
192	Lightning	5			5							1	1		1	1	1		
194a	Foreign bodies	5	2		3	3	2												
194b	Other accidents	9	1	3	5						1	1	1		1	1		2	2
	Supplemental	55	19	6	30	1			1		1	2	3	5	8	12	12	3	7
	XVIII.—Ill-defined causes of death	87	2	3	82	50	2	2					1			2	1	11	18
199	Sudden death	14	1	1	12	3												4	7
200a	Cause of death ill-defined	16	1		15	2	1						1			2	1	5	4
200b	Cause of death not specified or unknown	57		2	55	45	1	2										2	7
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	6	1	1	4							1	1		1	1	2		
202	Accidents from agricultural machinery	8	1	1	6										2	2	2		2
203	Elevator accidents	3	2		1									1			2		
205	Other machinery accidents	5	1		4					1		1		1		2			
206	Railroad and automobile collisions	2	1		1							1				1			
207	Other railroad accidents	19	6	1	12									1	4	5	4	2	3
210	Automobile accidents (primary)	57	20	9	28	1	1		1		3		4	10	4	6	11	7	9
212	Other land transportation accidents	12	1		11						1	1	2	2	2	1	1	1	1
214	Air transportation accidents	1			1											1			
	OHIO																		
	Total deaths (all causes)	76,286	44,956	6,914	24,416	5,951	847	416	341	277	1,083	790	1,307	1,769	3,955	6,062	8,451	11,729	33,277
	I.—Infectious and parasitic diseases	8,258	4,685	654	2,919	606	296	162	118	99	365	173	358	540	1,075	1,082	986	772	1,626
1	Typhoid fever	138	56	16	66		1		2	1	8	19	14	20	24	18	12	16	3
2	Paratyphoid fever	2			2										1			1	
5	Undulant fever	10	6		4						1	3				2	2	2	
6	Smallpox	2			2										1		1		
7	Measles	180	106	10	64	34	52	21	11	4	41	3	3		2	3	3	1	2
8	Scarlet fever	222	144	21	57	8	14	18	19	17	80	13	17	5	24	4	3		
9	Whooping cough	336	196	20	120	184	90	20	14	9	16			1			1		1
10	Diphtheria	222	115	19	88	6	23	30	26	23	72	14	5	2	5	9	4	1	2
11a	Influenza, respiratory complications specified	1,462	732	151	579	116	43	22	9	11	34	19	32	26	78	146	135	159	632
11b	Influenza, respiratory complications not specified	892	370	97	425	92	19	15	10	7	27	18	19	20	47	52	78	84	404
13	Dysentery	53	20	6	27	17	3	6			1			2		1	1		22
15	Erysipelas	96	61	7	28	23	2			1	1	1	1	3	1	8	6	14	35
16	Acute poliomyelitis, acute polioencephalitis	27	13	5	9	2	5		1	5	3	4	3	1	2	1			
17	Lethargic or epidemic encephalitis	55	36	3	16		1	2	2	1	1	1	3	5	4	6	15	6	8
18	Epidemic cerebrospinal meningitis	70	56	7	7	13	4	3	3		7	6	5	4	11	5	5	3	1
21	Rabies	1			1								1						
22	Tetanus	53	38	3	12	2				3	11	8	2		5	6	8	5	3
	Tuberculosis (all forms)	3,786	2,282	245	1,259	28	29	21	19	15	58	56	241	433	809	717	573	365	422
23	Respiratory system	3,412	2,028	212	1,172	12	14	10	7	3	30	45	215	412	755	670	535	327	377
24	Meninges and central nervous system	116	91	9	16	12	10	9	11	9	20	5	9	6	11	8	4	1	1
25	Intestines and peritoneum	116	71	11	34	1	2		1	2	6	3	11	6	22	15	14	15	18
26	Vertebral column	53	35	4	14			1					2	4	13	9	9	6	9
27a	Bones (vertebral column excepted)	10	3	3	4							1	1			1		3	4
27b	Joints	11	4	1	6	1					1				1	3		2	3
28	Skin and subcutaneous cellular tissue	2	2															2	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	12	7	2	3	1				1				1			3	3	3
30	Genitourinary system	28	20	2	6								1	3	2	7	5	4	6

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
	Tuberculosis (all forms)—Continued																		
31	Other organs	7	7											1	2	2	1	1	
32a	Acute disseminated tuberculosis	17	13	1	3	1	3	1			1	2	2		3	2	1	1	
32b,c	Other disseminated tuberculosis	2	1		1												1		1
34	Syphilis	524	366	30	128	69	4	1	2	1		6	6	10	45	77	129	102	72
35	Gonococcus infection and other venereal diseases	41	34	7									2	6	9	14	5	4	1
36	Purulent infection, septicemia (non-puerperal)	41	23	3	15	4	1	2			2	2	1	1	4	6	3	4	11
38	Malaria	7	5		2										1	1	1	1	3
39	Other diseases due to protozoal parasites	3	3										1			2			
41a	Hydatid cysts of liver	2	2													1		1	
42	Other diseases caused by helminths	3	2		1		2								1				
43	Mycoses	9	7	2		2							1	1	1	1	1		2
44	Other infectious and parasitic diseases	21	12	2	7	6	3	1		1	2		1			2		3	2
	II.—Cancers and other tumors	8,039	5,018	730	2,291	5	5	6	11	10	23	18	20	34	183	689	1,381	2,006	3,648
	Cancer and other malignant tumors	7,674	4,726	709	2,239	4	1	4	7	7	17	14	10	28	150	581	1,300	1,946	3,605
(45)	Buccal cavity	199	111	12	76			1			1			1	2	8	24	53	109
(45)	Pharynx	33	21		12											1	4	7	21
(46)	Esophagus	103	85	5	13											4	21	32	46
(46)	Stomach and duodenum	1,627	960	159	508										11	65	212	398	941
(46)	Liver and biliary passages	780	423	81	276						1		1		7	40	102	204	425
(46)	Pancreas	186	137	14	35								1		2	13	24	63	83
(46)	Other digestive tract and peritoneum	1,173	742	124	307	1			2		1	3	2	7	26	86	173	302	570
47	Respiratory system	266	196	16	54					1					8	26	64	76	91
48	Uterus	953	628	93	232									1	35	141	264	263	249
49	Other female genital organs	144	109	15	20							1	1		5	19	47	35	36
50	Breast	771	474	70	227									2	13	87	194	218	257
51	Male genitourinary organs	651	386	56	209	1	1	2	1	3	4			6	14	17	51	133	418
52	Skin	183	80	18	85								1		2	11	9	26	134
53	Other or unspecified organs	605	374	46	185	2		1	4	3	10	10	4	11	25	63	111	136	225
54a	Nonmalignant tumors, ovary	16	14	1	1										1	4	4	5	2
54b	Nonmalignant tumors, uterus	166	139	7	20										14	68	51	19	14
54c	Nonmalignant tumors, other female genital organs	4	3	1												1	1	2	
54d,e	Nonmalignant tumors, other organs	98	79	8	11	1	2	1		2	3	2	7	2	7	20	14	18	19
55a	Tumors, ovary (nature unspecified)	1		1											1				
55d,e	Tumors, other organs (nature unspecified)	80	57	3	20		2	1	4	1	3	2	3	4	10	15	11	16	8
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	2,437	1,522	226	689	101	13	5	4	5	28	43	43	41	100	172	296	564	1,022
56	Acute rheumatic fever	158	101	10	47			1		2	15	17	11	8	21	21	18	14	30
57	Chronic rheumatism, osteoarthritis	99	49	12	38				1				1	2	2	3	6	17	67
59	Diabetes mellitus	1,648	1,029	154	465		2	1		1	7	25	25	22	48	90	199	423	805
60	Scurvy	1		1											1				
62	Pellagra	21	17	1	3									1	5	8	5	1	1
63	Rickets	14	5	1	8	6	5	2					1						
65	Diseases of pituitary body	5	3		2									2		1			2
66a	Simple goiter	41	25	2	14								1	1	1	1	8	15	14
66b	Exophthalmic goiter	293	190	33	70						1		4	4	15	37	51	89	92
(66)	Other diseases of thyroid and parathyroid glands	31	25	2	4	7	3		1		3				1	5	4	3	4
67	Diseases of thymus gland	94	60	7	27	87	3	1		2	1								
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	17	9	1	7							1		1	4	4	4		3
69	Other general diseases	15	9	2	4	1			2		1				2	2	1	2	4
	IV.—Diseases of the blood and blood-making organs	621	376	46	199	40	12	5	5	6	15	11	14	16	48	51	93	114	191
70	Hemorrhagic conditions	53	28	4	21	28	2	1		2	1	3			4	3	6		3
71a	Pernicious anemia	249	128	24	97	1	3	1		1	2	1	5	4	8	11	37	56	119
71b	Other anemias	50	27	6	17	10	1				1			3	1	1	7	8	18
72a	True leukemias	148	108	4	36	1	4	3	5	3	6	5	4	4	14	22	23	22	32
72b	Pseudoleukemias (Hodgkin's disease)	83	56	7	20						4	2	1	3	15	10	14	20	14
73	Diseases of the spleen	32	23	1	8		2				1		3	2	5	3	4	7	5
74	Other diseases of blood and blood-making organs	6	6										1		1	1	2	1	
	V.—Chronic poisonings and intoxications	217	145	16	56						1		2	3	24	68	64	40	15
75	Alcoholism (acute or chronic)	198	132	13	53								1	3	21	64	61	35	13
76	Chronic poisoning by other organic substances	9	6	2	1										2	2	2	1	2
77a	Chronic lead poisoning	8	6	1	1						1		1			1	1	4	
77b,c	Other chronic poisoning by mineral substances	2	1		1										1	1			
	VI.—Diseases of the nervous system and of the organs of special sense	9,134	4,746	949	3,439	89	24	14	16	16	79	53	61	64	164	432	944	1,641	5,534
78	Encephalitis (nonepidemic)	75	42	7	26	5	1	3		1	8		6	5	7	6	14	9	10
79a	Simple meningitis	110	85	4	21	19	4	2	1	4	14	9	3	6	6	9	14	10	9
79b	Nonepidemic cerebrospinal meningitis	17	10	2	5	4	3	1	1	1	2				3		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.																		
80	Progressive locomotor ataxia (tabes dorsalis)	93	46	5	42										3	3	20	31	36
81	Other diseases of spinal cord	186	84	27	75		1		1		2	3	5	3	8	13	22	42	86
82a	Cerebral hemorrhage	7,055	3,552	746	2,757	3	1		1		2	5	8	5	36	215	634	1,298	4,844
82b	Cerebral embolism and thrombosis	332	203	34	95	1					1	1	2	5	12	21	28	64	197
82c	Softening of the brain	80	41	3	36										1	1	8	5	65
82d	Hemiplegia and other paralysis, cause unspecified	97	39	15	43	1					1			1	1	1	10	14	68
83	General paralysis of insane	370	237	5	128						1		1	8	29	98	109	80	44
84	Dementia praecox and other psychoses	62	31	2	29									5	3	12	13	10	19
85	Epilepsy	157	47	64	46	3			1	2	5	13	9	15	24	22	24	16	23
86	Convulsions (under 5 years of age)	28	11	3	14	19	5	3		1									
87	Other diseases of nervous system	238	124	20	94	6	2	1	3	2	7	3	5	3	7	17	26	47	109
88	Diseases of organs of vision	10	6	1	3						1			1	1			1	5
89a	Diseases of ear	146	116	11	19	24	6	2	7	4	17	10	15	2	16	10	14	6	13
89b	Diseases of mastoid process	78	72		6	4	1	2	1	1	18	9	6	5	7	4	7	7	6
	VII.—Diseases of the circulatory system	17,906	10,001	1,673	6,232	19	5	5	8	6	45	66	74	123	326	913	1,695	3,091	11,528
90	Pericarditis	45	23	7	15						2	1		5	1	4	4	7	21
91a	Acute endocarditis	160	120	6	34	2	1	1		1	6	9	10	18	22	29	17	22	22
91b	Endocarditis, unspecified (under 45 years)	36	17	5	14	1		1		1	2	3	4	4	11	9			
92a	Endocarditis, specified as chronic, and other valvular diseases	3,424	1,709	310	1,405	3	1	1	5	2	17	30	31	48	103	236	353	552	2,041
92b	Endocarditis, unspecified (45 years and over)	313	158	30	125												28	59	226
93a	Acute myocarditis	270	180	17	73	3					1	1	2	5	8	33	41	55	121
93b	Myocarditis, unspecified (under 45 years)	87	49	10	28	1	1	1	1		3		3	6	29	42			
93c	Chronic myocarditis and myocardial degeneration	4,449	2,712	415	1,322	1			1		5	9	6	9	43	170	382	728	3,095
93d	Other diseases of myocardium	2,060	1,150	191	719									2	6	18	186	339	1,509
94a	Angina pectoris	1,258	640	139	479									1	13	72	160	322	690
94b	Diseases of coronary arteries	1,037	683	120	234	1							2	2	8	72	157	269	526
95a	Functional diseases of heart	57	26	6	25						1		1	3		1	6	7	38
95b	Other and unspecified diseases of heart	2,675	1,436	241	998	3	2	1	1	2	7	12	13	19	72	181	262	507	1,592
96	Aneurysm (except of heart)	141	99	7	35										3	20	26	39	53
97	Arteriosclerosis (coronary arteries excepted)	1,666	879	145	642										1	13	43	141	1,468
98	Gangrene	58	18	4	36	1						1			2	1	2	7	44
99	Other diseases of arteries	93	61	6	26						1		2		2	7	11	18	52
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	46	25	8	13										1	2	10	16	17
101	Diseases of lymphatic system (lymphangitis, etc.)	7	3	3	1	1										1	1	2	2
102	Idiopathic anomalies of blood-pressure	9	5	1	3											1	3		5
103	Other diseases of circulatory system	15	8	2	5	2								1	1	1	3	1	6
	VIII.—Diseases of the respiratory system	5,872	3,670	429	1,773	933	216	96	61	34	94	71	107	135	297	493	544	620	2,171
104a	Diseases of nasal fossae	14	11		3	6		1	1	1	1				1	1			2
104b	Diseases of nasal fossae and annexae	43	35	1	7	2	1			1	3	1	5	3	7	7	6	4	3
105	Diseases of larynx	24	13	2	9	2	4	2	2	2	1	1	1		2	1	4	1	1
106a	Acute bronchitis	85	38	7	40	21	6	1	2			1			4	1		5	44
106b	Chronic bronchitis	122	70	11	41	1	1				1		1	2	3	2	9	9	93
108c,d	Bronchitis, unspecified	47	27	5	15	6	1									1	1	4	34
107a	Bronchopneumonia	2,453	1,532	194	727	691	137	63	36	18	38	20	29	25	57	108	155	187	889
107b	Capillary bronchitis	33	8		25	7		1	1							2		5	17
108	Lobar pneumonia	2,586	1,638	165	783	177	52	19	14	11	43	42	60	88	192	325	300	348	915
109	Pneumonia, unspecified	37	17	3	17	8	3	1	1		3		1	2	1	2	3	2	10
110	Pleurisy	157	120	11	26	5	8	8	3	1	3	3	8	6	16	23	29	13	31
111a	Pulmonary embolism and thrombosis	26	18	2	6	1							1		1	2	5	6	10
111b	Pulmonary congestion, edema, hemorrhagic infarct	67	32	11	24	2	1								1	2	1	3	57
112	Asthma	106	64	11	31	2	1		1		1			7	5	6	14	20	49
113	Pulmonary emphysema	11	5	2	4							1				2	1	2	5
114	Other diseases of respiratory system (tuberculosis excepted)	61	42	4	15	2	1					2	1	2	7	8	16	11	11
	IX.—Diseases of the digestive system	4,912	3,461	421	1,030	619	163	54	36	34	137	115	131	125	342	541	690	768	1,143
115a	Diseases of pharynx and tonsils	239	193	16	40	6	5	5	10	8	35	18	22	13	31	37	17	17	15
115b	Diseases of buccal cavity and annexa	35	24	3	8	2	2					2	1	2	3	6	7	5	5
116	Diseases of esophagus	16	13	1	2											4	3	1	8
117a	Ulcer of stomach	290	198	20	72	1						1	5	7	25	44	56	68	83
117b	Ulcer of duodenum	133	105	7	21								1	2	11	27	33	23	36
118	Other diseases of stomach (cancer excepted)	166	80	20	66	24	6	1			4		2	2	7	9	21	18	59
119	Diarrhea, enteritis (under 2 years of age)	654	350	58	246	525	129												
120	Diarrhea, enteritis (2 years and over)	222	114	15	93			29	15	8	13	7	4	4	9	17	15	20	81
121	Appendicitis	971	798	104	69	2	10	10	7	12	61	76	83	60	134	147	152	140	77
122a	Hernia	349	273	34	42	5	1			1		2	1	1	15	35	55	80	153
122b	Intestinal obstruction	421	318	34	69	38	8	7		1	10	9	6	16	34	36	60	61	135
123	Other diseases of intestines	65	53	2	10				2	1	3		1	1	6	9	18	10	14
124	Cirrhosis of liver	597	395	39	163	2							1	4	20	73	111	157	229
125a	Yellow atrophy of liver	26	17	2	7					1			1	1	4	2	6	5	6
125b	Other diseases of liver	58	35	5	18	3	1							1	3	10	7	12	21

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	IX.—Diseases of the digestive system—Continued																		
126	Biliary calculi	342	274	26	42									1	13	46	78	92	112
127	Other diseases of gall-bladder, biliary passages	204	136	24	44		1	1			1		2	3	10	20	31	47	88
128	Diseases of pancreas	35	28	2	5			1							6	6	7	10	4
129	Peritonitis, cause not specified	89	67	9	13	11			2	2	10		1	7	11	13	13	2	17
	X.—Diseases of the genitourinary system	6,456	3,702	650	2,104	31	8	6	5	4	26	32	65	64	212	438	685	1,087	3,790
130	Acute nephritis (including unspecified under 10 years)	255	154	22	79	12	7	4	1	2	14	9	13	7	26	41	35	26	58
131	Chronic nephritis	4,800	2,611	519	1,670			1	2		7	19	33	23	97	234	490	855	3,037
132	Nephritis, unspecified (10 years and over)	395	186	46	163							1	5	6	8	38	45	66	225
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	203	154	12	37	17	1	1	2	2	5	3	5	2	18	21	31	23	72
134	Calculi of urinary passages	71	55	3	13								1	1	5	8	23	12	21
135	Diseases of bladder (tumors excepted)	48	30	2	16	1										1	3	14	29
136	Diseases of urethra, urinary abscess, etc	20	17	1	2									1	1	6	3	4	5
137	Diseases of prostate	392	267	27	98										1	2	12	61	316
138	Diseases of male genital organs, not specified as venereal	5	3		2	1										1	1		2
139a	Cysts of ovary	54	42	4	8								1	3	7	16	9	5	13
139b	Other diseases of ovaries, diseases of tubes and parametrium	141	124	8	9								6	17	39	53	15	7	4
139c	Diseases of uterus	69	57	5	7									3	10	17	18	13	8
139e	Other diseases of female genital organs	3	2	1									1	1				1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	640	472	55	113							2	52	129	277	176	4		
140	Abortion with septic conditions	112	91	7	14							1	12	29	49	20	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	39	28	1	10								2	8	16	12	1		
142a	Ectopic gestation, septic conditions specified	6	6												4	2			
142b	Ectopic gestation, septic conditions not mentioned	32	29	1	2								2	3	18	9			
143	Other accidents of pregnancy (hemorrhage not included)	3	3											1	1	1			
144a	Placenta praevia	14	10	2	2								1		6	7			
144b	Other puerperal hemorrhages	54	39	1	14								3	9	26	16			
145a	Puerperal septicemia and pyemia (abortion excluded)	140	104	19	17								18	30	65	26	1		
146	Puerperal albuminuria and eclampsia	87	51	13	23							1	9	20	32	25			
147	Other toxemias of pregnancy	20	15	2	3								1	6	4	8	1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	40	27	4	9								1	7	18	14			
149	Other accidents of childbirth	90	66	5	19								3	14	38	35			
150	Other and unspecified conditions of puerperal state	3	3											2		1			
	XII.—Diseases of the skin and cellular tissue	96	64	8	24	8			2		3	1	4	2	4	14	9	13	36
151	Furuncle, carbuncle	29	22	3	4						2		1		2	6	2	5	11
152	Phlegmon, acute abscess	32	25	1	6	3			1		1	1	2	1	1	5	6	4	7
153	Other diseases of skin and annexa, and of cellular tissue	35	17	4	14	5			1				1	1	1	3	1	4	18
	XIII.—Diseases of the bones and organs of locomotion	77	62	6	9	5			1	2	9	8	5	2	9	6	6	7	17
154	Osteomyelitis	40	35	3	2	3			1	2	7	8	2	1	3	4	1	3	5
155	Other diseases of bones (tuberculosis excepted)	11	9		2						1		1		3	1	2	1	2
156	Diseases of joints, other organs of locomotion	26	18	3	5	2					1		2	1	3	1	3	3	10
	XIV.—Congenital malformations	715	414	63	238	641	18	10	3		14	7	8	4	6	4			
157a	Congenital hydrocephalus	88	64	7	17	65	8	3			5	3	1	2	1				
157b	Spina bifida and meningocele	62	34	9	19	62													
157c	Congenital malformations of heart	402	202	37	163	364	9	5	2		4	4	6	1	4	3			
157d	Other congenital malformations	163	114	10	39	150	1	2	1		5		1	1	1	1			
	XV.—Diseases of early infancy	2,727	1,724	211	792	2,727													
158	Congenital debility	180	76	19	85	180													
159	Premature birth	1,760	1,139	140	481	1,760													
160	Injury at birth	529	357	32	140	529													
161	Other diseases peculiar to early infancy	258	152	20	86	258													
162	XVI.—Senility	554	206	85	263													8	546

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OHIO—Continued																		
	XVII.—Violent and accidental deaths	7,404	4,594	673	2,137	82	80	53	71	61	241	190	362	481	880	969	1,023	972	1,931
	Suicide	1,316	784	100	432							4	29	63	135	243	327	290	225
163	By solid or liquid poisons or by absorption of corrosive substances	185	138	15	32							1	7	16	32	43	44	25	17
164	By poisonous gas	88	66	10	12									1	9	17	32	23	6
165	By hanging or strangulation	288	150	13	125							1	1	7	15	46	81	74	63
166	By drowning	74	41	6	27								2	3	4	14	11	19	21
167	By firearms	588	318	53	217							2	19	33	66	97	138	132	101
168	By cutting or piercing instruments	54	37	2	15										7	9	9	14	15
169	By jumping from high places	29	27		2									2	2	12	10	1	2
170	By crushing	6	4	1	1									1		3	2		
171	By other means	4	3		1											2		2	
	Homicide	543	431	25	87	13	1				2		27	77	178	133	63	32	17
173	By firearms	347	266	17	64		1				1		20	55	124	85	37	18	6
174	By cutting or piercing instruments	71	63	4	4						1		3	9	27	19	7	3	2
175	By other means	125	102	4	19	13							4	13	27	29	19	11	9
	Accidental, other, or undefined	5,545	3,379	548	1,618	69	79	53	71	61	239	186	306	341	567	593	633	650	1,689
176	Attack by venomous animals	3	3												2		1		
177	Poisoning by food	41	16	5	20	1	1			2	3	1	1		1	5	7	6	13
178	Absorption of poisonous gas	98	74	7	17							2		1	12	16	22	18	27
	Supplemental	5	1		4										3		1		1
179	Other acute accidental poisonings (gas excepted)	90	66	8	16	3	10	1	1	2	4	1	1	5	12	20	16	10	4
180	Conflagration	93	66	10	17	1		2	3		7	3	4	8	13	14	13	10	15
181	Burns (conflagration excepted)	332	229	23	80	7	35	18	25	16	18	13	8	12	26	23	31	29	71
	Supplemental	32	8	3	21				1				6	8	5	10		1	1
182	Mechanical suffocation	33	19	3	11	23					3				1	3		1	2
	Supplemental	2		1	1												1		
183	Drowning	273	120	15	138		11	3	3	3	43	41	45	35	24	21	21	15	7
	Supplemental	49	18		31			1	1		1	4	7	7	13	7	3	5	
	Traumatism:																		
184	By firearms (wounds of war excepted)	117	62	14	41	1	1	1		1	2	13	17	14	18	17	14	11	6
185	By cutting or piercing instruments (wounds of war excepted)	41	30	6	5	2					2	2		2	6	7	7	10	3
	Supplemental	14	6	3	5	1					1	2	2		1	3	2	1	1
186a	By fall	1,485	905	162	418	8	3	8	2	2	17	12	13	16	44	66	103	158	1,033
	Supplemental	133	75	15	43				1		6	3	17	18	18	23	15	15	17
186b	By crushing, landslide	29	14	4	11				2		2		1	4	4	4	3	5	4
	Supplemental	464	272	43	149		3	3	4	5	13	17	33	37	66	77	84	57	62
187	Cataclysm	1			1									1					
188	Injuries by animals	25	9		16					1	1		1			1	4	2	15
189	Hunger and thirst	4	2	1	1	1										1	1		1
190	Excessive cold	8	3	1	4										1	2	2	2	1
191	Excessive heat	35	17	4	14						1		1		5	4	6	5	13
192	Lightning	13	3	1	9						2	3	2	1	1	1		2	1
193	Due to electric currents	30	18	3	9						3	1	2	2	13	3	3	1	2
	Supplemental	2			2									1			1		
194a	Foreign bodies	27	21		6	3	5	6	1						2	1	6	1	2
194b	Other accidents	207	133	20	54	10	4			5	11	9	8	7	17	25	33	33	45
	Supplemental	1,852	1,182	196	474	8	6	10	27	24	99	59	137	161	259	234	232	251	342
198	Legal executions	7	7											1		4	1	1	
	XVIII.—Ill-defined causes of death	221	94	19	108	45	7				3		1	6	8	14	31	26	79
199	Sudden death	40	18	4	18	4					1			2	1	1	2	5	24
200a	Cause of death ill-defined	99	49	10	40	6	7				2		1	3	4	7	21	18	30
200b	Cause of death not specified or unknown	82	27	5	50	35								1	3	6	8	3	25
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	57	19	7	31									5	13	10	9	13	7
202	Accidents from agricultural machinery	15	1	3	11						1	1	1	1	1	3	4	2	1
203	Elevator accidents	11	10		1								4	1	2	1	1	1	1
205	Other machinery accidents	71	44	15	12			1				1	3	8	14	14	10	11	9
206	Railroad and automobile collisions	152	60	21	71	1	1		2		1	2	19	20	25	20	27	23	11
207	Other railroad accidents	243	141	21	81		1	2			6	6	19	20	34	57	36	32	28
208	Street-car and automobile collisions	26	21	3	2								2	3	6	7	6	2	
209	Other street-car accidents	38	26	2	10		1			1		1	1	4	6	3	4	9	8
210	Automobile accidents (primary)	1,822	1,190	179	453	8	6	11	32	28	108	66	137	151	243	229	232	224	343
211	Motorcycle accidents	12	8		4								4	4	1	3			
212	Other land transportation accidents	50	18	8	24						4	4	2	2	4	1	6	11	16
213	Water transportation accidents	37	17		20							3	9	6	11	4	2	2	
214	Air transportation accidents	19	7	2	10							1	1	7	5	3	2		
	OKLAHOMA																		
	Total deaths (all causes) White	16,663	5,476	4,124	7,063	1,770	308	242	155	130	430	321	499	527	1,129	1,288	1,667	2,169	6,017
	Total deaths (all causes) Colored	2,622	985	560	1,077	282	76	23	17	13	57	58	135	189	332	312	345	278	494
	I.—Infectious and parasitic diseases White	2,735	752	637	1,346	238	115	113	74	51	189	92	133	145	306	261	249	208	560
	I.—Infectious and parasitic diseases Colored	756	258	165	333	59	26	11	6	6	26	26	76	96	137	76	82	50	78
1	Typhoid fever W	177	37	48	92	3	2	1	2	5	9	25	36	35	23	13	9	7	7
1	Typhoid fever C	51	12	15	24	2	1	1		1	3	3	11	9	10	3	4	2	1
5	Undulant fever W	1	1															1	
6	Smallpox W	1			1														1

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
7	Measles	W	11	4	2	5	2	3	1		1	4								
		C	1			1		1												
8	Scarlet fever	W	45	19	10	16	1	3	9	7	4	15			1	2	1	2		
		C	3		2	1						1	1	1						
9	Whooping cough	W	86	16	19	51	50	21	6	3	1	3	1						1	
		C	14	5	3	6	9	4		1										
10	Diphtheria	W	308	68	63	177	19	38	58	44	30	93	15	2	3	3	1		2	
		C	13	4	4	5	3	1	1		2	4	2							
11a	Influenza, respiratory complications specified	W	538	170	104	264	42	12	16	4	3	26	13	30	13	48	49	51	51	180
		C	95	46	15	34	8	4	1	1	1	6	2	3	8	6	9	15	12	19
11b	Influenza, respiratory complications not specified	W	404	102	82	220	44	12	10	5	3	13	11	11	8	23	15	25	29	195
		C	72	19	13	40	10	3	2	1		1		1	4	7	6	7	4	26
13	Dysentery	W	44	8	9	27	17	8	2		1	1				1		2		12
		C	12	1	1	10	6	3	2			1								
15	Erysipelas	W	34	12	6	16	9		1				1	1	1	2	3	1	3	12
16	Acute poliomyelitis, acute polioencephalitis	W	18	4	3	11	5	3	1			3	1	2			2	1		
		C	2			2	2													
17	Lethargic or epidemic encephalitis	W	14	5	4	5	1					1		1	1	2	3	1	1	3
		C	1	1				1												
18	Epidemic cerebrospinal meningitis	W	24	6	5	13	5	1				1	2	5	2	2	4	2		
		C	5	1	3	1	2	1				1				1				
21	Rabies	W	3	1	1	1						2								1
		C	1			1										1				
22	Tetanus	W	28	15	6	7	3		1	1		6	4	3		3	1	5	1	
		C	2	2								1						1		
	Tuberculosis (all forms)	W	768	195	233	340	8	5	4	2	1	7	12	25	65	167	139	123	89	120
		C	396	135	86	175	5	5	3	2	1	7	14	55	65	100	49	41	23	25
23	Respiratory system	W	694	159	221	314	3	2		1		2	8	22	60	157	130	114	84	110
		C	359	112	78	169	5	2	1	2	1	4	13	49	61	93	42	39	22	24
24	Meninges and central nervous system	W	21	14	1	6	4	3	4	1	1	1	1	2		2		1		1
		C	8	7	1			2	2			2	1	1						
25	Intestines and peritoneum	W	29	10	5	14						1	2	1	2	5	6	2	5	5
		C	10	3	2	5									2	2	4	1	1	
26	Vertebral column	W	3	2		1						1				1	1			
		C	4	3		1		1						3						
27a	Bones (vertebral column excepted)	W	1			1										1				
		C	1		1													1		
27b	Joints	W	1	1																1
		C	1	1													1			
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	W	5	1	3	1						1	1			1		1		1
30	Genitourinary system	W	2	2											1			1		
31	Other organs	W	2	1	1												1	1		
		C	1		1															1
32a	Acute disseminated tuberculosis	W	8	5	1	2	1					1		2		1	3			
		C	11	9	2							1		2	2	5	1			
32b,c	Other disseminated tuberculosis	W	2		1	1														2
		C	1		1												1			
34	Syphilis	W	92	53	14	25	18	4	1		1			3	3	11	15	15	10	11
		C	55	23	15	17	12	2				1		2	6	9	7	8	5	3
35	Gonococcus infection, other venereal diseases	W	17	13	4									1	6	5	3		2	
		C	2	2											1	1				
36	Purulent infection, septicemia (nonpuerperal)	W	28	12	7	9	2						1	7	2	2	2	4	4	4
		C	5	1	2	2								1	1		1	2		
38	Malaria	W	85	6	16	63	8	2	2	5	1	2	6	6	5	12	9	7	6	14
		C	24	5	6	13			1	1	1		4	2	1	2	1	5	3	3
41b	Hydatid cysts of other organs	W	1	1														1		
42	Other diseases caused by helminths	W	1			1			1											
43	Mycoses	W	3	1	1	1	1										1		1	
		C	2	1		1									1					1
44	Other infectious and parasitic diseases	W	4	3		1		1				3								
	II.—Cancers and other tumors	White	1,358	506	308	544	3	1	4	3	1	6	5	17	6	61	112	234	336	569
		Colored	100	40	26	34			1						2	4	21	30	18	24
	Cancer and other malignant tumors	W	1,277	462	288	527	2	1	2	2		4	3	12	5	49	92	218	327	560
		C	88	34	25	29			1						1	2	18	28	16	22
(45)	Buccal cavity	W	41	21	8	12										1	3	12	8	17
		C	3	2		1												2		1
(45)	Pharynx	W	19	5	9	5										1		3	7	8
(46)	Esophagus	W	7	3	1	3											1	3		3
		C	1	1													1			
(46)	Stomach and duodenum	W	297	88	70	139									1	6	17	36	70	167
		C	16	4	3	9											3	4	5	4
(46)	Liver and biliary passages	W	168	41	40	87						1		1		2	7	21	59	77
		C	11	2	6	3												2	3	6
(46)	Pancreas	W	26	15	5	6											2	3	6	15
(46)	Other digestive tract and peritoneum	W	147	66	29	52				1		1		1		10	11	24	38	61
		C	7	4	1	2										1	2	1		3
47	Respiratory system	W	26	10	11	5							1	2		2	1	5	3	12
		C	2	2														1	1	
48	Uterus	W	166	64	46	56								1	2	15	21	52	41	34
		C	17	8	5	4											6	8	1	2
49	Other female genital organs	W	19	11	4	4											5	8	3	3
		C	3	2	1												1	2		
50	Breast	W	76	34	10	32										1	10	25	24	16
		C	15	4	5	6									1		3	8	1	2
51	Male genitourinary organs	W	80	30	19	31						1			1	1	3	5	24	45
		C	5	2	2	1													2	3
52	Skin	W	81	21	21	39	1		1								1	5	11	62
		C	1	1													1			
53	Other or unspecified organs	W	124	53	15	56	1	1	1	1		1	2	7	1	10	10	16	33	40
		C	7	2	2	3			1							1	1		3	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	II.—Cancers and other tumors—Continued																			
54a	Nonmalignant tumors, ovary	W	2	2												1		1		
54b	Nonmalignant tumors, uterus	W	18	8	6	4									1	1	7	6	1	2
		C	7	4	1	2										2	3	1	1	
54d,e	Nonmalignant tumors, other organs	W	12	11	1				1				1	3			3	1	3	
55a	Tumors, ovary (nature unspecified)	W	2	1		1										2				
55b	Tumors, uterus (nature unspecified)	C	1	1																
55d,e	Tumors, other organs (nature unspecified)	W	47	22	13	12	1		1	1	1	2	1	2		8	10	8	5	7
		C	4	1		3									1				1	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	508	146	129	233	21	2	4	2	2	11	17	16	10	24	42	77	110	170
		Colored	71	24	21	26	4	2			1		1	4	2	14	7	8	14	14
56	Acute rheumatic fever	W	48	10	15	23		1			1	3	7	2		2	2	7	7	16
		C	6	3	2	1							1		1	1		1		2
57	Chronic rheumatism, osteoarthritis	W	19	5	6	8								1			1	3	3	11
59	Diabetes mellitus	W	273	86	61	126			1			5	9	11	5	13	15	37	60	117
		C	12	4	4	4		1										1	5	5
60	Scurvy	W	1			1	1													
62	Pellagra	W	111	23	39	49	1		1	1	1			1	2	8	20	22	29	25
		C	38	12	10	16								3	1	10	5	4	8	7
63	Rickets	W	4		2	2	3	1												
		C	6	1	4	1	3	1			1			1						
66a	Simple goiter	W	3		1	2													3	
		C	1			1														
66b	Exophthalmic goiter	W	19	12	2	5								1	2	1	2	5	8	
		C	5	3	1	1										3	1		1	
(66)	Other diseases of thyroid and parathyroid glands	W	5	1	1	3	2		1			2								
67	Diseases of thymus gland	W	14	5	1	8	11			1		1	1							
		C	1			1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	1		1												1			
69	Other general diseases	W	10	4		6	3		1						1		1	3		1
		C	2	1		1												2		
	IV.—Diseases of the blood and blood-making organs	White	136	62	26	48	7	7	2	1	3	5	2	5	5	10	11	23	16	39
		Colored	6	3	2	1						1	1	1		1	1	1		
70	Hemorrhagic conditions	W	20	10	1	9	6	3			1	1	2			3	2	1		1
		C	1		1													1		
71a	Pernicious anemia	W	53	16	18	19		1				1		1	2		3	8	9	28
		C	3	2	1							1	1				1			
71b	Other anemias	W	10	4	1	5	1	1									1	3		4
72a	True leukemias	W	29	16	5	8		2	1	1	2	3		1	1	3	4	6	3	2
		C	1	1												1				
72b	Pseudoleukemias (Hodgkin's disease)	W	17	11		6			1					2	1	3	1	3	4	2
		C	1			1								1						
73	Diseases of spleen	W	6	4	1	1								1	1	1		2		1
74	Other diseases of blood and blood-making organs	W	1	1																1
	V.—Chronic poisonings and intoxications	White	41	20	10	11										4	12	14	9	2
		Colored	12	2	4	6								1		6	2		1	2
75	Alcoholism (acute or chronic)	W	34	16	9	9										3	8	13	8	2
		C	11	2	4	5								1		6	2		1	1
76	Chronic poisoning by other organic substances	W	7	4	1	2										1	4	1	1	
77b,c	Other chronic poisoning by mineral substances	C	1			1														1
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,766	484	511	771	35	10	12	9	4	26	15	23	19	53	91	176	322	971
		Colored	201	72	54	75	7	2		1	1	2	1	3	3	14	16	41	42	67
78	Encephalitis (nonepidemic)	W	34	15	10	9	3		2	1		5	3	1		4	3	2	5	5
79a	Simple meningitis	W	37	20	7	10	8	3	3	3	1	2	2	1	2	2	4	4		2
		C	5	1	1	3	1	2			1			1						
79b	Nonepidemic cerebrospinal meningitis	W	7	3	1	3	1						1	5						
80	Progressive locomotor ataxia (tabes dorsalis)	W	7	2	3	2														
81	Other diseases of spinal cord	W	30	9	8	13						2	3	2		2	2	2	2	1
		C	1			1											2	5	7	7
82a	Cerebral hemorrhage	W	1,257	339	342	576	1	1	1	2	1	2	1	2	3	14	37	122	257	813
		C	135	48	35	52									2	3	12	32	33	52
82b	Cerebral embolism and thrombosis	W	25	13	6	6								1	2	4	2	3	2	11
		C	2	2													2			
82c	Softening of brain	W	10	1	4	5													1	9
		C	2		2														1	1
82d	Hemiplegia and other paralysis, cause unspecified	W	108	19	26	63		1				1			1	3	1	11	16	74
		C	23	11	2	10	1							1		3	1	5	3	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																			
83	General paralysis of insane	W	52	4	39	9										5	17	11	12	7
		C	12	1	10	1										3		3	3	3
84	Dementia praecox and other psychoses	W	34	3	21	10								2	2	5	6	5	9	5
		C	2	1	1											1			1	
85	Epilepsy	W	35	9	14	12				1		2	3	7	1	8	7	3		3
		C	6	2	1	3				1			1	1		3				
86	Convulsions (under 5 years of age)	W	17	4	5	8	12	3	2											
		C	2	1		1	2													
87	Other diseases of nervous system	W	66	16	16	34	2			1		1			2	6	7	5	10	32
		C	4	2		2	1											1		2
88	Diseases of organs of vision	W	1	1																1
89a	Diseases of ear	W	29	16	5	8	7	2	1	1	1	7	2	1	2		1	2	1	1
		C	6	3	1	2	2					2				1	1			
89b	Diseases of mastoid process	W	17	10	4	3	1		3		1	4		1	4		2	1		
		C	1		1										1					
	VII.—Diseases of the circulatory system	White	2,519	822	693	1,004	15	3	4	3	2	7	15	18	19	48	130	256	498	1,498
		Colored	271	108	66	97			1		1	4	5	3	3	13	42	51	51	96
90	Pericarditis	W	21	3	4	14	1				1					1	1	5	6	6
		C	4	2		2											2		1	1
91a	Acute endocarditis	W	36	18	7	11		2		1		1	1	1	4	4	4	3	11	4
		C	3	2		1							1	1					1	
91b	Endocarditis, unspecified (under 45 years)	W	13	8	2	3	1					3		3	2	1	3			
		C	3	2		1							1				2			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	462	127	100	235	6		1			3	5	6	6	11	43	39	76	266
		C	78	42	10	26						2	1	1		1	15	16	11	31
92b	Endocarditis, unspecified (45 years and over)	W	86	28	21	37												10	19	57
		C	3	1	2													2	1	
93a	Acute myocarditis	W	31	12	8	11				1			1	1			1	4	5	18
		C	5	4		1										1		1	1	2
93b	Myocarditis, unspecified (under 45 years)	W	19	5	7	7	1						2	1	1	3	11			
		C	6	1	1	4						2				2	2			
93c	Chronic myocarditis and myocardial degeneration	W	351	130	128	93							2	1		3	12	31	75	227
		C	22	7	14	1							1			1	5	7	4	4
93d	Other diseases of myocardium	W	404	150	116	138	1										2	38	70	293
		C	27	8	7	12							1					6	4	16
94a	Angina pectoris	W	201	52	63	86									1	1	5	29	60	105
		C	19	2	6	11								1			2	3	4	8
94b	Diseases of coronary arteries	W	112	59	18	35										7	9	16	39	41
		C	5	1	1	3											1	3	1	
95a	Functional diseases of heart	W	34	9	16	9										1		5	6	22
		C	2	1		1											1	1		
95b	Other and unspecified diseases of heart	W	492	163	109	220	3		1	1			2	5	3	12	31	60	93	279
		C	68	26	15	27			1		1				3	5	11	9	14	24
96	Aneurysm (except of heart)	W	15	10		5											5	2	4	4
		C	4	2	2													1	3	
97	Arteriosclerosis (coronary arteries excepted)	W	171	28	73	70												5	28	137
		C	15	5	6	4											1	1	4	9
98	Gangrene	W	23	4	9	10		1	1		1				1	1		1	1	16
		C	2		1	1										1				1
99	Other diseases of the arteries	W	13	6	3	4	1									2	1	3	2	4
		C	1			1												1		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	8	4	3	1										1	1		1	5
		C	2	2												2				
101	Diseases of lymphatic system (lymphangitis, etc.)	W	4	1		3	1		1				1							1
102	Idiopathic anomalies of blood-pressure	W	19	5	5	9											1	4	2	12
103	Other diseases of circulatory system	W	4		1	3							1		1			1		1
		C	2		1	1													2	
	VIII.—Diseases of the respiratory system	White	1,463	458	375	630	215	72	39	16	13	40	39	37	43	94	106	119	119	510
		Colored	286	121	48	117	67	19	4	3	1	2	1	16	16	30	28	33	22	41
104a	Diseases of nasal fossae	W	1			1											1			
		C	1	1			1													
104b	Diseases of nasal fossae and annexae	W	8	4	1	3	1					2	1		1	1	1			1
		C	1		1												1			
105	Diseases of larynx	W	6			6		1		1	1	3								
		C	3	3			1	1									1			
106a	Acute bronchitis	W	1			1	1													
		C	2		1	1													1	1
106b	Chronic bronchitis	W	11	5	1	5										2	2	1	1	5
		C	1	1															1	
106c,d	Bronchitis, unspecified	W	9	4	2	3	3											1		5
		C	5	3		2	1									1	1	1		1
107a	Bronchopneumonia	W	544	167	167	210	149	37	23	4	5	8	9	6	8	19	17	31	35	193
		C	81	33	16	32	37	8	3	1		1	1	5	2	3	5	7		8
107b	Capillary bronchitis	W	6	3	2	1	3	1	1			1								
		C																		
108	Lobar pneumonia	W	615	202	143	270	36	21	8	6	3	18	27	24	29	57	63	61	56	205
		C	133	60	18	55	15	3	1		1	1		9	11	18	16	18	16	21
109	Pneumonia, unspecified	W	139	30	28	81	20	11	5	2	4	3	2	4	2	12	7	13	11	43
		C	45	14	9	22	12	7		2				2	1	4	4	5	2	6
110	Pleurisy	W	19	11	5	3	1		1	1		1			1		6		3	5
		C	3	3												3				
111a	Pulmonary embolism and thrombosis	W	1		1															1
		C	1	1														1		
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	32	9	8	15				1				1	1		1	2	3	23
		C	2		2													1		1
112	Asthma	W	47	8	12	27	1			1		1				1	3	6	9	25
		C	5	2		3										1		1	1	2
114	Other diseases of respiratory system (tuberculosis excepted)	W	24	15	5	4		1	1			3		2	1	2	5	4	1	4
		C	3		1	2									2					1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	IX.—Diseases of the digestive system	White	1,395	611	327	457	209	62	35	23	22	66	47	64	59	123	126	150	154	253
		Colored	221	97	37	87	40	21	4	2	1	9	12	9	13	17	27	28	20	18
115a	Diseases of pharynx, tonsils	W	78	41	14	23	4	3	4	4	2	21	1	6	5	10	8	2	5	3
		C	5	2	2	1					1		2			1		1		
115b	Diseases of buccal cavity and annexa	W	14	3	5	6		2			1	1	1				3	3	1	2
		C	2			2				1						1				
116	Diseases of esophagus	W	1			1												1		
117a	Ulcer of stomach	W	71	23	11	37						1	2			2	16	16	13	21
		C	2	2									1					1		
117b	Ulcer of duodenum	W	23	10	4	9										2	2	6	6	7
		C	4	4											1		3			
118	Other diseases of stomach (cancer excepted)	W	101	24	21	56	15	4	4	4		2		2	4	4	4	11	15	30
		C	41	18	3	20	3	2				2		2	3	3	7	9	4	6
119	Diarrhea, enteritis (under 2 years of age)	W	210	90	34	86	163	47												
		C	52	14	12	26	33	19												
120	Diarrhea, enteritis (2 years and over)	W	104	32	30	42			22	8	6	4	1		3	4	2	4	13	37
		C	16	7	2	7			3	1			3				2	3	3	1
121	Appendicitis	W	356	193	102	61		1	1	5	10	30	33	46	35	57	54	44	19	21
		C	40	22	9	9						3	5	6	5	7	9	3	1	1
122a	Hernia	W	45	25	5	15	3								1	3	6	8	10	14
		C	2	1		1	1													1
122b	Intestinal obstruction	W	141	71	38	32	21	4	3	2	2	4	6	6	5	24	9	18	12	25
		C	25	11	2	12	2		1			2	1	1	2	4	2	4	4	2
123	Other diseases of intestines	W	17	5	7	5			1					3		2	2	1	2	6
		C	2			2											1			1
124	Cirrhosis of liver	W	81	32	18	31										5	2	14	23	37
		C	11	6	2	3									1			4	3	3
125a	Yellow atrophy of liver	W	8	3	2	3										1		1	1	5
125b	Other diseases of liver	W	29	7	8	14	1					1	2		2	1	5	5	5	7
		C	1		1												1			
126	Biliary calculi	W	33	14	9	10										3	4	3	9	14
		C	5	2	1	2											1		4	
127	Other diseases of gall-bladder, biliary passages	W	55	27	12	16									1	3	4	10	18	19
		C	5	2	2	1						1						2		2
128	Diseases of pancreas	W	3	3														2		1
		C	1	1													1			
129	Peritonitis, cause not specified	W	25	8	7	10	2	1			1	2	1	1	3	2	5	1	2	4
		C	7	5	1	1	1					1			1	1		1	1	1
	X.—Diseases of the genitourinary system	White	1,183	428	254	501	12		1	2	1	7	6	14	18	51	79	127	198	666
		Colored	190	72	29	89							1	1	4	11	23	33	35	81
130	Acute nephritis (including unspecified under 10 years)	W	89	33	21	35	5		1	2	1	6	1	3	3	9	11	16	12	19
		C	15	6	2	7							1		2	3	2	2		5
131	Chronic nephritis	W	544	206	102	236	1					1		3	2	15	40	62	96	323
		C	86	36	11	39										4	8	14	24	36
132	Nephritis, unspecified (10 years and over)	W	374	96	94	184							3	6	7	6	15	35	66	236
		C	57	17	13	27										1	6	13	7	29
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	37	18	4	15	5									4	3	4	8	13
		C	7	3	1	3											2		2	3
134	Calculi of urinary passages	W	9	6	1	2										1		1	4	3
		C	2	1		1												2		
135	Diseases of bladder (tumors excepted)	W	12	3	4	5								1						11
		C	7	1		6											1	1	1	4
136	Diseases of urethra, urinary abscess, etc	W	3	3													1	2		
		C	1	1														1		
137	Diseases of prostate	W	74	36	18	20												3	10	61
		C	5	3		2													1	4
138	Diseases of male genital organs, not specified as venereal	W	2	1	1		1									1				
139a	Cysts of ovary	W	11	7	2	2									1	4	4		2	
		C	2	1	1												2			
139b	Other diseases of ovaries, diseases of tubes, and parametrium	W	19	12	6	1							1	1	4	7	4	2		
		C	7	3	1	3								1	2	2	2			
139c	Diseases of uterus	W	9	7	1	1							1		1	4	1	2		
		C	1			1										1				
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	250	102	64	84								31	69	93	55	2		
		Colored	46	16	6	24							1	7	13	15	10			
140	Abortion with septic conditions	W	60	28	16	16								5	16	27	11	1		
		C	7	4	1	2							1	2	2	1	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	11	3	2	6								1	3	4	3			
		C	1	1												1				
142a	Ectopic gestation, septic conditions specified	W	2	1	1											1	1			
142b	Ectopic gestation, septic conditions not mentioned	W	12	8	1	3									1	7	4			
		C	1	1											1					
143	Other accidents of pregnancy (hemorrhage not included)	W	1	1											1					
144b	Other puerperal hemorrhages	W	17	6	8	3									3	8	6			
		C	2	1		1									1	1				
145a	Puerperal septicemia and pyemia (abortion excluded)	W	52	24	13	15								3	19	21	9			
		C	16	5	2	9								2	3	7	4			
145b	Puerperal tetanus (abortion excluded)	W	1	1												1				
146	Puerperal albuminuria and eclampsia	W	49	15	11	23								12	16	9	11	1		
		C	7	2	2	3								2	1	3	1			
147	Other toxemias of pregnancy	W	16	8	1	7								5	3	5	3			
		C	4	1		3									3		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																		
	XI.—Diseases of pregnancy, child birth, and the puerperal state—Continued																		
148	Puerperal phlegmasia alba dolens, embolus sudden death (not specified as septic) W	7	3	1	3									3	1	3			
	C	3		1	2								1		1	1			
149	Other accidents of childbirth W	22	4	10	8								5	4	9	4			
	C	5	1		4									2	1	2			
	XII.—Diseases of the skin and cellular tissue White	31	16	6	9	7	2	1	1	3			3		1	1	4	3	5
	Colored	1		1															1
151	Furuncle, carbuncle W	11	6	3	2		1			1			1			1	3	3	1
152	Phlegmon, acute abscess W	6	3	1	2	1							2		1				2
	C	1		1															1
153	Other diseases of skin and annexa, and of cellular tissue W	14	7	2	5	6	1	1	1	2							1		2
	XIII.—Diseases of the bones and organs of locomotion White	29	16	4	9			2	1	1	4	5	4	1	2	1	1	2	5
	Colored	4	2	1	1	1												2	1
154	Osteomyelitis W	21	14	2	5			2	1		4	5	2	1	1	1		1	3
	C	2	1		1	1												1	
155	Other diseases of bones (tuberculosis excepted) W	5	1	1	3					1			1		1			1	1
156	Diseases of joints, other organs of locomotion W	3	1	1	1								1				1		1
	C	2	1	1														1	1
	XIV.—Congenital malformations White	142	47	34	61	125	3	1	6		4		3						
	Colored	7	3	1	3	6										1			
157a	Congenital hydrocephalus W	10	5	2	3	9					1								
	C	1	1			1													
157b	Spina bifida and meningocele W	15	11		4	12			2		1								
	C	1		1		1													
157c	Congenital malformations of heart W	82	17	22	43	73	1	1	2		2		3						
	C	2		1	1	2													
157d	Other congenital malformations W	35	14	10	11	31	2		2										
	C	3	2		1	2										1			
	XV.—Diseases of early infancy White	780	222	149	409	780													
	Colored	73	29	17	27	73													
158	Congenital debility W	96	22	19	55	96													
	C	15	6	1	8	15													
159	Premature birth W	531	150	104	277	531													
	C	40	19	11	10	40													
160	Injury at birth W	92	36	11	45	92													
	C	9	3	3	3	9													
161	Other diseases peculiar to early infancy W	61	14	15	32	61													
	C	9	1	2	6	9													
162	XVI.—Senility White	421	77	148	196												3	6	412
	Colored	44	10	9	25													1	43
	XVII.—Violent and accidental deaths White	1,672	629	403	630	40	27	23	14	27	64	78	130	132	252	253	207	154	269
	Colored	275	112	66	97	9	3	2	4	1	13	9	13	35	65	56	30	16	16
	Suicide W	269	110	64	95								15	25	43	43	60	40	43
	C	7	3	1	3									2	3	1	1		
163	By solid or liquid poisons or by absorption of corrosive substances W	66	38	15	13								8	8	13	10	15	4	8
	C	2	2											1	1				
164	By poisonous gas W	8	2	2	4										3	2	1	2	
165	By hanging or strangulation W	28	5	6	17								1	2	4	3	6	7	5
	C	1		1											1				
166	By drowning W	6	2	2	2											1	2		3
167	By firearms W	144	56	38	50								5	15	22	22	31	24	25
	C	3	1		2									1	1	1			
168	By cutting or piercing instruments W	10	4	1	5										1	3	1	3	2
	C	1			1												1		
169	By jumping from high places W	4	3		1								1			1	2		
171	By other means W	3			3											1	2		
	Homicide W	163	57	35	71	1				1			6	14	55	41	21	15	8
	C	98	49	22	27								5	16	35	24	10	6	
173	By firearms W	126	38	26	62								4	11	42	35	16	12	5
	C	72	37	17	18								4	11	24	17	9	5	
174	By cutting or piercing instruments W	16	10	2	4								1	1	9	1	2		2
	C	16	8	3	5									3	7	5	1		
175	By other means W	21	9	7	5	1				1			1	2	4	5	3	3	1
	C	10	4	2	4								1	2	4	2		1	
	Accidental, other, or undefined W	1,240	472	304	464	39	27	23	14	26	64	78	109	93	154	169	126	99	218
	C	170	60	43	67	9	3	2	4	1	13	9	8	17	27	31	19	10	16
176	Attack by venomous animals W	7	1	1	5	2								1	1	1	2		
177	Poisoning by food W	17	6	4	7	1	2				1			1	2		4		6
	C	9	1	4	4		1	1					1	2	3		1		
178	Absorption of poisonous gas W	13	7	4	2								1	2	2		2	4	2
	C	2	1		1											1	1		
179	Other acute accidental poisonings (gas excepted) W	29	12	8	9	2	8	2	1		1				3	5	3	3	1
	C	4	2	2											2	2			
180	Conflagration W	25	8	3	14		2	2	2	1	1		1	3	2	5	2	2	2
	C	13	5	5	3	4	1		1		1					3			3
181	Burns (conflagration excepted) W	101	52	26	23	4	4	7	7	10	6	5	2	9	13	8	3	8	15
	C	12	4	4	4		1				4			2	1		1	1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OKLAHOMA—Continued																			
	XVII.—Violent and accidental deaths—Continued																			
	Accidental, other, or undefined—Con.																			
	Supplemental	W	7	2	4	1										4	1	1		1
182	Mechanical suffocation	W	22	6	4	12	19					1						1	1	
		C	4	3	1		4													
183	Drowning	W	90	18	14	58	2	3	4		2	12	23	18	1	8	9	3	4	1
		C	12	3	3	6			1			2	1		1	3	1	3		
	Supplemental	W	14	2	1	11	1		1		1		2	1	2		4	1	1	
		C	6	3	3								1		3	2				
	Traumatism:																			
184	By firearms (wounds of war excepted)	W	72	27	26	19					1	3	11	13	10	4	11	11	6	2
		C	12	4	1	7				1	1		2	1	1	1	4		1	
185	By cutting or piercing instruments (wounds of war excepted)	W	8	4	1	3		1				1	1		1		1	2	1	
		C	2		1	1													1	1
	Supplemental	W	3			3								1			1			1
186a	By fall	W	149	66	27	56		3	1		2	1	3	6	4	7	7	11	13	91
		C	12	4	2	6						1		1	1	1	2	1		4
	Supplemental	W	46	13	15	18	1		1	1		1	1	6	4	7	13	3	2	6
		C	8	3	1	4										2	3	1	1	1
186b	By crushing, landslide	W	3	1		2								1		1				1
		C	2		2											2				
	Supplemental	W	62	22	15	25			1			1	6	5	7	12	13	5	8	3
		C	9	3	3	3								1	3	2	2	1		
188	Injuries by animals	W	16	6	2	8						5	1	1		2	1	1	2	3
		C	4	2		2							1					1		1
190	Excessive cold	W	1	1																1
		C	2	1		1								1			1			
191	Excessive heat	W	14	5	2	7	1							1	1			3	4	4
192	Lightning	W	11		2	9						1	2	4			2		1	1
193	Due to electric currents	W	10	6	3	1									3	1	2	3	1	
		C	2	1	1								2							
194a	Foreign bodies	W	11	7	1	3	2	4			1		3							1
194b	Other accidents	W	63	20	13	30	3			1	3	6	8	3	4	3	6	10	9	7
		C	8	3	1	4	1			1				1	1	1			2	1
	Supplemental	W	443	177	128	138	1		4	2	5	23	12	45	40	82	79	52	29	69
		C	46	16	9	21				1		5	2	2	3	7	12	8	3	3
198	Legal executions	W	3	3														3		
		C	1	1													1			
	XVIII.—Ill-defined causes of death	White	234	68	46	120	63	4	1			1		1	1	7	8	25	34	88
		Colored	58	16	7	35	16	3		1	1			1	2	5	2	8	6	12
199	Sudden death	W	26	5	5	16											1	2	6	17
		C	1			1													1	
200a	Cause of death ill-defined	W	131	52	27	52	6	4	1					1	1	4	7	22	25	60
		C	28	10	1	17	2	2			1				1	4	2	6	3	7
200b	Cause of death not specified or unknown	W	77	11	14	52	57					1				3		1	3	11
		C	29	6	6	17	14	1		1				1	1	1		2	2	5
Punch symbol	SUPPLEMENTAL [1]																			
201	Accidents in mines and quarries	W	12	2	4	6									1	3	4	2	2	
202	Accidents from agricultural machinery	W	4			4								1					2	1
203	Elevator accidents	W	1	1												1				
205	Other machinery accidents	W	22	8	4	10			1					2	2	6	7	3		1
206	Railroad and automobile collisions	W	20	6	5	9							1	2	1	5	4	4	1	2
207	Other railroad accidents	W	61	24	16	21			1				2	3	6	12	13	5	8	10
		C	17	2	6	9								2	5	5	3	2		
208	Street car and automobile collisions	W	3	1		2										1				2
		C	1	1															1	
209	Other street car accidents	W	1	1																1
210	Automobile accidents (primary)	W	399	163	119	117	2		2	2	5	24	13	44	39	68	73	44	24	59
		C	38	15	7	16				1		5	1	1	1	5	12	7	2	3
211	Motorcycle accidents	W	3	2	1									1		1	1			
212	Other land transportation accidents	W	41	6	12	23	1		3	1	1	1	3	4	4	8	5	3	3	4
		C	8	4	1	3							1		1	1	2	1	1	1
213	Water transportation accidents	W	3	1	1	1							1				1	1		
		C	5	3	2								1		2	2				
214	Air transportation accidents	W	5	1	1	3							1	1			3			
	OREGON																			
	Total deaths (all causes)		10,277	4,746	2,028	3,503	531	74	40	33	18	115	130	194	218	486	667	1,142	1,642	4,973
	I.—Infectious and parasitic diseases		836	332	185	319	50	22	14	11	2	32	28	40	52	101	103	115	107	159
1	Typhoid fever		16	4	4	8		1						4	4	2	1	1	3	
5	Undulant fever		1		1															1
6	Smallpox		1			1										1				
7	Measles		17	12	4	1	2	3	1	1		6	1			1	2			
8	Scarlet fever		7	2	2	3			1	1		2	1	1			1			
9	Whooping cough		20	10	3	7	12	3	2	1		2								
10	Diphtheria		9	5		4	1		1	2		3	1		1					
11a	Influenza, respiratory complications specified		157	50	41	66	11	2	1	2		7	7	6	6	11	12	14	21	57
11b	Influenza, respiratory complications not specified		77	14	22	41	7	4	2	1	1	5	5	1		2	2	3	6	38
13	Dysentery		11	5	3	3	1	4	1	1							1		2	1

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
15	Erysipelas	9	4	3	2	3	1								1		2		2
16	Acute poliomyelitis, acute polioencephalitis	3	2		1	1						2							
17	Lethargic or epidemic encephalitis	9	4	3	2							1			2	1	2	2	1
18	Epidemic cerebrospinal meningitis	11	5	4	2	3	1					2		1	2	1	1		
20	Anthrax (bacillus anthracis) malignant pustule	1			1									1					
22	Tetanus	2	1		1				1		1								
	Tuberculosis (all forms)	363	140	72	151	1	3	5	1		6	6	24	36	71	63	63	46	38
23	Respiratory system	301	107	60	134			1			3	3	17	32	63	56	52	40	34
24	Meninges and central nervous system	17	9	5	3		3	4	1		3	1	4		1				
25	Intestines and peritoneum	12	6	3	3	1									3	2	3	2	1
26	Vertebral column	7	5	1	1									2	1	1	1	2	
27a	Bones (vertebral column excepted)	5	2		3											2	1		2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1																1
30	Genitourinary system	8	5	1	2								1		1	1	3	2	
31	Other organs	1	1														1		
32a	Acute disseminated tuberculosis	8	3	2	3							1	2	2	2		1		
32b,c	Other disseminated tuberculosis	3	1		2							1				1	1		
34	Syphilis	98	64	13	21	5				1			2	3	6	16	27	24	14
35	Gonococcus infection and other venereal diseases	1		1									1						
36	Purulent infection, septicemia (nonpuerperal)	10	7	2	1	3						2	1			1	1		2
38	Malaria	1		1															1
41a	Hydatid cysts of liver	1	1															1	
42	Other diseases caused by helminths	1		1															1
43	Mycoses	2	1	1											1		1		
44	Other infectious and parasitic diseases	8	1	4	3										1	2		2	3
	II.—Cancers and other tumors	1,208	634	241	333	3			1	1	2	2	3	4	29	89	201	277	595
	Cancer and other malignant tumors	1,144	592	230	322				1		2	1	2	2	22	77	188	266	582
(45)	Buccal cavity	43	18	10	15				1			1				1	6	12	22
(45)	Pharynx	4		4														2	2
(46)	Esophagus	16	12	2	2												4	4	8
(46)	Stomach and duodenum	232	112	51	69										2	12	24	56	138
(46)	Liver and biliary passages	93	38	20	35										1	4	11	25	52
(46)	Pancreas	45	24	14	7											1	13	14	17
(46)	Other digestive tract and peritoneum	174	97	35	42						1				7	11	25	38	92
47	Respiratory system	41	26	5	10										1	1	10	16	13
48	Uterus	125	74	20	31										4	13	35	29	43
49	Other female genital organs	29	16	5	8						1			1		5	7	5	10
50	Breast	110	58	16	36										4	13	27	24	42
51	Male genitourinary organs	101	52	23	26											4	9	14	74
52	Skin	36	10	10	16								1			3	2	8	22
53	Other or unspecified organs	95	55	15	25								1	1	3	9	15	19	47
54a	Nonmalignant tumors, ovary	4	3	1															4
54b	Nonmalignant tumors, uterus	17	8	6	3										2	5	6	3	1
54d,e	Nonmalignant tumors, other organs	18	13	2	3	2				1			1		3	4	2	2	3
55d,e	Tumors, other organs (nature unspecified)	25	18	2	5	1						1		2	2	3	5	6	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	316	144	66	106	10					1	8	7	2	7	18	44	81	137
56	Acute rheumatic fever	15	6	4	5						1	5				2	1	2	4
57	Chronic rheumatism, osteoarthritis	15	4	3	8											3	1	3	8
59	Diabetes mellitus	210	94	44	72							3	6		5	7	26	56	106
63	Rickets	1		1		1													
66a	Simple goiter	2		1	1														2
66b	Exophthalmic goiter	53	29	10	14								1	1	1	5	15	16	14
(66)	Other diseases of thyroid and parathyroid glands	6	5		1											1	1	2	2
67	Diseases of thymus gland	9	3	2	4	8								1					
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	4	2	1	1										1			2	1
69	Other general diseases	1	1			1													
	IV.—Diseases of the blood and blood-making organs	91	39	19	33	3		2			2	2	1		8	7	13	19	34
70	Hemorrhagic conditions	7	4	2	1	2						1			1	1			2
71a	Pernicious anemia	39	17	9	13	1					1	1			3	1	2	11	19
71b	Other anemias	2	1		1											1			1
72a	True leukemias	28	13	5	10			2			1				4	3	6	6	6
72b	Pseudoleukemias (Hodgkin's disease)	12	2	2	8								1			1	2	2	6
73	Diseases of the spleen	2	2														2		
74	Other diseases of blood and blood-making organs	1		1													1		
	V.—Chronic poisonings and intoxications	26	16	4	6										3	6	6	3	8
75	Alcoholism (acute or chronic)	22	14	3	5										2	5	6	2	7
76	Chronic poisoning by other organic substances	3	2	1											1	1		1	
77a	Chronic lead poisoning	1			1														1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	1,255	544	234	477	15	4	1	2	1	4	7	10	6	26	51	100	233	792
78	Encephalitis (nonepidemic)	10	4	4	2								2		2			5	1
79a	Simple meningitis	9	6	2	1	3					1	1		1	1			2	
79b	Nonepidemic cerebrospinal meningitis	1	1															1	
80	Progressive locomotor ataxia (tabes dorsalis)	10	7	1	2											2	2	3	3
81	Other diseases of spinal cord	35	13	3	19		1					1			2		6	5	20
82a	Cerebral hemorrhage	920	365	175	380	4						1			7	17	56	168	665
82b	Cerebral embolism and thrombosis	76	40	18	18									1	2	1	5	21	45
82c	Softening of brain	11	2		9													1	10
82d	Hemiplegia and other paralysis, cause unspecified	25	8	8	9												1	6	18
83	General paralysis of insane	44	35	3	6										3	17	10	10	4
84	Dementia praecox and other psychoses	25	17	3	5								1	1	3	3	10	6	1
85	Epilepsy	20	7	2	11	1	1					1	4	1	3	4	1	1	3
86	Convulsions (under 5 years of age)	2			2	1	1												
87	Other diseases of nervous system	35	21	7	7			1	1		1	2				3	6	3	18
89a	Diseases of ear	14	4	5	5	4	1		1				1	2	2	2		1	
89b	Diseases of mastoid process	18	14	3	1	2				1	2	1	2		1	2	3		4
	VII.—Diseases of the circulatory system	2,673	1,235	490	948	6	1			2	4	13	10	19	32	95	223	441	1,823
90	Pericarditis	12	5	2	5							2			1	3	2	1	3
91a	Acute endocarditis	24	12	3	9	1					2		3	5	1	1	4	3	4
91b	Endocarditis, unspecified (under 45 years)	4		3	1						1		1		1	1			
92a	Endocarditis, specified as chronic, and other valvular diseases	557	183	138	236	1				1	1	8	2	7	16	28	39	79	374
92b	Endocarditis, unspecified (45 years and over)	31	8	8	15												7	4	20
93a	Acute myocarditis	25	8	9	8	1											5	8	11
93b	Myocarditis, unspecified (under 45 years)	5	1	1	3	1							1		1	2			
93c	Chronic myocarditis and myocardial degeneration	599	304	96	199								1	1	6	14	30	93	453
93d	Other diseases of myocardium	170	73	33	64												9	30	131
94a	Angina pectoris	230	78	38	114									1	1	8	26	57	137
94b	Diseases of coronary arteries	311	182	43	86									1	1	15	55	80	158
95a	Functional diseases of heart	9	5	1	3							1				1		1	6
95b	Other and unspecified diseases of heart	361	169	74	118					1		2		2	3	13	32	51	256
96	Aneurysm (except of heart)	44	23	4	17									1		5	8	12	18
97	Arteriosclerosis (coronary arteries excepted)	243	156	31	56											1	3	14	225
98	Gangrene	10	6	1	3											1		3	6
99	Other diseases of arteries	19	10	2	7	1								1			1	1	15
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	10	8	1	1								2		1	1	1	2	3
101	Diseases of lymphatic system (lymphangitis, etc.)	4	1	1	2	1	1									1			1
102	Idiopathic anomalies of blood-pressure	3	2		1												1	1	1
103	Other diseases of circulatory system	2	1	1														1	1
	VIII.—Diseases of the respiratory system	613	314	112	187	66	15	7	5	2	8	9	16	14	40	38	63	75	255
104a	Diseases of nasal fossae	1	1											1					
104b	Diseases of nasal fossae and annexae	8	5	1	2	1						1	1		2		1		2
105	Diseases of larynx	2	2			1				1									
106a	Acute bronchitis	7	6		1	2											1		4
106b	Chronic bronchitis	17	10		7												2	1	14
106c,d	Bronchitis, unspecified	4	2		2	1												1	2
107a	Bronchopneumonia	246	124	45	77	47	9	3	3		3	6	6	3	12	11	18	19	106
107b	Capillary bronchitis	3	2	1		2													1
108	Lobar pneumonia	243	126	49	68	7	3	2		1	5	2	8	7	23	22	31	43	89
109	Pneumonia, unspecified	17	4	3	10	2	2	1							1		2	1	8
110	Pleurisy	19	16	2	1	1			2				1	2	1	2	4	3	3
111a	Pulmonary embolism and thrombosis	6	3	1	2									1			1	1	3
111b	Pulmonary congestion, edema, hemorrhagic infarct	12	7	1	4	1												1	10
112	Asthma	21	2	8	11	1	1	1							1	3	1	3	10
113	Pulmonary emphysema	2	1		1													1	1
114	Other diseases of respiratory system (tuberculosis excepted)	5	3	1	1												2	1	2
	IX.—Diseases of the digestive system	596	311	152	133	30	12	5	6	4	14	23	25	19	46	61	93	98	159
115a	Diseases of pharynx and tonsils	24	16	5	3	1		1			2	3	1	1		3	4	6	2
115b	Diseases of buccal cavity and annexa	6	4	1	1							1	1		1		2		1
116	Diseases of esophagus	1	1			1													
117a	Ulcer of stomach	39	17	14	8							1	1		5	3	10	6	13
117b	Ulcer of duodenum	27	14	10	3										2	7	8	6	4
118	Other diseases of stomach (cancer excepted)	17	7	3	7	1	1		1							1	1	4	8
119	Diarrhea, enteritis (under 2 years of age)	26	6	7	13	17	9												
120	Diarrhea, enteritis (2 years and over)	29	10	7	12			3			1	1	2	2	1	5	3	4	7
121	Appendicitis	160	79	61	20			1	2	3	10	14	17	12	23	22	17	20	18
122a	Hernia	31	23	2	6	1				1					1	3	7	6	12
122b	Intestinal obstruction	56	27	11	18	6	1		1		1	2	1	1	4	4	9	7	19
123	Other diseases of intestines	14	8	5	1									1	4	3		2	4
124	Cirrhosis of liver	53	37	4	12							1	1			2	12	11	26

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	IX.—Diseases of the digestive system—Continued																		
125a	Yellow atrophy of liver	5	2	2	1	1								1	1	1			1
125b	Other diseases of liver	11	3	3	5				1								2	4	4
126	Biliary calculi	35	23	5	7											2	10	9	14
127	Other diseases of gall-bladder, biliary passages	45	24	9	12										3	3	6	10	23
128	Diseases of pancreas	4	3	1													1	1	2
129	Peritonitis, cause not specified	13	7	2	4	2	1		1				1	1	1	2	1	2	1
	X.—Diseases of the genitourinary system	1,017	494	188	335	1	2				5	1	6	14	17	46	101	165	659
130	Acute nephritis (including unspecified under 10 years)	20	8	4	8		2				1		1	2	1	3	3	1	6
131	Chronic nephritis	830	392	145	293						2		5	8	10	34	82	149	540
132	Nephritis, unspecified (10 years and over)	37	11	11	15									1	2	1	4	3	26
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	21	14	6	1	1					2	1					4	3	10
134	Calculi of urinary passages	14	10	1	3										2	3	2	3	4
135	Diseases of bladder (tumors excepted)	5	3	1	1										1				4
136	Diseases of urethra, urinary abscess, etc	2	1		1														2
137	Diseases of prostate	73	48	13	12											2	1	5	65
139a	Cysts of ovary	2		1	1											1	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	5	1										1	1	1	2		1
139c	Diseases of uterus	7	2	5										2		1	2	1	1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	60	25	24	11								6	19	23	11			
140	Abortion with septic conditions	23	9	9	5								2	8	10	3			
141	Abortion without mention of septic conditions (includes hemorrhages)	4	3		1								1		1	2			
142b	Ectopic gestation, septic conditions not mentioned	2	2												2				
144b	Other puerperal hemorrhages	3	1	1	1									1	1	1			
145a	Puerperal septicemia and pyemia (abortion excluded)	8	3	5										3	4	1			
146	Puerperal albuminuria and eclampsia	11	5	6									2	3	3	2			
147	Other toxemias of pregnancy	3	2	1									1	1	1				
148	Puerperal phlegmasia alba dolen, embolus, sudden death (not specified as septic)	5		1	4									3	1	1			
149	Other accidents of childbirth	1		1												1			
	XII.—Diseases of the skin and cellular tissue	14	7	4	3	2					1	1	1		4		1		4
151	Furuncle, carbuncle	5	3	2							1	1			2		1		
152	Phlegmon, acute abscess	1	1										1						
153	Other diseases of skin and annexa, and of cellular tissue	8	3	2	3	2									2				4
	XIII.—Diseases of the bones and organs of locomotion	19	15	3	1			1			3	4			2	2	2		5
154	Osteomyelitis	15	13	2				1			3	4			1	2	2		2
155	Other diseases of bones (tuberculosis excepted)	2		1	1														2
156	Diseases of joints, other organs of locomotion	2	2												1				1
	XIV.—Congenital malformations	76	27	21	28	67	4				2	2	1						
157a	Congenital hydrocephalus	9	2	3	4	5	3				1								
157b	Spina bifida and meningocele	6	4	1	1	6													
157c	Congenital malformations of heart	45	16	13	16	40	1				1	2	1						
157d	Other congenital malformations	16	5	4	7	16													
	XV.—Diseases of early infancy	256	102	68	86	256													
158	Congenital debility	16	4	1	11	16													
159	Premature birth	157	61	45	51	157													
160	Injury at birth	59	31	12	16	59													
161	Other diseases peculiar to early infancy	24	6	10	8	24													
162	XVI.—Senility	75	22	14	39														75
	XVII.—Violent and accidental deaths	1,111	476	197	438	18	14	9	8	6	36	30	67	69	147	139	178	132	255
	Suicide	245	123	39	83							3	3	13	35	42	60	42	46
163	By solid or liquid poisons or by absorption of corrosive substances	38	17	8	13							1		2	13	8	9	3	2
164	By poisonous gas	24	22	1	1										1	8	4	6	5
165	By hanging or strangulation	35	23	3	9							1		2	3	4	13	4	8
166	By drowning	25	16	2	7										2	5	9	6	3
167	By firearms	97	34	19	44							1	2	9	12	11	21	16	24
168	By cutting or piercing instruments	11	2	5	4										1	1	3	4	2
169	By jumping from high places	8	7		1								1		1	3	1	2	
170	By crushing	1	1															1	
171	By other means	6	1	1	4										2	2			2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	OREGON—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Homicide	56	24	13	19	1	1				1		3	2	19	9	12	4	4
173	By firearms	40	17	9	14								3	1	16	6	10	3	1
174	By cutting or piercing instruments	7	3	1	3						1				1	3	2		
175	By other means	9	4	3	2	1	1							1	2			1	3
	Accidental, other, or undefined	810	329	145	336	17	13	9	8	6	35	27	61	54	93	88	106	86	205
176	Attack by venomous animals	1			1														1
177	Poisoning by food	5	1	2	2						1	1					2		1
178	Absorption of poisonous gas	12	9	2	1										1	3	3	3	2
179	Other acute accidental poisonings (gas excepted)	12	7		5										1	3	2	4	2
180	Conflagration	22	3	9	10	1	1		1	1				1	1	3	3	1	9
181	Burns (conflagration excepted)	38	25	5	8	1	2	4	2	3	3	1	1	2	3	4	1	2	9
	Supplemental	1			1									1					
182	Mechanical suffocation	13	6		7	9							3			1			
	Supplemental	1			1												1		
183	Drowning	79	14	8	57		5	1	2	1	9	8	12	7	10	5	5	9	5
	Supplemental	41	9	9	23					1	3	1	2	5	11	11	6		1
	Traumatism:																		
184	By firearms (wounds of war excepted)	35	8	11	16				1			4	6	5	7	2	4	3	2
185	By cutting or piercing instruments (wounds of war excepted)	11	5	3	3									2	1	1	3	2	2
	Supplemental	4	1	1	2								1				3		
186a	By fall	150	88	29	33			2			1	4	3	3	1	7	10	18	101
	Supplemental	17	6	3	8	1						1	1	1	3	4	1	1	4
186b	By crushing, landslide	16	4	3	9							2	3	1	2	3	5		
	Supplemental	56	18	12	26		2	1			4		5	6	12	7	9	5	5
188	Injuries by animals	4	4								1				1			1	1
190	Excessive cold	6		2	4								1				2	2	1
193	Due to electric currents	6	1		5						1		1	2	1				1
194a	Foreign bodies	9	5	1	3	2	2								1		3	1	
194b	Other accidents	55	16	13	26	2	1	1			2	3	4	3	10	6	8	4	10
	Supplemental	216	99	32	85	1			2		10	2	18	15	27	28	35	30	48
	XVIII.—Ill-defined causes of death	35	9	6	20	4		1			1		1		1	1	2	11	13
199	Sudden death	8	2	2	4								1				1	2	4
200a	Cause of death ill-defined	17	4	3	10	1					1				1		1	8	5
200b	Cause of death not specified or unknown	10	3	1	6	3		1								1		1	4
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	5		1	4								1	1	1	1	1		
202	Accidents from agricultural machinery	6	1		5								3			1		2	
205	Other machinery accidents	15	5	4	6								1		4	5	3	1	1
206	Railroad and automobile collisions	17	5	1	11						4	2		2	1	1	3	1	3
207	Other railroad accidents	19	4	6	9								2	2	4		6	3	2
208	Streetcar and automobile collisions	4	4										1		1		1	1	
209	Other street car accidents	3	3														1		2
210	Automobile accidents (primary)	223	100	37	86	1	2	1	2		10	1	15	17	30	33	34	28	49
211	Motorcycle accidents	3		1	2								1		2				
212	Other land transportation accidents	5	1	2	2	1							1	1		1			1
213	Water transportation accidents	32	9	5	18					1	3	1	2	4	9	6	6		
214	Air transportation accidents	4	1		3									1	1	2			
	PENNSYLVANIA																		
	Total deaths (all causes)	109,204	62,793	13,347	33,064	10,113	1,469	722	553	463	1,670	1,365	1,981	2,582	5,702	8,853	13,199	18,475	42,025
	I.—Infectious and parasitic diseases	11,389	5,910	1,250	4,229	1,024	447	223	172	147	458	301	556	789	1,437	1,536	1,394	1,161	1,740
1	Typhoid fever	175	89	30	56		5		1	2	9	16	20	32	31	24	19	10	5
2	Paratyphoid fever	6	3	2	1						1		2	2		1			
3	Typhus fever	1			1												1		
5	Undulant fever	1			1									1					
7	Measles	221	87	28	106	55	63	28	13	13	27	11	3	1		5		2	
8	Scarlet fever	262	140	36	86	7	23	19	21	22	80	20	25	13	17	9	4	1	1
9	Whooping cough	449	203	66	180	259	120	37	12	10	4	3					1	1	2
10	Diphtheria	398	172	72	154	25	42	34	39	42	126	37	7	2	9	11	12	7	5
11a	Influenza, respiratory complications specified	2,041	937	296	808	249	74	21	22	10	31	30	61	61	136	197	212	247	690
11b	Influenza, respiratory complications not specified	957	353	132	472	100	23	21	11	9	21	29	21	18	46	67	78	94	419
13	Dysentery	44	16	6	22	14	6	3	2	1	1		1			3	2	1	10
15	Erysipelas	168	83	21	64	49	2			1	4	1		2	5	13	15	29	47
16	Acute poliomyelitis, acute polioencephalitis	144	109	9	26	10	13	9	15	10	37	27	11	7	1	3	1		
17	Lethargic or epidemic encephalitis	77	45	11	21	1	3	1	2		4	5	5	6	7	14	11	8	10
18	Epidemic cerebrospinal meningitis	149	120	13	16	26	8	5	9	7	20	18	12	10	13	5	10	5	1
21	Rabies	2	1		1						1							1	
22	Tetanus	63	40	14	9	2		2	1	2	13	11	8	5	2	7	3	5	2
	Tuberculosis (all forms)	5,411	2,941	432	2,038	78	55	33	18	14	75	86	365	601	1,077	1,028	866	628	484
23	Respiratory system	4,855	2,575	371	1,909	26	18	12	7	6	28	64	322	562	1,019	951	818	586	433
24	Meninges and central nervous system	213	159	25	29	37	30	18	7	7	31	11	14	13	17	13	6	7	2
25	Intestines and peritoneum	147	80	16	51	3	3	1	1	1	10	7	10	17	20	29	17	10	18
26	Vertebral column	65	41	10	14		1		1		3	2	4	8	6	9	10	10	11

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
	Tuberculosis (all forms)—Continued																		
27a	Bones (vertebral column excepted)	4	1		3											2	1	1	
27b	Joints	30	16	3	11	1						1	5		3	5	4	4	7
28	Skin and subcutaneous cellular tissue	3	2		1														3
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	14	7	2	5	4			1			1			1	2			5
30	Genitourinary system	37	25	5	7								3		7	12	7	5	3
31	Other organs	7	4		3								1		2		1	2	1
32a	Acute disseminated tuberculosis	31	26		5	5	3	2	1		2		6	1	2	5		3	1
32b,c	Other disseminated tuberculosis	5	5			2					1						2		
34	Syphilis	640	450	58	132	125	6	2	2	1		3	8	11	65	123	133	113	48
35	Gonococcus infection and other venereal diseases	72	55	14	3	1							4	15	23	11	13	3	2
36	Purulent infection, septicemia (non-puerperal)	45	27	2	16	8	2	2		1		3	1	2	1	9	5	2	9
38	Malaria	10	5	2	3								1				4	1	4
39	Other diseases due to protozoal parasites	5	2		3	1					1		1			1		1	
42	Other diseases caused by helminths	5	4		1	1		1	2	1									
43	Mycoses	12	11		1	2									3	4	2	1	
44	Other infectious and parasitic diseases	31	17	6	8	11	2	5	2	1	3	1			1	1	2	1	1
	II.—Cancers and other tumors	11,010	6,746	1,417	2,847	11	8	12	11	7	29	32	52	62	306	972	2,006	2,959	4,541
	Cancer and other malignant tumors	10,595	6,446	1,365	2,784	7	4	9	7	5	23	27	47	52	256	854	1,903	2,902	4,497
(45)	Buccal cavity	334	219	43	72	1	1	1					2	1	3	13	48	99	165
(45)	Pharynx	74	47	9	18							1		2	1	1	10	16	43
(46)	Esophagus	191	144	19	28								1	1		8	37	61	83
(46)	Stomach and duodenum	2,239	1,264	279	696									2	18	120	338	694	1,067
(46)	Liver and biliary passages	932	495	135	302	1					3			1	11	49	126	257	483
(46)	Pancreas	305	184	49	72						1				4	13	52	107	128
(46)	Other digestive tract and peritoneum	1,700	1,048	239	413	2	1	2	1	1	2	3	8	10	45	133	285	437	770
47	Respiratory system	383	276	49	58						3	2	2	8	14	50	87	119	98
48	Uterus	1,283	773	192	318							1	1	7	63	193	331	326	361
49	Other female genital organs	259	189	26	44								5	3	12	40	66	71	62
50	Breast	1,027	649	129	249								1	2	25	112	265	273	349
51	Male genitourinary organs	781	495	92	194	2		1	2			2	4	4	13	25	78	213	437
52	Skin	222	93	18	111								2		2	9	19	28	161
53	Other or unspecified organs	865	570	86	209	1	2	5	4	4	14	18	21	11	45	88	161	201	290
54a	Nonmalignant tumors, ovary	9	5	2	2											2	3	2	2
54b	Nonmalignant tumors, uterus	209	160	28	21										24	81	68	24	12
54d,e	Nonmalignant tumors, other organs	144	106	14	24	2	2	3	2	1	5	3	4	9	23	20	24	24	22
55d,e	Tumors, other organs (nature unspecified)	53	29	8	16	2	2		2	1	1	2	1	1	3	15	8	7	8
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	3,525	2,166	436	923	167	23	15	8	12	60	82	58	69	125	214	520	866	1,303
56	Acute rheumatic fever	275	161	30	84	2	2	1	3	6	41	43	28	20	32	27	22	20	26
57	Chronic rheumatism, osteoarthritis	102	47	14	41							1		2	2	2	11	18	66
59	Diabetes mellitus	2,545	1,585	315	645		1	1	2	3	16	34	23	26	54	121	381	740	1,143
60	Scurvy	1	1			1													
62	Pellagra	11	7	1	3										1	5	4	1	
63	Rickets	37	19	5	13	24	6	4		1	1				1				
64	Osteomalacia	1			1													1	
65	Diseases of pituitary body	4	1		3								1			1	2		
66a	Simple goiter	19	12	2	5										2	4	8	3	1
66b	Exophthalmic goiter	296	182	45	69							1	6	14	29	45	74	72	55
(66)	Other diseases of thyroid and parathyroid glands	46	23	7	16	12	1		3	1		2		4	2	1	7	6	5
67	Diseases of thymus gland	145	98	14	33	123	12	5			2	1		1		1			
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	29	22	2	5									2	2	7	10	4	4
69	Other general diseases	14	8	1	5	5	1	2		1							1	1	3
	IV.—Diseases of the blood and blood-making organs	763	475	98	190	49	15	10	11	5	26	17	24	28	48	84	107	135	204
70	Hemorrhagic conditions	67	37	11	19	32	1		3	1	3	4	3	5	1	2	4	3	5
71a	Pernicious anemia	310	153	46	111	3		2			3	1	2	1	4	30	54	77	133
71b	Other anemias	36	23	5	8	7	5	2									1	3	18
72a	True leukemias	204	152	19	33	4	7	5	7	2	13	7	12	8	21	25	32	34	27
72b	Pseudoleukemias (Hodgkin's disease)	102	77	10	15	1			1	2	6	4	6	10	16	20	9	13	14
73	Diseases of the spleen	38	27	7	4	2	2	1			1	1	1	4	5	7	6	3	5
74	Other diseases of blood and blood-making organs	6	6												1		1	2	2
	V.—Chronic poisonings and intoxications	293	169	33	91		1						1	1	31	67	101	64	27
75	Alcoholism (acute or chronic)	282	162	33	87								1	1	30	66	99	60	25
76	Chronic poisoning by other organic substances	3	1		2												1	1	1
77a	Chronic lead poisoning	7	5		2		1								1	1		3	1
77b,c	Other chronic poisoning by mineral substances	1	1														1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	10,888	5,465	1,382	4,041	176	64	29	26	26	106	87	83	120	236	602	1,195	2,078	6,058
78	Encephalitis (nonepidemic)	99	68	8	23	4	9	3	2	----	4	5	2	10	15	10	11	10	14
79a	Simple meningitis	200	146	20	34	46	15	8	9	8	20	12	11	10	12	23	13	9	4
79b	Nonepidemic cerebrospinal meningitis	18	10	3	5	3	1	2	----	2	2	1	3	1	----	----	----	1	1
80	Progressive locomotor ataxia (tabes dorsalis)	128	68	9	51	----	----	----	----	----	----	1	----	1	3	11	37	43	32
81	Other diseases of spinal cord	254	153	34	67	----	4	1	----	1	3	4	5	8	12	25	41	56	94
82a	Cerebral hemorrhage	7,970	3,808	1,061	3,101	5	2	2	4	1	2	4	4	11	52	243	787	1,612	5,240
82b	Cerebral embolism and thrombosis	613	420	71	122	----	1	1	----	----	4	4	4	8	18	37	68	141	327
82c	Softening of brain	48	20	6	22	----	----	----	----	----	----	----	----	----	----	2	5	5	36
82d	Hemiplegia and other paralysis, cause unspecified	164	84	19	61	2	----	----	----	1	1	----	----	2	2	5	8	19	124
83	General paralysis of insane	417	187	11	219	----	----	----	----	----	----	1	2	2	33	129	130	85	35
84	Dementia praecox and other psychoses	83	21	6	56	----	----	----	----	----	----	----	2	5	12	17	15	14	18
85	Epilepsy	239	86	29	124	2	3	1	2	1	10	14	28	42	38	40	22	21	15
86	Convulsions (under 5 years of age)	72	31	7	34	54	13	2	1	2	----	----	----	----	----	----	----	----	----
87	Other diseases of nervous system	245	123	45	77	8	2	2	2	----	5	5	9	5	16	26	25	39	101
88	Diseases of organs of vision	4	4	----	----	----	----	----	----	1	1	----	1	1	----	----	----	----	----
89a	Diseases of ear	177	116	28	33	35	6	3	3	7	30	15	6	9	12	11	14	15	11
89b	Diseases of mastoid process	157	120	25	12	17	8	4	3	2	24	21	6	5	11	23	19	8	6
	VII.—Diseases of the circulatory system	27,491	15,598	3,295	8,598	34	19	11	18	11	130	185	218	241	636	1,447	3,090	5,527	15,919
90	Pericarditis	164	142	6	16	1	1	1	3	----	3	3	5	7	19	35	39	22	25
91a	Acute endocarditis	369	235	51	83	5	3	2	4	3	23	25	36	31	71	39	44	40	43
91b	Endocarditis, unspecified (under 45 years)	60	38	7	15	1	1	----	1	----	7	4	5	5	10	26	----	----	----
92a	Endocarditis, specified as chronic, and other valvular diseases	4,992	2,585	641	1,766	1	4	3	5	4	63	106	116	114	253	368	544	878	2,530
92b	Endocarditis, unspecified (45 years and over)	330	175	43	112	----	----	----	----	----	----	----	----	----	----	----	58	72	200
93a	Acute myocarditis	633	389	80	164	6	3	----	----	1	10	5	8	8	21	57	118	147	249
93b	Myocarditis, unspecified (under 45 years)	138	92	20	26	8	----	1	1	----	3	2	5	5	20	93	----	----	----
93c	Chronic myocarditis and myocardial degeneration	10,416	6,384	1,093	2,939	----	2	1	----	1	5	9	13	28	112	386	1,057	2,170	6,632
93d	Other diseases of myocardium	2,490	1,454	338	698	----	1	----	----	----	----	----	3	5	5	12	283	543	1,638
94a	Angina pectoris	1,589	822	248	519	----	----	----	----	----	----	----	----	4	16	102	237	433	797
94b	Diseases of coronary arteries	1,333	880	160	293	1	----	----	----	----	----	----	3	6	19	108	232	379	584
95a	Functional diseases of heart	53	28	6	19	----	----	----	----	----	----	----	----	1	2	4	6	13	27
95b	Other and unspecified diseases of heart	2,698	1,289	340	1,069	6	1	1	3	1	14	31	20	18	75	170	333	590	1,435
96	Aneurysm (except of heart)	140	105	12	23	----	----	----	----	----	----	----	----	1	2	18	44	40	35
97	Arteriosclerosis (coronary arteries excepted)	1,771	802	207	762	----	----	----	----	----	----	----	----	----	1	8	52	150	1,559
98	Gangrene	73	33	9	31	1	1	1	----	1	----	----	----	----	1	----	4	5	59
99	Other diseases of arteries	133	90	16	27	----	----	----	1	----	1	----	2	7	3	10	18	19	72
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	66	34	12	20	----	----	----	----	----	----	----	1	1	4	7	13	19	21
101	Diseases of lymphatic system (lymphangitis, etc.)	16	9	4	3	4	2	1	----	----	1	----	1	----	1	1	1	1	3
102	Idiopathic anomalies of blood-pressure	11	6	1	4	----	----	----	----	----	----	----	----	----	----	2	4	3	2
103	Other diseases of circulatory system	16	6	1	9	----	----	----	----	----	----	----	----	----	1	1	3	3	8
	VIII.—Diseases of the respiratory system	9,659	5,931	1,091	2,637	1,818	451	164	96	73	161	136	182	200	547	926	1,065	1,266	2,573
104a	Diseases of nasal fossae	8	5	1	2	2	----	----	----	----	----	----	----	----	----	2	----	1	3
104b	Diseases of nasal fossae and annexae	53	33	8	12	2	2	----	----	----	4	6	6	7	4	5	8	6	3
105	Diseases of larynx	35	19	5	11	8	5	3	----	1	3	----	1	1	3	3	1	6	----
106a	Acute bronchitis	190	90	29	71	64	9	5	2	2	2	1	----	2	----	5	12	18	68
106b	Chronic bronchitis	155	74	19	62	2	1	----	----	----	----	----	2	2	5	8	19	32	84
106c,d	Bronchitis, unspecified	82	30	11	41	20	1	1	----	1	3	----	----	----	1	1	3	9	42
107a	Bronchopneumonia	3,298	2,014	367	917	1,130	264	78	40	34	52	33	26	24	88	148	196	271	914
107b	Capillary bronchitis	56	24	10	22	20	5	2	----	----	----	----	----	1	1	2	4	2	19
108	Lobar pneumonia	4,946	3,142	539	1,265	511	141	64	43	33	90	84	134	143	397	655	694	764	1,192
109	Pneumonia, unspecified	126	72	10	44	25	6	3	3	----	1	7	3	6	5	6	12	9	40
110	Pleurisy	246	167	35	44	20	14	8	7	2	5	5	5	7	30	33	30	38	42
111a	Pulmonary embolism and thrombosis	36	22	7	7	----	----	----	----	----	----	----	1	2	2	9	7	7	8
111b	Pulmonary congestion, edema, hemorrhagic infarct	98	56	15	27	5	1	----	1	----	----	----	2	----	1	2	4	15	67
112	Asthma	166	90	19	57	----	2	----	----	----	1	----	1	2	3	17	34	43	63
113	Pulmonary emphysema	8	4	1	3	1	----	----	----	----	----	----	1	----	----	1	2	1	2
114	Other diseases of respiratory system (tuberculosis excepted)	156	89	15	52	8	----	----	----	----	----	----	----	3	7	29	39	44	26
	IX.—Diseases of the digestive system	7,115	4,515	950	1,650	1,240	247	129	79	59	190	161	175	174	420	702	1,026	1,070	1,436
115a	Diseases of pharynx and tonsils	334	214	46	74	15	12	16	17	8	41	27	15	18	37	36	36	28	28
115b	Diseases of buccal cavity and annexa	54	33	4	17	6	----	2	2	----	3	----	1	2	6	13	5	3	10
116	Diseases of esophagus	12	9	2	1	----	----	----	----	----	----	----	----	----	1	1	1	2	7
117a	Ulcer of stomach	355	230	41	84	----	----	----	----	----	----	1	3	6	32	53	88	72	100
117b	Ulcer of duodenum	165	113	26	26	2	----	----	----	----	1	----	----	6	13	33	50	34	26
118	Other diseases of stomach (cancer excepted)	235	110	27	98	39	3	1	1	1	2	----	8	2	11	14	43	34	71
119	Diarrhea, enteritis (under 2 years of age)	1,245	594	160	491	1,045	200	----	----	----	----	----	----	----	----	----	----	----	----
120	Diarrhea, enteritis (2 years and over)	423	180	45	198	----	----	76	39	30	25	5	6	6	16	34	35	40	110
121	Appendicitis	1,163	892	166	105	5	12	13	18	9	85	105	115	95	134	168	191	128	85
122a	Hernia	455	330	60	65	10	----	1	----	----	----	----	2	1	18	37	85	118	183
122b	Intestinal obstruction	616	429	88	99	91	13	8	1	9	14	14	11	9	26	60	86	103	171
123	Other diseases of intestines	95	72	12	11	5	2	3	----	----	1	----	3	2	6	12	13	18	30

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
124	Cirrhosis of liver	916	561	141	214	2					1	4	2	3	30	102	194	247	331
125a	Yellow atrophy of liver	48	36	5	7								1	8	8	11	4	10	6
125b	Other diseases of liver	73	43	13	17	2	1			2	2	1	1	4	8	10	12	17	13
126	Biliary calculi	361	256	50	55								2	2	30	37	89	99	102
127	Other diseases of gall-bladder, biliary passages	354	257	39	58	4		3			2	2	2	4	19	55	64	74	125
128	Diseases of pancreas	90	67	9	14			1						2	9	9	18	29	22
129	Peritonitis, cause not specified	121	89	16	16	14	4	5	1		13	2	3	4	16	17	12	14	16
	X.—Diseases of the genitourinary system	10,525	6,354	1,316	2,855	38	10	7	6	5	33	50	82	93	341	748	1,241	2,060	5,810
130	Acute nephritis (including unspecified under 10 years)	389	245	51	93	15	7	2	3	2	21	15	16	11	38	51	70	54	84
131	Chronic nephritis	8,600	5,087	1,060	2,453	1	1	1	2	2	10	24	48	53	193	520	992	1,750	5,003
132	Nephritis, unspecified (10 years and over)	409	216	54	139							7	5	4	14	38	45	80	216
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	195	142	24	29	18	2	4	1	1	2	3	4	5	19	24	28	39	45
134	Calculi of urinary passages	89	69	7	13							1	1	1	3	18	17	26	22
135	Diseases of bladder (tumors excepted)	43	19	5	19								1	1		4	4	2	31
136	Diseases of urethra, urinary abscess, etc.	24	21	3											2	4	8	5	5
137	Diseases of prostate	485	331	60	94											6	18	73	388
138	Diseases of male genital organs, not specified as venereal	6	3	2	1	4										1			1
139a	Cysts of ovary	73	51	15	7								1	3	12	22	16	11	8
139b	Other diseases of ovaries, diseases of tubes and parametrium	147	122	21	4								5	15	47	49	24	4	3
139c	Diseases of uterus	57	40	14	3										11	11	17	15	2
139d	Nonpuerperal diseases of breast (cancer excepted)	2	2															1	1
139e	Other diseases of female genital organs	6	6										1		2		2		1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	1,025	695	143	187								83	203	461	269	9		
140	Abortion with septic conditions	184	136	28	20								12	48	89	34	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	54	34	5	15								2	9	29	13	1		
142a	Ectopic gestation, septic conditions specified	6	5	1										1	3	2			
142b	Ectopic gestation, septic conditions not mentioned	35	29	4	2								1	2	21	10	1		
143	Other accidents of pregnancy (hemorrhage not included)	3	3										1	1		1			
144a	Placenta praevia	28	14	7	7										16	11	1		
144b	Other puerperal hemorrhages	81	55	8	18								4	10	37	30			
145a	Puerperal septicemia and pyemia (abortion excluded)	228	147	36	45								27	59	100	38	4		
146	Puerperal albuminuria and eclampsia	171	107	33	31								22	27	68	54			
147	Other toxemias of pregnancy	27	22	2	3								2	8	9	8			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	59	35	6	18								3	5	26	25			
149	Other accidents of childbirth	145	106	13	26								7	32	62	43	1		
150	Other and unspecified conditions of puerperal state	4	2		2								2	1	1				
	XII.—Diseases of the skin and cellular tissue	165	88	23	54	27	4	1	1	1	6	4	4	6	9	16	26	30	30
151	Furuncle, carbuncle	36	20	8	8	1					1	2	1	2	4	6	4	5	10
152	Phlegmon, acute abscess	72	39	10	23	9	3			1	5	2	2	2	5	6	12	17	8
153	Other diseases of skin and annexa, and of cellular tissue	57	29	5	23	17	1	1	1				1	2		4	10	8	12
	XIII.—Diseases of the bones and organs of locomotion	163	117	16	30	7	5	2	3	4	23	32	10	6	12	18	11	11	19
154	Osteomyelitis	109	77	10	22	5	4	1	2	3	16	26	7	3	10	13	5	5	9
155	Other diseases of bones (tuberculosis excepted)	19	13	3	3	1	1	1		1	4	1		2		1	3	1	3
156	Diseases of joints, other organs of locomotion	35	27	3	5	1			1		3	5	3	1	2	4	3	5	7
	XIV.—Congenital malformations	1,346	724	172	450	1,223	35	14	12	6	14	12	11	7	5	5	2		
157a	Congenital hydrocephalus	161	103	15	43	126	9	4	4	2	5	5	2	1	2	1			
157b	Spina bifida and meningocele	151	82	23	46	145	4							1			1		
157c	Congenital malformations of heart	777	373	96	308	719	17	5	4	3	7	5	8	4	2	3			
157d	Other congenital malformations	257	166	38	53	233	5	5	4	1	2	2	1	1	1	1	1		
	XV.—Diseases of early infancy	4,093	2,278	513	1,302	4,093													
158	Congenital debility	239	95	23	121	239													
159	Premature birth	2,611	1,421	339	851	2,611													
160	Injury at birth	832	532	110	190	832													
161	Other diseases peculiar to early infancy	411	230	41	140	411													
162	XVI.—Senility	336	103	38	195												1	8	327

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	PENNSYLVANIA—Continued																		
	XVII.—Violent and accidental deaths	8,992	5,240	1,132	2,620	115	122	99	108	106	429	263	439	577	1,066	1,208	1,341	1,173	1,940
	Suicide	1,520	883	167	470						1		30	63	196	297	362	341	228
163	By solid or liquid poisons or by absorption of corrosive substances	163	126	18	19								8	10	36	38	37	24	10
164	By poisonous gas	241	205	15	21								2	8	26	47	61	63	34
165	By hanging or strangulation	345	149	39	157								4	5	24	62	87	89	74
166	By drowning	55	28	3	24									5	3	12	16	14	5
167	By firearms	557	267	74	216						1		14	30	93	112	115	115	76
168	By cutting or piercing instruments	71	43	11	17								1	2	1	13	17	18	19
169	By jumping from high places	59	54	2	3									2	11	8	15	14	9
170	By crushing	10	3	3	4									1	2	1	3	3	
171	By other means	19	8	2	9								1			4	11	1	1
	Homicide	469	335	40	94	6	1	1		2	9	7	32	63	125	112	60	30	21
173	By firearms	258	179	18	61						2	2	18	41	74	67	34	9	11
174	By cutting or piercing instruments	74	62	6	6					2	3	2	2	10	29	16	6	2	2
175	By other means	137	94	16	27	6	1	1			4	3	12	12	22	29	20	19	8
	Accidental, other, or undefined	7,003	4,022	925	2,056	109	121	98	108	104	419	256	377	451	745	799	919	802	1,691
176	Attack by venomous animals	8	3	1	4	1						1		1	1	1	1	1	1
177	Poisoning by food	44	16	9	19	1	3	1	2	1	4	1		1	7	8	6	4	5
178	Absorption of poisonous gas	200	141	24	35	3	2	1	1		2	1	4	12	22	36	51	38	27
	Supplemental	9	3	1	5											3	5	1	
179	Other acute accidental poisonings (gas excepted)	113	74	10	29	1	11	10	5	4	4	1	2	6	10	12	22	12	12
180	Conflagration	111	34	16	61	1	5	6	2	3	15	9	6	5	11	9	8	13	18
181	Burns (conflagration excepted)	459	331	57	71	23	44	38	28	27	54	8	13	23	28	29	35	38	71
	Supplemental	46	17	15	14			1			2		5	5	16	11	1	4	1
182	Mechanical suffocation	38	16	3	19	30	3					1	2		1	1			
	Supplemental	15	2	4	9		1				1		1	2	5	1	3	1	
183	Drowning	373	156	29	188	2	14	9	4	3	57	36	53	26	52	33	48	14	22
	Supplemental	36	13	3	20						1	3	7	8	8	2	3	4	
	Traumatism:																		
184	By firearms (wounds of war excepted)	139	50	24	65		2				9	20	23	25	16	14	13	12	5
185	By cutting or piercing instruments (wounds of war excepted)	52	31	8	13	1		1	2	3	4	1	1	3	4	8	12	6	6
	Supplemental	7	4	2	1						1				1	1	3		1
186a	By fall	1,671	1,048	240	383	6	17	6	7	5	18	18	23	20	56	91	161	231	1,011
	Supplemental	138	87	10	41	1	1		1	1	3	5	12	10	17	18	23	20	26
186b	By crushing, landslide	27	13	3	11			1			1	1	2		4	5	7	3	3
	Supplemental	179	98	32	49			1	1	1	9	6	12	6	31	37	41	23	11
188	Injuries by animals	23	8	2	13							1		1	1	1	7	4	8
189	Hunger and thirst	3	2		1												1	2	
190	Excessive cold	13	5	2	6								1		2	1	3	5	1
191	Excessive heat	55	26	8	21	7	1								2	7	12	8	18
192	Lightning	22	5		17						1	3		3	4	5	3	2	1
193	Due to electric currents	58	22	9	27					1	6	5	4	7	18	9	6	1	1
	Supplemental	14	7	3	4							1	1	3	4	2		3	
194a	Foreign bodies	47	24	6	17	12	5	3	4		2	1		2	3	2	3	3	7
194b	Other accidents	271	159	31	81	16	3	4	5	5	20	14	18	17	22	33	42	29	43
	Supplemental	2,827	1,627	373	827	4	9	16	46	50	205	119	187	264	397	417	399	320	392
198	Legal executions	5			5									1	2	2			
	XVIII.—Ill-defined causes of death	426	219	42	165	91	18	6	2	1	5	3	3	6	22	39	64	67	98
199	Sudden death	64	14	8	42	15	1	1	1						3	7	9	10	17
200a	Cause of death ill-defined	83	33	9	41	7	12				1		1	3	3	8	12	13	22
200b	Cause of death not specified or unknown	279	172	25	82	69	5	5	1	1	4	3	2	3	16	24	43	44	59
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	474	191	72	211						3	1	20	38	97	142	108	50	14
202	Accidents from agricultural machinery	21	5	7	9						1	2		2	4	3	2	2	5
203	Elevator accidents	28	24	3	1								3	1	7	2	3	4	8
204	Accidents from machinery used for recreation	2	2										1			1			
205	Other machinery accidents	69	39	12	18		1	2			2	1	3	5	16	13	13	9	4
206	Railroad and automobile collisions	56	18	6	32				2			1	1	8	12	14	6	4	8
207	Other railroad accidents	319	173	52	94		1	2	1	4	17	14	24	26	41	53	62	51	28
208	Street car and automobile collisions	32	24	3	5						1		2	5	6	8	6	3	1
209	Other street car accidents	57	50	2	5			2	2		1	2	3	3	2	3	7	14	18
210	Automobile accidents (primary)	2,043	1,240	261	542	4	8	12	40	46	191	103	148	193	254	242	247	228	326
211	Motorcycle accidents	30	24	2	4				1	1			6	6	11	1	4		
212	Other land transportation accidents	69	41	4	24	1	1		2	1	5	5	4	1	2	4	11	9	23
213	Water transportation accidents	56	24	17	15						1	4	8	9	20	4	7	2	1
214	Air transportation accidents	15	3	2	10							1	2	1	7	2	2		
	RHODE ISLAND																		
	Total deaths (all causes)	8,080	7,135	352	593	639	99	53	44	47	119	75	106	124	331	533	950	1,554	3,403
	I.—Infectious and parasitic diseases	646	510	90	46	42	32	17	16	17	33	11	29	33	72	84	97	86	77
1	Typhoid fever	2	2												1		1		
7	Measles	42	39	1	2	15	9	3	3	2	8	1				1			
8	Scarlet fever	25	23	1	1	1	2	2	3	4	8	1			2	2			
9	Whooping cough	11	9	2		5	4	1			1								
10	Diphtheria	29	26	1	2	2	4	3	6	6	5	2							1
11a	Influenza, respiratory complications specified	63	47	4	12	3	3						1	2	2	6	7	12	27

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
11b	Influenza, respiratory complications not specified	19	13	1	5	3	1	1			1		1		1	1		2	8
15	Erysipelas	11	10		1	4				1							1	1	4
16	Acute poliomyelitis, acute polioencephalitis	3	3					1		1	1								
17	Lethargic or epidemic encephalitis	5	4		1	1					1				1	1		1	
18	Epidemic cerebrospinal meningitis	3	3				1		1										1
22	Tetanus	6	5		1	1					1			1		1	2		
	Tuberculosis (all forms)	371	276	78	17	3	8	6	3	2	7	7	27	30	63	66	65	56	28
23	Respiratory system	306	216	75	15						4	4	24	28	51	60	60	51	24
24	Meninges and central nervous system	27	26	1		3	6	4	1	2	2	1	1	1	2	2	1	1	
25	Intestines and peritoneum	18	15	1	2		2	1			1	2	2		3	2		3	2
26	Vertebral column	4	3	1											1	1	1		1
28	Skin and subcutaneous cellular tissue	1	1														1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1												1				
30	Genitourinary system	7	7						1					1	3		1		1
31	Other organs	1	1															1	
32a	Acute disseminated tuberculosis	5	5					1	1						2	1			
32b,c	Other disseminated tuberculosis	1	1														1		
33	Leprosy	1			1												1		
34	Syphilis	47	44	2	1	2									1	5	19	13	7
35	Gonococcus infection and other venereal diseases	1	1														1		
36	Purulent infection, septicemia (nonpuerperal)	1	1																1
43	Mycoses	3	3												1	1		1	
44	Other infectious and parasitic diseases	3	1		2	2				1									
	II.—Cancers and other tumors	1,022	925	35	62					1	1	2	4	10	18	74	174	269	469
	Cancer and other malignant tumors	993	899	33	61					1	1	2	3	9	17	67	168	264	461
(45)	Buccal cavity	35	32	2	1												8	9	18
(45)	Pharynx	12	11		1												1	5	6
(46)	Esophagus	16	11	2	3											1	6	4	5
(46)	Stomach and duodenum	188	168	3	17									1	2	9	27	46	103
(46)	Liver and biliary passages	81	72	3	6									1		4	10	25	41
(46)	Pancreas	28	27	1												1	6	9	12
(46)	Other digestive tract and peritoneum	210	197	4	9					1			1	2	1	15	22	58	110
47	Respiratory system	36	29	5	2											4	10	14	8
48	Uterus	110	95	6	9										4	14	30	24	38
49	Other female genital organs	26	23	1	2											1	6	7	12
50	Breast	89	83	1	5										1	13	21	27	27
51	Male genitourinary organs	61	56	1	4										2	3	3	13	40
52	Skin	18	17		1									1			2	1	14
53	Other or unspecified organs	83	78	4	1						1	2	2	4	7	2	16	22	27
54a	Nonmalignant tumors, ovary	1	1													1			
54b	Nonmalignant tumors, uterus	9	9													5	3	1	
54d,e	Nonmalignant tumors, other organs	7	6	1									1		1		2		3
55d,e	Tumors, other organs (nature unspecified)	12	10	1	1									1		1	1	4	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	278	250	13	15	10	1	1			5	2	3	6	6	14	30	86	114
56	Acute rheumatic fever	12	12								3		3	3	1			1	1
57	Chronic rheumatism, osteoarthritis	10	9		1										1		2	4	3
59	Diabetes mellitus	227	201	13	13		1				1	2		3	4	11	22	76	107
62	Pellagra	3	3														1		2
63	Rickets	2	1		1	2													
65	Diseases of pituitary body	2	2														2		
66b	Exophthalmic goiter	11	11													1	5	4	1
(66)	Other diseases of thyroid and parathyroid glands	1	1								1								
67	Diseases of thymus gland	8	8			8													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1	1															1	
69	Other general diseases	1	1					1											
	IV.—Diseases of the blood and blood-making organs	68	62	3	3	2	1	2			2	5	2	2	8	10	8	12	14
70	Hemorrhagic conditions	2	2			1						1							
71a	Pernicious anemia	21	21			1		1							1	2	1	8	7
71b	Other anemias	4	2	2														1	3
72a	True leukemias	22	19	1	2		1				1	2	1	2	4	4	2	3	2
72b	Pseudoleukemias (Hodgkin's disease)	15	14		1							1	1		3	3	5		2
73	Diseases of the spleen	2	2								1					1			
74	Other diseases of blood and blood-making organs	2	2					1				1							
	V.—Chronic poisonings and intoxications	29	27		2		1	1							3	2	11	8	3
75	Alcoholism (acute or chronic)	24	24												3	2	10	7	2
77a	Chronic lead poisoning	4	2		2		1	1									1		1
77b,c	Other chronic poisoning by mineral substances	1	1															1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	850	734	33	83	11	4	2	2	3	7	4	3	8	14	35	94	187	476
78	Encephalitis (nonepidemic)	3	2		1										2			1	
79a	Simple meningitis	12	11		1	1	2	2	1		1			2	1	1	1		
80	Progressive locomotor ataxia (tabes dorsalis)	7	6		1											2		2	3
81	Other diseases of spinal cord	15	15							1						1	2	8	3
82a	Cerebral hemorrhage	674	576	30	68	2							1		2	20	76	159	414
82b	Cerebral embolism and thrombosis	48	40	1	7						1				1		6	7	33
82c	Softening of brain	5	5														1	1	3
82d	Hemiplegia and other paralysis, cause unspecified	6	6															1	5
83	General paralysis of insane	18	18												1	7	3	3	4
84	Dementia praecox and other psychoses	2	1		1									1		1			
85	Epilepsy	11	7	1	3							2	1	2	3	1	1	1	
86	Convulsions (under 5 years of age)	2	2			2													
87	Other diseases of nervous system	19	17	1	1		1				1				2	1	2	2	10
89a	Diseases of ear	18	18			3	1		1	1	3	1	1	2	1		1	2	1
89b	Diseases of mastoid process	10	10			3				1	1	1		1	1	1	1		
	VII.—Diseases of the circulatory system	2,042	1,791	65	186	5				1	5	15	13	11	43	92	195	412	1,249
90	Pericarditis	5	1	2	2	1												2	2
91a	Acute endocarditis	22	22							1	1		3	2	4	2	3	2	4
91b	Endocarditis, unspecified (under 45 years)	3	3										1		2				
92a	Endocarditis, specified as chronic, and other valvular diseases	376	335	9	32	1					4	12	5	4	22	32	42	61	193
92b	Endocarditis, unspecified (45 years and over)	12	10		2												1	1	10
93a	Acute myocarditis	40	32	5	3								1		1	3	6	7	22
93b	Myocarditis, unspecified (under 45 years)	6	6													6			
93c	Chronic myocarditis and myocardial degeneration	750	672	27	51								1	3	10	19	62	152	502
93d	Other diseases of myocardium	116	111		5								1				6	28	81
94a	Angina pectoris	131	100	7	24											5	12	39	75
94b	Diseases of coronary arteries	126	108	4	14											7	19	36	64
95a	Functional diseases of heart	3	3															2	1
95b	Other and unspecified diseases of heart	288	243	3	42	2						3	1	2	3	15	36	67	159
96	Aneurysm (except of heart)	5	5												1	1	1	1	1
97	Arteriosclerosis (coronary arteries excepted)	136	122	6	8												3	13	120
98	Gangrene	8	5		3	1											1		6
99	Other diseases of arteries	11	9	2												1	2	1	7
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	3	3													1	1		1
103	Other diseases of circulatory system	1	1																1
	VIII.—Diseases of the respiratory system	732	643	37	52	118	32	14	9	7	13	11	5	9	23	49	76	98	268
104a	Diseases of nasal fossae	1	1			1													
104b	Diseases of nasal fossae and annexae	1	1								1								
105	Diseases of larynx	2	2							1	1								
106a	Acute bronchitis	16	13	1	2	3							1				1	2	9
106b	Chronic bronchitis	10	4	2	4													1	9
106c,d	Bronchitis, unspecified	8	7	1		2										1		1	4
107a	Bronchopneumonia	245	219	9	17	81	17	5	3	3	8	2		3	2	2	13	24	82
107b	Capillary bronchitis	1	1																1
108	Lobar pneumonia	410	363	20	27	29	14	9	4	3	2	9	4	5	13	42	58	66	152
109	Pneumonia, unspecified	6	4		2	1									1	1			3
110	Pleurisy	16	15	1		1	1		2		1				2	3	2	2	2
111a	Pulmonary embolism and thrombosis	2	1	1													1		1
111b	Pulmonary congestion, edema, hemorrhagic infarct	4	4												1				3
112	Asthma	5	3	2											1		1	2	1
114	Other diseases of respiratory system (tuberculosis excepted)	5	5											1	3				1
	IX.—Diseases of the digestive system	492	463	10	19	50	16	9	5	6	22	9	9	5	33	35	81	95	117
115a	Diseases of pharynx and tonsils	34	30	1	3		4	1		1	9		1		3	1	7	2	5
115b	Diseases of buccal cavity and annexa	2	2								1				1				
117a	Ulcer of stomach	26	25		1										2	4	4	8	8
117b	Ulcer of duodenum	25	25											1		2	7	9	6
118	Other diseases of stomach (cancer excepted)	8	8					1								1		2	4
119	Diarrhea, enteritis (under 2 years of age)	56	52	3	1	47	9												
120	Diarrhea, enteritis (2 years and over)	25	21		4			5	2	2	2				3	1	4	1	5
121	Appendicitis	108	105	1	2		3	1	2	2	9	7	7	3	12	10	24	13	15
122a	Hernia	41	40	1											2	3	4	10	22
122b	Intestinal obstruction	31	29		2	3				1		1		1	3	3	3	7	9
123	Other diseases of intestines	8	7		1										1	2	1	2	2
124	Cirrhosis of liver	52	47	3	2											3	15	19	15
125a	Yellow atrophy of liver	2	2																2
125b	Other diseases of liver	5	5												1		1	1	2
126	Biliary calculi	27	27												1	2	5	9	10
127	Other diseases of gall-bladder, biliary passages	28	25	1	2			1							2	3	5	8	9
128	Diseases of pancreas	6	6														1	3	2
129	Peritonitis, cause not specified	8	7		1				1		1	1	1		2			1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	X.—Diseases of the genitourinary system	903	800	44	59	1	1				2	4	4	5	27	68	106	206	478
130	Acute nephritis (including unspecified under 10 years)	29	26	2	1	1					1			1	5	4	5	7	5
131	Chronic nephritis	783	689	41	53		1				1	2	1	2	15	47	92	187	434
132	Nephritis, unspecified (10 years and over)	6	4	1	1												2	1	3
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	11	11									1		1		1	2		6
134	Calculi of urinary passages	12	12										2		1	4	2	1	2
135	Diseases of bladder (tumors excepted)	6	4		2										2			1	3
136	Diseases of urethra, urinary abscess, etc	3	3														2	1	
137	Diseases of prostate	30	28		2													6	24
139a	Cysts of ovary	5	5									1			1	2			1
139b	Other diseases of ovaries, diseases of tubes and parametrium	12	12											1	3	7	1		
139c	Diseases of uterus	5	5													1	1	3	
139e	Other diseases of female genital organs	1	1										1						
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	67	64		3								7	6	41	13			
140	Abortion with septic conditions	12	12											2	9	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	5	5											1	3	1			
142b	Ectopic gestation, septic conditions not mentioned	4	4												3	1			
144a	Placenta praevia	5	5										1		3	1			
144b	Other puerperal hemorrhages	8	7		1								1		3	4			
145a	Puerperal septicemia and pyemia (abortion excluded)	11	10		1								3	1	5	2			
146	Puerperal albuminuria and eclampsia	13	12		1								2	1	8	2			
147	Other toxemias of pregnancy	2	2												1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	3												3				
149	Other accidents of childbirth	4	4											1	3				
	XII.—Diseases of the skin and cellular tissue	17	15	1	1	3				1		1	1			3	1	4	3
151	Furuncle, carbuncle	7	6	1		1				1			1			1		1	2
152	Phlegmon, acute abscess	3	3									1				1			1
153	Other diseases of skin and annexa, and of cellular tissue	7	6		1	2										1	1	3	
	XIII.—Diseases of the bones and organs of locomotion	8	7		1						1	1	1		2			2	1
154	Osteomyelitis	4	4								1		1		2				
155	Other diseases of bones (tuberculosis excepted)	1			1													1	
156	Diseases of joints, other organs of locomotion	3	3									1						1	1
	XIV.—Congenital malformations	104	95	5	4	89	4	3	1		5			1	1				
157a	Congenital hydrocephalus	23	20	1	2	17	1	1			4								
157b	Spina bifida and meningocele	16	16			14		1						1					
157c	Congenital malformations of heart	40	35	3	2	35	3		1						1				
157d	Other congenital malformations	25	24	1		23		1			1								
	XV.—Diseases of early infancy	296	280	3	13	296													
158	Congenital debility	12	12			12													
159	Premature birth	158	147	2	9	158													
160	Injury at birth	79	75		4	79													
161	Other diseases peculiar to early infancy	47	46	1		47													
162	XVI.—Senility	23	17	1	5														23
	XVII.—Violent and accidental deaths	479	430	12	37	8	7	4	11	11	22	10	25	26	36	52	73	85	108
	Suicide	94	88	4	2								1	2	8	24	23	21	15
163	By solid or liquid poisons or by absorption of corrosive substances	13	13												2	5	5	1	
164	By poisonous gas	20	20													3	3	8	6
165	By hanging or strangulation	19	16	2	1									1	1	3	6	6	2
166	By drowning	15	15												1	5	5	3	1
167	By firearms	16	14	2									1	1	2	3	3	3	3
168	By cutting or piercing instruments	6	5		1										1	2			3
169	By jumping from high places	3	3												1	1	1		
171	By other means	2	2													2			
	Homicide	11	9		2	2							1		2	1	1	1	2
173	By firearms	4	2		2										2		1		1
175	By other means	7	7			2							1			1		1	1
	Accidental, other, or undefined	374	333	8	33	6	7	4	11	11	22	10	23	24	26	27	49	63	91
178	Absorption of poisonous gas	16	14		2									1	2	2	4	3	4
179	Other acute accidental poisonings (gas excepted)	4	4				1		1								2		
180	Conflagration	8	8											1	1		1	3	2
181	Burns (conflagration excepted)	36	34	1	1	1	2	2	2	3	5				3	3	4	7	4
	Supplemental	2	1		1									1		1			
182	Mechanical suffocation	3	3			1										1		1	
183	Drowning	41	30	2	9		1	1	1		6	5	2	4	2	4	5	8	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	RHODE ISLAND—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
	Supplemental	9	4	1	4								4	2	1		1	1	
	Traumatism:																		
184	By firearms (wounds of war excepted)	4	3		1					1			2	1					
185	By cutting or piercing instruments (wounds of war excepted)	6	6													1	1	1	3
185	Supplemental	1	1															1	
186a	By fall	89	87	1	1		1	1	3			1	2	2	1	2	9	16	52
	Supplemental	13	12		1						1		2	2	1		4	1	2
186b	By crushing, landslide	4	4										1		1		1	1	
	Supplemental	14	14						1	1	1	1		1	2	2	4	1	
190	Excessive cold	6	5	1									1				3	1	1
191	Excessive heat	1	1																1
194a	Foreign bodies	3	2		1	2									1				
194b	Other accidents	17	14		3	2	1				1	2				3	1	2	5
	Supplemental	97	86	2	9		1		3	6	8	2	9	9	11	8	9	16	15
	XVIII.—Ill-defined causes of death	24	22		2	4					1			2	4	2	4	4	3
199	Sudden death	6	6			3									1		1		1
200a	Cause of death ill-defined	14	14			1					1			2	3	1	1	4	1
200b	Cause of death not specified or unknown	4	2		2											1	2		1
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	1	1													1			
205	Other machinery accidents	6	4	1	1								1		1		1	3	
207	Other railroad accidents	7	7									1				2	3	1	
208	Street car and automobile collisions	2	2											1			1		
210	Automobile accidents (primary)	101	91	1	9		1		3	7	10	2	10	10	13	8	10	14	13
211	Motorcycle accidents	3	3											1					2
212	Other land transportation accidents	5	4		1				1								2		2
213	Water transportation accidents	10	5	1	4								4	3			1	2	
214	Air transportation accidents	1	1												1				
	SOUTH CAROLINA																		
	Total deaths (all causes) White	8,599	2,054	910	5,635	1,234	165	81	65	41	147	137	198	257	512	687	954	1,255	2,863
	Total deaths (all causes) Colored	11,285	2,333	832	8,120	1,970	253	113	71	68	202	220	515	689	1,186	1,399	1,643	1,301	1,645
	I.—Infectious and parasitic diseases White	1,078	232	99	747	145	53	31	33	14	46	36	37	66	96	125	119	99	175
	I.—Infectious and parasitic diseases Colored	2,238	429	171	1,638	264	84	36	30	19	79	90	214	290	404	295	218	116	98
1	Typhoid fever W	55	6	6	43	2		1	2	2	1	11	6	6	7	10	1	2	4
	Typhoid fever C	196	26	8	162	3	2	2	4	1	9	30	37	33	30	18	17	9	1
2	Paratyphoid fever W	1	1								1								
	Paratyphoid fever C	3	1		2						1				1				1
3	Typhus fever W	1			1								1						
7	Measles W	25	2	2	21	9	8	2	1	1		3	1						
	Measles C	18	4	2	12	8	2	1			1		4		1	1			
8	Scarlet fever W	7	1	1	5				4		2			1					
	Scarlet fever C	4	1		3	1	1				2								
9	Whooping cough W	40	5	7	28	30	5	3			2								
	Whooping cough C	98	4	1	93	54	27	5	6	2	2		2						
10	Diphtheria W	59	15	4	40	4	13	15	12	3	9	1					2		
	Diphtheria C	31	2	1	28	12	4	4	6	2		1	1						1
11a	Influenza, respiratory complications specified W	292	52	27	213	38	13	3	8	3	9	4	9	8	18	30	25	37	86
	Influenza, respiratory complications specified C	272	60	33	179	42	14	3	3	3	9	10	17	16	43	29	37	23	23
11b	Influenza, respiratory complications not specified W	108	22	10	76	21	5	2		3	4	2	3	3	7	8	6	9	35
	Influenza, respiratory complications not specified C	214	27	17	170	50	10	5	3	2	6	8	13	14	17	24	19	17	26
13	Dysentery W	33	6	2	25	8	4	1			1		2	1			2	5	9
	Dysentery C	42	6	7	29	18	6		1			1			2	3	3	2	6
15	Erysipelas W	25	7	3	15	8	1						1	1	4	1	1	3	5
	Erysipelas C	1			1											1			
16	Acute poliomyelitis, acute polioencephalitis W	8	4	1	3	2		1	1		3	1							
	Acute poliomyelitis, acute polioencephalitis C	5			5	2				1	2								
17	Lethargic or epidemic encephalitis W	8	3	1	4			1							2	4	1		
	Lethargic or epidemic encephalitis C	2			2										1		1		
18	Epidemic cerebrospinal meningitis W	6	2	1	3	3	1								1			1	
	Epidemic cerebrospinal meningitis C	5	3		2	1					1		1	1		1			
21	Rabies W	2			2							1					1		
	Rabies C	1	1								1								
22	Tetanus W	12	5		7	6	1				3	1		1					
	Tetanus C	9	3	1	5	3					2	2					2		
	Tuberculosis (all forms) W	282	63	23	196	4			1	1		4	13	35	47	59	64	29	24
	Tuberculosis (all forms) C	913	196	76	641	6	5	3	1	2	16	28	113	187	245	157	88	38	23
23	Respiratory system W	265	58	18	189	2			1			2	12	33	44	56	64	27	23
	Respiratory system C	862	178	69	615	3	4	2	1	2	11	22	106	179	236	152	84	37	22
24	Meninges and central nervous system W	7	3	1	3	2				1		2			1				1
	Meninges and central nervous system C	11	2		9	2	1				4	2		1			1		
25	Intestines and peritoneum W	1		1										1					
	Intestines and peritoneum C	14	4	2	8							1	2	3	4	1	2		1
26	Vertebral column W	3		2	1									1		2			
	Vertebral column C	6	2	2	2									2	2	1	1		
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	1			1								1						

[2] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
	Tuberculosis—Continued																			
30	Genitourinary system	W	1	1															1	
32a	Acute disseminated tuberculosis	W	5	1	1	3								1		2	1		1	
		C	18	9	3	6	1		1			1	3	3	2	3	3		1	
32b,c	Other disseminated tuberculosis	C	1	1										1						
34	Syphilis	W	38	24	6	8	7		1		1	1			3	4	6	4	6	5
		C	208	82	12	114	42	7	1		1	2	3	12	17	40	41	28	9	5
35	Gonococcus infection, other venereal diseases	W	2	2												1	1			
		C	10	4	3	3								1	3	3	2	1		
36	Purulent infection, septicemia (nonpuerperal)	W	7	3	2	2						1	1			1	1	1	1	1
		C	5	1	1	3								1	2		1			1
38	Malaria	W	61	7	1	53	3	2	1	2		8	6	1	7	4	5	10	6	6
		C	173	6	7	160	8	4	10	5	4	20	6	11	17	20	17	22	18	11
39	Other diseases due to protozoal parasites	C	1	1												1				
40	Ankylostomiasis	W	4	2	2					1		1	1							
42	Other diseases caused by helminths	C	9	1		8	1		2	1	1	4								
43	Mycoses	C	15		1	14	13	2												
44	Other infectious and parasitic diseases	W	2			2				1								1		
		C	3		1	2						1	1	1						
	II.—Cancers and other tumors	White	472	137	51	284	2	1		1		1	3	3	3	23	40	105	122	168
		Colored	333	103	28	202			2		1		1	4	8	37	74	94	66	46
	Cancer and other malignant tumors	W	451	125	49	277	2			1		1	1	3	3	20	37	98	121	164
		C	292	87	26	179			1		1		1	3	8	28	60	83	64	43
(45)	Buccal cavity	W	15	2		13											1	3	4	7
		C	8	1	1	6												2	3	3
(45)	Pharynx	W	12	1	1	10											1	2	6	3
		C	1			1												1		
(46)	Esophagus	W	4	1		3												1	1	2
		C	5	3		2												1	2	2
(46)	Stomach and duodenum	W	81	20	9	52										3	4	17	16	41
		C	59	15	7	37									2	6	12	13	17	9
(46)	Liver and biliary passages	W	48	13	7	28										1	1	14	12	20
		C	26	8	6	12									3	1	3	8	6	5
(46)	Pancreas	W	8	2	2	4											1	1	3	3
		C	3	2		1											2	1		
(46)	Other digestive tract and peritoneum	W	53	15	10	28									1	3	4	12	13	20
		C	13	5		8										1	6	2	3	1
47	Respiratory system	W	14	9	1	4										1	3	3	5	2
		C	2	1		1												1	1	
48	Uterus	W	67	16	6	45										7	12	19	22	7
		C	101	29	7	65								1		16	21	36	15	12
49	Other female genital organs	W	8	5	1	2									1		1	2	2	2
		C	3	2		1											2		1	
50	Breast	W	41	13	2	26										2	4	12	10	13
		C	23	5	3	15										1	5	10	4	3
51	Male genitourinary organs	W	27	12	3	12	1										2	3	6	15
		C	12	4	1	7					1						2		5	4
52	Skin	W	25	4	1	20											1	3	7	14
		C	5	1		4										1	1	2	1	
53	Other or unspecified organs	W	48	12	6	30	1			1		1	1	3	1	3	2	6	14	15
		C	31	11	1	19			1				1	2	3	2	6	6	6	4
54a	Nonmalignant tumors, ovary	W	2	1		1												1		1
		C	1	1															1	
54b	Nonmalignant tumors, uterus	W	7	6		1										3	1	2	1	
		C	27	12	2	13										8	10	7		2
54d,e	Nonmalignant tumors, other organs	W	4			4		1					1					2		
		C	8	1		7											4	3		1
55d,e	Tumors, other organs (nature unspecified)	W	8	5	2	1							1				2	2		3
		C	5	2		3			1					1		1		1	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	329	76	42	211	8		2	1		4	9	2	10	24	30	57	75	107
		Colored	418	106	28	284	11	2	4	2	1	3	8	21	27	69	67	71	67	65
56	Acute rheumatic fever	W	11	1	2	8						2	2			2	1	3	1	
		C	18	3		15					1		1	1	3	1	3	2	3	3
57	Chronic rheumatism, osteoarthritis	W	9			9						1					1	2	2	3
		C	4	2		2							1			1	1			1
59	Diabetes mellitus	W	149	43	19	87							7		6	3	4	25	46	58
		C	62	18	4	40						1	2	2	3	9	8	15	14	8
62	Pellagra	W	129	26	17	86			1					2	3	16	18	23	24	42
		C	305	76	20	209		1	1			2	4	18	19	55	52	52	48	53
63	Rickets	W	2		1	1	2													
		C	13	3	2	8	7	1	3	2										
64	Osteomalacia	C	1	1			1													
66a	Simple goiter	C	1			1											1			
66b	Exophthalmic goiter	W	15	6		9									1	2	5	3	1	3
		C	8	2	2	4										2	2	2	2	
(66)	Other diseases of thyroid and parathyroid glands	W	3		1	2				1								1	1	
67	Diseases of thymus gland	W	5			5	3		1			1								
		C	1			1	1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	2		1	1										1	1			
69	Other general diseases	W	4		1	3	3													1
		C	5	1		4	2								2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																			
	IV.—Diseases of the blood and blood-making organs	White	41	14	8	19	2		1	1			2		2	3	6	6	8	10
		Colored	14	5	2	7	2	1				1	1	1		1	4	3		
70	Hemorrhagic conditions	W	2	1		1	1										1			
		C	4	1	1	2	2									1	1			
71a	Pernicious anemia	W	15	5	2	8							1		1		1	2	4	6
		C	6	2	1	3						1	1				2	2		
71b	Other anemias	W	2	1	1												1			1
		C	1			1		1												
72a	True leukemias	W	11	1	2	8	1						1			2	2	2	1	2
		C	2	2													1	1		
72b	Pseudoleukemias (Hodgkin's disease)	W	4	3	1										1	1	1		1	
		C	1			1								1						
73	Diseases of spleen	W	5	1	2	2			1	1									2	1
74	Other diseases of blood and blood-making organs	W	2	2														2		
	V.—Chronic poisonings and intoxications	White	30	9	3	18										9	7	9	4	1
		Colored	21	4	2	15							1	2	2	5	4	4	2	1
75	Alcoholism (acute or chronic)	W	27	8	2	17										7	6	9	4	1
		C	20	3	2	15							1	2	2	5	4	3	2	1
76	Chronic poisoning by other organic substances	W	3	1	1	1										2	1			
77a	Chronic lead poisoning	C	1	1														1		
	VI.—Diseases of the nervous system and of the organs of special sense	White	946	202	93	651	18	3	5	2	1	4	6	12	10	20	59	136	208	462
		Colored	1,135	269	95	771	30	1	3	1	2	4	5	13	16	65	162	278	260	295
78	Encephalitis (nonepidemic)	W	10	2	1	7	1		1	1						2	2		1	2
		C	6	4	1	1	1								2	1	1			1
79a	Simple meningitis	W	17	8	2	7	3	1	1		1	1	1	3	2			1		3
		C	6	2		4	1					1	1	1				1		1
79b	Nonepidemic cerebrospinal meningitis	W	1			1										1				
		C	2			2	1						1							
80	Progressive locomotor ataxia (tabes dorsalis)	W	3	2	1											1			2	
		C	1			1												1		
81	Other diseases of spinal cord	W	10	5	1	4								1	1		1	2	1	4
		C	9		2	7											1	2	2	4
82a	Cerebral hemorrhage	W	694	133	70	491	3			1			1	1	2	5	39	109	169	364
		C	780	209	76	495	1			1				1	3	38	109	215	200	212
82b	Cerebral embolism and thrombosis	W	24	12	4	8							1				2	2	4	15
		C	14	7	2	5									1		6	4	1	2
82c	Softening of brain	W	7	1		6													1	6
82d	Hemiplegia and other paralysis, cause unspecified	W	94	5	7	82											7	11	20	56
		C	186	8	7	171			1			1			1	6	19	41	48	69
83	General paralysis of insane	W	5	3		2										2	1			2
		C	38	22	1	15								1	3	6	12	9	5	2
84	Dementia praecox and other psychoses	W	15	10	1	4								1	1	2	1	5	2	3
		C	16	8		8								1	3	3	5	1	2	1
85	Epilepsy	W	25	8	2	15								6	3	5	4	4	1	2
		C	34	3	3	28	1					1	2	8	3	8	5	4		2
86	Convulsions (under 5 years of age)	W	7	2		5	4		3											
		C	24	3		21	20	1	2		1									
87	Other diseases of nervous system	W	17	5	1	11	2					1						2	7	5
		C	11		2	9	1				1		1	1		2	2		2	1
88	Diseases of organs of vision	W	1			1									1					
89a	Diseases of ear	W	11	4	1	6	5	1					2			2	1			
		C	4	1	1	2	3										1			
89b	Diseases of mastoid process	W	5	2	2	1		1				2	1				1			
		C	4	2		2	1					1				1	1			
	VII.—Diseases of the circulatory system	White	1,593	383	167	1,043	4	3	1		1	7	7	8	12	31	91	209	337	882
		Colored	1,597	402	136	1,059	2	2	1		2	2	10	24	44	124	247	403	343	393
90	Pericarditis	W	1		1								1							
		C	1		1												1			
91a	Acute endocarditis	W	18	7		11						3		2	3	1	2	2	1	4
		C	11	4	2	5					1	1		3	1	1		2	2	
91b	Endocarditis, unspecified (under 45 years)	W	3			3	1										2			
		C	15	5	2	8								3	3	3	6			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	271	39	30	202	1	1	1			2	2	2	1	9	11	30	58	153
		C	424	108	29	287					1	1	4	7	14	36	83	95	87	96
92b	Endocarditis, unspecified (45 years and over)	W	29	5	4	20												6	7	16
		C	26	3	2	21												8	8	10
93a	Acute myocarditis	W	12	4	3	5							1	1	1	1		1	3	4
		C	13	3	2	8									1	1	4	4	1	2
93b	Myocarditis, unspecified (under 45 years)	W	10	4	2	4										1	9			
		C	39	11	3	25									1	15	23			
93c	Chronic myocarditis and myocardial degeneration	W	226	69	29	128							1	1	1	4	12	20	49	138
		C	126	37	25	64								1		6	15	27	31	46
93d	Other diseases of myocardium	W	173	49	16	108											1	27	38	107
		C	113	29	23	61								1		1		44	38	29
94a	Angina pectoris	W	216	57	26	133									1	2	14	35	62	102
		C	94	44	3	47										7	19	42	15	11
94b	Diseases of coronary arteries	W	61	22	11	28								1			3	14	17	26
		C	8	3	2	3										1	2	2	3	
95a	Functional diseases of heart	W	4	1		3											1	1		2
		C	2			2										1				1
95b	Other and unspecified diseases of heart	W	451	77	38	336		1				2	1		5	12	31	61	82	256
		C	585	112	35	438	1	1	1				5	9	23	44	83	142	132	144

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	VII.—Diseases of the circulatory system—Continued.																		
96	Aneurysm (except of heart)	W 5	3		2											1	1	1	2
		C 10	7		3										2	4	3	1	
97	Arteriosclerosis (coronary arteries excepted)	W 82	34	7	41											4	6	17	55
		C 70	25	3	42										1	2	20	13	34
98	Gangrene	W 4	1		3														4
		C 16	6	1	9	1						1				1	2	3	8
99	Other diseases of the arteries	W 11	8		3					1		1					2		7
		C 2	1	1															1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 2	1		1								1			1			
		C 3		1	2												1	3	
101	Diseases of lymphatic system (lymphangitis, etc.)	W 3			3	1	1								1				
102	Idiopathic anomalies of blood-pressure	W 8			8												1	2	5
		C 33	3	1	29										3	2	11	6	11
103	Other diseases of circulatory system	W 3	2		1	1											1		1
		C 6	1		5		1							1	2	1	1		
	VIII.—Diseases of the respiratory system	White 740	169	62	509	170	36	16	8	6	23	25	30	25	48	60	48	66	179
		Colored 959	204	63	692	273	45	26	10	8	22	24	49	70	102	108	96	52	71
104a	Diseases of nasal fossae	W 5			5	5													
		C 51			51	30	6	3		1				2	3	1	1	1	3
104b	Diseases of nasal fossae and annexae	W 3	2		1						1					1	1		
		C 2			2						1							1	
105	Diseases of larynx	C 3	1		2	1										1		1	
106a	Acute bronchitis	W 2	1		1	1													1
		C 3	3											1	1	1			
106b	Chronic bronchitis	W 7	2	1	4	1							1					1	4
		C 2	1		1									1			1		
106c,d	Bronchitis, unspecified	W 5			5	1												1	3
		C 4	1		3	2									1				1
107a	Bronchopneumonia	W 183	48	6	129	88	12	7	2	1	3	4	3	2	4	1	6	13	37
		C 206	65	17	124	96	16	12	5	3	6	6	4	5	7	9	14	10	13
107b	Capillary bronchitis	W 2		1	1	2													
108	Lobar pneumonia	W 396	83	46	267	51	15	6	4	4	14	17	22	18	35	45	35	38	92
		C 351	98	36	217	37	10	3	1	1	8	7	26	37	57	68	50	21	23
109	Pneumonia, unspecified	W 87	14	2	71	21	8	1	2	1	3	4	2	4	3	6	4	8	20
		C 286	20	6	260	106	12	5	4	2	7	10	18	22	28	18	21	13	20
110	Pleurisy	W 18	8	1	9		1	1			1		2	1	3	3	1	1	4
		C 17	9		8					1		1		2	1	3	5	1	3
111a	Pulmonary embolism and thrombosis	W 2	1		1											1			1
111b	Pulmonary congestion, edema, hemorrhagic infarct	W 13	3	4	6										1				12
		C 6	3	2	1											2	1	1	2
112	Asthma	W 13	3	1	9			1			1					3	1	2	5
		C 23		1	22		1	2					1		4	3	2	3	6
113	Pulmonary emphysema	W 2	2												1			1	
		C 1	1													1			
114	Other diseases of respiratory system (tuberculosis excepted)	W 2	2																
		C 4	2	1	1	1		1							1	1	1		
	IX.—Diseases of the digestive system	White 480	151	63	266	131	45	14	9	5	17	13	9	11	27	42	44	47	66
		Colored 620	157	43	420	192	62	11	8	5	16	15	23	29	41	72	65	51	29
115a	Diseases of pharynx, tonsils	W 23	8	3	12	1	3		2		2		4	1		3	2	2	3
		C 23	5	2	16	2	2				2	1	3	2	2	2	4	3	
115b	Diseases of buccal cavity and annexa	W 3		1	2										1	1			1
		C 12	1		11	1	2						1	2	1	2	2		1
116	Diseases of esophagus	W 1	1																1
		C 1	1							1									
117a	Ulcer of stomach	W 16	4	2	10							1		1	1	4	3	2	4
		C 28	12	2	14								1	3	5	7	7	3	2
117b	Ulcer of duodenum	W 10	7	1	2										1	3	3	1	2
		C 4	1	1	2								1			3			
118	Other diseases of stomach (cancer excepted)	W 29		3	26	5				1				2	1	4	2	5	9
		C 138	7	2	129	40	15	1		1	6	1	3	3	8	14	20	17	9
119	Diarrhea, enteritis (under 2 years of age)	W 161	24	20	117	120	41												
		C 188	57	12	119	146	42												
120	Diarrhea, enteritis (2 years and over)	W 42	10	3	29			11	4	3	3		1	1	1	5	2	1	10
		C 45	14	6	25			10	7	1	2	1	3	1	3	2	4	7	4
121	Appendicitis	W 69	38	12	19	1		1	1		10	10	4	5	11	6	6	6	8
		C 68	24	9	35		1			1	5	11	6	8	9	12	9	5	1
122a	Hernia	W 20	14	3	3									1		2	3	8	6
		C 15	6	2	7									2	2	2	3	3	3
122b	Intestinal obstruction	W 35	24	3	8	4	1	1	1	1		2			3	6	2	9	5
		C 36	12	5	19	1						1	4	2	6	6	7	4	4
123	Other diseases of intestines	W 3	1		2										1			1	1
		C 10	5		5									1	2	7			
124	Cirrhosis of liver	W 25	5	3	17										1	4	12	2	6
		C 20	6	1	13								1	3		9	2	2	3
125a	Yellow atrophy of liver	W 4		1	3										2		1	1	
		C 2	1		1									1		1			
125b	Other diseases of liver	W 6	1		5				1						1		1	2	1
		C 15	2		13	2			1		1				2	2	2	4	1
126	Biliary calculi	W 12	4	4	4											2	3	2	5
		C 4			4									1		1	1	1	
127	Other diseases of gall-bladder, biliary passages	W 9	4	2	3										3	1	1	2	2
		C 7	1	1	5										1	1	2	2	1
128	Diseases of pancreas	W 2	2														1	1	
129	Peritonitis, cause not specified	W 10	4	2	4			1			2					1	2	2	2
		C 4	2		2					1						1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	X.—Diseases of the genito-urinary system—White	1,054	222	124	708	1	4		1	2	4	4	2	11	36	67	129	195	598
	X.—Diseases of the genito-urinary system—Colored	1,124	250	106	768	4	6	5	1	4	5	6	20	33	84	155	256	242	303
130	Acute nephritis (including unspecified under 10 years)—W	26	8	2	16	1	1			2	2				7	5	4	2	2
	Acute nephritis (including unspecified under 10 years)—C	52	14	4	34	2	4	3		2	3	2	4	5	6	11	6	1	3
131	Chronic nephritis—W	858	169	99	590				1		1	2	1	6	20	41	104	161	521
	Chronic nephritis—C	802	189	92	521		1			1	1		3	9	48	102	199	199	239
132	Nephritis, unspecified (10 years and over)—W	80	13	7	60							1		2	1	6	9	20	41
	Nephritis, unspecified (10 years and over)—C	134	17	6	111							3	5	10	13	17	29	23	34
133	Other diseases of kidneys, ureters (puerperal diseases excepted)—W	36	8	7	21		3				1	1		1	2	8	4	4	12
	Other diseases of kidneys, ureters (puerperal diseases excepted)—C	63	7	1	55	2	1	2	1	1	1		5		9	8	10	8	15
134	Calculi of urinary passages—W	9	6		3										2	1	4	2	
	Calculi of urinary passages—C	2			2												2		
135	Diseases of bladder (tumors excepted)—W	3	2		1													2	1
	Diseases of bladder (tumors excepted)—C	6	2		4												2	2	2
136	Diseases of urethra, urinary abscess, etc—W	2	1		1													2	
	Diseases of urethra, urinary abscess, etc—C	8	2	1	5									1	3	2		2	
137	Diseases of prostate—W	24	7	4	13													4	20
	Diseases of prostate—C	24	10	2	12										1	4	3	7	9
138	Diseases of male genital organs, not specified as venereal—C	1	1													1			
139a	Cysts of ovary—W	4	3	1									1	1		1			1
	Cysts of ovary—C	2			2									1					
139b	Other diseases of ovaries, diseases of tubes and parametrium—W	7	3	4										1	2	3	1		
	Other diseases of ovaries, diseases of tubes and parametrium—C	18	6		12							1	2	4	1	6	3	1	
139c	Diseases of uterus—W	4	2		2										2	2			
	Diseases of uterus—C	5	2		3								1	2	1		1		
139d	Nonpuerperal diseases of breast (cancer excepted)—C	1			1										1				
139e	Other diseases of female genital organs—W	1			1												1		
	Other diseases of female genital organs—C	6			6									1	1	1	1	1	1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—White	163	45	26	92								28	23	71	39	2		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Colored	227	48	25	154							1	53	56	67	47	3		
140	Abortion with septic conditions—W	8	7		1									2	5	1			
	Abortion with septic conditions—C	9	5	1	3								2	4	2	1			
141	Abortion without mention of septic conditions (includes hemorrhages)—W	4		1	3								1		3				
	Abortion without mention of septic conditions (includes hemorrhages)—C	10	3	2	5								3	3	3	1			
142b	Ectopic gestation, septic conditions not mentioned—W	1			1									1					
	Ectopic gestation, septic conditions not mentioned—C	1		1											1				
143	Other accidents of pregnancy (hemorrhage not included)—C	3	1		2								1	1	1				
144a	Placenta praevia—W	12	6	2	4								3	1	3	5			
	Placenta praevia—C	4	1	2	1										3	1			
144b	Other puerperal hemorrhages—W	20	6	2	12								2		11	6	1		
	Other puerperal hemorrhages—C	15	3	1	11								4	5	4	1	1		
145a	Puerperal septicemia and pyemia (abortion excluded)—W	38	16	8	14								5	9	16	7	1		
	Puerperal septicemia and pyemia (abortion excluded)—C	38	14	4	20								4	14	11	9			
145b	Puerperal tetanus (abortion excluded)—W	1	1													1			
146	Puerperal albuminuria and eclampsia—W	49	5	11	33								10	8	20	11			
	Puerperal albuminuria and eclampsia—C	73	9	12	52							1	26	13	22	11			
147	Other toxemias of pregnancy—W	5	2		3								3		1	1			
	Other toxemias of pregnancy—C	8	3		5								1	1	1	5			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—W	1			1									1					
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)—C	1			1									1					
149	Other accidents of childbirth—W	24	2	2	20								4	1	12	7			
	Other accidents of childbirth—C	63	9	2	52								12	14	18	17	2		
150	Other and unspecified conditions of puerperal state—C	2			2										1	1			
	XII.—Diseases of the skin and cellular tissue—White	20	8	2	10	3		1			1		1	1	4	2	3	1	3
	XII.—Diseases of the skin and cellular tissue—Colored	24	7		17	2		2		1	2			1	3	6	5	1	1
151	Furuncle, carbuncle—W	7	3	2	2									1	1		3	1	1
	Furuncle, carbuncle—C	3	1		2			1								1	1		
152	Phlegmon, acute abscess—W	7	2		5	1		1			1		1		2				1
	Phlegmon, acute abscess—C	13	5		8	1					1			1	2	3	4		1
153	Other diseases of skin and annexa, and of cellular tissue—W	6	3		3	2									1	2			1
	Other diseases of skin and annexa, and of cellular tissue—C	8	1		7	1		1		1	1				1	2		1	
	XIII.—Diseases of the bones and organs of locomotion—White	9	5	1	3					1	2	1	1			2		1	1
	XIII.—Diseases of the bones and organs of locomotion—Colored	8	2		6						1	1	1	1	3				
154	Osteomyelitis—W	7	5		2					1	2	1	1			2			
	Osteomyelitis—C	4	2		2									1	3				
155	Other diseases of bones (tuberculosis excepted)—W	1			1														1
	Other diseases of bones (tuberculosis excepted)—C	1			1														
156	Diseases of joints, other organs of locomotion—W	1		1														1	
	Diseases of joints, other organs of locomotion—C	3			3						1	1	1						
	XIV.—Congenital malformations—White	76	14	7	55	73	1				1		1						
	XIV.—Congenital malformations—Colored	22	7	2	13	14	1		1	1	1	4							
157a	Congenital hydrocephalus—W	12		1	11	12													
	Congenital hydrocephalus—C	8	2		6	3	1		1		1	2							
157b	Spina bifida and meningocele—W	9	1		8	9													
157c	Congenital malformations of heart—W	34	7	4	23	31	1				1		1						
	Congenital malformations of heart—C	6	2	2	2	4						2							
157d	Other congenital malformations—W	21	6	2	13	21													
	Other congenital malformations—C	8	3		5	7				1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	XV.—Diseases of early infancy—White	524	129	48	347	524													
	XV.—Diseases of early infancy—Colored	538	145	46	347	538													
158	Congenital debility—W	36	6	3	27	36													
	Congenital debility—C	45	16	7	22	45													
159	Premature birth—W	374	93	29	252	374													
	Premature birth—C	406	95	29	282	406													
160	Injury at birth—W	72	23	9	40	72													
	Injury at birth—C	42	19	6	17	42													
161	Other diseases peculiar to early infancy—W	42	7	7	28	42													
	Other diseases peculiar to early infancy—C	45	15	4	26	45													
162	XVI.—Senility—White	70	4	7	59													3	67
	XVI.—Senility—Colored	224	2	7	215													2	222
	XVII.—Violent and accidental deaths—White	733	242	100	391	19	14	9	8	8	33	29	61	82	115	99	76	73	107
	XVII.—Violent and accidental deaths—Colored	662	178	49	435	18	10	12	9	17	36	33	72	88	139	91	64	37	35
	Suicide—W	101	28	18	55								2	12	15	17	25	22	8
	Suicide—C	23	6	5	12								1	5	1	4	5	4	3
163	By solid or liquid poisons or by absorption of corrosive substances—W	12	6	1	5								1	2	3	1	3	2	
164	By poisonous gas—W	1	1															1	
165	By hanging or strangulation—W	4	2	1	1										2		1	1	
	By hanging or strangulation—C	2			2								1				1		
166	By drowning—W	2	1		1									1	1				
	By drowning—C	3		1	2											1		2	
167	By firearms—W	77	17	16	44								1	9	8	15	20	16	8
	By firearms—C	15	4	4	7									5	1	3	1	2	3
168	By cutting or piercing instruments—W	5	1		4										1	1	1	2	
	By cutting or piercing instruments—C	3	2		1												3		
	Homicide—W	84	32	6	46						1	1	9	10	30	18	9	4	2
	Homicide—C	174	62	12	100	1					2	1	22	34	64	33	10	3	4
173	By firearms—W	65	23	4	38								6	10	23	15	6	4	1
	By firearms—C	131	42	10	79						2	1	17	25	46	27	8	3	2
174	By cutting or piercing instruments—W	11	6	1	4						1	1	2		1	2	3		1
	By cutting or piercing instruments—C	28	13	1	14								3	8	11	3	2		1
175	By other means—W	8	3	1	4								1		6	1			
	By other means—C	15	7	1	7	1							2	1	7	3			1
	Accidental, other, or undefined—W	548	182	76	290	19	14	9	8	8	32	28	50	60	70	64	42	47	97
	Accidental, other, or undefined—C	465	110	32	323	17	10	12	9	17	34	32	49	49	74	54	49	30	28
176	Attack by venomous animals—W	2		2														1	1
	Attack by venomous animals—C	4			4				1		1			1	1				
177	Poisoning by food—W	4	1		3		1									1		2	
	Poisoning by food—C	6	1	2	3	2								1		2	1		
178	Absorption of poisonous gas—W	3	1		2								1		1			1	
	Absorption of poisonous gas—C	1			1								1						
179	Other acute accidental poisonings (gas excepted)—W	12	3	3	6		3	1			1		1		2	2		1	1
	Other acute accidental poisonings (gas excepted)—C	15	4	2	9		1	5		1	2		1		2	1	1		1
180	Conflagration—W	8	1	5	2								2	3			1	2	
	Conflagration—C	19	5		14					1	2	1	1	2	1	2	1	3	5
181	Burns (conflagration excepted)—W	33	10	8	15		1	4	2	3	5	1	1	3	3	1	2	3	4
	Burns (conflagration excepted)—C	74	15	9	50	3	6	4	5	9	9	4	3	3	3	4	11	5	5
	Supplemental—W	4	1	1	2						1				1		1	1	
182	Mechanical suffocation—W	14	3	1	10	12	1											1	
	Mechanical suffocation—C	6			6	6													
183	Drowning—W	34	2	1	31	1	2			2	5	4	7	5	2	3	1		2
	Drowning—C	61	6	1	54	1	1	2	1		4	10	7	8	13	6	3	2	3
	Supplemental—W	4	2		2										3			1	
	Supplemental—C	4	1		3										1	1	2		
	Traumatism:																		
184	By firearms (wounds of war excepted)—W	32	12	2	18				1		5	3	4	5	4	5	1	2	2
	By firearms (wounds of war excepted)—C	38	10	2	26						5	2	9	5	9	5	3		
185	By cutting or piercing instruments (wounds of war excepted)—W	1			1							1							
	By cutting or piercing instruments (wounds of war excepted)—C	6			6			1				1		1	1		1	1	
	Supplemental—W	3		1	2									1	1			1	
	Supplemental—C	2			2										1	1			
186a	By fall—W	97	30	13	54	2		1			2	7	2	1	2	8	7	8	57
	By fall—C	26	9	2	15	3				2	1	1	1	1	2	4	4	3	4
	Supplemental—W	11	6	1	4		1					1	1	1	1	2		1	3
	Supplemental—C	11	7		4								2		2	3	2	1	1
186b	By crushing, landslide—W	1			1						1								
	Supplemental—W	29	14	5	10						4		3	4	5	3	3	3	4
	Supplemental—C	18	6	4	8						2		4	3	5	1	2		1
187	Cataclysm—W	1		1							1								
	Cataclysm—C	3			3							1			1		1		
188	Injuries by animals—W	2	2													1			1
	Injuries by animals—C	2			2							2							
190	Excessive cold—W	2	1		1											1	1		
	Excessive cold—C	1			1										1				
191	Excessive heat—W	2			2										2				
	Excessive heat—C	8	3		5									1	2	3	2		
192	Lightning—W	5			5								1	2	1		1		
	Lightning—C	7			7						1		1	3		1	1		
193	Due to electric currents—W	5	4		1							1	1	2			1		
194a	Foreign bodies—W	5	2	1	2	2	2											1	
	Foreign bodies—C	5			5	2	2			1									
194b	Other accidents—W	19	7		12	1						4	1	1	1	2	3	3	3
	Other accidents—C	27	5	1	21					1	1	3	3	3	4	5	1	3	3
	Supplemental—W	214	79	31	104	1	3	3	5	3	7	6	25	32	41	34	20	15	19
	Supplemental—C	116	33	9	74				2	2	6	7	15	17	22	14	13	12	5
198	Legal executions—W	1	1													1			
	Legal executions—C	5	5										1		3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH CAROLINA—Continued																		
	XVIII.—Ill-defined causes of death—White	241	12	7	222	134	5	1	1	3	4	2	3	1	5	18	11	16	37
	XVIII.—Ill-defined causes of death—Colored	1,121	15	29	1,077	620	39	11	9	7	30	20	18	24	42	67	83	62	86
199	Sudden death—W	4		1	3		2								1	1			
	Sudden death—C	3			3								1			1		1	
200a	Cause of death ill-defined—W	75	6	2	67	11	1			1	1		3		3	10	6	12	27
	Cause of death ill-defined—C	302	10	7	285	71	13	5	2	3	13	7	9	10	10	33	43	32	51
200b	Cause of death not specified or unknown—W	162	6	4	152	123	2	1	1	2	3	2		1	1	7	5	4	10
	Cause of death not specified or unknown—C	816	5	22	789	549	26	6	7	4	17	13	8	14	32	33	40	29	35
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries—C	1			1										1				
202	Accidents from agricultural machinery—W	1			1										1				
203	Elevator accidents—C	1	1												1				
205	Other machinery accidents—W	12	4	1	7								2	1	3	4		1	1
	Other machinery accidents—C	3	1		2									1	1	1			
206	Railroad and automobile collisions—W	4	1	1	2										3	1			
	Railroad and automobile collisions—C	2			2								1		1				
207	Other railroad accidents—W	24	9	3	12								2	6	4	4	4	2	2
	Other railroad accidents—C	19	5	5	9						1		2	5	4	3	1	2	
210	Automobile accidents (primary)—W	210	82	32	96	1	3	3	5	3	12	6	25	30	36	30	19	17	20
	Automobile accidents (primary)—C	119	38	8	73				2	2	7	7	16	13	23	15	17	11	6
211	Motorcycle accidents—W	1		1										1					
	Motorcycle accidents—C	1	1										1						
212	Other land transportation accidents—W	9	5	1	3		1					1			2		1	1	3
	Other land transportation accidents—C	4			4								1	1		1			1
213	Water transportation accidents—W	3	1		2										2			1	
	Water transportation accidents—C	1	1														1		
214	Air transportation accidents—W	1			1										1				
	SOUTH DAKOTA																		
	Total deaths (all causes)	5,725	1,185	828	3,712	668	85	53	27	31	118	92	140	142	284	346	497	720	2,508
	I.—Infectious and parasitic diseases	706	112	92	502	69	25	23	9	12	29	31	54	48	83	74	58	55	135
1	Typhoid fever	10	4	1	5						1		2		3	1	2	1	
6	Smallpox	1			1	1													
7	Measles	1			1	1													
8	Scarlet fever	9	1		8			1		3	2	1		1	1				
9	Whooping cough	53	5		48	30	13	4	3	1	2								
10	Diphtheria	22	5	4	13		1	5		2	5	4	2			1		1	1
11a	Influenza, respiratory complications specified	107	30	6	71	9	1	1			3	3	4	5	3	8	9	6	55
11b	Influenza, respiratory complications not specified	99	13	9	77	12	1	3	3	1	3	1	4	1	3	6	7	9	45
13	Dysentery	6			6	2		1											3
15	Erysipelas	7	3	1	3	5												1	1
16	Acute poliomyelitis, acute polioencephalitis	8	1	2	5			1		1		1	2		1			1	1
17	Lethargic or epidemic encephalitis	5		1	4				1			1			1		1	1	
18	Epidemic cerebrospinal meningitis	8	3	3	2	1	2	3			1		1						
20	Anthrax (bacillus anthracis) malignant pustule	1			1												1		
22	Tetanus	8	5		3							2	3	1				1	1
	Tuberculosis (all forms)	337	36	55	246	4	7	4	1	4	12	18	34	36	67	56	37	30	27
23	Tuberculosis (all forms)—Respiratory system	288	27	46	215	2	5	3		2	7	15	30	35	61	48	32	24	24
24	Tuberculosis (all forms)—Meninges and central nervous system	16	3	1	12	2	1	1	1	1	5	1	1	1	1	1			
25	Tuberculosis (all forms)—Intestines and peritoneum	7	2	2	3										1	3	2	1	
26	Tuberculosis (all forms)—Vertebral column	5	2	1	2										2	2	1		
27a	Tuberculosis (all forms)—Bones (vertebral column excepted)	3		1	2							1				1			1
27b	Tuberculosis (all forms)—Joints	1		1														1	
29	Tuberculosis (all forms)—Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2			2							1	1						
30	Tuberculosis (all forms)—Genitourinary system	7	2		5								1		1			3	2
32a	Acute disseminated tuberculosis	7		2	5		1			1			1		1	1	1	1	
32b,c	Other disseminated tuberculosis	1		1													1		
34	Syphilis	11	1	6	4	3							1		1	2	1	2	1
35	Gonococcus infection and other venereal diseases	5	2	1	2	1								2	1			1	
36	Purulent infection, septicemia (non-puerperal)	8	3	3	2				1				1	2	2			1	
	II.—Cancers and other tumors	596	155	85	356	1					1	4	4		16	44	93	123	305
	Cancer and other malignant tumors	574	146	82	346	1					1	2	3		15	38	87	119	308
(45)	Cancer and other malignant tumors—Buccal cavity	15	3	4	8													3	12
(45)	Cancer and other malignant tumors—Pharynx	2	1		1														2
(46)	Cancer and other malignant tumors—Esophagus	6	1	1	4														6
(46)	Cancer and other malignant tumors—Stomach and duodenum	165	42	19	104						1				2	9	10	29	113
(46)	Cancer and other malignant tumors—Liver and biliary passages	45	11	6	28											5	12	7	21
(46)	Cancer and other malignant tumors—Pancreas	11	3	1	7										1		2	2	6
(46)	Cancer and other malignant tumors—Other digestive tract and peritoneum	91	24	15	52										4	4	15	22	44
47	Cancer and other malignant tumors—Respiratory system	19	5	1	13							1				1	3	3	10
48	Cancer and other malignant tumors—Uterus	49	15	9	25										5	6	17	9	12
49	Cancer and other malignant tumors—Other female genital organs	17	6	4	7										1		5	8	3

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																		
	II.—Cancers and other tumors—Con.																		
	Cancer and other malignant tumors—Continued.																		
50	Breast	42	10	7	25										1	8	11	11	11
51	Male genitourinary organs	40	14	4	22											3	2	9	26
52	Skin	7			7													2	5
53	Other or unspecified organs	65	11	11	43	1						1	3		1	2	10	14	32
54a	Nonmalignant tumors, ovary	1	1													1			
54b	Nonmalignant tumors, uterus	8	4	1	3											5	1	2	
54d,e	Nonmalignant tumors, other organs	2		1	1							1							1
55d,e	Tumors, other organs (nature unspecified)	11	4	1	6							1	1		1		5	2	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	181	46	26	109	5	2	3	2		4	7	6	5	5	13	17	40	72
56	Acute rheumatic fever	11	2	2	7			1			1		1	2				3	3
57	Chronic rheumatism, osteoarthritis	5		2	3								1		1		1	1	1
59	Diabetes mellitus	131	31	17	83		1	1	1		2	5	3	2	3	6	11	35	61
62	Pellagra	1			1												1		
63	Rickets	1			1			1											
66a	Simple goiter	1	1																1
66b	Exophthalmic goiter	19	8	4	7							1	1	1	1	6	3	1	5
(66)	Other diseases of thyroid and parathyroid glands	2			2	1						1							
67	Diseases of thymus gland	4	2	1	1	2	1		1										
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	3	1		2											1	1		1
69	Other general diseases	3	1		2	2					1								
	IV.—Diseases of the blood and blood-making organs	70	20	7	43	2	1		1	2	4	1	1	1	4	7	9	16	21
70	Hemorrhagic conditions	4		1	3	2				1					1				
71a	Pernicious anemia	31	11	4	16												5	10	16
71b	Other anemias	5	2		3						1				1		1	1	1
72a	True leukemias	14	3		11		1		1	1	2			1	1	2	3	1	1
72b	Pseudoleukemias (Hodgkin's disease)	15	3	2	10						1	1	1		1	5		3	3
73	Diseases of the spleen	1	1															1	
	V.—Chronic poisonings and intoxications	10	2	3	5								1		1	3	1	1	3
75	Alcoholism (acute or chronic)	10	2	3	5								1		1	3	1	1	3
	VI.—Diseases of the nervous system and of the organs of special sense	570	126	83	361	17	5			1	3	8	4	2	13	21	48	84	364
78	Encephalitis (nonepidemic)	8	2	2	4		1				1		1	1	1	2			1
79a	Simple meningitis	6	1	1	4	1	1				2	1				1			
79b	Nonepidemic cerebrospinal meningitis	4	1	1	2	1	1					1		1					
80	Progressive locomotor ataxia (tabes dorsalis)	1			1											1			
81	Other diseases of spinal cord	17	6	1	10											3		7	7
82a	Cerebral hemorrhage	428	97	53	278	2						1			2	6	33	70	314
82b	Cerebral embolism and thrombosis	23	5	5	13										1		5	1	16
82c	Softening of brain	1			1														1
82d	Hemiplegia and other paralysis, cause unspecified	11	5		6													3	8
83	General paralysis of insane	2		1	1											1			1
84	Dementia praecox and other psychoses	4		3	1											1	2		1
85	Epilepsy	24	1	10	13							4	2		8	2	3		5
86	Convulsions (under 5 years of age)	12	2		10	11				1									
87	Other diseases of nervous system	20	2	5	13								1		1	3	3	2	10
89a	Diseases of ear	5	1		4	1	1										2	1	
89b	Diseases of mastoid process	4	3	1		1	1					1				1			
	VII.—Diseases of the circulatory system	1,198	216	198	784	1	1	1	1		10	5	8	8	23	40	94	179	826
90	Pericarditis	1			1											1			
91a	Acute endocarditis	10	2	3	5				1		1	1	1	1	1	1	1		2
91b	Endocarditis, unspecified (under 45 years)	5	2	1	2						1	2	1			1			
92a	Endocarditis, specified as chronic, and other valvular diseases	234	43	25	166	1	1				3	2	3	6	11	12	24	27	143
92b	Endocarditis, unspecified (45 years and over)	47	4	11	32												4	10	33
93a	Acute myocarditis	16	5	7	4										1	1	2	2	10
93b	Myocarditis, unspecified (under 45 years)	7		2	5								1		2	4			
93c	Chronic myocarditis and myocardial degeneration	268	51	65	152						1			1		3	16	37	210
93d	Other diseases of myocardium	186	33	26	127												13	33	140
94a	Angina pectoris	93	16	10	67										2	5	11	24	51
94b	Diseases of coronary arteries	69	21	9	39										4	2	6	16	41
95a	Functional diseases of heart	2	1		1													1	1
95b	Other and unspecified diseases of heart	160	17	22	121			1			3		2		2	8	11	22	111
96	Aneurysm (except of heart)	5		2	3												3		2
97	Arteriosclerosis (coronary arteries excepted)	70	13	13	44													5	65
98	Gangrene	7	2	1	4											1		1	5
99	Other diseases of arteries	9	4	1	4														9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																		
	VII.—Diseases of the circulatory system—Continued																		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	5	2		3											1	2	1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	1			1						1								
103	Other diseases of circulatory system	3			3												1		2
	VIII.—Diseases of the respiratory system	380	72	52	256	75	17	7	3	3	7	5	4	2	16	21	21	30	169
104a	Diseases of nasal fossae	3			3	2													1
104b	Diseases of nasal fossae and annexae	4	1	2	1	1					1					2			
105	Diseases of larynx	2		1	1			1			1								
106a	Acute bronchitis	5	2	1	2	1												1	3
106b	Chronic bronchitis	12	2	1	9										1	1			10
106c,d	Bronchitis, unspecified	5	3		2	1													4
107a	Bronchopneumonia	127	25	19	83	49	8	1	2	1	1	3			2	4	3	1	52
108	Lobar pneumonia	144	26	20	98	14	3	3	1	2	4	1	1	2	10	9	14	19	61
109	Pneumonia, unspecified	40	5	3	32	7	5	1							3	4	2	3	15
110	Pleurisy	10	2	2	6		1	1				1	1				1	3	2
111a	Pulmonary embolism and thrombosis	1	1																1
111b	Pulmonary congestion, edema, hemorrhagic infarct	12	2	2	8														12
112	Asthma	10	3		7								1			1		2	6
113	Pulmonary emphysema	1			1														1
114	Other diseases of respiratory system (tuberculosis excepted)	4		1	3								1				1	1	1
	IX.—Diseases of the digestive system	451	138	81	232	55	11	12	7	3	29	8	15	18	34	31	51	51	125
115a	Diseases of pharynx and tonsils	18	4	4	10					1	5	2	1	1	1	1	3	1	2
115b	Diseases of buccal cavity and annexa	2		1	1	1					1								
116	Diseases of esophagus	1	1																1
117a	Ulcer of stomach	23	3	2	18									1	1	2	4	3	12
117b	Ulcer of duodenum	8	4		4									1	1		1	2	3
118	Other diseases of stomach (cancer excepted)	23	3	6	14	3			1						1		2	2	14
119	Diarrhea, enteritis (under 2 years of age)	53	6	4	43	44	9												
120	Diarrhea, enteritis (2 years and over)	35	3	4	28			6	4	1	2					1	1	2	18
121	Appendicitis	129	56	34	39	2	2	6	1	1	19	5	14	10	21	10	19	13	5
122a	Hernia	13	3	6	4									1		4		3	9
122b	Intestinal obstruction	42	13	6	23	3								3	3	2	8	4	15
123	Other diseases of intestines	8	4	1	3											1	1		6
124	Cirrhosis of liver	27	10	6	11											5	3	6	13
125a	Yellow atrophy of liver	2			2												1	1	
125b	Other diseases of liver	6	2	1	3	2										1	1	1	1
126	Biliary calculi	16	6	2	8											1	3	5	7
127	Other diseases of gall-bladder, biliary passages	31	13	2	16						1			1	4	1	2	7	15
128	Diseases of pancreas	4	3		1										1		1	1	1
129	Peritonitis, cause not specified	10	4	2	4				1		1	1			1	2	1		3
	X.—Diseases of the genitourinary system	349	71	61	217	6		1		2	4	1	2	6	7	16	32	59	211
130	Acute nephritis (including unspecified under 10 years)	16	2	7	7			1		1	3			1	2	2	2	2	2
131	Chronic nephritis	201	34	31	136						1	1	1	3	1	5	18	36	133
132	Nephritis, unspecified (10 years and over)	52	10	8	34										2	3	6	9	32
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	15	4	6	5	3				1						1	4	5	1
134	Calculi of urinary passages	2	1		1												1	1	
135	Diseases of bladder (tumors excepted)	6			6	1													5
137	Diseases of prostate	43	15	7	21													5	38
138	Diseases of male genital organs, not specified as venereal	2			2	2													
139a	Cysts of ovary	2	1		1									1				1	
139b	Other diseases of ovaries, diseases of tubes and parametrium	7	3	1	3								1	1	1	3	1		
139c	Diseases of uterus	3	1	1	1										1	2			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	49	17	3	29								4	7	21	15	2		
140	Abortion with septic conditions	5	2		3								2	1	2				
141	Abortion without mention of septic conditions (includes hemorrhages)	4	2		2										1	2	1		
142b	Ectopic gestation, septic conditions not mentioned	2	1	1											2				
143	Other accidents of pregnancy (hemorrhage not included)	1	1												1				
144a	Placenta praevia	3	1		2										2	1			
144b	Other puerperal hemorrhages	5	1		4										2	3			
145a	Puerperal septicemia and pyemia (abortion excluded)	8	2		6								2	3	3				
146	Puerperal albuminuria and eclampsia	8	4		4									1	3	4			
147	Other toxemias of pregnancy	3	1		2									2	1				
148	Puerperal plegmasia alba dolens, embolus, sudden death (not specified as septic)	4			4										2	2			
149	Other accidents of childbirth	6	2	2	2										2	3	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	SOUTH DAKOTA—Continued																		
	XII.—Diseases of the skin and cellular tissue	7	3		4	3							1	1			1	1	
151	Furuncle, carbuncle	3	2		1								1	1			1		
153	Other diseases of skin and annexa, and of cellular tissue	4	1		3	3												1	
	XIII.—Diseases of the bones and organs of locomotion	3	1		2					1			1						1
154	Osteomyelitis	3	1		2					1			1						1
	XIV.—Congenital malformations	65	16	6	43	52	2	1		2	5	1	2						
157a	Congenital hydrocephalus	9	1	2	6	2	1	1		2	3								
157b	Spina bifida and meningocele	10	3		7	9						1							
157c	Congenital malformations of heart	32	10	2	20	28	1				1		2						
157d	Other congenital malformations	14	2	2	10	13					1								
	XV.—Diseases of early infancy	337	74	39	224	337													
158	Congenital debility	33	3	3	27	33													
159	Premature birth	207	45	24	138	207													
160	Injury at birth	63	21	8	34	63													
161	Other diseases peculiar to early infancy	34	5	4	25	34													
162	XVI.—Senility	122	11	11	100														121
	XVII.—Violent and accidental deaths	471	96	78	297	8	9	5	3	3	18	16	29	38	52	54	62	62	111
	Suicide	83	15	11	57								2	2	11	14	14	21	18
163	By solid or liquid poisons or by absorption of corrosive substances	5	1	1	3								1		1			2	1
164	By poisonous gas	6	1	1	4								1			1	1	1	2
165	By hanging or strangulation	20	5	1	14									1	1	7	5	2	4
166	By drowning	6		1	5											2		1	3
167	By firearms	42	8	6	28									1	8	4	7	14	7
168	By cutting or piercing instruments	1			1													1	
169	By jumping from high places	2		1	1										1		1		
171	By other means	1			1														1
	Homicide	11	4		7								1		3	3	2	2	
173	By firearms	9	3		6								1		3	3	1	1	
174	By cutting or piercing instruments	1	1														1		
175	By other means	1			1													1	
	Accidental, other, or undefined	377	77	67	233	8	9	5	3	3	18	16	26	36	38	37	46	39	93
176	Attack by venomous animals	2			2													1	1
177	Poisoning by food	5			5		1						1	1					2
178	Absorption of poisonous gas	7		1	6								1	1	1	2	1		1
179	Other acute accidental poisonings (gas excepted)	9	2		7		2	1								2		2	2
180	Conflagration	4	2	1	1								1					1	2
181	Burns (conflagration excepted)	22	5	.6	11	1	2	1	2		2	1	1	4	1	3		2	2
	Supplemental	1			1									1					
182	Mechanical suffocation	8	2	2	4	3					1				2		1	1	
183	Drowning	16	3	1	12		1	1			2	3	3	3	2			1	
	Supplemental	3	1		2							1			1				1
	Traumatism:																		
184	By firearms (wounds of war excepted)	25	2	6	17							1	4	4	4	4	7	1	
185	By cutting or piercing instruments (wounds of war excepted)	2		1	1			1			1								
	Supplemental	3		1	2										1			2	
186a	By fall	74	23	12	39					1	2	3		1	3	1	7	7	49
	Supplemental	21	3	2	16					1	2	1	1	2	4	3	1	3	3
186b	By crushing, landslide	3	1		2								1		1		1		
	Supplemental	31	6	5	20	1			1		1	1	3	3	2	4	7	3	5
187	Cataclysm	2	2														1		1
188	Injuries by animals	8		1	7						1	1		1			2	2	1
190	Excessive cold	2			2										1			1	
191	Excessive heat	8	1	4	3									2				1	5
192	Lightning	3			3								1			1		1	
193	Due to electric currents	3	1	1	1							1			1	1			
194a	Foreign bodies	3	2	1		1	2												
194b	Other accidents	15	2	4	9		1			1	2		1		2	3	4	1	
	Supplemental	97	19	18	60	2		1			4	3	8	13	12	13	14	9	18
	XVIII.—Ill-defined causes of death	160	9	3	148	37	12		1	2	4	5	4	6	9	7	8	19	44
199	Sudden death	8		2	6											1	2	2	3
200a	Cause of death ill-defined	38	6	1	31	5					1			1	3	1	1	6	20
200b	Cause of death not specified or unknown	114	3		111	32	12		1	2	3	5	4	5	6	5	5	11	21
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	7	1	1	5										1	1	3	2	
205	Other machinery accidents	5	1	2	2						1				1		1	2	
206	Railroad and automobile collisions	9			9								1	1	1	1	1	1	4
207	Other railroad accidents	9	2	3	4								1	1	1	2	2	2	
210	Automobile accidents (primary)	101	22	18	61	3		1	1		3	2	8	13	13	14	13	7	23
212	Other land transportation accidents	22	1	2	19					1	3	2	3	3	3	1	2	1	3
213	Water transportation accidents	1	1									1							
214	Air transportation accidents	2	1		1							1		1					

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE																		
	Total deaths (all causes) White	20,821	6,285	2,097	12,439	2,783	589	265	190	138	359	278	491	713	1,365	1,527	2,027	2,676	7,392
	Total deaths (all causes) Colored	7,807	4,138	810	2,859	767	122	57	41	41	106	111	350	460	990	1,042	1,186	1,084	1,420
	I.—Infectious and parasitic diseases White	3,966	865	375	2,726	356	198	108	84	60	129	85	148	257	446	419	402	390	880
	I.—Infectious and parasitic diseases Colored	1,857	848	208	801	115	48	15	17	22	49	55	158	217	377	253	232	149	143
1	Typhoid fever W	210	35	21	154	2	1	2	4		17	19	26	38	52	16	17	10	6
1	Typhoid fever C	94	32	18	44		1	1	2	3	9	15	22	8	22	5	2	3	1
2	Paratyphoid fever W	3	2		1	1	1								1				
2	Paratyphoid fever C	1	1			1													
6	Smallpox C	1			1														1
7	Measles W	7		1	6	1	2			1		1			2				
8	Scarlet fever W	28	11	1	16	1	3	5	6	2	9	1		1					
8	Scarlet fever C	2		1	1						1	1							
9	Whooping cough W	173	36	12	125	96	42	15	6	5	8	1							
9	Whooping cough C	64	15	16	33	30	22	3	3	4	2								
10	Diphtheria W	223	55	16	152	13	44	39	45	27	41	7	3	1	1		1		
10	Diphtheria C	20	9	3	8	4	3	3			9		1						
11a	Influenza, respiratory complications specified W	763	181	76	506	83	33	22	7	5	10	11	17	25	38	60	88	77	287
11a	Influenza, respiratory complications specified C	237	114	34	89	21	7	1	4	1	1	3	13	10	26	31	41	32	44
11b	Influenza, respiratory complications not specified W	365	62	36	267	49	9	4	3	1	6	3	6	3	12	18	22	25	204
11b	Influenza, respiratory complications not specified C	115	44	18	53	10	3			2	5	3	5	5	8	12	18	18	26
13	Dysentery W	119	45	13	61	21	31	5	3		4	1			1	6	2	9	36
13	Dysentery C	16	8	2	6	2	3	1	1		1				4	2	2		
15	Erysipelas W	37	6	5	26	10	3		1					2	2	2	4	1	12
15	Erysipelas C	4	2	1	1	1									1	1		1	
16	Acute poliomyelitis, acute polioencephalitis W	17	6	1	10	3	1	3	2	1	2	1	2	1	1				
16	Acute poliomyelitis, acute polioencephalitis C	2	1		1						1				1				
17	Lethargic or epidemic encephalitis W	9	4		5	1	1			1					1	1	1	2	1
17	Lethargic or epidemic encephalitis C	4	2	2											1		1	2	
18	Epidemic cerebrospinal meningitis W	40	21	4	15	7	2	1	2	2	7	5	5	2	2	2	1	1	1
18	Epidemic cerebrospinal meningitis C	9	9			1	1	1		1	1	2		1			1		
21	Rabies W	8	1	2	5				1		1			1	1		3	1	
21	Rabies C	2	1		1				1						1				
22	Tetanus W	30	14	2	14	3			1	3	5	3			4	1	5	1	4
22	Tetanus C	7	4		3	1	1					3			1	1			
	Tuberculosis (all forms) W	1,706	296	168	1,242	22	19	7	3	7	11	23	83	165	309	286	231	236	301
	Tuberculosis (all forms) C	1,009	426	102	481	7	5	5	3	10	15	28	105	167	273	152	120	67	48
23	Respiratory system W	1,535	232	160	1,143	9	7	1	2		4	12	72	158	291	266	212	222	279
23	Respiratory system C	900	353	96	451	4	2	1	1	7	9	23	90	154	252	137	113	59	44
24	Meninges and central nervous system W	60	27	4	29	9	11	6	1	5	7	6	5	1	2	2		4	1
24	Meninges and central nervous system C	17	12	1	4	1	1	2	1	2	2			1	2	4	1		
25	Intestines and peritoneum W	47	14		33	2						1		1	6	8	9	4	14
25	Intestines and peritoneum C	30	17	3	10						1	3	2	5	7	6	1	2	3
26	Vertebral column W	12	3	1	8	1						1	3		2	1	2	2	
26	Vertebral column C	2			2							1						1	
27a	Bones (vertebral column excepted) W	10	2		8					1		1	1		1	1	1	1	3
27a	Bones (vertebral column excepted) C	1	1															1	
27b	Joints W	8	4	2	2					1				2	1	1	3		
27b	Joints C	1	1												1				
28	Skin and subcutaneous cellular tissue C	2	2											1				1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	5	2		3				1		1		1				1	1	
30	Genitourinary system W	7	4		3								1		2	1	2		1
30	Genitourinary system C	6	4		2								2		2	1	1		
31	Other organs W	6	3		3									1		2		1	2
31	Other organs C	3	3										1				2		
32a	Acute disseminated tuberculosis W	18	7	1	10	1	1					2	1	2	3	3	1	2	1
32a	Acute disseminated tuberculosis C	36	28	2	6	2	2	2		1	1	1	8	6	6	4	1	1	1
32b,c	Other disseminated tuberculosis W	3			3										1	1	1		
32b,c	Other disseminated tuberculosis C	6	3		3						1		1		3			1	
34	Syphilis W	106	55	5	46	25						2		6	9	16	20	16	12
34	Syphilis C	197	152	7	38	34							7	16	32	40	35	16	16
35	Gonococcus infection, other venereal diseases W	7	3	2	2								2	2	2	1			
35	Gonococcus infection, other venereal diseases C	10	5		5								1	6		2	1		
36	Purulent infection, septicemia (nonpuerperal) W	23	9		14	2	1			2	3	1	2	5	2		3	1	1
36	Purulent infection, septicemia (nonpuerperal) C	8	3		5									1		3	2	1	1
38	Malaria W	83	20	8	55	14	5	5		1	5	5	2	5	5	9	3	9	15
38	Malaria C	49	19	4	26	2	1		2	1	3		3	3	6	4	9	9	6
42	Other diseases caused by helminths W	1			1					1									
42	Other diseases caused by helminths C	1			1				1										
43	Mycoses W	4	3		1	1										1	1	1	
43	Mycoses C	4			4	1	1				1				1				
44	Other infectious and parasitic diseases W	4		2	2	1				1		1			1				
44	Other infectious and parasitic diseases C	1	1										1						
	II.—Cancers and other tumors White	1,418	550	140	728	5	1	4	4	4	7	3	10	11	57	137	235	332	607
	II.—Cancers and other tumors Colored	329	208	28	93						1		4	3	31	84	86	70	49
	Cancer and other malignant tumors W	1,327	497	133	697	3	1	2	2	3	3	2	8	7	46	116	217	318	598
	Cancer and other malignant tumors C	275	167	24	84						1		3	3	22	61	72	65	47
(45)	Buccal cavity W	55	18	6	31						1					1	6	15	32
(45)	Buccal cavity C	6	3	1	2										1			3	2
(45)	Pharynx W	17	4	1	12								1		2		1	5	8
(45)	Pharynx C	2	1		1											1			1
(46)	Esophagus W	8	7		1											1	3	1	3
(46)	Esophagus C	3	3													1	2		
(46)	Stomach and duodenum W	232	65	20	147										3	14	33	60	122
(46)	Stomach and duodenum C	43	17	6	20										1	4	9	16	13

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																			
	II.—Cancers and other tumors—Continued																			
	Cancer and other malignant tumors—Continued.																			
(46)	Liver and biliary passages	W	125	35	14	76		1		1					1	2	8	19	35	58
		C	18	11	1	6										2	3	6	4	3
(46)	Pancreas	W	24	15	5	4										1	1	5	6	11
		C	7	5	1	1										1	1	2	2	1
(46)	Other digestive tract and peritonium	W	158	80	15	63	1				1	1	1		3	3	20	26	35	67
		C	26	19		7								1	1	2	4	7	9	2
47	Respiratory system	W	36	23		13										3	5	7	10	11
		C	5	3	1	1										1	1		2	1
48	Uterus	W	194	86	23	85									1	14	32	52	54	41
		C	93	54	11	28									1	7	33	30	13	8
49	Other female genital organs	W	14	5	1	8											1	5	4	4
		C	5	2	1	2										2	2	1		
50	Breast	W	126	50	13	63								1		8	15	27	36	38
		C	32	21	1	10									1	3	6	8	7	7
51	Male genitourinary organs	W	105	46	16	43			1			1		1	1	1	4	8	17	71
		C	13	13												1	1	2	5	4
52	Skin	W	92	18	12	62										1	1	6	11	73
		C	1	1															1	
53	Other or unspecified organs	W	141	45	7	89	2		1	1	2		1	5	1	8	13	19	29	59
		C	21	14	1	6						1		2		1	4	5	3	5
54a	Nonmalignant tumors, ovary	W	3	3													1	1		1
		C	5	5												1	2	1	1	
54b	Nonmalignant tumors, uterus	W	24	20	4											5	6	9	3	1
		C	41	32	4	5										7	18	12	2	2
54d,e	Nonmalignant tumors, other organs	W	8	7		1				1		1	1	1		1	2		1	
		C	1	1													1			
55a	Tumors, ovary (nature unspecified)	C	2	1		1											2			
55d,e	Tumors, other organs (nature unspecified)	W	56	23	3	30	2		1	2	1	3		1	4	5	12	8	10	7
		C	5	2		3								1		1		1	2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	591	175	65	351	18	3	4		4	8	12	10	10	42	65	84	126	203
		Colored	185	104	14	67	6	2	3			1	3	4	5	22	21	33	46	39
56	Acute rheumatic fever	W	37	13	7	17			1			2	6	2	1	3	2	4	6	10
		C	23	15	2	6						1	1	1		3	5	6	4	2
57	Chronic rheumatism, osteoarthritis	W	28	4	1	23										1	2	4	7	14
		C	6	1	1	4													1	5
59	Diabetes mellitus	W	233	90	28	115			1		4	4	3	6	4	8	15	27	58	103
		C	64	38	9	17							1	1	1	6	2	13	21	19
60	Scurvy	W	1			1	1													
62	Pellagra	W	226	40	22	164		1	1				2	1	4	25	40	37	48	65
		C	62	31	2	29							1	2	3	12	13	9	14	8
63	Rickets	W	5	1		4	4						1							
		C	3	2		1	3													
65	Diseases of pituitary body	W	1			1										1				
66a	Simple goiter	W	3			3											1	1		1
		C	2	1		1													1	1
66b	Exophthalmic goiter	W	29	16	1	12								1	1	3	4	9	5	6
		C	11	7		4									1	1	1	4	2	2
(66)	Other diseases of thyroid and parathyroid glands	W	4		1	3	1	1	1								1			
		C	3	1		2	1		1											1
67	Diseases of thymus gland	W	12	8	2	2	11					1								
		C	2	2			1		1											
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	2		1	1										1		1		
		C	2	2														1	1	
69	Other general diseases	W	10	3	2	5	1	1				1						1	2	4
		C	7	4		3	1	2	1										2	1
	IV.—Diseases of the blood and blood-making organs	White	127	55	12	60	10	5	2	2	1	4	2	5	7	14	10	17	24	24
		Colored	21	15	1	5	6					1	1	1	1	4	1	5		1
70	Hemorrhagic conditions	W	13	7	1	5	8	1	1						1				1	1
		C	5	4		1	4									1				
71a	Pernicious anemia	W	46	15	5	26	2				1		1	1	2	2	5	6	9	17
		C	9	4	1	4	1					1		1	1	2		3		
71b	Other anemias	W	7	3		4		2				1							2	2
		C	1	1																1
72a	True leukemias	W	39	20	3	16		1	1	2		1		3	2	11	2	5	8	3
		C	5	5									1			1	1	2		
72b	Pseudoleukemias (Hodgkin's disease)	W	15	6	2	7		1					1	1	2	1	1	3	4	1
		C	1	1			1													
73	Diseases of spleen	W	7	4	1	2						2					2	3		
	V.—Chronic poisonings and intoxications	White	43	23	1	19								1	1	11	10	15	2	2
		Colored	7	5	1	1				1					2	2	1	1		
75	Alcoholism (acute or chronic)	W	34	19	1	14								1	1	10	6	11	2	2
		C	6	4	1	1									2	2	1	1		
76	Chronic poisoning by other organic substances	W	9	4		5										1	4	4		
77a	Chronic lead poisoning	C	1	1						1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	White 1,837	480	200	1,157	38	12	3	5	2	18	21	24	20	53	87	223	358	971
		Colored 727	398	73	256	14	3	3		1	4	4	10	19	27	82	167	161	226
78	Encephalitis (nonepidemic)	W 34	11	3	20	3	2		2		3	4	1	2	5	3	1	5	3
		C 12	4	3	5			1		1	1	3	2	2		1			1
79a	Simple meningitis	W 42	18	4	20	11	5	2			2	6	1	3	4	2	2	2	1
		C 16	12	1	3	5	1						3	1	3		3		
79b	Nonepidemic cerebrospinal meningitis	W 6	2		4	1		1			3	1							
80	Progressive locomotor ataxia (tabes dorsalis)	W 20	11	3	6										1		6	8	5
		C 6	4		2											3		1	2
81	Other diseases of spinal cord	W 44	15	3	26		1						1	1	3	3	2	11	22
		C 25	19	4	2						1				1	1	6	7	8
82a	Cerebral hemorrhage	W 1,245	338	155	752	3				1	1	2	3	5	15	49	152	267	747
		C 517	290	55	172						1		2	6	11	54	139	118	182
82b	Cerebral embolism and thrombosis	W 31	18	4	9						2			1		1	2	8	17
		C 16	14		2										2	1	6	4	3
82c	Softening of brain	W 19	5	2	12													2	17
		C 1			1													1	
82d	Hemiplegia and other paralysis, cause unspecified	W 143	15	11	117		1						1		1	4	5	19	112
		C 58	30	8	20	1		1					1		1	5	8	20	21
83	General paralysis of insane	W 40	4		36										4	6	16	9	5
		C 19	6		13										4	6	1	5	3
84	Dementia praecox and other psychoses	W 45	5	1	39								2	1	5	3	16	9	9
		C 10	1		9									2	1	3	1	2	1
85	Epilepsy	W 57	7	3	47	1					1	1	6	4	10	13	12	5	3
		C 21	4	1	16								1	5	3	6	2	1	3
86	Convulsions (under 5 years of age)	W 7			7	6	1												
		C 6	1		5	6													
87	Other diseases of nervous system	W 62	11	7	44	6					2	3	5		4		6	10	26
		C 10	4	1	5			1			1	1	1	1				2	2
88	Diseases of organs of vision	W 2	2						1										1
		C 1	1													1			
89a	Diseases of ear	W 27	10	4	13	7	1		1	1	2	3	2	1		2	3	2	2
		C 6	5		1	2	2							1	1				
89b	Diseases of mastoid process	W 13	8		5		1		1		2	1	2	2	1	1		1	1
		C 3	3											1		1	1		
	VII.—Diseases of the circulatory system	White 2,820	965	266	1,589	7	5	3	1		7	13	23	27	79	125	273	535	1,719
		Colored 1,020	552	131	337	1	1				1	1	15	15	66	137	239	225	314
90	Pericarditis	W 19	4	3	12	1								1	2	1	1	2	11
		C 10	5	1	4										2		2	4	1
91a	Acute endocarditis	W 27	15	4	8						1	4	1	1	7	5	1	2	5
		C 14	9	1	4								2	1	4	1	2	3	1
91b	Endocarditis, unspecified (under 45 years)	W 11	4		7						3		1	2	3	2			
		C 5	2		3									1		4			
92a	Endocarditis, specified as chronic, and other valvular diseases	W 681	166	60	455	1	3	2	1		1	6	12	11	29	30	56	115	414
		C 386	225	57	104		1					1	3	6	32	58	93	90	100
92b	Endocarditis, unspecified (45 years and over)	W 44	13	2	29												8	11	24
		C 23	11	5	7												9	8	6
93a	Acute myocarditis	W 23	12	2	9	1		1						1	2		6	7	5
		C 19	9	5	5									1	2	2	8	3	3
93b	Myocarditis, unspecified (under 45 years)	W 13	4	2	7						1	1	1		2	8			
		C 18	10	1	7								3	1	6	8			
93c	Chronic myocarditis and myocardial degeneration	W 383	154	30	199						1		1	2	7	11	24	83	254
		C 102	48	14	40								1	1	2	13	10	25	49
93d	Other diseases of myocardium	W 349	149	38	162		1					1		1	4	6	33	65	237
		C 141	78	14	49										2	4	46	33	55
4a	Angina pectoris	W 304	127	43	134								1		3	17	42	87	153
		C 31	17	1	13										5	5	12	1	8
94b	Diseases of coronary arteries	W 121	76	14	31										1	6	16	34	64
		C 14	9	2	3									1	2	4	5	1	1
95a	Functional diseases of heart	W 15	3	2	10											1	3	3	8
		C 2	1		1											2			
95b	Other and unspecified diseases of heart	W 595	150	49	396	3	1					1	6	7	15	31	57	99	375
		C 190	87	26	77						1		4	2	6	29	40	43	65
96	Aneurysm (except of heart)	W 17	7	2	8											2	6	1	8
		C 9	7		2										1	3	2	2	1
97	Arteriosclerosis (coronary arteries excepted)	W 151	55	8	88											2	8	16	125
		C 36	20	2	14												6	9	21
98	Gangrene	W 13	5		8													2	11
		C 6	4		2								1		1	1	1		2
99	Other diseases of the arteries	W 13	5	4	4									1	2	1	2		7
		C 3	2	1												2	1		
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W 15	8	1	6										2	2	5	3	3
		C 3	1	1	1									1				1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	W 1			1														1
		C 3	2		1	1									1			1	
102	Idiopathic anomalies of blood-pressure	W 22	7	1	14												5	5	12
		C 4	4													1	2	1	
103	Other diseases of circulatory system	W 3	1	1	1	1													2
		C 1	1										1						
	VIII.—Diseases of the respiratory system	White 1,757	505	170	1,082	287	86	33	24	15	41	21	40	47	96	87	150	165	664
		Colored 738	419	71	248	112	32	15	8	5	11	6	36	44	78	89	104	91	104
104a	Diseases of nasal fossae	W 5	2	1	2	3												1	1
		C 4	3		1	3			1										
104b	Diseases of nasal fossae and annexae	W 9	4		5								1	2	2			1	3
105	Diseases of larynx	W 11	3	1	7	3	1	2	1	1	1						1		1
		C 7	3		4		2								1	2	1		1
106a	Acute bronchitis	W 8	1		7	2	1									1			4
		C 4	2	2		2						1		1					
106b	Chronic bronchitis	W 31	10	1	20										1		2	3	25
		C 3		1	2											2		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																			
	VIII.—Diseases of the respiratory system—Continued																			
106c,d	Bronchitis, unspecified	W	17	1		16	3		1				1				1	1	1	9
		C	12	6	1	5	2		1							1		1	3	4
107a	Bronchopneumonia	W	632	192	53	387	194	47	18	9	9	12	4	5	11	24	13	29	32	224
		C	229	133	20	76	76	15	9	2	3	2	1	7	6	13	19	22	18	34
107b	Capillary bronchitis	W	2		1	1	1													1
		C	2	2				1							1					
108	Lobar pneumonia	W	820	232	85	503	56	22	9	12	4	21	13	27	30	57	57	89	108	315
		C	399	233	40	126	17	12	4	4	2	7	4	25	31	54	57	68	61	52
109	Pneumonia, unspecified	W	128	22	15	91	22	11	2	2	1	4	3	3	2	8	8	13	9	40
		C	38	19	1	18	10	1	1	1		2		3	2	5	3	3	2	5
110	Pleurisy	W	21	14	2	5		3	1			1		2	1	3	1	3	2	4
		C	12	8	1	3	1	1						1	1	2	2		1	3
111a	Pulmonary embolism and thrombosis	C	1	1													1			
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	23	8	3	12	1									1	2	1	1	17
		C	3			3	1													2
112	Asthma	W	26	5	5	16	1	1						1			2	6	3	12
		C	14	5	4	5											2	7	2	3
113	Pulmonary emphysema	W	2	2			1													1
		C	2	2														2		
114	Other diseases of respiratory system (tuberculosis excepted)	W	22	9	3	10						2		1	1		2	5	4	7
		C	8	2	1	5									2	2	1		3	
	IX.—Diseases of the digestive system	White	1,664	629	199	836	353	195	58	31	16	54	35	52	53	96	130	156	155	279
		Colored	552	342	53	157	71	26	7	5	5	9	10	19	27	61	89	94	72	56
115a	Diseases of pharynx, tonsils	W	67	25	10	32	5	2	4	2	3	11	5	3	7	7	7	1	5	5
		C	22	11	2	9		1		1		1	2	3	2	4	3	2	3	
115b	Diseases of buccal cavity and annexa	W	22	6	2	14	3			2		2	1		1	1	5	3	1	3
		C	8	3		5									2	2	1		3	
117a	Ulcer of stomach	W	68	24	4	40						1		2	2	6	10	14	6	27
		C	29	16	2	11								1	3		5	9	7	4
117b	Ulcer of duodenum	W	38	24	6	8									1	7	4	12	7	7
		C	2	1	1											1	1			
118	Other diseases of stomach (cancer excepted)	W	89	20	7	62	10	7	2	1	1	2	1	1		8	4	12	12	28
		C	110	67	13	30	5	1		1			1	1	4	9	25	30	19	14
119	Diarrhea, enteritis (under 2 years of age)	W	494	108	53	333	316	178												
		C	86	39	9	38	63	23												
120	Diarrhea, enteritis (2 years and over)	W	178	28	18	132			47	22	10	13			2	4	3	7	8	62
		C	49	21	4	24			6	3	3	1	1	1	1		3	8	10	12
121	Appendicitis	W	261	159	44	58		1	1	3	1	21	24	39	28	34	35	31	25	18
		C	84	68	5	11					2	6	5	7	7	17	20	10	8	2
122a	Hernia	W	49	31	8	10	1								1	1	8	6	13	19
		C	23	19	1	3										1	5	4	6	7
122b	Intestinal obstruction	W	114	58	17	39	16	3	1	1		4	2	5	6	7	14	18	16	21
		C	55	38	9	8	1	1	1					2	3	11	12	13	5	6
123	Other diseases of intestines	W	20	13	1	6	1	1									3	4	6	5
		C	14	12	1	1	1						1	1		4	1	4		1
124	Cirrhosis of liver	W	86	48	6	32								1		3	14	18	23	26
		C	18	11	3	4										1	2	2	6	7
125a	Yellow atrophy of liver	W	8	6	1	1	1									1	1	1		4
125b	Other diseases of liver	W	27	6	5	16			1				1	1	1	2	3	3	4	11
		C	10	7	1	2										2	2	3	2	1
126	Biliary calculi	W	47	27	5	15									1	4	10	9	9	14
		C	8	7	1									1		3	2	2		
127	Other diseases of gall-bladder, biliary passages	W	57	27	9	21										5	6	13	10	23
		C	14	9	1	4									1	2	4	4	2	1
128	Diseases of pancreas	W	10	6		4										2	2		6	
		C	1	1														1		
129	Peritonitis, cause not specified	W	29	13	3	13		3	2		1		1		3	4	1	4	4	6
		C	19	12		7	1					1		2	4	4	3	2	1	1
	X.—Diseases of the genitourinary system	White	1,611	553	182	876	8	3	5	2	3	10	10	18	19	64	90	151	274	952
		Colored	618	355	60	203					1	2	3	5	11	32	84	119	145	216
130	Acute nephritis (including unspecified under 10 years)	W	75	19	7	49	3	3	3	1	2	5	2	5	5	9	5	7	5	20
		C	33	22	4	7						1			2	2	8	2	9	9
131	Chronic nephritis	W	968	336	96	536	1		1	1		2	5	4	7	28	46	93	188	590
		C	381	217	29	135							1	2	6	16	46	87	89	134
132	Nephritis, unspecified (10 years and over)	W	281	67	34	180								3	1	5	12	28	43	189
		C	90	32	20	38							2			3	10	12	23	40
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	81	34	5	42	3		1		1	3	3	4	2	1	12	8	9	34
		C	14	9	1	4					1	1				1	4	1	4	2
134	Calculi of urinary passages	W	16	11	1	4										3	3	1	2	7
		C	4	3		1													3	1
135	Diseases of bladder (tumors excepted)	W	15	3	1	11											1			14
		C	9	3	1	5												3	3	3
136	Diseases of urethra, unrinary abscess, etc	W	3	2		1												2		1
		C	17	16		1										3	8	3	3	
137	Diseases of prostate	W	122	54	24	44										1	1	4	24	92
		C	47	33	5	9											1	8	11	27
138	Diseases of male genital organs, not specified as venereal	W	2	1	1		1												1	
		C	1	1											1					
139a	Cysts of ovary	W	9	6	2	1									1	4	2		1	1
		C	2	2													1	1		
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	22	11	6	5								1	1	8	4	5	1	2
		C	16	13		3								3	1	6	5	1		
139c	Diseases of uterus	W	15	8	4	3								1	2	4	3	3		2
		C	1	1												1				
139d	Nonpuerperal diseases of breast (cancer excepted)	W	1		1												1			
139e	Other diseases of female genital organs	W	1	1												1				
		C	3	3											1		1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state. White	282	99	41	142							1	37	51	111	75	6		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state. Colored	98	58	14	26							2	22	19	39	14	2		
140	Abortion with septic conditions W	31	13	7	11								2	8	17	4			
	Abortion with septic conditions C	14	11	1	2							1	3	1	8	1			
141	Abortion without mention of septic conditions (includes hemorrhages) W	25	13	2	10								1	3	10	10	1		
	Abortion without mention of septic conditions (includes hemorrhages) C	5	3	1	1									2	1	2			
142a	Ectopic gestation, septic conditions specified W	1	1													1			
	Ectopic gestation, septic conditions specified C	1	1											1					
142b	Ectopic gestation, septic conditions not mentioned W	9	3	3	3										5	4			
	Ectopic gestation, septic conditions not mentioned C	2	2												2				
143	Other accidents of pregnancy (hemorrhage not included) W	2	1		1										1		1		
144a	Placenta praevia W	5		2	3								1		3	1			
	Placenta praevia C	2			2								1			1			
144b	Other puerperal hemorrhages W	16	5	1	10								4	4	2	4	2		
	Other puerperal hemorrhages C	1		1											1				
145a	Puerperal septicemia and pyemia (abortion excluded) W	52	20	6	26								10	7	22	13			
	Puerperal septicemia and pyemia (abortion excluded) C	24	13	3	8							1	6	5	8	4			
146	Puerperal albuminuria and eclampsia W	72	21	12	39							1	14	21	23	11	1		
	Puerperal albuminuria and eclampsia C	21	13	2	6								6	5	8	2			
147	Other toxemias of pregnancy W	15	9	2	4								1	2	7	5			
	Other toxemias of pregnancy C	6	3	2	1								1		3	1	1		
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) W	15	7	1	7								1	1	4	9			
	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) C	1	1												1				
149	Other accidents of childbirth W	38	6	4	28								3	5	16	13	1		
	Other accidents of childbirth C	20	10	4	6								5	5	7	2	1		
150	Other and unspecified conditions of puerperal state W	1		1											1				
	Other and unspecified conditions of puerperal state C	1	1													1			
	XII.—Diseases of the skin and cellular tissue. White	29	8	4	17	4	1						1	3	1	1	4	6	8
	XII.—Diseases of the skin and cellular tissue. Colored	4	2	1	1								1		1		1	1	
151	Furuncle, carbuncle W	12	4		8									3		1	3	3	2
152	Phlegmon, acute abscess W	4	1	1	2												1	1	2
	Phlegmon, acute abscess C	2	1	1											1		1		
153	Other diseases of skin and annexa, and of cellular tissue W	13	3	3	7	4	1						1		1			2	4
	Other diseases of skin and annexa, and of cellular tissue C	2	1		1								1					1	
	XIII.—Diseases of the bones and organs of locomotion. White	37	22	5	10	1		2	1	1	9	10			2	2	3	2	4
	XIII.—Diseases of the bones and organs of locomotion. Colored	6	6								1		1			3		1	
154	Osteomyelitis W	28	16	4	8	1		2	1	1	7	10			2	1	1	2	
	Osteomyelitis C	2	2								1					1			
155	Other diseases of bones (tuberculosis excepted) W	4	3		1						2					1	1		
156	Diseases of joints, other organs of locomotion W	5	3	1	1												1		4
	Diseases of joints, other organs of locomotion C	4	4										1			2		1	
	XIV.—Congenital malformations. White	161	65	12	84	147	5	4		1	1			1	2				
	XIV.—Congenital malformations. Colored	15	10	2	3	11	1		1			1	1						
157a	Congenital hydrocephalus W	17	9	2	6	13	3	1											
	Congenital hydrocephalus C	2	2			2													
157b	Spina bifida and meningocele W	20	6	1	13	19				1									
	Spina bifida and meningocele C	1		1			1												
157c	Congenital malformations of heart W	82	32	3	47	76	1	3			1			1					
	Congenital malformations of heart C	6	3	1	2	4			1				1						
157d	Other congenital malformations W	42	18	6	18	39	1								2				
	Other congenital malformations C	6	5		1	5						1							
	XV.—Diseases of early infancy. White	978	350	90	538	978													
	XV.—Diseases of early infancy. Colored	237	172	12	53	237													
158	Congenital debility W	84	21	10	53	84													
	Congenital debility C	33	24	2	7	33													
159	Premature birth W	659	231	60	368	659													
	Premature birth C	155	114	7	34	155													
160	Injury at birth W	154	72	13	69	154													
	Injury at birth C	31	24	1	6	31													
161	Other diseases peculiar to early infancy W	81	26	7	48	81													
	Other diseases peculiar to early infancy C	18	10	2	6	18													
162	XVI.—Senility White	289	47	28	214													3	286
	XVI.—Senility Colored	95	26	8	61													5	90
	XVII.—Violent and accidental deaths White	1,824	727	221	876	36	33	26	25	22	62	58	115	186	261	239	217	181	355
	XVII.—Violent and accidental deaths Colored	682	425	68	189	9	1	5	5	3	20	19	57	82	203	122	52	52	49
	Suicide W	284	116	33	135							1	8	24	47	46	64	47	45
	Suicide C	18	13	1	4								1	2	5	4	5	1	
163	By solid or liquid poisons or by absorption of corrosive substances W	69	42	9	18								3	8	17	13	11	9	8
	By solid or liquid poisons or by absorption of corrosive substances C	6	6											2	2	2			
165	By hanging or strangulation W	37	9	4	24									1	3	5	11	10	6
166	By drowning W	7	3		4										1		2	2	2
	By drowning C	1			1											1			
167	By firearms W	151	58	18	75							1	3	14	24	25	34	24	25
	By firearms C	8	7		1								1		1	1	4	1	
168	By cutting or piercing instruments W	12		2	10								1	1	2	2	2	1	3
	By cutting or piercing instruments C	2		1	1										1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
169	By jumping from high places W	3	3										1					1	1
170	By crushing W	2	1		1											1	1		
171	By other means W	3			3												3		
	By other means C	1			1										1				
	Homicide W	235	79	19	137		1		1	2	1	11	34	66	60	30	18	11	
	Homicide C	289	201	25	63	1				1	2	27	50	122	59	12	10	4	
173	By firearms W	172	54	12	106		1		1	1		8	22	50	47	22	12	8	
	By firearms C	189	123	17	49					1	1	18	34	80	38	7	6	3	
174	By cutting or piercing instruments W	33	10	4	19					1	1	2	7	9	7	3	2	1	
	By cutting or piercing instruments C	66	53	4	9						1	7	13	31	11	1	2		
175	By other means W	30	15	3	12							1	5	7	6	5	4	2	
	By other means C	34	25	4	5	1						2	3	11	10	4	2	1	
	Accidental, other, or undefined W	1,305	532	169	604	36	32	26	25	21	60	56	96	128	148	133	123	116	299
	Accidental, other, or undefined C	375	211	42	122	8	1	5	5	3	19	17	29	30	76	59	35	41	45
176	Attack by venomous animals W	3			3	1			1								1		
	Attack by venomous animals C	1			1			1											
177	Poisoning by food W	12	7		5		1	1	1					1	2	1		2	3
	Poisoning by food C	9	1	6	2				1		1	3	1		1	2			
178	Absorption of poisonous gas W	8	6	1	1									1	1	1	1	2	2
	Supplemental W	1			1											1			
179	Other acute accidental poisonings (gas excepted) W	24	10	4	10	1	3	1	1				4		2	3	5	3	1
	Other acute accidental poisonings (gas excepted) C	7	6		1			1							1	2	2	1	
180	Conflagration W	12	3		9		1		2		3				2	2			2
	Conflagration C	8	3	3	2				1		1				1	2		1	2
181	Burns (conflagration excepted) W	89	28	13	48	5	10	11	11	6	10	2	3	2	4	2	5	6	12
	Burns (conflagration excepted) C	38	22	1	15	2	1	3	2	2	6		1	1	3	1	4	4	8
	Supplemental W	7	2	2	3						1		1		2	1	1		1
	Supplemental C	1	1								1								
182	Mechanical suffocation W	5		1	4	5													
	Mechanical suffocation C	6	2	1	3	4									1		1		
183	Drowning W	75	22	4	49	1	5	2		2	1	12	13	12	10	9	4	4	
	Drowning C	41	17	2	22						2	8	11	3	6	7	3		1
	Supplemental W	8	1	1	6				1				1	1	3	2			
	Supplemental C	9	6		3										5	3			
	Traumatism:																		
184	By firearms (wounds of war excepted) W	85	28	15	42					1	5	11	14	11	11	13	9	7	3
	By firearms (wounds of war excepted) C	29	16	3	10				1		1	2	3	4	9	4	3	2	
185	By cutting or piercing instruments (wounds of war excepted) W	12	5	1	6		1				1	2			1		1	5	1
	By cutting or piercing instruments (wounds of war excepted) C	6	6												2	1	1	2	
	Supplemental W	1	1												1				
	Supplemental C	1		1													1		
186a	By fall W	280	118	29	133	9	4	2		3	2	2	3	8	8	8	11	27	192
	By fall C	30	19	3	8	1					2		1	3	1	2	2	5	13
	Supplemental W	44	12	11	21				1			2	3	4	4	8	8	4	10
	Supplemental C	15	5	2	8							1	1	3	3	2	2	2	1
186b	By crushing, landslide W	5	1	2	2								1	1	1	1		1	
	By crushing, landslide C	4	2		2							1				1		1	
	Supplemental W	77	42	8	27				1		1	1	7	17	17	9	9	7	6
	Supplemental C	21	12	5	4								1	2	7	5	1	3	2
187	Cataclysm W	31	2	9	20	2			3	1	7	3	3		5	1	3	3	
	Cataclysm C	2	1		1									1					1
188	Injuries by animals W	12	5	2	5						2	1	1	1		1	1	2	3
	Injuries by animals C	1	1											1					
190	Excessive cold W	1			1														1
	Excessive cold C	3			3								1		1		1		
191	Excessive heat W	15	11		4									1	1	3	2	2	6
	Excessive heat C	15	10		5										1	4	2	5	3
192	Lightning W	8	3		5							2	2	1	3				
193	Due to electric currents W	6	3		3							1	1		2	1	1		
	Due to electric currents C	1			1										1				
	Supplemental W	5	2	1	2									1	3	1			
194a	Foreign bodies W	17	8	1	8	2	7	4		2					1		1		
194b	Other accidents W	67	23	8	36	8					6	5	8	5	6	7	8	4	10
	Other accidents C	18	8	1	9	1							1	2	2	3	2	2	5
	Supplemental W	395	189	56	150	2		5	3	6	21	12	31	61	58	58	52	37	46
	Supplemental C	109	73	14	22					1	5	2	8	10	31	20	11	12	9
	XVIII.—Ill-defined causes of death White	1,387	167	86	1,134	535	42	13	11	9	9	7	7	20	30	50	91	123	438
	XVIII.—Ill-defined causes of death Colored	616	193	65	358	185	8	9	4	4	6	6	16	15	47	62	51	66	133
199	Sudden death W	163	22	14	127	19	2	1					1	1		6	16	27	90
	Sudden death C	51	10	3	38	6		2					1	3	3	12	5	5	12
200a	Cause of death ill-defined W	193	38	15	140	43	12	5	2		1		4	1	6	11	15	23	70
	Cause of death ill-defined C	55	27	5	23	11	1				2		1		2	11	5	10	12
200b	Cause of death not specified or unknown W	1,031	107	57	867	473	28	7	9	9	8	7	2	18	24	33	60	73	278
	Cause of death not specified or unknown C	510	156	57	297	168	7	7	4	4	4	6	14	12	42	39	41	51	109
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	10			10									2		4	1	1	1
	Accidents in mines and quarries C	3	1		2									1	1	1			
202	Accidents from agricultural machinery W	2	1		1								1			1			
	Accidents from agricultural machinery C	1			1												1		
203	Elevator accidents W	1	1															1	
	Elevator accidents C	1	1										1						
205	Other machinery accidents W	21	9	4	8						1		3	4	3	2	7		1
	Other machinery accidents C	2	2								1				1				

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	TENNESSEE—Continued																		
Punch symbol	SUPPLEMENTAL[1]—continued																		
206	Railroad and automobile collisions W	15	10	1	4								3	2	4	2	3		1
	C	1		1												1			
207	Other railroad accidents W	65	26	9	30							1	8	12	13	9	11	5	5
	C	33	19	3	11						1	1	1	2	11	6	1	5	5
208	Street car and automobile collisions W	1	1										1						
	C	1	1													1			
209	Other street car accidents W	5	5												2		1	1	1
	C	2	2										1						1
210	Automobile accidents (primary) W	377	183	61	133	2		4	4	5	22	11	24	59	61	53	42	39	48
	C	97	64	17	16					1	4	1	6	12	27	18	13	10	5
211	Motorcycle accidents W	5	4		1								1	2	1		1		
	C	1	1										1						
212	Other land transportation accidents W	25	8	3	14				2			3	1	1	1	6	4	1	6
	C	5		1	4							1			1			2	1
213	Water transportation accidents W	5	1	1	3								1	1	2	1			
	C	9	6		3										5	3			
214	Air transportation accidents W	6			6			1		1				1	1	2			
	UTAH																		
	Total deaths (all causes)	4,420	2,202	654	1,564	529	82	55	37	40	97	114	132	117	253	334	440	613	1,570
	I.—Infectious and parasitic disease	487	223	74	190	70	29	10	8	1	25	24	12	21	47	53	52	45	89
1	Typhoid fever	7	2		5							1		1	4		1		
7	Measles	1			1							1							
8	Scarlet fever	17	7	4	6	1	4	1	2		7	1					1		
9	Whooping cough	5	1	2	2	4		1											
10	Diphtheria	9	1	2	6		4	1	1		1	2							
11a	Influenza, respiratory complications specified	166	74	27	65	29	11	4	1		5	8	7	7	10	15	11	20	38
11	Influenza, respiratory complications not specified	82	25	13	44	16	7	1	2	1	6	2	1	2	6	4	2	5	27
1	Dysentery	5	2		3	4												1	
15	Erysipelas	17	8	2	7	8			1							2	1	2	3
16	Acute poliomyelitis, acute polioencephalitis	4	1		3	1	1				2								
17	Lethargic or epidemic encephalitis	7	5		2				1					1	1	1		1	1
18	Epidemic cerebrospinal meningitis	22	14	4	4	3	1	2			3	5	3	2	1	1	1		
22	Tetanus	1			1														1
	Tuberculosis (all forms)	111	67	16	28	1	1				1	3	1	8	19	25	28	11	13
23	Respiratory system	91	49	16	26							3		5	16	20	28	10	9
24	Meninges and central nervous system	2	1		1											2			
25	Intestines and peritoneum	3	2		1											2			1
26	Vertebral column	4	4								1			1	1				1
27b	Joints	1	1										1						
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1											1					
30	Genitourinary system	2	2																2
32a	Acute disseminated tuberculosis	6	6			1	1							1	1	1		1	
32b,c	Other disseminated tuberculosis	1	1												1				
34	Syphilis	20	13	3	4	1									5	3	4	3	4
35	Gonococcus infection and other venereal diseases	1	1													1			
36	Purulent infection, septicemia (nonpuerperal)	4	2		2							1			1			1	1
38	Malaria	1			1												1		
44	Other infectious and parasitic diseases	7		1	6	2										1	2	1	1
	II.—Cancers and other tumors	416	252	45	119	1		2	1	1	3	1		4	6	43	70	92	191
	Cancer and other malignant tumors	400	241	41	118			2	1	1	3	1		3	5	38	65	91	189
(45)	Buccal cavity	6	3		3											1			5
(45)	Pharynx	3		1	2														3
(46)	Esophagus	5	2	2	1													1	4
(46)	Stomach and duodenum	107	59	12	36				1						1	5	15	29	56
(46)	Liver and biliary passages	32	17	3	12									1		1	5	3	21
(46)	Pancreas	10	9		1											1	1	2	6
(46)	Other digestive tract and peritoneum	49	34	6	9						1					6	7	15	20
47	Respiratory system	16	9	3	4									1	1	5	7	2	
48	Uterus	37	25	5	7											6	14	7	10
49	Other female genital organs	7	7														3	1	3
50	Breast	26	17	1	8										2	5	3	9	7
51	Male genitourinary organs	48	27	2	19			1		1				1		1	5	8	31
52	Skin	17	6	2	9						1					3		5	8
53	Other or unspecified organs	37	26	4	7			1			1	1			1	4	5	9	15
54b	Nonmalignant tumors, uterus	5	3	2											1	4			
54d,e	Nonmalignant tumors, other organs	3	3													1	2		
55d,e	Tumors, other organs (nature unspecified)	8	5	2	1	1								1			3	1	2

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES—		In rural areas	DEATHS BY AGE													
			10,000 or over	2,500 to 10,000		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	127	56	18	53	3	1	1	1	4	3	10	3	3	3	6	15	22	52
56	Acute rheumatic fever	20	6	4	10			1	1	1	2	9	1	2		1		1	1
57	Chronic rheumatism, osteoarthritis	1	1														1		
59	Diabetes mellitus	70	28	12	30					2	1	1			2	3	5	15	41
60	Scurvy	1			1	1													
65	Diseases of pituitary body	1	1										1						
66b	Exophthalmic goiter	24	15	1	8								1	1	1	1	9	4	7
(66)	Other diseases of thyroid and parathyroid glands	4	3		1		1											1	2
67	Diseases of thymus gland	3	1	1	1	2				1									
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	2	1		1											1		1	
69	Other general diseases	1			1														1
	IV.—Diseases of the blood and blood-making organs	33	18	5	10	2	1	1	2		1	3	2	1	3	3	4	4	6
70	Hemorrhagic conditions	6	4	1	1	2	1		1				1	1					
71a	Pernicious anemia	12	4	2	6										1	1	3	2	5
71b	Other anemias	2	1	1								1							1
72a	True leukemias	8	4	1	3			1			1	1	1		2	1		1	
72b	Pseudoleukemias (Hodgkin's disease)	3	3													1	1	1	
73	Diseases of the spleen	2	2						1			1							
	V.—Chronic poisonings and intoxications	4	3	1											2		1	1	
75	Alcoholism (acute or chronic)	4	3	1											2		1	1	
	VI.—Diseases of the nervous system and of the organs of special sense	368	180	55	133	12	3	5	4	2	6	13	5	2	9	18	34	63	190
78	Encephalitis (nonepidemic)	5	3		2		2							1		1	1		
79a	Simple meningitis	16	12	1	3	3	1		1	1	1	2	4		1	1	1		
79b	Nonepidemic cerebrospinal meningitis	8		1	7	3		2			1	2							
80	Progressive locomotor ataxia (tabes dorsalis)	1	1														1		
81	Other diseases of spinal cord	10	7	2	1	1			1			1			2			2	3
82a	Cerebral hemorrhage	243	102	41	100	1						1	1		1	9	21	48	161
82b	Cerebral embolism and thrombosis	14	7	3	4							1				1	1	2	9
82c	Softening of brain	1	1																1
82d	Hemiplegia and other paralysis, cause unspecified	3	2		1														3
83	General paralysis of insane	12	10		2											1	5	2	3
84	Dementia praecox and other psychoses	9	9													1	1	2	4
85	Epilepsy	15	7	3	5							4			2	3	1	2	3
86	Convulsions (under 5 years of age)	1		1						1									
87	Other diseases of nervous system	11	8		3	2					1				1	1	1	4	1
89a	Diseases of ear	15	8	2	5	2		2	2		3	1			2			1	2
89b	Diseases of mastoid process	4	3	1				1				1		1			1		
	VII.—Diseases of the circulatory system	913	443	136	334	1	1	1	2	5	7	16	25	13	35	47	102	148	510
90	Pericarditis	2	1		1														2
91a	Acute endocarditis	13	7	2	4		1		1		1	4	2		2			1	1
91b	Endocarditis, unspecified (under 45 years)	2			2								1	1					
92a	Endocarditis, specified as chronic, and other valvular diseases	213	86	35	92			1		3	4	8	17	7	21	17	27	31	77
92b	Endocarditis, unspecified (45 years and over)	8	4	2	2												3		5
93a	Acute myocarditis	15	8	5	2										2	1	3	4	5
93b	Myocarditis, unspecified (under 45 years)	3	2		1	1			1			1							
93c	Chronic myocarditis and myocardial degeneration	301	149	42	110							1	1	1	2	13	27	42	214
93d	Other diseases of myocardium	73	24	16	33												8	12	53
94a	Angina pectoris	50	22	10	18										1	3	1	14	31
94b	Diseases of coronary arteries	65	48	6	11										2	4	10	18	31
95b	Other and unspecified diseases of heart	115	57	15	43					2	1	1	3	4	4	6	19	18	57
96	Aneurysm (except of heart)	7	7													1	3	1	2
97	Arteriosclerosis (coronary arteries excepted)	30	20	1	9													4	26
98	Gangrene	4			4							1							3
99	Other diseases of arteries	7	5	1	1								1		1	1		2	2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	2	1	1							1						1		
102	Idiopathic anomalies of blood-pressure	2	2													1		1	
103	Other diseases of circulatory system	1			1														1
	VIII.—Diseases of the respiratory system	380	171	63	146	79	15	14	1	4	10	7	6	11	20	19	24	51	118
104a	Diseases of nasal fossae	4			4	2													2
104b	Diseases of nasal fossae and annexae	6	6									2		1	1			2	
105	Diseases of larynx	4	2	2			1								1		2		
106a	Acute bronchitis	6	3	2	1	2	1											1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	VIII.—Diseases of the respiratory system—Continued																		
106b	Chronic bronchitis	3	1		2	1													2
106c,d	Bronchitis, unspecified	2	1		1														2
107a	Bronchopneumonia	159	75	19	65	62	9	7		2	1	2	2		5	5	4	8	52
108	Lobar pneumonia	148	66	31	51	4	1	5	1	2	8	3	3	9	13	13	11	30	45
109	Pneumonia, unspecified	21	9	1	11	8	3				1						3	2	4
110	Pleurisy	1			1			1											
111a	Pulmonary embolism and thrombosis	3	2		1								1						2
111b	Pulmonary congestion, edema, hemorrhagic infarct	5	1	1	3														5
112	Asthma	8	4	2	2			1									2	3	2
114	Other diseases of respiratory system (tuberculosis excepted)	10	1	5	4									1		1	2	5	
	IX.—Diseases of the digestive system	381	238	58	85	22	11	8	5	11	16	10	23	14	28	44	58	67	64
115a	Diseases of pharynx and tonsils	21	16	2	3	2	2	2			3		1		2	4	4	1	
115b	Diseases of buccal cavity and annexa	5	4		1							1	1	1	1		1		
117a	Ulcer of stomach	21	14	2	5									1		3	5	7	5
117b	Ulcer of duodenum	14	13		1										3	1	5	3	2
118	Other diseases of stomach (cancer excepted)	8	3	1	4									1	1	1	1	1	3
119	Diarrhea, enteritis (under 2 years of age)	22	10	3	9	15	7												
120	Diarrhea, enteritis (2 years and over)	14	3	2	9			3	1		1				1	2	3	1	2
121	Appendicitis	133	88	23	22		1	2	3	8	10	8	19	11	16	18	12	15	10
122a	Hernia	34	26	7	1											1	4	15	14
122b	Intestinal obstruction	39	19	7	13	4	1	1	1	2	2		2		2	1	7	8	8
123	Other diseases of intestines	4	3		1	1										1		1	1
124	Cirrhosis of liver	18	9	2	7							1			1	3	2	5	6
125b	Other diseases of liver	1	1															1	
126	Biliary calculi	14	10	2	2											2	5	4	3
127	Other diseases of gall-bladder, biliary passages	27	14	7	6											6	7	5	1
129	Peritonitis, cause not specified	6	5		1					1					1	1	2		9
	X.—Diseases of the genitourinary system	324	183	38	103	3						1	6	6	17	26	35	56	174
130	Acute nephritis (including unspecified under 10 years)	9	3	2	4	1							2		2				4
131	Chronic nephritis	238	134	21	83							1	2	2	8	19	28	46	132
132	Nephritis, unspecified (10 years and over)	17	4	5	8									2		2	1	4	8
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	9	7		2	2							1	1			1	2	2
134	Calculi of urinary passages	6	4	2											1	1	1	1	2
135	Diseases of bladder (tumors excepted)	2		1	1													1	1
136	Diseases of urethra, urinary abscess, etc.	1	1														1		
137	Diseases of prostate	26	20	3	3													1	25
139a	Cysts of ovary	1		1												1			
139b	Other diseases of ovaries, diseases of tubes and parametrium	9	7		2								1	1	5	2			
139c	Diseases of uterus	5	3	2											1	1	2	1	
139d	Nonpuerperal diseases of breast (cancer excepted)	1		1													1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	52	29	9	14								5	9	26	10	2		
140	Abortion with septic conditions	10	7	1	2								1	3	6				
141	Abortion without mention of septic conditions (includes hemorrhages)	4	3		1										4				
142a	Ectopic gestation, septic conditions specified	1	1													1			
143	Other accidents of pregnancy (hemorrhage not included)	1	1													1			
144a	Placenta praevia	1		1													1		
144b	Other puerperal hemorrhages	4	3	1											3	1			
145a	Puerperal septicemia and pyemia (abortion excluded)	7	3	1	3								1	2	4				
146	Puerperal albuminuria and eclampsia	12	5	3	4								1	3	4	3	1		
147	Other toxemias of pregnancy	3	2	1											2	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	5	2	2	1								1		2	2			
149	Other accidents of childbirth	4	2		2								1	1	1	1			
	XII.—Diseases of the skin and cellular tissue	3	3						1									1	1
151	Furuncle, carbuncle	1	1																1
152	Phlegmon, acute abscess	1	1						1										
153	Other diseases of skin and annexa, and of cellular tissue	1	1															1	
	XIII.—Diseases of the bones and organs of locomotion	8	8			1						1	2			2		1	1
154	Osteomyelitis	7	7			1						1	2			1		1	1
156	Diseases of joints, other organs of locomotion	1	1													1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	UTAH—Continued																		
	XIV.—Congenital malformations	48	19	9	20	41	2				2	1	1		1				
157a	Congenital hydrocephalus	7	3	1	3	4	1				1				1				
157b	Spina bifida and meningocele	4	2		2	3					1								
157c	Congenital malformations of heart	22	9	5	8	20	1					1							
157d	Other congenital malformations	15	5	3	7	14							1						
	XV.—Diseases of early infancy	263	105	52	106	263													
158	Congenital debility	8	4	1	3	8													
159	Premature birth	180	67	34	79	180													
160	Injury at birth	45	20	11	14	45													
161	Other diseases peculiar to early infancy	30	14	6	10	30													
162	XVI.—Senility	62	23	9	30													1	61
	XVII.—Violent and accidental deaths	460	215	70	175	10	16	12	12	11	23	26	42	33	56	58	38	47	74
	Suicide	47	31	5	11									3	8	9	6	13	8
163	By solid or liquid poisons or by absorption of corrosive substances	8	7	1										1	3	1	2	1	
164	By poisonous gas	1	1																1
165	By hanging or strangulation	7	4		3										1	1	1	3	1
166	By drowning	2	2														1	1	
167	By firearms	25	14	4	7									2	4	6	2	6	5
168	By cutting or piercing instruments	2	1		1													1	1
171	By other means	2	2													1		1	
	Homicide	19	10	3	6	1							2	2	5	5	1	2	1
173	By firearms	11	6	2	3								2	1	3	4		1	
174	By cutting or piercing instruments	3	3												1	1		1	
175	By other means	5	1	1	3	1								1	1		1		1
	Accidental, other, or undefined	394	174	62	158	9	16	12	12	11	23	26	40	28	43	44	31	32	65
178	Absorption of poisonous gas	6	5	1				1					1			1	1	1	1
	Supplemental	1			1									1					
179	*Other acute accidental poisonings (gas excepted)	8	6		2						1	1	1	3	1		1		
180	Conflagration	13			13	2		2	1	2	2				2	2			
181	Burns (conflagration excepted)	23	9	4	10	1	2	4	3	1	1			2	1	2		1	5
	Supplemental	3	1	1	1		1						1		1				
182	Mechanical suffocation	7		3	4	5									1			1	
183	Drowning	30	10	3	17		9	1	3	1	4	1	5		4			2	
	Supplemental	6		1	5					1			1		2	2			
	Traumatism:																		
184	By firearms (wounds of war excepted)	21	5	8	8				1			2	2	5	3	2	3	1	2
185	By cutting or piercing instruments (wounds of war excepted)	4	4									1	2						1
	Supplemental	2			2										1	1			
186a	By fall	28	19	3	6						1	1	1	1	1	4	1	2	16
	Supplemental	23	8	3	12			1	1	1	2	3	3	1		2	5	2	2
186b	By crushing, landslide	6	4	2							1			1	2	2			
	Supplemental	29	15	4	10					1	2		1	2	7	5	2	4	5
187	Cataclysm	2			2												2		
188	Injuries by animals	2			2											1		1	
190	Excessive cold	4	2		2								1	1		1			1
191	Excessive heat	2		1	1												1		1
192	Lightning	2			2											1		1	
193	Due to electric currents	2	1		1							1				1			
194a	Foreign bodies	2	1	1		1	1												
194b	Other accidents	47	11	12	24			1		1	1	3	10		5	2	4	4	15
	Supplemental	121	73	15	33		3	2	3	3	8	13	11	11	12	15	11	12	16
	XVIII.—Ill-defined causes of death	91	33	12	46	21	3	1		1	1	1				5	5	14	39
199	Sudden death	7	1	2	4	1											1	3	2
200a	Cause of death ill-defined	63	30	7	26	8	2	1				1				4	3	10	34
200b	Cause of death not specified or unknown	21	2	3	16	12	1			1	1					1	1	1	3
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	17	2	5	10									2	5	6	1	2	
202	Accidents from agricultural machinery	2	1		1										1			1	
203	Elevator accidents	2	2					1						1					
204	Accidents from machinery used for recreation	1	1								1								
205	Other machinery accidents	4	1	1	2			1							1	2			
206	Railroad and automobile collisions	4	1	3										1	2	1			
207	Other railroad accidents	12	7		5								1	1	2	2	3	1	2
208	Street car and automobile collisions	2	2								1				1				
209	Other street car accidents	2	2															1	1
210	Automobile accidents (primary)	115	72	11	32		4		3	3	8	12	14	9	9	12	10	13	18
212	Other land transportation accidents	16	4	3	9			1	1	2	2	4	1				3		2
213	Water transportation accidents	6		1	5					1			1		2	2			
214	Air transportation accidents	2	2											1			1		

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT																	
	Total deaths (all causes)	4,753	897	3,856	381	40	20	19	12	70	38	53	79	163	226	410	724	2,505
	I.—Infectious and parasitic diseases	410	86	324	29	14	8	3	6	25	12	10	14	33	46	60	53	97
1	Typhoid fever	2		2												1		1
6	Smallpox	2		2									1					1
7	Measles	29	4	25	7	6	3	1	1	9	1							1
8	Scarlet fever	7	3	4				1	1	2	1		1	1				
9	Whooping cough	14	1	13	9	1	1	1		2								
10	Diphtheria	6	2	4		1			1	1	1	1	1					
11a	Influenza, respiratory complications specified	59	6	53	2	1	1				2	1	3	2	2	7	11	27
11b	Influenza, respiratory complications not specified	47	3	44	3		1		1	1	1	1			4	2	2	31
13	Dysentery	3	1	2	1	1												1
15	Erysipelas	10	4	6	3									1	1		1	4
17	Lethargic or epidemic encephalitis	2		2		1												1
18	Epidemic cerebrospinal meningitis	1	1							1								
22	Tetanus	5	1	4						2	1		1		1			
	Tuberculosis (all forms)	210	54	156	1	2	2		2	7	5	7	6	28	38	48	35	29
23	Respiratory system	181	48	133	1		1			3	2	6	6	27	37	42	31	25
24	Meninges and central nervous system	12	3	9		2			2	2	1	1		1		2		1
25	Intestines and peritoneum	5	2	3						1	2				1	1		
26	Vertebral column	2		2													1	1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1		1													1	
31	Other organs	1		1												1		
32a	Acute disseminated tuberculosis	5	1	4			1			1						1	1	1
32b,c	Other disseminated tuberculosis	3		3												1	1	1
34	Syphilis	10	5	5	3											2	4	1
35	Gonococcus infection and other venereal diseases	1	1										1					
36	Purulent infection, septicemia (non-puerperal)	1		1										1				
44	Other infectious and parasitic diseases	1		1		1												
	II.—Cancers and other tumors	528	110	418						1	2	1	2	8	37	70	132	274
	Cancer and other malignant tumors	504	103	401						1	2	1	1	8	29	66	128	267
(45)	Buccal cavity	11	3	8										1			4	5
(45)	Pharynx	2		2														2
(46)	Esophagus	2	1	1												1		1
(46)	Stomach and duodenum	93	24	69											3	12	33	45
(46)	Liver and biliary passages	54	1	53											1	6	14	33
(46)	Pancreas	12	2	10											1		6	5
(46)	Other digestive tract and peritoneum	94	20	74						1	1				7	10	20	55
47	Respiratory system	13	2	11							1				3	1	3	5
48	Uterus	48	10	38									1	5	6	13	7	16
49	Other female genital organs	11	3	8												4	4	3
50	Breast	57	16	41										1	6	12	10	28
51	Male genitourinary organs	42	10	32												1	11	30
52	Skin	20	3	17												1	3	16
53	Other or unspecified organs	45	8	37								1		1	2	5	13	23
54a	Nonmalignant tumors, ovary	1	1										1					
54b	Nonmaligant tumors, uterus	10	5	5											6	3	1	
54d,e	Nonmalignant tumors, other organs	5	1	4													3	2
55d,e	Tumors, other organs (nature unspecified)	8		8											2	1		5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	124	34	90	4			1		2		5		4	5	14	43	46
56	Acute rheumatic fever	5		5				1		1					1			2
57	Chronic rheumatism, osteoarthritis	11	1	10												1	2	8
59	Diabetes mellitus	90	28	62						1		4		2	1	9	38	35
63	Rickets	3		3	2										1			
66a	Simple goiter	2	1	1										1		1		
66b	Exophthalmic goiter	8	3	5								1		1	1	2	3	
(66)	Other diseases of thyroid and parathyroid glands	1		1												1		
67	Diseases of thymus gland	2		2	2													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	1	1												1			
69	Other general diseases	1		1														1
	IV.—Diseases of the blood and blood-making organs	41	9	32						1		2	2	2	2	6	7	19
70	Hemorrhagic conditions	1		1								1						
71a	Pernicious anemia	23	4	19										1		3	6	13
71b	Other anemias	4		4						1						1		2
72a	True leukemias	6	3	3								1	1	1	1			2
72b	Pseudoleukemias (Hodgkin's disease)	5	2	3									1			2	1	1
73	Diseases of the spleen	2		2											1			1
	V.—Chronic poisonings and intoxications	8	2	6										1		3	1	3
75	Alcoholism (acute or chronic)	7	2	5										1		3	1	2
76	Chronic poisoning by other organic substances	1		1														1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT—Continued																	
	VI.—Diseases of the nervous system and of the organs of special sense	541	61	480	4	4		1	1	4	4	2	3	6	15	35	82	379
78	Encephalitis (nonepidemic)	3		3								1				1		1
79a	Simple meningitis	7	2	5	1	2		1	1								1	1
79b	Nonepidemic cerebrospinal meningitis	1		1										1				
80	Progressive locomotor ataxia (tabes dorsalis)	5	2	3													1	4
81	Other diseases of spinal cord	10		10									1			1	3	5
82a	Cerebral hemorrhage	437	50	387									1	2	10	25	65	333
82b	Cerebral embolism and thrombosis	22	2	20										1		4	2	15
82c	Softening of brain	4		4														4
82d	Hemiplegia and other paralysis, cause unspecified	4		4													2	2
83	General paralysis of insane	10	2	8												3	5	2
84	Dementia praecox and other psychoses	2		2								1						1
85	Epilepsy	12	1	11						1	1		1	2	2		2	3
86	Convulsions (under 5 years of age)	2		2	2													
87	Other diseases of nervous system	13		13		1				2	1				1	1	1	6
89a	Diseases of ear	4	2	2	1						1				1			1
89b	Diseases of mastoid process	5		5		1				1	1				1			1
	VII.—Diseases of the circulatory system	1,284	196	1,088	4					2	1	3	3	14	31	81	183	957
90	Pericarditis	2		2												1		1
91a	Acute endocarditis	7	1	6							1			1	2	1	1	1
91b	Endocarditis, unspecified (under 45 years)	3		3								2			1			
92a	Endocarditis, specified as chronic, and other valvular diseases	312	37	275	2					2			2	5	6	14	44	237
92b	Endocarditis, unspecified (45 years and over)	29	2	27												2	5	22
93a	Acute myocarditis	16	1	15												2	2	12
93b	Myocarditis, unspecified (under 45 years)	6	2	4											6			
93c	Chronic myocarditis and myocardial degeneration	274	53	221										4	4	10	34	219
93d	Other diseases of myocardium	91	21	70												9	12	70
94a	Angina pectoris	158	23	135											3	16	37	101
94b	Diseases of coronary arteries	36	5	31											2	4	6	24
95a	Functional diseases of heart	3		3												1	1	1
95b	Other and unspecified diseases of heart	182	35	147	1							1		2	4	14	29	131
96	Aneurysm (except of heart)	4	1	3												1	3	
97	Arteriosclerosis (coronary arteries excepted)	144	12	132										1	1	3	7	131
98	Gangrene	3	1	2												1		2
99	Other diseases of arteries	9	1	8									1	1	2	1	1	3
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	3		3	1												1	1
102	Idiopathic anomalies of blood-pressure	1	1															1
103	Other diseases of circulatory system	1		1												1		
	VIII.—Diseases of the respiratory system	386	64	322	61	7	4	5		3	2	4	1	12	21	28	59	179
105	Diseases of larynx	3		3			1								1		1	
106a	Acute bronchitis	7		7														7
106b	Chronic bronchitis	6		6													1	5
106c,d	Bronchitis, unspecified	11	4	7	3													8
107a	Bronchopneumonia	142	19	123	38	6		3				1		2	5	5	17	65
107b	Capillary bronchitis	2		2	1													1
108	Lobar pneumonia	184	33	151	17		2	2		3	1	3	1	10	13	16	35	81
109	Pneumonia, unspecified	6	1	5	1		1									1	1	2
110	Pleurisy	7	3	4	1	1										2	2	1
111a	Pulmonary embolism and thrombosis	1		1														1
111b	Pulmonary congestion, edema, hemorrhagic infarct	7	1	6							1						1	5
112	Asthma	6		6											1	2		3
114	Other diseases of respiratory system (tuberculosis excepted)	4	3	1											1	2	1	
	IX.—Diseases of the digestive system	267	90	177	29	8	2	2	2	14	4	9	7	20	19	36	37	78
115a	Diseases of pharynx and tonsils	14	5	9	1	1		1		1		1	1	1	1	1	2	3
115b	Diseases of buccal cavity and annexa	2		2	1													1
117a	Ulcer of stomach	14	3	11										2	2	5		5
117b	Ulcer of duodenum	3	2	1												2	1	
118	Other diseases of stomach (cancer excepted)	12	2	10	2											4		6
119	Diarrhea, enteritis (under 2 years of age)	26	5	21	21	5												
120	Diarrhea, enteritis (2 years and over)	10	2	8			1			1					1	1	2	4
121	Appendicitis	59	22	37		1		1	2	9	4	7	5	6	7	5	7	5
122a	Hernia	17	6	11	1									2			2	12
122b	Intestinal obstruction	27	7	20	2	1				2		1		1	2	2	2	14
123	Other diseases of intestines	6	3	3	1									1	1		1	2
124	Cirrhosis of liver	27	7	20												4	10	13
125a	Yellow atrophy of liver	1	1										1					
125b	Other diseases of liver	3	1	2						1				1				1
126	Biliary calculi	17	9	8										1	1	4	6	5
127	Other diseases of gall-bladder, biliary passages	20	8	12										4	1	7	1	7
128	Diseases of pancreas	5	4	1										1	3		1	
129	Peritonitis, cause not specified	4	3	1			1									1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE													
					Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT—Continued																	
	X.—Diseases of the genitourinary system	423	88	335	1	1				1	1		5	9	15	43	87	258
130	Acute nephritis (including unspecified under 10 years)	17	1	16	1	1				1					2	5	1	6
131	Chronic nephritis	321	68	253							1		3	4	6	30	67	209
132	Nephritis, unspecified (10 years and over)	32	1	31									1	1		1	9	19
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	16	5	11									1	2	2	2	4	5
134	Calculi of urinary passages	2	2													2		
135	Diseases of bladder (tumors excepted)	2		2														2
137	Diseases of prostate	17	7	10													5	12
139a	Cysts of ovary	5		5										1	1	1		2
139b	Other diseases of ovaries, diseases of tubes and parametrium	5	2	3										1	4			
139c	Diseases of uterus	6	2	4												2	1	3
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	43	21	22								2	14	16	11			
140	Abortion with septic conditions	6	4	2								1	2	3				
141	Abortion without mention of septic conditions (includes hemorrhages)	2	1	1									1	1				
142b	Ectopic gestation, septic conditions not mentioned	1		1										1				
144a	Placenta praevia	2	2											1	1			
144b	Other puerperal hemorrhages	1		1										1				
145a	Puerperal septicemia and pyemia (abortion excluded)	7	4	3									2	3	2			
146	Puerperal albuminuria and eclampsia	10	4	6								1	4	2	3			
147	Other toxemias of pregnancy	3	2	1									1	2				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	1	2									1	1	1			
149	Other accidents of childbirth	8	3	5									3	1	4			
	XII.—Diseases of the skin and cellular tissue	8	3	5	2			1				1			1			3
151	Furuncle, carbuncle	1		1								1						
152	Phlegmon, acute abscess	4	2	2	1			1							1			1
153	Other diseases of skin and annexa, and of cellular tissue	3	1	2	1													2
	XIII.—Diseases of the bones and organs of locomotion	3		3						1							1	1
154	Osteomyelitis	2		2						1								1
155	Other diseases of bones (tuberculosis excepted)	1		1													1	
	XIV.—Congenital malformations	61	13	48	59	1							1					
157a	Congenital hydrocephalus	10	2	8	10													
157b	Spina bifida and meningocele	14	3	11	14													
157c	Congenital malformations of heart	24	2	22	23	1							1					
157d	Other congenital malformations	13	6	7	12													
	XV.—Diseases of early infancy	179	46	133	179													
158	Congenital debility	14	2	12	14													
159	Premature birth	121	33	88	121													
160	Injury at birth	30	7	23	30													
161	Other diseases peculiar to early infancy	14	4	10	14													
162	XVI.—Senility	80	5	75														80
	XVII.—Violent and accidental deaths	349	68	281	6	4	6	6	3	16	12	14	27	38	23	33	36	121
	Suicide	72	9	63							1	1	7	7	10	11	12	21
163	By solid or liquid poisons or by absorption of corrosive substances	6	1	5											1	1	1	2
164	By poisonous gas	4	1	3									1	1	1		1	
165	By hanging or strangulation	10		10										1	1	2	2	3
166	By drowning	7		7											1		2	4
167	By firearms	40	6	34							1	1	6	5	5	8	6	8
168	By cutting or piercing instruments	5	1	4											1			4
	Homicide	4		4					1					2				1
173	By firearms	3		3					1					2				
175	By other means	1		1														1
	Accidental, other, or undefined	273	59	214	6	4	6	6	2	16	11	13	20	29	13	22	24	99
177	Poisoning by food	3	1	2	2												1	
178	Absorption of poisonous gas	2		2								1					1	
179	Other acute accidental poisonings (gas excepted)	3		3		1										1		1
180	Conflagration	5	1	4		1									1			3
181	Burns (conflagration excepted)	14	2	12	1		2	3	1	3	1		1				1	1
182	Mechanical suffocation	1		1	1													
183	Drowning	34	6	28		2	1			5	2	3	5	8	1	2	3	1
	Supplemental	3		3									2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VERMONT—Continued																	
	XVII.—Violent and accidental deaths—Continued																	
	Accidental, other, or undefined—Con.																	
	Traumatism:																	
184	By firearms (wounds of war excepted)	17	4	13							1	4	2	5	3	1		1
185	By cutting or piercing instruments (wounds of war excepted)	1		1												1		
186a	By fall	87	23	64			1			1			1	1		7	6	70
	Supplemental	6	3	3									1	1			3	1
186b	By crushing, landslide	1		1														
	Supplemental	8	1	7							1		1	2		1	1	2
188	Injuries by animals	1		1												1		
193	Due to electric currents	1		1							1							
194a	Foreign bodies	3		3	1		1									1		
194b	Other accidents	9	3	6	1								3	2		2		1
	Supplemental	73	15	58			1	3	1	7	5	5	4	9	8	4	8	18
198	Legal executions	1		1												1		
	XVIII.—Ill-defined causes of death	18	1	17	3	1										1	3	10
199	Sudden death	4		4													1	3
200a	Cause of death ill-defined	11	1	10	1	1										1	1	7
200b	Cause of death not specified or unknown	3		3	2												1	
Punch symbol	SUPPLEMENTAL[1]																	
203	Elevator accidents	3	3														2	1
205	Other machinery accidents	7	3	4										3		3		1
206	Railroad and automobile collisions	3		3													1	2
207	Other railroad accidents	6		6						1				2				3
210	Automobile accidents (primary)	63	13	50			1	3		5	5	4	6	7	8	2	9	13
212	Other land transportation accidents	6		6					1	1	1	1		1				1
213	Water transportation accidents	2		2									2					

List no.	CAUSE OF DEATH	All deaths	IN CITIES—: 10,000 or over	IN CITIES—: 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA																		
	Total deaths (all causes) White	18,270	5,314	1,780	11,176	2,222	364	177	101	82	263	226	389	533	1,007	1,214	1,726	2,570	7,387
	Total deaths (all causes) Colored	10,628	3,636	633	6,359	1,448	202	90	57	42	142	184	419	538	987	1,194	1,689	1,660	1,946
	I.—Infectious and parasitic diseases White	2,477	461	248	1,768	317	151	70	46	33	84	45	86	129	248	237	239	254	537
	I.—Infectious and parasitic diseases Colored	2,102	622	120	1,360	241	74	33	22	17	56	69	204	226	361	285	239	148	122
1	Typhoid fever W	85	14	12	59					4	4	8	15	15	11	10	11	6	1
	Typhoid fever C	46	14	7	25			1	1		5	6	7	9	8	3	1	4	1
2	Paratyphoid fever W	3	1	1	1								1			1		1	
	Paratyphoid fever C	1		1													1		
3	Typhus fever W	3			3						1				1			1	
5	Undulant fever W	1			1											1			
	Undulant fever C	1			1	1													
7	Measles W	18	2	3	13	3	10	1			1		1			1			1
	Measles C	8	2		6	1	2		1		2	2							
8	Scarlet fever W	29	9	2	18	1	4	3	4	2	8	1	2	2	1	1			
	Scarlet fever C	2	1		1						2								
9	Whooping cough W	198	24	14	160	117	47	17	6	3	5	3							
	Whooping cough C	142	28	4	110	93	27	12	4		4		2						
10	Diphtheria W	118	21	14	83	14	18	21	18	12	29	1	1			1	1	2	
	Diphtheria C	29	6		23	5	2	4	3	3	5		1	1	3		1	1	
11a	Influenza, respiratory complications specified W	455	94	62	299	56	21	6	4	4	6	4	15	12	26	26	49	52	174
	Influenza, respiratory complications specified C	245	77	22	146	24	13	4	2	2	7	3	17	8	23	34	37	40	31
11b	Influenza, respiratory complications not specified W	192	31	12	149	29	7	3	2	1	4	7	7	2	6	9	11	21	33
	Influenza, respiratory complications not specified C	114	17	10	87	14	2		2	1	2	1	7	4	9	11	18	14	28
13	Dysentery W	131	21	10	100	35	27	10	5	2	5	3		1	2	4	3	6	28
	Dysentery C	54	12	1	41	17	10	5	2	1	1				3	1	3	4	7
15	Erysipelas W	36	5	8	23	14	2					1	1		1	4	3	3	7
	Erysipelas C	5	1	1	3								1				2	1	1
16	Acute poliomyelitis, acute polioencephalitis W	16	2	1	13	1	3	3			4	2	2	1					
	Acute poliomyelitis, acute polioencephalitis C	2			2						2								
17	Lethargic or epidemic encephalitis W	11		5	6					1			1		3		2	3	1
	Lethargic or epidemic encephalitis C	5	1	3	1			1		1	1			1	1				

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	I.—Infectious and parasitic diseases—Continued																			
18	Epidemic cerebrospinal meningitis	W	24	3	6	15	4	3	2	1	1	2	2	3	2	4				
		C	13	2	1	10	2	1		1	1	4	1	1			1		1	
22	Tetanus	W	6	2	1	3						3			1	1	1			
		C	12	7	1	4	3						5	1			1	2		
	Tuberculosis (all forms)	W	1,035	200	76	759	22	8	3	4	1	10	12	32	91	178	154	142	143	234
		C	1,136	336	49	751	17	13	5	6	7	18	48	157	189	266	179	124	65	39
23	Respiratory system	W	931	172	66	693	8	2		3		4	5	28	83	164	144	137	129	223
		C	1,025	292	43	690	6	3	5	4	2	15	40	141	173	253	164	119	60	38
24	Meninges and central nervous system	W	38	10	5	23	12	4	3	1		4	5	1	4	2			2	
		C	32	15	1	16	7	5		1		2	2	6	3		3	1	1	
25	Intestines and peritoneum	W	25	6	1	18		1				1	1		1	3	2	1	8	7
		C	41	14	2	25	1	1		1	3		4	7	8	3	7	4	2	
26	Vertebral column	W	9	4	1	4					1				1	2	3	2		
		C	5	2		3	1	1					1			1	1			
27a	Bones (vertebral column excepted)	W	2			2						1							1	
		C	3	1	1	1									1	1	1			
27b	Joints	W	7	1		6									1	1	1	1	1	2
		C	9	2		7	1				1			1	3	1	1			1
28	Skin and subcutaneous cellular tissue	W	1			1													1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	C	2	1		1							1			1				
30	Genitourinary system	W	12	2	2	8								2		4	4		1	1
		C	1	1												1				
31	Other organs	W	4	1	1	2	1						1			1		1		
32a	Acute disseminated tuberculosis	W	6	4		2	1	1						1	1	1				1
		C	17	8	2	7	1	3			1	1		2	1	4	2		2	
32b,c	Other disseminated tuberculosis	C	1			1										1				
34	Syphilis	W	77	22	14	41	14		1					3		10	18	15	11	5
		C	238	99	16	123	57	4	1			2	1	2	8	41	47	45	17	13
35	Gonococcus infection, other venereal diseases	W	7	3	3	1	1								1	2	2	1		
		C	24	15	3	6								3	4	6	8		1	2
36	Purulent infection, septicemia (nonpuerperal)	W	12	3	3	6	2						1	1		2	2	1	3	
		C	8	2		6	1						2	1	1	1		2		
38	Malaria	C	6	2	1	3						1		2				3		
39	Other diseases due to protozoal parasites	W	4	1		3	1										1			2
40	Ankylostomiasis	W	1			1									1					
41a	Hydatid cysts of liver	W	1	1										1						
42	Other diseases caused by helminths	W	4		1	3		1		2	1									
43	Mycoses	W	3			3	2												1	
		C	7			7	5							1	1					
44	Other infectious and parasitic diseases	W	7	2		5	1				1	2					1		1	1
		C	4			4	1				1			1						
	II.—Cancers and other tumors	White	1,473	521	128	824	3	1	4	2		6	6	7	9	51	104	269	325	686
		Colored	450	164	32	254		1			1		2	4	7	32	89	134	101	78
	Cancer and other malignant tumors	W	1,412	494	120	798	3		3	2		4	5	6	7	43	97	250	314	678
		C	404	143	29	232		1					1	2	3	21	79	121	97	78
(45)	Buccal cavity	W	50	14	7	29											3	6	8	33
		C	8	1		7												5	2	1
(45)	Pharynx	W	10	4		6												1	3	6
		C	2		1	1											1			1
(46)	Esophagus	W	15	8		7												2	3	10
		C	8	4		4											1	5	2	
(46)	Stomach and duodenum	W	272	76	22	174									1	2	14	39	59	157
		C	68	28	3	37										3	10	15	23	17
(46)	Liver and biliary passages	W	146	41	10	95	2						1		1		11	22	34	75
		C	29	7		22										1	3	9	9	7
(46)	Pancreas	W	43	24	1	18											4	7	10	22
		C	6	2	1	3												3	2	1
(46)	Other digestive tract and peritoneum	W	172	67	23	82				1		2				7	10	27	37	88
		C	25	8		17									1	1	4	9	6	4
47	Respiratory system	W	41	22		19						1		1	1		2	12	15	9
		C	9	5	2	2											2	3	4	
48	Uterus	W	171	62	20	89										13	22	49	39	48
		C	115	45	8	62									1	7	39	29	21	17
49	Other female genital organs	W	28	17		11											2	6	11	9
		C	5	3		2											1	2	2	
50	Breast	W	146	55	15	76										5	14	37	43	47
		C	49	12	6	31									1	4	8	17	13	6
51	Male genitourinary organs	W	106	35	10	61	1		2						2	3		12	14	72
		C	31	9	3	19											1	2	8	10
52	Skin	W	56	13	3	40												4	2	7
		C	8	3	2	3												1	3	2
53	Other or unspecified organs	W	156	56	9	91			1	1		1	4	5	2	13	11	28	31	59
		C	41	16	3	22		1					1	2		4	7	13	1	12
54a	Nonmalignant tumors, ovary	W	1	1													1			
		C	1	1																
54b	Nonmalignant tumors, uterus	W	15	11	3	1										1				
		C	21	11	2	8										3	3	7	1	1
54d,e	Nonmalignant tumors, other organs	W	9	4	2	3									1	7	4	7	2	
		C	7	4		3		1	1							1	2	1		3
55a	Tumors, ovary (nature unspecified)	W	1	1										1	1	2	2		1	
55b	Tumors, uterus (nature unspecified)	W	1			1												1		
55d,e	Tumors, other organs (nature unspecified)	W	34	10	3	21						2	1	1	2	4	1	9	10	4
		C	17	5	1	11					1		1	1	2	1	4	6	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	White	523	166	57	300	26	6	2	2	1	5	9	8	9	23	43	73	121	195
		Colored	242	92	16	134	10	1	3		1	4	4	4	7	14	38	57	55	44
56	Acute rheumatic fever	W	30	6	2	22				1		3	2	3	1	4	1	4	2	9
		C	30	8	2	20						3		1	1	4	4	8	4	5
57	Chronic rheumatism, osteoarthritis	W	33	4	5	24								1			2	5	8	17
		C	12	2	2	8													6	6
59	Diabetes mellitus	W	292	110	28	154	2	1			1	1	6	3	7	10	16	32	81	132
		C	122	56	7	59	1				1	1	2	1	3	5	17	37	36	18
60	Scurvy	W	2	1		1	1										1			
		C	1			1														1
62	Pellagra	W	81	15	11	55						1			1	4	13	19	18	25
		C	47	11	5	31							2	2	3	4	10	8	7	11
63	Rickets	W	8	1	1	6	6	1		1										
		C	11	3		8	7	1	3											
64	Osteomalacia	W	2	2															1	1
65	Diseases of pituitary body	W	1	1															1	
66a	Simple goiter	W	3	1		2											1	2		
66b	Exophthalmic goiter	W	39	13	6	20										3	7	10	10	9
		C	15	9		6										1	7	4	2	1
(66)	Other diseases of thyroid and parathyroid glands	W	3	1		2	1	1												1
		C	1	1			1													
67	Diseases of thymus gland	W	16	5	3	8	14	1	1											
		C	1	1			1													
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	W	3	1		2								1			1	1		
		C	2	1		1														2
69	Other general diseases	W	10	5	1	4	2	2	1				1			2	1			1
	IV.—Diseases of the blood and blood-making organs	White	119	43	7	69	8	1	3	1		6	4	2	4	10	13	14	23	30
		Colored	38	18	3	17	4	1		1		1	2	1	6	7	7	2	4	2
70	Hemorrhagic conditions	W	12	2		10	7		1			1	1						1	1
		C	6	4	1	1	2								1	2	1			
71a	Pernicious anemia	W	30	10	2	18		1					1	1			1	4	9	13
		C	15	4		11		1						1	4	4	4			1
71b	Other anemias	W	9	3	2	4						1								8
		C	7	4	1	2	2											1	3	1
72a	True leukemias	W	40	20	3	17	1		2	1		2	1	1	4	4	7	8	6	3
		C	6	3	1	2							2			1	2		1	
72b	Pseudoleukemias (Hodgkin's disease)	W	18	3		15						2				3	3	2	3	5
		C	2	1		1						1			1					
73	Diseases of spleen	W	8	3		5							1			2	1		4	
		C	2	2						1								1		
74	Other diseases of blood and blood-making organs	W	2	2												1	1			
	V.—Chronic poisonings and intoxications	White	47	23	4	20								1	1	9	12	13	10	1
		Colored	15	4	2	9						1				4	4	3	2	1
75	Alcoholism (acute or chronic)	W	44	21	4	19								1	1	9	12	13	8	
		C	13	4	1	8										4	4	2	2	1
76	Chronic poisoning by other organic substances	W	2	1		1													1	1
		C	1		1													1		
77a	Chronic lead poisoning	W	1	1															1	
77b,c	Other chronic poisoning by mineral substances	C	1			1						1								
	VI.—Diseases of the nervous system and of the organs of special sense	White	1,893	497	185	1,211	38	14	10	2	4	10	20	18	15	49	83	174	359	1,095
		Colored	1,229	430	69	730	38	6	2	2	1	8	9	15	15	45	123	268	344	351
78	Encephalitis (nonepidemic)	W	25	11	2	12	2	5	1			2	3	2	1		1	2	2	4
		C	12	7		5	1			1	1	3	1		2	1	1	1		
79a	Simple meningitis	W	22	7	2	13	9	3	1		1	1	1	2		2		2		
		C	15	6		9	5	1				1	1	2	1		1	1	2	
79b	Nonepidemic cerebrospinal meningitis	W	9			9	2	2	4					1						
		C	3			3						1	1					1		
80	Progressive locomotor ataxia (tabes dorsalis)	W	7	4		3												3	2	2
		C	5	1	2	2										1			2	2
81	Other diseases of spinal cord	W	51	14	4	33								3	1	2	3	7	11	24
		C	21	8	1	12								2		2	3	5	4	4
82a	Cerebral hemorrhage	W	1,421	372	143	906				1					5	14	45	122	302	930
		C	964	360	56	548	1						1	3	5	18	92	230	301	312
82b	Cerebral embolism and thrombosis	W	54	23	2	29			1							2	3	9	11	28
		C	18	7	2	9										5	1	1	5	6
82c	Softening of brain	W	14	4		10												1		13
		C	3	2		1													1	2
82d	Hemiplegia and other paralysis, cause unspecified	W	70	4	6	60						1				3		4	10	52
		C	46	9	1	36	1		1				1			1	1	7	14	20
83	General paralysis of insane	W	46	12	9	25										4	15	9	9	9
		C	34	4	1	29										6	10	12	5	1
84	Dementia praecox and other psychoses	W	7	1		6											1	3	1	2
		C	13	2		11								1	1	1	5	4	1	
85	Epilepsy	W	55	5	6	44	2		1		2	1	5	4	5	11	13	4	2	5
		C	32	4	1	27	1	1				1	3	3	6	5	5	3	3	1
86	Convulsions (under 5 years of age)	W	16	4	1	11	14	1			1									
		C	28	7	1	20	23	4	1											
87	Other diseases of nervous system	W	47	8	5	34	3		1	1		1	2	2	1	4	1	3	6	22
		C	20	9	2	9							1	1		4	3	2	6	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																			
88	Diseases of organs of vision	C	1			1										1				
89a	Diseases of ear	W	25	13	3	9	3	2	1			3	4	3	1	3		2	2	1
		C	8	3		5	5							2			1			
89b	Diseases of mastoid process	W	24	15	2	7	3	1				1	5	1	1	4	1	3	1	3
		C	6	1	2	3	1			1		2		1			1			
	VII.—Diseases of the circulatory system	White	3,534	1,143	312	2,079	3	6	4	2	1	14	17	17	24	56	127	326	671	2,264
		Colored	1,773	623	97	1,053	6		1	1	3	5	10	15	32	100	211	387	422	578
90	Pericarditis	W	6	2	1	3										1		1	2	2
		C	3	2		1										1	2			
91a	Acute endocarditis	W	24	10	1	13			1			1	5		1	4	6	1	1	4
		C	25	12	2	11	1						1	3	5	4	4	3	3	1
91b	Endocarditis, unspecified (under 45 years)	W	7	1	2	4	1	1				1			1	1	2			
		C	16	11		5						1	1	1	1	3	9			
92a	Endocarditis, specified as chronic, and other valvular diseases	W	857	195	57	605		3	1	1	1	9	6	10	13	18	33	67	147	547
		C	473	140	36	297			1		1	1	2	5	10	25	49	100	121	157
92b	Endocarditis, unspecified (45 years and over)	W	67	13	4	50												4	18	45
		C	47	22	1	24												14	19	14
93a	Acute myocarditis	W	19	7	4	8			1							1	3	3	4	7
		C	24	11	3	10								1		2	4	6	6	5
93b	Myocarditis, unspecified (under 45 years)	W	10	4		6							1			4	5			
		C	27	12	1	14						1	1		1	7	17			
93c	Chronic myocarditis and myocardial degeneration	W	708	254	73	381						1			1	5	18	56	121	505
		C	192	64	8	120								1	3	6	26	35	49	72
93d	Other diseases of myocardium	W	340	120	23	197											3	33	52	252
		C	193	73	11	109										1	3	61	44	84
94a	Angina pectoris	W	365	132	42	191										3	20	46	119	177
		C	75	30	6	39									1	10	13	20	15	16
94b	Diseases of coronary arteries	W	209	109	23	77									2	3	12	29	58	105
		C	48	29	2	17									2	4	8	14	13	6
95a	Functional diseases of heart	W	20	8	1	11											1	2	2	15
		C	1			1														1
95b	Other and unspecified diseases of heart	W	651	197	56	398	2		1			2	3	5	6	15	19	74	113	411
		C	480	154	20	306	3			1	2	2	3	4	4	31	65	105	109	151
96	Aneurysm (except of heart)	W	18	13	2	3								1			3	2	5	7
		C	28	16	3	9									1	4	6	9	7	1
97	Arteriosclerosis (coronary arteries excepted)	W	192	66	19	107										1		5	23	163
		C	101	37	1	63											2	19	30	50
98	Gangrene	W	14	2	2	10													2	12
		C	19	3	1	15													2	17
99	Other diseases of the arteries	W	12	5	1	6							2					1	3	6
		C	3	2		1											2			1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	W	5	3		2											2		1	2
		C	3	3												1			1	1
101	Diseases of lymphatic system (lymphangitis, etc.)	W	4	1		3		2		1				1						
		C	6	1	2	3							2		3			1		
102	Idiopathic anomalies of blood-pressure	W	5	1	1	3												2		3
		C	2	1		1											1		1	
103	Other diseases of circulatory system	W	1			1														1
		C	7			7	2								1	1			2	1
	VIII.—Diseases of the respiratory system	White	1,309	335	115	859	227	49	28	13	12	20	20	34	32	55	84	97	132	505
		Colored	987	412	55	520	236	53	26	14	7	17	19	29	50	77	86	136	122	110
104a	Diseases of nasal fossae	W	8	4		4	3	1				1				1				2
		C	25	2	2	21	19	2				2			1					1
104b	Diseases of nasal fossae and annexae	W	7	2	1	4							1		1		1			4
		C	5	3	1	1							1					3	1	
105	Diseases of larynx	W	15	3	1	11	5	1	1	2	3						1		2	
		C	9	1		8	4		2	1	1						1			
106a	Acute bronchitis	W	15	3		12	4	1	1											9
		C	12	4		8	7	3		1							1			
106b	Chronic bronchitis	W	21	6		15		1	1								1	1	1	16
		C	6	2	1	3									1	1			1	3
106c,d	Bronchitis, unspecified	W	10	1	1	8	2				1					1		1	1	4
		C	8	1		7	4								1		1	2		
107a	Bronchopneumonia	W	485	150	45	290	132	25	15	8	6	7	4	4	4	15	15	22	43	185
		C	315	156	16	143	145	30	11	9	3	8	3	3	3	12	17	23	21	27
107b	Capillary bronchitis	W	3			3		1									1			1
		C	2	1	1										1				1	
108	Lobar pneumonia	W	576	131	55	390	50	13	9	3	1	10	13	26	20	28	54	57	64	227
		C	457	208	26	223	22	11	8	1	2	5	13	22	39	52	47	90	84	56
109	Pneumonia, unspecified	W	74	6	3	65	24	3	1			2	2	3	3	1	1	3	7	24
		C	73	2	5	66	34	5	5	2	1			2	1	5	3	2	6	7
110	Pleurisy	W	25	8	2	15	3	1						1	2	4	5		4	5
		C	19	8	1	10		1				1		1	2	2	1	6	3	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	W	26	7	2	17	4				1						2	4		15
		C	7	5		2										1	1	2		3
112	Asthma	W	28	10	3	15									1	3	2	6	9	7
		C	39	15	1	23	1						2	1	1	3	8	8	5	10
114	Other diseases of respiratory system (tuberculosis excepted)	W	16	4	2	10		2							1	2	1	3	1	6
		C	10	4	1	5		1				1				1	6			1
	IX.—Diseases of the digestive system	White	1,160	408	165	587	216	93	26	12	10	37	32	28	29	79	99	114	144	241
		Colored	665	279	48	338	153	34	15	10	3	9	17	16	21	63	67	104	96	57
115a	Diseases of pharynx, tonsils	W	66	20	9	37	4	2	2	4	4	4	3	4	4	7	2	12	5	9
		C	30	15	2	13	1	1	1	2		1	2	3	2	3	11	1	1	1
115b	Diseases of buccal cavity and annexa	W	10	2	2	6						2		2	1	1			3	1
		C	9	3	3	3	1									1	1	2	4	
116	Diseases of esophagus	W	1			1					1									
		C	1			1									1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
117a	Ulcer of stomach	W	53	22	8	23							1	1	2	4	5	8	20	15
		C	46	25	3	18										5	9	10	14	4
117b	Ulcer of duodenum	W	22	11	3	8	1									3	6	2	4	6
		C	7	6		1										2		4		1
118	Other diseases of stomach (cancer excepted)	W	45	6	4	35	7	2	2			1	1			2	2	7	8	13
		C	57	11	3	43	14	2		1		2		1	2	7	3	10	8	7
119	Diarrhea, enteritis (under 2 years of age)	W	271	32	31	208	186	85												
		C	156	43	4	109	130	26												
120	Diarrhea, enteritis (2 years and over)	W	91	26	7	58			18	3	2	6	3	1	2	1		9	8	38
		C	72	33	3	36			11	5	3	2				6	8	12	12	13
121	Appendicitis	W	227	115	48	64	1	3	1	4	2	20	21	15	14	33	35	27	28	23
		C	84	39	14	31				2		3	11	9	4	19	9	15	11	1
122a	Hernia	W	42	24	6	12										2	9	5	7	19
		C	33	17	4	12	1	2						1		3	4	3	10	9
122b	Intestinal obstruction	W	82	37	11	34	15	1	1	1	1	1		3	2	11	9	9	5	23
		C	47	28	5	14	6	3	2				3		4	6	5	12	6	
123	Other diseases of intestines	W	15	5	3	7						1		1		2		3	2	6
		C	13	2	2	9			1						1		1	6	2	2
124	Cirrhosis of liver	W	86	31	8	47							2		1	1	10	17	25	30
		C	55	26	3	26										3	6	16	18	12
125a	Yellow atrophy of liver	W	5	2	1	2									1	2	1			1
		C	1	1												1				
125b	Other diseases of liver	W	20	9	2	9	1					2		1			4	3	2	7
		C	15	7		8									2	1	1	3	3	5
126	Biliary calculi	W	41	25	6	10									1	1	5	4	14	16
		C	6	5	1									1		1	2	1	1	
127	Other diseases of gall-bladder, biliary passages	W	58	31	9	18									1	3	7	6	11	30
		C	14	8	1	5										3	1	4	5	1
128	Diseases of pancreas	W	11	4	4	3										4	3	1	1	2
		C	1	1											1					
129	Peritonitis, cause not specified	W	14	6	3	5	1		2			2	1	1		2	1	1	1	2
		C	18	9		9						1		2		2	6	5	1	1
	X.—Diseases of the genito-urinary system	White	1,881	623	182	1,076	5	3	1		3	4	13	12	20	48	90	178	321	1,183
		Colored	1,050	381	60	609	6	2	1	1		5	7	10	17	46	110	231	282	328
130	Acute nephritis (including unspecified under 10 years)	W	57	9	6	42	4	2	1		3	2	5	3	1	8	5	9	3	11
		C	83	33	3	47	4	2	1	1		3	3	1	6	8	17	15	10	12
131	Chronic nephritis	W	1,470	481	140	849						2	5	6	9	23	55	142	257	971
		C	728	256	39	433						2	3	4	6	20	70	159	219	242
132	Nephritis, unspecified (10 years and over)	W	162	38	14	110							1	1	2	6	8	12	36	96
		C	107	37	8	62							1		1	7	8	29	25	36
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W	51	26	7	18		1					2		2	2	11	4	10	19
		C	38	15		23	1									2	4	9	12	9
134	Calculi of urinary passages	W	15	5	3	7										2	5	4	1	3
		C	6	4		2										1		2	1	2
135	Diseases of bladder (tumors excepted)	W	10	2	1	7									1			1	2	6
		C	8	2		6								1				2	2	3
136	Diseases of urethra, urinary abscess, etc	W	3	1		2	1											1		1
		C	12	8	3	1										3	3	3	3	
137	Diseases of prostate	W	83	42	10	31											1	1	8	73
		C	40	12	4	24											1	6	10	23
138	Diseases of male genital organs, not specified as venereal	C	3	3			1											2		
139a	Cysts of ovary	W	5	4		1										2	1		2	
		C	3	1		2										1	1			1
139b	Other diseases of ovaries, diseases of tubes and parametrium	W	15	10		5								2	4	3	3	1	1	1
		C	12	5	1	6								3	2	2	3	2		
139c	Diseases of uterus	W	9	4	1	4									1	2		3	1	2
		C	5	3	1	1								1	2	1	1			
139d	Nonpuerperal diseases of breast (cancer excepted)	C	2	1	1												1	1		
139e	Other diseases of female genital organs	W	1	1													1			
		C	3	1		2										1	1	1		
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White	211	59	28	124								24	39	89	58	1		
		Colored	175	69	15	91							2	31	38	66	33	3		
140	Abortion with septic conditions	W	29	13	6	10								1	5	16	7			
		C	18	8	2	8								3	3	10	2			
141	Abortion without mention of septic conditions (includes hemorrhages)	W	12	5	1	6								2	2	5	3			
		C	4	3		1								2		1	1			
142b	Ectopic gestation, septic conditions not mentioned	W	5	5												2	3			
		C	4	3	1										1	3				
143	Other accidents of pregnancy (hemorrhage not included)	W	2		1	1										1	1			
		C	1			1										1				
144a	Placenta praevia	W	7	1	1	5										4	3			
		C	7	4		3										4	3			
144b	Other puerperal hemorrhages	W	9		1	8								1	1	5	2			
		C	12	3		9								1		6	5			
145a	Puerperal septicemia and pyemia (abortion excluded)	W	42	8	4	30								3	9	21	9			
		C	40	18	4	18								9	12	14	3	1		
146	Puerperal albuminuria and eclampsia	W	53	12	5	36								10	16	13	13	1		
		C	64	21	6	37							1	12	15	20	14	2		
147	Other toxemias of pregnancy	W	10	3	2	5								2	1	4	3			
		C	2	2											1	1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W	11	2	2	7								1		6	4			
		C	5	2	1	2										2	3			
149	Other accidents of childbirth	W	30	10	5	15								4	5	11	10			
		C	17	5	1	11							1	4	5	4	2			
150	Other and unspecified conditions of puerperal state	W	1			1										1				
		C	1			1									1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																			
	XII.—Diseases of the skin and cellular tissue	White	38	15	7	16	11	1				2	4	5	2	3	4		1	5
		Colored	15	9		6	3	1					2			1		5	2	1
151	Furuncle, carbuncle	W	9	6	2	1							1	3		2	1		1	1
152	Phlegmon, acute abscess	W	12	6	2	4	2	1					2	2	1	1	2			1
		C	11	7		4	2	1					2			1		4	1	
153	Other diseases of skin and annexa, and of cellular tissue	W	17	3	3	11	9					2	1		1		1			3
		C	4	2		2	1											1	1	1
	XIII.—Diseases of the bones and organs of locomotion	White	30	13	9	8	2	1		2	1	8	4	1		2	3	2	2	2
		Colored	10	3		7	1						1	1	2		1	3		1
154	Osteomyelitis	W	18	11	3	4	1			1		7	4	1		2	1			1
		C	8	2		6	1						1	1	2			2		1
155	Other diseases of bones (tuberculosis excepted)	W	4		3	1		1			1							1		1
		C	1	1														1		
156	Diseases of joints, other organs of locomotion	W	8	2	3	3	1			1		1					2	1	2	
		C	1			1											1			
	XIV.—Congenital malformations	White	205	55	23	127	189	4	2	2	1	3	1	3						
		Colored	53	16	2	35	45	3	1		2		1	1						
157a	Congenital hydrocephalus	W	30	13	3	14	24	1	2	1		2								
		C	9	5		4	4	2	1				1	1						
157b	Spina bifida and meningocele	W	23	5	4	14	22	1												
		C	3	1	1	1	3													
157c	Congenital malformations of heart	W	97	22	9	66	89	1		1	1	1	1	3						
		C	21	6	1	14	20				1									
157d	Other congenital malformations	W	55	15	7	33	54	1												
		C	20	4		16	18	1			1									
	XV.—Diseases of early infancy	White	995	286	80	629	995													
		Colored	522	158	33	331	522													
158	Congenital debility	W	127	9	10	108	127													
		C	109	13	5	91	109													
159	Premature birth	W	625	183	54	388	625													
		C	316	110	21	185	316													
160	Injury at birth	W	171	78	11	82	171													
		C	41	15	3	23	41													
161	Other diseases peculiar to early infancy	W	72	16	5	51	72													
		C	56	20	4	32	56													
162	XVI.—Senility	White	228	51	15	162													3	225
		Colored	170	17	5	148													6	162
	XVII.—Violent and accidental deaths	White	1,762	593	194	975	25	25	25	13	15	59	48	136	215	275	241	198	168	317
		Colored	819	302	66	451	28	16	4	6	7	32	34	85	115	159	127	86	50	65
	Suicide	W	330	138	33	159								14	32	65	67	60	55	37
		C	27	12	1	14								3	4	5	6	3	5	1
163	By solid or liquid poisons or by absorption of corrosive substances	W	43	28	6	9								1	10	7	11	8	4	2
		C	5	5										1	2	1	1			
164	By poisonous gas	W	46	41		5								1	3	8	12	12	6	4
		C	1	1													1			
165	By hanging or strangulation	W	22	3	3	16								1	2	3	2	5	5	4
		C	2	1		1								1			1			
166	By drowning	W	8	1	1	6												1	3	4
		C	4	1		3										1		1	2	
167	By firearms	W	190	57	21	112								11	17	44	38	29	30	21
		C	11	3		8								1	2	1	1	2	3	1
168	By cutting or piercing instruments	W	13	3	2	8										2		5	4	2
		C	3		1	2										2	1			
169	By jumping from high places	W	4	3		1											2		2	
		C	1	1													1			
170	By crushing	W	2	2												1	1			
171	By other means	W	2			2											1	1		
	Homicide	W	136	27	18	91						2	2	6	17	28	30	27	17	7
		C	217	108	11	98	1					1	3	20	50	71	47	15	6	1
173	By firearms	W	99	17	14	68							2	5	11	20	23	21	11	6
		C	137	60	8	69							1	15	36	43	28	8	4	
174	By cutting or piercing instruments	W	10	2	1	7								1	2	1	3	1	2	
		C	61	37	2	22						1	2	5	13	24	13	2	1	
175	By other means	W	27	8	3	16						2			4	7	4	5	4	1
		C	19	11	1	7	1								1	4	6	5	1	1
	Accidental, other, or undefined	W	1,296	428	143	725	25	25	25	13	15	57	46	116	166	182	144	111	96	273
		C	575	182	54	339	27	16	4	6	7	31	31	62	61	83	74	68	39	63
176	Attack by venomous animals	W	2	1		1	1										1			
		C	1			1								1						
177	Poisoning by food	W	9	1	1	7	1		4								1	2		1
		C	12	6	1	5	1	2				1		2		1	2		2	1
178	Absorption of poisonous gas	W	17	9	2	6									2	4	6	4		1
		C	1			1														1
179	Other acute accidental poisonings (gas excepted)	W	22	8	2	12		2	2			3	1	5		3	2	1		3
		C	17	12		5		1	1						2	7	2	3		1
180	Conflagration	W	23	9	1	13	1	1	1			2	2	2	1	3	4	2	2	2
		C	24	3	1	20		1				3	2	2	3		2	1	2	7
181	Burns (conflagration excepted)	W	80	22	8	50	2	8	11	8	6	13	2	1	2	2	2	4	6	13
		C	59	22	3	34	4	4	2	2	2	8	3		1	7		6	4	16
	Supplemental	W	20	3	3	14							1	3	5	6	3	1		1
		C	3	2		1									1	1		1		
182	Mechanical suffocation	W	11	4	1	6	10			1										
		C	10	2		8	9												1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	VIRGINIA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.																		
183	Drowning W	85	17	5	63	------	3	2	------	------	7	10	14	11	12	13	4	4	4
	Drowning C	61	19	4	38	------	------	------	------	1	2	6	21	14	10	3	3	1	------
	Supplemental W	16	5	------	11	------	------	------	------	------	1	------	2	------	2	6	1	1	2
	Supplemental C	10	3	------	7	------	------	------	------	------	------	1	3	3	2	1	------	------	------
	Traumatism:																		
184	By firearms (wounds of war excepted) W	56	19	4	33	------	1	------	------	------	3	8	12	12	8	6	3	3	------
	By firearms (wounds of war excepted) C	36	10	6	20	------	------	------	------	------	6	5	6	8	7	2	2	------	------
185	By cutting or piercing instruments (wounds of war excepted) W	12	3	3	6	------	1	------	1	------	1	1	------	2	2	------	------	------	4
	By cutting or piercing instruments (wounds of war excepted) C	5	2	------	3	------	------	------	------	------	2	------	------	------	1	1	------	------	1
	Supplemental W	4	------	2	2	------	------	------	------	------	------	------	1	1	------	1	------	------	1
	Supplemental C	1	------	------	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------
186a	By fall W	218	90	22	106	2	1	------	------	------	5	2	3	8	7	8	10	18	154
	By fall C	48	11	7	30	3	4	------	1	1	2	1	3	------	4	7	6	4	12
	Supplemental W	35	15	6	14	------	------	------	------	------	2	4	3	8	8	------	3	3	4
	Supplemental C	22	12	------	10	------	------	------	------	------	------	1	1	5	4	4	3	2	2
186b	By crushing, landslide W	4	2	------	2	------	------	------	------	------	------	------	1	------	------	1	------	2	------
	By crushing, landslide C	2	------	------	2	------	------	------	------	------	------	------	2	------	------	------	------	------	------
	Supplemental W	88	24	8	56	------	1	1	------	2	3	2	9	11	23	6	14	6	10
	Supplemental C	26	7	5	14	------	------	------	------	------	------	------	3	6	5	6	5	------	------
187	Cataclysm W	1	------	------	1	------	------	------	------	------	1	------	------	------	------	------	------	------	------
	Cataclysm C	1	------	------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
188	Injuries by animals W	13	1	1	11	------	------	------	1	------	------	------	------	------	2	2	3	3	2
	Injuries by animals C	8	2	------	6	1	------	------	------	------	1	1	------	1	------	------	2	2	------
190	Excessive cold W	2	1	------	1	------	------	------	------	------	------	------	------	------	------	2	------	------	------
	Excessive cold C	10	------	1	9	------	------	------	------	------	------	------	------	2	2	1	------	2	3
191	Excessive heat W	4	------	------	4	------	------	------	------	------	------	------	------	------	------	2	------	------	2
	Excessive heat C	4	2	------	2	------	------	------	------	------	------	------	1	------	------	2	1	------	------
192	Lightning W	9	------	------	9	------	------	------	------	------	------	2	2	1	1	3	------	------	------
	Lightning C	4	------	------	4	------	------	------	------	------	------	------	------	------	1	1	1	------	1
193	Due to electric currents W	11	4	1	6	------	------	------	------	------	------	1	------	2	6	------	2	------	------
	Due to electric currents C	4	------	------	4	------	------	------	------	------	------	------	1	------	2	1	------	------	------
	Supplemental W	2	------	------	2	------	------	------	------	------	------	------	1	------	------	1	------	------	------
194a	Foreign bodies W	9	3	1	5	4	2	1	------	1	------	1	------	------	------	------	------	------	------
	Foreign bodies C	6	1	1	4	1	4	1	------	------	------	------	------	------	------	------	------	------	------
194b	Other accidents W	56	16	11	29	4	3	1	------	------	1	5	5	6	3	5	4	5	14
	Other accidents C	31	9	3	19	7	------	------	------	1	------	1	2	1	4	5	3	3	4
	Supplemental W	487	171	61	255	------	2	2	2	6	15	4	52	94	90	69	53	43	55
	Supplemental C	167	55	22	90	------	------	------	3	2	6	10	13	14	24	33	31	16	14
198	Legal executions C	2	2	------	------	------	------	------	------	------	------	------	1	------	------	1	------	------	------
	XVIII.—Ill-defined causes of death White	385	22	21	342	157	9	2	4	1	5	3	7	5	10	16	28	36	101
	XVIII.—Ill-defined causes of death Colored	313	37	10	266	155	10	4	------	------	4	5	3	2	12	13	31	26	46
199	Sudden death W	85	3	4	78	6	1	1	------	------	1	1	3	------	2	5	15	8	42
	Sudden death C	56	3	1	52	10	------	------	------	------	1	1	------	------	5	4	7	14	13
200a	Cause of death ill-defined W	114	11	5	98	37	2	------	2	1	3	1	3	2	4	5	6	16	32
	Cause of death ill-defined C	92	18	5	69	24	7	3	------	------	2	3	2	1	6	6	12	9	17
200b	Cause of death not specified or unknown W	186	8	12	166	114	6	1	2	------	1	1	1	3	4	6	7	12	27
	Cause of death not specified or unknown C	165	16	4	145	121	3	1	------	------	1	1	1	1	1	3	12	3	16
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	60	------	1	59	------	------	------	------	------	------	------	3	16	16	16	9	------	------
	Accidents in mines and quarries C	19	2	------	17	------	------	------	------	------	------	------	------	1	7	7	3	1	------
202	Accidents from agricultural machinery C	1	------	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------
203	Elevator accidents C	5	3	2	------	------	------	------	------	------	------	------	------	1	3	1	------	------	------
205	Other machinery accidents W	14	5	4	5	------	------	------	------	------	------	------	------	4	1	6	1	------	2
	Other machinery accidents C	8	3	1	4	------	------	------	------	------	------	------	------	2	1	------	5	------	------
206	Railroad and automobile collisions W	29	5	3	21	------	------	------	------	1	------	1	4	1	3	7	7	5	------
	Railroad and automobile collisions C	8	------	1	7	------	------	------	------	------	------	------	1	1	1	4	1	------	------
207	Other railroad accidents W	63	23	6	34	------	------	------	------	1	2	2	4	10	13	8	10	2	11
	Other railroad accidents C	39	11	5	23	------	------	------	------	------	------	1	3	7	8	9	5	2	2
208	Street car and automobile collisions W	3	3	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------	1
	Street car and automobile collisions C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
209	Other street car accidents W	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
	Other street car accidents C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
210	Automobile accidents (primary) W	433	167	60	206	------	3	3	2	6	16	4	56	80	83	41	42	43	54
	Automobile accidents (primary) C	128	51	18	59	------	------	------	3	2	5	9	12	12	16	21	25	11	12
211	Motorcycle accidents W	6	3	1	2	------	------	------	------	------	------	------	1	3	2	------	------	------	------
	Motorcycle accidents C	1	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------
212	Other land transportation accidents W	12	2	3	7	------	------	------	------	------	2	3	------	1	1	------	2	3	
	Other land transportation accidents C	10	3	------	7	------	------	------	------	------	1	1	------	1	------	1	1	3	2
213	Water transportation accidents W	19	7	------	12	------	------	------	------	------	1	1	2	1	3	5	2	1	2
	Water transportation accidents C	8	3	------	5	------	------	------	------	------	------	1	3	3	1	------	------	------	------
214	Air transportation accidents W	12	2	2	8	------	------	------	------	------	------	------	1	3	6	2	------	------	------
	WASHINGTON																		
	Total deaths (all causes)	16,581	9,318	1,686	5,577	967	115	79	69	40	220	250	316	392	796	1,251	1,940	2,584	7,535
	I.—Infectious and parasitic diseases	1,676	822	172	682	62	32	19	22	10	62	76	93	117	209	246	210	207	309
1	Typhoid fever	26	12	6	8	------	------	------	------	1	2	------	5	3	4	5	2	3	1
2	Paratyphoid fever	4	3	1	------	1	------	------	------	------	------	------	1	1	------	------	------	------	1
5	Undulant fever	1	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
6	Smallpox	2	1	------	1	------	------	------	------	------	------	------	------	1	------	1	------	------	------
7	Measles	37	23	4	10	7	5	2	1	4	12	2	3	1	------	------	------	------	------

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
8	Scarlet fever	17	9	1	7	1	1	1	2	------	6	3	------	------	1	1	------	------	------
9	Whooping cough	14	3	3	8	9	2	1	------	------	1	1	------	------	------	------	------	------	------
10	Diphtheria	19	6	1	12	1	2	------	2	------	6	6	------	------	------	1	------	1	------
11a	Influenza, respiratory complications specified	293	155	31	107	17	8	5	3	------	3	9	3	11	15	34	28	41	116
11b	Influenza, respiratory complications not specified	124	57	13	54	6	3	3	3	------	3	2	4	2	9	7	6	11	65
13	Dysentery	5	2	------	3	------	------	------	1	------	------	------	1	------	------	1	1	------	1
15	Erysipelas	15	12	------	3	------	------	------	------	------	------	1	------	1	1	2	1	5	4
16	Acute poliomyelitis, acute polioencephalitis	11	5	2	4	------	------	1	1	1	2	2	2	2	------	------	------	------	------
17	Lethargic or epidemic encephalitis	29	16	------	13	------	------	------	1	------	------	3	2	------	3	6	4	7	3
18	Epidemic cerebrospinal meningitis	23	18	2	3	3	3	------	------	------	------	6	1	3	2	------	4	1	------
22	Tetanus	4	3	1	------	------	------	------	------	------	2	2	------	------	------	------	------	------	------
	Tuberculosis (all forms)	847	367	89	391	3	6	6	6	4	25	35	67	86	156	154	123	87	88
23	Respiratory system	755	306	83	366	2	2	3	4	2	20	30	60	73	145	141	114	80	87
24	Meninges and central nervous system	20	16	1	3	1	2	2	1	1	3	1	1	3	1	1	1	1	1
25	Intestines and peritoneum	33	22	1	10	------	1	------	------	1	------	1	4	8	3	7	3	3	2
26	Vertebral column	13	9	2	2	------	------	------	------	------	------	1	------	1	4	2	1	------	4
27b	Joints	2	1	------	1	------	------	------	------	------	------	2	------	------	------	------	------	------	------
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	3	1	------	2	------	------	------	------	------	------	------	1	------	1	------	------	------	1
30	Genitourinary system	12	6	1	5	------	------	------	------	------	1	------	------	------	2	3	4	------	2
31	Other organs	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
32a	Acute disseminated tuberculosis	7	5	1	1	------	1	1	1	------	1	------	1	------	------	------	------	2	------
32b,c	Other disseminated tuberculosis	1	------	------	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------
34	Syphilis	169	105	14	50	12	1	------	2	------	------	1	2	4	10	29	33	48	27
35	Gonococcus infection and other venereal diseases	21	14	1	6	2	------	------	------	------	------	1	2	1	6	4	4	------	1
36	Purulent infection, septicemia (non-puerperal)	8	5	1	2	------	------	------	------	------	------	1	------	1	1	------	2	2	1
38	Malaria	1	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
41b	Hydatid cysts, other organs	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
43	Mycoses	3	2	1	------	------	------	------	------	------	------	------	------	------	------	------	1	1	1
44	Other infectious and parasitic diseases	2	1	1	------	------	1	------	------	------	------	1	------	------	------	------	------	------	------
	II.—Cancers and other tumors	1,887	1,174	170	543	1	1	1	3	4	6	5	9	6	41	166	342	444	857
	Cancer and other malignant tumors	1,800	1,105	164	531	1	1	------	3	2	4	5	7	6	32	135	316	435	852
(45)	Buccal cavity	61	42	2	17	------	------	------	------	------	------	------	------	------	------	1	15	11	34
(45)	Pharynx	9	6	1	2	------	------	------	------	------	------	------	------	------	------	1	------	2	6
(46)	Esophagus	23	17	------	6	------	------	------	------	------	------	------	------	------	------	------	3	6	14
(46)	Stomach and duodenum	439	245	43	151	------	------	------	------	------	------	------	------	------	3	26	59	115	236
(46)	Liver and biliary passages	150	75	21	54	------	------	------	------	------	------	------	------	------	2	7	25	45	71
(46)	Pancreas	62	41	3	18	------	------	------	------	------	------	------	------	------	2	11	5	17	27
(46)	Other digestive tract and peritoneum	262	182	25	55	------	1	------	------	------	------	------	2	1	3	14	45	69	127
47	Respiratory system	57	41	5	11	1	------	------	------	------	------	1	------	------	1	5	9	19	21
48	Uterus	201	127	11	63	------	------	------	------	------	------	------	------	1	8	37	57	40	58
49	Other female genital organs	27	22	1	4	------	------	------	------	------	------	------	1	------	1	6	5	7	7
50	Breast	167	96	14	57	------	------	------	------	------	------	------	------	------	6	13	50	39	59
51	Male genitourinary organs	160	103	21	36	------	------	------	------	------	1	------	1	1	3	4	13	25	111
52	Skin	42	24	1	17	------	------	------	------	------	------	------	------	------	------	1	3	8	30
53	Other or unspecified organs	140	84	16	40	------	------	------	3	2	3	4	3	3	3	9	27	32	51
54a	Nonmalignant tumors, ovary	6	4	1	1	------	------	------	------	------	------	------	------	------	2	1	------	2	1
54b	Nonmalignant tumors, uterus	36	30	2	4	------	------	------	------	------	------	------	------	------	5	21	8	2	------
54c	Nonmalignant tumors, other female genital organs	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
54d,e	Nonmalignant tumors, other organs	22	16	2	4	------	------	------	------	2	------	------	1	------	2	3	9	2	3
55a	Tumors, ovary (nature unspecified)	1	1	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
55d,e	Tumors, other organs (nature unspecified)	21	17	1	3	------	------	1	------	------	2	------	------	------	------	6	8	3	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	510	315	54	141	21	1	2	1	------	5	8	9	9	12	18	60	106	257
56	Acute rheumatic fever	27	13	5	9	------	------	------	1	------	2	6	1	2	------	2	1	3	9
57	Chronic rheumatism, osteoarthritis	26	14	4	8	------	------	------	------	------	------	------	1	------	------	------	------	5	20
59	Diabetes mellitus	353	214	38	101	------	------	1	------	------	2	2	6	5	9	13	41	74	200
63	Rickets	1	------	------	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------
66a	Simple goiter	4	2	------	2	------	------	------	------	------	------	------	------	------	------	------	2	------	2
66b	Exophthalmic goiter	64	52	3	9	------	------	------	------	------	------	------	------	2	1	2	14	22	23
(66)	Other diseases of thyroid and parathyroid glands	5	3	1	1	1	------	------	------	------	1	------	------	------	2	------	------	------	1
67	Diseases of thymus gland	21	11	3	7	20	------	------	------	------	------	------	------	------	------	------	------	1	------
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	4	3	------	1	------	------	------	------	------	------	------	------	------	------	------	2	1	------
69	Other general diseases	5	3	------	2	------	1	------	------	------	------	------	1	------	------	1	------	------	2
	IV.—Diseases of the blood and blood-making organs	150	90	17	43	7	2	------	2	------	5	4	5	6	6	15	27	28	43
70	Hemorrhagic conditions	8	4	2	2	4	------	------	1	------	1	------	1	------	------	1	------	------	------
71a	Pernicious anemia	71	41	9	21	1	------	------	------	------	1	1	------	2	1	7	9	19	30
71b	Other anemias	7	4	2	1	1	2	------	------	------	------	------	------	------	------	------	1	1	2
72a	True leukemias	36	23	3	10	------	------	------	------	------	3	2	4	1	1	3	12	4	6
72b	Pseudoleukemias (Hodgkin's disease)	20	11	1	8	1	------	------	1	------	------	1	------	2	4	1	3	3	4
73	Diseases of the spleen	6	5	------	1	------	------	------	------	------	------	------	------	1	------	1	2	1	1
74	Other diseases of blood and blood-making organs	2	2	------	------	------	------	------	------	------	------	------	------	------	------	2	------	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	V.—Chronic poisonings and intoxications	33	24	4	5									1	5	5	12	7	3
75	Alcoholism (acute or chronic)	29	21	4	4										5	4	12	6	2
76	Chronic poisoning by other organic substances	4	3		1									1		1		1	1
	VI.—Diseases of the nervous system and of the organs of special sense	1,944	966	205	773	22	7	4	4	3	22	19	15	20	27	104	178	325	1,192
78	Encephalitis (nonepidemic)	13	10	1	2	2	2		2		1	2		1			2		1
79a	Simple meningitis	26	19	3	4	5	3	2	1		2	2	2		2	3	2	2	
79b	Nonepidemic cerebrospinal meningitis	1	1			1													
80	Progressive locomotor ataxia (tabes dorsalis)	19	8	2	9												3	10	6
81	Other diseases of spinal cord	61	33	9	19					1	1		1	4	2	8	13	8	23
82a	Cerebral hemorrhage	1,400	722	126	552	2					2	1	1	1	7	31	99	246	1,008
82b	Cerebral embolism and thrombosis	59	37	2	20									1	2	1	4	14	37
82c	Softening of brain	8	1		7														8
82d	Hemiplegia and other paralysis, cause unspecified	37	21	1	15						1		1		1	1	1	2	30
83	General paralysis of insane	74	4	14	56										2	21	28	12	11
84	Dementia praecox and other psychoses	77	6	41	30									6	3	14	11	13	30
85	Epilepsy	50	17	4	29	2					4	3	3	4	4	12	5	5	8
86	Convulsions (under 5 years of age)	3	3			3													
87	Other diseases of nervous system	56	32	1	23	2				1		1	2		1	4	7	10	26
89a	Diseases of ear	28	23		5	3	2			1	6	2	3	1		5	1	2	2
89b	Diseases of mastoid process	32	29	1	2	2			1		5	8	2	2	3	4	2	1	2
	VII.—Diseases of the circulatory system	3,952	2,134	361	1,457	4		1	1	2	13	16	24	28	60	146	373	678	2,603
90	Pericarditis	8	7	1		2								1			3	1	1
91a	Acute endocarditis	44	34	4	6					1	4	1	5	4	11	7	3	5	3
91b	Endocarditis, unspecified (under 45 years)	4	1	1	2						1	1			2				
92a	Endocarditis, specified as chronic, and other valvular diseases	795	436	67	292	1					5	9	16	12	23	48	88	124	469
92b	Endocarditis, unspecified (45 years and over)	43	24	6	13												3	6	34
93a	Acute myocarditis	41	15	5	21							2	1	1		3	5	7	22
93b	Myocarditis, unspecified (under 45 years)	10	4	1	5							1		2	3	4			
93c	Chronic myocarditis and myocardial degeneration	1,216	699	104	413						2	1	1	5	7	27	108	200	864
93d	Other diseases of myocardium	349	159	40	150					1						3	27	50	267
94a	Angina pectoris	335	205	26	104										1	16	43	85	190
94b	Diseases of coronary arteries	295	187	24	84										4	12	42	92	144
95a	Functional diseases of heart	13	9	1	3										1	3	1	4	4
95b	Other and unspecified diseases of heart	383	191	37	155	1					1	1	1	2	5	15	31	69	257
96	Aneurysm (except of heart)	34	17	2	15										1		7	8	18
97	Arteriosclerosis (coronary arteries excepted)	324	117	34	173											2	6	20	296
98	Gangrene	16	3	3	10									1	1			1	13
99	Other diseases of arteries	25	16	4	5											3	3	5	14
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	8	4	1	3			1	1							2	2		2
101	Diseases of lymphatic system (lymphangitis, etc.)	2	2																2
102	Idiopathic anomalies of blood-pressure	5	4		1										1		1	1	2
103	Other diseases of circulatory system	2			2											1			1
	VIII.—Diseases of the respiratory system	1,000	606	114	280	136	28	17	8	5	16	20	20	16	53	62	104	123	392
104a	Diseases of nasal fossae	4	2	1	1										1				3
104b	Diseases of nasal fossae and annexae	17	14	1	2						1	3	1	1	4	2	2	1	2
105	Diseases of larynx	3	2	1				1	1								1		
106a	Acute bronchitis	13	4	1	8	2			1							1		1	8
106b	Chronic bronchitis	18	10	1	7										2			2	14
106c,d	Bronchitis, unspecified	6	3	1	2	1								1	1				3
107a	Bronchopneumonia	371	210	48	113	100	18	7	4	2	6	3	1	2	13	13	22	31	149
107b	Capillary bronchitis	2	2			1											1		
108	Lobar pneumonia	463	306	44	113	22	9	7	2	2	7	12	14	8	27	39	70	74	170
109	Pneumonia, unspecified	27	6	8	13	9					1	1	2	1		1	1	2	9
110	Pleurisy	23	16	1	6		1			1		1	1	1	4	1	3	6	4
111a	Pulmonary embolism and thrombosis	7	6		1											2	1	2	2
111b	Pulmonary congestion, edema, hemorrhagic infarct	20	6	6	8			1									1	2	16
112	Asthma	18	11	1	6						1			2		1	2	1	11
114	Other diseases of respiratory system (tuberculosis excepted)	8	8			1		1						1	1	2		1	1
	IX.—Diseases of the digestive system	962	640	109	213	54	18	11	9	6	31	24	28	29	59	113	172	151	256
115a	Diseases of pharynx and tonsils	60	41	2	17	4	1	1	1	1	6	5	5	6	6	8	7	5	4
115b	Diseases of buccal cavity and annexa	8	5	1	2	1									2	2	1	1	1
116	Diseases of esophagus	3	1	1	1														3
117a	Ulcer of stomach	80	54	9	17										5	10	24	15	26
117b	Ulcer of duodenum	38	29	3	6										2	6	13	8	9
118	Other diseases of stomach (cancer excepted)	23	7	5	11			1					1	1	1	2	2	1	14
119	Diarrhea, enteritis (under 2 years of age)	48	22	8	18	37	11												
120	Diarrhea, enteritis (2 years and over)	35	16	2	17			6	4		4	1		2		2	1	3	12
121	Appendicitis	217	161	28	28	1	3	3	3	5	16	12	20	16	27	33	32	25	21
122a	Hernia	69	50	6	13		1								1	6	19	11	31
122b	Intestinal obstruction	91	63	13	15	7					1	3	1	1	3	12	15	19	29
123	Other diseases of intestines	21	10	4	7	1					2	1			1	1	3	1	11

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	IX.—Diseases of the digestive system—Continued																		
124	Cirrhosis of liver	81	47	8	26										1	8	12	20	40
125a	Yellow atrophy of liver	6	3	1	2										3		1	1	1
125b	Other diseases of liver	13	5	1	7							2			1	1	3	3	3
126	Biliary calculi	66	55	5	6									1	3	9	16	18	19
127	Other diseases of gall-bladder, biliary passages	72	51	10	11						1				2	8	19	13	28
128	Diseases of pancreas	13	8	1	4									1		3	2	5	2
129	Peritonitis, cause not specified	18	12	1	5	3	2		1		1		1	1	1	2	2	2	2
	X.—Diseases of the genitourinary system	1,517	947	152	418	3	1	1		1	5	7	15	9	41	82	157	232	963
130	Acute nephritis (including unspecified under 10 years)	41	23	6	12	2				1	2	1	1	2	6	8	7		11
131	Chronic nephritis	1,194	717	128	349						2	5	7	4	23	58	127	195	773
132	Nephritis, unspecified (10 years and over)	33	15	5	13							1		1	1	2	3	3	22
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	50	36	1	13	1	1	1			1		4		4	6	5	8	19
134	Calculi of urinary passages	15	13		2										2	2	2	4	5
135	Diseases of bladder (tumors excepted)	5	3		2											1			4
136	Diseases of urethra, urinary abscess, etc.	2	2														2		
137	Diseases of prostate	146	110	10	26									1			1	18	126
138	Diseases of male genital organs, not specified as venereal	1		1													1		
139a	Cysts of ovary	7	6	1											1	1	3	2	
139b	Other diseases of ovaries, diseases of tubes and parametrium	15	14		1								2	1	4	4	2	1	1
139c	Diseases of uterus	7	7										1				4	1	1
139e	Other diseases of female genital organs	1	1																1
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	129	93	9	27								9	24	59	37			
140	Abortion with septic conditions	37	31		6									9	19	9			
141	Abortion without mention of septic conditions (includes hemorrhages)	9	3	3	3								1	2	5	1			
142a	Ectopic gestation, septic conditions specified	1	1												1				
142b	Ectopic gestation, septic conditions not mentioned	3	1	1	1										3				
143	Other accidents of pregnancy (hemorrhage not included)	1	1													1			
144a	Placenta praevia	6	3		3										3	3			
144b	Other puerperal hemorrhages	8	8										2	2	4				
145a	Puerperal septicemia and pyemia (abortion excluded)	15	11	2	2								4	3	5	3			
146	Puerperal albuminuria and eclampsia	21	15	1	5								2	5	6	8			
147	Other toxemias of pregnancy	6	4	1	1									2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	6	4		2									1	3	2			
149	Other accidents of childbirth	16	11	1	4										7	9			
	XII.—Diseases of the skin and cellular tissue	16	9	3	4	3		1					1		1		2	3	5
151	Furuncle, carbuncle	3	2	1									1		1			1	
152	Phlegmon, acute abscess	3	2		1													2	1
153	Other diseases of skin and annexa, and of cellular tissue	10	5	2	3	3		1									2		4
	XIII.—Diseases of the bones and organs of locomotion	22	16		6	1	1				1	3		1	2	4	3	4	2
154	Osteomyelitis	16	13		3		1				1	3		1	2	4	2	2	
156	Diseases of joints, other organs of locomotion	6	3		3	1											1	2	2
	XIV.—Congenital malformations	158	89	19	50	140	3	2	4		3	3	2			1			
157a	Congenital hydrocephalus	25	15	1	9	21	2	1			1								
157b	Spina bifida and meningocele	18	9	3	6	17			1										
157c	Congenital malformations of heart	80	39	12	29	73			2		1	1	2			1			
157d	Other congenital malformations	35	26	3	6	29	1	1	1		1	2							
	XV.—Diseases of early infancy	476	288	56	132	476													
158	Congenital debility	26	9	6	11	26													
159	Premature birth	303	184	34	85	303													
160	Injury at birth	98	70	5	23	98													
161	Other diseases peculiar to early infancy	49	25	11	13	49													
162	XVI.—Senility	167	56	27	84													5	161
	XVII.—Violent and accidental deaths	1,888	1,030	192	666	19	20	19	15	9	50	63	84	125	220	249	297	257	448
	Suicide	450	284	36	130							3	9	25	53	74	116	87	79
163	By solid or liquid poisons or by absorption of corrosive substances	69	51	5	13								3	7	12	10	17	12	7
164	By poisonous gas	89	78	2	9									3	11	21	30	16	8
165	By hanging or strangulation	63	23	13	27								2		5	9	16	11	16

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WASHINGTON—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued.																		
166	By drowning	24	15	2	7									2	1	4	5	6	5
167	By firearms	157	83	11	63							3	4	11	16	25	37	31	29
168	By cutting or piercing instruments	25	15	2	8										3	2	4	6	10
169	By jumping from high places	15	15											2	4	2	5	1	1
170	By crushing	1	1													1			
171	By other means	7	3	1	3										1		2	4	
	Homicide	82	55	9	18							1	2	12	10	24	15	11	5
173	By firearms	53	33	7	13								1	7	6	19	10	10	
174	By cutting or piercing instruments	11	10		1									3	2	2	1		1
175	By other means	18	12	2	4							1	1	2	2	3	4	1	4
	Accidental, other, or undefined	1,356	691	147	518	19	20	19	15	9	50	59	73	88	157	151	166	159	364
176	Attack by venomous animals	2			2					1							1		
177	Poisoning by food	12	8	3	1	1		1	1		1		1		2	3	1	1	
178	Absorption of poisonous gas	28	21	3	4						1			1	3	2	9	4	8
	Supplemental	1			1											1			
179	Other acute accidental poisonings (gas excepted)	18	14	1	3	1			3					1	2	3	4	2	2
180	Conflagration	23	6	3	14	2	1		1		1	2		2	4	4	1	1	3
181	Burns (conflagration excepted)	44	34	3	7	1	4	3	4	1	5	1		1	4	4	3	4	9
	Supplemental	13	6	1	6							2		1	3	1	4	2	
182	Mechanical suffocation	7	1		6	5							1	1					
	Supplemental	1			1											1			
183	Drowning	154	40	18	96	1	9	7	1	3	7	22	21	13	21	10	18	11	5
	Supplemental	12	3		9							1	2	2	1	4	2		
	Traumatism:																		
184	By firearms (wounds of war excepted)	44	13	4	27	1		1			1	2	6	2	11	3	11	5	1
185	By cutting or piercing instruments (wounds of war excepted)	13	11	1	1											4	1	3	5
	Supplemental	13	5	3	5						1	1	2		1	3	1	2	2
186a	By fall	283	196	24	63	2	2		1		3	3	5	7	7	15	16	25	197
	Supplemental	40	18	8	14			1			4	3	2	4	6	4	2	7	6
186b	By crushing, landslide	47	13	3	31	1		1			2	2		3	8	8	11	4	7
	Supplemental	132	55	18	59		2	1	1	1	3	3	10	11	20	15	23	23	19
188	Injuries by animals	7		1	6											1	2		4
189	Hunger and thirst	1	1															1	
190	Excessive cold	5			5										1	1		1	2
193	Due to electric currents	13	8	2	3								1	2	2	4	2		2
	Supplemental	4	1	1	2										2		2		
194a	Foreign bodies	4	2	1	1	2		1											1
194b	Other accidents	77	38	5	34	2	1		1		1	5	4	7	14	11	10	12	9
	Supplemental	356	197	44	115		1	3	2	3	20	12	17	30	44	49	42	51	82
198	Legal executions	2			2								1		1				
	XVIII —Ill-defined causes of death	94	19	22	53	18	1	1			1	2	2	1	1	3	3	14	44
199	Sudden death	12	3	3	6	1										1	1	2	7
200a	Cause of death ill-defined	44	10	10	24	5	1	1							1		1	8	26
200b	Cause of death not specified or unknown	38	6	9	23	12					1	2	2	1		2	1	4	11
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	14	4	2	8									1	3	2	6	1	1
202	Accidents from agricultural machinery	6	1	2	3								1			3	1	1	
203	Elevator accidents	4	3	1													1		3
205	Other machinery accidents	31	11	7	13								1	5	4	3	7	6	5
206	Railroad and automobile collisions	24	7	8	9						2		3	4	2	3	5	4	1
207	Other railroad accidents	37	13	9	15								1	2	6	3	9	10	5
208	Street car and automobile collisions	2			2								1					1	
209	Other street car accidents	10	9		1									1	3	3	1		2
210	Automobile accidents (primary)	413	223	44	146		3	5	3	4	25	21	22	31	53	56	44	59	87
211	Motorcycle accidents	2	1		1									2					
212	Other land transportation accidents	12	6	1	5						1	1	1		2	1		1	5
213	Water transportation accidents	12	5	1	6								2		2	4	2	2	
214	Air transportation accidents	5	2		3								1	2	2				
	WEST VIRGINIA																		
	Total deaths (all causes)	17,912	4,749	2,566	10,597	2,911	663	277	184	145	442	302	487	606	1,215	1,354	1,726	1,997	5,603
	I.—Infectious and parasitic diseases	3,082	653	418	2,011	340	174	132	88	68	182	99	168	197	365	305	285	204	475
1	Typhoid fever	218	45	39	134		1	3	4	3	13	22	37	30	36	21	20	17	11
5	Undulant fever	1	1														1		
6	Smallpox	1			1	1													
7	Measles	186	30	15	141	30	45	23	14	14	23	8	8	5	4	4	2	1	5
8	Scarlet fever	43	11	8	24	3	7		5	3	13	3	4	2	2	1			
9	Whooping cough	191	29	30	132	106	37	25	7	5	10							1	
10	Diphtheria	236	28	20	188	11	27	42	30	36	59	14	6	4	4	2	1		
11a	Influenza, respiratory complications specified	520	132	62	326	72	33	23	9	3	12	11	17	13	34	38	44	38	173
11b	Influenza, respiratory complications not specified	267	54	37	176	34	8	3	2	1	7	5	5	7	11	14	14	26	130
13	Dysentery	80	10	16	54	3		1	8	1	13	5	5	2	6	8	8	5	15
15	Erysipelas	42	14	10	18	16	1							2	3	2	2	6	10

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
16	Acute poliomyelitis, acute polioencephalitis	14	1	1	12	1	1	3	2		6	1							
17	Lethargic or epidemic encephalitis	8	4	1	3								1	1			4	2	
18	Epidemic cerebrospinal meningitis	30	7	12	11	8	4	1	2		4	2	4	2	1	1	1		
21	Rabies	1			1														1
22	Tetanus	11	7	2	2				1	2	2				2		2	2	
	Tuberculosis (all forms)	1,010	205	116	689	7	5	5	3		15	25	72	123	232	177	146	85	115
23	Respiratory system	899	176	101	622	2	1	1			5	16	65	118	219	158	134	78	102
24	Meninges and central nervous system	32	10	7	15	5	4	3			8	2	1	2	2	2	3		
25	Intestines and peritoneum	52	12	5	35				1		2	3	3	2	6	14	5	5	11
26	Vertebral column	9	3	2	4			1				3			2	1	2		
27a	Bones (vertebral column excepted)	3			3							1		1			1		
27b	Joints	3			3								1				1		1
28	Skin and subcutaneous cellular tissue	1			1														1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	2			2				2										
30	Genitourinary system	7	3		4								1		3	2		1	
32a	Acute disseminated tuberculosis	2	1	1									1				1		
34	Syphilis	172	58	36	78	42	1	1			1	1	4	1	23	35	36	17	10
35	Gonococcus infection and other venereal diseases	19	9	7	3	1	1						3	4	5	1	2	2	
36	Purulent infection, septicemia (nonpuerperal)	14	6	4	4	1	1	1			1	1	1	1	2		1	1	3
39	Other diseases due to protozoal parasites	2	1		1											1		1	
42	Other diseases caused by helminths	5			5		1	1	1		1	1							
43	Mycoses	2		1	1	1													1
44	Other infectious and parasitic diseases	9	1	1	7	3	1				2		1				1		1
	II.—Cancers and other tumors	1,199	401	151	647	1	2	2	2	1	5	4	9	13	48	102	238	265	507
	Cancer and other malignant tumors	1,122	367	138	617	1	2	2	1	1	2	4	9	11	37	87	208	259	498
(45)	Buccal cavity	25	9	2	14										2		3	7	13
(45)	Pharynx	10	3	1	6												1	3	6
(46)	Esophagus	5			5		1										2	1	1
(46)	Stomach and duodenum	304	78	33	193									1	7	13	46	74	163
(46)	Liver and biliary passages	128	29	15	84										4	13	16	36	59
(46)	Pancreas	13	7	3	3												1	4	8
(46)	Other digestive tract and peritoneum	127	57	14	56	1							1	3	4	11	22	29	56
47	Respiratory system	18	11	2	5										1	3	8	2	4
48	Uterus	178	65	19	94									2	9	25	50	35	57
49	Other female genital organs	9	6	1	2								1		1	1	3	2	1
50	Breast	117	37	15	65										3	11	34	30	39
51	Male genitourinary organs	71	27	14	30		1			1				1		3	8	15	42
52	Skin	35	6	7	22									2	1	1	3	2	26
53	Other or unspecified organs	82	27	12	43			2	1		2	4	7	2	5	6	11	19	23
54a	Nonmalignant tumors, ovary	1	1														1		
54b	Nonmalignant tumors, uterus	39	19	10	10									1	5	12	15	2	4
54d,e	Nonmalignant tumors, other organs	10	4	2	4						1				3		4	1	1
55d,e	Tumors, other organs (nature unspecified)	27	10	1	16				1		2			1	3	3	10	3	4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	406	145	61	200	25	7	1	1	1	12	13	9	12	20	46	53	87	119
56	Acute rheumatic fever	39	11	6	22						7	5	3		4	4	7	2	7
57	Chronic rheumatism, osteoarthritis	19	7	2	10										1	1	1	6	10
59	Diabetes mellitus	250	93	45	112	1					5	8	5	8	9	24	34	65	91
60	Scurvy	2			2	1									1				
62	Pellagra	13	3		10								1	2	2	5	1	2	
63	Rickets	12	1	1	10	8	2		1	1									
66a	Simple goiter	5	3		2									1		2	1		1
66b	Exophthalmic goiter	37	14	3	20									1	2	9	8	9	8
(66)	Other diseases of thyroid and parathyroid glands	8	3	1	4	3	3											1	1
67	Diseases of thymus gland	10	5	1	4	9	1												
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	4	1	1	2										1		1	1	1
69	Other general diseases	7	4	1	2	3	1	1								1		1	
	IV.—Diseases of the blood and blood-making organs	136	55	16	65	14	2		2	1	5	2	6	4	9	7	14	31	39
70	Hemorrhagic conditions	23	8	4	11	11	1			1			2	1	2		1	1	3
71a	Pernicious anemia	76	29	8	39	1			1		1		2		3	4	11	21	32
71b	Other anemias	4	3		1	1									1				2
72a	True leukemias	16	8	1	7	1	1		1		1		1	2	1	2		6	
72b	Pseudoleukemias (Hodgkin's disease)	7	3	1	3										2		1	2	2
73	Diseases of the spleen	8	2	2	4						3	1	1	1		1		1	
74	Other diseases of blood and blood-making organs	2	2									1					1		
	V.—Chronic poisonings and intoxications	54	26	6	22								1	3	4	16	15	13	2
75	Alcoholism (acute or chronic)	53	25	6	22								1	3	4	16	14	13	2
76	Chronic poisoning by other organic substances	1	1														1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	1,660	449	235	976	46	23	8	2	8	26	17	22	19	45	84	170	277	913
78	Encephalitis (nonepidemic)	21	7	5	9		2			2	4			1	2	2	3	3	2
79a	Simple meningitis	53	16	4	33	15	10	3		2	5	5	5	1		1	2	3	1
79b	Nonepidemic cerebrospinal meningitis	10	3		7	1	1	1			3	1		2	1				
80	Progressive locomotor ataxia (tabes dorsalis)	16	6		10										1	2	2	4	7
81	Other diseases of spinal cord	39	12	9	18	1	1				3		1	1		2	5	10	15
82a	Cerebral hemorrhage	1,182	327	155	700	1							3	1	16	45	127	216	773
82b	Cerebral embolism and thrombosis	24	6	6	12								3	3	1	2	2	2	11
82c	Softening of brain	4		1	3														4
82d	Hemiplegia and other paralysis, cause unspecified	85	7	15	63			1								2	6	15	61
83	General paralysis of insane	47	8	11	28							1	1		8	8	8	12	9
84	Dementia praecox and other psychoses	24	2	6	16									1	2	5	5	4	7
85	Epilepsy	44	10	7	27		1	1			1	5	6	3	11	8	2	2	4
86	Convulsions (under 5 years of age)	21	1	2	18	18	2	1											
87	Other diseases of nervous system	41	18	3	20		1	1	1	2	1	2	1	2	2	2	4	5	17
89a	Diseases of ear	33	17	6	10	9	4				5	3	1	1	1	4	3		2
89b	Diseases of mastoid process	16	9	5	2	1	1		1	2	4		1	3		1	1	1	
	VII.—Diseases of the circulatory system	2,437	686	362	1,389	2	2		4		16	12	23	25	71	159	271	485	1,367
90	Pericarditis	6	1	1	4						2							1	3
91a	Acute endocarditis	22	15	2	5				1		5	1	2	1	6	2	2		2
91b	Endocarditis, unspecified (under 45 years)	18	2	7	9						3	1	2	3	3	6			
92a	Endocarditis, specified as chronic, and other valvular diseases	635	158	72	405		1		2		4	4	9	11	20	51	69	129	335
92b	Endocarditis, unspecified (45 years and over)	36	14	4	18												10	11	15
93a	Acute myocarditis	15	6	1	8	1							1		2	4	4	3	
93b	Myocarditis, unspecified (under 45 years)	12	4	2	6							1		1	7	3			
93c	Chronic myocarditis and myocardial degeneration	752	228	96	428							1			3	30	65	149	504
93d	Other diseases of myocardium	112	32	14	66								2			1	19	24	66
94a	Angina pectoris	186	45	36	105							1			5	15	31	51	83
94b	Diseases of coronary arteries	107	42	20	45										5	10	16	25	51
95a	Functional diseases of heart	5	1		4												2	1	2
95b	Other and unspecified diseases of heart	288	70	48	170		1		1		1	3	5	9	14	26	38	54	136
96	Aneurysm (except of heart)	20	12	1	7											2	5	7	6
97	Arteriosclerosis (coronary arteries excepted)	169	41	45	83										2	2	4	24	137
98	Gangrene	18	4	2	12									1				3	14
99	Other diseases of arteries	16	6	5	5									1		3	5	2	1	4
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	7	2	1	4											1	1		5
101	Diseases of lymphatic system (lymphangitis, etc.)	4	3	1							1						1	1	1
102	Idiopathic anomalies of blood-pressure	4			4											1		1	2
103	Other diseases of circulatory system	5		4	1	1									1		2		1
	VIII.—Diseases of the respiratory system	1,496	393	225	878	320	93	36	19	21	47	25	33	33	88	85	130	100	466
104a	Diseases of nasal fossae	1		1											1				
104b	Diseases of nasal fossae and annexae	10	2	3	5	1							2		2	1	2	2	
105	Diseases of larynx	8	3	2	3	1	2			2	1	1				1			
106a	Acute bronchitis	3		1	2	2										1			
106b	Chronic bronchitis	18	5	4	9											1	3	1	13
106c,d	Bronchitis, unspecified	16	6	2	8	2									1		1		12
107a	Bronchopneumonia	703	185	102	416	235	63	20	8	9	22	8	5	8	25	18	20	35	227
108	Lobar pneumonia	580	159	91	330	54	20	13	9	10	22	15	23	21	51	49	81	50	162
109	Pneumonia, unspecified	72	7	8	57	21	6	3	1		1	1	1	1	3	3	6	3	22
110	Pleurisy	17	5	4	8	1	2								2	3	4	1	4
111a	Pulmonary embolism and thrombosis	3	3													1	1		1
111b	Pulmonary congestion, edema, hemorrhagic infarct	14	5	2	7	1							1				1		11
112	Asthma	31	10	3	18				1						2	3	5	6	14
113	Pulmonary emphysema	1		1													1		
114	Other diseases of respiratory system (tuberculosis excepted)	19	3	1	15	2					1		1	3	1	4	5	2	
	IX.—Diseases of the digestive system	1,792	483	254	1,055	624	311	65	39	22	52	29	38	51	76	72	100	108	205
115a	Diseases of pharynx and tonsils	72	24	11	37		7	2	2	2	15	3	6	8	15	5	3	1	3
115b	Diseases of buccal cavity and annexa	13	1	2	10	2	2			1	2			1	2	1	1		1
116	Diseases of esophagus	1			1														1
117a	Ulcer of stomach	53	26	5	22								1	1	8	8	8	14	13
117b	Ulcer of duodenum	17	11	1	5							1		1	3	3	2	4	3
118	Other diseases of stomach (cancer excepted)	47	8	4	35	4		1	1		1		3	3	4	3	4	3	20
119	Diarrhea, enteritis (under 2 years of age)	898	138	102	658	602	296												
120	Diarrhea, enteritis (2 years and over)	191	35	15	141			57	31	15	16	3	1	4	1	2	11	13	37
121	Appendicitis	185	97	56	32	1	3	2	3	2	14	19	23	22	20	15	25	20	16
122a	Hernia	45	27	5	13							1			1	4	7	6	26
122b	Intestinal obstruction	76	34	16	26	14	2	1	2	1		2	1	5	7	8	7	8	18
23	Other diseases of intestines	10	6	1	3										2	2	2	1	3
24	Cirr hosis of liver	60	22	11	27										2	7	10	10	31
25a	Yell ow atrophy of liver	6	2	1	3	1					1			1	1		1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	IX.—Diseases of the digestive system—Continued																		
125b	Other diseases of liver	8	6		2										2	1	1	1	3
126	Biliary calculi	26	8	6	12									1	1	4	2	8	10
127	Other diseases of gall-bladder, biliary passages	61	26	14	21						1		1	2	4	6	12	18	17
128	Diseases of pancreas	5	3	1	1										1	2		1	1
129	Peritonitis, cause not specified	18	9	3	6		1	2		1	2		2	2	2	1	4		1
	X.—Diseases of the genitourinary system	1,501	446	218	837	4	8	3	2		6	11	7	16	34	93	187	255	875
130	Acute nephritis (including unspecified under 10 years)	40	9	10	21	1	5	3	1		4	5	2	2	6	7	2	1	1
131	Chronic nephritis	1,266	349	178	739				1		1	3	4	5	18	64	161	237	772
132	Nephritis, unspecified (10 years and over)	45	11	11	23							3	1	3	4	6	8	4	16
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	22	12	2	8	3	3				1			1	1		4	4	5
134	Calculi of urinary passages	6	1		5									1		2	1		2
135	Diseases of bladder (tumors excepted)	17	5	1	11										1	1	2	2	11
136	Diseases of urethra, urinary abscess, etc.	1	1														1		
137	Diseases of prostate	74	40	10	24												3	6	65
139a	Cysts of ovary	5	4		1											3	1		1
139b	Other diseases of ovaries, diseases of tubes and parametrium	18	9	5	4									4	2	5	4	1	2
139c	Diseases of uterus	7	5	1	1										2	5			
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	222	82	49	91								34	53	81	52	2		
140	Abortion with septic conditions	38	20	12	6								5	7	15	11			
141	Abortion without mention of septic conditions (includes hemorrhages)	12	5	2	5								2	1	4	5			
142a	Ectopic gestation, septic conditions specified	1	1													1			
142b	Ectopic gestation, septic conditions not mentioned	5	3	1	1									2	3				
143	Other accidents of pregnancy (hemorrhage not included)	2	2											1	1				
144a	Placenta praevia	8	2	4	2								1		3	4			
144b	Other puerperal hemorrhages	18	2	2	14								1	3	8	6			
145a	Puerperal septicemia and pyemia (abortion excluded)	54	20	16	18								5	20	20	8	1		
146	Puerperal albuminuria and eclampsia	44	11	8	25								10	13	11	10			
147	Other toxemias of pregnancy	5	2	1	2								1	2	1	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	9	2		7								2	1	3	2	1		
149	Other accidents of childbirth	25	12	3	10								7	3	11	4			
150	Other and unspecified conditions of puerperal state	1			1										1				
	XII.—Diseases of the skin and cellular tissue	32	18	5	9	6	1	1			5			1	4	3	3	2	6
151	Furuncle, carbuncle	6	4	1	1											1	2		3
152	Phlegmon, acute abscess	15	10	1	4	3	1				3				3	2	1	2	
153	Other diseases of skin and annexa, and of cellular tissue	11	4	3	4	3		1			2			1	1				3
	XIII.—Diseases of the bones and organs of locomotion	21	13	3	5	1			1	1	3	6	1		2	2	1	1	2
154	Osteomyelitis	17	12	3	2				1	1	3	5	1		2	2		1	1
155	Other diseases of bones (tuberculosis excepted)	2			2	1											1		
156	Diseases of joints, other organs of locomotion	2	1		1							1							1
	XIV.—Congenital malformations	252	54	28	170	236	7	2	2	1	2	1			1				
157a	Congenital hydrocephalus	14	1		13	9	2	1		1	1								
157b	Spina bifida and meningocele	30	9	3	18	29	1												
157c	Congenital malformations of heart	158	29	18	111	150	3	1	2		1				1				
157d	Other congenital malformations	50	15	7	28	48	1					1							
	XV.—Diseases of early infancy	1,212	266	121	825	1,212													
158	Congenital debility	165	20	10	135	165													
159	Premature birth	804	183	80	541	804													
160	Injury at birth	162	39	18	105	162													
161	Other diseases peculiar to early infancy	81	24	13	44	81													
162	XVI.—Senility	354	39	24	291														354
	XVII.—Violent and accidental deaths	1,984	528	383	1,073	70	32	25	22	21	81	82	135	178	359	322	241	154	262
	Suicide	221	86	23	112							1	11	13	33	48	44	35	36
163	By solid or liquid poisons or by absorption of corrosive substances	45	28	8	9								2	4	13	9	10	4	3
164	By poisonous gas	4	2	1	1											1	2		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WEST VIRGINIA—Continued																		
	XVII.—Violent and accidental deaths—Continued																		
	Suicide—Continued																		
165	By hanging or strangulation	22	5	2	15							1			3	5	6	2	5
166	By drowning	5	5										1			1		1	2
167	By firearms	125	38	9	78								8	9	16	28	22	22	20
168	By cutting or piercing instruments	10	6	1	3												2	4	4
169	By jumping from high places	4	1	2	1										1	3			
170	By crushing	2	1		1												1	1	
171	By other means	4			4											1	1	1	1
	Homicide	220	51	53	116	1			1		1	2	17	27	67	51	33	17	3
173	By firearms	170	35	40	95								14	23	54	38	24	15	2
174	By cutting or piercing instruments	23	6	5	12						1	1	2	4	8	4	3		
175	By other means	27	10	8	9	1			1			1	1		5	9	6	2	1
	Accidental, other, or undefined	1,543	391	307	845	69	32	25	21	21	80	79	107	138	259	223	164	102	223
176	Attack by venomous animals	5		1	4	2				1	1								1
177	Poisoning by food	7	1	2	4		1		1				1			1			3
178	Absorption of poisonous gas	17	6	5	6	1						1		3	2	3	3	1	3
	Supplemental	1			1													1	
179	Other acute accidental poisonings (gas excepted)	23	6	5	12	2	6	2	3	1	1				3	3		1	1
180	Conflagration	24	3	4	17	2	1	1	1		4	1	1		4	4	1	1	3
181	Burns (conflagration excepted)	135	53	24	58	5	14	18	6	11	14	9	6	6	9	6	6	3	22
	Supplemental	4	2		2										1	2		1	
182	Mechanical suffocation	53	3	4	46	48	1					2					1	1	
183	Drowning	100	24	17	59		3	2			8	14	17	14	18	9	6	4	5
	Supplemental	5		3	2									1	3	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	53	9	12	32					1	1	12	13	4	10	4	4	1	3
185	By cutting or piercing instruments (wounds of war excepted)	11	2	4	5	1					2	1	1		1	3		2	
	Supplemental	1		1										1					
186a	By fall	202	74	42	86		4			1	4	4	2	7	10	16	16	19	119
	Supplemental	23	5	5	13						1		1	2	4	2	3	2	8
186b	By crushing, landslide	16		1	15						1	1	1	3	4	5		1	
	Supplemental	70	14	15	41						2	3	7	8	21	13	10	5	1
187	Cataclysm	2			2						2								
188	Injuries by animals	13	1	4	8	1			1		1	2	1	1	1		3		2
190	Excessive cold	10	3		7	1						1				2	2	3	1
191	Excessive heat	7	1		6												2	1	4
192	Lightning	2			2								1		1				
193	Due to electric currents	8	2	1	5									1	5	1		1	
	Supplemental	14			14									1	6	4	2	1	
194a	Foreign bodies	3	2		1	1	1	1											
194b	Other accidents	55	15	10	30	5			2		1	3	5	6	5	8	10	2	8
	Supplemental	677	163	147	367		1	1	7	6	37	25	50	80	150	135	95	51	39
198	Legal executions	2	2												1	1			
	XVIII.—Ill-defined causes of death	72	12	7	53	10	1	2				1	1	1	8	6	16	15	11
199	Sudden death	29	3	4	22	1								1	1	2	6	9	9
200a	Cause of death ill-defined	22	1		21	6	1	2							4		4	4	1
200b	Cause of death not specified or unknown	21	8	3	10	3						1	1		3	4	6	2	1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	295	35	62	198							2	8	38	93	81	45	23	5
202	Accidents from agricultural machinery	1	1															1	
203	Elevator accidents	3	3									2							1
205	Other machinery accidents	16	3	5	8						2	1		1	5	1	5		1
206	Railroad and automobile collisions	5	2	1	2										2		1	2	
207	Other railroad accidents	111	19	26	66		1		1		6	2	17	17	17	19	13	9	9
208	Street car and automobile collisions	1	1											1					
209	Other street car accidents	7	5		2									1	1	1	2	1	1
210	Automobile accidents (primary)	332	110	72	150			1	5	6	31	21	31	35	60	52	41	24	25
211	Motorcycle accidents	3	3												1	1	1		
212	Other land transportation accidents	14	1	4	9				1		1		1		1	2	1	1	6
213	Water transportation accidents	2		1	1										2				
214	Air transportation accidents	5	1		4								1		3		1		
	WISCONSIN																		
	Total deaths (all causes)	30,321	13,269	3,691	13,361	2,675	288	161	136	108	431	345	508	645	1,394	2,042	3,010	4,232	14,335
	I.—Infectious and parasitic diseases	2,876	1,138	308	1,430	217	79	57	30	31	111	72	129	192	393	420	326	251	567
1	Typhoid fever	21	9	4	8						1	1	4	3	3	5	2	1	1
6	Smallpox	1		1		1													
7	Measles	42	33	2	7	8	5	9	1	4	9	3	1		1	1			
8	Scarlet fever	51	27	4	20		4	9	3	5	18	2	1	2	3	2	1	1	
9	Whooping cough	67	30	7	30	45	16	1	2	1	2								
10	Diphtheria	56	31	5	20	1	1	6	2	6	21	7	2	1	2	3	1	3	
11a	Influenza, respiratory complications specified	578	197	86	295	67	19	9	3	2	13	16	17	23	41	60	40	45	222
11b	Influenza, respiratory complications not specified	321	76	55	190	43	13	6	6	4	10	12	4	1	17	20	18	22	145
13	Dysentery	12	8	1	3	4		2		1	1		1				1	1	1
15	Erysipelas	57	21	7	29	7	1	1	1		1		1		5	6	5	6	23
16	Acute poliomyelitis, acute polioencephalitis	13	4	1	8	2	2	3		1	1	1	1	2					

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	I.—Infectious and parasitic diseases—Continued																		
17	Lethargic or epidemic encephalitis	25	18	2	5	1	1		1		3	2			7	3	4	2	1
18	Epidemic cerebrospinal meningitis	31	21	6	4	5	4	1	2		7	1	4		1	4	1	1	
21	Rabies	1	1						1										
22	Tetanus	27	13	6	8	2		2		1	5	5	1		4	2	1	1	3
	Tuberculosis (all forms)	1,378	537	100	741	6	11	7	8	6	18	22	86	156	292	285	203	133	145
23	Respiratory system	1,239	470	86	683	3	5	2	1	4	9	12	76	141	280	264	188	124	130
24	Meninges and central nervous system	39	22	3	14	2	6	3	5	2	5	6	4	1	3	1	1		
25	Intestines and peritoneum	40	15	7	18			1	1		2	2	4	5	4	7	6	3	5
26	Vertebral column	17	11	1	5			1			2	1	1	1	2	4	4	1	
27a	Bones (vertebral column excepted)	4	4											1		2			1
27b	Joints	2		1	1												1	1	
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	5	1		4	1								1		1		1	1
30	Genitourinary system	13	7		6									3		2	3	1	4
31	Other organs	4	2		2											2		1	1
32a	Acute disseminated tuberculosis	11	5	2	4				1			1	1	2	3	1			2
32b,c	Other disseminated tuberculosis	4			4									1		1		1	1
34	Syphilis	145	83	10	52	17					1		5	1	11	23	40	28	19
35	Gonococcus infection and other venereal diseases	12	7	3	2									1	4	4	1	2	
36	Purulent infection, septicemia (non-puerperal)	18	12	4	2	4	1	1						1			4	3	4
39	Other diseases due to protozoal parasites	3	2		1										1			2	
41b	Hydatid cysts, other organs	1			1										1				
43	Mycoses	8	4	2	2	1										2	2		3
44	Other infectious and parasitic diseases	8	4	2	2	3	1						1	1			2		
	II.—Cancers and other tumors	3,733	1,813	475	1,445	3	4	2	7	5	11	13	15	20	73	248	534	852	1,945
	Cancer and other malignant tumors	3,576	1,722	457	1,397	1	2	1	7	4	8	10	11	16	55	211	496	832	1,921
(45)	Buccal cavity	109	47	15	47							1	1		2	4	13	21	67
(45)	Pharynx	17	6	3	8												2	5	10
(46)	Esophagus	85	51	7	27											1	15	27	42
(46)	Stomach and duodenum	948	394	110	444						1			1	4	33	91	208	609
(46)	Liver and biliary passages	307	136	46	125						1				2	6	42	75	181
(46)	Pancreas	83	47	20	16											3	13	24	43
(46)	Other digestive tract and peritoneum	587	301	85	201				1	2	1	1	3	3	10	43	76	135	312
47	Respiratory system	108	53	11	44					1		2		2		10	25	24	44
48	Uterus	279	149	37	93		1						1	1	13	41	81	63	78
49	Other female genital organs	83	54	10	19									1	3	12	27	14	26
50	Breast	284	151	30	103								1		4	31	59	100	89
51	Male genitourinary organs	339	168	48	123				2		2	1		2	5	6	16	67	238
52	Skin	74	22	10	42										1	4	3	12	54
53	Other or unspecified organs	273	143	25	105	1	1	1	4	1	3	5	5	6	11	17	33	57	128
54a	Nonmalignant tumors, ovary	5	3		2									1		1	3		
54b	Nonmalignant tumors, uterus	59	38	9	12										4	28	18	6	3
54d,e	Nonmalignant tumors, other organs	45	31	3	11	2	1	1		1	2	3	1	2	6	3	8	6	9
55d,e	Tumors, other organs (nature unspecified)	48	19	6	23		1				1		3	1	8	5	9	8	12
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	1,060	550	128	382	50	2	3	5	7	17	27	13	22	37	68	119	212	478
56	Acute rheumatic fever	47	18	6	23				1	3	7	11	2	3	1	4	2	5	8
57	Chronic rheumatism, osteoarthritis	43	17	6	20							2			3	3	4	7	24
59	Diabetes mellitus	687	366	77	244				1	1	7	13	6	13	20	28	74	144	380
60	Scurvy	1	1			1													
62	Pellagra	3	1		2											2			1
63	Rickets	11	1	2	8	5	1	2	1		1							1	
64	Osteomalacia	1			1												1		
65	Diseases of pituitary body	3	1		2											1	1		1
66a	Simple goiter	4	4														1	1	2
66b	Exophthalmic goiter	175	101	22	52								4	5	6	25	30	49	56
(66)	Other diseases of thyroid and parathyroid glands	13	6	2	5	4		1	1						3	1	1	1	1
67	Diseases of thymus gland	50	23	10	17	39	1		1	3	2	1	1	1	1				
68	Diseases of adrenals (Addison's disease not specified as tuberculous)	20	9	3	8										3	4	5	4	4
69	Other general diseases	2	2			1													1
	IV.—Diseases of the blood and blood-making organs	293	128	43	122	10	2	2	3		9	7	9	14	14	25	28	52	117
70	Hemorrhagic conditions	16	10	2	4	7			1		1	2		1	1			1	2
71a	Pernicious anemia	143	51	27	65			1			1		2	2	1	6	9	32	88
71b	Other anemias	12	3	3	6	2	1							1			1	1	6
72a	True leukemias	69	32	8	29	1	1	1	1		5	3	4	3	5	7	10	14	14
72b	Pseudoleukemias (Hodgkin's disease)	39	24	2	13						1	2	2	5	5	8	7	4	5
73	Diseases of the spleen	11	6	1	4				1		1		1	2	2	1	1		2
74	Other diseases of blood and blood-making organs	3	2		1											3			
	V.—Chronic poisonings and intoxications	90	41	7	42									1	15	23	26	18	7
75	Alcoholism (acute or chronic)	87	38	7	42									1	15	23	24	17	7
77a	Chronic lead poisoning	2	2														2		
77b,c	Other chronic poisoning by mineral substances	1	1															1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	VI.—Diseases of the nervous system and of the organs of special sense	3,225	1,246	417	1,562	56	12	8	8	7	23	22	29	19	45	119	275	518	2,082
78	Encephalitis (nonepidemic)	23	9	3	11		2		1	1	2	2	2	2		3	4	2	2
79a	Simple meningitis	47	23	11	13	12	1	2	2	1	7		5	1	3	3	5	3	2
79b	Nonepidemic cerebrospinal meningitis	14	6	4	4	3	1		2		4	1					1	2	
80	Progressive locomotor ataxia (tabes dorsalis)	33	12	4	17							1			1	2	6	15	8
81	Other diseases of spinal cord	87	39	4	44	1		1		1		3	1	1	3	8	12	21	35
82a	Cerebral hemorrhage	2,481	954	342	1,185	5	1				1		2	2	11	53	179	412	1,813
82b	Cerebral embolism and thrombosis	122	49	11	62							1	2	1	1	8	8	15	86
82c	Softening of brain	16	3	4	9												2	2	12
82b	Hemiplegia and other paralysis, cause unspecified	45	12	8	25			1		1				1		1	2	6	33
83	General paralysis of insane	73	13		60										3	20	26	13	11
84	Dementia praecox and other psychoses	26	5	3	18							1	1		4	2	6	1	11
85	Epilepsy	61	16	3	42	1					2	4	9	6	5	9	7	7	11
86	Convulsions (under 5 years of age)	29	5	5	19	25	1	2	1										
87	Other diseases of nervous system	94	46	6	42	3	1	1	2	2			3		5	4	10	13	50
88	Diseases of organs of vision	1	1																1
89a	Diseases of ear	46	31	7	8	3	4	1			3	4	3	4	6	3	6	4	5
89b	Diseases of mastoid process	27	22	2	3	3	1			1	4	5	1	1	3	3	1	2	2
	VII.—Diseases of the circulatory system	7,258	3,050	815	3,393	8	2	1	2	2	24	34	44	39	95	240	618	1,079	5,068
90	Pericarditis	10	6	1	3	1											2	2	5
91a	Acute endocarditis	71	30	7	34	2			1		9	7	5	9	7	8	7	1	15
91b	Endocarditis, unspecified (under 45 years)	3	1		2					1			1		1				
92a	Endocarditis, specified as chronic, and other valvular diseases	1,284	495	118	671	1		1	1	1	9	22	27	16	37	78	120	189	782
92b	Endocarditis, unspecified (45 years and over)	70	18	9	43												12	11	47
93a	Acute myocarditis	121	60	6	55		1					1	1	4	3	7	19	18	67
93b	Myocarditis, unspecified (under 45 years)	10	2		8							1		2	2	5			
93c	Chronic myocarditis and myocardial degeneration	2,835	1,357	258	1,220						1	1	6	5	18	71	217	394	2,122
93d	Other diseases of myocardium	660	198	99	363								1			3	42	74	539
94a	Angina pectoris	424	188	58	178										3	10	46	119	246
94b	Diseases of coronary arteries	476	228	51	197									1	5	23	67	102	278
95a	Functional diseases of heart	12	6	2	4										1		2	3	6
95b	Other and unspecified diseases of heart	676	233	114	329	2					5	2	3	1	13	29	57	105	458
96	Aneurysm (except of heart)	29	14	4	11										2		7	8	12
97	Arteriosclerosis (coronary arteries excepted)	455	162	70	223												6	29	420
98	Gangrene	25	7	1	17									1		1		3	20
99	Other diseases of arteries	58	27	12	19										2	2	6	12	36
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	21	9	3	9										1	2	3	7	8
101	Diseases of lymphatic system (lymphangitis, etc.)	5	4	1		2	1									1			1
102	Idiopathic anomalies of blood-pressure	9	2		7												4	1	4
103	Other diseases of circulatory system	4	3	1													1	1	2
	VIII.—Diseases of the respiratory system	2,347	1,007	268	1,072	374	94	37	29	10	57	34	45	49	109	154	191	237	927
104a	Diseases of nasal fossae	11	6	3	2	2	1	1		1	1	1			1	2			1
104b	Diseases of nasal fossae and annexae	14	8	4	2		1				2	1	3	1	1	1			4
105	Diseases of larynx	12	4	3	5	5	1		2		2							1	1
106a	Acute bronchitis	40	14	2	24	6	2	3			2	1				1		1	24
106b	Chronic bronchitis	55	22	3	30		1						1		2	2	2	10	37
106c,d	Bronchitis, unspecified	23	8		15	2	1	1				1		1			1		16
107a	Bronchopneumonia	883	382	97	404	262	60	19	9	3	16	9	7	9	22	35	48	60	324
107b	Capillary bronchitis	11	2	1	8	5	2												4
108	Lobar pneumonia	1,088	482	122	484	73	22	12	17	5	26	16	32	34	73	100	119	144	415
109	Pneumonia, unspecified	39	7	7	25	8	1	1			1		1			2	1	1	23
110	Pleurisy	59	28	11	20	4	1		1		5	4	1	2	5	4	8	7	17
111a	Pulmonary embolism and thrombosis	13	2	4	7												2	2	9
111b	Pulmonary congestion, edema, hemorrhagic infarct	36	13	7	16	2									1	1	1	1	30
112	Asthma	24	7	1	16					1		1			4	1	3	5	9
113	Pulmonary emphysema	7	5	1	1	1					1							1	4
114	Other diseases of respiratory system (tuberculosis excepted)	32	17	2	13	4	1				1			2		5	6	4	9
	IX.—Diseases of the digestive system	2,009	1,131	295	583	218	45	23	22	21	62	32	53	57	125	213	270	312	555
115a	Diseases of pharynx and tonsils	98	58	11	29	5	2	4	5	4	11	1	8	10	14	8	8	11	7
115b	Diseases of buccal cavity and annexa	21	6	3	12	1	2			1		1	1	1		6	2	2	4
116	Diseases of esophagus	6	2	1	3										1		1	1	3
117a	Ulcer of stomach	90	52	18	20						1			1	7	12	25	17	27
117b	Ulcer of duodenum	57	39	7	11								1		3	8	12	20	13
118	Other diseases of stomach (cancer excepted)	27	16	2	9	4								1	1	2	1	6	12
119	Diarrhea, enteritis (under 2 years of age)	219	96	24	99	191	28												
120	Diarrhea, enteritis (2 years and over)	101	38	13	50			10	9	7	5		2	2	4	6	6	9	41
121	Appendicitis	415	272	81	62		4	4	4	7	36	23	34	26	46	67	53	61	50
122a	Hernia	132	70	27	35	2	1						1	1	2	10	15	23	77
122b	Intestinal obstruction	169	93	26	50	10	3	4	3	1	5	3	2	5	11	14	20	14	73
123	Other diseases of intestines	35	26	2	7	2	1				1				3	6	1	8	13

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	IX.—Diseases of the digestive system—Continued																		
124	Cirrhosis of liver	272	132	26	114						1				14	33	60	58	106
125a	Yellow atrophy of liver	10	6		4		1						1		1	2	2		3
125b	Other diseases of liver	23	10	2	11	2							1	2		4	4	6	4
126	Biliary calculi	191	119	36	36									4	5	21	38	53	70
127	Other diseases of gall-bladder, biliary passages	94	63	10	21						1				8	8	17	16	44
128	Diseases of pancreas	20	15	2	3								1		1	3	3	7	5
129	Peritonitis, cause not specified	29	18	4	7	1	3	1	1	1	1	4	1	4	4	3	2		3
	X.—Diseases of the genitourinary system	2,352	1,040	299	1,013	6	3		2	3	10	13	16	20	76	110	198	329	1,566
130	Acute nephritis (including unspecified under 10 years)	57	29	6	22	5			1	1	1	4	3	3	4	7	4	13	11
131	Chronic nephritis	1,869	782	235	852		1		1	1	8	7	8	12	50	68	163	265	1,285
132	Nephritis, unspecified (10 years and over)	54	24	6	24								1		2	4	4	6	37
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	67	33	7	27	1	2			1	1	2	1	1	5	8	7	6	32
134	Calculi of urinary passages	33	25	2	6									2	4	5	3	3	16
135	Diseases of bladder (tumors excepted)	13	5	1	7											1	1	1	10
136	Diseases of urethra, urinary abscess, etc	8	4		4											1	1	3	3
137	Diseases of prostate	193	103	34	56												2	24	167
138	Diseases of male genital organs, not specified as venereal	1			1													1	
139a	Cysts of ovary	13	7	2	4										2	4	4	2	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	24	15	2	7								1	2	8	6	6	1	
139c	Diseases of uterus	18	12	3	3								2		1	6	2	3	4
139e	Other diseases of female genital organs	2	1	1													1	1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	234	121	44	69								14	39	114	63	4		
140	Abortion with septic conditions	34	15	7	12								4	5	20	5			
141	Abortion without mention of septic conditions (includes hemorrhages)	13	6	2	5									3	6	4			
142a	Ectopic gestation, septic conditions specified	1		1												1			
142b	Ectopic gestation, septic conditions not mentioned	6	2	3	1										6				
143	Other accidents of pregnancy (hemorrhage not included)	2			2											2			
144a	Placenta praevia	14	8	3	3									4	7	3			
144b	Other puerperal hemorrhages	17	7	3	7									5	7	5			
145a	Puerperal septicemia and pyemia (abortion excluded)	44	26	9	9								5	9	22	8			
145b	Puerperal tetanus (abortion excluded)	1	1												1				
146	Puerperal albuminuria and eclampsia	36	20	5	11								2	7	13	12	2		
147	Other toxemias of pregnancy	6	4	1	1									2	3	1			
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	26	14	5	7								2	1	13	10			
149	Other accidents of childbirth	30	18	4	8								1	3	14	10	2		
150	Other and unspecified conditions of puerperal state	4		1	3										2	2			
	XII.—Diseases of the skin and cellular tissue	44	24	8	12	9	2				1	4	4	3	4	3	4	6	4
151	Furuncle, carbuncle	13	7	2	4	2	1					1	1	2	2	1	2	1	
152	Phlegmon, acute abscess	14	8	2	4	3					1		1	1	1	2	1	3	1
153	Other diseases of skin and annexa, and of cellular tissue	17	9	4	4	4	1					3	2		1		1	2	3
	XIII.—Diseases of the bones and organs of locomotion	22	17	2	3	1	1	1	1	1	3			1	1	3	4	2	3
154	Osteomyelitis	12	10	1	1		1				3			1		1	3	2	1
155	Other diseases of bones (tuberculosis excepted)	3	2		1					1									2
156	Diseases of joints, other organs of locomotion	7	5	1	1	1		1	1						1	2	1		
	XIV.—Congenital malformations	387	167	57	163	355	7	2		4	4	5	4	2	3		1		
157a	Congenital hydrocephalus	55	24	8	23	45	3			1	2	1	1		2				
157b	Spina bifida and meningocele	70	28	9	33	67	1			1		1							
157c	Congenital malformations of heart	162	72	25	65	148	3	1		1	2	2	3	1	1				
157d	Other congenital malformations	100	43	15	42	95		1		1		1		1			1		
	XV.—Diseases of early infancy	1,314	563	137	614	1,314													
158	Congenital debility	45	14	2	29	45													
159	Premature birth	853	354	86	413	853													
160	Injury at birth	250	130	36	84	250													
161	Other diseases peculiar to early infancy	166	65	13	88	166													
162	XVI.—Senility	316	76	47	193													3	313

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WISCONSIN—Continued																		
	XVII.—Violent and accidental deaths	2,689	1,142	337	1,210	31	34	25	27	17	98	82	133	166	288	349	404	351	681
	Suicide	563	242	53	268								12	20	60	98	154	111	107
163	By solid or liquid poisons or by absorption of corrosive substances	61	32	9	20								2	6	8	15	14	9	7
164	By poisonous gas	62	50	6	6								2		8	15	15	10	12
165	By hanging or strangulation	181	68	16	97								5	4	13	22	59	38	40
166	By drowning	39	22	3	14								1	2	4	4	10	11	7
167	By firearms	170	50	15	105								2	8	20	33	41	33	33
168	By cutting or piercing instruments	22	11		11										3	3	5	5	5
169	By jumping from high places	11	7	1	3										2	3	2	2	2
170	By crushing	8	2	2	4										1		4	3	
171	By other means	9		1	8										1	3	4		1
	Homicide	83	40	5	38	2		2		2	3	1	1	4	29	14	12	5	8
173	By firearms	64	30	4	30			1		1	1	1		4	25	12	9	4	6
174	By cutting or piercing instruments	4	2	1	1										1	1	2		
175	By other means	15	8		7	2		1		1	2		1		3	1	1	1	2
	Accidental, other, or undefined	2,043	860	279	904	29	34	23	27	15	95	81	120	142	199	237	238	235	566
177	Poisoning by food	3			3													1	2
178	Absorption of poisonous gas	55	38	9	8		1				1				3	11	11	11	17
179	Other acute accidental poisoning (gas excepted)	38	19	5	14	2	8	2					1		5	9	7	2	2
180	Conflagration	22	3	2	17		1	2	1	2		1	1		3	1	2	4	4
181	Burns (conflagration excepted)	77	39	13	25	1	5	4	11	2	7	3	3	2	9	7	6	9	8
	Supplemental	15	7	1	7						1			2		5	3	3	1
182	Mechanical suffocation	21	8		13	14						1	1		3	1	1		
183	Drowning	156	48	11	97	1	9	1	1	2	16	21	27	16	11	16	18	12	5
	Supplemental	44	12	2	30						2	1	6	9	11	10	3	2	
	Traumatism:																		
184	By firearms (wounds of war excepted)	83	23	13	47				1	1	4	14	15	11	14	8	5	5	5
185	By cutting or piercing instruments (wounds of war excepted)	13	6	4	3		1							1		1	3	1	6
	Supplemental	14	3	4	7						2	1	3	1	2	1	1	2	1
186a	By fall	501	219	77	205	3		1	1	2	5	5	11	7	12	20	31	48	355
	Supplemental	66	31	11	24						2	5	5	8	6	13	9	7	11
186b	By crushing, landslide	12	2	3	7								2	1	3	2		3	1
	Supplemental	130	47	15	68		1	1	2		3	2	2	9	19	22	29	21	18
187	Cataclysm	1	1																1
188	Injuries by animals	25	8	5	12			1			1					5	5	2	11
190	Excessive cold	13	5	1	7						1				2		2	6	2
191	Excessive heat	31	14	4	13							1		1	2	3	5	4	15
192	Lightning	6			6						1	1	1			2	1		
193	Due to electric currents	14	5		9				1			2	1		2	4	1	3	
194a	Foreign bodies	18	7	1	10	4	3	4			2		1		1	1	2		
194b	Other accidents	73	29	12	32	2	1		3	2	8	4	9	6	5	5	7	12	9
	Supplemental	612	286	86	240	2	4	7	6	4	39	19	31	68	86	90	86	77	92
	XVIII.—Ill-defined causes of death	72	15	4	53	23	1				1			1	2	4	8	10	22
199	Sudden death	25	6	1	18	3									2	2	3	4	11
200a	Causes of death ill-defined	12	3		9	2	1				1						3	2	3
200b	Cause of death not specified or unknown	35	6	3	26	18								1		2	2	4	8
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents in mines and quarries	3			3									1	1		1		
201	Accidents from agricultural machinery	14	6	2	6						1				2	3	3	2	3
203	Elevator accidents	1	1														1		
205	Other machinery accidents	25	12	5	8						1		1	3	8	6	4	1	1
206	Railroad and automobile collisions	57	13	6	38			2	1			2	3	7	17	7	9	7	2
207	Other railroad accidents	62	24	8	30								1	5	3	15	13	11	13
208	Street car and automobile collisions	5	3		2									1	1	1	1	1	
209	Other street car accidents	4	3		1												1	2	1
210	Automobile accidents (primary)	624	299	86	239	2	3	6	6	4	43	22	32	71	74	98	92	78	92
211	Motorcycle accidents	6	2	2	2		1								1				4
212	Other land transportation accidents	33	12	5	16		1		1		2	3	3		2	2	4	8	7
213	Water transportation accidents	41	10	3	28						2	1	7	6	12	9	2	2	
214	Air transportation accidents	6	1	2	3									3	3				
	WYOMING																		
	Total deaths (all causes)	2,057	395	550	1,112	242	33	15	11	9	32	50	54	57	177	192	256	273	650
	I.—Infectious and parasitic diseases	228	32	70	126	13	7	3	5	3	6	11	11	7	32	30	30	19	50
1	Typhoid fever	8		1	7	1							2		4			1	
7	Measles	2	2				1				1								
8	Scarlet fever	12	2	2	8		3	2	1	1	1			1	2	1			
9	Whooping cough	4			4	1	1						1						1
10	Diptheria	3			3	1			1		1								
11a	Influenza, respiratory complications specified	68	8	35	25	1	1		2	1	1	1	3	2	5	13	10	8	20
11b	Influenza, respiratory complications not specified	32	4	9	19	4					1	2		1	1	4	4	2	13
13	Dysentery	5	2	1	2	2	1		1								1		
15	Erysipelas	3			3	2													1
17	Lethargic or epidemic encephalitis	2		1	1										1		1		

[1] See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING—Continued																		
	I.—Infectious and parastic diseases—Continued																		
18	Epidemic cerebrospinal meningitis	6	2	2	2					1		3			1		1		
	Tuberculosis (all forms)	54	6	10	38			1				3	5	2	12	11	8	3	8
23	Respiratory system	47	6	9	32			1				2	4	2	10	11	6	2	8
24	Meninges and central nervous system	3			3								1		2				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1			1													1	
30	Genitourinary system	1		1													1		
32a	Acute disseminated tuberculosis	1			1							1							
32b,c	Other disseminated tuberculosis	1			1												1		
34	Syphilis	10	4	3	3	1									3	1	1	2	2
36	Purulent infection, septicemia (non-puerperal)	2			2							2							
42	Other diseases caused by helminths	1	1											1					
44	Other infectious and parasitic diseases	16	1	6	9						1				3		4	3	5
	II.—Cancers and other tumors	167	37	63	67				1		1				6	15	25	35	84
	Cancer and other malignant tumors	158	33	59	66				1		1				4	14	21	33	84
(45)	Buccal cavity	6		1	5										1	1	2	1	1
(45)	Pharynx	1	1														1		
(46)	Esophagus	3		1	2													1	2
(46)	Stomach and duodenum	45	11	15	19											2	4	9	30
(46)	Liver and biliary passages	11	2	2	7												1	2	8
(46)	Pancreas	3	1	1	1												1	1	1
(46)	Other digestive tract and peritoneum	26	5	8	13						1				1	2	2	4	16
47	Respiratory system	2	1	1													1	1	
48	Uterus	15	2	5	8											3	3	4	5
49	Other female genital organs	1	1													1			
50	Breast	16	2	10	4											3	4	4	5
51	Male genitourinary organs	10	1	5	4												2	2	6
52	Skin	4	2	2											1				3
53	Other or unspecified organs	15	4	8	3				1						1	2		4	7
54b	Nonmalignant tumors, uterus	3	1	2												1	2		
54d,e	Nonmalignant tumors, other organs	2	1		1										1		1		
55a	Tumors, ovary (nature unspecified)	1		1													1		
55b	Tumors, uterus (nature unspecified)	1		1											1				
55d,e	Tumors, other organs (nature unspecified)	2	2															2	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	54	10	18	26	3	1	1		1	1	2	2		5	5	6	10	17
56	Acute rheumatic fever	3	1		2							1			1			1	
57	Chronic rheumatism, osteoarthritis	2		1	1										1			1	
59	Diabetes mellitus	37	6	15	16						1	1	2		2	4	5	6	16
63	Rickets	3	1		2	2	1												
66b	Exophthalmic goiter	6	1	2	3										1	1	1	2	1
67	Diseases of thymus gland	2			2	1		1											
69	Other general diseases	1	1							1									
	IV.—Diseases of the blood and blood-making organs	14	5	4	5	1	1							1	1	3	1	3	3
70	Hemorrhagic conditions	2	1		1	1	1												
71a	Pernicious anemia	6		3	3										1		1	1	3
71b	Other anemias	1			1											1			
72a	True leukemias	2	1	1										1				1	
72b	Pseudoleukemias (Hodgkin's disease)	1	1													1			
73	Diseases of the spleen	1	1													1			
74	Other diseases of blood and blood-making organs	1	1															1	
	V.—Chronic poisonings and intoxications	6	2	1	3												2	3	1
75	Alcoholism (acute or chronic)	4	2		2												2	1	1
76	Chronic poisoning by other organic substances	1		1														1	
77a	Chronic lead poisoning	1			1													1	
	VI.—Diseases of the nervous system and of the organs of special sense	183	31	54	98	3	2					1	1	2	5	11	24	45	88
78	Encephalitis (nonepidemic)	1			1							1							
79a	Simple meningitis	2	1		1	1								1					
79b	Nonepidemic cerebrospinal meningitis	2	1		1		2												
80	Progressive locomotor ataxia (tabes dorsalis)	1			1												1		
81	Other diseases of spinal cord	4	2		2										1			2	1
82a	Cerebral hemorrhage	129	22	37	70	1									1	2	19	33	72
82b	Cerebral embolism and thrombosis	8	3	3	2												1	3	4
82d	Hemiplegia and other paralysis, cause unspecified	10		5	5												1	2	7
83	General paralysis of insane	13	2	7	4											5	2	4	2
84	Dementia praecox and other psychoses	2		1	1											1		1	
85	Epilepsy	7			7								1	1	2	2			1
87	Other diseases of nervous system	4		1	3	1									1	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING—Continued																		
	VII.—Diseases of the circulatory system	411	76	99	236	1	2				3	9	5	3	16	25	53	76	217
91a	Acute endocarditis	7	2	1	4						1	3		1				2	
91b	Endocarditis, unspecified (under 45 years)	3			3						1		1			1			
92a	Endocarditis, specified as chronic, and other valvular diseases	103	17	25	61		1				1	4	2	2	10	12	9	14	48
92b	Endocarditis, unspecified (45 years and over)	3	2		1													1	2
93a	Acute myocarditis	18	2	4	12											1	1	5	11
93c	Chronic myocarditis and myocardial degeneration	86	13	27	46							1				3	15	15	52
93d	Other diseases of myocardium	57	16	8	33												6	12	38
94a	Angina pectoris	40	6	6	28										2	4	8	10	16
94b	Diseases of coronary arteries	19	6	6	7										2	1	5	4	7
95a	Functional diseases of heart	2	1	1													1	1	
95b	Other and unspecified diseases of heart	49	5	15	29		1					1	2		2	3	5	9	26
96	Aneurysm (except of heart)	5	1	1	3												1	3	1
97	Arteriosclerosis (coronary arteries excepted)	14	5	2	7												1		13
98	Gangrene	2		1	1														2
99	Other diseases of arteries	2		2													1		1
101	Diseases of lymphatic system (lymphangitis, etc.)	1			1	1													
	VIII.—Diseases of the respiratory system	161	38	49	74	29	7	3	2	1	2	1	1	10	9	16	24	16	40
104a	Diseases of nasal fossae	2			2										1	1			
105	Diseases of larynx	1	1					1											
106a	Acute bronchitis	2			2		1									1			
106b	Chronic bronchitis	3	1		2														3
106c,d	Bronchitis, unspecified	1			1	1													
107a	Bronchopneumonia	40	9	16	15	17	3	2			1			3	1	3		4	6
107b	Capillary bronchitis	3	1		2	2											1		
108	Lobar pneumonia	86	19	29	38	3	2		2	1	1	1	1	5	6	11	20	11	22
109	Pneumonia, unspecified	14	1	3	10	5	1							2	1		1		4
110	Pleurisy	3	1		2	1													2
111b	Pulmonary congestion, edema, hemorrhagic infarct	2	2																2
112	Asthma	3	2	1													2		1
114	Other diseases of respiratory system (tuberculosis excepted)	1	1															1	
	IX. Diseases of the digestive system	177	44	56	77	26	2	2			9	8	7	6	20	26	26	9	36
115a	Diseases of pharynx and tonsils	2		1	1								1			1			
115b	Diseases of buccal cavity and annexa	1	1										1						
117a	Ulcer of stomach	7	1	4	2							1			1	1	1	1	2
118	Other diseases of stomach (cancer excepted)	7	2	1	4	1	1	1								2	1		1
119	Diarrhea, enteritis (under 2 years of age)	17	4	4	9	16	1												
120	Diarrhea, enteritis (2 years and over)	10	2	3	5			1				1			1	1	2	1	3
121	Appendicitis	52	12	20	20						8	5	4	5	9	10	10		1
122a	Hernia	8	1	4	3												3	1	4
122b	Intestinal obstruction	20	6	4	10	7									2	2	2	2	5
123	Other diseases of intestines	2	1		1												2		
124	Cirrhosis of liver	17	6	4	7							1			1	1	3	4	7
125a	Yellow atrophy of liver	1			1														1
125b	Other diseases of liver	2	1		1												1		1
126	Biliary calculi	11	2	4	5										4	5	1		1
127	Other diseases of gall-bladder, biliary passages	12	3	6	3										2	2			8
129	Peritonitis, cause not specified	8	2	1	5	2					1		1	1		1			2
	X.—Diseases of the genitourinary system	115	19	23	73							2		1	6	9	16	21	60
130	Acute nephritis (including unspecified under 10 years)	1			1												1		
131	Chronic nephritis	86	17	15	54							2			4	2	12	18	48
132	Nephritis, unspecified (10 years and over)	8			8											1	2	1	4
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	1		1													1		
135	Diseases of bladder (tumors excepted)	2		1	1											1			1
137	Diseases of prostate	8		3	5													2	6
139a	Cysts of ovary	2		1	1											1			1
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	2	2	2									1	2	3			
139c	Diseases of uterus	1			1											1			
	XI. Diseases of pregnancy, childbirth, and the puerperal state	28	6	7	15								6	4	11	6	1		
140	Abortion with septic conditions	4	2		2								3	1					
142b	Ectopic gestation, septic conditions not mentioned	2		1	1										2				
144a	Placenta praevia	2	1	1										1			1		
144b	Other puerperal hemorrhages	2			2										1	1			
145a	Puerperal septicemia and pyemia (abortion excluded)	6		3	3								2		2	2			
146	Puerperal albuminuria and eclampsia	3		1	2								1		1	1			
147	Other toxemias of pregnancy	1			1									1					
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3	1		2										2	1			
149	Other accidents of childbirth	5	2	1	2									1	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	IN CITIES— 10,000 or over	IN CITIES— 2,500 to 10,000	In rural areas	DEATHS BY AGE: Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	WYOMING—Continued																		
	XII.—Diseases of the skin and cellular tissue	2	1		1								1				1		
151	Furuncle, carbuncle	1			1								1						
152	Phlegmon, acute abscess	1	1														1		
	XIII.—Diseases of the bones and organs of locomotion	1			1													1	
156	Diseases of joints, other organs of locomotion	1			1													1	
	XIV.—Congenital malformations	26	6	5	15	23				1		1			1				
157a	Congenital hydrocephalus	1	1							1									
157b	Spina bifida and meningocele	1			1	1													
157c	Congenital malformations of heart	19	4	4	11	17						1			1				
157d	Other congenital malformations	5	1	1	3	5													
	XV.—Diseases of early infancy	136	22	31	83	136													
158	Congenital debility	8		1	7	8													
159	Premature birth	102	16	23	63	102													
160	Injury at birth	19	6	5	8	19													
161	Other diseases peculiar to early infancy	7		2	5	7													
162	XVI.—Senility	17	3	2	12													1	16
	XVII.—Violent and accidental deaths	305	63	67	175	1	9	5	2	3	9	15	20	21	65	43	44	33	32
	Suicide	55	13	13	29								3	2	11	11	11	8	8
163	By solid or liquid poisons or by absorption of corrosive substances	10	2	3	5								1	2		2	1	2	2
164	By poisonous gas	1		1											1				
165	By hanging or strangulation	5		3	2								1		1	1	1	1	
166	By drowning	1			1												1		
167	By firearms	34	10	6	18								1		9	7	7	4	5
168	By cutting or piercing instruments	2			2											1			1
171	By other means	2	1		1												1	1	
	Homicide	22	9	7	6								1	2	11	3	4	1	
173	By firearms	16	8	5	3								1	1	8	2	3	1	
174	By cutting or piercing instruments	3		1	2										2		1		
175	By other means	3	1	1	1									1	1	1			
	Accidental, other, or undefined	228	41	47	140	1	9	5	2	3	9	15	16	17	43	29	29	24	24
177	Poisoning by food	3			3		1	1							1				
178	Absorption of poisonous gas	1	1														1		
179	Other acute accidental poisonings (gas excepted)	5			5			1	1						1	1		1	
180	Conflagration	6	1		5		1			1	1			1				1	1
181	Burns (conflagration excepted)	15	5	1	9		1		1			1	2	2	2	2	4		
	Supplemental	2		1	1												1		1
182	Mechanical suffocation	2			2	1							1						
183	Drowning	19	1	2	16		3	2			1	4			1	3	2	1	1
	Supplemental	5			5							2			2	1			
	Traumatism:																		
184	By firearms (wounds of war excepted)	17	3	5	9							3	1	1	3	5	1	2	1
185	By cutting or piercing instruments (wounds of war excepted)	1	1														1		
	Supplemental	1			1													1	
186a	By fall	20	4	4	12		1					1				1	1	2	13
	Supplemental	14	2	5	7								1	4	4	1	2	1	1
186b	By crushing, landslide	2			2								1		1				
	Supplemental	19	3	5	11							2	1	4	3	1	3	4	1
188	Injuries by animals	2		2											1			1	
190	Excessive cold	9	1		8							1		1	2	1	2	1	1
192	Lightning	2			2										2				
193	Due to electric currents	1			1										1				
194a	Foreign bodies	2		2			1												1
194b	Other accidents	5	4	1											1	3	1		
	Supplemental	75	15	19	41		1	1		2	4	3	9	5	18	10	10	9	3
	XVIII.—Ill-defined causes of death	26		1	25	6	2	1	1		1			2		3	3	1	6
199	Sudden death	4			4	1										1			2
200a	Cause of death ill-defined	6		1	5									1			2		3
200b	Cause of death not specified or unknown	16			16	5	2	1	1		1			1		2	1	1	1
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries	7		3	4								1	2	1	1	1	1	
202	Accidents from agricultural machinery	2	1		1											1		1	
203	Elevator accidents	1	1														1		
205	Other machinery accidents	1			1										1				
207	Other railroad accidents	6	4	1	1								1		3		2		
210	Automobile accidents (primary)	78	10	22	46		1	1		2	6	2	6	8	15	9	12	11	5
212	Other land transportation accidents	12	2	2	8							2	2	2	1	2		2	1
213	Water transportation accidents	4			4							2			2				
214	Air transportation accidents	5	2	2	1									1	4				

[1] See explanatory footnote 2, p. 169.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List. Cities of 100,000 population or more on Apr. 1, 1930, are included. Only those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,553	143	26	11	5	5	38	27	36	62	59	58	141	213	259	241	229	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)																		
Scarlet fever (8)	2		1			1												
Whooping cough (9)	5	3	1				1											
Diphtheria (10)	8		1	1		1	4	1										
Influenza (11)	56	4	1			2	4		2	4	3	3	7	5	8	3	10	
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	45		1						1	4	5	4	9	9	7	4	1	
Other forms of tuberculosis (24–32)	6							1		1			2	2				
Syphilis (34)	16	2						1		1	1	2	3	2	2	2		
Cancer and other malignant tumors (45–53)	134						1	1			3	3	12	30	40	22	22	
Diabetes mellitus (59)	28						2			2	1		1	6	3	12	1	
Cerebral hemorrhage and softening (82a, 82c)	80												6	12	14	27	21	
Diseases of the heart (90–95)	210						1	2	2	2	4	1	6	25	49	62	56	
Bronchitis (106)	5												1	1			3	
Bronchopneumonia (107)	46	9	3		1						3		1	2	6	5	16	
Lobar and unspecified pneumonia (108, 109)	62	4	2	2			1	3	2		7	3	6	7	8	7	10	
Diarrhea and enteritis (119, 120)	17	7	4	2				1		2							1	
Appendicitis (121)	32				1		1	3	1	5		3	8	4	3	2	1	
Hernia, intestinal obstruction (122)	29	1	1	1			1		1	2	1	3	2	5	4	4	3	
Cirrhosis of the liver (124)	7											1		2	3		1	
Nephritis (130–132)	136							2		1	3	3	8	17	32	37	33	
Diseases of the female genital organs (139)	9							1	1	1	2	2	1	1				
Puerperal septicemia (140, 142a, 145)	7								1	1	2	2	1					
Other puerperal causes	15								3	4	3	2	3					
Suicide (163–171)	45								1	1	2	5	12	8	13	3		
Homicide (172–175)	21		1						3	3		2	7	3	2			
Automobile accidents [1]	53						4	2	5	6	4	4	7	13	4	3	1	
Automobile—railroad train and street car collisions	1									1								
Other external causes	93		6	2	1		4	3	7	7	5	5	9	12	8	10	14	
All other causes	383	112	4	3	2	1	14	6	6	14	9	10	29	47	53	38	35	
BIRMINGHAM, ALA. (COLORED), all causes	1,658	179	31	17	6	7	24	21	61	132	126	139	258	266	206	102	83	
Typhoid and paratyphoid fever (1, 2)	6							1	2	1	2							
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	15	4	8	3														
Diphtheria (10)	3	1					1	1										
Influenza (11)	46	6	5	3				1	6	1	4	4	3	3	5	2	3	
Epidemic cerebrospinal meningitis (18)	4				1			1				1	1					
Tuberculosis of the respiratory system (23)	141				1	1	3	2	16	34	23	21	20	8	10	2		
Other forms of tuberculosis (24–32)	20		3	2	1		1		1	2	2		6	1	1			
Syphilis (34)	43	10							1	4	5	2	9	6	5	1		
Cancer and other malignant tumors (45–53)	52						1		1		2	6	14	15	10	3		
Diabetes mellitus (59)	11												3	2	4	1	1	
Cerebral hemorrhage and softening (82a, 82c)	101								1	1		1	14	31	29	14	10	
Diseases of the heart (90–95)	160	1		1	1		2	3	3	4	8	10	26	40	27	21	13	
Bronchitis (106)	2	1										1						
Bronchopneumonia (107)	26	9	2	1		2	1	1		1		2	2	3	1	1		
Lobar and unspecified pneumonia (108, 109)	107	9	3	3			1	2	6	15	11	13	19	13	6	4	2	
Diarrhea and enteritis (119, 120)	15	6	5		1					1						1	1	
Appendicitis (121)	23					1	3	2	2	1	1	4	3	5	1			
Hernia, intestinal obstruction (122)	20	2						1		1	1	2	6	6	1			
Cirrhosis of the liver (124)	7											1	2	1	1	2		
Nephritis (130–132)	150	1		1		1	1	1	1	2	9	6	15	43	41	16	12	
Diseases of the female genital organs (139)	7								1	2	2	1	1					
Puerperal septicemia (140, 142a, 145)	14								2	4	4	1	3					
Other puerperal causes	17								2	2	5	5	3					
Suicide (163–171)	5									1		2	1		1			
Homicide (172–175)	88							1	3	20	16	18	20	8	2			
Automobile accidents [1]	22					1	1	1	2	3	1	5	1	2	2	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	43	2	1		1	1	1	1	2	6	5	2	10	3	4	3	1	
All other causes	510	127	4	3			8	2	9	26	25	32	77	75	55	30	37	
LONG BEACH, CALIF., all causes	1,534	72	3	3	5	2	7	13	22	25	26	35	107	175	200	372	466	1
Typhoid and paratyphoid fever (1, 2)	1													1				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)																		
Diphtheria (10)	2						2											
Influenza (11)	29				1			1			1	2	4	6	3	2	9	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	32							1	2	3	1	3	9	5	1	5	2	
Other forms of tuberculosis (24–32)	6							1	1					1	1	2		
Syphilis (34)	8	2										1	1	2	1	1		
Cancer and other malignant tumors (45–53)	208			1			2					4	8	35	44	60	54	
Diabetes mellitus (59)	36										1	1		1	2	6	12	13
Cerebral hemorrhage and softening (82a, 82c)	126	1										1	3	12	16	40	53	
Diseases of the heart (90–95)	447							1	2	1	2	3	28	40	61	134	174	1
Bronchitis (106)	4										1						3	
Bronchopneumonia (107)	27	6				1							2		2	1	4	11
Lobar and unspecified pneumonia (108, 109)	38	4		1					1	2	1	1	1	4	2	10	11	
Diarrhea and enteritis (119, 120)	7	6														1		
Appendicitis (121)	15				1				4			2	3		2	2	1	
Hernia, intestinal obstruction (122)	23							2		1			3	3	4	3	7	
Cirrhosis of the liver (124)	9													1	2	1	5	
Nephritis (130–132)	128						1	1		1	1		5	15	16	42	46	
Diseases of the female genital organs (139)	6										1	1	1	2		1		
Puerperal septicemia (140, 142a, 145)	3								1	1	1							
Other puerperal causes	6									1	1	1	3					
Suicide (163–171)	39								1	1	3	5	8	8	3	10		
Homicide (172–175)	13									3	1	2	2	4	1			
Automobile accidents [1]	55				1			1	4	6	3	2	4	11	6	10	7	
Automobile—railroad train and street car collisions	1								1									
Other external causes	68		2		1		1	1	3	2	5	1	12	9	4	6	21	
All other causes	197	53	1	1	1	1	1	4	2	2	3	4	11	12	26	26	49	

[1] Excludes collision with railroad trains and street cars

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF. (WHITE), all causes	12,814	664	84	50	39	28	159	124	170	282	378	374	1,099	1,681	2,309	2,779	2,593	1
Typhoid and paratyphoid fever (1, 2)	10		1					2	1	1	2	1			2			
Measles (7)	1							1										
Scarlet fever (8)	17		1	1	1	1	4	3			2	1	1	1			1	
Whooping cough (9)	23	15		3	1	1	3											
Diphtheria (10)	71	2	12	2	6	7	26	5	1		1	3	3		3			
Influenza (11)	131	5	5	3			7	2	2	8	3	3	13	13	17	21	29	
Epidemic cerebrospinal meningitis (18)	27	2	5		1	1	3	3	3	2	1		3	3				
Tuberculosis of the respiratory system (23)	705	10	4	1			5	5	34	64	80	75	149	130	75	50	23	
Other forms of tuberculosis (24–32)	73	9	8	4	1	1	6	6	1	1	5	4	9	7	5	3	3	
Syphilis (34)	132	5	1				1	1		1	5	4	23	33	37	19	2	
Cancer and other malignant tumors (45–53)	1,630		1	1	1		4	3	5	9	11	30	144	293	414	458	256	
Diabetes mellitus (59)	277		1	1			2	2	2	3	1	3	12	30	72	102	46	
Cerebral hemorrhage and softening (82a, 82c)	756							1		1	4	1	18	73	157	251	250	
Diseases of the heart (90–95)	3,229	2		1	1		7	6	13	15	31	40	151	373	675	947	967	
Bronchitis (106)	38	1		1					1		1		2	2	5	5	20	
Bronchopneumonia (107)	330	70	12	3	2	2	6	5	3	5	6	9	29	36	28	37	77	
Lobar and unspecified pneumonia (108, 109)	315	11	2	6		1	5	6	8	9	14	14	47	39	51	43	59	
Diarrhea and enteritis (119, 120)	62	33	2	2	1	1		2		1	1	2	2	4	6	1	4	
Appendicitis (121)	162		1	3	2	1	9	11	6	16	15	8	26	26	21	14	3	
Hernia, intestinal obstruction (122)	158	10		1		1	4		1	5	11	5	22	21	25	32	20	
Cirrhosis of the liver (124)	117	1									2	3	9	28	31	28	15	
Nephritis (130–132)	917							4	9	10	9	10	36	105	186	266	282	
Diseases of the female genital organs (139)	50									2	8	5	15	12	6	2		
Puerperal septicemia (140, 142a, 145)	38								3	6	9	14	6					
Other puerperal causes	43								5	8	9	8	13					
Suicide (163–171)	374							1	3	17	27	25	82	89	90	35	5	
Homicide (172–175)	72	2					1		2	8	12	13	15	11	1	4	3	
Automobile accidents [1]	417	3	2		2		10	11	20	34	38	16	48	62	72	58	41	
Automobile—railroad train and street car collisions	26			1			2			1	6	4	6	3	2	1		
Other external causes	424	6	8	1	3	1	10	10	13	25	14	22	43	43	58	67	99	1
All other causes	2,189	477	18	15	17	10	44	34	34	30	50	51	172	244	270	335	388	
LOS ANGELES, CALIF. (COLORED), all causes	1,898	280	52	33	20	16	51	29	68	119	106	134	263	279	206	155	87	
Typhoid and paratyphoid fever (1, 2)	2													1	1			
Measles (7)	1	1																
Scarlet fever (8)	3		1						2									
Whooping cough (9)	21	12	7	2														
Diphtheria (10)	24	4	4	4	3	1	4	1		2		1						
Influenza (11)	24	5	3	1			1		1		1	1	3	7			1	
Epidemic cerebrospinal meningitis (18)	2														1	1		
Tuberculosis of the respiratory system (23)	325	8	2	4	7	3	7	7	35	56	40	38	51	36	13	13	5	
Other forms of tuberculosis (24–32)	52	5	9	4	3	2	6	4	3	1		3	5	1	4	2		
Syphilis (34)	63	1		1						2	3	8	20	14	11	2	1	
Cancer and other malignant tumors (45–53)	145				1	2				2	3	5	28	40	30	31	3	
Diabetes mellitus (59)	22									1		1	2	6	7	4	1	
Cerebral hemorrhage and softening (82a, 82c)	55									1			5	16	12	14	7	
Diseases of the heart (90–95)	188						2	2	3	7	3	11	15	42	42	42	19	
Bronchitis (106)	8	4											1	1	1		1	
Bronchopneumonia (107)	129	55	13	4	1	1	3	3	1	2	4	5	10	11	8	2	6	
Lobar and unspecified pneumonia (108, 109)	67	10	4	2		2	1		4	4	1	3	12	8	4	3	9	
Diarrhea and enteritis (119, 120)	48	40	3	2			1					1			1			
Appendicitis (121)	18						3	2	1	1	3	2	4		2			
Hernia, intestinal obstruction (122)	21		1	1			2			1	1	1	5	3	2	2	2	
Cirrhosis of the liver (124)	13	1				1						1	2	4	4			
Nephritis (130–132)	97									3	5	2	16	23	19	13	16	
Diseases of the female genital organs (139)	9									1		2	2	3		1		
Puerperal septicemia (140, 142a, 145)	14								3	5	2	3	1					
Other puerperal causes	19									4	4	4	7					
Suicide (163–171)	29							1	1	5	4	6	5	6	1			
Homicide (172–175)	48	1				1		3	2	7	6	8	12	7	1			
Automobile accidents [1]	69	1		2	1	1	1		4	5	12	5	13	16	5	1	2	
Automobile—railroad train and street car collisions	1												1					
Other external causes	38		2	3	2	1	6	1	3	1	3	3	4	2	2	3	2	
All other causes	343	132	3	3	2	1	14	5	5	8	11	20	39	32	35	21	12	
OAKLAND, CALIF., all causes	3,130	159	17	18	13	11	28	30	21	60	67	82	225	403	553	731	712	
Typhoid and paratyphoid fever (1, 2)	4						1			1	1			1				
Measles (7)	4	2	1				1											
Scarlet fever (8)	1						1											
Whooping cough (9)	6	3					1									2		
Diphtheria (10)	7			1	2	2	2											
Influenza (11)	63	2	1	2			1	1	1	2	3	5	10	8	6	9	12	
Epidemic cerebrospinal meningitis (18)	3	1							1		1							
Tuberculosis of the respiratory system (23)	109	1		1			2	2	1	15	7	8	21	17	11	21	2	
Other forms of tuberculosis (24–32)	15		1			1	4		1		2		1	3	2			
Syphilis (34)	20											1	4	6	7		2	
Cancer and other malignant tumors (45–53)	346					1			1	1		8	30	69	79	95	62	
Diabetes mellitus (59)	75									2			1	5	26	21	20	
Cerebral hemorrhage and softening (82a, 82c)	240								1		3		10	21	40	82	83	
Diseases of the heart (90–95)	876	1	1				1	5	1	5	3	8	38	99	170	267	277	
Bronchitis (106)	11													2	1	4	4	
Bronchopneumonia (107)	102	14	3	3	1			1		1	2	5	8	12	13	15	24	
Lobar and unspecified pneumonia (108, 109)	83	5	3	1	2				1	1	1	4	7	14	14	16	14	
Diarrhea and enteritis (119, 120)	12	7										1	2		1		1	
Appendicitis (121)	43	1	1	2		1	2	1		4	3	3	6	7	6	5	1	
Hernia, intestinal obstruction (122)	40	2						2	1				3	8	8	6	10	
Cirrhosis of the liver (124)	42												4	12	13	9	4	
Nephritis (130–132)	209									1	4	3	14	29	42	52	64	
Diseases of the female genital organs (139)	7									1		2	2	2				
Puerperal septicemia (140, 142a, 145)	7									1	2	3	1					
Other puerperal causes	12								1	1	1	7	2					
Suicide (163–171)	71									2	7	5	13	19	20	4	1	
Homicide (172–175)	18	1							1	2	1	4	5	3		1		
Automobile accidents [1]	64		1		3	1	3	5	2	2	5	2	7	7	11	9	6	
Automobile—railroad train and street car collisions	3												1			2		
Other external causes	121	2	2	3	1	1	1	6	5	8	6	5	12	17	12	15	25	
All other causes	516	117	3	5	4	4	8	7	3	10	15	8	23	42	71	96	100	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SAN DIEGO, CALIF., all causes	2,252	122	12	3	7	2	19	14	35	43	69	74	190	245	387	442	588	
Typhoid and paratyphoid fever (1, 2)	1						1											
Measles (7)																		
Scarlet fever (8)	2					1										1		
Whooping cough (9)	9	5	3				1											
Diphtheria (10)	5	2	1	1				1										
Influenza (11)	23	4		1				1		1			3		6	1	6	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	135	1	1					1	7	9	17	18	19	24	19	11	8	
Other forms of tuberculosis (24–32)	19				1		1			1	3	2	2	4	3		2	
Syphilis (34)	20	2									2	3	4	4	3	2		
Cancer and other malignant tumors (45–53)	267		1		1			1	1	1	3	4	27	40	69	54	65	
Diabetes mellitus (59)	41						1		2			1	2	3	10	15	7	
Cerebral hemorrhage and softening (82a, 82c)	153	1							1			1		14	33	35	68	
Diseases of the heart (90–95)	493						1	1	4	1	1	6	31	50	100	140	158	
Bronchitis (106)	7													1	1	2	3	
Bronchopneumonia (107)	67	14	1				4						3	6	5	9	25	
Lobar and unspecified pneumonia (108, 109)	66	9	1					1			4	4	8	5	10	11	13	
Diarrhea and enteritis (119,120)	11	6					1			1			2		1			
Appendicitis (121)	41						2	2	2	3	3	2	6	4	10	4	3	
Hernia, intestinal obstruction (122)	20		1								2	1	2	3	1	4	6	
Cirrhosis of the liver (124)	33										1		5	9	7	6	5	
Nephritis (130–132)	226							1		1	5		10	22	36	53	98	
Diseases of the female genital organs (139)	3									1						2		
Puerperal septicemia (140, 142a, 145)	3										1	1	1					
Other puerperal causes	9								1	1		5	2					
Suicide (163–171)	63								1	1	2	6	13	15	16	7	2	
Homicide (172–175)	11						1			1	3	2	2	1			1	
Automobile accidents [1]	68		1	1	1		2	1	7	9	6	7	4	8	6	5	10	
Automobile—railroad train and street car collisions	2									1	1							
Other external causes	86		1		1		1	1	3	5	10	2	12	8	8	11	23	
All other causes	368	78	2		3		3	3	6	6	5	9	32	24	43	69	85	
SAN FRANCISCO, CALIF. (WHITE), all causes	7,763	254	24	15	14	8	56	45	80	142	171	233	796	1,361	1,627	1,661	1,275	1
Typhoid and paratyphoid fever (1, 2)	10						1	1		1			1	5	1			
Measles (7)	1						1											
Scarlet fever (8)	4				1		2			1								
Whooping cough (9)	5	2	1			1	1											
Diphtheria (10)	9			1	1	1	3	1					1		1			
Influenza (11)	78	3					2	1	3	1	2	3	20	9	7	9	18	
Epidemic cerebrospinal meningitis (18)	15	2	2				2	1	1	1	1		2		2	1		
Tuberculosis of the respiratory system (23)	361	1	1		1		3		14	26	29	33	72	90	49	31	11	
Other forms of tuberculosis (24–32)	61	4	2	2	1	1	5	3	1	6	3	5	6	10	6	4	2	
Syphilis (34)	93	5									2	2	10	20	32	16	6	
Cancer and other malignant tumors (45–53)	1,091		1		1		2	1	2	8	10	13	125	247	306	259	116	
Diabetes mellitus (59)	170									1	1		9	21	40	61	37	
Cerebral hemorrhage and softening (82a, 82c)	456	1	1						1		2	4	21	65	106	138	117	
Diseases of the heart (90–95)	2,037						2	5	12	12	16	21	107	313	492	567	490	
Bronchitis (106)	19										2	3	2	3	1	4	4	
Bronchopneumonia (107)	249	29	3	1	1	1		4	2	5	2	8	21	23	36	46	67	
Lobar and unspecified pneumonia (108, 109)	217	4	3	3			1	2	1	2	3	15	44	49	39	32	19	
Diarrhea and enteritis (119, 120)	19	12	1									1	1	2	1		1	
Appendicitis (121)	85		1		3	1	2	2	4	3	3	8	20	13	12	12	1	
Hernia, intestinal obstruction (122)	99				1		1			2	3	5	12	18	17	31	9	
Cirrhosis of the liver (124)	147								2	1	2	7	19	42	43	24	7	
Nephritis (130–132)	559	1		1	1		3		1	3	5	11	46	94	134	137	122	
Diseases of the female genital organs (139)	19								1	1	2	2	5	5	2	1		
Puerperal septicemia (140, 142a, 145)	13								1	4	3	1	4					
Other puerperal causes	20								1	4	4	5	6					
Suicide (163–171)	262								1	12	22	22	51	79	37	28	10	
Homicide (172–175)	40							1	1	3	10	6	9	5	1	4		
Automobile accidents [1]	128				1	2	7	1	6	12	8	5	17	17	22	18	12	
Automobile—railroad train and street car collisions	2												1	1				
Other external causes	304	5	1	2		1	5	4	10	10	10	20	42	56	51	35	52	
All other causes	1,190	185	7	5	2		13	18	15	23	26	33	122	174	189	203	174	1
SAN FRANCISCO, CALIF. (COLORED), all causes	461	39	9	6	2	6	13	10	12	16	26	25	65	89	77	40	26	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)																		
Diphtheria (10)																		
Influenza (11)	4													2	2			
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	93	3	2			2	3	3	8	10	10	10	19	13	5	5		
Other forms of tuberculosis (24–32)	18		2	5		1	2	2	3	1	1				1			
Syphilis (34)	13	1											2	5	5			
Cancer and other malignant tumors (45–53)	38										1	4	7	11	12	2	1	
Diabetes mellitus (59)	4												1	1		2		
Cerebral hemorrhage and softening (82a, 82c)	23							1				1	3	3	7	5	3	
Diseases of the heart (90–95)	79						1	2		1	1	1	9	19	25	14	6	
Bronchitis (106)	3	2													1			
Bronchopneumonia (107)	23	7	4	1			1						3	3	2	2		
Lobar and unspecified pneumonia (108, 109)	15				1		2				1	1	2	6		1	1	
Diarrhea and enteritis (119, 120)	3	2											1					
Appendicitis (121)	2												1				1	
Hernia, intestinal obstruction (122)	5												2	1		2		
Cirrhosis of the liver (124)	5												1	1	2		1	
Nephritis (130–132)	29										3	3	3	8	5	2	5	
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)	1										1							
Other puerperal causes																		
Suicide (163–171)	5										1			1	2		1	
Homicide (172–175)	7									3				3	1			
Automobile accidents [1]	4						2								2			
Automobile—railroad train and street car collisions	1												1					
Other external causes	14	1			1	1		1			1	1	3	2	1	2		
All other causes	71	23				2	2	1	1	1	6	4	7	10	4	3	7	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	4,326	336	44	26	21	18	68	46	92	123	142	151	381	509	695	883	779	12
Typhoid and paratyphoid fever (1, 2)	2							2										
Measles (7)	6	1	2	2				1										
Scarlet fever (8)	13		2	2		1	3			2	3							
Whooping cough (9)	4	2	1		1													
Diphtheria (10)	19	3		2	5	1	5	1				1			1			
Influenza (11)	181	12	5	7	3	2		4	6	8	10	4	14	19	24	26	37	
Epidemic cerebrospinal meningitis (18)	4			1					2						1			
Tuberculosis of the respiratory system (23)	314	2	1		1		2	2	9	20	37	45	86	48	35	20	6	
Other forms of tuberculosis (24–32)	25	3	3					3		2	3	1	4	4		1	1	
Syphilis (34)	43	5					1		1		1	5	4	6	11	6	3	
Cancer and other malignant tumors (45–53)	438		1				1		2	5	2	3	32	79	107	141	64	1
Diabetes mellitus (59)	56		1				1				1	1	1	9	18	17	7	
Cerebral hemorrhage and softening (82a, 82c)	236											1	3	25	41	92	74	
Diseases of the heart (90–95)	797		1			1	3	7	6	10	11	11	35	83	163	239	224	3
Bronchitis (106)	9	2	1				1						1			1	3	
Bronchopneumonia (107)	134	33	5	2		1	3	2	1	1	1	1	3	3	20	20	38	
Lobar and unspecified pneumonia (108, 109)	262	19	2	1	3	2	8	2	8	5	5	10	35	27	37	53	45	
Diarrhea and enteritis (119, 120)	53	43	3			1						1		2		2	1	
Appendicitis (121)	103	1	2	1	2	2	4	4	9	6	9	3	11	24	17	6	2	
Hernia, intestinal obstruction (122)	75	4	1		1		1		2	5	3	2	11	9	17	10	9	
Cirrhosis of the liver (124)	23								1				1	6	6	9		
Nephritis (130–132)	312							3	5	8	2	3	12	35	54	88	99	3
Diseases of the female genital organs (139)	13								2	1	3	2		2	1	2		
Puerperal septicemia (140, 142a, 145)	21								3	1	7	4	6					
Other puerperal causes	28								1	5	7	4	10	1				
Suicide (163–171)	107							1	3	6	9	9	18	21	27	12	1	
Homicide (172–175)	29						1		2	4	3	4	7	2	6			
Automobile accidents [1]	86				2	1	4	1	6	7	9	7	7	12	12	9	7	2
Automobile—railroad train and street car collisions	4										1		2		1			
Other external causes	161	5	1	3	1	1	6	5	8	5	5	5	15	15	14	26	46	
All other causes	768	201	12	5	2	5	24	8	15	22	10	24	63	77	82	103	112	3
BRIDGEPORT, CONN., all causes	1,530	122	15	7	3	11	19	17	21	26	26	38	144	209	301	321	250	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	3	2		1														
Scarlet fever (8)	2						1	1										
Whooping cough (9)	7	5	2															
Diphtheria (10)	1				1													
Influenza (11)	23	4		1		1		1	1	1			2	1	2	5	4	
Epidemic cerebrospinal meningitis (18)	2	1						1										
Tuberculosis of the respiratory system (23)	59				1				1	7	5	4	16	11	9	3	2	
Other forms of tuberculosis (24–32)	6	2						1	1		1				1			
Syphilis (34)	24	1					1		1		1	2	6	5	7			
Cancer and other malignant tumors (45–53)	197						1			1			21	36	62	52	24	
Diabetes mellitus (59)	36						1						2	2	11	15	5	
Cerebral hemorrhage and softening (82a, 82c)	98	1								1			4	10	23	30	29	
Diseases of the heart (90–95)	408					1	1		3	4	3	5	19	55	81	121	115	
Bronchitis (106)	3							1							1	1		
Bronchopneumonia (107)	52	15	1		1	1	1					3	4	5	6	9	6	
Lobar and unspecified pneumonia (108, 109)	72	2	3	2		2	2	2		2	1	3	10	12	18	7	6	
Diarrhea and enteritis (119, 120)	5	1	3											1				
Appendicitis (121)	17						1	1	2	1			3	2	5	2		
Hernia, intestinal obstruction (122)	16	1								1			3	4	3	4		
Cirrhosis of the liver (124)	10											1		2	2	3	2	
Nephritis (130–132)	93						1		1	1	2		9	16	11	27	25	
Diseases of the female genital organs (139)	3													2	1			
Puerperal septicemia (140, 142a, 145)	3											3						
Other puerperal causes	1									1								
Suicide (163–171)	42								2	2	2	3	11	7	11	1	3	
Homicide (172–175)	4							1			1		2					
Automobile accidents [1]	27		2				2	4	1		1		2	4	6	3	2	
Automobile—railroad train and street car collisions																		
Other external causes	66	1	2	1		2	2	1	4		3	3	8	13	6	9	11	
All other causes	250	86	2	2		4	5	3	4	4	6	11	22	21	35	29	16	
HARTFORD, CONN., all causes	2,034	201	22	9	9	6	38	27	37	42	44	55	160	271	397	420	296	
Typhoid and paratyphoid fever (1, 2)	2								1				1					
Measles (7)	2	1	1															
Scarlet fever (8)	5				1		2	1					1					
Whooping cough (9)	11	8	2		1													
Diphtheria (10)	2					1					1							
Influenza (11)	10	3	1					1					2		2		1	
Epidemic cerebrospinal meningitis (18)	6	1	1	1					1		1		1					
Tuberculosis of the respiratory system (23)	47						1		3	7	4	1	9	9	7	5	1	
Other forms of tuberculosis (24–32)	15	2		1	1		1				2	2	1	4	1			
Syphilis (34)	30	1								1	1	2	5	5	8	6	1	
Cancer and other malignant tumors (45–53)	265			1					1		2	3	13	53	83	71	38	
Diabetes mellitus (59)	60						1			1			2	6	19	23	8	
Cerebral hemorrhage and softening (82a, 82c)	110		1							1		1	5	24	26	23	29	
Diseases of the heart (90–95)	475						2	7	5	3	3	6	30	59	105	145	110	
Bronchitis (106)	4	2													1		1	
Bronchopneumonia (107)	63	19	2				1			1		2	8	5	10	3	12	
Lobar and unspecified pneumonia (108, 109)	65	5	3	1			2	1	1	2	2	4	11	10	10	10	3	
Diarrhea and enteritis (119, 120)	22	14	1		1				2	1			1	1	1			
Appendicitis (121)	35			1	1		5	2	4	2		1	2	3	5	9		
Hernia, intestinal obstruction (122)	27	1							1	1		1	1	7	8	7		
Cirrhosis of the liver (124)	10										1		1	1	4	3		
Nephritis (130–132)	145							1	1	2	2	4	10	19	26	45	35	
Diseases of the female genital organs (139)	6										1		3	2				
Puerperal septicemia (140, 142a, 145)	9									2	2	4	1					
Other puerperal causes	11									2	4	1	4					
Suicide (163–171)	29									2	1	5	5	7	3	5	1	
Homicide (172–175)	5								1	1	1	1	1					
Automobile accidents [1]	50					1	3	1	6	3	2	2	4	5	12	8	3	
Automobile—railroad train and street car collisions	1									1								
Other external causes	71		1	1			6	5	3	2	3	2	3	6	7	10	22	
All other causes	441	144	9	3	4	4	14	8	7	7	11	13	35	45	59	47	31	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,039	134	24	8	3	5	24	21	31	32	58	39	180	287	410	445	337	1
Typhoid and paratyphoid fever (1, 2)	2												2					
Measles (7)																		
Scarlet fever (8)	9			1	1		3	1			1		1	1				
Whooping cough (9)	2		1					1										
Diphtheria (10)	2						2											
Influenza (11)	19	3	2				2		1		1		1	1	2	1	5	
Epidemic cerebrospinal meningitis (18)	2								1	1								
Tuberculosis of the respiratory system (23)	49		2					1	1	3	1	1	11	16	7	5	1	
Other forms of tuberculosis (24–32)	6		1				1						1		1	2		
Syphilis (34)	23	2									1	1	7	3	8	1		
Cancer and other malignant tumors (45–53)	297								1	1	6	3	22	53	87	74	50	
Diabetes mellitus (59)	75									1			2	13	24	22	13	
Cerebral hemorrhage and softening (82a, 82c)	144											2	5	8	34	52	43	
Diseases of the heart (90–95)	452						2	1	3	5	6	7	34	52	96	132	114	
Bronchitis (106)	6	2														1	3	
Bronchopneumonia (107)	43	9	5	1		1							2	2	8	8	7	
Lobar and unspecified pneumonia (108, 109)	104	5	1	2				2	4	4	2	3	11	18	21	17	14	
Diarrhea and enteritis (119, 120)	14	5	1						2			2	1	1	1	1		
Appendicitis (121)	31							2	2		4	1	6	9	4	2	1	
Hernia, intestinal obstruction (122)	18												2	1	4	9	1	1
Cirrhosis of the liver (124)	19											1	1	5	5	7		
Nephritis (130–132)	119	1					1			2	1		8	17	25	40	24	
Diseases of the female genital organs (139)	9										3		2	3		1		
Puerperal septicemia (140, 142a, 145)	5										3	1	1					
Other puerperal causes	9								1		3	1	4					
Suicide (163–171)	27								1	2	3	3	5	7	5	1		
Homicide (172–175)	7								1				2	2	2			
Automobile accidents [1]	53					1	3		3	5	6	4	6	6	12	6	1	
Automobile—railroad train and street car collisions	1						1											
Other external causes	79	1	2	1			1	4	2	3	4	2	13	10	9	14	13	
All other causes	413	106	9	3	2	3	8	9	8	5	13	7	30	59	55	49	47	
WILMINGTON, DEL., all causes	1,490	136	17	4	7	6	18	15	20	32	35	46	124	192	265	311	262	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)																		
Scarlet fever (8)	3					2	1											
Whooping cough (9)	6	1	4		1													
Diphtheria (10)	3		1			1	1											
Influenza (11)	24	1	2		1				2	2		1	3	1	2	4	5	
Epidemic cerebrospinal meningitis (18)	2						1						1					
Tuberculosis of the respiratory system (23)	49	1								5	2	1	11	14	8	5	2	
Other forms of tuberculosis (24–32)	13	2		1	1	1				1	1	2		1	2		1	
Syphilis (34)	11	3							1		1		1	2	1	1	1	
Cancer and other malignant tumors (45–53)	134				1						2	2	10	17	44	41	17	
Diabetes mellitus (59)	27										1	1	1	4	11	4	5	
Cerebral hemorrhage and softening (82a, 82c)	117								1				8	12	25	39	32	
Diseases of the heart (90–95)	323	2					2	4	4	1	6	7	19	42	60	93	83	
Bronchitis (106)	4	2															2	
Bronchopneumonia (107)	55	18	1	1						2	1		2	9	7	9	5	
Lobar and unspecified pneumonia (108, 109)	70	7	2	1	1		2		2	1	2	4	9	3	15	12	9	
Diarrhea and enteritis (119, 120)	20	8	4		1			2					2	1			2	
Appendicitis (121)	20						2	2	1	1		2	2	3	6		1	
Hernia, intestinal obstruction (122)	19									1			2	2	7	4	3	
Cirrhosis of the liver (124)	11												1	5	2		3	
Nephritis (130–132)	167								1		1	2	3	21	36	55	48	
Diseases of the female genital organs (139)	5								1	2	2							
Puerperal septicemia (140, 142a, 145)	11								1	1	1	5	3					
Other puerperal causes	8									1	2	2	2	1				
Suicide (163–171)	30									1	1	3	6	6	8	3	2	
Homicide (172–175)	11								1	1	3		4	1	1			
Automobile accidents [1]	36					1	2	2	2		2	3	8	5	6	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	56	1	1		1		4		3	5	3	3	7	8	5	5	10	
All other causes	254	90	2	1		1	3	5		7	4	8	18	34	19	32	30	
WASHINGTON, D. C. (WHITE), all causes	5,001	380	34	22	21	20	68	57	73	96	142	151	458	566	887	985	1,041	
Typhoid and paratyphoid fever (1, 2)	6			1							1	1	1	1		1		
Measles (7)	1				1													
Scarlet fever (8)	12		1	1		1	5	1	1		1	1						
Whooping cough (9)	10	5	4	1														
Diphtheria (10)	11	1	1	3		1	3	1					1					
Influenza (11)	48	6		1				1		1	1	3	1	7	7	6	14	
Epidemic cerebrospinal meningitis (18)	12	3		3	1	1		2		1		1						
Tuberculosis of the respiratory system (23)	201	2	1						6	11	17	17	44	54	28	17	4	
Other forms of tuberculosis (24–32)	18						1	1	3	1	1		4	2	3	2		
Syphilis (34)	31	4							2		2		9	6	6	2		
Cancer and other malignant tumors (45–53)	570				2		1		2	1	2	12	62	94	162	139	93	
Diabetes mellitus (59)	96								2	4	1	2	6	6	34	29	12	
Cerebral hemorrage and softening (82a, 82c)	317						1	1					10	29	70	99	107	
Diseases of the heart (90–95)	1,188	2			1	2	6	7	4	9	14	24	66	124	250	327	352	
Bronchitis (106)	18	2											2			3	11	
Bronchopneumonia (107)	162	37	6	4	3	2	4	1	3	2	5	4	12	12	17	14	36	
Lobar and unspecified pneumonia (108, 109)	178	11	3	1	1	1	1	3	5	4	7	8	26	23	27	31	26	
Diarrhea and enteritis (119, 120)	60	48	4								1			1	1	2	3	
Appendicitis (121)	70			1	2	2	5	8	3	5	4	5	9	8	8	7	3	
Hernia, intestinal obstruction (122)	62	3	2	1				2	1	1	1	3	5	6	14	13	10	
Cirrhosis of the liver (124)	34												4	8	8	12	2	
Nephritis (130–132)	412								1	4	6	6	27	35	84	109	140	
Diseases of the female genital organs (139)	5											1	2	2				
Puerperal septicemia (140, 142a, 145)	23								3	5	5	5	5					
Other puerperal causes	32								2	7	9	7	7					
Suicide (163–171)	129								2	13	16	9	24	28	24	8	5	
Homicide (172–175)	24								1	2	6	3	8	3	1			
Automobile accidents [1]	127	1			4	3	8	2	9	10	10	5	15	20	12	14	14	
Automobile—railroad train and street car collisions	5									1		1	2	1				
Other external causes	177	2	4	2		4	8	6	8	4	8	7	25	13	24	24	38	
All other causes	962	253	8	3	6	3	25	21	15	10	23	26	82	83	107	126	171	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,936	360	49	23	12	11	25	43	95	163	187	175	430	497	421	297	148	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7)																		
Scarlet fever (8)	1										1							
Whooping cough (9)	10	6	2	2														
Diphtheria (10)	6	1	2	1	2													
Influenza (11)	24	4	2	1						1	3	1		3	6	1	2	
Epidemic cerebrospinal meningitis (18)	2				1									1				
Tuberculosis of the respiratory system (23)	328	3	2		1	3	2	10	37	46	55	44	64	37	14	10		
Other forms of tuberculosis (24–32)	55	6	8	5	1	1	4	5	3	3	8	3	5	3				
Syphilis (34)	66	13						1	1	5	7	5	14	11	8	1		
Cancer and other malignant tumors (45–53)	164						1			1	4	4	35	42	46	18	13	
Diabetes mellitus (59)	41									2	1	3	5	12	10	6	2	
Cerebral hemorrhage and softening (82a, 82c)	151										1	3	13	37	52	30	15	
Diseases of the heart (90–95)	510					3	1	4	2	9	19	24	79	131	108	89	41	
Bronchitis (106)	15	4		1							1		1	1	5	1	1	
Bronchopneumonia (107)	178	74	20	7	2	1	1	1	2	11	7	7	10	13	8	11	3	
Lobar and unspecified pneumonia (108, 109)	143	8	2	1	1		3	1	4	9	12	19	27	25	17	10	4	
Diarrhea and enteritis (119, 120)	38	27	2	1	1				1				1	3	1	1		
Appendicitis (121)	27			1				1	3	3	3		4	5	4	3		
Hernia, intestinal obstruction (122)	30	5	2					2	1	2		2	3	5	4	4		
Cirrhosis of the liver (124)	13								2	1	1		4	3		2		
Nephritis (130–132)	243		1		1		1	1	2	2	5	9	38	49	58	48	28	
Diseases of the female genital organs (139)	28								2	10	5	1	8	1	1			
Puerperal septicemia (140, 142a, 145)	13								4	3	4	1	1					
Other puerperal causes	23								4	10	3	4	2					
Suicide (163–171)	22								1	4		1	6	4	3	2	1	
Homicide (172–175)	90	1		1			1		10	13	25	12	16	8	2		1	
Automobile accidents [1]	59			1	1	1	5	5	4	2	5	1	11	10	3	8	2	
Automobile—railroad train and street car collisions	1												1					
Other external causes	78	3	3	1			1	4	3	5	5	6	17	15	8	6	1	
All other causes	575	205	3		1	2	5	8	9	19	12	25	65	78	63	46	34	
JACKSONVILLE, FLA. (WHITE), all causes	937	55	7	3	6	2	13	9	18	23	37	45	100	128	166	173	152	
Typhoid and paratyphoid fever (1, 2)	2										1		1					
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping cough (9)	2	2																
Diphtheria (10)	9	1	2	1	2		2							1				
Influenza (11)	16										1	1	5	3		1	5	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	28								1	2	3	3	6	6	5		2	
Other forms of tuberculosis (24–32)	4	1				1	1								1			
Syphilis (34)	6	1											2	3				
Cancer and other malignant tumors (45–53)	89											1	7	14	25	28	14	
Diabetes mellitus (59)	21													4	8	7	2	
Cerebral hemorrhage and softening (82a, 82c)	61												3	9	14	20	15	
Diseases of the heart (90–95)	181							1	1	2	4	6	13	25	39	49	41	
Bronchitis (106)	1															1		
Bronchopneumonia (107)	20	2	3		1		1					1		3	3	1	5	
Lobar and unspecified pneumonia (108, 109)	27	3					1		1	1	2	3		3	5	5	3	
Diarrhea and enteritis (119, 120)	7	4				1			1					1				
Appendicitis (121)	17	1						1		2	2	2	2	5	1	1		
Hernia, intestinal obstruction (122)	10	2									2			2	3	1		
Cirrhosis of the liver (124)	15											1	3	5	2	4		
Nephritis (130–132)	91											1	5	12	19	25	29	
Diseases of the female genital organs (139)	4											2	2					
Puerperal septicemia (140, 142a, 145)	8								3	1	2	1	1					
Other puerperal causes	11								2	1	4	2	2					
Suicide (163–171)	33								1	3	4	7	9	1	8			
Homicide (172–175)	14									2	4	3	3	1	1			
Automobile accidents [1]	39			1	1		3	1	2	3	2	3	11	4	3	3	2	
Automobile—railroad train and street car collisions	2										1					1		
Other external causes	34			1			1	2		1	2	2	5	3	4	6	7	
All other causes	184	38	2		2		3	4	6	5	3	6	20	23	25	20	27	
JACKSONVILLE, FLA. (COLORED), all causes	1,041	81	6	5	3	2	9	15	34	61	86	111	216	205	137	48	21	1
Typhoid and paratyphoid fever (1, 2)	2										2							
Measles (7)	1							1										
Scarlet fever (8)																		
Whooping cough (9)	2	1	1															
Diphtheria (10)																		
Influenza (11)	25	1		1			2	1	4			4	4	2	5	1		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	140	1	1				1	2	8	28	28	25	25	15	5	1		
Other forms of tuberculosis (24–32)	16			1			2		2	1	2	1	3	3	1			
Syphilis (34)	63	12	1				1		2	2	5	6	11	13	7	3		
Cancer and other malignant tumors (45–53)	32									1	2	1	10	11	6	1		
Diabetes mellitus (59)	5													1	4			
Cerebral hemorrhage and softening (82a, 82c)	91									2	1	5	22	30	17	10	4	
Diseases of the heart (90–95)	168					1	1	2	2	6	7	18	28	49	34	12	8	
Bronchitis (106)	2	1										1						
Bronchopneumonia (107)	19	9	1								3	2		2	2			
Lobar and unspecified pneumonia (108, 109)	38	5	1	1					2	3	4	3	11	5	2	1		
Diarrhea and enteritis (119, 120)	5	3													1		1	
Appendicitis (121)	11								1		1	2	3	4				
Hernia, intestinal obstruction (122)	14	2									1	3	4	1	3			
Cirrhosis of the liver (124)	9											1	3	2	3			
Nephritis (130–132)	81									2	2	3	17	25	17	9	6	
Diseases of the female genital organs (139)	6								1	2		1	1	1				
Puerperal septicemia (140, 142a, 145)	5								1	2	1	1						
Other puerperal causes	6								2		1	1	2					
Suicide (163–171)	2													1	1			
Homicide (172–175)	57	1						1	4	7	11	14	16	2	1			
Automobile accidents [1]	19				1	1	1		1	1	2		6	4	2			
Automobile—railroad train and street car collisions																		
Other external causes	36	1	1	1				5	1	1	2	3	7	8	4	1		1
All other causes	186	44		1	2		1	3	3	3	11	16	43	26	22	9	2	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MIAMI, FLA. (WHITE), all causes	866	58	5	3	5	4	11	12	9	21	32	31	81	142	157	156	139	
Typhoid and paratyphoid fever (1, 2)	1								1									
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)																		
Diphtheria (10)	6		1	1	2		2											
Influenza (11)	3	1											1	1				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	38									1	3	1	7	10	9	6	1	
Other forms of tuberculosis (24–32)	7		1			2								2	2			
Syphilis (34)	9										2		2	1	3	1		
Cancer and other malignant tumors (45–53)	100				1	1					1	2	9	24	30	18	14	
Diabetes mellitus (59)	11							1				1		3	3	1	2	
Cerebral hemorrhage and softening (82a, 82c)	56									1		2	3	8	15	19	8	
Diseases of the heart (90–95)	159							1			1	3	15	21	30	40	48	
Bronchitis (106)																		
Bronchopneumonia (107)	22	2	1				1					1	1	3	3	5	5	
Lobar and unspecified pneumonia (108, 109)	13	2					1						2	2		2	4	
Diarrhea and enteritis (119, 120)	8	2									1			1	1	3		
Appendicitis (121)	26						1			2	1		6	9	5	1	1	
Hernia, intestinal obstruction (122)	9								1						2	6		
Cirrhosis of the liver (124)	4													2	1	1		
Nephritis (130–132)	64												3	10	17	15	19	
Diseases of the female genital organs (139)	3											1	2					
Puerperal septicemia (140, 142a, 145)	3									2		1						
Other puerperal causes	6									1	3	1	1					
Suicide (163–171)	37								1	4	8	4	2	9	3	4	2	
Homicide (172–175)	15						1		1	1	1	4	1	2	3		1	
Automobile accidents [1]	35		1		1			3	4	1	1	6	5	3	3	7		
Automobile—railroad train and street car collisions	2										1					1		
Other external causes	29	3		1	1		1	2	1	1	2		4	4	2	1	6	
All other causes	200	48	1	1		1	4	5		7	7	4	17	27	25	25	28	
MIAMI, FLA. (COLORED), all causes	376	44	3	4	1	2	8	7	15	32	45	37	80	52	27	12	7	
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)																		
Diphtheria (10)	2						1						1					
Influenza (11)	11	2		1				1	1		1	1	1	3				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	53							2	4	11	12	5	16	3				
Other forms of tuberculosis (24–32)	5						1			2	1			1				
Syphilis (34)	18	3								1	1		5	7	1			
Cancer and other malignant tumors (45–53)	13										2	1	1	4	4		1	
Diabetes mellitus (59)	10											2	3	2	3			
Cerebral hemorrhage and softening (82a, 82c)	26										2		6	5	8	2	3	
Diseases of the heart (90–95)	32										7	8	9	5	1	1	1	
Bronchitis (106)																		
Bronchopneumonia (107)	10	5	1				3									1		
Lobar and unspecified pneumonia (108, 109)	12	2		1					1	2	1	2	1	1	1			
Diarrhea and enteritis (119, 120)	7	5												1	1			
Appendicitis (121)	6			1								1	1	2	1			
Hernia, intestinal obstruction (122)	4					1					1					1	1	
Cirrhosis of the liver (124)	3				1								1		1			
Nephritis (130–132)	19											4	9	1	2	2	1	
Diseases of the female genital organs (139)	3									1	1	1						
Puerperal septicemia (140, 142a, 145)	3								1	1	1							
Other puerperal causes	3									1	2							
Suicide (163–171)	1													1				
Homicide (172–175)	27							1	4	5	6	6	5					
Automobile accidents [1]	5		1					1				1	1	1				
Automobile—railroad train and street car collisions																		
Other external causes	15						2	1	1	2		1	3	4			1	
All other causes	87	27	1	1		1	1	1	3	5	6	4	16	12	4	5		
TAMPA, FLA., all causes	1,182	89	16	7	6	4	17	11	29	39	63	63	139	174	182	189	154	
Typhoid and paratyphoid fever (1, 2)	3						1				1	1						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)																		
Diphtheria (10)	5		1	2			2											
Influenza (11)	33	1	1			2			1	1	1	3	7	4	6	1	5	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	54								4	7	7	10	9	6	9	2		
Other forms of tuberculosis (24–32)	2		1						1									
Syphilis (34)	21	4			1				1	3	1	1	3	2	3	2		
Cancer and other malignant tumors (45–53)	112							1		1	2	3	8	23	35	23	16	
Diabetes mellitus (59)	31	1			1				1			1	2	5	6	11	3	
Cerebral hemorrhage and softening (82a, 82c)	80										1		9	18	14	22	16	
Diseases of the heart (90–95)	214						2			4	7	11	21	34	42	53	40	
Bronchitis (106)	5									1		1	1		1		1	
Bronchopneumonia (107)	18	4	4	1			1					1		2	1	2	2	
Lobar and unspecified pneumonia (108, 109)	28	3		1	1		1		1	3	1	1	2	2	5	4	3	
Diarrhea and enteritis (119, 120)	13	5	4	1		1	1								1			
Appendicitis (121)	19				1		1	1	2	1		1	5	2	3	1	1	
Hernia, intestinal obstruction (122)	19										2		3	3	1	7	3	
Cirrhosis of the liver (124)	12										1		3	1	1	1	5	
Nephritis (130–132)	116			1				1	1	2	2	2	12	20	21	24	30	
Diseases of the female genital organs (139)	4								1		1			2				
Puerperal septicemia (140, 142a, 145)	8								2	2		1	3					
Other puerperal causes	11								2		3	2	4					
Suicide (163–171)	33								2	2	6	2	12	1	3	4	1	
Homicide (172–175)	25								4	1	8	1	7	2	1	1		
Automobile accidents [1]	28				1		1	1	1		4	5	2	4	4	5		
Automobile—railroad train and street car collisions	2										1			1				
Other external causes	48				1		2	2	3	5	5	5	6	3	3	5	8	
All other causes	238	71	5	1		1	5	5	2	6	9	11	20	39	22	21	20	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ATLANTA, GA. (WHITE), all causes	2,049	194	33	13	12	11	29	25	43	67	68	77	189	256	351	338	343	
Typhoid and paratyphoid fever (1, 2)	5							1	1	1		1			1			
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	4	3	1															
Diphtheria (10)	10		2		2	2	4											
Influenza (11)	48		2		2		1	1	3	1	1	3	2	4	8	5	15	
Epidemic cerebrospinal meningitis (18)	3		1				1	1										
Tuberculosis of the respiratory system (23)	41								4	4	5	5	3	9	6	4	1	
Other forms of tuberculosis (24–32)	11	2	1					1		1		1	2	2	1			
Syphilis (34)	20	5	1		1			1				1	4	3	1	3		
Cancer and other malignant tumors (45–53)	164			1	2		1				4	5	16	30	48	33	24	
Diabetes mellitus (59)	53							1	3				4	4	21	15	5	
Cerebral hemorrhage and softening (82a, 82c)	125			1					1	1		2	6	20	33	32	29	
Diseases of the heart (90–95)	353	3						2		1	5	6	28	53	77	84	94	
Bronchitis (106)	6	1		1											1	1	2	
Bronchopneumonia (107)	45	15	3				1				2		2	1	4	7	10	
Lobar and unspecified pneumonia (108, 109)	85	7	2			1	3	1	5	4	3	4	14	13	10	11	7	
Diarrhea and enteritis (119, 120)	38	19	8	2					1	1		1	1	1	1	2	1	
Appendicitis (121)	48			1			2	2	1	3	5	4	9	7	9	2	3	
Hernia, intestinal obstruction (122)	32	3						1	1	1		3	5	4	8	3	3	
Cirrhosis of the liver (124)	13	1												5	4	3		
Nephritis (130–132)	230		1			3		2	1	1	1	3	11	22	41	67	77	
Diseases of the female genital organs (139)	12									2	2	2	2	1	1	2		
Puerperal septicemia (140, 142a, 145)	7								2	1	3	1						
Other puerperal causes	20								2	9	5	2	2					
Suicide (163–171)	54								1	2	6	7	15	14	4	5		
Homicide (172–175)	23								2	4	2	3	8	3			1	
Automobile accidents [1]	64	1			1		9	3	4	12	6	2	5	5	5	4	7	
Automobile—railroad train and street car collisions	2							1						1				
Other external causes	96	2	1	4	3	1	3	2	5	4	3	7	4	8	14	11	24	
All other causes	436	132	9	3	1	4	4	5	6	14	15	14	46	46	53	44	40	
ATLANTA, GA. (COLORED), all causes	1,830	181	28	10	2	5	25	33	87	131	172	149	347	319	201	104	36	
Typhoid and paratyphoid fever (1, 2)	22		1				1	4	5	3	4	2	2					
Measles (7)	1		1															
Scarlet fever (8)																		
Whooping cough (9)	6	2	2	1		1												
Diphtheria (10)	3	1	1			1												
Influenza (11)	67	1	2	1			1	1	9	2	3	10	11	8	11	5	2	
Epidemic cerebrospinal meningitis (18)	7	1					1			2		1	1	1				
Tuberculosis of the respiratory system (23)	135	6				1	1	2	13	16	22	14	30	19	7	3	1	
Other forms of tuberculosis (24–32)	26	1	2	2			1	3	1	6	1	2	6	1				
Syphilis (34)	59	13							3	6	8	5	12	7	2	3		
Cancer and other malignant tumors (45–53)	60									1	3	3	17	19	11	5	1	
Diabetes mellitus (59)	17						1				1	1	3	3	3	3	2	
Cerebral hemorrhage and softening (82a, 82c)	150	1								3	1	5	36	58	33	9	4	
Diseases of the heart (90–95)	236	1					2	3	4	6	9	22	55	56	42	26	10	
Bronchitis (106)	1									1								
Bronchopneumonia (107)	61	25	2	2	2	1	1	1	1	3	2	6	6	6	2	1		
Lobar and unspecified pneumonia (108, 109)	169	8	5	2			3	3	12	21	26	14	31	26	12	4	2	
Diarrhea and enteritis (119, 120)	15	4	2	1				1			1		4	1		1		
Appendicitis (121)	18							2	3	2	2	1	2	2	3	1		
Hernia, intestinal obstruction (122)	21	2	1								2		4	4	6	1	1	
Cirrhosis of the liver (124)																		
Nephritis (130–132)	147							1	1	2	3	8	31	40	28	25	8	
Diseases of the female genital organs (139)	7									1	2	2						
Puerperal septicemia (140, 142a, 145)	17							2	2	4	3	3	2	1				
Other puerperal causes	6								1		1	3	1					
Suicide (163–171)	4								1		1	1			1			
Homicide (172–175)	83								14	23	20	13	7	3	3			
Automobile accidents [1]	35						1	5	3	2	7	3	4	7	2	1		
Automobile—railroad train and street car collisions	1										1							
Other external causes	78	2	2				4	2	7	8	15	7	15	7	7	2		
All other causes	378	113	7	1		1	8	3	7	19	34	23	65	50	28	14	5	
CHICAGO, ILL. (WHITE), all causes	30,383	2,132	264	207	163	119	531	365	491	723	844	968	3,176	4,659	5,725	5,893	4,030	93
Typhoid and paratyphoid fever (1, 2)	13						1			2	3	3	2	2				
Measles (7)	31	3	7	7	6	2	5			1								
Scarlet fever (8)	127	2	10	18	16	11	43	8	2	4	5	3	3	1		1		
Whooping cough (9)	49	30	10	7	2													
Diphtheria (10)	61	1	4	10	7	8	25	4							1	1		
Influenza (11)	314	23	8	11	7		11	6	11	15	21	20	66	52	24	20	17	2
Epidemic cerebrospinal meningitis (18)	92	9	3	4		2	10	6	8	10	5	3	11	12	7	1	1	
Tuberculosis of the respiratory system (23)	1,153	6	1	1	4	2	6	13	64	151	151	131	249	213	103	49	8	1
Other forms of tuberculosis (24–32)	168	14	17	8	8	4	16	5	13	16	5	11	16	22	6	6	1	
Syphilis (34)	142	17	1		1			1		2	7	5	22	47	25	13	1	
Cancer and other malignant tumors (45–53)	3,707	3	2	2	4	1	6	5	8	16	32	68	346	791	1,042	959	411	11
Diabetes mellitus (59)	901			1		1	4	3	9	4	14	12	53	119	285	289	105	2
Cerebral hemorrhage and softening (82a, 82c)	1,448	4						1	2	6	8	7	90	207	369	430	319	5
Diseases of the heart (90–95)	7,638	14	6	5	7	3	54	62	52	75	102	123	588	1,135	1,721	2,004	1,660	27
Bronchitis (106)	115	25	7	5	2	1	6	1	3	1	4	1	6	7	19	13	14	
Bronchopneumonia (107)	836	292	51	22	17	5	22	10	10	9	23	12	64	68	69	78	83	1
Lobar and unspecified pneumonia (108, 109)	992	41	26	9	6	13	23	15	25	35	35	52	161	164	163	144	78	2
Diarrhea and enteritis (119, 120)	222	125	32	8	5	3	4	5		4	3		8	11	4	5	5	
Appendicitis (121)	488	1	3	5	11	5	47	44	44	42	31	33	75	64	61	13	8	1
Hernia, intestinal obstruction (122)	366	18	4	4	1	2	5	2	5	7	8	12	69	65	61	59	40	4
Cirrhosis of the liver (124)	337	1						2			8	8	50	86	88	63	30	1
Nephritis (130–132)	3,214	4	1	1	2	1	12	14	23	25	37	61	255	439	612	940	771	16
Diseases of the female genital organs (139)	98								1	4	6	14	35	19	14	3	2	
Puerperal septicemia (140, 142a, 145)	72								4	19	17	16	15	1				
Other puerperal causes	155								4	37	40	23	50					1
Suicide (163–171)	573								5	25	37	43	108	154	111	68	16	6
Homicide (172–175)	267	1		1	1			2	26	22	39	42	66	42	19	5	1	
Automobile accidents [1]	766	1		12	10	8	54	29	39	44	40	39	92	122	125	105	46	
Automobile—railroad train and street car collisions	28								2	5	3	3	8	1	5	1		
Other external causes	1,239	25	14	16	13	13	41	31	40	50	36	60	221	208	201	146	121	3
All other causes	4,771	1,472	57	50	33	34	136	96	91	92	124	163	447	606	590	478	292	10

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (COLORED), all causes	3,977	283	71	30	30	23	58	57	105	197	321	392	708	810	494	265	121	12
Typhoid and paratyphoid fever (1, 2)	3								1	1	1							
Measles (7)	4	1	1	2														
Scarlet fever (8)	10				1	2	3	1	2		1							
Whooping cough (9)	20	8	5	3	2	1	1											
Diphtheria (10)	5		1		1		1				1	1						
Influenza (11)	38	2	1				2			1	4	4	10	10	1	2	1	
Epidemic cerebrospinal meningitis (18)	8	1	1						2		1	1	1	1				
Tuberculosis of the respiratory system (23)	592	6	4	4	3		9	19	44	85	110	98	103	62	34	9		2
Other forms of tuberculosis (24–32)	109	1	16	4		7	8	5	4	8	10	16	16	12	2			
Syphilis (34)	97	8					1			2	3	7	31	28	11	3		
Cancer and other malignant tumors (45–53)	227			1		1			1	2	6	19	47	82	41	20	6	1
Diabetes mellitus (59)	56						1			1	1	3	7	17	16	8	2	
Cerebral hemorrhage and softening (82a, 82c)	166		1								5	5	29	54	33	29	9	1
Diseases of the heart (90–95)	788			1	1	1	3	6	6	6	33	46	143	231	168	92	48	3
Bronchitis (106)	2	1										1						
Bronchopneumonia (107)	189	72	23	11	9	2	4	1	3	3	4	8	16	12	11	3	7	
Lobar and unspecified pneumonia (108, 109)	232	4	3	1	2	3	2		6	15	18	34	58	51	22	7	4	2
Diarrhea and enteritis (119, 120)	23	12	3		2		1			2			1	2				
Appendicitis (121)	41		1				1	4	2	7	1	7	7	9	2			
Hernia, intestinal obstruction (122)	50	6			1					4	5	5	13	8	4	3		1
Cirrhosis of the liver (124)	20									1		3	6	4	3	3		
Nephritis (130–132)	331							1	1	6	13	12	57	96	69	47	29	
Diseases of the female genital organs (139)	15								1	1	2	6	1	4				
Puerperal septicemia (140, 142a, 145)	17								4	3	3	5	2					
Other puerperal causes	13								3		4	1	5					
Suicide (163–171)	27									5	3	5	6	3	3	2		
Homicide (172–175)	187							1	7	22	42	35	53	20	6	1		
Automobile accidents [1]	80		1		1	1	5	4	3	1	6	8	14	18	11	4	3	
Automobile—railroad train and street car collisions	1												1					
Other external causes	126	3	5	1	4		7	6	11	2	12	21	22	15	10	7		
All other causes	500	158	5	2	3	5	9	9	4	16	32	41	59	71	47	25	12	2
PEORIA, ILL., all causes	1,199	94	15	5	4	7	20	16	23	29	22	28	90	156	183	258	248	1
Typhoid and paratyphoid fever (1, 2)	2		1											1				
Measles (7)																		
Scarlet fever (8)	2			1			1											
Whooping cough (9)	3	3																
Diphtheria (10)	15	1	2		2	3	5	2										
Influenza (11)	31						1		1	1	4	3	4	6	2	2	7	
Epidemic cerebrospinal meningitis (18)	2						2											
Tuberculosis of the respiratory system (23)	22	1					1	1	1	3	3	1	2	6	2	1		
Other forms of tuberculosis (24–32)	2		1							1								
Syphilis (34)	8	2											3	2	1			
Cancer and other malignant tumors (45–53)	129										1	1	7	31	27	37	24	1
Diabetes mellitus (59)	28					1	1						1	4	8	12	1	
Cerebral hemorrhage and softening (82a, 82c)	65	1								1		1	1	11	13	19	18	
Diseases of the heart (90–95)	256							1	4	1	2	4	11	24	51	72	86	
Bronchitis (106)	8			1									1		1		5	
Bronchopneumonia (107)	33	9	3			1				1			2	3	4	4	6	
Lobar and unspecified pneumonia (108, 109)	39	2	1					1	2	2			7	3	4	10	7	
Diarrhea and enteritis (119, 120)	10	5		2					1							1	1	
Appendicitis (121)	19		1					1	1	4	1	1	2	2	1	2	3	
Hernia, intestinal obstruction (122)	9	2											1	1	1	4		
Cirrhosis of the liver (124)	8							1					1	3		2	1	
Nephritis (130–132)	113							1		2			5	13	29	33	30	
Diseases of the female genital organs (139)	5											1	2	2				
Puerperal septicemia (140, 142a, 145)	3								2			1						
Other puerperal causes	5									1	1	2	1					
Suicide (163–171)	20								2		1	1	3	6	3	2	2	
Homicide (172–175)	12										2	2	2	5	1			
Automobile accidents [1]	21			1				2	2	3		5	2		2	4		
Automobile—railroad train and street car collisions	2										1			1				
Other external causes	62		1				1	4	4	5	1	1	6	7	5	13	14	
All other causes	265	68	5		2	2	8	2	3	4	5	4	26	25	28	40	43	
EVANSVILLE, IND., all causes	1,114	64	13	8	7	3	15	11	24	26	33	33	99	144	173	221	240	
Typhoid and paratyphoid fever (1, 2)	2												2					
Measles (7)																		
Scarlet fever (8)	5	1				1	3											
Whooping cough (9)	4	2	1	1														
Diphtheria (10)	5				2		1	1					1					
Influenza (11)	21			1					1		2		3	4	2	2	6	
Epidemic cerebrospinal meningitis (18)	2						1	1										
Tuberculosis of the respiratory system (23)	38								2	3	5	1	11	4	4	6	2	
Other forms of tuberculosis (24–32)	10						1		2	1		2	1	3				
Syphilis (34)	5	2									1			2				
Cancer and other malignant tumors (45–53)	106						1					1	3	26	22	31	22	
Diabetes mellitus (59)	24									1	2		2	3	5	8	3	
Cerebral hemorrhage and softening (82a, 82c)	94									1			6	13	20	24	30	
Diseases of the heart (90–95)	209			1				1		2	5	5	14	23	39	56	63	
Bronchitis (106)	4															1	3	
Bronchopneumonia (107)	44	8	2					1		1			5	1	5	5	16	
Lobar and unspecified pneumonia (108, 109)	53	2	1	1		1		2	1	1	1	3	5	4	5	9	17	
Diarrhea and enteritis (119, 120)	20	6	6	2	1							2	1		1		1	
Appendicitis (121)	25					1	2	3	4	2	1	2	2	2	4		2	
Hernia, intestinal obstruction (122)	8												3	1	4			
Cirrhosis of the liver (124)	13												1	5	2	3	2	
Nephritis (130–132)	109								1	2	1	2	7	18	28	31	19	
Diseases of the female genital organs (139)	8								1			2	2	2		1		
Puerperal septicemia (140, 142a, 145)	9								1	1	3	2	2					
Other puerperal causes	5									1	1	1	2					
Suicide (163–171)	9									1		1	4		2	1		
Homicide (172–175)	10	1								2	2		4	1				
Automobile accidents [1]	25			1	1		3		2	1	2	2	2	3	4	4		
Automobile—railroad train and street car collisions	1													1				
Other external causes	42		1					1	3	1	2	1	3	5	2	4	19	
All other causes	204	42	2	1	3		3	1	6	5	5	6	13	23	24	35	35	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FORT WAYNE, IND., all causes	1,199	89	8	10	5	8	24	20	22	26	31	36	94	151	181	245	249	
Typhoid and paratyphoid fever (1, 2)	3											2		1				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	4	4																
Diphtheria (10)	8	2		1			3						1				1	
Influenza (11)	39	6			1	2				2	1	3	6	3	3	1	11	
Epidemic cerebrospinal meningitis (18)	3			1			1							1				
Tuberculosis of the respiratory system (23)	42						1	2	5	3	4	4	9	5	5	2	2	
Other forms of tuberculosis (24–32)	14	1	1		1	1	1	1		1		2	1	2	1		1	
Syphilis (34)	11										1		5	3	2			
Cancer and other malignant tumors (45–53)	141							1		1	1	2	9	30	36	40	21	
Diabetes mellitus (59)	16													1	7	5	3	
Cerebral hemorrhage and softening (82a, 82c)	94							1			1		3	5	10	37	37	
Diseases of the heart (90–95)	235						2	1	3	3	1	2	11	26	48	67	71	
Bronchitis (106)	1																1	
Bronchopneumonia (107)	30	8	2	2	1		2	1		1	1		2		2	1	7	
Lobar and unspecified pneumonia (108, 109)	45	2	1	2	1		1		1	4	1	2	3	6	5	7	9	
Diarrhea and enteritis (119, 120)	7	3				1	1										2	
Appendicitis (121)	29					1	2	2	4	2	2		3	9	3	1		
Hernia, intestinal obstruction (122)	22	2						1			1	1	1	3	3	7	3	
Cirrhosis of the liver (124)	8										1		2	2		2	1	
Nephritis (130–132)	120	1		1			1		2		1	3	4	7	21	40	39	
Diseases of the female genital organs (139)	7									1	1	1	3		1			
Puerperal septicemia (140, 142a, 145)	6									1	1	1	2	1				
Other puerperal causes	3									1		2						
Suicide (163–171)	28								1	1	2	2	3	9	6	3	1	
Homicide (172–175)	10		1	1						2	1	1			2	2		
Automobile accidents [1]	30					1	4	2	2	1	2		5	6	4	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	42	1	1	1	1			2	3	2		3	5	4	3	6	10	
All other causes	201	59	2	1		2	5	6	1		8	5	16	27	19	22	28	
GARY, IND., all causes	845	93	22	12	3	5	26	13	25	34	57	35	119	148	119	83	50	1
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)																		
Scarlet fever (8)	3						1				2							
Whooping cough (9)	1	1																
Diphtheria (10)	3		1				1					1						
Influenza (11)	15	1	3		1		1				1		3	2	2	1		
Epidemic cerebrospinal meningitis (18)	7	1	1	1		2	1						1					
Tuberculosis of the respiratory system (23)	59	1	1		1		1	2	5	9	7	6	14	5	5	2		
Other forms of tuberculosis (24–32)	16	1	1	2			1		1		4	2		3	1			
Syphilis (34)	4										1		1		2			
Cancer and other malignant tumors (45–53)	70									1	1	1	7	24	21	11	4	
Diabetes mellitus (59)	13		2		1							1	2	1	3	3		
Cerebral hemorrhage and softening (82a, 82c)	46						1						5	9	11	12	8	
Diseases of the heart (90–95)	125			1			1	1	2	3	5	5	14	34	23	24	12	
Bronchitis (106)	3		1							1							1	
Bronchopneumonia (107)	26	9	4	2			1	1	1	1		1	2	2		1	1	
Lobar and unspecified pneumonia (108, 109)	50	3	3	1		1	3	1	4		3	3	9	8	6	4	1	
Diarrhea and enteritis (119, 120)	19	9	2	2			1			1	1			1		1	1	
Appendicitis (121)	26						2	3	2	4	2	1	3	6	1	2		
Hernia, intestinal obstruction (122)	16	4								1		1	5	4	1			
Cirrhosis of the liver (124)	2														1	1		
Nephritis (130–132)	66	1							1	1	1		11	14	13	12	12	
Diseases of the female genital organs (139)	4									1		1	1		1			
Puerperal septicemia (140, 142a, 145)	3									1	1	1						
Other puerperal causes	5									3			2					
Suicide (163–171)	14										2	1	6	4	1			
Homicide (172–175)	24						1			1	8	4	2	4	3	1		
Automobile accidents [1]	28						1		2	1	3	3	7	2	6	2	1	
Automobile—railroad train and street car collisions	3												2	1				
Other external causes	34	1		1		1	5		1	3	2	1	7	6	4	1	1	
All other causes	159	61	3	2		1	4	5	6	1	13	2	15	18	14	5	8	1
INDIANAPOLIS, IND. (WHITE), all causes	4,011	299	37	33	19	22	55	48	56	72	89	125	351	487	667	865	786	
Typhoid and paratyphoid fever (1, 2)	7									2	2	2		1				
Measles (7)																		
Scarlet fever (8)	6			1	2	1	1				1							
Whooping cough (9)	11	8	1	2														
Diphtheria (10)	7		1		1	1	2	1						1				
Influenza (11)	96	5	1	2	1	3	3		3	1	2	4	11	9	11	8	32	
Epidemic cerebrospinal meningitis (18)	45	5	5		1	2	2	3	2	1	2	4	3	2	8	4	1	
Tuberculosis of the respiratory system (23)	126				1		3	1	5	15	13	14	23	17	16	14	4	
Other forms of tuberculosis (24–32)	40		2	3		1	3	3	2	2	3	3	6	5	3	4		
Syphilis (34)	38	7					1				1	2	4	11	9	3		
Cancer and other malignant tumors (45–53)	420		1	1		3	2	1	1	1	5	6	39	83	120	110	47	
Diabetes mellitus (59)	80				1			2	2		2		3	8	19	33	10	
Cerebral hemorrhage and softening (82a, 82c)	297						1	1			1	1	7	33	54	103	96	
Diseases of the heart (90–95)	806					2	3	3	4	1	7	11	56	79	156	252	232	
Bronchitis (106)	7												1			2	4	
Bronchopneumonia (107)	129	25	5	2	1	2	1			2	3	3	5	9	13	24	34	
Lobar and unspecified pneumonia (108, 109)	122	5	3	2			3	4	3	4		6	11	19	16	23	23	
Diarrhea and enteritis (119, 120)	67	50	5	1	1					1			2	1	2	1	3	
Appendicitis (121)	53			1	3		5	4	1	5	4	4	8	10	7		1	
Hernia, intestinal obstruction (122)	45	2	1	1					1		1	1	8	11	4	10	5	
Cirrhosis of the liver (124)	25							1				1		8	3	12		
Nephritis (130–132)	399	1					1	2		3	5	3	27	35	84	118	120	
Diseases of the female genital organs (139)	14								1	2	1	1	3	6				
Puerperal septicimia (140, 142a, 145)	14								1	4		5	4					
Other puerperal causes	23								2	3	2	9	6	1				
Suicide (163–171)	80								1	2	8	9	14	15	21	6	4	
Homicide (172–175)	26								1	1	5	4	7	5	1	1	1	
Automobile accidents [1]	83			2	1	2	4	1	6	3	4	5	12	14	13	10	6	
Automobile—railroad train and street car collisions	8										2	3		1	2			
Other external causes	129	2	3	5			5	7	6	7	2	5	14	14	18	21	20	
All other causes	808	189	9	10	6	5	15	14	14	12	13	19	77	89	87	106	143	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	749	66	6	5	3	1	2	3	15	26	33	53	135	151	131	71	47	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	8	7	1															
Diphtheria (10)																		
Influenza (11)	20	1		1					1			3	3	5	3	2	1	
Epidemic cerebrospinal meningitis (18)	22	2	2	1								2	6	6	2	1		
Tuberculosis of the respiratory system (23)	73	1						1	6	7	10	9	19	11	6	3		
Other forms of tuberculosis (24–32)	14								1	1		1	9	1		1		
Syphilis (34)	11	1						1		1		1	5		2			
Cancer and other malignant tumors (45–53)	39										1	1	6	11	9	5	6	
Diabetes mellitus (59)	9												2	5		1	1	
Cerebral hemorrhage and softening (82a, 82c)	39										1	2	6	7	9	7	7	
Diseases of the heart (90–95)	151	1							1	1	3	6	26	42	36	22	13	
Bronchitis (106)	2														1	1		
Bronchopneumonia (107)	33	15	1	1	1					1	1		2	3	5	2	1	
Lobar and unspecified pneumonia (108, 109)	40	3	1		1				2		2	4	6	10	8	1	2	
Diarrhea and enteritis (119, 120)	13	7	1	2					1		1	1						
Appendicitis (121)	5										3		1	1				
Hernia, intestinal obstruction (122)	8	2								1			1	2	2			
Cirrhosis of the liver (124)	6											1		4		1		
Nephritis (130–132)	91									1		3	16	19	28	14	10	
Diseases of the female genital organs (139)	3										2			1				
Puerperal septicemia (140, 142a, 145)	2									2								
Other puerperal causes	3											1	2					
Suicide (163–171)	6									1		2		2	1			
Homicide (172–175)	21									5	2	6	5	2	1			
Automobile accidents [1]	16							1	1		2	2	3	2	1	3	1	
Automobile—railroad train and street car collisions																		
Other external causes	18	1				1				2		2	3	1	6	1	1	
All other causes	96	25			1		2		2	3	5	6	14	16	11	6	4	1
SOUTH BEND, IND., all causes	836	75	14	3	2	3	18	13	19	22	14	28	80	122	129	148	145	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	2	1			1													
Diphtheria (10)																		
Influenza (11)	15	1	1				1			1	1	1	3	1	1	2	2	
Epidemic cerebrospinal meningitis (18)	3	1					1					1						
Tuberculosis of the respiratory system (23)	41								2	3	1	3	9	9	9	3	2	
Other forms of tuberculosis (24–32)	8			1	1		1		2				2		1			
Syphilis (34)	9	1							1				5	1	1			
Cancer and other malignant tumors (45–53)	94											1	10	14	23	26	20	
Diabetes mellitus (59)	24									1			1	5	5	10	2	
Cerebral hemorrhage and softening (82a, 82c)	61												2	8	16	16	18	1
Diseases of the heart (90–95)	153							1		3	1	2	11	28	26	39	42	
Bronchitis (106)	2												1				1	
Bronchopneumonia (107)	26	7	1				2	1					1	1	2	2	9	
Lobar and unspecified pneumonia (108, 109)	29		1			1	1	1	1			3	3	5	6	3	4	
Diarrhea and enteritis (119, 120)	5	3	1												1			
Appendicitis (121)	19		1			1	1	1	3	1		1	2	6	2			
Hernia, intestinal obstruction (122)	12	1									1	1	1		3	2	3	
Cirrhosis of the liver (124)	7														2	3	2	
Nephritis (130–132)	65									2		2	2	10	13	16	20	
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)	5									2		2	1					
Other puerperal causes	7										2	3	1	1				
Suicide (163–171)	20								1		1	1	4	6	3	2	2	
Homicide (172–175)	2										1			1				
Automobile accidents [1]	32					1	4	4	4	1	2	2	5	5	1	3		
Automobile—railroad train and street car collisions	5									1		1	1	2				
Other external causes	38	1	3					2	5	4	2	3	3	4	4	4	3	
All other causes	152	59	6	2			7	3		3	2	1	12	15	10	17	15	
DES MOINES, IOWA, all causes	1,798	150	12	15	11	9	24	24	26	45	45	46	122	226	299	347	396	1
Typhoid and paratyphoid fever (1, 2)	1						1											
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping cough (9)	6	4	1			1												
Diphtheria (10)	11	1	1	2	1	1	4						1					
Influenza (11)	54	3	1	1		1		1	1	2	1		3	3	2	11	24	
Epidemic cerebrospinal meningitis (18)	7	1	1			1		1	1				1		1			
Tuberculosis of the respiratory system (23)	53							1	3	6	9	6	8	8	4	6	2	
Other forms of tuberculosis (24–32)	9			1	1						1	3	2	1				
Syphilis (34)	16	2												3	6	5		
Cancer and other malignant tumors (45–53)	203							1		1	4	1	17	48	40	49	41	1
Diabetes mellitus (59)	38										1	1	3	2	12	11	8	
Cerebral hemorrhage and softening (82a, 82c)	118												2	11	25	35	45	
Diseases of the heart (90–95)	346					1		1	2	3	4	3	14	48	77	81	112	
Bronchitis (106)	2														1		1	
Bronchopneumonia (107)	69	30		1	1	1	1	2		1		1	5	4	1	5	16	
Lobar and unspecified pneumonia (108, 109)	87	4	1		1			1		2	4	4	4	12	11	17	26	
Diarrhea and enteritis (119, 120)	10	6	1						1	1							1	
Appendicitis (121)	40				1	1	3	3	2	1	1	1	5	10	5	7		
Hernia, intestinal obstruction (122)	18	1									1	1	1	2	1	7	4	
Cirrhosis of the liver (124)	7										1			1	3	1	1	
Nephritis (130–132)	89			1							1	4	6	10	17	29	21	
Diseases of the female genital organs (139)	7												3	2	2			
Puerperal septicemia (140, 142a, 145)	14								2	4	3	3	2					
Other puerperal causes	14									3	4	3	4					
Suicide (163–171)	47									1	2	2	5	12	12	8	5	
Homicide (172–175)	7								2	2			2	1				
Automobile accidents [1]	45		1	1	1	1	3	5	4	2	2	5	4	7	2	5	2	
Automobile—railroad train and street car collisions	8									2			4	1	1			
Other external causes	85	5	1	4	1		2	2	2	3	2	1	8	9	12	18	15	
All other causes	386	93	4	4	4	1	9	6	6	11	4	7	18	31	64	52	72	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, KANS., all causes	1,587	134	29	7	3	9	36	22	32	57	49	52	156	220	236	295	250	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	8		1	1		1	2	2			1							
Whooping cough (9)	5	3	1				1											
Diphtheria (10)	3		2				1											
Influenza (11)	41	6	3				5		1	3		1	5	3	2	7	5	
Epidemic cerebrospinal meningitis (18)	1														1			
Tuberculosis of the respiratory system (23)	69	1				2	1		5	8	9	8	10	14	3	6	2	
Other forms of tuberculosis (24–32)	14	1				1	1		2	3	1			1	3		1	
Syphilis (34)	17	2											6	3	3	3		
Cancer and other malignant tumors (45–53)	158							1		3	1	4	15	37	32	44	21	
Diabetes mellitus (59)	32						1	1					4	5	6	11	4	
Cerebral hemorrhage and softening (82a, 82c)	112									1	1		8	15	19	37	31	
Diseases of the heart (90–95)	270						1	1	3	2	3	6	23	36	50	76	69	
Bronchitis (106)	5													1	2	1	1	
Bronchopneumonia (107)	63	27	6	2	1	1	1		1	2			4	5	1	1	11	
Lobar and unspecified pneumonia (108, 109)	66	8	1	1	1	1	2		1	3	5	3	7	6	6	13	8	
Diarrhea and enteritis (119, 120)	23	11	1	2			1	1	1		1			1	1	1	2	
Appendicitis (121)	31						4	3	2	2	3	1	7	4	4	1		
Hernia, intestinal obstruction (122)	18	2	1						1			1	2	3	4	3	1	
Cirrhosis of the liver (124)	11	1									1		1	3	2		3	
Nephritis (130–132)	187							2	2	1	2	3	13	25	44	42	53	
Diseases of the female genital organs (139)	6											1	3	2				
Puerperal septicemia (140, 142a, 145)	10								1	4	3	1	1					
Other puerperal causes	7									3		2	2					
Suicide (163–171)	21									2	3	2	3	4	4	3		
Homicide (172–175)	33								1	3	5	8	11	2	2	1		
Automobile accidents [1]	36					1	2		4	1	1	3	3	9	4	8		
Automobile—railroad train and street car collisions																		
Other external causes	66	2	2	1			5	6	3	7	4	1	6	13	4	6	6	
All other causes	274	70	11		1	2	8	5	4	9	5	7	22	28	39	31	32	
WICHITA, KANS., all causes	1,146	88	15	5	8	5	24	11	28	24	46	29	74	128	160	242	259	
Typhoid and paratyphoid fever (1, 2)	2		1										1					
Measles (7)	12	6	1	1	1		3											
Scarlet fever (8)	1						1											
Whooping cough (9)																		
Diphtheria (10)	10		1		1	1	6	1										
Influenza (11)	36	3	3		2		1						4	3	4	6	10	
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	22								2	4	6		1	4	1	2	2	
Other forms of tuberculosis (24–32)	2								1					1				
Syphilis (34)	6						1						3	1		1		
Cancer and other malignant tumors (45–53)	149							1			2	2	12	26	30	48	28	
Diabetes mellitus (59)	20										1			4	4	8	3	
Cerebral hemorrhage and softening (82a, 82c)	116										1	1	3	10	21	39	41	
Diseases of the heart (90–95)	168							1	1		1	2	7	19	33	47	57	
Bronchitis (106)	3														1	1	1	
Bronchopneumonia (107)	37	8	3	1		1					1	1		2	3	5	12	
Lobar and unspecified pneumonia (108, 109)	36	3	1	2		1	1		4	1	3	2	2	1	2	6	7	
Diarrhea and enteritis (119, 120)	10	7	1													1	1	
Appendicitis (121)	32				1		3	2	4	3	4	3	3	5	2	2		
Hernia, intestinal obstruction (122)	15	1												4	2	4	4	
Cirrhosis of the liver (124)	4													2	1	1		
Nephritis (130–132)	107									1	1		6	14	21	30	34	
Diseases of the female genital organs (139)	5									1	1		1	1	1			
Puerperal septicemia (140, 142a, 145)	6								2	2	2							
Other puerperal causes	15							1	1	2	3	5	3					
Suicide (163–171)	22								1		4	2	1	6	5	2	1	
Homicide (172–175)	10									1	4		2		2	1		
Automobile accidents [1]	21				1				1		2	1	4	4	4	2	2	
Automobile—railroad train and street car collisions	4								2	2								
Other external causes	46	1				1	3	2	7	4	4	2	3	4	2	5	8	
All other causes	228	59	3	1	2	1	5	3	2	3	6	8	18	17	21	31	48	
LOUISVILLE, KY. (WHITE), all causes	3,317	278	33	21	16	14	68	27	47	72	82	101	242	344	557	725	690	
Typhoid and paratyphoid fever (1, 2)	7						2		2	1		1		1				
Measles (7)																		
Scarlet fever (8)	10		1		1		4	1	1	1	1							
Whooping cough (9)	8	4	4															
Diphtheria (10)	11	1			1	1	7	1										
Influenza (11)	59	8	2	1		2			2	3		2	6	8	7	8	10	
Epidemic cerebrospinal meningitis (18)	5						3		1				1					
Tuberculosis of the respiratory system (23)	79				2		2		1	7	7	9	15	6	11	12	7	
Other forms of tuberculosis (24–32)	18	1	3	1	1		2	1			2	2	2	1	1		1	
Syphilis (34)	17	4				1				1	1	1	3	2	4			
Cancer and other malignant tumors (45–53)	374			1		1	2	1	1		4	2	27	66	98	105	66	
Diabetes mellitus (59)	83									1	1	3	1	10	28	31	8	
Cerebral hemorrhage and softening (82a, 82c)	215	1								1	2	3	9	21	47	68	63	
Diseases of the heart (90–95)	746				1		2	2	2	8	6	11	34	81	156	217	226	
Bronchitis (106)	17	1										1			1	4	10	
Bronchopneumonia (107)	119	31	3	3			3		1	2	1	1	12	3	6	18	35	
Lobar and unspecified pneumonia (108, 109)	106	7	3				3	1	6	6	8	6	8	6	17	19	16	
Diarrhea and enteritis (119, 120)	55	45	3	1			1		1				1	1	1		1	
Appendicitis (121)	78		1	1	2		3	6	7	8	7	5	12	11	7	8		
Hernia, intestinal obstruction (122)	32	1		1			2				1	1	5	3	5	6	7	
Cirrhosis of the liver (124)	22												1	4	9	8		
Nephritis (130–132)	253	1						1	2	1	5	6	8	23	44	76	86	
Diseases of the female genital organs (139)	8										2		3	2	1			
Puerperal septicemia (140, 142a, 145)	17								1	4	4	5	2	1				
Other puerperal causes	21								4	4	5	2	6					
Suicide (163–171)	50								1		2	3	11	19	7	6	1	
Homicide (172–175)	15							1		2		1	7	3	1			
Automobile accidents [1]	73	2	1	3	1		5	1	1	8	7	4	4	8	9	14	5	
Automobile—railroad train and street car collisions	6									1	1	1	1	1		1		
Other external causes	148	2	4	4	6	1	7	3	4	5	3	7	19	8	20	30	25	
All other causes	665	169	9	6	1	6	20	8	9	8	12	24	44	55	77	94	123	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (COLORED), all causes	978	77	7	3	3	3	10	7	25	35	44	66	138	204	172	116	68	
Typhoid and paratyphoid fever (1, 2)	1						1											
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping cough (9)																		
Diphtheria (10)	1						1											
Influenza (11)	23	1				1			2	3	1	1	2	7	3	2		
Epidemic cerebrospinal meningitis (18)	2	1							1									
Tuberculosis of the respiratory system (23)	64							1	7	8	8	6	7	16	6	4	1	
Other forms of tuberculosis (24–32)	9	1				1	1			2	1	1		2				
Syphilis (34)	40	4	1				1			1	5	1	11	10	3	2	1	
Cancer and other malignant tumors (45–53)	53			1					1		3	2	5	15	13	8	5	
Diabetes mellitus (59)	16										1	1	2	2	5	5		
Cerebral hemorrhage and softening (82a, 82c)	46											2	7	18	10	6	3	
Diseases of the heart (90–95)	194								2	4	5	10	26	43	63	25	16	
Bronchitis (106)	12											2	2	3	2	1	2	
Bronchopneumonia (107)	39	10	3		1		1			1	1	1	3	4	4	6	4	
Lobar and unspecified pneumonia (108, 109)	61	3				1		1	3	1	2	5	11	17	6	7	4	
Diarrhea and enteritis (119, 120)	9	6													1	1	1	
Appendicitis (121)	14		1				1	1		1	2	1	4	1	2			
Hernia, intestinal obstruction (122)	5							1				1	1	1	1			
Cirrhosis of the liver (124)	7				1								2	2			2	
Nephritis (130–132)	103						1					2	15	31	22	19	13	
Diseases of the female genital organs (139)	7									1		2		1	2	1		
Puerperal septicemia (140, 142a, 145)	5								1	1	1	2						
Other puerperal causes	2									1		1						
Suicide (163–171)	3										1	1	1					
Homicide (172–175)	47								4	6	6	14	11	5	1			
Automobile accidents [1]	12						1	1				3	3	2		2		
Automobile—railroad train and street car collisions																		
Other external causes	29	1		1				2	2	1	2	1	5	4	5	2	3	
All other causes	173	50	2	1	1		1		2	4	5	6	20	20	23	25	13	
NEW ORLEANS, LA. (WHITE), all causes	4,685	354	60	23	19	24	82	57	78	125	148	168	453	592	912	854	729	7
Typhoid and paratyphoid fever (1, 2)	28			1	1		2	3	1	4	3	5	3	3	2			
Measles (7)																		
Scarlet fever (8)	2				1		1											
Whooping cough (9)	5	3		2														
Diphtheria (10)	24	2	2	4	3	6	5	2										
Influenza (11)	119	4	6	1	1	2	2	1		9	4	13	10	18	20	6	22	
Epidemic cerebrospinal meningitis (18)	12	1	1			1	2	3	1		1		1	1				
Tuberculosis of the respiratory system (23)	240	1						1	10	19	29	29	50	48	37	14	2	
Other forms of tuberculosis (24–32)	21	1	2			2	1	1	1	1	3	1	2	2	3	1		
Syphilis (34)	53	5						1			1		11	11	12	9	2	1
Cancer and other malignant tumors (45–53)	495		1	1		1	1	1	4	2	4	9	47	101	155	113	55	
Diabetes mellitus (59)	104								1			2		20	37	37	7	
Cerebral hemorrhage and softening (82a, 82c)	251					1		2			1	2	26	29	57	66	67	
Diseases of the heart (90–95)	1,060	2	1		1		3	4	2	2	12	8	52	132	255	291	294	1
Bronchitis (106)	9	1											1			2	5	
Bronchopneumonia (107)	150	42	11	2	3	3	2		1	1	11	5	15	8	11	16	19	
Lobar and unspecified pneumonia (108, 109)	111	15	5	1		1	5	1	2	4	3	9	14	13	11	18	9	
Diarrhea and enteritis (119, 120)	41	18	10	2			3						1	1	1	3	2	
Appendicitis (121)	87		1			1	7	6	10	6	4	8	14	13	13	3	1	
Hernia, intestinal obstruction (122)	69	9	1				1	1	1	1	1	5	7	8	20	7	7	
Cirrhosis of the liver (124)	51						2			2	2	1	7	16	15	4	1	1
Nephritis (130–132)	543		1				1		4	3	5	6	44	73	128	164	114	
Diseases of the female genital organs (139)	14								1	2	3	1	4		1	1	1	
Puerperal septicemia (140, 142a, 145)	22								1	6	2	4	9					
Other puerperal causes	30								6	7	10		7					
Suicide (163–171)	84								4	8	9	11	19	13	16	3	1	
Homicide (172–175)	30								2	2	3	4	12	5	2			
Automobile accidents [1]	57		1		1	1	5	1	5	3	3	2	11	5	4	10	5	
Automobile—railroad train and street car collisions																		
Other external causes	202	2	6	4	2	2	13	8	10	17	11	12	24	15	22	24	26	4
All other causes	771	248	11	5	6	3	26	21	11	26	23	31	62	57	90	62	89	
NEW ORLEANS, LA. (COLORED), all causes	3,065	331	37	22	11	7	36	39	107	160	166	190	503	630	429	239	149	9
Typhoid and paratyphoid fever (1, 2)	14							3	5	2		2	1	1				
Measles (7)																		
Scarlet fever (8)	2								2									
Whooping cough (9)	5	3	1		1													
Diphtheria (10)	4		1	1			1	1										
Influenza (11)	118	24	2	3	1		4	1	3	4	11	3	20	14	14	7	7	
Epidemic cerebrospinal meningitis (18)	6	1		1			1		1				2					
Tuberculosis of the respiratory system (23)	306	4	1			1	1	3	31	54	42	36	62	47	16	7		1
Other forms of tuberculosis (24–32)	22	3	1		1		1	1	2		2	2	6	1	2			
Syphilis (34)	195	24		2			2		3	7	10	13	51	49	24	6	1	3
Cancer and other malignant tumors (45–53)	198					1			2	2	2	9	39	61	47	31	4	
Diabetes mellitus (59)	36								1		1	3	5	13	10	2	1	
Cerebral hemorrhage and softening (82a, 82c)	136	1							1	2	1	7	18	48	24	20	14	
Diseases of the heart (90–95)	592						2	4	7	6	18	26	78	163	144	78	66	
Bronchitis (106)	2												1	1				
Bronchopneumonia (107)	132	48	15	6	1	2	1	2	3	4	4	5	17	9	6	4	5	
Lobar and unspecified pneumonia (108, 109)	115	9	3	4	1	1	1	1	7	11	8	6	22	25	5	9	2	
Diarrhea and enteritis (119, 120)	40	26	7	1	1		1						3	1				
Appendicitis (121)	27	1			1			2	1	3	2	5	5	7				
Hernia, intestinal obstruction (122)	28	2		1			2	1	1			1	6	8	5		1	
Cirrhosis of the liver (124)	23								1		1	2	12	3	2	2		
Nephritis (130–132)	306				1		1	1	3	4	5	14	42	86	76	47	26	
Diseases of the female genital organs (139)	12										2	3	6	1				
Puerperal septicemia (140, 142a, 145)	25								4	7	4	7	3					
Other puerperal causes	21								1	6	7	1	6					
Suicide (163–171)	7										1	2	1	3				
Homicide (172–175)	79	1							8	22	12	11	17	5	1			2
Automobile accidents [1]	34						4	1	2	3		3	4	10	2	2	2	1
Automobile—railroad train and street car collisions	1													1				
Other external causes	90	2	2		3		3	10	10	6	10	5	15	8	7	4	4	1
All other causes	489	182	4	3		2	11	8	8	17	23	24	61	65	44	20	16	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BALTIMORE, MD. (WHITE), all causes	8,063	572	68	43	24	22	104	89	101	170	189	225	622	1,020	1,539	1,815	1,458	2
Typhoid and paratyphoid fever (1, 2)	4									1		1	1	1				
Measles (7)	1		1															
Scarlet fever (8)	18		1	3	2	2	6	2	1					1				
Whooping cough (9)	30	18	5	5	1		1											
Diphtheria (10)	8	1	1		2		3	1										
Influenza (11)	91	7	3	2	2	1	3	1	2	5	2	1	5	15	13	12	17	
Epidemic cerebrospinal meningitis (18)	7	3		1			1	1						1				
Tuberculosis of the respiratory system (23)	299	1		1				1	12	34	32	27	50	56	55	23	7	
Other forms of tuberculosis (24–32)	42	2	4	1	1		2	1		3	6		7	7	4	4		
Syphilis (34)	43	7							1			3	9	14	5	3	1	
Cancer and other malignant tumors (45–53)	983		2	1			7	5	5	11	8	14	83	176	266	267	138	
Diabetes mellitus (59)	232							1	1	3	1	3	8	29	83	77	26	
Cerebral hemorrhage and softening (82a, 82c)	601									1	1	1	24	79	122	215	158	
Diseases of the heart (90–95)	1,851	1					11	11	10	10	22	26	80	227	405	542	505	1
Bronchitis (106)	24	1													2	12	9	
Bronchopneumonia (107)	325	68	15	10	4		4	2	2	2	1	4	14	19	44	55	81	
Lobar and unspecified pneumonia (108, 109)	306	21	5	4		1	5	2	9	6	10	12	41	43	55	52	40	
Diarrhea and enteritis (119, 120)	72	51	11			1						1	2	1	2	1	2	
Appendicitis (121)	103		1	1		1	11	12	12	4	8	3	16	17	10	7		
Hernia, intestinal obstruction (122)	115	8	1		1			1	1	2	3	7	9	22	20	20	20	
Cirrhosis of the liver (124)	49											2	6	17	11	12	1	
Nephritis (130–132)	836	1					1	3	4	5	6	11	54	94	172	261	223	1
Diseases of the female genital organs (139)	16									1	6	2	3	3	1			
Puerperal septicemia (140, 142a, 145)	29									7	6	6	10					
Other puerperal causes	33								4	4	4	10	11					
Suicide (163–171)	160								3	11	9	20	32	26	41	16	2	
Homicide (172–175)	31	1						1	1	5	6	5	7	4			1	
Automobile accidents [1]	159		2			1	8	8	2	17	14	6	17	17	28	25	14	
Automobile—railroad train and street car collisions	7								1	1		2	1	1	1			
Other external causes	325	6	4	3	1	4	15	12	8	10	14	15	43	29	58	44	59	
All other causes	1,263	375	12	11	10	11	26	24	22	27	30	43	89	121	141	167	154	
BALTIMORE, MD. (COLORED), all causes	2,712	298	50	19	11	7	38	30	88	155	152	169	438	540	395	219	103	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7)																		
Scarlet fever (8)	1					1												
Whooping cough (9)	16	10	5	1														
Diphtheria (10)	7		3		3		1											
Influenza (11)	34	2	3	2			1		1	3	2	3	3	8	2	3	1	
Epidemic cerebrospinal meningitis (18)	4								1	3								
Tuberculosis of the respiratory system (23)	327	3	8	1	3		4	6	43	65	42	33	69	33	13	2	2	
Other forms of tuberculosis (24–32)	36	2	4	2		1	6	2	5	1	3	3	4	1		2		
Syphilis (34)	141	15							2	13	9	20	25	44	11	2		
Cancer and other malignant tumors (45–53)	157		1	1			2		2		3	6	26	48	36	24	8	
Diabetes mellitus (59)	36									2	1	4	3	15	6	4	1	
Cerebral hemorrhage and softening (82a, 82c)	213									1	1	4	36	57	62	40	12	
Diseases of the heart (90–95)	394		1					1	1	10	7	17	60	115	92	62	28	
Bronchitis (106)	6	1									1		1	2	1			
Bronchopneumonia (107)	135	37	12	5		1	5	1	2	3	6	7	13	13	18	8	4	
Lobar and unspecified pneumonia (108, 109)	228	27	4	3	3		2	3	10	14	16	15	45	50	24	6	6	
Diarrhea and enteritis (119, 120)	42	34	2	1	1					1	1			2				
Appendicitis (121)	21							3		3		2	6	4	3			
Hernia, intestinal obstruction (122)	25		1				1			2	1	2	6	4	5	2	1	
Cirrhosis of the liver (124)	9										1	2	2	1	2	1		
Nephritis (130–132)	260						1	1	1	1	8	9	38	63	74	38	26	
Diseases of the female genital organs (139)	4								1		1		2					
Puerperal septicemia (140, 142a, 145)	11								2		2	4	3					
Other puerperal causes	10								1	3	3	2	1					
Suicide (163–171)	14									2	2	1	4	3	1	1		
Homicide (172–175)	50								3	10	13	10	12	1	1			
Automobile accidents [1]	42				1		4	4	2		4	3	7	8	5	3	1	
Automobile—railroad train and street car collisions																		
Other external causes	75	2	1			1	2	2	1	5	8	7	18	12	7	5	4	
All other causes	412	165	5	3		3	9	7	10	11	17	15	54	56	32	16	9	
BOSTON, MASS., all causes	10,924	1,024	148	88	59	54	152	136	148	214	281	289	837	1,456	2,180	2,281	1,576	1
Typhoid and paratyphoid fever (1, 2)	4								3				1					
Measles (7)	10	4	3		1	1	1											
Scarlet fever (8)	41	2	3	5	5	3	14	5	1	2			1					
Whooping cough (9)	30	19	6	1	1	2	1											
Diphtheria (10)	34	1	2	6	6	5	8	3	1				1		1			
Influenza (11)	41	3	3	2	1		2	3	1	1	3	3	2	1	7	7	2	
Epidemic cerebrospinal meningitis (18)	22	3	1			1		2	1			6	1	4	1	1	1	
Tuberculosis of the respiratory system (23)	466	5	5	5		1	5	2	12	40	46	53	88	92	70	30	12	
Other forms of tuberculosis (24–32)	49	6	5	1	3		1	1	2	3	7	4	8	3	3	2		
Syphilis (34)	53	11						1			1	1	8	17	9	5		
Cancer and other malignant tumors (45–53)	1,361	1		3	2	1	4	5	5	9	10	10	105	235	418	380	173	
Diabetes mellitus (59)	254									1		2	10	30	72	109	30	
Cerebral hemorrhage and softening (82a, 82c)	589				1					2		3	18	72	157	193	143	
Diseases of the heart (90–95)	2,723	4	2	3	3	4	12	25	29	22	23	33	129	338	654	781	661	
Bronchitis (106)	18	3		1			1		1				1	2	6		3	
Bronchopneumonia (107)	641	165	51	12	4	4	10	7	8	5	8	7	30	40	75	111	103	1
Lobar and unspecified pneumonia (108, 109)	485	24	14	8	4	4	6	5	11	11	28	16	57	103	82	73	39	
Diarrhea and enteritis (119, 120)	85	58	6	1	1		1	1		4	2			3	5	2	1	
Appendicitis (121)	159		1	6	4	6	8	3	10	13	15	8	12	23	35	11	4	
Hernia, intestinal obstruction (122)	105	8	1				3	1			3	3	11	14	23	25	13	
Cirrhosis of the liver (124)	88					1			2			4	5	19	38	16	3	
Nephritis (130–132)	603	1		1		1	2	4	4	11	14	12	45	86	129	166	127	
Diseases of the female genital organs (139)	22									1	6	4	3	3	3	1	1	
Puerperal septicemia (140, 142a, 145)	45								1	15	12	11	6					
Other puerperal causes	81								1	7	23	21	28	1				
Suicide (163–171)	133							3		10	10	12	21	35	26	15	1	
Homicide (172–175)	27	1							1	3	4	5	5	1	5	2		
Automobile accidents [1]	151		2	1	3	1	12	6	6	7	7	8	16	21	27	25	9	
Automobile—railroad train and street car collisions	2											1				1		
Other external causes	468	11	7	6	6	3	12	18	14	4	17	17	41	62	81	89	80	
All other causes	2,134	694	36	26	14	16	49	41	34	43	42	45	184	251	253	236	170	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CAMBRIDGE, MASS., all causes	1,384	140	17	6	10	6	12	10	19	33	24	35	97	150	274	291	260	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7)	3	2	1															
Scarlet fever (8)	2		1	1														
Whooping cough (9)	4		3				1											
Diphtheria (10)	3				1	1		1										
Influenza (11)	8				1			1					1		1	1	3	
Epidemic cerebrospinal meningitis (18)	1								1									
Tuberculosis of the respiratory system (23)	67								3	7	7	6	16	15	5	6	2	
Other forms of tuberculosis (24–32)	8				1						2		2	2	1			
Syphilis (34)	4	1										1	1		1			
Cancer and other malignant tumors (45–53)	177			1					1	1		2	9	28	45	53	37	
Diabetes mellitus (59)	23									1				3	6	10	3	
Cerebral hemorrhage and softening (82a, 82c)	120												2	13	30	35	40	
Diseases of the heart (90–95)	366				1		2	2	2	2	4	1	17	38	107	100	90	
Bronchitis (106)	2		1														1	
Bronchopneumonia (107)	80	31	6	3	1	1			1	2	2	1	5	2	7	6	12	
Lobar and unspecified pneumonia (108, 109)	54	4	2			2	1		2	2	2	3	12	9	9	2	4	
Diarrhea and enteritis (119, 120)	9	7	1												1			
Appendicitis (121)	24						3	1	4	1			2	5	3	4	1	
Hernia, intestinal obstruction (122)	9													2	2	3	2	
Cirrhosis of the liver (124)	3													1	1	1		
Nephritis (130–132)	77	1							1	2	1	2	13	7	18	15	17	
Diseases of the female genital organs (139)	5										1	1	1	1	1			
Puerperal septicemia (140, 142a, 145)	2									1		1						
Other puerperal causes	8									2	1	2	3					
Suicide (163–171)	9								1	1		1	1	2	1	2		
Homicide (172–175)	2									2								
Automobile accidents [1]	22		1		1		3	1	1	1	1	2	1	2	3	3	2	
Automobile—railroad train and street car collisions																		
Other external causes	46	1	1	1	1	2	1	1	1	2	1	3	2	6	6	12	5	
All other causes	244	93			3		1	3	1	4	2	9	9	14	26	38	41	
FALL RIVER, MASS., all causes	1,312	111	21	9	4	9	15	21	22	28	15	30	84	141	277	293	232	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	8	3	3				1	1										
Scarlet fever (8)	10		3	2		2	1	2										
Whooping cough (9)	3		1	1			1											
Diphtheria (10)	3				1		1		1									
Influenza (11)	12		2						1				1	2	1	2	3	
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	56						2	1	6	10	6	6	7	9	5	3	1	
Other forms of tuberculosis (24–32)	8		4	1				1							2			
Syphilis (34)	3	1												2				
Cancer and other malignant tumors (45–53)	155											4	16	26	54	37	18	
Diabetes mellitus (59)	40						1				1			4	17	12	5	
Cerebral hemorrhage and softening (82a, 82c)	91											1	4	4	25	28	29	
Diseases of the heart (90–95)	316						1	1		1	2	3	14	32	68	112	82	
Bronchitis (106)	5													1	2	1	1	
Bronchopneumonia (107)	53	19	3	1	1		1					2	4	1	6	5	10	
Lobar and unspecified pneumonia (108, 109)	28	4	1			2		1	1	1	1		2	3	1	10	1	
Diarrhea and enteritis (119, 120)	21	13	3		1							1				1	2	
Appendicitis (121)	23				1		1	3	1	2	2	1	3	3	5	1		
Hernia, intestinal obstruction (122)	13						1		1				1	1	4	3	2	
Cirrhosis of the liver (124)	11												2	2	5	1	1	
Nephritis (130–132)	140									2		1	8	25	36	31	37	
Diseases of the female genital organs (139)	2													1	1			
Puerperal septicemia (140, 142a, 145)	4									1	1	1	1					
Other puerperal causes	3									1		1	1					
Suicide (163–171)	13								1	1		2	3		2	3	1	
Homicide (172–175)	1												1					
Automobile accidents [1]	20			1		1	2	3	2	5				2	2	1	1	
Automobile—railroad train and street car collisions																		
Other external causes	48			2				2	3	3		2	4	4	7	14	7	
All other causes	221	71		1		4	2	6	5	1	2	5	12	19	34	28	31	
LOWELL, MASS., all causes	1,298	130	16	9	7	11	20	11	11	21	23	19	75	134	244	289	278	
Typhoid and paratyphoid fever (1, 2)	2										1	1						
Measles (7)	1		1															
Scarlet fever (8)	8		1			1	2			1	1		1		1			
Whooping cough (9)	7	5	2															
Diphtheria (10)	11			2	1	1	5	1					1					
Influenza (11)	3				1								1	1				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	38		1			1	1			6	5	2	7	6	7	2		
Other forms of tuberculosis (24–32)	10	3		1	1		1			2			1	1				
Syphilis (34)																		
Cancer and other malignant tumors (45–53)	141											1	12	26	39	40	23	
Diabetes mellitus (59)	28								1				1	5	5	10	6	
Cerebral hemorrhage and softening (82a, 82c)	105											1	1	17	25	35	26	
Diseases of the heart (90–95)	372						1		1	2	2	4	15	35	102	113	97	
Bronchitis (106)	13	1											1			6	5	
Bronchopneumonia (107)	61	12	4			1	2	1		2	1	1	2	5	5	11	14	
Lobar and unspecified pneumonia (108, 109)	33	6	2	1	1		1			1	1		2	2	3	7	6	
Diarrhea and enteritis (119, 120)	12	10	1													1		
Appendicitis (121)	24					1	1	1	3	1	3		2	5	3	4		
Hernia, intestinal obstruction (122)	19		1									1	1	3	5	4	4	
Cirrhosis of the liver (124)	8												3	3	2			
Nephritis (130–132)	41						1					1	3	8	7	12	9	
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)	6									1		2	3					
Other puerperal causes	9									1	5	1	2					
Suicide (163–171)	8								1				3		2	2		
Homicide (172–175)	1							1										
Automobile accidents [1]	22			1		1	1	2		2	1	1		2	6	1	4	
Automobile—railroad train and street car collisions	1								1									
Other external causes	45		3	1	1	1		2	3	1	1	1	2	4	8	6	11	
All other causes	269	93		3	2	4	4	3	1	1	2	2	11	11	24	35	73	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LYNN, MASS., all causes	1,039	66	17	5	3	6	6	5	4	19	20	20	49	124	194	241	260	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1	1																
Scarlet fever (8)	4		2								1	1						
Whooping cough (9)	6	3	2	1														
Diphtheria (10)	3		3															
Influenza (11)	4		1											3				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	17									1	2	2	3	2	3	2	2	
Other forms of tuberculosis (24–32)	5								1	2	1				1			
Syphilis (34)	6											1		1	1	2	1	
Cancer and other malignant tumors (45–53)	103											2	6	16	30	25	24	
Diabetes mellitus (59)	24													2	12	8	2	
Cerebral hemorrhage and softening (82a, 82c)	102									1			1	13	21	38	28	
Diseases of the heart (90–95)	301							1	2		3	2	13	39	64	90	87	
Bronchitis (106)	4	1															3	
Bronchopneumonia (107)	35	7	4	2									1	1	7	3	10	
Lobar and unspecified pneumonia (108, 109)	28	1	2							1	1	2		3	4	10	4	
Diarrhea and enteritis (119, 120)	9	5			1	1								1		1		
Appendicitis (121)	23		1		1		4	1		4	2	2	4	1	2		1	
Hernia, intestinal obstruction (122)	9			1									2	1	2	2	1	
Cirrhosis of the liver (124)	6													2	4			
Nephritis (130–132)	81										1		4	10	14	23	29	
Diseases of the female genital organs (139)	2												1	1				
Puerperal septicemia (140, 142a, 145)	7									3		3	1					
Other puerperal causes	5								1	1	3							
Suicide (163–171)	19										1		2	5	4	3	4	
Homicide (172–175)	1															1		
Automobile accidents [1]	12				1					3	1		1	1		2	3	
Automobile—railroad train and street car collisions																		
Other external causes	50	1	1				1	2		1	1		3	4	6	10	20	
All other causes	172	47	1	1		5	1	1		2	3	5	7	18	19	21	41	
NEW BEDFORD, MASS., all causes	1,244	97	17	8	4	3	10	8	21	21	33	25	92	180	233	264	228	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	2	1					1											
Scarlet fever (8)	3		1								2							
Whooping cough (9)	2	2																
Diphtheria (10)	3					1	1										1	
Influenza (11)	7		1		1								1			2	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	68		1				1	1	11	10	10	5	11	6	9	2	1	
Other forms of tuberculosis (24–32)	9	1	2	2		1				1			1	1				
Syphilis (34)	9	1	1										2	5				
Cancer and other malignant tumors (45–53)	123								1	1	1		10	20	29	40	21	
Diabetes mellitus (59)	40												2	5	12	15	6	
Cerebral hemorrhage and softening (82a, 82c)	97						1						1	10	31	29	25	
Diseases of the heart (90–95)	349						1	1	1	1	2	5	13	59	72	95	99	
Bronchitis (106)	2																2	
Bronchopneumonia (107)	55	23	4	3	1							2	1	3	2	8	8	
Lobar and unspecified pneumonia (108, 109)	29	3	2			1		1	2		1		2	5	7	3	2	
Diarrhea and enteritis (119, 120)	7	4	1													1	1	
Appendicitis (121)	13			1			3	1			2		2		2	2		
Hernia, intestinal obstruction (122)	5													1	2		2	
Cirrhosis of the liver (124)	11													3	5	3		
Nephritis (130–132)	76							2		2	3		3	17	20	16	13	
Diseases of the female genital organs (139)	5											1	2	1	1			
Puerperal septicemia (140, 142a, 145)	4										2		2					
Other puerperal causes	12									2	1	3	6					
Suicide (163–171)	21									1		1	5	4	6	3	1	
Homicide (172–175)	2										1	1						
Automobile accidents [1]	20				1		1		2	1		1	4	5	3	2		
Automobile—railroad train and street car collisions																		
Other external causes	54			1				1	3	2	1	2	9	6	6	14	9	
All other causes	216	62	4	1	1		1	1	1		7	4	15	29	26	29	35	
SOMERVILLE, MASS., all causes	930	63	11	4	2	4	12	2	8	7	20	19	49	94	177	207	251	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	2			1		1												
Scarlet fever (8)	1						1											
Whooping cough (9)	2	1	1															
Diphtheria (10)	3				1		2											
Influenza (11)	8		1										1	1	2	2	1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	16										4	1	3	1	3	2	2	
Other forms of tuberculosis (24–32)	2	1	1															
Syphilis (34)	2														1	1		
Cancer and other malignant tumors (45–53)	110										1		6	21	28	27	27	
Diabetes mellitus (59)	29												1	1	13	8	6	
Cerebral hemorrhage and softening (82a, 82c)	73												2	7	14	21	29	
Diseases of the heart (90–95)	282						1		3	1	2	8	10	25	59	78	95	
Bronchitis (106)																		
Bronchopneumonia (107)	38	9	3	1			1			1	1		2	3	2	3	12	
Lobar and unspecified pneumonia (108, 109)	37		2	1			1			2	3	2	5	7	5	4	5	
Diarrhea and enteritis (119, 120)	7	7																
Appendicitis (121)	17					1	3			1	2		2	3	3	1	1	
Hernia, intestinal obstruction (122)	6													1	1	3	1	
Cirrhosis of the liver (124)	5													2	1	1	1	
Nephritis (130–132)	84							1	1		1		5	11	12	28	25	
Diseases of the female genital organs (139)	4													1	3			
Puerperal septicemia (140, 142a, 145)	5											2	3					
Other puerperal causes	4								1		1	1	1					
Suicide (163–171)	14									1			3	1	6	3		
Homicide (172–175)																		
Automobile accidents [1]	11					1	1		1				1	2	3	2		
Automobile—railroad train and street car collisions																		
Other external causes	30		2				1	1				1	1	3	3	6	12	
All other causes	138	45	1	1	1	1	1		2	1	5	4	3	4	18	17	34	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SPRINGFIELD, MASS., all causes	1,683	150	13	5	6	9	38	29	30	39	19	32	160	183	303	328	339	
Typhoid and paratyphoid fever (1, 2)	3		1									1	1					
Measles (7)	4	1		1		1	1											
Scarlet fever (8)	6				1		3			1		1						
Whooping cough (9)	2	2																
Diphtheria (10)	4			1	1		1	1										
Influenza (11)	12	1						1	2	1				1	2	2	2	
Epidemic cerebrospinal meningitis (18)	2	1								1								
Tuberculosis of the respiratory system (23)	47	1						2	5	6	1	3	18	7	3	1		
Other forms of tuberculosis (24–32)	8	4						1					2	1				
Syphilis (34)	4		1											3				
Cancer and other malignant tumors (45–53)	221											2	14	36	70	66	33	
Diabetes mellitus (59)	52												4	7	17	15	9	
Cerebral hemorrhage and softening (82a, 82c)	126						1					1	3	14	24	39	44	
Diseases of the heart (90–95)	390					1	2	4	5	5	1		24	35	89	108	116	
Bronchitis (106)	5										1		1		1		2	
Bronchopneumonia (107)	48	9	3		1		3			1		2	2	7	3	4	13	
Lobar and unspecified pneumonia (108, 109)	48	5		1	1		3	1	2	1	2	3	7	8	4	2	8	
Diarrhea and enteritis (119, 120)	15	9	1	1				1						1	1	1		
Appendicitis (121)	26						3	2	4	3	1	2	2	5	3	1		
Hernia, intestinal obstruction (122)	15	2				1							2	2	1	4	3	
Cirrhosis of the liver (124)	6													2	3	1		
Nephritis (130–132)	161						1			3	2	2	15	12	31	41	54	
Diseases of the female genital organs (139)	4								1				3					
Puerperal septicemia (140, 142a, 145)	5									1	3		1					
Other puerperal causes	8									1	1	4	2					
Suicide (163–171)	22									3		1	7	7	3		1	
Homicide (172–175)	1												1					
Automobile accidents [1]	28					1	5	2	2	1	1	1	4	2	3	5	1	
Automobile—railroad train and street car collisions																		
Other external causes	89	1	1		1	3	4	3	5	2	5	5	17	8	14	5	15	
All other causes	321	114	6	1	1	2	11	11	4	9	1	4	30	25	31	33	38	
WORCESTER, MASS., all causes	2,379	181	21	11	9	9	40	22	26	29	51	66	192	305	418	504	495	
Typhoid and paratyphoid fever (1, 2)	3												1	1	1			
Measles (7)	1		1															
Scarlet fever (8)	11	1			2	1	5	1			1							
Whooping cough (9)	5	5																
Diphtheria (10)	12			3	1	2	5	1										
Influenza (11)	7	1			1								3			2		
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	77	1							2	1	16	15	14	11	7	9	1	
Other forms of tuberculosis (24–32)	20	2	4	2	1		4		1			1	3	2				
Syphilis (34)	11	1											1	3	6			
Cancer and other malignant tumors (45–53)	253								1	2	1	4	22	58	51	71	43	
Diabetes mellitus (59)	62							1				1	1	2	23	23	11	
Cerebral hemorrhage and softening (82a, 82c)	158						1					2	4	19	35	48	49	
Diseases of the heart (90–95)	520	1					1	2	4	6	4	10	22	52	97	148	173	
Bronchitis (106)	5		1										1		1		2	
Bronchopneumonia (107)	101	22	4	2		3	3			2	1	1	7	1	9	21	25	
Lobar and unspecified pneumonia (108, 109)	97	2	3	1			1		4	1	4	7	12	16	19	14	13	
Diarrhea and enteritis (119, 120)	11	8													3			
Appendicitis (121)	45	1		1			3	3	3	2	2	1	9	7	9	4		
Hernia, intestinal obstruction (122)	26	3					1						1	6	7	7	1	
Cirrhosis of the liver (124)	10										1	1	1	1	3	2	1	
Nephritis (130–132)	284						1		1	3	2	6	17	48	62	73	71	
Diseases of the female genital organs (139)	9								1		2		2	1	1	1	1	
Puerperal septicemia (140, 142a, 145)	6									1	4		1					
Other puerperal causes	15									3	2	2	8					
Suicide (163–171)	33								1			4	8	9	6	5		
Homicide (172–175)	5									1	1		1	1	1			
Automobile accidents [1]	31		2	1		1	5	1			1	1	3	4	7	4	1	
Automobile—railroad train and street car collisions	2										1		1					
Other external causes	99	2	1	1			2	6	3	2	1	4	12	9	13	14	29	
All other causes	459	130	5		4	2	8	7	5	5	7	6	37	54	57	58	74	
DETROIT, MICH. (WHITE), all causes	11,314	1,201	180	86	61	72	236	164	226	274	386	501	1,381	1,676	1,660	1,780	1,429	1
Typhoid and paratyphoid fever (1, 2)	8						1		1	1			2	1	2			
Measles (7)	46	15	20	2	1	1	6	1										
Scarlet fever (8)	43	1	2	8	4	5	15	2	2	3	1							
Whooping cough (9)	57	36	14	3	1	1	1									1		
Diphtheria (10)	65	7	4	5	4	6	24	11	2		1			1				
Influenza (11)	167	16	7	3	4		4	3	8	5	5	10	32	16	14	13	27	
Epidemic cerebrospinal meningitis (18)	33	10	3	5		2	1	2	1	1	4	1	1	2				
Tuberculosis of the respiratory system (23)	599	2	3	1	1	2	7	6	38	70	77	58	142	109	49	27	6	1
Other forms of tuberculosis (24–32)	92	7	7	4	5	9	10	6	6	7	3	8	11	6	1	2		
Syphilis (34)	76	9	1		1		1			3	1	3	19	20	11	5	2	
Cancer and other malignant tumors (45–53)	1,152				3		3	4	2	5	14	36	134	272	297	265	117	
Diabetes mellitus (59)	273				1		1	4	3	3	3	3	24	41	75	86	29	
Cerebral hemorrhage and softening (82a, 82c)	647	1						1	2	2	2	9	50	99	147	184	150	
Diseases of the heart (90–95)	2,435	1	4	1	1	4	12	19	22	25	38	60	224	402	458	597	567	
Bronchitis (106)	84	7	4				3	1		1		1	2	7	5	15	38	
Bronchopneumonia (107)	366	151	36	7	5	5	5	5	6	1	7	8	21	27	23	28	31	
Lobar and unspecified pneumonia (108, 109)	568	46	23	5	6	4	10	13	11	19	28	48	96	98	73	48	40	
Diarrhea and enteritis (119, 120)	106	62	8	2	3	5	6	2	1	3	1		2	4	1	2	4	
Appendicitis (121)	221		1	3	1	4	21	21	25	13	16	16	47	29	16	4	4	
Hernia, intestinal obstruction (122)	119	9	1	5			1	1	1	1	4	4	16	20	26	21	9	
Cirrhosis of the liver (124)	105											5	21	26	21	26	6	
Nephritis (130–132)	617	1			1		6	7	2	5	6	14	65	79	122	174	135	
Diseases of the female genital organs (139)	53								2	2	9	10	22	6	2			
Puerperal septicemia (140, 142a, 145)	61								6	10	15	15	15					
Other puerperal causes	97								7	9	23	28	27	3				
Suicide (163–171)	301								7	9	22	20	83	73	54	28	5	
Homicide (172–175)	95						3	1	3	14	14	21	22	9	6		2	
Automobile accidents [1]	292	1	1	2	4	3	20	7	13	14	25	17	53	55	40	29	8	
Automobile—railroad train and street car collisions	13						1		2		3	1	1	3	1	1		
Other external causes	392	14	15	7	1	6	20	12	19	10	12	21	66	60	34	40	55	
All other causes	2,131	805	26	23	14	15	54	35	34	38	52	84	183	208	182	184	194	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DETROIT, MICH. (COLORED), all causes	1,676	148	35	18	11	6	24	28	65	93	135	191	392	270	133	80	47	
Typhoid and paratyphoid fever (1, 2)	1											1						
Measles (7)	5	1	2		1	1												
Scarlet fever (8)																		
Whooping cough (9)	17	13	4															
Diphtheria (10)	1						1											
Influenza (11)	9		1							1			3	2			2	
Epidemic cerebrospinal meningitis (18)	1					1												
Tuberculosis of the respiratory system (23)	305	3	6	1			2	7	27	39	49	56	80	25	7	2	1	
Other forms of tuberculosis (24–32)	70	7	3	7	5		7	4	9	7	7	1	12	1				
Syphilis (34)	48	1								2	5	9	24	4	3			
Cancer and other malignant tumors (45–53)	59				1						2	7	10	16	15	5	3	
Diabetes mellitus (59)	18											1	7	6	2	1	1	
Cerebral hemorrhage and softening (82a, 82c)	67			2								1	13	18	17	12	4	
Diseases of the heart (90–95)	327			1		1	1	1	2	7	8	34	94	95	38	26	19	
Bronchitis (106)	4	1											1			1	1	
Bronchopneumonia (107)	52	28	3	1	1		1	2			3	2	4	2	3	2		
Lobar and unspecified pneumonia (108, 109)	126	3	7	1	1		4	3	4	10	8	18	33	21	8	4	1	
Diarrhea and enteritis (119, 120)	17	8				2					1		3	3				
Appendicitis (121)	25						1	3	3	2	4	2	7	1	1	1		
Hernia, intestinal obstruction (122)	12	1		1						1	1		3	3		2		
Cirrhosis of the liver (124)	8											1	2	3	2			
Nephritis (130–132)	97	1						1			4	9	25	23	14	12	8	
Diseases of the female genital organs (139)	12								1		4	2	4	1				
Puerperal septicemia (140, 142a, 145)	5							1				1	3					
Other puerperal causes	17								2	8	1	3	3					
Suicide (163–171)	9									3	2		2	2				
Homicide (172–175)	65								6	7	18	18	10	5	1			
Automobile accidents [1]	29					1	3		1	1	4	4	4	7	4			
Automobile—railroad train and street car collisions																		
Other external causes	39	3	2	4	1		2	3			2	7	5	7	2		1	
All other causes	231	78	7		1		2	3	10	5	12	14	40	25	16	12	6	
FLINT, MICH., all causes	1,227	200	31	16	7	5	23	18	23	43	38	51	101	140	173	173	184	1
Typhoid and paratyphoid fever (1, 2)	3											2		1				
Measles (7)	20	6	7	3	1	1	2											
Scarlet fever (8)	4			1	1		2											
Whooping cough (9)	6	3	1	1	1													
Diphtheria (10)	5			2		1	1			1								
Influenza (11)	25	6	1			2					1		3	3	3	2	4	
Epidemic cerebrospinal meningitis (18)	5		1	1							1		1		1			
Tuberculosis of the respiratory system (23)	44						2		3	9	4	11	6	6	3			
Other forms of tuberculosis (24–32)	16	2	5	2		1		1			1	1	2	1				
Syphilis (34)	16		1							1	1		4	6	2	1		
Cancer and other malignant tumors (45–53)	108							1	1	1	1	4	8	19	36	21	16	
Diabetes mellitus (59)	25							1					3	1	8	7	5	
Cerebral hemorrhage and softening (82a, 82c)	76							1				2	1	11	13	24	24	
Diseases of the heart (90–95)	184						2	2	1	1	2	5	6	22	34	48	61	
Bronchitis (106)	2														1		1	
Bronchopneumonia (107)	66	30	5	2			3			2		1	1	4	3	2	13	
Lobar and unspecified pneumonia (108, 109)	60	9	4		1				1		3	3	10	8	8	7	6	
Diarrhea and enteritis (119, 120)	22	17	1		1									2			1	
Appendicitis (121)	22							3	1	2	1	1	4	5	3	1	1	
Hernia, intestinal obstruction (122)	19	5			1			1	1		1		1	2	3	3	1	
Cirrhosis of the liver (124)	5												1		1	1	2	
Nephritis (130–132)	57							1				2	3	12	16	16	7	
Diseases of the female genital organs (139)	6										1	2	1		2			
Puerperal septicemia (140, 142a, 145)	17								3	5	4		5					
Other puerperal causes	17								1	6	4	4	2					
Suicide (163–171)	29								1	2	1	3	9	7	3	3		
Homicide (172–175)	9	2							1	1	1		4					
Automobile accidents [1]	38		1	2			3	1	1	3	6	1	5	3	5	4	3	
Automobile—railroad train and street car collisions	4										1	1	1		1			
Other external causes	32	1	3				3	3	2			2	1	2	3	5	7	
All other causes	285	119	1	2	1		5	3	6	9	4	6	19	25	24	28	32	1
GRAND RAPIDS, MICH., all causes	1,545	117	13	10	8	6	21	15	25	29	29	31	94	128	252	369	398	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	10		3	1	1	1	2	1					1					
Scarlet fever (8)	2				1		1											
Whooping cough (9)	5	4		1														
Diphtheria (10)																		
Influenza (11)	40	4		2		1	2		3	1	1	2	3	3	2	4	12	
Epidemic cerebrospinal meningitis (18)	1						1											
Tuberculosis of the respiratory system (23)	21								2	1	3	4	3		5	3		
Other forms of tuberculosis (24–32)	7						1			1	1		2	1		1		
Syphilis (34)	13	1									1		3	4	4			
Cancer and other malignant tumors (45–53)	178									1			8	25	47	65	32	
Diabetes mellitus (59)	34							1					5	6	12	6	4	
Cerebral hemorrhage and softening (82a, 82c)	155												6	9	24	58	58	
Diseases of the heart (90–95)	425				2	1			5		3	6	16	34	71	130	157	
Bronchitis (106)	1																1	
Bronchopneumonia (107)	31	9	1		1	1		1		2	1	1	2	1	1	2	8	
Lobar and unspecified pneumonia (108, 109)	49	4	2						1	2	2	1	7	6	6	8	10	
Diarrhea and enteritis (119, 120)	6	3	1											1		1		
Appendicitis (121)	24						1	1		2	1	2	4	8	2	3		
Hernia, intestinal obstruction (122)	21	2										2	1	2	6	3	5	
Cirrhosis of the liver (124)	8													1	2	2	3	
Nephritis (130–132)	94							2	1		1	1	5	8	20	27	29	
Diseases of the female genital organs (139)	3									1			1	1				
Puerperal septicemia (140, 142a, 145)	4								1	1	1		1					
Other puerperal causes	6									2	2	2						
Suicide (163–171)	18									1	1	2	2	3	1	7	1	
Homicide (172–175)																		
Automobile accidents [1]	29				1		3		4	2	2	3	3	2	3	6		
Automobile—railroad train and street car collisions	4										1		2		1			
Other external causes	53			2			4	2	2	6	2	3	5	2	7	6	12	
All other causes	303	90	6	4	2	2	6	7	6	6	6	2	14	11	38	37	66	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DULUTH, MINN., all causes	1,149	84	3	4	3	4	16	13	20	23	28	30	87	168	188	280	197	1
Typhoid and paratyphoid fever (1, 2)	1									1								
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	2	1				1												
Diphtheria (10)	1					1												
Influenza (11)	30	1	1						3	1		4	2	7	4	3	4	
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	28									3	4	4	6	5	4	2		
Other forms of tuberculosis (24–32)	10			1	1				1				1	4		1	1	
Syphilis (34)	14	1											3	3	5	2		
Cancer and other malignant tumors (45–53)	155			1			1					5	8	39	37	50	14	
Diabetes mellitus (59)	28								1		1			2	11	9	4	
Cerebral hemorrhage and softening (82a, 82c)	68	1								1			3	10	8	18	27	
Diseases of the heart (90–95)	265						2		2	3	5	2	12	35	37	93	74	
Bronchitis (106)	6	1							1					2	1		1	
Bronchopneumonia (107)	19	4	1						1				3	1	2	4	3	
Lobar and unspecified pneumonia (108, 109)	32						1		1			1	6	7	6	4	6	
Diarrhea and enteritis (119, 120)	9	5	1												1	1	1	
Appendicitis (121)	24			1		1	1	3	2	2	1	1	2	4	5	1		
Hernia, intestinal obstruction (122)	11				1								4	1	1	4		
Cirrhosis of the liver (124)	7													4	1	2		
Nephritis (130–132)	49									1	1	1	6	5	12	11	12	
Diseases of the female genital organs (139)	1												1					
Puerperal septicemia (140, 142a, 145)	5									3	1		1					
Other puerperal causes	8									1	3	2	2					
Suicide (163–171)	28								1		1	3	3	7	6	4	2	1
Homicide (172–175)	3	2									1							
Automobile accidents [1]	22			1			2	3	4	2	2	1	2	2	3			
Automobile—railroad train and street car collisions	1									1								
Other external causes	44	2			1	1	3	1	3	3	1	2	5	4	6	9	3	
All other causes	277	65					6	6		1	7	4	17	26	38	62	45	
MINNEAPOLIS, MINN., all causes	5,187	421	32	25	17	14	66	51	77	102	120	140	403	653	852	1,141	1,073	
Typhoid and paratyphoid fever (1, 2)	4								1	1			1	1				
Measles (7)																		
Scarlet fever (8)	15			2		1	5	1	1	1	2	1	1					
Whooping cough (9)	5	3	2															
Diphtheria (10)	4					1	2							1				
Influenza (11)	102	6	2	1			1	3	1	3	7	5	10	9	7	26	21	
Epidemic cerebrospinal meningitis (18)	6	1	1				1	1							2			
Tuberculosis of the respiratory system (23)	85	1	1				1	2	3	5	3	6	16	18	8	16	5	
Other forms of tuberculosis (24–32)	22			3	2		2		1	1	2	3	3	2	2	1		
Syphilis (34)	48	1										1	8	19	13	6		
Cancer and other malignant tumors (45–53)	729		2	4			3	1	2	6	5	17	49	118	196	218	108	
Diabetes mellitus (59)	113							4	1	1	2	1	4	16	21	46	17	
Cerebral hemorrhage and softening (82a, 82c)	327	1								2	1		13	37	61	119	93	
Diseases of the heart (90–95)	993					1	1	6	6	10	20	15	44	112	185	265	328	
Bronchitis (106)	20					1				1			1	1	2	3	11	
Bronchopneumonia (107)	313	42	8	2	2	1	5	3	3	1		3	10	33	35	64	101	
Lobar and unspecified pneumonia (108, 109)	253	5	2	4	1	1	4	3	8	7	5	15	29	36	41	45	47	
Diarrhea and enteritis (119, 120)	28	20				1					1		1	3	1	1		
Appendicitis (121)	111		4		1		6	5	9	7	5	4	21	24	15	9	1	
Hernia, intestinal obstruction (122)	64	4					1			1	2	1	4	9	15	13	14	
Cirrhosis of the liver (124)	37									1			4	10	11	5	6	
Nephritis (130–132)	235	1					1	2	4	1	4	6	20	22	35	66	73	
Diseases of the female genital organs (139)	21								1	1	4	3	6	4			2	
Puerperal septicemia (140, 142a, 145)	21								2	7	5	4	3					
Other puerperal causes	27									5	6	8	8					
Suicide (163–171)	111								2	5	8	7	25	26	21	15	2	
Homicide (172–175)	21	1							1	1	2	4	5	5	2			
Automobile accidents [1]	91			1		1	8	3	12	5	8	2	7	8	15	12	9	
Automobile—railroad train and street car collisions	6									2			1	1	2			
Other external causes	274	3	2	3	4	1	5	4	5	6	7	8	25	36	38	59	68	
All other causes	1,101	332	8	5	7	5	20	13	14	21	21	26	84	102	124	152	167	
ST. PAUL, MINN., all causes	2,983	195	23	14	10	5	30	27	53	57	83	79	217	371	502	692	624	1
Typhoid and paratyphoid fever (1, 2)	2							1			1							
Measles (7)																		
Scarlet fever (8)	5				1		1	1	1	1								
Whooping cough (9)	5	2	1	2														
Diphtheria (10)	1				1													
Influenza (11)	55	2	1				1		2		3	3	11	4	9	9	10	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	103	1						1	5	7	14	16	18	20	12	7	2	
Other forms of tuberculosis (24–32)	18			1		1	3	2	2	1		2	2	1	1	1	1	
Syphilis (34)	29	6								1		1	6	11	3		1	
Cancer and other malignant tumors (45–53)	424		1	1			1	2	2		1	5	32	69	100	135	75	
Diabetes mellitus (59)	78								1		1	2	2	8	19	30	15	
Cerebral hemorrhage and softening (82a, 82c)	229								1	1	1	2	7	21	53	76	67	
Diseases of the heart (90–95)	647						2	6	3	3	10	5	23	63	126	180	226	
Bronchitis (106)	12	1												3		1	7	
Bronchopneumonia (107)	115	16	6				1	1	2	2	1	2	8	8	15	21	32	
Lobar and unspecified pneumonia (108, 109)	90	4	1	2			2			4	3	1	12	16	11	20	13	1
Diarrhea and enteritis (119, 120)	18	8	2				1			1			1		1	1	3	
Appendicitis (121)	42			1	1		3	1	3	2	1	2	7	9	8	4		
Hernia, intestinal obstruction (122)	37								1		1	1	3	7	5	14	5	
Cirrhosis of the liver (124)	28							1			1	1	2	6	8	7	2	
Nephritis (130–132)	137								1	2	2	4	7	12	20	40	49	
Diseases of the female genital organs (139)	4									1	1		1	1				
Puerperal septicemia (140, 142a, 145)	13									4	6	1	2					
Other puerperal causes	17									2	8	4	2	1				
Suicide (163–171)	35									2	1	2	6	8	10	5	1	
Homicide (172–175)	13									3	4	2	3	1				
Automobile accidents [1]	84				1	2	5		4	6	7	2	9	14	14	9	11	
Automobile—railroad train and street car collisions	7								2					4	1			
Other external causes	129	1	4	1	3			4	6	3	5	5	5	17	15	30	30	
All other causes	606	154	7	6	3	2	10	7	17	11	11	16	48	67	71	102	74	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,277	276	53	20	16	19	60	28	69	126	126	133	379	544	757	846	824	1
Typhoid and paratyphoid fever (1, 2)	6			1					1		3	1						
Measles (7)	4		1		1		2											
Scarlet fever (8)	8			2		2		2				1		1				
Whooping cough (9)	17	7	9			1												
Diphtheria (10)	14	1	2			2	7				1	1						
Influenza (11)	22	2								3		1	1	2	5	2	6	
Epidemic cerebrospinal meningitis (18)	10	4	1			1	1		1			1	1					
Tuberculosis of the respiratory system (23)	179		2		1		3	1	5	21	24	18	28	31	25	13	7	
Other forms of tuberculosis (24–32)	21	3	1	1		1	1	1	2	1	1		2	1	2	3	1	
Syphilis (34)	27	7	1		1					1	1		2	8	4	2		
Cancer and other malignant tumors (45–53)	481	1		1				1	1	5	5	5	50	85	137	116	74	
Diabetes mellitus (59)	91								2	1		2	7	12	23	26	18	
Cerebral hemorrhage and softening (82a, 82c)	218								2			1	10	22	47	64	71	1
Diseases of the heart (90–95)	862				1				6	9	13	19	42	92	168	237	275	
Bronchitis (106)	18		1				1						1	1		7	7	
Bronchopneumonia (107)	210	42	10	3	3		5		3	2	3	3	11	21	21	28	55	
Lobar and unspecified pneumonia (108, 109)	209	6	3	3		1	2	3	3	11	6	11	28	26	32	35	39	
Diarrhea and enteritis (119, 120)	31	15	2		1	1			1	1	1	1		3	1	3	1	
Appendicitis (121)	93	1			1	3	7	4	10	8	8	8	9	18	10	5	1	
Hernia, intestinal obstruction (122)	38	2						1	2		2	2	4	1	5	10	9	
Cirrhosis of the liver (124)	48											1	9	12	11	10	5	
Nephritis (130–132)	357	1		1			1		2	3	1	1	22	43	80	94	108	
Diseases of the female genital organs (139)	14									1	3	3	3	3			1	
Puerperal septicemia (140, 142a, 145)	33								3	10	7	7	6					
Other puerperal causes	21								1	6	7	1	6					
Suicide (163–171)	91								1	8	4	11	22	18	15	10	2	
Homicide (172–175)	40								3	2	9	7	9	6	3	1		
Automobile accidents [1]	79				1	1	2	1	3	10	3	4	9	6	17	13	9	
Automobile—railroad train and street car collisions	2						1									1		
Other external causes	205	3	6	3		2	6	1	6	10	6	11	25	20	34	29	43	
All other causes	828	181	14	5	6	4	21	13	11	13	18	12	72	112	117	137	92	
KANSAS CITY, MO. (COLORED), all causes	854	55	8	7	2	2	3	8	19	29	55	65	141	184	142	85	47	2
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	2	1								1								
Scarlet fever (8)																		
Whooping cough (9)	1		1															
Diphtheria (10)																		
Influenza (11)	3							1				2						
Epidemic cerebrospinal meningitis (18)	2													1	1			
Tuberculosis of the respiratory system (23)	102	1		1				4	8	9	15	18	19	19	4	3	1	
Other forms of tuberculosis (24–32)	19		1	2				1	2	2	2	5	2	2				
Syphilis (34)	13	1									2	1	2	6	1			
Cancer and other malignant tumors (45–53)	50											2	10	13	10	11	4	
Diabetes mellitus (59)	6												1	2	2	1		
Cerebral hemorrhage and softening (82a, 82c)	35												1	12	12	5	5	
Diseases of the heart (90–95)	182								1	4	1	9	27	48	53	21	18	
Bronchitis (106)	3											1		1		1		
Bronchopneumonia (107)	43	15	5	3	1							3	3	3	3	4	3	
Lobar and unspecified pneumonia (108, 109)	64	6				1				1	7	4	14	17	4	7	3	
Diarrhea and enteritis (119, 120)	8	5											1	2				
Appendicitis (121)	11								1		4	1	2	1	2			
Hernia, intestinal obstruction (122)	8						1				1	1	2	1		2		
Cirrhosis of the liver (124)	6													4	2			
Nephritis (130–132)	64									1	2	2	6	15	18	13	7	
Diseases of the female genital organs (139)	3										1	1		1				
Puerperal septicemia (140, 142a, 145)	2									1		1						
Other puerperal causes	3								1		1		1					
Suicide (163–171)	2									1		1						
Homicide (172–175)	46								3	6	11	5	9	7	3	1		1
Automobile accidents [1]	10						1				1	1	1	1	2	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	34	1	1	1	1	1	1		1	1	1	3	10	6	2	4		
All other causes	132	25						2	2	2	6	4	30	22	23	10	5	1
ST. LOUIS, MO. (WHITE), all causes	9,040	562	54	47	27	26	109	89	100	180	207	226	689	1,249	1,846	2,029	1,599	1
Typhoid and paratyphoid fever (1, 2)	9							1		1	1	3	2	1				
Measles (7)	1	1																
Scarlet fever (8)	17		3	3	1	3	3		1		1	2						
Whooping cough (9)	29	18	3	4	2	1	1											
Diphtheria (10)	26		1	7	2		9	1	1		1		2	2				
Influenza (11)	82	8	2	2	1	1	4	2	1	5	1	5	8	8	9	12	13	
Epidemic cerebrospinal meningitis (18)	12						2	3	2		2		1	1		1		
Tuberculosis of the respiratory system (23)	258	1					1	2	10	23	31	20	48	52	45	20	5	
Other forms of tuberculosis (24–32)	33	1	3	2	1	1	3	1	1	3	1	2	3	3	6	2		
Syphilis (34)	84	8						2				3	8	28	24	9	2	
Cancer and other malignant tumors (45–53)	1,101		1	1		1	3	4	3	5	13	10	37	211	315	305	142	
Diabetes mellitus (59)	241					1			2	1	2	3	7	33	71	88	33	
Cerebral hemorrhage and softening (82a, 82c)	462					1		1		1	1	4	23	57	111	141	122	
Diseases of the heart (90–95)	2,236	1	1	1	1		9	10	11	16	12	26	111	252	473	666	646	
Bronchitis (106)	30	1									2		2	2	4	8	11	
Bronchopneumonia (107)	283	72	7	7	2		3		5	4	3	10	13	18	32	40	67	
Lobar and unspecified pneumonia (108, 109)	440	16	5	2	3	1	8	9	5	11	19	16	43	62	85	87	68	
Diarrhea and enteritis (119, 120)	75	55	4				1			1			1	2	3	5	3	
Appendicitis (121)	131		1	1	2	1	6	9	9	6	9	4	17	21	22	20	3	
Hernia, intestinal obstruction (122)	108	5	2		1				1	1	3	3	12	16	28	25	11	
Cirrhosis of the liver (124)	122							1				4	11	37	35	19	15	
Nephritis (130–132)	963				1		1	4	3	6	8	9	47	127	229	239	239	
Diseases of the female genital organs (139)	26									3	5	4	2	2	7	2	1	
Puerperal septicemia (140, 142a, 145)	30								3	9	5	10	3					
Other puerperal causes	25									6	4	5	9	1				
Suicide (163–171)	219								2	7	16	12	35	58	54	25	10	
Homicide (172–175)	54	1		1					2	7	13	5	11	3	9	2		
Automobile accidents [1]	136		1	1		2	9	7	6	13	6	4	11	23	20	28	5	
Automobile—railroad train and street car collisions	7								1	2	1	1		2				
Other external causes	413	8	8	6	2	3	7	5	14	11	16	20	40	66	63	71	72	1
All other causes	1,387	366	12	9	8	10	39	27	17	38	31	41	132	161	201	164	131	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,995	162	48	12	14	8	25	19	55	85	117	134	352	424	289	153	98	
Typhoid and paratyphoid fever (1, 2)	3						1				1	1						
Measles (7)																		
Scarlet fever (8)	2			1				1										
Whooping cough (9)	17	10	7															
Diphtheria (10)	4		1			1		1						1				
Influenza (11)	21	1	2	2				2	1			1	2	2	2	5	1	
Epidemic cerebrospinal meningitis (18)	4	1			1				1	1								
Tuberculosis of the respiratory system (23)	231		5				4	2	15	36	33	29	56	39	7	3	2	
Other forms of tuberculosis (24–32)	33	3			1		7	2	4	1	3	2	5	2	1	2		
Syphilis (34)	42	11						2		2	2	3	6	10	5		1	
Cancer and other malignant tumors (45–53)	123						1		1	3	4	3	25	46	29	9	2	
Diabetes mellitus (59)	16										2	2	2	5	2	3		
Cerebral hemorrhage and softening (82a, 82c)	100									1	1	6	12	27	34	15	4	
Diseases of the heart (90–95)	455						2	1	2	5	14	23	79	111	103	63	52	
Bronchitis (106)	4		1	1										2				
Bronchopneumonia (107)	83	34	16	4	3	5			1	1	2		3	5	4	1	4	
Lobar and unspecified pneumonia (108, 109)	135	8	7	2	3		1	1	4	6	8	11	32	32	9	4	7	
Diarrhea and enteritis (119, 120)	23	16	3	1		1	1									1		
Appendicitis (121)	30							2	5	4	3	7	4	3	1	1		
Hernia, intestinal obstruction (122)	18	1										2	5	6	4			
Cirrhosis of the liver (124)	10											1	4	1	2	1	1	
Nephritis (130–132)	181										3	2	30	55	45	29	17	
Diseases of the female genital organs (139)	7										3	1	2	1				
Puerperal septicemia (140, 142a, 145)	11								2	2	2	4	1					
Other puerperal causes	7								1	2	1	3						
Suicide (163–171)	5									1		1	1	1	1			
Homicide (172–175)	72				1			1	7	7	11	9	23	9	3	1		
Automobile accidents [1]	20		2				2			1	4		3	4	1	2	1	
Automobile—railroad train and street car collisions																		
Other external causes	63	1	1	1	2	1	2		6	3	5	2	10	14	8	4	3	
All other causes	275	76	3		3		4	4	5	9	15	21	47	48	28	9	3	
OMAHA, NEBR., all causes	2,720	178	34	19	13	7	45	25	58	62	70	91	249	391	445	550	479	4
Typhoid and paratyphoid fever (1, 2)	4												1	1	1	1		
Measles (7)	1												1					
Scarlet fever (8)	5		1		1		2						1					
Whooping cough (9)	3	1	1	1														
Diphtheria (10)	13	3	1	1	1	1	5	1										
Influenza (11)	92	4	2	2	2		4	1	4	3	2	7	7	15	8	14	17	
Epidemic cerebrospinal meningitis (18)	7	2				1	2	1				1						
Tuberculosis of the respiratory system (23)	67		1				1		3	9	8	10	10	11	6	5	3	
Other forms of tuberculosis (24–32)	7	1	1				1				1			2	1			
Syphilis (34)	25	1	2								1		3	9	7	2		
Cancer and other malignant tumors (45–53)	291							1	1	2	2	6	21	56	84	72	46	
Diabetes mellitus (59)	64							1	2	1	2	1	4	8	16	19	9	1
Cerebral hemorrhage and softening (82a, 82c)	170							1					10	22	29	49	58	1
Diseases of the heart (90–95)	543						1	3	7	3	5	5	30	76	107	159	146	1
Bronchitis (106)	7	1	1												2		3	
Bronchopneumonia (107)	87	17	7	2	1		1	3	3			3	7	6	7	8	22	
Lobar and unspecified pneumonia (108, 109)	143	1	2	2		1	3	1	2	6	2	8	17	20	23	32	23	
Diarrhea and enteritis (119, 120)	14	4	3			1			1		1		2	1			1	
Appendicitis (121)	57						1	2	6	4	5	8	9	6	12	3	1	
Hernia, intestinal obstruction (122)	36	5		1						1	1	1	3	8	7	5	4	
Cirrhosis of the liver (124)	21												4	2	4	10	1	
Nephritis (130–132)	148		1				1			2	1	2	8	26	30	33	44	
Diseases of the female genital organs (139)	16								2		2	3	5	2	2			
Puerperal septicemia (140, 142a, 145)	15									5	4	2	4					
Other puerperal causes	15								2	2	4	5	2					
Suicide (163–171)	74									8	1	4	16	21	12	11	1	
Homicide (172–175)	23							2			2	5	8	3		2		1
Automobile accidents [1]	44					1	4	2	3	2	2	1	7	6	4	9	3	
Automobile—railroad train and street car collisions	1												1					
Other external causes	153	2	4		1	1	6	2	5	5	6	5	14	23	18	31	30	
All other causes	574	136	7	10	7	1	13	6	15	9	18	14	54	67	65	85	67	
CAMDEN, N. J., all causes	1,714	208	28	12	14	9	35	31	38	32	58	64	141	237	263	307	237	
Typhoid and paratyphoid fever (1, 2)	3							1				1	1					
Measles (7)																		
Scarlet fever (8)	3			1			1						1					
Whooping cough (9)	10	6	3			1												
Diphtheria (10)	10		1		2		4	2	1									
Influenza (11)	26	2	7	1			2		3	1			1	1	1	1	6	
Epidemic cerebrospinal meningitis (18)	2				1			1										
Tuberculosis of the respiratory system (23)	44	2							2	5	3	5	5	5	5	11	1	
Other forms of tuberculosis (24–32)	16	1		1		1	2		1	2	1	2	2	2		1		
Syphilis (34)	16	6									1		1	4	2	2		
Cancer and other malignant tumors (45–53)	163						1		1		4	4	12	27	34	53	27	
Diabetes mellitus (59)	49	1							1			1	2	7	17	13	7	
Cerebral hemorrhage and softening (82a, 82c)	71									1			1	8	17	19	25	
Diseases of the heart (90–95)	312	1					1	2	3		8	4	21	48	62	78	84	
Bronchitis (106)	5	1														2	2	
Bronchopneumonia (107)	51	22	7	2		1	1			1		3	2	4	3	2	3	
Lobar and unspecified pneumonia (108, 109)	89	14	3		2		3	2	2	3	2	1	14	18	11	7	7	
Diarrhea and enteritis (119, 120)	18	11	3										1	2	1			
Appendicitis (121)	33						1	2	2	2	3	1	5	7	6	3	1	
Hernia, intestinal obstruction (122)	16	2										1	2	4	3	4		
Cirrhosis of the liver (124)	13							1					2	2	4	4		
Nephritis (130–132)	192	3			1	1		2		2	3	2	11	33	36	59	39	
Diseases of the female genital organs (139)	8									1	3	1		3				
Puerperal septicemia (140, 142a, 145)	11								2		3	3	3					
Other puerperal causes	14								2	4	2	3	3					
Suicide (163–171)	20									1	6	1	2	1	5	2	2	
Homicide (172–175)	19								3	4	5	4		1				
Automobile accidents [1]	78	1		3	2	3	10	6	4	1	3	2	10	6	13	11	3	
Automobile—railroad train and street car collisions	6								3					2	1			
Other external causes	86	3	1	2	1	1	1	3	2	2	2	6	10	19	11	11	11	
All other causes	330	132	3	2	5	1	8	9	6	2	8	19	28	33	31	24	19	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ELIZABETH, N. J., all causes	1,217	115	17	9	3	4	23	21	22	14	25	38	120	189	249	205	163	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	3		1				2											
Scarlet fever (8)	4				1	1	1		1									
Whooping cough (9)	4	4																
Diphtheria (10)	2			1			1											
Influenza (11)	18	1	1	1					2		2		2	2	2	3	2	
Epidemic cerebrospinal meningitis (18)	3	1						1								1		
Tuberculosis of the respiratory system (23)	33	1		1				1	1	1	2	3	4	8	8	3		
Other forms of tuberculosis (24–32)	10	2	1	1			1		1		1		2		1			
Syphilis (34)	9	1										3	1	3		1		
Cancer and other malignant tumors (45–53)	130						1			1	2	3	12	23	44	22	22	
Diabetes mellitus (59)	40							2	3		1		1	5	14	9	5	
Cerebral hemorrhage and softening (82a, 82c)	112	1						1				1	6	18	32	34	19	
Diseases of the heart (90–95)	243						3	5	3	1	3	4	11	34	63	57	59	
Bronchitis (106)	5	1												1		1	2	
Bronchopneumonia (107)	49	17	7	2		1							2	5	3	9	3	
Lobar and unspecified pneumonia (108, 109)	64	6	2	2			2		2		2	2	13	10	7	8	8	
Diarrhea and enteritis (119, 120)	7	1	3			1							1				1	
Appendicitis (121)	11				1		2	1	1				3	2	1			
Hernia, intestinal obstruction (122)	14	1										2	3	1	3	2	2	
Cirrhosis of the liver (124)	11											1	1	4	4		1	
Nephritis (130–132)	74						1					1	6	19	19	16	12	
Diseases of the female genital organs (139)	5										1		3		1			
Puerperal septicemia (140, 142a, 145)	2												2					
Other puerperal causes	9								1	1	2	2	3					
Suicide (163–171)	13										1		3	4	5			
Homicide (172–175)	6						1		1	1		1		2				
Automobile accidents [1]	39				1	1	3	1	1	3	1	2	8	7	6	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	55	1					1	1	1	1	4	6	9	13	7	5	6	
All other causes	242	77	2	1			4	8	4	5	3	7	24	28	29	30	20	
JERSEY CITY, N. J., all causes	3,537	363	63	36	15	13	65	59	69	88	85	130	366	499	708	596	382	
Typhoid and paratyphoid fever (1, 2)	2										1		1					
Measles (7)	21	3	11	4	1		2											
Scarlet fever (8)	6			1			4		1									
Whooping cough (9)	10	3	5	2														
Diphtheria (10)	12	1	1	3		1	3						2	1				
Influenza (11)	44	1	2	2		2	1		2	1	1	2	11	4	4	11		
Epidemic cerebrospinal meningitis (18)	5			1				1					2	1				
Tuberculosis of the respiratory system (23)	191		1						10	17	19	17	36	44	34	10	3	
Other forms of tuberculosis (24–32)	30	3	2	1	1		4	1	3	5	3	3	1	2	1			
Syphilis (34)	22	4		1								3	6	3	5			
Cancer and other malignant tumors (45–53)	382		1				1		2	4	1	4	27	80	121	100	41	
Diabetes mellitus (59)	96					1	1		1	1	2	1	3	14	37	27	8	
Cerebral hemorrhage and softening (82a, 82c)	219	1										6	10	31	56	70	45	
Diseases of the heart (90–95)	852	1						20	12	8	14	19	82	147	206	191	152	
Bronchitis (106)	6	2											1	1		1	1	
Bronchopneumonia (107)	190	64	16	4	2	3	4	2	5	6	3	5	11	6	28	14	17	
Lobar and unspecified pneumonia (108, 109)	167	13	4	3	2		5	1	6	4	3	13	32	25	32	15	9	
Diarrhea and enteritis (119, 120)	59	44	8	1	1		2						1			1	1	
Appendicitis (121)	64		2	1	1		8	2	5	1	1	6	10	13	8	5	1	
Hernia, intestinal obstruction (122)	49	4			1	1		2				1	4	6	16	9	5	
Cirrhosis of the liver (124)	22												3	5	3	8	3	
Nephritis (130–132)	198			1			1	3	2	5	6	7	20	23	42	49	39	
Diseases of the female genital organs (139)	16									1	3	4	5	1	1	1		
Puerperal septicemia (140, 142a, 145)	16								1	5	4	3	3					
Other puerperal causes	26								3	5	2	6	10					
Suicide (163–171)	40							1		2	4	1	9	10	9	3	1	
Homicide (172–175)	12	1		1			1	1		1	1	2	4					
Automobile accidents [1]	58					2	10	6	2	3	2	3	9	5	11	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	157	4	4	4	2	1	5	6	8	5	6	8	21	22	23	18	20	
All other causes	565	214	6	6	4	2	13	13	6	14	9	16	42	55	71	59	35	
NEWARK, N. J. (WHITE), all causes	4,016	281	23	25	14	17	49	54	60	81	92	118	382	601	846	824	549	
Typhoid and paratyphoid fever (1, 2)	3									2			1					
Measles (7)	1			1														
Scarlet fever (8)	1						1											
Whooping cough (9)	3	2	1															
Diphtheria (10)	2							1						1				
Influenza (11)	40	2				1	1	1	2		3	1	8	4	6	7	4	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	127				1		1	2	7	10	10	7	25	29	18	12	5	
Other forms of tuberculosis (24–32)	12	1	1				2						3	1	3	1		
Syphilis (34)	16	3								1		1	2	4	2	1	2	
Cancer and other malignant tumors (45–53)	502	1		1			1			3	3	15	49	94	142	124	69	
Diabetes mellitus (59)	139		1									1	8	15	44	52	18	
Cerebral hemorrhage and softening (82a, 82c)	256		1			1					1	1	12	39	64	83	54	
Diseases of the heart (90–95)	948			1		1	1	10	4	10	14	10	68	123	252	274	180	
Bronchitis (106)	15	3							1	1	1		2	1	3	1	2	
Bronchopneumonia (107)	107	34	2	4	1		1	1		1		2	3	8	16	18	16	
Lobar and unspecified pneumonia (108, 109)	169	13	6	5		5	5	4	7	5	6	10	25	30	23	20	5	
Diarrhea and enteritis (119, 120)	20	11	2				1					1	1	2	1	1		
Appendicitis (121)	100	1		1	1	2	7	8	8	7	8	8	14	16	12	5	2	
Hernia, intestinal obstruction (122)	37	7					1		1			1	3	3	9	8	4	
Cirrhosis of the liver (124)	57	1								1	1	2	12	14	16	8	2	
Nephritis (130–132)	331	1	1				1		2	3	2	10	21	56	83	84	67	
Diseases of the female genital organs (139)	17							1		1	4	1	7	1	1		1	
Puerperal septicemia (140, 142a, 145)	13									4	3	3	3					
Other puerperal causes	18										2	8	8					
Suicide (163, 171)	87							1	3	3	4	6	15	25	21	9		
Homicide (172–175)	20						1		2	3	4	4	3	2		1		
Automobile accidents [1]	90				1	2	6	7	4	3	6	3	10	16	16	12	4	
Automobile—railroad train and street car collisions																		
Other external causes	176	1	3	3	6	3	6	5	3	7	5	4	19	32	24	30	25	
All other causes	709	200	5	9	4	2	13	13	16	16	15	19	60	85	90	73	89	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEWARK, N. J. (COLORED), all causes	654	80	17	3	2	4	8	7	20	27	52	59	121	124	73	38	19	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)																		
Influenza (11)	10										1		4	2		3		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	103	3				1	1	3	11	5	15	21	19	14	6	3	1	
Other forms of tuberculosis (24–32)	16		4			1	1		1	2	2		2	2	1			
Syphilis (34)	28	2								3	2	8	5	7	1			
Cancer and other malignant tumors (45–53)	25									2		1	4	8	8	1	1	
Diabetes mellitus (59)	6											1		1	3	1		
Cerebral hemorrhage and softening (82a, 82c)	35										1	2	2	16	9	4	1	
Diseases of the heart (90–95)	99			1			1				3	6	18	26	20	16	8	
Bronchitis (106)	1	1																
Bronchopneumonia (107)	21	8	5		1					1	2		2			2		
Lobar and unspecified pneumonia (108, 109)	57	6	5	2	1					1	6	5	12	12	4	2	1	
Diarrhea and enteritis (119, 120)	11	7				1				1		1	1					
Appendicitis (121)	13						1	1	1	2	2		2	3	1			
Hernia, intestinal obstruction (122)	8		1						2		1		1	2		1		
Cirrhosis of the liver (124)	2												1	1				
Nephritis (130–132)	44	2					1	1			1		10	12	11	3	3	
Diseases of the female genital organs (139)	6								1	1		1	2		1			
Puerperal septicemia (140, 142a, 145)	1									1								
Other puerperal causes	6								2		3		1					
Suicide (163–171)	4											2	1		1			
Homicide (172–175)	18								1	4	6	3	1	2	1			
Automobile accidents [1]	8					1	1				1	1	1	2		1		
Automobile—railroad train and street car collisions																		
Other external causes	19						1	2	1	4	2	3	3	2	1			
All other causes	112	50	2				1				4	4	29	12	5	1	4	
PATERSON, N. J., all causes	1,721	138	13	8	8	6	32	19	28	38	45	40	147	233	315	354	297	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	1		1															
Scarlet fever (8)	1						1											
Whooping cough (9)	2	2																
Diphtheria (10)	8		1	1		2	4											
Influenza (11)	26	1					1	1	1	1	1		5	5	2	4	4	
Epidemic cerebrospinal meningitis (18)	3	2												1				
Tuberculosis of the respiratory system (23)	43	1					1			2	4	2	7	14	7	3	2	
Other forms of tuberculosis (24–32)	7						2	1	1	1			1				1	
Syphilis (34)	14	1					1				1	1	2	2	2	3	1	
Cancer and other malignant tumors (45–53)	223									2		2	22	41	68	57	31	
Diabetes mellitus (59)	63										1		6	6	21	21	8	
Cerebral hemorrhage and softening (82a, 82c)	130												3	16	46	36	29	
Diseases of the heart (90–95)	349						1	2	5	2	11	7	24	40	77	85	95	
Bronchitis (106)	7	2	1												1	2	1	
Bronchopneumonia (107)	45	19	4	1	2						1	1	2	3	1	5	6	
Lobar and unspecified pneumonia (108, 109)	72	4	2		1		2		3	2	2	5	8	11	12	10	10	
Diarrhea and enteritis (119, 120)	11	4	2									1			2	2		
Appendicitis (121)	23				1	2	2	1	1	2	2	1	1	4	5	1		
Hernia, intestinal obstruction (122)	10			1									3	1	1	4		
Cirrhosis of the liver (124)	12									1			1	2	3	3	2	
Nephritis (130–132)	139							1	2	2	2	1	12	12	22	46	39	
Diseases of the female genital organs (139)	2										1			1				
Puerperal septicemia (140, 142a, 145)	6										3	2	1					
Other puerperal causes	12								1		3	4	4					
Suicide (163–171)	41									4	2	1	4	16	7	5	2	
Homicide (172–175)	7								2	3				2				
Automobile accidents [1]	56						7	4	4	2		2	6	6	13	7	5	
Automobile—railroad train and street car collisions	2										1	1						
Other external causes	64	2	1	1	2		2	2	3	5		2	5	8	8	11	12	
All other causes	341	100	1	4	2	2	8	7	5	9	10	7	29	42	17	49	49	
TRENTON, N. J., all causes	1,754	146	23	8	4	5	26	12	40	43	43	48	184	242	349	335	246	
Typhoid and paratyphoid fever (1, 2)	1											1						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	4	1	3															
Diphtheria (10)																		
Influenza (11)	19								1	1			4	3	6	3	1	
Epidemic cerebrospinal meningitis (18)	4	1							1	1						1		
Tuberculosis of the respiratory system (23)	68						1		4	6	4	2	17	12	8	12	2	
Other forms of tuberculosis (24–32)	5	1									1	1		1	1			
Syphilis (34)	12	3							1	2			4	1	1			
Cancer and other malignant tumors (45–53)	141				1		2	1	2	1	3	2	9	24	43	35	18	
Diabetes mellitus (59)	52		1					1				1	6	10	12	17	4	
Cerebral hemorrhage and softening (82a, 82c)	101											2	6	13	38	26	16	
Diseases of the heart (90–95)	432			1			4	1	4	2	5	7	38	60	91	120	99	
Bronchitis (106)	4	2														2		
Bronchopneumonia (107)	58	20	2	1		1				1	2		3	5	3	7	13	
Lobar and unspecified pneumonia (108, 109)	89	7	4	3	1	1	2		4	2	3	3	11	10	18	10	10	
Diarrhea and enteritis (119, 120)	21	12	3							1		1		1	1		2	
Appendicitis (121)	25								2	1	3	4	3	6	4	2		
Hernia, intestinal obstruction (122)	40	2	1					1	1	2	2		4	7	9	6	5	
Cirrhosis of the liver (124)	12												3	4	2	2	1	
Nephritis (130–132)	137						2		1		3	3	15	17	26	38	32	
Diseases of the female genital organs (139)	6										1			1	3	1		
Puerperal septicemia (140, 142a, 145)	8								2	2	1		3					
Other puerperal causes	14								1	3	3	5	2					
Suicide (163–171)	22									1	1	1	3	5	7	4		
Homicide (172–175)	14	1								2		4	5	1	1			
Automobile accidents [1]	41					1	4	1	4	2	2	3	6	5	6	6	1	
Automobile—railroad train and street car collisions	2													1	1			
Other external causes	81	2	1				1	2	4	4	3	3	13	10	17	10	11	
All other causes	341	94	8	3	2	2	10	5	8	9	6	5	29	45	51	33	31	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALBANY, N.Y., all causes	1,765	118	14	8	5	5	22	13	17	22	45	39	160	242	353	385	317	
Typhoid and paratyphoid fever (1, 2)	2						1								1			
Measles (7)	1						1											
Scarlet fever (8)	3		1				1					1						
Whooping cough (9)	3	2	1															
Diphtheria (10)																		
Influenza (11)	12	1		1									2	2	3	3		
Epidemic cerebrospinal meningitis (18)	1													1				
Tuberculosis of the respiratory system (23)	77	1				1		1	1	2	8	8	19	17	10	5	4	
Other forms of tuberculosis (24–32)	10		1	1			1				3		2		2			
Syphilis (34)	25	2								3	1	1	5	5	3	2	3	
Cancer and other malignant tumors (45–53)	198										1	4	21	33	70	45	24	
Diabetes mellitus (59)	57		1				1		1			1	4	6	22	13	8	
Cerebral hemorrhage and softening (82a, 82c)	103											1	4	5	29	38	26	
Diseases of the heart (90–95)	463						1	2	5	1	4	2	18	59	104	141	126	
Bronchitis (106)	4									1							3	
Bronchopneumonia (107)	71	15	5	1	1		1				2	1	7	3	9	10	16	
Lobar and unspecified pneumonia (108, 109)	56	3	1	1			1	2	2	1	1	2	9	9	7	10	7	
Diarrhea and enteritis (119, 120)	22	14	3		1					1			1	1	1			
Appendicitis (121)	33						5	2		1	4	2	4	5	6	3	1	
Hernia, intestinal obstruction (122)	24	1								2			2	8	2	5	4	
Cirrhosis of the liver (124)	18											1	4	4	4	4	1	
Nephritis (130–132)	182	1		1		1			1	1	1	4	10	31	34	55	42	
Diseases of the female genital organs (139)	11									1	1	1	3	3		1	1	
Puerperal septicemia (140, 142a, 145)	4								1	1			2					
Other puerperal causes	5								1		3		1					
Suicide (163–171)	18										1	2	6	2	5	1	1	
Homicide (172–175)	5										1		2		2			
Automobile accidents [1]	35					1		2	3	2	1		7	5	2	6	6	
Automobile—railroad train and street car collisions	4						1				1	1		1				
Other external causes	49			2		1	2			1	1	1	12	9	8	1	11	
All other causes	269	78	2		3	1	6	4	2	4	11	6	15	33	29	42	33	
BUFFALO, N.Y., all causes	7,258	692	66	40	35	26	125	109	142	127	201	236	710	986	1,356	1,412	995	
Typhoid and paratyphoid fever (1, 2)	8		1					1	1	1	1		2		1			
Measles (7)	3			1			1	1										
Scarlet fever (8)	55	3	3	5	7	2	12	10	4	1	2	2	1	1		2		
Whooping cough (9)	21	15	3	2			1											
Diphtheria (10)	21	1	1	2	4	2	9	1							1			
Influenza (11)	48	3	3		1			2	2			4	12	9	7	1	4	
Epidemic cerebrospinal meningitis (18)	12	2	1				3	1	1					3	1			
Tuberculosis of the respiratory system (23)	354		1		1			2	20	37	58	44	78	60	38	13	2	
Other forms of tuberculosis (24–32)	41	2	5		5	1	1	3	4	4	2	4	6	2	1	1		
Syphilis (34)	42	7							1		3	1	11	9	9	1		
Cancer and other malignant tumors (45–53)	807							2	4	2	4	9	70	167	230	227	92	
Diabetes mellitus (59)	214						1	4	2	1		2	14	30	61	71	28	
Cerebral hemorrhage and softening (82a, 82c)	355							1		1	1	2	15	40	93	110	92	
Diseases of the heart (90–95)	1,711	4		3	2		9	17	26	13	22	24	116	220	397	474	384	
Bronchitis (106)	33	7			1							1	4	2	4	7	7	
Bronchopneumonia (107)	216	83	16	4			6	5		1	6	3	11	17	19	24	21	
Lobar and unspecified pneumonia (108, 109)	313	13	6	4		3	11	6	11	13	14	19	46	47	63	28	29	
Diarrhea and enteritis (119, 120)	97	79	6	3	1		2		1	1	1		1		1		1	
Appendicitis (121)	131		2	1	2	2	9	14	10	6	8	7	21	23	18	7	1	
Hernia, intestinal obstruction (122)	60	4	1				1				1	3	2	12	17	9	10	
Cirrhosis of the liver (124)	66								1	1			15	15	17	16	1	
Nephritis (130–132)	726	1			2		5		3	4	5	16	42	90	148	212	198	
Diseases of the female genital organs (139)	31								4	2	2	4	10	6	2	1		
Puerperal septicemia (140, 142a, 145)	32								4	7	9	7	5					
Other puerperal causes	49								3	4	11	17	14					
Suicide (163–171)	68								1	2	3	4	19	18	15	6		
Homicide (172–175)	25	1							4		4	4	9	1	2			
Automobile accidents [1]	132		1	2	1	4	7	6	5	5	10	5	9	27	22	24	4	
Automobile—railroad train and street car collisions	4											1	2	1				
Other external causes	269	5	2	3	1	5	13	9	7	8	9	10	44	42	40	44	27	
All other causes	1,314	462	14	10	7	7	34	24	23	13	25	43	131	144	149	134	94	
NEW YORK, N.Y. (WHITE), all causes	68,973	4,943	651	412	312	271	1,018	767	1,041	1,617	1,858	2,198	6,749	10,658	14,028	13,815	8,621	14
Typhoid and paratyphoid fever (1, 2)	56		1				2	5	4	10	3	5	9	10	4	3		
Measles (7)	60	13	21	5	6	3	10	2										
Scarlet fever (8)	130		12	16	15	11	31	11	8	7	5	6	5	3				
Whooping cough (9)	131	73	23	13	3	6	8	1	2			1			1			
Diphtheria (10)	198	8	22	27	26	23	71	5	2		1		4	5	2	1	1	
Influenza (11)	619	33	22	14	9	4	16	21	24	17	20	29	83	94	105	72	56	
Epidemic cerebrospinal meningitis (18)	105	24	6	5	6	3	9	5	4	7	6	8	9	8	4	1		
Tuberculosis of the respiratory system (23)	3,186	12	10	4	3	1	11	13	140	367	332	324	613	646	472	200	37	1
Other forms of tuberculosis (24–32)	365	23	28	23	27	6	25	17	18	31	23	24	40	33	30	16	1	
Syphilis (34)	401	52	3						3	6	10	14	86	107	84	29	7	
Cancer and other malignant tumors (45–53)	8,312	2	6	6	1	3	20	13	26	29	58	146	777	1,776	2,455	2,166	828	
Diabetes mellitus (59)	2,130	1	2				5	5	8	9	12	21	79	345	742	697	204	
Cerebral hemorrhage and softening (82a, 82c)	2,912	6				1	2	2	4	11	12	21	138	424	766	933	591	1
Diseases of the heart (90–95)	18,572	4	5	5	12	14	98	136	179	192	235	280	1,204	2,805	4,444	5,152	3,806	1
Bronchitis (106)	159	16	1	2	3	1	1	2	3	2	2	4	10	13	27	30	41	1
Bronchopneumonia (107)	2,742	761	136	57	34	24	52	31	29	31	28	32	159	238	344	413	373	
Lobar and unspecified pneumonia (108, 109)	3,546	227	115	55	23	25	59	71	110	118	136	167	495	563	612	499	270	1
Diarrhea and enteritis (119, 120)	555	429	42	5	4	2	5	2	5	4	9	10	10	7	8	7	6	
Appendicitis (121)	1,058	1	13	23	23	18	61	67	57	62	56	70	204	170	143	76	14	
Hernia, intestinal obstruction (122)	633	40	8	2			5	5	5	11	12	14	62	120	145	124	80	
Cirrhosis of the liver (124)	578	1		1				1		2	3	17	63	157	174	131	28	
Nephritis (130–132)	4,544	7		3		2	11	21	28	45	66	85	316	615	988	1,328	1,029	
Diseases of the female genital organs (139)	176							2	3	11	18	26	59	30	17	8	2	
Puerperal septicemia (140, 142a, 145)	211								12	41	62	53	43					
Other puerperal causes	334								8	64	92	65	103	2				
Suicide (163–171)	1,551							2	24	77	137	126	336	381	315	129	24	
Homicide (172–175)	436	12	1	1	1	2	3	2	20	57	78	71	94	50	36	7	1	
Automobile accidents [1]	1,097		4	6	21	31	109	50	44	62	56	44	125	153	193	140	58	1
Automobile—railroad train and street car collisions	18				1		1		1	1	4	2	5	1	1	1		
Other external causes	2,816	50	34	32	34	29	103	74	74	103	117	147	434	548	441	315	278	3
All other causes	11,342	3,148	136	107	60	62	300	201	196	240	265	386	1,184	1,354	1,475	1,337	886	5

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N.Y. (COLORED), all causes	5,528	655	80	49	26	26	103	74	170	314	417	497	1,047	952	582	350	184	2
Typhoid and paratyphoid fever (1, 2)	7						2	1	1		1	1		1				
Measles (7)	3	2		1														
Scarlet fever (8)	4			2	1		1											
Whooping cough (9)	24	14	4	3	1		2											
Diphtheria (10)	7		1		2		2					1			1			
Influenza (11)	31	5	2		1		1	1	1	2	4	2	5	4	2		1	
Epidemic cerebrospinal meningitis (18)	18	7	4	1			2		1			1	1	1				
Tuberculosis of the respiratory system (23)	905	6	11	6	6	6	16	11	81	145	144	139	183	96	39	13	3	
Other forms of tuberculosis (24–32)	129	8	11	11	4	10	10	9	11	11	12	12	13	3	1	2	1	
Syphilis (34)	273	41	1	2				2	2	10	19	27	79	60	24	4	2	
Cancer and other malignant tumors (45–53)	307				1				2	1	9	19	61	95	70	41	8	
Diabetes mellitus (59)	94						1		1		4	2	22	33	22	8	1	
Cerebral hemorrhage and softening (82a, 82c)	186	2	1							3	3	4	44	47	41	25	16	
Diseases of the heart (90–95)	957		1	1		2	11	11	9	17	26	50	169	247	179	141	93	
Bronchitis (106)	8	4	1	1									1			1		
Bronchopneumonia (107)	185	83	22	2	1		9		2	4	8	8	14	9	12	6	4	1
Lobar and unspecified pneumonia (108, 109)	410	36	7	4	2	1	5	6	13	20	15	49	92	87	44	19	10	
Diarrhea and enteritis (119, 120)	71	63	3	1			1			1	1					1		
Appendicitis (121)	55	1					1	1	3	4	7	9	12	13	2	2		
Hernia, intestinal obstruction (122)	51	3	1	2				1			4	6	16	8	8	1	1	
Cirrhosis of the liver (124)	21								1				8	8	3	1		
Nephritis (130–132)	312	1							1	2	7	19	56	96	59	47	24	
Diseases of the female genital organs (139)	41								3	10	13	9	5	1				
Puerperal septicemia (140, 142a, 145)	33								2	10	9	6	6					
Other puerperal causes	40								6	8	14	10	2					
Suicide (163–171)	44								1	5	6	8	16	5	3			
Homicide (172–175)	149	6						1	7	20	33	30	40	9	2	1		
Automobile accidents [1]	66			2	2	2	12	7	2	2	5	5	11	10	3	2		1
Automobile—railroad train and street car collisions	1													1				
Other external causes	209	10	4	3	1	2	15	9	10	14	16	25	57	25	8	7	3	
All other causes	887	363	6	7	4	3	12	14	10	25	57	55	134	93	59	28	17	
NEW YORK, N.Y. (BRONX BOROUGH, WHITE), all causes	10,233	634	72	55	38	30	130	112	183	272	276	345	984	1,533	2,179	2,128	1,261	1
Typhoid and paratyphoid fever (1, 2)	7							1			1	1	1	3				
Measles (7)	11	3	2	2	2		2											
Scarlet fever (8)	11		1	1	1	2	2	1	2	1								
Whooping cough (9)	27	20	5	1		1												
Diphtheria (10)	5		2	1	1		1											
Influenza (11)	108	6	1	3		1	5	4	6	4	4	10	12	20	17	11	4	
Epidemic cerebrospinal meningitis (18)	13	3	2		1		1		2			1	2		1			
Tuberculosis of the respiratory system (23)	670	3			1			3	33	86	65	70	124	128	107	43	7	
Other forms of tuberculosis (24–32)	57	9	2	4	5	1	7	4	2	6	1	2	7	2	4	1		
Syphilis (34)	33	4								1		3	6	9	6	2	2	
Cancer and other malignant tumors (45–53)	1,488		1	3	1	1	4	2	3	6	14	26	145	325	440	388	130	
Diabetes mellitus (59)	374						3		2	2	3	3	12	62	129	119	39	
Cerebral hemorrhage and softening (82a, 82c)	453	2					1			1		4	24	61	139	137	84	
Diseases of the heart (90–95)	2,903	1		1		1	17	19	34	31	46	55	191	423	690	796	597	1
Bronchitis (106)	15	6													2	4	3	
Bronchopneumonia (107)	363	75	19	7	10	3	5		6	7	3	3	21	27	51	64	62	
Lobar and unspecified pneumonia (108, 109)	489	30	17	11	3	2	7	9	14	24	23	31	62	70	79	74	33	
Diarrhea and enteritis (119, 120)	27	20	3	1					1			1			1			
Appendicitis (121)	132		1	1	3	2	7	8	11	12	7	7	27	22	13	10	1	
Hernia, intestinal obstruction (122)	64	4	1	1				3	1	1	1	1	6	12	13	13	7	
Cirrhosis of the liver (124)	72											3	3	18	21	21	6	
Nephritis (130–132)	647	1		1			1	3	7	7	8	14	46	78	165	194	122	
Diseases of the female genital organs (139)	16									2	2	1	7	3	1			
Puerperal septicemia (140, 142a, 145)	30								1	4	9	12	4					
Other puerperal causes	57								3	11	12	11	19	1				
Suicide (163–171)	224								1	10	16	14	60	52	53	16	2	
Homicide (172–175)	43					1			4	5	10	7	7	5	4			
Automobile accidents [1]	164		1	1	4	7	21	9	8	11	5	11	15	19	28	19	5	
Automobile—railroad train and street car collisions	2										2							
Other external causes	366	8	6	8	6	5	13	19	12	13	17	19	54	63	42	39	42	
All other causes	1,362	439	8	8		3	33	27	30	27	27	36	129	130	173	177	115	
NEW YORK, N.Y. (BRONX BOROUGH, COLORED), all causes	386	48	3	2	1	1	7	7	19	24	35	33	79	58	38	23	8	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping cough (9)	3	2	1															
Diphtheria (10)																		
Influenza (11)	3	1					1							1				
Epidemic cerebrospinal meningitis (18)	2	2																
Tuberculosis of the respiratory system (23)	114			1			1	4	15	21	19	15	22	10	4	2		
Other forms of tuberculosis (24–32)	7	2				1	1	1				1		1				
Syphilis (34)	20	4									1	1	7	5	2			
Cancer and other malignant tumors (45–53)	25				1							2	4	6	8	4		
Diabetes mellitus (59)	5										1		1	2	1			
Cerebral hemorrhage and softening (82a, 82c)	9		1										3	2	2		1	
Diseases of the heart (90–95)	59							1	1		2	4	11	13	11	12	4	
Bronchitis (106)																		
Bronchopneumonia (107)	12	6	1	1							1			1	2			
Lobar and unspecified pneumonia (108, 109)	23	4							1			4	8	4	1	1		
Diarrhea and enteritis (119, 120)																		
Appendicitis (121)	7								1	1	2		1	2				
Hernia, intestinal obstruction (122)	4										1		2				1	
Cirrhosis of the liver (124)	1												1					
Nephritis (130–132)	17										1	1	6	4	2	3		
Diseases of the female genital organs (139)	3										1	2						
Puerperal septicemia (140, 142a, 145)	3									1	1		1					
Other puerperal causes	3									1	1		1					
Suicide (163–171)	3												3					
Homicide (172–175)	2							1			1							
Automobile accidents [1]	2										2							
Automobile—railroad train and street car collisions																		
Other external causes	7						3					2		2				
All other causes	51	26					1		1		1	1	8	5	5	1	2	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N.Y. (BROOKLYN BOROUGH, WHITE), all causes	24,212	1,913	256	170	112	118	388	315	396	483	570	688	2,192	3,545	4,892	5,004	3,167	3
Typhoid and paratyphoid fever (1, 2)	28						1	2	1	7	1	3	6	4	2	1		
Measles (7)	6	2	2	1			1											
Scarlet fever (8)	54		6	8	5	5	13	3	5	2	1	3	3					
Whooping cough (9)	58	30	8	6	2	5	3	1	1			1			1			
Diphtheria (10)	99	3	7	10	11	15	43	4	1		1		1	1	1	1		
Influenza (11)	265	15	10	5	7	2	8	9	13	5	9	8	34	32	48	32	28	
Epidemic cerebrospinal meningitis (18)	50	10	3	1	3	1	6	4	2	3	3	5	5	2	1	1		
Tuberculosis of the respiratory system (23)	646	2	5				4	2	29	70	67	56	106	135	117	47	5	1
Other forms of tuberculosis (24–32)	103	7	4	6	10	1	4	5	5	10	6	10	15	8	8	4		
Syphilis (34)	142	22	2						2	1	1	4	34	34	32	10		
Cancer and other malignant tumors (45–53)	2,573	1	2	1		1	9	6	8	9	13	36	230	528	741	713	275	
Diabetes mellitus (59)	825		1				2	2	3	5	5	9	32	133	289	274	70	
Cerebral hemorrhage and softening (82a, 82c)	916						1	1	1	4	2	4	41	142	231	291	198	
Diseases of the heart (90–95)	6,942	2	3	1	1	8	33	59	82	71	90	108	431	1,027	1,670	1,959	1,397	
Bronchitis (106)	56	7	1	2		1	1		1		1	3	6	4	6	10	13	
Bronchopneumonia (107)	1,114	349	57	27	10	6	18	17	13	10	12	10	68	105	142	151	119	
Lobar and unspecified pneumonia (108, 109)	1,237	89	49	26	10	13	19	28	50	33	46	57	156	177	219	164	101	
Diarrhea and enteritis (119, 120)	202	146	25	2	2		1	1	4	2	4	5	2	2	2	2	2	
Appendicitis (121)	427	1	5	12	9	10	30	23	28	21	19	30	84	55	64	31	5	
Hernia, intestinal obstruction (122)	218	17	1				3	1	1	2	3	4	22	39	51	48	26	
Cirrhosis of the liver (124)	192							1		1		7	18	50	60	48	7	
Nephritis (130–132)	1,821	2		1		2	2	9	9	14	27	28	114	254	401	529	429	
Diseases of the female genital organs (139)	70								3	5	3	10	22	16	6	4	1	
Puerperal septicemia (140, 142a, 145)	95								6	15	31	22	21					
Other puerperal causes	124								3	27	31	24	39					
Suicide (163–171)	386							2	4	18	27	36	78	96	76	38	11	
Homicide (172–175)	117	2	1		1		2	1	4	11	23	16	32	11	10	3		
Automobile accidents [1]	376			2	7	11	44	21	13	22	26	8	44	48	62	48	20	
Automobile—railroad train and street car collisions	5								1	1		1	1	1				
Other external causes	855	18	13	11	12	13	39	28	33	28	32	43	117	160	122	94	92	
All other causes	4,210	1,188	51	48	22	24	101	85	70	86	86	137	430	481	530	501	368	2
NEW YORK, N.Y. (BROOKLYN BOROUGH, COLORED), all causes	1,216	183	30	14	4	4	21	16	20	57	76	106	213	201	133	88	50	
Typhoid and paratyphoid fever (1, 2)	1											1						
Measles (7)																		
Scarlet fever (8)	2			1	1													
Whooping cough (9)	10	5	1	2			2											
Diphtheria (10)	1		1															
Influenza (11)	9	2									2	1	2	2				
Epidemic cerebrospinal meningitis (18)	3		1				1							1				
Tuberculosis of the respiratory system (23)	112	1	1			1	1	1	3	18	21	18	25	15	6	1		
Other forms of tuberculosis (24–32)	15	1	3	2		1		1	1		3	1	2					
Syphilis (34)	70	17	1				1			5	3	4	17	16	5		1	
Cancer and other malignant tumors (45–53)	45								1		2	4	8	10	9	7	4	
Diabetes mellitus (59)	23										2		5	8	6	2		
Cerebral hemorrhage and softening (82a, 82c)	37	1								1		2	8	9	8	6	2	
Diseases of the heart (90–95)	239			1		1	4	4	3	2	4	11	41	54	52	37	25	
Bronchitis (106)	2	1	1															
Bronchopneumonia (107)	75	27	12	1	1		3		2	1	4	5	8	3	4	3	1	
Lobar and unspecified pneumonia (108, 109)	114	7	3	2			3	2	1	7	3	15	29	23	8	6	5	
Diarrhea and enteritis (119, 120)	25	21	1	1			1			1								
Appendicitis (121)	9	1						1	1			2	2	2				
Hernia, intestinal obstruction (122)	10			1							1	2	2	2	2			
Cirrhosis of the liver (124)	3												2		1			
Nephritis (130–132)	81										2	5	9	25	13	20	7	
Diseases of the female genital organs (139)	8								1	1	2	3	1					
Puerperal septicemia (140, 142a, 145)	10								1	5	1	2	1					
Other puerperal causes	7								2	2	1	2						
Suicide (163–171)	2											1		1				
Homicide (172–175)	32								1	4	9	11	6	1				
Automobile accidents [1]	13			1	1	1	2				1		3	3	1			
Automobile—railroad train and street car collisions																		
Other external causes	43	4	2				1	2		2	4	6	10	7	4		1	
All other causes	215	95	3	2	1		3	4	3	8	11	10	32	19	14	6	4	
NEW YORK, N.Y. (MANHATTAN BOROUGH, WHITE), all causes	24,683	1,760	235	135	114	95	345	251	306	610	729	840	2,673	4,212	5,051	4,560	2,760	7
Typhoid and paratyphoid fever (1, 2)	17							1	3	3	1	1	2	2	2	2		
Measles (7)	35	6	15	1	4	2	6	1										
Scarlet fever (8)	38		4	5	7	3	10	2	1	2	1	2	1					
Whooping cough (9)	31	16	7	4	1		3											
Diphtheria (10)	57	5	9	9	10	4	12		1				2	3	1		1	
Influenza (11)	142	11	7	5	1		1	6	3	7	5	7	19	20	23	11	16	
Epidemic cerebrospinal meningitis (18)	32	10	1	3	2	2	1	1		2	3			5	2			
Tuberculosis of the respiratory system (23)	1,119	4	3	3	1	1	5	5	32	111	95	102	233	252	176	78	18	
Other forms of tuberculosis (24–32)	168	7	16	11	9	4	13	6	7	12	14	10	15	21	12	10	1	
Syphilis (34)	200	23							1	4	7	6	42	56	43	13	5	
Cancer and other malignant tumors (45–53)	3,192	1	3	1		1	4	5	12	12	30	66	311	713	962	779	292	
Diabetes mellitus (59)	656		1					2	2		3	8	27	124	211	213	65	
Cerebral hemorrhage and softening (82a, 82c)	928	4						1	2	4	7	11	50	150	249	276	173	1
Diseases of the heart (90–95)	5,909	1		3	7	3	30	42	48	66	63	75	416	958	1,453	1,574	1,170	
Bronchitis (106)	70	2			3			1	2	2	1	1	3	6	16	10	22	1
Bronchopneumonia (107)	960	237	37	17	10	14	21	12	9	11	11	14	55	82	120	159	151	
Lobar and unspecified pneumonia (108, 109)	1,318	77	41	12	5	8	20	24	29	46	49	53	213	243	236	170	91	1
Diarrhea and enteritis (119, 120)	286	232	11	2	2	2	3	1		2	5	4	8	4	5	3	2	
Appendicitis (121)	369		4	7	8	5	12	27	12	24	25	23	65	73	52	29	3	
Hernia, intestinal obstruction (122)	291	14	5	1			2	1	3	6	8	8	29	57	69	53	35	
Cirrhosis of the liver (124)	227	1								1	2	7	36	70	62	42	6	
Nephritis (130–132)	1,240	4					5	4	6	19	22	28	109	184	252	348	259	
Diseases of the female genital organs (139)	74							2		4	11	13	22	9	10	2	1	
Puerperal septicemia (140, 142a, 145)	62								3	18	16	15	10					
Other puerperal causes	114								1	19	36	24	33	1				
Suicide (163–171)	721								16	41	81	55	141	176	142	61	8	
Homicide (172–175)	228	8		1				1	9	36	42	42	45	25	14	4	1	
Automobile accidents [1]	408		2	1	3	10	29	15	10	17	17	18	50	71	76	60	28	1
Automobile—railroad train and street car collisions	3										1		1		1			
Other external causes	1,287	19	8	9	13	7	35	17	18	44	54	65	214	278	239	150	117	
All other causes	4,501	1,078	61	40	28	29	133	74	76	97	119	182	521	629	624	512	295	3

[1] Excludes collision with railroad trains and street cars

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N.Y. (MANHATTAN BOROUGH, COLORED), all causes	3,499	400	37	31	18	15	57	42	102	179	267	314	702	640	374	212	107	2
Typhoid and paratyphoid fever (1, 2)	6						2	1	1		1			1				
Measles (7)	2	1		1														
Scarlet fever (8)	2			1			1											
Whooping cough (9)	10	7	1	1	1													
Diphtheria (10)	4				2							1			1			
Influenza (11)	16	2	2		1			1		1	2	1	3	1	2			
Epidemic cerebrospinal meningitis (18)	13	5	3	1			1		1			1	1					
Tuberculosis of the respiratory system (23)	485	4	6	5	4	2	5	4	39	65	73	75	111	56	23	10	3	
Other forms of tuberculosis (24–32)	101	4	6	8	4	8	8	7	9	11	9	10	11	2	1	2	1	
Syphilis (34)	178	16		2				1	2	5	14	22	55	39	17	4	1	
Cancer and other malignant tumors (45–53)	218								1		7	12	48	72	48	26	4	
Diabetes mellitus (59)	62						1		1		1	2	14	21	15	6	1	
Cerebral hemorrhage and softening (82a, 82c)	123	1								2	3	2	30	32	28	15	10	
Diseases of the heart (90–95)	607		1			1	6	4	5	14	19	35	112	166	106	82	56	
Bronchitis (106)	6	3		1									1			1		
Bronchopneumonia (107)	87	46	6				5			2	3	3	6	5	5	2	3	1
Lobar and unspecified pneumonia (108,109)	254	24	4	2	2		2	4	10	12	12	26	53	57	31	11	4	
Diarrhea and enteritis (119, 120)	45	41	2								1					1		
Appendicitis (121)	37						1		1	3	5	5	9	9	2	2		
Hernia, intestinal obstruction (122)	31	3	1								2	3	11	6	5			
Cirrhosis of the liver (124)	17								1				5	8	2	1		
Nephritis (130–132)	188	1							1	1	4	12	35	61	40	20	13	
Diseases of the female genital organs (139)	27								2	7	10	4	3	1				
Puerperal septicemia (140, 142a, 145)	20								1	4	7	4	4					
Other puerperal causes	30								4	5	12	8	1					
Suicide (163–171)	37								1	5	6	7	11	4	3			
Homicide (172–175)	108	6							5	13	22	19	32	8	2	1		
Automobile accidents [1]	46			1	1		9	7	2	2	1	4	8	6	2	2		1
Automobile—railroad train and street car collisions	1													1				
Other external causes	149	6	2	3		2	10	6	9	11	11	15	46	16	3	7	2	
All other causes	589	230	3	5	3	2	6	7	6	16	42	43	92	68	38	19	9	
NEW YORK, N.Y. (QUEENS BOROUGH, WHITE), all causes	7,755	493	69	41	44	27	122	68	106	168	198	215	690	1,097	1,557	1,722	1,135	3
Typhoid and paratyphoid fever (1, 2)	2		1											1				
Measles (7)	1					1												
Scarlet fever (8)	25		1	2	2	1	6	5		2	3		1	2				
Whooping cough (9)	15	7	3	2			2		1									
Diphtheria (10)	31		3	4	4	4	13	1					1	1				
Influenza (11)	92	1	3	1	1	1	2	1	2		2	3	16	20	16	17	6	
Epidemic cerebrospinal meningitis (18)	10	1		1			1			2		2	2	1				
Tuberculosis of the respiratory system (23)	362	2	1		1			1	20	51	53	39	61	61	42	24	6	
Other forms of tuberculosis (24–32)	24		4	2	3			1	3	2	1		3	1	3	1		
Syphilis (34)	18	3									1		3	6	3	2		
Cancer and other malignant tumors (45–53)	879						3		3	2	1	15	77	180	261	229	108	
Diabetes mellitus (59)	231	1						1	1	2	1	1	6	17	95	82	24	
Cerebral hemorrhage and softening (82a, 82c)	520					1				1	3	2	19	60	128	194	112	
Diseases of the heart (90–95)	2,287		1		4	2	10	11	11	18	31	38	144	350	517	659	491	
Bronchitis (106)	17	1						1					1	3	3	5	3	
Bronchopneumonia (107)	250	82	20	6	4	1	5	2	1	2	2	2	15	21	27	24	36	
Lobar and unspecified pneumonia (108, 109)	407	23	4	5	5	2	9	10	15	13	15	19	52	59	64	73	39	
Diarrhea and enteritis (119, 120)	30	22	2				1							1		2	2	
Appendicitis (121)	99		3	3	2	1	11	8	4	4	2	7	21	15	8	6	4	
Hernia, intestinal obstruction (122)	44	3	1							1		1	3	8	9	7	11	
Cirrhosis of the liver (124)	78			1							1		5	16	27	19	9	
Nephritis (130–132)	690			1			2	4	4	3	9	10	39	82	139	214	183	
Diseases of the female genital organs (139)	14										2	1	7	2		2		
Puerperal septicemia (140, 142a, 145)	19								1	3	5	3	7					
Other puerperal causes	34								1	5	12	6	10					
Suicide (163–171)	180								1	7	7	16	53	46	35	13	2	
Homicide (172–175)	35					1	1		3	4	3	4	7	7	5			
Automobile accidents [1]	132		1	1	7	3	13	5	12	10	7	6	13	11	26	12	5	
Automobile—railroad train and street car collisions	2											1	1					
Other external causes	226	4	6	3	3	3	15	9	5	14	11	12	38	34	28	22	16	3
All other causes	1,001	343	15	9	8	6	28	8	18	22	26	27	85	92	121	115	78	
NEW YORK, N.Y. (QUEENS BOROUGH, COLORED), all causes	209	16	5	1	1	4	6	3	10	15	12	16	29	36	26	16	13	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1		1															
Diphtheria (10)	1						1											
Influenza (11)	3								1	1							1	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	39					1			7	5	7	5	7	5	2			
Other forms of tuberculosis (24–32)	1		1															
Syphilis (34)	3	3																
Cancer and other malignant tumors (45–53)	13									1		1		5	5	1		
Diabetes mellitus (59)	4												2	2				
Cerebral hemorrhage and softening (82a, 82c)	13												2	3	1	4	3	
Diseases of the heart (90–95)	33						1			1			4	10	6	6	5	
Bronchitis (106)																		
Bronchopneumonia (107)	10	4	3				1			1						1		
Lobar and unspecified pneumonia (108, 109)	14					1			1	1		.2	2	3	4			
Diarrhea and enteritis (119, 120)	1	1																
Appendicitis (121)	2											2						
Hernia, intestinal obstruction (122)	6			1				1				1	1		1	1		
Cirrhosis of the liver (124)																		
Nephritis (130–132)	22											1	5	6	4	3	3	
Diseases of the female genital organs (139)	3									2			1					
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes																		
Suicide (163–171)	1												1					
Homicide (172–175)	5								1	2	1		1					
Automobile accidents [1]	5					1	1				1	1		1				
Automobile—railroad train and street car collisions																		
Other external causes	8				1		1			1	1	2	1		1			
All other causes	21	8				1	1	2			2	1	2	1	2		1	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N.Y. (RICHMOND BOROUGH, WHITE), all causes	2,090	143	19	11	4	1	33	21	50	84	85	110	210	271	349	401	298	
Typhoid and paratyphoid fever (1, 2)	2						1	1										
Measles (7)	7	2	2	1			1	1										
Scarlet fever (8)	2											1		1				
Whooping cough (9)																		
Diphtheria (10)	6		1	3			2											
Influenza (11)	12		1					1		1		1	2	2	1	1	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	389	1	1	1			2	2	26	49	52	57	89	70	30	8	1	
Other forms of tuberculosis (24–32)	13		2				1	1	1	1	1	2		1	3			
Syphilis (34)	8		1								1	1	1	2		2		
Cancer and other malignant tumors (45–53)	180			1								4	14	30	51	57	23	
Diabetes mellitus (59)	44												2	9	18	9	6	
Cerebral hemorrhage and softening (82a, 82c)	95								1	1			4	11	19	35	24	
Diseases of the heart (90–95)	531		1				8	5	4	6	5	4	22	47	114	164	151	
Bronchitis (106)	1															1		
Bronchopneumonia (107)	55	18	3				3			1		3		3	4	15	5	
Lobar and unspecified pneumonia (108, 109)	95	8	4	1			4		2	2	3	7	12	14	14	18	6	
Diarrhea and enteritis (119, 120)	10	9	1															
Appendicitis (121)	31				1		1	1	2	1	3	3	7	5	6		1	
Hernia, intestinal obstruction (122)	16	2								1			2	4	3	3	1	
Cirrhosis of the liver (124)	9												1	3	4	1		
Nephritis (130–132)	146						1	1	2	2		5	8	17	31	43	36	
Diseases of the female genital organs (139)	2											1	1					
Puerperal septicemia (140, 142a, 145)	5								1	1	1	1	1					
Other puerperal causes	5									2	1		2					
Suicide (163–171)	40								2	1	6	5	4	11	9	1	1	
Homicide (172–175)	13	2								1		2	3	2	3			
Automobile accidents [1]	17			1			2		1	2	1	1	3	4	1	1		
Automobile—railroad train and street car collisions	6				1		1				1		2		1			
Other external causes	82	1	1	1		1	1	1	6	4	3	8	11	13	10	10	11	
All other causes	268	100	1	2	2		5	7	2	8	7	4	19	22	27	32	30	
NEW YORK, N.Y. (RICHMOND BOROUGH, COLORED), all causes	218	8	5	1	2	2	12	6	19	39	27	28	24	17	11	11	6	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)																		
Diphtheria (10)	1						1											
Influenza (11)																		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	155	1	4		2	2	9	2	17	36	24	26	18	10	4			
Other forms of tuberculosis (24–32)	5	1	1	1			1		1									
Syphilis (34)	2	1									1							
Cancer and other malignant tumors (45–53)	6												1	2		3		
Diabetes mellitus (59)																		
Cerebral hemorrhage and softening (82a, 82c)	4												1	1	2			
Diseases of the heart (90–95)	19							2			1		1	4	4	4	3	
Bronchitis (106)																		
Bronchopneumonia (107)	1														1			
Lobar and unspecified pneumonia (108, 109)	5	1										2				1	1	
Diarrhea and enteritis (119, 120)																		
Appendicitis (121)																		
Hernia, intestinal obstruction (122)																		
Cirrhosis of the liver (124)																		
Nephritis (130–132)	4									1			1			1	1	
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes																		
Suicide (163–171)	1												1					
Homicide (172–175)	2									1			1					
Automobile accidents [1]																		
Automobile—railroad train and street car collisions																		
Other external causes	2							1	1									
All other causes	11	4					1	1		1	1					2	1	
ROCHESTER, N.Y., all causes	3,888	260	36	16	11	19	64	42	44	57	59	96	290	496	714	886	798	
Typhoid and paratyphoid fever (1, 2)	1												1					
Measles (7)	26	6	4	3	2	3	6				1	1						
Scarlet fever (8)	44	1	5	8	2	4	14	3		1	1		2	1	2			
Whooping cough (9)	2	1					1											
Diphtheria (10)	3	1					2											
Influenza (11)	15	5			1			1	1		1		1	2	3			
Epidemic cerebrospinal meningitis (18)	2		1					1										
Tuberculosis of the respiratory system (23)	96		1		1	1	1	2	2	7	6	11	14	18	19	9	4	
Other forms of tuberculosis (24–32)	14	1	1			1	2		1	1	2	1			2	1	1	
Syphilis (34)	32	2										3	7	7	9	4		
Cancer and other malignant tumors (45–53)	500					1		2	1	2	3	6	46	81	137	144	77	
Diabetes mellitus (59)	124						1				1		5	9	46	39	23	
Cerebral hemorrhage and softening (82a, 82c)	217	1										2	4	26	51	69	64	
Diseases of the heart (90–95)	1,071		1			1	4	6	8	7	7	10	49	119	206	318	335	
Bronchitis (106)	10	1	1					1							1	2	4	
Bronchopneumonia (107)	102	28	2		1		5	1	1	5		1	8	10	11	16	13	
Lobar and unspecified pneumonia (108, 109)	141	9	3	1	1	1	6	2	2	3	1	6	13	23	20	21	29	
Diarrhea and enteritis (119, 120)	17	14	1		1								1					
Appendicitis (121)	53					1		2	8	2	3	4	8	12	6	4	3	
Hernia, intestinal obstruction (122)	38	2		1					1		2		4	7	5	6	10	
Cirrhosis of the liver (124)	34											1	4	7	8	8	6	
Nephritis (130–132)	352			1				1	6	4	3	6	23	39	71	111	87	
Diseases of the female genital organs (139)	13									2	3	2	3	2		1		
Puerperal septicemia (140, 142a, 145)	9									3		3	3					
Other puerperal causes	15								1	3	2	2	7					
Suicide (163–171)	67							1		1	3	10	14	17	10	9	2	
Homicide (172–175)	11	2							2	1			3	2	1			
Automobile accidents [1]	62	1					8	2	2	2		4	7	11	9	12	4	
Automobile—railroad train and street car collisions	3									1					1	1		
Other external causes	146	2	3			1	3	2	2	4	6	6	14	25	20	26	32	
All other causes	668	183	13	2	2	5	11	15	6	8	14	17	49	78	76	85	104	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SYRACUSE, N.Y., all causes	2,521	187	30	14	15	10	33	23	34	43	40	49	170	333	491	553	496	
Typhoid and paratyphoid fever (1, 2)	1													1				
Measles (7)	11	4	2		1		2	2										
Scarlet fever (8)	10			1	2		1	1	2	1			1		1			
Whooping cough (9)	11	6	4	1														
Diphtheria (10)	1		1															
Influenza (11)	25	1	2	1	1		1		1	1	3		4	2	5		3	
Epidemic cerebrospinal meningitis (18)	2							1	1									
Tuberculosis of the respiratory system (23)	34					1				2	2	1	8	8	7	4	1	
Other forms of tuberculosis (24–32)	10		2		1		3		1	1					2			
Syphilis (34)	37	6					1				3	1	10	6	6	4		
Cancer and other malignant tumors (45–53)	289									1	2	5	22	53	71	87	48	
Diabetes mellitus (59)	69												3	6	25	23	12	
Cerebral hemorrhage and softening (82a, 82c)	185									1		1	1	24	43	63	52	
Diseases of the heart (90–95)	696			1	1		4	1	5	6	3	8	25	74	160	187	221	
Bronchitis (106)	5	2												1			2	
Bronchopneumonia (107)	66	16	6	2	1	1	1		1				1	5	4	12	16	
Lobar and unspecified pneumonia (108, 109)	109	3	2	2	1	1	2		6	1	3	4	17	28	17	11	11	
Diarrhea and enteritis (119, 120)	17	12	2	1										1	1			
Appendicitis (121)	30			1			3	1	1	4	1	1	8	5	4		1	
Hernia, intestinal obstruction (122)	21	1					1		1	1		1	1	2	3	7	3	
Cirrhosis of the liver (124)	24												4	2	7	8	3	
Nephritis (130–132)	217	2				1	1	4	2	3	2	2	12	28	40	62	58	
Diseases of the female genital organs (139)	8									1	1	2	2		2			
Puerperal septicemia (140, 142a, 145)	11								2	2	5	1	1					
Other puerperal causes	18									1	5	7	5					
Suicide (163–171)	41								1	1	2	5	7	9	8	8		
Homicide (172–175)	4									1			1	1	1			
Automobile accidents [1]	39				1	1	2	2	1	2	1	1	1	9	8	6	4	
Automobile—railroad train and street car collisions	1										1							
Other external causes	85	1				1	2	1	2	4	1	1	6	12	19	14	21	
All other causes	444	133	9	4	6	4	9	10	7	9	5	8	30	56	57	57	40	
UTICA, N.Y., all causes	1,526	110	7	7	6	6	17	12	35	14	25	28	121	184	249	357	348	
Typhoid and paratyphoid fever (1, 2)	2												1	1				
Measles (7)	3				1	2												
Scarlet fever (8)	3	1					2											
Whooping cough (9)																		
Diphtheria (10)																		
Influenza (11)	10	2												5		3		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	32		1						2	2	2	2	12	3	5	2	1	
Other forms of tuberculosis (24–32)	11	1		1	1	1	2		1					1	2	1		
Syphilis (34)	12	3											2	3	1	2	1	
Cancer and other malignant tumors (45–53)	144								2		2		14	21	35	41	29	
Diabetes mellitus (59)	45							2	1	1			1	6	13	16	5	
Cerebral hemorrhage and softening (82a, 82c)	81												3	7	13	25	33	
Diseases of the heart (90–95)	339					1	1	2	1	1	4	3	13	37	62	107	107	
Bronchitis (106)	7	2									1		1				3	
Bronchopneumonia (107)	66	10	2	2	1				2		1	2	4	6	9	7	20	
Lobar and unspecified pneumonia (108, 109)	59	4			1		2	2	7	2	1	2	5	10	13	5	5	
Diarrhea and enteritis (119, 120)	10	5		1					1						1	1	1	
Appendicitis (121)	24			1					3	1	2	1	4	3	5	4		
Hernia, intestinal obstruction (122)	13	1						1		1				2	3	4	1	
Cirrhosis of the liver (124)	11						1				1			1	2	5	1	
Nephritis (130–132)	234								2	2		1	15	33	39	73	69	
Diseases of the female genital organs (139)	7									1	1	2	1	2				
Puerperal septicemia (140, 142a, 145)	1												1					
Other puerperal causes	7											2	3	2				
Suicide (163–171)	22								1		1	2		7	7	4		
Homicide (172–175)	3									1	1			1				
Automobile accidents [1]	29						2	1	1		3	2	9	2	4	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	56	3					2	3	4			3	8	8	6	9	10	
All other causes	295	78	4	2	2	2	5	1	7	2	3	5	25	25	29	44	61	
YONKERS, N.Y., all causes	1,194	90	12	12	2	6	20	21	18	24	30	36	99	187	243	226	167	1
Typhoid and paratyphoid fever (1, 2)	1								1									
Measles (7)	6	2	1	1			1	1										
Scarlet fever (8)	3		1				2											
Whooping cough (9)	4	1	1	1			1											
Diphtheria (10)																		
Influenza (11)	14		1			1		2					2	2	3	3		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	60								4	6	7	5	16	12	8	2		
Other forms of tuberculosis (24–32)	7										2		1		3		1	
Syphilis (34)	8	2	1										1	4				
Cancer and other malignant tumors (45–53)	134									1		4	20	21	40	32	16	
Diabetes mellitus (59)	31											1	2	2	12	9	5	
Cerebral hemorrhage and softening (82a, 82c)	80										1		2	14	21	27	15	
Diseases of the heart (90–95)	312				1	1	3	2	4	4	6	6	14	47	79	71	74	
Bronchitis (106)	2																2	
Bronchopneumonia (107)	37	10	1	1					1	1			2	6	4	4	7	
Lobar and unspecified pneumonia (108, 109)	80	1	3	1			2	3	3	1	3	4	8	9	17	17	8	
Diarrhea and enteritis (119, 120)	5	3					1									1		
Appendicitis (121)	16					1	2	3		1			1	6	1	1		
Hernia, intestinal obstruction (122)	8												2	4	2			
Cirrhosis of the liver (124)	17											1	3	3	5	4	1	
Nephritis (130–132)	75	2	1							3	2	3	2	17	16	16	13	
Diseases of the female genital organs (139)	4											1		1	1	1		
Puerperal septicemia (140, 142a, 145)	3											2	1					
Other puerperal causes	4										3	1						
Suicide (163–171)	18									1	1	1	2	3	5	5		
Homicide (172–175)	8	2						1		1		1	1	1	1			
Automobile accidents [1]	17			1		1	4	2					3	1		3	2	
Automobile—railroad train and street car collisions																		
Other external causes	41	1	1	1		1	2	1		2	3	3	3	10	1	8	4	
All other causes	199	66	2	5	1	1	2	6	5	3	2	3	13	24	24	22	19	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,985	183	15	15	11	13	44	28	42	61	62	81	220	295	306	310	299	
Typhoid and paratyphoid fever (1, 2)	2						2											
Measles (7)																		
Scarlet fever (8)	8			2	1	1	3		1									
Whooping cough (9)	4	3	1															
Diphtheria (10)	6			1		2	2	1										
Influenza (11)	46	3			1			4	3	2		2	6	5	4	4	12	
Epidemic cerebrospinal meningitis (18)	1											1						
Tuberculosis of the respiratory system (23)	72							2	3	11	5	10	13	19	5	4		
Other forms of tuberculosis (24–32)	13		2			2	1			3	2		1		1		1	
Syphilis (34)	22	3							1	1	3		3	5	3	3		
Cancer and other malignant tumors (45–53)	210						1		2	2	1	4	26	45	62	37	30	
Diabetes mellitus (59)	46							2	1				2	9	17	11	4	
Cerebral hemorrhage and softening (82a, 82c)	173											2	4	20	46	39	62	
Diseases of the heart (90–95)	383	1	1				1	3	5	2	2	6	46	67	71	92	86	
Bronchitis (106)	7		1												1	1	4	
Bronchopneumonia (107)	48	18	2	2	2	1	1				1	2	4	3	2	1	9	
Lobar and unspecified pneumonia (108, 109)	70	6	2	2		1	4	1	3	5	4	1	9	10	6	9	7	
Diarrhea and enteritis (119, 120)	11	6	1				2							2				
Appendicitis (121)	27			1			1	2	2	2	1	3	6	3	5	1		
Hernia, intestinal obstruction (122)	30	3		1					1			4	1	2	6	4	6	2
Cirrhosis of the liver (124)	8													1	2	1	3	1
Nephritis (130–132)	151							1	4	1	6	6	12	24	24	44	29	
Diseases of the female genital organs (139)	12								1		1	2	3	1	1	2	1	
Puerperal septicemia (140, 142a, 145)	13									2	5	4	2					
Other puerperal causes	12									3	2	3	4					
Suicide (163–171)	40									2	1	3	13	10	7	3	1	
Homicide (172–175)	25	1							1	5	2	5	6	4	1			
Automobile accidents [1]	80	1			2	2	3	4	6	8	8	10	9	9	5	10	3	
Automobile—railroad train and street car collisions	10				1							1	3	4	1			
Other external causes	82	4	2	3		2	9	4	3	3	2	2	11	9	5	8	15	
All other causes	373	134	3	3	4	2	14	4	5	9	12	13	34	38	34	32	32	
CANTON, OHIO, all causes	1,004	109	10	3	6	2	19	20	13	21	33	30	90	122	163	172	191	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)	2	1	1															
Scarlet fever (8)	3				1						2							
Whooping cough (9)	6	3	3															
Diphtheria (10)	3			1	1		1											
Influenza (11)	29	4							1	2	1		4	8	1	3	5	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	17		2				1		1	2	2		2	5	2			
Other forms of tuberculosis (24–32)	8	1					1			1	1		2	1	1			
Syphilis (34)	9	4							1		1		2		1			
Cancer and other malignant tumors (45–53)	119								1		3	1	13	17	37	35	12	
Diabetes mellitus (59)	21								1		1	1		3	4	7	4	
Cerebral hemorrhage and softening (82a, 82c)	104												1	7	19	28	49	
Diseases of the heart (90–95)	195					1	1	1	1	1		4	12	26	40	43	65	
Bronchitis (106)	2														1	1		
Bronchopneumonia (107)	27	8	3									1	1	3	2	2	7	
Lobar and unspecified pneumonia (108, 109)	40	4			1		1	2			2	4	2	5	7	7	5	
Diarrhea and enteritis (119, 120)	11	8												1	2			
Appendicitis (121)	20			1			1	5	1	1		2	4	2	3			
Hernia, intestinal obstruction (122)	12							1					1	4	4	1	1	
Cirrhosis of the liver (124)	6													4	1	1		
Nephritis (130–132)	51							2	2		1	1	5	7	9	16	8	
Diseases of the female genital organs (139)	5										1		2		2			
Puerperal septicemia (140, 142a, 145)	10								1	1	2	2	4					
Other puerperal causes	6									3	2		1					
Suicide (163–171)	9										1	2	4	1		1		
Homicide (172–175)	12									3	2	2	3	1		1		
Automobile accidents [1]	32				1		4	5	1	2	1	1	5	2	2	6	2	
Automobile—railroad train and street car collisions																		
Other external causes	35	1						1		2	2	2	3	4	6	7	7	
All other causes	209	75	1	1	2	1	9	3	2	3	7	7	19	21	19	13	26	
CINCINNATI, OHIO (WHITE), all causes	5,780	330	53	36	31	21	73	44	71	112	133	150	470	707	1,015	1,336	1,198	
Typhoid and paratyphoid fever (1, 2)	13							4	1	2	2	1	3					
Measles (7)																		
Scarlet fever (8)	30	2	2	3	2	2	12	1				4	2					
Whooping cough (9)	13	10	2	1														
Diphtheria (10)	10		1	1	1		6							1				
Influenza (11)	156	8	3	2	6	3	3		3	3	8	1	13	18	20	32	33	
Epidemic cerebrospinal meningitis (18)	4	1					1				1				1			
Tuberculosis of the respiratory system (23)	193		1	1			2	2	6	22	20	20	29	42	29	17	2	
Other forms of tuberculosis (24–32)	25	2	2	1	3		1		3		1	2	2	2	4	2		
Syphilis (34)	35	2	2					2	1		1	1	2	7	12	5		
Cancer and other malignant tumors (45–53)	645										1	9	41	119	179	179	117	
Diabetes mellitus (59)	130			1				1		1	2	2	6	7	31	64	15	
Cerebral hemorrhage and softening (82a, 82c)	466				1			1	1		3	1	18	55	103	157	126	
Diseases of the heart (90–95)	1,154		1		1		1	3	5	7	10	11	73	116	236	347	343	
Bronchitis (106)	27	2								1		2		3	2	2	15	
Bronchopneumonia (107)	192	38	9	9			1	1	1	1	2	2	9	11	20	34	54	
Lobar and unspecified pneumonia (108, 109)	246	10	3		1	1	3	2	3	4	8	11	39	26	39	53	43	
Diarrhea and enteritis (119, 120)	66	35	13	4	2	2		2		1		1		2		2	2	
Appendicitis (121)	129			2		1	4	5	8	16	7	7	19	25	21	11	3	
Hernia, intestinal obstruction (122)	84	3		1					1	1	3		8	12	10	19	26	
Cirrhosis of the liver (124)	73											4	10	17	20	17	5	
Nephritis (130–132)	465			2				2	3	5	5	6	25	35	71	143	168	
Diseases of the female genital organs (139)	23									1	2	3	5	5	3	4		
Puerperal septicemia (140, 142a, 145)	20								3	3	5	6	3					
Other puerperal causes	32								1	10	6	5	10					
Suicide (163–171)	120							1	1	3	6	7	19	38	27	15	3	
Homicide (172–175)	30		1						2	2	10	2	7	3	1	1	1	
Automobile accidents [1]	108	1	2	3	3	5	8	1	5	8	7	5	13	7	14	19	7	
Automobile—railroad train and street car collisions	9								2	2	2		2	1				
Other external causes	262	5	4	2	4	1	10	5	5	5	4	12	22	31	33	51	68	
All other causes	1,020	211	7	3	7	6	21	11	16	14	17	25	90	124	139	162	167	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CINCINNATI, OHIO (COLORED), all causes	1,001	83	12	9	6	6	15	12	26	62	92	89	174	174	118	84	38	1
Typhoid and paratyphoid fever (1, 2)	2												2					
Measles (7)																		
Scarlet fever (8)	1									1								
Whooping cough (9)	8	3	3			2												
Diphtheria (10)	3		1	1			1											
Influenza (11)	12	1									1		3	2	1	3	1	
Epidemic cerebrospinal meningitis (18)	5				1		1				1	2						
Tuberculosis of the respiratory system (23)	175	2	2	1		1	5	5	15	33	31	22	30	20	3	5		
Other forms of tuberculosis (24–32)	23		2	1	1	1	1	2		2	4		2	3	4			
Syphilis (34)	22	5								1	3	3	2	6	1	1		
Cancer and other malignant tumors (45–53)	55									1	4	3	10	10	17	6	4	
Diabetes mellitus (59)	14											2	4	6		1	1	
Cerebral hemorrhage and softening (82a, 82c)	70											1	13	24	13	14	5	
Diseases of the heart (90–95)	166						2	2	1	5	7	15	33	45	25	21	10	
Bronchitis (106)	1	1																
Bronchopneumonia (107)	41	19	3	1	1	1			2		1	1	1	3	4	2	2	
Lobar and unspecified pneumonia (108, 109)	56			1				1	1	1	11	6	14	9	6	4	2	
Diarrhea and enteritis (119, 120)	10	6			1				1				2					
Appendicitis (121)	5						1	1				1	1		1			
Hernia, intestinal obstruction (122)	5	1											1		3			
Cirrhosis of the liver (124)	9													4	1	2	2	
Nephritis (130–132)	32											1	4	12	8	5	2	
Diseases of the female genital organs (139)	5								1	1	1		2					
Puerperal septicemia (140, 142a, 145)	2									2								
Other puerperal causes	3									1	1	1						
Suicide (163–171)	5								1	1		1	2					
Homicide (172–175)	50								3	5	14	12	12	2	2			
Automobile accidents [1]	16						1			2	1	2	3	4	3			
Automobile—railroad train and street car collisions	1												1					
Other external causes	26		1	2		1				4	2	3	2	7	3	1		
All other causes	178	45		2	2		3	1	1	2	10	13	30	17	23	19	9	1
CLEVELAND, OHIO (WHITE), all causes	8,546	692	89	47	44	31	140	96	140	207	249	262	982	1,349	1,563	1,521	1,134	
Typhoid and paratyphoid fever (1, 2)	2										1				1			
Measles (7)	39	6	15	3	3		12											
Scarlet fever (8)	41	3	4	5	2	3	17	1			2	2	1	1				
Whooping cough (9)	30	15	9	3		1	2											
Diphtheria (10)	13		2	5	2		1		1				1	1				
Influenza (11)	114	7	4			2	3	1	6	1	2	4	18	17	17	14	18	
Epidemic cerebrospinal meningitis (18)	15	1	1	1			1	1	2			2	2	3		1		
Tuberculosis of the respiratory system (23)	450	3	1	1	4		4	3	28	41	50	41	107	79	54	26	8	
Other forms of tuberculosis (24–32)	29	2		2	1		3		2	2	5	2	5	4		1		
Syphilis (34)	45	4						1					7	22	7	3	1	
Cancer and other malignant tumors (45–53)	963	2					4	1	1	7	7	16	96	217	266	239	107	
Diabetes mellitus (59)	220							4	5	4	3	2	14	30	61	79	18	
Cerebral hemorrhage and softening (82a, 82c)	613	1					1	1	1	3	3	25	92	161	192	133		
Diseases of the heart (90–95)	1,706	1		1			8	6	9	19	24	27	139	252	386	459	375	
Bronchitis (106)	30	4	1	1				1	1			1	1	2	2	5	11	
Bronchopneumonia (107)	407	87	22	7	5	5	4	1	3	5	3	7	33	43	50	66	66	
Lobar and unspecified pneumonia (108, 109)	330	11	7	1	1	3	6	5	8	12	11	15	65	54	59	41	31	
Diarrhea and enteritis (119, 120)	42	24	3	1	1		4	1	1		1		4	1	1			
Appendicitis (121)	123		1		3	1	8	13	6	4	5	8	24	23	20	5	2	
Hernia, intestinal obstruction (122)	92	6					2	1	1	1	1	1	10	22	23	14	10	
Cirrhosis of the liver (124)	89									1	2	3	20	24	25	10	4	
Nephritis (130–132)	473	1		1			2	5	5	3	9	10	45	78	97	112	105	
Diseases of the female genital organs (139)	38									1	4	5	17	3	4	3	1	
Puerperal septicemia (140, 142a, 145)	30								2	7	7	9	5					
Other puerperal causes	41									7	8	13	13					
Suicide (163–171)	188								2	11	7	10	41	58	37	18	4	
Homicide (172–175)	81						1		5	9	14	6	25	12	6	3		
Automobile accidents [1]	239		1		5	6	15	8	10	15	20	10	32	36	32	28	21	
Automobile—railroad train and street car collisions	8								1		2	1	1	1	2			
Other external causes	370	4	5	6	3	1	6	15	15	17	23	15	57	55	37	44	67	
All other causes	1,685	510	13	9	14	9	37	27	25	39	35	49	174	219	215	158	152	
CLEVELAND, OHIO (COLORED), all causes	1,275	105	12	8	6	1	17	18	29	71	99	106	311	245	142	67	38	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	4	1	1		1		1											
Scarlet fever (8)	1						1											
Whooping cough (9)	10	3	3	2			2											
Diphtheria (10)																		
Influenza (11)	18	1					2					1	5	5	3	1		
Epidemic cerebrospinal meningitis (18)	3							1			1			1				
Tuberculosis of the respiratory system (23)	219	1	2	1	2		1	4	17	32	36	34	56	26	6	1		
Other forms of tuberculosis (24–32)	16						1		2	2	1	3	4	2	1			
Syphilis (34)	51	5			1				1		2	3	15	17	3	2	2	
Cancer and other malignant tumors (45–53)	62					1				1		1	12	23	18	4	2	
Diabetes mellitus (59)	14								1				3	6	1	3		
Cerebral hemorrhage and softening (82a, 82c)	85							1		1	2	3	21	26	15	13	3	
Diseases of the heart (90–95)	176	1						3	1	6	5	8	54	40	35	15	8	
Bronchitis (106)																		
Bronchopneumonia (107)	72	18	2	2	1				1	2	2	5	12	11	7	5	4	
Lobar and unspecified pneumonia (108, 109)	97	2	1						2	4	9	12	33	17	10	5	2	
Diarrhea and enteritis (119, 120)	7	5	2															
Appendicitis (121)	10						1	1			3	1	1	1		2		
Hernia, intestinal obstruction (122)	15						1					4	3	5	1	1		
Cirrhosis of the liver (124)	3											1	1	1				
Nephritis (130–132)	85								1		5	5	16	24	18	8	8	
Diseases of the female genital organs (139)	5										2		3					
Puerperal septicemia (140, 142a, 145)	8									4	2		2					
Other puerperal causes	7								1	1	2	2	1					
Suicide (163–171)	8							1			2	2	1	1	1			
Homicide (172–175)	45	1								13	8	3	14	5	1			
Automobile accidents [1]	23				1		2	1		2	1	2	6	5	2		1	
Automobile—railroad train and street car collisions																		
Other external causes	30		1	1			1	1	1	1	6	7	8	2	1			
All other causes	201	67		2			4	5	1	2	10	9	40	27	19	7	8	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
COLUMBUS, OHIO (WHITE), all causes	3,547	242	31	22	18	18	44	37	71	102	73	115	294	407	601	750	722	
Typhoid and paratyphoid fever (1, 2)	5								1	1			2	1				
Measles (7)	5		1		1		3											
Scarlet fever (8)	5					1	1		3									
Whooping cough (9)	14	9	4			1												
Diphtheria (10)	10				1	1	5	1	1				1					
Influenza (11)	79	4	1	3	2	1	1	2		4	4	4	6	8	7	14	18	
Epidemic cerebrospinal meningitis (18)	2			1	1													
Tuberculosis of the respiratory system (23)	119	1		1					9	19	9	16	23	15	13	8	5	
Other forms of tuberculosis (24–32)	19	1		2		1		1		1		2	4	1	3	3		
Syphilis (34)	21	5						1				1	4	1	3	6		
Cancer and other malignant tumors (45–53)	413									3	1	8	45	67	106	129	54	
Diabetes mellitus (59)	83		1				1	2	2	1	1	1	3	9	28	23	11	
Cerebral hemorrhage and softening (82a, 82c)	283							1					5	26	50	100	101	
Diseases of the heart (90–95)	680					1	1	1	1	8	8	11	37	84	153	181	194	
Bronchitis (106)	9	1	1											2		1	4	
Bronchopneumonia (107)	106	24	4	2	1	3		1	1		2	1	8	6	10	19	24	
Lobar and unspecified pneumonia (108, 109)	84	4		3	2		1		3	3	2	2	9	7	14	17	17	
Diarrhea and enteritis (119, 120)	39	28	6	2	1					2								
Appendicitis (121)	74		1	1	1	2	3	8	8	2	3	6	11	10	13	5		
Hernia, intestinal obstruction (122)	55	1		1			3	1		1		3	6	7	12	10	10	
Cirrhosis of the liver (124)	27									1	1		1	7	6	7	4	
Nephritis (130–132)	243		1	1			2	1	3	2	1	4	11	31	51	77	58	
Diseases of the female genital organs (139)	31								1	4	6	4	8	7	1			
Puerperal septicemia (140, 142a, 145)	15								3	4	1	5	2					
Other puerperal causes	32									7	6	7	12					
Suicide (163–171)	55								1	5	2	2	12	14	9	7	3	
Homicide (172–175)	13	2								1	1	3	2	2	2			
Automobile accidents [1]	91	1	1	1	3		6	1	10	8	5	7	10	10	10	9	9	
Automobile—railroad train and street car collisions	5							1	1			1	1	1				
Other external causes	172	1	4		3	2	4	6	10	7	5	11	19	23	22	20	35	
All other causes	758	160	6	4	2	5	13	9	13	18	15	16	52	68	88	114	175	
COLUMBUS, OHIO (COLORED), all causes	549	43	8	5	4	3	10	4	14	30	22	41	92	116	82	47	28	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1						1											
Scarlet fever (8)	2				1			1										
Whooping cough (9)	4		4															
Diphtheria (10)																		
Influenza (11)	23	1							3		1	3	4	4	4	1	2	
Epidemic cerebrospinal meningitis (18)	1						1											
Tuberculosis of the respiratory system (23)	48	1							3	11	5	3	14	7	3		1	
Other forms of tuberculosis (24–32)	10		1			1			1	1	1	1		4				
Syphilis (34)	13	1								1	1		3	4	3			
Cancer and other malignant tumors (45–53)	27											2	1	6	10	8		
Diabetes mellitus (59)	10												2	5	2	1		
Cerebral hemorrhage and softening (82a, 82c)	30												3	11	10	5	1	
Diseases of the heart (90–95)	99							1	1	3	1	7	17	30	16	16	7	
Bronchitis (106)	1		1															
Bronchopneumonia (107)	17	5	1	1	2				1	1			1	3	2			
Lobar and unspecified pneumonia (108, 109)	29	1					2	1		5		2	4	7	4	2	1	
Diarrhea and enteritis (119, 120)	13	10				2											1	
Appendicitis (121)	1												1					
Hernia, intestinal obstruction (122)	7										1	1	1	3	1			
Cirrhosis of the liver (124)	3														3			
Nephritis (130–132)	39						1						6	13	10	4	5	
Diseases of the female genital organs (139)	4								1		1	1		1				
Puerperal septicemia (140, 142a, 145)	3											3						
Other puerperal causes	7								1	2	2	1	1					
Suicide (163–171)	4											1	3					
Homicide (172–175)	21									5	5	2	7	2				
Automobile accidents [1]	8						2		1		2	1	1		1			
Automobile—railroad train and street car collisions																		
Other external causes	25			2			1	1	1	1	1	3	6	3	2	3	1	
All other causes	99	24	1	2	1		2		1		1	10	17	13	11	7	9	
DAYTON, OHIO, all causes	2,428	181	21	15	12	10	48	25	38	44	70	62	203	308	406	517	468	
Typhoid and paratyphoid fever (1, 2)	2							1							1			
Measles (7)																		
Scarlet fever (8)	4		1				2		1									
Whooping cough (9)	10	7	1	1	1													
Diphtheria (10)	16		2	1	2	8	1		1	1								
Influenza (11)	50	7	2		1		3	1		2	4	2	5	8	5	4	6	
Epidemic cerebrospinal meningitis (18)	3				1		1				1							
Tuberculosis of the respiratory system (23)	112		1				2	1	5	5	17	14	20	19	13	11	4	
Other forms of tuberculosis (24–32)	10		2				1		1				1	3	1	1		
Syphilis (34)	48	4	1							1	2	5	8	10	11	4	2	
Cancer and other malignant tumors (45–53)	260							2			3	3	27	43	64	76	42	
Diabetes mellitus (59)	47					1		1	1				4	8	10	17	5	
Cerebral hemorrhage and softening (82a, 82c)	165									1			7	23	28	54	52	
Diseases of the heart (90–95)	584						3	2	5	4	3	4	29	65	107	178	184	
Bronchitis (106)	4				1									1			2	
Bronchopneumonia (107)	80	27	7	2	1		1	1			2	2	4	2	4	10	17	
Lobar and unspecified pneumonia (108, 109)	67	5		1			1	2	4	2	3	1	7	7	10	12	12	
Diarrhea and enteritis (119, 120)	41	29	2	1		1	2							1		4	1	
Appendicitis (121)	41		1	2		1	4	1	2	2	2	3	9	7	5	2		
Hernia, intestinal obstruction (122)	35	1							1	1	1	1	3	3	8	10	6	
Cirrhosis of the liver (124)	18											1	1	5	6	4	1	
Nephritis (130–132)	154	1						1	1	3	1	1	12	13	27	46	48	
Diseases of the female genital organs (139)	15									3		1	6	4	1			
Puerperal septicemia (140, 142a, 145)	12								3	4	2	2	1					
Other puerperal causes	6									2	2		2					
Suicide (163–171)	43								1	1	4	1	10	9	9	6	2	
Homicide (172–175)	22	1								2	3	6	6	2	2			
Automobile accidents [1]	58				1		6	2	3	2	4	3	2	11	12	7	5	
Automobile—railroad train and street car collisions	2										1			1				
Other external causes	107	3	1	2	1	2	6	2	4	4	1	3	7	16	16	15	24	
All other causes	412	96	2	4	4	3	8	7	6	4	13	9	32	47	66	56	55	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TOLEDO, OHIO, all causes	3,444	272	32	13	15	10	38	25	70	107	95	123	344	460	586	643	611	
Typhoid and paratyphoid fever (1, 2)	2							1					1					
Measles (7)	2	2																
Scarlet fever (8)	6			1	1	1	2				1							
Whooping cough (9)	16	10	3	2		1												
Diphtheria (10)	5		1		1								1		1	1		
Influenza (11)	84	2	2				1		1	2	3	6	13	10	13	15	16	
Epidemic cerebrospinal meningitis (18)	5	2								1	1			1				
Tuberculosis of the respiratory system (23)	184							2	15	17	27	23	38	34	13	11	4	
Other forms of tuberculosis (24–32)	25	1		1	1		4				3	2	4	2	2	4	1	
Syphilis (34)	21	1									1	1	5	4	6	2	1	
Cancer and other malignant tumors (45–53)	349			1	2	1	1		1	1	3	5	29	68	94	91	52	
Diabetes mellitus (59)	71						1	3	1	3	1	1	2	8	18	23	10	
Cerebral hemorrhage and softening (82a, 82c)	223												9	29	60	57	68	
Diseases of the heart (90–95)	757	1				1	1	2	4	7	4	14	57	95	143	194	234	
Bronchitis (106)	9	1	1												1		6	
Bronchopneumonia (107)	105	29	8		5	1	3	1	2	3	1	3	5	7	11	7	19	
Lobar and unspecified pneumonia (108, 109)	120	11	5		1		1		2	11	4	7	15	15	18	14	16	
Diarrhea and enteritis (119, 120)	34	19	2	1	2		1					1	4	1	2	1		
Appendicitis (121)	62					1	2	2	6	5	4	7	13	7	8	6	1	
Hernia, intestinal obstruction (122)	47	4		1				1		2	2	2	3	6	13	9	4	
Cirrhosis of the liver (124)	45												5	9	13	13	5	
Nephritis (130–132)	182		1						5	2	3	3	18	26	35	53	36	
Diseases of the female genital organs (139)	16								1	1	2	1	6	3	1	1		
Puerperal septicemia (140, 142a, 145)	12								2	5	2	3						
Other puerperal causes	13									3	2	4	4					
Suicide (163–171)	61								3	5	2	1	12	15	11	8	4	
Homicide (172–175)	24	1							1	3	6	10	1	1	1			
Automobile accidents [1]	109				1	1	4	3	8	12	4	7	16	16	17	14	6	
Automobile—railroad train and street car collisions	8								1		1		2	3	1			
Other external causes	141	2	3	2		1	8	5	7	4	6	4	11	10	17	30	31	
All other causes	706	186	6	4	1	2	9	5	10	20	12	18	70	90	87	89	97	
YOUNGSTOWN, OHIO, all causes	1,659	175	27	21	17	12	40	31	48	42	47	60	199	274	257	226	183	
Typhoid and paratyphoid fever (1, 2)	2						1								1			
Measles (7)	13		3	3	3		4											
Scarlet fever (8)	12			1	2	2	2	1	2	1				1				
Whooping cough (9)	6	3	2	1														
Diphtheria (10)	8		1	2	1		3	1										
Influenza (11)	26	3	1			1	1			1	2		5	2	3	4	3	
Epidemic cerebrospinal meningitis (18)	4						1	1	1	1								
Tuberculosis of the respiratory system (23)	62		1	1			2	2	5	6	8	6	12	11	4	4		
Other forms of tuberculosis (24–32)	10	1				1	3	2	1			1		1				
Syphilis (34)	6	1								1			2	2				
Cancer and other malignant tumors (45–53)	171					1		1		1			4	18	51	45	38	12
Diabetes mellitus (59)	33												2	1	2	17	8	3
Cerebral hemorrhage and softening (82a, 82c)	110													5	21	27	30	27
Diseases of the heart (90–95)	302		1		1	1	2		3	1	3	5	38	50	68	62	67	
Bronchitis (106)	3											1			1		1	
Bronchopneumonia (107)	76	42	10	3	2		2		1					1	8	4	3	
Lobar and unspecified pneumonia (108, 109)	101	9	4	3			2	5	3	6	4	6	15	18	13	6	7	
Diarrhea and enteritis (119, 120)	11	5		1	2		1				1		1					
Appendicitis (121)	37			1			2	3	3	2	2	2	5	11	5		1	
Hernia, intestinal obstruction (122)	21	3							1			2	2	7	3	3		
Cirrhosis of the liver (124)	12											1	4	2	1	4		
Nephritis (130–132)	97							1	4	3	2	3	15	13	12	24	20	
Diseases of the female genital organs (139)	13										1	4	7		1			
Puerperal septicemia (140, 142a, 145)	13								3	2	2	2	4					
Other puerperal causes	20								3	3	4	5	4	1				
Suicide (163–171)	25								1	1	1		10	8	3	1		
Homicide (172–175)	26								4	1	7	3	5	4	1		1	
Automobile accidents [1]	41				1	2	6	3	4	1	2	2	4	5	6	4	1	
Automobile—railroad train and street car collisions																		
Other external causes	91	3	2	1	4	1	3	5	3	2	4	3	6	23	12	9	10	
All other causes	307	105	2	4	1	3	5	6	6	9	4	8	36	40	26	25	27	
OKLAHOMA CITY, OKLA., all causes	2,091	210	30	21	21	9	59	51	81	96	99	111	207	275	292	277	251	1
Typhoid and paratyphoid fever (1, 2)	12						1	1		4		1	2	2	1			
Measles (7)	3			1			2											
Scarlet fever (8)	9			1		1	4					1		2				
Whooping cough (9)	6	4	1					1										
Diphtheria (10)	21		1	5	5	1	2	4	1		1				1			
Influenza (11)	98	3	2	1	1		8	2	2	4	6	7	9	12	11	11	19	
Epidemic cerebrospinal meningitis (18)	5	2					1		1					1				
Tuberculosis of the respiratory system (23)	81	4					1	2	2	9	12	8	12	11	11	4	5	
Other forms of tuberculosis (24–32)	25	4	3			1	3	1	4	2	1	2	2			2		
Syphilis (34)	36	7							2	2	1	2	12	7	3			
Cancer and other malignant tumors (45–53)	196		1		1			1	4	1	4	8	21	40	51	41	23	
Diabetes mellitus (59)	28								3		1	2	1	4	9	7	1	
Cerebral hemorrhage and softening (82a, 82c)	107			1						2	2	7	24	19	23	29		
Diseases of the heart (90–95)	257			1			2	3	2	5	2	4	19	40	61	64	54	
Bronchitis (106)	4										1		1				2	
Bronchopneumonia (107)	71	18	6	2				1	1	3	2		7	14	3	9	5	
Lobar and unspecified pneumonia (108, 109)	86	9	2	3	1	1	2	1	5	3	4	8	3	8	11	13	12	
Diarrhea and enteritis (119, 120)	48	34	6			1					1		2	1	2	1		
Appendicitis (121)	67				4		4	6	16	6	3	9	7	8	2	2		
Hernia, intestinal obstruction (122)	33	4	1				1	1	2	2	3	4	4	1	6	3	1	
Cirrhosis of the liver (124)	17											2	1	4	4	2	4	
Nephritis (130–132)	123	1		1			1		1		3		13	20	20	28	35	
Diseases of the female genital organs (139)	12									2	3	5	2					
Puerperal septicemia (140, 142a, 145)	22								2	9	7	2	2					
Other puerperal causes	20								3	4	5	4	4					
Suicide (163–171)	38								2	6	5	3	4	7	7	4		
Homicide (172–175)	28	1							2	2	6	8	3	1	3	2		
Automobile accidents [1]	66				1		3	3	8	3	4	6	7	8	5	13	5	
Automobile—railroad train and street car collisions	4								1		2				1			
Other external causes	110	4	3	1	1	2	7	11	4	13	4	8	13	8	8	8	15	
All other causes	458	115	4	6	5	2	17	13	13	16	16	15	49	52	53	40	41	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TULSA, OKLA., all causes	1,211	133	25	10	8	4	29	12	36	56	53	62	147	155	178	162	140	1
Typhoid and paratyphoid fever (1, 2)	7		1						2	2		1	1					
Measles (7)																		
Scarlet fever (8)	2				1		1											
Whooping cough (9)	2			1	1													
Diphtheria (10)	10	3	2	1			4											
Influenza (11)	64	6	3	1			5	2	2	1	6	4	11	4	7	4	8	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	47		1						2	9	5	7	7	9	3	4		
Other forms of tuberculosis (24–32)	11		1						2	1		1	2	4				
Syphilis (34)	11	4											3	2	2			
Cancer and other malignant tumors (45–53)	98								1		1	2	8	28	29	21	8	
Diabetes mellitus (59)	12												1	2	5	3	1	
Cerebral hemorrhage and softening (82a, 82c)	89										1	3	5	7	18	26	29	
Diseases of the heart (90–95)	184	1						1	2	2	4	1	19	24	38	46	46	
Bronchitis (106)	3	1												1	1			
Bronchopneumonia (107)	40	16	4										4	3	3	4	6	
Lobar and unspecified pneumonia (108, 109)	61	8	2						4	4	3	4	11	10	5	4	5	1
Diarrhea and enteritis (119, 120)	42	27	4	2	1			1				2	1		1	1	2	
Appendicitis (121)	46					2	3	3	1	6	4	5	9	9	2	2		
Hernia, intestinal obstruction (122)	24	1								2	4	4	4	5	2	1	1	
Cirrhosis of the liver (124)	4													1	1	2		
Nephritis (130–132)	68	1							2	2	2	1	5	8	17	18	12	
Diseases of the female genital organs (139)	6									1		1	4					
Puerperal septicemia (140, 142a, 145)	12								2	3	1	1	5					
Other puerperal causes	11								2	4		2	3					
Suicide (163–171)	31								1	3	3	5	6	7	4	2		
Homicide (172–175)	19								1	3	3	2	6	1	2	1		
Automobile accidents [1]	34	1				1	3		2	3	3	3	8	3	3	3	1	
Automobile—railroad train and street car collisions																		
Other external causes	44	2	1	3		1	2	2	2	3	2	4	7	5	5	1	4	
All other causes	229	62	6	2	5		11	3	8	7	11	9	17	22	30	19	17	
PORTLAND, OREG., all causes	3,422	133	11	8	12	7	43	38	43	60	74	81	286	462	639	769	756	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7)	11	1	2	1	1		5	1										
Scarlet fever (8)	1						1											
Whooping cough (9)	4	4																
Diphtheria (10)	3				1		2											
Influenza (11)	30		2				4				1	1	4	4	1	6	7	
Epidemic cerebrospinal meningitis (18)	5	1						1			1	1		1				
Tuberculosis of the respiratory system (23)	77						2		2	4	3	9	21	11	16	9		
Other forms of tuberculosis (24–32)	22		1	2	1		1	2	1	2	1	1	1	7	1	1		
Syphilis (34)	48	1								3	1	3	9	13	13	4	1	
Cancer and other malignant tumors (45–53)	467				1		1				3	6	38	81	130	133	74	
Diabetes mellitus (59)	68							1	1				1	6	26	26	7	
Cerebral hemorrhage and softening (82a, 82c)	253	2						1			2		9	20	48	81	90	
Diseases of the heart (90–95)	759	1				2	2	4	1	10	6	6	35	85	151	228	228	
Bronchitis (106)	17	3												3	1	3	7	
Bronchopneumonia (107)	104	10	1	1				3	2	1	1	3	9	10	11	16	36	
Lobar and unspecified pneumonia (108, 109)	102	3	1	1			3		4	2	7	6	10	15	17	13	20	
Diarrhea and enteritis (119, 120)	10	3	1							1		1	3		1			
Appendicitis (121)	53				1		4	5	2	2	5	5	11	6	9	1	2	
Hernia, intestinal obstruction (122)	31	1									3		4	9	6	5	3	
Cirrhosis of the liver (124)	33							1					2	10	9	4	7	
Nephritis (130–132)	311						2		3	2	4	1	17	48	59	90	85	
Diseases of the female genital organs (139)	6											1	1	3			1	
Puerperal septicemia (140, 142a, 145)	9								1	4	1	1	2					
Other puerperal causes	7										3	1	3					
Suicide (163–171)	104								1	6	4	10	19	27	20	11	6	
Homicide (172–175)	19	1							2	2	5	2	3	3		1		
Automobile accidents [1]	74		1		1		3	1	4	5	2	5	11	12	10	10	9	
Automobile—railroad train and street car collisions	6							1	1	1	1			1	1			
Other external causes	159	4	1		2	3	7	2	6	5	8	6	22	20	15	22	36	
All other causes	627	98	1	3	4	2	6	15	12	8	12	12	51	67	94	105	137	
ERIE, PA., all causes	1,311	119	16	6	4	6	28	17	23	29	31	30	132	147	244	255	224	
Typhoid and paratyphoid fever (1, 2)	2												1	1				
Measles (7)	1					1												
Scarlet fever (8)	1							1										
Whooping cough (9)	6	4	1		1													
Diphtheria (10)	8	1		1			3	1		1			1					
Influenza (11)	35	7	2					2	2				3	1	8	5	5	
Epidemic cerebrospinal meningitis (18)	1							1										
Tuberculosis of the respiratory system (23)	57		1						2	5	7	5	12	11	9	4	1	
Other forms of tuberculosis (24–32)	11	1	1				2		1	3			1			2		
Syphilis (34)	13	3									2	1	2	2	1	2		
Cancer and other malignant tumors (45–53)	154						1			2	2		11	24	48	46	20	
Diabetes mellitus (59)	38										2	2	2	5	14	12	1	
Cerebral hemorrhage and softening (82a, 82c)	84												3	8	19	28	26	
Diseases of the heart (90–95)	283						5	2	2	2	2	8	15	29	49	75	94	
Bronchitis (106)	6	1	1													2	2	
Bronchopneumonia (107)	36	9			2	1	1				1	1	7	2	2	2	8	
Lobar and unspecified pneumonia (108, 109)	49	2		1		1	1		6	1	1	1	7	10	11	5	2	
Diarrhea and enteritis (119, 120)	19	13	3	1		1										1		
Appendicitis (121)	27		1				4	1	1				9	5	5	1		
Hernia, intestinal obstruction (122)	19	2					1					2	1	2	5	5	1	
Cirrhosis of the liver (124)	12												1	4	2	3	2	
Nephritis (130–132)	89									3		1	10	11	25	17	22	
Diseases of the female genital organs (139)	3										1			1	1			
Puerperal septicemia (140, 142a, 145)	7									2	2	1	2					
Other puerperal causes	10									1	2	3	4					
Suicide (163–171)	26								2	2	2	2	3	6	6	2	1	
Homicide (172–175)	9						1	1			2		4	1				
Automobile accidents [1]	36	1			1	2	2	2	3	3			4	4	5	6	3	
Automobile—railroad train and street car collisions																		
Other external causes	56			2			2	3	2	1	2	3	6	3	9	7	16	
All other causes	213	75	6	1			5	3	2	3	3		23	17	25	30	20	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PHILADELPHIA, PA. (WHITE), all causes	20,318	1,291	189	109	91	55	238	212	288	419	466	536	1,666	2,719	4,261	4,322	3,449	7
Typhoid and paratyphoid fever (1, 2)	21				1			5	2	6	3			3	1			
Measles (7)	1	1																
Scarlet fever (8)	45	2	3	3	5	3	16	5	2	2		3		1				
Whooping cough (9)	42	21	12	5	2		1	1										
Diphtheria (10)	15		4		3	2	2				1	1		2				
Influenza (11)	173	18	8	3	4	3	2	4	3	4	2	8	19	20	30	23	22	
Epidemic cerebrospinal meningitis (18)	44	7	1	1	3	2	7	6	4	3	2	3		1	3	1		
Tuberculosis of the respiratory system (23)	802	8	4		1	1	2	5	34	103	88	76	155	141	111	64	7	2
Other forms of tuberculosis (24–32)	81	12	7	5	1		4	2	5	4	4	6	13	6	5	6	1	
Syphilis (34)	73	12		2							3	2	13	17	16	4	4	
Cancer and other malignant tumors (45–53)	2,568	3	1	2	2	1	7	8	17	13	31	37	230	511	754	620	331	
Diabetes mellitus (59)	541					1	1	2	2	1	3	3	21	77	170	174	86	
Cerebral hemorrhage and softening (82a, 82c)	1,088	1		2		1	1	1		3	3	9	31	136	271	336	292	1
Diseases of the heart (90–95)	5,590	5	4	3	3		17	35	43	49	64	81	327	650	1,350	1,582	1,375	2
Bronchitis (106)	65	4	1		1						1		3	11	8	13	23	
Bronchopneumonia (107)	587	153	29	13	3	2	10	6	6	2	11	13	31	45	73	95	95	
Lobar and unspecified pneumonia (108, 109)	725	66	24	3	11	2	19	16	19	21	25	31	107	106	128	84	62	1
Diarrhea and enteritis (119, 120)	196	124	17	4	2	4	2		1	1	4		4	10	8	7	8	
Appendicitis (121)	203	1	2	4	2	3	5	16	19	15	14	8	23	37	36	15	3	
Hernia, intestinal obstruction (122)	202	12	1	2			1	2	2	2	1	4	19	35	58	40	23	
Cirrhosis of the liver (124)	203								1	1	1	5	23	41	66	45	20	
Nephritis (130–132)	2,160	2	1	2	1		6	7	15	9	25	34	116	261	500	585	596	
Diseases of the female genital organs (139)	46								2	4	8	6	14	5	5	2		
Puerperal septicemia (140, 142a, 145)	55								2	16	14	7	15	1				
Other puerperal causes	114								2	25	18	30	38	1				
Suicide (163–171)	333						1		5	9	22	23	65	83	66	43	16	
Homicide (172–175)	79						2		6	7	10	17	20	8	5	3	1	
Automobile accidents [1]	292		2	2	9	3	24	16	14	24	16	12	33	37	31	50	19	
Automobile—railroad train and street car collisions	14								1	1		4	3	3	2			
Other external causes	724	19	18	14	9	10	31	17	22	24	28	24	58	94	132	117	106	1
All other causes	3,236	820	50	39	28	17	77	58	59	70	64	89	285	376	432	413	359	
PHILADELPHIA, PA. (COLORED), all causes	3,425	377	41	19	15	11	49	39	96	183	201	247	586	637	522	259	141	2
Typhoid and paratyphoid fever (1, 2)	5						2	1		1	1							
Measles (7)																		
Scarlet fever (8)	5	1			1		1			1			1					
Whooping cough (9)	16	9	4	1		1	1											
Diphtheria (10)	3			2	1													
Influenza (11)	66	14	3		1	1				5	3	4	11	13	4	4	3	
Epidemic cerebrospinal meningitis (18)	5				1		1			1				1	1			
Tuberculosis of the respiratory system (23)	457	2	2	2	1	1	4	11	42	78	70	57	89	61	27	6	3	1
Other forms of tuberculosis (24–32)	54	3	3	1	1	2	6	2	8	5	9		9	4	1			
Syphilis (34)	133	23						2	3	3	4	13	29	30	24	2		
Cancer and other malignant tumors (45–53)	223	1	1				1	1	2	3	6	9	42	61	60	27	8	1
Diabetes mellitus (59)	60									1		3	8	24	16	7	1	
Cerebral hemorrhage and softening (82a, 82c)	156				1					1		2	32	30	50	26	14	
Diseases of the heart (90–95)	651	1					4	5	7	8	17	32	113	153	169	82	60	
Bronchitis (106)	5	3													1	1		
Bronchopneumonia (107)	127	48	12	1	1		1			2	3	3	15	16	10	12	3	
Lobar and unspecified pneumonia (108, 109)	209	32		1			2	1	4	16	11	27	39	47	25	4		
Diarrhea and enteritis (119, 120)	54	32	7	5					1		2		4	1	2			
Appendicitis (121)	26				1		2	3	5	2	1	2	5	3	1	1		
Hernia, intestinal obstruction (122)	38	2		1							2	1	8	14	6	4		
Cirrhosis of the liver (124)	26								1	1		2	4	7	6	3	2	
Nephritis (130–132)	269				1		1		1	4	11	16	57	58	56	44	20	
Diseases of the female genital organs (139)	20								1	4	5	4	4	2				
Puerperal septicemia (140, 142a, 145)	16								1	4	3	6	2					
Other puerperal causes	27								6	2	6	7	6					
Suicide (163–171)	18									2		4	7	3	2			
Homicide (172–175)	71					1	1	1	2	14	14	11	15	8	2		2	
Automobile accidents [1]	29		1	1		1	2	2	1	1	3	6	3	4	1	3		
Automobile—railroad train and street car collisions	1												1					
Other external causes	95	5	1		1	2	4	2	5	7	6	9	14	19	12	4	4	
All other causes	560	201	7	4	4	2	16	8	6	17	24	29	68	78	46	29	21	
PITTSBURGH, PA. (WHITE), all causes	7,735	752	113	52	35	29	124	104	160	198	225	287	797	1,089	1,350	1,348	1,072	
Typhoid and paratyphoid fever (1, 2)	9									3		1	4			1		
Measles (7)	16	5	4	2	3	1	1											
Scarlet fever (8)	34	1	5	2	3	3	10		4	1	2	1	1	1				
Whooping cough (9)	19	10	5	3		1												
Diphtheria (10)	28	2	5	1	5		9	1			1		2		1		1	
Influenza (11)	217	14	6	3	1		2	5	9	6	5	19	25	29	35	28	30	
Epidemic cerebrospinal meningitis (18)	22	4	1	1	1		3	2		1	3	1	2	3				
Tuberculosis of the respiratory system (23)	263		1	4	1		1		21	31	26	25	54	47	28	16	8	
Other forms of tuberculosis (24–32)	42	3	7	2		1	1	3	3	5		3	4	7	2	1		
Syphilis (34)	30	5							1		1	1	5	11	3	2	1	
Cancer and other malignant tumors (45–53)	734					1	1	2	4	5	14	16	76	142	202	181	90	
Diabetes mellitus (59)	156					1	2	5	4	1	3	3	9	23	48	38	19	
Cerebral hemorrhage and softening (82a, 82c)	500	2						1	2	2	3	3	24	66	119	160	118	
Diseases of the heart (90–95)	1,508	2					14	15	19	20	22	36	91	208	331	377	373	
Bronchitis (106)	21	4			1				1		1			1	5	2	6	
Bronchopneumonia (107)	320	99	24	5	2	4	4	3	4	3	4	3	17	22	38	43	45	
Lobar and unspecified pneumonia (108, 109)	654	43	11	7		4	10	9	17	17	20	45	116	112	106	92	45	
Diarrhea and enteritis (119, 120)	101	72	13	3		1	1						3	3	1	1	3	
Appendicitis (121)	118		2	1	2	1	7	12	12	9	11	8	18	17	11	3	4	
Hernia, intestinal obstruction (122)	96	11	2			1	1	1	1	2	1	7	9	17	17	16	10	
Cirrhosis of the liver (124)	93						1	1			1	2	15	23	20	20	10	
Nephritis (130–132)	532		1				2	5	4	4	5	9	47	64	106	160	125	
Diseases of the female genital organs (139)	42								1	2	6	6	16	5	3	3		
Puerperal septicemia (140, 142a, 145)	48								2	12	13	9	11	1				
Other puerperal causes	53								1	3	16	12	21					
Suicide (163–171)	98								1	1	8	9	26	24	19	7	3	
Homicide (172–175)	42							1	8	4	5	7	11	2	3		1	
Automobile accidents [1]	148			1	2	4	13	8	6	13	4	6	9	20	28	24	10	
Automobile—railroad train and street car collisions	9								1	4			3		1			
Other external causes	347	7	11	3	3	2	7	8	15	18	10	17	46	62	50	38	50	
All other causes	1,435	468	15	14	11	4	34	22	19	31	40	38	132	179	173	135	120	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA., (COLORED), all causes	912	115	22	8	5	6	16	20	20	24	53	67	159	175	129	60	33	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	1				1													
Scarlet fever (8)																		
Whooping cough (9)	5	1	3			1												
Diphtheria (10)	2		2															
Influenza (11)	30	1	2	1						1	1	2	5	7	5	5		
Epidemic cerebrospinal meningitis (18)	5		1								1	2	1					
Tuberculosis of the respiratory system (23)	58					1	3	5	5	3	7	10	12	8	4			
Other forms of tuberculosis (24–32)	14	2	2		1	1	2	1	1		1		2	1				
Syphilis (34)	17	4	1							1		3	5		2		1	
Cancer and other malignant tumors (45–53)	30							1				2	5	7	10	4	1	
Diabetes mellitus (59)	15										1		5	8	1			
Cerebral hemorrhage and softening (82a, 82c)	56											1	8	15	18	7	7	
Diseases of the heart (90–95)	132						2	3	2	1	6	4	23	40	25	18	8	
Bronchitis (106)	2	1									1							
Bronchopneumonia (107)	56	28	5	2	1		1		1		3		6	4	2	1	2	
Lobar and unspecified pneumonia (108, 109)	138	6	3	3	2		4	3	4	12	20	33	27	16	4	1		
Diarrhea and enteritis (119, 120)	9	7					1							1				
Appendicitis (121)	12						4	1		2		2	1	2				
Hernia, intestinal obstruction (122)	7							1		1		1	1	1		1	1	
Cirrhosis of the liver (124)																		
Nephritis (130–132)	77							1		1	2	3	16	18	18	12	6	
Diseases of the female genital organs (139)	5									1	1	1		1	1			
Puerperal septicemia (140, 142a, 145)	5								1	2	2							
Other puerperal causes	8										2	5	1					
Suicide (163–171)	3											1		1	1			
Homicide (172–175)	20								2	4	5	3	4	2				
Automobile accidents [1]	11					2		2				1	2	1	3			
Automobile—railroad train and street car collisions																		
Other external causes	30	1	1	2			2		2	1	1	3	5	5	4	3		
All other causes	164	64	2			1	1	1	3	2	7	3	24	27	18	5	6	
READING, PA., all causes	1,325	109	15	9	10	5	11	13	24	36	25	28	89	176	227	290	258	
Typhoid and paratyphoid fever (1, 2)	1														1			
Measles (7)	1	1																
Scarlet fever (8)	1					1												
Whooping cough (9)	4	2		2														
Diphtheria (10)	3				1	2												
Influenza (11)	22	3	1		1				1		1	1	3	2	2	5	2	
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	50		1				1		2	4	8	2	12	7	8	4	1	
Other forms of tuberculosis (24–32)	6		2								1			1	1		1	
Syphilis (34)	10												2	4	1	3		
Cancer and other malignant tumors (45–53)	151						1	1	1	2	1	1	7	29	34	43	31	
Diabetes mellitus (59)	54								3		1		3	8	20	13	6	
Cerebral hemorrhage and softening (82a, 82c)	77												3	7	12	28	27	
Diseases of the heart (90–95)	346						1	2	6	5	1	5	15	46	74	99	92	
Bronchitis (106)	3	1												1			1	
Bronchopneumonia (107)	44	16	5	3	2	1							1	1	4	2	9	
Lobar and unspecified pneumonia (108, 109)	49	8	2				1	1	1	1		1	1	7	7	8	11	
Diarrhea and enteritis (119, 120)	16	11	1		1	1										1	1	
Appendicitis (121)	27				1			2	2	2	1	1	3	9	2	4		
Hernia, intestinal obstruction (122)	15	1											1	1	2	5	5	
Cirrhosis of the liver (124)	12												2	2	3	3	2	
Nephritis (130–132)	110								1	1		6	3	13	24	35	27	
Diseases of the female genital organs (139)	7										1	1		4	1			
Puerperal septicemia (140, 142a, 145)	1									1								
Other puerperal causes	6									1	2	2	1					
Suicide (163–171)	23									4	3	2	5		5	3	1	
Homicide (172–175)																		
Automobile accidents [1]	35				1		2	2	4	4	3		3	6	3	6	1	
Automobile—railroad train and street car collisions																		
Other external causes	53	1	2	1	1		2	3		4		2	4	12	1	6	14	
All other causes	197	64	1	3	2		3	2	3	7	2	4	20	16	22	22	26	
SCRANTON, PA., all causes	1,855	183	26	17	11	10	34	27	32	66	46	50	201	310	352	279	210	1
Typhoid and paratyphoid fever (1, 2)	2								1				1					
Measles (7)	1								1									
Scarlet fever (8)	8				1	2	2	2				1						
Whooping cough (9)	11	5	1	3	1	1												
Diphtheria (10)	1						1											
Influenza (11)	31	5			1		1			2			6	5	2	3	6	
Epidemic cerebrospinal meningitis (18)	5	3				1								1				
Tuberculosis of the respiratory system (23)	84							2	5	11	15	6	19	13	10	3		
Other forms of tuberculosis (24–32)	13	2	2		2		2			2	1		1	1				
Syphilis (34)	7		1									1	1	3	1			
Cancer and other malignant tumors (45–53)	167						1		1		1	1	9	40	59	43	12	
Diabetes mellitus (59)	48				1		1					1	2	9	13	11	10	
Cerebral hemorrhage and softening (82a, 82c)	103												6	17	27	27	26	
Diseases of the heart (90–95)	452		1	1		1	1	2	3	8	6	7	37	87	120	94	84	
Bronchitis (106)	12	2												2	2	5	1	
Bronchopneumonia (107)	66	24	3	2			2		1		1	1	6	7	3	10	6	
Lobar and unspecified pneumonia (108, 109)	111	5	3	1			4	2	3	4	1	3	24	21	21	10	9	
Diarrhea and enteritis (119, 120)	26	16	5	3			2											
Appendicitis (121)	31						3	6	5	3		1	3	8	2			
Hernia, intestinal obstruction (122)	21	4	1					1			1		1	3	5	5		
Cirrhosis of the liver (124)	12											2	2	3	4	1		
Nephritis (130–132)	106		1			1				4	2	2	12	27	21	23	13	
Diseases of the female genital organs (139)	7										1		2		2	1		1
Puerperal septicemia (140, 142a, 145)	4								2	1		1						
Other puerperal causes	16									3	3	4	6					
Suicide (163–171)	20								1	5		1	2	3	8			
Homicide (172–175)	7	1									1	1	3	1				
Automobile accidents [1]	32					1	4	1	1	5	3	2	2	5	3	3	2	
Automobile—railroad train and street car collisions																		
Other external causes	127	1	1	3	2	1	4	1	7	12	6	2	25	20	14	14	14	
All other causes	324	115	7	4	3	2	6	10	1	6	4	13	31	34	35	26	27	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PROVIDENCE, R.I., all causes	3,312	312	47	21	22	22	41	42	45	56	69	74	216	456	685	701	503	
Typhoid and paratyphoid fever (1, 2)	2										1			1				
Measles (7)	18	8	4		1	1	3	1										
Scarlet fever (8)	11	1	1	1	1	2	3				1		1					
Whooping cough (9)	6	4	2															
Diphtheria (10)	16	2	2	2	3	4	2	1										
Influenza (11)	21	1	1						1				1	3	6	7	1	
Epidemic cerebrospinal meningitis (18)	2		1		1													
Tuberculosis of the respiratory system (23)	98						1	1	9	7	10	8	13	27	17	4	1	
Other forms of tuberculosis (24–32)	25	1	4	3		1			2		3		2	5		4		
Syphilis (34)	15	2											2	6	5			
Cancer and other malignant tumors (45–53)	415						1	1	2	4	4	6	28	86	113	111	59	
Diabetes mellitus (59)	104						1	2		2			5	11	38	36	9	
Cerebral hemorrhage and softening (82a, 82c)	221												6	26	60	75	54	
Diseases of the heart (90–95)	699					1	2	9	7	6	11	10	38	85	167	206	157	
Bronchitis (106)	8	1													1	1	5	
Bronchopneumonia (107)	97	35	10	1	3	1	3	2					1	5	6	12	18	
Lobar and unspecified pneumonia (108, 109)	174	18	5	6		1		3	1	2	3	2	19	22	31	35	26	
Diarrhea and enteritis (119, 120)	31	20	3		2							2		4				
Appendicitis (121)	71		2	1	1	1	6	4	5	1	5	3	7	18	8	8	1	
Hernia, intestinal obstruction (122)	43	2						1		1		2	3	7	10	11	6	
Cirrhosis of the liver (124)	17												1	5	7	2	2	
Nephritis (130–132)	341	1	1					2			4	6	19	44	94	84	86	
Diseases of the female genital organs (139)	18							1	1	1	2	1	8	2	2			
Puerperal septicemia (140, 142a, 145)	15								1	2	3	7	2					
Other puerperal causes	15									2	1	6	6					
Suicide (163–171)	44									1			10	12	13	6	2	
Homicide (172–175)	3	1										1		1				
Automobile accidents [1]	51				1	5	5	1	5	5	1	5	2	6	8	5	2	
Automobile—railroad train and street car collisions	2									1				1				
Other external causes	122	4	2	2	6	1	1	3	3	5	3	1	8	20	26	17	20	
All other causes	607	211	9	5	3	4	13	10	8	16	17	14	34	59	73	77	54	
CHATTANOOGA, TENN. (WHITE), all causes	903	133	29	12	10	9	12	10	25	32	38	35	80	103	125	107	142	1
Typhoid and paratyphoid fever (1, 2)	5						1	1	1		2							
Measles (7)																		
Scarlet fever (8)	3		1	1						1								
Whooping cough (9)	3	2	1															
Diphtheria (10)	8	1	3		3	1												
Influenza (11)	37	9	2	2	2					1			1	6	3	4	7	
Epidemic cerebrospinal meningitis (18)	1										1							
Tuberculosis of the respiratory system (23)	42	1	1		1				2	2	5	4	13	5	3	3	2	
Other forms of tuberculosis (24–32)	11	2	1	1		2				1	1		1	2				
Syphilis (34)	7	4								1	1				1			
Cancer and other malignant tumors (45–53)	55	1		1							2	1	5	11	16	7	11	
Diabetes mellitus (59)	10						1		1		1	1	1	2	2		1	
Cerebral hemorrhage and softening (82a, 82c)	57										1	1	5	8	9	22	11	
Diseases of the heart (90–95)	116						1		2	1		4	4	11	29	18	46	
Bronchitis (106)	3													1	1		1	
Bronchopneumonia (107)	28	11	4			2					1	1	2	1		3	3	
Lobar and unspecified pneumonia (108, 109)	37	3	1	1	2		1	1				2	6	4	5	5	6	
Diarrhea and enteritis (119, 120)	27	13	10				1			1							2	
Appendicitis (121)	17						1	1	1	2	1	1	4	4	2			
Hernia, intestinal obstruction (122)	15	2							1	2			3	1	4	1	1	
Cirrhosis of the liver (124)	7											2			2	3		
Nephritis (130–132)	73					1	1	2	2	1		2	5	14	16	12	17	
Diseases of the female genital organs (139)	1									1								
Puerperal septicemia (140, 142a, 145)	8								2		2	1	3					
Other puerperal causes	6								2	1	1	2						
Suicide (163–171)	12											3	1	2	1	4	1	
Homicide (172–175)	12								1	2	2	4	2	1				
Automobile accidents [1]	19			1	1			1	2	4	2	1		1	2		4	
Automobile—railroad train and street car collisions	2										1			1				
Other external causes	51	1	1	2		1	1	2	2	7	7	1	5	4	2	5	9	1
All other causes	230	83	4	3	1	2	4	2	6	4	7	4	19	24	27	20	20	
CHATTANOOGA, TENN. (COLORED), all causes	651	64	6	2	3	4	11	4	40	38	61	64	109	93	76	52	22	2
Typhoid and paratyphoid fever (1, 2)	11							1	3		4	1	2					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	3	1			1		1											
Diphtheria (10)	1			1														
Influenza (11)	36	2							3	3	2	2	9	9	3	1	2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	72								7	12	11	11	13	5	8	4	1	
Other forms of tuberculosis (24–32)	11	2				1	2		2	2	1		1					
Syphilis (34)	7	1									1	1	3	1				
Cancer and other malignant tumors (45–53)	16						1				3	1	4	3	4			
Diabetes mellitus (59)	2														2			
Cerebral hemorrhage and softening (82a, 82c)	46											2	3	16	11	10	4	
Diseases of the heart (90–95)	72						1		1	1	3	6	8	26	12	8	5	1
Bronchitis (106)	2														1	1		
Bronchopneumonia (107)	34	8	3	1		1			2	1	3	3	4	2	2	3	1	
Lobar and unspecified pneumonia (108, 109)	44	3	1		1	1	1		4	5	3	4	10	3	6	1	1	
Diarrhea and enteritis (119, 120)	11	9					1								1			
Appendicitis (121)	7						2	1					2	1	1			
Hernia, intestinal obstruction (122)	10								1				2	2	1	2	2	
Cirrhosis of the liver (124)	2														1	1		
Nephritis (130–132)	27									2	1	2	4	5	8	4	1	
Diseases of the female genital organs (139)	4									1			3					
Puerperal septicemia (140, 142a, 145)	4									1		2	1					
Other puerperal causes	5										1	3	1					
Suicide (163–171)	1												1					
Homicide (172–175)	31	1							1	3	11	8	6	1				
Automobile accidents [1]	7									1	2	1	1		1	1		
Automobile—railroad train and street car collisions																		
Other external causes	27				1		1	1	4	1	5	2	8	1	2	1		
All other causes	158	37	2			1	1	1	12	5	10	11	24	18	12	16	7	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KNOXVILLE, TENN., all causes	1,343	158	33	20	13	9	33	23	37	60	61	68	144	171	181	177	154	1
Typhoid and paratyphoid fever (1, 2)	11						1	2	1	2		3	1	1				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	11	2	5	1		2	1											
Diphtheria (10)	19		3	3	4	3	4	1						1				
Influenza (11)	76	5	2	2		1	1		2	1	1	7	6	10	3	14	20	1
Epidemic cerebrospinal meningitis (18)	15	2	2	1	1		3	3	1	1			1					
Tuberculosis of the respiratory system (23)	54		1					2		7	5	5	12	10	6	6		
Other forms of tuberculosis (24–32)	12	1	3	1			2	1		1	1	1			1			
Syphilis (34)	13	4							1	2	1		1	3		1		
Cancer and other malignant tumors (45–53)	75									2	2	4	5	19	21	14	8	
Diabetes mellitus (59)	16							1	2				2	1	4	4	2	
Cerebral hemorrhage and softening (82a, 82c)	67									1		1	6	12	12	18	17	
Diseases of the heart (90–95)	168		1					1	2	2	6	4	16	19	45	34	38	
Bronchitis (106)	4	1														2	1	
Bronchopneumonia (107)	42	9	4	1	1		2		1		1	3	4	1	4	4	7	
Lobar and unspecified pneumonia (108, 109)	74	3	3	1	3		5	2	1	4	8	4	12	9	8	7	4	
Diarrhea and enteritis (119, 120)	27	18	1	4	1								1		2			
Appendicitis (121)	25		1	1			1	1	4	4		3	6	1	2		1	
Hernia, intestinal obstruction (122)	24	3									1	2	5	6	3	3	1	
Cirrhosis of the liver (124)	5													3	1		1	
Nephritis (130–132)	102							1		2	1	2	7	23	21	29	16	
Diseases of the female genital organs (139)	5										1	1	1	1	1			
Puerperal septicemia (140, 142a, 145)	5								1	1	2	1						
Other puerperal causes	13								2	3	3	2	3					
Suicide (163–171)	16									4	3	1	1		3	3	1	
Homicide (172–175)	28								1	6	6	7	5	1	2			
Automobile accidents [1]	28					1	3	1	3	2	3	2	4	4	2	3		
Automobile—railroad train and street car collisions	3										2		1					
Other external causes	79	2				1	3	4	8	7	5	4	9	15	8	6	7	
All other causes	326	108	7	5	3	1	7	3	7	8	9	11	35	31	32	30	29	
MEMPHIS, TENN. (WHITE), all causes	2,169	213	39	20	24	18	31	30	48	76	76	65	238	296	358	338	298	1
Typhoid and paratyphoid fever (1, 2)	13	1							1	4	3	1	2	1				
Measles (7)																		
Scarlet fever (8)	2		1				1											
Whooping cough (9)	11	9	2															
Diphtheria (10)	18		3	3	5	2	5											
Influenza (11)	46	2	1		1				1		2	2	6	3	7	6	15	
Epidemic cerebrospinal meningitis (18)	6	1					1	1		1				1	1			
Tuberculosis of the respiratory system (23)	64			1				1	2	4	5	3	13	14	13	6	2	
Other forms of tuberculosis (24–32)	22	1	2			1	1	2	2		1		6	3	2		1	
Syphilis (34)	27	4								1	1	2	4	7	5	3		
Cancer and other malignant tumors (45–53)	205	1					1	2			2	5	24	44	53	55	18	
Diabetes mellitus (59)	40							1		1	1		2	7	14	10	4	
Cerebral hemorrhage and softening (82a, 82c)	106							1				2	6	21	24	28	24	
Diseases of the heart (90–95)	307	1	1					1	2	5	7	5	18	39	67	76	85	
Bronchitis (106)	3															1	2	
Bronchopneumonia (107)	53	14		1	2	1	1		1	2	2	1	2	4	4	9	9	
Lobar and unspecified pneumonia (108, 109)	89	3	2	1	1	1		3	3	6	1	1	9	16	17	12	13	
Diarrhea and enteritis (119, 120)	32	17	7	2			2				1			1			2	
Appendicitis (121)	61				2	1	5	7	10	10	4	2	6	7	4	3		
Hernia, intestinal obstruction (122)	28	3								1		1	6	5	4	4	4	
Cirrhosis of the liver (124)	20										1		6	3	7	2		1
Nephritis (130–132)	143	2			1					2	3	2	11	16	35	35	36	
Diseases of the female genital organs (139)	16									1	7	1	3	3		1		
Puerperal septicemia (140, 142a, 145)	10								1		4	3	2					
Other puerperal causes	21								3	5	4	3	6					
Suicide (163–171)	49								4	3	3	6	11	12	6	3	1	
Homicide (172–175)	30					1	1		1	4	4		7	5	5	2		
Automobile accidents [1]	67				1	2	2	1	4	7	2	4	12	9	9	6	8	
Automobile—railroad train and street car collisions	6								2	1	1		1	1				
Other external causes	114	3	4	3	2	2	3	3	3	4	4	5	15	11	21	15	16	
All other causes	560	151	16	9	9	7	8	7	8	14	13	16	60	63	60	61	58	
MEMPHIS, TENN. (COLORED), all causes	2,175	229	26	14	7	8	26	16	88	139	147	156	378	382	302	160	97	
Typhoid and paratyphoid fever (1, 2)	15	1					2	1	2	2	5	1		1				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	9	5	4															
Diphtheria (10)	2						2											
Influenza (11)	55	3					1			2	2	9	8	12	9	5	4	
Epidemic cerebrospinal meningitis (18)	4	1	1			1								1				
Tuberculosis of the respiratory system (23)	187	2				4	1	3	15	35	26	30	32	22	11	2	4	
Other forms of tuberculosis (24–32)	46	1	2	1	2	1	4		8	3	4	4	9	4	3			
Syphilis (34)	118	16							4	13	9	9	27	21	11	6	2	
Cancer and other malignant tumors (45–53)	88								1	1	1	7	25	22	18	9	4	
Diabetes mellitus (59)	23										1	1	2	4	7	6	2	
Cerebral hemorrhage and softening (82a, 82c)	136						1		1	4	1	3	21	42	27	23	13	
Diseases of the heart (90–95)	247							1	4	2	5	10	45	72	55	36	17	
Bronchitis (106)	4	1								1	1			1				
Bronchopneumonia (107)	58	26	5	3				1	1	2	2	1	2	4	7	2	2	
Lobar and unspecified pneumonia (108, 109)	126	5	4	2	1		3	1	7	12	12	6	22	24	17	8	2	
Diarrhea and enteritis (119, 120)	23	10	2	1									1	3	4	1	1	
Appendicitis (121)	43						3	2	4	3	5	7	13	3	3			
Hernia, intestinal obstruction (122)	31		1							1	2	5	7	7	4	4		
Cirrhosis of the liver (124)	7												1	1	1	1	3	
Nephritis (130–132)	127						1			3	1	6	28	33	33	13	9	
Diseases of the female genital organs (139)	7								1	1	1		2	2				
Puerperal septicemia (140, 142a, 145)	12								5	3		3	1					
Other puerperal causes	18								6	5	2	3	2					
Suicide (163–171)	10									2	1	1	1	4	1			
Homicide (172–175)	117								14	25	30	17	25	3	3			
Automobile accidents [1]	34							1	2	4	4	4	10	5	3	1		
Automobile—railroad train and street car collisions																		
Other external causes	69	1		2	1	1	3	3	4	6	7	4	10	7	11	7	2	
All other causes	559	157	7	5	3	1	5	3	9	9	25	25	84	84	74	36	32	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NASHVILLE, TENN. (WHITE), all causes	1,564	193	37	12	11	10	23	25	32	45	46	52	117	184	231	261	285	
Typhoid and paratyphoid fever (1, 2)	10		2		1				1	2	2	2						
Measles (7)																		
Scarlet fever (8)	3					1	2											
Whooping cough (9)	10	7	1	2														
Diphtheria (10)	9			3	1	2	2		1									
Influenza (11)	67	7	6		1						2		5	6	8	13	19	
Epidemic cerebrospinal meningitis (18)	3	1					1	1										
Tuberculosis of the respiratory system (23)	52		1					1	2	8	1	6	10	7	5	5	6	
Other forms of tuberculosis (24–32)	15	1	1			1	1	2	1		2	1		2	2	1		
Syphilis (34)	12	4						1					5		2			
Cancer and other malignant tumors (45–53)	134								2			2	17	28	26	32	27	
Diabetes mellitus (59)	20													4	7	6	3	
Cerebral hemorrhage and softening (82a, 82c)	95								1			1	5	10	20	30	28	
Diseases of the heart (90–95)	253		1					2	1	2	2	7	11	36	45	69	77	
Bronchitis (106)	3	1															2	
Bronchopneumonia (107)	55	18	8	3	1	1		1			2	1		4	4	6	6	
Lobar and unspecified pneumonia (108, 109)	58	3	1					1	1	1	4	1	6	3	8	12	17	
Diarrhea and enteritis (119, 120)	38	27	4	1	1								1		1		3	
Appendicitis (121)	46						5	5	6	3	4	2	7	7	4	3		
Hernia, intestinal obstruction (122)	17	1	1								1		4	2	4	4		
Cirrhosis of the liver (124)	14												1	2	5	2	4	
Nephritis (130–132)	88						1		1			6	5	10	16	28	21	
Diseases of the female genital organs (139)	4										1	2		1				
Puerperal septicemia (140, 142a, 145)	12								2	3	1	3	3					
Other puerperal causes	16								2	3	3	1	5	2				
Suicide (163–171)	26								1	2	2	2	3	11	2	3		
Homicide (172–175)	15									2	1	3	5	2	2			
Automobile accidents [1]	52			1	1		3	1	2	10	5	3	3	4	9	7	3	
Automobile—railroad train and street car collisions																		
Other external causes	75	1	4		3	3	1	5	7	6	5		4	8	11	9	8	
All other causes	362	122	8	1	2	2	7	5	1	3	8	9	17	35	50	31	61	
NASHVILLE, TENN. (COLORED), all causes	848	68	7	5	2	6	7	14	36	35	57	52	121	162	151	77	47	
Typhoid and paratyphoid fever (1, 2)	2					1							1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1						1											
Diphtheria (10)	2						1		1									
Influenza (11)	39	2	1						3		1	2	7	11	8	4		
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	61					1	2	3	4	13	7	7	9	9	4	1	1	
Other forms of tuberculosis (24–32)	12		1	1		1		1	3		2	1			1		1	
Syphilis (34)	20	7									3	1	2	4	1		2	
Cancer and other malignant tumors (45–53)	42								1		1	1	7	9	14	6	3	
Diabetes mellitus (59)	9							1			2			3	3			
Cerebral hemorrhage and softening (82a, 82c)	78										1		6	23	25	19	4	
Diseases of the heart (90–95)	132								2	1	1	11	27	31	27	17	15	
Bronchitis (106)																		
Bronchopneumonia (107)	30	14			1				1		1		3	4	2	4		
Lobar and unspecified pneumonia (108, 109)	50	2		1		1		1	4	3	7	4	5	10	9	1	2	
Diarrhea and enteritis (119, 120)	18	11	4			1							1				1	
Appendicitis (121)	13					1			2	2		2	2	3	1			
Hernia, intestinal obstruction (122)	11								1		1	2	2	3	2			
Cirrhosis of the liver (124)	2												1			1		
Nephritis (130–132)	69							1	2	1	1	2	12	14	17	11	8	
Diseases of the female genital organs (139)	7										3	2	1	1				
Puerperal septicemia (140, 142a, 145)	4							1	1	1	1							
Other puerperal causes	7								2	1	2	1	1					
Suicide (163–171)	1								1									
Homicide (172–175)	35								4	6	11	5	4	3	2			
Automobile accidents [1]	20						1		1	2	1	2	3	4	4	2		
Automobile—railroad train and street car collisions																		
Other external causes	27			1			1	2	1	2	5	1	3	3	5	2	1	
All other causes	156	32	1	2	1		1	4	2	3	6	8	24	27	26	9	9	
DALLAS, TEX. (WHITE), all causes	2,204	268	25	19	15	12	61	35	51	76	95	83	212	259	325	326	342	
Typhoid and paratyphoid fever (1, 2)	9	1					1	1	1		1		3	1				
Measles (7)																		
Scarlet fever (8)	3			1			2											
Whooping cough (9)	2	1	1															
Diphtheria (10)	32		1	5	3	6	11	4	1	1								
Influenza (11)	113	7	1	1		1	4	6	4	4	6	5	17	8	12	10	27	
Epidemic cerebrospinal meningitis (18)	1								1									
Tuberculosis of the respiratory system (23)	55					1			1	5	5	8	9	11	8	6	1	
Other forms of tuberculosis (24–32)	15	2					1	1		3	2	3	2	1				
Syphilis (34)	11	5									2	1	1		1	1		
Cancer and other malignant tumors (45–53)	183		2	1	2				3	5	3	2	24	30	46	36	29	
Diabetes mellitus (59)	40								1	1		1	3	9	13	6	6	
Cerebral hemorrhage and softening (82a, 82c)	147						1		1	1	3	1	2	17	32	52	37	
Diseases of the heart (90–95)	346	1						1	3		5	4	19	55	79	92	87	
Bronchitis (106)	8					1							1	1	1		4	
Bronchopneumonia (107)	50	21	2	1			3			2		1	2	3	4	4	7	
Lobar and unspecified pneumonia (108, 109)	83	7	4	2	1		4	1	1	5	11	4	14	12	4	10	3	
Diarrhea and enteritis (119, 120)	49	37	5					1	1					1	2		2	
Appendicitis (121)	66				1		4	4	8	9	3	5	14	9	5	3	1	
Hernia, intestinal obstruction (122)	31	2					1	1	1		2	3	6	3	5	2	5	
Cirrhosis of the liver (124)	19												6	3	4	3	3	
Nephritis (130–132)	118						3	1	3		3	1	6	20	25	26	30	
Diseases of the female genital organs (139)	17									3	4	3	3	4				
Puerperal septicemia (140, 142a, 145)	13								3	1	2	4	3					
Other puerperal causes	8										4	1	3					
Suicide (163–171)	57								1	10	5	10	12	5	10	4		
Homicide (172–175)	30							2	2	4	4	7	6	3	1	1		
Automobile accidents [1]	63		3		2		4		5	4	4	3	8	9	12	5	4	
Automobile—railroad train and street car collisions	3								1	1					1			
Other external causes	104	1	2	3	3		6	4	5	4	7	4	9	10	12	17	17	
All other causes	528	183	4	5	3	3	16	8	4	13	19	12	39	44	48	48	79	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX. (COLORED), all causes	840	124	20	12	12	13	12	18	30	47	51	61	150	147	67	39	37	
Typhoid and paratyphoid fever (1, 2)	12							4	1		3	1	2	1				
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	6	3	1	1		1												
Diphtheria (10)	15	2	1	1	4	4	3											
Influenza (11)	41	4		3		1	1		3	1	2	1	6	8	4	4	3	
Epidemic cerebrospinal meningitis (18)	1								1									
Tuberculosis of the respiratory system (23)	62	1		1	1			1	5	12	9	6	10	10	3	3		
Other forms of tuberculosis (24–32)	9	1	1				2			2	1		2					
Syphilis (34)	16	3										3	2	2	3	1	2	
Cancer and other malignant tumors (45–53)	32							1		2			13	11	3	1	1	
Diabetes mellitus (59)	7												3	2	2			
Cerebral hemorrhage and softening (82a, 82c)	81							2		3		1	16	32	10	8	9	
Diseases of the heart (90–95)	77							1	3			5	15	21	15	9	8	
Bronchitis (106)	3		1		1											1		
Bronchopneumonia (107)	23	11	2	1	2				2	1	1			1	1		1	
Lobar and unspecified pneumonia (108, 109)	95	21	9	1	2		2	6	2	4	8	8	12	11	4	4	1	
Diarrhea and enteritis (119, 120)	29	21	2	1			1	1			1				1	1		
Appendicitis (121)	13								2	1	1		6	1	1		1	
Hernia, intestinal obstruction (122)	9	1								1		2	3	1	1			
Cirrhosis of the liver (124)	3												2	1				
Nephritis (130–132)	44										3	4	8	19	6	1	3	
Diseases of the female genital organs (139)	5									1	2	2						
Puerperal septicemia (140, 142a, 145)	6								2	1	1	2						
Other puerperal causes	4								1	1			2					
Suicide (163–171)	4												3			1		
Homicide (172–175)	51									7	9	13	14	6	1	1		
Automobile accidents [1]	8					2		1			1		3	1				
Automobile—railroad train and street car collisions																		
Other external causes	27	2	1	1	1	2	1	1	2	1		3	5	3	1	1	2	
All other causes	157	54	2	2	1	3	2		6	9	9	10	23	16	11	3	6	
EL PASO, TEX. (WHITE), all causes	540	35	5	3	4	3	9	5	15	18	26	28	89	81	64	78	77	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	1						1											
Whooping cough (9)																		
Diphtheria (10)	1				1													
Influenza (11)	19	1					1		1	1	1		3	3	3		5	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	116								4	9	13	12	37	22	13	5	1	
Other forms of tuberculosis (24–32)	5		1										2		1		1	
Syphilis (34)	3														1	1	1	
Cancer and other malignant tumors (45–53)	41	1									1		5	5	9	14	6	
Diabetes mellitus (59)	10							1				1		1	1	3	3	
Cerebral hemorrhage and softening (82a, 82c)	18													1	1	7	9	
Diseases of the heart (90–95)	70	1					2		2	1		1	10	10	14	10	19	
Bronchitis (106)	6			1								1		2	1		1	
Bronchopneumonia (107)	15	3		1				1					3	1		4	2	
Lobar and unspecified pneumonia (108, 109)	22				2		1	1	1	1		1	5	1	2	4	3	
Diarrhea and enteritis (119, 120)	9	4	1	1		1								1			1	
Appendicitis (121)	19						2	1		2	2	1	3	5	1		2	
Hernia, intestinal obstruction (122)	7	1					1						1		2		2	
Cirrhosis of the liver (124)	2														1	1		
Nephritis (130–132)	14										1			2	1	5	5	
Diseases of the female genital organs (139)	1													1				
Puerperal septicemia (140, 142a, 145)	2								1			1						
Other puerperal causes	4										2	2						
Suicide (163–171)	21									1	1	2	5	6	1	4	1	
Homicide (172–175)	9										1	2	3	2	1			
Automobile accidents [1]	12						1	1	2	1			1	3		2	1	
Automobile—railroad train and street car collisions	1												1					
Other external causes	19		1		1	1			2	1	3	1		3	2	2	2	
All other causes	93	24	2			1			2	1	1	3	10	12	9	16	12	
EL PASO, TEX. (COLORED), all causes	922	203	39	25	10	11	25	16	35	38	40	44	83	103	105	72	73	
Typhoid and paratyphoid fever (1, 2)	6						3	1	1	1								
Measles (7)																		
Scarlet fever (8)	2					1					1							
Whooping cough (9)	6	2	1	1		2												
Diphtheria (10)	5		2				3											
Influenza (11)	73	18	6	2	1	1	1	1	2	2	2	2	4	11	10	5	5	
Epidemic cerebrospinal meningitis (18)	2						1			1								
Tuberculosis of the respiratory system (23)	119	1	1	3	2		3	3	10	11	14	15	23	23	7	1	2	
Other forms of tuberculosis (24–32)	18	3	3	1			2		1	2	2		2	1	1			
Syphilis (34)	11	4								4		1		2				
Cancer and other malignant tumors (45–53)	45	1		1			1				2	3	5	6	12	8	6	
Diabetes mellitus (59)	3													3				
Cerebral hemorrhage and softening (82a, 82c)	21											1	1	3	4	7	5	
Diseases of the heart (90–95)	90					1		2	2	2	1	3	12	15	18	20	14	
Bronchitis (106)	6	1		1									1		2		1	
Bronchopneumonia (107)	55	15	8	5	1			1		2	1	1	1	3	6	6	5	
Lobar and unspecified pneumonia (108, 109)	29	8	2						2		2	2	2	5	5	1		
Diarrhea and enteritis (119, 120)	99	70	11	3	1	1	1					1	2	1	5	1	2	
Appendicitis (121)	18					2	1	2	5	1	3		4					
Hernia, intestinal obstruction (122)	10	1			1			1	1			1		3	2			
Cirrhosis of the liver (124)	7												2	2	3			
Nephritis (130–132)	36							1				1	4	5	11	5	9	
Diseases of the female genital organs (139)																		
Puerperal septicemia (140, 142a, 145)	6									2	2		2					
Other puerperal causes	8							1		2		3	2					
Suicide (163–171)	8								2	1	1	1		2	1			
Homicide (172–175)	8								3	2		1	1	1				
Automobile accidents [1]	18				1	2	4	1	1	2	1		3		2	1		
Automobile—railroad train and street car collisions																		
Other external causes	26	1	1	2	1	1		2	3	2	1		2	5		1	3	
All other causes	187	78	4	6	2		5		2	1	7	7	10	12	16	16	21	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FORT WORTH, TEX. (WHITE), all causes	1,361	129	19	16	13	6	28	23	35	44	51	54	128	166	212	201	229	7
Typhoid and paratyphoid fever (1, 2)	2							1							1			
Measles (7)																		
Scarlet fever (8)	7			3	1	1	2											
Whooping cough (9)	2	1					1											
Diphtheria (10)	20		4	3	6	1	2	4										
Influenza (11)	61	4	1	2			4		3	1	1	2	6	10	4	9	14	
Epidemic cerebrospinal meningitis (18)	2						1				1							
Tuberculosis of the respiratory system (23)	59							1	3	2	3	7	15	11	13	2	2	
Other forms of tuberculosis (24–32)	3	1							1					1				
Syphilis (34)	7											1	1	3	2			
Cancer and other malignant tumors (45–53)	125			1					1	3	2	4	15	24	31	32	12	
Diabetes mellitus (59)	19						1						1	3	6	4	4	
Cerebral hemorrhage and softening (82a, 82c)	102												7	8	32	26	28	1
Diseases of the heart (90–95)	226							1	3	1	7	4	7	33	46	58	65	1
Bronchitis (106)	4															2	2	
Bronchopneumonia (107)	29	2	2	1				1	2	1	1	1		1	2	5	10	
Lobar and unspecified pneumonia (108, 109)	43	1	1			1	2	1		5	1	2	7	3	9	5	4	1
Diarrhea and enteritis (119, 120)	26	16	4		2						1						3	
Appendicitis (121)	31						2	1	3	7	2	6	1	4	3		2	
Hernia, intestinal obstruction (122)	14	1	1				2				1	1		4		1	3	
Cirrhosis of the liver (124)	8										1		2	2	1	2		
Nephritis (130–132)	58									1	1		6	5	11	12	22	
Diseases of the female genital organs (139)	7								1		3		2	1				
Puerperal septicemia (140, 142a, 145)	7									3		1	2					1
Other puerperal causes	7								3	2		2						
Suicide (163–171)	30								2	1	3	4	7	8	3	1		1
Homicide (172–175)	24								1	4	5	2	9	2	1			
Automobile accidents [1]	47						3	1	1	5	3	4	8	6	5	6	5	
Automobile—railroad train and street car collisions																		
Other external causes	91	3	1	1	3	2	3	5	8	2	4	4	10	10	14	7	13	1
All other causes	300	100	5	5	1	1	5	7	3	6	11	9	22	27	28	29	40	1
FORT WORTH, TEX. (COLORED), all causes	404	49	7	7	3	1	8	4	15	30	34	35	58	67	47	20	19	
Typhoid and paratyphoid fever (1, 2)	3		1				1				1							
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	1			1														
Diphtheria (10)	3	1			1		1											
Influenza (11)	17	4					1		1	1	2	1	1	1	1		4	
Epidemic cerebrospinal meningitis (18)	1	1																
Tuberculosis of the respiratory system (23)	32								4	6	7	5	3	3	3		1	
Other forms of tuberculosis (24–32)	1	1																
Syphilis (34)	12	4	1							1	1	2	3					
Cancer and other malignant tumors (45–53)	16								1	2			2	5	4	1	1	
Diabetes mellitus (59)	6									1		1	1	1	2			
Cerebral hemorrhage and softening (82a, 82c)	32		1									1	3	13	8	4	2	
Diseases of the heart (90–95)	36						1				2	3	8	11	7	3	1	
Bronchitis (106)																		
Bronchopneumonia (107)	10	2		1				1	1	1	1	1			2			
Lobar and unspecified pneumonia (108, 109)	45	10	1	3	1	1		1	1	4	2	3	6	6	2	2	2	
Diarrhea and enteritis (119, 120)	4	2	1										1					
Appendicitis (121)	8	1					2			1		1	1	1		1		
Hernia, intestinal obstruction (122)	5									2			1	1		1		
Cirrhosis of the liver (124)	4												3		1			
Nephritis (130–132)	36										1	2	5	11	9	4	4	
Diseases of the female genital organs (139)	4									1	1		2					
Puerperal septicemia (140, 142a, 145)	2								1		1							
Other puerperal causes	1											1						
Suicide (163–171)	1										1							
Homicide (172–175)	23								1	5	8	4	4	1				
Automobile accidents [1]	9						1	1	1		2	3	1					
Automobile—railroad train and street car collisions																		
Other external causes	11	1	1				1		1	1	1	1	3	1				
All other causes	81	22	1	2	1			1	3	4	3	6	10	12	8	4	4	
HOUSTON, TEX. (WHITE), all causes	2,149	148	21	13	14	14	37	32	45	59	85	92	219	272	387	379	330	2
Typhoid and paratyphoid fever (1, 2)	10						3		2		2		1	1	1			
Measles (7)	2	1					1											
Scarlet fever (8)																		
Whooping cough (9)	3	2				1												
Diphtheria (10)	19	2	1	5	3	2	3	1	1				1					
Influenza (11)	66	2					1		1	2	3	3	14	5	9	12	14	
Epidemic cerebrospinal meningitis (18)	5	2						1		1			1					
Tuberculosis of the respiratory system (23)	101				1			1	2	8	14	11	11	20	20	11	2	
Other forms of tuberculosis (24–32)	3	1			1					1								
Syphilis (34)	19	3						1			2	2	1	1	8	1		
Cancer and other malignant tumors (45–53)	243		1		1		1	2	2	1	2	5	32	48	57	49	42	
Diabetes mellitus (59)	46									1		2	5	5	14	13	6	
Cerebral hemorrhage and softening (82a, 82c)	118										1	2	3	11	27	39	35	
Diseases of the heart (90–95)	403	2	1				2	1		2	3	3	23	64	90	125	87	
Bronchitis (106)	8	1					1							1	1	1	3	
Bronchopneumonia (107)	47	10	2	1	1	1	2	3	1	1	1	1	2	1	3	9	8	
Lobar and unspecified pneumonia (108, 109)	61	7	2	1	2				6	2	1	2	12	6	5	7	8	
Diarrhea and enteritis (119, 120)	19	8	3		1	1	3							1	2			
Appendicitis (121)	52			1			4	2	4	3	5	3	10	7	9	4		
Hernia, intestinal obstruction (122)	33	3		1	1		1				1	3	4	5	4	9	1	
Cirrhosis of the liver (124)	23											1	2	6	9	2	3	
Nephritis (130–132)	151	2					1			5	4	2	6	21	40	27	42	1
Diseases of the female genital organs (139)	11									2	3	1	4					1
Puerperal septicemia (140, 142a, 145)	7								2		1	3	1					
Other puerperal causes	19								3	3	4	4	5					
Suicide (163–171)	62								4	4	8	8	11	9	11	6	1	
Homicide (172–175)	28								2	4	7	3	6	4	2			
Automobile accidents [1]	53					1	1	3	6	3	6	4	9	8	4	6	2	
Automobile—railroad train and street car collisions	2													2				
Other external causes	102	1	4	2	1	1	4	6	4	4	7	11	14	9	10	5	19	
All other causes	433	101	7	2	2	7	9	11	5	12	10	18	41	37	61	53	57	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	1,330	173	16	12	10	5	13	26	58	84	110	95	222	240	144	69	52	1
Typhoid and paratyphoid fever (1, 2)	6						1	1	1	1	1			1				
Measles (7)	5	3		1			1											
Scarlet fever (8)	1												1					
Whooping cough (9)	5	3	1	1														
Diphtheria (10)	4			1	1	1				1								
Influenza (11)	48	11	1			1	2				4	1	6	10	7	4	1	
Epidemic cerebrospinal meningitis (18)	5	2								2				1				
Tuberculosis of the respiratory system (23)	134	2					6	18	24	25	17	18	15	7	2			
Other forms of tuberculosis (24–32)	9					1	3	2	1				2					
Syphilis (34)	38	4							1	3	3	11	8	4	3	1		
Cancer and other malignant tumors (45–53)	43						1		2		5	11	10	9	5			
Diabetes mellitus (59)	11						1			1		2	4	3				
Cerebral hemorrhage and softening (82a, 82c)	53	1									2	10	18	10	9	3		
Diseases of the heart (90–95)	171								4	6	9	32	58	39	11	12		
Bronchitis (106)	2	1										1						
Bronchopneumonia (107)	47	21	7	2	3		2	2	1	1		2	1	4	1			
Lobar and unspecified pneumonia (108, 109)	101	23	3	1			2	1	6	4	11	9	16	20	1	3	1	
Diarrhea and enteritis (119, 120)	22	13	2							2			2	2			1	
Appendicitis (121)	25				1		1		3	4	6	3	6	1				
Hernia, intestinal obstruction (122)	20	1								2	3	3	5	3	1		2	
Cirrhosis of the liver (124)	12										1		3	6		1	1	
Nephritis (130–132)	95					1		1			1	4	18	27	26	8	9	
Diseases of the female genital organs (139)	6									1	2	1	1	1				
Puerperal septicemia (140, 142a, 145)	6								3	1		2						
Other puerperal causes	7								1	3	1	1	1					
Suicide (163–171)	9								1		5	1	1	1				
Homicide (172–175)	57								4	9	16	9	16	3				
Automobile accidents [1]	11						1			6	1	1	1	1				
Automobile—railroad train and street car collisions																		
Other external causes	46	4	2	3	2			3	8	1	3	3	7	3	3	1	3	
All other causes	331	84		3	3	1	4	8	9	14	19	21	51	44	30	21	18	1
SAN ANTONIO, TEX. (WHITE), all causes	3,123	502	105	41	28	19	48	46	104	161	127	126	321	322	447	374	345	7
Typhoid and paratyphoid fever (1, 2)	8								1	3	2	1					1	
Measles (7)	4	2	1					1										
Scarlet fever (8)																		
Whooping cough (9)	6	4	1			1												
Diphtheria (10)	15	2	2		2	2	3	3	1									
Influenza (11)	152	17	10	2	1	1	4	1	8	9	4	12	19	11	21	16	16	
Epidemic cerebrospinal meningitis (18)	7				2		1				1		2	1				
Tuberculosis of the respiratory system (23)	277	2	3				1	8	24	54	38	35	57	24	21	8	2	
Other forms of tuberculosis (24–32)	40	1	5	4	3		3	2	3	5	4	4	2	3		1		
Syphilis (34)	37	11										1	9	6	5	3	2	
Cancer and other malignant tumors (45–53)	229		1				2	1	1	2	3	5	28	45	67	48	25	1
Diabetes mellitus (59)	45								1	2	2	1	3	7	12	11	6	
Cerebral hemorrhage and softening (82a, 82c)	128	2		1			1		1		1		5	22	27	35	33	
Diseases of the heart (90–95)	362						1	2	3	7	2	6	21	47	96	89	88	
Bronchitis (106)	14	3						1			1	1		1	2	1	4	
Bronchopneumonia (107)	134	51	8	4	4	3	4	2	5	2	3	3	6	14	9	10	6	
Lobar and unspecified pneumonia (108, 109)	153	15	7	2	3		1	5	11	8	4	6	24	14	19	12	22	
Diarrhea and enteritis (119, 120)	211	134	29	15	4	4	2		1	1	1			8	5	3	4	
Appendicitis (121)	54						2	5	4	7	6	2	9	3	9	4	2	1
Hernia, intestinal obstruction (122)	42	2	1	1						1	1	3	5	5	12	7	4	
Cirrhosis of the liver (124)	18								1		2	1	3	2	5	3	1	
Nephritis (130–132)	111		1		1	1		1		1	1		9	15	27	30	24	
Diseases of the female genital organs (139)	17									2	3	4	3	2	1	1	1	
Puerperal septicemia (140, 142a, 145)	18								3	4	4	3	3					1
Other puerperal causes	17								3	3	3	3	5					
Suicide (163–171)	57								1	4	12	3	10	12	10	2	2	1
Homicide (172–175)	43								4	8	5	6	14	3	1	2		
Automobile accidents [1]	46						5	2	6	5	1	1	7	3	5	7	3	1
Automobile—railroad train and street car collisions	2								1	1								
Other external causes	109	5	5	8	2		4	1	2	14	8	4	15	10	6	7	18	
All other causes	767	251	31	4	6	7	14	10	20	18	15	21	62	64	87	74	81	2
SAN ANTONIO, TEX. (COLORED), all causes	331	28	8	1			6	5	4	19	20	24	71	68	31	23	21	2
Typhoid and paratyphoid fever (1, 2)	1							1										
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	2	1	1															
Diphtheria (10)	2									2								
Influenza (11)	14									1	2	1	4	3	3			
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	28	1							2	5	3	3	11	2		1		
Other forms of tuberculosis (24–32)	7		1				1			2			2	1				
Syphilis (34)	17	4						1			2		5	4	1			
Cancer and other malignant tumors (45–53)	15											1	3	5	1	2	3	
Diabetes mellitus (59)	4													1	2	1		
Cerebral hemorrhage and softening (82a, 82c)	14							1					2	6	1	1	2	1
Diseases of the heart (90–95)	36											2	8	12	5	7	1	1
Bronchitis (106)	2	1									1							
Bronchopneumonia (107)	10	2									1		2	1	1	2	1	
Lobar and unspecified pneumonia (108, 109)	16	1	1								1	2	4	5	2			
Diarrhea and enteritis (119, 120)	7	4	2										1					
Appendicitis (121)	10							1			1	2	5	1				
Hernia, intestinal obstruction (122)	5									1			2	2				
Cirrhosis of the liver (124)	2													2				
Nephritis (130–132)	27										1	3	7	5	5	2	4	
Diseases of the female genital organs (139)	3									1	2							
Puerperal septicemia (140, 142a, 145)																		
Other puerperal causes	1									1								
Suicide (163–171)	1													1				
Homicide (172–175)	13								1	1	2	3	1	5				
Automobile accidents [1]	4											1		1	1	1		
Automobile—railroad train and street car collisions																		
Other external causes	6		1				1				1		2		1			
All other causes	83	14	1	1			4	1	1	5	3	6	12	11	8	6	10	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at the head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SALT LAKE CITY, UTAH, all causes	1,594	140	24	17	6	13	22	38	47	42	43	55	132	188	270	267	290	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7)																		
Scarlet fever (8)	5			1			2	1						1				
Whooping cough (9)	1	1																
Diphtheria (10)	1							1										
Influenza (11)	59	10	5	2			1	1	1	1	3	1	7	6	8	3	10	
Epidemic cerebrospinal meningitis (18)	10		1				1	3	3				1	1				
Tuberculosis of the respiratory system (23)	41									2	1	5	10	14	5	3	1	
Other forms of tuberculosis (24–32)	15		1				1			3	1	1	3		1	4		
Syphilis (34)	12	1										1	1	3	2	4		
Cancer and other malignant tumors (45–53)	194			1			1	1		2	2		20	29	48	56	34	
Diabetes mellitus (59)	23					1	1						1	2	4	9	5	
Cerebral hemorrhage and softening (82a, 82c)	64							1					2	11	12	16	22	
Diseases of the heart (90–95)	306	1		1		1	1	5	10	3	4	7	8	34	66	69	96	
Bronchitis (106)	3	1	1														1	
Bronchopneumonia (107)	60	21	1	2		1		1			1	1	2	2	6	10	12	
Lobar and unspecified pneumonia (108, 109)	53	3	1	3		1	3	2	1	2	2	1	4	3	8	7	12	
Diarrhea and enteritis (119, 120)	10	6	2	1												1		
Appendicitis (121)	65		1	1	1	6	2	3	9	3		6	7	6	10	6	4	
Hernia, intestinal obstruction (122)	31	1							1		1	1		5	12	6	4	
Cirrhosis of the liver (124)	3													1	1	1		
Nephritis (130–132)	104							1	1	1	3	3	11	12	19	24	29	
Diseases of the female genital organs (139)	8									1		4	2	1				
Puerperal septicemia (140, 142a, 145)	9								1	2	4	1	1					
Other puerperal causes	14								1	1	2	6	3	1				
Suicide (163–171)	24									1		3	4	5	8	3		
Homicide (172–175)	7								1		1	2	2		1			
Automobile accidents [1]	58		2		1	1	3	4	5	8	2	3	6	6	6	8	3	
Automobile—railroad train and street car collisions	1										1							
Other external causes	67		2	4		1	3	1	5	5	5	2	7	9	6	6	11	
All other causes	345	95	7	1	4	1	3	13	8	7	9	7	30	36	47	31	46	
NORFOLK, VA. (WHITE), all causes	874	58	6	4	2		5	9	11	30	30	29	98	99	184	170	138	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)																		
Scarlet fever (8)	1			1														
Whooping cough (9)	1		1															
Diphtheria (10)	1		1															
Influenza (11)	9	1								1		2	1	1	1		2	
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	27									3	1	2	3	5	5	5	3	
Other forms of tuberculosis (24–32)	5	1					1				1		2					
Syphilis (34)	2														2			
Cancer and other malignant tumors (45–53)	96				1				1		5	2	10	16	29	23	9	
Diabetes mellitus (59)	15										1		2	3	5	3	1	
Cerebral hemorrhage and softening (82a, 82c)	71											1	3	4	23	22	18	
Diseases of the heart (90–95)	228		1						1	4	1	4	18	22	55	61	61	
Bronchitis (106)	1															1		
Bronchopneumonia (107)	15	2			1				1	1	1		1	2	1	3	2	
Lobar and unspecified pneumonia (108, 109)	20	1	1	1			1			2			3	3	1	3	4	
Diarrhea and enteritis (119, 120)	12	7	1	1					1							1	1	
Appendicitis (121)	18							1			2	2	5	3	4	1		
Hernia, intestinal obstruction (122)	11	1					1					1	1	2	1	3	1	
Cirrhosis of the liver (124)	6													2	1	3		
Nephritis (130–132)	57							1			1		6	8	14	13	14	
Diseases of the female genital organs (139)	5									2		2				1		
Puerperal septicemia (140, 142a, 145)	2								1	1								
Other puerperal causes	7										2	3	2					
Suicide (163–171)	42								1	4	4		15	8	6	2	2	
Homicide (172–175)	5										1		1	1	1	1		
Automobile accidents [1]	26								1	3	3	5	3	1	5	4	1	
Automobile—railroad train and street car collisions	2												1			1		
Other external causes	50	3		1			1	5		5	3	2	10	6	6	2	5	1
All other causes	139	42	1				1	2	4	4	4	3	11	12	24	17	14	
NORFOLK, VA. (COLORED), all causes	795	79	20	7	1	2	7	8	23	35	56	57	136	175	124	44	21	
Typhoid and paratyphoid fever (1, 2)	1											1						
Measles (7)	1		1															
Scarlet fever (8)																		
Whooping cough (9)	7	2	4	1														
Diphtheria (10)	2		1	1														
Influenza (11)	13									1	1	2	1	5	3			
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23)	67			1			2		7	10	17	6	7	10	5	2		
Other forms of tuberculosis (24–32)	11	2	4					1	1		2			1				
Syphilis (34)	17	3							1		1	1	5	4	1		1	
Cancer and other malignant tumors (45–53)	28											2	8	9	6	2	1	
Diabetes mellitus (59)	13										1		4	4	4			
Cerebral hemorrhage and softening (82a, 82c)	104									1	2	3	14	42	29	10	3	
Diseases of the heart (90–95)	175	1							3	4	8	14	40	52	30	14	9	
Bronchitis (106)	1	1																
Bronchopneumonia (107)	50	23	5	2	1	1	2				2	2	5	2	3	2		
Lobar and unspecified pneumonia (108, 109)	32		1					1	1	1	4	2	5	7	9	1		
Diarrhea and enteritis (119, 120)	15	7	1										2	1	2		2	
Appendicitis (121)	11						1	2			2	1	2	2	1			
Hernia, intestinal obstruction (122)	15		1					2		2		2	3	2	2	1		
Cirrhosis of the liver (124)	1												1					
Nephritis (130–132)	35	1					1			1	1	3	5	7	9	6	1	
Diseases of the female genital organs (139)	2													2				
Puerperal septicemia (140, 142a, 145)	4									1	2	1						
Other puerperal causes	5								1	1	1	1	1					
Suicide (163–171)	4									1			1		2			
Homicide (172–175)	25								2	5	4	6	7	1				
Automobile accidents [1]	10								2	1	1			3	2		1	
Automobile—railroad train and street car collisions																		
Other external causes	23	1				1	1	2	2	2	2	1	5	2	2	2		
All other causes	123	38	2	2					3	4	5	9	20	20	13	4	3	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (WHITE), all causes	1,544	109	15	7	4	6	18	10	28	29	40	57	107	189	282	343	300	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	2		1	1														
Diphtheria (10)	2		1	1														
Influenza (11)	24	2						1	1	1	1	2	1	4	3	4	4	
Epidemic cerebrospinal meningitis (18)	2								1		1							
Tuberculosis of the respiratory system (23)	52	1					1		2	2	5	5	9	8	6	9	4	
Other forms of tuberculosis (24–32)	10	2	1							2		1	1	1		2		
Syphilis (34)	7	2		1									1	1	1	1		
Cancer and other malignant tumors (45–53)	174									1		4	15	39	46	54	15	
Diabetes mellitus (59)	33		1										3	3	9	12	5	
Cerebral hemorrhage and softening (82a, 82c)	108									2	1		4	6	29	37	29	
Diseases of the heart (90–95)	312					1			1		1	7	15	34	70	88	95	
Bronchitis (106)	5															2	3	
Bronchopneumonia (107)	37	6	1			1	3			1		2		1	6	6	10	
Lobar and unspecified pneumonia (108, 109)	36	2		1					2		3		3	10	7	3	5	
Diarrhea and enteritis (119, 120)	10	2	2	1			1							1	1		2	
Appendicitis (121)	30				1	1	2	1	1	1	2	2	6	2	5	5	1	
Hernia, intestinal obstruction (122)	20	3							1		1	2	1	3	2	1	6	
Cirrhosis of the liver (124)	11												1	3	5	2		
Nephritis (130–132)	182										1	3	4	24	35	55	60	
Diseases of the female genital organs (139)	5											2		1		1	1	
Puerperal septicemia (140, 142a, 145)	7								1		2	3	1					
Other puerperal causes	10									2	2	2	4					
Suicide (163–171)	34								1	2	4	5	6	6	6	2	2	
Homicide (172–175)	6										2	1	1	1	1			
Automobile accidents [1]	55		1		1	2	1		9	6	5	5	3	4	9	5	4	
Automobile—railroad train and street car collisions	2											1	1					
Other external causes	60	1	1	1			5	1	4	3	2	4	4	4	6	15	9	
All other causes	306	88	6	1	2	1	5	7	4	4	7	6	23	33	35	39	45	
RICHMOND, VA. (COLORED), all causes	1,072	107	22	8	4	5	7	20	41	63	52	64	157	204	185	92	40	1
Typhoid and paratyphoid fever (1, 2)	3									2	1							
Measles (7)	1							1										
Scarlet fever (8)	1						1											
Whooping cough (9)	6	5	1															
Diphtheria (10)																		
Influenza (11)	29	3		1			1	1	1			2	4	7	7	1	1	
Epidemic cerebrospinal meningitis (18)	1		1															
Tuberculosis of the respiratory system (23)	93	1	1					3	7	19	10	11	16	16	7	1	1	
Other forms of tuberculosis (24–32)	17		2			1		1	5	3		1	4					
Syphilis (34)	25	6								1	4	4	3	4		3		
Cancer and other malignant tumors (45–53)	59											2	14	23	14	5	1	
Diabetes mellitus (59)	20										2		1	9	7	1		
Cerebral hemorrhage and softening (82a, 82c)	101	1									1	1	15	28	30	20	4	1
Diseases of the heart (90–95)	137								2	2	2	7	23	35	36	20	10	
Bronchitis (106)	2		1											1				
Bronchopneumonia (107)	37	11	5	1	2					2	1	2	3	3	4	2	1	
Lobar and unspecified pneumonia (108, 109)	57	3	2	1			1	2	5	2	2	4	8	11	11	2	3	
Diarrhea and enteritis (119, 120)	17	5	3	1							1		1	1	3	1	1	
Appendicitis (121)	16				1		1	2	1		3	2	1	3	1		1	
Hernia, intestinal obstruction (122)	11		1									1	3	4	2			
Cirrhosis of the liver (124)	6												2	2	2			
Nephritis (130–132)	90							1	1	3		4	15	22	24	16	4	
Diseases of the female genital organs (139)	5								1		2		1	1				
Puerperal septicemia (140, 142a, 145)	10								2	4	3		1					
Other puerperal causes	14								1	5	2	3	3					
Suicide (163–171)	2								1				1					
Homicide (172–175)	29								2	8	7	7	3	2				
Automobile accidents [1]	12					1		2	1			2	1	2	2	1		
Automobile—railroad train and street car collisions																		
Other external causes	28	2	1	2		1		1	4	5	2	1	2	1	4	1	1	
All other causes	243	70	4	2	1	2	3	6	7	7	9	10	32	29	31	18	12	
SEATTLE, WASH., all causes	4,153	212	28	17	16	11	61	40	49	96	120	106	343	594	723	883	849	5
Typhoid and paratyphoid fever (1, 2)	3									1			2					
Measles (7)	16	1		1	1	3	9	1										
Scarlet fever (8)	1		1															
Whooping cough (9)	1			1														
Diphtheria (10)	1														1			
Influenza (11)	64	3	1		1		1			2	1	3	7	9	8	6	22	
Epidemic cerebrospinal meningitis (18)	6	1	1							2				2				
Tuberculosis of the respiratory system (23)	184	1	1	2	1	1	3	4	12	18	21	20	31	32	18	12	7	
Other forms of tuberculosis (24–32)	29		1		2		4		2	2	4	1	5	4	3		1	
Syphilis (34)	50	4									1		7	9	22	6	1	
Cancer and other malignant tumors (45–53)	532				1		2	4		3	5	4	51	115	143	128	76	
Diabetes mellitus (59)	96								1	1		1	1	12	26	36	18	
Cerebral hemorrhage and softening (82a, 82c)	326						1				1	1	10	22	73	118	100	
Diseases of the heart (90–95)	956						4	3	6	7	11	14	38	123	182	278	288	2
Bronchitis (106)	11														1	2	8	
Bronchopneumonia (107)	112	26	4	1	3	1	5			1	1	4	3	9	9	18	27	
Lobar and unspecified pneumonia (108, 109)	129	3	2	3	1		3	3	2	3	6	4	16	24	24	18	17	
Diarrhea and enteritis (119, 120)	10	5	1		1								1			2		
Appendicitis (121)	48					1	7	2	4	4	4	4	12	5	2	3		
Hernia, intestinal obstruction (122)	38	2											7	7	7	7	8	
Cirrhosis of the liver (124)	26												2	3	12	3	6	
Nephritis (130–132)	264						2	1	2	2	5	6	20	37	39	73	77	
Diseases of the female genital organs (139)	11								1			1	2	4	2		1	
Puerperal septicemia (140, 142a, 145)	5									1	2	1	1					
Other puerperal causes	20									4	9	4	3					
Suicide (163–171)	158								2	6	13	9	30	49	30	13	5	1
Homicide (172–175)	24							1		5		1	5	2	4	2	2	2
Automobile accidents [1]	80			1	2	1	5		1	4	6	3	5	13	17	15	7	
Automobile—railroad train and street car collisions	2													2				
Other external causes	169	4	4	1	2	1	3	4	6	10	8	7	22	27	10	20	40	
All other causes	781	162	12	7	1	3	12	17	10	20	22	18	62	84	90	123	138	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SPOKANE, WASH., all causes	1,342	77	8	9	8	2	13	21	29	27	24	34	99	169	226	315	280	1
Typhoid and paratyphoid fever (1, 2)	2													1		1		
Measles (7)	1					1												
Scarlet fever (8)	2						2											
Whooping cough (9)																		
Diphtheria (10)	2		1					1										
Influenza (11)	40	1		1					1	3	1		6	5	9	5	8	
Epidemic cerebrospinal meningitis (18)	1													1				
Tuberculosis of the respiratory system (23)	20								2	1	3	2	5	2	3	2		
Other forms of tuberculosis (24–32)	8		1	2						1	1			1	1		1	
Syphilis (34)	11									1	2	1	1	3	3			
Cancer and other malignant tumors (45–53)	167								1			4	10	35	39	46	32	
Diabetes mellitus (59)	29			1					1				1	3	12	8	3	
Cerebral hemorrhage and softening (82a, 82c)	113													8	20	43	42	
Diseases of the heart (90–95)	253						1	2	1	2	3	3	16	24	46	73	82	
Bronchitis (106)	4	1															3	
Bronchopneumonia (107)	18	4	2							1					4	1	6	
Lobar and unspecified pneumonia (108, 109)	57	3		1			1		4			2	4	9	12	8	13	
Diarrhea and enteritis (119, 120)	8	3		2	1											2		
Appendicitis (121)	40		1		3	1	1	2	3	3	2	3	4	7	4	4	2	
Hernia, intestinal obstruction (122)	20							1					4	6	4	4	1	
Cirrhosis of the liver (124)	4												1		1	2		
Nephritis (130–132)	127						1	1		1		3	7	12	18	52	32	
Diseases of the female genital organs (139)	5								1		1			1	1	1		
Puerperal septicemia (140, 142a, 145)	10								3	1	2	1	3					
Other puerperal causes	10								1	2	1	1	5					
Suicide (163–171)	32								2	2	3	3	2	8	7	3	2	
Homicide (172–175)	8									1	1	1	2	2			1	
Automobile accidents [1]	25				1		2		2			3	4	1	2	5	5	
Automobile—railroad train and street car collisions	1								1									
Other external causes	55							2	2	1		1	3	8	11	13	14	
All other causes	269	65	3	2	3		5	12	4	7	4	6	21	32	29	42	33	1
TACOMA, WASH., all causes	1,380	84	5	5	4	2	22	16	16	23	27	26	100	172	218	349	311	
Typhoid and paratyphoid fever (1, 2)	4						1						1		1	1		
Measles (7)	2	1		1														
Scarlet fever (8)	3				1		2											
Whooping cough (9)	1							1										
Diphtheria (10)	1							1										
Influenza (11)	20		1							1	1	2			2	6	7	
Epidemic cerebrospinal meningitis (18)	2							1		1								
Tuberculosis of the respiratory system (23)	31						1		1	4	5	3	2	5	4	5	1	
Other forms of tuberculosis (24–32)	7			1					2	2			1				1	
Syphilis (34)	18										1		2	4	4	6	1	
Cancer and other malignant tumors (45–53)	152	1				1			1			2	13	27	34	49	24	
Diabetes mellitus (59)	33										1	1		5	4	13	9	
Cerebral hemorrhage and softening (82a, 82c)	89											1	3	9	16	29	31	
Diseases of the heart (90–95)	294	2					2	2	3	1			12	25	51	98	98	
Bronchitis (106)																		
Bronchopneumonia (107)	24	5	1	1							1		3	2	2	3	6	
Lobar and unspecified pneumonia (108, 109)	48	2		1		1	1	2	2		1		3	12	10	9	4	
Diarrhea and enteritis (119, 120)	3	2	1															
Appendicitis (121)	28		1	1			3	2		2	4		3	5	3	4		
Hernia, intestinal obstruction (122)	13									1	2	1		1	2	2	4	
Cirrhosis of the liver (124)	6												2	1	2		1	
Nephritis (130–132)	142										2	1	6	20	19	50	44	
Diseases of the female genital organs (139)	5											2	1	2				
Puerperal septicemia (140, 142a, 145)	5									1	1	1	2					
Other puerperal causes	2										1		1					
Suicide (163–171)	37								2	1	4	8	8	8	5	1		
Homicide (172–175)	8								2			2	3	1				
Automobile accidents [1]	45		1				2	2	1	3	2	3	6	5	5	8	7	
Automobile—railroad train and street car collisions	2													1	1			
Other external causes	89	3					4	4	2	2	1	2	6	9	15	16	25	
All other causes	266	68			3		6	1	4	1	3	3	23	28	34	45	47	
MILWAUKEE, WIS., all causes	5,210	442	61	25	25	26	96	43	68	82	107	167	476	654	826	1,105	1,006	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)	22	4	2	6	1	2	5	1			1							
Scarlet fever (8)	16		1	2		2	7	2						1	1			
Whooping cough (9)	14	10	4															
Diphtheria (10)	15	1		1		2	10						1					
Influenza (11)	93	11	6	1			4	2	1	3	4	6	13	5	8	18	11	
Epidemic cerebrospinal meningitis (18)	7	2	1		1		1		1				1					
Tuberculosis of the respiratory system (23)	263	2	5			4	4	1	13	18	26	28	90	30	25	15	2	
Other forms of tuberculosis (24–32)	23	1	2	2	1	1	1	3	1	2	1		4	3	1			
Syphilis (34)	36	6								1		3	8	7	7	4		
Cancer and other malignant tumors (45–53)	654		1		1			1	1	1		4	50	111	182	196	106	
Diabetes mellitus (59)	157						2	3	2	2	1	2	10	27	26	59	23	
Cerebral hemorrhage and softening (82a, 82c)	371	2									1	2	13	42	63	126	121	1
Diseases of the heart (90–95)	1,187	2					8	7	7	7	7	14	54	157	203	326	395	
Bronchitis (106)	16	1	1				1							1	3	2	7	
Bronchopneumonia (107)	180	64	18	2	2	1	3	1	1	2	4	4	11	5	8	25	29	
Lobar and unspecified pneumonia (108, 109)	193	11	5	3	4	4	8	2	6	2	3	8	22	20	28	35	32	
Diarrhea and enteritis (119, 120)	51	37	3			1					1	1		1	2	3	2	
Appendicitis (121)	80			1	1	2	5	4	7	6	4	6	18	9	11	5	1	
Hernia, intestinal obstruction (122)	58	3	1	2					1		2	3	8	6	10	12	10	
Cirrhosis of the liver (124)	62										2	2	12	15	14	10	7	
Nephritis (130–132)	340					1		1	3	5	5	9	20	43	53	88	112	
Diseases of the female genital organs (139)	16								1	1	1	3	4	4	2			
Puerperal septicemia (140, 142a, 145)	5										2	3						
Other puerperal causes	30								2	2	8	8	9	1				
Suicide (163–171)	115								3	3	4	8	22	32	25	15	3	
Homicide (172–175)	21	2				1	1		1	2	3	3	2	4		1	1	
Automobile accidents [1]	97			2	1		9	1	4	8	6	4	16	14	17	9	6	
Automobile—railroad train and street car collisions	4											1	1	2				
Other external causes	178	3	2		2	1	10	3	4	7	4	12	22	32	21	27	28	
All other causes	906	280	9	3	11	4	17	11	9	10	17	33	65	82	116	129	110	

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, all causes	1,308,529	112,676	113,100	132,278	114,351	108,923	99,657	101,769	98,009	91,481	101,601	104,791	131,893
Typhoid and paratyphoid fever (1, 2)	4,441	287	217	197	162	184	328	641	780	658	510	288	189
Smallpox (6)	38	6	8	7	4	6	2	1		1		1	2
Measles (7)	1,941	151	207	287	363	337	253	111	46	24	25	42	95
Scarlet fever (8)	2,577	271	286	387	313	271	155	91	70	98	157	233	245
Whooping cough (9)	5,364	386	516	734	566	571	574	485	408	319	238	245	322
Diphtheria (10)	5,418	686	493	432	296	222	197	215	281	497	718	765	616
Influenza (11)	37,066	2,547	4,318	7,283	4,683	2,056	873	535	551	588	1,163	2,362	10,107
Dysentery (13)	2,083	76	69	65	60	152	343	453	289	236	180	95	65
Erysipelas (15)	1,934	177	192	256	247	217	156	117	85	95	108	124	160
Lethargic encephalitis (17)	874	85	60	96	77	61	69	72	75	65	80	55	79
Epidemic cerebrospinal meningitis (18)	1,677	192	209	214	181	158	97	100	95	75	84	108	164
Tuberculosis of the respiratory system (23)	67,789	5,964	5,841	6,712	6,229	6,157	5,655	5,575	5,060	4,793	4,861	5,126	5,816
Other forms of tuberculosis (24–32)	7,720	655	638	740	753	747	714	683	623	570	548	502	547
Malaria (38)	2,568	103	81	91	96	129	201	336	348	461	369	240	113
Diabetes mellitus (59)	26,368	2,336	2,361	2,779	2,218	2,169	1,893	1,877	1,777	1,824	2,092	2,241	2,801
Cerebral hemorrhage and softening (82a, 82c)	95,382	8,509	8,280	9,475	8,295	8,097	7,341	7,383	6,665	6,625	7,719	7,733	9,260
Diseases of the heart (90–95)	268,696	23,367	23,411	27,342	23,661	22,648	19,974	19,811	18,565	18,311	21,414	22,495	27,697
Bronchitis (106)	4,338	445	473	559	403	360	237	211	212	228	312	370	528
Bronchopneumonia (107)	39,174	4,043	4,313	5,378	3,811	2,995	1,854	1,575	1,469	1,672	2,788	3,426	5,850
Lobar and unspecified pneumonia (108, 109)	53,300	5,969	6,551	8,571	5,735	3,851	2,357	1,693	1,549	1,717	2,969	4,173	8,165
Diarrhea and enteritis [under 2 years] (119)	14,375	676	608	643	715	1,122	1,820	2,336	2,027	1,715	1,323	782	608
Diarrhea and enteritis [2 years and over] (120)	5,244	277	257	260	255	383	565	867	773	610	469	280	248
Nephritis (130–132)	104,751	9,178	9,144	10,335	9,169	8,933	8,171	8,276	7,769	7,270	8,318	8,490	9,698
Puerperal septicemia (140, 142a, 145)	4,939	420	443	478	473	429	405	392	414	341	387	355	402
Other puerperal causes	8,354	693	722	862	718	769	652	752	689	664	605	532	696
Suicide (163–171)	20,927	1,602	1,598	1,811	1,999	2,020	1,882	1,855	1,737	1,694	1,612	1,521	1,596
Automobile accidents [1]	26,350	2,101	1,829	1,679	1,897	2,071	2,049	2,217	2,425	2,523	2,676	2,425	2,458
Automobile—railroad train and street car collisions	1,770	163	126	149	148	147	122	138	104	142	162	187	182
Other external causes	68,783	5,245	5,256	5,774	5,197	5,596	6,130	7,205	6,299	5,313	5,299	5,448	6,021
All other causes	424,288	36,066	34,593	38,682	35,627	36,065	34,588	35,766	34,824	32,352	34,415	34,147	37,163
REGISTRATION STATES, all causes	1,293,269	111,330	111,804	130,855	113,117	107,722	98,448	100,501	94,830	90,424	100,482	103,519	130,237
Typhoid and paratyphoid fever (1, 2)	4,369	281	214	190	158	181	326	631	770	646	501	286	185
Smallpox (6)	38	6	8	7	4	6	2	1		1		1	2
Measles (7)	1,926	151	207	286	361	337	248	107	46	23	24	42	94
Scarlet fever (8)	2,560	269	284	386	311	271	155	91	69	97	154	230	243
Whooping cough (9)	5,318	383	514	731	563	568	564	479	406	316	234	243	317
Diphtheria (10)	5,278	668	482	423	293	218	190	210	275	483	696	743	597
Influenza (11)	36,376	2,509	4,234	7,168	4,616	2,035	864	520	540	578	1,142	2,308	9,862
Dysentery (13)	2,035	73	69	63	56	148	331	446	286	233	175	92	63
Erysipelas (15)	1,912	175	189	254	244	216	155	113	83	93	107	123	160
Lethargic encephalitis (17)	869	84	60	95	77	61	69	72	75	65	78	54	79
Epidemic cerebrospinal meningitis (18)	1,651	188	206	211	177	155	95	97	93	75	83	107	164
Tuberculosis of the respiratory system (23)	66,671	5,857	5,743	6,594	6,128	6,056	5,565	5,489	4,993	4,715	4,779	5,037	5,715
Other forms of tuberculosis (24–32)	7,596	645	622	733	744	735	703	675	613	558	533	495	540
Malaria (38)	2,540	102	79	90	96	127	198	332	344	456	367	236	113
Diabetes mellitus (59)	26,148	2,315	2,343	2,755	2,198	2,154	1,880	1,865	1,764	1,811	2,071	2,225	2,767
Cerebral hemorrhage and softening (82a, 82c)	94,561	8,442	8,212	9,398	8,226	8,025	7,276	7,318	6,595	6,572	7,663	7,657	9,177
Diseases of the heart (90–95)	266,523	23,149	23,216	27,155	23,494	22,480	19,804	19,645	18,416	18,163	21,233	22,304	27,464
Bronchitis (106)	4,278	438	465	553	398	354	233	208	205	226	312	368	518
Bronchopneumonia (107)	38,680	3,992	4,265	5,317	3,778	2,962	1,833	1,555	1,435	1,651	2,750	3,380	5,762
Lobar and unspecified pneumonia (108, 109)	52,570	5,883	6,465	8,470	5,679	3,815	2,317	1,663	1,527	1,695	2,931	4,112	8,013
Diarrhea and enteritis (under 2 years) (119)	13,998	655	595	626	692	1,064	1,751	2,289	1,992	1,681	1,292	764	597
Diarrhea and enteritis (2 years and over) (120)	5,127	269	252	258	247	368	549	847	768	600	456	270	243
Nephritis (130–132)	103,922	9,091	9,089	10,269	9,094	8,871	8,110	8,204	7,701	7,203	8,258	8,415	9,617
Puerperal septicemia (140, 142a, 145)	4,863	415	439	471	467	421	398	382	408	335	382	349	396
Other puerperal causes	8,257	687	718	851	709	763	640	741	679	654	603	526	686
Suicide (163–171)	20,646	1,583	1,573	1,786	1,976	1,989	1,864	1,823	1,712	1,668	1,596	1,497	1,579
Automobile accidents [1]	26,033	2,074	1,804	1,661	1,870	2,054	2,020	2,197	2,397	2,498	2,647	2,383	2,428
Automobile—railroad train and street car collisions	1,760	162	125	147	147	147	120	138	104	142	160	187	181
Other external causes	67,832	5,169	5,189	5,697	5,122	5,507	6,061	7,120	6,202	5,234	5,240	5,355	5,936
All other causes	418,932	35,615	34,143	38,210	35,192	35,634	34,127	35,243	34,332	31,952	34,015	33,730	36,739
ALABAMA (WHITE), all causes	14,871	1,292	1,156	1,528	1,196	1,157	1,178	1,215	1,098	1,015	1,226	1,185	1,625
Typhoid and paratyphoid fever (1, 2)	64	9	8	2	5	3	3	12	9	5	4	2	2
Smallpox (6)	1	1											
Measles (7)	1		1										
Scarlet fever (8)	34	8	3	4	1		1		2	5	5	4	1
Whooping cough (9)	119	8	6	10	9	18	18	16	9	5	4	5	11
Diphtheria (10)	184	19	11	11	5	1	3	6	16	36	25	36	15
Influenza (11)	739	66	55	81	58	44	13	3	12	7	24	72	304
Dysentery (13)	29	1	2			3	6	6	1		3	2	5
Erysipelas (15)	35	2	2	1	2		2	2	6	4	3	5	6
Lethargic encephalitis (17)	13	1		1	1	1	2	1		1		2	3
Epidemic cerebrospinal meningitis (18)	15	2	2	1		2	1		3	1		3	
Tuberculosis of the respiratory system (23)	685	50	58	69	60	75	55	56	58	33	51	53	67
Other forms of tuberculosis (24–32)	68	14	6	6	5	3	8	8	5	4	2	4	3
Malaria (38)	83	2	3	3	4	5	7	8	9	17	13	8	4
Diabetes mellitus (59)	210	14	12	23	15	11	15	21	13	18	15	22	31
Cerebral hemorrhage and softening (82a, 82c)	1,007	93	78	101	60	80	92	101	67	66	97	70	102
Diseases of the heart (90–95)	1,973	184	151	203	161	174	132	167	128	134	171	181	187
Bronchitis (106)	40	5	5	1	2	4	1	1	4	2	5	5	5
Bronchopneumonia (107)	391	58	58	50	37	25	19	19	16	7	23	30	49
Lobar and unspecified pneumonia (108, 109)	636	77	90	112	72	42	22	12	15	18	32	53	91
Diarrhea and enteritis [under 2 years] (119)	261	5	5	10	15	22	56	48	35	24	24	6	11
Diarrhea and enteritis [2 years and over] (120)	122	5	3	10	4	15	20	24	16	9	7	3	6
Nephritis (130–132)	1,233	110	92	110	108	103	97	125	96	78	119	85	110
Puerperal septicemia (140, 142a, 145)	71	9	10	4	3	9	7	2	5	5	3	8	6
Other puerperal causes	177	12	13	16	16	12	18	12	15	16	18	12	17
Suicide (163–171)	198	17	21	19	16	15	20	13	14	16	14	16	17
Automobile accidents [1]	291	18	32	20	22	17	20	21	24	34	27	37	19
Automobile—railroad train and street car collisions	16		2		2			2	2	5		2	1
Other external causes	994	85	57	203	70	60	63	75	98	60	67	75	81
All other causes	5,181	417	370	457	443	413	477	454	420	405	470	384	471

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA (COLORED), all causes	12,809	1,138	1,014	1,231	1,113	1,018	1,080	1,038	975	913	988	1,012	1,289
Typhoid and paratyphoid fever (1, 2)	70	6	5	4	3	6	6	13	9	7	6	2	3
Smallpox (6)	1					1							
Measles (7)	5		3	1					1				
Scarlet fever (8)	1									1			
Whooping cough (9)	85	3	10	7	10	7	13	9	6	3	6	6	5
Diphtheria (10)	26	3	1	1	4	1	1	1	1	2	7	3	1
Influenza (11)	558	44	43	59	59	27	8	5	16	4	19	45	229
Dysentery (13)	28	1	4	2	1	1	1	6	1	1	3	2	5
Erysipelas (15)	3						2					1	
Lethargic encephalitis (17)	4			2			1		1				
Epidemic cerebrospinal meningitis (18)	7	1	1					3	1		1		
Tuberculosis of the respiratory system (23)	1,266	124	105	114	115	103	128	121	89	88	100	94	85
Other forms of tuberculosis (24–32)	102	8	6	8	14	7	9	8	10	10	6	10	6
Malaria (38)	96	5	1	4	5	7	10	17	11	18	11	5	2
Diabetes mellitus (59)	84	8	3	5	6	3	8	8	7	5	12	9	10
Cerebral hemorrhage and softening (82a, 82c)	675	64	52	67	70	61	46	50	48	54	63	52	48
Diseases of the heart (90–95)	1,346	107	105	103	97	106	122	112	121	100	147	96	130
Bronchitis (106)	19	4	3	1	3	1	1	1	3			2	
Bronchopneumonia (107)	214	32	28	34	22	17	9	7	9	5	15	19	17
Lobar and unspecified pneumonia (108, 109)	549	64	59	76	69	45	18	13	23	19	33	51	79
Diarrhea and enteritis [under 2 years] (119)	156	11	10	6	7	18	24	23	16	15	12	7	7
Diarrhea and enteritis [2 years and over] (120)	51	4	7	3	3	8	7	7	5	2	2	2	1
Nephritis (130–132)	1,057	84	90	83	90	103	93	113	82	85	76	75	83
Puerperal septicemia (140, 142a, 145)	87	9	5	9	11	9	9	9	6	5	4	5	6
Other puerperal causes	144	14	12	21	15	17	11	11	14	7	5	7	10
Suicide (163–171)	18	5	1	1	1	3	2	1	1			2	1
Automobile accidents [1]	114	6	11	5	11	8	8	8	13	12	17	11	4
Automobile—railroad train and street car collisions	1									1			
Other external causes	973	70	74	169	53	62	92	88	54	77	65	86	83
All other causes	5,069	461	375	446	444	397	451	404	427	392	378	420	474
ARIZONA, all causes	5,420	497	526	473	462	465	406	402	420	353	369	499	548
Typhoid and paratyphoid fever (1, 2)	21	1		1		1	2	3	3	1	4	2	3
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	10	2					2	1				3	2
Whooping cough (9)	31	5	3	7	5	5	3		1		1	1	
Diphtheria (10)	20	3	2		2	2	2	1	1	1		5	1
Influenza (11)	252	27	31	25	12	7	5	4	5	2	5	52	77
Dysentery (13)	26		1	1	2	4	5	4	2	2	3	1	1
Erysipelas (15)	10	1		1	2	1	3		1		1		
Lethargic encephalitis (17)	1											1	
Epidemic cerebrospinal meningitis (18)	14	3	1	1	3	1						2	3
Tuberculosis of the respiratory system (23)	1,125	103	101	109	100	88	84	80	87	79	75	101	118
Other forms of tuberculosis (24–32)	59	4	3	7	10	3	5	6	6	6	3	2	4
Malaria (38)	1											1	
Diabetes mellitus (59)	33	2	5	5	4	2	4		1	1	2	2	5
Cerebral hemorrhage and softening (82a, 82c)	189	19	17	14	12	18	18	12	18	11	18	13	19
Diseases of the heart (90–95)	563	56	62	49	45	60	45	38	34	25	37	55	57
Bronchitis (106)	19	1	6	3	1			3		2	1	1	1
Bronchopneumonia (107)	199	31	28	15	18	20	13	6	4	14	10	19	21
Lobar and unspecified pneumonia (108, 109)	258	35	52	25	15	12	15	5	11	6	13	40	29
Diarrhea and enteritis [under 2 years] (119)	222	5	7	4	16	27	27	39	33	20	15	20	9
Diarrhea and enteritis [2 years and over] (120)	42	3	6	2	2	3	3	5	8	3	3	2	2
Nephritis (130–132)	247	20	22	19	30	18	21	12	16	19	18	27	25
Puerperal septicemia (140, 142a, 145)	26	3	2	2	7	2	2	6		1	1		
Other puerperal causes	43	4	5	3	8	4	3	3	1	2	4	2	4
Suicide (163–171)	86	3	5	7	10	8	7	7	9	9	11	4	6
Automobile accidents [1]	162	12	18	18	9	12	8	12	16	17	13	14	13
Automobile—railroad train and street car collisions	3		2			1							
Other external causes	326	27	31	26	23	27	34	29	47	23	22	17	20
All other causes	1,431	127	116	129	126	139	94	126	116	109	109	112	128
ARKANSAS (WHITE), all causes	11,251	853	948	1,197	953	873	872	898	897	849	817	842	1,252
Typhoid and paratyphoid fever (1, 2)	144	10	4	5	5	4	10	33	27	23	10	9	4
Smallpox (6)	2	1				1							
Measles (7)	3			1	1	1							
Scarlet fever (8)	21	3	2			2	1		3	1	1	3	5
Whooping cough (9)	64	2	2	4	8	5	10	8	2	3	7	6	7
Diphtheria (10)	166	28	15	7	4	2	4	7	13	23	24	23	16
Influenza (11)	627	36	50	134	96	29	10	3	6	3	14	31	215
Dysentery (13)	55	3	1	1		9	8	13	8	5	6		1
Erysipelas (15)	26	1	3	3	1	4	1	1	2	1	4	2	3
Lethargic encephalitis (17)	5	1					1	1		1		1	
Epidemic cerebrospinal meningitis (18)	13	1	2		2	2	1	1	1			2	1
Tuberculosis of the respiratory system (23)	583	48	43	67	58	54	41	42	46	39	47	48	50
Other forms of tuberculosis (24–32)	47	2	3	4	2	6	6	4	5	3	4		8
Malaria (38)	265	14	12	11	8	8	20	30	50	59	25	16	12
Diabetes mellitus (59)	156	15	15	17	12	9	12	12	14	12	10	13	15
Cerebral hemorrhage and softening (82a, 82c)	656	68	59	67	52	54	50	44	45	49	55	52	61
Diseases of the heart (90–95)	1,405	97	123	145	132	132	101	111	109	94	100	118	143
Bronchitis (106)	42	2	5	9	2	1	2	1	5	4	2	5	4
Bronchopneumonia (107)	339	30	48	59	22	18	12	9	13	16	26	30	56
Lobar and unspecified pneumonia (108, 109)	592	66	82	102	63	28	15	9	15	12	23	40	137
Diarrhea and enteritis [under 2 years] (119)	233	6	5	6	5	26	62	43	22	22	18	13	5
Diarrhea and enteritis [2 years and over] (120)	119	3	5	3	5	12	21	23	13	17	13	3	1
Nephritis (130–132)	823	62	80	85	73	63	61	69	65	51	65	65	84
Puerperal septicemia (140, 142a, 145)	69	6	5	8	3	6	5	8	6	5	9	1	7
Other puerperal causes	103	9	11	11	10	5	5	7	13	8	6	5	13
Suicide (163–171)	139	8	19	9	11	18	11	10	14	12	12	7	8
Automobile accidents [1]	212	16	21	14	13	11	16	21	20	24	20	20	16
Automobile—railroad train and street car collisions	17	2	1	1		2	2	2				1	6
Other external causes	640	41	48	61	43	63	70	60	62	47	38	48	59
All other causes	3,685	272	284	363	322	298	314	326	318	315	278	280	315

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS (COLORED), all causes	5,064	387	425	523	408	464	423	456	407	403	352	351	465
Typhoid and paratyphoid fever (1, 2)	88	6	2			3	10	22	12	15	7	7	4
Smallpox (6)	3		1		1	1							
Measles (7)													
Scarlet fever (8)	1										1		
Whooping cough (9)	34	2	2	4	1	4	4	4	1	3	2	4	3
Diphtheria (10)	19	3	1	2				1	1	5	1	3	2
Influenza (11)	301	19	20	59	45	20	6	5	4	2	4	24	93
Dysentery (13)	23	1	2		1		11	1	3	3	1		
Erysipelas (15)	2						1				1		
Lethargic encephalitis (17)	2				1	1							
Epidemic cerebrospinal meningitis (18)	4		1	1		1				1			
Tuberculosis of the respiratory system (23)	525	46	51	62	49	57	45	38	37	39	41	28	32
Other forms of tuberculosis (24–32)	26	1	3	3	6	5	2	2	2			2	
Malaria (38)	191	5	2	10	5	17	14	30	36	33	20	11	8
Diabetes mellitus (59)	24		1	2	1	3	1	2	3	1		6	4
Cerebral hemorrhage and softening (82a, 82c)	250	23	23	22	17	28	17	18	13	20	25	21	23
Diseases of the heart (90–95)	455	35	28	32	35	48	40	43	43	38	40	28	45
Bronchitis (106)	11	2	3	2		1	1	1					1
Bronchopneumonia (107)	99	9	7	20	10	6	5	2		6	9	13	12
Lobar and unspecified pneumonia (108, 109)	264	32	31	40	33	10	10	10	7	5	10	27	49
Diarrhea and enteritis [under 2 years] (119)	85		3	3	4	16	17	13	11	3	12	3	
Diarrhea and enteritis [2 years and over] (120)	39	2		2	1	3	7	7	6	4	3	3	1
Nephritis (130–132)	348	23	31	38	19	33	30	30	28	34	25	33	24
Puerperal septicemia (140, 142a, 145)	24	1	3	5	1	3		1	3	2	2	1	2
Other puerperal causes	51	2	5	6	3	5	5	8	3	7	3	2	2
Suicide (163–171)	11	1	1	2	1	1	1	2		1		1	
Automobile accidents [1]	48	1	4	5			4	6	5	3	8	6	6
Automobile—railroad train and street car collisions	4	3					1						
Other external causes	393	50	50	26	21	35	27	51	32	34	20	21	26
All other causes	1,739	120	150	177	153	163	164	159	156	145	118	106	128
CALIFORNIA (WHITE), all causes	60,037	5,855	5,404	5,170	4,755	4,803	4,456	4,522	4,472	4,309	4,847	5,230	6,214
Typhoid and paratyphoid fever (1, 2)	58		2	8	7	4	8	5	8	5	3	6	2
Smallpox (6)													
Measles (7)	46	3	10	4	12	4	7	3			1	1	1
Scarlet fever (8)	45	4	5	4	4	5	4	4	2	1	4	3	5
Whooping cough (9)	98	2	6	5	7	9	16	9	9	15	5	5	10
Diphtheria (10)	160	14	10	16	15	12	11	12	5	13	14	25	13
Influenza (11)	907	87	79	68	37	28	14	11	17	24	62	175	305
Dysentery (13)	47	2	4	3	2	1	4	4	6	5	6	9	1
Erysipelas (15)	47	8	3	4	3	3	3	5	4	1	3	4	6
Lethargic encephalitis (17)	40	3	4	2	4	3		5	3	2	6	2	6
Epidemic cerebrospinal meningitis (18)	78	12	12	7	8	7	1	4	5	6	2	8	6
Tuberculosis of the respiratory system (23)	3,197	294	278	290	291	284	216	240	228	212	258	296	310
Other forms of tuberculosis (24–32)	306	18	25	30	30	37	34	18	26	27	23	22	16
Malaria (38)	7		1				1	3	1		1		
Diabetes mellitus (59)	1,207	130	127	81	86	94	103	91	84	74	106	111	120
Cerebral hemorrhage and softening (82a, 82c)	4,221	431	384	396	326	338	296	340	330	307	371	305	397
Diseases of the heart (90–95)	15,505	1,575	1,468	1,282	1,272	1,226	1,109	1,099	1,070	1,049	1,230	1,390	1,736
Bronchitis (106)	186	25	16	23	13	15	12	9	6	12	16	15	24
Bronchopneumonia (107)	1,520	210	161	131	101	98	83	70	67	97	119	159	224
Lobar and unspecified pneumonia (108, 109)	1,738	241	222	193	109	96	78	70	75	80	107	180	287
Diarrhea and enteritis [under 2 years] (119)	182	10	9	13	11	18	20	23	15	20	14	14	15
Diarrhea and enteritis [2 years and over] (120)	128	9	7	8	11	13	12	11	15	14	9	11	8
Nephritis (130–132)	4,457	460	437	407	333	381	347	348	355	302	341	347	399
Puerperal septicemia (140, 142a, 145)	139	15	12	10	19	13	7	12	10	11	10	10	10
Other puerperal causes	200	17	18	16	11	18	17	19	19	10	17	15	23
Suicide (163–171)	1,617	123	128	136	162	124	112	156	166	133	117	129	131
Automobile accidents [1]	1,948	176	155	123	156	169	134	165	167	180	189	139	195
Automobile—railroad train and street car collisions	110	11	8	6	10	12	10	5	5	5	8	12	18
Other external causes	2,886	231	235	245	206	258	251	288	259	237	202	224	250
All other causes	18,956	1,744	1,578	1,659	1,509	1,533	1,546	1,493	1,515	1,467	1,603	1,613	1,696
CALIFORNIA (COLORED), all causes	7,643	752	677	681	594	638	637	558	564	544	558	630	810
Typhoid and paratyphoid fever (1, 2)	26	1	1	2		2	2	4	2	3	2	3	4
Smallpox (6)	1		1										
Measles (7)	9				6	1		1			1		
Scarlet fever (8)	6			2	1			1			1	1	
Whooping cough (9)	82	2	3	1	4	2	15	15	8	11	4	8	9
Diphtheria (10)	51	4	5	4	6	3	6	5	2	4	3	2	7
Influenza (11)	179	17	23	11	2	4	1	2	2	7	9	37	64
Dysentery (13)	27	1	2		1	2	7	2	2	2	3	4	1
Erysipelas (15)	6		1		1	1		2			1		
Lethargic encephalitis (17)	5		1	1				1		1	1		
Epidemic cerebrospinal meningitis (18)	4		1				1	1					1
Tuberculosis of the respiratory system (23)	1,348	130	112	148	134	127	109	104	91	95	88	97	113
Other forms of tuberculosis (24–32)	204	17	24	18	20	17	20	18	14	18	15	7	16
Malaria (38)	2						1				1		
Diabetes mellitus (59)	66	6	5	11	2	5	3	3	5	2	10	3	11
Cerebral hemorrhage and softening (82a, 82c)	209	17	18	23	12	20	24	17	16	12	22	13	15
Diseases of the heart (90–95)	846	91	73	85	61	74	62	49	63	56	64	77	91
Bronchitis (106)	30	4	2	4	2	3	2	1		1	5	3	3
Bronchopneumonia (107)	516	74	57	47	42	42	27	28	23	27	25	47	77
Lobar and unspecified pneumonia (108, 109)	396	59	56	40	22	20	26	22	13	14	24	42	58
Diarrhea and enteritis [under 2 years] (119)	327	19	10	16	15	24	43	35	42	30	35	36	22
Diarrhea and enteritis [2 years and over] (120)	49	2		2	2	4	2	11	11	7	6	2	
Nephritis (130–132)	299	30	38	28	15	27	37	18	25	20	17	18	26
Puerperal septicemia (140, 142a, 145)	32	2	4	2	5	2	1	1	4	2	3	4	2
Other puerperal causes	69	9	3	12	3	6	6	2	6	3	9	5	5
Suicide (163–171)	108	5	10	11	8	10	10	11	13	10	7	3	10
Automobile accidents [1]	250	23	18	11	24	24	19	14	21	22	35	13	26
Automobile—railroad train and street car collisions	12	1	1		1	1			1		1		6
Other external causes	425	38	33	39	40	33	34	37	40	37	23	36	35
All other causes	2,059	200	175	163	165	184	179	153	160	160	143	169	208

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO, all causes	12,599	1,223	1,098	1,146	976	1,027	893	923	931	958	978	1,027	1,419
Typhoid and paratyphoid fever (1, 2)	38	2	1	1	1	2	1	5	3	9	9	3	1
Smallpox (6)													
Measles (7)	15	2	1		2	7	1	1		1			
Scarlet fever (8)	36	5	4	4	5	2		2	2	1	2	4	5
Whooping cough (9)	40	2		4	5	5	4	5	3	3		3	6
Diphtheria (10)	41	4	4	2	6	3	1	4	1	2	2	4	8
Influenza (11)	673	129	70	55	49	16	11	7	5	8	20	41	262
Dysentery (13)	10		2				1			6	1		
Erysipelas (15)	15	4	3	1	1		1	2				1	2
Lethargic encephalitis (17)	12			2	1	4	2	1	1	1			
Epidemic cerebrospinal meningitis (18)	18	5	2	3					2	1	3	2	
Tuberculosis of the respiratory system (23)	1,030	97	95	89	77	104	82	71	64	98	64	78	111
Other forms of tuberculosis (24–32)	67	6	5	7	2	8	6	8	6	6	3	2	8
Malaria (38)	1							1					
Diabetes mellitus (59)	166	22	15	14	14	12	13	11	11	13	11	12	18
Cerebral hemorrhage and softening (82a, 82c)	775	46	78	79	53	74	57	67	67	52	62	70	70
Diseases of the heart (90–95)	2,107	205	182	202	162	166	162	163	144	151	155	197	218
Bronchitis (106)	25	4		1	3	3	1		1	1	2	2	7
Bronchopneumonia (107)	415	43	39	48	36	34	13	13	15	15	27	45	87
Lobar and unspecified pneumonia (108, 109)	628	90	80	90	61	33	22	12	14	23	43	54	106
Diarrhea and enteritis [under 2 years] (119)	200	7	8	11	4	6	2	12	46	49	35	16	4
Diarrhea and enteritis [2 years and over] (120)	39	2		1	6		3	2	7	10	4	3	1
Nephritis (130–132)	846	76	79	81	61	83	60	61	63	63	70	68	81
Puerperal septicemia (140, 142a, 145)	60	3	5	7	6	3	5	1	8	6	2	8	6
Other puerperal causes	71	12	3	5	2	8	2	1	10	10	4	8	6
Suicide (163–171)	257	13	21	22	31	21	21	20	30	25	19	18	16
Automobile accidents [1]	284	24	22	13	18	26	21	19	30	34	31	26	20
Automobile—railroad train and street car collisions	14					2	1	2		1	2	4	2
Other external causes	738	47	48	49	46	69	80	74	80	52	85	54	54
All other causes	3,978	373	331	355	324	336	320	358	318	317	322	304	320
CONNECTICUT, all causes	16,962	1,492	1,539	1,908	1,459	1,438	1,281	1,221	1,165	1,142	1,409	1,362	1,546
Typhoid and paratyphoid fever (1, 2)	10	1	2		1	2				2	1		1
Smallpox (6)													
Measles (7)	20			8	2	6	2	1					1
Scarlet fever (8)	23	4	1	4	4	3		1	2	1	2		1
Whooping cough (9)	44	3	3	7	9	6	3	3	2	1	1	2	4
Diphtheria (10)	17	2		3	1		2	1		2	2		4
Influenza (11)	217	22	34	63	32	14	3	4	3	3	8	12	19
Dysentery (13)	2								1	1			
Erysipelas (15)	22	3	2	3	1	4	4	1				1	3
Lethargic encephalitis (17)	14		3	2	3	1	1		1		2	1	
Epidemic cerebrospinal meningitis (18)	14	3	2	1	1	1	1	2		1	1	1	
Tuberculosis of the respiratory system (23)	739	88	65	76	72	61	59	56	58	44	53	55	52
Other forms of tuberculosis (24–32)	95	8	5	11	7	5	9	9	9	6	8	7	11
Malaria (38)													
Diabetes mellitus (59)	452	48	39	54	41	43	34	28	20	40	28	40	37
Cerebral hemorrhage and softening (82a, 82c)	1,258	99	105	140	125	107	97	83	87	89	97	114	115
Diseases of the heart (90–95)	4,319	398	411	502	333	352	307	309	277	277	374	354	425
Bronchitis (106)	63	5	5	9	6	12	3	1	3	6	6	4	3
Bronchopneumonia (107)	425	38	60	68	50	39	26	15	5	11	25	34	54
Lobar and unspecified pneumonia (108, 109)	723	84	100	146	74	56	39	18	16	23	43	49	75
Diarrhea and enteritis [under 2 years] (119)	78	8	5	7	7	7	5	4	7	4	8	8	8
Diarrhea and enteritis [2 years and over] (120)	31	2	3	2	2		1	5	5	1	1	4	5
Nephritis (130–132)	1,385	118	138	133	136	111	105	114	106	91	114	112	107
Puerperal septicemia (140, 142a, 145)	46	3	7	2	5	6	2	4	5	3	4	2	3
Other puerperal causes	68	4	10	9	1	4	8	8	2	8	3	7	4
Suicide (163–171)	335	21	23	37	39	24	26	27	29	24	30	26	29
Automobile accidents [1]	409	30	18	28	24	29	37	29	36	42	47	50	39
Automobile—railroad train and street car collisions	9		1		1		2	2	2			1	
Other external causes	729	57	69	75	48	74	35	86	60	51	67	50	57
All other causes	5,415	443	428	518	434	471	470	410	429	411	484	428	489
DELAWARE, all causes	3,178	277	259	360	290	253	215	265	230	219	259	252	299
Typhoid and paratyphoid fever (1, 2)	3									3			
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	6	1		1	1			1	1		1		
Whooping cough (9)	16		1	6	2	1	2	2	1		1		
Diphtheria (10)	12	3			1		1			2	1	1	3
Influenza (11)	44	2	2	17	9	3	3	1			2	2	3
Dysentery (13)	2					1			1				
Erysipelas (15)	3	1	1				1						
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	2								1		1		
Tuberculosis of the respiratory system (23)	151	14	14	12	15	12	7	12	12	17	14	8	14
Other forms of tuberculosis (24–32)	20	4	2	2	2	2		1	2	1		4	
Malaria (38)													
Diabetes mellitus (59)	54	5	3	5	3	2	3	10	3	5	3	7	5
Cerebral hemorrhage and softening (82a, 82c)	284	27	19	26	29	24	22	22	18	13	34	20	30
Diseases of the heart (90–95)	671	50	60	73	51	56	42	47	49	54	57	59	73
Bronchitis (106)	9	3		1	1							4	
Bronchopneumonia (107)	130	11	10	34	14	8	11	3	3	3	7	9	17
Lobar and unspecified pneumonia (108, 109)	129	16	12	34	15	7	2	3	3	7	5	7	18
Diarrhea and enteritis [under 2 years] (119)	41	2		4	3	1	3	8	8	3	7	2	
Diarrhea and enteritis [2 years and over] (120)	15	1	1		2	1	1	1	2	1	2	2	1
Nephritis (130–132)	367	33	36	39	38	25	17	39	18	29	24	29	40
Puerperal septicemia (140, 142a, 145)	13		2		3	3	1			1	2		1
Other puerperal causes	22		2	4	3	2		3	1	3	2		2
Suicide (163–171)	60	3	8	7	4	4	6	8	5	3	7	3	2
Automobile accidents [1]	79	8	10	6	4	3	6	10	5	7	5	5	10
Automobile—railroad train and street car collisions	2							1					1
Other external causes	145	11	12	8	9	9	15	12	17	16	13	13	10
All other causes	898	82	64	81	81	89	72	81	80	51	71	77	69

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA (WHITE), all causes	11,287	1,053	946	1,183	942	850	831	896	833	801	856	952	1,144
Typhoid and paratyphoid fever (1, 2)	35	9	1	3	2	5	3	2	2	4			4
Smallpox (6)													
Measles (7)	7	1		1	1	1		1	2				
Scarlet fever (8)	5	1		2	1							1	
Whooping cough (9)	17	1	1	3		2	1	2	2			3	2
Diphtheria (10)	69	9	5	9	4	3	2	4	2	3	12	9	7
Influenza (11)	271	17	29	39	33	17	6	9	14	8	8	10	81
Dysentery (13)	20	3	2	2		2	1	1	4	1	4		
Erysipelas (15)	15	1		2	2		2	2			2	2	2
Lethargic encephalitis (17)	4							2					2
Epidemic cerebrospinal meningitis (18)	6				2			1	1			1	1
Tuberculosis of the respiratory system (23)	361	30	23	38	33	30	33	28	28	23	33	29	33
Other forms of tuberculosis (24–32)	39	4	4	4	4	4	4	4	2	2	3	3	1
Malaria (38)	132	8	7	6	8	2	12	13	9	11	20	23	13
Diabetes mellitus (59)	197	17	18	31	12	17	21	11	8	12	17	13	20
Cerebral hemorrhage and softening (82a, 82c)	889	85	77	95	78	67	53	75	53	57	63	86	100
Diseases of the heart (90–95)	2,107	201	175	239	195	156	144	150	144	146	165	177	215
Bronchitis (106)	26	6	4	5	3	1	2			1	1	1	2
Bronchopneumonia (107)	194	26	20	33	13	8	8	8	14	8	9	20	27
Lobar and unspecified pneumonia (108, 109)	283	28	35	60	35	17	14	9	11	10	14	19	31
Diarrhea and enteritis [under 2 years] (119)	109	14	6	10	11	12	10	10	3	9	9	9	6
Diarrhea and enteritis [2 years and over] (120)	66	7	11	5	2	9	7	5	8	3	4	3	2
Nephritis (130–132)	1,112	112	99	104	91	76	87	95	91	65	91	96	105
Puerperal septicemia (140, 142a, 145)	54		6	7	5	5	2	5	4	5	4	8	3
Other puerperal causes	102	6	7	12	12	6	10	6	7	7	8	8	13
Suicide (163–171)	261	22	26	24	21	28	23	14	23	24	17	14	25
Automobile accidents [1]	364	43	39	16	29	23	22	31	28	35	20	29	49
Automobile—railroad train and street car collisions	11	1		1	1		2		2	2			2
Other external causes	682	51	56	64	40	63	69	61	45	48	50	65	70
All other causes	3,849	350	295	368	304	296	293	347	326	317	302	323	328
FLORIDA (COLORED), all causes	7,001	590	549	612	634	580	545	595	527	570	592	613	594
Typhoid and paratyphoid fever (1, 2)	48	5	5	6	3	5	5	5	2	1	7	3	1
Smallpox (6)													
Measles (7)	4			1	1		2						
Scarlet fever (8)	1											1	
Whooping cough (9)	14	1	2				4	3	2	1			1
Diphtheria (10)	11	1	3	2	1				1		2	1	
Influenza (11)	264	23	25	27	48	26	11	8	5	2	14	13	62
Dysentery (13)	22	5	3		1	1	2	2			5	2	1
Erysipelas (15)	3	1									2		
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	2		1							1			
Tuberculosis of the respiratory system (23)	650	60	34	65	60	56	63	63	50	52	52	41	54
Other forms of tuberculosis (24–32)	41	6	2	8	6	2	6	2		1	3	3	2
Malaria (38)	114	7	4	7	10	6	7	7	12	17	10	17	10
Diabetes mellitus (59)	58	4	6	10	6	5	3	3	1	7	4	8	1
Cerebral hemorrhage and softening (82a, 82c)	558	46	45	40	48	59	43	47	50	44	40	46	50
Diseases of the heart (90–95)	900	64	56	86	72	76	69	82	71	81	82	91	70
Bronchitis (106)	15	1	1	3		3	1	1	2	1		1	1
Bronchopneumonia (107)	117	10	10	10	12	10	7	12	4	9	11	10	12
Lobar and unspecified pneumonia (108, 109)	243	37	17	26	39	19	10	12	8	16	14	18	27
Diarrhea and enteritis [under 2 years] (119)	86	14	14	6	11	8	11	5	4	5	3	2	3
Diarrhea and enteritis [2 years and over] (120)	38	3	2	3	3	7	2	4		4	4	4	2
Nephritis (130–132)	569	51	65	43	51	44	34	44	48	42	47	58	42
Puerperal septicemia (140, 142a, 145)	37	4	4		5	3	2	6	2	2	6	2	1
Other puerperal causes	85	8	5	6	6	4	4	4	7	12	13	11	5
Suicide (163–171)	22	2	1	2	1	2		2	1	1	3	5	2
Automobile accidents [1]	121	12	11	9	6	12	7	14	6	6	14	9	15
Automobile—railroad train and street car collisions	5						1						4
Other external causes	554	57	54	45	51	47	51	53	41	34	38	39	44
All other causes	2,419	168	179	207	193	185	200	216	210	231	218	228	184
GEORGIA (WHITE), all causes	16,818	1,435	1,293	1,690	1,465	1,384	1,356	1,407	1,183	1,148	1,366	1,385	1,706
Typhoid and paratyphoid fever (1, 2)	133	5	8	8	8	8	16	25	20	19	9	5	2
Smallpox (6)													
Measles (7)	5				2		1				1		1
Scarlet fever (8)	17	3	3	1	3	1				2	2	1	1
Whooping cough (9)	49	4	1	7	5	7	2	5	5	3	6	1	3
Diphtheria (10)	146	17	7	9	8	4	1	2	5	12	23	35	23
Influenza (11)	696	43	78	97	109	46	15	6	5	19	17	36	225
Dysentery (13)	89	8	6	7	6	8	21	18	4	7	1	3	
Erysipelas (15)	51	4	5	7	2	6	3	2	4	3	9	3	3
Lethargic encephalitis (17)	10	2			1	2	2		1	1			1
Epidemic cerebrospinal meningitis (18)	16	5	1	2	1	1	2	1	1			1	1
Tuberculosis of the respiratory system (23)	629	57	58	56	59	53	51	63	41	37	47	49	58
Other forms of tuberculosis (24–32)	47	2	2	3	3	4	8	5	6	7	4	1	2
Malaria (38)	132	4	5	6	5	4	8	12	13	19	23	26	7
Diabetes mellitus (59)	258	22	21	33	15	22	19	12	10	23	29	27	25
Cerebral hemorrhage and softening (82a, 82c)	1,293	93	101	149	99	120	101	107	80	94	116	108	125
Diseases of the heart (90–95)	2,376	190	182	220	196	203	180	183	193	184	204	211	230
Bronchitis (106)	46	3	6	4	8	3	2		1	3	7	5	4
Bronchopneumonia (107)	458	49	53	68	60	29	15	19	13	22	25	42	63
Lobar and unspecified pneumonia (108, 109)	741	94	74	123	83	65	33	25	18	26	44	57	99
Diarrhea and enteritis [under 2 years] (119)	266	16	13	12	16	26	44	45	28	23	19	9	15
Diarrhea and enteritis [2 years and over] (120)	102	6	2	7	7	8	15	21	7	11	6	4	8
Nephritis (130–132)	1,643	157	119	146	152	146	130	153	114	90	149	148	139
Puerperal septicemia (140, 142a, 145)	80	10	5	4	7	5	8	5	7	5	6	8	10
Other puerperal causes	207	16	10	22	23	19	12	19	22	18	19	10	17
Suicide (163–171)	278	22	31	27	15	25	28	24	18	22	22	24	20
Automobile accidents [1]	389	50	30	38	30	25	30	26	25	25	35	29	46
Automobile—railroad train and street car collisions	36	4	2	3		4		2	1	2	2	7	9
Other external causes	946	84	51	95	79	66	98	95	71	63	73	67	104
All other causes	5,679	465	419	536	463	474	511	532	470	408	468	468	465

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA (COLORED), all causes	15,310	1,242	1,190	1,515	1,329	1,301	1,298	1,390	1,260	1,077	1,178	1,198	1,332
Typhoid and paratyphoid fever (1, 2)	230	12	17	14	8	11	29	34	35	30	27	12	1
Smallpox (6)	1		1										
Measles (7)	8					3	1	1	1				2
Scarlet fever (8)	2								1	1			
Whooping cough (9)	61	3	3	7	3	4	9	4	9	6	3	4	6
Diphtheria (10)	37	4	2		3			3	2	5	7	8	3
Influenza (11)	490	37	45	70	77	48	12	7	14	8	7	26	139
Dysentery (13)	59	3		4	5	4	9	15	5	4	7	3	
Erysipelas (15)	6			1				1	1			1	2
Lethargic encephalitis (17)	2				2								
Epidemic cerebrospinal meningitis (18)	15		5	1	2	1		1			1	1	3
Tuberculosis of the respiratory system (23)	1,166	96	78	114	112	109	97	137	97	76	67	90	93
Other forms of tuberculosis (24–32)	109	13	11	12	11	9	7	3	6	11	12	9	5
Malaria (38)	183	4	5	7	9	16	25	29	18	16	21	22	11
Diabetes mellitus (59)	84	5	6	10	4	8	12	10	7	2	5	6	9
Cerebral hemorrhage and softening (82a, 82c)	1,136	100	105	103	99	98	86	104	96	66	83	91	105
Diseases of the heart (90–95)	1,882	137	136	189	178	162	183	164	155	145	142	143	148
Bronchitis (106)	35	5	5		4	2	3	2	6	1	1	2	4
Bronchopneumonia (107)	316	35	28	57	37	19	18	17	12	12	20	20	41
Lobar and unspecified pneumonia (108, 109)	906	111	87	135	101	79	60	47	36	24	43	71	112
Diarrhea and enteritis [under 2 years] (119)	134	13	4	6	7	9	19	28	14	9	16	6	3
Diarrhea and enteritis [2 years and over] (120)	91	7	5	2	9	10	5	14	11	9	6	9	4
Nephritis (130–132)	1,352	103	99	127	109	117	128	118	115	103	123	119	91
Puerperal septicemia (140, 142a, 145)	106	11	10	7	4	11	12	10	13	7	8	6	7
Other puerperal causes	195	9	20	13	16	23	20	17	26	15	15	11	10
Suicide (163–171)	25	2	4	2		2	2	3	3	2	2	1	2
Automobile accidents [1]	152	16	8	17	8	11	16	5	19	17	13	12	10
Automobile—railroad train and street car collisions	4					1	1	1		1			
Other external causes	961	81	62	86	85	59	77	116	80	77	85	81	72
All other causes	5,562	435	444	531	436	485	467	499	478	430	464	444	449
IDAHO, all causes	3,942	339	329	353	348	318	306	292	300	279	322	335	421
Typhoid and paratyphoid fever (1, 2)	15	1		2		1				3	3	2	3
Smallpox (6)													
Measles (7)	2					1							1
Scarlet fever (8)	12	2		1				1		2		2	4
Whooping cough (9)	5						1	1	1	2			
Diphtheria (10)	14	3		1	2			1	1	1	2	1	2
Influenza (11)	156	15	35	19	11	9	1	2	1		4	13	46
Dysentery (13)	6									2	3	1	
Erysipelas (15)	7	4		1	1					1			
Lethargic encephalitis (17)	2		1			1							
Epidemic cerebrospinal meningitis (18)	12	3	2		2		1			1		1	2
Tuberculosis of the respiratory system (23)	127	13	9	18	9	12	13	5	7	10	11	7	13
Other forms of tuberculosis (24–32)	17	1	2	1	2	1		4			1	3	2
Malaria (38)													
Diabetes mellitus (59)	79	9	6	7	6	8	5	1	6	5	11	7	8
Cerebral hemorrhage and softening (82a, 82c)	335	37	28	35	33	34	26	19	20	24	22	20	37
Diseases of the heart (90–95)	737	73	60	69	70	52	50	57	51	53	53	70	79
Bronchitis (106)	9	2		1	2				1	2		1	
Bronchopneumonia (107)	97	8	15	9	10	4	5	3	2	2	9	9	21
Lobar and unspecified pneumonia (108, 109)	153	14	19	14	17	8	9	4	5	6	13	18	26
Diarrhea and enteritis [under 2 years] (119)	20	3	2	1		2		3	3		1	3	2
Diarrhea and enteritis [2 years and over] (120)	10			1	2			2	1	1	2		1
Nephritis (130–132)	290	26	19	33	32	16	22	20	21	13	28	36	24
Puerperal septicemia (140, 142a, 145)	14		2	1	3	3	1	1				2	1
Other puerperal causes	32	3	4	4	2	3	4	2	3	1	4	2	
Suicide (163–171)	81	4	4	10	10	7	9	11	4	6	7	3	6
Automobile accidents [1]	86	2	1	3	3	5	4	9	12	13	20	7	7
Automobile—railroad train and street car collisions	2							1			1		
Other external causes	241	13	18	18	11	20	24	32	25	27	20	19	14
All other causes	1,381	103	102	104	120	131	131	113	136	104	107	108	122
ILLINOIS, all causes	83,180	7,168	7,646	8,191	7,241	6,885	6,121	6,572	5,977	5,647	6,435	6,747	8,550
Typhoid and paratyphoid fever (1, 2)	129	7	8	4	4	4	10	22	17	17	17	11	8
Smallpox (6)	2			1						1			1
Measles (7)	56	1		7	10	13	9	10		4		1	1
Scarlet fever (8)	264	22	40	39	34	32	21	10	3	7	14	16	26
Whooping cough (9)	230	34	36	31	26	30	24	19	8	7	7	2	6
Diphtheria (10)	238	42	18	22	11	20	11	8	9	21	26	25	25
Influenza (11)	1,849	115	260	431	237	100	40	17	29	26	44	98	452
Dysentery (13)	87	2	1	1		2	10	23	19	17	6	3	3
Erysipelas (15)	132	13	13	14	20	9	17	7	2	6	7	10	14
Lethargic encephalitis (17)	52	6	2	5	5	1	2	3	12	8	5	1	2
Epidemic cerebrospinal meningitis (18)	157	15	20	23	13	12	10	3	8	1	10	14	28
Tuberculosis of the respiratory system (23)	3,803	331	338	376	347	327	325	330	272	270	273	302	312
Other forms of tuberculosis (24–32)	498	46	43	43	52	55	52	55	30	31	35	33	23
Malaria (38)	37	5	2		2	3	5	5	5	4	4	1	1
Diabetes mellitus (59)	2,058	215	193	201	158	155	136	145	145	158	166	153	233
Cerebral hemorrhage and softening (82a, 82c)	5,310	483	461	517	484	424	405	401	362	380	434	447	512
Diseases of the heart (90–95)	19,185	1,633	1,804	1,880	1,708	1,585	1,370	1,415	1,282	1,232	1,497	1,704	2,075
Bronchitis (106)	315	33	42	32	27	28	17	22	11	15	26	25	37
Bronchopneumonia (107)	2,262	222	272	308	200	202	103	86	85	89	155	203	337
Lobar and unspecified pneumonia (108, 109)	2,958	340	446	427	269	203	106	78	78	109	160	228	514
Diarrhea and enteritis [under 2 years] (119)	570	30	34	24	34	29	46	104	90	72	51	33	23
Diarrhea and enteritis [2 years and over] (120)	293	12	11	15	14	18	23	45	64	37	25	15	14
Nephritis (130–132)	8,167	684	774	762	717	740	629	646	555	534	636	653	837
Puerperal septicemia (140, 142a, 145)	235	17	20	21	23	20	24	21	23	15	16	16	19
Other puerperal causes	390	36	44	34	22	35	30	36	31	35	41	21	25
Suicide (163–171)	1,424	101	98	133	143	137	147	133	109	113	115	89	106
Automobile accidents [1]	1,831	166	132	130	122	170	139	142	174	155	169	167	165
Automobile—railroad train and street car collisions	198	15	20	8	13	15	15	18	15	15	26	17	21
Other external causes	4,151	320	299	317	314	299	386	450	393	345	320	302	406
All other causes	26,299	2,222	2,215	2,385	2,232	2,217	2,009	2,318	2,146	1,923	2,150	2,157	2,325

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA, all causes	38,756	3,380	3,404	4,001	3,297	3,172	2,913	2,990	2,870	2,720	2,916	3,075	4,018
Typhoid and paratyphoid fever (1, 2)	86	2	5	1	2	5	2	8	24	13	12	8	4
Smallpox (6)	2						1						1
Measles (7)	20	1	3	2	4	1	6	1	2				
Scarlet fever (8)	92	5	8	20	9	7	6	3	1	7	5	13	8
Whooping cough (9)	200	23	27	38	21	24	20	11	11	8		3	14
Diphtheria (10)	178	26	18	11	9	5	4	6	6	10	21	34	28
Influenza (11)	1,497	87	174	348	178	84	45	20	20	30	26	56	429
Dysentery (13)	42	2		1	2	5	8	11	9	3			1
Erysipelas (15)	63	10	6	14	8	5	2	2	2	2	3	5	4
Lethargic encephalitis (17)	26	3	1	1	5	4	2		4	2	2	2	
Epidemic cerebrospinal meningitis (18)	128	19	17	24	13	5	7	9	4	9	5	4	12
Tuberculosis of the respiratory system (23)	1,711	165	125	171	165	164	148	114	123	123	114	149	150
Other forms of tuberculosis (24–32)	284	27	26	29	21	30	24	27	24	20	17	21	18
Malaria (38)	10	2			3	1		1	1	1	1		
Diabetes mellitus (59)	743	63	60	96	67	51	64	60	54	45	36	61	86
Cerebral hemorrhage and softening (82a, 82c)	3,427	332	333	361	292	271	255	255	243	249	262	275	299
Diseases of the heart (90–95)	8,110	693	708	817	676	660	611	642	565	583	634	672	849
Bronchitis (106)	102	12	10	9	12	11	3	4	4	4	8	12	13
Bronchopneumonia (107)	1,024	124	124	140	99	59	41	38	31	37	69	103	159
Lobar and unspecified pneumonia (108, 109)	1,445	168	210	226	147	106	63	41	38	39	73	113	221
Diarrhea and enteritis [under 2 years] (119)	420	20	13	18	23	24	39	66	84	62	40	16	15
Diarrhea and enteritis [2 years and over] (120)	183	6	5	7	12	10	14	39	34	22	13	12	9
Nephritis (130–132)	3,690	327	303	343	321	302	307	297	294	267	296	279	354
Puerperal septicemia (140, 142a, 145)	135	12	12	16	10	12	10	13	9	13	13	5	10
Other puerperal causes	167	10	19	16	16	13	12	18	9	17	8	14	15
Suicide (163–171)	641	55	55	54	64	65	51	53	47	45	53	50	49
Automobile accidents [1]	845	66	48	41	66	76	82	68	101	74	83	57	83
Automobile—railroad train and street car collisions	165	15	17	24	20	9	4	11	9	7	13	24	12
Other external causes	1,755	106	131	120	125	125	172	188	187	140	151	154	156
All other causes	11,565	999	946	1,054	908	1,041	913	987	928	882	955	933	1,019
IOWA, all causes	25,786	2,212	2,554	2,539	2,130	2,084	1,830	1,897	1,804	1,764	2,056	2,135	2,781
Typhoid and paratyphoid fever (1, 2)	40	3	1	1	3	2		3	4	10	7	4	2
Smallpox (6)	4		2	1									1
Measles (7)	9		1		3	2	1		1	1			
Scarlet fever (8)	35	1	5	4	5	8	1	3		1	3	2	2
Whooping cough (9)	75	7	9	10	6	5	9	5	3	6	1	6	8
Diphtheria (10)	62	7	8	4	2	1	4	5	2	6	11	5	7
Influenza (11)	1,058	49	225	215	85	37	25	16	21	30	34	49	272
Dysentery (13)	18	1		1		1	1	7	5	1	1		
Erysipelas (15)	36	4	3	7	3	5		2	1	3	1	3	4
Lethargic encephalitis (17)	26	1	5	3	1	2	1	2	4	2	3	2	
Epidemic cerebrospinal meningitis (18)	25	5	4	1	4	2	2			1	3	3	
Tuberculosis of the respiratory system (23)	623	43	61	65	60	58	52	53	43	35	47	53	53
Other forms of tuberculosis (24–32)	111	8	6	14	5	11	4	11	12	6	11	9	14
Malaria (38)	1									1			
Diabetes mellitus (59)	597	61	66	73	36	48	37	29	33	46	44	57	67
Cerebral hemorrhage and softening (82a, 82c)	2,421	215	247	195	210	225	173	208	155	166	174	201	252
Diseases of the heart (90–95)	5,181	436	486	518	461	434	363	336	335	362	440	465	545
Bronchitis (106)	85	7	10	9	9	5	3	1	7	6	6	9	13
Bronchopneumonia (107)	774	85	100	92	58	39	31	26	37	29	55	81	141
Lobar and unspecified pneumonia (108, 109)	925	101	139	126	93	60	25	25	24	28	51	74	179
Diarrhea and enteritis [under 2 years] (119)	111	8	6	7	7	8	5	10	17	14	16	7	6
Diarrhea and enteritis [2 years and over] (120)	85	3	5	3	3	4	5	11	17	15	12	3	4
Nephritis (130–132)	1,619	157	161	142	142	134	131	112	109	111	128	133	159
Puerperal septicemia (140, 142a, 145)	79	4	8	6	9	8	6	4	9	7	4	4	10
Other puerperal causes	140	12	8	10	4	12	5	16	16	12	13	14	18
Suicide (163–171)	563	45	66	52	48	48	54	45	51	36	43	39	36
Automobile accidents [1]	422	24	24	26	27	34	36	62	38	31	36	43	41
Automobile—railroad train and street car collisions	57	2	5	7	6	4	2	5	3	3	11	6	3
Other external causes	1,334	112	108	99	101	130	136	126	104	94	128	89	107
All other causes	9,270	811	785	848	739	757	718	774	753	701	773	774	837
KANSAS, all causes	19,512	1,639	1,744	1,836	1,638	1,593	1,439	1,593	1,422	1,366	1,539	1,545	2,158
Typhoid and paratyphoid fever (1, 2)	31	1	2	1			1	4	5	10	4	2	1
Smallpox (6)													
Measles (7)	26	1	3	3	12	5		2					
Scarlet fever (8)	32	4	4	3	3	3		3		2	2	2	6
Whooping cough (9)	48	1	1	4	3	9	7	6	4	6	1	1	5
Diphtheria (10)	76	14	9	5	4	3	1	2	3	6	7	13	9
Influenza (11)	758	50	105	118	90	44	22	11	12	10	28	34	234
Dysentery (13)	22		1	2	2	1	1	5	6	3		1	
Erysipelas (15)	26		1	5	3		2	4		3	2	5	1
Lethargic encephalitis (17)	13		2	4		1		1	1	1		1	2
Epidemic cerebrospinal meningitis (18)	23	3	7	1	2	2	2					4	2
Tuberculosis of the respiratory system (23)	544	49	44	50	47	52	47	56	40	35	41	26	57
Other forms of tuberculosis (24–32)	68	2	5	5	10	9	6	5	8	5	6	3	4
Malaria (38)	8				1		1	2			3	1	
Diabetes mellitus (59)	439	37	53	42	38	33	31	32	30	27	28	33	55
Cerebral hemorrhage and softening (82a, 82c)	1,877	168	163	177	172	136	151	154	131	128	163	136	198
Diseases of the heart (90–95)	3,601	301	319	347	324	302	252	251	223	252	304	326	400
Bronchitis (106)	83	10	12	7	7	2	4	4	6	5	4	4	18
Bronchopneumonia (107)	*469	46	55	53	38	34	17	17	18	21	36	41	93
Lobar and unspecified pneumonia (108, 109)	555	60	69	93	62	29	21	12	15	22	29	43	100
Diarrhea and enteritis [under 2 years] (119)	143	9	5	8	8	8	14	22	22	22	13	8	4
Diarrhea and enteritis [2 years and over] (120)	86	2	3	4	3	3	8	20	8	13	13	6	3
Nephritis (130–132)	1,777	156	150	178	157	173	116	128	120	138	142	136	183
Puerperal septicemia (140, 142a, 145)	89	6	11	5	5	9	7	7	10	6	9	5	9
Other puerperal causes	106	10	13	9	9	14	6	9	6	7	8	6	9
Suicide (163–171)	347	27	35	22	30	30	43	29	39	26	26	19	21
Automobile accidents [1]	386	30	26	33	21	25	25	41	38	40	42	33	32
Automobile—railroad train and street car collisions	52	6	4	3	2	2	8	6	4	6	5	1	5
Other external causes	1,115	71	78	75	89	82	114	145	105	88	84	87	97
All other causes	6,712	575	564	579	496	582	532	615	568	484	539	568	610

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (WHITE), all causes	24,829	2,048	1,981	2,455	2,058	1,894	1,960	2,270	1,879	1,692	1,968	2,007	2,617
Typhoid and paratyphoid fever (1, 2)	306	12	15	10	11	11	28	46	61	55	27	21	9
Smallpox (6)													
Measles (7)	39	5	4	7	3	2	6	1		3		1	7
Scarlet fever (8)	75	14	7	13	9	3	4	3	1	2	8	9	2
Whooping cough (9)	254	21	23	42	27	23	31	22	14	18	12	10	11
Diphtheria (10)	357	40	24	23	10	9	3	7	21	34	81	66	39
Influenza (11)	1,063	68	112	190	153	51	20	16	6	10	23	68	346
Dysentery (13)	219	3	1	1	3	10	54	78	33	18	12	3	3
Erysipelas (15)	29	3	6	3	3	4	1		4	1		2	2
Lethargic encephalitis (17)	15	1	1		2	1	3	1	1	4			1
Epidemic cerebrospinal meningitis (18)	47	2	3	6	5	5	2	2	4	1	2	4	11
Tuberculosis of the respiratory system (23)	1,630	138	148	173	151	135	119	132	125	104	126	122	157
Other forms of tuberculosis (24–32)	207	13	16	16	20	21	14	17	21	21	22	9	17
Malaria (38)	31	1			2	3	2	3	7	4	4	4	1
Diabetes mellitus (59)	339	30	36	32	21	20	31	24	25	22	32	28	38
Cerebral hemorrhage and softening (82a, 82c)	1,642	150	138	158	120	150	119	148	103	106	144	152	154
Diseases of the heart (90–95)	3,620	307	286	364	335	292	261	288	268	245	294	299	381
Bronchitis (106)	93	13	7	15	13	7	6	2	2	6	8	9	5
Bronchopneumonia (107)	757	67	75	91	77	45	30	35	23	37	68	79	130
Lobar and unspecified pneumonia (108, 109)	1,040	120	124	158	100	50	35	27	26	37	58	105	200
Diarrhea and enteritis [under 2 years] (119)	746	7	17	18	13	42	162	244	110	60	46	16	11
Diarrhea and enteritis [2 years and over] (120)	211	8	6	7	6	13	37	53	30	24	17	4	6
Nephritis (130–132)	1,777	153	161	168	159	131	127	155	128	120	153	153	169
Puerperal septicemia (140, 142a, 145)	106	8	9	10	11	13	8	11	9	3	8	6	10
Other puerperal causes	190	15	14	24	17	19	16	17	12	14	15	12	15
Suicide (163–171)	299	22	24	35	24	30	31	32	23	19	17	25	17
Automobile accidents [1]	403	31	26	18	31	42	28	22	35	50	42	40	38
Automobile—railroad train and street car collisions	29	4	1	5	2	2			6	1	2	3	3
Other external causes	1,666	119	106	116	116	134	138	187	172	137	113	149	179
All other causes	7,639	673	591	752	614	626	644	697	609	536	634	608	655
KENTUCKY (COLORED), all causes	4,230	365	377	420	369	336	332	353	325	290	340	291	432
Typhoid and paratyphoid fever (1, 2)	38	2	6		2	1		6	9	7	4		1
Smallpox (6)													
Measles (7)	2		1	1									
Scarlet fever (8)	2			1						1			
Whooping cough (9)	36	3	3	3	3	3	7	6	4	2			2
Diphtheria (10)	7				1				1	2	1	2	
Influenza (11)	168	15	14	29	30	11	6		2	1	4	14	42
Dysentery (13)	6						3	1	1	1			
Erysipelas (15)	4	1	1		1		1						
Lethargic encephalitis (17)	1											1	
Epidemic cerebrospinal meningitis (18)	10		3	1	2		1	1					2
Tuberculosis of the respiratory system (23)	390	31	40	36	48	32	32	28	28	27	28	31	29
Other forms of tuberculosis (24–32)	52	1	5	5	5	4	4	7	9	3	2	5	2
Malaria (38)	4						1		2				1
Diabetes mellitus (59)	46	8	7	5	2	4	2	6	3	1	5	2	1
Cerebral hemorrhage and softening (82a, 82c)	254	26	21	22	22	25	30	18	18	13	22	11	26
Diseases of the heart (90–95)	745	64	65	71	55	57	57	79	60	49	63	55	70
Bronchitis (106)	25	2	4	4		2	4	1	1	1	2	3	1
Bronchopneumonia (107)	131	15	13	18	12	11	6	6	9	3	9	10	19
Lobar and unspecified pneumonia (108, 109)	238	33	28	45	22	12	4	5	6	9	20	25	29
Diarrhea and enteritis [under 2 years] (119)	62	3		1	2	5	9	23	6	4	7	1	1
Diarrhea and enteritis [2 years and over] (120)	23	3	1	1	1		2	7	7	1			
Nephritis (130–132)	396	33	36	33	27	30	37	33	36	35	30	29	37
Puerperal septicemia (140, 142a, 145)	15	3		2	1	2		1	3	2			1
Other puerperal causes	29	2	3	1	4	1	6	3		1	7	1	
Suicide (163–171)	16	2	3	1		1	2		2	1	2	1	1
Automobile accidents [1]	38	3	1	3	5	7	2	1	5	3	3	3	2
Automobile—railroad train and street car collisions													
Other external causes	350	22	28	36	27	26	26	32	24	32	26	21	50
All other causes	1,142	93	94	101	97	102	90	89	89	91	105	76	115
LOUISIANA (WHITE), all causes	12,504	1,030	944	1,125	1,001	917	959	1,052	937	875	961	1,150	1,553
Typhoid and paratyphoid fever (1, 2)	105	11	8	7	10	9	15	11	13	9	6	2	4
Smallpox (6)													
Measles (7)	33		2	3	5	6	5	2				5	5
Scarlet fever (8)	6	1	1		2		1						1
Whooping cough (9)	42	7	5	3	2	1	1	7	3	3	1	3	6
Diphtheria (10)	97	8	8	6	4	6	3	6	6	5	13	14	18
Influenza (11)	623	44	33	47	32	6	6	8	9	10	16	90	322
Dysentery (13)	39	5	2	2	3	3	4	2	3	2	5	3	5
Erysipelas (15)	9	1		1	1		2	1				3	
Lethargic encephalitis (17)	4		2	1								1	
Epidemic cerebrospinal meningitis (18)	21	5		1	3	3		2	1	3	1	1	1
Tuberculosis of the respiratory system (23)	545	52	45	58	47	43	36	53	40	37	39	39	56
Other forms of tuberculosis (24–32)	47	7	3	5	3	7	3	2	3	4	2	2	6
Malaria (38)	92	3		1	2	6	4	6	11	14	26	15	4
Diabetes mellitus (59)	203	14	12	17	16	14	12	17	14	20	18	21	28
Cerebral hemorrhage and softening (82a, 82c)	709	58	57	61	57	63	66	74	48	41	55	70	59
Diseases of the heart (90–95)	2,340	198	179	237	192	164	189	212	136	143	174	231	285
Bronchitis (106)	38	3	5	2	3	5	2	2	3	3	2	4	4
Bronchopneumonia (107)	386	41	35	41	31	24	27	20	18	30	33	32	54
Lobar and unspecified pneumonia (108, 109)	453	44	40	54	62	20	19	13	13	14	27	56	91
Diarrhea and enteritis [under 2 years] (119)	150	12	9	12	5	19	18	12	14	16	13	13	7
Diarrhea and enteritis [2 years and over] (120)	59	2	3	3		4	6	11	15	4	5	2	4
Nephritis (130–132)	1,221	106	98	121	109	78	111	93	106	84	103	108	104
Puerperal septicemia (140, 142a, 145)	66	6	6	8	7	4	6	4	7	2	6	5	5
Other puerperal causes	114	10	11	13	12	8	8	11	6	5	9	4	17
Suicide (163–171)	207	14	21	25	14	21	22	12	17	12	11	15	23
Automobile accidents [1]	229	17	16	12	20	16	14	20	19	18	16	25	36
Automobile—railroad train and street car collisions	11	2			1	1					2		5
Other external causes	751	59	62	64	55	70	64	89	68	68	50	50	52
All other causes	3,904	300	281	320	303	316	315	362	364	328	328	336	351

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (COLORED), all causes	10,807	842	799	933	838	832	890	929	805	841	826	980	1,292
Typhoid and paratyphoid fever (1, 2)	131	9	7	17	7	9	16	20	18	4	11	8	5
Smallpox (6)													
Measles (7)	11	1		1	2	1		3				2	1
Scarlet fever (8)	2									1			1
Whooping cough (9)	50	8	6	5	5	5	7	3	2	2	3	2	2
Diphtheria (10)	47	9	4	2	1	1	2	3	1	9	5	7	3
Influenza (11)	528	31	31	41	32	16	7	5	9	6	19	70	261
Dysentery (13)	37	2	4	2	2	4	3	3	6	2	4	2	3
Erysipelas (15)	2				1				1				
Lethargic encephalitis (17)	4			1				1			1	1	
Epidemic cerebrospinal meningitis (18)	9	2	1	1	1					1		1	2
Tuberculosis of the respiratory system (23)	934	90	78	83	82	65	91	82	65	83	60	72	83
Other forms of tuberculosis (24–32)	71	4	9	7	6	5	9	7	5	3	5	7	4
Malaria (38)	64	4	1	2	1	2	8	12	8	11	10	4	1
Diabetes mellitus (59)	95	6	10	7	4	8	6	11	13	10	5	8	7
Cerebral hemorrhage and softening (82a, 82c)	578	52	41	47	34	56	48	45	32	50	54	46	73
Diseases of the heart (90–95)	1,786	121	113	168	151	158	158	157	114	137	157	155	197
Bronchitis (106)	20	3	2	2			2	2	1	2	1	5	
Bronchopneumonia (107)	344	40	27	45	23	19	16	19	16	23	17	49	50
Lobar and unspecified pneumonia (108, 109)	456	45	47	46	44	23	14	17	21	14	33	55	97
Diarrhea and enteritis [under 2 years] (119)	161	9	10	11	10	18	18	21	17	14	14	10	9
Diarrhea and enteritis [2 years and over] (120)	62	2	3	2	6	5	11	11	6	5	6	2	3
Nephritis (130–132)	1,001	74	78	80	79	71	74	93	83	79	84	93	113
Puerperal septicemia (140, 142a, 145)	75	7	5	1	7	4	7	6	13	8	7	6	4
Other puerperal causes	95	6	6	10	9	13	6	9	5	13	8	1	9
Suicide (163–171)	19	2		1	3	3	2	1		2	2	2	1
Automobile accidents [1]	112	13	6	9	10	6	8	8	5	9	18	10	10
Automobile—railroad train and street car collisions	2				2								
Other external causes	674	53	56	43	54	58	76	83	52	54	33	57	55
All other causes	3,437	249	254	299	262	282	301	307	312	299	269	305	298
MAINE, all causes	10,719	955	976	1,061	922	938	837	769	757	852	814	836	1,002
Typhoid and paratyphoid fever (1, 2)	20	1	1	1		2	2		5	3	3	1	1
Smallpox (6)													
Measles (7)	53	16	10	8	6	10				1	1		1
Scarlet fever (8)	17	1		1	1	3	1				2	7	1
Whooping cough (9)	16	1		2	1	2	1	2	3	2	1	1	
Diphtheria (10)	17		2	3	2	3	2			1		4	
Influenza (11)	206	26	39	45	26	18	9	5	5		8	7	18
Dysentery (13)	6				3	1					1		1
Erysipelas (15)	12	2	1	2	2	1	2	1		1			
Lethargic encephalitis (17)	5	1			1		1				1		1
Epidemic cerebrospinal meningitis (18)	10	1	1		1	1	1	1		4			
Tuberculosis of the respiratory system (23)	310	29	27	36	27	35	23	18	20	19	25	23	28
Other forms of tuberculosis (24–32)	75	8	6	14	3	6	6	9	5	6	1	3	8
Malaria (38)													
Diabetes mellitus (59)	239	18	24	28	21	18	14	14	19	23	17	21	22
Cerebral hemorrhage and softening (82a, 82c)	1,087	97	91	100	90	96	100	86	74	78	79	89	107
Diseases of the heart (90–95)	2,375	206	210	229	218	198	183	154	162	194	185	212	224
Bronchitis (106)	66	6	6	6	8	8	1	1	3	3	4	6	14
Bronchopneumonia (107)	294	29	33	43	26	23	17	17	8	9	21	22	46
Lobar and unspecified pneumonia (108, 109)	349	49	50	46	37	30	23	14	7	11	19	26	37
Diarrhea and enteritis [under 2 years] (119)	81	8	7	9	3	2	2	3	10	17	10	5	5
Diarrhea and enteritis [2 years and over] (120)	34	1	4	3	1	2	2	2	6	7		3	3
Nephritis (130–132)	329	78	87	73	71	76	54	66	66	76	64	52	66
Puerperal septicemia (140, 142a, 145)	40	2	3	5	3		2	5	5	3	2	6	4
Other puerperal causes	63	5	8	6	2	10	4	4	6	8	1	5	4
Suicide (163–171)	143	15	4	11	8	22	14	10	8	12	17	10	12
Automobile accidents [1]	149	2	7	5	4	11	10	14	17	21	25	16	17
Automobile—railroad train and street car collisions	9				2	1				4		2	
Other external causes	434	29	23	32	35	39	45	44	51	35	25	28	48
All other causes	3,780	324	332	353	320	320	318	299	277	314	302	287	334
MARYLAND (WHITE), all causes	15,955	1,448	1,379	1,670	1,450	1,317	1,227	1,156	1,144	1,114	1,235	1,246	1,569
Typhoid and paratyphoid fever (1, 2)	36	3	2	1	1	1	2	2	10	3	6	3	2
Smallpox (6)													
Measles (7)	17		4	4	3	2	3	1					
Scarlet fever (8)	31	4	2	5	1	3	2	1	1		3	5	4
Whooping cough (9)	59	4	9	9	7	6	7	6	3	5	2	1	
Diphtheria (10)	35	6	6	3	2	3	1	1	4	2	3	2	2
Influenza (11)	235	20	13	65	56	9	7	4	1	3	1	10	46
Dysentery (13)	15	1	2	1	1	1	1	2		2	3		1
Erysipelas (15)	24		6	4	1	5	3	1	2			1	1
Lethargic encephalitis (17)	11		2	1	1			3	1	2			1
Epidemic cerebrospinal meningitis (18)	11	2	1	1		2	1		1	1	1	1	
Tuberculosis of the respiratory system (23)	756	75	64	85	72	64	62	56	59	58	43	60	58
Other forms of tuberculosis (24–32)	77	7	3	10	10	6	8	8	7	3	5	3	7
Malaria (38)	1				1								
Diabetes mellitus (59)	366	32	31	42	38	39	14	21	24	27	43	24	31
Cerebral hemorrhage and softening (82a, 82c)	1,277	120	111	138	118	88	108	89	71	91	122	100	121
Diseases of the heart (90–95)	3,618	329	310	403	335	332	256	225	246	232	281	276	393
Bronchitis (106)	71	9	8	12	8	2	2	4	6	3	6	5	6
Bronchopneumonia (107)	555	64	54	81	41	44	29	20	17	23	46	47	89
Lobar and unspecified pneumonia (108, 109)	564	74	50	108	65	52	20	12	14	11	30	47	81
Diarrhea and enteritis [under 2 years] (119)	193	8	10	6	5	10	26	29	30	32	21	9	7
Diarrhea and enteritis [2 years and over] (120)	37	2	1	4	2	3	2	5	2	8	2	5	1
Nephritis (130–132)	1,720	147	150	164	174	143	131	113	125	107	135	150	181
Puerperal septicemia (140, 142a, 145)	47	3	4	7	3	4	5		9	3	4	3	2
Other puerperal causes	59	1	1	3	11	9	5	4	3	8	6	4	4
Suicide (163–171)	291	27	25	20	29	16	30	32	23	32	19	11	27
Automobile accidents [1]	329	21	32	20	22	32	28	25	31	36	27	31	24
Automobile—railroad train and street car collisions	14	2	1	2					3	1	1		4
Other external causes	776	62	50	61	53	58	82	104	72	65	52	58	59
All other causes	4,730	425	427	410	390	383	392	388	379	356	373	390	417

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (COLORED), all causes	5,083	404	421	508	463	392	399	382	387	381	401	426	519
Typhoid and paratyphoid fever (1, 2)	17	2	1	------	1	------	------	2	2	4	3	2	------
Smallpox (6)	------	------	------	------	------	------	------	------	------	------	------	------	------
Measles (7)	------	------	------	------	------	------	------	------	------	------	------	------	------
Scarlet fever (8)	1	------	1	------	------	------	------	------	------	------	------	------	------
Whooping cough (9)	32	3	3	5	3	5	4	------	6	1	1	1	------
Diphtheria (10)	15	4	2	2	2	------	3	------	------	1	1	------	------
Influenza (11)	77	4	9	17	15	6	1	2	2	1	2	4	14
Dysentery (13)	12	------	------	------	------	------	------	3	1	3	3	2	------
Erysipelas (15)	7	------	------	------	3	1	------	------	------	1	------	2	------
Lethargic encephalitis (17)	1	------	------	------	1	------	------	------	------	------	------	------	------
Epidemic cerebrospinal meningitis (18)	6	------	2	------	1	------	------	1	1	1	------	------	------
Tuberculosis of the respiratory system (23)	615	40	42	50	59	53	55	61	47	49	55	41	63
Other forms of tuberculosis (24–32)	58	5	1	3	9	5	4	7	8	3	6	5	2
Malaria (38)	------	------	------	------	------	------	------	------	------	------	------	------	------
Diabetes mellitus (59)	56	10	4	5	4	2	5	6	2	7	5	3	3
Cerebral hemorrhage and softening (82a, 82c)	379	25	29	36	44	30	33	29	23	21	29	33	47
Diseases of the heart (90–95)	775	70	61	66	72	69	70	46	63	54	66	65	73
Bronchitis (106)	18	2	------	2	1	2	1	1	------	1	2	2	4
Bronchopneumonia (107)	232	23	32	23	17	12	17	11	13	3	17	21	43
Lobar and unspecified pneumonia (108, 109)	326	29	41	63	37	17	15	11	12	8	15	28	50
Diarrhea and enteritis [under 2 years] (119)	108	3	3	7	3	10	10	15	18	12	13	7	7
Diarrhea and enteritis [2 years and over] (120)	23	1	------	------	2	3	4	4	1	4	1	2	1
Nephritis (130–132)	507	51	44	53	43	47	42	33	38	34	37	47	38
Puerperal septicemia (140, 142a, 145)	20	1	2	4	1	1	1	1	4	1	------	2	2
Other puerperal causes	21	2	2	3	------	1	------	2	3	2	2	------	4
Suicide (163–171)	19	------	3	1	4	3	1	3	------	2	------	------	2
Automobile accidents [1]	81	4	6	5	3	5	7	8	10	4	14	6	9
Automobile—railroad train and street car collisions	4	------	------	------	------	------	------	------	------	------	------	------	4
Other external causes	252	16	20	25	28	15	14	30	18	22	18	22	24
All other causes	1,421	109	113	138	110	105	112	106	115	142	111	131	129
MASSACHUSETTS, all causes	49,446	4,415	4,539	5,092	4,613	4,239	3,812	3,591	3,415	3,338	3,916	3,955	4,521
Typhoid and paratyphoid fever (1, 2)	25	------	3	1	------	2	3	2	3	4	3	------	4
Smallpox (6)	------	------	------	------	------	------	------	------	------	------	------	------	------
Measles (7)	66	4	6	5	15	15	8	7	3	1	------	------	2
Scarlet fever (8)	150	26	23	23	19	15	8	5	7	6	3	7	8
Whooping cough (9)	110	15	10	10	20	12	7	6	8	4	6	7	5
Diphtheria (10)	108	8	18	6	7	5	10	8	4	6	11	11	14
Influenza (11)	371	55	60	70	59	17	12	9	2	6	19	18	44
Dysentery (13)	10	1	------	------	------	1	------	1	------	4	------	1	2
Erysipelas (15)	65	3	10	9	10	11	5	3	2	4	1	4	3
Lethargic encephalitis (17)	18	3	1	1	2	2	1	2	3	------	1	1	1
Epidemic cerebrospinal meningitis (18)	43	1	5	5	3	6	4	2	2	4	4	3	4
Tuberculosis of the respiratory system (23)	2,054	201	175	228	219	176	154	157	153	145	143	153	150
Other forms of tuberculosis (24–32)	245	27	21	21	27	28	28	22	7	13	24	14	13
Malaria (38)	2	------	1	------	------	------	------	------	------	1	------	------	------
Diabetes mellitus (59)	1,197	90	96	131	111	105	99	107	85	77	82	97	117
Cerebral hemorrhage and softening (82a, 82c)	3,849	342	320	405	322	329	293	286	266	290	310	301	385
Diseases of the heart (90–95)	13,205	1,189	1,244	1,428	1,197	1,121	1,028	896	832	869	1,083	1,051	1,267
Bronchitis (106)	166	25	21	22	20	11	11	4	13	3	7	11	18
Bronchopneumonia (107)	1,989	209	229	270	244	160	116	81	68	83	138	166	225
Lobar and unspecified pneumonia (108, 109)	1,747	218	225	316	267	155	75	49	41	27	85	108	181
Diarrhea and enteritis [under 2 years] (119)	232	13	21	21	19	14	18	17	25	29	21	18	16
Diarrhea and enteritis [2 years and over] (120)	90	5	2	10	5	8	6	12	6	7	12	4	13
Nephritis (130–132)	3,670	304	321	370	329	341	285	279	273	234	308	291	335
Puerperal septicemia (140, 142a, 145)	132	8	13	19	16	6	15	10	9	9	5	14	8
Other puerperal causes	280	25	28	23	23	24	20	30	27	23	21	20	16
Suicide (163–171)	639	48	40	67	75	60	54	66	46	50	46	45	42
Automobile accidents [1]	777	54	53	32	50	54	49	74	68	76	78	97	92
Automobile—railroad train and street car collisions	21	1	------	1	------	2	2	3	------	1	4	3	4
Other external causes	2,032	160	186	157	178	158	166	203	194	140	145	149	196
All other causes	16,153	1,380	1,407	1,441	1,376	1,401	1,335	1,250	1,268	1,222	1,356	1,361	1,356
MICHIGAN, all causes	49,585	4,167	4,413	5,322	4,254	4,345	3,810	3,753	3,665	3,376	3,855	3,805	4,820
Typhoid and paratyphoid fever (1, 2)	55	3	4	2	2	2	3	6	12	7	5	7	2
Smallpox (6)	1	------	------	------	------	------	------	1	------	------	------	------	------
Measles (7)	195	8	8	13	33	44	44	19	7	2	3	2	12
Scarlet fever (8)	116	12	11	24	10	16	6	7	5	1	6	5	13
Whooping cough (9)	204	10	18	23	20	17	13	21	20	21	16	9	16
Diphtheria (10)	107	21	13	11	8	4	9	5	6	3	7	8	12
Influenza (11)	1,130	61	145	353	148	64	22	19	22	9	26	48	213
Dysentery (13)	32	------	------	1	1	3	2	1	5	12	1	2	4
Erysipelas (15)	80	9	8	16	13	11	7	------	3	3	3	2	5
Lethargic encephalitis (17)	29	2	1	3	3	3	2	2	2	2	5	3	1
Epidemic cerebrospinal meningitis (18)	72	8	6	14	10	10	4	4	2	2	4	4	4
Tuberculosis of the respiratory system (23)	2,146	185	178	210	183	223	179	187	147	140	158	163	193
Other forms of tuberculosis (24–32)	352	30	27	35	32	37	31	30	22	18	28	27	35
Malaria (38)	1	------	------	------	1	------	------	------	------	------	------	------	------
Diabetes mellitus (59)	1,122	94	90	131	98	92	90	79	92	68	78	88	122
Cerebral hemorrhage and softening (82a, 82c)	4,122	337	395	417	371	349	298	310	307	283	321	333	401
Diseases of the heart (90–95)	11,376	936	994	1,209	948	1,027	867	859	798	734	914	964	1,126
Bronchitis (106)	235	25	29	39	20	19	15	7	14	10	8	20	29
Bronchopneumonia (107)	1,453	115	166	209	133	113	73	57	57	51	102	154	223
Lobar and unspecified pneumonia (108, 109)	1,829	176	206	326	195	188	100	64	46	63	105	119	240
Diarrhea and enteritis [under 2 years] (119)	351	23	23	27	24	22	19	28	56	58	37	14	20
Diarrhea and enteritis [2 years and over] (120)	194	11	8	14	6	14	6	26	36	35	20	11	7
Nephritis (130–132)	2,914	247	281	297	259	243	226	224	223	196	233	216	269
Puerperal septicemia (140, 142a, 145)	182	10	23	22	14	15	19	13	14	11	15	11	15
Other puerperal causes	334	43	17	38	19	34	36	22	23	28	28	22	24
Suicide (163–171)	931	90	71	64	90	106	81	75	61	86	68	57	82
Automobile accidents [1]	1,143	113	78	55	74	84	88	106	112	117	121	89	106
Automobile—railroad train and street car collisions	96	11	7	6	9	12	6	4	2	9	7	12	11
Other external causes	2,303	173	205	179	166	196	230	250	197	170	195	171	171
All other causes	16,480	1,414	1,401	1,584	1,364	1,397	1,334	1,327	1,374	1,237	1,340	1,244	1,464

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA, all causes	25,591	1,998	2,275	2,505	2,130	2,113	1,903	1,990	1,809	1,868	2,156	2,146	2,698
Typhoid and paratyphoid fever (1, 2)	17		1	1		2	1		1	6	2	3	
Smallpox (6)													
Measles (7)	13				3	1						6	3
Scarlet fever (8)	41	5	8	4	8	1	8	1			2	2	2
Whooping cough (9)	42	1	5	5	2	2	2	2	7	7	6	1	2
Diphtheria (10)	26	2	1	1	2			5	3	3	3	3	3
Influenza (11)	790	31	118	183	82	36	21	15	15	18	25	31	215
Dysentery (13)	18	1	1	1	1	2			4	5	2		1
Erysipelas (15)	40	2	5	11	5	1	4	1	3		1	2	5
Lethargic encephalitis (17)	28		1	5	1	3	2		1	3	3	5	4
Epidemic cerebrospinal meningitis (18)	27	1	4	2	2	6	2			3	2	2	3
Tuberculosis of the respiratory system (23)	891	71	81	79	91	85	78	47	73	72	75	79	60
Other forms of tuberculosis (24–32)	157	13	16	14	11	19	21	14	13	7	8	9	12
Malaria (38)													
Diabetes mellitus (59)	601	40	55	51	37	48	41	42	43	44	74	61	65
Cerebral hemorrhage and softening (82a, 82c)	1,971	182	169	187	159	171	121	155	133	124	184	175	211
Diseases of the heart (90–95)	5,126	419	471	521	423	400	366	399	333	361	425	453	555
Bronchitis (106)	116	8	9	14	11	11	11	6	6	3	10	15	12
Bronchopneumonia (107)	1,003	81	124	111	69	76	52	49	38	48	107	93	155
Lobar and unspecified pneumonia (108, 109)	910	86	106	118	63	66	41	25	41	33	70	90	171
Diarrhea and enteritis [under 2 years] (119)	131	5	6	13	7	9	10	11	18	20	9	8	15
Diarrhea and enteritis [2 years and over] (120)	66	3	4	4	2	1	6	9	10	10	10	5	2
Nephritis (130–132)	1,390	130	128	151	105	109	112	99	88	94	125	118	131
Puerperal septicemia (140, 142a, 145)	80	3	4	11	4	7	10	8	7	7	9	3	7
Other puerperal causes	142	10	7	15	15	19	11	17	6	12	10	9	11
Suicide (163–171)	459	31	29	34	48	42	50	49	43	48	23	32	30
Automobile accidents [1]	486	28	17	32	30	40	39	49	51	54	49	49	48
Automobile—railroad train and street car collisions	45	5	1	1	4	3	2	12	6	3	6		
Other external causes	1,374	73	101	98	96	133	111	174	113	119	118	136	102
All other causes	9,601	767	803	838	849	820	781	801	753	764	798	756	871
MISSISSIPPI (WHITE), all causes	8,303	710	632	721	646	609	693	728	693	617	660	688	906
Typhoid and paratyphoid fever (1, 2)	46	3	2	1		2	5	9	10	6	1	6	1
Smallpox (6)	1					1							
Measles (7)	2												2
Scarlet fever (8)	10		1		1	1				2		2	3
Whooping cough (9)	50	5	5	6	8	3	10	4	4		1	3	1
Diphtheria (10)	94	19	2	4	2	3	2	2	9	7	16	15	13
Influenza (11)	415	22	36	49	40	18	6	1	8	7	17	40	171
Dysentery (13)	22				2	2	6	4	5	2		1	
Erysipelas (15)	23		1	3	1	1	1	3	2	6	2	1	2
Lethargic encephalitis (17)	3				1					1			1
Epidemic cerebrospinal meningitis (18)	6		1		1	1				1	1		1
Tuberculosis of the respiratory system (23)	344	28	27	33	30	24	33	20	35	28	24	25	37
Other forms of tuberculosis (24–32)	23	2				4	1		2	3	4	6	1
Malaria (38)	131	2	1	3	2	4	8	21	24	30	23	10	3
Diabetes mellitus (59)	136	14	11	7	12	12	7	17	9	11	9	7	20
Cerebral hemorrhage and softening (82a, 82c)	547	51	52	53	41	41	35	45	50	45	41	35	58
Diseases of the heart (90–95)	1,179	104	107	112	87	78	105	108	95	68	94	105	116
Bronchitis (106)	25	7		1	3	1	2	5	1		2	2	1
Bronchopneumonia (107)	164	24	11	17	22	4	9	2	12	8	17	17	21
Lobar and unspecified pneumonia (108, 109)	311	49	36	42	33	17	13	10	8	11	13	24	55
Diarrhea and enteritis [under 2 years] (119)	143	7	6	4	8	19	33	18	13	9	13	8	5
Diarrhea and enteritis [2 years and over] (120)	57	6	2	5	2	5	10	13	7	1	4	2	
Nephritis (130–132)	792	65	57	77	70	62	69	73	58	68	57	73	63
Puerperal septicemia (140, 142a, 145)	34	8	4	3	5	2	1	2	3	1	2		3
Other puerperal causes	76	7	7	4	5	8	7	4	9	6	6	5	8
Suicide (163–171)	98	3	5	5	10	14	15	8	5	8	14	3	8
Automobile accidents [1]	138	8	3	12	10	7	9	19	19	12	12	12	15
Automobile—railroad train and street car collisions	7			1				2				4	
Other external causes	516	41	35	37	26	42	61	51	44	35	46	41	57
All other causes	2,910	235	220	242	224	233	245	287	261	241	241	241	240
MISSISSIPPI (COLORED), all causes	12,008	1,031	932	1,114	991	969	914	1,072	890	930	991	929	1,245
Typhoid and paratyphoid fever (1, 2)	115	7	5	8	2	3	11	28	17	21	7	5	1
Smallpox (6)	4	1	1	1	1								
Measles (7)	2												2
Scarlet fever (8)	2	1					1						
Whooping cough (9)	68		6	8	4	7	10	11	8	5	5	2	2
Diphtheria (10)	59	10	6	3	3	2	1		7	5	9	5	8
Influenza (11)	436	30	30	50	49	31	10	2	4	7	16	46	161
Dysentery (13)	40	1	2	1	2	11	4	6	1	4	5	3	
Erysipelas (15)	4		2				1				1		
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	16	6	1			1	1	3		1			3
Tuberculosis of the respiratory system (23)	1,060	96	104	110	106	113	93	79	67	73	65	65	89
Other forms of tuberculosis (24–32)	61	7	10	4	6	7	7	6	4	2	2	3	3
Malaria (38)	264	6	4	4	10	12	12	33	45	57	54	21	6
Diabetes mellitus (59)	84	4	8	6	9	12	6	3	8	6	4	5	13
Cerebral hemorrhage and softening (82a, 82c)	633	63	62	62	58	46	49	43	43	52	57	42	56
Diseases of the heart (90–95)	1,063	99	91	92	84	77	86	113	88	83	86	73	86
Bronchitis (106)	13	1	3		1	3				1	3	1	
Bronchopneumonia (107)	136	19	21	21	9	11	4	9	7	12	5	6	12
Lobar and unspecified pneumonia (108, 109)	499	61	61	63	48	25	16	20	17	24	25	44	95
Diarrhea and enteritis [under 2 years] (119)	150	6	4	8	7	25	40	24	11	6	9	7	3
Diarrhea and enteritis [2 years and over] (120)	74	3	6	1	1	12	11	14	8	6	4	5	3
Nephritis (130–132)	974	87	70	87	76	90	91	102	81	76	78	70	66
Puerperal septicemia (140, 142a, 145)	69	2	3	7	2	6	8	12	5	9	7	4	4
Other puerperal causes	111	8	13	12	13	14	5	10	8	8	8	8	4
Suicide (163–171)	26	3		3	1	5	3	1	3	3	2	2	
Automobile accidents [1]	96	8	6	7	4	6	3	10	4	7	20	11	10
Automobile—railroad train and street car collisions													
Other external causes	869	84	63	93	63	64	66	87	80	53	74	64	78
All other causes	5,080	418	350	463	432	386	375	456	374	409	445	432	540

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI, all causes	43,738	3,668	3,685	4,285	3,783	3,432	3,334	3,522	3,171	3,004	3,357	3,613	4,884
Typhoid and paratyphoid fever (1, 2)	205	8	5	3	6	7	10	24	41	41	43	11	6
Smallpox (6)	2			2									
Measles (7)	33		1	4	5	8	7	1	1		1	2	3
Scarlet fever (8)	119	16	13	8	13	5	2	2		7	11	22	20
Whooping cough (9)	240	32	30	35	37	18	19	19	11	11	10	7	11
Diphtheria (10)	270	32	20	18	17	5	6	10	19	23	40	45	35
Influenza (11)	1,521	77	141	267	230	87	36	16	11	27	45	78	506
Dysentery (13)	108	2	3	3	1	11	14	23	16	21	10	4	
Erysipelas (15)	55	8	6	10	4	4	6	3	2	1	4	1	6
Lethargic encephalitis (17)	35	3	2	3	3	3	4	2	1	3	3	3	5
Epidemic cerebrospinal meningitis (18)	44	7	5	4	1	6	2	2	3	2	3	3	6
Tuberculosis of the respiratory system (23)	2,202	187	174	244	223	171	171	179	152	148	154	170	229
Other forms of tuberculosis (24–32)	234	29	19	13	20	15	25	24	18	25	14	11	21
Malaria (38)	116	5	6	3	3	3	9	25	16	25	13	3	5
Diabetes mellitus (59)	872	78	73	90	69	75	66	82	56	60	66	76	81
Cerebral hemorrhage and softening (82a, 82c)	3,085	276	249	285	260	240	237	233	226	210	266	277	326
Diseases of the heart (90–95)	8,604	734	729	861	744	712	629	706	624	560	642	741	922
Bronchitis (106)	170	15	14	27	14	11	7	12	9	10	10	19	22
Bronchopneumonia (107)	1,454	133	139	190	145	109	53	45	57	56	103	119	305
Lobar and unspecified pneumonia (108, 109)	2,070	190	269	306	235	107	80	54	52	58	116	184	419
Diarrhea and enteritis [under 2 years] (119)	536	16	13	15	21	53	98	85	77	62	54	24	18
Diarrhea and enteritis [2 years and over] (120)	237	5	12	6	8	16	22	54	39	35	24	12	4
Nephritis (130–132)	4,043	345	339	417	326	342	330	335	290	266	327	346	380
Puerperal septicemia (140, 142a, 145)	196	19	17	24	14	16	13	12	10	11	24	20	16
Other puerperal causes	208	19	20	23	17	17	14	17	19	19	10	17	16
Suicide (163–171)	735	55	53	62	76	75	78	64	63	59	47	46	57
Automobile accidents [1]	690	47	58	48	45	55	70	51	58	74	63	64	57
Automobile—railroad train and street car collisions	57	5	1		7	9	3	5		6	5	12	4
Other external causes	2,363	181	171	189	188	202	220	271	197	174	173	185	212
All other causes	13,234	1,144	1,103	1,125	1,051	1,050	1,103	1,166	1,103	1,010	1,076	1,111	1,192
MONTANA, all causes	5,294	414	500	543	437	452	380	380	456	414	399	412	507
Typhoid and paratyphoid fever (1, 2)	14	1	1	1	2		1		2	3	1	2	
Smallpox (6)													
Measles (7)	12	2	2	2	2				2				2
Scarlet fever (8)	7		1	1		1			1	1	1		1
Whooping cough (9)	22		2	2	7	2	3	2	2			1	1
Diphtheria (10)	2											1	1
Influenza (11)	190	10	35	39	16	13	5	3	2	5	10	8	44
Dysentery (13)	2							1		1			
Erysipelas (15)	10		1	1		1		1	1		1	2	2
Lethargic encephalitis (17)	9			2			1	1	1	2			2
Epidemic cerebrospinal meningitis (18)	5	1	1			1	1		1				
Tuberculosis of the respiratory system (23)	256	20	16	26	16	27	20	21	24	19	21	19	27
Other forms of tuberculosis (24–32)	51	5	3	4	10	8	3	2	2	3	6	2	3
Malaria (38)													
Diabetes mellitus (59)	87	6	9	6	9	10	11	4	9	6	7	4	6
Cerebral hemorrhage and softening (82a, 82c)	340	27	32	30	27	31	34	31	20	20	32	30	26
Diseases of the heart (90–95)	1,065	83	90	108	98	97	82	78	96	81	75	82	95
Bronchitis (106)	14	1	1	2		1	3		1	2	2		1
Bronchopneumonia (107)	110	9	12	14	12	10	8	5	3	8	7	6	16
Lobar and unspecified pneumonia (108, 109)	238	29	31	29	17	18	7	7	8	13	23	24	32
Diarrhea and enteritis [under 2 years] (119)	40	1	2	3	2	2	3	3	11	7	4	1	1
Diarrhea and enteritis [2 years and over] (120)	16	1		1	1			1	3	4	3		2
Nephritis (130–132)	348	28	32	33	30	25	27	25	27	33	23	26	39
Puerperal septicemia (140, 142a, 145)	22		1	7		2	1		1	1	4	2	3
Other puerperal causes	38	1	3	4	5	3	4	1	7	4	1	3	2
Suicide (163–171)	125	14	14	13	9	7	6	14	17	10	8	5	8
Automobile accidents [1]	96	4	5		6	4	7	6	16	6	8	20	14
Automobile—railroad train and street car collisions	2							1			1		
Other external causes	389	27	30	25	25	27	19	64	49	33	28	34	28
All other causes	1,784	144	176	190	143	162	134	109	150	152	133	140	151
NEBRASKA, all causes	12,922	1,099	1,231	1,227	1,093	1,034	902	955	945	937	1,094	989	1,416
Typhoid and paratyphoid fever (1, 2)	19	2	1				2	2	3	4	4		1
Smallpox (6)	1		1										
Measles (7)	9	7		2									
Scarlet fever (8)	26	5	1	3	4	1			1		4	3	4
Whooping cough (9)	28	1	3	3	2	1	2	2	4	1	1	4	4
Diphtheria (10)	45	1	3	1	4		3	2	7	2	5	10	7
Influenza (11)	544	43	123	70	44	28	14	9	17	12	19	25	140
Dysentery (13)	9				1		1	2		4	1		
Erysipelas (15)	17	1		3	1	3	2	1		1	1	1	3
Lethargic encephalitis (17)	9	2	1				1	1		1		1	2
Epidemic cerebrospinal meningitis (18)	15		4	4		2			1		3		1
Tuberculosis of the respiratory system (23)	242	24	29	32	18	20	13	13	21	15	19	15	23
Other forms of tuberculosis (24–32)	37	2	2	4	3	3	2	4	1	3	5	3	5
Malaria (38)	1					1							
Diabetes mellitus (59)	332	36	27	27	31	21	21	25	14	24	35	32	39
Cerebral hemorrhage and softening (82a, 82c)	1,154	112	99	115	94	104	89	70	82	61	93	103	132
Diseases of the heart (90–95)	2,526	213	256	234	203	189	174	190	174	185	209	203	296
Bronchitis (106)	40	4	6	1	7	2	2	1	3	1	3	4	6
Bronchopneumonia (107)	310	27	41	45	31	21	12	17	6	13	22	22	53
Lobar and unspecified pneumonia (108, 109)	489	48	73	58	64	35	19	17	15	29	31	28	72
Diarrhea and enteritis [under 2 years] (119)	77	6	6	7	7	3	4	9	9	10	8	5	3
Diarrhea and enteritis [2 years and over] (120)	57			2	2	5	2	7	20	7	5	1	6
Nephritis (130–132)	920	79	89	80	78	83	67	56	61	75	77	77	98
Puerperal septicemia (140, 142a, 145)	58	5	4	7	7	3	3	4	4	2	7	1	11
Other puerperal causes	74	8	5	6	8	6	9	4	2	8	3	7	8
Suicide (163–171)	277	14	22	26	25	29	28	21	15	33	26	26	12
Automobile accidents [1]	212	7	11	11	17	17	26	19	24	23	17	20	20
Automobile—railroad train and street car collisions	11	3					1		1	1	1	1	3
Other external causes	737	48	48	66	41	55	60	88	67	70	78	63	53
All other causes	4,646	401	376	420	401	402	345	391	393	352	417	384	414

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA, all causes	1,342	130	130	112	120	122	85	108	107	80	107	102	139
Typhoid and paratyphoid fever (1, 2)	8	1		2	1	1			1	1	1		
Smallpox (6)													
Measles (7)	2								1		1		
Scarlet fever (8)	2	1											1
Whooping cough (9)	5	1		1		1				1			1
Diphtheria (10)	6	1		1					1		1	1	1
Influenza (11)	53	5	5	1	4	6			1		3	8	20
Dysentery (13)	1						1						
Erysipelas (15)	1						1						
Lethargic encephalitis (17)	2		2										
Epidemic cerebrospinal meningitis (18)	7	3	1	2			1						
Tuberculosis of the respiratory system (23)	86	8	6	6	11	12	6	4	9	5	4	8	7
Other forms of tuberculosis (24–32)	8	2		1	1				1	1	1	1	
Malaria (38)	1					1							
Diabetes mellitus (59)	16	3	1		1	2	1	1	4	1			2
Cerebral hemorrhage and softening (82a, 82c)	69	4	4	2	10	7	2	5	4	5	13	5	8
Diseases of the heart (90–95)	218	24	23	21	16	23	9	20	21	12	12	18	19
Bronchitis (106)	1		1										
Bronchopneumonia (107)	38	5	7	2	3	6	1	1		2	1	1	9
Lobar and unspecified pneumonia (108, 109)	76	15	17	6	9	4	3	4	1	3	2	6	6
Diarrhea and enteritis [under 2 years] (119)	15	1	2		1	1	2		1		3	3	1
Diarrhea and enteritis [2 years and over] (120)	6	2			1			2	1				
Nephritis (130–132)	92	6	14	9	5	11	8	5	4	7	5	7	11
Puerperal septicemia (140, 142a, 145)	4	1	1			1	1						
Other puerperal causes	4	1		1	1					1			
Suicide (163–171)	43	2	4	6	4	3	2	6	4	3	3	3	3
Automobile accidents [1]	59	5		3	6	3	7	6	3	5	9	6	6
Automobile—railroad train and street car collisions	1		1										
Other external causes	142	10	13	9	18	12	10	16	13	9	6	13	13
All other causes	376	29	28	39	28	28	30	38	37	24	42	22	31
NEW HAMPSHIRE, all causes	6,329	588	563	594	590	528	485	540	501	454	455	476	555
Typhoid and paratyphoid fever (1, 2)	8	2	2						1	1			2
Smallpox (6)													
Measles (7)	6	2				1	1	1	1				
Scarlet fever (8)	11	1	3	1		2		2		1		1	
Whooping cough (9)	13	1		2	1	3	1	2	2			1	
Diphtheria (10)	4	3			1								
Influenza (11)	149	14	30	37	15	9	6	4	1	4	6	8	15
Dysentery (13)	1			1									
Erysipelas (15)	8	1	1			2			1	1		1	1
Lethargic encephalitis (17)	4			1			2					1	
Epidemic cerebrospinal meningitis (18)	3				1	1		1					
Tuberculosis of the respiratory system (23)	177	16	10	12	18	19	23	11	12	10	15	11	20
Other forms of tuberculosis (24–32)	33	1	4	4	4	4	2	2	2	3	4	1	2
Malaria (38)	3			1		1		1					
Diabetes mellitus (59)	148	13	17	15	9	18	5	14	13	10	9	13	12
Cerebral hemorrhage and softening (82a, 82c)	648	66	55	53	53	46	65	53	62	46	43	48	58
Diseases of the heart (90–95)	1,512	137	123	138	162	122	126	134	126	104	112	104	124
Bronchitis (106)	31	1	5	8	4		1	2	1		3	4	2
Bronchopneumonia (107)	176	13	31	22	22	14	13	8	6	9	10	11	17
Lobar and unspecified pneumonia (108, 109)	214	32	28	37	26	18	8	7	7	9	5	13	24
Diarrhea and enteritis [under 2 years] (119)	28		1		2	2		4	7	1	6	2	3
Diarrhea and enteritis [2 years and over] (120)	10	2	1	1			1	1	1	1	1		1
Nephritis (130–132)	522	45	42	49	46	43	37	44	44	39	39	45	49
Puerperal septicemia (140, 142a, 145)	9	1			1	2				1	1	1	2
Other puerperal causes	37	6	4	1	2	5	3	2	4	2	4	1	3
Suicide (163–171)	96	11	6	5	8	8	8	14	6	5	12	6	7
Automobile accidents [1]	70	6	5	1	6	7	8	4	9	7	6	3	8
Automobile—railroad train and street car collisions	2							2					
Other external causes	247	22	26	15	22	18	19	23	24	24	22	15	17
All other causes	2,159	192	169	190	187	183	156	204	171	176	157	186	188
NEW JERSEY, all causes	42,914	3,643	3,587	4,813	3,884	3,605	3,246	3,116	3,159	3,072	3,253	3,420	4,116
Typhoid and paratyphoid fever (1, 2)	30	4	1			1		1	8	2	7	3	3
Smallpox (6)													
Measles (7)	46	2	1	5	7	15	6	1	2			3	4
Scarlet fever (8)	73	4	2	9	11	13	6	2	5	3	3	10	5
Whooping cough (9)	129	13	12	33	12	12	13	5	8	6	6	2	7
Diphtheria (10)	98	10	12	8	9	14	3	6	5	3	7	10	11
Influenza (11)	587	40	59	207	97	39	15	10	9	4	20	31	56
Dysentery (13)	5	1								1	1		2
Erysipelas (15)	54	6	6	11	9	2	5	2	3	2	2	1	5
Lethargic encephalitis (17)	39	4	2	5	2	3	3	2	4	5	4	2	3
Epidemic cerebrospinal meningitis (18)	38	3	4	5	5	2	2	4	2	2	3	2	4
Tuberculosis of the respiratory system (23)	2,283	197	202	220	209	222	206	176	179	170	166	159	177
Other forms of tuberculosis (24–32)	250	22	20	23	31	19	22	19	23	12	21	21	17
Malaria (38)	4					1			1	2			
Diabetes mellitus (59)	1,122	92	87	121	105	91	82	72	73	76	100	108	115
Cerebral hemorrhage and softening (82a, 82c)	3,152	258	257	360	283	247	264	225	212	206	271	262	307
Diseases of the heart (90–95)	10,627	944	905	1,141	975	874	818	741	738	727	833	874	1,057
Bronchitis (106)	140	14	9	28	12	15	5	6	6	9	12	10	14
Bronchopneumonia (107)	1,181	100	125	196	118	113	60	45	38	44	76	88	178
Lobar and unspecified pneumonia (108, 109)	1,718	224	170	345	190	128	81	50	46	51	95	131	207
Diarrhea and enteritis [under 2 years] (119)	240	15	11	27	18	22	7	12	26	31	25	23	23
Diarrhea and enteritis [2 years and over] (120)	108	5	9	12	7	5	8	7	15	19	7	3	11
Nephritis (130–132)	3,850	314	324	483	327	319	254	267	271	316	298	289	388
Puerperal septicemia (140, 142a, 145)	135	15	7	12	17	9	16	11	12	6	7	7	16
Other puerperal causes	217	17	28	20	19	24	19	16	19	10	14	15	16
Suicide (163–171)	739	64	51	52	69	58	66	77	52	67	42	71	70
Automobile accidents [1]	1,105	79	84	83	88	76	77	75	115	121	108	115	84
Automobile—railroad train and street car collisions	48	3	4	9	1	10	3	1	7	2	3	2	3
Other external causes	1,977	141	171	196	160	156	164	221	199	143	127	147	152
All other causes	12,919	1,052	1,024	1,202	1,103	1,115	1,041	1,062	1,081	1,032	995	1,031	1,181

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO, all causes	5,968	499	492	515	503	494	419	486	595	460	446	515	544
Typhoid and paratyphoid fever (1, 2)	27	3	2		1	2	1		4	6	6	2	
Smallpox (6)													
Measles (7)	10		1	2	2	2	1	2					
Scarlet fever (8)	16	2		1	3	2	1			2	1	1	3
Whooping cough (9)	30	2	1	5	3	4	1	3	2	3	3	1	2
Diphtheria (10)	84	10	5	10	3	5	3	11	7	10	3	6	11
Influenza (11)	241	18	31	28	27	10	3		2	4	10	41	67
Dysentery (13)	24		1			2		5	8	4	1	3	
Erysipelas (15)	9	1	2	2		3	1						
Lethargic encephalitis (17)	2			2									
Epidemic cerebrospinal meningitis (18)	7			2			1		2			1	1
Tuberculosis of the respiratory system (23)	562	52	44	54	52	41	37	44	59	32	40	54	53
Other forms of tuberculosis (24–32)	53	7	4	6	7	3	5	3	1	6	3	4	4
Malaria (38)	6			1		1	1	1	1		1		
Diabetes mellitus (59)	39	4	6	2	6	5	5	2	3	1	1	1	3
Cerebral hemorrhage and softening (82a, 82c)	147	13	14	14	9	15	12	10	9	9	11	13	18
Diseases of the heart (90–95)	454	35	39	37	40	51	34	35	39	31	30	37	46
Bronchitis (106)	16	1	5	1	1		1		1	1	5		
Bronchopneumonia (107)	175	26	16	32	18	11	10	8	5	8	8	17	16
Lobar and unspecified pneumonia (108, 109)	225	30	34	17	20	18	7	6	13	10	12	30	28
Diarrhea and enteritis [under 2 years] (119)	269	8	6	10	10	7	17	48	82	51	18	5	7
Diarrhea and enteritis [2 years and over] (120)	23	1	1	3	3	1	2	1	2	6	2		1
Nephritis (130–132)	238	26	20	19	13	26	19	18	20	20	21	24	12
Puerperal septicemia (140, 142a, 145)	48	1	6	4	8	4	6	3	2	3	3	6	2
Other puerperal causes	65	3	7	3	9	5	7	5	8	3	3	5	7
Suicide (163–171)	59	3	3	5	3	4	11	7	6	3	4	7	3
Automobile accidents [1]	97	6	6	8	5	13	9	5	8	9	14	6	8
Automobile—railroad train and street car collisions	1												1
Other external causes	295	13	26	13	25	21	32	27	28	20	31	22	37
All other causes	2,746	234	212	234	235	238	192	242	283	218	215	229	214
NEW YORK, all causes	147,824	12,919	12,640	16,045	13,673	13,062	11,206	10,774	10,460	10,091	11,346	11,355	14,253
Typhoid and paratyphoid fever (1, 2)	131	8	7	4	3	8	5	13	24	18	21	10	10
Smallpox (6)													
Measles (7)	219	9	22	32	41	37	43	9	4	2	1	7	12
Scarlet fever (8)	366	20	42	33	58	61	30	9	10	5	14	12	22
Whooping cough (9)	312	14	25	41	30	31	25	12	34	27	22	20	31
Diphtheria (10)	266	31	38	33	33	26	23	19	14	12	7	10	20
Influenza (11)	1,569	91	169	432	244	114	55	27	19	24	52	72	270
Dysentery (13)	45	3	2	2	3	1	2	6	6	7	7	4	2
Erysipelas (15)	322	20	27	48	51	59	30	27	14	5	5	11	25
Lethargic encephalitis (17)	104	13	7	10	10	2	9	9	10	9	6	5	14
Epidemic cerebrospinal meningitis (18)	166	17	17	28	20	15	10	11	10	7	12	10	9
Tuberculosis of the respiratory system (23)	7,254	617	620	725	672	686	625	620	556	531	516	544	542
Other forms of tuberculosis (24–32)	819	68	59	78	85	72	71	62	92	72	51	49	60
Malaria (38)	2		1				1						
Diabetes mellitus (59)	3,977	355	354	453	350	353	276	271	244	277	302	343	399
Cerebral hemorrhage and softening (82a, 82c)	8,627	820	737	863	804	756	661	624	569	577	670	675	871
Diseases of the heart (90–95)	38,827	3,360	3,367	4,266	3,534	3,386	2,813	2,735	2,590	2,595	3,053	3,122	4,026
Bronchitis (106)	462	41	46	66	46	38	24	25	19	30	25	44	58
Bronchopneumonia (107)	4,903	484	471	763	574	466	260	205	185	210	286	336	663
Lobar and unspecified pneumonia (108, 109)	6,663	690	775	1,297	733	545	353	251	172	187	326	417	917
Diarrhea and enteritis [under 2 years] (119)	931	67	72	68	87	68	50	59	87	111	108	76	78
Diarrhea and enteritis [2 years and over] (120)	248	22	17	17	12	18	20	23	28	30	31	13	17
Nephritis (130–132)	11,724	1,034	1,026	1,293	1,087	1,013	932	863	824	762	912	910	1,068
Puerperal septicemia (140, 142a, 145)	455	39	44	42	45	50	26	27	45	32	36	38	31
Other puerperal causes	719	67	63	77	55	63	47	68	68	60	49	35	67
Suicide (163–171)	2,713	197	199	248	270	271	243	214	225	195	217	230	204
Automobile accidents [1]	2,813	233	177	188	215	231	216	231	251	266	272	266	267
Automobile—railroad train and street car collisions	150	20	11	12	15	12	9	10	7	9	18	18	9
Other external causes	6,911	536	492	551	546	614	563	693	669	587	559	535	566
All other causes	46,126	4,043	3,753	4,325	4,050	4,086	3,784	3,651	3,684	3,444	3,768	3,543	3,995
NORTH CAROLINA (WHITE), all causes	19,513	1,629	1,621	1,911	1,769	1,662	1,622	1,600	1,370	1,377	1,473	1,666	1,813
Typhoid and paratyphoid fever (1, 2)	80	7	5	5	3	3	8	15	10	11	10	2	1
Smallpox (6)													
Measles (7)	40		3	1	11	8	9	4	1		1		2
Scarlet fever (8)	34	6	2	5	2	2	1	1	3	3	2	3	4
Whooping cough (9)	136	6	11	21	12	22	19	18	10	7	4	4	2
Diphtheria (10)	139	15	7	15	5	1		3	8	14	28	27	16
Influenza (11)	519	37	49	83	95	43	11	4	14	9	19	39	116
Dysentery (13)	60	1	3	2	3	9	13	14	7	1	2	3	2
Erysipelas (15)	33	4	1		5	2	4	1		7	6	1	2
Lethargic encephalitis (17)	20	4		3		3	1	1	1	1	1	1	2
Epidemic cerebrospinal meningitis (18)	17	4	2	4	3			1	1			1	1
Tuberculosis of the respiratory system (23)	866	77	90	73	74	64	68	65	65	74	69	74	73
Other forms of tuberculosis (24–32)	82	6	6	5	9	5	9	6	5	7	6	10	8
Malaria (38)	15	1	1				1	1	4	2	1		4
Diabetes mellitus (59)	293	24	30	26	34	26	24	14	18	19	14	28	36
Cerebral hemorrhage and softening (82a, 82c)	1,655	135	141	175	132	139	125	133	112	132	146	137	148
Diseases of the heart (90–95)	3,135	255	245	314	276	266	243	278	206	244	262	241	305
Bronchitis (106)	62	7	5	3	3	10	3	2	1	3	7	7	11
Bronchopneumonia (107)	595	66	80	88	55	29	29	10	21	26	39	61	91
Lobar and unspecified pneumonia (108, 109)	908	107	106	143	117	74	37	29	30	28	49	66	122
Diarrhea and enteritis [under 2 years] (119)	368	11	13	8	14	39	93	87	35	22	19	18	9
Diarrhea and enteritis [2 years and over] (120)	113	7	4	7	5	14	24	19	9	8	3	7	6
Nephritis (130–132)	1,931	163	163	159	176	172	163	162	143	131	154	163	182
Puerperal septicemia (140, 142a, 145)	63	4	6	5	7	3	5	2	5	7	8	3	8
Other puerperal causes	228	17	20	34	21	22	16	22	18	23	9	10	16
Suicide (163–171)	264	24	21	26	29	22	24	24	19	16	23	19	17
Automobile accidents [1]	430	28	26	36	23	37	29	34	41	38	48	49	41
Automobile—railroad train and street car collisions	27	1			1	6	1		2	10	2	2	2
Other external causes	893	77	54	77	70	71	82	107	75	63	57	81	79
All other causes	6,507	535	527	593	584	570	578	543	506	471	484	609	507

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA (COLORED), all causes	11,538	940	959	1,121	1,009	1,028	1,034	966	926	832	873	889	961
Typhoid and paratyphoid fever (1, 2)	83	6	3	1	1	3	10	18	16	13	5	4	3
Smallpox (6)													
Measles (7)	21		1	3	5	3	5		2	1		1	
Scarlet fever (8)													
Whooping cough (9)	106	6	10	13	8	10	22	9	8	7	5	1	7
Diphtheria (10)	27	1	5	1	1	2	2	4		1	2	5	3
Influenza (11)	300	17	34	51	62	31	10	9	5	5	16	20	40
Dysentery (13)	24		3	1			5	6	3	1	3	1	1
Erysipelas (15)	1												1
Lethargic encephalitis (17)	2		1		1								
Epidemic cerebrospinal meningitis (18)	9				3	4		1		1			
Tuberculosis of the respiratory system (23)	1,164	101	118	95	100	115	101	92	96	92	74	89	91
Other forms of tuberculosis (24–32)	112	10	7	8	11	16	13	12	12	7	6	6	4
Malaria (38)	38	1	4	3	1	1	5	6	1	8	5	2	1
Diabetes mellitus (59)	103	10	7	10	10	10	3	6	12	4	9	9	13
Cerebral hemorrhage and softening (82a, 82c)	799	60	61	76	58	74	74	68	65	67	60	59	77
Diseases of the heart (90–95)	1,458	119	103	147	123	123	112	126	128	110	127	120	120
Bronchitis (106)	36	2	5	5	7	4		1	3		2	2	5
Bronchopneumonia (107)	356	35	41	67	34	33	16	12	13	15	19	25	46
Lobar and unspecified pneumonia (108, 109)	686	76	91	102	96	54	20	13	27	20	36	62	89
Diarrhea and enteritis [under 2 years] (119)	282	8	9	12	15	34	62	48	27	21	20	19	7
Diarrhea and enteritis [2 years and over] (120)	59	3	3	2		9	12	5	7	7	5	3	3
Nephritis (130–132)	1,075	84	72	96	86	80	111	102	97	74	87	85	101
Puerperal septicemia (140, 142a, 145)	62	5	6	5	6	7	6	6	2	7	4	4	4
Other puerperal causes	176	14	11	20	16	19	22	19	16	10	12	4	13
Suicide (163–171)	22		2	2	1		3	1	2	2	2	3	4
Automobile accidents [1]	128	11	8	6	9	7	12	9	17	13	13	14	9
Automobile—railroad train and street car collisions	7	1	1	1			1		2	1			
Other external causes	668	48	40	68	46	53	68	61	72	57	55	60	40
All other causes	3,734	322	313	326	309	336	339	332	293	288	306	291	279
NORTH DAKOTA, all causes	5,153	367	429	538	456	414	376	432	364	403	465	451	458
Typhoid and paratyphoid fever (1, 2)	15	1	1	1				2	3	2	3	2	
Smallpox (6)													
Measles (7)	11	1	1				1	1			1	2	4
Scarlet fever (8)	5		1	1		1	1	1					
Whooping cough (9)	23			1	2	3	5	1	4	4	1	2	
Diphtheria (10)	14	1				3	1	1			1	5	2
Influenza (11)	141	6	11	36	14	18	9	4	3	3	4	7	26
Dysentery (13)	5		1				1			1	1		1
Erysipelas (15)	7		1			1	1	1		2		1	
Lethargic encephalitis (17)	6		2				1	1	1		1		
Epidemic cerebrospinal meningitis (18)	15	1	3	2		1	2	1	2		1	1	1
Tuberculosis of the respiratory system (23)	167	12	12	15	21	10	20	18	4	10	18	14	13
Other forms of tuberculosis (24–32)	33	2	2	4	1	6	3	3	1	1	4	1	5
Malaria (38)													
Diabetes mellitus (59)	118	8	14	14	9	11	7	5	4	15	14	6	11
Cerebral hemorrhage and softening (82a, 82c)	433	30	39	37	43	30	35	35	29	39	38	45	33
Diseases of the heart (90–95)	857	66	82	97	77	67	37	62	57	75	83	75	79
Bronchitis (106)	30		3	1	2	5	1	5	2	5		4	2
Bronchopneumonia (107)	169	13	13	29	18	9	5	6	7	5	16	22	26
Lobar and unspecified pneumonia (108, 109)	218	15	14	37	27	18	9	10	10	5	18	26	29
Diarrhea and enteritis [under 2 years] (119)	97	9	9	5	5	7	4	7	5	16	9	11	10
Diarrhea and enteritis [2 years and over] (120)	22				2		1	3	4	7	2	3	
Nephritis (130–132)	350	28	26	39	25	30	27	29	28	24	28	34	32
Puerperal septicemia (140, 142a, 145)	19	2	1		2	1	3	3	1	1		3	2
Other puerperal causes	43	4	4	3	5	3	2	4	6	3	3		6
Suicide (163–171)	79	1	2	8	10	9	2	8	11	7	10	6	5
Automobile accidents [1]	57		2	4	4	5	5	5	4	13	11	3	1
Automobile—railroad train and street car collisions	2										1		1
Other external causes	226	13	18	22	16	19	32	28	21	23	13	13	8
All other causes	1,991	154	167	182	173	157	161	188	157	142	184	165	161
OHIO, all causes	76,286	6,546	6,637	8,040	6,699	6,408	5,627	5,940	5,564	5,126	5,855	6,003	7,841
Typhoid and paratyphoid fever (1, 2)	140	8	4	6	4	4	7	19	27	32	13	6	10
Smallpox (6)	2					1						1	
Measles (7)	180	8	13	31	48	41	20	6	5	1	1	2	4
Scarlet fever (8)	222	17	30	29	28	20	14	8		9	14	29	24
Whooping cough (9)	336	16	46	64	40	42	32	36	19	11	7	13	10
Diphtheria (10)	222	38	30	25	12	9	5	8	8	15	24	23	25
Influenza (11)	2,354	141	301	572	264	118	52	38	34	41	68	104	621
Dysentery (13)	53	1	1			5	1	21	12	6	3	2	1
Erysipelas (15)	96	6	13	12	18	13	5	4	3	1	6	7	8
Lethargic encephalitis (17)	55	4	3	7	5	1	5	8	5	2	7	2	6
Epidemic cerebrospinal meningitis (18)	70	7	8	8	10	7	8	2	4	1	3	6	6
Tuberculosis of the respiratory system (23)	3,412	300	311	372	311	302	271	297	245	234	234	249	286
Other forms of tuberculosis (24–32)	374	36	35	39	40	28	27	42	26	32	20	23	26
Malaria (38)	7						2		2		2		1
Diabetes mellitus (59)	1,648	156	150	188	128	136	122	124	111	114	123	134	162
Cerebral hemorrhage and softening (82a, 82c)	7,135	621	605	741	625	632	555	512	511	460	549	613	711
Diseases of the heart (90–95)	15,871	1,399	1,363	1,677	1,417	1,378	1,220	1,113	1,042	1,024	1,247	1,285	1,706
Bronchitis (106)	254	28	32	29	24	24	15	9	9	13	20	17	34
Bronchopneumonia (107)	2,486	271	268	344	218	178	97	94	85	104	184	249	394
Lobar and unspecified pneumonia (108, 109)	2,623	253	339	436	227	194	118	89	79	73	164	235	416
Diarrhea and enteritis [under 2 years] (119)	654	18	22	26	28	29	49	137	162	96	45	21	21
Diarrhea and enteritis [2 years and over] (120)	222	13	15	8	8	8	15	43	43	23	23	10	13
Nephritis (130–132)	5,450	471	460	553	506	471	395	444	438	362	434	421	495
Puerperal septicemia (140, 142a, 145)	258	28	26	19	24	22	21	23	11	18	20	21	25
Other puerperal causes	382	34	30	41	31	27	25	47	33	30	23	32	29
Suicide (163–171)	1,316	108	87	112	123	156	104	111	109	97	101	101	107
Automobile accidents [1]	1,822	157	124	130	144	118	126	168	157	152	228	152	166
Automobile—railroad train and street car collisions	178	18	11	23	15	11	12	12	10	15	21	19	11
Other external causes	4,088	297	322	314	331	335	388	399	391	307	304	310	390
All other causes	24,376	2,092	1,988	2,234	2,070	2,098	1,916	2,126	1,983	1,853	1,967	1,916	2,133

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA (WHITE), all causes	16,663	1,354	1,480	1,708	1,408	1,213	1,086	1,414	1,247	1,201	1,326	1,343	1,883
Typhoid and paratyphoid fever (1, 2)	177	12	3	5	2	4	7	22	51	24	23	15	9
Smallpox (6)	1				1								
Measles (7)	11		2		4	1	3		1				
Scarlet fever (8)	45	9	2	3	2	4	1	2	2	3	6	7	4
Whooping cough (9)	86	3	7	7	10	12	13	11	7	5	2	5	4
Diphtheria (10)	308	25	28	19	9	6	6	7	15	43	55	60	35
Influenza (11)	942	46	151	228	89	34	13	5	15	8	26	37	290
Dysentery (13)	44	3				4	5	15	4	3	7	3	
Erysipelas (15)	34	3	3	3	4	2		4	1	6	2	3	3
Lethargic encephalitis (17)	14	1		2			2	1	2		2	2	2
Epidemic cerebrospinal meningitis (18)	24	2	4	1	6	2	1	2		2	1		3
Tuberculosis of the respiratory system (23)	694	49	66	72	63	60	51	67	51	52	54	49	60
Other forms of tuberculosis (24–32)	74	9	6	8	9	6	4	4	6	7	4	4	7
Malaria (38)	85	1	5	7	2	4	1	13	9	27	11	4	1
Diabetes mellitus (59)	273	25	20	31	20	25	15	26	18	15	25	24	29
Cerebral hemorrhage and softening (82a, 82c)	1,267	119	114	134	114	92	81	118	88	87	107	106	107
Diseases of the heart (90–95)	2,262	214	203	197	194	179	141	179	149	171	203	191	241
Bronchitis (106)	21	3		2	2	5	1	1	3	1		1	2
Bronchopneumonia (107)	550	45	78	91	56	16	20	14	20	19	40	46	105
Lobar and unspecified pneumonia (108, 109)	754	75	88	127	99	41	11	28	16	20	38	45	166
Diarrhea and enteritis [under 2 years] (119)	210	6	7	6	7	11	28	58	23	19	25	13	7
Diarrhea and enteritis [2 years and over] (120)	104	7	3	4	6	6	11	23	11	12	10	5	6
Nephritis (130–132)	1,007	77	86	85	90	71	74	85	80	80	82	97	100
Puerperal septicemia (140, 142a, 145)	115	12	13	13	13	6	8	9	10	6	4	10	11
Other puerperal causes	135	10	13	19	17	6	9	8	8	13	11	10	11
Suicide (163–171)	269	23	22	20	32	33	23	24	21	23	17	16	15
Automobile accidents [1]	399	27	31	36	29	27	23	36	43	39	37	45	26
Automobile—railroad train and street car collisions	23	1	4	5			1	2	3	1	1	3	2
Other external causes	981	76	66	73	79	78	103	106	90	77	71	78	84
All other causes	5,754	471	455	510	449	478	430	544	500	438	462	464	553
OKLAHOMA (COLORED), all causes	2,622	201	224	284	228	176	197	240	201	187	216	196	272
Typhoid and paratyphoid fever (1, 2)	51	3	2	2	1	1	2	7	17	5	9	2	
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	3			1				2					
Whooping cough (9)	14					3	2	2	2		1	4	
Diphtheria (10)	13	2	1		1		1			2	3	3	
Influenza (11)	167	11	17	37	29	4	8	2	1		6	10	42
Dysentery (13)	12						1	2	5	2	1		1
Erysipelas (15)													
Lethargic encephalitis (17)	1										1		
Epidemic cerebrospinal meningitis (18)	5						1	2			1		1
Tuberculosis of the respiratory system (23)	359	29	36	33	34	32	44	34	24	25	21	20	27
Other forms of tuberculosis (24–32)	37	1	4	3	5	2	3	4	3	2	3	3	4
Malaria (38)	24		1	1	2	1	1	2	2	7	3	3	1
Diabetes mellitus (59)	12	2		3	2			1			1		3
Cerebral hemorrhage and softening (82a, 82c)	137	9	14	16	16	11	6	15	10	11	8	11	10
Diseases of the heart (90–95)	245	20	17	27	17	19	23	25	21	19	17	23	17
Bronchitis (106)	8	2	1				2				1	1	1
Bronchopneumonia (107)	81	7	7	16	8	5	3	4	3	3	2	1	22
Lobar and unspecified pneumonia (108, 109)	178	12	21	27	19	11	7	3	4	3	16	16	39
Diarrhea and enteritis [under 2 years] (119)	52	2	1	1	2	2	7	16	4	5	11		1
Diarrhea and enteritis [2 years and over] (120)	16	1	1		1		2	3	1	2	1	2	2
Nephritis (130–132)	158	8	18	20	13	13	10	16	7	15	18	11	9
Puerperal septicemia (140, 142a, 145)	23	2	2	3	3	3	2	2	1	2	1	1	1
Other puerperal causes	23	1	4	1		1	4	1	3	2	1	2	3
Suicide (163–171)	7		3	1	1						1	1	
Automobile accidents [1]	38	2	1	1	4	1	3	6	2	5	5	4	4
Automobile—railroad train and street car collisions	1								1				
Other external causes	229	15	14	15	20	16	17	15	32	18	31	20	16
All other causes	727	72	59	76	50	51	47	76	58	59	53	58	68
OREGON, all causes	10,277	933	913	921	885	903	802	788	688	782	732	781	1,149
Typhoid and paratyphoid fever (1, 2)	16	2	1	1	2	2	1	1	1	2	2		1
Smallpox (6)	1				1								
Measles (7)	17			3	5	7	1					1	
Scarlet fever (8)	7	1	1	1	1			1					2
Whooping cough (9)	20		2	1	3	3	4	1	3	2			1
Diphtheria (10)	9	2	2	1		1	1		1	1			
Influenza (11)	234	19	36	50	18	14	2	6	3	1	4	7	74
Dysentery (13)	11	1				1		1	2		5		1
Erysipelas (15)	9		1			1		2	1	2		1	1
Lethargic encephalitis (17)	9			2	2	1		1			1	2	
Epidemic cerebrospinal meningitis (18)	11			2		2	4	1			2		
Tuberculosis of the respiratory system (23)	301	28	32	29	25	18	33	26	16	20	22	22	30
Other forms of tuberculosis (24–32)	62	5	7	5	9	8	8	3	4	3	2	4	4
Malaria (38)	1								1				
Diabetes mellitus (59)	210	14	24	18	17	21	13	13	16	11	17	20	26
Cerebral hemorrhage and softening (82a, 82c)	931	78	85	69	89	84	70	67	64	72	84	66	103
Diseases of the heart (90–95)	2,338	213	207	193	190	206	177	173	153	181	179	195	271
Bronchitis (106)	28	1	3	3	2	3	2	2	2	1	2	1	6
Bronchopneumonia (107)	249	30	34	29	19	22	11	11	5	8	17	22	41
Lobar and unspecified pneumonia (108, 109)	260	36	40	39	16	20	12	9	5	9	13	16	45
Diarrhea and enteritis [under 2 years] (119)	26	3	4	1		2	1	3	5	3	3		1
Diarrhea and enteritis [2 years and over] (120)	29			1	3	3	1	5		4	3	3	6
Nephritis (130–132)	887	83	77	81	72	94	76	70	61	63	47	69	94
Puerperal septicemia (140, 142a, 145)	31	3	2	4	2	4	2	2	1	5	2	3	1
Other puerperal causes	29	3	3	1	4	2	2	3			6	2	3
Suicide (163–171)	245	18	15	10	27	30	30	24	20	18	20	12	21
Automobile accidents [1]	223	27	10	16	20	14	18	17	22	22	18	19	20
Automobile—railroad train and street car collisions	21	2		3		2		2	1	9	2		
Other external causes	622	52	44	46	53	52	42	54	49	68	57	44	61
All other causes	3,440	312	283	312	305	286	291	290	252	277	224	272	336

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA, all causes	109,204	9,490	9,532	11,890	10,109	9,179	8,212	7,842	7,899	7,518	8,302	8,515	10,716
Typhoid and paratyphoid fever (1, 2)	181	16	11	9	7	4	10	10	26	32	27	22	7
Smallpox (6)													
Measles (7)	221	27	41	51	44	28	13	4	2	1	3	3	4
Scarlet fever (8)	262	23	29	46	41	37	16	8	3	6	11	18	24
Whooping cough (9)	449	33	50	64	57	52	31	40	33	23	26	15	25
Diphtheria (10)	398	53	52	50	27	30	25	14	11	27	33	33	43
Influenza (11)	2,998	237	341	765	419	161	100	52	47	50	109	147	570
Dysentery (13)	44	1		1		2	2	4	11	10	7	3	3
Erysipelas (15)	168	19	18	21	25	24	9	6	8	5	11	10	12
Lethargic encephalitis (17)	77	10	3	10	6	6	4	5	6	6	7	6	8
Epidemic cerebrospinal meningitis (18)	149	14	17	22	18	14	7	12	14	8	3	7	13
Tuberculosis of the respiratory system (23)	4,855	412	430	481	411	429	458	396	355	353	349	363	418
Other forms of tuberculosis (24–32)	556	34	52	57	46	56	54	58	38	41	40	44	36
Malaria (38)	10			2		2	1	1		1	1	1	1
Diabetes mellitus (59)	2,545	222	209	280	235	201	167	161	192	181	202	226	269
Cerebral hemorrhage and softening (82a, 82c)	8,018	724	685	844	741	676	614	578	593	556	642	607	758
Diseases of the heart (90–95)	25,265	2,200	2,156	2,769	2,365	2,111	1,875	1,782	1,719	1,702	1,937	2,049	2,600
Bronchitis (106)	427	39	46	68	33	39	24	20	17	17	31	40	53
Bronchopneumonia (107)	3,354	357	346	468	383	273	178	141	133	141	234	249	451
Lobar and unspecified pneumonia (108, 109)	5,072	526	583	860	574	425	243	163	158	171	273	359	737
Diarrhea and enteritis [under 2 years] (119)	1,245	84	65	55	53	90	83	119	179	227	152	73	65
Diarrhea and enteritis [2 years and over] (120)	423	21	29	19	19	26	25	58	76	54	46	29	21
Nephritis (130–132)	9,398	844	814	1,001	851	827	717	685	664	636	708	767	884
Puerperal septicemia (140, 142a, 145)	418	46	41	29	51	30	41	26	35	28	30	27	34
Other puerperal causes	607	66	53	73	57	49	47	64	39	39	44	36	40
Suicide (163–171)	1,520	125	120	126	156	147	141	122	136	122	106	103	116
Automobile accidents [1]	2,043	154	161	134	161	184	174	151	165	202	194	177	186
Automobile—railroad train and street car collisions	88	7	11	10	10	5	7	9	1	6	6	7	9
Other external causes	5,341	388	442	458	432	447	455	521	462	399	413	446	478
All other causes	33,072	2,808	2,727	3,117	2,887	2,804	2,691	2,632	2,776	2,474	2,657	2,648	2,851
RHODE ISLAND, all causes	8,080	714	764	907	827	637	537	567	584	581	654	591	717
Typhoid and paratyphoid fever (1, 2)	2								1			1	
Smallpox (6)													
Measles (7)	42	9	13	13	2	2	1	1	1				
Scarlet fever (8)	25	3	3	4	11	2			1	1			
Whooping cough (9)	11		2			2	2	1	1	2			1
Diphtheria (10)	29	6	6	4	3	2	2	1	2		2	1	
Influenza (11)	82	4	6	33	17	2	2	1	1		2	2	12
Dysentery (13)													
Erysipelas (15)	11				3	3	2	1				1	1
Lethargic encephalitis (17)	5	1				1	1	1		1			
Epidemic cerebrospinal meningitis (18)	3				1					1		1	
Tuberculosis of the respiratory system (23)	306	31	27	25	35	23	32	21	32	14	20	24	22
Other forms of tuberculosis (24–32)	65	7		8	8	8	1	5	4	7	9	4	4
Malaria (38)													
Diabetes mellitus (59)	227	17	14	29	28	24	18	14	15	10	13	19	26
Cerebral hemorrhage and softening (82a, 82c)	679	72	62	53	56	55	51	54	34	61	61	49	71
Diseases of the heart (90–95)	1,878	163	168	206	197	144	120	140	119	127	165	151	178
Bronchitis (106)	34	3	8	4	4	3	1	1	1	2	4	1	2
Bronchopneumonia (107)	246	19	28	53	43	24	7	8	13	12	13	8	18
Lobar and unspecified pneumonia (108, 109)	416	37	59	81	71	28	23	11	13	11	21	24	37
Diarrhea and enteritis [under 2 years] (119)	56	2		4	3	4	2	3	6	16	5	5	6
Diarrhea and enteritis [2 years and over] (120)	25		2	3	4		1	2	4	4	4	1	
Nephritis (130–132)	818	67	88	92	74	61	48	71	67	58	62	63	67
Puerperal septicemia (140, 142a, 145)	23	1	1	5	2	1	1	1	3	1	2	2	3
Other puerperal causes	44	1	6	8	4	1		5	6	2	6		5
Suicide (163–171)	94	6	3	8	8	14	2	7	10	12	8	6	10
Automobile accidents [1]	101	9	10	5	7	6	10	13	9	5	9	9	9
Automobile—railroad train and street car collisions	2	1	1										
Other external causes	282	23	22	21	24	22	20	27	29	22	21	22	29
All other causes	2,574	232	235	248	222	205	190	178	212	212	227	197	216
SOUTH CAROLINA (WHITE), all causes	8,599	685	638	836	821	787	679	712	629	625	665	702	820
Typhoid and paratyphoid fever (1, 2)	56	3	5	1	1		6	10	15	6	4	3	2
Smallpox (6)													
Measles (7)	25	1	1	3	1	7	7	1	1		1		2
Scarlet fever (8)	7				2				1	1	2	1	
Whooping cough (9)	40		1	10	2	9	6	7	2		1	1	1
Diphtheria (10)	59	6	1	5	2	1		1	2	11	12	7	11
Influenza (11)	400	26	35	62	87	42	8	2	2	13	17	26	80
Dysentery (13)	33	1	2	3	1	4	4	8	2	3	2	1	2
Erysipelas (15)	25	1	2	3	2	1	1	1	1	7	2	2	2
Lethargic encephalitis (17)	8					1	2	1	2	1			1
Epidemic cerebrospinal meningitis (18)	6	1	2			1			1			1	
Tuberculosis of the respiratory system (23)	265	18	25	25	25	31	21	21	13	22	22	24	18
Other forms of tuberculosis (24–32)	17		1	1	1	2	2	5		1	2	2	
Malaria (38)	61	5	4			1	4	4	10	15	10	7	1
Diabetes mellitus (59)	149	13	13	17	9	10	16	13	9	10	11	13	15
Cerebral hemorrhage and softening (82a, 82c)	701	62	61	68	58	60	57	54	54	40	53	62	72
Diseases of the heart (90–95)	1,475	124	112	136	134	125	115	114	124	102	122	118	149
Bronchitis (106)	14	2	4	3	1	1		1				1	1
Bronchopneumonia (107)	185	22	15	19	19	19	7	11	10	9	16	19	19
Lobar and unspecified pneumonia (108, 109)	483	46	46	90	74	29	23	23	10	22	29	40	51
Diarrhea and enteritis [under 2 years] (119)	161	7	4	2	11	24	26	33	16	12	10	10	6
Diarrhea and enteritis [2 years and over] (120)	42	3	2	5	1	4	6	7	4	4	4	2	
Nephritis (130–132)	964	72	69	79	91	74	87	79	74	100	72	78	89
Puerperal septicemia (140, 142a, 145)	47	3	1	5	7	2	3	2	6	3	6	4	5
Other puerperal causes	116	7	6	9	15	15	4	15	9	7	9	6	14
Suicide (163–171)	101	5	7	9	11	16	8	6	8	12	9	6	4
Automobile accidents [1]	210	15	15	15	15	20	24	23	11	15	18	19	20
Automobile—railroad train and street car collisions	4							2	1		1		
Other external causes	418	42	27	39	34	35	38	37	26	24	31	33	52
All other causes	2,527	200	177	227	217	253	204	231	215	185	199	216	203

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (COLORED), all causes	11,285	946	904	1,069	1,047	995	1,009	1,048	850	801	873	867	876
Typhoid and paratyphoid fever (1, 2)	199	10	5	9	6	11	22	38	40	27	14	9	8
Smallpox (6)													
Measles (7)	18	1	2	1	4		2	3		3		1	1
Scarlet fever (8)	4	1							1	1	1		
Whooping cough (9)	98	6	11	8	18	10	11	8	6	3	5	7	5
Diphtheria (10)	31	4	4	4		1	2	1	2	7	1	3	2
Influenza (11)	486	46	55	84	95	51	12	13	6	5	22	27	70
Dysentery (13)	42	4		4	3	2	9	7	5	4	1	3	
Erysipelas (15)	1											1	
Lethargic encephalitis (17)	2						1				1		
Epidemic cerebrospinal meningitis (18)	5			1		2	1	1					
Tuberculosis of the respiratory system (23)	862	70	67	72	72	76	80	84	87	66	59	62	67
Other forms of tuberculosis (24–32)	51	3	4	6	3	5	5	6	6	2	6	4	1
Malaria (38)	173	11	4	4	7	7	13	25	14	29	26	22	11
Diabetes mellitus (59)	62	4	4	4	2	9	5	7	3	7	7	4	6
Cerebral hemorrhage and softening (82a, 82c)	780	53	66	69	72	81	67	74	54	51	60	63	70
Diseases of the heart (90–95)	1,457	100	110	120	129	132	139	130	130	117	127	119	104
Bronchitis (106)	9			1		1			2	1		3	1
Bronchopneumonia (107)	206	20	33	34	25	16	8	11	9	4	11	19	16
Lobar and unspecified pneumonia (108, 109)	637	81	86	91	79	45	33	22	14	26	35	46	79
Diarrhea and enteritis [under 2 years] (119)	188	8	7	8	18	17	28	33	15	23	9	15	7
Diarrhea and enteritis [2 years and over] (120)	45	5	2	3	1	2	4	9	6	4	6	1	2
Nephritis (130–132)	988	100	77	99	87	88	90	89	70	69	84	78	57
Puerperal septicemia (140, 142a, 145)	47	4	4	8	4	4	2	6	4	4	3	3	1
Other puerperal causes	180	10	19	17	18	22	19	17	11	15	5	13	14
Suicide (163–171)	23	2	3	4	1	1	3	1	3	2		1	2
Automobile accidents [1]	119	7	9	7	5	6	7	15	5	20	13	7	18
Automobile—railroad train and street car collisions	2						2						
Other external causes	518	48	36	51	37	38	48	55	33	25	50	46	51
All other causes	4,052	348	296	360	361	368	396	393	324	286	327	310	283
SOUTH DAKOTA, all causes	5,725	487	508	586	460	448	426	457	446	434	459	454	560
Typhoid and paratyphoid fever (1, 2)	10	4		1		1			1		1	1	1
Smallpox (6)	1						1						
Measles (7)	1									1			
Scarlet fever (8)	9	1	1				1	1		2		1	2
Whooping cough (9)	53	5	5	5	3	2	4	7	7	4	2	8	1
Diphtheria (10)	22	2	6		1	1	3		1		3	2	3
Influenza (11)	206	5	49	43	22	6	9	5	8	9	10	8	32
Dysentery (13)	6		1							2	1	2	
Erysipelas (15)	7	3			2	1						1	
Lethargic encephalitis (17)	5		1			1	1		1		1		
Epidemic cerebrospinal meningitis (18)	8			3	1		1	1				1	1
Tuberculosis of the respiratory system (23)	288	21	25	34	25	24	27	28	23	30	12	20	19
Other forms of tuberculosis (24–32)	49	2	4	8	8	2	5	6	2	4	3	3	2
Malaria (38)													
Diabetes mellitus (59)	131	3	14	15	11	10	10	12	5	8	11	11	21
Cerebral hemorrhage and softening (82a, 82c)	429	34	52	42	38	38	27	40	27	28	31	32	40
Diseases of the heart (90–95)	1,098	96	100	115	79	101	73	81	87	71	89	103	103
Bronchitis (106)	22	1	3	2	4			2	3	1	3	1	2
Bronchopneumonia (107)	127	15	12	14	11	13	5	4	5	7	4	17	20
Lobar and unspecified pneumonia (108, 109)	184	21	19	21	21	9	12	5	10	7	16	15	28
Diarrhea and enteritis [under 2 years] (119)	53	5	5	2	4	6	3	5	8	8	2	2	3
Diarrhea and enteritis [2 years and over] (120)	35	3		3	1	1	4	6	7	1	4	3	2
Nephritis (130–132)	269	25	17	20	26	20	21	22	20	24	21	26	27
Puerperal septicemia (140, 142a, 145)	13	4		2		1				2	2		2
Other puerperal causes	36	1	8	3	2	2	5	3	3		2	3	4
Suicide (163–171)	83	3	3	7	10	6	6	9	4	10	15	5	5
Automobile accidents [1]	101	8	2	5	4	9	10	10	7	15	13	10	8
Automobile—railroad train and street car collisions	9	3						3		1	1	1	
Other external causes	278	21	13	18	24	15	28	43	29	20	25	13	29
All other causes	2,192	201	168	223	163	179	170	164	188	179	187	165	205
TENNESSEE (WHITE), all causes	20,821	1,655	1,639	2,053	1,762	1,712	1,660	1,765	1,574	1,347	1,683	1,762	2,209
Typhoid and paratyphoid fever (1, 2)	213	10	12	9	7	6	15	45	50	23	19	11	6
Smallpox (6)													
Measles (7)	7	2			1			2				1	1
Scarlet fever (8)	28	4	4	2	1			1	1	1	4	5	5
Whooping cough (9)	173	9	14	16	9	13	21	21	15	11	11	17	16
Diphtheria (10)	223	16	11	9	3	2	4	5	10	29	54	52	28
Influenza (11)	1,128	62	80	203	185	75	22	15	16	19	35	72	344
Dysentery (13)	119	2	3	3		15	34	31	15	7	5	4	
Erysipelas (15)	37	4	5	6	2	1	1	2	1	3	6	2	4
Lethargic encephalitis (17)	9	3			3	1		1			1		
Epidemic cerebrospinal meningitis (18)	40	4	7	1	5	2	2	2	3	1	2	3	8
Tuberculosis of the respiratory system (23)	1,535	136	112	138	147	133	124	132	145	95	110	119	144
Other forms of tuberculosis (24–32)	171	10	13	21	12	14	19	18	10	12	11	17	14
Malaria (38)	83	5	2	3	2	3	9	8	15	17	10	7	2
Diabetes mellitus (59)	233	18	31	22	20	15	15	20	13	15	16	18	30
Cerebral hemorrhage and softening (82a, 82c)	1,264	108	91	131	99	121	95	113	87	90	100	105	124
Diseases of the heart (90–95)	2,585	235	219	239	212	250	193	197	183	186	205	216	250
Bronchitis (106)	56	4	2	10	4	2	3	5	2	2	11	3	8
Bronchopneumonia (107)	634	52	75	96	47	47	20	22	26	24	75	70	80
Lobar and unspecified pneumonia (108, 109)	948	97	104	152	113	59	27	23	29	33	67	78	166
Diarrhea and enteritis [under 2 years] (119)	494	14	5	10	8	51	129	114	73	27	36	21	6
Diarrhea and enteritis [2 years and over] (120)	178	7	7	7	6	19	48	43	14	6	9	5	7
Nephritis (130–132)	1,324	118	103	138	115	108	119	115	102	85	110	105	106
Puerperal septicemia (140, 142a, 145)	84	11	8	5	7	8	5	4	6	4	13	5	8
Other puerperal causes	198	12	24	23	17	18	18	17	17	5	10	20	17
Suicide (163–171)	284	22	21	28	28	25	18	21	22	25	28	23	23
Automobile accidents [1]	377	39	28	29	23	21	32	29	39	31	29	45	32
Automobile—railroad train and street car collisions	16	4		1	2	1			2	2		4	
Other external causes	1,147	84	86	122	84	84	87	107	101	80	81	113	118
All other causes	7,233	563	572	629	600	618	600	652	577	514	625	621	662

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE (COLORED), all causes	7,807	619	618	763	692	660	582	676	573	550	627	600	847
Typhoid and paratyphoid fever (1, 2)	95	3	3	3	3	5	6	10	16	21	17	7	1
Smallpox (6)	1			1									
Measles (7)													
Scarlet fever (8)	2							1			1		
Whooping cough (9)	64	5	5	6	8	8	5	7	3	7	3	4	3
Diphtheria (10)	20	4		3	2					4	2	2	3
Influenza (11)	352	27	30	69	54	23	5	6	3	4	6	29	96
Dysentery (13)	16			1		2	3	1	3	3	2	1	
Erysipelas (15)	4		1			1				1			1
Lethargic encephalitis (17)	4	1	1	1			1						
Epidemic cerebrospinal meningitis (18)	9	2	3	4									
Tuberculosis of the respiratory system (23)	900	86	68	80	71	109	78	82	66	63	60	57	80
Other forms of tuberculosis (24–32)	109	11	9	8	11	14	13	11	12	4	8	6	2
Malaria (38)	49	1	2	1		4	3	10	5	8	13	1	1
Diabetes mellitus (59)	64	4	6	7	7	7	5	4	6	4	3	5	6
Cerebral hemorrhage and softening (82a, 82c)	518	36	50	54	42	40	31	49	38	38	45	46	49
Diseases of the heart (90–95)	955	64	58	97	86	85	80	87	77	56	87	74	104
Bronchitis (106)	19	4	1	4				2	1	2		4	1
Bronchopneumonia (107)	231	21	29	21	29	16	3	12	12	15	18	21	34
Lobar and unspecified pneumonia (108, 109)	437	43	49	61	63	24	17	11	9	19	22	30	89
Diarrhea and enteritis [under 2 years] (119)	86	3	5	3	9	5	13	20	8	9	6	5	
Diarrhea and enteritis [2 years and over] (120)	49	3	3	1	6	4	7	5	5	4	4	4	3
Nephritis (130–132)	504	38	36	48	37	33	43	53	39	28	50	45	54
Puerperal septicemia (140, 142a, 145)	39	2	4	3	4	2	3	4	3	4	7	2	1
Other puerperal causes	59	2	4	4	8	8	3	4	4	8	7	2	5
Suicide (163–171)	18	1	1	1	2	2	4	1	2	1	1	1	1
Automobile accidents [1]	97	9	4	9	9	9	6	6	4	5	14	9	13
Automobile—railroad train and street car collisions	2	1										1	
Other external causes	565	38	57	39	48	39	49	67	43	43	39	40	63
All other causes	2,539	210	189	234	193	220	204	223	214	199	212	204	237
UTAH, all causes	4,420	406	411	363	370	340	324	326	299	297	356	415	513
Typhoid and paratyphoid fever (1, 2)	7	1		1				1	1	1	1	1	
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	17		2	6	1		1		2		1	2	2
Whooping cough (9)	5		1					1	1			1	1
Diphtheria (10)	9			1	1	1	2		1		1		2
Influenza (11)	248	24	36	22	7	7		4	2	3	2	53	88
Dysentery (13)	5		2		1			1					1
Erysipelas (15)	17	1	5	2	4		3		1	1			
Lethargic encephalitis (17)	7	1	1	2			1	1				1	
Epidemic cerebrospinal meningitis (18)	22	1	5	4	1	1	2	1	1	2	1	1	2
Tuberculosis of the respiratory system (23)	91	6	9	8	8	8	5	7	4	10	12	8	6
Other forms of tuberculosis (24–32)	20	1	1	1	1	1	2	1	4	1	1	2	4
Malaria (38)	1											1	
Diabetes mellitus (59)	70	8	6	4	8	3	9	5	2	2	10	3	10
Cerebral hemorrhage and softening (82a, 82c)	244	25	15	24	19	27	17	18	16	24	20	16	23
Diseases of the heart (90–95)	860	89	65	62	76	68	67	64	66	53	73	86	91
Bronchitis (106)	11	2		1	1	2			1		2	1	1
Bronchopneumonia (107)	159	22	17	10	11	8	4	5	6	7	10	23	36
Lobar and unspecified pneumonia (108, 109)	169	21	27	19	12	10	13	2	8	9	12	13	23
Diarrhea and enteritis [under 2 years] (119)	22	2	2		1	2	2	1	2	4	3	2	1
Diarrhea and enteritis [2 years and over] (120)	14			1	3	1	1	3	1	2	1	1	
Nephritis (130–132)	264	25	27	26	29	18	21	18	14	18	25	21	22
Puerperal septicemia (140, 142a, 145)	18		1	1		4		5	2	1	2	2	
Other puerperal causes	34	3	3	3	4	2	3	3	1	3	4	3	2
Suicide (163–171)	47	1	2	2	5	5	6	6	3	4	2	5	6
Automobile accidents [1]	115	9	7	7	4	8	11	11	12	13	9	15	9
Automobile—railroad train and street car collisions	6			1		1			1			2	1
Other external causes	292	37	27	22	14	24	31	27	25	17	32	11	25
All other causes	1,645	127	150	133	159	139	122	141	122	122	132	141	157
VERMONT, all causes	4,753	438	396	509	437	427	346	350	377	313	332	364	464
Typhoid and paratyphoid fever (1, 2)	2					1			1				
Smallpox (6)	2	2											
Measles (7)	29	11	8	7		1	1	1					
Scarlet fever (8)	7	1	1			1		1	2		1		
Whooping cough (9)	14	1	1	1	1	2	2	1			2	2	1
Diphtheria (10)	6				1		1				2	2	
Influenza (11)	106	9	5	26	18	10	5	2	2	1	4	6	18
Dysentery (13)	3			2					1				
Erysipelas (15)	10	1	1	2	1		1	2			1	1	
Lethargic encephalitis (17)	2											1	1
Epidemic cerebrospinal meningitis (18)	1		1										
Tuberculosis of the respiratory system (23)	181	21	15	20	19	18	5	11	16	17	6	16	17
Other forms of tuberculosis (24–32)	29	2	2	6	3	1	1	1	4	3		4	2
Malaria (38)													
Diabetes mellitus (59)	90	4	8	12	9	7	7	5	4	5	8	8	13
Cerebral hemorrhage and softening (82a, 82c)	441	46	40	50	53	21	38	39	31	22	35	33	33
Diseases of the heart (90–95)	1,119	91	101	112	95	107	85	76	96	74	79	94	109
Bronchitis (106)	24	2	4	3	4		1	1		1	5		3
Bronchopneumonia (107)	144	14	18	17	7	20	9	1	1	2	15	18	22
Lobar and unspecified pneumonia (108, 109)	190	17	22	29	25	21	12	9	6	3	4	14	28
Diarrhea and enteritis [under 2 years] (119)	26	3	3	2	1		3	1	3	4	2	2	2
Diarrhea and enteritis [2 years and over] (120)	10	3		2	1	1			1		1		1
Nephritis (130–132)	370	33	28	36	26	34	34	20	30	28	33	24	44
Puerperal septicemia (140, 142a, 145)	13	1	1	1		2		3	1	2		2	
Other puerperal causes	30	1	3	4	4	3		3	2	3	2	2	3
Suicide (163–171)	72	5	2	9	3	10	6	6	8	6	10	3	4
Automobile accidents [1]	63	4	1	1	1	2	3	5	13	9	8	8	8
Automobile—railroad train and street car collisions	3							1			2		
Other external causes	211	21	14	16	10	18	26	21	21	19	11	17	17
All other causes	1,555	145	117	151	155	147	106	140	134	114	101	107	138

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA (WHITE), all causes	18,270	1,563	1,523	1,737	1,745	1,567	1,460	1,507	1,291	1,215	1,373	1,411	1,878
Typhoid and paratyphoid fever (1, 2)	88	11	4	2	4	1	5	19	12	9	10	5	6
Smallpox (6)													
Measles (7)	18	1	2	1	3		1	3	1		3		3
Scarlet fever (8)	29	4	3	2	1	2			2	1	4	3	7
Whooping cough (9)	198	18	21	26	15	28	21	14	19	10	8	10	8
Diphtheria (10)	118	23	15	12	3	2	1		8	10	17	15	12
Influenza (11)	647	31	67	111	149	47	16	12	5	6	14	34	155
Dysentery (13)	131		2	2		6	36	39	18	9	13	1	5
Erysipelas (15)	36	3	3	3	3	3	3	4		5	1	7	1
Lethargic encephalitis (17)	11	2	2	1	1	2	1	1					1
Epidemic cerebrospinal meningitis (18)	24	1		4	8	2		2	1	1		2	3
Tuberculosis of the respiratory system (23)	931	98	84	84	92	97	73	69	69	49	58	72	86
Other forms of tuberculosis (24–32)	104	10	9	10	12	9	9	12	6	13	6	2	6
Malaria (38)													
Diabetes mellitus (59)	292	22	33	21	24	26	18	17	19	21	22	30	39
Cerebral hemorrhage and softening (82a, 82c)	1,435	104	115	151	126	132	139	110	93	93	111	105	156
Diseases of the heart (90–95)	3,283	284	268	303	339	280	266	258	218	206	259	280	322
Bronchitis (106)	46	4	6	6	4	5	3	2		4	1	3	8
Bronchopneumonia (107)	488	53	49	51	63	25	16	19	23	21	47	35	86
Lobar and unspecified pneumonia (108, 109)	650	83	68	110	81	44	27	23	12	18	33	51	100
Diarrhea and enteritis [under 2 years] (119)	271	8	2	5	5	24	50	69	38	25	26	11	8
Diarrhea and enteritis [2 years and over] (120)	91	3	5	3	7	10	17	14	10	9	4	5	4
Nephritis (130–132)	1,689	154	138	147	167	159	131	141	112	115	122	147	156
Puerperal septicemia (140, 142a, 145)	71	6	4	8	2	6	4	10	7	6	4	6	8
Other puerperal causes	140	7	10	15	14	19	8	9	10	16	9	10	13
Suicide (163–171)	330	28	21	27	27	26	30	33	28	22	27	26	35
Automobile accidents [1]	433	37	31	22	39	42	46	38	35	33	45	30	35
Automobile—railroad train and street car collisions	32	2	1	4	3		2	2		3	3	9	3
Other external causes	967	80	94	78	52	79	78	101	91	85	63	83	83
All other causes	5,717	486	466	528	501	491	459	486	454	425	463	429	529
VIRGINIA (COLORED), all causes	10,628	895	860	1,089	920	935	862	874	834	775	766	804	1,014
Typhoid and paratyphoid fever (1, 2)	47	2	2	1	2	1	2	8	3	8	6	7	5
Smallpox (6)													
Measles (7)	8	1		1		1	3	1					1
Scarlet fever (8)	2	1				1							
Whooping cough (9)	142	10	11	38	23	11	13	15	7	4	2	2	6
Diphtheria (10)	29	5	2	4	4	2				2	3	3	4
Influenza (11)	359	24	36	57	75	47	14	5	4	8	13	16	60
Dysentery (13)	54	1		1		4	18	16	6	1	3	4	
Erysipelas (15)	5				1	1			1		2		
Lethargic encephalitis (17)	5	1	1		1						2		
Epidemic cerebrospinal meningitis (18)	13	2	1	1	1	3			2	1	1		1
Tuberculosis of the respiratory system (23)	1,025	86	112	112	88	97	71	90	77	73	65	67	87
Other forms of tuberculosis (24–32)	111	11	10	11	11	12	15	8	13	7	4	5	4
Malaria (38)	6						1	1	1	2	1		
Diabetes mellitus (59)	122	6	9	10	14	13	8	10	8	12	10	12	10
Cerebral hemorrhage and softening (82a, 82c)	967	82	80	93	65	91	61	92	65	78	78	83	99
Diseases of the heart (90–95)	1,604	124	109	158	159	140	132	123	144	130	118	130	137
Bronchitis (106)	26	3	3	6	1		1	3	1	1	5		2
Bronchopneumonia (107)	317	40	24	46	31	16	18	14	3	18	27	30	50
Lobar and unspecified pneumonia (108, 109)	530	61	64	79	62	42	24	15	19	20	28	35	81
Diarrhea and enteritis [under 2 years] (119)	156	10	9	9	11	12	28	32	14	13	8	5	5
Diarrhea and enteritis [2 years and over] (120)	72	4	3	6	4	5	11	11	8	9	5	4	2
Nephritis (130–132)	918	79	68	90	69	74	78	70	81	75	71	75	88
Puerperal septicemia (140, 142a, 145)	58	5	5	6	3	5	7	6	2	2	5	6	6
Other puerperal causes	117	8	8	14	4	15	6	13	10	14	7	6	12
Suicide (163–171)	27	2	2	3	1	3	3	2	2	3	1		5
Automobile accidents [1]	128	12	13	6	9	12	8	13	11	11	12	10	11
Automobile—railroad train and street car collisions	9				3	2			1				3
Other external causes	655	52	46	63	48	58	67	59	55	53	50	50	54
All other causes	3,116	263	242	274	230	267	273	267	296	230	239	254	281
WASHINGTON, all causes	16,581	1,489	1,546	1,492	1,427	1,485	1,304	1,231	1,208	1,176	1,299	1,345	1,579
Typhoid and paratyphoid fever (1, 2)	30	5	1		4		4	1	1	4	5	3	2
Smallpox (6)	2		1	1									
Measles (7)	37	2	3	12	9	6	3	2					
Scarlet fever (8)	17	1	1	2	3	4	3					1	2
Whooping cough (9)	14	1	2	3	1	2		2	3				
Diphtheria (10)	19	2	1	3	3			1	2	1	2	2	2
Influenza (11)	417	47	59	60	28	20	18	8	8	10	17	37	105
Dysentery (13)	5		1	1								2	1
Erysipelas (15)	15	1	1	2	1	1	2	1	1	1	2	1	1
Lethargic encephalitis (17)	29	3	2	4		4	1	5	1		4	1	4
Epidemic cerebrospinal meningitis (18)	23	2	3	5	1	1	2	3			2		4
Tuberculosis of the respiratory system (23)	755	60	69	73	77	76	61	64	53	53	62	51	56
Other forms of tuberculosis (24–32)	92	8	11	4	10	10	7	2	9	7	8	3	13
Malaria (38)	1							1					
Diabetes mellitus (59)	353	26	42	33	28	30	29	27	24	22	30	29	33
Cerebral hemorrhage and softening (82a, 82c)	1,408	139	120	105	134	137	101	94	113	103	120	115	127
Diseases of the heart (90–95)	3,536	321	341	314	296	304	275	263	241	294	256	283	348
Bronchitis (106)	37	4	5	3	3	5	4	2		4	2		5
Bronchopneumonia (107)	373	35	45	44	27	33	20	15	17	16	38	37	46
Lobar and unspecified pneumonia (108, 109)	490	66	59	47	48	37	32	19	24	23	33	35	67
Diarrhea and enteritis [under 2 years] (119)	48	1	2	2	6	6	6	4	3	4	7	1	6
Diarrhea and enteritis [2 years and over] (120)	35	5	4	1	1	2	3	1	7	5	4	2	
Nephritis (130–132)	1,268	117	122	117	125	112	89	83	94	87	84	120	118
Puerperal septicemia (140, 142a, 145)	53	4	11	7	3	9	3	1	6	2	2	5	
Other puerperal causes	76	11	11	3	5	4	8	8	5	4	4	6	7
Suicide (163–171)	450	32	29	39	41	51	39	44	34	38	40	30	33
Automobile accidents [1]	413	34	16	23	32	29	30	44	41	43	43	39	39
Automobile—railroad train and street car collisions	26	2	4	2	4		9	3	1		1		
Other external causes	999	73	88	70	71	83	115	83	93	69	93	81	80
All other causes	5,560	487	492	512	466	519	440	450	427	386	440	461	480

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA, all causes	17,912	1,473	1,494	1,823	1,458	1,292	1,353	1,612	1,452	1,294	1,398	1,442	1,821
Typhoid and paratyphoid fever (1, 2)	218	13	6	5	6	2	7	26	45	38	33	17	20
Smallpox (6)	1	1											
Measles (7)	186	21	30	37	33	28	13	7	4	1	3	1	8
Scarlet fever (8)	43	5	4	5	2	2	2		1	2	4	10	6
Whooping cough (9)	191	14	20	39	21	23	15	11	12	8	7	9	12
Diphtheria (10)	236	31	14	15	12	4	4	8	15	30	42	34	27
Influenza (11)	787	46	76	168	105	33	9	10	7	13	26	44	250
Dysentery (13)	80	3		2	1		11	26	19	12	6		
Erysipelas (15)	42	6	4	3	4	3	3	2	1		5	3	8
Lethargic encephalitis (17)	8	1		2	1				1	1	2		
Epidemic cerebrospinal meningitis (18)	30	2	3	3	5	3		2	2		2	2	6
Tuberculosis of the respiratory system (23)	899	68	79	91	87	70	71	62	63	65	72	74	97
Other forms of tuberculosis (24–32)	111	16	7	12	10	13	6	7	8	7	7	6	12
Malaria (38)													
Diabetes mellitus (59)	250	26	23	24	20	19	17	12	14	12	18	35	30
Cerebral hemorrhage and softening (82a, 82c)	1,186	118	96	136	117	90	99	111	83	64	67	96	109
Diseases of the heart (90–95)	2,194	165	186	229	183	186	156	180	184	148	189	181	207
Bronchitis (106)	37	3	2	4	5	3	3	4	1	3	2	1	6
Bronchopneumonia (107)	703	63	80	109	55	47	30	30	20	24	57	70	118
Lobar and unspecified pneumonia (108, 109)	652	77	83	113	59	45	29	14	17	21	41	47	106
Diarrhea and enteritis [under 2 years] (119)	898	17	15	11	18	27	120	247	192	125	77	35	14
Diarrhea and enteritis [2 years and over] (120)	191	6	3	1	6	5	35	57	39	15	17	6	1
Nephritis (130–132)	1,351	119	125	139	95	105	87	111	106	105	118	125	116
Puerperal septicemia (140, 142a, 145)	93	9	5	10	10	6	9	9	6	4	8	7	10
Other puerperal causes	129	11	11	6	17	14	13	11	6	8	6	10	16
Suicide (163–171)	221	17	18	17	9	15	23	26	17	26	22	16	15
Automobile accidents [1]	332	18	21	13	22	28	26	24	33	33	47	41	26
Automobile—railroad train and street car collisions	6	1		1	2	1		1					
Other external causes	1,425	127	126	106	104	91	120	144	120	95	119	149	124
All other causes	5,412	469	457	522	449	429	445	470	436	434	401	423	477
WISCONSIN, all causes	30,321	2,479	2,673	3,018	2,641	2,631	2,273	2,329	2,247	2,154	2,343	2,439	3,094
Typhoid and paratyphoid fever (1, 2)	21			3	3	1		4	4	1	4		1
Smallpox (6)	1					1							
Measles (7)	42	1	3	5	8	15	8				1		1
Scarlet fever (8)	51	11	5	5	5	4	7	1	1	2	3	6	1
Whooping cough (9)	67	3	10	9	9	9	2	2	10	3	2	1	7
Diphtheria (10)	56	5	11	4	3	3	1	2	3	4	6	9	5
Influenza (11)	899	33	116	227	107	53	24	17	13	18	29	26	236
Dysentery (13)	12	2		1	2				2	3	1	1	
Erysipelas (15)	57	6	4	7	12	9	2	4	2	2	3	4	2
Lethargic encephalitis (17)	25	5	2	2	5	2		1	2	1	3	1	1
Epidemic cerebrospinal meningitis (18)	31	4	5	1	3	6	2	3	4	1	1	1	
Tuberculosis of the respiratory system (23)	1,239	121	117	104	102	133	99	121	95	90	88	69	100
Other forms of tuberculosis (24–32)	139	9	15	15	11	16	16	10	9	9	7	9	13
Malaria (38)													
Diabetes mellitus (59)	687	56	64	80	64	53	42	46	54	46	61	45	76
Cerebral hemorrhage and softening (82a, 82c)	2,497	207	233	255	213	218	197	192	145	201	191	226	219
Diseases of the heart (90–95)	6,652	547	554	668	563	589	471	470	459	454	554	569	724
Bronchitis (106)	118	7	12	13	14	4	7	8	5	9	7	10	22
Bronchopneumonia (107)	894	89	94	113	85	81	36	31	32	38	66	83	146
Lobar and unspecified pneumonia (108, 109)	1,127	112	147	185	100	94	51	40	32	35	77	86	168
Diarrhea and enteritis [under 2 years] (119)	219	15	15	14	11	23	18	23	23	31	21	15	10
Diarrhea and enteritis [2 years and over] (120)	101	8	10	4	1	5	3	9	25	17	7	7	5
Nephritis (130–132)	1,980	169	178	178	175	169	139	178	148	124	170	167	185
Puerperal septicemia (140, 142a, 145)	80	4	7	11	10	6	8	9	7	6	4	2	6
Other puerperal causes	154	10	6	24	13	13	11	10	19	11	13	8	16
Suicide (163–171)	563	42	43	49	48	53	48	56	41	51	47	43	42
Automobile accidents [1]	624	40	41	28	39	45	62	63	62	75	59	54	56
Automobile—railroad train and street car collisions	62	2		6	8	13	10		2	9		7	5
Other external causes	1,440	91	97	110	107	124	126	186	158	94	107	121	119
All other causes	10,483	880	854	897	920	889	883	843	890	819	811	869	928
WYOMING, all causes	2,057	165	180	180	172	189	162	166	153	146	156	155	233
Typhoid and paratyphoid fever (1, 2)	8	1		2	1			1		1	2		
Smallpox (6)													
Measles (7)	2							2					
Scarlet fever (8)	12	2	1	3		1			1	1		1	2
Whooping cough (9)	4							1		1		1	1
Diphtheria (10)	3	1		1		1							
Influenza (11)	100	15	21	10	3	1	2	1	1		1	8	37
Dysentery (13)	5							1	1	1		2	
Erysipelas (15)	3						1	1	1				
Lethargic encephalitis (17)	2							1			1		
Epidemic cerebrospinal meningitis (18)	6	1	1	1		1				1		1	
Tuberculosis of the respiratory system (23)	47	2	5	5	5	4	6	2	6	3	3		6
Other forms of tuberculosis (24–32)	7		1	1				1	2		1		1
Malaria (38)													
Diabetes mellitus (59)	37	4	1	3	2	5	2	2	4	1	4	4	5
Cerebral hemorrhage and softening (82a, 82c)	129	9	16	7	19	15	16	9	7	9	7	7	8
Diseases of the heart (90–95)	387	29	29	37	33	38	31	21	28	23	28	34	56
Bronchitis (106)	6			1			1	2		1			1
Bronchopneumonia (107)	43	5	3	5	4	3	1	1		3	3	3	12
Lobar and unspecified pneumonia (108, 109)	100	21	10	7	8	7	7	2	1	3	7	8	19
Diarrhea and enteritis [under 2 years] (119)	17				2		2	1	3	5	1	2	1
Diarrhea and enteritis [2 years and over] (120)	10	2					2		1	2	3		
Nephritis (130–132)	95	7	13	6	6	10	16	4	4	7	8	7	7
Puerperal septicemia (140, 142a, 145)	10	1		1	2	2	2			1	1		
Other puerperal causes	18	2	1	5	2	1	1	2	1		2	1	
Suicide (163–171)	55	4	4	4	5	3	8	5	5	6	4	5	2
Automobile accidents [1]	78	3	2	6	8	4	2	8	13	4	8	10	10
Automobile—railroad train and street car collisions													
Other external causes	172	11	14	12	7	16	13	24	19	15	20	12	9
All other causes	701	45	58	63	65	77	49	74	55	58	52	49	56

[1] Excludes collision with railroad trains and street cars.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932

[Corresponding data for all the death registration States and for all the other cities of 100,000 population or more in 1930 appear in Births, Stillbirths, and Infant Mortality Statistics, 1932. Data by color are shown for the cities which had a minimum of 25,000 colored population on Apr. 1, 1930. Numbers after causes of death correspond to those of 1929 revision of the detailed International List.]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																	
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DALLAS, TEX. (WHITE), all causes	268	82	16	15	15	10	11	8	157	19	16	11	15	14	8	4	6	7	5	6
Whooping cough (9)	1													1						
Influenza (11)	7										1	2	1	1	2					
Dysentery (13)	4												1					1	1	1
Erysipelas (15)	1										1									
Tuberculosis of the meninges, etc. (24)	1															1				
Other forms of tuberculosis (25–32)	1																	1		
Syphilis (34)	5					1	1		2	1			2							
Bronchopneumonia (107)	21					3	1	1	5	2	4	1	3			2	1	1	2	
Lobar and unspecified pneumonia (108, 109)	7											1					2	3		1
Diseases of the stomach (117, 118)	1									1										
Diarrhea and enteritis (119)	37						1	3	4	4	3	2	4	8	4	1	3	1	1	2
Intestinal obstruction (122b)	2									1			1							
Congenital malformations (157)	24	3	2	2	1	1	1	1	11	4	2	1	1	2	1				1	1
Congenital debility, icterus, sclerema (158, 161b, c)	3	1							1	1	1									
Premature birth (159)	99	64	9	9	6	2	3	2	95	3	1									
Injury at birth (160)	31	13	4	4	3	2	3		29	1	1									
Other diseases of early infancy (161a, d)	5	1	1		2	1			5											
External causes (172–198)	1												1							
All other causes	17				3		1	1	5	1	2	4	1	2	1					1
DALLAS, TEX. (COLORED), all causes	124	33	4	1	6	6	2		52	15	5	6	9	4	9	7	2	8	5	2
Whooping cough (9)	3															2				1
Diphtheria (10)	2										1							1		
Influenza (11)	4												1					1	2	
Tetanus (22)	2				1	1			2											
Tuberculosis of the respiratory system (23)	1												1							
Tuberculosis of the meninges, etc. (24)	1												1							
Syphilis (34)	3	1							1		1		1							
Bronchopneumonia (107)	11									3		2	2	1	1		1	1		
Lobar and unspecified pneumonia (108, 109)	21					1			1	9	1	3	2		2	1		1		1
Diarrhea and enteritis (119)	21						1		1	1	1	1		3	6	3		3	2	
Intestinal obstruction (122b)	1																		1	
Congenital malformations (157)	1				1				1											
Congenital debility, icterus, sclerema (158, 161b, c)	1									1										
Premature birth (159)	37	27	4	1	2	2	1		37											
Injury at birth (160)	4	2			2				4											
Other diseases of early infancy (161a, d)	3	3							3											
External causes (172–198)	2					1			1	1										
All other causes	6					1			1		1		1			1	1	1		
EL PASO, TEX. (WHITE), all causes	35	10	2	3	4	2		1	22	2	4					1		3	3	
Influenza (11)	1									1										
Bronchopneumonia (107)	3			1				1	2		1									
Diarrhea and enteritis (119)	4										2					1			1	
Intestinal obstruction (122b)	1																	1		
Congenital malformations (157)	4			1	3				4											
Congenital debility, icterus, sclerema (158, 161b, c)	3		1						1		1							1		
Premature birth (159)	13	8	1	1	1	2			13											
Injury at birth (160)	2	2							2											
All other causes	4									1								1	2	
EL PASO, TEX. (COLORED), all causes	203	18	9	8	13	7	9	7	71	16	13	19	13	5	10	16	14	13	3	10
Whooping cough (9)	2									1							1			
Influenza (11)	18						1	1	2		1	2	1	1	3	4	3	1		
Erysipelas (15)	1																			1
Tuberculosis of the respiratory system (23)	1															1				
Tuberculosis of the meninges, etc. (24)	1																	1		
Other forms of tuberculosis (25–32)	2											1			1					
Syphilis (34)	4	1		1	1				3									1		
Bronchitis (106)	1																		1	
Bronchopneumonia (107)	15					3	2		5	2	1	2	1		1	1				2
Lobar and unspecified pneumonia (108, 109)	8						1	1	2			1	1			2				2
Diseases of the stomach (117, 118)	2															1				1
Diarrhea and enteritis (119)	70						2	1	3	7	8	9	9	4	4	6	7	7	2	4
Congenital malformations (157)	14	3	1	1	4			1	10	1	1	1	1							
Congenital debility, icterus, sclerema (158, 161b, c)	7			1		1		1	3	2							2			
Premature birth (159)	28	10	7	3	2	1	2	2	27			1								
Injury at birth (160)	6	3			2	1			6											
Other diseases of early infancy (161a, d)	7	1		2	3	1			7											
External causes (172–198)	1											1								
Unknown or ill-defined diseases (199, 200)	2		1						1	1										
All other causes	13				1		1		2	2	2	1			1	1	1	3		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																	
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
FORT WORTH, TEX. (WHITE), all causes	129	34	11	7	5	11	11	4	83	17	10	1	3	3	3	2	2	1	2	2
Whooping cough (9)	1									1										
Influenza (11)	4						1		1		2				1					
Tuberculosis of the meninges, etc. (24)	1											1								
Bronchopneumonia (107)	2																2			
Lobar and unspecified pneumonia (108, 109)	1									1										
Diseases of the stomach (117, 118)	2							1	1					1						
Diarrhea and enteritis (119)	16					2	2	1	5	5	2		1	1		1				1
Intestinal obstruction (122b)	1										1									
Congenital malformations (157)	13	2	1	1			2		6	3	2								1	1
Congenital debility, icterus, sclerema (158, 161b, c)	3									1				1	1					
Premature birth (159)	44	22	6	4	2	4	4		42	2										
Injury at birth (160)	26	8	2	2	3	4	2	1	22	2	2									
Other diseases of early infancy (161a, d)	4	2	1			1			4											
External causes (172–198)	3														1			1	1	
All other causes	8		1					1	2	2	1		2			1				
FORT WORTH, TEX. (COLORED), all causes	49	9	4	2	4	7	1	1	28	2	7	4	1	2	1		2	1		1
Diphtheria (10)	1									1										
Influenza (11)	4											3					1			
Epidemic cerebrospinal meningitis (18)	1					1			1											
Tuberculosis of the meninges, etc. (24)	1																	1		
Syphilis (34)	4		1			1			2		2									
Bronchopneumonia (107)	2				1				1											1
Lobar and unspecified pneumonia (108, 109)	10				2	2			4		3			2			1			
Diarrhea and enteritis (119)	2											1			1					
Congenital debility, icterus, sclerema (158, 16 1b, c)	4	2		1					3		1									
Premature birth (159)	10	5	2	1				1	9	1										
Injury at birth (160)	2	2							2											
Other diseases of early infancy (161a, d)	4		1		1	1	1		4											
External causes (172–198)	1										1									
Unknown or ill-defined diseases (199, 200)	1					1			1											
All other causes	2					1			1				1							
HOUSTON, TEX. (WHITE), all causes	148	48	12	3	18	4	4	4	93	13	11	3	3	9	1	3	5	2	3	2
Measles (7)	1													1						
Whooping cough (9)	2							1	1		1									
Diphtheria (10)	2													1			1			
Influenza (11)	2										1					1				
Erysipelas (15)	2									1							1			
Epidemic cerebrospinal meningitis (18)	2											2								
Other forms of tuberculosis (25–32)	1							1	1											
Syphilis (34)	3				1				1	1	1									
Bronchitis (106)	1				1				1											
Bronchopneumonia (107)	10	1				1			2	2				4	1	1				
Lobar and unspecified pneumonia (108, 109)	7					1	1		2	2	1		1				1			
Diarrhea and enteritis (119)	8				1				1	1	1		1				1	1	1	1
Intestinal obstruction (122 b)	3						1		1	1								1		
Congenital malformations (157)	18	6		1	4		1	1	13	1	2			1						1
Congenital debility, icterus, sclerema (158, 161b, c)	2	1							1		1									
Premature birth (159)	42	31	2	1	5	1			40	1									1	
Injury at birth (160)	12	5	5		2				12											
Other diseases of early infancy (161a, d)	7	3	2		2				7											
External causes (172–198)	1		1						1											
Unknown or ill-defined diseases (199, 200)	2					1			1		1									
All other causes	20	1	2	1	2		1	1	8	3	2	1	1	2		1	1		1	
HOUSTON, TEX. (COLORED), all causes	173	27	9	3	15	8	7	7	76	21	12	11	10	9	8	4	4	10	5	3
Measles (7)	3									2								1		
Whooping cough (9)	3							1	1					1						1
Influenza (11)	11		1		1		1		3	2					3			2	1	
Epidemic cerebrospinal meningitis (18)	2															2				
Tuberculosis of the respiratory system (23)	2									1	1									
Syphilis (34)	4		1			1	1		3					1						
Bronchitis (106)	1							1	1											
Bronchopneumonia (107)	21	1				1	1		3	3	2	6	3	1			1		2	
Lobar and unspecified pneumonia (108, 109)	23	1			4		1	1	7	3	4		1	3	2	1			1	1
Diseases of the stomach (117, 118)	3										1		1					1		
Diarrhea and enteritis (119)	13							1	1	3	1	2	2			1		2		1
Intestinal obstruction (122b)	1												1							
Congenital malformations (157)	9	1		1	3	1			6	2			1							
Congenital debility, icterus, sclerema (158, 161b, c)	1			1					1											
Premature birth (159)	26	16	5		1	2	1	1	26											
Injury at birth (160)	3	2			1				3											
Other diseases of early infancy (161a, d)	2		1			1			2											
External causes (172–198)	4			1	1				2		1						1			
Unknown or ill-defined diseases (199, 200)	25	6	1		3	2		1	13	5	2		1	2				2		
All other causes	16				1		2	1	4			3		1	3		2	2	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932—Continued

[See note at head of this table]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SAN ANTONIO, TEX. (WHITE), all causes	502	64	29	8	32	18	14	19	184	35	34	53	39	31	39	13	18	20	14	22
Measles (7)	2						1		1											1
Whooping cough (9)	4											1		1	2					
Diphtheria (10)	2											1								1
Influenza (11)	17				1	1		1	3	2	2	1	1	1	1	1		1	2	2
Dysentery (13)	10										1	2			2	1		2	2	
Erysipelas (15)	3						1		1	1	1									
Tetanus (22)	3				2	1			3											
Tuberculosis of the respiratory system (23)	2																1	1		
Tuberculosis of the meninges, etc. (24)	1												1							
Syphilis (34)	11	1			2	1	2		6	1		1	1				1		1	
Bronchitis (106)	3				1		1		2	1										
Bronchopneumonia (107)	51	1			2	2		2	7	4	7	7	6	3	4		4	4	1	4
Lobar and unspecified pneumonia (108, 109)	15					1	1		2	2	1	1	2	3	1	1	1	1		
Diseases of the stomach (117, 118)	3												1		1	1				
Diarrhea and enteritis (119)	134			1	1	1		7	10	6	10	21	20	14	16	9	6	6	7	9
Intestinal obstruction (122b)	2												1	1						
Congenital malformations (157)	20	4	3		2	3	2		14	2	1			1			1	1		
Congenital debility, icterus, sclerema (158, 161b, c)	19	1		1	2		3		7		3	2	1	1	3		1	1		
Premature birth (159)	82	41	16	4	8	3	1	2	75	4	1	1	1							
Injury at birth (160)	18	7	4	1	4	2			18											
Other diseases of early infancy (161a, d)	4	2	1						3	1										
External causes (172–198)	5	1							1			1			1					2
Unknown or ill-defined diseases (199, 200)	70	5	5	1	7	3		6	27	8	5	10	3	4	6		1	2	1	3
All other causes	21	1					2	1	4	3	2	4	1	2	2		2	1		
SAN ANTONIO, TEX. (COLORED), all causes	28	3	3		4	3		2	15	2	2	4			4	1				
Whooping cough	1											1								
Tetanus (22)	1					1			1											
Tuberculosis of the respiratory system (23)	1														1					
Syphilis (34)	4					1		1	2	2										
Bronchitis (106)	1							1	1											
Bronchopneumonia (107)	2											1			1					
Lobar and unspecified pneumonia (108, 109)	1											1								
Diarrhea and enteritis (119)	4										1	1			1	1				
Congenital malformations (157)	3	2	1						3											
Congenital debility, icterus, sclerema (158, 161b, c)	1					1			1											
Premature birth (159)	3	1	2						3											
Injury at birth (160)	2				2				2											
Other diseases of early infancy (161a, d)	2				2				2											
Unknown or ill-defined diseases (199, 200)	1										1									
All other causes	1														1					

SUPPLEMENT

HAWAII, PUERTO RICO, AND VIRGIN ISLANDS

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1930

RACE	POPULATION APRIL 1, 1930						
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County [1]
Total	368,336	19,468	137,582	53,857	65,341	35,942	56,146
Hawaiian	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian	28,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian	15,632	986	8,283	1,537	1,213	996	2,617
Asiatic-Hawaiian	12,592	895	5,959	1,653	904	762	2,419
Caucasian	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese	27,588	2,467	12,297	3,703	2,138	2,554	4,429
Puerto Rican	6,671	158	2,211	1,490	818	841	1,153
Other Caucasian	46,114	1,181	24,535	1,359	15,703	1,375	1,961
Chinese	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean	6,461	288	2,604	843	1,545	362	819
Filipino	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All others	780	30	440	69	127	21	93

[1] Includes Kalawao County.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, IN THE TERRITORY OF HAWAII: 1932

RACE	DEATHS IN—							
	HAWAII TERRITORY		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County [1]
	Number	Rate per 1,000 estimated population July 1, 1932						
Total	3,670	9.3	220	1,560	496	447	299	648
Hawaiian	541	24.2	19	218	85	59	29	131
Part Hawaiian	442	14.5	21	237	62	33	17	72
Caucasian-Hawaiian	238	14.3	9	133	26	22	9	39
Asiatic-Hawaiian	204	14.8	12	104	36	11	8	33
Caucasian	710	8.3	42	383	73	86	48	78
Portuguese	275	9.9	26	120	35	23	21	50
Puerto Rican	86	12.5	6	25	23	9	10	13
Other Caucasian	349	6.8	10	238	15	54	17	15
Chinese	304	10.9	13	194	16	21	26	34
Japanese	1,050	7.2	97	402	154	107	109	181
Korean	66	9.7	5	24	3	13	4	17
Filipino	536	7.4	23	87	103	126	65	132
All others	21	26.3	----	15	----	2	1	3

[1] Includes Kalawao County.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	3,670	349	297	335	306	346	294	348	313	259	255	270	298
Male	2,351	221	199	212	192	226	180	232	204	158	166	166	195
Female	1,319	128	98	123	114	120	114	116	109	101	89	104	103
Hilo city:													
Male	140	15	10	10	9	11	13	18	15	11	10	9	9
Female	80	9	5	2	7	7	7	11	9	10	5	4	4
Honolulu city:													
Male	952	76	75	87	92	93	71	78	83	64	68	79	86
Female	608	51	39	64	48	65	49	51	47	44	47	56	47
Hawaii County (exclusive of Hilo city):													
Male	323	33	33	26	21	33	29	37	24	18	25	17	27
Female	173	21	17	15	12	14	17	22	15	9	11	10	10
Honolulu County (exclusive of Honolulu city):													
Male	286	24	23	32	19	33	23	24	22	23	18	21	24
Female	161	12	13	19	15	12	17	12	14	14	7	15	11
Kauai County:													
Male	215	24	14	16	21	22	17	24	18	18	13	13	15
Female	84	9	4	12	11	4	9	4	5	8	6	7	5
Maui County: [1]													
Male	435	49	44	41	30	34	27	51	42	24	32	27	34
Female	213	26	20	11	21	18	15	16	19	16	13	12	26

[1] Includes Kalawao County.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1932

RACE AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	3,670	799	115	55	46	42	1,057	100	66	83	166	151	150	157	187	193	223	280	222	191	167	125	74	40	23	9	5	1
Male	2,351	468	61	20	19	28	596	63	39	47	102	83	95	87	123	130	167	198	161	151	122	90	52	28	12	2	2	1
Female	1,319	331	54	35	27	14	461	37	27	36	64	68	55	70	64	63	56	82	61	40	45	35	22	12	11	7	3	----
Hawaiian:																												
Male	281	36	7	2	----	3	48	2	9	9	10	5	8	11	17	17	21	22	26	23	14	15	10	9	3	2	----	----
Female	260	37	6	4	3	----	50	2	6	4	12	8	11	17	20	19	12	23	21	11	11	13	5	3	7	3	2	----
Part Hawaiian:																												
Male	235	104	12	1	5	2	124	12	7	2	11	7	3	12	8	8	5	10	5	6	8	5	1	----	1	----	----	----
Female	207	82	8	5	3	----	98	5	4	6	10	10	8	10	4	16	7	10	7	3	5	1	3	----	----	----	----	----
Caucasian-Hawaiian:																												
Male	131	42	7	----	2	1	52	8	5	2	6	5	2	6	6	8	5	7	4	6	5	3	----	----	1	----	----	----
Female	107	31	6	2	----	----	39	4	2	1	6	7	4	5	2	12	4	6	6	2	3	1	3	----	----	----	----	----
Asiatic-Hawaiian:																												
Male	104	62	5	1	3	1	72	4	2	----	5	2	1	6	2	----	----	3	1	----	3	2	1	----	----	----	----	----
Female	100	51	2	3	3	----	59	1	2	5	4	3	4	5	2	4	3	4	1	1	2	----	----	----	----	----	----	----
Caucasian:																												
Male	451	47	6	2	3	7	65	5	4	13	19	19	17	17	26	37	31	36	19	34	43	29	20	12	3	----	1	1
Female	259	37	9	5	4	2	57	10	3	7	6	15	10	9	13	9	10	23	14	9	22	15	13	8	3	2	1	----
Portuguese:																												
Male	159	20	2	1	1	2	26	4	2	4	2	4	3	3	12	13	6	11	10	13	20	10	10	1	3	----	1	1
Female	116	17	8	2	1	1	29	4	1	6	3	7	3	2	7	3	4	5	8	4	8	8	6	3	3	2	----	----
Puerto Rican:																												
Male	51	10	3	----	----	3	16	1	----	1	1	3	1	1	1	7	3	4	2	4	3	----	1	2	----	----	----	----
Female	35	6	1	2	2	1	12	1	1	----	2	2	----	----	1	3	----	7	1	1	2	----	----	1	----	----	1	----
Other Caucasian:																												
Male	241	17	1	1	2	2	23	----	2	8	16	12	13	13	13	17	22	21	7	17	20	19	9	9	----	----	----	----
Female	108	14	----	1	1	----	16	5	1	1	1	6	7	7	5	3	6	11	5	4	12	7	7	4	----	----	----	----
Chinese:																												
Male	244	26	2	4	1	----	33	2	1	6	2	4	8	5	3	2	12	27	34	27	22	28	17	7	3	----	1	----
Female	60	12	2	3	1	----	18	4	2	2	4	4	1	5	2	3	4	1	1	2	2	1	1	1	1	1	----	----
Japanese:																												
Male	682	95	21	4	7	12	139	33	12	14	21	21	12	12	45	50	73	89	67	51	29	12	2	----	----	----	----	----
Female	368	71	18	13	12	10	124	11	9	16	29	24	16	21	18	13	23	23	17	14	5	5	----	----	----	----	----	----
Korean:																												
Male	57	3	1	1	----	----	5	----	2	1	1	----	----	----	2	4	14	10	8	5	4	----	1	----	----	----	----	----
Female	9	1	1	1	----	----	3	1	2	1	----	----	----	----	----	----	----	1	----	1	----	----	----	----	----	----	----	----
Filipino:																												
Male	389	151	12	6	3	3	175	9	4	2	38	27	47	29	22	12	11	4	2	4	1	1	----	----	1	----	----	----
Female	147	90	8	4	4	2	108	4	1	----	3	7	8	6	6	3	----	----	1	----	----	----	----	----	----	----	----	----
All others:																												
Male	12	6	----	----	----	1	7	----	----	----	----	----	----	1	----	----	----	----	----	1	1	----	1	----	1	----	----	----
Female	9	1	2	----	----	----	3	----	----	----	----	----	1	2	1	----	----	1	----	----	----	----	----	----	----	1	----	----

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1932

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.
		1,2	6	7	8	9	10	11	15	18	23	24
Territory of Hawaii	3,670	8	----	22	1	----	23	38	6	11	330	10
Hilo city	220	1	----	----	----	----	1	6	----	----	34	1
Honolulu city	1,560	3	----	12	1	----	9	5	3	3	176	4
Hawaii County (exclusive of Hilo city)	496	1	----	----	----	----	3	12	----	1	31	2
Honolulu County (exclusive of Honolulu city)	447	1	----	5	----	----	1	4	1	3	20	2
Kauai County	299	----	----	2	----	----	----	2	----	----	23	----
Maui County [1]	648	2	----	3	----	----	9	9	2	4	46	1
DEATH RATE PER 100,000 ESTIMATED POPULATION												
Territory of Hawaii: 1932	933.8	2.0	----	5.6	0.3	----	5.9	9.7	1.5	2.8	84.0	2.5

AREA	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout	Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	DIARRHEA AND ENTERITIS		Appendicitis
											Under 2 years	2 years and over	
	25–32	34	38	45–53	56–58	59	82a, 82c	90–95	106	107–109	119	120	121
Territory of Hawaii	20	47	----	270	10	38	189	386	30	392	175	52	44
Hilo city	----	2	----	12	----	5	12	24	3	25	9	----	4
Honolulu city	8	32	----	136	7	24	77	181	9	154	45	18	18
Hawaii County (exclusive of Hilo city)	3	2	----	47	----	2	40	58	3	57	40	9	9
Honolulu County (exclusive of Honolulu city)	1	7	----	24	----	1	20	52	4	50	29	5	4
Kauai County	3	1	----	21	----	4	11	20	2	31	16	6	7
Maui County [1]	5	3	----	30	3	2	29	51	9	75	36	14	2
DEATH RATE PER 100,000 ESTIMATED POPULATION													
Territory of Hawaii: 1932	5.1	12.0	----	68.7	2.5	9.7	48.1	98.2	7.6	99.7	44.5	13.2	11.2

[1] Includes Kalawao County.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1932—Continued

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	AUTOMOBILE ACCIDENTS		Other external causes	Unknown or ill-defined diseases 199, 200	All other causes
									Primary [2]	In collision with railroad trains and street cars			
Territory of Hawaii	28	38	233	17	45	305	67	23	84	----	185	4	539
Hilo city	1	1	23	----	4	12	6	1	6	----	4	----	23
Honolulu city	15	17	100	8	18	133	27	12	41	----	63	----	201
Hawaii County (exclusive of Hilo city)	2	3	19	1	4	45	12	1	9	----	20	2	58
Honolulu County (exclusive of Honolulu city)	4	6	26	1	8	30	9	5	12	----	40	1	71
Kauai County	3	4	36	1	2	30	4	1	4	----	25	----	40
Maui County [1]	3	7	29	6	9	55	9	3	12	----	33	1	146
DEATH RATE PER 100,000 ESTIMATED POPULATION													
Territory of Hawaii: 1932	7.1	9.7	59.3	4.3	11.5	77.6	17.0	5.9	21.4	----	47.1	1.0	137.2

[1] Includes Kalawao County.
[2] Excluding collision with railroad trains and street cars.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932

List no.	CAUSE OF DEATH AND SEX	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	Total deaths (all causes) Male	2,351	281	235	131	104	451	159	51	241	244	682	57	389	12
	Total deaths (all causes) Female	1,319	260	207	107	100	259	116	35	108	60	368	9	147	9
	I.—Infectious and parasitic diseases Male	393	55	40	27	13	51	18	8	25	32	127	12	75	1
	I.—Infectious and parasitic diseases Female	229	54	39	23	16	21	11	2	8	9	81	1	24	----
1	Typhoid fever M	6	1	1	1	----	1	----	----	1	----	2	----	1	----
	Typhoid fever F	2	----	----	----	----	----	----	----	----	1	----	1	----	----
7	Measles M	12	1	2	2	----	1	1	----	----	----	8	----	----	----
	Measles F	10	3	2	2	----	1	----	----	1	----	3	----	1	----
8	Scarlet fever F	1	----	----	----	----	----	----	----	----	----	1	----	----	----
10	Diphtheria M	11	1	----	----	----	1	1	----	----	1	4	1	3	----
	Diphtheria F	12	----	2	1	1	1	----	----	1	2	6	----	1	----
11a	Influenza, respiratory complications specified M	14	3	2	1	1	1	----	1	----	----	6	1	1	----
	Influenza, respiratory complications specified F	7	2	2	----	2	1	1	----	----	----	1	----	1	----
11b	Influenza, respiratory complications not specified M	12	2	2	----	2	2	1	1	----	1	----	----	5	----
	Influenza, respiratory complications not specified F	5	1	----	----	----	----	----	----	----	----	3	----	1	----
13	Dysentery M	3	1	----	----	----	----	----	----	----	----	1	----	1	----
	Dysentery F	1	----	----	----	----	----	----	----	----	----	1	----	----	----
14	Plague M	4	----	----	----	----	1	----	----	1	----	1	----	2	----
	Plague F	1	----	----	----	----	----	----	----	----	----	1	----	----	----
15	Erysipelas M	4	----	----	----	----	1	1	----	----	----	2	----	1	----
	Erysipelas F	2	----	----	----	----	1	----	----	1	----	1	----	----	----
16	Acute poliomyelitis, acute polioencephalitis M	2	1	----	----	----	----	----	----	----	----	----	----	1	----
17	Lethargic or epidemic encephalitis F	1	----	----	----	----	----	----	----	----	----	1	----	----	----
18	Epidemic cerebrospinal meningitis M	6	1	----	----	----	3	1	----	2	1	----	----	1	----
	Epidemic cerebrospinal meningitis F	5	----	----	----	----	3	3	----	----	----	1	----	1	----
22	Tetanus M	15	2	1	1	----	4	1	----	3	----	7	----	1	----
	Tetanus F	4	1	----	----	----	----	----	----	----	1	1	----	1	----
	Tuberculosis (all forms) M	226	14	19	12	7	15	2	4	9	26	89	7	55	1
	Tuberculosis (all forms) F	134	33	15	7	8	11	4	2	5	5	53	----	17	----
23	Respiratory system M	206	12	18	12	6	14	2	3	9	26	80	6	49	1
	Respiratory system F	124	32	13	5	8	10	4	2	4	3	50	----	16	----
24	Meninges and central nervous system M	6	----	----	----	----	1	----	1	----	----	2	----	3	----
	Meninges and central nervous system F	4	----	1	1	----	1	----	----	1	----	1	----	1	----
25	Intestines and peritoneum M	6	----	----	----	----	----	----	----	----	----	4	----	2	----
	Intestines and peritoneum F	2	----	----	----	----	----	----	----	----	1	1	----	----	----
26	Vertebral column M	2	----	----	----	----	----	----	----	----	----	2	----	----	----
	Vertebral column F	1	----	----	----	----	----	----	----	----	----	1	----	----	----
27a	Bones (vertebral column excepted) M	1	1	----	----	----	----	----	----	----	----	----	----	----	----
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) F	1	----	1	1	----	----	----	----	----	----	----	----	----	----
30	Genitourinary system M	1	----	----	----	----	----	----	----	----	----	1	----	----	----
32a	Acute disseminated tuberculosis M	4	1	1	----	1	----	----	----	----	----	----	1	1	----
	Acute disseminated tuberculosis F	2	1	----	----	----	----	----	----	----	1	----	----	----	----
33	Leprosy M	44	19	7	5	2	11	7	1	3	2	2	3	----	----
	Leprosy F	21	10	8	7	1	3	3	----	----	----	----	----	----	----
34	Syphilis M	29	9	5	4	1	8	1	1	6	----	4	----	3	----
	Syphilis F	18	3	10	6	4	----	----	----	----	----	5	----	----	----
35	Gonococcus infection, other venereal diseases F	2	1	----	----	----	----	----	----	----	----	----	----	1	----
36	Purulent infection, septicemia (nonpuerperal) M	4	----	1	1	----	1	1	----	----	1	1	----	----	----
	Purulent infection, septicemia (nonpuerperal) F	2	----	----	----	----	----	----	----	----	----	2	----	----	----
42	Other diseases caused by helminths M	1	----	----	----	----	----	----	----	----	----	----	----	----	----
44	Other infectious and parasitic diseases F	1	----	----	----	----	1	1	----	----	----	1	----	----	----

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	II.—Cancers and other tumors—Male	178	15	9	5	4	47	23	5	19	20	75	7	4	1
	II.—Cancers and other tumors—Female	105	21	17	12	5	30	9	1	20	4	32			1
	Cancer and other malignant tumors—M	171	15	9	5	4	44	21	5	18	19	72	7	4	1
	Cancer and other malignant tumors—F	99	20	16	12	4	27	9	1	17	4	31			1
(45)	Buccal cavity—M	6					3	1	1	1	1	2			
(45)	Buccal cavity—F	2					1			1	1				
(45)	Pharynx—M	1					1			1					
(46)	Esophagus—M	9					2	2			1	6			
(46)	Esophagus—F	2	1									1			
(46)	Stomach and duodenum—M	74	7	4	1	3	17	10	2	5	5	35	4	1	1
(46)	Stomach and duodenum—F	28	5	6	4	2	7	3	1	3		10			
(46)	Liver and biliary passages—M	22	1	1	1		2	2			4	12	1	1	
(46)	Liver and biliary passages—F	6					3	3				3			
(46)	Pancreas—M	5		1	1		3	1		2		1			
(46)	Pancreas—F	3	1				2			2					
(46)	Other digestive tract and peritoneum—M	13	2				3	2		1	1	5	1	1	
(46)	Other digestive tract and peritoneum—F	10	1	1		1	6	2		4		2			
47	Respiratory system—M	12	1	1	1		5	2		3	1	3	1		
47	Respiratory system—F	4		2	2						1				1
48	Uterus—F	21	4	5	4	1	2			2		10			
49	Other female genital organs—F	2	1									1			
50	Breast—F	12	5				5			5	1	1			
51	Male genitourinary organs—M	14	2	2	1	1	5	1	1	3	2	2		1	
52	Skin—F	1					1	1							
53	Other or unspecified organs—M	15	2				3		1	2	4	6			
53	Other or unspecified organs—F	8	2	2	2						1	3			
54b	Nonmalignant tumors, uterus—F	5	1				3			3		1			
54d,e	Nonmalignant tumors, other organs—M	5					2	1		1		3			
54d,e	Nonmalignant tumors, other organs—F	1		1		1									
55d,e	Tumors, other organs (nature unspecified)—M	2					1	1			1				
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Male	83	5	11	4	7	5	1		4	4	15	1	41	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Female	62	8	12	4	8	6	3	1	2	7	12		16	1
56	Acute rheumatic fever—M	5		2	1	1						2			1
56	Acute rheumatic fever—F	3		2		2					1				
57	Chronic rheumatism, osteoarthritis—F	2									2				
59	Diabetes mellitus—M	19	4	4	2	2	4	1		3	1	6			
59	Diabetes mellitus—F	19	3	4	2	2	6	3	1	2	1	5			
60	Scurvy—F	2									1			1	
61	Beriberi—M	50	1	2		2					2	6	1	38	
61	Beriberi—F	25	3	3	1	2						4		14	1
63	Rickets—F	1	1												
66b	Exophthalmic goiter—F	1									1				
(66)	Other diseases of thyroid and parathyroid glands—M	1		1		1									
(66)	Other diseases of thyroid and parathyroid glands—F	1										1			
67	Diseases of thymus gland—M	7		2	1	1	1			1	1	1		2	
67	Diseases of thymus gland—F	8	1	3	1	2					1	2		1	
69	Other general diseases—M	1												1	
	IV.—Diseases of the blood and blood-making organs—Male	9	1				2	1		1		2		4	
	IV.—Diseases of the blood and blood-making organs—Female	4					1			1		2		1	
70	Hemorrhagic conditions—M	1												1	
71a	Pernicious anemia—M	2					1			1				1	
71a	Pernicious anemia—F	1												1	
71b	Other anemias—F	2					1			1		1			
72a	True leukemias—M	5	1									2		2	
72a	True leukemias—F	1										1			
73	Diseases of spleen—M	1					1	1							
	V.—Chronic poisonings and intoxications—Male	6					4	1		3	1	1			
	V.—Chronic poisonings and intoxications—Female	1		1	1										
75	Alcoholism (acute or chronic)—M	5					4	1		3		1			
75	Alcoholism (acute or chronic)—F	1		1	1										
76	Chronic poisoning by other organic substances—M	1									1				
	VI.—Diseases of the nervous system and of the organs of special sense—Male	204	26	11	7	4	47	20	4	23	16	78	8	18	
	VI.—Diseases of the nervous system and of the organs of special sense—Female	92	26	10	7	3	22	11		11	4	28	1	1	
78	Encephalitis (nonepidemic)—M	4	1								1	1		1	
78	Encephalitis (nonepidemic)—F	1										1			
79a	Simple meningitis—M	7										4		3	
79a	Simple meningitis—F	1										1			
80	Progressive locomotor ataxia (tabes dorsalis)—M	5					3	2		1		2			
81	Other diseases of spinal cord—M	6					2			2		4			
81	Other diseases of spinal cord—F	2					2			2					
82a	Cerebral hemorrhage—M	128	17	7	6	1	32	14	2	16	9	55	5	3	
82a	Cerebral hemorrhage—F	60	17	7	6	1	14	9		5	3	19			
82b	Cerebral embolism and thrombosis—M	7					3			3	3			1	
82b	Cerebral embolism and thrombosis—F	5	2	1	1							2			
82c	Softening of brain—M	1										1			
82d	Hemiplegia and other paralysis, cause unspecified—M	3	1								1	1			
82d	Hemiplegia and other paralysis, cause unspecified—F	3	1				2			2					
83	General paralysis of insane—M	7	2				1		1		2	1	1		
83	General paralysis of insane—F	5	3								1	1			
84	Dementia praecox and other psychoses—M	8	1				3	1	1	1		2	1	1	
84	Dementia praecox and other psychoses—F	4	1				1			1		2			
85	Epilepsy—M	4	1	2	1	1	1	1							
85	Epilepsy—F	1	1												
86	Convulsions (under 5 years of age)—M	11	1	1		1						2		7	
86	Convulsions (under 5 years of age)—F	5	1	1		1	2	2						1	
87	Other diseases of nervous system—M	3	1									1	1		
87	Other diseases of nervous system—F	2					1			1		1			
89a	Diseases of ear—M	6					1	1				3		2	
89b	Diseases of mastoid process—M	4	1	1		1	1	1				1			
89b	Diseases of mastoid process—F	3		1		1						1	1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	PART HAWAIIAN				CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	VII.—Diseases of the circulatory system—Male	296	56	16	10	6	85	30	8	47	53	58	7	21	
	VII.—Diseases of the circulatory system—Female	134	54	11	6	5	46	21	6	19	7	7	1	5	3
90	Pericarditis—M	2										1	1		
91a	Acute endocarditis—M	9		1		1	3	1		2		2		3	
	Acute endocarditis—F	3	1				1		1		1				
91b	Endocarditis, unspecified (under 45 years)—M	1										1			
	Endocarditis, unspecified (under 45 years)—F	3	1	1	1							1			
92a	Endocarditis, specified as chronic, and other valvular diseases—M	44	10	5	3	2	10	2	1	7	2	9	2	6	
	Endocarditis, specified as chronic, and other valvular diseases—F	28	10	1	1		7	1	1	5	3	4		2	1
92b	Endocarditis, unspecified (45 years and over)—M	4	2								1	1			
93a	Acute myocarditis—M	5	1	2	1	1					2				
93c	Chronic myocarditis and myocardial degeneration—M	117	26	4	4		34	19	2	13	22	23	2	6	
	Chronic myocarditis and myocardial degeneration—F	61	29	4	2	2	18	13	2	3	3	2		3	2
93d	Other diseases of myocardium—M	21	1	1		1	10	3	1	6	5	4			
	Other diseases of myocardium—F	11	2	1	1		7	3		4			1		
94a	Angina pectoris—M	14	1				6		1	5	2	3		2	
	Angina pectoris—F	6	2	1		1	3			3					
94b	Diseases of coronary arteries—M	13	2	1		1	6	1		5	1	3			
	Diseases of coronary arteries—F	4	1				3	1		2					
95b	Other and unspecified diseases of heart—M	29	7				4	3		1	9	4	2	3	
	Other and unspecified diseases of heart—F	11	3	3	1	2	5	2	2	1					
96	Aneurysm (except of heart)—M	3					1	1				2			
97	Arteriosclerosis (coronary arteries excepted)—M	32	4	2	2		11		3	8	9	5		1	
	Arteriosclerosis (coronary arteries excepted)—F	4	3				1	1							
98	Gangrene—M	1	1												
99	Other diseases of the arteries—F	2	1				1			1					
101	Diseases of lymphatic system (lymphangitis, etc.)—M	1	1												
	Diseases of lymphatic system (lymphangitis, etc.)—F	1	1												
	VIII.—Diseases of the respiratory system—Male	274	41	51	24	27	25	11	6	8	15	60	3	76	3
	VIII.—Diseases of the respiratory system—Female	176	32	33	15	18	24	11	6	7	7	40	2	37	1
104b	Diseases of nasal fossae and annexae—M	1					1	1						1	
	Diseases of nasal fossae and annexae—F	1													
106a	Acute bronchitis—M	16	3	3	1	2	1		1		1	4		4	
	Acute bronchitis—F	7	1	3	3							2		1	
106b	Chronic bronchitis—M	4	1	1		1					1	1			
	Chronic bronchitis—F	3		1		1					1	1			
107a	Bronchopneumonia—M	108	15	25	10	15	9	3	3	3	3	18	2	34	2
	Bronchopneumonia—F	98	17	16	8	8	18	8	5	5	2	18	1	25	1
107b	Capillary bronchitis—M	6	3									2		1	
108	Lobar pneumonia—M	122	17	17	10	7	14	7	2	5	9	29	1	34	1
	Lobar pneumonia—F	58	13	12	4	8	4	3		1	2	16	1	10	
110	Pleurisy—M	7		2	1	1						3		2	
	Pleurisy—F	3									2	1			
111a	Pulmonary embolism and thrombosis—M	1		1	1										
112	Asthma—M	4	1	2	1	1						1			
	Asthma—F	5		1		1	2		1	1		2			
114	Other diseases of respiratory system (tuberculosis excepted)—M	5	1								1	2		1	
	Other diseases of respiratory system (tuberculosis excepted)—F	1	1												
	IX.—Diseases of the digestive system—Male	275	35	39	20	19	45	18	7	20	17	68	5	64	2
	IX.—Diseases of the digestive system—Female	138	18	21	10	11	31	12	6	13	4	40	1	21	2
115a	Diseases of pharynx, tonsils—M	5					2			2	1			2	
	Diseases of pharynx, tonsils—F	3		1	1		2			2					
115b	Diseases of buccal cavity and annexa—M	4	1	1	1							1		1	
116	Diseases of esophagus—F	1									1				
117a	Ulcer of stomach—M	19	3	1	1		1	1			2	9		3	
	Ulcer of stomach—F	2	1	1		1									
117b	Ulcer of duodenum—M	4	1	1	1		2		1	1					
118	Other diseases of stomach (cancer excepted)—M	1												1	
	Other diseases of stomach (cancer excepted)—F	1	1												
119	Diarrhea, enteritis (under 2 years of age)—M	109	9	26	9	17	13	8	3	2	3	13	1	42	2
	Diarrhea, enteritis (under 2 years of age)—F	66	8	15	7	8	9	4	3	2	1	11		20	2
120	Diarrhea, enteritis (2 years and over)—M	25	4	4	3	1	4	2	1	1	1	7		5	
	Diarrhea, enteritis (2 years and over)—F	27	3	2		2	4	1	1	2	2	15		1	
121	Appendicitis—M	32	2				8	2	1	5	2	13	1	6	
	Appendicitis—F	12					7	3	1	3		5			
122a	Hernia—M	10	4				3	1	1	1	1		1	1	
	Hernia—F	2	1									1			
122b	Intestinal obstruction—M	9					3	1		2	2	4			
	Intestinal obstruction—F	7	1				1			1		4	1		
123	Other diseases of intestines—M	3					1			1		2			
	Other diseases of intestines—F	1	1												
124	Cirrhosis of liver—M	33	10	3	3		6	2		4	2	10	1	1	
	Cirrhosis of liver—F	5	1	1	1		2	1	1			1			
125a	Yellow atrophy of liver—M	1											1		
	Yellow atrophy of liver—F	1					1	1							
125b	Other diseases of liver—M	2	1									1			
	Other diseases of liver—F	1										1			
126	Biliary calculi—M	2								1		1			
	Biliary calculi—F	3					2	1		1		1			
127	Other diseases of gall-bladder, biliary passages—M	11		2	2		1	1			3	4		1	
	Other diseases of gall-bladder, biliary passages—F	3		1	1		2	1		1					
128	Diseases of pancreas—M	1										1			
129	Peritonitis, cause not specified—M	4		1		1						2		1	
	Peritonitis, cause not specified—F	3	1				1			1		1			
	X.—Diseases of the genitourinary system—Male	163	18	6	2	4	37	16	4	17	39	51	4	7	1
	X.—Diseases of the genitourinary system—Female	86	24	8	5	3	17	8	5	4	6	27	1	3	
130	Acute nephritis (including unspecified under 10 years)—M	5		1		1	1			1		3			
	Acute nephritis (including unspecified under 10 years)—F	4					1	1			1	2			
131	Chronic nephritis—M	148	17	5	2	3	32	15	3	14	39	45	4	5	1
	Chronic nephritis—F	71	21	7	4	3	14	5	5	4	4	22	1	2	
132	Nephritis, unspecified (10 years and over)—M	3	1									1		1	
	Nephritis, unspecified (10 years and over)—F	2	1	1	1										

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	X.—Diseases of the genitourinary system—Contd.														
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	M 3					1		1			1		1	
		F 2										2			
134	Calculi of urinary passages	M 1										1			
137	Diseases of prostate	M 3					3	1		2					
139a	Cysts of ovary	F 2	1									1			
139b	Other diseases of ovaries, diseases of tubes and parametrium	F 3	1				1	1			1				
139c	Diseases of uterus	F 2					1	1						1	
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	Female 62	8	7	4	3	12	6	4	2		29		6	
140	Abortion with septic conditions	F 6	1				1	1				4			
141	Abortion without mention of septic conditions (includes hemorrhages)	F 2		1	1							1			
142a	Ectopic gestation, septic conditions specified	F 2										1		1	
142b	Ectopic gestation, septic conditions not mentioned	F 1										1			
143	Other accidents of pregnancy (hemorrhage not included)	F 1												1	
144a	Placenta praevia	F 5										5			
144b	Other puerperal hemorrhages	F 8	1	1		1	1	1				4		1	
145a	Puerperal septicemia and pyemia (abortion excluded)	F 9	2	2	1	1	2	1		1		3			
146	Puerperal albuminuria and eclampsia	F 10	1	1		1	5		4	1		3			
147	Other toxemias of pregnancy	F 3	3	1	1		1	1				2		1	
149	Other accidents of childbirth	F 10		1	1		2	2				5		2	
	XII.—Diseases of the skin and cellular tissue	Male 8	1				1			1		3		3	
		Female 3	1									2			
151	Furuncle, carbuncle	M 4					1			1		1		2	
		F 2	1									1			
152	Phlegmon, acute abscess	M 2	1											1	
		F 1										1			
153	Other diseases of skin and annexa, and of cellular tissue	M 2										2			
	XIII.—Diseases of the bones and organs of locomotion	Male 6					2	1		1	1	2		1	
154	Osteomyelitis	M 6					2	1		1	1	2		1	
	XIV.—Congenital malformations	Male 33	1	7	4	3	7	1	2	4	2	10		5	1
		Female 33	1	13	4	9	5	2	1	2		7	1	6	
157a	Congenital hydrocephalus	M 1					1		1						
		F 7		2		2	2	2				2		1	
157b	Spina bifida and meningocele	M 1					1			1					
		F 1										1			
157c	Congenital malformations of heart	M 22	1	4	4		3	1		2	2	8		3	1
		F 17	1	8	3	5						4		4	
157d	Other congenital malformations	M 9		3		3	2		1	1		2		2	
		F 8		3	1	2	3		1	2			1	1	
	XV.—Diseases of early infancy	Male 133	9	26	13	13	16	6	2	8	17	33		30	2
		Female 106	3	27	11	16	17	10	2	5	6	30		22	1
158	Congenital debility	M 15	1	3	3						1	2		3	
		F 11	1	1		1	2	1		1		3		4	
159	Premature birth	M 73	3	14	5	9	9	5	1	3	11	21		13	2
		F 63	2	17	8	9	9	6	1	2	6	19		9	1
160	Injury at birth	M 29	3	6	4	2	6	1		5	3	7		4	
		F 14		5	3	2	3	2		1		3		3	
161	Other diseases peculiar to early infancy	M 16	2	3	1	2	1		1		2	3		5	
		F 18		4		4	3	1	1	1		5		6	
162	XVI.—Senility	Male 7					3	1	1	1	2		1	1	
		Female 8	3				5	4		1					
	XVII.—Violent and accidental deaths	Male 281	18	19	15	4	74	11	4	59	25	98	9	38	
		Female 78	7	8	5	3	22	8	1	13	6	30	1	4	
	Suicide	M 50	3	2	1	1	10	1	1	8	6	23	2	4	
		F 17		2	1	1	3	1		2	2	10			
163	By solid or liquid poisons or by absorption of corrosive substances	M 11	1				3		1	2		7			
		F 9		1	1		2	1		1		6			
165	By hanging or strangulation	M 16									5	7	2	2	
		F 4					1			1		3			
166	By drowning	M 2									1	1			
		F 1										1			
167	By firearms	M 12	2	2	1	1	5			5		2		1	
		F 3		1		1					2				
168	By cutting or piercing instruments	M 8					2	1		1		5		1	
169	By jumping from high places	M 1										1			
	Homicide	M 17	1	1	1		2			2	2	5		6	
		F 6					1	1			2	2		1	
173	By firearms	M 5	1	1	1							1		2	
		F 2					1	1				1			
174	By cutting or piercing instruments	M 9					1			1		4		4	
		F 2									1			1	
175	By other means	M 3					1			1	2				
		F 2									1	1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	XVII.—Violent and accidental deaths—Contd.														
	Accidental, other, or undefined—M	214	14	16	13	3	62	10	3	49	17	70	7	28	
	Accidental, other, or undefined—F	55	7	6	4	2	18	6	1	11	2	18	1	3	
177	Poisoning by food—M	1	1												
179	Other acute accidental poisonings (gas excepted)—M	5					1			1		4		1	
	Other acute accidental poisonings (gas excepted)—F	1					1			1					
180	Conflagration—F	5	3	1	1		1			1					
181	Burns (conflagration excepted)—M	6					2			2		2		2	
	Burns (conflagration excepted)—F	10	1	1		1	4	3	1			3	1		
	Supplemental—M	1										1			
182	Mechanical suffocation—M	1										1			
	Mechanical suffocation—F	2										1		1	
183	Drowning—M	38	3	3	2	1	5		1	4	4	18	1	4	
	Drowning—F	5										4		1	
	Supplemental—M	3					3			3					
	Supplemental—F	1									1				
	Traumatism:														
184	By firearms (wounds of war excepted)—M	5		1		1	2	1		1		1		1	
	By firearms (wounds of war excepted)—F	1		1	1										
185	By cutting or piercing instruments (wounds of war excepted)—M	1	1												
	Supplemental—M	1												1	
186a	By fall—M	36	4	2	2		12	2	1	9	3	12	1	2	
	By fall—F	9	1				4	1		3		3		1	
	Supplemental—M	24		1	1		11	1		10	2	8		2	
	Supplemental—F	3					1			1		2			
186b	By crushing, landslide—M	1												1	
	Supplemental—M	10	1	1	1							3	1	4	
	Supplemental—F	1	1												
188	Injuries by animals—M	1									1				
189	Hunger and thirst—M	1												1	
193	Due to electric currents—M	3					2			2		1			
194b	Other accidents—M	17	2	4	4		8	4		4	2	1			
	Supplemental—M	58	2	4	3	1	17	2	1	14	5	18	4	8	
	Supplemental—F	16	1	3	2	1	6	2		4	1	5			
198	Legal executions—M	1												1	
	XVIII.—Ill-defined causes of death—Male	2										1		1	
	XVIII.—Ill-defined causes of death—Female	2										1		1	
200a	Cause of death ill-defined—M	1										1			
	Cause of death ill-defined—F	1												1	
200b	Cause of death not specified or unknown—M	1												1	
	Cause of death not specified or unknown—F	1										1			
Punch symbol	SUPPLEMENTAL [1]														
202	Accidents from agricultural machinery—M	2					1			1				1	
205	Other machinery accidents—M	4					2			2		1		1	
207	Other railroad accidents—M	7					1	1				3		3	
209	Other street car accidents—F	3					2			2		1			
210	Automobile accidents (primary)—M	67	2	5	4	1	17	2		15	7	22	5	9	
	Automobile accidents (primary)—F	17	2	3	2	1	5	2		3	1	6			
211	Motorcycle accidents—M	2	1				1		1						
212	Other land transportation accidents—M	9		1	1		5			5		3			
213	Water transportation accidents—M	2										1		1	
	Water transportation accidents—F	1									1				
214	Airt ransportation accidents—M	4					4			4					

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	Total deaths (all causes)—Male	2,351	468	61	20	19	28	63	39	47	102	83	95	210	297	359	273	186	1
	Total deaths (all causes)—Female	1,319	331	54	35	27	14	37	27	36	64	68	55	134	119	143	85	90	
	I.—Infectious and parasitic diseases—Male	393	25	16	2	4	9	11	11	13	36	30	29	72	60	45	20	10	
	I.—Infectious and parasitic diseases—Female	229	13	8	5	6	4	9	8	17	29	36	17	39	21	13	3	1	
1	Typhoid fever—M	6							1		1	2	1	1					
	Typhoid fever—F	2								1				1					
7	Measles—M	12	3	8			1												
	Measles—F	10	3	4	1	1		1											
8	Scarlet fever—F	1												1					
10	Diphtheria—M	11	2	4	2		1	1					1						
	Diphtheria—F	12	3	2	2	1	3	1											
11a	Influenza, respiratory complications specified—M	14	2	1				1		1	1			2	2	3	1		
	Influenza, respiratory complications specified—F	7								2		2		2		1			
11b	Influenza, respiratory complications not specified—M	12	2	1					2		3		1	1			1	1	
	Influenza, respiratory complications not specified—F	5	1						1		1			1	1				
13	Dysentery—M	3						1						1	1				
	Dysentery—F	1														1			
14	Plague—M	4									1			2	1				
	Plague—F	1							1										
15	Erysipelas—M	4	1					1						1			1		
	Erysipelas—F	2	1									1							
16	Acute poliomyelitis, acute polioencephalitis—M	2	1				1												
17	Lethargic or epidemic encephalitis—F	1						1											
18	Epidemic cerebrospinal meningitis—M	6	1			1	1			1				1		1			
	Epidemic cerebrospinal meningitis—F	5	1	1			1	1	1										
22	Tetanus—M	15	3			1	1	4	2	1					2		1		
	Tetanus—F	4	1			1		1								1			
	Tuberculosis (all forms)—M	226	5	2		1	4	3	6	9	26	22	22	44	45	25	10	2	
	Tuberculosis (all forms)—F	134		1	1	3		3	5	14	26	25	13	21	14	6	2		
23	Respiratory system—M	206	2	2			1	2	5	8	23	21	22	42	42	24	10	2	
	Respiratory system—F	124				1		2	4	14	24	25	13	20	13	6	2		
24	Meninges and central nervous system—M	6	1			1	2	1				1							
	Meninges and central nervous system—F	4			1	2		1											
25	Intestines and peritoneum—M	6	1				1		1		1			1	1				
	Intestines and peritoneum—F	2							1					1					
26	Vertebral column—M	2									1					1			
	Vertebral column—F	1													1				
27a	Bones (vertebral column excepted)—M	1													1				
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)—F	1		1															
30	Genitourinary system—M	1												1					
32a	Acute disseminated tuberculosis—M	4	1							1	1				1				
	Acute disseminated tuberculosis—F	2									2								
33	Leprosy—M	44								1	3	4	3	13	5	9	2	4	
	Leprosy—F	21									1	5	3	8		2	1	1	
34	Syphilis—M	29	5									1	1	6	4	6	4	2	
	Syphilis—F	18	3		1						1	2		3	6	2			
35	Gonococcus infection, other venereal diseases—F	2												2					
36	Purulent infection, septicemia (non-puerperal)—M	4									1	1				1	1		
	Purulent infection, septicemia (non-puerperal)—F	2										1	1						
42	Other diseases caused by helminths—M	1				1													
44	Other infectious and parasitic diseases—F	1						1											
	II.—Cancers and other tumors—Male	178		1	1	1		1				1	5	15	37	60	41	15	
	II.—Cancers and other tumors—Female	105						1				5	4	13	25	30	17	10	
	Cancer and other malignant tumors—M	171				1							5	14	36	59	41	15	
	Cancer and other malignant tumors—F	99						1				3	3	12	24	29	17	10	
(45)	Buccal cavity—M	6												1	2	1	2		
(45)	Buccal cavity—F	2												2					
(45)	Pharynx—M	1															1		
(46)	Esophagus—M	9													3	5		1	
(46)	Esophagus—F	2													1			1	
(46)	Stomach and duodenum—M	74											1	4	17	25	19	8	
(46)	Stomach and duodenum—F	28											1		5	11	5	6	
(46)	Liver and biliary passages—M	22											1	1	5	8	6	1	
(46)	Liver and biliary passages—F	6											1	1	2	1	1		
(46)	Pancreas—M	5												1		2	1	1	
(46)	Pancreas—F	3												1	2				
(46)	Other digestive tract and peritoneum—M	13											1	4	2	5	1		
(46)	Other digestive tract and peritoneum—F	10												1	1	2	5	1	
47	Respiratory system—M	12												1	2	4	4	1	
47	Respiratory system—F	4												1	1	1	1		
48	Uterus—F	21										2	1	3	6	7	2		
49	Other female genital organs—F	2													1		1		
50	Breast—F	12												3	3	3	2	1	
51	Male genitourinary organs—M	14				1							1	2	1	4	4	1	
52	Skin—F	1																1	
53	Other or unspecified organs—M	15											1		4	5	3	2	
53	Other or unspecified organs—F	8						1				1			2	4			
54b	Nonmalignant tumors, uterus—F	5										1	1	1	1	1			
54d,e	Nonmalignant tumors, other organs—M	5		1				1						1	1	1			
55d,e	Nonmalignant tumors, other organs—F	1										1							
	Tumors, other organs (nature unspecified)—M	2			1							1							
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Male	83	44		1	1	2	1	1		2	3	3	8	6	6	2	3	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Female	62	30	2	2	1				1	1	1	2	2	8	7	3	2	
56	Acute rheumatic fever—M	5					2	1	1							1			
56	Acute rheumatic fever—F	3	1			1											1		
57	Chronic rheumatism, osteoarthritis—F	2								1		1							
59	Diabetes mellitus—M	19				1							1	3	5	4	2	3	
59	Diabetes mellitus—F	19												1	7	7	2	2	
60	Scurvy—F	2	2																
61	Beriberi—M	50	35		1						2	3	2	5	1	1			
61	Beriberi—F	25	21		1								2	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	years and over	Age unknown
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued																		
63	Rickets—F	1	1																
66b	Exophthalmic goiter—F	1													1				
(66)	Other diseases of thyroid and parathyroid glands—M	1	1																
	F	1									1								
67	Diseases of thymus gland—M	7	7																
	F	8	5	2	1														
69	Other general diseases—M	1	1																
	IV.—Diseases of the blood and blood-making organs—Male	9			1							5	1	1	1				
	Female	4	1					1			1					1			
70	Hemorrhagic conditions—M	1										1							
71a	Pernicious anemia—M	2										1			1				
	F	1						1											
71b	Other anemias—F	2	1													1			
72a	True leukemias—M	5			1							3	1						
	F	1									1								
73	Diseases of spleen—M	1												1					
	V.—Chronic poisonings and intoxications—Male	6												1	1	2	1	1	
	Female	1													1				
75	Alcoholism (acute or chronic)—M	5												1	1	2		1	
	F	1													1				
76	Chronic poisoning by other organic substances—M	1															1		
	VI.—Diseases of the nervous system and of the organs of special sense—Male	204	13	2				5	2	4	2	3	5	13	31	56	53	15	
	Female	92	8	2	1			1	3			2	3	7	12	25	11	17	
78	Encephalitis (nonepidemic)—M	4						1		1				2					
	F	1	1																
79a	Simple meningitis—M	7		2				2			1		1		1				
	F	1	1																
80	Progressive locomotor ataxia (tabes dorsalis)—M	5													1	1	3		
81	Other diseases of spinal cord—M	6							1						1	2	2		
	F	2														2			
82a	Cerebral hemorrhage—M	128											1	6	20	44	45	12	
	F	60			1								1	4	9	19	9	17	
82b	Cerebral embolism and thrombosis—M	7										1	1		1	1	1	2	
	F	5	1									1	1			1	1		
82c	Softening of brain—M	1														1			
82d	Hemiplegia and other paralysis, cause unspecified—M	3															2	1	
	F	3							1							2			
83	General paralysis of insane—M	7												2	2	3			
	F	5										1		2	1		1		
84	Dementia praecox and other psychoses—M	8										1	1	1	3	2			
	F	4											1	1	2				
85	Epilepsy—M	4							1	2	1								
	F	1							1										
86	Convulsions (under 5 years of age)—M	11	11																
	F	5	4	1															
87	Other diseases of nervous system—M	3						1								2			
	F	2		1												1			
89a	Diseases of ear—M	6	1						1			1		1	2				
89b	Diseases of mastoid process—M	4	1					1					1	1					
	F	3	1					1	1										
	VII.—Diseases of the circulatory system—Male	296	1	1				4	3	1	11	2	7	17	36	65	74	74	
	Female	134	1	2		1		2	5			1	6	15	12	34	23	32	
90	Pericarditis—M	2							1		1								
91a	Acute endocarditis—M	9						1	1		2	1			1	2	1		
	F	3	1			1								1					
91b	Endocarditis, unspecified (under 45 years)—M	1						1											
	F	3							1					2					
92a	Endocarditis, specified as chronic, and other valvular diseases—M	44						2	1	1	5		1	5	5	11	5	8	
	F	28		1				2	4				1	3	5	6	3	3	
92b	Endocarditis, unspecified (45 years and over)—M	4													1	3			
93a	Acute myocarditis—M	5	1												1	1		2	
93c	Chronic myocarditis and myocardial degeneration—M	117									2		2	3	16	25	41	28	
	F	61										1	2	4	3	19	14	18	
93d	Other diseases of myocardium—M	21													4	4	5	8	
	F	11													2	3	4	2	
94a	Angina pectoris—M	14										1	1	3	3	3	1	2	
	F	6												1		3	1	1	
94b	Diseases of coronary arteries—M	13											1	2	1	4	2	3	
	F	4												1		1	1	1	
95b	Other and unspecified diseases of heart—M	29									1		2	3	3	6	10	4	
	F	11											2	3	1	2		3	
96	Aneurysm (except of heart)—M	3														3			
97	Arteriosclerosis (coronary arteries excepted)—M	32													1	3	9	19	
	F	4																4	
98	Gangrene—M	1												1					
99	Other diseases of the arteries—F	2											1		1				
101	Diseases of lymphatic system (lymphangitis, etc.)—M	1		1															
	F	1		1															
	VIII.—Diseases of the respiratory system—Male	274	117	19	9	5	5	7	7	5	9	8	6	20	18	21	11	7	
	Female	176	85	16	13	8	1	2	4	1	3	9	2	9	9	5	4	5	
104b	Diseases of nasal fossae and annexae—M	1												1					
	F	1	1																
106a	Acute bronchitis—M	16	13	2	1														
	F	7	6															1	
106b	Chronic bronchitis—M	4	1													2	1		
	F	3	1												1	1			
107a	Bronchopneumonia—M	108	68	7	5	1	3	4	3	1	1	2	2	3	2	4	1	1	
	F	98	58	10	7	6	1	2	1		1	1		4		2	2	3	
107b	Capillary bronchitis—M	6	4	1		1													
108	Lobar pneumonia—M	122	28	9	2	2	1	3	4	4	8	5	3	13	15	14	7	4	
	F	58	17	5	5	2			3	1	2	8	2	5	5	2		1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIII.—Diseases of the respiratory system—Continued																		
110	Pleurisy—M	7	2		1							1	1	1		1			
	Pleurisy—F	3	1	1	1														
111a	Pulmonary embolism and thrombosis—M	1	1																
112	Asthma—M	4				1	1											2	
	Asthma—F	5													3		2		
114	Other diseases of respiratory system (tuberculosis excepted)—M	5												2	1		2		
	Other diseases of respiratory system (tuberculosis excepted)—F	1	1																
	IX.—Diseases of the digestive system—Male	275	99	14	2	5	3	6	5	5	6	5	8	20	41	27	21	8	
	IX.—Diseases of the digestive system—Female	138	57	14	9	5	4	10	3	3	1	1	1	6	14	5	2	3	
115a	Diseases of pharynx, tonsils—M	5									1	1	2	1					
	Diseases of pharynx, tonsils—F	3						1						1	1				
115b	Diseases of buccal cavity and annexa—M	4	1							1						1		1	
116	Diseases of esophagus—F	1	1																
117a	Ulcer of stomach—M	19								1		1	1	2	9	4	1		
	Ulcer of stomach—F	2												1				1	
117b	Ulcer of duodenum—M	4												1	2		1		
118	Other diseases of stomach (cancer excepted)—M	1											1						
	Other diseases of stomach (cancer excepted)—F	1	1																
119	Diarrhea, enteritis (under 2 years of age)—M	109	95	14															
	Diarrhea, enteritis (under 2 years of age)—F	66	53	13															
120	Diarrhea, enteritis (2 years and over)—M	25			2	3	3	6				1		2	2	2	2	2	
	Diarrhea, enteritis (2 years and over)—F	27			9	5	4	4	2				1			1		1	
121	Appendicitis—M	32				1			5	3	4	1	2	7	5	1	3		
	Appendicitis—F	12						2	1		1			2	4	1	1		
122a	Hernia—M	10													4	2	2	2	
	Hernia—F	2	1													1			
122b	Intestinal obstruction—M	9	2			1							1		1	2	1	1	
	Intestinal obstruction—F	7	1	1				1		1					2		1		
123	Other diseases of intestines—M	3									1				1		1		
	Other diseases of intestines—F	1													1				
124	Cirrhosis of liver—M	33												4	11	10	8		
	Cirrhosis of liver—F	5								1				1	3				
125a	Yellow atrophy of liver—M	1													1				
	Yellow atrophy of liver—F	1										1							
125b	Other diseases of liver—M	2	1													1			
	Other diseases of liver—F	1						1											
126	Biliary calculi—M	2													1	1			
	Biliary calculi—F	3													1	2			
127	Other diseases of gall-bladder, biliary passages—M	11										1	1	1	2	2	2	2	
	Other diseases of gall-bladder, biliary passages—F	3													2			1	
128	Diseases of pancreas—M	1													1				
129	Peritonitis, cause not specified—M	4												2	1	1			
	Peritonitis, cause not specified—F	3						1		1				1					
	X.—Diseases of the genitourinary system—Male	163	2					2		2	2	2	2	8	28	49	33	33	
	X.—Diseases of the genitourinary system—Female	86	1		1	1	1				3	2	4	15	13	18	16	11	
130	Acute nephritis (including unspecified under 10 years)—M	5	1					1							1	1		1	
	Acute nephritis (including unspecified under 10 years)—F	4	1			1											1	1	
131	Chronic nephritis—M	148						1		1	1	2	2	8	26	45	32	30	
	Chronic nephritis—F	71					1				1	1	4	10	11	18	15	10	
132	Nephritis, unspecified (10 years and over)—M	3									1						1	1	
	Nephritis, unspecified (10 years and over)—F	2												1	1				
133	Other diseases of kidneys, ureters (puerperal diseases excepted)—M	3	1							1					1				
	Other diseases of kidneys, ureters (puerperal diseases excepted)—F	2			1										1				
134	Calculi of urinary passages—M	1														1			
137	Diseases of prostate—M	3														2		1	
139a	Cysts of ovary—F	2									1			1					
139b	Other diseases of ovaries, diseases of tubes and parametrium—F	3									1	1		1					
139c	Diseases of uterus—F	2												2					
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Female	62								3	14	7	13	23	2				
140	Abortion with septic conditions—F	6								1	1	1	2	1					
141	Abortion without mention of septic conditions (includes hemorrhages)—F	2									1			1					
142a	Ectopic gestation, septic conditions specified—F	2									1		1						
142b	Ectopic gestation, septic conditions not mentioned—F	1									1								
143	Other accidents of pregnancy (hemorrhage not included)—F	1												1					
144a	Placenta praevia—F	5										1	1	3					
144b	Other puerperal hemorrhages—F	8										1	4	3					
145a	Puerperal septicemia and pyemia (abortion excluded)—F	9								1	3	1	2	2					
146	Puerperal albuminuria and eclampsia—F	10								1	2	1	1	3	2				
147	Other toxemias of pregnancy—F	8									3		1	4					
149	Other accidents of childbirth—F	10									2	2	1	5					
	XII.—Diseases of the skin and cellular tissue—Male	8	1	1							2	1	2			1			
	XII.—Diseases of the skin and cellular tissue—Female	3	1											1		1			
151	Furuncle, carbuncle—M	4									2	1	1						
	Furuncle, carbuncle—F	2	1											1					
152	Phlegmon, acute abscess—M	2											1			1			
	Phlegmon, acute abscess—F	1														1			
153	Other diseases of skin and annexa, and of cellular tissue—M	2	1	1															
	XIII.—Diseases of the bones and organs of locomotion—Male	6					1	2	2		1								
154	Osteomyelitis—M	6					1	2	2		1								
	XIV.—Congenital malformations—Male	33	29		1		1	2											
	XIV.—Congenital malformations—Female	33	24	3	1	1	1	2	1										
157a	Congenital hydrocephalus—M	1	1																
	Congenital hydrocephalus—F	7	2	2	1	1		1											
157b	Spina bifida and meningocele—M	1	1																
	Spina bifida and meningocele—F	1	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 year and over	Age unknown
	XIV.—Congenital malformations—Con.																		
157c	Congenital malformations of heart	M 22	18		1		1	2											
		F 17	15	1				1											
157d	Other congenital malformations	M 9	9																
		F 8	6				1		1										
	XV.—Diseases of early infancy	Male 133	133																
		Female 106	106																
158	Congenital debility	M 15	15																
		F 11	11																
159	Premature birth	M 73	73																
		F 63	63																
160	Injury at birth	M 29	29																
		F 14	14																
161	Other diseases peculiar to early infancy	M 16	16																
		F 18	18																
162	XVI.—Senility	Male 7														2	1	4	
		Female 8															2	6	
	XVII.—Violent and accidental deaths	Male 281	4	7	3	3	7	22	8	17	31	23	26	35	38	25	16	16	
		Female 78	3	6	3	4	3	9	3	11	12	4	3	4	2	4	4	3	
	Suicide	M 50								1	6	4	4	7	11	7	8	2	
		F 17								6	7	1		1	1		1		
163	By solid or liquid poisons or by absorption of corrosive substances	M 11										2	2	2	3	1	1		
		F 9								4	4			1					
165	By hanging or strangulation	M 16									1		1	2	4	2	5	1	
		F 4									1	1			1		1		
166	By drowning	M 2													1	1			
		F 1								1									
167	By firearms	M 12								1	4	1	1	2	1	1	1		
		F 3								1	2								
168	By cutting or piercing instruments	M 8									1	1		1	2	2		1	
169	By jumping from high places	M 1															1		
	Homicide	M 17				1					3	3	2	4	3		1		
		F 6								2	1	1		1	1				
173	By firearms	M 5									2	1		2					
		F 2								1	1								
174	By cutting or piercing instruments	M 9				1					1	2	1	1	3				
		F 2												1	1				
175	By other means	M 3												1			1		
		F 2								1				1					
	Accidental, other, or undefined	M 214	4	7	3	2	7	22	8	16	22	16	20	24	24	18	7	14	
		F 55	3	6	3	4	3	9	3	3	4	2	3	2		4	3	3	
177	Poisoning by food	M 1												1					
		F 1												1					
179	Other acute accidental poisonings (gas excepted)	M 5	1	2											1	1			
		F 1											1						
180	Conflagration	F 5	1	1	2							1							
181	Burns (conflagration excepted)	M 6		2	1	1					1		1						
		F 10		2	1	1	1	2	1		1		1						
	Supplemental	M 1														1			
182	Mechanical suffocation	M 1	1																
		F 2	1														1		
183	Drowning	M 38		1	2	1	2	7		4	3	3	5	2	4	1	2	1	
		F 5		3				2											
	Supplemental	M 3										2		1					
		F 1								1									
	Traumatism:																		
184	By firearms (wounds of war excepted)	M 5						1	1			1	1		1				
		F 1						1											
185	By cutting or piercing instruments (wounds of war excepted)	M 1											1						
	Supplemental	M 1											1						
186a	By fall	M 36					1	5	3	2	3	2	1	2	3	4	3	7	
		F 9	1				1	1								3		3	
	Supplemental	M 24								4	4	2	2	5	5			2	
		F 3									1	1				1			
186b	By crushing, landslide	M 1											1						
	Supplemental	M 10		1				2	1		1	1	2		2				
		F 1				1													
188	Injuries by animals	M 1														1			
189	Hunger and thirst	M 1													1				
193	Due to electric currents	M 3							1		1			1					
194b	Other accidents	M 17	2					1	1	2	3	1		2	3	1		1	
	Supplemental	M 58		1			4	6	1	4	6	4	4	10	4	9	2	3	
		F 16				2	1	3	2	2	2		1	1			2		
198	Legal executions	M 1											1						
	XVIII.—Ill-defined causes of death	Male 2											1						1
		Female 2	1	1															
200a	Cause of death ill-defined	M 1																	1
		F 1		1															
200b	Cause of death not specified or unknown	M 1																	
		F 1	1																
Punch symbol	SUPPLEMENTAL [1]																		
202	Accidents from agricultural machinery	M 2									1		1						
205	Other machinery accidents	M 4											3	1					
207	Other railroad accidents	M 7						1	1	1	3						1		
209	Other street car accidents	F 3														1	2		
210	Automobile accidents (primary)	M 67		2			3	7	1	5	6	6	4	12	7	9	1	4	
		F 17				3	1	3	2	2	3	1	1	1					
211	Motorcycle accidents	M 2					1					1							
212	Other land transportation accidents	M 9								2	1			1	4			1	
213	Water transportation accidents	M 2											1			1			
		F 1								1									
214	Air transportation accidents	M 4										2		2					

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	3,670	349	297	335	306	346	294	348	313	259	255	270	298
Typhoid and paratyphoid fever (1, 2)	8				3						2	2	1
Smallpox (6)													
Measles (7)	22	5	8	7	1	1							
Scarlet fever (8)	1			1									
Whooping cough (9)													
Diphtheria (10)	23	2	1	1	5	4	4	1	1	1		1	2
Influenza (11)	38	3	1	2	1	1		13	9	4		1	3
Dysentery (13)	4			1		1	1	1					
Erysipelas (15)	6					1					3	1	1
Lethargic encephalitis (17)	1						1						
Epidemic cerebrospinal meningitis (18)	11	1		3	2	3					1	1	
Tuberculosis of the respiratory system (23)	330	31	22	37	32	27	24	30	30	30	30	17	20
Other forms of tuberculosis (24–32)	30	4	4			6	2	6	4			1	3
Malaria (38)													
Diabetes mellitus (59)	38	6	1	5	2	1	4	4	7	1		5	2
Cerebral hemorrhage and softening (82a, 82c)	189	19	13	11	15	18	15	11	22	16	11	15	23
Diseases of the heart (90–95)	386	26	27	30	31	48	34	38	38	32	28	25	29
Bronchitis (106)	30	3	4	2	2	2		4	4	1	3	1	4
Bronchopneumonia (107)	212	26	18	23	19	16	11	26	14	10	10	16	23
Lobar and unspecified pneumonia (108, 109)	180	28	14	21	20	20	18	9	8	5	9	13	15
Diarrhea and enteritis [under 2 years] (119)	175	20	13	28	16	21	16	17	8	6	6	12	12
Diarrhea and enteritis [2 years and over] (120)	52	7	4	8	4	3	3	6	3	3	6	4	1
Nephritis (130–132)	233	19	22	19	21	26	14	19	19	20	18	13	23
Puerperal septicemia (140, 142a, 145)	17	1	3	2	2	1	2				2	4	
Other puerperal causes	45	1	5	2	4	1	7	2	1	8	4	6	4
Suicide (163–171)	67	7	2	6	9	7	4	10	6	3	4	7	2
Automobile accidents [1]	84	7	6	7	5	5	5	5	8	8	13	8	7
Automobile—railroad train and street car collisions													
Other external causes	208	14	17	21	17	20	16	16	20	18	17	15	17
All other causes	1,280	119	112	98	95	113	113	130	111	93	88	102	106

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	799	125	34	27	53	41	18	24	322	77	65	64	43	37	43	48	38	23	17	22
Measles (7)	6															2		1	1	2
Scarlet fever (8)																				
Whooping cough (9)																				
Diphtheria (10)	5					1			1					2			1	1		
Influenza (11)	5				1				1		1		1	1		1				
Dysentery (13)																				
Erysipelas (15)	2									1				1						
Epidemic cerebrospinal meningitis (18)	2											1						1		
Tetanus (22)	4				3			1	4											
Tuberculosis of the respiratory system (23)	2																		1	1
Tuberculosis of the meninges, etc. (24)	1				1				1											
Other forms of tuberculosis (25–32)	2													1					1	
Syphilis (34)	8		2		1				3	1	1	2				1				
Convulsions (86)	15				3		2	1	6	2	2	1	1		1		1	1		
Bronchitis (106)	21				1		1	1	3	3	3	1	2	1	1	7				
Bronchopneumonia (107)	130			1	2	3	4	3	13	17	11	16	10	8	16	9	11	7	2	10
Lobar and unspecified pneumonia (108, 109)	45									4	6	7	4	4	5	5	4	3	2	1
Diseases of the stomach (117, 118)	1											1								
Diarrhea and enteritis (119)	148		2	1	2	10	2	4	21	18	15	23	13	12	11	10	10	6	4	5
Intestinal obstruction (122b)	3											1	1	1						
Congenital malformations (157)	53	13	1	2	6	5		2	29	5	9	2	2	1	2	2	1			
Congenital debility, icterus, sclerema (158, 161b, c)	33	4	2	1	3	2		5	17	8	4	1						1	1	1
Premature birth (159)	136	73	14	11	14	10	6	4	132	2	2									
Injury at birth (160)	43	24	7	5	6	1			43											
Other diseases of early infancy (161a,d)	27	10	5	1	7	2			25	1	1									
External causes (172–198)	7			1					1	1	2		1	1	1					
Unknown or ill-defined diseases (199, 200)	1	1							1											
All other causes	99		1	4	4	6	3	3	21	14	8	8	8	4	6	11	10	2	5	2

PUERTO RICO

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND MONTHS, IN PUERTO RICO: 1932

AREA AND COLOR	All deaths	MONTH OF DEATH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico, total	35,601	2,836	2,626	2,929	2,677	2,824	2,854	2,999	2,987	3,155	3,134	3,170	3,410
White	26,377	2,092	1,931	2,159	1,930	2,083	2,109	2,237	2,222	2,366	2,367	2,326	2,555
Colored	9,224	744	695	770	747	741	745	762	765	789	767	844	855
Cities of 10,000 or more:													
White	5,605	433	420	514	475	482	496	483	452	450	451	428	521
Colored	2,351	223	178	209	224	197	215	199	190	169	180	166	201
Cities of 2,500 to 10,000:													
White	2,650	236	186	209	211	221	228	214	240	251	220	213	221
Colored	1,133	85	103	100	75	89	105	91	100	110	100	99	76
Rural:													
White	18,122	1,423	1,325	1,436	1,244	1,380	1,385	1,540	1,530	1,665	1,696	1,685	1,813
Colored	5,740	436	414	461	448	455	425	472	475	510	487	579	578
CITIES OF 10,000 OR MORE													
Aguadilla—White	249	21	18	21	21	19	20	29	15	18	28	16	23
Colored	75	7	3	5	4	8	9	8	7	6	5	8	5
Arecibo—White	353	28	27	26	22	23	34	27	34	26	41	37	28
Colored	77	5	7	7	5	7	9	11	6	1	5	7	7
Bayamon—White	330	30	13	28	27	26	25	28	24	34	29	19	47
Colored	72	8	5	7	8	6	2	7	9	7	7	1	5
Caguas—White	433	36	38	41	27	36	35	46	34	31	36	36	37
Colored	254	37	29	16	26	11	28	22	25	11	20	12	17
Guayama—White	315	25	20	27	26	32	30	28	13	29	34	27	24
Colored	94	8	6	13	8	6	13	10	7	4	7	7	5
Mayaguez—White	771	68	68	89	84	64	71	48	59	62	51	52	55
Colored	271	18	23	22	25	27	31	27	18	21	19	17	23
Ponce—White	1,231	101	97	122	110	116	106	105	128	94	75	66	111
Colored	418	39	29	44	40	40	31	32	39	30	24	27	43
Rio Piedras—White	365	18	22	22	23	39	31	24	25	31	37	38	55
Colored	200	8	17	24	11	18	17	13	14	15	23	22	18
San Juan—White	1,558	106	117	138	135	127	144	148	120	125	120	137	141
Colored	890	93	59	71	97	74	75	69	65	74	70	65	78

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND AGE, IN PUERTO RICO: 1932

AREA AND COLOR	All ages	DEATHS AT AGE OF—											
		Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
Puerto Rico, total	35,601	8,790	2,892	1,877	1,177	840	15,576	1,798	789	1,291	2,093	1,437	1,277
White	26,377	6,726	2,226	1,414	886	631	11,883	1,334	580	902	1,512	1,008	894
Colored	9,224	2,064	666	463	291	209	3,693	464	209	389	581	434	383
Cities of 10,000 or more—White	5,605	1,348	318	155	101	92	2,014	174	90	245	424	280	259
Colored	2,351	519	113	62	61	39	794	74	46	117	179	134	115
Cities of 2,500 to 10,000—White	2,650	583	174	114	69	54	994	98	46	93	150	131	110
Colored	1,133	231	88	57	23	20	419	42	24	49	76	69	58
Rural—White	18,122	4,795	1,734	1,145	716	485	8,875	1,062	444	564	938	592	525
Colored	5,740	1,314	465	344	207	150	2,480	348	139	223	326	231	210
CITIES OF 10,000 OR MORE													
Aguadilla—White	249	54	17	9	6	6	92	8	6	11	13	17	9
Colored	75	24	2	1	2	3	32	2	1	4	6	4	2
Arecibo—White	353	73	15	4	10	6	108	15	2	10	27	18	21
Colored	77	9	5	1	2	1	18	3	2	3	5	5	4
Bayamon—White	330	75	25	13	13	6	132	19	6	9	19	13	12
Colored	72	13	1		3	3	20	2		1	6	2	6
Caguas—White	433	88	27	16	12	8	151	16	7	27	49	23	29
Colored	254	53	15	8	8	9	93	10	5	15	28	14	16
Guayama—White	315	59	21	9	5	7	101	17	3	10	20	14	14
Colored	94	15	4	2	2	3	26	1		4	8	8	6
Mayaguez—White	771	201	38	23	9	15	286	17	4	42	58	37	39
Colored	271	55	7	6	5	2	75	10	11	15	15	16	16
Ponce—White	1,231	255	74	29	25	20	403	27	22	59	116	67	49
Colored	418	72	18	8	6	4	108	7	5	24	23	26	17
Rio Piedras—White	365	83	25	9	6	4	127	7	6	19	30	16	13
Colored	200	48	19	3	7	4	81	5	4	17	15	10	8
San Juan—White	1,558	460	76	43	15	20	614	48	34	58	92	75	73
Colored	890	230	42	33	26	10	341	34	18	34	73	49	40

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

AREA AND COLOR	DEATHS AT AGE OF														
	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Puerto Rico, total	1,401	1,158	1,133	1,132	802	1,277	887	1,101	537	796	424	361	188	136	7
White	984	833	812	809	570	941	675	833	414	609	318	256	136	73	6
Colored	417	325	321	323	232	336	212	268	123	187	106	105	52	63	1
Cities of 10,000 or more—White	285	246	229	217	162	240	164	198	119	108	67	42	29	11	2
Colored	125	98	97	102	77	77	73	54	45	49	31	30	14	19	1
Cities 2,500 to 10,000—White	122	104	106	126	71	114	85	88	47	64	46	36	11	7	1
Colored	57	34	53	46	32	45	32	30	14	17	17	12	4	3	
Rural—White	577	483	477	466	337	587	426	547	248	437	205	178	96	55	3
Colored	235	193	171	175	123	214	107	184	64	121	58	63	34	41	
CITIES OF 10,000 OR MORE															
Aguadilla—White	13	10	15	11	3	9	9	5	7	6	3	1	1		
Colored	4	2	3	2	4	1	2	1	3	1				1	
Arecibo—White	17	17	14	16	6	27	13	14	9	10	5	1	2	1	
Colored	4	6	4	2	2	3	2	3	3	3		4	1		
Bayamon—White	19	15	13	19	8	10	4	9	7	9	1	3	3		
Colored	2	6	3	5	2	2	6	3	2	1	2	1			
Caguas—White	20	16	12	9	14	15	13	9	7	5	4	4	1	2	
Colored	11	5	7	6	10	11	10	5	4	1	1	1		1	
Guayama—White	22	12	15	14	10	18	8	13	5	11		5		3	
Colored	3	10	5	4	5	3	3	1	1	4			1	1	
Mayaguez—White	39	36	34	29	22	37	25	29	14	7	7	5	3	1	
Colored	14	13	12	18	7	12	6	5	4	6	7	2	3	4	
Ponce—White	67	59	49	51	32	57	40	49	26	24	20	5	7	2	
Colored	37	16	20	25	18	17	16	18	8	13	6	9	2	3	
Rio Piedras—White	22	23	12	7	11	21	14	12	6	5	3	7	2	1	1
Colored	9	7	8	3	3	7	6	4	2	5	2	2	2		
San Juan—White	66	58	65	61	56	46	38	58	38	31	24	11	10	1	1
Colored	41	33	35	37	26	21	22	14	18	15	13	11	5	9	1

TABLE 3—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1932

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebrospinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.
		1,2	6	7	8	9	10	11	15	18	23	24
Puerto Rico, total	35,601	85		51		135	46	430	21	4	4,528	29
White	26,377	65		35		111	37	333	16	2	3,217	19
Colored	9,224	20		16		24	9	97	5	2	1,311	10
Cities of 10,000 or more—White	5,605	26		7		8	9	43	3		1,087	12
Colored	2,351	8		5		6	4	14		1	444	4
Cities of 2,500 to 10,000—White	2,650	7		2		12	8	29	1		350	
Colored	1,133	3		1		4	2	10			201	1
Rural—White	18,122	32		26		91	20	261	12	2	1,780	7
Colored	5,740	9		10		14	3	73	5	1	666	5
CITIES OF 10,000 OR MORE												
Aguadilla—White	249			1		1		2			69	
Colored	75										21	1
Arecibo—White	353	1						4			76	
Colored	77					1		1			19	
Bayamon—White	330			1							48	1
Colored	72										16	
Cagaus—White	433	1		1				3			121	
Colored	254			1		2	1				55	1
Guayama—White	315							2			57	2
Colored	94										23	
Mayaguez—White	771	1				4		5			154	1
Colored	271	2				1					49	
Ponce—White	1,231	10					3	2	1		236	2
Colored	418	1						2		1	66	
Rio Piedras—White	365							2			93	1
Colored	200			1			1	1			39	
San Juan—White	1,558	13		4		3	6	23	2		233	5
Colored	890	5		3		2	2	10			156	2
DEATH RATE PER 100,000 ESTIMATED POPULATION												
Puerto Rico, total	2,228.5	5.3		3.2		8.5	2.9	26.9	1.3	0.3	283.4	1.8
White	2,216.2	5.5		2.9		9.3	3.1	28.0	1.3	0.2	270.3	1.6
Colored	2,264.7	4.9		3.9		5.9	2.2	23.8	1.2	0.5	321.9	2.5

TABLE 3—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1932—Continued

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND COLOR	Other forms of tuberculosis 25–32	Syphilis 34	Malaria 38	Cancer and other malignant tumors 45–53	Rheumatism and gout 56–58	Diabetes mellitus 59	Cerebral hemorrhage and softening 82a, 82c	Diseases of the heart 90–95	Bronchitis 106	Pneumonia (all forms) 107–109	Diarrhea and enteritis: Under 2 years 119	Diarrhea and enteritis: 2 years and over 120	Appendicitis 121
Puerto Rico, total	189	417	2,722	727	33	57	336	1,738	966	3,679	4,094	2,509	53
White	143	299	1,904	577	26	43	239	1,271	764	2,710	3,129	1,933	41
Colored	46	118	818	150	7	14	97	467	202	969	965	576	12
Cities of 10,000 or more—White	42	75	309	186	7	23	84	343	101	529	723	243	17
Colored	20	38	123	62	1	9	35	161	48	225	252	90	4
Cities of 2,500 to 10,000—White	19	37	187	84	2	5	28	167	70	249	253	174	5
Colored	4	13	80	21	1	1	14	57	16	126	135	82	2
Rural—White	82	187	1,408	307	17	15	127	761	593	1,932	2,153	1,516	19
Colored	22	67	615	67	5	4	48	249	138	618	578	404	6
CITIES OF 10,000 OR MORE													
Aguadilla—White	1	3	14	7			3	9	2	13	27	15	1
Colored			4				2	2		10	9	1	
Arecibo—White	1	1	17	13		1	2	27	5	34	30	26	
Colored	1		8	3		1	1	8	3	7	5	1	
Bayamon—White	2	9	7	8		2	5	35	7	36	48	28	1
Colored	1	3		6			2	6	2	11	6	5	1
Cagaus—White	9	3	8	14		1	5	22	14	33	45	24	
Colored	3	4	7	6		2	5	17	5	19	28	17	
Guayama—White	1	1	45	10		4	13	12	13	33	40	13	
Colored			10	1		1	4	2	2	9	9	9	
Mayaguez—White	6	3	34	13		2	15	39	15	90	118	42	3
Colored	2	3	23	3			5	22	6	32	18	10	
Ponce—White	4	17	129	33	2	3	13	68	16	85	139	46	1
Colored	2	7	39	12		3	2	39	6	28	41	12	
Rio Piedras—White	2	9	8	15		1	5	16	5	44	38	6	2
Colored	1	2	3	4			5	13	3	35	21	10	1
San Juan—White	16	29	47	73	5	9	23	115	24	161	238	43	9
Colored	10	19	29	27	1	2	9	52	21	74	115	25	2
DEATH RATE PER 100,000 ESTIMATED POPULATION													
Puerto Rico, total	11.8	26.1	170.4	45.5	2.1	3.6	21.0	108.8	60.5	230.3	256.3	157.1	3.3
White	12.0	25.1	160.0	48.5	2.2	3.6	20.1	106.8	64.2	227.7	262.9	162.4	3.4
Colored	11.3	29.0	200.8	36.8	1.7	3.4	23.8	114.7	49.6	237.9	236.9	141.4	2.9

AREA AND COLOR	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130–132	Puerperal septicemia 140, 142a, 145	Other puerperal causes	Congenital malformations and diseases of early infancy 157–161	Suicide 163–171	Homicide 172–175	Automobile accidents: Primary [1]	Automobile accidents: In collision with railroad trains and street cars	Other external causes	Unknown or ill-defined diseases 199, 200	All other causes
Puerto Rico, total	102	183	2,501	165	276	2,417	331	209	133	2	644	1,014	4,775
White	74	142	1,825	122	206	1,829	244	156	81	2	418	798	3,566
Colored	28	41	676	43	70	588	87	53	52		226	216	1,209
Cities of 10,000 or more—White	25	20	302	30	46	291	79	47	26	1	92	51	718
Colored	13	9	139	12	25	126	37	17	19		35	23	342
Cities of 2,500 to 10,000—White	13	21	182	15	24	176	28	33	11	1	47	31	379
Colored	2	9	71	9	8	70	8	9	8		19	10	136
Rural—White	36	101	1,341	77	136	1,362	137	76	44		279	716	2,469
Colored	13	23	466	22	37	392	42	27	25		172	183	731
CITIES OF 10,000 OR MORE													
Aguadilla—White	1		8		2	13	5	1		1	2	4	44
Colored		1	6		1	4					1	2	10
Arecibo—White	2		31	2		24	8	1	2		6	1	38
Colored			5		1	2	2						8
Bayamon—White	2	1	13	2	8	14	1	3	1		9	1	37
Colored			3	1	1								8
Cagaus—White	1		23	3	8	19	7	5			7	2	54
Colored	2	1	9	4	2	10	9	3	2		3		36
Guayama—White	1	2	18	1		7	5	1			3	3	28
Colored	2	1	9			3	2	2				1	4
Mayaguez—White	3	3	40	2	1	38	11	3			9	28	88
Colored	1	1	12	1	3	19	3		2		3	14	36
Ponce—White	8	7	74	7	16	82	22	10	7		16	8	164
Colored	3	1	37	1	3	23	8	2	3		9	1	66
Rio Piedras—White	3		26	2	2	9	4	1	4		6	1	60
Colored	2	1	17		2	3	1	1	2		4		27
San Juan—White	4	7	69	11	9	85	16	22	12		34	3	205
Colored	3	3	41	5	12	62	12	9	10		15	5	147
DEATH RATE PER 100,000 ESTIMATED POPULATION													
Puerto Rico, total	6.4	11.5	156.6	10.3	17.3	151.3	20.7	13.1	8.3	0.1	40.3	63.5	298.9
White	6.2	11.9	153.3	10.3	17.3	153.7	20.5	13.1	6.8	0.2	35.1	67.0	299.6
Colored	6.9	10.1	166.0	10.6	17.2	144.4	21.4	13.0	12.8		55.5	53.0	296.8

[1] Excludes collision with railroad trains and street cars.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932

List no.	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	Total deaths (all causes): White	26,377	6,726	2,226	1,414	886	631	1,334	580	902	1,512	1,003	894	1,817	1,621	1,511	1,508	1,806	6
	Total deaths (all causes): Colored	9,224	2,064	666	463	291	209	464	209	389	581	434	383	742	644	568	480	636	1
	I.—Infectious and parasitic diseases: White	7,340	985	335	237	172	150	427	269	537	935	581	472	865	600	372	276	127	
	I.—Infectious and parasitic diseases: Colored	2,782	294	94	86	76	57	162	116	248	339	272	189	372	223	131	79	43	1
1	Typhoid fever W	63				1		3	10	11	7	12	6	7	2	3	1		
	Typhoid fever C	20						1	2	5	1	3	1	4	2	1			
2	Paratyphoid fever W	2												1	1				
5	Undulant fever W	1														1			
7	Measles W	35	7	9	9		4	6											
	Measles C	16	7	3	2			2	1					1					
9	Whooping cough W	111	62	27	8	8	1	5											
	Whooping cough C	24	13	7		1	2	1											
10	Diphtheria W	37	6	11	8	4	2	4	2										
	Diphtheria C	9	4	1	2	1		1											
11a	Influenza, respiratory complications specified W	201	32	27	19	7	6	10	4	10	11	7	11	14	17	8	11	7	
	Influenza, respiratory complications specified C	39	6	2	2	1	1	1	2	3	6	2	3	4	1	5			
11b	Influenza, respiratory complications not specified W	132	26	14	14	13	4	6	6	2	6	6	3	5	5	7	10	5	
	Influenza, respiratory complications not specified C	58	14	6	5	1	2	4	4	2	2	1	1	7	4	1		4	
13	Dysentery W	97	10	11	3	3	5	7	6	6	4	2	3	7	12	4	7	7	
	Dysentery C	39	5	4	1	1		4	2	1	2	1	3	3	1	4	4	3	
15	Erysipelas W	16	1	5	2	1						1		3	1	2			
	Erysipelas C	5	2	1					1			1							
16	Acute poliomyelitis, acute polioencephalitis W	1							1										
	Acute poliomyelitis, acute polioencephalitis C	1						1											
18	Epidemic cerebrospinal meningitis W	2	1		1														
	Epidemic cerebrospinal meningitis C	2					1			1									
22	Tetanus W	399	315	3	1	3	2	18	12	5	5	7	3	13	2	6	2	2	
	Tetanus C	110	69	2		1	1	6	8	6	3	2	1	6	1	2	1	1	
	Tuberculosis (all forms) W	3,379	29	42	27	20	11	68	94	355	732	431	351	585	329	176	99	30	
	Tuberculosis (all forms) C	1,367	5	5	7	13	11	23	38	176	260	201	132	259	131	63	33	10	
23	Respiratory system W	3,217	18	34	21	15	9	48	86	344	717	423	342	567	306	166	92	29	
	Respiratory system C	1,311	4	1	7	6	9	17	31	172	258	198	128	256	124	59	31	10	
24	Meninges and central nervous system W	19	6	2	3	2		3	1			1		1					
	Meninges and central nervous system C	10		3		4	1	1					1						
25	Intestines and peritoneum W	98	2	1	3		1	6	5	7	7	6	8	15	22	8	6	1	
	Intestines and peritoneum C	29		1		1	1	1	1	2	2	3	3	2	6	4	2		
26	Vertebral column W	8				1	1	1		1	1	1	1		1				
27a	Bones (vertebral column excepted) W	6						2	1	1	1					1			
	Bones (vertebral column excepted) C	3				1		1	1										
27b	Joints W	1															1		
	Joints C	2							1					1					
28	Skin and subcutaneous cellular tissue W	1		1															
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) W	10		2		2		6											
	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) C	7				1		3	2						1				
30	Genitourinary system W	2								1	1								
	Genitourinary system C	1							1										
32a	Acute disseminated tuberculosis W	16	3	2				2	1	1	5			1		1			
	Acute disseminated tuberculosis C	4	1						1	2									
32b,c	Other disseminated tuberculosis W	1												1					
33	Leprosy W	6										1	1	1	2		1		
	Leprosy C	2												2					
34	Syphilis W	299	186	12	6	2	8	3	2	1	7	4	9	19	12	13	7	8	
	Syphilis C	118	57	3	6	1		2	2	4	5	4	3	6	10	6	2	6	1
35	Gonococcus infection, other venereal diseases W	3	1	1										1					
	Gonococcus infection, other venereal diseases C	2				1												1	
36	Purulent infection, septicemia (non-puerperal) W	136	27	11	2	3	2	5	10	9	10	14	5	11	9	12	5	1	
	Purulent infection, septicemia (non-puerperal) C	35	5		1		1	2	2	4	1		2	5	4	4	3	1	
38	Malaria W	1,904	269	141	109	89	86	211	79	113	118	82	59	153	142	102	97	54	
	Malaria C	818	101	55	54	47	34	95	46	40	55	52	37	66	62	33	26	15	
39	Other diseases due to protozoal parasites W	1	1																
	Other diseases due to protozoal parasites C	1	1																
40	Ankylostomiasis W	337	6	3	4	4	10	64	38	22	32	11	15	27	45	27	23	6	
	Ankylostomiasis C	72	1		2	7	2	12	7	5	2	3	4	7	5	9	4	2	
42	Other diseases caused by helminths W	104	6	17	24	14	9	17	3			1	2	2	2	2	3	2	
	Other diseases caused by helminths C	23	2	5	4	1	2	5	1							1	2		
43	Mycoses W	73		1					2	3	3	2	3	16	19	9	10	5	
	Mycoses C	21	2					2		1	2	2	2	2	2	2	4		
44	Other infectious and parasitic diseases W	1											1						
	II.—Cancers and other tumors: White	590	1	1			2	5	3	3	7	6	16	64	148	128	136	70	
	II.—Cancers and other tumors: Colored	164	1	1							2	6	8	23	36	45	23	19	
	Cancer and other malignant tumors W	577		1			1	5	3	3	6	6	15	63	146	127	133	68	
	Cancer and other malignant tumors C	150									1	4	6	22	35	43	21	18	
(45)	Buccal cavity W	23					1							2	4	4	7	5	
	Buccal cavity C	7												2	3	1	1		
(45)	Pharynx W	14											1		4	5	2	2	
	Pharynx C	3														1	2		
(46)	Esophagus W	9												1	2	2	3	1	
	Esophagus C	4									1				2	1			
(46)	Stomach and duodenum W	190										1	3	19	49	49	47	22	
	Stomach and duodenum C	43										1	2	3	8	18	6	5	
(46)	Liver and biliary passages W	30						1						1	8	10	5	5	
	Liver and biliary passages C	4												1	2	1			
(46)	Pancreas W	11													1	4	6		
(46)	Other digestive tract and peritoneum W	29									2	1	4	5	6	5	3	3	
	Other digestive tract and peritoneum C	8											1	1	2	1	1	2	
47	Respiratory system W	21											3	3	3	5	6	1	
	Respiratory system C	5											1	1		3			
48	Uterus W	141									1	2	1	21	45	27	32	12	
	Uterus C	52										3		11	13	12	8	5	
49	Other female genital organs W	3													2			1	
	Other female genital organs C	1													1				
50	Breast W	12												3	5	2	2		
	Breast C	4													1		2	1	
51	Male genitourinary organs W	22												2	3	4	5	8	
	Male genitourinary organs C	5												1	1	1		2	
52	Skin W	20								1			2	3	4	1	6	3	
	Skin C	5												1		2	1	1	
53	Other or unspecified organs W	52		1				4	3	2	3	2	1	3	10	9	9	5	
	Other or unspecified organs C	9											2	1	2	2		2	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	II.—Cancers and other tumors—Contd.																		
54a	Nonmalignant tumors, ovary—W	1												1					
54b	Nonmalignant tumors, uterus—C	3										1			1	1			
55d, e	Tumors, other organs (nature unspecified)—W	12	1				1				1		1		2	1	3	2	
	—C	11	1	1							1	1	2	1		1	2	1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—White	122	16	22	4	2	2	3	6	2		1	1	4	14	15	15	15	
	—Colored	37	5	2	3			1		1		2	1	7	4	8	3		
56	Acute rheumatic fever—W	19			1	1			3	1					5	2	1	5	
	—C	6												1	1	3	1		
57	Chronic rheumatism, osteoarthritis—W	7						1		1						1		4	
	—C	1															1		
59	Diabetes mellitus—W	43	1						2					3	6	12	13	6	
	—C	14										2	1	4	1	5	1		
60	Scurvy—W	1												1					
61	Beriberi—W	1		1															
	—C	1												1					
62	Pellagra—W	7		1			1	1	1			1			2				
	—C	1												1					
63	Rickets—W	32	9	18	3	1	1												
	—C	7	3		3			1											
66a	Simple goiter—W	1															1		
66b	Exophthalmic goiter—W	2											1		1				
(66)	Other diseases of thyroid and parathyroid glands—C	2		2															
67	Diseases of thymus gland—W	5	5																
	—C	2	2																
69	Other general diseases—W	4	1	2				1											
	—C	3								1					2				
	IV.—Diseases of the blood and blood-making organs—White	210	20	4	4	4	5	11	7	7	14	7	9	33	15	25	25	20	
	—Colored	55	16	1	1	1		4	1	2	2			6	11	4	4	2	
70	Hemorrhagic conditions—W	20	9	1	1	1		3			2		1	2					
	—C	4	4																
71a	Pernicious anemia—W	105	3		1			2	4	5	8	4	7	15	9	18	18	11	
	—C	26	1	1		1			1	2	2			4	9	1	2	2	
71b	Other anemias—W	69	8	3	1	2	5	4	2	1	3	1		13	6	6	5	9	
	—C	24	11		1			3						2	2	3	2		
72a	True leukemias—W	5			1							1	1	2					
	—C	1						1											
72b	Pseudoleukemias (Hodgkin's disease)—W	4						2	1								1		
73	Diseases of spleen—W	7				1				1	1	1		1		1	1		
	V.—Chronic poisonings and intoxications—White	5										2	1	1	1				
	—Colored	7										1	1	2		2	1		
75	Alcoholism (acute or chronic)—W	5										2	1	1	1				
	—C	7										1	1	2		2	1		
	VI.—Diseases of the nervous system and of the organs of special sense—White	576	81	33	19	11	6	21	18	13	28	13	22	52	52	75	63	67	2
	—Colored	215	20	5	10	3	6	6	3	5	13	4	12	15	21	30	33	29	
78	Encephalitis (nonepidemic)—W	9	2				1			1	3			2					
	—C	6					2	2			1		1						
79a	Simple meningitis—W	119	46	23	9	9	3	8	9	4	1	1	1	1	3		1		
	—C	38	15	3	8		4	1	1	3	1	1	1						
79b	Nonepidemic cerebrospinal meningitis—W	3			1						1				1				
80	Progressive locomotor ataxia (tabes dorsalis)—W	9											1	3	1	2	2		
	—C	1															1		
81	Other diseases of spinal cord—W	7						1		1	1		1	1		1	1		
	—C	4												1	2	1			
82a	Cerebral hemorrhage—W	235	9		1	1	1	3		3	6	3	5	23	34	52	43	50	1
	—C	94	1	2	1	2					3	2	5	4	15	16	23	20	
82b	Cerebral embolism and thrombosis—W	13										1	3	4	2		1	2	
	—C	7									3	1		1		1	1		
82c	Softening of brain—W	4													1	2		1	
	—C	3														1	1	1	
82d	Hemiplegia and other paralysis, cause unspecified—W	54						1	2		1	3	1	8	7	11	9	11	
	—C	23											3	2		8	5	5	
83	General paralysis of insane—W	9										1	1	4		1	1		1
	—C	8											1	4		1	1	1	
84	Dementia praecox and other psychoses—W	14							1	1	2	1	3		1	2	2	1	
	—C	7									2		1	1	2			1	
85	Epilepsy—W	42	2	3	5			2	3	2	11	2	4	3	1	2	1	1	
	—C	12				1		2	1	2	2			1	1	2			
86	Convulsions (under 5 years of age)—W	15	11	3	1														
	—C	2	2																
87	Other diseases of nervous system—W	24	7		1			2	1	1	1		2	3	1	2	2	1	
	—C	4	2												1		1		
89a	Diseases of ear—W	12	3	4		1	1		1		1	1							
	—C	4			1			1			1							1	
89b	Diseases of mastoid process—W	7	1		1			4	1										
	—C	2							1					1					
	VII.—Diseases of the circulatory system—White	1,598	15	6	6	5	7	20	15	20	38	37	33	122	188	290	319	476	1
	—Colored	596	4	2	2	3	2	4	6	10	15	13	28	57	95	99	102	154	
90	Pericarditis—W	3	1								1			1					
	—C	1											1						
91a	Acute endocarditis—W	15	1					1		1	2	3	1	3	1	2			
	—C	9						1	2		1	1	1	2				1	
91b	Endocarditis, unspecified (under 45 years)—W	22			1		1	2	1	2	4		1	10					
	—C	11	1								1	2	4	3					
92a	Endocarditis, specified as chronic, and other valvular diseases—W	250	2	1		1	2	5	4	2	10	5	8	26	46	48	47	43	
	—C	79	1					1	2	2	5	3	4	8	18	9	13	13	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VII.—Diseases of the circulatory system—Continued																		
92b	Endocarditis, unspecified (45 years and over) W	46													6	10	10	19	1
	C	20													3	10	1	6	
93a	Acute myocarditis W	20		1				2		1	1	2	1		2	1	5	4	
	C	4		1										1		1	1		
93b	Myocarditis, unspecified (under 45 years) W	21			1				1	3	6	2	1	7					
	C	13					1			2		1	3	6					
93c	Chronic myocarditis and myocardial degeneration W	190	1				1	1		1	1	4	3	12	17	33	39	77	
	C	79			1	1			1	1	3	1	2	5	7	11	17	29	
93d	Other diseases of myocardium W	156										1	1		19	42	38	55	
	C	49													15	13	6	15	
94a	Angina pectoris W	76									3	1	1	9	15	15	24	8	
	C	31								1		2	1	4	10	5	4	4	
94b	Diseases of coronary arteries W	5												2		3			
	C	1													1				
95a	Functional diseases of heart W	49	3		1				2	3		4	2	7	11	3	8	5	
	C	14										1		4	6		3		
95b	Other and unspecified diseases of heart W	418	4	3	3		1	4	5	3	8	13	7	37	62	97	83	88	
	C	156						2	1	4	5	1	8	19	26	39	31	20	
96	Aneurysm (except of heart) W	4											1		1	1		1	
	C	7												2	3	1	1		
97	Arteriosclerosis (coronary arteries excepted) W	245											2	2	5	21	56	159	
	C	94											1		5	8	22	58	
98	Gangrene W	46	1	1		3	1	4		1			2	1	1	10	6	15	
	C	21	2	1	1	2	1					1	2	2	1		2	6	
99	Other diseases of the arteries W	17	1						1	2	1	1		2	2	3	2	2	
	C	6											1	1		2	1	1	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) W	3					1						1				1		
101	Diseases of lymphatic system (lymphangitis, etc.) W	4	1			1			1	1									
103	Other diseases of circulatory system W	8						1			1	1	1	3		1			
	C	1																1	
	VIII.—Diseases of the respiratory system White	3,616	1,194	497	278	196	115	191	55	73	106	77	85	194	167	152	136	100	
	Colored	1,216	338	148	84	46	38	67	27	31	49	40	35	78	72	73	48	42	
104a	Diseases of nasal fossae W	1	1																
104b	Diseases of nasal fossae and annexae W	2									1			1					
	C	1								1									
105	Diseases of larynx W	3	2		1	2				1					1	1			
	C	1		1															
106a	Acute bronchitis W	230	150	37	25	11			1		1				2	1		2	
	C	67	38	16	4	3	2	1					1			2			
106b	Chronic bronchitis W	61	12	4	3	4	1	2	1	1	1		2	4	2	8	10	6	
	C	14	3	1				1			3			1	2	3			
106c,d	Bronchitis, unspecified W	473	248	80	42	20	16	23	6	2	4	5	1	5	4	8	3	6	
	C	121	67	20	9	10	2	4	2		1			2		2		2	
107a	Bronchopneumonia W	1,753	600	294	161	126	75	119	16	22	30	20	24	56	60	58	43	49	
	C	572	163	81	53	25	24	48	14	7	15	14	10	15	24	30	25	24	
107b	Capillary bronchitis W	56	32	7	10	4	2	1											
	C	27	14	6	3		4												
108	Lobar pneumonia W	392	44	23	13	7	9	13	11	17	37	20	27	60	34	32	36	9	
	C	170	14	9	6	2		8	4	10	18	11	12	28	22	13	9	4	
109	Pneumonia, unspecified W	509	96	47	19	18	11	28	16	25	27	23	25	54	52	28	25	15	
	C	200	36	12	9	5	6	3	7	12	11	14	10	26	18	15	7	9	
110	Pleurisy W	30		1	2	1		1		2	2	3	2	4	4	3	3	2	
	C	8						1				1	1	2	1	1	1		
111a	Pulmonary embolism and thrombosis W	6							1		2	2						1	
	C	1											1						
111b	Pulmonary congestion, edema, hemorrhagic infarct W	36	7			2	1	2	1	1		2	2	3	2	3	4	6	
	C	18	3	1		1		1						4	2	3	1	2	
112	Asthma W	42	1	3	2	1		2	1	1		2		3	4	9	9	4	
	C	16		1						1	1				3	4	5	1	
113	Pulmonary emphysema W	2									1						1		
114	Other diseases of respiratory system (tuberculosis excepted) W	15	1	1					1	1			2	4	2	1	2		
	IX.—Diseases of the digestive system White	5,728	2,269	1,082	650	348	230	360	64	41	50	47	37	96	114	124	103	112	1
	Colored	1,780	712	340	206	111	72	110	7	14	25	8	14	28	45	34	22	32	
115a	Diseases of pharynx, tonsils W	14	6	1				1			2		1	1	2				
	C	1						1											
115b	Diseases of buccal cavity and annexa W	8	4	1						1		1	1						
	C	3	2		1														
116	Diseases of esophagus W	4								1					1	1		1	
	C	1														1			
117a	Ulcer of stomach W	38							1	1	1	3	1	8	7	9	2	5	
	C	14									1	1	1	2	3	4	1	1	
117b	Ulcer of duodenum W	5									1				3	1			
	C	2												2					
118	Other diseases of stomach (cancer excepted) W	239	129	41	19	4	4	10	6	4		1	2	1	2	4	3	9	
	C	96	59	13	8	2	5	2		1		1			3	1		1	
119	Diarrhea, enteritis (under 2 years of age) W	3,129	2,095	1,034															
	C	965	638	327															
120	Diarrhea, enteritis (2 years and over) W	1,933			625	343	221	336	46	22	29	23	15	45	50	50	57	70	1
	C	576			194	108	65	106	7	3	12	2	7	10	16	12	14	20	
121	Appendicitis W	41	1	1			1	4	2	6	6	5	3	7		3	1	1	
	C	12	1							2	3			2	1	2		1	
122a	Hernia W	15	2						1						3	3	5	1	
	C	4								1			1				1	1	
122b	Intestinal obstruction W	59	22	3	3		3	3	2		1	1	2	4	3	4	3	5	
	C	24	8		2			1		2	1	1		2	5		1	1	
123	Other diseases of intestines W	25	10		2	1	1		1			2	1	1	2	1	3		
	C	4	2				1										1		
124	Cirrhosis of liver W	142						1	2	2	3	3	3	19	31	39	27	12	
	C	41									2	1	3	6	9	12	4	4	
125a	Yellow atrophy of liver W	1														1			
	C	1									1								
125b	Other diseases of liver W	20		1	1			2			1	3	3	2	4		1	2	
	C	9				1				1	1	1		2	2			1	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IX.—Diseases of the digestive system—Continued																		
126	Biliary calculi	W 8											2	2	1	3			
		C 2					1			1									
127	Other diseases of gall-bladder, biliary passages	W 21									2	1	1	4	5	2	1	5	
		C 10	1										1		4	2		2	
128	Diseases of pancreas	W 2										1		1					
129	Peritonitis, cause not specified	W 24						3	3	4	4	3	2	1		3		1	
		C 15	1		1					3	4	1	1	2	2				
	X.—Diseases of the genitourinary system	White 1,937	86	86	109	84	80	193	77	44	72	53	55	148	205	211	239	195	
		Colored 725	22	25	37	28	24	61	17	16	34	25	38	64	76	102	82	74	
130	Acute nephritis (including unspecified under 10 years)	W 574	68	69	78	70	57	120	17	14	13	13	5	16	19	6	6	3	
		C 193	18	19	27	21	19	43	6	7	5	3	4	5	5	5	2	4	
131	Chronic nephritis	W 867	6	13	24	10	18	67	27	14	30	23	31	72	116	120	155	141	
		C 327	1	2	9	6	3	15	5	3	15	9	14	32	47	67	53	46	
132	Nephritis, unspecified (10 years and over)	W 384							32	14	24	10	13	47	63	68	70	43	
		C 156							5	4	10	10	15	18	23	28	24	19	
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	W 63	10	4	7	4	5	6	1	1		3	1	7	3	7	2	2	
		C 29	3	4	1	1	2	3	1		2	1	2	3	1	1	1	3	
135	Diseases of bladder (tumors excepted)	W 1	1																
		C 1												1					
136	Diseases of urethra, urinary abscess, etc	W 10									1		1	1		4	1	2	
137	Diseases of prostate	W 8													1	1	3	3	
		C 6												1		1	2	2	
138	Diseases of male genital organs, not specified as venereal	W 3	1													1		1	
		C 2										1		1					
139b	Other diseases of ovaries, diseases of tubes and parametrium	W 9								1	1	3	2		1	1			
		C 7								2	1		2	2					
139c	Diseases of uterus	W 18									3	1	2	5	2	3	2		
		C 3									1		1	1					
139e	Other diseases of female genital organs	C 1										1							
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	White 328							1	37	76	71	64	73	5	1			
		Colored 113							1	17	28	22	23	21	1				
140	Abortion with septic conditions	W 9								2	2	4		1					
		C 4									2	2							
141	Abortion without mention of septic conditions (includes hemorrhages)	W 6									1	3	1	1					
		C 1										1							
142b	Ectopic gestation, septic conditions not mentioned	W 3									1		1	1					
143	Other accidents of pregnancy (hemorrhage not included)	C 1									1								
144a	Placenta praevia	W 12								1	1	2	4	3	1				
		C 4								1		1	1	1					
144b	Other puerperal hemorrhages	W 72								5	17	10	17	21	2				
		C 24								3	3	5	3	9	1				
145a	Puerperal septicemia and pyemia (abortion excluded)	W 110							1	10	22	29	21	26		1			
		C 38							1	4	14	5	9	5					
145b	Puerperal tetanus (abortion excluded)	W 3										1	2						
		C 1												1					
146	Puerperal albuminuria and eclampsia	W 66								15	21	9	9	12					
		C 27								8	4	5	6	4					
147	Other toxemias of pregnancy	W 2								1	1								
		C 2									2								
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	W 8								1	1	2		3	1				
		C 2											1	1					
149	Other accidents of childbirth	W 33								2	7	11	8	4	1				
		C 9								1	2	3	3						
150	Other and unspecified conditions of puerperal state	W 4									2		1	1					
	XII.—Diseases of the skin and cellular tissue	White 46	11	1				4	3	2	3	3	4	3	4	5	2	1	
		Colored 15	5	1		1			2			2				1	2	1	
151	Furuncle, carbuncle	W 16	5					2	1			1	1	1	1	2	2		
		C 6	3	1					1								1		
152	Phlegmon, acute abscess	W 20	5					1	2	1	3	2	1	2	1	2			
		C 5	1			1			1			2							
153	Other diseases of skin and annexa, and of cellular tissue	W 10	1	1				1		1			2		2	1		1	
		C 4	1													1	1	1	
	XIII.—Diseases of the bones and organs of locomotion	White 21	1	1			1	1	3	2	1	1	1	1	3	2	2	1	
		Colored 5				2		1	2										
154	Osteomyelitis	W 14	1				1	1	3	1			1	1	1	2	2		
		C 5				2		1	2										
155	Other diseases of bones (tuberculosis excepted)	W 2								1		1							
156	Diseases of joints, other organs of locomotion	W 5		1							1				2			1	
	XIV.—Congenital malformations	White 97	86	4	1	1	1	2	1	1									
		Colored 38	34	2	2														
157a	Congenital hydrocephalus	W 19	11	4	1		1	2											
		C 5	1	2	2														
157b	Spina bifida and meningocele	W 12	10			1			1										
		C 3	3																
157c	Congenital malformations of heart	W 26	26																
		C 12	12																
157d	Other congenital malformations	W 40	39							1									
		C 18	18																

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XV.—Diseases of early infancy White	1,732	1,732																
	XV.—Diseases of early infancy Colored	550	550																
158	Congenital debility W	1,302	1,302																
	Congenital debility C	419	419																
159	Premature birth W	181	181																
	Premature birth C	59	59																
160	Injury at birth W	69	69																
	Injury at birth C	20	20																
161	Other diseases peculiar to early infancy W	180	180																
	Other diseases peculiar to early infancy C	52	52																
162	XVI.—Senility White	732													3	27	141	561	
	XVI.—Senility Colored	292													1	8	59	224	
	XVII.—Violent and accidental deaths White	901	28	30	22	13	11	47	41	102	155	88	78	117	69	48	27	23	2
	XVII.—Violent and accidental deaths Colored	418	20	14	6	9	5	32	23	40	63	37	28	61	43	22	10	5	
	Suicide W	244							3	32	62	29	22	39	23	16	9	9	
	Suicide C	87							3	14	22	9	9	12	9	7	1	1	
163	By solid or liquid poisons or by absorption of corrosive substances W	87							1	15	29	13	8	14	3	2	1	1	
	By solid or liquid poisons or by absorption of corrosive substances C	35							1	8	10	4	4	3	2	3			
165	By hanging or strangulation W	86							2	10	11	11	6	13	12	10	5	6	
	By hanging or strangulation C	23							2	3	5	1	1	2	5	2	1	1	
166	By drowning W	4								1	2			1					
167	By firearms W	55								4	18	4	6	8	8	2	3	2	
	By firearms C	21								2	6	3	2	5	2	1			
168	By cutting or piercing instruments W	5										1	1	2		1			
	By cutting or piercing instruments C	3										1		1		1			
169	By jumping from high places C	1									1								
171	By other means W	7								2	2			1	1		1		
	By other means C	4								1				2	1				
	Homicide W	156							5	14	31	23	27	31	14	8	3		
	Homicide C	53	1						1	3	11	10	7	11	8	1			
173	By firearms W	68							2	6	13	9	9	18	6	5			
	By firearms C	20							1		8	1	2	6	2				
174	By cutting or piercing instruments W	70							2	7	17	12	14	8	4	3	3		
	By cutting or piercing instruments C	27								3	2	8	4	5	5				
175	By other means W	18							1	1	1	2	4	5	4				
	By other means C	6	1								1	1	1		1	1			
	Accidental, other, or undefined W	501	28	30	22	13	11	47	33	56	62	36	29	47	32	24	15	14	2
	Accidental, other, or undefined C	278	19	14	6	9	5	32	19	23	30	18	12	38	26	14	9	4	
177	Poisoning by food W	8	1	1						1		2		2				1	
	Poisoning by food C	6			2			1							1	1	1		
179	Other acute accidental poisonings (gas excepted) W	11	1	3			1	1			1	1		1	1		1		
	Other acute accidental poisonings (gas excepted) C	6		2				1			2	1							
180	Conflagration W	2	1																
	Conflagration C	3	2	1									1						
181	Burns (conflagration excepted) W	50	7	16	11	1	2	5	1	1	1	2	1	1		1			
	Burns (conflagration excepted) C	27	3	6	1	4		3	1		1	1	2	1	3		1		
	Supplemental W	1												1					
	Supplemental C	1												1					
182	Mechanical suffocation W	2													2				
	Mechanical suffocation C	1	1																
183	Drowning W	77	1	1	2	1	1	7	7	18	15	7	5	7	2		1	2	
	Drowning C	22	1	2		1			1	4	2	1	1	6	1	1		1	
	Supplemental W	2								1	1								
	Supplemental C	4								1	1		2						
	Traumatism:																		
184	By firearms (wounds of war excepted) W	13						1	1	2	2	1	2	2	2				
185	By cutting or piercing instruments (wounds of war excepted) W	10		1					1		2		2			4			
	By cutting or piercing instruments (wounds of war excepted) C	2								1						1			
186a	By fall W	29	4					1	3	5	4	1			3	2	5	1	
	By fall C	10		1					2	1	1	1		3	1				
	Supplemental W	8						1	1	1	1		3	1					
	Supplemental C	9								1	2	1		1	2	1	1		
186b	By crushing, landslide W	2							1	1									
	By crushing, landslide C	1						1											
	Supplemental W	7							1	2	1		1		1		1		
	Supplemental C	4							1		1	1		1					
187	Cataclysm W	133	8	5	7	9	5	15	8	9	9	8	4	15	15	7	3	6	
	Cataclysm C	103	10	2	5	2	4	15	7	8	8	4	4	11	12	7	2	2	
188	Injuries by animals W	2						1				1							
189	Hunger and thirst W	1							1										
191	Excessive heat W	1												1					
192	Lightning W	2								1	1								
	Lightning C	1												1					
193	Due to electric currents W	9							1	1	1	2	2	2					
	Due to electric currents C	6							1		1	2	1			1			
194a	Foreign bodies W	3	1	1										1					
194b	Other accidents W	34	4	2				3		2	3	3	1	5	4	3	2	2	
	Other accidents C	14	1					2	1	1			1	6			2		
	Supplemental W	94			2	2	2	12	7	11	20	8	6	9	2	7	2	2	2
	Supplemental C	58	1				1	9	5	6	11	6	1	7	6	2	2	1	
	XVIII.—Ill-defined causes of death White	798	201	124	84	50	21	49	17	18	27	16	16	44	33	36	24	38	
	XVIII.—Ill-defined causes of death Colored	216	43	31	26	11	5	16	4	5	11	2	6	8	16	9	12	11	
199	Sudden death W	4	2	1										1	1			1	
	Sudden death C	2																	
200a	Cause of death ill-defined W	228	6	81	45	29	10	12	2	3	3	1	2	8	7	5	7	7	
	Cause of death ill-defined C	65	3	16	18	6	3	3	1	1	1	1	1	1	6	1	2	1	
200b	Cause of death not specified or unknown W	566	193	42	39	21	11	37	15	15	24	15	14	36	26	31	17	30	
	Cause of death not specified or unknown C	149	40	15	8	5	2	13	3	4	10	1	4	6	10	8	10	10	
Punch symbol	SUPPLEMENTAL [1]																		
201	Accidents in mines and quarries W	1												1					
	Accidents in mines and quarries C	1									1								
205	Other machinery accidents W	3									1			2					
	Other machinery accidents C	1									1								

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

Punch symbol	CAUSE OF DEATH AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SUPPLEMENTAL[1]—continued																		
206	Railroad and automobile collisions W	2										1		1					
207	Other railroad accidents W	10						1	1	2	3			2	1				
	Other railroad accidents C	7							1		2	3		1					
209	Other street car accidents W	1															1		
	Other street car accidents C	1														1			
210	Automobile accidents (primary) W	81			2	2	2	10	8	12	14	7	4	7	2	7	1	1	2
	Automobile accidents (primary) C	52	1					8	4	4	10	5	1	7	7	1	3	1	
211	Motorcycle accidents W	2											2						
212	Other land transportation accidents W	9						2			4		1				1	1	
	Other land transportation accidents C	9					1	1	1	3				1	1	1			
213	Water transportation accidents W	3								1	1			1					
	Water transportation accidents C	4								1	1		2						
214	Air transportation accidents C	1												1					

[1] See explanatory footnote, p. 477.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN PUERTO RICO: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO (WHITE), all causes	26,377	2,092	1,931	2,159	1,930	2,083	2,109	2,237	2,222	2,366	2,367	2,326	2,555
Typhoid and paratyphoid fever (1, 2)	65	2	9	8	6	6	8	4		5	7	5	5
Smallpox (6)													
Measles (7)	35		1	2	2	6	5	1	6	2	1	1	8
Scarlet fever (8)													
Whooping cough (9)	111	12	5	15	9	11	8	10	10	11	6	7	7
Diphtheria (10)	37	3	4	7	1	4		5	3	3	2	1	4
Influenza (11)	333	10	4	9	4	1	1	21	71	89	60	43	20
Dysentery (13)	97	7	2	5	7	3	6	7	8	7	9	20	16
Erysipelas (15)	16		3	1	2	1		1	2	1	2	1	2
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	2						1						1
Tuberculosis of the respiratory system (23)	3,217	255	276	269	269	306	241	247	238	255	286	261	314
Other forms of tuberculosis (24–32)	162	17	14	13	12	22	18	9	9	11	17	7	13
Malaria (38)	1,904	154	123	144	147	145	125	194	145	151	161	210	205
Diabetes mellitus (59)	43	3	3	3	7	3	3	5	6	1	3	1	5
Cerebral hemorrhage and softening (82a, 82c)	239	19	14	15	23	15	20	21	17	25	19	25	26
Diseases of the heart (90–95)	1,271	104	102	127	97	95	109	91	101	105	98	107	135
Bronchitis (106)	764	62	48	51	53	51	55	66	63	58	76	75	106
Bronchopneumonia (107)	1,809	129	122	150	112	141	125	133	156	182	201	178	180
Lobar and unspecified pneumonia (108, 109)	901	76	72	89	72	89	71	82	61	75	76	82	56
Diarrhea and enteritis [under 2 years] (119)	3,129	203	204	255	240	269	326	306	242	259	266	227	332
Diarrhea and enteritis [2 years and over] (120)	1,933	144	118	121	115	138	170	196	216	151	163	187	214
Nephritis (130–132)	1,825	166	125	151	134	145	148	135	169	151	164	179	158
Puerperal septicemia (140, 142a, 145)	122	10	12	11	11	8	9	11	12	9	9	10	10
Other puerperal causes	206	16	13	24	12	13	11	17	18	25	14	20	23
Suicide (163–171)	244	21	17	25	22	15	26	24	23	23	15	20	13
Automobile accidents [1]	81	2	6	9	6	2	15	3	14	3	4	8	9
Automobile—railroad train and street car collisions	2						1				1		
Other external causes	574	32	24	36	38	41	35	34	37	158	58	41	40
All other causes	7,255	645	610	619	529	553	572	614	595	606	649	610	653
PUERTO RICO (COLORED), all causes	9,224	744	695	770	747	741	745	762	765	789	767	844	855
Typhoid and paratyphoid fever (1, 2)	20	2		3	2	5		3			1	3	1
Smallpox (6)													
Measles (7)	16	1			1	3	3	4		1		2	1
Scarlet fever (8)													
Whooping cough (9)	24	5	4	2	3	2	1	2	3		1		1
Diphtheria (10)	9		1	3	1	1		1			1		1
Influenza (11)	97	2	1	4	1	1	2	10	33	19	16	5	3
Dysentery (13)	39		2	3		7	4	3	3	3	6	4	4
Erysipelas (15)	5		1		1	1						2	
Lethargic encephalitis (17)													
Epidemic cerebrospinal meningitis (18)	2												2
Tuberculosis of the respiratory system (23)	1,311	101	103	128	104	100	130	99	118	99	109	124	96
Other forms of tuberculosis (24–32)	56	4	5	2	5	9	3	3	5	2	3	6	9
Malaria (38)	818	55	57	67	65	65	49	67	64	60	69	98	102
Diabetes mellitus (59)	14	2	2	1					4	2	1	2	
Cerebral hemorrhage and softening (82a, 82c)	97	13	6	3	10	6	9	8	8	8	11	6	9
Diseases of the heart (90–95)	467	26	37	36	37	40	48	41	36	45	40	39	42
Bronchitis (106)	202	27	20	15	15	15	11	11	17	16	19	21	15
Bronchopneumonia (107)	599	55	42	50	42	38	51	38	52	45	54	62	70
Lobar and unspecified pneumonia (108, 109)	370	36	26	31	32	33	21	38	28	27	49	25	24
Diarrhea and enteritis [under 2 years] (119)	965	72	63	69	99	84	90	93	81	62	78	79	95
Diarrhea and enteritis [2 years and over] (120)	576	38	33	43	33	49	51	67	52	55	39	54	62
Nephritis (130–132)	676	59	53	60	49	54	55	42	60	45	56	79	64
Puerperal septicemia (140, 142a, 145)	43	3	5	4	3	5	7	1	5	3	2		5
Other puerperal causes	70	8	5	6	7	4	4	6	8	1	5	8	8
Suicide (163–171)	87	3	10	8	9	15	6	6	4	6	9	5	6
Automobile accidents [1]	52	6	5	4	4	7	4	5	13	1	1	1	1
Automobile—railroad train and street car collisions													
Other external causes	279	14	13	25	10	16	10	17	14	112	21	18	9
All other causes	2,330	212	201	203	214	181	186	197	157	177	176	201	225

[1] Excludes collisions with railroad trains and street cars.

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands	22,012	2,010	17,243	2,719	40	St. John	765	18	653	94	
Male	10,208	1,156	7,841	1,182	29	Male	395	15	338	42	
Female	11,804	854	9,402	1,537	11	Female	370	3	315	52	
St. Croix	11,413	414	9,592	1,386	21	St. Thomas	9,834	1,578	6,998	1,239	19
Male	5,441	222	4,561	640	18	Male	4,372	919	2,942	500	11
Female	5,972	192	5,031	746	3	Female	5,462	659	4,056	739	8

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands:													
Male	213	26	16	17	17	17	15	15	16	19	13	19	23
Female	241	25	20	17	16	19	21	17	19	18	24	18	27
White—Male	13	3		1	1		1		1	2	1		3
White—Female	10	1					2	1	1	1	2		2
Negro—Male	196	23	15	16	16	17	14	15	15	17	12	16	20
Negro—Female	227	24	20	17	16	19	19	16	18	17	22	15	24
Mixed—Male	3											3	
Mixed—Female	3											2	1
Other colored—Male	1		1										
Other colored—Female	1											1	
St. Croix:													
Male	135	14	11	15	12	12	9	6	12	12	9	12	11
Female	132	15	13	12	8	15	11	8	7	13	12	9	9
White—Male	3	1								1	1		
White—Female	1						1						
Negro—Male	129	13	10	15	12	12	9	6	12	11	8	10	11
Negro—Female	129	15	13	12	8	15	10	8	7	13	12	7	9
Mixed—Male	2											2	
Mixed—Female	1											1	
Other colored—Male	1		1										
Other colored—Female	1											1	
St. John:													
Male	2	1			1								
Female	4	1					1	1					1
Negro—Male	2	1			1								
Negro—Female	4	1					1	1					1
St. Thomas:													
Male	76	11	5	2	4	5	6	9	4	7	4	7	12
Female	105	9	7	5	8	4	9	8	12	5	12	9	17
White—Male	10	2		1	1		1		1	1			3
White—Female	9	1					1	1	1	1	2		2
Negro—Male	65	9	5	1	3	5	5	9	3	6	4	6	9
Negro—Female	94	8	7	5	8	4	8	7	11	4	10	8	14
Mixed—Male	1											1	
Mixed—Female	2											1	1

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Virgin Islands:																												
Male	213	45	6		1	2	54	5	3	5	5	5	7	5	6	7	16	15	20	20	15	12	6	5	2			
Female	241	29	3	2	1	2	37	1	3	7	9	8	10	8	3	11	11	15	18	16	27	25	13	11	4	4		
White—Male	13	1	1				2	1				1					1	1	1	2	1	1	1	1				
White—Female	10	1					1			1	1					1	1					2	1	1		1		
Negro—Male	196	44	5		1	2	52	4	3	5	5	4	7	5	6	6	15	13	19	18	14	11	4	4	1			
Negro—Female	227	28	3	2	1	1	35	1	3	6	8	8	9	8	3	10	10	15	18	16	26	22	12	10	4	3		
Mixed—Male	3															1		1							1			
Mixed—Female	3					1	1						1									1						
Other colored—Male	1																						1					
Other colored—Female	1																				1							
St. Croix:																												
Male	135	23	2			1	26	3	1	5	3	2	4	3	4	1	12	14	14	17	11	7	4	2	2			
Female	132	18	1	2	1	2	24		1	3	4	6	4	6	2	6	6	6	9	9	19	13	7	4	2	1		
White—Male	3																	1	1	1								
White—Female	1																						1					
Negro—Male	129	23	2			1	26	3	1	5	3	2	4	3	4	1	12	12	13	16	11	7	3	2	1			
Negro—Female	129	18	1	2	1	1	23		1	3	4	6	4	6	2	6	6	6	9	9	18	13	6	4	2	1		
Mixed—Male	2																	1							1			
Mixed—Female	1					1	1																					
Other colored—Male	1																						1					
Other colored—Female	1																				1							
St. John:																												
Male	2		1				1														1							
Female	4	1					1			1								1	1									
Negro—Male	2		1				1														1							
Negro—Female	4	1					1			1								1	1									
St. Thomas:																												
Male	76	22	3		1	1	27	2	2		2	3	3	2	2	6	4	1	6	3	3	5	2	3				
Female	105	10	2				12	1	2	3	5	2	6	2	1	5	5	8	8	7	8	12	6	7	2	3		
White—Male	10	1	1				2	1				1					1			1	1	1	1	1				
White—Female	9	1					1			1	1					1	1					2		1		1		
Negro—Male	65	21	2		1	1	25	1	2		2	2	3	2	2	5	3	1	6	2	2	4	1	2				
Negro—Female	94	9	2				11	1	2	2	4	2	5	2	1	4	4	8	8	7	8	9	6	6	2	2		
Mixed—Male	1															1												
Mixed—Female	2												1									1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1932

List no.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN		ST. THOMAS	
		Total	White	Negro	White	Negro	White	Negro	White	Negro
	Total deaths (all causes)	[1] 454	23	429	4	261	----	6	19	162
	I.—Infectious and parasitic diseases	95	2	92	----	68	----	----	2	24
9	Whooping cough	8	----	8	----	8	----	----	----	----
10	Diphtheria	1	----	1	----	1	----	----	----	----
13	Dysentery	1	----	1	----	1	----	----	----	----
22	Tetanus	3	----	3	----	3	----	----	----	----
	Tuberculosis (all forms)	29	1	28	----	14	----	----	1	14
23	Respiratory system	27	1	26	----	13	----	----	1	13
25	Intestines and peritoneum	1	----	1	----	1	----	----	----	----
27b	Joints	1	----	1	----	----	----	----	----	1
33	Leprosy	6	----	5	----	5	----	----	----	----
34	Syphilis	21	----	21	----	16	----	----	----	5
38	Malaria	21	1	20	----	17	----	----	1	3
42	Other diseases caused by helminths	3	----	3	----	3	----	----	----	----
43	Mycoses	2	----	2	----	----	----	----	----	2
	II.—Cancers and other tumors	28	3	25	----	18	----	----	3	7
	Cancer and other malignant tumors	28	3	25	----	18	----	----	3	7
(45)	Buccal cavity	1	----	1	----	----	----	----	----	1
(45)	Pharynx	1	----	1	----	1	----	----	----	----
(46)	Stomach and duodenum	9	2	7	----	4	----	----	2	3
48	Uterus	7	----	7	----	7	----	----	----	----
49	Other female genital organs	1	----	1	----	1	----	----	----	----
50	Breast	2	1	1	----	----	----	----	1	1
51	Male genitourinary organs	3	----	3	----	2	----	----	----	1
52	Skin	1	----	1	----	1	----	----	----	----
53	Other or unspecified organs	3	----	3	----	2	----	----	----	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	15	----	15	----	11	----	----	----	4
57	Chronic rheumatism, osteoarthritis	1	----	1	----	1	----	----	----	----
59	Diabetes mellitus	6	----	6	----	5	----	----	----	1
62	Pellagra	6	----	6	----	5	----	----	----	1
67	Diseases of thymus gland	2	----	2	----	----	----	----	----	2
	V.—Chronic posionings and intoxications	1	----	1	----	----	----	----	----	1
75	Alcoholism (acute or chronic)	1	----	1	----	----	----	----	----	1
	VI.—Diseases of the nervous system and of the organs of special sense	43	5	38	2	29	----	1	3	8
78	Encephalitis (nonepidemic)	1	1	----	----	----	----	----	1	----
82a	Cerebral hemorrhage	29	4	25	2	20	----	1	2	4
82b	Cerebral embolism and thrombosis	2	----	2	----	2	----	----	----	----
82d	Hemiplegia and other paralysis, cause unspecified	2	----	2	----	2	----	----	----	----
83	General paralysis of insane	1	----	1	----	1	----	----	----	----
84	Dementia praecox and other psychoses	2	----	2	----	1	----	----	----	1
85	Epilepsy	2	----	2	----	1	----	----	----	1
86	Convulsions (under 5 years)	1	----	1	----	----	----	----	----	1
87	Other diseases of nervous system	1	----	1	----	----	----	----	----	1
89b	Diseases of mastoid process	2	----	2	----	2	----	----	----	----
	VII.—Diseases of the circulatory system	91	3	88	1	52	----	----	2	36
91a	Acute endocarditis	2	----	2	----	2	----	----	----	----
92a	Endocarditis, specified as chronic, and other valvular diseases	19	1	18	----	4	----	----	1	14
93c	Chronic myocarditis and myocardial degeneration	46	1	45	1	29	----	----	----	16
93d	Other diseases of myocardium	1	----	1	----	1	----	----	----	----
94a	Angina pectoris	3	----	3	----	3	----	----	----	----
95b	Other and unspecified diseases of heart	1	----	1	----	----	----	----	----	1
96	Aneurysm (except of heart)	3	----	3	----	1	----	----	----	2
97	Arteriosclerosis (coronary arteries excepted)	15	1	14	----	11	----	----	1	3
101	Diseases of lymphatic system (lymphangitis, etc.)	1	----	1	----	1	----	----	----	----
	VIII.—Diseases of the respiratory system	26	2	24	1	12	----	1	1	11
104a	Diseases of nasal fossae	1	----	1	----	1	----	----	----	----
106a	Acute bronchitis	9	2	7	1	4	----	----	1	3
107a	Bronchopneumonia	7	----	7	----	5	----	1	----	1
107b	Capillary bronchitis	1	----	1	----	----	----	----	----	1
108	Lobar pneumonia	8	----	8	----	2	----	----	----	6

List no.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN		ST. THOMAS	
		Total	White	Negro	White	Negro	White	Negro	White	Negro
	IX.—Diseases of the digestive system	34	1	33	----	22	----	----	1	11
115a	Diseases of pharynx and tonsils	5	----	5	----	2	----	----	----	3
117a	Ulcer of stomach	1	----	1	----	1	----	----	----	----
119	Diarrhea, enteritis (under 2 years)	16	----	16	----	11	----	----	----	5
120	Diarrhea, enteritis (2 years and over)	2	----	2	----	2	----	----	----	----
121	Appendicitis	1	----	1	----	1	----	----	----	----
122a	Hernia	1	----	1	----	1	----	----	----	----
122b	Intestinal obstruction	3	----	3	----	1	----	----	----	2
124	Cirrhosis of liver	3	1	2	----	1	----	----	1	1
125b	Other diseases of liver	1	----	1	----	1	----	----	----	----
127	Other diseases of gall-bladder, biliary passages	1	----	1	----	1	----	----	----	----
	X.—Diseases of the genitourinary system	58	4	53	----	16	----	2	4	35
131	Chronic nephritis	56	4	51	----	14	----	2	4	35
137	Diseases of prostate	1	----	1	----	1	----	----	----	----
138	Diseases of male genital organs, not specified as venereal	1	----	1	----	1	----	----	----	----
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	9	1	8	----	3	----	1	1	4
140	Abortion with septic conditions	1	----	1	----	1	----	----	----	----
144b	Other puerperal hemorrhages	2	----	2	----	----	----	----	----	2
146	Puerperal albuminuria and eclampsia	5	1	4	----	1	----	1	1	2
150	Other and unspecified conditions of puerperal state	1	----	1	----	1	----	----	----	----
	XII.—Diseases of the skin and cellular tissue	4	----	4	----	3	----	----	----	1
152	Phlegmon, acute abscess	3	----	3	----	2	----	----	----	1
153	Other diseases of skin and annexa, and of cellular tissue	1	----	1	----	1	----	----	----	----
	XIII.—Diseases of the bones and organs of locomotion	4	----	4	----	2	----	----	----	2
154	Osteomyelitis	2	----	2	----	----	----	----	----	2
156	Diseases of joints, other organs of locomotion	2	----	2	----	2	----	----	----	----
	XIV.—Congenital malformations	3	----	3	----	1	----	----	----	2
157c	Congenital malformations of heart	3	----	3	----	1	----	----	----	2
	XV.—Diseases of early infancy	27	2	25	----	13	----	1	2	11
158	Congenital debility	4	----	4	----	4	----	----	----	----
159	Premature birth	16	----	16	----	7	----	1	----	8
160	Injury at birth	1	1	----	----	----	----	----	1	----
161	Other diseases peculiar to early infancy	6	1	5	----	2	----	----	1	3
162	XVI.—Senility	1	----	1	----	1	----	----	----	----
	XVII.—Violent and accidental deaths	7	----	7	----	2	----	----	----	5
	Accidental, other, or undefined	7	----	7	----	2	----	----	----	5
180	Conflagration	1	----	1	----	----	----	----	----	1
183	Drowning	2	----	2	----	----	----	----	----	2
	Traumatism:									
186a	By fall	1	----	1	----	1	----	----	----	----
	Supplemental	1	----	1	----	1	----	----	----	----
186b	By crushing, landslide	----	----	----	----	----	----	----	----	----
	Supplemental	2	----	2	----	----	----	----	----	2
	XVIII.—Ill-defined causes of death	8	----	8	----	8	----	----	----	----
200a	Cause of death ill-defined	3	----	3	----	3	----	----	----	----
200b	Cause of death not specified or unknown	5	----	5	----	5	----	----	----	----
	SUPPLEMENTAL [2]									
Punch symbol										
205	Other machinery accidents	1	----	1	----	----	----	----	----	1
210	Automobile accidents (primary)	1	----	1	----	1	----	----	----	----
212	Other land transportation accidents	1	----	1	----	----	----	----	----	1

[1] Includes 2 deaths of "Other colored" in St. Croix Island.

[2] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1932

List no:	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	Total deaths (all causes)	454	74	9	2	2	4	6	6	12	14	13	17	22	45	68	78	82	
	I.—Infectious and parasitic diseases	95	6	3	2	1	1	3	1	3	7	8	11	7	12	10	13	7	
9	Whooping cough	8	4	2	2														
10	Diphtheria	1				1													
13	Dysentery	1															1		
22	Tetanus	3						2						1					
	Tuberculosis (all forms)	29		1						3	4	4	6	3	4	3	1		
23	Respiratory system	27								3	4	4	5	3	4	3	1		
25	Intestines and peritoneum	1											1						
27b	Joints	1		1															
33	Leprosy	6									1				2		2	1	
34	Syphilis	21	1						1		2	1	4	2	2	2	4	2	
38	Malaria	21	1				1	1				3	1	1	2	4	4	3	
42	Other diseases caused by helminths	3													1	1	1		
43	Mycoses	2													1			1	
	II.—Cancers and other tumors	28								1				2	6	8	7	4	
	Cancer and other malignant tumors	28								1				2	6	8	7	4	
(45)	Buccal cavity	1																1	
(45)	Pharynx	1																1	
(46)	Stomach and duodenum	9													2	5	2		
48	Uterus	7												2	1		3	1	
49	Other female genital organs	1																1	
50	Breast	2													1		1		
51	Male genitourinary organs	3														2	1		
52	Skin	1														1			
53	Other or unspecified organs	3								1					2				
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases	15	1			1						2		1	3	2	2	3	
57	Chronic rheumatism, osteoarthritis	1															1		
59	Diabetes mellitus	6													2	1	1	2	
62	Pellagra	6										2		1	1	1		1	
67	Diseases of thymus gland	2	1			1													
	V.—Chronic poisonings and intoxications	1										1							
75	Alcoholism (acute or chronic)	1										1							
	VI.—Diseases of the nervous system and of the organs of special sense	43	1				1	1	1		1	1	1	3	3	10	11	9	
78	Encephalitis (nonepidemic)	1						1											
82a	Cerebral hemorrhage	29									1			2	2	10	6	8	
82b	Cerebral embolism and thrombosis	2												1			1		
82d	Hemiplegia and other paralysis, cause unspecified	2															2		
83	General paralysis of insane	1											1						
84	Dementia praecox and other psychoses	2													1		1		
85	Epilepsy	2							1			1							
86	Convulsions (under 5 years of age)	1	1																
87	Other diseases of nervous system	1																1	
89b	Diseases of mastoid process	2					1										1		
	VII.—Diseases of the circulatory system	91						1			1	1		3	9	18	20	38	
91a	Acute endocarditis	2														1	1		
92a	Endocarditis, specified as chronic, and other valvular diseases	19						1			1			1	3	2	3	8	
93c	Chronic myocarditis and myocardial degeneration	46												1	2	11	12	20	
93d	Other diseases of myocardium	1													1				
94a	Angina pectoris	3													1	2			
95b	Other and unspecified diseases of heart	1										1							
96	Aneurysm (except of heart)	3													2		1		
97	Arteriosclerosis (coronary arteries excepted)	15														2	3	10	
101	Diseases of lymphatic system (lymphangitis, etc.)	1												1					
	VIII.—Diseases of the respiratory system	26	14	3			1						1			3	3	1	
104a	Diseases of nasal fossae	1	1																
106a	Acute bronchitis	9	6	1			1									1			
107a	Bronchopneumonia	7	4	1													2		
107b	Capillary bronchitis	1	1																
108	Lobar pneumonia	8	2	1									1			2	1	1	
	IX.—Diseases of the digestive system	34	15	3			1		1	2				2	4	2	4		
115a	Diseases of pharynx and tonsils	5		1					1	1				1	1				
117a	Ulcer of stomach	1															1		
119	Diarrhea, enteritis (under 2 years of age)	16	15	1															
120	Diarrhea, enteritis (2 years and over)	2					1										1		
121	Appendicitis	1								1									
122a	Hernia	1														1			
122b	Intestinal obstruction	3		1										1	1				
124	Cirrhosis of liver	3													1		2		
125b	Other diseases of liver	1														1			
127	Other diseases of gall-bladder, biliary passages	1													1				
	X.—Diseases of the genitourinary system	58									2		1	2	7	14	16	16	
131	Chronic nephritis	56									2		1	1	6	14	16	16	
137	Diseases of prostate	1													1				
138	Diseases of male genital organs, not specified as venereal	1												1					

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1932—Continued

List no.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	9								5	1		1	2					
140	Abortion with septic conditions	1												1					
144b	Other puerperal hemorrhages	2									1			1					
146	Puerperal albuminuria and eclampsia	5								4			1						
150	Other and unspecified conditions of puerperal state	1								1									
	XII.—Diseases of the skin and cellular tissue	4	1														1	2	
152	Phlegmon, acute abscess	3	1														1	1	
153	Other diseases of skin and annexa, and of cellular tissue	1																1	
	XIII.—Diseases of the bones and organs of locomotion	4	1						1		1				1				
154	Osteomyelitis	2	1						1										
156	Diseases of joints, other organs of locomotion	2									1				1				
	XIV.—Congenital malformations	3	3																
157c	Congenital malformations of heart	3	3																
	XV.—Diseases of early infancy	27	27																
158	Congenital debility	4	4																
159	Premature birth	16	16																
160	Injury at birth	1	1																
161	Other diseases peculiar to early infancy	6	6																
162	XVI.—Senility	1														1			
	XVII.—Violent and accidental deaths	7						1	2	1	1		2						
	Accidental, other, or undefined	7						1	2	1	1		2						
180	Conflagration	1							1										
183	Drowning	2						1			1								
	Traumatism:																		
186a	By fall	1							1										
	Supplemental	1								1									
186b	By crushing, landslide																		
	Supplemental	2											2						
	XVIII.—Ill-defined causes of death	8	5														1	2	
200a	Cause of death ill-defined	3	2														1		
200b	Cause of death not specified or unknown	5	3															2	
Punch symbol	SUPPLEMENTAL [1]																		
205	Other machinery accidents	1											1						
210	Automobile accidents (primary)	1								1									
212	Other land transportation accidents	1											1						

[1] This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	454	51	36	34	33	36	36	32	35	37	37	37	50
Whooping cough (9)	8				2	1	5						
Diphtheria (10)	1				1								
Dysentery (13)	1												1
Tuberculosis of the respiratory system (23)	27	4	2	1	1	4	4	1	4		4	1	1
Other forms of tuberculosis (24–32)	2			1								1	
Malaria (38)	21	3	2	2	2	1			2	2	1	2	4
Diabetes mellitus (59)	6			2		1	1		1				1
Cerebral hemorrhage and softening (82a, 82c)	29	4	4	3	1	2	3	3	2	2	1	2	2
Diseases of the heart (90–95)	72	7	5	8	3	4	7	3	5	5	8	7	10
Bronchitis (106)	9	1		2	1			1			2		2
Bronchopneumonia (107)	8	2				2			1		1	2	
Lobar and unspecified pneumonia (108, 109)	8							1	1	1	1	3	1
Diarrhea and enteritis [under 2 years] (119)	16	2	1	1	2	3	1	2		1	1		2
Diarrhea and entertitis [2 years and over] (120)	2								2				
Nephritis (130–132)	56	6	9	2	5	2	2	6	5	3	4	6	6
Puerperal septicemia (140, 142a, 145)	1									1			
Other puerperal causes	8	3				1	1				2		1
Automobile accidents [1]	1			1									
Other external causes	6		1		1			1			1		2
All other causes	172	19	12	11	14	15	12	14	12	22	11	13	17

[1] Excludes collision with railroad trains and street cars.

APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes):											
	Both sexes—White	988,647	80,886	11,395	6,137	4,475	3,763	106,656	13,993	11,335	16,863	22,135
	Colored	135,909	17,559	2,576	1,221	822	668	22,846	2,217	2,235	4,951	7,388
	Males—White	538,878	46,256	6,217	3,302	2,387	2,049	60,211	7,737	6,501	9,488	11,519
	Colored	72,511	9,720	1,352	639	425	344	12,480	1,162	1,164	2,267	3,575
	Females—White	449,769	34,630	5,178	2,835	2,088	1,714	46,445	6,256	4,834	7,375	10,616
	Colored	63,398	7,839	1,224	582	397	324	10,366	1,055	1,071	2,684	3,813
	I.—Infectious and parasitic diseases:											
	Males—White	53,340	4,014	1,786	1,034	754	635	8,223	2,070	1,077	1,685	2,534
	Colored	15,811	1,268	481	215	169	135	2,268	456	403	955	1,506
	Females—White	44,029	3,392	1,619	999	744	606	7,360	1,904	1,132	2,225	3,562
	Colored	13,992	1,168	441	216	155	137	2,117	443	537	1,426	1,966
1	Typhoid fever:											
	Males—White	1,305	8	17	9	10	8	52	65	91	175	209
	Colored	474	2	3	5	8	8	26	47	50	74	80
	Females—White	789	3	11	6	11	12	43	64	92	101	107
	Colored	412	4	4	5	6	6	25	43	55	90	57
2	Paratyphoid fever:											
	Males—White	34	1				1	2	3	1	1	4
	Colored	3										
	Females—White	25	1	1	1			3	1	1	5	3
	Colored	8	1					1	2	1		
3	Typhus fever:											
	Males—White	15							3		1	
	Colored											
	Females—White	1										
	Colored											
5	Undulant fever:											
	Males—White	28								2		4
	Colored	3										1
	Females—White	18							1	3		1
	Colored	2	1					1				
6	Smallpox:											
	Males—White	9	1					1		1		1
	Colored	6					1	1	1		1	
	Females—White	3	1					1				
	Colored	5		1				1			1	1
7	Measles:											
	Males—White	829	192	230	84	50	37	593	145	36	15	7
	Colored	71	20	16	6	5	3	50	7	6	5	1
	Females—White	713	153	157	71	41	36	458	122	44	16	3
	Colored	55	12	13	6	3	3	37	10	1	2	
8	Scarlet fever:											
	Males—White	1,073	39	107	127	101	84	458	324	86	65	24
	Colored	25	2	3	1	2	2	10	5		1	2
	Females—White	1,151	28	78	82	95	89	372	359	109	63	68
	Colored	43	1	3	3	3	3	13	11	5	7	3
9	Whooping cough:											
	Males—White	1,522	971	314	106	38	29	1,458	49	6	2	1
	Colored	459	263	122	31	19	7	442	15	1	1	
	Females—White	1,857	1,075	400	167	70	48	1,760	65	9		1
	Colored	551	330	137	36	17	12	532	13	1	3	
10	Diphtheria:											
	Males—White	1,793	147	220	241	220	222	1,050	525	105	28	10
	Colored	191	28	34	23	32	16	133	39	6	3	2
	Females—White	1,756	97	178	232	212	177	896	506	124	40	21
	Colored	178	18	29	24	22	18	111	43	8	4	3
11a	Influenza, respiratory complications specified:											
	Males—White	8,142	821	301	126	98	43	1,389	163	136	261	230
	Colored	1,369	213	67	33	18	12	343	40	24	69	63
	Females—White	8,199	645	242	104	74	44	1,109	140	157	214	230
	Colored	1,288	162	59	22	13	15	271	30	27	60	72
11b	Influenza, respiratory complications not specified:											
	Males—White	4,200	487	144	80	43	40	794	124	92	106	81
	Colored	677	131	27	15	10	7	190	14	14	32	29
	Females—White	4,262	363	119	80	44	52	658	119	98	105	90
	Colored	725	101	16	16	7	5	145	26	25	27	29
13	Dysentery:											
	Males—White	646	165	94	44	17	15	335	26	7	6	6
	Colored	159	51	26	4	8	1	90	2	2	3	2
	Females—White	549	110	87	33	21	6	257	13	4	7	5
	Colored	171	42	23	7	4	1	77	7	1	3	2
15	Erysipelas:											
	Males—White	821	234	10	9	4	2	259	8	10	9	11
	Colored	46	10	1				11	1	1	3	1
	Females—White	737	185	26	6	6	2	225	12	11	16	16
	Colored	29	12					12				
16	Acute poliomyelitis, acute polioencephalitis:											
	Males—White	350	41	26	25	23	23	138	83	59	28	21
	Colored	33	2	2	1	5	2	12	9	4	1	2
	Females—White	266	21	27	24	23	18	113	60	36	24	18
	Colored	35	5	4	6		3	18	7	2	3	
17	Lethargic or epidemic encephalitis:											
	Males—White	382	6	9	4	7	3	29	16	13	21	16
	Colored	29		1	1		1	3	3	3	1	4
	Females—White	326	2	6	5	9	3	25	12	9	21	21
	Colored	27	3	2		2	1	8	1	3	1	2
18	Epidemic cerebrospinal meningitis:											
	Males—White	755	112	49	30	25	25	241	91	74	68	44
	Colored	109	14	6	6	2	2	30	10	5	17	7
	Females—White	495	91	38	23	18	15	185	71	57	40	26
	Colored	69	12	7	2	5	3	29	7	5	2	3
20	Anthrax (bacillus anthracis) malignant pustule:											
	Males—White	7										2
	Females—White	2										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
23,271	25,768	33,111	40,792	50,453	60,820	72,556	87,686	96,770	108,719	94,787	68,822	37,410	12,969	2,621	400	710	
7,676	8,129	9,187	9,292	10,060	10,893	8,977	8,522	6,780	5,491	4,121	3,090	1,839	986	434	430	365	
11,889	13,494	18,147	23,704	29,717	35,767	42,437	49,862	53,523	58,253	49,211	33,708	16,914	5,247	960	138	451	
3,844	4,242	4,919	4,956	5,458	6,007	5,052	4,688	3,750	2,986	2,293	1,661	967	465	209	145	221	
11,382	12,274	14,964	17,088	20,736	25,053	30,119	37,824	43,247	50,466	45,576	35,114	20,496	7,722	1,661	262	259	
3,832	3,887	4,268	4,336	4,602	4,886	3,925	3,834	3,030	2,505	1,828	1,429	872	521	225	285	144	
2,809	3,089	3,713	4,140	4,230	3,903	3,678	3,049	2,546	2,415	1,867	1,324	662	242	53	3	28	
1,531	1,508	1,532	1,259	1,183	1,072	659	508	365	233	158	88	48	22	8	10	39	
3,427	2,896	2,753	2,364	2,057	1,926	1,884	1,817	1,900	2,098	1,876	1,432	969	329	80	14	24	
1,631	1,272	1,072	899	652	590	388	297	225	150	109	82	49	31	13	17	26	
160	121	71	84	70	63	45	42	25	21	7	1	1				2	
53	37	25	22	18	16	11	8	5		2							1
66	49	58	37	39	35	34	24	14	15	7	2	1				1	
38	26	14	21	13	11	6	9	1			1	1				1	
1	2	1	2	2	2	3	4	5	1								
1				1	1												2
2		3	1	1	4	1											
	1					2		1									
1	2	1			2	1	2	1	1								
																	3
						1											
3	1	6	3	4	1	1	1	1			1						
	1	1															5
1		5	2			2		2	1		1						
1	1		1		2					1							
				1			1								1		6
1	1								1								
5		9	1	3		3	4	4	2	2							
1		1															7
6	7	12	10	11	5	3	4	3	3	5		1					
3		1				1											
22	33	24	11	9	8	2	2	1	2	1						1	
3	1	1		1	1												8
64	41	29	15	10	8	2	4	3	3							1	
2		1				1											
1		1			1				2							1	
1	1	1		2	1		5	3	5	1		2					9
		1		1													
11	5	11	12	6	8	8	5	1	1	1	4					2	
2	2	1		1		1	1										10
23	23	16	29	20	15	13	15	8	2	4						1	
2	2		1		3			1									
170	244	366	416	485	462	533	496	526	616	653	562	305	103	21		5	
75	81	76	90	94	102	67	64	59	30	41	23	14	4	3	2	5	11a
288	327	428	391	333	358	402	478	524	735	760	696	446	138	37	4	4	
79	71	95	81	76	83	67	75	61	48	30	25	14	8	5	7	3	
85	81	113	139	150	169	178	208	244	370	435	410	266	123	26	3	3	
18	30	23	40	35	33	37	35	35	30	24	21	16	10	3	5	3	11b
95	120	121	131	107	153	181	199	261	376	450	411	387	159	32	8	1	
34	40	45	43	43	48	28	31	33	26	26	28	17	17	5	7	2	
4	4	15	13	9	15	23	17	30	32	42	37	19	2	3		1	
2	6	5	2	6	10	2	5	5	7	3	5	2					13
5	5	7	8	7	12	10	25	34	32	42	41	25	8	1	1		
10	11	2	6	2	12	6	4	5	7	5	7	2	1	1			
10	15	31	28	33	45	55	56	65	68	55	47	10	4	1		1	
5	1	1	3	6	2	3	1	4		1	2						15
7	23	20	32	38	41	39	49	55	54	43	30	20	3	2	1		
2			3	1	2	5	1	1			1	1					
5	2	5	4	1	2	1		1									
3				2													16
5		3	2	2		1			2								
2	1	1	1														
26	31	24	31	33	37	29	33	15	15	4	7	2					
4	2	2	2	4		1											17
26	27	19	35	19	31	26	13	15	15	7	3	1	1				
	1	1	3		2	2	1	1								1	
42	32	35	22	34	24	20	13	6	6	2	1						
5	7	8	3	7	5	4	1										18
20	18	15	15	12	11	7	4	9	4			1					
3	5	1	3	1	5		1	2	2								
		2			1		1		1								
	1							1									20

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
21	Rabies:											
	Males—White	27		1	1	2	2	6	4	3	1	1
	Colored	4				1		1	1			
	Females—White	11				1		1	1	2		
22	Tetanus:											
	Males—White	482	36	5	6	7	16	70	88	91	33	15
	Colored	144	28	2		5	2	37	22	29	13	4
	Females—White	174	12	1	7	1	13	34	55	19	7	8
	Colored	57	18	1		2	1	22	8	10	2	3
	Tuberculosis (all forms):											
	Males—White	26,252	273	203	109	84	63	732	267	208	792	1,762
	Colored	9,021	102	132	63	38	55	390	177	222	673	1,175
	Females—White	20,019	229	190	129	87	68	703	219	300	1,479	2,785
	Colored	8,186	97	97	65	54	53	366	181	358	1,108	1,583
23	Respiratory system:											
	Males—White	23,696	87	50	26	25	14	202	101	106	667	1,606
	Colored	8,087	50	59	21	19	22	171	101	163	593	1,101
	Females—White	17,727	70	51	34	22	13	190	83	204	1,319	2,614
	Colored	7,330	48	38	24	29	27	166	111	304	1,012	1,484
24	Meninges and central nervous system:											
	Males—White	799	118	117	62	42	31	370	111	47	32	35
	Colored	268	20	36	31	11	20	118	40	20	15	14
	Females—White	742	113	102	75	52	37	379	87	42	59	48
	Colored	222	20	24	26	12	16	98	40	12	14	13
25	Intestines and peritoneum:											
	Males—White	499	18	6	6	5	5	40	15	14	26	38
	Colored	225	4	4		1	5	14	12	19	31	16
	Females—White	609	12	6	4	2	5	29	13	21	30	46
	Colored	277	4	9		3	4	20	13	16	34	46
26	Vertebral column:											
	Males—White	340	1	1	3	1	4	10	16	15	19	30
	Colored	91	3	1		1	1	6	4	7	6	11
	Females—White	231	1	3	1	2	3	10	8	11	15	14
	Colored	52		1	2		1	4	1	4	3	9
27a	Bones (vertebral column excepted):											
	Males—White	63					1	1	1	3	6	5
	Colored	19	1					1		3	2	4
	Females—White	38		1				1	4		1	1
	Colored	12		1				1		2	1	
27b	Joints:											
	Males—White	117	2	1			1	4	2	6	10	7
	Colored	31					1	1		1	5	7
	Females—White	58	1			1	1	3	3	2	7	3
	Colored	15	2					2		1	2	3
28	Skin and subcutaneous cellular tissue:											
	Males—White	24	1					1			3	1
	Colored	4								1	1	
	Females—White	17									1	
	Colored	8								1		2
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted):											
	Males—White	47	3	2		2	1	8	2	1	2	4
	Colored	17	1	2			1	4	1		1	3
	Females—White	51	6		1		1	8		1	2	2
	Colored	22		1	1	2		4	1	3	5	1
30	Genitourinary system:											
	Males—White	236	1			1		2	1	2	11	10
	Colored	18								1	1	1
	Females—White	183								1	1	10	15
	Colored	25			1			1			4	2
31	Other organs:											
	Males—White	54	1					1		2	1	1
	Colored	8										1
	Females—White	31							1	1		1
	Colored	10									2	1
32a	Acute disseminated tuberculosis:											
	Males—White	322	38	26	12	8	6	90	18	11	11	20
	Colored	222	20	30	11	5	5	71	16	5	15	15
	Females—White	292	23	27	14	8	8	80	17	17	34	40
	Colored	195	22	21	11	8	5	67	14	14	28	18
32b,c	Other disseminated tuberculosis:											
	Males—White	55	3					3		1	4	5
	Colored	31	3			1		4	3	2	3	2
	Females—White	40	3					3	2		1	1
	Colored	18	1	2				3	1	1	3	4
33	Leprosy:											
	Males—White	12								1		2
	Colored	5										1
	Females—White	4										
	Colored	3										
34	Syphilis:											
	Males—White	3,559	373	18	6	8	4	409	13	11	25	25
	Colored	2,427	343	19	7	3	2	374	12	18	24	95
	Females—White	1,459	276	17	4	6	3	306	7	15	30	49
	Colored	1,480	301	23	11	2	3	340	12	7	57	124
35	Gonococcus infection and other venereal diseases:											
	Males—White	77	6					6			2	5
	Colored	56	3					3			2	4
	Females—White	385	7		1		1	9	1	1	30	70
	Colored	196	5					5	1		20	41
36	Purulent infection, septicemia (nonpuerperal):											
	Males—White	310	33	8	5	1	5	52	13	16	21	15
	Colored	37	4	1				5	2	2	4	1
	Females—White	244	23	7	4	2	5	41	14	19	4	20
	Colored	41	2	2	1		1	6	3	1	4	6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
	1		2	3	2	3	1										
	2																21
1	2			2		2											
18	17	18	27	17	28	16	14	14	7	7	2						
5	4	4	6	3	4	3	4	3	1	1						1	
5	7	2	11	5	6	5	5	3	1	1							22
4	4		1	2	1												
2,099	2,336	2,688	2,912	2,853	2,485	2,230	1,721	1,289	1,055	551	207	44	9	1		11	
1,199	1,133	1,060	811	660	593	323	237	167	104	50	19	7	3	1		17	
2,612	2,069	1,810	1,422	1,225	1,084	969	862	866	766	512	226	77	15	5		13	
1,262	917	702	542	374	279	191	113	84	49	36	11	9	2	2	1	16	
1,936	2,184	2,542	2,735	2,704	2,342	2,092	1,596	1,184	961	495	186	39	8			10	
1,100	1,058	993	757	622	553	307	218	158	97	49	18	7	3	1		17	
2,467	1,933	1,658	1,290	1,128	986	869	766	782	682	456	206	70	12	3		9	23
1,173	854	648	501	356	258	170	101	81	45	32	9	8	1	1	1	14	
35	27	32	29	21	14	17	10	9	5	5							
14	14	14	7	4	2	2	1		3								
26	19	21	12	12	12	8	4	4	2	4	1			1		1	24
19	4	10	3	1	6	1										1	
35	35	32	35	32	42	38	28	37	28	14	8	1	1				
27	26	17	14	12	22	2	8	3	2								
44	54	60	53	43	38	39	38	36	30	21	7	2	3			2	25
39	32	23	22	8	8	9	2	2		2	1						
32	25	21	36	24	20	27	21	17	14	10	3						
20	6	7	7	6	8	2		1									
20	13	16	12	17	21	16	15	10	16	11	5	1					26
9	4	4	6	1	1	2	2	1								1	
2	3	5	5	3	5	3	3	5	11	1	1						
1	2	1	1	1		1	1	1									
1	5	4	2	2	2	3	3		6	2		1					27a
	2	1		1	1		1		1	1							
5	5	7	10	8	9	8	12	12	7	5							
4		1	3	4		2	1	1			1						
5	2	4	4	1	4	4	2	5	5	2	2						27b
3	1		1				1		1								
1	1	1					1	2	3	5	3	1		1			
1			1														
3			1	2	1	3		3	1	1				1			28
		1	1		1	1	1										
	3	1	2	2	3	3	6	4	3	2	1						
4			1		1		1		1								
2			3	2		3	5	4	10	7	1	1					29
	1	1		1	1	3	1										
23	20	23	33	24	22	14	20	9	12	8	1	1					
2	2	6	2	1	1	2			1								
15	23	21	22	11	9	16	17	10	7	2	3						30
4	4	3	2	2		1	1		1								
6	2	5	4	7	7	5	5	2	2	2	1	1					
1	2		1	2			1										
2	3	1	5	1	2	1	4	4		4		1					31
	1	1		1	1				1	1		1					
21	26	15	20	26	17	17	16	5	5	2	1					1	
22	20	17	17	6	5	5	5	3									
22	13	19	14	4	3	7	8	7	4	1		1				1	32a
12	13	10	6	3	2	4	1				1		1	1			
3	5	4	3	2	4	6	3	3	4	2	2	1					
5	3	4		2	1		1			1							
5	4	6	4	2	6			1	3	1	1						32b, c
3	1						2										
	2	1	2	1	1		1	1									
		2				2											
1			2	1													33
					1	2											
91	120	235	369	454	471	454	368	246	163	74	25	5				1	
137	175	300	250	312	260	179	126	64	48	24	11	4	2		1	11	
74	74	105	149	151	125	131	99	72	50	17	3	1	1				34
126	139	152	155	112	104	53	41	30	9	10	3		2		1	3	
6	7	3	3	6	13	8	7	6	1	2	1	1					
3	7	2	9	6	9	3	3	2	1	1	1						
89	55	60	32	27	7	1	3										35
37	32	34	9	9	3	3	1	1									
13	6	16	18	14	23	23	17	28	18	6	5	5		1			
			4	5	4	2	2	2	1	1			1			1	
16	20	14	8	19	9	15	10	9	6	9	4	3	2	2			36
1	3	2	3	1	4	2	2	2				1					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
38	Malaria:											
	Males—White	398	22	11	14	7	6	60	41	21	13	27
	Colored	377	28	8	14	12	10	72	41	13	23	29
	Females—White	329	29	19	9	12	7	76	33	15	15	15
	Colored	368	15	15	11	10	7	58	31	24	30	34
39	Other diseases due to protozoal parasites:											
	Males—White	26	2					2	3		1	
	Colored	4	1					1				1
	Females—White	12	1					1	1		2	
	Colored	3							1			
40	Ankylostomiasis:											
	Males—White	9		1	1			2		2	2	
	Females—White	7			1			1	3	1		1
	Colored	2								1		
41a	Hydatid cysts of liver:											
	Males—White	15	1					1			1	
	Females—White	7										
	Colored	1	1					1				
41b	Hydatid cysts of other organs:											
	Males—White	2										
	Females—White	6										1
42	Other diseases caused by helminths:											
	Males—White	28	3	4		4	3	14	3	1		3
	Colored	20	2	4	5		2	13	6		1	
	Females—White	35		5	5	6	1	17	6	1	1	1
	Colored	13		2	1	4	1	8	4	1		
43	Mycoses:											
	Males—White	81	11		1			12		1	4	4
	Colored	39	19	5				24				2
	Females—White	56	9					9	1	1	2	1
	Colored	30	20	1				21	1		1	3
44	Other infectious and parasitic diseases:											
	Males—White	151	29	15	6	4	4	58	13	3	4	4
	Colored	23	2	2		1	2	7	2	3	4	
	Females—White	132	31	10	6	4	6	57	18	4	3	1
	Colored	14	5	2		1	1	9	1	1	1	
	II.—Cancers and other tumors:											
	Males—White	48,937	49	31	56	48	50	234	177	168	248	276
	Colored	2,331	1	3	3	2	4	13	8	5	27	33
	Females—White	59,540	31	38	43	46	35	193	153	126	181	261
	Colored	4,375	2	5	8	5	9	29	7	12	18	61
	Cancer and other malignant tumors:											
	Males—White	47,528	28	20	45	37	31	161	123	118	185	228
	Colored	2,246	1	3	2	2	4	12	5	4	22	26
	Females—White	56,480	16	28	30	34	24	132	98	86	136	214
	Colored	3,783	2	3	6	5	6	22	6	7	12	46
45	Of the buccal cavity and pharynx:											
	Males—White	3,211			2			2	4	4	8	7
	Colored	144		1		1		2	2			1
	Females—White	691	1		2	1		4	1	4	4	5
	Colored	60										2
	Lip:											
	Males—White	550										
	Colored	4										
	Females—White	47								1		
	Colored	3										
	Tongue:											
	Males—White	688										2
	Colored	43										
	Females—White	132	1					1				
	Colored	11										
	Mouth:											
	Males—White	317							1			
	Colored	13										
	Females—White	64										
	Colored	4										
	Jaw:											
	Males—White	670			2			2	3	2	4	2
	Colored	39		1		1		2				
	Females—White	174			1			1			2	3
	Colored	19										1
	Other and unspecified parts of the buccal cavity:											
	Males—White	391								1	2	1
	Colored	18							1			1
	Females—White	113			1	1		2	1	1	1	
	Colored	10										1
	Pharynx:											
	Males—White	595								1	2	2
	Colored	27							1			
	Females—White	161								2	1	2
	Colored	13										
46	Of the digestive tract and peritoneum:											
	Males—White	27,521	6	2	3	7	8	26	25	17	36	58
	Colored	1,310	1				1	2		1	3	11
	Females—White	24,881	4	5	3	5	5	22	12	10	9	36
	Colored	1,124			1		1	2	1		2	15
	Esophagus:											
	Males—White	1,463									1	1
	Colored	59										
	Females—White	412										
	Colored	23										
	Stomach and duodenum:											
	Males—White	12,843							1	1	4	11
	Colored	710									1	4
	Females—White	8,989				2		2	1		1	10
	Colored	528			1			1			2	5

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
23	15	18	22	24	23	18	18	19	22	17	13	3	1				
12	13	15	15	18	32	20	20	18	11	10	6	5	2	1	1		
7	14	16	17	13	14	20	9	13	21	13	10	4	2	1		1	38
23	19	17	27	15	30	19	17	2	8	2	6	4	1		1		
1	1	2	4	2	2	2	2	2	1	1							
		1						1									
1	1	1	1	1	1	1		1									39
1		1															
2								1									
																1	40
					1												
	2	1	1	3		2	1	1		1	1						
	1	1				2	2	1									41a
		1				1											
2	1		1	1													41b
1	1	1			1	3											
1	2	1	1			2			1		1						42
7	2	6	8	7	8	7	7	4	1	3							
1	5	4	1	2													
5	3	3	6	5	1	8		1	5	1	3					1	43
1		1		1			1										
1	5	8	5	7	4	9	8	10	9	2		1					
2	1		1	1		1										1	
4	4	3	6	6	5	6	7	2	1	4	1						44
		1		1													
366	553	1,014	1,785	2,901	4,183	5,643	7,026	7,397	7,449	5,370	2,781	1,083	226	31	6	20	
45	58	115	169	243	340	346	308	266	165	86	56	32	8	3		5	
530	1,169	2,386	3,791	5,313	6,380	7,046	7,491	7,423	7,182	5,186	2,983	1,280	370	57	3	36	
138	283	486	561	622	606	467	371	273	186	111	71	39	14	5	2	13	
301	473	908	1,640	2,762	4,032	5,507	6,928	7,323	7,379	5,335	2,765	1,078	225	31	6	20	
34	52	104	161	240	327	335	306	265	163	86	56	32	8	3		5	
427	956	1,990	3,257	4,807	6,041	6,829	7,357	7,310	7,085	5,112	2,926	1,263	361	56	3	34	
96	207	358	446	536	562	438	360	269	178	107	68	37	12	4	2	10	
11	19	46	84	170	277	375	467	486	516	375	225	99	28	4	2	2	
4	2	3	9	16	28	19	19	20	6	6	2	4	1				
4	9	16	17	41	40	57	93	82	80	101	66	48	16	3			
	1	7	5	6	2	7	9	7	8	3	1	1	1				
	7	7	10	27	40	33	66	77	102	83	56	32	6	3		1	
					1		1	1					1				
		1		3	2	3	2	7	5	8	4	5	6				
		1					1				1						
2	1	9	14	50	90	105	121	96	89	67	28	10	3			1	
		1	2	6	8	10	5	6	1	2		2					
1		1	4	9	10	13	16	21	17	18	10	8	3				
		2		2		3	1	1	1	1							
		4	12	15	19	30	41	54	61	35	29	12	4				
	1			2	2	2	1	3	1			1					
	1		3	6	4	4	6	5	15	6	8	5	1				45
							1	1	1				1				
4	6	9	22	25	57	79	82	111	110	74	50	16	9	1	2		
4			1	5	6	4	8	4	2	2		1					
2	2	7	5	6	14	19	24	18	18	21	16	13	3				
		3	2	1	2	2	2	2	3	1							
3	2	8	14	26	27	51	56	58	55	40	30	14	3				
			3	3	3	3		1		2	1						
1	2	2	4	6	4	1	17	18	13	19	11	5	2	3			
			2	2		1	1	1	2								
2	3	9	12	27	44	77	101	90	99	76	32	15	3				
	1	2	3		8		4	5	2		1						
	4	5	1	11	6	17	28	13	12	29	17	12	1				
	1	1	1	1		1	3	2	1	1		1					
120	207	485	919	1,654	2,488	3,432	4,301	4,489	4,297	2,989	1,410	477	71	9		11	
14	27	55	94	137	205	225	187	159	102	46	27	8	3	1		3	
106	240	516	877	1,398	2,107	2,836	3,366	3,843	3,970	2,987	1,705	649	153	17	2	20	
18	50	63	99	145	157	161	133	102	71	47	33	15	4	2		4	
2	2	7	32	101	147	217	263	257	211	134	65	18	4	1			
1		1	3	10	13	10	12	6	3								
	1	6	18	27	40	66	56	65	55	38	28	9	3				46
		2	2	5	3	3	3	3		2							
35	65	206	404	759	1,162	1,567	1,989	2,132	2,089	1,478	686	210	36	1		7	
4	11	22	46	73	99	140	116	95	55	23	15	3	2			1	
27	74	154	284	458	643	914	1,170	1,484	1,560	1,191	677	269	56	6	1	7	
7	21	21	40	57	74	78	67	55	44	26	16	8	3	1		2	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Contd.											
	Cancer and other malignant tumors—Contd.											
46	Of the digestive tract and peritoneum—Continued											
	Intestines (except duodenum, rectum, anus):											
	Males—White	4,743	1	1		3	1	6	6	6	11	16
	Colored	165	1					1			1	3
	Females—White	6,038			3	2	2	7	4	4	4	10
	Colored	158										2
	Rectum and anus:											
	Males—White	2,856							1	1	3	6
	Colored	106										
	Females—White	2,308									2	9
	Colored	143										5
	Liver and biliary passages:											
	Males—White	3,675	4	1	1	1	1	8	7	5	4	10
	Colored	186					1	1			1	4
	Females—White	5,234	2	3		1		6	4	3		5
	Colored	212										3
	Pancreas:											
	Males—White	1,565							1	1	2	1
	Colored	66										
	Females—White	1,423										1
	Colored	35										
	Mesentery and peritoneum:											
	Males—White	362	1		2	3	6	12	9	3	11	13
	Colored	17								1		
	Females—White	445	2	2			2	6	3	3	2	1
	Colored	24					1	1	1			
	Others under this title:											
	Males—White	14										
	Colored	1										
	Females—White	32					1	1				
	Colored	1										
47	Of the respiratory system:											
	Males—White	2,935					2	2	10	9	17	26
	Colored	120								1	2	2
	Females—White	1,138	1	2	3		2	8	3	7	2	13
	Colored	47									2	1
	Larynx:											
	Males—White	818										
	Colored	25										
	Females—White	121										
	Colored	3										
	Lungs and pleura:											
	Males—White	1,887					2	2	10	9	12	25
	Colored	85								1	1	2
	Females—White	947	1	2	3		1	7	3	7	2	12
	Colored	37									2	1
	Other respiratory organs:											
	Males—White	230									5	1
	Colored	10									1	
	Females—White	70					1	1				1
	Colored	7										
48	Of the uterus:											
	Females—White	11,453		1				1		2	4	43
	Colored	1,554									3	14
49	Of other female genital organs:											
	Females—White	2,363		1	3	1		5	5	5	19	30
	Colored	109			1			1			1	2
	Ovary and Fallopian tube:											
	Females—White	1,910							4	4	18	28
	Colored	80			1			1			1	2
	Vagina and vulva:											
	Females—White	422		1	2			3	1	1	1	1
	Colored	26										
	Other female genital organs:											
	Females—White	31			1	1		2				1
	Colored	3										
50	Of the breast:											
	Males—White	154									2	2
	Colored	11										
	Females—White	10,022								1	5	13
	Colored	571										4
51	Of the male genitourinary organs:											
	Males—White	8,262	9	9	18	14	6	56	16	7	17	41
	Colored	401				1	3	4			2	2
	Kidneys and suprarenals:											
	Males—White	817	5	8	16	10	6	45	12	4	2	7
	Colored	34					3	3				
	Bladder:											
	Males—White	2,199	3	1	1	2		7		1	1	1
	Colored	80									1	
	Prostate:											
	Males—White	4,678				1		1			2	1
	Colored	240									1	
	Testes:											
	Males—White	317	1			1		2	4	2	12	31
	Colored	5				1		1				
	Scrotum:											
	Males—White	34			1			1				1
	Colored	7										
	Other male genital organs:											
	Males—White	217										
	Colored	35										2
52	Of the skin:											
	Males—White	1,666									9	4
	Colored	29										
	Females—White	917	1	1			1	3	4	2	1	3
	Colored	32										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
36	54	110	180	284	394	563	707	719	729	551	249	104	12	5	-------	1	
4	6	10	17	13	26	21	22	17	10	10	3	1	-------	-------	-------	-------	
32	72	144	256	350	555	673	785	848	876	730	471	160	46	6	1	4	
-------	11	7	18	27	17	24	16	13	13	2	6	1	-------	1	-------	-------	
19	39	54	93	166	280	362	486	466	409	270	143	50	6	1	-------	1	
3	4	7	8	5	19	10	14	15	11	4	4	2	-------	-------	-------	-------	
19	33	89	117	133	210	299	322	323	336	221	125	56	11	1	-------	2	
6	9	14	14	21	23	14	18	9	4	4	1	1	-------	-------	-------	-------	
10	20	48	101	193	307	475	567	617	612	405	207	69	7	1	-------	2	
1	4	11	11	25	36	29	17	16	12	9	4	2	1	-------	-------	2	
13	45	88	139	276	462	602	737	840	881	648	316	127	31	4	-------	7	
3	8	13	18	24	30	36	23	19	8	13	7	4	1	-------	-------	2	46
5	14	40	76	113	156	212	246	261	224	132	53	23	5	-------	-------	-------	
1	1	2	8	10	8	11	4	10	10	-------	-------	-------	-------	1	-------	-------	
5	8	21	36	102	147	210	246	209	217	123	73	19	6	-------	-------	-------	
1	-------	1	2	6	9	4	5	3	1	-------	3	-------	-------	-------	-------	-------	
12	13	20	32	37	41	34	40	36	23	16	7	2	1	-------	-------	-------	
-------	1	2	1	1	3	4	2	-------	1	-------	1	-------	-------	-------	-------	-------	
10	7	13	27	46	47	69	43	73	43	29	14	9	-------	-------	-------	-------	
1	1	5	4	5	1	2	1	-------	1	-------	-------	1	-------	-------	-------	-------	
1	-------	-------	1	1	1	2	3	1	-------	3	-------	1	-------	-------	-------	-------	
-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	-------	1	-------	6	3	3	7	1	2	7	1	-------	-------	-------	-------	-------	
-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
28	44	96	197	308	412	458	468	348	277	150	57	21	4	-------	1	2	
1	6	8	16	24	18	14	12	7	7	1	-------	1	-------	-------	-------	-------	
9	22	49	76	93	135	156	172	161	132	56	27	13	4	-------	-------	-------	
1	1	4	7	7	11	6	5	1	-------	1	-------	-------	-------	-------	-------	-------	
1	3	9	35	67	100	134	126	118	120	61	30	10	3	-------	1	-------	
-------	1	2	2	6	3	3	-------	2	5	1	-------	-------	-------	-------	-------	-------	
1	1	6	5	9	11	20	18	17	15	8	5	3	2	-------	-------	-------	
-------	-------	-------	-------	1	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	47
27	39	74	133	217	276	288	304	206	146	80	26	11	-------	-------	-------	2	
1	5	5	10	15	15	11	12	4	2	-------	-------	1	-------	-------	-------	-------	
7	19	40	62	76	116	126	144	138	109	46	21	10	2	-------	-------	-------	
1	1	3	6	5	11	4	3	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	2	13	29	24	36	36	38	24	11	9	1	-------	1	-------	-------	-------	
-------	-------	1	4	3	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	
1	2	3	9	8	8	10	10	6	8	2	1	-------	-------	-------	-------	-------	
-------	-------	1	1	1	-------	1	1	1	-------	1	-------	-------	-------	-------	-------	-------	
150	329	670	1,079	1,401	1,573	1,444	1,456	1,201	1,024	639	295	114	19	3	-------	6	
52	106	194	217	241	238	158	119	86	57	32	16	9	5	1	2	4	48
29	56	115	212	300	288	350	301	243	208	119	53	19	6	-------	-------	-------	
5	10	12	18	17	15	10	12	2	2	2	-------	-------	-------	-------	-------	-------	
27	50	104	186	274	259	296	246	173	137	67	26	8	3	-------	-------	-------	
3	5	8	13	15	11	7	10	2	2	-------	-------	-------	-------	-------	-------	-------	
1	5	10	23	24	25	53	54	65	68	49	25	10	3	-------	-------	-------	49
2	4	4	4	2	4	3	2	-------	-------	1	-------	-------	-------	-------	-------	-------	
1	1	1	3	2	4	1	1	5	3	3	2	1	-------	-------	-------	-------	
-------	1	-------	1	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	
1	3	3	4	13	9	24	19	24	19	17	5	8	1	-------	-------	-------	
1	-------	-------	-------	2	2	2	1	2	-------	-------	-------	1	-------	-------	-------	-------	
52	177	445	745	1,184	1,377	1,394	1,285	1,081	974	644	376	184	65	15	1	4	50
13	25	57	68	88	100	58	59	42	28	14	8	7	2	1	-------	1	
53	79	94	176	258	436	698	1,106	1,394	1,605	1,253	657	260	45	7	2	2	
4	5	16	16	30	49	49	66	63	33	23	19	12	4	2	-------	2	
9	12	30	57	72	109	106	123	92	74	44	14	3	2	-------	-------	-------	
1	-------	2	4	5	4	7	3	1	-------	-------	2	1	-------	-------	-------	1	
-------	9	15	53	104	149	245	300	363	419	299	156	55	18	3	1	-------	
-------	3	-------	5	5	7	9	13	13	8	7	6	1	1	1	-------	-------	
2	6	7	30	47	135	311	635	900	1,063	857	465	186	24	4	-------	2	
1	1	3	5	19	32	28	44	45	24	15	10	8	3	1	-------	-------	51
41	46	33	30	25	28	11	13	7	12	10	5	5	-------	-------	-------	-------	
1	-------	1	-------	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	2	-------	2	1	5	8	5	4	1	3	1	-------	-------	-------	-------	-------	
1	-------	2	-------	-------	-------	1	2	-------	-------	1	-------	-------	-------	-------	-------	-------	
1	4	9	4	9	10	17	30	28	36	40	16	11	1	-------	1	-------	
-------	1	8	2	1	5	3	4	4	1	-------	1	2	-------	-------	-------	1	
5	13	24	37	53	73	123	144	166	279	280	255	137	52	10	-------	2	
-------	2	1	2	2	4	6	2	2	2	3	1	2	-------	-------	-------	-------	
4	9	17	20	33	42	42	60	79	124	133	150	117	60	12	-------	2	52
-------	1	2	5	4	3	3	3	6	3	-------	1	1	-------	-------	-------	-------	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Contd.											
	Cancer and other malignant tumors—Con.											
53	Of other or unspecified organs:											
	Males—White	3,779	13	9	22	16	15	75	68	81	96	90
	Colored	231		2	2			4	3	2	15	10
	Females—White	5,015	9	18	19	27	16	89	73	55	92	71
	Colored	286	2	3	4	5	5	19	5	7	4	8
	Kidneys and suprarenals:											
	Females—White	656	6	9	8	11	8	42	17	3	5	5
	Colored	31		2	1	3	1	7	3		1	1
	Bladder:											
	Females—White	1,095		1				1			1	2
	Colored	63	1					1				
	Brain:											
	Males—White	474	3	2	5	4	5	19	23	27	15	25
	Colored	18		1	1			2			2	3
	Females—White	341		1	3	4	2	10	16	9	16	13
	Colored	12			1		1	2	1	3		1
	Bones (except jaw):											
	Males—White	755		3	5	2	3	13	14	31	35	27
	Colored	55		1				1			8	3
	Females—White	619	2		2	1		5	14	22	29	21
	Colored	27		1	1			2	1	1	1	2
	Other or unspecified organs:											
	Males—White	2,550	10	4	12	10	7	43	31	23	46	38
	Colored	158			1			1	3	2	5	4
	Females—White	2,304	1	7	6	11	6	31	26	21	41	30
	Colored	153	1		1	2	3	7		3	2	4
54a	Nonmalignant tumors, ovary:											
	Females—White	136								2	1	7
	Colored	15										1
54b	Nonmalignant tumors, uterus:											
	Females—White	1,656									1	3
	Colored	472										8
54c	Nonmalignant tumors, other female genital organs:											
	Females—White	10										
	Colored	2										
54d,e	Nonmalignant tumors, other organs:											
	Males—White	588	9	4	5	2	8	28	23	25	37	18
	Colored	30			1			1			2	1
	Females—White	531	10	6	7	5	8	36	20	17	21	21
	Colored	34								1	2	4
55a	Tumors, ovary (nature unspecified):											
	Females—White	15									2	
	Colored	2										
55b	Tumors, uterus (nature unspecified):											
	Females—White	12										
	Colored	1										
55c	Tumors, other female genital organs (nature unspecified):											
	Females—White	1										
55d,e	Tumors, other organs (nature unspecified):											
	Males—White	821	12	7	6	9	11	45	31	25	26	30
	Colored	55							3	1	3	6
	Females—White	699	5	4	6	7	3	25	35	21	20	16
	Colored	66		2	2		3	7	1	4	4	2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases:											
	Males—White	12,308	656	97	52	40	50	895	238	281	246	201
	Colored	1,265	109	20	13	6	4	152	24	28	29	53
	Females—White	19,860	458	63	44	34	54	653	228	295	279	309
	Colored	2,264	66	17	11	2	4	100	29	37	58	116
56	Acute rheumatic fever:											
	Males—White	955	4	1	11	13	21	50	143	149	89	53
	Colored	134	2	2	1	3	1	9	10	14	6	16
	Females—White	988	2	2	8	17	25	54	130	143	69	82
	Colored	178		1			2	3	16	14	12	12
57	Chronic rheumatism, osteoarthritis:											
	Males—White	483							3	4	4	5
	Colored	24								1		
	Females—White	746				1		1	3	2	3	6
	Colored	42									1	2
58	Gout:											
	Females—White	1										
59	Diabetes mellitus:											
	Males—White	8,724	6	16	5	8	18	53	63	112	122	110
	Colored	522	2				1	3	4	5	12	17
	Females—White	13,648	4	10	4	3	15	36	67	125	138	120
	Colored	853	2				1	3	4	11	6	14
60	Scurvy:											
	Males—White	10	7	2				9	1			
	Colored	4	2					2				
	Females—White	7	4			1		5				
	Colored	6	2	1	1			4			1	
61	Beriberi:											
	Males—White	1										
	Colored	1					1	1				
	Females—White	1										
62	Pellagra:											
	Males—White	437		1	1			2		2	2	4
	Colored	376		3				3	3	5	9	13
	Females—White	649		1	2			3	2	2	11	22
	Colored	872			3			3	4	10	35	78

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
83	108	160	223	306	337	397	423	416	386	271	156	76	24	1	1	1	
10	10	21	24	29	21	20	19	12	13	7	7	4					
73	114	162	231	357	479	550	624	620	573	433	254	119	38	6		2	
7	13	19	27	28	36	35	24	23	9	8	9	4				1	
7	15	11	31	52	69	92	93	87	64	39	16	7	1				
2	2	2	4	1	1	1	4	1	1								
2	4	12	33	54	73	109	161	168	195	150	79	43	8				
	2	1	4	8	12	13	7	7	4	1	2					1	
18	32	39	54	66	63	33	27	16	9	3	3	1				1	
4			4	1		1	1										53
18	22	36	37	33	44	32	25	14	7	4		4	1				
	2		2		1												
24	24	27	41	62	61	72	89	88	83	39	19	4	2				
1	3	6	3	7	8	4	3	4	2		2						
10	23	25	32	50	63	61	69	64	45	42	24	12	6	1		1	
1	2	1	1	6	4	3	1	1									
41	52	94	128	178	213	292	307	312	294	229	134	71	22	1	1		
5	7	15	17	21	13	15	15	8	11	7	5	4					
36	50	78	98	168	230	256	276	287	262	198	135	53	22	5		1	
4	5	15	16	13	18	18	12	14	4	7	7	4					
6	12	14	13	14	21	13	10	4	8	6	3	2					54a
	3	3	1	1	1	4										1	
31	118	260	410	384	195	85	42	39	32	23	20	9	2			2	54b
31	70	112	102	74	33	19	9	2	3	2	2	2	1			2	
		1		3	1	3	2										54c
		1		1													
28	32	36	52	56	59	60	36	40	41	10	6	1					
3	3	4	2		7	4	2		1								54d,e
29	24	55	37	41	49	54	37	30	20	21	13	2	4				
4		2	7	1	5	3		1	2				1	1			
	1	1	3		2		3	3									55a
		2															
	1	3			1	2	2			1	1	1					55b
										1							
			1														55c
37	48	70	93	83	92	76	62	34	29	25	10	4	1				
8	3	7	6	3	6	7		1	1								55d,e
37	57	62	70	64	70	60	38	37	37	23	20	3	3	1			
7	3	8	5	9	5	3	2	1	3	1	1						
234	259	304	453	595	853	1,135	1,539	1,638	1,606	1,059	536	182	39	6		9	
27	60	69	82	108	138	128	95	95	77	46	22	14	8	3	1	6	
321	380	494	729	1,036	1,570	2,243	2,923	3,014	2,648	1,646	722	287	59	13		11	
145	159	207	186	248	236	198	196	126	92	51	38	19	13	4	2	4	
47	35	47	33	41	37	45	43	31	46	32	23	8	2			1	
2	7	5	10	15	10	6	6	4	5	3	1	2		1		2	
61	57	43	45	40	41	33	45	41	37	30	25	8	2			2	56
17	12	8	8	16	13	9	12	8	4	5	4	3	1			1	
13	13	12	19	25	27	31	48	63	66	73	44	26	5	1		1	
	1	2	1	1		2	4	2	5	2		2		1			
5	10	11	11	19	38	51	73	97	115	128	91	63	14	5			57
		1		1	2	7	5	8	4	3	4	1	2			1	
		1															58
125	141	148	266	417	623	924	1,299	1,428	1,392	896	429	138	31	4		3	
13	24	32	36	56	76	66	45	51	38	22	12	3	4		1	2	
112	121	183	342	574	1,017	1,701	2,344	2,481	2,185	1,323	546	184	40	6		3	59
18	33	49	67	125	134	120	111	67	47	19	10	8	4	2	1		
				1				1									60
1		1															
									1								
	1																61
		1															
11	21	27	37	30	50	44	50	49	45	30	25	5				3	
11	26	23	28	26	44	46	39	33	29	17	8	7	4	1		1	
31	51	56	59	73	62	64	70	46	32	34	22	6		1		2	62
95	87	122	80	78	65	48	55	34	26	21	15	6	5	2	1	2	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued											
63	Rickets:											
	Males—White	119	76	19	10	3	1	109	2	1	3	1
	Colored	51	39	4	6	2		51				
	Females—White	92	52	19	9	1	2	83		1	1	
	Colored	41	25	3	4	2		39	2			
64	Osteomalacia:											
	Males—White	1										
	Females—White	7	1					1				
	Colored	1	1					1				
65	Diseases of the pituitary body:											
	Males—White	22	1		1			2		1		1
	Females—White	30	1					1			7	2
	Colored	2										
66a	Simple goiter:											
	Males—White	42	1					1			2	1
	Colored	3									1	
	Females—White	182								1	1	2
	Colored	22										1
66b	Exophthalmic goiter:											
	Males—White	517							1	2	8	11
	Colored	35								1		3
	Females—White	2,618								9	37	57
	Colored	170									2	7
66c,d,e	Other diseases of thyroid and parathyroid glands:											
	Males—White	118	35	11	6	9	1	62	5	2	2	4
	Colored	11	8		1			9				
	Females—White	193	36	7	4	4	3	54	8	5	1	4
	Colored	16	7					7				
67	Diseases of thymus gland:											
	Males—White	592	492	34	12	4	6	548	18	5	10	4
	Colored	70	46	8	4	1		59	7	2		
	Females—White	399	331	21	9	5	6	372	10	4	4	5
	Colored	36	26	4	2			32	1			2
68	Diseases of adrenals (Addison's disease, not specified as tuberculous):											
	Males—White	131									2	5
	Colored	7										1
	Females—White	184								1	2	7
	Colored	8								1	1	
69	Other general diseases:											
	Males—White	156	34	13	6	3	3	59	2	3	2	2
	Colored	27	10	3	1		1	15			1	3
	Females—White	115	27	3	8	2	3	43	5	2	5	2
	Colored	17	3	3	1		1	8	2	1		
	IV.—Diseases of the blood and blood-making organs:											
	Males—White	4,399	245	71	52	52	42	462	162	118	145	133
	Colored	211	32	2			5	39	8	9	6	10
	Females—White	3,881	178	45	37	37	22	319	93	76	100	113
	Colored	167	20	5		1	1	27	5	8	8	14
70	Hemorrhagic conditions:											
	Males—White	324	168	10	8	10	4	200	17	19	10	6
	Colored	34	22				1	23	1	2	1	1
	Females—White	293	110	6	6	11	5	138	15	10	14	12
	Colored	20	8					8	1	1	2	2
71a	Pernicious anemia:											
	Males—White	1,559	11	9	6	5	6	37	15	8	13	15
	Colored	52	1				1	2	1	2		1
	Females—White	1,709	9	9	4		2	24	5	10	16	18
	Colored	69		1				1	1	2	5	8
71b	Other anemias:											
	Males—White	193	39	16	7	1		63	6	2	1	3
	Colored	15	5					5		1		1
	Females—White	195	38	10	2	1		51	8	3	5	3
	Colored	27	9	3			1	13	1	1	1	2
72a	True leukemias:											
	Males—White	1,367	18	27	28	33	22	128	87	45	88	52
	Colored	55	1				2	3	3	3	2	2
	Females—White	1,057	17	14	19	21	12	83	49	36	43	43
	Colored	32	2					2	2	2		2
72b	Pseudoleukemias (Hodgkin's disease):											
	Males—White	727	2	1	1	1	7	12	27	32	24	45
	Colored	39		1			1	2	3	1	2	3
	Females—White	403	1	2	2	1	2	8	7	8	13	31
	Colored	14	1					1		2		
73	Diseases of spleen:											
	Males—White	197	7	8	1	2	3	21	9	12	8	11
	Colored	14	3	1				4			1	2
	Females—White	163	2	4	3	3		12	9	6	7	3
	Colored	4		1		1		2				
74	Other diseases of blood and blood-making organs:											
	Males—White	32			1			1	1		1	1
	Colored	2										
	Females—White	61	1		1		1	3		3	2	3
	Colored	1										
	V.—Chronic poisonings and intoxications:											
	Males—White	2,248		4	3			7			9	27
	Colored	273							1	1	6	8
	Females—White	310		2	1	1		4	1		3	6
	Colored	77		1		1		2	2	1	2	8

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
		1			1		1										
2			1							1							63
		1	1	1		1	1	1									64
1		3	4	1	3	1	1	2		1	1						
1	1	2	4	2	1	4	2	1	1	1							65
		1	1														
1	2	3	2	8	2	5	3	6	3	2	1						
		1						1									66a
4	5	7	13	19	22	27	25	25	19	6	3	1		1		1	
	3	1	1	4	3	3	1	1	2	1	1						
24	34	40	71	48	77	60	59	42	30	9	1						
1	1	2	7	7	6	5		2									66b
86	106	152	218	277	345	329	325	283	237	104	30	18	2			3	
14	20	25	23	23	16	11	10	7	7	1	3	1					
2	5	1	3	8	8	4	6	3	1	2							
		1			1												66,c, d,e
6	8	11	5	14	10	10	18	20	11	7		1					
	1		3		2		2	1									
2	2	2				1											
		1		1													67
2		1				1											
1																	
7	3	17	15	12	17	10	20	10	6	3	3					1	
		1			1	1	1	1								1	
8	18	23	26	15	28	15	15	14	2	7	1	2					68
	2		1	1	1						1						
1	2	3	3	5	8	10	8	4	17	11	9	5	1	1			
	1	1		1		2				2	1						
2	3	1	4	2	6	7	5	5	9	5	4	4	1				69
	1		2						1	1			1				
128	143	175	205	252	309	395	521	441	423	253	106	15	8			5	
13	13	18	16	16	14	19	9	11	3	3	3		1				
127	144	175	197	240	299	347	426	436	379	237	118	39	7	5	1	3	
22	8	10	15	16	13	7	9	2	1				1	1			
5	7	5	4	8	8	4	8	7	6	5	5						
3	1		1		1												
12	13	6	11	10	10	7	6	8	11	3	5	1		1			70
4		1		1													
15	25	23	39	73	105	174	257	250	271	153	69	10	4			3	
1	5	4	6	6	5	6	2	8	1	1	1						
24	19	54	72	92	133	186	240	283	256	168	75	25	2	3	1	3	71a
11	4	6	6	5	9	2	6	1					1	1			
2	1	1	2	11	4	3	18	14	31	17	9	3	2				
1	1					2	1		1	1	1						
	5	6	4	4	8	4	18	12	21	13	21	6	2	1			71b
2			1	1		1	3		1								
46	52	74	84	87	101	121	141	110	83	54	9	2	1			2	
4	2	8	5	6	3	7	4	1	1				1				
43	65	63	62	80	102	100	104	76	64	30	8	4	2				72a
3	3	2	6	5	3	2											
54	44	54	62	60	73	70	75	50	20	14	10		1				
3	3	6	3	3	3	2	1	2		1	1						
30	30	33	30	36	28	27	41	34	20	19	5	2	1				72b
2		1	2	2	1	2		1									
6	14	16	9	12	14	19	16	8	10	8	4						
1			1	1	2	1	1										
15	10	10	13	14	10	15	12	16	2	4	4	1					73
				2													
		2	5	1	4	4	6	2	2	2							
	1					1											
3	2	3	5	4	8	8	5	7	5								74
	1																
84	181	284	336	383	297	234	205	110	49	27	11		1			3	
25	36	36	37	36	31	21	15	9	3	3	1	1				3	
19	25	54	58	40	36	27	17	9	5	3	2					1	
14	12	5	12	8	6		1	3	1								

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	V.—Chronic poisonings and intoxications—Continued											
75	Alcoholism (acute or chronic):											
	Males—White	2,119									9	24
	Colored	262								1	6	8
	Females—White	249									1	4
	Colored	66									2	6
76	Chronic poisoning by other organic substances:											
	Males—White	63										2
	Colored	7										
	Females—White	48									1	2
	Colored	4										1
77a	Chronic lead poisoning:											
	Males—White	56		4	3			7				
	Colored	3										
	Females—White	10		2	1	1		4	1		1	
	Colored	3		1		1		2		1		
77b, c	Other chronic poisoning by mineral substances:											
	Males—White	10										1
	Colored	1										
	Females—White	3							1			
	Colored	4							2			1
	VI.—Diseases of the nervous system and of the organs of special sense:											
	Males—White	52,519	873	267	147	111	92	1,490	528	461	487	483
	Colored	6,046	168	27	23	9	12	239	43	46	76	107
	Females—White	47,953	610	215	140	88	87	1,140	472	345	320	362
	Colored	5,669	147	25	11	13	9	205	35	35	49	78
78	Encephalitis (nonepidemic):											
	Males—White	531	32	29	17	13	7	98	37	35	24	24
	Colored	57	4		2			6	6	6	3	5
	Females—White	404	29	25	13	9	3	79	35	22	23	24
	Colored	55	6	1	1	1	2	11	4	4	4	8
79a	Simple meningitis:											
	Males—White	865	185	51	42	17	20	315	75	66	56	38
	Colored	145	30	7	6	2	2	47	12	8	11	8
	Females—White	611	130	51	31	21	17	250	73	42	24	33
	Colored	83	27	6	2	5		40	4	3	7	3
79b	Nonepidemic cerebrospinal meningitis:											
	Males—White	117	29	14	6	3	1	53	13	8	6	2
	Colored	22	3		1	1		5	2	4	1	1
	Females—White	95	22	4	9	5	4	44	11	8	5	2
	Colored	18	4				2	6	1	1	3	1
80	Progressive locomotor ataxia (tabes dorsalis):											
	Males—White	780								1		
	Colored	72									1	
	Females—White	206								1		1
	Colored	24									1	
81	Other diseases of spinal cord:											
	Males—White	1,385	9	10	5	4	4	32	17	33	47	33
	Colored	101					2	2	2	1	1	6
	Females—White	1,079	4	6	4	4	6	24	12	11	20	23
	Colored	94		1				1	3	3	4	5
82a	Cerebral hemorrhage:											
	Males—White	37,282	47	9	4	5	3	68	14	23	27	58
	Colored	3,925	4	1	1	1	1	8		4	8	23
	Females—White	36,783	34	9	3	4	5	55	18	17	32	57
	Colored	4,187	4	3	1	2		10	5	5	7	20
82b	Cerebral embolism and thrombosis:											
	Males—White	2,371	5	7	4	2	2	20	13	15	15	23
	Colored	147	1					1				3
	Females—White	2,360	3	3	3	2		11	12	18	14	26
	Colored	136							1	2	1	2
82c	Softening of brain:											
	Males—White	304										
	Colored	24										
	Females—White	286										
	Colored	11										
82d	Hemiplegia and other paralysis, cause unspecified:											
	Males—White	1,139	7	3	1		2	13	5	5	7	6
	Colored	320	2		2			4	1	1	3	4
	Females—White	1,189	3		3	1		7	8	1	3	4
	Colored	377			2		1	3	1		1	
83	General paralysis of insane:											
	Males—White	2,526								2	3	15
	Colored	646							1		8	10
	Females—White	693								1	3	5
	Colored	208								1	2	6
84	Dementia praecox and other psychoses:											
	Males—White	408								1	10	34
	Colored	68									4	7
	Females—White	538								1	15	20
	Colored	89									4	14
85	Epilepsy:											
	Males—White	1,174	21	8	7	10	7	53	37	82	126	133
	Colored	212	3	2		1	3	9	10	11	24	29
	Females—White	889	14	8	8	3	5	38	35	59	80	87
	Colored	120	3		1	2	1	7	4	10	10	12
86	Convulsions (under 5 years):											
	Males—White	269	215	32	10	9	3	269				
	Colored	84	68	9	4	1	2	84				
	Females—White	178	129	24	20	3	2	178				
	Colored	79	68	7	3		1	79				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
78	169	269	324	368	281	222	191	99	46	24	11		1			3	
24	35	36	35	34	29	20	15	9	3	3		1				3	75
14	22	44	49	36	33	22	12	7	2	1	1					1	
13	11	4	12	8	5		1	3	1								
3	10	12	8	6	9	4	3	4		2							
1	1		2		2						1						
4	2	10	8	4	3	3	3	2	3	2	1						76
1	1	1															
1	2	1	3	8	5	7	11	7	3	1							
				2		1											
1			1			1	1										77a
2		2	1	1	2	1											
	1					1	1										77b, c
					1												
454	668	1,070	1,599	2,227	3,194	4,401	5,896	6,905	8,097	7,046	4,705	2,088	583	95	9	33	
111	231	343	451	565	811	689	682	537	371	320	207	110	52	26	9	20	
376	503	782	1,196	1,921	2,655	3,535	4,822	6,100	7,537	6,942	5,119	2,699	914	170	23	20	
110	154	308	437	571	749	645	642	517	402	276	233	108	53	21	20	21	
27	27	35	27	43	32	29	28	24	19	14	4	4					
3	5	3	8	3	5	2			2								
17	33	14	28	29	23	17	25	14	9	9	1	2					78
3	2	6	4	3	2	2			1			1					
28	31	38	34	49	39	25	28	17	9	8	6	1				2	
6	8	10	10	6	12	3	1	2	1								
21	15	21	21	25	17	20	18	15	10	1	2	3					79a
6	3	3	6	2	1	1	3	1									
9	4	2	4	1	4	7	2	1								1	
	1		3	1		1	1			1	1						
5	3	2	1	2	5	3	2		1	1							79b
	2		1	1	1		1										
4	4	22	28	57	98	145	145	118	89	47	14	7	1				
2	2	6	8	7	13	8	11	5	3	5						1	
1	3	8	12	19	29	24	34	21	25	16	8	4					80
2	2	1	4	1	4	2	3	1		2		1					
23	31	55	67	74	121	139	167	180	164	116	60	21	3	1		1	
2	6	10	6	6	16	9	6	13	4	8	2				1		
17	25	34	42	63	88	119	132	143	145	98	65	13	5				81
2	3	5		1	18	18	9	4	7	4	5					2	
96	156	322	650	1,181	2,058	3,181	4,553	5,573	6,792	6,020	4,078	1,810	516	80	8	18	
34	87	171	236	377	589	506	537	440	312	246	161	94	47	21	6	18	
70	143	341	688	1,341	2,027	2,806	3,954	5,087	6,427	5,956	4,443	2,335	811	146	17	12	82a
36	85	202	318	464	612	526	526	423	343	229	195	88	43	16	17	17	
20	32	40	80	91	139	192	336	339	370	325	206	76	29	6	1	3	
5	11	8	11	14	13	20	17	19	6	11	3	2	1	2			
23	38	52	69	76	117	166	232	332	383	357	231	149	40	10	2	2	82b
6	6	10	9	16	24	17	16	12	5	1	6	1			1		
	1	1	2	6	17	9	25	42	67	50	50	29	4	1			
		2	1	4	4	2	3	2	4	1		1					
				1	6	10	19	39	64	50	50	35	9	2	1		82c
			1	1	1		2	2	2	2							
5	7	8	15	19	43	74	118	149	214	197	146	84	19	3		2	
3	6	6	18	19	40	39	44	30	22	39	22	10	4	3	2		
9	7	12	17	28	42	62	103	162	179	213	199	97	28	5	2	1	82d
10	7	13	20	26	46	32	46	59	34	32	17	16	8	4	2		
29	149	297	423	437	343	314	215	158	83	35	14	4	1	1		3	
23	63	92	118	103	80	73	43	15	7	5	5						
19	43	74	79	111	91	89	62	44	33	26	9	3				1	83
7	13	31	40	27	23	25	19	10	2		2						
31	31	28	36	42	50	26	29	31	24	22	6	6	1				
8	9	7	5	7	6	4	3	2	1	2	3						
31	33	56	54	68	51	48	37	34	34	21	19	10	4	1		1	84
14	13	14	11	3	3	5	4		2				2				
93	94	93	85	71	73	57	44	43	34	32	16	6				2	
17	18	16	14	11	16	9	9	6	5	1	5	2					
83	75	68	73	51	44	42	38	32	32	35	8	5	1	1		2	85
17	9	12	11	6	5	4	4	2	3	2	2						
																	86

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense—Con.											
87	Other diseases of nervous system:											
	Males—White	1,499	50	28	18	18	9	123	35	28	32	21
	Colored	82	2	1	3	1		7	1	6	2	5
	Females—White	1,247	37	21	13	10	6	87	26	35	25	22
	Colored	80	4	1			2	7	5	4	3	1
88	Diseases of organs of vision:											
	Males—White	31	2			1	1	4	2		2	3
	Colored	8								1	3	
	Females—White	26	6			1	1	8	1	1	2	1
	Colored	2										
89a	Diseases of ear:											
	Males—White	1,077	202	52	20	19	24	317	152	76	68	54
	Colored	94	42	6	4	1	2	55	5	2	5	6
	Females—White	802	154	47	19	15	19	254	126	66	35	26
	Colored	67	23	2	1	3		29	4	1	1	4
89b	Diseases of mastoid process:											
	Males—White	761	69	24	13	10	9	125	128	86	64	39
	Colored	39	9	1		1		11	3	2	2	
	Females—White	567	45	17	14	10	19	105	115	62	39	31
	Colored	39	8	4				12	3	1	1	2
	VII.—Diseases of the circulatory system:											
	Males—White	136,345	162	70	46	45	56	379	378	547	754	780
	Colored	11,594	16	8	8	4	10	46	41	77	81	154
	Females—White	108,599	153	56	44	55	49	357	383	601	691	860
	Colored	10,418	21	9	3	5	12	50	48	76	114	217
90	Pericarditis:											
	Males—White	386	8	1	2	4		15	2	8	12	12
	Colored	96	1	1				2	1	4	1	3
	Females—White	234	6	1	1	3	1	12	6	7	7	11
	Colored	67	1					1	1	2	3	5
91a	Acute endocarditis:											
	Males—White	1,194	10	6	10	7	11	44	50	62	86	84
	Colored	131		3			2	5	8	6	9	8
	Females—White	1,180	12	10	7	12	9	50	59	88	117	115
	Colored	154	2	1		1	3	7	7	7	9	13
91b	Endocarditis, unspecified (under 45 years):											
	Males—White	200	7	4	1	1	4	17	20	8	29	25
	Colored	38	1					1	2	3	3	5
	Females—White	195	5	4	1	2	2	14	24	14	16	18
	Colored	58	1	1			1	3		1	4	7
92a	Endocarditis, specified as chronic, and other valvular diseases:											
	Males—White	23,263	19	18	10	17	18	82	177	308	377	358
	Colored	2,925	1	1	1	1	4	8	16	31	26	45
	Females—White	22,291	25	11	13	21	16	86	165	322	353	427
	Colored	2,789	1		1		5	7	20	33	46	82
92b	Endocarditis, unspecified (45 years and over):											
	Males—White	1,559										
	Colored	174										
	Females—White	1,456										
	Colored	169										
93a	Acute myocarditis:											
	Males—White	2,022	14	6	3	1	4	28	15	9	17	21
	Colored	216	2		2		1	5		2	4	12
	Females—White	1,515	17	5	4		5	31	10	12	16	33
	Colored	264		1				1		2	3	7
93b	Myocarditis, unspecified (under 45 years):											
	Males—White	492	14	4	3	3	3	27	13	10	25	19
	Colored	153	1			2		3	2	3	7	8
	Females—White	385	19	4	3	2	1	29	7	12	11	24
	Colored	189	2	1		1		4	2	2	4	12
93c	Chronic myocarditis and myocardial degeneration:											
	Males—White	43,480	5	6	3	1	5	20	30	32	56	78
	Colored	2,649							2	5	5	16
	Females—White	37,846	3	2		2	1	8	23	34	56	91
	Colored	2,267	1			1	1	3	1	3	9	20
93d	Other diseases of myocardium:											
	Males—White	12,076	3				1	4	1	5	3	8
	Colored	882									3	3
	Females—White	11,225	2	3		2	1	8	5		3	9
	Colored	944	1					1	1			4
94a	Angina pectoris:											
	Males—White	11,707								1		13
	Colored	404							1		2	1
	Females—White	5,236	1					1		1	3	8
	Colored	345									1	5
94b	Diseases of coronary arteries:											
	Males—White	10,878	2					2		1	7	16
	Colored	322			1			1			2	7
	Females—White	4,523			1			1		1	2	13
	Colored	182				1		1				3
95a	Functional diseases of heart:											
	Males—White	300	1					1	1	1	2	4
	Colored	16										
	Females—White	245	2					2			1	3
	Colored	9										
95b	Other and unspecified diseases of heart:											
	Males—White	16,386	46	11	10	6	8	81	60	91	116	114
	Colored	2,502	7	2	4		2	15	8	22	16	37
	Females—White	12,496	34	7	9	9	10	69	73	101	93	85
	Colored	2,175	7	3	1	1	2	14	14	22	33	51
96	Aneurysm (except of heart):											
	Males—White	1,190	1		1		1	3		3	8	5
	Colored	265									1	4
	Females—White	388					1	1		2	2	5
	Colored	92										2

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
25	29	49	63	64	94	127	147	184	188	156	89	35	8	2			
2	7	5	4	5	11	11	4	2	3	1	4	1				1	
25	31	41	53	53	65	76	127	143	172	134	77	37	14	4			87
4	3	3	4	8	5	9	7	3	2	3	5	1		1		2	
3		2			2	2	3	2	3	2	1						
	2	1			1												
						2	1	1	1	2	3	2			1		88
		1				1											
33	47	39	34	59	40	41	37	24	25	13	13	2	1	1		1	
4	3	3	4	1	2	2	2										
27	29	32	28	31	35	35	24	21	13	12	3	2	1	1		1	89a
	4	5	4	8	1	1	2		1	1	1						
28	25	39	51	33	41	33	19	20	16	9	2	3					
2	3	3	5	1	3		1	1	1		1						
28	25	27	31	23	15	16	14	12	9	11	1	2	1				89b
3	2	2	4	4	3	2											
905	1,328	2,409	4,121	6,481	9,307	12,264	15,921	18,277	21,055	18,629	13,246	6,934	2,123	370	52	85	
246	412	725	915	1,148	1,412	1,322	1,345	1,043	915	713	488	269	141	46	32	23	
1,035	1,211	1,735	2,437	3,631	5,007	6,934	10,352	13,229	17,186	16,843	13,791	8,267	3,219	674	101	55	
336	465	594	809	1,049	1,244	991	1,156	893	808	587	409	284	142	71	55	20	
10	16	19	22	31	34	34	33	35	39	34	16	8	6				
5	9	9	15	11	16	5	5	3	3	3		1					
8	8	12	3	7	13	13	13	16	26	35	26	6	4	1			90
5	11	9	3	3	7	1	6	2	2	3		1		1		1	
89	83	82	94	87	81	94	86	60	46	33	15	11	7				
9	16	12	8	16	7	14	6	2	3	1	1						
125	89	77	71	58	54	49	50	53	47	38	21	14	4	1			91a
18	16	11	13	16	9	11	8	4	2	2				1			
12	17	29	43														
6	3	5	10														
29	22	38	20														91b
8	6	13	16														
390	446	677	836	1,120	1,390	1,839	2,369	2,787	3,495	3,106	2,116	1,068	266	34	4	18	
67	108	206	262	279	359	357	328	262	194	168	100	53	29	12	6	9	
499	523	649	781	960	1,082	1,372	1,978	2,484	3,265	3,032	2,435	1,339	445	75	9	10	92a
106	131	181	220	282	326	262	305	213	211	140	91	69	25	21	9	9	
				102	119	140	198	224	265	259	153	78	18	1	2		
				33	26	26	31	14	16	15	6	3	2	1	1		
				90	99	123	151	189	264	227	176	101	26	7	2	1	92b
				21	31	34	27	14	14	7	9	4	1	3	3	1	
14	44	69	107	146	195	214	256	264	245	175	109	66	20	4	1	3	
7	14	15	22	28	28	31	21	7	8	6	1	2	1		1	1	
23	30	56	55	89	108	129	135	198	189	184	123	58	26	7	1	2	93a
8	17	23	30	33	41	21	27	19	11	6	4	7	2	1	1		
34	54	112	198														
15	23	40	52														
34	57	89	122														93b
29	35	41	60														
117	233	501	947	1,680	2,692	3,722	5,100	6,208	7,336	6,481	4,731	2,531	800	149	14	22	
37	76	127	225	241	331	275	346	257	239	188	132	80	41	11	12	3	
129	210	367	667	1,086	1,670	2,391	3,684	4,822	6,393	6,360	5,209	3,117	1,223	247	36	23	93c
37	82	108	164	213	244	232	282	221	217	165	123	65	44	12	18	4	
10	10	32	61	575	788	1,058	1,451	1,672	2,068	1,868	1,405	745	244	52	9	7	
2	6	12	9	101	141	133	137	88	103	54	42	27	12	4	2	3	
12	18	20	33	345	503	702	1,176	1,434	1,835	1,939	1,677	1,005	385	98	13	5	93d
2	5	7	12	140	154	123	129	116	93	55	44	28	14	9	6	1	
23	80	240	493	774	1,140	1,580	1,790	1,811	1,703	1,208	554	231	57	5		4	
11	21	30	51	49	62	42	41	43	17	21	3	7	2				
11	21	59	96	178	253	456	712	882	992	806	492	187	64	9	2	3	94a
13	21	23	41	59	53	33	33	20	15	12	8	4	4				
36	81	240	572	879	1,269	1,399	1,682	1,572	1,327	968	538	232	42	8		7	
11	12	33	42	39	30	45	35	28	13	13	3	2	2	2		2	
13	24	38	118	173	277	436	619	730	837	619	373	177	62	7	1	2	94b
8	10	17	16	22	31	24	17	11	10	5	2	1	3			1	
6	1	6	14	12	26	24	35	35	47	40	33	8	3	1			
	1	4	1	1	1	1	2		1	1		3					
1	5	11	8	11	12	18	21	23	46	30	30	13	6	4			95a
2		1		1	1	1	2				1						
137	207	303	537	807	1,121	1,488	2,002	2,279	2,503	2,168	1,451	696	175	29	4	17	
55	96	170	157	242	325	287	272	229	206	154	119	49	24	8	7	4	
125	171	266	363	503	703	889	1,252	1,514	1,926	1,850	1,401	762	284	46	12	8	95b
85	110	142	199	202	281	189	221	188	142	114	70	55	23	10	7	3	
11	16	41	83	111	168	201	144	166	103	75	38	9	5				
12	18	41	39	52	29	31	13	12	6	3	3		1				
3	7	6	19	32	35	40	43	47	56	42	25	14	9				96
7	3	8	9	19	8	5	14	5	8	1	2	1					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Continued											
97	Arteriosclerosis (coronary arteries excepted):											
	Males—White	9,571										
	Colored	613										
	Females—White	8,023										1
	Colored	513										1
98	Gangrene:											
	Males—White	342	9	1				10	2	4		3
	Colored	61	1				1	2			1	1
	Females—White	278	8	3	1			12	3	1	1	1
	Colored	60			1			1	1	1		
99	Other diseases of arteries:											
	Males—White	749	4			1		5	4	2	11	11
	Colored	50		1				1				
	Females—White	529	3	1			1	5	2	3	5	8
	Colored	36										1
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.):											
	Males—White	265	4	1		1		6			4	6
	Colored	12										
	Females—White	313		1	1		1	3	1	2	3	5
	Colored	23								1	1	1
101	Diseases of lymphatic system (lymphangitis, etc.):											
	Males—White	59	10	12	3	3	1	29	2	2	1	1
	Colored	11	2			1		3	1	1		3
	Females—White	55	12	4	3	1		20	4	1	2	
	Colored	14	2	1				3	1	1		1
102	Idiopathic anomalies of blood-pressure:											
	Males—White	138										
	Colored	57										
	Females—White	113										
	Colored	56										1
103	Other diseases of circulatory system:											
	Males—White	88	5					5	1			2
	Colored	17									1	1
	Females—White	73	4			1		5	1			3
	Colored	12	3	1				4		1	1	1
	VIII.—Diseases of the respiratory system:											
	Males—White	42,575	6,790	1,603	678	386	272	9,729	800	528	880	897
	Colored	7,626	1,769	362	174	100	52	2,457	142	96	218	337
	Females—White	34,814	5,138	1,349	602	325	218	7,632	668	580	632	697
	Colored	5,750	1,421	345	156	77	37	2,036	126	104	197	264
104a	Diseases of nasal fossae:											
	Males—White	102	44	2	7	1	2	56	2	5	1	2
	Colored	64	43	4	2	2	1	52	1		1	2
	Females—White	90	28	4	2	3	2	39	2	3	2	
	Colored	70	49	4	2		1	56	2	1		1
104b	Diseases of nasal fossae and annexae:											
	Males—White	366	15	3		1	1	20	17	29	43	41
	Colored	29	1	1			1	3	3	2	6	1
	Females—White	213	6	2	2	3	1	14	15	35	14	17
	Colored	18		1				1		4	2	2
105	Diseases of larynx:											
	Males—White	221	40	36	17	21	12	126	27	5	5	2
	Colored	29	7	3	1	3	1	15	2			
	Females—White	152	36	14	12	10	8	80	18	1	2	2
	Colored	23	9	2	1	2		14	1	1	1	
106a	Acute bronchitis:											
	Males—White	632	174	34	16	10	3	237	9	6	1	8
	Colored	72	37	3	4	3		47	1	1		2
	Females—White	653	125	27	14	2	1	169	9	2	3	1
	Colored	93	43	8	3			54	2			1
106b	Chronic bronchitis:											
	Males—White	815	8	3	2	2		15	1	3	6	9
	Colored	32	1					1				1
	Females—White	752	7	2	1			10	5	1	9	7
	Colored	33	2	1				3	1	2	1	2
106c,d	Bronchitis, unspecified:											
	Males—White	314	69	9	1	3	3	85	4	3	1	2
	Colored	40	19	1		1		21				1
	Females—White	334	59	3	3	1	1	67	4	2	2	2
	Colored	61	26	5	3			34	1			3
107a	Bronchopneumonia:											
	Males—White	15,323	4,610	889	338	172	108	6,117	276	133	152	151
	Colored	2,491	1,095	225	96	46	25	1,487	56	24	26	52
	Females—White	13,634	3,470	787	312	155	100	4,824	234	157	140	139
	Colored	2,046	860	220	82	36	17	1,215	52	26	43	44
107b	Capillary bronchitis:											
	Males—White	180	84	13	6	4	1	108	1	1		1
	Colored	41	22	5		1		28	1			1
	Females—White	155	65	11	1	1	2	80	5		1	
	Colored	37	19	3	1		1	24	1	1		2
108	Lobar pneumonia:											
	Males—White	20,326	1,398	480	222	141	118	2,359	381	291	583	588
	Colored	3,870	311	94	47	32	17	501	56	57	160	235
	Females—White	15,795	1,078	387	208	115	89	1,877	309	322	388	440
	Colored	2,665	233	74	49	28	12	396	54	53	121	168
109	Pneumonia, unspecified:											
	Males—White	838	190	42	18	7	9	266	26	16	20	22
	Colored	492	202	20	16	11	4	253	15	9	12	21
	Females—White	769	163	47	12	14	3	239	24	20	23	17
	Colored	404	163	21	11	9	3	207	10	8	23	21
110	Pleurisy:											
	Males—White	1,279	84	64	39	18	12	217	36	27	49	47
	Colored	186	16	5	4	1	2	28	2	1	7	15
	Females—White	795	58	56	27	16	7	164	31	27	28	38
	Colored	114	8	3	1			12	1	3	4	10

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
1	8	13	32	63	170	328	616	997	1,695	2,018	1,928	1,157	449	76	15	5	
3	2	4	8	28	39	56	85	80	94	76	70	33	25	7	3		
1	4	6	27	35	114	204	394	700	1,157	1,526	1,655	1,384	627	163	24	1	97
1	2	4	13	23	40	38	62	63	66	64	48	43	24	13	8		
	4	4	4	4	5	16	23	27	36	60	62	43	26	5	3	1	
2	1	3	4	5	1	7	4	5	4	6	6	6	2			1	
3	2	5	5	3	6	10	11	26	23	29	59	44	26	7	1		98
2	1			2	7	4	7	8	7	8	5	3			3		
7	17	19	40	50	60	77	79	71	92	95	65	35	3	5		1	
1	2	7	5	9	9	4	4	3	2		1	2					
7	8	19	21	25	34	37	53	48	73	66	58	37	20				99
4	6	3	4	3	1	4	1	2	3	2	1	1					
6	7	13	23	24	32	26	26	35	27	13	10	6	1				
			1	6		2	1	1	1								
6	9	13	17	24	29	43	47	41	27	25	9	5	3	1			100
	3	2	3	1		2	5	2	1				1				
1	2	1	2		2	1	2	2	4	3	3	1					
1				1		1											
4		1	2	3	3	3	1	3	1	4	1		1	1			101
1	2			1		1	3										
1	1	8	8	11	8	13	18	20	15	20	10	4		1			
1	1	5	3	6	7	4	9	9	5	4	1	1		1			
1	1	2	6	5	8	16	9	14	18	17	13	1	2				102
	2	1	5	8	10	6	6	5	6	2	1	2	1				
	1		5	5	7	10	11	12	9	5	9	5	1				
1	3	2	1	1	1	1	5										
1	2	1	3	4	4	3	3	5	11	14	8	3	2				103
	2		1				1			1							
897	1,160	1,632	2,125	2,329	2,553	2,622	2,790	3,015	3,205	2,980	2,363	1,395	521	114	19	21	
368	436	503	502	551	495	392	313	247	199	146	99	67	29	10	8	11	
815	989	1,136	1,239	1,241	1,353	1,673	2,170	2,364	3,003	3,051	2,755	1,828	759	185	28	16	
292	317	318	304	295	328	244	250	181	168	127	73	59	34	9	15	9	
3	3	3	3	3	1	1	2	1	3	5	2	4	1	1			
3			1			2				1		1					
1	2	2	3			4		1	2	4	8	7	8	1	1		104a
	1	2			1		1		3	2							
30	31	25	24	25	18	20	14	7	12	4	4	2					
3		1		1	4	2	2	1									
13	12	8	12	10	16	12	7	10	6	7	5						104b
	2	2			1	1	2	1									
1	6	5	6	10	8	2	7	2	3	4	2						
2	1		2	1	2	2	1	1									
2	4	6	2	3	5	4	3	5	2	7	3	1	1			1	105
1	1	1	2	1													
4	5	6	9	8	13	23	20	26	45	55	64	60	22	10	1		
2	2	3	2	1	3		3	2	1	1	1						
6	3	4	6	9	7	14	29	28	50	72	105	89	35	12			106a
1	3	1	4	4	3	5	3	3		4	4	1					
8	11	13	32	44	35	56	70	75	109	116	110	70	27	2	2	1	
2	1	2	1	2	1	4	2	7	2		3	1		1	1		
11	13	7	13	17	18	29	44	64	128	129	127	83	26	8	2	1	106b
1			5	1	1	2	2	2	4	3	1			1	1		
	2	7	6	6	8	6	14	13	25	30	44	42	14	1	1		
	3	1	1	2	3	2	1	2	1			1		1			
1	4	4	3	2	3	5	12	16	33	35	48	58	28	5			106c,d
3	1			4	2	1	2	4	2	1		2	1				
164	218	314	433	500	580	648	704	904	1,048	1,113	967	607	224	56	10	4	
54	69	79	74	96	88	82	79	57	59	44	27	22	8	3	3	2	
171	191	258	263	292	371	440	655	794	1,049	1,199	1,188	817	356	79	13	4	107a
49	56	60	58	54	61	62	64	57	52	32	21	21	12	2	3	2	
			3	1	4	3	9	8	11	12	7	7	4				
2		1	1	2	2		2		1								
1	1	2		1		3	3	4	5	14	11	15	5	3	1		107b
		1		1	1	1		1	2	1				1			
570	769	1,072	1,353	1,450	1,541	1,525	1,619	1,658	1,620	1,369	923	453	159	29	2	12	
249	315	367	362	379	327	246	187	138	103	83	48	28	13	5	3	8	
518	667	740	829	785	801	1,017	1,236	1,253	1,493	1,347	990	551	184	36	4	8	108
199	210	219	192	200	221	148	145	89	83	74	38	25	13	4	7	6	
19	13	33	25	27	38	42	31	42	63	56	51	27	17	4			
13	17	11	13	27	26	12	14	14	11	6	8	6	3		1		
14	26	25	19	16	15	20	38	37	49	47	60	46	25	5	2	2	109
19	18	7	16	6	13	9	13	7	7	5	5	4	4		2		
54	48	79	111	103	99	89	81	83	63	52	27	10	2	1		1	
22	13	12	18	13	12	15	6	7	6	3	4	1				1	
44	36	24	36	34	36	50	51	54	46	45	27	14	6	4			110
8	14	9	10	11	5	6	7	7	1	1	2	1	2				

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system—Continued											
111a	Pulmonary embolism and thrombosis:											
	Males—White	200	6		1			7		1	3	2
	Colored	19										
	Females—White	170	4					4			6	1
	Colored	11										2
111b	Pulmonary congestion, edema, hemorrhagic infarct:											
	Males—White	476	21	8	2	1	1	33	2		4	2
	Colored	34	7					7	1		1	1
	Females—White	565	19	2	1	1	2	25	2	3	2	1
	Colored	28	4		1	1		6		1		1
112	Asthma:											
	Males—White	717	11	12	3	4	1	31	6	3	2	4
	Colored	120	2	1	2			5	1	1	1	
	Females—White	542	7	4	5	3	2	21	8	2	4	18
	Colored	107	1	2	1	1	2	7	1	3	1	3
113	Pulmonary emphysema:											
	Males—White	63	6		1			7	1	1	1	
	Colored	4										
	Females—White	25	1					1		1	1	
114	Other diseases of respiratory system (tuberculosis excepted):											
	Males—White	723	30	8	5	1	1	45	11	4	9	16
	Colored	103	6		2		1	9	3	1	4	5
	Females—White	170	12	3	2	1		18	2	4	7	14
	Colored	40	4	1	1		1	7		1	1	4
	IX.—Diseases of the digestive system:											
	Males—White	36,351	4,745	1,291	559	358	288	7,241	1,011	859	1,050	992
	Colored	4,464	1,079	266	85	44	30	1,504	96	107	108	182
	Females—White	28,075	3,489	1,060	437	289	228	5,503	891	700	708	794
	Colored	3,917	965	206	65	42	32	1,310	109	78	115	183
115a	Diseases of pharynx and tonsils:											
	Males—White	1,670	95	83	69	74	63	384	213	111	100	123
	Colored	169	11	7	6	6	3	33	16	12	7	12
	Females—White	1,666	64	45	43	56	43	251	174	89	106	107
	Colored	192	7		6	7	4	24	23	16	18	17
115b	Diseases of buccal cavity and annexa:											
	Males—White	345	17	5	4	3		29	17	5	13	25
	Colored	52	2	3	1			6		1		5
	Females—White	223	14	5	3	2	1	25	8	10	11	19
	Colored	59	6		1	1	1	9	1		1	7
116	Diseases of esophagus:											
	Males—White	69	3			3	1	7				
	Colored	5					1	1				
	Females—White	49	5	1				6	1	1		
	Colored	4										1
117a	Ulcer of stomach:											
	Males—White	3,010	3	1	1			5	3	6	17	65
	Colored	301			1			1	1	1	5	19
	Females—White	812	2					2	3	5	12	15
	Colored	145		1				1		1	2	8
117b	Ulcer of duodenum:											
	Males—White	1,552	4		1	1		6	2	1	13	19
	Colored	102				1		1				2
	Females—White	367	4					4				6
	Colored	23					2	2			1	
118	Other diseases of stomach (cancer excepted):											
	Males—White	1,112	134	30	20	6	4	194	13	3	15	17
	Colored	411	70	16	4	4		94	7	4		11
	Females—White	772	125	20	7	7	6	165	12	7	13	7
	Colored	397	57	13		1	2	73	11	4	7	20
119	Diarrhea and enteritis (under 2 years):											
	Males—White	4,925	3,933	992				4,925				
	Colored	1,137	916	221				1,137				
	Females—White	3,812	2,926	886				3,812				
	Colored	1,025	845	180				1,025				
120	Diarrhea and enteritis (2 years and over):											
	Males—White	1,642			303	128	77	508	102	33	25	26
	Colored	310			56	22	18	96	16	7	10	8
	Females—White	1,731			252	122	72	446	99	31	28	45
	Colored	376			49	30	14	93	31	7	9	10
121	Appendicitis:											
	Males—White	8,076	23	75	79	104	103	384	539	595	730	560
	Colored	663	4	3	5	5	5	22	35	66	59	72
	Females—White	5,128	9	39	67	74	79	268	476	472	436	350
	Colored	473	1	1	2	1	4	9	29	42	36	46
122a	Hernia:											
	Males—White	2,328	44	11	1	1	4	61	5	5	14	20
	Colored	246	14	3	1			18			5	7
	Females—White	1,707	6		1		1	8		1	1	4
	Colored	86										1
122b	Intestinal obstruction:											
	Males—White	2,549	370	61	48	20	20	519	69	59	75	51
	Colored	394	46	11	7	3		67	14	11	8	23
	Females—White	2,746	247	37	27	16	14	341	48	38	40	86
	Colored	423	35	7	5		3	50	2	3	9	27
123	Other diseases of intestines:											
	Males—White	480	21	4	4			29	9	5	5	6
	Colored	60	1		2	1		4			1	3
	Females—White	371	12	4	2	1	1	20	10	2	10	10
	Colored	77	2	1				3	1	1	2	8
124	Cirrhosis of liver:											
	Males—White	4,800	5		1		1	7	2	8	10	14
	Colored	328	1		1	1	1	4		1	4	1
	Females—White	2,522	8					8	6	12	5	12
	Colored	232			1	1	1	3		1	7	6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
5	7	8	12	10	23	20	30	17	24	14	9	5	3				
2	2	1	1	1	1	2	3	3	2	1							
3	4	11	10	14	18	11	19	20	24	9	7	5	1	3			111a
	1	1	2	1		1	2	1									
3	5	4	6	7	14	16	15	30	45	70	89	79	39	10	2	1	
		3	1		3	2		3	4	1	3	1	3				
4	2	3	4	8	3	13	20	22	42	75	116	114	73	28	5		111b
	1	1	2	2	2		1	1	4	1	1	2	1		1		
6	12	25	23	46	76	76	93	92	81	58	56	20	6			1	
4	6	10	12	14	15	11	9	9	7	4	5	5	1				
14	19	28	28	33	48	42	47	45	57	53	47	22	6				112
6	6	10	8	7	14	6	6	8	10	3	1	3	1	1	1	1	
1		2	5	4	3	6	7	9	4	6	4	2					
			2	1	1												113
	1	1		1	2	1	2	3	1	4	2	3	1				
29	30	36	74	85	92	89	74	48	49	16	4	7	3		1	1	
10	7	12	11	11	7	10	4	3	2	2		1	1				
12	4	13	11	16	10	8	4	8	16	11	7	1	4				114
5	3	4	5	3	3	2	2										
1,064	1,243	1,730	2,218	2,698	2,791	2,907	2,746	2,516	2,203	1,565	907	413	118	24	5	50	
189	241	276	301	321	296	250	202	134	96	69	41	26	14	2	3	6	
842	992	1,308	1,425	1,734	1,995	2,046	2,107	1,979	1,900	1,427	977	495	188	41	8	15	
194	218	256	265	266	229	198	166	114	71	58	41	16	10	4	5	11	
100	85	61	87	80	74	78	44	47	31	23	17	5	5	1		1	
14	18	9	15	11	7	6	3	3	1	1					1		
86	100	126	88	92	104	103	73	56	54	22	23	8	1	1	1	1	115a
21	8	19	17	8	7	7	3	1	3								
24	16	30	24	31	24	24	20	22	19	9	6	3	2			2	
4	3	9	5	8	3	3	1	3	1								
13	15	13	17	12	18	13	9	11	8	7	7	4	3				115b
6	7	6	4	5	1	6	4	1		1							
1	2	2	3	6	5	7	4	3	8	10	6	3	1	1			
1			1	1		1											
1	2	4		1	1	2	5	4	5	5	6	5					116
			1				1	1									
97	141	216	290	354	392	357	318	260	230	144	83	26	4			2	
26	23	25	28	46	38	32	22	14	10	4	5		1				
21	27	39	44	61	79	90	82	96	81	75	48	24	8				117a
10	9	20	21	20	10	12	11	12	4	2	1	1					
55	89	119	182	197	203	191	152	126	118	52	20	3	4				
10	10	11	15	16	15	12	6	1	3								
12	20	20	34	33	43	44	35	33	32	28	14	4	4	1			117b
1	3	4		2	3	3	1		2			1					
13	24	25	46	88	92	78	88	95	87	81	63	42	17	2	1	28	
17	26	33	41	32	51	26	17	20	5	12	3	7	3		1	1	
16	9	14	20	25	16	45	48	49	79	80	76	49	29	9		4	118
14	17	23	41	33	36	30	28	25	12	7	5	1	3	1	2	4	
																	119
36	35	42	58	80	62	64	66	87	111	102	118	53	27	6		1	
8	9	14	16	20	20	15	20	11	10	15	6	4	4		1		
38	45	50	47	54	58	62	90	94	124	139	141	91	38	7	3	1	120
10	16	18	20	17	25	23	27	10	15	19	12	3	5	3	2	1	
528	511	628	680	682	584	551	412	323	206	94	44	17	4			4	
54	69	71	52	55	34	30	16	12	10	3	2	1					
292	301	293	323	356	366	329	321	207	177	96	41	17	4		1	2	121
58	42	41	33	41	34	22	24	6	7	2		1					
25	38	72	118	164	184	231	245	303	305	262	166	78	19	8	3	2	
10	7	13	28	24	21	30	25	13	21	9	7	7				1	
14	22	46	80	134	181	206	239	243	231	151	83	39	18	5		1	122a
3	4	12	10	11	9	16	3	9	2		3	2				1	
59	61	91	107	158	164	187	223	195	203	156	99	54	15	3		1	
21	29	27	33	31	30	23	23	21	8	11	5	3	3	2		1	
118	116	180	174	172	170	187	190	218	213	171	161	75	34	8	2	4	122b
32	47	53	41	53	29	26	11	14	9	6	6	2				3	
11	18	22	37	52	34	50	53	49	41	29	17	10	3				
4	3	10	5	9	5	5	3	2	3		2					1	
19	15	22	23	30	31	32	31	25	32	26	16	10	6	1			123
4	11	8	10	7	6	7	1	3		2	1	1				1	
40	74	191	311	468	589	658	698	614	543	354	150	50	10	1	1	7	
5	20	25	37	46	49	39	42	22	13	9	7	3	1				
24	59	111	166	231	272	267	311	291	311	220	136	58	16	4	1	1	124
2	16	19	27	27	27	21	22	23	10	12	6	2			1		

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Continued											
125a	Yellow atrophy of liver:											
	Males—White	140	3	1			2	6		3	2	7
	Colored	18										6
	Females—White	242	2	1				3	1	4	7	25
	Colored	27									7	6
125b	Other diseases of liver:											
	Males—White	444	18	3	3	1	2	27	6	4	9	18
	Colored	90	4	1		1	1	7	3	2	1	5
	Females—White	323	10	6	2	3	1	22	6	8	5	5
	Colored	63	4			1		5	2		1	5
126	Biliary calculi:											
	Males—White	1,148									1	2
	Colored	26									1	2
	Females—White	2,862									6	36
	Colored	93									2	1
127	Other diseases of gall-bladder, biliary passages:											
	Males—White	1,208	12	1	3	3	2	21	5	3	7	11
	Colored	62		1				1			4	2
	Females—White	1,942	8	1	5			14	6	3	7	21
	Colored	110	1		1			2	2	3	2	4
128	Diseases of pancreas:											
	Males—White	316			2	1		3	1		2	6
	Colored	20										1
	Females—White	260			1	1		2		1	4	7
	Colored	17									1	2
129	Peritonitis, cause not specified:											
	Males—White	537	60	24	20	13	9	126	25	18	12	22
	Colored	69	10		1		1	12	4	2	3	3
	Females—White	540	47	15	27	7	10	106	41	16	17	39
	Colored	95	7	3			1	11	7		10	14
	X.—Diseases of the genitourinary system:											
	Males—White	50,228	188	63	43	28	41	363	153	161	275	336
	Colored	6,587	40	6	6	7	10	69	27	29	41	73
	Females—White	42,783	130	44	42	27	29	272	143	230	343	544
	Colored	5,771	25	15	8	7	3	58	17	23	94	160
130	Acute nephritis (including unspecified, under 10 years):											
	Males—White	1,562	77	34	24	13	23	171	71	51	59	57
	Colored	376	20	4	4	7	6	41	14	7	13	19
	Females—White	1,190	55	22	19	15	13	124	52	43	47	43
	Colored	385	12	13	6	4	2	37	10	9	15	14
131	Chronic nephritis:											
	Males—White	38,163	2	7	7	9	6	31	57	78	158	222
	Colored	4,642	1	2	2		1	6	11	11	13	29
	Females—White	35,285	4	4	5	5	2	20	67	130	172	260
	Colored	4,172					1	1	4	7	29	51
132	Nephritis, unspecified (10 years and over):											
	Males—White	2,650								16	28	26
	Colored	650								10	7	7
	Females—White	2,138								18	24	24
	Colored	537								4	8	13
133	Other diseases of kidneys, ureters (puerperal diseases excepted):											
	Males—White	1,224	80	19	11	5	10	125	23	15	23	20
	Colored	195	12				3	15	2	1	5	7
	Females—White	1,275	70	17	18	7	13	125	23	30	20	31
	Colored	167	12	2	2	3		19	3	1	5	3
134	Calculi of urinary passages:											
	Males—White	663				1		1			5	5
	Colored	30										1
	Females—White	337					1	1		2	3	8
	Colored	25	1					1			1	
135	Diseases of bladder (tumors excepted):											
	Males—White	345	4					4	1		1	4
	Colored	78	1					1			1	1
	Females—White	160		1				1	1			2
	Colored	19									1	
136	Diseases of urethra, urinary abscess, etc.:											
	Males—White	192	1					1			1	2
	Colored	131	1					1				6
	Females—White	11	1					1				
	Colored	1										
137	Diseases of prostate:											
	Males—White	5,356										
	Colored	455									1	1
138	Diseases of male genital organs, not specified as venereal:											
	Males—White	73	24	3	1		2	30	1	1		
	Colored	30	5					5			1	2
139a	Cysts of ovary:											
	Females—White	570								3	9	24
	Colored	58									3	7
139b	Other diseases of ovaries, diseases of tubes and parametrium:											
	Females—White	1,175								1	52	128
	Colored	318								1	27	56
139c	Diseases of uterus:											
	Females—White	596								2	13	24
	Colored	60								1	4	11
139d	Nonpuerperal diseases of breast (cancer excepted):											
	Females—White	15										
	Colored	3										
139e	Other diseases of female genital organs:											
	Females—White	31								1	3	
	Colored	26									1	5

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
3	11	12	13	12	16	9	13	14	6	8	2	3					
2		3		2	3	1			1								
24	17	26	20	25	16	15	14	15	13	11	3	3					125a
4	3		4	1	1			1									
22	14	38	36	39	44	41	36	27	30	31	16	5	1				
6	4	4	11	7	8	9	11	5	2	3	1		1				
9	10	12	23	12	33	38	31	16	27	27	27	9	2	1			125b
5	9	5	4	3	6	4	4	4	1	1	3		1				
8	27	51	84	108	136	162	151	146	117	85	41	27	1	1			
2	3	4		4		2	4	2	2								
57	106	172	194	277	352	360	370	347	283	163	95	36	8				126
7	7	9	12	16	12	4	11	2	2	3	3	1	1				
19	45	74	74	110	118	149	133	160	100	99	44	30	4	1		1	
2	8	7	5	3	7	9	4	1	2	2	2	1	1			2	
36	79	123	128	158	192	202	209	230	195	176	87	58	14	4			127
7	9	10	10	13	11	13	14	2	3	2	1	1				1	
12	24	28	33	32	31	42	44	23	19	12	1	2				1	
2	4	3	3	2	2	2	1										
12	14	15	23	29	35	32	32	22	16	11	4	1					128
	1	3	1	5	2	1			1								
11	28	28	35	37	39	28	46	22	29	14	14	2	1				
1	5	8	6	4	3	5	4	4	4		1						
50	35	42	21	32	28	19	17	22	19	19	9	4	3			1	129
10	9	6	9	4	10	3	1			1							
414	574	930	1,396	2,061	2,930	3,899	5,423	6,669	8,139	7,554	5,355	2,703	725	115	21	32	
116	188	272	426	572	768	737	829	690	607	451	355	188	70	43	19	17	
710	955	1,320	1,764	2,171	2,558	3,023	4,163	5,054	6,190	5,815	4,332	2,284	732	123	19	38	
249	312	419	492	597	634	579	519	479	400	273	209	119	72	22	27	17	
66	74	97	116	122	97	85	115	101	88	80	52	39	19	2			
24	23	27	31	30	39	28	31	12	13	13	4	3	2	1	1		
45	69	76	79	91	78	70	86	70	77	50	41	31	13	3		2	130
27	24	52	46	36	29	30	20	11	11	4	2	2	3	1	1	1	
266	389	652	1,022	1,614	2,409	3,161	4,297	5,079	6,285	5,721	4,042	2,053	498	85	17	27	
55	114	167	299	428	572	551	619	483	455	322	259	131	55	34	15	13	
302	466	739	1,133	1,561	2,064	2,547	3,583	4,504	5,587	5,314	3,936	2,082	659	111	18	30	131
110	169	242	330	450	498	457	438	402	346	236	180	106	60	19	25	12	
32	33	52	88	106	145	221	261	314	383	401	308	169	49	15		3	
14	21	35	42	52	63	67	73	75	59	51	33	28	7	3	2	1	
32	43	52	107	103	130	151	189	249	310	302	234	117	40	8	1	4	132
14	23	39	54	55	67	59	46	48	30	29	22	11	9	2		4	
23	43	70	73	73	86	92	93	115	111	111	74	40	10	3		1	
7	9	11	17	13	23	21	21	17	7	11	3	1	2	1		1	
43	62	68	92	72	93	84	118	104	109	86	70	31	12	1		1	133
6	20	15	14	16	18	17	6	11	7	3	2				1		
22	20	37	49	69	63	61	81	83	77	53	23	7	5	1		1	
	1			2	8	5	4	3	3	1	1	1					
18	19	26	38	35	37	28	50	22	20	19	5	5	1				134
3	3	2	4	3	1	4		3									
	2	4	8	11	9	16	24	46	38	55	63	36	20	2	1		
2	3	2	6	6	7	12	4	8	5	6	9	4	1				
	2	4	10	8	9	10	11	22	21	17	21	15	6				135
1	1			2	3	2	4	1	2	1	1						
1	7	7	16	24	20	22	24	26	15	15	6	4	1				
13	12	18	20	15	13	10	13	5	3		1	1					
		2	1	2		1		1	2	1							136
								1									
3	6	8	20	37	98	238	522	899	1,136	1,115	787	354	123	7	3		
1	4	11	9	19	39	41	64	86	60	46	45	18	3	4	1	2	137
1		3	4	5	3	3	6	6	6	3		1					
	1	1	2	7	4	2		1	2	1		1					138
45	52	86	67	70	37	42	48	31	30	11	13	2					
7	11	10	4	5	7	1	1	1	1								139a
175	184	211	157	144	51	25	22	11	3	8	3						
65	50	56	30	18	5	5	2	1	1		1						139b
47	56	51	78	80	52	61	49	37	29	7	7	1	1			1	
11	9		7	7	3	3	2		1		1						139c
2		4		3	2	1	1		1		1						
	1		1		1												139d
1	2	1	2	2	5	3	6	3	1		1						
5	1	3	2	5	2	1			1								139e

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, and the puerperal state:											
	Females—White	8,810								16	734	1,741
	Colored	1,884								12	372	412
140	Abortion with septic conditions:											
	Females—White	1,481								2	111	390
	Colored	220								1	29	51
141	Abortion without mention of septic conditions (includes hemorrhages):											
	Females—White	495									21	82
	Colored	80									13	17
142a	Ectopic gestation, septic conditions specified:											
	Females—White	76									1	8
	Colored	17										4
142b	Ectopic gestation, septic conditions not mentioned:											
	Females—White	343									8	48
	Colored	59									4	14
143	Other accidents of pregnancy (hemorrhages not included):											
	Females—White	57									5	6
	Colored	14								1	2	2
144a	Placenta praevia:											
	Females—White	299									9	22
	Colored	49									1	7
144b	Other puerperal hemorrhages:											
	Females—White	680									47	104
	Colored	125									12	22
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded):											
	Females—White	1,762								4	200	402
	Colored	417								2	99	102
145b	Puerperal tetanus (abortion and ectopic gestation excluded):											
	Females—White	8									1	2
	Colored	1										1
146	Puerperal albuminuria and eclampsia:											
	Females—White	1,528								7	207	328
	Colored	498								6	135	105
147	Other toxemias of pregnancy:											
	Females—White	351									31	82
	Colored	59								1	14	14
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):											
	Females—White	501								1	25	70
	Colored	34									3	7
149	Other accidents of childbirth:											
	Females—White	1,198								2	66	191
	Colored	300								1	57	65
150	Other and unspecified conditions of puerperal state:											
	Females—White	31									2	6
	Colored	11									3	1
	XII.—Diseases of the skin and cellular tissue:											
	Males—White	788	144	12	5	2	3	166	16	20	40	30
	Colored	88	15	2	1			18	1	2	1	4
	Females—White	607	92	14	4	4	1	115	17	30	36	34
	Colored	79	9		1	1	1	12	1	1	3	3
151	Furuncle, carbuncle:											
	Males—White	261	7	1			2	10	5	6	20	16
	Colored	17	4					4			1	1
	Females—White	152	4	1				5	4	8	12	15
	Colored	17	1		1			2		1	1	
152	Phlegmon, acute abcess:											
	Males—White	269	47	6	4	1	1	59	8	12	13	11
	Colored	41	4	2				6		2		1
	Females—White	198	28	9	1	3		41	8	12	16	7
	Colored	27	5			1		6	1		1	2
153	Other diseases of skin and annexa, and of cellular tissue:											
	Males—White	258	90	5	1	1		97	3	2	7	3
	Colored	30	7		1			8	1			2
	Females—White	257	60	4	3	1	1	69	5	10	8	12
	Colored	35	3				1	4			1	1
	XIII.—Diseases of the bones and organs of locomotion:											
	Males—White	820	31	10	19	19	18	97	76	123	55	36
	Colored	77	4	1	1		2	8	7	11	9	9
	Females—White	467	25	16	13	12	12	78	67	57	22	19
	Colored	44	3		1	2		6	5	3	3	1
154	Osteomyelitis:											
	Males—White	567	20	7	17	13	17	74	67	103	38	22
	Colored	54	3	1	1		2	7	5	9	5	9
	Females—White	291	21	14	10	9	10	64	50	51	15	10
	Colored	24	3		1	2		6	3	3	2	1
155	Other diseases of bones (tuberculosis excepted):											
	Males—White	80	4	1	1	2	1	9	6	4	5	4
	Colored	5								1	1	
	Females—White	61	1	2	1	1	2	7	6	1	3	3
	Colored	6										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
2,004	1,902	1,614	713	76	2											8	
339	350	263	107	23	3											3	
353	333	205	76	9	1											1	140
45	60	30	2	1												1	
113	115	113	47	4													141
12	21	11	5	1													
16	27	15	8	1													142a
8	3	2															
75	106	73	32	1													142b
13	18	8	2														
13	8	7	14	4													143
4	2	3															
68	64	81	48	6												1	144a
11	11	12	6	1													
155	153	137	73	11													144b
31	22	22	13	2	1												
421	350	269	103	11	1											1	145a
62	78	49	19	5												1	
3		1	1														145b
300	275	269	124	15												3	146
33	69	63	30	7													
79	68	67	22	2													147
8	10	10	1	1													
111	118	132	41	2												1	148
5	7	8	3	1													
289	277	240	122	10												1	149
56	48	40	26	4	2											1	
8	8	5	2														150
1	1	5															
30	22	39	46	48	46	51	53	46	54	27	23	21	6	4			
5	4	7	6	9	11	3	2	6	3	3	2					1	
26	24	37	31	29	30	23	42	31	31	22	26	13	4	4	2		
4	5	7	6	8	6	7	6		2	3	1	2		1		1	
11	10	17	16	21	22	17	24	23	20	11	4	6	1	1			
1	2	2	3	1	1			1									
13	10	7	11	10	11	7	8	8	6	7	4	3	1		2		151
	1	1	3	1	3	2	1		1								
17	8	12	16	19	15	22	20	10	12	7	4	3		1			
3	2	4	3	6	8	2	1		1	1						1	152
7	9	18	9	8	9	6	14	8	9	5	8	2		2			
2	2	2	2	4	3		1		1								
2	4	10	14	8	9	12	9	13	22	9	15	12	5	2			
1		1		2	2	1	1	5	2	2	2						
6	5	12	11	11	10	10	20	15	16	10	14	8	3	2			153
2	2	4	1	3		5	4			3	1	2		1		1	
29	44	37	39	45	40	46	36	37	44	18	11	5	2				
3	3	6	4	4	2	2	3	2	2	2							
11	17	18	26	12	23	17	16	20	15	23	10	12	2	1		1	
1	5	1	2	8	3	1	1		1	1	2						
23	29	29	25	29	28	27	14	19	23	11	3	3					
3	2	4	2	2		1	2	1	1	1							
4	10	9	16	6	6	7	9	14	6	6	3	5					154
1	2	1		3	2												
2	5	4	3	3	2	6	4	8	7	4	3	1					
		1				1		1									
	1	1		2	10	1	4	3	4	6	3	2	2	1		1	155
				2			1		1	1	1						

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIII.—Diseases of the bones and organs of locomotion—Continued											
156	Diseases of joints, other organs of locomotion:											
	Males—White	173	7	2	1	4		14	3	16	12	10
	Colored	18	1					1	2	1	3	
	Females—White	115	3		2	2		7	11	5	4	6
	Colored	14							2		1	
	XIV.—Congenital malformations:											
	Males—White	5,582	4,994	164	76	48	34	5,316	85	64	51	19
	Colored	359	312	12	4	3	4	335	7	9	3	2
	Females—White	4,580	4,078	155	52	32	25	4,342	90	57	24	27
	Colored	253	219	13	8	1	3	244	1	4	2	1
157a	Congenital hydrocephalus:											
	Males—White	706	537	61	22	16	10	646	23	16	9	4
	Colored	55	36	5		1	2	44	5	4	1	
	Females—White	669	544	41	17	13	5	620	24	8	6	3
	Colored	31	20	6	2	1		29		2		
157b	Spina bifida meningocele:											
	Males—White	529	505	8	4	3	3	523	2			2
	Colored	16	16					16				
	Females—White	675	648	14	1	1	1	665	6	2		2
	Colored	20	17	2				19			1	
157c	Congenital malformations of heart:											
	Males—White	2,907	2,624	73	28	17	14	2,756	43	39	35	10
	Colored	179	159	3	4	2	2	170	2	3	2	1
	Females—White	2,243	1,983	76	24	13	15	2,111	46	36	16	14
	Colored	128	113	4	4		1	122	1	2	1	1
157d	Other congenital malformations:											
	Males—White	1,440	1,328	22	22	12	7	1,391	17	9	7	3
	Colored	109	101	4				105		2		1
	Females—White	993	903	24	10	5	4	946	14	11	2	8
	Colored	74	69	1	2		2	74				
	XV.—Diseases of early infancy:											
	Males—White	21,449	21,449					21,449				
	Colored	3,388	3,388					3,388				
	Females—White	15,412	15,412					15,412				
	Colored	2,574	2,574					2,574				
158	Congenital debility:											
	Males—White	1,276	1,276					1,276				
	Colored	399	399					399				
	Females—White	929	929					929				
	Colored	338	338					338				
159	Premature birth:											
	Males—White	13,328	13,328					13,328				
	Colored	2,170	2,170					2,170				
	Females—White	10,083	10,083					10,083				
	Colored	1,744	1,744					1,744				
160	Injury at birth:											
	Males—White	4,774	4,774					4,774				
	Colored	425	425					425				
	Females—White	2,935	2,935					2,935				
	Colored	252	252					252				
161	Other diseases peculiar to early infancy:											
	Males—White	2,071	2,071					2,071				
	Colored	394	394					394				
	Females—White	1,465	1,465					1,465				
	Colored	240	240					240				
162	XVI.—Senility:											
	Males—White	2,507										
	Colored	675										
	Females—White	3,275										
	Colored	724										
	XVII.—Violent and accidental deaths:											
	Males—White	64,754	705	650	506	482	453	2,796	2,008	2,078	3,538	4,731
	Colored	8,524	160	87	78	65	57	447	244	305	655	1,029
	Females—White	24,397	536	438	343	383	334	2,034	1,121	568	1,055	1,240
	Colored	2,605	139	63	63	70	64	399	184	90	164	257
	Suicide:											
	Males—White	14,213							1	29	211	559
	Colored	449								3	11	42
	Females—White	3,628								10	167	325
	Colored	141								2	15	26
163	By solid or liquid poisons or by absorption of corrosive substances:											
	Males—White	1,600								1	24	74
	Colored	53								1	3	5
	Females—White	1,127								3	82	162
	Colored	59								1	7	15
164	By poisonous gas:											
	Males—White	2,062								1	7	54
	Colored	32										2
	Females—White	767								2	21	37
	Colored	10									2	1
165	By hanging or strangulation:											
	Males—White	2,780								13	38	56
	Colored	65									1	2
	Females—White	471									5	16
	Colored	11									1	1
166	By drowning:											
	Males—White	574								1	4	13
	Colored	28										1
	Females—White	294								1	6	19
	Colored	13										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
4	10	4	11	13	10	13	18	10	14	3	5	1	2				156
	1	1	2	2	2		1		1	1							
7	6	8	10	4	7	9	3	3	5	11	4	5					
	3		2	3	1	1					1						
13	10	8	8	6	1		1										
1	2																
14	12	7	1	3	1	2											
		1															
4	3		1														157a
	1																
3	4	1															
	1			1													157b
8	4	4	6	2													157c
1																	
8	6	4		1		1											
		1															
1	2	4	1	3	1		1										157d
	1																
3	2	2	1	2	1	1											
																	158
																	159
																	160
																	161
					1	12	19	49	224	422	682	630	353	97	16	2	162
						8	16	25	67	106	156	115	78	50	51	3	
				1	1	4	31	69	238	469	835	860	539	182	43	3	
					2	6	12	18	74	86	150	124	100	45	105	2	
4,422	4,171	4,729	5,111	5,322	5,172	4,922	4,353	3,574	3,014	2,154	1,483	708	275	45	6	142	
1,097	980	924	706	600	456	349	222	155	114	86	46	38	8	3	2	58	
1,092	1,020	1,101	1,068	1,156	1,131	1,230	1,339	1,482	1,891	1,874	1,890	1,386	568	116	15	20	
269	243	206	139	120	111	87	74	70	48	52	31	21	16	10	8	6	
788	871	1,135	1,429	1,685	1,786	1,724	1,435	1,102	778	407	193	46	8	1		25	
40	50	62	44	51	43	42	24	13	9	8	4	1				2	
371	360	381	367	387	330	281	248	189	125	47	22	9	3			6	
20	19	17	17	7	7	5	5	1									
111	124	147	191	197	200	182	133	87	77	32	15	1	1			3	163
5	8	6	7	9	3	3			1	2							
156	152	119	106	86	70	56	53	38	22	10	8	2				2	
11	9	7	3		2	3	1										
106	153	167	257	244	294	268	223	141	85	45	11	5				1	164
4	6	6	2	6		2	1	2		1							
66	66	80	82	86	81	75	63	54	35	11	5	2				1	
1	1	1	3		1												
110	118	180	228	332	397	384	303	257	171	103	68	14	3			5	165
3	5	9	5	5	7	12	4	3	4	3	1					1	
21	31	31	52	74	56	58	49	39	26	9	2					2	
1		2	3	2			1										
12	27	52	53	63	63	69	72	52	45	27	12	5	1			3	166
2	2	4	6	3	5	3	1		1								
11	18	31	28	32	33	29	27	27	20	7	2	2	1				
1	2	2	2	1	1	1	2	1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
	Suicide—Continued											
167	By firearms:											
	Males—White	5,941							1	12	127	330
	Colored	203								2	7	26
	Females—White	574								4	45	66
	Colored	29								1	3	7
168	By cutting or piercing instruments:											
	Males—White	639									2	10
	Colored	40										4
	Females—White	98									1	1
	Colored	5									1	
169	By jumping from high places:											
	Males—White	414								1	4	15
	Colored	19										2
	Females—White	228									5	20
	Colored	9										2
170	By crushing:											
	Males—White	123									2	4
	Colored	4										
	Females—White	19										3
171	By other means:											
	Males—White	80									3	3
	Colored	5										
	Females—White	55									2	1
	Colored	5									1	
	Homicide:											
	Males—White	3,996	55	7	6	3	11	82	33	33	206	458
	Colored	2,827	12		2		3	17	3	15	188	478
	Females—White	1,026	52	4	5	4	7	72	29	19	79	139
	Colored	675	8			1	1	10	4	10	63	146
173	By firearms:											
	Males—White	2,879	3	2	2		2	9	15	20	168	367
	Colored	1,885					1	1	1	10	133	341
	Females—White	518	1	2	1	2	2	8	7	8	34	67
	Colored	364				1		1	2	8	38	79
174	By cutting or piercing instruments:											
	Males—White	367	2	1			1	4	2	2	13	46
	Colored	619	2				2	4	2	4	40	111
	Females—White	86	3		1		1	5	5	2	7	8
	Colored	200					1	1		1	16	51
175	By other means:											
	Males—White	750	50	4	4	3	8	69	16	11	25	45
	Colored	323	10		2			12		1	15	26
	Females—White	422	48	2	3	2	4	59	17	9	38	64
	Colored	111	8					8	2	1	9	16
	Accidental, other, or undefined:											
	Males—White	46,545	650	643	500	479	442	2,714	1,974	2,016	3,121	3,714
	Colored	5,248	148	87	76	65	54	430	241	287	456	509
	Females—White	19,743	484	434	338	379	327	1,962	1,092	539	809	776
	Colored	1,789	131	63	63	69	63	389	180	78	86	85
176	Attack by venomous animals:											
	Males—White	40	4	1		2	1	8	2	4	1	4
	Colored	12			1	1	1	3		3	1	1
	Females—White	29	5	1		1	2	9	4	3	2	
	Colored	4	1					1	1			
177	Poisoning by food:											
	Males—White	217	20	14	10	7	5	56	12	10	5	3
	Colored	56	5	2	2	2		11	3	2	4	4
	Females—White	148	9	4	9	5		27	12	5	6	5
	Colored	53	6	1	2	1	1	11	5	2	2	1
178	Absorption of poisonous gas:											
	Males—White	1,405	4	9	3	2	1	19	6	13	23	51
	Colored	44	1	1				2		2	1	
	Females—White	400	6	3	2		1	12	10	4	13	16
	Colored	13	1	1				2		1		1
	Supplemental:											
	Males—White	41			1			1				2
	Colored	2										
	Females—White	2		1				1				
179	Other acute accidental poisonings (gas excepted):											
	Males—White	776	19	63	32	14	10	138	17	7	14	24
	Colored	123	4	13	12	5	4	38	4	2	4	6
	Females—White	382	12	41	17	12	12	94	12	5	17	37
	Colored	58	1	8	8	4		21	5	2	5	2
180	Conflagration:											
	Males—White	701	16	22	19	23	17	97	45	22	22	35
	Colored	130	3	4	2	6	2	17	14	3	4	9
	Females—White	389	22	10	16	22	17	87	51	23	14	19
	Colored	93	1	6	5	3	4	19	9	4	3	6
181	Burns (conflagration excepted):											
	Males—White	1,616	60	170	146	80	57	513	76	55	42	77
	Colored	338	19	31	28	21	16	115	22	9	7	13
	Females—White	1,992	49	137	133	145	122	586	238	49	65	67
	Colored	432	11	22	32	37	40	142	70	15	12	17
	Supplemental:											
	Males—White	387		1	2			3	1	8	38	61
	Colored	26							1		2	5
	Females—White	67		1		1	2	4	6	1	7	14
	Colored	6									2	
182	Mechanical suffocation:											
	Males—White	372	238	6	2	2		248	11	5	15	5
	Colored	60	54					54			2	
	Females—White	211	181	8	1	1		191	1		3	3
	Colored	53	50	2				52				
	Supplemental:											
	Males—White	31							1		3	2
	Females—White	6		1				1			1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
381	371	477	582	685	658	707	572	471	320	154	65	16	2			10	
20	21	28	15	17	21	16	15	6	3	2	2	1				1	167
81	60	73	46	68	44	33	19	20	10	4						1	
4	2	2	5	2	2	1											
17	31	54	57	69	92	59	33	54	53	36	16	3	1	1		1	
2	6	4	4	9	4	4	2				1						168
5	4	8	14	17	14	7	12	4	8	1	1	1					
	1		1	1	1												
31	37	37	40	68	48	39	29	31	18	9	5	2					
4	1	3	2	2	2	1	1	1									169
26	23	27	30	19	22	17	15	5	3	3	4	2	2				
1	2	3		1													
11	7	12	16	15	18	9	15	7	5	1						1	
		1	2			1											170
2	2	2	2	3	3		2										
9	3	9	5	12	16	7	5	2	4		1					1	
	1	1	1		1			1									171
3	4	10	7	2	7	6	8	2	1	2							
1	2						1										
560	538	538	395	364	237	207	135	95	61	26	12	5				11	
561	453	408	254	184	95	56	51	20	5	9	4	2		1		23	
140	110	110	91	64	43	44	37	19	12	4	9	4				1	
167	119	85	28	19	14	9	3	3			2					3	
442	424	413	290	251	152	137	85	52	34	13	3	1				3	
387	310	266	162	111	62	32	28	14	1	5	2	1		1		17	173
71	65	68	57	42	32	23	17	8	3	1	4	2				1	
86	67	44	13	8	8	4	1	3								2	
54	53	54	35	39	24	14	10	10		3		1				3	
128	103	88	61	40	17	9	6	1	2							3	174
10	4	10	10	7	4	3	6	3		2							
51	31	25	11	4	3	5	1										
64	61	71	70	74	61	56	40	33	27	10	9	3				5	
46	40	54	31	33	16	15	17	5	2	4	2	1				3	175
59	41	32	24	15	7	18	14	8	9	1	5	2					
20	21	16	4	7	3		1				2					1	
3,074	2,762	3,056	3,287	3,273	3,149	2,991	2,783	2,377	2,175	1,721	1,278	657	267	44	6	106	
496	477	454	408	365	318	251	147	122	100	69	38	35	8	2	2	33	
581	550	610	610	705	758	905	1,054	1,274	1,754	1,823	1,859	1,373	565	116	15	13	
92	105	104	94	94	90	73	66	66	48	52	29	21	16	10	8	3	
3		1	5	5	1	2		2	1	1							
3								1									176
1			1	2	1	2	2			2							
				1			1										
4	7	6	19	16	16	12	12	11	11	9	4	3	1				
1		2	6	5	7	3	2	1	2		2	1					177
10	5	12	3	7	9	9	7	4	12	8	5	2					
3	2	5	5	3	2	3	3	2	1	2	1						
69	92	127	147	187	171	140	136	85	64	38	24	11				2	
3	4	5	6	1	7	3	3	2	3			1				1	
21	23	28	24	28	26	29	37	41	22	38	13	13	2				
	2	1		2	1	1				2							178
7	5	5	6	6	6	1		1	1								
	1		1														
		1															
26	49	59	95	93	94	64	37	28	16	5	4	3			1	2	
8	13	11	7	11	9	4	1		2	1	1		1				179
26	27	35	29	28	24	14	9	11	11	2	1						
6	5	3	3	2			2	1	1								
36	31	51	54	38	43	49	38	37	48	31	12	7	2			3	
11	5	6	10	8	7	5	5	6	7	5	4	3				1	180
19	18	17	20	21	19	16	10	13	16	15	6	2		2	1		
2	2	7	7	4	4	3	4	6	4	3	3	1	1		1		
70	87	79	91	79	62	67	76	56	61	58	47	12	5	1		2	
16	20	17	14	21	18	11	12	10	11	11	4	5	1			1	
63	56	82	73	72	71	91	87	77	105	77	77	41	12	3			
14	16	9	17	16	18	20	15	11	5	18	3	3	6	1	3	1	181
61	54	48	42	20	15	15	4	7	7	1						2	
7	2	4	1	2				1								1	
4	12	5	4	5		2	2		1								
	2	1					1										
10	12	15	14	9	4	6	9	3	4	1	1						
2					1	1											
1	1	5		1	2			2			1						182
					1												
4	5	3		7	4	1	1										
	1			1	1			1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
	Accidental, other, or undefined—Continued											
183	Drowning:											
	Males—White	4,052	14	109	63	59	40	285	394	476	562	424
	Colored	698	1	12	9	4	4	30	46	93	146	115
	Females—White	561	7	61	29	19	10	126	62	76	87	41
	Colored	54	2	5	4	1	2	14	5	9	8	6
	Supplemental:											
	Males—White	817	1	1	2	2	5	11	25	48	95	129
	Colored	128	1	1				2	4	7	12	17
	Females—White	105		2	3	2	3	10	6	6	18	13
	Colored	30							3	4	6	4
	Traumatism:											
184	By firearms (wounds of war excepted):											
	Males—White	1,707	3	7	3	6	19	38	66	198	283	207
	Colored	286			1	5	2	8	20	34	54	50
	Females—White	193	1	1	3	4	4	13	24	23	27	22
	Colored	59				2		2	10	7	12	6
185	By cutting or piercing instruments (wounds of war excepted):											
	Males—White	387	8	11	3	3	3	28	14	27	12	18
	Colored	54	1		1			2	3	4	1	5
	Females—White	153	2	1	1	7	2	13	11	11	2	6
	Colored	25			1			1	2		1	1
	Supplemental:											
	Males—White	146	1	1		1		3	2	4	9	11
	Colored	12									1	2
	Females—White	32		1	1			2	5	5	3	3
	Colored	3								1		
186a	By fall:											
	Males—White	7,236	46	58	40	26	22	192	136	148	196	176
	Colored	421	15	11	4	2	5	37	18	12	16	23
	Females—White	8,128	41	31	31	33	19	155	80	35	31	31
	Colored	233	13	5	1	4	3	26	11	5	1	5
	Supplemental:											
	Males—White	1,616	3	6	9	16	6	40	47	78	146	178
	Colored	216		1				1	3	9	22	22
	Females—White	277	3	2	4	3	7	19	13	18	30	41
	Colored	20							2	2	3	1
186b	By crushing, landslide:											
	Males—White	346			1	2		3	10	14	23	24
	Colored	35							1	2	7	2
	Females—White	20	2	1	1	3		7	4			1
	Colored	1				1		1				
	Supplemental:											
	Males—White	3,593	5	14	20	22	23	84	108	116	217	349
	Colored	420	1		2	4	3	10	9	11	38	40
	Females—White	750	3	16	10	11	12	52	54	23	58	58
	Colored	73		1	1	1		3	9	5	4	8
187	Cataclysm:											
	Males—White	43	2		1	1	1	5	7	1	3	1
	Colored	4	1					1		1		
	Females—White	30				2	2	4	4	3	1	1
	Colored	6							1		1	1
188	Injuries by animals:											
	Males—White	355		4	9	3	6	22	19	18	13	6
	Colored	35	1					1	3	6	1	1
	Females—White	35		2	1	1		4	3	2	1	
	Colored	5								1		1
189	Hunger and thirst:											
	Males—White	15	1					1				
	Colored	3										
	Females—White	6	2	1				3				
190	Excessive cold:											
	Males—White	153	2		1		1	4			5	4
	Colored	47									2	5
	Females—White	18							1		1	
	Colored	11							1		1	
191	Excessive heat:											
	Males—White	320	11	2	1			14	1	2	1	9
	Colored	79	4	1		1	1	7	1		1	3
	Females—White	95	7	1	1	1		10	1	1		1
	Colored	30	5					5	1		1	2
192	Lightning:											
	Males—White	180		1				1	6	17	22	28
	Colored	36								3	4	7
	Females—White	21							1	6	5	2
	Colored	13							2	2	2	
193	Due to electric currents:											
	Males—White	443		2	2	1	1	6	14	35	35	44
	Colored	31							1	2	5	4
	Females—White	23	1		1			2	3	2	2	2
	Colored	1										
	Supplemental:											
	Males—White	56			1			1	2	2	3	11
	Colored	2								1		
	Females—White	5							1		1	1
94a	Foreign bodies:											
	Males—White	305	73	58	30	11	6	178	8	6	4	3
	Colored	28	9	4	6	1		20	3	1		
	Females—White	164	43	42	14	5	4	108	11		3	1
	Colored	32	15	7	1	2	1	26		1		1
194b	Other accidents:											
	Males—White	2,328	85	26	9	17	22	159	94	123	165	130
	Colored	296	21	3		2	2	28	5	13	24	14
	Females—White	535	70	21	9	11	15	126	48	30	17	17
	Colored	83	24	2	1	1	2	30	1	3		1
	Supplemental:											
	Males—White	16,810	33	57	90	179	196	555	850	579	1,163	1,685
	Colored	1,570	7	3	8	11	14	43	80	67	91	149
	Females—White	4,966	18	44	51	90	93	296	426	208	394	374
	Colored	398	1	3	7	12	10	33	42	14	22	21
195	Violent deaths of unknown nature:											
	Males—White	1	1					1				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
276	203	217	226	229	232	168	139	87	64	32	9	4				25	
63	46	49	35	23	15	14	4	4		3	4	3				5	
26	21	17	11	19	17	15	14	12	8	5	3	1					
2	3	3	1	1	1			1									183
93	87	70	79	42	47	37	25	15	6	6						2	
15	19	18	5	9	8	5	2	1	1							3	
17	5	8	8	5	4		2	2		1							
6	2		2	1		1										1	
136	125	118	110	104	96	84	59	43	29	6						5	
37	20	17	15	12	9	3	4	3									184
16	14	10	13	6	10	5	2	6	1	1							
4	8	5	1	1	1			1								1	
15	23	25	28	32	30	30	31	20	27	11	9	7					
5	1	7	6	6	5	1	3	1	2			1	1				
4	7	6	10	16	10	16	13	9	7	8	3	1					
		1	2	3	4	5	2		2			1					185
18	14	10	11	17	10	16	6	4	7	1	3						
4		2	3														
6		1		1		2	1		1	1	1						
				1	1												
171	221	309	393	431	450	488	549	555	645	694	740	473	222	41	5	1	
28	41	47	36	38	30	31	20	10	8	7	7	7	1	2	2		
35	39	54	76	126	153	251	435	663	1,123	1,379	1,583	1,221	530	110	14	4	
6	8	12	8	7	18	9	19	20	15	17	15	11	9	8	3		186a
128	110	123	105	110	126	112	98	81	66	41	19	4	2			2	
21	27	19	16	17	19	15	6	8	3	4	1	1				2	
23	23	13	10	9	14	13	11	9	15	10	4	1	1				
3	2	2	1		2				2								
33	26	30	39	35	24	26	24	14	11	4	5					1	
4	2	5	2	2	2	4	1									1	
	2	1			1			2		1			1				
																	186b
309	285	299	334	312	293	239	200	189	124	74	36	6	1			18	
57	51	41	48	37	27	16	10	8	6	4		1				6	
46	45	40	40	56	50	52	52	35	47	28	8	4				2	
6	8	5	5	7	3	2		2	2	3		1					
3	3	2	3	4	2	3		3	1		2						
1								1									
2	2	6		1	1	1	3			1							18
	2			1													
10	10	18	26	31	32	29	28	36	27	18	8	3	1				
1	1		1	5	3	3	4	1	2	2							
			3		1	2	3	4	5	3	2	1				1	188
					2		1										
	1	1		1	1		4	2	2	1		1					
		1							1		1						189
				1	1	1											
6	3	7	7	24	11	16	20	13	17	10	4	1				1	
3	6	4	8	4		4		2	2	4	1	1	1				
1	1		2	1	2	2	1	1	1	1	1	2					190
		1		1		2	1	2				1			1		
13	10	25	28	30	31	22	29	37	25	21	17	2	3				
4	7	3	9	9	10	12	3	4	2	3						1	
	1	1	5	3	7	7	6	11	11	7	9	7	7				191
1	1	3	5	2	4			4	1								
15	13	13	17	8	8	8	11	7	4	1						1	
5	5	2	3	3	2			1	1								
	1	1	2	1	1	1											192
1	1	2	1		1			1									
79	73	38	36	24	24	15	7	4	2	6	1						
2	6	4	3			2	1					1					
3		4		1	2	1		1									
								1									193
8	7	4	3	3	7	2	1		1							1	
				1													
	1					1											
8	4	7	12	17	12	6	13	10	7	6	2	1	1				
	1		1		1					1							
	3	3	3	7	6	7	2	4	3	2		1					194a
1		2	1														
115	131	168	171	180	184	168	160	125	99	83	34	26	8			5	
28	27	22	27	25	25	17	11	11	7	5	4	1				2	
8	19	18	15	15	16	15	19	34	36	38	32	26	5	1			
2	7	7	4	4	5	4	4	1	5		4			1			194b
1,340	1,062	1,172	1,181	1,177	1,109	1,163	1,066	902	798	562	297	93	21	2		33	
152	163	160	142	124	113	96	55	46	40	19	9	9	3			9	
249	223	242	258	272	309	350	336	332	329	195	110	50	7			6	
35	34	35	31	37	22	23	13	13	10	7	3	3					
																	195

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 year	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
	Accidental, other, or undefined—Continued											
198	Legal executions:											
	Males—White	50									1	13
	Colored	56									6	12
	XVIII.—Ill-defined causes of death:											
	Males—White	3,728	1,211	98	26	14	15	1,364	35	16	25	44
	Colored	3,192	1,359	75	28	16	19	1,497	57	36	52	68
	Females—White	2,377	908	64	34	11	14	1,031	25	21	22	47
	Colored	2,835	1,060	79	31	15	12	1,197	43	50	59	72
199	Sudden death:											
	Males—White	575	70	8	2	1		81	1	1	2	2
	Colored	256	42	2	2		1	47	1	2	3	12
	Females—White	303	47	2	2		1	52	3		5	7
	Colored	221	37	2	2			41		3	8	7
200a	Cause of death ill-defined:											
	Males—White	1,088	167	47	11	1	7	233	17	4	14	14
	Colored	535	120	27	9	2	3	161	17	5	8	9
	Females—White	657	155	37	8	5	2	207	5	9	10	17
	Colored	424	93	25	10	3	2	133	10	10	13	10
200b	Cause of death not specified or unknown:											
	Males—White	2,065	974	43	13	12	8	1,050	17	11	9	28
	Colored	2,401	1,197	46	17	14	15	1,289	39	29	41	47
	Females—White	1,417	706	25	24	6	11	772	17	12	7	23
	Colored	2,190	930	52	19	12	10	1,023	33	37	38	55
Punch symbol	SUPPLEMENTAL *											
201	Accidents in mines and quarries:											
	Males—White	1,014				1		1	3	2	43	106
	Colored	75									1	4
	Females—White	5									2	
202	Accidents from agricultural machinery:											
	Males—White	209			1	2	2	5	7	5	14	22
	Colored	15							1		2	1
	Females—White	5			1		2	3		1		
203	Elevator accidents:											
	Males—White	165			1		2	3	3	4	10	18
	Colored	12								1	1	1
	Females—White	7									1	2
	Colored	3									1	
204	Accidents from machinery used for recreation:											
	Males—White	8							1	3	1	1
	Colored	1										
	Females—White	4		1				1	1	2		
205	Other machinery accidents:											
	Males—White	655		1	4	2	3	10	9	3	29	64
	Colored	67							3	1	4	9
	Females—White	26		2	1	1	1	5	1	1	1	
	Colored	1										
206	Railroad and automobile collisions:											
	Males—White	902	1	2	2	5	1	11	12	17	71	102
	Colored	45							1		3	6
	Females—White	333	3	3	2	4	2	14	13	15	33	50
	Colored	14							2		3	1
207	Other railroad accidents:											
	Males—White	2,217		4	3	4	4	15	51	61	182	186
	Colored	420			1			1	6	11	37	55
	Females—White	174		1	6	2	3	12	16	5	12	5
	Colored	37		1	2			3	3	3	3	3
208	Street car and automobile collisions:											
	Males—White	214							3	2	14	26
	Colored	9							1			1
	Females—White	59			1			1	5	1	4	9
	Colored	1										
209	Other street car accidents:											
	Males—White	348		1	4	1	4	10	7	6	8	15
	Colored	26									2	1
	Females—White	126		3	4	1	2	10	3	4		1
	Colored	4							1			1
210	Automobile accidents (primary):											
	Males—White	15,803	37	67	103	190	207	604	874	609	1,095	1,607
	Colored	1,499	8	3	9	15	16	51	81	67	94	137
	Females—White	5,250	18	55	51	95	97	316	459	210	429	410
	Colored	444	1	3	6	12	10	32	46	17	26	26
211	Motorcycle accidents:											
	Males—White	181		1		1		2	5	2	39	66
	Colored	12									4	1
	Females—White	20	1			2	1	4			2	3
	Colored	1										
212	Other land transportation accidents:											
	Males—White	661	5	4	5	14	2	30	39	72	53	29
	Colored	71		1			1	2	1	7	6	4
	Females—White	102	2	2	1	1	7	13	11	16	6	7
	Colored	10				1		1	2	2		
213	Water transportation accidents:											
	Males—White	821			2		4	6	22	47	96	118
	Colored	121	1	1				2	3	8	12	15
	Females—White	62		1	1	1	2	5	2	5	15	9
	Colored	15							2	4	4	3
214	Air transportation accidents:											
	Males—White	299					1	1		2	19	68
	Colored	3										
	Females—White	37			1			1		1	7	8

* This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List no.
8	9	6	5	2	4	2											198
15	9	8	3	2		1											
40	49	73	122	139	187	228	284	303	276	240	175	75	25	6	1	21	
67	70	93	82	102	161	127	139	165	131	101	97	59	34	15	10	29	
33	35	44	49	75	86	85	108	137	163	162	122	77	32	10	5	8	
88	84	115	102	119	126	107	134	129	101	94	89	32	35	19	29	11	
7	7	16	21	25	46	40	71	76	69	56	37	10	7				199
8	10	17	15	14	18	22	21	28	13	6	10	2	3	1		3	
7	5	6	7	14	22	15	20	35	36	31	23	10	3	1	1		
6	12	14	12	15	17	17	18	20	6	10	8		2	2	2	1	
12	15	19	41	54	56	94	105	120	109	76	59	26	13	1		6	200a
8	15	22	25	18	43	39	37	36	28	24	16	13	3	1	1	6	
13	8	20	11	25	29	39	45	45	60	44	35	21	11	1	1	1	
20	11	19	27	27	27	18	26	25	10	12	15	3	2	3	2	1	
21	27	38	60	60	85	94	108	107	98	108	79	39	5	5	1	15	200b
51	45	54	42	70	100	66	81	101	90	71	71	44	28	13	9	20	
13	22	18	31	36	35	31	43	57	67	87	64	46	18	8	3	7	
62	61	82	63	77	82	72	90	84	85	72	66	29	31	14	25	9	
116	117	124	131	122	100	69	40	20	11	3	2					4	201
8	18	18	7	6	6	4	1	1	1								
		1			1			1									
18	10	19	22	16	17	16	17	6	9	6							202
1	2	3		1		4											
								1									
12	7	7	14	17	14	16	9	11	11	8	1						203
2	3	1	1	1		1											
2	1								1								
2																	
	1		1														204
			1														
66	70	73	66	62	70	52	27	27	13	7	6					1	205
13	8	8	8	6	5	2											
	1	2		1	1	3		3	5	1	1						
	1																
91	80	81	80	72	73	62	67	31	27	13	6	3	1			2	206
5	6	5	8	6	3	1	1										
26	22	25	21	34	23	21	11	6	10	3	4					2	
	2	3		2		1											
147	156	196	206	214	181	185	141	136	59	55	22	4	2			18	207
56	56	42	45	27	21	19	12	9	7	5		1				10	
3	11	8	11	13	8	13	15	12	13	8	6	2	1				
2	3	1	3	3	2	1			4	1	1	1					
30	29	20	25	23	12	11	11	4	4								208
1		1	4	1													
7	6	1	7	6	2	5	1	4									
						1											
21	16	16	23	34	27	30	31	31	26	26	14	5	2				209
2	2	2	2	1	1	3	4	3		2		1					
3	2	3	3	6	7	15	23	10	22	11	2	1					
			1		1												
1,248	968	1,059	1,060	1,038	1,020	1,048	981	863	784	522	290	88	18	1		26	210
152	139	144	128	126	118	92	45	43	38	17	7	9	3			8	
279	252	256	270	280	328	360	349	338	334	207	108	52	7			6	
45	40	39	35	40	24	23	14	14	9	9	2	3					
21	13	6	5	4	3	1	1	3	5	4	1						211
1	2		1	2			1										
2		2	1		1			2	1	1	1						
				1													
30	16	23	28	33	49	47	52	52	53	34	13	3	1	1		3	212
3	4	3	4	6	7	4	5	6	3	3	3						
5	5	6	3	4	6	3	4	1	7	4	1						
	2				1			1	1								
90	102	68	72	53	44	48	24	15	7	6						3	213
11	22	16	7	7	6	4	2	2	1							3	
8	3	5	3	4	1		1	1									
1																1	
78	44	42	28	6	7	1			1	1						1	214
1	1	1															
10	7	1	1	1													

O