

SAFER • HEALTHIER • PEOPLE™



Monitoring the

Nation's Health

Vital and Health Statistics

December 2007

Series 13, Number 165

National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested citation

DeFrances CJ, Cullen KA, Kozak LJ. National Hospital Discharge Survey: 2005 annual summary with detailed diagnosis and procedure data. National Center for Health Statistics. Vital Health Stat 13(165). 2007.

Library of Congress Catalog Card Number 97-10617

For sale by the U.S. Government Printing Office
Superintendent of Documents
Mail Stop: SSOP
Washington, DC 20402-9328
Printed on acid-free paper.

Vital and Health Statistics

Series 13, Number 165

National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data

Data From the National Health Care
Survey

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics

Hyattsville, Maryland
December 2007
DHHS Publication No. (PHS) 2008-1736

National Center for Health Statistics

Edward J. Sondik, Ph.D., *Director*

Jennifer H. Madans, Ph.D., *Acting Co-Deputy Director*

Michael H. Sadagursky, *Acting Co-Deputy Director*

Jennifer H. Madans, Ph.D., *Associate Director for Science*

Jennifer H. Madans, Ph.D., *Acting Associate Director for Planning, Budget, and Legislation*

Michael H. Sadagursky, *Associate Director for Management and Operations*

Lawrence H. Cox, Ph.D., *Associate Director for Research and Methodology*

Linda B. Torian, *Acting Director for Information Technology*

Linda B. Torian, *Acting Director for Information Services*

Linda T. Bilheimer, Ph.D., *Associate Director for Analysis and Epidemiology*

Charles J. Rothwell, M.S., *Director for Vital Statistics*

Jane E. Sisk, Ph.D., *Director for Health Care Statistics*

Jane F. Gentleman, Ph.D., *Director for Health Interview Statistics*

Clifford L. Johnson, M.S.P.H., *Director for Health and Nutrition Examination Surveys*

Division of Health Care Statistics

Jane E. Sisk, Ph.D., *Director*

Robin E. Remsburg, Ph.D., A.P.R.N., B.C., *Deputy Director*

Lola Jean Kozak, Ph.D., *Acting Chief, Hospital Care Statistics Branch*

Charles Adams, *Chief, Technical Services Branch*

Contents

| | |
|--|-----|
| Abstract | 1 |
| Highlights..... | 1 |
| Patient and Hospital Characteristics | 1 |
| Diagnoses..... | 1 |
| Procedures | 2 |
| Deliveries and Newborn Infants | 2 |
| Introduction | 3 |
| Methods | 4 |
| Data Source | 4 |
| Estimation | 5 |
| Use of Tables..... | 5 |
| References | 6 |
| Appendix | 193 |
| Technical Notes | 193 |

Text Figures

| | |
|--|---|
| 1. Percent distribution of hospital discharges, days of care, and the civilian population, by age: United States, 2005 | 2 |
| 2. Percentage of inpatients with a routine discharge or discharged home, by age: United States, 2005 | 2 |
| 3. Rate of hospitalization for malignant neoplasms by age: United States, 1990–2005 | 3 |
| 4. Rate of discharges with a first-listed diagnoses of asthma, by age: United States, 2005..... | 3 |
| 5. Distribution of discharges by number of procedures: United States, 2005 | 4 |
| 6. Rate of episiotomy for females with deliveries: United States, 1980–2005 | 4 |

Detailed Tables

Tables on Patient and Hospital Characteristics

| | |
|---|----|
| 1. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by age: United States, selected years, 1970–2005 | 8 |
| 2. Number, percent distribution, and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex and age: United States, 2005 | 9 |
| 3. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2005 | 10 |
| 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2005 | 12 |
| 5. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, according to sex, age, and geographic region: United States, 2005 | 15 |
| 6. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by hospital ownership, according to sex and age: United States, 2005 | 17 |
| 7. Number and percent distribution of discharges by type and source of admission to short-stay hospitals, according to sex and age: United States, 2005..... | 18 |
| 8. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by disposition of patient, according to sex, age, and geographic region: United States, 2005 | 19 |

Diagnosis Tables

| | | |
|-----|--|----|
| 9. | Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by selected first-listed diagnostic categories: United States, 2005 | 21 |
| 10. | Number and rate of discharges from short-stay hospitals, with average length of stay, for patients 65 years of age and over, by age and selected first-listed diagnostic categories: United States, 2005 | 22 |
| 11. | Number of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005 | 24 |
| 12. | Rate of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005 | 25 |
| 13. | Average length of stay for discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005.. | 26 |
| 14. | Number of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005 | 27 |
| 15. | Rate of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005 | 28 |
| 16. | Average length of stay for discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005.. | 29 |
| 17. | Number of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005 .. | 30 |
| 18. | Rate of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005 | 31 |
| 19. | Average length of stay for discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005..... | 32 |
| 20. | Number of all-listed diagnoses for discharges from short-stay hospitals, by age and diagnosis: United States, 2005 | 33 |
| 21. | Number of all-listed diagnoses for discharges from short-stay hospitals, by sex and diagnosis: United States, 2005 | 34 |
| 22. | Number of all-listed diagnoses for discharges from short-stay hospitals, by geographic region and diagnosis: United States, 2005..... | 35 |
| 23. | Number and rate of discharges from short-stay hospitals with a human immunodeficiency virus diagnosis, by selected characteristics: United States, selected years 1990–2005 | 36 |
| 24. | Annual average number and rate of discharges from short-stay hospitals with a first-listed injury diagnosis, by Barell injury diagnosis matrix categories: United States, 2003–2005..... | 37 |
| 25. | Number and rate of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2005..... | 38 |

Procedure Tables

| | | |
|-----|---|----|
| 26. | Number of discharges from short-stay hospitals with and without procedures and percentage with procedures, by selected characteristics: United States, 2005..... | 38 |
| 27. | Number and rate of all-listed surgical and nonsurgical procedures for discharges from short-stay hospitals by selected procedure categories: United States, 2005..... | 39 |
| 28. | Number and rate of all-listed surgical and nonsurgical procedures for patients 65 years of age and over discharged from short-stay hospitals, by age and selected procedure categories: United States, 2005 | 40 |
| 29. | Number and rate of discharges from short-stay hospitals with a coronary artery bypass graft and number and rate of procedures, by sex, age, and geographic region: United States, 2005..... | 41 |
| 30. | Number of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2005 | 42 |
| 31. | Rate of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2005..... | 43 |
| 32. | Number of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2005..... | 44 |
| 33. | Rate of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2005..... | 45 |
| 34. | Number of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2005..... | 46 |
| 35. | Rate of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2005..... | 47 |

Tables on Deliveries and Newborn Infants

| | | |
|-----|--|----|
| 36. | Number, percent distribution, and rate of discharges and days of care, with average length of stay for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2005 .. | 48 |
| 37. | Number and percent distribution of females with deliveries discharged from short-stay hospitals, by length of stay and type of delivery: United States, selected years 1980–2005..... | 49 |
| 38. | Number and rate of selected obstetrical procedures for females with deliveries discharged from short-stay hospitals: United States, selected years 1980–2005..... | 50 |
| 39. | Number and rate of females with deliveries discharged from short-stay hospitals, by type of delivery: United States, selected years 1980–2005..... | 51 |

| | | |
|-----|---|----|
| 40. | Number and rate of females with deliveries discharged from short-stay hospitals by type of delivery, age, and geographic region: United States, 2005. | 51 |
| 41. | Number, percent distribution, and average length of stay for newborn infants discharged from short-stay hospitals, by sex, geographic region, and health status: United States, 2005 | 52 |
| 42. | Number and percent distribution of newborn infants discharged from short-stay hospitals, by length of stay, and average length of stay, by health status: United States, selected years 1980–2005 | 52 |
| 43. | Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by sex and selected diagnostic categories: United States, 2005 | 53 |
| 44. | Number and percentage of male newborn infants circumcised during hospitalization, by geographic region: United States, selected years 1980–2005. | 53 |

Diagnosis, Days of Care, and Procedure Tables by ICD–9–CM Code

| | | |
|-----|---|-----|
| 45. | Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005. | 54 |
| 46. | Number of days of care for discharges from short-stay hospitals, by ICD–9–CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005 | 82 |
| 47. | Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005 | 110 |
| 48. | Number of all-listed procedures for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005. | 173 |

Appendix Tables

| | | |
|------|---|-----|
| I. | Civilian population by age, geographic region, and sex: United States, 2005 | 193 |
| II. | Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics, by selected characteristics, 2005 | 196 |
| III. | Code numbers for Barell injury diagnosis matrix categories in Table 24 | 198 |
| IV. | Code numbers for procedures considered nonsurgical in the National Hospital Discharge Survey, by ICD–9–CM category, 2005. | 199 |
| V. | Changes in ICD–9–CM diagnosis codes, 1986–2004. | 201 |
| VI. | Changes in ICD–9–CM in procedure codes, 1986–2004 | 207 |

Appendix Figure

| | | |
|----|--|-----|
| I. | Medical abstract form for the National Hospital Discharge Survey, 2005 | 194 |
|----|--|-----|

Objectives

This report presents 2005 national estimates and selected trend data on the use of nonfederal short-stay hospitals in the United States. Estimates are provided by selected patient and hospital characteristics, diagnoses, and surgical and nonsurgical procedures performed. Estimates of diagnoses and procedures are presented according to *International Classification of Diseases, Ninth Revision, Clinical Modification* codes.

Methods

The estimates are based on data collected through the National Hospital Discharge Survey. The survey has been conducted annually since 1965. In 2005, data were collected for approximately 375,000 discharges. Of the 473 eligible nonfederal short-stay hospitals in the sample, 444 (94 percent) responded to the survey.

Results

An estimated 34.7 million discharges from nonfederal short-stay hospitals occurred in 2005. Discharges used 165.9 million days of care and had an average length of stay of 4.8 days. Persons 65 years and over accounted for 38 percent of the hospital discharges and 44 percent of the days of care. The proportion of discharges whose status was described as routine discharge or discharged to the patient's home declined with age, from 91 percent for inpatients under 45 years of age to 41 percent for those 85 years and over. Hospitalization for malignant neoplasms decreased from 1990–2005. The hospitalization rate for asthma was the highest for children under 15 years of age and those 65 years of age and over. The rate was lowest for those 15–44 years of age. Thirty-eight percent of hospital discharges had no procedures performed, whereas 12 percent had four or more procedures performed. An episiotomy was performed during a majority of vaginal deliveries in 1980 (64 percent), but by 2005, it was performed during less than one of every five vaginal deliveries (19 percent).

Keywords: hospitalization • inpatient • diagnoses • procedures

National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data

by Carol J. DeFrances, Ph.D.; Karen A. Cullen, Ph.D., M.P.H.; and Lola Jean Kozak, Ph.D., Division of Health Care Statistics

Highlights

Patient and Hospital Characteristics

- There were an estimated 34.7 million discharges from nonfederal short-stay hospitals in 2005. Discharges used an estimated 165.9 million days of care and were hospitalized for an average of 4.8 days.
- In 2005, children under 15 years of age comprised 21 percent of the U.S. population but accounted for only 7 percent of hospital discharges and days of care. In contrast, persons 65 years of age and over comprised 12 percent of the U.S. population but accounted for 38 percent of hospital discharges and 44 percent of days of care (Figure 1).
- The average length of a hospital stay ranged from 4.2 days in the Midwest to 5.4 days in the Northeast.
- Discharges 15–44 years of age made up 56 percent of Medicaid discharges and 56 percent of discharges in the self-pay category,

but they were only 31 percent of total discharges.

- Nonprofit hospitals treated 76 percent of discharges from short-stay hospitals in the country as a whole, but the proportion varied from 58 percent in the South region to 95 percent in the Northeast region.
- The proportion of discharges whose status was described as a routine discharge or discharged to the patient's home declined with age, from 91 percent for inpatients under 45 years of age to 41 percent for those 85 years of age and over (Figure 2).

Diagnoses

- In 2005, diseases of the circulatory system accounted for 6.2 million hospitalizations, of which 4.2 million were for heart disease. Childbirth was the first-listed diagnosis for 4.0 million hospitalizations, diseases of the respiratory system for 3.7 million, and diseases of the digestive system for 3.4 million.
- During the period from 1990–2005, the rate of hospitalization for malignant neoplasms for inpatients

This report was prepared in the Division of Health Care Statistics. Rong Cai, in the Technical Services Branch, did the computer programming for the report and produced the estimated parameters for approximate relative standard error equations. Alexander Schwartzman, contractor with Lockheed Martin Information Technology, converted the ASCII tables to Excel. This report was edited by Demarius V. Miller and Megan M. Cox, CDC/CCHIS/NCHM/Division of Creative Services, Writer-Editor Services Branch, and typeset by Annette F. Holman, CDC/CCHIS/NCHM/Division of Creative Services. Graphics were produced by Jarmila G. Ogburn, CDC/CCHIS/NCHM/Division of Creative Services.




Figure 1. Percent distribution of hospital discharges, days of care, and the civilian population, by age: United States, 2005




Figure 2. Percentage of inpatients with a routine discharge or discharged home, by age: United States, 2005

65 years of age and over decreased 37 percent, but the rate remained significantly higher than the rates for other age groups. The rates for inpatients under 45 years of age and those aged 45-64 years also decreased during the same period (Figure 3).

- The hospitalization rate for asthma was highest for children under 15 years of age and for those aged 65

years and over. The rate was the lowest for those 15-44 years of age (Figure 4).

- The average annual number of discharges with a first-listed diagnosis of injury was 1,934,000 in 2003-2005. Using the Barell injury diagnosis matrix, fracture was the most common type of injury reported (1,033,000), and the most common site of fracture was lower

extremity, including the hip (590,000).

Procedures

- In 2005, 26.6 million surgical procedures and 18.4 million nonsurgical procedures were performed on hospitalized patients.
- Thirty-eight percent of hospital discharges had no procedures performed, whereas 12 percent had four or more procedures performed (Figure 5).
- Females had 6.9 million obstetrical procedures, including 1.3 million cesarean sections and 1.3 million repairs of current obstetric laceration.
- Almost 7 million inpatient operations were performed on the cardiovascular system in 2005, including 1.2 million cardiac catheterizations, and 5.6 million operations were performed on the digestive system, including 1.1 million endoscopies of the small intestine.

Deliveries and Newborn Infants

- Approximately 4.0 million women were hospitalized for delivery in 2005, and their average stay was 2.6 days.
- Cesarean sections per 100 deliveries increased from 20.8 in 1995 to 31.3 in 2005, and the rate of primary cesareans per 100 deliveries without a previous cesarean increased from 15.5 to 21.7 during this period.
- An episiotomy was performed during a majority of vaginal deliveries in 1980 (64 percent), but by 2005, it was performed during less than one of every five vaginal deliveries (19 percent) (Figure 6).
- In 2005, 45 percent of newborn infants had at least one illness or risk-related diagnosis. Common diagnoses were perinatal jaundice (798,000), respiratory conditions (437,000), disorders related to prematurity (315,000), and congenital anomalies (311,000).




Figure 3. Rate of hospitalization for malignant neoplasms by age: United States, 1990–2005




Figure 4. Rate of discharges with a first-listed diagnosis of asthma, by age: United States, 2005

- The proportion of male newborn infants circumcised during the birth hospitalization was 57 percent nationally, but ranged from 32 percent in the West to 79 percent in the Midwest.

Introduction

This report presents data from the 2005 National Hospital Discharge Survey (NHDS). The survey has been conducted continuously by the

Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS) since 1965. National estimates of hospital use derived from NHDS are published for each calendar year by NCHS. This report provides a summary of the 2005 data, including estimates of diagnoses and procedures by *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) codes (1).

NHDS is the principal source for national data on the characteristics of patients discharged from nonfederal short-stay hospitals. Data from NHDS are used for evaluating the health status of the population, planning programs to improve health status, studying trends in morbidity, and carrying out research activities in the health field (2–6). The Department of Health and Human Services uses NHDS data in the development and monitoring of goals for the Healthy People 2010 health objectives. Other CDC centers, including the National Center for Injury Prevention and Control and the National Center for Chronic Disease Prevention and Health Promotion, use NHDS data to track a variety of conditions, including injuries and chronic diseases. The National Institutes of Health make extensive use of NHDS data on heart disease and cancer. The Veterans Administration and Department of Defense compare NHDS data with statistics on the inpatient care provided in their hospitals (7–8).

NHDS produces estimates of utilization by inpatients in nonfederal short-stay hospitals. Data on ambulatory medical care services are collected in other NCHS surveys. Data on ambulatory surgery performed in hospitals and freestanding surgery centers were collected in the National Survey of Ambulatory Surgery from 1994–1996 and in 2006 (9). The 2006 data will be available in early 2008. The National Ambulatory Medical Care Survey obtains information on visits to physicians' offices (10). The National Hospital Ambulatory Medical Care Survey collects data on visits to hospital outpatient and emergency departments (11,12). Information about long-term care is collected in the National Nursing




Figure 5. Distribution of discharges by number of procedures: United States, 2005




Figure 6. Rate of episiotomy for females with deliveries: United States, 1980–2005

Home Survey (13) and the National Home and Hospice Care Survey (14). NCHS will conduct the National Survey of Residential Care Facilities for the first time in 2008.

Methods

Data Source

NHDS data are collected from a sample of inpatient records acquired from a national probability sample of hospitals. Because persons with multiple discharges during the year can be sampled more than once, NHDS produces estimates for discharges, not persons. General hospitals, children’s general hospitals, or hospitals with an average length of stay of fewer than 30 days for all patients are eligible for inclusion in the survey. Federal, military, and Department of Veterans Affairs hospitals, as well as hospital units of institutions (such as prison hospitals) and hospitals with fewer than six beds staffed for patient use, are excluded.

From 1988 until 2003, the hospital sampling frame for NHDS was constructed from the SMG Hospital Market Database (15). Beginning in 2003, the sampling frame was constructed from products of Verispan, L.L.C., specifically their “Healthcare Market Index,” updated May 15, 2003, and their “Hospital Market Profiling Solution,” second quarter, 2003 (16). These two products were formerly known as the SMG Hospital Market Database. The sampling frame and sample are updated every three years to include hospitals that opened or changed their eligibility status since the previous update (17).

Since 1988, NHDS has used a modified three-stage sample design. Units selected at the first stage consist of either hospitals or geographic areas, such as counties, groups of counties, or metropolitan statistical areas in the 50 states and the District of Columbia. Within sampled geographic areas, additional hospitals are selected. Finally, at the last stage, discharges are selected

within sampled hospitals using systematic random sampling.

For 2005, the sample consisted of 501 hospitals, of which 28 were out of scope because they had gone out of business or were otherwise ineligible to be in the NHDS universe. Of the 473 in-scope (eligible) hospitals, 444 (94 percent) responded to the survey. Data were collected for approximately 375,000 discharges from the responding hospitals.

The survey uses two data collection procedures. One is a manual system in which sample selection and transcription of information from medical records are performed by hospital staff or by staff of the U.S. Census Bureau on behalf of NCHS. For the other data collection procedure, NCHS purchases electronic files containing medical record data from commercial organizations, state data systems, hospitals, or hospital associations. Discharges from these files are systematically sampled. Approximately 44 percent of respondent hospitals provided data through this automated system for the 2005 survey.

The NHDS medical abstract form (Figure I) and the automated data contain items that relate to the personal characteristics of the patient. These include birth date (converted to age), sex, race, ethnicity, marital status, ZIP Code, and expected sources of payment. The form also includes administrative items, such as admission and discharge dates, admission type and source, and discharge status. The medical information includes final medical diagnoses, procedures performed, and dates of surgery. Medical data are coded according to ICD-9-CM (1). The date of birth and ZIP Code are confidential information and are not available to the public, though they may be used, with privacy safeguards, through the NCHS Research Data Center.

For the manual data collection in NHDS, an ongoing quality control program is undertaken for the medical coding and data entry from abstracts to electronic form. Approximately 10 percent of abstracts are independently recoded, with discrepancies resolved by a chief coder. The overall error rate for records manually coded for the 2005 survey year was 0.3 percent for medical

(ICD-9-CM) coding and data entry and 0.2 percent for demographic coding and data entry.

Estimation

Because they are sample data, the survey data must be inflated or weighted to produce national estimates. The estimation procedure produces essentially unbiased national estimates and has three basic components: inflation by reciprocals of the probabilities of sample selection, adjustment for nonresponse, and population weighting ratio adjustments.

These three components of the final weight are described in more detail in another report (17). Information about the standard errors of statistics for the 2005 NHDS is found in Table II.

Use of Tables

Sociodemographic information about patients and utilization estimates by hospital characteristics is shown in Tables 1-8. Diagnostic data are included in Tables 9-25 and information about procedures is found in Tables 26-35. Tables 36-44 present data on women with deliveries and newborn infants. Estimates of diagnoses, days of care by diagnosis, and procedures are shown by ICD-9-CM code in Tables 45-48. Figures 1-6 illustrate highlights from the survey data. Definitions of terms used in these tables and figures are presented in the appendix.

Diagnostic and procedure data are presented by chapter of the ICD-9-CM with frequently occurring broad and specific subcategories within chapters also shown (see Tables 11-22 and 30-35). The diagnostic categories shown in Table 9 are the same as the subcategories within chapters shown in Tables 11-18. Categories shown in Table 10 are the subcategories in Tables 11-18, with estimates of 100,000 or more for patients 65 years of age and over.

The procedure categories shown in Table 27 are the same as the subcategories in Table 30-35, except that they are divided into surgical and nonsurgical components. The categories in Table 28 are the subcategories in

Tables 30-35 for patients 65 years of age and over divided into surgical and nonsurgical components with estimates of 100,000 or more.

In 2002, the ICD-9-CM Coordination and Maintenance Committee created Chapter 00, "Procedures Not Elsewhere Classified" to provide additional codes for procedures. Beginning with the 2003 NHDS, this chapter is included in the miscellaneous diagnostic and therapeutic procedures and new technologies category shown in procedure Tables 30-35.

Diagnoses assigned ICD-9-CM codes E800-E999 (supplementary classification of external causes of injury and poisoning) are not included in this report. However, detailed information about injury diagnoses and E codes has been published (18).

Injury data are presented in this report using the Barell injury diagnosis matrix (Table 24). This matrix is a two-dimensional array of ICD-9-CM codes (excluding external cause codes) that groups injuries by body site and type of injury. The codes for the matrix are shown in Table III. The matrix provides a standard format for reporting injury data that improves the usefulness and comparability of epidemiological and clinical analyses (19). Data categorized using the Barell matrix are included in this report to provide a national benchmark for states and localities.

Table 29 compares the number of coronary artery bypass grafts with the number of inpatients who receive these grafts. More than one code is often assigned to a patient to indicate the number and type of bypasses performed during a single operation. This results in a much larger number of procedures than the number of inpatients who have the procedures.

Beginning with the 2003 NHDS data, estimates for the procedure of "Insertion of coronary artery stent(s)" are shown separately from estimates for "Balloon angioplasty of coronary artery or coronary atherectomy" (Tables 27-28 and 30-35). Previously, these were combined in the category "Removal of coronary artery obstruction and insertion of stent(s)."

Tables 8 and 25 show death rates per 100 hospital discharges. These death rates are different from mortality rates published regularly by NCHS (20), which are ratios of deaths to the population. The mortality rates include deaths that occur in hospitals and other settings and are for the underlying cause of death, which may differ from the first-listed diagnosis of a patient who dies in the hospital.

Data for newborn infants are included only in Tables 41–44. Because estimates of newborn infants are based on a sample and because they do not include out-of-hospital births, these estimates may not agree with data on births published in the *National Vital Statistics Reports* (21), which are based on birth certificate data.

Tables 45–47 provide information by three-digit, four-digit, and five-digit ICD–9–CM diagnostic codes, and Table 48 shows two-, three-, and four-digit procedure codes. Only ICD–9–CM code numbers appear in Tables 45–48. Specific titles and more detailed information about the coding system can be found in appropriate volumes of the ICD–9–CM (1). If the estimate of the total for the code is 5,000 or more, a specific diagnosis or procedure code appears in Tables 45, 47, and 48. The codes that appear in Table 46 for days of care are identical to those in Table 45 for first-listed diagnoses.

Estimates in all the tables are rounded to the nearest thousand, and totals may include data for categories that are not shown individually in the tables. For these reasons, figures within tables do not always add to the totals. Rates, percentages, and average lengths of stay are calculated from unrounded figures and may not precisely agree with measures calculated from rounded data.

Because of low reliability, estimates are not presented in Tables 1–44 if they have relative standard errors of more than 30 percent or are based on fewer than 30 records; instead, an asterisk (*) appears in the tables. Estimates that are based on 30–59 records are presented but are preceded by an asterisk (*) to indicate that they also have low reliability.

Because of the large number of estimates in Tables 45–48, more generalized criteria for reliability were used. An asterisk (*) is shown in Tables 45, 47, and 48 if the estimate of the diagnosis or procedure is less than 5,000, and an asterisk (*) is shown in Table 46 for estimates of days of care derived from fewer than 5,000 estimated discharges. These estimates generally have a relative standard error of more than 30 percent or a sample size of less than 30. Estimates of diagnoses and procedures of less than 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records. Days of care estimates in Table 46 that are derived from fewer than 9,000 estimated discharges are also preceded by an asterisk (*).

The population estimates used to compute rates are shown in Table I. These are postcensal estimates for July 1, 2005, that are based on the 2000 census.

A weighted least squares regression method (22) was used to test the significance of the trends shown in Figures 3 and 6. Differences mentioned between NHDS estimates were tested using the two-sided *t*-test. Terms that express differences such as higher, lower, largest, smallest, leading, increased or decreased were used only when the differences were statistically significant at the 0.05 level.

References

1. National Center for Health Statistics. International Classification of Diseases, Ninth Revision, Clinical Modification. 6th ed. Washington, DC: Public Health Service. Available from: <http://www.cdc.gov/nchs/icd9.htm#ICD-9-CM>. 2004.
2. Bewtra M, Su C, Lewis JD. Trends in hospitalization rates for inflammatory bowel disease in the United States [online]. *Clin Gastroenterol Hepatol* 5(5):597–601.e1. 2007.
3. Stein PD, Beemath A, Meyers FA, Olson RE. Pulmonary embolism and deep venous thrombosis in hospitalized adults with chronic obstructive pulmonary disease. *J Cardiovasc Med* 8(4):253–7. 2007.
4. Bundy DG. Hospitalizations with primary versus secondary discharge diagnoses of asthma: Implications for pediatric asthma surveillance. *J Pediatr* 150(4):446–9.e1. 2007.
5. Klevens RM, Edwards JR, Richards CL Jr, Horan TC, Gaynes RP, Pollock DA, et al. Estimating health care-associated infections and deaths in U.S. hospitals, 2002. *Public Health Rep* 122(2):160–6. 2007.
6. Stanley A, DeLia D, Cantor JC. Racial disparity and technology diffusion: The case of cardioverter defibrillator implants. *J Natl Med Assoc* 99(3):201–7. 2007.
7. Rosenthal GE, Kaboli PJ, Barnett MJ. Differences in length of stay in Veterans Health Administration and other United States hospitals: Is the gap closing? *Med Care* 41(8):882–94. 2003.
8. Jackson JL, Cheng EY, Jones DL, Meyer G. Comparison of discharge diagnoses and inpatient procedures between military and civilian health care systems. *Mil Med* 164(10):701–4. 1999.
9. Owings MF, Kozak LJ. Ambulatory and inpatient procedures in the United States, 1996. National Center for Health Statistics. *Vital Health Stat* 13(139). Available from: http://www.cdc.gov/nchs/data/series/sr_13/sr13_139.pdf. 1998.
10. Cherry DK, Woodwell DA, Rechtsteiner EA. National Ambulatory Medical Care Survey: 2005 summary. Advance data from vital and health statistics; no 387. Hyattsville, MD: National Center for Health Statistics. Available from: <http://www.cdc.gov/nchs/data/ad/ad387.pdf>. 2007.
11. Middleton K, Hing E, Xu J. National Hospital Ambulatory Medical Care Survey: 2005 outpatient department summary. Advance data from vital and health statistics; no 389. Hyattsville, MD: National Center for Health Statistics. Available from: <http://www.cdc.gov/nchs/data/ad/ad389.pdf>. 2007.
12. Nawar EW, Niska RW, Xu J. National Hospital Ambulatory Medical Care Survey: 2005 emergency department summary. Advance data from vital and health statistics; no 386. Hyattsville, MD: National Center for Health Statistics. Available from: <http://www.cdc.gov/nchs/data/ad/ad386.pdf>. 2007.
13. Jones A. The National Nursing Home Survey: 1999 summary. National Center for Health Statistics. *Vital*

- Health Stat 13(152). Available from: http://www.cdc.gov/nchs/data/series/sr_13/sr13_152.pdf. 2002.
14. Haupt BJ. Characteristics of hospice care discharges and their length of service: United States, 2000. National Center for Health Statistics. Vital Health Stat 13(154). Available from: http://www.cdc.gov/nchs/data/series/sr_13/sr13_154.pdf. 2003.
 15. SMG Marketing Group, Inc. Hospital Market Database. Chicago, IL: Healthcare Information Specialists. April 1987, April 1991, April 1994, April 1997, April 2000.
 16. Verispan, L.L.C. Healthcare Market Index, updated May 15, 2003, and Hospital Market Profiling Solution, second quarter, 2003. Available from: <http://www.verispan.com>.
 17. Dennison CF, Pokras R. Design and operation of the National Hospital Discharge Survey: 1988 redesign. National Center for Health Statistics. Vital Health Stat 1(39). Available from: http://www.cdc.gov/nchs/data/series/sr_01/sr01_039.pdf. 2000.
 18. Heinen M, Hall MJ, Boudreault MA, Fingerhut LA. National trends in injury hospitalizations, 1979–2001. Hyattsville, MD: National Center for Health Statistics. Available from: <http://www.cdc.gov/nchs/data/injury/InjuryChartbook79-01.pdf>. 2005.
 19. Barell V, Aharonson-Daniel L, Fingerhut LA, et al. An introduction to the Barell body region by nature of injury diagnosis matrix. *Inj Prev* 8:91–6. 2002.
 20. Minino AM, Heron M, Murphy SL, Kochanek KD. Deaths: Final data from 2004. Health E-Stats. Available from: <http://www.cdc.gov/nchs/products/pubs/pubd/hestats/finaldeaths04/finaldeaths04.htm>. 2006.
 21. Hamilton BE, Martin JA, Ventura SJ, et al. Births: Preliminary data for 2005. National vital statistics reports 55(11). Hyattsville, MD: National Center for Health Statistics. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr55/nvsr55_11.pdf. 2006.
 22. Gillum BS, Graves EJ, Kozak LJ. Trends in hospital utilization: United States, 1988–92. National Center for Health Statistics. Vital Health Stat 13(124). Available from: http://www.cdc.gov/nchs/data/series/sr_13/sr13_124.pdf. 1996.
 23. Research Triangle Institute. SUDAAN language manual, release 9.0. Research Triangle Park, NC: Research Triangle Institute. 2004.
 24. Hansen MH, Hurwitz WN, Madow WG. Sample survey methods and theory, vol 1. Wiley Classics Library ed. New York, NY: John Wiley & Sons. 1993.
 25. Cochran WG. Sampling techniques. 3d ed. New York: John Wiley & Sons. 1977.

Table 1. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by age: United States, selected years, 1970–2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Age | 1970 | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|--|---------|---------|---------|---------|---------|---------|---------|
| Number of discharges in thousands | | | | | | | |
| All ages | 29,127 | 37,832 | 35,056 | 30,788 | 30,722 | 31,706 | 34,667 |
| Under 15 years | 3,873 | 3,672 | 2,972 | 2,412 | 2,405 | 2,383 | 2,431 |
| 15–44 years | 12,664 | 15,635 | 13,966 | 11,799 | 10,593 | 9,969 | 10,659 |
| 45–64 years | 6,693 | 8,660 | 7,610 | 6,244 | 6,168 | 6,958 | 8,349 |
| 65 years and over | 5,897 | 9,864 | 10,508 | 10,333 | 11,556 | 12,396 | 13,228 |
| 65–74 years | 3,163 | 4,943 | 5,011 | 4,689 | 4,832 | 4,678 | 4,900 |
| 75–84 years | 2,099 | 3,611 | 3,969 | 3,949 | 4,590 | 5,119 | 5,394 |
| 85 years and over | 635 | 1,310 | 1,528 | 1,694 | 2,134 | 2,599 | 2,934 |
| Rate of discharges per 1,000 population ¹ | | | | | | | |
| All ages | 144.3 | 167.7 | 148.4 | 122.3 | 115.7 | 112.8 | 117.4 |
| Under 15 years | 66.8 | 71.6 | 57.7 | 43.1 | 40.4 | 39.5 | 40.0 |
| 15–44 years | 154.6 | 150.1 | 125.0 | 99.3 | 87.8 | 80.9 | 85.3 |
| 45–64 years | 159.6 | 194.8 | 170.8 | 135.5 | 118.5 | 111.4 | 114.7 |
| 65 years and over | 293.3 | 383.7 | 369.8 | 334.1 | 347.7 | 353.4 | 359.6 |
| 65–74 years | 253.2 | 315.8 | 297.3 | 261.6 | 260.0 | 254.6 | 262.9 |
| 75–84 years | 339.5 | 463.9 | 446.4 | 395.7 | 415.6 | 412.4 | 413.2 |
| 85 years and over | 443.7 | 576.4 | 572.9 | 560.6 | 592.5 | 605.1 | 575.8 |
| Number of days of care in thousands | | | | | | | |
| All ages | 226,445 | 274,508 | 226,217 | 197,422 | 164,627 | 155,857 | 165,925 |
| Under 15 years | 18,189 | 16,191 | 13,554 | 11,655 | 10,715 | 10,734 | 11,371 |
| 15–44 years | 71,605 | 81,951 | 67,397 | 54,062 | 40,825 | 36,593 | 39,786 |
| 45–64 years | 62,419 | 71,008 | 53,541 | 42,153 | 34,207 | 34,443 | 41,619 |
| 65 years and over | 74,232 | 105,358 | 91,726 | 89,552 | 78,880 | 74,086 | 73,149 |
| 65–74 years | 37,873 | 49,253 | 41,090 | 37,422 | 31,310 | 26,438 | 26,068 |
| 75–84 years | 27,633 | 40,355 | 36,024 | 35,926 | 31,974 | 31,525 | 30,228 |
| 85 years and over | 8,726 | 15,750 | 14,612 | 16,204 | 15,597 | 16,123 | 16,853 |
| Rate of days of care per 1,000 population ¹ | | | | | | | |
| All ages | 1,121.6 | 1,216.7 | 957.7 | 784.0 | 620.2 | 554.6 | 562.1 |
| Under 15 years | 313.9 | 315.7 | 263.0 | 208.4 | 179.9 | 178.0 | 187.3 |
| 15–44 years | 874.0 | 786.8 | 603.3 | 454.9 | 338.4 | 297.1 | 318.5 |
| 45–64 years | 1,488.8 | 1,596.9 | 1,201.6 | 914.4 | 657.5 | 551.5 | 571.7 |
| 65 years and over | 3,691.9 | 4,098.4 | 3,228.0 | 2,895.6 | 2,373.7 | 2,111.9 | 1,988.3 |
| 65–74 years | 3,031.6 | 3,147.0 | 2,437.3 | 2,087.8 | 1,684.7 | 1,439.0 | 1,398.5 |
| 75–84 years | 4,469.2 | 5,183.7 | 4,052.2 | 3,599.5 | 2,894.7 | 2,539.8 | 2,315.5 |
| 85 years and over | 6,102.1 | 6,932.1 | 5,478.7 | 5,361.7 | 4,330.6 | 3,753.8 | 3,307.1 |
| Average length of stay in days | | | | | | | |
| All ages | 7.8 | 7.3 | 6.5 | 6.4 | 5.4 | 4.9 | 4.8 |
| Under 15 years | 4.7 | 4.4 | 4.6 | 4.8 | 4.5 | 4.5 | 4.7 |
| 15–44 years | 5.7 | 5.2 | 4.8 | 4.6 | 3.9 | 3.7 | 3.7 |
| 45–64 years | 9.3 | 8.2 | 7.0 | 6.8 | 5.5 | 5.0 | 5.0 |
| 65 years and over | 12.6 | 10.7 | 8.7 | 8.7 | 6.8 | 6.0 | 5.5 |
| 65–74 years | 12.0 | 10.0 | 8.2 | 8.0 | 6.5 | 5.7 | 5.3 |
| 75–84 years | 13.2 | 11.2 | 9.1 | 9.1 | 7.0 | 6.2 | 5.6 |
| 85 years and over | 13.7 | 12.0 | 9.6 | 9.6 | 7.3 | 6.2 | 5.7 |

¹Rates were calculated using the U.S. Census Bureau estimates of the civilian population. Rates for 1990 and 1995 were based on population estimates adjusted for the net underenumeration in the 1990 census. Rates for 2000 and 2005 were calculated using 2000-based postcensal estimates. Rates for 2000 differ from the ones shown in earlier reports because they were calculated using revised population estimates.

Table 2. Number, percent distribution, and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex and age: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex and age | Discharges | | | Days of care | | | Average length of stay in days |
|-----------------------------|---------------------|----------------------|--|---------------------|----------------------|--|--------------------------------|
| | Number in thousands | Percent distribution | Rate per 1,000 population ¹ | Number in thousands | Percent distribution | Rate per 1,000 population ¹ | |
| Both sexes | | | | | | | |
| All ages | 34,667 | 100.0 | 117.4 | 165,925 | 100.0 | 562.1 | 4.8 |
| Under 15 years | 2,431 | 7.0 | 40.0 | 11,371 | 6.9 | 187.3 | 4.7 |
| Under 1 year | 800 | 2.3 | 194.9 | 4,982 | 3.0 | 1,213.1 | 6.2 |
| 1–4 years | 696 | 2.0 | 43.0 | 2,195 | 1.3 | 135.5 | 3.2 |
| 5–14 years | 934 | 2.7 | 23.1 | 4,194 | 2.5 | 103.8 | 4.5 |
| 15–44 years | 10,659 | 30.7 | 85.3 | 39,786 | 24.0 | 318.5 | 3.7 |
| 15–19 years | 1,171 | 3.4 | 55.9 | 4,712 | 2.8 | 224.8 | 4.0 |
| 20–24 years | 1,903 | 5.5 | 92.2 | 6,137 | 3.7 | 297.5 | 3.2 |
| 25–34 years | 4,001 | 11.5 | 100.8 | 13,636 | 8.2 | 343.4 | 3.4 |
| 35–44 years | 3,584 | 10.3 | 82.2 | 15,301 | 9.2 | 350.8 | 4.3 |
| 45–64 years | 8,349 | 24.1 | 114.7 | 41,619 | 25.1 | 571.7 | 5.0 |
| 45–54 years | 4,093 | 11.8 | 96.4 | 19,995 | 12.1 | 471.1 | 4.9 |
| 55–64 years | 4,257 | 12.3 | 140.2 | 21,624 | 13.0 | 712.4 | 5.1 |
| 65 years and over | 13,228 | 38.2 | 359.6 | 73,149 | 44.1 | 1,988.3 | 5.5 |
| 65–74 years | 4,900 | 14.1 | 262.9 | 26,068 | 15.7 | 1,398.5 | 5.3 |
| 75–84 years | 5,394 | 15.6 | 413.2 | 30,228 | 18.2 | 2,315.5 | 5.6 |
| 85 years and over | 2,934 | 8.5 | 575.8 | 16,853 | 10.2 | 3,307.1 | 5.7 |
| Male | | | | | | | |
| All ages | 13,902 | 100.0 | 95.9 | 72,186 | 100.0 | 498.0 | 5.2 |
| Under 15 years | 1,346 | 9.7 | 43.3 | 6,443 | 8.9 | 207.5 | 4.8 |
| Under 1 year | 458 | 3.3 | 218.1 | 2,894 | 4.0 | 1,377.4 | 6.3 |
| 1–4 years | 385 | 2.8 | 46.5 | 1,317 | 1.8 | 159.0 | 3.4 |
| 5–14 years | 502 | 3.6 | 24.3 | 2,232 | 3.1 | 107.9 | 4.4 |
| 15–44 years | 2,864 | 20.6 | 45.5 | 13,989 | 19.4 | 222.0 | 4.9 |
| 15–19 years | 339 | 2.4 | 31.7 | 1,749 | 2.4 | 163.1 | 5.2 |
| 20–24 years | 359 | 2.6 | 34.2 | 1,764 | 2.4 | 167.8 | 4.9 |
| 25–34 years | 813 | 5.8 | 40.5 | 3,908 | 5.4 | 194.9 | 4.8 |
| 35–44 years | 1,352 | 9.7 | 62.3 | 6,568 | 9.1 | 302.3 | 4.9 |
| 45–64 years | 4,076 | 29.3 | 114.9 | 20,487 | 28.4 | 577.3 | 5.0 |
| 45–54 years | 1,957 | 14.1 | 93.8 | 9,759 | 13.5 | 467.8 | 5.0 |
| 55–64 years | 2,120 | 15.2 | 144.9 | 10,728 | 14.9 | 733.6 | 5.1 |
| 65 years and over | 5,616 | 40.4 | 364.4 | 31,267 | 43.3 | 2,028.6 | 5.6 |
| 65–74 years | 2,339 | 16.8 | 274.3 | 12,370 | 17.1 | 1,450.3 | 5.3 |
| 75–84 years | 2,317 | 16.7 | 438.8 | 13,255 | 18.4 | 2,510.7 | 5.7 |
| 85 years and over | 960 | 6.9 | 598.4 | 5,642 | 7.8 | 3,517.9 | 5.9 |
| Female | | | | | | | |
| All ages | 20,766 | 100.0 | 138.2 | 93,739 | 100.0 | 623.9 | 4.5 |
| Under 15 years | 1,085 | 5.2 | 36.6 | 4,928 | 5.3 | 166.2 | 4.5 |
| Under 1 year | 342 | 1.6 | 170.6 | 2,088 | 2.2 | 1,041.0 | 6.1 |
| 1–4 years | 311 | 1.5 | 39.3 | 878 | 0.9 | 111.0 | 2.8 |
| 5–14 years | 432 | 2.1 | 21.9 | 1,962 | 2.1 | 99.5 | 4.5 |
| 15–44 years | 7,795 | 37.5 | 125.9 | 25,797 | 27.5 | 416.7 | 3.3 |
| 15–19 years | 832 | 4.0 | 81.2 | 2,962 | 3.2 | 289.4 | 3.6 |
| 20–24 years | 1,543 | 7.4 | 152.6 | 4,373 | 4.7 | 432.3 | 2.8 |
| 25–34 years | 3,188 | 15.4 | 162.2 | 9,728 | 10.4 | 494.9 | 3.1 |
| 35–44 years | 2,231 | 10.7 | 101.9 | 8,733 | 9.3 | 398.9 | 3.9 |
| 45–64 years | 4,273 | 20.6 | 114.5 | 21,132 | 22.5 | 566.4 | 4.9 |
| 45–54 years | 2,136 | 10.3 | 99.0 | 10,236 | 10.9 | 474.3 | 4.8 |
| 55–64 years | 2,137 | 10.3 | 135.9 | 10,896 | 11.6 | 692.7 | 5.1 |
| 65 years and over | 7,613 | 36.7 | 356.1 | 41,882 | 44.7 | 1,959.2 | 5.5 |
| 65–74 years | 2,561 | 12.3 | 253.3 | 13,699 | 14.6 | 1,354.9 | 5.3 |
| 75–84 years | 3,077 | 14.8 | 395.8 | 16,973 | 18.1 | 2,183.0 | 5.5 |
| 85 years and over | 1,975 | 9.5 | 565.4 | 11,211 | 12.0 | 3,210.4 | 5.7 |

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.

Table 3. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | Discharges | | Days of care | | Average length of stay in days |
|-------------------------|---------------------|--|---------------------|--|--------------------------------|
| | Number in thousands | Rate per 1,000 population ¹ | Number in thousands | Rate per 1,000 population ¹ | |
| Both sexes | | | | | |
| All ages: | | | | | |
| United States | 34,667 | 117.4 | 165,925 | 562.1 | 4.8 |
| Northeast | 7,192 | 131.8 | 38,730 | 709.6 | 5.4 |
| Midwest | 7,948 | 120.6 | 33,741 | 512.1 | 4.2 |
| South | 12,907 | 120.8 | 62,797 | 587.9 | 4.9 |
| West | 6,621 | 97.5 | 30,656 | 451.5 | 4.6 |
| Under 15 years: | | | | | |
| United States | 2,431 | 40.0 | 11,371 | 187.3 | 4.7 |
| Northeast | 407 | 38.9 | 2,205 | 210.6 | 5.4 |
| Midwest | * | * | * | * | 3.9 |
| South | 960 | 43.3 | 4,285 | 193.4 | 4.5 |
| West | * | * | * | * | 5.1 |
| 15–44 years: | | | | | |
| United States | 10,659 | 85.3 | 39,786 | 318.5 | 3.7 |
| Northeast | 2,007 | 88.7 | 8,885 | 392.8 | 4.4 |
| Midwest | 2,244 | 81.0 | 7,379 | 266.4 | 3.3 |
| South | 4,286 | 94.9 | 16,465 | 364.4 | 3.8 |
| West | 2,122 | 72.1 | 7,056 | 239.9 | 3.3 |
| 45–64 years: | | | | | |
| United States | 8,349 | 114.7 | 41,619 | 571.7 | 5.0 |
| Northeast | 1,762 | 125.5 | 9,509 | 677.2 | 5.4 |
| Midwest | 1,834 | 111.2 | 7,950 | 482.1 | 4.3 |
| South | 3,204 | 122.5 | 16,738 | 639.8 | 5.2 |
| West | 1,550 | 96.2 | 7,423 | 460.9 | 4.8 |
| 65 years and over: | | | | | |
| United States | 13,228 | 359.6 | 73,149 | 1988.3 | 5.5 |
| Northeast | 3,016 | 404.7 | 18,131 | 2433.2 | 6.0 |
| Midwest | 3,403 | 403.0 | 16,573 | 1962.8 | 4.9 |
| South | 4,456 | 334.7 | 25,309 | 1900.8 | 5.7 |
| West | 2,353 | 310.4 | 13,136 | 1732.9 | 5.6 |
| Male | | | | | |
| All ages: | | | | | |
| United States | 13,902 | 95.9 | 72,186 | 498.0 | 5.2 |
| Northeast | 3,018 | 114.0 | 17,506 | 661.1 | 5.8 |
| Midwest | 3,160 | 97.6 | 14,136 | 436.6 | 4.5 |
| South | 5,054 | 96.7 | 26,758 | 511.9 | 5.3 |
| West | 2,670 | 78.9 | 13,786 | 407.5 | 5.2 |
| Under 15 years: | | | | | |
| United States | 1,346 | 43.3 | 6,443 | 207.5 | 4.8 |
| Northeast | 224 | 41.8 | 1,232 | 230.0 | 5.5 |
| Midwest | * | * | * | * | 3.8 |
| South | 529 | 46.7 | 2,423 | 213.8 | 4.6 |
| West | * | * | * | * | 5.4 |
| 15–44 years: | | | | | |
| United States | 2,864 | 45.5 | 13,989 | 222.0 | 4.9 |
| Northeast | 676 | 59.8 | 3,812 | 337.0 | 5.6 |
| Midwest | 610 | 43.6 | 2,418 | 172.7 | 4.0 |
| South | 1,112 | 49.1 | 5,667 | 250.2 | 5.1 |
| West | 466 | 31.0 | 2,092 | 139.1 | 4.5 |
| 45–64 years: | | | | | |
| United States | 4,076 | 114.9 | 20,487 | 577.3 | 5.0 |
| Northeast | 869 | 128.2 | 4,768 | 703.1 | 5.5 |
| Midwest | 877 | 108.3 | 3,743 | 462.3 | 4.3 |
| South | 1,557 | 122.8 | 8,217 | 648.3 | 5.3 |
| West | 773 | 97.5 | 3,758 | 473.8 | 4.9 |

See footnotes at end of table.

Table 3. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | Discharges | | Days of care | | Average length of stay in days |
|-------------------------|---------------------|--|---------------------|--|--------------------------------|
| | Number in thousands | Rate per 1,000 population ¹ | Number in thousands | Rate per 1,000 population ¹ | |
| 65 years and over: | | | | | |
| United States | 5,616 | 364.4 | 31,267 | 2028.6 | 5.6 |
| Northeast | 1,248 | 412.2 | 7,693 | 2540.6 | 6.2 |
| Midwest | 1,419 | 406.1 | 7,007 | 2004.4 | 4.9 |
| South | 1,857 | 330.7 | 10,450 | 1861.4 | 5.6 |
| West | 1,091 | 333.3 | 6,117 | 1867.8 | 5.6 |
| Female | | | | | |
| All ages: | | | | | |
| United States | 20,766 | 138.2 | 93,739 | 623.9 | 4.5 |
| Northeast | 4,174 | 148.5 | 21,225 | 755.2 | 5.1 |
| Midwest | 4,788 | 142.9 | 19,605 | 585.0 | 4.1 |
| South | 7,852 | 144.0 | 36,039 | 660.7 | 4.6 |
| West | 3,951 | 116.0 | 16,870 | 495.1 | 4.3 |
| Under 15 years: | | | | | |
| United States | 1,085 | 36.6 | 4,928 | 166.2 | 4.5 |
| Northeast | 183 | 35.8 | 973 | 190.2 | 5.3 |
| Midwest | * | * | * | * | 4.1 |
| South | 431 | 39.8 | 1,862 | 172.0 | 4.3 |
| West | * | * | * | * | 4.7 |
| 15–44 years: | | | | | |
| United States | 7,795 | 125.9 | 25,797 | 416.7 | 3.3 |
| Northeast | 1,330 | 117.7 | 5,073 | 448.8 | 3.8 |
| Midwest | 1,634 | 119.3 | 4,962 | 362.2 | 3.0 |
| South | 3,175 | 140.9 | 10,798 | 479.3 | 3.4 |
| West | 1,655 | 115.2 | 4,965 | 345.4 | 3.0 |
| 45–64 years: | | | | | |
| United States | 4,273 | 114.5 | 21,132 | 566.4 | 4.9 |
| Northeast | 893 | 123.0 | 4,740 | 653.0 | 5.3 |
| Midwest | 957 | 114.0 | 4,207 | 501.2 | 4.4 |
| South | 1,647 | 122.1 | 8,520 | 631.8 | 5.2 |
| West | 776 | 95.0 | 3,664 | 448.4 | 4.7 |
| 65 years and over: | | | | | |
| United States | 7,613 | 356.1 | 41,882 | 1959.2 | 5.5 |
| Northeast | 1,768 | 399.6 | 10,438 | 2359.6 | 5.9 |
| Midwest | 1,984 | 400.9 | 9,567 | 1933.4 | 4.8 |
| South | 2,600 | 337.6 | 14,859 | 1929.5 | 5.7 |
| West | 1,262 | 293.1 | 7,019 | 1630.4 | 5.6 |

* Figure does not meet standards of reliability or precision.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.

Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Region, sex, and age | All principal expected sources of payment ¹ | Medicare | Medicaid | Worker's compensation and other government payments | HMO or PPO ² | Blue Cross Blue Shield and other private insurance | Self-pay | Other payments and no charge |
|----------------------|--|-------------------------------------|----------|---|-------------------------|--|----------|------------------------------|
| United States | | Number of discharges in thousands | | | | | | |
| All | 34,667 | 13,788 | 5,836 | 740 | 4,793 | 6,412 | 1,500 | 1,030 |
| Male | 13,902 | 5,955 | 1,882 | 423 | 1,695 | 2,521 | 729 | 424 |
| Female | 20,766 | 7,834 | 3,953 | 318 | 3,098 | 3,891 | 771 | 606 |
| Under 15 years | 2,431 | * | 1,107 | 61 | 399 | 625 | 52 | * |
| 15-44 years | 10,659 | 613 | 3,270 | 310 | 2,164 | 2,729 | 842 | 491 |
| 45-64 years | 8,349 | 1,672 | 1,214 | 290 | 1,692 | 2,444 | 529 | 318 |
| 65 years and over | 13,228 | 11,494 | 245 | 80 | 538 | 615 | 77 | 80 |
| Northeast | | | | | | | | |
| All | 7,192 | 2,944 | 990 | 91 | 1,061 | 1,470 | 258 | 97 |
| Male | 3,018 | 1,252 | 410 | 56 | 393 | 597 | 134 | 39 |
| Female | 4,174 | 1,693 | 580 | 35 | 668 | 873 | 125 | 58 |
| Under 15 years | 407 | * | 137 | * | 96 | 135 | 14 | * |
| 15-44 years | 2,007 | 121 | 523 | 37 | 426 | 592 | 138 | 44 |
| 45-64 years | 1,762 | 338 | 284 | 30 | 360 | 552 | 84 | 30 |
| 65 years and over | 3,016 | 2,483 | 46 | * | 178 | 191 | * | * |
| Midwest | | | | | | | | |
| All | 7,948 | 3,659 | 1,110 | * | 1,054 | 1,645 | 253 | 57 |
| Male | 3,160 | 1,547 | 357 | 68 | 370 | 634 | 128 | 31 |
| Female | 4,788 | 2,112 | 753 | * | 684 | 1,011 | 126 | 26 |
| Under 15 years | * | * | * | * | * | * | * | * |
| 15-44 years | 2,244 | 140 | 681 | * | 493 | 698 | 138 | 24 |
| 45-64 years | 1,834 | 380 | 240 | 39 | 432 | 618 | 89 | 17 |
| 65 years and over | 3,403 | 3,139 | 35 | * | 61 | 122 | * | * |
| South | | | | | | | | |
| All | 12,907 | 4,917 | 2,346 | 343 | 1,466 | 2,411 | 758 | * |
| Male | 5,054 | 2,090 | 678 | 195 | 504 | 934 | 354 | * |
| Female | 7,852 | 2,827 | 1,667 | 148 | 962 | 1,476 | 405 | * |
| Under 15 years | 960 | * | 488 | 18 | 104 | 208 | 18 | * |
| 15-44 years | 4,286 | 281 | 1,345 | 140 | 711 | 1,073 | 430 | * |
| 45-64 years | 3,204 | 684 | 442 | 156 | 507 | 945 | 282 | * |
| 65 years and over | 4,456 | 3,947 | 70 | 29 | 144 | 184 | 29 | * |
| West | | | | | | | | |
| All | 6,621 | 2,268 | 1,390 | 189 | 1,212 | 886 | 230 | 368 |
| Male | 2,670 | 1,066 | 437 | 105 | 429 | 356 | 114 | 127 |
| Female | 3,951 | 1,202 | 954 | 85 | 783 | 530 | 116 | 240 |
| Under 15 years | * | * | * | * | * | 74 | 9 | * |
| 15-44 years | 2,122 | 71 | 721 | 84 | 533 | 366 | 137 | 176 |
| 45-64 years | 1,550 | 271 | 248 | 64 | 393 | 329 | 74 | * |
| 65 years and over | 2,353 | 1,925 | * | *19 | 154 | 118 | *11 | * |
| United States | | Number of days of care in thousands | | | | | | |
| All | 165,925 | 77,640 | 27,448 | 3,265 | 18,328 | 25,612 | 6,046 | 4,353 |
| Male | 72,186 | 33,815 | 11,505 | 1,962 | 7,235 | 10,960 | 3,072 | 2,006 |
| Female | 93,739 | 43,825 | 15,943 | 1,304 | 11,093 | 14,652 | 2,974 | 2,347 |
| Under 15 years | 11,371 | * | 5,877 | * | 1,619 | 2,636 | 168 | * |
| 15-44 years | 39,786 | 3,858 | 12,331 | 1,210 | 6,791 | 9,388 | 2,989 | 1,893 |
| 45-64 years | 41,619 | 9,971 | 7,665 | 1,359 | 7,143 | 10,458 | 2,438 | 1,472 |
| 65 years and over | 73,149 | 63,764 | 1,575 | 449 | 2,775 | 3,130 | 450 | * |

See footnotes at end of table.

Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Region, sex, and age | All principal expected sources of payment ¹ | Medicare | Medicaid | Worker's compensation and other government payments | HMO or PPO ² | Blue Cross Blue Shield and other private insurance | Self-pay | Other payments and no charge |
|-----------------------------|--|-------------------------------------|----------|---|-------------------------|--|----------|------------------------------|
| Northeast | | Number of days of care in thousands | | | | | | |
| All | 38,730 | 18,117 | 5,848 | 463 | 4,399 | 6,329 | 1,299 | 509 |
| Male | 17,506 | 7,890 | 2,998 | 304 | 1,757 | 2,730 | 725 | 192 |
| Female | 21,225 | 10,227 | 2,850 | 159 | 2,642 | 3,599 | 574 | * |
| Under 15 years | 2,205 | * | 953 | * | * | * | 53 | * |
| 15–44 years | 8,885 | 863 | 2,603 | 195 | 1,440 | 2,148 | 606 | * |
| 45–64 years | 9,509 | 2,161 | 1,928 | 145 | 1,619 | 2,488 | 499 | 147 |
| 65 years and over | 18,131 | 15,085 | * | * | 941 | 1,026 | * | * |
| Midwest | | | | | | | | |
| All | 33,741 | 17,965 | 4,497 | * | 3,778 | 5,723 | 889 | 230 |
| Male | 14,136 | 7,688 | 1,821 | * | 1,411 | 2,273 | 448 | 124 |
| Female | 19,605 | 10,277 | 2,676 | * | 2,367 | 3,450 | 441 | 106 |
| Under 15 years | * | * | * | * | * | * | * | * |
| 15–44 years | 7,379 | 627 | 2,339 | * | 1,550 | 2,109 | 401 | * |
| 45–64 years | 7,950 | 1,956 | 1,244 | * | 1,737 | 2,368 | 331 | * |
| 65 years and over | 16,573 | 15,376 | 167 | * | 282 | 516 | * | * |
| South | | | | | | | | |
| All | 62,797 | 28,856 | 10,522 | 1,532 | 5,588 | 10,201 | 2,972 | * |
| Male | 26,758 | 12,319 | 3,918 | 916 | 2,220 | 4,451 | 1,429 | * |
| Female | 36,039 | 16,538 | 6,604 | 616 | 3,368 | 5,750 | 1,543 | * |
| Under 15 years | 4,285 | * | 2,252 | 57 | 394 | 960 | 52 | * |
| 15–44 years | 16,465 | 1,950 | 4,924 | 557 | 2,223 | 3,964 | 1,530 | * |
| 45–64 years | 16,738 | 4,397 | 2,931 | 772 | 2,183 | 4,267 | 1,236 | 638 |
| 65 years and over | 25,309 | 22,484 | 415 | 145 | 788 | 1,009 | 153 | * |
| West | | | | | | | | |
| All | 30,656 | 12,701 | 6,582 | 817 | 4,563 | 3,360 | 886 | 1,299 |
| Male | 13,786 | 5,919 | 2,768 | 476 | 1,848 | 1,505 | 471 | 556 |
| Female | 16,870 | 6,783 | 3,814 | 341 | 2,715 | 1,854 | 415 | 743 |
| Under 15 years | * | * | * | * | * | * | * | * |
| 15–44 years | 7,056 | 417 | 2,465 | 287 | 1,579 | 1,167 | 452 | 509 |
| 45–64 years | 7,423 | 1,457 | 1,563 | 289 | 1,603 | 1,335 | 372 | * |
| 65 years and over | 13,136 | 10,819 | * | * | 764 | 578 | *37 | * |
| United States | | Average length of stay | | | | | | |
| All | 4.8 | 5.6 | 4.7 | 4.4 | 3.8 | 4.0 | 4.0 | 4.2 |
| Male | 5.2 | 5.7 | 6.1 | 4.6 | 4.3 | 4.3 | 4.2 | 4.7 |
| Female | 4.5 | 5.6 | 4.0 | 4.1 | 3.6 | 3.8 | 3.9 | 3.9 |
| Under 15 years | 4.7 | 5.3 | 5.3 | 4.1 | 4.1 | 4.2 | 3.3 | 3.8 |
| 15–44 years | 3.7 | 6.3 | 3.8 | 3.9 | 3.1 | 3.4 | 3.5 | 3.9 |
| 45–64 years | 5.0 | 6.0 | 6.3 | 4.7 | 4.2 | 4.3 | 4.6 | 4.6 |
| 65 years and over | 5.5 | 5.5 | 6.4 | 5.6 | 5.2 | 5.1 | 5.8 | 5.5 |
| Northeast | | | | | | | | |
| All | 5.4 | 6.2 | 5.9 | 5.1 | 4.1 | 4.3 | 5.0 | 5.3 |
| Male | 5.8 | 6.3 | 7.3 | 5.5 | 4.5 | 4.6 | 5.4 | 4.9 |
| Female | 5.1 | 6.0 | 4.9 | 4.5 | 4.0 | 4.1 | 4.6 | 5.5 |
| Under 15 years | 5.4 | * | 7.0 | 4.4 | 4.1 | 4.9 | 3.8 | *3.3 |
| 15–44 years | 4.4 | 7.1 | 5.0 | 5.2 | 3.4 | 3.6 | 4.4 | 5.5 |
| 45–64 years | 5.4 | 6.4 | 6.8 | 4.8 | 4.5 | 4.5 | 5.9 | 4.9 |
| 65 years and over | 6.0 | 6.1 | 7.9 | 5.5 | 5.3 | 5.4 | 6.3 | 6.4 |

See footnotes at end of table.

Table 4. Number of discharges from short-stay hospitals and of days of care, with average length of stay, by principal expected source of payment, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Region, sex, and age | All principal expected sources of payment ¹ | Medicare | Medicaid | Worker's compensation and other government payments | HMO or PPO ² | Blue Cross Blue Shield and other private insurance | Self-pay | Other payments and no charge |
|-----------------------------|--|----------|----------|---|-------------------------|--|----------|------------------------------|
| Midwest | | | | Average length of stay | | | | |
| All | 4.2 | 4.9 | 4.1 | 3.9 | 3.6 | 3.5 | 3.5 | 4.0 |
| Male | 4.5 | 5.0 | 5.1 | 3.9 | 3.8 | 3.6 | 3.5 | 4.0 |
| Female | 4.1 | 4.9 | 3.6 | 3.8 | 3.5 | 3.4 | 3.5 | 4.1 |
| Under 15 years | 3.9 | * | 4.8 | 4.9 | 3.1 | 3.5 | 3.4 | 3.2 |
| 15–44 years | 3.3 | 4.5 | 3.4 | 3.5 | 3.1 | 3.0 | 2.9 | 4.0 |
| 45–64 years | 4.3 | 5.1 | 5.2 | 3.9 | 4.0 | 3.8 | 3.7 | 4.7 |
| 65 years and over | 4.9 | 4.9 | 4.8 | *3.9 | 4.6 | 4.2 | *7.5 | *3.6 |
| South | | | | | | | | |
| All | 4.9 | 5.9 | 4.5 | 4.5 | 3.8 | 4.2 | 3.9 | 4.6 |
| Male | 5.3 | 5.9 | 5.8 | 4.7 | 4.4 | 4.8 | 4.0 | 5.0 |
| Female | 4.6 | 5.8 | 4.0 | 4.2 | 3.5 | 3.9 | 3.8 | 4.2 |
| Under 15 years | 4.5 | 4.7 | 4.6 | 3.1 | 3.8 | 4.6 | 2.9 | 4.2 |
| 15–44 years | 3.8 | 6.9 | 3.7 | 4.0 | 3.1 | 3.7 | 3.6 | 4.3 |
| 45–64 years | 5.2 | 6.4 | 6.6 | 4.9 | 4.3 | 4.5 | 4.4 | 4.9 |
| 65 years and over | 5.7 | 5.7 | 5.9 | 5.1 | 5.5 | 5.5 | 5.3 | 6.2 |
| West | | | | | | | | |
| All | 4.6 | 5.6 | 4.7 | 4.3 | 3.8 | 3.8 | 3.9 | 3.5 |
| Male | 5.2 | 5.6 | 6.3 | 4.6 | 4.3 | 4.2 | 4.1 | 4.4 |
| Female | 4.3 | 5.6 | 4.0 | 4.0 | 3.5 | 3.5 | 3.6 | 3.1 |
| Under 15 years | 5.1 | * | 5.9 | 4.2 | 4.7 | 3.8 | 2.9 | 2.7 |
| 15–44 years | 3.3 | 5.9 | 3.4 | 3.4 | 3.0 | 3.2 | 3.3 | 2.9 |
| 45–64 years | 4.8 | 5.4 | 6.3 | 4.5 | 4.1 | 4.1 | 5.1 | 4.3 |
| 65 years and over | 5.6 | 5.6 | 6.7 | * | 4.9 | 4.9 | *3.5 | 4.7 |

* Figure does not meet standards of reliability or precision.

¹Includes discharges for which no expected source of payment was provided.²HMO is health maintenance organization, and PPO is preferred provider organization.

Table 5. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, according to sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | All bed sizes | 6–99 beds | 100–199 beds | 200–299 beds | 300–499 beds | 500 beds or more |
|-------------------------------------|---------------|-----------|--------------|--------------|--------------|------------------|
| Number of discharges in thousands | | | | | | |
| All | 34,667 | 8,170 | 8,271 | 6,687 | 7,420 | 4,118 |
| Sex | | | | | | |
| Male | 13,902 | 3,176 | 3,235 | 2,664 | 3,029 | 1,798 |
| Female | 20,766 | 4,995 | 5,036 | 4,024 | 4,392 | 2,319 |
| Age | | | | | | |
| Under 15 years | 2,431 | 377 | * | * | 581 | 238 |
| 15–44 years | 10,659 | 2,310 | 2,643 | 1,949 | 2,421 | 1,337 |
| 45–64 years | 8,349 | 1,781 | 1,949 | 1,536 | 1,893 | 1,191 |
| 65 years and over | 13,228 | 3,703 | 3,091 | 2,557 | 2,526 | 1,352 |
| Region | | | | | | |
| Northeast | 7,192 | 1,639 | 1,692 | 1,156 | 1,574 | 1,132 |
| Midwest | 7,948 | 3,040 | 1,306 | 1,189 | * | 850 |
| South | 12,907 | 2,780 | 3,213 | 2,746 | 2,236 | 1,931 |
| West | 6,621 | * | 2,060 | 1,597 | 2,049 | * |
| Percent distribution of discharges | | | | | | |
| All | 100.0 | 23.6 | 23.9 | 19.3 | 21.4 | 11.9 |
| Sex | | | | | | |
| Male | 100.0 | 22.8 | 23.3 | 19.2 | 21.8 | 12.9 |
| Female | 100.0 | 24.1 | 24.3 | 19.4 | 21.2 | 11.2 |
| Age | | | | | | |
| Under 15 years | 100.0 | 15.5 | 24.2 | 26.6 | 23.9 | 9.8 |
| 15–44 years | 100.0 | 21.7 | 24.8 | 18.3 | 22.7 | 12.5 |
| 45–64 years | 100.0 | 21.3 | 23.3 | 18.4 | 22.7 | 14.3 |
| 65 years and over | 100.0 | 28.0 | 23.4 | 19.3 | 19.1 | 10.2 |
| Region | | | | | | |
| Northeast | 100.0 | 22.8 | 23.5 | 16.1 | 21.9 | 15.7 |
| Midwest | 100.0 | 38.3 | 16.4 | 15.0 | * | 10.7 |
| South | 100.0 | 21.5 | 24.9 | 21.3 | 17.3 | 15.0 |
| West | 100.0 | * | 31.1 | 24.1 | 30.9 | * |
| Number of days of care in thousands | | | | | | |
| All | 165,925 | 35,195 | 38,773 | 32,026 | 37,039 | 22,891 |
| Sex | | | | | | |
| Male | 72,186 | 14,568 | 16,383 | 13,936 | 16,495 | 10,803 |
| Female | 93,739 | 20,628 | 22,390 | 18,089 | 20,543 | 12,088 |
| Age | | | | | | |
| Under | | | | | | |
| 15 years | 11,371 | 1,517 | * | * | 2,839 | 1,313 |
| 15–44 years | 39,786 | 8,491 | 9,238 | 6,755 | 9,198 | 6,104 |
| 45–64 years | 41,619 | 7,664 | 9,382 | 7,548 | 9,949 | 7,075 |
| 65 years and over | 73,149 | 17,523 | 17,837 | 14,338 | 15,052 | 8,400 |
| Region | | | | | | |
| Northeast | 38,730 | 8,590 | 9,077 | 6,105 | 8,616 | 6,341 |
| Midwest | 33,741 | 11,176 | 5,952 | 5,309 | * | 4,109 |
| South | 62,797 | 12,160 | 14,954 | 13,176 | 11,171 | 11,336 |
| West | 30,656 | * | 8,790 | 7,435 | 10,058 | * |

See footnotes at end of table.

Table 5. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by bed size of hospital, according to sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | All bed sizes | 6–99 beds | 100–199 beds | 200–299 beds | 300–499 beds | 500 beds or more |
|-----------------------------|---------------|-----------|--------------------------------------|--------------|--------------|------------------|
| | | | Percent distribution of days of care | | | |
| All | 100.0 | 21.2 | 23.4 | 19.3 | 22.3 | 13.8 |
| Sex | | | | | | |
| Male | 100.0 | 20.2 | 22.7 | 19.3 | 22.9 | 15.0 |
| Female | 100.0 | 22.0 | 23.9 | 19.3 | 21.9 | 12.9 |
| Age | | | | | | |
| Under 15 years | 100.0 | 13.3 | * | * | 25.0 | 11.5 |
| 15–44 years | 100.0 | 21.3 | 23.2 | 17.0 | 23.1 | 15.3 |
| 45–64 years | 100.0 | 18.4 | 22.5 | 18.1 | 23.9 | 17.0 |
| 65 years and over | 100.0 | 24.0 | 24.4 | 19.6 | 20.6 | 11.5 |
| Region | | | | | | |
| Northeast | 100.0 | 22.2 | 23.4 | 15.8 | 22.2 | 16.4 |
| Midwest | 100.0 | 33.1 | 17.6 | 15.7 | * | 12.2 |
| South | 100.0 | 19.4 | 23.8 | 21.0 | 17.8 | 18.1 |
| West | 100.0 | * | 28.7 | 24.3 | 32.8 | * |
| | | | Average length of stay in days | | | |
| All | 4.8 | 4.3 | 4.7 | 4.8 | 5.0 | 5.6 |
| Sex | | | | | | |
| Male | 5.2 | 4.6 | 5.1 | 5.2 | 5.4 | 6.0 |
| Female | 4.5 | 4.1 | 4.4 | 4.5 | 4.7 | 5.2 |
| Age | | | | | | |
| Under 15 years | 4.7 | 4.0 | 3.9 | 5.2 | 4.9 | 5.5 |
| 15–44 years | 3.7 | 3.7 | 3.5 | 3.5 | 3.8 | 4.6 |
| 45–64 years | 5.0 | 4.3 | 4.8 | 4.9 | 5.3 | 5.9 |
| 65 years and over | 5.5 | 4.7 | 5.8 | 5.6 | 6.0 | 6.2 |
| Region | | | | | | |
| Northeast | 5.4 | 5.2 | 5.4 | 5.3 | 5.5 | 5.6 |
| Midwest | 4.2 | 3.7 | 4.6 | 4.5 | 4.6 | 4.8 |
| South | 4.9 | 4.4 | 4.7 | 4.8 | 5.0 | 5.9 |
| West | 4.6 | 4.6 | 4.3 | 4.7 | 4.9 | 5.4 |

* Figure does not meet standards of reliability or precision.

Table 6. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by hospital ownership, according to sex and age: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex and age | All | Proprietary | Government | Nonprofit |
|--------------------------------------|---------|-------------|------------|-----------|
| Number of discharges in thousands | | | | |
| All | 34,667 | 4,190 | 4,132 | 26,346 |
| Sex | | | | |
| Male | 13,902 | 1,592 | 1,682 | 10,628 |
| Female | 20,766 | 2,598 | 2,449 | 15,718 |
| Age | | | | |
| Under 15 years | 2,431 | * | 272 | 1,880 |
| 15–44 years | 10,659 | 1,593 | 1,400 | 7,665 |
| 45–64 years | 8,349 | 970 | 1,096 | 6,283 |
| 65 years and over | 13,228 | 1,348 | 1,363 | 10,518 |
| Percent distribution of discharges | | | | |
| All | 100.0 | 12.1 | 11.9 | 76.0 |
| Sex | | | | |
| Male | 100.0 | 11.4 | 12.1 | 76.4 |
| Female | 100.0 | 12.5 | 11.8 | 75.7 |
| Age | | | | |
| Under 15 years | 100.0 | * | 11.2 | 77.3 |
| 15–44 years | 100.0 | 14.9 | 13.1 | 71.9 |
| 45–64 years | 100.0 | 11.6 | 13.1 | 75.2 |
| 65 years and over | 100.0 | 10.2 | 10.3 | 79.5 |
| Number of days of care in thousands | | | | |
| All | 165,925 | 21,190 | 20,184 | 124,551 |
| Sex | | | | |
| Male | 72,186 | 8,872 | 9,146 | 54,167 |
| Female | 93,739 | 12,318 | 11,038 | 70,384 |
| Age | | | | |
| Under 15 years | 11,371 | * | 1,115 | 9,119 |
| 15–44 years | 39,786 | 6,389 | 5,719 | 27,678 |
| 45–64 years | 41,619 | 5,364 | 5,973 | 30,282 |
| 65 years and over | 73,149 | 8,300 | 7,377 | 57,472 |
| Percent distribution of days of care | | | | |
| All | 100 | 12.8 | 12.2 | 75.1 |
| Sex | | | | |
| Male | 100.0 | 12.3 | 12.7 | 75.0 |
| Female | 100.0 | 13.1 | 11.8 | 75.1 |
| Age | | | | |
| Under 15 years | 100.0 | * | 9.8 | 80.2 |
| 15–44 years | 100.0 | 16.1 | 14.4 | 69.6 |
| 45–64 years | 100.0 | 12.9 | 14.4 | 72.8 |
| 65 years and over | 100.0 | 11.3 | 10.1 | 78.6 |
| Average length of stay in days | | | | |
| All | 4.8 | 5.1 | 4.9 | 4.7 |
| Sex | | | | |
| Male | 5.2 | 5.6 | 5.4 | 5.1 |
| Female | 4.5 | 4.7 | 4.5 | 4.5 |
| Age | | | | |
| Under 15 years | 4.7 | 4.1 | 4.1 | 4.9 |
| 15–44 years | 3.7 | 4.0 | 4.1 | 3.6 |
| 45–64 years | 5.0 | 5.5 | 5.4 | 4.8 |
| 65 years and over | 5.5 | 6.2 | 5.4 | 5.5 |

* Figure does not meet standards of reliability or precision.

Table 7. Number and percent distribution of discharges by type and source of admission to short-stay hospitals, according to sex and age: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Admission type and source | All ages | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over |
|--|----------|--------|--------|----------------|-------------|-------------|-------------------|
| Number of discharges in thousands | | | | | | | |
| All types and sources | 34,667 | 13,902 | 20,766 | 2,431 | 10,659 | 8,349 | 13,228 |
| Type of admission | | | | | | | |
| Emergency | 14,131 | 6,528 | 7,603 | 923 | 3,246 | 3,658 | 6,305 |
| Urgent | 8,755 | 3,124 | 5,631 | 794 | 3,159 | 1,732 | 3,069 |
| Elective. | 8,317 | 2,900 | 5,417 | 493 | 2,946 | 2,082 | 2,796 |
| Item not available | 3,464 | 1,349 | 2,114 | 222 | 1,307 | 878 | 1,057 |
| Source of admission | | | | | | | |
| Physician referral ¹ | 13,332 | 4,443 | 8,889 | 806 | 5,177 | 3,039 | 4,311 |
| Emergency department | 14,340 | 6,533 | 7,807 | 945 | 3,138 | 3,716 | 6,541 |
| Transfer from a hospital. | 1,068 | 544 | 524 | 146 | 192 | 257 | 474 |
| Transfer from other health facility ² | 485 | 208 | 277 | 18 | 59 | 75 | 333 |
| Other sources ³ | 662 | 237 | 425 | * | 365 | 131 | 102 |
| Item not available | 4,780 | 1,937 | 2,843 | 453 | 1,728 | 1,131 | 1,467 |
| Percent distribution | | | | | | | |
| All types and sources | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Type of admission | | | | | | | |
| Emergency | 40.8 | 47.0 | 36.6 | 38.0 | 30.5 | 43.8 | 47.7 |
| Urgent | 25.3 | 22.5 | 27.1 | 32.7 | 29.6 | 20.7 | 23.2 |
| Elective. | 24.0 | 20.9 | 26.1 | 20.3 | 27.6 | 24.9 | 21.1 |
| Item not available | 10.0 | 9.7 | 10.2 | 9.1 | 12.3 | 10.5 | 8.0 |
| Source of admission | | | | | | | |
| Physician referral ¹ | 38.5 | 32.0 | 42.8 | 33.2 | 48.6 | 36.4 | 32.6 |
| Emergency department | 41.4 | 47.0 | 37.6 | 38.9 | 29.4 | 44.5 | 49.4 |
| Transfer from a hospital. | 3.1 | 3.9 | 2.5 | 6.0 | 1.8 | 3.1 | 3.6 |
| Transfer from other health facility ² | 1.4 | 1.5 | 1.3 | 0.7 | 0.6 | 0.9 | 2.5 |
| Other sources ³ | 1.9 | 1.7 | 2.0 | * | 3.4 | 1.6 | 0.8 |
| Item not available | 13.8 | 13.9 | 13.7 | 18.6 | 16.2 | 13.5 | 11.1 |

* Figure does not meet standards of reliability or precision.

¹Referral from personal physician, clinic physician, or health maintenance organization physician.²Transfer from skilled nursing facility or other health facility.³Includes admissions directed by a court of law or requested by a law enforcement agent and other sources.

Table 8. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by disposition of patient, according to sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | All dispositions | Discharged alive | | | | | Died | Status not stated |
|-------------------------------------|------------------|----------------------------|---------------------------|----------------------------|--------|-------|-------|-------------------|
| | | Routine or discharged home | Transferred to | | | | | |
| | | | Other short-term hospital | Long-term care institution | Other | | | |
| Number of discharges in thousands | | | | | | | | |
| All | 34,667 | 26,541 | 1,514 | 3,074 | 1,973 | 752 | * | |
| Sex | | | | | | | | |
| Male | 13,902 | 10,399 | 731 | 1,153 | 908 | 383 | 328 | |
| Female | 20,766 | 16,142 | 782 | 1,921 | 1,065 | 369 | * | |
| Age | | | | | | | | |
| Under 65 years | 21,439 | 18,707 | 645 | 506 | 915 | 200 | 466 | |
| Under 15 years | 2,431 | 2,237 | 50 | 13 | 63 | 12 | * | |
| 15–44 years | 10,659 | 9,684 | 214 | 116 | 383 | 39 | 222 | |
| 45–64 years | 8,349 | 6,786 | 381 | 377 | 469 | 148 | 187 | |
| 65 years and over | 13,228 | 7,834 | 869 | 2,568 | 1,058 | 552 | * | |
| 65–74 years | 4,900 | 3,480 | 317 | 536 | 327 | 135 | * | |
| 75–84 years | 5,394 | 3,164 | 364 | 1,061 | 443 | 232 | * | |
| 85 years and over | 2,934 | 1,190 | 188 | 971 | 288 | 186 | * | |
| Region | | | | | | | | |
| Northeast | 7,192 | 5,269 | 297 | 867 | 527 | 168 | * | |
| Midwest | 7,948 | 5,847 | 279 | 848 | 499 | 174 | * | |
| South | 12,907 | 10,088 | 530 | 963 | 630 | 270 | 425 | |
| West | 6,621 | 5,337 | 408 | 396 | 316 | 140 | * | |
| Percent distribution of discharges | | | | | | | | |
| All | 100.0 | 76.6 | 4.4 | 8.9 | 5.7 | 2.2 | * | |
| Sex | | | | | | | | |
| Male | 100.0 | 74.8 | 5.3 | 8.3 | 6.5 | 2.8 | 2.4 | |
| Female | 100.0 | 77.7 | 3.8 | 9.3 | 5.1 | 1.8 | * | |
| Age | | | | | | | | |
| Under 65 years | 100.0 | 87.3 | 3.0 | 2.4 | 4.3 | 0.9 | 2.2 | |
| Under 15 years | 100.0 | 92.0 | 2.0 | 0.5 | 2.6 | 0.5 | * | |
| 15–44 years | 100.0 | 90.9 | 2.0 | 1.1 | 3.6 | 0.4 | 2.1 | |
| 45–64 years | 100.0 | 81.3 | 4.6 | 4.5 | 5.6 | 1.8 | 2.2 | |
| 65 years and over | 100.0 | 59.2 | 6.6 | 19.4 | 8.0 | 4.2 | * | |
| 65–74 years | 100.0 | 71.0 | 6.5 | 10.9 | 6.7 | 2.8 | * | |
| 75–84 years | 100.0 | 58.7 | 6.7 | 19.7 | 8.2 | 4.3 | * | |
| 85 years and over | 100.0 | 40.6 | 6.4 | 33.1 | 9.8 | 6.3 | * | |
| Region | | | | | | | | |
| Northeast | 100.0 | 73.3 | 4.1 | 12.1 | 7.3 | 2.3 | * | |
| Midwest | 100.0 | 73.6 | 3.5 | 10.7 | 6.3 | 2.2 | * | |
| South | 100.0 | 78.2 | 4.1 | 7.5 | 4.9 | 2.1 | 3.3 | |
| West | 100.0 | 80.6 | 6.2 | 6.0 | 4.8 | 2.1 | * | |
| Number of days of care in thousands | | | | | | | | |
| All | 165,925 | 107,891 | 9,175 | 24,374 | 13,040 | 6,586 | 4,859 | |
| Sex | | | | | | | | |
| Male | 72,186 | 45,713 | 4,425 | 10,118 | 6,056 | 3,674 | 2,200 | |
| Female | 93,739 | 62,178 | 4,750 | 14,256 | 6,985 | 2,912 | * | |
| Age | | | | | | | | |
| Under 65 years | 92,775 | 72,847 | 3,757 | 5,386 | 5,878 | 2,019 | 2,888 | |
| Under 15 years | 11,371 | 9,653 | 450 | * | 560 | * | 342 | |
| 15–44 years | 39,786 | 33,684 | 1,230 | 1,232 | 2,078 | 368 | 1,193 | |
| 45–64 years | 41,619 | 29,509 | 2,077 | 3,932 | 3,240 | 1,508 | 1,353 | |
| 65 years and over | 73,149 | 35,044 | 5,418 | 18,988 | 7,162 | 4,567 | * | |
| 65–74 years | 26,068 | 15,360 | 1,858 | 4,506 | 2,414 | 1,319 | * | |
| 75–84 years | 30,228 | 14,149 | 2,309 | 7,963 | 3,014 | 2,018 | * | |
| 85 years and over | 16,853 | 5,535 | 1,251 | 6,519 | 1,734 | 1,230 | * | |

See footnotes at end of table.

Table 8. Number and percent distribution of discharges from short-stay hospitals and of days of care, with average length of stay, by disposition of patient, according to sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants]

| Sex, age, and region | All dispositions | Discharged alive | | | | | Died | Status not stated |
|-----------------------------|------------------|--------------------------------------|---------------------------|----------------------------|-------|-------|-------|-------------------|
| | | Routine or discharged home | Transferred to | | | | | |
| | | | Other short-term hospital | Long-term care institution | Other | | | |
| Region | | Number of days of care in thousands | | | | | | |
| Northeast | 38,730 | 24,106 | 1,756 | 7,241 | 3,596 | 1,649 | * | |
| Midwest | 33,741 | 20,875 | 1,226 | 5,790 | 3,028 | 1,259 | * | |
| South | 62,797 | 42,042 | 3,314 | 7,953 | 4,479 | 2,213 | 2,795 | |
| West | 30,656 | 20,867 | 2,879 | 3,389 | 1,937 | 1,464 | 119 | |
| All | | 100.0 | 65.0 | 5.5 | 14.7 | 7.9 | 4.0 | 2.9 |
| Sex | | Percent distribution of days of care | | | | | | |
| Male | 100.0 | 63.3 | 6.1 | 14.0 | 8.4 | 5.1 | 3.0 | |
| Female | 100.0 | 66.3 | 5.1 | 15.2 | 7.5 | 3.1 | * | |
| Age | | Average length of stay | | | | | | |
| Under 65 years | 100.0 | 78.5 | 4.0 | 5.8 | 6.3 | 2.2 | 3.1 | |
| Under 15 years | 100.0 | 84.9 | 4.0 | * | 4.9 | 1.3 | * | |
| 15–44 years | 100.0 | 84.7 | 3.1 | 3.1 | 5.2 | 0.9 | 3.0 | |
| 45–64 years | 100.0 | 70.9 | 5.0 | 9.4 | 7.8 | 3.6 | 3.3 | |
| 65 years and over | 100.0 | 47.9 | 7.4 | 26.0 | 9.8 | 6.2 | * | |
| 65–74 years | 100.0 | 58.9 | 7.1 | 17.3 | 9.3 | 5.1 | * | |
| 75–84 years | 100.0 | 46.8 | 7.6 | 26.3 | 10.0 | 6.7 | * | |
| 85 years and over | 100.0 | 32.8 | 7.4 | 38.7 | 10.3 | 7.3 | * | |
| Region | | Average length of stay | | | | | | |
| Northeast | 100.0 | 62.2 | 4.5 | 18.7 | 9.3 | 4.3 | * | |
| Midwest | 100.0 | 61.9 | 3.6 | 17.2 | 9.0 | 3.7 | * | |
| South | 100.0 | 66.9 | 5.3 | 12.7 | 7.1 | 3.5 | 4.5 | |
| West | 100.0 | 68.1 | 9.4 | 11.1 | 6.3 | 4.8 | 0.4 | |
| All | | 4.8 | 4.1 | 6.1 | 7.9 | 6.6 | 8.8 | 6.0 |
| Sex | | Average length of stay | | | | | | |
| Male | 5.2 | 4.4 | 6.1 | 8.8 | 6.7 | 9.6 | 6.7 | |
| Female | 4.5 | 3.9 | 6.1 | 7.4 | 6.6 | 7.9 | 5.5 | |
| Age | | Average length of stay | | | | | | |
| Under 65 years | 4.3 | 3.9 | 5.8 | 10.6 | 6.4 | 10.1 | 6.2 | |
| Under 15 years | 4.7 | 4.3 | 9.0 | * | 8.9 | 11.8 | * | |
| 15–44 years | 3.7 | 3.5 | 5.7 | 10.7 | 5.4 | 9.4 | 5.4 | |
| 45–64 years | 5.0 | 4.3 | 5.4 | 10.4 | 6.9 | 10.2 | 7.2 | |
| 65 years and over | 5.5 | 4.5 | 6.2 | 7.4 | 6.8 | 8.3 | 5.7 | |
| 65–74 years | 5.3 | 4.4 | 5.9 | 8.4 | 7.4 | 9.8 | 5.8 | |
| 75–84 years | 5.6 | 4.5 | 6.3 | 7.5 | 6.8 | 8.7 | 5.9 | |
| 85 years and over | 5.7 | 4.7 | 6.6 | 6.7 | 6.0 | 6.6 | 5.3 | |
| Region | | Average length of stay | | | | | | |
| Northeast | 5.4 | 4.6 | 5.9 | 8.4 | 6.8 | 9.8 | 5.9 | |
| Midwest | 4.2 | 3.6 | 4.4 | 6.8 | 6.1 | 7.2 | 5.2 | |
| South | 4.9 | 4.2 | 6.3 | 8.3 | 7.1 | 8.2 | 6.6 | |
| West | 4.6 | 3.9 | 7.1 | 8.6 | 6.1 | 10.5 | 5.1 | |

* Figure does not meet standards of reliability or precision.

Table 9. Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay, by selected first-listed diagnostic categories: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | Discharges | | Days of care | | Average length of stay in days |
|---|---------------------|---|---------------------|---|--------------------------------|
| | Number in thousands | Rate per 10,000 population ¹ | Number in thousands | Rate per 10,000 population ¹ | |
| All conditions ² | 34,667 | 1174.4 | 165,925 | 5,620.9 | 4.8 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4,230 | 143.3 | 18,898 | 640.2 | 4.5 |
| Acute myocardial infarction 410 | 683 | 23.1 | 3,777 | 127.9 | 5.5 |
| Coronary atherosclerosis 414.0 | 980 | 33.2 | 3,422 | 115.9 | 3.5 |
| Other ischemic heart disease 411-413,414.1-414.9 | 165 | 5.6 | 392 | 13.3 | 2.4 |
| Cardiac dysrhythmias 427 | 773 | 26.2 | 2,593 | 87.8 | 3.4 |
| Congestive heart failure 428.0,428.2-428.4 | 1,079 | 36.6 | 5,506 | 186.5 | 5.1 |
| Females with deliveries V27 | 4,038 | 136.8 | 10,425 | 353.2 | 2.6 |
| Psychoses 290-299 | 1,747 | 59.2 | 13,265 | 449.4 | 7.6 |
| Schizophrenic disorders 295 | 351 | 11.9 | 3,709 | 125.7 | 10.6 |
| Major depressive disorder 296.2-296.3 | 470 | 15.9 | 3,251 | 110.1 | 6.9 |
| Pneumonia 480-486 | 1,368 | 46.3 | 7,184 | 243.4 | 5.3 |
| Malignant neoplasms 140-208,230-234 | 1,196 | 40.5 | 8,099 | 274.4 | 6.8 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 148 | 5.0 | 1,222 | 41.4 | 8.3 |
| Malignant neoplasm of trachea, bronchus, and lung 162,176.4,197.0,197.3 | 154 | 5.2 | 1,147 | 38.9 | 7.4 |
| Fractures, all sites ³ 800-829 | 1,009 | 34.2 | 5,351 | 181.3 | 5.3 |
| Fracture of neck of femur ³ 820 | 302 | 10.2 | 1,904 | 64.5 | 6.3 |
| Cerebrovascular disease 430-438 | 895 | 30.3 | 4,648 | 157.4 | 5.2 |
| Certain complications of surgical and medical care 996-999 | 863 | 29.2 | 5,200 | 176.1 | 6.0 |
| Osteoarthritis and allied disorders 715 | 761 | 25.8 | 2,852 | 96.6 | 3.7 |
| Diabetes mellitus 250 | 585 | 19.8 | 2,774 | 94.0 | 4.7 |
| Chronic bronchitis 491 | 569 | 19.3 | 2,852 | 96.6 | 5.0 |
| Cellulitis and abscess 681-682 | 551 | 18.7 | 2,592 | 87.8 | 4.7 |
| Volume depletion 276.5 | 500 | 16.9 | 1,694 | 57.4 | 3.4 |
| Septicemia 038 | 490 | 16.6 | 4,034 | 136.6 | 8.2 |
| Asthma 493 | 489 | 16.6 | 1,616 | 54.7 | 3.3 |
| Urinary tract infection 599.0 | 481 | 16.3 | 2,177 | 73.7 | 4.5 |
| Benign neoplasms 210-229 | 368 | 12.5 | 1,281 | 43.4 | 3.5 |
| Benign neoplasm of uterus 218-219 | 202 | 6.8 | 578 | 19.6 | 2.9 |
| Cholelithiasis 574 | 325 | 11.0 | 1,383 | 46.8 | 4.2 |
| Anemias 280-285 | 325 | 11.0 | 1,432 | 48.5 | 4.4 |
| Appendicitis 540-543 | 321 | 10.9 | 982 | 33.3 | 3.1 |
| Noninfectious enteritis and colitis 555-558 | 318 | 10.8 | 1,451 | 49.2 | 4.6 |
| Intervertebral disc disorder 722 | 313 | 10.6 | 904 | 30.6 | 2.9 |
| Diverticula of intestine 562 | 307 | 10.4 | 1,614 | 54.7 | 5.3 |
| Intestinal obstruction 560 | 304 | 10.3 | 1,956 | 66.3 | 6.4 |
| Essential hypertension 401 | 301 | 10.2 | 678 | 23.0 | 2.2 |
| Poisonings 960-989 | 258 | 8.8 | 771 | 26.1 | 3.0 |
| Acute pancreatitis 577.0 | 237 | 8.0 | 1,197 | 40.6 | 5.1 |
| Acute bronchitis and bronchiolitis 466 | 230 | 7.8 | 735 | 24.9 | 3.2 |
| Calculus of kidney and ureter 592 | 184 | 6.2 | 425 | 14.4 | 2.3 |

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²Includes data for diagnostic conditions not shown in table.³Excludes fractures coded as 733.1, pathologic fracture.

Table 10. Number and rate of discharges from short-stay hospitals, with average length of stay, for patients 65 years of age and over, by age and selected first-listed diagnostic categories: United States, 2005[Discharges of inpatients from nonfederal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | 65 years and over | 65-74 years | 75-84 years | 85 years and over |
|--|---|-------------|-------------|-------------------|
| | Discharges in thousands | | | |
| All conditions ¹ | 13,228 | 4,900 | 5,394 | 2,934 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 2,707 | 980 | 1,099 | 627 |
| Acute myocardial infarction 410 | 430 | 156 | 164 | 110 |
| Coronary atherosclerosis 414.0 | 546 | 278 | 215 | 52 |
| Cardiac dysrhythmias 427 | 537 | 177 | 228 | 133 |
| Congestive heart failure 428.0,428.2-428.4 | 800 | 223 | 336 | 240 |
| Pneumonia 480-486 | 814 | 245 | 306 | 264 |
| Cerebrovascular disease 430-438 | 625 | 214 | 271 | 140 |
| Malignant neoplasms 140-208,230-234 | 608 | 289 | 237 | 82 |
| Fractures, all sites ² 800-829 | 526 | 119 | 211 | 196 |
| Fracture of neck of femur ² 820 | 266 | 44 | 107 | 115 |
| Osteoarthritis and allied disorders 715 | 478 | 265 | 181 | 31 |
| Chronic bronchitis 491 | 386 | 164 | 177 | 45 |
| Urinary tract infection 599.0 | 344 | 74 | 147 | 123 |
| Certain complications of surgical and medical care 996-999 | 343 | 173 | 129 | 41 |
| Septicemia 038 | 334 | 103 | 137 | 94 |
| Volume depletion 276.5 | 227 | 64 | 97 | 67 |
| Psychoses 290-299 | 208 | 94 | 75 | 39 |
| Diabetes mellitus 250 | 191 | 93 | 72 | 27 |
| Cellulitis and abscess 681-682 | 169 | 56 | 76 | 37 |
| Diverticula of intestine 562 | 164 | 55 | 74 | 34 |
| Intestinal obstruction 560 | 164 | 54 | 70 | 41 |
| Anemias 280-285 | 137 | 42 | 59 | 36 |
| Cholelithiasis 574 | 124 | 54 | 52 | 18 |
| Essential hypertension 401 | 121 | 45 | 48 | 28 |
| Asthma 493 | 112 | 53 | 40 | 18 |
| Noninfectious enteritis and colitis 555-558 | 108 | 37 | 53 | 18 |
| | Discharge rate per 10,000 population ³ | | | |
| All conditions ¹ | 3,595.6 | 2,628.9 | 4,131.7 | 5,758.1 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 735.8 | 525.9 | 842.1 | 1,230.9 |
| Acute myocardial infarction 410 | 116.8 | 83.5 | 125.3 | 216.6 |
| Coronary atherosclerosis 414.0 | 148.4 | 149.4 | 164.6 | 103.0 |
| Cardiac dysrhythmias 427 | 146.1 | 95.0 | 174.4 | 260.3 |
| Congestive heart failure 428.0,428.2-428.4 | 217.4 | 119.8 | 257.6 | 471.5 |
| Pneumonia 480-486 | 221.3 | 131.4 | 234.2 | 517.1 |
| Cerebrovascular disease 430-438 | 169.8 | 114.6 | 207.8 | 274.1 |
| Malignant neoplasms 140-208,230-234 | 165.3 | 154.9 | 181.7 | 161.7 |
| Fractures, all sites ² 800-829 | 142.9 | 63.8 | 161.4 | 385.2 |
| Fracture of neck of femur ² 820 | 72.3 | 23.7 | 82.1 | 225.2 |
| Osteoarthritis and allied disorders 715 | 129.8 | 142.2 | 139.0 | 60.9 |
| Chronic bronchitis 491 | 104.9 | 87.8 | 135.5 | 89.2 |
| Urinary tract infection 599.0 | 93.5 | 39.6 | 112.5 | 241.7 |
| Certain complications of surgical and medical care 996-999 | 93.3 | 92.9 | 99.0 | 80.0 |
| Septicemia 038 | 90.8 | 55.5 | 104.7 | 184.3 |
| Volume depletion 276.5 | 61.8 | 34.3 | 74.0 | 131.4 |
| Psychoses 290-299 | 56.7 | 50.2 | 57.8 | 77.4 |
| Diabetes mellitus 250 | 52.0 | 49.7 | 55.2 | 52.1 |
| Cellulitis and abscess 681-682 | 45.9 | 30.2 | 57.9 | 72.5 |
| Diverticula of intestine 562 | 44.6 | 29.7 | 57.0 | 67.4 |
| Intestinal obstruction 560 | 44.6 | 29.0 | 53.2 | 79.5 |
| Anemias 280-285 | 37.2 | 22.5 | 45.2 | 70.6 |
| Cholelithiasis 574 | 33.7 | 29.2 | 39.6 | 35.0 |
| Essential hypertension 401 | 33.0 | 24.2 | 36.9 | 55.3 |
| Asthma 493 | 30.5 | 28.6 | 30.8 | 36.2 |
| Noninfectious enteritis and colitis 555-558 | 29.4 | 19.8 | 40.8 | 35.7 |

See footnotes at end of table.

Table 10. Number and rate of discharges from short-stay hospitals, with average length of stay, for patients 65 years of age and over, by age and selected first-listed diagnostic categories: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | 65 years and over | 65-74 years | 75-84 years | 85 years and over |
|--|--------------------------------|-------------|-------------|-------------------|
| | Average length of stay in days | | | |
| All conditions ¹ | 5.5 | 5.3 | 5.6 | 5.7 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4.7 | 4.4 | 4.7 | 4.9 |
| Acute myocardial infarction 410 | 6.0 | 5.8 | 6.2 | 5.8 |
| Coronary atherosclerosis 414.0 | 3.5 | 3.5 | 3.7 | 3.3 |
| Cardiac dysrhythmias 427 | 3.6 | 3.3 | 3.4 | 4.2 |
| Congestive heart failure 428.0,428.2-428.4 | 5.1 | 4.9 | 5.1 | 5.3 |
| Pneumonia 480-486 | 5.7 | 5.4 | 5.8 | 5.9 |
| Cerebrovascular disease 430-438 | 4.9 | 4.5 | 5.1 | 5.3 |
| Malignant neoplasms 140-208,230-234 | 6.9 | 6.7 | 7.3 | 6.8 |
| Fractures, all sites ² 800-829 | 5.7 | 5.5 | 5.7 | 5.7 |
| Fracture of neck of femur ² 820 | 6.4 | 7.1 | 6.7 | 5.8 |
| Osteoarthritis and allied disorders 715 | 3.8 | 3.7 | 3.9 | 4.1 |
| Chronic bronchitis 491 | 5.4 | 4.9 | 5.9 | 5.4 |
| Urinary tract infection 599.0 | 4.7 | 4.4 | 4.6 | 5.0 |
| Certain complications of surgical and medical care 996-999 | 6.4 | 6.6 | 6.2 | 6.2 |
| Septicemia 038 | 7.8 | 8.1 | 8.0 | 7.1 |
| Volume depletion 276.5 | 4.2 | 3.9 | 4.1 | 4.7 |
| Psychoses 290-299 | 8.6 | 9.4 | 7.8 | 8.5 |
| Diabetes mellitus 250 | 5.3 | 5.2 | 5.6 | 5.4 |
| Cellulitis and abscess 681-682 | 5.3 | 4.9 | 5.5 | 5.6 |
| Diverticula of intestine 562 | 5.8 | 5.7 | 5.5 | 6.3 |
| Intestinal obstruction 560 | 6.9 | 6.9 | 7.3 | 6.3 |
| Anemias 280-285 | 4.0 | 3.5 | 3.9 | 4.6 |
| Cholelithiasis 574 | 4.8 | 4.2 | 4.9 | 6.1 |
| Essential hypertension 401 | 2.6 | 2.3 | 2.7 | 2.8 |
| Asthma 493 | 4.7 | 4.4 | 4.9 | 5.0 |
| Noninfectious enteritis and colitis 555-558 | 5.1 | 5.1 | 4.8 | 5.9 |

¹Includes data for diagnostic conditions not shown in table.²Excludes fractures coded as 733.1, pathologic fracture.³Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.

Table 11. Number of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over |
|---|---------------------|----------------|-------------|-------------|-------------------|
| | Number in thousands | | | | |
| All conditions | 34,667 | 2,431 | 10,659 | 8,349 | 13,228 |
| Infectious and parasitic diseases 001-139 | 1,045 | 142 | 176 | 244 | 483 |
| Septicemia 038 | 490 | 6 | 38 | 112 | 334 |
| Neoplasms 140-239 | 1,615 | 27 | 270 | 626 | 692 |
| Malignant neoplasms 140-208,230-234 | 1,196 | 20 | 118 | 449 | 608 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 148 | * | 5 | 47 | 96 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 154 | * | 7 | 54 | 93 |
| Benign neoplasms 210-229 | 368 | 4 | 141 | 164 | 59 |
| Benign neoplasm of uterus 218-219 | 202 | * | 103 | 96 | * |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 1,708 | 203 | 359 | 494 | 652 |
| Diabetes mellitus 250 | 585 | 27 | 157 | 209 | 191 |
| Volume depletion 276.5 | 500 | 148 | 49 | 76 | 227 |
| Diseases of the blood and blood-forming organs 280-289 | 455 | 57 | 115 | 100 | 183 |
| Anemias 280-285 | 325 | 28 | 93 | 67 | 137 |
| Mental disorders 290-319 | 2,398 | 124 | 1,349 | 680 | 246 |
| Psychoses 290-299 | 1,747 | * | 970 | 494 | 208 |
| Schizophrenic disorders 295 | 351 | * | 196 | 130 | 23 |
| Major depressive disorder 296.2-296.3 | 470 | * | 264 | 137 | 50 |
| Diseases of the nervous system and sense organs 320-389 | 565 | 84 | 138 | 125 | 219 |
| Diseases of the circulatory system 390-459 | 6,159 | 29 | 436 | 1,813 | 3,882 |
| Essential hypertension 401 | 301 | * | 42 | 137 | 121 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4,230 | 15 | 266 | 1,242 | 2,707 |
| Acute myocardial infarction 410 | 683 | * | 38 | 215 | 430 |
| Coronary atherosclerosis 414.0 | 980 | * | 40 | 393 | 546 |
| Other ischemic heart disease 411-413,414.1-414.9 | 165 | * | 22 | 68 | 75 |
| Cardiac dysrhythmias 427 | 773 | 5 | 49 | 182 | 537 |
| Congestive heart failure 428.0,428.2-428.4 | 1,079 | * | 42 | 235 | 800 |
| Cerebrovascular disease 430-438 | 895 | * | 47 | 221 | 625 |
| Diseases of the respiratory system 460-519 | 3,746 | 629 | 370 | 825 | 1,921 |
| Acute bronchitis and bronchiolitis 466 | 230 | 155 | 13 | 18 | 43 |
| Pneumonia 480-486 | 1,368 | 193 | 110 | 251 | 814 |
| Chronic bronchitis 491 | 569 | * | 16 | 166 | 386 |
| Asthma 493 | 489 | 159 | 98 | 119 | 112 |
| Diseases of the digestive system 520-579 | 3,422 | 216 | 832 | 1,052 | 1,322 |
| Appendicitis 540-543 | 321 | 78 | 162 | 60 | 21 |
| Noninfectious enteritis and colitis 555-558 | 318 | 41 | 94 | 75 | 108 |
| Intestinal obstruction 560 | 304 | 11 | 40 | 89 | 164 |
| Diverticula of intestine 562 | 307 | * | 37 | 106 | 164 |
| Cholelithiasis 574 | 325 | * | 106 | 95 | 124 |
| Acute pancreatitis 577.0 | 237 | * | 83 | 88 | 63 |
| Diseases of the genitourinary system 580-629 | 1,983 | 91 | 535 | 496 | 861 |
| Calculus of kidney and ureter 592 | 184 | * | 75 | 68 | 37 |
| Urinary tract infection 599.0 | 481 | 28 | 43 | 66 | 344 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 535 | * | 533 | * | ... |
| Diseases of the skin and subcutaneous tissue 680-709 | 751 | * | 188 | 225 | 226 |
| Cellulitis and abscess 681-682 | 551 | 62 | 144 | 176 | 169 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 1,945 | 40 | 304 | 686 | 916 |
| Osteoarthritis and allied disorders 715 | 761 | * | 17 | 266 | 478 |
| Intervertebral disc disorders 722 | 313 | * | 111 | 140 | 61 |
| Congenital anomalies 740-759 | 182 | 129 | 27 | 18 | 8 |
| Certain conditions originating in the perinatal period 760-779 | 201 | 201 | * | * | * |
| Symptoms, signs, and ill-defined conditions 780-799 | 198 | 47 | 62 | 51 | 38 |
| Injury and poisoning 800-999 | 2,826 | 224 | 807 | 704 | 1,091 |
| Fractures, all sites ² 800-829 | 1,009 | 67 | 235 | 181 | 526 |
| Fracture of neck of femur ² 820 | 302 | * | 8 | 27 | 266 |
| Poisonings 960-989 | 258 | 15 | 154 | 66 | 23 |
| Certain complications of surgical and medical care 996-999 | 863 | 43 | 174 | 303 | 343 |
| Supplementary classifications V01-V84 | 4,933 | 77 | 4,158 | 210 | 489 |
| Females with deliveries V27 | 4,038 | *6 | 4,025 | *7 | ... |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 12. Rate of discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over |
|---|----------|----------------|-------------|-------------|-------------------|
| | | | | | |
| All conditions | 1,174.4 | 400.5 | 853.3 | 1,147.0 | 3,595.6 |
| Infectious and parasitic diseases 001-139 | 35.4 | 23.4 | 14.1 | 33.6 | 131.2 |
| Septicemia 038 | 16.6 | 1.0 | 3.0 | 15.4 | 90.8 |
| Neoplasms 140-239 | 54.7 | 4.5 | 21.6 | 86.0 | 188.1 |
| Malignant neoplasms 140-208,230-234 | 40.5 | 3.3 | 9.5 | 61.7 | 165.3 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 5.0 | * | 0.4 | 6.5 | 26.1 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 5.2 | * | 0.6 | 7.4 | 25.2 |
| Benign neoplasms 210-229 | 12.5 | 0.7 | 11.3 | 22.5 | 16.0 |
| Benign neoplasm of uterus 218-219 | 6.8 | * | 8.3 | 13.2 | * |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 57.9 | 33.5 | 28.8 | 67.8 | 177.1 |
| Diabetes mellitus 250 | 19.8 | 4.5 | 12.6 | 28.7 | 52.0 |
| Volume depletion 276.5 | 16.9 | 24.3 | 3.9 | 10.4 | 61.8 |
| Diseases of the blood and blood-forming organs 280-289 | 15.4 | 9.4 | 9.2 | 13.7 | 49.7 |
| Anemias 280-285 | 11.0 | 4.6 | 7.5 | 9.2 | 37.2 |
| Mental disorders 290-319 | 81.2 | 20.4 | 108.0 | 93.5 | 66.9 |
| Psychoses 290-299 | 59.2 | * | 77.6 | 67.9 | 56.7 |
| Schizophrenic disorders 295 | 11.9 | * | 15.7 | 17.8 | 6.3 |
| Major depressive disorder 296.2-296.3 | 15.9 | * | 21.1 | 18.8 | 13.6 |
| Diseases of the nervous system and sense organs 320-389 | 19.1 | 13.9 | 11.0 | 17.1 | 59.4 |
| Diseases of the circulatory system 390-459 | 208.7 | 4.7 | 34.9 | 249.1 | 1,055.1 |
| Essential hypertension 401 | 10.2 | * | 3.3 | 18.9 | 33.0 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 143.3 | 2.5 | 21.3 | 170.6 | 735.8 |
| Acute myocardial infarction 410 | 23.1 | * | 3.1 | 29.5 | 116.8 |
| Coronary atherosclerosis 414.0 | 33.2 | * | 3.2 | 54.0 | 148.4 |
| Other ischemic heart disease 411-413,414.1-414.9 | 5.6 | * | 1.8 | 9.4 | 20.3 |
| Cardiac dysrhythmias 427 | 26.2 | 0.8 | 3.9 | 25.0 | 146.1 |
| Congestive heart failure 428.0,428.2-428.4 | 36.6 | * | 3.3 | 32.3 | 217.4 |
| Cerebrovascular disease 430-438 | 30.3 | * | 3.8 | 30.4 | 169.8 |
| Diseases of the respiratory system 460-519 | 126.9 | 103.7 | 29.6 | 113.4 | 522.3 |
| Acute bronchitis and bronchiolitis 466 | 7.8 | 25.6 | 1.1 | 2.5 | 11.7 |
| Pneumonia 480-486 | 46.3 | 31.9 | 8.8 | 34.5 | 221.3 |
| Chronic bronchitis 491 | 19.3 | * | 1.3 | 22.8 | 104.9 |
| Asthma 493 | 16.6 | 26.2 | 7.8 | 16.4 | 30.5 |
| Diseases of the digestive system 520-579 | 115.9 | 35.6 | 66.6 | 144.6 | 359.2 |
| Appendicitis 540-543 | 10.9 | 12.9 | 13.0 | 8.2 | 5.8 |
| Noninfectious enteritis and colitis 555-558 | 10.8 | 6.7 | 7.5 | 10.3 | 29.4 |
| Intestinal obstruction 560 | 10.3 | 1.7 | 3.2 | 12.2 | 44.6 |
| Diverticula of intestine 562 | 10.4 | * | 3.0 | 14.5 | 44.6 |
| Cholelithiasis 574 | 11.0 | * | 8.5 | 13.0 | 33.7 |
| Acute pancreatitis 577.0 | 8.0 | * | 6.6 | 12.1 | 17.2 |
| Diseases of the genitourinary system 580-629 | 67.2 | 15.0 | 42.9 | 68.1 | 234.0 |
| Calculus of kidney and ureter 592 | 6.2 | * | 6.0 | 9.4 | 10.1 |
| Urinary tract infection 599.0 | 16.3 | 4.6 | 3.4 | 9.1 | 93.5 |
| Complications of pregnancy, childbirth, and the puerperium ² 630-677 | 18.1 | * | 42.7 | * | ... |
| Diseases of the skin and subcutaneous tissue 680-709 | 25.4 | * | 15.1 | 30.9 | 61.5 |
| Cellulitis and abscess 681-682 | 18.7 | 10.3 | 11.5 | 24.1 | 45.9 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 65.9 | 6.5 | 24.3 | 94.2 | 248.9 |
| Osteoarthritis and allied disorders 715 | 25.8 | * | 1.3 | 36.5 | 129.8 |
| Intervertebral disc disorders 722 | 10.6 | * | 8.9 | 19.2 | 16.7 |
| Congenital anomalies 740-759 | 6.2 | 21.3 | 2.2 | 2.4 | 2.1 |
| Certain conditions originating in the perinatal period 760-779 | 6.8 | 33.1 | * | * | * |
| Symptoms, signs, and ill-defined conditions 780-799 | 6.7 | 7.7 | 5.0 | 7.0 | 10.4 |
| Injury and poisoning 800-999 | 95.7 | 36.8 | 64.6 | 96.8 | 296.5 |
| Fractures, all sites ³ 800-829 | 34.2 | 11.0 | 18.8 | 24.9 | 142.9 |
| Fracture of neck of femur ³ 820 | 10.2 | * | 0.6 | 3.8 | 72.3 |
| Poisonings 960-989 | 8.8 | 2.4 | 12.4 | 9.1 | 6.2 |
| Certain complications of surgical and medical care 996-999 | 29.2 | 7.0 | 14.0 | 41.6 | 93.3 |
| Supplementary classifications V01-V84 | 167.1 | 12.6 | 332.9 | 28.8 | 132.9 |
| Females with deliveries V27 | 136.8 | *1.0 | 322.2 | *1.0 | ... |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."³Excludes fractures coded as 733.1, pathologic fracture.

Table 13. Average length of stay for discharges from short-stay hospitals, by age and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over |
|---|--------------------------------|----------------|-------------|-------------|-------------------|
| | Average length of stay in days | | | | |
| All conditions | 4.8 | 4.7 | 3.7 | 5.0 | 5.5 |
| Infectious and parasitic diseases 001-139 | 6.6 | 3.5 | 6.0 | 7.6 | 7.3 |
| Septicemia 038 | 8.2 | * | 8.9 | 9.2 | 7.8 |
| Neoplasms 140-239 | 6.0 | 8.5 | 4.8 | 5.5 | 6.7 |
| Malignant neoplasms 140-208,230-234 | 6.8 | 9.8 | 6.9 | 6.4 | 6.9 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 8.3 | * | 8.4 | 7.3 | 8.7 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 7.4 | * | * | 6.8 | 7.1 |
| Benign neoplasms 210-229 | 3.5 | 5.2 | 3.0 | 3.3 | 5.0 |
| Benign neoplasm of uterus 218-219 | 2.9 | * | 2.7 | 3.0 | * |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 4.0 | 2.5 | 3.5 | 4.2 | 4.5 |
| Diabetes mellitus 250 | 4.7 | 2.5 | 3.9 | 5.1 | 5.3 |
| Volume depletion 276.5 | 3.4 | 2.0 | 2.8 | 4.0 | 4.2 |
| Diseases of the blood and blood-forming organs 280-289 | 4.4 | 3.8 | 4.9 | 4.7 | 4.2 |
| Anemias 280-285 | 4.4 | 4.3 | 5.1 | 4.4 | 4.0 |
| Mental disorders 290-319 | 6.9 | 9.8 | 6.4 | 7.0 | 8.1 |
| Psychoses 290-299 | 7.6 | 9.4 | 7.0 | 8.0 | 8.6 |
| Schizophrenic disorders 295 | 10.6 | * | 10.2 | 10.9 | 11.7 |
| Major depressive disorder 296.2-296.3 | 6.9 | 7.1 | 5.8 | 7.7 | 10.7 |
| Diseases of the nervous system and sense organs 320-389 | 5.2 | 4.3 | 4.4 | 4.5 | 6.4 |
| Diseases of the circulatory system 390-459 | 4.6 | 6.4 | 4.2 | 4.3 | 4.7 |
| Essential hypertension 401 | 2.2 | * | 2.0 | 2.1 | 2.6 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4.5 | 7.2 | 4.0 | 4.1 | 4.7 |
| Acute myocardial infarction 410 | 5.5 | * | 4.1 | 4.9 | 6.0 |
| Coronary atherosclerosis 414.0 | 3.5 | * | 2.8 | 3.5 | 3.5 |
| Other ischemic heart disease 411-413,414.1-414.9 | 2.4 | * | 1.9 | 2.2 | 2.7 |
| Cardiac dysrhythmias 427 | 3.4 | 4.0 | 2.5 | 2.9 | 3.6 |
| Congestive heart failure 428.0,428.2-428.4 | 5.1 | *6.5 | 4.4 | 5.2 | 5.1 |
| Cerebrovascular disease 430-438 | 5.2 | *8.1 | 6.2 | 5.6 | 4.9 |
| Diseases of the respiratory system 460-519 | 5.2 | 3.1 | 4.4 | 5.3 | 6.0 |
| Acute bronchitis and bronchiolitis 466 | 3.2 | 2.9 | 3.3 | 4.4 | 3.6 |
| Pneumonia 480-486 | 5.3 | 3.1 | 5.0 | 5.5 | 5.7 |
| Chronic bronchitis 491 | 5.0 | * | 3.9 | 4.2 | 5.4 |
| Asthma 493 | 3.3 | 2.3 | 2.7 | 3.9 | 4.7 |
| Diseases of the digestive system 520-579 | 4.7 | 4.0 | 3.6 | 4.8 | 5.5 |
| Appendicitis 540-543 | 3.1 | 3.8 | 2.3 | 3.4 | 5.1 |
| Noninfectious enteritis and colitis 555-558 | 4.6 | 2.5 | 4.9 | 4.6 | 5.1 |
| Intestinal obstruction 560 | 6.4 | 4.7 | 6.0 | 5.9 | 6.9 |
| Diverticula of intestine 562 | 5.3 | * | 3.7 | 5.0 | 5.8 |
| Cholelithiasis 574 | 4.2 | * | 3.1 | 4.8 | 4.8 |
| Acute pancreatitis 577.0 | 5.1 | *6.5 | 4.2 | 5.4 | 5.6 |
| Diseases of the genitourinary system 580-629 | 3.8 | 3.2 | 2.8 | 3.5 | 4.7 |
| Calculus of kidney and ureter 592 | 2.3 | * | 2.1 | 2.3 | 2.9 |
| Urinary tract infection 599.0 | 4.5 | 3.6 | 3.6 | 4.6 | 4.7 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 2.9 | * | 2.9 | * | ... |
| Diseases of the skin and subcutaneous tissue 680-709 | 5.0 | 2.7 | 4.2 | 5.6 | 6.0 |
| Cellulitis and abscess 681-682 | 4.7 | 3.3 | 4.1 | 5.1 | 5.3 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 3.9 | 4.8 | 3.3 | 3.6 | 4.2 |
| Osteoarthritis and allied disorders 715 | 3.7 | * | 3.6 | 3.6 | 3.8 |
| Intervertebral disc disorders 722 | 2.9 | * | 2.3 | 2.9 | 4.1 |
| Congenital anomalies 740-759 | 6.8 | 7.5 | 3.6 | * | 5.4 |
| Certain conditions originating in the perinatal period 760-779 | 10.5 | 10.5 | * | * | * |
| Symptoms, signs, and ill-defined conditions 780-799 | 2.8 | 2.3 | 2.5 | 2.5 | 4.2 |
| Injury and poisoning 800-999 | 5.2 | 4.5 | 4.5 | 5.4 | 5.8 |
| Fractures, all sites ² 800-829 | 5.3 | 3.4 | 5.0 | 5.3 | 5.7 |
| Fracture of neck of femur ² 820 | 6.3 | * | 3.7 | 6.4 | 6.4 |
| Poisonings 960-989 | 3.0 | 1.9 | 2.8 | 3.4 | 4.0 |
| Certain complications of surgical and medical care 996-999 | 6.0 | 6.1 | 5.3 | 6.0 | 6.4 |
| Supplementary classifications V01-V84 | 3.7 | 5.0 | 2.7 | 7.4 | 10.1 |
| Females with deliveries V27 | 2.6 | *2.3 | 2.6 | *3.3 | ... |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 14. Number of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | Both sexes | Number in thousands | |
|---|------------|---------------------|--------|
| | | Male | Female |
| All conditions | 34,667 | 13,902 | 20,766 |
| Infectious and parasitic diseases 001-139 | 1,045 | 498 | 547 |
| Septicemia 038 | 490 | 240 | 249 |
| Neoplasms 140-239 | 1,615 | 654 | 961 |
| Malignant neoplasms 140-208,230-234 | 1,196 | 579 | 617 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 148 | 71 | 77 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 154 | 79 | 75 |
| Benign neoplasms 210-229 | 368 | 50 | 318 |
| Benign neoplasm of uterus 218-219 | 202 | ... | 202 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 1,708 | 713 | 995 |
| Diabetes mellitus 250 | 585 | 283 | 302 |
| Volume depletion 276.5 | 500 | 206 | 294 |
| Diseases of the blood and blood-forming organs 280-289 | 455 | 174 | 281 |
| Anemias 280-285 | 325 | 120 | 205 |
| Mental disorders 290-319 | 2,398 | 1,200 | 1,198 |
| Psychoses 290-299 | 1,747 | 832 | 915 |
| Schizophrenic disorders 295 | 351 | 193 | 158 |
| Major depressive disorder 296.2-296.3 | 470 | 179 | 291 |
| Diseases of the nervous system and sense organs 320-389 | 565 | 238 | 327 |
| Diseases of the circulatory system 390-459 | 6,159 | 3,136 | 3,023 |
| Essential hypertension 401 | 301 | 126 | 175 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4,230 | 2,222 | 2,008 |
| Acute myocardial infarction 410 | 683 | 406 | 277 |
| Coronary atherosclerosis 414.0 | 980 | 629 | 351 |
| Other ischemic heart disease 411-413,414.1-414.9 | 165 | 82 | 83 |
| Cardiac dysrhythmias 427 | 773 | 365 | 408 |
| Congestive heart failure 428.0,428.2-428.4 | 1,079 | 491 | 588 |
| Cerebrovascular disease 430-438 | 895 | 418 | 477 |
| Diseases of the respiratory system 460-519 | 3,746 | 1,764 | 1,983 |
| Acute bronchitis and bronchiolitis 466 | 230 | 117 | 113 |
| Pneumonia 480-486 | 1,368 | 651 | 717 |
| Chronic bronchitis 491 | 569 | 261 | 308 |
| Asthma 493 | 489 | 192 | 296 |
| Diseases of the digestive system 520-579 | 3,422 | 1,546 | 1,876 |
| Appendicitis 540-543 | 321 | 179 | 142 |
| Noninfectious enteritis and colitis 555-558 | 318 | 119 | 199 |
| Intestinal obstruction 560 | 304 | 134 | 169 |
| Diverticula of intestine 562 | 307 | 126 | 181 |
| Cholelithiasis 574 | 325 | 116 | 210 |
| Acute pancreatitis 577.0 | 237 | 129 | 108 |
| Diseases of the genitourinary system 580-629 | 1,983 | 642 | 1,341 |
| Calculus of kidney and ureter 592 | 184 | 94 | 90 |
| Urinary tract infection 599.0 | 481 | 157 | 324 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 535 | ... | 535 |
| Diseases of the skin and subcutaneous tissue 680-709 | 751 | 400 | 351 |
| Cellulitis and abscess 681-682 | 551 | 300 | 250 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 1,945 | 831 | 1,114 |
| Osteoarthritis and allied disorders 715 | 761 | 292 | 469 |
| Intervertebral disc disorders 722 | 313 | 153 | 159 |
| Congenital anomalies 740-759 | 182 | 99 | 83 |
| Certain conditions originating in the perinatal period 760-779 | 201 | 120 | 81 |
| Symptoms, signs, and ill-defined conditions 780-799 | 198 | 89 | 109 |
| Injury and poisoning 800-999 | 2,826 | 1,402 | 1,424 |
| Fractures, all sites ² 800-829 | 1,009 | 435 | 574 |
| Fracture of neck of femur ² 820 | 302 | 86 | 216 |
| Poisonings 960-989 | 258 | 122 | 137 |
| Certain complications of surgical and medical care 996-999 | 863 | 412 | 451 |
| Supplementary classifications V01-V84 | 4,933 | 396 | 4,538 |
| Females with deliveries V27 | 4,038 | ... | 4,038 |

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 15. Rate of discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | Both sexes | Rate per 10,000 population ¹ | |
|---|------------|---|---------|
| | | Male | Female |
| All conditions | 1,174.4 | 959.0 | 1,382.2 |
| Infectious and parasitic diseases 001-139 | 35.4 | 34.4 | 36.4 |
| Septicemia 038 | 16.6 | 16.6 | 16.6 |
| Neoplasms 140-239 | 54.7 | 45.1 | 63.9 |
| Malignant neoplasms 140-208,230-234 | 40.5 | 40.0 | 41.0 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 5.0 | 4.9 | 5.1 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 5.2 | 5.5 | 5.0 |
| Benign neoplasms 210-229 | 12.5 | 3.5 | 21.1 |
| Benign neoplasm of uterus 218-219 | 6.8 | ... | 13.4 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 57.9 | 49.2 | 66.2 |
| Diabetes mellitus 250 | 19.8 | 19.5 | 20.1 |
| Volume depletion 276.5 | 16.9 | 14.2 | 19.6 |
| Diseases of the blood and blood-forming organs 280-289 | 15.4 | 12.0 | 18.7 |
| Anemias 280-285 | 11.0 | 8.3 | 13.6 |
| Mental disorders 290-319 | 81.2 | 82.8 | 79.8 |
| Psychoses 290-299 | 59.2 | 57.4 | 60.9 |
| Schizophrenic disorders 295 | 11.9 | 13.3 | 10.5 |
| Major depressive disorder 296.2-296.3 | 15.9 | 12.4 | 19.4 |
| Diseases of the nervous system and sense organs 320-389 | 19.1 | 16.4 | 21.8 |
| Diseases of the circulatory system 390-459 | 208.7 | 216.3 | 201.2 |
| Essential hypertension 401 | 10.2 | 8.7 | 11.7 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 143.3 | 153.3 | 133.7 |
| Acute myocardial infarction 410 | 23.1 | 28.0 | 18.4 |
| Coronary atherosclerosis 414.0 | 33.2 | 43.4 | 23.4 |
| Other ischemic heart disease 411-413,414.1-414.9 | 5.6 | 5.7 | 5.5 |
| Cardiac dysrhythmias 427 | 26.2 | 25.2 | 27.2 |
| Congestive heart failure 428.0,428.2-428.4 | 36.6 | 33.9 | 39.1 |
| Cerebrovascular disease 430-438 | 30.3 | 28.9 | 31.7 |
| Diseases of the respiratory system 460-519 | 126.9 | 121.7 | 132.0 |
| Acute bronchitis and bronchiolitis 466 | 7.8 | 8.1 | 7.5 |
| Pneumonia 480-486 | 46.3 | 44.9 | 47.7 |
| Chronic bronchitis 491 | 19.3 | 18.0 | 20.5 |
| Asthma 493 | 16.6 | 13.3 | 19.7 |
| Diseases of the digestive system 520-579 | 115.9 | 106.6 | 124.9 |
| Appendicitis 540-543 | 10.9 | 12.4 | 9.4 |
| Noninfectious enteritis and colitis 555-558 | 10.8 | 8.2 | 13.2 |
| Intestinal obstruction 560 | 10.3 | 9.3 | 11.3 |
| Diverticula of intestine 562 | 10.4 | 8.7 | 12.1 |
| Cholelithiasis 574 | 11.0 | 8.0 | 14.0 |
| Acute pancreatitis 577.0 | 8.0 | 8.9 | 7.2 |
| Diseases of the genitourinary system 580-629 | 67.2 | 44.3 | 89.3 |
| Calculus of kidney and ureter 592 | 6.2 | 6.5 | 6.0 |
| Urinary tract infection 599.0 | 16.3 | 10.8 | 21.6 |
| Complications of pregnancy, childbirth, and the puerperium ² 630-677 | 18.1 | ... | 35.6 |
| Diseases of the skin and subcutaneous tissue 680-709 | 25.4 | 27.6 | 23.4 |
| Cellulitis and abscess 681-682 | 18.7 | 20.7 | 16.7 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 65.9 | 57.3 | 74.2 |
| Osteoarthritis and allied disorders 715 | 25.8 | 20.1 | 31.2 |
| Intervertebral disc disorders 722 | 10.6 | 10.6 | 10.6 |
| Congenital anomalies 740-759 | 6.2 | 6.8 | 5.5 |
| Certain conditions originating in the perinatal period 760-779 | 6.8 | 8.3 | 5.4 |
| Symptoms, signs, and ill-defined conditions 780-799 | 6.7 | 6.1 | 7.3 |
| Injury and poisoning 800-999 | 95.7 | 96.7 | 94.8 |
| Fractures, all sites ³ 800-829 | 34.2 | 30.0 | 38.2 |
| Fracture of neck of femur ³ 820 | 10.2 | 6.0 | 14.4 |
| Poisonings 960-989 | 8.8 | 8.4 | 9.1 |
| Certain complications of surgical and medical care 996-999 | 29.2 | 28.4 | 30.0 |
| Supplementary classifications V01-V84 | 167.1 | 27.3 | 302.0 |
| Females with deliveries V27 | 136.8 | ... | 268.8 |

... Category not applicable.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."³Excludes fractures coded as 733.1, pathologic fracture.

Table 16. Average length of stay for discharges from short-stay hospitals, by sex and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | Both sexes | Male | Female |
|---|--------------------------------|------|--------|
| | Average length of stay in days | | |
| All conditions | 4.8 | 5.2 | 4.5 |
| Infectious and parasitic diseases 001-139 | 6.6 | 6.8 | 6.5 |
| Septicemia 038 | 8.2 | 8.3 | 8.2 |
| Neoplasms 140-239 | 6.0 | 6.7 | 5.5 |
| Malignant neoplasms 140-208,230-234 | 6.8 | 6.9 | 6.6 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 8.3 | 8.5 | 8.0 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 7.4 | 7.4 | 7.5 |
| Benign neoplasms 210-229 | 3.5 | 5.0 | 3.2 |
| Benign neoplasm of uterus 218-219 | 2.9 | ... | 2.9 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 4.0 | 4.2 | 3.8 |
| Diabetes mellitus 250 | 4.7 | 4.9 | 4.6 |
| Volume depletion 276.5 | 3.4 | 3.2 | 3.5 |
| Diseases of the blood and blood-forming organs 280-289 | 4.4 | 4.1 | 4.6 |
| Anemias 280-285 | 4.4 | 4.1 | 4.6 |
| Mental disorders 290-319 | 6.9 | 7.0 | 6.9 |
| Psychoses 290-299 | 7.6 | 7.7 | 7.5 |
| Schizophrenic disorders 295 | 10.6 | 10.5 | 10.7 |
| Major depressive disorder 296.2-296.3 | 6.9 | 7.2 | 6.7 |
| Diseases of the nervous system and sense organs 320-389 | 5.2 | 5.2 | 5.2 |
| Diseases of the circulatory system 390-459 | 4.6 | 4.5 | 4.7 |
| Essential hypertension 401 | 2.2 | 2.2 | 2.3 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4.5 | 4.3 | 4.7 |
| Acute myocardial infarction 410 | 5.5 | 5.6 | 5.5 |
| Coronary atherosclerosis 414.0 | 3.5 | 3.3 | 3.8 |
| Other ischemic heart disease 411-413,414.1-414.9 | 2.4 | 2.5 | 2.3 |
| Cardiac dysrhythmias 427 | 3.4 | 3.1 | 3.6 |
| Congestive heart failure 428.0,428.2-428.4 | 5.1 | 4.9 | 5.2 |
| Cerebrovascular disease 430-438 | 5.2 | 5.5 | 5.0 |
| Diseases of the respiratory system 460-519 | 5.2 | 5.2 | 5.2 |
| Acute bronchitis and bronchiolitis 466 | 3.2 | 3.1 | 3.3 |
| Pneumonia 480-486 | 5.3 | 5.2 | 5.3 |
| Chronic bronchitis 491 | 5.0 | 5.1 | 4.9 |
| Asthma 493 | 3.3 | 2.8 | 3.7 |
| Diseases of the digestive system 520-579 | 4.7 | 4.7 | 4.8 |
| Appendicitis 540-543 | 3.1 | 3.2 | 2.9 |
| Noninfectious enteritis and colitis 555-558 | 4.6 | 4.2 | 4.8 |
| Intestinal obstruction 560 | 6.4 | 6.4 | 6.5 |
| Diverticula of intestine 562 | 5.3 | 5.1 | 5.3 |
| Cholelithiasis 574 | 4.2 | 5.1 | 3.8 |
| Acute pancreatitis 577.0 | 5.1 | 4.6 | 5.6 |
| Diseases of the genitourinary system 580-629 | 3.8 | 4.3 | 3.6 |
| Calculus of kidney and ureter 592 | 2.3 | 1.9 | 2.7 |
| Urinary tract infection 599.0 | 4.5 | 4.9 | 4.4 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 2.9 | ... | 2.9 |
| Diseases of the skin and subcutaneous tissue 680-709 | 5.0 | 4.8 | 5.1 |
| Cellulitis and abscess 681-682 | 4.7 | 4.5 | 4.9 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 3.9 | 3.8 | 4.0 |
| Osteoarthritis and allied disorders 715 | 3.7 | 3.6 | 3.8 |
| Intervertebral disc disorders 722 | 2.9 | 2.7 | 3.1 |
| Congenital anomalies 740-759 | 6.8 | 6.5 | 7.1 |
| Certain conditions originating in the perinatal period 760-779 | 10.5 | 10.1 | 11.0 |
| Symptoms, signs, and ill-defined conditions 780-799 | 2.8 | 2.7 | 2.9 |
| Injury and poisoning 800-999 | 5.2 | 5.3 | 5.2 |
| Fractures, all sites ² 800-829 | 5.3 | 5.4 | 5.2 |
| Fracture of neck of femur ² 820 | 6.3 | 6.8 | 6.1 |
| Poisonings 960-989 | 3.0 | 3.3 | 2.7 |
| Certain complications of surgical and medical care 996-999 | 6.0 | 6.0 | 6.1 |
| Supplementary classifications V01-V84 | 3.7 | 8.2 | 3.3 |
| Females with deliveries V27 | 2.6 | ... | 2.6 |

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 17. Number of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | United States | Northeast | Midwest | South | West |
|---|---------------------|-----------|---------|--------|-------|
| | Number in thousands | | | | |
| All conditions | 34,667 | 7,192 | 7,948 | 12,907 | 6,621 |
| Infectious and parasitic diseases 001-139 | 1,045 | 235 | 225 | 382 | 202 |
| Septicemia 038 | 490 | 97 | 115 | 178 | 99 |
| Neoplasms 140-239 | 1,615 | 348 | 345 | 600 | 323 |
| Malignant neoplasms 140-208,230-234 | 1,196 | 259 | 259 | 434 | 244 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 148 | 30 | 36 | 54 | 28 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 154 | 36 | 38 | 59 | 21 |
| Benign neoplasms 210-229 | 368 | 77 | 74 | 147 | 70 |
| Benign neoplasm of uterus 218-219 | 202 | 38 | 40 | 89 | 35 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 1,708 | 383 | 381 | 645 | 299 |
| Diabetes mellitus 250 | 585 | 148 | 119 | 215 | 102 |
| Volume depletion 276.5 | 500 | 91 | 121 | 217 | 72 |
| Diseases of the blood and blood-forming organs 280-289 | 455 | 106 | 98 | 177 | 74 |
| Anemias 280-285 | 325 | 80 | 69 | 129 | 47 |
| Mental disorders 290-319 | 2,398 | 665 | 518 | * | 213 |
| Psychoses 290-299 | 1,747 | 468 | 395 | * | 147 |
| Schizophrenic disorders 295 | 351 | * | 60 | * | 26 |
| Major depressive disorder 296.2-296.3 | 470 | 104 | 114 | * | 30 |
| Diseases of the nervous system and sense organs 320-389 | 565 | 135 | 124 | 195 | 110 |
| Diseases of the circulatory system 390-459 | 6,159 | 1,392 | 1,465 | 2,226 | 1,076 |
| Essential hypertension 401 | 301 | 68 | 67 | 118 | 48 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4,230 | 977 | 1,021 | 1,492 | 739 |
| Acute myocardial infarction 410 | 683 | 171 | 154 | 221 | 137 |
| Coronary atherosclerosis 414.0 | 980 | 204 | 239 | 354 | 182 |
| Other ischemic heart disease 411-413,414.1-414.9 | 165 | 44 | 36 | 60 | 25 |
| Cardiac dysrhythmias 427 | 773 | 185 | 191 | 259 | 139 |
| Congestive heart failure 428.0,428.2-428.4 | 1,079 | 239 | 275 | 406 | 159 |
| Cerebrovascular disease 430-438 | 895 | 188 | 211 | 325 | 170 |
| Diseases of the respiratory system 460-519 | 3,746 | 749 | 967 | 1,353 | 676 |
| Acute bronchitis and bronchiolitis 466 | 230 | 37 | 50 | 86 | 56 |
| Pneumonia 480-486 | 1,368 | 253 | 375 | 489 | 251 |
| Chronic bronchitis 491 | 569 | 116 | 156 | 222 | 75 |
| Asthma 493 | 489 | 122 | 115 | 173 | 78 |
| Diseases of the digestive system 520-579 | 3,422 | 712 | 797 | 1,225 | 687 |
| Appendicitis 540-543 | 321 | 64 | 70 | 97 | 90 |
| Noninfectious enteritis and colitis 555-558 | 318 | 74 | 78 | 114 | 51 |
| Intestinal obstruction 560 | 304 | 57 | 84 | 102 | 61 |
| Diverticula of intestine 562 | 307 | 76 | 79 | 102 | 51 |
| Cholelithiasis 574 | 325 | 68 | 74 | 118 | 66 |
| Acute pancreatitis 577.0 | 237 | 42 | 56 | 96 | 43 |
| Diseases of the genitourinary system 580-629 | 1,983 | 376 | 464 | 782 | 361 |
| Calculus of kidney and ureter 592 | 184 | 37 | 50 | 77 | 20 |
| Urinary tract infection 599.0 | 481 | 95 | 114 | 186 | 86 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 535 | 77 | 91 | 255 | 111 |
| Diseases of the skin and subcutaneous tissue 680-709 | 751 | 155 | 169 | 308 | 119 |
| Cellulitis and abscess 681-682 | 551 | 122 | 135 | 202 | 92 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 1,945 | 405 | 504 | 631 | 406 |
| Osteoarthritis and allied disorders 715 | 761 | 160 | 214 | 224 | 163 |
| Intervertebral disc disorders 722 | 313 | 61 | 79 | 115 | 57 |
| Congenital anomalies 740-759 | 182 | 48 | * | 65 | * |
| Certain conditions originating in the perinatal period 760-779 | 201 | 23 | * | 65 | 69 |
| Symptoms, signs, and ill-defined conditions 780-799 | 198 | 52 | 37 | 78 | 30 |
| Injury and poisoning 800-999 | 2,826 | 555 | 670 | 1,007 | 594 |
| Fractures, all sites ² 800-829 | 1,009 | 191 | 257 | 345 | 216 |
| Fracture of neck of femur ² 820 | 302 | 57 | 76 | 109 | 60 |
| Poisonings 960-989 | 258 | 53 | 63 | 94 | 48 |
| Certain complications of surgical and medical care 996-999 | 863 | 185 | 182 | 311 | 185 |
| Supplementary classifications V01-V84 | 4,933 | 773 | 1,017 | 1,911 | 1,232 |
| Females with deliveries V27 | 4,038 | 591 | 824 | 1,574 | 1,049 |

* Figure does not meet standards of reliability or precision.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 18. Rate of discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | United States | Northeast | Midwest | South | West |
|---|---------------|-----------|---------|---------|-------|
| | | | | | |
| All conditions | 1,174.4 | 1,317.6 | 1,206.2 | 1,208.3 | 975.1 |
| Infectious and parasitic diseases 001-139 | 35.4 | 43.0 | 34.2 | 35.8 | 29.7 |
| Septicemia 038 | 16.6 | 17.8 | 17.5 | 16.6 | 14.6 |
| Neoplasms 140-239 | 54.7 | 63.8 | 52.3 | 56.1 | 47.5 |
| Malignant neoplasms 140-208,230-234 | 40.5 | 47.5 | 39.3 | 40.6 | 35.9 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 5.0 | 5.5 | 5.5 | 5.0 | 4.2 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 5.2 | 6.6 | 5.7 | 5.6 | 3.1 |
| Benign neoplasms 210-229 | 12.5 | 14.1 | 11.2 | 13.8 | 10.3 |
| Benign neoplasm of uterus 218-219 | 6.8 | 7.0 | 6.0 | 8.3 | 5.1 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 57.9 | 70.2 | 57.8 | 60.4 | 44.0 |
| Diabetes mellitus 250 | 19.8 | 27.1 | 18.1 | 20.1 | 15.1 |
| Volume depletion 276.5 | 16.9 | 16.6 | 18.3 | 20.3 | 10.6 |
| Diseases of the blood and blood-forming organs 280-289 | 15.4 | 19.5 | 14.8 | 16.5 | 10.9 |
| Anemias 280-285 | 11.0 | 14.7 | 10.4 | 12.1 | 7.0 |
| Mental disorders 290-319 | 81.2 | 121.9 | 78.7 | * | 31.3 |
| Psychoses 290-299 | 59.2 | 85.7 | 59.9 | * | 21.7 |
| Schizophrenic disorders 295 | 11.9 | * | 9.0 | * | 3.8 |
| Major depressive disorder 296.2-296.3 | 15.9 | 19.1 | 17.3 | * | 4.4 |
| Diseases of the nervous system and sense organs 320-389 | 19.1 | 24.8 | 18.9 | 18.3 | 16.2 |
| Diseases of the circulatory system 390-459 | 208.7 | 255.1 | 222.3 | 208.4 | 158.5 |
| Essential hypertension 401 | 10.2 | 12.4 | 10.2 | 11.1 | 7.1 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 143.3 | 179.0 | 155.0 | 139.7 | 108.9 |
| Acute myocardial infarction 410 | 23.1 | 31.3 | 23.4 | 20.7 | 20.2 |
| Coronary atherosclerosis 414.0 | 33.2 | 37.4 | 36.2 | 33.2 | 26.9 |
| Other ischemic heart disease 411-413,414.1-414.9 | 5.6 | 8.0 | 5.5 | 5.6 | 3.8 |
| Cardiac dysrhythmias 427 | 26.2 | 33.9 | 29.0 | 24.2 | 20.4 |
| Congestive heart failure 428.0,428.2-428.4 | 36.6 | 43.8 | 41.7 | 38.0 | 23.5 |
| Cerebrovascular disease 430-438 | 30.3 | 34.5 | 32.1 | 30.5 | 25.1 |
| Diseases of the respiratory system 460-519 | 126.9 | 137.3 | 146.7 | 126.7 | 99.6 |
| Acute bronchitis and bronchiolitis 466 | 7.8 | 6.9 | 7.6 | 8.1 | 8.3 |
| Pneumonia 480-486 | 46.3 | 46.4 | 56.9 | 45.8 | 36.9 |
| Chronic bronchitis 491 | 19.3 | 21.3 | 23.6 | 20.7 | 11.1 |
| Asthma 493 | 16.6 | 22.3 | 17.5 | 16.2 | 11.6 |
| Diseases of the digestive system 520-579 | 115.9 | 130.5 | 121.0 | 114.7 | 101.2 |
| Appendicitis 540-543 | 10.9 | 11.6 | 10.7 | 9.1 | 13.3 |
| Noninfectious enteritis and colitis 555-558 | 10.8 | 13.6 | 11.9 | 10.7 | 7.5 |
| Intestinal obstruction 560 | 10.3 | 10.4 | 12.7 | 9.6 | 8.9 |
| Diverticula of intestine 562 | 10.4 | 13.9 | 12.0 | 9.5 | 7.5 |
| Cholelithiasis 574 | 11.0 | 12.5 | 11.2 | 11.0 | 9.7 |
| Acute pancreatitis 577.0 | 8.0 | 7.8 | 8.5 | 9.0 | 6.3 |
| Diseases of the genitourinary system 580-629 | 67.2 | 68.9 | 70.5 | 73.2 | 53.2 |
| Calculus of kidney and ureter 592 | 6.2 | 6.8 | 7.5 | 7.3 | 2.9 |
| Urinary tract infection 599.0 | 16.3 | 17.4 | 17.3 | 17.4 | 12.6 |
| Complications of pregnancy, childbirth, and the puerperium ² 630-677 | 18.1 | 14.2 | 13.8 | 23.8 | 16.4 |
| Diseases of the skin and subcutaneous tissue 680-709 | 25.4 | 28.5 | 25.6 | 28.8 | 17.5 |
| Cellulitis and abscess 681-682 | 18.7 | 22.3 | 20.4 | 18.9 | 13.6 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 65.9 | 74.1 | 76.5 | 59.0 | 59.7 |
| Osteoarthritis and allied disorders 715 | 25.8 | 29.4 | 32.4 | 21.0 | 24.0 |
| Intervertebral disc disorders 722 | 10.6 | 11.1 | 12.0 | 10.8 | 8.5 |
| Congenital anomalies 740-759 | 6.2 | 8.8 | * | 6.0 | * |
| Certain conditions originating in the perinatal period 760-779 | 6.8 | 4.1 | * | 6.1 | 10.1 |
| Symptoms, signs, and ill-defined conditions 780-799 | 6.7 | 9.6 | 5.7 | 7.3 | 4.5 |
| Injury and poisoning 800-999 | 95.7 | 101.7 | 101.7 | 94.3 | 87.4 |
| Fractures, all sites ³ 800-829 | 34.2 | 35.1 | 39.0 | 32.3 | 31.8 |
| Fracture of neck of femur ³ 820 | 10.2 | 10.4 | 11.5 | 10.2 | 8.8 |
| Poisonings 960-989 | 8.8 | 9.7 | 9.6 | 8.8 | 7.1 |
| Certain complications of surgical and medical care 996-999 | 29.2 | 33.8 | 27.6 | 29.1 | 27.3 |
| Supplementary classifications V01-V84 | 167.1 | 141.7 | 154.3 | 178.9 | 181.4 |
| Females with deliveries V27 | 136.8 | 108.3 | 125.1 | 147.4 | 154.4 |

* Figure does not meet standards of reliability or precision.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."³Excludes fractures coded as 733.1, pathologic fracture.

Table 19. Average length of stay for discharges from short-stay hospitals, by geographic region and first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Category of first-listed diagnosis and ICD-9-CM code | United States | Northeast | Midwest | South | West |
|---|--------------------------------|-----------|---------|-------|------|
| | Average length of stay in days | | | | |
| All conditions | 4.8 | 5.4 | 4.2 | 4.9 | 4.6 |
| Infectious and parasitic diseases 001-139 | 6.6 | 7.4 | 5.5 | 6.7 | 7.0 |
| Septicemia 038 | 8.2 | 9.7 | 6.7 | 8.3 | 8.5 |
| Neoplasms 140-239 | 6.0 | 6.8 | 5.4 | 5.9 | 5.8 |
| Malignant neoplasms 140-208,230-234 | 6.8 | 7.6 | 6.1 | 6.8 | 6.6 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 8.3 | 9.2 | 7.3 | 8.9 | 7.2 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 7.4 | 7.8 | 5.8 | 7.8 | 8.7 |
| Benign neoplasms 210-229 | 3.5 | 4.1 | 3.0 | 3.6 | 3.1 |
| Benign neoplasm of uterus 218-219 | 2.9 | 3.6 | 2.4 | 2.9 | 2.6 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 4.0 | 4.6 | 3.8 | 3.9 | 3.6 |
| Diabetes mellitus 250 | 4.7 | 5.5 | 4.0 | 4.9 | 4.0 |
| Volume depletion 276.5 | 3.4 | 4.0 | 3.4 | 3.2 | 3.3 |
| Diseases of the blood and blood-forming organs 280-289 | 4.4 | 4.7 | 3.4 | 4.5 | 5.1 |
| Anemias 280-285 | 4.4 | 4.5 | 3.4 | 4.4 | 5.7 |
| Mental disorders 290-319 | 6.9 | 8.6 | 5.4 | 6.9 | 5.5 |
| Psychoses 290-299 | 7.6 | 9.5 | 6.0 | 7.5 | 6.4 |
| Schizophrenic disorders 295 | 10.6 | 13.0 | 8.3 | 9.9 | 10.8 |
| Major depressive disorder 296.2-296.3 | 6.9 | 9.2 | 5.4 | 6.7 | 6.6 |
| Diseases of the nervous system and sense organs 320-389 | 5.2 | 5.7 | 4.4 | 5.1 | 5.6 |
| Diseases of the circulatory system 390-459 | 4.6 | 4.9 | 4.1 | 4.7 | 4.5 |
| Essential hypertension 401 | 2.2 | 2.3 | 2.2 | 2.3 | 2.0 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 4.5 | 4.8 | 4.0 | 4.7 | 4.2 |
| Acute myocardial infarction 410 | 5.5 | 5.9 | 5.0 | 5.6 | 5.6 |
| Coronary atherosclerosis 414.0 | 3.5 | 3.4 | 3.0 | 4.0 | 3.3 |
| Other ischemic heart disease 411-413,414.1-414.9 | 2.4 | 2.5 | 2.5 | 2.3 | 2.3 |
| Cardiac dysrhythmias 427 | 3.4 | 3.9 | 3.0 | 3.4 | 3.1 |
| Congestive heart failure 428.0,428.2-428.4 | 5.1 | 5.6 | 4.7 | 5.2 | 4.8 |
| Cerebrovascular disease 430-438 | 5.2 | 5.4 | 4.3 | 4.9 | 6.6 |
| Diseases of the respiratory system 460-519 | 5.2 | 5.7 | 4.4 | 5.3 | 5.6 |
| Acute bronchitis and bronchiolitis 466 | 3.2 | 3.9 | 3.1 | 3.1 | 3.0 |
| Pneumonia 480-486 | 5.3 | 5.7 | 4.6 | 5.5 | 5.4 |
| Chronic bronchitis 491 | 5.0 | 5.4 | 4.2 | 4.8 | 6.6 |
| Asthma 493 | 3.3 | 3.5 | 2.7 | 3.7 | 3.2 |
| Diseases of the digestive system 520-579 | 4.7 | 5.0 | 4.3 | 5.0 | 4.5 |
| Appendicitis 540-543 | 3.1 | 3.4 | 2.8 | 3.0 | 3.1 |
| Noninfectious enteritis and colitis 555-558 | 4.6 | 4.5 | 3.7 | 5.2 | 4.6 |
| Intestinal obstruction 560 | 6.4 | 6.7 | 6.0 | 6.9 | 5.9 |
| Diverticula of intestine 562 | 5.3 | 6.0 | 4.4 | 5.6 | 4.7 |
| Cholelithiasis 574 | 4.2 | 4.8 | 3.4 | 4.1 | 4.9 |
| Acute pancreatitis 577.0 | 5.1 | 5.2 | 4.6 | 5.4 | 4.7 |
| Diseases of the genitourinary system 580-629 | 3.8 | 4.4 | 3.4 | 3.7 | 3.9 |
| Calculus of kidney and ureter 592 | 2.3 | 2.2 | 2.1 | 2.4 | 2.8 |
| Urinary tract infection 599.0 | 4.5 | 5.1 | 4.1 | 4.6 | 4.4 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 2.9 | 2.6 | 3.1 | 2.9 | 2.7 |
| Diseases of the skin and subcutaneous tissue 680-709 | 5.0 | 5.5 | 4.4 | 4.8 | 5.5 |
| Cellulitis and abscess 681-682 | 4.7 | 5.2 | 4.0 | 4.7 | 5.2 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 3.9 | 4.1 | 3.6 | 3.9 | 4.0 |
| Osteoarthritis and allied disorders 715 | 3.7 | 4.0 | 3.7 | 3.7 | 3.5 |
| Intervertebral disc disorders 722 | 2.9 | 2.8 | 2.6 | 3.1 | 3.1 |
| Congenital anomalies 740-759 | 6.8 | 6.8 | 8.2 | 5.8 | 7.3 |
| Certain conditions originating in the perinatal period 760-779 | 10.5 | 10.2 | 8.5 | 11.8 | 10.6 |
| Symptoms, signs, and ill-defined conditions 780-799 | 2.8 | 2.7 | 2.5 | 2.8 | 3.0 |
| Injury and poisoning 800-999 | 5.2 | 5.2 | 4.5 | 5.8 | 5.2 |
| Fractures, all sites ² 800-829 | 5.3 | 5.1 | 4.6 | 5.9 | 5.3 |
| Fracture of neck of femur ² 820 | 6.3 | 6.7 | 5.8 | 6.6 | 6.0 |
| Poisonings 960-989 | 3.0 | 4.1 | 2.5 | 2.8 | 2.7 |
| Certain complications of surgical and medical care 996-999 | 6.0 | 6.1 | 5.5 | 6.5 | 5.7 |
| Supplementary classifications V01-V84 | 3.7 | 4.2 | 3.6 | 3.6 | 3.4 |
| Females with deliveries V27 | 2.6 | 2.8 | 2.5 | 2.6 | 2.5 |

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 20. Number of all-listed diagnoses for discharges from short-stay hospitals, by age and diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| All-listed diagnosis and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over |
|---|---------------------|----------------|-------------|-------------|-------------------|
| | Number in thousands | | | | |
| All conditions | 169,359 | 7,242 | 41,680 | 42,790 | 77,647 |
| Infectious and parasitic diseases 001-139 | 4,331 | 466 | 901 | 1,182 | 1,782 |
| Septicemia 038 | 861 | 24 | 89 | 213 | 534 |
| Neoplasms 140-239 | 4,454 | 112 | 613 | 1,560 | 2,169 |
| Malignant neoplasms 140-208,230-234 | 3,439 | 97 | 288 | 1,173 | 1,881 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 258 | * | 10 | 84 | 165 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 494 | * | 20 | 165 | 305 |
| Benign neoplasms 210-229 | 855 | 9 | 302 | 346 | 199 |
| Benign neoplasm of uterus 218-219 | 434 | * | 217 | 203 | 14 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 20,325 | 622 | 2,619 | 6,270 | 10,813 |
| Diabetes mellitus 250 | 5,480 | 40 | 611 | 1,881 | 2,949 |
| Volume depletion 276.5 | 2,558 | 326 | 326 | 475 | 1,432 |
| Diseases of the blood and blood-forming organs 280-289 | 5,109 | 186 | 1,045 | 1,293 | 2,584 |
| Anemias 280-285 | 3,831 | 100 | 804 | 913 | 2,014 |
| Mental disorders 290-319 | 12,695 | 356 | 5,330 | 3,911 | 3,098 |
| Psychoses 290-299 | 4,154 | 107 | 1,486 | 977 | 1,583 |
| Schizophrenic disorders 295 | 586 | * | 263 | 229 | 92 |
| Major depressive disorder 296.2-296.3 | 653 | 24 | 341 | 196 | 91 |
| Diseases of the nervous system and sense organs 320-389 | 3,942 | 373 | 678 | 912 | 1,979 |
| Diseases of the circulatory system 390-459 | 34,677 | 140 | 2,104 | 8,997 | 23,436 |
| Essential hypertension 401 | 9,003 | 18 | 710 | 2,869 | 5,406 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 19,747 | 76 | 923 | 4,568 | 14,180 |
| Acute myocardial infarction 410 | 865 | * | 47 | 253 | 563 |
| Coronary atherosclerosis 414.0 | 4,340 | * | 123 | 1,195 | 3,020 |
| Other ischemic heart disease 411-413,414.1-414.9 | 1,988 | * | 99 | 642 | 1,245 |
| Cardiac dysrhythmias 427 | 4,528 | 25 | 194 | 795 | 3,514 |
| Congestive heart failure 428.0,428.2-428.4 | 4,141 | 10 | 127 | 804 | 3,199 |
| Cerebrovascular disease 430-438 | 1,832 | * | 89 | 412 | 1,323 |
| Diseases of the respiratory system 460-519 | 12,384 | 1,212 | 1,475 | 2,999 | 6,699 |
| Acute bronchitis and bronchiolitis 466 | 396 | 198 | 37 | 55 | 107 |
| Pneumonia 480-486 | 2,385 | 258 | 216 | 470 | 1,442 |
| Chronic bronchitis 491 | 1,202 | * | 39 | 322 | 839 |
| Asthma 493 | 1,928 | 347 | 521 | 535 | 525 |
| Diseases of the digestive system 520-579 | 11,108 | 537 | 2,232 | 3,495 | 4,843 |
| Appendicitis 540-543 | 352 | 80 | 179 | 68 | 26 |
| Noninfectious enteritis and colitis 555-558 | 686 | 120 | 162 | 164 | 241 |
| Intestinal obstruction 560 | 773 | 26 | 113 | 215 | 420 |
| Diverticula of intestine 562 | 634 | * | 55 | 181 | 398 |
| Cholelithiasis 574 | 579 | *2 | 169 | 168 | 240 |
| Acute pancreatitis 577.0 | 342 | 5 | 116 | 125 | 97 |
| Diseases of the genitourinary system 580-629 | 9,073 | 204 | 2,065 | 2,209 | 4,595 |
| Calculus of kidney and ureter 592 | 324 | * | 122 | 113 | 84 |
| Urinary tract infection 599.0 | 2,230 | 47 | 238 | 389 | 1,556 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 10,394 | 19 | 10,353 | 22 | ... |
| Diseases of the skin and subcutaneous tissue 680-709 | 2,632 | 218 | 502 | 764 | 1,149 |
| Cellulitis and abscess 681-682 | 1,174 | 84 | 266 | 389 | 436 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 6,884 | 101 | 979 | 2,089 | 3,716 |
| Osteoarthritis and allied disorders 715 | 1,809 | * | 66 | 500 | 1,243 |
| Intervertebral disc disorders 722 | 560 | * | 166 | 247 | 147 |
| Congenital anomalies 740-759 | 718 | 422 | 124 | 95 | 76 |
| Certain conditions originating in the perinatal period 760-779 | 614 | 611 | * | * | * |
| Symptoms, signs, and ill-defined conditions 780-799 | 8,829 | 771 | 1,951 | 2,522 | 3,585 |
| Injury and poisoning 800-999 | 7,122 | 476 | 2,108 | 1,824 | 2,714 |
| Fractures, all sites ² 800-829 | 1,642 | 95 | 461 | 332 | 753 |
| Fracture of neck of femur ² 820 | 338 | * | 9 | 32 | 296 |
| Poisonings 960-989 | 466 | 23 | 288 | 112 | 43 |
| Certain complications of surgical and medical care 996-999 | 2,201 | 86 | 403 | 740 | 971 |
| Supplementary classifications V01-V84 | 14,070 | 416 | 6,600 | 2,645 | 4,409 |
| Females with deliveries V27 | 4,038 | *6 | 4,025 | *7 | ... |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 21. Number of all-listed diagnoses for discharges from short-stay hospitals, by sex and diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| All-listed diagnoses and ICD-9-CM code | Both sexes | Number in thousands | |
|---|------------|---------------------|--------|
| | | Male | Female |
| All conditions | 169,359 | 69,385 | 99,974 |
| Infectious and parasitic diseases 001-139 | 4,331 | 1,955 | 2,376 |
| Septicemia 038 | 861 | 428 | 434 |
| Neoplasms 140-239 | 4,454 | 1,921 | 2,532 |
| Malignant neoplasms 140-208,230-234 | 3,439 | 1,695 | 1,744 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 258 | 125 | 133 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 494 | 267 | 227 |
| Benign neoplasms 210-229 | 855 | 156 | 699 |
| Benign neoplasm of uterus 218-219 | 434 | ... | 434 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 20,325 | 8,570 | 11,754 |
| Diabetes mellitus 250 | 5,480 | 2,477 | 3,003 |
| Volume depletion 276.5 | 2,558 | 1,081 | 1,477 |
| Diseases of the blood and blood-forming organs 280-289 | 5,109 | 2,032 | 3,077 |
| Anemias 280-285 | 3,831 | 1,418 | 2,413 |
| Mental disorders 290-319 | 12,695 | 6,005 | 6,690 |
| Psychoses 290-299 | 4,154 | 1,878 | 2,276 |
| Schizophrenic disorders 295 | 586 | 308 | 278 |
| Major depressive disorder 296.2-296.3 | 653 | 253 | 400 |
| Diseases of the nervous system and sense organs 320-389 | 3,942 | 1,708 | 2,234 |
| Diseases of the circulatory system 390-459 | 34,677 | 16,812 | 17,865 |
| Essential hypertension 401 | 9,003 | 3,841 | 5,161 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 19,747 | 10,090 | 9,657 |
| Acute myocardial infarction 410 | 865 | 499 | 366 |
| Coronary atherosclerosis 414.0 | 4,340 | 2,528 | 1,812 |
| Other ischemic heart disease 411-413,414.1-414.9 | 1,988 | 1,197 | 791 |
| Cardiac dysrhythmias 427 | 4,528 | 2,253 | 2,274 |
| Congestive heart failure 428.0,428.2-428.4 | 4,141 | 1,850 | 2,292 |
| Cerebrovascular disease 430-438 | 1,832 | 851 | 981 |
| Diseases of the respiratory system 460-519 | 12,384 | 5,804 | 6,580 |
| Acute bronchitis and bronchiolitis 466 | 396 | 190 | 206 |
| Pneumonia 480-486 | 2,385 | 1,159 | 1,226 |
| Chronic bronchitis 491 | 1,202 | 568 | 634 |
| Asthma 493 | 1,928 | 653 | 1,275 |
| Diseases of the digestive system 520-579 | 11,108 | 4,786 | 6,322 |
| Appendicitis 540-543 | 352 | 187 | 164 |
| Noninfectious enteritis and colitis 555-558 | 686 | 276 | 410 |
| Intestinal obstruction 560 | 773 | 344 | 430 |
| Diverticula of intestine 562 | 634 | 238 | 397 |
| Cholelithiasis 574 | 579 | 213 | 366 |
| Acute pancreatitis 577.0 | 342 | 181 | 161 |
| Diseases of the genitourinary system 580-629 | 9,073 | 3,339 | 5,734 |
| Calculus of kidney and ureter 592 | 324 | 160 | 165 |
| Urinary tract infection 599.0 | 2,230 | 643 | 1,586 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 10,394 | ... | 10,394 |
| Diseases of the skin and subcutaneous tissue 680-709 | 2,632 | 1,323 | 1,309 |
| Cellulitis and abscess 681-682 | 1,174 | 624 | 551 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 6,884 | 2,457 | 4,427 |
| Osteoarthritis and allied disorders 715 | 1,809 | 637 | 1,171 |
| Intervertebral disc disorders 722 | 560 | 258 | 302 |
| Congenital anomalies 740-759 | 718 | 371 | 347 |
| Certain conditions originating in the perinatal period 760-779 | 614 | 344 | 270 |
| Symptoms, signs, and ill-defined conditions 780-799 | 8,829 | 3,964 | 4,865 |
| Injury and poisoning 800-999 | 7,122 | 3,694 | 3,427 |
| Fractures, all sites ² 800-829 | 1,642 | 783 | 858 |
| Fracture of neck of femur ² 820 | 338 | 96 | 242 |
| Poisonings 960-989 | 466 | 206 | 261 |
| Certain complications of surgical and medical care 996-999 | 2,201 | 1,068 | 1,133 |
| Supplementary classifications V01-V84 | 14,070 | 4,298 | 9,771 |
| Females with deliveries V27 | 4,038 | ... | 4,038 |

... Category not applicable.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 22. Number of all-listed diagnoses for discharges from short-stay hospitals, by geographic region and diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| All-listed diagnoses and ICD-9-CM code | United States | Northeast | Midwest | South | West |
|---|---------------------|-----------|---------|--------|--------|
| | Number in thousands | | | | |
| All conditions | 169,359 | 35,502 | 41,303 | 60,850 | 31,703 |
| Infectious and parasitic diseases 001-139 | 4,331 | 936 | 937 | 1,617 | 840 |
| Septicemia 038 | 861 | 178 | 189 | 324 | 171 |
| Neoplasms 140-239 | 4,454 | 992 | 991 | 1,642 | 828 |
| Malignant neoplasms 140-208,230-234 | 3,439 | 770 | 779 | 1,250 | 640 |
| Malignant neoplasm of large intestine and rectum 153-154,197.5 | 258 | 58 | 61 | 99 | 40 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 494 | 115 | 123 | 185 | 70 |
| Benign neoplasms 210-229 | 855 | 182 | 174 | 334 | 165 |
| Benign neoplasm of uterus 218-219 | 434 | 84 | 82 | 191 | 78 |
| Endocrine, nutritional and metabolic diseases, and immunity disorders 240-279 | 20,325 | 4,338 | 5,228 | 7,146 | 3,613 |
| Diabetes mellitus 250 | 5,480 | 1,236 | 1,330 | 1,992 | 923 |
| Volume depletion 276.5 | 2,558 | 492 | 668 | 955 | 443 |
| Diseases of the blood and blood-forming organs 280-289 | 5,109 | 1,008 | 1,221 | 1,876 | 1,004 |
| Anemias 280-285 | 3,831 | 746 | 936 | 1,420 | 730 |
| Mental disorders 290-319 | 12,695 | 3,108 | 3,229 | 4,470 | 1,888 |
| Psychoses 290-299 | 4,154 | 1,052 | 1,005 | 1,563 | 534 |
| Schizophrenic disorders 295 | 586 | 157 | 108 | 255 | 67 |
| Major depressive disorder 296.2-296.3 | 653 | 141 | 162 | 296 | 55 |
| Diseases of the nervous system and sense organs 320-389 | 3,942 | 849 | 999 | 1,354 | 740 |
| Diseases of the circulatory system 390-459 | 34,677 | 7,822 | 8,659 | 12,260 | 5,936 |
| Essential hypertension 401 | 9,003 | 2,044 | 2,211 | 3,243 | 1,505 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 19,747 | 4,541 | 5,039 | 6,843 | 3,324 |
| Acute myocardial infarction 410 | 865 | 219 | 207 | 274 | 166 |
| Coronary atherosclerosis 414.0 | 4,340 | 1,011 | 1,111 | 1,511 | 706 |
| Other ischemic heart disease 411-413,414.1-414.9 | 1,988 | 458 | 487 | 694 | 349 |
| Cardiac dysrhythmias 427 | 4,528 | 1,034 | 1,183 | 1,502 | 808 |
| Congestive heart failure 428.0,428.2-428.4 | 4,141 | 882 | 1,112 | 1,508 | 640 |
| Cerebrovascular disease 430-438 | 1,832 | 381 | 447 | 644 | 361 |
| Diseases of the respiratory system 460-519 | 12,384 | 2,543 | 3,080 | 4,498 | 2,262 |
| Acute bronchitis and bronchiolitis 466 | 396 | 68 | 94 | 147 | 88 |
| Pneumonia 480-486 | 2,385 | 458 | 623 | 849 | 455 |
| Chronic bronchitis 491 | 1,202 | 253 | 299 | 470 | 179 |
| Asthma 493 | 1,928 | 472 | 459 | 653 | 343 |
| Diseases of the digestive system 520-579 | 11,108 | 2,310 | 2,716 | 4,005 | 2,076 |
| Appendicitis 540-543 | 352 | 69 | 81 | 106 | 97 |
| Noninfectious enteritis and colitis 555-558 | 686 | 151 | 163 | 259 | 113 |
| Intestinal obstruction 560 | 773 | 141 | 212 | 276 | 145 |
| Diverticula of intestine 562 | 634 | 151 | 172 | 209 | 102 |
| Cholelithiasis 574 | 579 | 115 | 140 | 204 | 120 |
| Acute pancreatitis 577.0 | 342 | 64 | 76 | 139 | 64 |
| Diseases of the genitourinary system 580-629 | 9,073 | 1,829 | 2,125 | 3,474 | 1,644 |
| Calculus of kidney and ureter 592 | 324 | 75 | 82 | 128 | 38 |
| Urinary tract infection 599.0 | 2,230 | 465 | 535 | 840 | 390 |
| Complications of pregnancy, childbirth, and the puerperium ¹ 630-677 | 10,394 | 1,539 | 2,153 | 4,080 | 2,621 |
| Diseases of the skin and subcutaneous tissue 680-709 | 2,632 | 587 | 594 | 975 | 477 |
| Cellulitis and abscess 681-682 | 1,174 | 263 | 277 | 428 | 206 |
| Diseases of the musculoskeletal system and connective tissue 710-739 | 6,884 | 1,457 | 1,858 | 2,270 | 1,299 |
| Osteoarthritis and allied disorders 715 | 1,809 | 392 | 510 | 586 | 321 |
| Intervertebral disc disorders 722 | 560 | 109 | 147 | 204 | 101 |
| Congenital anomalies 740-759 | 718 | 157 | 142 | 237 | * |
| Certain conditions originating in the perinatal period 760-779 | 614 | 80 | * | 215 | * |
| Symptoms, signs, and ill-defined conditions 780-799 | 8,829 | 1,863 | 2,377 | 3,010 | 1,579 |
| Injury and poisoning 800-999 | 7,122 | 1,363 | 1,702 | 2,536 | 1,521 |
| Fractures, all sites ² 800-829 | 1,642 | 296 | 418 | 580 | 348 |
| Fracture of neck of femur ² 820 | 338 | 63 | 83 | 126 | 67 |
| Poisonings 960-989 | 466 | 84 | 129 | 169 | 85 |
| Certain complications of surgical and medical care 996-999 | 2,201 | 485 | 458 | 782 | 475 |
| Supplementary classifications V01-V84 | 14,070 | 2,720 | 3,167 | 5,187 | 2,997 |
| Females with deliveries V27 | 4,038 | 591 | 824 | 1,574 | 1,049 |

* Figure does not meet standards of reliability or precision.

¹First-listed diagnosis for females with deliveries is coded V27, shown under "Supplementary classifications."²Excludes fractures coded as 733.1, pathologic fracture.

Table 23. Number and rate of discharges from short-stay hospitals with a human immunodeficiency virus diagnosis, by selected characteristics: United States, selected years, 1990–2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Data are for discharges with at least one of the following *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM) codes: 042–044, 279.19, 795.8 (prior to 1995); 042, V08 (beginning in 1995)]

| Characteristic | 1990 | 1995 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
|---------------------------------|--|-------|-------|-------|-------|-------|-------|-------|
| | Number in thousands | | | | | | | |
| All HIV discharges ¹ | 146 | 249 | 173 | 185 | 189 | 207 | 204 | 185 |
| Sex | | | | | | | | |
| Male | 114 | 183 | 115 | 115 | 124 | 136 | 132 | 113 |
| Female | 32 | 66 | 58 | 70 | 65 | 71 | 73 | 72 |
| Age | | | | | | | | |
| Under 25 years | 14 | 17 | 7 | 10 | 10 | 9 | 10 | 8 |
| 25–29 years | 20 | 26 | 11 | 8 | 11 | 13 | 8 | 9 |
| 30–34 years | 38 | 48 | 28 | 28 | 23 | 21 | 15 | 11 |
| 35–39 years | 36 | 59 | 35 | 41 | 35 | 38 | 35 | 26 |
| 40–44 years | 17 | 49 | 34 | 43 | 42 | 38 | 46 | 45 |
| 45 years and over | 21 | 51 | 58 | 56 | 68 | 87 | 90 | 85 |
| Region | | | | | | | | |
| Northeast | 66 | 95 | 68 | 61 | 57 | 70 | 67 | 71 |
| Midwest | 20 | 27 | 20 | 18 | 20 | 17 | 21 | 18 |
| South | 37 | 87 | 64 | 86 | 81 | 94 | 99 | 79 |
| West | 24 | 41 | 21 | 21 | 31 | 27 | 17 | 17 |
| | Rate per 100,000 population ² | | | | | | | |
| All HIV discharges ¹ | 58.1 | 93.9 | 61.6 | 65.2 | 65.8 | 71.6 | 69.9 | 62.6 |
| Sex | | | | | | | | |
| Male | 93.4 | 141.6 | 83.9 | 82.8 | 88.5 | 95.9 | 91.7 | 77.7 |
| Female | 24.7 | 48.4 | 40.1 | 48.2 | 44.1 | 48.2 | 48.9 | 48.1 |
| Age | | | | | | | | |
| Under 25 years | 14.8 | 17.6 | 7.5 | 10.1 | 9.5 | 8.9 | 10.2 | 8.2 |
| 25–29 years | 95.1 | 132.2 | 56.6 | 41.3 | 57.5 | 71.3 | 38.9 | 43.3 |
| 30–34 years | 172.8 | 216.2 | 134.9 | 137.6 | 113.0 | 104.6 | 71.9 | 56.6 |
| 35–39 years | 179.0 | 262.7 | 154.4 | 182.9 | 159.7 | 180.8 | 168.3 | 125.8 |
| 40–44 years | 94.8 | 241.4 | 152.6 | 187.4 | 185.2 | 166.6 | 201.3 | 197.6 |
| 45 years and over | 27.4 | 60.2 | 59.8 | 55.8 | 66.6 | 83.1 | 84.6 | 77.9 |
| Region | | | | | | | | |
| Northeast | 128.8 | 183.3 | 126.6 | 112.3 | 107.9 | 129.4 | 122.1 | 130.2 |
| Midwest | 33.6 | 43.5 | 30.8 | 27.9 | 31.7 | 25.9 | 32.6 | 26.8 |
| South | 42.1 | 93.1 | 64.2 | 84.5 | 81.7 | 90.1 | 94.3 | 74.3 |
| West | 44.1 | 69.5 | 33.4 | 32.6 | 49.9 | 40.2 | 25.7 | 24.7 |

¹HIV is human immunodeficiency virus.

²Rates are based on the U.S. Census Bureau estimates of the civilian population. Populations for 1990–1995 were adjusted for the net underenumeration in the 1990 census. Population for 2000–2005 were 2000-based postcensal estimates.

Table 24. Annual average number and rate of discharges from short-stay hospitals with a first-listed injury diagnosis, by Barell injury diagnosis matrix categories: United States, 2003–2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. *International Classification of Diseases, Ninth Revision, Clinical Modification* code numbers for Barell matrix categories are shown in Table III.]

| Nature of injury | All body regions | Traumatic brain injury | Other head, face, and neck | Spinal cord | Vertebral column | Torso | Upper extremities | Lower extremities | Other and unspecified |
|---|------------------|------------------------|----------------------------|-------------|------------------|-------|-------------------|-------------------|-----------------------|
| Number in thousands ¹ | | | | | | | | | |
| All injuries | 1,934 | 200 | 126 | 11 | 99 | 242 | 248 | 680 | 25 |
| Fracture | 1,033 | 53 | 38 | 8 | 86 | 99 | 160 | 590 | * |
| Dislocation | 16 | ... | * | ... | 2 | * | 5 | 7 | – |
| Sprains and strains | 51 | ... | – | ... | 10 | 3 | 16 | 20 | *2 |
| Internal | 232 | 147 | ... | 4 | ... | 81 | ... | ... | * |
| Open wound | 95 | ... | 38 | ... | ... | 13 | 25 | 18 | * |
| Amputation | 9 | ... | ... | ... | ... | ... | 7 | *1 | ... |
| Blood vessels | 8 | ... | * | ... | ... | *2 | 3 | *1 | * |
| Contusions and superficial injuries | 65 | ... | 15 | ... | ... | 20 | 6 | 21 | 3 |
| Crush | 4 | ... | * | ... | ... | * | *2 | * | – |
| Burns | * | ... | * | ... | ... | * | * | * | * |
| Nerves and spinal cord | 3 | * | * | ... | ... | * | *2 | ... | * |
| Unspecified | 32 | ... | 20 | ... | ... | 6 | * | 2 | *3 |
| System-wide | 303 | ... | ... | ... | ... | ... | ... | ... | ... |
| Rate per 10,000 population ² | | | | | | | | | |
| All injuries | 66.1 | 6.8 | 4.3 | 0.4 | 3.4 | 8.3 | 8.5 | 23.2 | 0.9 |
| Fracture | 35.3 | 1.8 | 1.3 | 0.3 | 2.9 | 3.4 | 5.5 | 20.2 | * |
| Dislocation | 0.5 | ... | * | ... | 0.1 | * | 0.2 | 0.2 | – |
| Sprains and strains | 1.7 | ... | – | ... | 0.3 | 0.1 | 0.5 | 0.7 | *0.1 |
| Internal | 7.9 | 5.0 | ... | 0.1 | ... | 2.8 | ... | ... | * |
| Open wound | 3.2 | ... | 1.3 | ... | ... | 0.4 | 0.8 | 0.6 | * |
| Amputation | 0.3 | ... | ... | ... | ... | ... | 0.3 | *0.0 | ... |
| Blood vessels | 0.3 | ... | * | ... | ... | *0.1 | 0.1 | *0.0 | * |
| Contusions and superficial injuries | 2.2 | ... | 0.5 | ... | ... | 0.7 | 0.2 | 0.7 | 0.1 |
| Crush | 0.1 | ... | * | ... | ... | * | *0.1 | * | – |
| Burns | * | ... | * | ... | ... | * | * | * | * |
| Nerves and spinal cord | 0.1 | * | * | ... | ... | * | *0.1 | ... | * |
| Unspecified | 1.1 | ... | 0.7 | ... | ... | 0.2 | * | 0.1 | *0.1 |
| System-wide | 10.4 | ... | ... | ... | ... | ... | ... | ... | ... |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

– Quantity zero.

0.0 Quantity more than zero but less than 0.05.

¹The annual average number of discharges was computed by adding the number of discharges with a first-listed injury diagnosis during the 3-year period and dividing by three.

²Rates were calculated by dividing the annual average number of discharges by the 2004 population. The population is the U.S. Census Bureau 2000-based postcensal estimate of the civilian population.

Table 25. Number and rate of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groups and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| First-listed diagnosis and ICD-9-CM code | All ages | Under 65 years | 65 years and over | Rate per 100 discharges | | |
|---|-------------------------------|----------------|-------------------|-------------------------|----------------|-------------------|
| | | | | All ages | Under 65 years | 65 years and over |
| | Number of deaths in thousands | | | Rate per 100 discharges | | |
| All conditions ¹ | 752 | 200 | 552 | 2.2 | 0.9 | 4.2 |
| Heart disease 391-392.0,393-398,402,404,410-416,420-429 | 117 | 18 | 100 | 2.8 | 1.1 | 3.7 |
| Acute myocardial infarction 410 | 54 | 7 | 47 | 7.9 | 2.9 | 10.9 |
| Cardiac dysrhythmias 427 | 10 | *2 | 8 | 1.3 | *1.1 | 1.5 |
| Congestive heart failure 428.0,428.2-428.4 | 33 | * | 29 | 3.0 | * | 3.6 |
| Septicemia 038 | 94 | 22 | 72 | 19.3 | 14.4 | 21.5 |
| Malignant neoplasms 140-208,230-234 | 81 | 31 | 50 | 6.8 | 5.3 | 8.3 |
| Malignant neoplasm on trachea, bronchus, and lung 162,176.4,197.0,197.3 | 15 | 6 | 9 | 9.5 | 9.3 | 9.7 |
| Cerebrovascular disease 430-438 | 58 | 18 | 40 | 6.5 | 6.6 | 6.4 |
| Respiratory failure 518.81,518.83,518.84 | 57 | 12 | 45 | 19.3 | 10.6 | 25.1 |
| Pneumonia 480-486 | 45 | 7 | 38 | 3.3 | 1.3 | 4.6 |
| Pneumonitis due to solids and liquids 507 | 27 | * | 25 | 15.2 | * | 18.9 |
| Fractures, all sites ² 800-829 | 22 | *6 | 16 | 2.1 | *1.2 | 3.0 |
| Fracture of neck of femur ² 820 | 11 | * | 10 | 3.5 | * | 3.9 |
| Nephritis, nephrotic syndrome and nephrosis 580-589 | 20 | *3 | 17 | 6.5 | *3.0 | 8.3 |

* Figure does not meet standards of reliability or precision.

¹Includes data for deaths not shown in table.²Excludes fractures coded as 733.1, pathologic fracture.**Table 26. Number of discharges from short-stay hospitals with and without procedures and percentage with procedures, by selected characteristics: United States, 2005**

| Characteristic | All discharges | Discharges without procedures | Discharges with procedures | | | |
|-----------------------------|----------------|-------------------------------|----------------------------|--------------------------|---------|--------------------------|
| | | | Total | With surgical procedures | Total | With surgical procedures |
| | | | Number in thousands | | Percent | |
| All patients | 34,667 | 13,342 | 21,325 | 15,782 | 61.5 | 45.5 |
| Age | | | | | | |
| Under 15 years | 2,431 | 1,270 | 1,160 | 647 | 47.7 | 26.6 |
| 15-44 years | 10,659 | 3,091 | 7,567 | 5,936 | 71.0 | 55.7 |
| 45-64 years | 8,349 | 3,127 | 5,223 | 3,985 | 62.6 | 47.7 |
| 65 years and over | 13,228 | 5,854 | 7,375 | 5,214 | 55.7 | 39.4 |
| 65-74 years | 4,900 | 1,819 | 3,081 | 2,323 | 62.9 | 47.4 |
| 75-84 years | 5,394 | 2,432 | 2,962 | 2,073 | 54.9 | 38.4 |
| 85 years and over | 2,934 | 1,603 | 1,331 | 818 | 45.4 | 27.9 |
| Sex | | | | | | |
| Male | 13,902 | 5,787 | 8,115 | 5,807 | 58.4 | 41.8 |
| Female | 20,766 | 7,555 | 13,210 | 9,975 | 63.6 | 48.0 |
| Region | | | | | | |
| Northeast | 7,192 | 2,663 | 4,529 | 2,979 | 63.0 | 41.4 |
| Midwest | 7,948 | 3,388 | 4,560 | 3,425 | 57.4 | 43.1 |
| South | 12,907 | 5,202 | 7,705 | 5,930 | 59.7 | 45.9 |
| West | 6,621 | 2,090 | 4,531 | 3,448 | 68.4 | 52.1 |

NOTE: All procedures except those listed under "nonsurgical procedures" in the appendix are surgical procedures.

Table 27. Number and rate of all-listed surgical and nonsurgical procedures for discharges from short-stay hospitals, by selected procedure categories: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD–9–CM)*]

| Procedure category and ICD–9–CM code | Number in thousands | Rate per 10,000 population ¹ |
|--|---------------------|---|
| Surgical procedures ² | 26,564 | 899.9 |
| Cesarean section ³ 74.0–74.2,74.4,74.99 | 1,262 | 42.8 |
| Repair of current obstetric laceration ³ 75.5–75.6 | 1,259 | 42.6 |
| Cardiac catheterization 37.21–37.23 | 1,209 | 41.0 |
| Artificial rupture of membranes ³ 73.0 | 928 | 31.4 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01–36.02,36.05 | 645 | 21.9 |
| Reduction of fracture 76.7,79.0–79.3 | 621 | 21.0 |
| Open reduction of fracture with internal fixation 79.3 | 424 | 14.4 |
| Insertion of coronary artery stent(s) 36.06–36.07 | 620 | 21.0 |
| Endoscopy of small intestine with biopsy 45.14,45.16 | 620 | 21.0 |
| Hysterectomy 68.3–68.7,68.9 | 575 | 19.5 |
| Episiotomy with or without forceps or vacuum extraction ³ 72.1,72.21,72.31,72.71,73.6 | 537 | 18.2 |
| Total knee replacement 81.54 | 534 | 18.1 |
| Coronary artery bypass graft ⁴ 36.1 | 466 | 15.8 |
| Oophorectomy and salpingo-oophorectomy 65.3–65.6 | 434 | 14.7 |
| Cholecystectomy 51.2 | 398 | 13.5 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7–37.8 | 384 | 13.0 |
| Debridement of wound, infection, or burn 86.22,86.28 | 358 | 12.1 |
| Lysis of peritoneal adhesions 54.5 | 348 | 11.8 |
| Bilateral destruction or occlusion of fallopian tubes 66.2–66.3 | 346 | 11.7 |
| Appendectomy, excluding incidental 47.0 | 341 | 11.6 |
| Excision or destruction of intervertebral disc 80.5 | 294 | 9.9 |
| Partial excision of large intestine 45.7 | 266 | 9.0 |
| Total hip replacement 81.51 | 235 | 7.9 |
| Endoscopy of large intestine with biopsy 45.25 | 218 | 7.4 |
| Bronchoscopy with biopsy 33.24,33.27 | 191 | 6.5 |
| Partial excision of bone 76.2–76.3,77.6–77.8 | 178 | 6.0 |
| Prostatectomy 60.2–60.6 | 155 | 5.3 |
| Cystoscopy with biopsy 57.33 | 12 | 0.4 |
| Nonsurgical procedures ⁵ | 18,387 | 622.9 |
| Arteriography and angiocardiology using contrast material 88.4–88.5 | 1,986 | 67.3 |
| Transfusion of blood and blood components 99.0 | 1,902 | 64.4 |
| Respiratory therapy 93.9,96.7 | 1,160 | 39.3 |
| Diagnostic ultrasound 88.7 | 884 | 30.0 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 811 | 27.5 |
| Medical induction of labor ³ 73.4 | 616 | 20.9 |
| Hemodialysis 39.95 | 593 | 20.1 |
| Insertion of endotracheal tube 96.04 | 506 | 17.2 |
| Endoscopy of small intestine without biopsy 45.11–45.13 | 444 | 15.1 |
| Physical therapy procedures 93.1–93.3 | 406 | 13.8 |
| Spinal tap 03.31 | 343 | 11.6 |
| Endoscopy of large intestine without biopsy 45.21–45.24 | 338 | 11.5 |
| Injection or infusion of cancer chemotherapeutic substance 99.25 | 209 | 7.1 |
| Cystoscopy without biopsy 57.31–57.32 | 130 | 4.4 |
| Bronchoscopy without biopsy 33.21–33.23 | 92 | 3.1 |

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²Includes data for surgical procedures not shown in table. All procedures except those listed under "nonsurgical procedures" in the appendix are surgical procedures.³See Table 38 for rate per 100 deliveries.⁴See Table 29 for comparison of number of procedures with number of discharges with procedures.⁵Includes data for nonsurgical procedures not shown in table. The ICD–9–CM codes for nonsurgical procedures are listed in the appendix.

Table 28. Number and rate of all-listed surgical and nonsurgical procedures for patients 65 years of age and over discharged from short-stay hospitals, by age and selected procedure categories: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | 65 years and over | 65-74 years | 75-84 years | 85 years and over |
|--|-------------------|---|-------------|-------------------|
| | | Number in thousands | | |
| Surgical procedures ¹ | 8,858 | 4,118 | 3,500 | 1,240 |
| Cardiac catheterization 37.21-37.23 | 605 | 319 | 241 | 45 |
| Total knee replacement 81.54 | 331 | 195 | 121 | 16 |
| Endoscopy of small intestine with biopsy 45.14,45.16 | 328 | 107 | 144 | 76 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 326 | 173 | 129 | 24 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 325 | 74 | 159 | 92 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 311 | 167 | 121 | 22 |
| Coronary artery bypass graft ² 36.1 | 264 | 155 | 101 | * |
| Reduction of fracture 76.7,79.0-79.3 | 254 | 73 | 95 | 85 |
| Open reduction of fracture with internal fixation 79.3 | 184 | 59 | 65 | 60 |
| Partial excision of large intestine 45.7 | 142 | 67 | 53 | 22 |
| Total hip replacement 81.51 | 139 | 69 | 58 | 13 |
| Cholecystectomy 51.2 | 136 | 64 | 57 | 15 |
| Debridement of wound, infection, or burn 86.22,86.28 | 119 | 58 | 39 | 22 |
| Prostatectomy 60.2-60.6 | 102 | 56 | 35 | 12 |
| Nonsurgical procedures ³ | 7,236 | 2,875 | 2,974 | 1,387 |
| Transfusion of blood and blood components 99.0 | 1,144 | 388 | 485 | 271 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 997 | 494 | 409 | 94 |
| Respiratory therapy 93.9,96.7 | 512 | 207 | 207 | 98 |
| Diagnostic ultrasound 88.7 | 441 | 157 | 184 | 100 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 353 | 121 | 152 | 79 |
| Physical therapy procedures 93.1-93.3 | 277 | 88 | 117 | 72 |
| Hemodialysis 39.95 | 270 | 146 | 101 | 23 |
| Insertion of endotracheal tube 96.04 | 249 | 99 | 101 | 49 |
| Endoscopy of small intestine without biopsy 45.11-45.13 | 245 | 90 | 99 | 56 |
| Endoscopy of large intestine without biopsy 45.21-45.24 | 209 | 76 | 87 | 47 |
| | | Rate per 10,000 population ⁴ | | |
| Surgical procedures ¹ | 2,407.6 | 2,209.2 | 2,681.0 | 2,432.6 |
| Cardiac catheterization 37.21-37.23 | 164.4 | 171.2 | 184.4 | 88.8 |
| Total knee replacement 81.54 | 90.1 | 104.5 | 92.8 | 30.5 |
| Endoscopy of small intestine with biopsy 45.14,45.16 | 89.1 | 57.6 | 110.2 | 150.1 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 88.6 | 92.9 | 98.9 | 46.5 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 88.4 | 39.5 | 122.1 | 180.9 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 84.5 | 89.8 | 92.8 | 44.0 |
| Coronary artery bypass graft ² 36.1 | 71.8 | 83.3 | 77.7 | * |
| Reduction of fracture 76.7,79.0-79.3 | 68.9 | 39.1 | 73.0 | 167.5 |
| Open reduction of fracture with internal fixation 79.3 | 49.9 | 31.4 | 50.1 | 117.5 |
| Partial excision of large intestine 45.7 | 38.5 | 36.1 | 40.2 | 42.9 |
| Total hip replacement 81.51 | 37.8 | 36.8 | 44.4 | 24.8 |
| Cholecystectomy 51.2 | 36.9 | 34.4 | 43.3 | 29.1 |
| Debridement of wound, infection, or burn 86.22,86.28 | 32.4 | 31.2 | 29.5 | 44.0 |
| Prostatectomy 60.2-60.6 | 27.8 | 30.1 | 26.5 | 23.0 |
| Nonsurgical procedures ³ | 1,966.8 | 1,542.3 | 2,278.2 | 2,721.9 |
| Transfusion of blood and blood components 99.0 | 311.0 | 208.0 | 371.7 | 532.0 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 271.1 | 265.1 | 313.3 | 185.0 |
| Respiratory therapy 93.9,96.7 | 139.1 | 111.0 | 158.2 | 192.4 |
| Diagnostic ultrasound 88.7 | 120.0 | 84.3 | 140.9 | 196.8 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 96.0 | 65.0 | 116.7 | 156.0 |
| Physical therapy procedures 93.1-93.3 | 75.4 | 47.1 | 89.9 | 141.5 |
| Hemodialysis 39.95 | 73.5 | 78.5 | 77.3 | 45.2 |
| Insertion of endotracheal tube 96.04 | 67.8 | 53.2 | 77.7 | 95.9 |
| Endoscopy of small intestine without biopsy 45.11-45.13 | 66.5 | 48.1 | 76.0 | 109.9 |
| Endoscopy of large intestine without biopsy 45.21-45.24 | 56.9 | 40.8 | 66.4 | 91.3 |

¹Includes data for surgical procedures not shown in table. All procedures except those listed under "nonsurgical procedures" in the appendix are surgical procedures.

²See Table 29 for a comparison of number of procedures with number of discharges with procedures.

³Includes data for nonsurgical procedures not shown in table. The ICD-9-CM codes for nonsurgical procedures are listed in the appendix.

⁴Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.

Table 29. Number and rate of discharges from short-stay hospitals with a coronary artery bypass graft and number and rate of procedures, by sex, age, and geographic region: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification*]

| Sex, age, and region | Discharges with procedures | | Procedures | |
|-----------------------------|----------------------------|---|---------------------|---|
| | Number in thousands | Rate per 10,000 population ¹ | Number in thousands | Rate per 10,000 population ¹ |
| Total | 261 | 8.8 | 466 | 15.8 |
| Sex | | | | |
| Male | 178 | 12.3 | 321 | 22.2 |
| Female | 83 | 5.5 | 144 | 9.6 |
| Age | | | | |
| Under 15 years | * | * | * | * |
| 15–44 years | 8 | 0.7 | 15 | 1.2 |
| 45–64 years | 102 | 14.0 | 187 | 25.6 |
| 65 years and over | 151 | 41.0 | 264 | 71.8 |
| 65–74 years | 88 | 47.4 | 155 | 83.3 |
| 75–84 years | 58 | 44.4 | 101 | 77.7 |
| 85 years and over | * | * | * | * |
| Region | | | | |
| Northeast | 44 | 8.1 | 77 | 14.2 |
| Midwest | 61 | 9.2 | 111 | 16.8 |
| South | 98 | 9.1 | 174 | 16.3 |
| West | 58 | 8.6 | 103 | 15.1 |

* Figure does not meet standards of reliability or precision.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.

NOTE: The number of procedures exceeds the number of discharges because these procedures are often assigned more than one code for a single operation. See "Methods" section.

Table 30. Number of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over |
|--|----------|----------------|-------------|-------------|-------------------|
| | | | | | |
| All procedures | 44,950 | 2,203 | 14,744 | 11,910 | 16,093 |
| Operations on the nervous system 01-05 | 1,227 | 202 | 358 | 310 | 357 |
| Spinal tap 03.31 | 343 | 131 | 86 | 66 | 60 |
| Operations on the endocrine system 06-07 | 104 | *2 | 27 | 47 | 27 |
| Operations on the eye 08-16 | 74 | 14 | 20 | 16 | 25 |
| Operations on the ear 18-20 | 42 | 22 | 9 | *4 | *5 |
| Operations on the nose, mouth, and pharynx 21-29 | 302 | 64 | 91 | 72 | 75 |
| Operations on the respiratory system 30-34 | 1,118 | 64 | 168 | 370 | 516 |
| Bronchoscopy with or without biopsy 33.21-33.24,33.27 | 284 | 18 | 36 | 96 | 134 |
| Operations on the cardiovascular system 35-39 | 6,989 | 200 | 655 | 2,524 | 3,609 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 645 | * | 34 | 285 | 326 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 620 | * | 34 | 275 | 311 |
| Coronary artery bypass graft ¹ 36.1 | 466 | * | 15 | 187 | 264 |
| Cardiac catheterization 37.21-37.23 | 1,209 | 9 | 86 | 509 | 605 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 384 | * | *9 | 44 | 325 |
| Hemodialysis 39.95 | 593 | * | 76 | 245 | 270 |
| Operations on the hemic and lymphatic system 40-41 | 343 | 17 | 57 | 137 | 131 |
| Operations on the digestive system 42-54 | 5,580 | 246 | 1,244 | 1,716 | 2,373 |
| Endoscopy of small intestine with or without biopsy 45.11-45.14,45.16 | 1,064 | 19 | 155 | 317 | 573 |
| Endoscopy of large intestine with or without biopsy 45.21-45.25 | 556 | 7 | 77 | 144 | 328 |
| Partial excision of large intestine 45.7 | 266 | * | 32 | 89 | 142 |
| Appendectomy, excluding incidental 47.0 | 341 | 80 | 170 | 65 | 27 |
| Cholecystectomy 51.2 | 398 | * | 133 | 128 | 136 |
| Lysis of peritoneal adhesions 54.5 | 348 | 6 | 133 | 114 | 95 |
| Operations on the urinary system 55-59 | 999 | 36 | 236 | 314 | 413 |
| Cystoscopy with or without biopsy 57.31-57.33 | 142 | * | 28 | 44 | 65 |
| Operations on the male genital organs 60-64 | 233 | 23 | 15 | 64 | 131 |
| Prostatectomy 60.2-60.6 | 155 | * | * | 51 | 102 |
| Operations on the female genital organs 65-71 | 1,967 | 10 | 1,145 | 613 | 200 |
| Oophorectomy and salpingo-oophorectomy 65.3-65.6 | 434 | * | 183 | 204 | 47 |
| Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 | 346 | * | 344 | * | * |
| Hysterectomy 68.3-68.7,68.9 | 575 | * | 289 | 240 | 45 |
| Obstetrical procedures 72-75 | 6,858 | *11 | 6,838 | * | ... |
| Episiotomy with or without forceps or vacuum extraction 72.1,72.21,72.31,72.71,73.6 | 537 | * | 535 | * | ... |
| Artificial rupture of membranes 73.0 | 928 | * | 926 | * | ... |
| Medical induction of labor 73.4 | 616 | * | 614 | * | ... |
| Cesarean section 74.0-74.2,74.4,74.99 | 1,262 | * | 1,258 | * | ... |
| Repair of current obstetric laceration 75.5-75.6 | 1,259 | * | 1,254 | * | ... |
| Operations on the musculoskeletal system 76-84 | 4,139 | 168 | 893 | 1,444 | 1,634 |
| Partial excision of bone 76.2-76.3,77.6-77.8 | 178 | 10 | 46 | 71 | 51 |
| Reduction of fracture 76.7,79.0-79.3 | 621 | 44 | 185 | 138 | 254 |
| Open reduction of fracture with internal fixation 79.3 | 424 | 17 | 121 | 102 | 184 |
| Excision or destruction of intervertebral disc 80.5 | 294 | * | 101 | 148 | 44 |
| Total hip replacement 81.51 | 235 | * | 15 | 80 | 139 |
| Total knee replacement 81.54 | 534 | * | 8 | 194 | 331 |
| Operations on the integumentary system 85-86 | 1,538 | * | 476 | 478 | 417 |
| Debridement of wound, infection, or burn 86.22,86.28 | 358 | * | 101 | 113 | 119 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ² 87-99,00 | 13,437 | 954 | 2,512 | 3,792 | 6,179 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 811 | 38 | 191 | 229 | 353 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 1,986 | 14 | 180 | 794 | 997 |
| Diagnostic ultrasound 88.7 | 884 | * | 150 | 249 | 441 |
| Physical therapy procedures 93.1-93.3 | 406 | 10 | 39 | 81 | 277 |
| Respiratory therapy 93.9,96.7 | 1,160 | 188 | 173 | 288 | 512 |
| Insertion of endotracheal tube 96.04 | 506 | 40 | 81 | 136 | 249 |
| Transfusion of blood and blood components 99.0 | 1,902 | 67 | 220 | 472 | 1,144 |
| Injection or infusion of cancer chemotherapeutic substance 99.25 | 209 | 42 | 39 | 73 | 55 |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹See Table 29 for comparison of number of procedures with number of discharges with procedures.²Chapter 00, "Procedures and interventions not elsewhere classified," is included in this category; see "Use of tables."

Table 31. Rate of all-listed procedures for discharges from short-stay hospitals, by age and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | All ages | Under 15 years | 15-44 years | 45-64 years | 65 years and over | |
|---|--------------------------------|----------------|-------------|-------------|-------------------|---|
| | | | | | | Rate per 10,000 population ¹ |
| All procedures | 1,522.7 | 362.9 | 1,180.4 | 1,636.2 | 4,374.4 | |
| Operations on the nervous system | 01-05 | 41.6 | 33.3 | 28.7 | 42.6 | 97.2 |
| Spinal tap | .03.31 | 11.6 | 21.6 | 6.9 | 9.1 | 16.3 |
| Operations on the endocrine system | 06-07 | 3.5 | *0.4 | 2.2 | 6.4 | 7.5 |
| Operations on the eye | 08-16 | 2.5 | 2.2 | 1.6 | 2.2 | 6.8 |
| Operations on the ear | 18-20 | 1.4 | 3.7 | 0.7 | *0.6 | *1.5 |
| Operations on the nose, mouth, and pharynx | 21-29 | 10.2 | 10.5 | 7.3 | 9.9 | 20.4 |
| Operations on the respiratory system | 30-34 | 37.9 | 10.5 | 13.5 | 50.9 | 140.3 |
| Bronchoscopy with or without biopsy | .33.21-33.24,33.27 | 9.6 | 3.0 | 2.9 | 13.2 | 36.5 |
| Operations on the cardiovascular system | 35-39 | 236.8 | 33.0 | 52.5 | 346.8 | 980.9 |
| Balloon angioplasty of coronary artery or coronary atherectomy | .36.01-36.02,36.05 | 21.9 | * | 2.7 | 39.1 | 88.6 |
| Insertion of coronary artery stent(s) | .36.06-36.07 | 21.0 | * | 2.8 | 37.7 | 84.5 |
| Coronary artery bypass graft ² | .36.1 | 15.8 | * | 1.2 | 25.6 | 71.8 |
| Cardiac catheterization | .37.21-37.23 | 41.0 | 1.5 | 6.9 | 69.9 | 164.4 |
| Insertion, replacement, removal, and revision of pacemaker leads or device | .37.7-37.8 | 13.0 | * | *0.7 | 6.1 | 88.4 |
| Hemodialysis | .39.95 | 20.1 | * | 6.1 | 33.7 | 73.5 |
| Operations on the hemic and lymphatic system | 40-41 | 11.6 | 2.8 | 4.6 | 18.8 | 35.7 |
| Operations on the digestive system | 42-54 | 189.0 | 40.6 | 99.6 | 235.8 | 645.1 |
| Endoscopy of small intestine with or without biopsy | .45.11-45.14,45.16 | 36.0 | 3.2 | 12.4 | 43.6 | 155.6 |
| Endoscopy of large intestine with or without biopsy | .45.21-45.25 | 18.8 | 1.1 | 6.1 | 19.8 | 89.3 |
| Partial excision of large intestine | .45.7 | 9.0 | * | 2.6 | 12.2 | 38.5 |
| Appendectomy, excluding incidental | .47.0 | 11.6 | 13.1 | 13.6 | 9.0 | 7.3 |
| Cholecystectomy | .51.2 | 13.5 | * | 10.6 | 17.6 | 36.9 |
| Lysis of peritoneal adhesions | .54.5 | 11.8 | 1.0 | 10.6 | 15.6 | 25.9 |
| Operations on the urinary system | 55-59 | 33.8 | 6.0 | 18.9 | 43.2 | 112.3 |
| Cystoscopy with or without biopsy | .57.31-57.33 | 4.8 | * | 2.2 | 6.0 | 17.8 |
| Operations on the male genital organs | 60-64 | 7.9 | 3.8 | 1.2 | 8.8 | 35.7 |
| Prostatectomy | .60.2-60.6 | 5.3 | * | * | 7.0 | 27.8 |
| Operations on the female genital organs | 65-71 | 66.6 | 1.6 | 91.7 | 84.2 | 54.3 |
| Oophorectomy and salpingo-oophorectomy | .65.3-65.6 | 14.7 | * | 14.6 | 28.0 | 12.7 |
| Bilateral destruction or occlusion of fallopian tubes | .66.2-66.3 | 11.7 | * | 27.6 | * | * |
| Hysterectomy | .68.3-68.7,68.9 | 19.5 | * | 23.1 | 33.0 | 12.3 |
| Obstetrical procedures | 72-75 | 232.3 | *1.9 | 547.4 | * | ... |
| Episiotomy with or without forceps or vacuum extraction | .72.1,72.21,72.31,72.71,73.6 | 18.2 | * | 42.8 | * | ... |
| Artificial rupture of membranes | .73.0 | 31.4 | * | 74.1 | * | ... |
| Medical induction of labor | .73.4 | 20.9 | * | 49.2 | * | ... |
| Cesarean section | .74.0-74.2,74.4,74.99 | 42.8 | * | 100.7 | * | ... |
| Repair of current obstetric laceration | .75.5-75.6 | 42.6 | * | 100.4 | * | ... |
| Operations on the musculoskeletal system | 76-84 | 140.2 | 27.6 | 71.5 | 198.4 | 444.0 |
| Partial excision of bone | .76.2-76.3,77.6-77.8 | 6.0 | 1.6 | 3.7 | 9.8 | 13.9 |
| Reduction of fracture | .76.7,79.0-79.3 | 21.0 | 7.2 | 14.8 | 19.0 | 68.9 |
| Open reduction of fracture with internal fixation | .79.3 | 14.4 | 2.9 | 9.7 | 14.0 | 49.9 |
| Excision or destruction of intervertebral disc | .80.5 | 9.9 | * | 8.1 | 20.4 | 11.8 |
| Total hip replacement | .81.51 | 7.9 | * | 1.2 | 11.0 | 37.8 |
| Total knee replacement | .81.54 | 18.1 | * | 0.6 | 26.7 | 90.1 |
| Operations on the integumentary system | 85-86 | 52.1 | * | 38.1 | 65.6 | 113.3 |
| Debridement of wound, infection, or burn | .86.22,86.28 | 12.1 | * | 8.0 | 15.5 | 32.4 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ³ | 87-99,00 | 455.2 | 157.2 | 201.1 | 520.9 | 1,679.6 |
| Computerized axial tomography | .87.03,87.41,87.71,88.01,88.38 | 27.5 | 6.2 | 15.3 | 31.5 | 96.0 |
| Arteriography and angiocardiology using contrast material | .88.4-88.5 | 67.3 | 2.3 | 14.4 | 109.1 | 271.1 |
| Diagnostic ultrasound | .88.7 | 30.0 | * | 12.0 | 34.2 | 120.0 |
| Physical therapy procedures | .93.1-93.3 | 13.8 | 1.6 | 3.1 | 11.1 | 75.4 |
| Respiratory therapy | .93.9,96.7 | 39.3 | 31.0 | 13.8 | 39.5 | 139.1 |
| Insertion of endotracheal tube | .96.04 | 17.2 | 6.5 | 6.5 | 18.7 | 67.8 |
| Transfusion of blood and blood components | .99.0 | 64.4 | 11.0 | 17.6 | 64.8 | 311.0 |
| Injection or infusion of cancer chemotherapeutic substance | .99.25 | 7.1 | 6.9 | 3.1 | 10.1 | 15.0 |

* Figure does not meet standards of reliability or precision.

... Category not applicable.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²See Table 29 for comparison of rate of procedures with rate of discharges with procedures.³Chapter 00, "Procedures and interventions not elsewhere classified," is included in this category; see "Use of Tables."

Table 32. Number of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | Both sexes | Number in thousands | |
|--|------------|---------------------|--------|
| | | Male | Female |
| All procedures | 44,950 | 17,991 | 26,959 |
| Operations on the nervous system 01-05 | 1,227 | 569 | 658 |
| Spinal tap03.31 | 343 | 168 | 175 |
| Operations on the endocrine system 06-07 | 104 | 29 | 75 |
| Operations on the eye08-16 | 74 | 40 | 34 |
| Operations on the ear18-20 | 42 | 27 | 15 |
| Operations on the nose, mouth, and pharynx 21-29 | 302 | 181 | 121 |
| Operations on the respiratory system 30-34 | 1,118 | 617 | 501 |
| Bronchoscopy with or without biopsy 33.21-33.24,33.27 | 284 | 153 | 131 |
| Operations on the cardiovascular system 35-39 | 6,989 | 4,062 | 2,927 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 645 | 443 | 202 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 620 | 429 | 192 |
| Coronary artery bypass graft ¹ 36.1 | 466 | 321 | 144 |
| Cardiac catheterization 37.21-37.23 | 1,209 | 742 | 467 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 384 | 200 | 184 |
| Hemodialysis39.95 | 593 | 311 | 282 |
| Operations on the hemic and lymphatic system 40-41 | 343 | 168 | 175 |
| Operations on the digestive system 42-54 | 5,580 | 2,414 | 3,166 |
| Endoscopy of small intestine with or without biopsy 45.11-45.14,45.16 | 1,064 | 481 | 583 |
| Endoscopy of large intestine with or without biopsy 45.21-45.25 | 556 | 222 | 334 |
| Partial excision of large intestine 45.7 | 266 | 123 | 143 |
| Appendectomy, excluding incidental 47.0 | 341 | 178 | 163 |
| Cholecystectomy 51.2 | 398 | 143 | 256 |
| Lysis of peritoneal adhesions 54.5 | 348 | 76 | 272 |
| Operations on the urinary system 55-59 | 999 | 466 | 533 |
| Cystoscopy with or without biopsy 57.31-57.33 | 142 | 67 | 74 |
| Operations on the male genital organs 60-64 | 233 | 233 | ... |
| Prostatectomy 60.2-60.6 | 155 | 155 | ... |
| Operations on the female genital organs 65-71 | 1,967 | ... | 1,967 |
| Oophorectomy and salpingo-oophorectomy 65.3-65.6 | 434 | ... | 434 |
| Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 | 346 | ... | 346 |
| Hysterectomy 68.3-68.7,68.9 | 575 | ... | 575 |
| Obstetrical procedures 72-75 | 6,858 | ... | 6,858 |
| Episiotomy with or without forceps or vacuum extraction 72.1,72.21,72.31,72.71,73.6 | 537 | ... | 537 |
| Artificial rupture of membranes 73.0 | 928 | ... | 928 |
| Medical induction of labor 73.4 | 616 | ... | 616 |
| Cesarean section 74.0-74.2,74.4,74.99 | 1,262 | ... | 1,262 |
| Repair of current obstetric laceration 75.5-75.6 | 1,259 | ... | 1,259 |
| Operations on the musculoskeletal system 76-84 | 4,139 | 1,972 | 2,167 |
| Partial excision of bone 76.2-76.3,77.6-77.8 | 178 | 99 | 79 |
| Reduction of fracture 76.7,79.0-79.3 | 621 | 293 | 328 |
| Open reduction of fracture with internal fixation 79.3 | 424 | 190 | 235 |
| Excision or destruction of intervertebral disc 80.5 | 294 | 148 | 146 |
| Total hip replacement 81.51 | 235 | 109 | 126 |
| Total knee replacement 81.54 | 534 | 184 | 349 |
| Operations on the integumentary system 85-86 | 1,538 | 731 | 807 |
| Debridement of wound, infection, or burn 86.22,86.28 | 358 | 205 | 153 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ² 87-99,00 | 13,437 | 6,481 | 6,956 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 811 | 378 | 434 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 1,986 | 1,125 | 860 |
| Diagnostic ultrasound 88.7 | 884 | 411 | 473 |
| Physical therapy procedures 93.1-93.3 | 406 | 167 | 240 |
| Respiratory therapy 93.9,96.7 | 1,160 | 606 | 554 |
| Insertion of endotracheal tube 96.04 | 506 | 268 | 238 |
| Transfusion of blood and blood components 99.0 | 1,902 | 788 | 1,115 |
| Injection or infusion of cancer chemotherapeutic substance 99.25 | 209 | 116 | 93 |

... Category not applicable.

¹See Table 29 for comparison of number of procedures with number of discharges with procedures.²Chapter 00, "Procedures and interventions not elsewhere classified," is included in this category; see "Use of Tables."

Table 33. Rate of all-listed procedures for discharges from short-stay hospitals, by sex and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | Both sexes | Male | Female | Rate per 10,000 population ¹ | | |
|--|------------|---------|---------|---|--|--|
| | | | | | | |
| All procedures | 1,522.7 | 1,241.1 | 1,794.5 | | | |
| Operations on the nervous system 01-05 | 41.6 | 39.3 | 43.8 | | | |
| Spinal tap 03.31 | 11.6 | 11.6 | 11.7 | | | |
| Operations on the endocrine system 06-07 | 3.5 | 2.0 | 5.0 | | | |
| Operations on the eye 08-16 | 2.5 | 2.8 | 2.3 | | | |
| Operations on the ear 18-20 | 1.4 | 1.8 | 1.0 | | | |
| Operations on the nose, mouth, and pharynx 21-29 | 10.2 | 12.5 | 8.1 | | | |
| Operations on the respiratory system 30-34 | 37.9 | 42.6 | 33.4 | | | |
| Bronchoscopy with or without biopsy 33.21-33.24,33.27 | 9.6 | 10.5 | 8.7 | | | |
| Operations on the cardiovascular system 35-39 | 236.8 | 280.2 | 194.8 | | | |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 21.9 | 30.6 | 13.4 | | | |
| Insertion of coronary artery stent(s) 36.06-36.07 | 21.0 | 29.6 | 12.8 | | | |
| Coronary artery bypass graft ² 36.1 | 15.8 | 22.2 | 9.6 | | | |
| Cardiac catheterization 37.21-37.23 | 41.0 | 51.2 | 31.1 | | | |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 13.0 | 13.8 | 12.2 | | | |
| Hemodialysis 39.95 | 20.1 | 21.4 | 18.9 | | | |
| Operations on the hemic and lymphatic system 40-41 | 11.6 | 11.6 | 11.6 | | | |
| Operations on the digestive system 42-54 | 189.0 | 166.5 | 210.7 | | | |
| Endoscopy of small intestine with or without biopsy 45.11-45.14,45.16 | 36.0 | 33.2 | 38.8 | | | |
| Endoscopy of large intestine with or without biopsy 45.21-45.25 | 18.8 | 15.3 | 22.2 | | | |
| Partial excision of large intestine 45.7 | 9.0 | 8.5 | 9.5 | | | |
| Appendectomy, excluding incidental 47.0 | 11.6 | 12.3 | 10.9 | | | |
| Cholecystectomy 51.2 | 13.5 | 9.8 | 17.0 | | | |
| Lysis of peritoneal adhesions 54.5 | 11.8 | 5.2 | 18.1 | | | |
| Operations on the urinary system 55-59 | 33.8 | 32.2 | 35.5 | | | |
| Cystoscopy with or without biopsy 57.31-57.33 | 4.8 | 4.7 | 4.9 | | | |
| Operations on the male genital organs 60-64 | 7.9 | 16.1 | ... | | | |
| Prostatectomy 60.2-60.6 | 5.3 | 10.7 | ... | | | |
| Operations on the female genital organs 65-71 | 66.6 | ... | 130.9 | | | |
| Oophorectomy and salpingo-oophorectomy 65.3-65.6 | 14.7 | ... | 28.9 | | | |
| Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 | 11.7 | ... | 23.0 | | | |
| Hysterectomy 68.3-68.7,68.9 | 19.5 | ... | 38.3 | | | |
| Obstetrical procedures 72-75 | 232.3 | ... | 456.5 | | | |
| Episiotomy with or without forceps or vacuum extraction 72.1,72.21,72.31,72.71,73.6 | 18.2 | ... | 35.7 | | | |
| Artificial rupture of membranes 73.0 | 31.4 | ... | 61.8 | | | |
| Medical induction of labor 73.4 | 20.9 | ... | 41.0 | | | |
| Cesarean section 74.0-74.2,74.4,74.99 | 42.8 | ... | 84.0 | | | |
| Repair of current obstetric laceration 75.5-75.6 | 42.6 | ... | 83.8 | | | |
| Operations on the musculoskeletal system 76-84 | 140.2 | 136.0 | 144.2 | | | |
| Partial excision of bone 76.2-76.3,77.6-77.8 | 6.0 | 6.8 | 5.3 | | | |
| Reduction of fracture 76.7,79.0-79.3 | 21.0 | 20.2 | 21.8 | | | |
| Open reduction of fracture with internal fixation 79.3 | 14.4 | 13.1 | 15.6 | | | |
| Excision or destruction of intervertebral disc 80.5 | 9.9 | 10.2 | 9.7 | | | |
| Total hip replacement 81.51 | 7.9 | 7.5 | 8.4 | | | |
| Total knee replacement 81.54 | 18.1 | 12.7 | 23.3 | | | |
| Operations on the integumentary system 85-86 | 52.1 | 50.4 | 53.7 | | | |
| Debridement of wound, infection, or burn 86.22,86.28 | 12.1 | 14.2 | 10.2 | | | |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ³ 87-99,00 | 455.2 | 447.1 | 463.0 | | | |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 27.5 | 26.1 | 28.9 | | | |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 67.3 | 77.6 | 57.3 | | | |
| Diagnostic ultrasound 88.7 | 30.0 | 28.4 | 31.5 | | | |
| Physical therapy procedures 93.1-93.3 | 13.8 | 11.5 | 16.0 | | | |
| Respiratory therapy 93.9,96.7 | 39.3 | 41.8 | 36.9 | | | |
| Insertion of endotracheal tube 96.04 | 17.2 | 18.5 | 15.8 | | | |
| Transfusion of blood and blood components 99.0 | 64.4 | 54.3 | 74.2 | | | |
| Injection or infusion of cancer chemotherapeutic substance 99.25 | 7.1 | 8.0 | 6.2 | | | |

... Category not applicable.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²See Table 29 for comparison of rate of procedures with rate of discharges with procedures.³Chapter 00, "Procedures and interventions not else where classified," is included in this category; see "Use of Tables."

Table 34. Number of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | United States | Northeast | Midwest | South | West |
|--|---------------------|-----------|---------|--------|-------|
| | Number in thousands | | | | |
| All procedures | 44,950 | 9,689 | 9,770 | 15,962 | 9,529 |
| Operations on the nervous system 01-05 | 1,227 | 253 | 324 | 384 | 267 |
| Spinal tap 03.31 | 343 | 64 | 86 | 123 | 70 |
| Operations on the endocrine system 06-07 | 104 | 22 | 20 | 36 | 25 |
| Operations on the eye 08-16 | 74 | 17 | 12 | 25 | 19 |
| Operations on the ear 18-20 | 42 | 9 | * | 14 | * |
| Operations on the nose, mouth, and pharynx 21-29 | 302 | 66 | 42 | 116 | 77 |
| Operations on the respiratory system 30-34 | 1,118 | 248 | 230 | 410 | 231 |
| Bronchoscopy with or without biopsy 33.21-33.24,33.27 | 284 | 63 | 61 | 94 | 66 |
| Operations on the cardiovascular system 35-39 | 6,989 | 1,340 | 1,550 | 2,608 | 1,491 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 645 | 119 | 182 | 213 | 131 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 620 | 105 | 176 | 208 | 131 |
| Coronary artery bypass graft ¹ 36.1 | 466 | 77 | 111 | 174 | 103 |
| Cardiac catheterization 37.21-37.23 | 1,209 | 210 | 289 | 468 | 243 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 384 | 107 | 74 | 114 | 88 |
| Hemodialysis 39.95 | 593 | 112 | 99 | 228 | 154 |
| Operations on the hemic and lymphatic system 40-41 | 343 | 66 | 68 | 125 | 84 |
| Operations on the digestive system 42-54 | 5,580 | 1,146 | 1,237 | 2,014 | 1,183 |
| Endoscopy of small intestine with or without biopsy 45.11-45.14,45.16 | 1,064 | 214 | 237 | 387 | 227 |
| Endoscopy of large intestine with or without biopsy 45.21-45.25 | 556 | 122 | 125 | 195 | 114 |
| Partial excision of large intestine 45.7 | 266 | 52 | 66 | 95 | 52 |
| Appendectomy, excluding incidental 47.0 | 341 | 67 | 79 | 104 | 91 |
| Cholecystectomy 51.2 | 398 | 74 | 96 | 154 | 74 |
| Lysis of peritoneal adhesions 54.5 | 348 | 66 | 82 | 141 | 60 |
| Operations on the urinary system 55-59 | 999 | 241 | 183 | 399 | 175 |
| Cystoscopy with or without biopsy 57.31-57.33 | 142 | 39 | 26 | 57 | 19 |
| Operations on the male genital organs 60-64 | 233 | 47 | 53 | 77 | 56 |
| Prostatectomy 60.2-60.6 | 155 | 32 | 35 | 46 | 42 |
| Operations on the female genital organs 65-71 | 1,967 | 276 | 408 | 888 | 395 |
| Oophorectomy and salpingo-oophorectomy 65.3-65.6 | 434 | 58 | 104 | 191 | 81 |
| Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 | 346 | 36 | 60 | 173 | 77 |
| Hysterectomy 68.3-68.7,68.9 | 575 | 85 | 130 | 247 | 113 |
| Obstetrical procedures 72-75 | 6,858 | 1,045 | 1,563 | 2,509 | 1,742 |
| Episiotomy with or without forceps or vacuum extraction 72.1,72.21,72.31,72.71,73.6 | 537 | 82 | 100 | 220 | 135 |
| Artificial rupture of membranes 73.0 | 928 | 120 | 275 | 317 | 216 |
| Medical induction of labor 73.4 | 616 | 88 | 144 | 225 | 158 |
| Cesarean section 74.0-74.2,74.4,74.99 | 1,262 | 190 | 232 | 530 | 310 |
| Repair of current obstetric laceration 75.5-75.6 | 1,259 | 193 | 284 | 435 | 346 |
| Operations on the musculoskeletal system 76-84 | 4,139 | 782 | 971 | 1,472 | 914 |
| Partial excision of bone 76.2-76.3,77.6-77.8 | 178 | 36 | 34 | 67 | 41 |
| Reduction of fracture 76.7,79.0-79.3 | 621 | 124 | 146 | 225 | 126 |
| Open reduction of fracture with internal fixation 79.3 | 424 | 85 | 98 | 157 | 85 |
| Excision or destruction of intervertebral disc 80.5 | 294 | 53 | 62 | 109 | 69 |
| Total hip replacement 81.51 | 235 | 54 | 60 | 61 | 60 |
| Total knee replacement 81.54 | 534 | 109 | 153 | 168 | 103 |
| Operations on the integumentary system 85-86 | 1,538 | 288 | 295 | 691 | 264 |
| Debridement of wound, infection, or burn 86.22,86.28 | 358 | 67 | 69 | 161 | 62 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ² 87-99.00 | 13,437 | 3,843 | 2,805 | 4,194 | 2,595 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 811 | 386 | * | * | 141 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 1,986 | 361 | 488 | 754 | 383 |
| Diagnostic ultrasound 88.7 | 884 | 318 | * | 245 | 170 |
| Physical therapy procedures 93.1-93.3 | 406 | 123 | * | 157 | 59 |
| Respiratory therapy 93.9,96.7 | 1,160 | 306 | 237 | 352 | 265 |
| Insertion of endotracheal tube 96.04 | 506 | 108 | 102 | 181 | 115 |
| Transfusion of blood and blood components 99.0 | 1,902 | 327 | 403 | 754 | 418 |
| Injection or infusion of cancer chemotherapeutic substance 99.25 | 209 | 51 | 28 | 91 | 38 |

* Figure does not meet standards of reliability or precision.

¹See Table 29 for comparison of number of procedures with number of discharges with procedures.²Chapter 00, "Procedures and interventions not elsewhere classified," is included in this category; see "Use of Tables."

Table 35. Rate of all-listed procedures for discharges from short-stay hospitals, by geographic region and procedure category: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Procedure groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

| Procedure category and ICD-9-CM code | United States | Rate per 10,000 population ¹ | | | |
|--|---------------|---|---------|---------|---------|
| | | Northeast | Midwest | South | West |
| All procedures | 1,522.7 | 1,775.1 | 1,482.7 | 1,494.3 | 1,403.4 |
| Operations on the nervous system 01-05 | 41.6 | 46.4 | 49.1 | 35.9 | 39.3 |
| Spinal tap03.31 | 11.6 | 11.7 | 13.0 | 11.5 | 10.3 |
| Operations on the endocrine system 06-07 | 3.5 | 4.0 | 3.1 | 3.4 | 3.7 |
| Operations on the eye08-16 | 2.5 | 3.2 | 1.8 | 2.4 | 2.9 |
| Operations on the ear18-20 | 1.4 | 1.7 | * | 1.3 | * |
| Operations on the nose, mouth, and pharynx 21-29 | 10.2 | 12.1 | 6.4 | 10.9 | 11.4 |
| Operations on the respiratory system 30-34 | 37.9 | 45.4 | 34.9 | 38.3 | 34.0 |
| Bronchoscopy with or without biopsy 33.21-33.24,33.27 | 9.6 | 11.5 | 9.3 | 8.8 | 9.7 |
| Operations on the cardiovascular system 35-39 | 236.8 | 245.4 | 235.3 | 244.2 | 219.5 |
| Balloon angioplasty of coronary artery or coronary atherectomy 36.01-36.02,36.05 | 21.9 | 21.8 | 27.6 | 20.0 | 19.3 |
| Insertion of coronary artery stent(s) 36.06-36.07 | 21.0 | 19.2 | 26.7 | 19.5 | 19.3 |
| Coronary artery bypass graft ² 36.1 | 15.8 | 14.2 | 16.8 | 16.3 | 15.1 |
| Cardiac catheterization 37.21-37.23 | 41.0 | 38.4 | 43.9 | 43.8 | 35.7 |
| Insertion, replacement, removal, and revision of pacemaker leads or device 37.7-37.8 | 13.0 | 19.7 | 11.2 | 10.7 | 13.0 |
| Hemodialysis39.95 | 20.1 | 20.5 | 15.1 | 21.3 | 22.6 |
| Operations on the hemic and lymphatic system 40-41 | 11.6 | 12.0 | 10.3 | 11.7 | 12.4 |
| Operations on the digestive system 42-54 | 189.0 | 209.9 | 187.7 | 188.6 | 174.3 |
| Endoscopy of small intestine with or without biopsy45.11-45.14,45.16 | 36.0 | 39.1 | 36.0 | 36.2 | 33.4 |
| Endoscopy of large intestine with or without biopsy 45.21-45.25 | 18.8 | 22.3 | 19.0 | 18.3 | 16.8 |
| Partial excision of large intestine 45.7 | 9.0 | 9.6 | 10.1 | 8.9 | 7.7 |
| Appendectomy, excluding incidental 47.0 | 11.6 | 12.2 | 12.0 | 9.7 | 13.5 |
| Cholecystectomy 51.2 | 13.5 | 13.6 | 14.5 | 14.4 | 10.9 |
| Lysis of peritoneal adhesions 54.5 | 11.8 | 12.0 | 12.5 | 13.2 | 8.9 |
| Operations on the urinary system 55-59 | 33.8 | 44.2 | 27.8 | 37.3 | 25.8 |
| Cystoscopy with or without biopsy 57.31-57.33 | 4.8 | 7.1 | 4.0 | 5.4 | 2.9 |
| Operations on the male genital organs 60-64 | 7.9 | 8.7 | 8.0 | 7.2 | 8.3 |
| Prostatectomy 60.2-60.6 | 5.3 | 5.8 | 5.4 | 4.3 | 6.2 |
| Operations on the female genital organs 65-71 | 66.6 | 50.6 | 61.9 | 83.2 | 58.1 |
| Oophorectomy and salpingo-oophorectomy 65.3-65.6 | 14.7 | 10.6 | 15.8 | 17.8 | 12.0 |
| Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 | 11.7 | 6.6 | 9.2 | 16.1 | 11.3 |
| Hysterectomy 68.3-68.7,68.9 | 19.5 | 15.5 | 19.7 | 23.1 | 16.7 |
| Obstetrical procedures 72-75 | 232.3 | 191.4 | 237.1 | 234.9 | 256.6 |
| Episiotomy with or without forceps or vacuum extraction 72.1,72.21,72.31,72.71,73.6 | 18.2 | 15.0 | 15.1 | 20.6 | 19.9 |
| Artificial rupture of membranes 73.0 | 31.4 | 22.0 | 41.7 | 29.7 | 31.8 |
| Medical induction of labor 73.4 | 20.9 | 16.1 | 21.9 | 21.1 | 23.3 |
| Cesarean section 74.0-74.2,74.4,74.99 | 42.8 | 34.8 | 35.3 | 49.6 | 45.6 |
| Repair of current obstetric laceration 75.5-75.6 | 42.6 | 35.4 | 43.2 | 40.7 | 51.0 |
| Operations on the musculoskeletal system 76-84 | 140.2 | 143.2 | 147.4 | 137.8 | 134.6 |
| Partial excision of bone 76.2-76.3,77.6-77.8 | 6.0 | 6.6 | 5.2 | 6.2 | 6.0 |
| Reduction of fracture 76.7,79.0-79.3 | 21.0 | 22.8 | 22.1 | 21.1 | 18.5 |
| Open reduction of fracture with internal fixation 79.3 | 14.4 | 15.5 | 14.9 | 14.7 | 12.5 |
| Excision or destruction of intervertebral disc 80.5 | 9.9 | 9.8 | 9.4 | 10.2 | 10.2 |
| Total hip replacement81.51 | 7.9 | 10.0 | 9.1 | 5.7 | 8.8 |
| Total knee replacement81.54 | 18.1 | 19.9 | 23.3 | 15.7 | 15.2 |
| Operations on the integumentary system 85-86 | 52.1 | 52.9 | 44.7 | 64.7 | 38.8 |
| Debridement of wound, infection, or burn86.22,86.28 | 12.1 | 12.2 | 10.4 | 15.0 | 9.2 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies ³ 87-99,00 | 455.2 | 704.0 | 425.7 | 392.6 | 382.2 |
| Computerized axial tomography 87.03,87.41,87.71,88.01,88.38 | 27.5 | 70.8 | * | * | 20.8 |
| Arteriography and angiocardiology using contrast material 88.4-88.5 | 67.3 | 66.1 | 74.0 | 70.6 | 56.4 |
| Diagnostic ultrasound 88.7 | 30.0 | 58.3 | * | 23.0 | 25.1 |
| Physical therapy procedures 93.1-93.3 | 13.8 | 22.6 | * | 14.7 | 8.6 |
| Respiratory therapy 93.9,96.7 | 39.3 | 56.1 | 35.9 | 33.0 | 39.0 |
| Insertion of endotracheal tube96.04 | 17.2 | 19.9 | 15.5 | 17.0 | 16.9 |
| Transfusion of blood and blood components 99.0 | 64.4 | 59.9 | 61.2 | 70.6 | 61.6 |
| Injection or infusion of cancer chemotherapeutic substance99.25 | 7.1 | 9.4 | 4.2 | 8.5 | 5.7 |

* Figure does not meet standards of reliability or precision.

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²See Table 29 for comparison of number of procedures with number of discharges with procedures.³Chapter 00, "Procedures and interventions not elsewhere classified," is included in this category; see "Use of Tables."

Table 36. Number, percent distribution, and rate of discharges and days of care, with average length of stay for females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2005[Discharges of inpatients from nonfederal hospitals. Data are for discharges 10–54 years of age with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM) code V27, females with deliveries]

| Age and region | Discharges | | | Days of care | | | Average length of stay in days |
|--|---------------------|----------------------|--|---------------------|----------------------|--|--------------------------------|
| | Number in thousands | Percent distribution | Rate per 1,000 population ¹ | Number in thousands | Percent distribution | Rate per 1,000 population ¹ | |
| All deliveries | | | | | | | |
| 10–54 years | 4,038 | 100.0 | 43.1 | 10,425 | 100.0 | 111.3 | 2.6 |
| 10–19 years | 409 | 10.1 | 20.0 | 1,041 | 10.0 | 51.0 | 2.5 |
| 20–24 years | 1,058 | 26.2 | 104.5 | 2,618 | 25.1 | 258.8 | 2.5 |
| 25–29 years | 1,104 | 27.3 | 113.2 | 2,761 | 26.5 | 283.0 | 2.5 |
| 30–34 years | 899 | 22.3 | 90.8 | 2,422 | 23.2 | 244.7 | 2.7 |
| 35–39 years | 459 | 11.4 | 44.0 | 1,264 | 12.1 | 121.3 | 2.8 |
| 40–54 years | 110 | 2.7 | 3.3 | 319 | 3.1 | 9.6 | 2.9 |
| All regions | 4,038 | 100.0 | 43.1 | 10,425 | 100.0 | 111.3 | 2.6 |
| Northeast | 591 | 14.6 | 34.2 | 1,674 | 16.1 | 96.8 | 2.8 |
| Midwest | 824 | 20.4 | 39.5 | 2,066 | 19.8 | 99.0 | 2.5 |
| South | 1,574 | 39.0 | 46.4 | 4,107 | 39.4 | 121.1 | 2.6 |
| West | 1,049 | 26.0 | 48.5 | 2,578 | 24.7 | 119.3 | 2.5 |
| Vaginal deliveries² | | | | | | | |
| 10–54 years | 2,776 | 100.0 | 29.6 | 6,003 | 100.0 | 64.1 | 2.2 |
| 10–19 years | 327 | 11.8 | 16.0 | 731 | 12.2 | 35.8 | 2.2 |
| 20–24 years | 765 | 27.6 | 75.7 | 1,633 | 27.2 | 161.4 | 2.1 |
| 25–29 years | 779 | 28.0 | 79.8 | 1,651 | 27.5 | 169.2 | 2.1 |
| 30–34 years | 576 | 20.8 | 58.2 | 1,273 | 21.2 | 128.5 | 2.2 |
| 35–39 years | 271 | 9.8 | 26.0 | 589 | 9.8 | 56.5 | 2.2 |
| 40–54 years | 58 | 2.1 | 1.7 | 126 | 2.1 | 3.8 | 2.2 |
| All regions | 2,776 | 100.0 | 29.6 | 6,003 | 100.0 | 64.1 | 2.2 |
| Northeast | 401 | 14.5 | 23.2 | 935 | 15.6 | 54.1 | 2.3 |
| Midwest | 592 | 21.3 | 28.4 | 1,267 | 21.1 | 60.7 | 2.1 |
| South | 1,044 | 37.6 | 30.8 | 2,318 | 38.6 | 68.4 | 2.2 |
| West | 739 | 26.6 | 34.2 | 1,482 | 24.7 | 68.6 | 2.0 |
| Cesarean deliveries³ | | | | | | | |
| 10–54 years | 1,262 | 100.0 | 13.5 | 4,422 | 100.0 | 47.2 | 3.5 |
| 10–19 years | 81 | 6.4 | 4.0 | 309 | 7.0 | 15.2 | 3.8 |
| 20–24 years | 292 | 23.1 | 28.9 | 985 | 22.3 | 97.3 | 3.4 |
| 25–29 years | 326 | 25.8 | 33.4 | 1,110 | 25.1 | 113.8 | 3.4 |
| 30–34 years | 323 | 25.6 | 32.7 | 1,150 | 26.0 | 116.1 | 3.6 |
| 35–39 years | 188 | 14.9 | 18.0 | 675 | 15.3 | 64.8 | 3.6 |
| 40–54 years | 52 | 4.1 | 1.6 | 193 | 4.4 | 5.8 | 3.7 |
| All regions | 1,262 | 100.0 | 13.5 | 4,422 | 100.0 | 47.2 | 3.5 |
| Northeast | 190 | 15.1 | 11.0 | 739 | 16.7 | 42.7 | 3.9 |
| Midwest | 232 | 18.4 | 11.1 | 799 | 18.1 | 38.3 | 3.4 |
| South | 530 | 42.0 | 15.6 | 1,788 | 40.4 | 52.8 | 3.4 |
| West | 310 | 24.5 | 14.3 | 1,096 | 24.8 | 50.7 | 3.5 |

¹Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1, 2005.²Discharges of females with deliveries except those with cesarean deliveries.³Discharges of females with deliveries with ICD–9–CM procedure codes 74.0–74.2, 74.4, or 74.99.

Table 37. Number and percent distribution of females with deliveries discharged from short-stay hospitals, by length of stay and type of delivery: United States, selected years, 1980–2005[Discharges of inpatients from nonfederal hospitals. Data are for discharges with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM) code V27, females with deliveries]

| Length of stay | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|--|-------|-------|-------|-------|-------|-------|
| Number in thousands | | | | | | |
| All deliveries | 3,762 | 3,854 | 4,025 | 3,766 | 3,738 | 4,038 |
| Less than 1 day | 23 | 34 | 37 | 36 | 16 | 11 |
| 1 day | 216 | 373 | 623 | 1,368 | 551 | 481 |
| 2 days | 747 | 1,037 | 1,649 | 1,418 | 1,863 | 1,880 |
| 3 days | 1,205 | 1,140 | 900 | 606 | 863 | 1,111 |
| 4 days | 691 | 586 | 468 | 193 | 292 | 368 |
| 5–7 days | 726 | 598 | 282 | 100 | 112 | 145 |
| 8 days or more | 154 | 86 | 67 | 46 | 41 | 43 |
| Vaginal deliveries ¹ | 3,143 | 2,977 | 3,080 | 2,981 | 2,882 | 2,776 |
| Less than 1 day | 23 | 33 | 35 | 34 | 14 | *8 |
| 1 day | 215 | 371 | 620 | 1,362 | 546 | 467 |
| 2 days | 743 | 1,030 | 1,624 | 1,271 | 1,726 | 1,653 |
| 3 days | 1,185 | 1,054 | 618 | 228 | 500 | 558 |
| 4 days | 618 | 338 | 106 | 39 | 53 | 51 |
| 5–7 days | 317 | 125 | 55 | 27 | 25 | 23 |
| 8 days or more | 42 | 26 | 23 | 21 | 17 | 15 |
| Cesarean deliveries ² | 619 | 877 | 945 | 785 | 855 | 1,262 |
| Less than 1 day | * | * | * | * | * | * |
| 1 day | * | * | * | *6 | * | * |
| 2 days | * | * | 25 | 147 | 137 | 227 |
| 3 days | 20 | 86 | 283 | 379 | 363 | 553 |
| 4 days | 73 | 249 | 361 | 154 | 239 | 317 |
| 5–7 days | 409 | 473 | 227 | 73 | 87 | 122 |
| 8 days or more | 112 | 60 | 44 | 25 | 24 | 28 |
| Percent distribution | | | | | | |
| All deliveries | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Less than 1 day | 0.6 | 0.9 | 0.9 | 1.0 | 0.4 | 0.3 |
| 1 day | 5.7 | 9.7 | 15.5 | 36.3 | 14.7 | 11.9 |
| 2 days | 19.9 | 26.9 | 41.0 | 37.7 | 49.9 | 46.6 |
| 3 days | 32.0 | 29.6 | 22.4 | 16.1 | 23.1 | 27.5 |
| 4 days | 18.4 | 15.2 | 11.6 | 5.1 | 7.8 | 9.1 |
| 5–7 days | 19.3 | 15.5 | 7.0 | 2.7 | 3.0 | 3.6 |
| 8 days or more | 4.1 | 2.2 | 1.7 | 1.2 | 1.1 | 1.1 |
| Vaginal deliveries ¹ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Less than 1 day | 0.7 | 1.1 | 1.1 | 1.1 | 0.5 | *0.3 |
| 1 day | 6.8 | 12.5 | 20.1 | 45.7 | 19.0 | 16.8 |
| 2 days | 23.6 | 34.6 | 52.7 | 42.6 | 59.9 | 59.5 |
| 3 days | 37.7 | 35.4 | 20.1 | 7.6 | 17.3 | 20.1 |
| 4 days | 19.7 | 11.4 | 3.4 | 1.3 | 1.8 | 1.9 |
| 5–7 days | 10.1 | 4.2 | 1.8 | 0.9 | 0.9 | 0.8 |
| 8 days or more | 1.3 | 0.9 | 0.7 | 0.7 | 0.6 | 0.5 |
| Cesarean deliveries ² | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Less than 1 day | * | * | * | * | * | * |
| 1 day | * | * | * | *0.8 | * | * |
| 2 days | * | * | 2.6 | 18.7 | 16.0 | 18.0 |
| 3 days | 3.2 | 9.8 | 29.9 | 48.3 | 42.4 | 43.8 |
| 4 days | 11.8 | 28.4 | 38.2 | 19.6 | 27.9 | 25.1 |
| 5–7 days | 66.1 | 53.9 | 24.0 | 9.3 | 10.2 | 9.7 |
| 8 days or more | 18.1 | 6.8 | 4.7 | 3.2 | 2.8 | 2.2 |
| Type of delivery | | | | | | |
| All deliveries | 3.8 | 3.3 | 2.8 | 2.1 | 2.5 | 2.6 |
| Vaginal deliveries ¹ | 3.2 | 2.7 | 2.3 | 1.7 | 2.1 | 2.2 |
| Cesarean deliveries ² | 6.5 | 5.2 | 4.5 | 3.6 | 3.7 | 3.5 |
| Average length of stay in days | | | | | | |

* Figure does not meet standards of reliability or precision.

¹Discharges of females with deliveries except those with cesarean deliveries.²Discharges of females with deliveries with ICD–9–CM procedure codes 74.0–74.2, 74.4, or 74.99.

Table 38. Number and rate of selected obstetrical procedures for females with deliveries discharged from short-stay hospitals: United States, selected years, 1980–2005[Discharges of inpatients from nonfederal hospitals. Procedure groupings and code number are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Data are for selected procedures performed on discharges with code V27, females with deliveries]

| Procedure category and ICD–9–CM code | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|---|-------|-------|-------|-------|-------|-------|
| Number of procedures in thousands | | | | | | |
| All obstetrical procedures 72–75 | 3,526 | 4,239 | 6,660 | 6,282 | 6,145 | 6,781 |
| Cesarean section 74.0–74.2,74.4,74.99 | 619 | 877 | 945 | 785 | 855 | 1,262 |
| Repair of current obstetric laceration 75.5–75.6 | 350 | 543 | 789 | 961 | 1,134 | 1,255 |
| Manually assisted delivery 73.5 | 70 | 193 | 750 | 866 | 898 | 1,022 |
| Artificial rupture of membranes 73.0 | 120 | 315 | 691 | 752 | 833 | 928 |
| Medical induction of labor 73.4 | 42 | 66 | 225 | 366 | 435 | 608 |
| Episiotomy 72.1,72.21,72.31,72.71,73.6 | 2,012 | 1,820 | 1,714 | 1,410 | 944 | 537 |
| Vacuum extraction ¹ 72.7 | 22 | 66 | 190 | 279 | 245 | 237 |
| Forceps delivery ¹ 72.0–72.4,72.51,72.53,72.6,73.3 | 555 | 376 | 269 | 176 | 117 | 66 |
| Rate per 100 deliveries ² | | | | | | |
| All obstetrical procedures 72–75 | 93.7 | 110.0 | 165.5 | 166.8 | 164.4 | 167.9 |
| Cesarean section 74.0–74.2,74.4,74.99 | 16.5 | 22.7 | 23.5 | 20.8 | 22.9 | 31.3 |
| Artificial rupture of membranes 73.0 | 3.2 | 8.2 | 17.2 | 20.0 | 22.3 | 23.0 |
| Medical induction of labor 73.4 | 1.1 | 1.7 | 5.6 | 9.7 | 11.7 | 15.0 |
| Rate per 100 vaginal deliveries ³ | | | | | | |
| Repair of current obstetric laceration 75.5–75.6 | 11.1 | 18.1 | 25.5 | 32.0 | 39.2 | 45.0 |
| Manually assisted delivery 73.5 | 2.2 | 6.5 | 24.3 | 29.0 | 31.1 | 36.8 |
| Episiotomy 72.1,72.21,72.31,72.71,73.6 | 64.0 | 61.1 | 55.6 | 47.2 | 32.7 | 19.3 |
| Vacuum extraction ¹ 72.7 | 0.7 | 2.2 | 6.1 | 9.2 | 8.4 | 8.2 |
| Forceps delivery ¹ 72.0–72.4,72.51,72.53,72.6,73.3 | 17.6 | 12.5 | 8.6 | 5.8 | 4.0 | 2.3 |

¹Forceps delivery and vacuum extraction with episiotomy are also included in the episiotomy category.²Procedures per 100 discharges of females with deliveries.³Procedures for females with vaginal deliveries per 100 discharges with vaginal deliveries. Vaginal deliveries are all deliveries except those with a cesarean section.**Table 39. Number and rate of females with deliveries discharged from short-stay hospitals, by type of delivery: United States, selected years, 1980–2005**[Discharges of inpatients from nonfederal hospitals. Data are for discharges with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM) code V27, females with deliveries]

| Type of delivery | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|---|-------|-------|-------|-------|-------|-------|
| Number in thousands | | | | | | |
| Females with deliveries | 3,762 | 3,854 | 4,025 | 3,766 | 3,738 | 4,038 |
| Previous cesarean delivery | 192 | 324 | 426 | 413 | 447 | 571 |
| No previous cesarean delivery | 3,571 | 3,530 | 3,600 | 3,353 | 3,290 | 3,468 |
| Vaginal deliveries | 3,143 | 2,977 | 3,080 | 2,981 | 2,882 | 2,776 |
| Vaginal birth after cesarean delivery (VBAC) | *6 | 21 | 87 | 147 | 123 | 62 |
| Other vaginal deliveries | 3,137 | 2,956 | 2,993 | 2,835 | 2,759 | 2,715 |
| Cesarean deliveries | 619 | 877 | 945 | 785 | 855 | 1,262 |
| No previous cesarean delivery (primary) | 434 | 574 | 606 | 519 | 531 | 753 |
| Previous cesarean delivery (repeat) | 185 | 303 | 339 | 266 | 324 | 509 |
| Rate per 100 deliveries | | | | | | |
| Cesarean deliveries per 100 deliveries | 16.5 | 22.7 | 23.5 | 20.8 | 22.9 | 31.3 |
| Primary cesarean deliveries per 100 deliveries without previous cesarean delivery | 12.1 | 16.3 | 16.8 | 15.5 | 16.1 | 21.7 |
| Vaginal birth after cesarean deliveries (VBAC) per 100 deliveries with previous cesarean delivery | *3.4 | 6.6 | 20.4 | 35.5 | 27.6 | 10.8 |

* Figure does not meet standards of reliability or precision.

NOTES: Previous cesarean deliveries are discharges with ICD–9–CM diagnostic code 654.2. Cesarean deliveries are discharges with ICD–9–CM procedure codes 74.0–74.2, 74.4 or 74.99.

Table 40. Number and rate of females with deliveries discharged from short-stay hospitals, by type of delivery, age, and geographic region: United States, 2005[Discharges of inpatients from nonfederal hospitals. Data are for discharges with *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) code V27, females with deliveries]

| Age and region | Cesarean deliveries | | |
|-----------------------|---------------------|-------------------------|---------------------|
| | Total ¹ | Primary ² | VBAC ^{3,4} |
| | | Number in thousands | |
| 10–54 years | 1,262 | 753 | 62 |
| 10–19 years | 81 | 73 | * |
| 20–24 years | 292 | 190 | 13 |
| 25–29 years | 326 | 191 | 18 |
| 30–34 years | 323 | 172 | 16 |
| 35–39 years | 188 | 90 | 12 |
| 40–54 years | 52 | 37 | * |
| All regions | 1,262 | 753 | 62 |
| Northeast | 190 | 117 | 10 |
| Midwest | 232 | 136 | 14 |
| South | 530 | 315 | 23 |
| West | 310 | 184 | 15 |
| | | Rate per 100 deliveries | |
| 10–54 years | 31.3 | 21.7 | 10.8 |
| 10–19 years | 19.9 | 18.3 | * |
| 20–24 years | 27.6 | 20.2 | 10.9 |
| 25–29 years | 29.5 | 20.1 | 11.5 |
| 30–34 years | 36.0 | 23.5 | 9.7 |
| 35–39 years | 40.9 | 25.8 | 10.7 |
| 40–54 years | 47.4 | 39.9 | * |
| All regions | 31.3 | 21.7 | 10.8 |
| Northeast | 32.1 | 23.1 | 11.7 |
| Midwest | 28.2 | 19.1 | 13.1 |
| South | 33.7 | 23.6 | 9.7 |
| West | 29.5 | 20.2 | 10.3 |

* Figure does not meet standards of reliability or precision.

¹Discharges with ICD-9-CM procedure codes 74.0–74.2, 74.4, or 74.99. Rate per 100 total deliveries.²Cesarean deliveries without ICD-9-CM diagnostic code 654.2. Rate per 100 deliveries without previous cesarean delivery.³VBAC is vaginal birth after cesarean delivery.⁴Vaginal deliveries with ICD-9-CM diagnostic code 654.2. Rate per 100 deliveries with previous cesarean delivery.

Table 41. Number, percent distribution, and average length of stay for newborn infants discharged from short-stay hospitals, by sex, geographic region, and health status: United States, 2005

[Infants born in nonfederal hospitals]

| Sex, region, and health status | Discharges | | Average length of stay in days |
|--------------------------------|---------------------|----------------------|--------------------------------|
| | Number in thousands | Percent distribution | |
| All newborn infants | 3,999 | 100.0 | 3.4 |
| Sex | | | |
| Male | 2,044 | 51.1 | 3.4 |
| Female | 1,955 | 48.9 | 3.4 |
| Region | | | |
| Northeast | 739 | 18.5 | 3.4 |
| Midwest | 806 | 20.1 | 2.9 |
| South | 1,429 | 35.7 | 3.9 |
| West | 1,026 | 25.6 | 3.1 |
| Health status | | | |
| Well ¹ | 2,201 | 55.0 | 2.1 |
| Male | 1,078 | 26.9 | 2.1 |
| Female | 1,123 | 28.1 | 2.1 |
| Sick ² | 1,798 | 45.0 | 5.0 |
| Male | 967 | 24.2 | 4.9 |
| Female | 831 | 20.8 | 5.0 |

¹Without any illness or risk-related diagnoses.²With at least one illness or risk-related diagnosis, *International Classification of Diseases, Ninth Revision, Clinical Modification* codes 001–999.**Table 42. Number and percent distribution of newborn infants discharged from short-stay hospitals, by length of stay, and average length of stay, by health status: United States, selected years, 1980–2005**

[Infants born in nonfederal hospitals]

| Length of stay and health status | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|----------------------------------|-------|-------|-------|-------|-------|-------|
| Length of stay | | | | | | |
| Number in thousands | | | | | | |
| All newborn infants | 3,824 | 3,794 | 3,869 | 3,631 | 3,643 | 3,999 |
| Less than 1 day | 69 | 84 | 79 | 87 | 45 | 44 |
| 1 day | 270 | 428 | 693 | 1,523 | 722 | 674 |
| 2 days | 842 | 1,057 | 1,624 | 1,145 | 1,877 | 1,967 |
| 3 days | 1,175 | 1,034 | 636 | 486 | 546 | 720 |
| 4 days | 618 | 528 | 447 | 134 | 205 | 286 |
| 5–7 days | 633 | 497 | 232 | 106 | 94 | 122 |
| 8 days or more | 218 | 167 | 157 | 149 | 153 | 185 |
| Percent distribution | | | | | | |
| All newborn infants | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Less than 1 day | 1.8 | 2.2 | 2.0 | 2.4 | 1.2 | 1.1 |
| 1 day | 7.1 | 11.3 | 17.9 | 41.9 | 19.8 | 16.9 |
| 2 days | 22.0 | 27.9 | 42.0 | 31.5 | 51.5 | 49.2 |
| 3 days | 30.7 | 27.3 | 16.4 | 13.4 | 15.0 | 18.0 |
| 4 days | 16.2 | 13.9 | 11.6 | 3.7 | 5.6 | 7.2 |
| 5–7 days | 16.5 | 13.1 | 6.0 | 2.9 | 2.6 | 3.1 |
| 8 days or more | 5.7 | 4.4 | 4.1 | 4.1 | 4.2 | 4.6 |
| Health status | | | | | | |
| Average length of stay in days | | | | | | |
| All newborn infants | 4.3 | 3.8 | 3.3 | 2.8 | 3.2 | 3.4 |
| Well ¹ | 3.2 | 2.8 | 2.3 | 1.7 | 2.1 | 2.1 |
| Sick ² | 7.1 | 5.7 | 4.8 | 4.4 | 5.1 | 5.0 |

¹Without any illness or risk-related diagnoses.²With at least one illness or risk-related diagnosis, *International Classification of Diseases, Ninth Revision, Clinical Modification* codes 001–999.

Table 43. Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by sex and selected diagnostic categories: United States, 2005[Infants born in nonfederal hospitals. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM)]

| Diagnostic category and ICD–9–CM code | Both sexes | Male | Female |
|---|---------------------|-------|--------|
| | Number in thousands | | |
| Sick newborn diagnoses 001–999 | 3,749 | 2,051 | 1,699 |
| Hemolytic disease of fetus or newborn, due to isoimmunization, and other perinatal jaundice 773–774 | 798 | 419 | 379 |
| Hemolytic disease due to ABO isoimmunization 773.1 | 53 | 20 | 32 |
| Neonatal jaundice associated with preterm delivery 774.2 | 157 | 85 | 72 |
| Unspecified fetal and neonatal jaundice 774.6 | 568 | 303 | 264 |
| Respiratory conditions of fetus and newborn 768–770 | 437 | 246 | 191 |
| Respiratory distress syndrome 769 | 87 | 49 | 38 |
| Transitory tachypnea of newborn 770.6 | 134 | 78 | 55 |
| Disorders relating to long gestation and low birth weight (prematurity) 765.0–765.1 | 315 | 170 | 145 |
| Congenital anomalies 740–759 | 311 | 189 | 122 |
| Congenital anomalies of circulatory system 745–747 | 86 | 46 | 40 |
| Congenital anomalies of musculoskeletal system 754–756 | 49 | 27 | 22 |
| Congenital anomalies of the integument (skin) 757 | 63 | 33 | 30 |
| Disorders relating to long gestation and high birthweight 766 | 258 | 154 | 103 |
| Maternal causes of perinatal morbidity and mortality 760–763 | 151 | 77 | 75 |
| Endocrine and metabolic disturbances specific to the fetus and newborn 775 | 131 | 70 | 61 |
| Neonatal hypoglycemia 775.6 | 56 | 31 | 25 |
| Conditions involving the integument (skin) and temperature regulation of fetus and newborn 778 | 106 | 70 | 36 |
| Infections specific to the perinatal period 771 | 102 | 52 | 50 |
| Septicemia (sepsis) of newborn 771.81 | 81 | 42 | 39 |
| Birth trauma 767 | 101 | 59 | 42 |
| Injuries to scalp 767.1 | 71 | 40 | 31 |
| Feeding problems in newborn 779.3 | 97 | 53 | 44 |
| Slow fetal growth and fetal malnutrition 764 | 64 | 25 | 39 |
| Fetal and neonatal hemorrhage 772 | 54 | 26 | 28 |

Table 44. Number and percentage of male newborn infants circumcised during hospitalization, by geographic region: United States, selected years, 1980–2005[Infants born in nonfederal hospitals with *International Classification of Diseases, Ninth Revision, Clinical Modification* procedure code 64.0]

| Region | 1980 | 1985 | 1990 | 1995 | 2000 | 2005 |
|-------------------------|---------------------------------|-------|-------|-------|-------|-------|
| | Number circumcised in thousands | | | | | |
| United States | 1,261 | 1,162 | 1,169 | 1,200 | 1,166 | 1,172 |
| Northeast | 253 | 221 | 238 | 249 | 256 | 254 |
| Midwest | 403 | 331 | 341 | 317 | 330 | 330 |
| South | 379 | 393 | 396 | 454 | 438 | 422 |
| West | 226 | 218 | 195 | 180 | 143 | 166 |
| | Percentage circumcised | | | | | |
| United States | 64.7 | 59.5 | 59.0 | 64.1 | 62.4 | 57.3 |
| Northeast | 67.4 | 65.2 | 62.6 | 68.3 | 64.6 | 66.9 |
| Midwest | 75.9 | 70.5 | 76.0 | 79.8 | 81.4 | 78.7 |
| South | 56.0 | 56.0 | 57.1 | 66.1 | 63.9 | 58.7 |
| West | 61.8 | 49.0 | 42.4 | 42.6 | 37.3 | 31.5 |

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| All codes | 34,667 | 13,902 | 20,766 | 2,431 | 10,659 | 8,349 | 13,228 | 7,192 | 7,948 | 12,907 | 6,621 |
| 001-139 | 1,045 | 498 | 547 | 142 | 176 | 244 | 483 | 235 | 225 | 382 | 202 |
| 003 | *8 | * | * | * | * | * | * | * | * | * | * |
| 003.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 008 | 173 | 66 | 107 | 44 | 23 | 33 | 74 | 49 | 36 | 64 | 24 |
| 008.4 | 78 | 28 | 50 | * | *7 | 20 | 49 | 28 | 16 | 27 | *8 |
| 008.45 | 76 | 27 | 49 | * | *6 | 19 | 48 | 27 | 16 | 26 | *7 |
| 008.6 | 24 | 13 | 11 | 23 | * | * | * | * | *5 | 10 | *5 |
| 008.61 | 23 | 13 | 10 | 22 | * | * | * | * | *5 | 9 | *5 |
| 008.8 | 69 | 24 | 45 | 18 | 15 | 12 | 24 | 18 | 15 | 25 | 11 |
| 009 | 16 | *6 | 9 | * | *7 | * | * | * | * | * | *5 |
| 009.0 | 10 | * | *7 | * | * | * | * | * | * | * | * |
| 011 | 10 | *8 | * | * | * | *5 | * | * | * | *7 | * |
| 011.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 033 | *7 | * | * | *7 | - | * | - | * | * | * | * |
| 034 | *8 | * | * | * | * | * | - | * | * | * | * |
| 034.0 | *8 | * | * | * | * | * | - | * | * | * | * |
| 038 | 490 | 240 | 249 | *6 | 38 | 112 | 334 | 97 | 115 | 178 | 99 |
| 038.0 | 27 | 15 | 12 | * | * | *6 | 17 | *5 | *7 | *9 | *6 |
| 038.1 | 67 | 41 | 26 | * | *7 | 17 | 42 | 12 | 13 | 29 | 13 |
| 038.10 | *5 | * | * | * | * | * | * | * | * | * | * |
| 038.11 | 49 | 31 | 18 | * | *5 | 13 | 31 | *9 | *9 | 22 | 10 |
| 038.19 | 13 | *7 | *6 | * | * | * | *8 | * | * | * | * |
| 038.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 038.4 | 95 | 38 | 57 | * | *7 | 25 | 62 | 23 | 30 | 21 | 21 |
| 038.40 | *9 | * | * | - | * | * | *6 | * | * | * | * |
| 038.42 | 51 | 17 | 34 | * | * | 12 | 34 | 13 | 18 | 10 | 9 |
| 038.43 | *7 | * | * | - | * | * | * | * | * | * | * |
| 038.49 | 27 | 13 | 14 | * | * | *8 | 17 | *7 | *7 | *5 | *7 |
| 038.8 | 12 | * | 9 | * | * | * | 10 | * | * | * | * |
| 038.9 | 278 | 137 | 141 | * | 18 | 59 | 198 | 51 | 59 | 112 | 56 |
| 041 | 12 | *6 | *6 | * | * | * | * | * | * | *5 | * |
| 042 | 58 | 35 | 23 | * | 32 | 24 | * | 20 | *6 | 27 | *5 |
| 047 | 41 | 21 | 20 | 19 | 18 | * | * | *6 | 11 | 13 | 10 |
| 047.9 | 36 | 19 | 17 | 15 | 17 | * | * | *6 | 10 | 13 | *8 |
| 053 | 21 | *8 | 13 | * | * | * | 16 | * | *6 | * | *6 |
| 053.1 | *5 | * | * | - | * | * | * | * | * | * | * |
| 053.9 | 10 | * | *8 | * | * | * | *8 | * | * | * | * |
| 054 | *6 | * | * | * | * | * | * | * | * | * | * |
| 066 | *5 | * | * | - | * | * | * | - | * | * | * |
| 070 | 25 | 16 | *9 | * | *7 | 14 | * | * | * | 10 | *7 |
| 070.5 | *8 | * | * | - | * | *5 | * | * | * | * | * |
| 070.54 | *6 | * | * | - | * | * | * | * | * | * | * |
| 070.7 | *6 | * | * | - | * | * | * | * | * | * | * |
| 075 | 10 | *5 | * | * | *7 | * | - | * | * | * | * |
| 079 | 60 | 30 | 29 | 35 | *9 | *8 | *8 | 14 | 13 | 20 | 13 |
| 079.9 | 54 | 27 | 27 | 30 | *8 | *8 | *8 | 13 | 13 | 18 | 10 |
| 079.99 | 54 | 27 | 27 | 30 | *8 | *8 | *8 | 13 | 13 | 18 | 10 |
| 112 | 24 | *8 | 16 | * | * | * | 13 | * | * | 12 | * |
| 112.0 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 112.2 | *8 | * | *6 | - | * | * | *7 | * | * | * | * |
| 117 | *6 | * | * | * | * | * | * | * | * | * | * |
| 135 | 11 | * | *6 | * | * | *5 | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 140-239 | 1,615 | 654 | 961 | 27 | 270 | 626 | 692 | 348 | 345 | 600 | 323 |
| 141 | *6 | * | * | — | * | * | * | * | * | * | * |
| 150 | 13 | 10 | * | — | * | *6 | *7 | * | * | * | * |
| 151 | 28 | 17 | 11 | — | * | 10 | 17 | * | *9 | 10 | * |
| 151.0 | 11 | *8 | * | — | * | * | *6 | * | * | * | * |
| 151.9 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 153 | 110 | 51 | 58 | * | * | 32 | 74 | 22 | 27 | 40 | 21 |
| 153.0 | *7 | * | * | — | * | * | *6 | * | * | * | * |
| 153.1 | 11 | *7 | * | — | * | * | *7 | * | * | * | * |
| 153.2 | *6 | * | *5 | — | * | * | * | * | * | * | * |
| 153.3 | 21 | 10 | 11 | — | * | *7 | 13 | * | *5 | *7 | *5 |
| 153.4 | 24 | 10 | 14 | — | * | *7 | 16 | *5 | *6 | *8 | * |
| 153.6 | 20 | 9 | 11 | — | * | *5 | 14 | * | *5 | *8 | * |
| 153.9 | 13 | *7 | *6 | — | * | * | *8 | * | * | *7 | * |
| 154 | 37 | 20 | 17 | — | * | 14 | 21 | *7 | *9 | 13 | *7 |
| 154.0 | 16 | 9 | *6 | — | * | *6 | *9 | * | * | *7 | * |
| 154.1 | 19 | 10 | *9 | — | * | *7 | 11 | * | *5 | *6 | * |
| 155 | 17 | 10 | *7 | * | * | *7 | *9 | *5 | * | *7 | * |
| 155.0 | 12 | *8 | * | * | * | *6 | *5 | * | * | *5 | * |
| 156 | *9 | *5 | * | — | * | * | *6 | * | * | * | * |
| 157 | 28 | 14 | 14 | * | * | 10 | 17 | * | *8 | 10 | *6 |
| 157.0 | 10 | *5 | * | — | * | * | *7 | * | * | * | * |
| 157.9 | 9 | * | * | — | * | * | * | * | * | * | * |
| 161 | 11 | *8 | * | — | * | *7 | * | * | * | * | * |
| 162 | 137 | 71 | 66 | * | * | 46 | 86 | 32 | 34 | 53 | 17 |
| 162.2 | *9 | * | * | — | * | * | *5 | * | * | * | * |
| 162.3 | 47 | 25 | 23 | * | * | 17 | 30 | 11 | 11 | 17 | *8 |
| 162.5 | 21 | 11 | 10 | * | * | *8 | 13 | * | * | 11 | * |
| 162.8 | 17 | *9 | *9 | — | * | * | 12 | *7 | * | * | * |
| 162.9 | 39 | 21 | 19 | — | * | 13 | 25 | *7 | 14 | 15 | * |
| 171 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 173 | *6 | * | * | * | * | * | * | * | * | * | * |
| 174 | 85 | — | 85 | — | 15 | 39 | 31 | 15 | 20 | 36 | 14 |
| 174.4 | 10 | — | 10 | — | * | * | * | * | * | * | * |
| 174.8 | 24 | — | 24 | — | * | 13 | *7 | *6 | * | 11 | * |
| 174.9 | 40 | — | 40 | — | *6 | 18 | 15 | * | 11 | 20 | * |
| 180 | 14 | — | 14 | — | *6 | *7 | * | * | * | *6 | * |
| 180.9 | *8 | — | *8 | — | * | * | * | * | * | *5 | * |
| 182 | 34 | — | 34 | — | * | 17 | 14 | *8 | 10 | 10 | *6 |
| 182.0 | 34 | — | 34 | — | * | 17 | 13 | *8 | 10 | 10 | *6 |
| 183 | 20 | — | 20 | * | * | 11 | *6 | * | * | *8 | * |
| 183.0 | 19 | — | 19 | * | * | 10 | *6 | * | * | *8 | * |
| 185 | 78 | 78 | — | * | * | 39 | 38 | 14 | 15 | 27 | 22 |
| 188 | 39 | 29 | 10 | — | * | *6 | 33 | 11 | 9 | 12 | *7 |
| 188.8 | 14 | 10 | * | — | — | * | 11 | *6 | * | * | * |
| 188.9 | 9 | *6 | * | — | * | * | *8 | * | * | * | * |
| 189 | 45 | 28 | 17 | * | * | 14 | 26 | 10 | 11 | 14 | 9 |
| 189.0 | 41 | 25 | 16 | * | * | 13 | 23 | *9 | 11 | 14 | *8 |
| 191 | 41 | 26 | 15 | * | *7 | 14 | 15 | *9 | *8 | 12 | 13 |
| 191.1 | 12 | *9 | * | * | * | *5 | * | * | * | * | * |
| 191.2 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 191.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| 191.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 193 | 24 | *5 | 19 | * | 10 | 11 | * | *6 | * | 9 | *6 |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 196 | 14 | 9 | * | * | * | * | *9 | * | * | *7 | * |
| 196.2 | *5 | * | * | — | * | * | * | * | * | * | * |
| 197 | 98 | 42 | 56 | * | *8 | 39 | 50 | 26 | 20 | 34 | 18 |
| 197.0 | 17 | *8 | 9 | * | * | *8 | *7 | * | * | *6 | * |
| 197.2 | 25 | *8 | 16 | — | * | 9 | 14 | *7 | *7 | *7 | * |
| 197.6 | 17 | *6 | 11 | — | * | *6 | *9 | *6 | * | *5 | * |
| 197.7 | 29 | 17 | 13 | * | * | 12 | 14 | *7 | * | 11 | *6 |
| 198 | 86 | 37 | 49 | * | *6 | 40 | 40 | 20 | 24 | 28 | 14 |
| 198.3 | 33 | 14 | 19 | * | * | 16 | 15 | *8 | *7 | 11 | *6 |
| 198.5 | 36 | 17 | 19 | * | * | 17 | 17 | *7 | 14 | 11 | * |
| 198.8 | 10 | * | *6 | * | * | * | *6 | * | * | * | * |
| 198.89 | *9 | * | *5 | * | * | * | *5 | * | * | * | * |
| 199 | 23 | 9 | 14 | * | * | 9 | 12 | * | * | 13 | *5 |
| 199.0 | 15 | *5 | 10 | * | * | *6 | *7 | * | * | *8 | * |
| 199.1 | *8 | * | * | * | * | * | *5 | * | * | * | * |
| 200 | *8 | * | * | * | * | * | * | * | * | * | * |
| 200.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 201 | *6 | * | * | * | * | * | * | * | * | * | * |
| 202 | 32 | 19 | 13 | * | * | 9 | 18 | *7 | 10 | 9 | *6 |
| 202.8 | 28 | 16 | 11 | * | * | *8 | 17 | *6 | *8 | *8 | *6 |
| 202.80 | 13 | *8 | * | — | * | * | *9 | * | * | * | * |
| 202.83 | *5 | * | * | — | * | * | * | * | * | * | * |
| 203 | 15 | 10 | *5 | — | * | * | 10 | * | * | * | * |
| 203.0 | 14 | 9 | *5 | — | * | * | 9 | * | * | * | * |
| 203.00 | 14 | 9 | * | — | * | * | 9 | * | * | * | * |
| 204 | 19 | 10 | *8 | *7 | * | * | *6 | * | * | *6 | *7 |
| 204.0 | 11 | *7 | * | *7 | * | * | * | * | * | * | * |
| 204.00 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 204.1 | *7 | * | * | — | — | * | *5 | * | * | * | * |
| 204.10 | *6 | * | * | — | — | * | *5 | * | * | * | * |
| 205 | 18 | 11 | *8 | * | * | *7 | *7 | *5 | * | *7 | * |
| 205.0 | 15 | *9 | *7 | * | * | *6 | *6 | * | * | *6 | * |
| 205.00 | 15 | *8 | *7 | * | * | *6 | *6 | * | * | *6 | * |
| 210 | *5 | * | * | * | * | * | * | * | * | * | * |
| 211 | 48 | 21 | 27 | * | * | 17 | 26 | 11 | 9 | 18 | *9 |
| 211.3 | 34 | 17 | 18 | — | * | 12 | 19 | *8 | *6 | 13 | *7 |
| 218 | 201 | — | 201 | — | 103 | 95 | * | 38 | 40 | 89 | 34 |
| 218.0 | 29 | — | 29 | — | 11 | 18 | * | *7 | * | 13 | * |
| 218.1 | 58 | — | 58 | — | 31 | 26 | * | 15 | *8 | 26 | *9 |
| 218.2 | 16 | — | 16 | — | *9 | *7 | — | * | * | *7 | * |
| 218.9 | 98 | — | 98 | — | 52 | 45 | * | 14 | 22 | 42 | 20 |
| 220 | 34 | — | 34 | * | 16 | 13 | *5 | *6 | 11 | 10 | *7 |
| 225 | 22 | *6 | 16 | * | * | *9 | *9 | *6 | * | *7 | *6 |
| 225.2 | 14 | * | 11 | — | * | * | *8 | * | * | * | * |
| 226 | 10 | * | *9 | — | * | *6 | * | * | * | * | * |
| 227 | 16 | *5 | 11 | * | * | *8 | * | * | * | *6 | * |
| 227.3 | *8 | * | * | * | * | * | * | * | * | * | * |
| 228 | *7 | * | * | * | * | * | * | * | * | * | * |
| 228.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 230 | *6 | * | * | — | * | * | * | * | * | * | * |
| 233 | 23 | * | 23 | — | 12 | *9 | * | * | * | 13 | * |
| 233.0 | *8 | — | *8 | — | * | * | * | * | * | * | * |
| 233.1 | 13 | — | 13 | — | 10 | * | * | * | * | *8 | * |
| 235 | *7 | * | *5 | — | * | * | * | * | * | * | * |
| 235.2 | *5 | * | * | — | * | * | * | * | * | * | * |
| 237 | *6 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 238 | 18 | 9 | *8 | * | * | * | 11 | * | * | *8 | * |
| 238.7 | 12 | *7 | *6 | * | * | * | 10 | * | * | *6 | * |
| 239 | 16 | *8 | *8 | * | * | *5 | *8 | * | *6 | *6 | * |
| 239.6 | *6 | * | * | * | * | * | * | * | * | * | * |
| 240-279 | 1,708 | 713 | 995 | 203 | 359 | 494 | 652 | 383 | 381 | 645 | 299 |
| 241 | 17 | * | 15 | — | * | 10 | * | * | * | *6 | * |
| 241.0 | *6 | * | *5 | — | * | * | * | * | * | * | * |
| 241.1 | 9 | * | *8 | — | * | *5 | * | * | * | * | * |
| 242 | 11 | * | *8 | * | * | * | * | * | * | * | * |
| 242.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 244 | 19 | * | 17 | * | * | *6 | *8 | *7 | * | *5 | * |
| 244.9 | 18 | * | 16 | * | * | *6 | *8 | *7 | * | * | * |
| 250 | 585 | 283 | 302 | 27 | 157 | 209 | 191 | 148 | 119 | 215 | 102 |
| 250.0 | 163 | 73 | 90 | 10 | 39 | 63 | 51 | 43 | 33 | 58 | 29 |
| 250.00 | 79 | 37 | 42 | * | 17 | 34 | 27 | 18 | 15 | 28 | 17 |
| 250.01 | 20 | *8 | 12 | *7 | *6 | * | * | * | *5 | * | *5 |
| 250.02 | 57 | 25 | 32 | * | 15 | 24 | 19 | 17 | 12 | 21 | *6 |
| 250.03 | *8 | * | * | * | * | * | * | * | * | * | * |
| 250.1 | 121 | 59 | 63 | 16 | 70 | 26 | 9 | 22 | 33 | 44 | 22 |
| 250.10 | 24 | 10 | 14 | * | 11 | *7 | * | * | *6 | *8 | * |
| 250.11 | 57 | 28 | 29 | 13 | 34 | *8 | * | 9 | 17 | 19 | 12 |
| 250.12 | 16 | *8 | *8 | — | *8 | *6 | * | * | * | *8 | * |
| 250.13 | 24 | 13 | 11 | * | 18 | * | * | *5 | *7 | 9 | * |
| 250.2 | 14 | *8 | *6 | * | * | * | * | * | * | *6 | * |
| 250.20 | *6 | * | * | — | * | * | * | * | * | * | * |
| 250.22 | *8 | * | * | * | * | * | * | * | * | * | * |
| 250.4 | 25 | 15 | 10 | — | * | 12 | *9 | * | * | 10 | *7 |
| 250.40 | 18 | 11 | *7 | — | * | *9 | *7 | * | * | *7 | *6 |
| 250.6 | 68 | 28 | 39 | — | 19 | 32 | 17 | 14 | 13 | 27 | 13 |
| 250.60 | 40 | 17 | 23 | — | *7 | 20 | 13 | 9 | *7 | 15 | *8 |
| 250.61 | 10 | * | *7 | — | *7 | * | * | * | * | * | * |
| 250.62 | 14 | *7 | *7 | — | * | *9 | * | * | * | *6 | * |
| 250.7 | 45 | 26 | 19 | — | * | 19 | 24 | 14 | *7 | 16 | *7 |
| 250.70 | 35 | 20 | 16 | — | * | 14 | 22 | 11 | *5 | 14 | *6 |
| 250.72 | *7 | * | * | — | * | * | * | * | * | * | * |
| 250.8 | 135 | 68 | 67 | * | 15 | 48 | 71 | 43 | 26 | 49 | 18 |
| 250.80 | 96 | 45 | 51 | * | *5 | 31 | 59 | 32 | 17 | 32 | 14 |
| 250.81 | 11 | *7 | * | * | * | * | * | * | * | * | * |
| 250.82 | 24 | 13 | 11 | — | * | 11 | 9 | * | * | 13 | * |
| 250.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 250.92 | *6 | * | * | * | * | * | * | * | * | * | * |
| 251 | 16 | *7 | *8 | * | * | * | *8 | * | * | *6 | * |
| 251.2 | 11 | *6 | *5 | * | * | * | * | * | * | * | * |
| 252 | *6 | * | * | * | * | * | * | * | * | * | * |
| 252.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 253 | 20 | *8 | 12 | * | * | * | 13 | *5 | * | *8 | * |
| 253.6 | 18 | *8 | 10 | * | * | * | 13 | * | * | *8 | * |
| 255 | 12 | *5 | *6 | * | * | * | *6 | * | * | * | * |
| 255.4 | 9 | * | *6 | * | * | * | *5 | * | * | * | * |
| 263 | 13 | * | *8 | * | * | * | *8 | * | * | * | * |
| 263.9 | 10 | * | *6 | * | * | * | *6 | * | * | * | * |
| 272 | 48 | 24 | 24 | * | *9 | 25 | 14 | 15 | *9 | 18 | *6 |
| 272.0 | 19 | 9 | 10 | — | * | 12 | * | *7 | * | *7 | * |
| 272.4 | 27 | 14 | 13 | — | * | 13 | 10 | *7 | *5 | 10 | * |
| 274 | 17 | 11 | *6 | — | * | *8 | *7 | * | * | * | * |
| 274.0 | 11 | *7 | * | — | * | *5 | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 275 | 20 | *7 | 13 | * | * | * | 10 | * | * | *6 | *6 |
| 275.4 | 16 | *5 | 11 | * | * | * | *9 | * | * | * | *5 |
| 275.42 | 11 | * | *8 | * | * | * | *7 | * | * | * | * |
| 276 | 740 | 297 | 444 | 156 | 75 | 144 | 365 | 136 | 182 | 302 | 120 |
| 276.0 | 15 | *6 | 9 | * | * | * | 10 | * | * | * | * |
| 276.1 | 117 | 44 | 73 | * | *6 | 26 | 82 | 22 | 33 | 39 | 24 |
| 276.2 | 10 | * | *5 | * | * | * | * | * | * | * | * |
| 276.5 | 500 | 206 | 294 | 148 | 49 | 76 | 227 | 91 | 121 | 217 | 72 |
| 276.6 | *8 | * | * | — | * | * | * | * | * | * | * |
| 276.7 | 35 | 15 | 19 | * | * | 14 | 18 | *8 | *7 | 11 | *9 |
| 276.8 | 50 | 15 | 35 | * | 12 | 18 | 18 | *9 | 11 | 22 | *7 |
| 277 | 28 | 16 | 12 | *9 | 17 | * | * | *7 | *8 | 10 | * |
| 277.0 | 15 | *8 | *7 | *6 | *9 | * | — | *6 | *5 | * | * |
| 277.02 | 12 | *7 | *5 | * | *8 | * | — | *5 | * | * | * |
| 277.1 | *6 | *6 | * | — | *6 | * | — | * | * | *5 | * |
| 278 | 129 | 31 | 98 | * | 66 | 59 | * | 36 | 22 | 39 | 32 |
| 278.0 | 120 | 30 | 90 | * | 63 | 54 | * | 32 | 21 | 37 | 30 |
| 278.00 | 11 | * | *8 | * | *7 | * | * | * | * | * | * |
| 278.01 | 109 | 26 | 83 | * | 56 | 50 | * | 30 | 20 | 34 | 25 |
| 278.1 | *7 | * | *7 | — | * | * | * | * | * | * | * |
| 280-289 | 455 | 174 | 281 | 57 | 115 | 100 | 183 | 106 | 98 | 177 | 74 |
| 280 | 100 | 28 | 71 | * | 22 | 22 | 54 | 23 | 23 | 37 | 16 |
| 280.0 | 49 | 14 | 34 | * | 13 | 10 | 25 | 12 | 13 | 18 | *6 |
| 280.9 | 49 | 13 | 36 | * | *9 | 11 | 28 | 11 | 10 | 18 | 10 |
| 282 | 83 | 36 | 46 | 19 | 53 | *8 | * | 25 | 16 | 37 | * |
| 282.4 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 282.42 | *6 | * | * | * | * | * | — | * | * | * | * |
| 282.6 | 72 | 30 | 42 | 17 | 48 | *7 | * | 20 | 15 | 34 | * |
| 282.62 | 59 | 25 | 34 | 12 | 41 | *5 | * | 16 | 11 | 30 | * |
| 283 | *7 | * | * | * | * | * | * | * | * | * | * |
| 284 | 30 | 14 | 16 | * | *7 | 10 | 10 | *5 | *7 | 12 | *5 |
| 284.8 | 28 | 13 | 14 | * | *6 | 9 | 9 | *5 | *7 | 11 | * |
| 285 | 102 | 37 | 64 | * | 10 | 26 | 64 | 25 | 20 | 39 | 18 |
| 285.1 | 13 | * | *9 | * | * | * | 9 | * | * | * | * |
| 285.2 | 19 | *8 | 11 | * | * | * | 14 | *6 | * | *7 | * |
| 285.29 | 10 | * | *6 | * | * | * | *8 | * | * | * | * |
| 285.9 | 67 | 24 | 43 | * | *7 | 18 | 40 | 14 | 11 | 28 | 14 |
| 286 | 19 | *7 | 12 | * | * | *6 | 10 | * | *5 | *8 | * |
| 286.5 | *8 | * | *5 | — | * | * | * | * | * | * | * |
| 287 | 35 | 16 | 19 | *8 | *8 | *7 | 11 | 9 | *7 | 10 | *9 |
| 287.3 | 15 | *6 | 9 | * | * | * | * | * | * | * | * |
| 287.5 | 14 | *7 | *7 | * | * | * | * | * | * | * | * |
| 288 | 56 | 23 | 33 | 13 | *7 | 16 | 20 | 10 | 13 | 21 | 12 |
| 288.0 | 44 | 19 | 25 | 11 | *6 | 14 | 14 | 9 | *8 | 17 | 10 |
| 288.8 | 11 | * | *7 | * | * | * | *5 | * | * | * | * |
| 289 | 19 | *8 | 12 | *7 | * | * | * | * | * | *9 | * |
| 289.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 290-319 | 2,398 | 1,200 | 1,198 | 124 | 1,349 | 680 | 246 | 665 | 518 | 1,002 | 213 |
| 290 | 27 | *9 | 18 | — | * | * | 26 | *9 | *8 | *9 | * |
| 290.2 | *5 | * | * | — | — | * | * | * | * | * | * |
| 290.4 | 12 | *5 | *7 | — | * | * | 11 | * | * | * | * |
| 290.40 | *5 | * | * | — | — | — | *5 | * | * | * | * |
| 291 | 158 | 111 | 48 | * | 78 | 70 | 10 | 41 | 63 | 30 | 24 |
| 291.0 | 22 | 17 | * | — | *8 | 12 | * | * | *7 | *5 | *5 |
| 291.8 | 133 | 91 | 42 | — | 68 | 57 | *8 | 36 | 55 | 23 | 19 |
| 291.81 | 128 | 88 | 40 | — | 65 | 55 | *8 | 35 | 54 | 21 | 17 |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 292 | 109 | 66 | 43 | * | 69 | 26 | 14 | 43 | 27 | 21 | 18 | |
| 292.0 | 66 | 42 | 24 | * | 48 | 17 | * | 30 | 21 | *8 | *7 | |
| 292.1 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 292.8 | 33 | 18 | 15 | * | 16 | *6 | 11 | 11 | * | 11 | *8 | |
| 292.81 | 13 | *6 | *7 | — | * | * | 10 | * | * | * | * | |
| 292.84 | 19 | 12 | *7 | * | 14 | * | * | *7 | * | *5 | *5 | |
| 293 | 16 | *7 | 9 | * | * | * | *8 | * | * | * | * | |
| 293.0 | 10 | * | *6 | * | * | * | *7 | * | * | * | * | |
| 293.8 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 294 | 40 | 19 | 21 | * | * | * | 36 | 18 | *9 | 11 | * | |
| 294.8 | 37 | 17 | 20 | — | * | * | 34 | 17 | *8 | *9 | * | |
| 295 | 351 | 193 | 158 | * | 196 | 130 | 23 | 100 | 60 | 165 | 26 | |
| 295.3 | 123 | 74 | 49 | * | 68 | 47 | *7 | 33 | 18 | 65 | *7 | |
| 295.30 | 60 | 34 | 25 | * | 33 | 23 | * | 9 | *9 | 40 | * | |
| 295.32 | 22 | 14 | *9 | * | 12 | *9 | * | *6 | * | 12 | * | |
| 295.34 | 40 | 26 | 14 | — | 23 | 14 | * | 18 | *7 | 13 | * | |
| 295.6 | 10 | *7 | * | — | * | *5 | * | * | * | * | * | |
| 295.7 | 171 | 85 | 86 | * | 97 | 62 | 11 | 47 | 31 | 81 | 12 | |
| 295.70 | 133 | 67 | 66 | * | 79 | 48 | *7 | 30 | 25 | 69 | 10 | |
| 295.72 | *9 | * | * | * | *6 | * | * | * | * | * | * | |
| 295.74 | 27 | 12 | 15 | * | 12 | 12 | * | 16 | * | *7 | * | |
| 295.9 | 40 | 22 | 18 | * | 23 | 13 | * | 15 | *6 | 14 | * | |
| 295.90 | 29 | 17 | 13 | * | 16 | 9 | * | *9 | *5 | 13 | * | |
| 295.94 | *6 | * | * | — | * | * | — | * | * | * | * | |
| 296 | 945 | 374 | 570 | 67 | 568 | 237 | 72 | 219 | 209 | 458 | 58 | |
| 296.0 | 9 | * | * | * | *6 | * | * | * | * | *7 | — | |
| 296.04 | *5 | * | * | * | * | * | * | * | * | * | — | |
| 296.2 | 200 | 74 | 126 | 14 | 114 | 52 | 19 | 33 | 42 | 117 | *8 | |
| 296.20 | 114 | 40 | 74 | 10 | 70 | 27 | *7 | 16 | 23 | 69 | *6 | |
| 296.22 | 14 | *6 | *9 | * | 9 | * | * | * | * | 9 | * | |
| 296.23 | 41 | 17 | 24 | * | 24 | 10 | * | 9 | 11 | 19 | * | |
| 296.24 | 29 | 11 | 18 | * | 11 | 10 | *7 | *6 | * | 18 | * | |
| 296.3 | 270 | 105 | 165 | *5 | 149 | 84 | 31 | 71 | 72 | 105 | 22 | |
| 296.30 | 68 | 31 | 36 | * | 40 | 22 | * | 23 | 19 | 24 | * | |
| 296.32 | 19 | *6 | 13 | * | 12 | * | * | * | *5 | *7 | * | |
| 296.33 | 135 | 48 | 88 | * | 73 | 44 | 15 | 33 | 37 | 56 | 10 | |
| 296.34 | 46 | 19 | 27 | * | 23 | 14 | *8 | 13 | 11 | 17 | *5 | |
| 296.4 | 66 | 25 | 40 | * | 38 | 21 | *6 | 20 | 13 | 29 | * | |
| 296.40 | 27 | 9 | 18 | * | 16 | *8 | * | * | *6 | 15 | * | |
| 296.43 | *7 | * | * | — | * | * | * | * | * | * | * | |
| 296.44 | 29 | 12 | 17 | * | 17 | 10 | * | 12 | * | 11 | * | |
| 296.5 | 102 | 37 | 65 | * | 67 | 27 | *5 | 27 | 27 | 44 | *5 | |
| 296.50 | 63 | 24 | 39 | * | 43 | 15 | * | 14 | 17 | 30 | * | |
| 296.53 | 21 | *6 | 15 | * | 12 | *8 | * | *8 | *5 | *6 | * | |
| 296.54 | 16 | *7 | *9 | * | 11 | * | * | * | * | *7 | * | |
| 296.6 | 76 | 33 | 43 | 10 | 48 | 16 | * | 14 | 10 | 48 | * | |
| 296.60 | 39 | 17 | 22 | * | 26 | *8 | * | *6 | *5 | 26 | * | |
| 296.63 | 14 | *6 | *8 | * | *8 | * | * | * | * | 10 | * | |
| 296.64 | 22 | 10 | 12 | * | 12 | * | * | *6 | * | 12 | * | |
| 296.7 | 18 | *7 | 11 | * | 12 | * | * | *5 | * | *8 | * | |
| 296.8 | 154 | 62 | 92 | 20 | 100 | 27 | *6 | 23 | 34 | 87 | 10 | |
| 296.80 | 122 | 52 | 70 | 19 | 80 | 19 | * | 14 | 26 | 75 | *8 | |
| 296.89 | 31 | 10 | 22 | * | 20 | *8 | * | *9 | *8 | 12 | * | |
| 296.9 | 49 | 26 | 23 | 10 | 33 | * | * | 24 | *8 | 13 | * | |
| 296.90 | 48 | 26 | 23 | 10 | 33 | * | * | 24 | *8 | 13 | * | |
| 297 | *7 | * | * | — | * | * | * | * | * | * | * | |
| 298 | 90 | 48 | 42 | * | 51 | 20 | 16 | 30 | 12 | 35 | 14 | |
| 298.9 | 86 | 46 | 41 | * | 50 | 18 | 16 | 29 | 11 | 34 | 13 | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 300 | 79 | 28 | 50 | * | 42 | 24 | 11 | 20 | 18 | 30 | 11 | |
| 300.0 | 40 | 13 | 26 | * | 19 | 13 | *7 | 10 | *9 | 15 | *6 | |
| 300.00 | 28 | 9 | 18 | * | 12 | 10 | *5 | *7 | *5 | 12 | * | |
| 300.01 | *8 | * | *6 | * | *5 | * | * | * | * | * | * | |
| 300.1 | 11 | * | *7 | * | *6 | * | * | * | * | * | * | |
| 300.11 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 300.4 | 17 | * | 12 | * | 9 | *6 | * | *6 | * | *6 | * | |
| 300.9 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 303 | 123 | 89 | 35 | * | 58 | 59 | *6 | 28 | 24 | 62 | 10 | |
| 303.0 | 32 | 24 | *9 | — | 12 | 18 | * | *8 | 12 | *8 | * | |
| 303.00 | 10 | *7 | * | — | * | *6 | * | * | *5 | * | * | |
| 303.01 | 20 | 16 | * | — | *8 | 11 | * | *6 | *6 | * | * | |
| 303.9 | 91 | 65 | 26 | * | 46 | 40 | * | 20 | 12 | 54 | *6 | |
| 303.90 | 48 | 32 | 16 | * | 23 | 23 | * | * | *5 | 37 | * | |
| 303.91 | 42 | 32 | 10 | — | 22 | 18 | * | 16 | *7 | 17 | * | |
| 304 | 81 | 49 | 32 | * | 60 | 19 | * | 20 | *8 | 49 | * | |
| 304.0 | 31 | 17 | 15 | — | 22 | *8 | * | 10 | * | 17 | * | |
| 304.00 | 15 | *7 | *7 | — | 10 | * | * | * | * | 12 | * | |
| 304.01 | 16 | *8 | *7 | — | 11 | * | * | 10 | * | * | * | |
| 304.2 | 18 | 13 | *5 | — | 14 | * | * | * | * | 12 | * | |
| 304.20 | 9 | *6 | * | — | *7 | * | * | * | * | *7 | * | |
| 304.21 | 9 | *7 | * | — | *7 | * | — | * | * | * | — | |
| 304.7 | *6 | * | * | — | *5 | * | * | * | * | * | * | |
| 304.8 | 11 | *7 | * | * | *8 | * | — | * | * | 10 | — | |
| 304.80 | 10 | *7 | * | * | *7 | * | — | * | * | 10 | — | |
| 305 | 95 | 56 | 39 | *5 | 57 | 30 | * | 15 | 22 | 43 | 15 | |
| 305.0 | 37 | 24 | 14 | * | 21 | 14 | * | *7 | 12 | 13 | *5 | |
| 305.00 | 31 | 19 | 12 | * | 18 | 11 | * | *5 | 11 | 10 | * | |
| 305.01 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 305.1 | 20 | 12 | *8 | — | 11 | *8 | * | * | *6 | *6 | * | |
| 305.6 | 15 | *8 | *7 | — | 10 | * | * | * | * | *8 | * | |
| 305.60 | 12 | *7 | *5 | — | *8 | * | — | * | * | *7 | * | |
| 305.9 | 16 | *8 | *7 | * | 9 | * | * | * | * | 11 | * | |
| 305.90 | 14 | *8 | *7 | * | *8 | * | * | * | * | 11 | * | |
| 307 | 10 | * | *9 | * | * | * | * | * | * | * | * | |
| 309 | 64 | 31 | 33 | * | 46 | 11 | * | 28 | 13 | 17 | *7 | |
| 309.0 | 17 | *9 | *8 | * | 11 | * | * | *8 | * | * | * | |
| 309.2 | 9 | *6 | * | * | *7 | * | * | * | * | * | * | |
| 309.28 | *8 | *5 | * | * | *6 | * | * | * | * | * | * | |
| 309.4 | 10 | * | *6 | * | *7 | * | * | * | * | * | * | |
| 309.8 | 20 | *6 | 13 | * | 13 | * | * | *6 | *5 | *7 | * | |
| 309.81 | 19 | *6 | 13 | * | 12 | * | * | *5 | *5 | *7 | * | |
| 309.9 | *7 | * | * | * | *7 | * | * | * | * | * | — | |
| 311 | 132 | 71 | 61 | *9 | 81 | 34 | *7 | 61 | 24 | 36 | 10 | |
| 312 | 24 | 17 | *7 | *6 | 16 | * | * | 12 | * | *8 | * | |
| 312.3 | 20 | 15 | * | * | 14 | * | — | 11 | * | *5 | * | |
| 312.30 | 11 | 10 | * | * | *8 | * | — | *8 | * | * | * | |
| 312.34 | *8 | *6 | * | * | *6 | * | — | * | * | * | * | |
| 313 | *7 | * | * | * | * | — | — | * | * | * | — | |
| 313.8 | *7 | * | * | * | * | — | — | * | * | * | — | |
| 313.81 | *6 | * | * | * | * | — | — | * | * | * | — | |
| 314 | 14 | 10 | * | 9 | * | * | — | * | * | *6 | * | |
| 314.0 | 12 | *9 | * | *8 | * | * | — | * | * | * | * | |
| 314.01 | 12 | *9 | * | *8 | * | * | — | * | * | * | * | |
| 320-389 | 565 | 238 | 327 | 84 | 138 | 125 | 219 | 135 | 124 | 195 | 110 | |
| 320 | *7 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|---|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 322 | *7 | * | * | * | * | * | * | * | * | * | * | * |
| 322.9 | *6 | * | * | * | * | * | * | * | * | * | * | * |
| 324 | *8 | * | * | * | * | * | * | * | * | * | * | * |
| 331 | 108 | 46 | 62 | * | * | *8 | 92 | 25 | 29 | 41 | 14 | |
| 331.0 | 68 | 23 | 44 | — | * | * | 66 | 14 | 19 | 29 | *6 | |
| 331.3 | 16 | 10 | *6 | * | * | * | 14 | * | * | *5 | * | |
| 331.4 | 15 | *7 | *7 | * | * | * | * | * | * | *5 | * | |
| 331.8 | *8 | * | * | — | — | * | *7 | * | * | * | * | |
| 331.82 | *8 | * | * | — | — | * | *7 | * | * | * | * | |
| 332 | 17 | *7 | 10 | — | * | * | 13 | * | * | * | * | |
| 332.0 | 17 | *7 | 9 | — | * | * | 13 | * | * | * | * | |
| 333 | 12 | *6 | *6 | * | * | * | *6 | * | * | * | * | |
| 337 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 340 | 26 | *5 | 20 | * | 12 | 9 | * | *8 | * | *9 | *5 | |
| 344 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 345 | 62 | 31 | 32 | 24 | 18 | 15 | *6 | 16 | 10 | 18 | 18 | |
| 345.1 | 14 | *6 | *8 | *6 | * | * | * | * | * | * | *7 | |
| 345.10 | 11 | *5 | *6 | * | * | * | * | * | * | * | *5 | |
| 345.3 | 17 | 9 | *7 | *8 | * | * | * | * | * | * | * | |
| 345.5 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 345.9 | 12 | *6 | *6 | * | * | * | * | * | * | * | * | |
| 345.90 | *9 | * | * | * | * | * | * | * | * | * | * | |
| 346 | 59 | 13 | 45 | * | 34 | 18 | * | 13 | 12 | 22 | 12 | |
| 346.8 | 11 | * | 9 | * | *5 | * | * | * | * | * | * | |
| 346.80 | *7 | * | *6 | * | * | * | * | * | * | * | * | |
| 346.9 | 37 | *8 | 29 | * | 23 | 11 | * | *8 | *9 | 12 | *7 | |
| 346.90 | 29 | *6 | 23 | * | 17 | *9 | * | *7 | *7 | 10 | *6 | |
| 346.91 | *8 | * | *6 | * | *6 | * | * | * | * | * | * | |
| 348 | 47 | 23 | 24 | *6 | 13 | 10 | 18 | 10 | 10 | 16 | 11 | |
| 348.0 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 348.3 | 20 | 9 | 10 | * | * | * | 12 | * | * | *7 | * | |
| 348.30 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 348.31 | *8 | * | * | — | * | * | *6 | * | * | * | * | |
| 348.8 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 349 | 14 | * | 9 | * | *5 | * | * | * | * | *6 | * | |
| 349.0 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 349.8 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 349.82 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 351 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 351.0 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 355 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 357 | *9 | * | * | * | * | * | * | * | * | * | * | |
| 357.0 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 358 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 358.0 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 368 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 376 | 11 | * | *6 | *6 | * | * | * | * | * | *5 | * | |
| 376.0 | 10 | * | *5 | *6 | * | * | * | * | * | * | * | |
| 376.01 | 9 | * | * | *6 | * | * | * | * | * | * | * | |
| 380 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 380.1 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 380.10 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 382 | 13 | *8 | * | 9 | * | * | * | * | * | *5 | * | |
| 382.9 | 10 | *6 | * | *7 | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 386 | 42 | 12 | 29 | * | * | 11 | 26 | 12 | 14 | 9 | *6 |
| 386.1 | 21 | *7 | 13 | * | * | *6 | 13 | *6 | * | *6 | * |
| 386.11 | 15 | *6 | *9 | * | * | * | 10 | * | * | * | * |
| 386.3 | 15 | * | 11 | — | * | * | *8 | * | *6 | * | * |
| 386.30 | 14 | * | 10 | — | * | * | *8 | * | *6 | * | * |
| 390-459 | 6,159 | 3,136 | 3,023 | 29 | 436 | 1,813 | 3,882 | 1,392 | 1,465 | 2,226 | 1,076 |
| 396 | 17 | *6 | 11 | * | * | * | 14 | * | * | *6 | * |
| 396.2 | *6 | * | * | — | * | * | *5 | * | * | * | * |
| 396.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 398 | 30 | 10 | 19 | — | * | * | 24 | *8 | *6 | 12 | * |
| 398.9 | 30 | 10 | 19 | — | * | * | 24 | *8 | *6 | 12 | * |
| 398.91 | 29 | 10 | 19 | — | * | * | 24 | *8 | *6 | 12 | * |
| 401 | 301 | 126 | 175 | * | 42 | 137 | 121 | 68 | 67 | 118 | 48 |
| 401.0 | 26 | 9 | 17 | * | *5 | 10 | 11 | *5 | *6 | 11 | * |
| 401.9 | 274 | 117 | 158 | * | 36 | 127 | 110 | 62 | 62 | 107 | 43 |
| 402 | 57 | 20 | 37 | — | * | 15 | 38 | 16 | 12 | 23 | *6 |
| 402.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 402.9 | 51 | 18 | 33 | — | * | 13 | 35 | 14 | 11 | 21 | *5 |
| 402.90 | *8 | * | *5 | — | * | * | *5 | * | * | * | * |
| 402.91 | 43 | 15 | 28 | — | * | 10 | 30 | 12 | 10 | 17 | * |
| 403 | 116 | 56 | 60 | * | 24 | 46 | 45 | 22 | 16 | 54 | 23 |
| 403.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 403.01 | *8 | * | * | * | * | * | * | * | * | * | * |
| 403.9 | 106 | 51 | 55 | * | 21 | 42 | 43 | 20 | 14 | 50 | 22 |
| 403.91 | 104 | 50 | 54 | * | 21 | 40 | 42 | 19 | 14 | 48 | 22 |
| 404 | 25 | 13 | 12 | — | * | *9 | 14 | * | *6 | 12 | * |
| 404.0 | *5 | * | * | — | * | * | * | * | * | * | * |
| 404.9 | 20 | 11 | *9 | — | * | *6 | 12 | * | *6 | 9 | * |
| 404.93 | 17 | *9 | *8 | — | * | * | 11 | * | * | *8 | * |
| 410 | 683 | 406 | 277 | — | 38 | 215 | 430 | 171 | 154 | 221 | 137 |
| 410.0 | 15 | *9 | *6 | — | * | * | *9 | * | * | *7 | * |
| 410.01 | 15 | *9 | *6 | — | * | * | *9 | * | * | *7 | * |
| 410.1 | 62 | 36 | 26 | — | * | 26 | 33 | 12 | 13 | 20 | 18 |
| 410.11 | 60 | 36 | 25 | — | * | 25 | 31 | 12 | 13 | 19 | 17 |
| 410.2 | 11 | *7 | * | — | * | * | * | * | * | * | * |
| 410.21 | 11 | *7 | * | — | * | * | * | * | * | * | * |
| 410.3 | *7 | *6 | * | — | * | * | * | * | * | * | * |
| 410.31 | *7 | *5 | * | — | * | * | * | * | * | * | * |
| 410.4 | 73 | 55 | 18 | — | *6 | 35 | 32 | 14 | 17 | 22 | 20 |
| 410.41 | 73 | 55 | 18 | — | *6 | 35 | 32 | 14 | 17 | 22 | 20 |
| 410.5 | 9 | * | * | — | * | * | *6 | * | * | * | * |
| 410.51 | 9 | * | * | — | * | * | *6 | * | * | * | * |
| 410.7 | 404 | 235 | 168 | — | 19 | 113 | 272 | 113 | 85 | 133 | 71 |
| 410.71 | 398 | 232 | 166 | — | 19 | 113 | 267 | 111 | 85 | 131 | 71 |
| 410.8 | 17 | 10 | *7 | — | * | *7 | 9 | * | *7 | * | * |
| 410.81 | 17 | 9 | *7 | — | * | *7 | *9 | * | *7 | * | * |
| 410.9 | 82 | 42 | 40 | — | * | 18 | 60 | 15 | 23 | 27 | 17 |
| 410.91 | 80 | 41 | 39 | — | * | 17 | 58 | 15 | 23 | 26 | 17 |
| 411 | 89 | 42 | 47 | — | *9 | 41 | 39 | 25 | 18 | 32 | 14 |
| 411.1 | 83 | 39 | 44 | — | *9 | 38 | 36 | 22 | 18 | 30 | 13 |
| 412 | *6 | * | * | — | * | * | * | * | * | * | * |
| 413 | 44 | 18 | 25 | — | 11 | 15 | 18 | 10 | 11 | 15 | *7 |
| 413.9 | 40 | 17 | 23 | — | *8 | 13 | 18 | 10 | 11 | 12 | *6 |
| 414 | 1,007 | 647 | 361 | * | 41 | 404 | 562 | 211 | 245 | 365 | 186 |
| 414.0 | 980 | 629 | 351 | * | 40 | 393 | 546 | 204 | 239 | 354 | 182 |
| 414.00 | 126 | 76 | 51 | — | * | 43 | 80 | 34 | 26 | 52 | 14 |
| 414.01 | 817 | 524 | 293 | * | 36 | 336 | 444 | 165 | 199 | 288 | 164 |
| 414.02 | 25 | 20 | *5 | — | * | *9 | 16 | * | *9 | *8 | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 414.04 | *5 | * | * | — | * | * | * | * | * | * | * |
| 414.05 | *5 | * | * | — | * | * | * | * | * | * | — |
| 414.8 | 20 | 14 | *6 | — | * | *8 | 12 | *5 | * | *7 | * |
| 415 | 140 | 57 | 84 | * | 24 | 38 | 77 | 31 | 33 | 53 | 23 |
| 415.1 | 140 | 56 | 83 | * | 24 | 38 | 77 | 30 | 33 | 53 | 23 |
| 415.11 | 9 | * | *5 | — | * | * | *6 | * | * | * | * |
| 415.19 | 130 | 52 | 78 | * | 22 | 36 | 71 | 28 | 31 | 50 | 21 |
| 416 | 12 | * | *9 | * | * | * | * | * | * | *6 | * |
| 416.8 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 420 | 17 | 9 | *7 | * | * | * | *6 | * | *6 | * | * |
| 420.9 | 17 | 9 | *7 | * | * | * | *6 | * | *6 | * | * |
| 420.90 | 11 | *6 | *6 | * | * | * | *5 | * | * | * | * |
| 421 | 16 | 11 | * | * | * | *7 | *5 | * | * | *7 | * |
| 421.0 | 15 | 11 | * | * | * | *7 | * | * | * | *7 | * |
| 423 | 17 | *9 | *8 | * | * | *8 | *5 | * | * | *7 | * |
| 423.9 | 13 | *7 | *6 | * | * | *6 | * | * | * | *6 | * |
| 424 | 100 | 47 | 52 | * | 10 | 27 | 61 | 26 | 26 | 27 | 20 |
| 424.0 | 43 | 16 | 27 | * | *5 | 14 | 23 | 12 | 11 | 14 | *6 |
| 424.1 | 51 | 27 | 23 | * | * | 11 | 36 | 13 | 14 | 12 | 11 |
| 424.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 425 | 41 | 23 | 18 | * | *8 | 14 | 17 | *9 | 10 | 13 | 9 |
| 425.4 | 35 | 21 | 14 | * | *7 | 12 | 15 | *8 | *9 | 11 | *8 |
| 426 | 56 | 31 | 26 | * | * | *8 | 43 | 18 | 12 | 14 | 13 |
| 426.0 | 30 | 15 | 15 | — | * | * | 27 | 9 | *7 | *8 | *6 |
| 426.1 | 13 | *7 | *6 | * | * | * | 10 | * | * | * | * |
| 426.13 | *8 | * | * | * | * | * | *6 | * | * | * | * |
| 427 | 773 | 365 | 408 | *5 | 49 | 182 | 537 | 185 | 191 | 259 | 139 |
| 427.0 | 28 | 11 | 17 | * | * | *6 | 18 | *5 | *7 | 11 | * |
| 427.1 | 59 | 42 | 17 | * | * | 19 | 36 | 14 | 19 | 20 | *7 |
| 427.3 | 454 | 206 | 248 | * | 21 | 106 | 327 | 107 | 114 | 150 | 83 |
| 427.31 | 411 | 178 | 233 | * | 18 | 91 | 302 | 97 | 106 | 134 | 74 |
| 427.32 | 43 | 29 | 15 | * | * | 15 | 25 | 10 | *8 | 16 | 9 |
| 427.4 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 427.41 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 427.5 | *7 | * | * | * | * | * | * | * | * | * | * |
| 427.6 | *9 | * | * | * | * | * | * | * | * | * | * |
| 427.69 | *6 | * | * | * | * | * | * | * | * | * | * |
| 427.8 | 202 | 89 | 113 | * | 16 | 41 | 143 | 51 | 45 | 68 | 38 |
| 427.81 | 69 | 31 | 38 | — | * | *9 | 60 | 18 | 15 | 24 | 12 |
| 427.89 | 133 | 58 | 75 | * | 15 | 32 | 83 | 33 | 30 | 44 | 26 |
| 427.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 428 | 1,084 | 494 | 590 | * | 42 | 236 | 804 | 239 | 275 | 409 | 161 |
| 428.0 | 1,007 | 461 | 546 | * | 37 | 223 | 744 | 225 | 253 | 379 | 150 |
| 428.2 | 25 | 13 | 12 | — | * | *5 | 18 | * | 10 | 9 | * |
| 428.20 | *9 | *5 | * | — | * | * | *6 | * | * | * | * |
| 428.23 | 9 | * | * | — | * | * | *7 | * | * | * | * |
| 428.3 | 43 | 14 | 28 | — | * | *7 | 34 | 10 | 10 | 16 | *6 |
| 428.30 | 25 | *8 | 17 | — | * | * | 19 | *7 | *6 | 10 | * |
| 428.31 | 10 | * | *6 | — | * | * | 9 | * | * | * | * |
| 428.33 | *6 | * | * | — | * | * | * | * | * | * | * |
| 429 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 430 | 26 | 11 | 15 | * | *6 | 12 | *8 | *7 | *7 | *7 | *5 |
| 431 | 68 | 32 | 36 | * | * | 21 | 41 | 12 | 13 | 27 | 16 |
| 432 | 34 | 20 | 14 | * | * | *7 | 26 | *6 | *8 | 10 | 11 |
| 432.1 | 29 | 18 | 11 | * | * | *7 | 22 | * | *6 | *8 | 9 |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 433 | 145 | 85 | 59 | * | * | 33 | 110 | 28 | 32 | 60 | 25 |
| 433.1 | 112 | 65 | 48 | * | * | 26 | 85 | 23 | 25 | 45 | 20 |
| 433.10 | 96 | 55 | 41 | — | * | 21 | 75 | 19 | 21 | 40 | 17 |
| 433.11 | 16 | 10 | *6 | * | * | *5 | 11 | * | * | * | * |
| 433.3 | 25 | 16 | *9 | — | — | * | 21 | * | * | 12 | * |
| 433.30 | 20 | 14 | *6 | — | — | * | 17 | * | * | 10 | * |
| 433.31 | *5 | * | * | — | — | * | * | * | * | * | * |
| 434 | 363 | 167 | 196 | * | 14 | 82 | 267 | 73 | 86 | 134 | 70 |
| 434.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 434.01 | *6 | * | * | — | * | * | * | * | * | * | * |
| 434.1 | 40 | 19 | 21 | * | * | *8 | 30 | 10 | 10 | 10 | 9 |
| 434.11 | 39 | 18 | 21 | * | * | *8 | 29 | 10 | 10 | 10 | 9 |
| 434.9 | 317 | 144 | 173 | * | 12 | 71 | 233 | 61 | 75 | 121 | 60 |
| 434.90 | *6 | * | * | — | * | * | * | * | * | * | * |
| 434.91 | 311 | 140 | 170 | * | 12 | 69 | 229 | 59 | 74 | 118 | 59 |
| 435 | 195 | 77 | 118 | * | 13 | 47 | 135 | 46 | 48 | 69 | 32 |
| 435.3 | *7 | * | * | — | * | * | * | * | * | * | * |
| 435.8 | 10 | *6 | * | — | * | * | *7 | * | * | * | * |
| 435.9 | 178 | 69 | 109 | * | 11 | 43 | 123 | 42 | 46 | 63 | 27 |
| 436 | 11 | *6 | *5 | — | * | * | *9 | * | * | * | * |
| 437 | 32 | 12 | 20 | * | * | 13 | 15 | *8 | 9 | 10 | * |
| 437.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 437.3 | 11 | * | *7 | * | * | *6 | * | * | * | * | * |
| 438 | 21 | *8 | 14 | * | * | * | 15 | *5 | *6 | * | *6 |
| 438.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 438.20 | *5 | * | * | * | * | * | * | * | * | * | * |
| 438.8 | 9 | *5 | * | — | * | * | *7 | * | * | * | * |
| 438.89 | *7 | * | * | — | * | * | * | * | * | * | * |
| 440 | 126 | 71 | 55 | — | * | 33 | 91 | 24 | 33 | 54 | 16 |
| 440.1 | 14 | *7 | *7 | — | * | * | 10 | * | * | *6 | * |
| 440.2 | 105 | 59 | 46 | — | * | 26 | 78 | 20 | 27 | 46 | 12 |
| 440.20 | 11 | *6 | *5 | — | — | * | *8 | * | * | *7 | * |
| 440.21 | 28 | 16 | 11 | — | * | *9 | 19 | * | 9 | 11 | * |
| 440.22 | 15 | *9 | *6 | — | * | * | 11 | * | * | *9 | * |
| 440.23 | 16 | *9 | *8 | — | * | * | 13 | * | * | *9 | * |
| 440.24 | 32 | 18 | 14 | — | * | *7 | 24 | *8 | *8 | 10 | *5 |
| 441 | 63 | 43 | 20 | * | * | 14 | 47 | 14 | 13 | 26 | 10 |
| 441.0 | 13 | *8 | * | — | * | * | *6 | * | * | *6 | * |
| 441.01 | *7 | * | * | — | * | * | * | * | * | * | * |
| 441.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 441.3 | *6 | * | * | — | — | * | *6 | * | * | * | * |
| 441.4 | 36 | 27 | 9 | — | — | *6 | 31 | *8 | *7 | 17 | * |
| 442 | 10 | *8 | * | — | * | * | *5 | * | * | * | * |
| 443 | 25 | 14 | 11 | * | * | *8 | 15 | * | * | 12 | * |
| 443.9 | 18 | 10 | *8 | * | * | *7 | 11 | * | * | 10 | * |
| 444 | 31 | 16 | 15 | — | * | 13 | 17 | *7 | * | 15 | *5 |
| 444.0 | *5 | * | * | — | — | * | * | * | * | * | * |
| 444.2 | 22 | 10 | 11 | — | * | *8 | 13 | *5 | * | 10 | * |
| 444.22 | 19 | 9 | 10 | — | * | *7 | 11 | *5 | * | *9 | * |
| 446 | 17 | 9 | *8 | *7 | * | * | * | * | * | * | *5 |
| 446.1 | *7 | *5 | * | *7 | * | * | — | * | * | * | * |
| 447 | 13 | *7 | *7 | * | * | *5 | *7 | * | * | * | * |
| 447.1 | 10 | *5 | * | — | * | * | *6 | * | * | * | * |
| 451 | 17 | *8 | 9 | * | * | * | *7 | *5 | * | * | * |
| 451.1 | *6 | * | * | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 453 | 132 | 56 | 77 | * | 17 | 42 | 73 | 33 | 33 | 47 | 19 |
| 453.4 | 103 | 44 | 58 | * | 12 | 32 | 59 | 25 | 27 | 34 | 16 |
| 453.40 | 17 | *8 | 9 | — | * | * | 11 | * | * | *7 | * |
| 453.41 | 55 | 23 | 32 | — | *6 | 17 | 32 | 16 | 15 | 17 | *8 |
| 453.42 | 30 | 13 | 17 | * | * | 9 | 17 | *8 | *9 | 10 | * |
| 453.8 | 27 | 10 | 16 | * | * | 10 | 12 | *7 | *5 | 12 | * |
| 454 | *7 | * | *6 | — | * | * | *6 | * | *5 | * | — |
| 455 | 30 | 14 | 15 | — | *7 | *9 | 14 | *8 | *7 | *8 | *6 |
| 455.2 | 20 | 11 | 9 | — | * | *6 | *9 | *6 | * | * | * |
| 456 | *8 | *5 | * | — | * | * | * | * | * | * | * |
| 458 | 109 | 49 | 60 | * | 12 | 20 | 77 | 21 | 28 | 44 | 16 |
| 458.0 | 51 | 20 | 31 | * | * | *6 | 43 | 10 | 14 | 21 | *6 |
| 458.2 | 18 | *7 | 11 | — | * | * | 11 | * | * | *8 | * |
| 458.29 | 16 | *6 | 10 | — | * | * | 9 | * | * | *6 | * |
| 458.9 | 35 | 20 | 15 | — | * | 9 | 21 | *6 | *9 | 14 | *6 |
| 459 | 24 | 10 | 13 | * | * | *6 | 15 | *6 | *8 | *7 | * |
| 459.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 459.8 | 13 | *7 | *6 | * | * | * | *8 | * | * | * | * |
| 459.81 | 13 | *7 | *6 | — | * | * | *7 | * | * | * | * |
| 460-519 | 3,746 | 1,764 | 1,983 | 629 | 370 | 825 | 1,921 | 749 | 967 | 1,353 | 676 |
| 461 | *7 | * | * | * | * | * | * | * | * | * | * |
| 462 | *7 | * | * | * | * | * | * | * | * | * | * |
| 463 | 10 | *6 | * | * | *7 | * | * | * | * | * | * |
| 464 | 30 | 16 | 14 | 25 | * | * | * | *5 | *7 | *8 | 10 |
| 464.4 | 21 | 12 | *9 | 20 | * | * | — | * | *6 | *6 | *6 |
| 465 | 32 | 18 | 13 | 18 | * | *5 | *5 | *5 | *6 | 12 | *8 |
| 465.9 | 30 | 17 | 13 | 17 | * | * | * | *5 | *6 | 11 | *8 |
| 466 | 230 | 117 | 113 | 155 | 13 | 18 | 43 | 37 | 50 | 86 | 56 |
| 466.0 | 77 | 28 | 49 | *8 | 11 | 17 | 41 | 15 | 20 | 29 | 13 |
| 466.1 | 153 | 89 | 64 | 147 | * | * | * | 23 | 30 | 57 | 43 |
| 466.11 | 80 | 48 | 33 | 79 | * | * | * | 10 | 17 | 27 | 27 |
| 466.19 | 73 | 41 | 32 | 68 | * | * | * | 13 | 13 | 30 | 16 |
| 473 | 18 | *6 | 11 | * | *6 | * | * | * | * | *7 | * |
| 473.9 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 474 | 15 | 9 | *6 | 11 | * | * | * | * | * | *7 | * |
| 474.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 474.1 | 10 | *7 | * | *8 | * | * | — | * | * | * | * |
| 474.10 | *6 | * | * | *5 | * | — | — | * | * | * | * |
| 475 | 16 | 10 | *6 | * | 12 | * | * | * | *6 | *6 | * |
| 478 | 22 | 10 | 12 | *8 | * | *6 | * | * | *6 | *7 | * |
| 478.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 478.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 480 | 32 | 14 | 18 | 24 | * | * | * | * | *7 | 11 | 10 |
| 480.1 | 13 | * | 9 | 13 | — | * | * | * | * | *5 | * |
| 480.9 | 16 | *8 | *8 | 9 | * | * | * | * | * | *5 | * |
| 481 | 35 | 15 | 20 | * | *6 | 9 | 17 | *7 | 11 | 11 | *5 |
| 482 | 101 | 55 | 46 | * | *9 | 20 | 68 | 16 | 27 | 39 | 19 |
| 482.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 482.1 | 21 | 13 | *9 | * | * | * | 14 | * | *7 | *8 | * |
| 482.2 | *6 | * | * | * | * | * | *5 | * | * | * | * |
| 482.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 482.4 | 34 | 18 | 16 | * | * | *8 | 22 | *5 | *7 | 13 | *9 |
| 482.41 | 32 | 17 | 15 | * | * | *7 | 21 | * | *6 | 13 | *9 |
| 482.8 | 15 | 10 | *6 | * | * | * | 12 | * | * | *8 | * |
| 482.83 | *9 | *6 | * | * | * | * | *7 | * | * | *5 | * |
| 482.9 | 14 | *6 | *8 | * | * | * | *7 | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|---|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 483 | 10 | * | *6 | *6 | * | * | * | * | * | * | * | * |
| 483.0 | *9 | * | * | *5 | * | * | * | * | * | * | * | * |
| 485 | 30 | 15 | 15 | 14 | * | * | 11 | * | * | 21 | * | |
| 486 | 1,161 | 549 | 612 | 143 | 92 | 213 | 713 | 222 | 325 | 403 | 211 | |
| 487 | 62 | 29 | 33 | 14 | * | *8 | 36 | 10 | 27 | 17 | *8 | |
| 487.0 | 20 | 10 | 10 | * | * | * | 13 | * | *8 | *6 | * | |
| 487.1 | 40 | 18 | 22 | 10 | * | *5 | 23 | *6 | 19 | 11 | * | |
| 490 | 26 | *7 | 19 | * | * | 11 | 11 | * | * | 15 | * | |
| 491 | 569 | 261 | 308 | * | 16 | 166 | 386 | 116 | 156 | 222 | 75 | |
| 491.2 | 566 | 260 | 305 | * | 16 | 166 | 384 | 116 | 155 | 220 | 75 | |
| 491.20 | 15 | *6 | 9 | — | * | * | 12 | * | * | *9 | * | |
| 491.21 | 460 | 216 | 244 | * | 12 | 135 | 312 | 95 | 127 | 176 | 62 | |
| 491.22 | 91 | 38 | 52 | — | * | 28 | 60 | 19 | 24 | 35 | 12 | |
| 492 | 16 | 10 | *6 | * | * | *6 | 10 | * | * | * | * | |
| 492.8 | 15 | 9 | *6 | * | * | *5 | 9 | * | * | * | * | |
| 493 | 489 | 192 | 296 | 159 | 98 | 119 | 112 | 122 | 115 | 173 | 78 | |
| 493.0 | 38 | 21 | 17 | 29 | * | * | * | *9 | * | *9 | 18 | |
| 493.00 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 493.01 | *7 | * | * | *6 | * | * | — | * | * | * | * | |
| 493.02 | 25 | 14 | 11 | 19 | * | * | * | *6 | * | * | 13 | |
| 493.2 | 138 | 41 | 97 | * | 12 | 56 | 70 | 40 | 32 | 46 | 20 | |
| 493.20 | 20 | *7 | 14 | * | * | *6 | 12 | * | *6 | * | * | |
| 493.21 | *8 | * | *6 | * | * | * | * | * | * | * | * | |
| 493.22 | 110 | 33 | 77 | * | *8 | 47 | 55 | 32 | 25 | 39 | 15 | |
| 493.9 | 311 | 130 | 181 | 129 | 82 | 60 | 41 | 73 | 81 | 118 | 40 | |
| 493.90 | 51 | 22 | 30 | 20 | 10 | 11 | 9 | 12 | *8 | 23 | *8 | |
| 493.91 | 44 | 21 | 23 | 32 | *7 | * | * | *8 | 11 | 20 | *5 | |
| 493.92 | 216 | 87 | 129 | 77 | 64 | 44 | 31 | 53 | 61 | 75 | 26 | |
| 494 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 496 | 101 | 47 | 53 | * | * | 42 | 56 | 18 | 28 | 37 | 18 | |
| 507 | 177 | 98 | 79 | *6 | 13 | 24 | 134 | 40 | 42 | 60 | 36 | |
| 507.0 | 175 | 96 | 79 | *6 | 13 | 23 | 133 | 40 | 41 | 59 | 36 | |
| 510 | 11 | *7 | * | * | * | * | *5 | * | * | * | * | |
| 510.9 | 11 | *7 | * | * | * | * | * | * | * | * | * | |
| 511 | 63 | 34 | 29 | * | *7 | 16 | 40 | 16 | 17 | 20 | 9 | |
| 511.0 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 511.8 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 511.9 | 48 | 25 | 23 | * | * | 11 | 33 | 13 | 12 | 15 | *8 | |
| 512 | 41 | 23 | 18 | * | 18 | *9 | 13 | 9 | *9 | 16 | *7 | |
| 512.1 | 11 | * | *7 | * | * | * | *5 | * | * | * | * | |
| 512.8 | 27 | 17 | 11 | * | 14 | * | *8 | *6 | *6 | 11 | * | |
| 514 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 515 | 36 | 21 | 15 | * | * | 12 | 22 | *6 | 11 | 10 | *8 | |
| 516 | 17 | *9 | *9 | * | * | *7 | *9 | * | * | *7 | * | |
| 516.3 | *5 | * | * | — | — | * | * | * | * | * | * | |
| 516.8 | 12 | *6 | *5 | * | * | *6 | * | * | * | *6 | * | |
| 518 | 338 | 155 | 183 | 14 | 31 | 95 | 197 | 66 | 73 | 126 | 73 | |
| 518.0 | 10 | * | *5 | * | * | * | * | * | * | * | * | |
| 518.3 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 518.8 | 311 | 144 | 167 | 12 | 26 | 87 | 186 | 60 | 66 | 117 | 67 | |
| 518.81 | 248 | 113 | 135 | 9 | 20 | 66 | 153 | 51 | 50 | 92 | 55 | |
| 518.82 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 518.84 | 43 | 19 | 24 | * | * | 16 | 24 | *6 | 11 | 17 | *8 | |
| 518.89 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 519 | 16 | *6 | 9 | *6 | * | * | * | *5 | * | * | * | |
| 519.8 | *6 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 520-579 | 3,422 | 1,546 | 1,876 | 216 | 832 | 1,052 | 1,322 | 712 | 797 | 1,225 | 687 |
| 522 | *6 | * | * | * | * | * | * | * | * | * | * |
| 522.5 | *5 | * | * | * | * | * | * | * | * | * | * |
| 524 | 13 | * | *9 | * | 11 | * | * | * | * | *7 | * |
| 524.0 | *6 | * | * | * | *6 | * | — | * | * | * | * |
| 527 | 13 | *8 | * | * | * | * | *7 | * | * | *6 | * |
| 527.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 528 | 13 | *7 | *6 | * | *6 | * | * | * | * | *7 | * |
| 528.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 530 | 225 | 105 | 120 | 29 | 40 | 80 | 77 | 52 | 52 | 71 | 50 |
| 530.1 | 36 | 16 | 20 | * | *7 | 14 | 14 | *8 | *9 | 12 | *8 |
| 530.10 | *8 | * | * | * | * | * | * | * | * | * | * |
| 530.11 | 13 | *5 | *7 | * | * | *6 | * | * | * | * | * |
| 530.19 | 14 | *6 | *8 | * | * | *5 | *5 | * | * | * | * |
| 530.2 | 18 | 9 | *9 | — | * | *6 | *9 | * | * | * | * |
| 530.20 | *7 | * | * | — | * | * | * | * | * | * | * |
| 530.21 | 11 | *5 | *6 | — | * | * | *8 | * | * | * | * |
| 530.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 530.7 | 17 | 12 | * | * | * | *5 | *6 | * | * | *8 | * |
| 530.8 | 137 | 59 | 78 | 24 | 22 | 50 | 40 | 35 | 31 | 41 | 29 |
| 530.81 | 124 | 52 | 72 | 24 | 21 | 45 | 34 | 32 | 29 | 37 | 25 |
| 530.85 | *6 | * | * | — | * | * | * | * | * | * | * |
| 531 | 87 | 37 | 51 | * | *8 | 28 | 51 | 11 | 20 | 35 | 22 |
| 531.0 | 12 | * | *8 | * | * | * | *8 | * | * | * | * |
| 531.00 | 12 | * | *8 | * | * | * | *8 | * | * | * | * |
| 531.4 | 55 | 25 | 30 | * | * | 13 | 37 | *6 | 12 | 22 | 14 |
| 531.40 | 53 | 25 | 29 | * | * | 13 | 36 | *6 | 12 | 22 | 14 |
| 531.9 | 12 | *5 | *7 | — | * | *7 | * | * | * | * | * |
| 531.90 | 12 | * | *7 | — | * | *7 | * | * | * | * | * |
| 532 | 58 | 34 | 24 | * | *7 | 20 | 30 | 10 | 11 | 25 | 12 |
| 532.0 | 10 | *6 | * | — | * | * | * | * | * | * | * |
| 532.00 | 10 | *6 | * | — | * | * | * | * | * | * | * |
| 532.4 | 29 | 20 | 9 | * | * | *8 | 18 | * | * | 13 | *7 |
| 532.40 | 29 | 20 | 9 | * | * | *8 | 18 | * | * | 13 | *7 |
| 532.9 | *8 | * | *6 | — | * | *5 | * | * | * | *5 | * |
| 532.90 | *7 | * | *5 | — | * | * | * | * | * | * | * |
| 533 | 16 | *5 | 11 | — | * | * | *8 | * | *5 | *7 | * |
| 533.4 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 533.40 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 534 | *6 | * | * | * | * | * | * | * | * | * | * |
| 535 | 149 | 65 | 84 | *6 | 30 | 46 | 67 | 39 | 30 | 55 | 25 |
| 535.0 | 29 | 16 | 13 | * | *9 | *6 | 11 | 10 | *7 | *9 | * |
| 535.00 | 21 | 11 | 11 | * | *8 | * | *6 | 10 | * | *5 | * |
| 535.01 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 535.1 | 18 | *7 | 10 | * | * | * | 11 | *7 | * | *6 | * |
| 535.10 | 10 | * | *7 | * | * | * | *6 | *5 | * | * | * |
| 535.11 | *8 | * | * | * | * | * | * | * | * | * | * |
| 535.3 | *7 | *6 | * | — | * | * | * | * | * | * | * |
| 535.4 | 35 | 14 | 21 | * | *6 | 13 | 16 | *7 | *7 | 13 | *8 |
| 535.40 | 18 | *7 | 11 | * | * | *7 | *5 | * | * | *6 | * |
| 535.41 | 18 | *7 | 10 | — | * | *5 | 10 | * | * | *7 | * |
| 535.5 | 53 | 18 | 35 | * | 10 | 17 | 24 | 11 | 11 | 23 | *9 |
| 535.50 | 34 | 11 | 23 | * | *8 | 12 | 12 | *7 | *7 | 14 | *5 |
| 535.51 | 19 | *7 | 12 | * | * | *5 | 12 | * | * | *9 | * |
| 535.6 | *7 | * | * | * | * | * | * | * | * | * | * |
| 536 | 53 | 19 | 34 | *8 | 11 | 15 | 20 | 11 | *9 | 21 | 13 |
| 536.2 | 17 | *7 | 10 | * | * | * | * | * | * | *8 | * |
| 536.3 | 9 | * | *7 | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 536.4 | 16 | *6 | 10 | * | * | * | 10 | *5 | * | * | * | |
| 536.42 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 536.8 | *9 | * | *6 | * | * | * | * | * | * | * | * | |
| 537 | 28 | 16 | 13 | * | * | *9 | 15 | *6 | * | 10 | 9 | |
| 537.0 | *8 | *5 | * | * | * | * | * | * | * | * | * | |
| 537.8 | 17 | 9 | *8 | — | * | * | 11 | * | * | * | *6 | |
| 537.83 | 10 | *5 | * | — | * | * | *7 | * | * | * | * | |
| 540 | 301 | 172 | 130 | 74 | 151 | 55 | 21 | 60 | 64 | 90 | 87 | |
| 540.0 | 61 | 37 | 24 | 18 | 22 | 16 | *6 | *8 | 16 | 18 | 19 | |
| 540.1 | 35 | 22 | 13 | 12 | 12 | *7 | * | *8 | *7 | 11 | 9 | |
| 540.9 | 205 | 112 | 92 | 44 | 117 | 32 | 12 | 43 | 40 | 61 | 59 | |
| 541 | 11 | * | *7 | * | *6 | * | * | * | * | *5 | * | |
| 543 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 550 | 37 | 31 | *6 | *6 | * | *7 | 19 | 10 | *7 | 13 | *6 | |
| 550.1 | 22 | 18 | * | * | * | * | 13 | *5 | *5 | *7 | * | |
| 550.10 | 14 | 11 | * | * | * | * | *8 | * | * | *6 | * | |
| 550.11 | *7 | *6 | * | * | * | * | * | * | * | * | * | |
| 550.9 | 14 | 12 | * | * | * | * | *6 | * | * | *5 | * | |
| 550.90 | *8 | *7 | * | * | * | * | * | * | * | * | * | |
| 552 | 69 | 23 | 46 | * | 10 | 25 | 33 | 18 | 16 | 23 | 11 | |
| 552.1 | 9 | *5 | * | — | * | * | * | * | * | * | * | |
| 552.2 | 44 | 14 | 30 | — | *7 | 17 | 20 | 12 | *8 | 17 | *7 | |
| 552.20 | 11 | * | *8 | — | * | * | * | * | * | * | * | |
| 552.21 | 28 | 9 | 19 | — | * | 10 | 14 | *7 | *6 | 10 | * | |
| 552.29 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 552.8 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 553 | 80 | 29 | 52 | * | 15 | 36 | 29 | 17 | 18 | 32 | 14 | |
| 553.2 | 59 | 23 | 37 | * | 11 | 28 | 20 | 12 | 16 | 20 | 11 | |
| 553.20 | 11 | * | *8 | * | * | * | * | * | * | *6 | * | |
| 553.21 | 45 | 18 | 26 | * | *9 | 22 | 14 | 10 | 12 | 13 | 10 | |
| 553.3 | 17 | * | 13 | * | * | *6 | *8 | * | * | 10 | * | |
| 555 | 56 | 23 | 33 | * | 35 | 12 | *7 | 13 | 15 | 18 | 10 | |
| 555.0 | 13 | *6 | *7 | * | 9 | * | * | * | * | * | * | |
| 555.1 | 11 | * | *6 | * | *7 | * | * | * | * | * | * | |
| 555.2 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 555.9 | 25 | 11 | 15 | * | 15 | * | * | * | *6 | 10 | * | |
| 556 | 29 | 15 | 14 | * | 15 | *6 | *6 | *7 | *6 | *9 | *7 | |
| 556.6 | *9 | *5 | * | * | * | * | * | * | * | * | * | |
| 556.9 | 11 | *6 | * | * | *5 | * | * | * | * | * | * | |
| 557 | 49 | 12 | 37 | * | * | 12 | 34 | 11 | 11 | 17 | 10 | |
| 557.0 | 20 | *6 | 15 | * | * | * | 15 | *6 | * | *6 | * | |
| 557.9 | 24 | * | 19 | — | * | *6 | 16 | * | *5 | 9 | *5 | |
| 558 | 184 | 68 | 116 | 36 | 41 | 45 | 61 | 44 | 46 | 71 | 23 | |
| 558.9 | 180 | 67 | 112 | 36 | 41 | 44 | 60 | 44 | 43 | 70 | 23 | |
| 560 | 304 | 134 | 169 | 11 | 40 | 89 | 164 | 57 | 84 | 102 | 61 | |
| 560.0 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 560.1 | 57 | 31 | 26 | * | *7 | 16 | 32 | 10 | 19 | 20 | *8 | |
| 560.2 | 11 | *5 | *6 | * | * | * | *6 | * | * | * | * | |
| 560.3 | 29 | 11 | 19 | * | * | *6 | 17 | * | * | 15 | *5 | |
| 560.39 | 28 | 11 | 18 | * | * | *6 | 16 | * | * | 14 | *5 | |
| 560.8 | 98 | 39 | 59 | * | 11 | 32 | 52 | 18 | 25 | 33 | 21 | |
| 560.81 | 72 | 30 | 42 | * | *8 | 23 | 39 | 14 | 17 | 25 | 16 | |
| 560.89 | 26 | *8 | 17 | * | * | 9 | 13 | * | *9 | *8 | * | |
| 560.9 | 104 | 44 | 59 | * | 14 | 32 | 57 | 22 | 29 | 29 | 23 | |
| 562 | 307 | 126 | 181 | — | 37 | 106 | 164 | 76 | 79 | 102 | 51 | |
| 562.1 | 304 | 125 | 180 | — | 37 | 105 | 162 | 75 | 79 | 100 | 50 | |
| 562.10 | 26 | 10 | 16 | — | * | 11 | 13 | *7 | * | *8 | *7 | |
| 562.11 | 190 | 74 | 116 | — | 33 | 77 | 80 | 52 | 55 | 56 | 27 | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 562.12 | 72 | 35 | 38 | — | * | 12 | 59 | 13 | 13 | 31 | 15 | |
| 562.13 | 16 | *6 | 10 | — | * | * | 11 | * | *7 | * | * | |
| 564 | 66 | 23 | 43 | *9 | 16 | 16 | 25 | 15 | 15 | 24 | 11 | |
| 564.0 | 42 | 16 | 27 | *8 | *8 | 9 | 17 | *8 | 10 | 16 | *8 | |
| 564.00 | 32 | 12 | 20 | *6 | *5 | *7 | 15 | *5 | *9 | 13 | *6 | |
| 564.09 | 10 | * | *6 | * | * | * | * | * | * | * | * | |
| 564.1 | 14 | * | 11 | * | *7 | * | * | * | * | *5 | * | |
| 564.8 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 564.89 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 566 | 21 | 15 | *6 | * | *8 | *8 | * | * | * | 10 | * | |
| 567 | 20 | 9 | 11 | * | * | *9 | *6 | * | *6 | *6 | * | |
| 567.2 | 14 | *8 | *6 | * | * | *8 | * | * | * | * | * | |
| 568 | 11 | * | 10 | * | *5 | * | * | * | * | * | * | |
| 568.0 | *7 | * | *7 | * | * | * | * | * | * | * | * | |
| 569 | 100 | 43 | 57 | * | 12 | 24 | 62 | 19 | 22 | 41 | 18 | |
| 569.1 | *7 | * | *6 | * | * | * | * | * | * | * | * | |
| 569.3 | 24 | 12 | 12 | * | * | * | 17 | * | * | 13 | * | |
| 569.4 | *9 | *6 | * | — | * | * | *6 | * | * | * | * | |
| 569.6 | 17 | *7 | 10 | * | * | *6 | *8 | * | * | *7 | * | |
| 569.69 | 12 | *6 | *6 | * | * | * | *7 | * | * | * | * | |
| 569.8 | 39 | 16 | 23 | * | * | 9 | 25 | *8 | 10 | 14 | *7 | |
| 569.81 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 569.82 | *8 | * | *6 | * | * | * | * | * | * | * | * | |
| 569.83 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 569.85 | 15 | *8 | *7 | — | * | * | 13 | * | * | * | * | |
| 570 | 9 | * | *6 | * | * | * | * | * | * | *5 | * | |
| 571 | 112 | 68 | 45 | * | 18 | 69 | 24 | 17 | 15 | 46 | 34 | |
| 571.1 | 13 | *7 | *6 | — | *6 | *7 | * | * | * | * | * | |
| 571.2 | 48 | 33 | 14 | — | *8 | 34 | *6 | *7 | *6 | 19 | 16 | |
| 571.5 | 38 | 23 | 15 | * | * | 21 | 15 | * | *5 | 16 | 12 | |
| 572 | 46 | 28 | 19 | * | *7 | 24 | 15 | 10 | *8 | 15 | 13 | |
| 572.2 | 36 | 21 | 15 | — | * | 19 | 12 | *6 | *6 | 12 | 11 | |
| 573 | 9 | * | * | * | * | * | * | * | * | * | * | |
| 573.3 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 574 | 325 | 116 | 210 | * | 106 | 95 | 124 | 68 | 74 | 118 | 66 | |
| 574.0 | 120 | 46 | 74 | * | 39 | 37 | 43 | 29 | 26 | 42 | 22 | |
| 574.00 | 114 | 44 | 70 | * | 37 | 37 | 41 | 28 | 26 | 40 | 20 | |
| 574.01 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 574.1 | 97 | 33 | 64 | * | 31 | 30 | 37 | 21 | 22 | 36 | 18 | |
| 574.10 | 95 | 32 | 63 | * | 30 | 30 | 35 | 21 | 22 | 35 | 17 | |
| 574.2 | 42 | 14 | 28 | * | 11 | 12 | 18 | *7 | 11 | 15 | *8 | |
| 574.20 | 40 | 12 | 27 | * | 10 | 11 | 18 | *6 | 11 | 15 | *8 | |
| 574.5 | 21 | *7 | 14 | * | *7 | * | *9 | * | *5 | *7 | * | |
| 574.50 | 12 | * | *7 | * | * | * | * | * | * | * | * | |
| 574.51 | *9 | * | *6 | * | * | * | * | * | * | * | * | |
| 574.6 | 11 | * | *7 | * | * | * | * | * | * | * | * | |
| 574.60 | *7 | * | *5 | * | * | * | * | * | * | * | * | |
| 574.7 | 13 | * | 10 | — | *6 | * | * | * | * | * | * | |
| 574.70 | *8 | * | *7 | — | * | * | * | * | * | * | * | |
| 574.8 | 9 | * | * | * | * | * | * | * | * | * | * | |
| 574.81 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 575 | 81 | 30 | 51 | * | 31 | 28 | 21 | 14 | 23 | 31 | 13 | |
| 575.0 | 26 | 12 | 14 | * | *7 | 10 | *9 | *5 | *9 | *7 | *5 | |
| 575.1 | 45 | 15 | 30 | * | 20 | 14 | 11 | *7 | 12 | 20 | *7 | |
| 575.10 | *7 | * | *6 | * | * | * | * | * | * | * | * | |
| 575.11 | 28 | *6 | 21 | * | 15 | *7 | *6 | * | *8 | 13 | * | |
| 575.12 | 10 | *7 | * | — | * | * | * | * | * | * | * | |
| 575.8 | *5 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 576 | 27 | 10 | 17 | * | *5 | *9 | 13 | *5 | *6 | 9 | *7 |
| 576.1 | *8 | * | * | * | * | * | *6 | * | * | * | * |
| 576.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 576.8 | 10 | * | *7 | * | * | * | * | * | * | * | * |
| 577 | 275 | 148 | 126 | * | 96 | 105 | 71 | 52 | 60 | 115 | 49 |
| 577.0 | 237 | 129 | 108 | * | 83 | 88 | 63 | 42 | 56 | 96 | 43 |
| 577.1 | 25 | 12 | 12 | * | 10 | 13 | * | *6 | * | 14 | * |
| 577.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 578 | 193 | 93 | 100 | *5 | 18 | 38 | 132 | 41 | 60 | 61 | 31 |
| 578.0 | 20 | 10 | 10 | * | * | *6 | *9 | *7 | *5 | *5 | * |
| 578.1 | 37 | 16 | 21 | * | *6 | *9 | 21 | 10 | *7 | 15 | *5 |
| 578.9 | 135 | 67 | 69 | * | *8 | 23 | 103 | 24 | 48 | 41 | 23 |
| 579 | *7 | * | * | * | * | * | * | * | * | * | * |
| 580-629 | 1,983 | 642 | 1,341 | 91 | 535 | 496 | 861 | 376 | 464 | 782 | 361 |
| 581 | *5 | * | * | * | * | * | * | * | * | * | * |
| 584 | 270 | 145 | 125 | * | 18 | 65 | 186 | 66 | 62 | 95 | 46 |
| 584.5 | 14 | *7 | *6 | * | * | *6 | *6 | * | * | * | * |
| 584.9 | 253 | 135 | 118 | * | 15 | 59 | 178 | 62 | 58 | 90 | 42 |
| 585 | 16 | *9 | *7 | * | * | * | 9 | *6 | * | * | * |
| 586 | *7 | * | * | * | — | * | *6 | * | * | * | * |
| 590 | 143 | 23 | 120 | 29 | 50 | 28 | 36 | 24 | 33 | 55 | 32 |
| 590.1 | 66 | 10 | 56 | 12 | 24 | 15 | 15 | 12 | 15 | 23 | 16 |
| 590.10 | 66 | 10 | 56 | 12 | 24 | 15 | 15 | 12 | 15 | 23 | 16 |
| 590.8 | 73 | 13 | 61 | 17 | 23 | 12 | 21 | 11 | 17 | 30 | 15 |
| 590.80 | 73 | 13 | 61 | 17 | 23 | 12 | 21 | 11 | 17 | 30 | 15 |
| 591 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 592 | 184 | 94 | 90 | * | 75 | 68 | 37 | 37 | 50 | 77 | 20 |
| 592.0 | 57 | 25 | 32 | * | 22 | 18 | 16 | 12 | 16 | 22 | *6 |
| 592.1 | 126 | 69 | 57 | * | 52 | 50 | 21 | 24 | 33 | 55 | 14 |
| 593 | 52 | 23 | 28 | *9 | 10 | 10 | 23 | 10 | 10 | 22 | *9 |
| 593.4 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 593.7 | *8 | * | *7 | *8 | * | — | * | * | * | * | * |
| 593.70 | *7 | * | *6 | *6 | * | — | — | * | * | * | * |
| 593.8 | *9 | * | *5 | * | * | * | *6 | * | * | * | * |
| 593.81 | *6 | * | * | — | * | * | * | * | * | * | * |
| 593.9 | 19 | 12 | *7 | * | * | *6 | 11 | * | * | 11 | * |
| 595 | 17 | *7 | 10 | * | * | * | 12 | * | *6 | *5 | * |
| 595.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 595.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 596 | 23 | 16 | *7 | * | * | *5 | 14 | * | * | 10 | *5 |
| 596.0 | *6 | *6 | — | — | — | * | *5 | * | * | * | * |
| 598 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 599 | 522 | 181 | 341 | 29 | 47 | 76 | 370 | 103 | 124 | 200 | 96 |
| 599.0 | 481 | 157 | 324 | 28 | 43 | 66 | 344 | 95 | 114 | 186 | 86 |
| 599.7 | 29 | 20 | *9 | * | * | * | 20 | *6 | *8 | 10 | *5 |
| 599.8 | *7 | * | *6 | — | * | * | * | * | * | * | * |
| 600 | 80 | 80 | — | — | * | 15 | 64 | 18 | 21 | 22 | 20 |
| 600.0 | 73 | 73 | — | — | * | 14 | 59 | 16 | 19 | 19 | 19 |
| 600.00 | 16 | 16 | — | — | — | * | 13 | * | * | * | * |
| 600.01 | 57 | 57 | — | — | * | 11 | 46 | 12 | 14 | 16 | 15 |
| 601 | *6 | *6 | — | — | * | * | * | * | * | * | * |
| 604 | 12 | 12 | — | — | * | * | * | * | * | * | * |
| 604.9 | 11 | 11 | — | — | * | * | * | * | * | * | * |
| 604.90 | *6 | *6 | — | — | * | * | * | * | * | * | * |
| 604.99 | *5 | *5 | — | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|---|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 607 | *6 | *6 | — | * | * | * | * | * | * | * | * | * |
| 608 | 11 | 11 | — | * | *5 | * | * | * | * | * | * | * |
| 608.4 | *6 | *6 | — | * | * | * | * | * | * | * | * | * |
| 611 | 28 | * | 27 | * | 15 | 10 | * | *9 | * | 14 | * | * |
| 611.0 | 11 | * | 10 | * | *5 | * | * | * | * | * | * | * |
| 611.1 | *9 | * | *8 | * | *6 | * | * | * | * | * | * | * |
| 611.7 | *6 | * | *6 | — | * | * | * | * | * | * | * | * |
| 614 | 45 | — | 45 | * | 35 | *8 | * | *8 | *8 | 23 | *6 | * |
| 614.1 | *7 | — | *7 | — | * | * | * | * | * | *5 | * | * |
| 614.2 | *8 | — | *8 | — | *6 | * | * | * | * | * | * | * |
| 614.6 | 9 | — | 9 | — | *8 | * | * | * | * | * | * | * |
| 614.9 | 11 | — | 11 | * | 10 | * | * | * | * | *5 | * | * |
| 616 | 11 | — | 11 | * | * | * | * | * | * | * | * | * |
| 617 | 61 | — | 61 | — | 48 | 12 | * | *8 | 17 | 25 | 11 | * |
| 617.0 | 35 | — | 35 | — | 27 | *8 | * | * | 10 | 15 | *5 | * |
| 617.1 | 11 | — | 11 | — | *9 | * | — | * | * | * | * | * |
| 617.3 | *7 | — | *7 | — | *6 | * | — | * | * | * | * | * |
| 618 | 141 | — | 141 | * | 20 | 68 | 53 | 20 | 31 | 58 | 31 | * |
| 618.0 | 28 | — | 28 | — | * | 13 | 13 | * | *7 | 9 | *7 | * |
| 618.01 | 15 | — | 15 | — | * | *6 | *8 | * | * | * | *5 | * |
| 618.04 | *8 | — | *8 | — | * | * | * | * | * | * | * | * |
| 618.1 | 14 | — | 14 | * | * | *7 | * | * | * | *6 | * | * |
| 618.2 | 22 | — | 22 | — | * | 11 | *6 | * | * | *8 | *7 | * |
| 618.3 | 14 | — | 14 | — | * | *6 | *7 | * | * | * | * | * |
| 618.4 | 19 | — | 19 | — | * | 11 | * | * | * | *8 | * | * |
| 618.5 | 33 | — | 33 | — | * | 14 | 18 | * | *7 | 17 | *6 | * |
| 618.8 | *8 | — | *8 | — | * | * | * | * | * | * | * | * |
| 618.89 | *7 | — | *7 | — | * | * | * | * | * | * | * | * |
| 620 | 66 | — | 66 | * | 48 | 13 | * | 11 | 18 | 27 | 10 | * |
| 620.0 | *6 | — | *6 | — | *5 | * | — | * | * | * | * | * |
| 620.1 | 9 | — | 9 | * | *8 | * | — | * | * | * | * | * |
| 620.2 | 38 | — | 38 | * | 26 | *9 | * | *6 | 10 | 17 | *6 | * |
| 620.8 | *7 | — | *7 | * | *5 | * | * | * | * | * | * | * |
| 621 | 17 | — | 17 | — | *7 | *8 | * | * | * | *8 | * | * |
| 621.3 | *8 | — | *8 | — | * | * | * | * | * | * | * | * |
| 622 | *9 | — | *9 | — | * | * | * | * | * | * | * | * |
| 622.1 | *8 | — | *8 | — | * | * | * | * | * | * | * | * |
| 625 | 69 | — | 69 | * | 39 | 21 | *7 | 10 | 15 | 25 | 18 | * |
| 625.3 | 12 | — | 12 | * | 11 | * | — | * | * | * | * | * |
| 625.6 | 27 | — | 27 | — | *7 | 15 | *5 | * | *8 | *8 | *8 | * |
| 625.9 | 22 | — | 22 | * | 17 | * | * | * | * | 10 | * | * |
| 626 | 121 | — | 121 | * | 82 | 39 | * | 12 | 30 | 57 | 22 | * |
| 626.2 | 94 | — | 94 | * | 64 | 30 | — | *8 | 24 | 44 | 17 | * |
| 626.8 | 22 | — | 22 | * | 14 | *8 | * | * | *5 | 9 | * | * |
| 627 | 12 | — | 12 | — | * | *5 | * | * | * | * | * | * |
| 627.1 | 9 | — | 9 | — | * | * | * | * | * | * | * | * |
| 630-677 | 535 | — | 535 | * | 533 | * | — | 77 | 91 | 255 | 111 | * |
| 632 | 21 | — | 21 | * | 21 | * | — | * | * | 12 | * | * |
| 633 | 33 | — | 33 | — | 33 | — | — | * | *6 | 15 | *7 | * |
| 633.1 | 26 | — | 26 | — | 26 | — | — | * | * | 12 | *6 | * |
| 633.10 | 26 | — | 26 | — | 26 | — | — | * | * | 12 | *6 | * |
| 634 | 17 | — | 17 | * | 17 | * | — | * | * | 9 | * | * |
| 634.9 | 10 | — | 10 | * | 10 | * | — | * | * | *7 | * | * |
| 634.91 | *8 | — | *8 | * | *8 | * | — | * | * | *5 | * | * |
| 640 | *8 | — | *8 | — | *8 | — | — | * | * | * | * | * |
| 641 | 15 | — | 15 | * | 15 | — | — | * | * | * | * | * |
| 641.1 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 641.13 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | |
| 641.9 | *5 | — | *5 | — | *5 | — | — | * | * | * | * | |
| 641.93 | *5 | — | *5 | — | *5 | — | — | * | * | * | * | |
| 642 | 33 | — | 33 | — | 33 | — | — | * | *5 | 17 | *7 | |
| 642.3 | 12 | — | 12 | — | 12 | — | — | * | * | *5 | * | |
| 642.33 | *9 | — | *9 | — | *9 | — | — | * | * | * | * | |
| 642.4 | *7 | — | *7 | — | *7 | — | — | * | * | * | * | |
| 642.43 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | |
| 643 | 33 | — | 33 | * | 33 | — | — | * | *6 | 16 | *5 | |
| 643.0 | 14 | — | 14 | — | 14 | — | — | * | * | *8 | * | |
| 643.03 | 14 | — | 14 | — | 14 | — | — | * | * | *8 | * | |
| 643.1 | 11 | — | 11 | * | 11 | — | — | * | * | *6 | * | |
| 643.13 | 11 | — | 11 | * | 11 | — | — | * | * | *6 | * | |
| 643.2 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | |
| 643.23 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | |
| 644 | 109 | — | 109 | * | 109 | * | — | 13 | 21 | 50 | 24 | |
| 644.0 | 95 | — | 95 | * | 95 | * | — | 12 | 19 | 43 | 21 | |
| 644.03 | 95 | — | 95 | * | 95 | * | — | 12 | 19 | 43 | 21 | |
| 644.1 | 14 | — | 14 | — | 14 | — | — | * | * | *7 | * | |
| 644.13 | 14 | — | 14 | — | 14 | — | — | * | * | *7 | * | |
| 646 | 69 | — | 69 | * | 69 | — | — | *6 | 10 | 39 | 14 | |
| 646.6 | 45 | — | 45 | * | 45 | — | — | * | *5 | 26 | 10 | |
| 646.63 | 42 | — | 42 | * | 42 | — | — | * | *5 | 25 | *8 | |
| 646.8 | 18 | — | 18 | — | 18 | — | — | * | * | 10 | * | |
| 646.83 | 17 | — | 17 | — | 17 | — | — | * | * | 10 | * | |
| 647 | *6 | — | *6 | — | *6 | — | — | * | * | * | * | |
| 648 | 94 | — | 94 | * | 94 | * | — | 16 | 17 | 43 | 18 | |
| 648.0 | 9 | — | 9 | * | 9 | — | — | * | * | *6 | * | |
| 648.03 | 9 | — | 9 | * | 9 | — | — | * | * | *6 | * | |
| 648.4 | 13 | — | 13 | * | 13 | — | — | * | * | *7 | * | |
| 648.43 | 9 | — | 9 | * | *9 | — | — | * | * | *6 | * | |
| 648.9 | 56 | — | 56 | — | 56 | * | — | 11 | 10 | 23 | 13 | |
| 648.93 | 52 | — | 52 | — | 52 | * | — | 10 | *9 | 20 | 13 | |
| 654 | 15 | — | 15 | — | 15 | * | — | * | * | *9 | * | |
| 654.5 | *8 | — | *8 | — | *8 | — | — | * | * | * | * | |
| 654.53 | *8 | — | *8 | — | *8 | * | — | * | * | * | * | |
| 655 | *5 | — | *5 | — | *5 | — | — | * | * | * | * | |
| 658 | *8 | — | *8 | — | *8 | — | — | * | * | * | * | |
| 659 | *7 | — | *7 | * | *7 | — | — | * | * | * | * | |
| 666 | *5 | — | *5 | * | *5 | — | — | * | * | * | * | |
| 670 | *9 | — | *9 | * | *9 | — | — | * | * | * | * | |
| 670.0 | *9 | — | *9 | * | *9 | — | — | * | * | * | * | |
| 670.04 | *9 | — | *9 | * | *9 | — | — | * | * | * | * | |
| 674 | 11 | — | 11 | — | 11 | * | — | * | * | * | * | |
| 674.3 | *6 | — | *6 | — | *6 | * | — | * | * | * | * | |
| 674.34 | *6 | — | *6 | — | *6 | * | — | * | * | * | * | |
| 680-709 | 751 | 400 | 351 | 111 | 188 | 225 | 226 | 155 | 169 | 308 | 119 | |
| 681 | 32 | 17 | 15 | * | *9 | 13 | *8 | *8 | 11 | 11 | * | |
| 681.0 | 19 | 10 | 9 | * | *8 | * | * | *5 | * | *7 | * | |
| 681.00 | 16 | *9 | *8 | * | *7 | * | * | * | * | *6 | * | |
| 681.1 | 13 | *7 | *6 | * | * | *8 | * | * | *7 | * | * | |
| 681.10 | 12 | *7 | *5 | * | * | *7 | * | * | *7 | * | * | |
| 682 | 518 | 283 | 235 | 60 | 135 | 163 | 161 | 114 | 124 | 191 | 89 | |
| 682.0 | 40 | 20 | 20 | 11 | 14 | 10 | *6 | *6 | *6 | 16 | 12 | |
| 682.1 | 10 | *5 | * | * | * | * | * | * | * | * | * | |
| 682.2 | 46 | 24 | 22 | *6 | 14 | 16 | 11 | *8 | 11 | 19 | *9 | |
| 682.3 | 50 | 30 | 21 | * | 22 | 13 | 12 | 10 | 13 | 20 | *7 | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 682.4 | 36 | 21 | 16 | * | 14 | 9 | 10 | *8 | 10 | 12 | *6 |
| 682.5 | 24 | 10 | 14 | *9 | *6 | *6 | * | * | *5 | 13 | * |
| 682.6 | 261 | 147 | 114 | 19 | 51 | 94 | 97 | 63 | 63 | 90 | 45 |
| 682.7 | 47 | 24 | 22 | * | 10 | 12 | 21 | 12 | 12 | 17 | *6 |
| 685 | *6 | * | * | * | * | * | * | * | * | * | * |
| 692 | *7 | * | *6 | * | * | * | * | * | * | * | * |
| 693 | *8 | * | * | * | * | * | * | * | * | * | * |
| 693.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 695 | *8 | * | * | * | * | * | * | * | * | * | * |
| 695.1 | *7 | * | * | * | * | * | * | * | * | * | * |
| 701 | *7 | * | *5 | * | * | * | * | * | * | * | — |
| 707 | 78 | 39 | 39 | * | 12 | 24 | 42 | 15 | 17 | 32 | 14 |
| 707.0 | 47 | 22 | 25 | * | 9 | 12 | 26 | *8 | 10 | 21 | *8 |
| 707.03 | 19 | *8 | 11 | * | * | * | 11 | * | * | 9 | * |
| 707.04 | *7 | * | * | — | * | * | * | * | * | * | * |
| 707.05 | *5 | * | * | — | * | * | * | * | * | * | * |
| 707.07 | *6 | * | * | — | * | * | * | * | * | * | * |
| 707.09 | *6 | * | * | — | * | * | * | * | * | * | * |
| 707.1 | 29 | 16 | 13 | * | * | 11 | 15 | *6 | *7 | 9 | *6 |
| 707.15 | 9 | *5 | * | — | * | * | *5 | * | * | * | * |
| 707.19 | *5 | * | * | * | * | * | * | * | * | * | * |
| 708 | *6 | * | * | * | * | * | * | * | * | * | * |
| 709 | 51 | 31 | 20 | 34 | 14 | * | * | * | * | 50 | — |
| 709.2 | 49 | 30 | 20 | 34 | 14 | * | * | * | * | 49 | — |
| 710-739 | 1,945 | 831 | 1,114 | 40 | 304 | 686 | 916 | 405 | 504 | 631 | 406 |
| 710 | 30 | *5 | 25 | * | 13 | *9 | *6 | *6 | *7 | 12 | *5 |
| 710.0 | 23 | * | 20 | * | 12 | *6 | * | * | *6 | *8 | * |
| 711 | 24 | 14 | 10 | * | *7 | *6 | *8 | *8 | * | *8 | * |
| 711.0 | 23 | 14 | 10 | * | *7 | *6 | *8 | *8 | * | *7 | * |
| 711.06 | 12 | *8 | * | * | * | * | * | * | * | * | * |
| 714 | 19 | *7 | 12 | * | * | *6 | *9 | *6 | * | *6 | * |
| 714.0 | 14 | * | 10 | — | * | * | *8 | * | * | * | * |
| 715 | 761 | 292 | 469 | * | 17 | 266 | 478 | 160 | 214 | 224 | 163 |
| 715.1 | 56 | 27 | 30 | * | * | 15 | 41 | 15 | *7 | 19 | 15 |
| 715.15 | 16 | 9 | *7 | — | * | *5 | 10 | * | * | * | *5 |
| 715.16 | 36 | 16 | 21 | — | * | 9 | 27 | 10 | *6 | 11 | 10 |
| 715.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 715.3 | 420 | 163 | 258 | * | 10 | 149 | 261 | 103 | 118 | 110 | 89 |
| 715.31 | 14 | *5 | *9 | — | * | * | 10 | * | * | *5 | *5 |
| 715.35 | 115 | 55 | 60 | — | * | 42 | 69 | 30 | 34 | 25 | 26 |
| 715.36 | 286 | 100 | 186 | * | * | 101 | 179 | 70 | 82 | 78 | 56 |
| 715.8 | *8 | * | *6 | — | — | * | *7 | * | * | * | * |
| 715.89 | *8 | * | *6 | — | — | * | *7 | * | * | * | * |
| 715.9 | 267 | 96 | 171 | — | * | 97 | 166 | 39 | 84 | 90 | 54 |
| 715.90 | 10 | * | *6 | — | * | * | *6 | * | * | * | * |
| 715.91 | *7 | * | * | — | — | * | * | * | * | * | * |
| 715.95 | 66 | 29 | 37 | — | * | 20 | 43 | 13 | 22 | 14 | 17 |
| 715.96 | 181 | 59 | 122 | — | * | 69 | 111 | 24 | 57 | 69 | 31 |
| 716 | 14 | *5 | 9 | * | * | *5 | *6 | * | * | * | * |
| 716.1 | *6 | * | * | — | * | * | * | * | * | * | * |
| 716.9 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 718 | 13 | *7 | *6 | * | *7 | * | * | * | * | * | * |
| 719 | 42 | 16 | 26 | * | *7 | 12 | 21 | *8 | 13 | 11 | 11 |
| 719.4 | 28 | 12 | 16 | * | *6 | *8 | 13 | *5 | 9 | *7 | *8 |
| 719.41 | *7 | * | * | * | * | * | * | * | * | * | * |
| 719.45 | 12 | * | *8 | * | * | * | *7 | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 721 | 109 | 57 | 51 | * | 15 | 53 | 41 | 16 | 26 | 38 | 28 | |
| 721.0 | 31 | 15 | 15 | — | *6 | 20 | * | * | *5 | 12 | 10 | |
| 721.1 | 24 | 16 | *8 | — | * | 12 | 10 | *5 | * | *8 | *7 | |
| 721.3 | 46 | 20 | 26 | — | *7 | 16 | 23 | *6 | 16 | 13 | 10 | |
| 721.4 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 722 | 313 | 153 | 159 | * | 111 | 140 | 61 | 61 | 79 | 115 | 57 | |
| 722.0 | 53 | 26 | 27 | — | 23 | 26 | * | 11 | 12 | 23 | *8 | |
| 722.1 | 141 | 78 | 63 | * | 59 | 58 | 25 | 30 | 41 | 46 | 24 | |
| 722.10 | 139 | 78 | 61 | * | 58 | 57 | 24 | 30 | 40 | 45 | 24 | |
| 722.4 | 10 | * | *6 | — | * | *6 | * | * | * | * | * | |
| 722.5 | 65 | 25 | 40 | * | 13 | 31 | 20 | 9 | 17 | 25 | 14 | |
| 722.52 | 63 | 24 | 39 | — | 13 | 30 | 20 | 9 | 16 | 23 | 14 | |
| 722.7 | 21 | 11 | 10 | — | *7 | *9 | *5 | * | * | 11 | * | |
| 722.71 | 14 | *7 | *7 | — | * | *6 | * | * | * | *7 | * | |
| 722.73 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 722.8 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 722.83 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 722.9 | 14 | * | 9 | — | * | *6 | * | * | * | *5 | * | |
| 722.93 | 9 | * | *6 | — | * | * | * | * | * | * | * | |
| 723 | 37 | 19 | 18 | * | *8 | 20 | *9 | *6 | *9 | 12 | 11 | |
| 723.0 | 16 | 10 | *6 | * | * | 10 | * | * | * | *5 | * | |
| 723.1 | 12 | *6 | *6 | * | * | *6 | * | * | * | * | * | |
| 723.4 | *8 | * | *6 | — | * | * | * | * | * | * | * | |
| 724 | 150 | 63 | 87 | * | 21 | 42 | 86 | 37 | 41 | 47 | 25 | |
| 724.0 | 84 | 38 | 45 | — | * | 20 | 60 | 23 | 20 | 27 | 14 | |
| 724.02 | 81 | 37 | 44 | — | * | 20 | 59 | 22 | 19 | 26 | 14 | |
| 724.2 | 34 | 15 | 19 | * | 9 | 11 | 14 | *5 | 12 | 9 | *8 | |
| 724.4 | *8 | * | * | — | * | * | * | * | * | * | * | |
| 724.5 | 15 | * | 11 | * | * | * | *6 | * | * | *5 | * | |
| 726 | 30 | 15 | 15 | * | *5 | 10 | 14 | *5 | *6 | 10 | 9 | |
| 726.1 | *8 | * | * | — | * | * | * | * | * | * | * | |
| 726.10 | *8 | * | * | — | * | * | * | * | * | * | * | |
| 726.3 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 726.33 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 726.6 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 727 | 20 | *9 | 12 | * | * | *5 | 9 | * | * | 10 | * | |
| 727.0 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 727.6 | *7 | * | * | — | * | * | * | * | * | * | * | |
| 728 | 38 | 24 | 14 | * | 12 | 9 | 15 | 10 | 9 | 13 | *6 | |
| 728.8 | 35 | 22 | 13 | * | 11 | *9 | 14 | *8 | *9 | 13 | * | |
| 728.88 | 23 | 16 | *7 | * | *8 | *6 | 9 | *6 | *6 | *8 | * | |
| 728.89 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 729 | 55 | 19 | 36 | * | 15 | 18 | 20 | 10 | 15 | 21 | 9 | |
| 729.1 | 12 | * | *9 | * | *5 | * | * | * | * | * | * | |
| 729.5 | 21 | *8 | 13 | * | *6 | *9 | *5 | * | *7 | *7 | * | |
| 729.8 | 16 | *7 | 10 | * | * | * | 9 | * | *5 | *7 | * | |
| 729.89 | 12 | *5 | *7 | * | * | * | *8 | * | * | *5 | * | |
| 730 | 61 | 42 | 19 | * | 11 | 21 | 24 | 10 | 19 | 19 | 13 | |
| 730.0 | 12 | *8 | * | * | * | * | * | * | * | * | * | |
| 730.07 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 730.1 | 10 | *7 | * | * | * | * | * | * | * | * | * | |
| 730.2 | 38 | 26 | 12 | * | *6 | 13 | 17 | *5 | 13 | 13 | *7 | |
| 730.26 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 730.27 | 18 | 11 | *7 | * | * | *6 | 10 | * | *7 | *6 | * | |
| 730.28 | *8 | *5 | * | * | * | * | * | * | * | * | * | |
| 733 | 151 | 51 | 100 | * | 23 | 38 | 86 | 34 | 33 | 56 | 27 | |
| 733.1 | 70 | 18 | 51 | * | * | 10 | 57 | 18 | 18 | 23 | 11 | |
| 733.13 | 54 | 14 | 40 | * | * | *6 | 47 | 13 | 13 | 19 | *8 | |
| 733.14 | *7 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 733.4 | 27 | 12 | 15 | * | *7 | 10 | 10 | * | * | 11 | *7 |
| 733.42 | 20 | 10 | 10 | * | *6 | *7 | *7 | * | * | *8 | *6 |
| 733.6 | 22 | *5 | 16 | * | *6 | 10 | *5 | *6 | * | 10 | * |
| 733.8 | 23 | 13 | 10 | * | *7 | *7 | *8 | * | * | *9 | *6 |
| 733.82 | 19 | 11 | *9 | * | *6 | *6 | *7 | * | * | *8 | * |
| 736 | *8 | * | * | * | * | * | * | * | * | * | * |
| 737 | 16 | * | 12 | 9 | * | * | * | * | *5 | * | * |
| 737.3 | 14 | * | 11 | *8 | * | * | * | * | * | * | * |
| 737.30 | 10 | * | *8 | *6 | * | * | * | * | * | * | * |
| 738 | 33 | 13 | 20 | * | 9 | 13 | 11 | *5 | *5 | 9 | 13 |
| 738.4 | 29 | 11 | 18 | — | *7 | 11 | 11 | * | * | *8 | 12 |
| 740-759 | 182 | 99 | 83 | 129 | 27 | 18 | *8 | 48 | 29 | 65 | 40 |
| 742 | *8 | * | * | * | * | * | * | * | * | * | * |
| 744 | *6 | * | * | * | * | * | — | * | * | * | * |
| 745 | 24 | 13 | 11 | 19 | * | * | * | *9 | * | *8 | * |
| 745.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| 745.5 | *7 | * | * | * | * | * | * | * | * | * | * |
| 746 | 13 | *7 | *6 | *8 | * | * | * | * | * | *6 | * |
| 747 | 22 | 9 | 13 | 12 | *6 | * | * | *7 | * | *6 | * |
| 747.8 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 747.81 | *7 | * | * | * | * | * | * | * | * | * | * |
| 748 | *6 | * | * | *5 | * | * | * | * | * | * | * |
| 749 | 15 | 9 | *6 | 14 | * | — | — | * | * | * | *7 |
| 749.2 | *9 | *6 | * | *8 | * | — | — | * | * | * | *6 |
| 750 | 15 | 13 | * | 15 | * | * | — | * | * | * | * |
| 750.5 | 13 | 12 | * | 13 | — | — | — | * | * | * | * |
| 751 | 12 | *5 | *6 | 10 | * | * | * | * | * | * | * |
| 753 | 11 | *6 | *5 | *5 | * | * | * | * | * | * | * |
| 753.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 754 | *8 | * | * | *6 | * | * | — | * | * | * | * |
| 756 | 18 | *9 | *9 | *9 | * | * | * | * | * | *7 | * |
| 756.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 756.12 | *7 | * | * | * | * | * | * | * | * | * | * |
| 757 | *6 | * | * | * | * | * | — | * | * | *6 | * |
| 757.3 | *6 | * | * | * | * | — | — | — | * | *5 | * |
| 757.32 | *5 | * | * | * | * | — | — | — | — | *5 | * |
| 759 | *7 | * | * | *5 | * | * | * | * | * | * | * |
| 760-779 | 201 | 120 | 81 | 201 | * | * | * | 23 | 45 | 65 | 69 |
| 765 | 27 | 15 | 12 | 27 | — | — | — | * | * | 12 | *8 |
| 765.1 | 20 | 11 | *9 | 20 | — | — | — | * | * | 9 | *6 |
| 765.18 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 769 | 18 | 11 | *6 | 18 | — | — | — | * | *8 | * | * |
| 770 | 38 | 25 | 13 | 38 | — | — | — | * | *9 | 11 | 13 |
| 770.6 | *8 | *7 | * | *8 | — | — | — | * | * | * | * |
| 770.8 | 21 | 12 | 9 | 21 | — | — | — | * | * | *6 | *7 |
| 770.81 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 770.89 | 10 | * | * | 10 | — | — | — | * | * | * | * |
| 771 | 14 | *8 | *7 | 14 | — | — | — | * | * | * | *7 |
| 771.8 | 12 | *7 | * | 12 | — | — | — | * | * | * | *6 |
| 773 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 774 | 58 | 36 | 22 | 58 | — | — | * | *7 | 11 | 19 | 21 |
| 774.2 | *5 | * | * | *5 | — | — | — | * | * | * | * |
| 774.6 | 48 | 30 | 18 | 48 | — | — | * | * | 9 | 17 | 17 |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 778 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 778.4 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 779 | 20 | 10 | 9 | 20 | — | — | — | * | *7 | *5 | *6 |
| 779.3 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 779.8 | 10 | *6 | * | 10 | — | — | — | * | * | * | * |
| 779.89 | 10 | *5 | * | 10 | — | — | — | * | * | * | * |
| 780-799 | 198 | 89 | 109 | 47 | 62 | 51 | 38 | 52 | 37 | 78 | 30 |
| 780 | 60 | 29 | 30 | 28 | 15 | *7 | 10 | 16 | 12 | 22 | 10 |
| 780.2 | 11 | * | *6 | * | * | * | * | * | * | * | * |
| 780.3 | 26 | 11 | 15 | 14 | *7 | * | * | *6 | *7 | *9 | * |
| 780.39 | 22 | 10 | 12 | 10 | *7 | * | * | *5 | *6 | *7 | * |
| 780.6 | 13 | *7 | *6 | 12 | * | * | * | * | * | *5 | * |
| 786 | 51 | 23 | 28 | * | 12 | 25 | 10 | 16 | *7 | 21 | *7 |
| 786.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 786.5 | 42 | 20 | 22 | * | 12 | 22 | *8 | 15 | *5 | 17 | *6 |
| 786.50 | 20 | 10 | 10 | * | *6 | 11 | * | *6 | * | 9 | * |
| 786.59 | 20 | 9 | 11 | — | *5 | 10 | * | *8 | * | *7 | * |
| 787 | *6 | * | * | * | * | * | * | * | * | * | * |
| 789 | 27 | 10 | 16 | *8 | 14 | * | * | *7 | * | 10 | *5 |
| 789.0 | 26 | 10 | 16 | *8 | 13 | * | * | *6 | * | 9 | *5 |
| 789.00 | *9 | * | * | * | * | * | * | * | * | * | * |
| 789.03 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| 799 | 39 | 17 | 22 | * | 12 | 12 | 13 | 10 | *7 | 17 | *5 |
| 799.9 | 38 | 16 | 21 | * | 12 | 12 | 12 | 10 | *6 | 16 | *5 |
| 800-999 | 2,826 | 1,402 | 1,424 | 224 | 807 | 704 | 1,091 | 555 | 670 | 1,007 | 594 |
| 800 | 11 | *8 | * | *6 | * | * | * | * | * | * | * |
| 801 | 33 | 25 | *7 | *6 | 18 | * | * | * | *7 | 10 | 12 |
| 801.0 | 11 | 9 | * | * | *5 | * | * | * | * | *5 | * |
| 801.01 | *5 | * | * | * | * | * | * | * | * | * | * |
| 801.2 | 13 | 10 | * | * | *8 | * | * | * | * | * | *6 |
| 802 | 31 | 22 | *9 | * | 18 | * | * | *5 | *8 | 12 | *6 |
| 802.2 | 11 | 9 | * | * | *7 | * | * | * | * | *6 | * |
| 802.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| 805 | 94 | 38 | 55 | * | 27 | 16 | 49 | 17 | 27 | 28 | 21 |
| 805.0 | 22 | 11 | 11 | * | *8 | * | *9 | * | *6 | *7 | * |
| 805.02 | *8 | * | * | * | * | * | * | * | * | * | * |
| 805.2 | 22 | *8 | 13 | * | *6 | * | 11 | * | *8 | *5 | * |
| 805.4 | 43 | 17 | 26 | * | 12 | *7 | 25 | *6 | 12 | 13 | 11 |
| 805.6 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 806 | *6 | * | * | * | * | * | * | * | * | * | * |
| 807 | 45 | 26 | 19 | * | *8 | 11 | 26 | *8 | 18 | 11 | *8 |
| 807.0 | 36 | 21 | 15 | * | * | 9 | 22 | *6 | 16 | *8 | *6 |
| 807.01 | *8 | * | * | — | * | * | * | * | * | * | * |
| 807.02 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 807.04 | *6 | * | * | — | * | * | *5 | * | * | * | * |
| 807.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 808 | 59 | 18 | 41 | * | 9 | *8 | 40 | 13 | 15 | 19 | 12 |
| 808.0 | 14 | *8 | *6 | * | * | * | *5 | * | * | * | * |
| 808.2 | 34 | * | 30 | * | * | * | 29 | *8 | 10 | 9 | *7 |
| 808.4 | *7 | * | * | * | * | * | * | * | * | * | * |
| 810 | *7 | * | * | * | * | * | * | * | * | * | * |
| 810.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 812 | 78 | 28 | 50 | 13 | 10 | 19 | 35 | 16 | 19 | 25 | 17 |
| 812.0 | 39 | 10 | 29 | * | * | 11 | 24 | *9 | 12 | 11 | *7 |
| 812.00 | 10 | * | *7 | * | * | * | *7 | * | * | * | * |
| 812.01 | 11 | * | *9 | * | * | * | *7 | * | * | * | * |
| 812.09 | 13 | * | *9 | * | * | * | *8 | * | * | *6 | * |
| 812.2 | 13 | *5 | *8 | * | * | * | *6 | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 812.21 | 11 | * | *6 | * | * | * | * | * | * | * | * | |
| 812.4 | 22 | 10 | 12 | 10 | * | * | * | * | * | *8 | *6 | |
| 812.41 | 13 | *6 | *7 | *8 | * | * | * | * | * | * | * | |
| 813 | 60 | 27 | 33 | *7 | 16 | 14 | 23 | 13 | 11 | 23 | 13 | |
| 813.0 | 11 | * | *8 | * | * | * | *6 | * | * | * | * | |
| 813.2 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 813.23 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 813.4 | 29 | 13 | 16 | * | *6 | *7 | 13 | *6 | *5 | 11 | *6 | |
| 813.41 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 813.42 | 10 | * | *6 | * | * | * | * | * | * | * | * | |
| 813.44 | *9 | * | * | * | * | * | * | * | * | * | * | |
| 813.5 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 816 | *7 | *6 | * | * | * | * | * | * | * | * | * | |
| 816.1 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 820 | 302 | 86 | 216 | * | *8 | 27 | 266 | 57 | 76 | 109 | 60 | |
| 820.0 | 89 | 25 | 64 | * | * | 10 | 77 | 13 | 26 | 33 | 17 | |
| 820.00 | *7 | * | *6 | — | * | * | *6 | * | * | * | * | |
| 820.03 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 820.09 | 71 | 19 | 52 | * | * | *7 | 63 | 12 | 19 | 26 | 14 | |
| 820.2 | 150 | 40 | 110 | * | * | 14 | 133 | 33 | 34 | 55 | 28 | |
| 820.20 | 11 | * | *6 | * | * | * | *9 | * | * | *6 | * | |
| 820.21 | 126 | 30 | 97 | * | * | 9 | 115 | 27 | 29 | 43 | 27 | |
| 820.22 | 13 | *6 | *7 | * | * | * | *9 | * | * | *6 | * | |
| 820.8 | 62 | 20 | 42 | * | * | * | 56 | 11 | 16 | 21 | 15 | |
| 821 | 57 | 29 | 28 | 13 | 16 | *8 | 21 | *9 | 16 | 23 | 10 | |
| 821.0 | 34 | 19 | 15 | 10 | 12 | * | 9 | * | 10 | 14 | *6 | |
| 821.00 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 821.01 | 28 | 15 | 13 | *9 | 11 | * | *7 | * | *9 | 12 | * | |
| 821.2 | 20 | *8 | 12 | * | * | * | 10 | * | *5 | *7 | * | |
| 821.20 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 821.23 | *8 | * | *6 | * | * | * | *5 | * | * | * | * | |
| 822 | 12 | * | *7 | — | * | * | *5 | * | * | *5 | * | |
| 822.0 | 11 | * | *7 | — | * | * | * | * | * | * | * | |
| 823 | 70 | 42 | 28 | *6 | 31 | 22 | 10 | 12 | 16 | 27 | 15 | |
| 823.0 | 25 | 13 | 12 | * | *8 | 11 | *6 | * | *5 | *9 | *6 | |
| 823.00 | 18 | 10 | *8 | * | *7 | *8 | * | * | * | *7 | * | |
| 823.02 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 823.2 | 16 | 11 | *5 | * | 10 | * | * | * | * | *6 | * | |
| 823.22 | 11 | *7 | * | * | *7 | * | * | * | * | * | * | |
| 823.3 | 10 | *6 | * | * | *6 | * | * | * | * | * | * | |
| 823.32 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 823.8 | 11 | *5 | *5 | * | * | * | * | * | * | * | * | |
| 823.82 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 824 | 103 | 45 | 58 | * | 38 | 30 | 30 | 26 | 25 | 29 | 23 | |
| 824.2 | *9 | * | *5 | * | * | * | * | * | * | * | * | |
| 824.4 | 24 | 9 | 15 | * | *8 | *8 | *9 | *7 | *5 | *7 | *5 | |
| 824.6 | 29 | *7 | 22 | * | *7 | 10 | 12 | *7 | 9 | * | *8 | |
| 824.8 | 23 | 14 | 10 | * | 11 | *5 | * | *7 | *5 | *6 | * | |
| 824.9 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 825 | 20 | 11 | *9 | * | 10 | *5 | * | * | *5 | *7 | * | |
| 825.0 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 825.2 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 840 | 16 | 10 | *6 | — | * | 9 | *6 | * | * | *7 | * | |
| 840.4 | 12 | *7 | * | — | * | *7 | * | * | * | *5 | * | |
| 844 | 12 | *8 | * | * | * | * | * | * | * | * | * | |
| 847 | 11 | *6 | * | * | * | * | * | * | * | * | * | |
| 847.2 | *7 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | | |
| 850 | 47 | 29 | 19 | *6 | 21 | 9 | 12 | 11 | 12 | 15 | *9 | |
| 850.0 | 10 | * | *7 | * | * | * | * | * | * | * | * | |
| 850.1 | 16 | 11 | *5 | * | *7 | * | * | * | * | *5 | * | |
| 850.11 | 16 | 11 | *5 | * | *7 | * | * | * | * | *5 | * | |
| 850.5 | 17 | 12 | *5 | * | *9 | * | * | * | * | *6 | * | |
| 851 | 25 | 17 | *9 | * | 9 | *6 | 10 | * | * | 10 | *8 | |
| 851.8 | 18 | 12 | *6 | * | *7 | * | *7 | * | * | *8 | *6 | |
| 851.86 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 852 | 57 | 32 | 25 | * | *7 | 11 | 36 | 9 | 14 | 20 | 13 | |
| 852.0 | 18 | 10 | *8 | * | * | *5 | 9 | * | * | *5 | *5 | |
| 852.01 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 852.2 | 38 | 21 | 17 | * | * | *6 | 26 | *6 | 10 | 14 | *8 | |
| 852.20 | 10 | *7 | * | * | * | * | *7 | * | * | * | * | |
| 852.21 | 14 | *8 | *6 | * | * | * | 11 | * | * | *6 | * | |
| 852.22 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 853 | 11 | * | *6 | * | * | * | *6 | * | * | * | * | |
| 853.0 | 11 | * | *6 | * | * | * | *6 | * | * | * | * | |
| 860 | 28 | 20 | *9 | * | 13 | 10 | *6 | *5 | *7 | *9 | *8 | |
| 860.0 | 14 | 9 | * | * | * | * | * | * | * | * | * | |
| 860.4 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 861 | *8 | *6 | * | * | * | * | * | * | * | * | * | |
| 861.2 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 861.21 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 863 | 10 | *8 | * | * | *8 | * | * | * | * | * | * | |
| 864 | *9 | *7 | * | * | *5 | * | * | * | * | * | * | |
| 864.0 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 865 | 19 | 14 | *5 | * | *8 | * | * | * | * | *5 | *7 | |
| 865.0 | 18 | 13 | *5 | * | *8 | * | * | * | * | * | *7 | |
| 871 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 873 | 24 | 17 | *8 | * | 11 | *5 | * | *6 | * | *8 | *6 | |
| 873.0 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 873.4 | 10 | *6 | * | * | *6 | * | * | * | * | * | * | |
| 879 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 881 | 10 | *7 | * | * | *8 | * | * | * | * | * | * | |
| 882 | *7 | *5 | * | * | *6 | * | * | * | * | * | * | |
| 883 | *8 | *8 | * | * | *6 | * | * | * | * | * | * | |
| 886 | *6 | *6 | * | * | * | * | * | * | * | * | * | |
| 886.0 | *6 | *5 | * | * | * | * | * | * | * | * | * | |
| 891 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 891.1 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 892 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 920 | 9 | * | *7 | * | * | * | *6 | * | * | * | * | |
| 922 | 17 | *8 | *8 | * | * | * | *9 | * | *7 | * | * | |
| 922.1 | 9 | * | * | * | * | * | *5 | * | * | * | * | |
| 924 | 23 | *7 | 16 | — | * | * | 18 | * | *6 | *7 | * | |
| 924.0 | 13 | * | 10 | — | * | * | 11 | * | * | * | * | |
| 924.01 | 11 | * | *8 | — | * | * | 10 | * | * | * | * | |
| 924.1 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 935 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 935.1 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 941 | 12 | 9 | * | * | * | * | * | * | * | *8 | * | |
| 941.2 | 9 | *7 | * | * | * | * | * | * | * | *5 | * | |
| 941.29 | *5 | * | * | * | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 942 | 13 | *8 | * | *7 | * | * | * | * | * | *9 | — |
| 942.2 | 9 | *6 | * | *6 | * | * | * | * | * | *6 | — |
| 943 | 11 | *8 | * | * | *6 | * | * | * | * | *6 | * |
| 943.2 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 944 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 945 | 22 | 17 | * | *6 | *7 | * | * | * | * | 16 | * |
| 945.2 | *8 | *6 | * | * | * | * | * | * | * | *7 | * |
| 945.3 | 12 | 9 | * | * | * | * | * | * | * | *8 | * |
| 948 | *8 | *5 | * | *6 | * | * | * | * | — | *6 | — |
| 949 | *7 | *6 | * | *7 | * | — | * | — | — | *7 | — |
| 949.0 | *7 | *6 | * | *7 | * | — | — | — | — | *7 | — |
| 958 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 958.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 959 | 36 | 18 | 19 | *5 | 12 | *6 | 13 | *6 | 12 | *8 | 11 |
| 959.0 | 21 | 9 | 11 | * | *5 | * | *7 | * | *6 | * | *8 |
| 959.01 | 19 | *8 | 11 | * | * | * | *7 | * | *6 | * | *7 |
| 959.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 962 | *8 | *5 | * | * | * | * | * | * | * | *6 | * |
| 962.3 | *8 | *5 | * | * | * | * | * | * | * | *6 | * |
| 963 | *5 | * | * | * | * | * | * | * | * | * | * |
| 963.0 | *5 | * | * | * | * | * | — | * | * | * | * |
| 965 | 63 | 23 | 40 | * | 40 | 18 | * | 13 | 18 | 20 | 13 |
| 965.0 | 24 | 11 | 13 | * | 11 | 11 | * | *5 | * | *7 | *7 |
| 965.09 | 11 | * | *8 | * | * | *6 | * | * | * | * | * |
| 965.1 | *6 | * | * | * | *5 | * | * | * | * | * | * |
| 965.4 | 25 | *8 | 17 | * | 19 | * | * | *6 | *5 | 10 | * |
| 966 | 11 | *6 | * | * | *8 | * | * | * | * | * | * |
| 966.3 | *9 | * | * | * | *7 | * | * | * | * | * | * |
| 967 | 13 | * | *9 | — | *7 | * | * | * | * | *7 | * |
| 967.8 | *8 | * | *6 | — | * | * | * | * | * | *5 | * |
| 969 | 77 | 33 | 43 | * | 52 | 20 | * | 12 | 16 | 29 | 19 |
| 969.0 | 21 | *8 | 13 | * | 15 | * | * | * | * | *7 | *7 |
| 969.3 | 9 | * | * | * | *7 | * | * | * | * | * | * |
| 969.4 | 33 | 13 | 20 | * | 22 | 9 | * | *6 | *9 | 14 | * |
| 969.7 | *7 | * | * | * | * | * | * | * | * | * | * |
| 970 | 18 | 13 | *6 | * | 13 | *5 | * | *8 | * | *6 | * |
| 970.8 | 18 | 12 | *5 | * | 12 | * | * | *8 | * | *6 | * |
| 972 | 9 | * | * | * | * | * | * | * | * | * | * |
| 972.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 975 | *8 | * | *5 | * | *5 | * | * | * | * | * | * |
| 975.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 977 | *9 | * | *5 | * | *6 | * | * | * | * | * | * |
| 980 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 989 | 10 | *6 | * | * | * | * | * | * | * | *6 | * |
| 989.5 | *8 | *5 | * | * | * | * | * | * | * | *5 | * |
| 995 | 39 | 14 | 25 | *6 | *9 | 12 | 12 | *7 | 15 | 11 | *6 |
| 995.1 | 11 | * | *8 | * | * | * | * | * | * | * | * |
| 995.9 | 12 | *6 | *7 | * | * | *6 | * | * | *7 | * | * |
| 995.91 | 9 | * | *6 | * | * | *5 | * | * | *6 | * | * |
| 996 | 487 | 240 | 247 | 27 | 80 | 167 | 211 | 97 | 95 | 191 | 103 |
| 996.0 | 25 | 17 | *8 | * | * | *5 | 17 | *6 | *7 | *7 | *6 |
| 996.01 | 14 | *8 | *5 | * | * | * | 10 | * | * | * | * |
| 996.04 | 9 | *8 | * | * | * | * | *6 | * | * | * | * |
| 996.1 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 996.2 | 21 | 10 | 11 | *7 | 9 | * | * | * | *5 | *8 | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| 996.4 | 91 | 36 | 55 | * | *8 | 30 | 52 | 20 | 21 | 35 | 14 |
| 996.5 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 996.6 | 175 | 88 | 87 | 11 | 30 | 61 | 73 | 36 | 36 | 66 | 37 |
| 996.61 | 10 | *7 | * | * | * | * | * | * | * | * | * |
| 996.62 | 76 | 36 | 40 | *8 | 17 | 28 | 23 | 15 | 16 | 28 | 17 |
| 996.63 | *6 | * | * | * | * | * | * | * | * | * | * |
| 996.64 | 19 | 11 | *8 | — | * | * | 15 | * | * | 10 | * |
| 996.66 | 28 | 16 | 12 | * | * | 10 | 17 | * | 9 | 10 | * |
| 996.67 | 13 | *6 | *7 | * | * | *5 | * | * | * | * | * |
| 996.68 | *6 | * | * | * | * | * | * | * | * | * | * |
| 996.69 | 12 | *5 | *7 | * | * | * | * | * | * | *5 | * |
| 996.7 | 126 | 64 | 62 | * | 17 | 50 | 57 | 22 | 20 | 50 | 34 |
| 996.72 | 14 | 9 | * | * | * | *7 | *6 | * | * | *6 | * |
| 996.73 | 42 | 21 | 21 | * | *6 | 20 | 16 | * | *6 | 15 | 17 |
| 996.74 | 25 | 12 | 13 | * | * | *9 | 13 | *7 | * | 10 | * |
| 996.77 | 18 | 10 | *8 | — | * | * | 13 | * | * | *7 | *5 |
| 996.78 | 13 | *6 | *8 | * | * | * | * | * | * | *5 | * |
| 996.8 | 27 | 15 | 13 | * | 11 | 10 | * | *5 | * | 18 | * |
| 996.81 | 18 | 10 | *8 | * | *9 | *6 | * | * | * | 11 | * |
| 997 | 112 | 56 | 56 | * | 22 | 41 | 45 | 28 | 28 | 34 | 23 |
| 997.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 997.1 | 10 | *6 | * | * | * | * | *5 | * | * | * | * |
| 997.2 | 9 | *5 | * | — | * | * | * | * | * | * | * |
| 997.3 | 11 | * | *6 | * | * | * | * | * | * | * | * |
| 997.4 | 41 | 16 | 25 | * | 14 | 12 | 13 | 11 | 11 | 12 | *7 |
| 997.5 | 11 | *8 | * | * | * | *5 | * | * | * | * | * |
| 997.6 | 19 | 12 | *7 | * | * | *7 | 10 | *5 | * | *6 | * |
| 997.62 | 13 | 9 | * | — | * | *5 | *6 | * | * | * | * |
| 997.69 | *5 | * | * | * | * | * | * | * | * | * | * |
| 998 | 257 | 113 | 144 | 10 | 70 | 93 | 84 | 57 | 57 | 85 | 58 |
| 998.1 | 64 | 29 | 36 | * | 18 | 17 | 27 | 18 | 16 | 19 | 11 |
| 998.11 | 35 | 19 | 16 | * | *7 | *8 | 18 | 12 | *6 | 11 | *7 |
| 998.12 | 25 | *9 | 16 | * | 9 | *7 | *8 | *5 | *9 | *7 | * |
| 998.2 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| 998.3 | 20 | *7 | 12 | * | *7 | *7 | * | * | * | *7 | *7 |
| 998.32 | 15 | *6 | *9 | * | * | *6 | * | * | * | *6 | * |
| 998.5 | 136 | 61 | 75 | *5 | 37 | 54 | 40 | 30 | 31 | 47 | 28 |
| 998.51 | *6 | * | * | * | * | * | * | * | * | * | * |
| 998.59 | 130 | 60 | 70 | * | 34 | 52 | 39 | 29 | 29 | 45 | 27 |
| 998.6 | *7 | * | * | * | * | * | * | * | * | * | * |
| 998.8 | 20 | *7 | 12 | * | * | *9 | *5 | * | * | *6 | *5 |
| 998.83 | *6 | * | * | * | * | * | * | * | * | * | * |
| 998.89 | 14 | *6 | *8 | * | * | *6 | * | * | * | * | * |
| 999 | *7 | * | * | * | * | * | * | * | * | * | * |
| V01-V83 | 4,933 | 396 | 4,538 | 76 | 4,158 | 210 | 489 | 773 | 1,017 | 1,911 | 1,232 |
| V10 | *7 | * | * | — | * | * | * | * | * | * | * |
| V12 | *6 | * | * | * | * | * | * | * | * | * | * |
| V12.5 | *5 | * | * | * | * | * | * | * | * | * | * |
| V15 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| V15.8 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| V17 | *5 | * | * | * | * | * | * | * | * | * | * |
| V27 | 4,038 | — | 4,038 | *6 | 4,025 | *7 | — | 591 | 824 | 1,574 | 1,049 |
| V27.0 | 3,817 | — | 3,817 | *6 | 3,805 | *6 | — | 544 | 771 | 1,500 | 1,002 |
| V27.1 | 17 | — | 17 | — | 17 | — | — | * | * | *6 | *6 |
| V27.2 | 60 | — | 60 | — | 59 | * | — | 11 | *6 | 29 | 13 |
| V27.9 | 142 | — | 142 | * | 141 | * | — | 34 | 43 | 38 | 27 |
| V30 | *8 | * | *5 | *8 | — | — | — | * | * | * | * |
| V30.1 | *8 | * | *5 | *8 | — | — | — | * | * | * | * |

See footnotes at end of table.

Table 45. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of first-listed diagnoses in thousands | | | | | | | | | | | |
| V42 | *7 | * | * | * | * | * | * | * | * | * | * |
| V45 | 22 | *8 | 13 | * | *7 | *8 | *5 | * | *7 | *5 | *6 |
| V45.7 | *6 | * | *6 | * | * | * | * | * | * | * | * |
| V45.8 | 11 | *7 | * | * | * | * | * | * | * | * | * |
| V45.89 | *6 | * | * | * | * | * | * | * | * | * | * |
| V50 | *5 | * | * | * | * | * | * | * | * | * | * |
| V53 | 21 | 13 | *8 | * | * | * | 16 | * | *5 | *5 | *7 |
| V53.3 | 20 | 12 | *7 | * | * | * | 16 | * | *5 | * | *6 |
| V53.31 | 13 | *8 | *6 | — | * | * | 12 | * | * | * | * |
| V53.32 | *6 | * | * | * | * | * | * | * | * | * | * |
| V54 | 20 | *6 | 14 | * | * | * | 14 | *6 | * | * | *8 |
| V54.1 | *8 | * | *6 | * | * | * | *5 | * | * | * | * |
| V54.8 | *9 | * | *5 | * | * | * | *7 | * | * | * | * |
| V54.81 | *7 | * | * | — | — | * | *6 | * | — | * | * |
| V55 | 35 | 18 | 18 | * | *7 | 14 | 11 | *9 | *7 | 11 | *9 |
| V55.2 | 10 | * | *6 | * | * | *5 | * | * | * | * | * |
| V55.3 | 18 | 9 | *9 | * | * | *7 | *7 | * | * | *7 | * |
| V56 | *6 | * | * | * | * | * | * | * | * | * | * |
| V56.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| V57 | 492 | 197 | 295 | * | 31 | 90 | 368 | 92 | 122 | 178 | 101 |
| V57.1 | 86 | 38 | 49 | * | *6 | 12 | 68 | 18 | * | 43 | 21 |
| V57.8 | 403 | 159 | 244 | * | 25 | 77 | 299 | 73 | 117 | 134 | 79 |
| V57.89 | 403 | 159 | 244 | * | 25 | 77 | 299 | 73 | 117 | 134 | 79 |
| V58 | 173 | 94 | 79 | 38 | 30 | 56 | 49 | 43 | 30 | 72 | 28 |
| V58.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| V58.1 | 140 | 80 | 59 | 35 | 26 | 49 | 30 | 36 | 20 | 62 | 23 |
| V58.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| V58.7 | *5 | * | * | * | * | * | * | * | * | * | * |
| V58.8 | 11 | * | *7 | * | * | * | *8 | * | *7 | * | * |
| V58.89 | 9 | * | *5 | * | * | * | *7 | * | *7 | * | * |
| V59 | *8 | * | * | — | * | * | * | * | * | * | * |
| V59.4 | *6 | * | * | — | * | * | * | * | * | * | * |
| V70 | 14 | 9 | *5 | * | 10 | * | * | * | * | *6 | * |
| V70.7 | 13 | *9 | * | * | *9 | * | * | * | * | * | * |
| V71 | 11 | *6 | *5 | * | * | * | *5 | * | * | *5 | * |
| V71.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| V71.89 | *6 | * | * | * | * | * | * | * | * | * | * |

* Figure does not meet standards of reliability or precision.

— Quantity zero.

NOTE: Estimates of 5,000–9,000 are to be used with caution; see "Methods" section.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|---------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|--------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| All codes | 165,925 | 72,186 | 93,739 | 11,371 | 39,786 | 41,619 | 73,149 | 38,730 | 33,741 | 62,797 | 30,656 |
| 001-139 | 6,932 | 3,366 | 3,566 | 492 | 1,052 | 1,858 | 3,529 | 1,731 | 1,234 | 2,557 | 1,411 |
| 003 | *41 | * | * | * | * | * | * | * | * | * | * |
| 003.0 | *20 | * | * | * | * | * | * | * | * | * | * |
| 008 | 782 | 291 | 491 | 114 | 74 | 153 | 440 | 260 | 134 | 295 | 93 |
| 008.4 | 537 | 196 | 341 | * | *32 | 121 | 368 | 204 | 88 | 199 | *46 |
| 008.45 | 527 | 193 | 334 | * | *29 | 119 | 363 | 202 | 87 | 196 | *42 |
| 008.6 | 61 | 37 | 24 | 58 | * | * | * | * | *10 | 23 | *19 |
| 008.61 | 59 | 36 | 23 | 57 | * | * | * | * | *10 | 23 | *18 |
| 008.8 | 175 | 55 | 120 | 37 | 40 | 30 | 67 | 45 | 35 | 67 | 28 |
| 009 | 52 | *22 | 31 | * | *18 | * | * | * | * | * | *20 |
| 009.0 | 34 | * | *21 | * | * | * | * | * | * | * | * |
| 011 | 114 | *92 | * | * | * | *31 | * | * | * | *45 | * |
| 011.9 | *67 | * | * | * | * | * | * | * | * | * | * |
| 033 | *38 | * | * | *38 | - | * | - | * | * | * | * |
| 034 | *18 | * | * | * | * | * | - | * | * | * | * |
| 034.0 | *16 | * | * | * | * | * | - | * | * | * | * |
| 038 | 4,034 | 1,997 | 2,037 | *72 | 333 | 1,032 | 2,597 | 941 | 777 | 1,473 | 843 |
| 038.0 | 297 | 154 | 143 | * | * | *72 | 166 | *63 | *64 | *98 | *72 |
| 038.1 | 767 | 457 | 310 | * | *77 | 260 | 407 | 146 | 125 | 330 | 165 |
| 038.10 | *59 | * | * | * | * | * | * | * | * | * | * |
| 038.11 | 564 | 350 | 213 | * | *65 | 206 | 290 | *108 | *85 | 256 | 116 |
| 038.19 | 144 | *73 | *71 | * | * | * | *83 | * | * | * | * |
| 038.2 | *57 | * | * | * | * | * | * | * | * | * | * |
| 038.4 | 823 | 366 | 457 | * | *59 | 265 | 492 | 229 | 199 | 181 | 215 |
| 038.40 | *68 | * | * | - | * | * | *48 | * | * | * | * |
| 038.42 | 365 | 124 | 241 | * | * | 104 | 231 | 107 | 116 | 75 | 66 |
| 038.43 | *80 | * | * | - | * | * | * | * | * | * | * |
| 038.49 | 297 | 164 | 133 | * | * | *127 | 150 | *81 | *55 | *62 | *99 |
| 038.8 | 125 | * | 89 | * | * | * | 89 | * | * | * | * |
| 038.9 | 1,928 | 943 | 985 | * | 122 | 397 | 1,388 | 440 | 348 | 787 | 353 |
| 041 | 79 | *41 | *38 | * | * | * | * | * | * | *40 | * |
| 042 | 538 | 305 | 233 | * | 287 | 240 | * | 191 | *42 | 261 | *45 |
| 047 | 116 | 58 | 59 | 49 | 50 | * | * | *20 | 27 | 37 | 32 |
| 047.9 | 102 | 54 | 49 | 39 | 48 | * | * | *19 | 25 | 34 | *24 |
| 053 | 85 | *31 | 54 | * | * | * | 61 | * | *22 | * | *25 |
| 053.1 | *22 | * | * | - | * | * | * | * | * | * | * |
| 053.9 | 39 | * | *31 | * | * | * | *29 | * | * | * | * |
| 054 | *66 | * | * | * | * | * | * | * | * | * | * |
| 066 | *39 | * | * | - | * | * | * | - | * | * | * |
| 070 | 96 | 61 | *35 | * | *39 | 44 | * | * | * | 47 | *24 |
| 070.5 | *22 | * | * | - | * | *13 | * | * | * | * | * |
| 070.54 | *16 | * | * | - | * | * | * | * | * | * | * |
| 070.7 | *18 | * | * | - | * | * | * | * | * | * | * |
| 075 | 34 | *14 | * | * | *26 | * | - | * | * | * | * |
| 079 | 150 | 79 | 71 | 82 | *23 | *20 | *25 | 35 | 26 | 49 | 39 |
| 079.9 | 123 | 59 | 64 | 59 | *20 | *19 | *25 | 33 | 26 | 42 | 22 |
| 079.99 | 123 | 59 | 64 | 59 | *20 | *19 | *25 | 33 | 26 | 42 | 22 |
| 112 | 143 | *42 | 100 | * | * | * | 95 | * | * | 56 | * |
| 112.0 | *24 | * | *19 | * | * | * | * | * | * | * | * |
| 112.2 | *55 | * | *46 | - | * | * | *48 | * | * | * | * |
| 117 | *75 | * | * | * | * | * | * | * | * | * | * |
| 135 | 41 | * | *25 | * | * | *20 | * | * | * | * | * |
| 140-239 | 9,627 | 4,392 | 5,236 | 232 | 1,292 | 3,461 | 4,641 | 2,366 | 1,859 | 3,536 | 1,866 |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 141 | *30 | * | * | — | * | * | * | * | * | * | * |
| 150 | 137 | 101 | * | — | * | *65 | *71 | * | * | * | * |
| 151 | 267 | 161 | 106 | — | * | 109 | 149 | * | *74 | 106 | * |
| 151.0 | 96 | *75 | * | — | * | * | *47 | * | * | * | * |
| 151.9 | *56 | * | * | — | * | * | *39 | * | * | * | * |
| 153 | 919 | 449 | 470 | * | * | 242 | 648 | 208 | 210 | 350 | 152 |
| 153.0 | *78 | * | * | — | * | * | *74 | * | * | * | * |
| 153.1 | 98 | *64 | * | — | * | * | *65 | * | * | * | * |
| 153.2 | *50 | * | *40 | — | * | * | * | * | * | * | * |
| 153.3 | 169 | 76 | 93 | — | * | *50 | 110 | * | *42 | *54 | *43 |
| 153.4 | 191 | 87 | 104 | — | * | *57 | 127 | *55 | *32 | *80 | * |
| 153.6 | 181 | 93 | 88 | — | * | *40 | 132 | * | *42 | *75 | * |
| 153.9 | 81 | *34 | *47 | — | * | * | *56 | * | * | *54 | * |
| 154 | 288 | 156 | 132 | — | * | 100 | 175 | *65 | *51 | 124 | *48 |
| 154.0 | 121 | 71 | *50 | — | * | *45 | *70 | * | * | *56 | * |
| 154.1 | 151 | 80 | *71 | — | * | *49 | 96 | * | *26 | *62 | * |
| 155 | 108 | 59 | *49 | * | * | *43 | *55 | *35 | * | *41 | * |
| 155.0 | 73 | *47 | * | * | * | *30 | *34 | * | * | *28 | * |
| 156 | *85 | *47 | * | — | * | * | *76 | * | * | * | * |
| 157 | 211 | 79 | 133 | * | * | 89 | 117 | * | *69 | 77 | *35 |
| 157.0 | 87 | *42 | * | — | * | * | *57 | * | * | * | * |
| 157.9 | 57 | * | * | — | * | * | * | * | * | * | * |
| 161 | 120 | *94 | * | — | * | *64 | * | * | * | * | * |
| 162 | 1,003 | 539 | 464 | * | * | 332 | 615 | 252 | 195 | 434 | 121 |
| 162.2 | *66 | * | * | — | * | * | *34 | * | * | * | * |
| 162.3 | 368 | 199 | 169 | * | * | 125 | 226 | 75 | 76 | 158 | *60 |
| 162.5 | 171 | 86 | 85 | * | * | *70 | 97 | * | * | 104 | * |
| 162.8 | 160 | *86 | *74 | — | * | * | 108 | *83 | * | * | * |
| 162.9 | 215 | 113 | 102 | — | * | 59 | 136 | *41 | 61 | 98 | * |
| 171 | *48 | *26 | * | * | * | * | * | * | * | * | * |
| 173 | *18 | * | * | * | * | * | * | * | * | * | * |
| 174 | 265 | — | 265 | — | 42 | 101 | 122 | 63 | 54 | 120 | 28 |
| 174.4 | 19 | — | 19 | — | * | * | * | * | * | * | * |
| 174.8 | 95 | — | 95 | — | * | 38 | *48 | *43 | * | 35 | * |
| 174.9 | 123 | — | 123 | — | *25 | 46 | 52 | * | 33 | 70 | * |
| 180 | 79 | — | 79 | — | *22 | *50 | * | * | * | *32 | * |
| 180.9 | *43 | — | *43 | — | * | * | * | * | * | *22 | * |
| 182 | 122 | — | 122 | — | * | 61 | 51 | *29 | 32 | 39 | *22 |
| 182.0 | 122 | — | 122 | — | * | 60 | 50 | *28 | 32 | 39 | *22 |
| 183 | 144 | — | 144 | * | * | 86 | *41 | * | * | *66 | * |
| 183.0 | 138 | — | 138 | * | * | 83 | *39 | * | * | *63 | * |
| 185 | 278 | 278 | — | * | * | 122 | 152 | 61 | 50 | 97 | 71 |
| 188 | 261 | 209 | 53 | — | * | *84 | 177 | 107 | 48 | 65 | *41 |
| 188.8 | 80 | 54 | * | — | — | * | 73 | *30 | * | * | * |
| 188.9 | 42 | *26 | * | — | * | * | *35 | * | * | * | * |
| 189 | 236 | 136 | 100 | * | * | 76 | 138 | 41 | 54 | 90 | 51 |
| 189.0 | 217 | 120 | 97 | * | * | 71 | 123 | *36 | 52 | 87 | *43 |
| 191 | 247 | 157 | 90 | * | *49 | 67 | 95 | *53 | *32 | 79 | 84 |
| 191.1 | 76 | *57 | * | * | * | *25 | * | * | * | * | * |
| 191.2 | *42 | *32 | * | * | * | * | * | * | * | * | * |
| 191.8 | *22 | * | * | * | * | * | * | * | * | * | * |
| 191.9 | *39 | * | * | * | * | * | * | * | * | * | * |
| 193 | 62 | *17 | 45 | * | 20 | 34 | * | *13 | * | 28 | *13 |
| 196 | 73 | 42 | * | * | * | * | *41 | * | * | *34 | * |
| 196.2 | *29 | * | * | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 197 | 735 | 279 | 456 | * | *91 | 266 | 376 | 206 | 127 | 243 | 160 |
| 197.0 | 136 | *39 | 97 | * | * | *37 | *39 | * | * | *29 | * |
| 197.2 | 189 | *63 | 126 | — | * | 63 | 120 | *59 | *46 | *45 | * |
| 197.6 | 159 | *61 | 99 | — | * | *73 | *77 | *63 | * | *60 | * |
| 197.7 | 154 | 80 | 74 | * | * | 58 | 81 | *36 | * | 65 | *32 |
| 198 | 680 | 255 | 425 | * | *103 | 311 | 262 | 155 | 235 | 197 | 94 |
| 198.3 | 282 | 92 | 190 | * | * | 101 | 98 | *52 | *126 | 61 | *43 |
| 198.5 | 289 | 126 | 163 | * | * | 162 | 116 | *70 | 91 | 95 | * |
| 198.8 | 59 | * | *38 | * | * | * | *32 | * | * | * | * |
| 198.89 | *54 | * | *34 | * | * | * | *29 | * | * | * | * |
| 199 | 170 | 61 | 109 | * | * | 51 | 98 | * | * | 110 | *25 |
| 199.0 | 100 | *40 | 60 | * | * | *39 | *41 | * | * | *65 | * |
| 199.1 | *70 | * | * | * | * | * | *57 | * | * | * | * |
| 200 | *77 | * | * | * | * | * | * | * | * | * | * |
| 200.0 | *62 | * | * | — | * | * | * | * | * | * | * |
| 201 | *43 | * | * | * | * | * | * | * | * | * | * |
| 202 | 303 | 172 | 130 | * | * | 70 | 188 | *77 | 106 | 66 | *53 |
| 202.8 | 258 | 140 | 119 | * | * | *62 | 170 | *61 | *88 | *58 | *52 |
| 202.80 | 114 | *80 | * | — | * | * | *82 | * | * | * | * |
| 202.83 | *57 | * | * | — | * | * | * | * | * | * | * |
| 203 | 127 | 79 | *49 | — | * | * | 76 | * | * | * | * |
| 203.0 | 124 | 76 | *48 | — | * | * | 73 | * | * | * | * |
| 203.00 | 123 | 76 | * | — | * | * | 73 | * | * | * | * |
| 204 | 172 | 80 | *92 | *59 | * | * | *25 | * | * | *48 | *74 |
| 204.0 | 144 | *62 | * | *59 | * | * | * | * | * | * | * |
| 204.00 | *91 | *56 | * | * | * | * | * | * | * | * | * |
| 204.1 | *27 | * | * | — | — | * | *15 | * | * | * | * |
| 204.10 | *26 | * | * | — | — | * | *15 | * | * | * | * |
| 205 | 270 | 138 | *132 | * | * | *124 | *72 | *89 | * | *85 | * |
| 205.0 | 250 | *123 | *127 | * | * | *115 | *65 | * | * | *79 | * |
| 205.00 | 237 | *113 | *124 | * | * | *110 | *65 | * | * | *76 | * |
| 210 | *7 | * | * | * | * | * | * | * | * | * | * |
| 211 | 277 | 121 | 155 | * | * | 98 | 152 | 82 | 48 | 104 | *43 |
| 211.3 | 193 | 93 | 100 | — | * | 75 | 106 | *55 | *31 | 73 | *34 |
| 218 | 576 | — | 576 | — | 282 | 288 | * | 138 | 96 | 254 | 87 |
| 218.0 | 71 | — | 71 | — | 29 | 42 | * | *17 | * | 32 | * |
| 218.1 | 152 | — | 152 | — | 82 | 68 | * | 44 | *20 | 66 | *22 |
| 218.2 | 47 | — | 47 | — | *29 | *18 | — | * | * | *26 | * |
| 218.9 | 306 | — | 306 | — | 142 | 161 | * | 70 | 52 | 130 | 53 |
| 220 | 96 | — | 96 | * | 41 | 34 | *21 | *15 | 34 | 29 | *18 |
| 225 | 117 | *35 | 82 | * | * | *39 | *47 | *31 | * | *34 | *36 |
| 225.2 | 70 | * | 54 | — | * | * | *38 | * | * | * | * |
| 226 | 16 | * | *14 | — | * | *10 | * | * | * | * | * |
| 227 | 57 | *19 | 39 | * | * | *26 | * | * | * | *24 | * |
| 227.3 | *33 | * | * | * | * | * | * | * | * | * | * |
| 228 | *37 | * | * | * | * | * | * | * | * | * | * |
| 228.0 | *31 | * | * | * | * | * | * | * | * | * | * |
| 230 | *60 | * | * | — | * | * | * | * | * | * | * |
| 233 | 52 | * | 49 | — | 24 | *20 | * | * | * | 30 | * |
| 233.0 | *14 | — | *14 | — | * | * | * | * | * | * | * |
| 233.1 | 29 | — | 29 | — | 21 | * | * | * | * | *19 | * |
| 235 | *41 | * | *28 | — | * | * | * | * | * | * | * |
| 235.2 | *32 | * | * | — | * | * | * | * | * | * | * |
| 237 | *27 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 238 | 112 | 66 | *46 | * | * | * | 56 | * | * | *47 | * |
| 238.7 | 88 | *53 | *35 | * | * | * | 47 | * | * | *37 | * |
| 239 | 49 | *28 | *21 | * | * | *12 | *28 | * | *16 | *12 | * |
| 239.6 | *19 | * | * | * | * | * | * | * | * | * | * |
| 240-279 | 6,765 | 2,976 | 3,789 | 518 | 1,257 | 2,052 | 2,938 | 1,756 | 1,439 | 2,504 | 1,065 |
| 241 | 26 | * | 23 | — | * | 15 | * | * | * | *11 | * |
| 241.0 | *8 | * | *7 | — | * | * | * | * | * | * | * |
| 241.1 | 15 | * | *13 | — | * | *10 | * | * | * | * | * |
| 242 | 34 | * | *22 | * | * | * | * | * | * | * | * |
| 242.9 | *15 | * | * | * | * | * | * | * | * | * | * |
| 244 | 46 | * | 40 | * | * | *15 | *20 | *19 | * | *11 | * |
| 244.9 | 42 | * | 36 | * | * | *12 | *19 | *17 | * | * | * |
| 250 | 2,774 | 1,394 | 1,380 | 69 | 613 | 1,069 | 1,023 | 819 | 483 | 1,058 | 414 |
| 250.0 | 463 | 209 | 255 | 24 | 93 | 170 | 176 | 124 | 93 | 178 | 70 |
| 250.00 | 193 | 91 | 102 | * | 38 | 82 | 72 | 47 | 33 | 77 | 36 |
| 250.01 | 41 | *17 | 24 | *15 | *12 | * | * | * | *10 | * | *10 |
| 250.02 | 206 | 92 | 114 | * | 39 | 75 | 92 | 59 | 47 | 77 | *23 |
| 250.03 | *23 | * | * | * | * | * | * | * | * | * | * |
| 250.1 | 435 | 203 | 232 | 38 | 228 | 116 | 53 | 88 | 112 | 162 | 73 |
| 250.10 | 108 | 44 | 64 | * | 41 | *37 | * | * | *23 | *33 | * |
| 250.11 | 169 | 84 | 85 | 31 | 101 | *32 | * | 23 | 54 | 60 | 32 |
| 250.12 | 71 | *31 | *40 | — | *26 | *27 | * | * | * | *34 | * |
| 250.13 | 88 | 44 | 44 | * | 59 | * | * | *23 | *24 | 35 | * |
| 250.2 | 80 | *51 | *30 | * | * | * | * | * | * | *26 | * |
| 250.20 | *41 | * | * | — | * | * | * | * | * | * | * |
| 250.22 | *36 | * | * | * | * | * | * | * | * | * | * |
| 250.4 | 172 | 102 | 69 | — | * | 84 | *66 | * | * | 80 | *53 |
| 250.40 | 135 | 80 | *55 | — | * | *67 | *61 | * | * | *64 | *49 |
| 250.6 | 398 | 178 | 221 | — | 96 | 191 | 111 | 95 | 75 | 169 | 59 |
| 250.60 | 236 | 102 | 134 | — | *29 | 116 | 91 | 61 | *46 | 92 | *37 |
| 250.61 | 58 | * | *44 | — | *44 | * | * | * | * | * | * |
| 250.62 | 85 | *54 | *31 | — | * | *60 | * | * | * | *36 | * |
| 250.7 | 459 | 255 | 204 | — | * | 206 | 238 | 157 | *64 | 181 | *58 |
| 250.70 | 345 | 194 | 152 | — | * | 141 | 200 | 108 | *46 | 146 | *46 |
| 250.72 | *93 | * | * | — | * | * | * | * | * | * | * |
| 250.8 | 704 | 370 | 334 | * | 127 | 263 | 313 | 282 | 107 | 240 | 76 |
| 250.80 | 433 | 221 | 212 | * | *29 | 156 | 247 | 163 | 66 | 144 | 60 |
| 250.81 | 106 | *51 | * | * | * | * | * | * | * | * | * |
| 250.82 | 146 | 87 | 59 | — | * | 75 | 54 | * | * | 75 | * |
| 250.9 | *25 | * | * | * | * | * | * | * | * | * | * |
| 250.92 | *22 | * | * | * | * | * | * | * | * | * | * |
| 251 | 77 | *51 | *26 | * | * | * | *46 | * | * | *45 | * |
| 251.2 | 57 | *43 | *15 | * | * | * | * | * | * | * | * |
| 252 | *29 | * | * | * | * | * | * | * | * | * | * |
| 252.0 | *23 | * | * | * | * | * | * | * | * | * | * |
| 253 | 125 | *48 | 77 | * | * | * | 93 | *48 | * | *43 | * |
| 253.6 | 115 | *46 | 69 | * | * | * | 90 | * | * | *40 | * |
| 255 | 63 | *20 | *44 | * | * | * | *26 | * | * | * | * |
| 255.4 | 51 | * | *38 | * | * | * | *23 | * | * | * | * |
| 263 | 87 | * | *43 | * | * | * | *51 | * | * | * | * |
| 263.9 | 69 | * | *37 | * | * | * | *37 | * | * | * | * |
| 272 | 85 | 39 | 46 | * | *14 | 39 | 28 | 26 | *18 | 28 | *13 |
| 272.0 | 33 | 16 | 17 | — | * | 17 | * | *13 | * | *10 | * |
| 272.4 | 43 | 22 | 21 | — | * | 19 | 17 | *11 | *8 | 17 | * |
| 274 | 65 | 42 | *23 | — | * | *29 | *32 | * | * | * | * |
| 274.0 | 44 | *25 | * | — | * | *20 | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 275 | 85 | *30 | 55 | * | * | * | 50 | * | * | *32 | *27 |
| 275.4 | 71 | *21 | 50 | * | * | * | *43 | * | * | * | *24 |
| 275.42 | 56 | * | *40 | * | * | * | *36 | * | * | * | * |
| 276 | 2,571 | 1,010 | 1,561 | 319 | 214 | 564 | 1,474 | 562 | 615 | 983 | 411 |
| 276.0 | 79 | *33 | 46 | * | * | * | 61 | * | * | * | * |
| 276.1 | 415 | 162 | 253 | * | *24 | 81 | 303 | 90 | 104 | 134 | 87 |
| 276.2 | 41 | * | *29 | * | * | * | * | * | * | * | * |
| 276.5 | 1,694 | 655 | 1,039 | 296 | 138 | 302 | 958 | 364 | 407 | 686 | 237 |
| 276.6 | *26 | * | * | — | * | * | * | * | * | * | * |
| 276.7 | 123 | 62 | 61 | * | * | 57 | 58 | *30 | *27 | 28 | *37 |
| 276.8 | 165 | 61 | 104 | * | 28 | 78 | 57 | *38 | 24 | 78 | *24 |
| 277 | 198 | 112 | 85 | *79 | 107 | * | * | *55 | *76 | 45 | * |
| 277.0 | 133 | *71 | *62 | *59 | *73 | * | — | *40 | *61 | * | * |
| 277.02 | 109 | *60 | *49 | * | *69 | * | — | *38 | * | * | * |
| 277.1 | *26 | *22 | * | — | *25 | * | — | * | * | *16 | * |
| 278 | 392 | 115 | 278 | * | 187 | 191 | * | 100 | 94 | 109 | 90 |
| 278.0 | 363 | 101 | 263 | * | 176 | 174 | * | 94 | 92 | 98 | 79 |
| 278.00 | 24 | * | *19 | * | *16 | * | * | * | * | * | * |
| 278.01 | 339 | 95 | 243 | * | 160 | 168 | * | 89 | 87 | 92 | 70 |
| 278.1 | *14 | * | *14 | — | * | * | * | * | * | * | * |
| 280-289 | 2,006 | 713 | 1,293 | 219 | 560 | 465 | 763 | 502 | 335 | 789 | 380 |
| 280 | 362 | 90 | 272 | * | 60 | 72 | 226 | 89 | 72 | 124 | 77 |
| 280.0 | 195 | 51 | 143 | * | 39 | 26 | 130 | 40 | 42 | 61 | *51 |
| 280.9 | 162 | 37 | 125 | * | *21 | 44 | 94 | 48 | 30 | 61 | 24 |
| 282 | 421 | 179 | 242 | 72 | 291 | *53 | * | 143 | 61 | 197 | * |
| 282.4 | *50 | *33 | * | * | * | * | * | * | * | * | * |
| 282.42 | *42 | * | * | * | * | * | — | * | * | * | * |
| 282.6 | 365 | 142 | 223 | 59 | 258 | *47 | * | 110 | 59 | 186 | * |
| 282.62 | 329 | 129 | 200 | 47 | 241 | *41 | * | 101 | 48 | 173 | * |
| 283 | *49 | * | * | * | * | * | * | * | * | * | * |
| 284 | 219 | 78 | 141 | * | *92 | 50 | 45 | *30 | *31 | 59 | *99 |
| 284.8 | 195 | 76 | 120 | * | *91 | 46 | 43 | *30 | *31 | 52 | * |
| 285 | 369 | 117 | 253 | * | 22 | 115 | 229 | 91 | 58 | 155 | 65 |
| 285.1 | 45 | * | *27 | * | * | * | 33 | * | * | * | * |
| 285.2 | 101 | *27 | 74 | * | * | * | 59 | *27 | * | *52 | * |
| 285.29 | 47 | * | *26 | * | * | * | *42 | * | * | * | * |
| 285.9 | 215 | 69 | 146 | * | *17 | 63 | 132 | 44 | 34 | 87 | 50 |
| 286 | 69 | *28 | 41 | * | * | *18 | 40 | * | *12 | *36 | * |
| 286.5 | *22 | * | *15 | — | * | * | * | * | * | * | * |
| 287 | 138 | 55 | 83 | *17 | *33 | *26 | 61 | 47 | *26 | 33 | *31 |
| 287.3 | 64 | *19 | 45 | * | * | * | * | * | * | * | * |
| 287.5 | 49 | *27 | *22 | * | * | * | * | * | * | * | * |
| 288 | 277 | 102 | 175 | 56 | *34 | 93 | 94 | 50 | 53 | 118 | 57 |
| 288.0 | 225 | 88 | 137 | 51 | *29 | 81 | 63 | 47 | *32 | 94 | 51 |
| 288.8 | 44 | * | *34 | * | * | * | *27 | * | * | * | * |
| 289 | 90 | *39 | 52 | *20 | * | * | * | * | * | *35 | * |
| 289.3 | *20 | * | * | * | * | * | * | * | * | * | * |
| 290-319 | 16,652 | 8,434 | 8,218 | 1,210 | 8,696 | 4,763 | 1,982 | 5,739 | 2,809 | 6,942 | 1,162 |
| 290 | 215 | *69 | 146 | — | * | * | 205 | *53 | *73 | *78 | * |
| 290.2 | *54 | * | * | — | — | * | * | * | * | * | * |
| 290.4 | 94 | *35 | *59 | — | * | * | 86 | * | * | * | * |
| 290.40 | *43 | * | * | — | — | — | *43 | * | * | * | * |
| 291 | 745 | 523 | 222 | * | 338 | 351 | 56 | 196 | 297 | 150 | 102 |
| 291.0 | 119 | 101 | * | — | *53 | 60 | * | * | *31 | *25 | *23 |
| 291.8 | 603 | 406 | 197 | — | 281 | 282 | *40 | 153 | 261 | 111 | 77 |
| 291.81 | 585 | 397 | 188 | — | 273 | 272 | *40 | 151 | 258 | 105 | 71 |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 292 | 518 | 268 | 250 | * | 343 | 102 | 72 | 252 | 99 | 84 | 82 |
| 292.0 | 316 | 162 | 154 | * | 244 | 64 | * | 173 | 78 | *27 | *38 |
| 292.1 | *33 | * | * | * | * | * | * | * | * | * | * |
| 292.8 | 159 | 85 | 74 | * | 82 | *25 | 52 | 68 | * | 42 | *37 |
| 292.81 | 51 | *26 | *25 | — | * | * | 43 | * | * | * | * |
| 292.84 | 97 | 54 | *43 | * | 76 | * | * | *51 | * | *20 | *24 |
| 293 | 71 | *31 | 40 | * | * | * | *36 | * | * | * | * |
| 293.0 | 36 | * | *22 | * | * | * | *27 | * | * | * | * |
| 293.8 | *35 | * | * | * | * | * | * | * | * | * | * |
| 294 | 296 | 158 | 138 | * | * | * | 251 | 159 | *45 | 76 | * |
| 294.8 | 258 | 125 | 133 | — | * | * | 242 | 153 | *40 | *49 | * |
| 295 | 3,709 | 2,024 | 1,686 | * | 2,007 | 1,416 | 272 | 1,297 | 494 | 1,638 | 280 |
| 295.3 | 1,316 | 773 | 543 | * | 694 | 522 | *93 | 438 | 152 | 644 | *82 |
| 295.30 | 594 | 328 | 265 | * | 304 | 248 | * | 126 | *72 | 380 | * |
| 295.32 | 255 | 154 | *101 | * | 132 | *111 | * | *77 | * | 130 | * |
| 295.34 | 459 | 285 | 174 | — | 256 | 158 | * | 232 | *60 | 133 | * |
| 295.6 | 112 | *79 | * | — | * | *50 | * | * | * | * | * |
| 295.7 | 1,778 | 849 | 929 | * | 951 | 674 | 146 | 616 | 246 | 821 | 95 |
| 295.70 | 1,304 | 647 | 657 | * | 723 | 489 | *89 | 352 | 200 | 675 | 77 |
| 295.72 | *102 | * | * | * | *60 | * | * | * | * | * | * |
| 295.74 | 358 | 137 | 221 | * | 164 | 150 | * | 252 | * | *61 | * |
| 295.9 | 384 | 226 | 158 | * | 237 | 120 | * | 162 | *38 | 118 | * |
| 295.90 | 238 | 142 | 96 | * | 138 | 73 | * | *83 | *34 | 110 | * |
| 295.94 | *71 | * | * | — | * | * | — | * | * | * | * |
| 296 | 6,875 | 2,880 | 3,994 | 607 | 3,664 | 1,856 | 748 | 2,104 | 1,238 | 3,168 | 364 |
| 296.0 | 83 | * | * | * | *56 | * | * | * | * | *61 | — |
| 296.04 | *55 | * | * | * | * | * | * | * | * | * | — |
| 296.2 | 1,316 | 478 | 837 | 103 | 640 | 374 | 199 | 243 | 220 | 783 | *70 |
| 296.20 | 679 | 235 | 444 | 69 | 365 | 180 | *66 | 111 | 122 | 397 | *49 |
| 296.22 | 102 | *36 | *65 | * | 55 | * | * | * | * | 76 | * |
| 296.23 | 278 | 118 | 160 | * | 137 | 72 | * | 67 | 49 | 145 | * |
| 296.24 | 248 | 84 | 164 | * | 78 | 85 | *72 | *52 | * | 158 | * |
| 296.3 | 1,936 | 810 | 1,126 | *39 | 882 | 680 | 336 | 717 | 393 | 697 | 128 |
| 296.30 | 500 | 263 | 237 | * | 234 | 216 | * | 234 | 125 | 131 | * |
| 296.32 | 97 | *27 | 70 | * | 60 | * | * | * | *19 | *38 | * |
| 296.33 | 912 | 328 | 584 | * | 418 | 303 | 169 | 295 | 172 | 389 | 56 |
| 296.34 | 414 | 187 | 227 | * | 162 | 137 | *105 | 168 | 76 | 134 | *36 |
| 296.4 | 655 | 268 | 387 | * | 386 | 191 | *64 | 259 | 106 | 259 | * |
| 296.40 | 232 | 99 | 132 | * | 122 | *81 | * | * | *37 | 131 | * |
| 296.43 | *66 | * | * | — | * | * | * | * | * | * | * |
| 296.44 | 335 | 124 | 212 | * | 213 | 87 | * | 172 | * | 105 | * |
| 296.5 | 750 | 297 | 452 | * | 466 | 217 | *54 | 210 | 194 | 299 | *46 |
| 296.50 | 436 | 178 | 258 | * | 285 | 116 | * | 109 | 118 | 198 | * |
| 296.53 | 148 | *41 | 107 | * | 71 | *60 | * | *55 | *31 | *50 | * |
| 296.54 | 151 | *76 | *75 | * | 100 | * | * | * | * | *49 | * |
| 296.6 | 528 | 240 | 288 | 68 | 299 | 138 | * | 112 | 64 | 333 | * |
| 296.60 | 265 | 121 | 143 | * | 158 | *72 | * | *42 | *31 | 182 | * |
| 296.63 | 87 | *37 | *50 | * | *46 | * | * | * | * | 61 | * |
| 296.64 | 168 | 77 | 91 | * | 88 | * | * | *55 | * | 87 | * |
| 296.7 | 142 | *59 | 83 | * | 94 | * | * | *44 | * | *61 | * |
| 296.8 | 1,045 | 458 | 587 | 169 | 628 | 196 | *52 | 204 | 182 | 601 | 58 |
| 296.80 | 860 | 400 | 459 | 160 | 525 | 138 | * | 128 | 144 | 539 | *48 |
| 296.89 | 181 | 56 | 125 | * | 100 | *56 | * | *74 | *38 | 60 | * |
| 296.9 | 415 | 216 | 199 | 173 | 212 | * | * | 295 | *40 | 70 | * |
| 296.90 | 410 | 212 | 198 | 171 | 211 | * | * | 295 | *39 | 66 | * |
| 297 | *54 | * | * | — | * | * | * | * | * | * | * |
| 298 | 707 | 393 | 315 | * | 402 | 142 | 140 | 299 | 71 | 265 | 73 |
| 298.9 | 684 | 386 | 298 | * | 399 | 128 | 133 | 289 | 63 | 262 | 70 |
| 300 | 260 | 90 | 170 | * | 124 | 71 | 42 | 80 | 52 | 93 | 34 |
| 300.0 | 94 | 32 | 62 | * | 43 | 30 | *17 | 28 | *19 | 37 | *11 |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 300.00 | 56 | 17 | 39 | * | 23 | 20 | *11 | *17 | *9 | 25 | * |
| 300.01 | *19 | * | *13 | * | *12 | * | * | * | * | * | * |
| 300.1 | 48 | * | *31 | * | *24 | * | * | * | * | * | * |
| 300.11 | *25 | * | * | * | * | * | * | * | * | * | * |
| 300.4 | 69 | * | 50 | * | 37 | *17 | * | *22 | * | *24 | * |
| 300.9 | *22 | * | * | * | * | * | * | * | * | * | * |
| 303 | 596 | 431 | 165 | * | 299 | 253 | *42 | 166 | 105 | 291 | 35 |
| 303.0 | 86 | 62 | *24 | — | 33 | 49 | * | *25 | 27 | *20 | * |
| 303.00 | 25 | *16 | * | — | * | *15 | * | * | *10 | * | * |
| 303.01 | 57 | 43 | * | — | *21 | 31 | * | *21 | *15 | * | * |
| 303.9 | 509 | 369 | 140 | * | 267 | 205 | * | 140 | 78 | 271 | *20 |
| 303.90 | 211 | 141 | 70 | * | 96 | 103 | * | * | *11 | 170 | * |
| 303.91 | 291 | 221 | 70 | — | 164 | 102 | * | 119 | *67 | 99 | * |
| 304 | 561 | 361 | 200 | * | 415 | 133 | * | 133 | *58 | 353 | * |
| 304.0 | 180 | 95 | 85 | — | 121 | *51 | * | 50 | * | 106 | * |
| 304.00 | 84 | *44 | *40 | — | 57 | * | * | * | * | 71 | * |
| 304.01 | 90 | *45 | *45 | — | 63 | * | * | 46 | * | * | * |
| 304.2 | 145 | 106 | *39 | — | 112 | * | * | * | * | 83 | * |
| 304.20 | 67 | *51 | * | — | *54 | * | * | * | * | *40 | * |
| 304.21 | 77 | *54 | * | — | *57 | * | — | * | * | * | — |
| 304.7 | *44 | * | * | — | *40 | * | * | * | * | * | * |
| 304.8 | 67 | *44 | * | * | *45 | * | — | * | * | 61 | — |
| 304.80 | 60 | *41 | * | * | *39 | * | — | * | * | 58 | — |
| 305 | 255 | 159 | 96 | *23 | 137 | 87 | * | 42 | 36 | 135 | 43 |
| 305.0 | 96 | 67 | 29 | * | 40 | 49 | * | *22 | 17 | 33 | *24 |
| 305.00 | 81 | 57 | 25 | * | 35 | 42 | * | *18 | 14 | 26 | * |
| 305.01 | *14 | * | * | — | * | * | * | * | * | * | * |
| 305.1 | 29 | 17 | *12 | — | 16 | *11 | * | * | *9 | *9 | * |
| 305.6 | 34 | *20 | *14 | — | 22 | * | * | * | * | *20 | * |
| 305.60 | 27 | *16 | *10 | — | *16 | * | — | * | * | *16 | * |
| 305.9 | 67 | *37 | *31 | * | 40 | * | * | * | * | 53 | * |
| 305.90 | 59 | *33 | *26 | * | *32 | * | * | * | * | 47 | * |
| 307 | 80 | * | *75 | * | * | * | * | * | * | * | * |
| 309 | 336 | 177 | 158 | * | 218 | 37 | * | 150 | 49 | 116 | *20 |
| 309.0 | 61 | *37 | *24 | * | 45 | * | * | *26 | * | * | * |
| 309.2 | 33 | *24 | * | * | *25 | * | * | * | * | * | * |
| 309.28 | *31 | *22 | * | * | *23 | * | * | * | * | * | * |
| 309.4 | 42 | * | *18 | * | *32 | * | * | * | * | * | * |
| 309.8 | 164 | *71 | 93 | * | 85 | * | * | *54 | *33 | *73 | * |
| 309.81 | 160 | *69 | 91 | * | 81 | * | * | *50 | *33 | *73 | * |
| 309.9 | *28 | * | * | * | *25 | * | * | * | * | * | — |
| 311 | 723 | 380 | 342 | *90 | 410 | 189 | *33 | 381 | 90 | 211 | 41 |
| 312 | 280 | 226 | *54 | *95 | 153 | * | * | 193 | * | *73 | * |
| 312.3 | 233 | 196 | * | * | 127 | * | — | 165 | * | *55 | * |
| 312.30 | 98 | 87 | * | * | *52 | * | — | *70 | * | * | * |
| 312.34 | *133 | *109 | * | * | *75 | * | — | * | * | * | * |
| 313 | *61 | * | * | * | * | — | — | * | * | * | — |
| 313.8 | *61 | * | * | * | * | — | — | * | * | * | — |
| 313.81 | *41 | * | * | * | * | — | — | * | * | * | — |
| 314 | 128 | 100 | * | 103 | * | * | — | * | * | *54 | * |
| 314.0 | 113 | *87 | * | *93 | * | * | — | * | * | * | * |
| 314.01 | 113 | *87 | * | *93 | * | * | — | * | * | * | * |
| 320-389 | 2,933 | 1,249 | 1,684 | 366 | 609 | 563 | 1,396 | 776 | 553 | 988 | 616 |
| 320 | *77 | * | * | * | * | * | * | * | * | * | * |
| 322 | *39 | * | * | * | * | * | * | * | * | * | * |
| 322.9 | *32 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 324 | *80 | * | * | * | * | * | * | * | * | * | * |
| 331 | 853 | 301 | 552 | * | * | *60 | 726 | 206 | 173 | 279 | 196 |
| 331.0 | 598 | 180 | 418 | — | * | * | 577 | 125 | 119 | 226 | *128 |
| 331.3 | 51 | 32 | *19 | * | * | * | 46 | * | * | *15 | * |
| 331.4 | 103 | *53 | *49 | * | * | * | * | * | * | *29 | * |
| 331.8 | *93 | * | * | — | — | * | *77 | * | * | * | * |
| 331.82 | *93 | * | * | — | — | * | *76 | * | * | * | * |
| 332 | 69 | *33 | 36 | — | * | * | 59 | * | * | * | * |
| 332.0 | 68 | *33 | 35 | — | * | * | 59 | * | * | * | * |
| 333 | 45 | *20 | *25 | * | * | * | *28 | * | * | * | * |
| 337 | *27 | * | * | * | * | * | * | * | * | * | * |
| 340 | 139 | *26 | 113 | * | 65 | 46 | * | *53 | * | *36 | *34 |
| 344 | *30 | * | * | * | * | * | * | * | * | * | * |
| 345 | 251 | 130 | 121 | 92 | 68 | 62 | *29 | 78 | 50 | 62 | 61 |
| 345.1 | 49 | *24 | *25 | *26 | * | * | * | * | * | * | *26 |
| 345.10 | 27 | *12 | *15 | * | * | * | * | * | * | * | *12 |
| 345.3 | 77 | 48 | *29 | *36 | * | * | * | * | * | * | * |
| 345.5 | *35 | * | * | * | * | * | * | * | * | * | * |
| 345.9 | 43 | *21 | *21 | * | * | * | * | * | * | * | * |
| 345.90 | *33 | * | * | * | * | * | * | * | * | * | * |
| 346 | 194 | 36 | 158 | * | 121 | 56 | * | 44 | 47 | 60 | 42 |
| 346.8 | 39 | * | 34 | * | *20 | * | * | * | * | * | * |
| 346.80 | *21 | * | *18 | * | * | * | * | * | * | * | * |
| 346.9 | 117 | *21 | 97 | * | 80 | 30 | * | *27 | *33 | 34 | *23 |
| 346.90 | 88 | *17 | 71 | * | 59 | *23 | * | *21 | *24 | 25 | *18 |
| 346.91 | *30 | * | *25 | * | *21 | * | * | * | * | * | * |
| 348 | 297 | 171 | 127 | *17 | 71 | 64 | 145 | 78 | 44 | 124 | 51 |
| 348.0 | *20 | * | * | * | * | * | * | * | * | * | * |
| 348.3 | 146 | 70 | 76 | * | * | * | 110 | * | * | *60 | * |
| 348.30 | *65 | * | * | * | * | * | * | * | * | * | * |
| 348.31 | *55 | * | * | — | * | * | *42 | * | * | * | * |
| 348.8 | *21 | * | * | * | * | * | * | * | * | * | * |
| 349 | 61 | * | 43 | * | *16 | * | * | * | * | *23 | * |
| 349.0 | *17 | * | * | * | * | * | * | * | * | * | * |
| 349.8 | *36 | * | * | * | * | * | * | * | * | * | * |
| 349.82 | *27 | * | * | * | * | * | * | * | * | * | * |
| 351 | *17 | * | * | * | * | * | * | * | * | * | * |
| 351.0 | *13 | * | * | * | * | * | * | * | * | * | * |
| 355 | *39 | * | * | * | * | * | * | * | * | * | * |
| 357 | *91 | * | * | * | * | * | * | * | * | * | * |
| 357.0 | *61 | * | * | * | * | * | * | * | * | * | * |
| 358 | *36 | * | * | * | * | * | * | * | * | * | * |
| 358.0 | *25 | * | * | * | * | * | * | * | * | * | * |
| 368 | *14 | * | * | * | * | * | * | * | * | * | * |
| 376 | 36 | * | *18 | *20 | * | * | * | * | * | *17 | * |
| 376.0 | 33 | * | *16 | *19 | * | * | * | * | * | * | * |
| 376.01 | 30 | * | * | *19 | * | * | * | * | * | * | * |
| 380 | *24 | * | * | * | * | * | * | * | * | * | * |
| 380.1 | *17 | * | * | * | * | * | * | * | * | * | * |
| 380.10 | *16 | * | * | * | * | * | * | * | * | * | * |
| 382 | 34 | *23 | * | 20 | * | * | * | * | * | *18 | * |
| 382.9 | 21 | *12 | * | *14 | * | * | * | * | * | * | * |
| 386 | 115 | 26 | 89 | * | * | 24 | 83 | 33 | 45 | 23 | *15 |
| 386.1 | 49 | *14 | 35 | * | * | *12 | 34 | *17 | * | *13 | * |
| 386.11 | 35 | *11 | *24 | * | * | * | 26 | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|--------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 386.3 | 39 | * | 29 | — | * | * | *23 | * | *14 | * | * |
| 386.30 | 36 | * | 27 | — | * | * | *22 | * | *14 | * | * |
| 390-459 | 28,199 | 14,014 | 14,185 | 183 | 1,819 | 7,868 | 18,330 | 6,789 | 5,992 | 10,537 | 4,881 |
| 396 | 144 | *53 | 91 | * | * | * | 117 | * | * | *60 | * |
| 396.2 | *58 | * | * | — | * | * | *51 | * | * | * | * |
| 396.3 | *41 | * | * | * | * | * | * | * | * | * | * |
| 398 | 163 | 53 | 110 | — | * | * | 136 | *46 | *30 | 63 | * |
| 398.9 | 163 | 53 | 110 | — | * | * | 136 | *46 | *30 | 63 | * |
| 398.91 | 162 | 53 | 110 | — | * | * | 136 | *46 | *30 | 63 | * |
| 401 | 678 | 282 | 397 | * | 82 | 283 | 311 | 157 | 150 | 274 | 97 |
| 401.0 | 74 | 25 | 49 | * | *13 | 28 | 33 | *15 | *16 | 29 | * |
| 401.9 | 602 | 256 | 346 | * | 68 | 255 | 277 | 140 | 134 | 246 | 82 |
| 402 | 279 | 74 | 205 | — | * | 58 | 206 | 101 | 47 | 115 | *16 |
| 402.0 | *23 | * | * | — | * | * | * | * | * | * | * |
| 402.9 | 254 | 66 | 188 | — | * | 48 | 195 | 93 | 44 | 105 | *13 |
| 402.90 | *19 | * | *13 | — | * | * | *12 | * | * | * | * |
| 402.91 | 235 | 60 | 176 | — | * | 42 | 182 | 87 | 41 | 97 | * |
| 403 | 564 | 256 | 307 | * | 112 | 237 | 203 | 135 | 76 | 273 | 80 |
| 403.0 | *63 | * | * | * | * | * | * | * | * | * | * |
| 403.01 | *60 | * | * | * | * | * | * | * | * | * | * |
| 403.9 | 493 | 223 | 270 | * | 92 | 203 | 189 | 122 | 66 | 232 | 73 |
| 403.91 | 479 | 218 | 261 | * | 92 | 192 | 186 | 115 | 66 | 225 | 73 |
| 404 | 202 | 87 | 115 | — | * | *86 | 99 | * | *40 | 108 | * |
| 404.0 | *54 | * | * | — | * | * | * | * | * | * | * |
| 404.9 | 148 | 71 | *77 | — | * | *50 | 91 | * | *36 | 74 | * |
| 404.93 | 130 | *58 | *73 | — | * | * | 85 | * | * | *67 | * |
| 410 | 3,777 | 2,255 | 1,521 | — | 158 | 1,054 | 2,565 | 1,010 | 768 | 1,237 | 761 |
| 410.0 | 100 | *64 | *36 | — | * | * | *54 | * | * | *63 | * |
| 410.01 | 99 | *64 | *35 | — | * | * | *54 | * | * | *63 | * |
| 410.1 | 331 | 186 | 146 | — | * | 120 | 198 | 82 | 57 | 110 | 82 |
| 410.11 | 313 | 175 | 137 | — | * | 115 | 185 | 82 | 57 | 100 | 74 |
| 410.2 | 58 | *32 | * | — | * | * | * | * | * | * | * |
| 410.21 | 57 | *32 | * | — | * | * | * | * | * | * | * |
| 410.3 | *41 | *30 | * | — | * | * | * | * | * | * | * |
| 410.31 | *38 | *26 | * | — | * | * | * | * | * | * | * |
| 410.4 | 333 | 223 | 110 | — | *14 | 160 | 159 | 64 | 76 | 118 | 75 |
| 410.41 | 332 | 223 | 109 | — | *14 | 160 | 158 | 64 | 76 | 117 | 75 |
| 410.5 | 67 | * | * | — | * | * | *54 | * | * | * | * |
| 410.51 | 67 | * | * | — | * | * | *54 | * | * | * | * |
| 410.7 | 2,334 | 1,399 | 935 | — | 83 | 555 | 1,695 | 670 | 463 | 719 | 482 |
| 410.71 | 2,299 | 1,383 | 916 | — | 83 | 554 | 1,662 | 650 | 462 | 706 | 481 |
| 410.8 | 75 | 41 | *33 | — | * | *25 | 45 | * | *27 | * | * |
| 410.81 | 71 | 38 | *33 | — | * | *25 | *42 | * | *26 | * | * |
| 410.9 | 431 | 241 | 189 | — | * | 98 | 306 | 88 | 100 | 175 | 68 |
| 410.91 | 421 | 236 | 185 | — | * | 96 | 299 | 85 | 99 | 170 | 68 |
| 411 | 189 | 84 | 105 | — | *16 | 76 | 97 | 54 | 42 | 62 | 30 |
| 411.1 | 176 | 78 | 99 | — | *16 | 71 | 89 | 47 | 41 | 59 | 29 |
| 412 | *12 | * | * | — | * | * | * | * | * | * | * |
| 413 | 96 | 41 | 55 | — | 18 | 35 | 43 | 25 | 18 | 33 | *20 |
| 413.9 | 83 | 34 | 50 | — | *13 | 27 | 43 | 25 | 18 | 27 | *13 |
| 414 | 3,517 | 2,157 | 1,360 | * | 119 | 1,406 | 1,990 | 716 | 737 | 1,461 | 603 |
| 414.0 | 3,422 | 2,089 | 1,334 | * | 114 | 1,372 | 1,934 | 690 | 710 | 1,426 | 596 |
| 414.00 | 336 | 201 | 135 | — | * | 113 | 217 | 105 | 61 | 130 | 40 |
| 414.01 | 2,986 | 1,811 | 1,175 | * | 106 | 1,223 | 1,656 | 570 | 615 | 1,252 | 549 |
| 414.02 | 60 | 46 | *14 | — | * | *19 | 41 | * | *21 | *24 | * |
| 414.04 | *15 | * | * | — | * | * | * | * | * | * | * |
| 414.05 | *21 | * | * | — | * | * | * | * | * | * | — |
| 414.8 | 64 | 45 | *18 | — | * | *29 | 34 | *19 | * | *25 | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 415 | 831 | 336 | 495 | * | 134 | 201 | 475 | 172 | 202 | 342 | 115 |
| 415.1 | 809 | 317 | 492 | * | 134 | 200 | 472 | 170 | 184 | 341 | 115 |
| 415.11 | 46 | * | *20 | — | * | * | *31 | * | * | * | * |
| 415.19 | 763 | 291 | 472 | * | 124 | 194 | 441 | 164 | 177 | 317 | 106 |
| 416 | 138 | * | *115 | * | * | * | * | * | * | *100 | * |
| 416.8 | *47 | * | *37 | * | * | * | * | * | * | * | * |
| 420 | 79 | 38 | *41 | * | * | * | *38 | * | *16 | * | * |
| 420.9 | 79 | 38 | *41 | * | * | * | *38 | * | *16 | * | * |
| 420.90 | 53 | *24 | *28 | * | * | * | *29 | * | * | * | * |
| 421 | 199 | 128 | * | * | * | *78 | *60 | * | * | *92 | * |
| 421.0 | 185 | 128 | * | * | * | *77 | * | * | * | *92 | * |
| 423 | 95 | *48 | *47 | * | * | *41 | *35 | * | * | *42 | * |
| 423.9 | 59 | *29 | *30 | * | * | *29 | * | * | * | *31 | * |
| 424 | 662 | 343 | 318 | * | 60 | 127 | 456 | 185 | 153 | 209 | 115 |
| 424.0 | 281 | 125 | 156 | * | *46 | 60 | 169 | 87 | 56 | 109 | *29 |
| 424.1 | 347 | 194 | 153 | * | * | 61 | 274 | 85 | 85 | 96 | 80 |
| 424.9 | *30 | * | * | * | * | * | * | * | * | * | * |
| 425 | 131 | 74 | 57 | * | *21 | 41 | 54 | *24 | 21 | 57 | 30 |
| 425.4 | 101 | 64 | 38 | * | *16 | 35 | 38 | *21 | *15 | 49 | *17 |
| 426 | 180 | 97 | 83 | * | * | *20 | 150 | 58 | 40 | 47 | 35 |
| 426.0 | 110 | 58 | 52 | — | * | * | 98 | 34 | *25 | *29 | *22 |
| 426.1 | 40 | *20 | *20 | * | * | * | 33 | * | * | * | * |
| 426.13 | *23 | * | * | * | * | * | *18 | * | * | * | * |
| 427 | 2,593 | 1,125 | 1,468 | *20 | 120 | 525 | 1,927 | 725 | 563 | 877 | 428 |
| 427.0 | 61 | 24 | 37 | * | * | *12 | 44 | *16 | *13 | 25 | * |
| 427.1 | 207 | 143 | 64 | * | * | 64 | 132 | 49 | 61 | 72 | *24 |
| 427.3 | 1,613 | 662 | 951 | * | 55 | 325 | 1,232 | 462 | 357 | 547 | 249 |
| 427.31 | 1,475 | 574 | 901 | * | 46 | 274 | 1,156 | 423 | 336 | 491 | 226 |
| 427.32 | 138 | 88 | 50 | * | * | 51 | 76 | 39 | *21 | 56 | 23 |
| 427.4 | *35 | *27 | * | * | * | * | * | * | * | * | * |
| 427.41 | *34 | *26 | * | * | * | * | * | * | * | * | * |
| 427.5 | *37 | * | * | * | * | * | * | * | * | * | * |
| 427.6 | *20 | * | * | * | * | * | * | * | * | * | * |
| 427.69 | *13 | * | * | * | * | * | * | * | * | * | * |
| 427.8 | 605 | 243 | 361 | * | 36 | 94 | 462 | 183 | 118 | 195 | 108 |
| 427.81 | 247 | 105 | 142 | — | * | *28 | 216 | 79 | 43 | 80 | 45 |
| 427.89 | 358 | 138 | 220 | * | 32 | 66 | 247 | 104 | 75 | 115 | 64 |
| 427.9 | *15 | * | * | * | * | * | * | * | * | * | * |
| 428 | 5,525 | 2,434 | 3,091 | * | 181 | 1,230 | 4,098 | 1,329 | 1,294 | 2,129 | 774 |
| 428.0 | 5,071 | 2,232 | 2,839 | * | 154 | 1,142 | 3,760 | 1,248 | 1,171 | 1,938 | 714 |
| 428.2 | 150 | 81 | 69 | — | * | *29 | 105 | * | 58 | 63 | * |
| 428.20 | *64 | *40 | * | — | * | * | *46 | * | * | * | * |
| 428.23 | 57 | * | * | — | * | * | *41 | * | * | * | * |
| 428.3 | 264 | 94 | 170 | — | * | *54 | 200 | 63 | 58 | 107 | *36 |
| 428.30 | 135 | *39 | 96 | — | * | * | 107 | *34 | *31 | 61 | * |
| 428.31 | 70 | * | *31 | — | * | * | 63 | * | * | * | * |
| 428.33 | *50 | * | * | — | * | * | * | * | * | * | * |
| 429 | 30 | * | *16 | * | * | * | * | * | * | * | * |
| 430 | 248 | 96 | 152 | * | *60 | 112 | *74 | *74 | *50 | *88 | *35 |
| 431 | 560 | 273 | 288 | * | * | 237 | 269 | 98 | 67 | 198 | 197 |
| 432 | 297 | 199 | 98 | * | * | *123 | 167 | *45 | *58 | 59 | 135 |
| 432.1 | 268 | 182 | 86 | * | * | *117 | 146 | * | *49 | *50 | 129 |
| 433 | 453 | 262 | 191 | * | * | 120 | 324 | 99 | 100 | 191 | 64 |
| 433.1 | 343 | 192 | 151 | * | * | 92 | 248 | 69 | 76 | 144 | 53 |
| 433.10 | 239 | 131 | 108 | — | * | 49 | 189 | 49 | 42 | 111 | 37 |
| 433.11 | 104 | 61 | *43 | * | * | *42 | 59 | * | * | * | * |
| 433.3 | 76 | 49 | *27 | — | — | * | 65 | * | * | 34 | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 433.30 | 47 | 32 | *15 | — | — | * | 42 | * | * | 24 | * |
| 433.31 | *29 | * | * | — | — | * | * | * | * | * | * |
| 434 | 2,052 | 998 | 1,054 | * | 90 | 434 | 1,526 | 445 | 453 | 769 | 384 |
| 434.0 | *39 | * | * | — | * | * | * | * | * | * | * |
| 434.01 | *38 | * | * | — | * | * | * | * | * | * | * |
| 434.1 | 235 | 111 | 124 | * | * | *58 | 166 | 58 | 57 | 68 | 53 |
| 434.11 | 232 | 109 | 123 | * | * | *57 | 164 | 56 | 56 | 68 | 52 |
| 434.9 | 1,778 | 858 | 920 | * | 78 | 366 | 1,332 | 378 | 391 | 686 | 323 |
| 434.90 | *27 | * | * | — | * | * | * | * | * | * | * |
| 434.91 | 1,751 | 844 | 908 | * | 78 | 356 | 1,316 | 373 | 385 | 672 | 321 |
| 435 | 569 | 218 | 351 | * | 29 | 115 | 425 | 166 | 121 | 199 | 83 |
| 435.3 | *22 | * | * | — | * | * | * | * | * | * | * |
| 435.8 | 32 | *21 | * | — | * | * | *22 | * | * | * | * |
| 435.9 | 511 | 186 | 325 | * | 24 | 103 | 383 | 146 | 114 | 180 | 71 |
| 436 | 48 | *24 | *25 | — | * | * | *33 | * | * | * | * |
| 437 | 145 | 69 | 76 | * | * | 72 | 48 | *33 | 37 | 54 | * |
| 437.2 | *30 | * | * | * | * | * | * | * | * | * | * |
| 437.3 | 36 | * | *25 | * | * | *19 | * | * | * | * | * |
| 438 | 276 | *146 | 130 | * | * | * | 224 | *37 | *19 | * | *194 |
| 438.2 | *186 | * | * | * | * | * | * | * | * | * | * |
| 438.20 | *178 | * | * | * | * | * | * | * | * | * | * |
| 438.8 | 70 | *50 | * | — | * | * | *37 | * | * | * | * |
| 438.89 | *56 | * | * | — | * | * | * | * | * | * | * |
| 440 | 845 | 451 | 394 | — | * | 234 | 603 | 176 | 240 | 340 | 89 |
| 440.1 | 26 | *14 | *12 | — | * | * | 19 | * | * | *11 | * |
| 440.2 | 776 | 415 | 361 | — | * | 204 | 566 | 167 | 225 | 306 | 77 |
| 440.20 | 63 | *38 | *25 | — | — | * | *54 | * | * | *39 | * |
| 440.21 | 112 | 59 | 53 | — | * | *30 | 81 | * | 31 | 53 | * |
| 440.22 | 98 | *59 | *39 | — | * | * | 78 | * | * | *46 | * |
| 440.23 | 99 | *55 | *44 | — | * | * | 80 | * | * | *51 | * |
| 440.24 | 371 | 201 | 170 | — | * | *126 | 243 | *100 | *122 | 113 | *36 |
| 441 | 486 | 313 | 173 | * | * | 170 | 290 | 134 | 80 | 202 | 71 |
| 441.0 | 161 | *88 | * | — | * | * | *49 | * | * | *77 | * |
| 441.01 | *76 | * | * | — | * | * | * | * | * | * | * |
| 441.2 | *42 | * | * | * | * | * | * | * | * | * | * |
| 441.3 | *50 | * | * | — | — | * | *42 | * | * | * | * |
| 441.4 | 219 | 169 | 50 | — | — | *52 | 167 | *59 | *44 | 94 | * |
| 442 | 52 | *43 | * | — | * | * | *30 | * | * | * | * |
| 443 | 144 | 63 | 82 | * | * | *56 | 74 | * | * | 84 | * |
| 443.9 | 115 | 52 | *63 | * | * | *52 | 62 | * | * | 65 | * |
| 444 | 184 | 100 | 84 | — | * | 70 | 106 | *44 | * | 77 | *29 |
| 444.0 | *32 | * | * | — | — | * | * | * | * | * | * |
| 444.2 | 128 | 65 | 63 | — | * | *43 | 77 | *37 | * | 56 | * |
| 444.22 | 115 | 60 | 55 | — | * | *39 | 69 | *36 | * | *48 | * |
| 446 | 91 | 42 | *49 | *26 | * | * | * | * | * | * | *27 |
| 446.1 | *26 | *19 | * | *25 | * | * | — | * | * | * | * |
| 447 | 63 | *30 | *32 | * | * | *25 | *33 | * | * | * | * |
| 447.1 | 33 | *14 | * | — | * | * | *20 | * | * | * | * |
| 451 | 68 | *37 | 31 | * | * | * | *33 | *25 | * | * | * |
| 451.1 | *35 | * | * | — | * | * | * | * | * | * | * |
| 453 | 652 | 258 | 395 | * | 88 | 190 | 372 | 183 | 148 | 233 | 88 |
| 453.4 | 491 | 191 | 301 | * | 56 | 148 | 287 | 131 | 119 | 166 | 75 |
| 453.40 | 74 | *32 | 42 | — | * | * | 51 | * | * | *34 | * |
| 453.41 | 280 | 106 | 174 | — | *34 | 89 | 156 | 91 | 65 | 83 | *41 |
| 453.42 | 137 | 53 | 85 | * | * | 39 | 80 | *30 | *37 | 49 | * |
| 453.8 | 135 | 51 | 84 | * | * | 41 | 74 | *38 | *29 | 59 | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 454 | *74 | * | *71 | — | * | * | *72 | * | *50 | * | — |
| 455 | 93 | 42 | 51 | — | *17 | *25 | 51 | *30 | *18 | *24 | *22 |
| 455.2 | 62 | 31 | 31 | — | * | *17 | *35 | *24 | * | * | * |
| 456 | *33 | *22 | * | — | * | * | * | * | * | * | * |
| 458 | 441 | 201 | 240 | * | 42 | 91 | 305 | 97 | 100 | 193 | 51 |
| 458.0 | 212 | 82 | 130 | * | * | *20 | 177 | 44 | 48 | 102 | *19 |
| 458.2 | 65 | *23 | 42 | — | * | * | 38 | * | * | *30 | * |
| 458.29 | 53 | *19 | 34 | — | * | * | 29 | * | * | *23 | * |
| 458.9 | 149 | 90 | 59 | — | * | 58 | 80 | *35 | *33 | 57 | *23 |
| 459 | 141 | 78 | 63 | * | * | *37 | 86 | *51 | *35 | *38 | * |
| 459.0 | *29 | * | * | — | * | * | * | * | * | * | * |
| 459.8 | 91 | *57 | *34 | * | * | * | *60 | * | * | * | * |
| 459.81 | 88 | *56 | *33 | — | * | * | *58 | * | * | * | * |
| 460-519 | 19,468 | 9,179 | 10,289 | 1,937 | 1,613 | 4,391 | 11,526 | 4,296 | 4,285 | 7,129 | 3,758 |
| 461 | *19 | * | * | * | * | * | * | * | * | * | * |
| 462 | *18 | * | * | * | * | * | * | * | * | * | * |
| 463 | 22 | *14 | * | * | *11 | * | * | * | * | * | * |
| 464 | 71 | 38 | 33 | 59 | * | * | * | *14 | *12 | *17 | 28 |
| 464.4 | 36 | 24 | *12 | 35 | * | * | — | * | *9 | *11 | *9 |
| 465 | 71 | 39 | 32 | 37 | * | *12 | *16 | *15 | *15 | 27 | *14 |
| 465.9 | 67 | 36 | 31 | 33 | * | * | * | *15 | *15 | 23 | *14 |
| 466 | 735 | 360 | 375 | 456 | 44 | 80 | 154 | 145 | 153 | 268 | 168 |
| 466.0 | 282 | 94 | 188 | *23 | 35 | 78 | 147 | 77 | 68 | 96 | 42 |
| 466.1 | 452 | 266 | 187 | 433 | * | * | * | 68 | 86 | 172 | 126 |
| 466.11 | 263 | 157 | 106 | 259 | * | * | * | 29 | 57 | 88 | 89 |
| 466.19 | 190 | 109 | 81 | 174 | * | * | * | 39 | 28 | 85 | 37 |
| 473 | 59 | *23 | 37 | * | *20 | * | * | * | * | *23 | * |
| 473.9 | *25 | * | *18 | * | * | * | * | * | * | * | * |
| 474 | 21 | 14 | *8 | 16 | * | * | * | * | * | *8 | * |
| 474.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 474.1 | 14 | *10 | * | *12 | * | * | — | * | * | * | * |
| 474.10 | *9 | * | * | *8 | * | — | — | * | * | * | * |
| 475 | 39 | 26 | *13 | * | 27 | * | * | * | *12 | *16 | * |
| 478 | 107 | 37 | 70 | *44 | * | *22 | * | * | *35 | *27 | * |
| 478.1 | *12 | * | * | * | * | * | * | * | * | * | * |
| 478.2 | *33 | * | * | * | * | * | * | * | * | * | * |
| 480 | 126 | 54 | 72 | 87 | * | * | * | * | *26 | 40 | 45 |
| 480.1 | 46 | * | 32 | 46 | — | * | * | * | * | *17 | * |
| 480.9 | 62 | *28 | *33 | 31 | * | * | * | * | * | *20 | * |
| 481 | 195 | 84 | 111 | * | *38 | 49 | 98 | *36 | 60 | 69 | *31 |
| 482 | 848 | 454 | 394 | * | *77 | 178 | 561 | 130 | 203 | 339 | 176 |
| 482.0 | *45 | * | * | * | * | * | * | * | * | * | * |
| 482.1 | 198 | 108 | *91 | * | * | * | 122 | * | *56 | *72 | * |
| 482.2 | *40 | * | * | * | * | * | *37 | * | * | * | * |
| 482.3 | *33 | * | * | * | * | * | * | * | * | * | * |
| 482.4 | 363 | 197 | 167 | * | * | *93 | 231 | *53 | *68 | 146 | *96 |
| 482.41 | 346 | 183 | 163 | * | * | *83 | 225 | * | *65 | 137 | *94 |
| 482.8 | 106 | 62 | *44 | * | * | * | 78 | * | * | *54 | * |
| 482.83 | *56 | *34 | * | * | * | * | *44 | * | * | *31 | * |
| 482.9 | 62 | *22 | *40 | * | * | * | *34 | * | * | * | * |
| 483 | 48 | * | *31 | *20 | * | * | * | * | * | * | * |
| 483.0 | *38 | * | * | *16 | * | * | * | * | * | * | * |
| 485 | 102 | 47 | 55 | 31 | * | * | 53 | * | * | 57 | * |
| 486 | 5,864 | 2,739 | 3,125 | 425 | 418 | 1,121 | 3,900 | 1,233 | 1,406 | 2,152 | 1,074 |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | | |
|-------------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|--|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of days of care in thousands | | | | | | | | | | | | |
| 487 | 244 | 115 | 129 | 38 | * | *25 | 169 | 39 | 101 | 72 | *33 | |
| 487.0 | 109 | 57 | 53 | * | * | * | 79 | * | *40 | *40 | * | |
| 487.1 | 131 | 56 | 75 | 24 | * | *15 | 88 | *26 | 59 | 31 | * | |
| 490 | 74 | *20 | 54 | * | * | 29 | 34 | * | * | 42 | * | |
| 491 | 2,852 | 1,328 | 1,523 | * | 62 | 696 | 2,089 | 630 | 657 | 1,065 | 499 | |
| 491.2 | 2,840 | 1,324 | 1,515 | * | 62 | 695 | 2,082 | 627 | 656 | 1,061 | 496 | |
| 491.20 | 66 | *31 | 35 | — | * | * | 55 | * | * | *42 | * | |
| 491.21 | 2,336 | 1,118 | 1,218 | * | 50 | 575 | 1,711 | 523 | 543 | 847 | 423 | |
| 491.22 | 437 | 176 | 262 | — | * | 111 | 317 | 99 | 100 | 171 | 67 | |
| 492 | 101 | 61 | *40 | * | * | *47 | 51 | * | * | * | * | |
| 492.8 | 85 | 50 | *35 | * | * | *39 | 45 | * | * | * | * | |
| 493 | 1,616 | 533 | 1,083 | 362 | 261 | 470 | 524 | 421 | 308 | 636 | 252 | |
| 493.0 | 90 | 47 | 43 | 63 | * | * | * | *19 | * | *29 | 37 | |
| 493.00 | *18 | * | * | * | * | * | * | * | * | * | * | |
| 493.01 | *18 | * | * | *14 | * | * | — | * | * | * | * | |
| 493.02 | 53 | 29 | 25 | 39 | * | * | * | *13 | * | * | 26 | |
| 493.2 | 632 | 171 | 461 | * | 35 | 244 | 350 | 183 | 115 | 235 | 99 | |
| 493.20 | 75 | *22 | 53 | * | * | *19 | 52 | * | *21 | * | * | |
| 493.21 | *46 | * | *38 | * | * | * | * | * | * | * | * | |
| 493.22 | 511 | 142 | 370 | * | *28 | 200 | 282 | 148 | 90 | 195 | 78 | |
| 493.9 | 891 | 314 | 577 | 296 | 213 | 213 | 170 | 217 | 188 | 370 | 116 | |
| 493.90 | 154 | 60 | 94 | 55 | 26 | 32 | 41 | 40 | *15 | 71 | *27 | |
| 493.91 | 131 | 52 | 79 | 79 | *19 | * | * | *27 | 23 | 69 | *13 | |
| 493.92 | 606 | 202 | 404 | 162 | 167 | 152 | 126 | 150 | 150 | 230 | 76 | |
| 494 | *37 | * | * | * | * | * | * | * | * | * | * | |
| 496 | 358 | 135 | 223 | * | * | 161 | 190 | 73 | 80 | 157 | 49 | |
| 507 | 1,482 | 872 | 610 | *76 | 118 | 186 | 1,101 | 320 | 282 | 442 | 437 | |
| 507.0 | 1,468 | 859 | 609 | *76 | 118 | 179 | 1,095 | 320 | 281 | 437 | 430 | |
| 510 | 142 | *85 | * | * | * | * | *60 | * | * | * | * | |
| 510.9 | 131 | *75 | * | * | * | * | * | * | * | * | * | |
| 511 | 445 | 231 | 214 | * | *48 | 80 | 311 | 128 | 103 | 166 | 47 | |
| 511.0 | *18 | * | * | — | * | * | * | * | * | * | * | |
| 511.8 | *93 | * | * | * | * | * | * | * | * | * | * | |
| 511.9 | 298 | 139 | 159 | * | * | 51 | 229 | 85 | 76 | 102 | *34 | |
| 512 | 209 | 120 | 89 | * | 78 | *45 | 84 | 42 | *44 | 85 | *38 | |
| 512.1 | 37 | * | *20 | * | * | * | *20 | * | * | * | * | |
| 512.8 | 161 | 94 | 67 | * | 66 | * | *63 | *29 | *34 | 66 | * | |
| 514 | *29 | * | * | — | * | * | * | * | * | * | * | |
| 515 | 192 | 114 | 77 | * | * | 59 | 124 | *40 | 55 | 57 | *40 | |
| 516 | 139 | *80 | *60 | * | * | *87 | *48 | * | * | *84 | * | |
| 516.3 | *36 | * | * | — | — | * | * | * | * | * | * | |
| 516.8 | 102 | *61 | *41 | * | * | *75 | * | * | * | *69 | * | |
| 518 | 3,037 | 1,397 | 1,640 | 159 | 239 | 849 | 1,790 | 773 | 543 | 1,090 | 631 | |
| 518.0 | 27 | * | *17 | * | * | * | * | * | * | * | * | |
| 518.3 | *27 | * | * | * | * | * | * | * | * | * | * | |
| 518.8 | 2,927 | 1,362 | 1,565 | 150 | 217 | 825 | 1,735 | 751 | 523 | 1,044 | 610 | |
| 518.81 | 2,353 | 1,073 | 1,280 | 110 | 142 | 656 | 1,445 | 656 | 383 | 801 | 513 | |
| 518.82 | *52 | * | * | * | * | * | * | * | * | * | * | |
| 518.84 | 426 | 184 | 242 | * | * | 149 | 225 | *67 | 114 | 179 | *66 | |
| 518.89 | *51 | * | * | * | * | * | * | * | * | * | * | |
| 519 | 64 | *28 | 36 | *16 | * | * | * | *26 | * | * | * | |
| 519.8 | *17 | * | * | * | * | * | * | * | * | * | * | |
| 520-579 | 16,217 | 7,251 | 8,966 | 855 | 2,967 | 5,077 | 7,317 | 3,530 | 3,449 | 6,114 | 3,123 | |
| 522 | *20 | * | * | * | * | * | * | * | * | * | * | |
| 522.5 | *15 | * | * | * | * | * | * | * | * | * | * | |
| 524 | 29 | * | *19 | * | 22 | * | * | * | * | *16 | * | |
| 524.0 | *13 | * | * | * | *12 | * | — | * | * | * | * | |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 527 | 85 | *37 | * | * | * | * | *64 | * | * | *54 | * |
| 527.2 | *68 | * | * | * | * | * | * | * | * | * | * |
| 528 | 53 | *28 | *25 | * | *22 | * | * | * | * | *31 | * |
| 528.3 | *20 | * | * | * | * | * | * | * | * | * | * |
| 530 | 731 | 350 | 381 | 117 | 102 | 227 | 285 | 179 | 155 | 247 | 150 |
| 530.1 | 145 | 54 | 92 | * | *29 | 53 | 58 | *35 | *28 | 57 | *25 |
| 530.10 | *30 | * | * | * | * | * | * | * | * | * | * |
| 530.11 | 50 | *18 | *31 | * | * | *24 | * | * | * | * | * |
| 530.19 | 57 | *21 | *36 | * | * | *20 | *25 | * | * | * | * |
| 530.2 | 72 | 33 | *39 | — | * | *25 | *34 | * | * | * | * |
| 530.20 | *33 | * | * | — | * | * | * | * | * | * | * |
| 530.21 | 39 | *17 | *22 | — | * | * | *26 | * | * | * | * |
| 530.3 | *25 | * | * | * | * | * | * | * | * | * | * |
| 530.7 | 66 | 48 | * | * | * | *24 | *31 | * | * | *30 | * |
| 530.8 | 357 | 171 | 186 | 106 | 45 | 101 | 104 | 98 | 68 | 110 | 82 |
| 530.81 | 296 | 138 | 158 | 104 | 40 | 76 | 76 | 82 | 59 | 87 | 67 |
| 530.85 | *20 | * | * | — | * | * | * | * | * | * | * |
| 531 | 432 | 159 | 274 | * | *33 | 117 | 279 | 55 | 100 | 163 | 115 |
| 531.0 | 61 | * | *41 | * | * | * | *48 | * | * | * | * |
| 531.00 | 61 | * | *41 | * | * | * | *48 | * | * | * | * |
| 531.4 | 256 | 103 | 153 | * | * | 50 | 187 | *35 | 66 | 98 | 57 |
| 531.40 | 248 | 101 | 147 | * | * | 48 | 184 | *35 | 63 | 93 | 57 |
| 531.9 | 49 | *15 | *35 | — | * | *26 | * | * | * | * | * |
| 531.90 | 45 | * | *32 | — | * | *25 | * | * | * | * | * |
| 532 | 396 | 211 | 184 | * | *39 | 112 | 243 | 72 | 79 | 157 | 88 |
| 532.0 | 38 | *23 | * | — | * | * | * | * | * | * | * |
| 532.00 | 38 | *23 | * | — | * | * | * | * | * | * | * |
| 532.4 | 140 | 98 | 42 | * | * | *40 | 87 | * | * | 70 | *21 |
| 532.40 | 139 | 98 | 41 | * | * | *39 | 87 | * | * | 70 | *21 |
| 532.9 | *43 | * | *20 | — | * | *33 | * | * | * | *34 | * |
| 532.90 | *42 | * | *19 | — | * | * | * | * | * | * | * |
| 533 | 75 | *24 | 50 | — | * | * | *37 | * | *28 | *28 | * |
| 533.4 | *35 | * | * | — | * | * | *27 | * | * | * | * |
| 533.40 | *34 | * | * | — | * | * | *26 | * | * | * | * |
| 534 | *27 | * | * | * | * | * | * | * | * | * | * |
| 535 | 552 | 228 | 324 | *16 | 81 | 162 | 293 | 159 | 91 | 216 | 87 |
| 535.0 | 99 | 53 | 46 | * | *24 | *22 | 48 | 29 | *16 | *41 | * |
| 535.00 | 68 | 32 | 36 | * | *21 | * | *32 | 26 | * | *28 | * |
| 535.01 | *30 | *21 | * | * | * | * | * | * | * | * | * |
| 535.1 | 86 | *29 | 57 | * | * | * | 63 | *41 | * | *29 | * |
| 535.10 | 52 | * | *38 | * | * | * | *38 | *33 | * | * | * |
| 535.11 | *34 | * | * | * | * | * | * | * | * | * | * |
| 535.3 | *28 | *25 | * | — | * | * | * | * | * | * | * |
| 535.4 | 133 | 48 | 86 | * | *20 | 43 | 69 | *31 | *23 | 48 | *31 |
| 535.40 | 60 | *20 | 40 | * | * | *24 | *21 | * | * | *22 | * |
| 535.41 | 74 | *27 | 46 | — | * | *18 | 48 | * | * | *26 | * |
| 535.5 | 175 | 56 | 119 | * | 24 | 53 | 93 | 42 | 33 | 76 | *24 |
| 535.50 | 95 | 32 | 63 | * | *20 | 31 | 39 | *27 | *18 | 36 | *14 |
| 535.51 | 80 | *24 | 56 | * | * | *22 | 54 | * | * | *40 | * |
| 535.6 | *31 | * | * | * | * | * | * | * | * | * | * |
| 536 | 259 | 101 | 158 | *35 | 36 | 70 | 118 | 43 | *41 | 121 | 53 |
| 536.2 | 54 | *22 | 33 | * | * | * | * | * | * | *28 | * |
| 536.3 | 55 | * | *35 | * | * | * | * | * | * | * | * |
| 536.4 | 106 | *42 | 64 | * | * | * | 76 | *25 | * | * | * |
| 536.42 | *38 | * | * | * | * | * | * | * | * | * | * |
| 536.8 | *38 | * | *21 | * | * | * | * | * | * | * | * |
| 537 | 168 | 79 | 89 | * | * | *57 | 87 | *41 | * | 55 | 49 |
| 537.0 | *59 | *35 | * | * | * | * | * | * | * | * | * |
| 537.8 | 79 | 39 | *40 | — | * | * | 51 | * | * | * | *28 |
| 537.83 | 43 | *18 | * | — | * | * | *31 | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 540 | 936 | 553 | 383 | 294 | 345 | 190 | 107 | 205 | 177 | 276 | 278 |
| 540.0 | 312 | 191 | 121 | 111 | 75 | 73 | *53 | *45 | 63 | 88 | 117 |
| 540.1 | 241 | 155 | 85 | 98 | 63 | *53 | * | *81 | *42 | 69 | 49 |
| 540.9 | 383 | 207 | 176 | 85 | 207 | 65 | 26 | 79 | 73 | 119 | 112 |
| 541 | 23 | * | *13 | * | *13 | * | * | * | * | *11 | * |
| 543 | *14 | * | * | * | * | * | * | * | * | * | * |
| 550 | 127 | 98 | *28 | *12 | * | *16 | 89 | 36 | *27 | 43 | *20 |
| 550.1 | 92 | 72 | * | * | * | * | 73 | *27 | *22 | *28 | * |
| 550.10 | 61 | 45 | * | * | * | * | *47 | * | * | *24 | * |
| 550.11 | *27 | *26 | * | * | * | * | * | * | * | * | * |
| 550.9 | 31 | 22 | * | * | * | * | *13 | * | * | *13 | * |
| 550.90 | *20 | *14 | * | * | * | * | * | * | * | * | * |
| 552 | 384 | 108 | 277 | * | 38 | 127 | 216 | 106 | 73 | 141 | 64 |
| 552.1 | 34 | *15 | * | — | * | * | * | * | * | * | * |
| 552.2 | 250 | 66 | 185 | — | *26 | 90 | 134 | 70 | *30 | 112 | *38 |
| 552.20 | 57 | * | *45 | — | * | * | * | * | * | * | * |
| 552.21 | 161 | 44 | 118 | — | * | 59 | 91 | *41 | *22 | 71 | * |
| 552.29 | *32 | * | * | — | * | * | * | * | * | * | * |
| 552.8 | *40 | * | * | * | * | * | * | * | * | * | * |
| 553 | 273 | 82 | 191 | * | 42 | 106 | 121 | 59 | 55 | 121 | 38 |
| 553.2 | 200 | 66 | 134 | * | 32 | 89 | 78 | 44 | 50 | 80 | 26 |
| 553.20 | 31 | * | *23 | * | * | * | * | * | * | *18 | * |
| 553.21 | 157 | 52 | 105 | * | *24 | 75 | 57 | 37 | 42 | 56 | 22 |
| 553.3 | 62 | * | 51 | * | * | *14 | *40 | * | * | 36 | * |
| 555 | 379 | 131 | 248 | * | 254 | 75 | *41 | 84 | 89 | 156 | 50 |
| 555.0 | 73 | *36 | *37 | * | 48 | * | * | * | * | * | * |
| 555.1 | 138 | * | *107 | * | *119 | * | * | * | * | * | * |
| 555.2 | *51 | * | * | * | * | * | * | * | * | * | * |
| 555.9 | 116 | 45 | 72 | * | 60 | * | * | * | *21 | 47 | * |
| 556 | 172 | 94 | 78 | * | 80 | *30 | *50 | *47 | *25 | *64 | *36 |
| 556.6 | *62 | *39 | * | * | * | * | * | * | * | * | * |
| 556.9 | 55 | *29 | * | * | *27 | * | * | * | * | * | * |
| 557 | 347 | 79 | 268 | * | * | 76 | 250 | 66 | 60 | 148 | 73 |
| 557.0 | 162 | *39 | 123 | * | * | * | 119 | *44 | * | *58 | * |
| 557.9 | 155 | * | 129 | — | * | *34 | 115 | * | *28 | 78 | *35 |
| 558 | 553 | 190 | 363 | 76 | 107 | 161 | 209 | 137 | 111 | 230 | 74 |
| 558.9 | 534 | 186 | 348 | 75 | 103 | 154 | 202 | 135 | 104 | 224 | 71 |
| 560 | 1,956 | 864 | 1,092 | 50 | 242 | 529 | 1,135 | 382 | 503 | 711 | 359 |
| 560.0 | *30 | * | * | * | * | * | * | * | * | * | * |
| 560.1 | 341 | 233 | 108 | * | *69 | 80 | 188 | 87 | 85 | 126 | *44 |
| 560.2 | 108 | *51 | *57 | * | * | * | *62 | * | * | * | * |
| 560.3 | 153 | 59 | 93 | * | * | *19 | 111 | * | * | 54 | *55 |
| 560.39 | 144 | 59 | 85 | * | * | *16 | 108 | * | * | 50 | *54 |
| 560.8 | 864 | 322 | 542 | * | 70 | 269 | 496 | 159 | 226 | 336 | 143 |
| 560.81 | 663 | 250 | 413 | * | *60 | 187 | 391 | 126 | 151 | 270 | 116 |
| 560.89 | 201 | *72 | 129 | * | * | 82 | 105 | * | *74 | *67 | * |
| 560.9 | 461 | 175 | 286 | * | 59 | 129 | 270 | 97 | 127 | 141 | 95 |
| 562 | 1,614 | 647 | 967 | — | 140 | 529 | 945 | 455 | 350 | 571 | 238 |
| 562.1 | 1,570 | 623 | 947 | — | 140 | 515 | 915 | 449 | 344 | 541 | 236 |
| 562.10 | 149 | 61 | 87 | — | * | 64 | 74 | *49 | * | *36 | *43 |
| 562.11 | 1,000 | 369 | 631 | — | 126 | 378 | 496 | 319 | 240 | 309 | 132 |
| 562.12 | 331 | 149 | 182 | — | * | 56 | 273 | 61 | 50 | 162 | 58 |
| 562.13 | 90 | *44 | 46 | — | * | * | 72 | * | *33 | * | * |
| 564 | 235 | 69 | 167 | *15 | 45 | 72 | 103 | 53 | 55 | 88 | 39 |
| 564.0 | 113 | 37 | 76 | *12 | *17 | 27 | 58 | *21 | 23 | 46 | *23 |
| 564.00 | 86 | 27 | 59 | *9 | *10 | *20 | 47 | *13 | *19 | 36 | *18 |
| 564.09 | 26 | * | *17 | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 564.1 | 49 | * | 43 | * | *20 | * | * | * | * | *21 | * |
| 564.8 | *50 | * | * | * | * | * | * | * | * | * | * |
| 564.89 | *50 | * | * | * | * | * | * | * | * | * | * |
| 566 | 78 | 51 | *27 | * | *18 | *39 | * | * | * | 33 | * |
| 567 | 127 | 57 | 70 | * | * | *59 | *39 | * | *46 | *41 | * |
| 567.2 | 98 | *52 | *46 | * | * | *55 | * | * | * | * | * |
| 568 | 46 | * | 43 | * | *16 | * | * | * | * | * | * |
| 568.0 | *31 | * | *29 | * | * | * | * | * | * | * | * |
| 569 | 722 | 236 | 486 | * | 81 | 217 | 404 | 156 | 145 | 295 | 126 |
| 569.1 | *42 | * | *37 | * | * | * | * | * | * | * | * |
| 569.3 | 104 | 56 | 48 | * | * | * | 78 | * | * | 50 | * |
| 569.4 | *42 | *26 | * | — | * | * | *35 | * | * | * | * |
| 569.6 | 181 | *51 | 130 | * | * | *50 | * | * | * | *79 | * |
| 569.69 | 108 | *32 | *76 | * | * | * | *70 | * | * | * | * |
| 569.8 | 322 | 89 | 233 | * | * | 120 | 165 | *75 | 80 | 127 | *40 |
| 569.81 | *94 | * | * | * | * | * | * | * | * | * | * |
| 569.82 | *57 | * | *48 | * | * | * | * | * | * | * | * |
| 569.83 | *87 | * | * | * | * | * | * | * | * | * | * |
| 569.85 | 69 | *32 | *37 | — | * | * | 60 | * | * | * | * |
| 570 | 58 | * | *26 | * | * | * | * | * | * | *21 | * |
| 571 | 673 | 395 | 278 | * | 94 | 441 | 137 | 110 | 83 | 265 | 216 |
| 571.1 | 62 | *34 | *27 | — | *28 | *30 | * | * | * | * | * |
| 571.2 | 292 | 211 | 81 | — | *49 | 209 | *34 | *52 | *33 | 119 | 88 |
| 571.5 | 248 | 128 | 120 | * | * | 154 | 82 | * | *30 | 89 | 94 |
| 572 | 279 | 181 | 97 | * | *47 | 154 | 76 | 55 | *43 | 108 | 72 |
| 572.2 | 222 | 139 | 83 | — | * | 122 | 66 | *28 | *37 | 96 | 61 |
| 573 | 49 | * | * | * | * | * | * | * | * | * | * |
| 573.3 | *30 | * | * | * | * | * | * | * | * | * | * |
| 574 | 1,383 | 586 | 796 | * | 326 | 459 | 596 | 330 | 248 | 480 | 324 |
| 574.0 | 469 | 183 | 285 | * | 121 | 134 | 214 | 127 | 93 | 151 | 97 |
| 574.00 | 441 | 170 | 271 | * | 113 | 131 | 197 | 122 | 90 | 144 | 85 |
| 574.01 | *28 | * | * | — | * | * | * | * | * | * | * |
| 574.1 | 318 | 122 | 197 | * | 85 | 91 | 142 | 69 | 66 | 135 | 48 |
| 574.10 | 307 | 118 | 189 | * | 80 | 90 | 136 | 69 | 65 | 128 | 45 |
| 574.2 | 275 | 148 | 127 | * | 29 | 166 | 80 | *70 | 27 | 80 | *99 |
| 574.20 | 232 | 106 | 126 | * | 28 | 124 | 80 | *27 | 27 | 80 | *98 |
| 574.5 | 76 | *25 | 51 | * | *22 | * | *39 | * | *17 | *28 | * |
| 574.50 | 44 | * | *27 | * | * | * | * | * | * | * | * |
| 574.51 | *32 | * | *24 | * | * | * | * | * | * | * | * |
| 574.6 | 62 | * | *30 | * | * | * | * | * | * | * | * |
| 574.60 | *45 | * | *24 | * | * | * | * | * | * | * | * |
| 574.7 | 58 | * | 39 | — | *20 | * | * | * | * | * | * |
| 574.70 | *33 | * | *23 | — | * | * | * | * | * | * | * |
| 574.8 | 53 | * | * | * | * | * | * | * | * | * | * |
| 574.81 | *32 | * | * | — | * | * | * | * | * | * | * |
| 575 | 319 | 149 | 170 | * | 86 | 102 | 130 | 62 | 76 | 128 | 53 |
| 575.0 | 110 | 60 | 51 | * | *19 | 37 | *55 | *30 | *30 | *34 | *16 |
| 575.1 | 168 | 70 | 98 | * | 54 | 46 | 67 | *25 | 37 | 71 | *34 |
| 575.10 | *21 | * | *13 | * | * | * | * | * | * | * | * |
| 575.11 | 94 | *32 | 62 | * | 44 | *18 | *33 | * | *22 | 40 | * |
| 575.12 | 52 | *29 | * | — | * | * | * | * | * | * | * |
| 575.8 | *19 | * | * | * | * | * | * | * | * | * | * |
| 576 | 139 | 58 | 81 | * | *22 | *44 | 69 | *29 | *23 | 56 | *31 |
| 576.1 | *53 | * | * | * | * | * | *37 | * | * | * | * |
| 576.2 | *43 | * | * | * | * | * | * | * | * | * | * |
| 576.8 | 32 | * | *22 | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 577 | 1,420 | 699 | 721 | * | 422 | 570 | 409 | 262 | 292 | 639 | 227 |
| 577.0 | 1,197 | 589 | 608 | * | 352 | 476 | 352 | 219 | 255 | 522 | 201 |
| 577.1 | 125 | 64 | 61 | * | 57 | 62 | * | *24 | * | 64 | * |
| 577.2 | *65 | * | * | * | * | * | * | * | * | * | * |
| 578 | 905 | 479 | 426 | *13 | 54 | 153 | 684 | 205 | 330 | 245 | 126 |
| 578.0 | 72 | 36 | 36 | * | * | *23 | *34 | *22 | *18 | *16 | * |
| 578.1 | 140 | 54 | 86 | * | *17 | *39 | 80 | 43 | *25 | 59 | *13 |
| 578.9 | 694 | 389 | 305 | * | *27 | 91 | 570 | 139 | 287 | 171 | 97 |
| 579 | *119 | * | * | * | * | * | * | * | * | * | * |
| 580-629 | 7,537 | 2,775 | 4,762 | 295 | 1,494 | 1,728 | 4,021 | 1,649 | 1,599 | 2,896 | 1,393 |
| 581 | *21 | * | * | * | * | * | * | * | * | * | * |
| 584 | 1,842 | 968 | 874 | * | 110 | 473 | 1,254 | 528 | 366 | 588 | 360 |
| 584.5 | 161 | *103 | *58 | * | * | *58 | *90 | * | * | * | * |
| 584.9 | 1,661 | 850 | 811 | * | 91 | 409 | 1,155 | 477 | 336 | 539 | 308 |
| 585 | 66 | *38 | *29 | * | * | * | 40 | *37 | * | * | * |
| 586 | *25 | * | * | * | - | * | *22 | * | * | * | * |
| 590 | 499 | 91 | 408 | 87 | 160 | 102 | 150 | 84 | 113 | 191 | 112 |
| 590.1 | 226 | 30 | 197 | 38 | 70 | 52 | 67 | 40 | 53 | 83 | 50 |
| 590.10 | 226 | 30 | 196 | 38 | 70 | 51 | 67 | 40 | 53 | 83 | 50 |
| 590.8 | 254 | 60 | 194 | 49 | 79 | 46 | 80 | 39 | 57 | 97 | 60 |
| 590.80 | 254 | 60 | 194 | 49 | 79 | 46 | 80 | 39 | 57 | 97 | 60 |
| 591 | 43 | * | *26 | * | * | * | * | * | * | * | * |
| 592 | 425 | 181 | 244 | * | 158 | 154 | 107 | 82 | 104 | 185 | 55 |
| 592.0 | 149 | 52 | 97 | * | 57 | 47 | 42 | 31 | 39 | 61 | *18 |
| 592.1 | 274 | 128 | 146 | * | 97 | 107 | 65 | 49 | 65 | 122 | 37 |
| 593 | 209 | 95 | 115 | *26 | 36 | 47 | 100 | 45 | 39 | 98 | *28 |
| 593.4 | 41 | * | *24 | * | * | * | * | * | * | * | * |
| 593.7 | *23 | * | *20 | *21 | * | - | * | * | * | * | * |
| 593.70 | *17 | * | *14 | *16 | * | - | - | * | * | * | * |
| 593.8 | *38 | * | *22 | * | * | * | *27 | * | * | * | * |
| 593.81 | *26 | * | * | - | * | * | * | * | * | * | * |
| 593.9 | 82 | 46 | *36 | * | * | *30 | 45 | * | * | 48 | * |
| 595 | 84 | *35 | 48 | * | * | * | 59 | * | *25 | *25 | * |
| 595.0 | *22 | * | * | * | * | * | * | * | * | * | * |
| 595.9 | *36 | * | * | * | * | * | * | * | * | * | * |
| 596 | 111 | 67 | *44 | * | * | *23 | 66 | * | * | 51 | *21 |
| 596.0 | *11 | *11 | - | - | - | * | *10 | * | * | * | * |
| 598 | *11 | *10 | * | * | * | * | * | * | * | * | * |
| 599 | 2,310 | 844 | 1,466 | 103 | 170 | 327 | 1,710 | 511 | 493 | 908 | 398 |
| 599.0 | 2,177 | 760 | 1,417 | 100 | 153 | 304 | 1,620 | 484 | 464 | 854 | 375 |
| 599.7 | 101 | 66 | *35 | * | * | * | 75 | *22 | *24 | 41 | *13 |
| 599.8 | *10 | * | *8 | - | * | * | * | * | * | * | * |
| 600 | 219 | 219 | - | - | * | 32 | 188 | 55 | 53 | 55 | 56 |
| 600.0 | 203 | 203 | - | - | * | 29 | 175 | 51 | 47 | 51 | 54 |
| 600.00 | 36 | 36 | - | - | - | * | 30 | * | * | * | * |
| 600.01 | 167 | 167 | - | - | * | 23 | 144 | 39 | 37 | 45 | 46 |
| 601 | *22 | *22 | - | - | * | * | * | * | * | * | * |
| 604 | 47 | 47 | - | * | * | * | * | * | * | * | * |
| 604.9 | 40 | 40 | - | * | * | * | * | * | * | * | * |
| 604.90 | *20 | *20 | - | * | * | * | * | * | * | * | * |
| 604.99 | *19 | *19 | - | * | * | * | * | * | * | * | * |
| 607 | *21 | *21 | - | * | * | * | * | * | * | * | * |
| 608 | 53 | 53 | - | * | *17 | * | * | * | * | * | * |
| 608.4 | *42 | *42 | - | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 611 | 66 | * | 65 | * | 32 | 23 | * | *26 | * | 27 | * |
| 611.0 | 37 | * | 37 | * | *19 | * | * | * | * | * | * |
| 611.1 | *10 | * | *9 | * | *6 | * | * | * | * | * | * |
| 611.7 | *9 | * | *9 | — | * | * | * | * | * | * | * |
| 614 | 140 | — | 140 | * | 103 | *29 | * | *23 | *26 | 72 | *18 |
| 614.1 | *21 | — | *21 | — | * | * | * | * | * | *17 | * |
| 614.2 | *36 | — | *36 | — | *24 | * | * | * | * | * | * |
| 614.6 | 24 | — | 24 | — | *18 | * | * | * | * | * | * |
| 614.9 | 29 | — | 29 | * | 25 | * | * | * | * | *16 | * |
| 616 | 62 | — | 62 | * | * | * | * | * | * | * | * |
| 617 | 155 | — | 155 | — | 125 | 29 | * | *19 | 39 | 67 | 31 |
| 617.0 | 89 | — | 89 | — | 71 | *16 | * | * | 23 | 41 | *13 |
| 617.1 | 31 | — | 31 | — | *24 | * | — | * | * | * | * |
| 617.3 | *20 | — | *20 | — | *14 | * | — | * | * | * | * |
| 618 | 324 | — | 324 | * | 43 | 143 | 136 | 44 | 71 | 141 | 68 |
| 618.0 | 56 | — | 56 | — | * | 22 | 26 | * | *13 | 20 | *16 |
| 618.01 | 30 | — | 30 | — | * | *10 | *17 | * | * | * | *10 |
| 618.04 | *15 | — | *15 | — | * | * | * | * | * | * | * |
| 618.1 | 29 | — | 29 | * | * | *17 | * | * | * | *12 | * |
| 618.2 | 52 | — | 52 | — | * | 23 | *18 | * | * | *13 | *17 |
| 618.3 | 35 | — | 35 | — | * | *14 | *20 | * | * | * | * |
| 618.4 | 47 | — | 47 | — | * | 29 | * | * | * | *20 | * |
| 618.5 | 79 | — | 79 | — | * | 27 | 51 | * | *14 | 50 | *10 |
| 618.8 | *15 | — | *15 | — | * | * | * | * | * | * | * |
| 618.89 | *15 | — | *15 | — | * | * | * | * | * | * | * |
| 620 | 152 | — | 152 | * | 109 | 30 | * | 27 | 40 | 62 | 23 |
| 620.0 | *15 | — | *15 | — | *11 | * | — | * | * | * | * |
| 620.1 | 23 | — | 23 | * | *19 | * | — | * | * | * | * |
| 620.2 | 85 | — | 85 | * | 57 | *19 | * | *11 | 20 | 38 | *15 |
| 620.8 | *17 | — | *17 | * | *12 | * | * | * | * | * | * |
| 621 | 53 | — | 53 | — | *24 | *20 | * | * | * | *27 | * |
| 621.3 | *33 | — | *33 | — | * | * | * | * | * | * | * |
| 622 | *24 | — | *24 | — | * | * | * | * | * | * | * |
| 622.1 | *21 | — | *21 | — | * | * | * | * | * | * | * |
| 625 | 135 | — | 135 | * | 75 | 38 | *18 | 19 | 31 | 55 | 30 |
| 625.3 | 22 | — | 22 | * | 20 | * | — | * | * | * | * |
| 625.6 | 48 | — | 48 | — | *11 | 24 | *13 | * | *14 | *16 | *13 |
| 625.9 | 47 | — | 47 | * | 34 | * | * | * | * | 22 | * |
| 626 | 273 | — | 273 | * | 193 | 79 | * | 26 | 70 | 132 | 44 |
| 626.2 | 212 | — | 212 | * | 150 | 61 | — | *18 | 53 | 105 | 36 |
| 626.8 | 50 | — | 50 | * | 34 | *16 | * | * | *15 | 20 | * |
| 627 | 32 | — | 32 | — | * | *12 | * | * | * | * | * |
| 627.1 | 27 | — | 27 | — | * | * | * | * | * | * | * |
| 630-677 | 1,530 | — | 1,530 | * | 1,525 | * | — | 199 | 282 | 745 | 303 |
| 632 | 32 | — | 32 | * | 32 | * | — | * | * | 17 | * |
| 633 | 67 | — | 67 | — | 67 | — | — | * | *16 | 29 | *14 |
| 633.1 | 52 | — | 52 | — | 52 | — | — | * | * | 24 | *11 |
| 633.10 | 51 | — | 51 | — | 51 | — | — | * | * | 23 | *10 |
| 634 | 32 | — | 32 | * | 32 | * | — | * | * | 22 | * |
| 634.9 | 18 | — | 18 | * | 18 | * | — | * | * | *13 | * |
| 634.91 | *14 | — | *14 | * | *14 | * | — | * | * | *11 | * |
| 640 | *14 | — | *14 | — | *14 | — | — | * | * | * | * |
| 641 | 58 | — | 58 | * | 58 | — | — | * | * | * | * |
| 641.1 | *28 | — | *28 | — | *28 | — | — | * | * | * | * |
| 641.13 | *28 | — | *28 | — | *28 | — | — | * | * | * | * |
| 641.9 | *16 | — | *16 | — | *16 | — | — | * | * | * | * |
| 641.93 | *16 | — | *16 | — | *16 | — | — | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 642 | 85 | — | 85 | — | 85 | — | — | * | *17 | 39 | *20 |
| 642.3 | 24 | — | 24 | — | 24 | — | — | * | * | *10 | * |
| 642.33 | *17 | — | *17 | — | *17 | — | — | * | * | * | * |
| 642.4 | *21 | — | *21 | — | *21 | — | — | * | * | * | * |
| 642.43 | *19 | — | *19 | — | *19 | — | — | * | * | * | * |
| 643 | 74 | — | 74 | * | 74 | — | — | * | *12 | 37 | *15 |
| 643.0 | 35 | — | 35 | — | 35 | — | — | * | * | *18 | * |
| 643.03 | 35 | — | 35 | — | 35 | — | — | * | * | *18 | * |
| 643.1 | 27 | — | 27 | * | 27 | — | — | * | * | *14 | * |
| 643.13 | 27 | — | 27 | * | 27 | — | — | * | * | *14 | * |
| 643.2 | *11 | — | *11 | — | *11 | — | — | * | * | * | * |
| 643.23 | *11 | — | *11 | — | *11 | — | — | * | * | * | * |
| 644 | 338 | — | 338 | * | 338 | * | — | 36 | 79 | 148 | 74 |
| 644.0 | 321 | — | 321 | * | 321 | * | — | 35 | 78 | 139 | 69 |
| 644.03 | 321 | — | 321 | * | 321 | * | — | 35 | 78 | 139 | 69 |
| 644.1 | 16 | — | 16 | — | 16 | — | — | * | * | *8 | * |
| 644.13 | 16 | — | 16 | — | 16 | — | — | * | * | *8 | * |
| 646 | 241 | — | 241 | * | 241 | — | — | *29 | 25 | 157 | 31 |
| 646.6 | 172 | — | 172 | * | 171 | — | — | * | *14 | 112 | 20 |
| 646.63 | 166 | — | 166 | * | 166 | — | — | * | *14 | 110 | *17 |
| 646.8 | 51 | — | 51 | — | 51 | — | — | * | * | 31 | * |
| 646.83 | 51 | — | 51 | — | 51 | — | — | * | * | 31 | * |
| 647 | *23 | — | *23 | — | *23 | — | — | * | * | * | * |
| 648 | 264 | — | 264 | * | 262 | * | — | 34 | 60 | 123 | 47 |
| 648.0 | 31 | — | 31 | * | 31 | — | — | * | * | *19 | * |
| 648.03 | 31 | — | 31 | * | 31 | — | — | * | * | *19 | * |
| 648.4 | 56 | — | 56 | * | 55 | — | — | * | * | *27 | * |
| 648.43 | 31 | — | 31 | * | *30 | — | — | * | * | *25 | * |
| 648.9 | 141 | — | 141 | — | 141 | * | — | 22 | 26 | 62 | 31 |
| 648.93 | 130 | — | 130 | — | 130 | * | — | 19 | *22 | 58 | 31 |
| 654 | 52 | — | 52 | — | 52 | * | — | * | * | *27 | * |
| 654.5 | *37 | — | *37 | — | *37 | * | — | * | * | * | * |
| 654.53 | *37 | — | *37 | — | *37 | * | — | * | * | * | * |
| 655 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 658 | *40 | — | *40 | — | *40 | — | — | * | * | * | * |
| 659 | *11 | — | *11 | * | *9 | — | — | * | * | * | * |
| 666 | *11 | — | *11 | * | *11 | — | — | * | * | * | * |
| 670 | *34 | — | *34 | * | *34 | — | — | * | * | * | * |
| 670.0 | *34 | — | *34 | * | *34 | — | — | * | * | * | * |
| 670.04 | *34 | — | *34 | * | *34 | — | — | * | * | * | * |
| 674 | 48 | — | 48 | — | 48 | * | — | * | * | * | * |
| 674.3 | *25 | — | *25 | — | *25 | * | — | * | * | * | * |
| 674.34 | *25 | — | *25 | — | *25 | * | — | * | * | * | * |
| 680-709 | 3,721 | 1,923 | 1,798 | 297 | 797 | 1,267 | 1,360 | 863 | 746 | 1,463 | 649 |
| 681 | 128 | 65 | 63 | * | *32 | 49 | *40 | *27 | 39 | 53 | * |
| 681.0 | 73 | 35 | 38 | * | *29 | * | * | *18 | * | *37 | * |
| 681.00 | 63 | *31 | *32 | * | *22 | * | * | * | * | *34 | * |
| 681.1 | 54 | *30 | *24 | * | * | *34 | * | * | *29 | * | * |
| 681.10 | 48 | *29 | *18 | * | * | *28 | * | * | *29 | * | * |
| 682 | 2,464 | 1,291 | 1,173 | 197 | 555 | 852 | 861 | 601 | 502 | 889 | 473 |
| 682.0 | 140 | 70 | 69 | 38 | 43 | 37 | *22 | *19 | *22 | 55 | 44 |
| 682.1 | 60 | *24 | * | * | * | * | * | * | * | * | * |
| 682.2 | 214 | 98 | 116 | *17 | 55 | 84 | 57 | *28 | 46 | 89 | *51 |
| 682.3 | 218 | 122 | 95 | * | 87 | 60 | 59 | 53 | 44 | 90 | *30 |
| 682.4 | 144 | 84 | 60 | * | 63 | 35 | 38 | *27 | 31 | 60 | *25 |
| 682.5 | 92 | 35 | 57 | *27 | *19 | *28 | * | * | *21 | 52 | * |
| 682.6 | 1,372 | 742 | 630 | 69 | 228 | 530 | 545 | 369 | 273 | 463 | 267 |
| 682.7 | 214 | 108 | 106 | * | 32 | 52 | 119 | 64 | 53 | 62 | *35 |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 685 | *19 | * | * | * | * | * | * | * | * | * | * |
| 692 | *19 | * | *11 | * | * | * | * | * | * | * | * |
| 693 | *34 | * | * | * | * | * | * | * | * | * | * |
| 693.0 | *30 | * | * | * | * | * | * | * | * | * | * |
| 695 | *37 | * | * | * | * | * | * | * | * | * | * |
| 695.1 | *29 | * | * | * | * | * | * | * | * | * | * |
| 701 | *43 | * | *40 | * | * | * | * | * | * | * | — |
| 707 | 748 | 390 | 357 | * | 130 | 232 | 386 | 159 | 137 | 326 | 126 |
| 707.0 | 532 | 265 | 267 | * | 113 | 156 | 263 | *103 | 98 | 246 | *85 |
| 707.03 | 223 | *128 | 95 | * | * | * | 127 | * | * | 112 | * |
| 707.04 | *84 | * | * | — | * | * | * | * | * | * | * |
| 707.05 | *67 | * | * | — | * | * | * | * | * | * | * |
| 707.07 | *47 | * | * | — | * | * | * | * | * | * | * |
| 707.09 | *61 | * | * | — | * | * | * | * | * | * | * |
| 707.1 | 203 | 119 | 84 | * | * | 72 | 116 | *53 | *37 | 74 | *40 |
| 707.15 | 79 | *49 | * | — | * | * | *46 | * | * | * | * |
| 707.19 | *37 | * | * | * | * | * | * | * | * | * | * |
| 708 | *15 | * | * | * | * | * | * | * | * | * | * |
| 709 | 100 | 62 | 38 | 54 | 22 | * | * | * | * | 81 | — |
| 709.2 | 79 | 42 | 36 | 54 | 22 | * | * | * | * | 78 | — |
| 710-739 | 7,582 | 3,139 | 4,444 | 188 | 1,004 | 2,503 | 3,887 | 1,663 | 1,820 | 2,470 | 1,629 |
| 710 | 161 | *35 | 126 | * | 69 | *48 | *35 | *30 | *31 | 65 | *35 |
| 710.0 | 120 | * | 101 | * | 63 | *31 | * | * | *25 | *39 | * |
| 711 | 193 | 109 | 84 | * | *48 | *40 | *90 | *73 | * | *50 | * |
| 711.0 | 187 | 105 | 82 | * | *45 | *38 | *89 | *73 | * | *45 | * |
| 711.06 | 72 | *50 | * | * | * | * | * | * | * | * | * |
| 714 | 102 | *42 | 60 | * | * | *38 | *43 | *27 | * | *37 | * |
| 714.0 | 66 | * | 45 | — | * | * | *33 | * | * | * | * |
| 715 | 2,852 | 1,061 | 1,792 | * | 59 | 965 | 1,826 | 649 | 791 | 838 | 574 |
| 715.1 | 212 | 99 | 113 | * | * | 53 | 157 | 62 | *27 | 67 | 56 |
| 715.15 | 61 | 37 | *24 | — | * | *18 | 42 | * | * | * | *20 |
| 715.16 | 135 | 57 | 78 | — | * | 34 | 100 | 42 | *22 | 36 | 36 |
| 715.2 | *19 | * | * | * | * | * | * | * | * | * | * |
| 715.3 | 1,583 | 613 | 970 | * | 33 | 550 | 998 | 410 | 426 | 419 | 328 |
| 715.31 | 31 | *10 | *22 | — | * | * | 21 | * | * | *13 | *12 |
| 715.35 | 450 | 218 | 233 | — | * | 149 | 285 | 122 | 124 | 98 | 106 |
| 715.36 | 1,081 | 376 | 705 | * | * | 385 | 679 | 275 | 297 | 305 | 204 |
| 715.8 | *31 | * | *23 | — | — | * | *27 | * | * | * | * |
| 715.89 | *31 | * | *23 | — | — | * | *27 | * | * | * | * |
| 715.9 | 1,000 | 329 | 671 | — | * | 346 | 633 | 159 | 326 | 336 | 179 |
| 715.90 | 36 | * | *26 | — | * | * | *24 | * | * | * | * |
| 715.91 | *16 | * | * | — | — | * | * | * | * | * | * |
| 715.95 | 259 | 103 | 157 | — | * | 75 | 170 | 50 | 97 | 57 | 56 |
| 715.96 | 676 | 208 | 468 | — | * | 250 | 422 | 97 | 217 | 255 | 107 |
| 716 | 43 | *15 | 28 | * | * | *16 | *18 | * | * | * | * |
| 716.1 | *17 | * | * | — | * | * | * | * | * | * | * |
| 716.9 | *19 | * | *16 | * | * | * | * | * | * | * | * |
| 718 | 27 | *16 | *11 | * | *13 | * | * | * | * | * | * |
| 719 | 136 | 47 | 89 | * | *21 | 23 | 83 | *24 | 41 | 33 | 37 |
| 719.4 | 79 | 33 | 46 | * | *11 | *15 | 48 | *15 | 20 | *22 | *23 |
| 719.41 | *14 | * | * | * | * | * | * | * | * | * | * |
| 719.45 | 43 | * | *27 | * | * | * | *34 | * | * | * | * |
| 721 | 372 | 196 | 176 | * | 39 | 154 | 179 | 70 | 80 | 135 | 87 |
| 721.0 | 52 | 23 | 29 | — | *7 | 31 | * | * | *9 | 20 | 13 |
| 721.1 | 98 | 68 | *30 | — | * | 51 | 44 | *21 | * | *31 | *36 |
| 721.3 | 176 | 74 | 102 | — | *20 | 53 | 103 | *26 | 53 | 65 | 32 |
| 721.4 | *35 | * | * | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 722 | 904 | 407 | 497 | * | 253 | 401 | 249 | 168 | 205 | 356 | 176 |
| 722.0 | 87 | 41 | 46 | — | 36 | 43 | * | 17 | 17 | 40 | *13 |
| 722.1 | 363 | 199 | 164 | * | 128 | 154 | 81 | 66 | 100 | 128 | 69 |
| 722.10 | 354 | 197 | 157 | * | 125 | 149 | 80 | 65 | 99 | 126 | 63 |
| 722.4 | 18 | * | *12 | — | * | *9 | * | * | * | * | * |
| 722.5 | 273 | 87 | 186 | * | 47 | 127 | 99 | 41 | 58 | 120 | 55 |
| 722.52 | 263 | 85 | 178 | — | 47 | 119 | 97 | 41 | 57 | 111 | 54 |
| 722.7 | 61 | 31 | 30 | — | *20 | *21 | *19 | * | * | 31 | * |
| 722.71 | 33 | *18 | *15 | — | * | *10 | * | * | * | *15 | * |
| 722.73 | *20 | * | * | — | * | * | * | * | * | * | * |
| 722.8 | *19 | * | * | — | * | * | * | * | * | * | * |
| 722.83 | *17 | * | * | — | * | * | * | * | * | * | * |
| 722.9 | 80 | * | 48 | — | * | *36 | * | * | * | *23 | * |
| 722.93 | 68 | * | *44 | — | * | * | * | * | * | * | * |
| 723 | 106 | 56 | 50 | * | *21 | 58 | *27 | *24 | *24 | 30 | 29 |
| 723.0 | 50 | 35 | *15 | * | * | 32 | * | * | * | *14 | * |
| 723.1 | 30 | *12 | *18 | * | * | *15 | * | * | * | * | * |
| 723.4 | *20 | * | *14 | — | * | * | * | * | * | * | * |
| 724 | 496 | 199 | 297 | * | 55 | 129 | 310 | 126 | 131 | 151 | 88 |
| 724.0 | 295 | 124 | 171 | — | * | 65 | 222 | 79 | 75 | 90 | 51 |
| 724.02 | 285 | 119 | 166 | — | * | 60 | 217 | 76 | 71 | 87 | 51 |
| 724.2 | 115 | 49 | 66 | * | 28 | 39 | 48 | *15 | 35 | 36 | *28 |
| 724.4 | *23 | * | * | — | * | * | * | * | * | * | * |
| 724.5 | 38 | * | 27 | * | * | * | *21 | * | * | *12 | * |
| 726 | 93 | 41 | 51 | * | *14 | 25 | 52 | *14 | *16 | 38 | 25 |
| 726.1 | *14 | * | * | — | * | * | * | * | * | * | * |
| 726.10 | *13 | * | * | — | * | * | * | * | * | * | * |
| 726.3 | *20 | * | * | — | * | * | * | * | * | * | * |
| 726.33 | *20 | * | * | — | * | * | * | * | * | * | * |
| 726.6 | *24 | * | * | * | * | * | * | * | * | * | * |
| 727 | 59 | *25 | 34 | * | * | *14 | 30 | * | * | 23 | * |
| 727.0 | *23 | * | * | * | * | * | * | * | * | * | * |
| 727.6 | *14 | * | * | — | * | * | * | * | * | * | * |
| 728 | 222 | 134 | 88 | * | 62 | 60 | 97 | 59 | 47 | 77 | *39 |
| 728.8 | 208 | 126 | 82 | * | 58 | *59 | 90 | *54 | *44 | 75 | * |
| 728.88 | 101 | 67 | *35 | * | *32 | *16 | 53 | *41 | *19 | *33 | * |
| 728.89 | *54 | * | * | * | * | * | * | * | * | * | * |
| 729 | 243 | 51 | 192 | * | 51 | 55 | 130 | 34 | 32 | 71 | 107 |
| 729.1 | 28 | * | *21 | * | *9 | * | * | * | * | * | * |
| 729.5 | 53 | *19 | 34 | * | *13 | *20 | *14 | * | *11 | *22 | * |
| 729.8 | 119 | *19 | 100 | * | * | * | 98 | * | *13 | *20 | * |
| 729.89 | 37 | *15 | *22 | * | * | * | *22 | * | * | *17 | * |
| 730 | 569 | 377 | 192 | * | 112 | 210 | 220 | 92 | 150 | 207 | 120 |
| 730.0 | 101 | *64 | * | * | * | * | * | * | * | * | * |
| 730.07 | *40 | * | * | * | * | * | * | * | * | * | * |
| 730.1 | 114 | *90 | * | * | * | * | * | * | * | * | * |
| 730.2 | 350 | 219 | 131 | * | *56 | 138 | 147 | *52 | 101 | 151 | *46 |
| 730.26 | *72 | * | * | * | * | * | * | * | * | * | * |
| 730.27 | 122 | 72 | *50 | * | * | *35 | 68 | * | *37 | *52 | * |
| 730.28 | *108 | *74 | * | * | * | * | * | * | * | * | * |
| 733 | 668 | 213 | 455 | * | 77 | 173 | 398 | 156 | 137 | 249 | 126 |
| 733.1 | 384 | 107 | 277 | * | * | 72 | 282 | 102 | 85 | 134 | 63 |
| 733.13 | 268 | 69 | 199 | * | * | *43 | 218 | 67 | 47 | 110 | *45 |
| 733.14 | *53 | * | * | * | * | * | * | * | * | * | * |
| 733.4 | 113 | 46 | 67 | * | *24 | 45 | 44 | * | * | 38 | *36 |
| 733.42 | 86 | 34 | 52 | * | *17 | *37 | *32 | * | * | *26 | *30 |
| 733.6 | 46 | *9 | 38 | * | *14 | 21 | *11 | *10 | * | 25 | * |
| 733.8 | 89 | 41 | 48 | * | *21 | *32 | *35 | * | * | *40 | *19 |
| 733.82 | 77 | 35 | *42 | * | *18 | *29 | *29 | * | * | *38 | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 736 | *40 | * | * | * | * | * | * | * | * | * | * |
| 737 | 98 | * | 77 | 59 | * | * | * | * | *29 | * | * |
| 737.3 | 84 | * | 64 | *51 | * | * | * | * | * | * | * |
| 737.30 | 58 | * | *50 | *36 | * | * | * | * | * | * | * |
| 738 | 129 | 40 | 89 | * | 28 | 52 | 48 | *20 | *17 | 35 | 57 |
| 738.4 | 119 | 37 | 82 | — | *24 | 48 | 48 | * | * | *31 | 55 |
| 740-759 | 1,233 | 643 | 591 | 964 | 99 | 128 | *43 | 326 | 242 | 375 | 291 |
| 742 | *43 | * | * | * | * | * | * | * | * | * | * |
| 744 | *13 | * | * | * | * | * | — | * | * | * | * |
| 745 | 211 | 136 | 75 | 196 | * | * | * | *40 | * | *75 | * |
| 745.4 | *26 | * | * | * | * | * | * | * | * | * | * |
| 745.5 | *33 | * | * | * | * | * | * | * | * | * | * |
| 746 | 104 | *55 | *48 | *86 | * | * | * | * | * | *47 | * |
| 747 | 232 | 102 | 130 | 143 | *17 | * | * | *65 | * | *46 | * |
| 747.8 | *91 | * | *75 | * | * | * | * | * | * | * | * |
| 747.81 | *79 | * | * | * | * | * | * | * | * | * | * |
| 748 | *87 | * | * | *85 | * | * | * | * | * | * | * |
| 749 | 22 | 13 | *9 | 21 | * | — | — | * | * | * | *9 |
| 749.2 | *12 | *8 | * | *11 | * | — | — | * | * | * | *7 |
| 750 | 54 | 46 | * | 54 | * | * | — | * | * | * | * |
| 750.5 | 32 | 30 | * | 32 | — | — | — | * | * | * | * |
| 751 | 144 | *76 | *69 | 123 | * | * | * | * | * | * | * |
| 753 | 47 | *25 | *22 | *25 | * | * | * | * | * | * | * |
| 753.2 | *13 | * | * | * | * | * | * | * | * | * | * |
| 754 | *23 | * | * | *16 | * | * | — | * | * | * | * |
| 756 | 130 | *47 | *83 | *90 | * | * | * | * | * | *46 | * |
| 756.1 | *35 | * | * | * | * | * | * | * | * | * | * |
| 756.12 | *28 | * | * | * | * | * | * | * | * | * | * |
| 757 | *10 | * | * | * | * | * | — | * | * | *7 | * |
| 757.3 | *7 | * | * | * | * | — | — | — | * | *5 | * |
| 757.32 | *5 | * | * | * | * | — | — | — | — | *5 | * |
| 759 | *48 | * | * | *41 | * | * | * | * | * | * | * |
| 760-779 | 2,107 | 1,219 | 888 | 2,106 | * | * | * | 229 | 386 | 765 | 727 |
| 765 | 851 | 464 | 387 | 851 | — | — | — | * | * | 378 | *294 |
| 765.1 | 447 | 266 | *181 | 447 | — | — | — | * | * | 211 | *153 |
| 765.18 | *89 | * | * | *89 | — | — | — | * | * | * | * |
| 769 | 316 | 189 | *127 | 316 | — | — | — | * | *74 | * | * |
| 770 | 395 | 264 | 131 | 395 | — | — | — | * | *65 | 110 | 156 |
| 770.6 | *88 | *76 | * | *88 | — | — | — | * | * | * | * |
| 770.8 | 203 | 124 | 80 | 203 | — | — | — | * | * | *78 | *71 |
| 770.81 | *56 | * | * | *56 | — | — | — | * | * | * | * |
| 770.89 | 78 | * | * | 78 | — | — | — | * | * | * | * |
| 771 | 72 | *39 | *33 | 72 | — | — | — | * | * | * | *36 |
| 771.8 | 61 | *37 | * | 61 | — | — | — | * | * | * | *30 |
| 773 | *13 | * | * | *13 | — | — | — | * | * | * | * |
| 774 | 112 | 72 | 40 | 112 | — | — | * | *14 | 17 | 42 | 39 |
| 774.2 | *11 | * | * | *11 | — | — | — | * | * | * | * |
| 774.6 | 92 | 61 | 31 | 92 | — | — | * | * | 15 | 37 | 30 |
| 778 | *18 | * | * | *18 | — | — | — | * | * | * | * |
| 778.4 | *15 | * | * | *15 | — | — | — | * | * | * | * |
| 779 | 140 | 74 | 65 | 140 | — | — | — | * | *40 | *46 | *37 |
| 779.3 | *31 | * | * | *31 | — | — | — | * | * | * | * |
| 779.8 | 69 | *26 | * | 69 | — | — | — | * | * | * | * |
| 779.89 | 67 | *25 | * | 67 | — | — | — | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 780-799 | 549 | 236 | 313 | 109 | 152 | 126 | 162 | 143 | 94 | 220 | 91 |
| 780 | 126 | 60 | 66 | 58 | 30 | *14 | 24 | 34 | 24 | 50 | 18 |
| 780.2 | 21 | * | *13 | * | * | * | * | * | * | * | * |
| 780.3 | 56 | 22 | 34 | 29 | *16 | * | * | *14 | *11 | *23 | * |
| 780.39 | 49 | 21 | 27 | 21 | *16 | * | * | *13 | *11 | *19 | * |
| 780.6 | 31 | *19 | *12 | 25 | * | * | * | * | * | *12 | * |
| 786 | 87 | 37 | 50 | * | 20 | 38 | 20 | 24 | *13 | 38 | *12 |
| 786.0 | *14 | * | * | * | * | * | * | * | * | * | * |
| 786.5 | 66 | 29 | 38 | * | 19 | 31 | *15 | 22 | *8 | 26 | *11 |
| 786.50 | 31 | 15 | 15 | * | *11 | 16 | * | *11 | * | 14 | * |
| 786.59 | 30 | 12 | 18 | — | *8 | 13 | * | *10 | * | *11 | * |
| 787 | *12 | * | * | * | * | * | * | * | * | * | * |
| 789 | 46 | 15 | 31 | *13 | 24 | * | * | *12 | * | 18 | *8 |
| 789.0 | 45 | 15 | 30 | *13 | 23 | * | * | *11 | * | 17 | *8 |
| 789.00 | *15 | * | * | * | * | * | * | * | * | * | * |
| 789.03 | *12 | * | *10 | * | * | * | * | * | * | * | * |
| 799 | 224 | 100 | 124 | * | 58 | 59 | 89 | 63 | *37 | 94 | *30 |
| 799.9 | 219 | 98 | 121 | * | 58 | 59 | 84 | 62 | *35 | 92 | *29 |
| 800-999 | 14,796 | 7,450 | 7,345 | 1,016 | 3,625 | 3,817 | 6,338 | 2,906 | 2,991 | 5,815 | 3,084 |
| 800 | 52 | *41 | * | *20 | * | * | * | * | * | * | * |
| 801 | 318 | 275 | *43 | *48 | 161 | * | * | * | *41 | 114 | 142 |
| 801.0 | 86 | 79 | * | * | *68 | * | * | * | * | *58 | * |
| 801.01 | *23 | * | * | * | * | * | * | * | * | * | * |
| 801.2 | 178 | 158 | * | * | *56 | * | * | * | * | * | *115 |
| 802 | 93 | 71 | *22 | * | 58 | * | * | *14 | *19 | 39 | *21 |
| 802.2 | 33 | 29 | * | * | *23 | * | * | * | * | *18 | * |
| 802.4 | *17 | * | * | * | * | * | * | * | * | * | * |
| 805 | 471 | 189 | 282 | * | 106 | 83 | 279 | 103 | 128 | 145 | 95 |
| 805.0 | 129 | 63 | 65 | * | *37 | * | *63 | * | *34 | *44 | * |
| 805.02 | *52 | * | * | * | * | * | * | * | * | * | * |
| 805.2 | 97 | *43 | 54 | * | *27 | * | 52 | * | *35 | *20 | * |
| 805.4 | 199 | 78 | 121 | * | 36 | *29 | 133 | *37 | 51 | 63 | 47 |
| 805.6 | *42 | * | *36 | * | * | * | * | * | * | * | * |
| 806 | *104 | * | * | * | * | * | * | * | * | * | * |
| 807 | 203 | 129 | 74 | * | *51 | 42 | 108 | *31 | 63 | 52 | *57 |
| 807.0 | 153 | 89 | 64 | * | * | 38 | 93 | *29 | 57 | *37 | *29 |
| 807.01 | *26 | * | * | — | * | * | * | * | * | * | * |
| 807.02 | *31 | * | * | — | * | * | *21 | * | * | * | * |
| 807.04 | *28 | * | * | — | * | * | *24 | * | * | * | * |
| 807.2 | *22 | * | * | * | * | * | * | * | * | * | * |
| 808 | 364 | 109 | 255 | * | 68 | *93 | 200 | 85 | 66 | 120 | 93 |
| 808.0 | 115 | *55 | *60 | * | * | * | *35 | * | * | * | * |
| 808.2 | 158 | * | 140 | * | * | * | 138 | *45 | 40 | 40 | *33 |
| 808.4 | *71 | * | * | * | * | * | * | * | * | * | * |
| 810 | *29 | * | * | * | * | * | * | * | * | * | * |
| 810.0 | *29 | * | * | * | * | * | * | * | * | * | * |
| 812 | 272 | 96 | 176 | 21 | 30 | 78 | 144 | 49 | 63 | 98 | 62 |
| 812.0 | 147 | 41 | 106 | * | * | 33 | 106 | *29 | 40 | 45 | *33 |
| 812.00 | 32 | * | *23 | * | * | * | *25 | * | * | * | * |
| 812.01 | 48 | * | *40 | * | * | * | *39 | * | * | * | * |
| 812.09 | 49 | * | *29 | * | * | * | *31 | * | * | *22 | * |
| 812.2 | 41 | *10 | *31 | * | * | * | *20 | * | * | * | * |
| 812.21 | 32 | * | *24 | * | * | * | * | * | * | * | * |
| 812.4 | 66 | 36 | 30 | 14 | * | * | * | * | * | *31 | *11 |
| 812.41 | 25 | *10 | *15 | *11 | * | * | * | * | * | * | * |
| 813 | 188 | 87 | 102 | *14 | 51 | 55 | 68 | 37 | 31 | 86 | 35 |
| 813.0 | 44 | * | *36 | * | * | * | *16 | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 813.2 | *21 | * | * | * | * | * | * | * | * | * | * |
| 813.23 | *18 | * | * | * | * | * | * | * | * | * | * |
| 813.4 | 84 | 35 | 49 | * | *16 | *16 | 43 | *18 | *15 | 36 | *15 |
| 813.41 | *21 | * | * | * | * | * | * | * | * | * | * |
| 813.42 | 30 | * | *20 | * | * | * | * | * | * | * | * |
| 813.44 | *28 | * | * | * | * | * | * | * | * | * | * |
| 813.5 | *23 | * | * | * | * | * | * | * | * | * | * |
| 816 | *19 | *14 | * | * | * | * | * | * | * | * | * |
| 816.1 | *13 | * | * | * | * | * | * | * | * | * | * |
| 820 | 1,904 | 586 | 1,317 | * | *28 | 176 | 1,692 | 379 | 442 | 722 | 360 |
| 820.0 | 571 | 173 | 398 | * | * | 45 | 517 | 86 | 156 | 229 | 100 |
| 820.00 | *37 | * | *28 | — | * | * | *31 | * | * | * | * |
| 820.03 | *52 | * | * | * | * | * | * | * | * | * | * |
| 820.09 | 454 | 120 | 334 | * | * | *35 | 416 | 73 | 122 | 175 | 83 |
| 820.2 | 922 | 252 | 671 | * | * | 98 | 810 | 222 | 186 | 354 | 160 |
| 820.20 | 80 | * | *47 | * | * | * | *68 | * | * | *38 | * |
| 820.21 | 755 | 183 | 572 | * | * | 58 | 688 | 173 | 162 | 268 | 152 |
| 820.22 | 87 | *36 | *51 | * | * | * | *53 | * | * | *49 | * |
| 820.8 | 398 | 150 | 248 | * | * | * | 365 | 71 | 100 | 128 | 99 |
| 821 | 329 | 171 | 158 | 62 | 99 | *46 | 122 | *43 | 85 | 146 | 54 |
| 821.0 | 206 | 120 | 86 | 53 | 75 | * | 56 | * | 55 | 93 | *36 |
| 821.00 | *40 | * | * | * | * | * | * | * | * | * | * |
| 821.01 | 166 | 94 | 71 | *49 | 70 | * | *36 | * | *43 | 79 | * |
| 821.2 | 100 | *31 | 69 | * | * | * | 63 | * | *28 | *39 | * |
| 821.20 | *27 | * | * | * | * | * | * | * | * | * | * |
| 821.23 | *43 | * | *32 | * | * | * | *32 | * | * | * | * |
| 822 | 48 | * | *34 | — | * | * | *23 | * | * | *24 | * |
| 822.0 | 39 | * | *28 | — | * | * | * | * | * | * | * |
| 823 | 441 | 256 | 185 | *23 | 210 | 131 | 77 | 65 | 87 | 225 | 65 |
| 823.0 | 127 | 65 | 62 | * | *27 | 61 | *38 | * | *29 | *49 | *25 |
| 823.00 | 85 | 45 | *39 | * | *21 | *40 | * | * | * | *37 | * |
| 823.02 | *37 | * | * | * | * | * | * | * | * | * | * |
| 823.2 | 59 | 36 | *23 | * | 34 | * | * | * | * | *28 | * |
| 823.22 | 47 | *29 | * | * | *29 | * | * | * | * | * | * |
| 823.3 | 85 | *35 | * | * | *56 | * | * | * | * | * | * |
| 823.32 | *50 | * | * | * | * | * | * | * | * | * | * |
| 823.8 | 59 | *25 | *33 | * | * | * | * | * | * | * | * |
| 823.82 | *41 | * | * | * | * | * | * | * | * | * | * |
| 824 | 387 | 155 | 232 | * | 140 | 111 | 128 | 92 | 75 | 146 | 73 |
| 824.2 | *66 | * | *52 | * | * | * | * | * | * | * | * |
| 824.4 | 84 | 22 | 61 | * | *14 | *24 | *46 | *28 | *17 | *21 | *17 |
| 824.6 | 80 | *17 | 63 | * | *14 | 24 | 43 | *19 | 24 | * | *20 |
| 824.8 | 74 | 40 | 34 | * | 29 | *24 | * | *22 | *17 | *18 | * |
| 824.9 | *35 | * | * | * | * | * | * | * | * | * | * |
| 825 | 70 | 41 | *29 | * | 36 | *22 | * | * | *19 | *29 | * |
| 825.0 | *23 | * | * | * | * | * | * | * | * | * | * |
| 825.2 | *25 | * | * | * | * | * | * | * | * | * | * |
| 840 | 27 | 14 | *13 | — | * | 15 | *12 | * | * | *11 | * |
| 840.4 | 19 | *10 | * | — | * | *10 | * | * | * | *7 | * |
| 844 | 39 | *24 | * | * | * | * | * | * | * | * | * |
| 847 | 29 | *15 | * | * | * | * | * | * | * | * | * |
| 847.2 | *18 | * | * | * | * | * | * | * | * | * | * |
| 850 | 177 | 119 | 58 | *58 | 46 | 27 | 45 | 34 | 22 | 50 | *71 |
| 850.0 | 22 | * | *16 | * | * | * | * | * | * | * | * |
| 850.1 | 45 | 28 | *17 | * | *18 | * | * | * | * | *22 | * |
| 850.11 | 45 | 28 | *17 | * | *18 | * | * | * | * | *22 | * |
| 850.5 | 94 | 79 | *15 | * | *18 | * | * | * | * | *20 | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 851 | 162 | 102 | *60 | * | 54 | *39 | 67 | * | * | 74 | *41 |
| 851.8 | 120 | 70 | *50 | * | *44 | * | *58 | * | * | *58 | *26 |
| 851.86 | *28 | * | * | * | * | * | * | * | * | * | * |
| 852 | 412 | 227 | 185 | * | *43 | 118 | 242 | 63 | 91 | 188 | 71 |
| 852.0 | 89 | 46 | *43 | * | * | *31 | 46 | * | * | *30 | *22 |
| 852.01 | *28 | * | * | * | * | * | * | * | * | * | * |
| 852.2 | 318 | 179 | 140 | * | * | *86 | 193 | *51 | 64 | 155 | *48 |
| 852.20 | 87 | *66 | * | * | * | * | *66 | * | * | * | * |
| 852.21 | 119 | *66 | *53 | * | * | * | 87 | * | * | *65 | * |
| 852.22 | *55 | * | * | * | * | * | * | * | * | * | * |
| 853 | 86 | * | *43 | * | * | * | *51 | * | * | * | * |
| 853.0 | 86 | * | *43 | * | * | * | *51 | * | * | * | * |
| 860 | 175 | 116 | *60 | * | 78 | 56 | *40 | *29 | *32 | *83 | *33 |
| 860.0 | 56 | 37 | * | * | * | * | * | * | * | * | * |
| 860.4 | *72 | * | * | * | * | * | * | * | * | * | * |
| 861 | *42 | *37 | * | * | * | * | * | * | * | * | * |
| 861.2 | *33 | * | * | * | * | * | * | * | * | * | * |
| 861.21 | *33 | * | * | * | * | * | * | * | * | * | * |
| 863 | 132 | *114 | * | * | *105 | * | * | * | * | * | * |
| 864 | *58 | *47 | * | * | *49 | * | * | * | * | * | * |
| 864.0 | *30 | * | * | * | * | * | * | * | * | * | * |
| 865 | 101 | 69 | *33 | * | *38 | * | * | * | * | *29 | *37 |
| 865.0 | 100 | 68 | *33 | * | *38 | * | * | * | * | * | *37 |
| 871 | *14 | * | * | * | * | * | * | * | * | * | * |
| 873 | 65 | 38 | *27 | * | 32 | *13 | * | *17 | * | *24 | *15 |
| 873.0 | *15 | * | * | * | * | * | * | * | * | * | * |
| 873.4 | 21 | *12 | * | * | *12 | * | * | * | * | * | * |
| 879 | *27 | * | * | * | * | * | * | * | * | * | * |
| 881 | 21 | *13 | * | * | *17 | * | * | * | * | * | * |
| 882 | *31 | *18 | * | * | *26 | * | * | * | * | * | * |
| 883 | *23 | *21 | * | * | *16 | * | * | * | * | * | * |
| 886 | *15 | *13 | * | * | * | * | * | * | * | * | * |
| 886.0 | *13 | *12 | * | * | * | * | * | * | * | * | * |
| 891 | *34 | * | * | * | * | * | * | * | * | * | * |
| 891.1 | *24 | * | * | * | * | * | * | * | * | * | * |
| 892 | *27 | * | * | * | * | * | * | * | * | * | * |
| 920 | 23 | * | *17 | * | * | * | *16 | * | * | * | * |
| 922 | 45 | *20 | *25 | * | * | * | *27 | * | *23 | * | * |
| 922.1 | 21 | * | * | * | * | * | *13 | * | * | * | * |
| 924 | 82 | *17 | 65 | — | * | * | 68 | * | *19 | *24 | * |
| 924.0 | 48 | * | 39 | — | * | * | 42 | * | * | * | * |
| 924.01 | 40 | * | *34 | — | * | * | 37 | * | * | * | * |
| 924.1 | *23 | * | * | — | * | * | * | * | * | * | * |
| 935 | *10 | * | * | * | * | * | * | * | * | * | * |
| 935.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 941 | 73 | 42 | * | * | * | * | * | * | * | *51 | * |
| 941.2 | 33 | *30 | * | * | * | * | * | * | * | *19 | * |
| 941.29 | *16 | * | * | * | * | * | * | * | * | * | * |
| 942 | 67 | *51 | * | *17 | * | * | * | * | * | *39 | — |
| 942.2 | 31 | *19 | * | *15 | * | * | * | * | * | *16 | — |
| 943 | 75 | *47 | * | * | *44 | * | * | * | * | *40 | * |
| 943.2 | *23 | *19 | * | * | * | * | * | * | * | * | * |
| 944 | *25 | *17 | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD–9–CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data from categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 945 | 152 | 125 | * | *20 | *30 | * | * | * | * | 80 | * |
| 945.2 | *20 | *16 | * | * | * | * | * | * | * | *17 | * |
| 945.3 | 120 | 100 | * | * | * | * | * | * | * | *54 | * |
| 948 | *103 | *87 | * | *66 | * | * | * | * | – | *87 | – |
| 949 | *98 | *78 | * | *92 | * | – | * | – | – | *98 | – |
| 949.0 | *98 | *78 | * | *92 | * | – | – | – | – | *98 | – |
| 958 | 105 | *43 | * | * | * | * | * | * | * | * | * |
| 958.3 | *75 | * | * | * | * | * | * | * | * | * | * |
| 959 | 109 | 40 | 69 | *8 | 29 | *28 | 44 | *16 | 29 | *30 | 34 |
| 959.0 | 58 | 19 | 39 | * | *12 | * | *31 | * | *20 | * | *13 |
| 959.01 | 56 | *17 | 39 | * | * | * | *31 | * | *20 | * | *12 |
| 959.1 | *12 | * | * | * | * | * | * | * | * | * | * |
| 962 | *24 | *13 | * | * | * | * | * | * | * | *15 | * |
| 962.3 | *24 | *13 | * | * | * | * | * | * | * | *15 | * |
| 963 | *14 | * | * | * | * | * | * | * | * | * | * |
| 963.0 | *13 | * | * | * | * | * | – | * | * | * | * |
| 965 | 199 | 93 | 106 | * | 115 | 64 | * | 54 | 41 | 66 | 38 |
| 965.0 | 94 | 55 | 40 | * | 42 | 45 | * | *28 | * | *27 | *24 |
| 965.09 | 40 | * | *28 | * | * | *28 | * | * | * | * | * |
| 965.1 | *10 | * | * | * | *7 | * | * | * | * | * | * |
| 965.4 | 77 | *27 | 50 | * | 57 | * | * | *23 | *11 | 35 | * |
| 966 | 54 | *44 | * | * | *44 | * | * | * | * | * | * |
| 966.3 | *32 | * | * | * | *26 | * | * | * | * | * | * |
| 967 | 28 | * | *19 | – | *13 | * | * | * | * | *15 | * |
| 967.8 | *18 | * | *12 | – | * | * | * | * | * | *9 | * |
| 969 | 216 | 100 | 116 | * | 117 | 82 | * | 38 | 37 | 78 | 63 |
| 969.0 | 59 | *29 | 30 | * | 35 | * | * | * | * | *23 | *22 |
| 969.3 | 25 | * | * | * | *14 | * | * | * | * | * | * |
| 969.4 | 89 | 44 | 45 | * | 40 | 42 | * | *23 | *21 | 37 | * |
| 969.7 | *23 | * | * | * | * | * | * | * | * | * | * |
| 970 | 58 | 41 | *17 | * | 39 | *18 | * | *32 | * | *12 | * |
| 970.8 | 56 | 40 | *16 | * | 38 | * | * | *32 | * | *12 | * |
| 972 | 23 | * | * | * | * | * | * | * | * | * | * |
| 972.6 | *9 | * | * | * | * | * | * | * | * | * | * |
| 975 | *31 | * | *21 | * | *18 | * | * | * | * | * | * |
| 975.2 | *27 | * | * | * | * | * | * | * | * | * | * |
| 977 | *19 | * | *12 | * | *13 | * | * | * | * | * | * |
| 980 | *12 | *10 | * | * | * | * | * | * | * | * | * |
| 989 | 16 | *9 | * | * | * | * | * | * | * | *10 | * |
| 989.5 | *13 | *8 | * | * | * | * | * | * | * | *9 | * |
| 995 | 155 | 74 | 81 | *24 | *25 | 53 | 53 | *25 | 62 | 51 | *18 |
| 995.1 | 23 | * | *14 | * | * | * | * | * | * | * | * |
| 995.9 | 81 | *41 | *40 | * | * | *34 | * | * | *39 | * | * |
| 995.91 | 56 | * | *35 | * | * | *32 | * | * | *38 | * | * |
| 996 | 2,985 | 1,440 | 1,545 | 194 | 442 | 1,054 | 1,295 | 609 | 520 | 1,292 | 564 |
| 996.0 | 76 | 50 | *26 | * | * | *21 | 46 | *18 | *21 | *23 | *15 |
| 996.01 | 37 | *19 | *18 | * | * | * | 24 | * | * | * | * |
| 996.04 | 25 | *22 | * | * | * | * | *13 | * | * | * | * |
| 996.1 | 48 | *23 | * | * | * | * | * | * | * | * | * |
| 996.2 | 91 | 36 | 56 | *32 | 31 | * | * | * | *31 | *33 | * |
| 996.4 | 406 | 132 | 274 | * | *39 | 132 | 233 | 94 | 87 | 162 | 64 |
| 996.5 | *37 | * | *23 | * | * | * | * | * | * | * | * |
| 996.6 | 1,559 | 774 | 785 | 108 | 227 | 566 | 657 | 334 | 276 | 618 | 331 |
| 996.61 | 86 | *67 | * | * | * | * | * | * | * | * | * |
| 996.62 | 718 | 321 | 397 | *58 | 149 | 270 | 242 | 141 | 126 | 279 | 172 |
| 996.63 | *63 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| 996.64 | 102 | 65 | *37 | — | * | * | 79 | * | * | 50 | * |
| 996.66 | 286 | 157 | 129 | * | * | 106 | 172 | * | 81 | 107 | * |
| 996.67 | 124 | *64 | *60 | * | * | *53 | * | * | * | * | * |
| 996.68 | *57 | * | * | * | * | * | * | * | * | * | * |
| 996.69 | 93 | *42 | *52 | * | * | * | * | * | * | *43 | * |
| 996.7 | 548 | 284 | 264 | * | 61 | 192 | 285 | 93 | 70 | 271 | 115 |
| 996.72 | 37 | 25 | * | * | * | *16 | *15 | * | * | *15 | * |
| 996.73 | 161 | 83 | 78 | * | *19 | 81 | 60 | * | *19 | 79 | 44 |
| 996.74 | 165 | 92 | 73 | * | * | *50 | 99 | *37 | * | 94 | * |
| 996.77 | 86 | 38 | *48 | — | * | * | 70 | * | * | *41 | *26 |
| 996.78 | 39 | *14 | *25 | * | * | * | * | * | * | *14 | * |
| 996.8 | 210 | 120 | 89 | * | 67 | 88 | * | *36 | * | 152 | * |
| 996.81 | 121 | 69 | *52 | * | *49 | *35 | * | * | * | 83 | * |
| 997 | 647 | 328 | 318 | * | 102 | 242 | 283 | 161 | 159 | 199 | 127 |
| 997.0 | *52 | * | * | * | * | * | * | * | * | * | * |
| 997.1 | 46 | *29 | * | * | * | * | *31 | * | * | * | * |
| 997.2 | 35 | *21 | * | — | * | * | * | * | * | * | * |
| 997.3 | 66 | * | *43 | * | * | * | * | * | * | * | * |
| 997.4 | 244 | 100 | 145 | * | 68 | 89 | 80 | 67 | 66 | 63 | *49 |
| 997.5 | 46 | *33 | * | * | * | *23 | * | * | * | * | * |
| 997.6 | 139 | 92 | *47 | * | * | *51 | 72 | *40 | * | *49 | * |
| 997.62 | 112 | 79 | * | — | * | *42 | *58 | * | * | * | * |
| 997.69 | *27 | * | * | * | * | * | * | * | * | * | * |
| 998 | 1,542 | 678 | 864 | 43 | 367 | 526 | 607 | 351 | 324 | 512 | 356 |
| 998.1 | 238 | 85 | 153 | * | 65 | 50 | 119 | 63 | 62 | 63 | 51 |
| 998.11 | 98 | 51 | 48 | * | *14 | *20 | 62 | 26 | *18 | 29 | *25 |
| 998.12 | 126 | *32 | 93 | * | 46 | *24 | *55 | *34 | *39 | *29 | * |
| 998.2 | *75 | * | *56 | * | * | * | * | * | * | * | * |
| 998.3 | 114 | *50 | 65 | * | *38 | *43 | * | * | * | *44 | *37 |
| 998.32 | 86 | *39 | *47 | * | * | *38 | * | * | * | *39 | * |
| 998.5 | 940 | 421 | 519 | *25 | 223 | 329 | 362 | 226 | 204 | 335 | 175 |
| 998.51 | *30 | * | * | * | * | * | * | * | * | * | * |
| 998.59 | 910 | 416 | 494 | * | 216 | 314 | 355 | 220 | 197 | 324 | 169 |
| 998.6 | *97 | * | * | * | * | * | * | * | * | * | * |
| 998.8 | 70 | *28 | 42 | * | * | *28 | *19 | * | * | *27 | *16 |
| 998.83 | *36 | * | * | * | * | * | * | * | * | * | * |
| 998.89 | 33 | *13 | *20 | * | * | *14 | * | * | * | * | * |
| 999 | *26 | * | * | * | * | * | * | * | * | * | * |
| V01-V83 | 18,070 | 3,227 | 14,843 | 379 | 11,225 | 1,550 | 4,916 | 3,264 | 3,627 | 6,951 | 4,228 |
| V10 | *17 | * | * | — | * | * | * | * | * | * | * |
| V12 | *15 | * | * | * | * | * | * | * | * | * | * |
| V12.5 | *13 | * | * | * | * | * | * | * | * | * | * |
| V15 | *15 | *11 | * | * | * | * | * | * | * | * | * |
| V15.8 | *14 | *11 | * | * | * | * | * | * | * | * | * |
| V17 | *6 | * | * | * | * | * | * | * | * | * | * |
| V27 | 10,425 | — | 10,425 | *15 | 10,387 | *24 | — | 1,674 | 2,066 | 4,107 | 2,578 |
| V27.0 | 9,605 | — | 9,605 | *14 | 9,572 | *19 | — | 1,503 | 1,892 | 3,809 | 2,401 |
| V27.1 | 35 | — | 35 | — | 35 | — | — | * | * | *13 | *10 |
| V27.2 | 269 | — | 269 | — | 267 | * | — | 47 | *21 | 144 | 57 |
| V27.9 | 503 | — | 503 | * | 500 | * | — | 118 | 140 | 137 | 108 |
| V30 | *54 | * | *38 | *54 | — | — | — | * | * | * | * |
| V30.1 | *54 | * | *38 | *54 | — | — | — | * | * | * | * |
| V42 | *12 | * | * | * | * | * | * | * | * | * | * |
| V45 | 52 | *20 | 33 | * | *18 | *15 | *17 | * | *20 | *13 | *10 |
| V45.7 | *17 | * | *16 | * | * | * | * | * | * | * | * |
| V45.8 | 24 | *16 | * | * | * | * | * | * | * | * | * |
| V45.89 | *11 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 46. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data from categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-------------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of days of care in thousands | | | | | | | | | | | |
| V50 | *10 | * | * | * | * | * | * | * | * | * | * |
| V53 | 39 | 26 | *13 | * | * | * | 30 | * | *9 | *10 | *10 |
| V53.3 | 36 | 23 | *13 | * | * | * | 30 | * | *9 | * | *10 |
| V53.31 | 22 | *14 | *8 | — | * | * | 20 | * | * | * | * |
| V53.32 | *14 | * | * | * | * | * | * | * | * | * | * |
| V54 | 247 | *54 | 194 | * | * | * | 230 | *65 | * | * | *160 |
| V54.1 | *154 | * | *151 | * | * | * | *144 | * | * | * | * |
| V54.8 | *88 | * | *39 | * | * | * | *85 | * | * | * | * |
| V54.81 | *62 | * | * | — | — | * | *61 | * | — | * | * |
| V55 | 194 | 96 | 98 | * | *35 | 74 | 71 | *50 | *41 | 64 | *39 |
| V55.2 | 60 | * | *36 | * | * | *25 | * | * | * | * | * |
| V55.3 | 118 | 65 | *53 | * | * | *44 | *49 | * | * | *40 | * |
| V56 | *28 | * | * | * | * | * | * | * | * | * | * |
| V56.0 | *17 | * | * | * | * | * | * | * | * | * | * |
| V57 | 5,723 | 2,354 | 3,369 | * | 440 | 1,083 | 4,155 | 1,146 | 1,289 | 2,105 | 1,183 |
| V57.1 | 1,060 | 463 | 597 | * | *100 | 208 | 745 | 286 | * | 484 | 249 |
| V57.8 | 4,619 | 1,891 | 2,728 | * | 340 | 860 | 3,379 | 844 | 1,248 | 1,608 | 919 |
| V57.89 | 4,617 | 1,891 | 2,726 | * | 340 | 860 | 3,378 | 842 | 1,248 | 1,608 | 919 |
| V58 | 965 | 527 | 438 | 168 | 198 | 266 | 333 | 225 | 148 | 400 | 192 |
| V58.0 | *52 | * | * | * | * | * | * | * | * | * | * |
| V58.1 | 743 | 420 | 323 | 150 | 174 | 230 | 190 | 168 | 95 | 336 | 145 |
| V58.4 | *37 | * | * | * | * | * | * | * | * | * | * |
| V58.7 | *50 | * | * | * | * | * | * | * | * | * | * |
| V58.8 | 60 | * | *34 | * | * | * | *46 | * | *43 | * | * |
| V58.89 | 56 | * | *31 | * | * | * | *44 | * | *42 | * | * |
| V59 | *21 | * | * | — | * | * | * | * | * | * | * |
| V59.4 | *19 | * | * | — | * | * | * | * | * | * | * |
| V70 | 36 | 23 | *14 | * | 20 | * | * | * | * | *19 | * |
| V70.7 | 29 | *21 | * | * | *13 | * | * | * | * | * | * |
| V71 | 16 | *9 | *8 | * | * | * | *8 | * | * | *8 | * |
| V71.8 | *10 | * | * | * | * | * | * | * | * | * | * |
| V71.89 | *10 | * | * | * | * | * | * | * | * | * | * |

* Figure does not meet standards of reliability or precision.

— Quantity zero.

NOTE: If estimate is preceded by an asterisk (*), use according to size of corresponding estimate in Table 45; see "Methods" section.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|---------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|--------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| All codes | 169,359 | 69,384 | 99,974 | 7,242 | 41,680 | 42,790 | 77,647 | 35,502 | 41,303 | 60,850 | 31,703 |
| 001–139 | 4,331 | 1,955 | 2,376 | 466 | 901 | 1,182 | 1,782 | 936 | 937 | 1,617 | 840 |
| 003 | 13 | * | *8 | * | * | * | * | * | * | *7 | * |
| 003.0 | 10 | * | *6 | * | * | * | * | * | * | *5 | * |
| 005 | *7 | * | * | * | * | * | * | * | * | * | * |
| 005.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 008 | 439 | 173 | 266 | 95 | 47 | 78 | 218 | 124 | 92 | 163 | 60 |
| 008.4 | 258 | 101 | 157 | *9 | 19 | 56 | 174 | 86 | 56 | 85 | 30 |
| 008.45 | 252 | 98 | 154 | *7 | 18 | 55 | 172 | 84 | 55 | 84 | 28 |
| 008.5 | *5 | * | * | * | * | * | * | * | * | * | * |
| 008.6 | 56 | 28 | 28 | 52 | * | * | * | *6 | 10 | 28 | 11 |
| 008.61 | 53 | 27 | 26 | 51 | * | * | * | *6 | 10 | 28 | 10 |
| 008.8 | 118 | 42 | 76 | 33 | 26 | 20 | 39 | 31 | 25 | 44 | 19 |
| 009 | 23 | 10 | 14 | * | *8 | *6 | *8 | *6 | * | *7 | *7 |
| 009.0 | 15 | *5 | 9 | * | *6 | * | * | * | * | * | * |
| 011 | 17 | 13 | * | * | *5 | *8 | * | * | * | 10 | * |
| 011.9 | 12 | *9 | * | * | * | *5 | * | * | * | *8 | * |
| 011.90 | *8 | *7 | * | * | * | * | * | * | * | *6 | * |
| 031 | 14 | *7 | *7 | * | * | * | *6 | * | * | 10 | * |
| 031.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 031.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 033 | *9 | * | * | *8 | * | * | * | * | * | * | * |
| 034 | 24 | 12 | 12 | 12 | 10 | * | * | *6 | *6 | *9 | * |
| 034.0 | 23 | 11 | 12 | 11 | 10 | * | * | *6 | *6 | *8 | * |
| 038 | 861 | 428 | 434 | 24 | 89 | 213 | 534 | 178 | 189 | 324 | 171 |
| 038.0 | 52 | 27 | 25 | * | *8 | 14 | 28 | 11 | 12 | 18 | 11 |
| 038.1 | 145 | 79 | 66 | *5 | 21 | 43 | 76 | 28 | 28 | 62 | 27 |
| 038.10 | 12 | *7 | *5 | * | * | * | *7 | * | * | *5 | * |
| 038.11 | 103 | 59 | 44 | * | 15 | 30 | 55 | 20 | 18 | 45 | 20 |
| 038.19 | 29 | 13 | 17 | * | *5 | *8 | 14 | *5 | *8 | 12 | * |
| 038.2 | 12 | *7 | * | * | * | * | *5 | * | * | * | * |
| 038.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 038.4 | 147 | 63 | 84 | * | 17 | 39 | 87 | 34 | 40 | 41 | 32 |
| 038.40 | 16 | *8 | *8 | * | * | *5 | *9 | * | * | *6 | * |
| 038.42 | 72 | 26 | 46 | * | *8 | 17 | 45 | 17 | 22 | 19 | 15 |
| 038.43 | 15 | *8 | *7 | * | * | * | *8 | * | * | *5 | * |
| 038.49 | 42 | 20 | 21 | * | * | 12 | 25 | 12 | 11 | 10 | 9 |
| 038.8 | 24 | 11 | 13 | * | * | *6 | 15 | *7 | *6 | *8 | * |
| 038.9 | 475 | 238 | 237 | 11 | 39 | 107 | 318 | 92 | 97 | 190 | 95 |
| 040 | *6 | * | * | * | * | * | * | * | * | * | * |
| 041 | 1,317 | 542 | 775 | 145 | 260 | 306 | 606 | 245 | 311 | 489 | 272 |
| 041.0 | 183 | 76 | 107 | 15 | 41 | 44 | 83 | 37 | 42 | 67 | 37 |
| 041.00 | 25 | 14 | 11 | * | * | *7 | 11 | * | * | 12 | * |
| 041.01 | 12 | *6 | *6 | * | * | * | * | * | * | * | * |
| 041.02 | 36 | 9 | 26 | * | 19 | *7 | *8 | *6 | 9 | 13 | *7 |
| 041.04 | 82 | 32 | 50 | * | *6 | 20 | 51 | 18 | 20 | 29 | 14 |
| 041.09 | 25 | 14 | 11 | * | * | *8 | 10 | *6 | * | *8 | *6 |
| 041.1 | 380 | 212 | 168 | 52 | 101 | 110 | 117 | 66 | 83 | 147 | 83 |
| 041.10 | 19 | 11 | *9 | * | * | *6 | *7 | * | * | *7 | * |
| 041.11 | 320 | 179 | 141 | 43 | 90 | 91 | 96 | 55 | 68 | 126 | 71 |
| 041.19 | 41 | 23 | 18 | *6 | *7 | 13 | 14 | *7 | 10 | 14 | 10 |
| 041.3 | 84 | 25 | 59 | * | 9 | 17 | 52 | 19 | 18 | 33 | 14 |
| 041.4 | 362 | 91 | 272 | 43 | 56 | 57 | 207 | 67 | 100 | 116 | 80 |
| 041.6 | 47 | 15 | 31 | * | * | *6 | 35 | *8 | *9 | 22 | *7 |
| 041.7 | 77 | 39 | 38 | 9 | 10 | 21 | 37 | 16 | 16 | 30 | 16 |
| 041.8 | 157 | 76 | 82 | 15 | 32 | 43 | 67 | 24 | 38 | 65 | 30 |
| 041.84 | 13 | *5 | *8 | * | * | * | *5 | * | * | *6 | * |
| 041.85 | 56 | 24 | 32 | *6 | *8 | 14 | 27 | *7 | 16 | 24 | *9 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 041.86 | 47 | 27 | 21 | * | 10 | 17 | 19 | *8 | *9 | 20 | 11 |
| 041.89 | 34 | 17 | 16 | *5 | *8 | *9 | 12 | *6 | *8 | 12 | *7 |
| 041.9 | 18 | * | 14 | * | *7 | * | * | * | * | *6 | * |
| 042 | 125 | 78 | 47 | * | 68 | 53 | * | 42 | 13 | 55 | 15 |
| 047 | 44 | 22 | 22 | 20 | 19 | * | * | *7 | 12 | 14 | 11 |
| 047.8 | *5 | * | * | * | * | * | — | * | * | * | * |
| 047.9 | 39 | 20 | 19 | 16 | 18 | * | * | *7 | 11 | 13 | *8 |
| 052 | *5 | * | * | * | * | * | * | * | * | * | * |
| 053 | 66 | 24 | 42 | * | * | 10 | 52 | 16 | 17 | 18 | 16 |
| 053.1 | 22 | *9 | 14 | * | * | * | 20 | *5 | *8 | * | *6 |
| 053.19 | 18 | *7 | 12 | * | * | * | 17 | * | *7 | * | * |
| 053.2 | *8 | * | * | * | * | * | *6 | * | * | * | * |
| 053.9 | 31 | 10 | 21 | * | * | *6 | 22 | *9 | *7 | *9 | *6 |
| 054 | 67 | 14 | 52 | *5 | 42 | 10 | 9 | 9 | 11 | 30 | 17 |
| 054.1 | 25 | * | 23 | * | 21 | * | * | * | * | 11 | *6 |
| 054.10 | 16 | * | 15 | — | 14 | * | * | * | * | *8 | * |
| 054.9 | 28 | *6 | 23 | * | 18 | *5 | * | * | * | 15 | * |
| 057 | *6 | * | * | * | * | * | * | * | * | * | * |
| 066 | *6 | * | * | — | * | * | * | * | * | * | * |
| 070 | 448 | 268 | 180 | * | 134 | 259 | 54 | 102 | 62 | 168 | 116 |
| 070.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 070.3 | 51 | 33 | 18 | * | 19 | 26 | *6 | 12 | *7 | 20 | 11 |
| 070.30 | 29 | 19 | 10 | — | 10 | 16 | * | *5 | * | 14 | *6 |
| 070.32 | 21 | 13 | *8 | * | *9 | 9 | * | *7 | * | *6 | * |
| 070.4 | *6 | * | * | — | * | * | * | * | * | * | * |
| 070.44 | *6 | * | * | — | * | * | * | * | * | * | * |
| 070.5 | 198 | 120 | 79 | * | 59 | 114 | 26 | 45 | 22 | 66 | 64 |
| 070.51 | 15 | *8 | *7 | — | * | 9 | * | *6 | * | * | * |
| 070.54 | 182 | 111 | 71 | — | 54 | 104 | 24 | 39 | 19 | 62 | 62 |
| 070.7 | 180 | 104 | 76 | — | 49 | 111 | 20 | 39 | 31 | 76 | 35 |
| 070.70 | 178 | 103 | 75 | — | 49 | 108 | 20 | 39 | 30 | 74 | 34 |
| 075 | 18 | 9 | *9 | * | 13 | * | — | * | *7 | * | * |
| 078 | 25 | 9 | 16 | * | 15 | * | * | * | *6 | 11 | * |
| 078.1 | 11 | * | *9 | * | *9 | * | * | * | * | *5 | * |
| 078.10 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 078.5 | *8 | * | * | * | * | * | * | * | * | * | * |
| 079 | 167 | 73 | 94 | 84 | 36 | 19 | 28 | 35 | 37 | 58 | 36 |
| 079.6 | *8 | * | * | *8 | * | * | * | * | * | * | * |
| 079.8 | *8 | * | * | *6 | * | * | * | * | * | * | * |
| 079.89 | *8 | * | * | *6 | * | * | * | * | * | * | * |
| 079.9 | 145 | 63 | 82 | 69 | 31 | 18 | 27 | 32 | 33 | 51 | 29 |
| 079.99 | 142 | 63 | 79 | 69 | 28 | 18 | 27 | 32 | 33 | 48 | 28 |
| 088 | *6 | * | * | * | * | * | * | * | * | * | * |
| 088.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 088.81 | *6 | * | * | * | * | * | * | * | * | * | * |
| 094 | *8 | * | * | — | * | * | * | * | * | * | * |
| 094.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 098 | *7 | * | *6 | * | *6 | * | — | * | * | * | * |
| 099 | *5 | * | *5 | * | *5 | * | — | * | * | * | * |
| 110 | 64 | 34 | 30 | * | 11 | 18 | 32 | 18 | 17 | 20 | *8 |
| 110.1 | 33 | 16 | 17 | * | * | *7 | 23 | 11 | 9 | 11 | * |
| 110.4 | 14 | *9 | *5 | * | * | *7 | * | * | *5 | * | * |
| 110.5 | *6 | * | * | * | * | * | * | * | * | * | * |
| 112 | 308 | 118 | 190 | 30 | 59 | 87 | 132 | 66 | 78 | 120 | 44 |
| 112.0 | 173 | 70 | 102 | 19 | 31 | 49 | 74 | 38 | 42 | 70 | 22 |
| 112.1 | 19 | — | 19 | * | 9 | * | * | * | * | *8 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | | |
| 112.2 | 34 | 12 | 22 | * | * | *6 | 23 | *7 | *9 | 11 | *7 | |
| 112.3 | 14 | * | 9 | *5 | * | * | * | * | * | * | * | |
| 112.4 | 9 | *5 | * | * | * | * | *5 | * | * | * | * | |
| 112.5 | 9 | * | * | * | * | * | * | * | * | * | * | |
| 112.8 | 41 | 17 | 24 | * | *7 | 18 | 15 | 10 | 11 | 14 | *6 | |
| 112.84 | 29 | 13 | 17 | * | *6 | 12 | 11 | 9 | *8 | *8 | * | |
| 112.89 | 10 | * | *6 | * | * | *5 | * | * | * | * | * | |
| 112.9 | *9 | * | *5 | * | * | * | * | * | * | *5 | * | |
| 117 | 26 | 10 | 16 | * | * | 13 | *8 | *8 | *6 | *7 | * | |
| 117.3 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 117.5 | 10 | * | *7 | * | * | *6 | * | * | * | * | * | |
| 117.9 | *8 | * | * | * | * | * | * | * | * | * | * | |
| 125 | *7 | * | *7 | — | * | * | * | * | *6 | * | * | |
| 125.9 | *5 | * | * | — | * | — | * | * | * | * | * | |
| 131 | 11 | * | 11 | * | *9 | * | * | * | * | *5 | * | |
| 131.0 | *7 | * | *6 | * | *5 | * | * | * | * | * | * | |
| 135 | 60 | 19 | 41 | * | 13 | 32 | 14 | 20 | 14 | 19 | *7 | |
| 136 | 22 | 13 | *9 | * | *8 | *6 | *7 | * | * | 13 | * | |
| 136.3 | 12 | *7 | * | — | *7 | * | * | * | * | *7 | * | |
| 136.9 | 9 | *5 | * | * | * | * | *6 | * | * | *6 | * | |
| 138 | 23 | *9 | 14 | — | * | *5 | 17 | * | 10 | *7 | * | |
| 140–239 | 4,454 | 1,921 | 2,532 | 112 | 613 | 1,560 | 2,169 | 992 | 991 | 1,642 | 828 | |
| 141 | 12 | 10 | * | — | * | *6 | *5 | * | * | * | * | |
| 146 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 150 | 35 | 25 | 10 | — | * | 12 | 21 | *8 | *7 | 11 | *8 | |
| 150.5 | *7 | * | * | — | * | * | * | * | * | * | * | |
| 150.8 | *6 | * | * | — | * | * | * | * | * | * | * | |
| 150.9 | 18 | 13 | * | — | * | * | 13 | * | * | *7 | * | |
| 151 | 42 | 24 | 18 | — | * | 15 | 24 | *7 | 13 | 15 | *6 | |
| 151.0 | 14 | 10 | * | — | * | *6 | *7 | * | * | *6 | * | |
| 151.8 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 151.9 | 14 | *7 | *7 | — | * | * | 9 | * | * | *6 | * | |
| 152 | *8 | *6 | * | — | * | * | * | * | * | * | * | |
| 153 | 181 | 85 | 96 | * | *6 | 56 | 118 | 41 | 44 | 68 | 28 | |
| 153.0 | *9 | * | * | — | * | * | *7 | * | * | * | * | |
| 153.1 | 12 | *8 | * | — | * | * | *8 | * | * | * | * | |
| 153.2 | *8 | * | *6 | — | * | * | * | * | * | * | * | |
| 153.3 | 25 | 12 | 13 | — | * | *8 | 15 | *5 | *7 | *8 | *5 | |
| 153.4 | 28 | 12 | 15 | — | * | *8 | 19 | *6 | *6 | 10 | *6 | |
| 153.6 | 23 | 10 | 13 | — | * | *6 | 17 | * | *7 | *8 | *5 | |
| 153.8 | *7 | * | * | — | * | * | * | *5 | * | * | * | |
| 153.9 | 63 | 30 | 33 | — | * | 22 | 39 | 14 | 14 | 31 | * | |
| 154 | 66 | 39 | 27 | — | * | 24 | 39 | 14 | 16 | 26 | 10 | |
| 154.0 | 27 | 17 | 9 | — | * | 10 | 15 | *6 | *6 | 11 | * | |
| 154.1 | 35 | 20 | 15 | — | * | 11 | 22 | *7 | 9 | 13 | *5 | |
| 155 | 36 | 22 | 14 | * | * | 17 | 16 | 10 | * | 15 | *6 | |
| 155.0 | 26 | 17 | 9 | * | * | 13 | 11 | *9 | * | 10 | * | |
| 155.1 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 156 | 13 | *8 | *6 | — | * | * | 9 | * | * | * | * | |
| 157 | 61 | 33 | 28 | * | * | 18 | 39 | 12 | 17 | 19 | 12 | |
| 157.0 | 17 | *8 | *8 | — | * | * | 11 | * | * | * | *6 | |
| 157.8 | 9 | * | * | — | * | * | *6 | * | * | * | * | |
| 157.9 | 29 | 16 | 13 | — | * | *8 | 18 | * | 10 | 10 | * | |
| 158 | *8 | * | *5 | * | * | * | * | * | * | * | * | |
| 161 | 18 | 13 | * | — | * | 10 | *7 | * | * | *6 | *6 | |
| 161.9 | *5 | * | * | — | * | * | * | * | * | * | * | |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 162 | 361 | 201 | 161 | * | *7 | 117 | 236 | 86 | 91 | 136 | 48 |
| 162.2 | 15 | *9 | *6 | - | * | *5 | 10 | * | * | *6 | * |
| 162.3 | 80 | 45 | 35 | * | * | 26 | 52 | 19 | 18 | 29 | 13 |
| 162.5 | 33 | 18 | 15 | * | * | 12 | 20 | *7 | *5 | 16 | * |
| 162.8 | 35 | 21 | 14 | - | * | 13 | 20 | 16 | * | 12 | * |
| 162.9 | 194 | 105 | 88 | * | * | 58 | 131 | 40 | 58 | 72 | 24 |
| 170 | 24 | 13 | 11 | 11 | *7 | * | * | *7 | * | *5 | *8 |
| 170.6 | *8 | *7 | * | *6 | * | * | * | * | * | * | *7 |
| 170.7 | *7 | * | * | * | * | * | * | * | * | * | * |
| 171 | 21 | 14 | *7 | * | * | * | 11 | *5 | *6 | *6 | * |
| 171.5 | *5 | * | * | * | * | * | * | * | * | * | * |
| 172 | 11 | *6 | *5 | * | * | * | *6 | * | * | * | * |
| 173 | 19 | 13 | *7 | * | * | * | 14 | * | * | *8 | * |
| 174 | 169 | - | 169 | - | 25 | 71 | 73 | 32 | 44 | 69 | 24 |
| 174.4 | 10 | - | 10 | - | * | * | * | * | * | * | * |
| 174.8 | 35 | - | 35 | - | *6 | 17 | 11 | 10 | *7 | 13 | *5 |
| 174.9 | 110 | - | 110 | - | 14 | 45 | 51 | 17 | 30 | 50 | 12 |
| 179 | *8 | - | *8 | - | * | * | * | * | * | * | * |
| 180 | 25 | - | 25 | - | 9 | 12 | * | *7 | * | 9 | *7 |
| 180.8 | *6 | - | *6 | - | * | * | * | * | * | * | * |
| 180.9 | 17 | - | 17 | - | *6 | *9 | * | * | * | *8 | * |
| 182 | 46 | - | 46 | - | * | 23 | 20 | 11 | 12 | 14 | 10 |
| 182.0 | 46 | - | 46 | - | * | 23 | 20 | 11 | 12 | 14 | 10 |
| 183 | 55 | - | 55 | * | * | 24 | 26 | 12 | *8 | 22 | 13 |
| 183.0 | 53 | - | 53 | * | * | 23 | 26 | 11 | *7 | 21 | 13 |
| 184 | *6 | - | *6 | - | * | * | * | * | * | * | * |
| 185 | 180 | 180 | - | * | * | 51 | 127 | 44 | 38 | 59 | 40 |
| 186 | *6 | *6 | - | * | *6 | * | * | * | * | * | * |
| 186.9 | *6 | *6 | - | * | *5 | * | * | * | * | * | * |
| 188 | 70 | 52 | 18 | * | * | 11 | 57 | 20 | 14 | 23 | 13 |
| 188.2 | *5 | * | * | - | * | * | * | * | * | * | * |
| 188.8 | 18 | 12 | *6 | * | * | * | 14 | *8 | * | * | * |
| 188.9 | 31 | 24 | *7 | * | * | * | 26 | *8 | *6 | 12 | * |
| 189 | 67 | 40 | 27 | * | * | 21 | 40 | 14 | 15 | 27 | 11 |
| 189.0 | 62 | 36 | 26 | * | * | 19 | 37 | 12 | 14 | 25 | 10 |
| 191 | 70 | 43 | 27 | 15 | 10 | 22 | 24 | 13 | 13 | 23 | 22 |
| 191.1 | 16 | 11 | * | * | * | *7 | *5 | * | * | *6 | * |
| 191.2 | 10 | *8 | * | * | * | * | * | * | * | * | * |
| 191.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 191.8 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 191.9 | 15 | 10 | * | * | * | * | *7 | * | * | * | * |
| 192 | *6 | * | * | * | * | * | * | * | * | * | * |
| 193 | 30 | *6 | 25 | * | 11 | 15 | * | *6 | *6 | 12 | *7 |
| 194 | 10 | *6 | * | *7 | * | * | * | * | * | * | * |
| 194.0 | *6 | * | * | *5 | * | * | * | * | * | * | * |
| 195 | 10 | *5 | * | * | * | * | * | * | * | * | * |
| 196 | 179 | 75 | 104 | * | 19 | 75 | 84 | 37 | 37 | 67 | 38 |
| 196.0 | 27 | 14 | 14 | * | * | 15 | 10 | *5 | * | 9 | *8 |
| 196.1 | 24 | 11 | 13 | * | * | 10 | 13 | *6 | * | *8 | *7 |
| 196.2 | 65 | 34 | 31 | * | * | 24 | 38 | 14 | 14 | 25 | 12 |
| 196.3 | 36 | * | 33 | * | 9 | 16 | 11 | *7 | 11 | 13 | *5 |
| 196.5 | *6 | * | * | - | * | * | * | * | * | * | * |
| 196.6 | 10 | *5 | *5 | * | * | * | * | * | * | *6 | * |
| 196.9 | *8 | * | * | - | * | * | *5 | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 197 | 494 | 229 | 265 | * | 34 | 184 | 272 | 121 | 118 | 166 | 90 |
| 197.0 | 129 | 64 | 65 | * | 13 | 47 | 67 | 28 | 32 | 47 | 22 |
| 197.1 | *9 | * | *6 | * | * | * | *5 | * | * | * | * |
| 197.2 | 51 | 20 | 31 | — | * | 18 | 31 | 13 | 13 | 17 | *8 |
| 197.4 | *9 | * | * | — | * | * | * | * | * | * | * |
| 197.5 | 12 | * | 10 | * | * | * | *8 | * | * | * | * |
| 197.6 | 62 | 20 | 42 | * | * | 24 | 33 | 16 | 14 | 21 | 10 |
| 197.7 | 205 | 107 | 98 | * | 12 | 77 | 114 | 53 | 51 | 64 | 38 |
| 197.8 | 15 | *7 | *9 | * | * | *5 | 9 | * | * | *6 | * |
| 198 | 416 | 191 | 225 | *7 | 30 | 163 | 215 | 91 | 104 | 146 | 74 |
| 198.1 | 13 | *6 | *6 | — | * | * | *7 | * | * | * | * |
| 198.2 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 198.3 | 95 | 40 | 55 | * | *8 | 41 | 44 | 20 | 27 | 35 | 13 |
| 198.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| 198.5 | 189 | 94 | 95 | * | 12 | 69 | 103 | 40 | 50 | 66 | 33 |
| 198.6 | *5 | — | *5 | — | * | * | * | * | * | * | * |
| 198.7 | 17 | 12 | *5 | — | * | *6 | 10 | * | * | *7 | * |
| 198.8 | 77 | 30 | 47 | * | *5 | 33 | 39 | 16 | 16 | 27 | 18 |
| 198.82 | 11 | * | *8 | — | * | *6 | * | * | * | * | * |
| 198.89 | 63 | 27 | 36 | * | * | 26 | 32 | 13 | 14 | 22 | 15 |
| 199 | 144 | 61 | 82 | * | 9 | 47 | 85 | 26 | 29 | 66 | 23 |
| 199.0 | 51 | 18 | 34 | * | * | 21 | 27 | *7 | * | 29 | 11 |
| 199.1 | 92 | 43 | 49 | * | *6 | 26 | 58 | 19 | 25 | 37 | 11 |
| 200 | 26 | 18 | *8 | * | * | *9 | 11 | * | * | 11 | *6 |
| 200.0 | 17 | 10 | *6 | * | * | *5 | 10 | * | * | *7 | * |
| 200.00 | *7 | * | * | * | * | * | * | * | * | * | * |
| 200.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 201 | 26 | 17 | 10 | * | 11 | *6 | *6 | *7 | * | *9 | *6 |
| 201.9 | 22 | 13 | *9 | * | *8 | *6 | *5 | *6 | * | *8 | * |
| 201.90 | 18 | 11 | *7 | * | *6 | *6 | * | * | * | *6 | * |
| 202 | 138 | 70 | 68 | * | 13 | 39 | 85 | 30 | 31 | 51 | 25 |
| 202.0 | *7 | * | * | — | * | * | * | * | * | * | * |
| 202.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 202.8 | 118 | 58 | 60 | * | 10 | 33 | 75 | 25 | 27 | 45 | 22 |
| 202.80 | 79 | 38 | 41 | * | *5 | 23 | 51 | 19 | 17 | 30 | 14 |
| 202.81 | 11 | *6 | * | * | * | * | *5 | * | * | * | * |
| 202.82 | *5 | * | * | * | * | * | * | * | * | * | * |
| 202.83 | 10 | *5 | *5 | * | * | * | *7 | * | * | * | * |
| 202.88 | *8 | * | * | — | * | * | * | * | * | * | * |
| 203 | 67 | 36 | 31 | * | * | 19 | 47 | 13 | 18 | 25 | 11 |
| 203.0 | 66 | 35 | 31 | * | * | 18 | 46 | 13 | 18 | 24 | 11 |
| 203.00 | 64 | 35 | 30 | * | * | 18 | 45 | 12 | 18 | 24 | 10 |
| 204 | 121 | 65 | 56 | 27 | 11 | 14 | 69 | 26 | 27 | 42 | 26 |
| 204.0 | 43 | 25 | 18 | 27 | 11 | * | * | *8 | *6 | 15 | 14 |
| 204.00 | 28 | 17 | 11 | 15 | *8 | * | * | *5 | * | 12 | *6 |
| 204.01 | 15 | *8 | *6 | 11 | * | * | * | * | * | * | *7 |
| 204.1 | 75 | 39 | 37 | — | * | 10 | 65 | 17 | 21 | 25 | 12 |
| 204.10 | 72 | 36 | 36 | — | * | 9 | 62 | 16 | 20 | 24 | 11 |
| 205 | 58 | 34 | 24 | * | 10 | 21 | 22 | 13 | 12 | 21 | 12 |
| 205.0 | 45 | 26 | 20 | * | 9 | 16 | 16 | 10 | 9 | 15 | 11 |
| 205.00 | 41 | 23 | 18 | * | *8 | 15 | 16 | *9 | *8 | 13 | 10 |
| 205.1 | 12 | *8 | * | * | * | * | *6 | * | * | *6 | * |
| 205.10 | 11 | *7 | * | * | * | * | *5 | * | * | *6 | * |
| 208 | *7 | * | * | * | * | * | * | * | * | * | * |
| 210 | *6 | * | * | * | * | * | * | * | * | * | * |
| 210.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 211 | 190 | 89 | 101 | * | 16 | 58 | 116 | 45 | 41 | 63 | 41 |
| 211.1 | 22 | 9 | 13 | * | * | *6 | 13 | * | * | 10 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 211.3 | 138 | 69 | 70 | * | *7 | 43 | 88 | 33 | 28 | 45 | 33 |
| 211.4 | 16 | *5 | 11 | – | * | * | *8 | * | * | * | * |
| 212 | *6 | * | * | * | * | * | * | * | * | * | * |
| 213 | *7 | * | * | * | * | * | * | * | * | * | * |
| 214 | 20 | 10 | 10 | * | * | *8 | *7 | * | * | 11 | * |
| 214.8 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 216 | 12 | * | 9 | * | *6 | * | * | * | * | * | * |
| 216.5 | *6 | * | * | * | * | * | * | * | * | * | * |
| 218 | 432 | – | 432 | – | 217 | 201 | 14 | 83 | 82 | 191 | 77 |
| 218.0 | 45 | – | 45 | – | 17 | 28 | * | 12 | *7 | 18 | *7 |
| 218.1 | 109 | – | 109 | – | 53 | 52 | *5 | 27 | 14 | 49 | 19 |
| 218.2 | 56 | – | 56 | – | 29 | 26 | * | 13 | 9 | 26 | *8 |
| 218.9 | 222 | – | 222 | – | 119 | 96 | *7 | 31 | 52 | 97 | 42 |
| 220 | 56 | – | 56 | * | 26 | 20 | *9 | 10 | 15 | 20 | 11 |
| 223 | *8 | * | * | * | * | * | * | * | * | * | * |
| 225 | 37 | 11 | 25 | * | *6 | 11 | 19 | 10 | *7 | 10 | *9 |
| 225.2 | 25 | *7 | 18 | * | * | *6 | 16 | *7 | *5 | *7 | *6 |
| 226 | 12 | * | 11 | – | * | *7 | * | * | * | * | * |
| 227 | 29 | 11 | 18 | * | *7 | 12 | 10 | *7 | *8 | *9 | *6 |
| 227.0 | *9 | * | *6 | * | * | *5 | * | * | * | * | * |
| 227.1 | *7 | * | *5 | – | * | * | * | * | * | * | * |
| 227.3 | 14 | *7 | *6 | * | *6 | * | * | * | * | * | * |
| 228 | 24 | 12 | 12 | * | *6 | *8 | *5 | *6 | *5 | *8 | * |
| 228.0 | 23 | 11 | 12 | * | *6 | *8 | *5 | *6 | *5 | *7 | * |
| 228.04 | *7 | * | * | * | * | * | * | * | * | * | * |
| 228.09 | *7 | * | * | * | * | * | * | * | * | * | * |
| 230 | *7 | * | * | – | * | * | * | * | * | * | * |
| 233 | 30 | * | 29 | – | 14 | 11 | * | * | * | 16 | * |
| 233.0 | 11 | * | 11 | – | * | *7 | * | * | * | * | * |
| 233.1 | 14 | – | 14 | – | 11 | * | * | * | * | *9 | * |
| 235 | 16 | *6 | 11 | – | * | *7 | *7 | * | * | *7 | * |
| 235.2 | 10 | * | *8 | – | * | * | *5 | * | * | * | * |
| 236 | *5 | * | * | – | * | * | * | * | * | * | * |
| 237 | 20 | *7 | 13 | * | *7 | * | *6 | *7 | * | * | * |
| 237.5 | *6 | * | * | * | * | * | * | * | * | * | * |
| 237.7 | 10 | * | *8 | * | * | * | * | *5 | * | * | * |
| 237.70 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 238 | 85 | 40 | 44 | * | *7 | 18 | 58 | 21 | 20 | 35 | 9 |
| 238.4 | 17 | 9 | *8 | * | * | *7 | *8 | * | * | *7 | * |
| 238.7 | 57 | 26 | 31 | * | * | *9 | 46 | 16 | 13 | 23 | *6 |
| 239 | 32 | 16 | 16 | * | *7 | *9 | 16 | *7 | 9 | 11 | *5 |
| 239.6 | 10 | *5 | * | * | * | * | *6 | * | * | * | * |
| 240–279 | 20,325 | 8,570 | 11,754 | 622 | 2,619 | 6,270 | 10,813 | 4,338 | 5,228 | 7,146 | 3,613 |
| 240 | 19 | *6 | 13 | * | * | *7 | *8 | * | *6 | *8 | * |
| 240.9 | 19 | *6 | 12 | * | * | *7 | *8 | * | *5 | *8 | * |
| 241 | 37 | *5 | 31 | * | *7 | 17 | 12 | 10 | *8 | 11 | *7 |
| 241.0 | 15 | * | 13 | * | * | *7 | * | * | * | * | * |
| 241.1 | 18 | * | 16 | – | * | *9 | *6 | * | * | *7 | * |
| 242 | 99 | 25 | 75 | * | 23 | 28 | 47 | 27 | 22 | 30 | 20 |
| 242.0 | 32 | *8 | 24 | * | *8 | 12 | 12 | *8 | *7 | 10 | *7 |
| 242.00 | 30 | *7 | 23 | * | *7 | 11 | 12 | *8 | *6 | *9 | *7 |
| 242.8 | *5 | * | * | – | * | * | * | * | * | * | * |
| 242.9 | 57 | 15 | 42 | * | 14 | 15 | 27 | 17 | 12 | 17 | 11 |
| 242.90 | 53 | 13 | 40 | * | 14 | 14 | 25 | 17 | 11 | 15 | 10 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 253 | 91 | 39 | 53 | 11 | 10 | 20 | 51 | 19 | 18 | 31 | 23 |
| 253.2 | 15 | *7 | *7 | * | * | * | *8 | * | * | * | * |
| 253.5 | 14 | *6 | *8 | * | * | * | *5 | * | * | *7 | * |
| 253.6 | 50 | 19 | 31 | * | * | 12 | 34 | 13 | 9 | 17 | 12 |
| 255 | 90 | 37 | 53 | * | 18 | 32 | 37 | 18 | 25 | 27 | 20 |
| 255.0 | 10 | * | *8 | * | * | * | * | * | * | * | * |
| 255.4 | 56 | 25 | 31 | * | 10 | 20 | 24 | 12 | 17 | 15 | 12 |
| 255.9 | 12 | * | *7 | * | * | * | *5 | * | * | * | * |
| 256 | 16 | – | 16 | * | 14 | * | * | * | * | *7 | * |
| 256.4 | 13 | – | 13 | * | 12 | * | * | * | * | *5 | * |
| 257 | *5 | *5 | – | * | * | * | * | * | * | * | * |
| 259 | *6 | * | * | * | * | * | * | * | * | * | * |
| 260 | 16 | *5 | 11 | – | * | * | 14 | * | * | 12 | * |
| 261 | 32 | 17 | 15 | * | * | *8 | 19 | *7 | *8 | 10 | *7 |
| 262 | *7 | * | * | * | * | * | * | * | * | * | * |
| 263 | 424 | 191 | 233 | *7 | 45 | 99 | 273 | 78 | 109 | 175 | 62 |
| 263.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 263.8 | 19 | *8 | 11 | * | * | * | 12 | * | * | *8 | * |
| 263.9 | 395 | 178 | 217 | * | 43 | 93 | 256 | 69 | 103 | 165 | 59 |
| 266 | 47 | 18 | 29 | * | * | 10 | 34 | 14 | 10 | 17 | *6 |
| 266.2 | 44 | 16 | 28 | – | * | 9 | 32 | 14 | 9 | 16 | *6 |
| 269 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 269.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 270 | 22 | *8 | 14 | * | * | *7 | *8 | *5 | * | 9 | * |
| 270.4 | *8 | * | * | * | * | * | * | * | * | * | * |
| 270.6 | *6 | * | * | * | * | * | * | * | * | * | * |
| 271 | 24 | 12 | 12 | * | * | *8 | *8 | 9 | *6 | * | * |
| 271.3 | 20 | *8 | 11 | * | * | *7 | *7 | *8 | *6 | * | * |
| 272 | 3,852 | 1,948 | 1,903 | *7 | 277 | 1,394 | 2,174 | 939 | 1,019 | 1,206 | 688 |
| 272.0 | 1,277 | 628 | 650 | * | 98 | 473 | 706 | 424 | 308 | 348 | 197 |
| 272.1 | 54 | 33 | 21 | * | 12 | 27 | 14 | *9 | 17 | 18 | 10 |
| 272.2 | 12 | *8 | * | – | * | * | *6 | * | * | * | * |
| 272.4 | 2,449 | 1,251 | 1,199 | * | 160 | 866 | 1,419 | 494 | 671 | 814 | 470 |
| 272.8 | 9 | * | * | – | * | * | * | * | * | * | * |
| 272.9 | 41 | 21 | 21 | – | * | 14 | 23 | * | 15 | 15 | *7 |
| 273 | 68 | 32 | 36 | *5 | 10 | 23 | 30 | 11 | 21 | 24 | 12 |
| 273.1 | *7 | * | * | – | – | * | *5 | * | * | * | * |
| 273.8 | 49 | 21 | 28 | * | *9 | 16 | 19 | *7 | 16 | 18 | *8 |
| 274 | 287 | 198 | 89 | * | 16 | 89 | 182 | 67 | 74 | 94 | 52 |
| 274.0 | 61 | 41 | 20 | – | * | 18 | 40 | 14 | 16 | 23 | *8 |
| 274.9 | 223 | 155 | 68 | * | 13 | 70 | 140 | 53 | 58 | 69 | 43 |
| 275 | 311 | 128 | 183 | 12 | 59 | 105 | 135 | 49 | 91 | 120 | 52 |
| 275.0 | 14 | *9 | * | * | *6 | * | * | * | * | *6 | * |
| 275.2 | 127 | 49 | 78 | * | 22 | 48 | 54 | 18 | 40 | 54 | 15 |
| 275.3 | 43 | 19 | 24 | * | 11 | 12 | 17 | *7 | 12 | 17 | *7 |
| 275.4 | 124 | 49 | 74 | * | 20 | 41 | 58 | 19 | 37 | 41 | 27 |
| 275.41 | 58 | 23 | 35 | * | 12 | 23 | 21 | *8 | 18 | 21 | 11 |
| 275.42 | 51 | 20 | 30 | * | *6 | 16 | 28 | *9 | 15 | 16 | 11 |
| 275.49 | 11 | * | *7 | * | * | * | *7 | * | * | * | * |
| 276 | 6,038 | 2,493 | 3,545 | 455 | 785 | 1,434 | 3,365 | 1,089 | 1,601 | 2,239 | 1,109 |
| 276.0 | 168 | 69 | 99 | 10 | 15 | 29 | 115 | 38 | 45 | 59 | 26 |
| 276.1 | 1,029 | 432 | 597 | 36 | 84 | 265 | 644 | 158 | 289 | 355 | 227 |
| 276.2 | 341 | 156 | 184 | 36 | 48 | 102 | 155 | 51 | 84 | 138 | 68 |
| 276.3 | 63 | 30 | 33 | * | *9 | 18 | 31 | 9 | 18 | 27 | *9 |
| 276.4 | 25 | 10 | 14 | * | * | *6 | 15 | * | 9 | *7 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 276.5 | 2,558 | 1,081 | 1,477 | 326 | 326 | 475 | 1,432 | 492 | 668 | 955 | 443 |
| 276.6 | 99 | 45 | 54 | * | 12 | 31 | 52 | 10 | 27 | 41 | 20 |
| 276.7 | 483 | 233 | 250 | *8 | 40 | 130 | 305 | 94 | 125 | 166 | 98 |
| 276.8 | 1,135 | 379 | 756 | 24 | 231 | 332 | 549 | 218 | 289 | 447 | 181 |
| 276.9 | 137 | 57 | 80 | *7 | 18 | 45 | 67 | 15 | 46 | 43 | 33 |
| 277 | 80 | 46 | 35 | 18 | 36 | 16 | 10 | 19 | 22 | 25 | 14 |
| 277.0 | 27 | 15 | 12 | 10 | 16 | * | * | 12 | *8 | *5 | * |
| 277.00 | *6 | * | * | * | * | * | * | * | * | * | * |
| 277.02 | 18 | 11 | *8 | *6 | 12 | * | * | *8 | *6 | * | * |
| 277.1 | *9 | *7 | * | — | *7 | * | * | * | * | *5 | * |
| 277.7 | 23 | 11 | 12 | * | *6 | 11 | * | * | *8 | *8 | * |
| 277.8 | *8 | * | * | * | * | * | * | * | * | * | * |
| 278 | 1,277 | 434 | 843 | 24 | 434 | 557 | 262 | 267 | 292 | 463 | 255 |
| 278.0 | 1,253 | 427 | 826 | 24 | 422 | 548 | 260 | 261 | 289 | 451 | 252 |
| 278.00 | 729 | 265 | 464 | 20 | 229 | 305 | 175 | 151 | 171 | 252 | 155 |
| 278.01 | 524 | 162 | 362 | * | 193 | 243 | 84 | 111 | 117 | 199 | 97 |
| 278.1 | 16 | * | 13 | — | *8 | *7 | * | * | * | *7 | * |
| 278.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 279 | 26 | 10 | 16 | * | *5 | *9 | *8 | * | *6 | 13 | * |
| 279.0 | 11 | * | *7 | * | * | * | * | * | * | *7 | * |
| 280–289 | 5,109 | 2,032 | 3,077 | 186 | 1,045 | 1,293 | 2,584 | 1,008 | 1,221 | 1,876 | 1,004 |
| 280 | 789 | 279 | 510 | 18 | 153 | 196 | 422 | 162 | 207 | 281 | 140 |
| 280.0 | 454 | 170 | 283 | * | 82 | 113 | 255 | 89 | 120 | 167 | 78 |
| 280.8 | *8 | * | * | * | * | * | * | * | * | * | * |
| 280.9 | 326 | 103 | 222 | 14 | 69 | 81 | 162 | 71 | 85 | 110 | 60 |
| 281 | 88 | 35 | 53 | * | *7 | 20 | 60 | 13 | 27 | 29 | 20 |
| 281.0 | 28 | *7 | 21 | — | * | *6 | 21 | * | 12 | 10 | * |
| 281.1 | *7 | * | *5 | — | * | * | * | * | * | * | * |
| 281.9 | 49 | 23 | 26 | * | * | 12 | 32 | *6 | 13 | 14 | 16 |
| 282 | 160 | 57 | 104 | 30 | 95 | 23 | 13 | 46 | 29 | 68 | 18 |
| 282.4 | 31 | 14 | 17 | * | 13 | * | *9 | 12 | * | *8 | *7 |
| 282.42 | *7 | * | * | * | *5 | * | — | * | * | * | * |
| 282.49 | 22 | 10 | 13 | * | *7 | * | *9 | *7 | * | *5 | *7 |
| 282.5 | 26 | * | 22 | * | 20 | * | * | *6 | * | 13 | * |
| 282.6 | 97 | 36 | 61 | 22 | 61 | 14 | * | 25 | 19 | 46 | *8 |
| 282.60 | 16 | * | 12 | * | *7 | *6 | * | * | * | *7 | * |
| 282.61 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 282.62 | 66 | 26 | 39 | 13 | 46 | *7 | * | 17 | 12 | 33 | * |
| 283 | 26 | 9 | 17 | * | * | 9 | 12 | * | * | 11 | *7 |
| 283.0 | 10 | * | *5 | * | * | * | *6 | * | * | * | * |
| 283.9 | 11 | * | *9 | * | * | * | * | * | * | *6 | * |
| 284 | 209 | 115 | 94 | 12 | 30 | 64 | 103 | 36 | 49 | 82 | 42 |
| 284.8 | 199 | 111 | 88 | 11 | 29 | 61 | 98 | 33 | 48 | 79 | 39 |
| 284.9 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 285 | 2,558 | 923 | 1,635 | 38 | 515 | 601 | 1,405 | 485 | 620 | 950 | 504 |
| 285.1 | 633 | 228 | 406 | * | 94 | 160 | 375 | 105 | 199 | 197 | 131 |
| 285.2 | 284 | 123 | 161 | * | 34 | 78 | 168 | 57 | 65 | 109 | 53 |
| 285.21 | 83 | 42 | 41 | * | 12 | 27 | 44 | 13 | 21 | 33 | 15 |
| 285.22 | 55 | 24 | 31 | * | * | 20 | 30 | 10 | 15 | 22 | *8 |
| 285.29 | 146 | 57 | 89 | * | 19 | 32 | 94 | 34 | 29 | 53 | 30 |
| 285.8 | 41 | 16 | 25 | * | 9 | 13 | 18 | *8 | *7 | 15 | 11 |
| 285.9 | 1,597 | 556 | 1,041 | 29 | 377 | 349 | 842 | 314 | 348 | 627 | 308 |
| 286 | 214 | 101 | 113 | 9 | 31 | 66 | 108 | 43 | 41 | 80 | 50 |
| 286.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 286.3 | 19 | *6 | 13 | * | *6 | *5 | *7 | * | *6 | * | * |
| 286.4 | *8 | * | * | * | * | * | * | * | * | * | * |
| 286.5 | 20 | 9 | 11 | * | * | *5 | 15 | * | * | 9 | * |
| 286.6 | 17 | *8 | 9 | * | * | *5 | *8 | * | * | 9 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 286.7 | 35 | 17 | 18 | * | * | 11 | 19 | 10 | *5 | 12 | *8 |
| 286.9 | 106 | 53 | 53 | * | 14 | 35 | 53 | 18 | 19 | 41 | 28 |
| 287 | 513 | 263 | 250 | 19 | 83 | 149 | 261 | 112 | 119 | 175 | 107 |
| 287.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 287.3 | 50 | 21 | 29 | *8 | 13 | 9 | 20 | 12 | 12 | 16 | 10 |
| 287.4 | 79 | 43 | 37 | * | 12 | 25 | 42 | 20 | 17 | 20 | 22 |
| 287.5 | 368 | 194 | 174 | 9 | 56 | 110 | 193 | 78 | 87 | 130 | 72 |
| 287.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 288 | 408 | 191 | 218 | 43 | 89 | 117 | 159 | 73 | 94 | 152 | 90 |
| 288.0 | 176 | 84 | 92 | 23 | 31 | 54 | 68 | 35 | 34 | 67 | 40 |
| 288.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 288.8 | 220 | 102 | 118 | 18 | 57 | 59 | 85 | 36 | 58 | 80 | 46 |
| 289 | 143 | 60 | 83 | 14 | 39 | 48 | 42 | 34 | 32 | 49 | 28 |
| 289.0 | 10 | *6 | * | * | * | *6 | * | * | * | * | * |
| 289.3 | 14 | * | *9 | *7 | * | * | * | * | * | *6 | * |
| 289.5 | *9 | * | *5 | * | * | * | * | * | * | * | * |
| 289.59 | *5 | * | * | * | * | * | * | * | * | * | * |
| 289.8 | 70 | 28 | 42 | * | 23 | 23 | 22 | 20 | 15 | 21 | 15 |
| 289.81 | 41 | 13 | 28 | * | 17 | 13 | 10 | 13 | 9 | 12 | *8 |
| 289.89 | 25 | 14 | 11 | * | *6 | *8 | 11 | *6 | * | *8 | *6 |
| 289.9 | 31 | 14 | 17 | * | *7 | 11 | 12 | *7 | *8 | 12 | * |
| 290–319 | 12,695 | 6,005 | 6,690 | 356 | 5,330 | 3,911 | 3,098 | 3,108 | 3,229 | 4,470 | 1,888 |
| 290 | 194 | 68 | 126 | — | * | *9 | 184 | 65 | 43 | 59 | 27 |
| 290.0 | 99 | 31 | 68 | — | * | * | 95 | 38 | 20 | 26 | 16 |
| 290.2 | 11 | * | *8 | — | — | * | 10 | * | * | * | * |
| 290.21 | *6 | * | * | — | — | * | *6 | * | * | * | * |
| 290.3 | *9 | * | *6 | — | — | * | *9 | * | * | * | * |
| 290.4 | 68 | 29 | 39 | — | * | * | 64 | 18 | 13 | 29 | *9 |
| 290.40 | 51 | 23 | 28 | — | * | * | 48 | 13 | *8 | 22 | *7 |
| 290.41 | *9 | * | * | — | * | * | *7 | * | * | * | * |
| 290.43 | *5 | * | * | — | — | * | *5 | * | * | * | — |
| 291 | 316 | 228 | 88 | * | 136 | 148 | 33 | 82 | 99 | 80 | 55 |
| 291.0 | 53 | 43 | 10 | — | 18 | 28 | *7 | 11 | 14 | 18 | 11 |
| 291.2 | 15 | 13 | * | — | * | *7 | *7 | * | *5 | * | * |
| 291.8 | 241 | 167 | 75 | — | 115 | 109 | 18 | 68 | 79 | 56 | 39 |
| 291.81 | 230 | 160 | 70 | — | 110 | 102 | 18 | 66 | 76 | 52 | 36 |
| 291.89 | 11 | *7 | * | — | * | *6 | * | * | * | * | * |
| 292 | 263 | 149 | 114 | * | 129 | 67 | 65 | 81 | 63 | 74 | 44 |
| 292.0 | 122 | 73 | 49 | * | 81 | 37 | * | 47 | 33 | 27 | 15 |
| 292.1 | 20 | 11 | 9 | * | *6 | * | 9 | * | * | *7 | * |
| 292.12 | 17 | *9 | *8 | * | * | * | *8 | * | * | *6 | * |
| 292.8 | 112 | 60 | 52 | * | 39 | 23 | 50 | 30 | 24 | 38 | 21 |
| 292.81 | 69 | 34 | 35 | * | *8 | 14 | 47 | 13 | 19 | 24 | 13 |
| 292.84 | 39 | 24 | 15 | * | 28 | 9 | * | 15 | * | 13 | *7 |
| 292.9 | 9 | *6 | * | — | * | * | * | * | * | * | * |
| 293 | 109 | 53 | 56 | * | 12 | 23 | 74 | 26 | 32 | 36 | 15 |
| 293.0 | 69 | 33 | 36 | * | * | 10 | 55 | 15 | 23 | 21 | 10 |
| 293.8 | 28 | 14 | 14 | * | 9 | 11 | *8 | *7 | *7 | 12 | * |
| 293.83 | 21 | 12 | 9 | * | *7 | 9 | * | *6 | *5 | *9 | * |
| 293.9 | 11 | *5 | *6 | — | * | * | 10 | * | * | * | * |
| 294 | 924 | 346 | 578 | * | 18 | 37 | 868 | 218 | 250 | 319 | 137 |
| 294.1 | 352 | 130 | 222 | * | * | 15 | 333 | 86 | 95 | 115 | 57 |
| 294.10 | 284 | 104 | 180 | * | * | 12 | 270 | 70 | 74 | 90 | 50 |
| 294.11 | 67 | 26 | 41 | * | * | * | 62 | 15 | 20 | 25 | *7 |
| 294.8 | 542 | 202 | 340 | * | * | 18 | 519 | 126 | 150 | 191 | 75 |
| 294.9 | 27 | 12 | 15 | * | *8 | * | 14 | *6 | * | 11 | *5 |
| 295 | 586 | 308 | 278 | * | 263 | 229 | 92 | 157 | 108 | 255 | 67 |
| 295.3 | 172 | 103 | 69 | * | 82 | 67 | 21 | 42 | 26 | 87 | 17 |
| 295.30 | 96 | 55 | 41 | * | 42 | 39 | 14 | 15 | 16 | 55 | 10 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 295.32 | 32 | 20 | 12 | * | 15 | 13 | * | *8 | * | 17 | * |
| 295.34 | 43 | 28 | 15 | — | 25 | 15 | * | 18 | *7 | 14 | * |
| 295.6 | 27 | 16 | 11 | — | *7 | 12 | *8 | *8 | *6 | *7 | *6 |
| 295.60 | *8 | *5 | * | — | * | * | * | * | * | * | * |
| 295.62 | 16 | *9 | *7 | — | * | *7 | *7 | * | * | * | * |
| 295.7 | 237 | 114 | 123 | * | 123 | 91 | 22 | 64 | 47 | 101 | 25 |
| 295.70 | 189 | 92 | 97 | * | 100 | 72 | 16 | 43 | 39 | 87 | 20 |
| 295.72 | 15 | *7 | *8 | * | *8 | *5 | * | * | * | *6 | * |
| 295.74 | 31 | 14 | 17 | * | 15 | 13 | * | 17 | * | *8 | * |
| 295.9 | 138 | 67 | 71 | * | 44 | 54 | 39 | 39 | 25 | 56 | 18 |
| 295.90 | 122 | 59 | 63 | * | 36 | 48 | 38 | 32 | 24 | 52 | 14 |
| 295.92 | *9 | * | * | — | * | * | * | * | * | * | * |
| 295.94 | *7 | * | * | — | * | * | — | * | * | * | * |
| 296 | 1,503 | 595 | 908 | 82 | 835 | 419 | 167 | 347 | 361 | 652 | 143 |
| 296.0 | 13 | *6 | *7 | * | *7 | * | * | * | * | *8 | * |
| 296.04 | *6 | * | * | * | * | * | * | * | * | *5 | — |
| 296.2 | 309 | 122 | 188 | 19 | 159 | 85 | 46 | 54 | 69 | 163 | 23 |
| 296.20 | 194 | 73 | 120 | 12 | 104 | 53 | 24 | 33 | 46 | 102 | 13 |
| 296.22 | 21 | *8 | 13 | * | 11 | * | * | * | * | 11 | * |
| 296.23 | 51 | 21 | 30 | * | 28 | 12 | *8 | 11 | 13 | 24 | * |
| 296.24 | 40 | 18 | 22 | * | 15 | 14 | 9 | *7 | *6 | 24 | * |
| 296.3 | 344 | 131 | 212 | *6 | 182 | 111 | 45 | 87 | 93 | 132 | 32 |
| 296.30 | 93 | 41 | 52 | * | 51 | 32 | *9 | 31 | 27 | 32 | * |
| 296.32 | 27 | 9 | 17 | * | 16 | *7 | * | * | *8 | 11 | * |
| 296.33 | 161 | 55 | 106 | * | 84 | 54 | 19 | 36 | 45 | 67 | 14 |
| 296.34 | 59 | 25 | 34 | * | 29 | 17 | 12 | 15 | 13 | 22 | *9 |
| 296.4 | 80 | 32 | 48 | * | 46 | 24 | *8 | 22 | 18 | 33 | *7 |
| 296.40 | 35 | 14 | 20 | * | 21 | *9 | * | *6 | *8 | 16 | * |
| 296.43 | *9 | * | *6 | — | * | * | * | * | * | * | * |
| 296.44 | 33 | 13 | 20 | * | 19 | 10 | * | 12 | *6 | 12 | * |
| 296.5 | 130 | 48 | 83 | * | 83 | 35 | 10 | 34 | 34 | 54 | *8 |
| 296.50 | 84 | 31 | 53 | * | 55 | 21 | *6 | 20 | 22 | 38 | * |
| 296.53 | 24 | *7 | 17 | * | 14 | *8 | * | *9 | *5 | *7 | * |
| 296.54 | 19 | *8 | 11 | * | 12 | *5 | * | * | * | *8 | * |
| 296.6 | 90 | 39 | 51 | 10 | 55 | 21 | * | 15 | 12 | 53 | *9 |
| 296.60 | 45 | 19 | 26 | * | 30 | 10 | * | *7 | *6 | 29 | * |
| 296.63 | 15 | *6 | *9 | * | *9 | * | * | * | * | 10 | * |
| 296.64 | 27 | 12 | 15 | * | 15 | *7 | * | *6 | * | 13 | * |
| 296.7 | 49 | 21 | 28 | * | 27 | 14 | * | 17 | 10 | 17 | *5 |
| 296.8 | 396 | 151 | 245 | 25 | 220 | 109 | 43 | 79 | 102 | 166 | 49 |
| 296.80 | 344 | 132 | 211 | 23 | 188 | 93 | 40 | 65 | 92 | 147 | 40 |
| 296.89 | 51 | 17 | 33 | * | 31 | 15 | * | 14 | 10 | 19 | *8 |
| 296.9 | 91 | 45 | 45 | 15 | 55 | 14 | *7 | 35 | 21 | 25 | 10 |
| 296.90 | 84 | 43 | 41 | 14 | 52 | 12 | *5 | 33 | 20 | 22 | 9 |
| 296.99 | *7 | * | * | * | * | * | * | * | * | * | * |
| 297 | 35 | 17 | 18 | — | *8 | *6 | 21 | 14 | *7 | 10 | * |
| 297.1 | 20 | 11 | 10 | — | * | * | 12 | 9 | *5 | * | * |
| 297.9 | 12 | *6 | *6 | — | * | * | *7 | * | * | * | * |
| 298 | 198 | 92 | 106 | * | 74 | 40 | 79 | 51 | 37 | 73 | 38 |
| 298.9 | 192 | 89 | 103 | * | 72 | 38 | 77 | 49 | 35 | 71 | 37 |
| 299 | 27 | 22 | * | 14 | 11 | * | * | 10 | *6 | *6 | * |
| 299.0 | 14 | 11 | * | *7 | *5 | * | * | * | * | * | * |
| 299.00 | 13 | 11 | * | *7 | * | * | * | * | * | * | * |
| 299.8 | 9 | *8 | * | * | * | * | * | * | * | * | * |
| 299.80 | 9 | *8 | * | * | * | * | * | * | * | * | * |
| 300 | 1,282 | 402 | 880 | 20 | 419 | 422 | 421 | 295 | 372 | 452 | 162 |
| 300.0 | 690 | 221 | 470 | *7 | 190 | 224 | 269 | 161 | 190 | 250 | 89 |
| 300.00 | 569 | 187 | 381 | * | 141 | 183 | 241 | 138 | 158 | 203 | 71 |
| 300.01 | 76 | 19 | 57 | * | 33 | 24 | 17 | 16 | 18 | 27 | 15 |
| 300.02 | 44 | 14 | 30 | * | 15 | 17 | 11 | *7 | 13 | 20 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 300.1 | 32 | *7 | 26 | * | 21 | *9 | * | *5 | 12 | 11 | * |
| 300.11 | 12 | * | *8 | * | *6 | * | * | * | * | * | * |
| 300.14 | *8 | * | *8 | - | *6 | * | - | * | * | * | * |
| 300.15 | *7 | * | *7 | * | *6 | * | * | * | * | * | * |
| 300.2 | 24 | *9 | 16 | * | 13 | *7 | * | *6 | *6 | *9 | * |
| 300.21 | 11 | * | *7 | - | *8 | * | * | * | * | * | * |
| 300.3 | 34 | 15 | 19 | * | 23 | *6 | * | 12 | 11 | *7 | * |
| 300.4 | 398 | 103 | 295 | *5 | 112 | 151 | 129 | 95 | 119 | 138 | 45 |
| 300.9 | 98 | 46 | 52 | * | 59 | 24 | 11 | 14 | 34 | 37 | 14 |
| 301 | 284 | 117 | 167 | *6 | 182 | 82 | 14 | 94 | 82 | 77 | 32 |
| 301.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 301.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| 301.5 | 9 | * | *7 | * | *5 | * | * | * | * | *7 | * |
| 301.50 | *8 | * | *5 | * | * | * | * | * | * | *6 | * |
| 301.6 | 23 | *6 | 16 | * | 11 | 10 | * | * | *7 | 11 | * |
| 301.7 | 35 | 30 | *6 | * | 28 | *7 | * | *6 | 13 | 11 | * |
| 301.8 | 113 | 25 | 88 | * | 83 | 27 | * | 34 | 43 | 25 | 11 |
| 301.81 | *8 | *5 | * | - | * | * | * | * | * | * | * |
| 301.83 | 88 | 13 | 76 | * | 68 | 19 | * | 25 | 35 | 20 | *8 |
| 301.89 | 13 | * | *8 | * | *8 | * | * | *6 | * | * | * |
| 301.9 | 84 | 44 | 40 | * | 48 | 28 | *7 | 44 | 11 | 17 | 11 |
| 302 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 303 | 740 | 510 | 230 | * | 317 | 345 | 77 | 196 | 195 | 210 | 139 |
| 303.0 | 146 | 105 | 42 | * | 68 | 69 | *9 | 40 | 58 | 19 | 29 |
| 303.00 | 40 | 27 | 13 | * | 17 | 19 | * | * | 17 | *8 | 11 |
| 303.01 | 101 | 75 | 26 | - | 48 | 48 | *6 | 34 | 39 | 12 | 16 |
| 303.9 | 594 | 406 | 188 | * | 249 | 275 | 69 | 156 | 137 | 191 | 110 |
| 303.90 | 287 | 193 | 93 | * | 112 | 136 | 39 | 49 | 64 | 116 | 58 |
| 303.91 | 242 | 173 | 70 | - | 112 | 107 | 24 | 89 | 50 | 61 | 42 |
| 303.92 | 13 | 9 | * | * | *7 | * | * | *5 | * | * | * |
| 303.93 | 52 | 30 | 22 | * | 18 | 28 | * | 13 | 20 | 11 | *8 |
| 304 | 595 | 336 | 260 | * | 396 | 179 | 16 | 225 | 102 | 185 | 83 |
| 304.0 | 201 | 108 | 93 | * | 116 | 79 | *6 | 83 | 30 | 56 | 32 |
| 304.00 | 71 | 35 | 36 | * | 40 | 29 | * | 11 | 12 | 34 | 15 |
| 304.01 | 121 | 68 | 53 | - | 72 | 47 | * | 71 | 14 | 21 | 15 |
| 304.03 | *8 | * | * | - | * | * | * | * | * | * | * |
| 304.1 | 31 | 15 | 16 | * | 17 | 11 | * | 13 | * | 10 | * |
| 304.10 | 14 | *6 | *8 | * | *6 | *7 | * | * | * | *7 | * |
| 304.11 | 16 | *8 | *8 | - | 10 | * | * | 10 | * | * | * |
| 304.2 | 147 | 90 | 57 | * | 108 | 38 | * | 65 | 20 | 48 | 15 |
| 304.20 | 61 | 36 | 25 | * | 44 | 17 | * | 11 | 11 | 26 | 13 |
| 304.21 | 77 | 48 | 29 | - | 58 | 19 | * | 51 | *6 | 19 | * |
| 304.23 | *7 | * | * | - | * | * | * | * | * | * | * |
| 304.3 | 56 | 37 | 19 | * | 47 | *8 | * | 15 | 25 | 12 | * |
| 304.30 | 23 | 14 | *9 | * | 18 | * | * | * | 10 | *6 | * |
| 304.31 | 24 | 17 | *7 | * | 22 | * | * | 10 | 10 | * | * |
| 304.33 | *7 | * | * | * | *6 | * | * | * | * | * | * |
| 304.4 | 25 | 14 | 11 | - | 20 | * | * | * | * | * | 13 |
| 304.40 | 14 | 9 | * | - | 11 | * | - | * | * | * | *8 |
| 304.41 | *6 | * | * | - | * | * | * | * | * | * | * |
| 304.6 | *7 | * | * | * | * | * | * | * | * | * | * |
| 304.7 | 40 | 23 | 17 | * | 28 | 12 | * | 20 | *6 | 10 | * |
| 304.70 | 11 | * | *6 | * | *7 | * | * | * | * | * | * |
| 304.71 | 26 | 17 | 10 | - | 19 | *7 | * | 16 | * | *6 | * |
| 304.8 | 43 | 26 | 17 | * | 29 | 11 | * | 12 | * | 24 | * |
| 304.80 | 32 | 20 | 12 | * | 22 | *8 | * | *5 | * | 22 | * |
| 304.81 | *8 | * | * | - | *6 | * | * | * | * | * | * |
| 304.9 | 45 | 20 | 25 | * | 27 | 14 | * | 14 | *6 | 18 | *7 |
| 304.90 | 32 | 13 | 18 | * | 17 | 11 | * | *9 | * | 13 | *6 |
| 304.91 | 9 | * | *6 | * | *6 | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 305 | 3,466 | 1,890 | 1,575 | 17 | 1,673 | 1,318 | 458 | 659 | 873 | 1,324 | 610 |
| 305.0 | 542 | 375 | 167 | * | 255 | 209 | 76 | 122 | 122 | 194 | 103 |
| 305.00 | 386 | 266 | 120 | * | 191 | 140 | 55 | 70 | 100 | 142 | 74 |
| 305.01 | 99 | 73 | 27 | * | 39 | 45 | 15 | 29 | 14 | 38 | 19 |
| 305.02 | 23 | 14 | 9 | * | 12 | 9 | * | 13 | * | * | * |
| 305.03 | 34 | 22 | 11 | - | 14 | 15 | *5 | 11 | *5 | 9 | *8 |
| 305.1 | 2,190 | 1,097 | 1,093 | * | 923 | 896 | 368 | 381 | 595 | 852 | 362 |
| 305.2 | 158 | 96 | 62 | * | 125 | 28 | * | 38 | 40 | 56 | 23 |
| 305.20 | 115 | 69 | 46 | * | 94 | 17 | * | 20 | 34 | 44 | 17 |
| 305.21 | 27 | 17 | 10 | * | 20 | *7 | * | 12 | * | *8 | *5 |
| 305.22 | *8 | *6 | * | * | *7 | * | - | * | * | * | * |
| 305.23 | *7 | * | * | - | * | * | - | * | * | * | * |
| 305.4 | 18 | *7 | 11 | - | 12 | * | * | * | * | *7 | * |
| 305.40 | 14 | *6 | *8 | - | 9 | * | * | * | * | *6 | * |
| 305.5 | 80 | 50 | 30 | * | 44 | 33 | * | 20 | 21 | 20 | 19 |
| 305.50 | 55 | 35 | 20 | * | 31 | 22 | * | 10 | 19 | 14 | 12 |
| 305.51 | 18 | 12 | *6 | * | *8 | *9 | * | *7 | * | * | * |
| 305.53 | *6 | * | * | - | * | * | * | * | * | * | * |
| 305.6 | 255 | 146 | 109 | * | 163 | 88 | * | 57 | 60 | 105 | 32 |
| 305.60 | 196 | 110 | 86 | * | 126 | 67 | * | 34 | 52 | 86 | 24 |
| 305.61 | 36 | 23 | 13 | * | 21 | 13 | * | 15 | * | 13 | * |
| 305.62 | *8 | * | * | - | *5 | * | * | * | * | * | * |
| 305.63 | 15 | *8 | *7 | - | 11 | * | * | * | * | * | * |
| 305.7 | 58 | 30 | 29 | * | 45 | 13 | * | * | * | 11 | 44 |
| 305.70 | 47 | 23 | 24 | * | 37 | 10 | * | * | * | 10 | 35 |
| 305.71 | *6 | * | * | - | * | * | * | * | * | * | * |
| 305.9 | 160 | 87 | 73 | *7 | 102 | 47 | * | 32 | 28 | 76 | 24 |
| 305.90 | 130 | 71 | 59 | *7 | 81 | 38 | * | 22 | 26 | 65 | 18 |
| 305.91 | 10 | *7 | * | - | *7 | * | * | * | * | *5 | * |
| 305.93 | 18 | *8 | 10 | - | 13 | *6 | * | *6 | * | *6 | *5 |
| 306 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 307 | 89 | 28 | 60 | 9 | 41 | 17 | 22 | 19 | 28 | 28 | 15 |
| 307.1 | *9 | * | *8 | * | *6 | * | * | * | * | * | * |
| 307.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 307.23 | *5 | * | * | * | * | * | * | * | * | * | * |
| 307.5 | 21 | * | 19 | * | 15 | * | * | *6 | 9 | * | * |
| 307.50 | 14 | * | 13 | * | 10 | * | * | * | *7 | * | * |
| 307.8 | 15 | * | 13 | * | *6 | *5 | * | * | * | *7 | * |
| 307.81 | 13 | * | 12 | - | *5 | * | * | * | * | *6 | * |
| 307.9 | 33 | 16 | 17 | * | *8 | *6 | 16 | * | 10 | 12 | *6 |
| 308 | 16 | *7 | 10 | * | *7 | * | * | * | * | *6 | * |
| 308.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 309 | 272 | 95 | 176 | 21 | 169 | 59 | 23 | 94 | 83 | 61 | 34 |
| 309.0 | 48 | 21 | 27 | * | 26 | 10 | 10 | 15 | 13 | 11 | *8 |
| 309.2 | 37 | 16 | 20 | * | 19 | *8 | * | 11 | 14 | *7 | * |
| 309.24 | *6 | * | * | * | * | * | * | * | * | * | * |
| 309.28 | 28 | 12 | 16 | * | 17 | *7 | * | *8 | 13 | * | * |
| 309.4 | 16 | *7 | 9 | * | 11 | * | * | *6 | * | * | * |
| 309.8 | 151 | 41 | 109 | 11 | 99 | 35 | *5 | 52 | 49 | 34 | 16 |
| 309.81 | 148 | 41 | 107 | 11 | 98 | 34 | *5 | 51 | 49 | 33 | 15 |
| 309.9 | 15 | *8 | *7 | * | 11 | * | * | *7 | * | *5 | * |
| 310 | 40 | 19 | 22 | * | *7 | *7 | 25 | *8 | *6 | 16 | 10 |
| 310.1 | *8 | *5 | * | * | * | * | * | * | * | * | *6 |
| 310.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 310.9 | 23 | *7 | 16 | - | * | * | 18 | * | * | 13 | * |
| 311 | 1,291 | 440 | 851 | 18 | 427 | 428 | 418 | 331 | 359 | 394 | 207 |
| 312 | 64 | 44 | 20 | 13 | 40 | *7 | * | 28 | 13 | 21 | * |
| 312.3 | 39 | 29 | 11 | *6 | 28 | * | * | 19 | *8 | 11 | * |
| 312.30 | 23 | 18 | *6 | * | 17 | * | * | 13 | * | *5 | * |
| 312.34 | 14 | 10 | * | * | 10 | * | * | *5 | * | *5 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 312.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 312.9 | 17 | 10 | *7 | * | *6 | * | * | *7 | * | *6 | * |
| 313 | 35 | 20 | 15 | 22 | 13 | — | * | *8 | *8 | 17 | * |
| 313.8 | 33 | 19 | 14 | 20 | 12 | — | * | *7 | *7 | 17 | * |
| 313.81 | 29 | 17 | 12 | 18 | 11 | — | — | *7 | *6 | 16 | * |
| 314 | 136 | 87 | 49 | 57 | 69 | *8 | * | 33 | 39 | 50 | 14 |
| 314.0 | 129 | 82 | 47 | 55 | 65 | *8 | * | 33 | 39 | 44 | 14 |
| 314.00 | 24 | 15 | 9 | *6 | 15 | * | * | *7 | *7 | *6 | * |
| 314.01 | 105 | 67 | 38 | 49 | 50 | *5 | * | 26 | 32 | 37 | 10 |
| 314.9 | *6 | * | * | * | * | — | — | * | * | *6 | — |
| 315 | 59 | 35 | 24 | 37 | 16 | * | * | 17 | 12 | 12 | 18 |
| 315.3 | *7 | * | * | *7 | * | — | — | * | * | * | * |
| 315.8 | 21 | 14 | *7 | 17 | * | * | * | * | * | *6 | *8 |
| 315.9 | 24 | 15 | 9 | 10 | 9 | * | * | *8 | * | * | *7 |
| 317 | 36 | 19 | 18 | * | 19 | 9 | * | 14 | 9 | 12 | * |
| 318 | 33 | 18 | 15 | * | 14 | 11 | *6 | 9 | 12 | 10 | * |
| 318.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 318.1 | 19 | 11 | *8 | * | *8 | *7 | * | * | *6 | *7 | * |
| 318.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 319 | 83 | 49 | 34 | 12 | 28 | 28 | 14 | 18 | 24 | 28 | 13 |
| 320-389 | 3,942 | 1,708 | 2,234 | 373 | 678 | 912 | 1,979 | 849 | 999 | 1,354 | 740 |
| 320 | 13 | *6 | *8 | * | * | * | * | * | * | *6 | * |
| 321 | 9 | * | *6 | * | * | *6 | * | * | * | * | * |
| 321.0 | *8 | * | *6 | * | * | *6 | * | * | * | * | * |
| 322 | 13 | *8 | * | * | * | * | * | * | * | *6 | * |
| 322.9 | 10 | *7 | * | * | * | * | * | * | * | * | * |
| 323 | 12 | *6 | *6 | * | *5 | * | * | * | * | * | * |
| 323.9 | 9 | * | * | * | * | * | * | * | * | * | * |
| 324 | 15 | *9 | *6 | * | * | *7 | * | * | * | * | * |
| 324.1 | 10 | *6 | * | — | * | *6 | * | * | * | * | * |
| 331 | 568 | 223 | 345 | 22 | 18 | 35 | 492 | 132 | 149 | 205 | 82 |
| 331.0 | 415 | 143 | 272 | — | * | 10 | 403 | 98 | 111 | 151 | 55 |
| 331.3 | 29 | 18 | 11 | * | * | * | 23 | * | *8 | 10 | *6 |
| 331.4 | 72 | 37 | 35 | 20 | 15 | 17 | 21 | 19 | 14 | 25 | 15 |
| 331.8 | 39 | 19 | 20 | — | * | * | 35 | *8 | 12 | 15 | * |
| 331.82 | 38 | 18 | 19 | — | * | * | 35 | *8 | 12 | 14 | * |
| 331.9 | 11 | *5 | *6 | * | * | * | *8 | * | * | * | * |
| 332 | 232 | 117 | 115 | * | * | 21 | 210 | 60 | 70 | 69 | 32 |
| 332.0 | 231 | 117 | 114 | * | * | 21 | 209 | 60 | 69 | 69 | 32 |
| 333 | 123 | 40 | 82 | * | 15 | 29 | 76 | 21 | 39 | 45 | 18 |
| 333.1 | 36 | 12 | 24 | * | * | *7 | 27 | *5 | 10 | 16 | *5 |
| 333.2 | 10 | * | *5 | * | * | * | * | * | * | * | * |
| 333.8 | *9 | * | *7 | * | * | * | * | * | * | * | * |
| 333.82 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 333.9 | 57 | 15 | 42 | * | *7 | 14 | 35 | 9 | 20 | 20 | *8 |
| 333.99 | 50 | 13 | 37 | * | *6 | 13 | 30 | *7 | 18 | 18 | *7 |
| 334 | *8 | * | * | * | * | * | * | * | * | * | * |
| 335 | 15 | *9 | *6 | * | * | * | *8 | * | * | *5 | * |
| 335.2 | 12 | *7 | *5 | — | * | * | *8 | * | * | * | * |
| 335.20 | *9 | *5 | * | — | * | * | *7 | * | * | * | * |
| 336 | 19 | 11 | *8 | * | * | *6 | *7 | * | * | *8 | * |
| 336.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 336.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 337 | 45 | 15 | 30 | * | 10 | 20 | 14 | 11 | 13 | 13 | *8 |
| 337.1 | 20 | *7 | 13 | — | * | 9 | *8 | *6 | *6 | *5 | * |
| 337.2 | 16 | * | 12 | * | *6 | *8 | * | * | *5 | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 337.20 | *7 | * | *6 | — | * | * | * | * | * | * | * |
| 337.22 | *6 | * | * | * | * | * | * | * | * | * | * |
| 337.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 340 | 123 | 32 | 90 | * | 32 | 60 | 28 | 32 | 39 | 31 | 21 |
| 341 | *6 | * | * | * | * | * | * | * | * | * | * |
| 342 | 151 | 72 | 79 | * | 12 | 39 | 95 | 30 | 38 | 54 | 29 |
| 342.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 342.9 | 137 | 66 | 71 | * | 10 | 36 | 87 | 26 | 34 | 50 | 27 |
| 342.90 | 115 | 57 | 58 | * | 9 | 29 | 74 | 19 | 32 | 42 | 22 |
| 342.91 | 11 | * | *7 | * | * | * | *7 | * | * | * | * |
| 342.92 | 11 | * | *6 | * | * | * | *6 | * | * | * | * |
| 343 | 81 | 45 | 36 | 31 | 34 | 12 | * | 17 | 22 | 26 | 16 |
| 343.2 | 13 | *7 | *6 | *7 | * | * | * | *6 | * | * | * |
| 343.9 | 58 | 33 | 26 | 18 | 28 | 10 | * | *8 | 17 | 22 | 11 |
| 344 | 147 | 94 | 53 | *9 | 51 | 44 | 43 | 23 | 33 | 61 | 30 |
| 344.0 | 54 | 37 | 17 | * | 21 | 21 | 10 | *7 | 14 | 23 | 10 |
| 344.00 | 48 | 33 | 15 | * | 19 | 19 | *8 | *6 | 13 | 21 | *8 |
| 344.1 | 55 | 38 | 16 | * | 23 | 14 | 14 | 10 | 9 | 23 | 12 |
| 344.4 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| 344.40 | *5 | * | * | * | * | * | * | * | * | * | * |
| 344.6 | 10 | *7 | * | * | * | * | * | * | * | * | * |
| 344.60 | *6 | * | * | — | * | * | * | * | * | * | * |
| 344.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 344.89 | *5 | * | * | * | * | * | * | * | * | * | * |
| 344.9 | 13 | *6 | *6 | * | * | * | *7 | * | * | * | * |
| 345 | 118 | 53 | 65 | 32 | 39 | 30 | 16 | 27 | 25 | 39 | 27 |
| 345.1 | 21 | *8 | 13 | *7 | * | *7 | * | * | * | *5 | *9 |
| 345.10 | 17 | *7 | 10 | * | * | *6 | * | * | * | *5 | *7 |
| 345.3 | 24 | 12 | 11 | 9 | *6 | * | * | * | *6 | *7 | *6 |
| 345.4 | *6 | * | * | * | * | * | * | * | * | * | * |
| 345.5 | 13 | * | 9 | * | * | * | * | * | * | * | * |
| 345.50 | 10 | * | *8 | * | * | * | * | * | * | * | * |
| 345.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 345.9 | 44 | 21 | 23 | *8 | 19 | 12 | * | 10 | 11 | 18 | *5 |
| 345.90 | 39 | 18 | 20 | *7 | 16 | 11 | * | *9 | 10 | 15 | * |
| 346 | 247 | 51 | 196 | *6 | 130 | 90 | 20 | 60 | 55 | 86 | 47 |
| 346.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 346.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 346.20 | *6 | * | * | * | * | * | * | * | * | * | * |
| 346.8 | 15 | * | 13 | * | *7 | *6 | * | * | * | *6 | * |
| 346.80 | 11 | * | 9 | * | *6 | * | * | * | * | * | * |
| 346.9 | 215 | 42 | 173 | * | 114 | 79 | 18 | 53 | 49 | 73 | 40 |
| 346.90 | 206 | 40 | 166 | * | 108 | 76 | 18 | 52 | 47 | 70 | 38 |
| 346.91 | 9 | * | *7 | * | *7 | * | * | * | * | * | * |
| 347 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 347.0 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 347.00 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 348 | 230 | 116 | 113 | 30 | 44 | 58 | 97 | 42 | 47 | 82 | 58 |
| 348.0 | 11 | *6 | *6 | * | * | * | * | * | * | * | * |
| 348.1 | 57 | 35 | 23 | *8 | *8 | 18 | 23 | *6 | 13 | 20 | 18 |
| 348.2 | 11 | * | 10 | * | 9 | * | * | * | * | * | * |
| 348.3 | 91 | 43 | 48 | *6 | 9 | 20 | 56 | 19 | 18 | 36 | 18 |
| 348.30 | 39 | 19 | 20 | * | * | *8 | 23 | *6 | *7 | 18 | *8 |
| 348.31 | 30 | 12 | 18 | * | * | *7 | 21 | 10 | *6 | 10 | * |
| 348.39 | 22 | 11 | 10 | * | * | * | 12 | * | * | *8 | *6 |
| 348.4 | 17 | *8 | *9 | * | *7 | *5 | * | * | * | * | * |
| 348.5 | 9 | * | *5 | * | * | * | * | * | * | * | * |
| 348.8 | 25 | 16 | *9 | *7 | *6 | *6 | *5 | * | *5 | 10 | *6 |
| 348.9 | *8 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 349 | 64 | 22 | 42 | * | 27 | 16 | 18 | 13 | 18 | 23 | 10 |
| 349.0 | 27 | * | 22 | * | 22 | * | * | * | *7 | 9 | *6 |
| 349.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 349.8 | 29 | 13 | 16 | * | * | *9 | 16 | *6 | *9 | 11 | * |
| 349.82 | 25 | 11 | 14 | * | * | *7 | 15 | * | *7 | 10 | * |
| 350 | 21 | * | 17 | — | * | *7 | 11 | * | *6 | *7 | * |
| 350.1 | 20 | * | 17 | — | * | *6 | 11 | * | *6 | *6 | * |
| 351 | 29 | 11 | 18 | * | *5 | *8 | 14 | * | *6 | 12 | *7 |
| 351.0 | 26 | 9 | 17 | * | * | *7 | 13 | * | *5 | 10 | *6 |
| 353 | 11 | *6 | *6 | * | * | * | * | * | * | * | * |
| 353.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 354 | 35 | 14 | 21 | * | 10 | 14 | 10 | *8 | 9 | 10 | *7 |
| 354.0 | 19 | *5 | 14 | * | *6 | *8 | * | * | * | *7 | * |
| 354.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 355 | 62 | 26 | 36 | * | 10 | 20 | 32 | 13 | 14 | 23 | 12 |
| 355.8 | 27 | 12 | 16 | * | * | *7 | 17 | *7 | *8 | *8 | *5 |
| 355.9 | 27 | 10 | 17 | * | *5 | 10 | 12 | *5 | * | 12 | * |
| 356 | 106 | 53 | 53 | * | 10 | 33 | 62 | 18 | 25 | 43 | 19 |
| 356.9 | 100 | 50 | 50 | * | *8 | 32 | 59 | 17 | 24 | 40 | 19 |
| 357 | 269 | 136 | 133 | * | 30 | 110 | 127 | 62 | 65 | 92 | 50 |
| 357.0 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 357.2 | 242 | 123 | 120 | — | 24 | 102 | 117 | 55 | 59 | 83 | 45 |
| 357.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| 358 | 28 | 13 | 15 | * | * | *5 | 18 | 9 | *6 | 11 | * |
| 358.0 | 25 | 12 | 13 | * | * | * | 17 | *8 | *5 | 10 | * |
| 358.00 | 21 | 10 | 11 | * | * | * | 16 | *7 | * | 9 | * |
| 359 | 25 | 14 | 11 | * | *8 | *6 | *8 | *5 | *6 | 9 | *5 |
| 359.1 | 10 | *6 | * | * | *5 | * | * | * | * | * | * |
| 361 | *5 | * | * | * | * | * | * | * | * | * | * |
| 362 | 170 | 65 | 104 | * | 15 | 43 | 108 | 36 | 51 | 52 | 31 |
| 362.0 | 89 | 39 | 51 | * | 12 | 35 | 42 | 18 | 27 | 27 | 17 |
| 362.01 | 86 | 37 | 49 | * | 10 | 34 | 41 | 17 | 27 | 25 | 16 |
| 362.3 | *9 | *6 | * | — | * | * | * | * | * | * | * |
| 362.34 | *5 | * | * | — | — | * | * | * | * | * | * |
| 362.5 | 60 | 17 | 43 | * | * | * | 57 | 12 | 20 | 17 | 12 |
| 362.50 | 59 | 16 | 43 | * | * | * | 56 | 11 | 20 | 17 | 11 |
| 364 | *6 | * | * | * | * | * | * | * | * | * | * |
| 365 | 179 | 67 | 112 | * | *5 | 28 | 146 | 40 | 51 | 55 | 33 |
| 365.9 | 173 | 64 | 109 | * | * | 27 | 142 | 38 | 50 | 53 | 31 |
| 366 | 25 | *9 | 17 | * | * | *6 | 17 | *6 | 9 | *5 | * |
| 366.9 | 21 | *7 | 14 | * | * | * | 14 | * | *8 | * | * |
| 368 | 63 | 26 | 37 | * | 14 | 20 | 25 | 13 | 14 | 20 | 16 |
| 368.1 | 15 | *5 | 10 | * | * | * | *7 | * | * | *7 | * |
| 368.16 | 10 | * | *7 | * | * | * | *7 | * | * | * | * |
| 368.2 | 16 | *8 | *8 | * | * | *6 | *6 | * | * | * | *6 |
| 368.4 | 14 | *5 | *9 | * | * | * | *8 | * | * | * | * |
| 368.46 | *8 | * | * | — | * | * | *5 | * | * | * | * |
| 368.8 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 368.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 369 | 87 | 42 | 45 | * | 15 | 16 | 53 | 20 | 21 | 31 | 16 |
| 369.0 | 27 | 14 | 13 | * | *5 | * | 17 | *6 | *7 | 10 | * |
| 369.00 | 26 | 13 | 13 | * | * | * | 17 | *6 | *7 | 10 | * |
| 369.4 | 23 | *7 | 15 | * | * | * | 15 | *8 | * | *6 | * |
| 369.6 | 26 | 15 | 11 | * | * | *6 | 15 | * | *6 | 10 | *6 |
| 369.60 | 26 | 15 | 11 | * | * | *6 | 14 | * | *6 | 10 | *6 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 372 | 53 | 29 | 24 | 14 | 12 | *7 | 19 | *8 | 13 | 22 | 10 |
| 372.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 372.3 | 34 | 18 | 16 | 11 | *6 | * | 13 | * | *9 | 14 | *7 |
| 372.30 | 31 | 17 | 14 | 10 | * | * | 13 | * | *8 | 11 | *7 |
| 372.7 | *8 | * | * | * | * | * | * | * | * | * | * |
| 372.72 | *7 | * | * | * | * | * | * | * | * | * | * |
| 373 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 373.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 374 | 12 | *5 | *7 | * | * | *6 | * | * | * | * | * |
| 374.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 374.30 | *7 | * | * | * | * | * | * | * | * | * | * |
| 376 | 18 | *8 | 11 | *8 | *6 | * | * | * | * | *8 | * |
| 376.0 | 14 | *6 | *8 | *7 | * | * | * | * | * | *7 | * |
| 376.01 | 13 | *6 | *7 | *7 | * | * | * | * | * | *6 | * |
| 377 | 14 | *8 | *6 | * | *6 | * | * | * | * | *6 | * |
| 377.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 378 | 17 | *9 | *8 | * | * | *6 | * | * | * | *6 | * |
| 378.5 | 11 | *6 | * | * | * | * | * | * | * | * | * |
| 378.54 | *5 | * | * | * | * | * | * | * | * | * | * |
| 379 | 21 | 9 | 12 | * | *5 | *6 | *5 | * | * | 9 | * |
| 379.9 | *8 | * | * | * | * | * | * | * | * | * | * |
| 380 | 30 | 15 | 16 | *8 | *9 | * | *9 | *8 | *7 | *8 | *7 |
| 380.1 | 17 | *8 | *9 | *5 | * | * | * | * | * | *5 | * |
| 380.10 | 16 | *8 | *9 | *5 | * | * | * | * | * | * | * |
| 380.4 | 9 | *5 | * | * | * | * | * | * | * | * | * |
| 381 | 19 | *8 | 11 | 14 | * | * | * | *6 | * | * | * |
| 381.4 | *8 | * | * | * | * | * | * | * | * | * | * |
| 382 | 130 | 72 | 58 | 108 | 11 | *5 | *6 | 17 | 29 | 55 | 29 |
| 382.9 | 123 | 67 | 56 | 102 | 10 | *5 | *6 | 15 | 28 | 52 | 28 |
| 383 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 386 | 78 | 25 | 53 | * | *8 | 20 | 50 | 21 | 24 | 20 | 13 |
| 386.0 | 17 | *5 | 12 | — | * | *6 | 10 | * | *5 | * | * |
| 386.00 | 17 | * | 12 | — | * | *5 | 10 | * | *5 | * | * |
| 386.1 | 35 | 12 | 23 | * | * | *7 | 24 | 11 | *8 | 10 | *6 |
| 386.11 | 26 | 10 | 16 | * | * | * | 19 | *9 | *5 | *7 | * |
| 386.12 | *6 | * | * | — | * | * | * | * | * | * | * |
| 386.3 | 22 | *8 | 14 | — | * | *6 | 13 | *6 | *9 | * | * |
| 386.30 | 20 | *8 | 13 | — | * | *5 | 12 | *6 | *8 | * | * |
| 388 | 18 | *7 | 10 | * | *6 | * | *7 | * | * | *7 | * |
| 388.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 388.30 | *6 | * | * | * | * | * | * | * | * | * | * |
| 388.7 | *7 | * | * | * | * | * | * | * | * | * | * |
| 388.70 | *7 | * | * | * | * | * | * | * | * | * | * |
| 389 | 102 | 51 | 51 | *6 | 14 | 16 | 67 | 22 | 29 | 30 | 21 |
| 389.1 | *7 | * | * | * | * | * | * | * | * | * | * |
| 389.7 | *5 | * | * | * | * | * | * | * | * | * | * |
| 389.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 389.9 | 82 | 41 | 41 | * | *9 | 12 | 58 | 16 | 23 | 26 | 17 |
| 390–459 | 34,677 | 16,812 | 17,865 | 140 | 2,104 | 8,997 | 23,436 | 7,822 | 8,659 | 12,260 | 5,936 |
| 394 | 24 | 10 | 13 | * | * | *6 | 16 | *9 | * | *5 | *5 |
| 394.0 | *7 | * | *5 | * | * | * | *5 | * | * | * | * |
| 394.1 | 10 | *6 | * | * | * | * | *7 | *5 | * | * | * |
| 396 | 178 | 71 | 107 | * | * | 18 | 155 | 48 | 50 | 57 | 23 |
| 396.0 | *6 | * | * | * | * | * | *6 | * | * | * | * |
| 396.2 | 49 | 20 | 29 | * | * | * | 44 | 13 | 17 | 13 | *6 |
| 396.3 | 89 | 33 | 56 | * | * | 9 | 77 | 26 | 24 | 31 | 9 |
| 396.8 | 17 | *6 | 12 | — | * | * | 15 | *6 | * | *6 | * |
| 396.9 | 12 | *8 | * | — | * | * | 10 | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 397 | 191 | 73 | 118 | * | 14 | 34 | 141 | 57 | 45 | 59 | 30 |
| 397.0 | 189 | 73 | 116 | * | 14 | 34 | 139 | 57 | 45 | 58 | 30 |
| 398 | 79 | 29 | 50 | — | * | 11 | 65 | 25 | 18 | 25 | 12 |
| 398.9 | 79 | 29 | 50 | — | * | 11 | 65 | 25 | 18 | 25 | 12 |
| 398.91 | 75 | 29 | 46 | — | * | 10 | 63 | 22 | 17 | 24 | 12 |
| 401 | 9,003 | 3,841 | 5,161 | 18 | 710 | 2,869 | 5,406 | 2,044 | 2,211 | 3,243 | 1,505 |
| 401.0 | 79 | 31 | 47 | * | 11 | 27 | 41 | 15 | 15 | 36 | 13 |
| 401.1 | 90 | 36 | 54 | * | *9 | 25 | 56 | 72 | * | 13 | * |
| 401.9 | 8,834 | 3,774 | 5,060 | 17 | 691 | 2,818 | 5,308 | 1,958 | 2,191 | 3,195 | 1,490 |
| 402 | 289 | 115 | 173 | — | 9 | 61 | 218 | 71 | 70 | 112 | 36 |
| 402.0 | 11 | * | *8 | — | * | * | *7 | * | * | *6 | * |
| 402.01 | *7 | * | * | — | * | * | * | * | * | * | * |
| 402.9 | 273 | 110 | 164 | — | *9 | 57 | 208 | 66 | 68 | 105 | 34 |
| 402.90 | 150 | 63 | 87 | — | * | 30 | 116 | 37 | 40 | 56 | 17 |
| 402.91 | 123 | 46 | 77 | — | * | 27 | 92 | 29 | 28 | 49 | 18 |
| 403 | 1,269 | 650 | 618 | * | 113 | 383 | 770 | 244 | 256 | 493 | 276 |
| 403.0 | 31 | 14 | 18 | * | 11 | 12 | *9 | * | *6 | 18 | * |
| 403.01 | 28 | 13 | 16 | * | 11 | 11 | *7 | * | * | 17 | * |
| 403.1 | 12 | *8 | * | — | * | * | *7 | 10 | * | * | * |
| 403.11 | 12 | *7 | * | — | * | * | *7 | 10 | * | * | * |
| 403.9 | 1,225 | 629 | 596 | * | 101 | 368 | 754 | 231 | 250 | 473 | 272 |
| 403.90 | 49 | 22 | 27 | * | * | 10 | 36 | 16 | *8 | 14 | 11 |
| 403.91 | 1,176 | 607 | 569 | * | 98 | 357 | 718 | 215 | 241 | 459 | 261 |
| 404 | 83 | 42 | 41 | * | * | 24 | 54 | 17 | 22 | 32 | 12 |
| 404.0 | *8 | * | * | — | * | * | * | * | * | * | * |
| 404.9 | 75 | 38 | 37 | * | * | 20 | 50 | 15 | 21 | 28 | 10 |
| 404.91 | *7 | * | * | — | * | * | * | * | * | * | * |
| 404.92 | 17 | 9 | *8 | * | * | *6 | 10 | * | * | *7 | * |
| 404.93 | 48 | 24 | 24 | — | * | 12 | 34 | *8 | 15 | 19 | *6 |
| 405 | 9 | * | *6 | * | * | * | *5 | * | * | * | * |
| 405.9 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 410 | 865 | 499 | 366 | * | 47 | 253 | 563 | 219 | 207 | 274 | 166 |
| 410.0 | 17 | 9 | *8 | — | * | * | 11 | * | * | *7 | * |
| 410.01 | 16 | 9 | *7 | — | * | * | 10 | * | * | *7 | * |
| 410.1 | 74 | 43 | 31 | * | * | 27 | 42 | 15 | 16 | 22 | 21 |
| 410.11 | 63 | 37 | 26 | — | * | 26 | 34 | 13 | 14 | 20 | 17 |
| 410.12 | *9 | * | * | — | * | * | *7 | * | * | * | * |
| 410.2 | 13 | *9 | * | — | * | * | *7 | * | * | * | * |
| 410.21 | 13 | *8 | * | — | * | * | *7 | * | * | * | * |
| 410.3 | *8 | *6 | * | — | * | * | * | * | * | * | * |
| 410.31 | *8 | *5 | * | — | * | * | * | * | * | * | * |
| 410.4 | 86 | 64 | 22 | — | *7 | 39 | 40 | 17 | 20 | 27 | 22 |
| 410.41 | 79 | 59 | 20 | — | *6 | 36 | 37 | 15 | 19 | 24 | 21 |
| 410.42 | *6 | * | * | — | * | * | * | * | * | * | * |
| 410.5 | 10 | *6 | * | — | * | * | *6 | * | * | * | * |
| 410.51 | 10 | *5 | * | — | * | * | *6 | * | * | * | * |
| 410.7 | 508 | 287 | 221 | — | 22 | 134 | 352 | 144 | 113 | 163 | 87 |
| 410.71 | 478 | 271 | 207 | — | 20 | 129 | 329 | 134 | 108 | 154 | 82 |
| 410.72 | 26 | 14 | 12 | — | * | * | 20 | *9 | * | *7 | *5 |
| 410.8 | 24 | 13 | 10 | * | * | *8 | 13 | *5 | 11 | * | * |
| 410.81 | 22 | 13 | 9 | — | * | *8 | 12 | *5 | 10 | * | * |
| 410.9 | 123 | 61 | 62 | — | *7 | 28 | 89 | 24 | 37 | 40 | 22 |
| 410.91 | 106 | 52 | 55 | — | *6 | 23 | 77 | 20 | 29 | 36 | 20 |
| 410.92 | 14 | *8 | *6 | — | * | * | 9 | * | *7 | * | * |
| 411 | 576 | 338 | 238 | * | 29 | 225 | 320 | 131 | 125 | 218 | 102 |
| 411.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 411.1 | 549 | 322 | 227 | * | 28 | 217 | 304 | 121 | 122 | 209 | 97 |
| 411.8 | 21 | 11 | 10 | — | * | *6 | 14 | 10 | * | *6 | * |
| 411.89 | 18 | *9 | 9 | — | * | *6 | 12 | 9 | * | *5 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 412 | 686 | 430 | 255 | * | 36 | 214 | 435 | 163 | 177 | 222 | 124 |
| 413 | 391 | 208 | 183 | — | 23 | 117 | 250 | 89 | 104 | 135 | 63 |
| 413.1 | *6 | * | * | — | * | * | * | * | * | * | * |
| 413.9 | 385 | 206 | 178 | — | 21 | 115 | 248 | 89 | 103 | 131 | 61 |
| 414 | 4,675 | 2,749 | 1,926 | * | 133 | 1,280 | 3,260 | 1,086 | 1,192 | 1,631 | 766 |
| 414.0 | 4,340 | 2,528 | 1,812 | * | 123 | 1,195 | 3,020 | 1,011 | 1,111 | 1,511 | 706 |
| 414.00 | 1,225 | 726 | 498 | — | 14 | 256 | 954 | 303 | 334 | 425 | 163 |
| 414.01 | 2,993 | 1,711 | 1,283 | * | 107 | 899 | 1,986 | 689 | 743 | 1,040 | 521 |
| 414.02 | 83 | 68 | 15 | — | * | 29 | 53 | 13 | 26 | 24 | 20 |
| 414.04 | 12 | *9 | * | — | * | * | *7 | * | * | * | * |
| 414.05 | 25 | 13 | 12 | — | * | *6 | 19 | * | * | 18 | * |
| 414.1 | 17 | 10 | *7 | * | * | *5 | 10 | * | * | * | *5 |
| 414.10 | *7 | * | * | * | * | * | *5 | * | * | * | * |
| 414.12 | *6 | * | * | — | * | * | * | * | * | * | * |
| 414.8 | 272 | 184 | 89 | * | *7 | 69 | 196 | 64 | 66 | 93 | 49 |
| 414.9 | 47 | 28 | 19 | — | * | 11 | 34 | *8 | 11 | 23 | *5 |
| 415 | 211 | 88 | 123 | * | 34 | 60 | 116 | 46 | 51 | 76 | 38 |
| 415.1 | 208 | 87 | 121 | * | 34 | 59 | 114 | 46 | 51 | 74 | 38 |
| 415.11 | 20 | *9 | 11 | — | * | *5 | 10 | * | * | *6 | * |
| 415.19 | 189 | 79 | 110 | * | 30 | 54 | 104 | 42 | 46 | 68 | 33 |
| 416 | 278 | 113 | 165 | *7 | 26 | 74 | 171 | 57 | 58 | 105 | 58 |
| 416.0 | 22 | *6 | 16 | * | * | * | 14 | *8 | * | 9 | * |
| 416.8 | 200 | 75 | 125 | *5 | 21 | 50 | 124 | 37 | 45 | 78 | 42 |
| 416.9 | 55 | 31 | 24 | * | * | 20 | 33 | 12 | 11 | 18 | 13 |
| 420 | 28 | 17 | 11 | * | *8 | *9 | 10 | *7 | *8 | *8 | * |
| 420.9 | 25 | 15 | 10 | * | *7 | *8 | *9 | *6 | *7 | *7 | * |
| 420.90 | 19 | 10 | *8 | * | * | *6 | *7 | *5 | * | *5 | * |
| 420.91 | *6 | * | * | * | * | * | * | * | * | * | * |
| 421 | 33 | 21 | 12 | * | *7 | 12 | 14 | *9 | *5 | 12 | *6 |
| 421.0 | 30 | 19 | 11 | * | *6 | 12 | 12 | *8 | *5 | 11 | *6 |
| 423 | 59 | 32 | 27 | * | 9 | 24 | 22 | 11 | 11 | 25 | 12 |
| 423.8 | *6 | * | * | — | * | * | * | * | * | * | * |
| 423.9 | 45 | 24 | 20 | * | *7 | 17 | 17 | *7 | *7 | 20 | 10 |
| 424 | 1,104 | 433 | 671 | *8 | 98 | 205 | 793 | 302 | 268 | 356 | 178 |
| 424.0 | 611 | 214 | 397 | * | 82 | 142 | 384 | 162 | 153 | 218 | 78 |
| 424.1 | 406 | 188 | 218 | * | 10 | 46 | 347 | 118 | 102 | 104 | 82 |
| 424.2 | 34 | 15 | 20 | * | * | *8 | 24 | 11 | * | 11 | *8 |
| 424.3 | *8 | * | * | * | * | * | * | * | * | * | * |
| 424.9 | 44 | 13 | 31 | * | * | *7 | 33 | 10 | *8 | 18 | *8 |
| 424.90 | 42 | 12 | 30 | * | * | *6 | 32 | *9 | *8 | 18 | *8 |
| 425 | 696 | 391 | 306 | * | 67 | 218 | 408 | 138 | 166 | 263 | 129 |
| 425.1 | 18 | * | 13 | * | * | *5 | 11 | * | *6 | * | * |
| 425.4 | 630 | 357 | 273 | * | 60 | 196 | 372 | 121 | 151 | 243 | 116 |
| 425.5 | 16 | 15 | * | — | * | 10 | * | * | * | * | * |
| 425.8 | 18 | *8 | 10 | * | * | *6 | 10 | * | * | 10 | * |
| 425.9 | 10 | * | *7 | * | * | * | *7 | * | * | * | * |
| 426 | 432 | 239 | 193 | * | 26 | 73 | 328 | 93 | 118 | 142 | 79 |
| 426.0 | 73 | 40 | 33 | * | * | 12 | 58 | 19 | 20 | 20 | 14 |
| 426.1 | 110 | 64 | 46 | * | *7 | 15 | 88 | 23 | 31 | 39 | 18 |
| 426.10 | *6 | * | * | — | * | * | *5 | * | * | * | * |
| 426.11 | 61 | 36 | 24 | * | * | *8 | 50 | 10 | 18 | 22 | 11 |
| 426.12 | *8 | * | * | — | * | * | *5 | * | * | * | * |
| 426.13 | 35 | 21 | 14 | * | * | * | 27 | *9 | 10 | 11 | *5 |
| 426.2 | *7 | * | * | — | * | * | * | * | * | * | * |
| 426.3 | 99 | 43 | 57 | — | * | 19 | 78 | 23 | 26 | 32 | 18 |
| 426.4 | 81 | 51 | 30 | * | *7 | 16 | 58 | 14 | 25 | 29 | 14 |
| 426.5 | 29 | 20 | 10 | — | * | * | 26 | *6 | *8 | 11 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 426.52 | 10 | * | *5 | – | * | * | 9 | * | * | * | * |
| 426.53 | 14 | 11 | * | – | * | * | 12 | * | * | *6 | * |
| 426.7 | 14 | *8 | *6 | * | *6 | * | * | * | * | * | * |
| 426.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 426.89 | *6 | * | * | * | * | * | * | * | * | * | * |
| 426.9 | 9 | *6 | * | – | * | * | *8 | * | * | * | * |
| 427 | 4,528 | 2,253 | 2,274 | 25 | 194 | 795 | 3,514 | 1,034 | 1,183 | 1,502 | 808 |
| 427.0 | 90 | 36 | 54 | * | *8 | 24 | 57 | 19 | 21 | 36 | 15 |
| 427.1 | 282 | 189 | 93 | * | 16 | 80 | 184 | 62 | 85 | 90 | 45 |
| 427.3 | 3,095 | 1,511 | 1,585 | * | 66 | 455 | 2,573 | 734 | 803 | 1,008 | 550 |
| 427.31 | 2,872 | 1,376 | 1,496 | * | 53 | 398 | 2,419 | 688 | 748 | 928 | 507 |
| 427.32 | 223 | 134 | 89 | * | 12 | 56 | 154 | 46 | 55 | 79 | 43 |
| 427.4 | 43 | 31 | 12 | * | * | 14 | 25 | *8 | 10 | 12 | 13 |
| 427.41 | 42 | 30 | 12 | * | * | 13 | 25 | *8 | 9 | 12 | 13 |
| 427.5 | 95 | 56 | 39 | * | *8 | 27 | 58 | 16 | 27 | 37 | 16 |
| 427.6 | 90 | 48 | 41 | * | 11 | 20 | 58 | 17 | 24 | 33 | 16 |
| 427.61 | 23 | 12 | 11 | * | * | * | 18 | * | * | *9 | *5 |
| 427.69 | 65 | 36 | 29 | * | *9 | 16 | 39 | 12 | 19 | 24 | 10 |
| 427.8 | 764 | 356 | 408 | 16 | 76 | 160 | 512 | 167 | 195 | 257 | 144 |
| 427.81 | 168 | 78 | 90 | * | * | 20 | 144 | 40 | 42 | 55 | 32 |
| 427.89 | 596 | 277 | 319 | 16 | 73 | 139 | 368 | 128 | 154 | 203 | 112 |
| 427.9 | 65 | 25 | 40 | * | * | 16 | 44 | 10 | 17 | 30 | *9 |
| 428 | 4,165 | 1,860 | 2,305 | 10 | 128 | 809 | 3,218 | 885 | 1,117 | 1,517 | 647 |
| 428.0 | 3,875 | 1,743 | 2,132 | 10 | 118 | 747 | 2,999 | 832 | 1,038 | 1,411 | 593 |
| 428.1 | *6 | * | * | – | * | * | *6 | * | * | * | * |
| 428.2 | 72 | 41 | 31 | * | * | 19 | 50 | 10 | 29 | 25 | *8 |
| 428.20 | 36 | 22 | 14 | * | * | 10 | 25 | *6 | 12 | 15 | * |
| 428.21 | *9 | * | * | – | * | * | *7 | * | * | * | * |
| 428.22 | 12 | *7 | *5 | – | * | * | *8 | * | *7 | * | * |
| 428.23 | 15 | *7 | *7 | – | * | * | 10 | * | *6 | * | * |
| 428.3 | 177 | 57 | 120 | – | *6 | 34 | 137 | 38 | 41 | 63 | 35 |
| 428.30 | 130 | 42 | 88 | – | * | 25 | 101 | 28 | 29 | 50 | 23 |
| 428.31 | 19 | *7 | 13 | – | * | * | 17 | * | * | * | *6 |
| 428.32 | 15 | * | 11 | – | * | * | 11 | * | * | * | *5 |
| 428.33 | 12 | * | *9 | – | * | * | *8 | * | * | * | * |
| 428.4 | 18 | *8 | 9 | * | * | * | 14 | * | * | *9 | * |
| 428.40 | 11 | * | *6 | * | * | * | *9 | * | * | *6 | * |
| 428.9 | 18 | *9 | 9 | * | * | * | 13 | * | * | *7 | *6 |
| 429 | 173 | 76 | 97 | * | 17 | 43 | 110 | 43 | 39 | 68 | 23 |
| 429.2 | 55 | 23 | 32 | – | * | 9 | 45 | 19 | 13 | 18 | *5 |
| 429.3 | 74 | 32 | 43 | * | *7 | 21 | 43 | 13 | 15 | 35 | 13 |
| 429.9 | 26 | 12 | 14 | * | * | *6 | 15 | *7 | *6 | *9 | * |
| 430 | 32 | 13 | 19 | * | *7 | 14 | 11 | *8 | *8 | 10 | *7 |
| 431 | 87 | 41 | 46 | * | *8 | 26 | 52 | 16 | 17 | 32 | 21 |
| 432 | 49 | 28 | 21 | * | * | 11 | 33 | *8 | 10 | 16 | 15 |
| 432.1 | 39 | 23 | 17 | * | * | *9 | 28 | *6 | *8 | 13 | 13 |
| 432.9 | *8 | * | * | * | * | * | * | * | * | * | * |
| 433 | 288 | 155 | 133 | * | * | 57 | 226 | 59 | 64 | 113 | 52 |
| 433.1 | 211 | 114 | 97 | * | * | 42 | 166 | 45 | 46 | 82 | 37 |
| 433.10 | 188 | 100 | 89 | * | * | 36 | 151 | 40 | 40 | 75 | 33 |
| 433.11 | 23 | 14 | *9 | * | * | *6 | 15 | *5 | *6 | *7 | * |
| 433.2 | *5 | * | * | – | * | * | * | * | * | * | * |
| 433.3 | 63 | 34 | 29 | * | * | 9 | 52 | 11 | 14 | 26 | 13 |
| 433.30 | 56 | 31 | 25 | * | * | *7 | 47 | 9 | 13 | 22 | 11 |
| 433.31 | *7 | * | * | * | * | * | *5 | * | * | * | * |
| 434 | 453 | 209 | 244 | * | 19 | 103 | 329 | 93 | 108 | 166 | 86 |
| 434.0 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 434.01 | *7 | * | * | * | * | * | * | * | * | * | * |
| 434.1 | 53 | 25 | 28 | * | * | 12 | 38 | 14 | 12 | 16 | 11 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 434.11 | 51 | 24 | 27 | * | * | 11 | 37 | 14 | 12 | 15 | 11 |
| 434.9 | 391 | 178 | 213 | * | 15 | 88 | 286 | 76 | 94 | 147 | 74 |
| 434.90 | 13 | *7 | *6 | * | * | * | 10 | * | * | * | * |
| 434.91 | 378 | 171 | 207 | * | 15 | 85 | 276 | 74 | 91 | 143 | 70 |
| 435 | 252 | 98 | 154 | * | 16 | 53 | 183 | 59 | 62 | 92 | 38 |
| 435.3 | 10 | * | *7 | - | * | * | *7 | * | * | * | * |
| 435.8 | 12 | *7 | * | - | * | * | *8 | * | * | * | * |
| 435.9 | 227 | 86 | 141 | * | 14 | 49 | 165 | 53 | 58 | 84 | 33 |
| 436 | 20 | *9 | 12 | - | * | * | 15 | * | *5 | *7 | * |
| 437 | 151 | 61 | 90 | * | 9 | 31 | 109 | 34 | 37 | 59 | 20 |
| 437.0 | 59 | 25 | 34 | - | * | * | 54 | 14 | 16 | 22 | *7 |
| 437.1 | 11 | * | *8 | * | * | * | *8 | * | * | * | * |
| 437.2 | 13 | *5 | *8 | * | * | * | *6 | * | * | * | * |
| 437.3 | 21 | *8 | 12 | * | * | 9 | *8 | *6 | * | *8 | * |
| 437.7 | *7 | * | * | - | * | * | * | * | * | * | * |
| 437.9 | 29 | 11 | 19 | - | * | * | 24 | *6 | *8 | 12 | * |
| 438 | 501 | 237 | 264 | * | 21 | 113 | 365 | 101 | 135 | 148 | 117 |
| 438.0 | 16 | *8 | *7 | - | * | * | 12 | * | * | * | *6 |
| 438.1 | 82 | 41 | 41 | * | * | 21 | 58 | 14 | 23 | 23 | 23 |
| 438.10 | *5 | * | * | - | * | * | * | * | * | * | * |
| 438.11 | 59 | 27 | 32 | - | * | 13 | 43 | 11 | 17 | 15 | 16 |
| 438.12 | *8 | *6 | * | * | * | * | *6 | * | * | * | * |
| 438.19 | 10 | *6 | * | - | * | * | * | * | * | * | * |
| 438.2 | 226 | 104 | 121 | * | *7 | 52 | 166 | 53 | 57 | 70 | 46 |
| 438.20 | 194 | 87 | 107 | * | *6 | 43 | 145 | 48 | 48 | 62 | 35 |
| 438.21 | 19 | 10 | 9 | * | * | *6 | 13 | * | *6 | * | *6 |
| 438.22 | 12 | *7 | *5 | * | * | * | *8 | * | * | * | * |
| 438.7 | *7 | * | * | - | * | * | * | * | * | * | * |
| 438.8 | 149 | 70 | 79 | * | 9 | 30 | 110 | 24 | 44 | 43 | 38 |
| 438.82 | 34 | 15 | 18 | - | * | * | 27 | *6 | 11 | *8 | 10 |
| 438.83 | 12 | * | *8 | * | * | * | *9 | * | * | * | *5 |
| 438.84 | *8 | * | * | - | * | * | *6 | * | * | * | * |
| 438.89 | 92 | 46 | 46 | * | *5 | 20 | 66 | 14 | 28 | 30 | 20 |
| 438.9 | 10 | * | *5 | * | * | * | *7 | * | * | * | * |
| 440 | 354 | 187 | 167 | - | *9 | 87 | 258 | 73 | 92 | 139 | 50 |
| 440.0 | 19 | *8 | 12 | - | * | *6 | 13 | * | *6 | *6 | * |
| 440.1 | 64 | 29 | 36 | - | * | 13 | 46 | 13 | 16 | 26 | 10 |
| 440.2 | 221 | 126 | 96 | - | * | 59 | 159 | 41 | 56 | 91 | 33 |
| 440.20 | 59 | 31 | 27 | - | * | 16 | 42 | *7 | 18 | 25 | 10 |
| 440.21 | 48 | 29 | 18 | - | * | 15 | 31 | *8 | 14 | 19 | *6 |
| 440.22 | 20 | 10 | 10 | - | * | * | 16 | * | * | 10 | * |
| 440.23 | 25 | 14 | 11 | - | * | *5 | 19 | *7 | *5 | 10 | * |
| 440.24 | 64 | 38 | 26 | - | * | 17 | 46 | 15 | 14 | 25 | 10 |
| 440.29 | *6 | * | * | - | * | * | * | * | * | * | * |
| 440.3 | *6 | * | * | - | * | * | * | * | * | * | * |
| 440.8 | *5 | * | * | - | * | * | * | * | * | * | * |
| 440.9 | 38 | 18 | 20 | - | * | * | 33 | 14 | 9 | 11 | * |
| 441 | 178 | 113 | 65 | * | * | 35 | 137 | 39 | 46 | 63 | 29 |
| 441.0 | 21 | 14 | *7 | - | * | *6 | 12 | * | * | 9 | * |
| 441.01 | *8 | *6 | * | - | * | * | * | * | * | * | * |
| 441.02 | *8 | * | * | - | * | * | *6 | * | * | * | * |
| 441.2 | 23 | 12 | 11 | * | * | *8 | 13 | *6 | * | *6 | *7 |
| 441.3 | *7 | *5 | * | - | - | * | *7 | * | * | * | * |
| 441.4 | 116 | 77 | 39 | - | * | 19 | 97 | 25 | 31 | 43 | 17 |
| 441.9 | *5 | * | * | * | * | * | * | * | * | * | - |
| 442 | 35 | 25 | 10 | * | * | 10 | 22 | *7 | *9 | 14 | *6 |
| 442.2 | 13 | 11 | * | - | * | * | 9 | * | * | *6 | * |
| 442.3 | 15 | 10 | * | * | * | * | 10 | * | * | *6 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 443 | 475 | 252 | 222 | * | 13 | 119 | 343 | 109 | 126 | 171 | 68 |
| 443.0 | 19 | *7 | 12 | — | * | *7 | *8 | * | *6 | *5 | * |
| 443.8 | 49 | 29 | 20 | — | * | 19 | 29 | 12 | 12 | 15 | 11 |
| 443.81 | 26 | 14 | 12 | — | * | 11 | 14 | *8 | *5 | *7 | *6 |
| 443.89 | 23 | 15 | *8 | — | * | *8 | 14 | * | *6 | *8 | * |
| 443.9 | 402 | 215 | 187 | * | *6 | 92 | 304 | 94 | 107 | 149 | 52 |
| 444 | 89 | 45 | 44 | * | *5 | 31 | 52 | 18 | 21 | 36 | 14 |
| 444.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 444.2 | 55 | 27 | 28 | * | * | 20 | 32 | 12 | 11 | 23 | *9 |
| 444.21 | *6 | * | * | * | * | * | * | * | * | * | * |
| 444.22 | 49 | 24 | 25 | * | * | 17 | 28 | 12 | 9 | 21 | *7 |
| 444.8 | 21 | 11 | 11 | * | * | *7 | 13 | * | *6 | *8 | * |
| 444.81 | 12 | *7 | * | * | * | * | *7 | * | * | * | * |
| 444.89 | 10 | * | *6 | * | * | * | *6 | * | * | * | * |
| 446 | 48 | 17 | 31 | *9 | * | 9 | 27 | 11 | 11 | 15 | 11 |
| 446.1 | *9 | *7 | * | *8 | * | * | * | * | * | * | * |
| 446.4 | *5 | * | * | * | * | * | * | * | * | * | * |
| 446.5 | 21 | * | 19 | — | * | * | 20 | *5 | *6 | *7 | * |
| 446.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 447 | 58 | 27 | 31 | * | *6 | 23 | 28 | 15 | *9 | 22 | 12 |
| 447.1 | 33 | 16 | 17 | * | * | 13 | 19 | 9 | *5 | 13 | *6 |
| 447.6 | *8 | * | * | * | * | * | * | * | * | * | * |
| 448 | *5 | * | * | — | * | * | * | * | * | * | * |
| 451 | 59 | 28 | 31 | * | 13 | 20 | 25 | 15 | 13 | 21 | 10 |
| 451.0 | 11 | *6 | * | * | * | * | * | * | * | * | * |
| 451.1 | 13 | *7 | *6 | — | * | * | 9 | * | * | * | * |
| 451.19 | *9 | *6 | * | — | * | * | *6 | * | * | * | * |
| 451.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 451.8 | 25 | 10 | 15 | * | *7 | 12 | *6 | *6 | * | 12 | * |
| 451.82 | 11 | * | *6 | * | * | *6 | * | * | * | *5 | * |
| 451.84 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 452 | 9 | * | *6 | * | * | *6 | * | * | * | * | * |
| 453 | 405 | 181 | 224 | *5 | 52 | 125 | 222 | 103 | 95 | 140 | 67 |
| 453.4 | 262 | 118 | 144 | * | 29 | 81 | 150 | 67 | 71 | 85 | 39 |
| 453.40 | 70 | 31 | 39 | * | *8 | 19 | 43 | 14 | 16 | 27 | 12 |
| 453.41 | 110 | 48 | 61 | * | 12 | 33 | 63 | 32 | 30 | 32 | 15 |
| 453.42 | 83 | 38 | 44 | * | *9 | 29 | 44 | 21 | 25 | 25 | 12 |
| 453.8 | 121 | 54 | 67 | * | 20 | 38 | 61 | 32 | 21 | 45 | 24 |
| 453.9 | 13 | *6 | *7 | * | * | * | *8 | * | * | *7 | * |
| 454 | 35 | 10 | 25 | — | * | 10 | 22 | *8 | 15 | *8 | * |
| 454.0 | *8 | * | *5 | — | * | * | *6 | * | * | * | * |
| 454.2 | *6 | * | * | — | * | * | * | * | * | * | * |
| 454.9 | 16 | * | 12 | — | * | *5 | *9 | * | *7 | * | * |
| 455 | 184 | 74 | 110 | * | 47 | 49 | 87 | 39 | 44 | 65 | 36 |
| 455.0 | 64 | 25 | 39 | — | 13 | 16 | 35 | 15 | 15 | 24 | 10 |
| 455.2 | 34 | 18 | 16 | — | *6 | 13 | 15 | 10 | *8 | 10 | *7 |
| 455.3 | 23 | *9 | 14 | — | *7 | * | 12 | * | *9 | *7 | * |
| 455.5 | 12 | *6 | *6 | — | * | * | *5 | * | * | * | * |
| 455.6 | 33 | *8 | 25 | * | 12 | *7 | 13 | * | *6 | 11 | 11 |
| 455.8 | 12 | *6 | *7 | — | * | * | * | * | * | *6 | * |
| 456 | 79 | 56 | 24 | * | 13 | 41 | 24 | 15 | 14 | 29 | 21 |
| 456.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 456.1 | *9 | *7 | * | * | * | * | * | * | * | * | * |
| 456.2 | 46 | 33 | 14 | * | *7 | 28 | 11 | 10 | *6 | 17 | 14 |
| 456.20 | 31 | 23 | *8 | * | * | 19 | *8 | *6 | * | 11 | 10 |
| 456.21 | 15 | 10 | *6 | * | * | 9 | * | * | * | *6 | * |
| 456.8 | 15 | 11 | * | * | * | *7 | *6 | * | * | *7 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 457 | 39 | 16 | 23 | * | *7 | 12 | 17 | *8 | 10 | 13 | *7 |
| 457.1 | 24 | *6 | 17 | * | * | *7 | 12 | *6 | *6 | *7 | * |
| 457.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 457.8 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 458 | 575 | 254 | 321 | 10 | 70 | 132 | 363 | 106 | 146 | 222 | 100 |
| 458.0 | 131 | 60 | 72 | * | 11 | 22 | 96 | 25 | 36 | 52 | 19 |
| 458.1 | *6 | * | *5 | — | * | * | * | * | * | * | * |
| 458.2 | 74 | 30 | 43 | * | 11 | 18 | 43 | 17 | 16 | 28 | 13 |
| 458.29 | 69 | 29 | 41 | * | 10 | 17 | 40 | 15 | 15 | 26 | 13 |
| 458.8 | 32 | 16 | 15 | * | * | *8 | 19 | *8 | *7 | *9 | *8 |
| 458.9 | 332 | 147 | 185 | *5 | 43 | 81 | 202 | 56 | 83 | 134 | 60 |
| 459 | 183 | 83 | 100 | * | 16 | 50 | 116 | 38 | 51 | 68 | 26 |
| 459.0 | 19 | *8 | 11 | * | * | * | 13 | * | *6 | *7 | * |
| 459.2 | 15 | *6 | 9 | * | * | *6 | *6 | * | * | *7 | * |
| 459.8 | 131 | 62 | 69 | * | 11 | 34 | 86 | 29 | 39 | 45 | 18 |
| 459.81 | 119 | 57 | 62 | * | 10 | 32 | 77 | 26 | 36 | 41 | 16 |
| 459.89 | 12 | *5 | *6 | * | * | * | *8 | * | * | * | * |
| 459.9 | 14 | *6 | *9 | * | * | * | 10 | * | * | *8 | * |
| 460-519 | 12,384 | 5,804 | 6,580 | 1,212 | 1,475 | 2,999 | 6,699 | 2,543 | 3,080 | 4,498 | 2,262 |
| 461 | 48 | 21 | 27 | *6 | 20 | 12 | 9 | 11 | 17 | 16 | * |
| 461.0 | 9 | * | * | * | * | * | * | * | * | * | * |
| 461.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 461.9 | 24 | *8 | 15 | * | 11 | * | * | * | *8 | 9 | * |
| 462 | 64 | 27 | 37 | 17 | 24 | 12 | 10 | 9 | 19 | 26 | 10 |
| 463 | 19 | 12 | *8 | * | 12 | * | * | * | *6 | *8 | * |
| 464 | 46 | 25 | 21 | 35 | * | * | * | 9 | 11 | 13 | 14 |
| 464.1 | 12 | * | *7 | 9 | * | * | * | * | * | * | *5 |
| 464.10 | 10 | * | *6 | *8 | * | * | * | * | * | * | * |
| 464.4 | 25 | 16 | 9 | 25 | * | * | * | *5 | *6 | *8 | *6 |
| 465 | 178 | 81 | 96 | 65 | 37 | 29 | 46 | 34 | 42 | 67 | 35 |
| 465.9 | 174 | 80 | 95 | 64 | 37 | 29 | 45 | 34 | 41 | 65 | 35 |
| 466 | 396 | 190 | 206 | 198 | 37 | 55 | 107 | 68 | 94 | 147 | 88 |
| 466.0 | 202 | 78 | 125 | 12 | 34 | 53 | 103 | 41 | 57 | 72 | 32 |
| 466.1 | 194 | 113 | 81 | 186 | * | * | * | 27 | 37 | 75 | 56 |
| 466.11 | 98 | 56 | 42 | 96 | * | * | * | 12 | 19 | 34 | 34 |
| 466.19 | 96 | 57 | 39 | 90 | * | * | * | 15 | 18 | 41 | 22 |
| 470 | 12 | *8 | * | * | * | * | * | * | * | *5 | * |
| 472 | 11 | *5 | *6 | * | * | * | *6 | * | * | *6 | * |
| 472.0 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| 473 | 164 | 67 | 96 | 26 | 46 | 48 | 44 | 28 | 41 | 70 | 24 |
| 473.0 | 23 | 10 | 13 | * | * | *7 | *7 | * | * | 10 | *5 |
| 473.2 | 13 | *6 | *7 | * | * | * | * | * | * | *7 | * |
| 473.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 473.8 | 13 | *6 | *7 | * | * | * | * | * | * | *6 | * |
| 473.9 | 107 | 43 | 64 | 15 | 31 | 34 | 28 | 21 | 31 | 42 | 13 |
| 474 | 28 | 17 | 11 | 15 | *8 | * | * | *6 | * | 11 | *6 |
| 474.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 474.00 | *6 | * | * | * | * | * | * | * | * | * | * |
| 474.1 | 18 | 12 | *6 | 12 | * | * | * | * | * | *6 | * |
| 474.10 | *8 | *6 | * | *7 | * | — | — | * | * | * | * |
| 474.11 | *9 | * | * | * | * | * | * | * | * | * | * |
| 475 | 18 | 11 | *7 | * | 13 | * | * | * | *7 | *6 | * |
| 477 | 85 | 31 | 55 | *7 | 20 | 29 | 30 | 11 | 25 | 33 | 16 |
| 477.9 | 81 | 30 | 51 | *6 | 19 | 28 | 29 | 10 | 24 | 32 | 14 |
| 478 | 115 | 62 | 53 | 27 | 19 | 37 | 32 | 20 | 30 | 42 | 23 |
| 478.1 | 23 | 10 | 13 | *7 | *5 | *5 | *5 | * | *7 | 10 | * |
| 478.2 | 49 | 32 | 17 | 10 | *8 | 22 | 10 | 9 | 13 | 17 | 9 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 478.29 | 39 | 27 | 12 | * | *6 | 20 | *9 | *7 | 11 | 16 | *6 |
| 478.3 | 19 | *9 | 10 | * | * | * | 11 | * | * | *5 | *6 |
| 478.30 | *6 | * | * | * | * | * | * | * | * | * | * |
| 478.31 | *6 | * | * | * | * | * | * | * | * | * | * |
| 478.7 | 12 | * | *7 | *6 | * | * | * | * | * | * | * |
| 478.74 | *6 | * | * | * | * | * | * | * | * | * | * |
| 480 | 43 | 21 | 22 | 30 | * | * | *7 | * | *9 | 14 | 15 |
| 480.1 | 16 | *6 | 10 | 15 | — | * | * | * | * | *6 | *5 |
| 480.9 | 24 | 14 | 11 | 13 | * | * | *7 | * | *5 | *8 | *8 |
| 481 | 51 | 24 | 27 | * | *9 | 14 | 25 | 11 | 15 | 17 | *8 |
| 482 | 213 | 123 | 90 | 10 | 25 | 46 | 132 | 36 | 51 | 79 | 48 |
| 482.0 | 17 | 11 | *6 | * | * | *7 | 9 | * | * | *7 | * |
| 482.1 | 42 | 25 | 18 | * | *6 | *8 | 26 | *7 | 12 | 13 | 10 |
| 482.2 | 11 | *6 | * | * | * | * | *8 | * | * | * | * |
| 482.3 | 14 | *7 | *6 | * | * | * | *8 | * | * | * | * |
| 482.30 | 9 | * | * | * | * | * | *5 | * | * | * | * |
| 482.4 | 76 | 46 | 30 | * | 10 | 17 | 47 | 11 | 16 | 31 | 18 |
| 482.41 | 69 | 42 | 27 | * | *9 | 15 | 43 | 11 | 14 | 29 | 16 |
| 482.8 | 30 | 18 | 12 | * | * | *6 | 21 | *6 | *7 | 14 | * |
| 482.82 | *5 | * | * | * | * | * | * | * | * | * | * |
| 482.83 | 20 | 13 | *7 | * | * | * | 14 | * | * | 10 | * |
| 482.9 | 23 | 9 | 13 | * | * | * | 11 | *6 | *6 | *6 | * |
| 483 | 15 | *7 | *8 | 9 | * | * | * | * | * | *5 | * |
| 483.0 | 13 | *6 | *7 | *9 | * | * | * | * | * | * | * |
| 484 | *8 | * | * | * | * | * | * | * | * | * | * |
| 485 | 36 | 19 | 18 | 15 | * | *7 | 13 | *5 | * | 23 | * |
| 486 | 2,020 | 963 | 1,057 | 189 | 176 | 396 | 1,259 | 399 | 541 | 709 | 371 |
| 487 | 98 | 46 | 52 | 23 | *7 | 16 | 52 | 14 | 40 | 30 | 14 |
| 487.0 | 24 | 12 | 12 | * | * | * | 14 | * | *9 | *7 | * |
| 487.1 | 72 | 33 | 38 | 18 | * | 13 | 37 | 10 | 30 | 22 | 9 |
| 490 | 116 | 43 | 72 | *6 | 21 | 37 | 51 | 19 | 22 | 55 | 20 |
| 491 | 1,202 | 568 | 634 | * | 39 | 322 | 839 | 253 | 299 | 470 | 179 |
| 491.2 | 1,157 | 549 | 609 | * | 30 | 308 | 819 | 248 | 289 | 451 | 169 |
| 491.20 | 88 | 46 | 42 | — | * | 21 | 64 | 14 | 17 | 43 | 14 |
| 491.21 | 926 | 443 | 484 | * | 23 | 246 | 657 | 203 | 235 | 351 | 136 |
| 491.22 | 143 | 60 | 83 | — | * | 41 | 98 | 30 | 37 | 57 | 19 |
| 491.9 | 38 | 17 | 21 | * | *7 | 12 | 18 | * | *9 | 18 | *8 |
| 492 | 223 | 120 | 103 | * | 10 | 63 | 148 | 45 | 61 | 83 | 33 |
| 492.0 | 13 | *8 | * | * | * | * | * | * | * | * | * |
| 492.8 | 210 | 112 | 98 | * | *6 | 59 | 144 | 42 | 59 | 79 | 31 |
| 493 | 1,928 | 653 | 1,275 | 347 | 521 | 535 | 525 | 472 | 459 | 653 | 343 |
| 493.0 | 76 | 38 | 38 | 50 | 10 | 10 | *6 | 17 | *7 | 18 | 34 |
| 493.00 | 37 | 17 | 20 | 19 | *6 | *7 | * | *8 | * | 11 | 13 |
| 493.01 | *9 | * | * | *7 | * | * | * | * | * | * | * |
| 493.02 | 30 | 17 | 13 | 23 | * | * | * | *7 | * | * | 16 |
| 493.2 | 464 | 157 | 307 | * | 35 | 160 | 267 | 111 | 124 | 149 | 80 |
| 493.20 | 258 | 90 | 169 | * | 21 | 78 | 158 | 59 | 75 | 74 | 50 |
| 493.21 | 14 | * | 12 | * | * | *9 | * | * | * | *8 | * |
| 493.22 | 191 | 65 | 126 | * | 12 | 73 | 105 | 48 | 48 | 67 | 28 |
| 493.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 493.81 | *5 | * | * | * | * | * | * | * | * | * | * |
| 493.9 | 1,382 | 457 | 925 | 295 | 472 | 364 | 251 | 343 | 325 | 485 | 229 |
| 493.90 | 1,016 | 310 | 706 | 148 | 374 | 295 | 199 | 262 | 226 | 348 | 180 |
| 493.91 | 58 | 27 | 31 | 37 | 12 | *7 | * | 10 | 13 | 27 | *8 |
| 493.92 | 308 | 120 | 188 | 109 | 86 | 63 | 50 | 70 | 86 | 110 | 41 |
| 494 | 39 | 17 | 22 | * | * | *8 | 27 | 10 | *8 | 14 | *7 |
| 494.0 | 29 | 12 | 17 | * | * | *6 | 20 | *7 | *6 | 9 | *6 |
| 494.1 | 10 | *5 | * | * | * | * | *7 | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 496 | 2,127 | 1,084 | 1,043 | * | 58 | 526 | 1,539 | 453 | 551 | 762 | 362 |
| 500 | 9 | 9 | * | — | — | * | *9 | *7 | * | * | * |
| 501 | 15 | 14 | * | — | — | * | 12 | * | * | *6 | * |
| 507 | 385 | 221 | 164 | 13 | 37 | 65 | 270 | 85 | 85 | 131 | 83 |
| 507.0 | 380 | 218 | 162 | 13 | 36 | 63 | 268 | 85 | 85 | 129 | 82 |
| 508 | *8 | * | * | — | * | * | * | * | * | * | * |
| 508.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 510 | 32 | 21 | 11 | * | *6 | 12 | 12 | *7 | *6 | 13 | *6 |
| 510.9 | 28 | 18 | 10 | * | * | 10 | 11 | *6 | * | 11 | *5 |
| 511 | 452 | 220 | 233 | 14 | 42 | 116 | 280 | 99 | 118 | 162 | 73 |
| 511.0 | 28 | 13 | 16 | * | *6 | 10 | 13 | * | 12 | *8 | * |
| 511.8 | 31 | 14 | 16 | * | * | 9 | 17 | * | *8 | 11 | *6 |
| 511.9 | 391 | 191 | 200 | 13 | 33 | 96 | 249 | 88 | 98 | 141 | 63 |
| 512 | 111 | 61 | 50 | * | 25 | 29 | 52 | 23 | 24 | 46 | 19 |
| 512.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 512.1 | 51 | 26 | 25 | * | *5 | 16 | 28 | 11 | 11 | 20 | *9 |
| 512.8 | 54 | 32 | 23 | * | 18 | 11 | 22 | 10 | 11 | 24 | 9 |
| 513 | 12 | *8 | * | * | * | * | * | * | * | * | * |
| 513.0 | 12 | *8 | * | * | * | * | * | * | * | * | * |
| 514 | 36 | 12 | 24 | * | * | *8 | 22 | *5 | 9 | 18 | * |
| 515 | 224 | 98 | 125 | * | 11 | 47 | 166 | 38 | 65 | 76 | 44 |
| 516 | 35 | 19 | 17 | * | * | 11 | 21 | *7 | *8 | 12 | *8 |
| 516.3 | 15 | *8 | *7 | * | * | * | 12 | * | * | * | * |
| 516.8 | 19 | 10 | 9 | * | * | *8 | 9 | * | * | *8 | * |
| 517 | 29 | 11 | 18 | * | *8 | 13 | *7 | *7 | *8 | *8 | *5 |
| 517.8 | 22 | *8 | 13 | * | *5 | 10 | *6 | *6 | * | *6 | * |
| 518 | 1,638 | 808 | 830 | 99 | 202 | 449 | 888 | 305 | 354 | 625 | 354 |
| 518.0 | 402 | 189 | 213 | 35 | 50 | 116 | 200 | 65 | 99 | 148 | 90 |
| 518.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 518.3 | 23 | 10 | 13 | * | * | *5 | 15 | * | *6 | *8 | * |
| 518.4 | 19 | *6 | 13 | * | * | * | 10 | * | *5 | *8 | * |
| 518.5 | 116 | 68 | 48 | *6 | 21 | 34 | 55 | 20 | 25 | 51 | 20 |
| 518.8 | 1,069 | 530 | 538 | 55 | 123 | 286 | 605 | 208 | 217 | 405 | 238 |
| 518.81 | 741 | 373 | 367 | 24 | 83 | 199 | 435 | 147 | 149 | 288 | 156 |
| 518.82 | 84 | 42 | 42 | 18 | 15 | 16 | 36 | 11 | 18 | 34 | 21 |
| 518.83 | 54 | 25 | 29 | * | * | 19 | 30 | 11 | 11 | 16 | 16 |
| 518.84 | 74 | 32 | 42 | * | *7 | 22 | 44 | 12 | 18 | 30 | 14 |
| 518.89 | 116 | 58 | 58 | 10 | 15 | 30 | 61 | 27 | 22 | 37 | 30 |
| 519 | 80 | 39 | 42 | 21 | *8 | 20 | 31 | 16 | 27 | 23 | 15 |
| 519.0 | 13 | *7 | *6 | * | * | *6 | * | * | * | * | * |
| 519.09 | *7 | * | * | * | * | * | * | * | * | * | * |
| 519.1 | 28 | 13 | 15 | *7 | * | *7 | 10 | * | 11 | *9 | * |
| 519.8 | 26 | 13 | 14 | *8 | * | * | 13 | * | 10 | *8 | * |
| 519.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 520-579 | 11,108 | 4,786 | 6,322 | 537 | 2,232 | 3,495 | 4,843 | 2,310 | 2,716 | 4,005 | 2,076 |
| 521 | 23 | 13 | 10 | * | 11 | *6 | * | *7 | * | *8 | * |
| 521.0 | 23 | 13 | 10 | * | 11 | *6 | * | *7 | * | *8 | * |
| 521.00 | 19 | 11 | *8 | * | 9 | *6 | * | *5 | * | *7 | * |
| 522 | 29 | 14 | 14 | * | 16 | *7 | * | *8 | *6 | 10 | * |
| 522.5 | 23 | 12 | 12 | * | 13 | *6 | * | *7 | * | *8 | * |
| 523 | 14 | * | 9 | * | * | * | * | * | * | *6 | * |
| 524 | 36 | 9 | 27 | * | 26 | *5 | * | *7 | * | 16 | *8 |
| 524.0 | 13 | * | *9 | * | 11 | * | * | * | * | *7 | * |
| 524.6 | 10 | * | * | * | * | * | * | * | * | * | * |
| 524.60 | *7 | * | *6 | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 525 | 13 | *6 | *7 | * | *8 | * | * | * | * | *5 | * |
| 525.9 | *9 | * | * | * | *6 | * | * | * | * | * | * |
| 526 | 9 | * | * | * | * | * | * | * | * | * | * |
| 527 | 24 | 13 | 11 | * | * | *5 | 13 | * | *6 | 10 | * |
| 527.2 | 14 | *8 | *7 | * | * | * | *7 | * | * | * | * |
| 528 | 46 | 24 | 21 | *7 | 12 | 14 | 13 | *8 | 9 | 20 | *8 |
| 528.0 | 19 | 10 | 9 | * | * | *6 | *7 | * | * | *7 | * |
| 528.3 | 9 | * | * | * | * | * | * | * | * | * | * |
| 528.9 | *8 | * | * | * | * | * | * | * | * | * | * |
| 530 | 2,561 | 1,047 | 1,515 | 118 | 412 | 863 | 1,168 | 583 | 628 | 913 | 437 |
| 530.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 530.1 | 198 | 92 | 106 | *5 | 41 | 68 | 84 | 46 | 48 | 67 | 37 |
| 530.10 | 63 | 28 | 36 | * | 13 | 19 | 29 | 15 | 17 | 22 | 9 |
| 530.11 | 71 | 33 | 38 | * | 16 | 25 | 27 | 19 | 13 | 24 | 15 |
| 530.12 | *6 | * | * | * | * | * | * | * | * | * | * |
| 530.19 | 58 | 29 | 29 | * | 11 | 22 | 23 | 11 | 16 | 19 | 11 |
| 530.2 | 32 | 18 | 14 | * | *6 | 9 | 16 | *6 | *8 | *9 | 9 |
| 530.20 | 17 | 10 | *7 | * | *5 | *6 | *6 | * | * | * | *6 |
| 530.21 | 15 | *8 | *7 | — | * | * | 10 | * | * | * | * |
| 530.3 | 56 | 28 | 28 | * | * | 15 | 34 | 11 | 16 | 20 | 9 |
| 530.5 | 21 | *6 | 15 | * | * | *7 | 11 | * | * | *7 | *6 |
| 530.6 | *6 | * | * | * | * | * | * | * | * | * | * |
| 530.7 | 28 | 20 | *9 | * | 9 | *8 | 9 | * | * | 12 | *8 |
| 530.8 | 2,211 | 877 | 1,334 | 107 | 345 | 753 | 1,006 | 509 | 544 | 792 | 366 |
| 530.81 | 2,134 | 836 | 1,298 | 106 | 333 | 727 | 969 | 491 | 531 | 767 | 346 |
| 530.82 | 19 | *9 | 10 | * | * | *8 | *8 | * | * | *6 | * |
| 530.85 | 41 | 25 | 16 | — | * | 15 | 20 | 11 | *6 | 13 | 10 |
| 530.89 | 15 | *5 | 10 | * | *5 | * | *7 | * | * | *6 | *5 |
| 531 | 164 | 69 | 94 | * | 18 | 52 | 93 | 24 | 40 | 60 | 40 |
| 531.0 | 14 | *5 | *8 | * | * | * | *9 | * | * | * | * |
| 531.00 | 14 | *5 | *8 | * | * | * | *9 | * | * | * | * |
| 531.4 | 80 | 36 | 44 | * | *7 | 20 | 53 | *9 | 20 | 31 | 20 |
| 531.40 | 79 | 35 | 43 | * | *6 | 20 | 52 | *9 | 20 | 30 | 20 |
| 531.5 | *6 | * | * | * | * | * | * | * | * | * | * |
| 531.50 | *5 | * | * | * | * | * | * | * | * | * | * |
| 531.9 | 54 | 23 | 31 | — | *7 | 22 | 26 | 10 | 13 | 18 | 14 |
| 531.90 | 53 | 23 | 31 | — | *7 | 21 | 25 | 9 | 12 | 18 | 14 |
| 532 | 89 | 52 | 37 | * | 11 | 32 | 46 | 17 | 17 | 36 | 20 |
| 532.0 | 12 | *8 | * | * | * | * | * | * | * | * | * |
| 532.00 | 11 | *8 | * | * | * | * | * | * | * | * | * |
| 532.4 | 40 | 27 | 13 | * | * | 13 | 23 | *7 | *7 | 16 | 11 |
| 532.40 | 39 | 27 | 13 | * | * | 13 | 23 | *7 | *7 | 16 | 10 |
| 532.9 | 24 | 11 | 13 | * | * | 10 | 11 | *6 | * | 10 | * |
| 532.90 | 23 | 11 | 13 | * | * | 9 | 11 | *6 | * | 10 | * |
| 533 | 110 | 50 | 60 | * | 19 | 35 | 56 | 21 | 32 | 37 | 19 |
| 533.4 | 12 | *5 | *7 | — | * | * | *8 | * | * | * | * |
| 533.40 | 12 | *5 | *7 | — | * | * | *8 | * | * | * | * |
| 533.7 | *6 | * | * | — | * | * | * | * | * | * | * |
| 533.70 | *6 | * | * | — | * | * | * | * | * | * | * |
| 533.9 | 87 | 39 | 47 | * | 16 | 28 | 43 | 17 | 25 | 30 | 15 |
| 533.90 | 87 | 39 | 47 | * | 16 | 27 | 43 | 17 | 25 | 30 | 15 |
| 534 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 535 | 589 | 270 | 319 | 15 | 116 | 177 | 281 | 135 | 139 | 209 | 107 |
| 535.0 | 51 | 27 | 24 | * | 11 | 15 | 21 | 14 | 10 | 20 | *6 |
| 535.00 | 39 | 19 | 19 | * | 10 | 11 | 14 | 14 | *8 | 13 | * |
| 535.01 | 12 | *8 | * | * | * | * | *7 | * | * | *7 | * |
| 535.1 | 80 | 29 | 52 | * | 12 | 22 | 45 | 26 | 11 | 24 | 19 |
| 535.10 | 66 | 21 | 45 | * | 10 | 19 | 35 | 23 | 11 | 18 | 14 |
| 535.11 | 15 | *8 | *7 | * | * | * | 10 | * | * | *6 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 535.3 | 19 | 14 | *5 | – | 9 | *9 | * | * | *7 | *6 | * |
| 535.30 | 13 | *8 | * | – | *7 | * | * | * | *6 | * | * |
| 535.31 | *7 | *6 | * | – | * | * | * | * | * | * | * |
| 535.4 | 132 | 66 | 67 | * | 25 | 42 | 64 | 26 | 32 | 47 | 28 |
| 535.40 | 91 | 45 | 47 | * | 18 | 31 | 42 | 17 | 23 | 34 | 18 |
| 535.41 | 41 | 21 | 20 | * | *7 | 11 | 22 | *8 | 9 | 13 | 10 |
| 535.5 | 240 | 94 | 146 | *7 | 45 | 73 | 115 | 51 | 59 | 93 | 37 |
| 535.50 | 192 | 73 | 120 | * | 40 | 60 | 88 | 40 | 48 | 76 | 29 |
| 535.51 | 48 | 21 | 27 | * | *6 | 13 | 28 | 11 | 12 | 17 | *8 |
| 535.6 | 65 | 39 | 26 | * | 13 | 16 | 35 | 15 | 19 | 18 | 12 |
| 535.60 | 54 | 32 | 22 | * | 12 | 14 | 28 | 12 | 17 | 15 | 10 |
| 535.61 | 11 | *7 | * | * | * | * | *7 | * | * | * | * |
| 536 | 269 | 94 | 175 | 18 | 63 | 89 | 99 | 44 | 67 | 112 | 46 |
| 536.2 | 36 | 14 | 22 | *8 | 10 | *7 | 11 | * | *7 | 15 | 9 |
| 536.3 | 106 | 30 | 76 | * | 35 | 45 | 26 | 17 | 18 | 54 | 17 |
| 536.4 | 43 | 18 | 25 | *6 | * | *8 | 26 | 11 | *7 | 16 | 10 |
| 536.41 | 16 | *7 | 9 | * | * | * | 10 | * | * | *6 | * |
| 536.42 | 15 | *6 | *9 | * | * | * | *8 | * | * | * | * |
| 536.49 | 11 | *5 | *6 | * | * | * | *7 | * | * | * | * |
| 536.8 | 75 | 27 | 48 | * | 13 | 25 | 33 | 10 | 34 | 23 | *8 |
| 536.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 537 | 87 | 38 | 49 | * | *7 | 26 | 52 | 17 | 18 | 32 | 20 |
| 537.0 | 23 | 11 | 12 | * | * | *8 | 11 | * | *5 | 11 | * |
| 537.8 | 49 | 21 | 29 | * | * | 12 | 34 | 11 | 10 | 16 | 13 |
| 537.82 | *7 | * | * | – | * | * | * | * | * | * | * |
| 537.83 | 22 | 11 | 11 | – | * | * | 18 | * | * | *7 | *7 |
| 537.89 | 15 | *5 | 10 | – | * | * | 9 | * | * | *5 | * |
| 537.9 | *5 | * | * | – | * | * | * | * | * | * | * |
| 540 | 312 | 174 | 139 | 74 | 158 | 57 | 23 | 62 | 67 | 94 | 90 |
| 540.0 | 62 | 38 | 25 | 18 | 22 | 16 | *6 | *8 | 17 | 18 | 19 |
| 540.1 | 37 | 23 | 15 | 12 | 13 | *8 | * | 9 | *7 | 11 | 10 |
| 540.9 | 213 | 113 | 99 | 44 | 123 | 33 | 13 | 45 | 42 | 65 | 61 |
| 541 | 14 | *5 | 9 | * | *7 | * | * | * | * | *6 | * |
| 542 | *6 | * | * | * | * | * | * | * | * | * | * |
| 543 | 19 | *5 | 13 | * | 9 | *6 | * | * | *7 | * | * |
| 543.9 | 17 | *5 | 12 | * | *8 | *6 | * | * | *7 | * | * |
| 550 | 72 | 60 | 11 | 10 | 10 | 17 | 34 | 16 | 16 | 26 | 14 |
| 550.1 | 26 | 22 | * | * | * | *6 | 15 | *6 | *6 | 10 | * |
| 550.10 | 16 | 13 | * | * | * | * | 10 | * | * | *7 | * |
| 550.11 | *8 | *7 | * | * | * | * | *5 | * | * | * | * |
| 550.9 | 45 | 38 | *8 | *8 | *8 | 12 | 18 | 10 | 10 | 16 | 9 |
| 550.90 | 33 | 27 | *6 | * | *6 | 10 | 14 | *8 | *7 | 12 | *6 |
| 550.92 | 9 | *8 | * | * | * | * | * | * | * | * | * |
| 552 | 99 | 33 | 66 | * | 15 | 36 | 48 | 23 | 23 | 34 | 19 |
| 552.1 | 19 | 10 | *9 | * | * | *8 | *8 | * | * | *5 | *5 |
| 552.2 | 60 | 18 | 42 | * | *9 | 24 | 28 | 15 | 11 | 25 | 10 |
| 552.20 | 16 | * | 12 | – | * | *6 | *7 | * | * | *7 | * |
| 552.21 | 37 | 11 | 26 | * | *5 | 14 | 18 | 9 | *7 | 15 | *6 |
| 552.29 | *7 | * | * | * | * | * | * | * | * | * | * |
| 552.8 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| 553 | 531 | 202 | 329 | 10 | 80 | 177 | 264 | 111 | 135 | 210 | 76 |
| 553.1 | 52 | 25 | 27 | * | 17 | 16 | 16 | 10 | 14 | 15 | 14 |
| 553.2 | 112 | 42 | 70 | * | 19 | 48 | 43 | 26 | 31 | 40 | 16 |
| 553.20 | 29 | 11 | 18 | * | * | 11 | 15 | *5 | *9 | 13 | * |
| 553.21 | 71 | 25 | 46 | * | 15 | 32 | 24 | 17 | 20 | 22 | 13 |
| 553.29 | 12 | *5 | *6 | * | * | *5 | * | * | * | * | * |
| 553.3 | 358 | 132 | 226 | *6 | 41 | 110 | 201 | 73 | 88 | 152 | 44 |
| 553.8 | *5 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 555 | 125 | 54 | 71 | * | 57 | 37 | 28 | 30 | 31 | 44 | 20 |
| 555.0 | 19 | *9 | 10 | * | 11 | * | * | *5 | *6 | * | * |
| 555.1 | 14 | *5 | *9 | * | *8 | * | * | * | * | * | * |
| 555.2 | *9 | * | * | * | *5 | * | * | * | * | * | * |
| 555.9 | 83 | 36 | 47 | * | 33 | 26 | 22 | 19 | 19 | 33 | 12 |
| 556 | 64 | 31 | 33 | * | 22 | 19 | 20 | 16 | 15 | 16 | 18 |
| 556.6 | 10 | *6 | * | * | *5 | * | * | * | * | * | * |
| 556.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 556.9 | 39 | 19 | 20 | * | 9 | 14 | 15 | *8 | 12 | *8 | 11 |
| 557 | 87 | 26 | 61 | * | *7 | 21 | 59 | 19 | 22 | 29 | 17 |
| 557.0 | 41 | 14 | 27 | * | * | 10 | 27 | 11 | 12 | 11 | *8 |
| 557.1 | *8 | * | *6 | * | * | * | *6 | * | * | * | * |
| 557.9 | 37 | 9 | 28 | * | * | *9 | 25 | *5 | *8 | 16 | *8 |
| 558 | 411 | 166 | 245 | 113 | 76 | 87 | 134 | 87 | 96 | 169 | 58 |
| 558.1 | *7 | * | * | — | * | * | * | * | * | * | * |
| 558.9 | 400 | 163 | 237 | 111 | 75 | 84 | 130 | 86 | 91 | 168 | 55 |
| 560 | 773 | 344 | 430 | 26 | 113 | 215 | 420 | 141 | 212 | 276 | 145 |
| 560.0 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 560.1 | 354 | 169 | 185 | 13 | 56 | 99 | 186 | 59 | 99 | 131 | 65 |
| 560.2 | 19 | *8 | 11 | * | * | * | 10 | * | *6 | *6 | * |
| 560.3 | 77 | 29 | 48 | * | *7 | 13 | 54 | 15 | 17 | 35 | 10 |
| 560.39 | 72 | 29 | 43 | * | *6 | 12 | 49 | 14 | 14 | 33 | 10 |
| 560.8 | 159 | 63 | 96 | * | 20 | 51 | 84 | 30 | 43 | 53 | 33 |
| 560.81 | 94 | 37 | 56 | * | 11 | 28 | 51 | 18 | 22 | 33 | 21 |
| 560.89 | 66 | 26 | 40 | * | *9 | 23 | 33 | 13 | 20 | 21 | 12 |
| 560.9 | 156 | 69 | 88 | * | 24 | 47 | 84 | 32 | 45 | 49 | 30 |
| 562 | 634 | 238 | 397 | * | 55 | 181 | 398 | 151 | 172 | 209 | 102 |
| 562.0 | 10 | * | *7 | * | * | * | *7 | * | * | * | * |
| 562.00 | *9 | * | *6 | — | * | * | *6 | * | * | * | * |
| 562.1 | 624 | 234 | 390 | * | 55 | 177 | 391 | 149 | 170 | 205 | 100 |
| 562.10 | 260 | 90 | 170 | * | 15 | 65 | 180 | 60 | 70 | 84 | 46 |
| 562.11 | 254 | 95 | 159 | — | 39 | 92 | 123 | 68 | 76 | 75 | 35 |
| 562.12 | 92 | 43 | 49 | — | * | 15 | 76 | 17 | 17 | 40 | 18 |
| 562.13 | 18 | *7 | 11 | — | * | *5 | 13 | * | *8 | *6 | * |
| 564 | 664 | 225 | 439 | 47 | 136 | 171 | 311 | 124 | 189 | 242 | 109 |
| 564.0 | 476 | 181 | 294 | 39 | 83 | 112 | 241 | 83 | 135 | 179 | 78 |
| 564.00 | 425 | 162 | 263 | 34 | 75 | 99 | 217 | 69 | 126 | 162 | 69 |
| 564.09 | 50 | 19 | 31 | *6 | *9 | 13 | 23 | 14 | 9 | 18 | 10 |
| 564.1 | 153 | 26 | 126 | * | 45 | 51 | 56 | 34 | 48 | 52 | 19 |
| 564.8 | 23 | 13 | 10 | *5 | * | * | *8 | * | * | *5 | 9 |
| 564.81 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 564.89 | 15 | *7 | *8 | * | * | * | *6 | * | * | * | * |
| 565 | 10 | *5 | * | * | * | * | * | * | * | * | * |
| 565.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 566 | 31 | 19 | 12 | * | 11 | 10 | *7 | * | *7 | 13 | *6 |
| 567 | 98 | 47 | 51 | * | 22 | 37 | 34 | 23 | 22 | 32 | 21 |
| 567.2 | 64 | 34 | 30 | * | 15 | 27 | 19 | 16 | 13 | 22 | 13 |
| 567.8 | 16 | *6 | 10 | * | * | * | *7 | * | * | *5 | * |
| 567.9 | 17 | *7 | 9 | * | * | *6 | *7 | * | * | *5 | * |
| 568 | 174 | 48 | 126 | * | 61 | 61 | 48 | 31 | 46 | 63 | 34 |
| 568.0 | 145 | 42 | 103 | * | 46 | 54 | 41 | 27 | 37 | 51 | 30 |
| 568.8 | 28 | *6 | 22 | * | 15 | *6 | *7 | * | 9 | 11 | * |
| 568.81 | 18 | * | 14 | * | 12 | * | * | * | * | *8 | * |
| 568.89 | 9 | * | *7 | * | * | * | * | * | * | * | * |
| 569 | 281 | 126 | 155 | *8 | 43 | 80 | 151 | 61 | 64 | 102 | 54 |
| 569.0 | 9 | * | *6 | — | * | * | * | * | * | * | * |
| 569.1 | 9 | * | *8 | * | * | * | *6 | * | * | * | * |
| 569.3 | 69 | 34 | 35 | * | *8 | 19 | 41 | 13 | 14 | 28 | 14 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 569.4 | 26 | 15 | 11 | * | *7 | * | 14 | * | *9 | *9 | * |
| 569.41 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 569.49 | 16 | *9 | *7 | * | * | * | *7 | * | *6 | * | * |
| 569.5 | 30 | 14 | 16 | * | * | 14 | 12 | 11 | *5 | *8 | *6 |
| 569.6 | 32 | 14 | 18 | * | *5 | 11 | 14 | *6 | *6 | 12 | *8 |
| 569.62 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 569.69 | 21 | 10 | 11 | * | * | *6 | 11 | * | * | *6 | *5 |
| 569.8 | 100 | 42 | 57 | * | 15 | 24 | 58 | 22 | 25 | 34 | 18 |
| 569.81 | 13 | * | 9 | * | * | *5 | * | * | * | *6 | * |
| 569.82 | 16 | *6 | 11 | * | * | * | *8 | * | * | *6 | * |
| 569.83 | 25 | 12 | 13 | * | * | *6 | 14 | *6 | *6 | *9 | * |
| 569.84 | *8 | * | *5 | — | * | * | *7 | * | * | * | * |
| 569.85 | 23 | 11 | 12 | — | * | * | 20 | * | *6 | *7 | *6 |
| 569.89 | 13 | *7 | *7 | * | * | * | * | * | * | * | * |
| 570 | 35 | 20 | 15 | * | 11 | 14 | 10 | *6 | *6 | 12 | 10 |
| 571 | 492 | 286 | 205 | * | 90 | 265 | 133 | 99 | 98 | 168 | 128 |
| 571.1 | 49 | 32 | 17 | — | 19 | 27 | * | 11 | 13 | 13 | 12 |
| 571.2 | 163 | 116 | 48 | — | 27 | 108 | 29 | 35 | 28 | 55 | 46 |
| 571.3 | 24 | 18 | *5 | — | 9 | 11 | * | * | 11 | * | * |
| 571.4 | 17 | * | 13 | * | * | 9 | * | * | * | *6 | * |
| 571.49 | 13 | * | 11 | * | * | *8 | * | * | * | *6 | * |
| 571.5 | 174 | 95 | 79 | * | 13 | 82 | 77 | 33 | 30 | 69 | 41 |
| 571.6 | 11 | * | 10 | * | * | *5 | *5 | * | * | * | * |
| 571.8 | 45 | 16 | 29 | * | 17 | 16 | 9 | *8 | 10 | 13 | 14 |
| 572 | 166 | 100 | 65 | * | 21 | 89 | 54 | 30 | 27 | 63 | 46 |
| 572.0 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 572.2 | 81 | 49 | 32 | — | *8 | 44 | 29 | 15 | 13 | 29 | 25 |
| 572.3 | 45 | 28 | 16 | * | *6 | 23 | 14 | *7 | *6 | 19 | 12 |
| 572.4 | 14 | *8 | *7 | — | * | *8 | * | * | * | * | * |
| 572.8 | 17 | 10 | *7 | * | * | 9 | * | * | * | *8 | * |
| 573 | 101 | 46 | 55 | * | 28 | 33 | 37 | 19 | 24 | 35 | 23 |
| 573.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 573.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 573.3 | 43 | 16 | 27 | * | 14 | 13 | 15 | *9 | 9 | 15 | 11 |
| 573.8 | 35 | 17 | 17 | * | *6 | 12 | 17 | *7 | *7 | 14 | *7 |
| 573.9 | 13 | *6 | *7 | * | * | *6 | * | * | * | * | * |
| 574 | 579 | 213 | 366 | * | 169 | 168 | 240 | 115 | 140 | 204 | 120 |
| 574.0 | 142 | 53 | 89 | * | 45 | 43 | 53 | 32 | 33 | 50 | 26 |
| 574.00 | 135 | 51 | 84 | * | 42 | 42 | 51 | 31 | 33 | 47 | 24 |
| 574.01 | *7 | * | * | — | * | * | * | * | * | * | * |
| 574.1 | 200 | 71 | 130 | * | 62 | 62 | 76 | 43 | 45 | 75 | 37 |
| 574.10 | 194 | 68 | 126 | * | 60 | 62 | 72 | 43 | 44 | 72 | 35 |
| 574.11 | *6 | * | * | — | * | * | * | * | * | * | * |
| 574.2 | 138 | 51 | 87 | * | 30 | 40 | 66 | 23 | 36 | 46 | 33 |
| 574.20 | 133 | 48 | 85 | * | 29 | 37 | 66 | 21 | 35 | 44 | 32 |
| 574.3 | *6 | * | * | — | * | * | * | * | * | * | * |
| 574.4 | *9 | * | * | — | * | * | *5 | * | * | * | * |
| 574.40 | *6 | * | * | — | * | * | * | * | * | * | * |
| 574.5 | 35 | 13 | 22 | * | 10 | *9 | 16 | *6 | 10 | 12 | *7 |
| 574.50 | 18 | *7 | 11 | * | *5 | * | *9 | * | * | *8 | * |
| 574.51 | 17 | *6 | 11 | * | * | * | *8 | * | *5 | * | * |
| 574.6 | 13 | * | *8 | * | * | * | *5 | * | * | * | * |
| 574.60 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 574.7 | 17 | *5 | 12 | — | *7 | * | *5 | * | * | *6 | * |
| 574.70 | 11 | * | *7 | — | * | * | * | * | * | * | * |
| 574.71 | *6 | * | * | — | * | * | * | * | * | * | * |
| 574.8 | 11 | *6 | *5 | * | * | * | *5 | * | * | * | * |
| 574.80 | *6 | * | * | * | * | * | * | * | * | * | * |
| 574.81 | *5 | * | * | — | * | * | * | * | * | * | * |
| 574.9 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 574.90 | *7 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 575 | 159 | 59 | 100 | * | 56 | 49 | 54 | 28 | 49 | 56 | 26 |
| 575.0 | 35 | 17 | 18 | * | *9 | 11 | 15 | *8 | 12 | 9 | *6 |
| 575.1 | 66 | 22 | 44 | * | 27 | 21 | 18 | 10 | 19 | 27 | 10 |
| 575.10 | 14 | * | 11 | * | *5 | * | * | * | * | * | * |
| 575.11 | 39 | 10 | 29 | * | 19 | 10 | 9 | * | 12 | 19 | * |
| 575.12 | 14 | *9 | * | — | * | *7 | * | * | * | * | * |
| 575.3 | 11 | * | *7 | * | * | * | *6 | * | * | * | * |
| 575.8 | 29 | *9 | 20 | * | 12 | *8 | *8 | * | 10 | 10 | *5 |
| 575.9 | 10 | * | *7 | — | * | * | * | * | * | * | * |
| 576 | 103 | 40 | 63 | * | 20 | 30 | 50 | 20 | 23 | 37 | 23 |
| 576.1 | 31 | 14 | 17 | * | * | *8 | 19 | *7 | * | 11 | *8 |
| 576.2 | 25 | 10 | 15 | * | * | *7 | 13 | *5 | *6 | *8 | *6 |
| 576.8 | 44 | 15 | 29 | * | 11 | 14 | 18 | *7 | 11 | 17 | 9 |
| 577 | 466 | 243 | 223 | *8 | 156 | 178 | 124 | 92 | 101 | 190 | 84 |
| 577.0 | 342 | 181 | 161 | * | 116 | 125 | 97 | 64 | 76 | 139 | 64 |
| 577.1 | 73 | 37 | 35 | * | 27 | 36 | *8 | 17 | 14 | 32 | 9 |
| 577.2 | 25 | 12 | 13 | * | *6 | 11 | *7 | *6 | * | 11 | * |
| 577.8 | 17 | *7 | 10 | * | *6 | * | *6 | * | *5 | * | * |
| 577.9 | *9 | * | * | — | * | * | *7 | * | * | * | * |
| 578 | 464 | 227 | 237 | 11 | 47 | 109 | 298 | 97 | 123 | 156 | 89 |
| 578.0 | 63 | 33 | 30 | * | 13 | 22 | 24 | 15 | 12 | 17 | 19 |
| 578.1 | 116 | 56 | 59 | * | 15 | 29 | 67 | 28 | 26 | 41 | 21 |
| 578.9 | 286 | 138 | 148 | * | 19 | 58 | 206 | 54 | 85 | 98 | 49 |
| 579 | 52 | 24 | 29 | 11 | *9 | 15 | 18 | 10 | 12 | 19 | 11 |
| 579.0 | 13 | * | *8 | * | * | * | *8 | * | * | * | * |
| 579.3 | 19 | *8 | 11 | *6 | * | *7 | * | * | *5 | *8 | * |
| 579.8 | 12 | *7 | *6 | * | * | * | * | * | * | * | * |
| 579.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 580-629 | 9,073 | 3,339 | 5,734 | 204 | 2,065 | 2,209 | 4,595 | 1,829 | 2,125 | 3,474 | 1,644 |
| 580 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 581 | 31 | 16 | 15 | * | *8 | 12 | *7 | *6 | *6 | 11 | *8 |
| 581.8 | 14 | *7 | *7 | * | * | *7 | * | * | * | * | * |
| 581.81 | 14 | *7 | *7 | * | * | *7 | * | * | * | * | * |
| 581.9 | 13 | *6 | *7 | * | * | * | * | * | * | *6 | * |
| 582 | 15 | *7 | *8 | * | *5 | *6 | * | * | * | *5 | * |
| 582.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 583 | 136 | 66 | 70 | * | 25 | 51 | 58 | 28 | 31 | 39 | 38 |
| 583.8 | 120 | 59 | 62 | * | 19 | 45 | 55 | 27 | 30 | 32 | 32 |
| 583.81 | 114 | 56 | 58 | * | 17 | 42 | 53 | 24 | 28 | 31 | 31 |
| 583.89 | *6 | * | * | * | * | * | * | * | * | * | * |
| 583.9 | 12 | *6 | *7 | * | * | * | * | * | * | *5 | *5 |
| 584 | 1,101 | 585 | 517 | *5 | 88 | 277 | 732 | 243 | 245 | 406 | 208 |
| 584.5 | 82 | 41 | 41 | * | *7 | 30 | 44 | 20 | 18 | 30 | 14 |
| 584.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 584.9 | 1,012 | 538 | 474 | * | 79 | 244 | 685 | 221 | 225 | 374 | 192 |
| 585 | 416 | 235 | 181 | * | 35 | 101 | 277 | 104 | 120 | 129 | 63 |
| 586 | 38 | 17 | 20 | * | * | * | 28 | *5 | 16 | 12 | * |
| 588 | 21 | 9 | 12 | * | * | *7 | *7 | * | *5 | 9 | * |
| 588.8 | 14 | *6 | *8 | * | * | * | * | * | * | *7 | * |
| 588.81 | 10 | *5 | * | * | * | * | * | * | * | * | * |
| 590 | 259 | 45 | 214 | 38 | 104 | 53 | 64 | 43 | 56 | 98 | 62 |
| 590.0 | *6 | * | *6 | * | * | * | * | * | * | * | * |
| 590.00 | *6 | * | *6 | * | * | * | * | * | * | * | * |
| 590.1 | 104 | 16 | 88 | 13 | 44 | 23 | 25 | 17 | 24 | 35 | 28 |
| 590.10 | 104 | 16 | 88 | 13 | 44 | 23 | 25 | 17 | 24 | 35 | 28 |
| 590.8 | 144 | 27 | 116 | 24 | 55 | 27 | 37 | 23 | 28 | 60 | 33 |
| 590.80 | 144 | 27 | 116 | 24 | 55 | 27 | 37 | 23 | 28 | 59 | 33 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|--|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West | |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | | |
| 591 | 228 | 97 | 131 | 10 | 71 | 65 | 83 | 49 | 50 | 92 | 36 | |
| 592 | 324 | 160 | 165 | *6 | 122 | 113 | 84 | 75 | 82 | 128 | 38 | |
| 592.0 | 145 | 67 | 78 | * | 53 | 48 | 41 | 35 | 38 | 54 | 17 | |
| 592.1 | 175 | 91 | 84 | * | 67 | 64 | 42 | 39 | 44 | 72 | 21 | |
| 593 | 811 | 415 | 396 | 26 | 64 | 151 | 569 | 163 | 187 | 306 | 154 | |
| 593.2 | 19 | 12 | *7 | * | * | * | 12 | * | * | *8 | * | |
| 593.3 | 14 | *6 | *8 | * | *5 | * | * | * | * | *7 | * | |
| 593.4 | 25 | 10 | 15 | * | *5 | *8 | 10 | *6 | *5 | 9 | * | |
| 593.5 | 14 | *6 | *7 | * | * | * | * | * | * | *5 | * | |
| 593.7 | 22 | *7 | 15 | 18 | * | * | * | * | * | *6 | *7 | |
| 593.70 | 17 | *7 | 10 | 15 | * | * | * | * | * | * | *6 | |
| 593.8 | 24 | *8 | 16 | * | *8 | * | 10 | * | *5 | 10 | * | |
| 593.81 | 9 | * | *5 | * | * | * | *6 | * | * | * | * | |
| 593.89 | 15 | * | 11 | * | *6 | * | * | * | * | *6 | * | |
| 593.9 | 691 | 364 | 327 | * | 37 | 124 | 527 | 138 | 165 | 259 | 129 | |
| 594 | 15 | 11 | * | * | * | * | 12 | * | * | * | * | |
| 594.1 | 13 | 11 | * | * | * | * | 11 | * | * | * | * | |
| 595 | 81 | 26 | 55 | * | 11 | 16 | 52 | 19 | 19 | 30 | 13 | |
| 595.0 | 16 | *6 | 10 | * | * | * | 13 | * | *6 | *6 | * | |
| 595.1 | 13 | * | 13 | * | * | * | * | * | * | * | * | |
| 595.2 | 9 | * | * | * | * | * | *6 | * | * | * | * | |
| 595.8 | *8 | *5 | * | — | * | * | *6 | * | * | * | * | |
| 595.82 | *5 | * | * | — | * | * | * | * | * | * | * | |
| 595.9 | 35 | 9 | 25 | * | * | *7 | 22 | *8 | * | 14 | *8 | |
| 596 | 181 | 108 | 73 | 10 | 25 | 36 | 109 | 38 | 46 | 64 | 33 | |
| 596.0 | 37 | 35 | * | * | * | * | 32 | *7 | 10 | 13 | *7 | |
| 596.1 | 11 | *6 | * | * | * | * | *7 | * | * | * | * | |
| 596.3 | *7 | *5 | * | * | * | * | * | * | * | * | * | |
| 596.4 | 10 | *6 | * | * | * | * | *7 | * | * | *6 | * | |
| 596.5 | 80 | 36 | 44 | *8 | 14 | 18 | 40 | 17 | 24 | 24 | 15 | |
| 596.51 | 13 | * | 11 | — | * | * | 9 | * | *6 | * | * | |
| 596.54 | 60 | 31 | 29 | *8 | 11 | 14 | 28 | 11 | 17 | 18 | 13 | |
| 596.59 | *5 | * | * | * | * | * | * | * | * | * | * | |
| 596.7 | *6 | *5 | * | — | — | * | * | * | * | * | * | |
| 596.8 | 25 | 12 | 13 | * | *6 | *6 | 12 | *5 | * | 10 | * | |
| 597 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 597.8 | *7 | * | * | * | * | * | * | * | * | * | * | |
| 597.80 | *6 | * | * | * | * | * | * | * | * | * | * | |
| 598 | 29 | 22 | *7 | * | * | * | 19 | *5 | *6 | 13 | * | |
| 598.9 | 22 | 16 | *6 | * | * | * | 14 | * | * | 11 | * | |
| 599 | 2,602 | 869 | 1,733 | 55 | 288 | 475 | 1,783 | 542 | 623 | 976 | 460 | |
| 599.0 | 2,230 | 643 | 1,586 | 47 | 238 | 389 | 1,556 | 465 | 535 | 840 | 390 | |
| 599.6 | 32 | 24 | *8 | * | * | *8 | 21 | *6 | *5 | 12 | *8 | |
| 599.7 | 311 | 193 | 118 | *8 | 45 | 64 | 194 | 67 | 78 | 112 | 53 | |
| 599.8 | 18 | * | 15 | * | * | 11 | * | * | * | *6 | * | |
| 599.81 | *9 | — | *9 | — | * | *7 | * | * | * | * | * | |
| 599.82 | *5 | — | *5 | — | * | * | * | * | * | * | * | |
| 600 | 502 | 502 | — | * | * | 84 | 417 | 136 | 114 | 152 | 101 | |
| 600.0 | 461 | 461 | — | * | * | 75 | 385 | 128 | 104 | 135 | 94 | |
| 600.00 | 339 | 339 | — | * | * | 58 | 280 | 98 | 77 | 99 | 64 | |
| 600.01 | 122 | 122 | — | — | * | 17 | 105 | 30 | 27 | 36 | 30 | |
| 600.9 | 35 | 35 | — | — | — | *7 | 27 | *5 | *7 | 16 | *6 | |
| 600.90 | 24 | 24 | — | — | — | * | 19 | * | *5 | 10 | * | |
| 600.91 | 11 | 11 | — | — | — | * | *8 | * | * | *6 | * | |
| 601 | 41 | 41 | — | — | * | 11 | 29 | 11 | *8 | 18 | * | |
| 601.0 | 11 | 11 | — | — | * | * | *8 | * | * | *5 | * | |
| 601.1 | 11 | 11 | — | — | * | * | *8 | * | * | * | * | |
| 601.9 | 17 | 17 | — | — | * | * | 12 | * | * | *8 | * | |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 602 | 9 | 9 | — | * | * | * | *7 | * | * | * | * |
| 603 | 10 | 10 | — | * | * | * | * | * | * | * | * |
| 603.9 | *7 | *7 | — | * | * | * | * | * | * | * | * |
| 604 | 19 | 19 | — | * | *5 | *7 | *6 | * | *7 | *6 | * |
| 604.9 | 18 | 18 | — | * | * | *7 | *6 | * | *7 | *5 | * |
| 604.90 | 13 | 13 | — | * | * | * | * | * | *5 | * | * |
| 604.99 | *6 | *6 | — | * | * | * | * | * | * | * | * |
| 605 | *7 | *7 | — | * | * | * | * | * | * | * | * |
| 607 | 19 | 19 | — | * | * | *7 | *7 | * | * | *7 | *6 |
| 607.8 | 10 | 10 | — | * | * | * | * | * | * | * | * |
| 607.84 | *7 | *7 | — | — | * | * | * | * | * | * | * |
| 608 | 31 | 31 | — | * | 11 | *9 | *8 | *5 | * | 12 | *9 |
| 608.4 | 12 | 12 | — | * | * | * | * | * | * | * | * |
| 608.8 | 9 | 9 | — | * | * | * | * | * | * | * | * |
| 610 | 24 | * | 23 | * | *6 | 12 | *5 | *5 | * | 12 | * |
| 610.1 | 17 | — | 17 | — | * | *8 | * | * | * | *9 | * |
| 611 | 68 | *5 | 63 | * | 29 | 24 | 14 | 19 | 9 | 32 | *9 |
| 611.0 | 18 | * | 17 | * | 9 | *5 | * | *7 | * | *6 | * |
| 611.1 | 15 | * | 12 | * | *8 | *6 | * | * | * | *7 | * |
| 611.7 | 22 | * | 21 | * | *7 | *7 | *8 | * | * | 10 | * |
| 611.72 | 15 | * | 14 | * | * | *5 | *7 | * | * | *6 | * |
| 611.8 | 10 | — | 10 | — | * | * | * | * | * | *6 | * |
| 614 | 236 | — | 236 | * | 166 | 61 | *7 | 36 | 51 | 110 | 39 |
| 614.1 | 22 | — | 22 | * | 10 | 10 | * | * | * | 12 | * |
| 614.2 | 11 | — | 11 | * | *8 | * | * | * | * | * | * |
| 614.3 | *6 | — | *6 | * | *5 | * | * | * | * | * | * |
| 614.4 | *7 | — | *7 | * | * | * | * | * | * | * | * |
| 614.6 | 165 | — | 165 | * | 115 | 44 | *5 | 22 | 38 | 78 | 26 |
| 614.9 | 20 | — | 20 | * | 18 | * | * | * | * | *9 | * |
| 615 | 25 | — | 25 | * | 23 | * | * | * | *5 | 10 | *6 |
| 615.9 | 19 | — | 19 | — | 18 | * | * | * | * | *8 | * |
| 616 | 109 | — | 109 | * | 59 | 37 | *9 | 23 | 23 | 45 | 17 |
| 616.0 | 72 | — | 72 | — | 38 | 30 | * | 17 | 14 | 30 | 11 |
| 616.1 | 23 | — | 23 | * | 14 | *5 | * | * | *7 | *8 | * |
| 616.10 | 22 | — | 22 | * | 14 | *5 | * | * | *7 | *8 | * |
| 616.4 | *8 | — | *8 | * | * | * | * | * | * | * | * |
| 617 | 241 | — | 241 | * | 161 | 76 | * | 34 | 60 | 100 | 47 |
| 617.0 | 125 | — | 125 | — | 72 | 49 | * | 21 | 28 | 55 | 21 |
| 617.1 | 39 | — | 39 | * | 27 | 11 | * | * | 12 | 12 | 10 |
| 617.2 | *8 | — | *8 | — | *6 | * | * | * | * | * | * |
| 617.3 | 37 | — | 37 | — | 28 | *8 | * | * | *8 | 17 | *9 |
| 617.8 | *8 | — | *8 | — | *7 | * | — | * | * | * | * |
| 617.9 | 22 | — | 22 | * | 18 | * | * | * | *7 | *8 | * |
| 618 | 257 | — | 257 | * | 48 | 116 | 92 | 38 | 55 | 107 | 56 |
| 618.0 | 78 | — | 78 | — | 11 | 36 | 31 | 11 | 17 | 31 | 18 |
| 618.01 | 40 | — | 40 | — | *6 | 17 | 17 | *6 | 9 | 15 | 9 |
| 618.04 | 29 | — | 29 | — | * | 14 | 11 | * | *5 | 13 | *6 |
| 618.1 | 23 | — | 23 | * | *8 | 10 | * | * | * | 9 | * |
| 618.2 | 26 | — | 26 | — | *7 | 13 | *6 | * | * | 10 | *8 |
| 618.3 | 16 | — | 16 | — | * | *7 | *7 | * | * | * | * |
| 618.4 | 27 | — | 27 | — | *7 | 14 | *6 | * | *8 | 11 | *6 |
| 618.5 | 36 | — | 36 | — | * | 16 | 20 | * | *8 | 18 | *6 |
| 618.6 | 31 | — | 31 | — | *7 | 15 | *9 | *6 | * | 15 | *5 |
| 618.8 | 19 | — | 19 | — | *5 | *5 | *8 | * | *5 | *8 | * |
| 618.89 | 19 | — | 19 | — | *5 | *5 | *8 | * | *5 | *8 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 619 | *8 | — | *8 | * | * | * | * | * | * | * | * |
| 619.1 | *5 | — | *5 | — | * | * | * | * | * | * | * |
| 620 | 310 | — | 310 | *8 | 195 | 95 | 12 | 50 | 67 | 137 | 56 |
| 620.0 | 47 | — | 47 | * | 26 | 17 | — | *7 | *7 | 28 | * |
| 620.1 | 50 | — | 50 | * | 34 | 15 | — | *9 | 12 | 24 | *6 |
| 620.2 | 147 | — | 147 | * | 99 | 39 | *7 | 21 | 34 | 63 | 29 |
| 620.5 | *7 | — | *7 | * | * | * | * | * | * | * | * |
| 620.8 | 50 | — | 50 | * | 29 | 17 | * | 10 | 11 | 16 | 12 |
| 620.9 | *5 | — | *5 | — | * | * | * | * | * | * | * |
| 621 | 73 | — | 73 | * | 33 | 29 | 10 | 13 | 16 | 31 | 12 |
| 621.0 | 24 | — | 24 | — | *8 | 12 | * | *5 | *6 | 9 | * |
| 621.2 | 12 | — | 12 | * | *9 | * | * | * | * | *7 | * |
| 621.3 | 19 | — | 19 | — | * | 11 | * | * | * | *7 | * |
| 621.30 | *7 | — | *7 | — | * | * | * | * | * | * | * |
| 621.33 | *7 | — | *7 | — | * | *6 | * | * | * | * | * |
| 621.8 | 11 | — | 11 | * | *6 | * | * | * | * | * | * |
| 622 | 36 | — | 36 | * | 19 | 14 | * | *8 | *7 | 17 | * |
| 622.1 | 22 | — | 22 | — | 13 | *8 | * | *5 | * | 12 | * |
| 622.10 | 14 | — | 14 | — | *8 | *6 | * | * | * | *9 | * |
| 622.7 | *7 | — | *7 | — | * | * | * | * | * | * | * |
| 623 | 26 | — | 26 | * | 14 | *6 | * | *7 | * | 10 | * |
| 623.8 | 19 | — | 19 | * | 10 | * | * | *5 | * | *6 | * |
| 625 | 345 | — | 345 | * | 199 | 104 | 39 | 37 | 81 | 157 | 71 |
| 625.0 | 26 | — | 26 | — | 21 | * | * | * | * | 16 | * |
| 625.3 | 87 | — | 87 | * | 66 | 21 | * | *6 | 19 | 46 | 15 |
| 625.6 | 130 | — | 130 | — | 39 | 57 | 34 | 17 | 27 | 50 | 35 |
| 625.8 | 12 | — | 12 | * | *5 | * | * | * | * | * | * |
| 625.9 | 82 | — | 82 | * | 62 | 15 | * | *9 | 25 | 38 | 10 |
| 626 | 311 | — | 311 | * | 205 | 104 | * | 40 | 74 | 141 | 55 |
| 626.0 | *6 | — | *6 | * | *5 | * | — | * | * | * | * |
| 626.2 | 229 | — | 229 | * | 149 | 79 | * | 27 | 57 | 106 | 40 |
| 626.4 | *7 | — | *7 | * | *6 | * | — | * | * | * | * |
| 626.6 | *5 | — | *5 | — | * | * | * | * | * | * | * |
| 626.8 | 53 | — | 53 | * | 32 | 19 | * | *8 | 11 | 23 | 10 |
| 626.9 | *9 | — | *9 | — | *6 | * | — | * | * | * | * |
| 627 | 48 | — | 48 | * | *6 | 26 | 16 | *8 | 14 | 19 | *7 |
| 627.0 | *6 | — | *6 | — | * | * | — | * | * | * | * |
| 627.1 | 22 | — | 22 | — | * | 11 | 11 | * | *6 | *8 | * |
| 627.2 | *7 | — | *7 | — | * | * | * | * | * | * | * |
| 627.9 | *8 | — | *8 | — | * | *5 | * | * | * | * | * |
| 628 | *5 | — | *5 | * | * | * | — | * | * | * | * |
| 630-677 | 10,394 | — | 10,394 | 19 | 10,353 | 22 | — | 1,539 | 2,153 | 4,080 | 2,621 |
| 632 | 22 | — | 22 | * | 22 | * | — | * | * | 12 | * |
| 633 | 34 | — | 34 | — | 34 | — | — | *5 | *6 | 16 | *7 |
| 633.1 | 27 | — | 27 | — | 27 | — | — | * | * | 13 | *6 |
| 633.10 | 26 | — | 26 | — | 26 | — | — | * | * | 13 | *6 |
| 634 | 17 | — | 17 | * | 17 | * | — | * | * | 9 | * |
| 634.9 | 11 | — | 11 | * | 11 | * | — | * | * | *7 | * |
| 634.91 | *8 | — | *8 | * | *8 | * | — | * | * | *5 | * |
| 635 | *5 | — | *5 | * | * | * | — | * | * | * | * |
| 639 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 640 | 12 | — | 12 | — | 12 | — | — | * | * | *7 | * |
| 640.0 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 640.03 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 640.9 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 641 | 98 | — | 98 | * | 97 | * | — | 12 | 22 | 35 | 29 |
| 641.0 | 9 | — | 9 | — | 9 | — | — | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 641.01 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 641.1 | 26 | — | 26 | — | 25 | * | — | * | *6 | 10 | *7 |
| 641.11 | 18 | — | 18 | — | 17 | * | — | * | *5 | *7 | * |
| 641.13 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 641.2 | 41 | — | 41 | * | 41 | * | — | *6 | 10 | 12 | 13 |
| 641.21 | 37 | — | 37 | * | 37 | * | — | * | 9 | 12 | 12 |
| 641.9 | 16 | — | 16 | — | 16 | — | — | * | * | *7 | * |
| 641.91 | 9 | — | 9 | — | 9 | — | — | * | * | * | * |
| 641.93 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 642 | 406 | — | 406 | * | 405 | * | — | 46 | 75 | 188 | 97 |
| 642.0 | 48 | — | 48 | — | 48 | * | — | * | 9 | 24 | 10 |
| 642.01 | 41 | — | 41 | — | 41 | * | — | * | *8 | 21 | *9 |
| 642.03 | *6 | — | *6 | — | *6 | * | — | * | * | * | * |
| 642.3 | 170 | — | 170 | * | 170 | * | — | 17 | 32 | 75 | 46 |
| 642.31 | 152 | — | 152 | * | 152 | * | — | 15 | 29 | 67 | 41 |
| 642.33 | 12 | — | 12 | — | 12 | — | — | * | * | *5 | * |
| 642.34 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 642.4 | 92 | — | 92 | * | 92 | * | — | 13 | 19 | 38 | 21 |
| 642.41 | 82 | — | 82 | * | 82 | * | — | 11 | 18 | 34 | 19 |
| 642.43 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 642.5 | 38 | — | 38 | * | 38 | * | — | * | *6 | 18 | 9 |
| 642.51 | 35 | — | 35 | * | 35 | * | — | * | *5 | 16 | *9 |
| 642.7 | 21 | — | 21 | — | 21 | — | — | * | * | 13 | * |
| 642.71 | 15 | — | 15 | — | 15 | * | — | * | * | *8 | * |
| 642.9 | 27 | — | 27 | — | 27 | — | — | * | * | 15 | *5 |
| 642.91 | 23 | — | 23 | — | 23 | — | — | * | * | 13 | * |
| 643 | 49 | — | 49 | * | 49 | — | — | *6 | 9 | 26 | *9 |
| 643.0 | 21 | — | 21 | — | 21 | — | — | * | * | 11 | *5 |
| 643.03 | 21 | — | 21 | — | 21 | — | — | * | * | 11 | *5 |
| 643.1 | 15 | — | 15 | * | 15 | — | — | * | * | 9 | * |
| 643.13 | 15 | — | 15 | * | 15 | — | — | * | * | 9 | * |
| 643.2 | 10 | — | 10 | — | 10 | — | — | * | * | *5 | * |
| 643.23 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 644 | 424 | — | 424 | * | 423 | * | — | 62 | 77 | 191 | 94 |
| 644.0 | 112 | — | 112 | * | 112 | * | — | 14 | 22 | 51 | 24 |
| 644.03 | 112 | — | 112 | * | 112 | * | — | 14 | 22 | 51 | 24 |
| 644.1 | 16 | — | 16 | — | 16 | — | — | * | * | *8 | * |
| 644.13 | 16 | — | 16 | — | 16 | — | — | * | * | *8 | * |
| 644.2 | 297 | — | 297 | * | 296 | * | — | 45 | 53 | 133 | 65 |
| 644.21 | 297 | — | 297 | * | 296 | * | — | 45 | 53 | 133 | 65 |
| 645 | 365 | — | 365 | * | 364 | * | — | 69 | 74 | 117 | 105 |
| 645.1 | 356 | — | 356 | * | 355 | * | — | 67 | 72 | 115 | 102 |
| 645.11 | 352 | — | 352 | * | 351 | * | — | 66 | 71 | 114 | 102 |
| 645.2 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 645.21 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 646 | 246 | — | 246 | * | 245 | * | — | 31 | 41 | 113 | 61 |
| 646.1 | 27 | — | 27 | — | 27 | * | — | * | * | *7 | 13 |
| 646.11 | 20 | — | 20 | — | 20 | * | — | * | * | *6 | 10 |
| 646.13 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 646.2 | 19 | — | 19 | — | 19 | * | — | * | * | 10 | * |
| 646.21 | *6 | — | *6 | — | *6 | * | — | * | * | * | * |
| 646.23 | 10 | — | 10 | — | 10 | — | — | * | * | *6 | * |
| 646.3 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 646.31 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 646.6 | 117 | — | 117 | * | 117 | * | — | 17 | 17 | 59 | 24 |
| 646.61 | 43 | — | 43 | — | 43 | * | — | *8 | *7 | 20 | *8 |
| 646.62 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 646.63 | 63 | — | 63 | * | 63 | — | — | *7 | *8 | 36 | 12 |
| 646.64 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 646.8 | 67 | — | 67 | * | 67 | — | — | *7 | 12 | 30 | 18 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 646.81 | 40 | — | 40 | — | 40 | — | — | * | *9 | 16 | 12 |
| 646.83 | 23 | — | 23 | * | 23 | — | — | * | * | 13 | * |
| 647 | 102 | — | 102 | — | 102 | * | — | 11 | 17 | 53 | 21 |
| 647.6 | 59 | — | 59 | — | 59 | * | — | *6 | 9 | 30 | 13 |
| 647.61 | 52 | — | 52 | — | 52 | * | — | * | *8 | 27 | 12 |
| 647.8 | 36 | — | 36 | — | 36 | — | — | * | *7 | 20 | *6 |
| 647.81 | 22 | — | 22 | — | 22 | — | — | * | *6 | 12 | * |
| 647.83 | 11 | — | 11 | — | 11 | — | — | * | * | *6 | * |
| 648 | 1,865 | — | 1,865 | * | 1,858 | * | — | 292 | 399 | 747 | 426 |
| 648.0 | 48 | — | 48 | * | 48 | * | — | *6 | *7 | 25 | 10 |
| 648.01 | 32 | — | 32 | — | 32 | * | — | * | * | 15 | *8 |
| 648.03 | 14 | — | 14 | * | 14 | — | — | * | * | 9 | * |
| 648.1 | 73 | — | 73 | * | 73 | * | — | 13 | 20 | 25 | 15 |
| 648.11 | 65 | — | 65 | — | 65 | * | — | 12 | 19 | 21 | 14 |
| 648.13 | *7 | — | *7 | * | *7 | — | — | * | * | * | * |
| 648.2 | 319 | — | 319 | * | 317 | * | — | 50 | 62 | 132 | 74 |
| 648.21 | 190 | — | 190 | * | 189 | * | — | 31 | 33 | 82 | 44 |
| 648.22 | 98 | — | 98 | * | 97 | — | — | 15 | 23 | 37 | 23 |
| 648.23 | 21 | — | 21 | — | 21 | — | — | * | * | 9 | * |
| 648.24 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 648.3 | 11 | — | 11 | — | 11 | — | — | * | * | * | * |
| 648.31 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 648.4 | 233 | — | 233 | * | 232 | * | — | 40 | 65 | 80 | 49 |
| 648.41 | 186 | — | 186 | — | 185 | * | — | 31 | 52 | 62 | 42 |
| 648.43 | 36 | — | 36 | * | 36 | — | — | *6 | *9 | 15 | *6 |
| 648.44 | 10 | — | 10 | — | 10 | — | — | * | * | * | * |
| 648.6 | 46 | — | 46 | — | 46 | * | — | *9 | 10 | 21 | *6 |
| 648.61 | 36 | — | 36 | — | 36 | * | — | *7 | *9 | 18 | * |
| 648.7 | 16 | — | 16 | — | 16 | — | — | * | * | 9 | * |
| 648.71 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 648.73 | *7 | — | *7 | — | *7 | — | — | * | * | *5 | * |
| 648.8 | 182 | — | 182 | * | 181 | * | — | 30 | 34 | 65 | 53 |
| 648.81 | 165 | — | 165 | * | 164 | * | — | 26 | 30 | 58 | 51 |
| 648.83 | 15 | — | 15 | * | 15 | — | — | * | * | *6 | * |
| 648.9 | 934 | — | 934 | * | 931 | * | — | 140 | 200 | 383 | 211 |
| 648.91 | 791 | — | 791 | * | 788 | * | — | 113 | 170 | 326 | 182 |
| 648.92 | 19 | — | 19 | — | 19 | — | — | * | *6 | *6 | * |
| 648.93 | 116 | — | 116 | * | 116 | * | — | 21 | 23 | 48 | 24 |
| 648.94 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 650 | 310 | — | 310 | * | 310 | — | — | 36 | 59 | 126 | 90 |
| 651 | 72 | — | 72 | * | 72 | * | — | 11 | 12 | 34 | 16 |
| 651.0 | 66 | — | 66 | * | 65 | * | — | 10 | *9 | 33 | 15 |
| 651.01 | 47 | — | 47 | — | 47 | * | — | *7 | *6 | 24 | 10 |
| 651.03 | 19 | — | 19 | * | 19 | * | — | * | * | *9 | * |
| 652 | 304 | — | 304 | * | 303 | * | — | 50 | 57 | 123 | 75 |
| 652.0 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 652.01 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 652.1 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 652.11 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 652.2 | 127 | — | 127 | * | 126 | * | — | 20 | 23 | 52 | 33 |
| 652.21 | 123 | — | 123 | * | 122 | * | — | 19 | 23 | 49 | 32 |
| 652.3 | 21 | — | 21 | — | 21 | — | — | * | * | *8 | *5 |
| 652.31 | 20 | — | 20 | — | 20 | — | — | * | * | *8 | *5 |
| 652.4 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 652.41 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 652.5 | 58 | — | 58 | — | 58 | — | — | 10 | 11 | 24 | 12 |
| 652.51 | 58 | — | 58 | — | 58 | — | — | 10 | 11 | 24 | 12 |
| 652.6 | 20 | — | 20 | — | 19 | * | — | *6 | * | *7 | * |
| 652.61 | 19 | — | 19 | — | 19 | * | — | *5 | * | *7 | * |
| 652.8 | 54 | — | 54 | — | 54 | — | — | *9 | 9 | 21 | 15 |
| 652.81 | 54 | — | 54 | — | 54 | — | — | *9 | 9 | 21 | 15 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 653 | 105 | — | 105 | — | 105 | — | — | 12 | 20 | 45 | 27 |
| 653.4 | 87 | — | 87 | — | 87 | — | — | 10 | 18 | 38 | 21 |
| 653.41 | 87 | — | 87 | — | 87 | — | — | 10 | 18 | 38 | 21 |
| 653.5 | 11 | — | 11 | — | 11 | — | — | * | * | * | *5 |
| 653.51 | 10 | — | 10 | — | 10 | — | — | * | * | * | *5 |
| 654 | 730 | — | 730 | * | 728 | * | — | 104 | 139 | 314 | 173 |
| 654.0 | 13 | — | 13 | — | 13 | * | — | * | * | *5 | * |
| 654.01 | 12 | — | 12 | — | 12 | * | — | * | * | * | * |
| 654.1 | 31 | — | 31 | — | 30 | * | — | *6 | * | 13 | *7 |
| 654.11 | 27 | — | 27 | — | 27 | * | — | *5 | * | 12 | *6 |
| 654.2 | 587 | — | 587 | — | 586 | * | — | 83 | 112 | 247 | 145 |
| 654.21 | 571 | — | 571 | — | 570 | * | — | 82 | 110 | 238 | 140 |
| 654.23 | 16 | — | 16 | — | 16 | * | — | * | * | 9 | * |
| 654.4 | 34 | — | 34 | * | 33 | * | — | *5 | *6 | 15 | *7 |
| 654.41 | 23 | — | 23 | * | 22 | * | — | * | * | *8 | *6 |
| 654.43 | 9 | — | 9 | — | *9 | * | — | * | * | *7 | * |
| 654.5 | 35 | — | 35 | * | 35 | * | — | * | * | 20 | *6 |
| 654.51 | 20 | — | 20 | — | 20 | * | — | * | * | 10 | * |
| 654.53 | 15 | — | 15 | * | 15 | * | — | * | * | 10 | * |
| 654.6 | 20 | — | 20 | — | 20 | — | — | * | *5 | 10 | * |
| 654.61 | 15 | — | 15 | — | 15 | — | — | * | * | *8 | * |
| 654.63 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 654.9 | *8 | — | *8 | — | *8 | * | — | * | * | * | * |
| 654.91 | *8 | — | *8 | — | *7 | * | — | * | * | * | * |
| 655 | 51 | — | 51 | * | 51 | — | — | * | 11 | 24 | 12 |
| 655.7 | 22 | — | 22 | * | 22 | — | — | * | *6 | 10 | * |
| 655.71 | 17 | — | 17 | * | 17 | — | — | * | *5 | *6 | * |
| 655.73 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 655.8 | 19 | — | 19 | — | 19 | — | — | * | * | *7 | *6 |
| 655.81 | 17 | — | 17 | — | 17 | — | — | * | * | *6 | *6 |
| 656 | 379 | — | 379 | * | 378 | * | — | 53 | 74 | 163 | 89 |
| 656.1 | 76 | — | 76 | — | 76 | * | — | 12 | 15 | 36 | 13 |
| 656.11 | 74 | — | 74 | — | 74 | * | — | 12 | 15 | 35 | 12 |
| 656.3 | 17 | — | 17 | — | 17 | — | — | * | * | 10 | * |
| 656.31 | 17 | — | 17 | — | 17 | — | — | * | * | 10 | * |
| 656.4 | 18 | — | 18 | — | 18 | — | — | * | * | *5 | *7 |
| 656.41 | 17 | — | 17 | — | 17 | — | — | * | * | *5 | *7 |
| 656.5 | 76 | — | 76 | * | 76 | — | — | 12 | 13 | 36 | 15 |
| 656.51 | 73 | — | 73 | * | 72 | — | — | 11 | 12 | 35 | 15 |
| 656.6 | 101 | — | 101 | — | 100 | * | — | 12 | 23 | 39 | 26 |
| 656.61 | 99 | — | 99 | — | 98 | * | — | 12 | 23 | 39 | 25 |
| 656.7 | 16 | — | 16 | — | 16 | — | — | * | * | *5 | * |
| 656.71 | 15 | — | 15 | — | 15 | — | — | * | * | * | * |
| 656.8 | 73 | — | 73 | * | 73 | * | — | 10 | 12 | 30 | 22 |
| 656.81 | 73 | — | 73 | * | 73 | * | — | 10 | 12 | 29 | 22 |
| 657 | 25 | — | 25 | — | 25 | — | — | *6 | * | 12 | * |
| 657.0 | 25 | — | 25 | — | 25 | — | — | *6 | * | 12 | * |
| 657.01 | 22 | — | 22 | — | 22 | — | — | * | * | 10 | * |
| 658 | 361 | — | 361 | * | 361 | * | — | 63 | 67 | 136 | 96 |
| 658.0 | 113 | — | 113 | * | 112 | * | — | 22 | 18 | 47 | 27 |
| 658.01 | 108 | — | 108 | * | 107 | * | — | 21 | 17 | 44 | 25 |
| 658.03 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 658.1 | 137 | — | 137 | * | 137 | * | — | 26 | 28 | 45 | 39 |
| 658.11 | 132 | — | 132 | * | 132 | * | — | 26 | 26 | 43 | 37 |
| 658.13 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 658.2 | 53 | — | 53 | — | 53 | * | — | 9 | 14 | 19 | 11 |
| 658.21 | 50 | — | 50 | — | 50 | * | — | *9 | 14 | 17 | 10 |
| 658.4 | 55 | — | 55 | * | 55 | — | — | *6 | *7 | 23 | 20 |
| 658.41 | 54 | — | 54 | * | 54 | — | — | *6 | *6 | 23 | 19 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 659 | 1,097 | – | 1,097 | *5 | 1,086 | * | – | 168 | 228 | 411 | 289 |
| 659.1 | 56 | – | 56 | – | 56 | * | – | *7 | 14 | 20 | 15 |
| 659.11 | 49 | – | 49 | – | 49 | * | – | *6 | 12 | 19 | 12 |
| 659.13 | *7 | – | *7 | – | *7 | – | – | * | * | * | * |
| 659.2 | 54 | – | 54 | * | 54 | * | – | *7 | 14 | 19 | 15 |
| 659.21 | 54 | – | 54 | * | 54 | * | – | *7 | 14 | 18 | 15 |
| 659.4 | 24 | – | 24 | – | 24 | – | – | * | * | 11 | *7 |
| 659.41 | 22 | – | 22 | – | 22 | – | – | * | * | 9 | *7 |
| 659.5 | 51 | – | 51 | – | 51 | * | – | 11 | 9 | 17 | 15 |
| 659.51 | 48 | – | 48 | – | 48 | * | – | 11 | *8 | 16 | 13 |
| 659.6 | 314 | – | 314 | – | 309 | * | – | 53 | 62 | 113 | 86 |
| 659.61 | 300 | – | 300 | – | 296 | * | – | 50 | 59 | 106 | 84 |
| 659.63 | 14 | – | 14 | – | 13 | * | – | * | * | *6 | * |
| 659.7 | 531 | – | 531 | * | 530 | * | – | 80 | 113 | 211 | 128 |
| 659.71 | 524 | – | 524 | * | 523 | * | – | 78 | 111 | 208 | 126 |
| 659.73 | *7 | – | *7 | – | *7 | – | – | * | * | * | * |
| 659.8 | 53 | – | 53 | * | 48 | * | – | *8 | 12 | 20 | 14 |
| 659.81 | 52 | – | 52 | * | 47 | * | – | *8 | 11 | 19 | 14 |
| 659.9 | 11 | – | 11 | – | 11 | – | – | * | * | * | *9 |
| 659.91 | 11 | – | 11 | – | 11 | – | – | * | * | * | *9 |
| 660 | 194 | – | 194 | – | 194 | – | – | 25 | 48 | 68 | 52 |
| 660.0 | 40 | – | 40 | – | 40 | – | – | *8 | 10 | 14 | *8 |
| 660.01 | 40 | – | 40 | – | 40 | – | – | *8 | 10 | 14 | *8 |
| 660.1 | 35 | – | 35 | – | 35 | – | – | * | *7 | 13 | 12 |
| 660.11 | 35 | – | 35 | – | 35 | – | – | * | *7 | 13 | 12 |
| 660.2 | *5 | – | *5 | – | *5 | – | – | * | * | * | * |
| 660.21 | *5 | – | *5 | – | *5 | – | – | * | * | * | * |
| 660.3 | 40 | – | 40 | – | 40 | – | – | *6 | *7 | 14 | 12 |
| 660.31 | 40 | – | 40 | – | 40 | – | – | *6 | *7 | 14 | 12 |
| 660.4 | 52 | – | 52 | – | 52 | – | – | * | 19 | 18 | 11 |
| 660.41 | 52 | – | 52 | – | 52 | – | – | * | 19 | 18 | 11 |
| 660.6 | *8 | – | *8 | – | *8 | – | – | * | * | * | * |
| 660.61 | *7 | – | *7 | – | *7 | – | – | * | * | * | * |
| 660.7 | 11 | – | 11 | – | 11 | – | – | * | * | * | * |
| 660.71 | 11 | – | 11 | – | 11 | – | – | * | * | * | * |
| 661 | 380 | – | 380 | * | 379 | * | – | 60 | 78 | 148 | 94 |
| 661.0 | 102 | – | 102 | – | 102 | * | – | 13 | 25 | 41 | 24 |
| 661.01 | 102 | – | 102 | – | 102 | * | – | 13 | 25 | 40 | 24 |
| 661.1 | 87 | – | 87 | * | 87 | * | – | 16 | 15 | 36 | 20 |
| 661.11 | 87 | – | 87 | * | 87 | * | – | 16 | 15 | 36 | 20 |
| 661.2 | 91 | – | 91 | – | 91 | – | – | 17 | 17 | 39 | 17 |
| 661.21 | 90 | – | 90 | – | 90 | – | – | 17 | 17 | 39 | 17 |
| 661.3 | 87 | – | 87 | * | 86 | – | – | 10 | 19 | 28 | 30 |
| 661.31 | 87 | – | 87 | * | 86 | – | – | 10 | 19 | 28 | 30 |
| 661.4 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 661.41 | *5 | – | *5 | – | *5 | – | – | * | * | * | * |
| 661.9 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 661.91 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 662 | 35 | – | 35 | * | 34 | * | – | *6 | *8 | *8 | 12 |
| 662.0 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 662.01 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 662.1 | *6 | – | *6 | – | *6 | * | – | * | * | * | * |
| 662.11 | *6 | – | *6 | – | *5 | * | – | * | * | * | * |
| 662.2 | 23 | – | 23 | * | 23 | – | – | * | *5 | *5 | *8 |
| 662.21 | 23 | – | 23 | * | 23 | – | – | * | *5 | *5 | *8 |
| 663 | 833 | – | 833 | * | 831 | * | – | 128 | 185 | 298 | 221 |
| 663.0 | 11 | – | 11 | – | 11 | – | – | * | * | * | * |
| 663.01 | 10 | – | 10 | – | 10 | – | – | * | * | * | * |
| 663.1 | 129 | – | 129 | * | 129 | – | – | 16 | 31 | 44 | 38 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 663.11 | 129 | — | 129 | * | 129 | — | — | 16 | 31 | 44 | 38 |
| 663.2 | 43 | — | 43 | — | 43 | * | — | *7 | 11 | 14 | 11 |
| 663.21 | 43 | — | 43 | — | 43 | * | — | *7 | 11 | 14 | 11 |
| 663.3 | 610 | — | 610 | * | 609 | * | — | 98 | 130 | 222 | 160 |
| 663.31 | 610 | — | 610 | * | 608 | * | — | 98 | 130 | 222 | 160 |
| 663.4 | 12 | — | 12 | — | 12 | — | — | * | * | * | * |
| 663.41 | 12 | — | 12 | — | 12 | — | — | * | * | * | * |
| 663.8 | 26 | — | 26 | — | 26 | — | — | * | *8 | *9 | *6 |
| 663.81 | 26 | — | 26 | — | 26 | — | — | * | *8 | *9 | *6 |
| 664 | 1,259 | — | 1,259 | * | 1,254 | * | — | 195 | 290 | 431 | 343 |
| 664.0 | 556 | — | 556 | * | 555 | * | — | 85 | 123 | 193 | 155 |
| 664.01 | 556 | — | 556 | * | 554 | * | — | 85 | 123 | 192 | 155 |
| 664.1 | 560 | — | 560 | * | 557 | * | — | 87 | 133 | 185 | 155 |
| 664.11 | 559 | — | 559 | * | 556 | * | — | 87 | 133 | 185 | 155 |
| 664.2 | 86 | — | 86 | * | 86 | — | — | 15 | 21 | 31 | 19 |
| 664.21 | 86 | — | 86 | * | 86 | — | — | 15 | 21 | 31 | 19 |
| 664.3 | 31 | — | 31 | — | 31 | — | — | * | *6 | 12 | *9 |
| 664.31 | 31 | — | 31 | — | 31 | — | — | * | *6 | 12 | *9 |
| 664.4 | 13 | — | 13 | — | 13 | — | — | * | * | *6 | * |
| 664.41 | 11 | — | 11 | — | 11 | — | — | * | * | *5 | * |
| 664.8 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 664.81 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| 665 | 176 | — | 176 | * | 176 | — | — | 17 | 53 | 65 | 42 |
| 665.3 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 665.31 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 665.4 | 53 | — | 53 | * | 53 | — | — | * | 16 | 19 | 15 |
| 665.41 | 53 | — | 53 | * | 53 | — | — | * | 16 | 19 | 15 |
| 665.5 | 104 | — | 104 | * | 103 | — | — | 11 | 32 | 39 | 22 |
| 665.51 | 102 | — | 102 | * | 102 | — | — | 10 | 32 | 38 | 22 |
| 666 | 120 | — | 120 | * | 119 | * | — | 12 | 30 | 39 | 38 |
| 666.0 | *7 | — | *7 | — | *7 | * | — | * | * | * | * |
| 666.02 | *6 | — | *6 | — | *6 | * | — | * | * | * | * |
| 666.1 | 93 | — | 93 | * | 93 | * | — | 9 | 25 | 27 | 31 |
| 666.12 | 93 | — | 93 | — | 93 | * | — | 9 | 25 | 27 | 31 |
| 666.2 | 13 | — | 13 | — | 13 | — | — | * | * | *6 | * |
| 666.22 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 666.3 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 666.32 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 667 | 20 | — | 20 | — | 20 | — | — | * | * | *5 | *6 |
| 667.0 | 12 | — | 12 | — | 12 | — | — | * | * | * | * |
| 667.02 | 12 | — | 12 | — | 12 | — | — | * | * | * | * |
| 667.1 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 667.12 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 668 | 15 | — | 15 | — | 14 | * | — | * | * | * | * |
| 668.8 | 14 | — | 14 | — | 13 | * | — | * | * | * | * |
| 668.82 | 10 | — | 10 | — | *9 | * | — | * | * | * | * |
| 669 | 140 | — | 140 | * | 140 | * | — | 16 | 26 | 56 | 42 |
| 669.2 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 669.4 | *6 | — | *6 | — | *6 | * | — | * | * | * | * |
| 669.5 | 61 | — | 61 | * | 61 | — | — | *5 | 10 | 35 | 12 |
| 669.51 | 61 | — | 61 | * | 61 | — | — | *5 | 10 | 35 | 12 |
| 669.7 | *7 | — | *7 | * | *6 | — | — | * | * | * | * |
| 669.71 | *7 | — | *7 | * | *6 | — | — | * | * | * | * |
| 669.8 | 58 | — | 58 | * | 57 | — | — | *7 | 12 | 15 | 24 |
| 669.81 | 52 | — | 52 | * | 52 | — | — | *6 | 9 | 14 | 22 |
| 669.82 | *5 | — | *5 | — | *5 | — | — | * | * | * | * |
| 670 | 23 | — | 23 | * | 23 | — | — | *6 | * | *7 | *6 |
| 670.0 | 23 | — | 23 | * | 23 | — | — | *6 | * | *7 | *6 |
| 670.02 | 13 | — | 13 | * | 13 | — | — | * | * | *5 | * |
| 670.04 | 10 | — | 10 | * | 10 | — | — | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 671 | 27 | – | 27 | – | 27 | – | – | *5 | *6 | *9 | *6 |
| 671.8 | 14 | – | 14 | – | 14 | – | – | * | * | * | * |
| 671.81 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 671.82 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 672 | 18 | – | 18 | – | 18 | – | – | * | * | *8 | * |
| 672.0 | 18 | – | 18 | – | 18 | – | – | * | * | *8 | * |
| 672.02 | 17 | – | 17 | – | 17 | – | – | * | * | *8 | * |
| 674 | 46 | – | 46 | – | 46 | * | – | *6 | 11 | 18 | 12 |
| 674.3 | 18 | – | 18 | – | 18 | * | – | * | *6 | *5 | * |
| 674.32 | 11 | – | 11 | – | 11 | * | – | * | * | * | * |
| 674.34 | *6 | – | *6 | – | *6 | * | – | * | * | * | * |
| 674.8 | 21 | – | 21 | – | 21 | – | – | * | * | 10 | *6 |
| 674.82 | 15 | – | 15 | – | 15 | – | – | * | * | *8 | * |
| 674.84 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 676 | *6 | – | *6 | – | *6 | – | – | * | * | * | * |
| 680–709 | 2,632 | 1,323 | 1,309 | 218 | 502 | 764 | 1,149 | 587 | 594 | 975 | 477 |
| 680 | 12 | *8 | * | * | *6 | * | * | * | * | *5 | * |
| 681 | 73 | 43 | 30 | * | 17 | 30 | 21 | 18 | 25 | 23 | *9 |
| 681.0 | 31 | 19 | 12 | * | 14 | *8 | *6 | *8 | *7 | 12 | * |
| 681.00 | 27 | 17 | 10 | * | 12 | *7 | * | *6 | *7 | 10 | * |
| 681.1 | 42 | 24 | 18 | * | * | 21 | 16 | 10 | 17 | 11 | * |
| 681.10 | 39 | 24 | 16 | * | * | 20 | 15 | 9 | 17 | 10 | * |
| 682 | 1,101 | 580 | 521 | 79 | 248 | 359 | 415 | 245 | 252 | 406 | 198 |
| 682.0 | 59 | 27 | 32 | 14 | 21 | 14 | 11 | 10 | 10 | 24 | 15 |
| 682.1 | 20 | 11 | 9 | * | *6 | *6 | * | * | * | *8 | * |
| 682.2 | 131 | 56 | 75 | 10 | 39 | 43 | 39 | 22 | 30 | 53 | 26 |
| 682.3 | 117 | 66 | 52 | *5 | 40 | 36 | 36 | 25 | 24 | 47 | 21 |
| 682.4 | 53 | 30 | 23 | * | 20 | 14 | 15 | 12 | 13 | 18 | 10 |
| 682.5 | 37 | 16 | 21 | 10 | 11 | *8 | *7 | * | 10 | 18 | * |
| 682.6 | 518 | 278 | 240 | 24 | 86 | 181 | 227 | 126 | 125 | 175 | 92 |
| 682.7 | 145 | 86 | 59 | *5 | 22 | 49 | 69 | 36 | 35 | 54 | 21 |
| 682.8 | 9 | * | * | * | * | * | * | * | * | * | * |
| 682.9 | 11 | *5 | *6 | * | * | * | *6 | * | * | * | * |
| 683 | *6 | * | * | * | * | * | * | * | * | * | * |
| 684 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 685 | *8 | * | * | * | * | * | * | * | * | * | * |
| 685.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 686 | 17 | *8 | *9 | * | * | *7 | * | * | * | *5 | * |
| 686.9 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 690 | *7 | * | * | * | * | * | * | * | * | * | * |
| 690.1 | *7 | * | * | * | * | * | * | * | * | * | * |
| 690.10 | *5 | * | * | * | * | * | * | * | * | * | * |
| 691 | 33 | 16 | 16 | 28 | * | * | * | * | *6 | 13 | 10 |
| 691.0 | 25 | 13 | 12 | 25 | * | * | * | * | * | 10 | *8 |
| 691.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 692 | 75 | 33 | 42 | 22 | 19 | 14 | 21 | 20 | 20 | 25 | 10 |
| 692.9 | 59 | 31 | 29 | 21 | 12 | 12 | 15 | 16 | 14 | 21 | *8 |
| 693 | 47 | 18 | 29 | * | 11 | 14 | 18 | 14 | 9 | 18 | *6 |
| 693.0 | 45 | 18 | 27 | * | 11 | 13 | 18 | 14 | *9 | 18 | * |
| 694 | *8 | * | * | * | * | * | *5 | * | * | * | * |
| 695 | 41 | 13 | 28 | * | 13 | 10 | 14 | *8 | 10 | 11 | 12 |
| 695.1 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 695.3 | *7 | * | * | – | * | * | * | * | * | * | * |
| 695.4 | *5 | * | * | – | * | * | * | * | * | * | * |
| 695.8 | 9 | * | *8 | * | * | * | * | * | * | * | * |
| 695.89 | 9 | * | *8 | * | * | * | * | * | * | * | * |
| 695.9 | *6 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 696 | 59 | 31 | 29 | * | 10 | 28 | 20 | 17 | 15 | 14 | 13 |
| 696.0 | 16 | *8 | *9 | * | * | 11 | * | * | *7 | * | * |
| 696.1 | 42 | 22 | 20 | * | *8 | 17 | 16 | 14 | *9 | 11 | *9 |
| 698 | 38 | 11 | 28 | * | 16 | 12 | *7 | *9 | 11 | 11 | *8 |
| 698.8 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| 698.9 | 28 | *9 | 19 | * | 11 | *9 | *5 | *6 | *8 | *9 | *6 |
| 701 | 32 | *8 | 24 | *5 | 14 | 9 | * | *9 | *6 | 13 | * |
| 701.4 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 701.8 | *8 | * | *7 | * | * | * | * | * | * | * | * |
| 701.9 | *7 | * | *5 | * | * | * | * | * | * | * | * |
| 702 | 12 | *5 | *7 | * | * | * | 9 | * | * | * | * |
| 702.0 | *6 | * | * | — | — | * | *5 | * | * | * | * |
| 702.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 702.19 | *6 | * | * | * | * | * | * | * | * | * | * |
| 703 | 9 | * | * | * | * | * | *5 | * | * | * | * |
| 703.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 704 | 15 | * | 10 | * | *7 | * | * | * | * | * | * |
| 704.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 704.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 705 | 10 | * | *6 | * | *6 | * | * | * | * | * | * |
| 705.8 | *8 | * | *6 | * | *5 | * | * | * | * | * | * |
| 705.83 | *7 | * | * | * | * | * | * | * | * | * | * |
| 706 | 23 | 10 | 13 | * | 11 | *6 | * | *5 | * | 11 | * |
| 706.1 | 13 | * | *8 | * | *8 | * | — | * | * | * | * |
| 706.2 | *8 | * | * | * | * | * | * | * | * | *5 | * |
| 707 | 878 | 447 | 430 | * | 72 | 227 | 575 | 201 | 186 | 316 | 175 |
| 707.0 | 499 | 238 | 261 | * | 39 | 99 | 359 | 105 | 93 | 195 | 106 |
| 707.00 | 22 | *9 | 14 | — | * | * | 17 | * | * | 11 | *8 |
| 707.03 | 223 | 101 | 122 | * | 17 | 46 | 160 | 56 | 37 | 88 | 42 |
| 707.04 | 40 | 24 | 15 | * | *6 | * | 29 | *5 | *7 | 12 | 16 |
| 707.05 | 72 | 33 | 39 | * | *6 | 17 | 49 | 15 | 15 | 25 | 18 |
| 707.06 | 13 | *7 | *6 | — | * | * | *7 | * | * | * | * |
| 707.07 | 71 | 31 | 40 | * | * | *9 | 59 | 15 | 15 | 31 | 10 |
| 707.09 | 52 | 29 | 23 | * | * | 12 | 35 | *9 | 14 | 20 | 9 |
| 707.1 | 355 | 198 | 158 | * | 29 | 120 | 206 | 90 | 88 | 111 | 66 |
| 707.10 | 41 | 17 | 25 | * | * | 17 | 21 | 11 | 14 | 12 | * |
| 707.11 | *7 | *5 | * | — | * | * | * | * | * | * | * |
| 707.12 | 21 | 9 | 12 | — | * | *6 | 14 | * | *7 | *6 | * |
| 707.13 | 25 | 15 | 10 | — | * | * | 19 | * | * | *8 | *7 |
| 707.14 | 59 | 29 | 30 | * | * | 19 | 37 | 14 | 14 | 18 | 13 |
| 707.15 | 150 | 93 | 57 | * | 13 | 55 | 82 | 43 | 36 | 49 | 22 |
| 707.19 | 52 | 30 | 22 | * | * | 17 | 30 | 12 | 12 | 15 | 13 |
| 707.8 | 21 | 11 | 10 | * | * | *7 | 9 | * | * | 9 | * |
| 708 | 22 | *9 | 14 | *5 | *6 | *6 | *5 | *7 | * | *8 | * |
| 708.0 | 13 | *6 | *7 | * | * | * | * | * | * | * | * |
| 708.9 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 709 | 92 | 46 | 46 | 37 | 29 | 16 | 10 | *7 | 13 | 67 | *6 |
| 709.2 | 63 | 32 | 31 | 35 | 23 | * | * | *5 | 55 | * | * |
| 709.8 | 11 | *5 | *5 | * | * | * | * | * | * | * | * |
| 709.9 | 11 | * | *6 | * | * | * | * | * | * | *6 | * |
| 710-739 | 6,884 | 2,457 | 4,427 | 101 | 979 | 2,089 | 3,716 | 1,457 | 1,858 | 2,270 | 1,299 |
| 710 | 198 | 25 | 173 | * | 63 | 71 | 60 | 31 | 41 | 85 | 40 |
| 710.0 | 137 | 15 | 122 | * | 54 | 49 | 32 | 20 | 27 | 64 | 27 |
| 710.1 | 26 | * | 23 | * | * | *9 | 13 | * | *8 | *7 | *6 |
| 710.2 | 15 | * | 13 | — | * | *7 | *5 | * | * | *7 | * |
| 710.3 | *7 | * | *6 | * | * | * | * | * | * | * | * |
| 710.4 | *9 | * | *6 | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 711 | 56 | 31 | 24 | * | 12 | 17 | 22 | 12 | 15 | 19 | 10 |
| 711.0 | 52 | 29 | 23 | * | 11 | 16 | 22 | 12 | 14 | 17 | 9 |
| 711.05 | *7 | * | * | * | * | * | * | * | * | * | * |
| 711.06 | 27 | 17 | 10 | * | *6 | *7 | 13 | *6 | 9 | *8 | * |
| 711.07 | *6 | * | * | * | * | * | * | * | * | * | * |
| 712 | *9 | * | *6 | * | * | * | *6 | * | * | * | * |
| 712.3 | *8 | * | *5 | * | * | * | *6 | * | * | * | * |
| 713 | 10 | * | *6 | * | * | *5 | * | * | * | * | * |
| 713.5 | 9 | * | * | — | * | * | * | * | * | * | * |
| 714 | 266 | 70 | 196 | * | 23 | 85 | 155 | 67 | 61 | 90 | 49 |
| 714.0 | 249 | 64 | 186 | — | 19 | 81 | 150 | 63 | 58 | 83 | 45 |
| 714.3 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 714.30 | *7 | * | * | * | * | * | * | * | * | * | * |
| 715 | 1,809 | 637 | 1,171 | * | 66 | 500 | 1,243 | 392 | 510 | 586 | 321 |
| 715.0 | 23 | *8 | 14 | — | * | *6 | 14 | *8 | * | *9 | * |
| 715.09 | 18 | *7 | 12 | — | * | *5 | 11 | *7 | * | *6 | * |
| 715.1 | 69 | 32 | 37 | * | * | 19 | 48 | 19 | *8 | 22 | 20 |
| 715.15 | 19 | 11 | *8 | — | * | *5 | 13 | *6 | * | * | *7 |
| 715.16 | 44 | 19 | 24 | — | * | 12 | 30 | 11 | *6 | 14 | 12 |
| 715.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 715.3 | 532 | 205 | 327 | * | 15 | 181 | 335 | 130 | 144 | 143 | 114 |
| 715.30 | *7 | * | * | — | * | * | * | * | * | * | * |
| 715.31 | 26 | 11 | 15 | — | * | *8 | 18 | *6 | * | *8 | *8 |
| 715.35 | 138 | 63 | 75 | — | *6 | 47 | 86 | 35 | 41 | 32 | 30 |
| 715.36 | 348 | 123 | 225 | * | *8 | 121 | 219 | 84 | 96 | 99 | 70 |
| 715.37 | *7 | * | * | — | * | * | * | * | * | * | * |
| 715.8 | 59 | 19 | 39 | — | * | 10 | 46 | 11 | 17 | 22 | *8 |
| 715.89 | 58 | 19 | 39 | — | * | 10 | 46 | 11 | 17 | 22 | *8 |
| 715.9 | 1,119 | 368 | 751 | — | 43 | 279 | 797 | 221 | 335 | 389 | 173 |
| 715.90 | 735 | 231 | 504 | — | 30 | 155 | 550 | 153 | 218 | 262 | 102 |
| 715.91 | 17 | *8 | *9 | — | * | * | 11 | * | *5 | *7 | * |
| 715.95 | 94 | 39 | 55 | — | *5 | 27 | 61 | 19 | 31 | 21 | 23 |
| 715.96 | 240 | 79 | 161 | — | * | 84 | 152 | 39 | 72 | 88 | 40 |
| 715.97 | *8 | *5 | * | — | * | * | *5 | * | * | * | * |
| 715.98 | 19 | *6 | 14 | — | * | *7 | 11 | *8 | * | *6 | * |
| 716 | 276 | 98 | 178 | * | 27 | 98 | 149 | 40 | 82 | 109 | 46 |
| 716.1 | 10 | *7 | * | — | * | * | * | * | * | * | *5 |
| 716.5 | 9 | *5 | * | * | * | * | * | * | * | *5 | * |
| 716.9 | 252 | 83 | 169 | * | 21 | 90 | 140 | 36 | 77 | 101 | 38 |
| 716.90 | 191 | 64 | 127 | * | 15 | 65 | 110 | 25 | 65 | 73 | 27 |
| 716.91 | 10 | * | *6 | — | * | * | *5 | * | * | * | * |
| 716.95 | *6 | * | * | — | * | * | * | * | * | * | * |
| 716.96 | 17 | * | 12 | * | * | *7 | *7 | * | * | *7 | * |
| 716.98 | *7 | * | * | — | * | * | * | * | * | * | * |
| 716.99 | 13 | * | 9 | — | * | * | *8 | * | * | *8 | * |
| 717 | 26 | 15 | 11 | — | 9 | 10 | *7 | *8 | * | *8 | *5 |
| 717.7 | *8 | *5 | * | — | * | * | * | * | * | * | * |
| 717.8 | *6 | * | * | — | * | * | * | * | * | * | * |
| 718 | 48 | 24 | 24 | *5 | 12 | 13 | 17 | 10 | 10 | 13 | 15 |
| 718.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 718.4 | 20 | 10 | 10 | * | * | *5 | *9 | * | * | *6 | *7 |
| 718.5 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 718.56 | *6 | * | * | * | * | * | * | * | * | * | * |
| 719 | 270 | 105 | 164 | *9 | 54 | 72 | 135 | 57 | 96 | 65 | 51 |
| 719.0 | 24 | 14 | 11 | * | * | *7 | 12 | *5 | 9 | *5 | * |
| 719.06 | 18 | 12 | *6 | * | * | *6 | *8 | * | *7 | * | * |
| 719.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 719.16 | *6 | * | * | * | * | * | * | * | * | * | * |
| 719.4 | 173 | 63 | 110 | * | 45 | 51 | 74 | 31 | 52 | 48 | 42 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 719.40 | *6 | * | * | * | * | * | * | * | * | * | * |
| 719.41 | 48 | 22 | 26 | * | 9 | 18 | 20 | 9 | 14 | 13 | 11 |
| 719.45 | 52 | 12 | 39 | * | 10 | *8 | 32 | *8 | 19 | 15 | 10 |
| 719.46 | 43 | 17 | 25 | * | 14 | 14 | 14 | *8 | 11 | 12 | 11 |
| 719.47 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 719.49 | *8 | * | * | * | * | * | * | * | * | * | * |
| 719.7 | 50 | 20 | 30 | * | * | 10 | 38 | 19 | 28 | * | * |
| 720 | 17 | *9 | *8 | * | * | 10 | * | * | * | *6 | * |
| 720.0 | 10 | *8 | * | — | * | *6 | * | * | * | * | * |
| 720.2 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| 721 | 305 | 132 | 174 | * | 43 | 110 | 152 | 53 | 88 | 104 | 61 |
| 721.0 | 77 | 33 | 44 | — | 13 | 33 | 31 | 11 | 19 | 29 | 18 |
| 721.1 | 33 | 20 | 12 | — | * | 17 | 14 | *7 | * | 13 | *9 |
| 721.2 | *6 | * | * | — | * | * | * | * | * | * | * |
| 721.3 | 130 | 51 | 79 | * | 18 | 36 | 76 | 22 | 47 | 37 | 24 |
| 721.4 | 10 | *6 | * | — | * | * | * | * | * | *5 | * |
| 721.41 | *5 | * | * | — | * | * | * | * | * | * | * |
| 721.8 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 721.9 | 39 | 11 | 27 | — | * | 13 | 22 | 10 | 12 | 13 | * |
| 721.90 | 38 | 11 | 27 | — | * | 13 | 22 | 10 | 12 | 13 | * |
| 722 | 560 | 258 | 302 | * | 166 | 247 | 147 | 109 | 147 | 204 | 101 |
| 722.0 | 69 | 34 | 35 | — | 26 | 36 | *6 | 15 | 15 | 28 | 11 |
| 722.1 | 193 | 99 | 93 | * | 75 | 79 | 39 | 44 | 53 | 64 | 31 |
| 722.10 | 188 | 98 | 91 | * | 73 | 77 | 38 | 44 | 52 | 62 | 30 |
| 722.2 | *8 | * | *5 | — | * | * | * | * | * | * | * |
| 722.4 | 37 | 16 | 20 | — | *7 | 20 | 10 | * | 9 | 13 | 11 |
| 722.5 | 147 | 56 | 91 | * | 29 | 59 | 59 | 21 | 48 | 50 | 28 |
| 722.51 | *6 | * | * | * | * | * | * | * | * | * | * |
| 722.52 | 141 | 54 | 87 | * | 29 | 56 | 56 | 21 | 47 | 47 | 27 |
| 722.6 | 17 | *6 | 11 | — | * | *5 | *8 | * | * | *7 | * |
| 722.7 | 30 | 14 | 16 | — | *8 | 15 | *7 | *6 | * | 16 | * |
| 722.71 | 18 | *9 | 10 | — | * | *9 | * | * | * | *8 | * |
| 722.73 | 9 | * | * | — | * | * | * | * | * | *6 | * |
| 722.8 | 17 | 9 | *7 | — | * | 10 | * | * | * | 9 | * |
| 722.83 | 15 | *9 | *7 | — | * | *9 | * | * | * | *8 | * |
| 722.9 | 43 | 19 | 24 | * | 9 | 21 | 13 | 10 | 10 | 14 | *9 |
| 722.91 | 12 | * | *8 | — | * | *7 | * | * | * | * | * |
| 722.93 | 26 | 12 | 15 | * | *6 | 12 | *9 | * | *8 | 9 | * |
| 723 | 108 | 50 | 58 | * | 26 | 44 | 35 | 18 | 27 | 38 | 25 |
| 723.0 | 29 | 17 | 12 | * | * | 16 | 11 | *5 | *6 | 10 | *8 |
| 723.1 | 49 | 22 | 27 | * | 18 | 16 | 13 | *8 | 14 | 17 | 10 |
| 723.4 | 18 | *7 | 11 | * | * | 9 | *5 | * | * | *7 | * |
| 723.5 | *7 | * | * | * | * | * | * | * | * | * | * |
| 724 | 642 | 261 | 381 | * | 147 | 203 | 288 | 136 | 181 | 211 | 115 |
| 724.0 | 174 | 73 | 100 | * | *7 | 39 | 127 | 48 | 45 | 50 | 30 |
| 724.00 | 35 | 13 | 22 | — | * | * | 31 | 12 | 11 | *5 | *6 |
| 724.02 | 136 | 59 | 77 | * | *6 | 36 | 94 | 35 | 34 | 44 | 23 |
| 724.2 | 205 | 89 | 116 | * | 60 | 76 | 68 | 33 | 61 | 69 | 41 |
| 724.3 | 25 | *6 | 19 | — | *7 | *6 | 13 | *7 | *6 | *7 | * |
| 724.4 | 33 | 15 | 17 | * | *7 | 13 | 13 | *7 | 10 | 13 | * |
| 724.5 | 180 | 71 | 110 | * | 56 | 63 | 59 | 36 | 48 | 64 | 32 |
| 724.6 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| 724.8 | 12 | * | *8 | — | *5 | * | * | * | *5 | * | * |
| 725 | 49 | 13 | 36 | — | * | *7 | 42 | 12 | 13 | 15 | *9 |
| 726 | 101 | 45 | 56 | * | 13 | 37 | 49 | 21 | 23 | 31 | 26 |
| 726.0 | *7 | * | * | — | * | * | * | * | * | * | * |
| 726.1 | 29 | 13 | 16 | — | * | 9 | 17 | *6 | *8 | *6 | *8 |
| 726.10 | 26 | 12 | 13 | — | * | *9 | 16 | *5 | *7 | *6 | *8 |
| 726.2 | 17 | *7 | 10 | — | * | 9 | *7 | * | * | *7 | * |
| 726.3 | 11 | *9 | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 726.33 | 10 | *8 | * | * | * | * | * | * | * | * | * |
| 726.5 | 15 | * | 14 | * | * | * | 13 | * | * | *8 | * |
| 726.6 | 12 | *8 | * | * | * | * | * | * | * | * | * |
| 726.65 | *6 | * | * | * | * | * | * | * | * | * | * |
| 726.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 727 | 68 | 28 | 40 | * | 14 | 24 | 25 | 14 | 14 | 26 | 14 |
| 727.0 | 27 | 13 | 14 | * | *8 | *9 | *7 | *5 | *6 | 10 | * |
| 727.00 | 13 | *6 | *7 | * | * | * | * | * | * | * | * |
| 727.05 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 727.4 | 13 | * | *8 | * | * | *5 | *6 | * | * | * | * |
| 727.40 | 11 | * | *7 | * | * | * | *6 | * | * | * | * |
| 727.5 | *6 | * | * | — | * | * | * | * | * | * | * |
| 727.51 | *6 | * | * | — | * | * | * | * | * | * | * |
| 727.6 | 9 | * | * | * | * | * | *6 | * | * | *5 | * |
| 727.61 | *6 | * | * | — | * | * | * | * | * | * | * |
| 727.8 | 11 | * | *6 | * | * | * | * | * | * | * | * |
| 727.81 | *6 | * | * | * | * | * | * | * | * | * | * |
| 728 | 214 | 128 | 87 | *7 | 53 | 52 | 102 | 47 | 47 | 72 | 48 |
| 728.2 | *7 | * | * | * | * | * | *6 | * | * | * | * |
| 728.3 | *8 | * | * | * | * | * | * | * | * | *5 | * |
| 728.8 | 182 | 114 | 68 | * | 46 | 45 | 87 | 39 | 40 | 61 | 42 |
| 728.85 | 21 | 11 | 10 | * | *8 | * | *7 | * | * | *7 | *7 |
| 728.86 | 10 | *5 | * | * | * | * | * | * | * | * | * |
| 728.87 | 17 | 10 | *8 | * | * | * | 10 | * | * | * | * |
| 728.88 | 118 | 78 | 40 | * | 28 | 29 | 62 | 26 | 29 | 40 | 24 |
| 728.89 | 14 | 9 | * | * | * | *5 | *6 | * | * | *5 | * |
| 729 | 410 | 124 | 286 | 11 | 92 | 156 | 151 | 67 | 127 | 134 | 82 |
| 729.1 | 170 | 24 | 145 | * | 49 | 83 | 37 | 33 | 50 | 54 | 33 |
| 729.2 | 9 | * | *6 | * | * | * | *5 | * | * | * | * |
| 729.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 729.5 | 95 | 33 | 63 | *6 | 24 | 30 | 35 | 17 | 30 | 30 | 18 |
| 729.6 | *6 | * | * | * | * | * | * | * | * | * | * |
| 729.8 | 119 | 56 | 63 | * | 11 | 36 | 70 | 14 | 38 | 40 | 26 |
| 729.81 | 27 | 11 | 16 | * | * | 9 | 12 | * | 11 | *8 | * |
| 729.82 | *6 | * | * | * | * | * | * | * | * | * | * |
| 729.89 | 86 | 43 | 43 | * | *5 | 25 | 55 | 9 | 25 | 30 | 21 |
| 730 | 159 | 101 | 58 | *7 | 28 | 62 | 61 | 39 | 35 | 48 | 36 |
| 730.0 | 36 | 24 | 12 | * | * | 16 | 14 | 12 | *7 | 10 | *6 |
| 730.07 | 20 | 13 | *6 | * | * | 9 | *8 | *8 | * | *6 | * |
| 730.08 | *6 | * | * | * | * | * | * | * | * | * | * |
| 730.1 | 30 | 21 | *8 | * | *7 | 11 | 11 | *7 | * | 9 | 9 |
| 730.15 | *6 | * | * | * | * | * | * | * | * | * | * |
| 730.17 | 12 | 9 | * | * | * | *6 | * | * | * | * | * |
| 730.2 | 92 | 55 | 36 | * | 17 | 35 | 36 | 20 | 22 | 28 | 21 |
| 730.25 | *7 | * | * | * | * | * | * | * | * | * | * |
| 730.26 | 11 | *7 | * | * | * | *6 | * | * | * | * | * |
| 730.27 | 50 | 28 | 22 | * | *5 | 22 | 22 | 11 | 12 | 17 | 11 |
| 730.28 | 14 | *8 | *6 | * | * | * | *6 | * | * | * | * |
| 731 | 43 | 27 | 16 | * | * | 21 | 18 | 13 | *8 | 14 | *8 |
| 731.0 | 9 | * | * | — | * | * | *9 | * | * | * | * |
| 731.8 | 34 | 23 | 11 | — | * | 21 | 10 | 11 | * | 12 | *6 |
| 732 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 733 | 974 | 171 | 803 | 11 | 54 | 173 | 736 | 236 | 256 | 310 | 173 |
| 733.0 | 609 | 57 | 552 | * | 10 | 78 | 517 | 159 | 163 | 189 | 98 |
| 733.00 | 587 | 54 | 533 | * | 10 | 76 | 499 | 151 | 160 | 183 | 93 |
| 733.01 | *6 | * | *6 | — | — | * | *6 | * | * | * | * |
| 733.09 | 16 | * | 12 | * | * | * | 12 | *5 | * | * | * |
| 733.1 | 154 | 44 | 110 | * | * | 26 | 122 | 35 | 39 | 49 | 31 |
| 733.13 | 122 | 34 | 88 | * | * | 19 | 101 | 28 | 31 | 37 | 26 |
| 733.14 | 10 | * | *7 | * | * | * | *6 | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 733.15 | *5 | * | * | * | * | * | * | * | * | * | * |
| 733.19 | *7 | * | *6 | * | * | * | * | * | * | * | * |
| 733.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 733.4 | 48 | 23 | 25 | * | 13 | 16 | 20 | *9 | 10 | 17 | 13 |
| 733.42 | 33 | 18 | 15 | * | *9 | 11 | 13 | *6 | *7 | 11 | 9 |
| 733.49 | *8 | * | * | * | * | * | * | * | * | * | * |
| 733.6 | 38 | 9 | 28 | * | 11 | 15 | 11 | 9 | *8 | 16 | * |
| 733.8 | 35 | 19 | 16 | * | 9 | 12 | 13 | *7 | *6 | 13 | 9 |
| 733.81 | *8 | * | * | * | * | * | * | * | * | * | * |
| 733.82 | 28 | 14 | 14 | * | *8 | *9 | 10 | *5 | *5 | 11 | *7 |
| 733.9 | 83 | 13 | 69 | * | *6 | 24 | 50 | 15 | 27 | 24 | 17 |
| 733.90 | 69 | 9 | 59 | * | * | 19 | 44 | *3 | 22 | 20 | 14 |
| 733.99 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 734 | *5 | * | * | * | * | * | * | * | * | * | * |
| 735 | *8 | * | * | — | * | * | * | * | * | * | * |
| 736 | 55 | 25 | 30 | * | *7 | 15 | 28 | 11 | 13 | 19 | 11 |
| 736.4 | *8 | * | *6 | * | * | * | *6 | * | * | *6 | * |
| 736.42 | *6 | * | * | * | * | * | * | * | * | * | * |
| 736.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 736.7 | 29 | 14 | 15 | * | * | 10 | 13 | *7 | *8 | *8 | * |
| 736.79 | 24 | 11 | 13 | * | * | *8 | 12 | *6 | *7 | *7 | * |
| 736.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| 737 | 93 | 29 | 64 | 16 | 20 | 16 | 40 | 20 | 25 | 29 | 18 |
| 737.1 | 17 | *7 | 10 | * | * | * | 11 | * | *6 | *6 | * |
| 737.10 | 14 | *6 | *8 | * | * | * | 11 | * | *5 | *5 | * |
| 737.3 | 67 | 19 | 48 | 14 | 18 | 14 | 21 | 17 | 16 | 21 | 13 |
| 737.30 | 55 | 14 | 41 | 10 | 15 | 14 | 17 | 14 | 14 | 19 | *9 |
| 737.39 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 737.4 | *8 | * | *5 | * | * | * | *8 | * | * | * | * |
| 737.41 | *6 | * | * | — | — | * | *6 | * | * | * | * |
| 738 | 71 | 26 | 45 | * | 15 | 29 | 27 | 12 | 13 | 23 | 22 |
| 738.4 | 59 | 23 | 37 | — | 10 | 24 | 25 | 10 | 12 | 18 | 20 |
| 739 | 26 | *5 | 21 | * | 17 | * | *6 | 18 | *6 | * | — |
| 739.2 | *6 | * | *5 | * | * | * | * | * | * | * | — |
| 739.3 | 14 | * | 12 | * | 12 | * | * | 12 | * | * | — |
| 740-759 | 718 | 371 | 347 | 422 | 124 | 95 | 76 | 157 | 142 | 237 | 181 |
| 741 | 25 | 14 | 11 | 11 | 9 | * | * | * | * | 10 | *6 |
| 741.0 | 14 | 9 | * | *8 | * | * | — | * | * | * | * |
| 741.00 | *9 | *6 | * | * | * | * | — | * | * | * | * |
| 741.9 | 11 | * | *7 | * | *5 | * | * | * | * | * | * |
| 741.90 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| 742 | 37 | 22 | 15 | 25 | *8 | * | * | 10 | *7 | 12 | *8 |
| 742.2 | *6 | * | * | *5 | * | * | — | * | * | * | * |
| 742.3 | 14 | 10 | * | 10 | * | * | * | * | * | * | * |
| 742.5 | *6 | * | * | * | * | * | * | * | * | * | * |
| 742.59 | *5 | * | * | * | * | * | * | * | * | * | * |
| 744 | *8 | *6 | * | *6 | * | * | — | * | * | * | * |
| 745 | 103 | 53 | 50 | 76 | 9 | *8 | 10 | 24 | 17 | 33 | 28 |
| 745.1 | *7 | * | * | *5 | * | * | — | * | * | * | * |
| 745.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 745.4 | 28 | 13 | 15 | 22 | * | * | * | *6 | * | 10 | *7 |
| 745.5 | 53 | 28 | 25 | 36 | * | * | *9 | 11 | 10 | 16 | 16 |
| 746 | 62 | 37 | 25 | 34 | *8 | 13 | *6 | 15 | 11 | 22 | 14 |
| 746.0 | *6 | * | * | *6 | * | * | * | * | * | * | * |
| 746.02 | *5 | * | * | * | * | * | * | * | * | * | * |
| 746.4 | 15 | 10 | * | * | * | *7 | * | * | * | * | *5 |
| 746.8 | 21 | 14 | *7 | 12 | * | *5 | * | * | * | *9 | * |
| 746.85 | *5 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 746.89 | 10 | *6 | * | *7 | * | * | * | * | * | * | * |
| 746.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 747 | 73 | 37 | 36 | 48 | 10 | * | 9 | 17 | 17 | 23 | 16 |
| 747.0 | 22 | 12 | 10 | 20 | * | * | * | * | * | *6 | *7 |
| 747.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 747.3 | 12 | *5 | *6 | 10 | * | * | * | * | * | * | * |
| 747.6 | *8 | * | * | * | * | * | * | * | * | * | * |
| 747.8 | 18 | 9 | *9 | *8 | *5 | * | * | * | *7 | *6 | * |
| 747.81 | 10 | * | *6 | * | *5 | * | * | * | * | * | * |
| 747.83 | *7 | *5 | * | *7 | — | — | — | * | * | * | * |
| 748 | 23 | 12 | 11 | 22 | * | * | * | *5 | * | *7 | *7 |
| 748.3 | 16 | *8 | *7 | 15 | — | * | * | * | * | * | * |
| 749 | 20 | 11 | 9 | 18 | * | — | * | * | * | *6 | 9 |
| 749.0 | *7 | * | * | *6 | * | — | * | * | * | * | * |
| 749.00 | *6 | * | * | * | * | — | * | * | * | * | * |
| 749.2 | 11 | *6 | * | 10 | * | — | — | * | * | * | *7 |
| 750 | 24 | 17 | *7 | 20 | * | * | * | * | *8 | *6 | *7 |
| 750.5 | 13 | 12 | * | 13 | — | — | — | * | * | * | * |
| 751 | 38 | 17 | 21 | 21 | * | *6 | *6 | *9 | *7 | 13 | *9 |
| 751.3 | *7 | * | * | *6 | * | — | — | * | * | * | * |
| 751.5 | 11 | * | *7 | * | * | * | * | * | * | * | * |
| 752 | 28 | 12 | 16 | 11 | 12 | * | * | *6 | * | 10 | *8 |
| 752.1 | *8 | — | *8 | * | *6 | * | * | * | * | * | * |
| 752.11 | *7 | — | *7 | * | *6 | * | * | * | * | * | * |
| 752.5 | *5 | *5 | — | * | * | * | — | * | * | * | * |
| 752.6 | *6 | *6 | — | * | * | * | * | * | * | * | * |
| 752.61 | *5 | *5 | — | * | * | * | * | * | * | * | * |
| 753 | 83 | 38 | 45 | 19 | 18 | 21 | 25 | 16 | 22 | 30 | 14 |
| 753.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 753.1 | 43 | 19 | 23 | * | *7 | 13 | 20 | *6 | 15 | 17 | * |
| 753.10 | 14 | *7 | *8 | * | * | * | *7 | * | * | *6 | * |
| 753.12 | 14 | *6 | *8 | * | * | * | *8 | * | *7 | * | * |
| 753.19 | *6 | * | * | * | * | * | * | * | * | * | * |
| 753.2 | 13 | *8 | *5 | *8 | * | * | * | * | * | * | * |
| 753.29 | *7 | * | * | * | * | * | * | * | * | * | * |
| 753.3 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| 754 | 21 | 10 | 11 | 18 | * | * | * | * | * | *7 | *7 |
| 754.2 | *5 | * | * | * | * | * | — | * | * | * | * |
| 755 | 19 | *8 | 12 | 10 | * | * | * | *7 | * | * | *6 |
| 755.6 | 13 | * | *8 | * | * | * | * | * | * | * | * |
| 755.63 | 9 | * | *5 | * | * | * | * | * | * | * | * |
| 756 | 59 | 29 | 30 | 25 | 13 | 13 | *8 | 11 | 16 | 20 | 12 |
| 756.0 | 11 | *7 | * | 10 | * | * | * | * | * | * | * |
| 756.1 | 30 | 12 | 18 | * | *8 | 11 | *8 | *6 | 10 | *9 | *5 |
| 756.12 | 20 | *8 | 13 | * | * | 10 | *7 | * | *7 | *6 | * |
| 757 | 11 | * | *7 | *7 | * | * | * | * | * | *7 | * |
| 757.3 | *8 | * | *5 | *6 | * | * | * | * | * | *6 | * |
| 757.32 | *6 | * | * | * | * | * | * | * | — | *5 | * |
| 758 | 41 | 24 | 17 | 24 | *8 | *8 | * | 11 | *9 | 9 | 12 |
| 758.0 | 29 | 17 | 11 | 15 | * | *8 | * | *8 | *7 | *7 | *7 |
| 759 | 40 | 19 | 21 | 25 | 9 | * | * | *9 | *6 | 13 | 12 |
| 759.8 | 27 | 14 | 13 | 20 | *5 | * | * | *7 | * | *7 | 9 |
| 759.89 | 18 | 10 | *9 | 15 | * | * | * | *6 | * | * | *6 |
| 760-779 | 614 | 344 | 270 | 611 | * | * | * | 80 | 124 | 215 | 194 |
| 764 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 765 | 109 | 58 | 51 | 109 | * | * | * | 15 | 20 | 40 | 34 |
| 765.0 | 11 | * | *7 | 11 | — | — | — | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 765.03 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 765.1 | 45 | 25 | 20 | 45 | — | * | * | * | 9 | 17 | 14 |
| 765.17 | *6 | * | * | *6 | — | — | * | * | * | * | * |
| 765.18 | 13 | *6 | *6 | 13 | — | — | — | * | * | *6 | * |
| 765.19 | 12 | *8 | * | 12 | — | — | — | * | * | * | * |
| 765.2 | 53 | 29 | 25 | 53 | * | * | — | *8 | 10 | 18 | 17 |
| 765.26 | *7 | * | * | *7 | — | — | — | * | * | * | * |
| 765.27 | 14 | *7 | *7 | 14 | — | — | — | * | * | *7 | * |
| 765.28 | 17 | 10 | *7 | 17 | — | * | — | * | * | *6 | * |
| 767 | *7 | * | * | *7 | — | — | — | * | * | * | * |
| 769 | 34 | 20 | 13 | 34 | — | — | — | * | 11 | 10 | 9 |
| 770 | 104 | 60 | 45 | 103 | * | * | * | 19 | 22 | 32 | 31 |
| 770.2 | *8 | *5 | * | *8 | — | — | — | * | * | * | * |
| 770.6 | 15 | 10 | * | 15 | — | — | — | * | * | *5 | * |
| 770.7 | 18 | 10 | *8 | 18 | * | — | * | *5 | * | * | * |
| 770.8 | 52 | 27 | 24 | 51 | * | * | * | *8 | 11 | 17 | 16 |
| 770.81 | 15 | *9 | *7 | 15 | — | — | — | * | * | * | * |
| 770.82 | *8 | * | * | *7 | * | * | * | * | * | * | * |
| 770.89 | 20 | 11 | *9 | 20 | — | * | * | * | * | *7 | *5 |
| 771 | 43 | 25 | 19 | 43 | * | * | * | *5 | *8 | 16 | 14 |
| 771.8 | 34 | 20 | 13 | 34 | — | — | * | * | *6 | 12 | 12 |
| 771.81 | 22 | 11 | 11 | 22 | — | — | * | * | * | *8 | *7 |
| 771.82 | *7 | *6 | * | *7 | — | — | — | * | * | * | * |
| 772 | 13 | *6 | *7 | 13 | — | * | * | * | * | *7 | * |
| 772.1 | 10 | * | *5 | 9 | — | — | * | * | * | *6 | * |
| 773 | 11 | *7 | * | 11 | — | — | — | * | * | * | * |
| 773.2 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 774 | 113 | 67 | 46 | 113 | * | * | * | 12 | 22 | 41 | 37 |
| 774.2 | 37 | 21 | 16 | 37 | — | — | — | * | *8 | 15 | 10 |
| 774.6 | 70 | 42 | 28 | 70 | * | * | * | *8 | 14 | 24 | 24 |
| 775 | 39 | 20 | 19 | 39 | * | — | — | * | *6 | 14 | 13 |
| 775.4 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 775.5 | 17 | *9 | *8 | 17 | — | — | — | * | * | * | *7 |
| 775.6 | *7 | * | * | *7 | * | — | — | * | * | * | * |
| 776 | 20 | 11 | *8 | 20 | — | — | — | * | * | 10 | *5 |
| 776.1 | *6 | * | * | *6 | — | — | — | * | * | * | * |
| 776.6 | 10 | *6 | * | 10 | — | — | — | * | * | * | * |
| 777 | 10 | * | *6 | 10 | — | — | — | * | * | * | * |
| 777.8 | *5 | * | * | *5 | — | — | — | * | * | * | * |
| 778 | 18 | 11 | *7 | 18 | — | — | — | * | * | * | *7 |
| 778.4 | 9 | *5 | * | 9 | — | — | — | * | * | * | * |
| 779 | 73 | 38 | 35 | 73 | — | — | * | *8 | 17 | 23 | 25 |
| 779.0 | *7 | * | * | *7 | — | — | — | * | * | * | * |
| 779.3 | 38 | 19 | 19 | 38 | — | — | — | * | *6 | 13 | 15 |
| 779.8 | 26 | 14 | 12 | 26 | — | — | — | * | *7 | *7 | *8 |
| 779.81 | *7 | * | * | *7 | — | — | — | * | * | * | * |
| 779.89 | 16 | *8 | *8 | 16 | — | — | * | * | * | *5 | *5 |
| 780-799 | 8,829 | 3,964 | 4,865 | 771 | 1,951 | 2,522 | 3,585 | 1,863 | 2,377 | 3,010 | 1,579 |
| 780 | 2,720 | 1,302 | 1,418 | 253 | 576 | 766 | 1,125 | 620 | 736 | 909 | 455 |
| 780.0 | 125 | 61 | 65 | *7 | 33 | 27 | 59 | 23 | 33 | 38 | 31 |
| 780.01 | 14 | *7 | *7 | * | * | * | *7 | * | * | * | * |
| 780.02 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 780.09 | 101 | 50 | 51 | * | 27 | 21 | 48 | 19 | 27 | 29 | 26 |
| 780.1 | 24 | 14 | 10 | * | *8 | * | 10 | *6 | *6 | 9 | * |
| 780.2 | 453 | 200 | 254 | *7 | 48 | 108 | 290 | 129 | 108 | 147 | 69 |
| 780.3 | 893 | 440 | 453 | 102 | 247 | 255 | 290 | 214 | 243 | 291 | 145 |
| 780.31 | 22 | 10 | 12 | 21 | * | * | * | * | * | *9 | *6 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 780.39 | 871 | 430 | 441 | 81 | 247 | 254 | 289 | 211 | 238 | 282 | 139 |
| 780.4 | 145 | 54 | 91 | * | 22 | 40 | 82 | 39 | 42 | 39 | 25 |
| 780.5 | 407 | 235 | 172 | 17 | 100 | 184 | 106 | 93 | 115 | 129 | 70 |
| 780.50 | *7 | * | * | * | * | * | * | * | * | * | * |
| 780.52 | 53 | 19 | 33 | * | 18 | 16 | 18 | 10 | 20 | 14 | *8 |
| 780.57 | 338 | 207 | 132 | 15 | 79 | 160 | 84 | 80 | 90 | 110 | 58 |
| 780.6 | 327 | 156 | 171 | 104 | 68 | 74 | 82 | 55 | 81 | 133 | 58 |
| 780.7 | 212 | 88 | 124 | *6 | 27 | 43 | 136 | 35 | 71 | 73 | 34 |
| 780.79 | 207 | 87 | 121 | *6 | 25 | 41 | 135 | 34 | 70 | 71 | 33 |
| 780.8 | *8 | * | *6 | * | * | * | *5 | * | *5 | * | * |
| 780.9 | 125 | 52 | 73 | *8 | 22 | 30 | 65 | 26 | 31 | 48 | 21 |
| 780.93 | 15 | *8 | *8 | * | *5 | * | *6 | * | *6 | * | * |
| 780.99 | 104 | 42 | 62 | * | 17 | 26 | 58 | 23 | 24 | 43 | 15 |
| 781 | 271 | 116 | 155 | 17 | 26 | 59 | 169 | 69 | 66 | 81 | 55 |
| 781.0 | 32 | 13 | 19 | *6 | *7 | *7 | 12 | *6 | 10 | 10 | *6 |
| 781.2 | 158 | 65 | 93 | * | 9 | 33 | 114 | 50 | 33 | 47 | 28 |
| 781.3 | 51 | 25 | 26 | *7 | *6 | 10 | 28 | 10 | 15 | 14 | 12 |
| 781.9 | 24 | 11 | 13 | * | * | *7 | 12 | * | *6 | *8 | *7 |
| 781.94 | 17 | *8 | 10 | — | * | *6 | *9 | * | * | * | *6 |
| 781.99 | *7 | * | * | * | * | * | * | * | * | * | * |
| 782 | 232 | 104 | 127 | 28 | 58 | 61 | 85 | 41 | 77 | 71 | 42 |
| 782.0 | 53 | 24 | 29 | * | 22 | 19 | 11 | 9 | 15 | 20 | *9 |
| 782.1 | 47 | 25 | 22 | 15 | 12 | *7 | 13 | 10 | 16 | 12 | 9 |
| 782.3 | 91 | 34 | 58 | * | 12 | 25 | 52 | 15 | 35 | 25 | 16 |
| 782.4 | 21 | 13 | *8 | * | *7 | *6 | *6 | * | *5 | *8 | * |
| 782.5 | *6 | * | * | *5 | * | * | * | * | * | * | * |
| 782.7 | *6 | * | * | * | * | * | * | * | * | * | * |
| 783 | 232 | 106 | 126 | 76 | 28 | 28 | 100 | 44 | 58 | 83 | 47 |
| 783.0 | 37 | 15 | 22 | * | *6 | *5 | 21 | *5 | 9 | 17 | *6 |
| 783.2 | 65 | 31 | 34 | *7 | 12 | 16 | 31 | 12 | 16 | 26 | 12 |
| 783.21 | 63 | 31 | 32 | *6 | 11 | 15 | 31 | 11 | 16 | 26 | 10 |
| 783.3 | 20 | 10 | 10 | 15 | * | * | * | * | * | 9 | * |
| 783.4 | 52 | 26 | 26 | 47 | * | * | * | 10 | 15 | 16 | 11 |
| 783.40 | 18 | *9 | 10 | 15 | * | * | * | * | *6 | * | * |
| 783.41 | 31 | 15 | 15 | 29 | * | * | * | * | *8 | 11 | *7 |
| 783.7 | 48 | 19 | 28 | * | * | * | 41 | 11 | 14 | 11 | 12 |
| 784 | 394 | 154 | 240 | 23 | 113 | 112 | 146 | 79 | 114 | 133 | 68 |
| 784.0 | 208 | 65 | 143 | 13 | 90 | 66 | 39 | 37 | 61 | 79 | 30 |
| 784.2 | 17 | *8 | 9 | * | * | * | *6 | * | * | *6 | * |
| 784.3 | 57 | 23 | 34 | * | * | 13 | 40 | 13 | 18 | 14 | 12 |
| 784.5 | 53 | 29 | 24 | * | *5 | 14 | 32 | 12 | 18 | 14 | 9 |
| 784.7 | 47 | 25 | 22 | * | *7 | 12 | 25 | 13 | 10 | 15 | *8 |
| 785 | 420 | 191 | 229 | 31 | 91 | 114 | 183 | 93 | 107 | 149 | 71 |
| 785.0 | 111 | 49 | 62 | 10 | 40 | 29 | 32 | 18 | 33 | 43 | 18 |
| 785.1 | 44 | 14 | 30 | * | 10 | 12 | 21 | 11 | 11 | 14 | *7 |
| 785.2 | 41 | 14 | 27 | 10 | 12 | *8 | 11 | *7 | 13 | 16 | *6 |
| 785.4 | 58 | 34 | 25 | * | *5 | 21 | 31 | 18 | 10 | 21 | 9 |
| 785.5 | 107 | 57 | 50 | * | 10 | 28 | 65 | 27 | 26 | 32 | 23 |
| 785.50 | *8 | * | * | * | * | * | *5 | * | * | * | * |
| 785.51 | 23 | 13 | 10 | * | * | * | 16 | *7 | *6 | *5 | *5 |
| 785.52 | 64 | 34 | 31 | * | *7 | 19 | 36 | 16 | 15 | 21 | 12 |
| 785.59 | 12 | *6 | *6 | * | * | * | *7 | * | * | * | * |
| 785.6 | 48 | 20 | 28 | *5 | 13 | 13 | 17 | 12 | 11 | 18 | *7 |
| 785.9 | 10 | * | *6 | * | * | * | *6 | * | * | * | * |
| 786 | 1,570 | 722 | 848 | 81 | 293 | 608 | 587 | 323 | 367 | 585 | 295 |
| 786.0 | 217 | 98 | 118 | 58 | 31 | 52 | 75 | 34 | 56 | 83 | 43 |
| 786.03 | 17 | *8 | *9 | 14 | * | * | * | * | * | *6 | * |
| 786.05 | 80 | 34 | 46 | * | 13 | 26 | 39 | 14 | 22 | 29 | 15 |
| 786.06 | *7 | * | * | * | * | * | * | * | * | * | * |
| 786.07 | *9 | * | *5 | *6 | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 786.09 | 96 | 44 | 51 | 32 | 14 | 20 | 30 | 15 | 24 | 38 | 18 |
| 786.1 | *8 | * | * | *6 | * | * | * | * | * | * | * |
| 786.2 | 39 | 16 | 23 | 10 | *9 | *8 | 12 | * | 12 | 15 | *7 |
| 786.3 | 58 | 31 | 27 | * | 13 | 18 | 27 | 11 | 17 | 20 | 10 |
| 786.5 | 1,192 | 536 | 656 | * | 232 | 514 | 443 | 260 | 265 | 446 | 221 |
| 786.50 | 464 | 219 | 244 | * | 88 | 196 | 178 | 90 | 107 | 185 | 81 |
| 786.51 | 37 | 14 | 24 | * | *9 | 16 | 12 | *6 | *6 | 18 | *7 |
| 786.52 | 56 | 24 | 32 | * | 15 | 19 | 22 | *8 | 19 | 20 | 10 |
| 786.59 | 634 | 279 | 356 | * | 119 | 283 | 231 | 156 | 132 | 224 | 122 |
| 786.6 | 45 | 27 | 18 | * | * | 14 | 24 | 10 | 13 | 12 | *8 |
| 786.8 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 787 | 791 | 313 | 478 | 111 | 185 | 193 | 302 | 145 | 221 | 279 | 145 |
| 787.0 | 399 | 148 | 251 | 70 | 118 | 105 | 106 | 66 | 115 | 141 | 78 |
| 787.01 | 228 | 79 | 149 | 17 | 75 | 69 | 67 | 37 | 61 | 90 | 41 |
| 787.02 | 85 | 23 | 62 | *6 | 24 | 27 | 28 | 14 | 31 | 22 | 18 |
| 787.03 | 86 | 46 | 40 | 46 | 19 | *9 | 12 | 14 | 23 | 29 | 19 |
| 787.1 | *7 | * | * | * | * | * | * | * | * | * | * |
| 787.2 | 131 | 62 | 69 | * | 13 | 28 | 86 | 30 | 32 | 46 | 22 |
| 787.3 | 14 | *7 | *7 | * | * | * | * | * | * | *5 | * |
| 787.6 | 14 | *7 | *7 | * | * | * | *7 | * | * | * | * |
| 787.9 | 225 | 85 | 140 | 32 | 44 | 52 | 97 | 43 | 62 | 82 | 38 |
| 787.91 | 219 | 80 | 139 | 32 | 41 | 49 | 97 | 43 | 61 | 77 | 38 |
| 787.99 | *6 | *6 | * | * | * | * | * | * | * | *5 | * |
| 788 | 418 | 202 | 216 | 13 | 70 | 94 | 240 | 94 | 131 | 115 | 77 |
| 788.0 | 10 | * | *6 | * | *7 | * | * | * | * | * | * |
| 788.1 | 15 | *9 | *7 | * | * | * | *7 | * | *7 | * | * |
| 788.2 | 224 | 137 | 87 | * | 36 | 47 | 137 | 53 | 69 | 59 | 42 |
| 788.20 | 185 | 112 | 73 | * | 30 | 38 | 115 | 44 | 59 | 50 | 33 |
| 788.21 | *6 | * | * | — | * | * | * | * | * | * | * |
| 788.29 | 32 | 21 | 11 | * | *5 | *8 | 19 | *8 | *9 | *7 | *8 |
| 788.3 | 114 | 32 | 82 | *5 | 13 | 32 | 65 | 26 | 34 | 30 | 25 |
| 788.30 | 81 | 26 | 54 | * | *8 | 21 | 48 | 20 | 26 | 20 | 14 |
| 788.31 | *9 | * | *8 | * | * | * | * | * | * | * | * |
| 788.33 | 15 | * | 15 | — | * | *7 | *5 | * | * | *5 | *6 |
| 788.39 | *6 | * | * | * | * | * | * | * | * | * | * |
| 788.4 | 22 | *8 | 14 | * | * | * | 13 | * | *7 | *7 | * |
| 788.41 | 15 | * | 11 | * | * | * | 10 | * | *5 | * | * |
| 788.5 | 9 | * | *7 | * | * | * | * | * | * | * | * |
| 788.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 788.9 | 18 | *8 | 10 | * | * | * | 14 | * | *9 | * | * |
| 789 | 592 | 236 | 356 | 40 | 209 | 188 | 155 | 118 | 145 | 204 | 125 |
| 789.0 | 419 | 149 | 270 | 34 | 176 | 109 | 101 | 81 | 105 | 140 | 94 |
| 789.00 | 145 | 56 | 89 | 16 | 57 | 37 | 35 | 30 | 31 | 57 | 27 |
| 789.01 | 47 | 14 | 33 | * | 22 | 14 | 9 | *6 | 14 | 12 | 14 |
| 789.02 | 12 | *5 | *7 | * | * | * | * | * | * | * | * |
| 789.03 | 46 | 16 | 30 | *7 | 26 | *6 | *6 | *8 | 14 | 13 | 12 |
| 789.04 | 23 | *7 | 16 | * | 9 | *7 | *6 | * | *8 | *5 | * |
| 789.05 | *6 | * | * | * | * | * | * | * | * | * | * |
| 789.06 | 56 | 17 | 39 | * | 17 | 21 | 16 | 10 | 12 | 19 | 14 |
| 789.07 | 17 | *6 | 11 | * | *9 | * | *5 | * | * | *7 | * |
| 789.09 | 68 | 25 | 43 | *5 | 28 | 16 | 19 | 15 | 17 | 20 | 15 |
| 789.1 | 10 | *6 | * | * | *6 | * | * | * | * | * | * |
| 789.2 | 13 | *8 | * | * | * | * | * | * | * | *5 | * |
| 789.3 | 18 | * | 14 | * | *5 | *5 | *7 | * | * | 9 | * |
| 789.30 | 10 | * | *8 | * | * | * | * | * | * | *5 | * |
| 789.39 | *6 | * | * | — | * | * | * | * | * | * | * |
| 789.5 | 128 | 68 | 60 | * | 17 | 68 | 40 | 31 | 31 | 42 | 23 |
| 790 | 481 | 221 | 260 | 37 | 104 | 127 | 214 | 106 | 149 | 152 | 75 |
| 790.2 | 63 | 18 | 45 | * | 30 | 14 | 18 | *8 | 19 | 21 | 16 |
| 790.22 | 17 | * | 16 | — | 14 | * | * | * | * | *8 | * |
| 790.29 | 42 | 14 | 27 | * | 16 | 11 | 14 | * | 13 | 12 | 12 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 790.4 | 21 | 9 | 12 | * | *7 | *6 | *7 | * | *9 | *6 | * |
| 790.5 | 44 | 23 | 21 | * | *9 | 15 | 18 | *9 | 16 | 11 | *7 |
| 790.6 | 128 | 58 | 71 | *8 | 25 | 40 | 55 | 27 | 39 | 43 | 19 |
| 790.7 | 129 | 66 | 63 | 20 | 20 | 32 | 58 | 35 | 34 | 42 | 19 |
| 790.9 | 89 | 44 | 45 | * | 11 | 18 | 57 | 23 | 30 | 28 | *8 |
| 790.92 | 67 | 30 | 37 | * | *6 | 13 | 46 | 17 | 21 | 21 | *7 |
| 790.93 | *8 | *8 | – | – | * | * | *6 | * | * | * | * |
| 790.99 | 12 | * | *7 | * | * | * | * | * | *6 | * | * |
| 791 | 32 | 12 | 20 | * | 13 | *8 | *7 | *7 | 12 | 10 | * |
| 791.0 | 13 | *7 | *6 | * | *6 | * | * | * | * | * | * |
| 791.9 | 13 | * | 10 | * | * | * | * | * | *6 | * | * |
| 792 | 61 | 12 | 48 | * | 40 | *6 | 13 | 13 | 19 | 17 | 12 |
| 792.1 | 22 | 10 | 12 | * | * | *6 | 11 | *7 | *6 | *5 | * |
| 792.3 | 35 | – | 35 | * | 35 | – | – | *6 | 11 | 11 | *8 |
| 793 | 22 | 11 | 11 | * | *6 | *6 | *8 | * | *7 | *6 | * |
| 793.1 | 11 | *6 | *5 | * | * | * | *6 | * | * | * | * |
| 794 | 178 | 83 | 95 | * | 46 | 65 | 62 | 35 | 52 | 62 | 29 |
| 794.3 | 85 | 38 | 47 | * | 14 | 33 | 38 | 16 | 30 | 28 | 12 |
| 794.31 | 55 | 22 | 34 | * | 10 | 21 | 25 | 11 | 19 | 16 | *9 |
| 794.39 | 27 | 15 | 11 | – | * | 12 | 12 | * | 10 | 11 | * |
| 794.8 | 80 | 41 | 39 | * | 28 | 30 | 20 | 16 | 18 | 31 | 16 |
| 795 | 40 | 10 | 30 | * | 27 | 9 | * | 12 | *6 | 13 | 10 |
| 795.0 | 9 | – | 9 | – | *8 | * | * | * | * | * | * |
| 795.5 | 20 | *6 | 13 | * | 13 | * | * | *8 | * | * | *7 |
| 795.7 | 10 | * | *7 | * | *5 | * | * | * | * | * | * |
| 795.79 | 10 | * | *7 | – | *5 | * | * | * | * | * | * |
| 796 | 59 | 23 | 36 | * | 24 | 14 | 19 | *7 | 16 | 23 | 12 |
| 796.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 796.2 | 41 | 16 | 25 | * | 19 | 11 | 10 | * | 12 | 16 | 10 |
| 799 | 316 | 145 | 171 | 47 | 42 | 63 | 164 | 52 | 94 | 119 | 51 |
| 799.0 | 150 | 72 | 78 | 41 | 16 | 27 | 66 | 20 | 46 | 57 | 27 |
| 799.1 | 14 | *6 | *8 | * | * | *5 | * | * | *5 | * | * |
| 799.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 799.3 | 71 | 31 | 40 | – | * | *8 | 60 | 12 | 27 | 25 | *8 |
| 799.4 | 36 | 16 | 20 | * | *6 | 10 | 20 | *7 | *7 | 14 | *8 |
| 799.9 | 38 | 16 | 21 | * | 12 | 12 | 12 | 10 | *6 | 16 | *5 |
| 800–999 | 7,122 | 3,694 | 3,427 | 476 | 2,108 | 1,824 | 2,714 | 1,363 | 1,702 | 2,536 | 1,521 |
| 800 | 14 | 11 | * | *8 | * | * | * | * | * | * | * |
| 801 | 48 | 35 | 12 | *8 | 25 | *6 | 9 | *6 | 11 | 16 | 14 |
| 801.0 | 21 | 16 | * | * | 10 | * | * | * | * | *8 | * |
| 801.01 | 11 | *8 | * | * | *5 | * | * | * | * | * | * |
| 801.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 801.2 | 17 | 12 | * | * | *9 | * | * | * | * | * | *7 |
| 802 | 106 | 78 | 28 | *8 | 59 | 18 | 21 | 21 | 27 | 36 | 22 |
| 802.0 | 21 | 15 | *6 | * | 9 | * | *7 | *5 | *7 | * | * |
| 802.2 | 22 | 18 | * | * | 16 | * | * | * | *6 | 10 | * |
| 802.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 802.4 | 20 | 14 | *6 | * | 11 | * | * | * | *5 | *6 | * |
| 802.6 | 13 | 11 | * | * | *7 | * | * | * | * | * | * |
| 802.8 | 22 | 14 | *8 | * | 10 | * | * | * | * | *8 | * |
| 803 | *6 | * | * | * | * | * | * | * | * | * | * |
| 805 | 211 | 98 | 113 | * | 71 | 44 | 93 | 32 | 59 | 75 | 45 |
| 805.0 | 51 | 29 | 22 | * | 23 | 13 | 14 | *8 | 12 | 21 | 11 |
| 805.02 | 15 | *7 | *7 | * | * | * | *7 | * | * | *5 | * |
| 805.04 | *6 | * | * | – | * | * | * | * | * | * | * |
| 805.06 | *6 | * | * | * | * | * | * | * | * | * | * |
| 805.07 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 805.2 | 51 | 22 | 29 | * | 15 | 10 | 25 | 10 | 14 | 18 | *9 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 805.4 | 82 | 37 | 45 | * | 23 | 15 | 44 | 11 | 24 | 26 | 21 |
| 805.6 | 21 | *9 | 13 | * | *7 | *6 | *8 | * | *7 | *8 | * |
| 806 | 10 | *7 | * | * | *7 | * | * | * | * | *6 | * |
| 806.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 807 | 127 | 77 | 49 | * | 32 | 39 | 53 | 24 | 35 | 39 | 29 |
| 807.0 | 111 | 68 | 43 | * | 26 | 35 | 47 | 22 | 31 | 33 | 25 |
| 807.00 | *8 | * | * | * | * | * | *6 | * | * | * | * |
| 807.01 | 23 | 15 | *8 | * | *7 | *7 | 9 | *5 | *6 | *7 | * |
| 807.02 | 17 | 9 | *8 | * | * | *5 | *9 | * | *6 | * | * |
| 807.03 | 15 | 10 | *6 | * | * | *6 | * | * | *5 | * | * |
| 807.04 | 10 | *6 | * | * | * | * | *7 | * | * | * | * |
| 807.05 | *7 | * | * | — | * | * | * | * | * | * | * |
| 807.09 | 20 | 14 | *6 | * | *6 | *7 | *6 | * | *6 | *6 | *6 |
| 807.2 | 11 | *6 | *5 | * | * | * | *6 | * | * | * | * |
| 808 | 120 | 44 | 75 | * | 29 | 22 | 65 | 20 | 30 | 42 | 27 |
| 808.0 | 30 | 18 | 13 | * | 12 | *8 | 10 | * | *7 | 12 | *7 |
| 808.2 | 69 | 17 | 51 | * | 12 | *8 | 47 | 12 | 17 | 23 | 17 |
| 808.4 | 11 | *7 | * | * | * | *5 | * | * | * | * | * |
| 808.41 | *7 | * | * | * | * | * | * | * | * | * | * |
| 808.8 | *8 | * | *6 | * | * | * | *7 | * | * | * | * |
| 810 | 22 | 15 | *7 | * | *8 | *6 | *6 | * | *6 | *6 | *6 |
| 810.0 | 22 | 15 | *7 | * | *8 | *6 | *6 | * | *6 | *6 | *6 |
| 810.00 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 810.02 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 811 | 13 | 10 | * | * | * | *5 | * | * | * | * | * |
| 811.0 | 13 | 10 | * | * | * | *5 | * | * | * | * | * |
| 811.00 | *6 | * | * | * | * | * | * | * | * | * | * |
| 812 | 108 | 36 | 71 | 15 | 15 | 24 | 54 | 22 | 30 | 31 | 25 |
| 812.0 | 61 | 16 | 45 | * | *5 | 16 | 38 | 13 | 21 | 15 | 13 |
| 812.00 | 16 | * | 12 | * | * | * | 11 | * | *5 | * | * |
| 812.01 | 18 | * | 14 | * | * | * | 12 | * | *8 | * | * |
| 812.03 | *8 | * | *6 | — | * | * | * | * | * | * | * |
| 812.09 | 20 | *7 | 13 | * | * | *5 | 11 | * | *5 | *7 | *6 |
| 812.2 | 18 | *7 | 12 | * | * | * | 10 | * | * | *5 | *6 |
| 812.20 | *5 | * | * | * | * | * | * | * | * | * | * |
| 812.21 | 13 | *6 | *8 | * | * | * | *5 | * | * | * | * |
| 812.4 | 23 | 10 | 12 | 10 | * | * | *5 | * | * | *8 | *6 |
| 812.41 | 13 | *6 | *7 | *8 | * | * | * | * | * | * | * |
| 813 | 107 | 49 | 58 | *9 | 28 | 27 | 42 | 20 | 28 | 38 | 20 |
| 813.0 | 20 | *6 | 13 | * | * | *7 | *8 | * | *6 | *6 | * |
| 813.01 | *7 | * | * | * | * | * | * | * | * | * | * |
| 813.2 | 10 | *7 | * | * | *6 | * | * | * | * | * | * |
| 813.23 | *7 | * | * | * | * | * | * | * | * | * | * |
| 813.4 | 56 | 23 | 34 | * | 9 | 13 | 30 | 10 | 15 | 21 | 10 |
| 813.41 | 13 | * | 9 | * | * | * | *9 | * | * | *7 | * |
| 813.42 | 23 | 11 | 13 | * | * | *7 | 11 | * | *6 | *8 | * |
| 813.44 | 15 | *6 | 10 | * | * | * | *8 | * | * | *5 | * |
| 813.5 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 814 | *7 | *6 | * | — | * | * | * | * | * | * | * |
| 814.0 | *6 | * | * | — | * | * | * | * | * | * | * |
| 815 | 18 | 14 | * | * | 12 | * | * | * | * | *8 | * |
| 815.0 | 14 | 11 | * | * | 9 | * | * | * | * | *7 | * |
| 815.00 | *6 | * | * | * | * | * | * | * | * | * | * |
| 816 | 19 | 14 | *5 | * | 10 | * | *5 | * | * | *8 | * |
| 816.0 | 10 | *5 | * | * | *5 | * | * | * | * | *5 | * |
| 816.01 | *7 | * | * | — | * | * | * | * | * | * | * |
| 816.1 | *9 | *8 | * | * | *5 | * | * | * | * | * | * |
| 816.11 | *5 | *5 | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 820 | 338 | 96 | 242 | * | 9 | 32 | 296 | 63 | 83 | 126 | 67 |
| 820.0 | 98 | 27 | 71 | * | * | 11 | 85 | 15 | 28 | 36 | 20 |
| 820.00 | *7 | * | *6 | — | * | * | *6 | * | * | * | * |
| 820.03 | *6 | * | * | * | * | * | *5 | * | * | * | * |
| 820.09 | 80 | 21 | 59 | * | * | *8 | 70 | 13 | 21 | 29 | 16 |
| 820.2 | 168 | 44 | 123 | * | * | 17 | 147 | 36 | 37 | 63 | 31 |
| 820.20 | 14 | * | 9 | * | * | * | 11 | * | * | *7 | * |
| 820.21 | 137 | 31 | 105 | * | * | 11 | 124 | 29 | 32 | 49 | 27 |
| 820.22 | 17 | *8 | 9 | * | * | * | 11 | * | * | *8 | * |
| 820.8 | 71 | 23 | 48 | * | * | * | 64 | 12 | 17 | 26 | 16 |
| 821 | 72 | 36 | 37 | 14 | 22 | 10 | 26 | 11 | 19 | 30 | 12 |
| 821.0 | 42 | 23 | 19 | 10 | 15 | * | 12 | *6 | 12 | 17 | *7 |
| 821.00 | *9 | * | * | * | * | * | * | * | * | * | * |
| 821.01 | 34 | 18 | 16 | 9 | 13 | * | *8 | * | 10 | 14 | * |
| 821.2 | 26 | 10 | 16 | * | * | *6 | 13 | * | *6 | 10 | * |
| 821.20 | *7 | * | * | * | * | * | * | * | * | * | * |
| 821.23 | 11 | * | *8 | * | * | * | *7 | * | * | *6 | * |
| 822 | 16 | *7 | 9 | * | * | * | *7 | * | * | *8 | * |
| 822.0 | 14 | *5 | *9 | * | * | * | *6 | * | * | *6 | * |
| 823 | 94 | 58 | 36 | *7 | 42 | 31 | 15 | 14 | 21 | 37 | 21 |
| 823.0 | 38 | 21 | 18 | * | 13 | 16 | 9 | *5 | 9 | 15 | *9 |
| 823.00 | 27 | 14 | 12 | * | *9 | 11 | *6 | * | *6 | 11 | *6 |
| 823.02 | *8 | * | * | * | * | * | * | * | * | * | * |
| 823.2 | 22 | 16 | *6 | * | 13 | *6 | * | * | * | *9 | *6 |
| 823.20 | *6 | * | * | * | * | * | * | * | * | * | * |
| 823.22 | 14 | 9 | * | * | *8 | * | * | * | * | * | * |
| 823.3 | 11 | *7 | * | * | *7 | * | * | * | * | *5 | * |
| 823.32 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 823.8 | 13 | *7 | *6 | * | * | * | * | * | * | * | * |
| 823.82 | *8 | * | * | * | * | * | * | * | * | * | * |
| 823.9 | *5 | * | * | * | * | * | * | * | * | * | * |
| 824 | 129 | 59 | 70 | *6 | 47 | 36 | 40 | 30 | 31 | 39 | 29 |
| 824.0 | *9 | * | * | * | * | * | * | * | * | * | * |
| 824.2 | 14 | *6 | *8 | * | * | * | * | * | * | * | * |
| 824.4 | 28 | 12 | 16 | * | 10 | 9 | 9 | *8 | *6 | *8 | *7 |
| 824.6 | 30 | *8 | 23 | * | *8 | 10 | 12 | *7 | 10 | *5 | *8 |
| 824.8 | 34 | 19 | 15 | * | 13 | *8 | *9 | *9 | *8 | 10 | *6 |
| 824.9 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 825 | 44 | 24 | 20 | * | 22 | 13 | *8 | *7 | 11 | 17 | *9 |
| 825.0 | 13 | *7 | *5 | * | * | * | * | * | * | * | * |
| 825.2 | 23 | 11 | 12 | * | 12 | * | *6 | * | *7 | *8 | * |
| 825.21 | *6 | * | * | * | * | * | * | * | * | * | * |
| 825.25 | 11 | * | *8 | * | * | * | * | * | * | * | * |
| 825.3 | *6 | * | * | * | * | * | — | * | * | * | * |
| 826 | *8 | * | * | * | * | * | * | * | * | * | * |
| 826.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 831 | 12 | *8 | * | * | * | *5 | * | * | * | * | * |
| 831.0 | 12 | *8 | * | * | * | *5 | * | * | * | * | * |
| 836 | 16 | 10 | *7 | * | * | 9 | * | * | * | *7 | * |
| 836.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 836.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 839 | *8 | *6 | * | * | *5 | * | * | * | * | * | * |
| 839.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 840 | 35 | 18 | 18 | — | * | 15 | 17 | *6 | 10 | 16 | * |
| 840.4 | 23 | 11 | 12 | — | * | 10 | 12 | * | *6 | 9 | * |
| 843 | *7 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 844 | 22 | 12 | 10 | * | *8 | *6 | *7 | * | *6 | *7 | * |
| 844.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 844.9 | *8 | * | * | * | * | * | * | * | * | * | * |
| 845 | 23 | 11 | 12 | * | 9 | *6 | *7 | *7 | *6 | *7 | * |
| 845.0 | 22 | 11 | 11 | * | 9 | *5 | *7 | *7 | *5 | *6 | * |
| 845.00 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 845.03 | *5 | * | * | * | * | * | * | * | * | * | * |
| 846 | *5 | * | * | — | * | * | * | * | * | * | * |
| 847 | 35 | 16 | 19 | * | 12 | *8 | 14 | 10 | 9 | 10 | *6 |
| 847.0 | 18 | *9 | *9 | * | *7 | * | *5 | *5 | * | *5 | * |
| 847.2 | 11 | * | *6 | * | * | * | *6 | * | * | * | * |
| 850 | 85 | 53 | 33 | *9 | 40 | 19 | 18 | 19 | 20 | 26 | 20 |
| 850.0 | 15 | *5 | 10 | * | * | * | *5 | * | * | * | * |
| 850.1 | 26 | 18 | *8 | * | 12 | *6 | * | *6 | *6 | *8 | *5 |
| 850.11 | 25 | 18 | *7 | * | 12 | *6 | * | *6 | *6 | *7 | *5 |
| 850.5 | 34 | 25 | 9 | * | 19 | *8 | * | *6 | *7 | 12 | *9 |
| 850.9 | 10 | * | *5 | * | * | * | * | * | * | * | * |
| 851 | 35 | 24 | 11 | * | 15 | *8 | 11 | * | *5 | 14 | 11 |
| 851.8 | 25 | 17 | *9 | * | 11 | *5 | *8 | * | * | 12 | *8 |
| 851.81 | *5 | * | * | * | * | * | * | * | * | * | * |
| 851.82 | *6 | * | * | * | * | * | * | * | * | * | * |
| 851.86 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 852 | 74 | 43 | 31 | * | 10 | 16 | 44 | 11 | 17 | 26 | 20 |
| 852.0 | 26 | 17 | 10 | * | * | *8 | 13 | * | *6 | *8 | 9 |
| 852.00 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 852.01 | *6 | * | * | * | * | * | * | * | * | * | * |
| 852.02 | *7 | * | * | * | * | * | * | * | * | * | * |
| 852.2 | 46 | 25 | 20 | * | *5 | *8 | 31 | *7 | 11 | 17 | 11 |
| 852.20 | 12 | *9 | * | * | * | * | *8 | * | * | * | * |
| 852.21 | 18 | 9 | *9 | * | * | * | 14 | * | * | *7 | * |
| 852.22 | *8 | * | *5 | * | * | * | *5 | * | * | * | * |
| 852.26 | *5 | * | * | — | * | * | * | * | * | * | * |
| 853 | 16 | *8 | *8 | * | * | * | *9 | * | * | * | *5 |
| 853.0 | 16 | *8 | *8 | * | * | * | *9 | * | * | * | *5 |
| 853.01 | *5 | * | * | * | * | * | * | * | * | * | * |
| 854 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 854.0 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 860 | 72 | 52 | 20 | * | 40 | 18 | 12 | 11 | 14 | 29 | 18 |
| 860.0 | 40 | 29 | 10 | * | 20 | 10 | *7 | *6 | *8 | 16 | 10 |
| 860.2 | *8 | *6 | * | — | * | * | * | * | * | * | * |
| 860.4 | 15 | *9 | *6 | * | *8 | * | * | * | * | *6 | * |
| 860.5 | *6 | *5 | * | — | *5 | * | * | * | * | * | * |
| 861 | 39 | 28 | 11 | * | 19 | *9 | *8 | *5 | 10 | 13 | 10 |
| 861.2 | 33 | 25 | *9 | * | 16 | *7 | *6 | * | 9 | 11 | *9 |
| 861.21 | 32 | 23 | *8 | * | 15 | *7 | *6 | * | 9 | 11 | *7 |
| 862 | 11 | *9 | * | * | *5 | * | * | * | * | * | * |
| 862.2 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 862.29 | *6 | * | * | * | * | * | * | * | * | * | * |
| 863 | 25 | 19 | *5 | * | 16 | * | * | * | * | 12 | *8 |
| 863.3 | *7 | *5 | * | * | *5 | * | * | * | * | * | * |
| 864 | 24 | 16 | *8 | * | 15 | * | * | * | * | 12 | *5 |
| 864.0 | 19 | 12 | *7 | * | 11 | * | * | * | * | 9 | * |
| 864.05 | *6 | * | * | * | * | * | * | * | * | * | * |
| 864.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 865 | 38 | 28 | 11 | *6 | 19 | *8 | * | *5 | *9 | 11 | 13 |
| 865.0 | 36 | 26 | 11 | *6 | 17 | *8 | * | * | *8 | 10 | 13 |
| 865.00 | 10 | *8 | * | * | *6 | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 865.01 | *6 | * | * | * | * | * | * | * | * | * | * |
| 865.03 | *6 | * | * | * | * | * | * | * | * | * | * |
| 866 | 11 | 9 | * | * | *7 | * | * | * | * | * | * |
| 866.0 | 10 | *8 | * | * | *6 | * | * | * | * | * | * |
| 867 | 19 | 17 | * | * | * | * | 12 | * | * | *8 | * |
| 867.0 | 16 | 14 | * | * | * | * | 11 | * | * | *7 | * |
| 868 | 15 | 10 | * | * | *9 | * | * | * | * | *6 | * |
| 868.0 | 11 | *6 | * | * | *6 | * | * | * | * | * | * |
| 870 | 13 | 10 | * | * | *5 | * | * | * | * | *5 | * |
| 870.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| 871 | *7 | * | * | * | * | * | * | * | * | * | * |
| 872 | *6 | * | * | * | * | * | * | * | * | * | * |
| 873 | 174 | 110 | 64 | 15 | 74 | 32 | 54 | 33 | 40 | 55 | 46 |
| 873.0 | 53 | 27 | 26 | * | 18 | *8 | 25 | 11 | 13 | 12 | 17 |
| 873.2 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 873.20 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 873.4 | 80 | 52 | 28 | *7 | 37 | 15 | 21 | 17 | 20 | 25 | 17 |
| 873.40 | *7 | * | * | * | * | * | * | * | * | * | * |
| 873.41 | *5 | * | * | * | * | * | * | * | * | * | * |
| 873.42 | 41 | 25 | 15 | * | 17 | *7 | 13 | 9 | 10 | 13 | *8 |
| 873.43 | 15 | 10 | * | * | *7 | * | * | * | * | *5 | * |
| 873.44 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 873.5 | *9 | *8 | * | * | *5 | * | * | * | * | * | * |
| 873.6 | 13 | 10 | * | * | *6 | * | * | * | * | * | * |
| 873.63 | *6 | * | * | * | * | * | * | * | * | * | * |
| 874 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 874.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| 875 | 11 | 10 | * | — | *9 | * | * | * | * | * | * |
| 875.0 | 10 | 9 | * | — | *9 | * | * | * | * | * | * |
| 879 | 16 | 11 | * | * | 9 | * | * | * | * | *7 | * |
| 879.2 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 880 | *7 | *7 | * | * | *6 | * | * | * | * | * | * |
| 880.0 | *6 | *6 | * | * | *5 | * | * | * | * | * | * |
| 881 | 49 | 23 | 25 | * | 29 | *7 | 9 | *8 | 18 | 14 | 9 |
| 881.0 | 35 | 15 | 20 | * | 18 | *6 | *9 | *6 | 14 | *9 | *6 |
| 881.00 | 11 | *6 | * | * | *6 | * | * | * | * | * | * |
| 881.01 | 11 | * | *6 | * | * | * | *6 | * | * | * | * |
| 881.02 | 13 | * | 10 | * | 9 | * | * | * | *7 | * | * |
| 881.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 881.2 | *8 | *5 | * | * | *7 | * | * | * | * | * | * |
| 882 | 26 | 15 | 11 | * | 16 | * | * | * | *7 | 9 | *5 |
| 882.0 | 10 | *6 | * | * | *5 | * | * | * | * | * | * |
| 882.1 | 12 | *7 | *6 | * | *8 | * | * | * | * | * | * |
| 883 | 30 | 23 | *7 | * | 18 | *9 | * | * | *8 | 10 | *7 |
| 883.0 | 11 | 9 | * | * | * | * | * | * | * | * | * |
| 883.1 | 9 | *6 | * | * | *6 | * | * | * | * | * | * |
| 883.2 | 10 | *8 | * | * | *7 | * | * | * | * | * | * |
| 886 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 886.0 | *6 | *6 | * | * | * | * | * | * | * | * | * |
| 890 | 10 | *7 | * | * | *7 | * | * | * | * | * | * |
| 890.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 891 | 34 | 19 | 15 | * | 14 | *6 | 9 | *5 | *8 | 14 | *7 |
| 891.0 | 17 | 9 | *8 | * | *8 | * | * | * | * | *7 | * |
| 891.1 | 14 | *7 | *7 | * | * | * | * | * | * | *7 | * |
| 892 | 15 | 10 | * | * | *5 | *6 | * | * | *5 | *6 | * |
| 892.1 | *9 | *7 | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 893 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 893.0 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 903 | 11 | *7 | * | * | *6 | * | * | * | *5 | * | * |
| 904 | *6 | *6 | * | * | * | * | — | * | * | * | * |
| 905 | 44 | 24 | 20 | * | 17 | 14 | 11 | 11 | *8 | 13 | 12 |
| 905.0 | *8 | * | * | * | * | * | * | * | * | * | * |
| 905.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 905.4 | 16 | 11 | *5 | * | *8 | * | * | * | * | *5 | * |
| 906 | 18 | 13 | *6 | * | *9 | * | * | * | * | 9 | * |
| 907 | 57 | 45 | 12 | * | 30 | 16 | 9 | 9 | *8 | 17 | 23 |
| 907.0 | 27 | 21 | *7 | * | 12 | *9 | *5 | * | * | * | 13 |
| 907.2 | 27 | 22 | *5 | * | 17 | *5 | * | * | * | 11 | 9 |
| 908 | 16 | 9 | *7 | * | *6 | *6 | * | * | * | *6 | * |
| 908.9 | 11 | *7 | * | * | * | * | * | * | * | * | * |
| 909 | 13 | *6 | *7 | * | * | * | *6 | * | * | * | * |
| 909.2 | *7 | * | * | * | * | * | *5 | * | * | * | * |
| 910 | 35 | 21 | 15 | *6 | 14 | *5 | 10 | *6 | 12 | 10 | *8 |
| 910.0 | 34 | 20 | 14 | * | 14 | * | 10 | *6 | 11 | *9 | *8 |
| 911 | 17 | 12 | *5 | * | *8 | * | * | * | * | * | *6 |
| 911.0 | 13 | 9 | * | * | *6 | * | * | * | * | * | * |
| 912 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 912.0 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 913 | 25 | 11 | 14 | * | 14 | * | *5 | * | 12 | *5 | * |
| 913.0 | 20 | *9 | 11 | * | 10 | * | * | * | 9 | * | * |
| 914 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 914.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 916 | 39 | 23 | 16 | *8 | 15 | *8 | *9 | *5 | 9 | 12 | 13 |
| 916.0 | 25 | 14 | 11 | * | 12 | *5 | *6 | * | *7 | * | 9 |
| 916.5 | *8 | *5 | * | * | * | * | * | * | * | *5 | * |
| 917 | *6 | * | * | * | * | * | * | * | * | * | * |
| 918 | *8 | * | * | * | * | * | * | * | * | * | * |
| 918.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 919 | 13 | *9 | * | * | *6 | * | * | * | * | * | * |
| 919.0 | 11 | *8 | * | * | *5 | * | * | * | * | * | * |
| 920 | 76 | 34 | 42 | 10 | 18 | 13 | 36 | 16 | 24 | 22 | 13 |
| 921 | 20 | 11 | *9 | * | *8 | * | *6 | * | *6 | *6 | * |
| 921.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 922 | 68 | 36 | 32 | * | 17 | 15 | 32 | 12 | 26 | 15 | 15 |
| 922.1 | 32 | 17 | 15 | * | *7 | *7 | 18 | * | 15 | *7 | *7 |
| 922.2 | 17 | *9 | *8 | * | * | * | *6 | * | *6 | *5 | * |
| 922.3 | 15 | *8 | *7 | * | * | * | *6 | * | * | * | * |
| 922.31 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 923 | 39 | 15 | 24 | * | *8 | *7 | 22 | * | 16 | 11 | *7 |
| 923.0 | 13 | *6 | *7 | * | * | * | *7 | * | *7 | * | * |
| 923.00 | 11 | *5 | *6 | * | * | * | *6 | * | *6 | * | * |
| 923.1 | 15 | *6 | *9 | * | * | * | *8 | * | * | *6 | * |
| 923.11 | 11 | * | *7 | * | * | * | *6 | * | * | * | * |
| 923.2 | *7 | * | * | * | * | * | * | * | * | * | * |
| 924 | 98 | 35 | 63 | * | 18 | 19 | 58 | 16 | 33 | 27 | 21 |
| 924.0 | 33 | 9 | 24 | * | * | * | 26 | * | 14 | *9 | *6 |
| 924.00 | 10 | * | *7 | * | * | * | *6 | * | *5 | * | * |
| 924.01 | 23 | *6 | 17 | * | * | * | 20 | * | *9 | *6 | * |
| 924.1 | 31 | 10 | 21 | * | * | *7 | 19 | *6 | 10 | *8 | *7 |
| 924.10 | 12 | * | *8 | * | * | * | 9 | * | * | * | * |
| 924.11 | 19 | *5 | 13 | * | * | *5 | 10 | * | *7 | * | * |
| 924.8 | 19 | 11 | *8 | * | *6 | *5 | *6 | * | * | *7 | *5 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 933 | 10 | * | *6 | * | * | * | *5 | * | * | * | * |
| 933.1 | *9 | * | *5 | * | * | * | * | * | * | * | * |
| 934 | 19 | 11 | *8 | * | * | * | 12 | * | * | *8 | *7 |
| 934.8 | 9 | *7 | * | * | * | * | *6 | * | * | * | * |
| 935 | 11 | *7 | * | * | * | * | * | * | * | * | * |
| 935.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| 941 | 26 | 20 | *7 | *8 | 11 | *5 | * | * | *5 | 16 | * |
| 941.2 | 20 | 15 | * | *7 | 9 | * | * | * | * | 12 | * |
| 941.29 | 9 | *6 | * | * | *5 | * | * | * | * | *7 | * |
| 942 | 30 | 20 | 10 | 11 | 12 | *5 | * | * | *7 | 17 | * |
| 942.2 | 23 | 15 | *8 | 9 | *9 | * | * | * | *5 | 13 | * |
| 942.22 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 942.29 | *6 | * | * | * | * | * | — | * | * | * | — |
| 942.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 943 | 27 | 19 | *7 | 9 | 10 | *5 | * | * | *5 | 15 | * |
| 943.2 | 19 | 15 | * | *8 | *7 | * | * | * | * | 11 | * |
| 943.21 | *6 | * | * | * | * | * | * | * | * | * | * |
| 943.29 | *6 | *5 | * | * | * | * | * | * | — | *6 | — |
| 943.3 | *5 | * | * | * | * | * | * | * | * | * | — |
| 944 | 27 | 18 | *9 | *5 | 14 | * | * | * | *8 | 13 | * |
| 944.2 | 16 | 12 | * | * | *7 | * | * | * | * | *8 | * |
| 944.28 | *5 | * | * | * | * | * | * | * | * | * | — |
| 944.3 | *6 | * | * | * | * | * | * | * | * | * | — |
| 945 | 37 | 29 | *9 | 11 | 14 | *8 | * | * | *6 | 24 | * |
| 945.2 | 16 | 13 | * | *7 | *6 | * | * | * | * | 12 | * |
| 945.3 | 17 | 12 | * | * | *7 | * | * | * | * | 11 | * |
| 948 | 61 | 44 | 17 | 22 | 22 | 12 | *5 | *8 | *9 | 40 | * |
| 948.0 | 40 | 31 | *9 | 13 | 14 | *9 | * | *6 | *7 | 23 | * |
| 948.00 | 40 | 31 | *9 | 13 | 14 | *9 | * | *6 | *7 | 23 | * |
| 948.1 | 15 | 9 | *6 | *7 | *6 | * | * | * | * | 13 | — |
| 948.10 | 11 | *6 | * | * | * | * | * | * | * | *9 | — |
| 949 | *7 | *6 | * | *7 | * | — | * | — | — | *7 | — |
| 949.0 | *7 | *6 | * | *7 | * | — | — | — | — | *7 | — |
| 952 | *8 | *7 | * | * | * | * | * | * | * | * | * |
| 952.0 | *5 | *5 | * | * | * | * | * | * | * | * | * |
| 955 | 14 | 11 | * | * | *9 | * | * | * | * | * | * |
| 956 | *6 | * | * | — | * | * | * | * | * | * | * |
| 958 | 37 | 23 | 15 | * | 16 | 12 | *7 | 10 | *8 | 12 | *8 |
| 958.3 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 958.4 | *7 | * | * | * | * | * | * | * | * | * | * |
| 958.7 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 958.8 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 959 | 89 | 45 | 44 | 10 | 33 | 18 | 28 | 17 | 24 | 22 | 27 |
| 959.0 | 47 | 23 | 24 | *8 | 15 | 9 | 15 | *8 | 13 | 10 | 16 |
| 959.01 | 41 | 19 | 23 | *7 | 12 | *8 | 15 | *6 | 13 | 9 | 13 |
| 959.09 | *6 | * | * | * | * | * | * | * | * | * | * |
| 959.1 | 21 | 11 | 11 | * | 9 | * | *7 | * | *7 | *5 | *5 |
| 959.11 | *7 | * | * | * | * | * | * | * | * | * | * |
| 959.12 | *7 | * | * | * | * | * | * | * | * | * | * |
| 959.19 | *7 | * | * | * | * | * | * | * | * | * | * |
| 959.7 | *7 | * | * | * | * | * | * | * | * | * | * |
| 962 | 11 | *6 | * | * | * | *5 | * | * | * | *7 | * |
| 962.3 | 10 | *6 | * | * | * | * | * | * | * | *6 | * |
| 963 | 12 | *6 | *6 | * | *8 | * | * | * | * | * | * |
| 963.0 | 11 | *6 | *5 | * | *8 | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 964 | *6 | * | * | * | * | * | * | * | * | * | * |
| 964.2 | *5 | * | * | — | * | * | * | * | * | * | * |
| 965 | 108 | 40 | 68 | * | 72 | 25 | *7 | 19 | 29 | 37 | 22 |
| 965.0 | 43 | 20 | 23 | * | 24 | 15 | * | *8 | 10 | 14 | 11 |
| 965.00 | 11 | *6 | *5 | — | *7 | * | * | * | * | *5 | * |
| 965.01 | *5 | * | * | * | * | * | * | * | * | * | * |
| 965.02 | *6 | * | * | * | * | * | * | * | * | * | * |
| 965.09 | 20 | *6 | 14 | * | 10 | *7 | * | * | *6 | *6 | *6 |
| 965.1 | *9 | * | *5 | * | *7 | * | * | * | * | * | * |
| 965.4 | 37 | 12 | 25 | * | 27 | *6 | * | *8 | *9 | 14 | *6 |
| 965.6 | 11 | * | *8 | * | *9 | * | * | * | * | * | * |
| 965.61 | 11 | * | *8 | * | *9 | * | * | * | * | * | * |
| 966 | 20 | *9 | 11 | * | 15 | * | * | * | *8 | *6 | * |
| 966.3 | 17 | *6 | 11 | * | 14 | * | * | * | *7 | *5 | * |
| 967 | 21 | *6 | 15 | * | 10 | *8 | * | * | * | 10 | * |
| 967.8 | 13 | * | 9 | * | *7 | * | * | * | * | *6 | * |
| 967.9 | *5 | * | * | — | * | * | * | * | * | * | * |
| 968 | *7 | * | * | * | * | * | * | * | * | * | * |
| 969 | 134 | 57 | 78 | * | 95 | 32 | * | 21 | 34 | 51 | 28 |
| 969.0 | 38 | 17 | 21 | * | 29 | *8 | * | *6 | *9 | 15 | *9 |
| 969.3 | 15 | *7 | *8 | * | 11 | * | * | * | * | * | * |
| 969.4 | 56 | 19 | 37 | * | 37 | 16 | * | 9 | 15 | 23 | 9 |
| 969.7 | 12 | *8 | * | * | 10 | * | * | * | * | * | * |
| 969.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| 970 | 29 | 19 | 10 | * | 22 | *7 | * | 10 | *6 | 10 | * |
| 970.8 | 26 | 18 | *8 | * | 19 | *6 | * | 9 | *6 | *8 | * |
| 972 | 16 | *8 | *8 | * | * | * | *5 | *5 | * | * | * |
| 972.6 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 975 | 13 | * | 10 | * | 10 | * | * | * | * | * | * |
| 975.2 | *8 | * | *6 | * | *6 | * | * | * | * | * | * |
| 977 | 14 | *7 | *7 | * | *9 | * | * | * | * | *6 | * |
| 977.8 | *8 | * | * | * | * | * | * | * | * | * | * |
| 977.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 980 | 25 | 14 | 11 | * | 16 | *7 | * | * | 10 | *7 | * |
| 980.0 | 19 | 10 | *9 | * | 13 | * | * | * | *6 | *6 | * |
| 987 | 9 | * | *5 | * | * | * | * | * | * | * | * |
| 987.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| 989 | 19 | 11 | *9 | *5 | *8 | * | * | * | * | 11 | * |
| 989.5 | 14 | 10 | * | * | *5 | * | * | * | * | *9 | * |
| 991 | 13 | *8 | *6 | * | * | * | *5 | * | * | * | * |
| 991.6 | 11 | *6 | * | * | * | * | * | * | * | * | * |
| 992 | *7 | * | * | * | * | * | * | * | * | * | * |
| 994 | *7 | * | * | * | * | * | * | * | * | * | * |
| 995 | 601 | 281 | 320 | 31 | 79 | 158 | 333 | 124 | 139 | 224 | 114 |
| 995.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 995.1 | 17 | *7 | 11 | * | * | *6 | *5 | * | *5 | *7 | * |
| 995.2 | 35 | 17 | 18 | * | * | 10 | 20 | *6 | *8 | 15 | *5 |
| 995.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 995.5 | *8 | * | * | *8 | * | * | — | * | * | * | * |
| 995.8 | *8 | * | *7 | * | * | * | * | * | * | * | * |
| 995.9 | 518 | 246 | 272 | 17 | 62 | 134 | 304 | 109 | 117 | 193 | 98 |
| 995.90 | *7 | * | * | * | * | * | *5 | * | * | * | * |
| 995.91 | 345 | 157 | 188 | 12 | 46 | 84 | 203 | 73 | 92 | 121 | 60 |
| 995.92 | 159 | 82 | 77 | * | 14 | 48 | 93 | 35 | 23 | 69 | 32 |
| 996 | 826 | 416 | 410 | 43 | 139 | 280 | 364 | 169 | 160 | 319 | 179 |
| 996.0 | 41 | 25 | 16 | * | * | *7 | 29 | 11 | 11 | 9 | 10 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 996.01 | 23 | 12 | 11 | * | * | * | 19 | *6 | * | *5 | *7 |
| 996.04 | 12 | 10 | * | * | * | * | *7 | * | * | * | * |
| 996.1 | 24 | 13 | 11 | * | * | *7 | *9 | *5 | * | 10 | * |
| 996.2 | 26 | 12 | 13 | *8 | 11 | * | * | * | *6 | 9 | *6 |
| 996.3 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 996.4 | 115 | 45 | 70 | * | 11 | 38 | 65 | 25 | 28 | 44 | 19 |
| 996.5 | 22 | 10 | 11 | * | * | 9 | *7 | * | * | *7 | *5 |
| 996.59 | 15 | *8 | *7 | * | * | *5 | *5 | * | * | * | * |
| 996.6 | 274 | 137 | 137 | 17 | 47 | 92 | 119 | 58 | 55 | 103 | 59 |
| 996.61 | 13 | *8 | *5 | * | * | * | *6 | * | * | * | * |
| 996.62 | 133 | 65 | 69 | 13 | 28 | 45 | 47 | 28 | 27 | 51 | 28 |
| 996.63 | *7 | * | * | * | * | * | * | * | * | * | * |
| 996.64 | 29 | 16 | 13 | — | * | * | 23 | *6 | * | 13 | *6 |
| 996.65 | *7 | * | * | — | * | * | * | * | * | * | * |
| 996.66 | 39 | 21 | 18 | * | * | 13 | 24 | *6 | 12 | 13 | *8 |
| 996.67 | 18 | 9 | *9 | * | * | *7 | *6 | * | * | *7 | * |
| 996.68 | *8 | * | * | * | * | * | * | * | * | * | * |
| 996.69 | 19 | *8 | 11 | * | * | *7 | *8 | *5 | * | *8 | * |
| 996.7 | 253 | 132 | 121 | *6 | 34 | 91 | 123 | 47 | 43 | 99 | 64 |
| 996.71 | *5 | * | * | * | * | * | * | * | * | * | * |
| 996.72 | 45 | 30 | 15 | * | * | 19 | 23 | 11 | *8 | 17 | 9 |
| 996.73 | 69 | 34 | 35 | * | *9 | 29 | 30 | *9 | 10 | 24 | 26 |
| 996.74 | 53 | 25 | 28 | * | * | 18 | 28 | 14 | *9 | 23 | *8 |
| 996.76 | 21 | 14 | *7 | * | *5 | * | 11 | * | * | *8 | *5 |
| 996.77 | 22 | 11 | 11 | — | * | *6 | 15 | * | * | *8 | *6 |
| 996.78 | 22 | *8 | 13 | * | *7 | *8 | *7 | * | * | 10 | * |
| 996.79 | 10 | * | *6 | * | * | * | * | * | * | *5 | * |
| 996.8 | 62 | 34 | 27 | * | 23 | 29 | *6 | 12 | *6 | 35 | *8 |
| 996.81 | 40 | 22 | 17 | * | 15 | 18 | * | *8 | *6 | 22 | * |
| 996.82 | *7 | * | * | * | * | * | * | * | * | * | * |
| 996.85 | *6 | * | * | * | * | * | — | * | * | * | * |
| 997 | 548 | 278 | 270 | 17 | 83 | 166 | 282 | 135 | 119 | 181 | 113 |
| 997.0 | 30 | 14 | 16 | * | *6 | 10 | 14 | *6 | *8 | 9 | *7 |
| 997.02 | 15 | *8 | *7 | * | * | * | *9 | * | * | * | * |
| 997.09 | 12 | *5 | *7 | * | * | *6 | * | * | * | * | * |
| 997.1 | 111 | 60 | 51 | * | 9 | 29 | 70 | 30 | 24 | 33 | 25 |
| 997.2 | 23 | 10 | 13 | * | * | *8 | 12 | *6 | *6 | *6 | * |
| 997.3 | 99 | 46 | 53 | *5 | 13 | 33 | 48 | 23 | 20 | 36 | 20 |
| 997.4 | 175 | 82 | 93 | *6 | 42 | 51 | 76 | 39 | 40 | 61 | 35 |
| 997.5 | 66 | 40 | 26 | * | *8 | 19 | 38 | 18 | 12 | 20 | 15 |
| 997.6 | 33 | 20 | 13 | * | * | 11 | 18 | 9 | *6 | 12 | *5 |
| 997.62 | 22 | 15 | *7 | — | * | *9 | 12 | *5 | * | *8 | * |
| 997.69 | 10 | * | * | * | * | * | *6 | * | * | * | * |
| 997.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 998 | 784 | 357 | 428 | 24 | 171 | 281 | 308 | 170 | 171 | 268 | 174 |
| 998.0 | *8 | * | *5 | * | * | * | *5 | * | * | * | * |
| 998.1 | 256 | 127 | 130 | *7 | 48 | 84 | 118 | 61 | 55 | 83 | 57 |
| 998.11 | 131 | 71 | 60 | *5 | 21 | 45 | 61 | 31 | 22 | 45 | 33 |
| 998.12 | 110 | 49 | 60 | * | 23 | 34 | 52 | 25 | 29 | 34 | 22 |
| 998.13 | 15 | *6 | *9 | * | * | *5 | * | * | * | * | * |
| 998.2 | 95 | 35 | 60 | * | 23 | 30 | 39 | 20 | 20 | 32 | 23 |
| 998.3 | 63 | 33 | 30 | * | 14 | 27 | 21 | *9 | 12 | 25 | 18 |
| 998.31 | 15 | *7 | *8 | * | *7 | * | * | * | * | * | * |
| 998.32 | 49 | 27 | 22 | * | *7 | 22 | 18 | *6 | 9 | 20 | 13 |
| 998.5 | 227 | 102 | 125 | *8 | 53 | 86 | 79 | 48 | 53 | 77 | 49 |
| 998.51 | 9 | * | *8 | * | * | * | * | * | * | * | * |
| 998.59 | 218 | 100 | 118 | *8 | 50 | 83 | 77 | 47 | 49 | 75 | 47 |
| 998.6 | 19 | 11 | *8 | * | *5 | *8 | *6 | *6 | * | *6 | *5 |
| 998.8 | 106 | 41 | 64 | * | 25 | 41 | 37 | 25 | 25 | 39 | 18 |
| 998.83 | 19 | *8 | 11 | * | * | *9 | * | * | * | 9 | * |
| 998.89 | 83 | 32 | 51 | * | 20 | 31 | 30 | 19 | 20 | 29 | 15 |
| 998.9 | *6 | * | * | — | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| 999 | 43 | 18 | 25 | * | 9 | 13 | 18 | 11 | *8 | 15 | *8 |
| 999.2 | 15 | *7 | *8 | * | * | *5 | *6 | * | * | *6 | * |
| 999.3 | 9 | * | * | * | * | * | * | * | * | * | * |
| 999.8 | 10 | * | *7 | * | * | * | *5 | * | * | * | * |
| 999.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| V01-V83 | 14,069 | 4,298 | 9,771 | 416 | 6,600 | 2,645 | 4,409 | 2,719 | 3,167 | 5,187 | 2,997 |
| V01 | *7 | * | * | * | * | * | * | * | * | * | * |
| V02 | 546 | 23 | 523 | * | 516 | 22 | *6 | 102 | 108 | 213 | 123 |
| V02.5 | 511 | * | 506 | * | 502 | * | * | 80 | 106 | 206 | 119 |
| V02.51 | 498 | * | 498 | * | 496 | * | — | 77 | 105 | 200 | 116 |
| V02.59 | 11 | * | *6 | * | * | * | * | * | * | *6 | * |
| V02.6 | 33 | 18 | 14 | * | 12 | 17 | * | 22 | * | *6 | * |
| V02.61 | *6 | * | * | — | * | * | * | * | * | * | * |
| V02.62 | 26 | 15 | 10 | * | *8 | 15 | * | 19 | * | * | * |
| V03 | 20 | 10 | 10 | * | * | *7 | 9 | * | * | * | *8 |
| V03.8 | 19 | 9 | 10 | * | * | *6 | 9 | * | * | * | *8 |
| V03.82 | 19 | 9 | 10 | * | * | *6 | 9 | * | * | * | *8 |
| V04 | 25 | * | 21 | * | 14 | * | *6 | *9 | * | *9 | * |
| V04.3 | 10 | — | 10 | — | 10 | * | — | * | * | * | * |
| V04.8 | 15 | * | 10 | * | * | * | *6 | *6 | * | * | * |
| V04.81 | 14 | * | 10 | * | * | * | *6 | *6 | * | * | * |
| V05 | 10 | * | *7 | *5 | * | * | * | * | * | * | * |
| V05.3 | *8 | * | *5 | *5 | * | * | * | * | * | * | * |
| V06 | 14 | * | 9 | * | 9 | * | * | * | * | * | * |
| V06.4 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| V07 | 52 | * | 47 | * | 40 | *6 | * | 11 | *9 | 18 | 14 |
| V07.2 | 35 | * | 35 | * | 34 | * | * | *8 | *7 | *8 | 11 |
| V07.4 | *7 | — | *7 | * | * | * | * | * | * | * | * |
| V07.8 | *7 | * | * | * | * | * | * | * | * | * | * |
| V08 | 60 | 35 | 25 | * | 30 | 27 | * | 29 | * | 25 | * |
| V09 | 166 | 94 | 72 | 26 | 51 | 39 | 49 | 31 | 34 | 69 | 33 |
| V09.0 | 159 | 92 | 67 | 26 | 51 | 38 | 44 | 28 | 32 | 67 | 31 |
| V10 | 936 | 407 | 529 | * | 60 | 263 | 610 | 242 | 225 | 292 | 177 |
| V10.0 | 198 | 111 | 88 | * | *8 | 58 | 131 | 54 | 44 | 66 | 34 |
| V10.02 | 14 | *7 | *8 | — | * | * | 10 | * | * | * | *5 |
| V10.03 | *5 | * | * | — | * | * | * | * | * | * | * |
| V10.04 | 10 | *7 | * | — | * | * | *6 | * | * | * | * |
| V10.05 | 132 | 70 | 62 | — | * | 33 | 95 | 40 | 29 | 46 | 17 |
| V10.06 | 19 | 12 | *7 | — | * | *9 | 9 | * | *6 | *6 | * |
| V10.09 | 9 | *5 | * | — | * | * | * | * | * | * | * |
| V10.1 | 63 | 32 | 31 | — | * | 14 | 48 | 16 | 20 | 21 | *6 |
| V10.11 | 63 | 32 | 31 | — | * | 14 | 48 | 16 | 20 | 21 | *6 |
| V10.2 | 13 | *9 | * | — | * | * | *8 | * | * | *6 | * |
| V10.21 | 11 | *8 | * | — | * | * | *8 | * | * | *6 | * |
| V10.3 | 239 | * | 236 | — | 15 | 71 | 154 | 62 | 51 | 79 | 47 |
| V10.4 | 212 | 130 | 82 | * | 14 | 51 | 147 | 54 | 58 | 57 | 42 |
| V10.41 | 27 | — | 27 | — | *6 | 14 | *7 | *6 | *8 | 10 | * |
| V10.42 | 28 | — | 28 | — | * | 9 | 17 | *8 | *9 | *7 | * |
| V10.43 | 22 | — | 22 | — | * | 9 | 10 | * | *6 | *6 | *5 |
| V10.46 | 122 | 122 | — | * | * | 14 | 108 | 32 | 34 | 30 | 26 |
| V10.47 | *6 | *6 | — | — | * | * | * | * | * | * | * |
| V10.5 | 76 | 52 | 23 | * | * | 17 | 55 | 20 | 15 | 28 | 13 |
| V10.51 | 42 | 29 | 13 | — | * | *8 | 34 | 12 | *8 | 14 | *7 |
| V10.52 | 25 | 18 | *8 | * | * | *7 | 16 | *7 | *5 | 10 | * |
| V10.7 | 25 | 13 | 12 | * | *5 | *7 | 13 | *6 | *9 | *7 | * |
| V10.72 | *6 | * | * | * | * | * | * | * | * | * | * |
| V10.79 | 19 | 10 | *9 | * | * | * | 12 | * | *7 | *5 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| V10.8 | 103 | 53 | 50 | * | 11 | 38 | 51 | 26 | 25 | 24 | 28 |
| V10.82d | 25 | 13 | 12 | – | * | 11 | 11 | *7 | *8 | * | *6 |
| V10.83 | 36 | 22 | 14 | – | * | *9 | 27 | *8 | *9 | 10 | 10 |
| V10.85 | *9 | * | * | * | * | * | * | * | * | * | * |
| V10.87 | 16 | * | 13 | – | * | *8 | * | * | * | * | * |
| V10.89 | 11 | *5 | *5 | * | * | * | * | * | * | * | * |
| V11 | 24 | 13 | 10 | – | *9 | 12 | * | * | *6 | *7 | *7 |
| V11.3 | 12 | *9 | * | – | * | *8 | * | * | * | * | * |
| V11.8 | *5 | * | * | – | * | * | * | * | * | * | * |
| V12 | 785 | 332 | 452 | 12 | 105 | 196 | 472 | 179 | 205 | 274 | 127 |
| V12.0 | 39 | 17 | 22 | * | 16 | 11 | 11 | * | 9 | 15 | 10 |
| V12.01 | 12 | *7 | * | * | * | * | *5 | * | * | * | * |
| V12.09 | 22 | *7 | 15 | * | 13 | *5 | * | * | *6 | *9 | * |
| V12.2 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| V12.4 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| V12.49 | *5 | * | * | * | * | * | * | * | * | * | * |
| V12.5 | 589 | 239 | 351 | * | 58 | 142 | 385 | 144 | 156 | 200 | 90 |
| V12.50 | *6 | * | * | * | * | * | * | * | * | * | * |
| V12.51 | 197 | 67 | 130 | * | 36 | 58 | 102 | 47 | 59 | 63 | 29 |
| V12.59 | 382 | 167 | 215 | * | 21 | 80 | 277 | 93 | 95 | 136 | 58 |
| V12.6 | 14 | *7 | *7 | * | * | * | * | * | * | *5 | * |
| V12.7 | 120 | 62 | 58 | * | 20 | 34 | 64 | 21 | 32 | 47 | 21 |
| V12.71 | 64 | 33 | 31 | * | 11 | 18 | 34 | *9 | 14 | 28 | 13 |
| V12.72 | 32 | 19 | 13 | – | * | *8 | 20 | *6 | 12 | 11 | * |
| V12.79 | 23 | 10 | 13 | * | * | *8 | 9 | *5 | *7 | *7 | * |
| V13 | 101 | 44 | 58 | 13 | 34 | 29 | 26 | 16 | 33 | 30 | 22 |
| V13.0 | 64 | 33 | 31 | * | 20 | 23 | 19 | 11 | 22 | 18 | 13 |
| V13.01 | 52 | 30 | 22 | * | 17 | 20 | 14 | *8 | 19 | 15 | 11 |
| V13.09 | 11 | * | *7 | * | * | * | * | * | * | * | * |
| V13.2 | 9 | – | 9 | – | *8 | * | * | * | * | * | * |
| V13.29 | *7 | – | *7 | – | *6 | * | * | * | * | * | * |
| V13.6 | *7 | * | * | * | * | * | – | * | * | * | * |
| V13.69 | *6 | * | * | * | * | * | – | * | * | * | * |
| V13.7 | *7 | * | * | *7 | * | – | * | – | * | * | * |
| V13.8 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| V14 | 173 | 47 | 126 | *9 | 71 | 47 | 46 | 19 | 30 | 99 | 25 |
| V14.0 | 87 | 26 | 61 | * | 34 | 27 | 23 | 10 | 17 | 44 | 16 |
| V14.1 | 10 | * | *8 | * | *5 | * | * | * | * | * | * |
| V14.2 | 25 | * | 21 | * | 10 | *7 | *8 | * | * | 16 | * |
| V14.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| V14.5 | 13 | * | 9 | * | *6 | * | * | * | * | *8 | * |
| V14.6 | 13 | * | 10 | * | *7 | * | * | * | * | 10 | * |
| V14.8 | 16 | * | 11 | * | *6 | * | * | * | * | 10 | * |
| V15 | 998 | 536 | 462 | 37 | 237 | 374 | 350 | 202 | 224 | 356 | 216 |
| V15.0 | 36 | 12 | 24 | 10 | 13 | 10 | * | *9 | *8 | 16 | * |
| V15.05 | *5 | * | * | * | * | * | * | * | * | * | * |
| V15.07 | *6 | * | *5 | * | * | * | * | * | * | * | * |
| V15.08 | *7 | * | * | – | * | * | * | * | * | * | * |
| V15.09 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| V15.1 | 23 | 11 | 12 | 12 | *6 | * | * | *8 | * | *7 | * |
| V15.3 | 23 | 11 | 13 | * | * | 11 | *9 | * | *5 | *7 | *7 |
| V15.4 | 20 | *7 | 13 | * | 10 | * | * | * | * | *9 | * |
| V15.41 | 15 | *5 | 10 | * | *9 | * | * | * | * | *7 | * |
| V15.5 | 28 | 15 | 13 | * | 13 | *9 | * | *8 | *5 | 10 | * |
| V15.8 | 863 | 478 | 385 | *6 | 191 | 339 | 328 | 169 | 197 | 305 | 192 |
| V15.81 | 245 | 137 | 108 | * | 109 | 89 | 42 | 54 | 67 | 86 | 36 |
| V15.82 | 596 | 328 | 267 | * | 77 | 244 | 275 | 108 | 126 | 213 | 148 |
| V15.89 | 18 | 10 | *9 | * | *5 | * | *8 | *6 | * | * | *7 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| V16 | 87 | 27 | 60 | * | 31 | 34 | 19 | 10 | 22 | 35 | 19 |
| V16.0 | 22 | *8 | 13 | * | *7 | *7 | *8 | * | *7 | *7 | * |
| V16.1 | *8 | * | * | * | * | * | * | * | * | * | * |
| V16.3 | 23 | * | 21 | * | 10 | *8 | * | * | * | 13 | * |
| V16.4 | 16 | *6 | 10 | * | *7 | *6 | * | * | * | *5 | * |
| V16.41 | *6 | — | *6 | * | * | * | * | * | * | * | * |
| V16.42 | *6 | *6 | — | — | * | * | * | * | * | * | * |
| V16.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| V16.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| V17 | 223 | 123 | 100 | 18 | 61 | 103 | 41 | 42 | 60 | 84 | 38 |
| V17.1 | 12 | *6 | *6 | * | * | *5 | * | * | * | *5 | * |
| V17.3 | 138 | 79 | 59 | * | 34 | 75 | 29 | 32 | 32 | 50 | 24 |
| V17.4 | 50 | 26 | 25 | * | 17 | 20 | 10 | *6 | 16 | 20 | *8 |
| V17.5 | 12 | *7 | *5 | 11 | * | * | * | * | *6 | * | * |
| V18 | 55 | 25 | 30 | *8 | 22 | 18 | *6 | *5 | 15 | 19 | 15 |
| V18.0 | 47 | 22 | 25 | *6 | 19 | 17 | * | * | 11 | 18 | 14 |
| V19 | *8 | * | * | * | * | * | * | * | * | * | * |
| V19.8 | *5 | * | * | * | * | * | * | * | * | * | * |
| V21 | 12 | *8 | * | 11 | * | * | — | * | * | * | *6 |
| V21.3 | 11 | *8 | * | 11 | * | * | — | * | * | * | *6 |
| V21.30 | *5 | * | * | *5 | * | * | — | * | * | * | * |
| V22 | 13 | — | 13 | * | 13 | — | — | * | * | *8 | * |
| V22.1 | *5 | — | *5 | * | *5 | — | — | * | * | * | * |
| V23 | 153 | — | 153 | * | 151 | * | — | 15 | 23 | 76 | 40 |
| V23.2 | 16 | — | 16 | — | 16 | — | — | * | * | 12 | * |
| V23.4 | 16 | — | 16 | — | 16 | * | — | * | * | *6 | * |
| V23.41 | *9 | — | *9 | — | *9 | * | — | * | * | * | * |
| V23.49 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| V23.5 | *9 | — | *9 | — | *9 | — | — | * | * | * | * |
| V23.7 | 97 | — | 97 | * | 96 | * | — | *7 | 15 | 46 | 29 |
| V23.8 | *6 | — | *6 | * | *5 | * | — | * | * | * | * |
| V25 | 313 | * | 312 | — | 310 | * | — | 35 | 54 | 156 | 67 |
| V25.2 | 307 | * | 306 | — | 304 | * | — | 35 | 54 | 151 | 67 |
| V26 | 16 | * | 15 | — | 11 | * | * | * | * | 10 | * |
| V26.5 | 16 | * | 15 | — | 11 | * | * | * | * | 9 | * |
| V26.51 | 15 | — | 15 | — | 10 | * | * | * | * | *9 | * |
| V27 | 4,038 | — | 4,038 | *6 | 4,025 | *7 | — | 591 | 824 | 1,574 | 1,049 |
| V27.0 | 3,817 | — | 3,817 | *6 | 3,805 | *6 | — | 544 | 771 | 1,500 | 1,002 |
| V27.1 | 17 | — | 17 | — | 17 | — | — | * | * | *6 | *6 |
| V27.2 | 60 | — | 60 | — | 59 | * | — | 11 | *6 | 29 | 13 |
| V27.9 | 142 | — | 142 | * | 141 | * | — | 34 | 43 | 38 | 27 |
| V29 | 18 | 10 | *8 | 18 | — | — | — | * | * | 10 | * |
| V29.0 | 17 | 10 | *7 | 17 | — | — | — | * | * | 9 | * |
| V30 | *8 | * | *5 | *8 | — | — | — | * | * | * | * |
| V30.1 | *8 | * | *5 | *8 | — | — | — | * | * | * | * |
| V42 | 138 | 81 | 57 | 17 | 31 | 47 | 43 | 29 | 27 | 51 | 31 |
| V42.0 | 48 | 28 | 21 | * | 18 | 21 | *8 | *7 | 11 | 19 | 11 |
| V42.1 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| V42.2 | 31 | 18 | 13 | — | * | * | 27 | *7 | *6 | *9 | 9 |
| V42.7 | 23 | 12 | 12 | *6 | * | 12 | * | *6 | * | 9 | * |
| V42.8 | 24 | 15 | 9 | *8 | *7 | *7 | * | *7 | * | *8 | * |
| V42.81 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| V42.82 | *6 | * | * | * | * | * | * | * | * | * | * |
| V42.83 | *6 | * | * | * | * | * | * | * | * | * | * |
| V43 | 477 | 195 | 282 | * | 20 | 127 | 329 | 120 | 120 | 153 | 85 |
| V43.3 | 123 | 72 | 51 | * | 11 | 32 | 79 | 30 | 25 | 44 | 24 |
| V43.6 | 346 | 121 | 225 | * | *9 | 91 | 246 | 89 | 94 | 106 | 57 |
| V43.64 | 148 | 55 | 93 | * | *6 | 34 | 107 | 37 | 42 | 43 | 26 |
| V43.65 | 190 | 65 | 125 | * | * | 55 | 132 | 50 | 50 | 61 | 28 |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| V44 | 184 | 91 | 94 | 46 | 33 | 40 | 66 | 51 | 42 | 50 | 42 |
| V44.0 | 32 | 19 | 13 | 12 | *6 | *8 | *6 | *7 | *6 | 11 | *8 |
| V44.1 | 78 | 36 | 42 | 29 | 12 | 10 | 27 | 24 | 17 | 20 | 18 |
| V44.2 | 21 | 11 | 10 | * | *6 | *8 | *6 | * | * | *7 | *7 |
| V44.3 | 40 | 17 | 23 | * | *5 | 11 | 22 | 11 | 12 | 9 | *7 |
| V44.6 | *7 | * | * | * | * | * | * | * | * | * | * |
| V45 | 1,842 | 1,004 | 838 | 43 | 205 | 533 | 1,060 | 413 | 471 | 639 | 319 |
| V45.0 | 295 | 157 | 138 | * | 14 | 44 | 235 | 85 | 79 | 95 | 36 |
| V45.01 | 236 | 115 | 121 | * | 9 | 27 | 199 | 70 | 60 | 77 | 29 |
| V45.02 | 52 | 37 | 15 | * | * | 16 | 32 | 14 | 16 | 17 | *5 |
| V45.09 | *5 | * | * | — | * | * | * | * | * | * | * |
| V45.1 | 118 | 64 | 53 | * | 21 | 45 | 50 | 18 | 30 | 42 | 28 |
| V45.2 | 34 | 21 | 13 | 18 | *8 | * | * | *7 | *7 | 11 | *8 |
| V45.3 | 49 | 10 | 39 | * | 21 | 24 | * | *9 | 14 | 16 | 10 |
| V45.4 | 54 | 24 | 30 | * | 11 | 25 | 17 | *8 | 13 | 20 | 14 |
| V45.6 | 10 | *5 | * | * | * | * | *9 | * | * | * | * |
| V45.61 | 9 | * | * | * | * | * | *9 | * | * | * | * |
| V45.7 | 203 | 55 | 148 | * | 47 | 76 | 77 | 30 | 55 | 79 | 39 |
| V45.71 | 37 | * | 36 | — | *7 | 14 | 16 | *5 | *9 | 14 | *9 |
| V45.72 | 20 | 11 | 9 | * | *5 | *6 | *7 | * | *6 | *6 | * |
| V45.73 | 26 | 14 | 12 | * | *6 | *7 | 13 | * | *6 | 12 | * |
| V45.76 | 11 | * | *7 | * | * | * | *6 | * | * | * | * |
| V45.77 | 59 | * | 54 | — | 13 | 28 | 17 | *6 | 18 | 24 | 11 |
| V45.79 | 42 | 15 | 27 | * | 14 | 13 | 14 | *8 | 11 | 14 | *9 |
| V45.8 | 1,079 | 668 | 412 | 18 | 83 | 315 | 663 | 254 | 269 | 374 | 182 |
| V45.81 | 517 | 348 | 168 | — | *8 | 126 | 383 | 139 | 120 | 185 | 73 |
| V45.82 | 371 | 236 | 134 | — | 18 | 137 | 215 | 80 | 102 | 119 | 70 |
| V45.89 | 189 | 82 | 107 | 18 | 55 | 51 | 65 | 35 | 47 | 68 | 39 |
| V46 | 85 | 37 | 48 | *8 | *7 | 19 | 53 | 17 | 22 | 27 | 19 |
| V46.1 | 22 | 11 | 11 | * | * | * | *9 | *5 | *7 | *6 | * |
| V46.11 | 22 | 11 | 11 | * | * | * | *9 | *5 | *7 | *6 | * |
| V46.2 | 64 | 26 | 37 | * | * | 15 | 44 | 12 | 15 | 21 | 16 |
| V49 | 82 | 45 | 37 | * | 12 | 33 | 36 | 20 | 25 | 28 | 9 |
| V49.6 | *5 | * | * | — | * | * | * | * | * | * | * |
| V49.7 | 65 | 38 | 28 | * | *9 | 23 | 33 | 16 | 18 | 24 | *7 |
| V49.72 | *7 | * | * | * | * | * | * | * | * | * | * |
| V49.75 | 31 | 15 | 16 | * | * | 12 | 14 | *6 | 10 | 11 | * |
| V49.76 | 20 | 14 | *6 | * | * | *6 | 12 | *6 | * | *9 | * |
| V49.8 | 11 | * | *9 | * | * | *8 | * | * | * | * | * |
| V49.81 | *6 | — | *6 | — | * | * | * | * | * | * | * |
| V50 | 13 | * | *8 | * | * | * | * | * | * | *5 | * |
| V50.4 | *6 | * | *6 | — | * | * | * | * | * | * | * |
| V53 | 31 | 17 | 13 | * | * | *5 | 23 | *6 | *9 | *8 | *8 |
| V53.3 | 25 | 15 | 10 | * | * | * | 21 | * | *8 | *5 | *7 |
| V53.31 | 17 | *9 | *8 | — | * | * | 16 | * | *6 | * | * |
| V53.32 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| V54 | 155 | 50 | 106 | * | 18 | 28 | 106 | 31 | 38 | 43 | 43 |
| V54.0 | *9 | * | *6 | * | * | * | * | * | * | * | * |
| V54.01 | *6 | * | * | * | * | * | * | * | * | * | * |
| V54.1 | 75 | 22 | 53 | * | 13 | 11 | 51 | 11 | 20 | 21 | 22 |
| V54.11 | *9 | * | *7 | — | * | * | *8 | * | * | * | * |
| V54.13 | 22 | *6 | 15 | * | * | * | 19 | * | *6 | *8 | * |
| V54.15 | *5 | * | * | * | * | * | * | * | * | * | * |
| V54.16 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| V54.17 | *7 | * | *5 | — | * | * | * | * | * | * | * |
| V54.19 | 20 | *7 | 13 | * | *5 | * | 10 | * | *5 | *5 | *6 |
| V54.8 | 68 | 23 | 45 | * | * | 15 | 50 | 18 | 16 | 19 | 16 |
| V54.81 | 52 | 18 | 34 | — | * | 12 | 40 | 15 | 11 | 14 | 12 |
| V54.89 | 16 | *5 | 10 | * | * | * | 10 | * | * | * | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see “Methods” section]

| ICD–9–CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15–44 years | 45–64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| V55 | 48 | 24 | 24 | *6 | *9 | 18 | 15 | 11 | 10 | 17 | 9 |
| V55.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| V55.2 | 12 | * | *8 | * | * | * | * | * | * | * | * |
| V55.3 | 21 | 11 | 10 | * | * | *8 | *8 | * | *6 | *8 | * |
| V56 | 116 | 62 | 54 | * | 22 | 56 | 38 | 17 | 10 | 47 | 41 |
| V56.0 | 109 | 60 | 50 | * | 18 | 54 | 37 | 17 | 10 | 43 | 40 |
| V56.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| V57 | 567 | 229 | 338 | * | 46 | 105 | 411 | 116 | 136 | 207 | 107 |
| V57.1 | 118 | 51 | 67 | * | 11 | 19 | 86 | 27 | 14 | 54 | 23 |
| V57.2 | 22 | *7 | 15 | * | * | * | 13 | *6 | *5 | 10 | * |
| V57.21 | 22 | *7 | 15 | * | * | * | 13 | *6 | *5 | 10 | * |
| V57.8 | 423 | 170 | 253 | * | 31 | 81 | 308 | 83 | 117 | 141 | 82 |
| V57.89 | 423 | 170 | 253 | * | 31 | 81 | 308 | 83 | 117 | 141 | 82 |
| V58 | 977 | 467 | 510 | 51 | 160 | 300 | 466 | 213 | 239 | 345 | 179 |
| V58.0 | 20 | 11 | *9 | * | * | *7 | *8 | * | * | 10 | *6 |
| V58.1 | 159 | 91 | 68 | 37 | 29 | 56 | 36 | 38 | 21 | 72 | 27 |
| V58.4 | 17 | *5 | 12 | * | * | * | 9 | *6 | * | *6 | * |
| V58.49 | 11 | * | *8 | * | * | * | *6 | * | * | * | * |
| V58.6 | 735 | 339 | 396 | 9 | 118 | 224 | 384 | 160 | 196 | 246 | 134 |
| V58.61 | 257 | 114 | 144 | * | 20 | 63 | 174 | 55 | 68 | 84 | 51 |
| V58.62 | *6 | * | * | * | * | * | * | * | * | * | * |
| V58.63 | 14 | *8 | *6 | – | * | *6 | *6 | * | * | *8 | * |
| V58.65 | 48 | 20 | 27 | * | 9 | 16 | 20 | 10 | 17 | 11 | 10 |
| V58.66 | 111 | 65 | 47 | * | *7 | 41 | 63 | 26 | 34 | 32 | 20 |
| V58.67 | 246 | 107 | 139 | * | 69 | 80 | 94 | 58 | 58 | 88 | 43 |
| V58.69 | 49 | 23 | 26 | * | *8 | 15 | 23 | *8 | 12 | 22 | *7 |
| V58.7 | 17 | *6 | 11 | * | * | * | 11 | * | * | * | *5 |
| V58.73 | *6 | * | * | * | * | * | * | * | * | * | * |
| V58.78 | *6 | * | * | – | * | * | * | * | * | * | * |
| V58.8 | 24 | 12 | 12 | * | * | * | 15 | * | 12 | *7 | * |
| V58.83 | 9 | *6 | * | – | * | * | *7 | * | * | * | * |
| V58.89 | 12 | * | *8 | * | * | * | *8 | * | *7 | * | * |
| V59 | 9 | * | *6 | * | * | * | * | * | * | * | * |
| V59.4 | *7 | * | * | * | * | * | * | * | * | * | * |
| V60 | 62 | 41 | 21 | * | 32 | 22 | *7 | 15 | 14 | 18 | 14 |
| V60.0 | 42 | 31 | 12 | * | 24 | 16 | * | 11 | *7 | 12 | 11 |
| V60.2 | 10 | *6 | * | * | *5 | * | * | * | * | * | * |
| V61 | 51 | 15 | 36 | *9 | 34 | *7 | * | *8 | 20 | 15 | *8 |
| V61.0 | 9 | * | * | * | *6 | * | * | * | * | * | * |
| V61.1 | *8 | * | *6 | – | *6 | * | * | * | * | * | * |
| V61.10 | *8 | * | *5 | – | *6 | * | * | * | * | * | * |
| V61.2 | 14 | * | 11 | *6 | *8 | * | – | * | *5 | * | * |
| V61.20 | 11 | * | *9 | * | *7 | * | – | * | * | * | * |
| V61.5 | 9 | – | 9 | – | 9 | – | – | * | * | * | * |
| V61.8 | *6 | * | * | * | * | * | * | * | * | * | * |
| V62 | 72 | 41 | 31 | * | 46 | 19 | * | 23 | 22 | 19 | *8 |
| V62.0 | 12 | *8 | * | – | *6 | *6 | – | * | * | * | * |
| V62.8 | 46 | 24 | 22 | * | 31 | 10 | * | 15 | 17 | 11 | * |
| V62.81 | 10 | * | *6 | * | *8 | * | * | * | *7 | * | – |
| V62.89 | 32 | 17 | 15 | * | 22 | *7 | * | 12 | 9 | *9 | * |
| V64 | 128 | 54 | 74 | * | 40 | 50 | 34 | 27 | 28 | 47 | 26 |
| V64.1 | 23 | 9 | 14 | * | * | 9 | 9 | *7 | *6 | *6 | * |
| V64.2 | 19 | *8 | 11 | * | *7 | *6 | *7 | * | * | *8 | * |
| V64.3 | 19 | *9 | 10 | * | * | 9 | * | * | * | 10 | * |
| V64.4 | 65 | 27 | 38 | * | 24 | 26 | 14 | 12 | 17 | 23 | 13 |
| V64.41 | 64 | 26 | 38 | * | 24 | 25 | 14 | 12 | 17 | 23 | 12 |
| V65 | 38 | 16 | 22 | 12 | 15 | *7 | * | *5 | *6 | 21 | *5 |
| V65.2 | 10 | * | *5 | * | *7 | * | * | * | * | * | * |
| V65.3 | 24 | 11 | 14 | 11 | *6 | * | * | * | * | 15 | * |

See footnotes at end of table.

Table 47. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|---|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of all-listed diagnoses in thousands | | | | | | | | | | | |
| V66 | 41 | 21 | 20 | * | * | *6 | 31 | *5 | 13 | 15 | *7 |
| V66.7 | 37 | 18 | 19 | * | * | * | 30 | * | 12 | 14 | *6 |
| V70 | 27 | 16 | 12 | * | 14 | *6 | *5 | *5 | * | 11 | *7 |
| V70.7 | 25 | 15 | 10 | * | 12 | *5 | *5 | * | * | 10 | *6 |
| V71 | 15 | *8 | *8 | * | *5 | * | *6 | * | * | *8 | * |
| V71.4 | *5 | * | * | * | * | * | * | * | * | * | * |
| V71.8 | *7 | * | * | * | * | * | *5 | * | * | *6 | * |
| V71.89 | *7 | * | * | * | * | * | *5 | * | * | *6 | * |
| V72 | 12 | * | *8 | * | * | * | *6 | * | * | * | * |
| V72.8 | 11 | * | *7 | * | * | * | *6 | * | * | * | * |

* Figure does not meet standards of reliability or precision.

- Quantity zero.

NOTE: Estimates of 5,000-9,000 are to be used with caution; see "Methods" section.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|--------|--------|--------|----------------|-------------|-------------|-------------------|------------|---------|--------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| All codes | 44,950 | 17,991 | 26,959 | 2,203 | 14,744 | 11,910 | 16,093 | 9,689 | 9,770 | 15,962 | 9,529 |
| 00 | 194 | 115 | 79 | * | 15 | 65 | 110 | 48 | 44 | 74 | 28 |
| 00.1 | 68 | 35 | 33 | * | * | 20 | 41 | 18 | 14 | 29 | *7 |
| 00.13 | 26 | 14 | 12 | - | * | *7 | 18 | * | *7 | 13 | * |
| 00.14 | *7 | * | * | - | * | * | * | * | * | * | - |
| 00.17 | 26 | 15 | 11 | * | * | *6 | 16 | *8 | * | 10 | * |
| 00.2 | 22 | 16 | *6 | - | * | 10 | 11 | *5 | * | *8 | * |
| 00.24 | 19 | 14 | *5 | - | * | *8 | *9 | * | * | *8 | * |
| 00.3 | 12 | *8 | * | * | * | * | * | *5 | * | * | * |
| 00.39 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 00.5 | 53 | 33 | 19 | * | * | 15 | 36 | 10 | 17 | 16 | 10 |
| 00.51 | 39 | 25 | 14 | - | * | 12 | 26 | *8 | 11 | 13 | *7 |
| 00.52 | *6 | * | * | - | * | * | * | * | * | * | * |
| 00.6 | 24 | 15 | 9 | * | * | *6 | 17 | *6 | *5 | 10 | * |
| 00.61 | 13 | *8 | * | * | * | * | *9 | * | * | *5 | * |
| 00.63 | 10 | *6 | * | - | * | * | *7 | * | * | * | * |
| 00.9 | 15 | *8 | *7 | * | * | *9 | * | * | * | *8 | * |
| 00.93 | 10 | *5 | * | * | * | *6 | * | * | * | *5 | * |
| 01-05 | 1,227 | 569 | 658 | 202 | 358 | 310 | 357 | 253 | 324 | 384 | 267 |
| 01 | 158 | 98 | 60 | 22 | 35 | 46 | 55 | 31 | 31 | 47 | 50 |
| 01.0 | 11 | *6 | * | *7 | * | * | * | * | * | * | * |
| 01.02 | *8 | * | * | *6 | * | * | * | * | * | * | * |
| 01.1 | 30 | 20 | 9 | * | *8 | 11 | *9 | *5 | *8 | 9 | *7 |
| 01.13 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 01.14 | *6 | * | * | * | * | * | * | * | * | * | * |
| 01.18 | 13 | 9 | * | * | *5 | * | * | * | *6 | * | * |
| 01.2 | 20 | 12 | *8 | * | *5 | * | *7 | * | * | *5 | *8 |
| 01.24 | 12 | *7 | * | * | * | * | * | * | * | * | * |
| 01.3 | 40 | 28 | 12 | * | * | 12 | 20 | *6 | *8 | 11 | 14 |
| 01.31 | 32 | 23 | *9 | * | * | 10 | 17 | * | *7 | 9 | 12 |
| 01.39 | *8 | * | * | * | * | * | * | * | * | * | * |
| 01.5 | 56 | 31 | 25 | *5 | 16 | 17 | 17 | 14 | 9 | 16 | 17 |
| 01.51 | *8 | * | *6 | - | * | * | * | * | * | * | * |
| 01.59 | 47 | 28 | 19 | *5 | 13 | 14 | 15 | 12 | *8 | 13 | 14 |
| 02 | 132 | 68 | 63 | 30 | 36 | 34 | 32 | 27 | 29 | 41 | 34 |
| 02.0 | 22 | 11 | 10 | *5 | *6 | *7 | * | *6 | * | *7 | *6 |
| 02.06 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 02.1 | 11 | *6 | *6 | * | * | * | * | * | * | * | * |
| 02.12 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 02.2 | 30 | 14 | 15 | * | *8 | 9 | *8 | * | *7 | 9 | *9 |
| 02.3 | 30 | 17 | 13 | *7 | *7 | * | 12 | *5 | *7 | 10 | *8 |
| 02.34 | 25 | 14 | 11 | *5 | *5 | * | 11 | * | * | *9 | *7 |
| 02.4 | 25 | 14 | 10 | 10 | *8 | * | * | * | *7 | *7 | *7 |
| 02.42 | 20 | 10 | 9 | *8 | *8 | * | * | * | *5 | *7 | * |
| 02.9 | 15 | *6 | *9 | * | * | *7 | * | * | * | * | * |
| 02.93 | *6 | * | * | * | * | * | * | * | * | * | * |
| 02.94 | *7 | * | * | * | * | * | * | * | * | * | * |
| 03 | 853 | 361 | 492 | 149 | 262 | 199 | 244 | 169 | 244 | 276 | 164 |
| 03.0 | 208 | 103 | 104 | * | 25 | 72 | 109 | 45 | 43 | 70 | 50 |
| 03.09 | 202 | 101 | 102 | * | 23 | 69 | 108 | 43 | 42 | 69 | 48 |
| 03.3 | 345 | 168 | 177 | 132 | 86 | 67 | 61 | 64 | 86 | 124 | 71 |
| 03.31 | 343 | 168 | 175 | 131 | 86 | 66 | 60 | 64 | 86 | 123 | 70 |
| 03.4 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 03.5 | 31 | 15 | 16 | * | 9 | 10 | *9 | * | *5 | 14 | *7 |
| 03.53 | 13 | *8 | *5 | * | *6 | * | * | * | * | *7 | * |
| 03.59 | 16 | *7 | 9 | * | * | *6 | *5 | * | * | *7 | * |
| 03.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 03.9 | 250 | 66 | 184 | 10 | 138 | 43 | 60 | 52 | 106 | 61 | 31 |
| 03.90 | 84 | 22 | 62 | * | 48 | 15 | 19 | 21 | 30 | 22 | 10 |
| 03.91 | 91 | 15 | 76 | * | 62 | 12 | 16 | 18 | 51 | 14 | *7 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 03.92 | 52 | 23 | 29 | *7 | 11 | 11 | 24 | 9 | 17 | 17 | *9 |
| 03.95 | 17 | * | 14 | — | 14 | * | * | * | *6 | *7 | * |
| 04 | 79 | 39 | 41 | * | 24 | 28 | 26 | 26 | 17 | 19 | 17 |
| 04.0 | *7 | * | * | * | * | * | * | * | * | * | * |
| 04.3 | *5 | * | * | * | * | * | * | * | * | * | * |
| 04.4 | 19 | 9 | 9 | * | *8 | *9 | * | * | * | *6 | *6 |
| 04.43 | *8 | * | * | * | * | * | * | * | * | * | * |
| 04.49 | *7 | * | * | * | * | * | * | * | * | * | * |
| 04.8 | 38 | 15 | 23 | * | *6 | 13 | 20 | 18 | 10 | *7 | * |
| 04.81 | 36 | 14 | 22 | * | *5 | 13 | 19 | 17 | *9 | *6 | * |
| 05 | *5 | * | * | * | * | * | * | * | * | * | * |
| 06-07 | 104 | 29 | 75 | * | 27 | 47 | 27 | 22 | 20 | 36 | 25 |
| 06 | 81 | 16 | 65 | * | 20 | 38 | 22 | 18 | 17 | 26 | 21 |
| 06.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 06.2 | 23 | * | 18 | * | *5 | 11 | *6 | * | * | *8 | *6 |
| 06.3 | *9 | * | *7 | * | * | * | * | * | * | * | * |
| 06.39 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 06.4 | 25 | * | 21 | * | *8 | 13 | * | *6 | * | *8 | *7 |
| 06.8 | 9 | * | *7 | — | * | * | * | * | * | * | * |
| 06.89 | *9 | * | *7 | — | * | * | * | * | * | * | * |
| 07 | 22 | 12 | 10 | * | *7 | *8 | *6 | * | * | 10 | * |
| 07.2 | *8 | * | * | * | * | * | * | * | * | * | * |
| 07.22 | *7 | * | * | * | * | * | * | * | * | * | * |
| 07.6 | *8 | * | * | * | * | * | * | * | * | * | * |
| 08-16 | 74 | 40 | 34 | 14 | 20 | 16 | 25 | 17 | 12 | 25 | 19 |
| 08 | 30 | 18 | 12 | *5 | 11 | *7 | *7 | *7 | *6 | 10 | *7 |
| 08.8 | 17 | 11 | *6 | * | *8 | * | * | * | * | * | * |
| 08.81 | 14 | 10 | * | * | *7 | * | * | * | * | * | * |
| 13 | *7 | * | * | * | * | * | * | * | * | * | * |
| 14 | 16 | *9 | *7 | * | * | * | *7 | * | * | *6 | *5 |
| 14.7 | *6 | * | * | * | * | * | * | * | * | * | * |
| 16 | *8 | * | *5 | * | * | * | * | * | * | * | * |
| 18-20 | 42 | 27 | 15 | 22 | 9 | * | *5 | 9 | *9 | 14 | 10 |
| 18 | 18 | 13 | * | *7 | * | * | * | * | * | *8 | *6 |
| 18.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 18.29 | *5 | * | * | * | * | * | * | * | * | * | * |
| 20 | 21 | 12 | 9 | 15 | * | * | * | *6 | *6 | *5 | * |
| 20.0 | 16 | *8 | *7 | 14 | * | * | * | * | * | * | * |
| 20.01 | 13 | *7 | *6 | 11 | * | * | * | * | * | * | * |
| 21-29 | 302 | 181 | 121 | 64 | 91 | 72 | 75 | 66 | 42 | 116 | 77 |
| 21 | 67 | 38 | 29 | *6 | 15 | 19 | 27 | 15 | 12 | 26 | 14 |
| 21.0 | 32 | 14 | 18 | * | * | *9 | 20 | *9 | *6 | 10 | *7 |
| 21.01 | 14 | *5 | *8 | * | * | * | *8 | * | * | * | * |
| 21.02 | *6 | * | * | — | * | * | * | * | * | * | * |
| 21.03 | 11 | *5 | *5 | * | * | * | *7 | * | * | * | * |
| 21.6 | *6 | * | * | * | * | * | * | * | * | * | * |
| 21.8 | 18 | 13 | *5 | * | *7 | *6 | * | * | * | *7 | * |
| 21.81 | *6 | * | * | * | * | * | * | * | * | * | * |
| 21.88 | *6 | * | * | * | * | * | * | * | * | * | * |
| 22 | 30 | 17 | 14 | *5 | 10 | *8 | *8 | *7 | * | 13 | *6 |
| 22.6 | 15 | *7 | *8 | * | * | * | * | * | * | *6 | * |
| 22.62 | *5 | * | * | * | * | * | * | * | * | * | * |
| 22.63 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 23 | 26 | 14 | 12 | *5 | 11 | *5 | * | *7 | * | *9 | *6 |
| 23.0 | 12 | *6 | *6 | * | *5 | * | * | * | * | * | * |
| 23.09 | 11 | *5 | *6 | * | *5 | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 23.1 | 13 | *7 | *6 | * | *5 | * | * | * | * | * | * |
| 23.19 | 12 | *6 | *6 | * | * | * | * | * | * | * | * |
| 24 | *8 | * | * | * | * | * | * | * | * | * | * |
| 25 | 13 | 10 | * | * | * | * | *5 | * | * | * | * |
| 25.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 26 | 11 | *5 | *6 | * | * | *5 | * | * | * | * | * |
| 26.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 27 | 70 | 43 | 28 | 22 | 23 | 10 | 15 | 11 | *9 | 31 | 20 |
| 27.0 | 11 | * | *7 | * | *6 | * | * | * | * | *6 | * |
| 27.4 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 27.5 | 29 | 16 | 13 | 9 | *9 | * | *9 | * | * | 11 | 11 |
| 27.51 | 12 | *8 | * | * | *6 | * | * | * | * | *5 | * |
| 27.54 | *7 | * | * | *7 | * | — | — | * | * | * | * |
| 27.6 | 18 | 13 | * | *9 | *5 | * | * | * | * | *7 | *5 |
| 27.62 | *7 | * | * | *6 | * | — | — | * | * | * | * |
| 27.69 | *8 | *7 | * | * | * | * | * | * | * | * | * |
| 28 | 44 | 26 | 18 | 19 | 19 | * | * | 11 | *8 | 17 | *8 |
| 28.0 | 12 | *7 | *5 | * | *7 | * | * | * | * | * | * |
| 28.2 | 14 | 9 | *5 | * | 10 | * | * | * | * | *5 | * |
| 28.3 | 12 | *8 | * | 10 | * | * | — | * | * | *5 | * |
| 29 | 32 | 25 | *7 | * | *6 | 15 | *7 | *7 | * | 10 | 13 |
| 29.1 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 29.11 | *7 | * | * | * | * | * | * | * | * | * | * |
| 29.3 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 29.4 | 11 | *9 | * | * | * | *6 | * | * | * | * | * |
| 30-34 | 1,118 | 617 | 501 | 64 | 168 | 370 | 516 | 248 | 230 | 410 | 231 |
| 30 | 10 | *6 | * | * | * | *7 | * | * | * | * | * |
| 31 | 168 | 97 | 72 | 24 | 30 | 51 | 62 | 41 | 31 | 62 | 35 |
| 31.1 | 88 | 53 | 35 | * | 19 | 30 | 34 | 16 | 16 | 39 | 17 |
| 31.2 | 14 | *8 | *6 | * | * | * | *7 | * | * | * | *5 |
| 31.29 | 14 | *8 | *6 | * | * | * | *7 | * | * | * | *5 |
| 31.4 | 54 | 29 | 25 | 15 | *7 | 14 | 19 | 17 | 11 | 16 | 10 |
| 31.42 | 47 | 24 | 22 | 15 | *6 | 10 | 16 | 15 | 10 | 13 | *9 |
| 31.43 | *5 | * | * | — | * | * | * | * | * | * | * |
| 31.7 | *5 | * | * | * | * | * | * | * | * | * | * |
| 32 | 76 | 41 | 35 | * | 11 | 28 | 35 | 18 | 18 | 26 | 14 |
| 32.2 | 37 | 21 | 16 | * | *8 | 15 | 14 | 10 | 10 | 11 | *6 |
| 32.29 | 34 | 18 | 16 | * | *6 | 14 | 12 | *9 | *9 | 11 | *5 |
| 32.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 32.4 | 27 | 12 | 15 | * | * | 9 | 15 | *6 | *5 | 11 | * |
| 33 | 357 | 194 | 163 | 20 | 47 | 122 | 167 | 71 | 74 | 125 | 86 |
| 33.1 | *5 | * | * | — | * | * | * | — | * | * | * |
| 33.2 | 341 | 184 | 156 | 19 | 42 | 117 | 163 | 70 | 70 | 118 | 84 |
| 33.21 | *5 | * | * | * | * | * | * | * | * | * | * |
| 33.22 | 49 | 28 | 22 | * | *5 | 15 | 27 | 11 | 11 | 14 | 14 |
| 33.23 | 38 | 22 | 16 | *7 | *5 | 12 | 13 | 10 | *8 | 12 | *8 |
| 33.24 | 147 | 76 | 71 | *7 | 20 | 48 | 73 | 31 | 29 | 50 | 37 |
| 33.26 | 36 | 19 | 17 | * | *5 | 11 | 19 | * | *6 | 13 | 13 |
| 33.27 | 44 | 24 | 20 | * | * | 20 | 20 | 10 | 11 | 18 | *6 |
| 33.28 | 20 | 12 | *8 | * | * | 10 | *8 | * | * | 9 | *5 |
| 33.3 | *6 | * | * | * | * | * | * | * | * | * | * |
| 34 | 508 | 280 | 229 | 16 | 80 | 162 | 250 | 117 | 106 | 194 | 92 |
| 34.0 | 190 | 110 | 80 | *9 | 47 | 61 | 72 | 44 | 38 | 74 | 33 |
| 34.03 | 10 | *8 | * | * | * | *6 | * | * | * | * | * |
| 34.04 | 133 | 76 | 57 | *7 | 33 | 40 | 53 | 35 | 27 | 51 | 20 |
| 34.09 | 40 | 22 | 18 | * | 11 | 13 | 14 | *7 | *8 | 15 | 10 |
| 34.2 | 56 | 29 | 26 | * | *7 | 20 | 27 | 15 | 13 | 20 | *8 |
| 34.21 | 22 | 13 | 9 | * | * | *9 | *9 | *7 | *6 | *7 | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 34.22 | 15 | *7 | *8 | — | * | * | *8 | * | * | * | * |
| 34.24 | 9 | *6 | * | — | * | * | *6 | * | * | * | * |
| 34.25 | *5 | * | * | * | * | * | * | * | * | * | * |
| 34.5 | 26 | 19 | *7 | * | * | 11 | *9 | *6 | * | 13 | * |
| 34.51 | 21 | 15 | *6 | * | * | 9 | *6 | * | * | 10 | * |
| 34.6 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 34.7 | 11 | *8 | * | * | * | * | * | * | * | * | * |
| 34.79 | *7 | * | * | * | * | * | * | * | * | * | * |
| 34.9 | 206 | 102 | 105 | * | 14 | 60 | 131 | 46 | 46 | 76 | 39 |
| 34.91 | 183 | 92 | 91 | * | 12 | 51 | 119 | 39 | 39 | 68 | 37 |
| 34.92 | 22 | *9 | 13 | * | * | *8 | 12 | *6 | *6 | *8 | * |
| 35-39 | 6,989 | 4,062 | 2,927 | 200 | 655 | 2,524 | 3,609 | 1,340 | 1,550 | 2,608 | 1,491 |
| 35 | 147 | 81 | 66 | 26 | 13 | 39 | 68 | 39 | 29 | 47 | 32 |
| 35.1 | 25 | 12 | 13 | * | * | 10 | 10 | *6 | *5 | 10 | * |
| 35.12 | 16 | 9 | *7 | * | * | *6 | *8 | * | * | *5 | * |
| 35. | 81 | 45 | 36 | * | *6 | 25 | 48 | 18 | 17 | 24 | 22 |
| 35.21 | 30 | 17 | 13 | * | * | * | 23 | *8 | *7 | *6 | 9 |
| 35.22 | 26 | 16 | 10 | — | * | 12 | 13 | * | *5 | *9 | *7 |
| 35.23 | 10 | * | *5 | * | * | * | *7 | * | * | * | * |
| 35.24 | 12 | *5 | *7 | * | * | *5 | * | * | * | * | * |
| 35.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 35.33 | *6 | * | * | * | * | * | * | * | * | * | * |
| 35.5 | *5 | * | * | * | * | * | * | * | * | * | * |
| 35.6 | *7 | * | * | * | * | * | * | * | * | * | * |
| 35.7 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 35.71 | *7 | * | * | * | * | * | * | * | * | * | * |
| 35.9 | *8 | * | * | *5 | * | * | * | * | * | * | * |
| 36 | 1,742 | 1,200 | 542 | * | 84 | 751 | 905 | 305 | 471 | 600 | 366 |
| 36.0 | 1,271 | 874 | 397 | * | 69 | 563 | 639 | 226 | 358 | 425 | 262 |
| 36.01 | 547 | 376 | 171 | * | 31 | 239 | 277 | 102 | 157 | 183 | 105 |
| 36.02 | 12 | *8 | * | — | * | *6 | *6 | * | * | * | * |
| 36.05 | 86 | 59 | 27 | — | * | 40 | 43 | 15 | 24 | 26 | 22 |
| 36.06 | 86 | 61 | 25 | * | * | 33 | 48 | 15 | 19 | 30 | 22 |
| 36.07 | 534 | 368 | 167 | * | 29 | 241 | 263 | 90 | 157 | 178 | 109 |
| 36.1 | 466 | 321 | 144 | * | 15 | 187 | 264 | 77 | 111 | 174 | 103 |
| 36.11 | 45 | 27 | 18 | — | * | 15 | 28 | *9 | 12 | 15 | 9 |
| 36.12 | 93 | 60 | 33 | — | * | 38 | 53 | 16 | 17 | 35 | 25 |
| 36.13 | 70 | 50 | 20 | * | * | 31 | 38 | 11 | 22 | 27 | 11 |
| 36.14 | 39 | 31 | *7 | — | * | 13 | 23 | * | *8 | 14 | 12 |
| 36.15 | 206 | 142 | 64 | * | *6 | 83 | 116 | 34 | 50 | 77 | 45 |
| 36.16 | *8 | *7 | * | — | * | * | * | * | * | * | * |
| 37 | 1,936 | 1,155 | 781 | 20 | 136 | 676 | 1,103 | 395 | 449 | 700 | 391 |
| 37.0 | 13 | *7 | *7 | * | * | *5 | *5 | * | * | *6 | * |
| 37.1 | 15 | 10 | *6 | * | * | *6 | *6 | * | * | *6 | * |
| 37.12 | 14 | *9 | *5 | * | * | *6 | *5 | * | * | *5 | * |
| 37.2 | 1,322 | 808 | 513 | 11 | 104 | 548 | 659 | 238 | 316 | 509 | 259 |
| 37.21 | 19 | 10 | 9 | * | * | *8 | *8 | *5 | * | *8 | * |
| 37.22 | 1,071 | 670 | 401 | * | 77 | 464 | 530 | 175 | 263 | 420 | 212 |
| 37.23 | 119 | 63 | 57 | *8 | *7 | 37 | 67 | 29 | 23 | 40 | 27 |
| 37.26 | 69 | 41 | 28 | * | *9 | 25 | 34 | 19 | 16 | 26 | *8 |
| 37.27 | 24 | 14 | 10 | * | *6 | *8 | 9 | *6 | *6 | *8 | * |
| 37.29 | *8 | * | * | * | * | * | *5 | * | * | * | * |
| 37.3 | 65 | 36 | 29 | * | 10 | 19 | 35 | 16 | 16 | 23 | 10 |
| 37.33 | 16 | 9 | *7 | * | * | * | 9 | * | * | *7 | * |
| 37.34 | 46 | 25 | 21 | * | *8 | 13 | 24 | 12 | 12 | 15 | *8 |
| 37.6 | 42 | 26 | 16 | — | * | 18 | 22 | *8 | 11 | 13 | 10 |
| 37.61 | 40 | 25 | 15 | — | * | 16 | 22 | *7 | 11 | 13 | 9 |
| 37.7 | 203 | 107 | 97 | * | *5 | 25 | 170 | 57 | 39 | 59 | 49 |
| 37.71 | 29 | 14 | 15 | * | * | * | 27 | *9 | *6 | 10 | *5 |
| 37.72 | 118 | 60 | 58 | * | * | 14 | 101 | 34 | 24 | 34 | 26 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 37.75 | *8 | *5 | * | * | * | * | *7 | * | * | * | * |
| 37.76 | *9 | * | * | * | * | * | *7 | * | * | * | * |
| 37.78 | 22 | 13 | *9 | * | * | * | 17 | * | * | *5 | *8 |
| 37.8 | 180 | 93 | 87 | * | * | 19 | 155 | 51 | 35 | 55 | 40 |
| 37.81 | 14 | *7 | *7 | — | * | * | 13 | * | * | *6 | * |
| 37.82 | 14 | *6 | *8 | * | * | * | 13 | * | * | * | * |
| 37.83 | 123 | 63 | 59 | * | * | 14 | 105 | 36 | 23 | 37 | 26 |
| 37.87 | 16 | *8 | *7 | * | * | * | 13 | * | * | * | * |
| 37.89 | *6 | * | * | * | * | * | * | * | * | * | * |
| 37.9 | 92 | 68 | 24 | * | *8 | 35 | 50 | 19 | 28 | 29 | 16 |
| 37.94 | 70 | 50 | 19 | * | *5 | 28 | 37 | 15 | 21 | 21 | 12 |
| 37.98 | 9 | *7 | * | * | * | * | *6 | * | * | * | * |
| 37.99 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 38 | 1,807 | 873 | 933 | 123 | 271 | 553 | 860 | 350 | 334 | 743 | 381 |
| 38.0 | 27 | 15 | 12 | * | * | *9 | 16 | *7 | *6 | 10 | *5 |
| 38.08 | 17 | 9 | *8 | * | * | *6 | 10 | * | * | *6 | * |
| 38.1 | 127 | 75 | 52 | — | * | 32 | 95 | 23 | 23 | 55 | 26 |
| 38.12 | 103 | 62 | 42 | — | * | 21 | 82 | 18 | 20 | 46 | 20 |
| 38.18 | 19 | 12 | *7 | — | * | *8 | 10 | * | * | *8 | * |
| 38.2 | *9 | * | *5 | — | * | * | *7 | * | * | * | * |
| 38.21 | *6 | * | * | — | * | * | *5 | * | * | * | * |
| 38.4 | 35 | 25 | 9 | * | * | 9 | 21 | *8 | *6 | 12 | *8 |
| 38.44 | 16 | 11 | * | — | * | * | 13 | * | * | *8 | * |
| 38.45 | 11 | *8 | * | * | * | * | * | * | * | * | * |
| 38.6 | *8 | * | * | * | * | * | * | * | * | * | * |
| 38.7 | 85 | 38 | 47 | * | 9 | 25 | 51 | 25 | 13 | 35 | 12 |
| 38.8 | 26 | 16 | 10 | 11 | *5 | *6 | * | *5 | *6 | *8 | *6 |
| 38.85 | 12 | *6 | *6 | 10 | * | * | * | * | * | * | * |
| 38.9 | 1,485 | 693 | 792 | 110 | 247 | 467 | 660 | 275 | 276 | 613 | 321 |
| 38.91 | 96 | 57 | 40 | 17 | 13 | 26 | 40 | 13 | 18 | 42 | 23 |
| 38.92 | 9 | *7 | * | 9 | — | * | * | * | * | * | * |
| 38.93 | 1,183 | 528 | 655 | 77 | 201 | 374 | 531 | 225 | 223 | 489 | 247 |
| 38.94 | *8 | * | * | * | * | * | * | * | * | * | * |
| 38.95 | 156 | 85 | 72 | * | 29 | 57 | 70 | 27 | 28 | 62 | 39 |
| 38.98 | 26 | 11 | 15 | * | * | *7 | 16 | *9 | * | 14 | * |
| 38.99 | *5 | * | * | * | * | * | * | * | * | * | * |
| 39 | 1,357 | 753 | 604 | 30 | 150 | 505 | 672 | 251 | 267 | 518 | 322 |
| 39.2 | 118 | 71 | 47 | * | *8 | 45 | 64 | 23 | 18 | 52 | 26 |
| 39.25 | 17 | 11 | *6 | * | * | *7 | 9 | * | * | *7 | * |
| 39.27 | 34 | 19 | 15 | * | *5 | 15 | 14 | *7 | * | 13 | 10 |
| 39.29 | 63 | 39 | 24 | — | * | 22 | 39 | 12 | 10 | 29 | 11 |
| 39.3 | 25 | 11 | 15 | * | 13 | * | *8 | * | 10 | *6 | *7 |
| 39.31 | 16 | *7 | 10 | * | *9 | * | *5 | * | *7 | * | * |
| 39.32 | *7 | * | * | * | * | * | * | * | * | * | * |
| 39.4 | 66 | 37 | 29 | * | *7 | 27 | 31 | *8 | 10 | 26 | 21 |
| 39.42 | 18 | 11 | *7 | — | * | 9 | *6 | * | * | *7 | *8 |
| 39.43 | *6 | * | * | — | * | * | * | * | * | * | * |
| 39.49 | 39 | 21 | 18 | * | * | 15 | 21 | *6 | *7 | 15 | 11 |
| 39.5 | 178 | 91 | 87 | * | 15 | 53 | 105 | 34 | 42 | 71 | 31 |
| 39.50 | 136 | 69 | 68 | * | *8 | 39 | 87 | 28 | 34 | 53 | 22 |
| 39.51 | *9 | * | *7 | — | * | * | * | * | * | * | * |
| 39.52 | 9 | *5 | * | — | * | * | * | * | * | * | * |
| 39.56 | *6 | * | * | * | * | * | * | * | * | * | * |
| 39.57 | *5 | * | * | * | * | * | * | * | * | * | * |
| 39.59 | *7 | * | * | * | * | * | * | * | * | * | * |
| 39.6 | 245 | 156 | 89 | 16 | 17 | 95 | 117 | 41 | 56 | 84 | 64 |
| 39.61 | 223 | 143 | 80 | 13 | 15 | 89 | 107 | 39 | 53 | 79 | 53 |
| 39.62 | *7 | * | * | * | * | * | * | — | * | * | *7 |
| 39.63 | *6 | * | * | * | * | * | * | * | * | * | * |
| 39.64 | *6 | * | * | * | * | * | * | * | * | * | * |
| 39.7 | 44 | 30 | 14 | * | * | 11 | 29 | 10 | 10 | 17 | *8 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 39.71 | 21 | 16 | *5 | — | — | * | 18 | * | *6 | *8 | * |
| 39.72 | 13 | *7 | *6 | * | * | * | * | * | * | *6 | * |
| 39.79 | 11 | *8 | * | * | * | * | *7 | * | * | * | * |
| 39.9 | 674 | 354 | 321 | * | 84 | 268 | 319 | 131 | 120 | 260 | 163 |
| 39.90 | 59 | 31 | 28 | * | * | 16 | 41 | 15 | 16 | 23 | *6 |
| 39.93 | *7 | * | * | * | * | * | * | * | * | * | * |
| 39.95 | 593 | 311 | 282 | * | 76 | 245 | 270 | 112 | 99 | 228 | 154 |
| 39.98 | 13 | *7 | *5 | * | * | * | * | * | * | *5 | * |
| 40-41 | 343 | 168 | 175 | 17 | 57 | 137 | 131 | 66 | 68 | 125 | 84 |
| 40 | 227 | 105 | 123 | * | 34 | 97 | 92 | 45 | 48 | 78 | 57 |
| 40.1 | 57 | 23 | 34 | * | *8 | 22 | 26 | 14 | 14 | 19 | 10 |
| 40.11 | 54 | 23 | 32 | * | *8 | 20 | 25 | 14 | 13 | 19 | 9 |
| 40.2 | 66 | 20 | 46 | * | 12 | 28 | 26 | 11 | 14 | 28 | 13 |
| 40.23 | 20 | * | 19 | — | * | 10 | *7 | * | * | *9 | * |
| 40.24 | *9 | * | * | * | * | * | * | * | * | * | * |
| 40.29 | 33 | 13 | 21 | * | *5 | 12 | 15 | *6 | *8 | 15 | * |
| 40.3 | 67 | 39 | 28 | * | 9 | 32 | 25 | 12 | 13 | 21 | 20 |
| 40.4 | 18 | 11 | *7 | * | * | *7 | 9 | * | * | * | *8 |
| 40.41 | 17 | 11 | *6 | * | * | *6 | *9 | * | * | * | *7 |
| 40.5 | 17 | 10 | *7 | — | * | *8 | *6 | * | * | * | *6 |
| 40.53 | *5 | * | * | — | * | * | * | * | * | * | * |
| 40.59 | *9 | *5 | * | — | * | * | * | * | * | * | * |
| 41 | 115 | 63 | 52 | 13 | 23 | 40 | 40 | 21 | 20 | 47 | 27 |
| 41.0 | *8 | * | * | * | * | * | * | * | * | * | * |
| 41.3 | 80 | 45 | 35 | 10 | 13 | 27 | 30 | 14 | 15 | 34 | 17 |
| 41.31 | 80 | 44 | 35 | 10 | 13 | 27 | 30 | 14 | 15 | 34 | 17 |
| 41.5 | 22 | 13 | 10 | * | * | *8 | *8 | * | * | *8 | *7 |
| 42-54 | 5,580 | 2,414 | 3,166 | 246 | 1,244 | 1,716 | 2,373 | 1,146 | 1,237 | 2,014 | 1,183 |
| 42 | 107 | 66 | 42 | *7 | 12 | 37 | 52 | 24 | 26 | 34 | 24 |
| 42.2 | 37 | 23 | 13 | *5 | * | 12 | 16 | 11 | *9 | 11 | *6 |
| 42.23 | 29 | 20 | 9 | * | * | 9 | 13 | 10 | *6 | *9 | * |
| 42.24 | *7 | * | * | * | * | * | * | * | * | * | * |
| 42.3 | 28 | 20 | *9 | * | * | 16 | *7 | * | *5 | *8 | 11 |
| 42.33 | 27 | 19 | *8 | * | * | 15 | *7 | * | * | *7 | 11 |
| 42.4 | *5 | * | * | * | * | * | * | * | * | * | * |
| 42.9 | 30 | 14 | 16 | * | * | *5 | 23 | *5 | *9 | 11 | * |
| 42.92 | 30 | 14 | 16 | * | * | * | 23 | *5 | *9 | 11 | * |
| 43 | 233 | 118 | 115 | 28 | 16 | 50 | 139 | 48 | 37 | 97 | 51 |
| 43.1 | 171 | 86 | 86 | 13 | 11 | 31 | 116 | 36 | 25 | 73 | 38 |
| 43.11 | 137 | 70 | 67 | * | *6 | 24 | 102 | 29 | 21 | 57 | 29 |
| 43.19 | 34 | 16 | 18 | 9 | * | *7 | 13 | *6 | * | 16 | *9 |
| 43.3 | 15 | 13 | * | 14 | — | * | * | * | * | * | * |
| 43.4 | 22 | *9 | 13 | * | * | *9 | 11 | * | * | 9 | * |
| 43.41 | 15 | *6 | 9 | — | * | * | *9 | * | * | *8 | * |
| 43.42 | *6 | * | * | * | * | * | * | * | * | * | * |
| 43.7 | *9 | * | *6 | — | * | * | * | * | * | * | * |
| 43.9 | *8 | * | * | — | * | * | * | * | * | * | * |
| 43.99 | *8 | * | * | — | * | * | * | * | * | * | * |
| 44 | 305 | 124 | 182 | 18 | 95 | 111 | 82 | 60 | 57 | 110 | 78 |
| 44.0 | *5 | * | * | * | * | * | * | * | * | * | * |
| 44.1 | 25 | *9 | 17 | * | *5 | 11 | *9 | * | *6 | 12 | * |
| 44.13 | 13 | * | 9 | * | * | *5 | * | * | * | *6 | * |
| 44.14 | 11 | * | *7 | * | * | * | *5 | * | * | * | * |
| 44.2 | 13 | *8 | *5 | * | *6 | * | * | * | * | *5 | * |
| 44.22 | *7 | * | * | — | * | * | * | * | * | * | * |
| 44.29 | *6 | * | * | * | * | * | * | * | * | * | * |
| 44.3 | 105 | 28 | 77 | * | 48 | 46 | 10 | 23 | 21 | 32 | 29 |
| 44.31 | *6 | * | *5 | — | * | * | * | * | * | * | * |
| 44.32 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 44.38 | 57 | 11 | 46 | — | 29 | 27 | * | 10 | 10 | 18 | 19 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 44.39 | 34 | 10 | 24 | * | 15 | 15 | * | 10 | *8 | 11 | *6 |
| 44.4 | 78 | 46 | 32 | * | *9 | 21 | 48 | 13 | 18 | 28 | 18 |
| 44.42 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 44.43 | 63 | 39 | 24 | * | *7 | 16 | 40 | 10 | 15 | 22 | 15 |
| 44.6 | 59 | 26 | 33 | 15 | 16 | 16 | 11 | *9 | *8 | 22 | 20 |
| 44.66 | 11 | * | *7 | *5 | * | * | * | * | * | * | * |
| 44.67 | 29 | 13 | 16 | *6 | *8 | 10 | * | *5 | * | 11 | 9 |
| 44.69 | *7 | * | * | * | * | * | * | * | * | * | *5 |
| 44.9 | 15 | * | 11 | — | *6 | *9 | * | *7 | * | *7 | * |
| 44.95 | 13 | * | 9 | — | *5 | *7 | * | *6 | * | *6 | * |
| 45 | 2,220 | 981 | 1,239 | 39 | 300 | 645 | 1,236 | 462 | 503 | 793 | 461 |
| 45.0 | *6 | * | * | * | * | * | * | * | * | * | * |
| 45.1 | 1,068 | 482 | 586 | 19 | 156 | 319 | 574 | 215 | 238 | 389 | 227 |
| 45.13 | 441 | 209 | 232 | *6 | 66 | 124 | 244 | 93 | 106 | 147 | 95 |
| 45.14 | *7 | * | * | * | * | * | * | * | * | * | * |
| 45.16 | 613 | 268 | 345 | 12 | 87 | 189 | 324 | 119 | 130 | 235 | 129 |
| 45.2 | 558 | 223 | 335 | *7 | 77 | 145 | 329 | 122 | 126 | 196 | 114 |
| 45.23 | 287 | 116 | 171 | * | 30 | 77 | 179 | 61 | 64 | 101 | 61 |
| 45.24 | 46 | 19 | 27 | * | *7 | 10 | 28 | *8 | 13 | 18 | *7 |
| 45.25 | 218 | 86 | 132 | *5 | 39 | 54 | 119 | 51 | 47 | 74 | 45 |
| 45.3 | 11 | * | *7 | * | * | * | *7 | * | * | * | * |
| 45.4 | 133 | 70 | 63 | * | *6 | 32 | 94 | 30 | 28 | 44 | 31 |
| 45.42 | 106 | 57 | 50 | * | * | 26 | 77 | 25 | 23 | 33 | 25 |
| 45.43 | 21 | 12 | 9 | — | * | *6 | 14 | * | * | *8 | *5 |
| 45.6 | 84 | 35 | 49 | * | 15 | 22 | 42 | 18 | 18 | 33 | 15 |
| 45.62 | 78 | 32 | 46 | * | 13 | 21 | 41 | 18 | 16 | 30 | 15 |
| 45.7 | 266 | 123 | 143 | * | 32 | 89 | 142 | 52 | 66 | 95 | 52 |
| 45.72 | 14 | *6 | *8 | * | * | * | *5 | * | * | *7 | * |
| 45.73 | 98 | 43 | 55 | * | 10 | 29 | 58 | 18 | 26 | 36 | 18 |
| 45.74 | 14 | *7 | *7 | * | * | *5 | *8 | * | * | * | * |
| 45.75 | 29 | 14 | 16 | * | * | 10 | 15 | *6 | *8 | 10 | *6 |
| 45.76 | 89 | 43 | 46 | * | 11 | 35 | 43 | 20 | 19 | 31 | 17 |
| 45.79 | 21 | 10 | 11 | * | * | * | 12 | * | *6 | *7 | *5 |
| 45.8 | 12 | *6 | *7 | * | * | * | *7 | * | * | * | * |
| 45.9 | 79 | 33 | 46 | * | *8 | 29 | 39 | 16 | 19 | 28 | 15 |
| 45.91 | 22 | *9 | 14 | * | * | *6 | 11 | *5 | *6 | *6 | * |
| 45.93 | 27 | 10 | 17 | * | * | 11 | 13 | * | *8 | 10 | * |
| 45.94 | 22 | 10 | 12 | * | * | *9 | 12 | * | * | *9 | * |
| 46 | 227 | 110 | 117 | 12 | 45 | 70 | 101 | 44 | 48 | 82 | 53 |
| 46.0 | 23 | 12 | 11 | * | *5 | *8 | 9 | * | * | *9 | *6 |
| 46.01 | 12 | *5 | *7 | * | * | * | * | * | * | * | * |
| 46.03 | 10 | *6 | * | * | * | * | *6 | * | * | *6 | * |
| 46.1 | 41 | 22 | 19 | * | *6 | 13 | 20 | 10 | *9 | 12 | 11 |
| 46.10 | 23 | 14 | *9 | * | * | *7 | 11 | *6 | *6 | *6 | *6 |
| 46.11 | 11 | * | *6 | * | * | * | * | * | * | * | * |
| 46.13 | *8 | * | * | * | * | * | * | * | * | * | * |
| 46.2 | 25 | 13 | 13 | * | *7 | * | 12 | * | * | 12 | * |
| 46.20 | 13 | *6 | *6 | * | * | * | *6 | * | * | *7 | * |
| 46.23 | *7 | * | * | * | * | * | *5 | * | * | * | * |
| 46.3 | 22 | 13 | 9 | * | * | *6 | 12 | * | * | 9 | *6 |
| 46.39 | 18 | 10 | *9 | * | * | *5 | 10 | * | * | *9 | * |
| 46.4 | 12 | *5 | *7 | * | * | * | *7 | * | * | * | * |
| 46.5 | 40 | 18 | 22 | * | 9 | 16 | 12 | *8 | 10 | 13 | 9 |
| 46.51 | 17 | *6 | 11 | * | * | *7 | * | * | * | *6 | * |
| 46.52 | 23 | 12 | 11 | * | * | *9 | *8 | * | *8 | *7 | * |
| 46.7 | 43 | 18 | 25 | * | 10 | 16 | 15 | *8 | 10 | 17 | *8 |
| 46.73 | 22 | *8 | 13 | * | *5 | *7 | 9 | * | * | 9 | * |
| 46.75 | *5 | * | * | * | * | * | * | * | * | * | * |
| 46.79 | *7 | * | * | * | * | * | * | * | * | * | * |
| 46.8 | 16 | *8 | *8 | * | * | * | 10 | * | * | * | * |
| 46.85 | 10 | * | *5 | * | * | * | *8 | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 47 | 383 | 192 | 191 | 84 | 187 | 76 | 36 | 74 | 92 | 120 | 97 |
| 47.0 | 341 | 178 | 163 | 80 | 170 | 65 | 27 | 67 | 79 | 104 | 91 |
| 47.01 | 172 | 83 | 89 | 37 | 90 | 36 | 9 | 29 | 37 | 56 | 51 |
| 47.09 | 169 | 95 | 74 | 42 | 80 | 29 | 18 | 38 | 42 | 49 | 40 |
| 47.1 | 40 | 14 | 27 | * | 17 | 11 | *9 | *7 | 12 | 16 | *5 |
| 47.11 | *8 | * | *5 | * | *5 | * | * | * | * | * | * |
| 47.19 | 32 | 10 | 21 | * | 12 | 10 | *7 | *6 | 9 | 12 | * |
| 48 | 154 | 74 | 80 | *8 | 31 | 41 | 74 | 34 | 32 | 59 | 29 |
| 48.2 | 62 | 31 | 32 | * | 16 | 13 | 29 | 16 | 15 | 21 | 11 |
| 48.23 | 22 | 12 | 10 | * | *6 | *7 | *9 | *6 | *6 | *7 | * |
| 48.24 | 38 | 18 | 20 | * | 10 | *6 | 19 | 10 | *9 | 12 | *7 |
| 48.3 | 24 | 11 | 13 | * | * | *6 | 16 | * | *6 | *8 | *6 |
| 48.36 | 20 | *9 | 11 | — | * | * | 13 | * | *6 | *6 | * |
| 48.5 | *7 | * | * | — | * | * | * | * | * | * | * |
| 48.6 | 35 | 14 | 21 | * | * | 11 | 20 | *8 | *6 | 14 | *7 |
| 48.63 | 23 | *9 | 14 | — | * | *8 | 14 | *5 | * | 10 | * |
| 48.69 | *8 | * | * | — | * | * | * | * | * | * | * |
| 48.7 | *6 | * | * | * | * | * | * | * | * | * | * |
| 48.8 | 15 | 10 | *5 | * | *7 | *6 | * | * | * | *8 | * |
| 48.81 | 15 | 10 | *5 | * | *6 | *6 | * | * | * | *8 | * |
| 49 | 40 | 23 | 17 | * | 14 | 12 | 12 | *8 | 12 | 12 | *8 |
| 49.0 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 49.01 | *7 | * | * | * | * | * | * | * | * | * | * |
| 49.2 | *5 | * | * | * | * | * | * | * | * | * | * |
| 49.4 | 14 | *9 | *5 | — | * | *5 | * | * | * | * | * |
| 49.46 | 11 | *7 | * | — | * | * | * | * | * | * | * |
| 49.7 | *5 | * | * | * | * | * | * | * | * | * | * |
| 50 | 118 | 59 | 59 | * | 21 | 52 | 41 | 27 | 22 | 47 | 23 |
| 50.1 | 80 | 35 | 45 | * | 14 | 33 | 29 | 19 | 18 | 28 | 15 |
| 50.11 | 50 | 23 | 27 | * | *7 | 22 | 18 | 12 | 10 | 19 | 10 |
| 50.12 | 20 | *9 | 11 | * | * | *8 | *9 | *5 | *6 | *5 | * |
| 50.19 | 9 | * | *6 | — | * | * | * | * | * | * | * |
| 50.2 | 14 | *9 | * | * | * | *7 | *5 | * | * | *6 | * |
| 50.22 | *7 | * | * | * | * | * | * | * | * | * | * |
| 50.29 | *7 | * | * | * | * | * | * | * | * | * | * |
| 50.6 | *5 | * | * | * | * | * | * | * | * | * | * |
| 50.9 | *8 | * | * | — | * | * | * | * | * | * | * |
| 50.91 | *7 | * | * | — | * | * | * | * | * | * | * |
| 51 | 649 | 244 | 405 | * | 196 | 195 | 256 | 122 | 152 | 235 | 141 |
| 51.0 | *7 | * | * | — | * | * | *5 | * | * | * | * |
| 51.1 | 53 | 23 | 30 | * | 12 | 18 | 24 | 13 | 10 | 17 | 13 |
| 51.10 | 41 | 16 | 25 | * | 10 | 15 | 15 | 11 | *7 | 13 | 9 |
| 51.14 | *8 | *5 | * | — | * | * | *6 | * | * | * | * |
| 51.2 | 398 | 143 | 256 | * | 133 | 128 | 136 | 74 | 96 | 154 | 74 |
| 51.22 | 94 | 47 | 47 | * | 18 | 33 | 42 | 18 | 26 | 33 | 17 |
| 51.23 | 303 | 94 | 208 | * | 115 | 94 | 93 | 56 | 69 | 120 | 57 |
| 51.3 | *7 | * | * | * | * | * | * | * | * | * | * |
| 51.36 | *6 | * | * | * | * | * | * | * | * | * | * |
| 51.4 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 51.5 | *7 | * | * | — | * | * | * | * | * | * | * |
| 51.8 | 158 | 58 | 99 | * | 46 | 36 | 75 | 24 | 37 | 51 | 45 |
| 51.84 | *7 | * | * | — | * | * | * | * | * | * | * |
| 51.85 | 74 | 27 | 48 | * | 22 | 17 | 35 | 11 | 18 | 26 | 20 |
| 51.87 | 37 | 15 | 22 | * | 10 | 10 | 17 | *8 | *8 | 11 | 10 |
| 51.88 | 38 | 14 | 24 | * | 13 | *7 | 19 | * | 10 | 13 | 11 |
| 51.9 | 9 | * | *5 | * | * | * | *6 | * | * | * | * |
| 51.98 | *8 | * | * | * | * | * | *6 | * | * | * | * |
| 52 | 30 | 16 | 13 | * | *7 | 12 | 11 | *6 | * | 11 | *7 |
| 52.1 | *7 | * | * | — | * | * | * | * | * | * | * |
| 52.9 | 9 | *5 | * | * | * | * | * | * | * | * | * |
| 52.93 | *6 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 53 | 251 | 112 | 138 | 13 | 48 | 98 | 92 | 59 | 60 | 84 | 47 |
| 53.0 | 38 | 33 | *5 | * | * | 10 | 19 | 9 | *7 | 14 | *8 |
| 53.00 | *5 | * | * | * | * | * | * | * | * | * | * |
| 53.03 | *9 | *8 | * | — | * | * | *5 | * | * | * | * |
| 53.04 | 9 | *8 | * | — | * | * | *6 | * | * | * | * |
| 53.05 | *8 | *6 | * | — | * | * | * | * | * | * | * |
| 53.1 | *9 | *7 | * | *5 | * | * | * | * | * | * | * |
| 53.2 | *6 | * | *5 | — | * | * | * | * | * | * | * |
| 53.4 | 46 | 22 | 25 | * | 13 | 19 | 14 | *8 | 12 | 13 | 13 |
| 53.41 | 13 | *6 | *6 | — | * | * | * | * | * | * | *6 |
| 53.49 | 34 | 15 | 18 | * | *9 | 14 | 10 | *7 | 9 | 10 | *7 |
| 53.5 | 45 | 12 | 33 | * | *8 | 19 | 17 | 14 | *8 | 17 | * |
| 53.51 | 27 | *6 | 20 | * | *5 | 12 | 10 | 10 | * | 10 | * |
| 53.59 | 18 | *5 | 13 | * | * | *7 | *7 | * | * | *7 | * |
| 53.6 | 91 | 34 | 58 | * | 18 | 42 | 32 | 18 | 27 | 31 | 15 |
| 53.61 | 71 | 26 | 45 | * | 13 | 32 | 26 | 15 | 22 | 23 | 12 |
| 53.69 | 20 | *7 | 13 | — | * | 9 | *6 | * | *5 | *8 | * |
| 53.7 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 53.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 54 | 862 | 294 | 568 | 30 | 273 | 318 | 241 | 179 | 191 | 329 | 162 |
| 54.0 | 21 | *7 | 14 | * | *7 | *7 | *6 | * | *5 | *9 | * |
| 54.1 | 57 | 26 | 31 | * | 24 | 13 | 17 | 13 | 13 | 20 | 11 |
| 54.11 | 27 | 11 | 17 | * | 12 | *6 | *7 | *6 | *6 | 11 | * |
| 54.12 | 14 | *8 | *6 | * | *6 | * | * | * | * | * | * |
| 54.19 | 16 | *7 | *8 | * | *6 | * | * | * | *5 | * | * |
| 54.2 | 109 | 33 | 76 | * | 38 | 35 | 31 | 24 | 25 | 40 | 20 |
| 54.21 | 66 | 23 | 43 | * | 29 | 20 | 15 | 13 | 17 | 24 | 12 |
| 54.23 | 16 | *5 | 11 | * | * | *6 | *7 | * | * | * | * |
| 54.24 | 10 | * | *8 | — | * | * | * | * | * | * | * |
| 54.25 | 14 | * | 13 | * | * | *5 | * | * | * | *7 | * |
| 54.3 | 13 | * | 10 | * | * | * | *6 | * | * | * | * |
| 54.4 | 58 | 13 | 44 | * | 16 | 23 | 17 | 12 | 13 | 22 | 11 |
| 54.5 | 348 | 76 | 272 | *6 | 133 | 114 | 95 | 66 | 82 | 141 | 60 |
| 54.51 | 66 | 12 | 53 | * | 26 | 25 | 14 | 12 | 22 | 22 | 9 |
| 54.59 | 283 | 64 | 219 | *6 | 107 | 89 | 82 | 54 | 60 | 118 | 51 |
| 54.6 | 11 | *6 | * | * | * | * | * | * | * | * | * |
| 54.7 | 12 | *7 | *6 | * | *6 | * | * | * | * | * | * |
| 54.72 | *5 | * | * | * | * | * | * | * | * | * | * |
| 54.9 | 232 | 123 | 109 | 11 | 42 | 116 | 63 | 52 | 44 | 87 | 49 |
| 54.91 | 168 | 94 | 74 | * | 24 | 93 | 48 | 41 | 33 | 60 | 35 |
| 54.92 | *7 | * | * | * | * | * | * | * | * | * | * |
| 54.93 | *7 | * | * | * | * | * | * | * | * | * | * |
| 54.95 | 17 | *7 | 9 | *6 | * | *5 | * | * | * | *6 | * |
| 54.98 | 31 | 13 | 18 | * | 10 | 12 | *7 | * | *6 | 14 | *6 |
| 55-59 | 999 | 466 | 533 | 36 | 236 | 314 | 413 | 241 | 183 | 399 | 175 |
| 55 | 163 | 86 | 77 | 9 | 46 | 54 | 54 | 42 | 30 | 63 | 28 |
| 55.0 | 39 | 18 | 22 | * | 12 | 13 | 14 | 10 | *7 | 15 | *8 |
| 55.03 | 26 | 13 | 14 | * | *8 | *8 | 10 | *7 | * | 11 | * |
| 55.04 | *6 | * | * | * | * | * | * | * | * | * | * |
| 55.2 | 28 | 14 | 14 | * | 10 | *9 | *8 | *8 | *6 | 12 | * |
| 55.23 | 24 | 12 | 12 | * | 9 | *8 | *6 | *6 | *5 | 12 | * |
| 55.4 | *7 | * | * | * | * | * | * | * | * | * | * |
| 55.5 | 56 | 31 | 25 | * | 12 | 21 | 22 | 11 | 11 | 21 | 14 |
| 55.51 | 54 | 30 | 25 | * | 12 | 19 | 22 | 10 | 10 | 20 | 13 |
| 55.6 | 11 | *7 | * | * | * | *6 | * | * | * | *7 | * |
| 55.69 | 11 | *7 | * | * | * | *6 | * | * | * | *7 | * |
| 55.8 | 9 | *6 | * | * | * | * | * | * | * | * | * |
| 55.87 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 55.9 | *6 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 56 | 102 | 51 | 52 | 10 | 33 | 34 | 25 | 24 | 23 | 41 | 15 |
| 56.0 | 53 | 25 | 27 | * | 22 | 21 | 10 | 12 | 11 | 23 | *6 |
| 56.3 | 18 | 11 | *6 | * | *6 | *7 | * | * | * | *8 | * |
| 56.31 | 15 | 10 | *5 | * | *6 | *6 | * | * | * | *7 | * |
| 56.5 | 11 | *7 | * | — | * | * | *8 | * | * | * | * |
| 56.51 | 10 | *7 | * | — | * | * | *7 | * | * | * | * |
| 56.7 | 15 | * | 11 | *9 | * | * | * | * | * | * | * |
| 56.74 | 12 | * | 10 | *8 | * | * | * | * | * | * | * |
| 57 | 390 | 214 | 176 | 12 | 60 | 91 | 226 | 110 | 62 | 146 | 72 |
| 57.0 | 24 | 20 | * | * | * | * | 18 | * | * | *7 | *8 |
| 57.1 | 25 | 16 | 9 | * | * | * | 15 | * | * | 13 | * |
| 57.17 | 10 | *6 | * | * | * | * | *6 | * | * | *7 | * |
| 57.18 | 12 | *7 | * | * | * | * | *7 | * | * | * | * |
| 57.3 | 143 | 68 | 75 | * | 28 | 44 | 66 | 39 | 26 | 58 | 20 |
| 57.32 | 129 | 60 | 70 | * | 27 | 41 | 57 | 36 | 25 | 51 | 18 |
| 57.33 | 12 | *8 | * | — | * | * | *8 | * | * | *6 | * |
| 57.4 | 46 | 31 | 14 | * | * | *8 | 37 | 13 | 11 | 17 | * |
| 57.49 | 46 | 31 | 14 | * | * | *8 | 37 | 13 | 11 | 17 | * |
| 57.7 | *7 | *5 | * | — | — | * | * | * | * | * | * |
| 57.71 | *7 | *5 | * | — | — | * | * | * | * | * | * |
| 57.8 | 23 | 10 | 13 | * | *8 | *5 | *7 | *5 | * | *8 | * |
| 57.81 | 10 | * | *7 | * | *6 | * | * | * | * | * | * |
| 57.83 | *5 | * | * | — | * | * | * | * | * | * | * |
| 57.9 | 114 | 60 | 54 | * | 16 | 19 | 77 | 40 | *9 | 37 | 28 |
| 57.94 | 102 | 49 | 53 | * | 15 | 17 | 66 | 37 | *7 | 32 | 26 |
| 58 | 45 | 33 | 12 | * | *7 | 9 | 28 | *8 | *9 | 24 | * |
| 58.5 | *6 | *6 | * | * | * | * | * | * | * | * | * |
| 58.6 | 25 | 18 | *7 | * | * | *6 | 15 | * | * | 14 | * |
| 59 | 299 | 82 | 216 | * | 90 | 125 | 80 | 57 | 60 | 125 | 56 |
| 59.0 | 9 | * | 9 | — | * | * | * | * | * | * | * |
| 59.02 | *6 | * | *6 | — | * | * | * | * | * | * | * |
| 59.4 | *8 | * | *7 | — | * | * | * | * | * | * | * |
| 59.5 | 22 | — | 22 | — | *7 | 12 | * | * | * | 11 | * |
| 59.7 | 81 | * | 81 | — | 20 | 37 | 24 | 11 | 16 | 31 | 23 |
| 59.79 | 80 | * | 80 | — | 20 | 36 | 24 | 10 | 16 | 31 | 23 |
| 59.8 | 168 | 77 | 92 | * | 55 | 64 | 46 | 39 | 36 | 72 | 22 |
| 59.9 | *6 | * | * | * | * | * | * | * | * | * | * |
| 60-64 | 233 | 233 | — | 23 | 15 | 64 | 131 | 47 | 53 | 77 | 56 |
| 60 | 168 | 168 | — | — | * | 53 | 113 | 35 | 38 | 50 | 44 |
| 60.1 | *6 | *6 | — | — | — | * | * | * | * | * | * |
| 60.11 | *5 | *5 | — | — | — | * | * | * | * | * | * |
| 60.2 | 92 | 92 | — | — | * | 16 | 76 | 21 | 24 | 27 | 21 |
| 60.21 | 10 | 10 | — | — | — | * | *8 | * | * | * | * |
| 60.29 | 82 | 82 | — | — | * | 14 | 68 | 19 | 21 | 25 | 17 |
| 60.5 | 56 | 56 | — | — | * | 34 | 20 | 9 | 11 | 16 | 19 |
| 60.9 | *5 | *5 | — | — | — | * | * | * | * | * | * |
| 61 | 12 | 12 | — | * | * | * | * | * | * | * | * |
| 61.0 | *8 | *8 | — | * | * | * | * | * | * | * | * |
| 62 | 10 | 10 | — | * | * | * | * | * | * | * | * |
| 63 | *8 | *8 | — | * | * | * | *5 | * | * | * | * |
| 64 | 35 | 35 | — | 19 | * | * | *6 | *8 | 9 | 13 | * |
| 64.0 | 21 | 21 | — | 19 | * | * | * | * | *8 | *7 | * |
| 64.9 | *8 | *8 | — | * | * | * | * | * | * | * | * |
| 65-71 | 1,967 | — | 1,967 | 10 | 1,145 | 613 | 200 | 276 | 408 | 888 | 395 |
| 65 | 516 | — | 516 | * | 249 | 215 | 48 | 71 | 124 | 225 | 96 |
| 65.2 | 38 | — | 38 | * | 34 | * | * | *7 | *7 | 17 | *7 |
| 65.25 | *7 | — | *7 | * | *6 | * | — | * | * | * | * |
| 65.29 | 30 | — | 30 | * | 27 | * | * | *5 | *5 | 15 | *5 |
| 65.3 | 16 | — | 16 | * | 12 | * | * | * | * | *7 | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 65.39 | 14 | — | 14 | * | 10 | * | * | * | * | *7 | * |
| 65.4 | 88 | — | 88 | * | 54 | 28 | *5 | 14 | 23 | 34 | 16 |
| 65.41 | 14 | — | 14 | * | 10 | * | * | * | * | * | * |
| 65.49 | 74 | — | 74 | * | 44 | 25 | * | 11 | 20 | 29 | 13 |
| 65.5 | *8 | — | *8 | — | * | * | * | * | * | * | * |
| 65.6 | 321 | — | 321 | * | 114 | 171 | 37 | 40 | 74 | 145 | 63 |
| 65.61 | 269 | — | 269 | * | 94 | 144 | 31 | 35 | 60 | 123 | 51 |
| 65.62 | 11 | — | 11 | — | *6 | * | * | * | * | * | * |
| 65.63 | 40 | — | 40 | — | 12 | 24 | * | * | *9 | 20 | *8 |
| 65.8 | 26 | — | 26 | * | 20 | *5 | * | * | *6 | 10 | *5 |
| 65.81 | *6 | — | *6 | * | *5 | * | * | * | * | * | * |
| 65.89 | 20 | — | 20 | * | 14 | *5 | * | * | * | *8 | * |
| 65.9 | *8 | — | *8 | * | * | * | — | * | * | * | * |
| 65.91 | *8 | — | *8 | * | * | * | — | * | * | * | * |
| 66 | 416 | — | 416 | * | 406 | *8 | * | 46 | 74 | 201 | 95 |
| 66.0 | *5 | — | *5 | * | * | * | — | * | * | * | * |
| 66.2 | *6 | — | *6 | — | *6 | * | — | * | * | * | * |
| 66.3 | 340 | — | 340 | — | 338 | * | — | 35 | 59 | 169 | 77 |
| 66.32 | 249 | — | 249 | — | 247 | * | — | 24 | 39 | 127 | 59 |
| 66.39 | 90 | — | 90 | — | 90 | * | — | 11 | 20 | 42 | 17 |
| 66.4 | *8 | — | *8 | * | *6 | * | * | * | * | * | * |
| 66.5 | 10 | — | 10 | — | *7 | * | * | * | * | *5 | * |
| 66.51 | 10 | — | 10 | — | *6 | * | * | * | * | * | * |
| 66.6 | 38 | — | 38 | * | 37 | * | * | *6 | *7 | 16 | *9 |
| 66.61 | *8 | — | *8 | * | *7 | * | — | * | * | * | * |
| 66.62 | 20 | — | 20 | — | 20 | — | — | * | * | 11 | * |
| 66.69 | *9 | — | *9 | * | *8 | — | * | * | * | * | * |
| 67 | 15 | — | 15 | * | 11 | * | * | * | * | 10 | * |
| 67.5 | *5 | — | *5 | * | * | * | — | * | * | * | * |
| 67.59 | *5 | — | *5 | * | * | * | — | * | * | * | * |
| 68 | 635 | — | 635 | * | 331 | 255 | 49 | 98 | 137 | 276 | 124 |
| 68.1 | 16 | — | 16 | — | *9 | *6 | * | * | * | *8 | * |
| 68.12 | 10 | — | 10 | — | *5 | * | * | * | * | *6 | * |
| 68.2 | 42 | — | 42 | — | 33 | *8 | * | 10 | * | 20 | *7 |
| 68.29 | 39 | — | 39 | — | 31 | *7 | * | 10 | * | 18 | *6 |
| 68.3 | 43 | — | 43 | — | 23 | 18 | * | 10 | * | 16 | 12 |
| 68.31 | 13 | — | 13 | — | *7 | *6 | * | * | * | * | *5 |
| 68.39 | 29 | — | 29 | — | 16 | 12 | * | *8 | * | 12 | *6 |
| 68.4 | 345 | — | 345 | * | 175 | 148 | 21 | 49 | 81 | 156 | 59 |
| 68.5 | 179 | — | 179 | — | 87 | 72 | 20 | 24 | 43 | 71 | 41 |
| 68.51 | 68 | — | 68 | — | 39 | 27 | * | *8 | 17 | 33 | 10 |
| 68.59 | 111 | — | 111 | — | 48 | 45 | 18 | 15 | 26 | 38 | 32 |
| 68.6 | *6 | — | *6 | — | * | * | * | * | * | * | * |
| 69 | 101 | — | 101 | * | 80 | 14 | *6 | 16 | 14 | 50 | 21 |
| 69.0 | 56 | — | 56 | — | 42 | 10 | * | *8 | *8 | 27 | 14 |
| 69.02 | 27 | — | 27 | — | 27 | * | — | * | * | 13 | *8 |
| 69.09 | 29 | — | 29 | — | 15 | 10 | * | *6 | * | 14 | *6 |
| 69.2 | *5 | — | *5 | — | * | * | * | * | * | * | * |
| 69.5 | 25 | — | 25 | * | 25 | * | * | * | * | 15 | * |
| 69.52 | 19 | — | 19 | — | 19 | — | — | * | * | 11 | * |
| 69.9 | *8 | — | *8 | * | *7 | * | * | * | * | * | * |
| 69.96 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 70 | 249 | — | 249 | * | 52 | 111 | 84 | 36 | 51 | 108 | 53 |
| 70.1 | *5 | — | *5 | * | * | * | * | * | * | * | * |
| 70.2 | *5 | — | *5 | * | * | * | * | * | * | * | * |
| 70.3 | 10 | — | 10 | * | *8 | * | * | * | * | *6 | * |
| 70.32 | *5 | — | *5 | — | *5 | * | * | * | * | * | * |
| 70.5 | 125 | — | 125 | — | 19 | 62 | 44 | 17 | 27 | 49 | 32 |
| 70.50 | 60 | — | 60 | — | *7 | 29 | 24 | *8 | 11 | 26 | 15 |
| 70.51 | 34 | — | 34 | — | *6 | 16 | 12 | *5 | *9 | 11 | 9 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 70.52 | 31 | — | 31 | — | *6 | 16 | *8 | * | *7 | 13 | *7 |
| 70.7 | 53 | — | 53 | * | *7 | 23 | 22 | *7 | 13 | 23 | *9 |
| 70.77 | 40 | — | 40 | — | * | 19 | 18 | *5 | 10 | 19 | *6 |
| 70.79 | *8 | — | *8 | * | * | * | * | * | * | * | * |
| 70.9 | 43 | — | 43 | — | 13 | 18 | 12 | *7 | *6 | 20 | 9 |
| 70.92 | 43 | — | 43 | — | 13 | 18 | 12 | *7 | *6 | 20 | 9 |
| 71 | 36 | — | 36 | * | 15 | *8 | 10 | *6 | *8 | 18 | *5 |
| 71.0 | *6 | — | *6 | * | * | * | * | * | * | * | * |
| 71.09 | *6 | — | *6 | * | * | * | * | * | * | * | * |
| 71.3 | 14 | — | 14 | * | 10 | * | * | * | * | *8 | * |
| 71.7 | 11 | — | 11 | * | * | * | * | * | * | *6 | * |
| 71.71 | *5 | — | *5 | * | * | * | * | * | * | * | * |
| 71.79 | *6 | — | *6 | — | * | * | * | * | * | * | * |
| 72-75 | 6,858 | — | 6,858 | 11 | 6,838 | 9 | — | 1,045 | 1,563 | 2,509 | 1,742 |
| 72 | 304 | — | 304 | * | 304 | * | — | 31 | 57 | 130 | 85 |
| 72.0 | 22 | — | 22 | — | 22 | — | — | * | *6 | 11 | * |
| 72.1 | 29 | — | 29 | * | 29 | — | — | * | *6 | 16 | * |
| 72.2 | 11 | — | 11 | — | 11 | — | — | * | * | 9 | * |
| 72.21 | *7 | — | *7 | — | *7 | — | — | * | * | *7 | * |
| 72.7 | 237 | — | 237 | * | 237 | * | — | 26 | 43 | 91 | 77 |
| 72.71 | 97 | — | 97 | * | 97 | — | — | 11 | 15 | 33 | 38 |
| 72.79 | 140 | — | 140 | * | 140 | * | — | 15 | 28 | 58 | 39 |
| 73 | 2,988 | — | 2,988 | *5 | 2,979 | * | — | 426 | 713 | 1,098 | 751 |
| 73.0 | 928 | — | 928 | * | 926 | * | — | 120 | 275 | 317 | 216 |
| 73.01 | 149 | — | 149 | * | 149 | — | — | 14 | 47 | 57 | 31 |
| 73.09 | 779 | — | 779 | * | 777 | * | — | 106 | 228 | 260 | 185 |
| 73.1 | 12 | — | 12 | — | 12 | * | — | * | * | * | * |
| 73.4 | 616 | — | 616 | * | 614 | * | — | 88 | 144 | 225 | 158 |
| 73.5 | 1,022 | — | 1,022 | * | 1,019 | * | — | 145 | 211 | 386 | 280 |
| 73.51 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 73.59 | 1,016 | — | 1,016 | * | 1,013 | * | — | 145 | 210 | 383 | 279 |
| 73.6 | 404 | — | 404 | * | 402 | * | — | 68 | 78 | 164 | 94 |
| 74 | 1,266 | — | 1,266 | * | 1,262 | * | — | 191 | 233 | 531 | 310 |
| 74.0 | 16 | — | 16 | — | 16 | * | — | * | * | *6 | * |
| 74.1 | 1,237 | — | 1,237 | * | 1,233 | * | — | 187 | 227 | 519 | 304 |
| 74.9 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 74.99 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 75 | 2,300 | — | 2,300 | *5 | 2,293 | * | — | 396 | 559 | 749 | 596 |
| 75.1 | 9 | — | 9 | — | 9 | — | — | * | * | * | * |
| 75.3 | 970 | — | 970 | * | 967 | * | — | 188 | 257 | 287 | 238 |
| 75.32 | 167 | — | 167 | * | 167 | — | — | 26 | 47 | 48 | 46 |
| 75.34 | 661 | — | 661 | * | 659 | * | — | 143 | 174 | 195 | 150 |
| 75.35 | 92 | — | 92 | * | 91 | — | — | 13 | 26 | 27 | 26 |
| 75.37 | 47 | — | 47 | * | 47 | — | — | *6 | 10 | 16 | 15 |
| 75.4 | 31 | — | 31 | — | 31 | * | — | * | 10 | *9 | *7 |
| 75.5 | *7 | — | *7 | — | *7 | — | — | * | * | * | * |
| 75.51 | *6 | — | *6 | — | *6 | — | — | * | * | * | * |
| 75.6 | 1,251 | — | 1,251 | * | 1,247 | * | — | 192 | 282 | 432 | 345 |
| 75.61 | 40 | — | 40 | * | 40 | — | — | * | *6 | 21 | 10 |
| 75.62 | 101 | — | 101 | * | 101 | — | — | 15 | 23 | 38 | 25 |
| 75.69 | 1,110 | — | 1,110 | * | 1,106 | * | — | 173 | 253 | 373 | 310 |
| 75.7 | 27 | — | 27 | — | 27 | — | — | *8 | * | 13 | * |
| 76-84 | 4,139 | 1,972 | 2,167 | 168 | 893 | 1,444 | 1,634 | 782 | 971 | 1,472 | 914 |
| 76 | 78 | 47 | 31 | *5 | 52 | 16 | *5 | 12 | 11 | 37 | 18 |
| 76.6 | 25 | 10 | 15 | * | 20 | * | * | * | * | 12 | *7 |
| 76.62 | *6 | * | * | * | * | * | * | * | * | * | * |
| 76.65 | *7 | * | *5 | * | *6 | * | — | * | * | * | * |
| 76.7 | 30 | 24 | *6 | * | 21 | *6 | * | * | *7 | 13 | *6 |
| 76.75 | *5 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 76.76 | 14 | 12 | * | * | 10 | * | * | * | * | *7 | * |
| 76.9 | 13 | *9 | * | * | *7 | * | * | * | * | *7 | * |
| 77 | 254 | 136 | 117 | 21 | 56 | 90 | 86 | 54 | 49 | 90 | 60 |
| 77.1 | *6 | * | * | * | * | * | * | * | * | * | * |
| 77.3 | 14 | *6 | *8 | * | * | * | * | * | * | * | * |
| 77.4 | 47 | 24 | 22 | * | * | 13 | 27 | 11 | *9 | 17 | 10 |
| 77.49 | 36 | 20 | 16 | * | * | 9 | 23 | *8 | *6 | 13 | *9 |
| 77.5 | *6 | * | * | - | * | * | * | * | * | * | * |
| 77.6 | 57 | 35 | 21 | * | 16 | 21 | 18 | 12 | 11 | 16 | 17 |
| 77.65 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 77.67 | *9 | *7 | * | * | * | * | * | * | * | * | * |
| 77.68 | 10 | *6 | * | * | * | * | *5 | * | * | * | * |
| 77.69 | 16 | *8 | *8 | * | *5 | *6 | * | * | * | * | *5 |
| 77.7 | 78 | 36 | 42 | *6 | 22 | 34 | 15 | 15 | 16 | 33 | 14 |
| 77.79 | 72 | 34 | 38 | *6 | 19 | 33 | 14 | 14 | 15 | 31 | 12 |
| 77.8 | 37 | 24 | 13 | * | *6 | 15 | 16 | *8 | *6 | 15 | *9 |
| 77.81 | 14 | 10 | * | - | * | *5 | *8 | * | * | *7 | * |
| 77.88 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 77.89 | *8 | * | * | * | * | * | * | * | * | * | * |
| 77.9 | *6 | * | * | - | * | * | * | * | * | * | * |
| 78 | 226 | 109 | 117 | 24 | 56 | 71 | 74 | 41 | 52 | 89 | 44 |
| 78.0 | 28 | 13 | 15 | * | 9 | 9 | *8 | *6 | *7 | 11 | * |
| 78.05 | *8 | * | * | * | * | * | * | * | * | * | * |
| 78.07 | *7 | * | * | * | * | * | * | * | * | * | * |
| 78.1 | 33 | 22 | 11 | * | 11 | 11 | *7 | *6 | *7 | 14 | *6 |
| 78.13 | *9 | * | *5 | * | * | * | * | * | * | * | * |
| 78.17 | 16 | 12 | * | * | *6 | *6 | * | * | * | *6 | * |
| 78.4 | 10 | *5 | *5 | * | * | * | * | * | * | *5 | * |
| 78.41 | *5 | * | * | * | * | * | * | * | * | * | * |
| 78.5 | 53 | 23 | 30 | *7 | 9 | 12 | 25 | 10 | 13 | 16 | 14 |
| 78.55 | 32 | 12 | 20 | * | * | * | 21 | *6 | 10 | *8 | *8 |
| 78.57 | *7 | * | * | * | * | * | * | * | * | * | * |
| 78.59 | *6 | * | * | * | * | * | * | * | * | * | * |
| 78.6 | 94 | 41 | 52 | *5 | 21 | 35 | 32 | 15 | 21 | 40 | 18 |
| 78.65 | 28 | 11 | 18 | * | * | *6 | 17 | * | *6 | 14 | * |
| 78.67 | 15 | *9 | *6 | * | * | *6 | * | * | * | * | * |
| 78.69 | 36 | 14 | 23 | * | 9 | 19 | *7 | *5 | *9 | 15 | *8 |
| 79 | 688 | 330 | 358 | 50 | 203 | 159 | 277 | 136 | 159 | 252 | 142 |
| 79.0 | 65 | 30 | 35 | 10 | 18 | 15 | 23 | 14 | 17 | 21 | 13 |
| 79.01 | *9 | * | *7 | * | * | * | *5 | * | * | * | * |
| 79.02 | 21 | *7 | 13 | * | * | *6 | *9 | * | * | *9 | * |
| 79.05 | *7 | * | * | * | * | * | * | * | * | * | * |
| 79.06 | 25 | 13 | 12 | * | *8 | *6 | *7 | *5 | *8 | *5 | *6 |
| 79.1 | 95 | 45 | 50 | 13 | 25 | 13 | 44 | 20 | 22 | 31 | 22 |
| 79.11 | 12 | *6 | *5 | *8 | * | * | * | * | * | * | *5 |
| 79.12 | *8 | * | * | * | * | * | * | * | * | * | * |
| 79.15 | 54 | 22 | 32 | * | *8 | *6 | 37 | 12 | 15 | 16 | 10 |
| 79.16 | 14 | *8 | *6 | * | *8 | * | * | * | * | * | * |
| 79.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 79.3 | 424 | 190 | 235 | 17 | 121 | 102 | 184 | 85 | 98 | 157 | 85 |
| 79.31 | 37 | 17 | 19 | * | *6 | 12 | 14 | *7 | 10 | 13 | *7 |
| 79.32 | 45 | 23 | 22 | * | 16 | 11 | 15 | *9 | 11 | 16 | 10 |
| 79.33 | *7 | *6 | * | * | *5 | * | * | * | * | * | * |
| 79.34 | *8 | *7 | * | * | *6 | * | * | * | * | * | * |
| 79.35 | 160 | 47 | 113 | *5 | 14 | 21 | 119 | 31 | 35 | 67 | 27 |
| 79.36 | 143 | 73 | 70 | * | 61 | 45 | 33 | 32 | 33 | 45 | 32 |
| 79.37 | 12 | *7 | *5 | * | *8 | * | * | * | * | * | * |
| 79.39 | 12 | *8 | * | * | *6 | * | * | * | * | * | * |
| 79.6 | 54 | 38 | 16 | *6 | 27 | 11 | *9 | *6 | 11 | 27 | 9 |
| 79.62 | *8 | * | * | * | * | * | * | * | * | * | * |
| 79.66 | 25 | 17 | *7 | * | 13 | * | * | * | * | 12 | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 79.7 | 30 | 14 | 15 | * | *6 | 11 | 13 | *7 | *6 | *8 | *8 |
| 79.71 | *6 | * | * | * | * | * | * | * | * | * | * |
| 79.75 | 17 | *8 | 9 | * | * | * | 10 | * | * | * | * |
| 79.8 | 9 | *6 | * | * | * | * | * | * | * | * | * |
| 80 | 466 | 243 | 223 | *8 | 139 | 214 | 105 | 81 | 100 | 181 | 104 |
| 80.0 | 15 | *7 | *8 | - | * | *5 | 9 | * | * | * | * |
| 80.06 | *8 | * | * | - | * | * | * | * | * | * | * |
| 80.1 | 34 | 18 | 16 | * | 10 | 10 | 10 | *5 | *7 | 14 | *7 |
| 80.15 | *6 | * | * | * | * | * | * | * | * | * | * |
| 80.16 | 14 | *7 | *7 | * | * | *5 | * | * | * | *6 | * |
| 80.2 | 27 | 11 | 15 | * | * | 11 | 10 | * | *5 | 15 | * |
| 80.21 | *8 | * | * | - | * | *6 | * | * | * | * | * |
| 80.26 | 18 | *8 | 10 | * | * | *5 | *8 | * | * | 11 | * |
| 80.3 | *7 | *5 | * | * | * | * | * | * | * | * | * |
| 80.4 | 15 | 10 | *6 | * | * | *5 | * | * | * | *6 | * |
| 80.46 | *8 | *6 | * | * | * | * | * | * | * | * | * |
| 80.5 | 294 | 148 | 146 | * | 101 | 148 | 44 | 53 | 62 | 109 | 69 |
| 80.51 | 292 | 147 | 145 | * | 101 | 147 | 43 | 53 | 62 | 108 | 69 |
| 80.6 | 14 | *9 | *5 | * | * | *8 | * | * | * | * | * |
| 80.7 | 20 | 11 | 9 | * | * | *9 | *7 | * | * | *7 | * |
| 80.76 | 15 | *9 | *6 | * | * | *6 | *6 | * | * | *6 | * |
| 80.8 | 36 | 22 | 14 | * | *9 | 13 | 13 | *6 | 10 | 16 | * |
| 80.81 | *6 | * | * | - | * | * | * | * | * | * | * |
| 80.86 | 17 | 10 | *7 | * | * | *6 | *6 | * | * | *7 | * |
| 81 | 1,841 | 763 | 1,079 | 28 | 243 | 673 | 897 | 346 | 484 | 603 | 407 |
| 81.0 | 327 | 151 | 176 | 11 | 95 | 157 | 64 | 54 | 76 | 120 | 76 |
| 81.02 | 121 | 61 | 61 | - | 37 | 71 | 14 | 17 | 23 | 50 | 31 |
| 81.03 | 16 | *9 | *8 | * | * | *8 | * | * | * | *6 | * |
| 81.05 | 24 | 9 | 15 | *8 | 9 | * | * | * | *5 | *9 | * |
| 81.06 | 22 | 10 | 13 | * | 11 | 10 | * | * | *6 | *8 | * |
| 81.07 | 11 | * | *7 | - | * | * | * | * | *5 | * | * |
| 81.08 | 123 | 56 | 68 | * | 30 | 58 | 34 | 19 | 29 | 44 | 31 |
| 81.1 | 13 | *6 | *7 | * | * | *6 | * | * | * | * | * |
| 81.3 | 19 | *8 | 11 | * | * | 9 | * | * | * | *8 | * |
| 81.38 | 11 | * | *7 | - | * | *5 | * | * | * | * | * |
| 81.4 | 27 | 15 | 12 | * | 13 | 10 | * | *6 | *7 | *7 | *7 |
| 81.45 | *5 | * | * | * | * | * | * | * | * | * | * |
| 81.47 | 13 | *8 | *5 | * | * | *6 | * | * | * | * | * |
| 81.5 | 1,075 | 412 | 663 | * | 60 | 366 | 644 | 223 | 307 | 325 | 220 |
| 81.51 | 235 | 109 | 126 | - | 15 | 80 | 139 | 54 | 60 | 61 | 60 |
| 81.52 | 234 | 87 | 146 | * | 35 | 68 | 127 | 42 | 73 | 72 | 47 |
| 81.53 | 35 | 14 | 20 | - | * | 12 | 20 | 10 | 10 | 9 | *5 |
| 81.54 | 534 | 184 | 349 | * | *8 | 194 | 331 | 109 | 153 | 168 | 103 |
| 81.55 | 37 | 17 | 20 | - | * | 10 | 26 | *7 | 10 | 14 | *5 |
| 81.6 | 201 | 84 | 117 | *6 | 46 | 80 | 70 | 22 | 37 | 87 | 55 |
| 81.62 | 127 | 60 | 66 | * | 39 | 62 | 25 | 11 | 20 | 55 | 41 |
| 81.63 | 19 | *8 | 12 | * | * | 10 | *6 | * | * | 11 | * |
| 81.64 | *5 | * | * | * | * | * | - | * | * | * | * |
| 81.65 | 20 | * | 16 | * | * | * | 18 | * | *7 | *7 | * |
| 81.66 | 25 | *8 | 17 | - | * | * | 21 | *6 | * | 11 | * |
| 81.8 | 51 | 21 | 31 | * | * | 17 | 29 | *7 | 13 | 18 | 13 |
| 81.80 | 15 | *7 | *8 | - | * | * | 10 | * | * | *5 | * |
| 81.81 | 20 | * | 15 | - | * | *5 | 14 | * | * | *8 | * |
| 81.83 | 9 | *5 | * | - | * | *6 | * | * | * | * | * |
| 81.9 | 124 | 62 | 62 | * | 14 | 27 | 77 | 28 | 38 | 32 | 25 |
| 81.91 | 63 | 36 | 27 | * | 10 | 16 | 32 | 15 | 19 | 15 | 13 |
| 81.92 | 51 | 18 | 33 | * | * | 10 | 38 | 11 | 17 | 16 | *7 |
| 81.97 | *6 | *5 | * | * | * | * | *5 | * | * | * | * |
| 82 | 31 | 21 | 10 | * | 20 | *8 | * | *6 | * | 13 | *8 |
| 82.0 | *8 | *5 | * | * | *6 | * | * | * | * | * | * |
| 82.4 | 12 | *8 | * | * | 9 | * | * | * | * | *5 | * |
| 82.45 | *5 | * | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 83 | 261 | 149 | 112 | 26 | 63 | 88 | 85 | 53 | 48 | 92 | 67 |
| 83.0 | 33 | 23 | 10 | * | 10 | 11 | *8 | * | *6 | 11 | 12 |
| 83.02 | *6 | *5 | * | * | * | * | * | * | * | * | * |
| 83.09 | 20 | 13 | *7 | * | *6 | *8 | * | * | * | *7 | *7 |
| 83.1 | 22 | 12 | 10 | * | *6 | *8 | * | *5 | * | *6 | *6 |
| 83.14 | 11 | *8 | * | * | * | *5 | * | * | * | * | * |
| 83.2 | 21 | 13 | *8 | *6 | * | *6 | *6 | * | * | 11 | * |
| 83.21 | 21 | 13 | *8 | *6 | * | *6 | *6 | * | * | 11 | * |
| 83.3 | 26 | 12 | 14 | * | *6 | 9 | 11 | *7 | * | 11 | *7 |
| 83.39 | 24 | 11 | 13 | * | *5 | *9 | 10 | *6 | * | 10 | *7 |
| 83.4 | 32 | 17 | 15 | * | *8 | 10 | 11 | *6 | *9 | 11 | *6 |
| 83.45 | 21 | 12 | 10 | * | * | *6 | *8 | * | *6 | *7 | * |
| 83.49 | *5 | * | * | * | * | * | * | * | * | * | * |
| 83.5 | *6 | * | * | - | * | * | * | * | * | * | * |
| 83.6 | 55 | 32 | 23 | * | 12 | 20 | 21 | 11 | 13 | 19 | 12 |
| 83.63 | 30 | 18 | 12 | - | * | 13 | 16 | * | *6 | 12 | *7 |
| 83.64 | 11 | *6 | * | * | * | * | * | * | * | * | * |
| 83.65 | 11 | *6 | * | * | *5 | * | * | * | * | * | * |
| 83.7 | *8 | * | * | * | * | * | * | * | * | * | * |
| 83.75 | *5 | * | * | * | * | * | * | * | * | * | * |
| 83.8 | 42 | 25 | 17 | *5 | 11 | 15 | 10 | 11 | *7 | 14 | 10 |
| 83.82 | 12 | *8 | * | * | * | *6 | * | * | * | * | * |
| 83.85 | 14 | *6 | *8 | * | * | * | * | * | * | * | * |
| 83.88 | 11 | *7 | * | * | * | * | * | * | * | * | * |
| 83.9 | 16 | *7 | 9 | * | * | * | 10 | * | * | *5 | * |
| 83.95 | *5 | * | * | * | * | * | * | * | * | * | * |
| 84 | 294 | 174 | 119 | * | 62 | 126 | 102 | 54 | 63 | 114 | 63 |
| 84.0 | 10 | *8 | * | * | * | * | * | * | * | * | * |
| 84.01 | *7 | *6 | * | * | * | * | * | * | * | * | * |
| 84.1 | 129 | 86 | 43 | * | 10 | 52 | 66 | 32 | 23 | 55 | 18 |
| 84.11 | 47 | 33 | 14 | * | * | 21 | 22 | 13 | *8 | 19 | *7 |
| 84.12 | 11 | 9 | * | - | * | *6 | * | * | * | * | * |
| 84.15 | 36 | 25 | 11 | - | * | 17 | 16 | *8 | *8 | 15 | *6 |
| 84.17 | 30 | 16 | 14 | - | * | *6 | 23 | *7 | * | 17 | * |
| 84.3 | 14 | *9 | *5 | * | * | * | *8 | * | * | *5 | * |
| 84.5 | 133 | 65 | 67 | * | 43 | 62 | 24 | 15 | 32 | 48 | 38 |
| 84.51 | 92 | 44 | 48 | * | 30 | 45 | 15 | 11 | 21 | 31 | 29 |
| 84.52 | 34 | 18 | 16 | * | 11 | 14 | *8 | * | 10 | 14 | *7 |
| 85-86 | 1,538 | 731 | 807 | 168 | 476 | 478 | 417 | 288 | 295 | 691 | 264 |
| 85 | 206 | * | 203 | * | 60 | 97 | 47 | 36 | 39 | 90 | 41 |
| 85.0 | 11 | * | 11 | * | * | * | * | * | * | * | * |
| 85.1 | 15 | * | 15 | - | * | * | *7 | * | * | *7 | * |
| 85.11 | 9 | * | *9 | - | * | * | *5 | * | * | * | * |
| 85.2 | 26 | * | 25 | * | *7 | 12 | *6 | *5 | *5 | 13 | * |
| 85.21 | 20 | * | 20 | * | *6 | 10 | * | * | * | 11 | * |
| 85.3 | 12 | * | 12 | - | *7 | * | * | * | * | *6 | * |
| 85.32 | *8 | * | *8 | - | *5 | * | * | * | * | * | * |
| 85.4 | 78 | * | 77 | * | 14 | 36 | 29 | 11 | 17 | 34 | 16 |
| 85.41 | 25 | * | 25 | - | * | 11 | 11 | * | *5 | 12 | * |
| 85.42 | *7 | - | *7 | - | * | * | * | * | * | * | * |
| 85.43 | 44 | * | 42 | - | *7 | 20 | 16 | *7 | 11 | 18 | *8 |
| 85.5 | 9 | * | 9 | - | * | *6 | * | * | * | *5 | * |
| 85.53 | *5 | * | *5 | - | * | * | * | * | * | * | * |
| 85.6 | *6 | * | *6 | - | * | * | * | * | * | * | * |
| 85.7 | 11 | - | 11 | - | * | *6 | * | * | * | * | * |
| 85.8 | 10 | - | 10 | - | * | *5 | * | * | * | * | * |
| 85.9 | 28 | * | 27 | - | 10 | 16 | * | * | * | 11 | *9 |
| 85.94 | *5 | - | *5 | - | * | * | * | * | * | * | * |
| 85.95 | 17 | * | 17 | - | *7 | 9 | * | * | * | *7 | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|--------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|-------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 86 | 1,332 | 728 | 604 | 167 | 415 | 381 | 369 | 252 | 255 | 602 | 223 |
| 86.0 | 396 | 212 | 184 | 47 | 114 | 136 | 99 | 83 | 78 | 167 | 69 |
| 86.01 | 15 | *8 | *7 | * | * | *6 | * | * | * | *5 | * |
| 86.04 | 208 | 118 | 90 | 24 | 76 | 66 | 41 | 41 | 45 | 90 | 31 |
| 86.05 | 56 | 27 | 29 | 10 | 12 | 20 | 13 | 13 | *9 | 23 | 12 |
| 86.06 | 10 | *7 | * | * | * | * | *5 | * | * | * | * |
| 86.07 | 86 | 41 | 46 | *8 | 16 | 32 | 31 | 18 | 15 | 38 | 14 |
| 86.09 | 17 | 10 | *7 | * | * | *8 | * | * | * | *6 | * |
| 86.1 | 24 | 14 | 10 | * | *6 | *8 | *8 | *6 | * | 9 | * |
| 86.11 | 24 | 14 | 10 | * | *6 | *8 | *8 | *6 | * | 9 | * |
| 86.2 | 418 | 236 | 182 | 28 | 107 | 127 | 156 | 85 | 87 | 178 | 68 |
| 86.22 | 277 | 161 | 116 | 17 | 79 | 88 | 93 | 53 | 50 | 132 | 42 |
| 86.23 | 13 | *8 | * | * | * | * | * | * | * | *5 | * |
| 86.27 | 43 | 21 | 22 | — | * | *8 | 32 | 16 | 13 | 11 | * |
| 86.28 | 81 | 44 | 37 | *9 | 21 | 25 | 26 | 13 | 18 | 29 | 20 |
| 86.3 | 76 | 23 | 53 | 9 | 33 | 17 | 16 | 12 | 20 | 34 | 10 |
| 86.4 | 13 | *6 | *7 | * | * | * | * | * | * | *6 | * |
| 86.5 | 158 | 92 | 66 | 10 | 69 | 29 | 51 | 27 | 41 | 48 | 41 |
| 86.59 | 158 | 92 | 66 | 10 | 69 | 29 | 51 | 27 | 41 | 48 | 41 |
| 86.6 | 107 | 76 | 31 | 32 | 35 | 24 | 17 | 12 | 10 | 76 | 9 |
| 86.66 | 14 | 10 | * | * | *6 | * | * | * | * | 12 | * |
| 86.67 | 23 | 17 | *6 | *7 | 10 | * | * | * | * | 18 | * |
| 86.69 | 57 | 40 | 17 | 19 | 16 | 12 | 10 | *9 | *6 | 36 | *6 |
| 86.7 | 58 | 36 | 22 | 17 | 17 | 12 | 12 | *7 | *5 | 36 | 10 |
| 86.74 | 44 | 27 | 18 | 15 | 13 | 9 | *7 | *5 | * | 29 | *8 |
| 86.8 | 74 | 29 | 45 | 22 | 27 | 22 | * | 13 | *6 | 45 | 10 |
| 86.83 | 27 | * | 24 | * | 15 | 12 | * | *9 | * | 12 | * |
| 86.84 | 29 | 16 | 13 | 20 | *8 | * | * | * | * | 28 | * |
| 86.89 | 12 | *8 | * | * | * | *6 | * | * | * | * | *5 |
| 86.9 | *7 | * | * | * | * | * | * | * | * | * | * |
| 87-99 | 13,243 | 6,366 | 6,877 | 950 | 2,497 | 3,727 | 6,069 | 3,795 | 2,761 | 4,120 | 2,567 |
| 87 | 902 | 418 | 483 | 58 | 202 | 257 | 384 | 297 | 177 | 239 | 188 |
| 87.0 | 315 | 148 | 167 | 19 | 57 | 85 | 155 | 151 | 48 | 62 | 54 |
| 87.03 | 308 | 144 | 164 | 17 | 55 | 83 | 153 | 150 | 46 | 59 | 53 |
| 87.2 | 15 | *7 | *9 | * | * | *6 | * | * | * | *7 | * |
| 87.21 | *7 | * | * | — | * | * | * | * | * | * | * |
| 87.3 | 13 | *6 | *7 | * | * | *5 | * | * | * | * | 11 |
| 87.39 | 11 | *6 | *6 | * | * | * | * | * | * | — | 11 |
| 87.4 | 240 | 119 | 121 | 12 | 42 | 76 | 110 | 85 | 61 | 38 | 57 |
| 87.41 | 148 | 73 | 75 | * | 27 | 48 | 70 | 65 | 26 | 25 | 32 |
| 87.44 | 79 | 39 | 40 | 9 | 13 | 24 | 33 | 14 | 31 | 12 | 22 |
| 87.49 | 12 | *7 | *6 | — | * | * | *7 | *6 | * | * | * |
| 87.5 | 130 | 47 | 83 | * | 45 | 39 | 46 | 17 | 32 | 53 | 27 |
| 87.53 | 119 | 42 | 77 | * | 44 | 35 | 40 | 15 | 30 | 50 | 24 |
| 87.54 | *5 | * | * | * | * | * | * | * | * | * | * |
| 87.6 | 29 | 12 | 18 | *7 | * | *6 | 12 | *9 | * | 9 | 9 |
| 87.61 | *7 | * | * | * | * | * | * | * | * | * | * |
| 87.62 | 10 | * | *6 | * | * | * | * | * | * | * | * |
| 87.63 | *5 | * | * | * | * | * | * | * | * | * | * |
| 87.7 | 155 | 78 | 78 | 17 | 47 | 40 | 52 | 28 | 30 | 70 | 27 |
| 87.73 | 10 | *5 | *5 | * | * | * | * | * | * | *5 | * |
| 87.74 | 104 | 48 | 57 | * | 35 | 30 | 36 | 21 | 24 | 47 | 13 |
| 87.76 | 15 | 9 | *6 | 11 | * | * | * | * | * | 9 | * |
| 87.77 | 9 | *6 | * | * | * | * | *5 | * | * | * | * |
| 87.79 | *7 | * | * | * | * | * | * | * | * | * | * |
| 88 | 3,616 | 1,879 | 1,736 | 111 | 517 | 1,260 | 1,728 | 1,029 | 798 | 1,123 | 666 |
| 88.0 | 255 | 108 | 148 | 10 | 78 | 70 | 97 | 122 | 51 | 33 | 49 |
| 88.01 | 253 | 106 | 146 | 10 | 77 | 69 | 96 | 121 | 50 | 33 | 49 |
| 88.1 | 17 | 10 | *7 | * | *6 | *7 | * | * | *6 | 9 | * |
| 88.11 | *8 | *6 | * | — | * | * | * | * | — | *8 | — |
| 88.19 | *8 | * | * | * | * | * | * | * | *5 | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 88.2 | 18 | 9 | *8 | * | *6 | * | *6 | * | *8 | * | * |
| 88.27 | *5 | * | * | * | * | * | * | * | * | * | * |
| 88.3 | 104 | 53 | 51 | 10 | 30 | 29 | 35 | 50 | 28 | 16 | 10 |
| 88.38 | 100 | 52 | 47 | *8 | 30 | 28 | 33 | 49 | 27 | 16 | *8 |
| 88.4 | 501 | 265 | 236 | *6 | 54 | 170 | 270 | 101 | 130 | 180 | 89 |
| 88.41 | 139 | 65 | 74 | * | 24 | 49 | 64 | 38 | 32 | 47 | 22 |
| 88.42 | 132 | 78 | 54 | * | *8 | 44 | 78 | 17 | 41 | 53 | 21 |
| 88.43 | 20 | 11 | 10 | * | * | *7 | *7 | * | * | *6 | *7 |
| 88.44 | 21 | 9 | 12 | * | * | *8 | 12 | *7 | * | *7 | * |
| 88.45 | 34 | 16 | 17 | — | * | 10 | 21 | *6 | *7 | 15 | *7 |
| 88.47 | 30 | 15 | 15 | — | * | 9 | 19 | *6 | *7 | 11 | *6 |
| 88.48 | 101 | 58 | 42 | * | *8 | 35 | 58 | 20 | 31 | 31 | 19 |
| 88.49 | 24 | 12 | 12 | * | * | *8 | 11 | * | *5 | 10 | *6 |
| 88.5 | 1,484 | 860 | 624 | *7 | 126 | 624 | 728 | 259 | 358 | 574 | 294 |
| 88.51 | 20 | 10 | 10 | * | * | *8 | 10 | *5 | * | *8 | * |
| 88.53 | 540 | 299 | 240 | * | 50 | 227 | 261 | 96 | 124 | 223 | 97 |
| 88.54 | 17 | 10 | *7 | * | * | *7 | *8 | * | *5 | * | * |
| 88.55 | *9 | *6 | * | * | * | * | * | * | * | * | * |
| 88.56 | 861 | 512 | 348 | * | 69 | 364 | 427 | 141 | 215 | 323 | 182 |
| 88.57 | 34 | 20 | 14 | * | * | 14 | 16 | *7 | *7 | 13 | *7 |
| 88.6 | 30 | 16 | 14 | * | *6 | 10 | 14 | *7 | 9 | 10 | * |
| 88.67 | 15 | *8 | *6 | * | * | * | *7 | * | * | *6 | * |
| 88.7 | 884 | 411 | 473 | 44 | 150 | 249 | 441 | 318 | 150 | 245 | 170 |
| 88.71 | 43 | 18 | 25 | * | * | *8 | 32 | 18 | * | 9 | 11 |
| 88.72 | 564 | 276 | 287 | 22 | 71 | 165 | 306 | 180 | 90 | 198 | 97 |
| 88.73 | 14 | *5 | *9 | * | * | *5 | *6 | * | * | * | *6 |
| 88.74 | 14 | *6 | *8 | * | * | * | * | * | * | * | * |
| 88.75 | 29 | 14 | 15 | * | *6 | *6 | 14 | 17 | * | * | *5 |
| 88.76 | 100 | 48 | 53 | 11 | 27 | 32 | 29 | 43 | 22 | *8 | 27 |
| 88.77 | 79 | 34 | 46 | * | 13 | 24 | 42 | 37 | 21 | 13 | 9 |
| 88.78 | 17 | — | 17 | — | 17 | * | * | *7 | * | * | *5 |
| 88.79 | 23 | 10 | 13 | * | *7 | * | *9 | 10 | * | * | *7 |
| 88.9 | 321 | 146 | 175 | 29 | 60 | 98 | 133 | 167 | 58 | 52 | 44 |
| 88.91 | 190 | 88 | 102 | 18 | 34 | 61 | 77 | 97 | 31 | 35 | 26 |
| 88.93 | 55 | 26 | 29 | * | 13 | 13 | 26 | 29 | 11 | *7 | *9 |
| 88.94 | 20 | 10 | 10 | * | * | * | 10 | 12 | * | * | * |
| 88.97 | 50 | 18 | 32 | * | *8 | 18 | 19 | 26 | 10 | 9 | *5 |
| 89 | 686 | 338 | 348 | 51 | 115 | 205 | 314 | 246 | 103 | 155 | 182 |
| 89.0 | 38 | 20 | 18 | * | *7 | 13 | 15 | * | — | *7 | 30 |
| 89.06 | 13 | *8 | *5 | — | * | *5 | *6 | — | — | — | 13 |
| 89.07 | *8 | * | * | — | * | * | * | — | — | — | *8 |
| 89.08 | *6 | * | * | * | * | * | * | * | — | *5 | * |
| 89.09 | 10 | *5 | * | — | * | * | *5 | * | — | * | *8 |
| 89.1 | 86 | 43 | 44 | 24 | 21 | 18 | 23 | 34 | 9 | 15 | 28 |
| 89.14 | 54 | 26 | 27 | 12 | *9 | 13 | 20 | 19 | *7 | *7 | 20 |
| 89.15 | *7 | * | * | * | * | * | * | * | * | * | * |
| 89.19 | 24 | 11 | 14 | 11 | 9 | * | * | 14 | * | *6 | * |
| 89.2 | 15 | *5 | 10 | * | * | * | 9 | * | * | *6 | * |
| 89.22 | *6 | * | * | — | * | * | *5 | * | * | * | — |
| 89.3 | 26 | 14 | 12 | 10 | * | *6 | *6 | *8 | *6 | *5 | *7 |
| 89.37 | *7 | * | * | * | * | * | * | * | * | * | * |
| 89.38 | *5 | * | * | * | * | * | * | * | * | * | * |
| 89.39 | 10 | *6 | * | *5 | * | * | * | * | * | * | * |
| 89.4 | 178 | 89 | 89 | * | 24 | 64 | 90 | 55 | 28 | 49 | 46 |
| 89.41 | 32 | 15 | 18 | * | *6 | 16 | 10 | *8 | * | *7 | 14 |
| 89.44 | 102 | 49 | 53 | — | 13 | 36 | 53 | 33 | 13 | 28 | 28 |
| 89.45 | 18 | *7 | 11 | — | * | * | 14 | *6 | * | *9 | * |
| 89.49 | 23 | 18 | *6 | — | * | 9 | 12 | *7 | *8 | *6 | * |
| 89.5 | 227 | 113 | 114 | *9 | 42 | 66 | 110 | 122 | 33 | 35 | 36 |
| 89.50 | *6 | * | * | * | * | * | * | * | * | * | * |
| 89.52 | 106 | 54 | 51 | *7 | 21 | 32 | 45 | 43 | 24 | 17 | 21 |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 89.54 | 101 | 50 | 51 | * | 17 | 30 | 53 | 69 | * | 15 | 13 |
| 89.59 | 14 | *6 | *8 | — | * | * | *8 | * | *5 | * | * |
| 89.6 | 116 | 55 | 60 | *6 | 15 | 34 | 60 | 22 | 22 | 37 | 35 |
| 89.61 | 10 | *6 | * | * | * | * | * | * | * | * | * |
| 89.62 | *8 | * | * | * | * | * | * | * | * | * | * |
| 89.64 | 23 | 12 | 11 | * | * | *8 | 13 | * | *9 | *7 | * |
| 89.65 | 56 | 23 | 33 | * | *9 | 13 | 32 | *9 | * | 21 | 22 |
| 89.68 | 15 | *8 | *7 | * | * | *6 | *6 | * | * | * | * |
| 90 | 34 | 13 | 21 | * | 11 | *7 | 12 | 21 | *7 | * | * |
| 90.5 | 27 | 10 | 17 | * | 10 | *6 | *9 | 20 | * | * | * |
| 90.52 | *9 | * | *5 | * | * | * | * | * | * | * | * |
| 90.59 | 17 | *6 | 11 | * | *7 | * | *7 | 16 | — | * | * |
| 91 | 21 | *7 | 14 | * | *8 | * | *8 | 13 | * | * | * |
| 91.3 | 17 | *6 | 11 | * | *6 | * | *7 | 12 | * | * | * |
| 91.32 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 91.39 | *6 | * | * | — | * | * | * | *6 | — | — | — |
| 92 | 224 | 106 | 118 | *8 | 29 | 78 | 110 | 78 | 23 | 63 | 60 |
| 92.0 | 103 | 46 | 57 | * | 14 | 36 | 51 | 32 | *8 | 29 | 34 |
| 92.02 | 12 | *5 | *6 | — | * | * | * | *6 | * | * | * |
| 92.04 | 12 | *6 | *6 | * | * | * | *5 | * | * | * | * |
| 92.05 | 76 | 33 | 42 | — | *7 | 29 | 40 | 20 | *6 | 24 | 26 |
| 92.1 | 50 | 23 | 28 | * | *6 | 16 | 26 | 24 | * | *9 | 14 |
| 92.14 | 21 | 10 | 11 | * | * | *5 | 11 | 10 | * | * | *5 |
| 92.15 | 21 | *8 | 13 | — | * | *8 | 11 | 11 | * | * | *6 |
| 92.2 | 66 | 36 | 31 | * | *8 | 25 | 31 | 20 | 11 | 24 | 12 |
| 92.24 | 9 | *6 | * | * | * | * | *5 | * | * | * | * |
| 92.27 | *7 | * | * | * | * | * | * | * | * | * | * |
| 92.29 | 44 | 24 | 20 | * | *6 | 18 | 19 | 12 | *8 | 17 | *7 |
| 93 | 1,508 | 671 | 836 | 166 | 195 | 314 | 832 | 448 | 259 | 529 | 272 |
| 93.0 | 34 | 16 | 18 | * | *6 | 9 | 17 | 19 | * | * | *8 |
| 93.01 | 24 | 11 | 13 | * | * | *7 | 14 | 17 | * | * | * |
| 93.08 | *6 | * | * | * | * | * | * | * | * | * | * |
| 93.1 | 24 | *9 | 15 | * | * | *6 | 14 | 17 | * | * | * |
| 93.12 | 10 | * | *6 | * | * | * | *7 | *7 | * | * | — |
| 93.2 | 34 | 13 | 21 | * | * | 12 | 18 | 23 | * | *6 | * |
| 93.22 | 24 | 9 | 15 | * | * | *8 | 14 | 18 | * | * | * |
| 93.3 | 349 | 145 | 204 | *8 | 32 | 63 | 245 | 83 | 65 | 147 | 55 |
| 93.38 | 26 | 12 | 14 | * | * | *6 | 17 | * | * | *7 | 16 |
| 93.39 | 320 | 131 | 189 | *8 | 28 | 56 | 228 | 79 | 63 | 138 | 39 |
| 93.4 | 11 | *6 | *5 | * | * | * | * | * | * | *5 | * |
| 93.5 | 117 | 64 | 53 | 25 | 29 | 25 | 37 | 30 | 26 | 45 | 15 |
| 93.53 | 17 | *7 | 10 | * | * | * | *8 | *5 | * | *6 | * |
| 93.54 | 30 | 17 | 13 | * | 11 | *7 | 10 | *5 | 10 | *8 | *7 |
| 93.57 | 32 | 18 | 13 | 14 | *8 | *6 | * | *8 | *5 | 17 | * |
| 93.59 | 24 | 12 | 12 | * | * | *7 | 13 | *8 | * | *9 | * |
| 93.7 | 36 | 17 | 19 | * | *5 | *7 | 22 | *7 | *7 | 13 | *9 |
| 93.75 | 35 | 17 | 18 | * | *5 | *6 | 22 | *7 | *7 | 13 | *9 |
| 93.8 | 430 | 165 | 265 | 9 | 49 | 84 | 288 | 105 | 54 | 195 | 75 |
| 93.81 | 56 | 22 | 34 | * | 16 | 13 | 25 | *6 | *5 | 34 | 11 |
| 93.83 | 208 | 84 | 123 | *6 | 22 | 42 | 137 | 63 | 38 | 82 | 24 |
| 93.89 | 161 | 57 | 104 | — | 9 | 27 | 125 | 36 | 11 | 75 | 40 |
| 93.9 | 470 | 234 | 235 | 114 | 64 | 106 | 186 | 160 | 97 | 109 | 104 |
| 93.90 | 137 | 69 | 68 | 11 | 16 | 41 | 69 | 49 | 30 | 34 | 24 |
| 93.94 | 164 | 80 | 83 | 60 | 20 | 30 | 54 | 69 | 34 | 27 | 34 |
| 93.96 | 151 | 75 | 76 | 38 | 23 | 31 | 60 | 37 | 31 | 40 | 43 |
| 93.99 | 13 | *7 | *6 | * | * | * | * | * | * | *6 | * |
| 94 | 672 | 395 | 277 | 41 | 379 | 203 | 49 | 309 | 171 | 150 | 41 |
| 94.0 | 12 | *7 | *5 | * | *7 | * | * | * | — | *8 | — |
| 94.08 | *7 | * | * | * | * | * | * | * | — | * | — |
| 94.1 | *9 | *5 | * | * | *5 | * | * | *8 | — | * | — |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 94.19 | *6 | * | * | * | * | * | * | *5 | — | * | — |
| 94.2 | 169 | 81 | 87 | 15 | 88 | 45 | 21 | 123 | 14 | 30 | * |
| 94.22 | *7 | * | * | * | * | * | * | *6 | * | * | — |
| 94.23 | 42 | 23 | 18 | *7 | 26 | *8 | * | 41 | — | * | — |
| 94.25 | 92 | 45 | 47 | *7 | 49 | 24 | 11 | 67 | 9 | 15 | * |
| 94.27 | 28 | 9 | 19 | — | *9 | 11 | *8 | *9 | * | 13 | * |
| 94.3 | 59 | 28 | 30 | *9 | 33 | 12 | * | 19 | 26 | 13 | * |
| 94.38 | 14 | *8 | *6 | * | 10 | * | * | 14 | — | * | — |
| 94.39 | 43 | 20 | 23 | *7 | 22 | 9 | * | * | 26 | 12 | * |
| 94.4 | 87 | 45 | 42 | 13 | 50 | 18 | *6 | 25 | 30 | 32 | — |
| 94.42 | *9 | * | * | * | * | * | * | * | * | * | — |
| 94.44 | 70 | 34 | 36 | 9 | 39 | 16 | *6 | 14 | 26 | 29 | — |
| 94.6 | 337 | 228 | 109 | * | 197 | 124 | 16 | 130 | 101 | 66 | 39 |
| 94.61 | *8 | *5 | * | * | *6 | * | * | * | * | * | * |
| 94.62 | 169 | 122 | 47 | — | 75 | 83 | 11 | 54 | 63 | 28 | 24 |
| 94.63 | 18 | 12 | *6 | * | 10 | *7 | * | * | 13 | * | * |
| 94.64 | *7 | * | * | * | *6 | * | * | * | * | * | — |
| 94.65 | 59 | 32 | 27 | — | 44 | 13 | * | 29 | *9 | 14 | *7 |
| 94.66 | *8 | * | * | — | *7 | * | * | * | * | * | * |
| 94.67 | *8 | * | * | * | *6 | * | — | * | * | * | * |
| 94.68 | 56 | 41 | 15 | — | 39 | 15 | * | 40 | * | 10 | * |
| 94.69 | *5 | * | * | * | * | * | — | — | * | * | * |
| 95 | 12 | *5 | *7 | 10 | * | * | * | * | * | *8 | * |
| 95.4 | 11 | * | *6 | 9 | * | * | * | * | * | *7 | * |
| 95.47 | *8 | * | * | *8 | * | — | — | * | * | *6 | * |
| 96 | 1,613 | 798 | 815 | 159 | 328 | 390 | 737 | 376 | 337 | 537 | 364 |
| 96.0 | 618 | 320 | 299 | 43 | 100 | 169 | 306 | 135 | 125 | 213 | 145 |
| 96.04 | 506 | 268 | 238 | 40 | 81 | 136 | 249 | 108 | 102 | 181 | 115 |
| 96.05 | *8 | * | * | * | * | * | * | * | * | * | * |
| 96.07 | 94 | 44 | 50 | * | 18 | 27 | 47 | 23 | 21 | 27 | 24 |
| 96.2 | *6 | * | * | * | * | * | * | * | * | * | * |
| 96.3 | 18 | *8 | 11 | * | *7 | * | * | * | *5 | *6 | * |
| 96.33 | *8 | * | * | * | * | * | * | * | * | * | * |
| 96.38 | *6 | * | * | * | * | * | * | * | * | * | * |
| 96.4 | 93 | *5 | 88 | * | 86 | * | *5 | 9 | 26 | 30 | 27 |
| 96.49 | 89 | * | 86 | * | 85 | * | * | *9 | 26 | 29 | 26 |
| 96.5 | 40 | 23 | 17 | *6 | 12 | *8 | 14 | *6 | *7 | 17 | 9 |
| 96.56 | 14 | 9 | * | * | * | * | *8 | * | * | * | *5 |
| 96.59 | 20 | 11 | *8 | * | *8 | *6 | * | * | * | 10 | * |
| 96.6 | 146 | 67 | 80 | 30 | 12 | 26 | 79 | 72 | 31 | 25 | 18 |
| 96.7 | 691 | 372 | 319 | 75 | 109 | 181 | 325 | 146 | 139 | 244 | 161 |
| 96.70 | 10 | *7 | * | * | * | * | * | * | * | *6 | * |
| 96.71 | 439 | 236 | 203 | 47 | 77 | 113 | 202 | 91 | 94 | 155 | 99 |
| 96.72 | 242 | 130 | 112 | 27 | 29 | 67 | 119 | 53 | 45 | 83 | 61 |
| 97 | 107 | 51 | 57 | 10 | 22 | 33 | 43 | 25 | 19 | 37 | 26 |
| 97.0 | 31 | 13 | 18 | * | * | *6 | 20 | *8 | * | 10 | 9 |
| 97.02 | 22 | *9 | 13 | * | * | * | 15 | *6 | * | *6 | *7 |
| 97.05 | *6 | * | * | * | * | * | * | * | * | * | * |
| 97.2 | 18 | 12 | *6 | * | * | 9 | * | * | * | *7 | *5 |
| 97.23 | 14 | 10 | * | * | * | *8 | * | * | * | * | * |
| 97.3 | *9 | *5 | * | * | * | * | * | * | * | * | * |
| 97.39 | *6 | * | * | * | * | * | * | * | * | * | * |
| 97.4 | 11 | *5 | *6 | * | * | * | * | * | * | * | * |
| 97.49 | *8 | * | * | * | * | * | * | * | * | * | * |
| 97.5 | *8 | * | *6 | * | * | * | * | * | * | * | * |
| 97.6 | 13 | *5 | *8 | * | * | * | * | * | * | * | * |
| 97.62 | 10 | * | *7 | * | * | * | * | * | * | * | * |
| 97.8 | 14 | *6 | *7 | * | * | * | * | * | * | * | * |
| 98 | 31 | 16 | 15 | *6 | *8 | *7 | 10 | * | *7 | 13 | *7 |
| 98.0 | 11 | *7 | * | * | * | * | * | * | * | * | * |

See footnotes at end of table.

Table 48. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2005—Con.

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see "Methods" section]

| ICD-9-CM code | Total | Sex | | Age | | | | Region | | | |
|-----------------------------------|-------|-------|--------|----------------|-------------|-------------|-------------------|------------|---------|-------|------|
| | | Male | Female | Under 15 years | 15-44 years | 45-64 years | 65 years and over | North-east | Midwest | South | West |
| Number of procedures in thousands | | | | | | | | | | | |
| 98.02 | *8 | *5 | * | * | * | * | * | * | * | * | * |
| 98.1 | *5 | * | * | * | * | * | * | * | * | * | * |
| 98.5 | 11 | * | *8 | — | * | * | * | * | * | *8 | * |
| 98.51 | 11 | * | *8 | — | * | * | * | * | * | *8 | * |
| 99 | 3,818 | 1,668 | 2,150 | 325 | 683 | 969 | 1,842 | 946 | 857 | 1,259 | 756 |
| 99.0 | 1,902 | 788 | 1,115 | 67 | 220 | 472 | 1,144 | 327 | 403 | 754 | 418 |
| 99.00 | 33 | 13 | 20 | * | * | 9 | 20 | *7 | *8 | 11 | *7 |
| 99.02 | 56 | 21 | 35 | * | * | 26 | 27 | *7 | 12 | 15 | 21 |
| 99.03 | 13 | * | *8 | * | * | * | *8 | * | * | *6 | * |
| 99.04 | 1,537 | 620 | 917 | 43 | 185 | 362 | 947 | 268 | 329 | 627 | 313 |
| 99.05 | 83 | 37 | 46 | 13 | 11 | 23 | 36 | 15 | 14 | 33 | 21 |
| 99.07 | 166 | 84 | 82 | * | 15 | 46 | 100 | 26 | 31 | 58 | 51 |
| 99.1 | 415 | 165 | 250 | 45 | 133 | 102 | 135 | 125 | 90 | 99 | 102 |
| 99.10 | 38 | 21 | 16 | * | * | 14 | 19 | *8 | *8 | 13 | *8 |
| 99.11 | 75 | * | 75 | * | 74 | * | * | 16 | 15 | 24 | 19 |
| 99.14 | 15 | *8 | *6 | *7 | *5 | * | * | * | * | *5 | * |
| 99.15 | 134 | 62 | 72 | 30 | 19 | 31 | 54 | 35 | 32 | 38 | 30 |
| 99.17 | 35 | 18 | 17 | * | *8 | 16 | 9 | 14 | 12 | * | * |
| 99.18 | 47 | 18 | 29 | *6 | *8 | 13 | 20 | 23 | * | * | 20 |
| 99.19 | 71 | 37 | 34 | * | 14 | 25 | 31 | 24 | 20 | 11 | 16 |
| 99.2 | 1,131 | 529 | 602 | 131 | 269 | 315 | 417 | 407 | 283 | 286 | 155 |
| 99.20 | 108 | 75 | 34 | * | *7 | 49 | 52 | 22 | 24 | 32 | 31 |
| 99.21 | 342 | 145 | 197 | 44 | 96 | 78 | 124 | 142 | 95 | 63 | 42 |
| 99.22 | *6 | * | * | * | * | * | * | * | * | * | — |
| 99.23 | 108 | 43 | 65 | * | 20 | 23 | 60 | 31 | 35 | 30 | 12 |
| 99.25 | 209 | 116 | 93 | 42 | 39 | 73 | 55 | 51 | 28 | 91 | 38 |
| 99.29 | 351 | 144 | 207 | 38 | 103 | 86 | 123 | 157 | 96 | 68 | 30 |
| 99.3 | 9 | *7 | * | * | * | * | * | * | * | * | * |
| 99.4 | 20 | * | 20 | * | 20 | * | * | * | * | *7 | *7 |
| 99.47 | 11 | — | 11 | — | 11 | * | — | * | * | *5 | * |
| 99.48 | *8 | — | *8 | — | *8 | — | — | * | * | * | * |
| 99.5 | 77 | 34 | 43 | *8 | 13 | 23 | 32 | 29 | 18 | 19 | 11 |
| 99.52 | 30 | 12 | 18 | * | *5 | 10 | 13 | 14 | *7 | *7 | * |
| 99.55 | 43 | 19 | 23 | *7 | *6 | 12 | 18 | 15 | 10 | 10 | *7 |
| 99.6 | 139 | 83 | 56 | * | 9 | 37 | 91 | 32 | 37 | 42 | 29 |
| 99.60 | 58 | 35 | 23 | * | * | 14 | 40 | 12 | 16 | 19 | 11 |
| 99.61 | 22 | 14 | *8 | * | * | *7 | 13 | *6 | * | *8 | * |
| 99.62 | 50 | 30 | 20 | * | * | 14 | 32 | 11 | 15 | 13 | 12 |
| 99.69 | *8 | * | * | * | * | * | *5 | * | * | * | * |
| 99.7 | 38 | 13 | 24 | * | 13 | 13 | 11 | 11 | * | 16 | *6 |
| 99.71 | 10 | * | *7 | * | * | * | * | * | * | * | * |
| 99.74 | *5 | * | * | * | * | * | * | * | * | * | * |
| 99.77 | 16 | * | 12 | * | *6 | * | * | * | * | *8 | * |
| 99.8 | 70 | 41 | 29 | 66 | * | * | * | *8 | 12 | 24 | 26 |
| 99.83 | 63 | 37 | 26 | 63 | * | — | — | *7 | 11 | 21 | 24 |
| 99.9 | 17 | *8 | *8 | * | * | * | *7 | * | * | 10 | * |
| 99.99 | 16 | *8 | *8 | * | * | * | *7 | * | * | 10 | * |

* Figure does not meet standards of reliability or precision.

— Quantity zero.

NOTE: Estimates of 5,000-9,000 are to be used with caution; see "Methods" section.

Appendix

Technical Notes

Abstract Form

Figure I presents the medical abstract form used for the 2005 NHDS. The hospital number, date of birth, and patient ZIP Code are confidential information and are not released to the public, although they can be used with privacy safeguards through the NCHS Research Data Center.

Population Estimates

Population estimates used to compute rates are shown in Table I. These estimates are for the civilian population of the United States, including institutionalized persons, as of July 1, 2005. The data are postcensal estimates based on the 2000 census and are from unpublished tabulations provided by the U.S. Census Bureau.

Reliability of Estimates

The statistics presented in this report are based on a sample survey and therefore may differ from the figures that would be obtained if a complete census had been taken. The standard error is primarily a measure of sampling variability that occurs by chance because only a sample rather than an entire universe is surveyed. Standard errors for the estimates from NHDS were calculated with SUDAAN software, which takes into account the complex sample design. A description of the software and the approach it uses has been published (23).

The chances are about 32 in 100 that an estimate from the sample would differ from a complete census by more than the standard error. The chances are 5 in 100 that the difference would be more than twice the standard error and about 1 in 100 that the difference would be more than 2.5 times the standard error. The relative standard error (RSE) expresses the standard error as a percentage of the estimate and can be multiplied by the estimate to obtain the standard error.

Table I. Civilian population by age, geographic region, and sex: United States, 2005

| Age and geographic region | Both sexes | Male | Female |
|-----------------------------|------------|---------|---------|
| All ages | | | |
| Total | 295,194 | 144,959 | 150,235 |
| Region: | | | |
| Northeast | 54,583 | 26,480 | 28,103 |
| Midwest | 65,891 | 32,377 | 33,514 |
| South | 106,818 | 52,274 | 54,544 |
| West | 67,903 | 33,829 | 34,073 |
| Under 15 years | | | |
| Total | 60,700 | 31,057 | 29,644 |
| Under 1 year | 4,107 | 2,101 | 2,005 |
| 1–4 years | 16,197 | 8,280 | 7,917 |
| 5–14 years | 40,397 | 20,675 | 19,721 |
| Region: | | | |
| Northeast | 10,471 | 5,355 | 5,116 |
| Midwest | 13,259 | 6,786 | 6,473 |
| South | 22,159 | 11,329 | 10,829 |
| West | 14,812 | 7,586 | 7,226 |
| 15–44 years | | | |
| Total | 124,910 | 63,006 | 61,904 |
| 15–24 years | 41,585 | 21,233 | 20,352 |
| 25–34 years | 39,705 | 20,047 | 19,658 |
| 35–44 years | 43,620 | 21,726 | 21,894 |
| Region: | | | |
| Northeast | 22,618 | 11,314 | 11,303 |
| Midwest | 27,701 | 14,002 | 13,700 |
| South | 45,183 | 22,654 | 22,528 |
| West | 29,407 | 15,035 | 14,371 |
| 45–64 years | | | |
| Total | 72,794 | 35,485 | 37,310 |
| 45–54 years | 42,441 | 20,860 | 21,581 |
| 55–64 years | 30,354 | 14,625 | 15,729 |
| Region: | | | |
| Northeast | 14,042 | 6,782 | 7,260 |
| Midwest | 16,488 | 8,095 | 8,393 |
| South | 26,160 | 12,674 | 13,486 |
| West | 16,104 | 7,932 | 8,171 |
| 65 years and over | | | |
| Total | 36,790 | 15,413 | 21,377 |
| 65–74 years | 18,640 | 8,529 | 10,110 |
| 75–84 years | 13,054 | 5,279 | 7,775 |
| 85 years and over | 5,096 | 1,604 | 3,492 |
| Region: | | | |
| Northeast | 7,453 | 3,028 | 4,425 |
| Midwest | 8,444 | 3,495 | 4,948 |
| South | 13,316 | 5,616 | 7,701 |
| West | 7,579 | 3,275 | 4,305 |

NOTE: Unpublished 2000-based postcensal estimates from the U.S. Census Bureau.

To derive approximate standard errors for the estimates in this report, first calculate the approximate RSE of the estimate using the parameters shown in Table II. Then multiply the approximate RSE by the estimate. The approximate RSE of an estimate X may be estimated from the formula:

$$RSE(X) = \sqrt{a + b/X}$$

where a and b are defined in Table II. When multiplied by 100, $RSE(X)$ is expressed as a percentage of X .

The approximate RSE for a percentage, $100p$, in which the numerator is a subclass of the

Notice – All information which would permit identification of an individual or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to other persons or used for any other purpose. Public reporting burden of this collection of information is estimated to average 4 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0212)

FORM **HDS-1**
9-9-2005)

U.S. DEPARTMENT OF COMMERCE
Economics and Statistics Administration
U.S. CENSUS BUREAU
ACTING AS COLLECTING AGENT FOR
DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS

MEDICAL ABSTRACT – NATIONAL HOSPITAL DISCHARGE SURVEY

A. PATIENT IDENTIFICATION

| | | | | | |
|---------------------------|----------------------|------------------------------|---|---|--|
| 1. Hospital number | <input type="text"/> | 4. Date of admission | Month <input type="text"/> <input type="text"/> | Day <input type="text"/> <input type="text"/> | Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |
| 2. HDS number | <input type="text"/> | 5. Date of discharge | <input type="text"/> <input type="text"/> | <input type="text"/> <input type="text"/> | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> |
| 3. (Item deleted) | | 6. Residence ZIP Code | <input type="text"/> | | |

B. PATIENT CHARACTERISTICS

| | | | | |
|--|---|--|--|--|
| 7. Date of birth | Month <input type="text"/> <input type="text"/> | Day <input type="text"/> <input type="text"/> | Year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> | 11. Race – <i>Mark all that apply</i> |
| 8. Age – Complete only if date of birth not given | Units <input type="text"/> <input type="text"/> <input type="text"/> | 1 <input type="checkbox"/> Years 2 <input type="checkbox"/> Months 3 <input type="checkbox"/> Days | | |
| 9. Sex – <i>Mark (X) one</i> | 1 <input type="checkbox"/> Male 2 <input type="checkbox"/> Female 3 <input type="checkbox"/> Not stated | | | |
| 10. Ethnicity – <i>Mark (X) one</i> | 1 <input type="checkbox"/> Hispanic or Latino 2 <input type="checkbox"/> Not Hispanic or Latino 3 <input type="checkbox"/> Not stated | | | |
| | 4 <input type="checkbox"/> Asian 5 <input type="checkbox"/> Native Hawaiian or Other Pacific Islander | | | 6 <input type="checkbox"/> Other – <i>Specify</i> _____ 7 <input type="checkbox"/> Not stated |
| | 12. Marital status – <i>Mark (X) one</i> | | | |
| | 1 <input type="checkbox"/> Married 2 <input type="checkbox"/> Single 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated 6 <input type="checkbox"/> Not stated | | | |

C. ADMINISTRATIVE INFORMATION

| 13. Type of Admission – <i>Mark (X) one</i> | 16. Expected source(s) of payment | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|----------------------------------|---|---------------------------------|----------------------------|--|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1 <input type="checkbox"/> Emergency 2 <input type="checkbox"/> Urgent 3 <input type="checkbox"/> Elective 4 <input type="checkbox"/> Newborn 5 <input type="checkbox"/> Items not available/unknown | 1 <input type="checkbox"/> Worker's compensation 2 <input type="checkbox"/> Medicare 3 <input type="checkbox"/> Medicaid 4 <input type="checkbox"/> Other government payments 5 <input type="checkbox"/> Blue Cross/Blue Shield 6 <input type="checkbox"/> HMO/PPO 7 <input type="checkbox"/> Other private or commercial insurance 8 <input type="checkbox"/> Self pay 9 <input type="checkbox"/> No charge 10 <input type="checkbox"/> Other – <i>Specify</i> _____ _____ _____ _____ <input type="checkbox"/> No source of payment indicated | <table border="1"> <thead> <tr> <th>Principal</th> <th>Other additional sources</th> </tr> <tr> <th><i>Mark one only</i></th> <th><i>Mark all that apply</i></th> </tr> </thead> <tbody> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> </tbody> </table> | Principal | Other additional sources | <i>Mark one only</i> | <i>Mark all that apply</i> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Principal | Other additional sources | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>Mark one only</i> | <i>Mark all that apply</i> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14. Source of Admission – <i>Mark (X) one</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Physician referral 7 <input type="checkbox"/> Emergency room 2 <input type="checkbox"/> Clinical referral 8 <input type="checkbox"/> Court/Law enforcement 3 <input type="checkbox"/> HMO referral 9 <input type="checkbox"/> Other – <i>Specify</i> _____ 4 <input type="checkbox"/> Transfer from a hospital 5 <input type="checkbox"/> Transfer from SNF 6 <input type="checkbox"/> Transfer from other health facility 10 <input type="checkbox"/> Item not available | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15. Status/Disposition of patient – <i>Mark (X) appropriate box(es)</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="0"> <tr> <td>Status</td> <td>Disposition</td> </tr> <tr> <td>1 <input type="checkbox"/> Alive</td> <td> a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated </td> </tr> <tr> <td>2 <input type="checkbox"/> Died</td> <td></td> </tr> <tr> <td>3 <input type="checkbox"/> Status not stated</td> <td></td> </tr> </table> | Status | Disposition | 1 <input type="checkbox"/> Alive | a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated | 2 <input type="checkbox"/> Died | | 3 <input type="checkbox"/> Status not stated | | | | | | | | | | | | | | | | | | | |
| Status | Disposition | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Alive | a. <input type="checkbox"/> Routine discharge/discharged home b. <input type="checkbox"/> Left against medical advice c. <input type="checkbox"/> Discharged, transferred to another short-term hospital d. <input type="checkbox"/> Discharged, transferred to long-term care institution e. <input type="checkbox"/> Other disposition/not stated | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 <input type="checkbox"/> Died | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 <input type="checkbox"/> Status not stated | | | | | | | | | | | | | | | | | | | | | | | | | | |

(Over)

Figure I. Medical abstract form for the National Hospital Discharge Survey, 2005

Table II. Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics, by selected characteristics: 2005

| Characteristic | Discharges or first-listed diagnosis | | Days of care | | All-listed diagnosis | | All-listed procedures | |
|--|--------------------------------------|---------|--------------|-----------|----------------------|---------|-----------------------|---------|
| | a | b | a | b | a | b | a | b |
| Total | 0.00207 | 346.164 | 0.00323 | 839.909 | 0.00253 | 357.843 | 0.00357 | 390.432 |
| Sex | | | | | | | | |
| Male | 0.00222 | 334.327 | 0.00372 | 1,032.262 | 0.00241 | 312.599 | 0.00313 | 320.197 |
| Female | 0.00206 | 345.937 | 0.00328 | 1,088.173 | 0.00256 | 345.791 | 0.00326 | 299.400 |
| Age | | | | | | | | |
| Under 15 years | 0.02222 | 211.185 | 0.03432 | 421.121 | 0.02380 | 259.063 | 0.03111 | 198.141 |
| 15–44 years | 0.00250 | 283.693 | 0.00417 | 918.013 | 0.00239 | 335.039 | 0.00331 | 314.433 |
| 45–64 years | 0.00183 | 366.971 | 0.00373 | 1,139.179 | 0.00256 | 354.531 | 0.00308 | 310.710 |
| 65 years and over | 0.00266 | 277.413 | 0.00379 | 1,086.151 | 0.00291 | 310.255 | 0.00340 | 304.071 |
| Region | | | | | | | | |
| Northeast | 0.01845 | 204.707 | 0.04005 | 271.786 | 0.01587 | 195.341 | 0.01490 | 185.349 |
| Midwest | 0.01409 | 215.440 | 0.01781 | 529.931 | 0.01567 | 252.282 | 0.02270 | 125.271 |
| South | 0.00305 | 379.475 | 0.00438 | 1,284.636 | 0.00326 | 325.059 | 0.00383 | 356.016 |
| West | 0.00552 | 384.878 | 0.01072 | 1,108.792 | 0.00929 | 346.631 | 0.00724 | 391.296 |
| Principal expected source of payment | | | | | | | | |
| Medicare | 0.00259 | 296.049 | 0.00342 | 1,645.254 | 0.00261 | 340.962 | 0.00372 | 298.730 |
| Medicaid | 0.00629 | 275.580 | 0.01163 | 802.767 | 0.00570 | 296.800 | 0.00619 | 335.245 |
| Worker's compensation and other government payment | 0.00716 | 351.112 | 0.01578 | 1,187.014 | 0.00961 | 359.841 | 0.00739 | 378.745 |
| HMO and PPO ¹ | 0.00600 | 217.785 | 0.00826 | 627.592 | 0.00627 | 284.264 | 0.00775 | 213.152 |
| Blue Cross Blue Shield and other private insurance | 0.00333 | 301.651 | 0.00569 | 819.794 | 0.00342 | 312.630 | 0.00480 | 262.275 |
| Self pay | 0.00386 | 258.913 | 0.00716 | 888.210 | 0.00371 | 308.890 | 0.00526 | 276.605 |
| No charge and other | 0.03576 | 175.844 | 0.04748 | 427.066 | 0.03111 | 255.961 | 0.03478 | 211.229 |

¹HMO is health maintenance organization, and PPO is preferred provider organization.

NOTE: The relative standard error (RSE) can be determined from the equation $RSE(x)=\sqrt{a+b/x}$.

denominator, may be calculated directly using the formula:

$$RSE(p) = \sqrt{b(1-p) / (pX)}$$

where $100p$ is the percentage of interest, X is the denominator of the percentage, and b is the parameter b in the formula for approximating the $RSE(X)$. The values for b are given in Table II. When multiplied by 100, $RSE(p)$ is expressed as a percentage of p . This approximation is valid if the RSE of the denominator is less than 5 percent or the RSEs of the numerator and denominator are both less than 10 percent (24,25).

The approximate RSE of a population-based rate is equivalent to the approximate RSE of the numerator (obtained by the method described above using figures from Table II) if the denominator is an estimate produced by the U.S. Census Bureau for the total population or for one or more of the age-sex groups of the total population.

The approximate RSE of a ratio (X/Y) in which the numerator (X) and the denominator (Y) are both estimated

from the same survey, but the numerator is not a subclass of the denominator, is calculated using the formula:

$$RSE(X/Y) = \sqrt{[RSE(X)]^2 + [RSE(Y)]^2}$$

When multiplied by 100, the $RSE(X/Y)$ is expressed as a percentage of the ratio X/Y . This approximation is valid if the RSE of the denominator is less than 5 percent or if the RSEs of the numerator and denominator are both less than 10 percent (24,25).

Definitions of Selected Terms

Admission source—The source of admission variable was added to NHDS beginning in 2001 and was modeled after the variable in the National Uniform Bill (UB-92), the standard billing form used by Medicare for reimbursement of hospital inpatient care. The categories for admission source shown in this report include the following:

Physician referral—The patient was admitted to the hospital upon the

recommendation of his or her personal physician, the hospital's clinic physician, or a health maintenance organization physician.

Emergency department—The patient was admitted to the hospital upon the recommendation of the hospital's emergency department physician. The terms emergency department and emergency room are used interchangeably in this report.

Transfer from a hospital—The patient was admitted to the hospital as a transfer from an acute care hospital where he or she was an inpatient.

Transfer from other health facility—The patient was admitted to the hospital as a transfer from a skilled nursing facility or other health facility where he or she was an inpatient.

Other sources—The patient was admitted to the hospital upon the direction of a court of law, on the request of a law enforcement

agency representative, or for other reasons not categorized above.

Item not available—Information about the source of admission to the hospital was not available for the patient.

Admission type—Like admission source, the admission type variable was added to NHDS in 2001 and is modeled after the variable in the UB-92. Four admission types are shown in this report:

Emergency—The patient required immediate medical intervention as a result of severe life threatening or potentially disabling conditions. Patients in this group are generally admitted through the emergency room.

Urgent—The patient required immediate care and treatment of a physical or mental disorder. Patients in this group are usually admitted to the first available and suitable accommodation.

Elective—The patient's condition permitted adequate time to schedule the availability of suitable accommodation.

Item not available—Information about the admission type for the patient was not available.

Age—The patient's age at the birthday prior to admission to the hospital.

Average length of stay—The mean length of stay for discharges, which is calculated by dividing the number of days of care by the number of discharges.

Barell injury diagnosis matrix—This matrix is a two-dimensional array that includes all the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) codes describing injury (19). The code numbers from the matrix are shown in [Table III](#). This matrix was developed to provide a standard format for describing the site and type of injuries for use in epidemiological and clinical analyses of injury data.

Bed size of hospital—The number of beds, cribs, and pediatric bassinets

regularly maintained (set up and staffed for use) for patients, not including bassinets for newborn infants. In this report, the classification of hospitals by bed size is based on the number of beds listed in the Verispan files (16).

Days of care—The total number of days a patient spent in the hospital. A stay of less than 1 day (patient admitted as an inpatient and discharged on the same day) is counted as one day. For patients admitted and discharged on different days, the number of days of care is computed by counting all the days from (and including) the day of admission to (but not including) the day of discharge.

Death rate—The death rate is calculated by dividing the number of deaths for a category by the total number of discharges in that category and multiplying by 100. Discharges whose status is unknown (2.4 percent) are assumed to be discharged alive.

Diagnosis—A disease or injury (or other factor that influences a patient's health status or causes contact with health services) that is listed on the medical record of the patient at discharge. The principle diagnosis is the diagnosis established after the study to be chiefly responsible for the admission of the patient to the hospital. The *first-listed diagnosis* is the diagnosis specified as the principal diagnosis on the face sheet or discharge summary of the medical record, or, if the principal diagnosis is not specified, it is the first diagnosis listed on the face sheet or discharge summary of the medical record. The first-listed diagnosis is usually the main cause of the hospitalization. The number of first-listed diagnoses is the same as the number of discharges. *All-listed diagnoses* include first-listed diagnoses and secondary diagnoses and are included for users who want to know the total number of times conditions have been reported for hospitalized patients. A minimum of one and a maximum of seven diagnoses are coded in NHDS per discharge. The human immunodeficiency virus (HIV) data ([Table 23](#)) are for discharges with an HIV diagnosis listed in any position among the coded diagnoses.

Discharge—A completed inpatient hospitalization. A hospitalization may be completed by death or when the hospital releases the patient to the customary place of residence, a nursing home, another hospital, or another location.

Disposition—The placement or status of the patient when discharged from the hospital. Six disposition categories are shown in this report:

Routine or discharged home—Patients who were discharged to return to their homes, including those referred to home care services, discharged to a relative or foster home, or transferred to a corrections institute.

Transferred to other short-term hospital—Patients discharged and transferred to another short-term hospital for additional care.

Transferred to long-term care institution—Patients discharged and transferred or returned to a nursing home, skilled nursing facility, extended care facility, intermediate care facility, or custodial care facility.

Other discharged alive—Includes patients discharged alive whose disposition is unknown, patients who left the hospital against medical advice, patients transferred to another facility that could not be classified as short-term or long-term, and patients transferred to a state facility, psychiatric facility, terminal care or hospice facility, rehabilitation facility, or specialty hospital.

Died—Patients who died while hospitalized as inpatients.

Status not stated—No information was available on whether the patient was discharged alive or died in the hospital.

Hospital—Hospitals in this report are those with an average length of stay for all inpatients of less than 30 days (short stay) or those whose specialty is general (medical or surgical) or children's general. Federal hospitals, hospital units of institutions, and

Table III. Code numbers for Barell injury diagnosis matrix categories in Table 24

[Code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification*]

| Type of injury | All body sites | Traumatic brain injury | Other head, face, and neck | Spinal cord | Vertebral column | Torso | Upper extremities | Lower extremities | Other and unspecified |
|---|---|---|---|-------------|-------------------------------|---|--|---|--|
| All types of injury . . . | 800–908, 909.0–909.2, 909.4, 909.9, 910–994, 995.50–995.59, 995.80–995.85 | 800–801, 803, 804, 850–854, 950.1–950.3, 995.55 | 802, 807.5–807.6, 830, 848.0–848.2, 870–874, 900, 910, 918, 920–921, 925, 940–941, 947.0, 950.0, 950.9, 951, 953.0, 954.0, 957.0, 959.0 | 806, 952 | 805, 839.0–839.5, 847.0–847.4 | 807.0–807.4, 808–809, 839.6–839.7, 846, 847.9, 848.3–848.5, 860–868, 875–878, 879.0–879.7, 901, 902.0–902.5, 902.81–902.82, 911, 922, 926, 942, 947.3–947.4, 953.1–953.3, 953.5, 954.1–954.9, 959.1 | 810–818, 831–834, 840–842, 880–887, 903, 912–915, 923, 927, 943–944, 953.4, 955, 959.2–959.5 | 820–827, 835–838, 843–845, 890–897, 904.0–904.8, 916, 917, 924.0–924.5, 928, 945, 959.6–959.7 | 819, 828–829, 839.8–839.9, 848.8–848.9, 869, 879.8–879.9, 902.87, 902.89, 902.9, 904.9, 919, 924.8–924.9, 929, 946, 947.1–947.2, 947.8–947.9, 948, 949, 953.8–953.9, 956, 957.1–957.9, 959.8–959.9 |
| Fracture | 800–829 | 800–801, 803, 804 | 802, 807.5–807.6 | 806 | 805 | 807.0–807.4, 808, 809 | 810–818 | 820–827 | 819, 828–829 |
| Dislocation | 830–839 | None | 830 | None | 839.0–839.5 | 839.6–839.7 | 831–834 | 835–838 | 839.8–839.9 |
| Sprains and strains . . | 840–848 | None | 848.0–848.2 | None | 847.0–847.4 | 846, 847.9, 848.3–848.5 | 840–842 | 843–845 | 848.8–848.9 |
| Internal | 850–854, 860–869, 952, 995.55 | 850–854, 995.55 | None | 952 | None | 860–868 | None | None | 869 |
| Open wound | 870–884, 890–894 | None | 870–874 | None | None | 875–878, 879.0–879.7 | 880–884 | 890–894 | 879.8–879.9 |
| Amputation | 885–887, 895–897 | None | None | None | None | None | 885–887 | 895–897 | None |
| Blood vessels | 900–904 | None | 900 | None | None | 901, 902.0–902.5, 902.81–902.82 | 903 | 904.0–904.8 | 902.87, 902.89, 902.9, 904.9 |
| Contusions and superficial injuries . . | 910–924 | None | 910, 918, 920–921 | None | None | 911, 922 | 912–915, 923 | 916–917, 924.0–924.5 | 919, 924.8–924.9 |
| Crush | 925–929 | None | 925 | None | None | 926 | 927 | 928 | 929 |
| Burns | 940–949 | None | 940–941, 947.0 | None | None | 942, 947.3–947.4 | 943–944 | 945 | 946, 947.1–947.2, 947.8–947.9, 948–949 |
| Nerves and spinal cord | 950–951, 953–957 | 950.1–950.3 | 950.0, 950.9, 951, 953.0, 954.0, 957.0 | None | None | 953.1–953.3, 953.5, 954.1–954.9 | 953.4, 955 | None | 953.8–953.9, 956, 957.1–957.9 |
| Unspecified | 959 | None | 959.0 | None | None | 959.1 | 959.2–959.5 | 959.6–959.7 | 959.8–959.9 |
| System-wide | 905–908, 909.0–909.2, 909.4, 909.9, 930–939, 958, 960–994, 995.50–995.54, 995.59, 995.80–995.85 | | | | | | | | |

SOURCE: CDC/NCHS, The Barell injury diagnosis matrix, classification by body region and nature of the injury. Available from <http://www.cdc.gov/nchs/about/otheract/ice/barellmatrix.htm>.

hospitals with fewer than six beds staffed for patient use are excluded.

Newborn infant—An inpatient admitted to a hospital by birth. Sick newborn infants are those that had at least one of the ICD–9–CM (1) diagnostic codes 001–999.

Ownership of hospital—The type of hospital ownership is determined by the organization that controls and operates the hospital. Hospitals are grouped as follows:

Proprietary—Hospitals operated by individuals, partnerships, or corporations for profit.

Government—Hospitals operated by state or local governments.

Nonprofit—Hospitals operated by a nonprofit organization or church.

Principal expected source of payment—The primary expected method of payment for the hospitalization as reported on the patient’s medical record. Types of payment include the following:

Medicare—The health insurance program for the aged and disabled administered by the Centers for Medicare and Medicaid Services (CMS). A person 65 years of age and over is included in this category only if Medicare is reported as the principal expected source of payment.

Medicaid—A jointly funded federal-state health insurance

program providing medical care to those unable to afford it. If Medicaid and health maintenance organization (HMO) or preferred provider organization (PPO) are reported, the discharge is included in the category listed first.

Worker’s compensation—A state or municipal disability insurance or industrial accident insurance.

Other government—This includes payments under the Title V Program, the state-funded Maternal and Child Health Program that provides coverage for children up to 21 years of age with specific chronic medical conditions (e.g., the Crippled Children’s Program), CHAMPUS (Civilian Health and Medical Program of the Uniformed Services) or TRICARE (the Defense Department’s health care program for service families), casualty insurance paid by the state, vocational rehabilitation, federal or state research grant (medical research), or legal hold (prisoner in medical detention).

HMO or PPO—Any health maintenance organization (HMO) or preferred provider organization (PPO) sponsored by consumers, insurers, organizations, physicians, or hospitals. Medicare and Medicaid discharges are included in this category when HMO or PPO is

reported as their principal expected source of payment.

Blue Cross Blue Shield and other private—A private insurance plan not specified as an HMO or PPO. This includes Blue Cross Blue Shield plans; medical coverage provided by life insurance companies, private casualty insurance companies, and health insurance companies; and independent plans such as employer- and union-sponsored plans and self-funded plans (partial or total).

Self-pay—The majority of the costs for the hospitalization were expected to be paid by the patient, spouse, family, or next of kin.

No charge—Patients admitted with the understanding that the medical services would be free. This includes patients involved in hospital-sponsored special research or teaching.

Other—Includes any nonprofit source of payment, such as church welfare, United Way (United Appeal), or Shriner’s Hospitals for Children.

Procedure—Procedures include surgical procedures (such as appendectomy), diagnostic procedures (such as spinal tap), and therapeutic treatments (such as injection or infusion

Table IV. Code numbers for procedures considered nonsurgical in the National Hospital Discharge Survey, by ICD–9–CM category, 2005

[Procedure categories and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD–9–CM)*]

| Procedure category and ICD–9–CM code | Nonsurgical codes |
|---|---|
| Operations on the nervous system 01–05 | 01.18–01.19,03.31,03.39,04.19,05.19 |
| Operations on the endocrine system 06–07 | 06.19,07.19 |
| Operations on the eye 08–16 | 08.19,09.19,09.41–09.44,09.49,10.29,11.29,12.29,14.19,15.09,16.21,16.29 |
| Operations on the ear 18–20 | 18.01,18.11,18.19,20.31,20.39 |
| Operations on the nose, mouth, and pharynx 21–29 | 21.00–21.02,21.21,21.29,22.19,24.19,25.09,26.19,27.29,28.19,29.11,29.19 |
| Operations on the respiratory system 30–34 | 31.41–31.42,31.48–31.49,33.21–33.23,33.29,34.21–34.22,34.28–34.29 |
| Operations on the cardiovascular system 35–39 | 37.26–37.28,37.29,38.29,39.95 |
| Operations on the hemic and lymphatic system 40–41 | 40.19,41.38–41.39 |
| Operations on the digestive system 42–54 | 42.22–42.23,42.29,44.11–44.13,44.19,44.32,45.11–45.13,45.19,45.21–45.24,45.28–45.29,48.21–48.23,48.29,49.21,49.29,50.19,51.10–51.11,51.19,52.19,54.21,54.29 |
| Operations on the urinary system 55–59 | 55.21–55.22,55.29,56.31,56.35,56.39,57.31–57.32,57.39,57.94–57.95,58.21–58.22,58.29,59.29 |
| Operations on the male genital organs 60–64 | 60.18–60.19,61.19,62.19,63.09,64.19,64.94 |
| Operations on the female genital organs 65–71 | 65.19,66.19,67.19,68.11,68.19,69.92,70.21–70.22,70.29,71.19 |
| Obstetrical procedures 72–75 | 73.4–73.59,73.91–73.92,75.31–75.32,75.34–75.35,75.38,75.94 |
| Operations on the musculoskeletal system 76–84 | 76.19,78.80–78.89,80.20–80.29,81.98,83.29,84.41–84.43,84.45–84.47 |
| Operations on the integumentary system 85–86 | 85.19,86.19,86.92 |
| Miscellaneous diagnostic and therapeutic procedures and new technologies 87–99,00 | 87.01–99.99,00.01–00.29 |

of cancer chemotherapeutic substance) reported on a patient's medical record. Data are for all-listed procedures, which include all occurrences of the procedure coded, regardless of their order in the medical record. Up to four procedures are coded per discharge in NHDS. The procedures classified as nonsurgical in this report are listed in [Table IV](#) by ICD-9-CM code numbers (1). All other procedures were considered surgical. This classification began in 1979 for the presentation of NHDS data and still remains an important distinction. However, the development of minimally invasive and noninvasive procedures has resulted in less difference between surgical and nonsurgical procedures with regard to operative or anesthetic risk and requirements for highly trained personnel or special equipment.

Region—Hospitals are classified by location in one of the four geographic regions of the United States that correspond to those used by the U.S. Census Bureau.

Region States included

| | |
|-----------|--|
| Northeast | Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, and Pennsylvania |
| Midwest | Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Kansas, and Nebraska |
| South | Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, Oklahoma, Arkansas, and Texas |
| West | Washington, Oregon, California, Nevada, New Mexico, Arizona, Idaho, Utah, Colorado, Montana, Wyoming, Alaska, and Hawaii |

Changes in ICD-9-CM Codes

Although the ICD-9-CM has been used for coding NHDS data since 1979, the classification system undergoes annual updating. Assignment of new diagnostic and procedure codes and fourth- and fifth-digit expansion of codes, as well as code deletions, are contained in addenda developed by the ICD-9-CM Coordination and Maintenance Committee and are approved by the Director of NCHS and the Administrator of CMS (formerly Health Care Financing Administration). Addenda to the ICD-9-CM have become effective October 1 of each year since 1986, except in 1999. No addendum was released in 1999 because of concerns about instituting coding changes before the millennium crossover.

The data in this report were coded using the addenda for October 1, 1986-2004. When hospitals reported data using code changes introduced in the October 1, 2005, addendum, the new codes were converted to their previous code assignments so that the annual estimates would be based on consistent coding.

The new ICD-9-CM codes from the 1986-2004 addenda, the date they were introduced, and the code to which the diagnosis or procedure had been assigned before development of the new code are shown in [Table V](#) (diagnoses codes) and [Table VI](#) (procedure codes). Specific titles and more detailed information about the coding system can be found in appropriate volumes of the ICD-9-CM (1).

Table V. Changes in ICD-9-CM diagnosis codes, 1986-2004

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|--|---------------------|---|---------------------------------|---------------------|-----------------------------|
| 005.81, 005.89 | 1995 | 005.8 | 204.91 | 1991 | V10.61 |
| 007.4 | 1997 | 007.8 | 205.00 | 1991 | 205.0 |
| 007.5 | 2000 | 007.8 | 205.01 | 1991 | V10.62 |
| 008.00-008.09 | 1992 | 008.0 | 205.10 | 1991 | 205.1 |
| 008.43-008.47 | 1992 | 008.49 | 205.11 | 1991 | V10.62 |
| 008.6-008.69 | 1992 | 008.6 | 205.20 | 1991 | 205.2 |
| 031.2 | 1997 | 031.8 | 205.21 | 1991 | V10.62 |
| 038.10-038.11, 038.19 | 1997 | 038.1 | 205.30 | 1991 | 205.3 |
| 040.82 | 2002 | 040.89 | 205.31 | 1991 | V10.62 |
| 041.00-041.05, 041.09 | 1992 | 041.0 | 205.80 | 1991 | 205.8 |
| 041.04 (Code title restated) | 1997 | 041.04 | 205.81 | 1991 | V10.62 |
| 041.10-041.19 | 1992 | 041.1 | 205.90 | 1991 | 205.9 |
| 041.81-041.85, 041.89 | 1992 | 041.8 | 205.91 | 1991 | V10.62 |
| 041.86 | 1995 | 041.84 | 206.00 | 1991 | 206.0 |
| 042 | 1994 | 042.0-042.2, 042.9, 043.0-043.3, 043.9, 044.0, 044.9 (Codes deleted) | 206.01 | 1991 | V10.63 |
| 042.0-044.9 | 1986 | 279.19 | 206.10 | 1991 | 206.1 |
| 066.4 | 2002 | 066.3 | 206.11 | 1991 | V10.63 |
| 066.40-066.42, 066.49 | 2004 | 066.4 | 206.20 | 1991 | 206.2 |
| 070.20-070.21 | 1991 | 070.2 | 206.21 | 1991 | V10.63 |
| 070.22 | 1994 | 070.20 | 206.80 | 1991 | 206.8 |
| 070.23 | 1994 | 070.21 | 206.81 | 1991 | V10.63 |
| 070.30-070.31 | 1991 | 070.3 | 206.90 | 1991 | 206.9 |
| 070.32 | 1994 | 070.30 | 206.91 | 1991 | V10.63 |
| 070.33 | 1994 | 070.31 | 207.00 | 1991 | 207.0 |
| 070.41-070.43 | 1991 | 070.4 | 207.01 | 1991 | V10.69 |
| 070.44 | 1994 | 070.41 | 207.10 | 1991 | 207.1 |
| 070.49 | 1991 | 070.4 | 207.11 | 1991 | V10.69 |
| 070.51-070.53 | 1991 | 070.5 | 207.20 | 1991 | 207.2 |
| 070.54 | 1994 | 070.51 | 207.21 | 1991 | V10.69 |
| 070.59 | 1991 | 070.5 | 207.80 | 1991 | 207.8 |
| 070.70 | 2004 | 070.51 | 207.81 | 1991 | V10.69 |
| 070.71 | 2004 | 070.41 | 208.00 | 1991 | 208.0 |
| 077.98-077.99 | 1993 | 077.9 | 208.01 | 1991 | V10.60 |
| 078.10-078.11, 078.19 | 1993 | 078.1 | 208.10 | 1991 | 208.1 |
| 078.88 | 1993 | 078.89 | 208.11 | 1991 | V10.60 |
| 079.4 | 1993 | 079.8 | 208.20 | 1991 | 208.2 |
| 079.50-079.53, 079.59 | 1993 | 079.8 | 208.21 | 1991 | V10.60 |
| 079.6 | 1996 | 079.89 | 208.80 | 1991 | 208.8 |
| 079.81 | 1995 | 079.89 | 208.81 | 1991 | V10.60 |
| 079.82 | 2003 | 079.89 | 208.90 | 1991 | 208.9 |
| 079.88-079.89 | 1993 | 079.8 | 208.91 | 1991 | V10.60 |
| 079.98-079.99 | 1993 | 079.9 | 237.70-237.72 | 1990 | 237.7 |
| 082.40-082.41, 082.49 | 2000 | 082.8 | 250.02 | 1993 | 250.90 |
| 088.81, 088.89 | 1989 | 088.8 | 250.03 | 1993 | 250.91 |
| 088.82 | 1993 | 088.89 | 250.12 | 1993 | 250.10 |
| 099.40-099.49 | 1992 | 099.4 | 250.13 | 1993 | 250.11 |
| 099.50-099.59 | 1992 | 078.89 | 250.22 | 1993 | 250.20 |
| 112.84-112.85 | 1992 | 112.89 | 250.23 | 1993 | 250.21 |
| 114.4-114.5 | 1993 | 114.3 | 250.32 | 1993 | 250.30 |
| 176.0-176.9 | 1991 | 173.0-173.9 | 250.33 | 1993 | 250.31 |
| 203.00 | 1991 | 203.0 | 250.42 | 1993 | 250.40 |
| 203.01 | 1991 | V10.79 | 250.43 | 1993 | 250.41 |
| 203.10 | 1991 | 203.1 | 250.52 | 1993 | 250.50 |
| 203.11 | 1991 | V10.79 | 250.53 | 1993 | 250.51 |
| 203.80 | 1991 | 203.8 | 250.62 | 1993 | 250.60 |
| 203.81 | 1991 | V10.79 | 250.63 | 1993 | 250.61 |
| 204.00 | 1991 | 204.0 | 250.72 | 1993 | 250.70 |
| 204.01 | 1991 | V10.61 | 250.73 | 1993 | 250.71 |
| 204.10 | 1991 | 204.1 | 250.82 | 1993 | 250.80 |
| 204.11 | 1991 | V10.61 | 250.83 | 1993 | 250.81 |
| 204.20 | 1991 | 204.2 | 250.92 | 1993 | 250.90 |
| 204.21 | 1991 | V10.61 | 250.93 | 1993 | 250.91 |
| 204.80 | 1991 | 204.8 | 252.00-252.02, 252.08 | 2004 | 252.0 |
| 204.81 | 1991 | V10.61 | 255.10-255.14 | 2003 | 255.1 |
| 204.90 | 1991 | 204.9 | 256.31-256.39 | 2001 | 256.3 |
| | | | 273.4 | 2004 | 277.6 |
| | | | 275.40-275.42, 275.49 | 1997 | 275.4 |

Table V. Changes in ICD-9-CM diagnosis codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|---------------------------------|---------------------|--|----------------------------|---------------------|---------------------------------------|
| 277.02-277.03, 277.09 | 2002 | 277.00 | 404.90-404.93 | 1989 | 404.9 |
| 277.7 | 2001 | 277.8 | 410.00-410.02 | 1989 | 410.0 |
| 277.81-277.84, 277.89 | 2003 | 277.8 | 410.10-410.12 | 1989 | 410.1 |
| 277.85-277.86 | 2004 | 277.89 | 410.20-410.22 | 1989 | 410.2 |
| 277.87 | 2004 | 277.89, 758.89 | 410.30-410.32 | 1989 | 410.3 |
| 278.00-278.01 | 1995 | 278.0 | 410.40-410.42 | 1989 | 410.4 |
| 282.41-282.42, 282.49 | 2003 | 282.4 | 410.50-410.52 | 1989 | 410.5 |
| 282.64 | 2003 | 282.63 | 410.60-410.62 | 1989 | 410.6 |
| 282.68 | 2003 | 282.69 | 410.70-410.72 | 1989 | 410.7 |
| 283.10-283.11, 283.19 | 1993 | 283.1 | 410.80-410.82 | 1989 | 410.8 |
| 285.21-285.22, 285.29 | 2000 | 285.8 | 410.90-410.92 | 1989 | 410.9 |
| 289.52 | 2003 | 289.59 | 411.81 | 1989 | 410.9 |
| 289.81-289.82, 289.89 | 2003 | 289.8 | 411.89 | 1989 | 411.8 |
| 291.81, 291.89 | 1996 | 291.8 | 414.00-414.01 | 1994 | 414.0 |
| 293.84 | 1996 | 293.89 | 414.02-414.03 | 1994 | 996.03 |
| 294.10-294.11 | 2000 | 294.1 | 414.04-414.05 | 1996 | 414.00 |
| 300.82 | 1996 | 300.81 | 414.06 | 2002 | 414.00 |
| 305.1 | 1994 | 305.10, 305.11, 305.12, 305.13 (Codes deleted) | 414.07 | 2003 | 414.06 |
| 312.81-312.82, 312.89 | 1994 | 312.8 | 414.12 | 2002 | 414.11 |
| 315.32 | 1996 | 315.39 | 415.11 | 1995 | 997.3 + 415.1 |
| 320.81-320.89 | 1992 | 320.8 | 415.19 | 1995 | 415.1 |
| 331.11, 331.19 | 2003 | 331.1 | 428.20-428.23 | 2002 | 428.0 |
| 331.82 | 2003 | 331.89 | 428.30-428.33 | 2002 | 428.0 |
| 333.92-333.93 | 1994 | 333.99 | 428.40-428.43 | 2002 | 428.0 |
| 337.20-337.22, 337.29 | 1993 | 337.9 | 429.71, 429.79 | 1989 | 410.0-410.9 |
| 337.3 | 1998 | 337.9 | 433.00-433.01 | 1993 | 433.0 |
| 342.00-342.02 | 1994 | 342.0 | 433.10-433.11 | 1993 | 433.1 |
| 342.10-342.12 | 1994 | 342.1 | 433.20-433.21 | 1993 | 433.2 |
| 342.80-342.82 | 1994 | 342.9 | 433.30-433.31 | 1993 | 433.3 |
| 342.90-342.92 | 1994 | 342.9 | 433.80-433.81 | 1993 | 433.8 |
| 344.00-344.04, 344.09 | 1994 | 344.0 | 433.90-433.91 | 1993 | 433.9 |
| 344.30-344.32 | 1994 | 344.3 | 434.00-434.01 | 1993 | 434.0 |
| 344.40-344.42 | 1994 | 344.4 | 434.10-434.11 | 1993 | 434.1 |
| 344.81, 344.89 | 1993 | 344.8 | 434.90-434.91 | 1993 | 434.9 |
| 345.00-345.01 | 1989 | 345.0 | 435.3 | 1995 | 435.0 + 435.1 |
| 345.10-345.11 | 1989 | 345.1 | 437.7 | 1992 | 780.9 |
| 345.40-345.41 | 1989 | 345.4 | 438.0 | 1997 | 294.9 + 438 |
| 345.50-345.51 | 1989 | 345.5 | 438.10 | 1997 | 784.5 + 438 |
| 345.60-345.61 | 1989 | 345.6 | 438.11 | 1997 | 784.3 + 438 |
| 345.70-345.71 | 1989 | 345.7 | 438.12 | 1997 | 784.4 + 438 |
| 345.80-345.81 | 1989 | 345.8 | 438.19 | 1997 | 784.5 + 438 |
| 345.90-345.91 | 1989 | 345.9 | 438.20 | 1997 | 342.90 + 438 |
| 346.00-346.01 | 1992 | 346.0 | 438.21 | 1997 | 342.91 + 438 |
| 346.10-346.11 | 1992 | 346.1 | 438.22 | 1997 | 342.92 + 438 |
| 346.20-346.21 | 1992 | 346.2 | 438.30 | 1997 | 344.40 + 438 |
| 346.80-346.81 | 1992 | 346.8 | 438.31 | 1997 | 344.41 + 438 |
| 346.90-346.91 | 1992 | 346.9 | 438.32 | 1997 | 344.42 + 438 |
| 347.00-347.01 | 2004 | 347 | 438.40 | 1997 | 344.30 + 438 |
| 347.10-347.11 | 2004 | 347 | 438.41 | 1997 | 344.31 + 438 |
| 348.30-348.31, 348.39 | 2003 | 348.3 | 438.42 | 1997 | 344.32 + 438 |
| 355.71 | 1993 | 354.4 | 438.50-438.52 | 1997 | 344.89 + 438 |
| 355.79 | 1993 | 355.7 | 438.53 | 1998 | 438.50 |
| 357.81-357.82, 357.89 | 2002 | 357.8 | 438.6-438.7 | 2002 | 438.89 |
| 358.00-358.01 | 2003 | 358.0 | 438.81 | 1997 | 784.69 + 438 |
| 359.81, 359.89 | 2002 | 359.8 | 438.82 | 1997 | 787.2 + 438 |
| 365.83 | 2002 | 365.89 | 438.83-438.85 | 2002 | 438.89 |
| 371.82 | 1992 | 371.89 | 438.89 | 1997 | 438 |
| 372.81, 372.89 | 2000 | 372.8 | 438.9 | 1997 | 438 |
| 374.87 | 1990 | 374.89 | 440.20-440.22 | 1992 | 440.2 |
| 380.03 | 2004 | 733.99 | 440.23 | 1993 | 440.20 + (707.1 or 707.8 or 707.9) |
| 403.00-403.01 | 1989 | 403.0 | 440.24 | 1993 | 440.20 + 785.4 |
| 403.10-403.11 | 1989 | 403.1 | 440.29 | 1993 | 440.2 |
| 403.90-403.91 | 1989 | 403.9 | 440.30-440.32 | 1994 | 996.1 |
| 404.00-404.03 | 1989 | 404.0 | 441.00-441.03 | 1994 | 441.0 |
| 404.10-404.13 | 1989 | 404.1 | 441.6 | 1993 | 441.1 + 441.3 |
| | | | 441.7 | 1993 | 441.2 + 441.4 |
| | | | 443.21 | 2002 | 442.81 |

Table V. Changes in ICD-9-CM diagnosis codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|---------------------------------------|---------------------|-----------------------------|------------------------------------|---------------------|--------------------------------------|
| 443.22 | 2002 | 442.2 | 530.12 | 2001 | 530.10 |
| 443.23 | 2002 | 442.1 | 530.20-530.21 | 2003 | 530.2 |
| 443.24, 443.29 | 2002 | 442.89 | 530.81 | 1993 | 530.1 |
| 445.01-445.02 | 2002 | 440.29 | 530.82-530.84, 530.89 | 1993 | 530.8 |
| 445.81 | 2002 | 440.1 | 530.85 | 2003 | 530.2 |
| 445.89 | 2002 | 440.8 | 530.86-530.87 | 2004 | 997.4 |
| 446.20-446.21, 446.29 | 1990 | 446.2 | 535.00-535.01 | 1991 | 535.0 |
| 451.82-451.84 | 1993 | 451.89 | 535.10-535.11 | 1991 | 535.1 |
| 453.40-453.42 | 2004 | 453.8 | 535.20-535.21 | 1991 | 535.2 |
| 454.8 | 2002 | 454.9 | 535.30-535.31 | 1991 | 535.3 |
| 458.2 | 1995 | 997.9 + 458.9 | 535.40-535.41 | 1991 | 535.4 |
| 458.21, 458.29 | 2003 | 458.2 | 535.50-535.51 | 1991 | 535.5 |
| 458.8 | 1997 | 458.9 | 535.60-535.61 | 1991 | 535.6 |
| 464.00-464.01 | 2001 | 464.0 | 536.3 | 1994 | 536.8 |
| 464.50-464.51 | 2001 | 464.0 | 536.40-536.42, 536.49 | 1998 | 997.4 |
| 466.11, 466.19 | 1996 | 466.1 | 537.82 | 1990 | 537.89 |
| 474.0 (Code title restated) | 1997 | 474.0 | 537.83 | 1991 | 537.82 |
| 474.00-474.02 | 1997 | 474.0 | 537.84 | 2002 | 531.00 |
| 477.1 | 2000 | 477.8 | 556.0-556.6, 556.8-556.9 | 1994 | 556 |
| 477.2 | 2004 | 477.8 | 558.3 | 2000 | 558.9 |
| 480.3 | 2003 | 480.8 | 562.02 | 1991 | 562.00 |
| 482.30-482.39 | 1992 | 482.3 | 562.03 | 1991 | 562.01 |
| 482.40-482.41, 482.49 | 1998 | 482.4 | 562.12 | 1991 | 562.10 |
| 482.81-482.83, 482.89 | 1992 | 482.8 | 562.13 | 1991 | 562.11 |
| 482.84 | 1997 | 482.83 | 564.00-564.09 | 2001 | 564.0 |
| 483.0 | 1992 | 483 | 564.81, 564.89 | 1998 | 564.8 |
| 483.1 | 1996 | 078.88 + 484.8 | 569.60-569.61, 569.69 | 1995 | 569.6 |
| 483.8 | 1992 | 483 | 569.62 | 1998 | 569.69 |
| 491.20-491.21 | 1991 | 491.2 | 569.84 | 1990 | 557.1 |
| 491.22 | 2004 | 491.21 | 569.85 | 1991 | 569.84 |
| 493.02 | 2000 | 493.00 | 569.86 | 2002 | 569.82 |
| 493.12 | 2000 | 493.10 | 574.60 | 1996 | 574.00 + 574.30 |
| 493.20 | 1989 | 493.90 | 574.61 | 1996 | 574.01 + 574.31 |
| 493.21 | 1989 | 493.91 | 574.70 | 1996 | 574.10 + 574.40 |
| 493.22 | 2000 | 493.20 | 574.71 | 1996 | 574.11 + 574.41 |
| 493.81 | 2003 | 519.1 | 574.80 | 1996 | 574.00 + 574.10 + 574.30 + 574.40 |
| 493.82 | 2003 | 493.90-493.91 | 574.81 | 1996 | 574.01 + 574.11 + 574.31 + 574.41 |
| 493.92 | 2000 | 493.90 | 574.90 | 1996 | 574.20 + 574.50 |
| 494.0-494.1 | 2000 | 494 | 574.91 | 1996 | 574.21 + 574.51 |
| 512.1 | 1994 | 997.3 | 575.10-575.11 | 1996 | 575.1 |
| 517.3 | 2003 | 282.62 | 575.12 | 1996 | 575.0 + 575.1 |
| 518.6 | 1997 | 518.89 | 588.81, 588.89 | 2004 | 588.8 |
| 518.81 | 1987 | 799.1 | 593.70-593.73 | 1994 | 593.7 |
| 518.82-518.89 | 1987 | 518.8 | 596.51-596.53 | 1992 | 596.5 |
| 518.83-518.84 | 1998 | 518.81 | 596.54 | 1992 | 344.61 |
| 519.00-519.02, 519.09 | 1998 | 519.0 | 596.55-596.59 | 1992 | 596.5 |
| 521.00-521.05, 521.09 | 2001 | 521.0 | 599.81-599.89 | 1992 | 599.8 |
| 521.06-521.08 | 2004 | 521.09 | 600.0-600.3, 600.9 | 2000 | 600 |
| 521.10-521.15 | 2004 | 521.1 | 600.00-600.01 | 2003 | 600.0 |
| 521.20-521.25 | 2004 | 521.2 | 600.10-600.11 | 2003 | 600.1 |
| 521.30-521.35 | 2004 | 521.3 | 600.20-600.21 | 2003 | 600.2 |
| 521.40-521.45 | 2004 | 521.4 | 600.90-600.91 | 2003 | 600.9 |
| 523.20-523.25 | 2004 | 523.2 | 602.3 | 2001 | 602.8 |
| 524.00-524.06, 524.09 | 1992 | 524.0 | 607.85 | 2003 | 607.89 |
| 524.07 | 2004 | 524.09 | 608.82 | 2001 | 608.83 |
| 524.10-524.12, 524.19 | 1992 | 524.1 | 608.87 | 2001 | 608.89 |
| 524.20-524.29 | 2004 | 524.2 | 618.00-618.05, 618.09 | 2004 | 618.0 |
| 524.30-524.37, 524.39 | 2004 | 524.3 | 618.81-618.83, 618.89 | 2004 | 618.8 |
| 524.50-524.57, 524.59 | 2004 | 524.5 | 621.30-621.33 | 2004 | 621.3 |
| 524.60-524.63, 524.69 | 1991 | 524.6 | 622.10-622.12 | 2004 | 622.1 |
| 524.64 | 2004 | 524.69 | 629.20-629.23 | 2004 | 629.8 |
| 524.70-524.77, 524.79 | 1992 | 524.8 | 633.00-633.01 | 2002 | 633.0 |
| 524.75-524.76 | 2004 | 524.79 | 633.10-633.11 | 2002 | 633.1 |
| 524.81-524.82, 524.89 | 2004 | 524.8 | 633.20-633.21 | 2002 | 633.2 |
| 525.10-525.19 | 2001 | 525.1 | 633.80-633.81 | 2002 | 633.8 |
| 525.20-525.26 | 2004 | 525.2 | | | |
| 528.71-528.72, 528.79 | 2004 | 528.7 | | | |
| 530.10-530.11, 530.19 | 1993 | 530.1 | | | |

Table V. Changes in ICD-9-CM diagnosis codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|----------------------------------|---------------------|---------------------------------------|----------------------------------|---------------------|-----------------------------|
| 633.90-633.91 | 2002 | 633.9 | 758.31-758.33, 758.39 | 2004 | 758.3 |
| 645.00-645.01, 645.03 | 1991 | 645.0-645.1, 645.3 | 758.81 | 1996 | 758.8 |
| 645.10-645.11, 645.13 | 2000 | 645.00-645.01, 645.03 | 758.89 | 1996 | 758.9 |
| 645.20-645.21, 645.23 | 2000 | 645.00-645.01, 645.03 | 759.81-759.82 | 1989 | 759.8 |
| 651.30-651.31, 651.33 | 1989 | 651.00-651.01, 651.03 | 759.83 | 1994 | 759.89 |
| 651.40-651.41, 651.43 | 1989 | 651.10-651.11, 651.13 | 759.89 | 1989 | 759.8 |
| 651.50-651.51, 651.53 | 1989 | 651.20-651.21, 651.23 | 760.75 | 1991 | 760.79 |
| 651.60-651.61, 651.63 | 1989 | 651.80-651.81, 651.83 | 760.76 | 1994 | 760.79 |
| 654.20-654.21, 654.23 | 1990 | 654.2, 654.9 | 763.81-763.83, 763.89 | 1998 | 763.8 |
| 654.90-654.94 | 1990 | 654.2, 654.9 | 764.00-764.09 | 1988 | 764.0 |
| 655.70-655.71, 655.73 | 1997 | 655.8 | 764.10-764.19 | 1988 | 764.1 |
| 657.00-657.01, 657.03 | 1991 | 657.0-657.1, 657.3 | 764.20-764.29 | 1988 | 764.2 |
| 659.60-659.61, 659.63 | 1992 | 659.80-659.81, 659.83 | 764.90-764.99 | 1988 | 764.9 |
| 659.70-659.71, 659.73 | 1998 | 656.30-656.31, 656.33 | 765.00-765.09 | 1988 | 765.0 |
| 665.10-665.11 | 1992 | 665.10-665.12, 665.141 ¹ | 765.10-765.19 | 1988 | 765.1 |
| 670.00, 670.02, 670.04 | 1991 | 670.0-670.1, 670.3 | 765.20-765.24 | 2002 | 765.00-765.09 |
| 672.00, 672.02, 672.04 | 1991 | 672.0-672.1, 672.3 | 765.25-765.29 | 2002 | 765.10-765.19 |
| 674.50-674.54 | 2003 | 674.80, 674.82, 674.84 | 766.21-766.22 | 2003 | 766.2 |
| 677 | 1994 | None | 767.11-767.19 | 2003 | 767.1 |
| 686.00-686.01, 686.09 | 1997 | 686.0 | 770.81-770.84, 770.89 | 2002 | 770.8 |
| 690.10, 690.18 | 1995 | 690 | 771.81-771.83, 771.89 | 2002 | 771.8 |
| 690.11 | 1995 | 691.8 + 704.8 | 772.10-772.14 | 2001 | 772.1 |
| 690.12 | 1995 | 691.8 | 779.7 | 2001 | 772.1 |
| 690.8 | 1995 | 690 | 779.81-779.82, 779.89 | 2002 | 779.8 |
| 692.72-692.74 | 1992 | 692.79 | 779.83 | 2003 | 779.89 |
| 692.75 | 2000 | 692.79 | 780.01-780.02, 780.09 | 1992 | 780.0 |
| 692.76-692.77 | 2001 | 692.71 | 780.03 | 1993 | 780.01 |
| 692.82-692.83 | 1992 | 692.89 | 780.31, 780.39 | 1997 | 780.3 |
| 692.84 | 2004 | 692.89 | 780.57 | 1992 | 780.51, 780.53 |
| 702.0-702.8 | 1991 | 702 | 780.58 | 2004 | 780.59 |
| 702.11, 702.19 | 1994 | 702.1 | 780.71, 780.79 | 1998 | 780.7 |
| 704.02 | 1993 | 704.09 | 780.91-780.92, 780.99 | 2002 | 780.9 |
| 705.21-705.22 | 2004 | 780.8 | 780.93-780.94 | 2003 | 780.99 |
| 707.00-707.07, 707.09 | 2004 | 707.0 | 781.8 | 1994 | 781.9 |
| 707.10-707.15, 707.19 | 2000 | 707.1 | 781.91-781.92, 781.99 | 2000 | 781.9 |
| 709.00-709.01, 709.09 | 1994 | 709.0 | 781.93 | 2002 | 723.5 |
| 710.5 | 1992 | 288.3, 729.1 | 781.94 | 2003 | 781.99 |
| 718.70-718.79 | 2001 | 718.80-718.89 | 783.21 | 2000 | 783.2 |
| 719.7 | 2003 | 719.70, 719.75-719.79 (Codes deleted) | 783.22 | 2000 | 783.4 |
| 727.83 | 2000 | 727.89 | 783.40-783.43 | 2000 | 783.4 |
| 728.86 | 1995 | 729.4 | 783.7 | 2000 | 783.4 |
| 728.87 | 2003 | 728.9 | 785.52 | 2003 | 785.59 |
| 728.88 | 2003 | 728.89 | 786.03-786.07 | 1998 | 786.09 |
| 733.10-733.16, 733.19 | 1993 | 733.1 | 787.01-787.03 | 1994 | 787.0 |
| 733.93 | 2001 | 733.16 | 787.91 | 1995 | 558.9 |
| 733.94-733.95 | 2001 | 733.19 | 787.99 | 1995 | 787.9 |
| 738.10-738.19 | 1992 | 738.1 | 788.20-788.21, 788.29 | 1993 | 788.2 |
| 747.60-747.64, 747.69 | 1993 | 747.6 | 788.30-788.39 | 1992 | 788.3 |
| 747.82 | 1993 | 747.89 | 788.38 | 2004 | 788.39 |
| 747.83 | 2002 | 747.89, 747.9 | 788.41-788.43 | 1993 | 788.4 |
| 752.51-752.52 | 1996 | 752.5 | 788.61-788.62, 788.69 | 1993 | 788.6 |
| 752.61-752.63 | 1996 | 752.6 | 788.63 | 2003 | 788.69 |
| 752.64-752.65, 752.69 | 1996 | 752.8 | 789.00-789.07, 789.09 | 1994 | 789.0 |
| 752.81, 752.89 | 2003 | 752.8 | 789.30-789.37, 789.39 | 1994 | 789.3 |
| 753.10-753.17, 753.19 | 1990 | 753.1 | 789.40-789.47, 789.49 | 1994 | 789.4 |
| 753.20-753.23, 753.29 | 1996 | 753.2 | 789.60-789.67, 789.69 | 1994 | 789.6 |
| 756.70-756.71, 756.79 | 1997 | 756.7 | 790.01, 790.09 | 2000 | 790.0 |
| | | | 790.21-790.22, 790.29 | 2003 | 790.2 |
| | | | 790.91, 790.93, 790.99 | 1993 | 790.9 |
| | | | 790.92 | 1993 | 286.9 |
| | | | 790.94 | 1997 | 790.99 |
| | | | 790.95 | 2004 | 790.99 |
| | | | 792.5 | 2000 | 792.9 |
| | | | 793.80-793.81, 793.89 | 2001 | 793.8 |
| | | | 795.00-795.02, 795.09 | 2002 | 795.0 |
| | | | 795.03, 795.04 | 2004 | 622.1 |
| | | | 795.05, 795.08 | 2004 | 795.09 |

See footnotes at end of table.

Table V. Changes ICD-9-CM in diagnosis codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|---|---------------------|-----------------------------|----------------------------------|---------------------|--|
| 795.31-795.39 | 2002 | 795.3 | V08 | 1994 | 044.9, 795.8 (Codes deleted) |
| 795.71 | 1994 | 795.8 (Code deleted) | V09.0-V09.91 | 1993 | None |
| 795.79 | 1994 | 795.7 | V10.48 | 1998 | V10.49 |
| 795.8 | 1986 | 795.7 | V10.53 | 2001 | V10.59 |
| 796.5 | 1997 | 796.9 | V12.00-V12.03, V12.09 | 1994 | V12.0 |
| 796.6 | 2004 | 796.9 | V12.40-V12.41, V12.49 | 1997 | V12.4 |
| 799.81, 799.89 | 2003 | 799.8 | V12.50-V12.52, V12.59 | 1995 | V12.5 |
| 813.45 | 2002 | 813.42 | V12.70-V12.72, V12.79 | 1994 | V12.7 |
| 823.40-823.42 | 2002 | 823.80-823.82 | V13.00-V13.01, V13.09 | 1994 | V13.0 |
| 840.7 | 2001 | 840.8 | V13.21, V13.29 | 2002 | V13.2 |
| 850.11-850.12 | 2003 | 850.1 | V13.61, V13.69 | 1998 | V13.6 |
| 864.05 | 1992 | 864.09 | V15.01-V15.09 | 2000 | V15.0 |
| 864.15 | 1992 | 864.19 | V15.41-V15.42, V15.49 | 1996 | V15.4 |
| 909.5 | 1994 | 909.9 | V15.82 | 1994 | 305.13 (Code deleted) |
| 922.31-922.33 | 1996 | 922.3 | V15.84-V15.86 | 1995 | V15.89 |
| 925.1-925.2 | 1993 | 925 | V15.87 | 2003 | V15.89 |
| 959.0 (Code title restated) | 1997 | 959.0 | V16.40-V16.43, V16.49 | 1997 | V16.4 |
| 959.01 | 1997 | 854.00 | V16.51, V16.59 | 1998 | V16.5 |
| 959.09 | 1997 | 959.0 | V18.61, V18.69 | 1998 | V18.6 |
| 959.11-959.14, 959.19 | 2003 | 959.1 | V21.30-V21.35 | 2000 | None |
| 965.61, 965.69 | 1998 | 965.6 | V23.41, V23.49 | 2002 | V23.4 |
| 989.81-989.84, 989.89 | 1995 | 989.8 | V23.7 | 1989 | V23.8 |
| 995.50-995.55, 995.59 | 1996 | 995.5 | V23.81-V23.84, V23.89 | 1998 | V23.8 |
| 995.59 | 1996 | 995.5 | V25.03 | 2003 | V25.01 |
| 995.60-995.69 | 1993 | 995.0 | V25.43 | 1992 | V25.49 |
| 995.7 | 2000 | None | V25.5 | 1992 | V25.8 |
| 995.80, 995.82-995.85 | 1996 | 995.81 | V26.21-V26.22, V26.29 | 2000 | V26.2 |
| 995.81 (Code title restated) | 1996 | 995.81 | V26.51, V26.52 | 1998 | None |
| 995.86 | 1998 | 995.89 | V28.6 | 1997 | V28.8 |
| 995.90-995.94 | 2002 | 038.0-038.9 | V29.0-V29.1, V29.8 | 1992 | V71.8 |
| 996.04 | 1994 | 996.09 | V29.2 | 1994 | V29.8 |
| 996.51-996.59 | 1987 | 996.5 | V29.3 | 1998 | V29.8 |
| 996.55 | 1998 | 996.52 | V29.9 | 1992 | V71.9 |
| 996.56 | 1998 | 996.59 | V30.00-V30.01 | 1989 | V30.0 |
| 996.57 | 2003 | 996.59 | V31.00-V31.01 | 1989 | V31.0 |
| 996.60-996.69 | 1989 | 996.6 | V32.00-V32.01 | 1989 | V32.0 |
| 996.68 | 1998 | 996.69 | V33.00-V33.01 | 1989 | V33.0 |
| 996.70-996.79 | 1989 | 996.7 | V34.00-V34.01 | 1989 | V34.0 |
| 996.80-996.84, 996.86, 996.89 | 1987 | 996.8 | V35.00-V35.01 | 1989 | V35.0 |
| 996.85 | 1990 | 996.89 | V36.00-V36.01 | 1989 | V36.0 |
| 996.87 | 2000 | 996.89 | V37.00-V37.01 | 1989 | V37.0 |
| 997.00-997.01, 997.09 | 1995 | 997.0 | V39.00 -V39.01 | 1989 | V39.0 |
| 997.02 | 1995 | 997.9 + 430-434, 436 | V42.81-V42.83, V42.89 | 1997 | V42.8 |
| 997.71 | 2001 | 997.4 | V42.84 | 2000 | V42.89 |
| 997.72 | 2001 | 997.5 | V43.21-V43.22 | 2003 | V43.2 |
| 997.79 | 2001 | 997.2 | V43.60-43.66, V43.69 | 1994 | V43.6 |
| 997.91, 997.99 | 1995 | 997.9 | V43.81-V43.82, V43.89 | 1995 | V43.8 |
| 998.11-998.12 | 1996 | 998.1 | V43.83 | 1998 | V43.89 |
| 998.13 | 1996 | 998.89 | V44.50-V44.52, V44.59 | 1998 | V44.5 |
| 998.31-998.32 | 2002 | 998.3 | V45.00, V45.02, V45.09 | 1994 | V45.89 |
| 998.51, 998.59 | 1996 | 998.5 | V45.01 | 1994 | V45.0 |
| 998.81-998.82, 998.89 | 1994 | 998.8 | V45.51 | 1994 | V45.5 |
| 998.83 | 1996 | 998.89 | V45.52, V45.59 | 1994 | V45.89 |
| V01.71, V01.79 | 2004 | V01.7 | V45.61, V45.69 | 1997 | V45.6 |
| V01.81, V01.89 | 2002 | V01.8 | V45.71 | 1997 | 611.8 |
| V01.82 | 2003 | V01.89 | V45.72 | 1997 | 569.89 |
| V01.83-V01.84 | 2004 | V01.89 | V45.73 | 1997 | 593.89 |
| V02.51-V02.52, V02.59 | 1998 | V02.5 | V45.74 | 2000 | 593.89, 596.8 |
| V02.60-V02.62, V02.69 | 1997 | V02.6 | V45.75 | 2000 | V45.89 |
| V03.81-V03.82, V03.89 | 1994 | V03.8 | V45.76 | 2000 | 518.89 |
| V04.81-V04.82, V04.89 | 2003 | V04.8 | V45.77 | 2000 | 602.8, 607.89, 608.89, 620.8, 621.8, 622.8 |
| V05.3-V05.4 | 1993 | V05.8 | V45.78 | 2000 | 360.89 |
| V06.5-V06.6 | 1994 | V06.8 | | | |
| V07.31, V07.39 | 1994 | V07.3 | | | |
| V07.4 | 1992 | V07.8 | | | |

Table V. Changes in ICD-9-CM diagnosis codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|---------------------------------------|---------------------|---|--|---------------------|-------------------------------|
| V45.79 | 2000 | 255.8, 289.59, 388.8, 569.49, 577.8 V45.89 | V76.46-V76.47 | 2000 | V76.49 |
| V45.82 | 1994 | V45.89 | V76.50-V76.52 | 2000 | V76.49 |
| V45.83 | 1995 | V45.89 | V76.81, V76.89 | 2000 | V76.8 |
| V45.84 | 2001 | None | V77.91, V77.99 | 2000 | V77.9 |
| V45.85 | 2003 | V45.89 | V82.81, V82.89 | 2000 | V82.8 |
| V46.11-V46.12 | 2004 | V46.1 | V83.01-V83.02 | 2001 | None |
| V46.2 | 2002 | V46.8 | V83.81 | 2002 | None |
| V49.60-V49.67 | 1994 | V49.5 | V83.89 | 2002 | V19.8 |
| V49.70-V49.77 | 1994 | V49.5 | V84.01-V84.04, V84.09 | 2004 | None |
| V49.81 | 2000 | None | V84.8 | 2004 | None |
| V49.82 | 2001 | None | E854.8 | 1995 | E858.8 |
| V49.83 | 2004 | None | E869.4 | 1994 | E869.8 |
| V49.89 | 2000 | V49.8 | E880.1 | 1995 | E884.9 |
| V50.41-V50.42, V50.49 | 1994 | V50.8 | E884.3-E884.4 | 1995 | E884.2 |
| V53.01-V53.02, V53.09 | 1997 | V53.0 | E884.5-E884.6 | 1995 | E884.9 |
| V53.31 | 1994 | V53.3 | E885.0 | 2002 | E885.9 |
| V53.32, V53.39 | 1994 | V53.9 | E885.1-E885.4, E885.9 | 2000 | E885 |
| V53.90-V53.91, V53.99 | 2003 | V53.9 | E888.0 | 2001 | E920 |
| V54.01-V54.02, V54.09 | 2003 | V54.0 | E888.1, E888.8-E888.9 | 2001 | E888 |
| V54.10-V54.17, V54.19 | 2002 | V54.8 | E906.5 | 1995 | E906.3 |
| V54.20-V54.27, V54.29 | 2002 | V54.8 | E908.0-E908.4, E908.8-E908.9 | 1995 | E908 |
| V54.81, V54.89 | 2002 | V54.8 | E909.0-E909.4, E909.8-E909.9 | 1995 | E909 |
| V56.1 | 1995 | V58.89 | E917.3-E917.4 | 2001 | E917.9 |
| V56.1 (Code title restated) | 1998 | V56.1 | E917.5 | 2001 | E886.0 |
| V56.2 | 1998 | V56.1 | E917.6 | 2001 | E917.1 |
| V56.31-V56.32 | 2000 | V56.8 | E917.7-E917.8 | 2001 | E888 |
| V57.21-V57.22 | 1994 | V57.2 | E920.5 | 1995 | E920.4 |
| V58.41, V58.49 | 1994 | V58.4 | E922.4 | 1997 | E917.9 |
| V58.42-V58.43 | 2002 | V58.49 | E922.5 | 2002 | E922.8 |
| V58.44 | 2004 | V58.71-V58.78 | E924.2 | 1995 | E924.0 |
| V58.61, V58.69 | 1995 | V67.51 | E928.3 | 2000 | E928.8 |
| V58.62 | 1998 | V58.69 | E928.4-E928.5 | 2003 | E928.8 |
| V58.63-V58.65 | 2003 | V58.69 | E955.6 | 1997 | E955.9 |
| V58.66-V58.67 | 2004 | V58.69 | E955.7 | 2002 | E955.4 |
| V58.71-V58.78 | 2002 | V58.49 | E967.2 | 1996 | E967.0 |
| V58.81, V58.89 | 1994 | V58.8 | E967.3 | 1996 | None |
| V58.82 | 1995 | V58.89 | E967.4-E967.8 | 1996 | E967.1 |
| V58.83 | 2000 | V58.89 | E968.5 | 1995 | E968.8 |
| V59.01-V59.02, V59.09 | 1995 | V59.0 | E968.6 | 1997 | E968.8 |
| V59.6 | 1995 | V59.8 | E968.7 | 2000 | E968.8 |
| V61.10-V61.12 | 1996 | V61.1 | E985.6 | 1997 | E985.4 |
| V61.22 | 1996 | V61.21 | E985.7 | 2002 | E985.4 |
| V62.83 | 1996 | V65.49 | E979.0-E979.9 | 2002 | E960.0-E966, E968.0-E968.9 |
| V64.4 | 1997 | None | E999.0 | 2002 | E999 |
| V64.41-V64.43 | 2003 | V64.4 | E999.1 | 2002 | E969 |
| V65.11, V65.19 | 2003 | V65.1 | | | |
| V65.40-V65.45, V65.49 | 1994 | V65.4 | | | |
| V65.46 | 2003 | V65.1 | | | |
| V66.7 | 1996 | None | | | |
| V67.00-V67.01, V67.09 | 2000 | V67.0 | | | |
| V69.0-V69.3 | 1994 | None | | | |
| V69.4 | 2004 | V69.8 | | | |
| V69.8-V69.9 | 1994 | None | | | |
| V71.81, V71.89 | 2000 | V71.8 | | | |
| V71.82-V71.83 | 2002 | V71.89 | | | |
| V72.31-V72.32 | 2004 | V72.3 | | | |
| V72.40-V72.41 | 2004 | V72.4 | | | |
| V72.81 V72.85 | 1993 | V72.8 | | | |
| V73.88-V73.89 | 1993 | V73.8 | | | |
| V73.98-V73.99 | 1993 | V73.9 | | | |
| V76.10-V76.12, V76.19 | 1997 | V76.1 | | | |
| V76.44-V76.45 | 1998 | V76.49 | | | |

¹The title for the subcategory 665.1 has been changed, making the fifth-digit subclassifications 665.12 and 665.14 invalid.

Table VI. Changes ICD-9-CM in procedure codes, 1986-2004

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|------------------------------|---------------------|---------------------------------|--|---------------------|--|
| 00.01 | 2002 | 99.99 | 37.67 | 1998 | 37.4 |
| 00.10 | 2002 | 99.25 | 37.68 | 2004 | 37.62 |
| 00.11 | 2002 | 99.19 | 37.70(Leads only) | 1987 | 37.70 (Leads/device) |
| 00.12 | 2002 | 93.98 | 37.71-37.72 (Leads only) | 1987 | 37.74 (Leads/device) |
| 00.13 | 2002 | 99.29 | 37.73 (Leads only). | 1987 | 37.73 (Leads/device) |
| 00.14 | 2002 | 99.21 | 37.74 (Leads only). | 1987 | 37.76 (Leads/device) |
| 00.15 | 2003 | 99.28 | 37.75 (Leads only). | 1987 | 37.89 (Leads/device) |
| 00.16 | 2004 | None | 37.76 (Leads only) | 1987 | 37.81 (Leads/device) |
| 00.17 | 2004 | 99.29 | 37.77 (Leads only). | 1987 | 37.83-37.84 (Leads/device) |
| 00.21 | 2004 | 88.71 | 37.78 | 1987 | 37.71-37.72 |
| 00.22 | 2004 | 88.73 | 37.79 | 1987 | 86.09 |
| 00.23 | 2004 | 88.77 | 37.80-37.83 (Device only) | 1987 | 37.73-37.77 (Leads/Device) |
| 00.24 | 2004 | 88.72 | 37.85-37.87. | 1987 | 37.85 |
| 00.25 | 2004 | 88.75 | 37.80-37.87. | 1992 | 89.49 (Code deleted; this procedure is included in the code for pacemaker insertion/replacement) |
| 00.28-00.29. | 2004 | 88.79 | 37.89 | 1987 | 37.86 + 37.89 |
| 00.31-00.35, 00.39 | 2004 | None | 37.90 | 2004 | 37.99 |
| 00.50 | 2002 | 37.70-37.74, 37.76, 37.80-37.87 | 37.94-37.98. | 1986 | 37.99 |
| 00.51 | 2002 | 37.94 | 38.22 | 1986 | 38.29 |
| 00.52 | 2002 | None | 38.44 (Abdominal aorta only) | 1986 | 38.44 (Entire aorta) |
| 00.53 | 2002 | 37.80-37.87 | 38.45 (Thoracic aorta added) | 1989 | 38.44-38.45 |
| 00.54 | 2002 | 37.96 | 38.95 | 1989 | 38.93 |
| 00.55 | 2002 | 39.90 | 39.28 | 1991 | 39.29 |
| 00.61-00.62. | 2004 | 39.50 | 39.50 | 1995 | 39.59 |
| 00.63-00.65. | 2004 | 00.55, 39.90 | 39.65 | 1988 | 39.61 |
| 00.91-00.93. | 2004 | None | 39.66 | 1990 | 39.65 |
| 02.96 | 1992 | 89.19 | 39.71, 39.79 | 2000 | 39.52 |
| 03.90 | 1987 | 03.99 (Insertion of catheter) | 39.90 | 1996 | 39.50 |
| 05.25 | 1995 | 39.7 | 41.00-41.03. | 1988 | 41.0 |
| 11.75 | 1989 | 11.79 | 41.04 | 1994 | 99.79 |
| 11.76 | 1989 | 11.62 | 41.05-41.06. | 1997 | None |
| 20.96-20.98. | 1986 | 20.95 | 41.07 | 2000 | 41.04 |
| 22.12 | 1988 | 22.11 | 41.08 | 2000 | 41.05 |
| 26.12 | 1988 | 26.11 | 41.09 | 2000 | 41.01 |
| 27.64 | 2004 | 27.69 | 42.25 | 1988 | 42.24 |
| 29.31 | 1991 | 83.02 | 42.33 | 1989 | 42.32, 42.39 |
| 29.32-29.33, 29.39 | 1991 | 29.3 | 42.33 | 1990 | 42.91 |
| 31.45 | 1988 | 31.43-31.44 | 43.11 | 1989 | 43.1 |
| 31.95 | 1989 | 31.75 | 43.19 | 1989 | 43.1, 43.2 |
| 32.01, 32.09 | 1989 | 32.0 | 43.41 | 1989 | 43.41, 43.49 |
| 32.22 | 1995 | 32.29, 32.9 | 44.21, 44.29 | 1986 | 44.2 |
| 32.28 | 1989 | 32.29 | 44.22 | 1986 | 44.99 |
| 33.27 | 1987 | 33.22 + 33.27 | 44.32 | 2001 | 44.39 |
| 33.28 | 1987 | 33.27 | 44.38 | 2004 | 44.39 |
| 33.29 | 1987 | 33.28 33.29 | 44.43 | 1989 | 43.49, 45.32 |
| 33.50-33.52. | 1995 | 33.5 | 44.44 | 1989 | 38.86 |
| 33.6. | 1990 | 33.5 + 37.5 | 44.49 | 1989 | 43.0 |
| 34.05 | 1994 | 34.99 | 44.67 | 2004 | 44.66 |
| 35.84 | 1988 | 35.82 | 44.68 | 2004 | 44.69 |
| 35.96 | 1986 | 35.03 | 44.93-44.94. | 1986 | 44.99 |
| 36.00-36.03. | 1986 | 36.0 | 44.95-44.96. | 2004 | 44.69 |
| 36.04 | 1986 | 39.97 | 44.97-44.98. | 2004 | 44.99 |
| 36.05 | 1986 | 36.01, ¹ 36.02 | 45.16 | 1988 | 45.14 (45.15 before 1987) |
| 36.05 | 1987 | 36.01 | 45.30 | 1989 | 45.31, 45.32 |
| 36.06 | 1995 | 36.01, 36.02, 36.03, 36.05 | 45.42 | 1988 | 45.41 |
| 36.07 | 2002 | 36.06 | 45.43 | 1989 | 45.49 |
| 36.09 | 1986 | 36.0 | 45.75 (Hartmann resection added) | 1988 | 48.66 (Code deleted) |
| 36.09 | 1991 | 36.00 (Code deleted) | 45.95 | 1987 | 45.93 |
| 36.17 | 1996 | 36.19 | 46.13 | 1992 | 46.12 (Code deleted) |
| 36.31-36.32, 36.39 | 1998 | 36.3 | 46.32 | 1989 | 46.39 |
| 37.26-37.27. | 1988 | 37.29 | 46.85 | 1989 | 46.99 |
| 37.28 | 2001 | 88.72 | 46.97 | 2000 | 46.99 |
| 37.34 | 1988 | 37.33 | 47.01, 47.09 | 1996 | 47.0 |
| 37.35 | 1997 | 37.33 | 47.11, 47.19. | 1996 | 47.1 |
| 37.51 | 2003 | 37.5 | 48.36 | 1995 | 45.42 |
| 37.52 | 2003 | 37.62 | | | |
| 37.53-37.54. | 2003 | 37.63 | | | |
| 37.65-37.66. | 1995 | 37.62 | | | |

See footnotes at end of table.

Table VI. Changes ICD-9-CM in procedure codes, 1986-2004—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|----------------------------|---------------------|-----------------------------|----------------------------|---------------------|-----------------------------------|
| 49.31, 49.39 | 1989 | 49.3 | 77.56 | 1989 | 77.89, 78.49, 81.18 |
| 49.75-49.76 | 2002 | 49.79 | 77.57 | 1989 | 77.89, 80.48, 81.18, 83.85 |
| 51.10 | 1989 | 51.97 | 77.58 | 1989 | 77.59, 81.18 |
| 51.11 | 1989 | 51.11, 51.97 | 78.10 | 1991 | 78.40 |
| 51.14 | 1989 | 51.12 | 78.11 | 1991 | 78.41 |
| 51.15 | 1989 | 51.97 | 78.12 | 1991 | 78.42 |
| 51.21 | 1996 | 51.22, 51.23 | 78.13 | 1991 | 78.43 |
| 51.22 | 1991 | 51.21 (Code deleted), 51.22 | 78.14 | 1991 | 78.44 |
| 51.23 | 1991 | 51.22 | 78.15 | 1991 | 78.45 |
| 51.24 | 1996 | 51.22, 51.23 | 78.16 | 1991 | 78.46 |
| 51.64 | 1989 | 51.69 | 78.17 | 1991 | 78.47 |
| 51.84-51.88 | 1989 | 51.97 | 78.18 | 1991 | 78.48 |
| 51.97 | 1986 | 52.91, 51.99, 51.82 | 78.19 | 1991 | 78.49 |
| 51.98 | 1986 | 51.99 | 78.20 | 1991 | 78.10, 78.20, 78.30 |
| 52.13 | 1989 | 51.97, 52.91 | 78.21 | 1991 | 78.11, 78.31 |
| 52.14 | 1989 | 52.11 | 78.22 | 1991 | 78.12, 78.22, 78.32 |
| 52.21-52.22 | 1989 | 52.2 | 78.23 | 1991 | 78.13, 78.23, 78.33 |
| 52.84-52.86 | 1996 | 99.29 | 78.24 | 1991 | 78.14, 78.34 |
| 52.93 | 1989 | 52.93 + 52.91 | 78.25 | 1991 | 78.15, 78.25, 78.35 |
| 52.94 | 1989 | 52.09 | 78.27 | 1991 | 78.17, 78.27, 78.37 |
| 52.97-52.98 | 1989 | 52.91 | 78.28 | 1991 | 78.18, 78.38 |
| 52.99 | 1989 | 52.93, 52.94, 52.99 | 78.29 | 1991 | 78.11, 78.16, 78.19, 78.29, 78.39 |
| 54.24 | 1987 | 54.23 | 78.39 | 1991 | 78.31 |
| 54.25 | 1993 | 54.98 | 78.90 ² | 1987 | 78.40 |
| 54.51, 54.59 | 1996 | 54.5 | 78.91 ² | 1987 | 78.41 |
| 55.03-55.04 | 1986 | 55.02 | 78.92 ² | 1987 | 78.42 |
| 56.33-56.34 | 1987 | 56.33 | 78.93 ² | 1987 | 78.43 |
| 56.35 | 1987 | 45.12 | 78.94 ² | 1987 | 78.44 |
| 57.17-57.18 | 1989 | 57.21 | 78.95 ² | 1987 | 78.45 |
| 57.22 | 1989 | 57.22, 57.82 | 78.96 ² | 1987 | 78.46 |
| 58.31, 58.39 | 1990 | 58.3 | 78.97 ² | 1987 | 78.47 |
| 58.93 | 1986 | 57.99 | 78.98 ² | 1987 | 78.48 |
| 59.03 | 1996 | 59.02 | 78.99 ² | 1987 | 78.49 |
| 59.12 | 1996 | 59.11 | 80.50-80.59 | 1986 | 80.5 |
| 59.72 | 1995 | 59.79 | 81.03 | 1989 | 81.02 |
| 59.96 | 1986 | 59.95 | 81.04-81.05 | 1989 | 81.03, 81.04, 81.05 |
| 60.21, 60.29 | 1995 | 60.2 | 81.06-81.07 | 1989 | 81.06, 81.07 |
| 60.95 | 1991 | 60.99 | 81.08 | 1989 | 81.06, 81.07, 81.08 |
| 60.96-60.97 | 2000 | 60.29 | 81.09 | 1989 | 81.08 |
| 64.97 | 1986 | 64.95 | 81.30-81.39 | 2001 | 81.09 |
| 65.01, 65.09 | 1996 | 65.0 | 81.40 | 1989 | 81.69 |
| 65.13 | 1996 | 65.12 | 81.51 | 1989 | 81.51, 81.59 |
| 65.14 | 1996 | 65.19 | 81.52 | 1989 | 81.61-81.64 |
| 65.23 | 1996 | 65.21 | 81.53 | 1989 | 81.51, 81.59, 81.61-81.64 |
| 65.24 | 1996 | 65.22 | 81.54-81.55 | 1989 | 81.41 |
| 65.25 | 1996 | 65.29 | 81.56 | 1989 | 81.48 |
| 65.31, 65.39 | 1996 | 65.3 | 81.57 | 1989 | 81.31, 81.39 |
| 65.41, 65.49 | 1996 | 65.4 | 81.59 | 1989 | 81.39 |
| 65.53 | 1996 | 65.51 | 81.61 | 2002 | 81.00-81.08, 81.30-81.39 |
| 65.54 | 1996 | 65.52 | 81.62-81.64 | 2003 | None |
| 65.63 | 1996 | 65.61 | 81.65-81.66 | 2004 | 78.49 |
| 65.64 | 1996 | 65.62 | 81.72 | 1989 | 81.79 |
| 65.74 | 1996 | 65.71 | 81.73-81.74 | 1989 | 81.86 (Code deleted) |
| 65.75 | 1996 | 65.72 | 81.75 | 1989 | 81.87 (Code deleted) |
| 65.76 | 1996 | 65.73 | 81.79 | 1989 | 81.79, 81.87 |
| 65.81, 65.89 | 1996 | 65.8 | 81.80 | 1989 | 81.81 |
| 66.01 | 1992 | 66.0 | 81.97 | 1992 | 81.59 |
| 66.02 | 1992 | 66.73 | 84.51-84.52 | 2002 | None |
| 67.51, 67.59 | 2001 | 67.5 | 84.53-84.54 | 2004 | 78.30, 78.32-78.35, 78.37-78.39 |
| 68.15 | 1987 | 68.14 | 84.55, 84.59 | 2004 | None |
| 68.16 | 1987 | 68.13 | 84.60-84.69 | 2004 | 80.51 |
| 68.23 | 1996 | 68.29 | 85.95-85.96 | 1987 | 85.99 |
| 68.31, 68.39 | 2003 | 68.3 | 86.06 | 1987 | 86.09 |
| 68.51, 68.59 | 1996 | 68.5 | 86.07 | 1990 | 86.09 |
| 68.9 | 1992 | 68.4 | 86.27 | 1986 | 86.22-86.23 |
| 74.3 | 1992 | 69.11 (Code deleted) | 86.28 | 1988 | 86.22 |
| 75.37 | 1998 | 99.29 | 86.67 | 1998 | 86.65 |
| 75.38 | 2001 | 75.34 | | | |

See footnotes at end of table.

Table VI. Changes in ICD-9-CM procedure codes, 1986-2003—Con.

| Current code(s) assignment | Effective October 1 | Previous code(s) assignment | Current code(s) assignment | Effective October 1 | Previous code(s) assignment |
|------------------------------|---------------------|-----------------------------|------------------------------------|---------------------|-----------------------------|
| 86.93 | 1987 | 86.89 | 94.61-94.69 | 1989 | 94.25 |
| 86.94-86.96 | 2004 | 02.93, 03.93, 04.92 | 96.29 | 1998 | 96.39 |
| 88.90 | 1986 | 88.39 | 96.6 | 1986 | 96.35 |
| 88.91 | 1986 | 89.15 | 96.70-96.72 | 1991 | 93.92 (Code deleted) |
| 88.92 | 1986 | 89.39 | 97.05 | 1989 | 51.97 |
| 88.93 | 1986 | 89.15 | 97.44 | 2001 | 37.64 |
| 88.94 | 1986 | 89.39 | 98.51-98.52, 98.59 | 1989 | 59.96 (Code deleted) |
| 88.95 | 1986 | 89.29 | 99.00 | 1995 | 99.02 |
| 88.96 | 2002 | 88.91-88.97 | 99.10 | 1998 | 99.29 |
| 88.97 | 1989 | 88.99 | 99.15 | 1986 | 99.29 |
| 88.98 | 1989 | 88.90 | 99.20 | 1998 | 99.29 |
| 88.99 | 1986 | 89.39 | 99.28 | 1994 | 99.25 |
| 89.10, 89.19 | 1989 | 89.15 | 99.71-99.79 ³ | 1988 | 99.07 |
| 89.17-89.18 | 1988 | 89.15 | 99.75 | 2000 | 99.29 |
| 89.49 | 2004 | 89.59 | 99.76 | 2002 | 99.79 |
| 89.50 | 1991 | 89.54 | 99.77 | 2002 | None |
| 89.60 | 2002 | 89.65 | 99.78 | 2004 | 99.71 |
| 92.3 | 1995 | 01.59, 04.07, 07.63, 07.68 | 99.85 | 1987 | 93.35 |
| 92.30-92.33, 92.39 | 1998 | 92.3 | 99.86 | 1987 | 93.39 |
| 93.90 | 1988 | 93.92 | 99.88 | 1988 | 99.83 |

¹Before October 1986, contents of current code 36.05 would have been assigned to 36.0.²Codes 78.90-78.99 were retitled as "Insertion of bone growth stimulator" in October 1987; the previous contents of codes 78.90-78.99 were reassigned to codes 78.40-78.49.³Codes 99.71-99.79 were deleted in October 1987; their contents were not transferred elsewhere. In the October 1988 revision, codes 99.71-99.79 were reclassified as "Therapeutic apheresis".NOTE: ICD-9-CM is the *International Classification of Diseases, Ninth Revision, Clinical Modification*.

Vital and Health Statistics series descriptions

- SERIES 1. **Programs and Collection Procedures**—These reports describe the data collection programs of the National Center for Health Statistics. They include descriptions of the methods used to collect and process the data, definitions, and other material necessary for understanding the data.
- SERIES 2. **Data Evaluation and Methods Research**—These reports are studies of new statistical methods and include analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory. These studies also include experimental tests of new survey methods and comparisons of U.S. methodology with those of other countries.
- SERIES 3. **Analytical and Epidemiological Studies**—These reports present analytical or interpretive studies based on vital and health statistics. These reports carry the analyses further than the expository types of reports in the other series.
- SERIES 4. **Documents and Committee Reports**—These are final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 5. **International Vital and Health Statistics Reports**—These reports are analytical or descriptive reports that compare U.S. vital and health statistics with those of other countries or present other international data of relevance to the health statistics system of the United States.
- SERIES 6. **Cognition and Survey Measurement**—These reports are from the National Laboratory for Collaborative Research in Cognition and Survey Measurement. They use methods of cognitive science to design, evaluate, and test survey instruments.
- SERIES 10. **Data From the National Health Interview Survey**—These reports contain statistics on illness; unintentional injuries; disability; use of hospital, medical, and other health services; and a wide range of special current health topics covering many aspects of health behaviors, health status, and health care utilization. They are based on data collected in a continuing national household interview survey.
- SERIES 11. **Data From the National Health Examination Survey, the National Health and Nutrition Examination Surveys, and the Hispanic Health and Nutrition Examination Survey**—Data from direct examination, testing, and measurement on representative samples of the civilian noninstitutionalized population provide the basis for (1) medically defined total prevalence of specific diseases or conditions in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics, and (2) analyses of trends and relationships among various measurements and between survey periods.
- SERIES 12. **Data From the Institutionalized Population Surveys**—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. **Data From the National Health Care Survey**—These reports contain statistics on health resources and the public's use of health care resources including ambulatory, hospital, and long-term care services based on data collected directly from health care providers and provider records.
- SERIES 14. **Data on Health Resources: Manpower and Facilities**—Discontinued in 1990. Reports on the numbers, geographic distribution, and characteristics of health resources are now included in Series 13.
- SERIES 15. **Data From Special Surveys**—These reports contain statistics on health and health-related topics collected in special surveys that are not part of the continuing data systems of the National Center for Health Statistics.
- SERIES 16. **Compilations of Advance Data From Vital and Health Statistics**—Advance Data Reports provide early release of information from the National Center for Health Statistics' health and demographic surveys. They are compiled in the order in which they are published. Some of these releases may be followed by detailed reports in Series 10–13.
- SERIES 20. **Data on Mortality**—These reports contain statistics on mortality that are not included in regular, annual, or monthly reports. Special analyses by cause of death, age, other demographic variables, and geographic and trend analyses are included.
- SERIES 21. **Data on Natality, Marriage, and Divorce**—These reports contain statistics on natality, marriage, and divorce that are not included in regular, annual, or monthly reports. Special analyses by health and demographic variables and geographic and trend analyses are included.
- SERIES 22. **Data From the National Mortality and Natality Surveys**—Discontinued in 1975. Reports from these sample surveys, based on vital records, are now published in Series 20 or 21.
- SERIES 23. **Data From the National Survey of Family Growth**—These reports contain statistics on factors that affect birth rates, including contraception, infertility, cohabitation, marriage, divorce, and remarriage; adoption; use of medical care for family planning and infertility; and related maternal and infant health topics. These statistics are based on national surveys of women of childbearing age.
- SERIES 24. **Compilations of Data on Natality, Mortality, Marriage, Divorce, and Induced Terminations of Pregnancy**—These include advance reports of births, deaths, marriages, and divorces based on final data from the National Vital Statistics System that were published as supplements to the *National Vital Statistics Report* (NVSR). These reports provide highlights and summaries of detailed data subsequently published in *Vital Statistics of the United States*. Other supplements to the NVSR published here provide selected findings based on final data from the National Vital Statistics System and may be followed by detailed reports in Series 20 or 21.

For answers to questions about this report or for a list of reports published in these series, contact:

Information Dissemination Staff
National Center for Health Statistics
Centers for Disease Control and Prevention
3311 Toledo Road, Room 5412
Hyattsville, MD 20782
1-866-441-NCHS (6247)
E-mail: nchsquery@cdc.gov
Internet: www.cdc.gov/nchs

**U.S. DEPARTMENT OF
HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention
National Center for Health Statistics
3311 Toledo Road
Hyattsville, MD 20782

MEDIA MAIL
POSTAGE & FEES PAID
CDC/NCHS
PERMIT NO. G-284