# ICD-10-CM INDEX to DISEASES and INJURIES 2020 Addenda

Α No Change Aarskog's syndrome Q87.1 Revise from Aarskog's syndrome Q87.19 Revise to Abnormal, abnormality, abnormalities - see also Anomaly No Change - diagnostic imaging No Change Revise from - - skull R93.0 - - skull R93.09 Revise to - urine (constituents) R82.90 No Change - - cytological examination R82.8 Revise from - - cytological examination R82.89 Revise to Revise from - - histological examination R82.8 - - histological examination R82.89 Revise to Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) No Change (pyogenic) (septic) L02.91 - gingival - see Peridontitis, localized Revise from Revise to - gingival - see Periodontitis, localized - gum - see Peridontitis, localized Revise from Revise to gum - see Periodontitis, localized - parodontal - see Peridontitis, aggressive, localized Revise from Revise to - parodontal - see Periodontitis, aggressive, localized - pericemental - see Peridontitis, aggressive, localized Revise from - pericemental - see Periodontitis, aggressive, localized Revise to - pericoronal - see Peridontitis, aggressive, localized Revise from - pericoronal - see Periodontitis, aggressive, localized Revise to - peridental - see Peridontitis, aggressive, localized Revise from - peridental - see Periodontitis, aggressive, localized Revise to - periodontal (parietal) - see Peridontitis, aggressive, localized Revise from - periodontal (parietal) - see Periodontitis, aggressive, localized Revise to No Change tooth, teeth (root) K04.7 - - supporting structures NEC - see Peridontitis, aggressive, localized Revise from Revise to - - supporting structures NEC - see Periodontitis, aggressive, localized **Abuse** No Change - amphetamine (or related substance) - see Abuse, drug, stimulant NEC Revise from - amphetamine (or related substance) - see also Abuse, drug, stimulant NEC Revise to - - stimulant NEC F15.10 Add Add - - - with - - - anxiety disorder F15.180 Add - - - - intoxication F15.129 Add ---- with Add - - - - - delirium F15.121 Add  $\Delta dd$ - - - - - perceptual disturbance F15.122 Revise from Acrocyanosis 173.8 Acrocyanosis 173.89 Revise to Adhesions, adhesive (postinfective) K66.0 No Change - peritoneum, peritoneal (postinfective) Revise from Revise to - peritoneum, peritoneal (postinfective) K66.0 Admission (for) - see also Encounter (for) No Change - adjustment (of) No Change

Revise from ---- defibrillator (with synchronous cardiace pacemaker) Z45.02
Revise to ---- defibrillator (with synchronous cardiac pacemaker) Z45.02

- - device NEC

- - - implanted Z45.89

- - - cardiac Z45.09

No Change

No Change

No Change

No Change - examination at health care facility (adult) (see also Examination) Z00.00

No Change -- eye Z01.00

Add --- following failed vision screening Z01.020

Add ---- with abnormal findings Z01.021

No Change -- vision Z01.00

Add --- following failed vision screening Z01.020

Add ---- with abnormal findings Z01.021

No Change - vision examination Z01.00

-- following failed vision screening Z01.020

Add --- with abnormal findings Z01.021

Revise from Revise to Amsterdam dwarfism Q87.1

Amsterdam dwarfism Q87.19

No Change Anastomosis

No Change - arteriovenous ruptured brain 160.8

Add - - intracerebral I61.8

Add - - intraparenchymal I61.8

Add - - intraventricular I61.5

Add - - subarachnoid I60.8

No Change Aneurysm (anastomotic) (artery) (cirsoid) (diffuse) (false) (fusiform) (multiple) (saccular) 172.9

No Change - arteriovenous (congenital) - see also Malformation, arteriovenous

No Change -- acquired 177.0
No Change -- brain 167.1

Add ---- ruptured - see Aneurysm, arteriovenous, brain, ruptured

No Change - brain 167.1

No Change -- arteriovenous (congenital) (nonruptured) Q28.2

No Change --- acquired I67.1
Revise from --- ruptured I60.8

Revise to --- ruptured - see Aneurysm, arteriovenous, brain, ruptured 160.8

Revise from --- ruptured 160.8

Revise to - - - ruptured - see Aneurysm, arteriovenous, brain, ruptured 160.8

No Change - retina - see also Disorder, retina, microaneurysms
- - diabetic - see Diabetes, microaneurysms, retinal

Revise to -- diabetic - see E08-E13 with .3-

No Change Anomaly, anomalous (congenital) (unspecified type) Q89.9

No Change - foot NEC Q74.2

Revise from -- varus (congenital) Q66.3
-- varus (congenital) Q66.3No Change Apoplexia, apoplexy, apoplectic

Revise from - heat T67.0 Revise to - heat T67.01

No Change Atrophy, atrophic (of)
- spinal (acute) (cord) G95.89

No Change -- paralysis G12.20

Revise from --- meaning progressive muscular atrophy G12.21
--- meaning progressive muscular atrophy G12.25

No Change

В

No Change Bleeding - see also Hemorrhage

Add - perimenopausal N92.4

Revise from Revise to Bonnevie-Ullrich syndrome (see also Turner's syndrome) Q87.1 Bonnevie-Ullrich syndrome (see also Turner's syndrome) Q87.19

No Change Brill (-Zinsser) disease (recrudescent typhus) A75.1

Delete - flea-borne A75.2

Delete - louse-borne A75.1

No Change Bronchiolitis (acute) (infective) (subacute) J21.9

No Change - due to

Revise from -- respiratory syncytial virus J21.0
-- respiratory syncytial virus (RSV) J21.0

No Change Bronchitis (diffuse) (fibrinous) (hypostatic) (infective) (membranous) J40

No Change - acute or subacute (with bronchospasm or obstruction) J20.9

No Change -- due to
No Change -- virus

Revise from ---- respiratory syncytial J20.5
Revise to --- respiratory syncytial (RSV) J20.5
Revise from Bruck-de Lange disease Q87.1
Bruck-de Lange disease Q87.19

No Change Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0

Revise from - partial thickness - code as Burn, unspecifieddegree, by site

Revise to - partial thickness - code as Burn, degree, by site

## No Change

No Change Calculus, calculi, calculous

No Change - pyelitis (impacted) (recurrent) N20.0

Revise from -- with hydronephrosis N13.2 -- with hydronephrosis N13.6

No Change - pyelonephritis (impacted) (recurrent) - see category N20

Revise from -- with hydronephrosis N13.2 -- with hydronephrosis N13.6

No Change Canceled procedure (surgical) Z53.9

No Change - because of

Revise from -- left against medical advice (AMA) Z53.21
-- left against medical advice (AMA) Z53.29
No Change Cardiomyopathy (familial) (idiopathic) I42.9

No Change - amyloid E85.4 [I43]

Revise from -- transthyretin-related (ATTR) familial E85.4
-- transthyretin-related (ATTR) familial E85.4 [I43]
Add -- non-ischemic (see also by cause) I42.8

Add - specified NEC 142.8

Revise from
Revise to
Cavovarus foot, congenital Q66.1
Cavovarus foot, congenital Q66.1
Cavovarus foot (congenital) Q66.7
Cavus foot (congenital) Q66.7
Cavus foot (congenital) Q66.7
Cecoureterocele Q62.32
No Change
Cavovarus foot, congenital Q66.1
Cavovarus foot (congenital) Q66.7

Revise from - equinovarus Q66.0 Revise to - equinovarus Q66.0-

Revise from Cockayne's syndrome Q87.1
Revise to Cockayne's syndrome Q87.19
No Change Complication(s) (from) (of)

No Change - genitourinary

No Change -- device or implant T83.9
No Change -- genital tract T83.9

Revise from ---- mesh - see Complications, mesh

Revise to - - - - mesh - see Complications, prosthetic device or implant, mesh

Revise from ---- vaginal mesh - see Complications, mesh

Revise to - - - - vaginal mesh - see Complications, prosthetic device or implant, mesh

No Change - joint prosthesis, internal T84.9

No Change - - mechanical

Add - - - periprosthetic T84.059

No Change Concussion (brain) (cerebral) (current) \$06.0X9

No Change - with

Delete -- loss of consciousness of unspecified durationS06.0X9

- - loss of consciousness of unspecified duration S06.0X9

Add - without loss of consciousness S06.0X0

Delete without loss of consciousness S06.0X0

Revise from Revise to Cornelia de Lange syndrome Q87.19

No Change Counseling (for) Z71.9

No Change - health (advice) (education) (instruction) - see Counseling, medical

Add -- risk for travel (international) Z71.84
 Add - safety for travel (international) Z71.84

Add - travel (international) Z71.84

Revise from Cyclical vomiting (see also Vomiting, cyclical) G43.A0

Revise to Cyclical vomiting, in migraine, (see also Vomiting, cyclical) G43.A0

No Change Cyst (colloid) (mucous) (simple) (retention)

No Change - choroid plexus G93.0 -- congenital Q04.6

No Change

D

No Change Damage

- deep tissue, pressure-induced - see also L89 with final character .6

Revise from Danlos' syndrome Q79.6

Revise to Danlos' syndrome (see also Syndrome, Ehlers-Danlos) Q79.60

Revise from De Lange's syndrome Q87.1

Revise to De Lange's syndrome Q87.19

No Change Deficiency, deficient

Add - ADA2 (adenosine deaminase 2) D81.32

Revise from - adenosine deaminase (ADA) D81.3

- adenosine deaminase (ADA) D81.30

-- with severe combined immunodeficiency (SCID) D81.31

Add -- partial (type 1) D81.39
Add -- specified NEC D81.39

Add -- type 1 (without SCID) (without severe combined immunodeficiency) D81.39

-- type 2 D81.32

Revise from - glucose-6-phosphate dehydrogenase anemia D55.0

Revise to - glucose-6-phosphate dehydrogenase

Add -- anemia D55.0

Add -- without anemia D75.A

No Change Deformity Q89.9

No Change - foot (acquired) - see also Deformity, limb, lower leg

Revise from -- cavovarus (congenital) Q66.1

Revise to -- cavovarus (congenital) Q66.1

-- congenital NOS Q66.9

-- congenital NOS Q66.9-

Revise from -- varus (congenital) NEC Q66.3
-- varus (congenital) NEC Q66.3-

No Change - metatarsus (acquired) - see Deformity, foot

Revise from - congenital Q66.9
Revise to - congenital Q66.9
No Change - toe (acquired) M20.6Revise from - congenital Q66.9
Revise to - congenital Q66.9

No Change Delirium, delirious (acute or subacute) (not alcohol- or drug-induced) (with dementia) R41.0

No Change - due to (secondary to)

Revise from - unknown etiology F05

- unknown etiology R41.0

No Change Delivery (childbirth) (labor)

No Change - complicated O75.9

No Change - - by

No Change - - - obstructed labor

No Change ---- due to

---- brow presentation O64.3 Revise from - - - - brow presentation O64.3 Revise to

**Dermatorrhexis** Q79.6 Revise from

Dermatorrhexis (see also Syndrome, Ehlers-Danlos) Q79.60 Revise to

No Change Disease, diseased - see also Syndrome

- arterial 177.9 No Change - - peripheral I73.9 Add artery 177.9 No Change No Change - - coronary I25.10

Revise from - - - with angina pectoris - see Arteriosclerosis, coronary (artery), - - - with angina pectoris - see Arteriosclerosis, coronary (artery) Revise to

- - peripheral I73.9 Add - lung J98.4 No Change

- - obstructive (chronic) J44.9 Revise from Revise to - - obstructive (chronic) J43.9

Revise from - Rossbach's (hyperchlorhydria) K30 - Rossbach's (hyperchlorhydria) K31.89 Revise to

Add - - psychogenic F45.8

- systemic tissue mast cell C96.20 Revise from Revise to - systemic tissue mast cell D47.02 Disorder (of) - see also Disease No Change

- tobacco use No Change - - mild Z72.0 Revise from - - mild F17.200 Revise to

Distortion(s) (congenital) No Change

foot Q66.9 Revise from - foot Q66.9-Revise to - toe(s) Q66.9 Revise from - toe(s) Q66.9-Revise to Double No Change

No Change uterus Q51.20

- - in pregnancy or childbirth O34.59-Revise from - in pregnancy or childbirth O34.0-Revise to **Dubowitz' syndrome** Q87.1 Revise from **Dubowitz' syndrome** Q87.19 Revise to

No Change

Ehlers-Danlos syndrome Q79.6 Revise from

Revise to Ehlers-Danios syndrome (see also Syndrome, Ehlers-Danios) Q79.60

Embolism (multiple) (paradoxical) 174.9 No Change - pulmonary (acute) (artery) (vein) I26.99 No Change

 - multiple subsegmental without acute cor pulmonale I26.94 Add - - single subsegmental without acute cor pulmonale I26.93 Add

Add - - subsegmental NOS I26.93

Encounter (with health service) (for) Z76.89 No Change

 adjustment and management (of) No Change

- - neurostimulator (brain) (gastric) (peripheral nerve) (sacral nerve) (spinal cord) (vagus nerve) Z45.42 Add

- mental health services (for) No Change

Revise from - - non-spousal adult abuse (perpetrator) (victim) Z69.81

- - non-spousal adult abuse Revise to Add - - - perpetrator Z69.82 - - - victim Z69.81 Add

- removal (of) - see also Removal No Change

- - breast implant Z45.81 No Change

- - - tissue expander (without synchronous insertion of permanent implant) Z45.81 Revise from

- - - tissue expander (with or without synchronous insertion of permanent implant) Z45.81 Revise to

No Change Enteropathy K63.9

- food protein-induced enterocolitis (FPIES) K52.22 Revise from

Revise to - food protein-induced K52.22 No Change Enthesopathy (peripheral) M77.9

Revise from - ankle and tarsus M77.9 - ankle and tarsus M77.5-

No Change - lower limb (excluding foot) M76.9

Delete -- shoulder M77.9

- - ankle and tarsus M77.5-

Add --- specified type NEC - see Enthesopathy, foot, specified type NEC

Add - shoulder M77.9

Revise from Equinovarus (congenital) (talipes) Q66.0 Equinovarus (congenital) (talipes) Q66.0-

No Change Erosion

Revise from - implanted mesh - see Complications, mesh

Revise to - implanted mesh - see Complications, prosthetic devise or implant, mesh

No Change Examination (for) (following) (general) (of) (routine) Z00.00

No Change - eye Z01.00

Add -- following failed vision screening Z01.020

Add --- with abnormal findings Z01.021

No Change - vision Z01.00

Add -- following failed vision screening Z01.020

Add --- with abnormal findings Z01.021

No Change Exposure (to) (see also Contact, with) T75.89

No Change - implanted

Revise from -- mesh - see Complications, mesh

Revise to -- mesh - see Complications, prosthetic devise or implant, mesh

# No Change

## Criariye

#### No Change Failure, failed

No Change - heart (acute) (senile) (sudden) I50.9

No Change - - with

Add --- hypertension - see Hypertension, heart

No Change - respiration, respiratory J96.90

No Change - - with

Revise from --- hypercarbia J96.02
Revise to --- hypercarbia J96.92

No Change Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor) R50.9

No Change - due to
Revise from -- heat T67.0

Revise to -- heat T67.01

Revise from -- heat (effects) T67.01

Revise to -- heat (effects) T67.01

Revise from - thermic T67.0
Revise to - thermic T67.01
No Change Fibrillation

No Change - atrial or auricular (established) I48.91

Revise from - - chronic I48.2
Revise to - - chronic I48.20
Add - - persistent I48.19
Revise from - permanent I48.2
Revise to - permanent I48.21
Revise from - - persistent I48.1

Revise to -- persistent (chronic) (NOS) (other) I48.19

Add --- longstanding I48.11

No Change Findings, abnormal, inconclusive, without diagnosis - see also Abnormal

No Change - radiologic (X-ray) R93.89

Add -- musculoskeletal
Add -- limbs R93.6

Add --- other than limb R93.7
No Change Fistula (cutaneous) L98.8

No Change - arteriovenous (acquired) (nonruptured) 177.0

No Change - - brain 167.1

No Change --- congenital Q28.2
Revise from --- ruptured I60.8

Revise to ---- ruptured - see Fistula, arteriovenous, brain, ruptured

No Change - - - ruptured I60.8

Add - - - intracerebral I61.8

Add - - - intraparenchymal I61.8

Add - - - intraventricular I61.5

Add - - - subarachnoid I60.8

No Change -- congenital (peripheral) - see also Malformation, arteriovenous

No Change --- brain Q28.2
Revise from --- ruptured I60.8

Revise to --- ruptured - see Fistula, arteriovenous, brain, ruptured

No Change - brain G93.89

Revise from -- arteriovenous (acquired) 167.1

Revise to -- arteriovenous (acquired) (see also Fistula, arteriovenous, brain) I67.1

Add - colovesical N32.1

Revise from FPIES (food protein-induced enteropathy syndrome) K52.21 FPIES (food protein-induced enterocolitis syndrome) K52.21

No Change Fracture, traumatic (abduction) (adduction) (see also Fracture, pathological) T14.8

No Change - femur, femoral S72.9-

Revise from -- transcervical - see Fracture, femur, upper end, neck
Revise to -- transcervical - see Fracture, femur, midcervical

- fragility - see Fracture, pathological, due to osteoporosis

Revise from - orbit, orbital (bone) (region) S02.8-- orbit, orbital (bone) (region) S02.85

Revise from - roof S02.19
Revise to - roof S02.12Add - wall S02.85
Add - - lateral S02.84Add - medial S02.83No Change - toe S92.91-

No Change -- lesser (displaced) S92.50-

Revise from --- medial phalanx (displaced) S92.52-Revise to --- middle phalanx (displaced) S92.52-

No Change

G

Revise from Gampsodactylia (congenital) Q66.7 Gampsodactylia (congenital) Q66.7-

Revise from Griesinger's disease B76.9 Griesinger's disease B76.0

No Change

Н

No Change Hallux

- varus (acquired) M20.3-No Change - - congenital Q66.3 Revise from Revise to - - congenital Q66.3-No Change Heat (effects) T67.9 - apoplexy T67.0 Revise from Revise to apoplexy T67.01 fever T67.0 Revise from Revise to fever T67.01 Revise from - hyperpyrexia T67.0 hyperpyrexia T67.01 Revise to

Revise from - pyrexia T67.0

Revise to - pyrexia T67.01

Revise from - stroke T67.0

Revise to - stroke T67.01

Add -- exertional T67.02
Add -- specified NEC T67.09
No Change
Revise from - capillary D18.00
- capillary I78.1

No Change High
No Change - arch
Revise from - foot 0

Revise from -- foot Q66.7

Revise to -- foot Q66.7-

No Change History

No Change - family (of) - see also History, personal (of)

No Change -- disease or disorder (of)

Delete -- elevated lipoprotein(a) (Lp(a)) Z83.430

Add -- elevated lipoprotein (a) (Lp(a)) Z83.430

-- elevated lipoprotein(a) (Lp(a)) Z83.430

-- elevated lipoprotein (a) (Lp(a)) Z83.430

No Change -- personal (of) -- see also History, family (of)

No Change - - dysplasia

No Change --- vaginal (mild) (moderate) Z87.411

Revise from --- severe (grade III) Z86.008

Revise to --- severe (grade III) Z86.002

No Change --- vulvar (mild) (moderate) Z87.412

Revise from --- severe (grade III) Z86.008

Revise to --- severe (grade III) Z86.002

No Change - - in situ neoplasm

Add --- digestive organs, specified NEC Z86.004

Add --- esophagus Z86.003

Add --- genital organs, specified NEC Z86.002

 Add
 - - - melanoma Z86.006

 Add
 - - - middle ear Z86.005

 Add
 - - - oral cavity Z86.003

Add --- respiratory system Z86.005

 Add
 - - - skin Z86.007

 Add
 - - - stomach Z86.003

 No Change
 - - infection NEC Z86.19

 Add
 - - - latent tuberculosis Z86.15

Add -- latent tuberculosis infection Z86.15
Revise from -- melanoma (malignant) (skin) Z85.820

Revise to -- melanoma Z85.820 Add -- - in situ Z86.006

Add --- malignant (skin) Z85.820

Add - - neoplasia

Add --- anal intraepithelial, III [AIN III] Z86.004

Add - - - high-grade prostatic intraepithelial, III [HGPIN III] Z86.002

Add --- vaginal intraepithelial, III [VAIN III] Z86.002

Add --- vulvar intraepithelial, III [VIN III] Z86.002

No Change -- neoplasm
No Change -- in situ

Add ---- digestive organs, specified NEC Z86.004

Add ---- esophagus Z86.003

Add ---- genital organs, specified NEC Z86.002

 Add
 - - - - melanoma Z86.006

 Add
 - - - - middle ear Z86.005

 Add
 - - - - oral cavity Z86.003

Add --- respiratory system Z86.005

Add ---- skin Z86.007 Add ---- stomach Z86.003

Add - - tuberculosis, latent infection Z86.15

Revise from Hollow foot (congenital) Q66.7

Hollow foot (congenital) Q66.7-

Revise from Hookworm (anemia) (disease) (infection) (infestation) B76.9

Revise to Hookworm (disease) (infection) (infestation) B76.9

Add - with anemia B76.9 [D63.8]
No Change Hyperplasia, hyperplastic

No Change - breast - see also Hypertrophy, breast

Delete - - ductal (atypical) N60.9-Add - - atypical, atypia N60.9-

Add --- ductal N60.9-Add --- lobular N60.9-

Revise from - endometrium, endometrial (adenomatous) (benign) (cystic) (glandular) (glandular-cystic) (polypoid) N85.00

Revise to - endometrium, endometrial (adenomatous) (cystic) (glandular) (glandular-cystic) (polypoid) N85.00

Add -- benign N85.01

No Change
Revise from
Revise to
Delete
Add -- benign N85.01

Hyperpyrexia R50.9
- heat (effects) T67.0
- heat (effects) T67.01

Hyperuricoscuria R82.993

Hyperuricosuria R82.993

No Change

Revise from Revise to Ictus solaris, solis T67.0 Ictus solaris, solis T67.01 Immunodeficiency D84.9

No Change - with

Revise from -- adenosine-deaminase deficiency D81.3

Revise to -- adenosine-deaminase deficiency (see also Deficiency, adenosine deaminase) D81.30

No Change - severe combined (SCID) D81.9

- - due to adenosine deaminase deficiency D81.31

No Change Impingement (on teeth)

- joint - see Disorder, joint, specified type NEC

No Change Infarct, infarction

Revise from - cerebral (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-

Revise to - cerebral (acute) (chronic) (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-

No Change Infection, infected, infective (opportunistic) B99.9

No Change - peridental, periodontal K05.20

Revise from -- generalized - see Peridontitis, aggressive, generalized
-- generalized -- see Periodontitis, aggressive, generalized
-- localized - see Periodontitis, aggressive, localized
-- localized - see Periodontitis, aggressive, localized

No Change - respiratory (tract) NEC J98.8

Delete -- syncytial virus, as cause of disease classified elsewhere B97.4
 Add -- syncytial virus (RSV) - see Infection, virus, respiratory syncytial (RSV)

No Change -- upper (acute) NOS J06.9

No Change --- viral NOS J06.9

Add ---- due to respiratory syncytial virus (RSV) J06.9 [B97.4]

No Change - tooth, teeth K04.7

No Change - - peridental, periodontal K05.20

Revise from --- generalized - see Peridontitis, aggressive, generalized --- generalized - see Periodontitis, aggressive, generalized --- localized --- localized --- localized --- generalized --- generalized

Revise to - - - localized - see Periodontitis, aggressive, localized Revise from - tuberculous NEC - see Tuberculosis

Revise to - tuberculous

Add -- latent (LTBI) Z22.7

Add -- NEC - see Tuberculosis

Revise from - ureter N28.86

Revise to - ureter - see Ureteritis No Change - virus, viral NOS B34.9

No Change -- as cause of disease classified elsewhere B97.89

Revise from --- respiratory syncytial B97.4

Revise to - - - respiratory syncytial (RSV) - see Infection, virus, respiratory syncytial (RSV)

Revise from -- respiratory syncytial

Revise to -- respiratory syncytial (RSV)
Delete -- common cold syndrome J00
Delete -- nasopharyngitis (acute) J00

Add --- bronchiolitis J21.0
Add --- bronchitis J20.5

Add - - - otitis media H65.- [B97.4]

Add --- pneumonia J12.1

Add --- upper respiratory infection J06.9 [B97.4]

No Change Ingestion

- multiple drug - see Table of Drugs and Chemicals, multiple

No Change Injury (see also specified injury type) T14.90

Add - pressure

Add -- injury - see Ulcer, pressure, by site

Revise from Insolation (sunstroke) T67.0
Revise to Insolation (sunstroke) T67.01
No Change Insufficiency, insufficient

No Change - pulmonary J98.4
Revise from - newborn P28.5
Revise to - newborn P28.89

No Change Intoxication

Revise from - amphetamine (without dependence) - see Abuse, drug, stimulant, with intoxication
 - amphetamine (without dependence) - see also Abuse, drug, stimulant, with intoxication

Add -- stimulant NEC F15.10

Add --- with

Add ---- anxiety disorder F15.180
Add ---- intoxication F15.129

*Add* - - - - with

*Add* ---- delirium F15.121

Add ---- perceptual disturbance F15.122

No Change

K

No Change Ketosis NEC E88.89

Revise from - diabetic - see Diabetes, by type, with with ketoacidosis - diabetic - see Diabetes, by type, with ketoacidosis

No Change

L

Add LTBI (latent tuberculosis infection) Z22.7

Revise from Lichtheim's disease or syndrome - see Degeneration, combined

Revise to Lichtheim's disease or syndrome D51.0

Revise from Linitis (gastric) plasticaC16.9
Linitis (gastric) plastica C16.9

No Change Lump - see also Mass

No Change - breast N63.0

No Change - - left

Add --- overlapping quadrants N63.25

No Change - - right

Add --- overlapping quadrants N63.15

No Change

M

No Change Malformation (congenital) - see also Anomaly - arteriovenous, aneurysmatic (congenital) Q27.30

No Change - - brain Q28.2

Add - - - ruptured I60.8

Add - - - intracerebral I61.8

Add - - - intraparenchymal I61.8

Add ---- intraventricular I61.5
Add ---- subarachnoid I60.8

Revise from -- cerebral Q28.2

Revise to -- cerebral (see also Malformation, arteriovenous, brain) Q28.2

No Change -- peripheral Q27.30

Revise from --- digestive system Q27.33

Revise to --- digestive system - see Angiodysplasia

Add ---- congenital Q27.33

No Change
No Change
Revise from
Revise to
Malposition
- foot Q66.9
- foot Q66.9
- toe(s) Q66.9

Revise from Meekeren-Ehlers-Danlos syndrome Q79.6

Revise to Meekeren-Ehlers-Danlos syndrome (see also Syndrome, Ehlers-Danlos) Q79.69

No Change Menorrhagia (primary) N92.0 Add - perimenopausal N92.4

No Change Metatarsus, metatarsal - see also condition

Revise from - adductus, congenital Q66.22
Revise to - adductus, congenital Q66.22Revise from - varus (congenital) Q66.22
- varus (congenital) Q66.22-

Revise from - - primus Q66.21
Revise to - primus Q66.21
No Change Metrorrhagia N92.1
Add - perimenopausal N92.4

# No Change

No Change

Narrowing - see also Stenosis

No Change - artery 177.1

Revise from -- choroidal - see Occlusion, artery, cerebral, specified NEC -- choroidal - see Occlusion, artery, precerebral, specified NEC

Revise from -- communicating posterior - see Occlusion, artery, cerebral, specified NEC -- communicating posterior - see Occlusion, artery, precerebral, specified NEC

Revise from -- hypophyseal - see Occlusion, artery, cerebral, specified NEC -- hypophyseal - see Occlusion, artery, precerebral, specified NEC

Revise from -- pontine - see Occlusion, artery, cerebral, specified NEC -- pontine - see Occlusion, artery, precerebral, specified NEC

No Change Newborn (infant) (liveborn) (singleton) Z38.2

No Change - affected by
Add - cyanosis P28.2

Revise from Noonan's syndrome Q87.1 Noonan's syndrome Q87.19

No Change
Revise from
Revise to

Nystagmus H55.00
- central positional H81.4
- central positional H81.4

No Change - positional

Revise from -- benign paroxysmal H81.4-Revise to -- benign paroxysmal H81.4

Revise from -- central H81.4-Revise to -- central H81.4

#### No Change



No Change Delete - specified NEC B08.09
No Change No Change No Change - primary M19.91

Orthopoxvirus B08.09
- specified NEC B08.09
Osteoarthritis M19.90
- primary M19.91

Add -- multiple sites M89.49

No Change Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (septic) (staphylococcal)

(streptococcal) (suppurative) (with periostitis) M86.9

No Change - acute M86.10

Revise from - ilium M86.159

Revise from - ilium M86.18

Revise from - ischium M86.18

No Change

P

No Change Paget's disease

No Change - bone M88.9

Add -- specified NEC M88.88

Revise from -- vertebra M88.88

Revise to -- vertebra M88.1

No Change Paralysis, paralytic (complete) (incomplete) G83.9

No Change - muscle, muscular NEC G72.89

Add - progressive, spinal G12.25

- spinal progressive G12.25

No Change
No Change
Add
No Change
Paraurethral duct Q64.79
- spinal (cord) G83.9
- - progressive G12.21
- - - muscle G12.25

Paraurethral duct Q64.79
- nonorganic origin F51.5

No Change Pericementitis (chronic) (suppurative) - see also Periodontitis

No Change - acute K05.20

Revise from -- generalized - see Peridontitis, aggressive, generalized -- generalized -- generalized -- generalized -- localized -- loc

No Change Personality (disorder) F60.9

Revise from - self-defeating F60.7
Revise to - self-defeating F60.89

No Change Pes (congenital) - see also Talipes

Revise from - cavus Q66.7 Revise to - cavus Q66.7-

Revise from Petit mal seizure - see Epilepsy, generalized, specified NEC

Revise to Petit mal seizure - see Epilepsy, childhood, absence

No Change Phlebitis (infective) (pyemic) (septic) (suppurative) 180.9

Add - calf muscular vein (NOS) 180.25-Add - gastrocnemial vein 180.25-

- iliac vein (common) (external) (internal) 180.21-

No Change - leg 180.3

No Change -- deep (vessels) NEC 180.20-

Revise from - - - tibial vein 180.23-

Revise to - - - tibial vein (anterior) (posterior) 180.23-

Add - peroneal vein I80.24-Add - soleal vein I80.25-

No Change Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9

No Change - in (due to)

Revise from - - respiratory syncytial virus J12.1
- - respiratory syncytial virus (RSV) J12.1

Revise from - respiratory syncytial virus J12.1 - respiratory syncytial virus (RSV) J12.1

No Change - viral, virus (broncho) (interstitial) (lobar) J12.9

Revise from - - respiratory syncytial J12.1

Revise to - respiratory syncytial (RSV) J12.1

No Change **Poisoning (acute)** - see also Table of Drugs and Chemicals - food (acute) (diseased) (infected) (noxious) NEC T62.9-

Revise to - food NEC A05.9

No Change Polyarthritis, polyarthropathy (see also Arthritis) M13.0

Revise from - migratory - see Fever, rheumatic

Revise to - migratory M13.8-

No Change Polyneuropathy (peripheral) G62.9
No Change - amyloid (Portuguese) E85.1 [G63]

Revise from -- transthyretin-related (ATTR) familial E85.1
-- transthyretin-related (ATTR) familial E85.1 [G63]

No Change Polyp, polypus
No Change - colon K63.5

No Change -- adenomatous D12.6
Add -- ascending D12.2
Add -- cecum D12.0
Add -- descending D12.4
Delete -- ascending D12.2
Delete -- cecum D12.0
Delete -- descending D12.4

Add -- hyperplastic, (any site) K63.5

Revise from
Revise to
Add -- hyperplastic, (any site) K63.5

Prader-Willi syndrome Q87.1

Prader-Willi syndrome Q87.11

Prader-Willi-like syndrome Q87.19

No Change Pregnancy (single) (uterine) - see also Delivery and Puerperal

No Change - complicated by (care of) (management affected by)

No Change - - fetal (maternal care for)
Add - - - bradycardia O36.83-

Add --- depressed heart rate tones O36.83-

Revise from --- heart rate irregularity (bradycardia) (decelerations) (tachycardia) 076

Revise to - - - heart rate irregularity (abnormal variability) (bradycardia) (decelerations) (tachycardia) O36.83-

Add --- non-reassuring heart rate or rhythm O36.83-

No Change Presence (of)

- neurostimulator (brain) (gastric) (peripheral nerve) (sacral nerve) (spinal cord) (vagus nerve) Z96.82

No Change Pressure

Add - injury - see Ulcer, pressure, by site Primus varus (bilateral) Q66.2

Revise to Primus varus Q66.21No Change Prolonged, prolongation (of)

Revise to - QT interval I45.81 - QT interval R94.31

No Change Pyelitis (congenital) (uremic) - see also Pyelonephritis

No Change - with

No Change -- calculus - see category N20
Revise from -- with hydronephrosis N13.2
-- with hydronephrosis N13.6

No Change - chronic N11.9

No Change -- with calculus - see category N20
Revise from --- with hydronephrosis N13.2
Revise to --- with hydronephrosis N13.6

No Change Pyelonephritis - see also Nephritis, tubulo-interstitial

No Change - with

No Change
Revise from
Revise to
No Change
Revise from
Revise to
No Change
Revise from
Revise from
Revise to
- - calculus - see category N20
- calculous - see category N20
- with hydronephrosis N13.2
- with hydronephrosis N13.6

No Change - chronic N11.9

No Change -- with calculus - see category N20
-- with hydronephrosis N13.2
-- with hydronephrosis N13.6

No Change Pyrexia (of unknown origin) R50.9

Revise from - atmospheric T67.0 - atmospheric T67.01

Revise from - heat T67.0 Revise to - heat T67.01

Revise from Pyuria (bacterial) N39.0

Revise to Pyuria (bacterial) (sterile) R82.81

No Change

R

No Change Respiratory - see also condition

Revise from - syncytial virus, as cause of disease classified elsewhere B97.4

Revise to - syncytial virus, as cause of disease classified elsewhere (see also Virus, respiratory syncytial (RSV)) B97.4

Revise from Rheumatic (acute) (subacute) (chronic)

Revise to Rheumatic (acute) (subacute)

Add - chronic 109.89

Revise from - coronary arteritis I01.9
- coronary arteritis I01.8

Revise from Robinow-Silvermann-Smith syndrome Q87.1 Robinow-Silvermann-Smith syndrome Q87.19

No Change Rupture, ruptured

Revise from - arteriovenous fistula, brain 160.8

Revise to - arteriovenous fistula, brain - see Fistula, arteriovenous, brain, ruptured

Revise from Russell-Silver syndrome Q87.1 Russell-Silver syndrome Q87.19

No Change

S

No Change Sclerosis, sclerotic

No Change - spinal (cord) (progressive) G95.89
Revise from - lateral (amyotrophic) G12.23
- - lateral (amyotrophic) G12.21
- - progressive G12.23
No Change Screening (for) Z13.9

No Change - tuberculosis, respiratory Z11.1

Add -- active Z11.1
Add -- latent Z11.7

Revise from Seckel's syndrome Q87.1
Revise to Seckel's syndrome Q87.19

No Change Seizure(s) (see also Convulsions) R56.9

Add - absence G40.ARevise from - petit mal G40.409
- petit mal G40.ANo Change Separation

- muscle (nontraumatic) - see Diastasis, muscle

Revise from Silver's syndrome Q87.1 Silver's syndrome Q87.19

Revise from Siriasis T67.0 Siriasis T67.01

Revise from Sjögren-Larsson syndrome Q87.1 Sjögren-Larsson syndrome Q87.19

No Change Stroke (apoplectic) (brain) (embolic) (ischemic) (paralytic) (thrombotic) 163.9

 Revise from
 - heat T67.0

 Revise to
 - heat T67.01

 Add
 - - exertional T67.02

 Add
 - specified NEC T67.09

Add - sun T67.01

Add -- specified NEC T67.09

Revise from Sunstroke T67.0

Revise to Sunstroke T67.01

Add - specified NEC T67.09

No Change Suppuration, suppurative - see also condition

No Change - gum K05.20

Revise from -- generalized - see Peridontitis, aggressive, generalized -- general

Revise from -- localized - see Peridontitis, aggressive, localized -- localized -- localized -- see Periodontitis, aggressive, localized

No Change Syndrome - see also Disease

Add - Churg-Strauss M30.1

Revise from - Danlos' Q79.6

Revise to - Danlos' (see also Syndrome, Ehlers-Danlos) Q79.60

Revise from - Ehlers-Danlos Q79.6
Revise to - Ehlers-Danlos Q79.60

Add -- classical (cEDS) (classical EDS) Q79.61

- - hypermobile (hEDS) (hypermobile EDS) Q79.62

Add -- specified NEC Q79.69

Add -- vascular (vascular EDS) (vEDS) Q79.63

Add - Glass Q87.89
No Change - popliteal

- - post endometrial ablation N99.85

Add - Prader-Willi Q87.11

Add - Prader-Willi-like Q87.19

Revise from - premenstrual dysphoric F32.89

Revise to - premenstrual dysphoric F32.81
Revise from - pseudo -Turner's Q87.1
- pseudo -Turner's Q87.19

No Change - right

Revise from -- ventricular obstruction - see Failure, heart, congestive -- ventricular obstruction - see Failure, heart, right

Add - SATB2-associated Q87.89

### No Change

No Change Talipes (congenital) Q66.89

Revise from - calcaneovalgus Q66.4
Revise to - calcaneovarus Q66.1
Revise to - calcaneovarus Q66.1

Revise from - cavus Q66.7
Revise to - cavus Q66.7
Revise to - equinovarus Q66.0
Revise to - percavus Q66.7
Revise to - percavus Q66.7
Revise from - varus Q66.3
Revise to - varus Q66.3

No Change Test, tests, testing (for)

No Change - vision Z01.00

- - following failed vision screening Z01.020

Add - - - with abnormal findings Z01.021

Revise from
Revise to

No Change

Add

Calf muscular vein (NOS)

Add - calf muscular vein (NOS) I80.25-Add - gastrocnemial vein I80.25-

- iliac vein (common) (external) (internal) 180.21-

Add - peroneal vein l80.24-Add - soleal vein l80.25-Revise from - tibial vein l80.23-

Revise to - tibial vein (anterior) (posterior) 180.23-

No Change Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel) 182.90

No Change - mesenteric (artery) (with gangrene) (see also Infarct, intestine) K55.069

Revise from -- vein (inferior) (superior) l81

Revise to -- vein (inferior) (superior) K55.0

No Change Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast

bacilli) (degeneration) (fibrocaseous) (fistula) (interstitial) (isolated circumscribed lesions) (necrosis)

(parenchymatous) (ulcerative) A15.9

No Change - abscess (respiratory) A15.9

Revise from - - latent R76.11
Revise to - latent Z22.7
Revise from - latent R76.11
Revise to - latent Z22.7

No Change Tumor - see also Neoplasm, unspecified behavior, by site

Revise from - carcinoid

Revise to - carcinoid D3A.00

Revise from Revise to Turner-like syndrome Q87.1
Turner-like syndrome Q87.19

No Change

U

Revise from Ullrich (-Bonnevie)(-Turner) syndrome (see also Turner's syndrome) Q87.1 Ullrich (-Bonnevie)(-Turner) syndrome (see also Turner's syndrome) Q87.19

No Change Unstable

Revise from - lumbosacral joint (congenital)

Revise to - lumbosacral joint (congenital) - see subcategory M53.2

Delete -- acquired - see subcategory M53.2

No Change

V

Revise from Varix (lower limb) (ruptured) 183.90

Revise to Varix (lower limb) 183.90

No Change - with

Add -- bleeding I83.899

Add -- rupture I83.899

No Change Vertigo R42

Revise from - central (origin) H81.4-Revise to - central (origin) H81.4 Revise from - cerebral H81.4-Revise to - cerebral H81.4

Revise from - malignant positional H81.4-Revise to - malignant positional H81.4

No Change - positional

Add

Revise from -- malignant H81.4-Revise to -- malignant H81.4

No Change Virus, viral - see also condition

No Change - as cause of disease classified elsewhere B97.89

Add - - respiratory syncytial virus (RSV) - see Virus, infection, respiratory syncytial (RSV)

respiratory syncytial (RSV)

-- as cause of disease classified elsewhere B97.4

Add -- bronchiolitis J21.0
Add -- bronchitis J20.5

Add -- bronchopneumonia J12.1 -- otitis media H65.- [B97.4]

Add - - pneumonia J12.1

- - upper respiratory infection J06.9 [B97.4]

No Change Vision, visual
No Change - examination Z01.00

Add -- following failed vision screening Z01.020

Add --- with abnormal findings Z01.021

No Change **Vomiting** R11.10 Revise from - cyclical G43.A0

Revise to - cyclical, in migraine, G43.A0

- cyclical syndrome NOS (unrelated to migraine) R11.15

Add - persistent R11.15

No Change V

W

No Change Weak, weakening, weakness (generalized) R53.1

Revise from
 Revise to
 Revise from
 Revise to
 Got (double) - see Weak, arches
 Fed also Weak, arches
 Weil (I) -Marchesani syndrome Q87.1
 Weil (I) -Marchesani syndrome Q87.19

No Change Worn out - see Exhaustion

No Change - cardiac

Revise from -- defibrillator (with synchronous cardiace pacemaker) Z45.02 -- defibrillator (with synchronous cardiac pacemaker) Z45.02

No Change **Z** 

Revise from Revise to Zellweger's syndrome Q87.89 Zellweger's syndrome E71.510