

Last revision June 27, 2008

Tabulating data for fiscal year 1963 NHIS current estimates tables - examples

Table 1: All acute conditions (in thousands) (see table footnote; note, however, that apparently the original estimates were created without applying the criterion described in the table footnote)

File: 1963 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), onset in last two weeks (col. 68=3,4), restricted activity days and/or doctor ever seen (cols. 38-39>00 or col. 63=1)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of all acute conditions (in thousands)): 400,569

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file, and application of the criterion described in the table footnote.

Table 2: Restricted activity days from all acute conditions (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days from all acute conditions (in thousands)): 1,607,236

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 3: Bed days from all acute conditions (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days from all acute conditions (in thousands)): 695,167

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 7: Lost school days (ages 6-16) from all acute conditions (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06 and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) from all acute conditions (in thousands)): 196,396

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 7: Lost work days (ages 17+) from all acute conditions (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: acute condition (col. 37=1), days lost (cols. 42-43), age 17+ (cols. 26-27 is 17 or more), current activity is working (col. 30=1,2)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost work days (ages 17+) from all acute conditions (in thousands)): 260,440

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 8: Persons with one or more chronic conditions (in thousands)

File: 1963 fiscal year person file (person.dat)

Criteria: chronic conditions present (col. 54>0)

Weight: Final annual weight (cols. 121-126)

Result (estimated number of persons with one or more chronic conditions (in thousands)): 81,414

Table 9: Total injuries (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), onset in last two weeks (col. 68=3,4)

Weight: Weight 6.5 (cols. 109-114)

Result: (estimated number of persons injured (in thousands)): 48,575

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 10: Days of restricted activity associated with injury (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of days of restricted activity associated with injury (in thousands)): 466,182

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 11: Bed days associated with injury (in thousands)

File: 1963 fiscal year condition file (condition.dat)

Criteria: first injury (col. 85='-'), bed days (cols. 40-41)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of bed days associated with injury (in thousands)): 122,053

Note: estimates for this table may be a little lower than published estimates due to removal of several duplicate records from condition file.

Table 12: Number of discharges from short-stay hospitals (in thousands)

File: 1963 fiscal year hospital file (hospital.dat)

Criteria: j-recode: discharge in last 6 months (col. 137=1,2), short-stay hospital (col. 89=1)

Weight (semiannual estimate): Final quarterly weight (cols. 115-120). Compute initial estimate, then divide by 2 because this is a semiannual estimate

Result (estimated number of discharges from short-stay hospitals (in thousands)): 22,776

Table 13: Restricted-activity days (in thousands)

File: 1963 fiscal year person file (person.dat)

Criteria: restricted activity days (cols. 38-39)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of restricted activity days (in thousands)): 2,968,965

Table 13: Lost school days (ages 6-16) (in thousands)

File: 1963 fiscal year person file (person.dat)

Criteria: days lost (cols. 42-43), age 6-16 (cols. 26-27 between 06 and 16)

Weight: Weight 6.5 (cols. 109-114)

Result (estimated number of lost school days (ages 6-16) (in thousands)): 224,337