NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1 GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics as the original source. It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

National Center for Health Statistics, Kovar, M.G. and Poe, G.S.: The National Health Interview Survey Design 1973-1984 and Procedures 1975-1983. Vital and Health Statistics, Series 1-No. 18. DHHS Pub. No. (PHS) 85-1320. Public Health Service. Washington. U.S. Government Printing Office.

Current Estimates from the National Health Interview Survey: United States, 1986. Vital and Health Statistics. Series 10-No. 164 (DHHS Pub. No. (PHS) 87-1592) Public Health Service. Washington. U.S. Government Printing Office.

Interviewer's Manual, 1986. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1986. Part III, Public Use Data Tape Documentation.

0 0 0 0 0 0 0

i

1 PREFACE

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes for each record type. Note that Household items in tape locations 3-24 and

182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

1. Type of Record (Tape Locations 1-2)

- 10 = Household Record The Household file contains one household record for each interviewed household and each Type A non-interviewed house hold (see Household locations 28-29).
- 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
- 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

	Tape
Item	Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and	17-18
Person Records)	

0 0 0

iii

12. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

3. Other Tape Characteristics

. :	2 Density = 1600 BPI	
•	Record length = Fixed length of 335 bytes	
• 4	4 Blocksize = 3350 (10 records per block)	
. !	5 Tape format = All fields are in character format.	
. (6 Data Set Names:	
	HOUSEHOLD = HISY1986.HOUSEHLD	
	PERSON = HISY1986.PERSONSX	
	CONDITION = HISY1986.CONDITON	
	HOSPITAL = HISY1986.HOSPITAL	
	DOCTOR VISIT = HISY1986.DRVISITS	
NOTE:	Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.	
0 0 0 0 0	iv	
1	NATIONAL HEALTH INTERVIEW SURVEY	
	Calendar Year 1986 Computer Processing	
	Public Use Data Tape	
	TABLE OF CONTENTS - PART I	
		Page
INTROI	DUCTION	1
REFERI	ENCES	3
COMPAI	RED CHANGES	5
TAPE I	FORMATS	
	Household Record	7
	Person Record	17
	Condition Record	39
	Doctor Visit Record	71

.1 Headers and trailers = Standard IBM labels

Hospital Record	99
DIAGNOSTIC RECODES	
Recode A. Acute Conditions	125
Recode B. Diseases, Injuries and Impairments	131
Recode C. Chronic Conditions and Impairments	155
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	165
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	167
TABULATING DATA FOR CURRENT ESTIMATES TABLES	169
APPENDICES	
Appendix A. Codes for Types of Special Places	177
Appendix B. Industry Recodes	181
Appendix C. Occupation Recodes	187
Appendix D. Description of Class of Accident Code	195
Appendix E. Classification of Operations and Non-operative Procedures for HIS	197
0	
INOTES:	
1 - 1 -	

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1986 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) and SURREGR,(4) are programs that calculate the variance-covariance matrix using the linearization approach(5),(6) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided Strata and Pseudo Primary Sampling Unit (PSU) codes on all data tapes in positions (187-189). These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

An NCHS Series 2 publication discussing these issues is in process. Detailed information from this publication on calculating variances and the use of sample weights is available, upon request, from NCHS.

1 - 3 -

- (1) National Center for Health Statistics: Replication an Approach to the Analysis of Data from Complex Surveys by P.J. McCarthy. Vital and Health Statistics Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- (2) Survey Research Center Computer Support Group, OSIRIS IV User's Manual, Institute for Social Research, 1979.
- (3) B.V. Shah, "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C., RTI/5250-00-01S, April 1981.
- (4) Mary Margaret Holt (revised April 1982 by B.V. Shah) "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May 1977.
- (5) Hidiroglou, M.A., Fuller, W. A. and Hickman, R. D. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University, Sixth edition, October 1980.
- (6) "Contingency Table Analysis for Complex Sample Designs (CPLX) U. S. Bureau of the Census.

1NOTES:

1 - 5 -

CHANGES IN THE 1986 PUBLIC USE TAPE COMPARED TO 1985

The 1986 Public Use Tape resembles the 1985 version, with only one exception. This difference is described below:

HOUSEHOLD VARIABLES:

Tape Location

The label of "Midwest has been substituted for "North Central" in accordance with current Census Bureau usage. The states included remain the same.

1NOTES:

1 - 7 -

HOUSEHOLD RECORD

1NOTES:

1 - 9 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 24,698
HOUSEHOLD RECORD

Locations	Item No.	Frequency Items and Codes
1-2	-	RECORD TYPE 24,698 10. Household Record
3-4	-	PROCESSING YEAR 24,698 86. 1986
5	-	PROCESSING QUARTER 6,281
6-8	нн-5	RANDOM RECODE OF PSU NUMBER
9-10	нн-5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 05 06, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview. No interviews were conducted during weeks 01 and 02 of Quarter 1. The sample households for the two weeks were reassigned to weeks 03-13 of Quarter 1.

- 10 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	-		BLANK (Person Number on other record types)
17-18	-		BLANK (Record Serial Number on other record types)
19-20	нн-5	1,088 1,305 2,259 2,234 1,943 1,925 2,204 1,977 1,925 1,985 1,829 2,039 1,985	WEEK CODE (Numbered within Quarter) Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84 Week 05. 05, 25, 45, 65, 85 Week 06. 06, 26, 46, 66, 86 Week 07. 07, 27, 47, 67, 87 Week 08. 08, 28, 48, 68, 88 Week 09. 09, 29, 49, 69, 89 Week 10. 10, 30, 50, 70, 90 Week 11. 11, 31, 51, 71, 91 Week 12. 12, 32, 52, 72, 92 Week 13. 13, 33, 53, 73, 93
21			BLANK
1		NHIS	- 11 - PUBLIC USE TAPES

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape
Locations Item No. Frequency Items and Codes

22-23	нн-10d		TYPE OF LIVING QUARTERS:
			Housing Unit = (00-07)
		174 22,925 29	00. Housing unit; kind unknown 01. House, apartment, flat 02. HU in nontransient hotel, motel, etc.
		16	03. HU-permanent in transient hotel, motel, etc.
		35	04. HU in rooming house
			05. Mobile home or trailer with no
		1,093	permanent room added
		126	06. Mobile home or trailer with one or
		120	more permanent rooms added
		8	07. HU not specified above
			Other Unit = (08-13)
		12	08. Quarters not HU in rooming or boarding house
		0	09. Unit not permanent in transient hotel, motel, etc.
		5	10. Unoccupied site for mobile home, trailer, or tent
		238	11. Student quarters in college dormitory
		35	12. Other unit not specified above
		2	13. Other unit; kind unknown
24	HH-11		HAS TELEPHONE
		21,093	1. Yes, phone number given
		883	2. Yes, no phone number given
		1,780	3. No
		82	4. Unknown
		860	Blank. Non-interview
25-26	нн-6		SPECIAL PLACE (Unedited)
			SEE APPENDIX A
			Blank. Not applicable
-			

- 12 -

1

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
27	нн-15		COMPLETED INTERVIEW
		23,664 860 174	 Completed interview - non-military household Non-interview Completed interview - military household*
28-29	нн-14		NON-INTERVIEW REASON
			Type A
interview)		557 127 128 48 23,838	01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed
30-33	нн-15		DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)
30-31			MONTH
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December Blank.
32-33			DAY
			01-31. Day of Month Blank.
34-35	Generated		NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families). Blank. Non-interview

^{*}Spouse or parent is in the Armed Forces.

1

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
36-55	Generated		SIZE OF FAMILY
			00. Not applicable or only unrelated individuals 01+ Number of persons in family Blank. Non-interview
36-37			SIZE OF FAMILY - Primary Family
38-39			SIZE OF FAMILY - Secondary Family No. 1
40-41			SIZE OF FAMILY - Secondary Family No. 2
42-43			SIZE OF FAMILY - Secondary Family No. 3
44-45			SIZE OF FAMILY - Secondary Family No. 4
46-47			SIZE OF FAMILY - Secondary Family No. 5
48-49			SIZE OF FAMILY - Secondary Family No. 6
50-51			SIZE OF FAMILY - Secondary Family No. 7
52-53			SIZE OF FAMILY - Secondary Family No. 8
54-55			SIZE OF FAMILY - Secondary Family No. 9
56-57	Generated		NUMBER OF UNRELATED INDIVIDUALS
			00. Not applicable 01+ Number of unrelated individuals Blank. Non-interview

1 - 14 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes

1. Yes or all adult family members in Armed Forces Blank. Household with unrelated individuationally or non-interviewed household REFERENCE PERSON PRESENT - Secondary Family No. 1 REFERENCE PERSON PRESENT - Secondary Family No. 2 REFERENCE PERSON PRESENT - Secondary Family No. 3	
Blank. Household with unrelated individual only or non-interviewed household 59 REFERENCE PERSON PRESENT - Secondary Family No. 1 60 REFERENCE PERSON PRESENT - Secondary Family No. 2 61 REFERENCE PERSON PRESENT -	ls
Secondary Family No. 1 REFERENCE PERSON PRESENT - Secondary Family No. 2 REFERENCE PERSON PRESENT -	
REFERENCE PERSON PRESENT - Secondary Family No. 2 REFERENCE PERSON PRESENT -	
Secondary Family No. 2 REFERENCE PERSON PRESENT -	
REFERENCE PERSON PRESENT -	
Secondary Family No. 3	
62 REFERENCE PERSON PRESENT -	
Secondary Family No. 4	
63 REFERENCE PERSON PRESENT -	
Secondary Family No. 5	
64 REFERENCE PERSON PRESENT -	
Secondary Family No. 6	
65 REFERENCE PERSON PRESENT -	
Secondary Family No. 7 REFERENCE PERSON PRESENT -	
Secondary Family No. 8 REFERENCE PERSON PRESENT -	
Secondary Family No. 9	
Secondary raming No. 9	

1 - 15 -

NHIS PUBLIC USE TAPES HOUSEHOLD RECORD

Tape Locations Item No. Frequency Items and Codes

70-71 HOUSEHOLD	Generated		NUMBER	OF CONDITION RECORDS FOR THE
72-73	Generated		NUMBER THE HOU	OF TWO-WEEK DOCTOR VISIT RECORDS FOR
74-75	Generated		NUMBER	OF HOSPITAL RECORDS FOR THE HOUSEHOLD
76	A-A2		CONDITI	ON LIST ASSIGNED
		4,005 3,972 4,001 3,957 3,959 3,932 12 860	2. 3. 4. 5. 6. 7.	Condition List 3, Digestive
77-181	-		BLANK	
182	Master Record	5,336 6,196 8,305 4,861	2. 3.	Northeast Midwest South West
1			- 16 S PUBLIC U SUSEHOLD R	USE TAPES
Tape Locations	Item No.	Frequency	Ite	ems and Codes
183	Master Record		GEOGRAF	PHIC DISTRIBUTION

MSA Size

		10,341 6,577 1,371 458 5,951	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184			BLANK
185	Master Record	13,332 5,415 8 5,943	TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode	8,094 9,912 5,517 315 860	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm Blank. Non-interview
187-200			BLANK
201-206			BASIC WEIGHT Adjusted by Segment and Special HH Sampling Factors (XXXXX.X)
207-335			BLANK
1		PERS	- 17 - ON RECORD
NOTES:			- 19 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 62,052

PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	62,052	RECORD TYPE 20. Person Record
3-4	-	62,052	PROCESSING YEAR 86. 1986
5	-	15,496 15,418 15,700 15,438	PROCESSING QUARTER 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	НН−5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which

1 - 20

reflects the actual week assigned for conducting the interview. No interviews were conducted during weeks 01 and 02 of Quarter 1. The sample households for the two weeks were reassigned to weeks 03-13 of Quarter 1.

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	-		BLANK (Record Serial Number on other recotypes).
19-20	нн-5		WEEK CODE (Numbered within Quarter)
		2,734	Week 01. 01, 21, 41, 61, 81
		3,318	Week 02. 02, 22, 42, 62, 82
		5,696	Week 03. 03, 23, 43, 63, 83
		5,673	Week 04. 04, 24, 44, 64, 84
		4,873	Week 05. 05, 25, 45, 65, 85
		4,892	Week 06. 06, 26, 46, 66, 86
		5,661 4,900	Week 07. 07, 27, 47, 67, 87 Week 08. 08, 28, 48, 68, 88
		4,727	Week 09. 09, 29, 49, 69, 89
		4,969	Week 10. 10, 30, 50, 70, 90
		4,609	Week 11. 11, 31, 51, 71, 91
		5,110	Week 12. 12, 32, 52, 72, 92
		4,890	Week 13. 13, 33, 53, 73, 93
21			BLANK

1 - 21 -

нн-10d			
		TYPE OF LI	/ING QUARTERS:
		Housing Un	it = (00-07)
	308 58,185 40	01	. House, apartment, flat
	19	03	etc. . HU-permanent in transient
	51 2,674 322 10	05 06	 Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added
		Other Unit	= (08-13)
	15 0		boarding house
	12	10	hotel, motel, etc.
	358	11	<pre>trailer, or tent . Student quarters in college dormitory</pre>
	54 4		. Other unit not specified above
нн-11		HAS TELEPH	DNE
	55,130 2,125 4,619 178	2. Ye 3. No	s, phone number given s, no phone number given known
A-1		SEX	
	29,532 35,520		le male
		58,185 40 19 51 2,674 322 10 15 0 12 358 54 4 HH-11 55,130 2,125 4,619 178	58,185 01 40 02 19 03 51 04 2,674 05 322 06 10 07 Other Unit 15 08 0 09 12 10 358 11 54 12 4 13 HH-11 HAS TELEPHO 55,130 1. Yes 2,125 2. Yes 4,619 3. No 178 4. Unit A-1 SEX 29,532 1. Mai

26 - BLANK

1 - 22 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes	
27-28	Person Column		AGE		
	COLUMNI	1,020	00.	Under 1 year	
		61,028	01-98.	Number of years	
		4	99.	99+ years of age	
29	Recode		AGE REC	ODE #1	
		5,000	1.	Under 5 years	
		12,393	2.		
		6,742	3.		
		18,975	4.	25-44 years	
		11,750		45-64 years	
		2,443		65-69 years	
		1,958		70-74 years	
		2,791	8.	75 years and over	
30	Recode		AGE REC	ODE #2	
		5,998	1.	Under 6 years	
		10,375		6-16 years	
		7,762	3.	17-24 years	
		10,341	4.	2	
		8,634		35-44 years	
		5,888	6.	<u> </u>	
		5,862		55-64 years	
		4,401 2,791		65-74 years 75 years and over	
		2,791	9.	73 years and over	
31-32	Recode		AGE REC	ODE #3	
		2,997	00-35.	Months	
		59,055	36.		

33 - BLANK

- 23 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Jocations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1987. 1900-1987 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		611 1,219 10,016 49,068 687 88 363	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown

1 - 24 -

NHIS PUBLIC USE TAPE RECORDS
PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		50,142 10,053 1,857	1. White 2. Black 3. Other
44			RECODE 2
		50,142 11,910	1. White 2. Non-white
45			RECODE 3
		10,053 51,999	 Black Non-black
46-47	L-4		HISPANIC ORIGIN
		92 508 315 1,017 1,396 56 440 701 139 461 56,927	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		13,315 28,013 361 3,394 3,086 1,100 12,472 311	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown

1 - 25 -

Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		36,596 47 2,296 1,178 2,124 513 1,087 325 493 17,393	 Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		36,596 534 1,063 19 5,510 937	 Non-veteran All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in Guard/Reserve No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or served in Armed Forces Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		2,477 37,993	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		3,142 3,693 1,476 4,458 972 2,081 760 5,000	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown Blank. Under 5 years of age

- 26 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		2,477 12,235 8,479 17,279 8,311 4,458 3,053 760 5,000	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT MEMBER - (Detail)
		127 33,101	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		4,612 6,181 2,552 8,311 1,965 4,778 425	 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT MEMBER - Recode
-		127 3,887 6,348 22,866 13,345 8,311 6,743 425	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1			- 27 -

NHIS PUBLIC USE TAPE RECORDS

PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		24,784 34,994 2,274	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		508 558 759 882 1,075 1,170 1,252 1,209 1,006 1,100 1,521 896 1,557 966 863 1,375 957 1,108 1,208 1,573 5,541 5,555 5,125 3,578 3,154 2,732 6,500 8,324	00. Less than \$1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999 12. 12,000 - 12,999 13. 13,000 - 13,999 14. 14,000 - 14,999 15. 15,000 - 15,999 16. 16,000 - 16,999 17. 17,000 - 17,999 18. 18,000 - 18,999 19. 19,000 - 19,999 20. 20,000 - 24,999 21. 25,000 - 29,999 22. 30,000 - 34,999 23. 35,000 - 39,999 24. 40,000 - 44,999 25. 45,000 - 49,999 26. \$50,000 and over 27. Unknown

- 28 -

NHIS PUBLIC USE TAPE RECORDS
PERSON RECORD

Item No.	Frequency	Items and Codes	
Recode		FAMILY INCOME RECODE	
	3,782 2,422 3,315 5,803 6,221 5,541 10,680 9,464 6,500 8,324	0. Under \$5,000 1. \$5,000 - \$6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown	
Generated		NHIS POVERTY INDEX*	
	48,126 8,346 5,580	 Above poverty threshold Below poverty threshold Unknown 	
		FAMILY RELATIONSHIP	
A-2	6,176 976 54,788 112	TYPE OF FAMILY &. Primary individual Secondary individual 0. Primary family 1-9. Secondary family	
A-2	5,970 18,429 13,675 164 20,973 1,095 437 1,295 14 0	RELATIONSHIP TO REFERENCE PERSON &. Reference person, living alone 0. Reference person, 2+ persons in household 1. Spouse, other spouse NOT in Armed Forces and living at home 2. Spouse, other spouse IN Armed Force and living at home 3. Child of reference person or spouse 4. Grandchild of reference person or spouse 5. Parent of reference person or spouse 6. Other relative 7. Child of ineligible reference person or refused	ces se use
	Recode Generated A-2	Recode 3,782 2,422 3,315 5,803 6,221 5,541 10,680 9,464 6,500 8,324 Generated 48,126 8,346 5,580 A-2 6,176 976 54,788 112 A-2 5,970 18,429 13,675 164 20,973 1,095 437 1,295 14	### Recode #### FAMILY INCOME RECODE 3,782

^{*}Based on family size, number of children under 18 years of age & family income using the 1985 poverty levels derived from the August, 1986 Current Population Survey.

- 29 -

1

Tape Locations	Item No.	Frequency	Ite	ms and Codes
64	Recode		FAMILY	RELATIONSHIP RECODE
		5,970 1,182 27,995 26,905	2.	Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF	FAMILY*
			Unrelat	ed individuals are coded 01
67	Generated		SIZE OF	FAMILY RECODE
				. Number of members . 9+ members
68	A-2			OTHER ADULT RELATIVE (under 25 years never married)
		13,400 3,501 282 1,614		Mother only Father only Both parents and other 21+ year old
		1,155	5.	adult relative Mother and other 21+ year old adult relative
		95	6.	
adult		217	7.	1
		348	8.	relative No parent, but two or more 21+ year old adult relatives
		351 1,148 39,941	9. 0. Blank.	Unknown Other Not applicable (25+ years old or
ever		JJ,J 1 1	DIGIIK.	married)

^{*}Count includes spouse in military but living at home.

- 30 -

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
	5 0	26,755 9,119 2,703 5,695 387 17,393	 Working Keeping house Going to school Something else Unknown Blank. Not applicable (Under 18 years)
70	G-4		HEALTH STATUS
		23,872 16,698 14,721 4,661 1,836 264	 Excellent Very Good Good Fair Poor Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)
activity		2,541 3,479 2,760 53,272	 Unable to perform major activity Limited in kind/amount major Limited in other activities Not limited (includes unknowns)
72	Recode	2,648	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 1. Unable to work
		1,997 1,392 33,873 22,142	 Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)

1 - 31 -

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		44 328 44 129 208 11,640 49,659	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
old			and limited, or age 60-69 years)*
_		312	1. Unable to perform personal care
needs		761	2. Limited in performing other routine
		8,928	needs3. Not limited in performing personal
or		215 51,836	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75 years)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)
off		27,422 655 27 84	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-off and not looking for work 3. Did not work, has job; looking for work Unemployed: (4-7) 4. Did not work, has job; on lay-
off		8	5. Did not work, has job; on lay-
if		341	and looking for work 6. Did not work, has job; unknown
		1,365	looking or on lay-off 7. Did not work, no job; looking for work or on lay-off
		14,757 17,393	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in $\frac{1}{2}$

1 - 32 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		14,757 21,441 919 1,146 2,273 736 2,635 99 83 570 17,393	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		29,902 32,150	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		29,902 32,150	003-999. Code number Blank. Not applicable

OCCUPATION RECODE 1

SEE APPENDIX C

- 33 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
91	L-R		RESPONDENT
		16,373	0. Under 17
		28,220	1. Self-entirely
		3,236 13,762	2. Self-partly3. Proxy
		461	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		10,400	1. Condition List 1, Skin and musculoskeletal
		10,227	2. Condition List 2, Impairments
		10,531	3. Condition List 3, Digestive
		10,169	4. Condition List 4, Miscellaneous
		10,182 10,285	 Condition List 5, Circulatory Condition List 6, Respiratory
		258	7. Unknown
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)
			36-98. Number of inches
			99. Unknown
			Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)

050-500. Number of pounds

501. Unknown

Blank. Under 18 years of age

98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS
		55,182 6,870	00. None 01-14. Days
1			- 34 -
		NHIS PU	BLIC USE TAPE RECORDS PERSON RECORD
Tape Locations	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		57,893 4,159	00. None 01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3)
		60,273 1,779	00. None 01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		60,973 1,079	00. none 01-14. Days
106-107 TWO	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST
IWO			WEEKS
		58,836 3,216	00. None 01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		33,586 27,970	000. None 001-365. 1-365 days

111	Recode		BED DA	YS IN PAST 12 MONTHS - Recode
		33,586	0.	None
		20,904	1.	1-7 days
		5,372		8-30 days
		1,376	3.	31-180 days
		318		181-365 days
		496		Unknown

- 35 -1

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		15,867 45,981 0 204	000. None 001-996. Visits 997. 997+ visits 998. Unknown
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
			 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS

122-123	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS
124-126	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*

^{*}Based on operation codes and reason entered hospital.

- 36 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141 PAST	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

142-181 - BLANK

182	Master Record	13,206 15,478 21,295 12,073	2. 3.	Northeast Midwest South West
183	Master Record	25,780 16,500 3,491 1,096 15,185	MSA 1. 2. 3.	PHIC DISTRIBUTION Size 1,000,000 or more 250,000 - 999,999 100,000 - 249,999 Under 100,000 Non-MSA
184			BLANK	

 $^{{}^{\}star}{}$ Based on operation codes and reason entered hospital.

1 - 37 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
185	Master Record		TYPE OF PSU
		33,249	1. MSA - Self-representing
		13,618	3. MSA - Nonself-representing
		21	4. Non-MSA - Self-representing
		15,164	6. Non-MSA - Nonself-representing
		13,104	o. Non-MBA - Nonsell-Teplesencing
186	Recode		MSA - NON-MSA RESIDENCE
		19,938 26,929 14,275 910	 MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm

187-189		PSEUDO PSU CODES
190-200 with		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format implied decimal
		FINAL BASIC WEIGHT
201-209		QUARTER
210-218		SEMI-ANNUAL (WT/2)
219-227		ANNUAL (WT/4)
		6.5 WEIGHT
228-236		QUARTER, SEMI-ANNUAL, AND ANNUAL
		ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245		QUARTER, SEMI-ANNUAL AND ANNUAL
1		- 38 -
	N	HIS PUBLIC USE TAPE RECORDS PERSON RECORD
Tape Locations	Item No. Frequ	ency Items and Codes
		ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254		QUARTER, SEMI-ANNUAL AND ANNUAL
		ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS (control on Currently Employed, 75:1-3)

QUARTER, SEMI-ANNUAL AND ANNUAL

255-263

	ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
T.N.	ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS
IN	PAST 12 MONTHS
300-308	QUARTER
309-317	SEMI-ANNUAL
318-326	ANNUAL
327-335	ANNUAL ESTIMATED NUMBER OF SHORT-STAY
	HOSPITAL EPISODES IN PAST 12 MONTHS
1	- 39 -
	CONDITION RECORD

1

NOTES:

1 - 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of

conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

NHIS Code	Category Title
019	Tuberculosis, arrested or inactive
	Psychic factors associated with diseases classified elsewhere in specified system:
316.0	Musculoskeletal
316.1	Respiratory
316.2	Cardiovascular
316.3	Skin
1	- 42 -
316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

	Unused ICD	Coded To:
	009.1	558
	009.3	558
	137-139	Impairment, as appropriate
	230-234	Not applicable (not reported in NHIS)
	235-238	Benign, malignant or unspecified, by site
	268.1	Not applicable (not reported in NHIS)
	306.0,6,7,8,9	Code as if non-psychogenic
	315.0-2	X14
	317-319	X19
	326	Code residual effect to appropriate impairment or ICD 320-325
	331.3,4	х93
	342	X41
	343	X50
1		- 43 -
344.	0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	X70-X79, by site
	369	X00-X03, by severity and site
	388.2	X05-X09, by severity and site
	389	X05-X09, by severity and site
	391	Usually 398.9 (see Short Index)
	410-412	414
	429.6	414
	436	437

	438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
	520.0-2,5	X92
	521.6	X92
	524	X92
	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77
	735	X76
	736	Impairment, by type, site and cause
	737	X70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
	741	X71.9
	742.0,1,3	X93.9
1		- 44 -
743		Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment
		(see Appendix III)
	744.5	X79.9
	744.8,9	of face, coded to X90.9 of neck, coded to X79.9
	749	X91.9
	750.0,1	X11.9
	753.0	X31.9
	754.2	X70.9
	754.3	X75.9
	754.4	X76.9
	754.5-7	X78.9 except flatfoot coded to X77

	754.8	Appropriate impairment, by type and site
	755	Appropriate impairment, by type and site
	756.0-3	Appropriate impairment, by type and site
	758.0	X19.9
	759.7.9	X99.9
	761.6	Not applicable
	779.6	Not applicable (for fetus)
	781.5	X74
	783.1	278.0
	798	Not applicable
	871.3	X00-X03
	885-887	Appropriate impairment, by site
	895-897	Appropriate impairment, by site
	905.6-8	X80-89, by site
	905.9	X20-29, X35, by site
1		- 45 -
	908.6	Code to effect
	909.0,1,3,9	Code to effect
	958	Code injury only
	960-979	977.9
	980.987	989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the

weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

1 - 46 -

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode C - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

1 - 47 -

NHIS PUBLIC USE TAPE RECORDS

Outline of Items and Codes Number of Records = 45,106 CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	_		RECORD TYPE
		45,106	30. Condition Record
3-4			PROCESSING YEAR
		45,106	86. 1986
5	_		PROCESSING QUARTER
		12,004 10,728 10,899 11,475	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	НН-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05

06,	26,	46,	66,	86	 Week	06
07,	27,	47,	67,	87	 Week	07
08,	28,	48,	68,	88	 Week	08
09,	29,	49,	69,	89	 Week	09
10,	30,	50,	70,	90	 Week	10
11,	31,	51,	71,	91	 Week	11
12,	32,	52,	72,	92	 Week	12
13.	33.	53.	73.	93	 Week	13

reflects the actual week assigned for conducting the interview. No interviews were conducted during weeks 01 and 02 of Quarter 1. The sample households for the two weeks were reassigned to weeks 03-13 of Quarter 1.

1 - 48 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	_		CONDITION SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5		WEEK CODE (Numbered within Quarter)
		2,040 2,278 4,135 3,968	Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which

```
05, 25, 45, 65, 85
3,661
               Week 05.
3,592
               Week 06.
                           06, 26, 46, 66, 86
4,038
               Week 07.
                           07, 27, 47, 67, 87
3,611
               Week 08.
                           08, 28, 48, 68, 88
3,402
               Week 09.
                           09, 29, 49, 69, 89
3,841
               Week 10.
                           10, 30, 50, 70, 90
               Week 11. 11, 31, 51, 71, 91
Week 12. 12, 32, 52, 72, 92
Week 13. 13, 33, 53, 73, 93
3,364
3,672
3,504
```

21 BLANK

1 - 49 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Item	ns and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		209 41,952 61 21 37 2,211 283 10	00. 01. 02. 03. 04. 05.	House, apartment, flat HU in nontransient hotel, motel, etc. HU-permanent in transient hotel, motel, etc. HU in rooming house Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added
			Other Un	nit = (08-13)
		14	08.	Quarters not HU in rooming or boarding house
		0	09.	<u> </u>
		8	10.	Unoccupied site for mobile home, trailer, or tent
		245	11.	Student quarters in college dormitory
		54 1	12. 13.	

24	нн-11		HAS TEL	LEPHONE
		40,677 1,214 3,094 121	1. 2. 3. 4.	Yes, no phone number given
25	A-1		SEX	
		18,802 26,304		Male Female
26	-		BLANK	
1			_	50 -
		NHIS		JSE TAPE RECORDS CON RECORD
Tape Locations	Item No.	Frequency	Ite	ems and Codes
27-28	Person Column		AGE	
	COLUMN	382 44,716 8	01-98.	Under 1 year Number of years 99+ years of age
29	Recode		AGE REC	CODE #1
		1,655 4,423 2,989 11,506 12,528 3,739 2,979 5,287	5. 6.	25-44 years 45-64 years 65-69 years 70-74 years
30	Recode		AGE REC	CODE #2
		1,963 3,705 3,399	1. 2. 3.	Under 6 years 6-16 years 17-24 years

		5,691 4. 25-34 years 5,815 5. 35-44 years 5,190 6. 45-54 years 7,338 7. 55-64 years 6,718 8. 65-74 years 5,287 9. 75 years and over
31-32	Recode	AGE RECODE #3
		1,039 00-35. Months 44,067 36. Over 3 years
33	-	BLANK
1		- 51 -
		NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency Items and Codes
34-39	A-3	MONTH AND YEAR OF BIRTH
34-35		MONTH
		01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July
36-39		YEAR OF BIRTH
		1800-1899. 1800-1899 1900-1987. 1900-1987 9999. DK or refused
40-41		BLANK
42	L-3	MAIN RACIAL BACKGROUND - Reported

478

1. Aleut, Eskimo, or American Indian

Islander
Γ

1 - 52 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		37,697 6,494 915	 White Black Other
44			RECODE 2
		37,697 7,409	1. White 2. Non-white
45			RECODE 3
		6,494 38,612	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		47 307 154 402 584 24 188 438 102 251 42,609	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin

48 L-7

MARITAL STATUS

4,482	0.	Under 14 years
22,853	1.	Married - spouse in household
319	2.	Married - spouse not in household
6,069	3.	Widowed
3,462	4.	Divorced
1,138	5.	Separated
6,657	6.	Never married
126	7.	Unknown

1 - 53 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
49	L-1		VETERAN	I STATUS
		31,602	1.	Non-veteran
		83	2.	
		3,056	3.	
		1,169		Korean War
		1,447		Vietnam veteran
		278		Post-Vietnam
		814		Other service
		233	8.	
		233	٠.	war veteran
		346	9	Unknown if served in Armed Forces
		6,078		Under 18 years of age
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON
			ACTIVE	DUTY IN ARMED FORCES
		31,602	0.	Non-veteran
		356	1.	
		1,032	2.	Some service in Guard/Reserve
		16	3.	Unknown if all service in Guard/Reserve
		5,314	4.	No active service in Guard/Reserve
		708	5.	Guard/Reserve or if served in Armed
		6 070	Dlank	Forces
		6,078	Blank.	Under 18 years of age
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		1,173 30,290	00. 01-12.	

College:

2,334	13.	1 year
2,757	14.	2 years
1,148	15.	3 years
2,886	16.	4 years
753	17.	5 years
1,556	18.	6 years or more
554	19.	Unknown
1,655	Blank.	Under 5 years of age

1 - 54 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		1,173 10,070 6,983 13,237 6,239 2,886 2,309 554 1,655	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Blank. Under 5 years of age
54-55 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER (Detail)
		162 26,329	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		3,136 4,161 1,728 5,008 1,259 3,105 218	 13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown

56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
PANILI			MEMBER - Recode
		162 4,872 5,842 15,615 9,025 5,008 4,364 218	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1			- 55 -
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		22,941 20,884 1,281	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		375 467 637 1,084 1,450 1,287 1,602 1,404 1,121 1,133 1,397 823 1,348 850 624 1,079 817 835 884 1,151 3,626 3,419	00. Less than \$ 1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999 12. 12,000 - 12,999 13. 13,000 - 13,999 14. 14,000 - 14,999 15. 15,000 - 15,999 16. 16,000 - 16,999 17. 17,000 - 17,999 18. 18,000 - 18,999 19. 19,000 - 19,999 20. 20,000 - 24,999 21. 25,000 - 29,999

3,160	22.	30,000	-	34,999
1,973	23.	35,000	-	39,999
1,743	24.	40,000	-	44,999
1,590	25.	45,000	-	49,999
3,845	26.	\$50,000	and	lover
5,382	27.	Unknown		

1 - 56 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Item No.	Frequency	Iter	ms and Codes
Recode		FAMILY :	INCOME RECODE
	4,013 2,889 3,658 5,042 4,766 3,626 6,579 5,306 3,845 5,382	0. 1. 2. 3. 4. 5. 6. 7. 8.	10,000 - 14,999 15,000 - 19,999 20,000 - 24,999 25,000 - 34,999 35,000 - 49,999
Generated		NHIS POV	VERTY INDEX*
	34,119 7,117 3,870	1. 2. 3.	
		FAMILY I	RELATIONSHIP
A-2	8,383 733 35,936 54		Primary individual Secondary individual Primary family
A-2	8,111 16,008 11,282	&. 0. 1.	Forces and living at home
	Generated	4,013 2,889 3,658 5,042 4,766 3,626 6,579 5,306 3,845 5,382 Generated A-2 8,383 733 35,936 54 A-2 8,111 16,008	4,013

7,744 312		and living at home Child of reference person or spouse Grandchild of reference person or
		spouse
757	5.	Parent of reference person or spouse
737	6.	Other relative
10	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1985 poverty levels derived from the August, 1986 Current Population Survey.

1 - 57 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		8,111 1,005 22,816 13,174	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY* Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
		4,747 1,311 94	 Both parents, no other relative Mother only Father only
		498	4. Both parents and other 21+ year old adult relative
		319	5. Mother and other 21+ year old adult relative
		30	6. Father and other 21+ year old adult

adult	73	7.	relative No parent, but one 21+ year old
aduit			relative
	97	8.	No parent, but two or more 21+ year old adult relatives
	175	9.	Unknown
	693	0.	Other
	37,069	Blank.	Not applicable (25+ years old or
ever			
			married)

*Count includes spouse in military but living at home.

- 58 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	It€	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	В	15,883	1.	Working
		11,251	2.	
		1,439		Going to school
		9,979		Something else
		476		Unknown
		6,078	Blank.	Not applicable (Under 18 years)
70	G-4	8,273 9,372 12,129 8,856 6,278 198	2. 3. 4. 5.	STATUS Excellent Very Good Good Fair Poor Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		7,565	1	Unable to perform major activity
		8,470		Limited in kind/amount major
activity		-, -		
•		6,304 22,767	3. 4.	Limited in other activities Not limited (includes unknowns)

72	Recode			Y LIMITATION STATUS MEASURED BY Y TO WORK" (18-69 years)
		7,866 4,478 2,925 15,493 14,344	1. 2. 3. 4. Blank.	Limited in kind/amount of work Limited in other activities Not limited (includes unknowns)
1			_	59 -
		NHIS		SE TAPE RECORDS ON RECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
73	B-11		LIMITAT	ION OF SCHOOL ACTIVITIES (5-17 years)
		75 569 77 217 345 3,140 40,683	1. 2. 3. 4. 5. 6. Blank.	Attends special school/classes Needs special school/classes Limited in school attendance
74	B-14		NEEDS H	ELP WITH PERSONAL CARE (5-59 years
old			and lim	ited, or age 60-69 years)*
		1,055	1.	Unable to perform personal care
needs		2,568	2.	Limited in performing other routine needs
or		15,049	3.	Not limited in performing personal
01		18 26,416	4. Blank.	routine needs Unknown Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75 years)	D-1		EMPLOYM	ENT STATUS IN PAST 2 WEEKS (18+
			In the	Labor Force: (1-7)

16,093

Currently Employed: (1-3)
1. Worked in past 2 weeks

off	795	2. Did not work, has job; not on lay-
OII	27	and not looking for work3. Did not work, has job; looking for work
		Unemployed: (4-7)
	70	4. Did not work, has job; on lay-off
	8	Did not work, has job; on lay-off and looking for work
	255	6. Did not work, has job; unknown if looking or on lay-off
	864	 Did not work, no job; looking for work or on lay-off
		Not in Labor Force (18+ years): (8)
	20,916	8. Not in Labor Force (18+ years)
	6,078	Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74 1

- 60 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		20,916 12,294 630 806 1,495 440 1,939 77 42 389 6,078	 Not in labor force Private company Federal Government employee State Government employee Local Government employee Incorporated business Self-employed Without pay Never worked Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		18,112 26,994	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1

SEE APPENDIX B

82-83	Recode		INDUSTR	Y RECODE 2
			SEE APP	PENDIX B
84-86	L-6		OCCUPAT	'ION DETAIL CODE
		18,112 26,994		Code number Not applicable
87-88	Recode		OCCUPAT	TION RECODE 1
			SEE APP	PENDIX C
89-90	Recode		OCCUPAT	TION RECODE 2
			SEE APP	PENDIX C
1			-	61 -
		NHIS		ISE TAPE RECORDS
Tape Locations	Item No.	Frequency	Ite	ems and Codes
91	L-R		RESPOND	DENT
		5,668 28,902 2,568 7,707 261	0. 1. 2. 3. 4.	Under 17 Self-entirely Self-partly Proxy Unknown
92	Recode		CONDITI	ON LIST ASSIGNED AND ASKED
		8,819 8,019 5,987 6,698 7,195 8,193	1. 2. 3. 4. 5.	Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory

195	7.	Unknown

93-96	K-3	ICD/NHIS CODE (DIAGNOSTIC CODE) (See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation)
97-99	Recode	CONDITION RECODE (B) (ICD Recode, modified for NHIS) (See Diagnostic Recodes Section)
100-103	Recode	ACUTE RECODE (A) (See Diagnostic Recodes Section)
104-106	Recode	CHRONIC RECODE (C) (See Diagnostic Recodes Section)
1		- 62 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
107	K-3		CHRONIC	/ACUTE CODE
		37,979 7,127		Chronic Acute
108	K-5		ONSET	
		4,793 3,182 5,159 10,766 21,206	2. 3.	During the past 2 weeks Over 2 weeks to 3 months Over 3 months to 12 months Over 1 year to 5 years Over 5 years

109	K-2		DOCTOR LAST SEEN FOR THIS CONDITION
		105 11,496 13,310 4,207 3,098 2,877 2,916 698 472 5,927	 Interview week 2-week reference period Over 2 weeks, less than 6 months 6 months, less than 1 year 1 year, less than 2 years 2 years, less than 5 years 5 years or more Doctor seen, DK when DK if doctor seen Doctor never seen
110	Recode		DOCTOR EVER SEEN FOR THIS CONDITION
		39,179 5,927	1. Yes 2. No
111-112	K-6		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		36,682 8,424	00. None 01-14. 1-14 days
113-114	K-7		BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		40,252 4,854	00. None 01-14. 1-14 days
1			- 63 -
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
		43,244 1,862	00. None 01-14. 1-14 days

SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS

117-118 K-9

CONDITION

			00. None 01-14. 1-14 days
119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION*
		17,876 3,016 17,087	000. None 001-365. Days 366. Unknown/not a "check-list" condition
		7,127	Blank. Not a chronic condition
122	K-11		EVER HOSPITALIZED FOR THIS CONDITION*
		3,726 17,311 16,942 7,127	 Yes No Unknown/not a "check-list" condition Blank. Not a chronic condition
123	K-12		CONDITION STATUS*
		17,665 448 1,885 128 17,853	 Still has condition Condition cured Condition under control Other Unknown status/not a "check-list" condition Blank. Not a chronic condition

^{*}Use only for check-list conditions.

- 64 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
124	K-12		LENGTH OF TIME HAD CONDITION BEFORE CURED* (Location 123 coded 2)
		30 57 83 16	 Less than 1 month 1-3 months Over 3 to 6 months Over 6 to 12 months

			43 91 26 32 70 44,658		2-4 years 5-9 years 10 years or more Unknown
	125	K-12		CONDITI	ON PRESENT IN PAST 12 MONTHS*
			19,862 104 18,013 7,127	2. 3.	Yes No Unknown/not a "check-list" condition Not a chronic condition
	126	Recode		(all ag	ON CAUSES ACTIVITY LIMITATION (es) (Location 71 in Person Record other records except household)
of			8,780	1.	Limited, this condition main cause
OI			5,391	2.	limitation Limited, this condition secondary cause of limitation
			8,168	3.	Limited, but not caused by this condition
			22,767	4.	Not limited

*Use only for check-list conditions.

- 65 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

·				
Tape Locations	Item No.	Frequency	Ite	ems and Codes
127	Recode			ON CAUSES LIMITATION IN ABILITY TO or all persons 18-69 years of age)
		4,645	1.	Limited in work, this condition main cause of this limitation
		2,963	2.	Limited in work, this condition secondary cause of this limitation
		4,736	3.	Limited in work but not caused by this condition
		18,418 14,344	4. Blank.	Not limited in work

128	-		ALL INJ	URIES*
		4,893 660 39,553	2.	First Not first Not an injury
129	Recode			RY ADVERSE REACTION OR COMPLICATION CAL CARE
		41 234	2.	(therapeutic misadventure)**
		5,278 39,553	3. Blank.	,
130	K-14		PLACE O	F ACCIDENT
		612 508 1,327		At home (inside house) At home (adjacent premises) Street and highway (including
roadway				and public sidewalks)
premises)		141 907	4. 5.	Farm Industrial place (including
premises		282 324	6. 7.	School (including premises) Place of recreation and sports, except school
		670 782 39,553	8. 9. Blank.	Other Unknown

^{*}Includes all conditions reported as caused by an accident or injury, conditions

131 K-15

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

AT WORK AT TIME OF ACCIDENT

Locations Item No. Frequency Items and Codes
--

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

^{**}Locations 130-132 are coded 'Unknown' for these injuries.

		1,368 2,316 828 218 823 39,553	1. 2. 3. 4. 5. Blank.	No Not applicable, under 18 at time of accident Not applicable, in Armed Forces
132	K-16		MOTOR V	VEHICLE INVOLVED
		1,372 3,640 541 39,553	2. 3.	Yes No Unknown Not an injury
133	K-16		NUMBER	OF VEHICLES INVOLVED
		789 572 11 43,734	2. 3.	One Two or more Unknown Not an injury/no or unknown if motor vehicle involved
134	K-16		MOVING	MOTOR VEHICLE INVOLVED
		1,173 162 37 43,734	2. 3.	Yes No Unknown Not an injury/no or unknown if motor vehicle involved
1			-	67 -
		NHIS		JSE TAPE RECORDS ION RECORD
Tape Locations	Item No.	Frequency	Ιtε	ems and Codes
135-137	Recode		CLASS (OF ACCIDENT
		5,060 218 234 41 39,553	111-322 400 500 600 Blank	O. SEE APPENDIX D O.

138	Recode		SELECTED FIRST INJURY*
		3,833	1. First
		401	2. Not first
		40,872	Blank. Not a selected injury
139	Recode		CONDITION CAUSES PERSONAL CARE ACTIVITY
			LIMITATION (5-59 years old and limited, or
			age 60-69 years)
		1,073	 Limited, condition main cause of limitation
		607	2. Limited, condition secondary cause
of			-
			limitation
		1,943	Limited, but not caused by this condition
		15,067	4. Not limited
		26,416	Blank. Not applicable (under 5 years, 5-59
		,	years not limited, 70+ years old)
140-181	_		BLANK
110 101			
182	Master Record		REGION
	1100010	8,545	1. Northeast
		12,020	2. Midwest
		16,055	3. South
		8,486	4. West

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 68 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size

		17,020 12,348 2,535 884 12,319		250,000 - 999,999 100,000 - 249,999 Under 100,000
184			Blank	
185	Master Record	22,487 10,300 25 12,294	3. 4.	PSU MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode	14,492 18,295 11,646 673	1. 2.	MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189			PSEUDO	PSU CODES
190-200 with			FACTOR	CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXXX) - character format decimal
1		NHIS	PUBLIC U	69 - SE TAPE RECORDS ON RECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
			FINAL B	ASIC WEIGHT
201-209			QUARTER	
210-218			SEMI-AN	NUAL (WT/2)

219-227	ANNUAL (WT/4)
	6.5 WEIGHT
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED WORK-LOSS IN PAST 2 WEEKS - (Control on Currently Employed 75:1-3)
255-263	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
300-335	BLANK
1NOTES:	
1	- 71 -
	DOCTOR VISIT RECORD
1NOTEC •	

1NOTES:

1 - 73 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 12,833 DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	12,833	RECORD TYPE 40. Two-week Doctor Visit Record
3-4	_		PROCESSING YEAR
		12,833	86. 1986
5	_		PROCESSING QUARTER
		3,685 2,939	 Quarter 1 Quarter 2
		3,034 3,175	3. Quarter 3 4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview. No interviews were conducted during weeks 01 and 02 of Quarter 1. The sample households for the two weeks were reassigned to weeks 03-13 of Quarter 1.

1 - 74 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	-		DOCTOR VISIT SERIAL NUMBER 01-99. Serial Number
19-20	нн-5		WEEK CODE (Numbered within Quarter)
		512 634 1,212 1,186 1,126 1,088 1,099 1,012 937 1,050 1,024 1,071 882	Week 01. 01, 21, 41, 61, 81 Week 02. 02, 22, 42, 62, 82 Week 03. 03, 23, 43, 63, 83 Week 04. 04, 24, 44, 64, 84 Week 05. 05, 25, 45, 65, 85 Week 06. 06, 26, 46, 66, 86 Week 07. 07, 27, 47, 67, 87 Week 08. 08, 28, 48, 68, 88 Week 09. 09, 29, 49, 69, 89 Week 10. 10, 30, 50, 70, 90 Week 11. 11, 31, 51, 71, 91 Week 12. 12, 32, 52, 72, 92 Week 13. 13, 33, 53, 73, 93
21		BLANK	

1 - 75 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		100 11,944 20	00. 01. 02.	House, apartment, flat
		4	03.	
		13 578	04. 05.	HU in rooming house
		52	06.	more permanent rooms added
		10	07.	-
			Other Ur	nit = (08-13)
		5	08.	boarding house
		0	09.	hotel, motel, etc.
		2	10.	trailer, or tent
		84	11.	Student quarters in college dormitory
		21 0	12. 13.	
24	нн-11		HAS TELE	EPHONE
		11,606 373 821 33	1. 2. 3. 4.	Yes, phone number given Yes, no phone number given No Unknown
25	A-1		SEX	
		5,183 7,650	1. 2.	Male Female

26 - BLANK

1 - 76 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
27-28	Person Column	419 12,400 14	AGE 00. Under 1 year 01-98. Number of years 99. 99+ years of age
29	Recode		AGE RECODE #1
		1,199 1,548 1,062 3,540 2,967 740 639 1,138	1. Under 5 years 2. 5-17 years 3. 18-24 years 4. 25-44 years 5. 45-64 years 6. 65-69 years 7. 70-74 years 8. 75 years and over
30	Recode		AGE RECODE #2
		1,341 1,280 1,188 1,971 1,569 1,337 1,630 1,379 1,138	1. Under 6 years 2. 6-16 years 3. 17-24 years 4. 25-34 years 5. 35-44 years 6. 45-54 years 7. 55-64 years 8. 65-74 years 9. 75 years and over
31-32	Recode		AGE RECODE #3
		860 11,973	00-35. Months 36. Over 3 years

33 BLANK

1 - 77 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK or refused
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1986. 1900-1986 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		152 150 1,784 10,514 124 20 89	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown

1 - 78 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		10,738 1,790 305	 White Black Other
44			RECODE 2
		10,738 2,095	1. White 2. Non-white
45			RECODE 3
		1,790 11,043	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		19 126 45 116 205 8 61 125 15 99	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		2,247 6,107 84 1,213 852 294 1,988 48	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown

1 - 79 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		8,435 20 606 220 362 89 169 76	 Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		8,435 99 247 3	 Non-veteran All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in Guard/Reserve
		1,110 192	 No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or if served in Armed Forces
		2,747	Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		385 7,687	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		687 765 310 925 251 482 142	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown Blank. Under 5 years of age

1 - 80 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		385 2,265 1,786 3,636 1,762 925 733 142 1,199	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER (Detail)
		36 6,771	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		1,016 1,185 529 1,741 434 1,048	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 FAMILY	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER - Recode
		36 964 1,381 4,426 2,730 1,741 1,482	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college)

1 - 81 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		5,615	1. Less than \$20,000
		6,841	2. \$20,000 or more
		377	3. Unknown
		377	J. Olimiowii
58-59	L-8		FAMILY INCOME
33 33	_ 0		
		116	00. Less than \$1,000
		111	01. \$ 1,000 - \$ 1,999
		186	02. 2,000 - 2,999
		239	03. 3,000 - 3,999
		352	04. 4,000 - 4,999
		291	05. 5,000 - 5,999
		378	06. 6,000 - 6,999
		282	07. 7,000 - 7,999
		228	08. 8,000 - 8,999
		280	09. 9,000 - 9,999
		324	10. 10,000 - 10,999
		184	11. 11,000 - 11,999
		371	12. 12,000 - 12,999
		246	13. 13,000 - 13,999
		146	14. 14,000 - 14,999
		297	15. 15,000 - 15,999
		224	16. 16,000 - 16,999
		249	17. 17,000 - 17,999 18. 18,000 - 18,999
		198 326	18. 18,000 - 18,999 19. 19,000 - 19,999
		1,084	20. 20,000 - 24,999
		1,129	21. 25,000 - 29,999
		1,009	22. 30,000 - 34,999
		667	23. 35,000 - 34,999
		606	24. 40,000 - 44,999
		496	25. 45,000 - 49,999
		1,359	26. \$50,000 and over
		1,455	27. Unknown
		_,	

1 - 82 -

Tape Locations	Item No.	Frequency		Items and Codes
60	Recode		FAMILY	INCOME RECODE
		1,004 669	0. 1.	Under \$5,000 \$ 5,000 - \$ 6,999
		790	2.	
		1,271 1,294	3. 4.	10,000 - 14,999 15,000 - 19,999
		1,084	5.	20,000 - 24,999
		2,138 1,769	6. 7.	25,000 - 34,999 35,000 - 49,999
		1,359	8.	
		1,455	9.	Unknown
61	Generated		NHIS POVERTY INDEX*	
		10,007	1.	Above poverty threshold
		1,860	2.	Below poverty threshold
		966	3.	Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	FAMILY
		1,913		Primary individual
		226 10,671	 0	Secondary individual Primary family
		23	1-9.	
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		1,870	&.	
		4,010	0.	Reference person, 2+ persons in household
		3,214	1.	Spouse, other spouse NOT in Armed Forces and living at home
		63	2.	Spouse, other spouse IN Armed Forces
		3,182	3.	and living at home Child of reference person or spouse
		150	4.	
		130	5.	Parent of reference person or spouse
		212 2	6. 7.	

*Based on family size, number of children under 18 years of age and family income using the 1985 poverty levels derived from the August, 1986 Current Population Survey.

- 83 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		1,870	1. Living alone
		269	2. Living only with non-relative
		6,098	3. Living with spouse
		4,596	4. Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1 0 Numbers of members
			1-8. Number of members 9. 9+ members
			J. J. Members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		2,165	1. Both parents, no other relative
		509	2. Mother only
		23	Father only
		182	4. Both parents and other 21+ year old
		141	adult relative 5. Mother and other 21+ year old adult
		± ±±	relative
		8	6. Father and other 21+ year old adult
		<u>.</u> -	relative
adult		22	7. No parent, but one 21+ year old
aduit.			relative
		35	8. No parent, but two or more 21+ year
			old adult relatives
		79	9. Unknown
		246	0. Other
		9,423	Blank. Not applicable (25+ years old or ever married)

ever married)

*Count includes spouse in military but living at home.

1 - 84 -

Tape Locations	Item No.	Frequency		Items and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
		4,712	1.	Working
		2,493	2.	
		473	3.	Going to school
		2,328	4.	_
		80		Unknown
		2,747	Blank.	
		2,717	Diam.	Not applicable (older to years)
70	70 G-4 HEAL		HEALTH	STATUS
		2 042	1	D 11 t
		2,942		Excellent
		2,993		Very Good
		3,238		Good
		1,980		Fair
		1,619		Poor
		61	6.	Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		1,942	1.	Unable to perform major activity
		1,504	2.	
activity		1,304	۷.	Dimited in kind/amount major
accivity		1,049	2	Limited in other activities
			3. 4.	
		8,338	4.	NOT IIMITEE (INCLUDES UNKNOWNS)
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		1 707	1	Inable to work
		1,787	1.	
		757	2.	
		555	3.	
		5,210	4.	,
		4,524	Blank.	
				(under 18 years, 70+ years)

- 85 -

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		17 73 22 86 80 1,270 11,285	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
014			and limited, or age 60-69 years)*
_		348	1. Unable to perform personal care
needs		616	 Limited in performing other routine needs
or		2,985	3. Not limited in performing personal
		12 8,872	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)
off		4,486 439 16	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay- and not looking for work 3. Did not work, has job; looking for work
and		34 3	Unemployed: (4-7) 4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off

84 197	looking for work6. Did not work, has job; unknown if looking or on lay-off7. Did not work, no job; looking for work or on lay-off
4,827 2,747	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1

- 86 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		4,827 3,646 203 259 431 134 462 10 7 107 2,747	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		5,259 7,574	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1 SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2

SEE APPENDIX B

84-86	L-6		OCCUPATION DETAIL CODE
		5,259 7,574	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 87 -
			BLIC USE TAPE RECORDS CTOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		2,621 7,306 687 2,142 77	0. Under 171. Self-entirely2. Self-partly3. Proxy4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		2,158 2,165 2,082 2,059 2,247 2,075 47	 Condition List 1, Skin and musculoskeletal Condition List 2, Impairments Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory Condition List 6, Respiratory Unknown
93-96	F-1		DATE OF VISIT
		2 708	6666. During 2 weeks, DK when 7777. Last week, DK day

	894	8888. Week before, DK day
93-94		MONTH
	748 1,195 1,251 969 869 778 831 872 891 962 952 846 65	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK month
95-96		DAY
	12,768 65	01-31. Day of month 99. DK day codes for Unknown in month and day

- 88 -

Tape Locations	Item No.	Frequency	Items and Codes
97-98	Recode		DOCTOR VISIT VALUES (Number of days between Date of Visit and Interview)
		147	00. Visit on last Sunday of reference
period		311	01. Visit on second Saturday of reference period
		1,194	02. Visit on second Friday of reference period
		1,021	03. Visit on second Thursday of reference period
		1,000	04. Visit on second Wednesday of reference period
		1,099	05. Visit on second Tuesday of reference period
		1,253	06. Visit on second Monday of reference period
		124	07. Visit on first Sunday of reference period
		267	08. Visit on first Saturday of reference period

		947	09. Visit on first period	Friday of reference
		895	-	Thursday of reference
		853	-	Wednesday of reference
		952	-	Tuesday of reference
		1,101		Monday of reference
		1,669	-	rds not coded 01-31 in f Visit)
99	Recode		DAY OF WEEK OF VISI	г
		2,354	1. Monday	
		2,051	2. Tuesday	
		1,853	3. Wednesday	
		1,916	4. Thursday	
		2,141	5. Friday	
		578	6. Saturday	
		271	7. Sunday	
		2/1	7. Banaay	
		1,669	8. Unknown	

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

- 89 -

1

Tape Locations	Item No.	Frequency		Items and Codes
100	Recode		WEEK OF	VISIT
		6,733 6,033 67	2.	Last week Week before During 2 weeks, DK when
101-102			PLACE O	F VISIT
		1,568	01.	Telephone
			Not in	Hospital
		451 6,995 147 959 39	03. 04.	Company or Industrial clinic Other clinic

In Hospital 1,136						
1,136 08. Outpatient clinic 507 09. Emergency Room 381 10. Doctor's office 68 11. Laboratory 170 12. Other 109 13. Unknown 103 Recode PLACE OF VISIT 1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				303	07.	Other
1,136 08. Outpatient clinic 507 09. Emergency Room 381 10. Doctor's office 68 11. Laboratory 170 12. Other 109 13. Unknown 103 Recode PLACE OF VISIT 1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown					In Hosp	ital
103 Recode PLACE OF VISIT						
381 10. Doctor's office 68 11. Laboratory 170 12. Other 109 13. Unknown 103 Recode PLACE OF VISIT 1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				1,136	08.	Outpatient clinic
103 Recode PLACE OF VISIT 1,568 1,568 1, Telephone 6,995 2, Doctor's office (not in hospital) 1,136 3, Hospital Outpatient clinic 507 4, Hospital Emergency Room 381 5, Doctor's office in hospital 147 6, Company or Industry clinic 451 7, Home 1,539 8, Other place (Loc. 101-102 = 5,6,7,11,12) 109 9, Unknown						5 - 1
170 12. Other 109 13. Unknown 103 Recode PLACE OF VISIT 1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown						
109 13. Unknown 103 Recode PLACE OF VISIT 1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown						
1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown						
1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 9. Unknown				109	13.	UNKNOWN
1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 9. Unknown						
1,568 1. Telephone 6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 9. Unknown						
6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown		103	Recode		PLACE O	F VISIT
6,995 2. Doctor's office (not in hospital) 1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				1 560	1	Talanhana
1,136 3. Hospital Outpatient clinic 507 4. Hospital Emergency Room 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				•		
507 381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown						
381 5. Doctor's office in hospital 147 6. Company or Industry clinic 451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown						
451 7. Home 1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				381		
1,539 8. Other place (Loc. 101-102 = 5,6,7,11,12) 109 9. Unknown				147	6.	Company or Industry clinic
5,6,7,11,12) 109 9. Unknown				-		
109 9. Unknown				1,539	8.	
1 - 90 -				109	9.	Unknown
1 - 90 -						
	1				- 90	_

Tape Locations	Item No.	Frequency		Items and Codes
104	F-3		MEDICAL	DOCTOR ACTUALLY TALKED TO
		9,921 2,732 180	2.	Yes No Unknown
105-106	F-3		KIND OF VISIT/C	MEDICAL DOCTOR FOR THIS DOCTOR DNTACT
		849 5,149 9 252 1,440 195 818 456	00. 01. 02. 03. 04. 05. 06.	General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist

566	08.	Orthopedist
68	09.	Osteopath
207	10.	Otolaryngologist
7	11.	Pathologist
1,047	12.	Pediatrician
9	13.	Proctologist
194	14.	Psychiatrist
245	15.	Radiologist
315	16.	Surgeon (not listed above)
0	17.	Syphilogist
244		Urologist
78	19.	Other M.D. specialist
121	20.	Specialist, DK kind
35	21.	Family Practice (specialist)
488	22.	DK if medical doctor
41	Blank.	Not applicable; no medical doctor
		reported for this visit/contact

1 - 91 -

Tape Locations	Item No.	Frequency		Items and Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		51 56 1,337 92 0 318 7 5 63 52 45 28 176 119 2 43 4 0 1 187 326 9,921	31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. Blank.	Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist Naprapath Orthoptic technician/Orthopist Other non-medical person

- 92 -

Tape Locations	Item No.	Frequency		Items and Codes
109-110	F-3		TYPE OF	PERSON TALKED TO/SEEN
109-110	F-3	434 4,326 7 234 1,063 121 690 428 402 58 184 3 900 8 165 191 276 0 212 52 107 29 51 56 1,337 92 0 318 7 5 63 52 45 28 176 119 243 40 40 40 40 40 40 40 40 40 40	TYPE OF 00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48.	M.D., DK if G.P. or specialist General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist Surgeon (not listed above) Syphilogist Urologist Other M.D. specialist Specialist, DK kind Family Practice (specialist) Nurse practitioner Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/Oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist
		1 187 326	49. 50. 51.	

- 93 -1

Tape Locations	Item No.	Frequency	Items and Codes
111-161			CONDITIONS FOR WHICH DOCTOR VISITED
111-127			CONDITION NO. 1
111-112	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.
113-116	Condition Record		ICD/NHIS CODE
	Record	132 10,824 1,877	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit
117	Condition Record	_,	CHRONIC/ACUTE CODE
	Resoru	132 6,605 4,219 1,877	0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit
118-121	Condition Record	·	ACUTE RECODE (A)
	Record	132 3,852 367 8,482	0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns Blank. Chronic condition or no
condition			for this visit
122-124	Condition Record		CHRONIC RECODE (C)
		132 5,060 1,545	000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns
for		6,096	Blank. Acute condition or no condition
			this visit
125-127	Condition		CONDITION RECODE (B)

	Record		
	132	000.	No matched condition record
	10,741	010-570.	Condition recode
	83	990.	All other conditions including
			unknown
	1,877	Blank.	No condition for this visit
1		- 94 -	

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
128-144			CONDITION NO. 2
128-129	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.
130-133	Condition		ICD/NHIS CODE
	Record	16 1,805 11,012	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit
134	Condition Record		CHRONIC/ACUTE CODE
	Record	16 1,253 552 11,012	0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit
135-138	Condition		ACUTE RECODE (A)
	Record	16 467 85	0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns
condition		12,265	Blank. Chronic condition or no
			for this visit
139-141	Condition Record		CHRONIC RECODE (C)
		16 1,010 243	000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns

		11,564	Blank.	Acute condition or no condition
for				this visit
142-144	Condition Record		CONDITION	RECODE (B)
		16	000.	No matched condition record
		1,794	010-570.	Condition recode
		11	990.	All other conditions including unknown
		11,012	Blank.	No condition for this visit
1			- 95 -	

Tape Locations	Item No.	Frequency		Items and Codes
111-161 cont			CONDITI	ONS FOR WHICH DOCTOR VISITED -
145-161			CONDITI	ON NO. 3
145-146	F-4		SERIAL	NUMBER
			01-99. Blank.	Condition Serial Number
147-150	Condition Record		ICD/NHI	S CODE
		25 442 12,366		No matched condition record ICD/NHIS Code (note Unknown = 7999) No condition for this visit
151	Condition Record		CHRONIC	/ACUTE CODE
	Record	25 347 95 12,366	1. 2.	No matched condition record Chronic Acute No condition for this visit
152-155	Condition		ACUTE R	ECODE (A)
	Record	25 75 20	1001-59	00. No matched condition record 31. Acute Recode 32. All other acute conditions including unknowns
condition		12,713	Bla	nk. Chronic condition or no
_ 01101 01011				for this visit
156-158	Condition Record		CHRONIC	RECODE (C)

		25 278 69		No matched condition record Chronic Recode All other chronic conditions including unknowns
		12,461	Blank.	Acute condition or no condition for this visit
159-161	Condition Record		CONDITION	RECODE (B)
		25	000.	No matched condition record
		442	010-570.	Condition recode
		0	990.	All other conditions including unknown
		12,366	Blank.	No condition for this visit
1			0.6	

- 96 -

Tape Locations	Item No.	Frequency	Items and Codes	
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT	
		457 10,618 190 1,568	1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call)	
163-168	F-5		OPERATION CODE	
163-164			OPERATION NO. 1	
			See Appendix E	
165-166			OPERATION NO. 2	
			See Appendix E	
167-168			OPERATION NO. 3	
			See Appendix E	
169-181			BLANK	
182	Master		REGION	

		2,522 3,311 4,228 2,772	2.	Northeast Midwest South West	
183	Master Record		GEOGRAP MSA Siz	HIC DISTRIBUTION	
		5,290 3,419 742 225 3,157		1,000,000 or more 250,000 - 999,999 100,000 - 249,999 Under 100,000 Non-MSA	

184 BLANK

- 97 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
185	Master Record		TYPE OF PSU	J
		6,887	1. MSA	A - Self-representing
		2,789		A - Nonself-representing
		3		n-MSA - Self-representing
		3,154	6. Nor	n-MSA - Nonself-representing
186	Recode	4,285 5,391 3,020 137	1. MSZ 2. MSZ 3. Nor	MSA RESIDENCE A - Central City A - Not Central City n-MSA - Nonfarm n-MSA - Farm
187-189			PSEUDO PSU	CODES

190-200

CHRONIC CONDITION PREVALENCE AND INCIDENCE

FACTOR (XX.XXXXXXXX) character format with implied decimal

	FINAL BASIC WEIGHT
201-209	QUARTER
210-218	SEMI-ANNUA1 (WT/2)
219-227	ANNUAL (WT/4)
	6.5 WEIGHT
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
237-335	BLANK
LNOTES:	
1	- 99 -
	HOSPITAL RECORD
LNOTES:	
L	- 101 -
	NHIS PUBLIC USE TAPE RECORDS Outline of items and Codes Number of Records = 7,074 HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	_		RECORD TYPE
		7,074	50. Hospital Record
3-4	_		PROCESSING YEAR
		7,074	86. 1986

		1,773 1,754 1,744 1,803	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be reassigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview. No interviews were conducted during weeks 01 and 02 of Quarter 1. The sample households for the two weeks were reassigned to weeks 03-13 of Quarter 1.

1 - 102 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER

Numbered within PSU-Week-Segment

15-16	_	PERSON NUMBER						
17-18	_	HOSPITAL SERIAL NUMBER						
		01-99. Serial Number						
19-20	HH-5	WEEK CODE (N	umbered withi	n Quarter)				
		354	Week 01.	01, 21, 41, 61, 81				
		337		02, 22, 42, 62, 82				
		680		03, 23, 43, 63, 83				
		660	Week 04.	04, 24, 44, 64, 84				
		557		05, 25, 45, 65, 85				
		598	Week 06.	06, 26, 46, 66, 86				
		655	Week 07.	07, 27, 47, 67, 87				
		517	Week 08.	08, 28, 48, 68, 88				
		483	Week 09.	09, 29, 49, 69, 89				
		558		10, 30, 50, 70, 90				
		516		11, 31, 51, 71, 91				
		614		12, 32, 52, 72, 92				
		545	Week 13.	13, 33, 53, 73, 93				
21			BLANK					

1 - 103 -

Tape Locations	Item No.	Frequency	Item;	s and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		45 6,541 11	01.	Housing unit; kind unknown House, apartment, flat HU in nontransient hotel, motel, etc.
		4	03.	HU-permanent in transient hotel, motel, etc.
		6 394	04. 05.	HU in rooming house Mobile home or trailer with no

		4 1 1		permanent room added Mobile home or trailer with one or more permanent rooms added HU not specified above
			Other	Unit = (08-13)
		2	0.8	. Quarters not HU in rooming or boarding house
		0	0.9	
		0	10	
		22	11	. Student quarters in college dormitory
		7 0		Other unit not specified above Other unit; kind unknown
24	нн-11		HAS TE	LEPHONE
		6,243 217	1. 2.	, <u>t</u>
		603 11	3. 4.	No
25	A-1		SEX	
		2,888 4,186	1. 2.	
26	_		BLANK	
1			- 104	
			BLIC USE OSPITAL	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	It	ems and Codes
27-28	Person Column		AGE	
	50 2 Smar	144 6,929 1	00. 01-98. 99.	Number of years

29	Recode	362 474 752 2,014 1,678 511 462 821	2. 3. 4. 5. 6.	Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years
30	Recode	399 366 823 1,210 804 695 983 973 821	2. 3. 4. 5. 6. 7.	Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years 65-74 years
31-32	Recode	276 6,798	AGE REC 00-35. 36.	
33	-		BLANK	
1			- 105 BLIC USE OSPITAL R	TAPE RECORDS
Tape Locations	Item No.	Frequency	Ite	ems and Codes
34-39 34-35	A-3		MONTH A MONTH 01. 02. 03. 04.	February March

36-39			05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December 99. DK or refused YEAR OF BIRTH 1800-1899. 1800-1899 1900-1987. 1900-1987 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		70	1. Aleut, Eskimo, or American Indian
		72 1,159	 Asian/Pacific Islander Black
		5,696	4. White
		48 8	5. Other6. Multiple race
		21	7. Unknown
1			- 106 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		5,768	1. White 2. Black
		1,163 143	3. Other
44			RECODE 2
		5,768	1. White
		1,306	2. Non-white

45 RECODE 3

45 RECODE 3				3
		1,163 5,911	1. 2.	
46-47	L-4		HISPANI(C ORIGIN
		8 81 33 90 105 4 37 58 14 34 6,610	06. 07. 08.	Puerto Rican Cuban Mexican-Mexicano Mexican-American Chicano Other Latin American Other Spanish Spanish, DK type Unknown if Spanish origin
48	L-7		MARITAL	STATUS
		626 3,975 67 805 416 186 962 37	0. 1. 2. 3. 4. 5. 6. 7.	Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married
1			- 107	_
			BLIC USE ' OSPITAL R	TAPE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
49	L-1		VETERAN	STATUS
		5,037 13 545 193 193 46 121	1. 2. 3. 4. 5. 6. 7. 8.	Post-Vietnam Other service

		43 836	9. Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		5,037 53 187 6	 Non-veteran All service in Guard/Reserve Some service in Guard/Reserve Unknown if all service in Guard/Reserve
		870 85	 No active service in Guard/Reserve Unknown if ever active member in Guard/Reserve or if served in Armed Forces
		836	Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		153 4,776	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		381 415 181 431 93	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years
		209 73 362	18. 6 years or more 19. Unknown Blank. Under 5 years of age

1 - 108 -

Tape Locations	Item No.	Frequency	Items and Codes		
53	Recode	153 1,398 1,125 2,253 977 431	EDUCATION OF INDIVIDUAL RECODE 0. None; kindergarten only 1. 1-8 years (elementary) 2. 9-11 years (high school) 3. 12 years (high school graduate) 4. 1-3 years (college) 5. 4 years (college graduate)		

		302 73 362		5+ years (post-college) Unknown Under 5 years of age
54-55	-			EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		23 4,292	00. 01-12.	Never attended; kindergarten only Grades 1-12
			College	:
		504 583 294 754 175 411 38	13. 14. 15. 16. 17. 18.	2 years 3 years 4 years 5 years 6 years or more
56	-			EDUCATION OF RESPONSIBLE ADULT MEMBER - Recode
		23 664 946 2,682 1,381 754 586 38	0. 1. 2. 3. 4. 5. 6. 7.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college)
1			- 109 BLIC USE OSPITAL R	TAPE RECORDS
Tape Locations	Item No.	Frequency	Ite	ms and Codes
57	L-8		FAMILY	INCOME \$20,000 OR MORE
		3,609 3,248 217	1. 2. 3.	\$20,000 or more

58-59 L-8 FAMILY INCOME

59	00.	Less tha	an	\$1,000
90	01.	\$ 1,000	_	\$ 1,999
108	02.	2,000	_	2,999
150	03.	3,000	_	3,999
188	04.	4,000	_	4,999
206	05.	5,000	_	5,999
219	06.	6,000	_	6,999
199	07.	7,000	_	7,999
154	08.	8,000	_	8,999
177	09.	9,000	_	9,999
184	10.	10,000	_	10,999
125	11.	11,000	_	11,999
247	12.	12,000	_	12,999
150	13.	13,000	-	13,999
136	14.	14,000	-	14,999
189	15.	15,000	_	15,999
121	16.	16,000	-	16,999
138	17.	17,000	-	17,999
139	18.	18,000	-	18,999
184	19.	19,000	-	19,999
589	20.	20,000	-	24,999
557	21.	25,000	-	29,999
510	22.	30,000	-	34,999
337	23.	35,000	-	39,999
260	24.	40,000	-	44,999
184	25.	45,000	-	49,999
558	26.	\$50,000	ar	nd over
916	27.	Unknown		

1 - 110 -

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		595	0. Under \$5,000
		425	1. \$ 5,000 - \$ 6,999
		530	2. 7,000 - 9,999
		842	3. 10,000 - 14,999
		771	4. 15,000 - 19,999
		589	5. 20,000 - 24,999
		1,067	6. 25,000 - 34,999
		781	7. 35,000 - 49,999
		558	8. \$50,000 or more
		916	9. Unknown

61	Generated		NHIS PO	VERTY INDEX*
		5,221 1,190 663	1. 2. 3.	Below poverty threshold
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	FAMILY
		965 77 6,009 23	 0.	Primary individual Secondary individual Primary family Secondary family
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		938 2,553	&. 0.	Reference person, living alone Reference person, 2+ persons in household
		2,025	1.	Spouse, other spouse NOT in Armed Forces and living at home
		30	2.	
		1,183	3.	Child of reference person or spouse
		72	4.	Grandchild of reference person or spouse
		121		Parent of reference person or spouse
		152 0		Other relative Child of ineligible reference person
		0	9.	

^{*}Based on family size, number of children under 18 years of age & family income using the 1985 poverty levels derived from the August, 1986 Current Population Survey.

1 - 111 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		938 104 3,974 2,058	 Living alone Living only with non-relative Living with spouse Living with relative - other

65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
		1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
	652 199 12 77 83 5	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult relative Father and other 21+ year old adult relative No parent, but one 21+ year old
adult	13	relative
	21	No parent, but two or more 21+ year old adult relatives
	37 90	9. Unknown 0. Other
	5,885	Blank. Not applicable (25+ years old or
ever		married)

^{*}Count includes spouse in military but living at home.

1 - 112 -

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)
		2,311	1. Working
		1,815	2. Keeping house
		173	3. Going to school
		1,872	4. Something else
		67	5. Unknown

\sim	1	-
×	~	-
O	J	v

70	G-4		HEALTH	STATUS
		1,265 1,321 1,862 1,323 1,267 36	2. 3. 4. 5.	Excellent Very Good Good Fair Poor Unknown
71	Recode		ACTIVIT	Y LIMITATION STATUS - (all ages)
activity		1,479 945		Unable to perform major activity Limited in kind/amount major
activity		597 4,053		Limited in other activities Not limited (includes unknowns)
72	Recode	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)		
		1,336 417 272 2,930 2,119	2.	Unable to work Limited in kind/amount of work Limited in other activities. Not limited (includes unknowns) Not applicable (under 18 years; 70+ years)

1 - 113 -

Tape Locations	Item No.	Frequency	Items and Codes
73	B-11	LIMITATION	N OF SCHOOL ACTIVITIES (5-17 years)
		15 31 3 36 19 370 6,600 Bla	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) ank. Not applicable (under 5 years; 18+ years)

old	74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
Old				and limited, or age 60-69 years)*
need	g.		269	1. Unable to perform personal care
need	D		425	2. Limited in performing other routine needs
or			1,764	3. Not limited in performing personal
01			13 4,603	routine needs 4. Unkown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
year	75 s)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
				In the Labor Force: (1-7)
off			2,129 274	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-
			2	and not looking for work3. Did not work, has job; looking for work
and			21 2	Unemployed: (4-7) 4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off
and		64 157	looking for work6. Did not work, has job; unknown if looking or on lay-off7. Did not work, no job; looking for work or on lay-off	
			3,589 836	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 114 -

Tape			
Locations	Item No.	Frequency	Items and Codes

76	L-6		CLASS OF WORKER
		3,589 1,883 89 101 199 55 235 12 13 62 836	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		2,649 4,425	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		2,649 4,425	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C

1 - 115 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes				
91	L-R	RESPONDENT						
		765 4,448 466 1,349 46		Self-entirely Self-partly Proxy				
92	Recode		CONDITION LIST ASSIGNED AND ASKED					
		1,202 1,213 1,175 1,156 1,181 1,115 32	3. 4. 5. 6.					
93-94	Recode	HOSPITAL EPISODE NUMBER FOR SHORT-STAY HOSPITALS IN PAST YEAR						
		6,956 118		Number Long-stay hospitals				
L			- 116					
			JBLIC USE IOSPITAL R	TAPE RECORDS ECORD				
Tape Locations	Item No.	Frequency	Ite	ms and Codes				
95-96	J-6		TYPE OF	SERVICE				
		6,664 50 1 29 10 76	01. 02. 03. 04. 06.	Psychiatric Tuberculosis Maternity Ear, Eye, Nose and Throat				

			7 0 1 3 37 0 65	08. 09. 10. 11. 12. 89. 90.	Contagious Disease Chronic Disease Hospital department of institution All other
			12	92.	DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)
			9	93.	Hospitalized in Foreign Country, not in index
			0	94.	Nursing personal, and domiciliary care homes
			1	95.	Nursing home, assumed from title
			11	98.	
			98	99.	Not identified as a hospital, not in index
	97	Recode		RECODE F	OR TYPE OF SERVICE
			6,956		Short-stay hospitals (Codes 01, 04, 06, 07, 11, 89, 90, 98, 99)
			109	2.	Long-stay hospitals (Codes 02, 03, 08, 09, 10, 12, 92, 94, 95)
			9		Not in index (Code 93)
1				- 117 -	

Tape Locations	Item No.	Frequency	Items and Codes
98-99	J-6		TYPE OF OWNERSHIP
		211 263 163 40 430	1. Governmental, nonfederal 12. State 13. County 14. City 15. City-county 16. Hospital district
		1,394 3,519 0	 Nonprofit Church operated or related Other nonprofit Nonprofit, N.O.S.

	10 35 580 0	3.	Proprietary 31. Individual 32. Partnership 33. Corporation (profit) 34. Proprietary, N.O.S.
	34 36 15 0 10 137	4.	Government, Federal 41. Air Force 51. Army 61. Navy 62. Department of Defense, N.O.S. 71. Public Health Service 81. Veterans Administration 91. Other Federal
	0 65	5.	All other 89. In index, unknown type 90. DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
	12 9		92. DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital) 93. Hospitalized in Foreign
Country,			not in index
title	1		95. Nursing home, assumed from
	11 98		98. Osteopathic 99. Not identified as a hospital, not in index

1 - 118 -

Tape Locations	Item No.	Frequency	Items and Codes			
100-105	J-2		DATE OF ADMISSION			
100-101			MONTH			
		603 586 560 559 602 597 569 598 603	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September			

		619 613 565	10. October 11. November 12. December
102-103			DAY OF MONTH
			01-31. Day of month
104-105			YEAR
		0 0 3 3,242 3,829 0	82. 1982 83. 1983 84. 1984 85. 1985 86. 1986 87. 1987
106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION 0001-1838. Date Values
110	Derived		ADMISSION RECODE (A)
		265 6,661 148	 Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months
1			- 119 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
111-114	Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW (C)
		7,074 0	1487-1844. Values 9999. Unknown

DERIVED DATE OF DISCHARGE (D)

0002-1844. Values 9999. Unknown

115-118 Derived

7,074

119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS (E)
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS (F)
			00-14. Number of nights
124-126	Derived		J - VALUE
		63	Blank. Negative value
		7,011	000-364. Value
1.25			
127	Recode		J - RECODE
		63 339	0. Still in hospital1. Discharges past 2 weeks (000-013)
		3,422	 Discharges past 2 weeks (000-013) Discharges in 2 weeks to 6 months
		3,250	(014-181) 3. Discharges in 6-12 months (182-364)
		3,230	J. Discharges in 0 12 months (102 304)
128-131	J-3		TOTAL NIGHTS IN HOSPITAL
			0001-1844. Nights
1			- 120 -
			BLIC USE TAPE RECORDS
		Н	OSPITAL RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
120			
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*
		3,693	1. Yes
		3,381	2. No
125			
133	J-5		OPERATION PERFORMED DURING STAY

1. Yes 2. No

3,624 3,375

75	3.	Unknown

134-139	J-5		OPERATION CODES (See Appendix E)
134-135			OPERATION NUMBER 1
		3,624 3,450	00-99. Blank.
136-137			OPERATION NUMBER 2
		370 6,704	00-99. Blank.
138-139			OPERATION NUMBER 3
		37 7,037	00-99. Blank.
140-144			BLANK
145	Recode		HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital)
		930 6,144	1. Yes, delivery 2. No

^{*}Use weight field 210-218 for annual estimate.

1 - 121 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Ite	ems and Codes
146-181			BLANK	
182	Master Record	1,448 1,800 2,686	REGION 1. 2. 3.	Northeast Midwest South

1,140 4. West

183	Master Record		GEOGRAPHIC DISTRIBUTION MSA Size	
	Record			
		2,573 1,943 456 146 1,956		250,000 - 999,999 100,000 - 249,999 Under 100,000
184			BLANK	
185	Master Record		TYPE OF	PSU
		3,492 1,626 6 1,950	3.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode		MSA - N	ON-MSA RESIDENCE
		2,287 2,831 1,849 107	2. 3.	MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189			PSEUDO	PSU CODES
190-200			FACTOR	CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXXX) - character format plied decimal
1			- 122	_
			BLIC USE OSPITAL R	TAPE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes

	FINAL BASIC WEIGHT	
201-209	QUARTER	
210-218*	SEMI-ANNUAL (WT/2)	
219-227	ANNUAL (WT/4)	
	6.5 WEIGHT	
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL	
	ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS	
237-245	QUARTER, SEMI-ANNUAL AND ANNUAL	
	ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS	
246-254	QUARTER	
255-263	SEMI-ANNUAL	
264-272	ANNUAL	
	ESTIMATED TOTAL NIGHTS IN HOSPITAL	
273-281	QUARTER	
282-290*	SEMI-ANNUAL	
291-299	ANNUAL	
300-335	BLANK	

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1 - 123 -

DIAGNOSTIC RECODES

1NOTES:

1 - 125 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982.

1NOTES:

1 - 127 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105 2106	Common Cold Other Acute Upper Respiratory	460
2100	Infections	461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486

2310	Other Respiratory Conditions	470, 475, 478.,0-7,9, 495, 500-508, 510-515, 516.,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411	Dental Conditions	520. ,6-9, 521. ,0-5,7-9, 522, 523, 525
3412 3413	Indigestion, Nausea and Vomiting Other Digestive Conditions	536.8, 787.0 (520-579, and 787, except for above)*
	INJURIES	
4514 4515 4516 4517 4518	Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries	800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

1 - 128 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 378. ,0-6,8,9, 379. ,0,1,3,4,8,9
5620	Acute Ear Infections	380.1, 381, 382, 383. ,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8,

		384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595. ,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709
		694-698, 700-705,

1 - 129 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS (Continued)
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5, 7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

*Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS

**NHIS codes tension headache to 784.0

1NOTES:

1 - 131 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS.

This recode is the same as Recode 5 used prior to 1982.

1NOTES:

1 - 133 -

2-digit 3-Recode Recode	_	NHIS Diagnostic Code Inclusions
01	Intestinal Infecti	ous Diseases 001-009.0,2
01	O Cholera	001

	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
	029	Residual	017, 018, 019-A

National Health Interview Survey Diagnostic Recode B

- 134 -

1

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037

	038	Septicaenia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	070
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079

1 - 135 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098

	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
	079	Residual	130-136

1 - 136 -

National Health Interview Survey Diagnostic Recode B

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm or small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158,

			159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
	109	Residual	160, 163-165

1 - 137 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191

1 - 138 -

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279

- 139 -1

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	296
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14
		- 140 -	

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
22		Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1- 8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
	220	Meningitis	320, 322
	221	Parkinson's disease	332
	222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
	223	Multiple sclerosis	340
	224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
	225	Epilepsy	345
	229	Residual	323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359, X41.1-8,.X,.Y, X61***

^{*}Excludes .0

1 - 141 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	x00*

^{***}Includes all 4th digits except .9

	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, x06, x07, x09)*
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398
	259	Residual	399-A

*Excludes .0

1 - 142 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9

	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9

1 - 143 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Haemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464

3	12	Other acute upper respiratory infections	460-462,	465
3		Deflected nasal septum and nasal polyps	470, 471	
3		Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473	
3		Chronic diseases of tonsils and adenoids	474	
3	19	Residual	475-478,	477.7-A

1 - 144 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
32		Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
	320	Acute bronchitis and bronchiolitis	466
	321	Pheumonia	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pheumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,7-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,7-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

1 - 145 -

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35	Disease	es of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

^{***}Includes all 4th digits except .9

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
	369	Residual	601, 602, 604, 608
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639

^{***}Includes all 4th digits except .9

1 - 147 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709
L		- 148 -	

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
43	Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
430	Rheumatoid arthritis, except spine	714

431	Other arthropathies	710-712, 715, 716
432	Other disorders of joints	717-719
433	Ankylosing spondylitis	720.0
434	Other dorsopathies	720.1-724, X80
435	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
436	Osteomyelitis, periostitis and other infections involving bone	730
437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
439	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

***Includes all 4th digits except .9

1 - 149 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9,744.4,745-748,750.2-9,751,752,753.1-9,754.0,1,756.4-9,757,758.1-9,759.0-6,8,(x20-x29,x33-x35,x70,x73,x74,x76-x78,x93)**,x71.9,x75.9,(x30-x32,x79,x90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751

445	Undescended testicle	752.5
446	Congenital dislocation of hip	X75.9
447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)**

^{**}Includes 4th digit .9 only.

1 - 150 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, X61.9
	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
	462	Renal colic	788.0

463	Retention of urine	788.2
464	Abdominal pain	789.0
465	Senility without mention of psychosis	797
467	Respiratory failure	799.1
469	Residual	780.0-5,7-9, 781.0- 4,6,7,9, 782, 783.0, 2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12
	1 🗆 1	

- 151 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813
	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)****
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, X00.0, X05.0, X08.0
	499	Residual	860-869, 952-957,

1

****Includes 4th digit .0 only.

1 - 152 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9, 979
	539	Residual	988, 989
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

^{*****871.3} is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

^{*****}Anything classifiable to 960-978 is coded by NHIS to 977.9.

^{******}Anything classifiable to 980-987 is coded by NHIS to 989.9.

1 - 153 -

National Health Interview Survey Diagnostic Recode B

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes

1NOTES:

1 - 155 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a

chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.

1NOTES:

1 - 157 -

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST I: SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS	
101	Arthritis	711. ,0,9, 712. ,8,9, 714-716, 720.0, 721
102	Rheumatism, unspecified	729.0
103	Gout, including gouty arthritis	274
104	Sciatica (including lumbago)	724.2,3
105	Intervertebral disc disorders	722
106	Bone spur/tendinitis NOS	726. ,9
107	Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108	Bunion	727.1
109	Bursitis, NEC	726.0-8, 727. ,0,2-9
110	Sebaceous skin cyst	706.2
111	Acne	706.0,1
112	Psoriasis	696
113	Dermatitis	690-694 (693.2 NHIS code)
114	Dry (itching) skin NEC	698.9
115	Chronic ulcer of skin	707

116	Ingrown nails	703.0
117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119 1	Malignant neoplasms of the skin - 158 -	172, 173

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
LI	ST II: IMPAIRMENTS	
201	Blind - Both eyes	X00
202	Other Visual Impairment	X01-X03
203	Deaf - Both ears	X05
204	Other Hearing Impairments	X06-X09
205	Stammering and Stuttering	X10
206	Other Speech Impairments	X11
207	Impairment of Sensation	X12
208	Mental Retardation	X19
	Absence Upper Extremities	
209	Both Arms/Hands	X20,X21
210	One Hand/Arm	X23,X24
211	Fingers - One or Both Hands	X22,X25
0.1.0	Absence Lower Extremities	
212	One or Both Legs	X26,X28
213	Feet/Toes - One or Both Limbs	X27,X29
214	Absence Lung	X30
215	Kidney	X31
216	Breast	X32
217	Bone, Joint,	
	Muscle of extremity	X34
218	Tips of Fingers, Toes	X35
	Paralysis of Extremities - Complete	
219	Entire Body	X40
220	One Side of Body - Hemiplegia	X41
221	Both Legs - Paraplegia	X46
222	Other paralysis	X42-X45, X47-X49
	Paralysis of Extremities - Partial	
223	Cerebral Palsy	X50
224	One Side of Body Only - Hemipares:	
225	Legs - Both or Paraparesis	X56
226	Other paralysis	X52-X55, X57-X59

1 - 159 -

Revised June 12, 1984

ICD Inclusion as modified

by the NHIS

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	CD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial - Other site	X60-X64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of back or spine	x70
229	Orthopedic Impairment	X80
230	Spina Bifida	X71
0.2.1	Other Upper Extremities	77 F 4
231	Hands, Fingers only	X74
232	Orthopedic Impairment - Shoulder	
233	Other	X73
	Lower Extremities	
234	Flatfeet	x77
235	Clubfoot	x78
236	Other	X75,X76,X85,X86
007	Other Defermition	
237	Other Deformities/ Orthopedic Impairment	V70 V00
	Orthopedic impairment	X79,X89
238	Cleft Palate	X91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243	Diseases of Retina	361,362. ,1-9
1	- 160 -	
		Revised April 30, 1983
	National Health Interview Survey	?

Chronic Condition Recode C

Title

Recode Number

LIST III: SELECTED DIGESTIVE CONDITIONS

301	Gallbladder stones	574
302	Liver diseases including cirrhosis	571, 572, 573. ,0,3-9
303	Gastric ulcer	531
304	Duodenal ulcer	532
305	Peptic ulcer	533
306	Hernia of abdominal cavity	550-553
307	Disease of the esophagus	530
308	Gastritis and duodenitis	535
309	Indigestion	536.8
310	Other functional disorders of stomach and digestive system	536 (except .8), 787
311	Enteritis and colitis	555, 556, 558
312	Spastic colon	564.1
313	Diverticula of intestines	562
314	Constipation	564.0
315	Other stomach and intestinal disorders	534, 537, 560, 569
316	Malignant neoplasms of stomach, intestines, colon, and rectum	151-154
1	- 161 -	
		Revised April 30, 1983

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, END METABOLIC AND BLOOD AND BLO	
401	Goiter	240, 241, 242.0-3
402	Other disorders of the thyroid	242.4,8,9, 243-246
403	Diabetes	250
404	Anemias	280-285

405	Epilepsy	345
406	Migraine headache	346
407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624
418	Menstrual disorders	626
1	- 162 -	
		Revised May 1, 1983
	National Health Interview Survey Chronic Condition Recode C	
Recode Number	ICD Title	Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD AND BLOOD FORMING SYSTEMS (Continued)	3
419	Other disorders of female genital organs	617-619, 625, 627, 628.,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184

423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217
425	Benign neoplasms of female genital organs	218-221

1 - 163 -

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST V: SELECTED CIRCULATORY CONDITIONS	
501	Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502	Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505	Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart rhythm disorders	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1
506	Congenital heart disease	745, 746
507	Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508	High blood pressure (hypertension)	401-405
509	Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510	Hardening of the arteries	440
511	Aneurysm	441. ,0-6, 442
512	Phlebitis, thrombophlebitis	451
513	Varicose veins of lower extremities	s 454
514	Hemorrhoids	455
515	Poor circulation	459. ,8,9

1 - 164 -

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST VI: SELECTED RESPIRATORY CONDITIONS	
601	Chronic Bronchitis	490, 491
602	Asthma	493
603	Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604	Nasal polyps	471
605	Chronic sinusitis	473
606	Deviated Nasal Septum	470
607	Chronic disease of tonsils and adenoids	474
608	Chronic laryngitis	476
609	Emphysema	492
610	Pleurisy	511
611	Pneumoconiosis and asbestosis	500-505
612	Tuberculosis (pulmonary)	011, 019 (NHIS code)
613	Malignant neoplasms of lung and bronchus	162. ,2-9
614	Other diseases of lung	515, 518
615	Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999	ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

^{*}Excludes always acute codes and ICD codes not used by NHIS.

1 - 165 -

HEALTH INTERVIEW SURVEY - 1986

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight.

To illustrate the use of reference periods, suppose we have a person whose weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

1NOTES:

1 - 167 -

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from

Health Interview Survey data tapes. The publication, "Current Estimates",

for the year 1984 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable,

for example, persons injured, the variables needed will be listed.

1NOTES:

- 169 -1

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
_	ANNUAL ESTIMATES		
1-15	Incidence of Acute Conditions		
	Inclusions:		
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1
	Use:		
1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications	100-103	1001-5932
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1
	Weight:		
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236	
16-25	Restricted Activity Days Associated With Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week restricted activity days	237-245	
1	- 170 -		

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
_	ANNUAL ESTIMATES		
26-35	Bed Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
26-30	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week bed days	246-254	
36-45	Work-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week work-loss days	255-263	
1	- 171 -		
	TABULATING DATA FOR CURRENT ESTIMATES	S TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
46-49	School-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2

Use:

1

46-47	Acute Condition Recode A Denominator is population ages see Table 78 specifications	100-103	1001-5932	
	Weight:			
	2 week school-loss days		264-272	
50	Acute Conditions per Quarter			
	Use specifications for Tables but also use processing quarte		5	1,2,3 or 4
51-52	Episodes of Persons Injured			
	Inclusions:			
	Condition records Onset in 2 weeks First injury		1-2 108 128	30 1 1
	and Acute Condition Recode A (injuries)		100-103	4514-4518
	or Impairments due to injury		93 96	х 0
	- 172 -			
	TABULATING DATA FOR CURR	ENT ESTIMA	TES TABLES	
TABLE NUMBERS	ITEMS		TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES			
51-52	Episodes of Persons Injured -	continued		
	Use:			
	Type/place of accident (all included records) Moving motor vehicle involved	(total) (traffic)	134 and 130 134	1 1-9 1
51	At work (yes) (no) Place of accident (home) (street) (industrial) (other) Denominator is population:	(no)	and 130 134 131 131 130 130 130 130	3 2,4 1 2 1-2 3 5 4,6-8

see specifications for Table 78

Weight:	

6.5 weight (2 week reference) 228-236

53-54 Restricted Activity Days Associated with Persons Injured

Use:

Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1,2

Weight: 237-245

55-56 Bed Days Associated with Persons Injured

Use:

Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so that 128:1,2

Weight: 246-254

1 - 173 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE		TAPE	
NUMBERS	ITEMS	LOCATIONS	CODES

ANNUAL ESTIMATES

57-66 Prevalence of Selected Chronic Conditions

Inclusions:

Condition records 1-2 30 Chronic 107 1

Use:

Control on chronic condition list asked and 92 1,2,3,4,5 or use only Chronic Condition Recode C with 104-106 6 location 104 equal to value in location 92

Weight:

Chronic condition factor 190-200 Multiplied by final basic weight 219-227 Denominator is population:

57-61 Denominator is population: see specification for Table 78

67-68 Limitation of Activity Due to Chronic Conditions

		Inclusions:		
		Person records	1-2	20
		Weight:	219-227	
	67	Denominator for percent distribution is population.		
	69	Person Disability Days		
		Inclusions:		
		Person records	1-2	20
		Weight:		
		Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denoiminator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	
1		- 174 -		
		TABULATING DATA FOR CURRENT ESTIMATES	TABLES	
	TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
		ITEMS ANNUAL ESTIMATES		CODES
_				CODES
	NUMBERS	ANNUAL ESTIMATES		CODES
_	NUMBERS	ANNUAL ESTIMATES Respondent Assessed Health Status		CODES 20
_	NUMBERS	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions:	LOCATIONS	
_	NUMBERS	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records	LOCATIONS 1-2	
_	NUMBERS 70	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records Weight:	LOCATIONS 1-2	
-	NUMBERS 70	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records Weight: Physician Contacts: Place and Rate	LOCATIONS 1-2	
_	NUMBERS 70	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records Weight: Physician Contacts: Place and Rate Inclusions:	1-2 219-227	20
	NUMBERS 70	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records Weight: Physician Contacts: Place and Rate Inclusions: Doctor Visit records	1-2 219-227	20
	NUMBERS 70	ANNUAL ESTIMATES Respondent Assessed Health Status Inclusions: Person records Weight: Physician Contacts: Place and Rate Inclusions: Doctor Visit records Use:	1-2 219-227	20

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 175 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
72	Interval Since Physician Contact		
	Inclusions:		
	Person records	1-2	20
	Use:		
	<pre>Interval since doctor seen NOTE: 5 years and over</pre>	115 115	0-4(5) 0,4
73-74	Short Stay Hospital Episodes (12 month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution is population	219-227	
75-76	Short Stay Hospital Episode Days		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 176 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
_	ANNUAL ESTIMATES		
	Weight:		
75	Short stay hospital episode days Denominator for rates is population with appropriate number of episodes (from Table 74)	318-326	
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		
	Inclusions:		
	Hospital Records with	1-2 132	50 1
	Use:		
	All specified records for hospitalizations for all reasons		
	Hospitalizations for deliveries	145	1
	Weight:		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
78	Population		
	Inclusions:		
	Person records	1-2	20
	Use:		
	All records for total population Currently employed population	75	1-3
	Weight:	219-227	

1 - 177 -

APPENDIX A

CODES FOR TYPES OF SPECIAL PLACES

CODES TYPES

I. SPECIFIED INSTITUTIONS

11 11 11 12 12	Correctional Institutions -State and Federal penitentiaries, prisons, and reformatories -State and Federal prison farms and camps -County and city jails, workhouses, penitentiaries -County and city prison farms and camps -Federal detention headquarters -State and Federal training or industrial schools -County and municipal training or industrial schools -Private schools for delinquents, such as "House of the Good Shepherd," "Boys Town," etc.
	Mental Institutions
	Homes and training schools for mentally handicapped
	Homes, training schools, colonies, and villages for epileptics
	State, Federal, county and city hospitals for mentally ill
	Private hospitals and sanitariums for mentally ill Hospitals and centers for the treatment of alcoholics and drug
22	addicts
23	-Veterans Administration mental hospitals
	Home for the Aged, Infirm, and Needy
	Orphan asylums
	Children's homes
	-County homes, almshouses, poor farms, etc.
	Fraternal or religious homes for the aged -Commercial homes for the aged
	-Homes and schools for the blind
	Homes and schools for the deaf
	Hospital or resident schools, orthopedic hospitals, and homes
	for the crippled
38	-Soldiers' and sailors' homes
39	Veterans Administration homes (domiciliary care)
40	Nursing, Convalescent, and Rest Homes
	Other Hospitals and Homes Providing Specialized Care
51	Tuberculosis sanitariums
	Veterans Administration tuberculosis hospitals
	-Homes for incurables
53	
	Chronic and cancer hospitals
	Maternity homes for unmarried mothers
	Detention and receiving homes
5/	-Hospitals and homes for other specialized care

1 - 178 -

APPENDIX A

CODES **TYPES**

II. OTHER SPECIAL PLACES

Other Special Places

61-----Veterans Administration General Medical and Surgical Hospitals

62-----Facilities for the Treatment of the Physically ill

This type of facility treats physical disorders and is one in which the patient stays for a relatively short period of time. Examples of this type of special place are:

- 1. General or emergency hospital; children's hospital; maternity hospital
- 2. Infirmary
- 71-----Hotels, transient-type
- 71-----Motels, transient-type
- 71-----Tourist camp or court (like motels except units are detached), transient-type
- 72-----Hotels, nontransient type
- 72-----Motels, nontransient type
- 72-----Tourist camp or court, nontransient type
- 73-----YMCA, YMHA, YWCA, transient type
- 74-----YMCA, YMHA, YWCA, nontransient type
- 75-----Private residential clubs
- 76-----Rooming and boarding houses. Those that meet the special place definition.
- 76-----Tourist homes

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

- 77-----Combination tourist-trailer court, transient-type
- 78-----Combination tourist-trailer court, nontransient type
- 79-----Groups of five or more vacation cabins under single management, transient-type

Facilities for Housing Students

- 81----School dormitory
- 81-----Fraternity
- 81-----Sorority
- 82-----School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84----see below).*

*For a school with resident faculty only, assign codes 82, 83, or 84 as appropriate. 1

- 179 -

APPENDIX A

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

II. OTHER SPECIAL PLACES

	II. OTHER STECIAL THACES
	Facilities for Housing Studentscontinued -Schools with resident students and with predominantly non- salaried faculty such as nuns or priests.* -Schools with resident students and operated primarily for religious training (other than those with predominantly non- salaried faculty) such as Bible Institutes.*
85	Facilities for Housing Workers -Dormitory for workers (other than specified for codes 86, 87 and 88).
	-Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands).
	-Labor camp
	-Logging camp
88	-Migratory workers' camp (those that meet the special place definition).
	Additional Other Places
91	-Convents and other sisters' residences (those that meet the
0.1	special place definition).
91	-Monasteries, other brothers' residences, and rectories (those
0.2	that meet the special place definition)Communes
	-communes -Halfway houseswhen occupants live there on a voluntary basis
93	(assign halfway houses for persons not there on a voluntary basis to the appropriate institutional code).
	-Nurses' Homes
	-Flophouses, railroad stations
	-Missions, Salvation Army Shelters
	-Recreational and religious camps (adults or family)
	-Recreational and religious camps (children's)
	-Trailer camps
	-Tent camps
	-Armed forces installations -Armed forces hospitals
*For a school appropriate.	with resident faculty only, assign code 82, 83, or 84 as
1 NOTES:	
1	- 181 -
В	APPENDIX
	INDUSTRY RECODES OUTLINE
Recodes	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

No. 1 No. 2

Chrs. Chrs. Detail Code 80-81 82-83 (Chrs. 77-79)

Industry Title SIC Code*

01	01	010-011,020-021	AGRICULTURE	01-02,07,078
02	01	030-031	FORESTRY AND FISHERIES	08-09
10	02	040-042,050	MINING	10-14
20	03	060	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	-	MANUFACTURING:	
(30-34)			NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212,	Other nondurable goods	21,261-266,291,295, 299,301-304,306-
307,		220-222		311,313-317,319
*Standar	rd Ind	ustrial Classifica	ation	
1			- 182 -	
D				APPENDIX
В		INI	OUSTRY RECODES OUTLINE	
Reco	odes			
	Chrs.	Detail Code	Industry Title	SIC Code*

	Chrs.	Detail Code (Chrs. 77-79)	Industry Title SIC Code*	
(30-34, 40-46)	(04)	-	MANUFACTURING: - continued	
(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	

	41	04	270-272,280	Primary metal industries	331-332,334,3331-
3334	1,3339	,3351	,3353-		2255 2261
3362	2,3369	,			3357,3361-
					339
	42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
	43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
	44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
	45	04	351-352,360-362, 370	Transportation equipment	371-376,379
	46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
(50)-54)	(05)	-	TRANSPORTATION, COMMUNICATION AND OTHER PUBLIC UTILITIES	ONS
	50	05	400	Railroads	40
	51	05	410-411	Trucking service and warehousing	421-423
	52	05	401-402,412, 420-422,432	Other transportation	41,43-47
	53	05	440-442	Communications	481-483,489
	54	05	460-462,470-472	Utilities and sanitary	491-497
	andar	d Ind	ustrial Classifica		
1				- 183 -	
B					APPENDIX

В

INDUSTRY RECODES OUTLINE

Rec	odes			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
60	06	500-502,510-512, 521-522,530-532, 540-542,550-552,	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199

(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58
65	07	580-582,590, 630-632,640,642, 650-652,660-662,	Other and not specified retail trade	521,523,525-527,56, 571-573,591-593, 5941-5949,5961-
5963,		670-672,681-682, 691		598,5992-5994,5999
(70-71)	(08)	-	FINANCE, INSURANCE, AND REA	L
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67
*Standa:	rd Ind	ustrial Classifica	ation	
1			- 184 -	
_				APPENDIX
В		IND	OUSTRY RECODES OUTLINE	
Rec	odes			
No. 1	No.	 2		
		. Detail Code 3 (Chrs. 77-79)	Industry Title	SIC Code*
(75-85)	(09-1	2) –	SERVICES:	
(75-76)	(09)	BUSINESS AND REPAIR SERVICE	S
75	09	721-722,730-732, 740-742,750	Business services	731-737,7391-7397, 7399,751,752,754

76	09	751-752,760	Repair services	753,762-764,7692, 7694,7699
(77-78)	(10) –	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802	ENTERTAINMENT AND RECREATION SERVICES	78,791-794,799
(80-85)	(12) –	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806
81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899

*Standard Industrial Classification

1 - 185 -

APPENDIX

В

INDUSTRY RECODES OUTLINE

		1101	JOBINI RECODED GOTHINE	
Reco	odes			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	990 and all other codes except 996	UNKNOWN INDUSTRY	-

96	14	996	NEW WORKER
97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).
98	16	942	ARMED FORCES (excludes Reserves and National Guard)

*Standard Industrial Classification

1 - 186 -

APPENDIX

B INDUSTRY RECODE TITLES

Code	e Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90

14	UNKNOWN (includes new workers)	95-96
15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98

1 - 187 -

APPENDIX C

OCCUPATION RECODE OUTLINE

	- d:			
Kec	odes 			
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90		Occupation Title	SOC Code*
(01-03)	(01)	-	EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	_
01	01	003-006	Officials and administrators, public administration	111-113
02	01	007-009,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029,033-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-
1473,149				113/11/2
(04-11)	(02)	_	PROFESSIONAL SPECIALTY OCCUPATIONS	_
04	02	044-049,053-059	Engineers	1622-1628,1632- 1637,1639
05	02	043,063	Architects and surveyors	161,164
06	02	064-069,073-079 083	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089	Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119,123-129, 133-139,143-149 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252

10	02	183-189,193-195, 197-199	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169,173-179	Other professional specialty occupations	1912-1916,1919, 192,2032-2033, 2042,2049,211-
212				2042,2049,211-
*Standa:	rd Occ	upational Classifi	cation.	
1			- 188 -	
С				APPENDIX
		OCCI	JPATION RECODE OUTLINE	
Rec	odes			
No. 1 Chrs. 87-88	Chrs.	Detail Code	Occupation Title	SOC Code*
(12-13)	(03)	-	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	-
12	03	203-208	Health technologists and technicians	362-366,369
13	03	213-218,223-229, 233-235	Technologists, technicians except health	3711-3713,3719, 372-
373,382,	3831-			
3833,384	,389,3	92-		393,396,3971-
3972,397	4,399,	825		
(14-16)	(04)		SALES OCCUPATIONS	
14	04	243	Supervisors and proprietors	40
15	04	253-259	Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269,274-278, 283-285	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
(17-21)	(05)		ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICA	 _ L
17	05	308-309	Computer equipment operators	4612-4613

and typists

19	05	337-339,343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357	Mail and message distributing	4742-4745
21	05	303-307,316-319, 323,325-329, 335-336,345-349, 353,359,363-366, 368-369,373-379, 383-387,389	Other administrative support	4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722- 4723,4729,4732- 4733,4739,4751- 4759,4782-4784, 4786-4787,4791- 4795,4799

*Standard Occupational Classification.

1 - 189 -

APPENDIX

C OCCUPATION RECODE OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-	PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	-	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	80	433-439,443-444	Food service	5211-5219
26	08	445-447	Health service	5232-5233,5236
27	08	448-449,453-455	Cleaning and building service	5241-5242,5244- 5246,5249

28	08	456-459,463-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	-	FARMING, FORESTRY AND FISHING OCCUPATIONS	
29	09	473-476	Farm operators and managers	5512-5515,5522- 5525
30	09	477,479,483-489	Farm workers and other agricultural workers	5611-5619,5621- 5622,5624-5625, 5627
31	09	494-499	Forestry and fishing occupations	571-573,579, 583-
584,8241	(pt.)			
*Standa	rd Occ	upational Classifi	cation.	
1			- 190 -	
С				APPENDIX
C		occu	PATION RECODE OUTLINE	
	odes			
No. 1 Chrs.	Chrs.		Occupation Title	SOC Code*
(32-34)	(10)	-	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10	503,505-509, 514-519,523, 525-527,529 533-536,538-539, 543-544,547,549	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	553-558,563-567, 569,573,575-577, 579,583-585, 587-589,593-599, 613-617	Construction and extractive trades	6311-6316,6318, 632,6412-6414, 6422,6424,6432- 6433,6442-6444, 645,6462-6468, 6472,6476,6479, 652-654,656
34	10	633-637,639, 643-647,649, 653-659,666-669, 673-679,683-684, 686-689,693-696,	Precision production occupations	67,71,6811-6814, 6816-6817,6821- 6824,6829,6831- 6832,6835,6839, 6844,6852-6854,

691-696,7447, 7668,7677,7752,

828

```
*Standard Occupational Classification
```

1 - 191 -

APPENDIX

С

OCCUPATION RECODE OUTLINE

Reco	odes			
	No. 2 Chrs. 89-90		Occupation Title	SOC Code*
			OPERATORS, FABRICATORS AND LAB	ORERS
(35-36)	(11)		MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7679
36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787

(37-39) (12)

37	12	803-806,808-809, 813-814	Motor vehicle operators 8111,8212-8218-8219,		
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245	
39	12	843-845,848-849, 853,855-856,859		812,8312-8319	
*Standa	rd Occ	upational Classifi	cation		
1			- 192 -		
				APPENDIX	
С		occu	PATION RECODE OUTLINE		
	odes				
No. 1 Chrs.	Chrs.		Occupation Title	SOC Code*	
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS		
40	13	869	Construction laborers	871	
41	13	863-867,873, 875-878,883,885, 887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769	
95	14	999 and all other codes except 990	UNKNOWN OCCUPATION		
96	14	990	NEW WORKER		
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity reco (Loc. 75). (Under 18 or 18+ and Not in Labor Force)		

MILITARY

98 16

905

		~7 ! . !
*Standard	()cclinational	Classification
Deamara	Occupacionai	CIGDDILICGCIOI

1 - 193 -

APPENDIX C

OCCUPATION RECODE TITLES

Code	Titles	Recode No. Inclusions	1
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03	
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11	
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS		
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13	
04	SALES OCCUPATIONS	14-16	
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21	
	SERVICE OCCUPATIONS		
06	PRIVATE HOUSEHOLD OCCUPATIONS	22	
07	PROTECTIVE SERVICE OCCUPATIONS	23-24	
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28	
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31	
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34	
	OPERATORS, FABRICATORS AND LABORERS		
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36	
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39	
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41	
14	UNKNOWN OCCUPATION (includes New Workers)	95-96	
15	NOT IN LABOR FORCE	97	
16	MILITARY	98	

1 - 195 -

APPENDIX D

NHIS - 1986 COMPUTER PROCESSING

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	Description	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137	Descripcion	132 MV	134 MMV	130 Where?	131 Work?
111	Moving motor vehicle - at work - at home	1	1	1,2	1
112	Moving motor vehicle - at work- not at home- street or highway	1	1	3	1
113	Moving motor vehicle - at work - not at home - not on street or highway	1	1	Not 1-3	1
121	Moving motor vehicle - not at work - at home - not on street or highway	1	1	1,2	Not 1,4
122	Moving motor vehicle - not at work - not at home - on street or highway	1	1	3	Not 1
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4

1 - 196 -

NHIS 1986 COMPUTER PROCESSING

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of Accident	Description	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137	Description	132 MV	134 MMV	130 Where?	131 Work?
211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1
312	Non-motor vehicle - at work - not at home	Not 1	-	Not 1,2	1
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
400	Injured in Armed Forces	-		-	4
500	Therapeutic misadventure	-	-	-	Not 4
600	Injury Condition/Adverse Reaction	-	_	-	Not 4

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed,

but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves
- 05 Operations on sympathetic nerves or ganglia

OPERATIONS ON THE ENDOCRINE SYSTEM (06-07)

- 06 Operations on thyroid and parathyroid glands
- 07 Operations on other endocrine glands

OPERATIONS ON THE EYE (08-16)

- 08 Operations on eyelids
- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball

1 - 198 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue
- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

30 Excision of larynx

Ε

- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm

1 - 199 -

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

40 Operations on lymphatic system

4 -1					-	-
41	Operations	on	bone	marrow	and	spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract

Includes: operations on common bile duct, cystic duct and hepatic duct

- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region,
inguinal

region, loin region, male pelvic cavity, mesentery, omentum, peritoneum and retroperitoneal tissue space

periconeum and retropericor - 200 -

APPENDIX

Е

1

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)

- 65 Operations on ovary
- 66 Operations on fallopian tubes
- 67 Operations on cervix

 \mathbf{E}

- 68 Other incision and excision of uterus
- 69 Other operations on uterus and supporting structures
- 70 Operations on vagina and cul-de-sac
- 71 Operations on vulva and perineum

1 - 201 -

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OBSTETRICAL PROCEDURES (72-75)

- 72 Forceps, vacuum, and breech delivery
- 73 Other procedures inducing or assisting delivery

Includes: spontaneous delivery with manual assistance

- 74 Caesarean section and removal of fetus
- 75 Other obstetric operations

For HIS, includes also "normal delivery"

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)

76 Operations on facial bones and joints

Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)

77 Incision, excision and division of other bones

Excludes: operations on facial bones (76); joint structures (80-81);

nasal bones (21); and skull (01-02)

78 Other operations on bones, except facial bones

Excludes: operations on joint structures (80-81); nasal bones (21); and

skull (01-02)

79 Reduction of fracture and dislocation

Includes: application of cast or splint; reduction with insertion of

traction device

Excludes: external fixation alone for immobilization of fracture (93);

internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit

(76);

skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for

reduction of fracture (93)

80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle; ligament;

meniscus; and synovial membrane

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

- 202 -

APPENDIX

Ε

1

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when

condition is not specified and tissue (such as skin, bone,

etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site

(female or male).

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous

glands subcutaneous fat pads; and superficial fossae.

Includes also: operations on regions such as arm; armpit; back; cheek;

buttock; chin; feet; forearm; forehead; hand; head;

heel;

leg; neck; scalp; temple: temporal region; and thigh

when

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow

(08); eyelid (08); female perineum (71); lips (27); nose

(21);

 \mathbf{E}

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as

brain) is mentioned

1 - 203 -

APPENDIX

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Includes: diagnostic X-rays of face, head, neck, brain, skull, spine,

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams; gynecological

exams: dental exams; digital exams of rectum; pacemaker checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

larynx, trachea, bronchus, pleura, lung, of sputum, and blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts or
 passage, pancreas, peritoneal, retroperitoneal, kidney,
 ureter, perirenal, periureteral tissue, bladder, urethra,
 prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy exercises such as breathing exercises; manual traction; training in use of prosthesis; whirlpool treatments; heat therapy; skeletal traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

- 204 -

APPENDIX E

NON-OPERATIVE PROCEDURES, FOR HIS

CLASSIFICATION OF OPERATIONS AND

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

Includes: eye exams; functional tests of eye; fitting glasses, contact
 lens; hearing tests; and fitting hearing aids.

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing;
insertion of vaginal diaphragm; rectal packing; dilation of
 rectum and anus; manual reduction of hernia; gastric lavage;
 irrigation of ostomies; cleaning of eye, ear and nose; lavage

of bronchus and trachea

97 Replacement and removal of therapeutic appliances

Includes: replacement of ostomy tubes; replacement of casts; removal of nasal packing, removal of dental wiring; removal of sutures

from head and neck; removal of drainage tubes; removal of IUD and removal of sutures from genital tract.

98 Nonoperative removal of foreign body

Includes: removal of foreign body from digestive system, ear, nose,

larynx, vagina, etc. WITHOUT INCISION.

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or

infusions of therapeutic or prophylactic substances; cardiac

pacemaker (battery and sensing types), acupuncture and

fitting

of dentures.