NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested

tion, "Source: National Center for Health Statistics, National Health Interview Survey, 1989," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1990). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1989 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Field Representative's Manual, 1989. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1989. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Massey JT, Moore TF, Parsons VL, Tadros W. Design and Estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110). 1989.

Adams PF, Benson V. Current Estimates from the National Health Interview Survey, 1989. National Center for Health Statistics. Vital Health Stat 10(176). 1990.

0	
0	i
0	
1	
1	PREFACE

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes

for each record type. Note that Household items in tape locations 3-24, 178 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

- Type of Record (Tape Locations 1-2)
- 10 = Household Record The Household file contains one household record for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
 - 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
 - 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

File Sequence

0 0

0

Each file is in sequence by the following identifying items:

Item	Tape Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and Person Records)	17-18

12. File Sequence - continued

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household. Records belonging

to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unrelated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

- 3. Other Tape Characteristics
 - .1 Headers and trailers = Standard IBM labels
 - .2 Density = 1600 BPI
 - .3 Record length = Fixed length of 335 bytes
 - .4 Blocksize = 3350 (10 records per block)
 - .5 Tape format = All fields are in character format.
 - .6 Data Set Names:

HOUSEHOLD = HISY1989.HOUSEHLD

PERSON = HISY1989.PERSONSX

CONDITION = HISY1989.CONDITON

HOSPITAL = HISY1989.HOSPITAL

DOCTOR VISIT = HISY1989.DRVISITX

NOTE: Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.

Deceminal Census

0 0 0

0

0 0

1

iv NATIONAL HEALTH INTERVIEW SURVEY

Calendar Year 1989 Computer Processing

Public Use Data Tape

TABLE OF CONTENTS - PART I

	Page					
INTRODUCTION	. 1					
REFERENCES						
COMPARED CHANGES	. 5					
TAPE FORMATS						
Household Record	. 7					
Person Record	. 17					
Condition Record	. 39					
Doctor Visit Record	. 71					
Hospital Record	. 99					
DIAGNOSTIC RECODES						
Recode A. Acute Conditions	. 127					
Recode B. Diseases, Injuries and Impairments	. 133					
Recode C. Chronic Conditions and Impairments 19						
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	. 167					
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	. 169					
TABULATING DATA FOR CURRENT ESTIMATES TABLES	. 171					
APPENDICES						
Appendix A. Codes for Types of Special Places	. 179					
Appendix B. Industry Recodes	. 183					
Appendix C. Occupation Recodes	. 189					
Appendix D. Description of Class of Accident Code	. 197					
Appendix E. Classification of Operations and Non-operative Procedures for HIS	. 199					
\mathbf{v}						
1NOTES:						
1 - 1 -						

_

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the

National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1989 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) SURREGR and SUDAAN(4,5) are programs that calculate the variance-covariance matrix using the linearization approach(6,7,8) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided the Basic Weight Before Age-Sex-Race Adjustment (loc. 172-177 - Person Record only), Substratum Identifier (loc. 178), Full Sample Stratum Identifier (loc. 179-181), and Strata and Pseudo Primary Sampling Unit (PSU) (loc. 187-189)

codes on the data tapes. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

1 - 3 -

REFERENCES

- (1) McCarthy PJ. Replication: An Approach to the Analysis of Data from Complex Surveys. National Center for Health Statistics. Vital Health Stat 2(14). 1966.
- (2) Survey Research Center Computer Support Group. OSIRIS IV User's Manual. Institute for Social Research. 1979.
- (3) Shah BV. "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. RTI/5250-00-01S. April, 1981.
- (4) Holt, Mary Margaret (revised April 1982 by B.V. Shah). "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May, 1977.
- (5) Shah BV, LaVange LM, Barnwell BG, Killinger JE, and Wheeless SC. "Software for Survey Data Analysis." Research Triangle Institute, Research Triangle Park, N.C. March, 1989.
- (6) Hidiroglou MA, Fuller WA, and Hickman RD. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University. Sixth edition. October, 1980.
- (7) Fuller WA. "PC CARP". Statistical Laboratory and Department of Statistics, Iowa State University, Ames, Iowa. September, 1989.
- (8) Contingency Table Analysis for Complex Sample Designs (CPLX). U.S. Bureau of the Census.

1NOTES:

1 - 5 -

CHANGES IN THE 1989 PUBLIC USE TAPE COMPARED TO 1988

The 1989 Public Use Tape resembles the 1988 version, with only two additions:

PERSON VARIABLES:

Tape Location Item

144 Years lived in state of present residence

145 Years lived in United States

1NOTES	:	

1 - 7 -

HOUSEHOLD RECORD

1NOTES:

1 - 9 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 48,054
HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	_		RECORD TYPE
		48,054	10. Household Record
3-4	-		PROCESSING YEAR
		48,054	89. 1989
5	-		PROCESSING QUARTER
		11,095 12,420 12,217 12,322	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	НН-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09

```
10, 30, 50, 70, 90 ... Week 10
11, 31, 51, 71, 91 ... Week 11
12, 32, 52, 72, 92 ... Week 12
13, 33, 53, 73, 93 ... Week 13
```

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		BLANK (Person Number on other record types)
17-18	-		BLANK (Record Serial Number on other record types)
19-20	нн−5		PROCESSING WEEK CODE (Numbered within Quarter)
		2,831 3,813	Week 01. Week 02.
		3,832	Week 03.
		3,735 3,715	Week 04. Week 05. Week 06.
		3,772 3,838	Week 06. Week 07. Week 08.
		3,732 3,829	Week 09.
		3,739 3,744	Week 10. Week 11.

3,690 Week 12. 3,784 Week 13.

21 BLANK

1 - 11 -

etc. 29 03. HU-permanent in transient hotel motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc.					
Housing Unit = (00-07) 845	-	Item No.	Frequency	Iten	ns and Codes
845 00. Housing unit; kind unknown 44,220 01. House, apartment, flat 37 02. HU in nontransient hotel, motel etc. 29 03. HU-permanent in transient hotel motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown	22-23	НН-10d		TYPE OF	LIVING QUARTERS:
44,220 37 01. House, apartment, flat 37 02. HU in nontransient hotel, motel etc. 29 03. HU-permanent in transient hotel motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 24 HH-11 HAS TELEPHONE 40,764 1. Yes, phone number given 2,831 3. No 411 40 Unknown				Housing	Unit = $(00-07)$
37 02. HU in nontransient hotel, motel etc. 29 03. HU-permanent in transient hotel motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown				00.	Housing unit; kind unknown
etc. 29 03. HU-permanent in transient hotel motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			44,220	01.	House, apartment, flat
motel, etc. 41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 40,764 1. Yes, phone number given 2,831 3. No 411 4. Unknown			37	02.	, , , , , , , , , , , , , , , , , , , ,
41 04. HU in rooming house 2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			29	03.	± ,
2,028 05. Mobile home or trailer with no permanent room added 302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2,831 3. No 411 4. Unknown			41	04.	
302 06. Mobile home or trailer with one more permanent rooms added 15 07. HU not specified above Other Unit = (08-13) 31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			2,028	05.	Mobile home or trailer with no
Other Unit = (08-13) 31			302	06.	Mobile home or trailer with one o
31 08. Quarters not HU in rooming or boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			15	07.	
boarding house 1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown HAS TELEPHONE 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown				Other Ur	nit = (08-13)
1 09. Unit not permanent in transient hotel, motel, etc. 36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			31	08.	
36 10. Unoccupied site for mobile home trailer, or tent 386 11. Student quarters in college dormitory 80 12. Other unit not specified above 3 13. Other unit; kind unknown 24 HH-11 HAS TELEPHONE 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			1	09.	Unit not permanent in transient
386 11. Student quarters in college dormitory 80 12. Other unit not specified above 13. Other unit; kind unknown HAS TELEPHONE 40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown			36	10.	Unoccupied site for mobile home,
24 HH-11 HAS TELEPHONE 40,764 1,705 2,831 411 4. Unknown			386	11.	Student quarters in college
40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown					Other unit not specified above
40,764 1. Yes, phone number given 1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown					
1,705 2. Yes, no phone number given 2,831 3. No 411 4. Unknown	24	HH-11		HAS TELE	EPHONE
2,831 3. No 411 4. Unknown			•		
411 4. Unknown					_
2,343 Blank. Non-interview				- *	
			2,343	Blank.	Non-interview

25-26 HH-6 SPECI		PLACE	(Unedited)
------------------	--	-------	------------

SEE APPENDIX A Blank. Not applicable

1 - 12 -

Tape Locations	Item No.	Frequency	Items and Codes
27	нн-15		COMPLETED INTERVIEW
		45,314 2,343 397	 Completed interview - non-militation household Non-interview Completed interview - military household*
28-29	нн-14		NON-INTERVIEW REASON
			Type A
		1,382 398 303 260 45,711	01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed interview)
30-33	нн-15		DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)
30-31			MONTH
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December Blank.
32-33			DAY
			01-31. Day of Month

Blank.

34-35	Generated	NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families).
		Blank. Non-interview

*Spouse or parent is in the Armed Forces. - 13 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items	and Codes
36-55	Generate	ed	SIZE OF	FAMILY
			01+	Not applicable or only unrelated individuals Number of persons in family Non-interview
36-37			SIZE OF	FAMILY - Primary Family
38-39			SIZE OF	FAMILY - Secondary Family No. 1
40-41			SIZE OF	FAMILY - Secondary Family No. 2
42-43			SIZE OF	FAMILY - Secondary Family No. 3
44-45			SIZE OF	FAMILY - Secondary Family No. 4
46-47			SIZE OF	FAMILY - Secondary Family No. 5
48-49			SIZE OF	FAMILY - Secondary Family No. 6
50-51			SIZE OF	FAMILY - Secondary Family No. 7
52-53			SIZE OF	FAMILY - Secondary Family No. 8
54-55			SIZE OF	FAMILY - Secondary Family No. 9
56-57	Generated		NUMBER (OF UNRELATED INDIVIDUALS

00. Not applicable
01+ Number of unrelated individuals
Blank. Non-interview

1 - 14 -

Tape Locations	Item No.	Frequency	Items and Codes
58	Generated		REFERENCE PERSON PRESENT - Primary Family
individuals			 Yes or all adult family members in Armed Forces Blank. Household with unrelated
			only or non-interviewed household
59			REFERENCE PERSON PRESENT -
			Secondary Family No. 1
60			REFERENCE PERSON PRESENT -
			Secondary Family No. 2
61			REFERENCE PERSON PRESENT -
			Secondary Family No. 3
62			REFERENCE PERSON PRESENT -
			Secondary Family No. 4
63			REFERENCE PERSON PRESENT -
03			Secondary Family No. 5
<i>C</i> 1			
64			REFERENCE PERSON PRESENT -
			Secondary Family No. 6
65			REFERENCE PERSON PRESENT -
			Secondary Family No. 7
66			REFERENCE PERSON PRESENT -
			Secondary Family No. 8
67			REFERENCE PERSON PRESENT -
			Secondary Family No. 9

1 - 15 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes		
68-69	Generated		NUMBER	OF PERSON RECORDS FOR THE HOUSEHOLD		
70-71	Generated		NUMBER HOUSEHO	OF CONDITION RECORDS FOR THE		
72-73	Generated		NUMBER OF TWO-WEEK DOCTOR VISIT RECORDS FOR THE HOUSEHOLD			
74-75 HOUSEHOLD	Generated		NUMBER	OF HOSPITAL RECORDS FOR THE		
76	A-A2		CONDITI	ON LIST ASSIGNED		
		7,574	1.	Condition List 1, Skin and Musculoskeletal		
		7,586	2.	Condition List 2, Impairments		
		7,448	3.	-		
		7,509	4.			
		7,430	5.			
		7,479	6.	Condition List 6, Respiratory		
		685	7.			
		2,343	Blank.	Non-interview		
77-177	-		BLANK			
178	Master		TYPE OF	SUBSTRATUM		
	Record					
		5,469	0.	Permit		
		4,640	1.	Area, oversampled for blacks		
		37,945	2.	Area, not oversampled for blacks		
179-181			BLANK			
182	Master Record		REGION			
	-100014	10,058	1.	Northeast		
		12,038	2.	Midwest		
		16,021	3.	South		
		9,937				

1 - 16 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape			
Locations	Item No.	Frequency	Items and Codes
183	 Master		GEOGRAPHIC DISTRIBUTION
103	Record		GEOGRAFIIC DISTRIBUTION
			MSA Size
		20,765	1. 1,000,000 or more
		12,530	2. 250,000 - 999,999
		3,038	3. 100,000 - 249,999
		828 10,893	4. Under 100,000 Blank. Non-MSA
184			BLANK
			DUNIN
185	Master		TYPE OF PSU
103	Record		
		26,345	1. MSA - Self-representing
		10,816	3. MSA - Nonself-representing
		10.000	4. Non-MSA - Self-representing
		10,892	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
100	Recode		MSA - NON-MSA RESIDENCE
		15,410	1. MSA - Central City
		19,674	2. MSA - Not Central City
		10,020	3. Non-MSA - Nonfarm
		607 2,343	4. Non-MSA - Farm Blank. Non-interview
		2,343	brank. Non-interview
187-200			BLANK
201-206			QUARTER BASIC WEIGHT
			Adjusted by Segment and Special HH Sampling Factors (XXXXXX.X)
207-335			BLANK

1 - 17 -

PERSON RECORD

1 NOTES:

1 - 19 -

NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of Records = 116,929 PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	_		RECORD TYPE
		116,929	20. Person Record
3-4	-		PROCESSING YEAR
		116,929	89. 1989
5	-		PROCESSING QUARTER
		26,571	1. Quarter 1
		30,780	2. Quarter 2
		29,977 29,601	3. Quarter 34. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01
			02, 22, 42, 62, 82 Week 02
			03, 23, 43, 63, 83 Week 03
			04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05
			06, 26, 46, 66, 86 Week 06
			07, 27, 47, 67, 87 Week 07
			08, 28, 48, 68, 88 Week 08
			09, 29, 49, 69, 89 Week 09
			10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11
			11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12
			13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code

which reflects the actual week assigned for conducting the interview.

- 20 -

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18 record	-		BLANK (Record Serial Number on other types).
19-20	нн-5	6,955 9,284 9,246 9,266 8,998 9,168 9,188 9,099 9,258 9,161 9,229 8,987 9,090	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10. Week 11. Week 12. Week 13.
21			BLANK

1 - 21 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		1,079	00.	Housing unit; kind unknown
		109,416	01.	House, apartment, flat
		61	02.	HU in nontransient hotel, mote etc.
		47	03.	HU-permanent in transient hote motel, etc.
		39	04.	
		4,769	05.	
		776	06.	<u>-</u>
		18	07.	
			Other U	nit = (08-13)
		32	08.	Quarters not HU in rooming or boarding house
		0	09.	
		82	10.	
		503	11.	
		106	12.	Other unit not specified above
		1	13.	Other unit; kind unknown
24	нн-11		HAS TEL	EPHONE
		104,613	1.	Yes, phone number given
		3,946	2.	Yes, no phone number given
		7,447	3.	No
		923	4.	Unknown
25	A-1		SEX	
-				
		55,570 61,359	1. 2.	Male Female
26			BLANK	

1 - 22 -

Tape ocations	Item No.	Frequency	Ite	ems and Codes
27-28	Person Column		AGE	
	COLUMN	1,940	00.	Under 1 year
		114,977	01-98.	Number of years
		12	99.	99+ years of age
29	Recode		AGE REC	CODE #1
		9,375	1.	Under 5 years
		22,982	2.	5-17 years
		11,362	3.	18-24 years
		36,688	4.	-
		22,277		45-64 years
		4,788		65-69 years
		3,830		70-74 years
		5,627	8.	75 years and over
30	Recode		AGE REC	CODE #2
		11,157	1.	Under 6 years
		19,450	2.	6-16 years
		13,112	3.	17-24 years
		19,244	4.	25-34 years
		17,444	5.	35-44 years
		12,046	6.	45-54 years
		10,231	7.	4
		8,618		65-74 years
		5,627	9.	75 years and over
31-32	Recode		AGE REC	CODE #3
		5,713	00-35.	Months
		111,216	36.	Over 3 years
33			BLANK	

Tape Locations	Item No.	Frequency	Items and Codes			
34-39	A-3		MONTH AND YEAR OF BIRTH			
34-35			MONTH			
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused			
36-39			YEAR OF BIRTH			
			1800-1899. 1800-1899 1900-1990. 1900-1990 9999. DK or refused			
40-41			BLANK			
42	L-3		MAIN RACIAL BACKGROUND - Reported			
		930 2,731 17,216 92,987 1,860 137 1,068	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown 			
			- 24 -			
			IC USE TAPE RECORDS			
Tape Locations	Item No.	Frequency	Items and Codes			
43-45	Recode		RACE RECODES			
43		RECODE 1				

		95,863 17,324 3,742	 White Black Other
44			RECODE 2
		95,863 21,066	1. White 2. Non-white
45			RECODE 3
		17,324 99,605	 Black Non-black
46-47	L-4		HISPANIC ORIGIN
		138 1,038 498 1,976 3,599 61 1,085 1,222 201 1,107 106,004	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		25,553 53,242 702 6,414 6,133 1,947 22,289 649	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown
1			- 25 -
			IC USE TAPE RECORDS RSON RECORD
Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		70,162 46	1. Non-veteran 2. WW I

3. WW II

3,885

		2,089 3,767 970 2,201 287 1,165 32,357		Post-Vietnam Other service Served in Armed Forces, unknown if war veteran
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		70,162 973 1,840 37	2.	Unknown if all service in Guard/Reserve
		9,711 1,849	4. 5.	Unknown if ever active member in Guard/Reserve or served in Armed Forces
		32,357	Blank.	Under 18 years of age
51-52	L-2		EDUCATI	ION OF INDIVIDUAL - COMPLETED YEARS
		4,528 69,649	00. 01-12.	Never attended; kindergarten only Grades 1-12
			College	: :
		6,123 7,483 2,912 8,911 1,853 4,740 1,355 9,375	13. 14. 15. 16. 17. 18. 19. Blank.	1 year 2 years 3 years 4 years 5 years 6 years or more Unknown Under 5 years of age

1 - 26 -

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		4,528 22,353 14,845 32,451	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate)

		16,518 8,911 6,593 1,355 9,375	5 6 7		1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55	-				EDUCATION OF RESPONSIBLE ADULT EMBER - (Detail)
		291 59,395	00 01-12		Never attended; kindergarten only Grades 1-12
			Colle	ge:	
		8,916 12,463 4,799 15,912 3,740 10,673 740	1. 1. 1. 1.	3. 4. 5. 6. 7. 8. 9.	5 years 6 years or more
56	-				EDUCATION OF RESPONSIBLE ADULT EMBER - Recode
			291 6,418 10,519 42,458 26,178 15,912 14,413 740		 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1		NHIS	- 27 PUBLIC USE PERSON RE	TAP	
Tape Locations	Item No.	Frequen	ıcy I	tem	s and Codes
57	L-8	40,104 73,069 3,756	F		LY INCOME \$20,000 OR MORE 1. Less than \$20,000 2. \$20,000 or more 3. Unknown

58-59	L-8	FAMILY INCOME						
		547	00.	Less tha	an \$1,000			
		704	01.	\$ 1,000	- \$ 1,999			
		905	02.	2,000	- 2,999			
		1,036	03.	3,000	- 3,999			
		1,495	04.	4,000	- 4,999			
		1,546	05.	5,000	- 5,999			
		1,780	06.	6,000	- 6,999			
		1,653	07.	7,000	- 7,999			
		1,792	08.	8,000	- 8,999			
		1,739	09.	9,000	- 9,999			
		2,317	10.	10,000	- 10,999			
		1,334	11.	11,000	- 11,999			
		2,469	12.	12,000	- 12,999			
		1,519	13.	13,000	- 13,999			
		1,685	14.	14,000	- 14,999			
		2,384	15.	15,000	- 15,999			
		1,584	16.	16,000	- 16,999			
		1,640	17.	17,000	- 17,999			
		2,401	18.	18,000	- 18,999			
		2,613	19.	19,000	- 19,999			
		9,241	20.	20,000	- 24,999			
		8,967	21.	25,000	- 29,999			
		8,713	22.	30,000	- 34,999			
		6,953	23.	35,000	- 39,999			
		6,352	24.	40,000	- 44,999			
		5,353	25.	45,000	- 49,999			
		19,014	26.	\$50,000	and over			
		19,193	27.	Unknown				

1 - 28 -

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		4,687 3,326 5,184 9,324 10,622 9,241 17,680 18,658 19,014 19,193	<pre>0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown</pre>

61	Generat	ed	NHIS PC	VERTY INDEX*
		92,869		At or above poverty threshold
		13,246	2.	Below poverty threshold
		10,814	3.	Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE C	F FAMILY
		12,303	&.	Primary individual
		1,413		Secondary individual
		103,036	0.	Primary family
		177	1-9.	Secondary family
63	A-2		RELATI	ONSHIP TO REFERENCE PERSON
		11,711	&.	Reference person, living alone
		34,708	0.	Reference person, 2+ persons in household
		26,036	1.	Spouse, other spouse NOT in Armed Forces and living at home
		327	2.	-
Forces				
				and living at home
		38,617	3.	Child of reference person or spouse
		2,154	4.	Grandchild of reference person or spouse
		951	5.	Parent of reference person or
spouse				
		2,410	6.	Other relative
		15	7.	Child of ineligible reference
person				
		0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income

Survey.

- 29 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		11,711 2,005 53,220 49,993	 Living alone Living only with non-relative Living with spouse Living with relative - other

using the 1988 poverty levels derived from the August, 1989 Current Population $\,$

65-66	Generated	SIZE OF FAMILY* Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
		1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years
		old and never married)
	24,911	1. Both parents, no other relative
	6,196	2. Mother only
	542	3. Father only
	2,970	 Both parents and other 21+ year old adult relative
	2,123	 Mother and other 21+ year old adult relative
	201	Father and other 21+ year old adult relative
	489	 No parent, but one 21+ year old adult relative
	680	8. No parent, but two or more 21+ year old adult relatives
	353	9. Unknown
	1,878	0. Other
	76,586	Blank. Not applicable (25+ years old or ever married)

^{*}Count includes spouse in military but living at home.

- 30 -

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1 B-8	51,964 16,104 4,646 11,282 576 32,357	MAJOR ACTIVITY (18+ years old) 1. Working 2. Keeping house 3. Going to school 4. Something else 5. Unknown Blank. Not applicable (Under 18 years)

70	G-4		HEALTH STATUS
		45,636 32,511 26,495	 Excellent Very Good Good
		8,390 3,182 715	4. Fair 5. Poor 6. Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)
		4,979 6,442	 Unable to perform major activity Limited in kind/amount major activity
		5,270 100,238	3. Limited in other activities4. Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		4,894 3,683 2,687 63,851 41,814	 Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)

1 - 31 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape			
Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17
years)		100	1
		122	1. Unable to attend school
		626	 Attends special school/classes
		74	 Needs special school/classes
		241	4. Limited in school attendance
		448	5. Limited in other activities
		21,471	6. Not limited (includes unknowns)
		93,947	Blank. Not applicable (under 5 years or
18+		557517	praint. Not appricable (ander 5 fears of
101			years)
			years,
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years

NEEDS HELP WITH PERSONAL CARE (5-59 years

		old and limited, or age 60-69 years)*
	607	 Unable to perform personal care needs
mouting	1,358	2. Limited in performing other
routine	16,655	needs 3. Not limited in performing personal
	509	or routine needs 4. Unknown
F.0	97,800	Blank. Not applicable (under 5 years; 5-
59		years not limited; 70+ years old)
75	D-1	EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
		In the Labor Force: (1-7)
	53,249 1,124	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-off and not looking for
work	26	3. Did not work, has job; looking for work
	1 2 1	Unemployed: (4-7)
	131	Did not work, has job; on lay- off
	7	5. Did not work, has job; on lay-
	424	off and looking for work 6. Did not work, has job; unknown
	1,680	if looking or on lay-off 7. Did not work, no job; looking for work or on lay-off
	27,931 32,357	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)
	ons 70+ years, codes 1	and 2 in loc. 71 correspond to codes 1 and 2
in loc. 74.		
1		- 32 -

^{- 32 -}

NHIS PUBLIC USE TAPE RECORDS
PERSON RECORD

Locations Item No. Frequency Items and Codes	Tape Locations	Item No.	Frequency	Items and Codes
--	-------------------	----------	-----------	-----------------

76 L-6

		27,931 40,621 1,710 2,222 4,375 1,305 4,987 97 57 1,267 32,357	 Not in labor force Private company Federal Government employee State Government employee Local Government employee Incorporated business Self-employed Without pay Never worked Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		56,641 60,288	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		56,641 60,288	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
1			- 33 -
			IC USE TAPE RECORDS RSON RECORD
Tape Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2

SEE APPENDIX C

91	L-R		RESPONDENT
		30,607	0. Under 17
		53,346	1. Self-entirely
		5,612	2. Self-partly
		26,138	3. Proxy
		1,226	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
92	Recode		
		19,367	 Condition List 1, Skin and musculoskeletal
		19,404	2. Condition List 2, Impairments
		19,056	3. Condition List 3, Digestive
		19,072	4. Condition List 4, Miscellaneous
		19,220	Condition List 5, Circulatory
		18,852	6. Condition List 6, Respiratory
		1,958	7. Unknown
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)
			36-98. Number of inches
			99. Unknown
			Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)
			050-500. Number of pounds
			501. Unknown
			Blank. Under 18 years of age
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO
			WEEKS
		104,350	00. None
		12,579	01-14. Days
1			- 34 -
		MILE DIED	LIC USE TAPE RECORDS
			ERSON RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		109,384	00. None
		•	

7,343 UI-I4. Day:	7,545	01-14.	Days
-------------------	-------	--------	------

TWO WEEKS 111,195	102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control
3,371 01-14. Days 104-105 D-3 SCHOOL-LOSS DAYS IN PAST TWO WEEKS 114,851 00. None 2,078 01-14. Days 106-107 D-6 OTHER DAYS OF RESTRICTED ACTIVITY TWO WEEKS 111,195 00. None 5,734 01-14. Days 108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 9,221 2. 8-30 days 1,052 3. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS	on			Currently Employed, 75:1-3)
104-105 D-3 SCHOOL-LOSS DAYS IN PAST TWO WEEKS 114,851 00. None 2,078 01-14. Days 106-107 D-6 OTHER DAYS OF RESTRICTED ACTIVITY: TWO WEEKS 111,195 00. None 5,734 01-14. Days 108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 1. 1-7 days 9,221 2. 8-30 days 1. 1-7 days 9,221 2. 8-30 days 1. 181-365 days 1. 181-365 days 1. 1052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				
114,851 00. None 2,078 01-14. Days 106-107 D-6 OTHER DAYS OF RESTRICTED ACTIVITY TWO WEEKS 111,195 00. None 5,734 01-14. Days 108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits			3,371	01-14. Days
2,078 01-14. Days 106-107 D-6 OTHER DAYS OF RESTRICTED ACTIVITY: TWO WEEKS 111,195 00. None 5,734 01-14. Days 108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits	104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
106-107 D-6 OTHER DAYS OF RESTRICTED ACTIVITY TWO WEEKS 111,195			114,851	00. None
TWO WEEKS 111,195			2,078	01-14. Days
5,734 01-14. Days 108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits	106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST
108-110 G-2 BED DAYS IN PAST 12 MONTHS 63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 997. 997+ visits			111,195	00. None
63,753 000. None 52,124 001-365. 1-365 days 1,052 366. Unknown 111 Recode BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				01-14. Days
52,124 1,052 1,052 101-365. 1-365 days 366. Unknown BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits	108-110	G-2		BED DAYS IN PAST 12 MONTHS
52,124 1,052 1,052 101-365. 1-365 days 366. Unknown BED DAYS IN PAST 12 MONTHS - Recode 63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits			63,753	000. None
111 Recode 63,753			52,124	001-365. 1-365 days
63,753 0. None 39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits			1,052	366. Unknown
39,827 1. 1-7 days 9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits	111	Recode		BED DAYS IN PAST 12 MONTHS - Recode
9,221 2. 8-30 days 2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits			63,753	0. None
2,474 3. 31-180 days 602 4. 181-365 days 1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				
112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				
1,052 5. Unknown 112-114 G-3 DOCTOR VISITS IN PAST 12 MONTHS 28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				
28,212 000. None 88,323 001-996. Visits 1 997. 997+ visits				
88,323 001-996. Visits 1 997. 997+ visits	112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
88,323 001-996. Visits 1 997. 997+ visits			28 212	000 None
1 997. 997+ visits				
393 998. Unknown			1	997. 997+ visits
			393	998. Unknown
1 - 35 -				25

NHIS PUBLIC USE TAPE RECORDS

PERSON RECORD

Tape
Locations Item No. Frequency Items and Codes

115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		228 89,297 11,762 9,867 4,010 1,765	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS
124-126	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

^{*}Based on operation codes and reason entered hospital.

^{- 36 -}

PERSON RECORD

Tape				
Locations	Item No.	Frequency	Iter	ms and Codes
142-143			BLANK	
144	L-9b		YEARS L	IVED IN STATE OF PRESENT RESIDENCE
		1,126	1.	Less than 1 year
		3,528	2.	1 yr., less than 5 years.
		3,317	3.	5 yrs., less than 10 yrs
		3,236	4.	10 yrs., less than 15 yrs.
		61,722	5.	15 years or more
		3,501		Unknown
less		40,499	Blank.	Not applicable (Foreign born or
1000				than 18 years of age)
145	L-9c		YEARS L	IVED IN UNITED STATES
		299	1.	Less than 1 year
		1,060	2.	1 yr., less than 5 years.
		1,317	3.	5 yrs., less than 10 yrs
		1,112	4.	10 yrs., less than 15 yrs.
		4,068	5.	
		286	9.	Unknown
		108,787	Blank.	Not applicable (U.S. born or less than 18 years of age)
146-171		_	BLANK	
172-177			~	BASIC WEIGHT BEFORE AGE-SEX-RACE ENT (Has one implied decimal)
178	Master Record		TYPE OF	SUBSTRATUM
		13,288	0.	Permit
		11,910	1.	Area, oversampled for blacks
		91,731	2.	Area, not oversampled for blacks
179-181	_		FULL SA	MPLE STRATUM IDENTIFIER
182	Master Record		REGION	
		23,298	1.	Northeast
		29,248	2.	Midwest
		39,392	3.	South
		24,991	4.	West

1 - 37 -

Tape Locations	Item No.	Frequency	Items and Codes
183	Master		GEOGRAPHIC DISTRIBUTION
	Record		MSA Size
		49,674	1. 1,000,000 or more
		30,556	2. 250,000 - 999,999
		7,572	3. 100,000 - 249,999
		1,952 27,175	4. Under 100,000 Blank. Non-MSA
		27,175	Blank. Non-MSA
184			BLANK
185	Master Record		TYPE OF PSU
	1100014	63,258	1. MSA - Self-representing
		26,496	3. MSA - Nonself-representing
		1	4. Non-MSA - Self-representing6. Non-MSA - Nonself-representing
		27,174	6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		37,449	1. MSA - Central City
		52,305	2. MSA - Not Central City
		25,473	3. Non-MSA - Nonfarm
		1,702	4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE
			<pre>FACTOR (XX.XXXXXXXXX) - character format with implied decimal</pre>
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)

- 38 -

Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL, AND ANNUAL
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281			QUARTER
282-290			SEMI-ANNUAL
291-299			ANNUAL
			ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308			QUARTER
309-317			SEMI-ANNUAL
318-326			ANNUAL
327-335			ANNUAL ESTIMATED NUMBER OF SHORT-STAY

- 39 -

CONDITION RECORD

1NOTES:

1 - 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

NHIS Code Category Title

019 Tuberculosis, arrested or inactive

Psychic factors associated with diseases classified elsewhere in specified system:

316.0 Musculoskeletal

316.1	Respiratory
316.2	Cardiovascular
316.3	Skin - 42 -
316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found
	Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified: $\[\]$

Unused ICD	Coded To:
009.1	558
009.3	558
137-139	Impairment, as appropriate
230-234	Not applicable (not reported in NHIS)
235-238	Benign, malignant or unspecified, by site
268.1	Not applicable (not reported in NHIS)
306.0,6,7,8,9	Code as if non-psychogenic
315.0-2	X14
317-319	X19
326	Code residual effect to appropriate impairment or ICD 320-325
331.3,4	X93
342	X41

1	343	X50 - 43 -
	344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	X70-X79, by site
	369	X00-X03, by severity and site
	388.2	X05-X09, by severity and site
	389	X05-X09, by severity and site
	391	Usually 398.9 (see Short Index)
	410-412	414
	429.6	414
	436	437
	438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
	520.0-2,5	X92
	521.6	X92
	524	X92
	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77
	735	X76
	736	Impairment, by type, site and cause
	737	X70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
	741	X71.9
1	742.0,1,3	X93.9 - 44 -
	743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate

impairment

X79.9
of face, coded to X90.9 of neck, coded to X79.9
X91.9
X11.9

(see Appendix III)

753.0	X31.9
754.2	X70.9
754.3	X75.9

754.4	X76.9
754.5-7	X78.9 except flatfoot coded to X77

754.8	Appropriate	impairment,	by	type	and	site

756.0-3	Appropriate	impairment,	by t	ype and	site

Appropriate impairment, by type and site

		_	
750.0	3/10 0		
758.0	X19.9		

759.7.9	X99.9

744.5

749

755

1

744.8,9

750.0,1

761.6	Not applicable
779 6	Not applicable (for fetus)

779.6	Not applicable (for fetus)
781.5	x74

783.1	278.0

798	Not	applicable

871.3	X00-X03

885-887	Appropriate	impairment,	by	site

895-897	Appropriate	impairment,	by	site
	II -I	1 ,	- 1	

905.6-8	X80-89, by site

X20-29, X35, by site 905.9 - 45 -

908.6	Code to effect
909.0,1,3,9	Code to effect

958 Code injury only 960-979 977.9 980.987 989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

1 - 46 -

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the

\$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode C - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

1 - 47 -

NHIS PUBLIC USE TAPE RECORDS

Outline of Items and Codes Number of Records = 83,548 CONDITION RECORD

Tape

Locations Item No. Frequency Items and Codes

1-2 - RECORD TYPE

83,548 30. Condition Record

3-4	-		PROCESSING YEAR
		83,548	89. 1989
5	_		PROCESSING QUARTER
		20,010 21,771 20,793 20,974	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн−5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 48 -

Tape Locations	Item No.	Frequency	Items and Codes
11-12	HH-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment

13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		CONDITION SERIAL NUMBER
			01-99. Serial Number
19-20	HH-5		PROCESSING WEEK CODE (Numbered within Quarter)
		5,074	Week 01.
		6,891	Week 02.
		6,484 6,635	Week 03. Week 04.
		6,417	Week 05.
		6,779 6,473	Week 06. Week 07.
		6,233	Week 08.
		6,905	Week 09.
		6,556 6,543	Week 10. Week 11.
		6,169	Week 12.
		6,389	Week 13.
21			BLANK
21			BLANK
1			- 49 -
		MILE DIDITE	ICE TADE DECORDS
			JSE TAPE RECORDS ION RECORD
Tape			
Locations	Item No.	Frequency	Items and Codes
22-23	HH-10d		TYPE OF LIVING QUARTERS:
			Housing Unit = (00-07)
		768	00. Housing unit; kind unknown
		77,520	<pre>01. House, apartment, flat 02. HU in nontransient hotel, motel,</pre>
		33	<pre>02. HU in nontransient hotel, motel, etc.</pre>
		66	03. HU-permanent in transient hotel,

		63 3,849 697 17	04. 05. 06.	Mobile home or trailer with no permanent room added Mobile home or trailer with one or more permanent rooms added HU not specified above
			Other U	nit = (08-13)
		44	08.	Quarters not HU in rooming or boarding house
		0	09.	Unit not permanent in transient
		53	10.	<u>.</u>
		331	11.	trailer, or tent Student quarters in college dormitory
		103 4	12. 13.	Other unit not specified above
24	HH-11		HAS TELI	FDHONE
21	1111 11			
		75,604 2,452	1. 2.	Yes, phone number given Yes, no phone number given
		4,935	3.	No
		557	4.	Unknown
25	A-1		SEX	
		34,956 48,592	1. 2.	Male Female
26			BLANK	
20			BLANK	
1			- 50 -	
			LIC USE TANDITION R	APE RECORDS ECORD
Tape Locations	Item No.	Frequency	Iter	ms and Codes
27-28	Person Column	666 82,860	AGE 00. 01-98.	2
		22	99.	

29	Recode		AGE I	RECO	DDE #1		
		3,010 8,071 4,810 22,073 22,369 7,147 5,864 10,204		3. 4. 5. 6.	Under 5 y 5-17 year 18-24 year 25-44 year 65-69 year 70-74 year 75 years	rs ars ars ars ars	over
30	Recode		AGE I	REC	DDE #2		······································
		3,566 6,835 5,490 10,274 11,799 10,267 12,102 13,011 10,204		3. 4. 5. 6. 7.	Under 6 y 6-16 year 17-24 year 25-34 year 35-44 year 55-64 year 75 years	es ars ars ars ars ars	over
31-32	Recode		AGE I	REC	DDE #3		
		1,894 81,654			Months Over 3 ye	ears	
33	_		BLAN	K			
1			- 51	1 -			
			LIC USI NDITION		APE RECORI ECORD	OS .	
Tape Locations	Item No.	Frequency	<u>-</u>	Iter	ms and Cod	les	
34-39	A-3		MONTE	H Al	ND YEAR OF	F BIRT	'H
34-35			MONT	Н			
			01. 02. 03. 04. 05.	Fek	?	08. 09. 10. 11. 12. 99.	September October November December

07. July

36-39	YEAR (F BIRTH

1800-1899. 1800-1899 1900-1990. 1900-1990

9999. DK or refused

40-41 BLANK 42 MAIN RACIAL BACKGROUND - Reported L-3 Aleut, Eskimo, or American Indian
 Asian/Pacific Islander 744 884 11,645 3. Black 68,727 4. White 5. Other 967 6. Multiple race 122 459 7. Unknown

1 - 52 -

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		70,140 11,741 1,667	 White Black Other
44			RECODE 2
		70,140 13,408	1. White 2. Non-white
45			RECODE 3
		11,741 71,807	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		83 719	00. Multiple Hispanic 01. Puerto Rican

	261 769 1,676 40 473 717 149 493	02. 03. 04. 05. 06. 07. 08.	Mexican-Mexicano Mexican-American Chicano Other Latin American Other Spanish Spanish, DK type
	78,168	10.	1 3
48 L-7		MARITAL	STATUS
	8,445 42,580 591 11,033 6,769 2,130 11,718 282	1. 2. 3. 4. 5.	Separated Never married

1 - 53 -

Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		58,846 100 5,675 2,172 2,808 515 1,534 194 623 11,081	 Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1	58,846 705 1,891 13 9,784 1,228	ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES O. Non-veteran 1. All service in Guard/Reserve 2. Some service in Guard/Reserve 3. Unknown if all service in Guard/Reserve 4. No active service in Guard/Reserve 5. Unknown if ever active member in

Guard/Reserve or if served in Armed

г	OT	ces

11,081 Blank. Under 18 years of age

51-52 L-2		EDUCATION	ON OF INDIVIDUAL - COMPLETED YEARS
	2,007 54,858		Never attended; kindergarten only Grades 1-12
		College	:
	4,624	13.	1 year
	5,507	14.	2 years
	2,173	15.	3 years
	5,712	16.	4 years
	1,310	17.	5 years
	3,444	18.	6 years or more
	903	19.	Unknown
	3,010	Blank.	Under 5 years of age

1 - 54 -

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		2,007 17,320 12,664 24,874 12,304 5,712 4,754 903 3,010	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		233 47,105	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		6,247 8,216	13. 1 year 14. 2 years

		3,185 9,178 2,423 6,552 409	15. 3 years16. 4 years17. 5 years18. 6 years or more19. Unknown
56 FAMILY			HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER - Recode
		233 7,796 9,858 29,451 17,648 9,178 8,975 409	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
1			- 55 -
			LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		38,261 43,110 2,177	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		443 641 787 1,138 2,186 1,885 2,336 2,032 1,920 1,691 2,231 1,366 2,361 1,356 1,423	00. Less than \$ 1,000 01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999 03. 3,000 - 3,999 04. 4,000 - 4,999 05. 5,000 - 5,999 06. 6,000 - 6,999 07. 7,000 - 7,999 08. 8,000 - 8,999 09. 9,000 - 9,999 10. 10,000 - 10,999 11. 11,000 - 11,999 12. 12,000 - 12,999 13. 13,000 - 13,999 14. 14,000 - 14,999

1,926	15.	15,000	_	15,999
1,208	16.	16,000	_	16,999
1,247	17.	17,000	-	17,999
1,857	18.	18,000	-	18,999
1,997	19.	19,000	_	19,999
6,649	20.	20,000	-	24,999
5,875	21.	25,000	-	29,999
5,055	22.	30,000	-	34,999
4,013	23.	35,000	-	39,999
3,356	24.	40,000	-	44,999
2,996	25.	45,000	-	49,999
10,557	26.	\$50,000	and	d over
13,016	27.	Unknown		

1 - 56 -

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		5,195 4,221 5,643 8,737 8,235 6,649 10,930 10,365 10,557 13,016	<pre>0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown</pre>
61	Generated		NHIS POVERTY INDEX*
		63,593 11,521 8,434	 Above poverty threshold Below poverty threshold Unknown
62-63			FAMILY RELATIONSHIP
62	A-2	15,862 1,046 66,535 105	TYPE OF FAMILY &. Primary individual Secondary individual 0. Primary family 1-9. Secondary family
63	A-2	15,326 29,781	RELATIONSHIP TO REFERENCE PERSON &. Reference person, living alone 0. Reference person, 2+ persons in household

20,793	1.	Spouse, other spouse NOT in Armed Forces and living at home
215	2.	Spouse, other spouse IN Armed Forces and living at home
14,178	3.	Child of reference person or spouse
610	4.	Grandchild of reference person or
		spouse
1,335	5.	Parent of reference person or spouse
1,303	6.	Other relative
7	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1988 poverty levels derived from the August, 1989 Current Population Survey.

- 57 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		15,326 1,582 45,564 24,076	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY* Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
		8,401 2,563 177 886 658	 Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult relative

	51	6.	Father and other 21+ year old adult relative
adult	155	7.	No parent, but one 21+ year old
			relative
	168	8.	No parent, but two or more 21+ year old adult relatives
	132	9.	Unknown
	1,050	0.	Other
	69,307	Blank.	Not applicable (25+ years old or
ever			
			married)

*Count includes spouse in military but living at home.

1 - 58 -

Tape Locations	Item No.	Frequency	It∈	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	ВО	30,232	1.	Working
		19,636	2.	
		2,298		Going to school
		19,659		Something else
		642		Unknown
		11,081		Not applicable (Under 18 years)
		11,001	Didin.	Not applicable (onder 10 years)
70	G-4		HEALTH	STATUS
		15,019	1	Excellent
		18,333		Very Good
		22,786		Good
		16,177		Fair
		10,858		Poor
		375		Unknown
		373	0.	OIRIOWII
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		14,584	1.	Unable to perform major activity
		15,608	2.	
activity		13,000	۷.	Dimitoed in Kind/amount major
activity		11,658	2	Limited in other activities
		41,698	3. 4.	
		41,000	4.	NOC IIIIIICEA (IIICIAGES AIINIOWIIS)

72 R	ecode	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)		
	14,294 8,174 5,584 28,347 27,149	3. 4.	Unable to work Limited in kind/amount of work Limited in other activities Not limited (includes unknowns) Not applicable (under 18 years, 70+ years)	

1 - 59 -

Tape					
Locations	Item No.	Frequency	Items and Codes		
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years		
		222 1,052 128 381 676 5,612 75,477	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18-years) 		
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years		
oid			and limited, or age 60-69 years)*		
needs		1,928	1. Unable to perform personal care		
needs		4,452	2. Limited in performing other routine needs		
or		28,037	3. Not limited in performing personal		
O1		28 49,103	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)		
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+		
			In the Labor Force: (1-7)		
		30,605 1,315	Currently Employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-		
off			and not looking for work		

8	Did not work, has job; looking for work
	Unemployed: (4-7)
126	4. Did not work, has job; on lay-off
2	Did not work, has job; on lay-off and looking for work
303	6. Did not work, has job; unknown if looking or on lay-off
1,192	Did not work, no job; looking for work or on lay-off
38,916 11,081	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74

1

- 60 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		38,916 23,047 1,168 1,513 2,894 767 3,350 103 32 677 11,081	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		33,551 49,997	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1 SEE APPENDIX B

82-83	Recode		Y RECODE 2		
			SEE APP	ENDIX B	
84-86	L-6		OCCUPAT	ION DETAIL CODE	
		33,551 49,997	003-999 Blank	. Code number . Not applicable	
87-88	Recode		OCCUPAT	ION RECODE 1	
			SEE APP	ENDIX C	
89-90	Recode	OCCUPATION RECODE 2			
			SEE APP	ENDIX C	
1			- 61 -		
			IC USE T	APE RECORDS ECORD	
Tape Locations	Item No.	Frequency Items and Codes			
91	L-R		RESPOND	ENT	
		10,401 53,633 4,395 14,373 746	0. 1. 2. 3. 4.	Under 17 Self-entirely Self-partly Proxy Unknown	
92	Recode	CONDITION LIST ASSIGNED AND ASKED			
		15,907	1.	Condition List 1, Skin and musculoskeletal	
		14,724		Condition List 2, Impairments	
		11,073	3.		
		12,264 12,784	4. 5.	Condition List 4, Miscellaneous Condition List 5, Circulatory	
		15,143 1,653		Condition List 6, Respiratory	
93-96	K-3		ICD/NHI	S CODE (DIAGNOSTIC CODE)	

(See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation)

97-99	Recode	CONDITION RECODE (B) (ICD Recode, modified for NHIS) (See Diagnostic Recodes Section)
100-103	Recode	ACUTE RECODE (A) (See Diagnostic Recodes Section)
104-106	Recode	CHRONIC RECODE (C) (See Diagnostic Recodes Section)
1		- 62 -

- 62 -

Tape Locations	Item No.	Frequency	Items and Codes
107	K-3		CHRONIC/ACUTE CODE
		70,657 12,891	1. Chronic 2. Acute
108	K-5		ONSET
		8,481 5,860 9,400 19,888 39,919	 During the past 2 weeks Over 2 weeks to 3 months Over 3 months to 12 months Over 1 year to 5 years Over 5 years
109	K-2		DOCTOR LAST SEEN FOR THIS CONDITION
		237 21,376 25,239 8,534 5,490 5,113 5,536	 Interview week 2-week reference period Over 2 weeks, less than 6 months 6 months, less than 1 year 1 year, less than 2 years 2 years, less than 5 years 5 years or more

		1,207 914 9,902	7. Doctor seen, DK when 8. DK if doctor seen 9. Doctor never seen
110	Recode		DOCTOR EVER SEEN FOR THIS CONDITION
		73,646 9,902	1. Yes 2. No
111-112	K-6		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		68,351 15,197	00. None 01-14. 1-14 days
113-114	K-7		BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		74,823 8,725	00. None 01-14. 1-14 days
1			- 63 -
			BLIC USE TAPE RECORDS ONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
		80,096 3,452	00. None 01-14. 1-14 days
117-118	K-9		SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		81,447 2,101	00. None 01-14. 1-14 days
119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS

CONDITION*

33,184 000. None 5,346 001-365. Days 32,127 366. Unknown/not a "check-list"

		12,891	condition Blank. Not a chronic condition
122	K-11		EVER HOSPITALIZED FOR THIS CONDITION*
		6,766 32,074 31,817 12,891	 Yes No Unknown/not a "check-list" condition Blank. Not a chronic condition
123	K-12		CONDITION STATUS*
		32,945 865 3,223 245 33,379 12,891	 Still has condition Condition cured Condition under control Other Unknown status/not a "check-list" condition Blank. Not a chronic condition
*Use only	for check-		ns. - 64 - LIC USE TAPE RECORDS NDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
124	K-12		LENGTH OF TIME HAD CONDITION BEFORE CURED* (Location 123 coded 2)
		41 114 164 36 117 113 72 73 135 82,683	 Less than 1 month 1-3 months Over 3 to 6 months Over 6 to 12 months 1 year 2-4 years 5-9 years 10 years or more Unknown Blank. Not applicable/not a chronic condition

125 K-12 CONDITION PRESENT IN PAST 12 MONTHS*

36,742 1. Yes 195 2. No

33,720 3. Unknown/not a "check-list" condition

condition

10001	- 1		, ,	9 1 . 1
12.891	Blank.	NO+ a	chronic	condition
14,071	Drain.	NOL a	CIII OIII C	COLIGITATION

	126	Recode		(all ag	CON CAUSES ACTIVITY LIMITATION ges) (Refer to loc. 71 in all records household for activity limitation
of			16,691	1.	Limited, this condition main cause
-					limitation
			9,877	2.	Limited, this condition secondary cause of limitation
			15,282	3.	Limited, but not caused by this condition
			41,698	4.	Not limited

^{*}Use only for check-list conditions.

- 65 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes	
127	Recode		CONDITION CAUSES LIMITATION IN ABILITY TO WORK (for all persons 18-69 years of age)		
		8,577	1.	Limited in work, this condition main cause of this limitation	
		5,164	2.	Limited in work, this condition	
				secondary cause of this limitation	
		8,727	3.	-	
		33,931	4.		
		27,149	Blank.		
128	_		ALL INC	JURIES*	
		9,387	1.	First	
		1,160	2.	Not first	
		73,001	Blank.	Not an injury	
	D		TO THE	UNIVERSE DESCRIPTION OF COMPLETATION	
129	Recode			JRY ADVERSE REACTION OR COMPLICATION ICAL CARE	
		81		Yes, adverse reaction**	
		403	2.		
		10 063	2		
		73,001	Blank.		
128	Recode	8,727 33,931 27,149 9,387 1,160 73,001 81 403 10,063	Blank. ALL INC. 1. 2. Blank. IS INJU. OF MEDI. 2. 3.	secondary cause of this limitation Limited in work but not caused by this condition Not limited in work Not applicable JURIES* First Not first Not an injury JRY ADVERSE REACTION OR COMPLICATION ICAL CARE Yes, adverse reaction** Yes, complication of medical care (therapeutic misadventure)**	

130	K-14		PLACE C	PLACE OF ACCIDENT		
		1,020	1.	At home (inside house)		
		1,035	2.	At home (adjacent premises)		
		2,550	3.	Street and highway (including		
roadway						
_				and public sidewalks)		
		198	4.	Farm		
		2,009	5.	Industrial place (including		
premises)				-		
		512	6.	School (including premises)		
		606		Place of recreation and sports, except school		
		1,145	8.	Other		
		1,472	9.	Unknown		
		73,001	Blank.	Not an injury		

^{*}Includes all conditions reported as caused by an accident or injury, conditions

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items and Codes
131	K-15		AT WORK AT TIME OF ACCIDENT
		2,754	1. Yes
		4,325	2. No
		1,488	 Not applicable, under 18 at time of accident
		407	4. Not applicable, in Armed Forces
		1,573	5. Unknown
		73,001	Blank. Not an injury
132	K-16		MOTOR VEHICLE INVOLVED
		2,636	1. Yes
		6,865	2. No
		1,046	3. Unknown
		73,001	Blank. Not an injury
133	K-16		NUMBER OF VEHICLES INVOLVED

^{**}Locations 130-134 are coded 'Unknown' for these injuries.

		1,601 1,004 31 80,912	2. 3.	One Two or more Unknown Not an injury/no or unknown if motor vehicle involved
134	K-16		MOVING	MOTOR VEHICLE INVOLVED
		2,300 277 59 80,912	3.	Yes No Unknown Not an injury/no or unknown if motor vehicle involved
1			- 67 -	-
			LIC USE T	CAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	It∈	ems and Codes
135-137	Recode		CLASS C	OF ACCIDENT
		9,656 407 403 81 73,001	500 600). SEE APPENDIX D
138	Recode		SELECTE	ED FIRST INJURY*
		7,290 686 75,572	1. 2. Blank.	First Not first Not a selected injury
139	Recode		LIMITAT	CON CAUSES PERSONAL CARE ACTIVITY CION (5-59 years old and limited, or 69 years)
		1,965	1.	Limited, condition main cause of

limitation

limitation

condition

4. Not limited

2. Limited, condition secondary cause

3. Limited, but not caused by this

Blank. Not applicable (under 5 years, 5-59 years not limited, 70+ years old)

1,052

3,363

28,065

49,103

of

_		BLANK	
Master		TYPE OF	SUBSTRATUM
Recora			
	7,532	0.	Permit
	8,733	1.	Area, oversampled for blacks
	67,283	2.	Area, not oversampled for blacks
		FIII.I. SA	MPLE STRATUM IDENTIFIER
		1011 01	WILL STRITON IDENTIFIED
Master		REGION	
Record			
	15,344	1.	Northeast
	21,232	2.	Midwest
	•	3.	South
	•		West
	10,000	1.	11000
	Record	Record 7,532 8,733 67,283 Master Record	Master Record 7,532 0.8,733 1.67,283 2. Master Record FULL SA 1.21,232 2.29,976 3.

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 68 **-**

·				
Tape Locations	Item No.	Frequency	Items and Codes	
183	Master Record		GEOGRAPHIC DISTRIBUTION MSA Size	
		32,628 22,453 5,239 1,370 21,858	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA	
184	-		BLANK	
185	Master Record	42,357 19,333 3 21,855	TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing	

186	Recode		MSA - NON-MSA RESIDENCE
		26,891	1. MSA - Central City
		34,799	2. MSA - Not Central City
		20,680	3. Non-MSA - Nonfarm
		1,178	4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXX) - character format
vith			implied decimal
			- 69 -
		NHTS DI	IBLIC USE TAPE RECORDS

Tape Locations	Item No.	Frequency	Items and Codes
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254			QUARTER, SEMI-ANNUAL AND ANNUAL

055 063		ESTIMATED WORK-LOSS IN PAST 2 WEEKS
255-263		QUARTER, SEMI-ANNUAL AND ANNUAL
		ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272		QUARTER, SEMI-ANNUAL AND ANNUAL
		ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281		QUARTER
282-290		SEMI-ANNUAL
291-299		ANNUAL
300-335		BLANK
1NOTES:		
1		- 71 -
	DOCTOR	VISIT RECORD
1NOTES:		
1		- 73 -
		LIC USE TAPE RECORDS
	Number	of Items and Codes of Records = 24,340
	DOCT	OR VISIT RECORD
Tono		
Tape Locations	Item No. Frequency	Items and Codes
1-2	-	RECORD TYPE
	24,340	40. Two-week Doctor Visit Record
3-4	_	PROCESSING YEAR

24,340 89. 1989

5	-	PROCESSING QUARTER 5,950 1. Quarter 1 6,365 2. Quarter 2 5,946 3. Quarter 3 6,079 4. Quarter 4
6-8	нн-5	RANDOM RECODE OF PSU NUMBER
9-10	нн-5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which

reflects the actual week assigned for conducting the interview.

1 - 74 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER

Numbered within PSU-Week-Segment

15-16	-		PERSON NUMBER
17-18	-		DOCTOR VISIT SERIAL NUMBER 01-99. Serial Number
19-20	нн-5	1,388 1,975 1,872 1,967 1,978 2,042 1,958 1,916 1,975 1,964 1,841 1,788 1,676	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10. Week 11. Week 12. Week 13.
21			BLANK

1 - 75 -

Tape Locations	Item No.	Frequency		Items and Codes
22-23	НН-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		246	00.	Housing unit; kind unknown
		22,725	01.	House, apartment, flat
		8	02.	HU in nontransient hotel, motel, etc.
		19	03.	HU-permanent in transient hotel, motel, etc.
		4	04.	HU in rooming house
		1,000	05.	Mobile home or trailer with no permanent room added
		147	06.	Mobile home or trailer with one or

		2		07.	more permanent rooms added HU not specified above
			Oth	er U	nit = (08-13)
		10		08.	-
		0		09.	±
		19		10.	± '
		131		11.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		29 0		12. 13.	<u>-</u>
24	нн-11		пус	יידיד	EPHONE
24	nn-11		паз	161	EFRONE
		22,095 769		1. 2.	Yes, phone number given
		1,303		∠. 3.	Yes, no phone number given No
		173		4.	Unknown
25	A-1		SEX		
		9,928		1.	Male
		14,412		2.	
26			BLAI	NK	
1			-	76	-
					TAPE RECORDS RECORD
Tape					
Locations	Item No.	Frequency			Items and Codes
27-28	Person		AGE		
	Column	781		00.	Under 1 year
		23,551	01	-98.	Number of years
		8		99.	99+ years of age
29	Recode		AGE	REC	ODE #1
		2,376		1.	Under 5 years
		2,376		2.	
		1,694		3.	

		7,115 5,255 1,533 1,228 2,148	5. 6. 7.	25-44 years 45-64 years 65-69 years 70-74 years 75 years and over
30	Recode		AGE REC	ODE #2
		2,682 2,438 1,941 3,704 3,411 2,731 2,524 2,761 2,148	2. 3. 4. 5. 6. 7. 8.	Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years 65-74 years 75 years and over
31-32	Recode		AGE REC	ODE #3
		1,723 22,617	00-35. 36.	Months Over 3 years
33			BLANK	
1			- 77	-
			BLIC USE TOR VISIT	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency		Items and Codes
34-39	A-3		MONTH AI	ND YEAR OF BIRTH
34-35			MONTH	
			01. 02. 03. 04. 05. 06. 07. 08. 09.	February March April May June July August September October

12. December

99. DK or refused

36-39 YEAR OF BIRTH

1800-1899. 1800-1899

1900-1990. 1900-1990 9999. DK or refused

40-41 BLANK 42 L-3 MAIN RACIAL BACKGROUND - Reported 232 1. Aleut, Eskimo, or American Indian Asian/Pacific Islander
 Black 339 3,140 20,039 4. White 314 5. Other 69 6. Multiple race 207 7. Unknown

1 - 78 -

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		20,588 3,170 582	 White Black Other
44			RECODE 2
		20,588 3,752	 White Non-white
45			RECODE 3
		3,170 21,170	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		26 238	00. Multiple Hispanic 01. Puerto Rican

		57	02.	Cuban
		235	03.	Mexican-Mexicano
		557	04.	Mexican-American
		18	05.	Chicano
		183	06.	Other Latin American
		259	07.	Other Spanish
		31	08.	Spanish, DK type
		221	09.	Unknown if Spanish origin
		22,515	10.	Not Spanish origin
4.0			MADIMAT	OTTA TILLO
48	L-7		MARITAL	STATUS
		4,508	0.	Under 14 years
		11,643	1.	
		155	2.	Married - spouse not in household
		2,170	3.	Widowed
		1,716		Divorced
		552	5.	
		3,485		Never married
		-, -00	• •	
		111	7.	Unknown
		111	7.	Unknown
		111	7.	Unknown

- 79 -

1

Tape Locations	Item No.	Frequency		Items and Codes
49	L-1		VETERAN	STATUS
		15,724	1.	Non-veteran
		12	2.	WW I
		1,303	3.	WW II
		484	4.	Korean War
		605	5.	Vietnam veteran
		174	6.	Post-Vietnam
		418	7.	Other service
		67	8.	Served in Armed Forces, unknown if war veteran
		186	9.	Unknown if served in Armed Forces
		5,367	Blank.	Under 18 years of age
50	L-1			GUARD/RESERVE STATUS FOR PERSONS ON DUTY IN ARMED FORCES
		15,724	0.	Non-veteran
		198	1.	All service in Guard/Reserve
		416	2.	Some service in Guard/Reserve
		5	3.	Unknown if all service in Guard/Reserve
		2,317	4.	No active service in Guard/Reserve
		313	5.	Unknown if ever active member in Guard/Reserve or if served in Armed

		F 267	Dlank	Forces
		5,367	Blank.	Under 18 years of age
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		762 13,848	00. 01-12.	Never attended; kindergarten only Grades 1-12
			College	:
		1,357	13.	1 year
		1,756	14.	2 years
		647	15.	1
		1,776	16.	4
		423	17.	1
		1,150	18.	1
		245	19.	
		2,376	Blank.	Under 5 years of age
1			- 80	-
		MILLO DI	IDI TO HOR	EADE DECORDO
			BLIC USE TOR VISIT	TAPE RECORDS
		БОС	TOR VISIT	RECORD
Tape				
Locations	Item No.	Frequency		Items and Codes
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		5.60		
		762	0.	None; kindergarten only
		4,007	1.	1-8 years (elementary)
		3,121	2.	9-11 years (high school)
		6,720	3.	12 years (high school graduate)
		3,760	4.	1-3 years (college)

53	Recode		EDUCATION OF INDIVIDUAL RECODE
		762	0. None; kindergarten only
		4,007	1. 1-8 years (elementary)
		3,121	2. 9-11 years (high school)
		6,720	3. 12 years (high school graduate)
		3,760	4. 1-3 years (college)
		1,776	5. 4 years (college graduate)
		1,573	6. 5+ years (post-college)
		245	7. Unknown
		2,376	Blank. Under 5 years of age
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
FAMILY			MEMBER (Detail)
'AMILY		46	MEMBER (Detail) 00. Never attended; kindergarten only
· AMILY		46 12,111	
· AMILLY			00. Never attended; kindergarten only
AMILLY			00. Never attended; kindergarten only 01-12. Grades 1-12
AMILY		12,111	00. Never attended; kindergarten only 01-12. Grades 1-12 College:

		3,162 818 2,399 123	16. 4 years 17. 5 years 18. 6 years or more 19. Unknown	
56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE	ADULT
		46 1,453 2,378 8,280 5,681 3,162 3,217 123	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school gr 1-3 years (college) 4 years (college graduat 5+ years (post-college) Unknown 	aduate)
1			- 81 -	
			IC USE TAPE RECORDS OR VISIT RECORD	
Tape Locations	Item No.	Frequency	Items and Codes	

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		9,299 14,425 616	 Less than \$20,000 \$20,000 or more Unknown
58-59	L-8		FAMILY INCOME
		137	00. Less than \$1,000
		149	01. \$ 1,000 - \$ 1,999
		232	02. 2,000 - 2,999
		246	03. 3,000 - 3,999
		459	04. 4,000 - 4,999
		444	05. 5,000 - 5,999 06. 6,000 - 6,999
		547 428	06. 6,000 - 6,999 07. 7,000 - 7,999
		428 426	08. 8,000 - 8,999
		442	09. 9,000 - 9,999
		569	10. 10,000 - 10,999
		300	11. 11,000 - 11,999
		589	12. 12,000 - 12,999
		416	13. 13,000 - 13,999
		309	14. 14,000 - 14,999
		504	15. 15,000 - 15,999

374	16.	16,000	-	16,999
336	17.	17,000	-	17,999
471	18.	18,000	-	18,999
531	19.	19,000	-	19,999
1,806	20.	20,000	-	24,999
1,905	21.	25,000	-	29,999
1,746	22.	30,000	-	34,999
1,331	23.	35,000	-	39,999
1,144	24.	40,000	-	44,999
1,025	25.	45,000	-	49,999
4,066	26.	\$50,000	and	over
3,408	27.	Unknown		

- 82 -

Tape				
Locations	Item No.	Frequency		Items and Codes
60	Recode		FAMILY	INCOME RECODE
		1,223	0.	
		991	1.	
		1,296	2.	·
		2,183	3.	
		2,216	4.	·
		1,806	5.	
		3,651 3,500	6. 7.	
		4,066	8.	
		3,408	9.	1 7
		3,400	٦.	Olikilowii
61	Generated		NHIS PO	OVERTY INDEX*
		19,392	1.	Above poverty threshold
		2,934		Below poverty threshold
		2,014	3.	Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	F FAMILY
		3,650		Primary individual
		325		-
		20,340	0.	Primary family
		25	1-9.	Secondary family
63	A-2		RELATI(ONSHIP TO REFERENCE PERSON
		3,515	&.	, , , , , , , , , , , , , , , , , , ,
		7,473	0.	Reference person, 2+ persons in household
		6,174	1.	

101	2.	Spouse, other spouse IN Armed Forces
		and living at home
6,135	3.	Child of reference person or spouse
285	4.	Grandchild of reference person or
		spouse
277	5.	Parent of reference person or spouse
378	6.	Other relative
2	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age and family income using the 1988 poverty levels derived from the August, 1989 Current Population Survey.

- 83 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		3,515 460 11,639 8,726	 Living alone Living only with non-relative Living with spouse Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		4,204 941	 Both parents, no other relative Mother only
		82	3. Father only
		347	 Both parents and other 21+ year old adult relative
		277	5. Mother and other 21+ year old adult relative
		17	6. Father and other 21+ year old adult

relative

	52	7.	No parent, but one 21+ year old
adult			-
			relative
	68	8.	No parent, but two or more 21+ year
			old adult relatives
	48	9.	Unknown
	349	0.	Other
	17,955	Blank.	Not applicable (25+ years old or ever married)

^{*}Count includes spouse in military but living at home.

1 - 84 -

Tape Locations	Item No.	Frequency		Items and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	ВО	9,114	1.	Working
		4,475		Keeping house
		784		Going to school
		4,463	4.	Something else
		137	5.	Unknown
		5,367	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		5,825	1	Excellent
		5,651		Very Good
		6,330		Good
		3,606		Fair
		2,800		Poor
		128		Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		2 722	1	Unable to perform major activity
		3,722 2,879	2.	Unable to perform major activity Limited in kind/amount major
activity		2,017	۷.	Dimiteca in Aina, amount major
		1,864	3.	Limited in other activities
		15,875		Not limited (includes unknowns)
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)

3,450	1.	Unable to work
1,453	2.	Limited in kind/amount of work
892	3.	Limited in other activities
9,802	4.	Not limited (includes unknowns)
8,743	Blank.	Not applicable
		(under 18 years, 70+ years)

1 - 85 -

Tape			
Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		78 171 26 117 167 2,432 21,349	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
Old			and limited, or age 60-69 years)*
needs		619	1. Unable to perform personal care
needs		1,125	2. Limited in performing other routine needs
		5,708	3. Not limited in performing personal
or		41 16,847	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)
. 5 5		8,715 879	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-
off		2	and not looking for work3. Did not work, has job; looking for work

		Unemploye	ed: (4-7)	
	45	4. 1	Did not work,	has job; on lay-off
	1	5. 1	Did not work,	has job; on lay-off
and				
			looking for w	ork
	108	6. 1	Did not work,	has job; unknown if
			looking or on	lay-off
	323	7. 1	Did not work,	no job; looking for
		7	work or on lay	y-off
				8+ years): (8)
	8,900			Force (18+ years)
	5,367	Blank. I	Not applicable	e (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74. 1

- 86 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		8,900 7,060 409 476 891 190 788 23 14 222 5,367	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		10,073 14,267	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE

		10,073 14,267	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 87 -
			LIC USE TAPE RECORDS OR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes

Tape			
Locations	Item No.	Frequency	Items and Codes
91	91 L-R		RESPONDENT
		- 100	
		5,120	0. Under 17
		13,796	1. Self-entirely
		1,189	2. Self-partly
		3,988	3. Proxy
		247	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		4,032	1. Condition List 1, Skin and
		2 262	musculoskeletal
		3,969	2. Condition List 2, Impairments
		4,046	3. Condition List 3, Digestive
		3,875	4. Condition List 4, Miscellaneous
		3,942	5. Condition List 5, Circulatory
		3,971	6. Condition List 6, Respiratory
		505	7. Unknown
93-96	F-1		DATE OF VISIT
		0	6666. During 2 weeks, DK when
		1,871	7777. Last week, DK day
		1,983	8888. Week before, DK day
		1,903	oooo. Week belole, bk day
93-94			MONTH
		1,559	01. January
		1,751	02. February
		1,846	03. March
		1,781	04. April
		1,841	05. May
		1,616	06. June
		1,508	07. July
		1,500	o/. oury

	1,868 1,578 1,776 1,682 1,486 194	08. August 09. September 10. October 11. November 12. December 99. DK month
95-96		DAY
	20,292 194	01-31. Day of month 99. DK day codes for Unknown in month and day

1 - 88 -

Tape Locations	Item No.	Frequency		Items and Codes
97-98	Recode			OR VISIT VALUES (Number of days between of Visit and Interview)
period		234	00.	Visit on last Sunday of reference
period		512	01.	Visit on second Saturday of reference period
		2,221	02.	Visit on second Friday of reference period
		1,968	03.	Visit on second Thursday of reference period
		1,900	04.	Visit on second Wednesday of reference period
		1,919	05.	Visit on second Tuesday of reference period
		2,146	06.	Visit on second Monday of reference period
		244	07.	Visit on first Sunday of reference period
		499	08.	Visit on first Saturday of reference period
		1,846	09.	Visit on first Friday of reference period
		1,567	10.	Visit on first Thursday of reference period
		1,643	11.	Visit on first Wednesday of reference period
		1,680	12.	Visit on first Tuesday of reference period
		1,913	13.	Visit on first Monday of reference period
		4,048	14.	No value (records not coded 01-31 in Day of Month of Visit)

	necouc		D111 01	Marit of Violi
		4,059	1.	Monday
		3,599	2.	Tuesday
		3,543	3.	
		3,535	4.	Thursday
		4,067	5.	
		1,011	6.	-
		478	7.	
		4,048	8.	Unknown
			- 89	
		NHIS PU	BLIC USE '	TAPE RECORDS
		DOC	TOR VISIT	RECORD
Tape				
Locations	Item No.	Frequency		Items and Codes
100	Recode		WEEK OF	VISIT
		10 771	1	Last week
		12,771	1.	
		11,375	2.	
		194	3.	During 2 weeks, DK when
101-102			PLACE O	F VISIT
		2,854	01.	Telephone
			Not in	Hospital
		535	02.	Home
		14,287	03.	
		324	04.	
		1,670	05.	
		71	06.	
		642		Other
			In Hosp	ital
		1,761	08.	Outpatient clinic
		838	09.	
		700	10.	
		154	11.	
		336	12.	
		168	13.	
103	Recode		PLACE O	F VISIT
		2,854	1.	Telephone
		14,287	2.	Doctor's office (not in hospital)
		1,761	3.	Hospital Outpatient clinic
		838	4.	Hospital Emergency Room

DAY OF WEEK OF VISIT

99

Recode

```
700 5. Doctor's office in hospital
324 6. Company or Industry clinic
535 7. Home
2,873 8. Other place (Loc. 101-102 =
5,6,7,11,12)
168 9. Unknown
```

- 90 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
104	F-3		MEDICAL	DOCTOR ACTUALLY TALKED TO
		18,763 5,205 372	1. 2. 3.	Yes No Unknown
105-106	F-3		KIND OF VISIT/CO	MEDICAL DOCTOR FOR THIS DOCTOR
		1,418 9,227 23 427 2,896 362 1,558 754 1,227 120 475 3 2,172 21 370 468 544 450 222 245 77 1,166 115	00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14. 15. 16. 18. 19. 20. 21. 22. Blank.	General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist Surgeon (not listed above) Urologist Other M.D. specialist Specialist, DK kind Family Practice (specialist) DK if medical doctor

- 91 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		106 81 2,433 164 4 632 8 32 105 194 49 61 571 207 3 112 11 0 0 281 523 18,763	31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. Blank.	Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist Naprapath Orthoptic technician/Orthopist Other non-medical person

1 - 92 -

Tape				
Locations	Item No.	Frequency	Items and Codes	
109-110	F-3		TYPE OF PERSON TALKED TO/SEEN	
		720	00. M.D., DK if G.P. or speci	alist
		7,746	01. General practitioner	
		22	02. Anesthesiologist	
		391	03. Dermatologist	
		2,222	04. Internist	
		296	05. Neurologist	
		1,309	06. Obstetrician/Gynecologist	-
		724	07. Ophthalmologist	-
		872	08. Orthopedist	
		0 / 2	oo. Or chopearbe	

115 413		Osteopath Otolaryngologist
1		Pathologist
1,906	12	Pediatrician
20	13	Proctologist
318	14	Psychiatrist
359		Radiologist
475	16.	
351	18.	
175	19.	3
194		Specialist, DK kind
61		Family Practice (specialist)
106	31.	
81	32.	
2,433	33.	
164		Laboratory technician
4		Paramedic
632	36.	Physical therapist
8	37.	Social worker
32	38.	Pharmacist
105		X-ray technician
194		Other technician
49	41.	Dentist/Oral surgeon
61	42.	Optometrist/Optician
571		Chiropractor
207	44.	
3		Dietician
112	46.	Psychologist
11	47.	
0		Naprapath
0	49.	Orthoptic technician/Orthoptist
281		Other non-medical person
523	51.	Not MD; unknown type of medical assistant
70	52.	Unknown if MD

1 - 93 -

Tape Locations	Item No.	Frequency		Items and Codes
111-161			CONDITI	ONS FOR WHICH DOCTOR VISITED
111-127			CONDITI	ON NO. 1
111-112	F-4		SERIAL I	NUMBER
			01-99. Blank.	Condition Serial Number
113-116	Condition		ICD/NHI	S CODE
	Record	207 19,825	0000.	No matched condition record ICD/NHIS Code (note Unknown = 7999)

		4,308	Blank. N	No condition for this visit
117	Condition Record		CHRONIC/A	ACUTE CODE
	Record	207 12,130 7,695 4,308	1. (2. <i>I</i>	No matched condition record Chronic Acute No condition for this visit
118-121	Condition Record		ACUTE REC	CODE (A)
	Record	207 6,996 699 16,438		including unknowns
condition		10,130	Diam	for this visit
122-124	Condition Record		CHRONIC F	RECODE (C)
		207 9,102 3,028		No matched condition record Chronic Recode All other chronic conditions including unknowns Acute condition or no condition
for		12,003	Blank.	this visit
125-127	Condition Record		CONDITION	N RECODE (B)
	Record	207 19,679 146	000. 010-570. 990.	
1		4,308	Blank. - 94 -	No condition for this visit

Tape Locations	Item No.	Frequency		Items and Codes
111-161 cont			CONDITI	ONS FOR WHICH DOCTOR VISITED -
128-144			CONDITI	ON NO. 2
128-129	F-4		SERIAL	NUMBER
			01-99. Blank.	Condition Serial Number
130-133	Condition Record		ICD/NHI	S CODE
	VECOLA	39 3,263	0000.	No matched condition record ICD/NHIS Code (note Unknown = 7999)

		21,038	Blank. No condition	for this visit
134	Condition Record		CHRONIC/ACUTE CODE	
		39 2,343 920 21,038	0. No matched co 1. Chronic 2. Acute Blank. No condition	
135-138	Condition Record		ACUTE RECODE (A)	
	Record	39 760 160	1001-5931. Acute Rec 5932. All other	d condition record ode acute conditions unknowns
condition		23,381	Blank. Chronic c	ondition or no
			for this	visit
139-141	Condition Record		CHRONIC RECODE (C)	
139-141	Condition Record	39 1,812 531	000. No matched 101-615. Chronic Rec 999. All other c including u	hronic conditions nknowns
139-141 for		1,812	000. No matched 101-615. Chronic Rec 999. All other c including u	ode hronic conditions
		1,812 531	000. No matched 101-615. Chronic Rec 999. All other c including u	ode hronic conditions nknowns
		1,812 531	000. No matched 101-615. Chronic Rec 999. All other c including u Blank. Acute condi	ode hronic conditions nknowns
for	Record	1,812 531	000. No matched 101-615. Chronic Rec 999. All other c including u Blank. Acute condi this visit CONDITION RECODE (B) 000. No matched 010-570. Condition r	ode hronic conditions nknowns tion or no condition condition record

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
145-161			CONDITION NO. 3
145-146	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.
147-150	Condition Record		ICD/NHIS CODE
	Necord	19 711	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999)

		23,610	Blank. 1	No condition for this visit
151	Condition Record		CHRONIC/	ACUTE CODE
		19 558 153	1.	No matched condition record Chronic Acute
		23,610	— · -	No condition for this visit
152-155	Condition Record		ACUTE RE	CODE (A)
		19 109 44	0000 1001-593 593	1. Acute Recode
		24,168	Blanl	including unknowns
condition		21/100	Didii	for this visit
156-158	Condition Record		CHRONIC I	RECODE (C)
		19 428 130	000. 101-615. 999.	Chronic Recode All other chronic conditions
		23,763	Blank.	including unknowns Acute condition or no condition for this visit
159-161	Condition Record		CONDITIO	N RECODE (B)
	Record	19 702	000. 010-570.	
		9	990.	All other conditions including unknown
		23,610	Blank.	No condition for this visit
1			- 96 -	

Tape Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		1,014 19,814 658 2,854	1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE
163-164			OPERATION NO. 1
			See Appendix E

165-166			OPERATI	ON NO. 2
			See App	endix E
167-168			OPERATI	ON NO. 3
			See App	endix E
169-177			BLANK	
178	Master Record		TYPE OF	SUBSTRATUM
	1100014	2,771	0.	Permit
		2,227		Area, oversampled for blacks
		19,342	2.	Area, not oversampled for blacks
179-181			FULL SA	MPLE STRATUM IDENTIFIER
182	Master		REGION	
	Record			
		4,823		Northeast
		6,033		Midwest
		8,245 5,239		South West
		5,239	4.	west
183	Master		GEOGRAP	HIC DISTRIBUTION
	Record		MSA Siz	
			MSA S1Z	e
		10,371	1.	1,000,000 or more
		6,511		250,000 - 999,999
		1,560		100,000 - 249,999
		377		Under 100,000
		5,521	Blank.	Non-MSA
1			- 97	
			BLIC USE OR VISIT	TAPE RECORDS 'RECORD
-				
Tape Locations	Item No.	Frequency		Items and Codes
Locacions	reem wo.	rrequestey		Teems and codes
184			BLANK	
704			DIMIN	
185	Master Record		TYPE OF	PSU

		13,271 5,548 0 5,521	 MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode	7,937 10,882 5,217 304	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXX) character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUA1 (WT/2)
219-227			ANNUAL (WT/4)
1			- 98 - BLIC USE TAPE RECORDS FOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
			6.5 WEIGHT
228-236			QUARTER, SEMI-ANNUAL AND ANNUAL
237-335			BLANK

1 - 99 -

$\hbox{\tt HOSPITAL} \qquad \hbox{\tt RECORD}$

1NOTES:

1 - 101 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 12,481
HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	12,481	RECORD TYPE 50. Hospital Record
3-4	-	12,481	PROCESSING YEAR 89. 1989
5	-	2,931 3,241 3,242 3,067	PROCESSING QUARTER 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

*This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 102 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

			
Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		HOSPITAL SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5	767 1,000 984 906 1,002 988 1,001 907 994 1,027 929 970 1,006	PROCESSING WEEK CODE (Numbered within Quarter) 01. Week 01 02. Week 02 03. Week 03 04. Week 04 05. Week 05 06. Week 06 07. Week 07 08. Week 08 09. Week 09 10. Week 10 11. Week 11 12. Week 12 13. Week 13

21 BLANK

1 - 103 -

26

$\begin{array}{cccc} {\tt NHIS} & {\tt PUBLIC} & {\tt USE} & {\tt TAPE} & {\tt RECORDS} \\ & & {\tt HOSPITAL} & {\tt RECORD} \end{array}$

Tape Locations	Item No.	Frequency	I	ter	ms and Codes
22-23	нн-10d		TYPE	OF	LIVING QUARTERS:
			Housi	.ng	Unit = (00-07)
		103	0	00.	Housing unit; kind unknown
		11,539)1.	5
		10		2.	
		4	0	3.	
		13	0)4.	
		634)5.	
		102	0	6.	-
		5	0	7.	
			Other	. Ui	nit = (08-13)
		10	0	8.	Quarters not HU in rooming or boarding house
		0	0	9.	-
		11	1	0.	
		34	1	1.	
		16	1	2.	-
		0		.3.	
24	нн-11		HAS T	EL	EPHONE
		11 002	1		War albana mankan alaan
		11,003		- •	, 1
		374		3.	. 1
		1,037). [.	No Unknown
		67	7		Unknown
25	A-1		SEX		
		4,935	1		Male
		7,546		2.	Female

BLANK

1 - 104 -

Tape Locations	Item No.	Frequency	Items and Codes	
27-28	Person Column	247 12,234 0	AGE 00. Under 1 year 01-98. Number of years 99. 99+ years of age	
29	Recode		AGE RECODE #1	
		619 728 1,311 3,660 2,745 942 894 1,582	 Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years 75 years and over 	
30	Recode		AGE RECODE #2	
		679 546 1,433 2,156 1,504 1,326 1,419 1,836 1,582	1. Under 6 years 2. 6-16 years 3. 17-24 years 4. 25-34 years 5. 35-44 years 6. 45-54 years 7. 55-64 years 8. 65-74 years 9. 75 years and over	
31-32	Recode		AGE RECODE #3	
		492 11,989	00-35. Months 36. Over 3 years	
33	_		BLANK	

1 - 105 -

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1990. 1900-1990 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		130 169 1,902 10,001 181 19	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown
1			- 106 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes

43-45	Recode		RACE RECODES
43			RECODE 1
		10,260 1,915 306	 White Black Other
44			RECODE 2
		10,260 2,221	1. White 2. Non-white
45			RECODE 3
		1,915 10,566	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		7 121 52 190 309 13 97 119 22 81 11,470	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		1,006 7,028 122 1,439 855 341 1,642 48	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced Separated Never married Unknown
1			- 107 -
			LIC USE TAPE RECORDS SPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS

		9,004 16 950 305 326 94 268 40 131 1,347	 Non-veteran WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		0 004	0 Non weteren
		9,004 102	<pre>0. Non-veteran 1. All service in Guard/Reserve</pre>
		289	2. Some service in Guard/Reserve
		1	3. Unknown if all service in
			Guard/Reserve
		1,489	4. No active service in Guard/Reserve
		249	5. Unknown if ever active member in
			Guard/Reserve or if served in Armed Forces
		1,347	Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		211	00. Never attended; kindergarten only
		8,330	01-12. Grades 1-12
			College:
		693	13. 1 year
		824	14. 2 years
		290	15. 3 years
		801	16. 4 years
		146	17. 5 years
		423	18. 6 years or more
		144	19. Unknown
		619	Blank. Under 5 years of age
1			- 108 -
_		NHTS I	PUBLIC USE TAPE RECORDS

Tape			
Locations	Item No.	Frequency	Items and Codes

		211 2,221 2,094 4,015 1,807 801 569 144 619	0. 1. 2. 3. 4. 5. 6. 7. Blank.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown
54-55	-			EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		34 7,474	00. 01-12.	
			College	:
		901 1,193 432 1,290 277 799 81	13. 14. 15. 16. 17. 18.	2 years 3 years 4 years 5 years 6 years or more
56	-			EDUCATION OF RESPONSIBLE ADULT MEMBER RECODE
		34 1,072 1,616 4,786 2,526 1,290 1,076 81	0. 1. 2. 3. 4. 5. 6.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college)
1			- 109	
		-	BLIC USE OSPITAL R	TAPE RECORDS ECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
57	L-8		FAMILY	INCOME \$20,000 OR MORE

1. Less than \$20,000

5,952

```
336
                                      3.
                                          Unknown
                                  FAMILY INCOME
58-59 L-8
                        73
                                      00. Less than $1,000
                                           $ 1,000 - $ 1,999
                        132
                                      01.
                                             2,000 -
                        122
                                      02.
                                                        2,999
                        204
                                             3,000 -
                                      03.
                                                        3,999
                                             4,000 -
                        304
                                      04.
                                                        4,999
                        334
                                      05.
                                             5,000 -
                                                        5,999
                        354
                                      06.
                                             6,000 -
                                                        6,999
                        261
                                      07.
                                             7,000 -
                                                        7,999
                        319
                                      08.
                                             8,000 -
                                                        8,999
                                      09.
                        239
                                             9,000 -
                                                       9,999
                        349
                                      10.
                                            10,000 -
                                                      10,999
                                            11,000 -
                        176
                                      11.
                                                      11,999
                                            12,000 -
                        366
                                      12.
                                                      12,999
                       191
                                      13.
                                            13,000 -
                                                      13,999
                        202
                                            14,000 -
                                                      14,999
                                      14.
                        343
                                            15,000 -
                                      15.
                                                      15,999
                       190
                                            16,000 -
                                                       16,999
                                      16.
                        183
                                      17.
                                            17,000 -
                                                       17,999
                        270
                                            18,000 -
                                                       18,999
                                      18.
                        295
                                      19.
                                            19,000 -
                                                       19,999
                        885
                                      20.
                                            20,000 -
                                                       24,999
                        921
                                      21.
                                            25,000 -
                                                       29,999
                        806
                                      22.
                                            30,000 -
                                                       34,999
                                      23.
                                            35,000 -
                                                      39,999
                        532
                                            40,000 - 44,999
                        519
                                      24.
                                            45,000 - 49,999
                        404
                                      25.
                     1,417
                                      26.
                                           $50,000 and over
                     2,090
                                      27.
                                           Unknown
```

2. \$20,000 or more

1 - 110 -

6,193

Tape				
Locations	Item No.	Frequency	Items and Codes	
60	Recode		FAMILY INCOME RECODE	
		835	0. Under \$5,000	
		688	1. \$ 5,000 - \$ 6,999	
		819	2. 7,000 - 9,999	
		1,284	3. 10,000 - 14,999	
		1,281	4. 15,000 - 19,999	
		885	5. 20,000 - 24,999	
		1,727	6. 25,000 - 34,999	
		1,455	7. 35,000 - 49,999	
		1,417	8. \$50,000 or more	
		2,090	9. Unknown	

61	Generated		NHIS PO	VERTY INDEX*
		9,090 1,997 1,394	2.	Above poverty threshold Below poverty threshold Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	FAMILY
		1,798 121 10,548 14	 0.	Primary individual Secondary individual Primary family Secondary family
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		1,734 4,512		Reference person, living alone Reference person, 2+ persons in household
		3,642	1.	
		86	2.	
		1,875	3.	_
		139	4.	Grandchild of reference person or spouse
		223	5.	Parent of reference person or spouse
		269		Other relative
		1		Child of ineligible reference person
		0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1988 poverty levels derived from the August, 1989 Current Population Survey.

- 111 -

1

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		1,734 185 7,028 3,534	 Living alone Living only with non-relative Living with spouse Living with relative - other

65-66	Generated	SIZE OF FAMILY*		
		Unrelated individuals are coded 01		
67	Generated	SIZE OF FAMILY RECODE		
		1-8. Number of members 9. 9+ members		
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)		
	966	1. Both parents, no other relative		
	388	2. Mother only		
	34 138	3. Father only4. Both parents and other 21+ year old		
	130	adult relative		
	129	5. Mother and other 21+ year old adult relative		
	4	6. Father and other 21+ year old adult relative		
	41	7. No parent, but one 21+ year old		
adult				
	20	relative		
	38	No parent, but two or more 21+ year old adult relatives		
	53	9. Unknown		
	147	0. Other		
	10,543	Blank. Not applicable (25+ years old or		
ever				

*Count includes spouse in military but living at home.

1 - 112 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

married)

No. Frequency	Items and Codes MAJOR ACTIVITY (18+ years old)
	MAJOR ACTIVITY (18+ years old)
	MAJOR ACTIVITY (18+ years old)
4,092	1. Working
3,177	2. Keeping house
317	3. Going to school
3,470	4. Something else
78	5. Unknown
1,347	Blank. Not applicable (Under 18 years)
	HEALTH STATUS
_	78

		2,141 2,410 3,391 2,255 2,231 53	2. 3. 4. 5.	
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
activity		2,699 1,772	1. 2.	Unable to perform major activity Limited in kind/amount major
activity		1,142 6,868	3. 4.	
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		2,355 868 480 4,955 3,823	1. 2. 3. 4. Blank.	Limited in kind/amount of work Limited in other activities. Not limited (includes unknowns)
73	B-11	LIMIT	ATION OF	SCHOOL ACTIVITIES (5-17 years)
		49 39 12 41 72 515 11,753	1. 2. 3. 4. 5. 6. Blank.	Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns)
1			- 113	-
			BLIC USE OSPITAL F	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	It∈	ems and Codes
74	B-14		NEEDS H	HELP WITH PERSONAL CARE (5-59 years
J14			and lim	nited, or age 60-69 years)*
needs		434	1.	Unable to perform personal care

	725	 Limited in performing other routine needs
or	3,234	
OI.	24 8,064	
75 years)	D-1	EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
		In the Labor Force: (1-7)
off	3,877 427	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-
OII	1	and not looking for work3. Did not work, has job; looking for work
_	31 1	Unemployed: (4-7) 4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off
and	72	looking for work 6. Did not work, has job; unknown if looking or on lay-off
	231	 Did not work, no job; looking for work or on lay-off
	6,494 1,347	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1 - 114 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		6,494 3,268 157 177 359 98	 Not in labor force Private company Federal Government employee State Government employee Local Government employee Incorporated business

		450 9 9 113 1,347	6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		4,640 7,841	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		4,640 7,841	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 115 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		1,225 7,944 715 2,476 121	 Under 17 Self-entirely Self-partly Proxy Unknown

92	Recode		CONDITION LIST ASSIGNED AND ASKED				
		2,036	1. Condition List 1, Skin and Musculoskeletal				
		2,058	2. Condition List 2, Impairments				
		2,001	3. Condition List 3, Digestive				
		2,011	4. Condition List 4, Miscellaneous				
		2,018	5. Condition List 5, Circulatory				
		2,094	6. Condition List 6, Respiratory				
		263	7. Unknown				
93-94	Recode		HOSPITAL EPISODE NUMBER FOR SHORT-STAY HOSPITALS IN PAST YEAR				
		12,213	01+. Number				
		268	Blank. Long-stay hospitals				
		200	brain. Long bear nospicars				
			- 116 -				

Tape Locations	Item No.	Frequency	Item	s and Codes
95-96	J-6		TYPE OF	SERVICE
		11,495 102 0 32 9 134 9 0 2 11 77 0 109	02. 03. 04. 06. 07. 08. 09.	General Psychiatric Tuberculosis Maternity Ear, Eye, Nose and Throat Children's Orthopedic Contagious Disease Chronic Disease Hospital department of institution All other In index, unknown type DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital DK (entry of DK for hospital name and Not Reported - 31 or more
		32	93. 94.	nights in hospital) Hospitalized in Foreign Country, not in index Nursing personal, and domiciliary care homes

		5 10 413		95. Nursing home, assumed from title98. Osteopathic99. Not identified as a hospital, not in index
97	Recode		REC	ODE FOR TYPE OF SERVICE
		12,213		1. Short-stay hospitals (Codes 01, 04,
		236		06, 07, 11, 89, 90, 98, 99) 2. Long-stay hospitals (Codes 02, 03, 08, 09, 10, 12, 92, 94, 95)
		32		3. Not in index (Code 93)
1			_	117 -
				USE TAPE RECORDS 'AL RECORD
Tape Locations	Item No.	Frequency		Items and Codes
98-99	J-6		TYP	E OF OWNERSHIP
		357 481 218 33 627	1.	Governmental, nonfederal 12. State 13. County 14. City 15. City-county 16. Hospital district
		2,168 6,418 0	2.	Nonprofit 21. Church operated or related 23. Other nonprofit 24. Nonprofit, N.O.S.
		5 29 1,122 0	3.	Proprietary 31. Individual 32. Partnership 33. Corporation (profit) 34. Proprietary, N.O.S.
		50 55 23 0 21 264	4.	Government, Federal 41. Air Force 51. Army 61. Navy 62. Department of Defense, N.O.S. 71. Public Health Service 81. Veterans Administration 91. Other Federal
		0	5.	All other 89. In index, unknown type

	109	90.	DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
	41	92.	DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)
	32	93.	Hospitalized in Foreign
Country,			
			not in index
	5	95.	Nursing home, assumed from
title			
	10	98.	Osteopathic
	413	99.	Not identified as a hospital, not in index

1 - 118 -

Tape Locations	Item No.	Frequency	Items and Codes
100-105	J-2		DATE OF ADMISSION
100-101			MONTH
		1,032 941 1,098 1,060 1,019 1,081 1,005 1,063 981 1,128 1,057 1,016	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September 10. October 11. November 12. December
102-103			DAY OF MONTH
			01-31. Day of month
104-105			YEAR
		0 0 8 5,750 6,721 2	85. 1985 86. 1986 87. 1987 88. 1988 89. 1989 90. 1990

106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION
			0001-1840. Date Values
110	Derived		ADMISSION RECODE
		486 11,708 287	 Admission in past 2 weeks Admission 2 weeks to a year ago Admission prior to past 12 months
1			- 119 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
111-114	Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW
		12,481	1469-1840. Values 9999. Unknown
115-118	Derived		DERIVED DATE OF DISCHARGE
		12,481	0002-1840. Values 9999. Unknown
119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
			00-14. Number of nights
124-126	Derived		J - VALUE
		85 12,396	Blank. Negative value 000-364. Value
127	Recode		J - RECODE

		85 637 6,114 5,645	 Still in hospital Discharges past 2 weeks (000-013) Discharges in 2 weeks to 6 months (014-181) Discharges in 6-12 months (182-364)
128-131	J-3		TOTAL NIGHTS IN HOSPITAL
			0001-1840. Nights
1			- 120 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*
		6,607 5,874	1. Yes 2. No
133	J-5		OPERATION PERFORMED DURING STAY
		6,387 5,952 142	1. Yes 2. No 3. Unknown
134-139	J-5		OPERATION CODES (See Appendix E)
134-135			OPERATION NUMBER 1
		6,387 6,094	00-99. Blank.
136-137			OPERATION NUMBER 2
		596 11,885	00-99. Blank.
138-139			OPERATION NUMBER 3
		64 12,417	00-99. Blank.

140-144			BLANK
145	Recode		HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital)
		1,722 10,759	1. Yes, delivery 2. No
*Use weigh	t field 21	0-218 for ann	ual estimate.
1			- 121 -
			BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
146-177			BLANK
178	Master		TYPE OF SUBSTRATUM
	Record	1,110 1,460 9,911	 Permit Area, oversampled for blacks Area, not oversampled for blacks
179-181	_		FULL SAMPLE STRATUM IDENTIFIER
182	Master Record		REGION
	Record	2,256	1. Northeast
		3,245 4,731 2,249	2. Midwest3. South4. West
183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size
		4,796 3,311	1. 1,000,000 or more 2. 250,000 - 999,999

764 3. 100,000 - 249,999 212 4. Under 100,000 3,398 Blank. Non-MSA

184 BLANK

1 - 122 -

Tape Locations	Item No.	Frequency	Items and Codes
185	Master Record		TYPE OF PSU
		6,261	1. MSA - Self-representing
		2,822	3. MSA - Nonself-representing
		0	 Non-MSA - Self-representing Non-MSA - Nonself-representing
		3,398	6. Non-MSA - Nonsell-representing
186	Recode		MSA - NON-MSA RESIDENCE
		4,059	1. MSA - Central City
		5,024	2. MSA - Not Central City
		3,209	3. Non-MSA - Nonfarm
		189	4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218*			SEMI-ANNUAL (WT/2)
219-227			ANNUAL (WT/4)

QUARTER, SEMI-ANNUAL AND ANNUAL

*Use these locations for estimates of hospital discharges and days based on a 6-month period.

1 - 123 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
237-245			ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254			QUARTER
255-263			SEMI-ANNUAL
264-272			ANNUAL
			ESTIMATED TOTAL NIGHTS IN HOSPITAL
273-281			QUARTER
282-290*			SEMI-ANNUAL
291-299			ANNUAL
300-335			BLANK

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1NOTES:

1 - 125 -

DIAGNOSTIC RECODES

1NOTES:

1 - 127 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982.

1NOTES:

Recode

1 - 129 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105	Common Cold	460
2106	Other Acute Upper Respiratory Infections	461-465
2207	Influenza	487

2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411	Dental Conditions	520. ,6-9, 521. ,0-5,7-9, 522, 523, 525
3412 3413	Indigestion, Nausea and Vomiting Other Digestive Conditions	536.8, 787.0 (520-579, and 787, except for above)*
	INJURIES	
4514 4515 4516 4517 4518	Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries	800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

- 130 -

1

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 378. ,0-6,8,9, 379. ,0,1,3,4,8,9
5620	Acute Ear Infections	380.1, 381, 382, 383.,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8,

		384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595.,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709

1 - 131 -

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS (Continued)	
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by

NHIS

**NHIS codes tension headache to 784.0

1NOTES:

1 - 133 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982.

1NOTES:

1 - 135 -

2-digit 3-Recode Recode	_	NHIS Diagnostic Code Inclusions
01	Intestinal Infecti	ous Diseases 001-009.0,2
01	O Cholera	001

	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
	029	Residual	017, 018, 019-A

National Health Interview Survey Diagnostic Recode B

1

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037

- 136 -

	038	Septicaenia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	070
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079

1 - 137 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098

	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
	079	Residual	130-136

1 - 138 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm or small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159

10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
	109	Residual	160, 163-165

1 - 139 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191

1 - 140 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279

1 - 141 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	296
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14
L		- 142 -	
		National Health Interview Survey	

2-digit	3-digit		NHIS	Diagnostic
Recode	Recode	Category	Code	Inclusions

		
22	Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1- 8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
220	Meningitis	320, 322
221	Parkinson's disease	332
222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
223	Multiple sclerosis	340
224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
225	Epilepsy	345
229	Residual	323-325, 337, 341, 346-352, 353.0- 4,6,8,9, 354-359, X41.1-8,.X,.Y, X61***

^{*}Excludes .0

1 - 143 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	X00*
	233	Conjunctivitis	372.0-3

^{***}Includes all 4th digits except .9

	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, X06, X07, X09)*
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398
	259	Residual	399-A

^{*}Excludes .0

1 - 144 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1

	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9

1 - 145 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Hemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory	460-462, 465

infections

313	Deflected nasal septum and nasal polyps	470, 471
314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
315	Chronic diseases of tonsils and adenoids	474
319	Residual	475-478, 477.7-A

1 - 146 -

2-digit	3-digit		NHIS Diagnostic
Recode		Category	Code Inclusions
32		Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
	320	Acute bronchitis and bronchiolitis	466
	321	Pheumonia	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pheumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,6-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,6-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

1 - 147 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35	Disease	es of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

^{***}Includes all 4th digits except .9

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
608	369	Residual	601, 602, 604, 607,
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639

^{***}Includes all 4th digits except .9

1 - 149 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709
_		- 150 -	

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
43	Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
430	Rheumatoid arthritis, except spine	714

431	Other arthropathies	710-712, 715, 716
432	Other disorders of joints	717-719
433	Ankylosing spondylitis	720.0
434	Other dorsopathies	720.1-724, X80
435	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
436	Osteomyelitis, periostitis and other infections involving bone	730
437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
439	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

***Includes all 4th digits except .9

1 - 151 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9,744.4,745-748,750.2-9,751,752,753.1-9,754.0,1,756.4-9,757,758.1-9,759.0-6,8,(x20-x29,x33-x35,x70,x73,x74,x76-x78,x93)**,x71.9,x75.9,(x30-x32,x79,x90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751

445	Undescended testicle	752.5
446	Congenital dislocation of hip	X75.9
447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)**

^{**}Includes 4th digit .9 only.

1 - 152 National Health Interview Survey
Diagnostic Recode B

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, X61.9
	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
	462	Renal colic	788.0
	463	Retention of urine	788.2

	464	Abdominal pain	789.0
	465	Senility without mention of psychosis	797
	467	Respiratory failure	799.1
4. 6	469	Residual	780.0-5,7-9, 781.0-
4,6,			7,9, 782, 783.0,2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-
5,9,			790-796, 799.0,2-
4,8,9,			799.5-A, X11, X12
1		- 153 -	100.5 A, AII, AIZ

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813
	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)***
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, x00.0, x05.0, x08.0
	499	Residual	860-869, 952-957,

****Includes 4th digit .0 only.

1 - 154 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

^{*****871.3} is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

^{*****}Anything classifiable to 960-978 is coded by NHIS to 977.9.

^{******}Anything classifiable to 980-987 is coded by NHIS to 989.9.

1 - 155 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes

1NOTES:

1 - 157 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health

with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.

1NOTES:

1 - 159 -

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number		Title	ICD	Inclusion by the	as modified NHIS
	LIST I: SELECTED CONDITION	SKIN AND MUSCULOSKELETAL IS			
101	Arthritis	3			, 712. ,8,9, 720.0, 721
102	Rheumatis	m, unspecified		729.0	
103	Gout, inc	luding gouty arthritis		274	
104	Sciatica	(including lumbago)		724.2,3	
105	Intervert	ebral disc disorders		722	
106	Bone spur	/tendinitis NOS		726.,9	
107	Disorders	of bone or cartilage		730. ,0-3 731. ,0,2	,9, ,732,733
108	Bunion			727.1	
109	Bursitis,	NEC		726.0-8,	727. ,0,2-9
110	Sebaceous	s skin cyst		706.2	
111	Acne			706.0,1	
112	Psoriasis	3		696	
113	Dermatiti	s		690-694 (code)	693.2 NHIS
114	Dry (itch	ning) skin NEC		698.9	
115	Chronic u	alcer of skin		707	
116	Ingrown n	nails		703.0	

117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119	Malignant neoplasms of the skin	172, 173
1	- 160 -	

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
LI	ST II: IMPAIRMENTS	
201	Blind - Both eyes	X00
202	Other Visual Impairment	X01-X03
203	Deaf - Both ears	X05
204	Other Hearing Impairments	X06-X09
205	Stammering and Stuttering	X10
206	Other Speech Impairments	X11
207	Impairment of Sensation	X12
208	Mental Retardation	X19
	Absence Upper Extremities	
209	Both Arms/Hands	X20,X21
210	One Hand/Arm	X23,X24
211	Fingers - One or Both Hands	X22,X25
0.1.0	Absence Lower Extremities	
212	One or Both Legs	X26,X28
213	Feet/Toes - One or Both Limbs	X27,X29
214	Absence Lung	X30
215	Kidney	X31
216	Breast	X32
217	Bone, Joint,	
	Muscle of extremity	X34
218	Tips of Fingers, Toes	X35
	Paralysis of Extremities - Complete	
219	Entire Body	X40
220	One Side of Body - Hemiplegia	X41
221	Both Legs - Paraplegia	X46
222	Other paralysis	X42-X45, X47-X49
	Paralysis of Extremities - Partial	
223	Cerebral Palsy	X50
224	One Side of Body Only - Hemipares:	
225	Legs - Both or Paraparesis	X56
226	Other paralysis	X52-X55, X57-X59

1 - 161 -

Revised June 12, 1984

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	CD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial - Other site	X60-X64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of back or spine	x70
229	Orthopedic Impairment	X80
230	Spina Bifida	X71
	Other Upper Extremities	
231	Hands, Fingers only	X74
232	Orthopedic Impairment - Shoulder	(s) X84
233	Other	X73
	Lower Extremities	
234	Flatfeet	X77
235	Clubfoot	X78
236	Other	x75,x76,x85,x86
237	Other Deformities/ Orthopedic Impairment	x79,x89
238	Cleft Palate	x91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243	Diseases of Retina	361,362. ,1-9
1	- 162 -	
		Revised April 30, 1983
	N-+	

National Health Interview Survey

Chronic Condition Recode C

Recode		ICD Inclusion as modified
Number	Title	by the NHIS

LIST III: SELECTED DIGESTIVE CONDITIONS

301	Gallbladder stones	574
302	Liver diseases including cirrhosis	571, 572, 573. ,0,3-9
303	Gastric ulcer	531
304	Duodenal ulcer	532
305	Peptic ulcer	533
306	Hernia of abdominal cavity	550-553
307	Disease of the esophagus	530
308	Gastritis and duodenitis	535
309	Indigestion	536.8
310	Other functional disorders of stomach and digestive system	536 (except .8), 787
311	Enteritis and colitis	555, 556, 558
312	Spastic colon	564.1
313	Diverticula of intestines	562
314	Constipation	564.0
315	Other stomach and intestinal disorders	534, 537, 560, 569
316	Malignant neoplasms of stomach, intestines, colon, and rectum	151-154
1	- 163 -	
		Portigod April 20 1002

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, END METABOLIC AND BLOOD AND BLO	
401	Goiter	240, 241, 242.0-3
402	Other disorders of the thyroid	242.4,8,9, 243-246
403	Diabetes	250
404	Anemias	280-285

405	Epilepsy	345
406	Migraine headache	346
407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624
418	Menstrual disorders	626
1	- 164 -	
		Revised May 1, 1983
	National Health Interview Survey Chronic Condition Recode C	
Recode Number	ICD Title	Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD AND BLOOD FORMING SYSTEMS (Continued)	9
419	Other disorders of female genital organs	617-619, 625, 627, 628.,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184

423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217
425	Benign neoplasms of female genital organs	218-221
1	- 165 -	

Revised April 30, 1983

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST V: SELECTED CIRCULATORY CONDITIONS	
501	Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502	Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505	Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart rhythm disorders	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1
506	Congenital heart disease	745, 746
507	Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508	High blood pressure (hypertension)	401-405
509	Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510	Hardening of the arteries	440
511	Aneurysm	441. ,0-6, 442
512	Phlebitis, thrombophlebitis	451
513	Varicose veins of lower extremities	454
514	Hemorrhoids	455
515	Poor circulation	459. ,8,9
1	166	

- 166 -

National Health Interview Survey Chronic Condition Recode C

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST VI: SELECTED RESPIRATORY CONDITIONS	
601	Chronic Bronchitis	490, 491
602	Asthma	493
603	Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604	Nasal polyps	471
605	Chronic sinusitis	473
606	Deviated Nasal Septum	470
607	Chronic disease of tonsils and adenoids	474
608	Chronic laryngitis	476
609	Emphysema	492
610	Pleurisy	511
611	Pneumoconiosis and asbestosis	500-505
612	Tuberculosis (pulmonary)	011, 019 (NHIS code)
613	Malignant neoplasms of lung and bronchus	162. ,2-9
614	Other diseases of lung	515, 518
615	Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999	ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

^{*}Excludes always acute codes and ICD codes not used by NHIS.

1 - 167 -

HEALTH INTERVIEW SURVEY - 1989

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight (divide basic quarter weight by 4 to get annual weight).

To illustrate the use of reference periods, suppose we have a person whose basic weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying $6,000 \times 6.5$ to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been $39,000 \times 2$ or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

1 - 168 -

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

A table summarizing these tape locations and their uses follows:

SUMMARY OF WEIGHTS IN THE 1989 NHIS PERSON RECORD

Tape location Name of Weight Field Notes:

190-200 weight	CHRONIC CONDITION PREVALENCE	Multiply by final basic
	AND INCIDENCE FACTOR	to obtain prevalence of chronic conditions
	FINAL BASIC WEIGHT	
201-209	QUARTER	Use one quarter of data
210-218	SEMI-ANNUAL	Use two quarters of data
219-227	ANNUAL	Use entire data file
228-236	6.5 WEIGHT	Use for event data with 2-week recall period
	Content of field is 6.5 times the Quarter Weight.	
237-245	ESTIMATED RESTRICTED ACTIVITY DAYS (BASED ON TWO-WEEK RECALL) Content of field is number of restricted activity days times 6.5 Weight.	Use one quarter to produce estimate for the quarter; use entire file to produce annual estimate. This field is already weighted.

1 - 169 -

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from Health Interview Survey data tapes. The publication, "Current Estimates", for the year 1989 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable, for example, persons injured, the variables needed will be listed.

1NOTES:

1 - 171 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES		
	ANNUAL ESTIMATES				
1-15	Incidence of Acute Conditions				
	Inclusions:				
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1		
	Use:				
1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications	100-103	1001-5932		
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1		
	Weight:				
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236			
16-25	Restricted Activity Days Associated With Acute Conditions				
	Inclusions:				
	Condition records Acute	1-2 107	30 2		
	Use:				
16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932		
	Weight:				
	2 week restricted activity days	237-245			
1	- 172 -				
	TABULATING DATA FOR CURRENT ESTIMATES	TABLES			
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES		

	Inclusions:				
	Condition records Acute	1-2 107	30 2		
	Use:				
26-30	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932		
	Weight:				
	2 week bed days	246-254			
36-45	Work-Loss Days Associated with Acute Conditions				
	Inclusions:				
	Condition records Acute	1-2 107	30 2		
	Use:				
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932		
	Weight:				
	2 week work-loss days	255-263			
	- 173 -				
TABULATING DATA FOR CURRENT ESTIMATES TABLES					
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES		
ANNUAL ESTIMATES					
46-49	School-Loss Days Associated with Acute Conditions				
	Inclusions:				
	Condition records Acute	1-2 107	30 2		
	Use:				
46-47	Acute Condition Recode A Denominator is population ages 5-17 see Table 78 specifications	100-103	1001-5932		

Weight:

1

	2 week school-loss days		264-272		
50	Acute Conditions per Quarter				
	Use specifications for Tables 1- but also use processing quarter		5	1,2,3 or 4	
51-52	Episodes of Persons Injured				
	Inclusions:				
	Condition records Onset in 2 weeks First injury		1-2 108 128	30 1 1	
	and Acute Condition Recode A		100-103	4514-4518	
	(injuries)				
	Impairments due to injury		93 96	X 0	
1	- 174 -				
TABULATING DATA FOR CURRENT ESTIMATES TABLES					
TABLE NUMBERS	ITEMS		TAPE LOCATIONS	CODES	
NONDERO	11250		LOCATIONS	CODED	
	ANNUAL ESTIMATES				
51-52	Episodes of Persons Injured - co	ontinued			
	Use:				
	Type/place of accident (all included records) Moving motor vehicle involved (134	1	
	(1	and traffic)	d 130 134	1-9 1	
	(1	and no)	d 130 134	3 2,4	
	At work (yes) (no)		131 131	1 2	
	Place of accident (home) (street) (industrial p	lace)	130 130 130	1-2 3 5	
51	(other) Denominator is population: (For person injured at work denominator is 18+ population)	n)	130	4,6-8	
	see specifications for Table	78			
	Weight:				
	6.5 weight (2 week reference)		228-236		
53-54					

with Persons Injured	with	Persons	Injured
----------------------	------	---------	---------

Use:

Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1,2

Weight: 237-245

55-56 Bed Days Associated with Persons Injured

Use:

Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so that 128:1

Weight: 246-254

1 - 175 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
57-66	Prevalence of Selected Chronic Conditions		
	Inclusions:		
	Condition records Chronic	1-2 107	30 1
	Use:		
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 104-106	1,2,3,4,5 or 6
	Weight:		
57-61	Chronic condition factor Multiplied by final basic weight Denominator is population: see specification for Table 78	190-200 219-227	
67-68 Limitation of Activity Due to Chronic Conditions			
	Inclusions:		
	Person records	1-2	20
	Use:		
	LA-1 Unable to perform major activity	71	1

	LA-2 Limited in kind/amount of major activity	71	2
	LA-3 Limited in other activity	71	3
	LA-4 Not Limited (includes unknowns)	71	4
	Weight:	219-227	
67	Denominator for percent distribution is population.		
1	- 176 -		
	TABULATING DATA FOR CURRENT ESTIMATES	TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
69	Person Disability Days		
	Inclusions:		
	Person records	1-2	20
	Weight:		
	Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	
70	Respondent Assessed Health Status		
	Inclusions:		
	Person records	1-2	20
	Weight:	219-227	
71	Physician Contacts: Place and Rate		
	Inclusions:		
	Doctor Visit records	1-2	40
	Use:		
	Place of visit	103	1-8(9)
	Weight:		
	6.5 weight (2 week)	228-236	

Denominator for rate columns are population: see specifications for Table 78

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 177 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
72	Interval Since Physician Contact		
	Inclusions:		
	Person records	1-2	20
	Use:		
	Interval since doctor seen NOTE: 5 years and over (includes never)	115 115	0-4(5) 0,4
	Weight:	219-227	
73-74	Short Stay Hospital Episodes (12 month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution is population	219-227	
75-76	Short Stay Hospital Episode Days		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 178 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
	Weight:		
75	Short stay hospital episode days Denominator for rates is population with appropriate number of episodes (from Table 74)	318-326	
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		
	Inclusions:		
	Hospital Records with	1-2 132	50 1
	Use:		
	All specified records for hospitalizations for all reasons		
	Hospitalizations for deliveries	145	1
	Weight:		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
78	Population		
	Inclusions:		
	Person records	1-2	20
	Use:		
	All records for total population Currently employed population	75	1-3
	Weight:	219-227	

1 - 179 -

APPENDIX A 11/14/85

CODES FOR TYPES OF SPECIAL PLACES

CODES TYPES

I. SPECIFIED INSTITUTIONS

Correctional Institutions 11State and Federal penitentiaries, prisons, and reformator 11State and Federal prison farms and camps 11County and city jails, workhouses, penitentiaries 11Federal detention farms and camps 11Federal detention headquarters 12State and Federal training or industrial schools 12County and municipal training or industrial schools 12Private schools for delinquents, such as "House of the Grand Shepherd," "Boys Town," etc.	
Mental Institutions 21Homes and training schools for mentally handicapped 21Homes, training schools, colonies, and villages for epile 21State, Federal, county and city hospitals for mentally i 21Private hospitals and sanitariums for mentally ill 22Hospitals and centers for the treatment of alcoholics and addicts 23Veterans Administration mental hospitals	11
Home for the Aged, Infirm, and Needy 31Orphan asylums 31Children's homes 32County homes, almshouses, poor farms, etc. 33Fraternal or religious homes for the aged 34Commercial homes for the aged 35Homes and schools for the blind 36Homes and schools for the deaf 37Hospital or resident schools, orthopedic hospitals, and for the crippled 38Soldiers' and sailors' homes 39Veterans Administration homes (domiciliary care)	homes
40Nursing, Convalescent, and Rest Homes	
Other Hospitals and Homes Providing Specialized Care 51Tuberculosis sanitariums 52Veterans Administration tuberculosis hospitals 53Homes for incurables 53Hospices 54Chronic and cancer hospitals 55Maternity homes for unmarried mothers 56Detention and receiving homes 57Hospitals and homes for other specialized care - 180 -	
ADDENDTY A	11/14/05

APPENDIX A 11/14/85

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

1

II. OTHER SPECIAL PLACES

Other Special Places

- 61-----Veterans Administration General Medical and Surgical Hospitals 62-----Facilities for the Treatment of the Physically ill
 - This type of facility treats physical disorders and is one in which the patient stays for a relatively short period of time. Examples of this type of special place are:
 - General or emergency hospital; children's hospital; maternity hospital
 - 2. Infirmary
- 71-----Hotels, transient-type
- 71-----Motels, transient-type
- 71-----Tourist camp or court (like motels except units are detached), transient-type
- 72-----Hotels, nontransient type
- 72-----Motels, nontransient type
- 72----Tourist camp or court, nontransient type
- 73-----YMCA, YMHA, YWCA, transient type
- 74----YMCA, YMHA, YWCA, nontransient type
- 75----Private residential clubs
- 76-----Rooming and boarding houses. Those that meet the special place
- 76-----Tourist homes definition.

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

- 77-----Combination tourist-trailer court, transient-type
- 78-----Combination tourist-trailer court, nontransient type
- 79-----Groups of five or more vacation cabins under single management, transient-type

Facilities for Housing Students

- 81-----School dormitory
- 81-----Fraternity
- 81----Sorority

- 181 -

APPENDIX A

11/14/85

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES

1

TYPES

II. OTHER SPECIAL PLACES

Facilities for Housing Students---continued

82-----School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84----see below).*

```
83-----Schools with resident students and with predominantly non-
              salaried faculty such as nuns or priests.*
     84-----Schools with resident students and operated primarily for
              religious training (other than those with predominantly non-
              salaried faculty) such as Bible Institutes.*
              Facilities for Housing Workers
     85-----Dormitory for workers (other than specified for codes 86, 87 and
              88).
     86-----Bunkhouse (provided that it has or is expected to have quarters
              for 5 or more farm or ranch hands).
     87-----Labor camp
     87-----Logging camp
     88-----Migratory workers' camp (those that meet the special place
              definition).
              Additional Other Places
     91-----Convents and other sisters' residences (those that meet the
              special place definition).
     91-----Monasteries, other brothers' residences, and rectories (those
              that meet the special place definition).
     92----Communes
     93-----Halfway houses--when occupants live there on a voluntary basis
              (assign halfway houses for persons not there on a voluntary
              basis to the appropriate institutional code).
     00----Nurses' Homes
     01-----Flophouses, railroad stations
     01-----Missions, Salvation Army Shelters
     02-----Recreational and religious camps (adults or family)
     03-----Recreational and religious camps (children's)
     04-----Trailer camps
     05----Tent camps
     06-----Armed forces installations
     07-----Armed forces hospitals
 *For a school with resident faculty only, assign code 82, 83, or 84 as
 appropriate.
1NOTES:
                                   - 183 -
                                                                    APPENDIX
                            INDUSTRY RECODES OUTLINE
    Recodes
 ______
 No. 1 No. 2
                                       Industry Title SIC Code*
 Chrs. Chrs. Detail Code
 80-81 82-83 (Chrs. 77-79)
```

1

В

02	01	030-031	FORESTRY AND FISHERIES	08-09
10	02	040-042,050	MINING	10-14
20	03	060	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	-	MANUFACTURING:	
(30-34)			NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212,	Other nondurable goods	21,261-266,291,295, 299,301-304,306-
307,		220-222		311,313-317,319
*C+ and a	rd Ind	ustrial Classifica	tion	
	ra ma	ustildi Classilica		
1			- 184 -	
В				APPENDIX
		IND	USTRY RECODES OUTLINE	
Rec	odes			
	Chrs.	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
(30-34, 40-46)		-	MANUFACTURING: - continued	
(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	

04 270-272,280 Primary metal industries 331-332,334,3331-

3334,333	9,3351	,3353-		2255 2261
3362,336	9,			3357,3361-
				339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
(50-54)	(05)	-	TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES	ONS
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47
53	05	440-442	Communications	481-483,489
54	05	460-462,470-472	Utilities and sanitary	491-497
*Standa 1	rd Ind	ustrial Classifica	tion - 185 -	
				APPENDIX
В		IND	USTRY RECODES OUTLINE	
Rec	odes			
No. 1	No. 2			
		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
60	06	500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199

(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58
65	07	580-582,590, 630-632,640,642, 650-652,660-662,	Other and not specified retail trade	521,523,525-527,56 571-573,591-593, 5941-5949,5961-
5963,		670-672,681-682, 691		598,5992-5994,5999
(70-71)	(80)	-	FINANCE, INSURANCE, AND REA	L
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67
*Standar	rd Ind	ustrial Classifica	tion	
1			- 186 -	
D				APPENDIX
В		IND	USTRY RECODES OUTLINE	
Reco	odes			
	Chrs	2 . Detail Code 3 (Chrs. 77-79)	Industry Title	SIC Code*
(75-85)	(09-1	2) –	SERVICES:	
(75-76)	(09)	BUSINESS AND REPAIR SERVICE	S
75	09	721-722,730-732, 740-742,750	Business services	731-737,7391-7397, 7399,751,752,754

753,762-764,7692,

09 751-752,760 Repair services

76

7694,7699

(77-78)	(10) –	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802	ENTERTAINMENT AND RECREATION SERVICES	78,791-794,799
(80-85)	(12) –	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806
81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899

*Standard Industrial Classification

1 - 187 -

APPENDIX

B INDUSTRY RECODES OUTLINE

Reco	odes			
Chrs.		Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	990 and all other codes except 996	UNKNOWN INDUSTRY	-

96	14	996	NEW WORKER
97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).
98	16	942	ARMED FORCES (excludes Reserves and National Guard)

*Standard Industrial Classification

1 - 188 -

APPENDIX

В

INDUSTRY RECODE TITLES

Code	e Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	UNKNOWN (includes new workers)	95-96

15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98

APPENDIX C

1 - 189 -

OCCUPATION RECODE OUTLINE

Rec	odes			
Chrs.	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(01-03)	(01)		EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	
01	01	003-006	Officials and administrators, public administration	111-113
02	01	007-009,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029,033-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-
1473,149				,
(04-11)	(02)		PROFESSIONAL SPECIALTY	-
04	02	044-049,053-059	OCCUPATIONS Engineers	1622-1628,1632- 1637,1639
05	02	043,063	Architects and surveyors	161,164
06	02	064-069,073-079 083	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089	Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119,123-129, 133-139,143-149 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252
10	02	183-189,193-195, 197-199	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169,173-179	Other professional specialty	1912-1916,1919,

*Standard Occupational Classification.

*Standa:	ra Occi	upational	Classiii	- 190 -	
С			OCCU!	PATION RECODE OUTLINE	APPENDIX
Rec	odes				
Chrs.	No. 2 Chrs. 89-90			Occupation Title	SOC Code*
(12-13)	(03)			TECHNICIANS AND RELATED	
12	03	203-208		SUPPORT OCCUPATIONS Health technologists and technicians	362-366,369
13	03	213-218,2 233-235	223-229,	Technologists, technicians except health	3711-3713,3719, 372-
373,382,	3831-			_	
3833,384	,389,3	92-			393,396,3971-
3972,3974,399,825					
(14-16)	(04)	243		SALES OCCUPATIONS Supervisors and proprietors	40
15	04	253-259		Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269,2 283-285	274-278,	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
(17-21)	(05)			ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	
17	05	308-309		Computer equipment operators	4612-4613
18	05	313-315		Secretaries, stenographers and typists	4622-4624
19	05	337-339,3	343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357		Mail and message distributing	4742-4745
21	05	303-307,3 323,325-3		Other administrative support	4511-4519,4521- 4529,463,4642-

335-336,345-349, 353,359,363-366, 368-369,373-379,	4645,4649,4662- 4664,4692,4694, 4696,4699,4722-
•	, , ,
353,359,363-366,	4664,4692,4694,
368-369,373-379,	4696,4699,4722-
383-387,389	4723,4729,4732-
	4733,4739,4751-
	4759,4782-4784,
	4786-4787,4791-
	4795,4799

*Standard Occupational Classification.

1 - 191 -

APPENDIX

С

OCCUPATION RECODE OUTLINE

Rec	odes			
No. 1 Chrs. 87-88	Chrs.	Detail Code	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-	PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	_	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	80	433-439,443-444	Food service	5211-5219
26	08	445-447	Health service	5232-5233,5236
27	08	448-449,453-455	Cleaning and building service	5241-5242,5244- 5246,5249
28	08	456-459,463-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	_	FARMING, FORESTRY AND FISHING	

(29-31) (09) - FARMING, FORESTRY AND FISHING OCCUPATIONS

	29	09	473-476	Farm operators and managers	5512-5515,5522- 5525
	30	09	477,479,483-489	Farm workers and other agricultural workers	5611-5619,5621- 5622,5624-5625, 5627
	31	09	494-499	Forestry and fishing occupations	571-573,579, 583-
584	,8241(p	pt.)			

*Standard Occupational Classification.

1 - 192 -

APPENDIX C

OCCUPATION RECODE OUTLINE

Rec	odes				
	No. 2 Chrs. 89-90			Occupation Title	SOC Code*
(32-34)	(10)	_		PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10		,523,	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	569,573 579,583	,563-567, ,575-577, -585, ,593-599,		6311-6316,6318, 632,6412-6414, 6422,6424,6432- 6433,6442-6444, 645,6462-6468, 6472,6476,6479, 652-654,656
34	10	673-679		Precision production occupations	67,71,6811-6814, 6816-6817,6821- 6824,6829,6831- 6832,6835,6839, 6844,6852-6854, 6856,6859,6861- 6862,6864-6867, 6869,6871-6873, 6879,6881-6882, 691-696,7447, 7668,7677,7752,

1 - 193 -

APPENDIX

C OCCUPATION RECODE OUTLINE

No. Chrs	ch.		Occupation Title	SOC Code*
			OPERATORS, FABRICATORS AND LAR	BORERS
(35-3	36) (1	1)	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7677(pt.), 7678-7679
36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787
(37-39) (12) -		2) –	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	
37	12	803-806,808-809, 813-814	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	843-845,848-849, 853,855-856,859	Material moving equipment operators	812,8312-8319

*Standa	rd Occ	upational Classif	ication	
1			- 194 -	
С		0001	UPATION RECODE OUTLINE	APPENDIX
	odes			
No. 1 Chrs.	No. 2 Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	
40	13	869	Construction laborers	871
41	13	863-867,873, 875-878,883,885, 887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769
95	14	999 and all other codes except 990	UNKNOWN OCCUPATION	
96	14	990	NEW WORKER	
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity reco (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	905	MILITARY	
*Standa	rd Occ	upational Classif	ication	
1			- 195 -	
C				APPENDIX
С		0.00		

OCCUPATION RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
	MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS	
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11
	TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS	
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13
04	SALES OCCUPATIONS	14-16
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21
	SERVICE OCCUPATIONS	
06	PRIVATE HOUSEHOLD OCCUPATIONS	22
07	PROTECTIVE SERVICE OCCUPATIONS	23-24
08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34
	OPERATORS, FABRICATORS AND LABORERS	
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41
14	UNKNOWN OCCUPATION (includes New Workers)	95-96
15	NOT IN LABOR FORCE	97
16	MILITARY	98
1NOTES:		
1	107	

. – 197

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies

accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	Description	SOURCE - TAPE LOCATIONS				
Recode Loc. 135-137	Description.	132 MV	134 MMV	_00	131 Work?	
111	Moving motor vehicle - at work - at home	1	1	1,2	1	
112	Moving motor vehicle - at work- not at home- street or highway	1	1	3	1	
113	Moving motor vehicle - at work - not at home - not on street or highway	1	1	Not 1-3	1	
121	Moving motor vehicle - not at work - at home - not on street or highway	1	1	1,2	Not 1,4	
122	Moving motor vehicle - not at work - not at home - on street or highway	1	1	3	Not 1	
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4	

1 - 198 -

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of Accident	Description		SOURCE -	TAPE LOCA				
Recode		132	134	130	131			
Loc. 135-137		MV	MMV	Where?	Work?			

211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1
312	Non-motor vehicle - at work - not at home	Not 1	-	Not 1,2	1
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
400	Injured in Armed Forces	-	_	-	4
500	Therapeutic misadventure	-	_	-	Not 4
600	Injury Condition/Adverse Reaction	_	-	-	Not 4

1 - 199 -

APPENDIX

Е

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves

05	Operati	lons	on	sympatheti	c nerv	es	or	ganglia
OPEF	RATIONS	ON	THE	ENDOCRINE	SYSTEM	(0	6-0	7)

- 06 Operations on thyroid and parathyroid glands
- 07 Operations on other endocrine glands

OPERATIONS ON THE EYE (08-16)

- 08 Operations on eyelids
- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball

1 - 200 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue

- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm

1 - 201 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine

- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract
 Includes: operations on common bile duct, cystic duct and hepatic duct
- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

 Includes: operations on epigastric region, flank, groin region, inguinal

region, loin region, male pelvic cavity, mesentery, omentum, peritoneum and retroperitoneal tissue space

1 - 202 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)

65 Operations on ovary

66 Operations on fallopian tubes 67 Operations on cervix 68 Other incision and excision of uterus 69 Other operations on uterus and supporting structures 70 Operations on vagina and cul-de-sac 71 Operations on vulva and perineum 1 - 203 -APPENDIX Ε CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS OBSTETRICAL PROCEDURES (72-75) 72 Forceps, vacuum, and breech delivery 73 Other procedures inducing or assisting delivery Includes: spontaneous delivery with manual assistance 74 Caesarean section and removal of fetus 75 Other obstetric operations For HIS, includes also "normal delivery" OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) 76 Operations on facial bones and joints Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02) 77 Incision, excision and division of other bones Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02) 78 Other operations on bones, except facial bones Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02) 79 Reduction of fracture and dislocation Includes: application of cast or splint; reduction with insertion of traction device

Excludes: external fixation alone for immobilization of fracture (93); internal fixation without reduction of fracture (78);

operations on facial bones (76); nasal bones (21); orbit

(76);
skull (02); vertebrae (03); removal of cast or splint (97);

replacement of cast or splint (97); and traction alone for

reduction of fracture (93)

80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle; ligament;

meniscus; and synovial membrane

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

1 - 204 -

APPENDIX

Е

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths.
Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site

(female or male).

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous

glands subcutaneous fat pads; and superficial fossae.

Includes also: operations on regions such as arm; armpit; back; cheek;

buttock; chin; feet; forearm; forehead; hand; head;

heel;

leg; neck; scalp; temple: temporal region; and thigh

when

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose

(21);

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as

brain) is mentioned

1 - 205 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Includes: diagnostic X-rays of face, head, neck, brain, skull, spine,

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams; gynecological

exams: dental exams; digital exams of rectum; pacemaker checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

Includes: microscopic examination of specimen from nervous system,

spinal fluid, endocrine glands, eye, ear, nose, throat, larynx, trachea, bronchus, pleura, lung, of sputum, and

blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts or

passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy exercises such as breathing exercises; manual traction; training in use of

prosthesis; whirlpool treatments; heat therapy; skeletal traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

- 206 -1

APPENDIX

 \mathbf{E}

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

routine psychiatric visits; psychoanalysis; psychiatric Includes: electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

eye exams; functional tests of eye; fitting glasses, contact lens; hearing tests; and fitting hearing aids.

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing; insertion of vaginal diaphragm; rectal packing; dilation of rectum and anus; manual reduction of hernia; gastric lavage; irrigation of ostomies; cleaning of eye, ear and nose; lavage

of bronchus and trachea

97 Replacement and removal of therapeutic appliances

replacement of ostomy tubes; replacement of casts; removal of nasal packing, removal of dental wiring; removal of sutures from head and neck; removal of drainage tubes; removal of IUD

and removal of sutures from genital tract.

98 Nonoperative removal of foreign body

Includes: removal of foreign body from digestive system, ear, nose, larynx, vagina, etc. WITHOUT INCISION.

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or infusions of therapeutic or prophylactic substances; cardiac

pacemaker (battery and sensing types), acupuncture and

fitting

of dentures.