(Public Use Data File Documentation - Part I - Tape Formats - National Health Interview Survey, 1995 - Hyattsville, MD, October 1997 - revised November 2007 to remove blank pages and repair error in Condition Record layout, locations 273-299 - "Doctor Visits" changed to "Bed Days".)

## 1995 NATIONAL HEALTH INTERVIEW SURVEY (NHIS) PUBLIC USE CORE FILE LAYOUTS GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested citation, "Source: National Center for Health Statistics, National Health Interview Survey, 1995," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1996). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1995 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Field Representative's Manual, 1995. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1995. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Botman SL, Moore TF, Moriarity CL, Parsons VL. Design and Estimation for the National Health Interview Survey, 1995-2004. National Center for Health Statistics. Vital Health Stat 2, No. (forthcoming). 1997.

Benson V, Marano M. Current Estimates from the National Health Interview Survey, 1995. National Center for Health Statistics. Vital Health Stat 10(199). 1997.

#### PREFACE

The basic NHIS tape files are created and maintained by Processing Quarter by Record Type. The contents of these tape files are presented in the Outline of Items and Codes for each record type. Note that Household items in tape locations 3-24, 178-187, and 337-352 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

#### 1. Type of Record (Tape Locations 1-2)

- 10 = Household Record The Household file contains one household record for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
- 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
- 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelvemonth recall).

#### 2. File Sequence

Each file is in sequence by the following identifying items:

Item	Tape Location
Household ID	5-14
Person Number	
(Blank on Household Record)	15-16
Record Serial Number	
(Blank on Household and	17-18
Person Records)	

#### 2. File Sequence (Continued)

The household is uniquely identified by the Household ID.

The Person number identifies a person within a household. Records belonging to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unrelated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have a zero, one, or a multiple number of condition, hospital, and doctor visit records.

#### 3. Other Tape Characteristics

- .1 Headers and trailers = Standard IBM labels
- .2 Density = 1600 BPI
- .3 Record length = Fixed length of 355 bytes
- .4 Blocksize = 32305
- .5 Tape format = All fields are in character format
- .6 Data Set Names:

HOUSEHOLD = HISY1995.HOUSEHLD

PERSON = HISY1995.PERSONSX

CONDITION = HISY1995.CONDITON

HOSPITAL = HISY1995.HOSPITAL

DOCTOR VISIT = HISY1995.DRVISITS

NOTE: Metropolitan Statistical Areas are those defined for the 1990 Decennial Census.

#### NATIONAL HEALTH INTERVIEW SURVEY

#### Calendar Year 1995 Computer Processing

#### Public Use Data Tape

#### TABLE OF CONTENTS - PART I

INTRO	DDUCTION	Page	1
COMPA	ARED CHANGES		4
TAPE	FORMATS		
	Household Record		6
	Person Record		14
	Condition Record		38
	Doctor Visit Record		75
	Hospital Record		104
DIAGN	NOSTIC RECODES		
	Recode A. Acute conditions		130
	Recode B. Diseases, Injuries and Impairments		134
	Recode C. Chronic Conditions and Impairments		157
TABUI	ATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION		166
SPECI	FICATIONS FOR RECREATING CURRENT ESTIMATES TABLES		169
TABUI	ATING DATA FOR CURRENT ESTIMATES TABLES		170

#### APPENDICES

Appendix A.	Codes for Types of Group Quarters	179
Appendix B.	Industry Recodes	186
Appendix C.	Occupation Recodes	193
Appendix D.	Description of Class of Accident Code	203
Appendix E.	Classification of Operations and Non-operative Procedures for HIS	205

#### THE NATIONAL HEALTH INTERVIEW SURVEY

#### INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1995 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

#### Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance Estimation, and Hypothesis Testing

Traditionally, the sampling frame for the NHIS is redesigned every ten years to better measure the changing U.S. population and to meet new survey objectives. The fundamental redesign structure of the 1995-2004 NHIS is similar to that of the 1985-1994 NHIS; however, there are two major changes to the sampling design. First, a state-level stratification increases the number of primary sampling locations from the previous value of 198 to a new value of 358. This enhances the capability of using the NHIS for state estimation and future dual-frame surveys at the state level. Secondly, both the black and Hispanic populations are oversampled to allow for more precise estimation of health in these growing minority populations. In the previous design only black Americans were oversampled.

Two other important features first implemented in the 1985-1994 design continue. NCHS survey linkage and followback surveys are facilitated by an all-area frame with independent address lists which are not based on the decennial census. Also, the NHIS sample is divided into four representative panels to further facilitate linkage to other NCHS surveys. A description of the survey design, the methods used in estimation, and general qualifications of the data obtained from this survey is in preparation.

The data collected in the NHIS are obtained through a complex sample design involving stratification, clustering, and multistage sampling. In addition, the weighting factors are subject to adjustments. Because of this complex design and adjusted sampling weights, the direct application of standard statistical analysis methods for estimation and hypothesis testing may yield misleading results. If data are not weighted, severely biased estimators may result. Weighted data used in standard software packages may provide unbiased estimators for the typically computed first-order statistics like means or regression coefficients, but the computed standard errors may be too small on the average.

It is recommended that users of NHIS data use computer software that provides the capability of variance estimation for complex sample designs. The user is referred to the Internet web site "http://www.fas.harvard.edu/~stats/survey-soft/survey-soft.html" entitled Summary of Survey Analysis Software for current software information. NCHS uses linearization methods, in particular the SUDAAN software, for NHIS variance estimation. At this time NCHS does not provide information for use with balanced repeated replication variance estimation methods. A document providing SUDAAN code to compute standard errors of means, percentages and totals with the Public Use NHIS database is in preparation. It will be distributed

with future releases of this documentation, and will be available from the NCHS web site "http://www.cdc.gov/nchswww/nchshome.htm".

The user should be warned that while analyses of large NHIS domains usually produce reliable estimators with stable variances, the analysis of small domains may yield unreliable estimators along with unstable variance estimators. The analyst should pay particular attention to the estimated coefficient of variation for the estimators of means, proportions and totals. In addition, small sample sizes, or small numbers of primary sampling units containing targeted data may be an indication of variance estimator instability.

#### Reference:

Shah, B.W., Barnwell, B.G., Bieler, G.S., SUDAAN User's Manual: Software for Analysis of Correlated Data, Release 7.0 Research Triangle Institute, Research Triangle Park, North Carolina (1996).

#### CHANGES IN THE 1995 PUBLIC USE TAPE COMPARED TO 1994

The 1995 Public Use Tape resembles the 1994 version, with the following exceptions. Most of the modifications occurred because of changes to the sampling design. (Please see section on Sample Design, etc. on page 1 of the Introduction). Because of these changes new fields have been added while fields that represented the old sampling frame have been dropped. The locations and code differences are described below:

HOUSEHOLD, PERSON, CONDITION, DOCTOR VISIT, AND HOSPITAL RECORD VARIABLES

#### Additions:

naarerons -	
Tape Location	Item and Codes
5-14	Household ID (While this field occupies the same locations as the ID used in the 1984-1994 design, this one field replaces all of the others to create a unique household ID)
337-340	Strata for variance estimation
341	PSU for variance estimation
342-343	Substratum for variance estimation
344-350	Secondary Sampling Unit
352	Panel 4
Deletions:	
6-8	Random Recode of PSU Number
9-10	Week - Census Code
11-12	Segment Number
13-14	Household Number
178	Type of Substratum

HOUSEHOLD, PERSON, CONDITION, DOCTOR VISIT, AND HOSPITAL RECORD VARIABLES - (Continued)

#### Changes:

19-20	Sampling Week Code (Previously labeled Processing Week Code)
25-26	Group Quarters (Previously labeled Special Place. Categories have changed - the Census Bureau has totally replaced Special Place with these facilities, see Appendix A)
178	Sampling Quarter (Previously labeled Processing Quarter and moved from loc. 5 to loc. 178)
183	Geographic Distribution (Categories have been expanded)
186	MSA - Non-MSA Residence (Non-MSA combines Non-MSA Farm and Non-MSA non-farm)
351	Type of PSU (Moved from loc. 185 to loc. 351 and categories have been combined)

PERSON, CONDITION, DOCTOR VISIT, AND HOSPITAL RECORD VARIABLES

#### Changes:

41-42 Main Racial Background

(The term African American has been included in the category "Black" - see note for locs. 41-42 of each record)

Deletions:

77-79 Industry Detail code

84-86 Occupation Detail code

179-181 Full Sample Stratum Identifier

# NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of records = 41,824 HOUSEHOLD RECORD

Tape Locations	Item No. Fre	equency	Items and Codes
1-2	-		RECORD TYPE
	41 ,	,824	10. Household Record
3-4	нн-2		PROCESSING YEAR
	41,	,824	95. 1995
5-14	Generated		HOUSEHOLD ID
15-16	-		BLANK (Person Number on other record types)
17-18	-		BLANK (Record Serial Number on other record types)
19-20	3,3 3,3 3,5 3,5 3,5 3,5 2,6 2,7	Qu 640 01 349 02 407 03 372 04 555 05 416 06 517 07 432 08 525 09 573 10 664 11 732 12	6. Week 5 6. Week 6 7. Week 7 8. Week 8

Tape Locations	Item No. Frequency	Items and Codes
21	Recode	LATE INTERVIEW (OR LAST ATTEMPT) FLAG
	21,977	0. Interview not late
	12,575	1. One week late
	4,889	2. Two weeks late
	2,383	3. Unknown
22-23	HH-11c,d	TYPE OF LIVING QUARTERS:
		Housing Unit = (00-07)
	1,360	00. Housing unit; kind unknown
	37,847	01. House, apartment, flat
	36	02. HU in nontransient hotel, motel,
		etc.
	7	03. HU-permanent in transient
	1.5	hotel, motel, etc.
	15	04. HU in rooming house
	1,865	05. Mobile home or trailer with no
	351	permanent room added  06. Mobile home or trailer with one
	331	or more permanent rooms added
	42	07. HU not specified above
	12	or. no not specifica above
		Other Unit = (08-13)
	35	08. Quarters not HU in rooming or
		boarding house
	2	09. Unit not permanent in transient
		hotel, motel, etc.
	5	10. Unoccupied site for mobile home,
		trailer, or tent
	170	11. Student quarters in college
		dormitory
	87	12. Other unit not specified above
	2	13. Other unit; kind unknown
24	нн-12а	HAS TELEPHONE*
	35,468	1. Yes, phone number given
	1,572	2. Yes, no phone number given
	1,759	3. No
	440	4. Unknown
	2,585	Blank. Non-interview

<sup>\*</sup> Item number HH-12b, Working Telephone Inside the Home is in loc. 77.

### $\begin{array}{cccc} {\tt NHIS} & {\tt PUBLIC} & {\tt USE} & {\tt TAPE} & {\tt RECORDS} \\ & & {\tt HOUSEHOLD} & {\tt RECORD} \end{array}$

Tape Locations	Item No. Freque	ency Items and Codes
25-26	НН-11а	GROUP QUARTERS (Unedited)
		SEE APPENDIX A Blank. Not applicable
27	нн-17	COMPLETED INTERVIEW
	38,96	4 1. Completed interview - non-military household
	2,58	
	27.	5 3. Completed interview - military household*
28-29	нн-16	NON-INTERVIEW REASON
		Type A
	1,82 35 19 2 18 39,23	02. No one at homerepeated calls 03. Temporarily absent 04. Language Problem 05. Other
30-33	нн-17	DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)
30-31		Month 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December
32-33		Blank. Day 01-31. Day of Month Blank.

<sup>\*</sup> Spouse or parent is in the Armed Forces.

Tape Locations	Item No. Frequency	Items and Codes
34-35	Generated	NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families) Blank. Non-interview
36-55	Generated	SIZE OF FAMILY  00. Not applicable or only unrelated individuals  01+ Number of persons in family Blank. Non-interview
36-37		SIZE OF FAMILY - Primary Family
38-39		SIZE OF FAMILY - Secondary Family No. 1
40-41		SIZE OF FAMILY - Secondary Family No. 2
42-43		SIZE OF FAMILY - Secondary Family No. 3
44-45		SIZE OF FAMILY - Secondary Family No. 4
46-47		SIZE OF FAMILY - Secondary Family No. 5
48-49		SIZE OF FAMILY - Secondary Family No. 6
50-51		SIZE OF FAMILY - Secondary Family No. 7
52-53		SIZE OF FAMILY - Secondary Family No. 8
54-55		SIZE OF FAMILY - Secondary Family No. 9
56-57	Generated	NUMBER OF UNRELATED INDIVIDUALS  00. Not applicable  01+ Number of unrelated individuals Blank. Non-interview

Tape Locations	Item No. Frequency	Items and Codes
58	Generated	REFERENCE PERSON PRESENT - Primary Family
		<ol> <li>Yes or all adult family members in Armed Forces</li> </ol>
		Blank. Household with unrelated
		individuals only or non-interviewed household
59		REFERENCE PERSON PRESENT -
		Secondary Family No. 1
60		REFERENCE PERSON PRESENT -
		Secondary Family No. 2
61		REFERENCE PERSON PRESENT -
		Secondary Family No. 3
62		REFERENCE PERSON PRESENT -
		Secondary Family No. 4
63		REFERENCE PERSON PRESENT -
		Secondary Family No. 5
64		REFERENCE PERSON PRESENT -
		Secondary Family No. 6
65		REFERENCE PERSON PRESENT -
		Secondary Family No. 7
66		REFERENCE PERSON PRESENT -
		Secondary Family No. 8
67		REFERENCE PERSON PRESENT -
		Secondary Family No. 9
68-69	Generated	NUMBER OF PERSON RECORDS FOR THE
		HOUSEHOLD
70-71	Generated	NUMBER OF CONDITION RECORDS FOR THE
		HOUSEHOLD

Tape Locations	Item No. Frequency	v Items and Codes
72-73	Generated	NUMBER OF TWO-WEEK DOCTOR VISIT RECORDS FOR THE HOUSEHOLD
74-75	Generated	NUMBER OF HOSPITAL RECORDS FOR THE HOUSEHOLD
76	A2	CONDITION LIST ASSIGNED
	6,538	1. Condition List 1, Skin and Musculoskeletal
	6,563	2. Condition List 2, Impairments
	6,529	3. Condition List 3, Digestive
	6,543	4. Condition List 4, Miscellaneous
	6,365	5. Condition List 5, Circulatory
	6,524	6. Condition List 6, Respiratory
	184	7. Unknown
	2,578	Blank. Non-interview
77	HH-12b	WORKING TELEPHONE INSIDE THE HOME
	34,730	1. Yes, working phone in home
	2,320	2. No working phone in home
	2,189	9. Unknown
	2,585	Blank. Non-interview
78-177	-	BLANK

Tape Locations	Item No. Frequency	Items and Codes
178	нн-5	SAMPLING QUARTER
	11,290 11,594	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
179-181	-	BLANK
182	File	REGION  1. Northeast 2. Midwest 3. South 4. West
183	5,091 4,864 10,666 4,844 4,990 3,020 539	GEOGRAPHIC DISTRIBUTION  MSA Size  1. 5,000,000 or more 2. 2,500,000 - 4,999,999 3. 1,000,000 - 2,499,999 4. 500,000 - 999,999 5. 250,000 - 499,999 6. 100,000 - 249,999 7. Under 100,000  Blank. Non-MSA
184-185	-	BLANK

Tape Locations	Item No. Frequenc	y Items and Codes
186	Recode	MSA - Non-MSA RESIDENCE
	14,166 19,848 7,810	<ol> <li>In MSA; in Central City</li> <li>In MSA; not in Central City</li> <li>Not in MSA</li> </ol>
187-200	-	BLANK
201-206	Calculated	QUARTER BASIC WEIGHT
		Adjusted by Segment and Special HH Sampling Factors (XXXXX.X)
207-336	-	BLANK
337-340	Recode	STRATA FOR VARIANCE ESTIMATION
341	Recode	PSU FOR VARIANCE ESTIMATION
342-343	Recode	SUBSTRATUM FOR VARIANCE ESTIMATION
344-350	Generated	SECONDARY SAMPLING UNIT
351	Unit Control File	TYPE OF PSU
		<ol> <li>Self representing</li> <li>Non self representing</li> </ol>
352	Unit Control File	PANEL 4
	. T1C	1-4. Code used to identify nationally representative subsamples.
353-355	-	BLANK

# NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of records = 102,467 PERSON RECORD

Tape Locations	Item No. Frequency	Items and Codes
1-2	_	RECORD TYPE
	102,467	20. Person Record
3-4	HH-2	PROCESSING YEAR
	102,467	95. 1995
5-14	Generated	HOUSEHOLD ID
15-16	-	PERSON NUMBER
17-18	-	BLANK (Record Serial Number on other record types)
19-20	HH-3  6,472 8,329 8,319 7,866 8,788 8,282 8,508 8,644 8,530 8,878 6,634 6,637 6,580	SAMPLING WEEK CODE (Numbered within Quarter, location 178)  01. Week 1  02. Week 2  03. Week 3  04. Week 4  05. Week 5  06. Week 6  07. Week 7  08. Week 8  09. Week 9  10. Week 10  11. Week 11  12. Week 12  13. Week 13

Tape Locations	Item No.	Frequency	Items	and Codes
21	Recode		LATE	INTERVIEW (OR LAST ATTEMPT) FLAG
		56,099 30,218 10,824 5,326	0. 1. 2. 3.	One week late Two weeks late
22-23	НН-11c,d		TYPE	OF LIVING QUARTERS:
			Housi	ng Unit = (00-07)
		1,996 94,319 68 10	00. 01. 02.	House, apartment, flat HU in nontransient hotel, motel, etc. HU-permanent in transient hotel, motel, etc.
		18 4,615	04. 05.	5
		932	06.	Mobile home or trailer with one or more permanent rooms added
		68	07. Other	HU not specified above Unit = (08-13)
		37	08.	Quarters not HU in rooming or
		6	09.	boarding house Unit not permanent in transient hotel, motel, etc.
		12	10.	
		238	11.	
		146 2	12. 13.	Other unit not specified above Other unit; kind unknown

Tape Locations	Item No.	Frequency	It	ems and Codes
24	нн-12		HAS T	ELEPHONE
		93,163 3,560 4,685 1,059	1. 2. 3. 4.	Yes, no phone number given No
25	A-1		SEX	
		48,809 53,658	1. 2.	Male Female
26	_		BLANK	
27-28	Person Column		AGE	
		1,601 100,857 9	01-98	. Under 1 year . Number of years . 99+ years of age
29	Recode		AGE R	ECODE #1
		8,216 21,495 9,098 31,703 20,000 3,787 3,325 4,843	6.	5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years

Tape Locations	Item No.	Frequency	Items and Codes
30	Recode		AGE RECODE #2
		10,005 18,261 10,543 15,338 16,365 11,975 8,025 7,112 4,843	1. Under 6 years 2. 6-16 years 3. 17-24 years 4. 25-34 years 5. 35-44 years 6. 45-54 years 7. 55-64 years 8. 65-74 years 9. 75 years and over
31-32	Recode		AGE RECODE #3
		4,776 97,691	00-35. Months 36. Over 3 years
33	-		BLANK
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			Month
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. Unknown 07. July
36-39			Year of Birth
			1800-1899. 1800-1899 1900-1996. 1900-1996 9999. Unknown

Tape Locations	Item No. Frequenc	y Items and Codes
40	Recode	HISPANIC ORIGIN IMPUTED FLAG
	100,879 1,588	<ol> <li>Hispanic Origin Known</li> <li>Hispanic Origin Imputed from Reference Person</li> </ol>
41-42	A-6	MAIN RACIAL BACKGROUND* - Reported (see notation for locations 43-45)
	77,262 13,762 841 58 20 711 609 105 322 335 300 367 24 30 318 5,248 218 1,937	03. Indian (American) 04. Eskimo 05. Aleut 06. Chinese 07. Filipino 08. Hawaiian 09. Korean 10. Vietnamese 11. Japanese 12. Asian Indian 13. Samoan 14. Guamanian 15. Other API 16. Other Race 17. Multiple Race

<sup>\*</sup> Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

<sup>\*\*</sup>For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

Tape Locations	Item No.	Frequency		Items and Codes	
43-45	Recode		RAC	CE RECODES	
43			Rec	code 1*	
		84,503 13,807 4,157	1. 2. 3.	Black	Persons whose Main Racial Background (location 41-42) was "other" or "unknown"
44			Rec	ode 2	were classified in
		84,503 17,964	1. 2.		the following recodes by using the racial background observed by the interviewer.
45			Rec	code 3	Use of these recodes is recommended for
		13,807 88,660	1. 2.		estimating statistics for the groups shown here.
46-47	A-5		HIS	SPANIC ORIGIN**	
		15 2,215 1,095 5,627 7,136 290 1,881 2,054 526 276 81,352	00. 01. 02. 03. 04. 05. 06. 07. 08.	Puerto Rican Cuban Mexican-Mexica Mexican-Americ Chicano Other Latin Am Other Spanish Spanish, DK ty Unknown if Spa	no an erican pe nish origin

<sup>\*</sup>This recode is used to define race in the Current Estimates tables.

<sup>\*\*</sup>If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

Tape Locations	Item No.	Frequency	Item	s and Codes
48	L-7		MARITAL	STATUS
		23,493 45,581 877 5,072 5,550 1,696 19,360 838	1. M 2. M 3. W 4. D 5. S 6. N	nder 14 years arried - spouse in household arried - spouse not in household idowed ivorced eparated ever married nknown
49	L-1		VETERAN	STATUS
		61,311 20 2,365 1,470 2,853 1,173 1,757 248 1,559 29,711	1. 2. 3. 4. 5. 6. 7. 8. 9. Blank.	WW I WW II Korean War Vietnam veteran Post-Vietnam Other service Served in Armed Forces, unknown if war veteran Unknown if served in Armed Forces
50	L-1	61,311 741		
		1,398	2.	Some service in Guard/Reserve
		6,921 2,348	4. 5.	No active service in Guard/ Reserve Unknown if ever active member in
				Guard/Reserve or served in Armed Forces
		29,711	Blank.	Under 18 years of age

Tape Locations	Item No.	Frequency	Items a	and Codes
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		4,181	00.	Never attended; kindergarten only
		58,883	01-12.	Grades 1-12
			College	::
		5,372 7,200 2,503 8,457 1,651 4,393 1,611 8,216	14. 15. 16. 17. 18.	1 year 2 years 3 years 4 years 5 years 6 years or more Unknown Under 5 years of age
53	Recode	4,181 20,582 11,879 26,422 15,075 8,457 6,044 1,611 8,216	0. 1. 2. 3. 4. 5. 6.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown

Tape Locations	Item No.	Frequency	Items and Codes
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail)
		245	00. Never attended; kindergarten only
		49,189	01-12. Grades 1-12
			College:
		7,744	13. 1 year
		11,854	14. 2 years
		4,285	15. 3 years
		15,099	16. 4 years
		3,293	17. 5 years
		9,588	18. 6 years or more
		1,170	19. Unknown
56	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER Recode
		245	0. None; kindergarten only
		6,568	1. 1-8 years (elementary) 2. 9-11 years (high school)
		8,366	_,,,,,
		34,255	3. 12 years (high school graduate)
		23,883	4. 1-3 years (college)
		15,099	5. 4 years (college graduate)
		12,881	6. 5+ years (post-college)
		1,170	7. Unknown
57	L-8		FAMILY INCOME \$20,000 OR MORE
		31,013	1. Less than \$20,000
		67,486	2. \$20,000 or more
		3,968	3. Unknown

Tape Locations	Item No.	Frequency	I	tems and Codes
58-59	L-8		FAMI	LY INCOME
		578	00.	Less than \$1,000
		559	01.	\$ 1,000 - \$ 1,999
		587	02.	2,000 - 2,999
		681	03.	3,000 - 3,999
		768	04.	2,000 - 2,999 3,000 - 3,999 4,000 - 4,999
		1,090	05.	5,000 - 5,999
		1,255	06.	6,000 - 6,999
		1,277	07.	7,000 - 7,999
		1,309	08.	8,000 - 8,999
		1,454	09.	9,000 - 9,999
		1,945	10.	10,000 - 10,999
		1,285	11.	11,000 - 11,999
		2,146	12.	12,000 - 12,999
		1,272	13.	13,000 - 13,999
		1,455	14.	
		1,767	15.	
		1,300	16.	
		1,178	17.	
		1,710	18.	18,000 - 18,999
		2,025	19.	19,000 - 19,999
		7,879	20.	20,000 - 24,999
		6,739	21.	
		6,823	22.	
		5,436	23.	
		5,367		40,000 - 44,999
		4,904		45,000 - 49,999
		22,944	26.	
		16,734	27.	Unknown
60	Recode		FAMI	LY INCOME RECODE
		3 173	Ω	Under \$5,000
		2,345		\$ 5,000 - \$ 6,999
		4,040		7,000 - 9,999
		8,103		10,000 - 14,999
		7,980		15,000 - 19,999
		7,879		20,000 - 24,999
		13,562	6	25 000 - 34 999
		15,707	7.	35,000 - 49,999
		22,944	8.	\$50,000 or more
		16,734	9.	Unknown

Tape Locations	Item No. Frequency	y Items and Codes
61	Generated	NHIS POVERTY INDEX*
	78,385 14,598 9,484	<ol> <li>At or above poverty threshold</li> <li>Below poverty threshold</li> <li>Unknown</li> </ol>
62-63		FAMILY RELATIONSHIP
62	A-2 10,446 1,154 90,619 248	Type of Family  &. Primary individual  Secondary individual  0. Primary family  1-9. Secondary family
63	A-2 9,863 30,083 22,210 267 34,219 2,168 989 2,633 35	Relationship to Reference Person  &. Reference person, living alone  0. Reference person, 2+ persons in household  1. Spouse, other spouse NOT in Armed Forces and living at home  2. Spouse, other spouse IN Armed Forces and living at home  3. Child of reference person or spouse  4. Grandchild of reference person or spouse  5. Parent of reference person or spouse  6. Other relative  7. Child of military family with no eligible reference person
	0	9. Unknown

<sup>\*</sup>Based on family size, number of children under 18 years of age and family income using the 1994 poverty levels derived from the August, 1995 Current Population Survey.

Tape Locations	Item No. Frequency	Items and Codes
64	Recode	FAMILY RELATIONSHIP RECODE
	9,863 1,737 45,557 45,310	<ol> <li>Living alone</li> <li>Living only with non-relative</li> <li>Living with spouse</li> <li>Living with relative - other</li> </ol>
65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
	101,167 1,300	1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
	21,780 5,789 533 2,768 1,989 201 465 725 321 1,471 66,425	<ol> <li>Both parents, no other relative</li> <li>Mother only</li> <li>Father only</li> <li>Both parents and other 21+ year old adult relative</li> <li>Mother and other 21+ year old adult relative</li> <li>Father and other 21+ year old adult relative</li> <li>No parent, but one 21+ year old adult relative</li> <li>No parent, but two or more 21+ year old adult relative</li> <li>No parent, but two or more 21+ year old adult relatives</li> <li>Unknown</li> <li>Other</li> <li>Blank. Not applicable (25+ years old or</li> </ol>

 $<sup>{}^{\</sup>star}\text{Count}$  includes spouse in military but living at home.

Tape Locations	Item No.	Frequency	Iter	ns and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
		44,756	1.	Working
		12,561	2.	
		4,242		Going to school
		10,542		Something else
		655		Unknown
		29,711	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		36,442	1	Excellent
		29,116		
				Very Good
		24,830		Good
		7,868		Fair
		3,021 1,190		Poor Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS*- (all ages)
		4,831	1.	Unable to perform major activity
		5,585	2.	
		4,558	3.	Limited in other activities
		87,493	4.	
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		4,578 3,073 2,405 54,532 37,879		Limited in kind/amount of work Limited in other activities Not limited (includes unknowns)

<sup>\*</sup> This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

Tape Locations	Item No.	Frequency	Item	s and Codes
73	B-11		LIMITAT years)	ION OF SCHOOL ACTIVITIES (5-17
		138 696 103 210 457 19,891 80,972	2. 3. 4. 5.	Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns)
74	В-14			ELP WITH PERSONAL CARE (5-59 years limited, or age 60-69 years)*
		710	1.	Unable to perform personal care needs
		1,296	2.	Limited in performing other routine needs
		14,101	3.	Not limited in performing persona or routine needs
		597 85,763	4. Blank.	Unknown Not applicable (Under 5 years; 5- years not limited; 70+ years old)

<sup>\*</sup> For persons 70+ years, use location 71 to analyze 'Needs Help With Personal Care'; codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

Tape Locations	Item No.	Frequency	Ite	ms and Codes
75	D-1		EMPLOYI	MENT STATUS IN PAST 2 WEEKS ears)
			In the	Labor Force: (1-7)
			Curren	tly employed: (1-3)
		45,836 855	1. 2.	Worked in past 2 weeks Did not work, has job; not on lay-off and not looking for work
		39	3.	-
			Umempl	oyed: (4-7)
		129 10	4. 5.	Did not work, has job; on lay-off Did not work, has job; on lay-off and looking for work
		334	6.	Did not work, has job; unknown if looking or on lay-off
		1,550	7.	
			Not in	Labor Force (18+ years): (8)
		24,003 29,711	8. Blank.	Not in Labor Force (18+ years) Not applicable (Under 18 years old)

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		24,003 34,460 1,293 2,210 3,907 1,263 4,135 75 52 1,358 29,711	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	_		BLANK
80-81	Recode		INDUSTRY RECODE 1 SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2 SEE APPENDIX B
84-86	-		BLANK
87-88	Recode		OCCUPATION RECODE 1 SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2 SEE APPENDIX C

Tape Locations	Item No.	Frequency	Items and Codes	
91	L-R		RESPONDENT	
		44,903	1. Self-entirely	
		5,717	2. Self-partly	
		50,625	3. Proxy	
		1,222		
92	Recode		CONDITION LIST ASSIGNED AND ASKED	
		16,851	1. Condition List 1, Skin and musculoskeletal	
		17,047	2. Condition List 2, Impairments	
		17,220	3. Condition List 3, Digestive	
		17,073	4. Condition List 4, Miscellaneous	
		16,452	5. Condition List 5, Circulatory	
		16,714	6. Condition List 6, Respiratory	
		1,110	7. Unknown	
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)	
			36-98. Number of inches	
			99. Unknown	
			Blank. Under 18 years of age	
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)	
			050-500. Number of pounds	
			501. Unknown	
			Blank. Under 18 years of age	
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS	
		91,663	00. None	
		10,804		
		10,00 <del>4</del>	UI-IT. Days	

## NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency Items and Codes
100-101	D-4	BED DAYS IN PAST TWO WEEKS
		96,254 00. None 6,213 01-14. Days
102-103	D-2	WORK-LOSS DAYS IN PAST TWO WEEKS
		99,771 00. None 2,696 01-14. Days
104-105	D-3	SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		100,772 00. None 1,695 01-14. Days
106-107	D-6	OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		97,198 00. None 5,269 01-14. Days
108-110	G-2	BED DAYS IN PAST 12 MONTHS
		57,811 000. None 43,178 001-365. 1-365 days 1,478 366. Unknown
111	Recode	BED DAYS IN PAST 12 MONTHS - Recode
		57,811 0. None 33,893 1. 1-7 days 6,774 2. 8-30 days 1,910 3. 31-180 days 601 4. 181-365 days 1,478 5. Unknown

#### NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequenc	cy Items and Codes
112-114	G-3	DOCTOR VISITS IN PAST 12 MONTHS
	0	001-996. Visits
115	G-3	INTERVAL SINCE LAST DOCTOR VISIT
		<ol> <li>1 to less than 2 years</li> <li>2 to less than 5 years</li> </ol>
116-117	Generated	NUMBER OF CONDITIONS
118-119	Generated	NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated	NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*

<sup>\*</sup>Based on Operation codes and reason entered hospital.

#### NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape		
Locations	Item No. Frequency	Items and Codes
132-133	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
142-143	-	BLANK
144	L-9b  2,790 9,443 10,337 8,749 53,124 4,431 13,593	<ul><li>5. 15 years or more</li><li>9. Unknown</li></ul>
145	L-9c  505 2,216 2,469 1,913 6,163 327 88,874	YEARS LIVED IN UNITED STATES  1. Less than 1 year 2. 1 yr., less than 5 yrs. 3. 5 yrs., less than 10 yrs. 4. 10 yrs., less than 15 yrs. 5. 15 years or more 9. Unknown Blank. Not applicable (U.S. born)
146-171	-	BLANK

<sup>\*</sup>Based on Operation codes and reason entered hospital.

## NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequency	Items and Codes
172-177	-	FINAL QUARTER BASIC WEIGHT BEFORE AGE-SEX-RACE-ETHNICITY ADJUSTMENT (has one implied decimal)
178	нн-5	SAMPLING QUARTER
	25,968 28,084 27,983 20,432	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
179-181	-	BLANK
182	Unit Control File 19,818 22,265 35,896 24,488	REGION  1. Northeast 2. Midwest 3. South 4. West
183	Unit Control File  12,731 12,191 25,602 11,729 12,371 7,337 1,261 19,245	GEOGRAPHIC DISTRIBUTION  MSA Size  1. 5,000,000 or more 2. 2,500,000 - 4,999,999 3. 1,000,000 - 2,499,999 4. 500,000 - 999,999 5. 250,000 - 499,999 6. 100,000 - 249,999 7. Under 100,000  Blank. Non-MSA

- 35 -

## NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequen	cy Items and Codes
184-185	-	BLANK
186	Unit Control File	MSA - NON-MSA RESIDENCE
	33,070 50,152 19,245	2. In MSA; not in Central City
187-189	-	BLANK
190-200	-	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXX) - character format with implied decimal
		FINAL BASIC WEIGHT
201-209	-	QUARTER
210-218	-	SEMI-ANNUAL (Quarter/2)
219-227	_	ANNUAL (Quarter/4)

#### NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequency	Items and Codes
		6.5 WEIGHT
228-236	-	QUARTER, SEMI-ANNUAL AND ANNUAL*
		ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245	-	QUARTER, SEMI-ANNUAL AND ANNUAL*
		ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254	-	QUARTER, SEMI-ANNUAL AND ANNUAL*
		ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
255-263	-	QUARTER, SEMI-ANNUAL AND ANNUAL*
		ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	-	QUARTER, SEMI-ANNUAL AND ANNUAL*
		ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	-	QUARTER
282-290	-	SEMI-ANNUAL
291-299	-	ANNUAL

<sup>\*</sup>Estimates can be made for these periods depending on whether one quarter, two quarters or all four quarters of records are used.

## NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No. Frequency	Items and Codes
		ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
300-308	-	QUARTER
309-317	-	SEMI-ANNUAL
318-326	-	ANNUAL
327-335	-	ANNUAL ESIMATED NUMBER OF SHORT-STAY HOSPITAL EPIDSODES IN PAST 12 MONTHS
336	-	BLANK
337-340	Recode	STRATA FOR VARIANCE ESTIMATION
341	Recode	PSU FOR VARIANCE ESTIMATION
342-343	Recode	SUBSTRATUM FOR VARIANCE ESTIMATION
344-350	Generated	SECONDARY SAMPLING UNIT
351	Unit Control File 67,410 35,057	1. Self representing
352	Unit Control File	PANEL 4  1-4. Code used to identify nationally representative subsamples.
353-355		BLANK

#### - 38 - CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS Code

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

#### NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Condition and Doctor Visit Records. The X of the Impairment Codes (represented by a hyphen '-') is in the first of the four columns.

Category Title

	00009017 11010
019	Tuberculosis, arrested or inactive
	Psychic factors associated with diseases classified elsewhere in specified system:
316.0	Musculoskeletal
316.1	Respiratory
316.2	Cardiovascular
316.3	Skin

316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found

#### Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

Unused ICD	Coded To:
009.1	558
009.3	558
042-044	799.9
137-139	Impairment, as appropriate
230-234	Not applicable (not reported in NHIS)
235-238	Benign, malignant or unspecified, by site
268.1	Not applicable (not reported in NHIS)
306.0,6,7,8,9	Code as if non-psychogenic
315.0-2	X14
317-319	X19
326	Code residual effect to appropriate impairment or ICD 320-325

331.3,4	X93
342	X41
343	X50
344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
353.5	X70-X79, by site
369	X00-X03, by severity and site
388.2	X05-X09, by severity and site
389	X05-X09, by severity and site
391	Usually 398.9 (see Short Index)
410-412	414
429.6	414
436	437
438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
520.0-2,5	X92
521.6	X92
524	X92
718.6	X85
728.2	X70-X79, by site
728.4	Orthopedic impairment, by site
728.6	X74
734	X77
735	X76
736	Impairment, by type, site and cause
737	X70

738	Impairment, by type, site and cause
740	Not applicable (not reported in NHIS)
741	X71.9
742.0,1,3	X93.9
743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment (see Appendix III)
744.5	X79.9
744.8,9	of face, coded to X90.9 of neck, coded to X79.9
749	X91.9
750.0,1	X11.9
753.0	X31.9
754.2	X70.9
754.3	X75.9
754.4	X76.9
754.5-7	X78.9 except flatfoot coded to X77
754.8	Appropriate impairment, by type and site
755	Appropriate impairment, by type and site
756.0-3	Appropriate impairment, by type and site
758.0	X19.9
759.7.9	X99.9
761.6	Not applicable
779.6	Not applicable (for fetus)
781.5	X74

783.1	278.0
798	Not applicable
871.3	X00-X03
885-887	Appropriate impairment, by site
895-897	Appropriate impairment, by site
905.6-8	X80-89, by site
905.9	X20-29, X35, by site
908.6	Code to effect
909.0,1,3,9	Code to effect
958	Code injury only
960-979	977.9
980.987	989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

#### Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

#### Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included. Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200 divided by 1,000,000,000 to adjust for the implied decimal) times the annual basic weight in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode C - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

# NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of records = 75,701 CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes		
1-2	-		RECORD TYPE		
		75,701	30. Condition Record		
3-4	нн-2		PROCESSING YEAR		
		75,701	95. 1995		
5-14	Generate	ed	HOUSEHOLD ID		
15-16	_		PERSON NUMBER		
17-18	-		CONDITION SERIAL NUMBER		
			00-99. Serial Number		
19-20	нн-3		SAMPLING WEEK CODE (Numbered within Quarter, location 178)		
		4,529 6,207 6,437 5,944 6,643 6,103 6,219 6,341 6,535 6,475 4,690 4,697 4,881	01. Week 1 02. Week 2 03. Week 3 04. Week 4 05. Week 5 06. Week 6 07. Week 7 08. Week 8 09. Week 9 10. Week 10 11. Week 11 12. Week 12 13. Week 13		

Tape Locations	Item No.	Frequency	Ite	ems and Codes
21	Recode		LATE	INTERVIEW (OR LAST ATTEMPT) FLAG
		44,298	0.	Interview not late
		21,140	1.	One week late
		6,882	2.	Two weeks late
		3,381	3.	Unknown
22-23	нн-11c,d		TYPE	OF LIVING QUARTERS:
			Hous	ing Unit = (00-07)
		1,352	00.	Housing unit; kind unknown
		68,994	01.	
		43	02.	HU in nontransient hotel, motel,
				etc.
		6	03.	HU-permanent in transient hotel, motel, etc.
		13	,04.	HU in rooming house
		3,866	05.	Mobile home or trailer with no
		3,000	05.	permanent room added
		932	06.	<b>L</b>
		752	00.	or more permanent rooms added
		85	07.	
				Other Unit = (08-13)
				Other Offic - (00-13)
		55	08.	Quarters not HU in rooming or
		33		boarding house
		3	09.	Unit not permanent in transient
		_	·	hotel, motel, etc.
		11	10.	Unoccupied site for mobile home,
				trailer, or tent
		145	11.	Student quarters in college
				dormitory
		189	12.	
		7	13.	Other unit; kind unknown

Tape Locations	Item No.	Frequency	Items and Codes
24	нн-12		HAS TELEPHONE
		69,439 2,343 3,217 702	<ol> <li>Yes, phone number given</li> <li>Yes, no phone number given</li> <li>No</li> <li>Unknown</li> </ol>
25	A-1		SEX
		32,112 43,589	1. Male 2. Female
26	_		BLANK
27-28	Person Column		AGE
		578 75,109 14	00. Under 1 year 01-98. Number of years 99. 99+ years of age
29	Recode		AGE RECODE #1
		2,665 7,651 3,735 19,811 21,615 5,886 5,131 9,207	<ol> <li>Under 5 years</li> <li>5-17 years</li> <li>18-24 years</li> <li>25-44 years</li> <li>45-64 years</li> <li>65-69 years</li> <li>70-74 years</li> <li>75 years and over</li> </ol>

Tape Locations	Item No.	Frequency	Items and Codes
30	Recode		AGE RECODE #2
		3,253 6,463 4,335 8,247 11,564 11,393 10,222 11,017 9,207	<ol> <li>Under 6 years</li> <li>6-16 years</li> <li>17-24 years</li> <li>25-34 years</li> <li>35-44 years</li> <li>45-54 years</li> <li>55-64 years</li> <li>65-74 years</li> <li>75 years and over</li> </ol>
31-32	Recode		AGE RECODE #3
		1,633 74,068	00-35. Months 36. Over 3 years
33	_		BLANK
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			Month
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. Unknown 07. July
36-39			Year of Birth
			1800-1899. 1800-1899 1900-1996. 1900-1996 9999. Unknown

Tape Locations	Item No.	Frequency	Items and Codes
40	Recode		HISPANIC ORIGIN IMPUTED FLAG
		74,886 815	0. Hispanic Origin Known 1. Hispanic Origin Imputed from Reference Person
41-42	A-6		MAIN RACIAL BACKGROUND* - Reported (see notation for locations 43-45)
		60,137	01. White
		9,657	02. Black/African American**
		725	03. Indian (American)
		19	04. Eskimo
		4	05. Aleut
		260	06. Chinese
		320	07. Filipino
		73	08. Hawaiian
		95	09. Korean
		112	10. Vietnamese
		201	11. Japanese
		142	12. Asian Indian
		9	13. Samoan
		8	14. Guamanian
		118	15. Other API
		2,756	16. Other Race
		167	17. Multiple Race
		898	99. known

<sup>\*</sup> Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

<sup>\*\*</sup> For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

Tape Locations	Item No.	Frequency	I	tems and Codes	
43-45	Recode		RAC	E RECODES	
43			Rec	ode 1*	
					Persons whose Main
		63,839	1.		Racial Background
		9,706	2.		(location 41-42) was
		2,156	3.	Other	"other" or "unknown"
44			Rec	ode 2	were classified in the following recodes by using the racial
		63,839	1.	White	background observed
		11,862	2.	Non-white	by the interviewer.
					Use of these recodes
45			Rec	ode 3	is recommended for
					estimating statistics
		9,706	1.	2200	for the groups shown
		65,995	2.	Non-black	here.
46-47	A-5		HIS	PANIC ORIGIN**	
		12	00.	Multiple Hisp	panic
		1,558	01.		
		877	02.	Cuban	
		2,292	03.	Mexican-Mexic	ano
		3,925	04.	Mexican-Ameri	can
		151	05.	Chicano	
		867	06.	Other Latin A	merican
		1,106	07.	Other Spanish	l
		302	08.	± '	
		213	09.	Unknown if Sp	anish origin
		64,398	10.	Not Spanish c	origin
		UT, JJO	ΤΟ.	Not spanish C	,r

<sup>\*</sup>This recode is used to define race in the Current Estimates tables.

<sup>\*\*</sup>If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

Tape Locations	Item No.	Frequency	Items and Codes
48	L-7		MARITAL STATUS
		7,838	0. Under 14 years
		38,026	1. Married - spouse in household
		754	2. Married - spouse not in household
		9,159	3. Widowed
		6,875	4. Divorced
		2,004	5. Separated
		10,652	
		393	7. Unknown
49	L-1		VETERAN STATUS
		53,302	1. Non-veteran
		34	2. WW I
		3,802	3. WW II
		1,969	4. Korean War
		2,671	5. Vietnam veteran
		796	6. Post-Vietnam
		1,563	7. Other service
		236	<ol><li>Served in Armed Forces, unknown if war veteran</li></ol>
		1,012	9. Unknown if served in Armed
		1,012	Forces
		10,316	Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS
30	п-т		ON ACTIVE DUTY IN ARMED FORCES
		53,302	0. Non-veteran
		628	1. All service in Guard/Reserve
		1,665	2. Some service in Guard/Reserve
		21	3. Unknown if all service in
			Guard/Reserve
		7,953	4. No active service in Guard/
			Reserve
		1,816	5. Unknown if ever active member in Guard/Reserve or if served in
		10 216	Armed Forces
		10,316	Blank. Under 18 years of age

Tape Locations	Item No.	Frequency	Items	and Codes
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		2,034	00.	Never attended; kindergarten only
		47,277	01-12.	2
			College	:
		4,478 5,723	13. 14.	1 year 2 years
		1,942		3 years
		5,749		4 years
		1,329		5 years
		3,628 876	18. 19.	6 years or more Unknown
		2,665	Blank.	
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		2,034	0.	None; kindergarten only
		14,362	1.	
		10,576	2.	9-11 years (high school)
		22,339	3.	12 years (high school graduate)
		12,143	4.	1-3 years (college)
		5,749	5.	, , , , , , , , , , , , , , , , , , , ,
		4,957	6.	1 11 3 /
		876	7.	Unknown
		2,665	Blank.	Under 5 years of age

Tape Locations	Item No.	Frequency	Items a	and Codes
54-55	-			EDUCATION OF RESPONSIBLE ADULT EMBER (Detail)
		286	00.	Never attended; kindergarten only
		39,768	01-12.	Grades 1-12
			College	:
		5,793	13.	1
		8,208	14.	
		3,055	15.	
		9,334		4 years
		2,165	17.	1
		6,550 542	18. 19.	-
				Olikilowii
56	-			EDUCATION OF RESPONSIBLE ADULT EMBER RECODE
		286		ne; kindergarten only
		6,375		8 years (elementary)
		7,729		11 years (high school)
		25,664		years (high school graduate)
		17,056		3 years (college)
		9,334		years (college graduate)
		8,715 542		years (post-college) known
			7. 0111	KIIOWII
57	L-8		FAMILY II	NCOME \$20,000 OR MORE
		29,941	1. Le:	ss than \$20,000
		43,416		0,000 or more
		2,344		known

- 54 -

Tape Locations	Item No.	Frequency	Items	and Codes		
58-59	L-8		FAMILY I	NCOME		
		549	00.	Less than	\$1,000	
		421	01.	\$ 1,000 -	\$ 1,999	
		471	02.	2,000 -	2,999	
		714	03.	3,000 -	3,999	
		932	04.	4,000 -		
		1,634	05.	•		
		1,648	06.	6,000 -		
		1,658	07.	7,000 -		
		1,515	08.			
		1,502	09.			
		1,833	10.	=	· · · · · · · · · · · · · · · · · · ·	
		1,379	11.	•	•	
		1,858	12.	•		
		1,219	13.	•		
		1,332	14.	14,000 -		
		1,585	15.	•		
		1,131	16.			
		1,076	17.	17,000 -		
		1,394	18.	•	•	
		1,663	19.	•	•	
		6,373	20.	=	· · · · · · · · · · · · · · · · · · ·	
		4,934	21.	25,000 -		
		4,603	22.	•		
		3,502	23.	•		
		3,387	24.	•		
		3,039	25.			
		13,417 10,932	26. 27.	\$50,000 ar Unknown	na over	

Tape Locations	Item No.	Frequency	Items	s and Codes
60	Recode		FAMILY	INCOME RECODE
		3,087	0.	Under \$5,000
		3,282	1.	\$ 5,000 - \$ 6,999
		4,675	2.	7,000 - 9,999
		7,621	3.	10,000 - 14,999
		6,849	4.	15,000 - 19,999
		6,373	5.	20,000 - 24,999
		9,537	6.	25,000 - 34,999
		9,928	7.	35,000 - 49,999
		13,417	8.	\$50,000 or more
		10,932	9.	Unknown
61	Generate	d	NHIS PO	OVERTY INDEX*
		56,501	1.	At or above poverty threshold
		12,392		Below poverty threshold
		6,808	3.	<del>-</del>

<sup>\*</sup>Based on family size, number of children under 18 years of age and family income using the 1994 poverty levels derived from the August, 1995 Current Population Survey.

Tape				
Locations	Item No.	Frequency	Ite	ems and Codes
62-63			FAMII	LY RELATIONSHIP
62	A-2		Type	of Family
		14,185	&.	Primary individual
		875		
		60,451	0.	Primary family
		190	1-9.	
63	A-2		Relat	ionship to Reference Person
0.5	11 2	13,662	&.	-
		27,593	0.	_
		18,066	1.	
		187	2.	<del>-</del>
				Forces and living at home
		12,667	3.	Child of reference person or spouse
		762	4.	-
		1,492	5.	-
		1,262	6.	<u>-</u>
		10	7.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				eligible reference person
		0	9.	Unknown
64	Recode		FAMII	Y RELATIONSHIP RECODE
		13,662	1.	Living alone
		1,398	2.	
		38,007	3.	-
		22,634	4.	
65-66	Generate	 ed	SIZE	OF FAMILY*
			Unrel	ated individuals are coded 01

 $<sup>{}^{\</sup>star}\text{Count}$  includes spouse in military but living at home.

Tape Locations	Item No.	Frequency	Items	and Codes
67	Generate	ed	SIZE OF	FAMILY RECODE
		15,172 529	1-8. 9.	Number of members 9+ members
68	A-2			OTHER ADULT RELATIVE (under 25 nd never married)
		7,267 2,474 159 805 669 69 171 197 119 856 62,915	1. 2. 3. 4. 5. 6. 7. 8. 9. 0. Blank.	Both parents, no other relative Mother only Father only Both parents and other 21+ year old adult relative Mother and other 21+ year old adult relative Father and other 21+ year old adult relative No parent, but one 21+ year old adult relative No parent, but two or more 21+ year old adult relatives Unknown Other Not applicable (25+ years old or ever married)
69	B-1 B-8	27,155 16,159 2,107 19,288 676 10,316	1. 2. 3. 4. 5.	Something else Unknown

Tape Locations	Item No.	Frequency	Items and Codes
70	G-4		HEALTH STATUS
		11,890 15,948 21,515 15,426 10,174 748	<ol> <li>Excellent</li> <li>Very Good</li> <li>Good</li> <li>Fair</li> <li>Poor</li> <li>Unknown</li> </ol>
71	Recode	14,672 13,682 10,438 36,909	ACTIVITY LIMITATION STATUS* - (all ages)  1. Unable to perform major activity 2. Limited in kind/amount major activity 3. Limited in other activities 4. Not limited (includes unknowns)
72	Recode	13,989 7,085 5,198 24,775 24,654	ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)  1. Unable to work 2. Limited in kind/amount of work 3. Limited in other activities 4. Not limited (includes unknowns) Blank. Not applicable (under 18 years, 70+ years)

<sup>\*</sup>This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

Tape Locations	Item No.	Frequency	Items	and Codes
73	B-11		LIMITAT years)	ION OF SCHOOL ACTIVITIES (5-17
		291 1,180 169 387 668 4,956 68,050	2. 3. 4. 5.	Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Not applicable (Under 5 years or 18- years)
74	B-14			ELP WITH PERSONAL CARE (5-59 years limited, or age 60-69 years)*
		2,520 4,453 25,359 19 43,350	2. 3.	routine needs Not limited in performing personal or routine needs Unknown

<sup>\*</sup>For persons 70+ years, use location 71 to analyze 'Needs Help With Personal Care'; codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

Tape Locations	Item No.	Frequency	Items	and Codes
75	D-1		EMPLOYM years)	ENT STATUS IN PAST 2 WEEKS (18+
			In the	Labor Force: (1-7)
			Curre	ntly employed: (1-3)
		27,449	1.	Worked in past 2 weeks
		1,140	2.	<del>-</del>
		37	3.	Did not work, has job; looking for work
			Unemp	loyed: (4-7)
		111	4.	Did not work, has job; on lay-off
		3	5.	<del>-</del>
		218	6.	<del>-</del>
		1,217	7.	
			Not i	n Labor Force (18+ years): (8)
		35,210 10,316	8. Blank.	, ,

Tape Locations	Item No.	Frequency	Titems and Codes
76	L-6		CLASS OF WORKER
		35,210	0. Not in labor force
		20,186	1. Private company
		997	2. Federal Government employee
		1,638	3. State Government employee
		2,767	4. Local Government employee
		804	5. Incorporated business
		2,940	6. Self-employed
		57	7. Without pay
		38	8. Never worked
		748	9. Unknown
		10,316	Blank. Under 18
77-79	-		BLANK
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	_		BLANK
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C

Tape Locations	Item No.	Frequency	Items and Codes			
91	L-R	RESPONDENT				
		47,815 4,602 22,465 819	<ol> <li>Self-entirely</li> <li>Self-partly</li> <li>Proxy</li> <li>Unknown</li> </ol>			
92	Recode		CONDITION LIST ASSIGNED AND ASKED			
		14,214 13,348	<ol> <li>Condition List 1, Skin and musculoskeletal</li> <li>Condition List 2, Impairments</li> </ol>			
		10,320 11,474 11,481 14,104 760	<ol> <li>Condition List 3, Digestive</li> <li>Condition List 4, Miscellaneous</li> <li>Condition List 5, Circulatory</li> <li>Condition List 6, Respiratory</li> <li>Unknown</li> </ol>			
93-96	K-3		ICD/NHIS CODE (DIAGNOSTIC CODE)			
			(See ICD-9 rubric and NHIS Medical Coding Manual, Part III of Documentation)			
97-99	Recode		CONDITION RECODE (B) (ICD Recode, modified for NHIS)			
			(See Diagnostic Recodes Section)			
100-103	Recode		ACUTE RECODE (A)			
			(See Diagnostic Recodes Section)			

Tape Locations	Item No.	Frequency	Items and Codes
104-106	Recode		CHRONIC RECODE (C)
			(See Diagnostic Recodes Section)
107	K-3		CHRONIC/ACUTE CODE
		64,822 10,879	1. Chronic 2. Acute
108	K-5		ONSET
		7,126 5,164 9,018 18,174 36,219	<ol> <li>During the past 2 weeks</li> <li>Over 2 weeks to 3 months</li> <li>Over 3 months to 12 months</li> <li>Over 1 year to 5 years</li> <li>Over 5 years</li> </ol>
109	K-2		DOCTOR LAST SEEN FOR THIS CONDITION
		498 19,843 22,114 8,283 4,907 4,493 4,890 1,193 1,318 8,162	<ol> <li>Interview week</li> <li>2-week reference period</li> <li>Over 2 weeks, less than 6 months</li> <li>6 months, less than 1 year</li> <li>1 year, less than 2 years</li> <li>2 years, less than 5 years</li> <li>5 years or more</li> <li>Doctor seen, DK when</li> <li>DK if doctor seen</li> <li>Doctor never seen</li> </ol>
110	Recode	67,539	DOCTOR EVER SEEN FOR THIS CONDITION  1. Yes
		8,162	2. No

- 64 -

Tape Locations	Item No.	Frequency	Items and Codes
111-112	K-6		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		61,978 13,723	00. None 01-14. 1-14 days
113-114	K-7	68,289 7,412	BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION 00. None 01-14. 1-14 days
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		72,905 2,796	00. None 01-14. 1-14 days
117-118	K-9		SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		74,043 1,658	00. None 01-14. 1-14 days
119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION*
		28,855 5,185 30,782	000. None 001-365. Days 366. Unknown/not a "check-list" condition
		10,879	

<sup>\*</sup>Use only for check-list conditions.

Tape Locations	Item No.	Frequency	Items	s and Codes
122	K-11		EVER HO	OSPITALIZED FOR THIS CONDITION*
		5,759 28,774 30,289 10,879	1. 2. 3. Blank.	No Unknown/not a "check-list" condition
123	K-12		CONDIT	ION STATUS*
		29,061 777 3,066 217 31,701	1. 2. 3. 4. 5. Blank.	Condition under control Other Unknown status/not a "check-list" condition
124	K-12	39 115 115 35 75 94 47	CURED*	Over 3 to 6 months Over 6 to 11 months 1 year (12 months to 23 months) 2-4 years
		60 197 74,924	7. 8. Blank.	10 years or more Unknown

<sup>\*</sup>Use only for check-list conditions.

Tape Locations	Item No.	Frequency	Items	and Codes
125	K-12		CONDITI	ON PRESENT IN PAST 12 MONTHS*
		32,590	1.	Yes
		200	2.	No
		32,032	3.	<pre>Unknown/not a "check-list" condition</pre>
		10,879	Blank.	Not a chronic condition
126	Recode		CONDITI	ON CAUSES ACTIVITY LIMITATION es)
		14,974	1.	Limited, this condition main cause of limitation
		9,516	2.	Limited, this condition secondary cause of limitation
		14,302	3.	
		36,909	4.	Not limited
127	Recode			ON CAUSES LIMITATION IN ABILITY TO or all persons 18-69 years of age)
		7,651	1.	Limited in work, this condition main cause of this limitation
		5,127	2.	Limited in work, this condition secondary cause of this limitation
		8,296	3.	Limited in work but not caused by this condition
		29,973	4.	<del>-</del>
		66,000	Blank.	Not applicable
128	-		ALL INJ	URIES**
		8,520	1.	First
		1,181		Not first
		66,000		
		30,000	בבעוווג.	not an injury

<sup>\*</sup> Use only for check-list conditions.

<sup>\*\*</sup>Includes all conditions reported as caused by an accident or injury, conditions with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items	and Codes
129	Recode			RY ADVERSE REACTION OR ATION OF MEDICAL CARE
		58	1.	Yes, adverse reaction*
		401	2.	Yes, complication of medical care (therapeutic misadventure)*
		9,242	3.	No, other injury
		66,000	Blank.	Not an injury
130	K-14		PLACE O	F ACCIDENT
		922	1.	At home (inside house)
		760	2.	At home (adjacent premises)
		2,285	3.	Street and highway (including roadway and public sidewalks)
		119	4.	Farm
		1,689	5.	<pre>Industrial place (including premises)</pre>
		420	6.	School (including premises)
		498	7.	Place of recreation and sports, except school
		1,232	8.	<del>-</del>
		1,776	9.	Unknown
		66,000	Blank.	Not an injury

<sup>\*</sup>Locations 130-134 are coded 'Unknown' for these injuries. Most adverse reactions and therapeutic misadventures were not originally classified as an accident or injury and have been given the 'unspecified' E-code (E0009) in locs. 140-144 in accordance with ICDA guidelines; most will also have the place code of '9' (unspecified) in loc. 145.

Tape Locations	Item No.	Frequency	Items	and Codes
131	K-15		AT WORK	AT TIME OF ACCIDENT
		2,456 3,771 1,328 348 1,798 66,000	1. 2. 3. 4. 5. Blank.	Yes No Not applicable, under 18 at time of accident Not applicable, in Armed Forces Unknown Not an injury
132	K-16		MOTOR V	EHICLE INVOLVED
		2,320 5,998 1,383 66,000	1. 2. 3. Blank.	
133	K-16		MORE TH	AN ONE VEHICLE INVOLVED? NOTE: Variable name and
		1,458 820 42 73,381	1. 2. 3. Blank.	Yes, two or more values 1 vehicles and 2 were
134	K-16		MOVING	MOTOR VEHICLE INVOLVED
		2,025 221 74 73,381	1. 2. 3. Blank.	Yes No Unknown Not an injury/no or unknown if motor vehicle involved

Tape Locations	Item No.	Frequency	Items and Codes
135-137	Recode		CLASS OF ACCIDENT
		8,894 348 401 58	111-322. 400. SEE APPENDIX D 500. 600.
		66,000	Blank. Not an injury
138	Recode		SELECTED FIRST INJURY*
		6,646 700 68,355	<ol> <li>First</li> <li>Not first</li> <li>Blank. Not a selected injury</li> </ol>
139	Recode		CONDITION CAUSES PERSONAL CARE ACTIVITY LIMITATION (5-59 years old and limited, or age 60-69 years)
		2,006	<ol> <li>Limited, condition main cause of limitation</li> </ol>
		1,120	<ol> <li>Limited, condition secondary cause of limitation</li> </ol>
		3,847	3. Limited, but not caused by this condition
		25,378 43,350	4. Not limited Blank. Not applicable (under 5 years, 5-59 years not limited, 70+ years old)

<sup>\*</sup>Limited to conditions with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No	. Frequency	y Items and Codes
140-144	-		EXTERNAL CAUSE OF INJURY*
		1,672	E0009. (NHIS code for unspecified cause)**
		8,029 I	E800-E998. ICD-9 External Causes of Injury E-Code) (with 5th digit in range 0-9 for some categories)
		66,000	Blank. Not an injury
145	-		ICD-9 (E-CODE) PLACE OF OCCURRENCE
		1,726	0. Home
		115	1. Farm
		10	2. Mine and quarry
		1,668	<ol><li>Industrial place and premises</li></ol>
		545	4. Place for recreation and sports
		2,307	5. Street and highway
		552	6. Public building
		82	7. Residential institution
		955	8. Other specified places
		1,741	9. Unspecified place, Unknown
		66,000	Blank. Not an injury
146-177	-		BLANK
178	нн-5		SAMPLING QUARTER
		10 050	1 0 1 1
		19,978	1. Quarter 1
		20,232	2. Quarter 2
		20,586 14,905	3. Quarter 3 4. Quarter 4
		<u>.</u>	
179-181			BLANK

<sup>\*</sup>Include all listed E-codes except late effects (929, 959, 969, 977, 989, 999), and death (978). In addition, NHIS added "9" (Unknown) to the 4th digit of those E-Codes without an "Other or unspecified" category (854, 881, 944 and 951).

<sup>\*\*</sup>Many of the 'unspecified' E-codes (E0009) in locs. 140-144 are due to adverse reactions and therapeutic misadventures (loc. 129) and most of these will also receive a '9' (unspecified) as a place code in loc. 145.

Tape Locations	Item No.	Frequency	Items	and Codes
182	Unit Cor	ntrol	REGION	
	1110	13,815	1.	Northeast
		17,090	2.	Midwest
		27,737	3.	South
		17,059	4.	West
183	Unit Cor	ntrol	GEOGRAPI	HIC DISTRIBUTION
	File			
			MSA Size	9
		7,535	1.	5,000,000 or more
		8,719	2.	2,500,000 - 4,999,999
		18,635	3.	1,000,000 - 2,499,999
		8,947	4.	500,000 - 999,999
		9,940	5.	250,000 - 499,999
		5,547	6.	100,000 - 249,999
		1,089	7.	Under 100,000
		15,289	Blank.	Non-MSA
184-185	_		BLANK	
186		ntrol	MSA NON-	-MSA RESIDENCE
	File			
		24,214		In MSA; in Central City
		36,198		In MSA; not in Central City
		15,289	3.	Not in MSA
187-189			BLANK	

Tape Locations	Item No.	Frequency	Items and Codes
190-200			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (Quarter/2)
219-227			ANNUAL (Quarter/4)

Tape Locations Item No. Frequency Items and Codes  6.5 WEIGHT  228-236 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS  237-245 QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 2 WEEKS  246-254 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL  291-299 - ANNUAL				
QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  SEMI-ANNUAL		Item No.	Frequency	Items and Codes
ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  QUARTER  QUARTER  SEMI-ANNUAL				6.5 WEIGHT
PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 2 WEEKS  246-254 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  SEMI-ANNUAL	228-236	_		QUARTER, SEMI-ANNUAL AND ANNUAL*
ESTIMATED BED DAYS IN PAST 2 WEEKS  246-254 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  SEMI-ANNUAL				
QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL	237-245			QUARTER, SEMI-ANNUAL AND ANNUAL*
ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS  255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL				ESTIMATED BED DAYS IN PAST 2 WEEKS
255-263 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL	246-254	_		QUARTER, SEMI-ANNUAL AND ANNUAL*
ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL				ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS
WEEKS  264-272 - QUARTER, SEMI-ANNUAL AND ANNUAL*  ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL	255-263	_		QUARTER, SEMI-ANNUAL AND ANNUAL*
ESTIMATED BED DAYS IN PAST 12 MONTHS  273-281 - QUARTER  282-290 - SEMI-ANNUAL				
273-281 - QUARTER 282-290 - SEMI-ANNUAL	264-272	-		QUARTER, SEMI-ANNUAL AND ANNUAL*
282-290 - SEMI-ANNUAL				ESTIMATED BED DAYS IN PAST 12 MONTHS
	273-281	-		QUARTER
291-299 - ANNUAL	282-290	_		SEMI-ANNUAL
	291-299	-		ANNUAL

<sup>\*</sup>Estimates can be made for these periods depending on whether one quarter, two quarters or all four quarters of records are used.

Tape Locations	Item No. Frequency	Items and Codes
300-336	-	BLANK
337-340	Recode	STRATA FOR VARIANCE ESTIMATION
341	Recode	PSU FOR VARIANCE ESTIMATION
342-343	Recode	SUBSTRATUM FOR VARIANCE ESTIMATION
344-350	Generated	SECONDARY SAMPLING UNIT
351	Unit Control File 47,821 27,880	TYPE OF PSU  1. Self representing 2. Non self representing
352	Unit Control File	PANEL 4  1-4. Code used to identify nationally representative subsamples.
353-355	-	BLANK

# NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of records = 22,721 DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-		RECORD TYPE
		22,721	40. Two-week Doctor Visit Record
3-4	HH-2		PROCESSING YEAR
		22,721	95. 1995
5-14	Generate	d	HOUSEHOLD ID
15-16	_		PERSON NUMBER
17-18	-		DOCTOR VISIT SERIAL NUMBER
			00-99. Serial Number
19-20	нн-3		SAMPLING WEEK CODE (Numbered within Quarter, location 178)
		1,420 1,868 2,024 1,830 2,019 1,788 1,916 1,717 1,910 1,796 1,410 1,567 1,456	01. Week 1 02. Week 2 03. Week 3 04. Week 4 05. Week 5 06. Week 6 07. Week 7 08. Week 8 09. Week 9 10. Week 10 11. Week 11 12. Week 12 13. Week 13

Tape Locations	Item No.	Frequency	Items	and Codes
21	Recode		LATE	INTERVIEW (OR LAST ATTEMPT) FLAG
		13,887 6,348 1,948 538	2.	Interview not late One week late Two weeks late Unknown
22-23	НН-11c,d		TYPE	OF LIVING QUARTERS:
			Housi	ng Unit = (00-07)
		460 20,695 7	00. 01. 02.	
		6	03.	HU-permanent in transient hotel, motel, etc.
		6 1,168	04. 05.	Mobile home or trailer with no
		225	06.	permanent room added  Mobile home or trailer with one or more permanent rooms added
		22	07.	
			Other	Unit = (08-13)
		13	08.	Quarters not HU in rooming or boarding house
		2	09.	_
		10	10.	Unoccupied site for mobile home, trailer or tent
		52	11.	Student quarters in college dormitory
		55 0	12. 13.	Other unit not specified above

Tape Locations	Item No.	. Frequency	Items	and Codes
24	нн-12		HAS TI	ELEPHONE
		21,033	1.	Yes, phone number given
		720	2.	Yes, no phone number given
		794	3.	No
		174	4.	Unknown
25	A-1		SEX	
		9,085	1.	Male
		13,636	2.	Female
26			BLANK	
27-28	Person Column		AGE	
		649	00	. Under 1 year
		22,064	01-98	. Number of years
		8	99	. 99+ years of age
29	Recode		AGE RI	ECODE #1
		1,992	1.	Under 5 years
		2,675	2.	<del>-</del>
		1,279	3.	1
		6,124	4.	2
		5,493	5.	<b>-</b>
		1,402		65-69 years
		1,298		70-74 years
		2,458	8.	75 years and over

Tape Locations	Item No.	Frequency	Items and Codes
30	Recode		AGE RECODE #2
		2,314	1. Under 6 years
		2,140	2. 6-16 years
		1,492	3. 17-24 years
		2,787	4. 25-34 years
		3,337	5. 35-44 years
		2,922	6. 45-54 years
		2,571	7. 55-64 years
		2,700	8. 65-74 years
		2,458	9. 75 years and over
31-32	Recode		AGE RECODE #3
		1,414	00-35. Months
		21,307	36. Over 3 years
			30. Over 3 years
33			BLANK
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			Month
			01. January 08. August
			02. February 09. September
			03. March 10. October
			04. April 11. November
			05. May 12. December
			06. June 99. Unknown
			07. July
36-39			Year of Birth
			1800-1899. 1800-1899
			1900-1996. 1900-1996
			9999. Unknown
40	Recode		HISPANIC ORIGIN IMPUTED FLAG
		22,436	0. Hispanic Origin Known
		285	1. Hispanic Origin Imputed from Reference Person

Tape Locations	Item No.	Frequency	Items	s and Codes
41-42	A-6		MAIN	RACIAL BACKGROUND* - Reported
				notation for locations 43-45)
		18,072	01.	White
		2,838	02.	Black/African American**
		228	03.	Indian (American)
		8	04.	Eskimo
		0	05.	Aleut
		82	06.	Chinese
		79	07.	Filipino
		26	08.	Hawaiian
		50	09.	Korean
		50	10.	Vietnamese
		64	11.	Japanese
		54	12.	Asian Indian
		7	13.	Samoan
		1	14.	Guamanian
		28	15.	Other API
		804	16.	Other Race
		50	17.	Multiple Race
		280	99.	Unknown

<sup>\*</sup>Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

<sup>\*\*</sup>For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

Tape Locations	Item No.	Frequency	Items	and Codes	
43-45	Recode		RACE	RECODES	
43			Recod	e 1*	Person whose Main
		19,173	1.	White	Racial Background (locations 41-42) was
		2,846	2.	Black	"other" or "unknown"
		702	3.	Other	were classified in the following recodes
44			Recod	e 2	by using the racial background observed
		19,173	1.	White	by the interviewer.
		3,548	2.	Non-white	Use of these recodes is recommended for
45			Recode 3		estimating statistics for the groups shown
		2,846	1.	Black	here.
		19,875	2.	Non-black	
46-47	A-5		HISPA	NIC ORIGIN**	
		2	00.	Multiple Hi	spanic
		516	01.	Puerto Rica	ın
		220	02.		
		647	03.	Mexican-Mex	
		1,234	04.	Mexican-Ame	erican
		44	05.	Chicano	
		289	06.	Other Latin	
		371	07.	-	
		93	08.	Spanish, DK	
		32	09.		Spanish origin
		19,273	10.	Not Spanish	origin

<sup>\*</sup>This recode is used to define race in the Current Estimates tables.

<sup>\*\*</sup>If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

Tape Locations	Item No.	Frequency	Items	and Codes
48	L-7		MARITA	AL STATUS
		3,918	0.	Under 14 years
		10,903	1.	Married - spouse in household
		232	2.	Married - spouse not in household
		2,275	3.	Widowed
		1,841	4.	Divorced
		446	5.	Separated
		2,984	6.	Never married
		122	7.	Unknown
49	L-1		VETERA	AN STATUS
		14,884	1.	. Non-veteran
		22		. WW I
		994		. WW II
		451		. Korean War
		747		. Vietnam veteran
		221	6	. Post-Vietnam
		388		. Other service
		61		Served in Armed Forces, unknown
				if war veteran
		286	9.	. Unknown if served in Armed
				Forces
		4,667	Blank	. Under 18 years of age
50	L-1		ACTIVE	E GUARD/RESERVE STATUS FOR PERSONS
				TIVE DUTY IN ARMED FORCES
		14,884	0 .	. Non-veteran
		182	1.	. All service in Guard/Reserve
		435	2.	. Some service in Guard/Reserve
		9	3 .	. Unknown if all service in
				Guard/Reserve
		2,049	4 .	
				Reserve
		495	5 .	
				Guard/Reserve or if served in
				Armed Forces . Under 18 years of age
		4,667	Blank.	

Tape Locations	Item No.	Frequency	Items a	and Codes
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		735	00.	Never attended; kindergarten only
		12,621	01-12.	Grades 1-12
			College	2:
		1,289 1,864 585 1,869 346 1,139 281 1,992	15. 16. 17. 18.	2 years 3 years 4 years 5 years 6 years or more Unknown
53	Recode		EDUCATI	ON OF INDIVIDUAL RECODE
		735 3,589 2,741 6,291 3,738 1,869 1,485 281 1,992	3. 4. 5.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown

Tape Locations	Item No.	Frequency	Items an	d Codes
54-55	-			EDUCATION OF RESPONSIBLE ADULT
		79	00.	Never attended; kindergarten only
		10,772	01-12.	Grades 1-12
			College:	
		1,758	13.	1 year
		2,700	14.	2 years
		994		3 years
		3,256	16.	4 years
		692	17.	5 years
		2,268	18.	6 years or more
		202	19.	Unknown
56	-			EDUCATION OF RESPONSIBLE ADULT
		79	0.	None; kindergarten only
		1,370	1.	1-8 years (elementary)
		1,973	2.	9-11 years (high school)
		7,429	3.	1 , 3
		5,452		1-3 years (college)
		3,256	5.	4 years (college graduate)
		2,960	6.	1 (1 5 - ,
		202	7.	Unknown

Tape Locations	Item No.	Frequency	Titems and Codes	
57	L-8		FAMILY INCOME \$20,000 OR MORE	
		8,045 13,892 784	<ol> <li>Less than \$20,000</li> <li>\$20,000 or more</li> <li>Unknown</li> </ol>	
58-59	L-8		FAMILY INCOME	
		132 142	00. Less than \$1,000 01. \$ 1,000 - \$ 1,999	
		142	01. \$ 1,000 - \$ 1,999 02. 2,000 - 2,999	
		200	03. 3,000 - 3,999	
		267	04. 4,000 - 4,999	
		418	05. 5,000 - 5,999	
		464	06. 6,000 - 6,999	
		408	07. 7,000 - 7,999	
		408	08. 8,000 - 8,999	
		345	09. 9,000 - 9,999	
		473	10. 10,000 - 10,999	
		381	11. 11,000 - 11,999	
		518	12. 12,000 - 12,999	
		313	13. 13,000 - 13,999	
		360	14. 14,000 - 14,999	
		443	15. 15,000 - 15,999	
		327	16. 16,000 - 16,999	
		304	17. 17,000 - 17,999	
		386	18. 18,000 - 18,999	
		516	19. 19,000 - 19,999	
		1,828	20. 20,000 - 24,999	
		1,361 1,366	21. 25,000 - 29,999 22. 30,000 - 34,999	
		1,366	23. 35,000 - 34,999	
		1,161	23. 35,000 - 39,999 24. 40,000 - 44,999	
		1,035	25. 45,000 - 49,999	
		4,765	26. \$50,000 and over	
		3,235	27. Unknown	

Tape Locations	Item No. Frequency	Titems and Codes
60	Recode	FAMILY INCOME RECODE
	851 882 1,161 2,045 1,976 1,828 2,727 3,251 4,765 3,235	2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999
61	Generated 17,359 3,431 1,931	NHIS POVERTY INDEX*  1. At or above poverty threshold 2. Below poverty threshold 3. Unknown

<sup>\*</sup>Based on family size, number of children under 18 years of age and family income using the 1994 poverty levels derived from the August, 1995 Current Population Survey.

Tape Locations	Item No. Frequenc	y Items and Codes
62-63		FAMILY RELATIONSHIP
62	A-2	Type of Family
	3,485	&. Primary individual
	245	Secondary individual
	18,930	0. Primary family
	78	1-9. Secondary family
63	A-2	Relationship to Reference Person
	3,381	&. Reference person, living alone
	7,516	<ol> <li>Reference person, 2+ persons in household</li> </ol>
	5,440	<ol> <li>Spouse, other spouse NOT in Armed Forces and living at home</li> </ol>
	84	<ol><li>Spouse, other spouse IN Armed Forces and living at home</li></ol>
	5,154	<ol><li>Child of reference person or spouse</li></ol>
	370	4. Grandchild of reference person or spouse
	390	<ol><li>Parent of reference person or spouse</li></ol>
	378	6. Other relative
	8	7. Child of military family with no
		eligible reference person
	0	9. Unknown
64	Recode	FAMILY RELATIONSHIP RECODE
	3,381	1. Living alone
	349	2. Living only with non-relative
	10,897	3. Living with spouse
	8,094	4. Living with relative - other
65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
	22,571	1-8. Number of members
	150	9. 9+ members

<sup>\*</sup>Count includes spouse in military but living at home.

Tape Locations	Item No.	Frequency	Items a	and Codes	
68	A-2		PARENT/OTHER ADULT RELATIVE		
			(under	25 years old and never married)	
		272	1.	Both parents, no other relative	
		3,356	2.	Mother only	
		943	3.	<del>-</del>	
		57	4.	-	
		310	5.		
		302	6.	Father and other 21+ year old adult relative	
		16	7.		
		61	8.	No parent, but two or more 21+ year old adult relatives	
		75	9.	<del>-</del>	
		39	0.	Other	
		17,290	Blank.	Not applicable (25+ years old or ever married)	
69	B-1		MAJOR A	ACTIVITY (18+ years old)	
	B-8	0.001	1		
		8,021	1.	5	
		4,046	2.	1 3	
		658	3.	2	
		5,129 200	4. 5.	3	
		4,667	Blank.		
70	G-4		HEALTH	STATUS	
		4,457	1.	Excellent	
		5,075	2.		
		6,113	3.		
		3,740	4.		
		3,082	5.	Poor	
		254	6.	Unknown	

Tape Locations	Item No.	Frequency	Items a	and Codes
71	Recode		ACTIVIT	TY LIMITATION STATUS* - (all ages)
		4,375 2,784 1,780	1. 2. 3.	Limited in kind/amount major activity
		13,782	4.	Not limited (includes unknowns)
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		3,697 1,299 955 8,347 8,423	1. 2. 3. 4. Blank.	Limited in kind/amount of work Limited in other activities Not limited (includes unknowns)
73	B-11		LIMITAT	TION OF SCHOOL ACTIVITIES (5-17
		117 203 30 102 135 2,088 20,046	1. 2. 3. 4. 5. 6. Blank.	Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns)

<sup>\*</sup>This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

Tape Locations	Item No.	Frequency	Items a	and Codes
74	B-14			HELP WITH PERSONAL CARE
				rears old and limited, or age
			60-69 y	vears)*
		900	1.	Unable to perform personal care needs
		1,189	2.	Limited in performing other
		1,100	۷.	routine needs
		5,457	3.	Not limited in performing
				personal or routine needs
		34	4.	Unknown
		15,141	Blank.	
				5-59 years not limited; 70+
				years old)
75 D	D-1		EMDI OVA	MENT STATUS IN PAST 2 WEEKS
	D-T		(18+ ye	
			In the	Labor Force: (1-7)
			Current	cly employed: (1-3)
		7,683	1.	
		764	2.	, , , , , , , , , , , , , , , , , , , ,
				lay-off and not looking for
				work
		4	3.	Did not work, has job; looking for work
			Unempl	Loyed: (4-7)
		67	4.	Did not work, has job; on lay-
		1	5.	Did not work, has job; on lay-
				off and looking for work
		89	6.	Did not work, has job; unknown
				if looking or on lay-off
		316	7.	Did not work, has no job;
				looking for work or on lay-off
			Not in	Labor Force (18+ years): (8)
		9,130	8.	Not in Labor Force (18+ years)
		4,667	Blank.	Not applicable (Under 18 years
				old)

<sup>\*</sup>For persons 70+ years, use location 71 to analyze "Needs Help With Personnal Care", codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		9,130	0. Not in labor force
		6,025	1. Private company
		304	2. Federal Government employee
		477	3. State Government employee
		932	4. Local Government employee
		276	5. Incorporated business
		690	6. Self-employed
		17	7. Without pay
		14	8. Never worked
		189	9. Unknown
		4,667	Blank. Under 18
77-79	-		BLANK
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	-		BLANK
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C

Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		12,801 1,402 8,254 264	<ol> <li>Self-entirely</li> <li>Self-partly</li> <li>Proxy</li> <li>Unknown</li> </ol>
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		3,671 3,742 3,811 3,698 3,681 3,908 210	1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-96	F-1		DATE OF VISIT  6666. During 2 weeks, DK when 7777. Last week, DK day 8888. Week before, DK day
93-94			Month  01. January 07. July  02. February 08. August  03. March 09. September  04. April 10. October  05. May 11. November  06. June 12. December  99. DK month
95-96			Day 01-31. Day of month 99. DK day codes for Unknown in month and day

Tape Locations	Item No.	Frequency	Item	ns and Codes
97-98	Recode		DOCTOR VISIT VALUES (Number of days between Date of Visit and Interview)	
		211	00.	Visit on last Sunday of reference period
		396	01.	Visit on second Saturday of reference period
		1,825	02.	Visit on second Friday of reference period
		1,689	03.	<del>-</del>
		1,654	04.	<del>-</del>
		1,618	05.	<del>-</del>
		1,812	06.	<del>-</del>
		186	07.	Visit on first Sunday of reference period
		354	08.	-
		1,458	09.	<del>-</del>
		1,400	10.	-
		1,500	11.	
		1,383	12.	<del>-</del>
		1,608	13.	-
		5,627	14.	No value (records not coded 01-31 in Day of Month of Visit)

Tape Locations	Item No.	Frequency	v Items and Codes
99	Recode		DAY OF WEEK OF VISIT
		3,420 3,001 3,154 3,089 3,283 750 397 5,627	<ol> <li>Monday</li> <li>Tuesday</li> <li>Wednesday</li> <li>Thursday</li> <li>Friday</li> <li>Saturday</li> <li>Sunday</li> <li>Unknown</li> </ol>
100	Recode		WEEK OF VISIT
		11,921	1. Last week
		10,483	2. Week before
		317	3. During 2 weeks, DK when
101-102	F-2		PLACE OF VISIT
		2,745	01. Telephone
			Not in Hospital
		1,164	02. Home
		12,555	03. Doctor's Office
		370	04. Company or Industrial clinic
		1,844	05. Other clinic
		120	06. Laboratory
		498	07. Other
			In Hospital
		1,424	08. Outpatient clinic
		782	09. Emergency Room
		604	10. Doctor's office
		171	11. Laboratory
		247	12. Other
		197	13. Unknown

Tape Locations	Item No.	Frequency	Items	and Codes
103	Recode		PLACE	OF VISIT
		2,745 12,555 1,424 782 604 370 1,164 2,880	3. 4. 5. 6. 7.	Doctor's office (not in hospital) Hospital Outpatient clinic Hospital Emergency Room Doctor's Office in hospital Company or Industry clinic Home Other place (Loc. 101-102 = 5,6,7,11,12)
104	F-3	16,472 5,736 513	1. 2.	AL DOCTOR ACTUALLY TALKED TO Yes No Unknown

Tape Locations	Item No. F	requency	Items ar	nd Codes
105-106	F-3		KIND OF	MEDICAL DOCTOR FOR THIS DOCTOR
		1,316 9,344 18 372 2,381 355 1,301 638 1,005 63 289 3 1,639 22 520 493 420 538 289 324 3 1,255 133	00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14. 15. 16. 18. 19. 20. 21. 22. Blank.	M.D., DK if G.P. or specialist General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist Surgeon (not listed above) Urologist Other M.D. specialist Specialist, DK kind Family Practice (specialist) DK if medical doctor Not applicable; no medical doctor reported for this visit/

Tape Locations	Item No.	Frequency	Items an	nd Codes
107-108	F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
		165	31.	Nurse practitioner
		163	32.	Physician's assistant
		2,649	33.	Nurse
		215	34.	Laboratory technician
		4	35.	Paramedic
		496	36.	Physical therapist
		17	37.	Social worker
		30	38.	Pharmacist
		85	39.	X-ray technician
		156	40.	Other technician
		77	41.	Dentist/oral surgeon
		60	42.	Optometrist/Optician
		469	43.	Chiropractor
		237	44.	Foot specialist
		12	45.	Dietician
		118	46.	Psychologist
		7	47.	Nutritionist
		4	48.	Naprapath
		0	49.	Orthoptic technician/Orthopist
		538	50.	Other non-medical person
		747	51.	Unknown type of medical assistant
		16,472	Blank.	Not applicable; medical assistant not talked to (Location 104 = 1)

Tape Locations	Item No.	Frequency	Items	s and Codes
109-110	F-3		TYPE	OF PERSON TALKED TO/SEEN
		569	00.	M.D., DK if G.P. or specialist
		7,399	01.	
		17	02.	<del>-</del>
		330	03.	
		1,691	04.	3
		262	05.	
		1,059	06.	_
		604	07.	<del>-</del>
		724	08.	
		43	09.	
		259	10.	
		233	11.	
		1,420	12.	5
		20	13.	
		423	14.	3
		326	15.	<del>-</del>
		366		
		381	16.	Surgeon (not listed above)
			18.	_
		213	19.	±
		251	20.	<u>.</u>
		2	21.	
		165	31.	<del>-</del>
		163	32.	Physician's assistant
		2,649	33.	Nurse
		215	34.	Laboratory technician
		4	35.	Paramedic
		496	36.	Physical therapist
		17	37.	
		30	38.	
		85	39.	<del>-</del>
		156	40.	Other technician
		77	41.	
		60	42.	Optometrist/Optician
		469	43.	Chiropractor
		237	44.	Foot specialist
		12	45.	Dietician
		118	46.	Psychologist
		7	47.	-
		4	48.	Naprapath
		0	49.	Orthoptic technician/Orthoptis
		538	50.	Other non-medical person
		747	51.	Not MD; unknown type of medical assistant
				abbiblanc

Tape Locations	Item No. Frequency	Items and Codes
111-161		CONDITIONS FOR WHICH DOCTOR VISITED
111-127		CONDITION NO. 1
111-112	F-4	Serial Number 01-99. Condition Serial Number Blank.
113-116	Condition Record 466 17,223 5,032	ICD/NHIS Code  0000. No matched condition record  0010-9999. ICD/NHIS Code (note  Unknown = 7999)  Blank. No condition for this visit
117	Condition Record 466 11,169 6,054 5,032	Chronic/Acute Code  0. No matched condition record  1. Chronic  2. Acute  Blank. No condition for this visit
118-121	Condition Record 466 5,419 635	Acute Recode (A)  0000. No matched condition record  1001-5931. Acute Recode  5932. All other acute conditions including unknowns  Blank. Chronic condition or no condition for this visit
122-124	Condition Record 466 8,034 3,135	Chronic Recode (C) 000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns Blank. Acute condition or no condition for this visit
125-127	Condition Record 466 17,026 197 5,032	Condition Recode (B) 000. No matched condition record 010-570. Condition recode 990. All other conditions including unknown Blank. No condition for this visit

Tape Locations	Item No. Frequency	Items and Codes
111-161		CONDITIONS FOR WHICH DOCTOR VISITED - continued
128-144		CONDITION NO. 2
128-129	F-4	Serial Number
		01-99. Condition Serial Number Blank.
130-133	Condition Record 188 2,973	<pre>ICD/NHIS Code     0000. No matched condition record 0010-9999. ICD/NHIS Code (note</pre>
134	Condition Record 188 2,193 780 19,560	Chronic/Acute Code  0. No matched condition record  1. Chronic  2. Acute  Blank. No condition for this visit
135-138	Condition Record 188 638 142 27,753	Acute Recode (A)  0000. No matched condition record  1001-5931. Acute Recode  5932. All other acute conditions including unknowns  Blank. Chronic condition or no condition for this visit
139-141	Condition Record 188 1,713 480 20,340	Chronic Recode (C)  000. No matched condition record  101-615. Chronic Recode  999. All other chronic conditions including unknowns  Blank. Acute condition or no condition for this visit
142-144	Condition Record 466 17,026 197	Condition Recode (B)  000. No matched condition record  010-570. Condition recode  990. All other conditions including unknown  Blank. No condition for this visit

Tape Locations	Item No. Frequency	Items and Codes
111-161		CONDITIONS FOR WHICH DOCTOR VISITED - continued
145-161		CONDITION NO. 3
145-146	F-4	Serial Number 01-99. Condition Serial Number Blank.
147-150	Condition Record 54 717 21,950	ICD/NHIS Code  0000. No matched condition record  0010-9999. ICD/NHIS Code (note Unknown = 7999)  Blank. No condition for this visit
151	Condition Record 54 603 114 21,950	Chronic/Acute Code  0. No matched condition record  1. Chronic  2. Acute  Blank. No condition for this visit
152-155	Condition Record 54 97 17 22,553	Acute Recode (A)  0000. No matched condition record  1001-5931. Acute Recode  5932. All other acute conditions including unknowns  Blank. Chronic condition or no condition for this visit
156-158	Condition Record 54 451 152 22,064	Chronic Recode (C)  000. No matched condition record  101-615. Chronic Recode  999. All other chronic conditions including unknowns  Blank. Acute condition or no condition for this visit
159-161	Condition Record 54 714 3	Condition Recode (B)  000. No matched condition record  010-570. Condition recode  990. All other conditions including unknown  Blank. No condition for this visit

Tape Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		804 18,354 818 2,745	1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE
163-164			Operation No. 1
			See Appendix E.
165-166			Operation No. 2
			See Appendix E.
167-168			Operation No. 3
			See Appendix E.
169-177	-		BLANK
178	HH-5		SAMPLING QUARTER
		6,311	1. Quarter 1
		6,012	2. Quarter 2
		6,315 4,083	<ul><li>3. Quarter 3</li><li>4. Quarter 4</li></ul>
179-181	-		BLANK
182	Unit Con File	trol	REGION
		4,353	1. Northeast
		5,164	2. Midwest
		8,074	3. South
		5,130	4. West

Tape Locations	Item No. Frequenc	y Items and Codes
183	Unit Control File	GEOGRAPHIC DISTRIBUTION
	2,244 2,883 5,633 2,553 3,146 1,740 327 4,195	1. 5,000,000 or more 2. 2,500,000 - 4,999,999 3. 1,000,000 - 2,499,999 4. 500,000 - 999,999 5. 250,000 - 499,999 6. 100,000 - 249,999 7. Under 100,000
184-185	-	BLANK
186	Unit Control File 7,092 11,434 4,195	MSA - NON-MSA RESIDENCE  1. In MSA; in Central City 2. In MSA; not in Central City 3. Not in MSA
187-189	-	BLANK
190-200	_	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXX)- character format with implied Decimal

#### NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No. Frequency	Items and Codes		
	-	FINAL BASIC WEIGHT		
201-209		QUARTER		
210-218		SEMI-ANNUAL (Quarter/2)		
219-227		ANNUAL (Quarter/4)		
	-	6.5 WEIGHT		
228-236		QUARTER, SEMI-ANNUAL AND ANNUAL*		
237-336	_	BLANK		
337-340	Recode	STRATA FOR VARIANCE ESTIMATION		
341	Recode	PSU FOR VARIANCE ESTIMATION		
342-343	Recode	SUBSTRATUM FOR VARIANCE ESTIMATION		
344-350	Generated	SECONDARY SAMPLING UNIT		
351	Unit Control File 14,576 8,145	TYPE OF PSU  1. Self representing 2. Non self representing		
352	Unit Control File	PANEL 4  1-4. Code used to identify nationally representative subsamples.		
353-355	-	BLANK		

<sup>\*</sup>Estimates can be made for these periods depending on whether one quarter, two quarters, or all four quarters of records are used.

# NHIS PUBLIC USE TAPE RECORDS Outline of Items and Codes Number of records = 10,120 HOSPITAL RECORD

Tape Locations	Item No. Frequenc	y Items and Codes	
1-2	10,120	RECORD TYPE 50. Hospital Record	
3-4	НН-2 10,120	PROCESSING YEAR 95. 1995	
5-14	Generated	HOUSEHOLD ID	
15-16	-	PERSON NUMBER	
17-18	-	HOSPITAL SERIAL NUMBER 00-99. Serial Number	
19-20	HH-3  656 830 847 800 921 774 789 762 924 853 611 717 636	SAMPLING WEEK CODE (Numbered within Quarter, Location 178)  O1. Week 1 O2. Week 2 O3. Week 3 O4. Week 4 O5. Week 5 O6. Week 6 O7. Week 7 O8. Week 8 O9. Week 9 10. Week 10 11. Week 11 12. Week 12 13. Week 13	

Tape Locations	Item No.	Frequency	Ite	ems and Codes
21	Recode		LATE	INTERVIEW (OR LAST ATTEMPT) FLAG
		5,987	0.	Interview not late
		2,779	1.	One week late
		886		Two weeks late
		468	3.	Unknown
22-23	НН-11c,d		TYPE	OF LIVING QUARTERS:
			Housi	ing Unit = (00-07)
		205	00.	Housing unit; kind unknown
		9,142	01.	House, apartment, flat
		5	02.	HU in nontransient hotel, motel,
		_		etc.
		1	03.	<u>,</u>
		4	04.	motel, etc. HU in rooming house
		562	05.	
		302	03.	permanent room added
		131	06.	-
				or more permanent rooms added
		15	07.	HU not specified above
				Other Unit = (08-13)
		11	08.	£ · · · · · · · · · · · · · · · · · · ·
		_		boarding house
		0	09.	<u>-</u>
		1	10.	hotel, motel, etc. Unoccupied site for mobile home,
		Δ.	10.	trailer or tent
		6	11.	
		-	•	dormitory
		36	12.	<del>-</del>
		1	13.	Other unit; kind unknown

Tape Locations	Item No.	Frequency	Items	and Codes
24	нн-12		HAS TEL	EPHONE
		9,158	1.	Yes, phone number given
		293	2.	Yes, no phone number given
		569	3.	No
		100	4.	Unknown
25	A-1		SEX	
		4,021	1.	Male
		6,099	2.	
26	-		BLANK	
27-28	Person		AGE	
	Column	0.2.0	0.0	1 1
		232 9,885	00. 01-98.	1
		9,005 3		Number of years 99+ years of age
				John Pearly of age
29	Recode		AGE REC	ODE #1
		544	1.	Under 5 years
		624	2.	5-17 years
		837	3.	18-24 years
		2,932	4.	25-44 years
		2,312	5.	
		762 738	6. 7.	65-69 years 70-74 years
		1,371	8.	75 years and over
30	Recode		AGE REC	ODE #2
		600	1.	Under 6 years
		475	2.	6-16 years
		930	3.	17-24 years
		1,568	4.	25-34 years
		1,364	5.	35-44 years
		1,192	6.	
		1,120	7.	-
		1,500	8.	-
		1,371	9.	75 years and over

Tape Locations	Item No.	Frequency	Items and Codes
31-32	Recode		AGE RECODE #3
		436 9,684	00-35. Months 36. Over 3 years
33	_		BLANK
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			Month
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. Unknown 07. July
36-39			Year of Birth
			1800-1899. 1800-1899 1900-1996. 1900-1996 9999. Unknown
40	Recode		HISPANIC ORIGIN IMPUTED FLAG
		9,995 125	<ol> <li>Hispanic Origin Known</li> <li>Hispanic Origin Imputed from Reference Person</li> </ol>

Tape Locations	Item No.	Frequency	Ite	ems and Codes
41-42	A-6		MAIN	RACIAL BACKGROUND* - Reported
			(see	notation for locations 43-45)
		7,862	01.	White
		1,440	02.	Black/African American**
		90	03.	Indian (American)
		1	04.	Eskimo
		0	05.	Aleut
		42	06.	Chinese
		41	07.	Filipino
		5	08.	Hawaiian
		19	09.	Korean
		14	10.	Vietnamese
		17	11.	Japanese
		24	12.	Asian Indian
		2	13.	Samoan
		1		Guamanian
		28		Other API
		400		Other Race
		15		Multiple Race
		119	99.	Unknown

<sup>\*</sup> Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

<sup>\*\*</sup>For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

Tape Locations	Item No.	Frequency	Items	s and Codes	
43-45	Recode		RACE RI	ECODES	
43			Recode	1*	Person whose Main Racial Background
		8,377	1.	White	locations 41-42) was
		1,444	2.	Black	"other" or "unknown"
		299	3.	Other	were classified in the following recodes
44			Recode	2	by using the racial background observed
		8,377	1.	White	by the interviewer.
		1,743	2.	Non-white	Use of these recodes is recommended for
45			Recode	3	estimating statistics for the groups shown
		1,444	1.	Black	here.
		8,676	2.	Non-black	
46-47	A-5		HISPAN:	IC ORIGIN**	
		2	00.	Multiple Hi	_
		240	01.	Puerto Rica	n
		104	02.	Cuban	
		455	03.	Mexican-Mex	
		583	04.	Mexican-Ame	erican
		20	05.	Chicano	
		140	06.	Other Latin	
		156	07.	Other Spani	
		38	08.	Spanish, DK	
		22 8,360	09. 10.	Unknown it Not Spanish	Spanish origin origin

<sup>\*</sup> This recode is used to define race in the Current Estimates tables.

<sup>\*\*\*</sup>If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

Tape Locations	Item No.	Frequency	Items	and Codes
48	L-7		MARITAL	STATUS
		874	0.	Under 14 years
		5,520	1.	Married - spouse in household
		121	2.	
		1,209	3	Widowed
		754		Divorced
		289		Separated
		1,310		Never married
		43		Unknown
49	L-1		VETERAN	STATUS
		7,151	1.	Non-veteran
		5	2.	WW I
		650	3.	WW II
		282	4.	Korean War
		339	5.	Vietnam veteran
		118	6.	Post-Vietnam
		219	7.	Other service
		30	8.	Served in Armed Forces, unknown
		158	9.	if war veteran Unknown if served in Armed
		1,168	Blank.	Forces Under 18 years of age
50	L-1			GUARD/RESERVE STATUS FOR PERSONS VE DUTY IN ARMED FORCES
		7,151	0.	Non-veteran
		64	1.	All service in Guard/Reserve
		221	2.	Some service in Guard/Reserve
		2	3.	Unknown if all service in Guard/Reserve
		1,236	4.	No active service in Guard/ Reserve
		278	5.	Unknown if ever active member in Guard/Reserve or if served in Armed Forces
		1,168	Blank.	Under 18 years of age

Tape Locations	Item No.	Frequency	Items	s and Codes
51-52	L-2		EDUCAT	ION OF INDIVIDUAL - COMPLETED YEARS
		201	00.	Never attended; kindergarten only
		6,402	01-12.	Grades 1-12
			College	e:
		587 770 232 726 145 375 138 544	15. 16. 17. 18. 19.	1 year 2 years 3 years 4 years 5 years 6 years or more Unknown Under 5 years of age
53	Recode		EDUCAT	ION OF INDIVIDUAL RECODE
		201 1,670 1,486 3,246 1,589 726 520 138 544	0. 1. 2. 3. 4. 5. 6. 7. Blank.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown

Tape Locations	Item No.	Frequency	Items	and Codes
54-55	_			EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		50	00.	Never attended; kindergarten only
		5,701	01-12.	Grades 1-12
			College	:
		749	13.	
		1,101		2 years
		356		3 years
		1,160		4 years
		231 681		5 years 6 years or more
		91		Unknown
56	_			EDUCATION OF RESPONSIBLE ADULT
		50	0.	None; kindergarten only
		871	1.	2 ,
		1,096	2.	1 ,
		3,734	3.	
		2,206	4.	
		1,160	5.	
		912	6.	
		91	7.	Unknown
57	L-8		FAMILY	INCOME \$20,000 OR MORE
		4,374	1.	Less than \$20,000
		5,368		\$20,000 or more
		378	3.	

- 113 -

Tape Locations	Item No.	Frequency	y Items and Codes
58-59	L-8		FAMILY INCOME
		88	00. Less than \$1,000
		61	01. \$ 1,000 - \$ 1,999
		86	02. 2,000 - 2,999
		89	03. 3,000 - 3,999
		135	04. 4,000 - 4,999
		184	05. 5,000 - 5,999
		265	06. 6,000 - 6,999
		235	07. 7,000 - 7,999
		225	08. 8,000 - 8,999
		222	09. 9,000 - 9,999
		254	10. 10,000 - 10,999
		236	11. 11,000 - 11,999
		249	12. 12,000 - 12,999
		160	13. 13,000 - 13,999
		169	14. 14,000 - 14,999
		256 188	15. 15,000 - 15,999 16. 16,000 - 16,999
		160	16. 16,000 - 16,999 17. 17,000 - 17,999
		165	18. 18,000 - 17,999
		232	19. 19,000 - 19,999
		879	20. 20,000 - 24,999
		641	21. 25,000 - 29,999
		598	22. 30,000 - 34,999
		433	23. 35,000 - 39,999
		386	24. 40,000 - 44,999
		335	25. 45,000 - 49,999
		1,528	26. \$50,000 and over
		1,661	27. Unknown
60	Recode		FAMILY INCOME RECODE
		459	0. Under \$5,000
		449	1. \$ 5,000 - \$ 6,999
		682	2. 7,000 - 9,999
		1,068	3. 10,000 - 14,999
		1,001	4. 15,000 - 19,999
		879	5. 20,000 - 24,999
		1,239	6. 25,000 - 34,999
		1,154	7. 35,000 - 49,999
		1,528	8. \$50,000 or more
		1,661	9. Unknown

Tape				
Locations	Item No.	Frequency	Item	ns and Codes
61	Generate	d	NHIS P	OVERTY INDEX*
		7,078 1,930 1,112	1. 2. 3.	
62-63			FAMILY	RELATIONSHIP
62	A-2	1,595 77 8,417 31	Type o &.  0. 1-9.	Secondary individual Primary family
63	A-2	1,539 3,695 2,742 38 1,475 174 229 225 3	<ol> <li>&amp;.</li> <li>0.</li> <li>1.</li> <li>2.</li> <li>3.</li> <li>4.</li> <li>5.</li> <li>7.</li> </ol>	onship to Reference Person Reference person, living alone Reference person, 2+ persons in household Spouse, other spouse NOT in Armed Forces and living at home Spouse, other spouse IN Armed Forces and living at home Child of reference person or spouse Grandchild of reference person or spouse Parent of reference person or spouse Other relative Child of military family with no eligible reference person
		0		eligible reference person Unknown

<sup>\*</sup>Based on family size, number of children under 18 years of age and family income using the 1994 poverty levels derived from the August, 1995 Current Population Survey.

Tape Locations	Item No. Frequency	Items and Codes
64	Recode	FAMILY RELATIONSHIP RECODE
	1,539 133 5,518 2,930	<ol> <li>Living alone</li> <li>Living only with non-relative</li> <li>Living with spouse</li> <li>Living with relative - other</li> </ol>
65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
	9,979 141	1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
	790 288 23 114 129 9 16 36 33 111 8,571	<ol> <li>Both parents, no other relative</li> <li>Mother only</li> <li>Father only</li> <li>Both parents and other 21+ year old adult relative</li> <li>Mother and other 21+ year old adult relative</li> <li>Father and other 21+ year old adult relative</li> <li>No parent, but one 21+ year old adult relative</li> <li>No parent, but two or more 21+ year old adult relative</li> <li>No parent, but two or more 21+ year old adult relatives</li> <li>Unknown</li> <li>Other</li> <li>Blank. Not applicable (25+ years old or ever married)</li> </ol>

 $<sup>{}^{\</sup>star}\text{Count}$  includes spouse in military but living at home.

Tape Locations	Thom No	Execuence	Ttoma	and Codog
Locations	item No.	Frequency	Itellis	and codes
69	B-1 B-8		MAJOR A	CTIVITY (18+ years old)
	D 0	3,208	1.	Working
		2,464	2.	Keeping house
		261	3.	
		2,920	4.	Something else
		99	5.	Unknown
		1,168	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	CTATIC
70	G-4		ULALIU	SIAIUS
		1,506	1.	Excellent
		1,906	2.	
		2,709		Good
		1,990	4.	
		1,889	5.	
		120	6.	
71	Recode		ACTIVIT	Y LIMITATION STATUS* - (all ages)
		2,415	1.	Unable to perform major activity
		1,345	2.	Limited in kind/amount major
		1,515		activity
		894	3.	
		5,466	4.	Not limited (includes unknowns)
72	Recode		ACTIVIT	Y LIMITATION STATUS MEASURED BY
			"ABILIT	Y TO WORK" (18-69 years)
		1,984	1.	Unable to work
		575	2.	Limited in kind/amount of work
		444	3.	Limited in other activities
		3,840	4.	Not limited (includes unknowns)
		3,277	Blank.	Not applicable (under 18 years,
		J,		70+ years)
				* ***

<sup>\*</sup>This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

Tape Locations	Item No. Frequenc	cy Items and Codes
73	B-11	LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
	71 50 3 53 38 409 9,496	<ol> <li>Unable to attend school</li> <li>Attends special school/classes</li> <li>Needs special school/classes</li> <li>Limited in school attendance</li> <li>Limited in other activities</li> <li>Not limited (includes unknowns)</li> <li>Blank. Not applicable (Under 5 years or 18+ years)</li> </ol>
74	B-14	NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
	528	Unable to perform personal care needs
	626 2,449	<ol> <li>Limited in performing other routine needs</li> <li>Not limited in performing personal or routine needs</li> </ol>
	27 6,490	4. Unknown Blank. Not applicable (Under 5 years; 5-59 years not limited; 70+ years old)

<sup>\*</sup>For persons 70+ years, use location 71 to analyze "Needs Help With Personal Care"; codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

Tape Locations	Item No.	Frequency	Items	and Codes
75	D-1		EMPLOYM	ENT STATUS IN PAST 2 WEEKS ars)
			In the	Labor Force: (1-7)
			Current	ly employed: (1-3)
		2,999 300 5	1. 2.	<u>.</u>
				for work
			Unemplo	yed: (4-7)
		31	4.	Did not work, has job; on lay-
		1	5.	- <del></del>
		58	6.	
		156	7.	Did not work, has no job; looking for work or on lay-off
			Not in	Labor Force (18+ years): (8)
		5,402 1,168	8. Blank.	Not in Labor Force (18+ years) Not applicable (Under 18 years old)
76	L-6		CLASS O	F WORKER
		5,402	0.	Not in labor force
		2,472	1.	Private company
		98	2.	Federal Government employee
		175	3.	State Government employee
		286	4.	Local Government employee
		129	5.	Incorporated business
		297	6.	Self-employed
		4	7.	Without pay
		3	8.	Never worked
		86 1,168	9.	Unknown
			Blank.	Under 18

Tape Locations	Item No.	Frequency	Items and Codes
77-79	-		BLANK
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	-		BLANK
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
91	L-R		RESPONDENT
		6,284	1. Self-entirely
		744	2. Self-partly
		2,971	3. Proxy
		121	4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		1,657	1. Condition List 1, Skin and musculoskeletal
		1,681	2. Condition List 2, Impairments
		1,628	3. Condition List 3, Digestive
		1,708	4. Condition List 4, Miscellaneous
		1,646	5. Condition List 5, Circulatory
		1,696	6. Condition List 6, Respiratory
		104	7. Unknown

Tape Locations	Item No.	Frequency	Ite	ms and Codes
93-94	Recode			TAL EPISODE NUMBER FOR SHORT-STAY TALS IN PAST YEAR
		9,888 232	01+ Blank	. Number . Long-stay hospitals
95-96	J-6		TYPE	OF SERVICE
		8,952	01.	General
		100	02.	Psychiatric
		1	03.	Tuberculosis
		38	04.	Maternity
		8	06.	Ear, Eye, Nose and Throat
		127	07.	Children's
		9	08.	<u> </u>
		0	09.	
		9	10.	
		2	11.	
		66	12.	
		0	89.	,
		188	90.	DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
		24	92.	DK (entry of DK for hospital name and Not Reported - 31 or more
		21	93.	nights in hospital) Hospitalized in Foreign Country, not in index
		0	94.	Nursing personal, and domiciliary care homes
		2	95.	Nursing home, assumed from title
		3	98.	
		570	99.	Not identified as a hospital, not in index

Tape Locations	Item No.	Frequency	Ite	ems and Codes
97	Recode		RECOD	E FOR TYPE OF SERVICE
		9,888	1.	Short-stay hospitals (Codes 01, 04, 06, 07, 11, 89, 90, 98, 99)
		211	2.	
		21	3.	
98-99	J-6		TYPE	OF OWNERSHIP
			1. G	Governmental, nonfederal
		202	12.	State
		406	13.	
		163	14.	<del>-</del>
		49		City-county
		563	16.	<del>-</del>
			2. N	Jonprofit
		1,583	21.	Church operated or related
		5,085	23.	Other nonprofit
		0	24.	
			3. P	Proprietary
		1	31.	Individual
		80	32.	Partnership
		933	33.	<del>-</del>
		0	34.	
			4. G	Government, Federal
		19	41.	Air Force
		18	51.	Army
		20	61.	Navy
		0	62.	Department of Defense, N.O.S.
		9	71.	Public Health Service
		180	81.	Veterans Administration
		1	91.	Other Federal

Tape Locations	Item No.	Frequency	Ite	ms and Codes
98-99	J-6		TYPE	OF OWNERSHIP - Continued
			5. A	ll other
		0	89.	In index, unknown type
		188	90.	DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
		24	92.	DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)
		21	93.	Hospitalized in Foreign Country, not in index
		2	95.	Nursing home, assumed from title
		3	98.	Osteopathic
		570	99.	Not identified as a hospital, not in index

- 123 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
100-105	J-2		DATE	OF ADMISSION
100-101			Month	1
		882 811 881 829 808 856 867 830 756 842 888	01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11.	February March April May June July August September October November
102-103			Day o	of Month
			01-31	Day of month
104-105			Year	
		0 0 5 4,907 5,208 0	91. 92. 93. 94. 95.	1992 1993 1994 1995

Tape Locations	Item No.	Frequency	Items and Codes
106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION
			0001-1840. Date Values
110	Derived		ADMISSION RECODE
		419 9,487 214	
111-114	Derived		NUMERICAL VALUE FOR WEEK OF INTERVIEW
		10,120	1469-1840. Values 9999. Unknown
115-118	Derived		DERIVED DATE OF DISCHARGE
		10,120	0002-1840. Values 9999. Unknown
119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
			00-14. Number of nights
124-126	Derived		J - VALUE
		54 10,066	Blank. Negative value 000-364. Value

Tape Locations	Item No. F	'requency	Items and Codes
127	Recode		J - RECODE
		54 503 4,981 4,582	<ol> <li>Still in hospital</li> <li>Discharges past 2 weeks (000-013)</li> <li>Discharges in 2 weeks to 6 months (014-181)</li> <li>Discharges in 6-12 months (182-364)</li> </ol>
128-131	J-3		TOTAL NIGHTS IN HOSPITAL 0001-0342. Nights
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on 6-month recall)*
		5,356 4,764	1. Yes 2. No
133	J-5		OPERATION PERFORMED DURING STAY
		5,070 4,792 258	1. Yes 2. No 3. Unknown

<sup>\*</sup>Use weight field 210-218 for annual estimate.

Tape Locations	Item No.	Frequency	Items and Codes
134-139	J-5		OPERATION CODES (See Appendix E)
134-135			Operation Number 1
		5,070 5,050	00-99. Blank.
		3,030	
136-137			Operation Number 2
		411	00-99.
		9,709	Blank.
138-139			Operation Number 3
		43	00-99.
		10,077	Blank.
140-144	-		BLANK
145	Recode		HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital)
		1,385	1. Yes, delivery
		8,735	2. No
146-177	-		BLANK
178	-		SAMPLING QUARTER
		2,602	1. Quarter 1
		2,696	2. Quarter 2
		2,857	3. Quarter 3
		1,965	4. Quarter 4
179-181	_		BLANK

Tape		
Locations	Item No. Frequence	cy Items and Codes
182	Unit Control	REGION
	File	
	1,886	1. Northeast
	2,303	2. Midwest
	3,847	3. South
	2,084	4. West
183	Unit Control File	GEOGRAPHIC DISTRIBUTION
		MSA Size
	1,123	1. 5,000,000 or more
	1,061	2. 2,500,000 - 4,999,999
	2,414	3. 1,000,000 - 2,499,999
	1,170	4. 500,000 - 999,999
	1,323	5. 250,000 - 499,999
	759	6. 100,000 - 249,999
	120	7. Under 100,000
	2,150	Blank. Non-MSA
184-185	_	BLANK
186	Unit Control	MSA - NON-MSA RESIDENCE
	File	
	3,301	1. In MSA; in Central City
	4,669	2. In MSA; not in Central City
	2,150	3. Not in MSA

Tape Locations	Item No. Frequency	Items and Codes
190-200	-	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXX) - character format with implied decimal
	-	FINAL BASIC WEIGHT
201-209		QUARTER
210-218*		SEMI-ANNUAL (Quarter/2)
219-227		ANNUAL (Quarter/4)
	-	6.5 WEIGHT
228-236		QUARTER, SEMI-ANNUAL AND ANNUAL**
	-	ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS
237-245		QUARTER, SEMI-ANNUAL AND ANNUAL**
	-	ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254		QUARTER
255-263		SEMI-ANNUAL
264-272		ANNUAL

<sup>\*</sup> Use these locations for estimates of hospital discharges and days based on a 6-month period.

<sup>\*\*</sup>Estimates can be made for these periods depending on whether one quarter, two quarters, or all four quarters of records are used.

Tape Locations	Item No. Frequency	Items and Codes	
	-	ESTIMATED TOTAL NIGHTS IN HOSPITAL	
273-281		QUARTER	
282-290*		SEMI-ANNUAL	
291-299		ANNUAL	
300-336	-	BLANK	
337-340	Recode	STRATA FOR VARIANCE ESTIMATION	
341	Recode	PSU FOR VARIANCE ESTIMATION	
342-343	Recode	SUBSTRATUM FOR VARIANCE ESTIMATION	
344-350	Generated	SECONDARY SAMPLING UNIT	
351	Unit Control File 6,293	TYPE OF PSU  1. Self representing	
	3,827	2. Non self representing	
352	Unit Control File	PANEL 4	
		1-4. Code used to identify nationally representative subsamples.	
353-355	-	BLANK	

<sup>\*</sup>Use these locations for estimates of hospital discharges and days based on a 6-month period.

#### National Health Interview Survey

#### DIAGNOSTIC RECODE A

#### Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982.

#### National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other RESPIRATORY CONDITIONS	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
2105 2106	Common Cold Other Acute Upper Respiratory Infections	460 461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411	Dental Conditions	520. ,6-9, 521. ,0-5,7-9, 522, 523, 525
3412 3413	Indigestion, Nausea and Vomiting Other Digestive Conditions	536.8, 787.0 (520-579, and 787, except for for above)*
	INJURIES	
4514 4515 4516 4517 4518	Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries	800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)*

<sup>\*</sup>Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

#### National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 379. ,0-6,8,9,
5620	Acute Ear Infections	380.1, 381, 382, 383.,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380.,0,2-9,383.3,8, 384.,2,8,9,385, 386.,0-2,4-9,387, 388.,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595. ,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706. ,0,1,3,8,9, 707-709

#### National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	ALL OTHER ACUTE CONDITIONS (Continu	ned)
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. ,2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

<sup>\*</sup>Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS

<sup>\*\*</sup>NHIS codes tension headache to 784.0

#### National Health Interview Survey

#### DIAGNOSTIC RECODE B

#### Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and 990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982.

- 135 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
01		Intestinal Infectious Diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
	029	Residual	017, 018, 019-A

- 136 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaemia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	070
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051- 054, 057, 061, 065, 066, 072- 075, 077-079

- 137 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
	079	Residual	130-136

- 138 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm of small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea brochus and lung	162
	109	Residual	160, 163-165

- 139 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191
	139	Residual	190, 192-199

- 140 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227- 229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250- 259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279

- 141 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	296
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	302, 305, 307-314, 315.4,5,8,9, 316-A, X10, X14

- 142 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
22		Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332- 337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1-8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
	220	Meningitis	320, 322
	221	Parkinson's disease	332
	222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
	223	Multiple sclerosis	340
	224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
	225	Epilepsy	345
	229	Residual	323-325, 337, 341, 346-352, 353.0-4, 6,8,9, 354-359, X41.1-8,.X,.Y, X61***

<sup>\*</sup>Excludes .0

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 143 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	X00*
	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, (X06, X07, X09)*
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398
	259	Residual	399-A

<sup>\*</sup>Excludes .0

- 144 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 145 -

## National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Hemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory infections	460-462, 465
	313	Deflected nasal septum and nasal polyps	470, 471
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
	315	Chronic diseases of tonsils and adenoids	474
	319	Residual	475-478, 477.7-A

- 146 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
32		Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
	320	Acute bronchitis and bronchiolitis	466
	321	Pneumonia	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchiectasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pneumoconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,6-9, 521-523, 525- 529, X92
	330	Diseases of teeth and supporting structures	520.3,4,6-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 147 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35		Diseases of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 148 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
	369	Residual	601, 602, 604, 607, 608
37		Diseases of Female Genital Organs	610, 611, 614- 629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616
	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 149 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digi Recode		NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651- 659, 661-665, 667- 669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous Tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709

- 150 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
43		Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20- X29, X33-X35, X73- X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
	430	Rheumatoid arthritis, except spine	714
	431	Other arthropathies	710-712, 715, 716
	432	Other disorders of joints	717-719
	433	Ankylosing spondylitis	720.0
	434	Other dorsopathies	720.1-724, X80
	435	Rheumatism, excluding the back	725-727, 728.0,1, 3,5,8,9, 729, X86
	436	Osteomyelitis, periostitis and other infections involving bone	730
	437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
	439	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

<sup>\*\*\*</sup>Includes all 4th digits except .9

- 151 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9, 744.4,745-748, 750.2-9,751,752, 753.1-9,754.0,1, 756.4-9,757, 758.1-9,759.0-6,8, (X20-X29,X33-X35, X70,X73,X74,X76- X78,X93)**,X71.9, X75.9,(X30-X32, X41,X79,X90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751
	445	Undescended testicle	752.5
	446	Congenital dislocation of hip	X75.9
	447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33- X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
	449	Residual	744.4, 748, 752.0-4,6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X41, X79, X90)**

<sup>\*\*</sup>Includes 4th digit .9 only.

- 152 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
45		Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5, 8,9, x61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, x61.9
	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6, 7,9, 782, 783.0, 2-6,9, 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
	462	Renal colic	788.0
	463	Retention of urine	788.2
	464	Abdominal pain	789.0
	465	Senility without mention of psychosis	797
	467	Respiratory failure	799.1

- 153 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
46		Signs, Symptoms and Ill-Defined Conditions - continued	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	469	Residual	780.0-5,7-9, 781.0-4,6,7,9, 782, 783.0,2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813
	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848

- 154 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digi Recode		NHIS Diagnostic Code Inclusions
49		Intacranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X41-X49, X51-X60, X63, X64)****
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, x00.0, x05.0, x08.0
	499	Residual	860-869, 952-957, (X41-X49, X51-X60, X63, X64)****

<sup>\*\*\*\*</sup>Includes 4th digit .0 only.

- 155 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

<sup>\*\*\*\*\*871.3</sup> is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

<sup>\*\*\*\*\*</sup>Anything classifiable to 960-978 is coded by NHIS to 977.9.

<sup>\*\*\*\*\*\*</sup>Anything classifiable to 980-987 is coded by NHIS to 989.9.

- 156 National Health Interview Survey
Diagnostic Recode B

2-digit Recode	3-digi Recode		NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990- 995
	550	Other injuries, early complications of trauma	910-929, 959, 990- 995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X03.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X03.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes

#### DIAGNOSTIC RECODE C

#### Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.

Recode Number	Tit	le .	ICD Inclusion as modified by the NHIS
	LIST I:	SELECTED SKIN AND MUSCULOSKELE CONDITIONS	TAL
101		Arthritis	711. ,0,9, 712. ,8,9, 714- 716, 720.0, 721
102		Rheumatism, unspecified	729.0
103		Gout, including gouty arthriti	s 274
104		Sciatica (including lumbago)	724.2,3
105		Intervertebral disc disorders	722
106		Bone spur/tendinitis NOS	726. ,9
107		Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108		Bunion	727.1
109		Bursitis, NEC	726.0-8, 727.,0,2-9
110		Sebaceous skin cyst	706.2
111		Acne	706.0,1
112		Psoriasis	696
113		Dermatitis	690-694 (693.2 NHIS code)
114		Dry (itching) skin NEC	698.9
115		Chronic ulcer of skin	707
116		Ingrown nails	703.0
117		Corns and calluses	700
118		Benign neoplasms of the skin	216
119		Malignant neoplasms of the ski	n 172, 173

Recode Number	Tit		ICD Inclusion as modified by the NHIS
	LIST II:	IMPAIRMENTS	
201 202		Blind - Both eyes Other Visual Impairment	X00 X01-X03
203		Deaf - Both ears	X05
204		Other Hearing Impairments	X06-X09
205		Stammering and Stuttering	X10
206		Other Speech Impairments	X11
207		Impairment of Sensation	X12
208		Mental Retardation	X19
209 210 211		Absence Upper Extremities Both Arms/Hands One Hand/Arm Fingers - One or Both Hands	X20,X21 X23,X24 X22,X25
212 213		Absence Lower Extremities One or Both Legs Feet/Toes - One or Both Limbs	X26,X28 X27,X29
214 215 216 217		Absence Lung Kidney Breast Bone, Joint, Muscle of extremity Tips of Fingers, Toes	X30 X31 X32 X34 X35
219 220 221 222		Paralysis of Extremities - Comple Entire Body One Side of Body - Hemiplegia Both Legs - Paraplegia Other paralysis	te
223 224 225 226		Paralysis of Extremities - Partia Cerebral Palsy One Side of Body Only - Hemipar Legs - Both or Paraparesis Other paralysis	X50

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued	)
227	Paralysis - Complete of Other site	r Partial - X60-X64
	Deformity/Orthopedic In Back	mpairment:
228	Curvature or other	
229	back or spine	x70 ent x80
230	Orthopedic Impairm Spina Bifida	x80 X71
250	bpina bilida	22 / 1
	Other Upper Extremities	3
231	Hands, Fingers only	X74
232	Orthopedic Impairmen	
233	Other	X73
	Lower Extremities	
234	Flatfeet	X77
235	Clubfoot	X78
236	Other	X75, X76, X85, X86
237	Other Deformities/	
	Orthopedic Impairmen	x79,x89
238	Cleft Palate	X91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243	Diseases of Retina	361,362. ,1-9

Recode Number	Tit	le	ICD Inclusion as modified by the NHIS
	LIST III:	SELECTED DIGESTIVE CONDITIONS	
301		Gallbladder stones	574
302		Liver diseases including cirrh	nosis 571, 572, 573.,0,3-9
303		Gastric ulcer	531
304		Duodenal ulcer	532
305		Peptic ulcer	533
306		Hernia of abdominal cavity	550-553
307		Disease of the esophagus	530
308		Gastritis and duodenitis	535
309		Indigestion	536.8
310		Other functional disorders of stomach and digestive system	536 (except .8), 787
311		Enteritis and colitis	555, 556, 558
312		Spastic colon	564.1
313		Diverticula of intestines	562
314		Constipation	564.0
315		Other stomach and intestinal disorders	534, 537, 560, 569
316		Malignant neoplasms of stomach intestines, colon, and rectum	

Recode

Chronic Condition Recode C Revised April 30, 1983

ICD Inclusion as

Number	Tit	cle	modified by the NHIS
	LIST IV:	SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCHMETABOLIC AND BLOOD AND BLOOD	
401		Goiter	240, 241, 242.0-3
402		Other disorders of the thyroid	242.4,8,9, 243-246
403		Diabetes	250
404		Anemias	280-285
405		Epilepsy	345
406		Migraine headache	346
407		Other headache (excludes tension headache)	784.0
408		Neuralgia or neuritis, unspecified	729.2
409		Kidney stones	592
410		Kidney infections	590
411		Other kidney trouble, NEC	581-583, 593
412		Bladder infections	595. ,0-3,8,9
413		Other disorders of bladder	594.1, 596
414		Diseases of prostate	600-602 (ex 601.4)
415		Multiple sclerosis	340
416		Inflammatory disease of female genital organs	e 614-616
417		Non-Inflammatory disease of fe	emale 620-624
418		Menstrual disorders	626

Recode Number	Tit	le	ICD Inclusion as modified by the NHIS
	LIST IV:	SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCR METABOLIC AND BLOOD AND BLOOD SYSTEMS (Continued)	•
419		Other disorders of female genital organs	617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8
420		Female trouble, NOS	629. ,9
421		Malignant neoplasm of breast - female	174
422		Malignant neoplasms of female genital organs	179-184
423		Malignant neoplasm of prostate	185
424		Benign neoplasm of breast - female	217
425		Benign neoplasms of female genital organs	218-221

Recode Number	Tit	cle	ICD Inclusion as modified by the NHIS
	LIST V:	SELECTED CIRCULATORY CONDITION	IS
501		Rheumatic fever with or withou heart disease	390, 392-398, 399 (NHIS code only)
502		Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505		Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart rhythm disorders	427.0-3, 785.0 785.2 427.,4-6,8,9,
506		Congenital heart disease	745, 746
507		Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 425., 0-5,9, 426, 428, 429.,0-5,8,9
508		High blood pressure (hypertension)	401-405
509		Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510		Hardening of the arteries	440
511		Aneurysm	441. ,0-6, 442
512		Phlebitis, thrombophlebitis	451
513		Varicose veins of lower extremities	454
514		Hemorrhoids	455
515		Poor circulation	459. ,8,9

Recode Number	Tit		ICD Inclusion as modified by the NHIS
	LIST VI:	SELECTED RESPIRATORY CONDITIONS	
601		Chronic Bronchitis	490, 491
602		Asthma	493
603		Hay fever/allergic rhinitis with asthma	nout 477 (477.7 NHIS code)
604		Nasal polyps	471
605		Chronic sinusitis	473
606		Deviated Nasal Septum	470
607		Chronic disease of tonsils and adenoids	474
608		Chronic laryngitis	476
609		Emphysema	492
610		Pleurisy	511
611		Pneumoconiosis and asbestosis	500-505
612		Tuberculosis (pulmonary)	011, 019 (NHIS code)
613		Malignant neoplasms of lung and bronchus	162. ,2-9
614		Other diseases of lung	515, 518
615		Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999		ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

<sup>\*</sup>Excludes always acute codes and ICD codes not used by NHIS.

#### HEALTH INTERVIEW SURVEY - 1995

#### TABULATION SPECIFICATIONS AND WEIGHTING

#### INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight (divide basic quarter weight by 4 to get annual weight).

To illustrate the use of reference periods, suppose we have a person whose basic weight is 6,000 in the tape for the quarter. This person's annual weight is 6,000/4 = 1,500. His 6.5 weight is obtained by multiplying  $6,000 \times 6.5$  to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been  $39,000 \times 2$  or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be 1,500 x 2 or 3,000 for the full year's sample, or  $6,000 \times 2$  or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

The weights are presented in character format in the tape in Locations 190-236. Where applicable, locations from 237 to 335 contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

# A table summarizing these tape locations and their uses follows: SUMMARY OF WEIGHTS IN THE 1995 NHIS PERSON RECORD

Tape location	Name of Weight Field	Notes:
190-200	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR	Multiply by final basic weight to obtain prevalence of chronic conditions
	FINAL BASIC WEIGHT	
201-209	QUARTER	Use one quarter of data
210-218	SEMI-ANNUAL	Use two quarters of data
219-227	ANNUAL	Use entire data file
228-236	6.5 WEIGHT  Content of field is 6.5 times the Quarter Weight.	Use for event data with 2-week recall period
237-245	ESTIMATED RESTRICTED ACTIVITY DAYS (BASED ON TWO-WEEK RECALL) Content of field is number of restricted activity days times 6.5 Weight.	Use one quarter to produce estimate for the quarter; use entire file to produce annual estimate. This field is already weighted.

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates

from Health Interview Survey data tapes. The publication, "Current

Estimates", for the year 1995 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each table specified. In cases where classifications such as "other" may not be clear or where several fields must be specified to produce a single variable, for example, persons injured, the variables needed will be listed.

- 170 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES		
ANNUAL ESTIMATES					
1-15	Incidence of Acute Conditions				
	Inclusions:				
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1		
	Use:				
1-5	Acute Condition Recode A Denominator for rates is population: see Table 78 specifications	100-103	1001-5932		
11-15	Restrict numerator to medically attended Denominator is all acute conditions	110	1		
	Weight:				
	(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236			
16-25	Restricted Activity Days Associated With Acute Conditions				
	Inclusions:				
	Condition records Acute	1-2 107	30 2		
	Use:				
16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932		
	Weight:				
	2 week restricted activity days	237-245			

- 171 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	S CODES			
	ANNUAL ESTIMATES					
26-35	Bed Days Associated with Acute Condi	tions				
	Inclusions:					
	Condition records Acute	1-2 107	30 2			
	Use:					
26-30	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932			
	Weight:					
	2 week bed days	246-254				
36-45	Work-Loss Days Associated with Acute Conditions					
	Inclusions:					
	Condition records Acute	1-2 107	30 2			
	Use:					
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932			
	Weight:					
	2 week work-loss days	255-263				

- 172 -

TABLE NUMBERS	ITEMS		TAPE LOCATION	S CODES	
ANNUAL ESTIMATES					
46-49	School-Loss Days Associated with Acute Conditions				
	Inclusions:				
	Condition records Acute		1-2 107	30 2	
	Use:				
46-47	Acute Condition Recode A Denominator is population see Table 78 specification		100-103	1001-5932	
	Weight:				
	2 week school-loss days		264-272		
50	Acute Conditions per Quart	er			
	Use specifications for Tab But also use processing qu		5	1,2,3 or 4	
51-52	Episodes of Persons Injure	d			
	Inclusions:				
	Condition records Onset in 2 weeks First injury	and	1-2 108 128	30 1 1	
	Acute Condition Recode A (injuries)		100-103	4514-4518	
or					
	Impairments due to injury		93 96	X 0	

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
51-52	Episodes of Persons Injured - continued	b	
	Use:		
	Type/place of accident (all included records) Moving motor vehicle involved (total)	134	1
	and (traffic)	130 134	1-9 1
	and	130	3
	(no)	134	2
	At work (yes)	131	1
	(no) Place of accident(home)	131 130	2 1-2
	(street)	130	3
	(industrial place)	130	5
51	(other) Denominator is population: (For person injured at work denominator is 18+ population)	130 4	.,6-8
	see specifications for Table 78		
	Weight: 6.5 weight (2 week reference)	228-236	
53-54	Restricted Activity Days Associated with Persons Injured		
	Use:		
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specification so that 128:1		
	Weight:	237-245	

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
55-56	Bed Days Associated with Persons Injur Use:	ed	
	Specifications for Tables 51-52 except weight for days, delete specification 108:1 and change specifications so tha 128:1		
	Weight:	246-254	
57-66	Prevalence of Selected Chronic Conditi Conditions	ons	
	Inclusions:		
	Condition records Chronic	1-2 107	30 1
	Use:		
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 104-106	1,2,3, 4,5 or 6
	Weight:		
	Chronic condition factor Multiplied by final basic weight	190-200 219-227	
57-61	Denominator is population: see specification for Table 78		

- 175 -

TABLE NUMBERS	ITEMS	TAPE LOCATION	S CODES
	ANNUAL ESTIMATES		
67-68	Limitation of Activity Due to Chronic (	Condition	S
	Inclusions:		
	Person records	1-2	20
	Use:		
	LA-1 Unable to perform major activity	71	1
	LA-2 Limited in kind/amount of major activity	71	2
	LA-3 Limited in other activity	71	3
	LA-4 Not Limited (includes unknowns)	71	4
	Weight:	219-227	
67	Denominator for percent distribution is population.	5	
69	Person Disability Days		
	Inclusions:		
	Person records	1-2	20
	Weight:		
	Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	

- 176 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		· · · · · · · · · · · · · · · · · · ·
70	Respondent Assessed Health Status		
	Inclusions:		
	Person records	1-2	20
	Weight:	219-227	
71	Physician Contacts: Place and Rate		
	Inclusions:		
	Doctor Visit records	1-2	40
	Use:		
	Place of visit	103	1-8(9)
	Weight:		
	<pre>6.5 weight (2 week) Denominator for rate columns are   population: see specifications   for Table 78</pre>	228-236	
72	Interval Since Physician Contact		
	Inclusions:		
	Person records	1-2	20
	Use:		
	<pre>Interval since doctor seen NOTE: 5 years and over</pre>	115 115	0-4(5) 0,4
	Weight:	219-227	

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

TABLE NUMBER	S ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
73-74	Short Stay Hospital Episodes (12 Month reference)		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weights:		
73	Final basic weight Denominator for percent distribution is population	219-227	
	Weight:	219-227	
75-76	Short Stay Hospital Episode Days		
	Inclusions:		
	Person records	1-2	20
	Use:		
	To define number of episodes To define non-delivery episodes	122-123 127-128	
	Weight:		
	Short stay hospital episode days (all episodes)*	124-126 x	219-227
75	Short stay hospital episode days (excluding deliveries)* Denominator for rates is population with appropriate number of episodes (from Table 74)	129-131 x	219-227

<sup>\*</sup>These weights reflect a modification from previous years (1982-1990).

- 178 -

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		
	Inclusions:		
	Hospital Records  with Use: All specified records for hospitalizations for all reasons	1-2 132	50 1
	Hospitalizations for deliveries	145	1
	Weight:		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
78	Population		
	Inclusions:		
	Person records	1-2	20
	Use: All records for total population Currently employed population	75	1-3
	Weight:	219-227	

## Non-Institutionalized Group Quarters

In general, houses, apartments, rooms, etc. occupied or intended for occupancy by civilians, borders, roomers, staff, and employees (with no usual residence elsewhere) are listed. Census lists non-institutionalized facilities, it does not list structures or units occupied by institutional persons of a hospital or similar institution. The only people listed at institutionalized facilities are those permanently residing at such a facility to run or maintain that facility. Therefore, most of the facilities listed below will not be listed for an interview.

## Codes Group Quarters Type and Description

20-N a.	Other	Types	of	Correctional	Facilities
---------	-------	-------	----	--------------	------------

- 21-N b. Federal Prisons
- 22-N c. Federal Detention Centers
- 23-N d. Halfway Houses Operated for Correctional Purposes
- 24-N e. State Prisons
- 27-N f. Local (County/City) Jails and Other Confinement Facilities
- 28-N g. Police Lockups (facilities that hold persons up to 48 hours that have not been formally charged in court)
- 95-N h. Stockades and Jails on Military Bases
  - 2. Homes for Senior Citizens
- 60-N a. Private Homes for the Elderly (don't know if for profit or not)
- 61-N b. Homes for the Elderly (don't know if Federal, state, local, or private)
- 62-N c. Federal Homes for the Elderly (including Veterans Administration)
- 63-N d. State Owned Homes for the Elderly
- 64-N e. County or City Owned Homes for the Elderly
- 65-N f. Homes for the Elderly of Unknown Ownership (Publicly owned, but don't know how to classify)
- 66-N g. Private, Not-for-Profit, Homes for the Elderly
- 67-N h. Private, for Profit, Homes for the Elderly

# Non-Institutionalized Group Quarters

Codes	Group Quarters Type and Description			
	3.	Hospitals		
53-N	a.	General and Military Hospitals* (Refer to 86-N for dormitories for nurses and interns in General and Military Hospitals).		
54-N	b.	Military Hospitals or Wards for the Chronically Ill		
55-N	c.	Other Hospitals or Wards for the Chronically Ill (includes Tuberculosis Hospitals)		
70-N	d.	Hospitals for Drug/Alcohol Abuse		
	*	This includes children's hospitals, maternity hospitals and infirmaries.		
	4.	Facilities for the Disabled		
31-N	a.	Orthopedic Wards and Facilities* for Physically Handicapped (don't know whether public or private ownership)		
32-N	b.	Publicly Owned Orthopedic Wards and Facilities for Physically Handicapped*		
33-N	C.	Privately Owned Orthopedic Wards and Facilities for Physically Handicapped*		
34-N	d.	Facilities for the Blind (don't know whether public or private ownership)		
35-N	e.	Publicly Owned Facilities for the Blind		
36-N	f.	Privately Owned Facilities for the Blind		
37-N	g.	Facilities for the Deaf (don't know whether public or private ownership)		
38-N	h.	Publicly Owned Facilities for the Deaf		
39-N	i.	Privately Owned Facilities for the Deaf		

\* These include facilities for persons with epilepsy.

# Non-Institutionalized Group Quarters

Codes	Grou	Group Quarters Type and Description		
	5.	GQ Homes for the Disabled		
72-N 73-N 74-N	a. b. c.	Public Homes for the Physically Handicapped Private Homes for the Physically Handicapped GQ Homes for the Physically Handicapped (unable to determine if publicly or privately owned)		
	6.	Facilities/Hospitals for the Mentally Ill/Retarded		
40-N	a.	Hospitals for the Mentally Retarded/Handicapped (don't know if Federal, state, local, or private ownership)		
41-N	b.	Federal Hospitals for the Mentally Retarded/Handicapped		
42-N	c.	Private Owned Hospitals for the Mentally Retarded/Handicapped		
43-N	d.	State or Locally Owned Hospitals for the Mentally Retarded/Handicapped		
45-N	e.	Hospitals for the Mentally Ill (don't know if Federal, state, local, or private ownership)		
46-N	f.	Federal Hospitals for the Mentally Ill		
47-N	g.	State or Locally Owned Hospitals for the Mentally Ill		
48-N	h.	Private Owned Hospitals for the Mentally Ill		
	7.	GQ Homes for the Mentally Ill/Retarded		
16-N	a.	Federal Homes for the Mentally Ill		
17-N	b.	State Homes for the Mentally Ill		
18-N	c.	Private Homes for the Mentally Ill		
19-N	d.	Homes for the Mentally Ill (don't know if Federal, state, local, or private ownership)		
56-N	e.	Federal Homes for the Mentally Retarded/Handicapped		
57-N	f.	State Homes for the Mentally Retarded/Handicapped		
58-N	g.	Private Homes for the Mentally Retarded/Handicapped		
59-N	h.	Homes for the Mentally Retarded/Handicapped (don't know if Federal, state, local, or private ownership)		

# Non-Institutionalized Group Quarters

Codes	Group Quarters Type and Description			
	8.	Juvenile Facilities		
01-N 02-N	a. b.	Juvenile Facilities (don't know what type) Long-Term Care Juvenile Facilities for Neglected, Abused, and Dependent Children (don't know whether public or private ownership)		
03-N	C.	Publicly Owned Long-Term Care Juvenile Facilities for Neglected, Abused, and Dependent Children		
04-N	d.	Privately Owned Long-Term Care Juvenile Facilities for Neglected, Abused, and Dependent Children		
05-N	e.	Long-Term Care Juvenile Facilities for Emotionally Disturbed Children		
10-N	f.	Short-Term Juvenile Facilities for Delinquent Children		
11-N	g.	Long-Term Care Juvenile Facilities for Delinquent Children (don't know whether public or private)		
12-N	h.	Publicly Owned Long-Term Care Juvenile Facilities for		
15-N	i.	Delinquent Children (committed by the courts) Privately Owned Long-Term Care Juvenile Facilities for Delinquent Children (committed by the courts or referred by parents/guardians)		
96-N	9.	Transient Quarters for Temporary Military or Civilian Residents on Military Bases (These should usually not be listed or interviewed for the HIS).		
	10.	Ships and Vessels - (These should never be listed or interviewed. This GQ type does not include houseboats and yachts, which can be listed and interviewed as regular housing units.)		
91-N 98-N	a. b.	Crews of Civilian Vessels Military Ships		
97-N	11.	Military Quarters on Base (These should usually not be listed or interviewed for the HIS).		

### Non-Institutionalized Group Quarters

- Codes Group Quarters Type and Description
  - 12. Facilities for Housing Students
- 86-N a. Dormitories for Nurses and Interns in General and Military Hospitals
- 87-N b. College Quarters On or Off Campus (if 10 or more unrelated people), Fraternity, and Sorority Houses (Do not list or interview schools with resident students below the college level).
  - 13. Facilities for Housing Workers
- 92-N a. Agricultural Workers' Dormitories on Farms
- 93-N b. Other Workers' Dormitories (such as logging camps, bunk houses, non-farm migratory workers, etc.)
- 89-N 14. Religious GQ's

This includes convents, monasteries, and rectories. (Treat the place as a convent, monastery or rectory if it is officially called a convent, monastery or rectory regardless of the number of people living in the place).

- 15. Street Enumeration (These should never be listed or interviewed.)
- 84-N a. Nonstructure Street Enumeration Locations, Other than Commerce Places (including street corners, parks, tent cities\*, and similar sites)
- 85-N b. Street Enumeration, Commerce Places (including railroad stations, all-night restaurants, and other similar places)
  - \* A tent city is a site developed for people who are temporarily displaced from their homes. An example of this is a tent city for hurricane victims.

### Non-Institutionalized Group Quarters

## Codes Group Quarters Type and Description

- 94-N 16. Other Nonhousehold Living Situations such as tent camps\*, campgrounds, carnivals, hostels, and other transient sites -- These include YMCAs, YWCAs, YMHAs; and also transient hotels, motels and Bed and Breakfasts charging more than \$12 a night.
  - \* A tent camp is a more permanent arrangement of lots of sites for tents. An example of this would be a tent camp of homeless people.
  - 17. Shelters and Special Types of Group Homes
- 29-N a. Homes for Unwed Mothers
- 75-N b. Group Homes for Abused Women
- 76-N c. Group Homes for People Recovering From Drug/Alcohol Abuse
- 79-N d. Other Group Homes, including Communes, Foster Care Homes, and Job Corps Centers with 10 or more unrelated people
- 82-N e. Shelters for the Homeless with Sleeping Facilities (including flophouses, transient hotels and motels charging \$12 or less per night, and similar places known to have persons with no usual home elsewhere who stay overnight)
- 83-N f. Emergency Shelters and Group Homes which provide temporary sleeping facilities for Runaway, Neglected, and Homeless Children
- 80-N 18. Boarding House, Rooming House, Combination Boarding and Rooming House, and Nontransient Hotels and Motels

Boarding House - A boarding house is an establishment that has five or more units for rent to boarders, and that serves regular meals to the residents who pay a combined rate for their room and meals on a weekly or monthly basis.

Rooming House - A rooming house is an establishment that has five or more units for rent to persons who usually pay on a weekly or monthly basis. No regular meals are served, but linens and maid service may be provided.

## Non-Institutionalized Group Quarters

## Codes Group Quarters Type and Description

80-N 18. Boarding House, Rooming House, Combination Boarding and Rooming House, and Nontransient Hotels and Motels - continued

Combination Boarding and Rooming House - A combination boarding and rooming house is an establishment with five or more units for rent that serves meals to some residents (boarders) but only rents to others (roomers).

Nontransient Hotels and Motels - A hotel is classified as nontransient if 75 percent or more of the rooms or suites are occupied or intended for occupancy by permanent guests. Permanent guests usually stay a month or more at reduced monthly or weekly rates. Also consider an apartment hotel as a nontransient hotel.

Rec	odes		
No. 1 Chrs. 80-81	No. 2	Industry Title	SIC Code*
01	01	AGRICULTURE	01-02,071-072,074- 076,078
02	01	FORESTRY AND FISHERIES	08-09
10	02	MINING	10,12-14
20	03	CONSTRUCTION	15-17
(30-34, 40-46)	(04)	MANUFACTURING:	
(30-34)		NONDURABLE GOODS	
30	04	Food and kindred products	201-209
31	04	Textile mill and finished textile products	221-229,231-239
32	04	Printing, publishing and allied industries	271-279
33	04	Chemicals and allied products	281-287,289
34	04	Other nondurable goods	21,261-263,265,267, 291,295,299,301- 306,308,311,313- 317,319

<sup>\*</sup>Standard Industrial Classification

Reco	 odes		
No. 1 Chrs. 80-81	Chrs.	Industry Title	SIC Code*
(30-34, 40-46)	(04)	MANUFACTURING: - continued	
(40-46)		DURABLE GOODS	
40	04	Furniture, lumber and wood	241-245,249,25
41	04	Primary metal industries	331-332,334,3331, 3334,3339,3351, 3353-3357,3363- 3366,3369,339
42	04	Fabricated metal industries, including ordnance	341-349
43	04	Machinery, except electrical	351-359
44	04	Electrical machinery, equipment and supplies	361-367,369
45	04	Transportation equipment	371-376,379
46	04	Other and not specified durable goods	321-329,381-382, 384-387,39

<sup>\*</sup>Standard Industrial Classification

- 188 -

Rec	odes		
No. 1 Chrs. 80-81		Industry Title	SIC Code*
(50-54)	(05)	TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES	ons
50	05	Railroads	40
51	05	Trucking service and warehousing	421-423
52	05	Other transportation	41,43-47
53	05	Communications	481-484,489
54	05	Utilities and sanitary	491-497
60	06	WHOLESALE TRADE	501-509,511-519

<sup>\*</sup>Standard Industrial Classification

Reco	odes		
Chrs.	No. 2 Chrs. 82-83	Industry Title	SIC Code*
(61-65)	(07)	RETAIL TRADE	
61	07	General merchandise stores	531,533,539
62	07	Food, bakery and dairy stores	541-546,549
63	07	Automotive dealers and gasoline stations	551-557,559
64	07	Eating and drinking places	58
65	07	Other and not specified retail trade	521,523,525-527,56, 571-572,5731,5734- 5736,591-594,5961- 5963,598,5992-5995, 5999
(70-71)	(08)	FINANCE, INSURANCE, AND REA	L
70	08	Banking and credit agencies	60-61
71	08	Insurance, real estate, and other finance	62-65,67

<sup>\*</sup>Standard Industrial Classification

Reco	odes		
No. 1 Chrs.	No. 2 Chrs. 82-83	Industry Title	SIC Code*
(75-85)	(09-12)	SERVICES:	
(75-76)	(09)	BUSINESS AND REPAIR SERVICES	S
75	09	Business services	731-738,751,752, 7542
76	09	Repair services	753,7549,762-764, 7692,7694,7699
(77-78)	(10)	PERSONAL SERVICES	
77	10	Private households	88
78	10	Other personal services	701-704,721-726,729
79	11	ENTERTAINMENT AND RECREATION SERVICES	781-784,791-794,799
(80-85)	(12)	PROFESSIONAL AND RELATED SERVICES	
80	12	Hospitals	806
81	12	Health services, except hospitals	801-803,8041-8043, 8049,805,807-809
82	12	Elementary and secondary schools and colleges	821-822
83	12	Other educational services	823-824,829
84	12	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	Legal, engineering and other professional services	81,871-874,899

<sup>\*</sup>Standard Industrial Classification

Reco	odes	
Chrs.	No. 2 Chrs. 82-83	Industry Title SIC Code*
90	13	PUBLIC ADMINISTRATION 911-913,919,92-97
95	14	UNKNOWN INDUSTRY - (Includes never worked)
96	14	REFUSED, CLASSIFIED, ETC.
97	15	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).
98	16	ARMED FORCES (excludes Reserves and National Guard)

<sup>\*</sup>Standard Industrial Classification

# APPENDIX B INDUSTRY RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	<pre>UNKNOWN (includes never worked, refused, classified, etc.)</pre>	95-96
15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98

Reco	odes		
No. 1 Chrs. 87-88	Chrs.	Occupation Title	SOC Code*
(01-03)	(01)	EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	-
01	01	Officials and administrators, public administration	111-113
02	01	Managers and administrators, except public administration	121-128,131- 1344,1351- 1354,1359, 136-139
03	01	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472- 1473,149

<sup>\*</sup>Standard Occupational Classification

Recodes			
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Occupation Title	SOC Code*
(04-11)	(02)	PROFESSIONAL SPECIALTY OCCUPATIONS	-
04	02	Engineers	1622-1628,1632- 1637,1639
05	02	Architects and surveyors	161,164
06	02	Natural mathematical and computer scientists	171-172,1732- 1733,1739, 1842-1843, 1845-1847,1849, 1852-1855
07	02	Health diagnosing occupations	261-262,27,281, 283,289
08	02	Health assessment and treating occupations	29,301-302, 3031-3034,3039, 304
09	02	Teachers, librarians and Counselors	2212-2218, 2222-2228, 2231-2238, 2242-2247, 2249,231-233, 235,236,239,24, 251,252
10	02	Writers, artists, entertainers and athletes	34,321-329, 331-333,398
11	02	Other professional specialty occupations	1912-1916, 1919,192, 2032-2033, 2042,2049, 211-212

<sup>\*</sup>Standard Occupational Classification.

Reco	odes				
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Occupation Title	SOC Code*		
(12-13)	(03)	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	-		
12	03	Health technologists and technicians	362-366,369		
13	03	Technologists, technicians except health	3711-3713,3719, 372-373,382, 3831-3833, 384,389, 392-393,396, 3971-3972, 3974,399, 825		
(14-16)	(04)	SALES OCCUPATIONS	-		
14	04	Supervisors and proprietors	40		
15	04	Sales representatives, commodities and finance	4122-4124, 4152-4153, 421,423-424		
16	04	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449		

<sup>\*</sup>Standard Occupational Classification

#### Revised in 1995 OCCUPATION RECODE OUTLINE Recodes No. 1 No. 2 Chrs. Chrs. Occupation Title SOC Code\* 87-88 89-90 (17-21)(05) ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL 17 05 Computer equipment operators 4612-4613 18 05 Secretaries, stenographers 4622-4624 and typists 19 05 Financial records processing 4712-4713, occupations 4715-4716, 4718 20 05 Mail and message distributing 4742-4745 21 05 Other administrative support 4511-4514,4516, 4519,4521-4529, 463,4642-4645, 4649,4662-4664, 4692,4694,4696, 4699,4722-4723, 4729,4732-4733, 4739,4751-4759, 4782-4784,4786-4787,4791-4795, 4799

Private household occupations

502-507,509

06

22

<sup>\*</sup>Standard Occupational Classification.

#### OCCUPATION RECODE OUTLINE Revised in 1995 Recodes No. 2 No. 1 Chrs. Chrs. Occupation Title SOC Code\* 87-88 89-90 (23-24) (07)PROTECTIVE SERVICE OCCUPATIONS 23 07 Police and firefighters 5111-5112, 5122-5123, 5132-5134 07 24 Other protective service 5113,5142,5144, 5149 occupations (25-28)(80)SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD 25 80 Food service 5211-5219 26 08 Health service 5232-5233,5236 27 80 Cleaning and building service 5241-5242, 5244-5246,5249 80 Personal service 5251-5258,5262-28 5264,5269 (29-31) (09)FARMING, FORESTRY AND FISHING OCCUPATIONS 29 09 Farm operators and managers 5512-5515,5522-5525 30 09 Farm workers and other 5611-5619, agricultural workers 5621-5622, 5624-5625,5627 31 09 Forestry and fishing 571-573,579, 583-584,8241(pt.) occupations

<sup>\*</sup>Standard Occupational Classification.

Reco	odes		
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Occupation Title	SOC Code*
(32-34)	(10)	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	Construction and extractive trades	6311-6316,6318, 632,6412- 6414(pt.),6422, 6424,6432-6433, 6442-6444,645, 6462-6468,6472- 6476,6479,652- 654,656
34	10	Precision production occupations	67,71, 6811-6814, 6816-6817, 6821-6824, 6829,6831-6832, 6835,6839,6844, 6852-6854,6856, 6859,6861-6862, 6864-6867,6869, 6871-6873,6879, 6881-6882,691- 696,7477(pt.), 7668,7677(pt.), 7752,828

<sup>\*</sup>Standard Occupational Classification

Reco	odes		
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Occupation Title	SOC Code*
		OPERATORS, FABRICATORS AND LABORERS	
(35-36)	(11)	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478,7479, 7512-7519,7522, 7529,7539,7542- 7544,7549,7631- 7636,7639,7642- 7644,7649,7651- 7652,7654-7659, 7661-7667,7669, 7677(pt.), 7678-7679
36	11	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 72,774,7753- 7759,782-785,787

<sup>\*</sup>Standard Occupational Classification

#### OCCUPATION RECODE OUTLINE Revised in 1995 Recodes No. 2 No. 1 Chrs. Chrs. Occupation Title SOC Code\* 87-88 89-90 (37 - 39)(12) TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS 37 12 Motor vehicle operators 8111,8212-8216, 8218-8219,874 38 12 Other transportation, except 8113,8232-8233, motor vehicles 8239,8241(pt.), 8242-8245 39 812,8312-8319 12 Material moving equipment operators (40-41)(13)HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS 40 13 Construction laborers 871 41 13 Freight, stock and material 85,861-863, handlers 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769

<sup>\*</sup> Standard Occupational Classification

- 201 -

Recodes			
Chrs.	No. 2 Chrs. 89-90	Occupation Title	SOC Code*
95	14	UNKNOWN OCCUPATION (Includes never worked)	
96	14	REFUSED, CLASSIFIED, ETC.	
97	15	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	MILITARY	

<sup>\*</sup>Standard Occupational Classification

# APPENDIX C OCCUPATION RECODE TITLES

Recode No. 1 Code Titles Inclusions MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS 01 EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS 01-03 02 PROFESSIONAL SPECIALTY OCCUPATIONS 04 - 11TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS 03 TECHNICIANS AND RELATED SUPPORT OCCUPATIONS 12-13 04 SALES OCCUPATIONS 14-16 05 ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING 17-21 CLERICAL SERVICE OCCUPATIONS 06 PRIVATE HOUSEHOLD OCCUPATIONS 22 07 PROTECTIVE SERVICE OCCUPATIONS 23-24 80 SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND 25-28 HOUSEHOLD 09 FARMING, FORESTRY AND FISHING OCCUPATIONS 29-31 10 PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS 32-34 OPERATORS, FABRICATORS AND LABORERS 35-36 11 MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS 12 TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS 37-39 HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS 13 40-41 14 UNKNOWN OCCUPATION (includes never worked, refused, 95-96 classified, etc.) 15 NOT IN LABOR FORCE 97 16 MILITARY 98

## APPENDIX D

## DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	5	SOURCE	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-13	Description 7	132 MV	134 MMV	130 Where?	131 Work?	
111	Moving motor vehicle- at work - at home	1	1	1,2	1	
112	Moving motor vehicle - at work - not at home- street or highway	1	1	3	1	
113	Moving motor vehicle - at work - not at home- not on street or highway	1	1	Not 1-3	1	
121	Moving motor vehicle - not at work - at home- not on street or highway	1	1	1,2	Not 1,4	
122	Moving motor vehicle - Not at work - not a home On street or highway	1	1	3	Not 1	
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4	

- 204 
APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of Accident Recode Loc. 135-13	Description	SOURCE 132 MV	- TAPE 134 MMV	LOCATION 130 Where?	131
211	Nonmoving motor vehicle - at work - at home	1	Not 1	1,2	1
212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1
312	Non-motor vehicle - at work - not at home	Not 1	-	Not 1,2	1
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
400	Injured in Armed Forces	-	-	-	4
500	Therapeutic misadventure	-	-	-	Not 4
600	Injury Condition/Adverse Reaction	-	-	-	Not 4

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

### OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very illdefined site. Use 00 when it is known that an operation was performed, but there is no information about the kind of operation or about the body system or part involved.

## OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves
- 05 Operations on sympathetic nerves or ganglia

## OPERATIONS ON THE ENDOCRINE SYSTEM (06-07)

- 06 Operations on thyroid and parathyroid glands
- 07 Operations on other endocrine glands

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

\_\_\_\_\_

### OPERATIONS ON THE EYE (08-16)

- 08 Operations on eyelids
- 09 Operations on lacrimal system (tear ducts)
- 10 Operations on conjuctiva
- 11 Operations on cornea
- 12 Operations on iris, ciliary body, sclera, and anterior chamber
- 13 Operations on lens
- 14 Operations on retina, choroid, vitreous, and posterior chamber
- 15 Operations on extraocular muscles
- 16 Operations on orbit and eyeball

# OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

## OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

21 Operations on the nose

Includes: operations on bone and skin of nose

- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- Other operations on teeth, gums and alveoli
- 25 Operations on tongue
- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

## OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm

## OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

## OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

## OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine
- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

### OPERATIONS ON THE DIGESTIVE SYSTEM (42-54) - (Con't)

- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract

Includes: operations on common bile duct, cystic duct and hepatic duct

- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region,
 inguinal region, loin region, male pelvic cavity,
 mesentery, omentum, peritoneum and retroperitoneal tissue
 space

# OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

\_\_\_\_\_

# OPERATIONS ON MALE GENITAL ORGANS (60-64) 60 Operations on prostate and seminal vesicles 61 Operations on scrotum and tunica vaginalis 62 Operations on testes 63 Operations on spermatic cord, epididymis, and vas deferens 64 Operations on penis OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71) 65 Operations on ovary 66 Operations on fallopian tubes 67 Operations on cervix 68 Other incision and excision of uterus 69 Other operations on uterus and supporting structures 70 Operations on vagina and cul-de-sac 71 Operations on vulva and perineum

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

#### OBSTETRICAL PROCEDURES (72-75)

- 72 Forceps, vacuum, and breech delivery
- 73 Other procedures inducing or assisting delivery

Includes: spontaneous delivery with manual assistance

- 74 Caesarean section and removal of fetus
- 75 Other obstetric operations

For HIS, includes also "normal delivery"

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)

- 76 Operations on facial bones and joints
  - Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)
- 77 Incision, excision and division of other bones
  - Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02)
- 78 Other operations on bones, except facial bones
  - Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02)
- 79 Reduction of fracture and dislocation

  - Excludes: external fixation alone for immobilization of fracture (93); internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit (76); skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for reduction of fracture (93)

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

### OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - (Con't)

80 Incision and excision of joint structures

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when
 condition is not specified and tissue (such as skin, bone,
 etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths.

Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

\_\_\_\_\_

### OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site
 (female or male).

86 Operations on skin and subcutaneous tissue

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose (21); penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as brain) is mentioned

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Excludes: angiography (88).

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - (Con't)

88 Other diagnostic radiology and related techniques

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams; gynecological exams: dental exams; digital exams of rectum; pacemaker checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts
 or passage, pancreas, peritoneal, retroperitoneal, kidney,
 ureter, perirenal, periureteral tissue, bladder, urethra,
 prostate, seminal vesicle, urine, semen, and female genital
 tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - (Con't)

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy exercises
 such as breathing exercises; manual traction; training in
 use of prosthesis; whirlpool treatments; heat therapy;
 skeletal traction; speech and reading training for blind;
 play therapy; education therapy; artificial respiration,
 mouth to mouth resuscitation; oxygen and helium therapy.

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing;
 insertion of vaginal diaphragm; rectal packing; dilation of
 rectum and anus; manual reduction of hernia; gastric
 lavage; irrigation of ostomies; cleaning of eye, ear and
 nose; lavage of bronchus and trachea

97 Replacement and removal of therapeutic appliances

Includes: replacement of ostomy tubes; replacement of casts; removal of nasal packing, removal of dental wiring; removal of sutures from head and neck; removal of drainage tubes; removal of IUD and removal of sutures from genital tract.

# CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

\_\_\_\_\_

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - (Con't)

98 Nonoperative removal of foreign body

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or
 infusions of therapeutic or prophylactic substances;
 cardiac pacemaker (battery and sensing types), acupuncture
 and fitting of dentures.