In the 1996 NHIS, information on childhood immunizations was collected from adult respondents (often the mother) for a sample child under 6 years of age in the NHIS household sample with age-eligible children. Information was also collected for all additional 19-35 month old children. Analysts are STRONGLY encouraged to review the questionnaire used for this survey before undertaking any analyses.

Five vaccine types were asked about in the survey: DTP, Polio, Measles or MMR, Haemophilus influenzae type b (Hib), and Hepatitis B. When possible, information was abstracted directly from vaccination records maintained by the family. Respondents with vaccination records were also asked about additional shots that may have been received but were not listed on the records. Respondents who were unable to provide records were asked the number of shots of each type their child had received. Respondents who did not know the exact number of shots but stated that the child had received "all" of a particular type of vaccination had "88" coded as the number of shots.

For each vaccine type, the total number of shots received was calculated and included as a recode for each child in the file. For children 2 years and older who had complete shot record information (i.e., all their vaccination information was contained on their shot record), the total number received by 24 months was also calculated and included on the file as a recode.

Estimation of immunization coverage levels (i.e., the percentage of children who are "up-to-date" for a particular vaccine type or a series of vaccines) is complicated. The National Immunization Program at the Centers for Disease Control and Prevention is responsible for calculating the official Public Health Service coverage level estimates. Analysts who wish to make these types of estimates can contact the National Immunization Program's Statistical Analysis Branch (404-639-8235) for technical assistance.

Information collected in this survey is the same as that collected in the 1992-95 NHIS. Similar information was also collected in the 1991 NHIS as part of a supplement on child health. However, there are some differences in the way the information based on respondent's recall was collected in 1992-96 compared with 1991. In 1991, the ages of vaccination were collected for each antigen; in 1992-96, just the total number of shots of each type was collected. The recode for shots received before 24 months was calculated for all children 2 and older in 1991; in 1992-96, since data on ages at vaccination was not collected in the history portion, this recode could only be calculated for those children with complete shot record information.

- 1 -

The response rate to the 1996 Immunization Survey was 88.3 percent and was calculated as follows:

The response rate to the NHIS Core questionnaire was 93.8 percent. Of the eligible families from the CORE, 94.1 percent responded to the Immunization supplement. Multiplying these two response rates together yields the overall response rate to the Immunization Survey (88.3 percent).

Each respondent record in the Immunization file contains a final weight (file locations 207-212). Weights must be used to make estimates based on this data file that take into account the sample design. For several reasons the sampling weight on this file differs from the corresponding weight for the same child on the NHIS Core Person file. The Immunization file is based on a sample of children under 6 identified in the NHIS sample. In addition, there was a nonresponse to the request for immunization information. Therefore, respondent data on the Immunization file was reweighted, including a poststratification adjustment to independent estimates of the population by race/ethnicity, sex, and individual year of age.

It is important to note that these weights must be used with all records (sample children and additional children) since the weights take into account the additional sampling of 19-35 month old children. Most of the sampling weights for records on the Immunization file are between 1000 and 6000. However, due to the design of the NHIS and the weighting procedure, there may be some records on the Immunization file which have very large weights (e.g., 29,000). Analyses based on small raw sample sizes may be heavily influenced by the inclusion of these records with larger weights. Analysts are encouraged to look at the distribution of weights for records being analyzed to decide how to handle these weighting outliers.

The following indicates the number of sample children as well as additional children in the household:

1996 NHIS Immunization File

Sample Children:	4,136
Other Children:	328
Total Children:	4,464

19-35 months (total) 1,296

- 2 -

IMMUNIZATION PUBLIC USE DATA FILE

Guidelines for Citation of Data

With the goal of mutual benefit, the National Center for Health Statistics (NCHS) requests that recipients of data files cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge NCHS as the original source. The suggested citation to appear at the bottom of all tables is as follows:

Source: National Center for Health Statistics (1996)

When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1998). Public Use File Documentation, National Health Interview Survey of Immunization, 1996 (machine readable data file and documentation), National Center for Health Statistics, Hyattsville, Maryland

The published material should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the data file) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

1996 NATIONAL HEALTH INTERVIEW SURVEY (NHIS) IMMUNIZATION SUPPLEMENT PUBLIC USE FILE

File			
Location	Item No.	Frequency	Item and Codes
1-2	-		RECORD TYPE
		4,464	80. Immunization
3-4	HH-2		PROCESSING YEAR
		4,464	96. 1996
5-14	Generated	_	HOUSEHOLD ID
15-16	_	_	PERSON NUMBER
17-18	-	-	BLANK (Record Serial Number on some other record types)
19-20	-		SAMPLING WEEK CODE (Number within Quarter - loc. 178)
		254 249 406 362 375 337 360 378 389 351 322 355 326	01. Week 1 02. Week 2 03. Week 3 04. Week 4 05. Week 5 06. Week 6 07. Week 7 08. Week 7 08. Week 8 09. Week 9 10. Week 10 11. Week 11 12. Week 12 13. Week 13
21	Recode	2,620 1,305 449 90	LATE INTERVIEW (OR LAST ATTEMPT) FLAG 0. Interview not late 1. One week late 2. Two weeks late 3. Unknown

Outline of Items and Codes

File Location	Item No. Fre	quency	Item	and Codes
22-23	HH-11c,d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		80		Housing unit; kind unknown
		4,061	01.	House, apartment, flat
		1	02.	HU in nontransient hotel, motel, etc.
		0	03.	
		0	04.	-
		0		HU in rooming house
		276	05.	Mobile home or trailer with no
				permanent room added
		43	06.	Mobile home or trailer with one
				or more permanent rooms added
		1	07.	HU not specified above
			Other U	nit = (08-13)
		0	08.	× · · · · · · · · · · · · · · · · · · ·
				boarding house
		0	09.	Unit not permanent in transient
				hotel, motel, etc.
		1	10.	Unoccupied site for mobile home, trailer, or tent
		0	11.	
		0	±±•	dormitory
		1	10	Other unit not specified above
		0	13.	Other unit; kind unknown
24	HH-12		HAS TEL	EPHONE
		2 0 2 0	1	Vac share without stress
		3,920	1.	, 1 5
		128	2.	· 1 3
		367	3.	No
		49	4.	Unknown
25	A-1		SEX	
		2 2 2 2		Mala
		2,229	1.	Male
		2,235	2.	Female
26	-		AGE IMP	UTED FLAG
		4,464	0.	Age known

File Location	Item No.	Frequency	Item and Codes
27-28			
27-28	Person Column		AGE
		651 3,813	00. Under 1 year old 01-05. Number of years old
29	Recode		AGE RECODE #1
		3,714 750	 Under 5 years old 5 years old
30	Recode		AGE RECODE #2
		4,464	1. Under 6 years old
31-32	Recode		AGE RECODE #3
		2,313 2,151	00-35. Number of months old 36. At or over 3 years old
33	_		MONTH OF BIRTH IMPUTED FLAG
		4,350 109 5	0. Month known 1. Month unknown, '8' imputed 9. Date of birth unknown
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35		-	Month
			01.January08.August02.February09.September03.March10.October04.April11.November05.May12.December06.June99.Unknown07.July
36-39			Year of Birth
		4,459 5	1990-1997. 1990-1997 9999. Unknown

File Location	Item No.	Frequency	Item a	nd Codes
40	Recode		HISPANIC	ORIGIN IMPUTED FLAG
		4,365 99	1. H	ispanic origin known Gispanic origin imputed from reference person
41-42	A-6			TAL BACKGROUND*- Reported ation for locations 43-45)
		3,069 719 28 21 21 53	02. 03. 06. 07. 15.	White Black/African American** Indian (American) Chinese Filipino Other API (includes Hawaiian, Korean, Vietnamese, Japanese, Asian Indian, Samoan, and Guamanian)
		408	16.	Other race (includes Eskimo and Aleut)
		25 120		Multiple race Unknown

*Some categories may be too small to analyze separately and therefore may produce unreliable estimates. In additions, counts may not agree with those produced by the Census Bureau.

**For convenience, the category 'Black/African American' will be shown as 'Black in all observed race or race recode locations throughout the documention.

File Location	Item No.	Frequency	Item and Codes
43-45	Recode		RACE RECODES
43			Recode 1* Persons whose Main
		3,610	1. White Racial Background
		721 133	2. Black (location 41-42) was 3. Other "other" or "unknown"
		199	were classified in
44			Recode 2 the following recodes
			using the racial
		3,610	1. White background observed
		854	2. Non-white by the interviewer.
45			Use of these recodes Recode 3 is recommended for
15			estimating statistics
		721	1. Black for the groups shown
		3,743	2. Non-black here.
46-47	A-5		HISPANIC ORIGIN**
		1	00. Multiple Hispanic
		166	01. Puerto Rican
		25	02. Cuban
		250	03. Mexican-Mexicano
		640 10	04. Mexican-American 05. Chicano
		113	06. Other Latin American
		112	07. Other Spanish
		34	08. Spanish, DK type
		0	09. Unknown if Spanish origin
		3,113	10. Not Spanish origin
48	L-7		MARITAL STATUS
		4,464	0. Under 14 years old
49-50	_	_	BLANK

*This recode is used to define race in the Current Estimates tables.

**If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

File Location	Item No.	Frequency	Item	and Codes
51-52	L-2		EDUCATI	ION OF INDIVIDUAL - COMPLETED YEARS
		721 4	00. 01-11.	Never attended; kindergarten only Grades 1-11
		0	12.	Grade 12
			College	2:
		0	13.	1 year
		0	14.	2 years
		0	15.	3 years
		0	16.	4 years
		0	17.	5 years
		0	18.	б years or more
		25	19.	Unknown
		3,714	Blank.	Under 5 years old
53 Reco	Recode		EDUCATI	ION OF INDIVIDUAL
		721	0.	None; kindergarten only
		4	1.	
		0	2.	9-11 years (high school)
		0	3.	
		0	4.	1-3 years (college)
		0	5.	4 years (college graduate)
		0	6.	5+ years (post-college)
		25	7.	Unknown
		3,714	Blank.	Under 5 years old
54-55	-			EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		10	00.	Nover attended: kindergarten enly
		723	01-11.	Never attended; kindergarten only Grades 1-11
		1,493	12.	Grade 12
		1,495		
			College:	
		353		year
		528		2 years
		186		3 years
		661		ł years
		126		5 years
		371	18. 6	5 years or more
		13	19. t	1

File Location	Item No.	Frequency	Item and Codes
56	Recode		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER
		10	0. None; kindergarten only
		255	1. 1-8 years (elementary)
		468	2. 9-11 years (high school)
		1,493	3. 12 years (high school graduate)
		1,067	4. 1-3 years (college)
		661	5. 4 years (college graduate)
		497	6. 5+ years (post-college)
		13	7. Unknown
57 L-8	L-8		FAMILY INCOME (\$20,000 OR LESS)
		1,607	1. Less than \$20,000
		2,760	2. \$20,000 or more
	97	3. Unknown	
58-59	L-8		FAMILY INCOME
		19	00. Less than \$1,000
		41	01. \$ 1,000 - \$ 1,999
		48	02. 2,000 - 2,999
		47	03. 3,000 - 3,999
		43	04. 4,000 - 4,999
		63	05. 5,000 - 5,999
		54	06. 6,000 - 6,999
		52 62	07. 7,000 - 7,999 08. 8,000 - 8,999
		94	09. 9,000 - 9,999
		99	10. 10,000 - 10,999
		58	11. 11,000 - 11,999
		131	12. 12,000 - 12,999
		78	13. 13,000 - 13,999
		69	14. 14,000 - 14,999
		65	15. 15,000 - 15,999
		61	16. 16,000 - 16,999
		67	17. 17,000 - 17,999
		86	18. 18,000 - 18,999
		87	19. 19,000 - 19,999
		341	20. 20,000 - 24,999
		302	21. 25,000 - 29,999
		299 217	22. 30,000 - 34,999 23. 35,000 - 39,999
		217 217	23. 55,000 - 59,999 $24. 40,000 - 44,999$
		179	25. 45,000 - 49,999
		981	26. \$50,000 and over
		604	27. Unknown

File Location	Item No.	Frequency	Item	and Codes
60	Recode		FAMILY	INCOME
		198	0.	Under \$5,000
		117	1.	\$ 5,000 - \$ 6,999
		208	2.	7,000 - 9,999
		435		10,000 - 14,999
		366		15,000 - 19,999
		341		20,000 - 24,999
		601	б.	25,000 - 34,999
		613		35,000 - 49,999
		981		\$50,000 or more
		604	9.	Unknown
61	Generated		NHIS PO	OVERTY INDEX*
		3,068	1.	At or above poverty threshold
		1,009		Below poverty threshold
		387		Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		Type of	f Family
		0	ŵ	Primary individual
		0		Secondary individual
		4,448		Primary family
		1,110		Secondary family
			•	

*Based on family size, number of children under 18 years of age and family income using the 1995 poverty levels derived from the August, 1996 Current Population Survey.

File Location	Item No.	Frequency	Item and Codes
63	A-2		Relationship to Reference Person
		0	&. Reference person, living alone
		0	0. Reference person, 2+ persons in household
		0	 Spouse, other spouse NOT in Armed Forces and living at home
		0	Spouse, other spouse IN Armed Forces and living at home
		3,948	3. Child of reference person or spouse
		409	4. Grandchild of reference person or spouse
		0	5. Parent of reference person or spouse
		103	6. Other relative
		4	7. Child of ineligible reference
		0	person 9. Unknown
64	Recode		FAMILY RELATIONSHIP
		0	1. Living alone
		0	2. Living only with non-relative
		0	3. Living with spouse
		4,464	4. Living with relative - other
65-66	Generated	_	SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Recode		SIZE OF FAMILY
		4,394 70	<pre>1-8. Number of members 9. 9+ members</pre>

File Location	Item No.	Frequency	Item	and Codes
68	A-2		PARENT/	OTHER ADULT RELATIVE
		3,038	1.	Both parents, no other relative
		653	2.	Mother only
		23	3.	1
		279	4.	old adult relative
		369	5.	Mother and other 21+ year old adult relative
		25	6.	Father and other 21+ year old adult relative
		18	7.	No parent, but one 21+ year old adult relative
		55	8.	
		4	9.	-
		0	0.	Other
69	_	_	BLANK	
70	G-4		HEALTH	STATUS
		2,247	1	Excellent
		1,208		Very Good
		790		Good
		118		Fair
		16	5.	
		85	6.	
71	Recode		ACTIVII	Y LIMITATION STATUS* (all ages)
		23	1.	Unable to perform major activity
		88	2.	
		40	3	Limited in other activities
		4,313	3. 4.	
72	_	_	BLANK	

*This location is used to categorize persons with limitation of activity in the Current Estimates tables.

File Location	Item No.	Frequency	Item and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5 years old)
		5 14 4 10 9 708 3,714	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (Under 5 years old)
74 B-14		NEEDS HELP WITH PERSONAL CARE (5 years old and limited)	
	3 0	 Unable to perform personal care needs Limited in performing other 	
	39	routine needs 3. Not limited in performing personal or routine needs	
		0 4,422	 Unknown Blank. Not applicable (Under 5 years old or not limited)
75-79	_	_	BLANK
80-81	Recode		INDUSTRY RECODE 1
		4,464	97. Under 18 years old
82-83	Recode		INDUSTRY RECODE 2
		4,464	15. Under 18 years old
84-86	_	_	BLANK
87-88	Recode		OCCUPATION RECODE 1
		4,464	97. Under 18 years old

File Location	Item No.	Frequency	Item and Codes
89-90	Recode		OCCUPATION RECODE 2
		4,464	15. Under 18 years old
91	L-R		RESPONDENT FOR CORE
		0 0 4,464 0	 Self-entirely Self-partly Proxy Unknown
92-97	_	-	BLANK
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS
		4,037 427	00. None 01-14. Days
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		4,232 232	00. None 01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS
		4,464	00. Under 18 years old
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		4,413 51	00. None 01-14. Days

File Location	Item No.	Frequency	Item and Codes
106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		4,236 228	00. None 01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		2,424 1,945 95	000. None 001-365. 1-365 days 366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS
		2,424 1,661 260 24 0 95	0. None 1. 1-7 days 2. 8-30 days 3. 31-180 days 4. 181-365 days 5. Unknown
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		398 4,018 0 48	000. None 001-996. Visits 997. 997+ visits 998. Unknown
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		8 4,087 212 45 1 111	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown

File Location	Item No.	Frequency	Item and Codes
116-117	Generated	_	NUMBER OF CONDITIONS
118-119	Generated	_	NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated	_	NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated	-	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated	_	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated	_	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	-	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated	_	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated	-	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	_	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	-	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

*Based on operation codes and reason entered hospital

File Location	Item No.	Frequency	Item and Codes
142-143	_	_	BLANK
144	L-9b		YEARS LIVED IN STATE OF PRESENT RESIDENCE
		712 2,768 562 0 0 316 106	 Less than 1 year 1 yr., less than 5 yrs. 5 yrs., less than 10 yrs. 10 yrs., less than 15 yrs. 15 years or more DK refused Blank. Not applicable (Foreign-born)
145	L-9c		YEARS LIVED IN UNITED STATES
		19 75 8 0 0 4 4,358	 Less than 1 year 1 yr., less than 5 yrs. 5 yrs., less than 10 yrs. 10 yrs., less than 15 yrs. 15 years or more DK refused Blank. Not applicable (U.S. born)

File Location	Item No. Fr	equency	Item and Codes
146	_	-	BLANK
147-150	Recode	_	STRATUM FOR VARIANCE ESTIMATION
151	Recode	-	PSU FOR VARIANCE ESTIMATION
152-153	Recode	_	SUBSTRATUM FOR VARIANCE ESTIMATION
154-160	Generated	-	SECONDARY SAMPLING UNIT
161	Unit Control File	2,965 1,499	TYPE OF PSU 1. Self representing 2. Non self representing
162	Unit Control File		PANEL 4 (Code used to identify nationally representative subsamples)
		1,837 1,759 868	1. Panel 1 3. Panel 3 4. Panel 4
163	-	_	NSR STATUS VARIABLE
164-167	-	_	COLLAPSED VARIANCE STRATUM
168	-	_	VARIANCE PSU
169-177	-	_	BLANK

File Location	Item No. Frequ	lency	Item	and Codes
178			SAMPLIN	IG QUARTER
	-	1,220	1.	Quarter 1
		1,376		Quarter 2
		925		Quarter 3
		943		Quarter 4
179-181	_	-	BLANK	
182	Unit Control File		REGION	
		859	1.	Northeast
		865	2.	Midwest
	-	1,550	3.	South
	:	1,190	4.	West
183	Unit Control File		GEOGRAF	PHIC DISTRIBUTION
			MSA Siz	e.
		603	1.	5,000,000 or more
		557		2,500,000 - 4,999,999
	-	1,030		1,000,000 - 2,499,999
		503	4.	
		558	5.	
		351		100,000 - 249,999
		47		Under 100,000
		815	Blank.	
184-185	_	-	BLANK	
186	Unit Control File		MSA - N	ION-MSA RESIDENCE
		1,565	1. I	n MSA; in Central City
		2,084		In MSA; not in Central City
		815		lot in MSA
187-200	-	_	BLANK	

File Location	Item No. Freque	ency	Item and Codes
201-206	Generated	-	INTERIM ANNUAL BASIC WEIGHT (Before Age-Sex-Race/Ethnicity Poststratification
207-212	Generated	_	FINAL ANNUAL BASIC WEIGHT
213-334	-	-	BLANK

File Location	Item No. Frequency	Item	and Codes			
335	-	SAMPLE CHILD AND OTHER CHILD 19-35 MONTHS				
	4,136		Sample Chil			
	328	2.	Other Child	19-35 Mc	onths	
336	Recode	DTP SHC	T INDICATED	ON RECOR	D	
	2,032	1.				
	42	2.	No	_		
	1	9.				
	2,389	Blank.	NA - Shot or no vacc		t available received	
337-384	2/14(1) -	IMMUNIZ FOR 1-8	ATION DTP/D SHOTS	T SHOT TA	BLE	
		Columns	s for DTP/DT	Shots 1-	8	
MONTH		SHOT #	MONTH	DAY	YEAR	
01.	January		COLUMNS	COLUMNS	COLUMNS	
02.	February					
03.	March	1	337-338	339-340	341-342	
04.	April	0	242 244	245 246	245 240	
05.	May	2	343-344	345-346	347-348	
06. 07.	June	3	349-350	351-352	353-354	
07.	July August	3	549-550	321-322	353-354	
08.		4	355-356	357-358	359-360	
10.		Т	000-000	000-00		
10.		5	361-362	363-364	365-366	
12.		5			v v	
99.		6	367-368	369-370	371-372	
Blank.	NA - Shot record not					
	available or vaccination	7	373-374	375-376	377-378	
DAY	not received	8	379-380	381-382	383-384	
01-31.	1					
	DK or refused					
Blank.	NA - Shot record not avai or vaccination not receiv					
YEAR						
90-96.						
	DK or refused					
Blank.	NA - Shot record not avai or vaccination not receiv					

Tape Location	Item No. Fre	quency	Item and Codes	
385	Recode		POLIO SHOT INDICATED ON RECORD	
		2,000 72 3 2,389	 Yes No DK or refused Blank. NA - Shot record not availations received 	
386-433	2/14(2)	-	IMMUNIZATION POLIO (DROPS OR SHOTS) TABLE FOR 1-8 SHOTS/DROPS	
			Columns for Polio Shots 1-8	
MONTH 01. 02.	1	SHOT #	MONTH DAY YEAR COLUMNS COLUMNS COLUMNS	
03. 04.	March	1	386-387 388-389 390-391	
05. 06.	May	2	392-393 394-395 396-397	
07. 08.	July	3	398-399 400-401 402-403	
09. 10.	September	4	404-405 406-407 408-409	
11.		5	410-411 412-413 414-415	
99. Blank.	DK or refused	6 rd	416-417 418-419 420-421	
	not available or vaccination	7	422-423 424-425 426-427	
	not received	8	428-429 430-431 432-433	
DAY 01-31. 99. Blank.	1			
99.	1990-1996 DK or refused NA - Shot reco or vaccination			

File Location	Item No. F	requency	Item and (Codes		
434	Recode		MEASLES/MMR	SHOT INDI	CATED ON R	ECORD
		1,594 464 17 2,389	Blank. NA -	or refused - Shot reco no vaccinat		
435-462	2/14(3)	-	IMMUNIZATION FOR 1-4 SHOT		MMR SHOT I	ABLE
SHOT TY	PE	Colum	ns For Measl	.es/MMR Sho	ots 1-4	
1. 2. 9. Blank.	Measles MMR DK or refuse NA - Shot re not availabl	cord	MEASLES/ MMR COLUMNS	MONTH COLUMNS	DAY COLUMNS	YEAR COLUMNS
	vaccination : received		435	436-437	438-439	440-441
	recerved	2	442	443-444	445-446	447-448
		3	449	450-451	452-453	454-455
MONTH 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 99. Blank.	April May June July August September October November December DK or refuse NA - Shot re	4 d cord not avail on not receive		457-458	459-460	461-462
DAY 01-31. 99. Blank.	Day of month DK or refuse NA - Shot re available or not received	d cord not vaccination	90-96. 99.	ZEAR 1990-1990 DK or re: NA - Shot available not rece:	fused t record n e or vacci	

File Location	Item No.	Frequency	Item and	l Codes		
463	Recode		HIB SHOT I	NDICATED ON F	RECORD	
		1,817	1. Ye	S		
		241	2. No			
		17		C or refused		
		2,389	av	A - Shot recor vailable or no accinations re	D	
464-487	2/14(4)		MMUNIZATION DR 1-4 SHOTS	HIB SHOT TABI	ĿE	
		Co	olumns For H	IIB Shots 1-4		
MONTH		SHOT :	† MONTH	DAY	YEAR	
	January		COLUMNS	COLUMNS	COLUMNS	
	February					
	March	_				
	April	1	464-465	466-467	468-469	
05.	1	0	480 481	450 450		
06.		2	470-471	472-473	474-475	
07.	July August	3	476-477	478-479	480-481	
	September	3	4/0-4//	4/0-4/9	400-401	
	October	4	482-483	484-485	486-487	
11.		Т	102 105	101 105	101 001	
	December					
	DK or refus	ed				
Blank.	NA - Shot r	ecord not avai	ilable			
	or vaccinat	ion not receiv	ved			
DAY						
01-31.	Day of mont	h				
99.						
Blank.		ecord not ava				
	or vaccinat	ion not receiv	ved			
YEAR						
90-96.		_				
99.						
Blank.		ecord not ava				
	or vaccinat	ion not receiv	zed			

File Location	Item No.	Frequency	Item	and Cod	es	
488	Recode		HEPATIT	IS B SH	OT INDICATED	ON RECORD
		1,475	1.	Yes		
		560	2.	No		
		40		DK or		
		2,389	Blank.		hot record n ble or no	ot
					ations recei	ved
489-512	2/14(5)	_	IMMUNIZ FOR 1-4		EPATITIS B S	HOT TABLE
			Columns	For He	patitis B Sh	ots 1-4
MONTH		SHOT #	- N	IONTH	DAY	YEAR
	January		CC	LUMNS	COLUMNS	COLUMNS
	February					
03.		-		0 400	401 400	400 404
04.	-	1	48	9-490	491-492	493-494
05.	- 1	0	4.0	F 40C	407 400	100 500
06. 07.		2	49	5-496	497-498	499-500
	July August	3	5.0	1-502	503-504	505-506
08.		5	50	1-302	202-204	202-200
	October	4	5(7-508	509-510	511-512
	November	1	50	7 500	505 510	JII JIZ
	December					
	DK or refu	sed				
Blank.		record not avai	lable			
		tion not receiv				
DAY						
	Day of mon					
	DK or refu					
Blank.		record not avai				
	or vaccina	tion not receiv	red			
YEAR						
90-96.						
99.						
Blank.		record not avai				
	or vaccina	tion not receiv	red			

File Location	Item No.	Frequency	Item	and Codes		
513	3/15			AUNIZATIONS INCLUDED ON SHOT (according to respondent)*		
		1,905	1.	Yes		
		135		No		
		55		DK or refused		
		2,369	Blank.	NA - No shot record		
514	4/16a		CHILD H	EVER RECEIVED ADDITIONAL DTP SHOT		
		62	1.	Yes		
		58	2.	No		
		70		DK or refused		
		4,274	Blank.	NA - Shot record complete or no shot record		
515	4/16b		ADDITIONAL DTP SHOTS RECEIVED			
		36	1-7.	1-7 Shots		
		9		All		
		17		DK or refused		
		4,402	Blank.	NA - No additional shots, shot record complete or no shot record		
516	5/17a		CHILD I SHOT/VA	EVER RECEIVED ADDITIONAL POLIO ACCINE		
		55	1.	Yes		
		60		No		
		75		DK or refused		
		4,274	Blank.	NA - Shot record complete or no shot record		
517	5/17b		ADDITIC	DNAL POLIO VACCINE RECEIVED		
		28	1-7.	1-7 Vaccines		
		9	8.	All		
		18	9. Diamh	DK or refused		
		4,409	Blank.	NA - No additional shots, shot record complete or		
				no shot record		

*This field was not edited for consistency with other information. This may differ from location 542 if child received vaccines other than those on this survey.

File Location	Item No.	Frequency	Item and Codes
518	6/18a	50 68 72 4,274	CHILD EVER RECEIVED ADDITIONAL MEASLES/MMR SHOTS 1. Yes 2. No 9. DK or refused Blank. NA - Shot record complete
		,	or no shot record
519	6/18b	28 10 12 4,414	ADDITIONAL MEASLES/MMR SHOTS RECEIVED 1-7. 1-7 Shots 8. All 9. DK or refused Blank. NA - No additional shots, shot record complete or no shot record
520	7/19a	39 67 84 4,274	CHILD EVER RECEIVED ADDITIONAL HIB SHOT 1. Yes 2. No 9. DK or refused Blank. NA - Shot record complete or no shot record
521	7/19b	19 6 14 4,425	ADDITIONAL HIB SHOTS RECEIVED 1-7. 1-7 Shots 8. All 9. DK or refused Blank. NA - No additional shots, shot record complete or no shot record
522	8/20a	45 73 72 4,274	CHILD EVER RECEIVED ADDITIONAL HEPATITIS B SHOT 1. Yes 2. No 9. DK or refuse Blank. NA - Shot record complete or no shot record
523	8/20b	30 4 11 4,419	ADDITIONAL HEPATITIS B SHOTS RECEIVED 1-7. 1-7 Shots 8. All 9. DK or refused Blank. NA - No additional shots, shot record complete or no shot record

File Location	Item No. F	requency	Item	and Codes
524	9/21			CEIVED IMMUNIZATION ildren with no shot record)
		2,193		Yes
		138 38		No DK or refused
		38 2,095		NA - Shot record available
525	10/22a(1)		EVER RE	CEIVED DTP SHOT
		2,127	1.	
		26	2.	-
		40 2,271		DK or refused NA - DK/not immunized
		2,2/1	BIANK.	or shot record available
526-527	10/22b(1)		TOTAL I	TP SHOTS RECEIVED
		434	01-87.	1-87 shots
		1,280		All
		413 2,337	99. Blank.	DK or refused NA - DK/did not receive
		2,337	BIAIK.	specific vaccination,
				DK/not immunized or
				shot record available
528	10/22a(2)		EVER RE	CEIVED POLIO SHOT/VACCINE
		2,121	1.	
		29		No
		43 2,271		DK or refused NA - DK/not immunized
		2,2,1	Diami.	or shot record available
529-530	10/22b(2)		TOTAL F	OLIO SHOTS/VACCINES RECEIVED
		418	01-87.	1-87 Shots
		1,287	88.	All
		416 2,343	99. Blank.	DK or refused NA - DK/did not receive
		4,515	Draint.	specific vaccination,
				DK/not immunized or shot
				record available

File Location	Item No.	Frequency	Item	and Codes
531	10/22a(3)		EVER RE	CEIVED MEASLES/MMR SHOT
		1,901 150 142 2,271		Yes No DK or refused NA - DK/not immunized or shot record available
532-533	10/22b(3)		TOTAL M	EASLES/MMR SHOTS RECEIVED
		321 1,199 381 2,563		All DK or refused
534	10/22a(4)		EVER RE	CEIVED HIB SHOT
		1,713 143 337 2,271	1. 2. 9. Blank.	No DK or refused
535-536	10/22b(4)		TOTAL H	IIB SHOTS RECEIVED
		297 1,066 350 2,751	01-87. 88. 99. Blank.	DK or refused
537	10/22a(5)		EVER RE	CEIVED HEPATITIS B SHOT
		1,573 183 437 2,271	1. 2. 9. Blank.	Yes No DK or refused NA - DK/not immunized or shot record available

File Location	Item No. Frequency	Item and Codes
538-539	10/22b(5)	TOTAL HEPATITIS B SHOTS RECEIVED
	327 947 299 2,891	88. All 99. DK or refused
540	11/23	PERSON WHO TOOK CHILD FOR SHOTS
	3,679 576 18 191	2. No 9. DK or refused
541	12/24	HAS CHILD RECEIVED ALL RECOMMENDED SHOTS
	4,056 151 66 191	2. No 9. DK or refused
542	Recode	SOURCE OF VACCINE INFORMATION
	149 1,976 99 2,198 42	 Shot record only Shot record and history History only
543	Recode	SOURCE OF DTP/DT INFORMATION
	216 1,973 59 437 1,693 86	 Shot record only Shot record and history History only (no. of shots known) History only (no. of shots unknown)

File Location	Item No.	Frequency	Item	and Codes
544	Recode		SOURCE	OF POLIO INFORMATION
		245	0.	Vaccine not reported
		1,949	1.	Shot record only
		51		Shot record and history
		419	3.	History only (no. of vaccines known)
		1,706	7.	History only (no. of vaccines unknown)
		94	9.	DK/refused if received vaccine
545	Recode		SOURCE	OF MEASLES/MMR INFORMATION
		725	0.	Vaccine not reported
		1,577		Shot record only
		17		Shot record and history
		339		History only (no. of shots known)
		1,595		History only (no. of shots unknown)
		211	9.	•
546	Recode		SOURCE	OF HIB INFORMATION
		518	0.	Vaccine not reported
		1,791	1.	Shot record only
		26		Shot record and history
		299		History only (no. of shots known)
		1,427	7.	History only (no. of shots unknown)
		403	9.	DK/refused if received vaccine
547	Recode		SOURCE	OF HEPATITIS B INFORMATION
		892	0.	Vaccine not reported
		1,448		Shot record only
		27		Shot record and history
		335	3.	History only (no. of shots known)
		1,256	7.	History only (no. of shots unknown)
		506	9.	DK/refused if received vaccine

File Location	Item No.	Frequency	Item	and Codes			
548-603	Recode	 AGE IN MONTHS AT VACCINATION* (From shot record) 					
			99. Blank.	1-72 mont Vaccine r NA - No s	received, ag shot record ne not/DK if	e unknown information	
	Shot # 1 2 3 4 5 6 7 8	DTP 548-549 550-551 552-553 554-555 556-557 558-559 560-561 562-563	Polio 564-565 566-567 568-569 570-571 572-573 574-575 576-577 578-579	MMR 580-581 582-583 584-585 586-587	592-593	HEP 596-597 598-599 600-601 602-603	

*Note: Recoding ages up to 8 DTP's, 8 Polio's, 4 MMR's, 4 HIB's and 4 HEP's. Respondent may have indicated more were received.

File Location	Item No.	Frequency	Item and Codes
604-605	Recode		TOTAL NUMBER OF DTP SHOTS RECEIVED
		302	00. No DTP shots received (includes those unknown if received DTP)
		2,443	01-87. Number of shots
		1,289	88. Number reported as all
		430	99. DK/refused number of shots
606-607	Recode		TOTAL NUMBER OF POLIO VACCINATIONS RECEIVED
		339	00. No Polio vaccinations received (includes those unknown if received Polio)
		2,395	01-87. Number of vaccinations
		1,296	88. Number reported as all
		434	99. DK/refused how many vaccination
608-609	Recode		TOTAL NUMBER OF MEASLES/MMR SHOTS RECEI
		936	00. No MMR shots received (includes those unknown if received MMR)
		1,926	01-87. Number of shots
		1,209	88. Number reported as all
		393	99. DK/refused how many shots
610-611	Recode		TOTAL NUMBER OF HIB SHOTS RECEIVED
		921	00. No HIB shots received (includes those unknown if received HIB)
		2,107	01-87. Number of shots
		1,072	88. Number reported as all
		364	99. DK/refused how many shots

File Location	Item No.	Frequency	Item and Codes		
612-613	Recode		TOTAL NUMBER OF HEP SHOTS RECEIVED		
		1,398	00. No Hepatitis B shots received (includes those unknown		
		1,805 951 310	if received Hepatitis B) 01-87. Number of shots 88. Number reported as all 99. DK/refused how many shots		
614	Recode		TOTAL NUMBER OF DTP SHOTS RECEIVED BEFORE 24 MONTHS FOR CHILDREN 24 MONTHS OF AGE AND OLDER WITH SHOT RECORD COMPLETE*		
		25 1,304 3,135	 No/unknown if DTP received before 24 months 1-8. Number of shots Blank. NA - Child less than 2 years old, no shot record or shot record incomplete (Note: Includes only shots received at a known valid age.) 		
615	Recode		TOTAL NUMBER OF POLIO VACCINATIONS RECEIVED BEFORE 24 MONTHS FOR CHILDREN 24 MONTHS OF AGE OR OLDER WITH SHOT RECORD COMPLETE*		
		41 1,288 3,135	 No/unknown if polio received before 24 months Number of vaccinations NA - Child less than 2 years old, no shot record or shot record incomplete Includes only vaccinations received at a known valid age.) 		

*Note: Locations 614-618 apply only to children 24 months and older who have all their information on a shot record (location 542=1).

File Location	Item No.	Frequency	Item and Codes
616	Recode		TOTAL NUMBER OF MEASLES/MMR SHOTS RECEIVED BEFORE 24 MONTHS FOR CHILDREN 24 MONTHS OF AGE OR OLDER WITH SHOT RECORD COMPLETE*
		178 1,151 3,135	 No/unknown if MMR received before 24 months 1-4. Number of shots Blank. NA - Child less than 2 years old, no shot record or shot record incomplete (Note: Includes only shots received at a known valid age.)
617	Recode		TOTAL NUMBER OF HIB SHOTS RECEIVED BEFORE 24 MONTHS FOR CHILDREN 24 MONTHS OF AGE OR OLDER WITH SHOT RECORD COMPLETE*
		124 1,205 3,135	 No/unknown if HIB received before 24 months 1-4. Number of shots Blank. NA - Child less than 2 years old, no shot record or shot record incomplete (Note: Includes only shots received at a known valid age.)
618	_		TOTAL NUMBER OF HEP SHOTS RECEIVED BEFORE 24 MONTHS FOR CHILDREN 24 MONTHS OF AGE OR OLDER WITH SHOT RECORD COMPLETE*
		638 691 3,135	 No/unknown if HIB received before 24 months 1-4. Number of shots Blank. NA - Child less than 2 years old, no shot record or shot record incomplete (Note: Includes only shots received at a known valid age.)

*Note: Locations 614-618 apply only to children 24 months and older who have all their information on a shot record (location 542=1).

IM-34

File Location	Item No.	Frequency	Item and Codes
619-620	I3/I8		PERSON NUMBER OF RESPONDENT
		4,408 0 0 56	<pre>01-28. Respondent's Person Number 98. Active duty military 99. Non-household member Blank. Unknown</pre>