

2010 National Health Interview Survey (NHIS) 1  
 Quality of Life Public Use File (quallife)  
 IDN Variables Monday, April 18, 2011  
 Unweighted Frequencies

**Continuous variables in the frequency  
 report only show the range of valid numbers**

IDN.000\_00.000: File type identifier

| RECTYPE                            | Frequency | Percent |
|------------------------------------|-----------|---------|
| 10 Household                       | 0         | 0.00    |
| 20 Person                          | 0         | 0.00    |
| 25 Income Imputation               | 0         | 0.00    |
| 30 Sample Adult                    | 0         | 0.00    |
| 31 Sample Adult Cancer             | 0         | 0.00    |
| 38 Quality of Life                 | 6775      | 100.00  |
| 40 Sample Child                    | 0         | 0.00    |
| 60 Family                          | 0         | 0.00    |
| 63 Disability Questions Tests 2010 | 0         | 0.00    |
| 65 Paradata                        | 0         | 0.00    |
| 70 Injury/Poisoning Episode        | 0         | 0.00    |
| 75 Injury/Poisoning Verbatim       | 0         | 0.00    |

IDN.000\_02.000: Year of National Health Interview Survey

| SRVY_YR     | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 6775      | 100.00  |

IDN.000\_04.000: HH identifier

| HHX             | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 6775      | 100.00  |

IDN.000\_25.000: Interview Quarter

| INTV_QRT    | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 1809      | 26.70   |
| 2 Quarter 2 | 1631      | 24.07   |
| 3 Quarter 3 | 1655      | 24.43   |
| 4 Quarter 4 | 1680      | 24.80   |

2010 National Health Interview Survey (NHIS) 2  
 Quality of Life Public Use File (quallife)  
 IDN Variables Monday, April 18, 2011  
 Unweighted Frequencies

IDN.000\_30.000: Assignment Week

| ASSIGNWK   | Frequency | Percent |
|------------|-----------|---------|
| 01 Week 1  | 467       | 6.89    |
| 02 Week 2  | 358       | 5.28    |
| 03 Week 3  | 489       | 7.22    |
| 04 Week 4  | 527       | 7.78    |
| 05 Week 5  | 713       | 10.52   |
| 06 Week 6  | 580       | 8.56    |
| 07 Week 7  | 561       | 8.28    |
| 08 Week 8  | 549       | 8.10    |
| 09 Week 9  | 618       | 9.12    |
| 10 Week 10 | 525       | 7.75    |
| 11 Week 11 | 551       | 8.13    |
| 12 Week 12 | 425       | 6.27    |
| 13 Week 13 | 412       | 6.08    |

IDN.000\_35.000: Family Serial Number

| FMX                        | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 6775      | 100.00  |

IDN.000\_40.000: Person Number (Within family)

| FPX                           | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 6775      | 100.00  |

IDN.000\_70.000: Weight - Final Quality of Life file

| WTFA_QOL        | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 6775      | 100.00  |

2010 National Health Interview Survey (NHIS)  
Quality of Life Public Use File (quallife)  
UCF Variables Monday, April 18, 2011  
Unweighted Frequencies

UCF.000\_00.000: Pseudo-stratum for public use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| 001-300 | 6775      | 100.00  |

UCF.000\_00.000: Pseudo-PSU for public use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| 01-02 | 6775      | 100.00  |

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.100\_00.000: Amount of difficulty seeing

| VIS_SS                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5292      | 78.11   |
| 2 Some difficulty               | 778       | 11.48   |
| 3 A lot of difficulty           | 114       | 1.68    |
| 4 Cannot do at all/Unable to do | 9         | 0.13    |
| 7 Refused                       | 31        | 0.46    |
| 8 Not ascertained               | 543       | 8.01    |
| 9 Don't know                    | 8         | 0.12    |

QOL.110\_00.000: Wear glasses to see far away

| VIS_1             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2664      | 42.81   |
| 2 No              | 3506      | 56.34   |
| 7 Refused         | 36        | 0.58    |
| 8 Not ascertained | 4         | 0.06    |
| 9 Don't know      | 13        | 0.21    |

Frequency Missing = 552

QOL.120\_00.000: Amount of difficulty clearly seeing someone's face across a room

| VIS_2                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5604      | 90.05   |
| 2 Some difficulty               | 488       | 7.84    |
| 3 A lot of difficulty           | 60        | 0.96    |
| 4 Cannot do at all/Unable to do | 9         | 0.14    |
| 7 Refused                       | 38        | 0.61    |
| 8 Not ascertained               | 8         | 0.13    |
| 9 Don't know                    | 16        | 0.26    |

Frequency Missing = 552

QOL.130\_00.000: Wear glasses for reading/seeing up close

| VIS_3             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3137      | 50.41   |
| 2 No              | 3021      | 48.55   |
| 7 Refused         | 41        | 0.66    |
| 8 Not ascertained | 11        | 0.18    |
| 9 Don't know      | 13        | 0.21    |

Frequency Missing = 552

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.140\_00.000: Amount of difficulty seeing picture on coin

| VIS_4                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5484      | 88.12   |
| 2 Some difficulty               | 564       | 9.06    |
| 3 A lot of difficulty           | 91        | 1.46    |
| 4 Cannot do at all/Unable to do | 14        | 0.22    |
| 7 Refused                       | 41        | 0.66    |
| 8 Not ascertained               | 11        | 0.18    |
| 9 Don't know                    | 18        | 0.29    |

Frequency Missing = 552

QOL.150\_00.000: Amount of difficulty hearing

| HEAR_SS                         | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5448      | 80.41   |
| 2 Some difficulty               | 638       | 9.42    |
| 3 A lot of difficulty           | 77        | 1.14    |
| 4 Cannot do at all/Unable to do | 10        | 0.15    |
| 7 Refused                       | 36        | 0.53    |
| 8 Not ascertained               | 556       | 8.21    |
| 9 Don't know                    | 10        | 0.15    |

QOL.160\_00.000: Use a hearing aid

| HEAR_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 221       | 3.56    |
| 2 No              | 5952      | 95.86   |
| 7 Refused         | 29        | 0.47    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 0.11    |

Frequency Missing = 566

QOL.160\_00.001: How often use hearing aid

| HEAR_2             | Frequency | Percent |
|--------------------|-----------|---------|
| 1 All of the time  | 107       | 48.42   |
| 2 Some of the time | 49        | 22.17   |
| 3 Rarely           | 13        | 5.88    |
| 4 Never            | 52        | 23.53   |
| 7 Refused          | 0         | 0.00    |
| 8 Not ascertained  | 0         | 0.00    |
| 9 Don't know       | 0         | 0.00    |

Frequency Missing = 6554

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.170\_00.000: Amount of difficulty hearing  
 conversation with one person in quiet room

| HEAR_3                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5667      | 91.27   |
| 2 Some difficulty               | 448       | 7.22    |
| 3 A lot of difficulty           | 40        | 0.64    |
| 4 Cannot do at all/Unable to do | 5         | 0.08    |
| 7 Refused                       | 38        | 0.61    |
| 8 Not ascertained               | 1         | 0.02    |
| 9 Don't know                    | 10        | 0.16    |

Frequency Missing = 566

QOL.170\_00.001: Amount of difficulty hearing  
 conversation with one person in noisier room

| HEAR_4                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 4398      | 70.90   |
| 2 Some difficulty               | 1496      | 24.12   |
| 3 A lot of difficulty           | 242       | 3.90    |
| 4 Cannot do at all/Unable to do | 14        | 0.23    |
| 7 Refused                       | 38        | 0.61    |
| 8 Not ascertained               | 1         | 0.02    |
| 9 Don't know                    | 14        | 0.23    |

Frequency Missing = 572

QOL.180\_00.000: Amount of difficulty walking or climbing steps

| MOB_SS                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 4985      | 73.58   |
| 2 Some difficulty               | 758       | 11.19   |
| 3 A lot of difficulty           | 325       | 4.80    |
| 4 Cannot do at all/Unable to do | 114       | 1.68    |
| 7 Refused                       | 27        | 0.40    |
| 8 Not ascertained               | 559       | 8.25    |
| 9 Don't know                    | 7         | 0.10    |

QOL.190\_00.000: Amount of difficulty moving around inside home

| MOB_1                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5647      | 83.35   |
| 2 Some difficulty               | 432       | 6.38    |
| 3 A lot of difficulty           | 79        | 1.17    |
| 4 Cannot do at all/Unable to do | 26        | 0.38    |
| 7 Refused                       | 26        | 0.38    |
| 8 Not ascertained               | 560       | 8.27    |
| 9 Don't know                    | 5         | 0.07    |

2010 National Health Interview Survey (NHIS) 7  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.200\_00.000: Use equipment or receive help walking/climbing steps/moving around

| MOB_2             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 615       | 9.08    |
| 2 No              | 5569      | 82.20   |
| 7 Refused         | 25        | 0.37    |
| 8 Not ascertained | 561       | 8.28    |
| 9 Don't know      | 5         | 0.07    |

QOL.200\_00.001: Use cane/walking stick

| MOB_3A            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 287       | 46.67   |
| 2 No              | 328       | 53.33   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160

QOL.200\_00.002: Use a walker

| MOB_3B            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 162       | 26.34   |
| 2 No              | 453       | 73.66   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160

QOL.200\_00.003: Use crutches

| MOB_3C            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 31        | 5.04    |
| 2 No              | 584       | 94.96   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160

QOL.200\_00.004: Use a wheelchair

| MOB_3D            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 87        | 14.15   |
| 2 No              | 528       | 85.85   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160

QOL.200\_00.005: Use prosthesis

| MOB_3E            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 21        | 3.41    |
| 2 No              | 594       | 96.59   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160

QOL.200\_00.006: Use someone's assistance

| MOB_3F            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 152       | 24.72   |
| 2 No              | 462       | 75.12   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.16    |

Frequency Missing = 6160

QOL.200\_00.007: Use other type of equipment or help

| MOB_3G            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 41        | 6.67    |
| 2 No              | 574       | 93.33   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 6160



2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.200\_00.008: Specify other type of equipment or help

| MOBSPEC            | Frequency | Percent |
|--------------------|-----------|---------|
| Verbatim response  | 41        | 100.00  |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 0         | 0.00    |

Frequency Missing = 6734

QOL.210\_00.000: Amount of difficulty walking 100 yards on level ground

| MOB_4                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5219      | 85.18   |
| 2 Some difficulty               | 482       | 7.87    |
| 3 A lot of difficulty           | 198       | 3.23    |
| 4 Cannot do at all/Unable to do | 184       | 3.00    |
| 7 Refused                       | 29        | 0.47    |
| 8 Not ascertained               | 1         | 0.02    |
| 9 Don't know                    | 14        | 0.23    |

Frequency Missing = 648

QOL.220\_00.000: Amount of difficulty walking a third of a mile on level ground

| MOB_5                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 4851      | 81.64   |
| 2 Some difficulty               | 609       | 10.25   |
| 3 A lot of difficulty           | 267       | 4.49    |
| 4 Cannot do at all/Unable to do | 157       | 2.64    |
| 7 Refused                       | 31        | 0.52    |
| 8 Not ascertained               | 2         | 0.03    |
| 9 Don't know                    | 25        | 0.42    |

Frequency Missing = 833

QOL.230\_00.000: Amount of difficulty walking up or down 12 steps

| MOB_6                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5092      | 83.11   |
| 2 Some difficulty               | 609       | 9.94    |
| 3 A lot of difficulty           | 224       | 3.66    |
| 4 Cannot do at all/Unable to do | 152       | 2.48    |
| 7 Refused                       | 31        | 0.51    |
| 8 Not ascertained               | 3         | 0.05    |
| 9 Don't know                    | 16        | 0.26    |

Frequency Missing = 648

QOL.240\_00.000: Amount of difficulty walking 100 yards on level ground using aid

| MOB_7                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 274       | 51.89   |
| 2 Some difficulty               | 93        | 17.61   |
| 3 A lot of difficulty           | 71        | 13.45   |
| 4 Cannot do at all/Unable to do | 87        | 16.48   |
| 7 Refused                       | 0         | 0.00    |
| 8 Not ascertained               | 0         | 0.00    |
| 9 Don't know                    | 3         | 0.57    |

Frequency Missing = 6247

QOL.250\_00.000: Amount of difficulty walking  
 a third of a mile on level ground using aid

| MOB_8                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 242       | 54.88   |
| 2 Some difficulty               | 82        | 18.59   |
| 3 A lot of difficulty           | 63        | 14.29   |
| 4 Cannot do at all/Unable to do | 52        | 11.79   |
| 7 Refused                       | 0         | 0.00    |
| 8 Not ascertained               | 0         | 0.00    |
| 9 Don't know                    | 2         | 0.45    |

Frequency Missing = 6334

QOL.260\_00.000: Amount of difficulty walking up or down 12 steps using aid

| MOB_9                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 269       | 50.95   |
| 2 Some difficulty               | 110       | 20.83   |
| 3 A lot of difficulty           | 86        | 16.29   |
| 4 Cannot do at all/Unable to do | 62        | 11.74   |
| 7 Refused                       | 0         | 0.00    |
| 8 Not ascertained               | 0         | 0.00    |
| 9 Don't know                    | 1         | 0.19    |

Frequency Missing = 6247

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.270\_00.000: Amount of difficulty communicating using usual language

| COM_SS                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5837      | 86.15   |
| 2 Some difficulty               | 294       | 4.34    |
| 3 A lot of difficulty           | 31        | 0.46    |
| 4 Cannot do at all/Unable to do | 11        | 0.16    |
| 7 Refused                       | 31        | 0.46    |
| 8 Not ascertained               | 566       | 8.35    |
| 9 Don't know                    | 5         | 0.07    |

QOL.280\_00.000: Amount of difficulty people have understanding when you speak

| COM_1                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5811      | 85.77   |
| 2 Some difficulty               | 327       | 4.83    |
| 3 A lot of difficulty           | 23        | 0.34    |
| 4 Cannot do at all/Unable to do | 10        | 0.15    |
| 7 Refused                       | 30        | 0.44    |
| 8 Not ascertained               | 566       | 8.35    |
| 9 Don't know                    | 8         | 0.12    |

QOL.285\_01.000: Talk too fast/feel shy/have trouble expressing yourself

| P_COM_1A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 225       | 47.67   |
| 2 No              | 244       | 51.69   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 0.64    |

Frequency Missing = 6303

QOL.285\_02.000: Physical problem with mouth/tongue

| P_COM_1B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 58        | 12.29   |
| 2 No              | 412       | 87.29   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 2         | 0.42    |

Frequency Missing = 6303

QOL.285\_03.000: Need to understand other languages/different ways of speaking

| P_COM_1C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 117       | 24.79   |
| 2 No              | 354       | 75.00   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.21    |

Frequency Missing = 6303

QOL.285\_04.000: Have trouble hearing

| P_COM_1D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 88        | 18.64   |
| 2 No              | 383       | 81.14   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.21    |

Frequency Missing = 6303

QOL.290\_00.000: Use sign language

| COM_2             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 147       | 2.17    |
| 2 No              | 6030      | 89.00   |
| 7 Refused         | 26        | 0.38    |
| 8 Not ascertained | 566       | 8.35    |
| 9 Don't know      | 6         | 0.09    |

QOL.300\_00.000: Amount of difficulty remembering or concentrating

| COG_SS                          | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5152      | 76.04   |
| 2 Some difficulty               | 915       | 13.51   |
| 3 A lot of difficulty           | 101       | 1.49    |
| 4 Cannot do at all/Unable to do | 3         | 0.04    |
| 7 Refused                       | 30        | 0.44    |
| 8 Not ascertained               | 567       | 8.37    |
| 9 Don't know                    | 7         | 0.10    |

2010 National Health Interview Survey (NHIS) 13  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.310\_00.000: Difficulty remembering, concentrating, or both

| COG_1  | Frequency | Percent |
|--|-----------|---------|
| 1 Difficulty remembering only                        | 333       | 31.53   |
| 2 Difficulty concentrating only                      | 117       | 11.08   |
| 3 Difficulty with both remembering and concentrating | 564       | 53.41   |
| 7 Refused  | 32        | 3.03    |
| 8 Not ascertained                                    | 1         | 0.09    |
| 9 Don't know   | 9         | 0.85    |

Frequency Missing = 5719

QOL.320\_00.000: How often have difficulty remembering

| COG_2             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Sometimes       | 665       | 70.90   |
| 2 Often           | 167       | 17.80   |
| 3 All of the time | 66        | 7.04    |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 2         | 0.21    |
| 9 Don't know      | 6         | 0.64    |

Frequency Missing = 5837

QOL.330\_00.000: How much you have difficulty remembering

| COG_3               | Frequency | Percent |
|---------------------|-----------|---------|
| 1 A few things      | 718       | 76.55   |
| 2 A lot of things   | 122       | 13.01   |
| 3 Almost everything | 55        | 5.86    |
| 7 Refused           | 32        | 3.41    |
| 8 Not ascertained   | 3         | 0.32    |
| 9 Don't know        | 8         | 0.85    |

Frequency Missing = 5837

QOL.335\_01.000: Forget things because busy/too much to remember

| P_COG_3A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 506       | 53.94   |
| 2 No              | 386       | 41.15   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 3         | 0.32    |
| 9 Don't know      | 11        | 1.17    |

Frequency Missing = 5837

QOL.335\_02.000: Difficulty is getting worse

| P_COG_3B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 293       | 31.24   |
| 2 No              | 597       | 63.65   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 3         | 0.32    |
| 9 Don't know      | 13        | 1.39    |

Frequency Missing = 5837

QOL.335\_03.000: Difficulty has put me/my family in danger

| P_COG_3C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 33        | 3.52    |
| 2 No              | 861       | 91.79   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 3         | 0.32    |
| 9 Don't know      | 9         | 0.96    |

Frequency Missing = 5837

QOL.335\_04.000: Only forget little/inconsequential things

| P_COG_3D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 622       | 66.31   |
| 2 No              | 268       | 28.57   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 3         | 0.32    |
| 9 Don't know      | 13        | 1.39    |

Frequency Missing = 5837

QOL.335\_05.000: Must write down important things so I don't forget

| P_COG_3E          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 220       | 23.45   |
| 2 No              | 674       | 71.86   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 4         | 0.43    |
| 9 Don't know      | 8         | 0.85    |

Frequency Missing = 5837

2010 National Health Interview Survey (NHIS) 15  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.335\_06.000: Family members/friends are worried about my difficulty remembering

| P_COG_3F          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 153       | 16.31   |
| 2 No              | 733       | 78.14   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 4         | 0.43    |
| 9 Don't know      | 16        | 1.71    |

Frequency Missing = 5837

QOL.335\_07.000: Difficulty is normal for my age

| P_COG_3G          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 593       | 63.22   |
| 2 No              | 254       | 27.08   |
| 7 Refused         | 32        | 3.41    |
| 8 Not ascertained | 4         | 0.43    |
| 9 Don't know      | 55        | 5.86    |

Frequency Missing = 5837

QOL.340\_00.000: Amount of difficulty concentrating for 10 minutes

| COG_4                                     | Frequency | Percent |
|---|-----------|---------|
| 1 A little                                | 431       | 59.70   |
| 2 A lot                                   | 83        | 11.50   |
| 3 Somewhere in between a little and a lot | 159       | 22.02   |
| 7 Refused                                 | 32        | 4.43    |
| 8 Not ascertained                         | 2         | 0.28    |
| 9 Don't know                              | 15        | 2.08    |

Frequency Missing = 6053

QOL.350\_00.000: When difficulty concentrating is somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

| COG_5                   | Frequency | Percent |
|-------------------------|-----------|---------|
| 1 Closer to a little    | 54        | 33.96   |
| 2 Closer to a lot       | 27        | 16.98   |
| 3 Exactly in the middle | 72        | 45.28   |
| 7 Refused               | 0         | 0.00    |
| 8 Not ascertained       | 0         | 0.00    |
| 9 Don't know            | 6         | 3.77    |

Frequency Missing = 6616

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.360\_00.000: Amount of difficulty with self care

| UB_SS                           | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5937      | 87.63   |
| 2 Some difficulty               | 175       | 2.58    |
| 3 A lot of difficulty           | 37        | 0.55    |
| 4 Cannot do at all/Unable to do | 19        | 0.28    |
| 7 Refused                       | 28        | 0.41    |
| 8 Not ascertained               | 573       | 8.46    |
| 9 Don't know                    | 6         | 0.09    |

QOL.370\_00.000: Amount of difficulty raising 2 liter  
 bottle of water/soda from waist to eye level

| UB_1                            | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5838      | 86.17   |
| 2 Some difficulty               | 244       | 3.60    |
| 3 A lot of difficulty           | 52        | 0.77    |
| 4 Cannot do at all/Unable to do | 29        | 0.43    |
| 7 Refused                       | 29        | 0.43    |
| 8 Not ascertained               | 573       | 8.46    |
| 9 Don't know                    | 10        | 0.15    |

QOL.380\_00.000: Amount of difficulty using hands/fingers

| UB_2                            | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5677      | 83.79   |
| 2 Some difficulty               | 412       | 6.08    |
| 3 A lot of difficulty           | 63        | 0.93    |
| 4 Cannot do at all/Unable to do | 16        | 0.24    |
| 7 Refused                       | 29        | 0.43    |
| 8 Not ascertained               | 573       | 8.46    |
| 9 Don't know                    | 5         | 0.07    |

QOL.390\_00.000: Amount of difficulty learning rules for new game

| LEARN_1                         | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5534      | 81.68   |
| 2 Some difficulty               | 469       | 6.92    |
| 3 A lot of difficulty           | 77        | 1.14    |
| 4 Cannot do at all/Unable to do | 40        | 0.59    |
| 7 Refused                       | 39        | 0.58    |
| 8 Not ascertained               | 573       | 8.46    |
| 9 Don't know                    | 43        | 0.63    |



2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.400\_00.000: Amount of difficulty understanding/following instructions

| LEARN_2                         | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty                 | 5480      | 80.89   |
| 2 Some difficulty               | 546       | 8.06    |
| 3 A lot of difficulty           | 93        | 1.37    |
| 4 Cannot do at all/Unable to do | 32        | 0.47    |
| 7 Refused                       | 34        | 0.50    |
| 8 Not ascertained               | 574       | 8.47    |
| 9 Don't know                    | 16        | 0.24    |

QOL.410\_00.000: How often feel worried/nervous/anxious

| ANX_1                | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily              | 527       | 7.78    |
| 2 Weekly             | 710       | 10.48   |
| 3 Monthly            | 611       | 9.02    |
| 4 A few times a year | 1796      | 26.51   |
| 5 Never              | 2479      | 36.59   |
| 7 Refused            | 46        | 0.68    |
| 8 Not ascertained    | 579       | 8.55    |
| 9 Don't know         | 27        | 0.40    |

QOL.420\_00.000: Take medication for worried/nervous/anxious feelings

| ANX_2             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 561       | 8.28    |
| 2 No              | 5571      | 82.23   |
| 7 Refused         | 48        | 0.71    |
| 8 Not ascertained | 583       | 8.61    |
| 9 Don't know      | 12        | 0.18    |

QOL.430\_00.000: Level of feelings last time felt worried/nervous/anxious

| ANX_3                                     | Frequency | Percent |
|---|-----------|---------|
| 1 A little                                | 983       | 48.45   |
| 2 A lot                                   | 317       | 15.62   |
| 3 Somewhere in between a little and a lot | 651       | 32.08   |
| 7 Refused                                 | 48        | 2.37    |
| 8 Not ascertained                         | 2         | 0.10    |
| 9 Don't know                              | 28        | 1.38    |

Frequency Missing = 4746

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.440\_00.000: Level of feelings somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

| ANX_4                   | Frequency | Percent |
|-------------------------|-----------|---------|
| 1 Closer to a little    | 232       | 35.64   |
| 2 Closer to a lot       | 120       | 18.43   |
| 3 Exactly in the middle | 290       | 44.55   |
| 7 Refused               | 1         | 0.15    |
| 8 Not ascertained       | 1         | 0.15    |
| 9 Don't know            | 7         | 1.08    |

Frequency Missing = 6124

QOL.445\_01.000: Feelings caused by type/amount of work I do

| P_ANX_4A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 603       | 29.72   |
| 2 No              | 1352      | 66.63   |
| 7 Refused         | 48        | 2.37    |
| 8 Not ascertained | 7         | 0.34    |
| 9 Don't know      | 19        | 0.94    |

Frequency Missing = 4746

QOL.445\_02.000: Feelings can be so intense that chest hurts/have trouble breathing

| P_ANX_4B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 280       | 13.80   |
| 2 No              | 1677      | 82.65   |
| 7 Refused         | 49        | 2.41    |
| 8 Not ascertained | 8         | 0.39    |
| 9 Don't know      | 15        | 0.74    |

Frequency Missing = 4746

QOL.445\_03.000: Are positive feelings that help me to accomplish goals/be productive

| P_ANX_4C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 761       | 37.51   |
| 2 No              | 1151      | 56.73   |
| 7 Refused         | 49        | 2.41    |
| 8 Not ascertained | 9         | 0.44    |
| 9 Don't know      | 59        | 2.91    |

Frequency Missing = 4746

QOL.445\_04.000: Feelings sometimes interfere  
 with my life/wish I did not have them

| P_ANX_4D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 903       | 44.50   |
| 2 No              | 1042      | 51.36   |
| 7 Refused         | 50        | 2.46    |
| 8 Not ascertained | 10        | 0.49    |
| 9 Don't know      | 24        | 1.18    |

Frequency Missing = 4746

QOL.445\_05.000: If I had more money or a better  
 job, I would not have these feelings

| P_ANX_4E          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 677       | 33.37   |
| 2 No              | 1246      | 61.41   |
| 7 Refused         | 49        | 2.41    |
| 8 Not ascertained | 10        | 0.49    |
| 9 Don't know      | 47        | 2.32    |

Frequency Missing = 4746

QOL.445\_06.000: Everybody has these feelings/are part of life/normal

| P_ANX_4F          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1443      | 71.12   |
| 2 No              | 483       | 23.80   |
| 7 Refused         | 49        | 2.41    |
| 8 Not ascertained | 10        | 0.49    |
| 9 Don't know      | 44        | 2.17    |

Frequency Missing = 4746

QOL.445\_07.000: Have been told by a medical professional I have anxiety

| P_ANX_4G          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 587       | 28.93   |
| 2 No              | 1359      | 66.98   |
| 7 Refused         | 49        | 2.41    |
| 8 Not ascertained | 11        | 0.54    |
| 9 Don't know      | 23        | 1.13    |

Frequency Missing = 4746

2010 National Health Interview Survey (NHIS) 20  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.450\_00.000: How often feel depressed

| DEP_1                | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily              | 273       | 4.03    |
| 2 Weekly             | 334       | 4.93    |
| 3 Monthly            | 428       | 6.32    |
| 4 A few times a year | 1531      | 22.60   |
| 5 Never              | 3538      | 52.22   |
| 7 Refused            | 48        | 0.71    |
| 8 Not ascertained    | 597       | 8.81    |
| 9 Don't know         | 26        | 0.38    |

QOL.460\_00.000: Take medication for depression

| DEP_2             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 534       | 7.88    |
| 2 No              | 5589      | 82.49   |
| 7 Refused         | 44        | 0.65    |
| 8 Not ascertained | 598       | 8.83    |
| 9 Don't know      | 10        | 0.15    |

QOL.470\_00.000: How depressed you felt last time you were depressed

| DEP_3                                     | Frequency | Percent |
|---|-----------|---------|
| 1 A little                                | 532       | 41.89   |
| 2 A lot                                   | 289       | 22.76   |
| 3 Somewhere in between a little and a lot | 379       | 29.84   |
| 7 Refused                                 | 48        | 3.78    |
| 8 Not ascertained                         | 0         | 0.00    |
| 9 Don't know                              | 22        | 1.73    |

Frequency Missing = 5505

QOL.480\_00.000: Level of depression somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

| DEP_4                   | Frequency | Percent |
|-------------------------|-----------|---------|
| 1 Closer to a little    | 112       | 29.55   |
| 2 Closer to a lot       | 63        | 16.62   |
| 3 Exactly in the middle | 199       | 52.51   |
| 7 Refused               | 2         | 0.53    |
| 8 Not ascertained       | 0         | 0.00    |
| 9 Don't know            | 3         | 0.79    |

Frequency Missing = 6396

2010 National Health Interview Survey (NHIS) 21  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.485\_01.000: Feelings caused by death of loved one

| P_DEP_4A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 331       | 26.06   |
| 2 No              | 874       | 68.82   |
| 7 Refused         | 47        | 3.70    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 16        | 1.26    |

Frequency Missing = 5505

QOL.485\_02.000: Sometimes feelings can be so intense I cannot get out of bed

| P_DEP_4B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 230       | 18.11   |
| 2 No              | 977       | 76.93   |
| 7 Refused         | 46        | 3.62    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 15        | 1.18    |

Frequency Missing = 5505

QOL.485\_03.000: Feelings sometime interfere with my life/wish I did not have them

| P_DEP_4C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 671       | 52.83   |
| 2 No              | 534       | 42.05   |
| 7 Refused         | 46        | 3.62    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 17        | 1.34    |

Frequency Missing = 5505

QOL.485\_04.000: If I had more money or a better job, I would not have these feelings

| P_DEP_4D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 350       | 27.56   |
| 2 No              | 843       | 66.38   |
| 7 Refused         | 46        | 3.62    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 29        | 2.28    |

Frequency Missing = 5505

2010 National Health Interview Survey (NHIS) 22  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.485\_05.000: Everybody has these feelings/they are part of life/normal

| P_DEP_4E          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 755       | 59.45   |
| 2 No              | 433       | 34.09   |
| 7 Refused         | 46        | 3.62    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 34        | 2.68    |

Frequency Missing = 5505

QOL.485\_06.000: Been told by medical professional I have depression

| P_DEP_4F          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 587       | 46.22   |
| 2 No              | 619       | 48.74   |
| 7 Refused         | 47        | 3.70    |
| 8 Not ascertained | 2         | 0.16    |
| 9 Don't know      | 15        | 1.18    |

Frequency Missing = 5505

QOL.490\_00.000: Have frequent pain

| PAIN_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1481      | 21.86   |
| 2 No              | 4645      | 68.56   |
| 7 Refused         | 37        | 0.55    |
| 8 Not ascertained | 603       | 8.90    |
| 9 Don't know      | 9         | 0.13    |

QOL.500\_00.000: Frequency of pain in past 3 months

| PAIN_2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never           | 2631      | 38.83   |
| 2 Some days       | 2289      | 33.79   |
| 3 Most days       | 486       | 7.17    |
| 4 Every day       | 709       | 10.46   |
| 7 Refused         | 41        | 0.61    |
| 8 Not ascertained | 606       | 8.94    |
| 9 Don't know      | 13        | 0.19    |

QOL.510\_00.000: Length of time pain lasted last time you had it

| PAIN_3            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Some of the day | 2230      | 62.96   |
| 2 Most of the day | 673       | 19.00   |
| 3 All of the day  | 570       | 16.09   |
| 7 Refused         | 45        | 1.27    |
| 8 Not ascertained | 3         | 0.08    |
| 9 Don't know      | 21        | 0.59    |

Frequency Missing = 3233

QOL.520\_00.000: How much pain you had last time had pain

| PAIN_4                                    | Frequency | Percent |
|---|-----------|---------|
| 1 A little                                | 1693      | 47.80   |
| 2 A lot                                   | 674       | 19.03   |
| 3 Somewhere in between a little and a lot | 1099      | 31.03   |
| 7 Refused                                 | 47        | 1.33    |
| 8 Not ascertained                         | 6         | 0.17    |
| 9 Don't know                              | 23        | 0.65    |

Frequency Missing = 3233

QOL.530\_00.000: Amount of pain somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

| PAIN_5                  | Frequency | Percent |
|-------------------------|-----------|---------|
| 1 Closer to a little    | 275       | 25.02   |
| 2 Closer to a lot       | 260       | 23.66   |
| 3 Exactly in the middle | 549       | 49.95   |
| 7 Refused               | 2         | 0.18    |
| 8 Not ascertained       | 0         | 0.00    |
| 9 Don't know            | 13        | 1.18    |

Frequency Missing = 5676

QOL.535\_01.000: Pain is constantly present

| P_PAIN5A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1080      | 30.49   |
| 2 No              | 2388      | 67.42   |
| 7 Refused         | 44        | 1.24    |
| 8 Not ascertained | 8         | 0.23    |
| 9 Don't know      | 22        | 0.62    |

Frequency Missing = 3233

QOL.535\_02.000: Sometimes I'm in a lot of pain and sometimes it's not so bad

| P_PAIN5B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1926      | 54.38   |
| 2 No              | 1536      | 43.37   |
| 7 Refused         | 45        | 1.27    |
| 8 Not ascertained | 8         | 0.23    |
| 9 Don't know      | 27        | 0.76    |

Frequency Missing = 3233

QOL.535\_03.000: Sometimes pain is unbearable/excruciating

| P_PAIN5C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 871       | 24.59   |
| 2 No              | 2598      | 73.35   |
| 7 Refused         | 45        | 1.27    |
| 8 Not ascertained | 9         | 0.25    |
| 9 Don't know      | 19        | 0.54    |

Frequency Missing = 3233

QOL.535\_04.000: When I get my mind on other things, I am not aware of the pain

| P_PAIN5D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1661      | 46.89   |
| 2 No              | 1781      | 50.28   |
| 7 Refused         | 46        | 1.30    |
| 8 Not ascertained | 9         | 0.25    |
| 9 Don't know      | 45        | 1.27    |

Frequency Missing = 3233

QOL.535\_05.000: Medication can take my pain away completely

| P_PAIN5E          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1471      | 41.53   |
| 2 No              | 1918      | 54.15   |
| 7 Refused         | 49        | 1.38    |
| 8 Not ascertained | 9         | 0.25    |
| 9 Don't know      | 95        | 2.68    |

Frequency Missing = 3233



QOL.535\_06.000: My pain is because of work

| P_PAIN5F          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 585       | 16.52   |
| 2 No              | 2876      | 81.20   |
| 7 Refused         | 44        | 1.24    |
| 8 Not ascertained | 10        | 0.28    |
| 9 Don't know      | 27        | 0.76    |

Frequency Missing = 3233

QOL.535\_07.000: My pain is because of exercise

| P_PAIN5G          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 493       | 13.92   |
| 2 No              | 2971      | 83.88   |
| 7 Refused         | 45        | 1.27    |
| 8 Not ascertained | 10        | 0.28    |
| 9 Don't know      | 23        | 0.65    |

Frequency Missing = 3233

QOL.540\_00.000: How often felt very tired/exhausted in past 3 months

| TIRED_1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never           | 2377      | 35.08   |
| 2 Some days       | 3023      | 44.62   |
| 3 Most days       | 478       | 7.06    |
| 4 Every day       | 224       | 3.31    |
| 7 Refused         | 43        | 0.63    |
| 8 Not ascertained | 616       | 9.09    |
| 9 Don't know      | 14        | 0.21    |

QOL.550\_00.000: How long it lasted the last time you felt very tired/exhausted

| TIRED_2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Some of the day | 2667      | 70.52   |
| 2 Most of the day | 734       | 19.41   |
| 3 All of the day  | 310       | 8.20    |
| 7 Refused         | 47        | 1.24    |
| 8 Not ascertained | 2         | 0.05    |
| 9 Don't know      | 22        | 0.58    |

Frequency Missing = 2993

QOL.560\_00.000: Level of tiredness last time felt very tired/exhausted

| TIRED_3                                   | Frequency | Percent |
|---|-----------|---------|
| 1 A little                                | 1704      | 45.06   |
| 2 A lot                                   | 835       | 22.08   |
| 3 Somewhere in between a little and a lot | 1157      | 30.59   |
| 7 Refused                                 | 55        | 1.45    |
| 8 Not ascertained                         | 4         | 0.11    |
| 9 Don't know                              | 27        | 0.71    |

Frequency Missing = 2993

QOL.570\_00.000: Level of tiredness somewhere in between, is it closer to a little, closer to a lot, or exactly in the middle

| TIRED_4                 | Frequency | Percent |
|-------------------------|-----------|---------|
| 1 Closer to a little    | 332       | 28.69   |
| 2 Closer to a lot       | 232       | 20.05   |
| 3 Exactly in the middle | 576       | 49.78   |
| 7 Refused               | 0         | 0.00    |
| 8 Not ascertained       | 0         | 0.00    |
| 9 Don't know            | 17        | 1.47    |

Frequency Missing = 5618

QOL.575\_01.000: Too much work or exercise

| PTIRED4A          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1603      | 42.38   |
| 2 No              | 2102      | 55.58   |
| 7 Refused         | 51        | 1.35    |
| 8 Not ascertained | 5         | 0.13    |
| 9 Don't know      | 21        | 0.56    |

Frequency Missing = 2993

QOL.575\_02.000: Not getting enough sleep

| PTIRED4B          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2019      | 53.38   |
| 2 No              | 1680      | 44.42   |
| 7 Refused         | 52        | 1.37    |
| 8 Not ascertained | 5         | 0.13    |
| 9 Don't know      | 26        | 0.69    |

Frequency Missing = 2993

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.575\_03.000: A physical or health-related problem

| PTIRED4C          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1149      | 30.38   |
| 2 No              | 2541      | 67.19   |
| 7 Refused         | 53        | 1.40    |
| 8 Not ascertained | 6         | 0.16    |
| 9 Don't know      | 33        | 0.87    |

Frequency Missing = 2993

QOL.575\_04.000: Tiredness result of something else

| PTIRED4D          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 662       | 17.50   |
| 2 No              | 3023      | 79.93   |
| 7 Refused         | 55        | 1.45    |
| 8 Not ascertained | 6         | 0.16    |
| 9 Don't know      | 36        | 0.95    |

Frequency Missing = 2993

QOL.575\_05.000: Other reason for tiredness

| PTIRED4E           | Frequency | Percent |
|--------------------|-----------|---------|
| Verbatim response  | 639       | 96.53   |
| 97 Refused         | 10        | 1.51    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 13        | 1.96    |

Frequency Missing = 6113

QOL.580\_00.000: Amount limited in carrying out daily activities

| QOL_1             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Not at all      | 4848      | 71.56   |
| 2 A little        | 811       | 11.97   |
| 3 A lot           | 272       | 4.01    |
| 4 Completely      | 164       | 2.42    |
| 7 Refused         | 43        | 0.63    |
| 8 Not ascertained | 624       | 9.21    |
| 9 Don't know      | 13        | 0.19    |

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.590\_00.002: Working outside the home to earn an income

| QOL_2B                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 3805      | 56.16   |
| 2 Don't do the activity     | 1794      | 26.48   |
| 3 Unable to do the activity | 483       | 7.13    |
| 7 Refused                   | 44        | 0.65    |
| 8 Not ascertained           | 634       | 9.36    |
| 9 Don't know                | 15        | 0.22    |

QOL.590\_00.003: Going to school or achieving your education goals

| QOL_2C                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 1222      | 18.04   |
| 2 Don't do the activity     | 4525      | 66.79   |
| 3 Unable to do the activity | 331       | 4.89    |
| 7 Refused                   | 48        | 0.71    |
| 8 Not ascertained           | 636       | 9.39    |
| 9 Don't know                | 13        | 0.19    |

QOL.590\_00.004: Participating in leisure or social activities

| QOL_2D                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 5065      | 74.76   |
| 2 Don't do the activity     | 846       | 12.49   |
| 3 Unable to do the activity | 167       | 2.46    |
| 7 Refused                   | 48        | 0.71    |
| 8 Not ascertained           | 637       | 9.40    |
| 9 Don't know                | 12        | 0.18    |

QOL.590\_00.005: Getting out with friends or family

| QOL_2E                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 5584      | 82.42   |
| 2 Don't do the activity     | 378       | 5.58    |
| 3 Unable to do the activity | 112       | 1.65    |
| 7 Refused                   | 49        | 0.72    |
| 8 Not ascertained           | 638       | 9.42    |
| 9 Don't know                | 14        | 0.21    |

2010 National Health Interview Survey (NHIS)  
 Quality of Life Public Use File (quallife)  
 QOL Variables Monday, April 18, 2011  
 Unweighted Frequencies

QOL.590\_00.006: Doing household chores

| QOL_2F                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 5605      | 82.73   |
| 2 Don't do the activity     | 345       | 5.09    |
| 3 Unable to do the activity | 123       | 1.82    |
| 7 Refused                   | 49        | 0.72    |
| 8 Not ascertained           | 639       | 9.43    |
| 9 Don't know                | 14        | 0.21    |

QOL.590\_00.007: Using transportation to get to places you want to go

| QOL_2G                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 5472      | 80.77   |
| 2 Don't do the activity     | 447       | 6.60    |
| 3 Unable to do the activity | 155       | 2.29    |
| 7 Refused                   | 49        | 0.72    |
| 8 Not ascertained           | 639       | 9.43    |
| 9 Don't know                | 13        | 0.19    |

QOL.590\_00.008: Participating in religious activities

| QOL_2H                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 3832      | 56.56   |
| 2 Don't do the activity     | 2132      | 31.47   |
| 3 Unable to do the activity | 88        | 1.30    |
| 7 Refused                   | 64        | 0.94    |
| 8 Not ascertained           | 641       | 9.46    |
| 9 Don't know                | 18        | 0.27    |

QOL.590\_00.009: Participating in community gatherings

| QOL_2I                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 Do the activity           | 3465      | 51.14   |
| 2 Don't do the activity     | 2482      | 36.63   |
| 3 Unable to do the activity | 110       | 1.62    |
| 7 Refused                   | 59        | 0.87    |
| 8 Not ascertained           | 642       | 9.48    |
| 9 Don't know                | 17        | 0.25    |

QOL.000\_00.000: Record completion status

| RCS_QOL   | Frequency | Percent |
|---|-----------|---------|
| 1 Not ascertained answers only                  | 543       | 8.01    |
| 2 Refused and don't know answers only           | 15        | 0.22    |
| 3 Refused, DK, and not ascertained answers only | 8         | 0.12    |
| 4 At least one valid answer                     | 6209      | 91.65   |