2010 National Health Interview Survey (NHIS) Sample Child Public Use File (samchild)

IDN Variables Wednesday, May 18, 2011 Unweighted Frequencies

Continuous variables in the frequency report only show the range of valid numbers

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|------------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 0 | 0.00 |
| 31 Sample Adult Cancer | 0 | 0.00 |
| 38 Quality of Life | 0 | 0.00 |
| 40 Sample Child | 11277 | 100.00 |
| 60 Family | 0 | 0.00 |
| 63 Disability Questions Tests 2010 | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| | | |
| Survey Year | 11277 | 100.00 |

IDN.000_04.000: HH identifier

| HHX | Frequency | Percent |
|-----------------|-----------|---------|
| | | |
| Range of Values | 11277 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | | Frequency | Percent |
|-----------|---|-----------|---------|
| 1 Quarter | 1 | 2978 | 26.41 |
| 2 Quarter | 2 | 2764 | 24.51 |
| 3 Quarter | 3 | 2848 | 25.25 |
| 4 Quarter | 4 | 2687 | 23.83 |

IDN Variables Wednesday, May 18, 2011

Unweighted Frequencies

IDN.000_30.000: Assignment Week

| ASSIGNWK | Fr | equency | Percent |
|-----------|----|---------|---------|
| | | | |
| 01 Week 1 | l | 793 | 7.03 |
| 02 Week 2 | 2 | 639 | 5.67 |
| 03 Week 3 | 3 | 870 | 7.71 |
| 04 Week | 4 | 897 | 7.95 |
| 05 Week ! | 5 | 1122 | 9.95 |
| 06 Week | 5 | 1023 | 9.07 |
| 07 Week | 7 | 969 | 8.59 |
| 08 Week | 3 | 897 | 7.95 |
| 09 Week 9 | 9 | 982 | 8.71 |
| 10 Week 1 | 10 | 980 | 8.69 |
| 11 Week 1 | 11 | 799 | 7.09 |
| 12 Week 3 | 12 | 669 | 5.93 |
| 13 Week 3 | 13 | 637 | 5.65 |

IDN.000_35.000: Family Serial Number

| FMX | Frequency | y Percent | |
|----------------------------|-----------|-----------|--|
| | | | |
| 01-25 Family number 1 - 25 | 11277 | 100.00 | |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| | | |
| 01-25 Person number 1 thru 25 | 11277 | 100.00 |

IDN.000_65.000: Weight - Interim Annual

| | 1 | WTIA_SC | Frequency | Percent |
|-------|----|---------|-----------|---------|
| | | | | |
| Range | of | Values | 11277 | 100.00 |

IDN.000_70.000: Weight - Final Annual

| | V | WTFA_SC | Frequency | Percent |
|-------|----|---------|-----------|---------|
| | | | | |
| Range | of | Values | 11277 | 100.00 |

Unweighted Frequencies

UCF.000_00.000: Region

| REGION | Frequency | Percent | |
|-------------|-----------|---------|--|
| 41 . | | | |
| 1 Northeast | 1688 | 14.97 | |
| 2 Midwest | 2334 | 20.70 | |
| 3 South | 4127 | 36.60 | |
| 4 West | 3128 | 27.74 | |

UCF.000_00.000: Pseudo-stratum for public use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| | | |
| 001-300 | 11277 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| | | |
| 01-02 | 11277 | 100.00 |

Unweighted Frequencies

HHC.110_00.000: Sex

| SEX | Frequency | Percent |
|----------|-----------|---------|
| | | |
| 1 Male | 5838 | 51.77 |
| 2 Female | 5439 | 48.23 |

HHC.180_00.000: Hispanic subgroup detail

| HISPAN_I | Frequency | Percent |
|--|-----------|---------|
| 00 Multiple Hispanic | 167 | 1.48 |
| 01 Puerto Rico | 311 | 2.76 |
| 02 Mexican | 830 | 7.36 |
| 03 Mexican-American | 1455 | 12.90 |
| 04 Cuban/Cuban American | 102 | 0.90 |
| 05 Dominican (Republic) | 111 | 0.98 |
| 06 Central or South American | 489 | 4.34 |
| 07 Other Latin American, type not specified | 13 | 0.12 |
| 08 Other Spanish | 40 | 0.35 |
| 09 Hispanic/Latino/Spanish, non-specific type | 0 | 0.00 |
| 10 Hispanic/Latino/Spanish, type refused | 0 | 0.00 |
| 11 Hispanic/Latino/Spanish, type not ascertained | 0 | 0.00 |
| 12 Not Hispanic/Spanish origin | 7759 | 68.80 |

HHC.200_01.000: OMB groups w/multiple race

| RACERPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White only | 7911 | 70.15 |
| 02 Black/African American only | 1975 | 17.51 |
| 03 AIAN only | 110 | 0.98 |
| 04 Asian only | 740 | 6.56 |
| 05 Race group not releasable (See file layout) | 23 | 0.20 |
| 06 Multiple race | 518 | 4.59 |

HHC.200_01.000: Race coded to single/multiple race group

| MRACRPI2 | Frequency | Percent |
|--|-----------|---------|
| 01 White | 8088 | 71.72 |
| 02 Black/African American | 2094 | 18.57 |
| 03 Indian (American), Alaska Native | 141 | 1.25 |
| 09 Asian Indian | 176 | 1.56 |
| 10 Chinese | 125 | 1.11 |
| 11 Filipino | 210 | 1.86 |
| 15 Other Asian (See file layout) | 265 | 2.35 |
| 16 Primary race not releasable (See file layout) | 31 | 0.27 |
| 17 Multiple race, no primary race selected | 147 | 1.30 |

2010 National Health Interview Survey (NHIS) Sample Child Public Use File (samchild)

HHC Variables Wednesday, May 18, 2011 Unweighted Frequencies

HHC.200_01.000: Race coded to single/multiple race group

| MRACBPI2 | Frequency | Percent |
|---|--------------|----------------|
| 01 White 02 Black/African American | 6821 2023 | 60.49 17.94 |
| 03 Indian (American) (includes Eskimo, Aleut) | 107 | 0.95 |
| 06 Chinese | 124 | 1.10 |
| 07 Filipino | 183 | 1.62 |
| 12 Asian Indian | 176 | 1.56 |
| 16 Other race (See file layout) | 1670 | 14.81 |
| 17 Multiple race, no primary race selected | 173 | 1.53 |

HHC.420_00.000: Age

| AGE_P | Frequency | Percent |
|------------------|-----------|---------|
| | | |
| 00 Under 1 year | 640 | 5.68 |
| 01-84 1-84 years | 10637 | 94.32 |
| 85 85+ years | 0 | 0.00 |

2010 National Health Interview Survey (NHIS) Sample Child Public Use File (samchild)

CID Variables Wednesday, May 18, 2011 Unweighted Frequencies

onweighted Frequencies

CID.010_00.000: Person # of available SC respondent

CSRESPNO

- 01-25 Person # of person available to answer questions about Sample Child
- 96 No person available

98 Not ascertained

CID.010_00.000: Person # of available SC respondent

| Frequency | Percent |
|-----------|---------|
| 11187 | 99.20 |
| 3 | 0.03 |
| 87 | 0.77 |

CID.030_00.000: Person's relationship to child

| quency | Percent |
|--------|--|
| L0273 | 91.10 |
| 606 | 5.37 |
| 92 | 0.82 |
| 154 | 1.37 |
| 53 | 0.47 |
| 33 | 0.29 |
| 25 | 0.22 |
| 33 | 0.29 |
| 1 | 0.01 |
| 7 | 0.06 |
| 0 | 0.00 |
| | 10273 606 92 154 53 33 25 33 1 |

Unweighted Frequencies

CHS.010_01.000: Birth weight in pounds

| BWGTLB | Frequency | Percent |
|---------------------------------|-------------|---------------|
| 01-15 1-15 pounds 97 Refused | 10473 42 | 92.87 0.37 |
| 98 Not ascertained | 1 | 0.01 |
| 99 Don't know | 761 | 6.75 |
| Metric | 0 | 0.00 |

CHS.010_02.000: Birth weight in ounces

| BWGTOZ | Frequency | Percent |
|--------------------|-----------|---------|
| | | |
| 00-15 0-15 ounces | 10253 | 90.92 |
| 97 Refused | 42 | 0.37 |
| 98 Not ascertained | 221 | 1.96 |
| 99 Don't know | 761 | 6.75 |

CHS.011_00.000: Birth weight in grams

| 0500-5485 500-5485 grams 10253 90.92 9997 Refused 42 0.37 9998 Not ascertained 221 1.96 9999 Don't know 761 6.75 | BWGTMGR | Frequency | Percent |
|---|--------------------------|-----------|---------|
| 9997 Refused 42 0.37 9998 Not ascertained 221 1.96 | | | |
| 9998 Not ascertained 221 1.96 | 0500-5485 500-5485 grams | 10253 | 90.92 |
| | 9997 Refused | 42 | 0.37 |
| 9999 Don't know 761 6.75 | 9998 Not ascertained | 221 | 1.96 |
| | 9999 Don't know | 761 | 6.75 |

CHS.020_02.000: Total current height in inches (truncated)

| CHGHT_TC | Frequency | Percent |
|--------------------|-----------|---------|
| 0-95 0-95 inches | 3537 | 88.12 |
| 96 Not available | 350 | 8.72 |
| 97 Refused | 15 | 0.37 |
| 98 Not ascertained | 20 | 0.50 |
| 99 Unknown | 92 | 2.29 |

Frequency Missing = 7263

CHS.022_02.000: Current weight in pounds (truncated)

| CWGHT_TC | Frequency | Percent |
|----------------------|-----------|---------|
| | | |
| 000-500 0-500 pounds | 3501 | 87.22 |
| 996 Not available | 350 | 8.72 |
| 997 Refused | 20 | 0.50 |
| 998 Not ascertained | 0 | 0.00 |
| 999 Unknown | 143 | 3.56 |

Unweighted Frequencies

CHS Variables Wednesday, May 18, 2011

CHS.024_05.000: Body Mass Index (BMI)

| BMI_SC | Frequency | Percent |
|-----------------------|-----------|---------|
| 0001-9994 00.01-99.94 | 3763 | 93.75 |
| 9995 99.95+ | 0 | 0.00 |
| 9999 Unknown | 251 | 6.25 |

Frequency Missing = 7263

CHS.031_02.000: Ever told SC had mental retardation

| AMR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 3 | 0.22 |
| 2 No | 1353 | 99.63 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.15 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9919

CHS.031_03.000: Ever told SC had other developmental delay

| AODD1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 37 | 2.72 |
| 2 No | 1319 | 97.13 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 2 | 0.15 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9919

CHS.032_01.000: Ever told SC had ADHD/ADD

| ADD2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 742 | 7.48 |
| 2 No | 9158 | 92.33 |
| 7 Refused | 7 | 0.07 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.12 |

Unweighted Frequencies

CHS.032_02.000: Ever told SC had mental retardation

| AMR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 | | 0 54 |
| 1 Yes | 73 | 0.74 |
| 2 No | 9839 | 99.19 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.03 |

Frequency Missing = 1358

CHS.032_03.000: Ever told SC had other developmental delay

| AODD2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 433 | 4.37 |
| 2 No | 9476 | 95.53 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.07 |

Frequency Missing = 1358

CHS.061_01.000: Ever told SC had Down syndrome

| CCONDL01 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 23 | 0.20 |
| 2 Not mentioned | 11245 | 99.72 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_02.000: Ever told SC had cerebral palsy

| CCONDL02 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 29 | 0.26 |
| 2 Not mentioned | 11239 | 99.66 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

Unweighted Frequencies

CHS.061_03.000: Ever told SC had muscular dystrophy

| CCONDL03 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 8 | 0.07 |
| 2 Not mentioned | 11260 | 99.85 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_04.000: Ever told SC had cystic fibrosis

| CCONDL04 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 0.03 |
| 2 Not mentioned | 11265 | 99.89 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_05.000: Ever told SC had sickle cell anemia

| CCON | IDL05 | Frequency | Percent |
|------|---------------|-----------|---------|
| 1 Ma | | 27 | 0 24 |
| | ntioned | _ , | 0.24 |
| 2 No | t mentioned | 11241 | 99.68 |
| 7 Re | fused | 4 | 0.04 |
| 8 No | t ascertained | 0 | 0.00 |
| 9 Do | n't know | 5 | 0.04 |

CHS.061_06.000: Ever told SC had autism

| CCONDL06 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 99 | 0.88 |
| 2 Not mentioned | 11169 | 99.04 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_07.000: Ever told SC had diabetes

| CCONDL07 | Frequency | Percent |
|--------------------------------|-------------|---------------|
| 1 Mentioned 2 Not mentioned | 23 11245 | 0.20 99.72 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

Unweighted Frequencies

CHS.061_08.000: Ever told SC had arthritis

| CCONDL08 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 11 | 0.10 |
| 2 Not mentioned | 11257 | 99.82 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_09.000: Ever told SC had congenital heart disease

| CCONDL09 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 20 | | 0.20 |
| 1 Mentioned | 23 | 0.20 |
| 2 Not mentioned | 11245 | 99.72 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.061_10.000: Ever told SC had other heart condition

| CCONDL10 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 102 | 0.90 |
| 2 Not mentioned | 11166 | 99.02 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |

CHS.070_00.000: Ever had chickenpox

| CPOX | Frequency | Percent |
|--------------|-----------|---------|
| | | |
| 1 Yes | 2073 | 18.38 |
| 2 No | 9064 | 80.38 |
| 7 Refused | 6 | 0.05 |
| 9 Don't know | 134 | 1.19 |

CHS.072_00.000: Chickenpox, past 12 m

| CPOX12MO | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 40 | 1.93 |
| 2 No | 2033 | 98.07 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.080_00.000: Ever been told SC had asthma

| CASHMEV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1569 | 13.91 |
| 2 No | 9687 | 85.90 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 17 | 0.15 |

CHS.085_00.000: Still have asthma

| CASSTILL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1084 | 69.09 |
| 2 No | 482 | 30.72 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.19 |

Frequency Missing = 9708

CHS.090_00.000: Had an asthma episode/attack, past 12 \mbox{m}

| CASHYR | Frequency | Percent |
|-------------------|-----------|---------------|
| 1 Yes | 623 | 39.71 |
| 2 No 7 Refused | 946 0 | 60.29 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9708

CHS.100_00.000: Had visit to ER due to asthma, past 12 \mbox{m}

| CASERYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 269 | 17.14 |
| 2 No | 1299 | 82.79 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.06 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.111_01.000: Had hay fever, past 12 m

| HAYF1 | Frequency | Percent |
|-------------------|-----------|---------------|
| 1 Yes | 71 | 3.47 |
| 2 No 7 Refused | 1971 | 96.43 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9233

CHS.111_02.000: Had respiratory allergy, past 12 m

| RALLG1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 132 | 6.46 |
| 2 No | 1904 | 93.15 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 6 | 0.29 |

Frequency Missing = 9233

CHS.111_03.000: Had food/digestive allergy, past 12 m

| DALLG1 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 103 | 5.04 |
| 2 No | 1935 | 94.67 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 4 | 0.20 |

Frequency Missing = 9233

CHS.111_04.000: Had eczema/skin allergy, past 12 m

| SALLG1 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 271 | 13.26 |
| 2 No | 1770 | 86.59 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 1 | 0.05 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.111_05.000: Had frequent diarrhea/colitis, past 12 m

| DIARH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 55 | 2.69 |
| 2 No | 1987 | 97.21 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9233

CHS.111_06.000: Had anemia, past 12 m

| ANEMIA1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 27 | 1.32 |
| 2 No | 2015 | 98.58 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9233

CHS.111_08.000: Had 3+ ear infections, past 12 m

| EARINF1 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 223 | 10.91 |
| 2 No | 1818 | 88.94 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 1 | 0.05 |

Frequency Missing = 9233

CHS.111_09.000: Had seizures, past 12 m

| SEIZE1 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 16 | 0.78 |
| 2 No | 2026 | 99.12 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 1 | 0.05 |
| 9 Don't know | 0 | 0.00 |
| | | |

Unweighted Frequencies

CHS.115_01.000: Had hay fever, past 12 m

| HAYF2 | Frequency | Percent |
|--------------------------------|-------------|----------------|
| 1 Yes 2 No | 961 8254 | 10.41 89.40 |
| 7 Refused 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 16 | 0.00 |

Frequency Missing = 2044

CHS.115_02.000: Had respiratory allergy, past 12 m

| RALLG2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1148 | 12.43 |
| 2 No | 8058 | 87.27 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 23 | 0.25 |

Frequency Missing = 2044

CHS.115 $_$ 03.000: Had food/digestive allergy, past 12 m

| DALLG2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 421 | 4.56 |
| 2 No | 8799 | 95.30 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 10 | 0.11 |

Frequency Missing = 2044

CHS.115_04.000: Had eczema/skin allergy, past 12 m

| SALLG2 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 1097 | 11.88 |
| 2 No | 8121 | 87.96 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.13 |

Unweighted Frequencies

CHS.115_05.000: Had frequent diarrhea/colitis, past 12 m

| DIARH2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 120 | 1.30 |
| 2 No | 9104 | 98.60 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.06 |

Frequency Missing = 2044

CHS.115_06.000: Had anemia, past 12 m

| ANEMIA2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 112 | 1.21 |
| 2 No | 9110 | 98.67 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 8 | 0.09 |

Frequency Missing = 2044

CHS.115_07.000: Had frequent headaches/migraines, past 12 m $\,$

| FHEAD | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 575 | 6.23 |
| 2 No | 8648 | 93.66 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.08 |

Frequency Missing = 2044

CHS.115_08.000: Had 3+ ear infections, past 12 m

| EARINF2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 402 | 4.35 |
| 2 No | 8822 | 95.55 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.06 |

Unweighted Frequencies

CHS.115_09.000: Had seizures, past 12 m

| SEIZE2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 87 | 0.94 |
| 2 No | 9139 | 98.98 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.04 |

Frequency Missing = 2044

CHS.115_10.000: Stuttered/stammered, past 12 m

| STUTTER | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 191 | 2.07 |
| 2 No | 9038 | 97.89 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.01 |

Frequency Missing = 2044

CHS.210_00.000: Health better, worse, or about the same

| CHSTATYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Better | 2673 | 23.70 |
| 2 Worse | 172 | 1.53 |
| 3 About the same | 8403 | 74.51 |
| 7 Refused | 6 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 23 | 0.20 |

CHS.220_00.000: Days missed due to illness/injury, past 12 m

| SCHDAYR1 | Frequency | Percent |
|--|-------------------------|--|
| 000 None 001-240 1-240 days 996 Did not go to school 997 Refused 998 Not ascertained | 2275 5594 52 6 | 28.46 69.97 0.65 0.08 0.00 |
| 999 Don't know | 68 | 0.85 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.230_00.000: Had a head/chest cold, 2 week reference period

| CCOLD2W | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1837 | 16.29 |
| 2 No | 9427 | 83.59 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 12 | 0.11 |

CHS.240_00.000: Had stomach illness with vomiting/diarrhea, 2 week reference period

| CINTIL2W | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 627 | 5.56 |
| 2 No | 10645 | 94.40 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.04 |

CHS.250_00.000: Hearing without hearing aid

| CHEARST1 | Frequency | Percent |
|----------------------------|--------------|----------------|
| 1 Excellent 2 Good | 8999 2033 | 79.80 18.03 |
| 3 A little trouble hearing | 166 | 1.47 |
| 4 Moderate trouble | 46 | 0.41 |
| 5 A lot of trouble | 9 | 0.08 |
| 6 Deaf | 9 | 0.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.13 |

CHS.260_00.000: Trouble seeing

| CVISION | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 274 | 2.43 |
| 2 No | 10985 | 97.41 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 16 | 0.14 |

Unweighted Frequencies

CHS.270_00.000: Blind/unable to see at all

| CBLIND | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 17 | 6.20 |
| 2 No | 257 | 93.80 |
| 7 Refused | 257 | |
| | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11003

CHS.290_00.000: Need special equipment due to impairment/health problem

| IHSPEQ | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 148 | 1.31 |
| 2 No | 11126 | 98.66 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.02 |

CHS.300_00.000: Impairment/health problem limit crawl/walk/run/play

| IHMOB | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 253 | 2.24 |
| 2 No | 11018 | 97.70 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.04 |
| | | |

CHS.310_00.000: Impairment/health problem lasted/will last 12+ m

| IHMOBYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 221 | 87.35 |
| 2 No | 29 | 11.46 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 1.19 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.311 $_$ 00.000: Taken RX medication for 3+ m

| PROBRX | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1472 | 13.05 |
| 2 No | 9801 | 86.91 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CHS.312_00.000: Ever told SC had a learning disability

| LEARND | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 714 | 7.73 |
| 2 No | 8508 | 92.15 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 7 | 0.08 |

Frequency Missing = 2044

CHS.321_04.000: Been unhappy/depressed, past 2 m

| CMHAGM15 | Frequency | Percent |
|-------------------|-----------|---------|
| 0 Not true | 636 | 92.58 |
| 1 Sometimes true | 44 | 6.40 |
| 2 Often true | 7 | 1.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 10590

CHS.321_04.000: Mental health indicator (MHI) scale score

| MHIBOY2 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 00-08 Scale score | 686 | 99.85 |
| 99 Unknown | 1 | 0.15 |

CHS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHS.361_04.000: Been unhappy/depressed, past 2 m

| CMHAGF15 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 562 | 90.79 |
| 1 Sometimes true | 45 | 7.27 |
| 2 Often true | 10 | 1.62 |
| 7 Refused | 1 | 0.16 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.16 |

Frequency Missing = 10658

CHS.361_04.000: Mental health indicator (MHI) scale score

| MHIGRL2 | Frequency | Percent |
|-------------------|-----------|---------|
| 00-08 Scale score | 616 | 99.52 |
| 99 Unknown | 3 | 0.48 |

2010 National Health Interview Survey (NHIS) Sample Child Public Use File (samchild)

CAU Variables Wednesday, May 18, 2011 Unweighted Frequencies

CAU.020_00.000: Place USUALLY go when sick

| CUSUALPL | Frequency | Percent |
|--------------------------------|-----------|---------|
| | | |
| 1 Yes | 10557 | 93.62 |
| 2 There is NO place | 641 | 5.68 |
| 3 There is MORE THAN ONE place | 71 | 0.63 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 5 | 0.04 |

CAU.030_00.000: Type of place to go when sick (most often)

| CPLKIND | Frequency | Percent |
|--------------------------------------|-----------|---------|
| | | |
| 1 Clinic or health center | 2761 | 25.98 |
| 2 Doctor's office or HMO | 7599 | 71.50 |
| 3 Hospital emergency room | 74 | 0.70 |
| 4 Hospital outpatient department | 126 | 1.19 |
| 5 Some other place | 28 | 0.26 |
| 6 Doesn't go to one place most often | 35 | 0.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.05 |

Frequency Missing = 649

CAU.035_00.000: USUALLY go there for routine/preventive care

| CHCPLROU | Frequency | Percent |
|-------------------|--------------|---------------|
| 1 Yes 2 No | 10227 357 | 96.59 3.37 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 4 | 0.04 |

Unweighted Frequencies

CAU.037_00.000: Type of place USUALLY go for routine/preventive care

| CHCPLKND | Frequency | Percent |
|--|-----------|---------|
| | | |
| O Doesn't get preventive care anywhere | 285 | 27.14 |
| 1 Clinic or health center | 277 | 26.38 |
| 2 Doctor's office or HMO | 365 | 34.76 |
| 3 Hospital emergency room | 27 | 2.57 |
| 4 Hospital outpatient department | 19 | 1.81 |
| 5 Some other place | 9 | 0.86 |
| 6 Doesn't go to one place most often | 54 | 5.14 |
| 7 Refused | 2 | 0.19 |
| 8 Not ascertained | 2 | 0.19 |
| 9 Don't know | 10 | 0.95 |

Frequency Missing = 10227

CAU.040_00.000: Change health care place, past 12 m

| CHCCHGYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 876 | 8.24 |
| 2 No | 9741 | 91.65 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 9 | 0.08 |

Frequency Missing = 649

CAU.050_00.000: Change related to health insurance

| CHCCHGHI | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 229 | 26.14 |
| 2 No | 645 | 73.63 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 0.23 |

Frequency Missing = 10401

CAU.080_01.000: Couldn't get through on phone, past 12 m $\,$

| CHCDLYR1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 70 | 243 | 2.15 |
| 1 Yes | | |
| 2 No | 11017 | 97.69 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 5 | 0.04 |
| 9 Don't know | 10 | 0.09 |

Unweighted Frequencies

CAU.080_02.000: Couldn't get appointment soon enough, past 12 \mathfrak{m}

| CHCDLYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 573 | 5.08 |
| 2 No | 10688 | 94.78 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 5 | 0.04 |
| 9 Don't know | 9 | 0.08 |

CAU.080_03.000: Wait too long in doctor's office, past 12 m

| CHCDLYR3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 572 | 5.07 |
| 2 No | 10683 | 94.73 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 5 | 0.04 |
| 9 Don't know | 14 | 0.12 |

 ${\tt CAU.080_04.000:}$ Not open when you could go, past 12 m $\,$

| CHCDLYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 355 | 3.15 |
| 2 No | 10904 | 96.69 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 6 | 0.05 |
| 9 Don't know | 10 | 0.09 |

CAU.080_05.000: No transportation, past 12 m

| CHCDLYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 279 | 2.47 |
| 2 No | 10984 | 97.40 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 6 | 0.05 |
| 9 Don't know | 6 | 0.05 |

CAU.130 $_$ 00.000: Can't afford prescription medicine, past 12 m

| CHCAFYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 29 | 2.14 |
| 2 No | 1324 | 97.50 |
| 7 Refused | 1 | 0.07 |
| 8 Not ascertained | 4 | 0.29 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CAU.135_01.000: Can't afford prescription medicine, past 12 m

| CHCAFYR1 | Frequency | Percent |
|-------------------|-------------|---------------|
| 1 Yes 2 No | 325 9585 | 3.28 96.63 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.07 |
| 9 Don't know | 2 | 0.02 |
| | 2 | |

Frequency Missing = 1358

CAU.135_02.000: Can't afford mental care/counseling, past 12 m

| CHCAFYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 104 | 1.05 |
| 2 No | 9805 | 98.85 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.07 |
| 9 Don't know | 3 | 0.03 |

Frequency Missing = 1358

CAU.135 $_$ 03.000: Can't afford dental care, past 12 m

| CHCAFYR3 | Frequency | Percent |
|-------------------|-------------|---------------|
| 1 Yes 2 No | 732 9176 | 7.38 92.51 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.07 |
| 9 Don't know | 4 | 0.04 |

Frequency Missing = 1358

CAU.135_04.000: Can't afford eyeglasses, past 12 m

| CHCAFYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 271 | 2.73 |
| 2 No | 9638 | 97.17 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.07 |
| 9 Don't know | 3 | 0.03 |

Unweighted Frequencies

CAU.160_00.000: Time since last saw dentist

| CDNLONGR | Frequency | Percent |
|--|-----------|---------|
| | | |
| 0 Never | 1626 | 15.29 |
| 1 6 months or less | 6021 | 56.60 |
| 2 More than 6 months, but not more than 1 year ago | 1720 | 16.17 |
| 3 More than 1 year, but not more than 2 years ago | 744 | 6.99 |
| 4 More than 2 years, but not more than 5 years ago | 302 | 2.84 |
| 5 More than 5 years ago | 132 | 1.24 |
| 7 Refused | 6 | 0.06 |
| 8 Not ascertained | 16 | 0.15 |
| 9 Don't know | 70 | 0.66 |

Frequency Missing = 640

CAU.170_01.000: Seen/talked to eye doctor, past 12 m

| CHCSYR11 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 70 | 5.15 |
| 2 No | 1281 | 94.33 |
| 7 Refused | 1 | 0.07 |
| 8 Not ascertained | 5 | 0.37 |
| 9 Don't know | 1 | 0.07 |

Frequency Missing = 9919

CAU.170_02.000: Seen/talked to foot doctor, past 12 m

| CHCSYR12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 8 | 0.59 |
| 2 No | 1344 | 98.97 |
| 7 Refused | 1 | 0.07 |
| 8 Not ascertained | 5 | 0.37 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9919

CAU.170_03.000: Seen/talked to therapist (PT/OT/etc), past 12 m

| CHCSYR13 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 64 | 4.71 |
| 2 No | 1288 | 94.85 |
| 7 Refused | 1 | 0.07 |
| 8 Not ascertained | 5 | 0.37 |
| 9 Don't know | 0 | 0.00 |

CAU Variables Wednesday, May 18, 2011 Unweighted Frequencies

CAU.170_04.000: Seen/talked to a NP/PA, past 12 m

| CHCSYR14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 232 | 17.08 |
| 2 No | 1119 | 82.40 |
| 7 Refused | 1 | 0.07 |
| 8 Not ascertained | 5 | 0.37 |
| 9 Don't know | 1 | 0.07 |

Frequency Missing = 9919

CAU.175_01.000: Seen/talked to mental health professional, past 12 m

| CHCSYR1 | Frequency | Percent |
|-------------------|-----------|----------|
| 1 Yes | 670 | 6.75 |
| 2 No | 9225 | 93.00 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 1 | 0.01 |

Frequency Missing = 1358

CAU.175_02.000: Seen/talked to eye doctor, past 12 \mbox{m}

| CHCSYR2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 2499 | 25.19 |
| 2 No | 7381 | 74.41 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 18 | 0.18 |

Frequency Missing = 1358

CAU.175_03.000: Seen/talked to foot doctor, past 12 m

| CHCSYR3 | Frequency | Percent |
|-------------------|-----------|---------------|
| 1 Yes | 234 | 2.36 |
| 2 No 7 Refused | 9663 2 | 97.42 0.02 |
| 8 Not ascertained | 19 | 0.19 |
| 9 Don't know | 1 | 0.01 |

Unweighted Frequencies

requencies

CAU.175_04.000: Seen/talked to chiropractor, past 12 m

| CHCSYR4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 280 | 2.82 |
| 2 No | 9615 | 96.94 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 20 | 0.20 |
| 9 Don't know | 2 | 0.02 |

Frequency Missing = 1358

CAU.175_05.000: Seen/talked to therapist (PT/OT/etc), past 12 m

| CHCSYR5 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 702 | 7.08 |
| 2 No | 9189 | 92.64 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 22 | 0.22 |
| 9 Don't know | 4 | 0.04 |

Frequency Missing = 1358

CAU.175_06.000: Seen/talked to NP/PA/midwife, past 12 m $\,$

| CHCSYR6 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 1457 | 14.69 |
| 2 No | 8411 | 84.80 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 22 | 0.22 |
| 9 Don't know | 27 | 0.27 |

Frequency Missing = 1358

CAU.230 $_$ 00.000: Seen/talked to obstetrician/gynecologist, past 12 m

| CHCSYR7 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 183 | 17.40 |
| 2 No | 856 | 81.37 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.10 |
| 9 Don't know | 12 | 1.14 |
| | | |

Unweighted Frequencies

CAU.240_01.000: Seen/talked to a medical specialist, past 12 m

| CHCSYR81 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1658 | 14.70 |
| 2 No | 9584 | 84.99 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 29 | 0.26 |
| 9 Don't know | 2 | 0.02 |

CAU.240_02.000: Seen/talked to a general doctor, past 12 m $\,$

| CHCSYR82 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 9141 | 81.06 |
| 2 No | 2091 | 18.54 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 31 | 0.27 |
| 9 Don't know | 11 | 0.10 |

CAU.260_00.000: Doctor treats both children and adults

| CHCSYR10 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 3267 | 35.74 |
| 2 No | 5760 | 63.01 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 113 | 1.24 |

Frequency Missing = 2136

CAU.265_00.000: Seen/talked to doctor for emotional/behavioral problem

| CHCSYREM | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 430 | 4.70 |
| 2 No | 8700 | 95.18 |
| 7 Refused | 1 | 0.01 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 8 | 0.09 |

Unweighted Frequencies

CAU.270_00.000: Had well-child checkup, past 12 m

46

0.41

| CHPXYR_C | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 8814 | 78.16 |
| 2 No | 2380 | 21.10 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 34 | 0.30 |

8 Not ascertained 9 Don't know

CAU.280_00.000: # times in ER/ED, past 12 m

| CHERNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| | | |
| 00 None | 8690 | 77.06 |
| 01 1 | 1567 | 13.90 |
| 02 2-3 | 770 | 6.83 |
| 03 4-5 | 119 | 1.06 |
| 04 6-7 | 39 | 0.35 |
| 05 8-9 | 14 | 0.12 |
| 06 10-12 | 19 | 0.17 |
| 07 13-15 | 4 | 0.04 |
| 08 16 or more | 1 | 0.01 |
| 97 Refused | 6 | 0.05 |
| 98 Not ascertained | 35 | 0.31 |
| 99 Don't know | 13 | 0.12 |

CAU.290_00.000: Received home care from health professional, past 12 m

| CHCHYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 139 | 1.23 |
| 2 No | 11100 | 98.43 |
| 7 Refused | 2 | 0.02 |
| 8 Not ascertained | 36 | 0.32 |
| 9 Don't know | 0 | 0.00 |

CAU.300_00.000: # of months of home care, past 12 m

| CHCHMOYR | Frequency | Percent |
|--------------------|-----------|---------|
| | | |
| 01-12 1-12 months | 138 | 99.28 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 1 | 0.72 |

CAU Variables Wednesday, May 18, 2011

Unweighted Frequencies

CAU.310_00.000: Total number of home visits

| CHCHNOY2 | Frequency | Percent |
|--------------------|-----------|---------|
| | | |
| 01 1 | 39 | 28.06 |
| 02 2-3 | 19 | 13.67 |
| 03 4-5 | 13 | 9.35 |
| 04 6-7 | 7 | 5.04 |
| 05 8-9 | 7 | 5.04 |
| 06 10-12 | 9 | 6.47 |
| 07 13-15 | 2 | 1.44 |
| 08 16 or more | 41 | 29.50 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 2 | 1.44 |

CAU.320_00.000: Total number of office visits, past 12 $\ensuremath{\text{m}}$

| CHCNOYR2 | Frequency | Percent |
|--------------------|-----------|---------|
| | | |
| 00 None | 1139 | 10.10 |
| 01 1 | 2288 | 20.29 |
| 02 2-3 | 4016 | 35.61 |
| 03 4-5 | 1892 | 16.78 |
| 04 6-7 | 737 | 6.54 |
| 05 8-9 | 349 | 3.09 |
| 06 10-12 | 358 | 3.17 |
| 07 13-15 | 125 | 1.11 |
| 08 16 or more | 277 | 2.46 |
| 97 Refused | 9 | 0.08 |
| 98 Not ascertained | 37 | 0.33 |
| 99 Don't know | 50 | 0.44 |
| | | |

CAU.330 $_$ 00.000: Had surgery/surgical procedure, past 12 m

| CSRGYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 574 | 5.09 |
| 2 No | 10658 | 94.51 |
| 7 Refused | 4 | 0.04 |
| 8 Not ascertained | 39 | 0.35 |
| 9 Don't know | 2 | 0.02 |

Unweighted Frequencies

CAU Variables Wednesday, May 18, 2011

CAU.340_00.000: # of outpatient surgeries, past 12 m

| RSRGNOYR | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94 times | 573 | 99.83 |
| 95 95+ times | 0 | 0.00 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 1 | 0.17 |
| 99 Don't know | 0 | 0.00 |

Frequency Missing = 10703

CAU.345_00.000: Time since last seen/talked to health professional

| CMDLONGR | Frequency | Percent |
|--|-----------|---------|
| 0 Never | 214 | 1.90 |
| 1 6 months or less | 8362 | 74.15 |
| 2 More than 6 months, but not more than 1 year ago | 1859 | 16.48 |
| 3 More than 1 year, but not more than 2 years ago | 560 | 4.97 |
| 4 More than 2 years, but not more than 5 years ago | 158 | 1.40 |
| 5 More than 5 years ago | 39 | 0.35 |
| 7 Refused | 3 | 0.03 |
| 8 Not ascertained | 43 | 0.38 |
| 9 Don't know | 39 | 0.35 |

CAU.347_00.010: Skin condition after 1 hr sun exposure without protection

| CSUN1HR | Frequency | Percent |
|--|-----------|---------|
| | | |
| 01 Get a severe sunburn with blisters | 114 | 4.08 |
| 02 Have a moderate sunburn with peeling | 515 | 18.43 |
| 03 Burn mildly with some or no darkening/tanning | 563 | 20.15 |
| 04 Turn darker without sunburn | 933 | 33.39 |
| 05 Nothing would happen to skin | 540 | 19.33 |
| 06 Do not go out in the sun | 64 | 2.29 |
| 07 Other | 14 | 0.50 |
| 97 Refused | 7 | 0.25 |
| 98 Not ascertained | 25 | 0.89 |
| 99 Don't know | 19 | 0.68 |

Unweighted Frequencies

CAU.347_00.020: Skin condition after repeated sun exposure without protection

CSUNTAN

- 01 Very dark or deeply tanned
- 02 Dark/moderately tanned
- 03 A little dark/mildly tanned
- 04 Freckled but still light skinned
- 05 Burned repeatedly with little or no darkening or tanning--still light skinned
- 06 Don't go out in the sun
- 07 Other
- 97 Refused
- 98 Not ascertained
- 99 Don't know

CAU.347_00.020: Skin condition after repeated sun exposure without protection

| Frequency | Percent |
|-----------|---------|
| | |
| 459 | 16.43 |
| 892 | 31.93 |
| 903 | 32.32 |
| 110 | 3.94 |
| 229 | 8.20 |
| 85 | 3.04 |
| 48 | 1.72 |
| 8 | 0.29 |
| 28 | 1.00 |
| 32 | 1.15 |
| | |

Frequency Missing = 8483

CAU.347_00.030: Had sunburn, past 12 months

| CNBURN | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 836 | 29.92 |
| 2 No | 1910 | 68.36 |
| 7 Refused | 6 | 0.21 |
| 8 Not ascertained | 29 | 1.04 |
| 9 Don't know | 13 | 0.47 |

Unweighted Frequencies

CAU.350_00.010: Used indoor tanning device

| CSNLAMP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 109 | 3.90 |
| 2 No | 2642 | 94.56 |
| 7 Refused | 5 | 0.18 |
| 8 Not ascertained | 30 | 1.07 |
| 9 Don't know | 8 | 0.29 |

Frequency Missing = 8483

CAU.350_00.020: # of times used tanning devices, past 12 months

| CSNNUM | Frequency | Percent |
|--|-------------|----------------------|
| 001-365 001-365 times | 103 | 94.50 |
| 997 Refused 998 Not ascertained 999 Don't know | 0 0 6 | 0.00 0.00 5.50 |
| | | |

Unweighted Frequencies

CMB.020_01.000: Well behaved/does what requested, past 6 $\ensuremath{\text{m}}$

| RSCL2_C2 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 360 | 4.18 |
| 1 Somewhat true | 1996 | 23.17 |
| 2 Certainly true | 6156 | 71.47 |
| 7 Refused | 14 | 0.16 |
| 8 Not ascertained | 78 | 0.91 |
| 9 Don't know | 9 | 0.10 |

Frequency Missing = 2664

CMB.020_02.000: Many worries/often seems worried, past 6 m

| RSCL2_E2 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 6324 | 73.42 |
| 1 Somewhat true | 1710 | 19.85 |
| 2 Certainly true | 469 | 5.45 |
| 7 Refused | 16 | 0.19 |
| 8 Not ascertained | 78 | 0.91 |
| 9 Don't know | 16 | 0.19 |

Frequency Missing = 2664

CMB.020_03.000: Unhappy/depressed/tearful, past 6 m

| RSCL3_E3 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 7465 | 86.67 |
| 1 Somewhat true | 822 | 9.54 |
| 2 Certainly true | 223 | 2.59 |
| 7 Refused | 14 | 0.16 |
| 8 Not ascertained | 78 | 0.91 |
| 9 Don't know | 11 | 0.13 |

Frequency Missing = 2664

CMB.020_04.000: Gets along better w/adults than children/youth, past 6 $\ensuremath{\text{m}}$

| RSCL5_P5 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 5494 | 63.79 |
| 1 Somewhat true | 1966 | 22.83 |
| 2 Certainly true | 1007 | 11.69 |
| 7 Refused | 16 | 0.19 |
| 8 Not ascertained | 79 | 0.92 |
| 9 Don't know | 51 | 0.59 |

Unweighted Frequencies

 ${\tt CMB.020_05.000}$: Good attention/completes chores, homework, past 6 m

| RSCL5_H5 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 0 Not true | 1019 | 11.83 |
| 1 Somewhat true | 2594 | 30.12 |
| 2 Certainly true | 4891 | 56.79 |
| 7 Refused | 14 | 0.16 |
| 8 Not ascertained | 81 | 0.94 |
| 9 Don't know | 14 | 0.16 |

Frequency Missing = 2664

CMB.030_00.000: Difficulties w/emotions/concentration/behavior/getting along

| RSCL6 | Frequency | Percent |
|------------------------------|-----------|-----------|
| 0 No | 6679 | 77.55 |
| 1 Yes, minor difficulties | 1346 | 15.63 |
| 2 Yes, definite difficulties | 374 | 4.34 |
| 3 Yes, severe difficulties | 111 | 1.29 |
| 7 Refused | 8 | 0.09 |
| 8 Not ascertained | 81 | 0.94 |
| 9 Don't know | 14 | 0.16 |

Unweighted Frequencies

CMS Variables Wednesday, May 18, 2011

CMS.001_00.000: Difficulties with emotions, concentration, behavior, past 6 months

| DIFF6M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1387 | 16.10 |
| 2 No | 7119 | 82.65 |
| 7 Refused | 10 | 0.12 |
| 8 Not ascertained | 86 | 1.00 |
| 9 Don't know | 11 | 0.13 |

Frequency Missing = 2664

CMS.005_00.000: Difficulties interfere with family, school, or daily activities, past 6 months

| DIFFINTF | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 846 | 43.05 |
| 2 No | 1114 | 56.69 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 3 | 0.15 |
| 9 Don't know | 2 | 0.10 |

Frequency Missing = 9312

CMS.007_00.000: How much difficulties interfere with family, school, or daily activities

| DIFFDEG | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 A lot | 229 | 27.07 |
| 2 Some | 393 | 46.45 |
| 3 A little | 206 | 24.35 |
| 4 None | 18 | 2.13 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 10431

CMS.010_00.000: Medication prescribed for difficulties with emotions, concentration, behavior, or getting along with others, past 6 months

| PRESCP6M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 485 | 5.63 |
| 2 No | 8024 | 93.16 |
| 7 Refused | 9 | 0.10 |
| 8 Not ascertained | 88 | 1.02 |
| 9 Don't know | 7 | 0.08 |

Unweighted Frequencies

CMS.012_01.000: Pediatrician or other family doctor first prescribed medication

| PMEDPED | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 343 | 70.72 |
| 2 No | 139 | 28.66 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.62 |

Frequency Missing = 10792

CMS.012_02.000: Psychiatrist, psychologist or other mental health professional first prescribed medication

| PMEDPSY | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 119 | 83.80 |
| 2 No | 21 | 14.79 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 1.41 |

Frequency Missing = 11135

CMS.012_03.000: Someone else first prescribed medication

| PMEDOTH | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 20 | 86.96 |
| 2 No | 2 | 8.70 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 4.35 |

Frequency Missing = 11254

CMS.014_00.000: Treatment or counseling from school personnel, past 6 months

| NSDUH2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 568 | 28.91 |
| 2 No | 1384 | 70.43 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.36 |
| 9 Don't know | 6 | 0.31 |

Unweighted Frequencies

CMS.015_00.000: Attend school for students with difficulties with emotions, concentration, behavior, past 6 months

| NSDUH3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 153 | 7.79 |
| 2 No | 1803 | 91.76 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 7 | 0.36 |
| 9 Don't know | 2 | 0.10 |

Frequency Missing = 9312

CMS.016_00.000: Participate in school program for students with difficulties with emotions, concentration, behavior, past 6 months

| NSDUH4 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 275 | 13.99 |
| 2 No | 1676 | 85.29 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 7 | 0.36 |
| 9 Don't know | 6 | 0.31 |

Frequency Missing = 9312

CMS.017_01.000: School teacher provided treatment or counseling in school program

| NSDUH51 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 67 | 24.36 |
| 2 Not mentioned | 208 | 75.64 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11002

CMS.017_02.000: Special Ed teacher provided treatment or counseling in school program

| NSDUH52 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 120 | 43.64 |
| 2 Not mentioned | 155 | 56.36 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.017_03.000: School counselor, psychologist, nurse or social worker provided treatment or counseling in school program

| NSDUH53 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 125 | 45.45 |
| 2 Not mentioned | 150 | 54.55 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11002

CMS.017_04.000: School speech, occupational or physical therapist provided treatment or counseling in school program

| NSDUH54 | Frequency | Percen |
|-------------------|-----------|--------|
| 1 Mentioned | 72 | 26.18 |
| 2 Not mentioned | 203 | 73.82 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11002

CMS.017_05.000: Other school official provided treatment or counseling in school program

| NSDUH55 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 33 | 12.00 |
| 2 Not mentioned | 242 | 88.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11002

CMS.020_01.000: Treatment or counseling provided at daycare, child care, or play group, past 6 months

| TRETWRE1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 15 | 4.57 |
| 2 No | 313 | 95.43 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CMS.020_02.010: School counselor, school nurse or school social worker provided treatment or counseling at daycare, child care, or play group

| TRETWH11 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 46.67 |
| 2 Not mentioned | 8 | 53.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.020: Speech, occupational or physical therapist provided treatment or counseling at daycare, child care, or play group

| TRETWH12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 60.00 |
| 2 Not mentioned | 6 | 40.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling at daycare, child care, or play group

| TRETWH13 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 1 | 6.67 |
| 2 Not mentioned | 14 | 93.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.040: Pediatrician or family doctor provided treatment or counseling at daycare, child care, or play group

| TRETWH14 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 20.00 |
| 2 Not mentioned | 12 | 80.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.020_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling at daycare, child care, or play group

| TRETWH15 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 15 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.060: Religious or spiritual counselor provided treatment or counseling at daycare, child care, or play group

| TRETWH16 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 15 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling at daycare, child care, or play group

| TRETWH17 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 15 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11262

CMS.020_02.080: Other source provided treatment or counseling at daycare, child care, or play group

| TRETWH18 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 13.33 |
| 2 Not mentioned | 13 | 86.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011

Unweighted Frequencies

CMS.021_01.000: Treatment or counseling provided in an office, clinic or community center, past 6 months

| TRETWRE2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 392 | 19.95 |
| 2 No | 1560 | 79.39 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 10 | 0.51 |
| 9 Don't know | 2 | 0.10 |

Frequency Missing = 9312

CMS.021_02.010: School counselor, school nurse or school social worker provided treatment or counseling in an office, clinic or community center

| TRETWH21 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 93 | 23.72 |
| 2 Not mentioned | 296 | 75.51 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Frequency Missing = 10885

CMS.021_02.020: Speech, occupational or physical therapist provided treatment or counseling in an office, clinic or community center

| TRETWH22 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 35 | 8.93 |
| 2 Not mentioned | 354 | 90.31 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Frequency Missing = 10885

CMS.021_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling in an office, clinic or community center

| TRETWH23 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 259 | 66.07 |
| 2 Not mentioned | 130 | 33.16 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Unweighted Frequencies

CMS.021_02.040: Pediatrician or family doctor provided treatment or counseling in an office, clinic or community center

| TRETWH24 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 65 | 16.58 |
| 2 Not mentioned | 324 | 82.65 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |
| | | |

Frequency Missing = 10885

CMS.021_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling in an office, clinic or community center

| TRETWH25 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 0.77 |
| 2 Not mentioned | 386 | 98.47 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Frequency Missing = 10885

CMS.021_02.060: Religious or spiritual counselor provided treatment or counseling in an office, clinic or community center

| TRETWH26 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 9 | 2.30 |
| 2 Not mentioned | 380 | 96.94 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Frequency Missing = 10885

CMS.021_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling in an office, clinic or community center

| TRETWH27 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 7 | 1.79 |
| 2 Not mentioned | 382 | 97.45 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

CMS Variables Wednesday, May 18, 2011

Unweighted Frequencies

CMS.021_02.080: Other source provided treatment or counseling in an office, clinic or community center

| TRETWH28 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 32 | 8.16 |
| 2 Not mentioned | 357 | 91.07 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.26 |
| 9 Don't know | 2 | 0.51 |

Frequency Missing = 10885

CMS.022_01.000: Treatment or counseling provided in home

| TRETWRE3 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 88 | 4.48 |
| 2 No | 1863 | 94.81 |
| 7 Refused | 2 | 0.10 |
| 8 Not ascertained | 11 | 0.56 |
| 9 Don't know | 1 | 0.05 |

Frequency Missing = 9312

CMS.022_02.010: School counselor, school nurse or school social worker provided treatment or counseling in home

| TRETWH31 | Frequency | Percent |
|-------------------|------------------|---------|
| 1 Mentioned | 3 <i>2</i> : | 36.36 |
| 2 Not mentioned | 55 | 62.50 |
| | 22 | |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Frequency Missing = 11189

CMS.022_02.020: Speech, occupational or physical therapist provided treatment or counseling in home

| TRETWH32 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 9 | 10.23 |
| 2 Not mentioned | 78 | 88.64 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Unweighted Frequencies

CMS.022_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling in home

| TRETWH33 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 40 | 45.45 |
| 2 Not mentioned | 47 | 53.41 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Frequency Missing = 11189

CMS.022_02.040: Pediatrician or family doctor provided treatment or counseling in home

| TRETWH34 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 5 | 5.68 |
| 2 Not mentioned | 82 | 93.18 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Frequency Missing = 11189

CMS.022_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling in home

| TRETWH35 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 87 | 98.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Frequency Missing = 11189

CMS.022_02.060: Religious or spiritual counselor provided treatment or counseling in home

| TRETWH36 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1 | 1.14 |
| 2 Not mentioned | 86 | 97.73 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Unweighted Frequencies

CMS.022_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling in home

| nt |
|-------|
| 4 |
| 3 |
| 0 |
| 0 |
| 4 |
| |

Frequency Missing = 11189

CMS.022_02.080: Other source provided treatment or counseling in home

| TRETWH38 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 12 | 13.64 |
| 2 Not mentioned | 75 | 85.23 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 1.14 |

Frequency Missing = 11189

CMS.023_01.000: Treatment or counseling provided in hospital ER, crisis center, or shelter, past 6 months

| TRETWRE4 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 30 | 1.53 |
| 2 No | 1921 | 97.76 |
| 7 Refused | 2 | 0.10 |
| 8 Not ascertained | 11 | 0.56 |
| 9 Don't know | 1 | 0.05 |

Frequency Missing = 9312

CMS.023_02.010: School counselor, school nurse or school social worker provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH41 | Frequency | Percent | |
|-------------------|-----------|---------|--|
| 1 Mentioned | 3 | 10.00 | |
| 2 Not mentioned | 26 | 86.67 | |
| 7 Refused | 0 | 0.00 | |
| 8 Not ascertained | 0 | 0.00 | |
| 9 Don't know | 1 | 3.33 | |

Unweighted Frequencies

CMS.023_02.020: Speech, occupational or physical therapist provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH42 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 10.00 |
| 2 Not mentioned | 26 | 86.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Frequency Missing = 11247

CMS.023_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH43 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 19 | 63.33 |
| 2 Not mentioned | 10 | 33.33 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Frequency Missing = 11247

CMS.023_02.040: Pediatrician or family doctor provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH44 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 10.00 |
| 2 Not mentioned | 26 | 86.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Frequency Missing = 11247

CMS.023_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH45 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 29 | 96.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Unweighted Frequencies

CMS.023_02.060: Religious or spiritual counselor provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH46 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 29 | 96.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |
| | | |

Frequency Missing = 11247

CMS.023_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH47 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 29 | 96.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Frequency Missing = 11247

CMS.023_02.080: Other source provided treatment or counseling in hospital ER, crisis center, or emergency shelter

| TRETWH48 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 6.67 |
| 2 Not mentioned | 27 | 90.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 3.33 |

Frequency Missing = 11247

CMS.024_01.000: Treatment or counseling provided in hospital or community day program, past 6 months

| TRETWRE5 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 37 | 1.88 |
| 2 No | 1913 | 97.35 |
| 7 Refused | 2 | 0.10 |
| 8 Not ascertained | 11 | 0.56 |
| 9 Don't know | 2 | 0.10 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.024_02.010: School counselor, school nurse or school social worker provided treatment or counseling in hospital or community day program

| TRETWH51 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10 | 27.03 |
| 2 Not mentioned | 27 | 72.97 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.020: Speech, occupational or physical therapist provided treatment or counseling in hospital or community day program

| TRETWH52 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 8.11 |
| 2 Not mentioned | 34 | 91.89 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling in hospital or community day program

| TRETWH53 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 21 | 56.76 |
| 2 Not mentioned | 16 | 43.24 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.040: Pediatrician or family doctor provided treatment or counseling in hospital or community day program

| TRETWH54 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 6 | 16.22 |
| 2 Not mentioned | 31 | 83.78 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011

Unweighted Frequencies

CMS.024_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling in hospital or community day program

| TRETWH55 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 37 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.060: Religious or spiritual counselor provided treatment or counseling in hospital or community day program

| TRETWH56 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 1 | 2.70 |
| 2 Not mentioned | 36 | 97.30 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling in hospital or community day program

| TRETWH57 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 37 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11240

CMS.024_02.080: Other source provided treatment or counseling in hospital or community day program

| TRETWH58 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 4 | 10.81 |
| 2 Not mentioned | 33 | 89.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CMS.025_01.000: Treatment or counseling provided
 in any other place, past 6 months

| TRETWRE6 | Frequency | Percent |
|-------------------|-----------|----------|
| 1 Yes | 153 | 7.79 |
| 2 No | 1798 | 91.50 |
| 7 Refused | 2 | 0.10 |
| 8 Not ascertained | 11 | 0.56 |
| 9 Don't know | 1 | 0.05 |

Frequency Missing = 9312

CMS.025_02.010: School counselor, school nurse or school social worker provided treatment or counseling in any other place

| TRETWH61 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 40 | 26.14 |
| 2 Not mentioned | 113 | 73.86 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.025_02.020: Speech, occupational or physical therapist provided treatment or counseling in any other place

| TRETWH62 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 7 | 4.58 |
| 2 Not mentioned | 146 | 95.42 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.025_02.030: Psychiatrist, psychologist, social worker, psychiatric nurse provided treatment or counseling in any other place

| TRETWH63 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 69 | 45.10 |
| 2 Not mentioned | 84 | 54.90 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CMS.025_02.040: Pediatrician or family doctor provided treatment or counseling in any other place

| TRETWH64 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 15 | 9.80 |
| 2 Not mentioned | 138 | 90.20 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.025_02.050: Acupuncturist, massage therapist, chiropractor provided treatment or counseling in any other place

| TRETWH65 | Frequency | Percen |
|-------------------|-----------|--------|
| 1 Mentioned | 1 | 0.65 |
| 2 Not mentioned | 152 | 99.35 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.025_02.060: Religious or spiritual counselor provided treatment or counseling in any other place

| TRETWH66 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 6 | 3.92 |
| 2 Not mentioned | 147 | 96.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.025_02.070: Probation or juvenile corrections officer or court counselor provided treatment or counseling in any other place

| TRETWH67 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 1.96 |
| 2 Not mentioned | 150 | 98.04 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.025_02.080: Other source provided treatment or counseling in any other place

| TRETWH68 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 30 | 19.61 |
| 2 Not mentioned | 123 | 80.39 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11124

CMS.050_00.000: Overnight or longer stay in facility for difficulties with emotions, concentration, or behavior, past 6 months

| OVERNT6M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 35 | 1.78 |
| 2 No | 1916 | 97.51 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 13 | 0.66 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 9312

CMS.060_01.000: Stayed overnight in a hospital for difficulties with emotions, concentration, or behavior

| OVERWH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Man + 1 and | 1 г | 42.06 |
| 1 Mentioned | 15 | 42.86 |
| 2 Not mentioned | 20 | 57.14 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11242

CMS.060_02.000: Stayed overnight in a residential treatment center for difficulties with emotions, concentration, or behavior

| OVERWH2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 10 | 28.57 |
| 2 Not mentioned | 25 | 71.43 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CMS.060_03.000: Stayed overnight in a foster care or therapeutic foster care home for difficulties with emotions, concentration, or behavior

| OVERWH3 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 2 | 5.71 |
| 2 Not mentioned | 33 | 94.29 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11242

CMS.060_04.000: Stayed overnight in a juvenile detention center, prison or jail for difficulties with emotions, concentration, or behavior

| OVERWH4 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 8 | 22.86 |
| 2 Not mentioned | 27 | 77.14 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11242

CMS.060_05.000: Stayed overnight in a group home for difficulties with emotions, concentration, or behavior

| OVERWH5 | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Mentioned | 4 | 16.00 |
| 2 Not mentioned | 21 | 84.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11252

CMS.060_06.000: Stayed overnight in a homeless shelter for difficulties with emotions, concentration, or behavior

| OVERWH6 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 0 | 0.00 |
| 2 Not mentioned | 25 | 100.00 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Unweighted Frequencies

CMS.060_07.000: Stayed overnight in another place for difficulties with emotions, concentration, or behavior

| OVERWH7 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned | 3 | 8.57 |
| 2 Not mentioned | 32 | 91.43 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11242

CMS.070_00.000: Participate in self-help group for children/youth with difficulties with emotions, concentration, or behavior, past 6 months

| SH1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 78 | 3.97 |
| 2 No | 1868 | 95.06 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 14 | 0.71 |
| 9 Don't know | 4 | 0.20 |

Frequency Missing = 9312

CMS.080_00.000: Use internet to seek treatment or counseling for difficulties with emotions, concentration, or behavior, past 6 months

| SH2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 46 | 2.34 |
| 2 No | 1900 | 96.69 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 14 | 0.71 |
| 9 Don't know | 4 | 0.20 |

Frequency Missing = 9312

 ${\tt CMS.100_00.000:}\ {\tt Case\ management\ help\ from\ individual\ or\ agency,\ past\ 6\ months}$

| CASEM6M | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 174 | 8.85 |
| 2 No | 1768 | 89.97 |
| 7 Refused | 3 | 0.15 |
| 8 Not ascertained | 14 | 0.71 |
| 9 Don't know | 6 | 0.31 |

Unweighted Frequencies

CMS.110_00.000: Case management main provider

| CASEMWHO | Frequency |
|---|-----------|
| 01 Child welfare/social services/family and child services agency | 52 |
| 02 School or educational system | 39 |
| 03 Mental health agency | 29 |
| 04 Private mental health professional | 9 |
| 05 Juvenile justice agency or court system | 6 |
| 06 Private insurance service | 4 |
| 07 Family or friend | 8 |
| 08 Pediatrician or other family doctor | 8 |
| 09 Family or youth advocacy groups | 3 |
| 10 Other | 16 |
| 97 Refused | 0 |
| 98 Not ascertained | 0 |
| 99 Don't know | 0 |

CMS.110_00.000: Case management main provider

| CASEMWHO | Percent |
|---|---------|
| 01 Child welfare/social services/family and child services agency | 29.89 |
| · · · · · · · · · · · · · · · · · · · | 22.41 |
| 02 School or educational system | |
| 03 Mental health agency | 16.67 |
| 04 Private mental health professional | 5.17 |
| 05 Juvenile justice agency or court system | 3.45 |
| 06 Private insurance service | 2.30 |
| 07 Family or friend | 4.60 |
| 08 Pediatrician or other family doctor | 4.60 |
| 09 Family or youth advocacy groups | 1.72 |
| 10 Other | 9.20 |
| 97 Refused | 0.00 |
| 98 Not ascertained | 0.00 |
| 99 Don't know | 0.00 |

Frequency Missing = 11103

CMS.120_01.000: Private health insurance paid for treatment or counseling

| TRPAYPHI | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 290 | 29.80 |
| 2 No | 671 | 68.96 |
| 7 Refused | 1 | 0.10 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 5 | 0.51 |
| | | |

Unweighted Frequencies

CMS.120_02.000: School system paid for treatment or counseling

| TRPAYSCH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 307 | 31.55 |
| 2 No | 649 | 66.70 |
| 7 Refused | 2 | 0.21 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 9 | 0.92 |

Frequency Missing = 10304

CMS.120_03.000: Family paid for treatment or counseling

| TRPAYSLF | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 300 | 30.83 |
| 2 No | 657 | 67.52 |
| 7 Refused | 2 | 0.21 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 8 | 0.82 |

Frequency Missing = 10304

CMS.120_04.000: Medicaid paid for treatment or counseling

| TRPAYMED | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 323 | 33.20 |
| 2 No | 635 | 65.26 |
| 7 Refused | 2 | 0.21 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 7 | 0.72 |

Frequency Missing = 10304

CMS.120_05.000: State SCHIP/CHIP paid for treatment or counseling

| TRPAYCHP | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 92 | 9.46 |
| 2 No | 859 | 88.28 |
| 7 Refused | 3 | 0.31 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 13 | 1.34 |

Unweighted Frequencies

CMS.120_06.000: Military health care paid for treatment or counseling

| TRPAYMIL | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 27 | 2.77 |
| 2 No | 932 | 95.79 |
| 7 Refused | 3 | 0.31 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 5 | 0.51 |

Frequency Missing = 10304

CMS.120_07.000: Medicare or other government plan paid for treatment or counseling

| TRPAYSHP | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 85 | 8.74 |
| 2 No | 870 | 89.41 |
| 7 Refused | 3 | 0.31 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 9 | 0.92 |

Frequency Missing = 10304

CMS.120_09.000: Indian Health Service paid for treatment or counseling

| TRPAYIHS | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 0 | 0.00 |
| 2 No | 960 | 98.66 |
| 7 Refused | 3 | 0.31 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 4 | 0.41 |

Frequency Missing = 10304

CMS.120_10.000: Some other source paid for treatment or counseling

| TRPAYOTH | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 20 | 2.06 |
| 2 No | 940 | 96.61 |
| 7 Refused | 3 | 0.31 |
| 8 Not ascertained | 6 | 0.62 |
| 9 Don't know | 4 | 0.41 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.120_12.000: All treatment or counseling was received free

| TRETFREE | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 50 | 53.19 |
| 2 No | 39 | 41.49 |
| 7 Refused | 3 | 3.19 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 2 | 2.13 |

Frequency Missing = 11183

CMS.150_00.000: Needed treatment or counseling for difficulties with emotions, concentration, or behavior, past 6 months, but did not get it

| TRETNEED | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 172 | 8.75 |
| 2 No | 1769 | 90.03 |
| 7 Refused | 4 | 0.20 |
| 8 Not ascertained | 16 | 0.81 |
| 9 Don't know | 4 | 0.20 |

Frequency Missing = 9312

CMS.150_01.000: Didn't get treatment or counseling because it was too expensive

| NTRTCOST | Frequency | Percent |
|--|----------------|--------------------------------|
| 1 Yes 2 No 7 Refused 8 Not ascertained | 72 100 0 | 41.86 58.14 0.00 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_02.000: Didn't get treatment or counseling because didn't know where to go

| NTRTLOC | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 62 | 36.05 |
| 2 No | 110 | 63.95 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.150_03.000: Didn't get treatment or counseling because had negative experience previously

| NTRTNEXP | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 37 | 21.51 |
| 2 No | 134 | 77.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.58 |

Frequency Missing = 11105

CMS.150_04.000: Didn't get treatment or counseling because afraid or dislike counselors

| NTRTFEAR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 16 | 9.30 |
| 2 No | 156 | 90.70 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_05.000: Didn't get treatment or counseling because afraid child would be removed from home or lose custody

| NTRTLOSE | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 7 | 4.07 |
| 2 No | 165 | 95.93 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_06.000: Didn't get treatment or counseling because afraid of family/friends opinion

| NTRTSAY | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 4 | 2.33 |
| 2 No | 168 | 97.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.150_07.000: Didn't get treatment or counseling because it was a long wait time for appointment

| NTRTWAIT | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 33 | 19.19 |
| 2 No | 139 | 80.81 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_08.000: Didn't get treatment or counseling because had no way to get there

| NTRTTRAN | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 13 | 7.56 |
| 2 No | 159 | 92.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_09.000: Didn't get treatment or counseling because services were too inconvenient to use

| NTRTINCV | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 18 | 10.47 |
| 2 No | 154 | 89.53 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_10.000: Didn't get treatment or counseling because services were too far away

| NTRTFAR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 70~ | 24 | 12 05 |
| 1 Yes | 24 | 13.95 |
| 2 No | 148 | 86.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CMS Variables Wednesday, May 18, 2011 Unweighted Frequencies

CMS.150_11.000: Didn't get treatment or counseling because child did not want to go.

| NTRTCHNO | Frequency | Percent |
|---|-----------|----------------|
| 1 Yes 2 No | 31 141 | 18.02 81.98 |
| 7 Refused | 0 | 0.00 |
| <pre>8 Not ascertained 9 Don't know</pre> | 0 | 0.00 |

Frequency Missing = 11105

CMS.150_12.000: Didn't get treatment or counseling for some other reason

| NTRTOTH | Frequency | Percent |
|-------------------|-----------|----------------|
| 1 Yes | 28 144 | 16.28 83.72 |
| 2 No 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.010: H1N1 flu vaccination, since October 2009

| CH1N1_1 | Frequency | Percent |
|-------------------|--------------|----------------|
| 1 Yes 2 No | 2185 4490 | 31.81 65.38 |
| 7 Refused | 12 | 0.17 |
| 8 Not ascertained | 82 | 1.19 |
| 9 Don't know | 99 | 1.44 |

Frequency Missing = 4409

CFI.005_00.020: Number of H1N1 flu vaccinations, since October 2009

| CH1N1_2 | Frequency | Percent |
|---|-------------|----------------|
| 1 vaccination or dose 2 2 or more vaccination doses | 1439 693 | 65.86 31.72 |
| 7 Refused | 1 | 0.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 52 | 2.38 |

Frequency Missing = 9092

CFI.005_00.030: Month of first H1N1 flu vaccination

| CH1N1_3M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 192 | 9.01 |
| 02 February | 99 | 4.64 |
| 03 March | 31 | 1.45 |
| 04 April | 18 | 0.84 |
| 05 May | 9 | 0.42 |
| 06 June | 8 | 0.38 |
| 07 July | 1 | 0.05 |
| 08 August | 0 | 0.00 |
| 09 September | 2 | 0.09 |
| 10 October | 635 | 29.78 |
| 11 November | 660 | 30.96 |
| 12 December | 335 | 15.71 |
| 97 Refused | 1 | 0.05 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 141 | 6.61 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.040: Year of first H1N1 flu vaccination

| CH1N1_4Y | Frequency | Percent |
|----------------------|-----------|---------|
| | | |
| Year | 2116 | 99.25 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 1 | 0.05 |
| 9999 Don't know | 15 | 0.70 |

Frequency Missing = 9145

CFI.005_00.050: Administration method for first dose of H1N1 flu vaccine

| CH1N1_5 | Frequency | Percent |
|---|-------------|----------------|
| 1 Flu shot 2 Flu nasal spray (spray, mist or drop in nose) | 1503 601 | 70.50 28.19 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 28 | 1.31 |

Frequency Missing = 9145

CFI.005_00.060: Month of second H1N1 flu vaccination

| CH1N1_6M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 156 | 22.51 |
| 02 February | 64 | 9.24 |
| 03 March | 26 | 3.75 |
| 04 April | 11 | 1.59 |
| 05 May | 7 | 1.01 |
| 06 June | 4 | 0.58 |
| 07 July | 1 | 0.14 |
| 08 August | 0 | 0.00 |
| 09 September | 0 | 0.00 |
| 10 October | 38 | 5.48 |
| 11 November | 150 | 21.65 |
| 12 December | 160 | 23.09 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 76 | 10.97 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.070: Year of second H1N1 flu vaccination

| CH1N1_7Y | Frequency | Percent |
|----------------------|-----------|---------|
| | | |
| Year | 687 | 99.13 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 6 | 0.87 |

Frequency Missing = 10584

CFI.005_00.080: Administration method for second dose of H1N1 flu vaccine

| CH1N1_8 | Frequency | Percent |
|---|----------------------|--------------------------------|
| 1 Flu shot 2 Flu nasal spray (spray, mist or drop in nose) 7 Refused 8 Not ascertained 9 Don't know | 489 194 0 0 | 70.56 27.99 0.00 0.00 |

Frequency Missing = 10584

CFI.010_00.000: Seasonal flu shot, past 12 m

| CSHFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Vog | 2300 | 33.49 |
| 1 Yes | | |
| 2 No | 4357 | 63.44 |
| 7 Refused | 13 | 0.19 |
| 8 Not ascertained | 82 | 1.19 |
| 9 Don't know | 116 | 1.69 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.015_01.000: Month of most recent seasonal flu shot

| CSHFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 143 | 6.22 |
| 02 February | 69 | 3.00 |
| 03 March | 38 | 1.65 |
| 04 April | 15 | 0.65 |
| 05 May | 15 | 0.65 |
| 06 June | 12 | 0.52 |
| 07 July | 17 | 0.74 |
| 08 August | 67 | 2.91 |
| 09 September | 243 | 10.57 |
| 10 October | 753 | 32.74 |
| 11 November | 520 | 22.61 |
| 12 December | 215 | 9.35 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 193 | 8.39 |

Frequency Missing = 8977

CFI.015_02.000: Year of most recent seasonal flu shot

| CSHFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| Year | 2107 | 91.61 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 193 | 8.39 |

Frequency Missing = 8977

CFI.020_00.000: Seasonal flu nasal spray, past 12 m

| CSPFLUYR | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 380 | 5.53 |
| 2 No | 6288 | 91.56 |
| 7 Refused | 10 | 0.15 |
| 8 Not ascertained | 83 | 1.21 |
| 9 Don't know | 107 | 1.56 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.025_01.000: Month of most recent seasonal flu nasal spray

| CSPFLU_M | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 14 | 3.68 |
| 02 February | 19 | 5.00 |
| 03 March | 5 | 1.32 |
| 04 April | 4 | 1.05 |
| 05 May | 3 | 0.79 |
| 06 June | 0 | 0.00 |
| 07 July | 0 | 0.00 |
| 08 August | 14 | 3.68 |
| 09 September | 52 | 13.68 |
| 10 October | 131 | 34.47 |
| 11 November | 88 | 23.16 |
| 12 December | 25 | 6.58 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 25 | 6.58 |

Frequency Missing = 10897

CFI.025_02.000: Year of most recent seasonal flu nasal spray

| CSPFLU_Y | Frequency | Percent |
|----------------------|-----------|---------|
| | | |
| Year | 355 | 93.42 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 25 | 6.58 |

Frequency Missing = 10897

CFI.005_00.010: Flu vaccination, past 12 m

| CSHFLU12 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1843 | 41.80 |
| 2 No | 2431 | 55.14 |
| 7 Refused | 5 | 0.11 |
| 8 Not ascertained | 54 | 1.22 |
| 9 Don't know | 76 | 1.72 |
| | | |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.020: Number of flu vaccines, past 12 m

| CSHFLUNM | Frequency | Percent |
|---|-------------|----------------|
| 1 vaccination or dose 2 2 or more vaccination doses | 1298 499 | 70.43 27.08 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 46 | 2.50 |

Frequency Missing = 9434

CFI.005_00.030: Month of most recent flu vaccine

| CSHFLUM1 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 - | | 4.56 |
| 01 January | 82 | 4.56 |
| 02 February | 63 | 3.51 |
| 03 March | 36 | 2.00 |
| 04 April | 23 | 1.28 |
| 05 May | 21 | 1.17 |
| 06 June | 22 | 1.22 |
| 07 July | 23 | 1.28 |
| 08 August | 86 | 4.79 |
| 09 September | 220 | 12.24 |
| 10 October | 568 | 31.61 |
| 11 November | 394 | 21.93 |
| 12 December | 117 | 6.51 |
| 97 Refused | 0 | 0.00 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 142 | 7.90 |

Frequency Missing = 9480

CFI.005_00.040: Year of most recent flu vaccine

| CSHFLUY1 | Frequency | Percent |
|----------------------|-----------|---------|
| | | |
| Year | 1786 | 99.39 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 0 | 0.00 |
| 9999 Don't know | 11 | 0.61 |
| | | |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.050: Administration method most recent flu vaccine

| CSHSPFL1 | Frequency | Percent |
|---|-----------|---------|
| 1 Flu shot | 1392 | 77.46 |
| 2 Flu nasal spray (spray, mist or drop in nose) | 390 | 21.70 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.83 |

Frequency Missing = 9480

CFI.005_00.060: Month of next most recent flu vaccine

| CSHFLUM2 | Frequency | Percent |
|--------------------|-----------|---------|
| 01 January | 29 | 5.81 |
| 02 February | 20 | 4.01 |
| 03 March | 18 | 3.61 |
| 04 April | 9 | 1.80 |
| 05 May | 2 | 0.40 |
| 06 June | 3 | 0.60 |
| 07 July | 10 | 2.00 |
| 08 August | 26 | 5.21 |
| 09 September | 44 | 8.82 |
| 10 October | 96 | 19.24 |
| 11 November | 123 | 24.65 |
| 12 December | 49 | 9.82 |
| 97 Refused | 2 | 0.40 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 68 | 13.63 |

Frequency Missing = 10778

CFI.005_00.070: Year of next most recent flu vaccine

| CSHFLUY2 | Frequency | Percent |
|----------------------|-----------|---------|
| | 4 | |
| Year | 477 | 95.59 |
| 9997 Refused | 0 | 0.00 |
| 9998 Not ascertained | 2 | 0.40 |
| 9999 Don't know | 20 | 4.01 |

CFI Variables Wednesday, May 18, 2011 Unweighted Frequencies

CFI.005_00.080: Administration method next most recent flu vaccine

| CSHSPFL2 | Frequency | Percent |
|---|-----------|---------|
| 1 Flu shot | 373 | 74.75 |
| 2 Flu nasal spray (spray, mist or drop in nose) | 115 | 23.05 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.20 |
| 9 Don't know | 10 | 2.00 |

Unweighted Frequencies

CHP.010_00.000: Ever heard vaccine for cervical cancer

| CHPVHRD | Frequency | Percent |
|-------------------|-----------|-----------|
| 1 Yes | 3603 | 57.64 |
| 2 No | 2504 | 40.06 |
| 7 Refused | 10 | 0.16 |
| 8 Not ascertained | 102 | 1.63 |
| 9 Don't know | 32 | 0.51 |

Frequency Missing = 5026

CHP.020_00.000: Ever had HPV shot?

| CSHTHPV | | Frequency | Percent |
|----------------|---------------|-----------|---------|
| 1 Yes | | 733 | 11.73 |
| 2 No | | 5263 | 84.19 |
| 3 Doctor refus | ed when asked | 7 | 0.11 |
| 7 Refused | | 12 | 0.19 |
| 8 Not ascertai | .ned | 103 | 1.65 |
| 9 Don't know | | 133 | 2.13 |

Frequency Missing = 5026

CHP.030_00.000: Number of HPV shots received

| CSHHPVDS | Frequency | Percent |
|----------------------------------|-----------|---------------|
| 01-50 1-50 shots 96 All shots | 650 48 | 88.68 6.55 |
| 97 Refused 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 35 | 4.77 |

Frequency Missing = 10544

CHP.035_00.000: Age at first HPV shot

| HPVAGE | Frequency | Percent |
|--------------------|-----------|---------|
| 01 | 2 | 0.30 |
| 03 | 2 | 0.30 |
| 07 | 2 | 0.30 |
| 08-17 8-17 years | 649 | 96.29 |
| 97 Refused | 1 | 0.15 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 18 | 2.67 |

CHP Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHP.040_00.000: Get HPV shot if recommended

| CHPVREC | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 899 | 39.21 |
| 2 No | 1113 | 48.54 |
| 7 Refused | 11 | 0.48 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 270 | 11.77 |
| | | |

Frequency Missing = 8984

CHP.050_00.000: Main reason why SC would not receive HPV vaccine

| CHPVNOT | Frequency | Percent |
|--|-----------|---------|
| | | |
| 01 Does not need vaccine | 366 | 26.46 |
| 02 Not sexually active | 141 | 10.20 |
| 03 Too expensive | 16 | 1.16 |
| 04 Too young for vaccine | 181 | 13.09 |
| 05 Doctor didn't recommend it | 83 | 6.00 |
| 06 Worried about safety of vaccine | 217 | 15.69 |
| 07 Don't know where to get vaccine | 7 | 0.51 |
| 08 My spouse/family member is against it | 25 | 1.81 |
| 09 Don't know enough about vaccine | 211 | 15.26 |
| 10 Already has HPV | 1 | 0.07 |
| 11 Other | 78 | 5.64 |
| 97 Refused | 2 | 0.14 |
| 98 Not ascertained | 0 | 0.00 |
| 99 Don't know | 55 | 3.98 |

Frequency Missing = 9894

CHP.060_00.000: Get HPV vaccine if cost was \$360-\$500.

| CHPVCOST | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 453 | 50.39 |
| 2 No | 415 | 46.16 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 31 | 3.45 |

CHP Variables Wednesday, May 18, 2011 Unweighted Frequencies

CHP.070_00.000: Would SC get HPV vaccine if it were free/at a lower cost

| CHPVLOC | Frequency | Percent |
|-------------------|-----------|---------|
| | | |
| 1 Yes | 385 | 89.33 |
| 2 No | 37 | 8.58 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 9 | 2.09 |
| | | |