

**Continuous variables in the frequency
 Report only show the range of valid numbers**

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
38 Functioning and Disability	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	2651	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	2651	100.00

IDN.000_04.000: Household Number

HHX	Frequency	Percent
Range of Values	2651	100.00

IDN.000_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	2651	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2651	100.00

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Friday, April 27, 2018
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
<hr style="border-top: 1px dashed black;"/>		
01 First injury or poisoning	2423	91.40
02 Second injury or poisoning	178	6.71
03 Third injury or poisoning	37	1.40
04 Fourth injury or poisoning	10	0.38
05 Fifth injury or poisoning	3	0.11
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
<hr style="border-top: 1px dashed black;"/>		
Range of Values	2651	100.00

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	186	7.02
02 February	219	8.26
03 March	242	9.13
04 April	179	6.75
05 May	240	9.05
06 June	209	7.88
07 July	249	9.39
08 August	201	7.58
09 September	231	8.71
10 October	256	9.66
11 November	195	7.36
12 December	199	7.51
97 Refused	3	0.11
98 Not ascertained	0	0.00
99 Don't know	42	1.58

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	2598	99.85
9997 Refused	0	0.00
9998 Not ascertained	3	0.12
9999 Don't know	1	0.04

Frequency Missing = 49

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number of units

IPDATENO	Frequency	Percent
001-096 1-96	28	66.67
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	14	33.33

Frequency Missing = 2609

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	1	2.38
2 Weeks	7	16.67
3 Months	20	47.62
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	14	33.33

Frequency Missing = 2609

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	220	34.70
2 Middle	217	34.23
3 End	140	22.08
7 Refused	1	0.16
8 Not ascertained	0	0.00
9 Don't know	56	8.83

Frequency Missing = 2017

FIJ.052_00.000: Time between the date of injury/poisoning episode and questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of injury/poisoning episode and questions were asked

Frequency	Percent
1965	74.12
38	1.43
204	7.70
399	15.05
45	1.70

FIJ.052_02.000: Days between the date of injury/poisoning episode and questions were asked

RPD	Frequency	Percent
000-999 0-999 days	2651	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
2651	100.00

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent

2651	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent

1 Month, day, and year	1966	74.16
2 Month, beginning of month, and year	219	8.26
3 Month, middle of month, and year	217	8.19
4 Month, end of month, and year	140	5.28
5 Month and year	56	2.11
6 Elapsed time in days	1	0.04
7 Elapsed time in weeks	7	0.26
8 Elapsed time in months	20	0.75
9 No information	25	0.94

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent

0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1966	74.16
1 Imputed day based on reported beginning, middle, or end of month	573	21.61
2 Imputed day of the month (no day of month information reported)	56	2.11
3 No imputation necessary (elapsed time reported in days)	1	0.04
4 Imputed time interval based on elapsed time reported in weeks	7	0.26
5 Imputed time interval based on elapsed time reported in months	20	0.75
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date or valid date information reported)	28	1.06

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	191	7.20
02 February	223	8.41
03 March	246	9.28
04 April	186	7.02
05 May	247	9.32
06 June	211	7.96
07 July	250	9.43
08 August	204	7.70
09 September	234	8.83
10 October	258	9.73
11 November	198	7.47
12 December	203	7.66

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	2651	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	139	5.24
2 Elapsed time is <= 91 days	2512	94.76

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

- 1 Only the upper boundary of the interval for elapsed time is > 91 days
- 2 Upper and lower boundary of the interval for elapsed time is > 91 days
- 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent
71	2.68
113	4.26
2467	93.06

2017 National Health Interview Survey (NHIS) 7
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.065_01.000: Cause of injury episode, first response

ICAUS1A	Frequency	Percent
01 Fall	1070	41.19
02 Driver or passenger in a motor vehicle (such as car, truck, van, motorcycle, etc.)	134	5.16
03 Rider of a bicycle/tricycle/unicycle	14	0.54
04 Driver or passenger of other mode of transportation (boat, plane, train, golf cart, etc.)	17	0.65
05 Pedestrian walking or on skateboard, skates, skis, etc. struck by vehicle or bike	31	1.19
06 Overexertion (includes twist, sprain, repetitive motion, whiplash, etc.)	224	8.62
07 Struck by or against something or someone, or struck by a falling object	191	7.35
08 Cutting or piercing by sharp object	151	5.81
09 Burned or scalded by fire or flame, hot objects, hot liquids, chemicals, etc	22	0.85
10 Bite or sting (insect, animal, reptile, etc.)	77	2.96
11 Contact with machinery	17	0.65
12 Poisoning (excluding food poisoning)	10	0.38
13 Other	612	23.56
97 Refused	4	0.15
98 Not ascertained	0	0.00
99 Don't know	24	0.92

Frequency Missing = 53

FIJ.065_02.000: Cause of injury episode, second response

ICAUS1B	Frequency	Percent
01 Fall	6	5.94
02 Driver or passenger in a motor vehicle (such as car, truck, van, motorcycle, etc.)	3	2.97
03 Rider of a bicycle/tricycle/unicycle	9	8.91
04 Driver or passenger of other mode of transportation (boat, plane, train, golf cart, etc.)	3	2.97
05 Pedestrian walking or on skateboard, skates, skis, etc. struck by vehicle or bike	13	12.87
06 Overexertion (includes twist, sprain, repetitive motion, whiplash, etc.)	6	5.94
07 Struck by or against something or someone, or struck by a falling object	13	12.87
08 Cutting or piercing by sharp object	14	13.86
09 Burned or scalded by fire or flame, hot objects, hot liquids, chemicals, etc	2	1.98
10 Bite or sting (insect, animal, reptile, etc.)	1	0.99
11 Contact with machinery	5	4.95
12 Poisoning (excluding food poisoning)	1	0.99
13 Other	25	24.75
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2550

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	259	9.97
02 Back	227	8.74
03 Buttocks	32	1.23
04 Chest	33	1.27
05 Ear	6	0.23
06 Elbow	63	2.42
07 Eye	45	1.73
08 Face	82	3.16
09 Finger/thumb	171	6.58
10 Foot	174	6.70
11 Forearm	72	2.77
12 Groin	14	0.54
13 Hand	134	5.16
14 Head (not face)	189	7.27
15 Hip	75	2.89
16 Jaw	5	0.19
17 Knee	247	9.51
18 Lower leg	119	4.58
19 Mouth	17	0.65
20 Neck	56	2.16
21 Nose	9	0.35
22 Shoulder	156	6.00
23 Stomach	16	0.62
24 Teeth	4	0.15
25 Thigh	31	1.19
26 Toe	53	2.04
27 Upper arm	37	1.42
28 Wrist	96	3.70
29 Other	161	6.20
97 Refused	2	0.08
98 Not ascertained	0	0.00
99 Don't know	13	0.50

Frequency Missing = 53

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2171	83.56
01 Ankle	11	0.42
02 Back	31	1.19
03 Buttocks	10	0.38
04 Chest	10	0.38
05 Ear	1	0.04
06 Elbow	11	0.42
07 Eye	11	0.42
08 Face	11	0.42
09 Finger/thumb	12	0.46
10 Foot	12	0.46
11 Forearm	17	0.65
12 Groin	3	0.12
13 Hand	17	0.65
14 Head (not face)	37	1.42
15 Hip	24	0.92
16 Jaw	1	0.04
17 Knee	43	1.66
18 Lower leg	24	0.92
19 Mouth	2	0.08
20 Neck	27	1.04
21 Nose	4	0.15
22 Shoulder	30	1.15
23 Stomach	2	0.08
24 Teeth	1	0.04
25 Thigh	8	0.31
26 Toe	5	0.19
27 Upper arm	21	0.81
28 Wrist	12	0.46
29 Other	29	1.12
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 53

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2457	94.57
01 Ankle	1	0.04
02 Back	7	0.27
03 Buttocks	4	0.15
04 Chest	2	0.08
05 Ear	0	0.00
06 Elbow	7	0.27
07 Eye	2	0.08
08 Face	4	0.15
09 Finger/thumb	2	0.08
10 Foot	5	0.19
11 Forearm	8	0.31
12 Groin	1	0.04
13 Hand	8	0.31
14 Head (not face)	7	0.27
15 Hip	9	0.35
16 Jaw	0	0.00
17 Knee	16	0.62
18 Lower leg	6	0.23
19 Mouth	1	0.04
20 Neck	6	0.23
21 Nose	3	0.12
22 Shoulder	14	0.54
23 Stomach	1	0.04
24 Teeth	0	0.00
25 Thigh	5	0.19
26 Toe	2	0.08
27 Upper arm	6	0.23
28 Wrist	3	0.12
29 Other	11	0.42
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 53

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

11

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2548	98.08
01 Ankle	0	0.00
02 Back	3	0.12
03 Buttocks	0	0.00
04 Chest	0	0.00
05 Ear	1	0.04
06 Elbow	0	0.00
07 Eye	1	0.04
08 Face	1	0.04
09 Finger/thumb	1	0.04
10 Foot	1	0.04
11 Forearm	1	0.04
12 Groin	0	0.00
13 Hand	1	0.04
14 Head (not face)	4	0.15
15 Hip	3	0.12
16 Jaw	0	0.00
17 Knee	3	0.12
18 Lower leg	4	0.15
19 Mouth	0	0.00
20 Neck	2	0.08
21 Nose	0	0.00
22 Shoulder	11	0.42
23 Stomach	0	0.00
24 Teeth	1	0.04
25 Thigh	4	0.15
26 Toe	0	0.00
27 Upper arm	2	0.08
28 Wrist	2	0.08
29 Other	4	0.15
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 53

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	450	17.42
02 Sprain, strain, or twist	778	30.12
03 Cut	356	13.78
04 Scrape	82	3.17
05 Bruise	359	13.90
06 Burn	26	1.01
07 Insect bite	49	1.90
08 Animal bite	26	1.01
09 Other	446	17.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	11	0.43

Frequency Missing = 68

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2408	93.22
01 Broken bone or fracture	5	0.19
02 Sprain, strain, or twist	13	0.50
03 Cut	17	0.66
04 Scrape	30	1.16
05 Bruise	70	2.71
06 Burn	3	0.12
07 Insect bite	0	0.00
08 Animal bite	2	0.08
09 Other	35	1.36
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 68

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	42	9.84
02 Sprain, strain, or twist	119	27.87
03 Cut	39	9.13
04 Scrape	32	7.49
05 Bruise	126	29.51
06 Burn	4	0.94
07 Insect bite	3	0.70
08 Animal bite	2	0.47
09 Other	57	13.35
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	0.70

Frequency Missing = 2224

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	375	87.82
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	9	2.11
03 Cut	4	0.94
04 Scrape	7	1.64
05 Bruise	28	6.56
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	0.94
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2224

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	8	5.67
02 Sprain, strain, or twist	41	29.08
03 Cut	9	6.38
04 Scrape	11	7.80
05 Bruise	50	35.46
06 Burn	1	0.71
07 Insect bite	1	0.71
08 Animal bite	0	0.00
09 Other	20	14.18
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2510

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	123	87.23
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	0.71
03 Cut	0	0.00
04 Scrape	1	0.71
05 Bruise	13	9.22
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	3	2.13
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2510

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	6.00
02 Sprain, strain, or twist	18	36.00
03 Cut	3	6.00
04 Scrape	3	6.00
05 Bruise	15	30.00
06 Burn	1	2.00
07 Insect bite	1	2.00
08 Animal bite	0	0.00
09 Other	6	12.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2601

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	45	90.00
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	0	0.00
05 Bruise	4	8.00
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	1	2.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2601

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	15	28.30
2 No	38	71.70
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2598

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	529	19.95
2 No	2116	79.82
7 Refused	2	0.08
8 Not ascertained	0	0.00
9 Don't know	4	0.15

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1164	43.91
2 No	1480	55.83
7 Refused	2	0.08
8 Not ascertained	0	0.00
9 Don't know	5	0.19

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	2006	75.67
2 No	637	24.03
7 Refused	2	0.08
8 Not ascertained	0	0.00
9 Don't know	6	0.23

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	954	35.99
2 No	1681	63.41
7 Refused	2	0.08
8 Not ascertained	0	0.00
9 Don't know	14	0.53

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	391	14.75
2 No	2249	84.84
7 Refused	3	0.11
8 Not ascertained	0	0.00
9 Don't know	8	0.30

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	205	7.73
2 No	2437	91.93
7 Refused	3	0.11
8 Not ascertained	0	0.00
9 Don't know	6	0.23

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	203	99.02
95 95+ nights	1	0.49
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.49

Frequency Missing = 2446

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	142	69.61
2 No	60	29.41
7 Refused	1	0.49
8 Not ascertained	0	0.00
9 Don't know	1	0.49

Frequency Missing = 2447

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

Frequency Missing = 2447

FIJ.110_00.000: Injured as . . .

Frequency	Percent
96	47.06

Frequency Missing

FIJ.110_00.000: Injured as . . .

Frequency	Percent

40	19.61
42	20.59
20	9.80
4	1.96
2	0.98
0	0.00
0	0.00

Frequency Missing
 = 2447

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

Frequency Missing = 2515

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent

81	59.56
36	26.47
2	1.47
0	0.00
7	5.15
7	5.15
1	0.74
0	0.00
2	1.47
0	0.00
0	0.00
0	0.00

Frequency Missing
 = 2515

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

19

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	109	93.16
2 No	7	5.98
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.85

Frequency Missing = 2534

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	23	60.53
2 No	14	36.84
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.63

Frequency Missing = 2613

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	156	14.50
02 Floor or level ground	342	31.78
03 Curb (including sidewalk)	57	5.30
04 Ladder or scaffolding	18	1.67
05 Playground equipment	28	2.60
06 Sports field, court, or rink	87	8.09
07 Building or other structure	8	0.74
08 Chair, bed, sofa, or other furniture	67	6.23
09 Bathtub, shower, toilet, or commode	23	2.14
10 Hole or other opening	15	1.39
11 Other	265	24.63
97 Refused	1	0.09
98 Not ascertained	0	0.00
99 Don't know	9	0.84

Frequency Missing = 1575

2017 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Friday, April 27, 2018
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	1055	98.05
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	2	0.19
03 Curb (including sidewalk)	1	0.09
04 Ladder or scaffolding	1	0.09
05 Playground equipment	2	0.19
06 Sports field, court, or rink	0	0.00
07 Building or other structure	1	0.09
08 Chair, bed, sofa, or other furniture	4	0.37
09 Bathtub, shower, toilet, or commode	2	0.19
10 Hole or other opening	0	0.00
11 Other	8	0.74
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1575

FIJ.131_00.000: Cause of fall

IFALLWHY

- 1 Slipping or tripping
- 2 Jumping or diving
- 3 Bumping into an object or another person
- 4 Being shoved or pushed by another person
- 5 Losing balance or having dizziness (becoming faint or having a seizure)
- 6 Other
- 7 Refused
- 8 Not ascertained
- 9 Don't know

Frequency Missing = 1575

FIJ.131_00.000: Cause of fall

Frequency	Percent
540	50.19
61	5.67
45	4.18
14	1.30
199	18.49
206	19.14
1	0.09
0	0.00
10	0.93

Frequency Missing
 = 1575

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	19
2 Swallowing or touching a harmful solid or liquid substance	3
3 Inhaling harmful gases or vapors	18
4 Eating a poisonous plant or other substance mistaken for food	1
5 Being bitten by a poisonous animal	1
6 Other, please specify	11
7 Refused	0
8 Not ascertained	0
9 Don't know	0

Frequency Missing = 2598

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	35.85
2 Swallowing or touching a harmful solid or liquid substance	5.66
3 Inhaling harmful gases or vapors	33.96
4 Eating a poisonous plant or other substance mistaken for food	1.89
5 Being bitten by a poisonous animal	1.89
6 Other, please specify	20.75
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2598

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	140	5.28
02 Working at a paid job	261	9.85
03 Working around the house or yard	413	15.58
04 Attending school	67	2.53
05 Unpaid work (such as volunteer work)	13	0.49
06 Sports and exercise	412	15.54
07 Leisure activity (excluding sports)	462	17.43
08 Sleeping, resting, eating, or drinking	149	5.62
09 Cooking	40	1.51
10 Being cared for (hands-on care from other person)	21	0.79
11 Other	640	24.14
97 Refused	4	0.15
98 Not ascertained	0	0.00
99 Don't know	29	1.09

Episode Public Use File (injpoiep)

FIJ Variables

Friday, April 27, 2018

Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2616	98.68
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	2	0.08
03 Working around the house or yard	0	0.00
04 Attending school	2	0.08
05 Unpaid work (such as volunteer work)	1	0.04
06 Sports and exercise	9	0.34
07 Leisure activity	8	0.30
08 Sleeping, resting, eating, or drinking	0	0.00
09 Cooking	1	0.04
10 Being cared for (hands on care from other person)	1	0.04
11 Other	11	0.41
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	899	33.91
02 Home (outside)	479	18.07
03 School (not residential)	165	6.22
04 Child care center or preschool	6	0.23
05 Residential institution (exclude hospital)	12	0.45
06 Health care facility (include hospital)	24	0.91
07 Street or highway	165	6.22
08 Sidewalk	67	2.53
09 Parking lot	49	1.85
10 Sport facility, athletic field, or playground	225	8.49
11 Shopping center, restaurant, store, bank, gas station, or other place of business	57	2.15
12 Farm	20	0.75
13 Park or recreation area (include bike or jog path)	75	2.83
14 River, lake, stream, or ocean	31	1.17
15 Industrial or construction area	39	1.47
16 Other public building	44	1.66
17 Other	262	9.88
97 Refused	6	0.23
98 Not ascertained	0	0.00
99 Don't know	26	0.98

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2608	98.38
01 Home (inside)	2	0.08
02 Home (outside)	10	0.38
03 School (not residential)	2	0.08
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	2	0.08
06 Health care facility (include hospital)	0	0.00
07 Street or highway	2	0.08
08 Sidewalk	2	0.08
09 Parking lot	3	0.11
10 Sport facility, athletic field, or playground	6	0.23
11 Shopping center, restaurant, store, bank, gas station, or other place of business	1	0.04
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	1	0.04
14 River, lake, stream, or ocean	4	0.15
15 Industrial or construction area	0	0.00
16 Other public building	0	0.00
17 Other	8	0.30
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	866	36.98
2 Part-time	202	8.63
3 Not employed	1265	54.01
7 Refused	3	0.13
8 Not ascertained	0	0.00
9 Don't know	6	0.26

Frequency Missing = 309

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	559	52.34
2 Less than one day	48	4.49
3 One to five days	253	23.69
4 Six or more days	206	19.29
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.19

Frequency Missing = 1583

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	546	21.24
2 Part-time	49	1.91
3 Not a student	1970	76.62
7 Refused	3	0.12
8 Not ascertained	0	0.00
9 Don't know	3	0.12

Frequency Missing = 80

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	379	63.70
2 Less than one day	40	6.72
3 One to five days	150	25.21
4 Six or more days	24	4.03
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.34

Frequency Missing = 2056