

Table A. Percent of birth records on which specified items were not stated: United States and each State, Puerto Rico, Virgin Islands, Guam, and American Samoa: 1997

(Page 1 of 3)

[By place of residence]

Area	Number of births	Place of birth	Attendant at birth	Mother's birth-place	Father's age	Father's race	Hispanic Origin		Educational attainment Mother	Live-birth order	Length of Gestation	Month prenatal care began	Number of prenatal visits
							Mother	Father					
Total of reporting areas 1/	3,880,894	0.0	0.0	0.2	14.5	14.9	1.4	15.6	1.5	0.5	1.0	2.6	3.4
Alabama	60,914	-	0.0	0.1	24.7	24.8	.0	24.7	0.4	0.0	0.1	0.5	0.9
Alaska	9,947	.0	.0	.1	14.1	16.0	.2	14.7	1.0	.1	.1	1.5	1.0
Arizona	75,699	.0	.1	.3	21.6	23.7	1.3	24.1	2.1	.3	.2	1.3	1.7
Arkansas	36,478	.0	.1	.3	20.4	21.2	.2	20.7	.8	.2	.4	2.4	3.2
California	524,840	.0	.1	.1	7.5	6.6	.5	6.0	1.3	.1	2/ 5.0	1.2	2.6
Colorado	56,533	-	.0	.2	10.0	10.6	.1	10.8	1.2	.1	.0	.7	1.4
Connecticut	43,109	.0	.0	.4	9.3	11.0	6.1	14.8	4.8	8.2	1.2	6.7	10.4
Delaware	10,253	.0	.0	.3	29.1	30.3	.3	30.1	.3	.2	.2	.6	.8
District of Columbia	7,927	.0	-	.0	47.5	54.3	1.9	48.0	9.5	.4	.5	15.8	17.9
Florida	192,383	.0	-	.1	18.1	18.1	.1	19.3	.4	.0	.1	1.1	1.7
Georgia	118,221	.0	.0	.2	18.5	18.7	.9	19.2	1.3	.3	.1	2.0	1.7
Hawaii	17,393	.0	.0	.1	8.5	8.7	.3	8.9	.4	.0	5.3	2.5	3.1
Idaho	18,582	-	.0	.2	8.0	11.3	1.5	11.3	8.1	.9	.6	4.0	12.7
Illinois	180,803	.0	.0	.1	15.4	16.9	.0	16.9	.7	.1	.2	1.6	2.0
Indiana	83,436	.3	.1	.2	13.0	13.1	.4	13.3	1.0	.7	.1	2.0	3.4
Iowa	36,659	.0	.0	.3	12.3	14.3	1.0	14.9	1.5	.1	.1	1.3	4.4
Kansas	37,289	.0	.0	.1	10.6	10.9	.9	12.0	.3	.1	.1	.6	1.0
Kentucky	53,203	.0	.0	.0	22.1	22.7	.0	24.1	.2	.2	.2	.9	1.0
Louisiana	66,025	.0	.0	.0	23.1	23.3	.0	23.2	.1	.0	.1	.3	.4
Maine	13,669	.0	-	-	10.1	14.9	4.2	18.9	.7	.2	.1	.6	.7
Maryland	70,215	-	.0	.9	8.3	10.7	1.2	6.8	4.8	3.3	1.5	11.4	17.2
Massachusetts	80,364	.0	.0	.1	8.0	7.8	.6	7.0	.5	.5	.5	1.1	1.0
Michigan	133,714	.1	.1	.1	16.6	18.5	5.3	22.8	1.2	.5	.1	3.6	4.2
Minnesota	64,499	.0	.0	-	9.2	11.5	5.2	15.4	2.0	.3	1.0	4.7	4.1
Mississippi	41,533	.0	.0	.1	25.4	24.6	.1	25.3	.2	.1	.2	.5	.8
Missouri	74,037	-	.0	.2	18.5	18.7	.1	19.0	.9	.4	.2	1.9	3.3
Montana	10,849	.0	.5	-	9.7	10.7	3.2	13.7	.2	.1	.0	.6	.5
Nebraska	23,319	-	-	.0	12.1	12.6	2.3	14.2	.1	-	.0	.3	.6
Nevada	26,911	.0	.0	.8	23.3	24.9	.7	23.1	2.1	.8	.8	4.0	9.9
New Hampshire	14,313	.0	.0	.0	8.0	8.7	3.0	10.8	.8	.1	.4	2.9	3.7
New Jersey	113,279	.1	.1	.3	9.0	10.9	.5	9.7	2.3	.2	.2	3.6	3.9
New Mexico	26,871	-	.0	2.1	26.6	25.9	.0	25.9	4.4	.5	.3	4.8	4.4
New York	257,238	.1	.1	.6	17.9	18.2	9.6	26.0	1.4	.3	.2	8.9	5.8
North Carolina	107,015	.0	.0	.0	17.4	17.4	.0	17.3	.1	.0	.1	.6	.6
North Dakota	8,353	-	-	.0	8.7	9.9	2.9	12.6	.1	-	.1	.4	.3
Ohio	152,033	.0	.1	.2	11.5	13.9	.5	13.5	.5	.1	.0	.4	1.7
Oklahoma	48,269	.0	.0	.1	17.3	19.0	.4	19.5	3.6	4.1	3.6	10.7	11.3
Oregon	43,809	.0	1.0	.1	10.7	4.3	.2	4.6	1.0	.0	.0	.4	.5
Pennsylvania	144,224	.0	.0	.6	5.5	3.4	.6	3.1	2.0	.3	.2	1.7	2.9
Rhode Island	12,455	.0	-	.2	13.5	14.1	13.0	23.2	2.8	2.2	2.2	8.0	8.6
South Carolina	52,214	.0	.0	.3	28.5	28.7	.1	28.6	4.2	.4	.2	1.9	2.0
South Dakota	10,173	-	-	-	11.9	12.1	.2	12.7	.3	.0	.0	.6	.6
Tennessee	74,478	-	.0	.1	15.9	16.2	.1	16.1	.2	.1	.2	1.3	1.6
Texas	333,974	.0	.0	.4	15.7	15.6	.3	15.6	1.0	.9	.4	1.9	4.5
Utah	43,059	-	.0	.1	9.8	10.9	.3	9.2	.9	.1	.1	1.0	1.2
Vermont	6,607	-	.0	.0	6.0	9.4	3.0	10.6	2.1	.1	.2	3.1	1.0
Virginia	91,862	.0	.0	.1	17.9	19.1	.1	18.0	.4	.2	.3	.9	2.0
Washington	78,190	.0	.0	.7	11.6	11.9	3.2	12.1	10.4	3.8	1.5	9.2	12.9
West Virgin	20,730	.1	.0	.1	13.0	15.9	.0	15.9	.4	.2	.3	3.5	3.2
Wisconsin	66,557	.0	-	.0	27.6	27.7	.0	27.7	.1	.0	.0	.2	.3
Wyoming	6,387	-	-	.1	13.6	13.8	.3	13.8	.3	.0	.0	.4	.4
Puerto Rico	64,109	-	.0	-	2.7	3.02	.0	.0	.2	.1
Virgin Islands	2,017	-	.2	-	19.8	21.7	5.4	31.1	1.6	.3	.6	.7	1.6
Guam	4,308	.1	.3	.7	24.8	26.8	1.9	28.2	2.1	1.5	.9	3.5	4.0
American Samoa	1,634	-	...	4.8	34.6	36.92

See footnotes at end of table.

Table A. Percent of birth records on which specified items were not stated: United States and each State, Puerto Rico, Virgin Islands, Guam, and American Samoa: 1997
(Page 2 of 3)
[By place of residence]

Area	Number of births	Birth weight	5-minute Apgar score	Medical risk factors	Tobacco use	Alcohol use	Weight gain	Obstetric procedures	Complications of labor and/or delivery	Method of delivery	Abnormal conditions of newborn	Congenital anomalies
Total of reporting areas 1/	3,880,894	0.1	0.6	1.2	1.5	1.4	8.3	0.8	1.0	0.9	2.1	1.5
Alabama	60,914	0.0	0.3	3/ 0.1	0.2	0.2	4.4	0.1	0.1	0.2	0.1	0.2
Alaska	9,947	.3	.5	.1	.3	.3	1.4	.1	.1	.3	.1	.1
Arizona	75,699	.1	.4	.0	1.9	2.1	10.5	.0	.0	.2	.0	.4
Arkansas	36,478	.2	4.6	.4	1.0	1.1	9.8	.2	.4	.6	.3	.3
California	524,840	.000	.0	.0	.0	.0
Colorado	56,533	.0	.3	.0	.2	.2	4.0	.0	.0	.0	.0	.1
Connecticut	43,109	.0	3.4	14.9	9.8	9.5	23.7	13.1	15.2	7.3	21.0	22.4
Delaware	10,253	.1	.3	.0	.1	.1	.9	.0	.0	.1	.1	.1
District of Columbia	7,927	.1	1.0	-	.1	.1	18.8	-	-	.1	.0	-
Florida	192,383	.0	.2	.0	.1	.1	4.2	.0	.0	.6	.0	.0
Georgia	118,221	.0	.5	.4	.2	.3	4.7	.0	.0	.4	.0	.0
Hawaii	17,393	1.7	4.6	20.2	.3	.3	13.8	13.1	7.6	19.4	21.0	22.4
Idaho	18,582	.1	.7	.7	1.8	2.0	10.8	.5	.7	.2	.4	.5
Illinois	180,803	.1	.3	.1	1.0	.2	4.0	.0	.1	.4	.1	.1
Indiana	83,436	.4	.4	.24	4.0	.1	.3	.4	.8	.8
Iowa	36,659	.0	.3	.1	2.2	2.5	6.6	.0	.1	.3	.1	.1
Kansas	37,289	.0	.3	4/ .4	.5	.5	.7	.3	.3	2.5	.3	.3
Kentucky	53,203	.1	.4	6.7	5.3	5.2	9.4	4.0	7.1	4.8	12.5	11.7
Louisiana	66,025	.1	.3	.1	.2	.2	7.0	.1	.1	.1	.1	.1
Maine	13,669	.1	.1	.1	1.8	2.7	1.1	.0	.0	.1	.1	.1
Maryland	70,215	.1	.5	.0	1.1	1.6	12.6	.0	.0	.1	.0	.0
Massachusetts	80,364	.5	.6	1.2	.4	.4	2.0	1.1	1.2	.8	2.1	1.9
Michigan	133,714	.3	.4	.4	1.5	1.2	9.4	.1	.3	.6	.6	.7
Minnesota	64,499	.1	.7	7.0	6.1	6.2	15.2	5.2	6.2	4.4	7.1	7.4
Mississippi	41,533	.0	.5	.1	.2	.2	5.3	.1	.1	.1	.1	.1
Missouri	74,037	.1	.4	.1	.6	.6	3.7	.0	.0	.5	.0	.0
Montana	10,849	.0	.3	.1	1.3	1.4	.5	.1	.1	.6	.1	.1
Nebraska	23,319	.0	.2	.0	1.0	1.0	1.8	.0	.0	.2	7/ .0	.0
Nevada	26,911	.0	1.5	1.4	1.5	1.6	9.8	.2	.7	.7	2.2	2.5
New Hampshire	14,313	.3	.6	.3	.3	.2	6.5	.2	.3	.2	.4	.4
New Jersey	113,279	.1	.3	2.1	1.4	1.4	4.5	.2	2.1	.4	24.2	2.6
New Mexico	26,871	.3	3.5	.2	2.0	2.1	11.2	.0	.0	.4	.0	...
New York	257,238	.1	.3	1.1	5/ 4.4	.3	9.7	.3	.5	.4	8/ 0.8	.9
North Carolina	107,015	.0	.3	.0	.1	.1	2.8	.0	.0	.3	.0	.0
North Dakota	8,353	.1	.3	.1	.5	.8	1.5	.1	.1	.7	.1	.1
Ohio	152,033	.1	.2	.1	.3	.2	3.0	.0	.1	.4	.1	.1
Oklahoma	48,269	.7	5.5	28.8	20.8	21.0	31.4	24.2	28.0	21.2	35.0	35.8
Oregon	43,809	.0	.4	.5	.6	.6	3.0	.0	.0	.2	.0	.0
Pennsylvania	144,224	.1	.4	.1	.8	.4	6.7	.0	.1	.1	.6	.5
Rhode Island	12,455	.3	.4	4.9	2.5	2.7	10.7	4.9	5.1	.2	12.1	12.3
South Carolina	52,214	.0	.3	.0	.2	.3	3.5	.0	.0	.6	.0	.0
South Dakota	10,173	.0	.3	.0	2.0	.0	.0	.1	.0	.0
Tennessee	74,478	.1	.3	.1	.3	.4	4.5	.1	.1	.5	.0	.0
Texas	333,974	.1	...	6/ 1.2	.2	.2	18.9	.1	9/ .1	.6	7/ .1	.1
Utah	43,059	.1	.3	.2	.4	.4	5.9	.0	.1	.0	.3	.5
Vermont	6,607	.3	.2	.1	.9	.3	1.5	.1	.1	.1	.1	.1
Virginia	91,862	.1	.4	.1	.2	.1	7.7	.1	.1	.3	.3	.0
Washington	78,190	.2	.5	1.7	4.4	13.5	22.9	1.3	4.3	.5	5.1	4.9
West Virginia	20,730	.0	.2	.5	.7	2.6	7.8	.0	.5	.2	.8	.5
Wisconsin	66,557	.0	.4	.1	.1	.1	1.5	.0	.1	.0	10/ .1	.1
Wyoming	6,387	.0	.2	.0	1.0	1.0	1.2	.0	-	.2	.0	-
Puerto Rico	64,109	.0	.2	.0	.0	.0	.1	.0	.0	.0	.0	.0
Virgin Islands	2,017	.1	2.4	8.3	1.1	1.1	9.5	4.1	9.6	1.5	10.5	10.1
Guam	4,308	.2	1.9	12.6	3.1	3.3	28.6	11.9	13.3	3.5	15.3	16.0
American Samoa	1,634	.2

See footnotes at end of table.

Table A. Percent of birth records on which specified items were not stated: United States and each State, Puerto Rico, Virgin Islands, Guam, and American Samoa: 1997
(Page 3 of 3)

- Quantity zero.
- 0.0 Quantity more than zero but less than 0.05.
- ... Data not available.
- 1/ Excludes data for Puerto Rico, Virgin Islands, and Guam.
- 2/ California reports date last normal menses began but does not report clinical estimate of gestation.
- 3/ Alabama does not report renal disease.
- 4/ Kansas does not report Rh sensitization.
- 5/ New York city (but not New York State) reports tobacco use.
- 6/ Texas does not report genital herpes and uterine bleeding.
- 7/ Nebraska and Texas do not report birth injury.
- 8/ New York City does not report assisted ventilation less than 30 minutes or assisted ventilation of 30 minutes or more.
- 9/ Texas does not report anesthetic complications and fetal distress.
- 10/ Wisconsin does not report fetal alcohol syndrome.