Table 1-Supplement. Number of never-married males and females 15–19 years of age and percent who have ever had sexual intercourse, by new Hispanic origin and race classification: United States, 2002

	Fema	ale	Mal	е
Characteristic	Number in thousands	Percent	Number in thousands	Percent
All never-married ¹	9,598	45.5	10,139	45.7
Age, Hispanic origin, and race				
5–17 years	5,815	30.3	5,726	31.3
Hispanic or Latino	909	24.8	852	42.6
White, single race	3,563	30.4	3,562	24.6
Black or African American, single race	852	41.8	813	51.6
8–19 years	3,783	68.8	4,413	64.3
Hispanic or Latino	539	58.7	750	68.6
White, single race	2,367	67.3	2,724	61.4
Black or African American, single race	555	79.9	534	77.8
Hispanic origin and race				
Hispanic or Latino	1,447	37.4	1,603	54.8
White, single race	5,930	45.1	6,286	40.5
Black or African American, single race	1,407	56.8	1,347	61.9

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 2-Supplement. Number of males and females 15–19 years of age and percent who have ever had sexual intercourse, by new Hispanic origin and race classification: United States, 2002

	Fema	ale	Mal	е
Characteristic	Number in thousands	Percent	Number in thousands	Percent
All teenagers ¹	9,834	46.8	10,208	46.0
Age, Hispanic origin, and race				
15–17 years	5,819	30.3	5,748	31.6
Hispanic or Latino	912	25.1	852	42.6
White, single race	3,563	30.4	3,584	25.0
Black or African American, single race	852	41.8	813	51.6
18–19 years	4,016	70.6	4,460	64.7
Hispanic or Latino	608	63.5	775	69.6
White, single race	2,507	69.1	2,740	61.6
Black or African American, single race	558	80.0	539	78.0
Hispanic origin and race				
Hispanic or Latino	1,521	40.4	1,628	55.5
Not Hispanic or Latino:				
White, single race	6,069	46.4	6,324	40.9
Black or African American, single race	1,409	56.9	1,352	62.1

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 3-Supplement. Cumulative percent of never-married males and females 15–19 years of age who have ever had sexual intercourse before reaching selected ages, by new race and age and Hispanic origin classification: United States, 2002

Characteristic	Female	Male
All never-married ¹	45.5	45.7
Race and age		
White, single race, Not Hispanic or Latino:		
14 years	4.2	4.3
15 years	11.8	8.9
16 years	37.6	16.5
17 years	41.1	30.6
18 years	70.1	50.5
19 years	68.7	61.7
Black or African American, single race, Not Hispanic or Latino:		
14 years	13.4	17.8
15 years	22.3	29.0
16 years	26.3	47.1
17 years	61.5	68.3
18 years ²	55.4	71.6

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTES: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. The denominator for each percent includes only those having reached the specified age to which the percent pertains.

²Figures not shown for Not Hispanic black or African American, single race, "19 years" due to inadequate sample size.

Table 4-Supplement. Number of females 15–19 years of age and percent who have had sexual intercourse ever in their lives, in the past 12 months, in the past 3 months, and once in their lives, by new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands	Ever	Last 12 months	Last 3 months	Once
All females ¹	9,834	46.8	42.5	35.7	4.1
Never married females ¹					
Total	9,598	45.5	41.3	34.4	4.2
Hispanic origin and race					
Hispanic or Latina	1,447	37.4	33.0	28.7	3.4
Black or African American, single race	1,407 5,930	56.8 45.1	45.5 42.7	34.9 36.0	6.1 3.9

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 5-Supplement. Number of males 15–19 years of age and percent who have had sexual intercourse ever in their lives, in the past 12 months, in the past 3 months, and once in their lives, by new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands	Ever	Last 12 months	Last 3 months	Once
All males aged 15–19 ¹	10,208	46.0	39.8	31.7	4.1
Never married males ¹					
Total	10,139	45.7	39.4	31.2	4.1
Hispanic origin and race					
Hispanic or Latino	1,603	54.8	47.0	38.1	4.9
Black or African American, single race	1,347	61.9	52.0	40.7	6.5
White, single race	6,286	40.5	36.2	28.8	3.9

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 6-Supplement. Number of males and females 15–19 years of age and percent distribution by frequency of intercourse in the past 4 weeks, by new Hispanic origin and race classification: United States, 2002

				Frequer	ncy of sexual in	tercourse	
Characteristic	Number in thousands	Total	0 times	1 time	2–3 times	4–7 times	8 or more times
Female				Percent of	distribution		
All females ¹	9,834	100.0	70.7	4.2	7.7	6.7	10.7
Never married females ¹							
Total	9,598	100.0	72.2	4.3	7.3	6.8	9.4
Hispanic origin and race							
Hispanic or Latina	1,447	100.0	75.3	4.7	7.5	2.5	10.1
Black or African American, single race	1,407	100.0	70.9	4.9	11.4	6.4	6.5
White, single race	5,930	100.0	71.4	3.8	6.5	7.7	10.6
Male							
All males ¹	10,208	100.0	74.6	6.7	6.7	6.2	5.8
Never married males ¹							
Total	10,139	100.0	75.0	6.7	6.5	6.0	5.8
Hispanic origin and race							
Hispanic or Latino	1,603	100.0	70.5	6.9	10.7	8.9	3.0
Black or African American, single race	1,347	100.0	67.5	10.0	10.6	9.5	2.4
White, single race	6,286	100.0	77.0	6.1	5.0	4.8	7.1

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTES: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

Table 7-Supplement. Number of females 18–24 years of age who had sex before age 20 and percent whose first intercourse was not voluntary, new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands	Percent whose first intercourse was not voluntary ¹
All females ¹	10,234	9.6
Hispanic origin and race		
Hispanic or Latina	1,681	10.5
White, single race	6,147 1,570	8.7 10.4

¹Reported as "not voluntary" in the self-administered portion of the questionnaire in 2002. See "Definitions of Terms" for question and response wording.

 $^{^2\}mbox{lncludes}$ persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 8-Supplement. Number of males and females 18–24 years of age who had sex before age 20 and percent distribution by how much first intercourse was wanted, according to new Hispanic origin and race classification: United States, 2002

<u> </u>			<u> </u>					
			Hov	v much first sex was wa	nted ¹			
Characteristic	Number in thousands	Total	Didn't really want it to happen at the time	I had mixed feelings — part of me wanted it to happen at the time and part of me didn't	I really wanted it to happen at the time			
Male			Percent distribution					
Hispanic origin and race								
Hispanic or Latino	2,282	100.0	3.7	33.3	63.0			
White, single race	5,965	100.0	5.2	30.8	64.0			
Black or African American, single race	1,416	100.0	9.6	34.7	55.7			
Female								
Hispanic origin and race								
Hispanic or Latina	1,681	100.0	13.5	60.0	26.4			
White, single race	6,147	100.0	13.6	47.5	38.9			
Black or African American, single race	1,570	100.0	10.3	62.8	26.9			

¹Based on a response to a question in the self-administered portion of the questionnaire asking which of the three reponses comes closest to describing how much he/she wanted the first intercourse to happen.

NOTE: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

²Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 9-Supplement. Number of females 15–19 years of age who have ever had sexual intercourse and percent distribution by age difference between female and first male partner, according to new Hispanic origin and race classification: United States, 2002

				Ма	le partner's age	Э			
Characteristic	Number in thousands	Total	Younger	Same age	1–3 years older	4–5 years older	6 or more years older		
		Percent distribution							
Hispanic origin and race									
Hispanic or Latina	615	100.0	4.1	22.1	38.6	24.2	11.0		
White, single race	2,816	100.0	4.3	13.4	62.1	14.0	6.2		
Black or African American, single race	802	100.0	3.1	19.5	58.9	12.6	5.9		

¹Includes persons of other or unknown race and origin groups, not shown separately.

Note: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

Table 10-Supplement. Number of females 15–19 years of age who have ever had sexual intercourse and percent distribution by type of relationship with partner at first intercourse, according to new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands	Total	Just met or just friends	Going out once in a while	Going steady	Cohabiting, engaged, or married	
		Percent distribution					
All females ¹	4,598	100.0	14.0	6.6	74.6	3.7	
Hispanic origin and race							
Hispanic or Latina	615	100.0	12.4	*	69.3	13.0	
White, single race	2,816	100.0	13.3	6.1	76.3	3.0	
Black or African American, single race	802	100.0	19.8	6.1	73.7	*	

^{*} Figure does not meet standard of reliability or precision.

NOTE: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

¹Includes persons of other or unknown race and origin groups and persons in "other" types of relationships, not shown separately.

Table 11-Supplement. Number of females 15–19 years of age and percent distribution by number of sexual partners in the 12 months prior to the interview, according to new Hispanic origin and race classification: United States, 2002

Characteristic				Had sex		Number of partners in last 12 months		
	Number in thousands	Total	Never had sex	but not in last 12 months	1	2–3	4 or more	
Never-married females ¹				Percent distri	bution			
Hispanic origin and race								
Hispanic or Latina	1,447	100.0	62.6	4.4	26.2	5.6	1.2	
White, single race	5,930	100.0	54.9	2.5	27.9	10.6	4.2	
Black or African American, single race	1,406	100.0	43.2	11.4	27.0	14.1	4.3	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 12-Supplement. Number of males 15–19 years of age and percent distribution by number of sexual partners in the 12 months prior to the interview, according to new Hispanic origin and race classification: United States, 2002

Characteristic			Never had sex		Had sex		imber of partn last 12 mont	
	Number in thousands	Total		but not in last 12 months	1	2–3	4 or more	
Never-married males ¹		Percent distribution						
Hispanic origin and race								
Hispanic or Latino	1,603	100.0	45.2	7.8	25.8	15.7	5.5	
White, single race	6,286	100.0	59.5	4.3	20.3	13.6	2.3	
Black or African American, single race	1,347	100.0	38.1	9.9	23.8	21.0	7.2	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 13-Supplement. Number of females 15–19 years of age and percent distribution by number of sexual partners in lifetime, according to new Hispanic origin and race classification: United States, 2002

			Number of partners in lifetime					
Characteristic	Number in thousands	Total	0	1	2–3	4–6	7 or more	
Never-married females ¹				Percent of	listribution			
Hispanic origin and race								
Hispanic or Latina	1,447	100.0	62.6	17.5	13.1	5.4	1.5	
White, single race	5,930	100.0	54.9	17.4	12.0	7.9	7.8	
Black or African American, single race	1,406	100.0	43.2	20.3	21.2	10.7	4.7	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

Table 14-Supplement. Number of males 15–19 years of age and percent distribution by number of sexual partners in lifetime, according to new Hispanic origin and race classification: United States, 2002

			Number of partners in lifetime					
Characteristic	Number in thousands	Total	0	1	2–3	4–6	7 or more	
Never-married males ¹				Percent c	listribution			
Hispanic origin and race:								
Hispanic or Latino	1,603	100.0	45.2	17.4	12.7	15.1	9.6	
White, single race	6,286	100.0	59.5	14.8	13.9	6.9	4.9	
Black or African American, single race	1,347	100.0	38.1	16.3	16.4	16.8	12.4	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTES: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding. Percents may not add to 100 due to rounding.

Table 15-Supplement. Number of females 15–19 years of age who have ever had sexual intercourse and percent who used specified method of contraception at first sexual intercourse, by new Hispanic origin and race classification: United States: 2002

Characteristic	Number in thousands	No method	Condom	Pill	Withdrawal	Dual methods (hormonal and condom)
Female ¹						
Hispanic origin and race:						
Hispanic or Latina	615	33.8	55.5	8.6	8.2	9.0
White, single race	2.816	22.1	72.6	17.1	8.4	14.9
Black or African American, single race	802	27.5	62.9	13.9	5.9	8.9
Never married female ¹						
Hispanic origin and race:						
Hispanic or Latina	541	28.6	59.8	9.7	8.8	10.2
White, single race	2,677	21.9	73.0	17.5	8.9	15.6
Black or African American, single race	799	27.3	63.1	13.9	6.0	8.9

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Statistics for condom, pill, other hormonal, withdrawal, and all other methods, reflect use of that method regardless of whether it was used alone or in combination with another method.

Table 16-Supplement. Number of males 15–19 years of age who have ever had sexual intercourse and percent who used specified method of contraception at first sexual intercourse, by new Hispanic origin and race classification: United States: 2002

Characteristic	Number in thousands	No method	Condom	Pill	Withdrawal	Dual methods (hormonal and condom)
Hispanic origin and race:						
Hispanic or Latino	903	26.6	67.4	5.8	4.0	5.5
Not Hispanic or Latino:						
White, single race	2,585	15.1	68.6	18.9	13.0	11.6
Black or African American, single race	839	15.6	84.2	8.9	3.8	9.0
Never married male ¹						
Hispanic origin and race:						
Hispanic or Latino Not Hispanic or Latino:	878	27.3	66.5	5.9	4.1	5.7
White, single race	2,546	14.4	69.0	19.2	13.2	11.8
Black or African American, single race	834	15.1	84.7	9.0	3.9	9.1

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Statistics for condom, pill, other hormonal, withdrawal, and all other methods, reflect use of that method regardless of whether it was used alone or in combination with another method.

Table 17-Supplement. Number of males and females 15–44 years of age who have ever had premarital sexual intercourse and percent who used specified method of contraception at first sexual intercourse, by year of first intercourse and new race and Hispanic origin classification, United States: 2002

Characteristic	Number in thousands	No method	Condom	Pill	Other hormonal	Withdrawal	All other methods	Dual methods (hormonal and condom)
Male ¹								
First intercourse in 1990–2002:								
Total	20,741	21.7	66.9	13.9	1.5	7.8	2.6	9.0
Hispanic or Latino	4,322	38.4	53.0	9.1	1.0	5.4	1.2	4.6
White, single race	12,062	15.5	69.8	17.9	1.7	9.8	3.5	11.5
Black or African American, single race	2,465	18.9	79.7	7.1	0.4	1.7	1.2	6.4
First intercourse 1989 or before:								
Total	29,742	47.4	36.1	11.2	*	8.9	3.4	4.2
Hispanic or Latino	4,238	58.3	32.2	6.1	*	6.0	1.3	2.3
White, single race	19,545	41.9	37.7	13.6	0	10.6	4.1	4.7
Black or African American, single race	3,711	60.6	32.4	8.5	0	3.5	2.5	5.5
Female ¹								
First intercourse in 1990–2002: Total								
Hispanic or Latina	20,804	26.3	61.8	18.5	1.7	6.2	2.3	12.7
Not Hispanic or Latina	3,506	45.3	42.2	9.5	2.7	6.8	2.4	6.4
White, single race	12,473	19.7	68.4	21.0	1.3	6.4	2.2	14.1
Black or African American, single race	3,129	29.7	60.9	19.5	1.9	3.6	1.9	14.4
First intercourse 1989 or before:								
Total	27,915	44.9	32.5	17.3	0.3	8.8	2.7	4.7
Hispanic or Latina	2,870	64.3	21.9	9.5	*	5.2	2.7	2.7
White, single race	19,507	40.7	35.1	17.1	*	10.2	2.7	4.2
Black or African American, single race	4,141	47.7	30.9	24.6	*	5.1	1.9	8.7

^{*}Figure does not meet standard of reliability or precision.

NOTES: Statistics for condom, pill, other hormonal, withdrawal, and all other methods, reflect use of that method regardless of whether it was used alone or in combination with another method. These figures represent premarital sex based on a measure of date of first sex regardless of menarche. An alternative measure of premarital sex uses date of first sex after menarche.

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 19-Supplement. Number of females 15–19 years of age who have ever had sexual intercourse and percent who ever used the specified contraceptive method, by new race and Hispanic origin classification: United States, 2002

		Not Hisp	anic or Latina	_
Method	Total	White, single race	Black or African American, single race	Hispanic or Latina
		Numbe	er in thousands	
All females ¹	4,598	2,816	802	615
		Percent	who ever used	
Any method	97.7	98.4	96.9	94.3
Pill	61.4	67.6	55.5	36.5
njectable	20.7	18.2	25.5	24.3
Emergency contraception	8.1	8.7	6.2	7.3
Condom	93.7	95.8	94.3	82.8
Periodic abstinence—calendar	10.8	9.9	12.7	10.6
Nithdrawal	55.0	61.6	41.7	52.1
Other methods	12.3	12.4	18.8	6.9

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 20-Supplement. Number of never-married females 15–19 years of age who had sexual intercourse in the 3 months prior to the interview and percent using specified contraceptive method and method combinations at last sexual intercourse, by new race and Hispanic origin classification: United States, 2002

Contraceptive use during last intercourse	2002
	Number in thousands
White, single race, not Hispanic or Latina	2,137
	Percent
iii	40.9
ther hormonal ¹	7.9
ondom	60.4
II other methods ²	*
ual methods (hormonal and condom)	22.1
o method	10.2
ny method	89.8
	Number in thousands
lack or African American, single race, not Hispanic or Latina	491
	Percent
iii	27.9
ther hormonal ¹	18.1
ondom	51.3
I other methods ²	_
ual methods (hormonal and condom)	23.1
o method	23.9
ny method	76.1

^{*} Figure does not meet standard of reliability or precision.

NOTE: Statistics for condom, pill, other hormonal, and all other methods, reflect use of that method regardless of whether it was used alone or in combination with another method.

Quantity zero.

¹Includes Depo-Provera injectable, Lunelle injectable, Norplant implants, emergency contraception, and contraceptive patch.

²All other methods besides condom and hormonal methods. Thus, if other method was combined with condom or hormonal method, it is not counted. Other methods include sterilization, IUD, female condom, diaphragm, cervical cap, spermicidal foam, jelly, cream or suppository, sponge, periodic abstinence, and "other" methods.

Table 21-Supplement. Number of never-married males 15–19 years of age who had sexual intercourse in the 3 months prior to the interview and percent using specified contraceptive method and method combinations at last sexual intercourse, by new race and Hispanic origin classification: United States, 2002

Contraceptive use during last intercourse	2002
	Number in thousands
White, single race, not Hispanic or Latino	1,812
	Percent
	39.2
ther hormonal ¹	6.8
ondom	69.4
II other methods ²	3.3
ual methods (hormonal and condom)	30.4
o method	8.2
ny method	91.8
	Number in thousands
lack or African American, single race, not Hispanic or Latino	549
	Percent
ill	20.9
ther hormonal ¹	*
ondom	86.8
II other methods ²	_
ual methods (hormonal and condom)	20.5
o method	10.3
any method	89.7

^{*} Figure does not meet standard of reliability or precision.

NOTE: Statistics for condom, pill, other hormonal, and all other methods, reflect use of that method regardless of whether it was used alone or in combination with another method.

⁻ Quantity zero.

¹Includes Depo-Provera injectable, Lunelle injectable, Norplant implants, emergency contraception, and contraceptive patch.

²All other methods besides condom and hormonal methods. Thus, if other method was combined with condom or hormonal method, it is not counted. Other methods include sterilization, IUD, female condom, diaphragm, cervical cap, spermicidal foam, jelly, cream or suppository, sponge, periodic abstinence, and "other" methods.

Table 22-Supplement. Number of males and females 15–24 years of age who had sexual intercourse in the 4 weeks prior to the interview, and percent distribution by consistency of condom use, according to new Hispanic origin and race classification: United States, 2002

	N. 1		Percent of times a condom was used			
Characteristic	Number in thousands	Total	0	Some	100	
			Percent	distribution		
Never-married males ¹						
Hispanic origin and race:						
Hispanic or Latino	1,247	100.0	41.1	11.7	47.2	
Not Hispanic white, single race	4,091	100.0	41.0	7.8	51.2	
Not Hispanic black or African American, single race	1,054	100.0	23.1	5.1	71.8	
Never-married females ¹						
Hispanic origin and race:						
Hispanic or Latina	966	100.0	62.3	9.0	28.7	
White, single race	4,385	100.0	47.8	15.1	37.1	
Black or African American, single race	1,152	100.0	51.9	11.9	36.2	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percents may not add to 100 due to rounding.

Table 23-Supplement. Number of males and females 15–24 years of age who had sexual intercourse in the 12 months prior to the interview, and percent distribution by consistency of condom use, according to new Hispanic origin and race classification: United States, 2002

				How often a condom was used ¹	
Characteristic	Number in thousands	Total	None of the time	Some of the time	Every time
			Percent of	distribution	
Never-married males					
Hispanic origin and race:					
Hispanic or Latino	1,998	100.0	15.9	46.8	37.3
Not Hispanic or Latino:					
Not Hispanic white, single race	5,989	100.0	16.3	50.6	33.1
Not Hispanic black or African American, single race	1,589	100.0	4.9	45.3	49.8
Never-married females					
Hispanic origin and race:					
Hispanic or Latina	1,290	100.0	34.9	47.5	17.7
Not Hispanic or Latina:					
White, single race	5,796	100.0	23.5	48.4	28.1
Black or African American, single race	1,698	100.0	26.2	48.1	25.7

¹For females, question offered the categorical response choices shown above. For males, question asked for a percent. The following was used: 0%="none of the time." 1–99%="some of the time." 100% = every time.

NOTES: Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity. Percent may not add to 100 due to rounding.

 $^{^{2}\}mbox{lncludes}$ persons of other or unknown race and origin groups, not shown separately.

Table 24-Supplement. Probability of a first birth by the end of each year of age, by new Hispanic origin and race classification: females 15–24: United States, 2002

		Probability of a first birth by age						
Characteristic	Number in thousands	16	17	18	19	20	21	
Hispanic origin and race ¹								
Hispanic or Latina	3,153	0.01	0.03	0.08	0.17	0.24	0.35	
White single race	12,007	0.00	0.01	0.02	0.05	0.08	0.12	
Black or African American, single race	2,805	0.02	0.04	0.08	0.11	0.19	0.27	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 25-Supplement. Number of births in the 5 years before interview to females 15–44 years of age at interview and percent distribution by wantedness status at conception, according to age at birth and new race and Hispanic origin classification: United States, 2002

				Wante	dness status		
						Mistimed	
Characteristic	Number in thousands	Total	Intended	Unwanted	Total mistimed	Less than 3 years too soon	3 or more years too soon
				Percer	nt distribution		
All births ¹	20,759	100.0	64.7	14.2	20.8	12.6	7.5
Hispanic or Latina							
Under 20 years	700	100.0	23.7	18.0	58.3	22.5	33.3
20–24 years	1,345	100.0	53.5	20.5	26.0	15.4	7.5
25–44 years	2,097	100.0	67.1	14.9	17.5	13.0	4.1
Not Hispanic or Latina							
White, single race:							
Under 20 years	868	100.0	18.7	22.5	58.9	18.0	40.4
20–24 years	2,613	100.0	59.1	12.6	27.9	19.2	8.6
25–44 years	8,686	100.0	79.8	9.0	10.9	9.4	1.2
Black or African American, single race:							
Under 20 years	442	100.0	20.9	23.6	55.4	16.2	37.2
20–24 years	1,038	100.0	46.3	28.7	25.0	12.3	12.1
25–44 years	1,326	100.0	60.4	25.2	14.3	8.3	5.7

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Percents do not add to 100 due to rounding and because births with wantedness status reported as "don't know" are not shown separately, and births with missing data on "how much too soon" are not shown separately.

Table 26-Supplement. Number of males and females 15–19 years of age and percent who received formal instruction before age 18 on how to say no to sex, by grade when received instruction, according to new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands		Did not		Recei	de when n	when		
		Total	receive instruction ²	1–5	6	7	8	9	10–12
Female ¹		Percent distribution							
Hispanic origin and race:									
Hispanic or Latina	1,521	100.0	18.6	15.6	17.6	16.0	10.7	14.0	7.1
White, single race	6,069	100.0	13.2	19.5	20.0	18.1	12.2	10.5	6.4
Black or African American, single race	1,409	100.0	15.9	14.2	22.3	13.7	15.6	14.5	3.8
Male ¹									
Hispanic origin and race:									
Hispanic or Latino	1,628	100.0	22.2	17.6	16.3	15.3	12.7	10.4	5.3
White, single race	6,324	100.0	15.8	26.0	17.8	17.9	11.2	8.0	3.2
Black or African American, single race	1,352	100.0	19.7	17.6	17.2	17.1	14.4	10.3	3.7

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

 $^{^{2} \}mbox{lncludes}$ never having received instruction as well as not receiving instruction before age 18.

NOTE: Percents may not add to 100 due to rounding. Teenagers who had not yet reached a specific grade are not represented in the percentage corresponding to that grade. Thus the figures underestimate the percentage who will ultimately receive instruction at each grade.

Table 27-Supplement. Number of males and females 15–19 years of age and percent who received formal instruction before age 18 on methods of birth control, by grade when received instruction, according to new Hispanic origin and race classification: United States, 2002

Characteristic	Number in thousands		Did not		Received instruction and grade when first received instruction				
		Total	receive instruction ²	1–5	6	7	8	9	10–12
Male ¹		Percent distribution							
Hispanic origin and race:									
Hispanic or Latino	1,628	100.0	37.8	6.7	10.0	16.8	10.1	12.5	6.1
Not Hispanic or Latino:									
White, single race	6,324	100.0	30.8	10.1	9.2	14.0	12.3	16.2	6.7
Black or African American, single race	1,352	100.0	45.4	5.2	9.8	11.6	8.5	12.2	7.3
Female ¹									
Hispanic origin and race:									
Hispanic or Latina	1,521	100.0	35.4	2.8	8.8	11.3	9.4	21.4	10.2
Not Hispanic or Latina:									
White, single race	6,069	100.0	27.8	6.5	10.0	13.0	14.3	18.5	9.5
Black or African American, single race	1,409	100.0	35.8	6.4	5.8	10.3	13.1	15.7	13.0

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

²Includes never having received instruction as well as not receiving instruction before age 18.

NOTE: Percents may not add to 100 due to rounding. Teenagers who had not yet reached a specific grade are not represented in the percentage corresponding to that grade. Thus the figures underestimate the percentage who will ultimately receive instruction at each grade.

Table 29-Supplement. Number of females and males 15–19 years of age who have never had intercourse and percent distribution by main reason they have never had intercourse by new Hispanic origin and race classification: United States, 2002

	Hispanic origin and race						
		Not Hispanic or Latino					
Gender and reason	Hispanic or Latino	White, single race	Black or African American, single race				
Male							
lumber in thousands ¹	725	3,739 Percent distribution	513				
otal	100.0	100.0	100.0				
Against religion or morals	18.9	35.7	22.2				
Don't want to get (a female) pregnant	42.1	23.2	28.9				
Don't want to get a sexually transmitted disease	11.7	9.0	21.3				
Haven't found the right person yet	19.0	19.2	13.0				
In a relationship, but waiting for the right time	*	4.6	*				
Other reason	5.6	8.4	*				
Female							
lumber in thousands ¹	906	3,253	607				
		Percent distribution					
otal	100.0	100.0	100.0				
Against religion or morals	29.8	42.1	19.2				
Don't want to get (a female) pregnant	24.2	18.3	14.0				
Don't want to get a sexually transmitted disease	8.6	3.7	25.9				
Haven't found the right person yet	13.5	19.3	18.6				
In a relationship, but waiting for the right time	11.4	4.9	5.1				
Other reason	12.4	11.6	17.2				

^{*}Figure does not meet standard of reliability or precision.

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

Table 32-Supplement. Number of never-married males and females 15–19 years of age and percent distribution by responses to statement "If you got pregnant now/got a female pregnant now, how would you feel?", United States, 2002

Characteristic	Number in thousands	Total	Very upset	A little upset	A little pleased	Very pleased	
Male		Percent distribution					
All never-married males ¹	10,139	100.0	51.4	33.4	11.0	3.7	
Hispanic origin and race							
Hispanic or Latino	1,603	100.0	38.2	35.1	17.0	9.7	
White, single race	6,286	100.0	59.2	30.3	8.6	1.3	
Black or African American, single race	1,347	100.0	34.8	44.1	14.5	5.8	
Female							
All never-married females ¹	9,598	100.0	60.2	26.7	8.0	4.7	
Hispanic origin and race							
Hispanic or Latina	1,447	100.0	46.4	29.0	14.9	9.8	
White, single race	5,930	100.0	66.4	24.1	5.3	3.5	
Black or African American, single race	1,407	100.0	50.8	31.5	12.4	4.9	

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Percents may not add to 100 due to rounding.

Table I-Supplement. Number of males and females 15–19 years of age who have ever had sexual intercourse and percent distribution by frequency of intercourse in the past 4 weeks, by new Hispanic origin and race classification: United States, 2002

Characteristic			Frequency of sexual intercourse						
	Number in thousands	Total	0 times	1 time	2–3 times	4–7 times	8 or more times		
Never married females ¹			Percent distribution						
Hispanic origin and race:									
Hispanic or Latina	541	100.0	32.6	12.7	20.3	6.8	27.6		
Black or African American, single race	799	100.0	48.6	8.7	20.1	11.3	11.4		
White, single race	2,677	100.0	36.4	8.5	14.4	17.2	23.6		
Never married males ¹									
Hispanic origin and race:									
Hispanic or Latino	878	100.0	46.0	12.7	19.6	16.2	5.5		
Black or African American, single race	834	100.0	47.4	16.2	17.1	15.5	3.9		
White, single race	2,546	100.0	43.0	15.1	12.5	11.9	17.6		

¹Includes persons of other, unknown, or multiple race and origin groups, not shown separately.

NOTE: Percents may not add to 100 due to rounding. Numbers and percents reflect heterosexual vaginal sexual intercourse only, not other types of sexual activity.