		Baseline										Target
	Objective	year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	2000
8.1*	Years of healthy life	1990	64.0		63.9	63.7	63.5	63.8	63.9	64.2		65
	a. Black	1990	56.0		56.0	55.6	55.2	55.6	56.0	56.5		60
	b. Hispanic/1	1990	64.8		63.6	2/64.0	63.2	64.2	64.0	64.7		65
	c. People 65 years and over/3	1990	11.9		11.8	11.9	11.9	12.1	12.0	12.2		14
8.2	Completion of high school (18-24 years)	1992	a/86%				86%	86%	85%	86%	86%	90%
	a. Hispanic	1992	a/62%				64%	62%	63%	62%	67%	90%
	b. Black	1992	a/82%				82%	83%	84%	83%	82%	90%
8.3	Preschool child development programs											
	Eligible children 4 years enrolled in Head Start Low-income children 5 years receiving 1 year of Head Start	1990	47%		55%						40%	100%
	services prior to entering K-1st grade					58%	57%	58%	54%	49%		
	Disabled children 3-5 years enrolled in preschool				56%		56%		63%			
8.4	Schools with comprehensive school health education											
	All eight criteria met	1994	2.3%									75%
	A documented, sequential program	1994	a/48%									
	At least one health education course	1994	a/77%									
	Instruction in six key behavioral areas	1994	a/47%									
	Focus on skill development	1994	a/39%									
	Health education teachers adequately trained	1994	53%									
	Designated coordinator for health education	1994	38%									
	Involvement of parents, health professionals,											
	and other concerned community members	1994	a/31%									
	Evaluation of health education program during the past 2 years	1994	a/67%									
8.5	Health promotion in post-secondary institutions											
	Higher education institutions offering health promotion activities	1989-90	20%									50%
	College students 18-24 years who report receiving											
	information from their college or university on:											
	Tobacco use prevention	•••							32%			
	Alcohol and other drug use prevention	•••							59%			
	Violence prevention								38%			
	Injury prevention and safety								26%			
	Suicide prevention								21%			
	Pregnancy prevention								34%			
	Sexually transmitted disease prevention								53%			
	AIDS or HIV infection prevention								58%			
	Dietary behaviors and nutrition								34%			

		Baseline										Target
	Objective	year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	2000
	Physical activity and fitness								40%			
8.6	Worksite health promotion activities											
	Worksites with 50 or more employees (using 1985 analysis)	1985	65%			81%					4/90%	85%
	Worksites with 50 or more employees (using 1992 analysis)					92%						
	Medium and large companies having a wellness program	1987	63%									85%
8.7	Hourly workers 18 years and over participating in health											
	promotion activities	1994	21%									20%
8.8	Health promotion programs for older adults											
	People 65 years and over participating in at least											
	one health promotion program through a facility											
	serving older adults	1995	12%								6/12%	90%
8.9	Family discussion of health issues-children 10 years and over	1994	83%									75%
	Nutrition							67%			6/58%	
	Physical activity							66%			6/55%	
	Sexual behavior							39%			6/38%	
	Tobacco							47%			6/45%	
	Alcohol							38%			6/40%	
	Illegal drugs							33%			6/39%	
	Safety							50%			6/50%	
	Among 9th-12th grade students engaging in family											
	discussion of HIV/AIDS	1989	54%	53%	61%		66%		63%		63%	75%
8.10	Number of States with community health programs											
	addressing at least three Healthy People 2000 objectives that											
	reach 40% of State population											50
	Proportion of States with 90 percent of local health departments providing services that address three or more Healthy People 2000	9										
	priority areas						5/81%					
8.11	Counties with programs for racial/ethnic minority groups											50%
	Percent of local health departments providing											
	culturally and linguistically appropriate services/7											
	Health promotion											
	Physical activity and fitness	1996-97	21%									50%
	Nutrition	1996-97	44%									50%
	Tobacco	1996-97	24%									50%
	Alcohol and other drugs	1996-97	26%									50%
	Family planning	1996-97	42%									50%
	Mental health and mental disorders	1996-97	18%									50%
	Violent and abusive behavior	1996-97	25%									50%

	Baseline	_									Tar
Objective	year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	20
Education and community-based programs Health Protection	1996-97	33%									Ę
Unintentional injuries	1996-97	19%									
Occupational safety and health	1996-97	13%									
Environmental health	1996-97	22%									
Food and drug safety	1996-97	18%									
Oral health	1996-97	25%									
Preventive Services											
Maternal and infant health	1996-97	47%									
Heart disease and stroke	1996-97	28%									
Cancer	1996-97	30%									
Diabetes and other chronic disabling conditions	1996-97	26%									
HIV infection	1996-97	45%									
Sexually transmitted diseases	1996-97	41%									
Immunization and infectious diseases	1996-97	48%									
Clinical preventive services	1996-97	35%									
Surveillance and data systems	1996-97	14%									
Hospital-based patient education and community											
health promotion											
Patient education programs											
Registered hospitals	1987	68%	86%								
Health maintenance organizations											
Health education classes			8/75%		84%						
Nutrition counseling			8/85%		87%						
Smoking cessation classes					67%						
Community health promotion programs											
Community hospitals	1987	60%	77%								
Television partnerships with community											
organizations for health promotion	1995-96	100%									
Effective public health systems											
Local health departments reporting:											
Health assessment											
Behavioral risk assessment	1990	33%									
Morbidity data	1990	49%									
Reportable disease	1990	87%									
Vital records and statistics	1990	64%									
Surveillance - chronic disease	1990	55%									
Surveillance - communicable disease	1990	92%									
Policy development functions and services											
Health code development and enforcement	1990	59%									

	Baseline										Target
Objective	year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	2000
Health planning	1990	57%									90%

	Baseline										Target
Dbjective	year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	2000
lealth assurance											
Health education	1990	74%				5/84%					90%
Child health	1990	84%									90%
Immunizations	1990	92%				5/96%					90%
Prenatal care	1990	59%				5/64%					90%
Primary care	1990	22%				5/30%					90%

---/Data not available.

.../Category not applicable.

a/Baseline has been revised.

1/Estimate based on preliminary data. Excludes mortality data from States lacking a Hispanic-origin item on their death certificate

or for which Hispanic-origin data were not of sufficient quality. See appendix.

2/Estimate derived from 1991-93 health status data and 1992 mortality data.

3/Years of healthy life remaining at age 65.

4/1999 data.

5/1992-1993 data. Data are from 43 States and represent local health department's report of whether a program or service existed.

6/1998 data.

7/Data include only those local health departments whose jurisdiction has a racial or ethnic group that constitutes more than 10 percent its population.

Only local health departments that report providing programs or interventions for the specific Healthy People program or program area listed are included. 8/1988 data.

NOTE: Data include revisions and, therefore, may differ from data previously published in these reports and other publications.

#### **Data Sources:**

Objective number	Data source
8.1*, 8.1a-c	National Vital Statistics System, CDC, NCHS.
	National Health Interview Survey, CDC, NCHS.
8.2, 8.2a-b	National Center for Education Statistics, National Education Goals Panel.
8.3	Head Start data: Head Start Bureau: Administration on Children, Youth, and Families.
	Data on disabled children: National Center for Education Statistics, National Education Goals Panel.
8.4	School Health Policies and Programs Study, CDC, NCCDPHP.
8.5	Baseline: Health Promotion on Campus Survey and Directory, American College Health Association.
	Data for college students: National College Health Risk Behavior Survey, CDC, NCCDPHP.
8.6	Baseline and 1992 update for worksites with 50 or more employees : National Survey of Worksite Health Promotion Activities,
	OPHS, ODPHP. 1998-99 update: National Worksite Health Promotion Survey, 1999, OPHS, ODPHP.
	Baseline for medium and large companies: Health Research Institute Biennial Survey, Health Research Institute.
8.7	National Health Interview Survey, CDC, NCHS.
8.8	National Health Interview Survey, CDC, NCHS.
8.9	1989 baseline: Secondary School Student Health Risk Survey, CDC, NCCDPHP.

		Baseline										Target
Objective		year	Baseline	1990	1991	1992	1993	1994	1995	1996	1997	2000
	1990-97 data: Youth Risk Behavior Survey, CDC, NCCDPHP.											
	1994 and 1998 data: National Health Interview Survey, CDC, NCHS.											
8.10	National Profile of Local Health Departments, National Association of City and County Health Officials.											
8.11	National Profile of Local Health Departments, National Association of City and County Health Officials.											
8.12	Annual Survey of Hospitals, AHA.											
	HMO Industry Profile, Group I	Health Associati	ion of America, Ir	nc.								
8.13	Media Health Partnerships Survey, CDC, NCCDPHP.											
8.14	National Profile of Local Healt	h Departments,	National Associ	ation of City	and County	/ Health Offic	ials.					

\*Duplicate objective. See full text of objective following this table.