List of Trend Tables		15. Legal abortions and legal abortion ratios , by selected	
		patient characteristics: United States, selected years 1973–2004	181
Health Status and Determinants		16. Contraceptive use in the past month among women 15–44 years of age, by age, race, Hispanic origin, and	
Population		method of contraception: United States, selected years 1982–2002	183
1. Resident population, by age, sex, race, and Hispanic origin: United States, selected years 1950–2006	155	17. Breastfeeding among mothers 15–44 years of age, by year of baby's birth, and selected characteristics of mother:	
2. Inmates in state or federal prisons and local jails, by sex, race, Hispanic origin, and age: United States, selected	4-0	United States, average annual 1986–1988 through 1999–2001	187
years 1999–2006	158	Mortality	
characteristics, race, and Hispanic origin: United States, selected years 1973–2006	160	18. Infant, neonatal, and postneonatal mortality rates, by detailed race and Hispanic origin of mother: United States, spletted years 1093, 2005.	188
Fertility and Natality		selected years 1983–2005	100
4. Crude birth rates, fertility rates , and birth rates by age, race, and Hispanic origin of mother: United States, selected		and over, by education, detailed race, and Hispanic origin of mother: United States, selected years 1983–2005	190
years 1950–2005	162	20. Infant mortality rates by birthweight: United States, selected years 1983–2005	192
5. Live births , by plurality, and detailed race and Hispanic origin of mother: United States, selected years 1970–2005	165	21. Infant mortality rates , fetal mortality rates, and perinatal	1,72
5. Twin and higher order multiple births, by race, Hispanic origin, and age of mother: United States, selected years		mortality rates, by race: United States, selected years 1950–2005	193
1971–2005	166	22. Infant mortality rates, by race and Hispanic origin of	
7. Prenatal care for live births, by detailed race and Hispanic origin of mother: United States, selected years 1970–2000,	147	mother, geographic division, and state: United States, average annual 1989–1991, 2000–2002, and 2003–2005	194
and selected states, 2004–2005	167	23. Neonatal mortality rates , by race and Hispanic origin of mother, geographic division, and state: United States, average	107
geographic division, and states, average annual 1997–1999, 2000–2002, and 2003–2005	168	annual 1989–1991, 2000–2002, and 2003–2005	197
9. Teenage childbearing, by detailed race and Hispanic origin of mother: United States, selected years 1970–2005	171	Selected countries and territories, selected years 1960–2005	200
10. Nonmarital childbearing by detailed race and Hispanic origin of mother, and maternal age: United States, selected years 1970–2005	172	25. Life expectancy at birth and at 65 years of age, by sex: Selected countries and territories, selected years 1980–2004	201
11. Mothers who smoked cigarettes during pregnancy, by		26. Life expectancy at birth, at 65 years of age, and at	
detailed race and Hispanic origin of mother: United States, selected years 1990–2000 and selected states, 2004–2005	173	75 years of age, by race and sex: United States, selected years 1900–2005	203
12. Low birthweight live births, by detailed race, Hispanic origin, and smoking status of mother: United States, selected years 1970–2005	174	27. Age-adjusted death rates , by race, Hispanic origin, geographic division, and state: United States, average annual 1979–1981, 1989–1991, and 2003–2005	204
13. Low birthweight live births among mothers 20 years of age and over, by detailed race, Hispanic origin, and education of mother: United States, selected years and		28. Age-adjusted death rates for selected causes of death, by sex, race, and Hispanic origin: United States, selected years 1950–2005	206
reporting areas 1989–2005	175	29. Years of potential life lost before age 75 for selected causes of death, by sex, race, and Hispanic origin:	
	178	United States, selected years 1980–2005	210
	170	30. Leading causes of death and numbers of deaths, by sex, race, and Hispanic origin: United States, 1980 and 2005	214

Health, United States, 2008 xv

31. Leading causes of death and numbers of deaths, by age: United States, 1980 and 2005	218	Determinants and Measures of Health	
32. Age-adjusted death rates, by race, sex, region, and urbanization level: United States, average annual 1996–1998, 1999–2001, and 2003–2005	220	49. Nonfatal occupational injuries and illnesses with days away from work, job transfer, or restriction, by industry: United States, 2003–2006	267
33. Age-adjusted death rates among persons 25–64 years of age for selected causes of death, by sex and educational		50. Selected notifiable disease rates and number of cases: United States, selected years 1950–2006	268
attainment: Selected states, 1994–2005	223	51. Acquired immunodeficiency syndrome (AIDS) cases, by year of diagnosis and selected characteristics: United States,	
and age: United States, selected years 1950–2005	225	2002–2006	270
35. Death rates for diseases of heart , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	229	sites, by sex, race, and Hispanic origin: United States, selected geographic areas, selected years 1990–2005	272
36. Death rates for cerebrovascular diseases , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	232	53. Five-year relative cancer survival rates for selected cancer sites, by race and sex: United States, selected geographic areas, selected years 1975–1977 through 1996–2004	275
37. Death rates for malignant neoplasms , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	235	54. Diabetes among adults 20 years of age and over, by sex, age, and race and Hispanic origin: United States, 1988–1994, 1999–2002, and 2003–2006	276
38. Death rates for malignant neoplasms of trachea , bronchus , and lung , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	239	55. Incidence and prevalence of end-stage renal disease , by selected characteristics: United States, selected years 1980–2005	277
39. Death rates for malignant neoplasm of breast among females, by race, Hispanic origin, and age: United States, selected years 1950–2005	242	56. Severe headache or migraine, low back pain, and neck pain among adults 18 years of age and over, by selected characteristics: United States, selected years 1997,	
40. Death rates for chronic lower respiratory diseases , by sex, race, Hispanic origin, and age: United States, selected years 1980–2005	244	2005, and 2006	278
41. Death rates for human immunodeficiency virus (HIV) disease , by sex, race, Hispanic origin, and age: United States, selected years 1987–2005	247	2005, and 200658. Limitation of activity caused by chronic conditions, by selected characteristics: United States, selected years	280
42. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, by race, Hispanic origin, and age: United States, selected years 1950–2005	249	1997–2006	284
43. Death rates for motor vehicle-related injuries , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	250	selected years 1997–2006	287
44. Death rates for homicide , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	254	61. Serious psychological distress in the past 30 days among adults 18 years of age and over, by selected	
45. Death rates for suicide , by sex, race, Hispanic origin, and age: United States, selected years 1950–2005	258	characteristics: United States, average annual selected years, 1997–1998 through 2005–2006	291
46. Death rates for firearm-related injuries , by sex, race, Hispanic origin, and age: United States, selected years 1970–2005	261	62. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States, selected years 1991–2007.	293
47. Deaths from selected occupational diseases among persons 15 years of age and over: United States, selected years 1980–2005	264	63. Current cigarette smoking among adults 18 years of age and over, by sex, race, and age: United States, selected years 1965–2006.	295
48. Occupational injury deaths and rates, by industry, sex, age, race, and Hispanic origin: United States, selected years 1995–2006	265	jouis 1700 2000	273

xvi Health, United States, 2008

64. Age-adjusted prevalence of current cigarette smoking among adults 25 years of age and over, by sex, race, and education level: United States, selected years		Utilization of Health Resources	
1974–2006	297	Ambulatory Care	
65. Current cigarette smoking among adults, by sex, race, Hispanic origin, age, and education level: United States, average annual 1990–1992, 1995–1998, and 2004–2006.	298	78. No usual source of health care among children under 18 years of age, by selected characteristics: United States, average annual 1993–1994, 2001–2002, and 2005–2006	327
66. Use of selected substances in the past month among persons 12 years of age and over, by age, sex, race, and Hispanic origin: United States, 2002, 2005, and 2006	300	79. No usual source of health care among adults 18–64 years of age, by selected characteristics: United States, average annual selected years 1993–1994 through 2005–2006	329
67. Use of selected substances among high school seniors, tenth-, and eighth-graders, by sex and race: United States, selected years 1980–2007	302	80. Reduced access to medical care during the past 12 months due to cost, by selected characteristics: United States, 1997, 2005, and 2006	331
68. Lifetime alcohol drinking status among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2006.	305	81. Reduced access to medical care during the past 12 months due to cost, by state: 25 largest states and United States, average annual 1997–1998, 2001–2002, and 2005–2006	333
69. Heavier drinking and drinking five or more drinks in a day among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2006	308	82. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, by selected characteristics: United States, average annual 1997–1998, 2001–2002, and 2005–2006	334
70. Selected health conditions and risk factors: United States, 1988–1994 through 2005–2006	311	83. Health care visits to doctor offices, emergency departments, and home visits within the past 12 months, by selected characteristics: United States, 1997, 2005, and	
persons 20 years of age and over, by selected characteristics: United States, 1988–1994, 1999–2002, and 2003–2006	312	2006	336
72. Serum total cholesterol levels among persons 20 years of age and over, by selected characteristics: United States, selected years 1960–1962 through 2003–2006	314	85. Vaccination coverage among children 19–35 months of age for selected diseases, by race, Hispanic origin, poverty level, and location of residence in metropolitan statistical area (MSA): United States, selected years 1995–2006	340
 20–74 years of age, by sex and age: United States, 1971–1974 through 2001–2004	317	86. Vaccination coverage among children 19–35 months of age, by geographic division, state, and selected urban area: United States, 2002–2006	342
age and over, by selected characteristics: United States, 1998, 2005, and 2006	318	87. Influenza vaccination among adults 18 years of age and over, by selected characteristics: United States, selected years 1989–2006	344
persons 20 years of age and over, by selected characteristics: United States, 1960–1962 through 2003–2006	320	88. Pneumococcal vaccination among adults 18 years of age and over, by selected characteristics: United States,	
76. Overweight among children and adolescents 6–19 years of age, by selected characteristics: United States, 1963–1965 through 2003–2006.	324	selected years 1989–2006	346
77. Untreated dental caries , by selected characteristics: United States, 1971–1974, 1988–1994, and 2001–2004	325	years 1987–2005	348 350
		91. Emergency department visits within the past 12 months among children under 18 years of age, by selected characteristics: United States, 1997, 2005, and 2006	352

Health, United States, 2008 xvii

92. Emergency department visits within the past 12 months among adults 18 years of age and over, by selected characteristics: United States, selected years 1997–2006	355	Health Care Resources	
93. Injury-related visits to hospital emergency departments,	333	Personnel	
by sex, age, and intent and mechanism of injury: United States, average annual 1995–1996, 1999–2000, and 2005–2006	357	108. Persons employed in health service sites, by site and sex: United States, 2000–2007	393
94. Visits to physician offices, hospital outpatient departments, and hospital emergency departments, by	337	109. Active physicians and physicians in patient care, by geographic division and state: United States, selected years 1975–2006	394
selected characteristics: United States, selected years 1995–2006	359	110. Doctors of medicine , by place of medical education and activity: United States and outlying U.S. areas, selected	001
95. Visits to primary care generalist and specialist physicians, by selected characteristics and type of physician: United States, selected years 1980–2006	362	years 1975–2006	396
96. Dental visits in the past year, by selected characteristics: United States, 1997, 2005, and 2006	364	1949–2006	397
97. Selected prescription and nonprescription drugs recorded during physician office visits and hospital outpatient		occupations: United States, selected years 1999–2006	398
department visits, by sex and age: United States, 1995–1996 and 2004–2005	366	113. First-year enrollment and graduates of health professions schools , and number of schools, by selected profession: United States, selected years 1980–2006	399
98. Prescription drug use in the past month by sex, age, race and Hispanic origin: United States, 1988–1994 and 2001–2004	369	114. Total enrollment of minorities in schools for selected health occupations, by race and Hispanic origin: United States, selected academic years 1980–1981 through	
99. Dietary supplement use among persons 20 years of age and over, by selected characteristics: United States, 1988–1994 and 2001–2004	370	2005–2006	400
100. Admissions to mental health organizations , by type of service and organization: United States, selected years	5.0	selected health occupations: United States, selected academic years 1980–1981 through 2005–2006	402
1986–2004	371	Facilities	
Inpatient Care 101. Persons with hospital stays in the past year, by		116. Hospitals , beds, and occupancy rates, by type of ownership and size of hospital: United States, selected years 1975–2006	403
selected characteristics: United States, 1997, 2005, and 2006	372	117. Mental health organizations and beds for 24-hour hospital and residential treatment, by type of organization:	404
102. Discharges , days of care, and average length of stay in nonfederal short-stay hospitals, by selected characteristics: United States, selected years 1980–2006	375	United States, selected years 1986–2004	404
103. Discharges in nonfederal short-stay hospitals, by sex, age, and selected first-listed diagnosis: United States, 1990,		percentage change, by geographic division and state: United States, selected years 1960–2006	405
2000, and 2006	378	119. Occupancy rates in community hospitals and average annual percent change, by geographic division and state: United States, selected years 1960–2006	406
short-stay hospitals, by sex, age, and selected first-listed diagnosis: United States, 1990, 2000, and 2006	381	120. Nursing homes , beds, occupancy, and residents, by geographic division and state: United States, selected years	
105. Discharges with at least one procedure in nonfederal short-stay hospitals, by sex, age, and selected procedures: United States, selected years 1990–2006	387	1995–2007	407
106. Hospital admissions , average length of stay, outpatient	307	United States, selected years 1980–2006	409
visits, and outpatient surgery, by type of ownership and size of hospital: United States, selected years 1975–2006	391	122. Number of Magnetic Resonance Imaging (MRI) units and Computed Tomography (CT) scanners: Selected countries, selected years 1990–2006	410
107. Nursing home residents 65 years of age and over, by age, sex, and race: United States, selected years	202		

xviii Health, United States, 2008

Health Care Expenditures and Payors		Health Care Coverage and Major Federal Progran	ns
National Health Expenditures		137. Private health insurance coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2006	433
123. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars, by selected countries: Selected years 1960–2005	411	138. Private health insurance coverage obtained through the workplace among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2006	435
124. Gross domestic product, federal, and state and local government expenditures, national health expenditures, and exerage annual percent change: United States, selected years 1960–2006	412	139. Medicaid coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2006	437
125. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2007	413	140. No health insurance coverage among persons under 65 years of age, by selected characteristics: United States, selected years 1984–2006	439
126. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2006	414	141. Health insurance coverage of persons 65 years of age and over, by type of coverage and selected characteristics: United States, selected years 1992–2006	441
127. National health expenditures, average annual percent change, and percent distribution, by type of expenditure: United States, selected years 1960–2006	415	142. Medicare enrollees and expenditures and percent distribution, by Medicare program and type of service: United States and other areas, selected years 1970–2007	443
128. Personal health care expenditures , by source of funds and type of expenditure: United States, selected years 1960–2006	417	143. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, by sex and age: United States and other areas, selected years 1994–2006	445
129. National health expenditures for mental health services, average annual percent change and percent distribution, by type of expenditure: United States, selected		144. Medicare beneficiaries by race, ethnicity, and selected characteristics: United States, 1992, 2004, and 2005	446
years 1986–2003	419	145. Medicaid recipients and medical vendor payments, by basis of eligibility, and race and ethnicity: United States, selected fiscal years 1972–2005	448
distribution, by type of expenditure: United States, selected years 1986–2003	420	146. Medicaid recipients and medical vendor payments, by type of service: United States, selected fiscal years 1972–2005	449
131. Expenses for health care and prescribed medicine, by selected population characteristics: United States, selected years 1987–2005	421	147. Department of Veterans Affairs health care expenditures and use, and persons treated, by selected characteristics: United States, selected fiscal years	
132. Sources of payment for health care, by selected population characteristics: United States, selected years 1987–2005	424	State Health Expenditures and Health Insurance	451
133. Out-of-pocket health care expenses among persons with medical expenses, by age: United States, selected years 1987–2005	427	148. Per capita personal health care expenditures, by state of residence: United States, selected years 1991–2004	452
134. Expenditures for health services and supplies and percent distribution, by type of payer: United States, selected years 1987–2006	428	149. Medicare enrollees, enrollees in managed care, payment per enrollee, and short-stay hospital utilization by geographic region and state: United States, 1994 and	
135. Employers ' costs per employee-hour worked for total compensation, wages and salaries, and health insurance , by selected characteristics: United States, selected years		2006	454
136. Hospital expenses, by type of ownership and size of nospital: United States, selected years 1980–2006	430 432	the poverty level, by geographic region and state: United States, selected fiscal years 1989–2005	456
	7J 4	151. Persons without health insurance coverage by state: United States, average annual 1995–1997 through 2004–2006	458

Health, United States, 2008 xix