CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE ENCINITAS, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-20).

| 2013 ART CYCLE PROFILE D | | | | Data verified by Lori L. Arnold, MD | | | | | | |
|---|------|-----------|-----|-------------------------------------|-----|----------------|-----|-----------------------|-----|--|
| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis b | | | | | | |
| IVF | 100% | With ICSI | 95% | Tubal factor | 5% | Uterine factor | 19% | Multiple Factors: | | |
| Unstimulated | 0% | Used PGD | 16% | Ovulatory dysfunction | 8% | Male factor | 20% | Female factors only | 23% | |
| Used gestational carrier | 16% | | | Diminished ovarian reserve | 48% | Other factor | 31% | Female & male factors | 8% | |
| | | | | Endometriosis | 2% | Unknown factor | 0% | | | |

| Endometriosis | 2% U | nknown iac | tor 0% |) | | | |
|---|----------|----------------------------|------------|----------|-----------------------------|-----|--|
| 2013 ART SUCCESS RATES ^c Total number of cycles ^d : 83 (| includes | o cycle[s |] using fr | ozen egg | s) | | |
| | | Age of Woma | | | | | |
| Type of Cycle | <35 | 35-37 | 38-40 | 41-42 | 43-44 | >44 | |
| Fresh Embryos from Nondonor Eggs | 100 | | | | | | |
| Number of cycles | 6 | 4 | 5 | 3 | 0 | 1 | |
| Percentage of cancellations (%) | 1/6 | 0/4 | 0/5 | 0/3 | _ | 0/1 | |
| Average number of embryos transferred | 2.2 | 2.8 | 2.4 | 2.3 | | 1.0 | |
| Percentage of embryos transferred resulting in implantation (%) | 4/11 | 2/4 | 2/8 | 4/7 | | 0/1 | |
| Percentage of elective single embryo transfers (eSET) (%) | 0/5 | 0/3 | 0/4 | 0/3 | | | |
| Outcomes per Cycle | | | | | | | |
| Percentage of cycles resulting in term, normal weight & singleton live births (%) | 2/6 | 2/4 | 2/5 | 2/3 | | 0/1 | |
| Percentage of cycles resulting in singleton live births (%) | 2/6 | 2/4 | 2/5 | 2/3 | | 0/1 | |
| Percentage of cycles resulting in twin live births (%) | 1/6 | 0/4 | 0/5 | 1/3 | | 0/1 | |
| Percentage of cycles resulting in live births (%) | 3/6 | 2/4 | 2/5 | 3/3 | | 0/1 | |
| Percentage of cycles resulting in pregnancies (%) | 3/6 | 4/4 | 3/5 | 3/3 | | 0/1 | |
| Outcomes per Transfer | | | | | | | |
| Number of transfers | 5 | 4 | 5 | 3 | 0 | 1 | |
| Percentage of transfers resulting in term, normal weight & singleton live births (%) | 2/5 | 2/4 | 2/5 | 2/3 | | 0/1 | |
| Percentage of transfers resulting in singleton live births (%) | 2/5 | 2/4 | 2/5 | 2/3 | | 0/1 | |
| Percentage of transfers resulting in twin live births (%) | 1/5 | 0/4 | 0/5 | 1/3 | | 0/1 | |
| Percentage of transfers resulting in live births (%) | 3/5 | 2/4 | 2/5 | 3/3 | | 0/1 | |
| Percentage of transfers resulting in pregnancies (%) | 3/5 | 4/4 | 3/5 | 3/3 | | 0/1 | |
| Frozen Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | 5 | 4 | 3 | 2 | 0 | 1 | |
| Number of transfers | 5 | 4 | 3 | 2 | 0 | 1 | |
| Estimated average number of transfers per retrieval | 1.7 | 0.7 | 1.0 | _ | 0.0 | 0.2 | |
| Average number of embryos transferred | 3.0 | 2.5 | 1.7 | 2.0 | | 3.0 | |
| Percentage of embryos transferred resulting in implantation (%) | 10 / 15 | 2/10 | 2/5 | 0/1 | | 0/3 | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | 1/5 | 0/4 | 0/3 | 0/2 | | 0/1 | |
| Percentage of transfers resulting in singleton live births (%) | 1/5 | 0/4 | 0/3 | 0/2 | | 0/1 | |
| Percentage of transfers resulting in twin live births (%) | 4/5 | 1/4 | 1/3 | 0/2 | | 0/1 | |
| Percentage of transfers resulting in live births (%) | 5/5 | 1/4 | 1/3 | 0/2 | | 0/1 | |
| Percentage of transfers resulting in pregnancies (%) | 5/5 | 1/4 | 1/3 | 1/2 | | 0/1 | |
| Number of Egg/Embryo Banking Cycles | 2 | 6 | 3 | 0 | 2 | 6 | |
| Donor Eggs | | Fresh Embryos ^f | | | Frozen Embryos ^f | | |
| Number of cycles | 19 | | | 11 | | | |
| Number of transfers | | 19 | | | 11 | | |
| Average number of embryos transferred | | 1.9 | | | 2.2 | | |
| Percentage of embryos transferred resulting in implantation (%) | | 52.8 | | | 9 / 19 | | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 8 / 19 | | | 5/11 | | |
| Percentage of transfers resulting in singleton live births (%) | | 11 / 19 | | | 5/11 | | |
| Percentage of transfers resulting in twin live births (%) | | 2/19 | | | 1/11 | | |
| Percentage of transfers resulting in live births (%) | | 13 / 19 | | | 6/11 | | |
| Percentage of transfers resulting in pregnancies (%) | | 13 / 19 | | | 9/11 | | |
| | | | | | -, | | |

CURRENT SERVICES & PROFILE Current Name: California Center for Reproductive Medicine

| Donor eggs? | Yes | Gestational carriers? | Yes | Single women? | Yes | Verified lab accreditation? | Yes |
|----------------|-----|--------------------------|-----|---------------|-----|-------------------------------|-----|
| Donor embryos? | Yes | Embryo cryopreservation? | Yes | SART member? | Yes | (See Appendix C for details.) | |

a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.