HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

| 2013 ART CYCLE PROFILE Date | | | | Data verified by Eli Reshef, MD | | | | | | |
|-------------------------------------------------|------|-----------|-----|---------------------------------|-----|----------------|-----|-----------------------|-----|--|
| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis b | | | | | | |
| IVF | 100% | With ICSI | 56% | Tubal factor | 22% | Uterine factor | <1% | Multiple Factors: | | |
| Unstimulated | 0% | Used PGD | 0% | Ovulatory dysfunction | 20% | Male factor | 48% | Female factors only | 12% | |
| Used gestational carrier | 0% | | | Diminished ovarian reserve | 8% | Other factor | 20% | Female & male factors | 20% | |
| _ | | | | Endometriceis | 16% | Unknown factor | 00% | | | |

| | Endometriosis | 16% l | Jnknown fac | tor 9% | | | | |
|--------------------------------------------------------|------------------------------------------|---------|-------------|------------------|----------|---------|------------------|--|
| 2013 ART SUCCESS RATES T | otal number of cycles ^d : 293 | (includ | es 0 cyclel | s] using f | rozen eg | gs) | | |
| | • | ` | | | of Woman | | | |
| Type of Cycle | | <35 | 35-37 | 38-40 | 41-42 | 43-44 | >44 | |
| Fresh Embryos from Nondonor Eggs | | | | | | | | |
| Number of cycles | | 155 | 37 | 26 | 5 | 1 | 1 | |
| Percentage of cancellations (%) | | 3.2 | 2.7 | 11.5 | 1/5 | 1/1 | 1/1 | |
| Average number of embryos transferred | | 2.0 | 2.1 | 2.3 | 3.3 | | | |
| Percentage of embryos transferred resulting in imp | lantation (%) | 43.3 | 31.9 | 18.8 | 2 / 13 | | | |
| Percentage of elective single embryo transfers (eSI | ET) (%) | 0.0 | 0.0 | 0.0 | 0/4 | | | |
| Outcomes per Cycle | Δ. | | | | | | | |
| Percentage of cycles resulting in term, normal weig | | 25.8 | 24.3 | 11.5 | 2/5 | 0/1 | 0/1 | |
| Percentage of cycles resulting in singleton live birth | | 32.9 | 32.4 | 15.4 | 2/5 | 0/1 | 0/1 | |
| Percentage of cycles resulting in twin live births (% |) | 22.6 | 10.8 | 7.7 | 0/5 | 0/1 | 0/1 | |
| Percentage of cycles resulting in live births (%) | | 55.5 | 43.2 | 23.1 | 2/5 | 0/1 | 0/1 | |
| Percentage of cycles resulting in pregnancies (%) | | 58.7 | 43.2 | 30.8 | 2/5 | 0/1 | 0/1 | |
| Outcomes per Transfer Number of transfers | | 148 | 34 | 22 | 4 | 0 | 0 | |
| Percentage of transfers resulting in term, normal w | oight & singleton live hirths e (%) | 27.0 | 26.5 | 13.6 | 2/4 | U | U | |
| Percentage of transfers resulting in term, normal w | | 34.5 | 35.3 | 18.2 | 2/4 | | | |
| Percentage of transfers resulting in twin live births | | 23.6 | 11.8 | 9.1 | 0/4 | | | |
| Percentage of transfers resulting in live births (%) | (70) | 58.1 | 47.1 | 27.3 | 2/4 | | | |
| Percentage of transfers resulting in pregnancies (%) | 6) | 61.5 | 47.1 | 36.4 | 2/4 | | | |
| Frozen Embryos from Nondonor Eggs | , | | | | | | | |
| Number of cycles | | 22 | 8 | 1 | 2 | 1 | 1 | |
| Number of transfers | | 21 | 8 | 1 | 2 | 0 | 1 | |
| Estimated average number of transfers per retrieva | 1 | 1.9 | 8.0 | | _ | · · | • | |
| Average number of embryos transferred | | 1.8 | 2.4 | 2.0 | 1.5 | | 2.0 | |
| Percentage of embryos transferred resulting in imp | lantation (%) | 15.8 | 3 / 19 | 0/2 | 1/3 | | 1/2 | |
| Percentage of transfers resulting in term, normal w | | 14.3 | 1/8 | 0/1 | 1/2 | | 1/1 | |
| Percentage of transfers resulting in singleton live bi | irths (%) | 19.0 | 2/8 | 0/1 | 1/2 | | 1/1 | |
| Percentage of transfers resulting in twin live births | (%) | 4.8 | 0/8 | 0/1 | 0/2 | | 0/1 | |
| Percentage of transfers resulting in live births (%) | | 23.8 | 2/8 | 0/1 | 1/2 | | 1/1 | |
| Percentage of transfers resulting in pregnancies (% | 5) | 23.8 | 3/8 | 0/1 | 1/2 | | 1/1 | |
| Number of Egg/Embryo Banking Cycles | | 1 | 0 | 0 | 0 | 0 | 0 | |
| Donor Eggs | | Fr | esh Embr | vos ^f | Froz | en Embr | yos ^f | |
| Number of cycles | | | 11 | | | 21 | | |
| Number of transfers | | | 10 | | | 20 | | |
| Average number of embryos transferred | | | 2.2 | | | 2.0 | | |
| Percentage of embryos transferred resulting in imp | | | 22.7 | | | 7.7 | | |
| Percentage of transfers resulting in term, normal w | | | 4 / 10 | | | 5.0 | | |
| Percentage of transfers resulting in singleton live bi | · · · | | 4/10 | | | 15.0 | | |
| Percentage of transfers resulting in twin live births | (%) | | 0/10 | | | 0.0 | | |
| Percentage of transfers resulting in live births (%) | Α. | | 4/10 | | | 15.0 | | |
| Percentage of transfers resulting in pregnancies (% | p) | | 4 / 10 | | | 15.0 | | |

CURRENT SERVICES & PROFILE Current Name: Henry G. Bennett, Jr., Fertility Institute

| Donor eggs? | Yes | Gestational carriers? | No | Single women? | No | Verified lab accreditation? | Yes |
|----------------|-----|--------------------------|-----|---------------|-----|-------------------------------|-----|
| Donor embryos? | Yes | Embryo cryopreservation? | Yes | SART member? | Yes | (See Appendix C for details.) | |

a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

[°] Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.