GARFIELD FERTILITY CENTER SOUTH PASADENA, CALIFORNIA

| Comparison of success rates across clinics may not be meaningful. Patient medical | | stics and trea | atment appro | baches vai | ry (see page | s 11–20). |
|--|--------------------------------|--|-------------------|-----------------------------|--|-----------|
| 2013 ART CYCLE PROFILE Data verified by Brian C. S | - | | | | | |
| Type of ART and Procedural Factors ^a | Patient Diagnosis ^b | | | | | |
| IVF 100% With ICSI 53% Tubal factor Unstimulated 0% Used PGD 20% Ovulatory dysfunction Used gestational carrier 0% Sector Diminished ovarian reserve | 5% (9% (e 64% (| Jterine factor Male factor Other factor Jnknown fac | r 9% 55% 9% | Female | Factors: e factors only e & male fac | • |
| 2013 ART SUCCESS RATES ^c Total number of cycles ^d : 23 | 3 (include | s 0 cycle[s |] using fro | ozen egg | s) | |
| Time of Cuelo | | Age of Woman | | | | |
| Type of Cycle | <35 | 35-37 | 38-40 | 41-42 | 43-44 | >44 |
| Fresh Embryos from Nondonor Eggs | | | | | | |
| Number of cycles | 3 | 3 | 3 | 3 | 3 | 0 |
| Percentage of cancellations (%) | 0/3 | 1/3 | 1/3 | 0/3 | 0/3 | |
| Average number of embryos transferred | 2.0 | 1.5 | 1.0 | 2.0 | 3.0 | |
| Percentage of embryos transferred resulting in implantation (%) | 3/6 | 1/3 | 0/1 | 0/2 | 0/9 | |
| Percentage of elective single embryo transfers (eSET) (%) | 0/3 | 0/1 | | 0/1 | 0/3 | |
| Outcomes per Cycle Percentage of cycles resulting in term, normal weight & singleton live births ^e (%) | 1/3 | 1/3 | 0/3 | 0/3 | 0/3 | |
| Percentage of cycles resulting in term, normal weight & singleton live births (%) Percentage of cycles resulting in singleton live births (%) | 2/3 | 1/3 | 0/3 | 0/3 | 0/3 | |
| Percentage of cycles resulting in twin live births (%) | 0/3 | 0/3 | 0/3 | 0/3 | 0/3 | |
| Percentage of cycles resulting in live births (%) | 2/3 | 1/3 | 0/3 | 0/3 | 0/3 | |
| Percentage of cycles resulting in pregnancies (%) | 3/3 | 1/3 | 0/3 | 0/3 | 0/3 | |
| Outcomes per Transfer | | | | | | |
| Number of transfers | 3 | 2 | 1 | 1 | 3 | 0 |
| Percentage of transfers resulting in term, normal weight & singleton live births $^{ m e}$ (% | 5) 1/3 | 1/2 | 0/1 | 0/1 | 0/3 | |
| Percentage of transfers resulting in singleton live births (%) | 2/3 | 1/2 | 0/1 | 0/1 | 0/3 | |
| Percentage of transfers resulting in twin live births (%) | 0/3 | 0/2 | 0/1 | 0/1 | 0/3 | |
| Percentage of transfers resulting in live births (%) | 2/3 | 1/2 | 0/1 | 0/1 | 0/3 | |
| Percentage of transfers resulting in pregnancies (%) | 3/3 | 1/2 | 0/1 | 0/1 | 0/3 | |
| Frozen Embryos from Nondonor Eggs | | | | | | |
| Number of cycles | 0 | 2 | 2 | 0 | 0 | 0 |
| Number of transfers | 0 | 2 | 2 | 0 | 0 | 0 |
| Estimated average number of transfers per retrieval | | | 2.0 | | 0.0 | |
| Average number of embryos transferred | | 1.5 | 1.5 | | | |
| Percentage of embryos transferred resulting in implantation (%) Percentage of transfers resulting in term, normal weight & singleton live births^e (%) | | 2/3 1/2 | 3/3 1/2 | | | |
| Percentage of transfers resulting in singleton live births (%) | D) | 1/2 | 1/2 | | | |
| Percentage of transfers resulting in twin live births (%) | | 0/2 | 1/2 | | | |
| Percentage of transfers resulting in live births (%) | | 1/2 | 2/2 | | | |
| Percentage of transfers resulting in pregnancies (%) | | 1/2 | 2/2 | | | |
| Number of Egg/Embryo Banking Cycles | 0 | 0 | 0 | 0 | 1 | 0 |
| Donor Eggs | Fr | Fresh Embryos ^f | | Frozen Embryos ^f | | |
| Number of cycles | | 2 | - | | 1 | |
| Number of transfers | | 2 | | | 1 | |
| Average number of embryos transferred | | 1.5 | | | 2.0 | |
| Percentage of embryos transferred resulting in implantation (%) | ~ | 2/3 | | | 1/2 | |
| Percentage of transfers resulting in term, normal weight & singleton live births (% | b) | 0/2 | | | 1/1 | |
| Percentage of transfers resulting in singleton live births (%) | | 0/2 | | | 1/1 | |
| Percentage of transfers resulting in twin live births (%) Percentage of transfers resulting in live births (%) | | 1/2 1/2 | | | 0/1 1/1 | |
| Percentage of transfers resulting in pregnancies (%) | | 1/2 | | | 1/1 | |
| r oroontago or tranororo rooatting in progranoroo (70) | | 1/2 | | | 17.1 | |

CURRENT SERVICES & PROFILE

Current Name: This clinic has closed or reorganized since 2013. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects features of fresh nondonor cycles. If IVF is <100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (e.g., twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces). ^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA