BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-20).

2014 ART CYCLE PROFILE

Data verified by Jamie A. Massie, MD

Type of ART and Proce	Patient Diagnosis b							
	With ICSI PGD/PGS		Tubal factor Ovulatory dysfunction Diminished ovarian reserve Endometriosis	8% 16%	Uterine factor Male factor Other factor Unknown factor	13% 60% 0% 5%	i dinaid iddicid ding	11% 26%

Time of Circle	Age of Woman					
Type of Cycle	<35	35-37	38-40	41-42	43-44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	35	22	1	0	0
Percentage of cancellations before retrieval (%)	0.0	2.9	9.1	0/1		
Average number of embryos transferred	2.0	2.1	2.4	3.0		
Percentage of embryos transferred resulting in implantation (%)	42.7	15.4	20.9	0/3		
Percentage of elective single embryo transfers (eSET) (%)	6.3	9.4	0/17	0/1		
Outcomes per Cycle			40.0	0.44		
Percentage of cycles resulting in term, normal weight & singleton live births (%)	30.8	17.1	13.6	0/1		
Percentage of cycles resulting in singleton live births (%)	33.8	20.0	13.6	0/1		
Percentage of cycles resulting in twin live births (%)	23.1	2.9	4.5	0/1		
Percentage of cycles resulting in live births (%)	56.9 58.5	22.9 28.6	22.7 27.3	0 / 1 0 / 1		
Percentage of cycles resulting in pregnancies (%) Outcomes per Transfer	36.3	20.0	21.3	0 / 1		
Number of transfers	64	33	18	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births (%)	31.3	18.2	3/18	0/1	U	U
Percentage of transfers resulting in singleton live births (%)	34.4	21.2	3/18	0/1		
Percentage of transfers resulting in twin live births (%)	23.4	3.0	1/18	0/1		
Percentage of transfers resulting in live births (%)	57.8	24.2	5/18	0/1		
Percentage of transfers resulting in pregnancies (%)	59.4	30.3	6/18	0/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of cycles Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval	U	U	U	U	U	U
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs		Fresh Embr		Frozen Embryos ^f		
Number of cycles	0			0		
Number of transfers		0			0	
Average number of embryos transferred		· ·			, i	
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
reidentage of transfers resulting in live births (%)						

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.