VALLEY CENTER FOR REPRODUCTIVE HEALTH TINA KOOPERSMITH, MD SHERMAN OAKS, CALIFORNIA

Type of ART and Procedural Factors ^a Patient Diagnosis ^b							
/F100%With ICSI63%Tubal factorInstimulated0%PGD/PGS6%Ovulatory dysfunctionIsed gestational carrier0%Diminished ovarian reserveEndometriosis	20% 14% 17% (Uterine factor Male factor Other factor Unknown fact	9% 21% 14%	Female	Factors: e factors only e & male fac	,	
2014 ART SUCCESS RATES ^c Total number of cycles ^d : 90	(include	es 0 cycle[s] using fro	zen egg	s)		
Type of Cycle		Age of Woman					
	<35	35–37	38–40	41-42	43-44	>44	
resh Embryos from Nondonor Eggs							
Number of cycles	14	3	7	3	4	1	
Percentage of cancellations before retrieval (%)	0/14	0/3	1/7	1/3	1/4	0/1	
Average number of embryos transferred	1.8	2.0	2.0	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	2/12		1/10	0/2	0/2	1/1	
Percentage of elective single embryo transfers (eSET) (%)	2/7	0/2	1/5	0/1	0/1		
Outcomes per Cycle Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2/14	0/3	1/7	0/3	0/4	0/1	
Percentage of cycles resulting in singleton live births (%)	2/14		1/7	0/3	0/4	1/1	
Percentage of cycles resulting in twin live births (%)	0/14		0/7	0/3	0/4	0/1	
Percentage of cycles resulting in live births (%)	2/14		1/7	0/3	0/4	1/1	
Percentage of cycles resulting in pregnancies (%)	3/14	1/3	1/7	0/3	0/4	1/1	
Outcomes per Transfer		., .		0,0			
Number of transfers	8	2	5	1	1	1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2/8	0/2	1/5	0/1	0/1	0/1	
Percentage of transfers resulting in singleton live births (%)	2/8	0/2	1/5	0/1	0/1	1/1	
Percentage of transfers resulting in twin live births (%)	0/8	0/2	0/5	0/1	0/1	0/1	
Percentage of transfers resulting in live births (%)	2/8	0/2	1/5	0/1	0/1	1/1	
Percentage of transfers resulting in pregnancies (%)	3/8	1/2	1/5	0/1	0 / 1	1/1	
rozen Embryos from Nondonor Eggs							
Number of cycles	21	7	3	1	2	0	
Number of transfers	21	7	3	1	2	0	
Estimated average number of transfers per retrieval	1.8	1.8	0.6	0.2	0.5		
Average number of embryos transferred	1.8	1.6	1.3	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	31.6	5 / 10	2/4	0/1	1/4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.8	3/7	0/3	0/1	0/2		
Percentage of transfers resulting in singleton live births (%)	33.3	3/7	0/3	0 / 1	0/2		
Percentage of transfers resulting in twin live births (%)	9.5	1/7	1/3	0 / 1	0/2		
Percentage of transfers resulting in live births (%)	42.9	4 / 7	1/3	0/1	0/2		
Percentage of transfers resulting in pregnancies (%)	42.9	5/7	1/3	0/1	1/2		
lumber of Egg/Embryo Banking Cycles	6	2	5	4	3	0	
Donor Eggs	Fr	Fresh Embryos ^f		Frozen Embryos ^f			
Number of cycles		2			2		
Number of transfers		2			2		
Average number of embryos transferred		1.0			1.5		
Percentage of embryos transferred resulting in implantation (%) Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2/2 2/2			0/3		
Percentage of transfers resulting in term, normal weight & singleton live births (%) Percentage of transfers resulting in singleton live births (%)		2/2			0/2		
Percentage of transfers resulting in twin live births (%)		0/2			0/2		
Percentage of transfers resulting in live births (%)		2/2			0/2		
Percentage of transfers resulting in pregnancies (%)		2/2			0/2		
		/			U, L		

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

Yes SART member?

Yes (See Appendix C for details.)

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

° Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

Yes Embryo cryopreservation?

Donor embryos?