

SANTA MONICA FERTILITY SANTA MONICA, CALIFORNIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

| 2014 ART CYCLE PROFILE | | | | Data verified by John K. Jain, MD | | | | | |
|---|------|-----------|-----|-----------------------------------|----|----------------|-----|--------------------------|----|
| Type of ART and Procedural Factors ^a | | | | Patient Diagnosis ^b | | | | | |
| IVF | 100% | With ICSI | 91% | Tubal factor | 4% | Uterine factor | 3% | <i>Multiple Factors:</i> | |
| Unstimulated | 0% | PGD/PGS | 18% | Ovulatory dysfunction | 2% | Male factor | 6% | Female factors only | 9% |
| Used gestational carrier | 0% | | | Diminished ovarian reserve | 9% | Other factor | 90% | Female & male factors | 6% |
| | | | | Endometriosis | 0% | Unknown factor | 2% | | |

| 2014 ART SUCCESS RATES ^c | | Total number of cycles ^d : 240 (includes 0 cycle[s] using frozen eggs) | | | | | |
|---|--------------|---|--------|-------|-----------------------------------|--------|--|
| Type of Cycle | Age of Woman | | | | | | |
| | <35 | 35–37 | 38–40 | 41–42 | 43–44 | >44 | |
| Fresh Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | 0 | 1 | 8 | 2 | 0 | 0 | |
| Percentage of cancellations before retrieval (%) | | 0 / 1 | 1 / 8 | 0 / 2 | | | |
| Average number of embryos transferred | | 2.0 | 2.8 | 4.0 | | | |
| Percentage of embryos transferred resulting in implantation (%) | | 0 / 2 | 4 / 11 | 0 / 8 | | | |
| Percentage of elective single embryo transfers (eSET) (%) | | 0 / 1 | 0 / 3 | 0 / 2 | | | |
| Outcomes per Cycle | | | | | | | |
| Percentage of cycles resulting in term, normal weight & singleton live births ^e (%) | | 0 / 1 | 1 / 8 | 0 / 2 | | | |
| Percentage of cycles resulting in singleton live births (%) | | 0 / 1 | 2 / 8 | 0 / 2 | | | |
| Percentage of cycles resulting in twin live births (%) | | 0 / 1 | 1 / 8 | 0 / 2 | | | |
| Percentage of cycles resulting in live births (%) | | 0 / 1 | 3 / 8 | 0 / 2 | | | |
| Percentage of cycles resulting in pregnancies (%) | | 0 / 1 | 3 / 8 | 0 / 2 | | | |
| Outcomes per Transfer | | | | | | | |
| Number of transfers | 0 | 1 | 5 | 2 | 0 | 0 | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 0 / 1 | 1 / 5 | 0 / 2 | | | |
| Percentage of transfers resulting in singleton live births (%) | | 0 / 1 | 2 / 5 | 0 / 2 | | | |
| Percentage of transfers resulting in twin live births (%) | | 0 / 1 | 1 / 5 | 0 / 2 | | | |
| Percentage of transfers resulting in live births (%) | | 0 / 1 | 3 / 5 | 0 / 2 | | | |
| Percentage of transfers resulting in pregnancies (%) | | 0 / 1 | 3 / 5 | 0 / 2 | | | |
| Frozen Embryos from Nondonor Eggs | | | | | | | |
| Number of cycles | 4 | 4 | 8 | 3 | 4 | 3 | |
| Number of transfers | 4 | 4 | 8 | 3 | 4 | 3 | |
| Estimated average number of transfers per retrieval | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.1 | |
| Average number of embryos transferred | 1.3 | 1.3 | 1.0 | 1.7 | 2.5 | 4.3 | |
| Percentage of embryos transferred resulting in implantation (%) | 4 / 5 | 4 / 4 | 7 / 7 | 4 / 5 | 3 / 10 | 0 / 13 | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | 2 / 4 | 2 / 4 | 3 / 8 | 1 / 3 | 1 / 4 | 0 / 3 | |
| Percentage of transfers resulting in singleton live births (%) | 3 / 4 | 2 / 4 | 4 / 8 | 1 / 3 | 1 / 4 | 0 / 3 | |
| Percentage of transfers resulting in twin live births (%) | 0 / 4 | 1 / 4 | 0 / 8 | 0 / 3 | 0 / 4 | 0 / 3 | |
| Percentage of transfers resulting in live births (%) | 3 / 4 | 3 / 4 | 4 / 8 | 1 / 3 | 1 / 4 | 0 / 3 | |
| Percentage of transfers resulting in pregnancies (%) | 4 / 4 | 4 / 4 | 7 / 8 | 3 / 3 | 2 / 4 | 0 / 3 | |
| Number of Egg/Embryo Banking Cycles | | | | | | | |
| | 15 | 20 | 25 | 11 | 15 | 27 | |
| Donor Eggs | | Fresh Embryos^f | | | Frozen Embryos^f | | |
| Number of cycles | | 31 | | | 59 | | |
| Number of transfers | | 31 | | | 59 | | |
| Average number of embryos transferred | | 1.2 | | | 1.2 | | |
| Percentage of embryos transferred resulting in implantation (%) | | 78.9 | | | 71.8 | | |
| Percentage of transfers resulting in term, normal weight & singleton live births ^e (%) | | 45.2 | | | 37.3 | | |
| Percentage of transfers resulting in singleton live births (%) | | 61.3 | | | 50.8 | | |
| Percentage of transfers resulting in twin live births (%) | | 16.1 | | | 13.6 | | |
| Percentage of transfers resulting in live births (%) | | 77.4 | | | 64.4 | | |
| Percentage of transfers resulting in pregnancies (%) | | 80.6 | | | 71.2 | | |

| CURRENT SERVICES & PROFILE | | Current Name: Santa Monica Fertility | | | | | |
|----------------------------|-----|--------------------------------------|-----|---------------|-----|-------------------------------|-----|
| Donor eggs? | Yes | Gestational carriers? | Yes | Single women? | Yes | Verified lab accreditation? | Yes |
| Donor embryos? | No | Embryo cryopreservation? | Yes | SART member? | No | (See Appendix C for details.) | |

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.