BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11-20).

2015 ART CYCLE PROFILE				Data verified by Rhiana D. Saunders, MD						
Type of ART and Procedural Factors ^a				Patient Diagnosis b						
	IVF Unstimulated Used gestational carrier		With ICSI PGD/PGS	86% 0%	Tubal factor Ovulatory dysfunction Diminished ovarian reserve Endometriosis	10% 13%	Uterine factor Male factor Other factor Unknown factor	49%	Female & male factors	11% 26%

2015 ART SUCCESS RATES Total number of cycles ^d : 103	(include	es u cycle			gs)	
Type of Cycle	Age of Woman					
	<35	35–37	38-40	41-42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	16	1	0	0
Percentage of cancellations before retrieval (%)	1.6	0.0	0/16	0/1		
Average number of embryos transferred	1.9	2.1	2.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	30.7	17.5	17.1	0/3		
Percentage of elective single embryo transfers (eSET) (%)	12.7	4.5	0/13	0/1		
Outcomes per Cycle				0.11		
Percentage of cycles resulting in term, normal weight & singleton live births (%)	29.7	22.7	1/16	0/1		
Percentage of cycles resulting in singleton live births (%)	32.8	27.3	1/16	0/1		
Percentage of cycles resulting in twin live births (%)	7.8	0.0	0/16	0/1		
Percentage of cycles resulting in live births (%)	40.6	27.3	2/16	0/1		
Percentage of cycles resulting in pregnancies (%)	48.4	40.9	4/16	0/1		
Outcomes per Transfer	00	00			_	0
Number of transfers	63	22	14	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births (%)	30.2	22.7	1/14	0/1		
Percentage of transfers resulting in singleton live births (%)	33.3	27.3	1/14	0/1		
Percentage of transfers resulting in twin live births (%)	7.9 41.3	0.0 27.3	0 / 14 2 / 14	0/1 0/1		
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)	49.2	40.9	4/14	0/1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs	Fre	sh Embr	vos ^f	Frozen Embryos ^f		
Number of cycles	0		, • •		0	,00
Number of transfers		0			0	
Average number of embryos transferred					· ·	
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes	
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)		

a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.